


# COVID-19 Vaccine Drug Reactions: Eye and Vision Disorders

Preliminary Notes – Reactions Listings Start on Page 2 Below



1. Eye and Vision Disorders cases Reported through June 4, 2021 in the United States to the Vaccine Adverse Event Reporting System (VAERS).
2. In order to understand the two charts above:
  - a. The VAERS COVID-19 vaccine drug reported cases + backlogged cases **versus** the flu vaccine reported cases
  - b. The VAERS reported cases versus the total cases in the United States

It is **crucial** to at least one time, carefully read through the two answers in the FAQs related to backlogged cases and then the VAERS reporting rate:

[https://www.covid19vaccinefacts.net/VAERS\\_FAQ.shtml#Backlog](https://www.covid19vaccinefacts.net/VAERS_FAQ.shtml#Backlog)

[https://www.covid19vaccinefacts.net/VAERS\\_FAQ.shtml#ReportingRate](https://www.covid19vaccinefacts.net/VAERS_FAQ.shtml#ReportingRate)

3. The cases listed below were pulled from the VAERS raw data files with a query that looked for eye and vision disorders. As you read through the cases below, it is possible that there will be an occasional erroneous case not related to eye and vision disorders. The exact query is as follows: (symptom\_text like "eye\*" or symptom\_text like "\* eye\*" or symptom\_text like "\* ocul\*" or symptom\_text like "\*vision\*" or symptom\_text like "\*visual\*" or symptom\_text like "\*blindn\*")

## *Eye and Vision Disorders: COVID-19 Vaccine Drugs*

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1373252	6/4/2021			F			INFLAMMATION IN THE RIGHT EYE; BROWN SPOTS AT THE INJECTION SITE; ITCHINESS AT THE INJECTION SITE; BUMP AT THE INJECTION SITE; INJECTION SITE PAPULE; WEAKNESS IN BOTH LEGS; SWELLING AT THE INJECTION SITE; REDNESS AT THE INJECTION SITE; INJECTION SITE RASH; This spontaneous report received from a patient concerned an adult female. The patient's height, and weight were not reported. No past medical history or concurrent conditions were reported. The patient received covid-19 vaccine (suspension for injection, intramuscular, batch number: Unknown) dose, start therapy date were not reported for prophylactic vaccination. The batch number was not reported. The company is unable to perform follow-up to request batch/lot numbers. Non-company suspect drugs included: adalimumab (solution for injection in pre-filled pen, subcutaneous, batch number was not reported) dose, frequency, and therapy dates were not reported for non-infectious intermediate, posterior and panuveitis, and moderate to severe rheumatoid arthritis. No concomitant medications were reported. On an unspecified date, the subject experienced inflammation in the right eye, brown spots at the injection site, itchiness at the injection site, bump at the injection site, injection site papule, weakness in both legs, swelling at the injection site, redness at the injection site, and injection site rash. The action taken with covid-19 vaccine was not applicable. The patient had not recovered from brown spots at the injection site, redness at the injection site, swelling at the injection site, weakness in both legs, and injection site rash, and the outcome of inflammation in the right eye, itchiness at the injection site, bump at the injection site and injection site papule was not reported. This report was non-serious.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1373827	6/4/2021	MI	81	F	4/21/2021	4/22/2021	Equilibrium affected; I could not hear; I woke up with pressure in both of my ears; Deaf in my right ear; arm soreness; This is a spontaneous report received from a contactable Nurse (patient). An 81-years-old female patient received bnt162b2 (BNT162B2, solution for injection, Batch/Lot Number: TR2613; Expiration Date: 31Jul2021), dose 1 via an unspecified route of administration, administered in left arm on 21Apr2021 at 09:00 as 1st DOSE, SINGLE for covid-19 immunization. Medical history included atrial tachycardia (From: 2015 To: Unspecified), macular degeneration diagnosed about 3-5 years ago, low thyroid hormone seems like she's had forever, high cholesterol just beyond normal has had for years, latex allergy since the 1980's, banana, avocado, and kiwi allergy (states all are interrelated because they are cousins to the rubber tree plant and also healthcare personnel allergic to latex can and may develop a cross allergy to psyllium which is Metamucil), Psyllium allergy (states she had an anaphylactic reaction to a metapower bar in 2015. About 7 minutes after eating the bar, she went into a severe reaction and ended up in the emergency room and stayed overnight. thankfully was at work). Reported having shingles vaccination in 2014 and had shingles 2-3 weeks later, can't remember details. States it was a mild case. NDC, lot, expiry unknown. She stated every flu shot she received, she has gotten the flu and only takes periodically. States she retired in 2017 and had to take in 2016 and 2015, she would have lost her job if she didn't take. It had been 5-10 years before that, and another 5-10 years before that. States she stays away from the flu shot. Concomitant medications included metoprolol ER from Jan 2016 for atrial tachycardia, SYNTHROID started about 15 years ago for low thyroid hormone, Simvastatin ongoing, started about a year ago for cholesterol slightly elevated, OCUVITE PreserVision(Ongoing) taking about 3 years for macular degeneration age related has not changed or gotten worse in 3 years, baby aspirin started Jan 2016 (Ongoing) as cardiologist thought it would be a good idea, Vitamin D3: taking for 3 years (ongoing) for bone health, calcium with magnesium been taking a long time. 5-10 years to prevent osteoporosis (ongoing), glucosamine chondroitin taking since late 1990s. about 20 years for joint health (ongoing), multivitamin taking since 1995 or 1996. about 25 years for general health,

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

vitamin C about 3 years ago started with the Ocuville (eye doctor though it was a good idea to take together. On April 28th2021 patient could not hear. She was deaf in right ear and the day before on April 27 it was like she woke up with pressure in both ears. It sounded like hell like she was in the airplane and by yawning she could not relieve the pressure and went to the doctor and was under treatment with steroids and antivirals and still deaf in right ear." She confirmed pressure is gone, but still deaf and under medical treatment with otolaryngology. She was kind of tossing whether to get the vaccine or not. First went to family doctor to see, didn't think she had an ear infection because no pain and was hoping maybe she would have wax in her ear, but ears were clean and no wax. So they sent her to an ear specialist and they did hearing test and she has pretty severe hearing loss in that ear. So she was still being treated. First the doctor put her on valacyclovir and methylprednisone for about 7 days and then that didn't seem to do anything and now she's getting dexamethasone injections into her middle ear. States she is due for one about lunch time. Pressure in both ears: patient reported has subsided, but then confirms it is a lasting effect comes and goes a little bit. Left ear is pretty much clear but right ear still has pressure and cannot hear and has not subsided. On an unknown date her equilibrium affected and stated has gotten slightly better, minuscule. Patient added she's pretty healthy and moves about, gardens takes care of business, goes to exercise class twice a week now partially participates because she gets dizzy from moving her head. Patient was treated with Valacyclovir: 1 gram tablet every 6 or 8 hours, states can't remember. Started 05MAY2021 for 7 days. Caller confirmed it did not help and she threw bottle away. Methylprednisone: 4 mg tablet by mouth started dose at every 4 or 5 hours, dose was a decreasing frequency of dose over 7 days. Confirmed she threw package away. Stated cortisone decreases irritation and inflammation. And Valacyclovir is an antiviral. Started dexamethasone injections last Thursday, 20 May 2021. Is scheduled to receive a dose today, will skip next week, and then one the following week, and then one the following week after that, states it is a series of four doses and then if that doesn't help she will have an MRI. Airborne: started taking about one week ago after first dexamethasone injection through



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1373133	6/4/2021	CA	55	M	3/22/2021	4/3/2021	<p>tympanic membrane into middle ear. Relevant Tests: Hearing Test (Date: 05MAY2021)Result: pretty severe hearing loss in right ear, Test: Ear exam (Date: 03MAY2021; 05MAY2021) Result: Normal. Outcome for pain in extremity was recovered, for ear discomfort and deafness it was resolving, for hypoacusis and equilibrium affected it was unknown. Reporter seriousness for pressure in both ears and equilibrium affected: Medically significant, Deafness right ear: Disabling, Arm soreness: non-serious Reporter causality: deafness in right ear: Causality: strong suspicion it's related to the vaccine, maybe not necessarily the vaccine itself, but her immune system reaction to the vaccine. Causality for pressure in both ear, arm soreness and equilibrium: related; Sender's Comments: Based on the current available information and the plausible drug-event temporal association, a possible contributory role of the suspect product BNT162B2 to the development of events such as deafness,balance disorder and ear discomfort cannot be totally excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.</p> <p>Vertigo, dizzy, blurred vision, ringing ears</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1373308	6/4/2021	CO	70	F	2/20/2021	2/20/2021	Lightheadedness; This is a spontaneous report from a contactable consumer or other non hcp. A 70-years-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Solution for injection, Batch/Lot Number: EN5318), dose 2 via an unspecified route of administration, administered in Arm Left on 20Feb2021 as 2ND DOSE, SINGLE; dose 1 of bnt162b2 (Batch/Lot Number: EN5318), via an unspecified route of administration, on 30Jan2021 as 1ST DOSE, SINGLE for covid-19 immunisation. Medical history included, bell's palsy (when I took the shingles shot I did get Bell's Palsy, as reported). Reportedly, patient stated she saw on the website that Bell's Palsy is a side effect of the vaccine and it is an acceptable risk. She stated when I took the shingles shot (it was 8-9 years ago) I did get Bell's Palsy and though not serious, I still have lasting effects. I've heard it is more dangerous the second time. Right now I am scared to death and I need to address this right away. I came out rather fortunate. The caller asked am I am at increased risk of getting it a second time. There were no concomitant medications. Patient states she took the second dose of the vaccine 9 days ago, 20Feb2021, states that night she was a little lightheaded, that she called to report but she was on hold for so long she just hung up and then the next morning it was gone. States that yesterday (28Feb2021), and today (01Mar2021) she is experiencing some more light headedness, that it has been 9 days and wants to know if this is normal, states she is guessing the vaccine is kicking in but wants to make sure, caller states she does not have a lot of time for a report but would like to speak with someone quickly as she has been holding for one hour. On 20Feb2021, the patient experienced lightheadedness. The patient with a questions about the COVID vaccine that no one can seem to answer. She knows that bell's palsy is a possible side effect to the product. Years ago, after the shingles shot, she experienced this event. She is wondering if this puts her at an increased risk for this event due to having it happen previously and is it safe for her to take. Caller confirms she has not taken the COVID vaccine, she is only calling with a question about it. When asked about the shingles shot, she states that she does not know the manufacturer, NDC, Lot, or Expiry for the product but knows it was the original shot not the one given now with the 2 doses. This was 8-9 years ago and

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

she won't take that shot even now for obvious reasons. The caller remarks that she knows others that have had it with far more severe effects so she considers herself lucky. The bell's palsy started within a few weeks after getting the shot and lasted 7-8 months. She had to cover eye for that long because it wouldn't close. It has recovered but her eye is still not right, it is still light sensitive. They gave her steroids, which she deplores. She is sure they gave her prednisone but she has no NDC, Lot, or Expiry for that product. This really has her spooked as her state has issued guidance that people over 70 are up next to get the vaccine. PC filed for the prednisone as it was not explained why she deplores the product. The outcome of the event was recovering. Follow-up (31Dec2020, 04Jan2021 and 01Mar2021): The initial case was missing the following minimum criteria: no adverse effect. Upon receipt of follow-up information on 01Mar2021, this case now contains all required information to be considered valid. A contactable consumer reported that: patient details (height, weight), suspect product details, adverse event (Lightheadedness). No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1373328	6/4/2021			F			<p>We noticed changes in her speech and cognition and legs, after the first shot; We noticed changes in her speech and cognition and legs, after the first shot; We noticed changes in her speech and cognition and legs, after the first shot; The initial case was missing the following minimum criteria: No adverse event. Upon receipt of follow-up information on (04Mar2021), this case now contains all required information to be considered valid. This is a spontaneous report from a contactable consumer. A female patient of an unspecified age received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, formulation: solution for injection), via an unspecified route of administration on an unspecified date as single dose for covid-19 immunisation. The patient's medical history included multiple sclerosis for about 26 years, diabetes, covid-19 from an unknown date in Nov2020 to an unknown date, tracheostomy and has been in a nursing home. The patient's concomitant medications were not reported. The patient has had Multiple Sclerosis for about 26 years. Recently she has been in a nursing home. She had Covid end of Nov2020. Once she recovered, they urged her to get her vaccinated for Covid. Noticed changes in her speech and cognition and legs, after the first shot, but did not put two and two together, until after the second shot. In under 24 hours of receiving the second shot, 28Jan2021 at approximately 3pm, she could barely hold her head up and she could only move her lips, making a mumbling sound at best. She suffered optical injury, and as the hours passed unable to talk, unconscious, unable to move her body, etc. She had to receive a tracheostomy and food peg and is in a long-term acute hospital. She has since become more alert (awake versus sleeping and not responding), tracks people with her eyes, fairly consistently. As of 27Feb201, she is tracking better but not following commands and the biggest thing is she can turn her head a little, left to right. Today I saw her swallow, twice (she still has a tracheostomy). The teach can only come out if she can follow commands, this do some therapy with the respiratory therapist. The patient received the Pfizer gene therapy shot. Her primary care physician was the attending physician at the time was urged to give permission for her to receive the first shot. Following poor conditions at this facility and having found a 5-star</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

facility/home near, the patient was moved before the second shot. The patient was currently at an acute care facility. We are hoping she won't need to have the tracheostomy much longer, so that she can return to another facility, a home which close to my residence. The acute care facility where she was at now. With no disrespect intended, but rather frustration, the regular or primary physician there who I've only spoken to (not their neurologist, because I have yet to speak to him), is useless- beyond her basic care or progress thinking in care. The reporter want to provide any treatment or care that could potentially reverse the garbage that was injected into her. She has had Multiple Sclerosis for decades, is diabetic, and she had Covid end of November. She should not have received this synthetic toxic serum. In other countries, they are advising people with MS not to receive this shot. There are some doctors I'm now learning about, one a MS specialist/neurologist, that has advised his MS patients NOT to get this shot, stating there are better shots or a real vaccine expected in summer. The outcome of the events was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1373331	6/4/2021	FL	67	F	2/23/2021	2/23/2021	<p>Felt like she had flu/mild flu like symptoms; congested; fatigue; BP shot sky high/after the vaccine her BP had gone to 190/105/BP is borderline high/sporadic or borderline high BP; face felt funny it was like tingling; Trouble Swallowing; felt like throat muscles closing; Dry mouth; This is a spontaneous report received from a contactable consumer (Patient). A 67-year-old female patient received first dose of BNT162B2(COVID-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in Arm Right on 23Feb2021 15:00 (Batch/Lot Number: EN6200) as 1st dose, single for covid-19 immunisation. Medical history included Type 1 diabetes, but she got it as an adult. They initially thought it was Type 2 but it was not gradually over time she Lost her Beta Cells, she tested for antibodies and its Type 1 Diabetes Lada. She was totally dependent on Insulin. LADA stands for Latent Autoimmune Diabetes of Adults. She also had Serious Allergy problems, she had had allergies since she was a child, they were respiratory and environmental, she was allergic to yeast she gets in trouble if she eats it, she was allergic to Mold, she had 2 autoimmune diseases. The type 1 diabetes was triggered by a night she spent in a Hotel, something in there bothered her in which she had a severe allergic reaction, she diagnosed as Type 2 diabetes at this point, before her A1C was good, but then weeks later to that event her Blood sugar was out of control. For the past 5 years she had been changing medications and foods and finally became insulin dependent that was precipitated by the allergies in the hotel, it was a bad exposure, even her eyes were puffy. She did not need a EpiPen or anything and it was not at that level, but allergies can do serious damage, this event triggered her Pancreas. She was also allergic to Dust, Tobacco in other words secondhand smoking, feathers, animal dander like dogs and cats, she is not allergic to pollen or has hay fever or anything. She also had Hyper-tension, High Cholesterol that was also controlled with medication, Hashimotos Thyroiditis, she clarifies that all is being treated for, all her number levels are good for all of it. Patient concomitant medication included insulin for type 1 diabetic. Patient has had No other vaccines on the same day or in the 4 weeks prior to the COVID vaccine. She had never really had other vaccine as an adult. She did not have to go to the</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

emergency room, but she does think she will call her doctor. She had no relevant family history. After vaccination, she was advised to wait 30 minutes after receiving her first dose. In about 10 minutes of receiving the vaccine, on 23Feb2021, she had a really weird headache, the symptoms that were concerning to her was trouble swallowing, she wanted water, her face felt funny it was like tingling, it was a weird thing, and they took her Blood Pressure (BP), her BP shot sky high. She does have high BP and she takes medications and its well-controlled with Medications but after the vaccine her BP had gone to 190/105. They kept the cuff on her, brought her water. After drinking the water, she could swallow, she doesn't know if this was because her mouth got dry. They kept checking her BP, it took about 24 hours for her BP to go back to normal. She added that on 24Feb2021, she felt like she had the flu for 3 days after the vaccine, it was mild flu like symptoms, she had no body aches but just felt fatigue and was really congested. She felt these symptoms start. The patient underwent lab tests and procedures which included blood pressure measurement. She had no testing since the vaccine. But had just been testing her own BP at home. She had all of her BP result in the BP Machine, and she doesn't know how to access them, she has not kept a physical log, but she recalls from memory that her BP was 120/75 2 days after getting the vaccine and that was the lowest, she had had. Her highest was 150/95 within 24 hrs. of receiving the vaccine. Last night it was 140/90. This morning it was 128/80. The events Headache, face felt funny it was like tingling, Trouble Swallowing, Dry mouth, were recovered on 23Feb2021, flu, fatigue, fatigue, congested were recovered on 26FEB2021 and high blood pressure was not recovered. No follow-up attempts are possible. No further information is expected.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1373351	6/4/2021	KS		F	2/10/2021	3/1/2021	sinusitis; soreness in the shoulder on the side she received the injection; This is a spontaneous report from a contactable nurse (patient). This female patient of unspecified age received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE) via unspecified route of administration on 10Feb2021 at single dose for Covid-19 immunization. Relevant medical history included sinus infection on an unknown date ("before") treated with antibiotics ("generally the antibiotics help"). Concomitant medications were not reported. On an unknown date the patient experienced soreness in the shoulder on the side she received the injection. a couple of days ago, she reports soreness on the left side of her face, her eye was hurting and had a slightly sore throat. She noticed swelling in her eye, face, had a headache and pain. Clarified her eye was aching. Her left cheek and side of face was swollen. She visited the doctor who said it was sinusitis and gave her antibiotic: amoxicillin/clavulanic acid (AUGMENTIN) every 12hours for 10 days since 04Mar2021. The second dose of vaccine was planned on 08Mar2021. The outcome of the events was unknown. Information about lot/batch number has been requested.
1373354	6/4/2021	IN		M			eye fatigue after 1st dose; This is a spontaneous report from a contactable consumer reported for herself that. A 68 age and unit: unknown male patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, Batch/Lot number was not reported) via an unspecified route of administration on an unspecified date as SINGLE DOSE for covid-19 immunization. The patient medical history was not reported. The patient is sensitive to medication like Flu shot. Patient concomitant medications were not reported. He experienced eye fatigue after first dose eyes started feeling fatigued 2 weeks later and continued until getting 2nd dose. He is very sensitive to medications for example flu shot usually makes me feel yucky for about a week. Patient asking how long symptoms are expected to last. Outcome of the event eye fatigue was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1373356	6/4/2021		51	F			lightheadedness; headache; vision changes; increased respirations; This is a spontaneous report from a non-contactable healthcare professional. A 51-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection; Batch/Lot number: EN6205, Expiration date was not reported), intramuscularly on an unspecified date (at the age of 51-years-old) as 1st dose, single dose for COVID-19 immunisation. Medical history included asthma (often triggered by stress and does have albuterol inhaler on hand) from an unknown date. The patient's concomitant medications were not reported. On an unspecified date, the patient experienced lightheadedness, headache, vision changes and increased respirations. It was reported that during the 15-minute waiting period after the injection, the patient began to experience lightheadedness, headache, vision changes and increased respirations. The patient denied rash, hives, difficulty swallowing, wheezing, throat tightness and hoarseness. The patient has a history of asthma often triggered by stress and does have albuterol inhaler on hand but has not used today. The patient denied frequent use of albuterol inhaler. Treatment included was water and TYLENOL 1000mg. The followup response to treatment was good. The patient's symptoms all resolved prior to discharge. The patient's O2 remained 99-100%, denied difficulties breathing and respirations decreased while she was in the bay. The patient was discharged, stable to go home and for follow up with PCP. The outcome of the events was recovered. No follow-up attempts are possible. No further information expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1373360	6/4/2021		67	M	3/4/2021	3/4/2021	floaters in both eyes; This is a spontaneous report from a contactable consumer (patient). A 67-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection; Batch/Lot Number and expiration date were not reported), via an unspecified route of administration on 04Mar2021 (at the age of 67-years-old) as first dose, single dose for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. On 04Mar2021, 10 mins after the first dose, the patient experienced floaters in both eyes. The outcome of the event was not recovered; floaters in right eye resolved however the patient continued to have significant floaters in left eye. The patient was querying if this was a known side effect. No follow up attempts are possible; information about lot/batch number cannot be obtained.
1373368	6/4/2021	FL		F			experienced "a little pain" in her shoulder that day and the next morning; This is a spontaneous report from a contactable consumer (patient). A 66-years-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection; Batch/Lot number and Expiration Date: not reported), via an unspecified route of administration on an unspecified date as first dose, single for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. On an unspecified date, the patient experienced "a little pain" in her shoulder that day of the vaccination and the next morning. The patient would like to know who like to know how effective her first dose of the BNT162B2 vaccine was. Caller was concerned about the amount of protection she had against COVID-19 now that she has had her first dose because she was supposed to go for an eye appointment next Thursday (as reported) and was concerned being around a bunch of people. Caller states that her brother states it's 20% or 40%, and also states that doctor said it was "more than that." Outcome of the event was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1373395	6/4/2021	IL	83	F	2/24/2021	2/25/2021	eyes were showing bright silver snowflakes; severe abdominal pain; diarrhea; vomited 3x in 15 min; This is a spontaneous report from a contactable consumer (patient). A 83-year-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: EN6201), via an unspecified route of administration, administered in arm left on 24Feb2021 14:00 (at the age of 83-years-old) as 1st dose, single for COVID-19 immunisation. Medical history included high blood pressure, kidney stones (controlled), penicillin allergy, allergy to antibiotics, allergy to trees, allergy to grass and sulfa and cataracts and surg to replace retina 6 years ago (as reported). Concomitant medications included simvastatin, metoprolol, amlodipinum, lisinopril and paracetamol (TYLENOL), all taken for an unspecified indication, start and stop date were not reported. On 25Feb2021 15:00 the patient experienced severe abdominal pain followed by diarrhea and vomited 3x in 15 min. On 26Feb2021 16:30 the patient had eye problem: she was not able to see because her eyes were showing bright silver snowflakes. Lasted about 15 minutes. Tearing and water made it go away. The patient did not received treatment for the other events. The patient did not have COVID prior vaccination and she was not tested post vaccination. The events were resolved on an unspecified date. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1373410	6/4/2021	WA	29	F	3/5/2021	3/6/2021	<p>Woke up around 4:30 AM short of breath, feeling somewhat queasy, cold forehead. Checked pulse, heart was racing, around 120 BPM.; Woke up around 4:30 AM short of breath, feeling somewhat queasy, cold forehead. Checked pulse, heart was racing, around 120 BPM.; Woke up around 4:30 AM short of breath, feeling somewhat queasy, cold forehead. Checked pulse, heart was racing, around 120 BPM.; Woke up around 4:30 AM short of breath, feeling somewhat queasy, cold forehead. Checked pulse, heart was racing, around 120 BPM.; Woke up around 4:30 AM short of breath, feeling somewhat queasy, cold forehead. Checked pulse, heart was racing, around 120 BPM.; Stood up, walked to next room, heart rate increased to around 160, hands shaking, cold hands and forehead; Stood up, walked to next room, heart rate increased to around 160, hands shaking, cold hands and forehead; This is a spontaneous report from a contactable consumer (patient). A 29-year-old non-pregnant female patient received BNT162B2 (PFIZER BIONTECH COVID-19 mRNA VACCINE, Solution for injection, Batch/Lot number: EN6198, Expiration date was not reported), via an unspecified route of administration, administered in right arm on 05Mar2021 at 16:15 hours as 1st dose, single (at the age of 29-years-old) for covid-19 immunisation. Medical history included known allergies: avocado gives stomach aches, depression/anxiety and vitamin D supplements. Patient had no other vaccine in four weeks. Concomitant medication(s) included sertraline hydrochloride (ZOLOFT) at a dose of 50 mg/day taken for depression/anxiety; vitamin D not otherwise specified (NOS) taken for vitamin D supplements. On 06Mar2021, the patient woke up around 4:30 AM and experienced short of breath, feeling somewhat queasy, cold forehead. Checked pulse, heart was racing, around 120 BPM. Stood up, walked to next room, heart rate increased to around 160, hands shaking, cold hands and forehead. Called family doctor, given advice to apply pressure to one side of neck and keep an eye on it for half an hour. Did slow breathing and followed advice; heart returned to normal rate within half an hour. Patient received no treatment for all the events. Prior to vaccination, the patient was not diagnosed with COVID-19; Since the vaccination, the patient not been tested for COVID-19. The outcome of all the events was recovered on 06Mar2021. No follow-up attempts are possible. No further information is expected.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1373417	6/4/2021	MA	71	F	3/5/2021	3/5/2021	<p>Facial numbness left side: cheek, eye, ear. Skin sensitivity left top forehead at hairline. Arm soreness (left upper); Facial numbness left side: cheek, eye, ear. Skin sensitivity left top forehead at hairline. Arm soreness (left upper); Facial numbness left side: cheek, eye, ear. Skin sensitivity left top forehead at hairline. Arm soreness (left upper); This is a spontaneous report from a contactable consumer or other non hcp. A 71-years-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, Batch/Lot Number: IN6205), via an unspecified route of administration, administered in Arm Left on 05Mar2021 08:45 as 1st dose, single dose for COVID-19 immunization. Medical history included none from an unknown date and unknown if ongoing. Concomitant medications includes vitamin-D and multivitamins taken for an unspecified indication, start and stop date were not reported. The patient did not received any other vaccines within 4 weeks prior to the COVID vaccine. The patient was not diagnosed with COVID-19, prior to vaccination. The patient has not been tested for COVID-19, since the vaccination. The patient experienced facial numbness left side: cheek, eye, ear. Skin sensitivity left top forehead at hairline. Arm soreness (left upper) on 05MAR2021 09:00. The events were assessed as non-serious. The treatment was not received for the events. The patient had no known allergies medications, food, or other products. Caller had facial numbness on left side particularly the cheek, eye, and ear which happened 20-25minutes after receiving vaccine and subsided about 5 days after injection. Caller also had skin sensitivity on left top forehead at hairline which dissipated about 5 days after the vaccine. Caller also stated she had what she thinks is normal but arm soreness in left upper arm that went away about 3 days after receiving vaccine. Caller states that the arm soreness is nothing it is the numbness she is very concerned about. Caller has a question on if she should receive the second dose. 71-year-old caller confirmed she experienced side effects after getting the first dose of the Pfizer-BioNTech COVID-19 vaccine. She asked if she should receive the second dose. She explained she has already spoken to her HCP. Caller explained the Medical Information line is very misleading as it cannot provide a treatment recommendation regarding her second dose of the Pfizer-</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1373484	6/4/2021	AK	63	F	3/6/2021	3/6/2021	<p>BioNTech COVID-19 vaccine. She added she waited for almost two hours before being able to speak with an MI agent. She stated it is very disappointing and discouraging. The outcome of the event was reported as recovered on an unspecified date in 2021. No follow-up attempts are needed. No further information is expected.</p> <p>I developed a sore throat; hoarseness; chilled; sweaty; My eyes were watery; nose started running; My ears were itchy; This is a spontaneous report from a contactable Nurse (patient). A 63-years-old non pregnant female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), via an unspecified route of administration, administered in Arm Right on 06Mar2021 13:00 (Batch/Lot Number: EN6207) as single dose for COVID-19 immunisation. Medical history included asthma. The patient's concomitant medications were not reported. The patient previously took benzocaine and experienced anaphylactic reaction, took first dose of BNT162B2 for COVID-19 immunisation. The patient received no other vaccination in four weeks. On 06Mar2021 at 13.15, within 10 mins of receiving 2nd injection (as reported), the patient developed a sore throat and hoarseness. She became chilled, then sweaty. Her eyes were watery and her nose started running. Her ears were itchy. The patient received treatment with 25 mg Benadryl by Medic. No Covid prior vaccination and no Covid tested post vaccination. Outcome of the events was recovering. No follow-up attempts are possible. No further information is expected.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1373820	6/4/2021	CA		F	5/6/2021	5/12/2021	Hematoma in right eye; This is a spontaneous report from a contactable consumer (Patient). A 52-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for Injection, Lot number: EW0168), via an unspecified route of administration on 06May2021, at 16:15 hrs, on the right arm as single dose for COVID-19 immunization. No other vaccinations within four weeks prior to suspect vaccine. The patient's medical history and concomitant medications were not reported. No family medical history relevant to Adverse Event. No adverse events prior to vaccination. On 12May2021, the patient developed hematoma in her right eye after the first dose of the Covid Vaccine. Caller stated that the hematoma was barely visible now. Caller denies any medications, medical conditions, labs, testing, or treatments relevant to event. The patient did not visit any emergency room or physician office due to the events. The outcome of the event was resolving. Additional information requested.
1373115	6/4/2021	KS	28	F	4/19/2021	4/19/2021	My arms, legs, and stomach broke out in hives. My face swelled up and turned red with red linear bumps below my eyes along my cheek bones. My entire body became itchy.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1373575	6/4/2021	CA	60	F	3/16/2021	3/17/2021	Bright red rash starting to turn purple; raised, angry rash raised, angry rash all over back, chest, abdomen, neck and face.; raised, angry rash all over back, chest, abdomen, neck and face; Swollen right side face including cheek, eye and ear; This is a spontaneous report from a contactable consumer, the patient. A 60-years-old adult non-pregnant female patient received first dose of BNT162B2(PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot number: unknown) via an unspecified route of administration in the right arm on 16Mar2021 at 10:45 AM (at the age 60-years-old) as a single dose for COVID-19 immunisation. Medical history included Lyme disease, PCOS, asthma, rosacea, Hashimotos thyroiditis, diverticulosis, celiac and IBS. Multiple food and drug allergies reported. The patient did not receive any other medications within 2 weeks of vaccination. The patient did not receive any other vaccines within four weeks prior to the vaccination. Prior to the vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient was not tested for COVID-19. On 17Mar2021 at 05:00 AM, patient experienced raised, angry rash all over back, chest, abdomen, neck and face. Rash was bilateral and worse on right side. Patient also experienced Swollen right side face including cheek, eye and ear and bright red rash started to turn purple as the day passed. The patient did not receive any treatment for the events. The clinical outcome of rash all over back, chest, abdomen, neck and face, swollen face and red rash was recovering. Information about lot/batch number cannot be obtained. No further information is expected



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1373823	6/4/2021	IN	53	M	5/25/2021	5/26/2021	Whole lip swollen and numb; Whole lip swollen and numb; Nose swollen and numb; Nose swollen and numb/ Some of his cheek under his left eye was numb; Face had swelled/ some of his cheek under his left eye was numb and swelled; Doesn't feel well, sickness like just don't feel well/ feels sick, kind of; This is spontaneous report received from a contactable consumer (patient himself). A 53-year-old male patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Formulation: Solution for injection, Lot number: EW0186), via an unspecified route of administration on 25May2021 at 14:10 (at the age of 53-year-old) as a single dose to protect him if he would get the coronavirus/ COVID-19 immunisation. The patient's medical history included has something like ALS (amyotrophic lateral sclerosis) (has not been actually diagnosed. Doesn't have anything to do with his lip swelling and nose going numb). No new meds, not anything new eaten, no new detergents. Noting was different other than he got the shot. Has medical conditions but doesn't have anything to do with swelling in lips or face. Patient states he has something like ALS or Lou Gehrig's disease, but has not been diagnosed. It has nothing to do with the swelling or lips turning numb. Concomitant medications were reported as none. The patient previously received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Formulation: Solution for Injection, Lot number: EW0173), via an unspecified route of administration in left arm on 04May2021 (at the age of 53-year-old) as a single dose for COVID-19 immunization and experienced throwing up four days, sick for four days, slept for 17 hours straight and stayed in bed a total three to four days, tired. Family medical history relevant to adverse events was none. The patient did not administered additional vaccines on same date of the Pfizer suspect. No prior vaccinations (within 4 weeks) within four weeks prior to the first administration date of the suspect vaccine. No adverse events following prior vaccinations. It was reported that, patient was calling about COVID, the Pfizer shot, the second Pfizer COVID shot. Had gotten the shot on Tuesday, 25May2021 at 14:10. Noticed yesterday (26May2021) around 2'clock half of his lip was swelled, and some of nose, and left side of face, cheek, under eye. As time went on it spread. He later clarified it

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

was more around 14:30 after the 24hr period. He noticed his face had swelled, spread over time, and started with his upper left lip. His wife noticed that. Some of his nose was numb and swelled and some of his cheek under his left eye was numb and swelled. It went to other side of his lip, swelled and numb, and his nose was swollen and numb. Both lips are swelled and numb. He went to doctor yesterday, to walk in clinic that was in his doctor's office. They gave him a steroid shot yesterday (26May2021) and steroid pills today (27May2021). He had just taken his first steroid pill now. Confirmed dates and times, he stated the symptoms started after the 24-hour period. Whole lip swollen and numb: Big enough as of right now, that upper lip covers bottom lip, don't even see the bottom lip. Commented he has a sickness like does not feel well. He now feels sick, kind of, not throwing up. No investigation assessment. No relevant tests. No tests performed. Went to walk-in clinic downstairs from doctor's office. The doctor though his symptoms were from the shot and he got a steroid shot and steroid pills. The adverse events required a visit to physician office. The adverse events did not require a visit to emergency room. The outcome of the events was not recovered. Follow-up attempts needed. Additional information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1373812	6/4/2021	CA	55	F	5/5/2021	5/8/2021	Second hematoma in eye; hematoma; This is a spontaneous report received from a contactable consumer (reporting on herself). A 55-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, Lot number and Expiration date: unknown), via an unspecified route of administration in Arm Right 05May202115:30 as 1st dose, single dose for COVID-19 immunization. Medical history included ongoing arthralgia. The patient's concomitant medications were not reported. Previously patient received Tetanus Vaccine and experienced sore arm in 2016 or 2017. Patinet received the first dose of the Pfizer Covid 19 vaccine on 5May2021 and developed a hematoma in the right eye 3 days later on 08May2021. A few days later she developed a second hematoma in the right eye on 12May2021. Her vision has not been effected. she was concerned that this may happen somewhere else in her body if she gets the next dose. patinet at risk of it just causing more kinds of things like that if she get the second dose. Patient saying it called a subconjunctival hemorrhage- its kind of like a bleeding disorder right. Asking If she miss her dose do we have a certain window that we can get the second dose. She wants to know if someone can give her some guidance. She was hesitant to get the second shot. States it was like a vessel on the white part of her eye burst. States it did not effect her eye sight. States she didn't think much of it, but then her sister got the Covid shot and also developed a hematoma in her eye. Patinet states she was wondering why they had the same reaction. She was supposed to be going to get her second shot but was concerned if this was something that could happen somewhere else in her body. Outcome of the events were recovering. Information on batch/Lot number was obtained. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1373783	6/4/2021	FL	75	U	5/4/2021		Heart problem; It's a deep cough, it's in my throat itself, it was in my chest; Running eyes and my nose runny; Running eyes and my nose runny; Allergies; Cold; Hypertension; This is a spontaneous report from a contactable consumer (patient). A 75-year-old patient of an unspecified gender received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Formulation: Solution for injection, Lot number: EWO171), via an unspecified route of administration in right arm on 04May2021 (at the age of 75-year-old) as a single dose for COVID-19 immunisation. The patient's medical history included blood pressure, restless legs, hypertension. Concomitant medications included amlodipine for blood pressure, losartan for blood pressure, folic acid, ezetimibe (ZETIA), sertraline, ropinirole, isosorbide, gabapentin for restless legs, unspecified medications. Consumer stated, "I went and got my 1st shot and I had seen all the side effects, you know they are written on the paper. I didn't go into the site because I wanted to talk with someone personally. I have never had a flu shot which means that the virus, you know any part of a cold virus that's in the Pfizer vaccine will affect me, might affect me differently than others. What happened was two days after the shot, I developed a cough and running eyes and my nose runny on an unspecified date in 2021. 'The big thing the nose and the other stuff to be my allergies' (not clarified further), but I developed cough and it's a deep cough, it's in my throat itself, it was in my chest, it isn't quite down as far my problem was that I have an appointment tomorrow to get another shot my 2nd alright and I have colonoscopy and endoscopy two days later. And I just wanted to know if what I have was just the fact that I have never received a flu shot before and I am having that kind of reaction. Otherwise it's nothing 'for to see' (not clear nor clarified), so." Consumer stated, "because I do have the appointment tomorrow and because I do have that procedure happening." Consumer stated, "and the funny part of this whole thing was that I have not had a cold in probably 10, 15 years and all of a sudden this was what I call it, was a cold on an unspecified date in 2021, except was I have (incomplete sentence)." Consumer stated, "these things, I mean, you could not give me advice over the telephone but I was the person that stayed in and my husband didn't go anywhere and

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

so I felt very safe and finally I got the shot, and I had this reaction, I don't know I don't think it's COVID. But I don't know whether I could go to and have those two things it's somebody tomorrow." Consumer stated, "see, that's what I did that I talk to a lady, gave all my information to her and she gave me you, now you are giving me the same thing, you are giving me her. So, I don't know, I wanted to physically talk to somebody, I wanted to know if this was Pfizer had symptoms like what I had symptoms like what I have as a reaction to the product itself." Consumer stated, "two days after the shot (not clarified), the patient experienced adverse events." Consumer stated, "I am experiencing the cough, but it seems to not (statement incomplete) I still got a cough it's just I have no medicine in my house to take for cold because I haven't had cold in you know. So, it's strange I got like number of these, but I can feel when I take my breath, I can hear it in my chest." When probed for any other help, Consumer stated, "no and that's the thing I need to find out if a cough was cause of having COVID or if it's part of being like having an allergy or cold that was stimulated by medicine itself because I said I have never had a flu shot so that means my system has never adapted to bacteria being put in into my system. So, because it was so I interrupted or whatever you going to call it I ended up getting perhaps and yes, it's just I have so much to do in. I don't want to go out if, if something that, you know, was going to cause me a problem so I have the appointment for this next shot tomorrow and then 2 days later, so I have to cancel my appointments and endoscopy was that I have to call them today. So, that's the reason I am calling you guys." Consumer stated, "I have the list of the side effects, I had my first shot on 04May2021, and I am schedule to go tomorrow and have my second but one of the reaction I had to it, see I had never had a flu shot and I haven't had a cold, it has be 15 years. Now I went in get the vaccination and I was fine for 2 days and then all of a sudden, I have like my eyes were watering but that stuff could be related to my allergies, but I ended up with a cough, and it's a heavy coughing it's not in my chest it's my chest and throat area and I can't seem to get phlegm. So, I had appointments and I don't want to go out into the public if there was something wrong, you know, I have a COVID (shot) tomorrow and then 2 days later I am having two procedures at my Gynaecologist so, I don't

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

think I have got COVID I mean everybody that I have talked to had said symptom from shots and if anything was ever going to wrong with coughing it's me because every time I had something done or had happen so it's not my coughing, it's not as bad as it was 3 day ago, 4 days ago but it's to the cough and I don't know whether I should see anything, have you had that kind of reaction from people." Consumer stated, "I took an antihistamine, 'Zydol' (not appropriately paraphrased and clarified)." No investigation. Other medical conditions: Consumer stated, "I have 3 blood pressure medicines and I have heart problems (further clarification unknown) on an unspecified date in 2021, I do have stent as it wasn't anything major, but I am on a medication because I can't take statin so that's my heart medicines and then I am on a thyroid medicine and a 'Zetia' (not clear) and sertraline and then gabapentin and propranolol, might (not clarified)." Consumer stated, "I am on a whole list medications, when you get to this age that was you have a Pharmacy in your house. Anything in particular, I have blood pressure medicine, I have a 'heart pump' (not clear nor clarified) because I can't take a statin (unspecified medications) on an unspecified date in 2021. And I have a thyroid pill and something else. I don't have it in front of me, it's a thyroid medicine the last one. I take night pills too." The patient experienced hypertension on an unspecified date in 2021. The outcome of the events was unknown. Information on lot/batch number was available. Additional information has been requested.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1373773	6/4/2021	OK		M	3/23/2021	3/1/2021	50% hearing loss; He is on the verge of suicide; insomnia; I cant live with this; can't think; it's driving me crazy; driving me insane; He is desperate; spike headaches; rash under my eyes/rash in his eyes appeared in the right eye and then got to the left eye; incredible ringing in my ears and a spike headache/high pitched ringing in my ears; This is a spontaneous report from a Pfizer-sponsored program via a contactable male consumer (patient himself). A male patient of an unspecified age received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Formulation: Solution for injection, Batch/Lot number was not reported), via an unspecified route of administration on 23Mar2021 as 1st dose, single for COVID-19 immunization. The patient medical history and concomitant medications were not reported. It was reported that, caller and his 20y/o son received their first dose of the Pfizer BioNTech COVID 19 Vaccine on 23 Mar 2021. His son had a runny nose for 10 days but was fine after. However, 4 days later, on an unspecified date in Mar2021, the patient developed a rash under his eyes and he woke up with an "incredible ringing in my ears and a spike headache". Caller claims that he has never experienced that in his life. He also reported a rash under one of his eye that later on spread to the other eye, as well as insomnia on an unspecified date. He has seen his HCP and was referred to an Audiologist, who he has visited 3 times since then. He was diagnosed with 3 times % loss of hearing and 10500 Hertz tinnitus, which the Audiologist mentioned is "really high". It was also reported that, this high pitched ringing in his ears that just won't go away and its driving him crazy. He was prescribed with high dose Prednisone for 7 days, but caller mentioned "it did not help and had no effect whatsoever". His HCP wanted to be "super cautious" and recommended a brain scan this week just to make sure he didn't develop a blood clot. Caller is upset that no one can give him answers. He has reached out to CDC and asked for medical advice, but he stated that everyone is giving him the same answers - there is not enough data. He is on the verge of suicide and said, "I can't live with this for the rest of my life. I can't sleep and can't think, it's driving me crazy" on an unspecified date. Patient stated "I'm just trying to get to the end of this. I cant live like this its driving me crazy." Patient went on to mention "I'm at

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

my wits end with this it is truly driving me insane on an unspecified date. I'm not kidding. I can't sleep, I can't think, I cant function with this ringing. The rash didn't even go away under my, I've been to the dermatologist twice and they just don't know..." Patient wanted to speak to someone because "I cant spend my life with this high pitch ringing in my ears it is driving me crazy". On an unspecified date, he was desperate for answers and even tried reporting to Vaccine Adverse Event Reporting System (VAERS) but there was no way to submit it. The patient also asked about what in the vaccine could affect the auditory complex. He added that he did not get the second dose of the Pfizer covid vaccine, that the rash in his eyes appeared in the right eye and then got to the left eye. Also he mentions that this is "all over the internet and you just have to google it", that the percentage that reported this is above 10% for both Moderna and Pfizer vaccines and he estimates that is about 17% all over the world and that the DNA vaccines started since the 90's. He also mentions that he knows at least 15 more persons affected with the same side effects as him and he lives in a small town and a CEO just committed suicide because of this. Sometimes he refers at it as "tinnitus". He says that he feels miserable and this is driving him crazy. He wants to make this public and that Pfizer acknowledges this. The patient underwent lab tests and procedures which included tinnitus: 10500 Hertz which the Audiologist mentioned is "really high". The outcome of the events, incredible ringing in my ears and a rash under eyes was not recovered and for other events was unknown.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1373751	6/4/2021	PA	83	F	4/30/2021	4/1/2021	Cranial Nerve VII Palsy; Double Vision requiring an eye patch on one eye so that I can see single objects; Medial drifting of left eye. Inability of left eye to move laterally past midline.; This is a spontaneous report from a contactable consumer (patient). An 83-year-old female patient received the first dose of BNT162B2 (PFIZER COVID-19 VACCINE, lot number: ER8733), at the age of 83 years old, in right arm on 30Apr2021 at single dose for covid-19 immunisation (The patient also received the second dose of BNT162B2 (lot number: EW0169), at the age of 83 years old, on 30Apr2021 at single dose for covid-19 immunisation, pending clarification). The patient was not diagnosed with covid-19 prior to vaccination. Concomitant medications included levothyroxine sodium (SYNTHROID) and omeprazole. The patient did not receive any other vaccines within 4 weeks prior to vaccination. The patient experienced cranial nerve VII palsy on Apr2021. On Apr2021, double vision requiring an eye patch on one eye so that she can see single objects, medial drifting of left eye and inability of left eye to move laterally past midline. The patient was hospitalized for the events for 4 days. The patient was unknown if she was tested for covid-19 since the vaccination. Therapeutic measures were taken as a result of events and included treatment with prednisone. The outcome of events was not recovered. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1373724	6/4/2021	FL	43	F			<p>Apparently I have mild shingles and not a sty / Left eye hurt / Sensitivity to light; No (vaginal) infection or anything but I was in pain; This is a spontaneous report from a contactable consumer (patient). This consumer reported events for two separate vaccine doses. This is the second of two reports. This case is serious. The additional case is non-serious. This report is for the events related to the second vaccine dose. A 43-year-old non-pregnant female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), second dose via an unspecified route of administration on an unspecified date in 2021 (Batch/Lot number: Unknown, at the age of 43 years) as a single dose for COVID-19 immunization at a pharmacy drug store. Medical history included migraines. The patient has no known allergies. Prior to vaccination, the patient was diagnosed with COVID-19. Historical Vaccine included the first dose of BNT162B2 on 05Apr2021 at 09:45am for COVID-19 Immunization and the patient experienced left eye swelled up, sty and vaginal infection 3 days after the first dose on (08Apr2021). The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Concomitant medications were reported as none. The patient did not receive any other medications within 2 weeks of vaccination. Clinical course included: On 05Apr2021 at 09:45am the patient received the first dose of BNT162B2. On 08Apr2021, 3 days after the first dose of BNT162B2, her left eye swelled up. She went to the ophthalmologist and was told she had a sty. She was prescribed Neomycin and Polymyxin B Sulfates and Dexamethasone ophthalmic. The same day she woke up with what she thought was a vaginal infection. She went to the gynecologist and was prescribed Diflucan. The patient fulfilled both treatments and was fine. On an unspecified date in 2021, the patient received the second dose of BNT162B2. Then 3 days later, on an unspecified date in 2021, again the same reaction occurred, but this time her left eye hurt like someone was stabbing her with a knife. She had to go to emergency service. The ophthalmologist didn't know what she had because her eye looked normal. There was nothing related to a sty. She was prescribed Tobramycin. She saw a gynecologist as well and there was no (vaginal) infection or anything but she was in pain. She was prescribed Nystatin but it didn't work and after 3 days she was prescribed Medrol</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

							4mg dose pak. The eye was still swelled up until today (19May2021) and it hurts. She has sensitivity to light. Tomorrow (20May2021) she has a follow-up visit with the ophthalmologist. She stated that apparently she has mild shingles and not a sty. The events resulted in a visit to physician or other health professional office, urgency or emergency room/department. Since the vaccination, the patient has not been tested for COVID-19. The outcome of event mild shingles with left eye hurting and sensitivity to light was not recovered. The outcome of event vaginal pain was unknown. Information on the lot/batch number has been requested.; Sender's Comments: Linked Report(s) : US-PFIZER INC-2021568064 same report/patient, different dose/AE
--	--	--	--	--	--	--	--

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1373716	6/4/2021	WA	34	F	5/7/2021	5/9/2021	decreased ability to make decisions; Dizziness similar to vertigo;dizziness set in maybe 48 hours after my second dose and worsened over the following week; Dizziness similar to vertigo;dizziness set in maybe 48 hours after my second dose and worsened over the following week; was stimulated by movement, visual changes, and sounds independent of each other; was stimulated by movement, visual changes, and sounds independent of each other; Brain fog; inability to focus my attention; confusion as well as decreased ability to make decisions; Anxiety that was severe/Heightened anxiety levels have remained for almost a week; describe as a severe panic attack; This is a spontaneous report from a contactable consumer (patient). A 34-year-old female patient received bnt162b2 (BNT162B2), dose 2 via an unspecified route of administration, administered in Arm Left on 07May2021 (Batch/Lot Number: EW0179) as single dose for covid-19 immunisation at the age of 34-year-old. Medical history included ADHD, allergy to Bactrim. She has felt dizziness when had the middle ear suctioned out while having a tympanostomy. The patient previously received the dose 1 administered in Arm Left on 16Apr2021 (Batch/Lot Number: EW0161) as single dose for covid-19 immunisation at the age of 34-year-old. Concomitant medications included amphetamine aspartate, amphetamine sulfate, dexamphetamine saccharate, dexamphetamine sulfate (ADDERALL) and sertraline hydrochloride (ZOLOFT). On 09May2021, the patient experienced dizziness that similar to vertigo, that was stimulated by movement, visual changes, and sounds independent of each other. The only time I've felt similar dizziness is when I've had my middle ear suctioned out while having a tympanostomy. The dizziness set in maybe 48 hours after my second dose and worsened over the following week and then started to lessen; also felt brain fog that included inability to focus my attention, switch between tasks effectively, and confusion as well as decreased ability to make decisions. This brain fog has lasted well over a week now but is starting to abate; and also experienced anxiety that was severe. A week after my second dose, I had what I can only describe as a severe panic attack. I have never had one this severe and have not had a panic attack in well over a decade. The panic attack was not preceded by any event that I would characterize as outside the realm

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

of normal levels of stress. Heightened anxiety levels have remained for almost a week now but are slowly dissipating. The outcome of the events was recovering. No treatment received for the events. The patient was not diagnosed with COVID-19 prior to vaccination and has not been tested for COVID-19 since the vaccination.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1373712	6/4/2021			F			<p>her lungs looked scarred on both sides.; partial collapsing in the bottom and upper lung known as atelectasis; she had sharp pains in her chest, back, and in different parts of her body.; she had sharp pains in her chest, back, and in different parts of her body.; she had sharp pains in her chest, back, and in different parts of her body.; headaches; a blood spot" on her arm near the injection site, described as a "blood circle."; ashorthness of breath; redness around her nose, eyes; redness around her nose, eyes; pain in her eyes; her lungs looked scarred on both sides. Caller states that "one doctor felt like a nodule, but another doctor didn't feel it."; inflammation; This is a spontaneous report from a contactable consumer (the patient). A 70-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration on an unspecified date at single dose for COVID-19 immunisation. Medical history included rare lung disease, in which her right lung is attached to her rib cage. The patient's concomitant medications were not reported. Caller stated that she was having a hard time finding a place that would administer the second dose to her. She did not want to go back to the original site. Caller was worried about receiving left over Pfizer Covid-19 vaccines from an original site. Caller stated that the vaccine was being stored in a refrigerator around "7 degrees" but she wasn't sure that is a guaranteed temperature. Caller received the first dose of the Pfizer Covid-19 vaccine and stated that she had sharp pains in her chest, back, and in different parts of her body. She also had headaches, "a blood spot" on her arm near/under the injection site, described as a "blood circle." She experienced shortness of breath, redness around her nose, eyes, and pain in her eyes. She went to the emergency room/ hospital three times within three months. She just went to the ER, she was never admitted. A doctor said her lungs looked scarred on both sides. Caller stated that "one doctor felt like a nodule, but another doctor didn't feel it." She was told she had partial collapsing in the bottom and upper lung known as atelectasis. She was "high risk due to a pre-existing rare lung disease, in which her right lung is attached to her rib cage." Caller asked if her reactions have been reported, caller asked if any rare reactions have been reported, Caller asked if her reaction would be</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1373704	6/4/2021	FL	74	M	2/2/2021	2/11/2021	<p>considered an allergic reaction or hypersensitivity reaction, Caller asked if any ingredient of the vaccine would produce inflammation or pain that she has experienced. Caller stated the leaflet on some medications states to not take the vaccine or any vaccines while taking the medication. Caller asked, "Can you be on certain medications that may react with the vaccine?" Caller was referring to any antibiotics and prednisone. Caller also asked if the Covid virus was always present with a fever. The outcome of the events was unknown. Information on lot/batch number has been requested.</p> <p>Left side facial numbness starting with the left tip of tongue spreading to left side of lips, then left cheek, then left forehead. Continues to intensify and spread. Now surrounds left eye; extremely concerned as I am blind in my right eye.; This is a spontaneous report from a contactable consumer. This 74-year-old male consumer reported for himself received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE) via an unspecified route of administration, administered in Arm Right on 02Feb2021 09:00 (Batch/Lot Number: EN5318) as 2ND DOSE, SINGLE DOSE, and via an unspecified route of administration, administered in Arm Right on 12Jan2021 09:00 (Batch/Lot Number: EL1283) as 1ST DOSE, SINGLE DOSE for covid-19 immunisation. Medical history was none. Concomitant medication(s) included latanoprost taken for an unspecified indication, start and stop date were not reported; donepezil hydrochloride (ARICEPT) taken for an unspecified indication, start and stop date were not reported. The patient stated of experiencing "left side facial numbness starting with the left tip of tongue spreading to left side of lips, then left cheek, then left forehead. It continues to intensify and spread and now surrounds left eye" and stated that he "extremely concerned as I am blind in my right eye). Onset date for events was 1Feb2021. Events reported as medically significant . Outcome of events was not recovered. Patient had ongoing consult neurologist and was scheduled for MRI. Patient did not have covid or tested positive prior to vaccination.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1373680	6/4/2021	RI	74	F	1/16/2021	1/16/2021	Generalised urticaria Upper torso; rash; potential anaphylactic reaction; A 74-years-old female patient received second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Formulation: solution for injection, Lot Number: EI1284), via an intramuscular route of administration, administered in right arm on 16Jan2021 09:00 (at the age of 74-year-old) at single dose for COVID-19 immunization. The patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Formulation: solution for injection, Lot Number: EI 0140SCN), via an intramuscular route of administration, right arm on 27Dec2020 08:00 at single dose for COVID-19 immunization. The patient medical history included hypersensitivity. If there is a previous history of any allergies, does the patient take (or have readily available) any specific medication related to this: Adrenaline (Epipen), Antihistamine. The patient have a history of previous allergies to specific products or conditions indicative of an allergic medications were Sulfa, penicillin, ASA, The patient did not receive any recent vaccines for any other conditions prior to the event being. The patient did not receive any recent vaccines for SARS-COV2 other than Pfizer-BioNTech COVID-19 vaccine prior to the event being. The patient has not received any other vaccines around the time of Pfizer-BioNTech COVID-19 vaccine vaccination. History of all previous immunization with the Pfizer vaccine considered as suspect (or patient age at first attempt and subsequent immunizations if dates of birth or immunizations were not available. No additional vaccines administered on same date of the Pfizer suspect. Concomitant medications included famotidine (FAMOTIDINE), and losartan potassium (Cozzar), hydrochlorothiazide (HCTZ), levothyroxine sodium (Synthroid), omeprazole, amlodipine, taken for an unspecified indication, start and stop date were not reported, and On 11Dec2020, patient received, ibuprofen (advil) for headache (antipyretic use) as oral 23:30 after(as reported). On 16Jan2021 22:00 the patient experienced generalized urticaria upper torso and rash. It was reported that, all the signs and symptoms of the anaphylactic reaction, rash upper 10-12 hrs. The time course of the anaphylactic reaction (potential anaphylactic reaction) was 10-24 hrs after administration. Information on organ involvement: Multiorgan



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

involvement/Dermatological/Mucosal, were reported that, organ involvement were not respiratory, bilateral wheeze/bronchospasm, stridor, upper airway swelling, respiratory distress, tachypnoea, increased use of accessory respiratory muscle, recession, cyanosis, grunting, dry cough, hoarse voice, difficulty breathing, sensation of throat closure, sneezing, rhinorrhoea, cardiovascular, measured hypotension, shock, tachycardia, capillary refill time, reduced central pulse volume, decreased level of consciousness, Loss of consciousness, generalized erythema, angioedema, generalized pruritis with skin rash, generalized pruritis without skin rash, generalized pickle sensation; Localized injection site urticaria, red and itchy eyes, gastro intestinal, diarrhea, abdominal pain, nausea, vomiting. It was dermatological/mucosal generalized urticaria upper torso. The patient received for the event new medication or other treatment were benadril and avil. Treatment period completed. The reactions were not recurred on re-administration of product. It was reported that, reporter does not require medical intervention. The patient was not hospitalized and not seen in the emergency department. The patient not admitted to intensive care unit. Patient was not visited physician office. There were no any laboratory tests or diagnostic studies performed. It was reported, for lack of efficacy, provide information if not included in the initial report. It was unknown primary infection site, and culture performed. The patient provided information regarding the reported adverse event with the use of product. It was reported that considering the Pfizer product has a casual effect to the adverse event and reported that not willing to be contacted again by Pfizer on the reported adverse event. It was reported that, seriousness criteria as no. Causal relationship with the event was reported as yes. The outcome potential anaphylactic reaction generalized urticaria upper torso and rash were recovering. No follow-up attempts are possible. No further information is expected.; Sender's Comments: There is a reasonable possibility that the event "potential anaphylactic reaction" was related to BNT162b2 based on known drug safety profile and close temporal relationship. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1373739	6/4/2021	CA		M	4/16/2021	4/17/2021	<p>Collapsed day after vaccine first dose/Collapsed day after vaccine second dose; His left side still feels paralyzed and can't walk; legs wouldn't move, couldn't turn around; He had compression fractures L1 to L3 that were noticed on his x-ray; he collapsed and had a hard time getting up/felt bad; General malaise; His left side still feels paralyzed and can't walk; bedridden; Pain; Half of back is black from incident; Mobility got worse after first shot and then after second dose his mobility got even worse; felt like what I would call the flu; Collapsed day after vaccine first dose/Collapsed day after vaccine second dose; This is a spontaneous report received from a Pfizer sponsored program. A 72-years-old male patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Solution for injection), via an unspecified route of administration, administered in Arm Left on 16Apr2021 (Batch/Lot Number: EP7533) as 1st dose, single dose and second dose via an unspecified route of administration, administered in Arm Left on 07May2021 14:00 (Batch/Lot Number: EW0182) as 2nd dose, single dose for covid-19 immunisation. Medical history included L1 to L3 compression fractures somewhere around 2008 to 2010, ongoing gout (from about 35 years ago) (pain in both hips and right shoulder, left shoulder some times), gouty arthritis (30 years constant pain), ongoing moderate emphysema (since 20 years ago), stroke (happened in 2010). States he was taking Warfarin at the time of the stroke and the stroke was permanent, cholesterol, smoker (20 years), excess uric acid, allergy in right sinus, cough uncontrollably, perirectal abscess and low blood pressure. Family medical history was none. States he is adopted. Concomitant medications included atorvastatin taken for blood cholesterol from an unspecified start date to unspecified date in 2021 (Taking for about 5 years, not sure if the dose is 30mg, 50mg, or 300mg, stopped after adverse event with covid vaccine), zolpidem tartrate (AMBIEN) taken for sleeping from an unspecified start date to unspecified date in 2021 at 10mg (taking for couple of decades, stopped after adverse event with covid vaccine, stated it may cause drowsiness) and allopurinol taken for gout at a dose of 300 mg, (taking for 6 or 7 years) and azelastine hydrochloride nasal spray taken for uncontrollable coughing via nasal route as 2 shots each nostril twice a day (uncontrollable coughing</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

caused perirectal abscess, had scope done, diagnosed as allergy. Azelastine works for cough). The patient previously took pneumonia shot and stated that it hurt like hell for a week, flu shot and got sick and also took warfarin. The patient reported that he received his first dose on 16Apr2021, then the next day he collapsed and had a hard time getting up. He also reports general malaise, "just felt bad", and "felt like what I would call the flu" for the next 5 days. On 07May2021 he received his second dose, and the same thing happened where he collapsed the next day. This time, he was not able to get up on his own and had to call 911. He was admitted to the hospital and "had 2 X-rays and a CT scan", CT of torso he reports his CT scan showed compression fractures at L1, L2, and L3 on his x-ray. He is taking a lot of Norco to treat his pain. States the music on hold is so uplifting that he wants to go cut his throat. Caller stated he was bedridden. He reported "I can't walk, I used to be able to, and now I can't". He spent 5 years in a computer testing laboratory and he knows a little about testing. He states a lot of the rules apply to conductors and automobiles. Caller stated he wants to know what happened to him. He says if he dies as a result of this, there will be mountains of paperwork. He also said if his condition is permanent, there will also be mountains of paperwork. He can't go to the bathroom and this is an issue. He was falling down and collapsing several times with both shots. He says this is a major problem. He declined being admitted to assisted living saying "if I'm going to die I'm going to die at home". Caller would like to know if anything like this has been reported before, if they got better, and what treatment they received to get better? He also asked if there were any reported deaths after vaccination? Events paralyzed, bedridden, can't walk, legs wouldn't move, couldn't turn around was reported as worsened, half of back is black from incident. The patient was taking Pfizer Covid Vaccine as needs to show he had vaccine to travel. He hasn't measured his height since compression fractures. Lost 20% on 3 vertebrae, so he might only be 5 feet 10 inches. He figures 20% would be an inch lost with his calculation. He can't reach around 180 degrees to measure himself. When asked to provide NDC, lot number and expiration date from vaccine card, caller stated he needed to use magnifying glass. He then stated that his vision is good.

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

He stated that he collapsed several times after his second shot. He says this happened approximately 2 to 3 days after the second shot. He called his doctor and was told to call 911. He went to the hospital. He was in the ER, but confirmed he was not admitted to the hospital. Outcome for collapsing after both doses, had worsened as mentioned by patient. Caller stated after the first vaccine, he noticed his left leg did not work very well. After first dose, he had trouble walking after 5 days. When he would try to move his left leg forward it would shake, not move and he had to slide it sideways across the floor. Right now he can get up and turn around before he pees all over himself and could not get to the bathroom before. Now he pees in a cooking pot. He asked to be excused while on call and stated he had to urinate again. Mobility got worse after first shot and then after second dose his mobility got even worse. Confirmed his compression fractures are an existing condition from 10 to 12 years ago. Reported he has gouty arthritis and it has been going on over 30 years and has constant pain for over 30 years but has always been able to walk and feed himself. The pain is not our fault. Reported that the malaise was better after 5 days, but his mobility went down. He has trouble walking. Sometimes knees would give out and he collapses. Caller states he now uses a walker, cane, and a wheelchair. If he has to go more than 10 feet, he has to have assistance. Treatment for Event: Norco 10-325: Takes up to 3 times per day. States the other day he had 45mg but was still in pain. This is discrepant but details were documented as provided. Caller states he is still in pain, but he can't get more without going to pain specialist. His doctor stopped atorvastatin and Ambien after adverse events with the covid vaccine. ER doctor wanted his primary doctor to review his medications since the ER doctor thought he was on too many medications. Caller tried to explain the reasons he was on the different medications. When talking about his gout: He has a picture after incident and half of his back is black, not blue, it is black. He was not in pain for about 2 years. Then he had the test to determine what was going on and that is when the pain got really bad. He has had bad pain for 35 years with gout in his hips especially, and in right shoulder. He cannot reach if something is in his right back pocket. Left shoulder sometimes. All the time with both hips. Also in

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

right shoulder but if he does not use right shoulder then there is no problem. He was even thinking about getting a hip transplant due to the pain. His doctor did blood tests to find out that he had excess uric acid. He was on a medication called Uloric and it worked wonders but it is no longer made. Then it was found out that some people had bad reactions with it harming their heart and that was the end of Uloric. Then he started taking Allopurinol, states it does work but it works so little that it is almost worth not taking. When the pain is at 10 or 11 on pain scale, states what is the difference. He has an allergy in right sinus that caused to cough uncontrollably and his uncontrollable cough let to a perirectal abscess. He suggested to his doctor to stop his coughing and not worry about the abscess. He then went to ENT and stuck a scope down his nose and told him his sinus is inflamed and there is no infection, there is an allergy and cannot tell what the allergy is and will probably never find out what the allergy is, and prescribed him the Azelastine hydrochloride nasal spray. The pharmacist thinks the nasal spray is too much but states the pharmacist is not a physician and ENT doctor prescribed it. The two sprays a day works and he has not had uncontrollable coughing since then. Out of an abundance of caution he was sent to a lung doctor to get breathing test. Testing: He had two x-rays and CT scan of the torso. He does not know what x-rays showed. CT scan shows kidneys, liver, pancreas, and gall bladder are normal. Everything is normal except for the heart. It did not explain what was wrong with him. Clarifies he had the same CT scan at another facility a couple of years ago and he was told that calcium around the heart is normal. He knows that he has low blood pressure normally. Attempted to clarify if x-rays were off his chest, stated they stuck something under his back. States nothing was mentioned about his x-rays and if they looked at the x-rays they could see he has a broken back. No other vaccinations was done within four weeks prior to the first administration date of the suspect vaccine. Got sick the next day after the flu shot twice. Will never take again (unspecified flu shot). Patient reported about 4 years ago he let his doctor give him a pneumonia shot and his arm hurt like hell for a week, states he is never doing that again. When discussing Allopurinol, caller stated it was not working very well, but it had positive effect and he will continue taking it as long as his

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

doctor will let him. States when taking it, the gout does not get better, it gets worse. Allopurinol, states it does work but it works so little that it is almost worth not taking. When the pain is at 10 or 11 on pain scale, states what is the difference. Caller states he was on a different medication before that worked better, but he could not continue to take it. Caller stated that microprint was difficult to read. He was able to give NDC number using magnifying glass. Product strength and count size dispensed: 300mg, 90 count. Expiration Date: Dec 2021. The sample of the product was available to be returned, if requested. Packaging was sealed and intact. Treatment for event was Norco 10-325: Takes up to 3 times per day. Caller states he is still in pain, but he can't get more without going to pain specialist. Confirms he has been in chronic pain for over 30 years due to gouty arthritis. Advised caller to retain sample of product in the event he receives Mailer within 3-10 business days for the return. Swap. Caller took 1st dose of Covid vaccine 16Apr2021 and collapsed the next day and then for the next 5 days he felt general malaise and weakness. On 07May2021 he took 2nd dose, 21 days after 1st dose, and again collapsed the next day. Stated that he needed to call 911 to help him get up and they took him to hospital where they did a scan of his torso and said he was fine. Doctor also told him that he did not have stroke, blood clot or aneurysm. Caller thinks it is neurological as he is still having trouble standing and walking and his left side feels paralyzed. He is wondering if these side effects were documented during clinical trials. Therapeutic measures were taken as a result of pain. The outcome of the events experienced collapsed day after vaccine first dose/collapsed day after vaccine second dose, legs wouldn't move, couldn't turn around, he had compression fractures l1 to l3 that were noticed on his x-ray, pain, half of back is black from incident, mobility got worse after first shot and then after second dose his mobility got even worse, felt like what i would call the flu was unknown, for the events his left side still feels paralyzed and can't walk, he collapsed and had a hard time getting up/felt bad, his left side still feels paralyzed and can't walk, bedridden the outcome was not resolved, for the event general malaise the outcome was resolving. Follow-up attempts are needed. Further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1373579	6/4/2021	VA	47	F	3/17/2021	3/17/2021	Dry mouth; Extremely dry eyes; This is a spontaneous report from a contactable consumer, the patient. A 47-years-old non--pregnant female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot: en6208), via an unspecified route of administration in the right arm on 17Mar2021 at 1:45 PM (at the age of 47-years) as a single dose for COVID-19 immunisation. Medical history included migraines. Concomitant medications included loratadine (MANUFACTURER UNKNOWN) and BENADRYL. No other vaccine was received within four weeks prior to the COVID vaccine. Prior to the vaccination, the patient was not diagnosed with covid-19 and was also not tested for COVID-19 since the vaccination. The patient experienced dry mouth and extremely dry eyes on 17Mar2021. No therapeutic measures were taken for the reported events. The clinical outcome of the events dry mouth and dry eyes were recovered on an unknown date in Mar2021. No follow-up attempts are needed. No further information is expected.
1373613	6/4/2021	MD	71	M	3/17/2021	3/17/2021	Blurry vision; Light headedness; Minor headache; This is a spontaneous report received from a contactable consumer, the patient. A 71 -year-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Lot number: EN6207) via an unspecified route of administration on the left arm on 17Mar2021 at 15:00 hours as a single dose for COVID-19 immunisation. Medical history included elevated cholesterol and gout. Patient received other medication (unspecified) within 2 weeks of vaccination (unspecified). Prior to vaccination, patient was not diagnosed with COVID-19 and since the vaccination the patient has not tested for COVID-19. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. On 17Mar2021, at 19:00 hours, the patient experienced blurry vision, light headedness and minor headache. No therapeutic measures were taken as a result of the events. The clinical outcome for blurry vision, light headedness and minor headache were not recovered at the time of this report. No follow-up attempts are possible. No further information is expected.



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1374341	6/4/2021	MI	23	F	6/3/2021	6/4/2021	?Pfizer-BioNTech Covid 19 Vaccine EUA? The night of getting the first shot I barely slept because I had chills all night long & my entire body was so sore it hurt to lay in any position. In the morning, I still had extreme muscle pain all over. I was extremely light headed & dizzy, I had a throbbing headache so I took 2 aleve pills. I was getting super nauseous and almost passed out while trying to get to my bathroom just in time to throw up only water. Just before throwing up my vision went fuzzy, my ears were ringing, I was dripping sweat, it was getting hard to breathe, & my hands were shaking. After taking a cold shower, laying down, & drinking some water I feel a bit better but not 100% normal.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1373858	6/4/2021	CA		F	2/20/2021	2/25/2021	like an affected brain function; intense chills/ severe chills so bad that she thought that she was going to have a convulsion.; intense chills/ severe chills so bad that she thought that she was going to have a convulsion.; symptoms like those for the flu/flu like symptoms; redness in her eyes; problems focusing her vision; pain in the eyes and very hard pain on the eft side of her skull that went down to the neck.; very hard pain on the eft side of her skull that went down to the neck.; pain in the eyes and very hard pain on the eft side of her skull that went down to the neck.; not thinking properly/her thinking processand her logic were affected; the muscular tone of the tongue was affected affecting her speech and swallowing; the muscular tone of the tongue was affected affecting her speech and swallowing; the muscular tone of the tongue was affected affecting her speech and swallowing; cry; This is a spontaneous report from a contactable consumer (Patient). A 78-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), via an unspecified route of administration on 20Feb2021 (lot number: not reported) as second dose, single for COVID-19 Immunization. Patient had received first dose of vaccine Pfizer BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 30Jan2021 (at the age of 78-years-old) for COVID-19 Immunization and she was feeling fine. The patient medical history and concomitant medications were not reported. On 25Feb2021, 5 days after the administration of the second dose of the vaccine, patient experienced symptoms related with her eyes, her nervous system and symptoms like those for the flu, Ophthalmological symptoms like redness in her eyes, problems focusing her vision, pain in the eyes and very hard pain on the left side of her skull that went down to the neck and Neurological symptoms like an affected brain function, not thinking properly, the muscular tone of the tongue was affected affecting her speech and swallowing, these symptoms always on the left side of her head. The patient reported that the flu like symptoms were intense chills, so much that she could not get warmed even when she used very warm material, she took her body temperature and she found it to be normal, then she experienced severe chills so bad that she thought that she was going to have a convulsion, then she started to feel afraid and she started to cry, noticing

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							that her thinking process and her logic were affected. Patient visited multiple specialists like Neurologists, Ophthalmologists, and Physicians for the events. The patient underwent lab tests and procedures which included body temperature: normal on an unspecified date in Feb2021. The outcome of the events was reported as recovered on 23May2021. The lot number for the vaccine, BNT162B2, was not provided and will be requested during follow up.
1374087	6/4/2021	PA	51	M	6/2/2021	6/2/2021	Right after vaccine was given, patient felt lightheaded. Pharmacist gave a bottle of water and ice pack, while his wife attended to him and waited for his recovery. Meanwhile his eyes rolled few times. His wife asked me to call 911. Medic came within 15 minutes and took him to hospital while he was still conscious.
1374107	6/4/2021	CO	40	F	4/10/2021	4/13/2021	Angioedema ? large hives, swelling of face and eyes, itching and fatigue
1374113	6/4/2021	CA	46	F	6/3/2021	6/3/2021	Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Severe, Systemic: Seizure-Severe, Systemic: Shakiness-Severe, Systemic: Tingling (specify: facial area, extremities)-Medium, Systemic: Weakness-Medium, Additional Details: <5 min post dose patient noted feeling short of breath, numbness, dizzy, sweaty, shaky and then lost consciousness. I was able to catch her head so she didnt hit a hard surface. Patient was unresponsive for 10 seconds. She started to seize and her eyes rolled to the back of her head. After she regained consciousness she was moved into the pharmacy and laid down. Pt was given a cool towel and water. 1st BP (112/70 & HR74), 2nd BP 15min later (110/70 & HR 84). After 45 min pt left with family member
1374137	6/4/2021	TX	69	M	6/3/2021	6/4/2021	SUDDEN ELEVATION OF TEMPERATURE= 102, NAUSEA, BLOOD SHOT EYES, GENERALIZED JOINT PAIN. TOOK TYLENOL/ASPIRIN. LESSENED THE EFFECTS.
1374146	6/4/2021	MI	47	F	6/3/2021	6/4/2021	swollen eyes, swollen lips, headache, swollen throat

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1374156	6/4/2021		14	F	6/4/2021	6/4/2021	AE: patient experienced blurred vision and ringing in the ears Treatment: No medical treatment were given. Patient was observed for 15 minutes. Outcome: Patient was discharged home with the help of mother.
1374160	6/4/2021	NV	41	M	6/2/2021	6/3/2021	Some blurred vision with objects far away about 15-30 minutes after the shot. Then I felt fine for about 12 hours after the shot (1st moderna shot on 1/21/21, 2nd moderna shot on 06/02/21). About 9:00 pm I had soreness in my arm and body aches. By 2 am on 6/3, the body aches were extreme, along with chills, and a low fever 99-100. The headache that followed lasted hours and was terrible. I had not been sick, or felt sick, in more than a year, and experienced only a sore arm with the first shot. The after affects from the second shot were terrible and I am afraid and anxious. I hope I don't die.
1374185	6/4/2021	OH	53	F	6/2/2021	6/2/2021	6/02/2021: 2 hives on my right eyelid. Took benadryl 25 mg upon arriving home at 17:00 and 1000mg extra strength tylenol. Used warm compress. Took another benadryl 25 mg at 23:30. At that time itching was almost gone and 1 hive was gone the other was smaller. 6/03/2021: No benadryl taken. Warm compress applied twice during day. 6/04/2021: Remaining bleb still there but very small and just slightly itchy. No benadryl taken.
1374250	6/4/2021	OH	15	M	5/21/2021	5/22/2021	Severe headache 10 out of 10 started the following day with vertigo. During this time he developed an episode of sudden onset double vision and vomiting which resolved after approximately 10 minutes. The headache and the vertigo lasted for several days.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1373857	6/4/2021		78	M	4/6/2021	5/1/2021	<p>started seeing strange things- saw things that weren't there. The yellow wall in his bedroom came up but had all kinds of art work on it, the ceiling and doors too; couldn't remember things; Weird things happened in my brain; lost his vision while driving; CT scan it did show hardening of the arteries in his brain ,was told had a TIA (Transient Ischemic Attack) or some kind of a stroke; had issues with confusion as well; This is a spontaneous report from a contactable consumer (patient) via medical information team. A 78-year-old male patient received BNT162B2 (PFIZER BIONTECH COVID-19 mRNA VACCINE, Solution for injection), via an unspecified route of administration on 06Apr2021 as 2nd dose, single dose (at the age of 78-year-old) for COVID-19 immunization. The patient medical history and concomitant medications were not reported. The patient previously took BNT162B2 as 1st dose for COVID-19 immunization. On 02May2021 (26 days later), patient lost his vision while driving and it came back good enough to drive within a half hour (medically significant) and when it recovered on 02May2021, patient started seeing strange things, saw things that were not there. The yellow wall in his bedroom came up but had all kinds of artwork on it, the ceiling and doors too (medically significant), patient couldn't remember things, had weird things happened in his brain. Patient stated that it didn't go away entirely until about 10 days later. Patient also had issues with confusion as well. Patient stated that he thinks he was back to normal now. A computed tomography (CT) scan was completed a week or so earlier and it did show hardening of the arteries in his brain. Patient saw his primary care physician and was referred to a neurologist. On unspecified date of May-2021, patient was told he had a transient ischemic attack (TIA) or some kind of a stroke (medically significant). Patient had a Magnetic resonance elastography (MRE) (like a Magnetic resonance imaging (MRI) of the brain) yesterday (27May2021), but it had not been read yet. Patient asked if he was the only one that had done this or had other people had this problem, even two or three people or he was an isolated case and in response it was stated that, unable to find information about his symptoms in resources and the Product Information (PI) for the vaccine does not contain information reporting his symptoms (vision loss, memory loss, confusion,</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							hallucinations) as side effects of the vaccine. The outcome of had a TIA (Transient Ischemic Attack) or some kind of a stroke was unknown, for lost his vision while driving was recovered on 02May2021 while recovered for rest of the events on May2021. Information about lot/batch number is requested.
1374312	6/4/2021	GA	37	F	5/18/2021	5/22/2021	She got her vaccine, nothing happened after the first 15 minutes, everything was fine. Her arm was sore for about 2 1/2 days and then 4 days later she was nauseous, had vomiting, and that next morning and ever since she has had a terrible migraine. Her vision has either started to swirl and miss some spots in her vision, and then migraine pain and nausea that starts shortly after that. She has not gone to her doctor for her symptoms. She has taken Tylenol, Excedrin, and a Goodies powder with some relief, but they have not relieved the pain entirely.
1374089	6/4/2021	OH	58	F	6/3/2021	6/3/2021	Sensation that moved up my jaw to my neck and then to my brain and head then jaw and neck pain tingling in my whole head and brain with pressure. Blurred vision the next morning have facial numbness. Dizziness vertigo leg tingling. And pain. While Arm pain in injection side. Pain in side of body with injection Muscle twitching in injection arm throat tightness and swelling me coughing Sinus pain and headache tiredness feeling unwell. Felling hot all over

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1374368	6/4/2021	OH	32	M	5/18/2021	5/18/2021	<p>pupils underwent myosis for several hours after the injection before returning to normal dialation rates. (not sure if this was a side effect or just a shock response to foreign materials entering the body) localized soreness in arm for a few days. worse second day than first. chemical taste in mouth resembling isopropyl alcohol for about an hour or so, starting about 30 minutes after recieving vaccine, i assume this was just some of the sterilizing agent entering the body and getting circulated. mild head fog in the days following the shot, this seems to have mostly gone away and i cant say with certainty if it is a side effect or was caused by some other factor such as stress. mood disturbance / depression starting the day of the shot, this one might be completely unrelated, I attended a funeral of a family friend on that day which seems a reasonably likely cause for such, im just listing it because I want to be concise with my reporting of what Ive been experiencing. mild headache behind the temple on the right side of my head, and behind both eyes. heightened reaction to concrete allergy, not sure what exactly in concrete/cement i am allegric too possible nickel or chromates as pomphlox seems to fit the description, this has been recurrent for years but after recieving the vaccine a ring of hives formed on my left hand and my feet were the most broken out theyve ever been, i worked with cement 1 day after recieving the shot. a relatively consistent feeling of coldness, since getting the shot ive felt abnormally cold, sometimes feeling the need for wearing a coat in 80+ degree weather. this is completely abnormal, typically i could wear a tshirt in 50°F weather and a hooded sweatshirt would suffice down into the 20s. persistent joint pain in almost every joint of my body and the surrounding muscles, feels like it may be in the cartilage or connective tissue, occasional pains had been experienced before and considered a normal part of life, but this has been relatively constant like an inflammatory response. sleep cycle disturbance, normally i had abnormal sleeping habbits where being awake for 24+ hours at a time wasnt particularly uncommon (oddly this one seemingly gets worse when i stop drinking caffinated drinks), and it was impossible for me to get to sleep prior to like 2-3 am most nights followed by sleeping for around 4-10 hours a night on average. however since recieving the shot ive been sleeping a lot more than this</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1374378	6/4/2021	NC	47	F	4/8/2021	5/8/2021	<p>and at strange times (for me) like the middle of the afternoon. fever/constant headache on the side the injection was recieved on has set in after about 2weeks and has been terrible, ive had to take ibuprophen for two days just to function, mild visual hallucinations have also ocured in the past couple days mostly spatial distortions where the depth perception isnt working properly, and framerate issues where objects in motion leave a trail momentarily.</p> <p>May 8, May 23, May 27 and June 4th, 2021 I have experienced random, severe lip swelling. The swelling varies in the upper and lower lip and the tissues above and below the lips. The swelling will last a day or two. Eye swelling also ocured on 5/27. I take Benedryl to decrease the symptoms. I have not had lip injections, and have never had this swelling prior to the vaccine. It does not seem to be related to any food allergy. I have photos of the occurrences.</p>



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1374390	6/4/2021	CA	36	F	6/3/2021	6/3/2021	<p>Client received her first dose of the Pfizer Covid-19 vaccine (Lot # EW0187 Exp. 08/2021) on 6/3/21 at 2:48 PM. Client's husband whistled to EMT and paramedic, signaling that he needed assistance. Client was a 36-year-old female found sitting upright in an observation chair, alert and tracking and appeared to be in mild distress. Client had a chief complaint of throat irritation. Client's husband stated that the client was complaining of itchiness in her throat and on her chest. Client stated that she had a history of heart murmurs and frequent anxiety. Client denied prescription medication. Client had no known allergies. Assessment revealed no hives, swelling, discoloration, rash, accessory muscle use or other signs of anaphylaxis. Client stated that she began to feel the itchiness in her throat immediately after she received her shot but was hesitant to signal for assistance and waited a few minutes to notify staff. Client then added that her throat felt "swollen" and that she felt an itch on her chest as well. However, the client was able to make these statements without difficulty other than some mild fatigue. Airway, breathing and circulation were intact. Client was alert and oriented to person, place, date and event. Client's first set of vitals at 1503 were heart rate 138, respirations 28, blood pressure 152/98, O2 saturation 100% on room air, eyes equal and reactive to light, lung sounds clear bilaterally, and skin signs were normal throughout her body. Client was assisted from the observation chair to an observation bed by her husband and EMT. After lying down, the client briefly fell asleep and was laid supine. Client was asleep for approximately a minute before waking up. The client was then sat up and her vitals were retaken and had improved with a blood pressure of 138/98, heart rate 88, respirations 24 and O2 sat at 100%. After some brief monitoring, the client consented to an RN's administration of Benadryl 50mg (Lot # 020020 Exp. 02/2022) Intramuscular at 1512 on her right arm. Client then remained lying down and stated that she felt "better" approximately 10 minutes after Benadryl administration. However, five minutes later the client complained of a headache and chest pain which she later described as itchiness on her chest once again. Client then briefly became extremely anxious again before becoming calmer and consenting to staff dialing 911. Client consented to 911 at 1522 and Paramedics arrived at 1530. Client's vitals were</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							assessed at five minute intervals until paramedics arrived: 138/100 (BP), 112 (HR), 99% (O2), 24 (RR); 1512 - 138/100 (BP), 88 (HR), 100% (O2), 20 (RR), 1517 - 130/92, 76, 100%, 20, 1522 - 128/94, 76, 99%, 20, 1524 (Anxiety episode)- 158/98, 92, 100%, 28 1529 - 130/ 98, 76, 99%, 24. Client consented to transport with paramedics at 1540 to the nearest hospital.
1374391	6/4/2021	IN	16	F	5/28/2021	5/28/2021	Bleeding & bruising happened instantly as the injection was given. Within 2 minutes (walking to the waiting area) she was feeling dizzy. By the time we sat down she said she felt like she was going to be sick. She began sweating - it was dripping off her head and neck and her eyes kept closing. She was extremely pale and her lips were white. She was like this for approximately 10 minutes.
1374416	6/4/2021	IL	24	F	6/4/2021	6/4/2021	Dizziness and lightheaded constantly since getting the shot, also have had tunnel vision and a head ache
1374454	6/4/2021	VA	17	F	6/4/2021	6/4/2021	Patient experiences blurred vision, hot, dizziness at the observation area after the vaccination. Her pupils were dilated and her lip was pale. She felt better after zip of water and felt normal after few minutes.
1374502	6/4/2021	MA	29	F	6/2/2021	6/3/2021	I had fever of 99° after taking ibuprofen 600 mg throughout the day on June 3. I had chills and sweats alternating from the evening and throughout the night. I woke up completely drenched in sweat I had to change my clothes. The chills were so severe that I could barely move (also because my bones hurt). All of this was over the course of approximately 6 PM until the next morning around 5 AM. More significantly, I experienced severe bone, joint and muscle aches all throughout my body. I had severe pain especially in my ankles, feet and knees. I also experienced pain in my spine, hands, arms, stomach, ears, and eyes. I felt mild nausea and a very mild headache. I am also nursing an infant, and my milk production was reduced from 30 ounces a day to approximately 15 ounces on the day of June 3.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1374509	6/4/2021	OH	29	F	4/7/2021	4/14/2021	Red Eyes Doctor treated me for pink I was given eye drops but it didn't work Went back to the Doctor, diagnosed as Conjunctivitis given eye drops and told to take Claritin and Zyrtec. Still isn't working my eyes are red now.
1374514	6/4/2021	NY	27	F	6/2/2021	6/4/2021	On June 4th at 12:00am I woke up with my right eye almost swollen shut. I took Benadryl and used ice to reduce swelling. Right now it is 12:51pm on June 4th and it is still swollen but it's better than before I treated it.
1374515	6/4/2021	NY	25	F	6/2/2021	6/4/2021	I had minimal pain in my arm the day of the actual vaccination but the next day my arm was completely sore and I had headaches which is understandable and I was warned about but then on the third day I around 4:00 am I woke up with my left eye severely swollen, red, and itchy. I took Benadryl and applied ice but now it's 12:30 pm and it is still swollen and itchy

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1373830	6/4/2021	MI	81	F	5/12/2021	5/1/2021	My teeth were sore/teeth were so sore she felt like she had abscessed teeth on lower jaw: Medically significant; Inflamed gums; Abscessed teeth on her lower jaw; some kind of side reaction; My gums and the roof of my mouth (Incomplete sentence)/my gums were so raw, I couldn't brush my teeth; My mouth became all inflamed; I have a very hard time hearing you; Equilibrium affected; But I am still deaf in my right ear; This is a spontaneous report from a contactable Nurse (patient). An 81-year-old female nurse received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for Injection, Batch/Lot Number: EW0169; Expiration Date: 31Aug2021), via an unspecified route of administration, administered in arm left on 12May2021 20:00 (at the age of 81-year-old) at a 2nd dose, single for COVID-19 immunization. Medical history included macular degeneration (diagnosed about 3-5 years ago), low thyroid hormone (seems like she's had forever), high cholesterol just beyond normal (has had for years), banana, avocado, and kiwi allergy (stated all are interrelated because they are cousins to the rubber tree plant. Also, healthcare personnel allergic to latex can and may develop a cross allergy to psyllium which is metamucil); psyllium allergy (patient had an anaphylactic reaction to a metapower bar in 2015. About 7 minutes after eating the bar, she went into a severe reaction and ended up in the emergency room and stayed overnight), flu (every flu shot she received, she has gotten the flu and only takes periodically. She had to take in 2016 and 2015. It had been 5-10 years before that, and another 5-10 years before that), latex allergy (since the 1980's), shingles (having shingles vaccination in 2014 and had shingles 2-3 weeks later, can't remember details. Stated it was a mild case. Patient gets the shingles vaccine and gets the shingles, gets the flu vaccine and gets the flu), atrial tachycardia from 2015 to an unknown date, anaphylactic reaction to a metapower bar from 2015 to an unknown date (about 7 minutes after eating the bar, she went into a severe reaction). Concomitant medications included levothyroxine tablet at a dose of 50 ug, 1x/day, vitamin B complex and akurit (not clarified hence not captured in tab). The patient previously took first dose of BNT162B2 (Batch/Lot Number: TR2613; Expiration Date: 31Jul2021), administered in arm left on 21Apr2021 09:00 for COVID-19 immunization and

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

experienced deaf in my right ear, I woke up with pressure in both of my ears, I could not hear and arm soreness. The patient drug history included synthroid from an unknown date to ongoing (started about 15 years ago) for low thyroid hormone, simvastatin from an unknown date to ongoing (started about a year ago) for cholesterol is slightly elevated, ocuvite presersvision from an unknown date to ongoing (taking about 3 years. Macular degeneration has not changed or gotten worse in 3 years) for macular degeneration age related, vitamin D3 (taking for 3 years) for bone health from an unspecified date to ongoing, calcium with magnesium (it has calcium citrate. Been taking a long time. 5-10 years) to prevent osteoporosis, glucosamine chondroitin (taking since late 1990s. About 20 years) for joint health from an unspecified date to ongoing, vitamin C (about 3 years ago. started with the Ocuvite. Eye doctor though it was a good idea to take together), multivitamin (taking since 1995 or 1996. about 25 years) for general health; metoprolol ER for atrial tachycardia from Jan2016 to an unspecified date, baby aspirin from Jan2016 to ongoing (81 mg daily, cardiologist thought it would be a good idea). The patient reported, she received first Pfizer vaccine on 21Apr2021 and equilibrium affected and on 28Apr2021 she could not hear in her right ear and the day before on 27Apr2021 it was like she woke up with pressure in both of her ears. It sounded like heck like she was in the airplane and by yawning she could not relieve the pressure and went to the doctor and was under treatment with steroids and antivirals and she was still deaf in her right ear. She got second vaccine on 12May2021 and on 16May2021 and 17May2021 her gums and the roof of my mouth became all inflamed and her teeth were so sore she felt like she had an abscessed tooth. My gums were so raw, couldn't brush my teeth. So she gargle with some peroxide and some saline and then her teeth were sore like you have an abscess teeth on lower jaw. And then that went away within two days. Pressure in both ears has subsided, but then confirms it is a lasting effect comes and goes a little bit from 27Apr2021 to ongoing. First the doctor put her on valacyclovir and methylprednisone 4 mg tablet by mouth started dose at every 4 or 5 hours, dose was a decreasing frequency of dose over 7 days. Started 05May2021 for 7 days. And then last week he started me

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

on the dexamethasone injections through tympanic membrane into her middle ear last Thursday, 20May2021. Is scheduled to receive a dose today, will skip next week, and then one the following week, and then one the following week after that, states it is a series of four doses and then if that doesn't help, she will have an MRI. States cortisone decreases irritation and inflammation. Adds she is pretty healthy and moves about, gardens takes care of business, goes to exercise class twice a week now partially participates because she gets dizzy from moving her head. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Outcome of the events I am still deaf in my right ear, I have a very hard time hearing you was not recovered; equilibrium affected, some kind of side reaction was unknown; my teeth were sore/teeth were so sore she felt like she had abscessed teeth on lower jaw, inflamed gums, abscessed teeth on her lower jaw, my gums and the roof of my mouth (incomplete sentence)/my gums were so raw, I couldn't brush my teeth, my mouth became all inflamed was recovered on an unspecified date in 2021. Information on lot/batch number was available. Additional information has been requested.; Sender's Comments: Based on temporal association, the causal relationship between BNT162B2 and the events, unilateral deafness, non infective gingivitis, tooth abscess, toothache, balance disorder cannot be completely ruled out. The impact of this report on benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethic committees, and Investigators, as appropriate

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1374256	6/4/2021	TX	46	F	3/9/2021	4/12/2021	<p>Blurred vision; Extreme vertigo; virus on vestibular nerve; Extremely dizzy all day; Could not open her eyes for 4 days; Felt like she was wearing a tight sweat band; Throwing up; Pain in left ear; 2 weeks to regain balance; Neck pain, lot of bad neck pain; arm developed large red spot warm to touch and hard; Itchy; felt like she was wearing a tight sweat band; Chills; This is a spontaneous and simultaneously regulatory report case was received via an unknown source (no reference has been entered for a health authority or license partner) on 26-May-2021 and was forwarded to Moderna on 26-May-2021. This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of VERTIGO (Extreme vertigo), VISION BLURRED (Blurred vision), DIZZINESS (Extremely dizzy all day), ASTHENOPIA (Could not open her eyes for 4 days), FEELING HOT (Felt like she was wearing a tight sweat band), VOMITING (Throwing up), EAR PAIN (Pain in left ear), BALANCE DISORDER (2 weeks to regain balance) and NECK PAIN (Neck pain, lot of bad neck pain) in a 46-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 037A21B and 029A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 09-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 12-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 12-Apr-2021, the patient experienced NECK PAIN (Neck pain, lot of bad neck pain) (seriousness criterion hospitalization), RASH MACULAR (arm developed large red spot warm to touch and hard), PRURITUS (Itchy), FEELING ABNORMAL (felt like she was wearing a tight sweat band) and CHILLS (Chills). On 03-May-2021, the patient experienced VERTIGO (Extreme vertigo) (seriousness criterion hospitalization), VISION BLURRED (Blurred vision) (seriousness criterion hospitalization), DIZZINESS (Extremely dizzy all day) (seriousness criterion hospitalization), ASTHENOPIA (Could not open her eyes for 4 days) (seriousness criterion hospitalization), FEELING HOT (Felt like she was wearing a tight sweat band) (seriousness criterion hospitalization), VOMITING (Throwing up) (seriousness</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

criterion hospitalization), EAR PAIN (Pain in left ear) (seriousness criterion hospitalization) and BALANCE DISORDER (2 weeks to regain balance) (seriousness criterion hospitalization). On an unknown date, the patient experienced VESTIBULAR NEURONITIS (virus on vestibular nerve ). The patient was hospitalized for 1 day due to VERTIGO, then for 5 days due to ASTHENOPIA, BALANCE DISORDER, DIZZINESS, EAR PAIN, FEELING HOT, NECK PAIN and VOMITING. The patient was treated with NACL at an unspecified dose and frequency; ZINC at an unspecified dose and frequency; MECLIZINE [MECLOZINE] at an unspecified dose and frequency; PREDNISONE at an unspecified dose and frequency; DIAZEPAM at an unspecified dose and frequency and ONDANSETRON (ZOFRAN [ONDANSETRON]) at an unspecified dose and frequency. At the time of the report, VERTIGO (Extreme vertigo), VISION BLURRED (Blurred vision), DIZZINESS (Extremely dizzy all day), ASTHENOPIA (Could not open her eyes for 4 days), FEELING HOT (Felt like she was wearing a tight sweat band), VOMITING (Throwing up), EAR PAIN (Pain in left ear), BALANCE DISORDER (2 weeks to regain balance), NECK PAIN (Neck pain, lot of bad neck pain), RASH MACULAR (arm developed large red spot warm to touch and hard), PRURITUS (Itchy), FEELING ABNORMAL (felt like she was wearing a tight sweat band), CHILLS (Chills) and VESTIBULAR NEURONITIS (virus on vestibular nerve ) outcome was unknown. After 3 weeks of receiving the second dose the patient experienced extremely dizzy all day and throwing up. She went to ER and was kept in ICU for 1 day for extreme vertigo. The patient experienced blurred vision which took 2 weeks to clear and 2 weeks to regain balance. The doctors are treating her as if she had a virus on vestibular nerve. Relevant concomitant medications were not reported. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Nevertheless, an alternative probable diagnosis was provided (confounder) during hospitalization that could explain some of the events (LLT: vestibular neuritis). Action taken with mRNA-1273 in response to the event was not applicable.; Sender's Comments: Based on the current available information and temporal association between



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							the use of the product and the start date of the events, a causal relationship cannot be excluded. Nevertheless, an alternative probable diagnosis was provided (confounder) during hospitalization that could explain some of the events (LLT: vestibular neuritis).
1374108	6/4/2021	SC	20	F	6/3/2021	6/3/2021	Systemic: Allergic: Difficulty Breathing-Medium, Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Hypertension-Medium, Additional Details: patient was given shot. about 5 minutes after she was complaining of chest tightness and difficulty breathing. i took BP at 208pm 177/22 - pulse 99. I spoke to the patient's nephrology nurse, she said patient has many allergies and to start our protocol. At 223pm BP was assessed with a manual device and still high at 170/120, patient still complaining of difficulty breathing and chest tightness, 1 dose of epinephrine 0.3mg was administered intramuscularly in left thigh.
1370559	6/3/2021	FL	46	M	5/1/2021	5/2/2021	swollen eye; pain; This is a spontaneous report from a contactable consumer (patient). A 46-year-old male patient received BNT162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration administered in left arm on 01May2021 12:15 (as reported) (Batch/Lot Number: ER8737) as single dose, and dose 2 via an unspecified route of administration administered in left arm on 01May2021 (as reported) (Batch/Lot Number: Ew8170) as single dose for COVID-19 immunisation. There was no other medical history, no known allergies. The patient had not had COVID prior to the vaccination. COVID was not tested post the vaccination. There was no concomitant drugs, no other vaccine in four weeks. The patient experienced swollen eye and pain on 02May2021 02:00, serious due to hospitalization. The events were treated with antibiotics and eye medication. The events were not resolved.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370691	6/3/2021	IL	48	F	5/21/2021		I keep getting these headaches; Neck is stiff; Rash on my neck; Eyes were blurry; This is a spontaneous report from a contactable consumer (patient). A 48-year-old female received second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, formulation: solution for injection, Batch/lot no: EW0179, Expiration date is unknown) via an un-specified route of administration on 21May2021 at my left arm as a single dose for covid-19 immunisation. The patient's medical history includes Epilepsy, asthma. Concomitant medications includes Lamotrigine, Proair, Symbicort, Aleve (220mg), to treat the Headache. Patient previously took first dose of vaccine BNT162B2 (Lot number: EWO172) on 29Apr2021 on right arm. On 22 may 2021 the patient experienced keep getting these headaches, Neck is stiff, Rash on my neck, Eyes were blurry, Patient stated that yes, I took my 2nd Pfizer shot on 21st and I have been getting headache so I was taking a pain pill and couple hours later it will comes back but it has been a whole week. Okay, my neck is stiff, I keep getting these headaches. I have a rash on my neck that I have been cleaning with alcohol and I put cream on it. It will go away and then instantly come back and yesterday, my eyes were blurry. When paraphrased, consumer stated, "I want both, I want guidance for it because it won't go away. patient was informed about the Pfizer Medical Information for the concern and was provided with the number as option 3 and informed about timings as 8 AM to 8 PM from Monday to Friday and 9am to 3 pm from Saturday and Sunday as per EST. When probed for Healthcare professional, Reporter Stated, "A doctor, No, No, I am cook, I am chef". Consumer added, "I keep having the headache, do I go to the ER. Consumer was again informed to contact for the concern. Patient received treatment included Aleve, 220mg, for headache. Outcome of the events was unknown. Information about Lot/Batch number is obtained. Additional information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370687	6/3/2021	NY	56	M	5/24/2021	5/25/2021	<p>Numbness and pain in his arm where the shot was given and then continued to his left shoulder.; Numbness and pain in his arm where the shot was given and then continued to his left shoulder.; Numbness and pain in his arm where the shot was given and then continued to his left shoulder.; Back hurts; Severe fatigue; He feels dizzy; Does not feel well; Coughing; Sore throat; Wasn't eating/Not eating; Body aches; Feeling down; Weak; Eyes burning; Headache/a very bad headache; This is a spontaneous report from a Pfizer sponsored program, report from a contactable consumer (patient). A 56-years-old male patient received first dose of BNT162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Lot Number: EW0186), via an unspecified route of administration on 24May2021 (at the age of 56-years-old) as single dose for COVID-19 immunisation. The patient medical history included COVID-19 in December 2020. The patient concomitant medications were not reported. On 25May2021, the patient experienced numbness and pain in his arm where the shot was given and then continued to his left shoulder and body aches, feeling down, weak, a very bad headache, eyes burning, backed hurt, severe fatigue and he felt dizzy and he had a coughed and fatigue, sore throat, not ate. Patient states that he did some construction worked yesterday before receiving the vaccine and next day he have had been experienced the same symptoms when he had covid-19 in december 2020. Patient states he knew that the vaccine has not had anything in it that would caused him to got covid-19 so he would liked to knew if his side effects were normal. Patient would also liked to knew what could've he took to eased his headache. Patient took Tylenol and it hadn't worked. He also put ice and cold watered on it. Patient states if his symptoms were not better by next day then he would contact a health care provider. Patient states when he had covid-19 in december he was a little sick but hadn't require hospitalization and his oxygen level was between 90-92. He was not experienced a fever or chest pain as he did when he had covid-19. He was positive for covid 19 in december and had coughing, sweating, sore throat, wasn't ate, body aches, feeling down, feeling weak, eyes burning, backed hurting, headache, chest pain, and sweating. After reading the side effects that had been reported patient states he was experienced everything he</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							mentioned except a fever, rash, itching, hives and swelling of the face. He was fine after the covid vaccine. Next day he have had all the symptoms that he listed that he had when he had covid 19 except for the chest pain and sweating. Patient states that he just wants to know what he could've took and did. Patient took Tylenol. He have had Tramadol but he hadn't taken it. Patient states he has not wanted have been on the phone long because he has not felt well. He stated that he knew he hasn't had covid 19 again and stated that he may did a report later. The outcome of the events was unknown. PSCC Communication: Warm transfer to (withheld) at company attempted. INT-#. Caller disconnected right before the transfer. (withheld) from company, caller states that she will reach out to the caller.
1370674	6/3/2021	PA	42	F	5/23/2021	5/23/2021	Pain at injection site; pain in rib cage and thoracic spine; pain in rib cage and thoracic spine; stiffness; chills; rash on my face and injection site; rash on my face and injection site; blurred vision/cloudy; digestive issues; headache; This is a spontaneous report from a contactable consumer (patient). A 42-year-old non-pregnant female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number: EW0171), via an unspecified route of administration, on 23May2021 at 12:30 (at the age of 42-years) as single dose in left arm, for covid-19 immunization. Medical history included: allergies, meningitis, low back pain, SI joint dysfunction, IBS and known allergies: Sulfa drugs, soaps, detergents, and other household products. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient's concomitant medications included: ibuprofen, multivitamin, antioxidants, leaky gut r. Prior to the vaccination, the patient was not diagnosed with COVID-19. The patient was not pregnant at the time of vaccination. On 23May2021 at 22:30, the patient experienced pain at injection site, pain in rib cage and thoracic spine, stiffness, chills, rash on my face and injection site, blurred vision, cloudy, digestive issues and headache. The patient did not receive any treatment for the events. Since the vaccination, the patient has not been tested for COVID-19. The outcome of events was not recovered.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370670	6/3/2021	FL	60	F	5/18/2021	5/1/2021	shot entry is the size of an apple; heart palpitations; diarrhea; blisters in her mouth on her cheeks and roof of her mouth on her tongue, the back of her throat and lips; Because of the blisters she had a hard time breathing and couldn't can't eat; had a fever of 102°F; weak; tooth throbbing; body aches; food tasted like crap for anything that she could get into there; Because of the blisters she had a hard time breathing and couldn't can't eat; Her injection arm was "swollen so bad" from her neck to her fingertips. She couldn't lift up her arm because of the swelling; injection arm was "swollen so bad" from her neck to her fingertips; vomiting; lightheaded, dizziness; Migraine headache/migraine; her arms swollen down to her fingertips which she could not sleep on her left side; could not get out of bed; This is a spontaneous report from a contactable consumer (patient). A 60-years-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), via an unspecified route of administration, administered in Arm Left on 18May2021 (Batch/Lot Number: EWO182) as single dose for COVID-19 immunisation. Medical history included allergic reaction to back yard tree and had sniffles and watery eyes prior to shot. There were no concomitant medications. The patient received her first Pfizer Covid vaccine dose on 18May2021. That evening she began to experience side effects. Her injection arm was "swollen so bad" from her neck to her fingertips. She couldn't lift up her arm because of the swelling. She had Migraine headache and vomiting. At 5 AM the following day 19May2021, she was vomiting, had diarrhea, a migraine, and then developed blisters in her mouth. Because of the blisters she had a hard time breathing and couldn't can't eat, had a fever of 102 degree F, was feeling weak, had to crawl to bathroom. She reported that 24May2021, was the first day that she felt ok. It was reported that her arms swollen down to her fingertips which she could not sleep on her left side, blisters in her mouth on her cheeks and roof of her mouth on her tongue, the back of her throat and lips, stated that she could not go to her dentist appointment the following day because of blisters and her tooth was throbbing on 19May2021. Stated that she had migraine headaches with vomiting, diarrhea, heart palpitations, weak, 102 fever, food tasted like crap for anything that she could get into there. The patient is supposed to go on 08Jun2021

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

for her second shot and was told that the second is worst than the first. Stated that she refused second shot. Stated that she could not get out of bed. Stated that she has a 7 and 8 year old to take care of by herself. Stated that the shot entry is the size of an apple on 24May2021. Clarified that she had the shot in her left arm. Caller stated that she had the Covid shot 18May2021 and she still does feel well today. Clarified that the blisters all started at the same time. Stated that she has had no heart palpitations since 5am this morning (24May2021). Stated that her fever is 99.9 Caller keeps rambling on; unable to clarify details with each event. Stated that the migraine is now a headache. She wants to know what would happen if she doesn't get the second dose of the vaccine. The patient received no treatment. Outcome of the events could not sleep on her left side, could not get out of bed was unknown; peripheral swelling was recovered with sequelae on 23May2021, vomiting was recovered with sequelae on 24May2021; Heart palpitations was recovered on 24May2021; Fever, migraine, couldn't lift up her arm, hard time breathing was recovering; all other events was not recovered. Follow up attempts needed. Further information is expected

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370667	6/3/2021	NC	63	M	5/8/2021		<p>hives that started on his foot and they moved up to his legs and his abdomen.; itching; This is a spontaneous report from a contactable consumer (patient) reporting himself. A 63-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, formulation: Solution for injection, Batch/Lot number: EW0179) via an unspecified route of administration in Arm Left on 08May2021 as second dose, single dose for covid-19 immunization. Medical history included, high blood pressure, Allergy, kind of dry eye also have bulging disc at his back, squeezing out to the nerve that why he have to chair, phlebotomy. Patient had took first dose of BNT162B2. Concomitant medication included amlodipine besilate (NORVAS) taken for high blood pressure, atorvastatin (LIPITOR [ATORVASTATIN]), losartan (LOSARTAN), aspirin [acetylsalicylic acid] (ASPIRIN [ACETYLSALICYLIC ACID]) taken for an for heart, amlodipine (AMLODIPINE), verapamil (VERAPAMIL), hctz (HCTZ), cetirizine hydrochloride (ZYRTEC ALLERGY) taken for hypersensitivity, gabapentin (GABAPENTIN), oxycodone (OXYCODONE),metoprolol succinate (TOPROL XL), ascorbic acid (VITAMIN-C). The patient reported that he received his second dose of the vaccine on 08May2021 and later began noticing hives that started on his foot and they moved up to his legs and his abdomen he saw his primary care physician who prescribed a cream for the itching, but itching hasn't gone away and doesn't know if he should get checked out at the emergency room because the hives are still bothering him or if they will just go away. Upon follow-up (22May2021), event reported as he got reaction almost from this Pfizer vaccine, he was asking should he have to go to emergency room and he got hives popping up different places on his body and it like a really bad. He went to doctor yesterday they said they don't know what is going on, he thought what could be the vaccine, we don't know, past they told me hives is the side effects, then he have been on phone for a last couple of hours, and gotten anywhere, he is not getting anything from doctor or anybody. Last Saturday his foot broke out just once but now just same keep coming all over his body and he took to the doctor they said they don't know where it's coming from, so he think with that part of shot picks it up vaccine what led him to do. He still have concern about hives over his body, it is itching little bit. It</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

was started last sunday on the 16th. This just started after he had the vaccine, he had not it before. Consumer stated, he just want to know if I need to to go to the emergency room, do he need to worry about it. The patient underwent lab tests and procedures which included blood test. Therapeutic measures were taken as a result of itching (pruritus) with Loratadine. The outcome of events was unknown. Follow-up actions are required. Further information requested



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370653	6/3/2021	GA	17	F	4/2/2021	4/4/2021	Fever; Joint pain; facial and tongue swelling/broken out in a rash broken out in a rash that moved to her face and lips/anaphylaxis/daughter's eye started to swell; Serum sickness; elevated CRP; Hives/an allergic reaction/lip and face swelling; This is a spontaneous report from a contactable consumer (the mother) reported for her daughter. A 17-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via intramuscular, administered in left arm on 02Apr2021 10:00 (Batch/Lot Number: EN6207) as 2ND DOSE, SINGLE for covid-19 immunisation. Medical history included Colitis ulcerative from 2014 and ongoing, Genetic immune deficiency, additional Information for other conditions: Caller describes it as "22q". patient was born with this but wasn't actually diagnosed until patient was 11 years old. They checked with patient's Immunologist before getting the vaccine especially with her daughter's history. Thyroid disease from 2015 to an unknown date, additional Information for other conditions: patient didn't have a thyroid- her thyroid was removed. Concomitant medications included cetirizine; famotidine; montelukast sodium (SINGULAIR); and epinephrine (EPIPEN) all taken for an unspecified indication, start and stop date were not reported; aloe vera, pramocaine hydrochloride (ATARAX ANTI ITCH LOTION) taken for itching, swelling and hives, start and stop date were not reported. The patient took first dose of Pfizer COVID vaccine on 12Mar2021 10:00 (Lot: EN6207) for COVID-19 immunization and patient had no side effects after the first dose. No additional vaccines administered on same date of the Pfizer suspect. No prior vaccinations (within 4 weeks). The patient just saw her Immunologist and her Immunologist instructed her to report what is going on with patient. Caller clarifies patient's immunologist plans to call and report as well but also instructed her to call and report the side effects her daughter is experiencing. Her daughter was cleared to have the COVID vaccine. The caller explains they always check with her immunologist because of her daughter's immune issues. Her daughter received the second dose of the COVID vaccine on 02Apr2021. On the evening of 04Apr2021, her daughter broke out in hives. They didn't think it was a big deal, they thought it was just an allergic reaction. She tried Benadryl and several other things. They went and saw her daughters regular general practitioner and the

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

doctor believed it was just a delayed skin reaction, which seems to be common with the Pfizer COVID vaccine. The doctor told her he's seen one other person with this delayed reaction. He gave her daughter a steroid injection, a Steroid Dose Pack and Pepcid. She was also placed on Benadryl as needed. About 2 weeks after this, her daughter and lip and face swelling and ended up in the Emergency Room (ER). At this ER visit, they initiated the allergic reaction protocol and it was not an anaphylactic reaction at that point. Her daughter received IV Benadryl and IV steroids, the caller is not sure what else. She confirms she has no NDC, Lot number and expiry dates for the medication her daughter received in the ER. The ER doctor contacted the Immunologist on call and the Immunologist had seen a few cases with a delayed reaction. Caller clarifies the ER doctor discussed her daughter's delayed skin reaction with the on-call Immunologist. The oncologist put her daughter on generic Zyrtec, 20mg in the morning and 20mg at night. The following week, her daughter woke her up with facial and tongue swelling. She clarifies further her daughter had fever, joint pain, and had broken out in a rash that moved to her face and lips. She immediately took her to the ER. The ER followed the whole anaphylaxis protocol and was given an EpiPen. She explains her daughter was diagnosed serum/covid sickness. This has been going on for over 6 weeks. The reaction will come and go. She was told as her daughter's body develops immunity, she is basically allergic to it. She clarifies at her ER visits, they checked her daughters liver and kidneys. It was noted her daughter had an elevated CRP, which is an inflammatory marker. The caller was told they thought her daughter had serum sickness from the vaccine which may last 4-6 weeks or it may be prolonged, so they just went with it. They told her as long as it didn't move to her lips or affect her daughters breathings, eventually it would wax and wane and go away. Her daughter started breaking out on her arms and legs and last Saturday, she woke up and her face was swelling. She clarifies her daughter's eye started to swell and her tongue. She took her straight to the ER and the ER followed the anaphylaxis protocol and injected her with an EpiPen. They contacted her Immunologist to check and make sure it wasn't anything else and consulted with the Covid Vaccine Clinic and it was found

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

3 other patients had this happen. No further details were provided regarding the 3 other patients. Right now, her daughter is on 4 different medications and an EpiPen. They contacted her insurance about her being placed on a biologic because not even the current medications her daughter is on is making everything going away. Caller verifies her daughter was never admitted into the hospital. When she was last seen in the ER Monday, she her daughter was monitored for 4 hours after the EpiPen was administered. The events require a visit to Emergency Room (total of three ER visits) and Physician Office. She known the last/third ER visit was Monday, 17May2021. The second ER visit was 04May2021. She believes the initial/first ER visit was probably a week or so before the second one. She clarifies she broke out in hives on 04 Apr2021 and went to the doctor on 07Apr2021 or 08Apr2021 so the ER visit was around the next week. Since her daughter had such a good response from the EpiPen the ER doctor took pictures before and after. She clarifies the name of the biologic they want to put her daughter on is Xolair, it is a monthly injection. She explains the current cocktail they have her daughter on is not working. She provides the following product information for these 4 medications and EpiPen. Relevant Tests included she knows they are testing for any other thing that it could be to rule it out. She knows they ran a CIS-tray, a complete CIQ , a Histamine release something and Tryptase. She knows they checked her CRP (inflammatory marker) because it was elevated. Every time her daughter went to the ER, they did a CBC and all of that was normal except for the CRP inflammatory marker, however her CRP was normal at the last ER visit. The outcome of events was unknown. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370544	6/3/2021	NV	52	M	5/15/2021	5/15/2021	dizziness; nausea; He did not feel well at all and was not able to feel well enough to stand up.; definite lack of coordination; he vomited on himself; his cholesterol was high at 208.; had very little strength; started feeling like something was wrong; just had sort of a feeling like being really drunk; passed out (fainted) in his car 3 times; He was told he had a vasovagal reaction; This is a spontaneous report from a contactable consumer (patient). A 52-years-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration, administered in Arm Left on 15May2021 10:50 (Lot Number: EW0173; Expiration Date: 31Aug2021) as 1ST DOSE, SINGLE DOSE for covid-19 immunisation. Medical history included vasovagal reactions in high school. No other vaccinations within four weeks prior to the first administration date of the suspect vaccine. The patient's concomitant medications were not reported. Within 2 minutes of receiving the Covid 19 vaccine he started feeling like something was wrong. He pulled to the side in the parking garage and as soon as he stopped the car he passed out. He woke back up and was able to put the car in park and he passed out a second time. He woke up again and his foot was on the gas pedal and he tried to roll down the window. He was able to roll down the window but he wasn't able to get anyone's attention. He passed out a third time. When he woke up again he wasn't able to get the door open and he was nauseated. He basically had nausea, dizziness, and a definite lack of coordination. He just had sort of a feeling like being really drunk. He doesn't drink. He had very little strength but he was able to push his car horn. He was out of it. He could see someone in his car mirror a little ways behind his car and the horn didn't get the person's attention so he honked a second time and someone came to help him, maybe from the fire department and maybe some emergency medical technicians. He was placed on a golf cart or ATV to be transported downstairs to a waiting ambulance and while on the ride he vomited himself. He mentioned that the EMTs called it a vasovagal reaction. He was brought to the hospital in which he had a lot of tests done. He did not feel well at all and was not able to feel well enough to stand up. He had tests done at the hospital, a chest x-ray and his blood was drawn. He had a cardiac ultrasound later in the afternoon the next day

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

on 16May2021. The doctor's didn't find anything wrong other than his cholesterol was high at 208. He was admitted to the hospital on 15May2021. He continued to have his blood drawn through the night and the next morning, on 16May2021, he had a CAT scan. For his cholesterol he was told to eat better and maybe follow up with a doctor in a couple months to check his cholesterol again. No one had any answers to the effect of what happened to him. Everything was fine, his tests were normal. He was told he had a vasovagal reaction. He's had vasovagal reactions before and he can tell this was much different than the vasovagal reactions he's had before. In the past when he's had vasovagal reactions the world went black like looking through a small circle, his vision got blacker and blacker and then he'd pass out. He did not have this feeling with the Covid 19 vaccine. He can only describe this feeling that he had like an occasion in his past when he's drank to much and he's stumbling around. He may have passed out briefly to someone helping him move to a bed and his arms are weighted and he can't lift them and he's disoriented but still has a sense of what's going on but he feels like he could vomit at any second. He's comparing his experience to the Covid 19 vaccine to drinking to much alcohol and then falling asleep or passing out. He was pretty much out of it for 5 hours. Between the fourth and fifth hours after receiving the Covid 19 vaccine he was comfortable enough to stand on his own for brief moments. He was feeling better and was able to use the restroom. By the next day, around the 24 hour period after the vaccine he was feeling almost normal. He was released from the hospital the next day, 16May2021 at around 4:00PM. He was maybe in the hospital for about 27 to 28 hours. At the hospital he had all these tests and he was found to be healthy with no problems. He also had a Covid 19 virus test, he never asked what the results were but he's going under the assumption that if he was Covid 19 virus positive the hospital staff would have told him. Passing out, nausea, dizziness required a visit to Emergency Room. The outcome was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370590	6/3/2021	NC	41	F	4/30/2021	5/14/2021	Bell's Palsy; This is a spontaneous report from a contactable consumer reported for herself. A 41-year-old female patient (not pregnant) received 2nd dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) at single dose via an unknown route on 30Apr2021 10:00 for Covid-19 immunization. Medical history and concomitant drug were not provided. Prior to vaccination, the patient was not diagnosed with COVID-19. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Historical vaccine included 1st dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 09Apr2021 for Covid-19 immunization. The patient reported events diagnosed as Bell's Palsy, left sided facial droop, inability to move the left forehead, left facial numbness, inability to close the left eye. The adverse event started since 14May2021. Treatment included prescription of a seven-day course of Prednisone, etc. The adverse event result in Emergency room/department or urgent care. Outcome of the event was not resolved. Since the vaccination, the patient has not been tested for COVID-19. The report was not assessed as serious. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370548	6/3/2021	NY	58	F	3/17/2021	4/8/2021	stroke like symptoms/minor stroke; high/extremely high blood pressure; blood sugar numbers were very high in the 700s; face on the left side felt paralyzed like she couldn't feel if something was in her mouth; trouble seeing on the side of her eye/can only see straight on the left side; Blurry vision; fall; splintered hand; losing her balance; numbness in her arm; Soreness/sharp pain on her arm; dizzy spells; fatigue; This is a spontaneous report from a contactable consumer (daughter). A 58-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration in the left arm, on 17Mar2021 (at the age of 58-years-old) as a single dose for COVID-19 immunisation. Medical history included stroke in 2012 (first stroke was from a heart attack), heart attack in 2012, stroke in 2017, stroke in Dec2020, high blood pressure from 2012 and ongoing, diabetes from 2013 and ongoing, glaucoma from 2009 and ongoing, ongoing at risk for heart failure, ongoing tumor in her stomach (23 years, benign and hasn't been surgically removed due to other issues and not harming her), ulcers (3 ulcers in the past and none currently), broken ankle in 2014, preeclampsia attack in 1990, baby being strangled during birth in 1994, broke her pelvis during birth in 1996, and complicated birth in 1996 (which she was in a coma for). The patient had no family history. Concomitant medications included labetalol (MANUFACTURER UNKNOWN) taken for heart condition from Dec2020 and ongoing; acetylsalicylic acid (BABY ASPIRIN) taken for stroke from 2012 and ongoing; furosemide (MANUFACTURER UNKNOWN) from an unspecified date and ongoing; atorvastatin (MANUFACTURER UNKNOWN) taken for stroke from an unspecified date and ongoing; ascorbic acid, betacarotene, biotin, calcium, chromium, copper, folic acid, iodine, iron, magnesium, manganese, molybdenum, nicotinic acid, pantothenic acid, phosphorus, pyridoxine hydrochloride, retinol, riboflavin, selenium, thiamine, vitamin B12, vitamin D, vitamin E, vitamin K, zinc (CENTRUM WOMEN 50+) from an unspecified date and ongoing, and unspecified eye drops for glaucoma from an unspecified date and ongoing. The patient did not receive any other vaccines within four weeks prior to the vaccination. The patient experienced stroke like symptoms/minor stroke, high/extremely high blood

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

pressure, blood sugar numbers were very high in the 700s, face on the left side felt paralyzed like she couldn't feel if something was in her mouth, trouble seeing on the side of her eye/can only see straight on the left side, and blurry vision on 08Apr2021, which all required hospitalization from Apr2021 to Apr2021 for 4 days. The patient also experienced losing her balance, numbness in her arm, soreness/sharp pain on her arm, dizzy spells, and fatigue on 08Apr2021 and fall and splintered hand on 30Apr2021. The clinical course was reported as follows: It was reported that the patient had stroke like symptoms, which were reported to be not a result of the vaccine as the patient had a lot of health issues. The patient had the vaccine and was completely fine and then right around the time she was supposed to get her second dose she was showing signs that could have been a minor stroke. She just had high blood pressure and her blood sugar numbers were very high in the 700s on 08Apr2021. It affected her face. It was not a full on stroke, she got to the hospital in time. The patient had strokes before. They thought it was better to stabilize her blood pressure and blood sugar before getting the next shot. She was in the hospital for 4 days. They gave it time to stabilize and come to a normal number. When it did and they went back to the pharmacy, they said they did not feel comfortable administering the second shot after 42 days. Now it was pushing more than 42 days. The reporter stated she would not necessarily call it a stroke. Her mother had symptoms leading up to a stroke but not a full on stroke. She had numbness of her arm and blurry vision, but not a full on stroke. She was in the hospital the week of 07Apr2021. She was supposed to have the second shot on 14Apr2021. She was discharged from the hospital the week of 12Apr2021, either that Monday or Tuesday. She had trouble seeing on the side of her eye. She can only see straight on the left side. Her face on the left side felt paralyzed, like she couldn't feel if something was in her mouth. She has been losing her balance. Her blood pressure was through the roof on 08Apr2021, as well as her blood sugar. She did a video chat with the doctor the night before going to the emergency room (ER). They monitored her symptoms, and they started within the first 72 hours before going to the hospital. She had a blind spot in her left eye. The other one she can see just not as great as



*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

before. Before this instance she did not have a blind spot, and now she does. The patient walked with a cane now. If she is outside, she is held with someone and cannot just walk along because she does not see well by herself. She had to sit at a certain angle to see clearly. Her vision is not well. The numbness in her arm comes and goes. Sometimes it is a sharp pain and sometimes it is numb. It was definitely worse when she was at the hospital. The numbness and sharpness level goes hand in hand with when her blood pressure is too high and fluctuates with her blood sugar and blood pressure. With her face feeling paralyzed, her left eye socket is closed a little bit. She has more mobility than when it happened. She has been working on it with physical therapy trying to get it back. Her balance was off when she wasn't seeing well and was unassisted. She would get dizzy spells and fall. Now she is more aware of when she will feel dizzy and will let them know. The cane helps her balance. The dizzy spells came at the same time as the other symptoms. They fluctuate. They have stabilized over time. When it first happened, they were a lot more frequent. Now they almost never happen. The patient underwent lab tests and procedures, all in 2021, which included bloodwork: unknown results, computerised tomogram (CAT) scan: unknown results, and x-ray: unknown results (on her hand when she broke it in the past 2 weeks). The clinical outcome of stroke like symptoms/minor stroke, soreness/sharp pain on her arm, fatigue, fall, and splintered hand was unknown; high/extremely high blood pressure, blood sugar numbers were very high in the 700s, face on the left side felt paralyzed like she couldn't feel if something was in her mouth, losing her balance, numbness in her arm, and dizzy spells was recovering; and trouble seeing on the side of her eye/can only see straight on the left side and blurry vision was not recovered. The batch/lot number for the vaccine, BNT162B2, was not provided and will be requested during follow-up.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370743	6/3/2021			U	5/24/2021	5/30/2021	Incredible Dizziness; Vertigo; This is a spontaneous report from a contactable consumer reported for self. A patient with unspecified age and gender received first dose of BNT162B2 (Pfizer Covid-19 Vaccine, Batch/lot number: unknown, Expiration date: Unknown), via an unspecified route in the left arm on Monday, 24May2021 at 16:15 as a single dose for COVID-19 immunization. The patient medical history and concomitant medications were not reported. On 30May2021 today at 13:00, patient experienced various side effects which included incredible dizziness and patient can barely keep eyes open. When paraphrased the concern, patient stated vertigo. It's been 7 days since patient had the first vaccine. Patient wanted to know if it can be a late side effect. It was unknown if the patient received any treatment for the events. The clinical outcome of the events was unknown. Information on the lot/batch number has been requested.
1371124	6/3/2021	MD	27	F	5/22/2021	5/23/2021	On the second dose of Moderna done on 05/22/21 the next day which was 05/23. I woke up with a headache, could barely open my eyes, so I laid for a few minutes. Once I woke up, I was very hungry, and dizzy and tired. Later, I started cooking, and the smell of the food was gross to me. I had to sit because I was starting to get dizzy again. The head ache came back, and the pain was above my eyes. The side effects were like a pregnancy symptoms, but was NOT and I am NOT pregnant.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370532	6/3/2021	WI	57	F	5/14/2021	5/1/2021	red rash wrist, itching, about a 3-4 inch area; red rash wrist, itching, about a 3-4 inch area; Jaw up to ear, under eye, eye lid, down her neck, left side of windpipe, back of neck, shoulder and left side of forehead lost sensation, lost sensation in part of arm above elbow.; tingling sensation in mouth, tingling lip; upper lip went numb; tingling half face; Headache; left arm swelled up; Elevated Heart Rate; Brain fog; dry mouth; funny sensation in her mouth; This is a spontaneous report from a contactable consumer (patient). A 57-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot Number: EW0158, Expiration Date: 31Jul2021), via an unspecified date of administration in left arm on 14May2021 at 09:35 (at the age of 57-year-old) at first dose, single for COVID-19 immunization. The vaccine was administered at hospital. The patient did not receive other vaccine within four weeks prior to the first administration date of the COVID-19 vaccine. Relevant medical history included dental work to left upper molar done on 11May2021. She was given anesthesia and stated all this resolved. She had the procedure at 10:00. The patient was not receiving concomitant medications. On 14May2021 within 10 minutes of receiving shot the patient experienced tingling sensation in mouth, tingling lip, half face, and upper lip went numb. Her jaw up to ear, under eye, eye lid, down neck, left side of windpipe, back of neck, shoulder and left side of forehead lost sensation. Left arm swelled up and lost sensation in part of arm above elbow. The patient went to the emergency room for these symptoms and she was monitored there. The patient stated she is about 90% resolved of these symptoms, but they are not completely gone. On 14May2021 had headache that has resolved but she keeps having a sensation like she is about to get a headache on the left side of her forehead and also had elevated heart rate. She stated that her heart rate was elevated for many hours. It was still higher than normal for her when she left the emergency room. On 17May2021 had right red (rash), very itchy area on right wrist. Came on all of the sudden and was fire red and very itchy, was about a 3-4 inch area. Dissipated within an hour. She is still experiencing brain fog since an unspecified date in May2021, it is improving; but she had to take a half a day off of work the day before reporting to rest. Dry mouth and a funny sensation in her mouth are

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							still lingering since an unspecified date in May2021. The patient stated that she called her doctor's office the day before and is awaiting a call back. She says the emergency room doctor told her to follow-up with her doctor and that the emergency room doctor also advised her not to get the second vaccine. They stated that she could potentially have a long-lasting vaccine effect. The patient asked what are the risks of her getting the second shot since she had such a severe reaction that is taking so long to resolve. Rash resolved on 17May2021, headache resolved on 14May2021, final outcome of heart rate increased was unknown, dry mouth and a funny sensation in her mouth had not resolved, while all the remaining events were resolving.
1370609	6/3/2021			F	5/19/2021	5/19/2021	I am freaking out and don't want to be permanently paralyzed.; 25 min ago my left eye became slightly blurred; left side of my face and left my eye were/are tingling/the left side of my forehead/temple area started tingling; I am freaking out and don't want to be permanently paralyzed.; This is a spontaneous report from a contactable consumer (patient). A 27-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), via an unspecified route of administration, administered in arm left on 19May2021 (Batch/Lot number was not reported) as 2ND DOSE, SINGLE for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. Historical vaccine included BNT162B2 dose 1 on an unspecified date for Covid-19 immunization. It was reported that the patient received her 2nd Pfizer dose, in her left arm 2 hours ago (on 19May2021) and then she noticed the left side of her face and left her eye were tingling. She stated this started about 1 hour and 40 min after receiving her 2nd vaccine dose, 25 min ago her left eye became slightly blurred and the left side of her forehead/temple area started tingling. She was freaking out and doesn't want to be permanently paralyzed. She asked if these are expected side effects and what she should do. The outcome of the events was unknown. Information on the lot/batch number has been requested. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370837	6/3/2021	FL	27	F	6/2/2021	6/2/2021	At 6:25pm after patient received vaccine EMT observed patient appeared pale with her eyes closed. Medic walked over to patient in which patient informed that, "I don't feel good, I feel nervous and dizzy." Medic took patient to medic area where vital signs were done and water was given. After 15 mins. patient recovered.
1371032	6/3/2021	SC	55	F	6/1/2021	6/2/2021	Woke up the next day my eyes were extremely sensitive to light , headache (all day), body aches low grade fever and no energy.
1371038	6/3/2021	OH	36	M	6/2/2021	6/2/2021	A few minutes after giving vaccination, patient's mother and caregiver stated that he was having a reaction. Patient can only use his eyes to respond "yes" or "no" since he is non-verbal and when he would not respond to his mother's questions with his eyes she became very panicked and alerted the pharmacy staff. When I got to the patient he was very clammy, sweating, and breathing heavy. She said his eyes had rolled back in his head and his tongue had turned blue. I propped his legs up on a chair and took his blood pressure with an automatic blood pressure cuff and it was 164/124 with pulse 95. I decided to contact EMS for assistance. Retook BP few minutes later and it was the same. EMS arrived and stated it was most likely a reaction to being afraid of needles but would take him to get checked out.
1371042	6/3/2021	IA	26	M	5/28/2021	5/28/2021	Approximately 10 minutes after receiving the injection, patient states that he felt hot, lightheaded, and had stomach pain. As he was moving to a recliner, patient passed out. The pharmacist called 911, and raised patient legs onto a chair. Patient woke back up, and the pharmacist said that his eyes were "not normal". Paramedics arrived, and transported patient to the emergency room. Patient states that he was at the ER for approximately 2 hours, and then discharged. While at the ER, he received IV fluids and blood work was performed. He has not had any other complications besides a sore arm at the site of injection.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1371057	6/3/2021	OH	54	F	5/22/2021	6/1/2021	I first got a swollen arm at site, and a slight rash, which went away then came back a week later slightly. then I developed what I thought were bug bites on my eyelids, itchy and red bumps. The next day I had a few more. The third day I woke with my eyes almost swollen shut and more itchy red bumps on my face, spread to my neck, now my chest and back. a few at a time
1371099	6/3/2021	IN	26	F	4/20/2021	4/21/2021	After the vaccine I was really fatigued and had a sore arm. My BP elevated and got a really bad ocular migraine which caused vision changes. I reached out to my PCP who had me admitted to medical center for 2 days d/t elevated protein in my urine, the bad migraine and elevated BP. All labs were negative for preeclampsia. EDD-8/1/2021
1371103	6/3/2021	NY	41	F	5/3/2021	6/2/2021	I had a left side face contraction and my left eye was only half way opened for one minute. after my first dose I had an episode of memory loss that last 5 seconds but it was a total "blank~~
1371152	6/3/2021	FL	51	F	4/10/2021	4/21/2021	At approximately 10:00 p.m. on 4/21/21 I noticed that my vision was blurred. I removed my glasses, put them back on - and still had blurred vision both near & far. This lasted for a total of about 1.5 hours. I also developed hives on my torso around the same time. The hives came and went several times for about 5-7 days and were mild, not that itchy.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1371175	6/3/2021	DE	15	M	6/2/2021	6/2/2021	Reports ate a few peanut butter pretzels today. Reported lightheadedness that resolved within about 1 minute, followed by seeing spots for about 2 minutes resolved, momentary tightness on inspiration that resolved, and ringing in ears for about 3 minutes resolved. Later reported nausea on ambulation post vaccination to seat in observation area that resolved upon sitting down. Also, reported has history of similar s/sx with flu vaccination. Denies chest pain and other s/sx. Nurses responded with emergency cart. 01:47pm LUE 96/70 pulse regular R20, lungs clear, lips noted to be dusky/purplish. Benadryl 50mg PO x1 administered. Lips color reassessed and after few minutes returned to usual pink color. Reports nausea, lightheadedness, visual spots, and ringing in ears resolved, all s/sx resolved, stated "I feel normal". Counseled follow up with pediatrician, urgent care or emergency department for any return s/sx, Mom verbalized understanding. Observed for 30 minutes. Ambulated with steady gait off floor with his parent and sibling.
1371198	6/3/2021	MO	48	F	1/8/2021	1/8/2021	The day of the vaccine I had the return of the dry cough, which I previously with COVID-19. I also had mild chest pains. I had fatigue and felt sleepy. Within the first 24 hours of the vaccine, I had burning in the eyes. Within the next week I had more fatigue and sleepiness. Within a few weeks I had a more intermediate cough. The cough was not every day but every few days. About a month after the vaccine, I have had a cough every day. The worsening of other conditions, in late February into March, I had worsening of restless legs. I also had increased of my asthma symptoms which I had to increase my medication for the asthma. I had chest tightness until April 10th. On April 29th, I had increased fatigue and montenect jerk of my arm and legs. After a week or so of those symptoms, I saw my Rheumatologist she put me on a steroid of 6 days. The abnormal fatigues and fatigue improved after I started the steroid. I still have a little fatigue and intermediate dry cough. Also, with had a symptom of monocular diplopia, the doctor I saw thinks that was to the increased dry eye symptom. I think the symptoms have increase my autoimmune system to flare up. I still have to use the inhaler also more than I use too.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1371221	6/3/2021		31	M	6/2/2021	6/2/2021	Patient received 2nd dose of Pfizer. Afterwards she felt nauseated and vomited x1. Vital signs were taken by paramedic at 11:40: BP 104/68, P74, resp 18, O2 saturation 98%. states she felt better after few sips of water. She was able to walk to observation area from vaccination area with supervision. She was given soda which helped with her nausea. Her VS was taken at 1200: BP 94/64, P69, Resp 18, O2 Sat 100%. All symptom subsided at this time. Patient left with her mother at 12:10pm.



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370520	6/3/2021	FL		F	3/11/2021		<p>just went out cold; fell flat on tile in bedroom; still have pain being treated by plastic surgeon that operated in hospital; The initial case was missing the following minimum criteria: reporter with firsthand knowledge. Upon receipt of follow-up information on 18May2021, this case now contains all required information to be considered valid. This is a spontaneous report from a contactable consumer (patient). An 80-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), via an unspecified route of administration, administered in the right arm on 18Feb2021 (Batch/Lot Number: EL9267) as 1st dose, single and via an unspecified route of administration, administered in the right arm on 11Mar2021 14:00 (Batch/Lot Number: EN6205) as 2nd dose, single for COVID-19 immunization. The patient had no prior vaccinations within 4 weeks. The patient's medical history included heart attack from 25Aug2017 to an unknown date (stent right coronary artery (RCA)). Concomitant medications included escitalopram; vitamin D NOS; cyanocobalamin (B-12); ubidecarenone (COQ 10); calcium; omeprazole; fluticasone furoate, vilanterol trifenate (BREO ELLIPTA); ketotifen fumarate (ZADITOR); ticagrelor (BRILINTA); alprazolam; telmisartan; atorvastatin; montelukast; fluticasone; salbutamol sulfate (VENTOLIN HFA); and unspecified probiotic; all taken for an unspecified indication from an unspecified start date and ongoing. The patient reported that she has never passed out or fainted. On an unspecified date at 07:30 pm, she had no warning and just went out cold. Emergency room visit was required. The patient further reported that she fell flat on tile in the bedroom. There was no warning. The patient reported the events as serious with seriousness criteria hospitalization (in the hospital for 5 days) and important medical event. The patient stated "Both knees, left eye, left arm (shoulder, left) 3 layers of stitches in the upper lip. Still have pain, being treated by plastic surgeon that operated in hospital". The patient was hospitalized for 5 days and she was treated by plastic surgeon - underwent plastic surgery and reconstruction of lips. The outcome of the events was unknown.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370343	6/3/2021	NJ	69	F	1/29/2021	4/1/2021	not getting any sleep; Involuntary movement of her arms and legs/body is just jerking; Felt like she was having an alien pop-out/felt like something in her body was squeezing her inside; Cataracts; This spontaneous case was reported by a consumer and describes the occurrence of CATARACT (Cataracts) in a 69-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 013A21A and 007M20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Cataract extraction (on her right eye ) on 21-May-2021 and Cataract extraction (on the left eye ) on 06-May-2021. Concomitant products included MAGNESIUM and VITAMIN B12 [VITAMIN B12 NOS] for an unknown indication. On 29-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 26-Feb-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. In April 2021, the patient experienced CATARACT (Cataracts) (seriousness criterion medically significant). On an unknown date, the patient experienced INSOMNIA (not getting any sleep), DYSKINESIA (Involuntary movement of her arms and legs/body is just jerking) and FEELING ABNORMAL (Felt like she was having an alien pop-out/felt like something in her body was squeezing her inside). The patient was treated with Surgery (Cataract surgery of right eye on 21MAY2021 and of left eye on 06MAY2021) for Cataract. At the time of the report, CATARACT (Cataracts) outcome was unknown and INSOMNIA (not getting any sleep), DYSKINESIA (Involuntary movement of her arms and legs/body is just jerking) and FEELING ABNORMAL (Felt like she was having an alien pop-out/felt like something in her body was squeezing her inside) had not resolved. Treatment information was not provided. The patient was scheduled to a neurologist. Company comment:Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. However the patient's increased aged is also a risk factor for cataracts. This case was linked to MOD-2021-185661 (Patient Link).; Sender's Comments: Based on the current available information and temporal association between the use of

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1371101	6/3/2021	MD	16	F	6/2/2021	6/2/2021	the product and the start date of the event, a causal relationship cannot be excluded. However the patient's increased aged is also a risk factor for cataracts. patient reports blurred vision and light headed. Vitals stable. patient asked to lay down with legs elevated. cold water given patient became fine in 15 minutes

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370380	6/3/2021	CO	74	F	2/22/2021	2/22/2021	<p>eye was swollen and itchy for 4 days; eye was swollen and itchy for 4 days; mildly sore arm; Left arm itching, red, and swollen; Left arm itching, red, and swollen; Left arm itching, red, and swollen; her arm was sore and swollen at the injection site for a couple of days; her arm was sore and swollen at the injection site for a couple of days; This is a spontaneous report from a contactable consumer. A 74 age female patient (unit- unspecified) received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: EN06201), via an unspecified route of administration, administered in left arm on 22Feb2021 13:30 (at the age of 74-years-old) as a single dose for covid-19 immunization. The patient's medical history and concomitant medications were not reported. When she gets the Flu vaccine sometimes gets a sore arm. One time she felt like she had flu symptoms, but it didn't last long and was right after the flu vaccine. It varies from time to time. Has no NDC/Lot/Exp for any past Flu Vaccine. The patient's appointment was at 13:20 so somewhat after that. She left the facility at 13:50, which was after waiting 15 minutes. Didn't have any kind of allergic reaction. The patient received the 1st dose of the Pfizer vaccine on a Monday, 22Feb2021 at 13:30 and experienced a mildly sore arm that evening that lasted for about 24 hours as it went away the next evening. Yesterday, she got up and noticed that her arm was itching, red, and swollen. The symptoms are still persisting but the itching was going away. It doesn't really hurt, but it hasn't gone away. Yesterday is a week from the COVID Vaccine. It is quite unusual to have a reaction a week later. On 01Mar2021, She states that her arm was sore and swollen at the injection site for a couple of days and then the soreness went away. A week later her eye was swollen and itchy for 4 days and then those symptoms went away as well. She noticed yesterday that her arm started getting a little sore again and she noticed there is a "bump" where the vaccine was given and notes this as "feeling swollen." She also states that she has had similar reactions to the flu vaccine in the past with her arm being sore and swollen at the injection site but she has never experienced those symptoms returning once they have gone away. Her arm was sore for 24 hours. A week later her arm was swollen and had a red area and it itched. She called Pfizer a week ago yesterday. She didn't know why it was so long for that</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>reaction. They told her it could be seven to eight days for that reaction. It was like that for 4 days. Yesterday morning she woke up and it was itching and swollen, but it was not as swollen as it was previously. There was a pinkish red area. It came back again after 2 weeks. Her concern is whether she can get the vaccine. She could get it in the other arm. She is supposed to get the second vaccine on 18Mar2021 considering her recurrence of injection site swelling and soreness. The clinical outcome of the event eye was swollen and itchy for 4 days was resolved; her arm was sore and swollen at the injection site for a couple of days was resolved on 23Feb2021; while that of left arm itching, red, and swollen was not resolved; mildly sore arm was unknown. Description of Product Complaint: One time she felt like she had flu symptoms, but it didn't last long and was right after the flu vaccine. Has no NDC/Lot/Exp for any past Flu Vaccine. She got a letter yesterday from Pfizer that said she filed a complaint. She doesn't consider it a complaint, but considers it a concern. Reference number: 5709643. There is a complaint number but it is very long and the reference number should be enough she would think. On the vaccine card she was given it says one dose. No follow-up attempts are possible. No further information is expected.</p>
1369973	6/3/2021	TN	45	M	6/2/2021	6/2/2021	<p>Pt reported lips tingling, tight throat, Benadryl 25mg tab administered, no difficulty swallowing, VS stable. No symptom improvement at 20 minutes and expressed a feeling of having a golf ball stuck in his throat, denied SOB, itchiness, no noted hives, denied chest pain/tightness, dizziness, vision changes or anxiety. Benadryl 25 mg tab administered, no noted or voiced difficulty with swallowing. VS stable. Pt observed another 30 minutes and symptoms began to resolve. Full resolutions of symptoms at 3 hours, pt discharged home @ 13:20. Emergency situations reviewed with instructions to call 911 if reoccurrence of symptoms.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1369996	6/3/2021	OR	26	F	5/21/2021	5/24/2021	I got the regular side affects that were warned about, however, I also got allergies for the first time in my life a few days after. I lived somewhere else this time last year and was not affected by the pollen, but after I got the shot I got allergies every time I went outside. I am not sure if it is a coincidence or if the shot had messed up my immune system in any way. My allergy symptoms occur when I go outside and consist of runny nose that turns into stuffed nose, sneezing, and eye irritation. it is worse when it is cold and have occurred every day since it started. regular side effects that I was warned about that I experienced was pain in the shot area and barely able to lift my arm for about 24 hours. heavy body flu type of symptoms the first night, second night I started having a runny nose and felt a little sick. then the next day or a day after I started having bad allergies when going outside that I am still experiencing 13 days after my first shot.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370248	6/3/2021	OR	36	F	3/10/2021	3/22/2021	<p>Body temperature decreased; Myalgia; Atrial fibrillation; Alopecia; Nasopharyngitis; Vision blurred; Vasculitis; Dizziness; This case was received via FDA VAERS (Reference number: 1124402) on 25-May-2021 and was forwarded to Moderna on 25-May-2021. This regulatory authority case was reported by an other health care professional and describes the occurrence of ATRIAL FIBRILLATION (Atrial fibrillation) in a 36-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 029A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Drug allergy (Codeine, hydrocodone and tramadol.) and Autoimmune disorder. On 10-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 22-Mar-2021, the patient experienced ATRIAL FIBRILLATION (Atrial fibrillation) (seriousness criterion medically significant), ALOPECIA (Alopecia), NASOPHARYNGITIS (Nasopharyngitis), VISION BLURRED (Vision blurred), VASCULITIS (Vasculitis), DIZZINESS (Dizziness) and MYALGIA (Myalgia). On an unknown date, the patient experienced BODY TEMPERATURE DECREASED (Body temperature decreased). At the time of the report, ATRIAL FIBRILLATION (Atrial fibrillation) had resolved and ALOPECIA (Alopecia), NASOPHARYNGITIS (Nasopharyngitis), VISION BLURRED (Vision blurred), VASCULITIS (Vasculitis), DIZZINESS (Dizziness), BODY TEMPERATURE DECREASED (Body temperature decreased) and MYALGIA (Myalgia) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Concomitant product was not provided by the reporter. Patient vaccine administration arm coldness and temperature drop. Patient reported the symptoms to her doctors and they recommended she get the second shot. Treatment information was not provided. Company comment: Very limited information regarding this event has been provided at this time. Details regarding autoimmune disorder and concomitant medications are required for further evaluation.; Sender's Comments: Very limited information regarding this event</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370280	6/3/2021	CA		F		4/1/2021	<p>has been provided at this time. Details regarding autoimmune disorder and concomitant medications are required for further evaluation.</p> <p>LEFT EYE BLURRY; FELT SLIGHT DISORIENTATED; SLIGHT DOUBLE VISION; SMALL RASH ON THIGH; This spontaneous report received from a patient via a company representative concerned a female of unspecified age. The patient's height, and weight were not reported. No past medical history or concurrent conditions were reported. The patient received covid-19 vaccine (suspension for injection, route of admin not reported, batch number: Unk) dose was not reported, administered on APR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On APR-2021, the subject experienced small rash on thigh. On 28-MAY-2021, the subject experienced left eye blurry. On 28-MAY-2021, the subject experienced felt slight disorientated. On 28-MAY-2021, the subject experienced slight double vision. The action taken with covid-19 vaccine was not applicable. The patient recovered from slight double vision on 28-MAY-2021, had not recovered from left eye blurry, and felt slight disorientated, and the outcome of small rash on thigh was not reported. This report was non-serious.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370314	6/3/2021	CO	31	F	5/2/2021	5/2/2021	<p>Lost partial vision in her left eye; Tingling on the injection site; Swelling of the face; Blurred vision; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of BLINDNESS UNILATERAL (Lost partial vision in her left eye) in a 31-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 007C21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included COVID-19. Concurrent medical conditions included Allergy. On 02-May-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 02-May-2021, the patient experienced PARAESTHESIA (Tingling on the injection site), SWELLING FACE (Swelling of the face) and VISION BLURRED (Blurred vision). On an unknown date, the patient experienced BLINDNESS UNILATERAL (Lost partial vision in her left eye) (seriousness criterion medically significant). The patient was treated with DIPHENHYDRAMINE HYDROCHLORIDE (BENADRYL ALLERGY [DIPHENHYDRAMINE HYDROCHLORIDE]) ongoing since an unknown date for Allergic reaction, at an unspecified dose and frequency. At the time of the report, BLINDNESS UNILATERAL (Lost partial vision in her left eye) had not resolved and PARAESTHESIA (Tingling on the injection site), SWELLING FACE (Swelling of the face) and VISION BLURRED (Blurred vision) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. No relevant concomitant medications were reported. Patient is immunocompromised. Based on the current available information which shows a strong temporal association between the use of mRNA-1273 and the onset of the reported events, a causal relationship cannot be excluded. Most recent FOLLOW-UP information incorporated above includes: On 31-May-2021: Follow-up received on 31-MAY-2021: New AEs were updated(Blurred vision,partial vision lost); Sender's Comments: Based on the current available information which shows a strong temporal association between the use of mRNA-1273 and the onset of the reported events, a causal relationship cannot be excluded.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370316	6/3/2021	NY	82	F	3/15/2021	2/15/2021	lyme disease type symptoms; blood sugar decreased; right arm pain at injection site; fatigue; generalized body ache; chills; runny nose; cough; left arm pain-no injection; left eye twitch; This spontaneous case was reported by a nurse and describes the occurrence of LYME DISEASE (lyme disease type symptoms) in an 82-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 021B21A and 014MZ01) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Rheumatoid arthritis, Arm injury (left arm cannot raise arm) in 2012, Dislocation of vertebra (3 vertebrae out of place), Radiofrequency ablation (ablation in neck), Low back pain (bilateral), HLA-B*27 positive, Kidney stones, Reiter's syndrome, Salmonella infection, unspecified (dating back to 1981) and Knee replacement (two knee replacements). Concurrent medical conditions included Diabetes, Asthma, Lyme disease and Fibromyalgia (fibromyalgia with neck and shoulder pain). Concomitant products included FORMOTEROL FUMARATE, MOMETASONE FUROATE (DULERA) for Asthma, INSULIN GLARGINE (LANTUS) for Diabetes, MINOCYCLINE, DAPSONE, ATOVAQUONE, PROGUANIL HYDROCHLORIDE (MALARONE) and LEUCOVORIN [FOLINIC ACID] for Lyme disease, CODEINE PHOSPHATE (CODINE), PARACETAMOL (TYLENOL) and DIAZEPAM (VALIUM) for Pain. On 15-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 12-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 15-Feb-2021, the patient experienced BLEPHAROSPASM (left eye twitch). On 15-Mar-2021, the patient experienced RHINORRHOEA (runny nose), COUGH (cough) and PAIN IN EXTREMITY (left arm pain-no injection). On 12-Apr-2021, the patient experienced LYME DISEASE (lyme disease type symptoms) (seriousness criterion medically significant), BLOOD GLUCOSE DECREASED (blood sugar decreased), VACCINATION COMPLICATION (right arm pain at injection site), FATIGUE (fatigue), MYALGIA (generalized body ache) and CHILLS (chills). On 20-Mar-2021, BLEPHAROSPASM (left eye twitch), RHINORRHOEA (runny nose) and COUGH (cough) had

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

resolved. At the time of the report, LYME DISEASE (lyme disease type symptoms), PAIN IN EXTREMITY (left arm pain-no injection), VACCINATION COMPLICATION (right arm pain at injection site), FATIGUE (fatigue), MYALGIA (generalized body ache) and CHILLS (chills) outcome was unknown and BLOOD GLUCOSE DECREASED (blood sugar decreased) had not resolved.

DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 01-May-2021, Blood glucose: abnormal (abnormal) abnormal. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. No treatment information was provided. Company Comment : Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Company Comment : Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370318	6/3/2021			U			cant see; This spontaneous case was reported by a consumer and describes the occurrence of BLINDNESS (cant see) in a patient of an unknown age and gender who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On an unknown date, the patient experienced BLINDNESS (cant see) (seriousness criterion medically significant). At the time of the report, BLINDNESS (cant see) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown. No concomitant medication information was provided. No treatment medication information was provided. Company Comment : This is an invalid case due to no identifiable patient. Also, very limited information regarding the event has been provided at this time, and no reporter can be contacted for follow-up.; Sender's Comments: This is an invalid case due to no identifiable patient. Also, very limited information regarding the event has been provided at this time, and no reporter can be contacted for follow-up.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370320	6/3/2021	CA	58	M	5/17/2021	5/17/2021	<p>sustained a stroke; lot of chest pain; experienced difficulty in breathing; heart rate went high up; headache; tingling sensation over the face, tingling sensation in the tongue; problem to speak well; " face felt wearied", "squeezing felling of the face"; 'I can't see clearly, can't read clearly, all letters are seen double; This spontaneous case was reported by a consumer and describes the occurrence of CEREBROVASCULAR ACCIDENT (sustained a stroke), CHEST PAIN (lot of chest pain) and DYSPNOEA (experienced difficulty in breathing) in a 58-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 021C211A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Stent placement. Concomitant products included ATORVASTATIN CALCIUM (LIPITOR), ACETYLSALICYLIC ACID (BABY ASPIRIN), METOPROLOL, ASCORBIC ACID, ERGOCALCIFEROL, NICOTINAMIDE, RETINOL, RIBOFLAVIN, THIAMINE HYDROCHLORIDE (VITAMINS [ASCORBIC ACID;ERGOCALCIFEROL;NICOTINAMIDE;RETINOL;RIBOFLAVIN;THIAMINE HYDROCHLORIDE]) and PRASUGREL for an unknown indication. On 17-May-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 17-May-2021, the patient experienced PARAESTHESIA (tingling sensation over the face, tingling sensation in the tongue), SPEECH DISORDER (problem to speak well), FEELING ABNORMAL (" face felt wearied", "squeezing felling of the face"), VISUAL IMPAIRMENT ('I can't see clearly, can't read clearly, all letters are seen double) and HEADACHE (headache). On 19-May-2021 at 5:00 AM, the patient experienced CHEST PAIN (lot of chest pain) (seriousness criterion hospitalization), DYSPNOEA (experienced difficulty in breathing) (seriousness criterion hospitalization) and HEART RATE INCREASED (heart rate went high up). On 20-May-2021, the patient experienced CEREBROVASCULAR ACCIDENT (sustained a stroke) (seriousness criteria hospitalization and medically significant). The patient was hospitalized from 20-May-2021 to 23-May-2021 due to CEREBROVASCULAR ACCIDENT. At the time of the report, CEREBROVASCULAR ACCIDENT (sustained a stroke),</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

CHEST PAIN (lot of chest pain), DYSPNOEA (experienced difficulty in breathing), PARAESTHESIA (tingling sensation over the face, tingling sensation in the tongue), SPEECH DISORDER (problem to speak well), FEELING ABNORMAL (" face felt wearied", "squeezing felling of the face"), VISUAL IMPAIRMENT ('I can't see clearly, can't read clearly, all letters are seen double), HEART RATE INCREASED (heart rate went high up) and HEADACHE (headache) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown), the reporter did not provide any causality assessments. Treatment included blood thinner medications started while the patient was at the hospital. The patient saw their healthcare provider on 23-May-2021 who advised them to cancel the scheduled second dose of the vaccine until the patients health is stabilized. The stent placement is in the heart. Company Comment: Very limited information regarding these events have been provided at this time. Further information has been requested. Subject's history of stent placement in the heart can be a confounding factor.; Sender's Comments: Very limited information regarding these events have been provided at this time. Further information has been requested. Subject's history of stent placement in the heart can be a confounding factor.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1370322	6/3/2021	OK	67	M	1/7/2021	2/16/2021	AFIB; chest pain; he couldn't see the road; He's sluggish; chest discomfort; fogginess in head; he sleeps a lot; fogginess in head; Headache; chest discomfort; high blood pressure; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of CHEST PAIN (chest pain) and ATRIAL FIBRILLATION (AFIB) in a 67-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 025J20A and 012M20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included COPD. On 07-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 02-Feb-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 16-Feb-2021, the patient experienced CHEST PAIN (chest pain) (seriousness criterion hospitalization), BLOOD PRESSURE INCREASED (high blood pressure), the first episode of CHEST DISCOMFORT (chest discomfort), the first episode of FEELING ABNORMAL (fogginess in head) and HEADACHE (Headache). On 14-May-2021, the patient experienced ATRIAL FIBRILLATION (AFIB) (seriousness criteria hospitalization and medically significant) and SOMNOLENCE (he sleeps a lot). On 24-May-2021, the patient experienced the second episode of CHEST DISCOMFORT (chest discomfort) and the second episode of FEELING ABNORMAL (fogginess in head). On 25-May-2021, the patient experienced VISUAL IMPAIRMENT (he couldn't see the road) and SLUGGISHNESS (He's sluggish). The patient was hospitalized from 05-Apr-2021 to 06-Apr-2021 due to ATRIAL FIBRILLATION and CHEST PAIN. At the time of the report, CHEST PAIN (chest pain), ATRIAL FIBRILLATION (AFIB), BLOOD PRESSURE INCREASED (high blood pressure), VISUAL IMPAIRMENT (he couldn't see the road), SLUGGISHNESS (He's sluggish), SOMNOLENCE (he sleeps a lot), the last episode of CHEST DISCOMFORT (chest discomfort), the last episode of FEELING ABNORMAL (fogginess in head) and HEADACHE (Headache) outcome was unknown. Unknown On 03-Mar-2021, Blood pressure measurement result was unknown. On 09-Mar-2021, patient had head scan and

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

coronary test and results were unknown. On 05-Apr-2021, patient had Electrocardiogram and X-ray tests and results were unknown. On 19-Apr-2021, lab work result was unknown. On 27-apr-2021 patient wore heart monitor for two days. On 28-Apr-2021, Angiogram result was unknown .On 25-May-2021, Electrocardiogram result was unknown. No concomitant medications were reported. No treatment information was provided. Patient was in the emeragncy two times and hospitalized one time. Based on current available information and the temporal association between product use and the start date of the events a causal relationship cannot be excluded. Most recent FOLLOW-UP information incorporated above includes: On 25-May-2021: follow-up was received on 25-may-2021 contains new laboratory data and new event.; Sender's Comments: Based on current available information and the temporal association between product use and the start date of the events a causal relationship cannot be excluded.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370330	6/3/2021	VA	74	F	5/15/2021		Stroke; Lost sight in one eye; Double vision; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of CEREBROVASCULAR ACCIDENT (Stroke) and BLINDNESS UNILATERAL (Lost sight in one eye) in a 74-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On an unknown date, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On an unknown date, received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 15-May-2021, the patient experienced BLINDNESS UNILATERAL (Lost sight in one eye) (seriousness criterion medically significant) and DIPLOPIA (Double vision). On 16-May-2021, the patient experienced CEREBROVASCULAR ACCIDENT (Stroke) (seriousness criteria hospitalization and medically significant). The patient was hospitalized on 16-May-2021 due to CEREBROVASCULAR ACCIDENT. At the time of the report, CEREBROVASCULAR ACCIDENT (Stroke), BLINDNESS UNILATERAL (Lost sight in one eye) and DIPLOPIA (Double vision) outcome was unknown. Concomitant product use was not provided. It was reported that the patient is planning to go to rehab center from Hospital. Treatment information was unknown. Very limited information regarding these events has been provided at this time. Further information has been requested; Sender's Comments: Very limited information regarding these events has been provided at this time. Further information has been requested

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370333	6/3/2021	MI	82	M	3/10/2021	3/17/2021	Swelling on left and right side of temporal areas of the face; High levels of inflammation in hid body, was admitted in the hospital for four days regarding this condition; Diagnosed him with temporal arthritis; Double vision in both eyes; Did not receive my second dose of the Moderna COVID-19 Vaccination per health care provider's recommendation due to; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of INFLAMMATION (High levels of inflammation in hid body, was admitted in the hospital for four days regarding this condition), GIANT CELL ARTERITIS (Diagnosed him with temporal arthritis), SWELLING FACE (Swelling on left and right side of temporal areas of the face) and DIPLOPIA (Double vision in both eyes) in an 82-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 040A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Cholesterol total abnormal NOS (Patient takes Lipitor for cholesterol). Concomitant products included ATORVASTATIN CALCIUM (LIPITOR) for Cholesterol. On 10-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 17-Mar-2021, the patient experienced SWELLING FACE (Swelling on left and right side of temporal areas of the face) (seriousness criterion hospitalization) and DIPLOPIA (Double vision in both eyes) (seriousness criteria hospitalization and medically significant). On an unknown date, the patient experienced INFLAMMATION (High levels of inflammation in hid body, was admitted in the hospital for four days regarding this condition) (seriousness criterion hospitalization), GIANT CELL ARTERITIS (Diagnosed him with temporal arthritis) (seriousness criterion hospitalization) and OFF LABEL USE (Did not receive my second dose of the Moderna COVID-19 Vaccination per health care provider's recommendation due to). The patient was hospitalized from 16-Apr-2021 to 19-Apr-2021 due to DIPLOPIA, GIANT CELL ARTERITIS and INFLAMMATION. The patient was treated with PREDNISONE at a dose of 60 mg and PREDNISONE on 25-May-2021 at a dose of 40 milligram. At the time of the report, INFLAMMATION (High levels of inflammation in hid body, was admitted in the hospital for four days

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

regarding this condition), GIANT CELL ARTERITIS (Diagnosed him with temporal arthritis), SWELLING FACE (Swelling on left and right side of temporal areas of the face), DIPLOPIA (Double vision in both eyes) and OFF LABEL USE (Did not receive my second dose of the Moderna COVID-19 Vaccination per health care provider's recommendation due to) outcome was unknown. Not Provided mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was withdrawn on an unknown date. On 17Mar2021, the patient began to experience double vision in both eyes as well as swelling on the left and right side of the temporal areas of the face. The patient underwent a biopsy of both sides of the face, results were not provided. Ultimately, the patient was diagnosed with "temporal arthritis" along with "having high levels of inflammation in his body" by his rheumatologist. On 16Apr2021, the patient was admitted in the hospital for four days until 19Apr2021 for observation. The patient received high doses of steroids/prednisone for treatment including 60 milligrams for one month and then 40 milligrams starting 25May2021. It was recommended by the patient's physician that he not receive his second Moderna COVID-19 vaccination which was originally scheduled for 07Apr2021. Further clinical course is unknown/not reported at this time. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Most recent FOLLOW-UP information incorporated above includes: On 25-May-2021: Non-significant follow-up received. Follow-up contained no new information.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370826	6/3/2021			U			broken blood vessels in my eye; Based on the current case data, this case has been classified as invalid. This spontaneous case was reported by a consumer and describes the occurrence of EYE HAEMORRHAGE (broken blood vessels in my eye) in a patient of an unknown age and gender who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, the patient experienced EYE HAEMORRHAGE (broken blood vessels in my eye) (seriousness criterion medically significant). At the time of the report, EYE HAEMORRHAGE (broken blood vessels in my eye) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. The patient's concomitant medication was not reported. No treatment information was provided.; Sender's Comments: Very limited information regarding the event, Eye haemorrhage, has been provided at this time. There is no patient information, no onset date and outcome of the event. No patient information to further follow-up. This case was submitted via adverse event chatbot Text.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370361	6/3/2021	WI		F	2/2/2021	2/2/2021	rash on left arm is gone now; arm achy at injection site; coughing up old mucus; This is a spontaneous report from a contactable consumer. A female patient of an unspecified age received bnt162b2 (BNT162B2, Batch/Lot number was not reported), via an unspecified route of administration, administered in Arm Right on 02Feb2021 as SINGLE DOSE for covid-19 immunisation. Medical history included rash and patient states that her whole life she had asthma and allergies, had hypereosinophilia syndrome, and year round allergies, normally her lungs are pretty congested, sinuses are normally they are swollen shut, normally her eyes have a lot of discharge and are watery and they are not watering, her lungs are clear and her sinuses are clear. The patient's concomitant medications were not reported. The patient experienced rash on left arm is gone now on 03Feb2021, coughing up old mucus on 02Feb2021, arm achy at injection site on 03Feb2021. Patient knows she read that there is an RNA teacher cell is what she calls it and wants to know it, it taught her body to not fight the other stuff. Has this been reported before. Other thing that happened, got vaccine yesterday around lunch, both last night when she came home and early this morning, was coughing up little nodules of mucus. States another thing that is interesting, yesterday when she got the injection, she asked to have it in the right because she had a rash on her left arm and today it is gone. Only thing she got was arm at injection site was a little achy. started this morning. States that she remembers hearing in clinical trials they did not test the vaccine on pregnant people or people with allergies so she thought they would like to hear from someone with severe allergies. Information on the lot/batch number has been requested. Follow-up (16Apr2021): This follow-up is being submitted to notify that the lot/batch number is not available despite the follow-up attempts made. Follow-up attempts have been completed and no further information is expected.
1371225	6/3/2021	PA	17	F	6/3/2021	6/3/2021	Patient developed warmth, clamminess, nausea and lightheadedness shortly after her shot. She admitted to near syncope, but there was no LOC. No tunnel vision. Symptoms resolved on their own. VVS throughout. No orthostasis.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370519	6/3/2021	FL	65	F	3/17/2021		<p>nausea; burping; diarrhea is watery, then soft, then hard, all kinds; gassy; pancreatic enzymes were 3 points higher than normal; it has aggravated her stomach problems; more like constipated; This is a spontaneous report from a contactable consumer (patient). A 65-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: ER2613), dose 2 via an unspecified route of administration, administered in Arm Left on 17Mar2021 14:30 (at the age of 65-year-old) as 2nd dose, single for covid-19 immunisation. Medical history included ongoing gastroesophageal reflux disease (GERD), nausea with the burping. Concomitant medications included famotidine (PEPCID). The patient previously took clindamycin and experienced itchy eyes and a rash. The patient previously received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EN6198) on 24Feb2021 10: 30 administered in arm left for COVID-19 Immunization. The patient experienced nausea, diarrhea is watery, then soft, then hard, all kinds, burping, gassy, pancreatic enzymes were 3 points higher than normal on an unspecified date. The patient who was 65 years old, had her shots of the vaccine last March 16-17. She mentioned that they experienced diarrhea, all kinds and form (liquid, mild to severe). She also said that they already filed a report with safety about this. She mentioned that after getting the vaccine, she had her bloodwork done and it showed 3 points increase than the normal pancreas enzyme level. The patient was calling about the Covid 19 vaccine. She and her husband have both received their second Covid 19 vaccines. She had hers on 17Mar2021. She reports she has been having nausea and diarrhea. Her diarrhea is watery, then soft, then hard, all kinds. She is asking if other people are experiencing this. She has had lab work done and a stool test. She doesn't know if it's related to the Covid 19 vaccine but her lab work showed that her pancreatic enzymes were 3 points higher than normal. When probing weight she reports she doesn't know if her weight is related to the pandemic or from being at home, her weight is 130 lbs. now but this time last year she was 147lbs. She thinks it started about 2-3 weeks ago after eating a meal, not when she's eating. She'll burp a little, she's gassy, and she has nausea. She thinks it has aggravated her stomach problems. She does have</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

GERD. She's better now, she's improved only. The other day she went to the bathroom normal and then the next time she went to the bathroom her stool crumbled. She's never certain what will happen. This morning she went to the bathroom more normal, more like constipated. She doesn't know if later it'll explode. Meaning she doesn't know if later the diarrhea will come back. She reports when she experiences the nausea with the burping she takes Famotidine or Pepcid 10mg and that takes care of it. She's never had elevated pancreas levels before. She's been referred to a gastroenterologist. She reports she is allergic to clindamycin. She experienced itchy eyes and a rash. This happened about 3 years ago. There is no prior vaccinations (within 4 weeks), no AE following prior vaccinations. The AEs (nausea, diarrhea) require a visit to physician Office, tele visit. The outcome of "nausea, diarrhea is watery, then soft, then hard, all kinds, burping, gassy" was resolving, the outcome of the other events was unknown. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370391	6/3/2021	NY	84	M	1/23/2021	1/25/2021	after his first dose he had one day where his blood pressure went "very low"/Low blood pressure; This is a spontaneous report from a contactable consumer (who is the patient, reported for self). This 84-year-old male patient received his first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Solution for injection, Batch/Lot number: EL9262, Expiration date: UNKNOWN), via an unspecified route of administration in the left arm on 23Jan2021 (at the age of 84-year-old) as a single dose for COVID-19 immunisation. The patient's medical history included high blood pressure and that he was taking pills, it was under control. Patient says occasionally he develops rapid heartbeat, for which he has medication and mainly these are things taking medications for. No further details provided about these medications; Cholesterol and open heart surgery nine years ago and macular degeneration in each eye and puts eyedrops in and occasionally they give him injections. The patient received his second dose on 13Feb2021 (Batch/Lot number: EL9266). Concomitant medications included that he takes Lipitor 10mg every day for his cholesterol. Estrogen 10mg every day for his open-heart surgery. No further details provided about these medications. The patient initially stated that he has practically had no symptoms with either shot. He said he basically had no symptoms other than after his first shot. The patient then stated that after his first dose he had one day where his blood pressure went "very low" but by the time he talked to his cardiologist it had "gone back to normal" on 25Jan2021 in the morning, that was the only side effect he experienced. He did not have any other recent vaccinations nor started any new medications. Investigation assessment was not provided. Outcome for the event was resolved on 25Jan2021. Follow-up (02Mar2021): This is a Follow-up spontaneous report from a contactable consumer. This consumer (patient) reported which included clinical course of events. No follow-up attempts are possible. No further information is expected.



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370392	6/3/2021	MI	80	F	2/26/2021	2/26/2021	Headache; Sever pain behind left ear; Stiff neck/ Neck stiff and behind left ear it hurt; just in the back of the neck; started bother me; cold made it worse; This is a spontaneous report from a contactable consumer (Patient, self-reported). A 80-years-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Solution for injection, Batch/Lot Number: EN6198), dose 1 via an unspecified route of administration on 26Feb2021 (80-years-old at the time of vaccination) as 1ST DOSE, SINGLE for covid-19 immunisation; paracetamol (TYLENOL), via an unspecified route of administration from an unspecified date (Batch/Lot Number: SLA071) to an unspecified date, as 500mg for an unspecified indication. Medical history included High Blood Pressure and glaucoma. Concomitant medications included clopidogrel bisulfate 75mg (patient stated, that is the blood thinner. It's generic is clopidogrel bisulfate, that's the blood thinner); perindopril erbumine 8mg (This is the generic of Aceon); amlodipine besylate 5mg (Patient take its Generic of Norvasc); timolol maleate 5mg (take eye drops for glaucoma. Patient take twice a day from 50 years). Reportedly, patient had vaccine shot Friday, I am taking Tylenol. Sever pain behind left ear. Can I take ibuprofen. Stiff neck going on five days. I've been using heat. I don't have the chills, nausea, joint pain. her husband was 82. Not on walker/canes. Tylenol doesn't affect, it doesn't do anything for me but they tell not to take Ibuprofen because of the virus. Reason for no lot number of Tylenol: patient stated, I don't have that on here. On 26Feb2021, the patient experienced sever pain behind left ear, stiff neck/ neck stiff and behind left ear it hurt; just in the back of the neck; started bother me; cold made it worse, on an unspecified date headache. Therapeutic measures were taken as a result of sever pain behind left ear, stiff neck/ neck stiff and behind left ear it hurt; just in the back of the neck; started bother me; cold made it worse, headache. Outcome of the events was not recovered. Additional Context: Patient stated, I just talk to you and we got hung up. When probed for the concern, consumer stated, I would like to know if I am taking a reaction to the vaccine shot. I got it on Friday the 26th. I had a, my neck start getting stiff on Wednesday and Thursday, Friday it wasn't, it went away but now I got the only thing side effect really I got is just stiff neck, now

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

while when I came home (incomplete sentence), stiff neck, my neck is stiff and behind the left ear it hurt but headache and all that, I don't get a headache. It is just in the back of the neck. I don't have a fever, I don't get nauseous. I don't get any of the symptoms only that I have stiff neck. Consumer stated, I want to know really. What could I do about it? I put cold on it (treatment) and it made it worse. The "phone" (not clarified) says put heat on it that what's I have been doing and Tylenol doesn't affect, it doesn't do anything for me but they tell you not to take Ibuprofen (Ibuprofen captured conservatively) because of the virus you know. When probed for Email address, consumer stated, I don't have one. Consumer stated, I took it (first dose) on 26 and I am supposed to take on the 19th (second dose). When probed for vaccine expiration date, consumer stated, It doesn't show the expiration date. When probed for Tylenol LOT# and expiration date, consumer stated, I don't have that on here. It has my birth date and it has the day I took it was 26Feb2021 and I just gave you the other number that was on here. The other number is I was supposed to take it on 19Mar21. That's the only number I got. When probed for start date of the problem, consumer stated, The night at 26th (Feb2021) is when it really started bother me. I was fine all day long until late that night. When probed still having the problems, consumer stated, Yes. When probed to confirm treatment, consumer stated, Tylenol, cold and heat. Cold made it worse so I put heat on it. Description of complaint: Tylenol doesn't do anything for her. Patient wants to know what to do and how long will it last. patient had a stiff neck. She had it a few days prior to getting the vaccine. It went away. On Friday night after getting the vaccine she had a tremendous pain in her neck that went down in the shoulder. They want her to take Tylenol. She has been drinking extra water. Tylenol doesn't do anything for her, only Ibuprofen. She tried using a cold water bottle. No follow-up attempts are possible. No further information is expected. Follow-up (02Mar2021): This is a follow-up spontaneous report from a contactable consumer reported that: patient details (weight, height), medical history, suspect product details (start date, lot number), concomitant drugs, events.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370400	6/3/2021	MO	83	M	3/1/2021	3/1/2021	About 4-5 hours after he received his 1st COVID-19 Vaccine dose, he had sharp pains in his head. The pain was mostly behind his eye.; About 4-5 hours after he received his 1st COVID-19 Vaccine dose, he had sharp pains in his head. The pain was mostly behind his eye.; This is a spontaneous report from a contactable consumer or other non hcp. An 83-years-old male patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Formulation: Solution for injection, Lot number and Expiration Date: was not reported), via an unspecified route of administration, administered in right arm on 01Mar2021 08:00 as single dose for COVID-19 immunization. The medical history included cardiac disorder from an unknown date. The patient's concomitant medications were not reported. The patient did not receive any other vaccinations prior within 4 weeks. On 01Mar2021, about 4-5 hours after vaccination the patient experienced sharp pains in his head, the pain was mostly behind his eye; on 03Mar2021, the patient experienced mild headache. The clinical outcome of the events sharp pains in his head was resolving and mild headache was unknown. No follow-up attempts are possible. Information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370410	6/3/2021	IL	62	F	3/3/2021	3/3/2021	Bump near the corner of my left eye.; This is a spontaneous report from a contactable consumer. A 62-year-old (non-pregnant) female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, Lot Number: unknown, Expiration date: unknown), via unspecified route, administered in left arm on 03mar2021 01:45 PM (at the age of 62-year-old) as 1st dose, single for COVID-19 immunisation. The patient medical history includes obesity and concomitant medications were not reported. Patient was not tested prior to vaccination. No known allergies reported. No other vaccines were taken in 4 weeks prior to vaccination and no medication taken in 2 weeks prior to vaccination. On 03mar2021, after 2 hours of vaccination at 16:00, the patient experienced a bump near the corner of his left eye. No treatment was taken by the patient and the reporter assessed all events as non-serious. The outcome of the events was reported as not recovered. No follow-up attempts possible. No further information expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370411	6/3/2021	NY	73	F	3/3/2021	3/3/2021	Swelling right eye; Conjunctivitis; This is a spontaneous report from a contactable consumer (patient) reported for herself. A 73-years-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot number was not reported) via an unspecified route of administration in Arm Left on 03Mar2021 12:00 (at the time of 73-years-old) as first dose, single for covid-19 immunization. Medical history includes HBP (Blood pressure high), hypothyroid and depression. The patient did not receive any other vaccines in four weeks. Prior to vaccination, the patient had not Covid. The patient was not tested for COVID since the vaccination. Patient had no known allergies. facility country was US. Concomitant medications included lisinopril (MANUFACTURER UNKNOWN), bupropion (MANUFACTURER UNKNOWN), levothyroxine (MANUFACTURER UNKNOWN), ergocalciferol (VIT D) and melot within 2 weeks of vaccination, all for unspecified indication from an unknown date and unknown if ongoing. On 03mar2021 13:00 patient experienced swelling right eye and conjunctivitis. Treatment received for the events were unknown. Outcome of the events was not recovered. No follow-up attempts are possible; information about lot/batch number cannot be requested.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370413	6/3/2021	MD		F			<p>Glaucoma; Osteoporosis; This is a spontaneous report from a contactable consumer (patient). A female patient of an unspecified age received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, Batch/Lot number was not reported), via an unspecified route of administration on an unspecified date as Unknown, Single for covid-19 immunization. Patient relevant medical history included allergy to hair dye, Neosporin and she received Prolia (Prolia for Osteoporosis for 4 weeks ago). The patient concomitant medication(s) included metoprolol, 25mg taken for heart rate increased. On an unspecified date, the patient experienced osteoporosis, glaucoma. Therapeutic measures were taken as a result of osteoporosis, glaucoma (she is taking different medications such as Prolia for Osteoporosis (for 4 weeks ago) and Eye drops for her Glaucoma). The outcome of events was unknown. Information related to batch/Lot no. was requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370439	6/3/2021	AL	69	F	2/19/2021	2/19/2021	<p>~~sinus pressure" headache. Forehead, eyes. Ears ringing.; "sinus pressure" headache. Forehead, eyes. Ears ringing.; "sinus pressure" headache. Forehead, eyes. Ears ringing.; "sinus pressure" headache. Forehead, eyes. Ears ringing.; "sinus pressure" headache. Forehead, eyes. Ears ringing.; This is a spontaneous report from a contactable consumer (patient). A 69-years-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Lot Number: EN6201), via an unspecified route of administration, administered in arm left on 19Feb2021 at 11:30 (at the age of 69-years-old) as 1st dose, single dose for COVID-19 immunisation. The patient medical history included hashimotos, glaucoma and had known allergies to penicilllin, Levaquin and Cipro. The patient did not received any other vaccines within four weeks prior to the vaccination. Prior to the vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. Concomitant medications included Bimatoprost (LUMIGAN EYE DROP), Dorzolamide hydrochloride, timolol maleate (COSOPT EYE DROP), ciclosporin (RESTASIS) and Vit. On 19Feb2021 at 15:00, the patient experienced "sinus pressure" headache, forehead, eyes, ears ringing. The patient self-medicated with Motrin, Bufferin, Sudafed, Claritin and Tylenol. On 26Feb2021, the physician prescribed 6 day dose pack. The patient still had headache after 2 weeks. On 03Mar2021, she visited ear, nose and throat (ENT). The events resulted in doctor or other healthcare professional office/clinic visit. The outcome of all the events was not recovered. No follow-up attempts are possible; information about lot/batch number cannot be obtained.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370467	6/3/2021	NY	53	F	3/4/2021	3/7/2021	<p>Hemiplegic migraine; Forgetful; Peeing more often; Heavy tongue; Slurred speech; Aura; Bleary vision; Left eye twitching on and of; black and blue eye; Hands shaky; swollen black and blue eyes; Depth perception problem on right side; Headache; Fatigue and very tired; This is a spontaneous report from a contactable patient. A 53-years-old non-pregnant female patient received BNT162B2 (PFIZER BIONTECH COVID-19 mRNA VACCINE; Lot/Batch no: unknown) via unspecified route of administration on 04Mar2021 at 10:30 am (at the age of 53- years) as a single dose for COVID-19 immunisation. The patient's medical history included asthma, seasonal allergy, Transient Ischemic Attack (TIA) in 2014 and migraine. The concomitant medication includes erenumab aooo (AIMOVIG) for migraine from unknown dates. Patient previously took botulinum toxin type A (BOTOX) for migraine. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. On 07Mar2021 at 08:00 am, the patient experienced fatigue for 1-3 days, headache, until she had gone to urgent care. The patient also reports swollen black and blue eyes, tiredness, left eye twitching on and off, blurred vision, slurred speech, was forgetful, depth perception problem on right side and heavy tongue, hands shaky, aura, peeing more often (sometimes she had to sit longer) and hemiplegic migraine. It was also reported that, the events migraines and headache she had after the vaccine was intolerable. At the time of report the events of mild headache and blurred vision was ongoing. The adverse events resulted into healthcare professional office/clinic visit and emergency room/department. Therapeutic measures for the reported adverse events included treatment with metoclopramide, methylprednisolone and "nr" from unknown dates. The clinical outcome of the events of fatigue, headache, swollen black and blue eyes, tiredness, left eye twitching on and off, blurred vision, slurred speech, was forgetful and heavy tongue, hands shaky, aura, peeing more often and hemiplegic migraine was reported as recovering. No follow-up attempts are needed; information about lot/batch number cannot be obtained. Amendment: This follow-up report is being submitted to amend previously reported information: Updated reporter details (reporter name, for correspondence contact in slide#2, Health care</p>



*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

professional leave blank; Protect confidentially and Correspondence contact was checked). Patient details added (Patient's first name and age/units). For concomitant drug "amogiv" was considered as typo and coded as Aimovig. Concomitant therapy leave blank since the concomitant drug was coded via WHO drug in product tab already. Deleted duplicate reported Indication of BNT162B2. Lot# UNKNOWN was removed from dosage regimens tab. Best doctor/Health care professional information such as phone number and email were added in vaccine administration tab. Treatment received was ticked as Yes for events. Physician Office Visit and Emergency room visit were checked. "Depth perception problem on right side" was added as AE.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370503	6/3/2021	VA	56	F	2/26/2021	3/13/2021	Summary from patient: On 13. March 2021, I had to be taken with an ambulance to the Emergency Department, due to uncontrolled vomiting (vomiting by each head movement) and severe headaches. I was unable to move any longer and experienced severe dehydration. Since childhood I pass out, when I need to vomit, which made the situation extremely serious. A MRI done in the evening was normal. Diagnosis: Severe Migraine Attack Low Platelet count noticed by attending Physician (mild, rebounded) I had to stay in the hospital overnight. For the following two weeks, I experienced constant nausea and irritation of both eyes, dizziness on and off, headaches at the back of my head on and off. ?Feeling the eyes?, eyes easily strained (phone + computer), light sensitivity. On 27. March 2021, I was referred to a Neurologist, due to my ongoing symptoms, who confirmed diagnosis, Severe Migraine Attack. Neuro Exam: normal. He stated that it is extremely unusual to get such a severe event at my age, particularly, since I had never experienced anything like this before. He gave me an intravenous injection of Solu Medrol 500 mg, which resolved most of my symptoms, except the issue with my eyes. In addition, he prescribed some Migraine prophylaxis, which made me drowsy and therefore I stopped the medication after two days. On 3. April 2021, I went for a follow up visit with the Neurologist. He said, he gave me these strong medications, as I had a Status Migrainosus. My eyes continue to bother me, getting strained on screens and they are still light sensitive. My head is more sensitive, for example to abrupt movements and heat.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1370508	6/3/2021	TX	47	F	4/5/2021	4/6/2021	<p>Huge headache right side of eye; This is a spontaneous report from a contactable consumer (patient herself). A 47-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Formulation: Solution for injection Batch/Lot number was not reported, Expiration Date was not reported), via an unspecified route of administration, administered in left arm on 05Apr2021 (at the age of 47-year-old) as 1st dose, single for covid-19 immunisation. The patient medical history and concomitant medications were not reported. It was reported that, 06Apr2021 patient experienced huge headache right side of eye. Caller is calling regrading the Pfizer Vaccine, clarified as the Pfizer Covid-19 Vaccine. She got her first dose was administered on Monday 05Apr2021 in her left arm. Now she has a huge headache, on the right side of her eye. She has taken Tylenol and it does not go away. She initially stated she took Benadryl and it did not go away. She also initially stated she took Zyrtec and it feels like it is getting stronger. She later stated the Benadryl seemed to help alleviate the pain, but made her sleep. She cannot take it now because it will knock her out. With the Zyrtec it is like the headache is throbbing now. She does not know what to take to make it go away. Stated she does not know how much Zyrtec she can take. Caller later clarified details. She clarified and confirmed with Benadryl the huge headache went away. She took it at night time and it made her go to sleep. She is working from home today and does not want to take it right now because it will make her sleep. She clarified and stated the Zyrtec helped to alleviate it a little bit, for like 2 hours, but now it is coming back strong. When probed for outcome of huge headache right side of eye she confirmed as improved. Details captured as provided. She stated she is still feeling a throbbing feeling. The Zyrtec is wearing off. She can still function with a little pain. On a scale of 1-10, the pain is like a 6. Caller asked for lot/exp/NDC of Tylenol, Benadryl, and Zyrtec. She stated she only has the Benadryl and Zyrtec with her. Tylenol Lot/exp/UPC: Did not have with her to provide. Benadryl: Lot: STC123, Exp: 8 2022, NDC 50580-415-01, 25mg tablets. Zyrtec: Lot: 1741995, Reason for no lot number: of Pfizer Covid-19 Vaccine: Other: Husband has the paperwork and he is not there with her. Therefore, unable to provide. Therapeutic measures were taken as</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

---

a result of huge headache right side of eye. The outcome of the events was reported as recovering. No follow-up attempts are needed; information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370509	6/3/2021	NY	54	M	4/2/2021	4/3/2021	<p>Feeling unwell, General body aches; he does every once in a while get an asthma episode; Fever; Feel a bit achy; Mild headache; vision is hard to focus; Not feeling right on and off; This is a spontaneous report from a contactable consumer or other non hcp (Patient himself). A 54-year-old male patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE solution for injection, Batch/Lot Number: EW0150, expiry date: unknown), via an unspecified route of administration, administered in right arm on 02Apr2021 as 1st dose, single for covid-19 immunization. The patient's medical history included Type 2 Diabetes mellitus, patient reported that it was diagnosed at least 10 years ago, and his sugar levels had been in very good control, Covid-19 from unknown date in Nov2020 to unknown date in Dec2020. The patient's concomitant medications were not reported. On 03 Apr 2021 maybe started Saturday after the vaccination the patient experienced with mild Headache and not feeling right on and off for 6 days. Patient reported that his head feels worse since he got the slight fever, he took Tylenol to deal with the fever in morning, like 11:00 AM then he did not feel quite right, probably feels worse to next day, sometimes his vision was Hard to focus he was to struggle a bit to focus or just worse because of the fever. since he got the vaccine, in the first couple days, he might have just felt like things were a little blurry and again it was very mild, but it seems worse than it had. on 08Apr2021 the patient feels little achy, and he took the Tylenol and only felt worse because of the fever and later felt better and had general body aches the patient did have COVID back in the end of November, then he recovered in the beginning of December, he got an asthma episode still that he believes was triggered by the COVID. The patient reported that he had a blood work on 03 MAR 2021, he saw his doctor on 10 MAR 2021 and his blood work was pretty normal. His blood sugar was very good, and he also has been very active, he walks every day. The patient enquired second dose was scheduled for 23 APR 2021, was it fine to have a second dose. The patient did not visit Emergency Room or No Physician Office. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient did not test COVID-19 positive prior to vaccination. The patient had not been tested for COVID-</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

							19 since the vaccination. Patient took TYLENOL 500 mg for the treatment to the events (LOT: SJA014, scan code:30044439; NDC: 50580-449-36EXP: 06/2024). The outcome of the events headache, vision is hard to focus was not recovered, fever was recovering, feeling unwell, general body aches, feel a bit achy asthma episode and was unknown. No follow-up attempts are needed. No further information is expected.
--	--	--	--	--	--	--	--

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370517	6/3/2021	GA	50	F	4/9/2021	4/9/2021	heart rate elevated; muscle pain; blood cell counts abnormal; equilibrium off; Blurred vision; Diarrhea; felt sick all day; sinuses feel off; pressure from headaches; Feeling hot and cold; Chill; fever 101.7 up to 103/ fever 103°F; foggy; Nauseous; tired; Light-headed; pain in arm; couldn't sleep; pain in arm; couldn't sleep; left arm sore and inflamed; swelling; headaches; This is a spontaneous report from contactable consumer (patient) or other non HCP. A 50-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, batch number/Lot number: EW0162, Expiration date: unknown), via unspecified route of administration in arm left on 09Apr2021, at 1ST DOSE, SINGLE for COVID-19 immunization. Patient medical history included ongoing prediabetic , Chronic sinusitis on unspecified date in 2014 and patient had undergone sinus surgery on unspecified date in 2014, COVID-19, acid reflux, patient had family history of father had a heart attack and mother had a heart attack and they are both diabetic. Concomitant medication included pantoprazole (PANTOPRAZOLE) on unspecified date at 2021 to ongoing for acid reflex which was diagnosed years ago, but has been actively taking for 3 months until now, multivitamin on unspecified date. Patient did not received any other vaccines Prior to that Vaccinations within 4 weeks. Patient had no know illness at the time of vaccination. 09Apr2021 patient experienced headaches, Light-headed, pain in arm; couldn't sleep, left arm sore and inflamed; swelling, on 10Apr2021 patient experienced chills, fever 101.7 up to 103/ fever 103°F, foggy, Nauseous, tired, Diarrhea, felt sick all day, sinuses feel off; pressure from headaches, Feeling hot and cold. on 12Apr2021 patient experienced equilibrium off, Blurred vision. on an unspecified date patient experienced heart rate elevated, muscle pain, blood cell counts abnormal. Patient reported that she had her Pfizer BioNTech vaccine on Friday 09Apr2021 and has had some serious side effects. patient wants to understand why she had such bad side effects compared to other people. Husband and other people she knows didn't have any side effects and she did. She states her next shot on 30Apr2021 and when she got the Pfizer COVID-19 vaccine, she felt fine as stayed the wait time at the facility but got lightheaded when she got to her car. She

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

reported that on 09Apr2021 she had the lightheadedness comes and goes and she also experienced a headache and her arm soreness inflamed; swelling on 09Apr2021 in Friday. She reported that her arm pain was so bad that she couldn't not sleep. She could not lay on it. she states it is a little better now, it still hurts, but she is able to roll off of it and get some sleep. Patient experienced chills and a fever from 101.7 up to 103 degrees and Feeling hot and cold on Saturday 10Apr2021. she stated that she was taking Ibuprofen for pain and fever, and was told she shouldn't take Ibuprofen, she should take Tylenol to break the fever and she took some Tylenol and her fever broke after taking Tylenol. Patient stated that on 10Apr2021 she had also felt foggy, nauseous and tired. She reported that she had COVID in Jun2020 and felt like COVID all over again. she had the same symptoms; really tired, could sleep for days. patient thinks she had a bit of an allergic reaction on her arm. It has improved, but now she has a red swollen splotch on her arm, and it is not even where they put the needle it is down a little bit lower. Patient reported that her heart rate was elevated as well. Patient reported that 12Apr2021 she felt like equilibrium is off, and had blurred vision, feels fine right now, but all she has done was slept since she got home from work yesterday and hasn't exerted herself today yet and right now she is not tired, she slept for 12 hours. Patient reported that she felt sick all-day and had diarrhea on 10 Apr2021 in Saturday, nausea started on Saturday, all she could eat was chicken noodle soup and she experienced it yesterday. she states yesterday she took some Tylenol, and got a chicken sandwich, since she had taken some medication, and then wanted to throw it up when she got home and she is not foggy now, but it comes and goes, the symptoms are intermittent, she doesn't know if she will be ok. she can still feel on 10 Apr2021 her had sinuses feel off and she had chronic sinusitis and whenever she gets sick her sinuses get attacked. she states she didn't think she would get side effects because she already had COVID, but apparently it is the opposite. Patient reported that she was being told so many different things and now she was scared to get the second shot and is freaking out. she reported that she had to cancel all the appointments at work yesterday day because of the events and she thought she would have the weekend to recover from any side effects but



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

couldn't do her job yesterday. Patient was not their in-Emergency Room nor visited physician office. It was reported that blood cell counts abnormal, so her doctor has her going to see a hematology doctor on Thursday. It could be nothing but sending there to check. The patient underwent lab test and procedure which include blood cell counts abnormal on 10 Apr2021 Outcome of events headache, chills, fever, foggy, nausea, tired, equilibrium off, Blurred vision, felt sick all day, sinuses feel off; pressure from headaches, heart rate elevated, muscle pain were unknown, light-headed, Diarrhea, Feeling hot and cold were not resolved, pain in arm; couldn't sleep, left arm sore and inflamed; swelling, were resolving, Follow up (13Apr2021): This is a follow-up spontaneous report from contactable consumer. A 50-year-old female patient reported new information received which included event detail, relevant medical history, concomitant medication. No Follow-up attempts are needed. No further information is expected

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370345	6/3/2021	PA	78	F	4/22/2021	4/24/2021	Did not receive the 2nd dose of vaccine; Bell's palsy got worse; Bell's palsy got worse; Mouth got numb, and has to use straw at the corner of the mouth for drinking; Difficulty to speak/problem to forming words/problem while eating; Mouth gets dry soon; Have eye problem; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of BELL'S PALSY (Bell's palsy got worse) and CONDITION AGGRAVATED (Bell's palsy got worse) in a 78-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 007C21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Bell's palsy since December 2020. On 22-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 24-Apr-2021, the patient experienced BELL'S PALSY (Bell's palsy got worse) (seriousness criterion medically significant), CONDITION AGGRAVATED (Bell's palsy got worse) (seriousness criterion medically significant), HYPOAESTHESIA ORAL (Mouth got numb, and has to use straw at the corner of the mouth for drinking), ORAL DISCOMFORT (Difficulty to speak/problem to forming words/problem while eating), DRY MOUTH (Mouth gets dry soon) and OCULAR DISCOMFORT (Have eye problem). On an unknown date, the patient experienced INCOMPLETE COURSE OF VACCINATION (Did not receive the 2nd dose of vaccine). The patient was treated with DOXYCYCLINE for Bell's palsy, at a dose of UNK dosage form; Physical therapy (Acupuncture and facial physiotherapy) for Bell's palsy; Physical therapy (Acupuncture and facial physiotherapy) for Condition aggravated; Physical therapy (Acupuncture and facial physiotherapy) for Hypoaesthesia oral; Physical therapy (Acupuncture and facial physiotherapy) for Oral discomfort; Physical therapy (Acupuncture and facial physiotherapy) for Dry mouth and Physical therapy (Acupuncture and facial physiotherapy) for Ocular discomfort. At the time of the report, BELL'S PALSY (Bell's palsy got worse), CONDITION AGGRAVATED (Bell's palsy got worse), HYPOAESTHESIA ORAL (Mouth got numb, and has to use straw at the corner of the mouth for drinking), ORAL DISCOMFORT (Difficulty to speak/problem to forming words/problem while eating), DRY MOUTH (Mouth gets

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							dry soon) and OCULAR DISCOMFORT (Have eye problem) outcome was unknown and INCOMPLETE COURSE OF VACCINATION (Did not receive the 2nd dose of vaccine) had resolved. mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was withdrawn on an unknown date. Patient visited the Neurologist, and the Infectious Disease Physician. Concomitant product use was not provided by the reporter. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded for the event of Bell's palsy got worse. Company causality for Incomplete course of vaccination was assessed as not applicable.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded for the event of Bell's palsy got worse. Company causality for Incomplete course of vaccination was assessed as not applicable.
1372320	6/3/2021	NM	76	F	5/21/2021	6/2/2021	Fatigue, feeling dizzy, not having good vision, leg cramping/hurting, HA, and SOB. She was diagnosed with myocardial Infarction in the ER with SOB adverse effect of the vaccine. She has no prior cardiac history
1371946	6/3/2021	NE	29	F	3/20/2021	3/29/2021	Tingling and numbness on left side (arm and leg), then a week later, tingling and numbness also started on right side (arm and leg). A few days later, I developed some facial numbness and the sensation of the skin tightening and that has stayed to some degree consistent. A week or so later, I noticed my legs and arms felt weak at times and I was incapable of normal levels of exercise, like I'd been able to do previously. Around the same time I noticed my blood vessels were more prominent. This included the blood vessels in my extremities as well as one on the left side of my neck and some around my eyes. I had a few days of throbbing pain and the feeling of inflammation around the blood vessel in my neck, but that went away eventually. I have had a feeling of tightness in my neck, that makes swallowing a little more difficult at times.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1371961	6/3/2021	CA	30	M	6/3/2021	6/3/2021	Patient Fainted 2 minutes after vaccine. He was sitting in chair and fell (caught by family) and woke up instantly. As I arrived, 10 seconds after fall, his eyes were open but he could not see anything. He was able to state his name, date of birth, and where he was, just couldnt see. "Everything is all black." After closing eyes for 30 seconds, opened and he could see, but everything was green. Vision color was back to 100% after 20 minutes but still blurry. Patient BP was normal. Sweating.
1371971	6/3/2021	PA	33	M	5/27/2021	5/27/2021	a customer got dizzy when in a chair for several minutes after getting covid shot. He said he got dizzy, had blurred vision, and his back hurt. He was helped up and 991 was called while I sat with him. 911 asked him questions. he refused help and followed him out. He stated he never had problems with vaccines before.
1371974	6/3/2021	CA	51	F	5/13/2021	5/18/2021	Eye floaters - large increase in floaters. Vision blurriness, decreased clarity. Allergic symptoms not going away, runny and stuffy nose, itchy throat, red eyes, some itching at injection site.
1371996	6/3/2021	GA	26	M	6/3/2021	6/3/2021	Soon after administration, patient got hot, sweaty, and had tunnel vision/ blurry vision. Checked blood pressure and was 54/40. Called EMS for support. Patient was light headed and shaky, would respond to questions and commands but a bit slow. Eyes seemed to be rolled back in head, but never lost consciousness. 2nd BP check was 94/62. EMS arrived at 11:25, patient began feeling a bit better at 11:30. paramedics arrived at 11:34. Patient moved to ambulance for observation until picked up to return home. Was not transported to the hospital. Checked in on patient at about 4:30 and was feeling well.
1372006	6/3/2021		69	F	2/19/2021	2/19/2021	Broke out in a rash on chest, neck, face, and eyes. sharp Mid back pain. Continues to break out in a rash and mid back pain a few times a week.
1372016	6/3/2021	TX	39	M	5/14/2021	5/29/2021	New onset headache, eye pain, paresthesias, and urinary retention 2 weeks after getting covid-19 vaccination on 5/14/21

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1372017	6/3/2021	MA	75	F	1/11/2021	1/17/2021	Around the 6th day after the vaccination I experienced an aura while watching television. I began to experience a very bad headache my vision became very blurry and I could not speak.
1372023	6/3/2021	TN	61	F	6/3/2021	6/3/2021	Patient received her first moderna vaccine on 6/3/21, pharmacist advised patient to wait in the waiting area for 15 minutes. The patient was waiting near the pharmacy, she went to the restroom and approach one of our associates saying she felt tired. The pharmacist went to check on the patient to see how she was feeling, the patient wanted to leave the store but the pharmacist advised against and had the patient return to chair. Patient informed the pharmacist that her legs and arms were weak. The pharmacist ensured patient knew who she was, where she was, the date and year. Patient then stated that her vision was blurry. The patient was able to answer all of these questions with no problems. Pharmacist asked the patient if she was comfortable with her calling an ambulance to check patient, the patient was resistant to calling an ambulance, the pharmacist did call the patient's son so he could come to the store to assist his mother. We decided it was best to call an ambulance after multiple minutes of the symptoms continuing. Pharmacist inquired about health condition, patient is diabetic so we attempted to get the patient's blood sugar and got the patient a soda to help with low blood sugar. Patient stated she felt slightly better after the soda but she was still very weak when ambulance arrived, the EMT advised the patient it was best to go to the ER to be examined. Son of the patient stated that she has episodes before where patient will be overstimulated and gets quite fatigued.
1372032	6/3/2021	IN	26	F	5/11/2021	5/25/2021	I was having headaches which was more like a migraine. I had sensitivity to light and blurred vision. My estimated date of delivery is 11/10/2021.
1372061	6/3/2021	VA	62	M	5/13/2021	5/14/2021	Excessive swelling of face and eye lids;tingling sensation on face-immediatly the morning aftervaccination Discoloration of cheek and texture change to skin at cheek-continuous through next three (3) weeks

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1373108	6/3/2021	CA	13	M	6/3/2021	6/3/2021	Client received the 2nd COVID vaccine of Pfizer (Lot# EW0182, expiration 06/28/2021). At 1729, Client reports nausea and wants to vomit. RN, RN, RN, RN, and RN respond to this event. The registered nurses placed Client in an anti-gravity chair and provided an emesis bag. RN responded to this event at 1730. Client appears pale, diaphoretic, states being nausea, wants to vomit, and dizzy. At 1730, vital signs are heart rate 89, oxygen saturation 99%. At 1733, vital signs are blood pressure 110/82, heart rate 62, oxygen saturation 99%. Client is offered supplemental nutrition and fluids. Client accepted both. At 1735, heart rate is 61 and oxygen saturation is 99%. At 1735, PHN responds and speaks to mother to educate her about ED precautions and common adverse effects. Client's mother reports Client has a history of ADHD, takes medications as needed, no known allergies, had a long day, as not ate much today, and was nervous prior to vaccination. At 1736, vital signs are blood pressure 110/78, heart rate 66, oxygen saturation 99%. Client reports no chest pain, no blurred vision, no headache, no shortness of breath, nausea is improving, and skin tone is returning to appropriate coloration of ethnicity. At 1742, vital signs are blood pressure 117/82, heart rate 82, oxygen saturation 99%. Client reports no new symptoms and improvement of nauseousness. At 1753 vital signs are blood pressure 112/68, heart rate 86, oxygen saturation 99%. Client reports all symptoms has resolved and is now hungry. Client stood up with no complaints at 1754. At 1754, Client walked out of facility with a steady gait accompanied by his mother.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1371934	6/3/2021	CA	26	F	6/3/2021	6/3/2021	Patient received first dose of Pfizer on 6/3/2021. She said she had ringing in her left ear 10 minutes after. She waited for 15 minutes of observation and left with her husband. She started to feel numbness on the left side of her face, involving her eye, cheek and chin. She decided to come to COVID vaccine clinic rather than return to the clinic where she received the vaccine. Denies shortness of breath or lip/throat swelling. Nurse practitioner on site assessed patient, did a neuro assessment and found it to be normal. Nurse practitioner ordered 10 mg Zyrtec sublingual, it was administered. Symptoms slightly improved but did not subside completely. Patient observed for an hour. Symptoms did not progress. Nurse practitioner discharged patient with instructions to return if symptoms progressed or started to involve airway.
1372312	6/3/2021	CT	17	M	6/3/2021	6/3/2021	Approximately 10 minutes after receiving 1st covid Pfizer shot, patient reported feeling light headed and dizziness. He reported blurry vision, ringing in ears and was looking very pale. He was evaluated and monitored any other symptoms until paramedics came. Water and ice was given to patient while he waited. paramedics came and monitored patient and left
1372065	6/3/2021	TX	47	F	4/27/2021	4/28/2021	Blurry vision and( flashing light in peripheral vision )right eye the next day after receiving the second dose on April 27,2021. Flashing light lasted for a week. Afterwards just blurry vision until May 30th vision became distorted and dark. Visited eye specialist 06/04/2021 and was advised to report to the CDC that blood clot was found in right eye. Treatment is now needed that involves injections to the right eye . (3 treatments in span of 10 weeks) with possible laser treatment if injections are not as effective. Eye Specialist -
1372325	6/3/2021	NY	51	F	5/25/2021	5/28/2021	i receive the moderna vaccine i went to ER on 6-3 2021 because the hives and red and itch does not stop i have been taking benadryl and it is not working the hives come and go it stop when im sleeping as soon as i get up it starts up again it doesn't stay in one place it goes from top of my head to all over right now as im typing is on my lip and eyes itching and redness i also been having heart burn i am not scared to to take the second dose

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1372341	6/3/2021		71	U	4/17/2021	4/17/2021	Patient exited the building after vaccination. Pt had a witnessed episode of blurred vision. Immediate assistance was provided. Vital signs were taken BP 151/88, HR 59, O2sat 91% on RA. EKG NSR. Pt obeys all verbal commands. Upon discharge BP 135/84, HR 55 BS 95. Pt denies blurred vision at this time. He is advised to F/U with PCP. He verbalizes good understanding.
1372346	6/3/2021	MO	75	F	5/28/2021	6/2/2021	pt called 6/3 and stated she developed a rash on her upper back shoulder on 6/2. she noticed today 6/3 it's across her chest. told her to keep an eye on it and see how bad it gets and might have to see dr but right now take some benadryl and hydrocortisone cream etc.
1372356	6/3/2021	CA	15	F	6/3/2021	6/3/2021	RN vaccinated client and within 30 seconds noticed client started moving to the side. RN held client at chair, RN responded while two other RNs set up anti-gravity chair. Between all nurses, lifted client and laid in chair. PHN joined, client oriented to self and situation, pale, diaphoretic. Vitals at 1412: blood pressure 100/60 pulse 76, oxygen 97%. Client stated feeling dizzy, denied headache, blurry vision, nausea, shortness of breath, chest pain. Client given water and juice. Father present stated no reaction to first vaccine, allergies to peanuts and seafood. Vitals at 1414: blood pressure 106/70, pulse 79, oxygen 98%. Client alert and oriented x4, stated felt dizzy but did not lose consciousness. Per client same thing happened years ago when having blood drawn. Father informed we would observe for 30 mins. 1417: blood pressure 108/72, pulse 81, oxygen 98%. Client stated feeling better. Vitals at 1422: blood pressure 106/74, pulse 79, oxygen 97%. Client stated symptoms resolved. Alert and oriented x4, color normal for ethnicity. Per Father, client's blood pressure is on the lower end. Vitals at 1427: blood pressure 100/70, pulse 85, oxygen 99%. No complaints. Vitals at 1437: blood pressure 100/70, pulse 85, oxygen 98%. Per client feeling fine, everything resolved. Client and Father given ER precautions and advised to follow up with provider. Last vitals before client leaving blood pressure 106/78, pulse 87, oxygen 97%. Client able to stand up with no complaints. Client left facility with steady gait at 1444.44.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1372544	6/3/2021	CA	25	F	6/1/2021	6/1/2021	All of the following side effects occurred for 36 hours following my vaccination: Extreme fatigue; headache; fever; chills; night sweats; nausea; vomiting; dizziness; blurred vision; weakness; muscle aches throughout entire body; pain at injection site (only experience 24 hours after injection)
1372547	6/3/2021	CA	79	M	2/24/2021	3/20/2021	Sudden and complete loss of vision in left eye for about 1 minute followed immediately by sudden and complete recovery of vision. No other symptoms. Lovastatin increased from 20mg/day to 40mg/day. Aspirin increased from 81mg every other day to 81mg every day. I have not subsequently experienced any symptoms to date.
1372593	6/3/2021	CT	50	F	4/25/2021	4/25/2021	First shot: immediately dry mouth and itchy throat. Within 1/2 hour eyesight was very slightly blurry. Second dose: Immediately after receiving shot had itchy inner ears and a dry, itchy throat. Within 1 hour after my face swelled up and I looked sunburned and had no wrinkles. (I am 51, so I definitely have wrinkles and all the lines in my face disappeared.) Swelling and symptoms were gone within 4 hours.
1372906	6/3/2021	IL	14	M	6/3/2021	6/3/2021	Patient fainted approximately 5 minutes after receiving the vaccine. He fell to the ground hitting his head on some shelving while falling. He was quickly revived by his father, but still felt dizzy and complained of blurred vision. Patient was given a bottle of water and comforted by his father and brother. When I checked on him about 20-30 minutes later, he said he felt fine. He looked a lot better too.
1372922	6/3/2021	TX	25	F	6/2/2021	6/3/2021	No issues the day of the vaccine. Woke up the next morning with what I believe is called ?COVID arm? I had a large red rash around the injection site. The red circle is raised and tender to touch and very warm. Additionally I noticed several tiny speckled bruises on my body. Some on my chest and some under my arm. I also have a swollen tender left eye lid. My eye could be vaccine related or not, I just noticed it the morning after I got the shot.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1373089	6/3/2021	NC	38	M	4/23/2021	5/16/2021	3 weeks after initial dose (4/23/2021), I started experiencing dizziness and a constant mild headache. With the dizziness, there was no visual perception of moving or spinning objects and no proprioception problems. The dizziness is more like a sense of being unsteady and an inability to maintain balance. The feeling has never gone away and persists in any position. On different occasions, many times per hour, there is a sweeping feeling that is never in a persistent direction. On the first day of symptoms, the headache was moderate with a feeling of facial puffiness with an elevated blood pressure near hypertensive crisis levels... which was on a Sunday. The following Wednesday morning, I visited the Emergency room at 0034 EST 5/19/2021 because the dizziness was not getting better. A review of systems was performed with no abnormal results. EKG was normal. Cranial CT scan showed no indications of stroke either although I have not looked at it myself yet. Blood sugar level was at 90. Chem12 test was normal. Well for more details, please contact me. Session is about to time out and I don't know how to extend it on my phone. I have tried vestibular therapy motions. None improved the dizziness. I also have intermittent fog and below normal focus capacity.
1373103	6/3/2021	AZ	33	M	6/1/2021	6/2/2021	Head ache, body ache, chills, moderate fever, stomach cramps, vomiting, diarrhea weakness, ear ache, eye ache all within 4 hours of vaccine and continues on to now 48+hours
1371236	6/3/2021	VT	35	F	6/1/2021	6/2/2021	I was dizzy, weak and nauseous. It felt as if I was going to vomit and then I went unconscious. My husband saw that I had collapsed back into the bed I was leaning against, with my eyes rolled back and I was making a gurgling sound. He attempted to get my attention several ways by loud yelling of my name and lightly hitting my cheek. I was unconscious for a few minutes and when I regained consciousness I had had broken into a heavy, soaking sweat. He described it as looking as if i had a seizure. I have no history of seizures and have never had one prior to this event and vaccine.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370731	6/3/2021		65	M			Rash on eyelids and arms after 2nd Pfizer COVID vaccine; Rash on eyelids and arms after 2nd Pfizer COVID vaccine; This is a spontaneous report from a contactable consumer via Pfizer sales representative. This consumer (patient's friend) reported for a 65-year-old-male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), Solution for injection, Lot number: not reported), dose2 via unspecified route of administration, on an unspecified date (at the age of 65-years-old) as single dose for COVID-19 immunization. Patient previously took first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), Solution for injection, Lot number: not reported), via unspecified route of administration, on an unspecified date, at a single dose for COVID-19 immunization. The patient's medical history included leukemia as a child and had not had a reaction to a vaccine before. Patient's concomitant medications were not reported. On an unspecified date, the patient experienced rash on eyelids and arms after 2nd Pfizer COVID vaccine. He had been to allergist who provided a steroid cream for arm and said not to put on eyelids. The reporter stated that this occurred close to 3 months ago and still has not resolved. He has a dermatologist appointment on 03Jun2021. The outcome of events was not recovered. No follow-up attempts are needed; information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1372152	6/3/2021	WI	46	F	6/3/2021	6/3/2021	The patient received the first dose of the Moderna Covid-19 vaccine. The patient was administered the vaccine in the immunization booth. The PQCF was reviewed by the administering pharmacist and the patient marked no for all questions including Question 5 concerning seizure disorders. The patient remained in the immunization booth due to the immobility of the patient. The immobility of the patient was not related to the following event. The patient's mother within 5 minutes of the vaccine being administered called that the patient was having a seizure. Code White was called to the pharmacy to support the pharmacy staff in the needs of the patient. The patient was monitored and associates were stationed near the patient as she remained seated during and after the seizure. The patient was monitored closely. The patient's mother stated after the seizure that the patient has seizures regularly and was "due for one" meaning a seizure. The patient was continuously monitored for 20-25 minutes at which point she attempted to walk under the supervision of the pharmacy manager. The patient was able to walk under her own power and it was determined at this point she was able to leave the pharmacy area. Follow up with the patient will occur later in the evening and the next day to ensure the patient is doing well.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1371332	6/3/2021	FL	67	F	6/3/2021	6/3/2021	67 y/o female with past medical history of Migraines and Hypertension who presents with dizziness post vaccination. Patient states that this is her second dose in the two-dose series. Patient states that she received her vaccination to the right arm. Patient states that with the first vaccination she did experience dizziness, nausea and migraines. Patient denies headache, vision changes, sore throat, difficulty swallowing, difficulty breathing or chest pain. Patient denies feeling nervous or anxious with vaccinations. Patient initial vitals with Hypertension noted, 197/112 BP, 78 HR, 98 % RA, 12 Resp. Patient instructed to lay on cot and water bottle provided. Patient vitals continuously monitored with persistent hypertension present (186/103, 223/118 BP) at this time the NP requested the Paramedics to obtain the BP manually. Patient BP manually taken every 5 minutes x2 with readings as follows, 150/96 and 138/80. Patient states that she is feeling better and dizziness has resolved. Patient placed in sitting position for 5 mins and then instructed to stand for 5 mins. Patient stable on her feet with no dizziness reported. Patient discharged in stable condition and ambulated without difficulty. Patient has a follow up appointment immediately with HCP post vaccination, today.
1371247	6/3/2021	CT	38	F	6/2/2021	6/2/2021	PATIENT SAYS GOT SOME SWELLING OF EYES AND LIPS OF LEFT SIDE. DID NOT TAKE ANY MEDS. WILL TAKE SOME LATER ON TODAY. CALLED PCP FOR ADVICE / FOLLOW UP.
1372293	6/3/2021		29	F	5/22/2021	5/22/2021	skin rash on both arms 5 minutes after vaccination, throat tightening sx's, globus sensation, headache and palpitations 5-15 minute after vaccine administration. 8 hours later, sensation of chest burning, throat burning and dyspnea; watery eyes and facial warmth. Associated facial erythema and eyes rolling in head X 5 minutes. Had alternating cold and warmth sensation - now still. Sx's continued - especially globus sensation. + abdominal pain continued for few days. One week later, patient with dyspnea. + eye dryness.
1371323	6/3/2021	CO	30	M	5/7/2021	5/10/2021	blurred/slowed vision, head pressure, ear pressure, sinus pressure, eye pain, ear pain, tinnitus, anxiety
1371927	6/3/2021	VA	41	F	5/19/2021	5/20/2021	Orbital Swelling around the eye

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1371351	6/3/2021	RI	33	F	4/10/2021	4/10/2021	Later the evening of vaccination I had a high fever of a 104.2, chills, cold sweat. I took a Tylenol to bring it down. Two days after the vaccine in my right eye was cloudy and I couldn't see properly. Also, pain at the injection site.
1371429	6/3/2021	IL	51	F	4/9/2021	4/22/2021	Patient developed Shingles on head, face, and in eye. Symptoms started 12 days after vaccine.
1371467	6/3/2021	MO	62	M	5/26/2021	5/26/2021	Eyes open in fixed stare for approximately 30 seconds. Would not respond verbally. Was pale and skin clammy. Cool cloth to base of neck. Waiting in personal van with passengers seat partially reclined. Back to normal state by end of 15 minutes wait. VS were BP 97/66, pulse 57, pulse ox 97% Held for additional 15 minutes to further monitor. Was able to lay down for first Covid vaccination and had no adverse reaction(s). States his mother also reacts porky to any injection.
1371487	6/3/2021	AR	33	F	5/27/2021	5/28/2021	About 3 hours after receiving the first dose, my right eye began to itch but there wasn't any thing physically seen on the day I received the vaccine. When I woke up the next morning on Friday, May 28th, I noticed my eyelid (the part that's closer to the lashes) had swollen up. Saturday morning, it had swollen more than it had the previous day. I tried placing a hot wash cloth over my eye. My eyelid was super tender and the slightest touch to the eyelid hurt. Sunday, I decided to make it to the ER. Although they couldn't confirm that it was an allergic reaction (even though I told them it was), the doctor saw how it was swollen and tender. I was given 3 different medications to take. It is now day 5 and it seems as though it has worsened because it's now the whole eyelid. It's painful. When I had to get something off the floor or tie my shoe, it feels like drainage is rushing towards the front of my head and causing the pain in my eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1371498	6/3/2021	FL	54	F	4/21/2021	4/22/2021	Dose 1 on 4/21/21- woke up next day and my eyes were hard to open/keep open. Vision okay, just could not keep open, not dry-very hard to describe. Also sent me into a Cluster Headache Episode that is increased severity/frequency/unlike other episodes (this is my assumption-that it was trigger by vax as not at all normal for me and all other things remained the same. Dose 2 increased the episode again and continues on as of today
1371519	6/3/2021	TX	14	M	6/3/2021	6/3/2021	The patient complained about feeling lightheaded, sweaty, and blurred vision. Spo2 99 HR 96, BP 124/98 T 95.1 The patient's mother stated that he always gets that way when he receives a vaccine or donates blood. The clinical staff attended to him. He stated that he felt fine after about 5 minutes.
1371524	6/3/2021	MD	64	M	4/3/2021	4/13/2021	About nine days after the first Pfizer vaccine I noticed a pain in my left tooth where is was difficult to chew. I thought perhaps it was a cracked tooth or abscess but it spread throughout my mouth making it painful to chew any food. It seems that the nerves above the teeth were somehow infected or something. I had pain around my eyes and once in my left ear. I suspected Sinusitis or something but was not sure as I had never had this happen before. I had my dentist look at it. The metal tapping tool showed no cracks. The xrays showed no tooth problems, nor any sign of sinus inflammation. I reported it to me doctor and he told me to report it on VAERS as a possible side effect of the vaccine. It was severe for about two weeks and has since returned to normal.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1371570	6/3/2021	NY	63	F	3/15/2021	3/15/2021	A series of inflammatory events occurred which began with the first dose of the Pfizer vaccine. I initially developed a rash at the injection site of the first dose within hours of the injection. That was my only symptom after the first dose. The nurse at the vaccination site suggested that the second dose be administered in the other arm due to the rash which was still vivid. Within hours I also had a rash on the second arm as well. Over the next few days rashes appeared in the crook of my elbows and at my waistline. Shortly thereafter I developed "dry eye". My eyes were dry and sensitive to bright light. Then I started to have discomfort when I took a deep breath. On April 29, 2021 I had severe discomfort when breathing and was diagnosed by my doctor with pleurisy and possible pericarditis. I could not lie down for ten days and had to rest sitting up. Over time, and with the help of a great deal of ibuprofen I have improved. I no longer have discomfort when breathing and the rashes are 99% gone. The "dry eye" is slowly improving.
1371619	6/3/2021	IL	36	M	5/21/2021	5/23/2021	Systemic: Confusion-Severe, Systemic: Dizziness / Lightheadness-Medium, Systemic: Exhaustion / Lethargy-Severe, Systemic: Headache-Severe, Systemic: Hypertension-Severe, Systemic: Numbness (specify: facial area, extremities)-Medium, Systemic: Shakiness-Medium, Systemic: Stroke-Severe, Systemic: Tingling (specify: facial area, extremities)-Medium, Systemic: Unable to Sleep-Severe, Systemic: Visual Changes/Disturbances-Severe, Systemic: Weakness-Severe, Additional Details: 2 days after receiving 1st dose had a stroke, went to Hospital had 3 more light strokes, loss of vision in left eye, shuffles to walk, BP not under control, patient was discharged and following up with PCP.
1371635	6/3/2021	NY	43	M	4/18/2021	4/1/2021	Primary symptom is tinnitus in both ears (more left) that has increased slowly since second vaccination. Of possible relevance, two additional temporary symptoms occurred roughly one week following second dose: two separate incidences of scintillating scotoma (bilateral visual artifact on left side of visual periphery; each episode lasting approx. 40 minutes; occurred two days apart); and two or three incidences of very brief (5 sec.) SSHL (sudden sensorineural hearing loss) in right ear (incidences occurred approx. two days apart).



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1371895	6/3/2021	WI	49	M	4/21/2021	4/23/2021	Two days after second does developed blurred vision ,nystagmus, extreme dizziness and nausea and vomiting.
1371659	6/3/2021	WA	47	F	3/19/2021	5/17/2021	Blurry vision, terrible vision
1371921	6/3/2021	OH	59	F	4/14/2021	4/15/2021	Onset of shingles 05/23/2021. Still an active case as of filling out this form. Also, 04/15/2021, chills, fever 100.6, aches all over, pain at sight of injection, weak, nauseated, headache in sinuses and around eyes.
1371906	6/3/2021	OR	28	M	6/3/2021	6/3/2021	Tinnitus, blurred vision, nausea, low blood pressure, hypoglycemia Deep breathing, called medics. Sx started subsiding after some time, breathing and paramedic arrival. Bp 95/63 pulse 66. Pt reported not eating much before shot. No prior history of vaccine teaction
1371861	6/3/2021	WV	31	M	6/3/2021	6/3/2021	After administration patient was sitting in post vaccination chair and was passing in and out, sweating very much, pale, high blood pressure, and experienced dizziness and tunnel vision. after about 30 mins patient was feeling much better.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1371853	6/3/2021	WA	31	F	3/29/2021	4/5/2021	After receiving the first COVID vaccine, about a week later My neck started to get really rashy and itchy. With some time and cream it did heal. After receiving the second shot, and being in the hot sun for several days the rash returned but was a lot worse, and looked more like a bright red sun burn. I went to urgent care because it was unbearably itchy, and my face, ears, eyes started to swell. My blood pressure at urgent care was in a dangerous spot 188 over 55 I believe. Luckily they checked it again before I left and it has gone down to 155 over 55. They prescribed me a Epi pen, Pepcid and antihistamine. A week later after being in the hot sun again, The rash came back. More like a rash this time and less like a sun burn. It wipes me out for an entire day because of how puffy, itchy, and uncomfortable I am. It brings on this extreme fatigue that I am not used to. What helps the most is sitting with an ice pack on my neck for the entire day, getting rest, and staying on anti histamine. Even in less severe sun It can easily gets triggered. I am doing everything I can to stay out of the sun, because of course everyday life makes that impossible. I am concerned because I have never experienced a reaction to the sun, or vaccine, or anything on my neck like this before. All three reactions have been different on my neck, but what remains the same is that itchiness, and hot ears, and puffy eyes. It all started after getting the COVID vaccine, and the doctor in Urgent care told me that when I am due for a booster shot to get competitor instead. Please advise on what I should do, or if there is any insight on this. Thank you!

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1371837	6/3/2021	FL	53	F	6/3/2021	6/3/2021	53 y/o female with no past medical history who presents with nausea and mild dizziness post vaccination. Patient states that this is her second vaccine in the two-dose series. Patient states that she received today's vaccination to the Left arm. Patient also states that she experienced the same symptoms with the first vaccination to include vomiting and chills lasting a few days. Patient denies headache, vision changes, sore throat, difficulty swallowing, difficulty breathing, shortness of breath or chest pain. NP and Paramedics at patient side. Patient initial vitals, 150/98 BP, 69 HR, 100% RA, 12 Resp. Patient dry heaved for approximately 20 mins with resolution post. Patient stated that symptoms resolved and that she was comfortable being sent home. Patient vital reassessed, 136/90 BP, 68 HR, 99% O2 and 12 Resp. Patient discharged in stable condition, patient ambulated without difficulty.
1371822	6/3/2021	AL	18	M	6/3/2021	6/3/2021	Approximately 5 minutes after receiving the vaccine, the patient passed out and his eyes rolled back (possible seizure activity). This activity lasted for approximately 1 minute. Patient also felt dizzy, sweaty, nauseous, and became pale. Patient was given a cold ice pack to lower his body temperature. Patient was also given crackers for nausea, and a bag just in case he had to vomit. Patient's mother was also here to tend to the patient. The mother also gave him clear fluids (sprite) to help with the nausea. After approximately 10 minutes, the patient was able to stand without feeling dizzy. He left the store with his mother to be watched closely (His mother is a nurse.) They also refused emergency medical services.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1371768	6/3/2021	SC	56	F	3/19/2021	3/21/2021	I received the first vaccine Friday March 19, 2021, I woke up Sunday, March 21, 2021 with severe vertigo. It lasted over 3 1/2 weeks. I saw a neurologist, was sent to vestibular physical therapy. It was determined I was experiencing BPPV. The extremely disabling vertigo subsided but I still felt off. I received the second vaccine Friday April 16, 2021. I was very tired and nauseated. I had occasional episodes of dizziness and nausea. On Monday April 19, 2021 I continued to deal with dizziness and nausea but it was intermittent and not as severe as the first episode of vertigo. I have experienced dizziness and nausea daily since. It comes and goes. I returned to the neurologist and the vestibular physical therapist, this is not BPPV. My eyes are displaying a down-beat movement. Nothing is relieving the dizziness and nausea at this time. A CT scan has been ordered.
1371738	6/3/2021	NY	54	F	5/17/2021	5/17/2021	Within minutes of receiving the shot, I started getting a headache and just feeling generally off...almost a feeling of an adrenaline rush. Felt a bit antsy and foggy for 1 hr. A couple of hours later, I got a small hive on the bottom of my right eye, followed by small hive in my left shoulder. My nose started to run a bit and I called my sister who brought me over some Benadryl. When she arrived, I felt the inside of my bottom lip begin to tingle and mildly swell. Stayed awake for a bit and then took the Benadryl before going to sleep. In the morning, the inside of my bottom lip felt like it had a series of small canker sores which resolved within 24 hours. I had a telemedicine visit with my doctor's office, and they felt it was a local reaction, perhaps anxiety induced; they ok'd 2nd dose. Discussed with vaccination site coordinator, and they consulted with the County Health Department who will not administer a second dose due to CDC guidance regarding hives, etc.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1371683	6/3/2021	WA	38	F	4/8/2021	4/9/2021	The day after, I woke up with a bad headache and I had the headache for a good 19 days. The doctors thought I was over-reacting. It was a bad headache on left side of head. I was just not feeling well. On the 19th day, it went away. I still from time to time I do still feel pain in the head on the left side. I had a lot of tightness in my left leg. In previous years, I have had blood clot in my leg and after birth in my stomachs - so with the pain in calf I called a doctor and went. They did a visual. After a lump appearing in my leg, an ultrasound was scheduled. I went Urgent care on May 10 - she ordered an ultrasound but her office didn't ever follow up with me. On 17th, I saw my Primary care and she sent me straight to get an Ultrasound - on the 18th, it revealed I had a blood clot.
1371782	6/3/2021	VA	28	M	6/3/2021	6/3/2021	28 year old male presented for initial dose of Pfizer-BioNtech at 1100 AM on 6/3/21. Pre-assessment form was filled out and reviewed with nursing student administering the vaccine. The client stated no known allergies to medications, food, venom, or environmental elements. He also stated no allergic reactions to previous vaccines. The client also stated that he had no known health issues. After administration the patient stated he was dizzy and then immediately became unresponsive, diaphoretic, eyes rolled back, and head hyperextended. Family was present and we asked if he had any seizure history and his family declined. At this time the patient and family informed us that after vaccines in the past he does faint but didn't inform staff before this vaccine was administered. The patient remained unresponsive for 45 seconds. Then his feet were elevated and he asked to lay down. At 11:11 AM his HR was 60 and O2 was 97% on pulse oximetry. He felt hot and was still diaphoretic and felt very fatigued. Once he started feeling better we sat him back up and his HR was 89 and O2 was 99%. We gave him 2 bottles of water and crackers. He remained in our care for 45 minutes. He then waited an additional 30 minutes in the post vaccine area. His family stated they were going to drive him home and get some food. The patient is expected to return June 24, 2021 for his second dose of the Pfizer vaccine. We provided additional discharge instructions

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1371912	6/3/2021	FL	55	F	5/20/2021	6/1/2021	Arm was sore for several days at injection site, had severely dry mouth for 4-5 days, continuously thirsty. For 2 days, starting 6/1/21-6/3/21 woke up & room was spinning, dizzy spells. No treatment, for dizzy spells had to just close my eyes & wait at least 45 min for it to go away.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1370392	6/3/2021	MI	80	F	2/26/2021	2/26/2021	Headache; Sever pain behind left ear; Stiff neck/ Neck stiff and behind left ear it hurt; just in the back of the neck; started bother me; cold made it worse; This is a spontaneous report from a contactable consumer (Patient, self-reported). A 80-years-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Solution for injection, Batch/Lot Number: EN6198), dose 1 via an unspecified route of administration on 26Feb2021 (80-years-old at the time of vaccination) as 1ST DOSE, SINGLE for covid-19 immunisation; paracetamol (TYLENOL), via an unspecified route of administration from an unspecified date (Batch/Lot Number: SLA071) to an unspecified date, as 500mg for an unspecified indication. Medical history included High Blood Pressure and glaucoma. Concomitant medications included clopidogrel bisulfate 75mg (patient stated, that is the blood thinner. It's generic is clopidogrel bisulfate, that's the blood thinner); perindopril erbumine 8mg (This is the generic of Aceon); amlodipine besylate 5mg (Patient take its Generic of Norvasc); timolol maleate 5mg (take eye drops for glaucoma. Patient take twice a day from 50 years). Reportedly, patient had vaccine shot Friday, I am taking Tylenol. Sever pain behind left ear. Can I take ibuprofen. Stiff neck going on five days. I've been using heat. I don't have the chills, nausea, joint pain. her husband was 82. Not on walker/canes. Tylenol doesn't affect, it doesn't do anything for me but they tell not to take Ibuprofen because of the virus. Reason for no lot number of Tylenol: patient stated, I don't have that on here. On 26Feb2021, the patient experienced sever pain behind left ear, stiff neck/ neck stiff and behind left ear it hurt; just in the back of the neck; started bother me; cold made it worse, on an unspecified date headache. Therapeutic measures were taken as a result of sever pain behind left ear, stiff neck/ neck stiff and behind left ear it hurt; just in the back of the neck; started bother me; cold made it worse, headache. Outcome of the events was not recovered. Additional Context: Patient stated, I just talk to you and we got hung up. When probed for the concern, consumer stated, I would like to know if I am taking a reaction to the vaccine shot. I got it on Friday the 26th. I had a, my neck start getting stiff on Wednesday and Thursday, Friday it wasn't, it went away but now I got the only thing side effect really I got is just stiff neck, now

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

while when I came home (incomplete sentence), stiff neck, my neck is stiff and behind the left ear it hurt but headache and all that, I don't get a headache. It is just in the back of the neck. I don't have a fever, I don't get nauseous. I don't get any of the symptoms only that I have stiff neck. Consumer stated, I want to know really. What could I do about it? I put cold on it (treatment) and it made it worse. The "phone" (not clarified) says put heat on it that what's I have been doing and Tylenol doesn't affect, it doesn't do anything for me but they tell you not to take Ibuprofen (Ibuprofen captured conservatively) because of the virus you know. When probed for Email address, consumer stated, I don't have one. Consumer stated, I took it (first dose) on 26 and I am supposed to take on the 19th (second dose). When probed for vaccine expiration date, consumer stated, It doesn't show the expiration date. When probed for Tylenol LOT# and expiration date, consumer stated, I don't have that on here. It has my birth date and it has the day I took it was 26Feb2021 and I just gave you the other number that was on here. The other number is I was supposed to take it on 19Mar21. That's the only number I got. When probed for start date of the problem, consumer stated, The night at 26th (Feb2021) is when it really started bother me. I was fine all day long until late that night. When probed still having the problems, consumer stated, Yes. When probed to confirm treatment, consumer stated, Tylenol, cold and heat. Cold made it worse so I put heat on it. Description of complaint: Tylenol doesn't do anything for her. Patient wants to know what to do and how long will it last. patient had a stiff neck. She had it a few days prior to getting the vaccine. It went away. On Friday night after getting the vaccine she had a tremendous pain in her neck that went down in the shoulder. They want her to take Tylenol. She has been drinking extra water. Tylenol doesn't do anything for her, only Ibuprofen. She tried using a cold water bottle. No follow-up attempts are possible. No further information is expected. Follow-up (02Mar2021): This is a follow-up spontaneous report from a contactable consumer reported that: patient details (weight, height), medical history, suspect product details (start date, lot number), concomitant drugs, events.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1367220	6/2/2021	TX	70	F	5/17/2021	5/17/2021	<p>felt like someone was putting pins on her head/it hurt; The joints were hurting/It was stiff; The joints were hurting/It was stiff; When she was asleep she was seeing green and another color bright shells going; someone poking her with a needle in her leg; all over her body it felt like pins going in; stiff; Her knees were hurting; headache; had a horrible feeling and felt like the walls were crawling in; pains all over the body; Eyes are hurting; This is a spontaneous report from a contactable consumer (patient). A 70-year-old female patient received first dose BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection; Batch/Lot number: It is handwritten. It is either EW0186 or EWD186., Expiration date: Unknown), via an unspecified route of administration in right arm on 17May2021 as single for covid-19 immunization. The patient's medical history included has been in the hospital three times this last year. They put a lot of shots in her stomach for blood clots. Patient was hospitalized for pneumonia, hysterectomy, and COVID19. She had all the hospitalizations in 2020. When she got home after she had pneumonia, 2 days later she had COVID19 because one of her family members had it. Hospitalizations were prior to COVID shot. She has had fever shot and pneumonia shot and not had this issue. She gets the fever shot every year. The patient's concomitant medications were not reported. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient did not receive any additional vaccines on same date of the Pfizer Suspect. Patient took COVID shot on 17May2021, Monday and everything was ok. It did hurt when they stuck the needle in. Eight hours later she felt like someone was putting pins on her head. She rubbed it because it hurt. The joints were hurting on her right side where they put it. It was stiff. She did exercise and started moving it because she didn't want it to be stiff. It has been hurting. When she was asleep she was seeing green and another color bright shells going. She was experiencing someone poking her with a needle in her leg. All over her body it felt like pins going in. Patient's knees were hurting. She got up in the morning and last night she had pains all over the body. For 8 hours it was stiff but then it was fine. She also had pain on the left. She has not had a fever. Patient's eyes are hurting on 17 May 2021. It is like a</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

1367367	6/2/2021	NY					
---------	----------	----	--	--	--	--	--

1367367	6/2/2021	NY		M			
---------	----------	----	--	---	--	--	--

headache, get a little and eyes hurt. She went to work Wednesday, she had a horrible feeling and felt like the walls were crawling in. She is supposed to go in three weeks for second dose. The second shot would be worse, and she feels like that will be a danger. She expressed her concerns about the second shot as she read in the paper that the second one is more stronger. She doesn't plan to get the second one. Something could happen to her with the second shot. The paper said the second shot would have side effects. The people that have done the second shot got sleepy, dizzy, and weak. She want to make sure she can get to work but was still experiencing the adverse events. The outcome of eyes are hurting was not recovered, while with other events was unknown. No follow-up attempts are needed; information about lot/batch number cannot be obtained.

I have had no congestion, itchy eyes, shortness of breath while exercising or a running nose. Nothing has changed other than the vaccinations.; This is a spontaneous report from a contactable consumer. This 66-year-old male consumer (patient) reported that he received first and second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, formulation: Solution for injection, Lot Number: Unknown, and Expiration date: Unknown), via an unspecified route of administration on unspecified dates in 2021 as 1st dose, single and 2nd dose, single for COVID-19 immunization. The patient medical history included ongoing allergies, hay fever; and congestion and stuffy nose during pollen season (since childhood). The concomitant medications for patient were not reported. The patient reported that he had history of allergies, hay fever, congestion and stuffy nose during pollen season since childhood. He completed the two doses of Pfizer COVID vaccination along with his wife in 2021. This spring, despite of very heavy pollen, the patient had no congestion, itchy eyes, shortness of breath while exercising or a running nose. Nothing had changed other than the vaccinations. The patient wanted to make aware of this in the event this was a possible positive vaccination side effect. The outcome of the event was unknown. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1367312	6/2/2021	PA	39	M	5/20/2021	5/23/2021	Fever; Chills; Headache; I have both my eyes swollen; This is a spontaneous report received from a contactable consumer (reporting on himself). A 39-years-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, Lot Number and Expiration Date was not reported) via an unspecified route of administration in Arm Left on 20May2021 11:45, as 2nd dose, single dose for COVID-19 immunization. The patient medical history nad concomitant medications were not reported. Patient previously took first dose of BNT162B2 29Apr2021 11:45. Prior to vaccination, the patient was not diagnosed with COVID-19 and did not receive any other vaccines within 4 weeks prior to the COVID vaccine and any other medications the patient received within 2 weeks of vaccination. He had his second shot on 20May2021 11:45 and he went to fever, chills and headache until Saturday morning. 23May2021 late in the evening he noticed his eyes started swelling up a little bit; they went down a little bit and he went to bed; 24May2021 he woke up with swollen eyes again. He clarified that he already reported this information; but he was unable to obtain reference number from that report. He had questions regarding these side effects after the Pfizer Covid Vaccine and wanted to know about recommendation on taking histamines like Zyrtec Benadryl after the vaccine Response. Since the vaccination, the patient has tested for COVID-19. The outcome of the event i have both my eyes swollen was not recovered and for rest events was unknown. Information about lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1367299	6/2/2021	FL	33	M	5/16/2021	5/17/2021	Inflammation of entire body/ specifically lower body; Headaches; double vision; Low energy; Low sensation; Neck pain; Extreme foot pain; Nervousness; anger; This is a spontaneous report from a contactable consumer (patient, self-reported). A 33-year-pld male patient received bnt162b2 (COMIRNATY, Formulation: Solution for injection, Lot number and Expiry date: unknown), dose 2 via an unspecified route of administration in the right arm, on 06May2021 at 17:00, as single for COVID-19 immunization in the pharmacy or drug store. The patient's medical history and concomitant medications were not reported. The patient had no allergies. The patient previously patient received bnt162b2 (COMIRNATY, Formulation: Solution for injection, Lot number and Expiry date: unknown), dose 1 via an unspecified route of administration in the right arm, on 24Apr2021 at 11:00, as single for COVID-19 immunization. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was not diagnosed with COVID-19 prior to vaccination. The patient was not tested for COVID-19 since the vaccination. The patient did not receive any other medications within 2 weeks prior. On 17May2021 at 01:00, the patient had inflammation of entire body/ specifically lower body, headaches, double vision, low energy, low sensation, neck pain, extreme foot pain, nervousness, and anger. The outcome of the events were not recovered. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1367288	6/2/2021	NY	27	F	5/11/2021	5/12/2021	<p>persistent headache on the right side of the head that varies in strength over the day with sudden sharp pain in various areas of the head, front, between and behind eye and back of the head.; chills; light headache; tiredness; elevated temperature; This is a spontaneous report from a contactable consumer or other non hcp. A 27-years-old non-pregnant female patient received bnt162b2 (BNT162B2, Solution for injection, Batch/Lot Number: EW0183, expiry date: not reported), via an unspecified route of administration, administered in Arm Left on 11May2021 6:45 PM as 2nd dose, single for covid-19 immunization. The patient previously received bnt162b2 (BNT162B2, Solution for injection, Batch/Lot Number: EW0169, expiry date: not reported), dose 1 via an unspecified route of administration, administered in left arm on 20Apr2021 6:45 PM as SINGLE DOSE for covid-19 immunization. Medical history included Positive Anti-body test for COVID19 in summer 2020, after being sick around March-April, persisting throat pain till later in May and Digestive problems that resulted in anal fissure treated with Rectiv. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was diagnosed with COVID-19. Concomitant medications included dienogest, ethinylestradiol (DIENOVEL) taken for birth control, glyceryl trinitrate (RECTIV) and Biosteel Protein. On 12May2021, one day following the vaccination the patient experienced chills, light headache, tiredness, and elevated temperature, then on day 2 &amp; 3 following vaccination no side effects at all but beginning on day 4 following vaccination on 15May2021 persistent headache on the right side of the head that varies in strength over the day with sudden sharp pain in various areas of the head, front, between and behind eye and back of the head. Asperin (500mg) had no relieving effect and visit at Urgent Care resulted in prescribed Ibuprofen (800mg) that don't seem to provide much relief either. Doctor initially tested for neurological side effects, but tests turned out normal after 5 days with persistent headache. Headache persists after day 7 following onset. On 19MAY2021, the patient underwent lab tests and procedures which included sars-cov-2 test: negative. Therapeutic measures were taken because of the events. The outcome of the event 'persistent headache on the right side of the head that varies in strength over the day</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1367260	6/2/2021		53	F	5/21/2021	5/21/2021	<p>with sudden sharp pain in various areas of the head, front, between and behind eye and back of the head 'was reported as not recovered. The outcome of other events was reported as recovered. Information on Lot/Batch number was available. Additional information has been requested.</p> <p>Caller experienced swelling of the eyelid after receiving the second dose of the vaccine; swollen lymph nodes; This is a spontaneous report from a contactable consumer. A 53-years-old female patient received second dose bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Solution for injection, Batch/Lot number was not reported) via an unspecified route of administration on 21May2021 as 2ND DOSE, SINGLE DOSE for covid-19 immunisation. The patient medical history and concomitant medications were not reported. The Patient previously took first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Solution for injection, Batch/Lot number was not reported) for covid-19 immunization. On 21May2021, the patient experienced swelling of the eyelid after receiving the second dose of the vaccine and also experienced swollen lymph nodes and has been using cold compresses and tea bags to remedy the swelling. Patient also mentioned that she had the photos of the AE she experienced take last Wednesday (19May2021) and yesterday (21May2021). Overall safety summary included in clinical studies, adverse reactions in participants 16 years of age and older included injection site swelling (10.5%). Clinical trials experience solicited local and systemic adverse reactions across both age groups, 18 through 55 years of age and 56 years and older, mean duration of swelling 2.3 days (range 1 to 34 days). No information found for swelling specifically in the eyelid area. Referred to HCP. The events were considered as non-serious. The outcome of events was unknown. Follow up attempts are needed. Further information has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1367176	6/2/2021	VA		F	4/22/2021	4/22/2021	her tongue and cheeks are bright red like she has been burned or drinking red kool aid; her tongue and cheeks are bright red like she has been burned or drinking red kool aid; pain, especially with swallowing; worsening hoarseness; loss of voice; Anything that she puts in her mouth burns; Hard to swallow; like when swallow spit; that syringe was nearly full and it did not look like the first dose did; her tongue and cheeks are bright red like she has been burned or drinking red kool aid; her tongue and cheeks are bright red like she has been burned or drinking red kool aid; blisters on the inside of her mouth; This is a spontaneous report from a contactable consumer (patient). A 63-years-old female patient received bnt162b2 (BNT162B2), dose 2 via an unspecified route of administration on 22Apr2021 15:00 (Batch/Lot number was not reported) as 2ND DOSE, SINGLE DOSE for covid-19 immunisation. Medical history included Pacemaker from 14Apr2021 (Brand new pacemaker, had the other one for probably 12 years, just got new one put in), the new Pacemaker put in on 14Apr2021 which was originally attempted to be placed with local anesthesia only, however, due to elevated blood pressure they placed it under light sedation, ongoing Kidney Failure, she is in a wheelchair. The patient's concomitant medications were not reported. Historical Vaccine included first dose of BNT162B2 for COVID-19 immunisation on 31Mar2021 in Left Arm, experienced Blood pressure high and the syringe was "less than half the syringe full. The patient experienced her tongue and cheeks are bright red like she has been burned or drinking red kool aid on 22Apr2021 with outcome of not recovered; blisters on the inside of her mouth on 22Apr2021 with outcome of recovered 23Apr2021; pain, especially with swallowing on 22Apr2021 with outcome of unknown, worsening hoarseness on 22Apr2021 with outcome of unknown, loss of voice on 22Apr2021 with outcome of not recovered, anything that she puts in her mouth burns on 22Apr2021 with outcome of unknown, hard to swallow; like when swallow spit on 22Apr2021 with outcome of not recovered, that syringe was nearly full and it did not look like the first dose did on 22Apr2021 with outcome of unknown. Detail clinical course was reported as: consumer has received both doses of the Pfizer COVID-19 vaccine. She received her first dose on 31Mar2021

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

and her second dose on 22Apr2021. After second dose she developed blisters on the inside of her mouth. The blisters have resolved, however, she reports that . She also says that she has pain, especially with swallowing, and experiences worsening hoarseness throughout the day which results a loss of voice by the end of the night. The caller reports that she has called her doctor and he told her to swish and gargle with Mylanta and swallow, swish with warm salt water, and also swish with Listerine. She states that she has not tried the Listerine yet because she is afraid that it will burn too badly. She has also taken Benadryl. She states, "I have to shut my eyes really tight to drink water. It feels like I am pouring acid in my mouth, it doesn't feel like water. By the time that night time comes I've lost my voice completely. that part doesn't bother me as bad as the pain does." The caller also states that she is concerned because when she received her first dose by the Pharmacist and she states that dose in the syringe was "less than half the syringe full" and then when she went back to receive the second dose she states that it was given to her by "the clerk" instead of a Pharmacist because the Pharmacist was not available that day. When the caller was given her second dose she states, "that syringe was nearly full and it did not look like the first dose did." Caller states she is having a really bad reaction and her family doctor has been working with her on it but she doesn't think he really knows what she should do. Caller states her first vaccine was 31MAR2021 and her second was on 22APR2021 and within an hour of getting it, maybe not even that long, she developed blisters all inside of her mouth, and now her mouth is bright red like she was drinking cherry Kool-Aid. Caller states she is closing her eyes and forcing herself to drink water and eat applesauce. Caller sates this all happened on 22APR2021. Treatment: Mylanta in the fridge and then swish it around in her mouth, gargle, and then swallow the Mylanta and to do gargle with warm salt water and Benadryl. The events were not resulted in Emergency Room was or Physician Office, she talked to him on the phone, but she has not seen him in person because she has to ride the bus and she has to book her appointments in enough time to book the bus, and she doesn't feel like going if he doesn't know what to do for her.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1367239	6/2/2021	CA	49	F	4/29/2021	4/29/2021	Why was the patient taking Covid-19 vaccine (Verbatim): because she is diabetic; swelling under eyelids; swelling on chin and left cheek; had an allergic reaction with a rash; rash from neck up on chin and cheeks; This is a spontaneous report from a contactable reporter(patient herself). A 49-years-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Batch/Lot Number: EW0176) via an unspecified route of administration, administered in right arm on 29Apr2021 at 14:30 as single dose for COVID-19 immunization. Other vaccinations within four weeks prior to the first administration date of the suspect vaccine was reported as none. History of all previous immunization with the Pfizer vaccine considered as suspect (or patient age at first and subsequent immunizations if dates of birth or immunizations are not available) was reported as none. AE(s) following prior vaccinations was reported as none. Medical history included type 2 diabetes mellitus. It was reported that she ran out of medication and was not taking anything for diabetes. Family Medical History Relevant to AE(s) included that her father had a positive result after getting the vaccine. Her father has rheumatoid arthritis including pain all over. After getting the vaccine, the pain went away. Her father also had a rash on his arm that cleared up after getting the vaccine. No relevant tests were done as reported. Concomitant medication included Azo from 27 Apr 2021, ongoing and Nerve taken for nerve relief from 27 Apr 2021 and stopped taking it on 03 May 2021. It was reported that she was fine but had an allergic reaction with a rash from her neck up that was on her chin and cheeks around 1700-1800 on 29Apr2021. She had swelling under her eyelids on 30Apr2021 and on the bottom of her cheek on 30Apr2021. It was also reported that the patient took Covid-19 vaccine because she is diabetic. She was scheduled to get the second injection today(20May2021) and was asking if she should get it. She mentioned that she does not have a physician. She thought she had a reaction to it. Lot 1069C95021, Expiry Feb 2023.. The outcome of the events, off label use was unknown and rash from neck up on chin and cheeks and swelling on chin and left cheek was recovered on 11May2021, rash from neck up on chin and cheeks was recovered on 03May2021. Follow up attempts are needed. Further

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1367223	6/2/2021	NY	52	M	5/8/2021	5/8/2021	feels like there are little tiny baby hands pinching his internal organs throughout his abdomen; Eyes swollen and his vision was diminished; Eyes swollen and his vision was diminished; On his injection arm- 2 inches away from the injection site appeared a size of a gigantic golf ball/A huge lump appeared a few inches from injection site; Numbness from his ankle to his feet and from his knees to his feet/numbness in legs and feet; feels like it's cold and tingly; feels like it's cold and tingly; ringing ears; pressure in his neck to his injection site; back pain/pain in back; vision is blurry; throat was swollen.; Toes locking up; Really dizzy and really lightheaded; Mind has been foggy; Glands were swollen; Arm soreness; Nose is bone dry; tiredness/tired; injection site pain/injection site soreness; This is a spontaneous report from a contactable consumer (patient, self-reported). A 52-years-old male patient received first dose of BNT162B2 (PFIZER-BIONTEC COVID-19 mRNA VACCINE, Solution for injection, lot number: EW0173 and expiry date was not reported), via an unspecified route of administration, in Arm Left, on 08May2021 at 02:38 PM, as a single dose for COVID-19 immunization. The patient did not receive any other vaccine in four weeks. The patient's medical history included Bug bite (happened 5 days prior to 30Apr2021 and regimen of an antibiotic). He was completely done with the rotation for a least 8 days before he got the vaccine. It might have something to do with this. concomitant medication included dicloxacillin (started it on 30Apr2021 and it was for 5 days. He did not know what it did was). The patient reported that on 08May2021, day one, he experienced, tiredness and injection site pain. On day 2, until now side effects which had not gone away. It hadn't gotten worse, but it was not any better. The patient felt like congestion, but his nose was bone dry, like crusty dry. It hurts a little bit because it was so dry and he had arm soreness, nothing out of the ordinary. The arm soreness was just normal injection stuff. At first it was a little tender on the injection spot. It went away after about a day. On 10May2021, the patient felt like there were little, tiny baby hands pinching his internal organs randomly throughout his abdomen. It was not a sharp pain, more like a little squeeze all through his abdomen. It felt like his whole throat was swollen. It was not visually swollen, it more felt like a football in his neck. Stretching it was helping. His

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

toes have been locking up like a pre-clamping. He had numbness from his ankles to his feet for 8 days, and now he has numbness from his knees to his feet. It was not completely numb, but it was not normal. The feeling of baby hands pinching his internal organs started the second day after the vaccine and has stayed consistent. The patient's eyes swollen, and his vision was diminished. Day 2 through today, it felt like his eyes were swollen, his vision was seriously diminished, he had a golf ball sized welt on his arm not at the injection site but 2 inches from it, and he was really dizzy and really lightheaded and almost fainted at the corner store. The feeling like his eyes were swollen started on day 3 after the vaccine. The crease of his eye below the eyebrow and on top of the socket got red and puffy and looked like sunburnt skin does. It was at the point that now it feels swollen all the time almost like he had pink eye and his vision has been diminished about 30%. He had a test done yesterday and his vision was 20/25. Some-times he could not even read a text and had to stare at his phone for 10 minutes to make out words. He did not have these issues before. The feeling of his eyes being swollen was a little better in the mornings and about 1300 it gets worse when he gets lightheaded to where was when it started. His vision became diminished about day 3 after the vaccine. It was a little better in the morning, but in the afternoon, it goes to exactly the same as when it started. He noticed the golf ball sized welt on his arm about 3 days ago. The doctor seemed to think a drop of the injection might had travelled from the injection site and his body was creating a defense to it. It was scary to take a shower and then see that. It didn't hurt. It was not painful, but it was a weird foreign entity. The cramping in his toes started probably day 3 and was consistent. The numbness started on day 2 after the vaccine, and up until 3 days ago it was just his ankles and feet. 3 days ago, it got to the point where it was from his knees to his feet. It has gotten worse since it was now travelling up his legs. On his injection arm- 2 inches away from the injection site appeared a size of a gigantic golf ball - when asked with his doctor he said that he thinks that a drop of the vaccine travelled and his body building a reaction to it and it was very abnormal. The patient also had numbness from his ankle to his feet worsened and from his knees to his feet- almost feels like it was cold and

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

tingly. The patient also had dizziness and lightheaded about day 2 after the vaccine and it was the same. It came in waves but was consistent throughout the day. He would be fine then had a wave of dizziness. He has been laying down so much because he was so tired, ringing ears, felt like his glands were swollen, pressure in his neck to his injection site, and back pains. The patient stated that his doctor was only form urgent care. The patient Felt like whole throat was swollen, toes locking up, really lightheaded, mind has been foggy, and arm soreness. The patient had bizarre side effects from the Covid Vaccine for 11 days now. He thought it was the smart thing to report them to Pfizer. He didn't like to give personal information. He declined to give his mailing address or his email address. He hated when asked for race, but he guessed it might be important. He did not have a mailing address, phone number, or email address handy for his physician. He went to Urgent Care yesterday to have it checked and they did an EKG and said he had to be sent by ambulance to the ER. The doctor did bloodwork, and she said everything looked alright and to rest a few more days and keep hydrated. The patient underwent the lab work and procedures which included chest X-ray with unspecified result. He thinks it was on 18May2021. His mind has been foggy with all of that. It was yesterday or the day before. He could not be sure. He has been sleeping so much and was in a complete daze. The fogginess he had the whole time as his other symptoms, and it was the same. He has been eating well and hydrating and taking a multivitamin and Gatorade, all the things' people say to do. He asked if Pfizer has heard of this before. He was panicked it might be chronic, and he worries about the safety of the second shot for him. He was sure many people haven't reacted, but these are freaky side effects. He asked for advice and if Pfizer had heard of this before or if he was some weird anomaly. On his way to get the vaccine he asked 2 people at the city health line if they had taken it and they both said no. He asked 3 other patients and they said they took the Pfizer. One woman said she will take it when they make her. The guy who gave him the shot lied and said he wasn't eligible. It might have been his way of not having to discuss it. The events resulted in doctor or other healthcare professional office/clinic visit, Emergency room/department or urgent care. The patient

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

was not diagnosed with Covid prior vaccination. The patient was tested for Covid post vaccination with Nasal Swab on 18May2021. The outcome of the events was not recovered. Device Date: 23May2021,Additional information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1367182	6/2/2021	MD	53	F	5/6/2021	5/1/2021	<p>pain all up the arm/As time passed the pain progressed up her arm. She couldn't straighten arm at all/When she lifts her arm up, it is still sore/her right arm wrist also has pain; now she also has pain in her right wrist/pain has started to increase in her left arm wrist/her right arm wrist also has pain; swelling at the injection site; left shoulder inoculation site edema/edema is minimal; left ear was burning; left eye had floater; left hand and wrist were double the size of right hand/it was so swollen it was a bite/because of the swelling. She couldn't even bend her knuckles at all; swelling in the right wrist/wrist doubled the size of right hand/it was so swollen it was a bite; entire arm where the vaccine was given was red and swollen/swelling in her left arm has increased; entire arm where the vaccine was given was red and swollen.; arm was warm; she has cried; intramuscular pain; This is a spontaneous report from a contactable consumer (patient). A 53-year-old female patient received first dose BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot Number: EW0182), intramuscular at the age of 53-year-old administered in arm left on 06May2021 10:40 at single dose for covid-19 immunisation. Medical history included chronic anemia, pulmonary embolism in both lungs (doesn't remember the years but she had 4 or 5 of them/maybe between 2016 and 2019), didn't have a bladder from Apr2020 (cystoscopy performed in Apr 2020), dehiscence of wounds, gastric bypass from Jul2007, two major blood clots in right arm from 2019 (because of infiltrated IV. One was 7mm and one was 8mm. A piece broke off of one of them within 24 hours and went into right lung), Smoker, allergy to antibiotics, slightly topical itch reaction to Morphine, cat scratch infection, had a reaction to IVP dye for kidney scan where her eyes started swelling. Concomitant medication included gabapentin (NEURONTIN) taken for left knee nerve pain from Mar2021 and ongoing. The patient previously took Doxycycline and experienced anaphylactic reaction, morphine and experienced slightly topical itch reaction. She received her first Pfizer COVID19 Vaccine on 06May2021 which was a Thursday. Everything was fine. Shot was in left arm. Wednesday, last week, which was six days later she woke up with her entire left hand and wrist doubled the size of right hand on 12May2021. A friend of hers is her in home nurse because caller has underlying health issues. They</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

thought because it was so swollen it was a bite. Caller did Benadryl and RICE treatment. As the day progressed, she had pain all up the arm on 17May2021. She had an appointment with physical therapy. They said to get to the hospital. Her nurse met her for lunch and caller's arm was warm in May2021 and her nurse said to get to the ER. They wanted to rule out a blood clot. They didn't want to admit her, but she had severe issue with her arm that day. She was given pain medication, Benadryl, and had CT scan to rule out blood clot in ER. She couldn't move her neck to the left. She was there 8 hours. While there, her left ear was burning (on 12May2021) to the point it felt someone was ripping it off. In her left eye she had floater on 12May2021, like black fuzzy lines. Everything was on the left side. She didn't hit anything in the time between receiving the injection and 6 days later. She had not done nothing out of her normal routine. It is too much of a coincidence that this is the only thing she has had in the left arm. For 2 or 3 days since last Wednesday the entire arm where the vaccine was given was red and swollen in May2021. She didn't have an immediate side effect, but 6 days later she had a great amount of side effects. She can't say it is the vaccine. She has had a flu shot every year and pneumonia shot every 5 years with no side effect. She is anaphylactic or resistant to every oral antibiotic. Even with IV antibiotics there are only certain ones that can be use, but she has to be pretreated with 50mg of IV Benadryl. She was on Doxycycline all last summer oral and IV. After 4 weeks on it she was sent home with a temp medline for IV infusion. Within 3 hours of her giving herself the next dose she had an anaphylactic reaction. Her body does not immediately react to any side effects or adverse reaction. It can be days out and it hits all of a sudden. On last Wednesday she woke up around 7AM. She felt like it woke her up because of the swelling. She couldn't even bend her knuckles at all. As time passed the pain progressed up her arm. She couldn't straighten arm at all. Everything was on that Wednesday and on the left side. She had full range of motion on the right side. The hospital said it was intramuscular and she read that could possibly be side effect. This was her first dose. Left hand and wrist were double the size of right hand: It resolved. She noticed it around 7AM as the day progressed the swelling went down a little bit. That is



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

when the arm started hurting and the swelling would come back. The swelling wasn't as significant as it was first thing in the morning. She has pictures she can provide if needed. Pain all up the arm: the pain has resolved except for the top of the arm where she received the vaccine. When she lifts her arm up, it is still sore. It wasn't sore the first 2 to 3 days or immediately following the inoculation. It is still very mildly sore. They also did an ultrasound when in the ER. At home she takes, not for this issue, Gabapentin 3 times a day. It was just filled and is in the pharmacy vial and she doesn't have NDC, lot, and expiry. Caller clarified that it is Neurontin 300mg not Gabapentin. She has been on Neurontin since Mar2021. She takes it for left knee nerve pain. For the pain meds she was given in the ER and the Benadryl she doesn't have NDC, lot, or expiry. The hospital administered 100mg of Benadryl. When they did the CT scan they did it with contrast. 40 years ago she had a reaction to IVP dye for kidney scan where her eyes started swelling. Anytime she has contrast solution she is always treated with 50mg of IV Benadryl. She has a slightly topical itch reaction to Morphine. In the ER, they gave her 40mg of IM morphine because they couldn't get a line going. She basically has no veins. They gave her 50mg of Benadryl subcutaneously in the inner area. Then before the CT with contrast, they gave her another 50mg of Benadryl. What she took at home was off brand. It is called Banophen Diphenhydramine HCl 25mg antihistamine. She took one when the reaction happened. The manufacturer is Major. NDC: 09045551-59. When providing NDC caller states, "Come on eyes." Lot number: P121325. Expiry: Aug 2022. Caller just found a sugar cookie from Panera Bread to eat. She was in (withheld) in mid October to late October. Unfortunately when she was down there with her best friend her cat scratched her and caller ended up in the hospital because of cat scratch infection. Even though they were very cautious and following all the CDC guidelines and wearing mask when she came home for 5 days she had many COVID symptoms. She went for a rapid test and it came up negative. She has been tested 15 times since last year because she has had so many surgeries. The reason she got the vaccine was with her underlying health conditions she doesn't want to die. What is interesting is her husband and son both after she

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

felt ill coming home had the same symptoms she did. She is scheduled to get her next dose 27May2021. Is that normal to be scheduled 3 weeks apart? Her greatest concern is her nurse provider is not familiar with her. Her GI doctor and orthopedic surgeon said she should be ok. She wants to receive both as recommended. Her concern with the second vaccine is if the side effects that she experienced could be dramatically worse or result in a horrible outcome. When she spoke to the physician and the nurses and the medical care team they said there are no studies or reports where the vaccine is causing blood clots and what she was experiencing was not associated with the vaccine. When she looked up the vaccine, it said that intramuscular issues could be a rare side effects. Her thought was that it wasn't reported that it hasn't happened. Could intramuscular issues be a rare side effect? Caller clarified that she does not have the Doxycycline or any other antibiotics that she is resistant to or had reaction with to provide NDC, lot, and expiry. The last time she had it was when she had the temp medline put in. She had the reaction and spoke to the infectious disease doctor only in hospital. She threw all the vials and all the bags away. She torn up the lot numbers. The actual bottles she soaked them and then flushed the labels down the toilet. She has chronic anemia. It has been brought to her attention lately that she has critically low iron saturation. Low saturation should be 18 and her iron saturation level was a three. She had the blood test on the same day of the vaccine on 06May2021. On the 7th she had iron infusion. The vaccine was given at 10:40AM. The blood work was drawn at 02:40PM. The iron infusion was at 9:30AM on 07May2021. She received one unit. Adds she previously reported she had gotten the Pfizer COVID 19 vaccine and six days later she had severe side effects. States she was encouraged by her health care professional to go to the ER to rule out a blood clot which she did and the result was negative. Adds when she had the first dose of the vaccine 06May2021, intramuscular in the left shoulder; she had no side effects or anything. Six days later her left hand was swollen to double the size of the right had. She took a 25mg Benadryl that did nothing, which she previously reported. Adds at lunch yesterday she spoke to a friend who is an in home care nurse who has taken care of her before because of her other

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

medical problems; and she encouraged the caller to do RICE treatment; rest, ice, compression and elevation for her wrists. This friend saw the hand at lunch and noticed that the caller was unable to straighten the left elbow and arm; she had great pain in the left elbow and from the hand up the arm. All of these events were previously reported. Caller mentions she is in so much pain and her symptoms are getting worse. New events reported today include the pain has started to increase in her left arm wrist; swelling in her left arm has increased. Caller mentions the physical therapist saw the edema especially on the left shoulder at the vaccination (inoculation) site on 17May2021 and said there is still swelling and she had not noticed this before. Caller clarifies later that day around 1700PM 17May2021, the caller attended a physical therapy treatment and the therapist noticed swelling at the injection site on 17May2021 which was not previously reported. Adds as the day went on yesterday, her right arm wrist also has pain; since yesterday through last night and today it has been at a 10. Adds she has cried in May2021. Mentions she feels she has limited use of her fingers that she noticed yesterday when she had the wrist pain; even picking up things or trying to chop chicken, she can't; she doesn't think she mentioned particularly the left wrist yesterday. Her main concern today is that the pain in her left wrist has increased and now she also has pain in her right wrist on 17May2021. Caller adds she put muscle rubs on; and ice. Her pain in her wrists has not responded to the Gabapentin. She applied three different topical solutions with no improvement in her pain: Generic muscle rub from store; Natureplex Ultra Strength muscle rub; NDC 67324002-01; Jul2022; Topical 5% pure lidocaine cream; Lot 20G13C1; Jul2022; OTC from the pharmacy, no box. Voltaren Gel; Dec2019; lot WN791; unable to locate NDC due to pain in her wrist. Adds the swelling on both wrists is minimal but the pain is incredible; excruciating. Just the edema is minimal; she has kept ice on it on and off; 20 minutes on and off. Adds she has never had pain like this before. Caller mention she did speak with doctor yesterday. Adds she was greatly upset when they told her after she had explained all of her symptoms, that intramuscular joint pain had been detected in May2021. The events results in Emergency Room Visit. The patient underwent lab tests included blood test: unknown results

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							on 06May2021, Iron saturation: low (Low saturation should be 18 and her iron saturation level was a three) on unknown date, CT scan (to rule out blood clot): unknown results, ultrasound: Unknown results, COVID test: negative. The outcome of event left ear was burning and left eye had floater was recovered on 12May2021, the outcome of event Swelling of wrists, Vaccination site oedema and Wrist pain was not recovered and other events was unknown.
1367379	6/2/2021	OK		M	3/23/2021	3/1/2021	runny nose; This is a spontaneous report from a contactable consumer or other non hcp. A 20-years-old male patient received BNT162B2 (: PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration on 23Mar2021 (Batch/Lot number was not reported) as a Single dose for covid-19 immunization. The patient past medical history and concomitant medications were not reported. The patient experienced runny nose 10 days but was fine after on Mar2021. However, 4 days later he woke up with an incredible ringing in my ears and a spike headache that he has never experienced that in his life. He also reported a rash under one of his eyes that later spread to the other eye, as well as insomnia. He has seen his HCP and was referred to an Audiologist, who he has visited 3 times since then. He was diagnosed with 50% loss of hearing and 10500 Hertz tinnitus, which the Audiologist mentioned is high. He was prescribed with high dose Prednisone for 7 days, but caller mentioned it did not help and had no effect whatsoever. His HCP wanted to be super cautious and recommended a brain scan this week just to make sure he didn't develop a blood clot. He has reached out to CDC and asked for medical advice, but he stated that everyone is giving him the same answers - there is not enough data. He is on the verge of suicide and said, I can't live with this for the rest of my life. I can't sleep and can't think, its driving me crazy. The event outcome was recovered on Apr2021. He is desperate for answers and even tried reporting to VAERS but there was no way to submit it. No follow-up attempts are needed; information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1367184	6/2/2021	NV	57	F	5/9/2021	5/9/2021	half of face is paralyzed; vision blurry and can't see; eyes hurt and are burning; eyes hurt and are burning; vision blurry and can't see; This is a spontaneous report from a contactable consumer (patient) reported for herself. A 57-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration, administered in Arm Left on 09May2021 (Lot Number: ER8735) as 2nd dose, single for covid-19 immunisation (reported as does not want to die) in Pharmacy. The patient medical history and concomitant medications were not reported. Patient previously received the first dose of BNT162B2 (Lot number: W0L61 or W0161) at age of 57 years old on 18Apr2021 at right arm for Covid-19 immunization. Caller state she received the first and second shot Covid. Clarified that she is referring to the Pfizer Covid vaccine. She got the shot last Sunday, a week ago. Patient experienced half of face is paralyzed: States that it is the left side or the right, she doesn't even know any more. It started the same day she got the vaccine, last Sunday 09May2021. It is getting worse. No treatment (nothing) for it. Also reported hard to read (lot number) because her eyes hurt and are burning. Caller states that she cannot see and that her eyes hurt very bad and they are burning. She cannot see and her vision is blurry (all on 09May2021). Wanted to know what to do. Outcome of the events was not recovered.
1367758	6/2/2021	IA	39	F	3/25/2021	3/28/2021	Vomiting, Diarrhea, headache & fever, intense back and leg pain, double vision and vertigo, symptoms such as Guillian-Barr

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1367232	6/2/2021	AZ	78	F	3/18/2021		<p>Tooth reinfected between the two doses; Fever and chills; Fever and chills; This is a spontaneous report received from a contactable consumer (Patient). A 79-year-old female patient of an unspecified age received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; formulation solution for injection; Lot number: ER2613), via an unspecified route of administration on 18Mar2021 (at the age of 78-year-old), as single for Covid-19 immunization. Medical history included thyroid cancer from 1979 to an unknown date, osteoporosis, back surgery, car accident prior to the pandemic, broken wrist and nerve damage, head and neck cancer, stroke, Brain tumor (inactive), vestibular issues, corneal transplants (two), tooth infection/ like slow infection from 2018 to an unknown date; she was visually disabled; her root canal that got infected and her thyroid was removed surgically, both from 2018 to an unknown date. The previously took bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; formulation solution for injection; Lot number: EN6202), via an unspecified route of administration in Arm left on 25Feb2021 (at the age of 78-year-old), as single for Covid-19 immunization and Shingrex vaccine with horrible reaction. The patient's concomitant medication included levothyroxine (LEVOTHYROXINE) taken for thyroid hormone replacement therapy and zoledronic acid (RECLAST) infusion one time in a year, taken for osteoporosis. On an unspecified date, after the second dose the patient experienced tooth reinfected between the two doses, fever, and chills. She stated that she went to a site where vaccines were being administered by nurses and mentioned that she was diagnosed with cancer there in 1979. When she got the first dose of the vaccine, she had to fill out a health history form, had to talk to a nurse about it, then she got a shot while at the second time around it was different because the nurses leaned in the back window to talk to her and gave her the shot, and she did not have to fill out a form during second shot. The nurses told her that her vaccine would only be 40% effective because of her cancer history as her PSH scores showed that she had a weakened immune system. she was a thyroid cancer patient survivor as her thyroid was removed surgically and was on hormone replacements for that, prior to the vaccines. They also tested her TSH scores. She has not had chemo but a</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

month before the pandemic the doctor started doing labs to track her PSH levels and was going to change her thyroid hormone doses. She took a thyroid hormone replacement, levothyroxine. She stated sometimes if the dose was wrong, got heart palpitations. She stated she used to be on 112 mcg and now was on 75 mcg. She was hoping that doctor knew about endocrinology and had figured out why her hormone replacement was not as effective as it should be. They checked her labs but had not called and said that she had a better immune system. They kept pushing her procedures further and further without diagnosing her. They tested her for covid antibodies, but she tested negative. She had stoke, brain tumour that was inactive, vestibular issues, two corneal transplants, and she was blind. Additionally, she had a horrible reaction to the Shingrex vaccine in the past and mentioned that she got vaccines for everything as she was trying to live to be 90 years old. she was also on Reclast infusion one time a year for osteoporosis and wanted to know if that could affect the vaccine, she was recovering from back surgery, was in a car accident prior to the pandemic, she typically would get shots in her weaker arm as she had a broken wrist and nerve damage, prior to the vaccines; she was visually disabled, since before vaccines; she was a head and neck cancer, and stroke, prior to vaccines. She had a root canal that got infected in 2018 and it was like a slow infection, started prior to the vaccine which was reinfected between the two doses, had fever and chills. She thought it was a reaction to the second dose then realized it was the infection in her mouth. Hence, she saw her dentist. The outcome of the events was unknown. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1367406	6/2/2021	FL	55	F	5/3/2021	5/4/2021	<p>it is freaking burning; open wound; Soreness; Little blister; She stated her whole body was shaking; Skin falling off/It got like an open area besides my pinky on the left side of my face next to my left eye; Exhausted; I had diarrhea.; I had headaches/It has caused a extreme headache.; Shingles in my eyeball/stated her shingles were coming out. She felt like the Shingles were coming through her shoulder blade and 6 days after the shot her shingles were coming out of her left eye.; I have been getting chills since shot two.; This is a spontaneous report from a contactable consumer. This 55-year-old female consumer (patient) reported that. A 55-years-old female patient received second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Solution for injection), via an unspecified route of administration, administered in Arm Left on 03May2021 13:52 (Batch/Lot Number: ER8730) as 2ND DOSE, SINGLE for covid-19 immunisation. Medical history included shingles, ongoing asthma and breathing. Concomitant medications included budesonide, formoterol fumarate (SYMBICORT) taken for dyspnoea, fluticasone propionate, salmeterol xinafoate (ADVAIR) taken for dyspnoea. The patient previously took first dose of bnt162b2, administered in left shoulder on 12Apr2021 (Lot number: Lot number: EN6208) for covid-19 immunisation and also took breo and experienced shingles. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient reported that she took Valacyclovir which is like Valtrex because of shingles coming out my eyes and took a painkiller it's a naproxen painkiller for headache during the day since may 4th. She also took Symbicort and Advair for like top of the years now because of my breathing. Dose of Valtrex was stated by the consumer as 1000 mg (Not confirm hence not captured). The patient reported Last night, I had diarrhea and I woke in a little while with chills and this morning I woke up with more of my, more of the skin fell of my face and the worst thing is like that. She stated she felt soreness, a little bit of a headache coming and her shingles were coming out. She felt like the Shingles were coming through her shoulder blade, 6 days after the shot her shingles were coming out of her left eye and went on for two weeks, she thought it was gone and then they came back. She stated that she was looking at on her skin; it was falling</p>



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

off and it was freaking burning. She has an open area the size of her pinky for 3 days now. She reported that her skin is coming off her her left side of her face, clarified right next to her left eye. Diarrhea started 04May2021 and it comes and goes. She also mentioned she woke up with chills last night. She clarified the chills came on shortly after the shot on 04May2021 and went away. She stated her whole body was shaking and she did not had chills like this since she can remember. She was an hour and half late for work because she was so exhausted A section of skin fell off her face. Caller mentioned the shingles in her back were coming out on 04May2021. She took Valtrex she had leftover from before. She stated she had shingles in her eye ever since she took the product called BREO. Sunday, 6 days after she received the second shot, she felt the shingles coming out of her left eye. She went to see her doctor because she was out of Valtrex and he gave her more Valtrex to take. The vaccine pushed the shingles out and made it open up, initially on her back the day she got the second shot. The skin falling off her face started 22May2021. She developed a little blister that fell off. Yesterday the skin also came off. This morning another section of her skin came off. She clarifies there was another bubble that was attached to her skin. The area of her face was an open wound. She took Naproxen to control her headache, at night occasionally she took a nerve block and Singulair and Advair for a couple of years depending on her asthma and allergies. Therapeutic measures were taken as a result of i had headaches/it has caused a extreme headache and Shingles in my eyeball/stated her shingles were coming out. She felt like the Shingles were coming through her shoulder blade and 6 days after the shot her shingles were coming out of her left eye. The outcome for the event diarrhoea, skin falling off/it got like an open area besides my pinky on the left side of my face next to my left eye, it is freaking burning, open wound, soreness, little blister and she stated her whole body was shaking was unknown, for the events i had headaches/it has caused a extreme headache, shingles in my eyeball/stated her shingles were coming out. she felt like the shingles were coming through her shoulder blade and 6 days after the shot her shingles were coming out of her left eye, i have been getting chills since shot two and exhausted outcome was not resolved. No further details

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							provided or obtained. Information on Lot/Batch number was available. Additional information has been requested.
1367439	6/2/2021	CA	39	M	5/21/2021	5/21/2021	This is a spontaneous report from a contactable consumer (Patient himself). A 39-year-old male consumer received bnt162b2 (BNT162B2, COVID-19 VACCINE; formulation: Solution for injection, Lot number: unknown, Expiration date: unknown) via an unspecified route of administration on Friday, 21May 2021 (at the age of 39-years-old) as Unknown dose, single dose for covid-19 immunisation. The patient medical history and concomitant medications was not reported. On the day of vaccination, he felt a slight numbness of the face, on the right side, above the eyebrow and the outside corner of eye and ending up in the jaw, he was let it go at that time when he leaving the vaccination center, But these days he felt that tingling or numbness again. Also felt tingling in hand. Patient was asked whether any reports on this. Events were considered as non serious. The outcome of the both events was reported as not recovered. Information about lot/batch number has been requested.
1367453	6/2/2021			M	2/16/2021		fatigue; brain fog; depressed; anxious; double vision; dizziness; This is a spontaneous report from a contactable Nurse (mother) reported for her son. A 46-years-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, formulation solution for injection, lot Number unknown, expiration date unknown), 1st dose, via an unspecified route of administration on 16Feb2021 as single dose for covid-19 immunisation. The patient medical history and concomitant medications were not reported. Caller which was a mother of patient was inquiring about the side effects which had been experienced by her 46-year-old son since receiving the first dose of the vaccine. She stated that 1-2 weeks after the first dose patient began having fatigue and brain fog. Gradually since then he has become depressed and anxious. She also mentions double vision and dizziness. Caller has questions regarding if these side effects have been reported. Patient inquired about the best way patient can stay updated on the vaccine as new information comes out. The outcome of all the events was unknown. Information on the lot/batch number has been requested.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1367533	6/2/2021	VA		M			<p>GENERALIZED DISTRIBUTION (50% BODY SURFACE AREA) OF ERYTHEMATOUS PLAQUES, RASH SPARED THE FACE, GENITALS, MUCOSA; NON-FOLICULAR PUSTULES; ACRAL SWELLING; ELEVATED WHITE BLOOD CELL COUNT; ABSOLUTE NEUTROPHILIA; ELEVATED EOSINOPHIL COUNT; CREATININE ELEVATED; IPSILATERAL ARM DISCOMFORT INCLUDING AXILLA; This spontaneous report was received from literature. This report concerned a 74 year old male. The patient's height, and weight were not reported. The patient's concurrent conditions included vision loss of left eye, neurogenic bladder, obstructive sleep apnea, sulfa drug allergy, adrenal insufficiency, panhypopituitarism, and past history included craniopharyngioma resection, and other pre-existing medical conditions included no recent illness, no prior vaccination-related reaction. The patient experienced drug allergy when treated with amoxicillin, and clavulanic acid. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: UNKNOWN expiry :unknown) dose, start therapy date were not reported total 1 dose is administered for prophylactic vaccination. The batch number was not reported. Per procedure, no follow-up will be requested for this case. Concomitant medications included prednisone for adrenal insufficiency. On an unspecified date, the subject experienced generalized distribution (50% body surface area) of erythematous plaques, rash spared the face, genitals, mucosa, non-follicular pustules, ipsilateral arm discomfort including axilla, acral swelling, elevated white blood cell count, absolute neutrophilia, elevated eosinophil count, and creatinine elevated, and was hospitalized (date unspecified). Laboratory data (dates unspecified) included: Biopsy (NR: not provided) Epidermal spongiosis with focal, Direct immunofluorescence (NR: not provided) negative, Eosinophil count (NR: not provided) 1.6 10<sup>9</sup>/L, Neutrophil count (NR: not provided) 92.10 %, Physical examination (NR: not provided) 50% body surface area of erythematous plaques, and White blood cells (NR: 3.7 - 9.7) 19.7 10<sup>9</sup>/L, Creatinine (NR: not provided) 1.06 mg/dL. Treatment medications (dates unspecified) included: prednisone. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from generalized distribution</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							(50% body surface area) of erythematous plaques, rash spared the face, genitals, mucosa, and non-follicular pustules, ipsilateral arm discomfort including axilla, acral swelling, elevated white blood cell count, absolute neutrophilia, elevated eosinophil count, and creatinine elevated. This report was serious (Hospitalization Caused / Prolonged).; Sender's Comments: V0: 20210556006- covid-19 vaccine ad26.cov2.s-generalized distribution (50% body surface area) of erythematous plaques, rash spared the face, genitals, and mucosa, non-follicular pustules, Acral swelling, elevated white blood cell count, absolute neutrophilia, elevated eosinophil count, creatinine elevated, ipsilateral arm discomfort, including the axilla. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).
1367541	6/2/2021	PA	60	F	5/28/2021	5/29/2021	Specific sign was of sudden increase in secretions (from eyes, nose, or mouth); allergies ?acting up,? or a cold; feeling tired. changes in breathing, with exercises
1367835	6/2/2021	NY	49	M	4/5/2021	4/25/2021	I developed Bell's Palsy, paralysis on my left side of my face. This occur 3 weeks after I receive my first dose of the Pfizer vaccine. I could not close my left eye, inability of smile, drooling, facial distortion, difficulties in eating.
1367741	6/2/2021	CA	40	M	5/5/2021	5/28/2021	pt had redness in left eye. He had a small bump in his eyebrow and more redness around his nose. The redness was spreading on his face. On 6/1/21 he went to PCP. He was diagnosed with Herpes Zoster. He was prescribed Valtrex. He says the headaches are getting worse and has deep internal face pain so he called doctor and will have a FU phone appt on 6/2/21.
1367781	6/2/2021	VA	54	F	5/17/2021	5/28/2021	Vision in right eye became very very blurry, not matter what I did. woke up the next day not being able to see anything in that eye, except blurry lights. The day I received the vaccine my feet developed pins needles and numbness with pain and it comes and goes. It spreads to my hands and arms. I have been very itchy as well, covered in hives.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1367802	6/2/2021	TX	27	F	1/29/2021	4/9/2021	Bells Palsy on right side of face, loss of taste on right side of tongue, inability to move right side of mouth, paralysis of right side of face from forehead to chin. Inability to close eyes, move lips raise brow, tinnitus right ear.
1367813	6/2/2021	CA	50	F	6/1/2021	6/1/2021	Pt experienced R eye twitch. BP 144/90; HR 80; RR 18. Pt was stable & released from vaccination site
1367827	6/2/2021	PA	54	M	6/1/2021	6/1/2021	At 12-00pm the pharmacist gave patient a J & J Covid Vaccine. He asked him to sit down for 15 minutes. At approximately 12-10PM Patient yelled for assistance. At the time the pharmacist ran over to the chair. Patient said that he was going to pass out. His eyes rolled back and it seemed like a seizure, at that point he began to pass out. The pharmacist assisted him to the floor. He was unresponsive on the floor for 10 seconds. After 10 seconds he regained consciousness. He said he felt fine. We called the ambulance. They came 15 minutes later. The pharmacist did his vitals pulse: 60 respirations:16 blood pressure 115/70. At that time the ambulance came and assisted him to the hospital.
1367838	6/2/2021	MA	47	F	6/1/2021	6/1/2021	Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Mild, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild, Systemic: Pt stated her tongue felt funny a little tingly-Mild, Additional Details: Pt refused 911. stated her tongue felt a little numb and "funny." but not swollen just different feeling

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1367173	6/2/2021	CA	57	F	5/12/2021	5/1/2021	she sees something like she's blind; her eyes feel like she put some lemon inside her eyes; pain in her eyes after the second dose; headache/painful in her head; can't take her arms in one position, she has to move around; pain in her arms is getting worse; pain in her ears; pain all over her body; muscle pain; lost her appetite; tired in the beginning, sleeping all day; tired in the beginning, sleeping all day; right side of her head, neck, back, all her arm tingles on her right; worsened when she received her second dose; right-sided back/neck/shoulder pain; right-sided back/neck/shoulder pain; right-sided back/neck/shoulder pain; This is a spontaneous report from a contactable consumer (patient). A 57-years-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration, administered in arm left on 12May2021 (Batch/Lot Number: EW0164) as single dose for COVID-19 immunization. The patient medical history was none. Concomitant medications included colecalciferol (VITAMIN D 3); zinc; ascorbic acid (VITAMIN C ACID); ascorbic acid/ergocalciferol/nicotinamide/retinol palmitate/riboflavin/thiamine mononitrate (MULTIVITAMIN 6) from an unspecified date and ongoing (been taking them her whole life). The patient previously received BNT162B2, dose 1 administered in arm left (injection) on 05Apr2021 (Batch/Lot Number: EW0158) for COVID-19 immunization and experienced painful, tired, headache, sleep all day because she wasn't sleeping good, hard for her to look back to the right side, arm was getting painful on her shoulder/back, numb and pain came on more strong in back. The patient experienced saw something like she's blind on 15May2021 with outcome of not recovered; her eyes feel like she put some lemon inside her eyes on 15May2021 with outcome of not recovered; pain in her eyes after the second dose on an unspecified date in May2021 with outcome of unknown; headache/painful in her head on an unspecified date in May2021 with outcome of not recovered; couldn't take her arms in one position, she has to move around on an unspecified date in May2021 with outcome of not recovered; pain in her arms was getting worse on an unspecified date in May2021 with outcome of not recovered; pain in her ears on an unspecified date in May2021 with outcome of not

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

recovered; pain all over her body on an unspecified date in May2021 with outcome of not recovered; muscle pain on an unspecified date in May2021 with outcome of unknown; lost her appetite on an unspecified date in May2021 with outcome of unknown; tired in the beginning, sleeping all day on an unspecified date in May2021 with outcome of not recovered; right side of her head, neck, back, all her arm tingles on her right on an unspecified date in May2021 with outcome of unknown, right-sided back/neck/shoulder pain on an unspecified date in May2021 with outcome of unknown, all reported as worsened. Clinical course reported as follow: Patient was calling to ask if taking ibuprofen (ADVIL) or naproxen sodium (ALEVE) to treat side effects was better than taking paracetamol (TYLENOL), which was what she has been taking. Patient received her first dose of the Pfizer BioNTech COVID-19 vaccine and experienced side effects that were worse after receiving the second dose. Patient reported pain in her eyes after the second dose. Patient was very concerned about the shot she has gotten. She was in such painful. She stated the whole right side of her head, neck, her back and all her arm tingles on her right. She stated the one she got, the second one, it made her have a headache. When she got the second shot, her arm, she couldn't take her arms in one position, like when she's driving, she has to move around or something. Patient stated but something she's really concerned about was about three days ago, after she take that shot, she had such a headache, the pain in her arms was getting worse. She felt a pain in her ears, its painful/sound in her ear and stated they were painful, not all day, but sometimes, but it was getting really strong. The most concern was her eyes, when she has such a headache, it's like needles in her head, and her eyes were feeling like she put some lemon inside her eyes (11:00 in the morning), it really hurts. She closed her eyes because she couldn't leave it open. When she opens her eyes, she saw something like she's blind and was really concerned, the first time it started was Saturday, 15May2021. Yesterday and Sunday, it happened three times, today two times already. It was ongoing, persisting, and was happening more often. It's getting worse since yesterday. Patient already talked to the doctor in the hospital, but they gave her prescriptions because they said for the pain all over her body that it

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							was the symptoms for the shot, so they gave her prescription for the muscle pain and they said it was gonna be gone like a couple of days, and it was still there for more than two weeks, so it was too much. Patient stated another thing that concerns her was she has lost her appetite. She still took her vitamins, but she didn't know what the pain was from. Patient confirmed all symptoms have gotten worse since they began. Patient then decided she would like to be transferred to facility because she has pain now and would like to speak to someone. Patient reported of right-sided back/neck/shoulder/arm pain that began after her first Pfizer COVID vaccine and worsened when she received her second dose. Patient stated the doctor sent her some medicine, like anti-inflammatory and muscle pain relievers, but it didn't help. No family medical history relevant to AEs. No relevant tests. AEs did not require a visit to emergency room and physician office, just talked to physician on the phone. Follow-up attempts are needed. Information about lot/batch number is available.
1367840	6/2/2021		87	F	2/20/2021	4/17/2021	death vision loss Acute cerebrovascular accident acute hyponatremia
1367721	6/2/2021	OH	37	M	3/23/2021	5/2/2021	Shingles outbreak on left side of face/ head beginning ~ 5 weeks after Janssen Covid vaccine (fever, inflammation, blisters, rash, swelling, nerve pain, headache, ocular complications)



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1366973	6/2/2021	DE	60	F	1/8/2021	1/8/2021	<p>First covid vaccine 21Dec2020 Had second shot 08Jan2021; Rash in groin / lower abdomen; This is a spontaneous report from a contactable physician. This Physician reported for a 60-year-old female patient in response to HCP letter sent in cross reference case. A 60 year old female patient received second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Formulation: Solution for injection, Lot number: EH0899, Exp. Date: 31Mar2021, NDC: 59267-1000-01), via intramuscular in left arm on 08Jan2021 at 10:29 at a dose of 0.3 ml as a single dose for COVID-19 immunization. The patient had no history of allergies to vaccines or injectables. The patient did not receive any recent vaccines for any other conditions prior to the event. The patient did not receive any recent vaccines for SARS-CoV2 other than Pfizer-BioNTech COVID-19 Vaccine prior to the event. The patient did not receive any other vaccines around the time of Pfizer-BioNTech COVID-19 Vaccine. The patient's BMI was 26 to 99. The patient had no AE's prior vaccination. The patient's medical history and concomitant medication refer the case 2020512502. Previously, the patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Formulation: Solution for injection, Lot number: EL1284, Exp. Date: 30Apr2021, NDC: 59267-1000-01), via intramuscular in left arm on 21Dec2020 at 12:52 at a dose of 0.3 ml as a single dose for COVID-19 immunization. After the second dose of vaccination in less than six hours, the patient had no new areas of rash irruption but had new rash at groin, went to her R sternal border and under her breasts, worked its way up to lower abdomen over a few days. A week later occurred on a couple of places on my right chest, sacral area, and nape of neck. The rash was extremely pruritic, red, raised and took another shot prednisone taper and took Benadryl. The patient did not undergo laboratory test. No other symptoms were present. The patient was letting know this in case anyone else has had this issue, that the vaccine can cause a rash. The patient was not sure if this was a side effect or an allergy but if a yearly vaccine was needed, the patient did not think the patient should get the Pfizer vaccine. The patient did not hospitalized and admitted to an intensive care unit (ICU). The patient felt well and declined exam or further medication. No further action was required, and patient was explained that it</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							was difficult to say what the rash was due to but this was not a contraindication to further COVID vaccines and rash may not be vaccine related. The predisposing factors were cestice history and multiple medications. Culture was not performed. The patient did not use any antipyretic. The patient had not experienced any anaphylactic reaction and just a rash 24hrs after both COVID vaccine doses. The patient had no multiorgan involvement, dermatological/mucosal, generalized urticaria (hives), generalized erythema, angioedema (not hereditary), generalized pruritus without skin rash, generalized prickle sensation, localized injection site urticaria, red and itchy eyes, gastrointestinal. Outcome of the event rash in groin / lower abdomen was recovered and other event was unknown. Follow-up (14MAY2021): Follow-up attempts completed. No further information expected.
1366590	6/2/2021	CA	53	F	5/30/2021	5/31/2021	Right ear pain, shooting/stabbing, around 8:40 pm May 31. Woke from sleep around 4 am June 1, severe pain right ear. Walked around 5:20 am, pain outside and top of left foot. Right side ear pain continued through morning, as did foot pain. Foot pain eased around 10 am. Scalp on right side hurt too much to brush hair. Eye pain/discomfort started before noon. Felt like bruise and burning, especially bottom lid and inside half of eye. Went to ER around 2. Ear pain had lessened, only jolts of pain, certain facial expressions exacerbated pain. Eye discomfort more prominent. Scalp most painful right side, rear half.
1367895	6/2/2021	OR	16	F	6/1/2021	6/1/2021	Systemic: Allergic: Difficulty Breathing-Mild, Systemic: Chills-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: blurry vision-Mild, Systemic: Shakiness-Mild, Systemic: Weakness-Mild, Additional Details: Patient reported leg weakness and blurred vision and dizziness/slight difficulty breathing upon getting ready to leave observation area. Said she hadn't eaten in a while and felt cold due to A/C in the store as well. BP was low and HR high, so called 911 to get her emergency help as she didn't feel like she could walk out of store safely. Felt strange and that her legs might give way. EMS arrived, vitals looked good, pt refused ambulance.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1366556	6/2/2021		21	M	5/21/2021	5/21/2021	c/o no appetite,nausea,fatigue, weak, cold sweat, epigstric pain, redness on both eyes with visual change sicne 21May2021(s/p J&J Vaccination).
1366564	6/2/2021	AZ	46	F	5/13/2021	5/14/2021	Initially no symptoms, however the next day I had a terrible headache and warped vision. On day 2, I felt sluggish in the morning and by the afternoon I was nauseous and had a fever. The fever continued for several days from 99.5 to 102.9. On day 3, I began vomiting and was unable to keep down water. On day 4, I reported to the ER where I was treated for dehydration. The ER department also ran extensive lab and it showed I had high liver enzymes. They did a sonogram to check my gall bladder and determined my liver was enlarged. My temperature was 98.5 upon leaving the ER. After leaving the hospital, I began having diarrhea. At this point, I had not eaten for almost 2 days. I went on a liquid only diet to help keep hydrated and stop the diarrhea. On day 5, I woke up with very red and hot hands and feet. They were painful to the touch. Also on this day, my fever returned to 100.2 and began fluctuating until the evening of day 6. The diarrhea continued on day 6, probably because of the medicine at the hospital for acid reflux and indigestion. They hydrated me with 2.5 IV bags in less than 9 hours. On day 7, I had my first 'real' meal and notice the redness and pain were replaced with a measles like rash on my hands. Which caused constipation. On day 6 and the 2 days following, I didn't have a fever, my hands and feet had returned to normal, but itched, and I didn't have many symptoms, but felt very sluggish and fatigued. On 5/29/2021, more than 2 weeks after the 2nd shot, I noticed blisters on my fingers. I have made no changes to any health and beauty products or done any work to cause this. The blistering has continued today, 6/1/2021. I'm also having reactions to food I could once eat so it seems I've developed food allergies. I don't know what is causing stomach pain and nausea eating foods I've never had a problem with. I'm also still feeling very fatigued. I have to take frequent breaks when completing simple tasks.
1366570	6/2/2021	CA	68	M	2/27/2021	5/29/2021	eyesight improved both eyes 0.25 diopters

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1366572	6/2/2021	MO	48	F	4/8/2021	4/13/2021	2 events : 1st-4/15- Hives on both arms. Just watched them and kept an eye on them and used Benadryl and anti-itch cream, postponed allergy shots from Friday 4-16 until Monday 4/19. Hives went away in the next day or two. 2nd event-Lower right back pain achy off and on and eventually wrapping around to the right side. Went to urgent care on 4/29. They did a CT with contrast and found a large kidney stone that I would not be able to pass without surgery, referred to neurologist. Saw neurologist on 5/3, kidney X-ray confirmed an 18 mm kidney stone in my right renal pelvis. Scheduled lithotripsy with stent placement on 5/10. Had that done on 5/10. Had follow up kidney X-ray and stent removed on 5/17. Then on 5/24 another follow up kidney X-ray. Results weren't easy to see due to gaseous distention but he thought I had passed most of the larger particles. Will see him in 6 months. May see him sooner because I'm still experiencing achy pain in the same areas off and on that same side.
1366577	6/2/2021	IL	14	F	6/1/2021	6/1/2021	Patient felt dizzy immediately after the shot was given. She said she was going to pass out, and did for about 10 seconds. She was sitting up in a chair during this time, with her mom holding her up. She came to, the about 20 seconds later, she passed out again for another 10 seconds. She came to, and was given some water to drink, but 20 seconds after that she threw up the water. I took her blood pressure, and it was 60/40, with a pulse of 60. She was very pale. After resting in the chair and taking deep breaths, her color returned and she felt much better. she also said her vision wasn't blurry anymore. Ten minutes later, she left with her mom, feeling ok. She was very anxious about getting the shot, and told me she had passed out in the pass after giving blood.
1366597	6/2/2021	FL	63	F	4/29/2021	6/2/2021	No taste, no smell, fatigue, dry eyes, no saliva, extra dry skin, sore joints and muscles. Immune system attacking

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1366825	6/2/2021	PA		F	5/24/2021		<p>BLOOD VESSEL BURST IN RIGHT EYE; PAIN IN ARM; This spontaneous report received from a patient concerned a 67 year old female. The patient's height, and weight were not reported. The patient's pre-existing medical conditions included no known allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 205A21A expiry: unknown) frequency 1 total, dose was not reported, administered at left arm on 24-MAY-2021 for prophylactic vaccination. No concomitant medications were reported. On 24-MAY-2021, Patient's arm was also sore after getting the vaccine and resolved within a few days. On 31-MAY-2021, the patient looked in the mirror and noticed one of the blood vessels in the right eye had burst. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from pain in arm on MAY-2021, and the outcome of blood vessel burst in right eye was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210600178- covid-19 vaccine ad26.cov2.s- blood vessels burst in the right eye. This event is considered unassessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event.</p>

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1366833	6/2/2021	IL	64	M	5/15/2021		DISCONNECTED RETNA; This spontaneous report received from a patient concerned a 64-year-old male. The patient's height, and weight were not reported. No past medical history or concurrent conditions were reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 201A21A expiry: unknown) dose was not reported, 1 total administered on 14-MAY-2021 for prophylactic vaccination to left arm. No concomitant medications were reported. On 15-MAY-2021, the patient started to experience intermittent flashing lights on his right eye, followed by a black line that goes across his right eye when his eyes are closed. Patient also experienced a "black curtain" effect. After a week of symptoms, the patient visited his MD and was diagnosed with a 'Disconnected Retna'. The patient had surgery for his right eye as per diagnosis on Tuesday, 25-MAY-2021. Patient was doing well so far with slight discomfort but no pain. Patient was going to see his ophthalmologist on 01-JUN-2021 for his post-op follow-up. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from Disconnected Retna. This report was Serious (Other Medically Important Condition).; Sender's Comments: V0: 20210558759-covid-19 vaccine ad26.cov2.s-Disconnected Retna.. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1366850	6/2/2021	TX	63	F	3/12/2021		Brain swelling due to vaccine; headache which is making her teeth and bones hurt; headache which is making her teeth and bones hurt; arm has been hurting and difficult to move; Shaking; Eyes were not tracking or working together. The right eye would move to the center; Jumbled eyesight/ Vision blurred and perspective is wrong; Eyesight very sensitive to light and sound; Pressure; really really bad headache/Extreme head pain; sometime has chills; Fatigue; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of BRAIN OEDEMA (Brain swelling due to vaccine) in a 63-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 039A21A and 029A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Hypothyroidism. Concomitant products included LEVOTHYROXINE SODIUM (SYNTHROID) and FLUOXETINE HYDROCHLORIDE (FLUXOTINE) for an unknown indication. On 12-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 09-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient experienced BRAIN OEDEMA (Brain swelling due to vaccine) (seriousness criterion medically significant), TOOTHACHE (headache which is making her teeth and bones hurt), BONE PAIN (headache which is making her teeth and bones hurt), HYPOKINESIA (arm has been hurting and difficult to move), TREMOR (Shaking), BINOCULAR EYE MOVEMENT DISORDER (Eyes were not tracking or working together. The right eye would move to the center), VISION BLURRED (Jumbled eyesight/ Vision blurred and perspective is wrong), PHOTOPHOBIA (Eyesight very sensitive to light and sound), HEAD DISCOMFORT (Pressure), HEADACHE (really really bad headache/Extreme head pain), CHILLS (sometime has chills) and FATIGUE (Fatigue). At the time of the report, BRAIN OEDEMA (Brain swelling due to vaccine), TOOTHACHE (headache which is making her teeth and bones hurt), BONE PAIN (headache which is making her teeth and bones hurt), HYPOKINESIA (arm has been hurting and difficult to move), TREMOR

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							(Shaking), BINOCULAR EYE MOVEMENT DISORDER (Eyes were not tracking or working together. The right eye would move to the center), VISION BLURRED (Jumbled eyesight/ Vision blurred and perspective is wrong), PHOTOPHOBIA (Eyesight very sensitive to light and sound), HEAD DISCOMFORT (Pressure), HEADACHE (really really bad headache/Extreme head pain), CHILLS (sometime has chills) and FATIGUE (Fatigue) had not resolved. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): In 2021, Computerised tomogram: inconclusive (Inconclusive) Inconclusive. In 2021, Magnetic resonance imaging: inconclusive (Inconclusive) Inconclusive. Patient reported that even pain medicines that she took for treatment did not help her. Reporter did not allow further contact. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Reporter did not allow further contact. Most recent FOLLOW-UP information incorporated above includes: On 17-May-2021: New event added from TCR form On 19-May-2021: Case upgraded to serious; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.
1366854	6/2/2021	CA	17	M	6/1/2021	6/1/2021	Patient felt lightheaded, dizzy, popping and ringing in ears, blurred vision, and fainted for a few seconds. This occurred about 5-10 min following vaccination. Most likely a vasovagal syncope reaction. No history of allergic reactions nor syncope. After laying patient down and elevating his legs, he felt much better. Patient remained in this position for about 15 minutes. He then sat up, ate a snack, and drank water and was observed for an additional 15 minutes. Vitals were within normal range. Patient stated feeling "normal" and "fine" after this and he was able to go home without additional issues.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1366869	6/2/2021	IL	40	F	12/23/2020		<p>Blurred vision; Fast heart rate; Tingling; numbness of skin especially limbs and face; Muscle weakness; 2nd dose not taken; Sore arm; This spontaneous case was reported by a non-health professional (subsequently medically confirmed) and describes the occurrence of HEART RATE INCREASED (Fast heart rate), PARAESTHESIA (Tingling), HYPOAESTHESIA (numbness of skin especially limbs and face), MUSCULAR WEAKNESS (Muscle weakness) and VISION BLURRED (Blurred vision) in a 40-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 23-Dec-2020, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, the patient experienced HEART RATE INCREASED (Fast heart rate) (seriousness criterion hospitalization), PARAESTHESIA (Tingling) (seriousness criterion hospitalization), HYPOAESTHESIA (numbness of skin especially limbs and face) (seriousness criterion hospitalization), MUSCULAR WEAKNESS (Muscle weakness) (seriousness criterion hospitalization), VISION BLURRED (Blurred vision) (seriousness criterion hospitalization), INTENTIONAL PRODUCT USE ISSUE (2nd dose not taken) and MYALGIA (Sore arm). The patient was hospitalized from 08-Jan-2021 to 09-Jan-2021 due to HEART RATE INCREASED, HYPOAESTHESIA, MUSCULAR WEAKNESS and PARAESTHESIA. At the time of the report, HEART RATE INCREASED (Fast heart rate), PARAESTHESIA (Tingling), HYPOAESTHESIA (numbness of skin especially limbs and face), MUSCULAR WEAKNESS (Muscle weakness), VISION BLURRED (Blurred vision), INTENTIONAL PRODUCT USE ISSUE (2nd dose not taken) and MYALGIA (Sore arm) had resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Concomitant medication information, if any, was not provided by the reporter. Treatment information for the events included metoprolol (unknown dose/directions) and acupuncture treatment to get the nerve sensation back. On 05 Jan 2021, the patient went to an emergency room due to the events. On 08 Jan 2021, the patient went back to the</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1366557	6/2/2021	FL	65	M	5/17/2021	5/17/2021	<p>hospital and was admitted. Blood work and a stress test were performed. Results of these tests were not provided. Company comment: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.</p> <p>Left eye is losing vision rapidly. No pain. Eyesight very fuzzy</p>

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1367081	6/2/2021	ME	74	F			<p>headache; tired; sore arm; This is a spontaneous report from a contactable consumer (patient, self-reported). A 74-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTEC COVID-19 mRNA VACCINE, Solution for injection, lot number: EN6203 and expiry date: Jun2021), via an unspecified route of administration, on an unknown date, as a single dose for COVID-19 immunization at hospital. The patient received first dose of BNT162B2 (PFIZER-BIONTEC COVID-19 mRNA VACCINE, Solution for injection, lot number: EL9261 and expiry date: May2021), via an unspecified route of administration, in Arm Right, on an unknown date at 11:00 AM, as a single dose for COVID-19 immunization at hospital and had pain in esophagus, tightness in throat and joint pain, headache, and tired. The patient received first vaccine at 11 AM, left hospital and picked up lunch and came home. After eating meat ball sandwich soon after her throat was tight and painful. The patient's medical history included oral Lichen planus, chronic dry eyes for long time, and extreme dry mouth. The patient mentioned that she had a difficult intubation, unable to swallow large pills and had EpiPen (for Peanut intolerance). Concomitant medications were not reported. The patient was treated by oral Surgeon and biopsy was done on 13Nov2020 of inside of cheeks, sores on tongue, salivary gland, and lip which resulted in not being Sjogrens, oral lichen planus. The patient reported some mild symptoms like Sjogrens disease, joint pain (took Ex strength Tylenol), and throat felt like it was closing which lasted- 3 to 4 hours (no treatment received). Second vaccine side effects were mild in comparison to first headache, sore arm, tired. On an unknown date, after unspecified time, the patient experienced headache (seriousness: hospitalization), tired (seriousness: hospitalization) and sore arm. The patient received Tylenol for headache and no treatment was received for tiredness. The outcome of events was unknown. No follow-up attempts are needed. No further information is expected.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1367157	6/2/2021	FL		F		4/1/2021	skin blisters; skin peels; eyes are puffy; recurring rash on the cheeks and forehead/cheeks and forehead, get red; This is a spontaneous report received from a contactable consumer (patient). A 62-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), first single dose at the end of Mar2021 and second single dose on an unspecified date, both via an unspecified route of administration (Batch/Lot number was not reported) for covid-19 immunisation. The patient medical history and concomitant medications were not reported. Caller reported that about 10 days after she got the first vaccine, she got a recurring rash on the cheeks and forehead, around the second week of April, which comes and goes, and when it comes back, her skin blisters and peels. Caller states it may not be a coincidence, and it started after the first vaccine. Caller states it has continued after the second vaccine. Caller reports that when she gets this rash, her eyes get puffy, and her cheeks and forehead, get red. Caller states the rash goes away and comes back again. Caller states she has ruled out, other causes, like soap, shampoo, makeup and food. Caller states her sister told her it looks like a Lupus butterfly rash, and she believes that she does not have Lupus. Outcome of the events was unknown. Information about Lot/Batch number cannot be obtained. Additional information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1367153	6/2/2021	PA	74	M	3/31/2021	4/20/2021	<p>Unable to use left arm or hand; Seizure; Lost vision in left eye; This is a spontaneous report from a contactable consumer (patient wife). A 74-years-old male patient received bnt162b2 (BNT162B2), dose 2 via an unspecified route of administration, administered in Arm Right on 31Mar2021 10:00 (Batch/Lot Number: ER8730) (at 74 year old) as 2ND DOSE, SINGLE DOSE for covid-19 immunisation. Medical history included slight stroke from 2012, seizure disorder from 1972 and ongoing (She says her husband did have a seizure disorder since his car accident in 1972, but he hadn't had a seizure in years), road traffic accident from 1972 (Caller says her husband had a car accident in 1972 and had some injuries from that), injury from 1972 (Caller says her husband had a car accident in 1972 and had some injuries from that). The patient's concomitant medications were not reported. Historical Vaccine included first dose (LOT: EN6199) of BNT162B2 (Pfizer COVID-19 vaccine) for COVID-19 immunization on 10Mar2021 10:00AM in his right arm at 74-year-old experienced tiredness and arm soreness. The patient experienced seizure on 20Apr2021 with outcome of recovered in 2021, lost vision in left eye on 20Apr2021 with outcome of recovered on 21Apr2021, unable to use left arm or hand on 20Apr2021 with outcome of recovered on 21Apr2021. The events caused Emergency Room Visit, and were serious due to hospitalization since 20Apr2021 to May2021 for 19 days. The patient underwent lab tests and procedures which included magnetic resonance imaging and scan brain: no evidence of a stroke said it was a seizure on 20Apr2021. The consumer reported that her husband ended up going to the ER and spending 2.5 weeks in hospital after the second dose. She says it started out like a stroke, he lost vision in his left eye temporarily then couldn't use his left arm, couldn't raise it or use his hand or wiggle his fingers. She says that ended up being temporary too. She says he then took a seizure before the ambulance got there, so when he got to the hospital they assumed it was stroke and a seizure and he ended up in intensive care unit. She says as days went on and they did MRIs and brain scans, stuff like that, they found no evidence of a stroke said it was a seizure that caused it, and that next day he got his vision back after he was there overnight in the intensive care unit, and could use his arm, raise his arm, and hold things with his left hand. She says it was</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

20Apr, 20 days later, that this occurred and he was admitted to the hospital. The patient was home now after spending 2.5 weeks in the hospital. She says he is home and doing ok, he is back to how he was. She says that they did give him a seizure medicine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1367152	6/2/2021	CT	43	F	5/11/2021	5/12/2021	sharp shooting pain; she can barely walk; felt like she was hit with a cannonball; bedridden; to be isolated in part of her lower back and her glutes/back is destroyed/it dissipated to her lower back and glutes and is extremely painful; She can barely move/can barely move, barely get in and out of cars, barely stand up from sitting position; Arm is not sore anymore at all; transverse myelitis; barely stand up from sitting position; panic; inflammation of my lower spine; kind of distracted; difficulty with normal everyday functions; She had muscle aches/All caller's muscle are sore/she had muscle pain in all of her body; fever; Eyes weren't burning anymore/burning eyes; to be isolated in part of her lower back and her glutes/it dissipated to her lower back and glutes and is extremely painful; This is a spontaneous report from a contactable consumer (patient). A 43-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration in the arm left on 11May2021 at 15:00 as single dose for COVID-19 immunisation. Medical history included stomach issues, ongoing lyme disease (this condition started and diagnosed about 10 years ago), hay fever, dust allergy, pollen allergy, animal dander allergy, motion sickness (this condition started probably before Lyme), patient said she got sick when she goes on boat; every time she was on a boat she lost her lunch. Family medical history included diabetes, but the patient has never had diabetes. Concomitant medications included ongoing promethazine for stomach issues (it is antihistamines, nothing radical and taking it since got Lyme disease about 10 years ago), ongoing Belsvia. The patient previously received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration in the left arm on 21Apr2021 at 14:30 (at the age of 43 years old) as single dose for COVID-19 immunization. The patient previously also received the flu shot several months before. No additional vaccines administered on same date of the Pfizer suspect. No prior vaccinations (within 4 weeks). No AE(s) following prior vaccinations. The patient got her second Pfizer covid vaccine on May 11 and felt like she was hit with a cannonball and was bedridden for a day. She had muscle aches on 12May2021 which she expected but now they seem to be isolated in part of her lower back and her glutes and it

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

seems to be getting worse. Patient can barely move, sit down or stand up and it was a sharp shooting pain. All her other muscle pains have resolved. On 12May2021, patient had muscle aches which though was normal for the first couple of days and so most of the muscle aches went away except the patient back was destroyed that reported as worsened. Stated it was that side of the body in pain. The patient was trying to sit up right now and was having really sharp shooting pain on back. The patient figured this would have resolved itself by now. Stated she was kind of scared this might not go away. On 12May2021, patient arm was not sore anymore at all and eyes weren't burning anymore. The arm was sore day the day after receiving the second dose Pfizer Covid Vaccine, 12May2021. On 12May2021, patient had a fever and about 24 hours the fever lasted; could barely move; burning eyes that back to normal and also lasted for 24 hours. The patient can barely move after receiving second dose Pfizer Covid Vaccine, sharp shooting pains, really, really bad. The patient can barely move, barely get in and out of cars, barely stand up from sitting position. The patient assumes this was a side effect of the second dose Pfizer Covid Vaccine and was it would dissipate by now, but it was getting worse and worse. The patient stated the pain was now isolated to the lower part of her back on the gluts. All muscles were sore, started to get worse, all muscles in whole body were sore but it was now isolated to that area. That was a really big deal, patient can barely function. Thought it would get better, thought it would resolve but it is getting worse. The patient can barely stand up or sit down, that's how bad the pain was. Patient stated it was a pure, really sharp pain and the patient got stuck. The patient got stuck taking a piddle on the toilet for like 15 minutes after the patient first received the second dose Pfizer Covid Vaccine. Patient thought it would go away. All patient's muscle were sore. Noticing it was isolated in that specific area. Pretty much the patient's whole body function was like lower back, whole gluts almost, mainly on injection side. Stated all soreness in whole body, like hit by a cannon ball. The pain in rest of muscles dissipated, they felt normal but the muscles above the gluts, patient's whole function, whole body function was obliterated right now. Whenever the patient tries to move, had a sharp piercing pain. The patient tried to make sure she slept



VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

good and in good positions and everything. The patient states she was kind of distracted. Patient can barely walk, she's experiencing sharp shooting pain and difficulty with normal everyday functions (she's been bedridden because even going to the toilet was a big deal, she got stuck and was unable to get up and sit down), she's concerned because the other side-effects resolved but she got the vaccine a week ago and it's getting worse, she had muscle pain in all of her body and it dissipated to her lower back and glutes and was extremely painful. Patient also had burning eyes but this symptom went away and fever. She would like to know if anyone else has experienced anything like this and if it's normal to experience these side-effects, particularly the severe debilitating muscle pain 7 days after the second dose of the vaccine because she still has this symptom and it's getting worse. Patient said she was stuck lying in bed. She said if she switches sides she got the sharpest pain and it was like she gets it in her organs, like her lung was being punctured. Her primary care didn't know her well enough to give her anything for the pain for a couple of days. The pain was sharp, shocking. She felt like it's in her hips; she can't even use toilet on her own, it takes forever. She was un-functionable and obliterated. The walking issue started a couple days after the vaccine. It was with all the muscles in her body, she was bedridden. She expected it to resolve. She said it isolated to that area, ironically her arm wasn't sore anymore, nothing else, but she was extremely sore in that area in her glutes. It was getting worse and it made her panic, she was not walking, she was handicapped, she was completely crippled. Also said the muscle pain started the day after her vaccine and went for 7 days after. The difficulty walking start day was hard to say; it was a gradual manifestation and it was not like all of the sudden she got the shot and can't walk. It was several days getting worse and now was is sort of in demise. Clarified these events occurred after her second vaccine, she had no problems with the first. Patient also stated she thought she had developed transverse myelitis, inflammation of her lower spine from the vaccine, from second Pfizer vaccine, side effect, she can barely move. AE(s) did not require a visit to emergency room, for events not being able to barely walk and being in extreme pain that resulted in physician office visit and she went to the

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

							doctor's on 17May2021. No surgeries to report. Lab data included body height was 160 cm or 5 feet, 3 inches; patient weight was like 145 pounds. The outcome of events fever, burning eyes was recovered on 13May2021. The outcome of events transverse myelitis, feeling abnormal, bedridden, Movements reduced, Pain in arm, Panic disorder, Spondylitis, Distractibility was unknown; while of the other events was not recovered.
--	--	--	--	--	--	--	---

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1367138	6/2/2021	IL	66	F	3/22/2021	3/22/2021	Fast heart beat; Palpitations; it make me feel real bad and it is going; Stress; Tired; This is a spontaneous report from a contactable consumer (patient herself). A 66-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration in left arm on 22Mar2021 (Batch/Lot Number: ER8727) as 1st dose, single for COVID-19 immunisation. Medical history included blood pressure high, asthma, thyroid, cholesterol, allergy. Patient stated "I take medications. I have high blood pressure. I am asthmatic, I have asthma and allergy. I take lot of medications. I take thyroid medicines, I take inhaler for my asthma (Captured as per verbatim), I have eye drop latanoprost (not spelled, further clarification unknown) and I take cholesterol medicine." Patient stated "I had rapid, fast heart beat the same day. They gave me a paper and I took it that if I have any of these features then I should not have the second vaccine. I had one of those, I had palpitations and it made me feel real bad and it is going, I don't know what is going on so when I had after an hour I had the shot, I still had the palpitations. I drive back home I live by myself so I feel really bad I didn't know what happened so finally the next day I went to the emergency care because I figured out that I might be having palpitations they say yeah you have and there is nothing we could do about so finally after 3 days they stopped they used to come off and on right after the shot like three 3 days in a row and then it finally stopped, then I went to the Cardiology, they telling me I guess I have age but now I have the real stress and tired. So the shot, I guess, it started it for this started to happen to me when I had the shot. So, I would not take the shot but I have my doctors, and when I called them to talk, they would tell me just take the second shot. When I read the CDC guidelines, I should not take it, and then there are my doctors. I am trying to say that I wouldn't take it and my doctors, some of my family members, so what do I do? I don't want to go through that again and it was really bad, I thought like I was going die. I didn't take my second shot and my doctor, they were little upset with me and my children that if you have that bad reaction and you feel that bad then you should try to take it anyway I guess the second one would kill me so it's okay, I don't have to worry about the virus because I won't be there. I had a EKG right after because of my heart palpitation.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1367097	6/2/2021	CA	48	F	5/8/2021	5/16/2021	No, I had no treatment. They are trying to find out if I have a heart problem. So I had EKG which shows that I had the palpitations and then I am scheduled to have echocardiogram, another heart test next week." Outcome of events fast heart beat, palpitations, and 'it make me feel real bad and it is going' was recovered, of remaining events was unknown.
							8 days after the injection site turned pink and raised and I experienced red itchy eyes and felt itchy all over.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1366881	6/2/2021	GA	66	M	1/16/2021	1/22/2021	<p>Acute brain stem stroke; Lost vision in both eyes; Lumps on biceps of both arms; Couldn't swallow; Covid-19; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of BRAIN STEM STROKE (Acute brain stem stroke) and BLINDNESS (Lost vision in both eyes) in a 66-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No medical history was provided by the reporter. Concomitant products included AMLODIPINE and LOSARTAN for Blood pressure management, ATORVASTATIN for Cholesterol, POTASSIUM for Hypokalemia. On 16-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 22-Jan-2021, the patient experienced BRAIN STEM STROKE (Acute brain stem stroke) (seriousness criteria hospitalization and medically significant), BLINDNESS (Lost vision in both eyes) (seriousness criteria hospitalization and medically significant), DYSPHAGIA (Couldn't swallow) and COVID-19 (Covid-19). In February 2021, the patient experienced NODULE (Lumps on biceps of both arms). The patient was hospitalized on 22-Jan-2021 due to BLINDNESS and BRAIN STEM STROKE. On 01-Mar-2021, BLINDNESS (Lost vision in both eyes) had resolved. At the time of the report, BRAIN STEM STROKE (Acute brain stem stroke), COVID-19 (Covid-19) and NODULE (Lumps on biceps of both arms) outcome was unknown and DYSPHAGIA (Couldn't swallow) was resolving. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): In January 2021, SARS-CoV-2 test: positive (Positive) Covid-19 positive. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Treatment information was not provided. Company Comment - Based on current available information and the temporal association between product use and the start date of the events a causal relationship cannot be excluded.; Sender's Comments: Based on current available information and the temporal association between product use and the start date of the events a causal relationship cannot be excluded.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1367090	6/2/2021	CA	40	F	4/22/2021	4/23/2021	I woke up to the worst migraine in my right eye the day after my 2nd COVID shot. The next day, I had what looked like blinds (white/black) lines in my vision, then half moon shape in my vision in my right eye for days. Dizziness (I felt like I was on a boat dock), confusion, tiredness and pain the back of the eye for two weeks, numbness of the eyes. I went to the Ophthalmologist who stated that I was having an ocular migraine. My Neurologist also said I was having an Ocular Migraine, but I'm stuck in the Postdrome Stage. Gave me Topiramate daily and told me stay away from screens and reading (that means no working and no TV). With the meds, I'm 70% back to my old self, I can drive again, run errands, do yard work, but I can't work. We increased the dose, still can't use screens and side effects pushed us to find another drug. Started new drug Amitriptyline on May 30, and symptoms are not disappearing. I have had symptoms (mostly eye numbness, vision issues, dizziness) continuously all day, everyday for 3 39 days and counting

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1366884	6/2/2021	CT	68	F	2/20/2021	4/9/2021	<p>Fever; Permanent vision loss/ Permanent vision loss in the right eye; Another eye episode; This spontaneous case was reported by a consumer and describes the occurrence of BLINDNESS (Permanent vision loss/ Permanent vision loss in the right eye) in a 68-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 002B21A and 023M20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No medical history was provided by the reporter. Concomitant products included PANTOPRAZOLE, METOPROLOL SUCCINATE (TOPROL), AMLODIPINE and ALPRAZOLAM (ZOLAX [ALPRAZOLAM]) for an unknown indication. On 20-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 20-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 09-Apr-2021, the patient experienced BLINDNESS (Permanent vision loss/ Permanent vision loss in the right eye) (seriousness criteria disability and medically significant) and EYE DISORDER (Another eye episode). On an unknown date, the patient experienced PYREXIA (Fever). At the time of the report, BLINDNESS (Permanent vision loss/ Permanent vision loss in the right eye) and EYE DISORDER (Another eye episode) had not resolved and PYREXIA (Fever) outcome was unknown.</p> <p>DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On an unknown date, Biopsy: normal (normal) Biopsy of artery leading to right eye. Treatment provided included Prednisone. After the second dose patient had an eye episode that did not go away after few minutes. It continued over the weekend and the patient visited a primary physician who was concerned about a stroke even though there were no stroke symptoms. From there patient was referred to cardiologist, rheumatologist and retinal specialist. Patient had shorter eye episode which began 22 days after the first vaccine and permanent vision loss began 20 days after the second dose. After six weeks of test and physician visits, a biopsy of the artery leading to right eye, the consulted cardiologist and found no problem in the heart, vascular specialist found no issues in the arteries, rheumatologist found no systemic inflammation</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

and autoimmune condition, Retinal specialist primarily provided treatment and did not diagnosed the cause but informed that the eye damage was not caused by a clot. There was no improvement in the vision and the retinal specialist was not optimistic that the vision will return. Very limited information regarding the events has been provided at this time. Further information has been requested. This case was linked to (Patient Link). Most recent FOLLOW-UP information incorporated above includes: On 20-May-2021: Follow up was received on 20-May 2021 and updated Patient demographics, concomitant medications, batch number of vaccine, treatment medication.; Sender's Comments: Very limited information regarding the events has been provided at this time. Further information has been requested.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1367072	6/2/2021	FL	63	F	4/7/2021	4/7/2021	severe headache, between the eyes, worsened; very bad cough, she woke up with it, its hard to breathe with the cough, worsened; very bad cough, she woke up with it, its hard to breathe with the cough, worsened; yesterday she was tired when she got her shot, yesterday morning she slept all day; she was not really hungry; yesterday she was tired when she got her shot, yesterday morning she slept all day; This is a spontaneous report from a contactable consumer (patient). A 63-years-old female patient received BNT162B2 (PFIZER BIONTECH COVID-19 mRNA VACCINE, Solution for injection, Batch/Lot number and Expiration date was not reported), dose 1 via an unspecified route of administration, administered in left arm on 07Apr2021 at 11:00 hours, as single dose (at the age of 63-years-old) for covid-19 immunisation. Patient had no medical history. Patient stated that she had no problems, no medications, no heart problems, no diabetes, she was free and clear of medication. Patient had no family medical history relevant to events. Patient stated that a couple family member been vaccinated, and they did not had a problem. The patient's concomitant medications were not reported. Patient had no prior vaccinations (within 4 weeks). On 07Apr2021, patient got her shot at 11:00 hours and patient were tired when she got her shot and in morning patient slept all day, she did not eat because she was not really hungry, she had a headache between the eyes and it was odd for her to not be hungry. Patient stated that it happened after the first shot. Patient had severe headache and cough happened in the middle of the night, and can't breathe (on 07Apr2021). Patient had a bad cough, she woke up with it and it was hard to breathe with the cough (on 07Apr2021). Patient asked if she could take ibuprofen for headache and she was wondering if the cough was normal and can she take cough syrup. She stated that she needs something, she was coughing and hacking. Patient stated that every time she coughs her head was pounding. She could not eat and she was an eater. Patient said that she tried to get coffee down this morning and forget it, she was not really feeling hungry (on 07Apr2021) which was unusual for her, normally she would eat whatever you put in front of her. She didn't eat anything right now. As far as tiredness she was ok, not tired right now. Patient stated that she did feel tired (on 07Apr2021) yesterday but feels uncomfortable with

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

headache and cough. Patient had no emergency room and physician office visit. Event severe headache, between the eyes and very bad cough, she woke up with it, it was hard to breathe with the cough was worsened. The outcome was recovered for yesterday she was tired when she got her shot, yesterday morning she slept all day (tired) on 08Apr2021, not recovered for (very bad cough, she woke up with it, it was hard to breathe with the cough, worsened), (severe headache, between the eyes, worsened) and unknown for rest of the events. No follow-up attempts are needed; information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1367043	6/2/2021	IL	81	F	3/21/2021	3/22/2021	Fever; Chills; Her legs got extremely sore/Legs got so sore; both legs; This is a spontaneous report from a contactable consumer or other non hcp (patient). An 82-year-old female patient received bnt162b2 first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, Batch/Lot Number: ER2613), dose 1 via an unspecified route of administration, administered in right arm on 21Mar2021 at 12:00 (at the age of 81-year-old) as 1st dose, single dose for covid-19 immunisation. Medical history included ongoing high blood pressure (Diagnosed a long time ago), Crippled leg from an unknown date and unknown if ongoing (she is dragging one and trying to walk on the other one and she can't hardly get around on it), eyesight is not that good from an unknown date and unknown if ongoing (she can't see that well), ongoing pain in a disc in her back from an unknown date and unknown if ongoing. Concomitant medication(s) included tramadol (MANUFACTURER UNKNOWN) taken for pain in a disc in her back from an unspecified start date and ongoing at a dose of 50mg twice a day; gabapentin (MANUFACTURER UNKNOWN) taken for an unspecified indication from an unspecified start date and ongoing at a dose of 300mg twice a day; lorazepam (MANUFACTURER UNKNOWN) taken for an unspecified indication from an unspecified start date and ongoing at a dose of 2mg once a day at night; nifedipine (MANUFACTURER UNKNOWN) taken for blood pressure increased from an unspecified start date and ongoing at a dose of 60mg once a day. The patient did not receive any other vaccine within 4 weeks prior to the vaccine. The patient previously took IV iron for the indication of iron falls low; Furosemide and experienced cramp (Dose: 20mg, she is also on a water pill, Furosemide but it was not taken in the two weeks). The patient experienced Her legs got extremely sore/Legs got so sore; both legs, fever and chills. Fever and chills lasted only one day but is still experiencing sore legs but it has it improved slightly. It was reported that it hurts to get up, she already has a crippled leg, she is dragging one and trying to walk on the other one and she can't hardly get around on it. Caller clarifies it hurts from her butt down on her legs. The reporter states she can't take aspirin, codeine, penicillin or could not have strawberries. The patient did not visit emergency room or physician

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

office. The outcome of the events Her legs got extremely sore/Legs got so sore; both legs was recovering while for fever and chills was recovered on 21Mar2021. No follow-up attempts are needed. No further information is expected.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1367012	6/2/2021	OK		F			<p>a little tired; sore arm; This is a spontaneous report from a contactable consumer or other non hcp. A 71-years-old female patient received bnt162b2 (BNT162B2), dose 1 via an unspecified route of administration, administered in Arm Left on an unspecified date (Batch/Lot Number: EL3247) as 1ST DOSE, SINGLE for Covid-19 immunization. Medical history included dry eye, multiple allergies, food allergy to eggs. Concomitant medication included krill oil (KRILL OIL) taken for an unspecified indication, vitamin D nos (VITAMIN D NOS) taken for an unspecified indication, salmo salar oil (OMEGA-3 [SALMO SALAR OIL]) taken for an unspecified indication. The patient previously took Amoxil for pruritus and experienced drug hypersensitivity. The patient experienced a little tired, sore arm on an unspecified date with outcome of unknown. Therapeutic measures were taken because of sore arm (pain in extremity). Question: Attention DSU - Possible duplicate Caller is reporting that she received her second dose of Pfizer-BioNTech Covid19 vaccine on day 33 instead of the scheduled day 21. Vaccination was delayed due to medical reasons from 15Feb2021 to 27Feb2021. Also, caller states that the only AE she experienced was a sore arm for 24hours. She is concerned that due to delaying the dose, it may not be as effective, especially since the 2nd dose has a reputation of worse AEs than the first, and she's had increased energy and no reaction besides soreness. Follow-up (02Mar2021): This is a follow-up spontaneous report from a contactable consumer. This consumer (patient) reported that: Additional Context: Consumer says she is calling with concern about second Pfizer COVID-19 vaccine shot, who says she received it pretty late, it was delayed due to weather and she was supposed to have her second dose on 15Feb and she had it on 27Feb. She says it has been 72 hours, and she hasn't had any reaction, other than the sore arm for 24 hours, and nothing else, her energy level has been high. She says her question is was it effective since the second dose has the reputation of having a more powerful reaction. Email Address: Documented as provided. Provider Information: Caller declines to provide provider information. Pfizer COVID-19 vaccination NDC/EXP: Caller says that her vaccine card is a preprinted card created by CDC, and she wrote a number on there that she added that started with W44 that was</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

on an email she got in scheduling email from the health department. She says neither dose of the vaccine had an EXP or NDC provided for it on the vaccine card. She says that the first dose LOT was EL3247, and the second dose LOT was EL9266, and both doses were given in her left arm. Caller offered but did not provide date of first dose injection. AE: Sore arm: Caller says after both doses were given she had a sore arm that started probably about 4 hours later, and she took Acetaminophen, that was that. She says that there was little to none for both soreness after about 24 hours, maybe a little bit more that, with taking the Acetaminophen. Caller says she doesn't take meds often normally, she took two doses, each time as a dose two tablets 8 hours apart. She says actually she never took the second dose of Acetaminophen on her second dose of the vaccine. She says that the Acetaminophen tablets were 650mg each. UPC/LOT/EXP: not provided. Caller says after her first vaccine dose she woke up second day a little tired, and continued to feel a little tired through the day, which didn't cause her to go to bed or anything, she just did everything slower. She says this time after the second dose she cleaned closets and her garage and had no lack of energy. Concomitant Medications: Caller says she is not on meds at all, she only takes something for dry eye recommended by her optometrist, which is over the counter Preservision AREDS. She says she also takes krill oil, Omega-3, Vitamin D one 2000 IU a day, which seemed to be important, though none were new meds, they seemed important for COVID, she started some of the vitamins 6 months ago, and some she has been taking for three years. No further details provided about any of these medications. Other Medical Conditions: Caller says she has hay fever allergies, she is allergic to Amoxil. Amoxil NDC/LOT/EXP: Unknown, caller doesn't think she ever had that information. Caller says that they discovered her allergy to Amoxil because she had severe itching when she took it back in 1984. She says that they didn't test everything for every allergy back then. She says that she has a food allergy to eggs, which wasn't diagnosed, it started with her childhood doctor who basically said that if she gets a rash each time she is eating eggs, to stop eating eggs. Is there a Product Complaint: Yes Description of Product Complaint: Description of complaint: Consumer says she

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

is calling with concern about second Pfizer COVID-19 vaccine shot, who says she received it pretty late, it was delayed due to weather and she was supposed to have her second dose on 15Feb and she had it on 27Feb. She says it has been 72 hours, and she hasn't had any reaction, other than the sore arm for 24 hours, and nothing else, her energy level has been high. She says her question is was it effective since the second dose has the reputation of having a more powerful reaction. Pfizer COVID-19 vaccination NDC/EXP: Caller says that her vaccine card is a preprinted card created by CDC, and she wrote a number on there that she added that started with W44 that was on an email she got in scheduling email from the health department. She says neither dose of the vaccine had an EXP or NDC provided for it on the vaccine card. She says that the first dose LOT was EL3247, and the second dose LOT was EL9266, and both doses were given in her left arm. Caller offered but did not provide date of first dose injection. Product strength and count size dispensed: two doses. Is a sample of the product available to be returned, if requested (Y/N): not provided. Packaging sealed and intact? not provided. No follow up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1366992	6/2/2021	CO	66	F	2/22/2021	2/23/2021	Tired; Stomach ache; eyes were itching; itchy throat; flushing; itching; ears were hot to touch; agitation; This is a spontaneous report from a contactable consumer (Patient). A 66-years-old female non pregnant patient received bnt162b2 (Pfizer, Solution for injection, Lot Number: en6203), dose 1 via an unspecified route of administration, administered in Arm Left on 22Feb2021 13:00 (at the time of 66-years-old), as first dose, single, for covid-19 immunisation. Medical history included high bp (blood pressure) and known allergies to codine, latex, morphine, penicillin. Patient did not receive other vaccine in four weeks of vaccination. Patient was not diagnosed with COVID-19, prior vaccination. Patient has not been tested for COVID-19, post vaccination. The patient previously took cortisone, hydrocodone, morphine and had allergies. Concomitant medications included lisinopril at 5mg; colecalciferol (VITAMIN D, strength: 10000 IU) at 10000 iU; fish oil; curcuma longa (TURMERIC). It was reported that 24 hours after the injection patient had flushing, itching, agitation, itchy throat, my ears were hot to touch and very itchy, my eyes were itching as well on 23Feb2021 14:00. I took allergy medicine, day three horrible stomach ache (25Feb2021), not flu-like it was the pain associated with past allergic reactions to pain meds. The patient did not feel the need to throw up the fourth day was just tired (26Feb2021). Therapeutic measures were taken as a result of itchy throat, flushing, itching, ears were hot to touch, agitation, eyes were itching. The outcome of the events was resolved. No follow-up attempts are possible. No further information is expected.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1366978	6/2/2021	CA	70	F	2/25/2021	2/25/2021	horrible burning feeling like a lit candle in the lower intestines and fire in stomach/ felt like she was on fire, body was on fire inside her body; red bumps on my right arm/red bumps in little clusters, cluster of red dots; diarrhea; stomach upset; severe stomach pain; flushed cheeks across her nose/cheeks flushed for 1 hour; my cheeks turn pink; brain fog/felt very loosie; Fatigue/tired; little sore arm/minor sore left arm; This is a spontaneous report from a contactable consumer (patient) via medical information team. A 70-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, formulation: Solution for injection, Batch/Lot Number: EN6205, Expiry Date: Jun2021), via an unspecified route of administration, administered in left arm on 25Feb2021 16:30 as single dose for covid-19 immunisation. Medical history included GERD/gastroesophageal reflux disease, high cholesterol, ongoing high blood pressure, breast cancer and had radiation for that in 1992, high triglycerides, thyroid removal in 2007, stroke 2012, ongoing oxygen therapy (24 hours a day for 3 years) and allergies to neglect and wheat. Patient was not pregnant at the time of vaccination. Concomitant medications included levothyroxine sodium (SYNTHROID) she takes it because she has no thyroid; acetylsalicylic acid (ASPIRIN (E.C.)) 325 mg for high blood pressure; salbutamol (ALBUTEROL HFA), omeprazole, fenofibrate, atorvastatin, lisinopril, latanoprost. She had things wrong with her and she was on several medication beside the oxygen. She had to take a 325 mg of 'Bayer Aspirin' (not clarified) every morning because she had stroke in 2012. She takes at night she takes some eye drops, her eye doctor gave so that she does not get Glaucoma. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. She received normal medications for high blood pressure, fenofibril, within 2 weeks of vaccination. The patient previously received influenza vaccine (FLU) shot for immunization and she has never had a reaction. Patient was nervous about receiving the vaccine because she was on oxygen therapy 24 hours a day in addition to being on a number of medications which include: medication for high blood pressure, Synthroid, Aspirin 325mg every morning, and "a couple of things for breathing" such as Albuterol and

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

Respirat inhaler "which helps you get rid of carbon dioxide from your lungs." She just expresses concern because "her body is compromised." She saw on TV that the CEO of Pfizer was discussing the possibility of a third booster shot. Patient was scheduled for next shot on 25Mar2021. She got first Pfizer dose on 25Feb2021 around 4:30 in the afternoon on Thursday, and when she got the first dose cheeks got really pink and they stayed like that for an hour or so and then they went away and she thought it was okay for her to (incomplete sentence). She had all different ones, the first one started right away, as soon as she got the shot she felt very 'loosie' (Not clarified) about 20 minutes later when she was sitting there and waiting. Then when she got, she noticed her cheeks were really pink. Some went away about an hour. Then she had some fatigue and a little sore arm for the next 48 hours but she was okay. But then on 28Feb2021 (yesterday) 48 hours after the shot, suddenly she had diarrhea, very violently and then that was last night and she was so having it and she felt like she was on fire, she felt like her body was on fire inside her body, and she kept drinking." She had pills she had to take every day. No she took nothing. When she had the diarrhea over night from last night almost 48 hours all night long she had diarrhea couple times, and she had diarrhea this morning. She felt like somebody lit a match inside her body and it's like burning from inside, and started drinking water. On continuous home O2, takes synthroid and lisinopril. She experienced flushed cheeks across her nose which lasted a few hours. The first 48 hours she had a minor sore left arm, fatigue, and brain fog. At 48 hours after the vaccine administration, she had to take lisinopril and 5 mins later she experienced violent diarrhea. Later that night felt "fire inside my body like someone had lit fire" started drinking water, "eventually it went away. She called to ask if it was ok to take peptobismol. On 01Mar2021 (Today) she felt way better. She experienced quite a lot of side effects after getting the 1st dose. She said that she was not easy going up. After she got home, she mentioned that her cheeks flushed for 1 hour. She gets flushed usually but this was more pink than usual which went through her nose. The flushing was not hot and swollen. She also experienced horrible burning feeling like a lit candle in the lower intestines and a fire in the stomach 4 days later after the

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

diarrhea on 04Mar2021. She was advised to take Pepto-bismol and water for that and she was fine. She was very tired, fatigued, and her brain was foggy for 4-5 days. She also mentioned that she took some of her high blood medications which made her stomach upset but she ensured to take it with food the next time and it did not happen again. It was challenging and was a wild day. It's been 8 days since and she has mentioned that she's okay now and is breathing better than she usually does, especially on 05Mar2021 (today). She also feels that she has more stamina, improvement in her lungs. She said that it was very strange but she is very happy and is wonderful. She has been on Oxygen for 24 hours a day for 3 years and is more at risk for COVID. She is asking if this is normal and for what to do with the 2nd dose. She was advised to refer to healthcare provider for further discussion. As soon as she had the shot, her cheeks turn pink and she couldn't see it until she got home because of the mask and she does not know if cheeks were pink because of the mask or what but it was only lasted for short time and then went away. She did not have any swelling or heat or anything but when she started, she had very few symptoms except fatigue. Then on the third day or fourth day, she started with diarrhea and a very severe stomach pain and now in the last couple of days she started with these red bumps on my right arm in Mar2021." She had the shot on left arm but has these red bumps in little clusters, cluster of red dots, you can feel them and they are raised up and she does not know if something bite her or if this a side effect. It has been several weeks now. It was on shoulder in two different places and it is kind of like three or four of them at one location. "Now, my cheeks are pink again and it has been two weeks now. She does not understand why. She should not be having any side effect at all and she was all (voice feeble) twenty-four hours a day. No treatment received for the adverse events. Since the vaccination, the patient had not been tested for COVID-19. The outcome of events stomach pain, stomach upset was not recovered; for other events was unknown. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1367165	6/2/2021	FL	40	F	5/14/2021	4/23/2021	<p>blurred vision/After my 2nd dose my vision is substantially worse, to where I cannot drive even 3 days later; huge lump under where she received the vaccine; This is a spontaneous report from a contactable consumer (patient). A 40-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), 1ST DOSE, single on 23Apr2021 (Batch/Lot Number: EW0170) and 2ND DOSE, single on 14May2021 (Batch/Lot number was not reported), both via unspecified route at 9:50 am, arm left for covid-19 immunisation. Medical history included does wear glasses and mild psoriasis (just uses something topical if she has a flare up) from an unknown date and unknown if ongoing. The patient's concomitant medications were not reported. The patient historical vaccine includes: flu vaccine from unspecified date for immunization. No other vaccinations within four weeks prior to the first administration date of the suspect vaccine. The patient is calling about the Covid 19 vaccine. After she received her first Covid 19 vaccine on 23Apr2021, she had blurred vision starting on Sunday, 25Apr2021. She called the pharmacy and was told that blurred vision was a rare side effect and her vision should clear. She received the second Covid 19 vaccine on Friday, 14May2021 and she experienced the blurred vision again except this time she can't see anything unless it's about 2 inches from her eyes. She doesn't have a job she has to go to but she is a stay at home mom and she home schools her children. She can't even see the text in books. She can't drive, not even to the grocery store. She is asking how long is this going to last. Her arm has a huge lump under where she received the vaccine. The lump is still there from the first vaccine and she has another lump from the second vaccine. Her left arm now has 2 lumps. She thought that might be an allergic reaction but the same lady gave her both injections and stabbed her pretty hard when she gave the Covid 19 vaccine. The pharmacist did tell her she can get blurred vision with any vaccine but she always gets her flu vaccine and she's never had blurred vision before. She received her second Covid 19 vaccine on Friday, 14May2021 in the left arm. She can't find the vaccine record card, she had two vaccine records card because she forgot to bring the first vaccine record card to her second appointment. The NDC for the second vaccine is on her receipt. NDC 59267-1000-01,</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>Lot/Expiry not known for second dose. First Covid 19 vaccine information is in the suspect product field. She received her first Covid 19 vaccine on Friday, 23Apr2021 and she had blurred vision on Sunday, 25Apr2021. She thought at first it was pink eye or conjunctivitis because her vision was blurry and she thought, what did her children bring home to her. Her eyes weren't pink though. She called the pharmacist and he told her it was a side effect. Her vision did get better about a week before the second Covid 19 vaccine but it wasn't completely back to normal. She received the second Covid 19 vaccine on 14May2021 and she experienced more blurred vision on Sunday, 16May2021 but it's much worse and it's not gotten better. She's trying to read from her coffee machine and she can't even see what it says. This can't be normal. Does she need to see an optometrist? She reports she could still drive after her first Covid 19 vaccine because the blurry vision wasn't that bad but this time it's scaring her a little bit. She reports she does wear glasses but only for night time. Her pupils don't dilate well so she tries not to drive at night. The reporter added that around 48 hours after my first dose I began having blurred vision, it got slightly better before my 2nd dose, however, it did not get completely better. After my 2nd dose my vision is substantially worse, to where I cannot drive even 3 days later. The outcome of the event was recovering for blurred vision and not recovered for the other event. The patient was did not required emergency room and physician office visit. Follow up attempts are needed. Further information has been requested.</p>
1367093	6/2/2021	CA	39	F	3/30/2021	5/30/2021	<p>Shingles; Diagnosed May 30, 2021, by Dr. Vesicular eruption on forehead, above left eye. Pain and swelling around left ear and left side of neck. Treatment: Seven-day course of antiviral medication (Valacyclovir): 600mg ibuprofen tablets as needed for pain; Hydrocodone-acetamin (Norco) for pain at night in order to sleep</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1369085	6/2/2021	OH	13	M	6/1/2021	6/1/2021	Patient became dizzy/started losing his vision fairly quickly after receiving the vaccine. He kept repeating he couldn't see. He stumbled forward then fell down. Patient did hit his head. Store associate got him up and into a chair and started asking him questions. Mom stated he had just received vaccine. They were not told by the pharmacist on duty to stay to be monitored for 15 minutes after. He did say that he had a headache. Gave the patient some water, had him move his arm around, and monitored patient until pharmacy closed.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1368668	6/2/2021	CA	35	F	6/2/2021	6/2/2021	(DOB 08/10/1985) received the 1st dose COVID vaccine (Pfizer, lot # EW0187 and use by date 06/28/2021 @ 0945) at 11:00am. Patient reported having mild shallow breathing to (EMT) who immediately reported to Lead RN. Lead RN assessed the patient while (EMT) took a full set of vitals. Patient was apprehensive to receive vitals including BP and O2 saturation monitor but consented after further education from RN and EMT. Vital signs at 11:06 were BP of 132/82, HR of 94, RR of 16, and O2 Saturation Level of 97%. RN observed patient was A&O x4 with no wheezing, hives, or angioedema present. Patient denied chest pain, difficulty breathing, changes in vision, difficulty swallowing, and nausea. Patient denied benadryl, EMS, food, and transfer to a zero-gravity chair. Patient denied vitals every 5 minutes and explained that she has a history of SVT induced by anxiety. Patient reported that having vitals taken increases her anxiety and refused q5 minute vitals. Patient agreed to have vitals taken once more after 30 minutes of observation. At 1115 patient was drinking water and stated "I delivered my baby 3 weeks ago, so I am always tired." Patient explained that she has been quarantining over the last year due to her pregnancy and had increased anxiety being around so many people at the vaccine site. At 11:16 patient stated "my breathing is good now." Patient has NKDA, no chronic conditions, and a pertinent history of panic attacks and SVT induced by anxiety. At 1125, patient consented to one additional set of vitals. Vitals were BP of 144/88, HR 92, RR of 16, and O2 Saturation Level of 98%. At 11:30, Lead RN and (Co-lead) educated about Vaccination program, ER precautions, and f/u with PCP. At 11:33 patient stated that "water is making me feel much better." Patient denied SOB, dizziness, lightheadedness, and changes in vision. At 11:38 patient stated that her brother is driving her home and left the site. Co lead RN observed a steady and symmetrical gait as patient walked away.
1368686	6/2/2021	WI	78	F	4/6/2021	5/5/2021	Patient presented to the ED on 5/5/2021 for dizziness and double vision. Patient was subsequently hospitalized with vertebrobasilar insufficiency. These visits are within 6 weeks of receiving COVID vaccination.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1368730	6/2/2021	MA	66	F	2/15/2021	2/22/2021	Starting around a week after the second vaccine, I began to be more aware of my asthma. There was more awareness of SOB and coughing. In April, when seasonal symptoms started, I had a reaction that is not typical for me. I had asthma symptoms significant enough to make me use inhalers that I have not used for several years. I was going to take prednisone, but my inhalers kicked in so I didn't use it. Usually, when the pollen would flow, I would have dry eyes, or running eyes. I did not have any other allergies besides my asthma and breathing difficulties. All of this resolved after a couple of weeks and I'm no longer using my inhalers. I can still notice my asthma more than usual though.
1368742	6/2/2021	PA	40	M	6/2/2021	6/2/2021	While sitting five minutes after shot, pt turned white, eyes rolled back. Mother called for help. Reaction walking by an immediately laid pt on floor. Within approx. 10 seconds pt was awake, coherent, and speaking. Was mildly diaphoretic. Remained on floor for five min before sitting up. Still feeling fine up sitting up pt was AOx3. As precaution and at mother's urging pt was taking in wheelchair for brief observation and vitals check. 5:29 SEATED HR 77 RESP 12 BP 165/112 SPO2 99 5:30 LYING HR 69 RESP 12 BP 151/95 SPO2 98 5:35 LYING HR 70 RESP 12 BP 149/95 SPO2 98



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1368773	6/2/2021	TX	26	M	5/26/2021	5/26/2021	<p>15:50pm ?patient was injected Janssen-J&amp;J COVID-19 vaccine to Lt. deltoid muscle ? 25gauge-1? safety syringe used w/o difficulty. Side effects/adverse reactions explained to client, verbal acknowledgement and consent obtained. Written consent signed prior to injection.</p> <p>16:20pm ? Patient was carried to clinic area by 3 fellow patient. He presented obtunded, grey pallor, face noted to be profusely diaphoretic with gasping attempts at respiration. P-110. Unable to respond to verbal commands, unable to speak or open eyes. Brisk taps to his face and calling his name elicited a slight optic response by visible attempt to open his eyes. At this time, he was observed to grimace, grab his throat and jerk himself upright, proceeded to projectile vomit a moderate amount of clear fluid. Immediately slumped off chair and was limp and non-responsive to commands. EpiPen Auto Inject administered-0.15mg Epinephrine to Lt. anterior quadriceps. Pulse-126, gasping during respiratory attempts. Skin frigid to touch. 16:22pm- B/P-150/101- P-58 per portable wrist B/P monitor. Respirations -22-rapid and shallow, appearing to hyperventilate. He attempted, but unable to follow instructions for calming and deeper breaths at this time. Fellow seamen and the 2nd Officer, carried him to the ship ?hospital? area accompanied by me RN, monitoring continued. Patient responded rapidly to administered Epinephrine. 16:23pm-B/P-148/108-P-68-per monitor-R-20 - Responsive to name, LOC x3, visible muscle twitching and tremors. Remains diaphoretic, pallid, and skin is cold to touch. Speech is slurred and weak, client continues to be lethargic and slow to verbal responses. C/O of ?bad HA?. 16:30pm-two-500mg Paracetamol tablets PO with H2O administered by 2nd Officer for increasing HA pain per patient request. Lights dimmed in room. Clear soup and a coke ordered for patient due to suspected hypoglycemia based on reported pt. hx of limited caloric intake in the past 12 hours. Attempting to locate a glucose meter on ship at this time. 16:38pm ? B/P-139/87-P-69-per monitor-R-20- C/O severe HA and feeling weak. C/O muscles twitching in extremities. Visible twitching noted. Reassurance provided.</p> <p>16:43pm- B/P-139/87-P-69-R-20 ? Pt. fed clear broth soup and 12oz Coke PO without difficulty. Resting quietly. Appears to be tired, with continued slow responses to questions and weak speech. Pt. continues</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1368806	6/2/2021	CA	15	M	5/14/2021	5/29/2021	<p>to be concerned about his exaggerated leg muscle twitching. Reassurance provided and informed of effects of epinephrine. 16:52pm ? B/P-133/86-P-65-per monitor-R-18- Personnel informed of need to transport by EMS to the Hospital for extended monitoring and evaluation by Physician per CDC adverse response to COVID-19 vaccination Protocol. Report given to personnel ? Technical Superintendent- who began transport requests through EMS services. Report to RN Supervisor. 17:07pm- B/P-126/83-P-85 per monitor-R-18- Monitoring pt. at BS. VSS. C/O severe HA and feeling ?weird?. Exhibiting pain with HA despite previous Paracetamol PO by squeezing his head and stating it hurts. Continues to be pale, mucus membranes pale, lower extremity muscle twitching is annoying him. Patient states he is feeling better after receiving food and liquids. OX3. Assisted to BR by fellow patient. Pt. reports urination w/o difficulty. 17:20pm ? Report given to EMS personnel. Transported from ship. Assisted Ambulatory by EMS and fellow personnel to stretcher at gangplank, and into ambulance.</p> <p>Unprovoked first-time seizure. Teen was sitting outside a restaurant waiting while watching phone, listening to music 15 days after first Pfizer COVID vaccine (no issues at time of vaccination). Parents witnessed his neck and eyes roll up and left before having a two short generalized tonic-clonic seizures. Taken to nearest ED by paramedics.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1368812	6/2/2021	TX	33	F	3/16/2021	3/17/2021	After the second injection, I was experiencing what I thought was a lupus flare up. I needed to get into a new rheumatologist so that took some time getting into with my current insurance. I was experiencing a tremendous amount of joint and muscle pain. I have a Low grade fever off and on as well as my lupus butterfly rash on my face and a few sores in my nose. All symptoms I have had when dealing with a lupus flare. One thing that was different was muscles being pulled for doing very little. My back and neck muscles kept getting pulled often. Extreme dry eyes/nose- all which was similar autoimmune symptoms I have had in the past. Extreme periods of nausea, but I have been unable to take certain medications I use to be able to take. I can not take any nausea medications because it now will give me a horrible migraine that last for days. My primary doctor gave me a steroid dose pack to help me until I could get into my rheumatologist and I had a horrible reaction to them with extreme diarrhea, nausea, vomiting, and migraines. None of those symptoms to medications has happened in my past. My symptoms started was a gradual increase over the time period after getting my vaccine. Not all at once. But after about a week after getting the vaccine it started to happen slowly to the point where I am today. The doctors ran various test for my lupus and all of my inflammation lab markers came back extremely high. But none of my lupus/autoimmune markers came back as active. I also ended up going to the ER concerned with chest pain- but after many test nothing was conclusive or found. I have a follow up with a cardiologist pending

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1368845	6/2/2021	CA	37	M	6/2/2021	6/2/2021	Client received 1st COVID vaccine of Pfizer (Lot #EW0187, expiration 06/28/21). Client reported pressure on left side of head near left ear at 1333. RN and EMT responded to this event. At 1334, vital signs are blood pressure 144/78, heart rate 87, oxygen saturation 95%. Client reported he was clenching his jaw during vaccine administration. At 1339, vital signs are blood pressure 136/79, heart rate 79, oxygen saturation 97%. RN and PHN responded to this event. Client reports a history of anxiety and fainting after needles. Client reports no medication usage. Client reports no chest pain, no dizziness, no shortness of breath, no blurred vision, no nausea. At 1349, vital signs are blood pressure 131/76, heart rate 88, oxygen saturation 91%. Client reports that the pressure on the left ear started at the time of administration. At 1351, Client reports that the pressure as subsided and no new symptoms. At 1354, vital signs are blood pressure 138/76, heart rate 88, oxygen saturation 90%. Client reports a history of fainting after vaccinations. Client was educated about ED precautions and common adverse effects of COVID vaccine. At 1358, Client stood up with no complaints and a steady gait. Client walked out of facility at 1358.
1368865	6/2/2021	WI	51	M	5/26/2021	5/27/2021	head to toe body aches, chills, major fatigue, itchy watery eyes, trouble breathing, painful breathing, soreness in right arm, increased desire for drinking water (hard to quench thirst).
1368871	6/2/2021	CA	21	F	4/1/2021	4/15/2021	Two weeks after first COVID vaccine patient experienced an acute onset of chest pain, dizziness, head pressure, SOB, fast/irregular heart rate, high blood pressure, sensitivity to light, weakness and blackening of vision field.
1368874	6/2/2021	IN	56	F	3/15/2021	3/23/2021	Loss of taste smell hearing and blurred vision about 10% after second injection. Increase in Psoriasis all over my entire body! Gout !Everywhere. I felt horrible for three weeks, no energy unable to eat or sleep. My bones still ache in May 2021. I did not tell anyone for fear they would not get vaccinated.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1368877	6/2/2021	CT	39	M	5/3/2021	5/10/2021	1 week after the second dose, I was exercising in the early morning when suddenly my vision and hand-eye coordination were flashing, my hand appeared in a different position than where I thought it was. I tried to tell my sons to get help, but I couldn't say any words, just some repetitive mumbling. I was able to walk upstairs but couldn't speak for about 10 mins, and then everything was coming out slowly. It was about an hour before I could resume normal talking. I went to the hospital, where they gave me a CT scan, MRI, heart echo, and eventually a TEE. They said that I had a Transient Ischemic Attack, and they found a PFO in my heart that probably allowed a blood clot to travel to my brain. They also did an ultrasound of my legs when I mentioned the timing of the vaccine, to make sure there were no other clots. I am taking baby aspirin and crestor, and have an heart event monitor now for 30 days. I am also scheduled for more bloodwork and a pelvic scan. They say it is likely that they will want to close my PFO, but want to see all the test results first to rule out any other possible causes.
1368881	6/2/2021	CO	31	F	5/25/2021	5/25/2021	It was around 8:00pm on 05/25/2021 I was working at my job. My boyfriend was like you don't look good he said I had dark purple circles under my eyes and that inside my inside it looked yellowish reddish. I was walking but everything was spinning at the same time. The whole time I was trying to convince myself that I was feeling good and that I was okay. But I was like yeah I don't feel good at all. My job requires me to deliver packages but my boyfriend was like just sit down I'll do it for you. As I sat there people would come in and out of the elevator they looked all strange it was like I was hallucinating I felt like I was on drugs I was seeing things. I was seriously scared for my life I couldn't drive myself back home of course. I got home and kept going it last about 5hrs. Then I woke up like around 3am and was having a higher fever of 105.4 I took some medicine then when back to sleep but I had to get back up immediately as everything started spinning and I felt so nauseous. Then around 5am I started throwing up and threw up 4 times but it was just that yellow acid. I kept up with my medicine every 4 hrs. As the week when on and still to this day I just space out like I forget everything.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1368620	6/2/2021	CA	14	F	6/2/2021	6/2/2021	<p>HPI: Patient is a * year old * who presents following administration of the first dose of Pfizer COVID19 vaccine in the left deltoid. She states that immediately following administration of the vaccine, she started to feel lightheaded with ?fuzzy vision,? and pain with swallowing. She denies a history of anaphylaxis. She affirms seasonal allergies and confirms that she was feeling ?stuffy? this morning. She affirms that she ate and drank this morning without odynophagia. She relates that there was a big family argument that is causing her to feel stressed at this time as well. She affirms pleuritic chest pain, odynophagia, epigastric abdominal pain, headache, lightheadedness, and blurry vision. She denies chest pain, difficulty breathing, swelling of the face/lips/tongue/throat, skin rash/itching, cramping abdominal pain, nausea, and vomiting.</p> <p>Exam: GEN: Alert and oriented x 4, NAD. Patient appears to have a developmental delay secondary to eye contact avoidance, slow to respond, and speech impediment. HEAD: NCAT EYES: PERRL, EOMI ENT: Ears normal, Nose normal, OP normal, no evidence of angioedema NECK: Supple, without LAD. CV: RRR, no m/r/g PULM: Shallow, guarded breathing at rest, but clear to auscultation bilaterally with deep inspiration, no accessory muscle use ABD: Soft, no tenderness. SKIN: No rashes, skin warm and dry. No erythema or edema of the injection site. MSK: FROM, MS 5/5 NEURO: Alert and oriented x 4, CN 2-12 grossly intact, no ataxia, gait steady Clinical Impression/Field Tx: Vital signs stable and physical exam within normal limits, however, patient continued to report odynophagia, pleuritic chest pain, abdominal pain, lightheadedness, and blurry vision, even after giving patient snack/drink and reclining her with lower extremities above the level of heart and head. EMS called to the scene for further evaluation.</p> <p>Instructed patient and parent to consult their PCP regarding the post-vaccination reaction. Patient and parent instructed to go to emergency department should she develop chest pain, difficulty breathing, swelling of the face/lips/mouth/tongue/throat, or cramping abdominal pain with nausea/vomiting. Patient and parent demonstrated understanding of post-vaccination instructions. Medications administered: None</p> <p>Disposition: EMS contacted due to patient not improving. Care transferred to EMS . No workup was performed by</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							EMS and they instructed the parent of the patient to take the patient to ER via private car for further evaluation. Father was amenable to plan and signed form.
1369958	6/2/2021	HI	47	F	5/7/2021	5/7/2021	PT CAME FOR 1ST COVID VACCINE DOSE ON 5/7/21. DEVELOPED PAIN / NERVE TINGLING AND HAD SEIZURE LIKE ACTIVITY THAT NIGHT. LEFT SIDE WAS NUMB AND COULD NOT HEAR FROM LEFT EAR. RINGING IN EAR, EYE TWITCHING. ARTHRITIC-LIKE PAIN IN LEFT HANDS (NEVER ON RIGHT SIDE). HAS NOT BEEN TO ER BUT STILL AS EFFECTS ON 5/27/21. NEVER ANY PROBLEMS W OTHER VACCINES
1367921	6/2/2021	VA	30	F	6/1/2021	6/1/2021	Pt experienced weakness in body and blurry vision 5 minutes after 2nd dose of COVID-19 Pfizer. Pt woke up the next day to sharp lower back pain, body aches, HA and stomach discomfort.
1366575	6/2/2021	GA	45	F	3/10/2021	3/10/2021	Developed an intention tremor about 7 hours after 2 nd dose. Noticed by my dentist same day as my vaccine. Noticed by myself and all of my coworkers. I am a nurse practitioner and my patient's notice is and comment during examination. Unable to do sports I have always done that require hand eye coordination. about 2 weeks after vaccination become numb over total body, Have had basic labs and auto immune panel. All have been completely normal. I have been referred to neurologist. Waiting to get an appointment.
1369954	6/2/2021	TX	41	M	6/1/2021	6/1/2021	I felt completely fine for the first 5 minutes. I left the store. After 5 more minutes I started feeling bad (I was seated). My whole body was sweating and my vision was affected (everything was bright). I was able to return to the store but was close to passing out. I sat down for about 10-15 minutes while the symptoms persisted and I was not able to see well. After that time the sweating stopped and my sight was no longer affected. This was not anxiety and I have no history of fainting with shots. This was a reaction to the shot. After about an hour I felt fine except for muscle soreness at the injection sight. If the reaction was any worse I would have passed out or asked for help. I am hesitant to get a second dose out of concern that the reaction could be worse.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1369801	6/2/2021	AR	33	F	4/3/2021	4/4/2021	Right eye lid swelled up within 24 hours of the shot and is still an issue as of this submission. Some days the swelling has been severe some days and less severe, but the swelling has never fully gone away in the last two months. The swelling can include the eyelid, the skin between the lid and the brow, and below the eye . The eyelid and skin near brow will often turn pink/purple. Beyond the swelling pain, no major main. Some pain on outer eye bone for both eyes. The swelling seems to get worse when I sleep longer or lay down horizontal. When I go to sleep propped up, the swelling is less severe. Or, if I sleep for 7 or less hours, sometimes the swelling can be less.
1369800	6/2/2021	CA	17	M	6/2/2021	6/2/2021	Vaccinating nurse noticed patient became pale and fixating his eyes after receiving first dose of pfizer covid-19 vaccine. Vaccinating nurse asked patient if he was okay and the patient responded "I feel lightheaded. I think I will faint." Vaccinating nurse guided patient to the floor and elevated legs on chair. Lead nurse and EMT responded to the patient in nurse station. Patient was alert and oriented x 4 during whole interaction and stated he felt better within two minutes. Patient was able to sit up against wall and was offered water. Vitals were taken: BP 130/90, HR 67, O2 SAT 98%. Patient offered gravity chair and patient stated he was ready. Patient was stood up with two person assist and after 10 seconds of standing patient was able to verbally state "I feel fine now, I can walk to the room." Lead nurse directed EMT to monitor for 30 minutes in gravity chair and take final vital signs and escort patient with father to car.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1369026	6/2/2021		49	M	6/1/2021	6/1/2021	Client (received the COVID vaccine (Pfizer dose 2, lot # EW0187, expiration 6/28/2021) at 1800. At 1829, the client reported itching on his skin and in his throat. EMT, EMT #2, PHN, and RN responded at this time. The client was sitting comfortably in his chair, alert and oriented x4. The client's vital signs were as follows: heart rate 57, O2 97, respiratory rate 14, blood pressure 150/92. The client's skin was pink, warm, and dry. The client denied any shortness of breath or chest discomfort. The client was able to speak in full sentences and had no visible swelling on his face or tongue. The client declined Benadryl at this time. The client stated he has environmental allergies and has had an anaphylactic reaction to trees in the past. The client stated he has a medical history of anxiety, acid reflux, migraines, and hay fever; he takes antacids, sumatriptan, and allegra. The client stated that he took 1 allegra at 1816, but stated he didn't know the exact dosage and did not have the medication bottle with him. The client was able to speak in full sentences. At 1835, the client identified a small, red, erythematous area approximately 1 centimeter in length on the left medial area of his elbow, which he stated itched. He also stated his eyes were itching; neither eye or eyelid appeared red. The client stated his throat was dry and was offered and accepted water. The client declined Benadryl again at this time. The client was transferred to the zero gravity chair at this time, denied any dizziness during ambulation or transfer. At 1839 the client's vital signs were as follows: blood pressure 142/84, heart rate 74, O2 97%. The client stated "I had an itchy throat this morning" and said that he had a migraine that morning but did not remember if he had taken any medication for the migraine. At 1849, the client's vital signs were as follows: blood pressure 122/84, heart rate 73, respiratory rate 16, O2 99%. At 1853, the client stated "I feel less itchy." At 1900, the client initially requested Benadryl, but then refused both the medication and vital signs when offered. The client stated that his arm "still itched" but denied that it was getting worse. The client stated "I wanted a Benadryl for the road but now I think I'm going to wait." The client denied shortness of breath, chest tightness or pain, or any difficulty breathing. The client did not appear to be in any distress and had no swelling visible on his face or tongue. The client continued to chat with staff and spoke

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

with a pleasant demeanor. Education provided by PHN, EMT, and RN regarding primary care follow up and when to seek medical care. At 1915, the client requested Benadryl and stated "I think my rash is growing." The client's vital signs at that time were as follows: blood pressure 138/92, heart rate 88, O2 99%, respiratory rate 12. At 1922, the client was given 50mg Benadryl orally. At 1927, the client stated "my wife is here, it's time for me to go." RN reiterated the importance of staying for a 30 minute observation time, but the client continued to leave the building. EMT accompanied the client outside, where he ambulated with a steady gait. He walked to the outdoor observation area and then sat down, requesting to be evaluated by EMS. EMS was called by RN at 1933. The client was sitting comfortably and denied any shortness of breath or chest pain. EMS arrived on scene at 1936. At 1938, the client's vital signs were as follows: blood pressure 140/90, heart rate 60, and O2 100%. The client stated at that time that he "felt better" and declined transport to the hospital. The client signed AMA paperwork at 1945 and ambulated to his car with a steady gait, accompanied by his wife, who he stated was going to drive him to an urgent care.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1369785	6/2/2021	WA	34	M	5/21/2021	5/21/2021	I am a healthy individual with no pre-existing conditions. I had Covid-19 in August of 2020. I was in bed for 5 weeks with most of the symptoms and regularly had fever exceeding 104. When I was allowed to return to work, the Dr. gave me light duty orders to not exceed 5 hours worked per day for 2 months. After receiving the first vaccination dose, my arm became incredibly sore. These symptoms lasted for almost 2 weeks. The morning following vaccination, my body began to ache and hurt on touch to the point where the cover woke me up in pain. These symptoms lasted nearly three days during both day and night. I became nauseous about 24 hours following the vaccination. These symptoms lasted almost 4, 24 hour days. I became dizzy, periodically, about 24 hours after receiving the vaccination. These symptoms lasted for almost 7 days. I had low grade fever on three occasions that I knew about, I treated with Tylenol. These symptoms lasted 3 days after vaccination. I had a horrible headache (I never have had headaches before) I could not open my eyes or expose them to light. Most of the pain was concentrated on the left side of my head. These headaches started 3 days after receiving the vaccination and lasted 5 days later until day 8. I used Tylenol, which seemed to have little effect and slept all day.
1369072	6/2/2021	NY	18	M	6/2/2021	6/2/2021	syncope, fatigue, eyes heavy
1369783	6/2/2021	MD	62	F	2/25/2021	2/26/2021	Fever, sore arm, headache for 2 days then 3 days later started having a chill symptom every evening from around 4 or 5 pm through the evening, feeling dizziness, for 2.5 weeks. Symptoms stopped just 3 days before I was to take the 2nd doze on 03/25/2021. Same symptoms started again within 24 hours and worse than after 1 shot. Blurred vision, lost balance sometimes. Still having symptoms few days a week.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1369581	6/2/2021	CA	32	F	6/2/2021	6/2/2021	Client received 1st dose of COVID vaccine of Pfizer (Lot #EW0187, expiration 06/27/21). At 1806, Client reported a minor burning sensation at injection site (left arm). At 1807, EMT and EMT responded to this event. At 1807, vital signs are blood pressure 112/78, heart rate 75, oxygen saturation 99%. At 1808, RN responded to this event. Client reported in taking a Benadryl this morning for a runny nose. Client reports no past medical history and no medications taken routinely. Client reports no blurred vision, no chest pain, no shortness of breath, no dizziness, no nausea, no headache. RN educated Client about ED precautions and common adverse effects of COVID vaccine. RN provided ice pack compress to injection site (left arm). At 1827, vital signs are blood pressure 110/80, heart rate 73, oxygen saturation 100%. Client reports burning sensation is subsiding. Client stood up with no complains and walked out of facility with a steady gait at 1832.
1369347	6/2/2021	CT	22	M	5/20/2021	5/20/2021	Within minutes of receiving covid-19 vaccine, I became very excessive sweaty (my shirt was wet), felt eyesight was dimming, space perception was completely off, very pale, dizziness and unable to hear when being spoken too, felt faint. Both of my arms had a very tingly feeling and felt heavy and then became completely numb and I was unable to move to either arm for approximately 45 minutes. Movement slowly came back throughout the evening and over the next week. My legs felt tingly and heavy. I continue to have periodic tingly feeling in my joints through out my body. My chest felt heavy. I felt like I was doing to die. Large red swollen area where shot was given. I have COVID 19 in Feb, 2021. Health care profession suspects the reaction may have been related to having COVID-19, second dose not recommended. Likely to have antibodies. I have not felt 100 percent since receiving vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1369345	6/2/2021	OR	19	M	5/22/2021	5/23/2021	The following morning after I got my second COVID shot, I experienced extreme nausea, sweating, high-fever, weakness in my legs, lack on night vision (everything was unusually dark), light headedness, trouble hearing, extreme ringing in both of my ears, and trouble balancing. I felt like I was blacking out. I was treated by laying back in bed and I felt much better after about 20 minutes. 4 days later on May 26th at about 3:00 am, I experienced severe diarrhea (15-20) bouts for an entire day, I vomited 3 times by 9:00 am, severe dehydration, sweating, nausea, and stomach cramps. I was treated with 2 full bags of Iv's and nausea medication.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1369299	6/2/2021	CA	19	F	6/1/2021	6/1/2021	<p>Client received the 1st COVID vaccine (Pfizer Lot #EW0187 and 06/28/2021) at 1848. At 1859, Office Assistant was walking past the client when she noticed that the client appeared unwell. Assistant asked the client if she was feeling ok, the client responded, "I feel dizzy." Assistant alerted PHN that the client was feeling dizzy. PHN responded. The client appeared drowsy but was oriented to person and place. The client's eyelids were open halfway, and the client was mumbling answers to the questions. The client stated, "I feel dizzy and hot under my skin." Vital signs were taken by EMT at 1901 (Heart rate 92, Oxygen 99%, blood pressure 112/P?client was wearing a long-sleeved shirt). Client's skin was warm and dry. At 1902 client appeared more alert, and PHN gave the client juice to drink, which she accepted and drank. Client stated that she has a history of vasal vagal reactions to needles and was anxious about receiving today's vaccine. EMT and PHN transitioned client to zero gravity chair at 1904 and gave client chips and a granola bar to eat. The client accepted the snacks and started to eat them. At 1905 client stated, "my head feels weird like I want to lay back." PHN advised client to lay her head back onto the gravity chair head rest. Client laid her head back for less than 30 seconds than continued to eat. PHN offered the client Benadryl and she refused. Client stated that the last time that she ate was around 1100 or 1200. Client was wearing a beanie and long sleeves, we asked the client if she can remove her hat and outer layer, however, she refused. The client had a flat affect and was soft spoken. Vital signs taken at 1915 (oxygen 98%, heart rate 94, blood pressure 138/84). Client denied any shortness of breath. At 1919, client stated, "I feel like I'm going to throw up." The zero-gravity chair was positioned into a seating position and the client was given an emesis bag. Client did not vomit, and she sat with the emesis bag until 1923 and then stated that the feeling was gone. Client has a history of sickle cell anemia and stated that she receives blood transfusions every 2-3 weeks but had not received a transfusion in 8 weeks. Client is currently prescribed Metformin but has not taken the medication because "she does not trust it." Client stated that she was prescribed Lexapro 1 month ago and took her first dose the day before the vaccine but did not take it the day of the vaccine. She stated that she has anxiety but denied</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							any other medical conditions. She is allergic to Toradol. Vital signs taken at 1924 (oxygen 98%, heart rate 91, blood pressure 146/102). At 1925 she stated "my head hurts, it's a sharp pain." PHN called EMS at 1926. EMS arrived at 1928 and assumed care. EMS medic stated that her blood glucose levels were at 82 and advised her that they wanted to take her to the emergency room to be examined. The client refused transport to the hospital and stated, "I don't want to go to the hospital, it's so expensive." Client continued to refuse transport and stated that she will have her boyfriend take her to the hospital. Client's boyfriend entered the building and client signed an AMA at 1953. PHN provided education to client and boyfriend on life threatening symptoms and to call EMS if any symptoms appear on their way to the hospital. PHN also advised client to follow up with her primary care provider and to follow up with an allergist before receiving her second vaccine. Client left the facility AMA at 1954 with her boyfriend, unassisted and with a steady gait. Client and her boyfriend stated that they would go to the hospital.
1369802	6/2/2021	TX	12	M	6/1/2021	6/1/2021	After half an hour after i had left the pharmacy after the first dose of Covid Pfizer vaccine, Hamza(12 yrs) started clutching his neck saying its on fire, tears were coming from his eyes and he started choking and coughing. He barely managed to say that his throat felt like something burning hot was pouring down. I immediately gave him cold water to drink. He drank and continued to drink in small sips for the next hour and was feeling normal in an hour. He had not eaten or drank anything after his vaccine. He had also had lunch at 3 pm, a full 2 hours before the vaccine.
1369796	6/2/2021	WI	22	M	5/7/2021	5/29/2021	I have always had low grade tinnitus and migraine related visual issues, so this could be a completely a coincidence. However I feel the need to report it just in case. On the night of May 29, I had begun to hear a low noticeable hum in my right ear and a feeling of fullness. This humming disappeared and returned on Tuesday, June 1st 2021, and then continued on and became worse upon waking up on Wednesday June 2nd, 2021. I am scheduling follow ups with an ENT specialist in order to understand the root cause.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1368138	6/2/2021	DE	16	M	6/1/2021	6/1/2021	Reports did not eat today, usually eats. Reported lightheadedness that resolved within about 2 minutes, followed by nausea for about 2 minutes resolved - was followed by hunger, and muffled hearing for about 3 minutes resolved. Denies chest pain, change in vision, and other s/sx. 03:57pm LUE 112/62 P62 R20. Reports lightheadedness, nausea, and muffled hearing, all s/sx resolved, stated "I feel normal", drank a cola and ate a protein bar. Observed for 30 minutes. Ambulated with steady gait off floor with his parent.
1368597	6/2/2021	NY	58	F	3/19/2021	3/19/2021	After receiving the vaccination I went to bed had fever, chills, and a very bad headache. I started to drink tea and realized the tea was spilling down the left side of my mouth. My face was drooping and I could not close my left eye. I was not able to smile and had lost full sensation on the left side of the face. I phoned my physician and was placed on antiviral and steroid medications. Both Valacyclovir 1 gram 3xs per day, and Prednisone 60mg per day. I also was referred to an eye physician for further follow up and a Neurologist of whom referred me to Physical therapy and Acupuncture.
1367944	6/2/2021	PA	27	F	4/15/2021	4/17/2021	I received my first does of Pfizers on 4/15/2021. 2 days later i ate truffle fries and i was having trouble breathing, my eyelids were swelling up and i was out of breath. A week later I was working at my job again and this time i didn't eat or drink anything out of the norm and i had trouble breathing again and only one eyelid swelled up. In between the first and second shot i would periodically have trouble breathing for a few hours if that. I received my second shot on 5/13/2021. On 5/26/2021 I got lettuce wraps. I ate one lettuce wrap and my lips started to burn when i started eating the second one. By the time i was done with my second lettuce wrap I couldn't breath i instantly stop eating them, chugged water, took and allegra to help my breathing within 45 minutes my whole face was itchy and really red and my whole body was filled with hives from head to toe. I immediately went straight to urgent care, they gave me a steroid shot and a benadryl shot. I waited there for 15 minutes to make sure no reactions happened, thankfully it went away. On 6/1/2021 I was working and around 12:00pm when i went on my lunch break, I had 1 hot dog and the rest of the day I could not breath at all.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1367926	6/2/2021	AL	54	F	5/28/2021	5/28/2021	Systemic: Abdominal Pain-Medium, Systemic: Body Aches Generalized-Medium, Systemic: Chest Tightness / Heaviness / Pain-Medium, Systemic: Dizziness / Lightheadness-Severe, Systemic: Exhaustion / Lethargy-Severe, Systemic: got light headed and felt a tingling in her head then vision went black -Severe, Systemic: Tingling (specify: facial area, extremities)-Medium, Systemic: Visual Changes/Disturbances-Severe, Additional Details: 4 days after 2nd dose patient felt lightheaded, tingling in her head, then everything went black for a moment. she still feels light- headed
1367992	6/2/2021	CA	43	F	5/6/2021	5/18/2021	My eyes became very blood shot, blurry vision, light sensitive for a couple weeks now.
1368019	6/2/2021	CO	46	F	4/29/2021	5/1/2021	Same day as vaccine, felt adrenaline rush, heightened level of energy the rest of the afternoon and evening. Two days following vaccine, I experienced some muscle coordination issues, dropping things, neurologically felt out of balance and slightly intoxicated. Explained to friends and family that I felt weird and not right in the head. Tiredness followed through next week, followed by extreme sensitivity to loud or high pitched noise. Started having multiple "brain zaps" or "brain fades" where I temporarily felt a rush of brief black, tunnel vision space, followed by panic attack ... left ear ringing at immediate onset. 10 days post vaccine, I had 6 hour episode of intense ringing in left ear. It subsided some and I slept well, very tired the next day. Scheduled appointments with my neurologist and ENT. Episodes resulted in tiredness/fatigue.
1368039	6/2/2021	FL	14	M	6/2/2021	6/2/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Nausea-Mild, Systemic: Tinnitus-Mild, Systemic: Visual Changes/Disturbances-Mild, Additional Details: Patient recovered and mom says she was taking him to the doctors office for follow-up

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1368091	6/2/2021	TX	23	M	1/1/2021	2/1/2021	<p>My first dose of the pfizer vaccine was relatively asymptomatic. Received at local hospital. Sore arm that lasted a few hours, nothing too concerning. This adverse event describes my second dose however, received Jan 23, 2020, approximately 3 weeks after the first. Again, this was received at local hospital. The next day, I felt the expected side effects of terrible chills, whole-body myalgia, and a slight fever. Again, I was not too worried as this was expected. I could not sleep that night, but otherwise, I felt significantly better in the morning. Unfortunately, on Jan 25, 2 days after the second dose, I began to feel a strange tingling sensation in my forearms, and a pain in my lower back. This paresthesia felt as if the insides of my arms were vibrating, and rather than a "pins and needles" sensation, I felt electric shocks through my forearms and extremely discomforting tingles. I could not bend forward without terrible shocks through my arms, and my back pain can only be described as aching. I immediately scheduled an appointment with my doctor for Monday afternoon, That entire Sunday, it felt as if the tingling sensation, rated at 7/10 discomfort, grew to 10/10. I physically was wincing and turning, unable to find any position where my arms were not experiencing electric vibrations. My back pain, which was tender to touch, and if I pressed hard enough on it or laid on my back, caused the same electric sensation not just in the forearms but the entirety of my upper torso and my arm. Taking deep breaths was painful, as it elicited the same discomforting paresthesia. At the time, I was one of the first groups taking the pfizer shots, and it was still unclear if taking NSAIDs was a good idea to alleviate pains and the suppress the immune response. I agonized that entire Sunday and through Monday morning, the shocking expanding from just the forearms to the shoulders around the deltoid, and the back pain soon covered my entire upper torso. For whatever reason, waist-down I was completely fine. Even bending forward only elicited the pain upwards, nothing ever went down my legs. I had slight neck stiffness, a throbbing headache, intense back aches, bilateral upper extremity paresthesia, and pain on deep inspiration at the height of my pain on Monday morning. By this point, the pain had kept me awake for almost 30 hours. When I finally could see my doctor via telehealth appointment, he prescribed me 800 mg ibuprofen to be taken every 6-8 hours I</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1368106	6/2/2021	CA	49	F	1/15/2021	4/5/2021	<p>believe. After taking the ibuprofen, the pain lessened significantly, going from 10/10 to 2/10. I was finally able to go to sleep sitting up straight on a sofa chair. The paresthesia was gone, the pain on deep inspiration was gone, but the tenderness and dull ache in the lower back seemed to stay even on the ibuprofen. I noticed that if I laid down on my back to try and sleep, even with the medicine in full effect, the electric shooting and paresthesia would immediately return. If I quickly removed pressure from that area, it went away. The ibuprofen's effect lasted only about 5 hours. I would take another as it slowly crawled back up to 4/10 pain or if the paresthesia was returning. Over the course of an entire week, I constantly needed to be on ibuprofen. By Friday, so almost 6 days after the shot, the paresthesia and back pain could be completely suppressed by the ibuprofen and I was able to lay on my back with no problems. Without medicine, I was sitting at a dull 3-10 back pain, but the paresthesia was gone. The back pain finally vanished on Sunday, 8 days after the shot, and I no longer needed ibuprofen. No fevers, chills, nausea, vomiting, diarrhea, radiation of electrical pain down the leg, vision change, or loss of bowel/urinary control throughout the course of these symptoms. My experience reported to my primary care doctor, via our health messages. I did not return any contact to hospital or my vaccination site.</p> <p>Moderna COVID?19 Vaccine EUA? Diffuse scattered urticarial rash after first dose received on 01/2021 associate it with sore throat , face , lip , eye lid swelling , recurrent episodes affecting daily activities symptoms getting worse with each episode Afraid of having anaphylactic shock Been in doctor office multiple times, saw an allergist specialist as well . Received form allergist Xolair 2 injection , I'm taking Allegra and Benadryl every day , got 5 days treatment RX for predniSONE 40 MG Tablet. On 05/28/2021 I felt my throat was closing up , couldn't swallow but I was able to breath , happened again on 06/02/201 same episode with swelling face and eye lid and sore throat as well .</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1367975	6/2/2021	OH	58	F	5/8/2021	5/8/2021	Started a couple hours after I got it Chills I got really hot and really cold and shacking uncontrollable Muscle spasms couldn't hold cup without help All over body and muscles ache. Right arm was sore at the injection site Aching and tingling down arm to hand lasted about 8 hours Second day the shacking had stopped headache and body ache throughout the weekend A week later started with headaches persistent, still to this day having headache, mainly in back of head at the left side of head going into left ear a pinching and dull pain behind left eye felt like something was poking my eye. Made appt with doctor on the the 26 on muscle relaxers and a steroid X-ray of cervical spine MRI of brain taking migraine medication since yesterday 06/01/2021
1368197	6/2/2021	NJ	36	F	4/8/2021	5/16/2021	I don't know if this would be considered an adverse reaction to the vaccine, or being a recovered COVID19 patient, but I started feeling unwell on the afternoon of May 16th, a little worse the next day with a sore throat, congestion, runny nose and burning eyes. On Tuesday the 18th I had a slight fever, so I went to the walk-in clinic to be assessed and tested for COVID19 to make sure it wasn't that. The APN explained that I was experiencing seasonal/environmental allergies after having worked outside on May 16th and 17th. I have never had allergies before and it felt like I was coming down with a cold of some kind, so I wanted to be assessed and ensure I wouldn't get anyone else sick. The APN agreed the slight fever (99.6) was atypical and she understood why I came in. She prescribed allergy eye drops and nasal spray and told me to take an OTC allergy medication. I have continued to experience some allergy symptoms (runny nose, congestion, burning eyes) even after 2 weeks of taking medication. I am unsure if my immune system has changed as a result of having COVID19 in April 2020 or a reaction to the vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1368246	6/2/2021	MO	62	M	5/26/2021	5/26/2021	He got his vaccine, within 15 minutes he was staring, and was offered something to drink and some graham crackers and his wife said and the nurse came over to see what was going on, and said that he had an absent seizure, he was not responding to anything. His oxygen was 93, his BP dropped. The nurse was watching his eyes to see if there was any reaction, but there was not. They kept talking to him until he responded and he had no idea of what happened. He has not had any more seizures. He has never had any seizures in the past. He came out of it and they did not take him to the ER. He is fine now. He currently has cellulitis around his eye.
1368267	6/2/2021	CA	31	M	6/2/2021	6/2/2021	Patient was sweating, had headache, dizziness, blurred vision.
1368293	6/2/2021	TX	73	M	5/7/2021	5/23/2021	Serious skin rash over much of my body: face, trunk, arms, scalp, groin and neck. The most serious and troubling area is around the neck where t-shirt collar contacts the skin. Some areas don't itch, but the head and neck do. Facial areas that are normally oily are now very dry, scaling and itching. Pre-existing skin problems are now heavily exaggerated. Dry areas on the fingers are worse. Dandruff is much worse. First noticed as an irritation around the eyes. Tears were burning my face, as if acidified. Then I noticed the rash on my arms. Further inspection revealed it on my face, neck, trunk and groin area. There is dryness, scaling and flaking around the eyes, nose, mouth and ears. The neck is most troubling with heat, itching and burning causing lack of sleep. It is not abating and appears to be getting worse. I will be seeking medical attention for the first time this week. If this is related to the vaccine, I want to make that known. I had the second of two shots on the Moderna COVID-19 vaccine (lot #047B21A), on May 07 at noon, meaning I was fully antibody protected on 05-21, immediately before the rash was noticed. A bad body rash is associated with this vaccine, but I find no documentation that it has been observed this long after vaccination. Just the same, I am reporting this today in part because I want this to be documented as a possible reaction to the vaccine. Other possible causes have been ruled out. Currently taking Benadryl, NSAIDS, moisturizing cream, and hydrocortisone cream.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1368300	6/2/2021	MN	35	F	5/10/2021	5/10/2021	The day within 10 minutes I started feeling hot and feverish. Then I started to feel lumping and cramping in my left breast and it persists and it turned in to nausea, vomiting, and dizziness. I also felt body cramping and both of breasts became extremely hard and was not comfortable. I also had muscle aches along with a mild fever for about a week. The pain was persistent. Then on day 2, the headaches started and I couldn't sleep because every time I moved the headache would cause me to vomit. So, I couldn't. My vision was blurry and I was not sure if it was due to the headache or the vaccine. I ended up going to the ER on 05/16/2021 for cramping in my left leg which was down by my ankle and was bruised. I'm still experiencing heart palpitations, tiredness, cramps still happen in my breasts, and there are still moments when my vision goes in and out.
1368517	6/2/2021	WV	56	F	5/28/2021	5/28/2021	After vaccine that evening my head felt real dizzy and started having a bad bad headache like tightness in my head and felt like I was going to faint. I could hardly walk, my left arm got really tight feeling like a squeezing and it started getting really really red, then my heart started beating really fast and this never happens. Later that Friday night I felt like I had a fever I was up because my body started aching and was up all night, it felt like flu symptoms along with everything. My arm started getting very very sore and this went on Friday, Saturday, Sunday, Monday and Tuesday. My arm was still real tight and red and it moved down my arm these last couple days, down to my elbow, red very sore and tight. I took pictures because I was really scared on my cell phone but did not go to the doctor. Also, my vision started being blurry right now.
1368565	6/2/2021	CA	47	M	5/29/2021	5/30/2021	my eyes were swollen then following day after my second shot. my right eye was nearly swollen shut. It took 2 full days for the swelling to get close to normal. I took benadryl during that time. On my first shot I did have a red, itchy, hot spot at the site of injection but no other symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1368564	6/2/2021	CT	41	F	5/10/2021	5/12/2021	She got her vaccine, she had no reactions at all. On 5/12/21, she woke up 2 days with ankle and feet swelling, hand and face swelling, eyelid swelling. She had a fever up to 100.5. Her swelling has not gone down on any of the locations. She cannot even take her wedding bands off. Her feet are extremely cramped in her shoes. Her allergies have gone tremendously. She has been throwing up and have been nauseous a lot. She has not been taking anything but Benadryl for the reactions. She also has gained 7# since the vaccine. Her hands have also been shaky. She has not notified her doctor of any of these symptoms.
1368099	6/2/2021	TN	63	F	5/24/2021	5/26/2021	on may26,2021 woke up early and my right eye could not focus . felt like I had a heavy veil covering it. My husband called my eye doctor and made an appt. for Friday May 29. My eye doctor exam me and told me that I had CRAO, She said I need to see an eye specialist. I saw eye specialist on monday June 1st. He confirmed th dx. He also recommend that I should report this too you
1368333	6/2/2021	FL	27	F	6/2/2021	6/2/2021	Patient received vaccine at approximately 3:10PM. After receiving she seemed fine and was able to walk to the waiting area. After approximately 1-2 minutes she reported to her boyfriend that she did not feel well and "needed some water." Immediately following she began to lose consciousness and went completely limp with her eyes rolled back, according to her boyfriend who caught her and placed her on the ground. The boyfriend also reported some muscle tremors occurring during this. After another minute the patient regained consciousness and was awake and oriented to person and place but not time. She was able to see properly and was vocalizing effectively. 911 was called immediately following initial loss of consciousness and EMS arrived to collect vitals. Patient was given a few sips of water. No medications were given. Following EMS assessment, patient was hypotensive and unable to stand on their own; EMS transported the patient to the emergency department.
1368541	6/2/2021	CO	70	F	3/1/2021	4/1/2021	Decline in vision, clarity, or focus.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1368525	6/2/2021	CA	27	F	3/13/2021	5/11/2021	I ended up giving birth early after my second vaccine dose (first dose of Pfizer was on 3/13/21, second dose was on 4/3/21). My expected due date was 9/1/2021. My baby was 23 weeks 6 days when he was born. He weighed 720 grams. My OB diagnosed that I have placental abruption. I ended up having C section. For the first dose of Pfizer vaccine, I have red eye (blood in one of my eyes) and my arm hurt. I only feel my arm hurts after the second dose but then ended up giving birth early.
1368472	6/2/2021	CA	65	F	4/30/2021	4/30/2021	Pt called call center her left side of face getting very hot, specially her left ear feels more hot and pressure in it, stated her left eye also getting more red. Denies any itchy or fluids from eyes/ears. Pt stated these sx getting more started when she got back home after she got her 2nd dose covid vaccine Moderna around 1230pm today. Pt stated feeling anxious d/t possible s/e from covid vaccine she got. Pt's speech clear. ED precautions provided to patient. Urgent care visit scheduled for 4/30/21
1368596	6/2/2021	CA	28	F	6/1/2021	6/2/2021	Severe itching and redness in both eyes. Slight swelling in upper lids.
1368462	6/2/2021	OK	20	M	5/29/2021	5/29/2021	Nauseous (lasted about 5-8 minutes) Purplish/bluish blinding light where vision was blocked (30 sec-1min approximately)
1368452	6/2/2021	CA	80	F	4/15/2021	4/16/2021	The day after the shot, patient developed low-grade fever which lasted 3 days. For 3 days, the patient was lethargic and had no energy to perform normal household duties. On the 3rd day after the shot, patient developed tachycardia for several minutes, became feverish with a clammy sweat and had vertigo saying the room was spinning and said she felt like fainting. She could not recognize her son, asking him, "Who are you?" Patient lost site in her eyes which was recovered several minutes later. Patient felt better starting the 4th day.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1368365	6/2/2021	SC	43	F	5/28/2021	5/28/2021	Within a half hour to 45 minutes post injection, I started having a sharp pain in my left eyebrow. over the next hour or so, the pain worsened around my left eye, and I noticed a numbness in my forehead and upper cheeks (Similar feeling to botox but also slightly tingly). The discomfort lasted throughout the evening. By bedtime, I was extremely fatigued and having feverish symptoms (chills, aches, headache, fatigue) though my body temp was not elevated much. When I woke up the next morning, my temperature was increasing, chills and body aches were worse. I was somewhat expecting that, given accounts from others. Highest temp was 102.8 over the next 24 hours. But most concerning was my resting heartrate was elevated all day (tracked via apple watch). My resting HR even while sleeping was from the upper 80s and as high as 103 bpm. After bedtime that night, I started having pretty severe body aches in my torso. Most of the other aches had lessened but these got worse, preventing sleep, and lasted through most of sunday 5/30. By evening, I felt much better, and by Monday, I was back to normal, all symptoms gone.
1368361	6/2/2021	TX	47	F	5/25/2021	5/25/2021	Approximately 35 minutes after her 1st dose of Pfizer COVID vaccine, patient's head started hurting and her eyes got really hot. She said the symptoms worsened that evening as her eyelids were both really swollen. Patient said she took a picture in case that was a reaction (I do not have that picture). She said it took about two days for her eye symptoms to resolve. Other reported side effects: being super sore and tired, however, the swelling was the concerning symptom for patient. Patient did not go to the ER or PCP or have to take time off.
1368355	6/2/2021	CA	55	F	5/1/2021	5/6/2021	Pt called 5/6/2021 regarding of covid vaccine side effects. Noted pt has no emergency s/sx. Pt stated she got 1st covid vaccine Pfizer 5/1/2021 and pt got headache(pain score 8/10), eye pan and burning sensation on eyes, cough, runny nose, sore throat, loss of taste and smell for 3 days. Pt is taking tylenol and OTC allergy medicine Zyrtec. Noted hx of DVT, asthma, severe obesity (BMI 51.2). Pt is taking wafarin regularly. Pt scheduled urgent care visit 5/6/2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1368341	6/2/2021	NJ	32	F	5/11/2021	5/13/2021	I have not had any issues with my pregnancy. My expected date of delivery is 07/09/2021. My adverse event occurred two days after I received my second dose. I woke up and couldn't really see. I had vision, but I couldn't see clearly. I did not have any other side effect though. I went to my OBGYN because they weren't sure if it was onset of rapid pre-eclampsia. They ruled that out and told me to go home and rest. The vision issue only lasted the day after I received my vaccine. The morning after my event, everything was fine. My doctor said that it may have been a "not typical" migraine.
1364494	6/1/2021	NC	54	F	4/13/2021	4/14/2021	I had, chills, fainting, left eye dropping, headache and body ached.
1364612	6/1/2021	NY	48	F	5/7/2021	5/10/2021	Central retinal vein occlusion right eye with cystoid macular edema right eye, requiring anti-VEGF intravitreal injections.
1364666	6/1/2021	NY	37	F	4/1/2021	5/14/2021	Patient's first day of last menstrual period was 3/23/2021. Patient has a predictable monthly cycle with an average length of 30 days. Patient reports two positive at home urine pregnancy tests on 4/30/21 and 5/1/21. Conception likely occurred on or around 4/6/21. Patient reports vaginal bleeding that started on 5/14/21. Patient had transvaginal ultrasound on 5/17/21. Impression: FIRST TRIMESTER ULTRASOUND, SINGLETON An early intrauterine singleton pregnancy is visualized. A fetal pole is visualized but fetal cardiac activity is NOT present. The fetal biometry is appropriate for gestational age. Anatomic survey is precluded by early gestational age. As the CRL <7mm (measures 2.6mm) a definitive diagnosis of a missed miscarriage can not be made I would recommend a follow up ultrasound in 10-14d. Follow up ultrasound on 5/27/21 could not visualize pregnancy. Impression: The endometrium measures 14.39 mm, with heterogenous echotexture suggestive of retained products. The right and left ovaries appear normal.
1364663	6/1/2021	IL	58	F	5/26/2021	5/26/2021	blurry vision, eyes burning, red eyes

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1364640	6/1/2021	PA	38	M	4/1/2021	4/1/2021	on 4/1/21 5 hours after 2nd vaccine, pt experienced rash on his arm discomfort in the arms, back and legs. on 4/2/21 The following day he reported temp 101.7 and tachycardia prompting ER eval. ER believed to be related to anxiety. on 4/5/21 he described "out of body experience" on 4/9/21 went to ER for fever, CXR showed possible pneumonia, treated with Zpak on 4/12/21 tunnel vision on the left. numbness of the L eyebrow, forehead and superior orbit Admitted 4/15/21-4/22/21 for cranial nerve palsy, blurred vision L eye, afferent pupillary defect on 4/20/21 lumbar puncture performed, 2 oligoclonal bands seen, otherwise normal. Treated with high dose methylprednisolone x 3days without improvement. 4/22/21 visual evoked potential test second trial showed abnormal pattern on the left MRV, CT, MRI brain no abnormality 4/24/-5/4/21 admitted for L vision loss, severe neck, back pain, weakness, difficulty walking. OCT ellipsoid zone loss possible autoimmune process, decreased corneal sensation on the left. OS 20/50. pt continues to have L vision loss, R bells palsy, difficulty ambulating. Now reports trouble swallowing.
1364667	6/1/2021	TX	49	F	2/22/2021	5/2/2021	Herpes Zoster Ophthalmicus (HZO); onset of symptoms 05/02/2021, including painful rash, blisters, fatigue, headache, shooting and burning pain, swollen rash along forehead and over left eye.
1364586	6/1/2021	CT	34	F	5/31/2021	5/31/2021	Pt. received 2nd Moderna shot at 3:23 pm on 5/31/21. At about 3:45 pm pt. brought to our attention that she was having difficulty breathing. She said it started as soon as she got the shot but she waited thinking it would be going away. She was anxious, upset, eyes teary, looked afraid, and was raising her shoulders as she breathed. 911 was called. Pt. agreed to receive epi-pen. Time given was 3:47 pm. Pt. reported that breathing felt a little easier. BP taken at 3:51 pm was 182/121 pulse 93. Ambulance personnel arrived at about 3:52 pm. Pt told emt that the difficulty breathing was not like when she needs to use her inhaler. Ambulance personnel assessed and left with pt.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1364564	6/1/2021	NY	43	F	5/8/2021	5/9/2021	The night after the shot I developed COVID arm which burned and itched and swelled up. The next night a rash spread to my arms and trunk. The next night my right leg swelled up horribly and got a rash as well on my upper quad. My eyes burned for days after the shot and my eye doctor said my eye lids were inflamed and gave me steroid eye drops to help. The next night I woke up in the middle of the night itching my face. My whole face was covered in a rash that burned and was swollen. I had 4mg pills of methylpredisolone on hand at home and self treated with three pills (one each day for three days) and that helped with the swelling and Benedryl helped with the itching. I started having heavier periods at increments more than once a month (like once a week). I also have experienced significant weight gain - almost 10 pounds - in the month after the shot. I have weighed the same thing since I was in college and still wear the same clothes until after the shot. The periods have subsided but the weight is still here and I've done nothing else differently.
1364534	6/1/2021	AL	42	F	3/8/2021	3/12/2021	Four days after taking vaccine the right eye was swollen shut and she had extreme head pain. Pt went to Dr. She was sent for an MRI. This showed she had inflammation of the right lacrimal gland 5 X larger than it should be and prescribed prednisone. She started w/ 60mg and the swelling was starting to go down but by the time she was down to taking 20mg the swelling returned, Dr. told her to start taking 60 mg again and referred her to Dr. on 4/28/21. On 4/29/2021 he surgically removed the right lacrimal gland at Eye Surgery Center. She went for FU appt. The biopsy was not cancerous and surgery was success. Pt no longer has headache and her vision is returning to normal.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1364500	6/1/2021		56	M	5/7/2021	5/7/2021	EXTREME DEBILITY FOR 2 WEEKS (AT THE DATE OF THE REPORT IS IMPROVING) VERY SIMILAR TO THE SYMPTOMS OF ZIKA VIRUS, I AM AN ACTIVE OUTDOORS PERSON, HAVE EXPERIENCE LOSS OF STAMINA AT THE DATE OF THE REPORT STILL AT 80%, TAKE LONGER TO RECUPERATE AFTER EXERCISE OR OUTDOOR WORKING ACTIVITY NEED TO REST MUCH MORE., MORE FLOATERS AND DRYNESS IN THE EYES STILL USING OTC EYE DROPS FROM TIME TO TIME, JOINT PAIN (THIS HAS IMPROVED WITH JOINT VITAMINS)
1364320	6/1/2021			M	5/26/2021	5/26/2021	absent seizure; This is a spontaneous report from a non-contactable consumer reported for her husband. A male patient of an unspecified age received bnt162b2 (BNT162B2, PFIZER-BONTECH, COVID-19 Vaccine, Solution for injection, Lot number and expiration date: Not reported), via an unspecified route of administration on 26May2021, as (Batch/Lot number was not reported) as 2ND DOSE, SINGLE for covid-19 immunisation. The patient medical history and concomitant medications were not reported. The patient experienced absent seizure on 26May2021. It was reported that, the caller states her husband received his second dose of the Pfizer COVID-19 vaccine today, 26May2021. and during the 15 mins wait time from after receiving the vaccine he had what she states the nurses there are calling and absent seizure. The caller states his eyes were awake but he was not responding, as she was getting ready to bring him to the ER, he became responsive so they did not go to the ER. She is wondering if there has been reports of this and what she should do next. A review of the Pfizer COVID-19 vaccine did not find information regarding seizures. The seriousness criteria of the event was reported as serious (medically significant) by the reporter. The outcome of the event was recovering. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1364673	6/1/2021	FL	13	M	5/16/2021	5/17/2021	Was fine the night before. Woke up and his eyelids were swollen and his lips were swollen. Immediately, my wife called Telehealth and described the situation. They said to get him some Benadryl and we gave him that. He also had a headache - we might have give him a Tylenol. With Benadryl - he took four or five doses according to the protocol on the Benadryl. He did not go to school. The next day, he was swollen but not as bad. My wife bought him Claritin and he didn't do anything because he didn't know which to take (Benadryl or Claritin). His swelling went away quite a bit that day without taking anything and he went back on Wednesday -there was still a little bit of swelling but not much. He wasn't feeling great though that whole week. He was still tired and was a bit headachy until Friday or so. Somewhere on the weekend he felt back to himself. He is due for second vaccine this weekend and we aren't going to have him take it then. We're concerned and have decided to hold - the physician said he shouldn't have had a COVID vaccine two weeks before this Pfizer one (he received the Varicella) on the 29th of April- -Dr said it should have been a month or so of waiting still before he had this vaccine after that.
1364508	6/1/2021	MI	28	F	4/6/2021	4/12/2021	Constant daily headaches located at front of head, on/above eyebrows. Light sensitivity and pain when pressing around eyes. Headaches started on 4/12 and have continued daily since.
1364831	6/1/2021	MA	54	F	4/28/2021	4/30/2021	Broken blood vessel on front of eye.
1364892	6/1/2021	IL	28	F	4/16/2021	4/16/2021	second shot; allergic reaction on left side (shot in left arm) - swelling of face, tingling fingers and toes, mild throat swelling, droopy eye; took Benadryl per recommendation of pharmacist side-effects occurred 30 mins post shot
1364890	6/1/2021		23	M	6/1/2021	6/1/2021	felt lightheaded, tunneling of vision, sweating, no LOC-- started to feel better after 5-10 minutes vitals stable juice given

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1364020	6/1/2021	VA		F	5/19/2021	5/21/2021	subconjunctival hemorrhage 2 days after 2nd dose of Moderna vaccine; This spontaneous case was reported by a health care professional and describes the occurrence of CONJUNCTIVAL HAEMORRHAGE (subconjunctival hemorrhage 2 days after 2nd dose of Moderna vaccine) in a female patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 025B21A) for COVID-19 vaccination. No medical history reported by the reporter. Concomitant products included INSULIN, CICLOSPORIN (RESTASIS) and LATANOPROST for an unknown indication. On 19-May-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 21-May-2021, the patient experienced CONJUNCTIVAL HAEMORRHAGE (subconjunctival hemorrhage 2 days after 2nd dose of Moderna vaccine) (seriousness criterion medically significant). The patient was treated with DORZOLAMIDE HYDROCHLORIDE, TIMOLOL MALEATE (COSOPT PF) at a dose of UNK dosage form and Lumify eye drops at a dose of UNK dosage form. At the time of the report, CONJUNCTIVAL HAEMORRHAGE (subconjunctival hemorrhage 2 days after 2nd dose of Moderna vaccine) had not resolved. For mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown), the reporter did not provide any causality assessments. Company Comment: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1364873	6/1/2021	PA	20	F	6/1/2021	6/1/2021	approximately two minutes after administration of vaccination patient had sat down in waiting area and became lethargic/dizzy/blurred vision. She had passed out with face pale and lips turning blue, minimally responsive. Called 911 and while awaiting for ambulance patient had recovered from all symptoms with the exception of "spotted visions." Observed patient for over an hour while a family member came and upon the time of departure there was resolution of all adverse events.
1364282	6/1/2021	CA	37	M	5/8/2021	5/11/2021	Possibly/suspected bell's palsy; inability to make full smile on the right side; Numbness in on right side of tongue; loss of grip strength in right hand; unable to fully close right eye; This is a spontaneous report from a contactable consumer (patient). A 37-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: zho179), the first dose via unspecified route of administration in left arm on 08May2021 at 13:00 as single dose for COVID-19 immunisation. The relevant medical history was not reported. Concomitant medications were reported as none. On 11May2021, the patient experienced numbness in on right side of tongue, inability to make full smile on the right side, loss of grip strength in right hand. No other symptoms presented. Possibly/suspected bell's palsy unable to fully close right eye. No treatment received for the events. No Covid prior vaccination. No Covid tested post vaccination. The outcome of the events was not recovered.
1364855	6/1/2021	FL	46	M	4/29/2021	4/30/2021	Dizziness, blurred vision, headache, nausea
1364860	6/1/2021		42	F	5/28/2021	5/30/2021	Had reaction both times (broke out in hives) but did not realize they were the result of vaccines until the second dose. Started on inner thigh, looked like ringworms. Then it started turning into welts. Also had white bumps. The rashes started moving to the elbows on 5/31/21. Eyes started getting very itchy this morning (6/1/21) and looks like she has bug bites on eyelids. Hydrocortisone did not work well, tried using antihistamine but did not work well either. Has been using ice packs and minimize physical activity.
1364837	6/1/2021	VA	56	M	5/10/2021	5/17/2021	bilateral dark circles around eyes, tooth infection and skin papular lesions.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1364706	6/1/2021	CA	17	F	5/29/2021	5/29/2021	Pt experience dizziness & temporary blindness post vaccination. BP 88/56; HR 73; RR 17. Rechecked BP 10 min later 97/68; HR 72; RR 16. Pt was stable & released from vaccination site
1364825	6/1/2021	MD	13	F	5/15/2021	5/15/2021	fainted right away, pale, sweaty, eyes closed and then rolling back in the head. This never happened before.
1364817	6/1/2021	VA	55	M	4/19/2021	4/20/2021	tooth infection, skin papular lesions and dark circles around both eyes
1364805	6/1/2021	VA	66	M	4/29/2021	5/31/2021	symptoms start 5/31/21. R facial droop, R blurred vision, inability to close R eye. Presented with irretractable n/v, dyspnea, and constipation on 5/27/21.
1364784	6/1/2021	VA	41	F	4/12/2021	4/13/2021	The day after I received dose 2, 04/13/2021, I started having pain behind my eyes. I was feeling very fatigued. I had to take painkillers to help get through the day. I had a lasting headache for a whole week. My right armpit became swollen and sore. On 04/15/2021, I felt tingling on the left side of my body with mild dizziness and anxiety. I had a virtual visit with Dr. on 04/16/2021. I also had knee pain which is unusual for me. During my virtual visit, Dr. informed me that she felt fatigue for the week after she received her vaccine too. I was told that if my symptoms continue to follow up with the doctor. As of today, 06/01/2021, I can still see where I received the vaccination. I have a red bump there. It does not hurt, but it is noticeable.
1364753	6/1/2021	PA	44	F	1/8/2021	1/9/2021	~~On 1/9 felt severe flu-like symptoms (chills, fever, nausea, dizziness, headache), and stayed in bed until 1/10. Felt fine midday, 1/12, then sudden, intense migraine, ear/sinus pressure/pain, dizziness, blurred vision, weakness, tired. Symptoms improved but were still present the next day.~~

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1364731	6/1/2021	NJ	59	F	5/15/2021	5/16/2021	Outside of the typical symptoms of: Nausea, became lethargic as the day went on, arm sore, felt feverish, fell asleep 8pm earlier than usual. When I awoke I had tremors, my feet hurt upon standing and were heavy to walk. I felt as though something was weighting me down as I walk and was difficult and heavy to walk up stairs. I had pain in my lower back that was more of a dull heavy ache upon standing that got better as I walked. My eyes were dilatated and I felt faint. I rested the entire day and returned to work on Monday, but felt exhausted and like I had to spend more time for concentration on my work and work slower than usual. That lasted for about 10 days slowly getting better as time went on. after about day 8 the tremors had lessened were all but gone. Now about 15 days out, I am not at full energy but close, pain in feet has lessened and lower back better, but not fully healed and no more tremors.
1364843	6/1/2021	TN	27	F	5/18/2021	5/25/2021	Exactly one week after the second vaccine I developed a severe headache. It was a pulsing in my entire forehead and into my eyes. It started the morning of May 25 and I have woken up with the same headache since then. Advil sometimes works but it does not completely reduce the symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1363999	6/1/2021	PA		F	4/30/2021	4/30/2021	Swelling of eyes; Using bathroom alot; Nausea; Breathing problems; Swollen lymph nodes; Meningitis; Dizzy; Pain all over body; This spontaneous case was reported by a consumer and describes the occurrence of MENINGITIS (Meningitis) in a female patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Common variable immunodeficiency. On 30-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 30-Apr-2021, the patient experienced MENINGITIS (Meningitis) (seriousness criterion medically significant), DIZZINESS (Dizzy) and MYALGIA (Pain all over body). On 03-May-2021, the patient experienced RESPIRATION ABNORMAL (Breathing problems), EYE SWELLING (Swelling of eyes), MICTURITION URGENCY (Using bathroom alot), NAUSEA (Nausea) and LYMPHADENOPATHY (Swollen lymph nodes). At the time of the report, MENINGITIS (Meningitis), RESPIRATION ABNORMAL (Breathing problems), DIZZINESS (Dizzy), EYE SWELLING (Swelling of eyes), MICTURITION URGENCY (Using bathroom alot), NAUSEA (Nausea), MYALGIA (Pain all over body) and LYMPHADENOPATHY (Swollen lymph nodes) was resolving. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown. No concomitant medication was reported. Patient was put on a steroid and also put on a Nebulizer for breathing problems. Company comment Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1362811	6/1/2021	WA	18	F	5/29/2021	5/29/2021	Within 2 hours of getting the second COVID vaccine I started to have frequent sharp shooting pains in my heart making it hard to breathe as well as having erratic heart beats and blurry vision. The symptoms worsened approximately 24 hours after to where it has and continues to be sharp shooting and constant pain in my heart that travels into my left arm. Simple things like walking and breathing make it extremely painful.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1364216	6/1/2021	WA	75	F	2/18/2021		strong headaches; dry eyes; fatigue; upset stomach; the cough again changed from dry to wet but very severe; sometimes I had to cough hard that I couldn't catch my breath; my temperature went up to 99.7; could eat barely anything; she was very shaky; This is a spontaneous report from a contactable consumer or other non hcp (patient). This is the second of 2 reports from the same reporter involving the same patient. The patient experienced adverse events with both 1st and 2nd dose of the vaccine. This is for the second dose of the vaccine. A 75-year-old (age at the time of vaccination) female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Solution for injection; Lot number: unknown), via an unspecified route of administration on 18Feb2021 as 0.3ml, single dose for covid-19 immunization. Medical history included hypertension, arthritis, normally a migraine sufferer, oesophageal disorder, irritable bowel syndrome, covid-19 (in Apr-2020), feeling abnormal, pneumonia, bronchitis, breathing difficulty, cough. Consumer stated that she had something with esophagus so she was taking for digestive because she had 'IBS', in April of last year she was diagnosed with corona virus. She had little bit of breathing difficulty and bronchitis was confirmed with X-ray. Covid was confirmed two days later. About 3 weeks later she felt bad again and she had to go to the emergency room the hospital here and she had pneumonia and received very good medication (treatment) and like the five pills which they give for pneumonia and they wanted to admit her to the hospital, she was in the emergency room for 6 hours and that was enough and they made another Covid test and that was negative but it was the X-ray shown that she had pneumonia. Concomitant medications included calcium (CALCIUM), colecalciferol (VITAMIN D [COLECALCIFEROL]), cyanocobalamin (VITAMIN B12 [CYANOCOBALAMIN]), fluticasone propionate (FLONASE [FLUTICASONE PROPIONATE]). Received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Solution for injection; Lot number: FL9264), via an unspecified route of administration on 28Jan2021 as 0.3ml, single dose for covid-19 immunization and experienced fever, chills, fatigue, extremely dry eyes and felt hot, they were so dry she had to pull over on the side to drive home; arm was a little bit sore, slight headache,

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

Ice cold hands and feet, shaky, had absolutely no appetite, she was not thirsty and very little urine output, runny nose, she had almost from years a dry cough and this one turned wet, had a very upset stomach that she could not eat or drink anything, extremely tired and it felt like she had the flu, she had a heartbeat for three days which was faster than normal and that lasted for about three days. On an unspecified date, after the second dose of vaccination the patient experienced strong headaches, dry eyes, fatigue and upset stomach, though slightly shorter in duration than she experienced following the first dose. She again had dry eyes, the cough again changed from dry to wet but very severe and sometimes she had to cough hard that she could not catch her breath after second dose. The headache had changed from the first one, it was slight headache for few days but with this it was for three or four days she had headache, her stomach was a bit upset and she could not take a pill (Unspecified Medication). Her headache was severe as if she had a helicopter in there and then extremely tired. She had to go to the bathroom, and she went to bed and thought that she was going to lay down for about five minutes, but she woke about two and a half hours later. Every step she had to walk was almost too much and then my temperature went up to 99.7 and she was very shaky. The headache lasted for about 3 or 4 days and then it was over. She has never had any side effect from any vaccine. She could not take anything for the headache because she thought she will throw up. In the morning, she just took her regular medicine (Unspecified Medications). She could eat barely anything like she said after three or four days. Consumer stated that her height was 5 feet 3 inches, and she shrank some. The patient underwent lab tests and procedures which included sars-cov-2 test positive: positive, x-ray resulted bronchitis. The outcome of the event headache was resolved whereas the outcome of other events was unknown. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1364894	6/1/2021	MI	18	M	6/1/2021	6/1/2021	Patient was told to have a seat in the waiting room for 15 minutes after vaccination. Against medical advice, he left immediately. Employee called the pharmacy and informed us patient was in the bathroom feeling like he was going to throw up, his vision was going black and he was tingling. Our pharmacist brought an epi-pen to the bathroom immediately, however, patient had left the building before pharmacist could evaluate him.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1363774	6/1/2021	MN	61	F	3/12/2021		<p>PLATELET COUNT INCREASED; EXCRUCIATING HEADACHE; INTRAOCULAR PRESSURE DECREASED; ANGIOGRAM NORMAL; ARTERIOGRAM CAROTID NORMAL; THROMBOCYTOPENIA; ARTERY BURST BEHIND HER EYE; OCULAR DISCOMFORT; PERIORBITAL SWELLING; EYE PAIN; ACHES AND PAINS; This spontaneous report received from a patient concerned a 61 year old female, ethnicity unknown. The patient's height, and weight were not reported. The patient's past medical history included hypertension, hypothyroidism, and intermittent pancytopenia, and concurrent conditions included metronidazole allergy, hashimoto's disease, and microscopic colitis. The patient was previously treated with metronidazole. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 1805018, and expiry: UNKNOWN) dose was not reported, administered on 09-MAR-2021 for prophylactic vaccination. Concomitant medications included amlodipine, levothyroxine, losartan, rosuvastatin calcium, and ubidecarenone. On 09-Mar-2021, the patient got the vaccine and after few days she had aches and pains (very mild reaction) and went to bed early. The patient thought she was fine. On 18-Mar-2021, 04:00, she woke up with an excruciating headache above her left eye in her eyebrow. The patient wondered if it was an aneurysm and took 2 tablets of extra strength Tylenol and it helped. The patient stated that after every 5-6 hours, excruciating headache came back. The patient had the same headache for over a week. The patient got tested for Covid-19 and it was negative. The patient thought she had sinus problems but had no other symptoms. On 30-Mar-2021, the patient woke up with headache. Her eye was killing her, was sore and swollen, and felt like it was going to burst and her left eye was swollen shut in a couple of hours. The patient narrated it was excruciatingly painful. The patient's husband drove her to urgent care, where ophthalmology tested the pressure: right eye was normal (she thinks it was 18-normal) and the left eye was 51 (normal is 14-19), units unspecified (intraocular pressure decreased). The eye doctor started prednisone and the patient had a CT scan and lab work done. MRI was also ordered but they were unable to do it right away. On unspecified date in Dec/2020 the platelets were 349 in December and came</p>



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

down to 64, which was very low (low threshold was 150) (thrombocytopenia). The CT scan was performed, they thought she had a cavernous carotid fistula and she was scheduled for an angiogram for a further diagnosis on 01-Apr-2021. The angiogram determined she did not have fistula. The patient was admitted to the hospital after the angiogram and on 02-April-2021, MRI was done. All throughout the process, the ophthalmologist, radiologist and internist all thought it was related to the Janssen COVID-19 vaccine. The prednisone started working and the pressure started dropping in her eye. The patient states that doctors think an artery burst behind her eye. After discharge, the patient was taking prednisone which was helping. On the 13th, she was watching television and saw that the vaccine was being put on hold due to the women with clots whose progression matched hers exactly (severe headaches, low platelets, and required attention). She was on prednisone for a month. Laboratory data (dates unspecified) included: COVID-19 virus test negative (NR: not provided) negative, CT scan (NR: not provided) Not reported, and Platelet count (NR: not provided) 64 (units unspecified). Treatment medications (dates unspecified) included: prednisone, and paracetamol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from thrombocytopenia, intraocular pressure decreased, ocular discomfort, periorbital swelling, and eye pain, excruciating headache on 02-APR-2021, and aches and pains on 12-MAR-2021, and the outcome of artery burst behind her eye was not reported. This report was serious (Hospitalization Caused / Prolonged, and Disability or Permanent Damage). Additional information was received on 25-MAY-2021 following information was updated and incorporated into case narrative: Other identification number, patient contact details, events- Aches and pains, artery burst behind her eyes, excruciating headache, Tylenol drug was added, hospital details was added and narrative was updated accordingly.; Sender's Comments: V1: Additional information updated identification number,hospital details,events- Aches and pains, artery burst behind her eyes, excruciating headache,This updated information does not change the causality of previously reported events. 20210502268-COVID-19 VACCINE AD26.COV2.S-Artery burst behind her eye. Follow-up

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

received regarding Clinical Details. This event(s) is considered not related. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There are other factors more likely to be associated with the event(s) than the drug. Specifically: MEDICAL HISTORY 20210502268-COVID-19 VACCINE AD26.COV2.S-Excruciating headache. Follow-up received regarding Clinical Details. This event(s) is labeled per RSI and is therefore considered potentially related. 20210502268-covid-19 vaccine ad26.cov2.s-Thrombocytopenia, Intraocular pressure decreased, Ocular discomfort, Periorbital swelling, Platelet count increased, Eye pain, Angiogram normal, Arteriogram carotid normal. This event(s) is considered not related. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There are other factors more likely to be associated with the event(s) than the drug. Specifically: MEDICAL HISTORY, UNDERLYING DISEASE

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1363779	6/1/2021	MA	60	M	4/1/2021		<p>FAINTING SPELL; PASSED OUT; This spontaneous report received from a consumer (wife) concerned a 60 year old male of unspecified race and ethnicity. The patient's height, and weight were not reported. The patient's concurrent conditions included Crohn's disease (diagnosed years ago), bee stings allergy, non smoker, non alcohol user, and marijuana abuse. The patient did not have primary care provider (PCP) and had not been to the doctor for 35 years. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 042A21A, and expiry: unknown) dose was not reported, 1 total administered on 01-APR-2021 to right arm for prophylactic vaccination. No concomitant medications were reported. Five or ten minute after vaccination patient's eyes rolled back and he passed out at the vaccine centre. Reporter was not sure if he fainted or had a seizure. He came back for a bit but then started having the fainting spell again. The patient taken by the ambulance to the hospital. In hospital, did a few tests which included blood pressure, blood sugar, electrocardiogram (EKG) but everything came back fine. He had not eaten before getting the vaccine. Healthcare professional (HCP) could not find any reason for his symptom. He had not eaten before getting the vaccine but it was nothing unusual. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from fainting spell, and passed out on 01-APR-2021. This report was serious (Other Medically Important Condition).; Sender's Comments: V0:20210546973-covid-19 vaccine ad26.cov2.s-Fainting spell, passed out. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1363817	6/1/2021	AZ	33	F	5/25/2021		SEVERE MIGRAINE; BLURRED VISION; DIZZINESS; FATIGUE; This spontaneous report received from a patient concerned a 33 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included non alcohol user, and non smoker, and other pre-existing medical conditions included patient had no previous medical history, no known drug allergies, no history of drug abuse or illicit drug use. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 1821286, expiry: UNKNOWN) dose was not reported, administered on 25-MAY-2021 14:30 for prophylactic vaccination. No concomitant medications were reported. On 25-MAY-2021, the subject experienced severe migraine. On 25-MAY-2021, the subject experienced blurred vision. On 25-MAY-2021, the subject experienced dizziness. On 25-MAY-2021, the subject experienced fatigue. Treatment medications included: methocarbamol/paracetamol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from severe migraine, blurred vision, fatigue, and dizziness. This report was non-serious. This case, involving the same patient is linked to 20210554732.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1363845	6/1/2021	AZ	53	F	5/26/2021		<p>DIZZINESS; BLURRED VISION; BODY SHAKES; ABDOMINAL PAIN; This spontaneous report received from a patient concerned a 53 year old female. The patient's weight was 261 pounds, and height was 67 inches. The patient's past medical history included ablations of heart, atl knee surgery, foot surgery, jaw surgery, 2 cesarean section, and cholecystectomy, and concurrent conditions included brain tumor right temporal lobe, thyroid tumor 4 cm benign, non alcohol user, and cigarette smoker, and other pre-existing medical conditions included the patient had no history of drug abuse or illicit drug usage. The patient experienced rash (drug allergy) when treated with erythromycin. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 042A21A, and expiry: UNKNOWN) dose was not reported, administered on 26-MAY-2021 14:00 for prophylactic vaccination. No concomitant medications were reported. On 26-MAY-2021, the subject experienced dizziness. On 26-MAY-2021, the subject experienced blurred vision. On 26-MAY-2021, the subject experienced body shakes. On 26-MAY-2021, the subject experienced abdominal pain. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from abdominal pain, and had not recovered from dizziness, blurred vision, and body shakes. This report was non-serious.; Sender's Comments: V0: Medical Assessment Comment not required as per standard procedure as the case assessed as non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1363848	6/1/2021	CA	49	M	5/24/2021		<p>BURNING ( AROUND EYEBALLS,NECK AND BODY); HOT FLASHES; SLEEPINESS; CHILLS; SUPER FATIGUE; HEADACHE; WEIRD TASTE IN MOUTH; This spontaneous report received from a patient concerned a 49 year old male. The patient's weight was 279 pounds, and height was 67 inches. The patient's past medical history included asthma younger, and concurrent conditions included non smoker. The patient experienced drug allergy when treated with methylprednisolone sodium succinate. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 205A21A, and batch number: 205A21A expiry: 23-JUN-2021) dose was not reported, administered on 24-MAY-2021 14:45 for prophylactic vaccination. No concomitant medications were reported. On 24-MAY-2021, the subject experienced weird taste in mouth. On 24-MAY-2021, the subject experienced headache. On 25-MAY-2021, the subject experienced sleepiness. On 25-MAY-2021, the subject experienced chills. On 25-MAY-2021, the subject experienced super fatigue. On 26-MAY-2021, the subject experienced hot flashes. On 26-MAY-2021, the subject experienced burning ( around eyeballs, neck and body). The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from headache, weird taste in mouth, super fatigue, hot flashes, chills, sleepiness, and burning ( around eyeballs,neck and body). This report was non-serious.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1363859	6/1/2021		44	F	5/25/2021		SEVERE NERVE INFLAMMATION; RESTLESS LEG SYNDROME; MUSCLE CONTRACTIONS; PAIN FROM HEAD TO TOE, INCLUDES FINGERS, TOES, EYELIDS, CHEEKS, ABDOMEN; SLEPT INTERMITTENTLY 5 TO15 MINUTES AT A TIME; CHILLS; EXTREME BURNING OF MUSCLES; MUSCLE PAIN THROUGHOUT BODY; SEVERE HEADACHE; This spontaneous report received from a patient by a Business partner on 27-MAY-2021 was received on 27-MAY-2021 and concerned a 44 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included codeine allergy, and other pre-existing medical conditions included the patient had codeine allergy and no other illness. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 205A21A, and expiry: UNKNOWN) dose was not reported, administered on 25-MAY-2021 10:30 for prophylactic vaccination. No concomitant medications were reported. On 25-MAY-2021 23:30, the subject experienced severe nerve inflammation. On 25-MAY-2021 23:30, the subject experienced restless leg syndrome. On 25-MAY-2021 23:30, the subject experienced muscle contractions. On 25-MAY-2021 23:30, the subject experienced pain from head to toe, includes fingers, toes, eyelids, cheeks, abdomen. On 25-MAY-2021 23:30, the subject experienced slept intermittently 5 to15 minutes at a time. On 25-MAY-2021 23:30, the subject experienced chills. On 25-MAY-2021 23:30, the subject experienced extreme burning of muscles. On 25-MAY-2021 23:30, the subject experienced muscle pain throughout body. On 25-MAY-2021 23:30, the subject experienced severe headache. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from severe nerve inflammation, restless leg syndrome, and extreme burning of muscles on 26-MAY-2021 11:30, muscle contractions, and muscle pain throughout body on 26-MAY-2021 15:00, and severe headache on 26-MAY-2021 20:00, and the outcome of chills, pain from head to toe, includes fingers, toes, eyelids, cheeks, abdomen and slept intermittently 5 to15 minutes at a time was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1363866	6/1/2021	TX	49	F	5/27/2021		<p>COLD SWEATS; WEIRD FEELING IN THROAT; LEFT EAR POPPING LIKE GOING UP IN ELEVATION; SINUS CAVITY PRESSURE IN THE RIGHT EYE; STUFFY NOSE; FEVER 101.3 F; HEADACHE; LITTLE NAUSEOUS; This spontaneous report received from a patient concerned a 49 year old female. The patient's weight was 165 pounds, and height was 63 centimeters. The patient's concurrent conditions included barrett's esophagus, high blood pressure, premature heart beat, hypothyroidism, sulfa drugs allergy, non smoker, and non-alcohol user, and other pre-existing medical conditions included the patient was not pregnant at the time of the reporting. the patient had no history of drug abuse or illicit drug usage . The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 201A21A, and expiry: 23-JUN-2021) dose was not reported, administered on 27-MAY-2021 11:45 for prophylactic vaccination. Concomitant medications included amlodipine, carvedilol, levothyroxine, and losartan. On 27-MAY-2021, the subject experienced cold sweats. On 27-MAY-2021, the subject experienced weird feeling in throat. On 27-MAY-2021, the subject experienced left ear popping like going up in elevation. On 27-MAY-2021, the subject experienced sinus cavity pressure in the right eye. On 27-MAY-2021, the subject experienced stuffy nose. On 27-MAY-2021, the subject experienced fever 101.3 f. On 27-MAY-2021, the subject experienced headache. On 27-MAY-2021, the subject experienced little nauseous. Laboratory data included: Body temperature (NR: not provided) 101.3 F, 101.0 F, 97.8 F. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from cold sweats, weird feeling in throat, and left ear popping like going up in elevation on 27-MAY-2021, had not recovered from headache, stuffy nose, and fever 101.3 f, and the outcome of sinus cavity pressure in the right eye and little nauseous was not reported. This report was non-serious.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1363877	6/1/2021	UT	48	M	5/14/2021		LEFT EYE WITH BLOOD SPOT IN THE EYEBALL; PAIN IN THE CENTRAL PART OF THE CHEST; DIFFICULTY BREATHING WHEN DOING ACTIVITIES; HEADACHE; LEFT ARM PAIN WHERE SHOT WAS ADMINISTERED; COULDN'T SLEEP THE DAY OF THE VACCINE; BODY TREMBLING; This spontaneous report received from a 48-year-old, male patient The patient's weight was 184 pounds, and height was 74 inches. The patient's past medical history included gallbladder removal. The patient was non-smoker, social drinker (only in holidays mostly), and the patient had no known allergies. The patient did not have any drug abuse or illicit drug use. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, and batch number: 207A21A and expiry: 23-JUN-2021) dose was not reported, 1 total administered on 14-MAY-2021 around 13:15 to left arm for prophylactic vaccination. No concomitant medications were reported. On 14-MAY-2021, the patient experienced left arm pain where shot was administered, body trembling and couldn't sleep on the day of vaccine. On 17-MAY-2021, the patient experienced headache which had diminished, but suddenly they were like stabbing, left eye with blood spot in the eyeball and pain in the central part of the chest, which on occasions varies from right to left with breathing difficulty when doing activities. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from body trembling, couldn't sleep, and left arm pain where shot was administered on 18-MAY-2021, was recovering from headache, and left eye with blood spot in the eyeball, and had not recovered from pain in the central part of the chest, and difficulty breathing when doing activities. This report was serious (Other Medically Important Condition).; Sender's Comments: V0 : 20210555889-COVID-19 VACCINE AD26.COV2.S -Left eye with blood spot in the eye ball. This event is considered unassessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1363907	6/1/2021	WA	49	F		5/21/2021	SORE THROAT; FEVER OF 104/LOW GRADE FEVER; DIZZINESS; BLURRED VISION; This spontaneous report received from a patient concerned a 49 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included high blood pressure, high cholesterol, alcohol consume 3 glass per week, and non smoker, and other pre-existing medical conditions included the patient had not known allergies to drug. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 202A21A, and expiry: UNKNOWN) dose was not reported, administered on 21-MAY-2021 for prophylactic vaccination. Concomitant medications included lisinopril for high blood pressure. On 21-MAY-2021, the patient experienced dizziness. On 21-MAY-2021, the patient experienced blurred vision. On 21-MAY-2021, the patient experienced fever of 104/low grade fever. Laboratory data included: Body temperature (NR: not provided) fever 104. On 23-MAY-2021, the patient experienced sore throat. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from fever of 104/low grade fever, and had not recovered from dizziness, blurred vision, and sore throat. This report was non-serious

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1364069	6/1/2021	AR	57	F	2/2/2021	2/2/2021	Eye pressure; Light headed dizzy; Limbs feel like jello and wobbly; Felt like I was floating as if I was 10 feet tall; Sugar bottomed out to 80; Fast heartbeat; Shaky hands and legs; This is a spontaneous report from a contactable Other Health Professional (patient herself). A 57-year-old non pregnant female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE solution for injection), dose 1 via an unspecified route of administration, administered in right arm on 02Feb2021, 07:30 AM (Batch/Lot Number: EL9261) as 1st dose, single for covid-19 immunization. The patient's medical history included Diabetes mellitus type 2, Fibromyalgia, Hypothyroidism, Osteoarthritis, allergies to Penicillin from an unknown date. The patient received other medications within 2 weeks of vaccination. On 02Feb2021 at 11:30 am, 4 hours after the vaccination the patient experienced Eye pressure, Lightheaded dizzy, Limbs feel like jello and wobbly, felt like she was floating as if I was 10 feet tall, Sugar bottomed out to 80, Fast heartbeat and Shaky hands, and legs. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient did not test COVID-19 positive prior to vaccination. The patient had not been tested for COVID-19 since the vaccination. No treatment was received for the events. The outcome of the events was Recovering. Follow-up attempts are completed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1363995	6/1/2021	FL	30	M	5/12/2021	5/12/2021	<p>blurry vision five minutes after the shot; seizures on the same day; This spontaneous case was reported by a consumer and describes the occurrence of VISION BLURRED (blurry vision five minutes after the shot) and SEIZURE (seizures on the same day) in a 30-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 027C21A) for COVID-19 vaccination. The patient's past medical history included COVID-19 (had covid-19 twice before receiving the vaccine once in APR-2021) in April 2021. Concurrent medical conditions included Epilepsy. Concomitant products included LEVETIRACETAM (KEPPRA [LEVETIRACETAM]), LAMOTRIGINE, LOPERAMIDE HYDROCHLORIDE (LOMOTIL [LOPERAMIDE HYDROCHLORIDE]), ATORVASTATIN, LORAZEPAM (ATIVAN), ONDANSETRON (ZOFRAN [ONDANSETRON]) and CLONAZEPAM (KLONOPIN) for an unknown indication. On 12-May-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 12-May-2021, the patient experienced VISION BLURRED (blurry vision five minutes after the shot) (seriousness criterion hospitalization). 12-May-2021, the patient experienced SEIZURE (seizures on the same day) (seriousness criteria hospitalization and medically significant). The patient was hospitalized from 12-May-2021 to 19-May-2021 due to SEIZURE and VISION BLURRED. At the time of the report, VISION BLURRED (blurry vision five minutes after the shot) outcome was unknown and SEIZURE (seizures on the same day) had resolved. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): In April 2021, Computerised tomogram: unknown (Inconclusive) unknown. In April 2021, Lumbar puncture: unknown (Inconclusive) spinal tap from CNS fluid to make sure there was no cox in his brain. In April 2021, Magnetic resonance imaging: unknown (Inconclusive) unknown. mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was withdrawn on an unknown date. The patient had epilepsy as pre-existing condition and he was on unspecified medication for that. The patient has seizures on the same day of vaccination and was transferred to hospital. Patient had magnetic resonance scan (MRI) and patient had seizures over there for which he was moved to sister hospital where they did scan under</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

anesthesia. Before discharging patient from hospital they took spinal tap from central nervous system (CNS) fluid to make sure there was no Cyclooxygenase (COX) in his brain. Patient's physician told to not receive the second dose of Moderna vaccine. No treatment information was reported. Company comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. This case was linked to US-MODERNATX, INC.-MOD-2021-154269 (E2B Linked Report). Most recent FOLLOW-UP information incorporated above includes: On 25-May-2021: Additional information was received and events, hospitalization details and laboratory data updated.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded US-MODERNATX, INC.-MOD-2021-154269:Crosslinked case of reporter friend case

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1364281	6/1/2021			M	4/21/2021	4/22/2021	two blood clots inside his brain, and one on the outside/ three blood clots in and near his brain; two blood clots inside his brain, and one on the outside/ three blood clots in and near his brain; pulled neck muscle; neck pain; fevers/ fever; severe headaches/incessant headaches; swollen lymph nodes; extreme migraines/ migraine headaches; could not move his neck without the assistance of his hands/ unable to freely move his neck; eyes are still swollen; Neck swelling; The initial case was missing the following minimum criteria: no identifiable reporter. Upon receipt of follow-up information on 24May2021, this case now contains all required information to be considered valid. This is a spontaneous report from a Pfizer-sponsored program. A contactable consumer, physician and non-contactable consumers reported that a 17-year-old male patient (also reported as 18 years old) received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 21Apr2021 (Batch/Lot number was not reported) as 1st dose, single dose for COVID-19 immunisation. Medical history included prior COVID-19 infection. Before the shot, the patient was 100 percent healthy, playing and practicing basketball. There was nothing wrong with him. He didn't have a sore throat (or) any injury. The patient's concomitant medications were not reported. On an unspecified date, the patient was hospitalized with three blood clots in and near his brain that developed after he received the first dose of Pfizer-BioNTech COVID vaccine. The symptoms started after getting his first COVID-19 vaccination dose, and symptoms were initially dismissed as a pulled neck muscle. He received the vaccine on 21Apr2021 and began experiencing neck pain, fever and severe headaches on an unspecified date (also reported as "one day later"). The patient's pediatrician initially dismissed the symptoms as a pulled neck muscle. However, the patient's mother was convinced it was something else. After more than a week of symptoms and being unable to freely move his neck, the family got this diagnosis: two blood clots inside his brain, and one on the outside. The patient was healthy and well before. It was unclear how long the patient will be in the hospital. It was also stated that the patient experienced swollen lymph nodes and migraine headaches. Further reported that the day after his COVID-19 vaccine shot (on 22Apr2021), the patient

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

felt his neck swelling. In the coming days, he suffered from severe headaches. He also could not move his neck without the assistance of his hands few days after the shot (unknown date). Patient suffered from fevers and incessant headaches. He started to feel swelling and pain in his neck ("that night"). Days later, he got extreme migraines, so the patient's mother took him to the emergency room. It was reported that the patient plays competitive basketball seven days a week, which means high contact physical activity that could have possibly aggravated the swelling caused by the vaccine. On Thursday (unknown date), the patient left the ICU, but his eyes are still swollen and the road ahead is uncertain. On an unspecified date, the patient was out of intensive care unit (ICU) but the clots aren't gone. He has an magnetic resonance imaging (MRI, unknown date, unknown results) to see if they shrunk. The patient is currently at home recovering (as reported). Doctor recommended that patient have a COVID Nucleocapsid antibody level drawn to determine if he had been exposed previously to the Corona virus. On an unspecified date, the patient underwent test for nucleocapsid antibodies, patient is POSITIVE for SARS-CoV-2 nucleocapsid antibodies. This indicates that he had been previously infected with Corona virus prior to his receiving the BNT162 vaccine. There is a very serious concern that previously infected persons may be at higher risk of developing post-vaccine complications that un-immune persons. The doctor believed that the prior infection in combination with the vaccine led to the blood clots in the brain. Outcome of event "two blood clots inside his brain, and one on the outside/ three blood clots in and near his brain" was not recovered, while other events were unknown. Information on the lot/batch number had been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1364014	6/1/2021	TX	59	F	1/16/2021	2/13/2021	<p>Autoimmune response to the vaccine; obstruction in the brain or skull; Dry eye; Sleepy; no energy; debilitating pain; feels it burning in the background; was throwing up; dry mouth; inflammation in the vessels; blood pressure was very high; crying a lot in the office because she was in so much pain; retinal hemorrhage in right eye/ feels like something is in my right eye; large tearing-off in right eye in the shape of an "L"; couldn't sleep/ headaches and ear fluttering wake her up; had blurry vision/ blocked the center vision of her eye; really aching behind right eye; right ear started to flutter like a butterfly was in it/ ear fluttering it progressively got worse; severe headache, 10/10 on scale of 1-10/ headaches became intermittent/ e headache was behind her eyes; chills; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of RETINAL HAEMORRHAGE (retinal hemorrhage in right eye/ feels like something is in my right eye) and AUTOIMMUNE DISORDER (Autoimmune response to the vaccine) in a 59-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 011L20A and 013M20A,) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Co-suspect product included non-company product AMITRIPTYLINE HYDROCHLORIDE for an unknown indication. The patient's past medical history included GERD. Concurrent medical conditions included Hypoglycemia, Pancreatitis (Idiopathic reoccurring acute pancreatitis), Hashimoto's disease and Arteriosclerosis coronary artery. Concomitant products included OMEPRAZOLE SODIUM, ROSUVASTATIN, LEVOTHYROXINE SODIUM (UNITHROID), UBIDECARENONE (CO Q 10 [UBIDECARENONE]), ACETYLSALICYLIC ACID (ASPIRIN 81), COLECALCIFEROL (VITAMIN D 3), DOCUSATE SODIUM (COLACE), FISH OIL (OMEGA 3 COMPLETE) and GLUCOSAMINE &amp; CHONDORITIN for an unknown indication. On 16-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 13-Feb-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 25-Mar-2021, the patient started AMITRIPTYLINE HYDROCHLORIDE (unknown route) 25 mg once a day. On 13-Feb-2021, the patient</p>



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

experienced EAR DISCOMFORT (right ear started to flutter like a butterfly was in it/ ear fluttering it progressively got worse), HEADACHE (severe headache, 10/10 on scale of 1-10/ headaches became intermittent/ e headache was behind her eyes) and CHILLS (chills). On 25-Feb-2021, the patient experienced INSOMNIA (couldn't sleep/ headaches and ear fluttering wake her up), VISION BLURRED (had blurry vision/ blocked the center vision of her eye) and EYE PAIN (really aching behind right eye). On 02-Mar-2021, the patient experienced RETINAL HAEMORRHAGE (retinal hemorrhage in right eye/ feels like something is in my right eye) (seriousness criterion medically significant) and EYE INJURY (large tearing-off in right eye in the shape of an "L"). On 03-Mar-2021, the patient experienced HYPERTENSION (blood pressure was very high) and CRYING (crying a lot in the office because she was in so much pain). On 26-Mar-2021, the patient experienced VASCULITIS (inflammation in the vessels). On an unknown date, the patient experienced AUTOIMMUNE DISORDER (Autoimmune response to the vaccine) (seriousness criterion medically significant), CEREBRAL DISORDER (obstruction in the brain or skull), BURNING SENSATION (feels it burning in the background), DRY EYE (Dry eye), DRY MOUTH (dry mouth), ASTHENIA (no energy), PAIN (debilitating pain), SOMNOLENCE (Sleepy) and VOMITING (was throwing up). The patient was treated with NAPROXEN ongoing since an unknown date at a dose of 500 mg; PARACETAMOL (TYLENOL) ongoing since an unknown date at a dose of 500 mg and KETOROLAC TROMETHAMINE (TORADOL) ongoing from 03-Mar-2021 at a dose of vl. On 13-Feb-2021, CHILLS (chills) outcome was unknown. At the time of the report, RETINAL HAEMORRHAGE (retinal hemorrhage in right eye/ feels like something is in my right eye), AUTOIMMUNE DISORDER (Autoimmune response to the vaccine), EAR DISCOMFORT (right ear started to flutter like a butterfly was in it/ ear fluttering it progressively got worse), INSOMNIA (couldn't sleep/ headaches and ear fluttering wake her up), VISION BLURRED (had blurry vision/ blocked the center vision of her eye), EYE PAIN (really aching behind right eye), EYE INJURY (large tearing-off in right eye in the shape of an "L"), HYPERTENSION (blood pressure was very high),

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

CEREBRAL DISORDER (obstruction in the brain or skull), CRYING (crying a lot in the office because she was in so much pain), VASCULITIS (inflammation in the vessels), BURNING SENSATION (feels it burning in the background), DRY EYE (Dry eye), DRY MOUTH (dry mouth), ASTHENIA (no energy), PAIN (debilitating pain), SOMNOLENCE (Sleepy), VOMITING (was throwing up) and HEADACHE (severe headache, 10/10 on scale of 1-10/ headaches became intermittent/ e headache was behind her eyes) outcome was unknown.

DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 03-Mar-2021, Blood pressure measurement: high (Inconclusive) high blood pressure. Patient has sever headache but didn't have any migraines or headaches in past. patient experienced sever pain that she took Tylenol and Naproxen 500mg as much as possible in a day (6times) even though in night time. patient consulted a Ophthalmologist on 1-Ma-r2021 and diagnosed retinal hemorrhage in right eye. ophthalmologist refered with Cardiologist that patient previously consulted before second dose of vaccine . patient was crying because of pain.the results of EKG and CT was not provided. ON 04Mar2021 patient was refered to neurologist and doctor stated that it was an autoimmune response to the vaccine and scheduled two MRI's- with and without contrast for 26Mar2021 and prescribed with Amitriptyline 25mg.The Neurologist wanted to do two more MRIs to rule out bleeding/swelling of small vessels in head. patient had her last two MRI's (with and without contrast) on 6Apr2021 and was told they were clear, so patient was going forward with a follow up appointment with the neurologist on 14June2021. patient stated that the neurologist told her the headaches have to be 100% gone for four weeks before taking her of the Amitriptyline. patient stated the headaches are still painful, but tolerable .patient stated that feels it burning in the background. Company Comment: Limited information regarding the events has been provided at this time and a causal relationship cannot be excluded. Assessment is confounded by the patient history and concurrent conditions and treatments. Events of dry eye, dry mouth, lack of energy and somnolence reported as associated with amitriptyline, but an association cannot be excluded with Moderna vaccine This case was linked to MOD-

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

2021-162714 (Patient Link).;	Sender's Comments: Limited information regarding the events has been provided at this time and a causal relationship cannot be excluded. Assessment is confounded by the patient history and concurrent conditions and treatments. Events of dry eye, dry mouth, lack of energy and somnolence reported as associated with amitriptyline, but an association cannot be excluded with Moderna vaccine						
------------------------------	---	--	--	--	--	--	--

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1364042	6/1/2021	PA	42	F	1/29/2021	1/30/2021	dizziness; injections site reactions including: swelling itchiness, and warm to the touch; Swelling, itchy, hot to touch at injection site; injections site reactions including: swelling itchiness, and warm to the touch; fever of 103 at highest; her eyes hurt; weak; lethargic; headache; slight aches/Achy/whole body hurt; skin was sensitive; she felt like she had the flu; felt very sick; This is a spontaneous report from a contactable consumer (patient) via Medical Information Team. A 42-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Solution for injection, Lot number: EL3247), via intramuscularly in left arm on 29Jan2021 at 10:50 am as 2nd dose, single for COVID-19 immunization. Patient previously received bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Solution for injection, Lot number: EL3246), via intramuscularly in left arm on 08Jan2021 at 10:50 am as 1st dose, single for COVID-19 immunization. Medical history and concomitant medications were not reported. On 30Jan2021 at 00:00, patient experienced achy, weak, headache, eyes hurt, lethargic, whole body hurt, fever of 103 at highest. She also said on Saturday around 12:00 am, is when she felt very sick, her skin was sensitive. It was reported that Today, she still feels slightly dizzy, has a headache and slight aches. Patient also experienced dizziness. Sunday, her temperature went down to 99.2 degrees Fahrenheit. On 31Jan2021 at 07:00, patient experienced Swelling, itchy, hot to touch at injection site. She stated she doesn't typically have reactions to vaccines, and that symptoms are improving from peaking on Saturday 30Jan2021. She's wanting to know if these are normal and how long AEs might last. Today she still feels dizzy, has HA and slight aches. No duration is reported for other AE's. Referred to MD for treatment. She wanted to know if it was normal not to feel right after having the shot on Friday. She is a dental hygienist. She provided her weight as being between 145-150. NO ER or physician's office required. Patient medical history was reported as provide other relevant medical history including but not limited to these conditions: diagnosed allergies, compromised immune status, respiratory illness, genetic /chromosomal abnormalities, endocrine abnormalities (including diabetes) and obesity was reported as none. The outcome of the event dizziness, felt very sick, felt like she had the flu, skin was sensitive was unknown and

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1362835	6/1/2021	NV	72	F	5/1/2021	5/4/2021	<p>outcome of the events injections site reactions including: swelling itchiness, and warm to the touch was not recovered and outcome of the other events was recovering. Follow-up attempts are completed. No further information is expected.</p> <p>states "Last May 1st I got my 1st dose of the covid vaccine... on May 4th, when I woke up, I couldn't see well. Blurry vision on my right eye, I couldn't even read even with my glasses on. When I blinked I could see big blobs of different colors, black, blue, green, red, yellow... I made an appointment with an ophthalmologist (May 7) and was told there was bleeding at the back of my eye and referred to a retina doctor. May 12, I saw a retina doctor and was given 2 shots right into my eye. Now I could still see black blobs but much smaller and wherever I look I could see like white clouds with sparkling tiny lights of different colors, even if my eyes are closed. ~~</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1364086	6/1/2021	MI	70	M	1/29/2021	1/29/2021	feverish and chills; feverish and chills; arm was a little sore and a little black and blue; frequent urination / he started to pee every 20 minutes; arm was a little sore and a little black and blue; the site bled a little bit; little site soreness like a flu shot; This is a spontaneous report from a contactable consumer (Patient). A 70-year-old male patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Lot Number: EL9262 and Expiration date was not reported), via intramuscular route, administered in Arm Right on 29Jan2021 14:30, as single dose for COVID-19 immunization. Medical history included shellfish allergy (had a weird shellfish allergy, he said that he can eat cooked shrimp and lobsters. He said that he was peeling raw shrimp and his fingers started to itch, he started to swell, and his eyes started to swell. He said that this happened twice and once with lobster. He was treated with Benadryl IV), diminished kidney function which was diagnosed in 2015 and ongoing (kidney issues run in his family, had a uncle on dialysis), kidney stone had it for years and ongoing and stated that they monitor it every once in a while and enlarged prostate. Concomitant medications included FLOMAX [MORNIFLUMATE], 0.4 mg, one capsule orally in the evening taken for enlarged prostate from an unspecified start date and ongoing. His next vaccine is due on 18Jan2021 at 14:30 (as reported). The patient did not receive additional vaccine on the same date of Pfizer vaccine and also he did not receive any vaccine within 4 weeks. On 29Jan2021, about 8 hours after receiving the vaccine, the patient started to pee every 20 minutes and this went on for most of the night about 05:30 30Jan2021. He wanted to know if this was a reported side effect of vaccine. He stated that he was overdue for urology appointment. He also enquired if it is more common to experience, increased side effects after second dose. He said that normally he would get up about every 3 hours to go pee. He stated that the next day he was fine. On 29Jan2021, the patient arm was sore and a little black and blue. He stated that he had a little site soreness like a flu shot that lasted about 2 days and was still a little blue and black. On 30Jan2021, that he felt slightly feverish in the middle of the night and little bit of chills. He stated that the next day he drank a bunch of water and he was fine. He stated that the feverish and chills was at about 03:00 in the morning 30Jan2021. The

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1364099	6/1/2021			F	2/2/2021	2/1/2021	<p>patient reported that the lady administering the vaccine said that the site bled a little bit, but he said that it was nothing. The patient did not go to emergency room or physician office as a result of adverse events. The patient did not underwent any relevant tests. The outcome of the events recovered for feverish and chills, arm was a little sore and a little black and blue on 30Jan2021, frequent urination / he started to pee every 20 minutes on 30Jan2021 05:30, little site soreness like a flu shot on an unspecified date. Follow-up (27May2021): Follow-up attempts completed. No further information expected.</p> <p>Face is swole up around her eyes/ describes the swelling as water bags under the eyes; This a spontaneous report from two contactable consumers. This female consumer (patient) and her son reported. A female patient of an unspecified age received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Batch/Lot number was not reported), via an unspecified route of administration, administered in left arm on 02Feb2021 at 17:30 as 1ST dose, single for covid-19 immunization. Patient medical history and concomitant medications were not reported. On an unspecified the patient experienced face was swollen up around her eyes, no difficulty breathing. Swelling was worse on the right side of her face, but she received the shot in her left arm. She described the swelling as "water bags under the eyes". She also reported having had a flu shot about 3 weeks ago. She was concerned about the side effects and the second dose. Swelling of face can be a sign of severe allergic reaction but would typically occur within the first hour. It was reported that patient might had a mild, delayed allergic response. The patient was also referred back to HCPs for treatment / to have a plan for the second dose and let vaccinator know about the reaction when she goes for the second dose. Outcome of the event was unknown. Information about Lot/Batch number is requested. Follow-up attempts are completed. No further information is expected.</p>

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1364111	6/1/2021			F	2/2/2021		I got the vaccine yesterday and I have only had arm soreness as a negative side effect.; Cough; breathing is very clear today even though I have asthma/My nose would frequently swell shut and now my nose is very clear/now after the vaccine the rash is gone/My eyes would water a lot and now my eyes feel almost normal today; This is a spontaneous report from a contactable consumer or other non hcp. A female patient of an unspecified age received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), via an unspecified route of administration on 02Feb2021 (Batch/Lot number was not reported) as UNKNOWN, SINGLE for covid-19 immunisation. Medical history included A\allergies, respiratory infection, asthma and rash. The patient's concomitant medications were not reported. The patient experienced "i got the vaccine yesterday and i have only had arm soreness as a negative side effect" cough and "breathing is very clear today even though i have asthma/my nose would frequently swell shut and now my nose is very clear/now after the vaccine the rash is gone/my eyes would water a lot and now my eyes feel almost normal today". It was reported that when the patient heard vaccines were being developed, she heard they were not including pregnant women or people with severe seasonal allergies. She informs that she might be an interest specifically for a study. Her allergies are in the 39,000 range. She got the vaccine yesterday and she has only had arm soreness as a negative side effect. However, she had had some very good side effects as well. Last night she coughed up a lot of old nodules from a respiratory infection she had a year ago. Her breathing is very clear today even though she has asthma. Her nose would frequently swell shut and now her nose is very clear. Her skin was broken out before the vaccine, so much so that she used a different arm because of the rash and now after the vaccine the rash is gone and is only a little pink where it was before. Her eyes would water a lot and now her eyes feel almost normal today. When she told her friend about this, she said her mom actually coughed up a lot of old infection nodules as well. Outcome of the events were unknown. Information on the lot/batch number has been requested. Follow-up attempts are completed. No further information is expected.





<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1364126	6/1/2021	MO	30	F	2/1/2021	2/1/2021	and Trigger point pain). Treatment received for the adverse event was unknown. Seriousness criteria was reported as No. The outcome of the events was unknown. Follow-up attempts are completed. No further information is expected.
							Eyelid twitch returned after the vaccine; Chills; headache; body aches; minor nausea; tiredness; weakness; This is a spontaneous report from a contactable other health professional(patient). A 30-year-old female patient received BNT162B2 (COMIRNATY, Solution for Injection, lot number: EN9581, Expiration date: unknown), via intramuscular route of administration on left arm on 01Feb2021 at 09:30 AM as unknown, single for covid-19 immunization. The patient medical history included a history of an eyelid twitch. The patient's concomitant medications included vitamin D3, zinc picolinate, vitamin C, vitamin A. On 01Feb2021 at 07:30 PM the patient experienced chills, headache, body aches, minor nausea, tiredness, and weakness were severe for about 24 hours. These symptoms were managed with extra strength Tylenol every 4 hours and sleep. The symptoms were lessened but remained for another 12 hours. A minor headache was still present 78 hours later. The twitch returned after the vaccine. The outcome of the event eyelid twitch returned after vaccine was unknown. Outcome of other events was recovering. Follow-up attempts are completed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1364203	6/1/2021		72	F	2/11/2021		<p>This is a spontaneous report from a contactable consumer. A 72-year-old female patient received the first dose of BNT162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number EL9269) via an unspecified route of administration on 11Feb2021 at single dose for COVID-19 immunisation. Relevant medical history and concomitant medications were not reported. 2-3 days after vaccine (also reported as a day or 2) the patient started itching on her hip around to her back, described as patch of red upper hip area and her stomach and back were constantly itching. On a day or a few days after the vaccine she also had redness and edema in eyes (really red and swollen), she had a hard time opening her eyes and this occurred 2-3 times. There were no bumps it was just a reddish patch. Her upper hip area was the reddened area and the itching moved into her stomach and back. Second dose was scheduled for 04Mar2021. No follow-up attempts are possible. No further information is expected.</p>

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1364228	6/1/2021	DE	69	F	2/4/2021		soreness and redness around injection site; soreness and redness around injection site; This is a spontaneous report from a contactable consumer (patient) A 70 years old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), dose 1 via an unspecified route of administration, administered in Arm Left on 04Feb2021 10:58 (Batch/Lot number was not reported) as 1ST DOSE, SINGLE for covid-19 immunisation . Age at vaccination 69 years Medical history included osteoporosis from 2002 to an unknown date , herpes in her eye, Blood pressure high from 2010 to an unknown date , High cholesterol from 2010 to an unknown date. The patient experienced soreness and redness around injection site on an unspecified date with outcome of recovered , The patient underwent lab tests and procedures which included blood thyroid stimulating hormone: 4.94 on 03Feb2021 . The reporter stated that She says she had no symptoms after the first dose other than soreness and redness around injection site that went away within 2-3 days. The patient get the second shot on second dose 25Feb2021 at 12:27PM, and both were given in her left arm.She developed several issues upon second shot. No follow up attempts are possible. Information about Lot/batch number cannot be obtained.; Sender's Comments: Linked Report(s) : US-PFIZER INC-2021229265 same patient and drug, different dose and event.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1364247	6/1/2021	NY	60	F	3/13/2021	3/13/2021	Watery itchy eyes; Watery itchy eyes; Itchy nose; itchy nose and throat; itchy head, neck, and body; headache; Tiredness; This is a spontaneous report from a contactable consumer. A 60-year-old non-pregnant female patient received first single dose of BNT162B2 (lot Number: PFIZER BION TECH MANUFACTURING) via an unspecified route of administration into left arm on 13Mar2021 at 09.30 AM for COVID-19 Immunisation. Medical history included allergy to salmon, carbamazepine (TEGRETOL), ketorolac tromethamine (TORADOL), lithium, morphine (MORFINE), nova cane, ciprofloxacin (CIPRO), Sulfa, hyoscyamine sulfate methenamine methylthioninium chloride phenyl salicylate phosphoric acid sodium (URELLE), and contrast media allergy. Prior to vaccination patient was not diagnosed with covid-19, and since the vaccination the patient had not been tested positive for COVID-19. Concomitant medications were not reported. The patient experienced watery itchy eyes, itchy nose and throat, itchy head, neck, and body, headache and tiredness on 13Mar2021 at 09.45 am. The adverse events resulted in doctor or other healthcare professional office/clinic visit]. The patient was administered with 2 diphenhydramine hydrochloride (BENADRYL) as a therapeutic measure on an unspecified date. The patient was recovering from all the adverse events at the time of reporting. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1364262	6/1/2021	NJ	52	F	3/4/2021	3/16/2021	<p>she thought she had an ear infection; patient looking at lot number, stated that her eyes are bad; Tested positive for COVID; This is a spontaneous report from a contactable consumer (patient) via medical information team. A 52-year-old female patient received BNT162B2 (Pfizer-BioNTech COVID-19 mRNA vaccine), dose 1 via an unspecified route of administration, administered in the left arm high up in the muscle, at age 52 years, on 04Mar2021 18:00 (Batch/Lot Number: EN6205; Expiration Date: 30Jun2021) as 1ST DOSE, SINGLE for COVID-19 immunisation as she did not want to get COVID. Medical history included hypothyroidism and chemical allergies from unspecified dates so she was nervous to get the COVID shot. There were no concomitant medications. There were no additional vaccines administered on same date of the Pfizer suspect. Prior vaccinations within 4 weeks was none. Patient reported that she received the first dose of the Pfizer COVID-19 vaccine on 04Mar2021 at 18:00, she got the shot in her left arm, high up in the muscle. Then, stated that last Sunday (14Mar2021) she started feeling symptoms and then tested positive last Tuesday on 16Mar2021 for COVID. Symptoms started with stomach, diarrhea thing and it was like wow what is going on, the symptoms are mild as far as COVID goes. She had a fever for a day and a half from an unspecified date. Patient stated she used paracetamol (TYLENOL 500mg) the night she got the vaccine and the morning after (total of 1000 mg) by mouth. The AEs did not require emergency room or physician office visit. Patient stated she made it a year and got the vaccine and then got COVID. Patient stated thank goodness nothing really happened. Patient really didn't think the symptoms, like from watching commercials it lists you can have all this and think you would have everything and she thought she had an ear infection on an unspecified date. When patient was looking at the lot number, she stated her eyes are bad from an unspecified date. She also stated that she can't be the only person that has gone through this, she knows she isn't. Patient stated her friends got the MODERNA vaccine and they didn't say anything and just went and got their 2nd dose and she was just trying to do the right thing here and is not holding for much longer. She wanted to know if she should go back for her second dose scheduled on Thursday (25Mar2021). The</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1364277	6/1/2021	CA	34	F	4/23/2021	4/24/2021	<p>outcome of the events was unknown.</p> <p>my chin &amp; lips went numb and tingling, Like after dental Work done numb feeling.; my chin &amp; lips went numb and tingling; This is a spontaneous report from a contactable consumer (patient). This consumer reported information for both mother and fetus/baby. A 34-year-old pregnant female patient received first dose bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Solution for injection, Batch/Lot Number: EW0153) via an unspecified route of administration, administered in Arm Left on 23Apr2021 (at 34-years age) 10:45 as 1st dose, single dose for covid-19 immunization. Medical history included Chronic migraines, Known allergies: Mango, hazelnuts, gluten. Concomitant medications included ascorbic acid, calcium, colecalciferol, cyanocobalamin, folic acid, iron, nicotinamide, pyridoxine hydrochloride, retinol, riboflavin, thiamine hydrochloride, tocopherol, zinc (PRENATAL S), biotin, magnesium, cetirizine hydrochloride (ZYRETIC), cyanocobalamin (B12), pyridoxine hydrochloride (B6) for within 2 weeks of vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, patient was not diagnosed with COVID-19. Since the vaccination, patient had not been tested for COVID-19. On 24Apr2021 at 22:30 PM, the patient experienced like after dental work done numb feeling, her chin &amp; lips went numb and tingling. Patient experienced (36 hours after the vaccine) her chin &amp; lips went numb and tingling. This went up the left side of her face then the right side of face up to her right eye. It lasted several hours. Like after dental Work done numb feeling. The mother reported she became pregnant while taking bnt162b2. The mother was 15 Weeks pregnant at the onset of the event. last menstrual date was 05Jan2021. The mother was due to deliver on 12Oct2021. Patient did not received treatment for events. The outcome of events was recovered on Apr2021. Information on Lot/Batch number was available. Additional information has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1363990	6/1/2021		54	F	4/15/2021	4/15/2021	experiencing a cycle but has been menopausal; tinnitus in left ear; tingly feeling in arm, hands and back / feels like body parts are on pins and needles; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of POSTMENOPAUSAL HAEMORRHAGE (experiencing a cycle but has been menopausal) in a 54-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 016B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No medical history for the patient was reported. Concomitant products included SPIRONOLACTONE and ASCORBIC ACID, BETACAROTENE, CUPRIC OXIDE, TOCOPHERYL ACETATE, ZINC OXIDE (PRESERVISION) for an unknown indication. On 15-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 15-Apr-2021, the patient experienced POSTMENOPAUSAL HAEMORRHAGE (experiencing a cycle but has been menopausal) (seriousness criterion medically significant), TINNITUS (tinnitus in left ear) and PARAESTHESIA (tingly feeling in arm, hands and back / feels like body parts are on pins and needles). At the time of the report, POSTMENOPAUSAL HAEMORRHAGE (experiencing a cycle but has been menopausal), TINNITUS (tinnitus in left ear) and PARAESTHESIA (tingly feeling in arm, hands and back / feels like body parts are on pins and needles) had not resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. No medical history was provided by the reporter. Treatment information was not provided. Company comment: Very limited information regarding the events has been provided at this time. Further information has been requested.; Sender's Comments: Very limited information regarding the events has been provided at this time. Further information has been requested.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1365753	6/1/2021	ID	64	F	4/2/2021	4/9/2021	I tested positive for Covid-19 with no severe symptoms in February of 2021. One week after the vaccine on 04/09/2021 I broke out in hives after eating a meal. The hives were mostly on the right side of my body but there were some on the left. I also had some numbness and tingling in my mouth. I used some anti itch cream, and the hives were mostly gone the next day. Twelve days after the vaccine I started to unusual vision symptoms which included wavy zig-zag lines in my vision. My doctor advised that they were Ocular Migraines. I had a headache at the same time, but I have never had Migraines before. I was also fatigued with a little dizzy and nauseous. The headache lasted for one day, but I still felt a little nauseous the next day. The feeling of fatigue and tired ness lasted for about six weeks. Two to three days after Ocular Migraines I started to notice a bright red rash on the right side of my back. It quickly spread around my side to the midline and then up my right side to my Bra line in front. I consulted my doctor on 04/19/2021 and he identified the rash as Shingles I was prescribed Acyclovir 800mg for 7 days and then an additional 5 days. I saw my Dermatologist on 05/06/2021 and he said that the Shingles were still active so I was Prescribed Valacyclovir. The Shingles lasted about six weeks total with some fatigue before I felt normal. I still have some visible signs of the rash on my back. Dr., PCP, 04/21/2021 Dr. Dermatology. 05/06/2021 for Shingles
1365401	6/1/2021	MI	42	M	5/28/2021	5/28/2021	Patient received vaccine at 14 days after first dose rather than at 21 days after first dose. Patient reported that he experienced left sided body muscle aches/spasms, fatigue, neck pain and visual disturbances on 5/29/21. Stated his heart felt like it was racing for a short time but it may also have been anxiety because he knew his dose was given early. Symptoms resolved by 5/30/21.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1365414	6/1/2021	CO	70	F	3/2/2021	4/23/2021	- Brain MRI on 4/23 with multiple small infarcts in both cerebral hemispheres concerning for embolic source - Carotid dopplers without significant atherosclerosis - No evidence of atrial or ventricular thrombus on TEE - Neurology evaluated, still not certain that patient's neurologic symptoms were from CVAs as these are relatively small and that they might be medication related on admission - Continue ASA and atorvastatin - Started Eliquis 5 mg BID on 4/25 for concern of embolic disease with possible occult afib given severe left atrial enlargement and MRI findings - Loop recorder placed 4/27 per Cardiology for long term monitoring for occult arrhythmias - PT/OT/SLP recommending facility based rehab
1365431	6/1/2021	CA	16	F	5/13/2021	5/14/2021	Syncopal episode x 3 in the early morning hours (around 3am) about 14-15 hours after vaccine. She had had headaches that is intermittent, throbbing, photophobia but no photophobia, from back of head to top of head and behind eyes, taking Advil or Excedrin intermittently with relief for a week prior to covid19 vaccine. Syncopal episode, longest lapse was two minutes, her sister found her. She went to Medical Center ER at 0400, was assessed and scanned, neg CT scan of head, and was discharged home. Has felt some fatigue today due to not sleeping early the night before, has returned to school since concussion, with normal learning, and denies any exertional physical activity due to pre-existing torn ACL, torn medial meniscus L knee. After evaluation by ER, was given IV fluids, determined cause to be dehydration.
1365472	6/1/2021	WA	60	M	5/25/2021	5/31/2021	Headache, pain at injection site, headache, fever around 100, and I was very tired. I mostly recovered after a couple of days, but still have some headache. Then yesterday, 6 days after injection, I started experiencing vertigo. It is like my vision is shifting quickly and I lose my balance. It happened yesterday morning when I first woke up, and cleared up in a minute. Then it happened again in the afternoon when we were on a long hike, and I fell into some bushes. Last night it happened 3 more times as I awoke from sleep.
1365479	6/1/2021	MD	73	F	3/11/2021	3/17/2021	developed hissing/ringing in ears with some vertigo and dizziness causing headaches, eye aches, general fatigue and anxiousness

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1365527	6/1/2021	CA	58	F	4/9/2021	4/21/2021	On 04/21/2021, 12 days after I received the vaccine, I woke up with my entire left side feeling numb and I had a headache. I felt like I had pressure on my chest and I was really lightheaded. I got up for a little while and I felt like I was going to faint. I felt like I needed to eat something and I was very weak. I drank some juice and ate an orange. I was having a hard time swallowing and at times slurred my words. I realized that something serious was going on because I had pain like when I went through chemo. The base of my spine has been hurting every day since I received the vaccine and I have had headaches since as well. I was having heart palpitations and felt super weak. I didn't go to work for 2 days. That was 04/21 and 04/22. On 04/23 I had to do a zoom conference for work, for an hour, and my eyes starting hurting really bad like my eyes had been open for 24 hours. The light from the computer screen was really affecting me. At 5pm I did a tele-video appointment with the NP. She told me that she wanted me to go urgent care because it was the closest urgent care to me. After going to Urgent Care on 04/24, the doctor wanted me to go to the Hospital by ambulance. At the hospital the performed an EKG, CTA and MRA and they said that everything looked fine. They couldn't validate that my pain was from Johnson and Johnson vaccine. I was release at 10:30pm PT, I called Dr., my Oncology surgeon, and he referred me to Neurology doctor. I got an appointment with Dr., 04/27, and she ordered a CTA and an MRA. I had the scans completed on 04/28, with and without contrast. The radiologist found something. I was sent back home, but I was told that right vertebral artery was completely excluded. In January of 2020, there was a CTA performed, and I didn't have any numbness and my vertebral artery still have a steady flow even though there was a tear. It also showed that I had more stenosis in my carotid artery. I have now been referred to a new Neurosurgeon. Dr. never saw me because they couldn't view my records. The doctor told me to take Crestor and 81 mg aspirin. I did not feel that those medications helped at all. If anything, I felt worse. on 05/15, I was in the passenger seat of my grandson's car and I ended up throwing up and there was blood coming out with the vomit. He took me the Hospital. I had a video appointment on 05/11, with an NP, and she told me to up my aspirin to 325mg and continue to take

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							Crestor. She referred me to The Stroke Neurology Group and she referred me to get a CTA. She also referred me to a GI doctor. On 05/15, against medical advice, and was taken by ambulance to another hospital. I stayed there until 3AM 05/16. They performed an MRA, a CT, Stroke Angiogram, they MRI with and without contrast, a chest x-ray and a lot of blood work. They also performed are lactate test and at first it came back as 2.5, which made them think I had an infection, but they re-tested and it came back as 1.5 which they said to be normal. The results from the hospitals. On 05/19 I went to see a Cardiologist, and she took me off of Crestor and put on pravastatin. She order an echocardiogram and a treadmill test and an EKG. I did see a GI doctor and they told me that the aspirin that I was told to take is what was making me throw up blood. I do have a neurology appointment on 06/11 and I have an appointment with the neurosurgeon on 06/16. My last heart test came back normal.
1365529	6/1/2021	FL	36	F	4/29/2021	5/19/2021	blurred vision, headache,
1365564	6/1/2021	MA	36	F	1/10/2021	1/24/2021	The day after the vaccine I had extreme flu-like symptoms. Two weeks after the vaccine I had swollen Lymph Nodes. Two weeks later I then got a weird rash on the left side of my face. It was very painful and it started on my forehead to the left . It started to travel down my face and into my eye. I had a Telehealth visit and they said it was just a random rash. I then saw my PCP and they advised that I had the Shingles. I still have scars on my face especially on my forehead. I was prescribed anti-viral medication for ten days which was extended for five days and the rash started to improve within three days. I had the Chicken Pox as a child.
1365683	6/1/2021	CA	37	F	1/17/2021	1/27/2021	Around 10 days after getting my first dose, fever, chills Soreness in arm, Nausea, vomiting, headache, delayed period for 10-12 days late. I took Zophran for nausea, and Tylenol 1000mg, every 6 hours. I went to my PCP, they didn't take labs etc. They just told me to take the zophran and to just keep an eye on everything. After 3-4 days I started to feel better.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1365694	6/1/2021	CO	14	M	5/13/2021	5/29/2021	Woke up with blurred vision in left eye on Saturday, May 30. Went to see eye doctor after Memorial Day Weekend. 20/50 in left eye (was 20/20). So far diagnosed with inflammation of optic nerve. Going to a retinal specialist June 2. Talk of seeing a neurologist as well to figure out why there's inflammation - he's too young. Dr is wondering if it is due to COVID shot 3 weeks ago.
1365695	6/1/2021	CA	91	M	2/25/2021	3/1/2021	After the first dose my father got what the eye doctor thought was pink eye. After treating him it didn't clear up. It was later diagnosed as herpes of the eye and he became blind in one eye. Shortly afterwards I read an article from researchers who stated they had found fragments of the herpes virus in the vaccine. After the second vaccine he was fine one day and 2 days later started having seizures. He was hospitalized for the seizures. His personality totally changed. He no longer recognized my sister. He also became hostile which is not the person he was. He was released from the hospital and brought to a new facility. Then the lights went out. he just stared off into space. A day later he was dead.
1365719	6/1/2021	CA	33	F	4/27/2021	5/7/2021	33-year-old woman presented to the emergency room on May 7, during the second week of receiving J&J vaccine. She had decreased sensation/numbness in the left side of face in the cheek and jaw area, with an inability to speak. No pain. Symptoms lasted for couple of hours and resolved. On May 8, felt like she had swelling in her lymph nodes in the neck, making swallowing and talking difficult. The symptoms also resolved in couple of hours. On May 9, she woke up to similar decreased sensation/numbness in the right side of face in the cheek area. She has had mild headaches periodically since receiving the vaccine. No history of migraines. No focal weakness. No ongoing numbness or tingling. No double vision. No vertigo. No blurring of vision. No balance issues. No trouble walking. No memory issues.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1365386	6/1/2021	NC	43	F	6/1/2021	6/1/2021	Pt presented today for first covid 19 vaccine. At 11:59 am (14 minutes) pt reports feeling nauseated and having sharp pain on left side of shoulder that radiates to neck. Pt indicated that this pain was new. Pt then tilted head back and eyes rolled. Pt reported feeling hot and stated she felt drunk. Pt also reports sob. Denies any constriction of throat. No labored breathing noted. Respirations normal, O2 at 2 liters applied. Doctor made aware and presented at pt's side. Vitals obtained. Pt reported to Doctor that pain is gone. Continues to report feeling weak and shaky. Blood sugar 126. Doctor offered pt juice and crackers if needed. Pt indicated she is okay at this time. O2 remained in place. Will continue monitoring pt.
1365735	6/1/2021	IL	18	M	6/1/2021	6/1/2021	Pt received vaccine at 5:55 pm At 6:00pm Pt had syncopal episode fell out of chair and hit head on concrete Pt had abrasion to right head right wrist and right knee Ot was able to answer questions A&Ox 4 No vomiting No blurred vision 911 called and ot was transported to hospital via Ambulance
1365541	6/1/2021	MN	18	M	6/1/2021	6/1/2021	Patient reported feeling dizzy shortly after receiving his vaccination. Tech notified pharmacist and remained with patient. Pharmacist grabbed water and a wet towel to put on patient's neck. Patient's mom got some gatorade for the patient. Patient said his vision was "going". Got patient seated on floor and put the cool towel on his neck and told him to take some deep breaths. He started to feel better within a minute or so and had some gatorade. His color returned and was little sweaty, but reported feeling better. He remained under observation with his mom for another 30 minutes before leaving without issue. Mom stated he has felt dizzy in past, but wasn't noted on VAR.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1365929	6/1/2021	LA	35	F	1/13/2021	1/14/2021	Memory fog, vision loss right eye, dry eyes, partial hearing loss in right ear. Multiple visits to eye center. Dr diagnosed me with Encephalopathy. Seen my Dr. an audiologist at Center. Dr. diagnosed with partial hearing loss in my right ear. I had the actual Covid 19 virus in August of 2020. At that time I lost my sense of taste and smell for approximately 2 weeks. I had no long term side effects related to the virus. I received my first COVID 19 vaccine in December 23 2020. I had no side effects from that vaccine. The day after receiving my second Covid 19 vaccine, I started having light sensitivity, right eye itching, and visual disturbance of the right eye. Weeks later I started noticing changes in my ability to hear out of my right ear. Then people started noticing that I wasn't hearing them appropriately. I've had multiple visits from specialist. I've had to buy new glasses, eye meds, contacts, take off work many times, and now I'm saving for a hearing aid. I was told by both specialist that the outcome is unknown at this time because there is not enough information on the virus and the vaccine to make that judgement.
1365933	6/1/2021	NJ	56	F	3/25/2021	4/1/2021	Since 1 week after my first Pfizer Covid19 vaccine, I have had dark circles under my eyes, swelling under my eyes and swollen glands in my neck (beneath both ears)
1365942	6/1/2021	OR	26	M	5/15/2021	5/16/2021	Regular symptoms from the shot, EXTREME back pain (lower) headache, felt cold and exhausted, on first day. The second day I had blurry vision and all those symptoms so I went to doctor. They said I was having a reaction and also gave me Toradol for the back pain. I started to feel better symptom wise but the following day I started to poop blood. That only happened for one day then went away after a day. But I've had one or two more bloody stools since then. The ER said that it's likely from the Toradol but to keep an eye on it. I have had 2 episodes since but it's been random. Haven't taken any more ibuprofen at all, was told to take omeprazole for a month and see how my body recovers

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1365963	6/1/2021	CA	28	F	6/1/2021	6/1/2021	client complained of dizziness after receiving 1st dose Pfizer Covid Vaccine. RN responded with EMT. PHN arrived shortly. Upon arrival client sitting in chair, pale, alert and oriented x4. EMT was taking vitals. Client stated feeling dizzy and nauseous 5 mins after receiving vaccine. Vitals at 1526: blood pressure 124/80, pulse 81, oxygen 99%. Client denied blurry vision, headache, shortness of breath, chest pain. 1530 client able to stand and transfer to anti-gravity chair. Client stated feeling more dizzy after getting up. PHN gave client water and instructed to drink slowly. Per client no relevant medical history, current medication or allergies. Vitals at 1532: blood pressure 124/65, pulse 83, oxygen 95%. Client stated was on a diet and last time she ate was 6 AM. At 1533 client stated nausea and dizziness improving. Skin color normal for ethnicity. Client given juice and snack. Vitals at 1546: blood pressure 123/71, pulse 72, oxygen 99%. Per client dizziness improving, nausea subsided. Client denied blurry vision or headache. Client advised to eat prior to vaccine and follow up with provider. Last vitals at 1556: blood pressure 122/64, pulse 79, oxygen 97%. Client stated symptoms had resolved. Was not driving home, friend here with here and would take public transportation. ER precautions given. Client able to stand from chair with no complaint of dizziness. Client left facility with steady gait at 1558.
1366119	6/1/2021	IL	37	F	3/9/2021	3/9/2021	High blood pressure, heart fluttering and palpitations, migraine, visual disturbance, insomnia All of these lasted 6 weeks
1366121	6/1/2021	CA	54	F	3/11/2021	3/30/2021	During first vaccine I had a minor vision issue which went away with in 30 minutes, sore arm felt fine. After second dose I felt as though I had the flu and stayed in bed for several days, approximately two weeks later I lost my sense of smell, continued severe body aches, extreme fatigue and constant pressure in the back of my head. I'm now several months out and the symptoms are getting worse. I've always been very healthy, sleep for 6 hours a night and had high energy. Now after 12 hours of sleep I still fall asleep during the day. My headaches are increasing in severity. I can't smell or taste. I'm having joint issues with my jaw and limbs. I keep thinking I'm going to shake this but I'm starting to lose hope.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1366338	6/1/2021	CA	26	M	6/1/2021	6/1/2021	Patient just got the shot and immediately feel a weird sensation. He sat on the chair to be observed and passed out almost immediately. We rushed to him and called out for him. He opened his eyes and slowly told us that he thinks he fainted. I helped him elevated both legs on the chair and talked to him if he's hurt or any other weird feeling. He told me he's feeling fine again. I have him lay down with his legs elevated for another 5 minutes and helped him sit up. He was able to get up by himself and sat back on the chair. A couple minutes later, I took his blood pressure and it was 129/85 and pulse was 61.
1366345	6/1/2021	NM	56	M	1/21/2021	2/1/2021	On January 21, 2021, approximately 9 days after I received first vaccine I began seeing eye floaters. I went to eye doctor the same day and the doc thought retina looked good. The eye doc sent me home. On February 25 the I received second Moderna vaccine shot. Two days later, February 27th, I began having difficulty with my vision. On that same day I went to the eye doctor who indicated I had a spontaneous detached retina. Emergency eye surgery was performed on the following Monday, March 1st. Doctors do not know what caused my detached retina (right eye).
1366349	6/1/2021	PA	26	F	3/17/2021	3/20/2021	Four days after the vaccine, I started experiencing hives all over my body (mostly concentrated around my chest, stomach and face). My eyes swelled shut multiple times. I went to my primary doctor. I was prescribed prednisone and it was recommended I get the 2nd vaccine with the help of the steroids to help my side effects. I got the 2nd vaccine, and experienced a fever of 103 for 3 days with flu-like symptoms. The morning after my 2nd vaccine, I experienced a swollen tongue. I contacted my primary doctor, and decided to take Benadryl to see if it went down before going to the hospital. My tongue swelling went down after a 4-5 hours. I have been experiencing severe hives daily since March 20, 2021.
1366354	6/1/2021	ID	43	M	6/1/2021	6/1/2021	Patient was administered shot by RN and he immediately stiffened up and eyes became distant and twitched. He was like this for 10 sec and was disoriented when he became aware of surroundings. EMS was contacted. They assessed him and took him to the hospital

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1366553	6/1/2021	TN	19	F	5/15/2021	5/15/2021	We left the store and got a bite to eat at the drive through. After driving about 7 minutes she grabbed her throat and started acting like she was not able to swallow. I asked her was she ok? She stated no in a raspy voice. She shook her head and said she felt like molasses was in her throat. She seemed pale and began to sweat. I am a former EMT-Paramedic. I remembered there was a store about 2 miles away. I called and got the Pharmacist on the phone. I ran into the after driving 92 miles an hour and she converted children's Benadryl for me and stayed on the phone. I gave her 1/2 a bottle. began to be more responsive. I had a medical bag with me with airways and other medical devices I use for work but no Epi Pen. After giving her all the Benadryl she said she felt better but she stayed hoarse for the remainder of the day and was sleepy. I kept an eye on her and Called her physician on Monday morning as this was a Saturday and they called in Epi pens in case this happens again. The first shot she felt like she swallowed a potato chip wrong and started acting the same way then through up but never got this bad. We just thought she ate something and it went down the wrong way. Never giving it a second thought. Then after the second shot it was much worse. Had I not the pharmacist on the phone, Benadryl liquid and a medical bag, I would have called an ambulance. In the county we live in though we do not have enough ambulances and I am afraid she would have went into full anaphylaxis and died. I did what I thought was the best for my only child.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1364153	6/1/2021	MA	48	F	1/28/2021	1/28/2021	Slight pressure like ears and eyes; Slight headache but it had become so bad that I never had; Did not feel well; Vision was blur; Hard to open eyes; it is like a pressure; Still I had at back of my head like a pressure little bit; concentration, everything was gone within like so fast; This is a spontaneous report from a Contactable consumer (patient). A 48-Years-old female consumer received bnt162b2(PFIZER-BIONTECH COVID-19 mRNA VACCINE, Formulation: Solution for injection, Batch/Lot Number: EL3247), via an unspecified route of administration on 28Jan2021 as an 1ST DOSE, SINGLE for COVID-19 immunization (age a vaccination 48-Years-old). Medical history and concomitant medications of the patient were none. On 28Jan2021 around one hour after vaccination, the patient had slight pressure like ears and eyes, slight headache but it had become so bad that she never had, hard to open eyes; it was like a pressure, did not feel well, vision was blur, concentration, everything was gone within like so fast, Still I had at back of my head like a pressure little bit. Clinical course was provided as follows: She had her first dose and started having some symptoms right like within an hour or so. It was a slight pressure like ears and eyes and little like slight headache but then it had become like at the end of the day, it was so bad that she never had, (intensity was more than before). It was sudden, and she could not keep her eyes open. It was to that point like hard to open her eyes and it was like a pressure. She went back to the site and checked blood pressure, she recorded it was fine, '100.2 and over' (not further clarified), pulse and everything was fine, but she did not feel well. Even she felt like her vision was blur her concentration, everything was gone within like so fast." She did not receive any medication, but she had sat down and was laid on until she felt normal. Follow-up attempts are completed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1364913	6/1/2021	DC	32	F	4/9/2021	4/29/2021	When I received the J&J shot I had typical side effects (headache, pain at the injection site, and chills) for the first 5-6 days. The side effects subsided and I felt normal. About 3 weeks later I started to have pain at the injection site again which started very mild and then built up to nearly the same pain level I felt after the injection. The pain has since decreased and the pain is in a different part of the muscle. I feel a strong pinch in the muscle, almost like a pinched nerve, when my arm is at certain angles or doing a motion such as lifting, tugging, throwing, etc. The pain has been persistent for over a month. I am able to do most daily activities with manageable pain, but the pain is persistent and frustrating. There is no noticeable swelling or rash, nothing to visually indicate that there's pain in the muscle. I scheduled a telehealth visit with my PCP who said that delayed reactions had been documented in some cases with Pfizer but there wasn't data on J&J yet. She recommended that I monitor my arm, take Tylenol as needed, and keep her updated with any developments. I took Tylenol twice and it didn't do much. I don't know anyone else who has had this type of reaction and without data on J&J, I don't know how long to expect the pain to continue.
1365722	6/1/2021	NC	48	F	6/1/2021	6/1/2021	1.) Severe constant headache top of head - Time onset @ 16:15 to present time Took Tylenol 500mg no relief 2.) Burning of eyes like if you are developing fever - Time onset between 17:44 to 18:30 Apply cold compress to eyes 3.) Headache covering top of head now to back of head. Treatment already took Tylenol so no other recourse Will drink plenty of Gatorade and water and rest the night
1365062	6/1/2021	NY	58	F	3/2/2021	3/18/2021	I have always had Tinnitus but it has greatly intensified since my second vaccine. Not medical attention required at this time. I developed Hypnic Jerks at night prior to sleeping that last for up to an hour on some nights and can be quite strong in nature always stemming from my lower back. I went to the doctor in April and he told me it's just stress and to keep an eye on it. I have an appointment scheduled with a Chiropractor to see if they can help on 6/7.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1365155	6/1/2021	CA	21	F	6/1/2021	6/1/2021	<p>Patient received the 2nd COVID vaccine (Pfizer, Lot #: EW0185 and expiration date: 08/31/2021) on the left arm at 0918. Patient hailed medics attention and complained of "nausea, seeing purple, and lightheadedness" at 0921. Patient was conscious, alert, and oriented x4. Patient's skins were normal for ethnicity, moisture and temperature. Pupils were equal, accommodating, and reactive to light. Patient appeared anxious and was coached by medic on her breathing. Signs and symptoms began about 2 minutes status post vaccine, but patient claimed no previous reaction with 1st dose. Patient denied any pertinent medical history, allergies, or medications. At 0923 patient was still conscious, alert, and oriented x4 and pupils were still equal, accommodating, and reactive to light. Patient then complained of "seeing everything in purple color," then stated she "could not see anything at all." Medic held up 5 fingers and patient advised she could not see them. Patient began to look pale and skins felt moist and warm. Patient was able to walk with assistance to anti-gravity chair. Nurse then responded to Medic with patient. Baseline vital signs were taken by Medic at 0926, while patient was sitting: blood pressure: 98/60, heart rate: 60, respiratory rate: 16. Patient stated that she runs cross country and that these vital signs were of normal range for her. Patient was given water to sip on. Color and moisture of skins were slowly pinkening/drying up. Patient initially experienced nausea and lightheadedness but denied chest pain, shortness of breath, headache, dizziness, or blurry vision. Nurse informed the patient's mother, who was waiting outside, of the situation and brought the mother inside to the patient. At 0935, patient was able to stand her own, with a steady stance. A second set of vitals were taken: blood pressure: 100/64, heart rate: 60, respiratory rate: 14. Patient was negative for orthostatic pressures. Patient stated that symptoms had resolved and that she "felt better, just tired." Patient remained in the observation area for an additional 15 minutes. Patient was conscious, alert, and oriented x4 and skins were normal for ethnicity, moisture, and temperature at 0949. Patient able to walk on her own accord with a steady gait. Mother was driving personal vehicle. Mother and patient were educated on when to contact their primary care physician with any other concerns and when to call 911 if symptoms warrant or</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							when go to ED.
1365151	6/1/2021		19	F	6/1/2021	6/1/2021	Upon completion of administration, patients eye were closed and stated she felt faint. Patient became pale and breathing shallow and vomited once. Patient received an ice pack on back of neck and remained sitting with legs elevated on another chair. 911 was called and patient was taken by EMS.
1365122	6/1/2021	MI	19	M	4/7/2021	5/31/2021	HPI This is a 19-year-old male that presents for complaint of witnessed seizure-like activity. He arrives by EMS. Patient is currently awake alert and oriented x3. Today, he was out on the golf course with friends. It was a normal day and he returned home. When he got home, he was complaining of a headache to his mother. She gave him Motrin. Mother then heard a noise from the other room and found the patient on the floor unresponsive, displaying tonic-clonic activity, and eye rolling into the back of the head. This lasted for 4-5 minutes per mother. EMS arrived on scene he was postictal. Patient is never had this happen before. He denies any illicit substance, alcohol or medication use. Review of Systems Constitutional: Negative for chills, fatigue and fever. HENT: Negative for facial swelling and trouble swallowing. Respiratory: Negative for cough, shortness of breath and wheezing. Cardiovascular: Negative for chest pain and palpitations. Gastrointestinal: Negative for abdominal pain, diarrhea, nausea and vomiting. Genitourinary: Negative for dysuria and frequency. Musculoskeletal: Negative for back pain and neck pain. Skin: Negative for rash and wound. Neurological: Positive for seizures and syncope. Negative for weakness, light-headedness and headaches. Psychiatric/Behavioral: Negative for confusion. The patient is not nervous/anxious.
1365120	6/1/2021	CA	47	F	5/15/2021	5/19/2021	eye pain, dry eye

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1365117	6/1/2021	OH	24	F	5/20/2021	5/20/2021	Eyes went bright red, Heart rate went up to 187 on my fitness watch, 150 heart rate by the time the paramedics arrived, I couldn't feel my arms or legs, I had a high blood pressure and sugar level of 220. Went to the hospital and ran tests. Fever of 99.9-100.5 for two days straight. There was a red, warm, and inflammation in my left arm for two days. My heart felt like it was pounding out of my chest and I had a high rate for 5 days straight. I would be sitting down and it would be at 100.
1365173	6/1/2021	TX	50	F	5/9/2021	5/9/2021	Received 2nd vaccine on 5/9/2021 at 4:15 pm and became light headed after leaving the location. A few hours later I began to see a small line forming in my eye and it went away. The next day 5/10/2021 I woke up and the spot in my eye had gotten even bigger. I contacted my eye doctor and they scheduled an appointment for me on May 21st. I woke up on May 11th and my eye was even worse and I notified my eye doctor and they had me to come in immediately. I saw a Doctor who then referred me to a different eye doctor and I went back to my eye doctor on May 13th and saw Dr. I am now 4 weeks out and I still have no vision in my right eye. I am now under the care of that Dr.
1365383	6/1/2021	IN	71	F	3/11/2021	3/12/2021	The day after the 2nd shot, I started having floaters in my left eye. I checked with my optometrist, and was referred to a doctor. The floaters were numerous and monitored until they subsided somewhat. A procedure, using an injectable dye, was given to allow the doctor to see in the back of the eye. He was able to see what was described to me as an aneurysm. He told me a laser treatment was needed. And that is what was done. A follow up is scheduled for August, unless other symptoms start.
1365066	6/1/2021	IL	32	F	6/1/2021	6/1/2021	after patient received shot she was sitting in waiting area and within 5 minutes started fanning herself. I went to check on her and she said she was hot and started to close her eyes. I helped her to lay down and had technician get her a wet rag. Once she said she was ok we moved her out of the main aisle and let her lay with cold compress until she was feeling ok and her mother came to make sure she was ok.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1365566	6/1/2021	TX	71	F	3/2/2021	4/4/2021	Woke up to drooping left side of face, 4-2-21, unable to close eye, went to ER, diagnosed as Bell's Palsy. Given prescription for Valacyclovir 1gm three times a day for 7 days, and Prednsone 20mg three times a day for 7 days. The palsy has not resolved as of this date, 6-1-21.
1364981	6/1/2021	NJ	45	F	5/5/2021	5/6/2021	5/6 1pm Immediately after shot administered had a small headache but barely noticeable. 5/6 11pm Fever started with body aches. Fever was low and then rose to ~102 for the next 24 hours. During this time for a short period of time, ~1 hr, my throat/back of my mouth went numb. The feeling in my mouth returned. During the fever I was dizzy but not as bad as a Vertigo feeling. (I experienced Vertigo 17 years ago - postpartum.). I also experienced slight stomach pains during this time. 5/8 starting on this day going forward for 2 weeks I experienced headaches, which came on in the evenings, just after work. From around 4pm till 8pm I was in bed daily with headaches. I usually do not get headaches unless..... unless it is my period times. During this 2 weeks I also added 5 lbs of weight, which I believe is water weight. Lately I have consistently been 125 lbs (up from 120lbs since I was a teenager) and I went to 130 lbs in 2 weeks. I feel as I am retaining water weight. Pain in my legs attest to the weight. The headaches ended for a few days and returned yesterday afternoon. I can tell my body is trying to fight this Covid-19 shot. I am hopeful these body changes will subside, weight gain and headaches overtime. Also, during the first 2 weeks after the shot I also experienced vision blurriness. This has since gone away and my vision has been self corrected. I have not gone to the doctors as I viewed all of this associated with the vaccine and normally I am a healthy 45 year old woman otherwise. I haven't needed to see a doctor in over a year. If these headaches and body aches/weight gain continues I will be at the doctors for help. I figured I would give it time to enter and exit my body first. Ibuprofen sometimes worked to lessen the headaches, but not always. You can email me any further questions you have. Thank you.
1364939	6/1/2021	CA	53	M	5/11/2021	5/13/2021	I took aspirin, tylenol and I ate soup, took 2 days off from work to rest. Vision got blurry Upset stomach Left arm in pain Ever since I took the shot I've been tired.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1364926	6/1/2021	NY	73	F	3/30/2021	3/31/2021	3/31/2021 redness, swelling right hand , extended up middle finger up to pip joint and across metacarpals. Duration 4 days. 3 nose bleedsall on 3/31. Bloodshot right eye, moderate swelling,started 7pm on 3/31, resolved by 4/4/2021
1364921	6/1/2021	MD	57	F	6/1/2021	6/1/2021	Patient received the vaccine and approximately 5 mins later she fell to the ground, felt weak and eyes rolled back for just a second but did not completely lose consciousness. She was given a chair and she sat for approx 5 mins and when she went to leave the store, she fell to the ground again. Please note, she did not want to wait in the waiting room after the vaccine for the recommended amount of time that the pharmacist indicated.
1364917	6/1/2021		43	F	4/3/2021	4/3/2021	Swollen lips, tongue, eyes, or face.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1365069	6/1/2021	MI	41	F	5/3/2021	5/29/2021	<p>Patient presents with ? SUICIDAL pt intoxicated and tried to hang herself on the shower curtain rod. boyfriend called 911. pt states this was a suicide attempt HPI: This is a 41y.o. female with significant past medical history of polysubstance abuse that presented to the hospital with chief complaint of suicide attempt. The patient apparently tried to hang herself on the shower curtain rod after reportedly drinking 1 liter of Captain Morgan's rum. She was found on the ground by her boyfriend whom reports she was 'blue in the face.' On examination she is resting in bed in no acute distress. She denies any fever, chills, chest pain/pressure, palpitations, shortness of breath, abdominal pain, nausea, vomiting, diarrhea, constipation, or urinary complaints. She denies any illicit drug use or ingestion of toxins. In the ED, patient mildly hypertensive, afebrile, stable SPO2 99% on room air. CBC, BMP, coags, UA unremarkable. Ethanol level 410. UDS negative. COVID positive. CT head and CTA neck unremarkable for injury. Admitted for further evaluation and management with psychiatry consultation. Suicide precautions implemented in ED. Pt seen and examined only by the attending physician. NP only responsible for chart review in an effort to limit exposure given the current pandemic and patient's COVID positive status. ROS: Constitutional: Denies fatigue, fever or chills. Eyes: Denies change in visual acuity, diplopia or pain. HENT: Denies nasal congestion, sore throat or tinnitus. Respiratory: Denies cough, difficulty in breathing or shortness of breath. Cardiovascular: Denies chest pain, palpitations or edema. GI: Denies abdominal pain, nausea, vomiting, constipation or diarrhea. GU: Denies dysuria, urinary frequency or hematuria. Musculoskeletal: Denies back pain, atrophy, spasticity or joint pain. Hematologic: Denies anemia, bleeding, or bruising. Integument: Denies rash or lesions. Neurologic: Denies headache, focal weakness, seizure or stroke. Endocrine: Denies temperature intolerance, polyuria, or polydipsia. Psychiatric: Denies irritability, +depression +anxiety. +suicide attempt</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1365302	6/1/2021	NH	15	M	5/26/2021	5/26/2021	1022am- Observed patient abruptly stand up and fall to floor, landing face down. Turned patient over on back with neck support. Patients legs elevated. Patient was unresponsive to voice, performed mild sternal rub and became responsive immediately after stimulation. Pulse strong and regular, respirations WNL - VS BP 126/82, SpO2 99% RA, P122, Temp 98.2 Infrared, AAO to person, place and time. Observed ~1" laceration above right eye, treated with bandage and bleeding controlled. EMS and parent called to scene. EMS arrival at 1033, I gave patient report and they assumed care and assessed patient. VS @1038- BP 120/68, SpO2 99% RA, P101, R17 AAOx4, Patient c/o headache. EMS sat patient up on floor, then to chair. EMS had discussion with parent and it was agreed that parent would take patient to Urgent Care for treatment and parent signed off for no EMS transport. Patient walked out with parent and EMS on own power to vehicle and left approximately 11:00 AM.
1365382	6/1/2021	WI	65	F	3/7/2021	3/12/2021	Day of the vaccine the body felt different, when home the arm was in pain for a day or two. By Friday even there was a headache and on Saturday it was worse. The doctor friend said to take Tylenol and lay down. On Sunday the left ear was swelling and the left side of the face was swelling. The doctor friend continued to recommend the Tylenol. The following Wednesday the sister took her to the hospital. The hospital said the face was disfigured and told her she has Bell Parsley. She will need to see an ear specialist. Her eyes were affecting her.
1365030	6/1/2021	NY	37	F	5/12/2021	5/12/2021	My eyes were burning
1365180	6/1/2021	NJ	49	M	4/1/2021	4/20/2021	4/21: Felt "explosion in head," lightheaded, poor focus, vision off, felt like concussion, fatigue, "my computer short circuit", spinning, dizzy, anxiety, "eyes darting", racing thoughts at night while trying to sleep. 4/26: light sensitivity, new onset sciatica, hypersensitivity, inability to focus, spinning. 2nd phase: right posterior occipital pain (neuralgia). 3rd phase: moving eyes, felt crunching noise. Vertigo treated with vestibular therapy. Anxiety/insomnia treated with Xanax.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1365325	6/1/2021		54	F	4/13/2021	4/19/2021	- Teeth nerve pain - Extreem thirst - Swelling and warm hands and feet and aching - Ear pain and tinnitus and muffled sound (hearing loss) - Neck pain - Lower Back pain (4/19) - Middle back pain - Hiccups - Dry leathery skin (skin around fingernails and toenails peeled, hang nails (toes and fingers), lips cracked peeled overall skin looked dry wrinkled) no amount of oil or lotion helped. - Mouth painful blisters in the back that never popped just went away - Narcolepsy like tired episodes 35 minutes after vaccine 2x since - Dizzy when standing (evening of vaccine) - Knee patella dislocated and both knees seem unstable like they are going to dislocate entirely when leg is twisted like turning. - Tender to the touch and pain under left rib cage 4/13/21 one episode of narcolepsy weird tire episode that lasted a total of maybe 10 minutes with complete waking up just as I laid down to nap. Right arm hurt but not bad. Chills with a temperature of 97.1F and later was drenched in sweat with a temperature of 97.8F. Woke up super thirsty and was so thirsty for several days drinking 1.5 gallons of water and still being thirsty even when I tried some salt pills. 4/16/21 Really red, swollen and itchy eyes (allergies) with sinus headache 4/17/21 lower back went out slowly all day till I was stuck in bed with ice. Right arm tingling like pins and needles. Lips super dry cracking and peeling. 5/14/21 started prednisone
1365355	6/1/2021	CA	75	F	1/29/2021	3/19/2021	Bells Palsy affecting OD - unable to close eye, being treated for infection
1365290	6/1/2021	CA	16	F	5/25/2021	5/25/2021	My daughter had a mild seizure 5 minutes or less after receiving her first vaccine. She fell out of her chair, her eyes fluttered and rolled in the back of her head, her teeth were clocking and chattering and her body was shaking mildly. She lost consciousness for approximately 2 minutes. At 8:33 pm she felt a second seizure begin, her step father grabbed her before she could fall and again, her eyes fluttered and rolled in back of her head, her teeth were clicking and chattering and her whole body was shaking. The second episode lasted approximately 2 minutes as well, with her losing consciousness again. She was taken to the emergency room and stayed overnight for observation.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1365284	6/1/2021	NC	59	F	4/8/2021	5/1/2021	Shingles developed in left eye. Treatment was with antibiotic drops and Acyclovir
1365228	6/1/2021	NY	47	M	5/22/2021	5/30/2021	The morning of May 30th, experienced hives all over torso and legs, as well as swollen lips. As of this report (6/1/21), still dealing with bouts of on and off hives and alternating areas swelling in lips and eyes. Currently treating symptoms with Benadryl which is helping to moderate symptoms. However, symptoms are still present.
1365271	6/1/2021	NC	65	M	3/11/2021	3/11/2021	Within 10 min. after receiving the vaccination I started to wheeze, cough and itch my eyes. I immediately had trouble breathing with the feeling that my throat was closing. That's when the EMT's took me to the ambulance and gave me an injection and other treatment that I can not remember and then I was transferred to the hospital. At the hospital I received more meds and within a short time other than being tired I felt better. I went home and went to bed and slept the next morning.
1365259	6/1/2021	UT	57	M	5/27/2021	5/29/2021	He reported that his vision was blurry, and that he could see only if he looked with only one eye. He did state that it has been improving.
1365182	6/1/2021	MD	59	M	5/26/2021	5/28/2021	48 hours post vaccination client reports bilateral facial swelling; left eye twitching and lips swelling and some drooling. Symptoms lasted a few hours and relieved without any intervention.
1365279	6/1/2021	WA	40	M	4/6/2021	4/6/2021	Bradycardia, hypotension Diaphoresis, pallor, visual disturbances - Patient treated for hypotension via IV/Fluid administration. - Patient transported to Medical Center

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1365200	6/1/2021	NY	28	F	6/1/2021	6/1/2021	Client requested to lay on stretcher for vaccine, provided. Almost immediately following vaccine, client closed eyes- briefly did not respond to name. Skin warm and dry, strong steady pulse. Responded to verbal stimuli, complained of throat tightening and wheezing. EMT called to client pod. vss. HR76, BP 109/74, sat 97 on room air. Client then closed eyes again, briefly did not respond - then opened eyes . vs's continued stable. As per EMT positive slight wheeze. Ambulance arrived and client transported to ER.
1365326	6/1/2021	IL	58	F	4/1/2021	4/28/2021	First injection (4/1/21)--Bursitis in Left shoulder flared up--unable to lift left arm, left arm went numb (painful/stuck); immediate reaction. Fibrous cysts in both right and left breasts. Started period shortly after (1 day of brown spotting, 3 days of red blood), achy-ness, cramping, bloating, fatigue, hot flashes, pain. Second injection (4/28/21)-- stopped hydrocortisone, only took liothyronine--not synthroid, stopped bio-identical hormone for 5 days prior to 2nd shot, drank copious amounts of water. Injected on Right side. Waited 6 hours, then took Tylenol for aches/pains. Sweating, hot flashes Starting in March, experienced blurry vision, vertigo, radiating pain to neck, numbness in fingertips and Left ankle, left side of face swelling, painful, inflamed, equilibrium off. Hot flashes have gotten completely out of control. Lots of shooting pains, running down back. I was doing great before the vaccination. Probably the healthiest I have ever been in years.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1364014	6/1/2021	TX	59	F	1/16/2021	2/13/2021	<p>Autoimmune response to the vaccine; obstruction in the brain or skull; Dry eye; Sleepy; no energy; debilitating pain; feels it burning in the background; was throwing up; dry mouth; inflammation in the vessels; blood pressure was very high; crying a lot in the office because she was in so much pain; retinal hemorrhage in right eye/ feels like something is in my right eye; large tearing-off in right eye in the shape of an "L"; couldn't sleep/ headaches and ear fluttering wake her up; had blurry vision/ blocked the center vision of her eye; really aching behind right eye; right ear started to flutter like a butterfly was in it/ ear fluttering it progressively got worse; severe headache, 10/10 on scale of 1-10/ headaches became intermittent/ e headache was behind her eyes; chills; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of RETINAL HAEMORRHAGE (retinal hemorrhage in right eye/ feels like something is in my right eye) and AUTOIMMUNE DISORDER (Autoimmune response to the vaccine) in a 59-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 011L20A and 013M20A,) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Co-suspect product included non-company product AMITRIPTYLINE HYDROCHLORIDE for an unknown indication. The patient's past medical history included GERD. Concurrent medical conditions included Hypoglycemia, Pancreatitis (Idiopathic reoccurring acute pancreatitis), Hashimoto's disease and Arteriosclerosis coronary artery. Concomitant products included OMEPRAZOLE SODIUM, ROSUVASTATIN, LEVOTHYROXINE SODIUM (UNITHROID), UBIDECARENONE (CO Q 10 [UBIDECARENONE]), ACETYLSALICYLIC ACID (ASPIRIN 81), COLECALCIFEROL (VITAMIN D 3), DOCUSATE SODIUM (COLACE), FISH OIL (OMEGA 3 COMPLETE) and GLUCOSAMINE &amp; CHONDORITIN for an unknown indication. On 16-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 13-Feb-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 25-Mar-2021, the patient started AMITRIPTYLINE HYDROCHLORIDE (unknown route) 25 mg once a day. On 13-Feb-2021, the patient</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

experienced EAR DISCOMFORT (right ear started to flutter like a butterfly was in it/ ear fluttering it progressively got worse), HEADACHE (severe headache, 10/10 on scale of 1-10/ headaches became intermittent/ e headache was behind her eyes) and CHILLS (chills). On 25-Feb-2021, the patient experienced INSOMNIA (couldn't sleep/ headaches and ear fluttering wake her up), VISION BLURRED (had blurry vision/ blocked the center vision of her eye) and EYE PAIN (really aching behind right eye). On 02-Mar-2021, the patient experienced RETINAL HAEMORRHAGE (retinal hemorrhage in right eye/ feels like something is in my right eye) (seriousness criterion medically significant) and EYE INJURY (large tearing-off in right eye in the shape of an "L"). On 03-Mar-2021, the patient experienced HYPERTENSION (blood pressure was very high) and CRYING (crying a lot in the office because she was in so much pain). On 26-Mar-2021, the patient experienced VASCULITIS (inflammation in the vessels). On an unknown date, the patient experienced AUTOIMMUNE DISORDER (Autoimmune response to the vaccine) (seriousness criterion medically significant), CEREBRAL DISORDER (obstruction in the brain or skull), BURNING SENSATION (feels it burning in the background), DRY EYE (Dry eye), DRY MOUTH (dry mouth), ASTHENIA (no energy), PAIN (debilitating pain), SOMNOLENCE (Sleepy) and VOMITING (was throwing up). The patient was treated with NAPROXEN ongoing since an unknown date at a dose of 500 mg; PARACETAMOL (TYLENOL) ongoing since an unknown date at a dose of 500 mg and KETOROLAC TROMETHAMINE (TORADOL) ongoing from 03-Mar-2021 at a dose of vl. On 13-Feb-2021, CHILLS (chills) outcome was unknown. At the time of the report, RETINAL HAEMORRHAGE (retinal hemorrhage in right eye/ feels like something is in my right eye), AUTOIMMUNE DISORDER (Autoimmune response to the vaccine), EAR DISCOMFORT (right ear started to flutter like a butterfly was in it/ ear fluttering it progressively got worse), INSOMNIA (couldn't sleep/ headaches and ear fluttering wake her up), VISION BLURRED (had blurry vision/ blocked the center vision of her eye), EYE PAIN (really aching behind right eye), EYE INJURY (large tearing-off in right eye in the shape of an "L"), HYPERTENSION (blood pressure was very high),



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

CEREBRAL DISORDER (obstruction in the brain or skull), CRYING (crying a lot in the office because she was in so much pain), VASCULITIS (inflammation in the vessels), BURNING SENSATION (feels it burning in the background), DRY EYE (Dry eye), DRY MOUTH (dry mouth), ASTHENIA (no energy), PAIN (debilitating pain), SOMNOLENCE (Sleepy), VOMITING (was throwing up) and HEADACHE (severe headache, 10/10 on scale of 1-10/ headaches became intermittent/ e headache was behind her eyes) outcome was unknown.

DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 03-Mar-2021, Blood pressure measurement: high (Inconclusive) high blood pressure. Patient has sever headache but didn't have any migraines or headaches in past. patient experienced sever pain that she took Tylenol and Naproxen 500mg as much as possible in a day (6times) even though in night time. patient consulted a Ophthalmologist on 1-Ma-r2021 and diagnosed retinal hemorrhage in right eye. ophthalmologist refered with Cardiologist that patient previously consulted before second dose of vaccine . patient was crying because of pain.the results of EKG and CT was not provided. ON 04Mar2021 patient was refered to neurologist and doctor stated that it was an autoimmune response to the vaccine and scheduled two MRI's- with and without contrast for 26Mar2021 and prescribed with Amitriptyline 25mg.The Neurologist wanted to do two more MRIs to rule out bleeding/swelling of small vessels in head. patient had her last two MRI's (with and without contrast) on 6Apr2021 and was told they were clear, so patient was going forward with a follow up appointment with the neurologist on 14June2021. patient stated that the neurologist told her the headaches have to be 100% gone for four weeks before taking her of the Amitriptyline. patient stated the headaches are still painful, but tolerable .patient stated that feels it burning in the background. Company Comment: Limited information regarding the events has been provided at this time and a causal relationship cannot be excluded. Assessment is confounded by the patient history and concurrent conditions and treatments. Events of dry eye, dry mouth, lack of energy and somnolence reported as associated with amitriptyline, but an association cannot be excluded with Moderna vaccine This case was linked to MOD-

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							2021-162714 (Patient Link).; Sender's Comments: Limited information regarding the events has been provided at this time and a causal relationship cannot be excluded. Assessment is confounded by the patient history and concurrent conditions and treatments. Events of dry eye, dry mouth, lack of energy and somnolence reported as associated with amitriptyline, but an association cannot be excluded with Moderna vaccine
1362292	5/31/2021		25	F	1/24/2021	1/24/2021	Itchy eyes 2 hours later. With second dose, she had flushing across chest right away, resolved with Benadryl.
1362333	5/31/2021	NY	41	F	5/8/2021	5/9/2021	Chills, night sweats, fever of 103.5, brown urine, body aches, shortness of breath, rapid heart rate, eye twitching
1362334	5/31/2021	CO	48	F	5/9/2021	5/29/2021	Ten minutes after I received the vaccine, my left arm and leg felt very heavy, like I was uneven. I started to feel very dizzy and my left eye became very blurry. I started feeling nauseous, as well. On the car ride home I noticed a rash. We thought it was an allergic reaction. After I got out of the car I noticed it went away. It came back later again, around my neck that evening, but it only lasted 5 minutes. It was a rash with white bumps and then it went away. At night I experienced chills. When I woke up I had a blistering headache with neck pain that lasted a couple days. The nausea and balance picked up and got worse. I spent two weeks being unable to see, walk, read or drive safely. I have had to take time off of work. I cannot view a computer screen without feeling nauseous. Most of the first week I spent on the floor because of the nausea and spinning issues. I sought medical treatment. I had a CAT scan and they ruled out a blood clot. I still have low grade nausea. I have regained peripheral vision in my left eye, which was missing for three weeks. I have been off work for more than 2 weeks. I still cannot work at my normal capacity. I still have a very strong chemical taste in my mouth. It is getting less and less, but I can still taste it. I've have a lot of swelling at the base of my skull, that has not resolved.
1362341	5/31/2021	NH	66	F	3/6/2021	3/8/2021	lost sight in right eye. optic nerve was blocked and destroyed

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1362360	5/31/2021	PA	52	F	5/27/2021	5/27/2021	PATIENT DESCRIBED HAVING DIZZINESS, LIGHTHEADEDNESS, BLURRY VISION, AND A DROP IN BP TO 62/32
1362213	5/31/2021	NY	55	F	1/27/2021	1/28/2021	So at first I was just sleepy, fever, and Thursday/Friday of that week my fever was so bad I could not even get out of bed. I was shuffling to get to the bathroom. I was doing all I could do just to get water into me so I would not dehydrate. I was trying to move so I wouldn't get stiff but it was not good. I did not take Tylenol as it does not work for me. My roommate suggested Advil but I just felt like if this was the shot, that I needed to push through it because my immune system was working for me. The headache that I was having was the worst headache I have ever had, my eyeballs were popping out it felt like a mountain of headaches on my head. I felt like I was in serious trouble. I called my sons wife and told all my children that I love them, because I felt something was seriously wrong. When I came back downstairs Friday evening, after a birthday party for my older son, I was sitting on the couch and asked for some apple juice. I drank some apple juice and my friend got a phone call. One of the children at the phone call had been exposed to COVID positive person. I was not directly exposed to that person but I was down there right after, and he was all over the couch (that I was on). My immune system was obviously working hard already and weakened. SO my friend got us tests and we were both negative. But the DR said do to my symptoms she kept me out of work. The fever, I did just pushing through and drinking water. I started taking Advil after five days, but I just kept pushing fluids. I was so weak and my joint pain was bad, I could not get up. I tried to walk as much as I could but it was not much. The joint pain was very bad. The main issues were, no appetite, extreme exhaustion, fever of 102.7 and muscle aches and headache. I took one Ubrelvy at the beginning so I knew it wasn't a migraine, I knew it was from the shot. I took off two jobs, I work for two agencies and one paid me and the other did not.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1362385	5/31/2021		32	F	4/8/2021	4/10/2021	swelling in face swelling in arm swelling in legs swelling in gums, lips, tongue swelling in nose swelling in throat intense pressure behind eyes and in gums (feels like my teeth are shifting from the intense pressure) intense fatigue and purple around eyes relentless palpitations that last 24+ hours entire body swelling 24/7 visible swelling in my lips and tongue for over a month my entire body has become hypersensitive and allergic to things that were previously safe for me like shampoo, conditioner, deodorant, makeup, and toothpaste new things keep happening, but this is where i'm at right now
1362373	5/31/2021	AZ	68	F	4/9/2021	4/12/2021	Headaches began Monday after vaccine. Burning on outside of brain 2 days. Headaches became severe head pain which moved around. Several times ice pick like feeling in stomach. Felt like brain was shaking or vibrating. That lasted almost two weeks. At the end of that time electrical shocks firing randomly throughout my brain. Severe fatigue daily. Had to fall into bed and sleep for three hours daily during the severe symptoms. Now headaches daily but pain much less. Mostly on left side of head and behind left eye. Lesser fatigue but still there. Has affected quality of life.
1362335	5/31/2021	CA	35	M	5/3/2021	5/10/2021	Intermittent twitching of left eye lower eyelid. a few times a day, 10 seconds to 5 minutes at a time. It has not disappeared as of 5/31, getting a bit better than 2 weeks ago.
1362210	5/31/2021	MI	14	F	5/28/2021	5/28/2021	while in the observation area the client reported that she had a feeling of her tongue swelling, face tingling , dizzy, lightheartedness , vision changing "felt strange". Able to speak full sentences, lung sounds clear, vital signs within normal limits. Calm and conversant. EMS summoned for evaluation . Evaluated and per the medic team father requested transport to Hospital .
1362188	5/31/2021		41	F	3/4/2021	3/4/2021	Vision blurriness 15 minutes later, subjective throat tightness 3 hours later, gone by next day. no symptoms with second dose.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1362156	5/31/2021	FL	35	M	5/8/2021	5/8/2021	The night after receiving the vaccine I started to develop a fever and headache. It lasted 3 days for the fever. On Tuesday I felt something different in my body. On Thursday I went to see an Optometrist. While there he found that there was something going on in my eyes. He noticed there was blood clot in the back of my right eye. I did go to the ER because of the blood clot. At the ER I had a CT scan and bloodwork completed. I was told that everything looked normal and I was told to go to a different hospital. I was transferred to Medical Center. While I was there they performed an MRI, CAT scan and Lumbar function test. I was told that everything looked fine from the neurology point of view. I need to follow up with an Ophthalmologist. I have gone completely blind in my right eye and my left eye is not clear anymore. On 05/20 I had an appointment with the ophthalmologist. There was something wrong with my optic nerve as well. There was a test performed 05/21. I went back to the doctor on 05/26 he said that the reports he received are not making sense to him. My next f/u appointment with Dr. is 06/09 because the doctor asked to have 2 weeks to read through my hospital reports. I saw a different doctor instead on 05/27, Dr. , and he said that this can happen from the vaccine. He said that there is a swelling and I need to see a different doctor about my retina. I was told that I need to see another physician. I saw Dr. . on 05/27 and he said that there are fluids there, but no one can confirm that this is because of the vaccine. He gave me the option to take prednisone 10mg and I feel that it is working, but it is very slow. It was moved to 3x per day. I can see objects now even though it's still not clear. I have a f/u with Dr. 06/03.
1362152	5/31/2021	LA	46	M	5/22/2021	5/29/2021	Extreme vertigo, full feeling behind ears, nausea, vomiting, involuntary eye movements left right like pendulum Started 7 days after 2nd dose. Worse into 8th day.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1362141	5/31/2021	AZ	33	U	5/29/2021	5/29/2021	Systemic: Fainting / Unresponsive-Mild, Systemic: Nausea-Mild, Systemic: Seizure-Mild, Systemic: Shakiness-Mild, Additional Details: Patient felt normal after the injection and for the remainder of the day. She woke up in the middle of the night to use the restroom and fainted in the bathroom. She then returned to bed where she felt like she "blacked out for a short period". Her husband reported that she was shaking uncontrollably and her eyes were darting back and forth (this lasted about 10 sec). She was encouraged to be examined by a physician for any further issues. She stated that she is currently feeling ok.
1362078	5/31/2021	WA	23	F	5/24/2021	5/24/2021	Tired shortly after my shot. Had chills and sweats overnight. Woke up to shower and passed out in the shower, had blurry vision, passed out again after getting out of the shower. Rapid heart rate and chills with migraine. No appetite, did not leave my bed for 24 hours, very lightheaded and nauseous. I have been having serious headaches for a week now after the shot

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1362066	5/31/2021	TX	57	M	2/23/2021	3/1/2021	After receiving 2nd Vaccine, next morning I had very swollen and a painful knot at injection site, flu like symptoms as provider told me might occur, then on March 1, 2020, I starting having severe symptoms in which I was unable to go to work. I had A SEVERE migraine level 10 pain, severe joint pain all over body level 10 pain, dizziness, eyes burning, blurred vision, chills, extremely fatigued. Called PCP for doctor appointment. Went for doctor visit and told him all my symptoms, He was very concerned I had a reaction to vaccine. He prescribed prednisone 7 day pack for severe joint pain & inflammation, Nurtec disintegrating tablets, meloxicam, ordered bloodwork and had follow up in 2 weeks, after two weeks symptoms were still the same very severe, he referred me to Neurologist for evaluation, she ordered MRI as a stat to be done right away, and started me on meds for Severe Migraines and sent me to Ophthalmologist, she had a nurse get me an appointment the next day. I saw Ophthalmologist the very next day he did workup and diagnostic testing in his office and stated I had severe swelling and inflammation in the optic nerves in both eyes, and referred me and sent records to Dr., Neuro Ophthalmologist and contacted their office to get me in right away. I had my appointment with Dr. and she has ordered an ultrasound of my eyes by retina specialist which appointment is in June. I have follow up with her after ultrasound is done. Due to severe joint pain I am still having my PCP has referred me to a rheumatologist. My pain is severe. The vaccine has attacked my immune system. Doctors and specialists are doing everything possible and I am still off work. My return to work date has not been determined.
1362052	5/31/2021		79	M	3/1/2021	5/4/2021	A hazy, cloudlike coverage of a portion of my visual field. Possible only one eye but not sure. Difficult to see through. Lasted several minutes and then dissipated on its own. Occurred again two weeks later. Same. Unsure if it will occur again.
1362144	5/31/2021	PA	17	F	4/17/2021	4/24/2021	One week following the vaccine, there was uncomfortable pain in the left eye, upper and lower area.
1362437	5/31/2021	CA	47	M	5/30/2021	5/31/2021	Blurred and cloudy vision with large halls around lihhts

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1362087	5/31/2021	NH	35	F	1/1/2021	1/1/2021	8 hours past second dose: fever of 103, migraines and chills for 2 days. About 24 hours post injection : diarrhea and nausea. 14 days I could not tolerate much food. Since the vaccine ( 6 months now) watering eyes, nasal congestion intermittent fevers. Also migraines regularly, almost every day. Last check up one week ago bounding heart, rate of 150, irregular beat, PVCs on EKG. I feel chest pains at work intermittent however I work in ER and ICU so I can't stop to address them My PCP wants me to do more testing. I cannot afford it. Before this vaccine I was a healthy young woman. Now I struggle to make it thru days. I'll never do this again
1362585	5/31/2021	WA	19	F	5/31/2021	5/31/2021	Patient start having nausea and vomiting symptoms about 10 min after administration. She also mentioned blurry vision and loss of vision in one side. She was fainting too. Patient was positioned on her side in the waiting room Her blood pressure was 111/71 and pulse 60 when checked by the pharmacist. EMT was notified. They arrived and check her vitals, she was doing better. they didn't consider that any future evaluation is needed.
1362439	5/31/2021	MN	24	M	5/31/2021	5/31/2021	Patient received the vaccine around 9:38 AM and was placed in a chair for observation. Within 3 minutes the patient had fallen onto the floor on his side out of the chair. The pharmacist on duty at the time myself ran over and asked patient if he was ok and touched his shoulder. The patient regained consciousness and was moved to the vaccination room and put feet up for evaluation. The patient loss consciousness for 10 more seconds. Vitals were taken immediately (see below) and patient was interviewed for adr's. Patient had extreme diaphoresis, said he had no diplopia but did have blurred vision . Patient said his head hurt and was given 500 mg apap for one dose. He said his ears were hot. Patient said he had no pain other than his head hurting. Patient had no urticaria or redness . Patient appeared pale. He was given extensive amounts of water and a snack. He said that sounds were slightly muted. He said he had sensitivity to lights.
1362687	5/31/2021	NJ	49	M	4/5/2021	4/26/2021	I am feeling light headed and dizzy. I have been diagnosed with vertigo by my doctor. Rapid eye movement.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1362680	5/31/2021	WA	52	M	5/27/2021	5/27/2021	Received the vaccine and then sat in waiting area with no immediate issues. After about 10 minutes started to feel flushed and a couple seconds later blacked out. When coming around, felt disoriented and nurse was asking me questions as I was still sitting in chair. My wife reported that I was having a seizure and stiff against the wall with eyes rolled back and unresponsive for about a minute. My right arm was cramping, BP 220/180 and pulse 44. The clinic staff laid me on the floor and call an ambulance that took me to the ER for observation and testing.
1362679	5/31/2021	WA	36	F	5/27/2021	5/30/2021	She received her second dose of the Pfizer Covid vaccine on 5/27 and had expected fatigue/chills/myalgias for the first 2 days. On Sunday evening she developed a full-body rash which started on her back and torso. The rash was itchy, small, red, raised lesions which coalesced into multiple patches on her bilateral upper and lower extremities. The rash is worst now on her lower extremities. She took one half of a tablet of Benadryl at 11:00. She began to develop left-sided angioedema of her lips and bilateral eyelid swelling. She took a full tablet of Benadryl at 1600 and called to the nursing line for her PCP and was advised to present to the ED. She did not have any trouble breathing. She has no voice changes. She did feel lightheaded this morning. She has not felt nauseous or had vomiting or diarrhea. She has had no new exposures, no new detergents/soaps/clothing, has not spent extra time outside. She has no known allergies but notes sensitive skin and some food sensitivities. Upon arrival to the ED, she is afebrile with elevated heart rate and blood pressure, with normal oxygen saturation and no respiratory distress on room air. On exam, she has bilateral eyelid swelling, mild left lip angioedema, and diffuse maculopapular rash. Differential diagnosis includes anaphylaxis, vaccine reaction, allergic reaction to unknown allergen, viral process. She shows no signs of severe anaphylaxis, shock, or respiratory compromise. She was given cetirizine and famotidine for histamine blockade. Based on the lack of other systemic symptoms, steroids were not indicated.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1362094	5/31/2021	NJ	17	M	5/29/2021	5/29/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Shakiness-Mild, Systemic: Visual Changes/Disturbances-Mild, Systemic: Weakness-Mild, Additional Details: pt became lethargic , dizzy and visual disturbance. called ems laid pt on the ground and monitored vitals ok gave water and snack pt stayed extra and was ok with parent when left called later pt doing well and resting
1362608	5/31/2021	NJ	56	F	1/27/2021	1/30/2021	On 1/27/21, Patient took the 1st Moderna vaccine. She had flu like symptoms after for 3 days and then she broke out in hives. She continued to have flu like symptoms, and she felt very week. On 2/3/21 we took her to Hospital where the doctors indicated that she had a heart attached They released her from the hospital on 2/4/21. When she came home she was very tired and was disoriented. The following morning, she was running a fever and her eyes rolled back in her head. We called the ambulance who took her back to Hospital. The doctors indicated that had a stroke. They indicated that blood clots ?showered? her brain. She has lost her peripheral vision on the right side. She has issues with her memory and executive decision making and reasoning.
1362577	5/31/2021	PA	49	F	5/27/2021	5/27/2021	Diarrhea, severe sinus headache and pressure all threw head an neck, stomach cramps, dizzy, blurred vision, achiness, fatigue, sinus pain, sore throat.
1362576	5/31/2021	GA	63	F	5/5/2021	5/7/2021	Left side of neck/ forearm / feel like ben stuck with pins & needles . Also left eye keeps watering. As of 5/28/21, developed cough.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1362571	5/31/2021	WA	44	M	5/7/2021	5/31/2021	Initially, the patient had dizziness, lightheadedness and a syncopal episode within 5 minutes of the vaccine. He returned to normal fairly quickly and went home by report. He presented to the ER shortly after with palpitations and shortness of breath and required a dose of IM epinephrine. Patient since had intermittent fatigue, dizziness, blurred and vision changes as well as tinnitus. On May 31, 2021, patient presented to the ER with headache, lethargy, weakness, diaphoresis and dizziness. Additionally, noted to have slurred speech by his wife. MRI of the brain done at 4 am on 5/31/21 showed the following "1. Acute bilateral cerebellar infarcts are seen with a right posterior 4.3 mm focus a left middle cerebellar peduncle 3.2 mm focus and a left superior cerebellar 7.9 mm linear focus. 2. Occlusion of the left vertebral artery extending into the basilar artery with reconstitution of the basilar artery via bilateral posterior communicating arteries. Findings are concerning for acute dissection occlusion. Consider further evaluation with MRA head and neck. 3. Question subtle area of restricted diffusion seen within the left dorsal medulla better appreciated on the maps measuring approximately 4.9 mm. Left lateral pontine 7.3 mm focus of restricted diffusion versus artifact. These infarcts are not definite and could be artifactual asymmetry.'. He required admission, heparin drip and neurology consult at that time, as well as permissive hypertension. shortly after 1 pm on May 31, he developed chest pain with ischemic changes on EKG requiring cardiology consult with possible intervention, though this was being coordinated with interventional neurology, as he also required basilar angiogram for his MRI findings. as cardiology and interventional neurology were coordinating taking patient for intervention, he became further unresponsive, though maintained his pulse, and required intubation and transfer to ICU, as well as repeat CT of the head to evaluate for continued thrombosis of his basilar system. Work up is still on going

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1362558	5/31/2021	WA	32	F	5/26/2021	5/30/2021	11am sudden onset of Left sided weakness, ataxia, dilated and non-reactive right pupil, double vision and tingling down left arm for 15 minutes. Transported to ED via private vehicle. CT and CTA negative for acute intracranial pathology but infused with tPA and transferred to Hospital for continued work up and post tPA infusion care.
1362479	5/31/2021	CA	30	F	5/31/2021	5/31/2021	Client stated, "My vision became blurred and I felt spinning." Client given water and crackers. Symptoms lasted less than 2 minutes and then went away completely. Had TDAP 5/26/21 without any reactions.
1362631	5/31/2021	CA	43	M	5/31/2021	5/31/2021	client had reported effects after 1st dose and medical team had approved for client to receive 2nd dose today. Baseline vitals: blood pressure 162/90, pulse 94, oxygen 97%. Within 5 minutes of receiving vaccine client reported feeling dizzy, nausea, and blurry vision. Upon arrival client sitting in anti-gravity chair, pale, with mild diaphoresis. Client alert and oriented x4. RN took vitals at 1610: blood pressure 140/80, pulse 85, oxygen 97%. 1613 client reported blurry vision had resolved. Vitals at 1615: blood pressure 150/85, pulse 82, oxygen 97%. Per client dizziness and nausea had also resolved, skin color normal for ethnicity. Client denied chest pain, shortness of breath, headache, palpitations. Per client history of hypertension but provider had removed medication years ago as it resolved. No allergies. Client reported not following up with provider after first dose or for regular check-ups. Vitals at 1620: blood pressure 170/110, pulse 79, oxygen 97%. Retake blood pressure 172/110. Per client "feels fine". Vitals 1625: blood pressure 168/118, pulse 84, oxygen 95%. Per client no symptoms at this time. PHN advised client to follow up with provider regarding blood pressure. ER precautions given. Per client would make appointment with primary. Last vitals at 1653: blood pressure 160/110, pulse 80, oxygen 97%. Client able to stand with no complaints of dizziness, blurry vision, or nausea. Client denied chest pain, palpitations, headache, blurry vision at this time. Client stated drove alone and felt fine to drive. Client left facility with steady gait at 1640.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1362448	5/31/2021	TX	64	M	5/26/2021	5/26/2021	The symptoms started 3 hours after the 2nd dose of COVID. I felt pain in my left arm ( the same arm where I was injected ), chills and fever across my body, sweating, numbness and electric tingling in head, dizziness and vertigo with sensation of wanting to vomit, a lot of pain in my joints, watery eyes and pain in my eyeballs, lack of equilibrium and orientation, and other symptoms.
1362542	5/31/2021	VA	60	M	5/28/2021	5/28/2021	On Friday, 5/28/2021 I had my second Covid vaccine. My first vaccine in my left arm on 4/30/2021 was accompanied by a sharp soreness under my left arm and 12 hours of iritis in my right eye. Both symptoms were mild. For my second Covid vaccine in my right arm on Friday, 5/28/2021, my symptoms included a headache and fatigue which lasted for Friday and Saturday. I also had a bad night on Saturday. I had trouble sleeping, was achy and may have been running a slight fever. I have been slightly more sweaty than normal. Today, 5/31/2021, I had some blood in my urine.
1362477	5/31/2021	PA	29	F	1/15/2021	1/16/2021	Starting on the day of the vaccine (2nd dose)- I felt really spacey, hallucinated at night and fever. I took ibuprofen. I woke up the next day and noticed blurry vision in my left eye. Also had pain when moving the eye. I developed left sided weakness and notice declining cognitive functions. I felt extremely fatigue, difficulty swallowing, tinnitus, difficulty walking and my left leg was weak and my balance was definitely off. After about 2 weeks, I decided to go to the Hospital Emergency Room. I had an MRI with and without contrast and diagnosed with optical neuritis. I saw ophthalmology on 2/9/2021 and they did all sorts of visual tests and referred me to neurology. I saw my PCP on 2/12/2021 and was referred to Neurology. I went to see a neurologist and was diagnosed with clinically isolated syndrome (precursor to multiple sclerosis) and had numerous MRI, blood work and EMG.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1362488	5/31/2021	NV	36	F	5/28/2021	5/28/2021	patient felt light headed and a person standing by notified pharmacy. I, staff RPh, assessed patient quickly and helped her to a supine position on the floor with legs elevated. Patient fainted as she was being helped to the floor. Patient's eyes was dilated, we called 911 and I grabbed the BP unit and checked pulse. Pt regained consciousness after about 7 to 8 seconds. Pt was able to identify herself and answer all questions. We grabbed an orange juice for the patient as she had not had anything to eat and had just worked out. Pt's BP was 108/90 and remained around that range for about 5 or so readings. PT drank and was encouraged to lie in supine position with legs elevated for 15 more minutes even though she stated she thought she was fine. Pt waited until 12:55pm and also stated she had fainted with a past blood draw. Pt appeared fine by 12:55pm, bp still around 100/80, pupils is back to normal. 911 was cancelled per patients request shortly after regaining consciousness.
1362493	5/31/2021	WA	30	M	5/28/2021	5/28/2021	After a few hours after receiving vaccine, patient felt his right eye and eyelid feeling itchy and slowly swelling. Then it got worst the next few days and he experienced some paint. Patient reported to take "a store brand allergy med not Benadryl," possibly 2nd generati-histamine. Patient is in between insurance so did not want to see a provider. He will take Benadryl in immediate future.
1362501	5/31/2021	CA	66	M	1/7/2021	1/10/2021	Severe Painless petechial hemorrhage w/o vision impairment, lasted for almost 2 weeks, spontaeouly cleared. No history prior similar event, no drama, etc. I do not wear contacts, etc.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1362508	5/31/2021	MD	54	F	5/5/2021	5/5/2021	On 5/5/21, about 7 hours after her second Pfizer COVID vaccine, pt developed R sided visual distortion in both eyes, associated with headache. Pt was seen on 5/7/21, Ophtho exam was negative. MRI brain with MRV done showed a 10 mm bright lesion in the L corpus callosum with possible swelling as well as nonspecific white matter disease. Pt was sent to ED, left prior to evaluation and returned the next day. Seen by Neurologist in ED who recommended inpt evaluation. Pt did not wish admission and left. Outpatient Neurologist evaluation was unable to be scheduled in a timely matter, so pt went to another ED on 5/13/21 and had evaluation including LP. Working ddx included MS/ischemic stroke, SLE. Started on ASA and statin. Pt has had outpatient Neurology and Rheumatology followups, planned for Neuro-Ophthalmologist consultation. R visual distortion was improving but still present at her 5/21/21 followup with me.
1362511	5/31/2021	AZ	57	M	2/22/2021	2/22/2021	Skin hurting/sensitivity (Day 1 forward), severe chills (day 2 forward), headache (day 1 forward), fatigue (day 1 forward), mild cough on/off, eye pain (? day 4 forward), achey (day 1 forward), chest rash (? day 3 forward), fever (? day 5 forward 101.9 day 5), back pain (? day 5 forward), labored breathing (? day 5 forward), diarrhea (? day 5 forward), sore throat (? day 5 forward) vomit (day 7). Symptoms of chills and miserable feeling increased day 4 on. Tylenol, Albuterol on day 6, Day 8 hospitalized, antibiotics and oxygen, Sepsis and shock, less than one day in hospital - passed on 3/2/21 am.
1362454	5/31/2021	WA	48	F	4/8/2021	4/9/2021	Fatigue, Diarrhea, Headache with head pressure, Numbness on left side of face, Chest pressure, Abnormal heart rhythm, Loss of peripheral vision on left eye
1361690	5/30/2021	NY	26	M	5/30/2021	5/30/2021	Medical evaluator reports: profuse sweating, delayed response, near syncopal. EMS reports: Pt feeling dizzy with Blurred vision after receiving shot.
1361528	5/30/2021	MI	66	F	3/30/2021	3/30/2021	I had facial tingling which included the mouth and jaw, and my vision was blurred. I was also a little lightheaded which subsided but did not go away completely. The next day I was better, but I had soreness around the injection site. I also had diarrhea.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1361555	5/30/2021	FL	54	M	5/27/2021	5/28/2021	Fever, Chills, Heart Palpitations - Heart rate was 126 Joint Pain Pain in Chest when taking Breaths More Pain when lying down, cant turn on the side Eye Pain with Headaches
1361530	5/30/2021	VT	13	F	5/26/2021	5/26/2021	Present at clinic w/ dad. Dad reports prone to light headedness. Was very nervous before shot. Reported dizziness, and briefly some 'flashing lights' in vision that quickly resolved. Transitioned from lying on floor to seated to standing. Vitals stable through transitions. Gave juice box. 30 min observation post vaccine. Walked out of clinic.
1361538	5/30/2021	NY	15	M	5/30/2021	5/30/2021	Immediately following vaccine, client reported visual disturbance, couldn't see, pale, clammy, dilated pupils. Resolved after one minute.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1361561	5/30/2021	MD	38	F	5/22/2021	5/26/2021	<p>Wednesday morning at 2 am, I broke out into itching hives all over my chest, stomach and under arm pits. I took a Claritin and applied Benadryl cream. They were gone when I woke up that morning. Around 3pm that afternoon, my neck started itching. By the time I got off of work at 5pm, my entire neck had broken out in hives and there were hives forming near both of my eyes. When I got home, my face had swelled and I was also breaking out on my arms, chest, stomach and upper thighs. I went to the hospital where they treated me for an allergy. I was given prednisone and Pepcid, a prescription for an EpiPen, and then told to take Benadryl and apply hydrocortisone cream which I had to purchase myself. I took two Benadryls that night and applied the cream and the hives were gone by the morning.</p> <p>Thursday, around 4 pm, my chest and stomach started itching. I came home and took 2 Benedryls, and a cold shower to help relieve the itch. I applied the hydrocortisone cream and took a nap. I woke up 3 hours later, itching again, this time all over my arms, face, thighs and back. My lips had swollen and my ears were itchy and red. I called the urgent care number and was instructed by a doctor to come into the facility since my lips were swollen. When I arrived, I was given a steroid (name unknown), Pepcid and Benadryl through IV. The hives did not respond right away and in fact because to spread further after treatment. After 2 steroid shots, they finally went away, though my lips were still slightly swollen. I was given a prescription for Prednisone and sent home. Saturday morning, my arms and chest began to itch and turn red. I applied hydrocortisone cream, took 2 Benadryls and the Prednisone as prescribed. The itching subsided after an hour, but the redness remained the rest of the day. As I am typing this on Sunday morning, I still have redness over my chest, stomach and arms, but no itching.</p>
1361598	5/30/2021	CA	48	F	5/19/2021	5/29/2021	<p>Day 2 ongoing severe abdominal pain, vertigo and blurred vision. Treatment TBD</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1361618	5/30/2021	PA	72	M	3/6/2021	4/20/2021	4/20. Painful lumps in temples, Head swollen. Temperature 101 to 102. 04/30. started a week of Clindamycin. 150mg/3 times a day By 5/5 developed dry hacking cough, bad headaches, night sweats, aches in lower joints. 05/06. Started a week of Sulfamethoxazole-Trimethoprim 800, 160mg, 2 times a day By 5/12. head has gone down, sweats, temperature late in the day, cough continued. Some vision changes. Food tastes OK but no liquids taste right By 5/24. cough, temperature some days, night sweats aches in lower joints continue. Taste of liquids still not right.
1361681	5/30/2021	OH	63	F	3/4/2021	3/9/2021	subconjunctival hemorrhage in right eye
1361398	5/30/2021	CA	42	F	5/13/2021	5/14/2021	One day after injection on 5/14/21, got intense painful ache under right ear. It went away after about a day. But then on the evening of 5/24, I found that my right eye was very scratchy. On 5/25, I realized it?s because the right eye would not close all the way. On the evening of 5/25, I found my food kept falling into my right cheek when I ate. On 5/26, I found that my right eye would not blink at all. And my right cheek was numb. My right eyebrow would not raise as high as the left and my smile was crooked. I went to urgent care and they diagnosed me with Bell?s Palsy.
1361678	5/30/2021	MD	31	F	5/29/2021	5/30/2021	Vomiting, upset stomach, weird pains in stomach, back pain, joint pain, muscle pain, odd headaches, foul smelling urine, body aches, light numbness in a extremities, fatigue, slight burning sensation in back, pain in lower left back that's tender to the touch, restless legs, shoulder pain (injection site), congestion, stuffy nose, running nose, earaches, smelling odd smells, slight chills, slight shaking, neck pain, aching eyes, slightly puffy face, odd feeling in chest.
1361511	5/30/2021	TX	59	M	4/8/2021	4/8/2021	Developed angioedema (swelling in eyelids, mouth and lips)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1361506	5/30/2021	NY	68	F	4/10/2021	4/28/2021	4/10- shot, left arm 4/14- slight rash left cheek, I ignored it 4/21 -left cheek twitching, didn't think about it, ignored it 4/28- Indian food tasted off 4/29- in the morning, left eye blurry and teary, smile looked off, left ear hurt, headache - later afternoon self-diagnosed with Bell's palsy- confirmed at Urgent Care 4/30 Blood test negative for Lyme's Disease 5/1 Talked to my Acupuncture therapist- (I am her 4th Bell's Palsy case post Pfizer shot #2). I thought this definitely should be reported.
1361484	5/30/2021	NC	24	M	5/29/2021	5/29/2021	Site: Pain at Injection Site-Medium, Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Medium, Systemic: Hyperventilation-Severe, Systemic: Hypotension-Severe, Systemic: Numbness (specify: facial area, extremities)-Medium, Systemic: Shakiness-Medium, Systemic: Tachycardia-Medium, Systemic: Visual Changes/Disturbances-Medium, Additional Details: Pt has history of vaso vagal syncope. Patient entered an episode of syncope and quickly recovered. Paramedics arrived to further consult patient to recovery.
1361461	5/30/2021	CA	12	F	5/29/2021	5/29/2021	Systemic: Fainting / Unresponsive-Severe, Additional Details: PATIENT WAS GIVEN A PFIZER COVID 19 VACCINE INTRAMUSCULARLY. IMMEDIATELY AFTER BAND AID WAS PLACED, PATIENT APPEARED TO BE FROZEN FOR SEVERAL SECONDS AND WOULD NOT RESPOND TO MY QUESTION. MOM ASKED QUESTION AND HELD PATIENT, AT WHICH TIME THE PATIENT COLLAPSED AND HER EYES ROLLED BACK. SO SHE PUT IN A SUPINE POSITION AS I RAN AND CALLED 911. PARAMEDICS ARRIVED TO THE SCENE AND MONITORED HER VITALS FOR NEARLY 30 MINUTES. THEY OFFERED TO TAKE HER TO THE HOSPITAL BUT PATIENT'S MOM DECLINED.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1361456	5/30/2021	CA	40	F	5/28/2021	5/28/2021	Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild, Systemic: Tingling (specify: facial area, extremities)-Mild, Additional Details: patient was given moderna vaccine # on 05/28/2021 and developed swelling of lip areas and tingling on the face areas. Pharmacy gave the benadry and monitor patient for 30mins. AFter 30mins patient recovered and left pharmacy.
1361452	5/30/2021	MO	42	F	5/21/2021	5/21/2021	Systemic: Allergic: Itch (specify: facial area, extremities)-Mild, Systemic: Allergic: Rash (specify: facial area, extremities)-Severe, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Severe, Additional Details: face start drooping once swelling went away per patient
1361444	5/30/2021	CA	41	U	5/13/2021	5/13/2021	2nd dose adverse reaction began at 10pm the night of the 2nd dose of Moderna: Fever 101, eye soreness/aches, chills, bodyaches, hotflashes, headaches, nausea, dizziness, left eyelid twitching, weakness throughout entire body, exhaustion, etc. This has lasted until now 05/31/2021 + I have lingering effects still.
1361433	5/30/2021	TX	42	F	5/30/2021	5/30/2021	Vision change
1361694	5/30/2021	CA	56	F	5/28/2021	5/28/2021	Felt OK for about 12 hours, able to eat lunch/dinner do a bit of work. By 11 PM I had a fever of 102.8F, stabbing pains all over my body, and had to get in bed. Also chills, and my eyeballs hurt. The next day I spend nearly the entire day in bed, with fever ranging from 101.5 to 102.3 until late evening, slightly less stabbing pains, very weak, no appetite, could not stay out of bed for more than about an hour because I would become nauseous. I ate some toast and a handful of potato chips. Anything more complex than that seemed really not reasonable to attempt to eat. I have had influenza many times, and this vaccine reaction was physically more unpleasant than the when I got swine flu in 2009 (higher fever, too). I can count the number of times I have had a fever more than 102 on one hand. I am a bit better today. Perhaps you should consider adjusting the dose or schedule for middle aged people? My housekeeper had a 105F fever after her second shot. She is 45. I am not sure if she got Pfizer or Moderna. Might be Pfizer.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1361405	5/30/2021	MN	34	F	5/26/2021	5/27/2021	Starting at 1 AM Thursday (about 9 hours after receiving the vaccine), I started to feel very weak and had a headache. I had chills that would come and go all night, I felt extremely cold even though my house temp was set to 72 degrees and I had three thick blankets on me. I could barely get up the next morning. All of Thursday I had to be in bed. I had no strength to walk, and if I tried, I got dizzy and my headache got worse. I only got up to go to the bathroom. I had no appetite and felt like if I tried to eat, I would throw up. I was mildly nauseous. I could, however, drink water with no problems, so I drank as much as possible to stay hydrated. I felt a constant pain on my back and my ribs, but the worst of all was the headache. I had never felt a headache like that one before. My eyes and forehead area hurt the most, but it was like my whole brain hurt. I only took my temperature once, on Thursday, and it was 101.6 F. The symptoms continued until Friday morning. On Friday, I started to improve as the day went on. By Saturday, I was back to doing all of my normal everyday activities and felt strong again, with only a very mild and manageable headache. I took 10ml of Tylenol on Thursday night but it did not do anything for me.
1361529	5/30/2021	VT	26	M	5/26/2021	5/26/2021	Present at clinic with mother to offer emotional support. Justice suffers from anxiety related to receiving medical care. Today was his second attempt at getting the vaccine. Reported to clinic staff after the fact: Had blurry vision and dizziness prior to entering clinic. Had sat in warm car for several minutes trying to work up nerve to enter building. Dizziness increased at time of vaccination, client was moved to floor, legs elevated until dizziness passed. Slowly transition to sitting and then standing, monitoring vitals at transitions. Patient walked out of clinic one hour after vaccination. Patient remained conscious. Consumed 3 bottles of water, two bananas, two juiceboxes during recovery period.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1361412	5/30/2021	CA	36	F	5/28/2021	5/28/2021	<p>Patient received the 1st COVID vaccine (Pfizer, lot # EW0185 use by 06/24/21 at 0845) at 1446. At 1503, the clients boyfriend told PM that his girlfriend said she felt like she was about to faint. PM ran to patient at 1503 who was sitting upright and blankly staring in front of her. RN assessed the client who was alert and oriented to person and place for 90 seconds, but would go in and out of responding to questions during the 90 seconds. No loss of muscle tone was present. The client was unable to visually track an object during the 90 seconds of blank staring. RN instructed another RN to call 911 at 1504. Client was placed on a yoga mat in a supine position on the ground by EMT and PM. The client's legs were elevated by being placed on a chair. The client was diaphoretic and clammy. The client was alert and oriented x 4 at 1505. Radial pulse was bounding bilaterally. Vital signs taken at 1506, HR- 60, BP- 158/106, RR-12, oxygen saturation at 98%. The patient denied any drug allergies, any chronic medical conditions, or currently taking any medications. Client continued to be diaphoretic and clammy. Client did not hit her head during the incident and denied any shortness of breath, chest pain, or difficulty breathing. Vital signs taken at 1507, BP- 170/122, HR- 81, RR-14, oxygen saturation at 98%. The clients legs were immediately placed from being in an elevated position to a supine position. The client was speaking in full sentences and was alert and oriented x4. Vital signs taken at 1508, BP- 146/98, HR-86, RR-14, oxygen saturation at 98%. Client remained mildly diaphoretic and clammy. The fire department assumed care at 1510 when they arrived on site. Fire Department Personnel advised the client to be transported to a hospital, client declined transport to the hospital and signed AMA paperwork. Client stated, "My boyfriend will drive me to Emergency Room." The Fire Department and EMS left the site at 1532. RN educated the client about the importance of going to the emergency room immediately and to follow-up with her primary care provider. The client left the site at 1536, the client's boyfriend pulled the vehicle in the parking area and the client ambulated with an even and steady gait to the car.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1361908	5/30/2021	GA	55	F	5/30/2021	5/30/2021	01:25 pm: Patient felt lightheaded and warm (despite being cold prior to vaccine since it was "cold" inside), breathing was normal. Patient was still seated but legs were elevated. Patient given cool cloth to put on her forehead/neck.; 01:30 pm: Patient was still lightheaded, was slightly pale and had clammy hands. Blood pressure via automatic blood pressure monitor with arm cuff on the right upper arm was 63/47 with a pulse of 41. Breathing was normal. No signs/symptoms of anaphylaxis, therefore NO Epi-pen was administered. Patient was lied down with legs slightly elevated.; 01:32 pm: 911 was called. Patient states her right arm, primarily her right hand was tingly with loss of feeling. Patient reports no pain.; 1:38 pm: Patient reports blurred vision. Patient is pale and still a little lightheaded. Patient reports only having some yogurt today and no history of hypo/hyperglycemia. Blood pressure via automatic blood pressure monitor with arm cuff on the right upper arm was 100/70 with a pulse of 62. Breathing still normal. Still no signs/symptoms of anaphylaxis, therefore NO Epi-pen was administered. ~01:40 pm EMS arrives and leaves building to parking lot with patient on stretcher at ~01:50 pm.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1361527	5/30/2021		72	F	5/3/2021	5/12/2021	COVID-19 positive on 5/12/2021. HPI: This is a 72 year old female with past medical history of: #Breast Cancer - Follow up with Dr. - pT1cN0 triple negative, metaplastic carcinoma - invasive mammary carcinoma with chondromyxoid matrix production - (grade 3) of the left breast, diagnosed in 1/2021. - s/p L partial mastectomy w/ sentinel node dissection in 2/2021 - started on adjuvant chemotherapy - docetaxel/cyclophosphamide (last tx - cycle 2 on 5/7) - plan is to follow w/ radiation tx #Hx of Bell's palsy, right sided facial droop - s/p prednisone 25 mg for 10 days and 3 days of valacyclovir #HTN - on lisinopril 10 mg #HL - on lipitor 10 mg #GERD - on pantoprazole 20 mg daily #Anxiety/Depression - Buspirone 30 mg BID, 250 mg fluvoxamine, clonazepam 2.6 mg prn #Insomnia - on trazadone 100 mg qhs #Hx of Acute Labyrinthitis and hx of otitis media - on meclazine TID PRN She was recently admitted to the hospital for neutropenic fever and noted to have COVID+. She was on room and appear to be mild COVID at that time. No Dexamethasone or Remdesivir was given and she was discharged home to complete her 2x week quarantine. Today, she returned to ER with shortness of breath, worsening productive cough, fatigue, decreased appetite, watery diarrhea for 2 days. Denied any trauma, headache, fever, leg swelling, blurred vision, chest pain, palpitation, hemoptysis, abdominal pain, nausea, vomiting, or any urinary symptoms. No dysarthria or focal neurological deficit. Reported adherence with medication. COVID pneumonia - known COVID +, now presented with SOB requiring oxygen - admit to COVID 19 unit - Isolation precaution per COVID protocol - Check ferritin, Ldh, procalcitonin, d dimer, PT/INR, - Trend hs tnt - Oxygen management per unit protocol - Start Dexamethasone + Remdesivir - ID consult in am #Breast Cancer - follow up with Oncology team in am #HTN - BP stable - resume home lisinopril 10 mg #HLD - Continue lipitor 10 mg #Hx of Bell's palsy, right sided facial droop - Right facial droop at baseline - Completed prednisone 25 mg for 10 days and 3 days of valacyclovir #GERD - Continue pantoprazole 20 mg daily #Anxiety #Depression - Continue home Buspirone 30 mg BID, 200 mg fluvoxamine, clonazepam 0.25 mg prn #Insomnia - Continue trazadone 100 mg qhs #Hx of Acute Labyrinthitis and hx of otitis media - Continue



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							meclazine TID PRN Remdesivir 5/20-5/24 Decadron 5/21-present Tocilizumab 5/20
1362001	5/30/2021	ID	60	F	5/1/2021	5/1/2021	Weird white swollen line just below lower lip Twitching between eye/ lower forehead
1361999	5/30/2021	IL	39	F	5/14/2021	5/15/2021	Everyday for the following 8 days after the vaccine I had a severe migraine with visual aura. 2 days after the shot I had 4-5 aura migraines. I also experienced a flare up of eczema on my right pointer finger knuckle on the back of my hand. The flare up lasted the same amount of time.
1361996	5/30/2021	TX	18	F	5/30/2021	5/30/2021	Pt started complaining of blacking out about 10 minutes into her observation period after she took the COVID vaccine shot. She complained of Blacking out and she requested to use the bathroom. When she returned from the rest room, I had her lie flat on her back with her feet elevated. I observed her for 3 minutes ,and she was breathing normally and remained conscious and she said she was feeling better. I took her blood pressure and pulse at intervals of 5 minutes. Her readings were 95/68,pulse 68;91/67,pulse 64;99/68,pulse,66;99/73,pulse 57. Her mom came about 30 minutes later. I advised mom to keep an eye on her and to give Pedialyte and continue to monitor her BP and pulse. I suggested Benadyl 25mg pill to her. I advised her that if her situation deteriorates she should take her to the ER. I also advised her to contact her primary care doctor. The mother then took her home

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1361713	5/30/2021	VA	43	F	5/29/2021	5/29/2021	First felt light headed, then my tongue, throat, and neck felt sore within approximately one hour of injection. Then my eyes started itching and it was more difficult to breathe through my nose. Things looked funny/off and I felt off; heavy/like lead and fuzzy and spacey at the same time. My vision was blurry when I tried to look at objects up close - like my phone. I had to blink several times and hold the object further away to see it. By dinner time, around 5:30, I noticed raised bumps on the sides and back of my tongue. To my knowledge, they were not there prior to the injection, but I don't usually inspect my tongue. I did so around dinner because of how sore, puffy, swollen, and big my tongue felt. It looked splotchy in shades of white and yellow. My throat also felt puffy and swollen. At 3:50 am I woke up and my left eye was puffy and difficult to see out of. I was cold, clammy, and sweating. I had a really bad headache and felt nauseous. I took 2 ibuprofen and went back to bed. Around 7:30 or 8:00 am I got up and moved around. My left eye was no longer puffy and I could open it, but my eyes, nose, and throat were itching so badly that I wanted to scratch at them. My tongue, throat, and respiratory system felt puffy and swollen. I noticed it took much more effort to breathe. I got some water and took a Benadryl. I layed down and put my feet up. I covered up because I was cold. I fell asleep. A few hours later I woke up and could breathe easier. The itching was less intense and my tongue, throat, and respiratory system felt less swollen and more normal.
1361910	5/30/2021	CA	60	F	4/25/2021	4/25/2021	Fever (101) 2 week Aches 4 weeks Chills 2 week Nausea 2 week Sleep paralysis 2 nights Chilblains ongoing Breathlessness ongoing Tremors/ticks 2 weeks Psychosis 3 weeks Visual and auditory hallucinations 2 weeks Delirium 3 weeks Confusion 3 weeks Unable to track time 3 weeks Lethargy 4 weeks Weakness 4 weeks Nightmares 3 weeks
1362015	5/30/2021		67	M	3/10/2021	3/14/2021	Pain in top of head, blurred vision, weak, tired, diarrhea, confused; lasted about 10 days; symptoms came on about 45 minutes after injection.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1361892	5/30/2021	FL	61	F	3/10/2021	3/11/2021	<p>Please note: 1st dose on RIGHT Arm, 2nd dose on LEFT Arm. First Dose, Moderna, Lot Number: 044A21A on 3/10/2021 1st day, 3/10/2021 only slight pain LEFT arm (vaccination arm) that evening. 3/11/2021 more pain in arm and just tired. 3/12/2021 body (achy) all over and dizzy all day. 3/13/2021 dizziness continued and tiredness set in (forced myself to get up and go!). 3/14/2021 extreme fatigue now in full force, no appetite and a slight metal fog. 3/15/2021 fatigue continued, dismissed appetite (forcing myself to eat) and still having body aches. 3/16/2021 still feeling run down, however dizziness dismissed. 3/17/2021 started to feel better but body ache continued. 3/18/2021 some symptoms started to improve but fatigue and lack of concentration continued. 2nd Dose, Moderna, Lot Number: 036B21A on 4/07/2021 on 4/07/2021 only slight pain RIGHT arm (vaccination arm) that evening, staying hydrated as suggested by the nurse 4/08/2021 no bad symptoms but injection site was bruised and raised, not sure why. 4/09/2021 started to feel tired and my right shoulder was hurting a bit. 4/10/2021 extreme pain under arm pit of right arm, achy all over and tired. 4/11/2021 swelling of lymph nodes under my arm and neck. Felt really sick and achy all over. Diminished energy and no taste. Forced myself to eat. I continued to stay well hydrated. From 4/11/2021 through 5/01/2021: The swelling under the right armpit continued to increase in size and the pain continued to increase. At one point I could hardly touch the area and I was having problems sleeping. My Right armpit and arm and my neck continue to bother me to no end. I could not sleep well and my Metal fog increased. Short Memory loss: I could not remember things that I did just a few seconds before. Since I had started a log to record my progress with my vaccinations, I kept writing all symptoms and problems down. I developed COVID Arm. My appetite has decreased, and I was very, very tired all of the time during this period. 5/02/2021 I started to feel better but unknown to me, my natural body defenses were down. Any little cut or scratch was not healing. And I was still having short memory lapses and occasional fatigue spells. I was relatively healthy before!! 5/04/2021 I had a run in with a wasp and I scratched my Left eye while trying to defend my eye from this insect. 5/07/2021 I had developed eye problems on my left eye and an infection on my face, left eye lid and</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

ocular ulcers inside my left eye. I also had macular abrasions. I went to my Primary Care Provide and she prescribed oral antibiotics Doxycycline HYC 100MG, 1 daily for 30 days and an antibiotic ointment Erythromycin OPTH Oin.t 3.5MG, 4 times per day for 5 days.

5/10/2021 My eye problem and infection got worse so I was referred to my Ophthalmologist. She confirmed that my Left eye and eyelid and cheek were infected and she added an antibiotic eye drop to the list of medications.

5/12/2021 My left eye hurts a lot and the left side of my face hurt a lot, so I was directed to proceed to the nearest Emergency Room. The ER Doctor changed my antibiotic to Clindamycin 300 MG, every 6 hours for 10 days. 5/26/2021 after finishing the Clindamycin antibiotics I had developed Thrush of the Mouth and I went to an Urgent Care facility, while there they checked my problems and drew a culture and prescribed Nystatin Oral Suspension, 1000MG, at 6 ML, every 6 hours for 7 days or until the Thrush causing Yeast Fungi is eliminated. I'm still suffering from a compromised immune system directly related to the COVID 19 Moderna Vaccinations. I'm still trying to put my life back together and I'm still dealing with the dangers of infections taking over my body from this fragile state. The Moderna Covid Vaccine has brought havoc into my life. Please use this information to warn others of side effects. Please provide additional information to the general public on steps that can be taken by the Covid vaccination recipients to make our immune system strong again. How do we now deal with metal fog? How can we deal with short memory lapses? How can we fend off infections? Please Help! 5/30/2021 In conclusion, the Moderna COVID vaccines have changed my life and I'm still living a nightmare filled with problems and infections from a greatly diminished and compromised immune system. I do not know how long will my body and health will continue to be compromised, all I know that I'm not the same. I still have to be careful with any little scratches and even paper cuts do not heal! I'm still taking antibiotics today and dealing with health problems that were not present before my COVID Moderna vaccinations.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1361884	5/30/2021	WA	19	M	5/29/2021	5/29/2021	Pt was sitting in observation chair after his vaccination--a little slumped over and twitching as if he were having a seizure. He did not respond to me calling his name. Pt gained consciousness and was a little frightened, not understanding the situation or remembering where he was at. He felt a little better after some water. About 4 minutes later, he said he was losing his vision and seeing flashes of light. He was told to lie on the floor with his feet up. Within a few minutes, he said he was feeling a lot more like normal.
1361878	5/30/2021	TX	14	F	5/30/2021	5/30/2021	patient was given pfizer vaccine and was sitting in the chair for post vaccination waiting for about 5 minutes. Suddenly I looked up, I noticed her body stiffened and her eyes closed. she tumbled to the floor and hit her head on the ground. Paramedics were dispatched immediately. patient woke up right away, we checked her pulse, forehead for fever, and back of her head for any possible bleeding. She answered all questions that we asked of her correctly (such as her name, her age, etc.) Paramedics arrived, took her blood pressure, oxygen level (both normal), blood sugar (normal). Parents decided to take her to hospital for further evaluation. I called and spoke to Dad 5 hours later, dad stated that she is doing fine.
1361876	5/30/2021	VA	74	M	5/8/2021	5/15/2021	PT IS POST-CORNEAL TRANSPLANT IN LEFT EYE AND WAS DOING FINE, CLEAR VISION. ONE WEEK AFTER SHOT, PT REPORTS VISON BLURRED IN THAT EYE ONLY.
1361769	5/30/2021	IN	23	F	5/28/2021	5/28/2021	Swelling in both eyelids and mouth, started at about 8:00, intensified until 4:00am. Treated with prednisone for the next two days.
1361723	5/30/2021	NJ	90	F	3/2/2021	3/8/2021	Weaknesses. Dizziness. Headaches. Blurry vision both eyes. Sleepiness. Strokes. Hospitalization. Death
1361988	5/30/2021	TX	24	M	5/30/2021	5/30/2021	After administration, pt went shopping with his wife and kid. While shopping within the store, pt reports he fainted, fell down to the ground on his forehead and sustained a deep cut injury right above his left eye. He was bleeding profusely, first aid was rendered and his wife drove him to the ER

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1361861	5/30/2021	WI	14	F	5/29/2021	5/29/2021	Pt received her 1st dose of the Pfizer vaccine in the right arm at approximately 2:45 PM on May 29 at pharmacy. Pt was recommended to sit for 15 minutes in the waiting area after vaccination for observation, but she and mom opted to go shopping in the store. At approximately 3:37 PM, pt and mom came back to the pharmacy to tell me (the pharmacist) that she had hives and showed me red bumps on her left arm. I had the pt sit while mom went to go buy Benadryl. After 5 minutes, I checked on the pt. She had taken one dose of Benadryl and stated that she was dizzy and feeling itchy all over. After chatting with mom for 5-10 minutes, the pt stated that she felt like her symptoms were not worsening and were stabilizing. The pt then said she wanted to rest at home. I recommended she sit for a little longer, but mom stated she would keep a close eye on the pt and had an epipen at home. They then left the pharmacy. I followed up with mom on May 30th at approximately 4:00 PM to see how the pt was doing, and she stated that they were at the ER because the symptoms were not getting any better, and the pt "felt like she was having an asthma attack." Pt's mom states that the pt is doing much better after receiving IV meds.
1361757	5/30/2021	OH	62	M	5/29/2021	5/30/2021	Patient's wife reports a diabetic episode the morning after receiving the vaccine. The patient was fine going to bed the night before, but in the morning about 20 hours after receiving the shot the patient was unresponsive to wake up in the morning. He struggled to open his eyes, but was able to awake with some coaxing. His blood sugar was 175, but came down after taking measures to lower his sugar. He was able to get up and walk around, drive like normal within 2-3 hours after waking up. The patient's wife states the reaction was abnormal, nothing different occurred the night before, the only change was the vaccine administration.
1361779	5/30/2021	NH	20	F	5/25/2021	5/26/2021	Started to lose taste on half of tongue, pain behind right eye, right ear pain, and facial drooping and weakness. Couldn't emot properly .

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1361783	5/30/2021	NC	65	F	3/18/2021	3/24/2021	*One week after 2nd vaccine, I had sharp headache pain lasting about 3 seconds every day for 2 months. I went to acupuncture so the sharp pains are about 2 times a week. *About 2 to 3 weeks after 2nd vaccine, my peripheral vision started seeing wavy lines on items that are straight lines, several times a week. It is occurring more often even after acupuncture.
1361795	5/30/2021	PA	46	M	4/30/2021	4/30/2021	DIARRHEA, BLURRED VISION, FEVER, CHILLS, VOMITTING
1361823	5/30/2021	FL	38	F	1/19/2021	1/22/2021	The day after my second shot, I noticed that my eyes felt very sore. But it seemingly resolved. However, two days later, I had severe photosensitivity.
1361845	5/30/2021	DC	59	M	4/27/2021	5/29/2021	Diminished eyesight
1361851	5/30/2021	WA	51	F	5/16/2021	5/18/2021	Between 24-48 hours began have reactions not expected. Pain in LEFT foot and toes. Severe pain in LEFT hand, fingers, wrist, and forearm. Then pain in BOTH wrists, hands, feet, and then lower back pain. The pain moved from scary levels to dull pain over the 2 weeks post-vaccination. I expect the pain will go away soon. The use of my hands was affected. Walking was affected. It felt like the lymph nodes around my ears, neck, face, eyes, chest, arms, abdomen, legs were all swollen. Can swollen lymph cause carpal tunnel like symptoms? Foot pain? Lower back pain? Began to have allergic like skin reactions 5 days post-vaccination. Burning eyes, itchy skin. Still experiencing itchy skin with red/warm face 13 days post-vaccine. Antihistamine relieves most symptoms. This vaccine does not seem sustainable for me as a yearly vaccine. (I had red palms after the 1st vaccine within hours. I am not sure if this was a reaction to the vaccine. I began taking antihistamine before the 2nd vaccine and did not get red palms. I have no idea if red palms were an early hint that I would be hyper sensitive to the vaccine.)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1361748	5/30/2021	VA	80	F	5/23/2021	5/24/2021	Received her second dose of Moderna Covid vaccine yesterday (5/23), subsequently this morning (5/24) noted to feel lethargic, dizzy, and had elevated temperature. She sought medical attention and in the ER was found to have temperature of 104°F, tachycardia, and elevated lactic acid. The patient has had no headache, change in vision, photophobia, neck stiffness, abdominal pain, cough. There is no report of sick contacts the patient resides with daughter-in-law and son. She received Rocephin empirically in the emergency room along with 30 mL/kg IV fluid bolus.
1360294	5/29/2021	NY	70	F			Headache; Stif arm; This is a spontaneous report from a contactable consumer (patient) via a Pfizer sponsored program. A 70-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, (Batch/Lot number was not reported), via an unspecified route of administration on unspecified date as 1st dose, single dose for COVID-19 immunization. Medical history and concomitant medications were not reported. The patient experienced headache, stiff arm on an unspecified date. The patient also verbally stated that she has cataracts in both of her eyes. It was verbally stated as she do not have the mobility she had before. The patient also stated that she will be getting a blood transfusion, and she sees both a cardiologist as well as a kidney doctor. The events were assessed as non-serious. The outcome of the events was reported as unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360404	5/29/2021	CA	43	F	4/7/2021	4/7/2021	next night I couldn't sleep because I was itchy and feeling ticking all over my body; next night I couldn't sleep because I was itchy and feeling ticking all over my body; next night I couldn't sleep because I was itchy and feeling ticking all over my body; Hearing loss; tunnel vision; After a couple of minutes, started feeling faint/dizziness; weakness; nausea; got hot; started sweating excessively; Sore arm; This is a spontaneous report from a contactable consumer (patient). A 43-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), first dose via an unspecified route of administration, administered in arm left on 07Apr2021 20:15 at age of 43-year-old (Batch/Lot Number: Ew0151) at single dose for COVID-19 immunization. Medical history included know allergies to wheat. The patient is not pregnant at the time of report. Prior to vaccination, the patient was not diagnosed with COVID-19. There was no other vaccine in four weeks or other medications in two weeks. After a couple of minutes on 07Apr2021 at 20: 30, the patient started feeling faint. Hearing loss, tunnel vision, dizziness, weakness, nausea, got hot and started sweating excessively. The patient was able to walk with assistance after 20-25 minutes. The patient also developed sore arm on 07Apr2021, then the next night of 08Apr2021, she couldn't sleep because she was itchy and feeling ticking all over her body. The events did not result in emergency room visit or physician office visit. There was no treatment for the events. Since the vaccination, the patient had not been tested for COVID-19. The outcome of the events was resolved in Apr2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360415	5/29/2021	NJ	30	F	4/5/2021	4/5/2021	Alopecia Areata, 2 spots on head; Thinning eyebrow; Was breastfeeding when I received the vaccine; Was breastfeeding when I received the vaccine; This is a spontaneous report received from a contactable consumer (patient). This consumer (patient) reported information for both mother and baby. This is the maternal case. This 30-year-old non-pregnant female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; lot number EP7533) via an unspecified route of administration in the left arm on 05Apr2021 at 16:00 (at the age of 30-years-old) as a single dose for COVID-19 immunisation. The patient had no medical history, allergies, or concomitant medications. Prior to vaccination the patient had not been diagnosed with COVID-19 and had not received any other vaccines in the 4 weeks prior to the COVID vaccine. On 25Apr2021 at 09:00 the patient experienced alopecia areata 2 spots on her head, and thinning eyebrow. The patient reported she was breastfeeding when she received the vaccine, then stopped breastfeeding "cold turkey" three days after receiving the vaccine. The events resulted in a physician office visit, and the patient was treated with a steroid injection. The clinical outcomes of alopecia areata 2 spots on head and thinning eyebrow were not recovered. The clinical outcomes of was breastfeeding when she received the vaccine were unknown. It was also reported that since vaccination the patient had not been tested for COVID-19. No follow-up attempts are needed. No further information is expected.; Sender's Comments: Linked Report(s) : US-PFIZER INC-2021487595 baby case

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360408	5/29/2021	HI	30	M	4/20/2021	4/20/2021	Vision loss in Left eye in addition to the normal side effects listed; This is a spontaneous report from a contactable consumer (patient). A 30-year-old male patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in left arm on 20Apr2021 09:45 (Lot Number: EW0170) at the age of 30-year-old at a single dose for covid-19 immunisation in hospital. The patient's medical history was not reported. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient did not receive any other medications within 2 weeks of vaccine. The patient previously took amoxicillin and codeine. The patient experienced vision loss in left eye in addition to the normal side effects listed on 20Apr2021 13:00 which result in doctor or other healthcare professional office/clinic visit. The patient did not receive any treatment for the adverse event. Prior to the vaccination, the patient was not diagnosed with COVID-19 and since the vaccination, the patient has not been tested for COVID-19. The outcome of the event was not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360401	5/29/2021	FL	54	F	3/29/2021	3/1/2021	heavy headache; 101.7 fever; Muscles were burning, exactly like when she had COVID/muscle aches/Whole muscle ached and could barely move from the pain; back heavy; could not move; has no strength; can barely walk; She was sick from getting the shot; she got so sick, it looked like COVID started all over again; felt a little bit dizzy; chills; tired; This is a spontaneous report from a contactable consumer (patient). A 54-years-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), dose 1 via an unspecified route of administration, administered in the right arm on 29Mar2021 at 16:45 (Batch/Lot number was not reported) as 1ST DOSE, SINGLE DOSE for COVID-19 immunisation. Medical history included COVID-19 from Dec2020 to an unknown date. The patient's concomitant medications were not reported. The patient wanted to know if she should get the second shot. She previously had COVID by the end of December. She was really sick with COVID, so then she signed up for the vaccination, and had the first dose last Monday, 29Mar2021 at 4:45PM, and then around 6:00PM, she felt a little bit dizzy, she exercised herself and went to bed. Dizziness started on 29Mar2021 and ended after she worked out. The patient stated she felt better from like the bloodstream from the workout, that helped. The patient said it ended around 7:00PM that day. In the morning (30Mar2021) around 5:00AM, her whole muscles ached, and she could barely move from the pain. It was reported that she got so sick from getting the shot, it looked like COVID started all over again, it was that heavy. Her back felt heavy, she could not move, her muscles were burning, exactly like when she had COVID. She had a heavy headache that she had to take a drug; normally, she never takes drugs, she reacts very fast. On 30Mar2021 evening, it was unbearable at 9:00PM, so she took Diclofenac, the pill form of Voltaren and that helped and one hour later at 10:00PM, she got rid of the headaches and got rid of the 101.7 fever. With the fever, she took it an hour ago, it was 98, which is higher than normal. Her temperature is always 97.3, so it's a little bit higher than normal. The patient said she still has no strength, and she can barely walk which started on 30Mar2021 and ongoing. She has been bad the whole time, but it has improved. She said she could barely open her eyes and she could not hold the phone the day

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

before, but that day (31Mar2021), she can hold the phone with Pfizer. In Mar2021, the patient had chills and felt tired. She was thinking she should report this to Pfizer Drug Safety. She stated the CDC recommended to go for the vaccination 10 days after having COVID, and it's been three months. She said that she is still in bed that day (31Mar2021), she cannot walk. She described the side effects with the first dose of the vaccine as severe. Also, she was very sick with Covid by the end of December. She said she is a vaccine promoter, she is really standing behind it and she is the only one who got sick, not her friends or anybody else. The patient stated she doesn't have a doctor, and this is the first time she was really sick since December. The patient verified that she is speaking of the Pfizer BioNtech Covid Vaccine. The patient also believed that this reaction came because she was so sick with COVID in December. She stated she already had the antibodies and thinks she was too early for the vaccination. She was unsure if she wanted to proceed with the second dose of the Covid vaccine as she had a prior Covid infection in Dec2020. She said nobody can tell her, the second vaccination was on 19Apr2021, exactly three weeks, and she was asking what she should do. She would like to know what the second dose of the Covid vaccine does. She has talked to doctors and they don't really know. She asked whom she could ask, and what they would recommend on what she's doing with the second one. She said nobody can tell her, and the CDC Broward told her she should call 911 and she said absolutely not, she is not going to the hospital, she has never been and she's not going, and nobody can answer her. She does not believe the CDCs recommendation to receive the Covid vaccine 10 days after a person tests negative is a good idea. She said the doctor has no idea, new to the whole thing and one doctor said that he's never had any patient who had gotten sick after the first dose, he did not see that before, and this was the first time. She said she would love to talk to someone in research or something who would say yes, she can go, or would strongly recommend going. She said that at the very end, she makes the decision for herself, she would just like to hear from somebody who knows what they are talking about. No relevant tests were done. The events muscles were burning, exactly like when she had COVID/muscle aches/whole muscle

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

ached and could barely move from the pain, back heavy, could not move, can barely walk, has no strength were resolving. The event felt a little bit dizzy resolved on 29Mar2021 at 19:00 (7PM), and the events 101.7 fever, heavy headache resolved on 30Mar2021 at 22:00 (10PM) while the outcome of the rest of the events was unknown. None of the adverse events required a visit to the Emergency Room or Physician Office. No follow-up attempts are possible; information about batch/lot number cannot be obtained.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1360394	5/29/2021			F	3/4/2021	3/6/2021	<p>spike in blood pressure; spike in blood sugar; This is a spontaneous report from a contactable/non-contactable Consumer or other non HCP[C.2.r.4 (Reporter Type)]. A [D.2.2a; age]-None[ D.2.2b; age unit]-old Female[D.5; gender] patient received BNT162B2[G.k.2.2; suspect product(s) generic name(s) BNT162B2[G.k.2.3.r.1] 1[dose number .G.k.4.r.13] dose:;None[ G.k.4.r.1a; G.k.4.r.1b], None[route(s) of administration or unspecified route G.k.4.r.10.1], administered in Arm Right[add the anatomical location G.k.4.r.11.x1] on 202103041200[G.k.4.r.4; start dates or unspecified date; and time if provided], EN6203[G.k.4.r.7 batch/lot number [Lot #], Expiration date [EXPIRATIONDATE Expiration Date or indicate if they were not reported], [for vaccine indicate the following information] at the age of vaccination [.D.2.1a]; as dose(s) with unit] single[DRUGDOSEFREQUENCY], for COVID-19 immunisation[G.k.7.r.1; indication(s). Medical history included [any information regarding past medical history, concurrent conditions, social history, and family history]. Concomitant medication(s) included Suspect[G.k.1 with value of 2: all concomitant medication names] taken for [indication(s) (if provided)] from [start dates] to [stop dates]. The patient previously took [D.8.r.1; past product] for [indication] and experienced [past event]. The patient experienced spike in blood pressure,spike in blood sugar[E.i.1.2; AE(s)] and [indicate the appropriate seriousness criterion at the appropriate point in the description] on 20210306[E.i.4; AE(s) onset date(s)]. The patient underwent lab tests and procedures, which included 20210306[F.r.1 ;any information regarding laboratory tests and procedures]. [He/She] was diagnosed as having [provisional/differential/definitive diagnoses]. The [non-vaccine suspect product(s) only do not add this statement for vaccines products] was/were [action taken] on[date of temporary interruption/withdrawn to be included if applicable]. Therapeutic measures were taken as a result of [AE] and included treatment with [treatment product(s)] from [start date(s) of treatment product(s)] to [stop date(s) of treatment product(s)]. The patient not recovered/not resolved/ongoing[E.i.7: outcome(s) of the event(s)]/died] on [E.i.5; AE(s) stop date(s)].</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360376	5/29/2021			U			Not consistence headache, severe pain and sharp pains in head; occurring every couple minute, every 3 minutes or so; Severe pain on the right side, around my eye; affecting my right side and it's affecting my eye; This is a spontaneous report from a contactable consumer (patient) or other non-Health Professional. A patient of unspecified age and gender received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Batch/Lot number and Expiration date was not reported), via an unspecified route of administration on an unspecified date as UNKNOWN, SINGLE dose for covid-19 immunization. The patient medical history and concomitant medications were not reported. on an unspecified date the patient experienced not consistence headache, severe pain and sharp pains in head; occurring every couple minute, every 3 minutes, patient further stated that severe pain on the right side, around eye affecting right side and it affecting eye. The outcome of events was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.
1360360	5/29/2021			U		2/1/2021	slight headache over my eyes; some pain in my temple; This is a spontaneous report from a contactable consumer (patient) or other non hcp. A patient of an unspecified age and gender received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Batch/Lot Number: Unknown) via an unspecified route of administration on Feb2021 as 2nd dose, single for COVID-19 immunization. The patient medical history and concomitant medications were not reported. The patient previously received Pfizer (Unspecified Medication) vaccine in January. The patient reported that it would be 2 weeks that the patient still had the slight headache over the eyes and some pain in temple. The outcome of events was unknown. No follow-up attempts are possible. Information about lot/batch number cannot be obtained.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360300	5/29/2021	MD		F	3/3/2021	3/5/2021	Sharp pain in head, right eye area every 3 to 5 minutes; This is a spontaneous report from a contactable consumer (reported for herself). A (58 unit: unknown) non-pregnant female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Formulation: Solution for injection), via an unspecified route of administration, administered in right arm on 03Mar2021 at 13:15 (Batch/Lot number was not reported) as 1st dose, single for Covid-19 immunisation. Patient's medical history and concomitant medication were reported as none. No known allergies were reported. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient did not receive any other medication in two weeks prior to the COVID vaccine. The patient did not test COVID-19 positive prior to vaccination. The patient had not been tested for COVID-19 since the vaccination. On 05Mar2021 at 03:45, the patient experienced sharp pain in head, right eye area every 3 to 5 minutes. No treatment was received for the event. The outcome for the event was not recovered. No follow-up attempts are possible; Information about lot/batch number cannot be obtained.
1360359	5/29/2021			U	1/1/2021	2/1/2021	got a slight headache over my eyes; This is a spontaneous report from a contactable consumer (Patient) or other non hcp. A patient of an unspecified age and gender received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot Number: Unknown) via an unspecified route of administration on Jan2021 as single dose for COVID-19 immunization. The patient medical history and concomitant medications were not reported. Consumer stated that I do not think they connected me to the right person, I had my first shot of Pfizer (Unspecified Medication) in January, got a slight headache over my eyes like they said you would and then after that off and on I get that slight headache, I got my second shot in February, in fact it would be 2 weeks today that I had it and I was still giving the headache and some pain in my temple. The outcome of the event was unknown. No follow-up attempts are possible. Information about lot/batch number cannot be obtained. .

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360427	5/29/2021	TN	81	F	5/8/2021	5/11/2021	blood shot eye/Blood shot eye on same side that she got vaccine; This is a spontaneous report from a contactable consumer reporting for herself.. A 81-years-old female patient received bnt162b2 (BNT162B2), dose 2 via an unspecified route of administration, administered in Arm Right on 08May2021 (Batch/Lot Number: EW0168) as single dose for covid-19 immunisation . Medical history included ongoing gastrooesophageal reflux disease , hypertension , ongoing anxiety. The patient received the first dose of BNT 162B2 vaccine on 27Mar2021 and experienced a fall. Concomitant medications included omeprazole (OMEPRAZOLE) taken for gastrooesophageal reflux disease from an unspecified start date and ongoing. The patient experienced blood shot eye/blood shot eye on same side that she got vaccine on 11May2021 with outcome of not recovered. Follow up information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360433	5/29/2021	NY	50	F			<p>flavors started changing; loss of taste; This is a spontaneous report from a contactable consumer (patient). A 50-year-old (she just turned 50) female patient received bnt162b2 (BNT162B2), dose 1 on an unspecified date (Batch/Lot number was not reported) as single dose (at age not specified if 49- or 50-year-old), and dose 2 via an unspecified route of administration on an unspecified date (Batch/Lot number was not reported) as single dose at the age of 50-year-old for COVID-19 immunisation. The patient medical history and concomitant medications were not reported. Historical vaccine included: bnt162b2 (BNT162B2), dose 1 on an unspecified date (Batch/Lot number was not reported) as single dose for COVID-19 immunisation. The patient experienced flavors started changing on her and they continued to change, loss of taste on an unspecified date with outcome of unknown. The patient underwent lab tests and procedures which included ear, nose and throat examination: normal. The course of events was as follows: She started to notice a decrease in her taste after her first dose but it was not much, she was still able to taste salty things but for example she was eating a sandwich and she was not sure what kind of sandwich it was, she was having in and out with salt and sweet. Then she had her second dose and she noticed as time passed that her sense of taste has become less and less and not it was hard for her to taste salt, everything just became dull and duller and duller. She cannot tell if she was eating something crunchy like an apple or a turnip or something. She went to an ENT on 12May2021 as she realized flavors started changing on her and they continued to change and they put a tube up her nose and into her ears and said that visually everything looked normal and that there did not appear to be any cause for this loss of taste upon their exam. Now, it was hard to decipher to her what she is eating. She was concerned. The doctor said they are going to give her some vitamins and see if it helps. They asked if she had been vaccinated and when she said yes they told her to contact Pfizer as Pfizer would know more information that they did because the doctor said it was not on side effects listed. She wished to know if this has been reported and queried how long can this side effects last and if it is temporary. She stated no misconduct was done in administering the vaccine. No follow-up</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360437	5/29/2021			F		4/29/2021	<p>attempts are needed; information about lot/batch number cannot be obtained.</p> <p>suffered a reaction; allergies; eyes got swollen even her throat which restricted her breathing; eyes got swollen even her throat which restricted her breathing; eyes got swollen even her throat which restricted her breathing; itching of the body; This is a spontaneous report from a contactable consumer (patient) from a Pfizer-. A female patient of unspecified age received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration on 29Apr2021 (Batch/Lot number was not reported) as single dose for COVID-19 immunisation. The patient medical history and concomitant medications were not reported. On an unspecified date, the patient suffered a reaction; allergies, eyes got swollen even her throat which restricted her breathing, itching of the body with outcome of unknown. The clinical course was reported as follows: She experienced the adverse reaction after getting like a week after getting the 1st dose on 29Apr2021 she said her eyes get swollen even her throat after getting the first dose she got a reaction a adverse reaction like her eyes got swollen even her throat which restricted her breathing and afterwards also itching of the body. The patient stated that " I received the Pfizer vaccine on 29Apr2021 and I did not have any reaction immediately after however I suffered a reaction last night when I know it's been a little over week since I received it but due to the fact that I have never had I have never had any food for allergies I have never had any junk allergies I am concerned and wondering if my reaction that I had was due to the vaccine because I am due to get the second dose on the 28th which is next week. I am not sure if somehow it could be connected to the vaccine. I wonder it could have been late reaction to the vaccine whether or not I should go ahead and get the second dose". No follow-up attempts are needed; information about lot/batch number cannot be obtained.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360441	5/29/2021	WV	48	F	5/11/2021	5/12/2021	my arm became hot, red, swollen and painful; my arm became hot, red, swollen and painful; my arm became hot, red, swollen and painful; have swollen, painful and itchy eyes; have swollen, painful and itchy eyes; have swollen, painful and itchy eyes; This is a spontaneous report from a contactable consumer (patient). A 48-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot Number: EW0172 and expiration date not provided), dose 1 via an unspecified route of administration, administered in Arm Left on 11May2021 17:45 as 1ST DOSE, SINGLE for covid-19 immunisation. The patient's medical history included hypothyroidism and Anemia. The patient was not pregnant at the time of vaccination. The patient's concomitant medications included levothyroxine, ferrous sulfate, fluticasone propionate (FLONASE ALLERGY RELIEF), and ibuprofen. On 12May2021 05:30, the patient experienced arm became hot, red, swollen and painful. The patient also have swollen, painful and itchy eyes. The events cause the patient for emergency room visit. The events were treated with Oral steroid, antibiotic, antihistamine. The outcome of the events was not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360476	5/29/2021	TX	41	F	5/6/2021	5/6/2021	throat felt like she had been talking all day and swollen; felt that they were giving a shot; couldn't get a full breath; right side of her face drooped a little; tongue was swelling; face, lips, eyelids and around them were swollen; intermittent chest pain; heart it felt achy at times; had a head rush; felt very hot suddenly; her ear started ringing and buzzing; she could not hear well; she felt immediately as if someone was trying to put her to sleep; She felt heaviness in her body, and in her chest and said it felt as if someone was lying on top of her.; her nose and mouth started to become gray and blue in color; numbness in her left arm; face, lips, eyelids and around them were swollen; face, lips, eyelids and around them were swollen; couldn't get a full breath because of the heaviness on her chest; fingers stay cold a lot; This is a spontaneous report received from a contactable consumer. This 41-year old female consumer (patient) received BNT162B2 dose 1 via an unspecified route of administration, administered in Arm Right on 06May2021 (Batch/Lot Number: ER8730) as 1ST DOSE, SINGLE for covid-19 immunization. Medical history included allergic to shellfish and almonds from an unknown date and unknown if ongoing. The patient's concomitant medications were not reported. The patient experienced a head rush after the first dose of the Pfizer-BioNTech Covid-19 Vaccine and felt that they were giving a shot . Everything was normal but when she came home, within an hour and 20 minutes, she suddenly felt very hot, her ear started ringing and buzzing, and she could not hear well. She said she felt as if someone was trying to put her to sleep. When the caller went to wash her face, she noticed her face, lips, eyelids and around them were swollen. The right side of her face drooped a little, it looked different on the jaw than the other side. The caller's tongue was swelling and her throat felt like she had been talking all day and swollen. She felt heaviness in her body like a weighted blanket and in her chest and said it felt as if someone was lying on top of her, it was like she couldn't get a full breath because of the heaviness on her chest. She also noticed that her nose and mouth started to become gray and blue in color but she could still swallow. She also had residual symptoms such as numbness in her left arm , it,feels like its asleep and intermittent chest pain like her heart it felt achy at times. This has gone away but it would come and go and

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

feel like it was lightning, like thunder in her chest. Her fingers stay cold to the touch a lot from where they bend down to the tips more on her left than anything. She did not take herself to the emergency room or the doctor for the events. The caller didn't seek medical care because she had some medications at home that were for allergies from her allergist and it helped with the swelling. The patient reported the medicine was a powder tablet that is dissolvable, unknown name, she thinks she may have used it once, it has numbers on it. The swelling went down to where she felt like she was fine after taking them. The swelling in her face and her eye lids were puffy for a few days. The patient had blood work done the day of the vaccine, prior to receiving the vaccine and an electrocardiogram (EKG). Therapeutic measures were taken as a result of throat felt like she had been talking all day and swollen, tongue was swelling, face, lips, eyelids and around them were swollen, face, lips, eyelids and around them were swollen. The outcome of right side of her face drooped a little was unknown, recovered from head rush, felt very hot suddenly, ears started ringing buzzing, couldn't hear well, trying to put her to sleep, face was pounding, face, lips, eyelids and around them were swollen, tongue was swelling, felt like something was heavy on her body, heaviness on her chest, blue and gray around her nose and mouth, chest was hurting, trying to put her to sleep, and felt that they were giving a shot on 06May2021, recovered on 09May2021 from face, lips, eyelids and around them were swollen, recovered on 10May2021 from chest was hurting and recovering from fingers stay cold a lot and numbness in her left arm. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360482	5/29/2021	MI	47	M	5/1/2021	5/13/2021	getting lightheaded and dizzy all the time; Seizure; This is a spontaneous report from a contactable consumer (patient) and a consumer (patient's ex-wife/ roommate) A 47-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: ER2613 and expiration date not provided), via an unspecified route of administration, on 01May2021 (at the age of 47-year-old), at single dose, for COVID-19 immunization. Medical history included blood cholesterol, high blood pressure, ongoing seizures from 1991; patient was being hit in the head with a steel baseball bat 13 times, and had a lot of brain damage; and ongoing sleep. Prior Vaccinations (within 4 weeks) provided as no. Concomitant medications included ongoing topiramate (TROKENDI XR) for seizure, ongoing allopurinol (ELAVIL) for sleep, and medication for cholesterol and one for high blood pressure. Patient had been on topiramate a couple of months. They were working with him to get him better than he was because he was having a lot of the little ones. He got the pill packs. He tried the little compartment things and they weren't working. Roommate suggested they try the pill packs to make it easier. There was the time on the packs. The patient experienced seizures on 13May2021; getting lightheaded and dizzy all the time on unknown date. Patient's second dose was scheduled 22May2021. Due to symptoms that he experienced he was afraid to take second dose. Patient had petite mal seizure last night on 13May2021, he got ahold of the doctor and got an appointment with his family doctor. They don't know about the seizure yet. Patient was feeling ok until he got the shot. Now, he was back to getting lightheaded and dizzy all the time. Patient got social security and had a hard time remembering his phone number. Patient's ex-wife clarified that patient called the doctor and got an appointment. He had upcoming appointment. The doctor wanted him to go to the emergency room. She had known him since 2005. When he had a mild seizure the ER doesn't do anything for him. They just leave him in the bed and wait until he comes to his senses. She just told patient to go in his room and lay down and offered him paracetamol (TYLENOL) and all that stuff. She couldn't move him when he was having one of the worse seizures because he turns into a board. She tried to get him aware. They didn't last long. Patient had grand-mal



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

seizures since the age of 18 after being hit in the head with a steel baseball bat 13 times. He had a lot of brain damage. The brain can't fix itself. She was the only one that knows how to handle him. Patient's ex-wife listed at the doctor office because patient had a hard time explaining things and stutters a lot, he can't answer right away. The seizure patient had yesterday was a petite mal seizure. It wasn't a full blown grand mal seizure. He had three different phases of seizures. He had the staring one where he was looking out in space. Then he had the next one that happened in the car. He sat down and put his head back to relax. She thought he was taking a break, but it was a seizure. She touches him to focus and get him back. At night was when he has the worst ones where he loses control of his bladder, foams at the mouth, and turns into a board. He can't bend. He has only had 3 of those in the time she had known him. The other ones he had quite often. The quicker he comes out of it the less headache he has after it. If they let it run its course he has a bad headache and nausea. She tries to open his eyes because he comes out better. One time when he had grand mal seizure she couldn't get him rolled over and had to get help. Even though it was saliva and he was foaming at the mouth she was afraid he would choke on it. He had one starring seizure shortly before the COVID vaccine. He had them a lot. If they take blood or run scan it won't show patient had a seizure. For a little while patient and his roommate weren't together. If he did have seizure during that time he got himself out of it. He has only had 3 bad ones since 2005. Patient told his doctor that he thought it was related to the COVID shot. Patient's ex-wife didn't believe that was what caused the seizure (She thought if it was related it would have happened within 20 minutes of getting the vaccine). She thought he just had one. It played in his mind that he had the shot. Patient's brain stopped growing when he was 18 due to damage. The outcome of the events was unknown.; Sender's Comments: Based on known drug safety profile, there is reasonable possibility of causal association between the events Seizures, Dizziness and the suspect BNT162B2.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360484	5/29/2021	NJ	13	F	5/13/2021	5/13/2021	Swollen eye; low grade fever; slight headache; fatigue; 13-year-old female patient received BNT162B2; This is a spontaneous report from a contactable consumer (patient). A 13-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in the left arm on 13May2021 14:15 (batch/lot number: PFIZEREW0179) as 1st dose, single for COVID-19 immunization. Medical history included known allergies to amoxicillin. The patient's concomitant medications were not reported. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. No Covid prior to vaccination and was not Covid tested post vaccination. The patient experienced swollen eye, low grade fever (99.5 F), slight headache, fatigue; all on 14May2021 14:00. Treatment was received for the adverse events which included diphenhydramine hcl (BENADRYL). The outcome of the events was recovering. Information on lot/batch number was available. Follow-up attempts are completed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360496	5/29/2021	OH	16	F	5/5/2021	5/6/2021	<p>passed out; BP was 70/44; could not sit or stand; EKG-Potential abnormal Twave; Calcium was low; This is a spontaneous report received from two contactable consumers reporting for her daughter. A 16-years-old female patient received the second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), vaccinated at the age of 16 years old, via an unspecified route of administration, administered in Deltoid Left on 05May2021 15:00 (Batch/Lot Number: ER8735; Expiration Date: 31Jul2021) as single dose for covid-19 immunisation. Patient received the first dose on unknown date. Her daughter had no reaction from the first one that was three weeks prior. The patient medical history included Attention deficit hyperactivity disorder. Concomitant medications included lisdexamfetamine mesilate (VYVANSE) taken for attention deficit hyperactivity disorder, start and stop date were not reported. Last Wednesday, at 3 pm, caller's daughter received the second vaccine. Her daughter had no ill effects. Her daughter got up the next morning, 18 hours after administration, and passed out. Caller states that they called the squad and her daughter's BP was 70/44. They pushed an IV, transported her daughter, and they were in the ER for 10 hours. The local hospital gave her daughter 2 1/2 bags of fluid and transported her daughter to Hospital. Caller adds that there were 4 liters of fluid given, and her daughter could not sit or stand without her blood pressure dropping for about 8 hours after the incident. There were 2 transports and 2 ER's. Caller asks why were they not told that this is a symptom. She was grateful that she could catch her daughter before she hit her head, but what about parents who leave their kids alone. Last Wednesday, caller's daughter received the vaccine 05May2021 at 3 pm and passed out 06May2021 in the morning. It was the only time she passed out and caller states she saw her daughter's head drop and then was trying and caught her. She was trying to talk to her and her eyes were in the back of her head, and was trying to arouse her. She was out for over a minute. She went to Emergency Room in. They were there for 6 hours. Then, when she could not sit up and her blood pressure was dropping, they recommended Hospital. She was there, this all took place, on Thursday from 9 am or around 8:50 am when she passed out and then they were discharged after 9 pm. It was a 12 hour</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

situation where they were transported and she spent 12 hours in 2 emergency rooms. The only one she had at time was vyvanse but she did not take this before passing out. The last time that she took this would have been nine hours before administration of the vaccine on 05May2021. She did not take it on 06May2021 when the incident happened. She was just getting up. She had only been on this for about a week. It is a stimulant drug but it is out of the system in the evening so people can sleep. She asked each doctors if this had any role in it and they said no. They told her to take it again which they have not started back yet. She has no other medical conditions. Investigations: caller does not provide dates or specific test results. The first ER did bloodwork, urine, chest x-ray. They wanted a CAT scan of her head but caller declined because she thought it was unnecessary. They did an EKG at first in the ER. Nothing was abnormal. She did have some things out of range in bloodwork which is not surprising because she was taking in fluids. Her calcium was low. Nothing was way out of range, nothing was abnormal. The second ER did a follow up EKG but no other tests or bloodwork. According to three physicians, the EKG was fine. A cardiologist reviewed the 2nd EKG and she got a phone call that they wanted her to follow up because of potential abnormal T waves which could have been a result of that much fluid intake and electrolytes being out of sync after that much fluid. They are following up on this. Her father has as vasovagal response hat he has experienced 4-5 times in his lifetime. He has never passed out following a vaccine. Caller had no idea that was even a response to vaccine. He has passed out after giving blood, with severe pain, coming out of anesthetic, and with severe stress. He has never had an extended period of time where his blood pressure was low. She, they could not get, her blood pressure up with fluid after fluid which is why she was transported to the second ER because they thought they did not know what was going on there. Caller states does she think that there may be some relationship and her daughter has this tendency to vasovagal - yes. Was it brought on by the vaccine? Yes. She has never fainted in her life. Caller adds she can see how some many say this may not be related to the vaccine but 18 hours after administration, they can not get her blood pressure up and were in the ER for 12

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360284	5/29/2021	IN	68	M	1/20/2021		<p>hours. Treatment included all the fluid, and 2 capsules of acetaminophen. No other treatment. Outcome of events was unknown. Information on Lot/Batch number was available. Additional information has been requested</p> <p>dull headache; lite nausea at times/Occasionally light nausea; eye fatigue along with a sort of "off" feeling; No intense feelings just not a 100% well feeling/Uneasy feeling; This is a spontaneous report from a contactable consumer or other non health care professional. A 68-years-old male patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Batch/Lot Number and Expiration Date not reported) via an unspecified route of administration in left arm on 20Jan2021 at 14:00 as 2nd dose single for COVID-19 immunization. The patient medical history and patient concomitant medications were not reported. The patient previously received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Batch/Lot Number and Expiration Date not reported) via an unspecified route of administration, as 1st dose single on 30Dec2020 at 12:30 for COVID-19 immunization. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine and did not receive any other medications within 2 weeks of vaccination. The patient was not diagnosed with COVID-19 prior to vaccination and not been tested for COVID-19 since vaccination. The patient reported that, he had the Pfizer COVID Vaccine and had the second dose about 6 weeks ago. And still even after the 6 weeks the patient still had some light headaches and some light fatigue and occasionally light nausea, nothing bad, no real intense feeling but just kind of general unwell feeling someday and when you read its side effects supposed to be one or two days. The patient just wanted to see if had still probably common because it still feels the same, he did little long. The patient never had any intense side effects at all it was just slight headache, uneasy feeling, little light nausea. The patient did not received treatment for the events. The outcome of events were recovering. No follow-up attempts are needed; information about lot/batch number cannot be obtained.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360505	5/29/2021	IA	48	F	5/7/2021	5/8/2021	Eye lids were puffy; Slept for about 15 hours; Achy; This is a spontaneous report from a contactable consumer. A non-pregnant 48-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), dose 2 via an unspecified route of administration, administered on right arm on 07May2021 16:30 (Batch/Lot number was not reported) as 2nd dose, single dose (at the age of 48 years old) for COVID-19 immunisation. Medical history included ongoing migraine, seasonal outdoor allergies and COVID-19 from 26Feb2021. Concomitant medications included sumatriptan (SUMATRIPTAN) taken for migraine. The patient previously took BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), dose 1, at 16:45 on the right arm on 15Apr2021 for COVID-19 immunisation The patient stated, "the next morning and couple days following, my eye lids were puffy. I took BENADRYL. 24 hours after the shot, I was achy and slept for about 15 hours. Overall, the 2nd dose reactions were better than having COVID". The outcome of the events was recovered on May2021. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360044	5/29/2021	VA	46	F	1/21/2021	1/21/2021	<p>Within 40 minutes of injection, felt dazed and intoxicated as if on painkillers; Within 40 minutes of injection, felt dazed and intoxicated as if on painkillers; Vision blurred; Body grew heavy feeling; Cclumsiness of movement; This is a spontaneous report received from a contactable Other Health Care Professional. A 46-years-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, Lot Number; EL9262 and Expiration Date was not reported) via an unspeci-fied route of administration in Arm Left on 21Jan2021 15:00, as 1st dose, single for COVID-19 immunization. Medical history included hypothyroidism, diverticulum, asthma all from an unknown date and unknown if ongoing. Concomitant medication(s) included liothyronine sodium (CYTO-MEL); levothyroxine sodium (SYNTHROID); ethinylestradiol, norgestimate (ORTHO TRI-CYCLEN LO) all taken for an unspecified indication, start and stop date were not reported. Prior to vaccination, the patient was not diagnosed with COVID-19 and did not receive any other vaccines within 4 weeks prior to the COVID vaccine. It was reported that Within 40 minutes of injection, felt dazed and intoxicated as if on painkillers, vision blurred, body grew heavy feeling, clumsiness of movement. No treatment received for the adverse event. Since the vaccination, the patient has not been tested for COVID-19. The outcome of the events was recovered on an unspecified date. Follow-up attempts are completed. No further information is expected.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360502	5/29/2021	GA	57	U	4/9/2021	4/1/2021	right vision got more blurry; stroke on the left side of brain; felt weird; tongue started to go numb; Right side of face went numb; Headache; CBCT scan found nothing but calcification; overall cholesterol was 221; LDL was 124; triglyceride was 156; This is a spontaneous report from a contactable consumer (patient). A 57-year-old patient of an unspecified gender received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, on 09Apr2021 (lot number: EW0162), as 1st dose, single dose, at age 57 years old, for COVID-19 immunisation. Medical history included asthma, arthritis, environmental allergies, and allergy to grass ragweed, mold, tree pollen which triggers the asthma. Concomitant medications included celecoxib (CELEBREX) taken for arthritis from an unspecified date and ongoing; nicotinamide (VITAMIN B3); vitamin C; and vitamin b complex, taken for unspecified indications, start and stop dates were not reported. On 19Apr2021, between 19:30 to 20:00, the patient had a stroke on the left side of brain. It was also reported that on an unspecified date in Apr2021, the patient felt weird, tongue started to go numb, right side of face went numb, right vision got more blurry, and had headache. These events resulted to hospitalization on 20Apr2021 for 2 and a half days (as reported). In Apr2021, when the patient was in the hospital, laboratory tests were performed which included activated partial thromboplastin time (APTT), blood thyroid stimulating hormone (TSH), Hemoglobin A1C, lipid panel, basic metabolic panel, comprehensive metabolic panel, CBC platelet with automated differential, prothrombin INR, prothrombin time, i-STAT Troponin and Sonogram of carotid bilateral vascular in neck which were all normal; Triglycerides was 156, High density lipoprotein (HDL) was 53, Low density lipoprotein (LDL) was 124, Total cholesterol (overall cholesterol) was 221. On 10Apr2021, the patient underwent CBCT scan of the whole body which showed no aneurysm, no cancer, found nothing but calcification. The outcome of the events was unknown. Follow-up attempts are needed. Further information is expected.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360047	5/29/2021	NM		F			she felt pressure between eyes; dizzy; Her arm hurt more the 2nd day after 1st dose; hangover feeling; This is a spontaneous report received from a contactable consumer (patient). A female patient of an unspecified age received the first dose of BNT162B2 (BNT162B2, PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Lot number: EL1284 and expiry date: on an unspecified date in Apr2021) via an unspecified route of administration on an unspecified date as 1st dose single for covid-19 immunisation. Patient medical history and concomitant medications were not reported. On 1st day of the vaccination, the patient felt pressure between eyes and was slightly dizzy and hangover feeling for 5 minutes but then went away and felt fine. Her arm hurt more the 2nd day after 1st dose. The outcome of the events was unknown. Information on the lot/batch number has been requested. Follow-up attempts are completed. No further information is expected.
1360542	5/29/2021		34	M	5/13/2021	5/13/2021	Body aches, chills, cold sweats, eyes burn.; Body aches, chills, cold sweats, eyes burn.; Body aches, chills, cold sweats, eyes burn.; This is a spontaneous report from a non-contactable consumer (patient). A 34-year-old male patient received second dose of bnt162b2 (BNT162B2), via an unspecified route of administration, administered in Arm Right on 13May2021 12:00 (Lot number was not reported) as single dose (at age of 34-year-old) for covid-19 immunisation. Medical history was reported as none. First dose of bnt162b2 (BNT162B2) was administered on 22Apr2021 12:00 PM in right arm (at age of 34-year-old) for covid-19 immunisation. Concomitant medication received within 2 weeks of vaccination included ibuprofen (IBUPROFEN). Patient did not receive any other vaccine in four weeks. Patient did not have COVID prior vaccination and also patient was not tested for COVID post vaccination. On 13May2021 16:30 patient experienced body aches, chills, cold sweats, eyes burn. Patient had not recovered from the events at the time of the report. No follow-up attempts are possible. Information about batch/lot number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360481	5/29/2021	CA	21	F	5/13/2021	5/14/2021	I started to lose my sight, at first it was my entire peripheral vision and it looked like I was looking through a black holed telescope and then I completely lost sight; Crashed into a stand and passed out; I got really dizzy; I sat in a chair where I became incredibly hot; Sweat through all my clothes; Immediately extremely cold; crashed into a stand; This is a spontaneous report from a contactable consumer (the patient). A 21-year-old non-pregnant female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot Number: EW0173) via an unspecified route of administration in left arm on 13May2021 18:00 at age of 21-year-old at single dose for COVID-19 immunisation. Prior to vaccination, the patient diagnosed with COVID-19. No known allergies. No other medical history. Concomitant medication included: the patient received birth control medication within 2 weeks of vaccination. The patient previously took the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number EP7533) via an unspecified route of administration on 19Apr2021 01:15 PM at age of 21-year-old for COVID-19 immunization. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient had not been tested for COVID-19 since the vaccination. The patient got really dizzy, then as she tried to walk away she started to lose her sight, at first it was her entire peripheral vision and it looked like she was looking through a black holed telescope and then she completely lost sight. She became very dizzy and crashed into a stand and passed out. While she was passed out on the floor she uncontrollably defected. Once someone helped her up, she sat in a chair where she became incredibly hot, sweat through all her clothes and then immediately extremely cold. The events onset date reported as 14May2021 09:00AM. No treatment received for the events. The outcome of the events was recovering. The report was non-serious.
1359874	5/29/2021	WA	46	M	5/18/2021	5/19/2021	Headache, Malaise, Confusion, Blurred Vision, Nausea, Joint Pain, Dizziness, and TMJ flare ups. All symptoms have not subsided since the day after the 2nd vaccination shot. It has been 10-days.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1359883	5/29/2021	TX	31	M	5/28/2021	5/28/2021	Within a minute or less of receiving the shot, I experienced a rapid and intense onset of blurred vision, lightheadedness, profuse sweating, and extreme numbness all over but especially in my hands and feet. I came close to losing consciousness and was instructed to lay down with my knees bent to increase blood flow. I slowly came to over the course of probably 10 minutes while laying on the ground, but my hands and especially my fingers remained numb for 30-45 minutes while I experienced chills. My left hand and fingers were extremely pale and bluish during this time. I also had minor pains on the left side of my neck and left shoulder blade. Color came back to my left hand and chills subsided around an hour after my shot.
1359893	5/29/2021	CA	32	F	2/19/2021	4/2/2021	On 04/02/2021, exactly 6 weeks after receiving my second dose of the Moderna vaccine, I went blind in my right eye suddenly and had extreme light sensitivity in my right eye. I was hospitalized for two days at medical center and bloodwork was completed due to right monocular vision changes. Bloodwork was normal for the most part. I am now under the care of doctor and I am diagnosed with Central Retinal Vein Occlusion (eye stroke). I am still suffering with some peripheral vision loss in my right eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1359911	5/29/2021	CA	21	F	2/3/2021	2/3/2021	<p> Syncope; Excessive eye blinking; Fall; This case was received via on 18-May-2021 and was forwarded to Moderna on 18-May-2021. This regulatory authority case was reported by an other health care professional and describes the occurrence of SYNCOPe (Syncope) in a 21-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 004M20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 03-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 03-Feb-2021, the patient experienced SYNCOPe (Syncope) (seriousness criterion medically significant), EXCESSIVE EYE BLINKING (Excessive eye blinking) and FALL (Fall). At the time of the report, SYNCOPe (Syncope), EXCESSIVE EYE BLINKING (Excessive eye blinking) and FALL (Fall) had resolved. </p> <p> <b>DIAGNOSTIC RESULTS</b> (normal ranges are provided in parenthesis if available): On 03-Feb-2021, Respiratory rate: increased (High) increased. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. No concomitant and treatment medications were reported. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's </p> <p> <b>Comments:</b> Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. </p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1359913	5/29/2021	MO	49	M	3/2/2021	3/2/2021	Seizure like phenomena; Breath sounds abnormal; Dizziness; Dyskinesia; Eyelid function disorder; Fall; Hyperhidrosis; Hypopnoea; Hypotonia; Muscle twitching; Pallor; Presyncope; Restless legs syndrome; Tremor; This case was received via FDA VAERS on 18-May-2021 and was forwarded to Moderna on 18-May-2021. This regulatory authority case was reported by an other health care professional and describes the occurrence of SEIZURE LIKE PHENOMENA (Seizure like phenomena) in a 49-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 011A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Vagal reaction (patient stated he has experienced vagal responses to injections in the past). On 02-Mar-2021 at 5:46 PM, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 02-Mar-2021, the patient experienced SEIZURE LIKE PHENOMENA (Seizure like phenomena) (seriousness criterion medically significant). 02-Mar-2021, the patient experienced BREATH SOUNDS ABNORMAL (Breath sounds abnormal), DIZZINESS (Dizziness), DYSKINESIA (Dyskinesia), EYELID FUNCTION DISORDER (Eyelid function disorder), FALL (Fall), HYPERHIDROSIS (Hyperhidrosis), HYPOPNOEA (Hypopnoea), HYPOTONIA (Hypotonia), MUSCLE TWITCHING (Muscle twitching), PALLOR (Pallor), PRESYNCOPE (Presyncope), RESTLESS LEGS SYNDROME (Restless legs syndrome) and TREMOR (Tremor). At the time of the report, SEIZURE LIKE PHENOMENA (Seizure like phenomena), BREATH SOUNDS ABNORMAL (Breath sounds abnormal), DIZZINESS (Dizziness), DYSKINESIA (Dyskinesia), EYELID FUNCTION DISORDER (Eyelid function disorder), FALL (Fall), HYPERHIDROSIS (Hyperhidrosis), HYPOPNOEA (Hypopnoea), HYPOTONIA (Hypotonia), MUSCLE TWITCHING (Muscle twitching), PALLOR (Pallor), PRESYNCOPE (Presyncope), RESTLESS LEGS SYNDROME (Restless legs syndrome) and TREMOR (Tremor) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 02-Mar-2021, Blood pressure measurement: 120/72 (normal) 120/72 mmHg. On 02-Mar-2021, Heart rate: 64 (normal)

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

64 beats per minute. On 02-Mar-2021, Oxygen saturation: 99 (normal) 99%. On 02-Mar-2021, Respiratory rate: 20 (normal) 20 breaths per minute. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. No concomitant medications were provided. The patient remained in the vaccination chair for 5 minutes after injection and he reported feeling well and moved to the observation chair without any problems [~10ft]. After being in the observation chair the patient stood up and took 4-5 steps toward the wall and sat down on the floor. The patient stated he felt dizzy and then became limp and slumped to the right side, his eyes remained open with dilation of pupil fixed at 2mm with no blinking noted. The patient's breathing pattern became shallow and snoring sounds were noted. The patient did not respond when spoken to nor did he respond to soft shaking of the shoulders. The patient began to demonstrate large jerky body movements similar to seizure activity. The seizure like activity continued for 3-4 minutes before the patient was able to become aware of surroundings and answer orientation questions. The patient was diaphoretic, pale, shaking of hands and arms, restlessness of lower limbs with frequent repositioning/twitching of legs. EMS (emergency medical services) arrived to find the patient regaining stability. The patient reported to EMS that he is familiar with this type of response and declined to be taken anywhere. Treatment medications were not reported. Based on current available information and the temporal association between product use and the start date of the event a causal relationship cannot be excluded. The Company believes the event of Restless leg syndrome is not supported in the source documents and should be delete.; Sender's Comments: Based on current available information and the temporal association between product use and the start date of the event a causal relationship cannot be excluded. The Company believes the event of Restless leg syndrome is not supported in the source documents and should be delete.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1359968	5/29/2021	FL	58	F	5/1/2021		HALO VISION; HORRIBLE FEELING; COUGH; FAST HEARTBEAT; FEVER; FATIGUED/EXHAUSTED; THROAT TIGHTNESS; DIZZY; FEELS PRESSURE INTERMITTENTLY; CHEST TIGHTNESS; This spontaneous report received from a patient concerned a 58 year old female. The patient's height, and weight were not reported. No past medical history or concurrent conditions were reported. The patient received covid-19 vaccine (suspension for injection, route of admin not reported, batch number: 1808982, expiry: UNKNOWN) dose was not reported, administered on 21-MAY-2021 for prophylactic vaccination. No concomitant medications were reported. On MAY-2021, the subject experienced chest tightness. On MAY-2021, the subject experienced feels pressure intermittently. Treatment medications included: diphenhydramine hydrochloride, and ibuprofen. On 21-MAY-2021, the subject experienced throat tightness. On 21-MAY-2021, the subject experienced dizzy. On 21-MAY-2021, the subject experienced fatigued/exhausted. On 22-MAY-2021, the subject experienced fast heartbeat. On 22-MAY-2021, the subject experienced fever. Laboratory data included: Heart rate (NR: not provided) Fast. On 23-MAY-2021, the subject experienced cough. On 27-MAY-2021, the subject experienced halo vision. On 27-MAY-2021, the subject experienced horrible feeling. The action taken with covid-19 vaccine was not applicable. The patient recovered from fast heartbeat on 22-MAY-2021, and feels pressure intermittently on 23-MAY-2021, had not recovered from cough, and dizzy, and the outcome of chest tightness, halo vision, throat tightness, fever, fatigued/exhausted and horrible feeling was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360048	5/29/2021	NM		F	1/28/2021	1/1/2021	She noted her arm was more sore than the first time; She noted her arm was more sore than the first time; This is a spontaneous report from a contactable consumer, the patient. A female patient of an unspecified age received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Batch/Lot number: EL9261 and expiry date: May2021) via an unspecified route of administration on 28Jan2021 (yesterday) as single dose for COVID-19 immunization. Patient's medical history and concomitant medications were not reported. Patient previously took first dose of BNT162B2 (PFIZ-ER-BIONTECH COVID-19 VACCINE, solution for injection, Batch/Lot number: EL1284 and expiry date: Apr2021) and felt pressure between eyes, was slightly dizzy, had hangover feeling, and arm was hurt. About 10 hours later, patient's arm was sorer than the first time. She was feeling fine today Events were recovering. Information on the lot/batch number has been requested. Follow-up attempts are completed. No further information is expected.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360039	5/29/2021	MA	70	F	1/30/2021	1/31/2021	Swollen lymph nodes; fatigue; headache; chills; burning sensation of eyes; joint pain; This is a spontaneous report received from a contactable consumer (patient). A 70-year-old non-pregnant female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, Lot number: EL9262), via intramuscular, administered in right arm on 30Jan2021 at 15:00, (at the age of 70 -years) as 1st dose, for COVID-19 immunization. Patient's medical history included fibromyalgia, rheumatoid arthritis, ulcers, vertigo, osteoporosis, and hepatitis C. Patient's concomitant medications were not reported. Patient had allergy to penicillin. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Patient received medications within 2 weeks of vaccination. Prior to vaccination, the patient was not diagnosed with COVID-19. Patient was not tested for COVID-19, since the vaccination. On 31Jan2021 at 18:00, the patient experienced swollen lymph nodes, fatigue, headache, chills, burning sensation of eyes, and joint pain. Patient did not receive any treatment for the events. The outcome of events was not recovered. Follow-up attempts are completed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360260	5/29/2021			F			headache; really hot chills; body aches; This is a spontaneous report received from a Non-contactable consumer (patient). A 70-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; formulation: Solution for injection, Lot Number: unknown, Expiration date: unknown), via an unspecified route of administration on an unspecified date as 2ND DOSE, SINGLE for COVID-19 immunisation. The patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; formulation: Solution for injection, Lot Number: unknown, Expiration date: unknown), via an unspecified route of administration on an unspecified date as first dose single for COVID-19 immunisation. The patient medical history and concomitant medications were not reported. It was reported that after the administration, the patient experienced severe headache, really hot chills, and body aches. patient took 2 Advils which helped relieve the symptoms. The next day, she had the same symptoms, and for that she did the same took 2 Advils again, and then felt fine afterwards. After two weeks patient still had headaches hurt so bad, she finds it difficult to open her eyes. she also said she went back to the facility from where she received the vaccine and was told to go to the emergency room. The outcome of the events was not recovered. No follow-up attempts are possible; information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360081	5/29/2021	NY	80	F	1/28/2021	1/29/2021	Kind of vertigo; All of sudden she felt unbalanced; Like her head was heavy; she was holding onto things when she walked; This is a spontaneous report from a contactable consumer (patient). An 80-years-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), dose 1 via an unspecified route of administration, administered in Arm Left on 28Jan2021 15:00 (Batch/Lot number was not reported) as single dose for COVID-19 immunisation. Medical history included visually handicapped and could not read her vaccine card; vertigo before, a year ago. There were no concomitant medications. The patient had her first COVID 19 vaccination, on 28Jan2021, about 3PM and she will get the booster on 22Feb2021, but it seemed like she had kind of vertigo on 29Jan2021, this just happened in the last hour, all of sudden she felt unbalanced, like her head was heavy, and she was holding onto things when she walked, She did call her primary doctor, he didn't think it had to do with the vaccine, so she thought to call and ask, she was fine, and then all of a sudden she started to get this kind of vertigo, he asked if her head was spinning, but it's not, it felt heavy and she has had vertigo before, a year ago, but she doesn't know. Her doctor told her to rest, so she was laying down, and when she lifted her head she could feel, it was not spinning, she knew she was not feeling balanced. When asked to clarify her question, states she wasn't sure this happening had anything to do with the vaccination, she called her primary care doctor and he thought it wasn't, had nothing to do with it, so she thought since she called, she would wait and talk to Pfizer in case, that other people have experienced the same thing. States she was hoping this agent could tell her it would go away in a little while, but her primary care doctor said it has nothing to do with it, but it may have to do with it, it was somewhat of a coincidence that was happened, and she was fine for 24 hours, all of a sudden she started to feel this whatever. States she did not need anything else at this time. Outcome of the event vertigo was not recovered and all other events was unknown. Follow-up attempts are completed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360095	5/29/2021	IL	40	F	1/8/2021	1/1/2021	I noticed severe itching on my left upper thigh with bumps and after this shot; itching has spread to face and arms; This is a spontaneous report from a contactable other health professional (patient) reported for herself that a 40-years-old non pregnant female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Batch/Lot Number: EL0140), via intramuscular route of administration, administered in right arm (at the age of 40 years) on 08Jan2021 as 1ST DOSE, SINGLE for COVID-19 immunization. Medical history included sinus tachycardia, panic disorder, depression, chronic fatigue syndrome, PCOS and allergic to Penicillin. The patient was not received any other vaccines within 4 weeks prior to the COVID vaccine. Concomitant medications included Metformin 500mg, Metoprolol 50 mg, Paroxetine 50 mg and Vitamin D, which were received by the patient within 2 weeks of vaccination and all were taken for an unspecified indication, start and stop date were not reported. The most recent COVID-19 vaccine was administered at nursing Home/Senior Living Facility. On an unknown date, 2 weeks or so after first shot, the patient was noticed severe itching on my left upper thigh with bumps and after this shot, itching has spread to face and arms. Clinical course was reported as: On 20Jan2021, Joint and muscle pain and extreme fatigue that started on days 3+ (slept over 20 hours day 4, plus 12 day 5 and still exhausted). Congested with runny nose and itchy eyes and just generally feeling ill. 2 weeks or so after first shot, she noticed severe itching on her left upper thigh with bumps and after this shot, itching spread to face and arms. Prior to vaccination, the patient was not diagnosed with COVID-19 and since the vaccination, the patient been tested for COVID-19. The patient underwent lab tests and procedures which included sars-cov-2 test/ oropharyngeal swab test: negative on 01Feb2021. Patient did not receive treatment for the adverse event. The case was considered as non-serious as per reporter. Outcome of the events was not resolved. Follow-up attempts are completed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360100	5/29/2021	MO	71	M	1/26/2021	1/29/2021	eyes were also red; Swelling of the face also in the mouth area, mainly on the right side; Swelling of the face also in the mouth area, mainly on the right side; This is a spontaneous report from a contactable consumer (patient's wife). A 71-years-old male patient received BNT162B2 (PFIZER BIONTECH COVID-19 mRNA VACCINE, Solution for injection, Batch/Lot Number: EL9262, Expiration Date was not reported), via an unspecified route of administration on 26Jan2021 as single dose (at the age of 71-years-old), for COVID-19 immunisation. Medical history included ongoing high blood pressure (it has been a while since he was diagnosed with this), ongoing high cholesterol (it has been a while since he was diagnosed with this), type II diabetes mellitus from 2020 and ongoing. The patient's concomitant medications included bunch of unspecified medications but does not had them on hand at the time of report. On 29Jan2021, it had been 3 days, this morning his face was swelled up also in the mouth area, and mainly one side of the face. The entire face was swelled but more on the right side than the left including the mouth area. Like someone popped him in the mouth and knock up the side of head on the jaw area and patient eyes were also red on an unspecified date. The swelling had gone down a little. Patient had received no treatment, but she was getting ready to get Benadryl. The patient was enquiring about Benadryl okay to take or how long it lasts. The outcome of the events was recovering for swelling of the face also in the mouth area, mainly on the right side and unknown for eye were also red. Follow-up attempts are completed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360139	5/29/2021	TX	89	M	2/1/2021	2/10/2021	Rash on right leg - calf region; Aching all over especially where he had the surgical hip revision/ sharp pain; Body pain with continued sharp pain in left leg groin area - site of recent hip replacement; This is a spontaneous report from two contactable consumers (one of them was patient himself). An 89-year-old male patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Formulation: Solution for injection, Lot number: EN5318, NDC number: Unknown, Expiration date: Unknown), via an unspecified route of administration in right arm on 09Feb2021 at 10:00 (at the age of 89-year-old) as a single dose for COVID-19 immunisation, second dose of immunoglobulins NOS (IMMUNE GLOBULIN, Formulation: Unknown), intravenously from 01Feb2021 at an unknown dose and frequency for CIDP. Patient received IV Immune Globulin within 2 weeks of vaccination. Recent DX and received 2nd IVIG infusion on 01Feb2021. The patient's medical history included ongoing CIDP (he was diagnosed with CIDP which was chronic inflammatory demyelinating polyneuropathy. The treatment for CIDP was IVIg infusion), hip surgery from 14Dec2020 (he had hip surgery on 14Dec2020. The surgery was at (Hospital name)), Sulfur drugs (allergies to medications, food, or other products: Sulfur drugs, known allergies: Sulfur drugs). Concomitant medications were not reported. The patient previously received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Formulation: Solution for injection, Lot number: EJ1686), via an unspecified route of administration in left arm on 19Jan2021 as a single dose for COVID-19 immunisation. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID- 19. It was reported that, caller calling on behalf of the patient. She was his wife of 63 years. He has a real problem. It was complicated. His birthday was (DOB) and he would be 90 years old this summer. He had hip surgery on 14Dec2020. The surgery was at (Hospital Name). He was diagnosed with CIDP which was chronic inflammatory demyelinating polyneuropathy. The treatment for CIDP was IVIg infusion. He had infusions for five consecutive days on 24Dec, 25Dec, 26Dec, 27Dec, and 28Dec (unspecified year). He wanted to get COVID vaccine. Pfizer does not have a lot of information for people who get IVIg

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

infusions. On 19Jan2021 he got Pfizer's COVID vaccine and had no problems. On 01Feb2021 he had IVIg infusion because he has to wait 28 days between infusions. They had checked with the neurologist and they said a week then they changed it to 10 days. The neurologist said to go ahead because it was nine days. On 09Feb2021 he got second COVID vaccine. That was Tuesday. He was feeling great and walked into the place to get it. He was ok. He woke up yesterday and he was aching all over especially where he had the surgical hip revision on 10Feb2021 at 07:00. It was six inches above the knee to the top of the groin. It was a sharp pain. When he tries to lift his leg to walk it was especially sharp. He was trying to call the surgeon, but he was in surgery all day. The neurologist said to call Pfizer for any information about people who get IVIg infusion and have chronic inflammatory demyelinating polyneuropathy and the COVID vaccine. He walked into (Name) which was where he got it and he felt great. He walked out and came home. He has had no falls or nothing. He just came home. It was like a mystery. There was not a whole lot of information from Pfizer for people that get IVIg infusions except it started with seven days and now wait 10 days. She was trying to research it on the computer and it only says vaccines in general. It says there might be problem with vaccinations with infusions and she has read the literature that pertained to that. The article she read was from three years ago. It may just be a real unusual kind of thing that a person would have IVIg and get the COVID vaccine. She has been on hold for an hour. She has medical power of attorney for her husband. He had no problem with the first one at all. On the vaccine card she could not read the person's handwriting. Waited to do COVID vaccine on 19Jan2021 when he was in skilled nursing facility. He was in the hospital for 18 days and then went to the skilled nursing facility for 12 days. The only thing that was relevant was did the IVIg have an effect with the COVID vaccine because nothing else had changed. That was the only different thing. Morning after - body pain with continued sharp pain in left leg groin area - site of recent hip replacement on 10Feb2021 at 07:00. Morning of 13Feb2021- rash on right leg - calf region. The adverse events resulted in doctor or other healthcare professional office/clinic visit. No treatment was received for the

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

adverse events. The action taken with immunoglobulins NOS for the adverse events was unknown. The outcome of the events was not recovered. Follow-up attempts completed. No further information expected.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1360140	5/29/2021	CT	65	F	2/9/2021	2/10/2021	Red, itchy, blotchy rash on face and neck; Red, itchy, blotchy rash on face and neck; Red, itchy, blotchy rash on face and neck; Bump under right eye; Bump on left side of neck under jawline; rashy around her cheeks/another reddish bump under her right eye; Little arm soreness yesterday in her left arm.; skin is so dry; This is a spontaneous report from a contactable consumer. This 65-year-old female consumer (patient) reported that she received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Solution for injection, Batch/Lot number: EM9809) via an unspecified route of administration into the left arm on 09Feb2021 13:00 (at the age of 65-year-old) as single dose for COVID-19 immunisation. The patient medical history included hypothyroid, little elevated blood pressure, allergic to shellfish, Benadryl allergy, allergic to everything such as trees, pollen, latex and shellfish. Concomitant medications included Adderall 5 mcg and Benadryl 25mg tablet (lot number: PF061, Expiry date: Aug2022). The patient received first COVID-19 Vaccine on Tuesday and was very allergic and told to take a Benadryl an hour before the COVID-19 Vaccine. She was fine. Last night she was sleeping and woke up with her face itchy. This morning, on 10Feb2201, the patient woke up and her face was red, itchy, blotchy rash on face and neck, bump under right eye, bump on left side of neck under jawline. Did not experience anything until last night, which was 36 hours later. Was sleeping and felt itchiness. Had redness and was blotchy. Had godzilla face and was not swollen. Does not really focus on this stuff. Did have a red bump on the left side of her neck below the jawline. She does not get pimples, but thought it was like a cyst. It was red and she put zit medicine on it. Went to bed and was itching in the night. It was weird. Got up and has another reddish bump under her right eye which was rashy around her cheeks. It was not as bad now as it was when she woke up this morning. She was not scratching. Put Bio Oil on this morning and a calming oil. She did take a walk but does not think it is rosacea. Has been walking outside all winter and has not experienced this. Thinks it was related to the COVID-19 Vaccine. Little arm soreness yesterday in her left arm, which received the COVID-19 Vaccine. Has a bump under her right eye. It was a fine rash, it was not raised. Bump on left side of neck under jaw line is completely

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

dissipated. Benadryl was just bought at the pharmacy on Monday. Hard to read with old eyes and has to get magnifying glass. Took one tablet before the vaccine. It made her sleepy. Did not want to end up on a ventilator in the emergency room. Has a little bit of elevated blood pressure and was asthmatic. Has a 98-year-old mother who got the Moderna first dose a weeks back. Treatments included zit medicine clarified as acne treatment. 5% benzoyl peroxide does work and has had it for 100 years. Had bio oil for a while. Sees date of May2010. It was not a medication, only supposed to help with skin and dehydration. Her skin was so dry. Used face treatment oil for dry or extra dry skin. It was a soothing oil if skin was red and agitated. No additional vaccines administered on same date of Pfizer suspect. Know they said people have reactions that last a few days. No further information provided. No prior vaccinations within four weeks. Had flu shot in Oct2020. AES follow prior vaccinations: had a ton of vaccinations two years ago because she went to had to get every vaccine under the sun. Had no problem with any of the vaccinations. No further details provided. Unknown investigation assessment. Blood pressure measurement showed 128/80. Outcome for the event bump on left side of neck under jawline was recovered while unknown for rest of the events. Follow-up (20May2021): Follow-up attempts completed. No further information expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360178	5/29/2021		88	M	2/18/2021	2/26/2021	loss of equilibrium; dizziness; This is a spontaneous report from a contactable Consumer. A 88-year-old male consumer (patient) received Current Age: 88 Current Age unit: Years Gender: male COVID vaccine details: Product: COVID 19 brand: Pfizer-Biontech COVID-19 vaccine Lot number: EN6200 Administration date: 18Feb2021 Vaccine location: Left arm Dose number: 2 COVID vaccine details: Product: COVID 19 brand: Pfizer-Biontech COVID-19 vaccine Lot number: EN 5318 Administration date: 26Jan2021 Vaccine location: Left arm Dose number: 1 other medications in two weeks: Latanoprost & Dorzolamide-Timolol eye drops On Day 8, 26Feb2021, following second COVID vaccination, I experienced dizziness and loss of equilibrium upon getting out of bed and, later, arising from desk chair. Dizziness continues this AM, Day 10, upon arising from bed though appears less pronounced if I prop myself up first on my elbow. Adverse event start date: 26Feb2021 Adverse event start time: 05:00 AM If patient recovered: Recovering If treatment AE: No If COVID prior vaccination: No If COVID tested post vaccination: No No follow-up attempts are possible. No further information is expected
1360181	5/29/2021			F	2/26/2021	2/1/2021	toothache; This is a spontaneous report from a Pfizer sponsored program, received from a contactable consumer (patient). An 88-year-old (reported as 88) female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number not reported), on 26Feb2021 as unknown, single dose for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. The patient reported receiving her vaccine the day before the present report (26Feb2021) and she had a slight toothache, but she stated she know this was not from the shot (and reiterated this multiple times). She stated her friend told her she heard on the television that paracetamol (TYLENOL) and ibuprofen were not supposed to be taken with the vaccine. She asked if she was able to take this. Seriousness criteria reported as non-serious. The outcome of the event was unknown. No follow-up attempts are possible; information about lot/batch cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360192	5/29/2021	AL	56	M	2/18/2021	2/20/2021	My vision is impaired/ unable to see well at all; My vision is impaired, very blurry/ everything is blurry especially print or screen images, signs; have constant watering of the eyes; have constant watering of the eyes and itching; This is a spontaneous report from a contactable consumer (patient). A 56-year-old male patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: EL3302), via an unspecified route of administration, administered in left arm on 18Feb2021 14:00 (at the age of 56-years-old) as 1st dose, single for COVID-19 immunisation. Medical history included allergies: penicillin. The patient's concomitant medications were not reported. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient reported that on 20Feb2021 his vision was impaired, very blurry. He also had constant watering of the eyes and itching. He was unable to see well at all and everything was blurry, especially print or screen images, signs. It's unknown if patient received treatment received for the adverse events. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. The outcome of events was not recovered. Follow-up attempts are completed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360243	5/29/2021	NC	34	F	3/1/2021	3/1/2021	Headache; vivid/anxious dreams; muscle pain in both thighs; injection site pain; vivid/anxious dreams; This is a spontaneous report from a contactable consumer (patient). A 34-year-old female patient (non-pregnant) received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, solution for injection, Lot Number: EN6202) via an unspecified route of administration at Left arm on 01Mar2021 17:30 (at the age of 34-year-old) as 1st dose, single for COVID-19 immunisation. Medical history included Insulin resistance, endometriosis and patient previously took Ciprol and experienced Known allergies. Concomitant medication(s) included Colecalciferol VITAMIN D taken 50000 IU 1x week (other medications in two weeks). The patient did not receive any other vaccine in four weeks. Prior to vaccination, the patient was not diagnosed with COVID-19. Post vaccination, the patient had not been tested for COVID-19. On 01Mar2021, patient experienced, vivid/anxious dreams, muscle pain in both thighs, injection site pain. There was no treatment for the events. Treatment recommended for AE to take Claritin and antihistamine eye. The outcome of the events was not recovered. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1359974	5/29/2021	TX	50	F	12/31/2020	12/31/2020	<p>difficulty breathing; still encountering vision issues; vomiting; feels weak at the moment; little headache; confusion; stomach cramps; fatigued; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of DYSPNOEA (difficulty breathing), VISUAL IMPAIRMENT (still encountering vision issues) and VOMITING (vomiting) in a 50-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 043L20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included COPD and Lupus erythematosus. Concomitant products included ALPRAZOLAM (XANAX), LISINAPRIL and EZETIMIBE (ZETIA) for an unknown indication. On 31-Dec-2020, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 27-Jan-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 31-Dec-2020, the patient experienced DYSPNOEA (difficulty breathing) (seriousness criterion hospitalization), VISUAL IMPAIRMENT (still encountering vision issues) (seriousness criterion hospitalization) and VOMITING (vomiting) (seriousness criterion hospitalization). On 27-Jan-2021, the patient experienced ASTHENIA (feels weak at the moment), HEADACHE (little headache), CONFUSIONAL STATE (confusion), ABDOMINAL PAIN UPPER (stomach cramps) and FATIGUE (fatigued). The patient was hospitalized on 31-Dec-2020 due to DYSPNOEA, VISUAL IMPAIRMENT and VOMITING. The patient was treated with ONDANSETRON (ZOFTRAN [ONDANSETRON]) at an unspecified dose and frequency; OXYGEN at an unspecified dose and frequency and MORPHINE at an unspecified dose and frequency. At the time of the report, DYSPNOEA (difficulty breathing), VISUAL IMPAIRMENT (still encountering vision issues), ASTHENIA (feels weak at the moment), HEADACHE (little headache), CONFUSIONAL STATE (confusion), ABDOMINAL PAIN UPPER (stomach cramps) and FATIGUE (fatigued) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown Route) was unknown. This case was linked to MOD-2021-020166 (Patient Link).</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1361029	5/29/2021	MS	17	M	5/21/2021	5/27/2021	6 days post vaccine patient presents to clinic with Left side facial paralysis, left blurred vision, and left ear pain. Bells Palsy.
1360889	5/29/2021	PA	19	F	5/27/2021	5/28/2021	Moderna COVID-19 Vaccine EUA Fever of 102.2, swollen face and eyes, cold sweats, diarrhea, and confusion. Lasted from the night I got the second dose (5/27) until today (5/29).
1360892	5/29/2021	MS	52	F	5/5/2021	5/6/2021	Day after shot, right side facial paralysis. Then changed to numb feeling around right eye and ache behind eye ?Pulling? at right eye Tightness of scalp Ear ringing Tenderness/pain, right side of head Dry eye Nausea (comes and goes)
1360908	5/29/2021	AZ	31	F	5/1/2021	5/29/2021	Experiencing the same fatigue, chills, arm weakness and pain as with the first dose but with the second dose I woke up with swelling under both eyes the morning after.
1360927	5/29/2021	FL	38	F	5/29/2021	5/29/2021	patient after receiving vaccine was waiting in observation monitoring area and started to faint, her eyes rolled a little and then was fine, she was breathing properly but her companion was stating she didnt feel good, that was a little out of air. during time pt never loose conciounes nor fell down. after a while was fine

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360947	5/29/2021	WA	40	F	5/22/2021	5/22/2021	On the night of the second dose (Saturday), I started feeling soreness on my entire back. This soreness lasted all Sunday. Taking ibuprofen, resting and laying down on a warm pad helped. The night of the Sunday to Monday was not comfortable, as the pain continued. On the Monday, the pain was gone, but I felt somewhat tired. I was able to work (on a computer), though. This is when the rash started on my face. I had what looked like an allergic reaction (at least, it manifested itself like when I get bitten by a mosquito and react badly). This first started on my forehead, above my right eye. It looked like a circle of 2cm in diameter. I also felt and saw some rash above my 2 eyebrows. What was interesting was also the rash I experienced on the back of my head. This lasted about 2 days. So, I took some Zyrtec. The rash on the front of my face then went away. The one on the back lasted a little longer. But then the rash went down the exterior of my left forearm, and to the stomach, also on the left side. This lasted a few days too. Taking Zyrtec again helped. Today, 1 week after the second dose, I still have marks from the rash on my belly, but the itchy sensation is gone.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1360951	5/29/2021	FL	60	F	5/29/2021	5/29/2021	60 y/o female with past medical history of HTN who presents with leg left numbness post vaccination. Patient states that this is her second vaccine in the two-dose series. Patient states that she had fever, weakness and right arm difficulty moving 8 days post vaccination, lasting 4 days. Patient states that she received the first vaccination to the left arm and experienced the symptom of difficulty moving post vaccination to the right arm. Patient states that she received today's vaccination to the left arm. NP and Paramedics at patient side. Patient was able to stand and sit in wheelchair without difficulty. Patient was able to ambulate from wheelchair to cot without difficulty. Within in 2-3 mins patient states that numbness to left leg improved. NP questioning if numbness was due to the way that patient was sitting post vaccination. Patient able to move all digits of her left foot, normal color and temp of left lower extremity. No swelling visualized. Patient initial vitals with hypertension noted, 170/77 BP R arm, 80 HR, 98% RA, 12 Resp. Patient monitored for blood pressure normalization. Patient BP decreased to 151/79, which is described as normal for patient. Patient able to ambulate without difficulty and states that she feels better and ready to go home. Patient discharged in stable condition with numbness resolved. Patient aware that if symptoms worsen or persist, to seek further medical care.
1360965	5/29/2021	IL	13	F	5/29/2021	5/29/2021	Patient had significant anxiety prior to administration. After administration, initially patient felt fine. A few minutes after patient felt faint, hands and forehead were clammy. Mom was present. Blood pressure was checked, diastolic was slightly high at 90mmHg. Patient's eyes closed for a second but patient was never unconscious. Patient did not fall. Patient did not hit head on anything. Patient was given water and sat there for about 7 minutes. Then patient was walked outside next to Mom and Pharmacy Grad Intern. Patient was not feeling well initially outside but did feel better after a while. Mom refused an ambulance. Mom and patient left at 10:50am and patient was feeling much better
1360973	5/29/2021	OH	15	F	5/29/2021	5/29/2021	SWEATING. BLURRY VISION. TUNNEL SOUNDS. DIZZY. HOT.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360979	5/29/2021	MD	37	M	5/27/2021	5/27/2021	Systemic: Allergic: Anaphylaxis-Medium, Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: Flushed / Sweating-Severe, Additional Details: He had blurred vision, sweating a lot and dizziness

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360888	5/29/2021	AL	30	M	5/18/2021	5/18/2021	Reporting primary symptoms: headache, fever, lightheadedness, elevated heart rate, arm soreness, muscle soreness, back pain, nausea, suppressed appetite, anxiety, and panic attacks. (see below for more information) Initially, felt faint and lightheaded. Stood up and the feeling worsened. Within five minutes, felt nauseated and clammy. Also, appeared pale in the face. Was given instructions to sit, close eyes, and take deep breaths. Applied a cool, wet rag to the face and neck as needed. Was anxious and may have had a panic attack triggered by the experience. Heart rate had elevated, but not to a concerning level. Within 30 minutes of initial vaccine administration, face was no longer pale and heart rate was lowering. Other symptoms mostly subsided within 90 minutes of the vaccine administration. The next morning (5/19/21), woke with a mild headache, low grade fever, some fatigue, slight nasal congestion, and very sore arm. Took Tylenol for fever and it was mostly gone by the next day (5/20/21). Felt well enough Saturday (5/22/21) morning for lots of physical activity (push-mowed lawn in humid conditions) and only had a mild headache and mild fatigue afterward. No notable symptoms on Sunday (5/23/21) morning, but had indigestion, gas pain, and some soreness (back muscle) late that night. Stayed up a little later than normal. Woke a few hours early (around 4:30 am) on Monday (5/24/21) with throbbing low-to-mid, left-side back pain and worsened indigestion and gas pain. Had anxiety that led to a panic attack. Did not feel well and tried stretching, taking Tums, deep breathing, used the bathroom, and walked around. This was helpful enough to return to sleep. Woke up again at 8:45 am and had a mild headache, some soreness in neck/shoulders, and anxiety about the situation. Took a shower, did some deep breathing, and tried to relax. Drank some caffeine at noon, but the headache was not relieved. Appetite was somewhat suppressed and was mildly lightheaded. Stomach became more unsettled by night. Stopped all caffeine intake and NSAID usage (and still no intake/usage at the time of this report). At night, anxiety over the situation worsened, so tried deep breathing, talking to others about the situation, and stretching. Panic attack occurred, but was able to manage with the aforementioned techniques. Woke the next day (5/25/21) with mild headache, muscle soreness in mid-to-upper

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1361009	5/29/2021	VA	59	F	5/28/2021	5/28/2021	<p>back, shoulders, and neck, suppressed appetite, and anxiety. Was able to manage most symptoms with breathing, stretching, relaxing, and talking through the situation. No panic attack on 5/25/21. Went to bed earlier than normal (around 9:30 pm) and woke on 5/26/21 around 9:30 am. Had similar symptoms, but appetite was more decreased and worsened anxiety. Decided to see doctor that afternoon (see item 19 for more information on testing from that visit) and was told to give more time to recover from vaccine side effects. Did not give doctor information about anxiety or panic attacks at that time. Had a panic attack (less severe than previous) Wednesday night and managed with the aforementioned techniques. Thursday (5/27/21) morning woke with no headache and no fever, but still some soreness in neck/shoulder area, suppressed appetite, mild fatigue, and mild anxiety about the situation. No panic attack on 5/27/21. Friday (5/28/21) woke with similar symptoms and decided to visit doctor again about anxiety. Was prescribed Buspar and Zoloft. After taking Buspar (first time ever) at 2:30 pm, experienced an increased heart rate up to 160bpm and a low fever up to 100.2F. Experienced another panic attack during this time. Sought medical assistance from local ER around 3:30 pm. Was seen and monitored until discharge at about 11:45 pm. During stay, tests and levels were mostly normal except during a panic attack that was triggered after blood was drawn. Treated with Vistaril around 11:20 pm and monitored for about 20 minutes before being discharged. Anxiety was relieved after deep breathing and relaxing. Did not take Zoloft. Slept and woke on 5/29/21 with mild headache, unsettled stomach, and mild anxiety. Anxiety is more manageable so far and other symptoms were somewhat improved after eating breakfast. Currently, no plans to continue taking Buspar, but will consult doctor.</p> <p>Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1361212	5/29/2021		70	M	3/9/2021	3/18/2021	This is report # 2 from me for reactivation zoster after COVID vaccination. This patient got COVID-19 vaccination (Pfizer) (March 9, 2021). Diagnosed with dermatomal zoster left V1 distribution, complicated by herpes zoster ophthalmicus left eye, and VZV meningitis.
1361140	5/29/2021	NJ	45	M	3/1/2021	3/25/2021	Shortness of breath, numb face, tingling arms and legs, tinnitus in both ears, heart palpitations, blurry vision. Still have tinnitus, hearing sensitivity, vision problems and chest pain.
1361141	5/29/2021	CA	37	M	5/29/2021	5/29/2021	IMMEDIATELY AFTER ADMINISTRATION OF THE VACCINE, PATIENT STARTED TO SHAKE AND TURN PALE. PATIENT REPORTED THAT HE "BLACKED OUT". INTERN PHARMACIST AND PATIENT'S FATHER HELD THE PATIENT TO MAKE SURE HE DID NOT FALL OVER WHILE SEATED. PATIENT WAS SHAKING FOR ABOUT 10 SECONDS. PHARMACIST ATTEMPTED TO LIE PATIENT ON THE FLOOR BUT HE REFUSED ONCE HE REGAINED CONSCIOUSNESS. HE REPORTED TO FEEL NORMAL AFTER REGAINING CONSCIOUSNESS. HE REMAINED IN THE WAITING AREA FOR 30 MINUTES UNDER PHARMACIST SUPERVISION. IN THE MEANTIME, HIS BLOOD PRESSURE WAS CHECKED AND WAS 107/63. HE DRANK A FULL BOTTLE OF WATER WHILE WAITING.
1361150	5/29/2021	KY	33	M	5/29/2021	5/29/2021	The patient was being monitored post vaccination. I noticed (RPh) that pt was leaning back in the chair and making a snoring noise. On closer inspection his eyes were closed, body limp, and head back. We tried to ask if he was ok and grabbed his arm and held him up. We were getting ready to place him on the ground and he regained consciousness. Patient said after vaccine he became drowsy and sweaty. Incidence lasted 2 minutes and he stayed at the pharmacy for at least 30 minutes post vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1361261	5/29/2021	TX	46	F	3/9/2021	4/3/2021	I had COVID-19 (diagnosed on 1/7/2021) and the main symptom I had was a total loss of sense of smell. I got the Pfizer vaccine on 3/9 and 3/30/2021 because it was available to me. I started having symptoms of irritated eyes (at the bridge of my nose), tinnitus, sensitive teeth (upper and lower) when eating or drinking and even when not eating or drinking, itchiness around my jaw line and upper arms after the second dose of the vaccine. I thought it was seasonal allergy-related, so I took Allegra for a couple of weeks, and then asked my PCP about a Kenalog shot on 4/15/21 for seasonal allergies. After the Kenalog shot, my symptoms heightened (itchy upper arms and eyes) mostly in the morning upon waking. I started taking Benadryl, and took the lowest dose 3 times per day from 4/17 to 5/20. I went to an acupuncturist on 4/28, 5/8 and 5/22 with some herbal tea formula prescribed. I went to an allergist on 5/27/21
1361332	5/29/2021	CA	48	M	5/29/2021	5/29/2021	Patient sitting in observation - blinking eyes, visible eye watering and redness - patient indicated he felt like he had eye swelling and looked at self in camera - notified staff RN

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1361334	5/29/2021	CA	51	F	5/28/2021	5/28/2021	<p>Patient received the 1st COVID vaccine (Pfizer, lot # EW0185, use by 06/24/21 at 0845) at 1313. Client reported to EMT that she felt a headache coming on, and was a little nauseous. The client was given a bottle of water and RN was notified immediately. RN assisted the client to the anti-gravity chair, was placed in a semi-fowler's position, while RN assessed the client. The client was alert and oriented x 4. Vital signs were taken simultaneously at 1400, HR- 84, RR-16, BP-158/90, oxygen saturation at 98%. At 1402 the client stated, " My headache is a little better and my nausea is gone."</p> <p>Denied shortness of breath, chest pain, difficulty swallowing, lightheadedness, or feeling flushed. Denied drinking much water prior to coming to the site. Vital signs taken at 1405, HR- 86, RR-16, BP- 160/88, oxygen saturation at 99%. Client reported having an allergic reaction to codeine (anaphylaxis) and having type II diabetes mellitus, asthma, and a heart murmur. The client reported currently taking singulair, victoza, trulicity, lantus, metformin, and fenofibrate. Vital signs taken at 1410, BP- 160/88,HR-87, RR-16, oxygen saturation at 98%. The client was speaking in full sentences and was in no apparent distress. The client continued to drink water. The client reported not seeing a primary care provider for over a year. Denies any vision changes, headache, or lightheadedness. Vital signs taken at 1415, BP- 160/ 88, HR- 86, RR-16, oxygen saturation-98%. RN educated the client about V-safe, Emergency Room precautions, and to follow up with her primary care provider. RN advised the client to stay on site until 1430. The client stated, " I might be a little anxious, I'm sorry, I'm not trying to be a bother." The client was reassured to always tell the medical personnel on site if she felt unwell in anyway. EMT and PM remained in the observation area. At 1431, the client stated, " I feel a flutter in my chest that feels bounding." The client was cold and clammy, RN called 911 immediately at 1431. Vital signs taken at 1431, BP- 156/84, HR-83, RR-18, oxygen saturation- 99%. The client remained in the semi-fowler position, was alert and oriented x4, and was speaking in full sentences. Denied difficulty breathing, vision changes, shortness of breath. No rash or hives were present. Vital signs taken at 1436, BP- 140/88, HR- 80, RR-16, oxygen saturation- 99%. Client stated, " The heart fluttering is feeling better." The client was no longer</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							cold or clammy. Vital signs taken at 1441, BP- 142/88, HR- 82, RR-16, oxygen saturation- 99%. EMS arrived on site at 1443. The firefighter/paramedic assessed the client, had the client stand up from the anti-gravity chair, asked her how she felt, and she stated, " I feel a lot better." The firefighter/ paramedic asked the client if she still had the fluttering sensation in her chest, the client stated, " No." The EMS team did not complete a set of vitals or complete an EKG on the client. The firefighters left the site at 1447. RN re-educated the client about following up with her primary care provider and educated the client about emergency room precautions. Client ambulated to her car where her family members were waiting for her, she had an even and steady gait.
1361343	5/29/2021	NY	50	F	4/22/2021	4/24/2021	dizziness since 3rd day after shot., ear pressure, eye pressure. Today is 35th day of Dizziness 24/7
1361376	5/29/2021	NE	27	F	5/27/2021	5/28/2021	Headache, joint pain, fever, dizziness, nausea, eye pain, abdominal pain, leg pain



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360447	5/29/2021	SC	47	F	5/7/2021	5/7/2021	facial swelling( Eyes,Lips,Cheek); Itching; swelling wheal; redness on face/chest /neck; arm pain at injection site; menstrual period flowing hard (came early); menstrual period flowing hard (came early); arm numbness; feeling like something running up my neck; dizzy; throat swollen; headaches; felt weird right after; fatigue; This is a spontaneous report from a contactable healthcare professional. A non-pregnant 47-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), dose 1 intramuscular, administered on left arm on 07May2021 12:45 (Batch/Lot Number: EW0169) as 1st dose, single dose (at the age of 47 years old) for COVID-19 immunisation. The patient medical history and concomitant medications were not reported. The patient experienced facial swelling( Eyes,Lips,Cheek), Itching, swelling wheal, redness on face, chest, neck, arm pain at injection site, menstrual period flowing hard (came early), arm numbness, feeling like something running up my neck, dizzy, felt weird right after, throat swollen, headaches and fatigue on 07May2021. The patient received treatment: steroids/ stomach antacid, antihistamine. Prior to vaccination, patient was not diagnosed with COVID-19 and not been tested for COVID-19. The patient had emergency department visit. The outcome of the events was recovering.
1360985	5/29/2021	PA	42	F	5/29/2021	5/29/2021	patient came to Med opts one at 1:05 with complaints of being dizzy and slightly nausea. she looked blush in the face and sweaty. husband said she suffers from panic attacks and anxiety. had similar symptoms after she got home from her first dose of pfizer. patient had a hard time keeping her eyes open because she took a klonopin before arriving. patient was given water and an ice pack for the back of her neck. we slowly moved her from a supine position to a sitting position until she felt well enough to move to the wheelchair. patient was here approximately 35 minutes until she felt well enough to be moved to her vehicle. husband drove her home.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360614	5/29/2021	NJ	69	M	3/23/2021	3/1/2021	thought he was having a heart attack; It was all over his body and his left side, the pain/ left side hurts/ spread up his arm and down his hand and shoulders; left side hurts because that was where he got the shot; the first shot almost killed him, he has a defibrillator attached to his heart; This is a spontaneous report from a contactable consumer (patient himself). A 69-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection; Batch/Lot Number: ER8732) via an unspecified route of administration, administered in left arm, on 23Mar2021 (at the age of 69 years old), as 1st dose, single, for COVID-19 immunisation. The patient's medical history included stroke, weak heart, defibrillator/pacemaker insertion, impaired eyesight/ half-blind, pneumonia, headache, and ongoing prostate. The patient had a defibrillator attached to his heart, staples in his chest, and stitches. He got a weak heart from pneumonia which gave him a stroke and led to impaired sight. Patient stated everything else was working. The reason he's blind was because pneumonia hit his heart and caused a stroke along with the medication he was being given, and it happened before getting the COVID vaccine and has nothing to do with the shot. The stroke caused blindness, and they needed to add a defibrillator to his heart because the pneumonia weakened his heart even more than it was already weak. He had a defibrillator attached to his heart 14 years ago and it got took out about 7 years ago because his heart was better. He reported he had to get another defibrillator due a problem from pneumonia. The patient missed his first appointment for the first dose as he had back trouble and a headache. He called the hospital, and they listed off if you're feeling this or this don't come. The patient wasn't feeling well, so he didn't go; he did not seek medical treatment. The patient has compromising conditions; he has a defibrillator and he take blood pressure and heart medications. Every time they tested him, he was negative for COVID and he did not test positive. Concomitant medications included tamsulosin taken for prostate, start and stop date were not reported. The patient was also taking nearly 15 pills a day; 6 in morning, 2 in the afternoon/lunch, 6 at evening time and some at night before bed. He reported that he was pill popping because of his condition and he could sell and still have more than enough for himself to take, that is

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

how bad it is for him. The patient reported about number one and number two shots of COVID vaccine. The number one shot scared him, so he was scared of getting shot number two. He didn't know what the deal of it. He received it at the hospital on 23Mar2021 (Tuesday), and it woke him up on Wednesday morning around 2 A.M (24Mar2021) and he thought he was having a heart attack. The patient wanted the second shot, but he didn't want to get it. He wanted to know whether you have to take the first shot over again or can you take the second; he heard the second shot was worse. He missed his appointment on 15Apr2021 because the first shot scared him, and he panicked. The patient stated that the first shot almost killed him, he has a defibrillator attached to his heart, and he was scared to get the second. The patient wanted to know what the deal was, if he can take second dose safely. He stated no big deal, and he's leery after the first shot woke him up. He had a pain from Wednesday morning to Sunday afternoon, stated he had a pain grade of 6-12. The patient also stated that he has been going crazy with other things, staying away from other things, with the condition he's in, he's blind, and he stayed in the house. When he went out, he was covered. The pain lasted Wednesday through Sunday, he didn't go anywhere and makes precaution to make sure not to catch something, he's always masked and always home. The patient reported that he was having pain at times when he touches his side. When he goes to bed, he sleeps on his right side with his arm across his body laying on a foam block because that side hurts. He clarified that his left side hurts because that was where he got the shot. He was surprised, the pain was so sharp, he thought he was having a heart attack. It came from his elbow, started there and spread up his arm and down his hand and shoulders. His left side hurt when he touched and pressed down, it was a pain of 12. He thought he was having a heart attack, and it scared him, that's why he didn't get the second shot. He heard the second one was worse than the first one. If the first one made him feel he was having a heart attack, the second one would surely kill him. He was worried so he decided to stay home. He felt like a kid staying home from school. The pain went away, it just scared him for how he woke up. If he had a pain grade face in the hospital, it was off the chart. He knew how he felt and how he looked, it would

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

be off the chart. He thought in his mind he was dying, felt like he was having a heart attack, like he was dying. It took a little bit of time, he had to calm down and find where the pain was coming from, and where it was going. Pain was coming from his elbow, across his chest and hitting his defibrillator. Patient stated this was the reason he felt he was having a heart attack. The defibrillator woke him up, it had an effect on it, it woke him up and scared him. They had to put the defibrillator in because he needed it for his heart. He thought he was having a heart attack after all this, he was bugging. His son came in, and he told his son that he was in pain. His son told him not to get the shot and believed this was why the patient was hurting. His son said the vaccine and the defibrillator caused him to feel like he's having a heart attack, the shot did something to his elbow which caused the pain and when it hit, it hit everything and he had a pain grade of 20. It woke him up and scared him. He won't say what he wanted to say, it is personal, but it scared him that much he wanted to go there. The patient was supposed to get his second dose 15Apr2021 because the first shot scared him, and he panicked, he did not because he was scared to death. The patient reported that everything began on Wednesday, the pain was gone, and he has recovered completely. Patient stated his pain grade was a 6-12. The pain in his elbow has recovered completely. He stated his elbow showed pain when it gets cold or rains, when it gets wet. Patient wanted to make sure if he gets the second shot, does he have to get the first shot again since he missed the second shot appointment. Everybody was saying to get the COVID vaccine, to prevent him from getting COVID, they wanted everyone to get vaccinated. He was unable to read his vaccine card because he was half-blind and will have someone else look at it. The patient missed his second dose appointment due to the effect of the first dose of the vaccine; he had a bad reaction from the number 1 shot and that was why he did not get the number 2 shot because of him being compromised due to his condition and the medications he takes. He had the first dose on 23Mar2021 and scheduled to get the second dose on 25Apr2021 (more than 21 days). He believed the ingredients combined this caused it, when he had the event he thought that it did bother his defibrillator, he had pain that made him think he was

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

having a heart attack. That with the meds it may have added to the pressure he received when he got the shot, where he got the shot. His left side was bothering him, he thought he had a heart attack; his defibrillator was thumping, and he had pain that hit his elbow and his defibrillator woke him up. He knew it had to do with COVID shot. It was all over his body and his left side, the pain. His heart medication and blood pressure medication were nothing different. He had pain in his side, that he does not normally have which branched out from the elbow, to the hand, to the defibrillator. His left side was sore and he could not lay on it and could not touch it since it was so painful. Patient confirmed the pain was all down the left side and he got the vaccine in his left arm. The only last effect he was having is that he was afraid to get that second shot, he was afraid to go to sleep as he won't wake up after getting the 2nd shot or how he will going to react to it. He was paranoid in his mind to get the second shot. He reported that everything was wrong with him and that the shot had to fight with his medications and his body pain for it. He reported his body is paying the price. He felt like he was having a heart attack, pain going up and down arm, his fingers felt like needles going into his hand, like life was going back through his hand. His pain went to his chest his face was nowhere on the pain chart, his pain was like a 16 on a scale of 1 to 10. When he woke up that night it was like a 20, then if he touched his arm the pain was like a 14-16. The patient could not sleep, he could not sleep on his left side. Patient had to put a foam pad on his left side he got from his friend or sleep on his right side. That started Wednesday morning at 2 A.M to Sunday morning, he was surprised when he woke up that Sunday, he was not in pain when he woke up on his back. Patient reported he was half blind and can't find his medications. He reported he put his medications down earlier and was not sure where they were. Around that time he went to the hospital due to breathing issues, problems breathing. He went in twice and they discharged him on their own but, he had more problems breathing. What he did not know at the time he had because he did not look at the discharge paper and no one explained them to him was that he had Pneumonia when he went to the hospital. The outcome of the events vaccination site pain, heart attack was recovered on unspecified date in 2021; while

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							for the remaining events was unknown. Information on Lot/Batch number was available. Additional information has been requested.
1361309	5/29/2021	OR	48	F	5/28/2021	5/29/2021	headache - starting at 8am - 4 Advil at 5:30 pm fever - 102 degrees - 4 Advil at 5:30 pm nausea - mild. broth join pain - neck wrists knees and feet muscle pain - back - legs arms hips sore throat fatigue burning skin in places (back of hands) watering eyes runny nose
1360844	5/29/2021	FL	51	M	4/20/2021	4/22/2021	Eye swelling and irritation and floaters

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360571	5/29/2021	TX	66	F	5/11/2021	5/12/2021	<p>She had swelling and redness that covered almost all of the front part of her upper arm not just at the injection site on her left arm; She had swelling and redness that covered almost all of the front part of her upper arm not just at the injection site on her left arm; Swelling and redness covered front part of arm; Swelling and redness covered front part of arm; This is a spontaneous report from a contactable consumer or other non hcp. A 66-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, formulation: solution for injection, Lot Number: EW0186; expiry date: unknown), via an unspecified route of administration, administered in the left arm on 11May2021 (at the age of 66 years old) as a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient previously took BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, formulation: solution for injection, Lot Number: EW0171), first dose via an unspecified route of administration, administered in left arm on 19Apr2021 as a single dose for COVID-19 immunization and experienced redness and swelling for a few days at the injection site. On 12May2021, the patient developed redness and swelling to the top/front part of her injection arm. She wanted to know if she was ever needed to get a booster dose of this vaccine, will it be ok for her to get it based off this side effect. She had swelling and redness that covered almost all the front part of her upper arm not just at the injection site on her left arm. It was everywhere. It looked like a bad sunburn on one arm. Yesterday, it finally started going down. The redness has gone away. The patient did not have a prescribing doctor. She went to see the pharmacist after the swelling and redness lasted Wednesday, Thursday, Friday. She just popped in last Friday. She showed up, and the pharmacist's eyes got big like woah. He took a picture of it. She told him it had been there since Wednesday night. He said to call and report it, and to take Ibuprofen and Ice it. She did not take any other medication. She did take the ibuprofen for the swelling. The first shot did turn red at the injection site but not all over her whole arm like the second one. It was red and lasted a couple of days and went away. This one went days and days. It covered almost her whole upper arm. She stated that it finally resolved on 18May2021. The outcome of the events was</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

recovered on 18May2021. Information about lot/batch number is available. Further information has been requested.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360583	5/29/2021	UT	12	F	5/18/2021	5/18/2021	clear fluid was accompanied with some blood thereafter; some of the vaccine leaked out of her arm; some of the vaccine leaked out of her arm; held the needle too long at the arm; This is a spontaneous report from a contactable consumer. This consumer (mother) reported for a 12-year-old female patient (daughter) that. A 12-years-old female patient received first dose bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Solution for injection, Batch/Lot Number: EW0185), via an unspecified route of administration, administered in Arm Right on 18May2021 17:00 as 1st dose, single for covid-19 immunization. The patient's medical history and concomitant medications were not reported. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. On 18May2021 the patient experienced clear fluid was accompanied with some blood thereafter, some of the vaccine leaked out of her arm, some of the vaccine leaked out of her arm and held the needle too long at the arm. Caller called for her 12 year old daughter who received her 1st dose of the Pfizer COVID Vaccine yesterday at 5:00pm MST at a Pharmacy. She mentioned that 5 out of 6 of them in the family were over 16 years old and had no problem with their vaccination as they received it at a different Pharmacy branch. She mentioned that the branch she went to yesterday for her daughter was very unorganized. The vaccination was held at a drive-thru in which she noticed that the Pharmacy Technician held the syringe too long on her daughters arm and when he pulled out, some clear fluid flowed out and ran down her arm and she started bleeding. She already went up to the Pharmacist and they mentioned that they will call Pfizer within the week. She is called for herself just to make sure and seeked recommendations for events such as these because she is doubtful that her daughter even got enough of the 1st shot. She is wondered if she should restart the dose, how long should she wait if she restarts, or just proceed with the 2nd dose. Consumer called about Pfizer COVID-19 vaccine who reports her 12 year old daughter supposedly received her first dose yesterday at a pharmacy at 05:00PM MST. Agent reports that caller also mentioned that 5 people in their family above the age of 16 received doses at another pharmacy and had no problems, but her daughter who took her first dose yesterday at a drive thru of a pharmacy had a

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

problem. Agent reported caller said that yesterday the tech who administered the first dose held the needle too long at the arm and when they pulled it out some of the vaccine went out, some clear fluid leaked out of her daughter's arm, and was accompanied with some blood thereafter. Agent reported that caller was advised to consult their physician and let them know Pfizer Medical Information's number so they can contact and discuss options. Caller said she would say that she was not very far from her daughter's arm when it happened since she was sitting next to her. She said she saw a fat drop of clear liquid run down her daughter's arm, and then after that came down, after it came a drop of blood that leaked down into it, so that it was clear at first then became pinkish. She said the person who gave the injection to her daughter had to grab something to wipe it because it was traveling down her arm. Caller said that there was no treatment done to her daughter's arm other than when he wiped it off and slapped a band aid on it, and then he didn't make eye contact with her and didn't want to talk about it. She understood that things like this can and do happen sometimes. She said she should have taken her daughter to a doctor but she didn't. Said her daughter did not have any other vaccinations yesterday or any other vaccinations in the last four weeks. The clinical outcome of the events was unknown. Follow up attempts are needed. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360609	5/29/2021		74	M	5/4/2021		<p>His eyes were swollen. He couldn't even go outside.; After he got vaccine, his seasonal allergies were acting up; This is a spontaneous report from a Pfizer sponsored program COVAX US Support. A 74-years-old male patient received second dose of bnt162b2 (BNT162B2, Solution for injection, Batch/Lot number was not reported), via an unspecified route of administration on 04May2021 as 2nd dose single for COVID-19 immunization. Historical vaccine of BNT162B2 was given as a first dose 3 weeks before the 2nd dose. Medical history included ongoing seasonal allergy from an unspecified date. Patient has seasonal allergies and he was advised by his doctor to wait for 3 months before taking Depo-Medrol/corticosteroids. He got swollen eyes and serious allergies because he cannot take any steroid shots - Asking for medication to take for treatment of his allergies - Patient is very frustrated and provided limited information only, he does not want to make any safety report Potential Duplicate AE Report E transmit. The patient's concomitant medications were not reported. Individuals who receive treatment with immunosuppressive therapy, including cytotoxic agents or systemic corticosteroids, for cancer or an autoimmune disease, or planned receipt throughout the study. If systemic corticosteroids have been administered short term (&lt;14 days) for treatment of an acute illness, participants should not be enrolled into the study until corticosteroid therapy has been discontinued for at least 28 days before study intervention administration. Inhaled/nebulized (except for participants in Phase 1 see exclusion criterion 14), intra-articular, intra bursal, or topical (skin or eyes) corticosteroids are permitted. On an unspecified date patient experienced his eyes were swollen, he couldn't even go outside and after he got vaccine, his seasonal allergies were acting up. After he got vaccine, his seasonal allergies were acting up. He went to his doctor to get Depo-Medrol. They did not administer Depo-Medrol due to COVID vaccine. He was told he needed to wait 3 months. His eyes were swollen. He couldn't even go outside. Caller wants to know if there is anything else he can take. Caller said he usually gets his allergy shot in April or May. It was delayed since he got the COVID shot. After that cleared up, he was able to get his first shot, and after that cleared up, he was able to get his second shot. After that he went to the doctor, who</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

was not aware, and because it's a steroid, he couldn't do it. He could not get Depo-Medrol because it was a steroid. Also stated that his allergies were so bad that he wanted to rip his eyes out of his head. The outcome of the events was unknown. Follow-up(21May2021): This is a Follow-up spontaneous report from a Pfizer sponsored program COVAX US Support. No new significant information was provided. Warm transferred caller to Pfizer, Caller not provided with phone number or hours prior to transfer, in the event of disconnection, due to caller getting frustrated and saying goodbye. Information about Lot/Batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360615	5/29/2021			U	4/2/2021	4/9/2021	Ocular ischemia that the blood flow into my eyes; Told me I am going to go blind; I could wake up blind or gradually go blind, that I was going to lose my sight; Black spots and a bunch of floaters; Black spots and a bunch of floaters; This is a spontaneous report from a contactable consumer or other non hcp. A patient of unspecified age and gender received bnt162b2 (PFIZER-BIONTECH COVID – 19 mRNA VACCINE; formulation: Solution for injection), dose 1 via an unspecified route of administration on 02Apr2021 (Batch/Lot number was not reported) as 1ST DOSE, SINGLE DOSE for covid-19 immunisation. The patient medical history was not reported. The patient's concomitant medications were not reported. It was reported that patient just want to ask about some side effects from having the vaccine. He/she had the first Vaccine on 02Apr2021 and that was the Friday and the following Friday patient had to scramble for an emergency eye appointment. He/she woke up with some black spots and a bunch of floaters and by the time everything was done they told he/she had ocular ischemia that the blood flow into my eyes, it was kind of (incomplete sentence). He/she did not had the comorbid for the diagnosis, people who have that usually have high cholesterol or uncontrollable sugar and things like that but patient did not. And he/she was wondering if this was something that Pfizer has seen because basically they told him/her that he/she going to go blind. By the time patient got out successfully and everything they told him/her that he/she had ocular ischemia. And he/she did not have the comorbidity for the disease process. And frankly patient had been a little scared to take the second one because they told he/she could wake up blind or gradually go blind, that he/she was going to lose his/her sight and that was a huge change in life here. He/she did not know if it has occurred in other patients as well or had vaccinated or not. It was also reported that patient was supposed to be on the same day when he/she saw that specialist about his/her eye which was the 20th of, the 23rd and he kept him/her all day long, he/she am not kidding he kept him/her in his office from 8:45 till 16:30, he/she was all day long he was running test after test on me. Outcome of the events was unknown. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1361380	5/29/2021	MD	16	M	5/28/2021	5/29/2021	Developed right upper eyelid swelling at 10am the following a=day with some eye discomfort but no itching or redness. Mom gave a small dose of Benadryl that perhaps improved it a little but then the other upper eyelid started swelling. Again no redness or itching or facial pain or change in vision.
1360623	5/29/2021			M			He experienced a burst blood vessel in his eye 3 day later; This is a spontaneous report from a contactable consumer. This male consumer (patient) reported for himself. A male patient of an unspecified age received bnt162b2 (BNT162B2 solution for injection), dose 1 via an unspecified route of administration on an unspecified date (Batch/Lot number was not reported) as 1st dose, single for covid-19 immunisation . The patient medical history and concomitant medications was not reported. It was reported that on an unspecified date the patient had a burst blood vessel in his eye 3 day later after administration of vaccine. Outcome of the event was unknown. Information about lot/batch number was not available. Further information expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360551	5/29/2021	NY	58	F	4/19/2021	4/19/2021	broken blood vessel in left eye; This is a spontaneous report from a contactable consumer (patient). A 58-year-old female patient received bnt162b2 (Pfizer-BioNTech COVID-19 vaccine), dose 1 via an unspecified route of administration, administered in Arm Right on 19Apr2021 (Batch/Lot Number: EW0151) as 1st dose, single for covid-19 immunisation. Medical history included ongoing high blood pressure. Concomitant medication included metoprolol taken for hypertension. Patient has had this condition for 3 years, but it is not that high; it is very mild. The patient received second dose of COVID vaccine (Lot Number: EW0167) on 10May2021 at the age of 58-years-old in the right arm for Covid-19 immunization. The patient experienced broken blood vessel in left eye on 19Apr2021. It went away few days later, maybe 5 days later. After receiving second dose, the patient again noticed broken blood vessel in left eye and now it looks like worse than ever. The patient added that it was getting a little better, got worse, and at the time of the report was still there. The patient went to the doctor's office on 16May2021 and will consult at the time of the report to an eye doctor. The patient added that she also went to one right after, a week ago. She says she wants different opinions and she think it might be a broken blood vessel. The outcome of the event was recovered on unspecified date in Apr2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360634	5/29/2021	MA	13	M	5/13/2021	5/17/2021	rash all over his body including his eyes/rash all over his body including his eyes/still there on his toes; This is a spontaneous report from a contactable consumer (mother) via medical team. A 13-year-old male patient received BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE: Lot number: not reported) dose 1 via unspecified route of administration on 13May2021 as a single dose for COVID-19 immunisation (age at vaccination was 13 years). Caller was asking for guidance regarding getting the second vaccine dose after having a side effect following the first dose. She reports that her son received his first vaccine dose on 13May2021 and 4 days later on 17May2021 he began having a rash all over his body including his eyes. She reports that the rash lasted for about 6 days and is still there on his toes. She reports concern about what he may experience after getting the second dose, which is scheduled for 03Jun2021, and asks for guidance on if it will be safe for him to get it or not. Patient had a side effect after the first dose of the vaccine. Should get the second dose? Caller talking about her 13-year-old son, asking how much protection will my son get or what is the efficacy following 1 dose of the Pfizer covid vaccine? The outcome of the event was unknown. Information on the lot/batch number has been requested.
1360813	5/29/2021	AZ	51	M	5/28/2021	5/29/2021	Chills, fever, muscle ache, joint pain, blurred vision, stomach ache, HEADACHE
1360837	5/29/2021	TX	41	F	5/2/2021	5/5/2021	Heavy period Trouble with vision Eyelids swollen Erratic Heart rate Blood pressure Shaking Throat swelling Tingling in feet/hands No appetite Weight loss Pressure on chest Cough Ulcers in mouth Neuropathy These symptoms have been going on and have not let up. Currently on Lyrica .
1360829	5/29/2021	MA	55	M	5/12/2021	5/22/2021	Redness in the arm that came out of nowhere one day more than a week later but continues to worsen now more than 2.5 weeks later, additional body aches almost all over but especially in the torso (it feels like someone has been kicking me) and fatigue and confusion and irritability and vision and chills



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360585	5/29/2021	NJ	67	M	5/18/2021	5/19/2021	Could not taste/ loss of taste; sore arm/Left Arm Hurts like Hell; Lethargic; This is a spontaneous report from a contactable consumer (patient himself) via a medical information team. A 67-year-old male patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Formulation: Solution for injection, Batch/Lot number: EW0182), via an unspecified route of administration in left arm on 18May2021 at 11:00 (at the age of 67-year-old) as a single dose for COVID-19 immunization. The patient's medical history included ongoing COPD, ongoing bad back, ongoing esophagus blockage, toe operation (he had a toe operation, and he could not walk), he could not walk (he had a toe operation, and he could not walk), took out his gall bladder (then they took out his gall bladder and his lungs are hanging where his gall bladder was), lethargic before because of my medicine, make him loopy. Concomitant medications were not reported. The patient previously received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Formulation: Solution for injection, Lot number: EW0171), via an unspecified route of administration in left arm on 27Apr2021 (at the age of 67-year-old) as a single dose for COVID-19 immunization. Patient's medical history (including any illness at time of vaccination) was none. Family medical history relevant to adverse events was none. Adverse events following prior vaccinations was none. Prior vaccinations (within 4 weeks) was none. Additional vaccines administered on same date of the Pfizer suspect was none. States Dr. would know additional information for other conditions when that started. Caller states he was going next Thursday for his esophagus because something was wrong with it. Caller states last night he wasn't swallowing because the food was stopping at his throat because of the blockage, so he drank 6 cans of Pepsi to blow it through. States on Monday, he was going for COVID test, because they won't take him unless he has the test. Caller states last time he went to hospital for breathing, they made him suck 2 nebulizers and then he did two on his own and sat down and relaxed and he was okay after that. It was reported that, patient received both doses of the vaccine the first dose was on 27Apr2021 and the second dose was on 18May2021. Patient was lethargic on an unspecified date in 2021 and was lethargic before

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

because of my medicine. Now patient could not taste on 19May2021, and patient have a sore arm on 19May2021. Enquired was loss of taste from the vaccine or not. Caller states yesterday, he got his second one and today he has no taste. Caller states he was also lethargic, and he wants to know if that was part of it or not. Lethargy adverse event: Caller states the lethargy was from all of the medication he was on and he has had it for a while. Caller states he doesn't know exactly when it started. Caller states the drugs he was on make him loopy but states he has been functioning. Caller verifies it was not from the COVID Vaccine, he had it before, but he was still experiencing it. Caller states his doctor was trying to balance the drugs in him. States his primary has taken him off one and put him on half another. States when he got up this morning, he said whoa, he thought he saw blood out of his eye, but nothing was there. Caller states his doctor told him not to take the Prednisone one day and not to take another one at night. Names of Medications, NDC, Lot, Expiration: Unknown. He states a company puts his pills in a pack and he was supposed to take them, but they screwed up on this last one. Call handler asks for clarification on what he means by the screwed up on the last one and he clarifies by saying his doctor has been trying to get the right pills for him because he has COPD, a bad back, he had a toe operation and he could not walk, then they took out his gall bladder and his lungs are hanging where his gall bladder was. Left Arm Hurting like Hell adverse event: States he called some friends and they said, oh that was normal it would go away. No taste adverse event: Caller states he said what was this soda and said was in this because he couldn't taste it and he can't taste his cheese noodles or coke or anything he has tried to eat today. No investigation assessment. The adverse events did not require a visit to emergency room and physician office visit. No treatment medications was received for the adverse events. The events were considered as non-serious by the consumer. The outcome of the event could not taste/ loss of taste was not recovered and recovering for the other events. Follow up activities has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360657	5/29/2021	PA	38	F	5/14/2021	5/15/2021	Fever 101.7F, severe weakness, headache, body aches, chills, heat waves, burning eyes, painful (not sore) L arm at the injection site
1360826	5/29/2021	WA	52	F	1/18/2021	1/20/2021	the first day I had a sore arm. the second day I felt ok when I woke up until about 8 pm I was feeling dizzy, hard to catch my breathe, and tired. I struggled at work, but made it through my shift. I was pale, dizzy, sweaty. The next day I had itchy eyes and throat. Eyes were red. I went to urgent care and was tested for Covid-19 and was negative. two weeks this continued, chronically tired. my doctor finally put me on steroids ,and after finishing them I was feeling better.
1360814	5/29/2021	IL	56	M	3/30/2021	5/7/2021	I received my shot and two days after I felt weak and sick. I fine for a few weeks and then I went outside to cut grass and all of my joints started to ache really bad. I came back inside and checked my temperature. I laid on my couch for a couple hours while running a high temp of 100.7. My eyes started to get really hot. I woke up at 12:30am and it was 90.7. I was checking my blood pressure and it was 110/64. I went to the doctor and it was discovered that I have pneumonia.
1360734	5/29/2021	NY	29	M	5/28/2021	5/28/2021	Systemic: Chills-Mild, Systemic: Dizziness / Lightheadness-Medium, Systemic: Hypotension-Medium, Additional Details: Patient reported lightheadedness and dizziness, BP was 110/60 and Pulse was 61. Performed basic blood pressure management activity alongside potential hypoglycemic episode provisions.
1360724	5/29/2021	OK	18	F	5/25/2021	5/25/2021	Site: Pain at Injection Site-Mild, Site: Swelling at Injection Site-Mild, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Additional Details: Patient stated her eyes were extremely swollen post vaccine and she is currently still recovering (Day 3). She has been taking benadryl and the swelling around both eyes has slowly gone down. Her eye sight is not effected, but she was very concerned.
1360703	5/29/2021	FL	47	F	5/24/2021	5/26/2021	Rash, severe itching in head, face, joints, back, extremities, and eyes. Swelling on the face , hands, feet, and joints

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1360688	5/29/2021	IN	49	F	5/27/2021	5/27/2021	Blurred vision, itching lips, arms and tongue Facility took vitals and gave me a dose of 25mg Benadryl
1360680	5/29/2021	NH	30	F	5/26/2021	5/27/2021	Fever, chills, nausea, vertigo, headache, SWOLLEN LYMPH NODES. Armpit on left side is visually swollen and still huge and sore long after other side effects resolved. Other side effects lasted 1 day lymph nodes swelling and pain is now on day 3 and showing no signs of improving.
1357709	5/28/2021	FL	46	M	5/27/2021	5/27/2021	Telephone consult performed on 05/27/2021 @ 1530 by APRN. Pt assessed by Nurse at vaccination site. Pt received Moderna COVID-19 vaccine dose #1 on 05/27/2021 at 1415. Pt was observed for 15 minutes at vaccination site, left at 1430 without reactions. Nurse documented on vaccine consent form: 1530- Pt returned to vaccination location complaining of sudden onset of blurred vision and ocular pressure to right eye. Denies H/A, N/V, dizziness. Bilateral equal hand grasp. Denies history of migraines. BP 160/80; P 84; R 18; O2 sat 98% on room air. 1539: APRN called for consult and spoke to the patient. Pt reports a partial loss of vision to right eye which has subsided, but persistent bilateral blurred vision remains. Pt sts visual changes began ~ 1515. Pt reports he has a childhood stutter. Pt denies H/A, changes in speech, hearing, memory. Denies LOC/falls or dysequilibrium. Denies any medical history, including HTN. Pt is alert, oriented x 4. Discussed possibility of CVA with the patient and the need for emergent care via EMS, and explained rationale. Pt understood and agrees. notified 911. 1607: EMS arrival. Medics verbally report BP 158/100 on first set of VS to Nurse. Pt left vaccination site via EMS to be transported to Hospital.
1357688	5/28/2021	IN	24	F	5/26/2021	5/26/2021	Extreme body and muscle aches, severe headache, fever, nausea, chills, eye pain, slight dizziness lasting for 24 hours

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357367	5/28/2021	PA	74	M	3/4/2021	3/18/2021	Severe sore throat; severe pain; could not swallow; Ramsay Hunt syndrome; herpes zoster/shingles; cannot speak; half face paralyzed; This is a spontaneous report from a contactable consumer (patient). A 74-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EN6199), dose 1 via an unspecified route of administration, administered in Arm Left on 04Mar2021 18:30 as 1st dose, single for covid-19 immunisation. Medical history was reported as none. Concomitant medication included irbesartan. On 18Mar2021 16:00, a severe sore throat began, on 21Mar2021, the patient entered for emergency to hospital, severe pain and could not swallow, on 22Mar2021 he was hospitalized, for 14 days, the first 3 in the intensive care unit. Doctors have given his ailment different names: Ramsay Hunt syndrome, herpes zoster, shingles. On 04Mar2021 they sent me home, but under medical supervision from the hospital. To this date 22May2021 the patient continue with the adverse effects: he cannot swallow, tube feeding into the stomach, he cannot speak, half face paralyzed. The patient received treatment for ae included steroids, antivirals, analgesics. AE_treatment Lupus Erythematosus, Rheumatoid Arthritis, Fibromyalgia (pending confirmation). The adverse event result in visit to the doctor's office or other healthcare professional, Emergency room / department, Hospitalization, Life-threatening illness (immediate risk of death from the event. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. The outcome of the events was resolving.
1357615	5/28/2021	KY	14	M	5/27/2021	5/27/2021	Large rash under both armpits and swelling and itching of eyes.
1357718	5/28/2021	PA	47	F	4/28/2021	5/5/2021	I started itching and found hives on my ankle. It started at my ankle and it moved all the way up to my head and face. My eyes became swollen. I was told to take Benedryl by my doctor. It took three days to clear. It returned a week later. I followed the previous request and took more Benedryl. It cleared and returned again last week. I called the CDC and they informed me that the hives may come and go.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357665	5/28/2021	OH	54	F	4/10/2021	4/12/2021	Severe headache, ringing in ears, blurred vision, double vision, nausea, brain fog and unbalance.
1357642	5/28/2021	SC	46	F	5/13/2021	5/20/2021	Burning eyes. Left eye worse than the right. Left face and eye swelling. Rash on face, neck. Random spots of rash on body
1357676	5/28/2021	PA	15	M	5/27/2021	5/27/2021	Systemic: Chills-Mild, Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Visual Changes/Disturbances-Mild, Additional Details: PATIENT RECIEVED VACCINE AT 2P. Sat in waiting area for about 10 minutes. Our observer noticed that the patient was sliding in his seat and looked dizzy. Patient starting to flutter his eyes and lost consciousness for about 5 secs. He complained about blurry vision, feeling hot, sweating, but with chills. Patient was given water. After he drank the bottle of water patient felt fine. The ambulance was called and arrived, patient reported he felt fine. Patient did not eat/nor drink water today.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357445	5/28/2021	PA	59	F	3/21/2021		SEIZURE; SLURRED SPEECH; LEG PAIN; HEADACHE; SORE ARM; FEEL WEIRD (NOT HERSELF); This spontaneous report received from a patient concerned a 59 year old white and not Hispanic or Latino female. The patient's height, and weight were not reported. The patient's concurrent conditions included hypothyroid. The patient did not do drugs. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808609, expiry: 09-JUN-2021) dose was not reported, 1 total, administered on 20-MAR-2021 to right arm for prophylactic vaccination. No concomitant medications were reported. On 21-MAR-2021, the patient experienced sore arm the next day after receiving vaccine. On 22-MAR-2021, The patient had headache the following week that did not go away for about 5-7 days and nothing was relieving the pain. On 24-MAR-2021, the patient experienced leg pain and thought it was arthritis but she had never had leg pain like that before and her legs were really hurting. On 04-APR-2021, Sunday the patient was still feeling it. The next day woke up fine but still had leg pain and decided to take a hot bath and she really started to feel weird (not herself) and she was talking to the delivery woman and she was slurring her words (she did not do drugs) and was a healthy person. The patient laid down and her fiancé wanted to take her to the hospital. The patient's mom came over and she wanted to show her a new fridge and called it a fire place. 911 were called and the patient was taken to the hospital and admitted with seizure for 5 days. The patient had the seizure 15 days after the JnJ vaccine on 05-APR-2021, in the afternoon. The patient underwent 2 Magnetic resonance imaging (MRI) and a bunch of tests, computed tomography scan (CAT scan), electroencephalogram (EEG). No MD could claim this was from the JnJ vaccine. It was reported that the patient never had a seizure before in her life. A colleague told the patient that she read an article that said that she could have seizures and she was hypothyroid and thought that it a contraindication to the vaccine. The patient was admitted for 5 days and all tests came back normal. The patient was having speech issues but they were improving. The patient's mobility was fine and eye function was fine. The patient missed a lot of work. The patient had follow up with neuro in a month and would

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

see another neuro and pen medicine and it was an ongoing situation. This was to make sure that everything was okay. Laboratory data (dates unspecified) included: CAT scan (NR: not provided) Normal, EEG (NR: not provided) Normal, and MRI (NR: not provided) Normal. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from seizure, leg pain, and headache on 2021, and sore arm, was recovering from slurred speech, and the outcome of feel weird (not herself) was not reported. This report was serious (Hospitalization Caused/Prolonged).; Sender's Comments: V0-20210552079-covid-19 vaccine ad26.cov2.s -Seizure- This event is considered un-assessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357435	5/28/2021			U		5/1/2021	TUNNEL VISION; LACK OF ABILITY TO CONCENTRATE; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's height, and weight were not reported. No past medical history or concurrent conditions were reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin, and batch number were not reported) dose was not reported, 1 total, administered on 14-MAY-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On an unspecified date in MAY-2021, the patient experienced general side effects a kind of tunnel vision. Patient would not consider it dizziness, nausea or blurred vision. Patient had clear image of surroundings but it felt like vignette and another side effect was lack of ability to concentrate. Patient nearest experience like this was like being drunk or with anesthesia but with complete motor ability. After a good nap patient was ok, but the next day it went off again, less intense, but still annoying. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from tunnel vision, and lack of ability to concentrate. This report was serious (Other Medically Important Condition).; Sender's Comments: V0.20210550348-covid-19 vaccine ad26.cov2.s -Tunnel vision. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357431	5/28/2021	MS		M		5/20/2021	PASSING OUT; SLIGHTLY DEHYDRATED; LITTLE RED SPOTS ON CHEST, BACK, ARM, TORSO AND BELOW BREAST; WEAK; TERRIBLE HEADACHE; FEVER 103; DOUBLE VISION; DIZZY; THREW UP; STOMACH PAINS; HARD COLD SWEATS; COULD NOT BREATHE; This spontaneous report received from a patient concerned a 60 year old male. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 043a21a, expiry: UNKNOWN) dose was not reported, administered on 20-MAY-2021 at right arm for prophylactic vaccination. No concomitant medications were reported. After vaccination on 20-MAY-2021, the patient waited in the pharmacy for 20 mins. The patient got into car, the patient could not breath, began to sweat, threw up, experienced double vision and stomach pains. On same day, the patient was dizzy and had fever of 103 F. On 24-MAY-2021, the patient went to the emergency room (ER) by ambulance as the patient had passing out and when patient woke up patient was in ambulance on the way to the ER. The patient continued to have terrible headache, double vision, weak, and sweats which started on the day of vaccination. The patient had cold sweats. The patient still had stomach pains. On 24-MAY-2021, at ER the patient had an X-ray of chest, CT of head and neck. In the ER, patient received Dilaudid for terrible headache and some fluids as patient was slightly dehydrated. The patient had tiny red spots to chest, torso, arm, back an below breast. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from terrible headache, weak, double vision, fever 103, dizzy, little red spots on chest, back, arm, torso and below breast, stomach pains, and hard cold sweats, and the outcome of threw up, could not breath, passing out and slightly dehydrated was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0; 20210549340-covid-19 vaccine ad26.cov2.s-Loss of consciousness. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357377	5/28/2021	IN	24	F	5/18/2021	5/28/2021	Woke in the middle of the night to soft, itchy, quarter-sized lump under the skin around injection site ten days after vaccination. Persistent when scratched. No obvious inflammation observant to the eye but can be observed by touch.
1357721	5/28/2021	PA	50	F	3/10/2021	3/10/2021	She had both Covid Moderna vaccines. After each vaccine she felt lousy but after second vaccine she had rash all over body, itchiness, hives, eyes and facial swelling. It lasted for 2 weeks after vaccine.It occurs every time she works out now. She recently was out hiking and had rash all over body and itchiness.
1357946	5/28/2021	VA	41	F	5/26/2021	5/27/2021	Recurring pain around left eye. Probably sinus pain or migraine rather than true eye pain. Maybe be related to the walk to and from the clinic, exposure to strobe lights en route, etc.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357364	5/28/2021	NM	60	F	5/20/2021	5/21/2021	anaphylaxis; This is a spontaneous report from a contactable consumer or other non hcp (Patient). A 60-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), dose 2 via an unspecified route of administration, administered in Arm Left on 20May2021 11:00 (Batch/Lot Number: EW0165) as single dose for covid-19 immunisation (age at vaccination was of 60 years). Medical history included rheumatoid arthritis, surgical asplenia. Patient also allergic to Pineapple. No other vaccine was recieved by the patient in four weeks. The patient received other concomitant medications in two weeks. Historical vaccine included bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), dose 1 via an unspecified route of administration, administered in Arm Left on 30Apr2021 14:30 (Batch/Lot Number: EW0169) as single dose for covid-19 immunisation (age at vaccination was of 60 years). On 21May2021 12:15, the patient experienced short of breath, increasing difficulty breathing, anaphylaxis, in order hoarseness, voice sounds like laryngitis, in order hoarseness, voice sounds like laryngitis, lips tingling, eyes swelling, wheezing, dizziness. Patient took 50mg Benadryl at 12:30 with no relief and went to ER. The ER (emergency room) diagnosed anaphylaxis and started treatment at 13:37. EpiPen, famotidine (Pepsid), SoluMedrol PF was given as treatment. Patient recovered with lasting effects. No covid prior vaccination was reported. Patient was not tested for covid post vaccination. Outcome of all events was recovered with sequelae. Follow up attempts are needed. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357345	5/28/2021			F			Loss of vision; pain down back; impaired ability to move; This is a spontaneous report received from a contactable consumer, the patient. A female patient (over 50) of an unspecified age received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: UNKNOWN), via an unspecified route of administration on an unspecified date as a single dose for covid-19 immunization. The patient's medical history and concomitant medications were not reported. On an unspecified date, the patient experienced loss of vision, pain down back after second injection and impaired ability to move. The patient was tested for MS after all symptoms came back negative. Outcome of the event was unknown. Follow up attempts needed. Further information is expected.
1357425	5/28/2021	CA	32	F	5/24/2021		CHEST PAIN; BLURRED VISION; FEVER; This spontaneous report received from a patient concerned a 32 year old female. The patient's weight was 81.64 kilograms, and height was 160.02 centimeters. No past medical history or concurrent conditions were reported. The patient received covid-19 vaccine (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on 24-MAY-2021 13:00 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 24-MAY-2021, the subject experienced chest pain. On 24-MAY-2021, the subject experienced blurred vision. On 24-MAY-2021, the subject experienced fever. Laboratory data included: Body temperature (NR: not provided) 100.0. The action taken with covid-19 vaccine was not applicable. The outcome of the chest pain, blurred vision and fever was not reported. This report was non-serious.; Sender's Comments: V0. medical assessment comment not required as per standard procedure as the case was assessed as non-serious.
1357894	5/28/2021	NJ	66	F	4/1/2021	4/8/2021	Shortness of breath Double vision

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357031	5/28/2021	NY		M		5/1/2021	RESPIRATORY FAILURE FROM PROSTATE CANCER AND METASTASIS; HALLUCINATING, TALKING TO HIS DEAD MOTHER AND BROTHER AND CHASING SQUIRRELS; STOPPED EATING; LOSS OF VOICE; TROUBLE SLEEPING; HEALTH STARTED TO DETERIORATE; DID NOT FEEL GOOD; LOW ENERGY; MIGHT BE GETTING A COLD; AGITATION; This spontaneous report received from a consumer concerned a 77 year old male. Initial information was processed with additional information received on 19-MAY-2021, 21-MAY-2021 and 22-MAY-2021. The patient's weight was 140 pounds, and height was 68 inches. The patient's past medical history included prostate issue and kidney shut down in 2014 because he could not urinate. Patient was hospitalized and doctor ruled out prostate cancer; he did have a serious infection, sepsis, surgery to open his prostate for urination and Foley catheter for 6 months. On 21-JUL-2014, daughter took patient home. Doctor wanted to place him in nursing home, he needed 24-hour care, but daughter refused. He went home with a feeding tube, had metabolic issues described as low pressure but high heart rate, "insulin dependent/diabetes/sugar issues" due to the feeding tube; within 3 weeks, he was up functioning, no more feeding tube, gained 25 pounds he was doing good with home care OT/PT, and blood sugar issues were corrected. The pulmonologist or cardiologist told daughter that he did not have damage to his heart. An echocardiogram was completed during this time, any other results are unknown. On 16-APR-2020, patient had trouble breathing, thought he was getting a cold. Ambulance was called and he was responding to supplemental O2, but was taken to the hospital. He was calm and fine but waiting for antibiotics during a 6-hours visit to the emergency room. X-ray showed he had a slight infection in his lower lobe. Apparently, the patient was told he had COVID-19 disease and had an anxiety attack. A couple hours later the reporter was notified that her father was intubated and placed in a drug-induced coma for COVID-19 disease. The reporter stated that this was not true and the hospital had no evidence because a rapid COVID-19 test was not available at that time and they had no evidence of COVID-19 infection. Five days later, the COVID-19 test result was positive. He was hospitalized for 95 days. While in coma, he had 2 heart attacks, his right lung collapsed due to

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

hydropneumothorax with 85% of chest filled with loculated effusions; 900 mL of pleural fluid was removed from the lung. He received plasma antibodies during coma; he had hematomas all over both arms and hands. Daughter refused DNR (do-not-resuscitate). Daughter took her father home on 21-JUL-2020. Patient had a long history of hospital stays and health problems, was in coma from 16-APR-2020 to 24-JUL-2020. Patient was on ventilator. He was discharged and was still on feeding tube, He regained most of his abilities, but still was not able to retain information, and did not have a memory of what happened to him. He was not mentally capable. He was still recovering from his coma. On 05-SEP-2020, he had a bone marrow biopsy which ruled out cancer. Anemia treated with iron supplement. On an unspecified date in 2021, patient broke his hip and stayed in the hospital for another 11 days. Patient had chronic cough and was diagnosed with prostate cancer metastatic. The patient experienced rash when treated with morphine. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 206A21A, expiry: UNKNOWN) frequency 1 total, dose was not reported, administered on 05-MAY-2021 for prophylactic vaccination. No concomitant medications were reported. Reporter reported that her father received the Janssen COVID-19 Vaccine on 05-MAY-2021. He sat for the 15 minutes monitoring period at the vaccine facility. He did not intend to get vaccinated, but rather, was exchanging his glasses at the facility and proceeded to get vaccinated. The reporter stated that her father was escorted by the optical department associate to the pharmacy and that her father did not have the mental capacity to provide consent for vaccination. He was not capable of making medical decisions for himself. She was his contact person for informed consent. He went to pharmacy for eyeglasses and saw all the advertisement for JJ vaccine and went to get the shot. Even though He did not have the mental capacity to make decisions, the JJ vaccine was administered by pharmacy staff without any notifications to his family. There were no other risk factors or anything different that he did in those days. After 4 days of receiving the vaccine (on 10-MAY-2021) his health started to deteriorate and died within 24 hours after symptoms. On 07-MAY-2021 and 09-MAY-2021, the reporter was in

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

contact with her father and he was fine. On 10May2021, her father did not feel good and thought he might be getting a cold, however, it was nothing alarming. He had fatigue, trouble sleeping, agitation, and low energy. On 11-MAY-2021, he was not eating, lost his voice, had trouble breathing, and told his wife he was going to lay down. On an unspecified date in MAY-2021, patient's breathing changed. On 11-MAY-2021, he was hallucinating, talking to his dead mother and brother and chasing squirrels (coded as visual hallucinations), then died. He was feeling tired and wanted to rest, he lied down and he dropped dead in short time. Patient died on 11-MAY-2021. Family did not have time to take him to the hospital. Daughter believed JJ vaccine is a killer and it was a death sentence for her father. The cause of death was reported as respiratory failure from prostate cancer and metastasis, which the reporter disagrees. She denied the cause of death. Reporter was angry and disappointed, blaming the death of her father on JJ vaccine. She stated so many times that the vaccine was a death sentence and how was it still continued, it was killing people. Reporter mentioned after her dad's passing his doctor called asking why was he given the vaccine and that patient was not a candidate for it considering his past medical history. Doctor did not want him to get the vaccine. Reporter also looked at her dad's journal, according to it he thought vaccine was created to help with side effects instead of actually preventing it. She already called pharmacy and spoke to the pharmacist/district manager, it was a completely new pharmacy for him and he had only gone for eye glasses only. District manager said they made a judgement call about vaccinating him. Daughter was angry with them for not checking with her or his doctor first. On JUL-2014, Laboratory data included: Blood pressure (NR: not provided) low pressure, Echocardiogram (NR: not provided) No damage to his heart., and Heart rate (NR: not provided) high heart rate. On APR-2020, Laboratory data included: COVID-19 virus test (NR: not provided) positive. On 16-APR-2020, Laboratory data included: X-ray (NR: not provided) a slight infection in lower lobe. On 05-SEP-2020, Laboratory data included: Bone marrow biopsy (NR: not provided) ruled out cancer. An autopsy was performed on 11-MAY-2021. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

patient died from respiratory failure from prostate cancer and metastasis. The patient had not recovered from hallucinating, talking to dead mother and brother and chasing squirrels, stopped eating, loss of voice, did not feel good, trouble sleeping, low energy, health started to deteriorate, and might be getting a cold, and the outcome of agitation was not reported. This report was serious (Death, and Other Medically Important Condition). This report was associated with product quality complaint :90000179909. The suspected product quality complaint has been confirmed to be voided based on the PQC evaluation/investigation performed. Confirmed no PQC was identified within the reported complaint reported. Complaint is approved for void. This case, from the same reporter is linked to 20210534689 and 20210544901.; Sender's Comments: V0: 2021054583 -covid-19 vaccine ad26.cov2.s –Respiratory Failure From Prostate Cancer And Metastasis. This event(s) is considered not related. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There are other factors more likely to be associated with the event(s) than the drug. Specifically: MEDICAL HISTORY 2021054583 -covid-19 vaccine ad26.cov2.s - Hallucinating, talking to his dead mother and brother and chasing squirrels. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).; Reported Cause(s) of Death: RESPIRATORY FAILURE FROM PROSTATE CANCER AND METASTASIS

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357341	5/28/2021		58	F			broken blood vessel in left eye/It might have happened after the 1st dose too; This is a spontaneous report from a contactable consumer (patient). A 58-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Batch/Lot Number: unknown), via an unspecified route of administration on an unspecified date as a single dose for COVID-19 immunisation. The patient medical history and concomitant medications were not reported. On an unspecified date, patient had a broken blood vessel in left eye and stated that it was not going away. The outcome of event was not resolved. Information about batch/lot number has been requested. Further information was expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357979	5/28/2021	CA	22	M	5/27/2021	5/27/2021	Client received his first dose of the Pfizer Covid-19 vaccine (Lot # EW0185 Exp. 08/2021) on 5/27/21 at 1036 AM. At approximately 1045 the client walked up to the EMT asking for water and stating that he felt lightheaded. " Client was a 22-year-old male alert and tracking with his eyes and beginning to stumble. The client had a chief complaint of syncope. EMT managed to assist the client to the observation bed while an additional EMT and RN arrived for further assistance. The client was positioned supine on the cot and proceeded to lose consciousness. The client did not fall or injure himself in any way. He regained consciousness after approximately 15 seconds. He was alert and oriented to person, place, time, and situation immediately upon regaining consciousness. Client stated that he did not have anything to eat or drink before arriving at the vaccination site. The client had no known allergies and denied any medical history. The client was negative for hives, swelling, discoloration, signs or symptoms of shortness of breath, or other signs of anaphylaxis. The client's airway, breathing, and circulation were intact. The first set of vital signs were taken at 1045 and are as follows: blood pressure 110/76, pulse 52, O2 saturation 96%, skin pale, sweaty and hot. The client consented to stay an additional 30 minutes after his initial vitals were taken and his vitals were reassessed every five minutes until his symptoms resolved. After approximately 10 minutes, the client was fully pink in his face and denied any further lightheadedness. At 1051 the second set of vital signs were: bp 122/82, p 56, O2 96%, skins pink, normal, and warm. Client was assisted to an upright seated position and was given Pringles and juice. At 1059 clients vitals were - 124/84 BP, 74HR O2 99%, Resp 16. At 1109 vitals: bp 122/82, p 68, O2 97%, skins pink, normal and warm. At the completion of his additional 30-minute observation, the client stated that he was feeling better. All pertinent information was given to client by EMT and RN and he was encouraged to follow up with his primary before his next dose. The client was also instructed to call 911 if a severe allergic reaction occurred later in the evening and was reminded to eat before his next vaccination. RN educated client about the possible signs and symptoms of an allergic reaction. The client at 1115 in positive disposition with his mother.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357959	5/28/2021	WI	62	M	3/26/2021	3/26/2021	3/26/21 After Pfizer vaccine noticing hives on chest and left arm as well as facial tingling and slightly left eye itchiness. Received 2 dose of Epinephrine during ED visit. 5/13/21 After Janssen vaccine he received at this morning around 8:10 AM. After that he had almost the exact same symptoms with a shooting pain in the left arm and neck some left hand tingling and swelling to the point where he can't get his wedding ring off and a sensation of pressure/tingling/fullness in the left side. Given Benadryl and steroids, initially there is no airway concerns or compromise. However after a period of time, he thought his voice was different. He did sound just slightly raspy, though I did question whether this could be related to dryness from the Benadryl. Regardless given that he did note a change, we opted to go ahead and give a dose of epinephrine, which did resolve his symptoms
1357950	5/28/2021	MI	78	F	5/21/2021	5/21/2021	Double vision - diagnosed as 6th nerve palsy in right eye. Could take up to 6 months for normal vision if then. Have seen eye doctor and neurologist. Have to wear eye patch.
1357942	5/28/2021	VA	14	F	5/26/2021	5/27/2021	On Thursday 5/27/21 her right eye swelled spontaneously while in the classroom. Both the upper lid and lower lid. No ocular involvement, or visual changes. Resolved with time and ice. Assumed that it was contact dermatitis. No other symptoms or complaints. The next morning 5/28/21 she woke up covered in hives on trunk/legs, minimal facial swelling. Lips/tongue/mucus membranes not involved. No SOB, dyspnea, cough or wheezing. No chest pain/pressure, no GI complaints or other complaints. I gave famotidine and levocetirizine. No worsening of symptoms noted and she attended school with close monitoring.
1357927	5/28/2021	CO	63	F	2/19/2021	2/20/2021	Severe headache, it was so bad I couldn't even open my eyes, could only lay down and stay in a dark room it was worse than having a Migrane. Had an upset stomach. Aching all over. Lasted for 2 days.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357896	5/28/2021	OR	72	F	2/27/2021	4/12/2021	On April 19, 2021, I noticed complete numbness on right side of my face, above my lip and up through my nose, right eye and head. After several days, I contacted my primary care physician. She was concerned I may have suffered a stroke so on Friday, April 23, she sent me for a CT Scan at Imaging. The results of the scan were negative for a stroke. However, my PCP asked that I see my neurologist as soon as possible which was Thursday, April 29th at 10:15 am. A Neurologist sent me back to Imaging for an MRI. The MRI also proved negative for stroke and confirmed my brain tumor was staying the same size. I still have numbness in the right side of my face, eye and head.
1357765	5/28/2021	FL	56	F	5/24/2021	5/25/2021	Injection at 10:18 am. Got home -- explosive diarrhea by 11:30 am. Joint pain started this evening. Became severe (unable to open doors, walk) the following day (Tuesday, 5/25/21) followed by muscular pain, especially legs and buttocks. Tinnitus has peaked (exacerbation) since Tuesday as well (pulsatile). On Tuesday evening, right eye became red and inflamed. Continued into Wednesday with swollen eyelid and area surrounding eye (including right temple and right upper cheek). Had to call in sick on Thursday and today as swelling has not resolved. Using hot compresses.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1357860	5/28/2021	WI	44	F	3/16/2021	3/16/2021	shortly after receiving the vaccine, she developed lightheadedness, frontal headache and a feeling of "fuzziness." "I knew it was going to start." She describes a globus sensation. She developed nausea without vomiting. Took 40 mg of prednisone and 25 mg of diphenhydramine. EMS was contacted. She tells me that she lost vision and couldn't see the paramedics when they arrived. Discharged from ED, then returned on 3/17/21, when she began experiencing face itchiness and flushing, numbness of her mouth and lips, throat inflammation, and vision loss. Patient took Prednisone this morning with little symptom relief. Compared to yesterday, the only new symptom is throat inflammation. 4/30/21 Primary care visit: presents to the clinic for evaluation of globus sensation. Patient reports that this has been an issue ever since she got her first dose of Pfizer COVID-19 vaccine. She feels as though there is something in her throat and feels pain or discomfort, most often in the mornings and evenings for several weeks. She feels the need to "clear" her throat often. She denies any trouble eating or swallowing. She feels as though her neck and face still appear swollen compared to her baseline, since getting the vaccine. She reports occasional post nasal drip but denies significant nasal congestion and does not feel this is the typical time for her to struggle with her allergies. She has noticed frequent nose bleeds in the past 2 weeks, now daily. She states that she will sometimes bleed up to 15-20 minutes. She has been feeling more tired and "foggy" or more forgetful in the past few weeks as well and fears this is starting to affect her work performance.
1357839	5/28/2021	OH	49	F	4/9/2021	4/13/2021	INCREASED FATIGUE, HEADACHE, CHILLS, FEVER, LOSS OF SMELL/TASTE, ALL OVER PAIN (JOINT,BONES, MUSCLES, SKIN) FEELS LIKE IM 90 ALMOST CRIPPLING, DONT HAVE TO DO ANYTHING TO BE IN PAIN, EXTREME TEMP VARIATION FREEZING COLD OR BURNING UP, BRUISING, SWELLING, RASH ITCHY/TINGLING/TIGHT SKIN, NUMBNESS, MILD VISION CHANGES, SOME SHORTNESS OF BREATH (UNSURE IF INCREASED OR SAME) WEIGHT CHANGES, INCREASED MALAISE.
1357826	5/28/2021		34	F	5/25/2021	5/28/2021	Eye swelling which resolved with no shortness-of-breath of acute set with no improvement over 4 hours or more

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357825	5/28/2021	VA	16	F	5/27/2021	5/27/2021	Shortly after receiving vaccination client became pale and diaphoretic, c/o blurry vision and fell from chair. She received a minor injury to her right knee which was treated on the scene by EMS. BP 91/50, O2 99%, HR 46
1357821	5/28/2021	CO	20	F	5/7/2021	5/7/2021	Immediately after receiving the Pfizer injection, I began to feel lightheaded and dizzy. Moments after that, I felt a general sense of unease and began feeling too hot. I was nauseated, sweating, shaking, experienced tingling in the hands and feet, tunnel vision, and temporary loss of hearing. Within 10 minutes, these had all subsided, and after my 15 minutes of waiting was up, I was allowed to leave with no further adverse reactions.
1357817	5/28/2021	NY	93	M	5/27/2021	5/27/2021	Patient had requested a split dose of the 2nd Moderna vaccine due to prior history of having shingles soon after 1st dose. Received 0.05ml at ~3pm. Around 3.12 or 3.18pm he began to complain of L eye blurred vision. Pt was evaluated and noted to have no other headaches, dizziness, SOB, chest pain. He reported that R eye vision was okay. Unable to read first line of snellen eye chart with left eye. Visual fields were intact, EOMI, and PERRL. He denies a shade being pulled over his eye. Pt was taken to the ED where vital signs were stable. A brief check showed stable blood pressure and blood glucose. Pt then eloped from the ED and went to another hospital's ED. There he was found to have a left central retinal artery occlusion.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1357924	5/28/2021	CA	43	F	5/27/2021	5/27/2021	Client received her second dose of the Pfizer Covid-19 Vaccine (Lot #EW0185 exp. 08/2021) on 5/27/21 at 09:41 AM. At approximately 1005 the client walked to the EMT station complaining of cramping on her right lateral side. EMT and RN responded. The client was a 43-year-old female who was alert and tracking with her eyes. The client had a chief complaint of shortness of breath. The client stated that she began to feel pain on her right side and that it was giving her mild shortness of breath. This was the client's second dose of the Pfizer vaccine. The client denied any known allergies or significant medical history. The client was not on medications. The primary assessment revealed that the client's airway, breathing, and circulation are intact. The client was negative for hives, swelling, discoloration, signs or symptoms of shortness of breath, or other signs of anaphylaxis. The client was alert and oriented to person, place, time, and event. The client stated that she "did not have anything to drink?" and was "feeling a bit nervous?". EMT had the client lay down on the cot and took the first set of vitals at 1007 and were as follows: Blood pressure: 124/88, Pulse: 68 and regular, O2 saturation 98%, and lung sounds clear, respirations 20. The client then consented to stay an additional 30 minutes after her initial observation. After 5 minutes the client stated she was feeling better after drinking some water. The second set of vitals was taken at 1014 and are as follows: BP 122/82, pulse 72, O2 saturation 98%, lung sounds clear., respirations 18. After her first 15-minutes of observation, the client stated that she was "feeling better?" and refused to complete the remainder of her thirty-minute observation. All pertinent information was given to her and her husband by EMT and RN. The client was also instructed to call 911 if a severe allergic reaction occurred later in the evening and was educated on the signs and symptoms to watch out for. The client departed at 1020 in positive disposition with her husband.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1356908	5/28/2021	CA	35	F	4/10/2021	4/14/2021	Numbness/weakness in arms - burning at times Extreme itching in arms and legs at times Leg cramps Heart beating hard suddenly just from being still or laying down Pin point pain spots on my spine which started within hours of receiving the vaccine Red dots on legs and arms skin (Petechiae) Shortness of breath climbing stairs, sometimes just walking or sitting Sensation is arm, is like it?s falling asleep, has lasted for hours or days especially right side Throbbing in right ear at times Muscle jumping at times Have experienced extreme itchiness where I have had numbness/muscle weakness Facial numbness around mouth and some involuntary twitching on right side Neck ache - cramps A ton of Floaters in eye site Back pain repeatedly Actual worsening cramps Specific pin point cramps mostly in legs which last for a long time or come and go for several days Pin point pain in chest of left side INSANE HEADACHE Now getting small head aches each day Small spider veins on legs I was a person who worked out basically every day over the last 10 years before the vaccine. I have not worked out one day since, I wouldn?t even try because I?m out of breath just from walking up stairs, leg cramps from doing nothing.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357173	5/28/2021	WI	69	F	4/16/2021	4/17/2021	coughs; her face is so dry and skin is shedding off; her face is so dry and skin is shedding off; eyes were swollen/swollen around eyes; hive like bumps and streaks of red welts on her neck; face was extremely red from her forehead down to chin/ face became swollen and red; her face became swollen/ face was huge/ face swell up; face swell up; it was extremely itchy and painful; itchy face/ itching; sore arm; felt off/ mild lethargic; This is a spontaneous report from a contactable consumer (patient herself). A 69-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration, administered in left arm on 16Apr2021 14:57 (Batch/Lot Number: EW0164) as 1st dose, single for COVID-19 immunisation. The patient had relevant medical history and no concomitant medications. On 17Apr2021, the patient had a sore arm, felt off/mild lethargic but that was an expected result of a vaccine injection. Two weeks later in the evening on 03May2021, she had something that had never happened before. She experienced sudden onset itchy face, it felt warm, and her face was extremely red from her forehead down to chin. Her face became swollen, red and itching. This came on quickly. Her face was huge, swollen around eyes, itching like crazy. She was just sitting on couch after dinner and started itching all of a sudden. When she went to the bathroom to see, her face was the reddest and she looked like a tomato and her face was swelling. Her eyes were swollen the next morning and she had hive like bumps and streaks of red welts on her neck. Patient stated 'I got a terrible case of hives and my face swell up and it was extremely itchy and painful I mean really bad, I have never anything like this happen in my life.' Her face was literally on fire it was itching terrible, it was very swollen my eyes, where to the point that you could barely see out of them. The next day, she took a diphenhydramine (BENADRYL) but that did nothing. She confirms she got the first shot on Tuesday, 04May2021. The Benadryl, she confesses she threw it out because she hadn't used any since 2015 and it was expired. She did get a brand pack but did use this one. She has no UPC, Lot, or Expiry. The Benadryl didn't phase it. On 05May2021, it started to develop on the top of her hands. On 06May2021, she contacted the doctor and got an appointment where she was given prescribed

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

prednisone - 20 mg for 3 days to treat it. It was in a pharmacy bottle, a round peach tablet, and says use before 06May2022 but there is no NDC, manufacturer, or Lot on the bottle. When she got the medication on Thursday she was told to take it only in morning because she could get jittery, people cant sleep sometimes when taking it at night. She started it Friday morning. She reported she got jittery from prednisone but that the swelling started going down. The patient coughs during the call and remarked the prednisone made her hoarse for some reason. After using the prednisone, she got funny things on her arm that looks like the measles. She started to develop a rash on her forearms that resembled measles and developed water blisters in between her fingers and down at her ankle. It was between her wrist and elbow on the underside of her arms. She was also really itchy over her body. There were water blister outbreaks on her ankles and between finger. She noted this was after the prednisone. Patient stated 'I am still itchy and stuff like as far other places on my body now the things are erupting.' She had an appointment with dermatologist next Wednesday. The redness, swelling and itching on her face has resolved at this point but her face was shedding. She explained that her face was so dry and skin was shedding off. She had not been outside and worried would she have a reaction to things since this has happened. It was noted she saw a nurse practitioners and next week she will have a head to toe dermatologist appointment. She was forwarding the information from this event to the dermatologist to review with her normal appointment that was scheduled months ago. She wanted to know if this had been reported before and if she should get the second dose of the vaccine after having this reported reaction. Patient stated 'At this point, I don't plan on pursuing going for the next injection until I get some really solid data about what is happen here that I had this kind of reaction. I have number or references going to find Pfizer vaccine I have various things in whatever but I yet to come across anybody that had just particular reactions.' She didn't take any lab test. They didn't draw any blood or anything like that they just looked at her face and stopped by. She was hoping to get blood drawn to try to figure out what happened here. Outcome of 'her face became swollen/ face was huge/ face swell up, itchy face/ itching, and face was extremely

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357163	5/28/2021		40	F	4/30/2021	4/30/2021	red from her forehead down to chin/ face became swollen and red' was recovered in May2021; while outcome of remaining events was unknown. No follow-up attempts are possible. No further information is expected.
							Heart pounding and fluttering; Migraine headache; neck pain; dizziness; head and neck hot to the touch (no fever); eye pain; exhaustion; vertigo; mild nausea; Left temple throbbing and pulsating/headache; Heart pounding; This is a spontaneous report from a contactable consumer (patient). A 40-years-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), dose 1 via an unspecified route of administration, administered in Arm Left on 30Apr2021 16:30 (Batch/Lot Number: ER8736), age at vaccination of 40-years-old, as single dose, for covid-19 immunisation. The patient medical history was not reported. The patient was not pregnant and was not pregnant at the time of vaccination. There were no concomitant medications. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient experienced migraine headache everyday, neck pain, dizziness, head and neck hot to the touch (no fever), eye pain, exhaustion, some vertigo and mild nausea, left temple throbbing and pulsating, heart pounding an fluttering occasionally, all on 30Apr2021 at 1730. No treatments were give for the events. Facility where the most recent COVID-19 vaccine was administered: Prior to vaccination, the patient was not diagnosed with COVID-19. The patient underwent lab tests and procedures which included sars-cov-2 test negative on 10May2021. The patient had not recovered from the events. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357119	5/28/2021	VA	25	M	4/12/2021	4/12/2021	<p>motion sickness in car; micro movement of the eye; lack of focus of the eye; prolonged dizziness; intense headache; Dropping blood pressure; Myalgia; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of MOTION SICKNESS (motion sickness in car), EYE MOVEMENT DISORDER (micro movement of the eye), OCULAR DISCOMFORT (lack of focus of the eye), DIZZINESS (prolonged dizziness), HEADACHE (intense headache) and HYPOTENSION (Dropping blood pressure) in a 25-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 040B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 12-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 12-Apr-2021, the patient experienced MOTION SICKNESS (motion sickness in car) (seriousness criterion hospitalization), EYE MOVEMENT DISORDER (micro movement of the eye) (seriousness criterion hospitalization), OCULAR DISCOMFORT (lack of focus of the eye) (seriousness criterion hospitalization), DIZZINESS (prolonged dizziness) (seriousness criterion hospitalization), HEADACHE (intense headache) (seriousness criterion hospitalization) and HYPOTENSION (Dropping blood pressure) (seriousness criterion hospitalization). On an unknown date, the patient experienced MYALGIA (Myalgia). At the time of the report, MOTION SICKNESS (motion sickness in car), EYE MOVEMENT DISORDER (micro movement of the eye), OCULAR DISCOMFORT (lack of focus of the eye), DIZZINESS (prolonged dizziness), HEADACHE (intense headache), HYPOTENSION (Dropping blood pressure) and MYALGIA (Myalgia) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On an unknown date, Blood pressure measurement: mmHg (Low) Dropping blood pressure. On an unknown date, Cardiac stress test: (Inconclusive) Inconclusive. On an unknown date, Magnetic resonance imaging: (normal) had a cyst but nothing that would cause symptoms. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Treatment medication includes antibiotic for cyst, 25mg 3xday meclizine for</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

inner ear, and Midodrine HCL 10mg for dropping blood pressure and 10mg Pregnisone for inner ear inflammation. Patient underwent VNG test had no inner ear inflammation and noticed micro movements of the eye No concomitant medication information were reported Caller wanted to report adverse event. Callers first dose was on 12apr21, LOT#040B21A, Expiration date 10/2/21. Caller said his life has been upside down since he got the shot. First week had intense headache and dizziness. Second week he had muscle aches and dizziness with limited headaches. Third week he is having a focusing and dizziness issue. Caller said he seen doctor and specialist. Caller had MRI and Stress test. Caller said MRI came back clean. Caller said they had a cyst but nothing that would cause symptoms. Caller said Brain scan came back negative. Caller said he was completely heathy. Caller said he also gets motion sickness now since he had the vaccine. Primary care doctor gave antibiotic for cyst. PCP thought had something to do with inner ear, 25mg 3xday meclazine, then the gave Midodrine HCL 10mg for dropping blood pressure. Caller said he got relief for 3 days then he started getting sick. Caller went to ER and they took him off the medicine. Caller when to a ENT doctor. Caller said took VNG test. He was prescribed 10mg Pregnisone for inner ear inflammation. The VNG test proved he didnt have inner ear inflammation. Caller said his symptoms have been going on for 32 days as of yet. Caller said he cant go to restaurants because of dizziness and sickness. Caller said during his VNG test they noticed micro movements of the eye. His ENT thinks this may be causing the dizziness and lack of focus. Caller said he will travel to anywhere to get help.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Further information regarding detailed medical history and diagnostics will help in assessment.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1358010	5/28/2021	RI	69	F	3/16/2021	3/22/2021	Intense UTI and urgency to urinate, no control of it. Fatigue/sleeping, brain confusion, aches, headaches everyday, old injuries became active again i.e. my broken hand 7 years ago began hurting and couldn't use it, my knee would not hold me up to stand and kept going out on me (from 2010 broken tibia and torn knee ligaments). Began a sinus infection, cough and eye pain with awful bouts of constant sneezing. Third round of antibiotics for the UTI and my bladder is still not right with leakage and urgency. Liver enzymes are high chart.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357039	5/28/2021			U	5/21/2021		MODERATE SWELLING AROUND FACE; EXHAUSTION; SWELLING AROUND INJECTION SITE; EYES HURT REALLY BAD; SWOLLEN EYELIDS; SWELLING ALL OVER BODY FROM HEAD TO TOE; LIGHT SENSITIVITY WHEN EXPOSED TO DIRECT SUN LIGHT; BLURRY VISION WHEN EXPOSED TO DIRECT SUN LIGHT; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's height, and weight were not reported. No past medical history or concurrent conditions were reported. The patient received covid-19 vaccine (suspension for injection, route of admin not reported, batch number: 205A21A, expiry: UNKNOWN) dose was not reported, administered on 21-MAY-2021 for prophylactic vaccination. No concomitant medications were reported. On 21-MAY-2021, the subject experienced swelling all over body from head to toe. On 21-MAY-2021, the subject experienced light sensitivity when exposed to direct sun light. On 21-MAY-2021, the subject experienced blurry vision when exposed to direct sun light. On 23-MAY-2021, the subject experienced eyes hurt really bad. On 23-MAY-2021, the subject experienced swollen eyelids. On 24-MAY-2021, the subject experienced moderate swelling around face. On 24-MAY-2021, the subject experienced exhaustion. On 24-MAY-2021, the subject experienced swelling around injection site. Treatment medications (dates unspecified) included: diphenhydramine hydrochloride. The action taken with covid-19 vaccine was not applicable. The patient recovered from swelling all over body from head to toe, and blurry vision when exposed to direct sun light on 23-MAY-2021, was recovering from light sensitivity when exposed to direct sun light, had not recovered from exhaustion, swelling around injection site, and moderate swelling around face, and the outcome of swollen eyelids and eyes hurt really bad was not reported. This report was non-serious.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357857	5/28/2021	NY	16	M	5/12/2021	5/26/2021	Patient was seen by me via telehealth for follow up after ED visit to Hospital on 5/26/21. On 5/26/21 patient was riding his bike, felt like his legs were heavy and lost consciousness. He said that prior to losing consciousness his vision was blurry and sounds sounded distant. Mother witnessed event and stated he had shaking of his upper extremities for a few seconds woke up and then had repeat shaking and loss of consciousness with eyes rolling up. He was taken by EMS to Hospital where evaluation per report was normal (labs, CT head, EKG)
1357043	5/28/2021	CO	39	F		5/23/2021	BLURRED VISION; HEADACHE; This spontaneous report received from a patient concerned a 39 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included non smoker, non alcohol user, sensitive to latex, and bees venom, and other pre-existing medical conditions included the patient had no illicit drug use. The patient received covid-19 vaccine (suspension for injection, route of admin not reported, batch number: 203a21a, expiry: UNKNOWN) dose was not reported, administered on 17-MAY-2021 for prophylactic vaccination. No concomitant medications were reported. On 23-MAY-2021, the subject experienced blurred vision. On 23-MAY-2021, the subject experienced headache. The action taken with covid-19 vaccine was not applicable. The patient was recovering from blurred vision, and headache. This report was non-serious. This report was associated with product quality complaint: 90000180537 The suspected product quality complaint has been confirmed to be voided (did not meet PQC criteria) based on the PQC evaluation/ investigation performed.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357021	5/28/2021			F	4/1/2021		<p>DECREASED IN VISION; DECREASE IN MEMORY; DECREASE IN HEARING; DECLINE IN HEALTH AND HYGIENE; BLURRY EYES; TEMPLE PAIN; NECK PAIN; CHEST PAIN; OPPRESSION; FEELING STALKED, MONITORED, HARASSED; TRAUMATIZED; OVERWHELMED; EXPOSURE TO ELEMENTS; SWOLLEN ANKLES; MENTAL STRESSED; UNCOMFORTABILITY; This spontaneous report received from a patient concerned a female patient (age, race and ethnicity not reported). The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unk) on an unspecified date for prophylactic vaccination. No concomitant medications were reported. The patient filed a complaint in the Court on 20-APR-2021. Federal statutory rights including retaliation, abuse of power, discrimination, and persecution were reported as violated. She listed defendants. Place of occurrences. Dates of occurrences were between 11-APR-2021 and 16-APR-2021. Injuries were reported as: decreased in vision, memory, hearing, decline in health and hygiene, blurry eyes, temple pain, neck pain, chest pain, blocked path to housing and food, oppression, feeling stalked, monitored, traumatized, overwhelmed, exposure to elements, swollen ankles, re-worn dirty clothes, harassed, mental stressed, and uncomfotability. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the decreased in vision, decrease in memory, decrease in hearing, decline in health and hygiene, blurry eyes, temple pain, neck pain, chest pain, oppression, feeling stalked, monitored, traumatized, overwhelmed, exposure to elements, swollen ankles, felt harassed, mental stressed and uncomfotability was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: This spontaneous report received from a patient concerned a female patient (age, race and ethnicity not reported) who experienced the below complaints unspecified time after vaccine. No past medical history was reported. No concomitant medications were reported. The patient filed a complaint in the Court . Federal statutory rights including retaliation, abuse of power, discrimination, and persecution were reported as violated. She listed defendants. Injuries were</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

reported as: decreased in vision, memory, hearing, decline in health and hygiene, blurry eyes, temple pain, neck pain, chest pain, blocked path to housing and food, oppression, feeling stalked, monitored, traumatized, overwhelmed, exposure to elements, swollen ankles, re-worn dirty clothes, harassed, mental stressed, and uncomfortability. A meaningful medical assessment can not be made of this legal case, although the events are unlikely to be related to vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357193	5/28/2021	NE	43	F	4/13/2021	4/16/2021	dizzy spells; lips swollen & burning; lips swollen & burning; inside cheeks covered with hive like sores; hives on legs, arms, face; eyes swollen nearly shut/Day 8 swollen eyes/Day 14, 15, 16 random eye swelling; wheezing; Coughing; hard time breathing; all consuming itch in tips of fingers and toes/ hand/foot itch; swollen throat-hard to swallow; swollen throat-hard to swallow; chest spasm; sleepy; Days 2,3,4 lower back and uterus pain; uterus pain; extreme exhaustion; stiffness in joints; This is a spontaneous report received from a contactable consumer, the patient. A 43-years-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), dose 1 via an unspecified route of administration, administered in the left arm on 13Apr2021 at 13:00 (NDC Number: ndc 59267-1000-01) as a single dose (at the age of 43 years old) for COVID-19 immunisation. The patient medical history included unspecified allergies. The patient was not pregnant. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to the vaccination the patient was not diagnosed with COVID-19. The patient's concomitant medications were not reported. On 16Apr2021 at 07:30 the patient experienced lower back and uterus pain, extreme exhaustion and stiffness joints on 18Apr2021 swollen throat-hard to swallow chest spasm, sleepy; on 19Apr2021 eyes swollen nearly shut, wheezing/coughing, hard time breathing-used inhaler, all consuming itch in tips of fingers and toes, lips swollen & burning, inside cheeks covered with hive like sores, hives on legs, arms, face, took Allegra but no relief; on 20Apr2021 the patient experienced dizzy spells. The events resulted in Doctor or other healthcare professional office/clinic visit. The clinical course is as follows: Days 2,3,4 lower back and uterus pain; Day 5 same plus swollen throat-hard to swallow, chest spasm, sleepy; Day 6 same plus eyes swollen nearly shut, wheezing/coughing, hard time breathing-used inhaler, all consuming itch in tips of fingers and toes, lips swollen & burning, inside cheeks covered with hive like sores, hives on legs, arms, face, took Allegra but no relief; Day 7 same as day 6 + dizzy spells; Day 8 swollen eyes, hand/foot itch less severe but still consuming; Day 9 eyes less swollen, feet/hand itch less consuming; Day 10 manageable itchy feet/hands; Day 11 swollen eyes, itchy hands/feet increased intensity; Day 12 swollen eyes,

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							itchy hands/toes less severe; Day 13 nothing; Day 14, 15, 16 random eye swelling, itchy feet/hands. About a week after last symptoms the patient started getting lower back pain, cramping in her chest and uterus again, it had been intermittent. The patient had been dealing with extreme exhaustion and stiffness in her joints since this all began. The patient underwent lab tests and procedures which included COVID-19 nasal swab: negative on 19Apr2021. Therapeutic measures were taken as a result of events wheezing/coughing, hard time breathing for which patient used inhaler, and hives on legs, arms, face for which patient took Allegra. No therapeutic interventions were taken for all other events. The clinical outcome of all events was not recovered. No follow-up attempts are possible. Information about lot/batch number cannot be obtained.
1356565	5/28/2021	CA	28	F	5/19/2021	5/19/2021	Shortness of breath, numbness in hand, sweats, blurred vision, headache, muscle aches, swelling, dizziness, confusion, worsened depression
1356562	5/28/2021	MO	52	F	2/26/2021	3/12/2021	First Dose 2/26/2021: 1. sore arm where shot was administered for about 5 days. 2. Two weeks after vaccination I came down with flu like symptoms including: muscle aches, fever, chills, severe headache, and extremely tired which last for five days. 3. No medication would relieve the symptoms including the headache. 4. Had to stay in bed or on couch entire weekend. Second Dose 3/19/2021: 1. Five hours after vaccination, I came down with the same flu like systems including: muscle aches, fever, chills and severe headache, which lasted for another five days. This time it also kicked off my Graves eye disease. 2. Shot made the arm feel very heavy and hard to use. 3. No medication would relieve the symptoms.
1356548	5/28/2021	MO	37	F	4/6/2021	5/5/2021	Noticed redness in left eye corner and went to eye doctor. Doctor gave me an eye drop prednisolone 1% and when it did not work, She gave me Prednisone 20 MG tablet and refer to primary Physician. When Primary Physician tested blood my ANA came at positive 1:80. They advise me to go to Rheumatology for further evaluation of an autoimmune disease. Blood test in December 2020 was normal with WBC in normal range but when I did the test on May 12th, it came as High.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1356541	5/28/2021	CA	39	F	5/6/2021	5/6/2021	Client arrived on 5/27/21 to the Health Center to get his second dose of Pfizer. Client reports that after her first dose on 5/6/21 of Pfizer lot #EW0179 she experienced itchy throat on only the left side, runny nostril on the left side and watery left eye 5 hours after receiving dose. Client reports she was vaccinated on the left arm. Client reports it resolved on its own after 4 days. Client approved lead PHN to administer 2nd dose with a 30 minute wait and no reaction occurred.
1356537	5/28/2021	CA	28	F	4/15/2021	4/21/2021	Very itchy rash that began near the injection site and grew to spots all over abdomen, legs, feet, hands, and neck. Was not helped by benadryl, had to have prednisone prescribed. The rash lasted for a little over a week and interfered with sleep and comfort. The rash did not interfere with breathing, vision, mobility, etc. I still have some discolored skin from the rash over a month later.
1356533	5/28/2021	KY	34	M	5/1/2021	5/1/2021	2 days after the vaccine, my left eye became swollen and red. No pain, itching or other noticeable changes. Disappeared after 3 days onset, gradually getting better.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1357023	5/28/2021	VA	43	F	5/1/2021		<p>HYPOXEMIA; UNABLE TO FOCUS; COLD CHILLS; WEAK; TIRED; FEVER; PAIN; VERY FORGETFUL; HARD TO TALK; LOSS OF CONSCIOUSNESS; FOGGY THINKING; SHORTNESS OF BREATH; SHORT-TERM MEMORY LOSS; MUSCLE CRAMPS IN FEET, TOES AND ARMS; FALLING OVER; CONFUSED; DIZZY; This spontaneous report received from a patient concerned a 43 year old female. The patient's weight was 245 pounds, and height was 70 inches. The patient's past medical history included stroke, and concurrent conditions included chronic bronchitis, anxiety, emphysema, dizziness, unspecified lung disorder and handicapped (uses a walker) due to a stroke, the patient had history of abandonment disorder. Patient was on oxygen (since last year) due to lung problems. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 041A21A, and expiry: Unknown) dose was not reported, 1 total administered on 19-MAY-2021 14:00 for prophylactic vaccination on right arm. No concomitant medications were reported. On 20-MAY-2021 at 1:30, patient had very intense cold chills from hell and unable to focus. The next day the patient's sister had to help patient to stay upright in bed because patient kept falling over in bed and could not stay upright. The patient's sister was concerned and insisted that the patient go to the hospital to seek medical care but the patient refused. Patient then experienced periods of loss of consciousness and patient's sister was having a hard time waking patient up and then checked oxygen saturation and noted that it was low at 72%. The patient's sister subsequently managed to wake patient up and turned up patient's oxygen tank from a previous setting of 2 to a higher setting of 3. At this point the patient's sister managed to help patient sit up. The patient has been confused and dizzy and oxygen kept dropping and it will go back up then go back down. The patient then stated it was not as bad as it was, more like it was a side effect. The patient called doctor on 20-MAY-2021 at 19:30 and told what had happened and what was going on. The patient's doctor told patient she had hypoxemia and gave instructions to keep oxygen on and to see if patient was feeling better. Patient felt very confused and found hard to talk, very tired and not focused at that moment. Patient could not remember what was told 15 seconds ago.</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

Patient had oxygen currently in the low 80s to 96 depending on the lungs. Patient started to fall and lean over. Patient's sister had a hard time waking up patient. After the episode when patient's sister could not wake patient up, patient had developed a fever of 101.9. Patient alternated Ibuprofen and Tylenol as treatment for fever. Patient was short of breath and it was twice as worse as it was. Patient also mentioned that eyelid on left eye went down. Patient could not seem to return to normal and had written notes so that could keep on track and that patient had become very forgetful and that patient's sister had moved in to help after patient received the vaccine since patient was weak. Patient stated that had severe muscle cramps in feet, toes, arms and that hands clench up like a fist for a minute due to the pain. The clenching relieved the pain but as patient unclenches the pain started again. Patient stated that was in pain and hurting, had focus fog. The HCP had told patient of side effects and that symptoms would last for about 24 hours but patient had been experiencing them for a few days. Patient was worried and fever kept coming and going. Patient took meclizine for dizziness, as since patient received the vaccine, the dizziness was much worse. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from hypoxemia, and the outcome of muscle cramps in feet, toes and arms, cold chills, falling over, loss of consciousness, confused, dizzy, unable to focus, foggy thinking, fever, shortness of breath, pain, short-term memory loss, tired, weak, very forgetful and hard to talk was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0 - 20210544835 - Covid-19 vaccine ad26.cov2.s - HYPOXEMIA , LOSS OF CONSCIOUSNESS and FOGGY THINKING . This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357241	5/28/2021	TX	42	F	4/22/2021	4/22/2021	<p>Feeling sensitivity in my veins like I could feel pulses in my veins in my whole body; irregular heart beat; Rapid Heart Beat palpitations; raising heart beat along with heart palpitations; irregular heart beat; Lymph node swollen; I woke up to a very neauseal senation and feeling that I was going to faint; Dizziness; I woke up to a very neauseal senation and feeling that I was going to faint; Shivering; Warm eye; Feeling like a very bad cold or flu; Feeling like a very bad cold or flu; Headache; This is a spontaneous report from a contactable consumer (patient) via Medical Information Team. A 42-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration administered in left arm on 22Apr2021 (at the age of 42-year-old) (Batch/Lot Number: ER8735) as UNKNOWN, SINGLE for covid-19 immunisation. It was unknown if patient was pregnant at the time of vaccination. The patient had no relevant medical history. Concomitant medication included multivitamins. The patient stated, "So, in chronological order I got the vaccine on April 22. Okay So, my first symptom that night on April 22 was headache, then on April 23rd Friday, I had symptoms of shivering body, headache, warm eye, just feeling like very bad cold or flu like. Then on Friday night to Saturday, so you can chronologically, April 24, 4 am I woke up to a very neauseal senation and feeling that I was going to faint which scared me a lot, I was supposed to go ER, but I didn't, I just you know calmed down, given it was 4 a.m. in morning and don't want to scare my family and that was very scary symptom. April 25 I felt my lymph node swollen and ever since April 24 I had dizziness. So, I would feel dizzy from time to time particularly in the middle of the night like 4 am that's when I felt the dizziest. The nausea was very very persistent like I felt like I needed to throw up but I didn't on the 24 of April but then on 25th and onwards I continued with dizziness felt without nausea just being dizzy. On Tuesday April 27, I started having a rapid heartbeat palpitations and that started scaring me even more. So on Thursday April 29, I started feeling sensitivity in my veins like I could feel pulses in my veins in my whole body along with raising heart beat along with heart palpitations so I went to a minor emergency room provider. They told me I had to hydrate properly, rest, not exercise and to allow for the vaccine to make it through</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

my body because the symptoms that last up to two weeks and they suggested that if I still felt like I was gonna faint, I have to visit the emergency room. Fortunately, I didn't have to visit the emergency room but my heart palpitations, my regular heart palpitations have continued. So, I am now on beyond my 2nd week and today I scheduled the call with a cardiologist because I have a heart, you know pulse monitor, pressure monitor that takes your pressure and I wear a fitness watch and I can see in my fitness watch how my heart reaches over 120 palpitations. So, I scheduled with cardiologist for next week Tuesday and the dizziness has gone away for the most part. It's incredibly minor if I feel it but at times I feel it. But I don't like irregular heart beat and last night my pressure monitor told me, detected it because you have to detect it at right time, it's not all the time but the monitor was able to detect the irregular heart beat at 79 pulses and my regular heart beat is more like 64." The patient also stated that her doctor told her that what she was feeling her vein was reaction to her nerve system from the vaccine. So he suggested that she soak in bath tub salt, which she have been trying to as best as she can but that really was relief like she don't have feelings of sensitivity in the vein anymore the only thing that continues was regular heart beat. The patient took only Tylenol 500mg, one capsule every 6 hours, orally for the headache and after headache was gone, the patient stop taking Tylenol and then she have been trying soaking in of absence salt and she have been trying to drink plenty of fluids among which includes beverages with electrolytes. Therapeutic measures were taken as a result of headache, flu, and "feeling sensitivity in my veins like i could feel pulses in my veins in my whole body." On an unspecified date, the patient recovered from headache and "Feeling sensitivity in my veins like I could feel pulses in my veins in my whole body" and was recovering from dizziness. The patient had not yet recovered from irregular heart beat while outcome of the rest of the events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357302	5/28/2021	IL	32	F	5/3/2021	5/4/2021	face swelled up really bad to where she could not open her eyes; allergic reaction; Fever; pain and aches; This is a spontaneous report from a contactable consumer (patient). A 32-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) second dose via an unspecified route of administration, administered in arm left on 03May2021 (at age of 32 years old) (lot number: ER8735, it also reported "the second dose lot number was either ER8735 or ER8235"), time the vaccination was given was between 15:00 and 15:30, as single dose for covid-19 immunisation. Patient's medical history was reported as no. Other products was reported as no. The patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration on 05Apr2021 (at age of 32 years old) (lot number: ER8N30) as single dose for covid-19 immunisation. Family medical history relevant to events was no. No relevant tests. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient experienced face swelled up really bad to where she could not open her eyes on 05May2021, fever on 04May2021, pain and aches on 04May2021. The patient stated she was calling to make a report on the second shot since she had an allergic reaction. The patient clarified the second shot she was referring to was the COVID 19 vaccine. The patient stated the symptoms she had was the first day she had fever, aches, and pain then the next day her face swelled up really bad to where she could not open her eyes. The patient stated she went to urgent care and at urgent care she was given a steroid shot and then she took a steroid and allergy medication and also diphenhydramine hydrochloride (BENADRYL). The events did not require a visit to emergency room. When asked if went to physician office, the patient stated she went to urgent care for events fever, aches, pain, face swelled up really bad to where she could not open her eyes. History of all previous immunization with the Pfizer vaccine considered as suspect was no. Additional administered vaccines was no. The outcome for allergic reaction was recovered on 09May2021, for face swelled up really bad to where she could not open her eyes was recovered on 09May2021, for fever was recovered on 05May2021, for pain and aches was recovered on 07May2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

---

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357298	5/28/2021	NV	58	F	1/8/2021	1/1/2021	I can't eat; can talk now unlike before; Vomiting; Nauseated; I had a Bell's palsy after the vaccine; temperature happened; body ache; My lymph nodes are swollen; This is a spontaneous report from a contactable consumer (patient). A 58-year-old female patient received bnt162b2 (Pfizer COVID-19 vaccine), dose 2 via an unspecified route of administration, administered in left arm on 08Jan2021 (Lot Number: EL1283) as single dose for COVID-19 immunization. Medical history included hypertension, asthma and gallstones from an unknown date and unknown if ongoing. Concomitant medication included lisinopril taken for an unspecified indication, start and stop date were not reported. The patient previously received 1st dose of bnt162b2 (Pfizer COVID-19 vaccine), via an unspecified route of administration, administered in left arm on 21Dec2020 (Lot Number: EH9899) as single dose for COVID-19 immunization. Second dose was on 08Jan2021 and then after that, the patient had those like lower mouth pain, experienced a headache and the temperature and the body ache and everything all happened. Lymph nodes are swollen already and so patient went to doctor and they gave Augmentin (treatment) on 17Jan2021. The patient saw how her face was looking, she had a Bell's palsy after the vaccine. She didn't worked since January until the time of report because of so many tests that she did and have spent a lot of money already. She was depressed for how many months and can't eat and face has droop and eyes was hurting a lot, it is kind of emotional thing and spending a lot of money already on tests and everything. Still experiencing Bell's palsy, still have some droop in face but can talk now unlike before but every time she talks there is saliva coming out in left face. For the treatment of events: they gave Augmentin, that is the antibiotic, the tablet, 3 times a day. The other one is Valtrex, 1 gram, three times a day also. There is another one, it is Medrol, one tablet three times a day. Also, as patient was having the headache that time, taking (not clear) two tablets every six hours. Anti-nausea over the counter medicine as needed because of vomiting and nauseated always that time. The Medrol they gave twice on that time after she finish the first Medrol, they gave her Prednisone three times a day also. Outcome of event Bell's palsy was not recovered, for event can talk now unlike before was recovering, for the

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357296	5/28/2021	CA	12	F	5/14/2021	5/14/2021	other events was unknown. fainted; Nausea; lips white; Really pale; 12 year old daughter; This is a spontaneous report from a contactable consumer (patient's mother). A 12-years-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration, administered in Arm Left on 14May2021 got it closer to 12:00 (Batch/Lot number was reported: First letter was R, W or B, followed by A6256) at the age of 12-years-old as SINGLE DOSE for covid-19 immunization. The COVID-19 vaccine was administered at Pharmacy/Drug Store. Medical history reported as none. No family medical history relevant to adverse event, reporter who was the patients mother, is a fainter, who fainted a lot when she saw blood. The patient's concomitant medications were not reported. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. As they were driving away, her daughter started feeling really nauseous, then fainted, was super pale, lips were white and she was really pale. It all occurred at the same time all started 10 minutes after vaccine on 14May2021. Then the ambulance came. Her daughter looked really bad and it freaked reporter out. Her daughter sat for a little while and was feeling better now. Her daughter was no longer pale, it went away. They checked her and everything was normal. No Emergency Room and no Physician Office visit required. Ambulance was called, they checked her and she was fine. Told her to keep any eye on her at home. The outcome of the events pale, lips were white was recovered on 14May2021, the outcome of the events nauseous, and fainted was recovering. Information about Lot/Batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357287	5/28/2021	NY	68	F	4/23/2021		hypertension level 2/ 165-170/95/ 190/101; shortness of breath and difficulty breathing; very fast heart rate (ranged from 95-99 beats per minute); fever/low grade fever- developed 4-5 days later and has been running 99.7-100.0; headache; stomach pain; nausea; fatigue; dizziness; constipation; bad cold chills; hot and cold; sore throat; no appetite; pain all over; joint aches; muscles aches; stuffy nose; sneezing; runny nose; cant sleep; eye were tearing on and off; diarrhea; This is a spontaneous report from a contactable consumer (patient). A 68-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration on 23Apr2021 (Batch/Lot Number: ER8735) as 1st dose, single for covid-19 immunisation. The patient's medical history included allergic to ibuprofen. The patient's concomitant medications were not reported. Patient experienced multiple side effects after the first dose. Some of those side effects she experienced shortly after, within 2 hours, and some of them she has continued to experience. She states that within 2 hours of receiving her first dose she experienced shortness of breath and difficulty breathing, very fast heart rate (ranged from 95-99 beats per minute per a pulse oximeter that she carries with her) and hypertension level 2, her baseline is 116-125/70-80 but since the shot she has been high 165-170/95. It was 190/101 2-3 hours and the next day right after the shot; it was super high, this is still going on. The other side effects that she has been experiencing as follows: fever/low grade fever- developed 4-5 days later and has been running 99.7-100.0; headache that gotten better but she still has them every day and takes Tylenol; stomach pain, nausea, fatigue, dizziness, diarrhea started 2 days after the shot, it stopped for a day, then started again for a day or two, stopped for a day, and then started again and went on for 9 days straight; and has constipation, bad cold chills, hot and cold, sore throat, no appetite (ate only lunch can't eat dinner) comes and goes; pain all over, joint aches, muscles aches. Up until morning on 14May2021 still had chills, extreme fatigue, store throat and stuffy nose, sneezing like no tomorrow, one minute will have a runny nose and the next it will be stopped up and stuffy. She can't sleep but very tired. Her eye were tearing on and off, had a runny nose, throat was sore and is every morning so she drinks honey hot water, and she

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

had a cold and has been sneezing for the last 2 weeks. The first time was 2 days after the shot she went to urgent care because she couldn't breath and had all the symptoms, except diarrhea, and she wanted to be tested for COVID. They did a rapid and PCR and they were negative. She has had several rapid and PCR COVID test and all have been negative. On 09May2021, she went to the emergency room but was not admitted trying to find out why she was having these symptoms. She was given steroids and an inhaler to treat her symptoms. She has had an echo cardiogram, EKG, chest x-ray, sonogram of her stomach, blood tests, urine tests, and 9 covid tests all of which were negative and could not explain why she has been feeling the way that she feels. Patient was given Irbesartan when blood pressure high, azithromycin 250mg for 6 days which is also by Sandoz, albuterol sulfate inhaler 200puffs that is manufactured by Par, a steroid nose spray called Fluticasone Propionate 50mcg manufactured by Apots corp. The shortness of breath, stomach pain, nausea, Chills, hot and cold, no appetite, was not recovered, headache, fatigue, dizziness, was recovering, diarrhea was recovered, other event outcome was unknown.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357282	5/28/2021	NY	52	F	4/26/2021	4/26/2021	couldn't even function; I have been having really bad breathing problem; Loss of appetite; I just got bruised; double vision; couldn't stand; couldn't even focus; her eyes could not focus; could not see to drive, all of sudden my vision was gone away; diarrhea; blurred vision; vertigo; continuous dizziness; This is a spontaneous report from a contactable consumer. A 53-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), dose 2 via an unspecified route of administration on 26Apr2021 (at the age of 52 years-old) (Batch/Lot Number: EW0169; Expiration Date: Aug2021) as 2ND DOSE, SINGLE for covid-19 immunisation. Medical history included syncope Unspecified syncope, migraine Chronic Migraines, concussion history of severe chronic migraines and unspecified syncope due to have a concussion 3 times. The patient received first dose BNT162B2 for COVID-19 immunization on 06Apr2021 at the age of 52 years old. Caller said that since the second dose she has diarrhea that is coming and going, but she has been having it for 2 weeks and is treating it with Imodium AD. She has been having blurred vision, vertigo, and dizziness continuously. She has never had this before. She said that within an hour of getting the second dose, she was taking her dog for a walk and only made it a block before she had to come home because she thought she was going to fall. She states on Mothers Day she felt like she could not get her bearings and states it was "very, very scary." She said that she cant even walk down her staircase or drive her vehicle. Consumer further stated, I have been having a loss of appetite too not feverish or anything and you know I had the shot, I had no reaction there. I just got bruised and I had no hurt or anything. I have been having symptoms. I had several symptoms from Pfizer but the second vaccine I had been having sever symptoms, they haven't gone away. I was vaccinated for second vaccination on second dose was on 26Apr2021. I am pulling it on my screen here because I have a V-safe. I have been having really bad breathing problem. I have brain situation that my neurology check. I have underlying medical conditions. My pulmonologist asked me to get the Pfizer so that's what I did. I had the first dose 06Apr2021, I had the second dose 26Apr2021. Now basically just the second dose, I started having visions problem really bad and dizziness, it's kind of little

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

vertigo. I had severe diarrhea for at least I guess I am still having it little bit. So it was really severe for about a week or so. But I have it, I am having it still couple of days, 3 weeks still, 3 and a half days and week. The vision on modern days I had like double vision and dizziness and I got vertigo, the whole day. So my brother left with my granddaughter. I had to hold on to the banished couldn't stand. I couldn't even focus. I have unspecified think to the give more and I have a severe chronic migraine (Intent: History) since I am 4 years old but I have never had this happened to me until after I took the Pfizer second vaccine. The day that I took the Pfizer second vaccine, I went with my dog outside I only was able to walk a block and a half and then I had to walk back home because I felt dizzy. Now this is about an hour after I took the second vaccine. Also the next day I drove my car to the park, this is about maybe 10 minutes away and I was getting home run around the park and about an hour after that I had going to car and and surrounded and could not even get my barring's. She states the next day she took her dog to the dog park and experienced the same thing so she had to lay down in her car and states she "couldn't even function." She states that when she was driving later, she states her eyes could not focus and she could not see to drive. As she was driving home, all of sudden my vision was gone away, from what happen was is I had to call my son. Then I started to cry because I couldn't able to see. Now this has been continuing since the vaccine. Therapeutic measures were taken as a result of diarrhea. The outcome of the events was not recovered. No follow-up attempts are needed; information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357264	5/28/2021		25	F	5/12/2021	5/12/2021	Red blood clot in left eye; Sore arm; This is a spontaneous report from a contactable consumer (patient). A 25-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE Solution for injection), via an unspecified route of administration, administered in the left arm, on 12May2021 (lot number: EW0182; expiration date: 31Aug2021), as 1st dose, single dose, at age 25 years old, for COVID-19 immunisation. The patient medical history was not reported. Concomitant medication included levothyroxine taken for an unspecified indication, start and stop dates were not reported. On 12May2021, the patient had sore arm. On 13May2021, when the patient woke up, she had a red blood clot in her left eye. Treatment for sore arm included Tylenol. The outcome of the events was unknown. Follow-up attempts are needed. Further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357181	5/28/2021			F	1/29/2021	2/2/2021	has a feeling that she described as an "internal seizure" that is not noticeable to the eye but that she feels in the brain and head; tachycardia; without strength in her legs and arms; headache; anxiety; This is a spontaneous report from a contactable consumer (patient). A female patient of an unspecified age received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot/batch number unknown), via an unspecified route of administration on 29Jan2021 as single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient previously took the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 08Jan2021 for COVID-19 immunization. On 02Feb2021 (four days later), the patient experienced without strength in her legs and arms in addition to experiencing a headache. She was diagnosed with anxiety and prescribed with Prozac, after a few days of treatment she was studied and got good results. She has managed to regain strength in her arms and legs exercising but still had a headache. During the evenings (unspecified date), she experienced tachycardia and had a feeling that she described as an "internal seizure" that was not noticeable to the eye but that she felt in the brain and head. Therapeutic measures were taken as a result of without strength in her legs and arms, headache, and anxiety. The outcome of the events without strength in her legs and arms and anxiety was recovering; the outcome of the event headache was not recovered; and the outcome of the other events was unknown. Information about lot/batch number cannot be obtained. Additional information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357250	5/28/2021	NC	70	F	4/8/2021	4/20/2021	acute appendicitis; drained from surgery; pain in the lower right quadrant of her abdomen; wasn't very hungry; thought she had a bug; stomach ache; a little diarrhea; This is a spontaneous report, received from a contactable consumer (patient). A 70-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Lot Number: ER8729), via an unspecified route of administration, administered in Arm Left on 08Apr2021 at 70 years old as 2nd dose, single for COVID-19 immunization given in a hospital. Medical history included Demodex mites on her eyelids from an unknown date. Concomitant medication included ivermectin taken for Demodex mites on her eyelids, start and stop date were not reported. The patient received the first dose of bnt162b2 on 15Mar2021 (lot number: EN6208) 70 years old in the left arm for COVID-19 immunization. The patient also had shingles vaccine about 10 years ago in 2011 for immunization and had sore arm. On 20Apr2021, the patient had a stomach ache and a little diarrhea and though she had a little bug. On 21Apr2021, the stomach ache lasted all evening long, let up during that night. On 22Apr2021, stomach ache and diarrhea started up again and she wasn't very hungry. On 23Apr2021, she had pain in the lower right quadrant of her abdomen. She googled her symptoms and decided to go to the emergency room. On 24Apr2021, she was diagnosed with acute appendicitis and had her appendix taken out. It totally took her by surprise because she's relatively healthy. She was not admitted to the hospital. She was taken from the emergency department to surgery and was discharged around 7:00PM on Saturday, 24Apr2021. She was under observation status in the hospital. Other than feeling drained from her surgery after her appendix was removed she felt great. The patient underwent lab tests and procedures which included blood work, computerised tomogram (CT scan), and urine test all with no results on 24Apr2021. The outcome of the events was not reported.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357189	5/28/2021	NJ	53	F	5/6/2021	5/8/2021	a burst blood vessel in my eye; injection site pain; low grade fever; fatigue; body pain; This is a spontaneous report from a contactable consumer (patient). A adult female patient (age at vaccination 53-years-old) received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in Arm Left on 06May2021 17:00 (Batch/Lot Number: EW0176) as 2ND DOSE, SINGLE for covid-19 immunisation. Medical history included Known Allergies: Seasonal allergies. The patient has no covid prior vaccination and not covid tested post vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient is not pregnant at the time of vaccination. The patient was vaccinated at Pharmacy/drug store. Concomitant medication included drospirenone, estradiol (ANGELIQ); cetirizine (CETIRIZINE) and; fluticasone (FLUTICASON, reported as 50), all taken for an unspecified indication, start and stop date were not reported. The patient previously took bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot: EN6204) first dose on 15Apr2021 13:45 PM at the arm left for covid-19 immunization. It was reported that on "Saturday afternoon, about 48 hours (08May2021, 05:00 PM) after the shot, I noticed a burst blood vessel in my eye, which is atypical for me. I had not been coughing or vomiting, had only experienced low-grade fever, fatigue, body pain, and injection site pain since receiving the second shot." The outcome of the events was recovering. No treatment was initiated. Events were considered serious by the reporter. Information on Lot/Batch number was available. Additional information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357239	5/28/2021			F			blood clot on her left eye; This is a spontaneous report from a contactable consumer (patient). A 25-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, expiry and lot number were not reported), via an unspecified route of administration, administered in the left arm on an unspecified date as 1st dose, single for covid-19 immunization. The patient's medical history and concomitant medications were not reported. It was reported that the patient woke up with a blood clot on her left eye on an unspecified date. Outcome of the event was unknown. No follow up attempts are possible. Information about lot/batch number cannot be obtained.
1357237	5/28/2021	MN	57	M	5/11/2021	5/11/2021	body aches; chills; headache; dizziness; goes from being cold and hot; passing out a few times; shaking similar to seizure/eyes kind of glazed; This is a spontaneous report from a contactable consumer (patient's wife) reported that a 57-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19, lot number: EW0182), via an unspecified route of administration, administered in arm left on 11May2021 08:00 (at the age of 57-years-old) as 2nd dose, single dose for covid-19 immunisation. The vaccine was administered at the Pharmacy/drugstore. The patient medical history included covid before, he had a bad case of it from Nov2020. The patient previously received BNT162B2 (PFIZER-BIONTECH COVID-19, lot number was not reported) on 20Apr2021 (at the age of 57-years-old) as 1st dose, single dose for covid-19 immunisation, and experienced all of the same symptoms (body aches, chills, goes from being cold and hot, headache and dizziness) but he did not pass out. The patient always gets the flu vaccine. The patient's concomitant medications were not reported. On 11May2021 15:15, the patient experienced passing out a few times, eyes kind of glazed, and shaking similar to seizure; and at 19:00, the patient body pain, chills, headache, dizziness and goes from being cold and hot. The outcome of the events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357235	5/28/2021	NE	75	F	4/18/2021	4/1/2021	sodium was low; Intestinal problems; Trouble sleeping/difficulty sleeping; Blood pressure shot up/blood pressure elevated 197/85; Feel like I'm on speed or something/felt buzzy/she didn't feel right; So tired; Headaches; This is a spontaneous report from a contactable consumer (patient). A 75-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration, administered in left arm on 18Apr2021 16:45 (Batch/Lot Number: ER8735; Expiration Date: 31Jul2021) as 1st dose, single for covid-19 immunisation. Medical history included ongoing vertigo (diagnosed with vertigo so long ago that she can't even remember, she experiences vertigo with changes in barometric pressure when the weather was changing), ongoing arthritis a few years now, ongoing irritable bowel syndrome for a couple of years now, scar tissue in esophagus in 2019 (due to scar tissue in her esophagus, she was unable to swallow anything. and lost 33 pounds), h1n1 flu, sensitive to medications (she aren't allergic to anything, they just get side effects that they don't like), and blood pressure was really low and sick for months and blood pressure was probably low because she was dehydrated. Concomitant medications included meclizine hcl (MECLIZINE HCL) taken for vertigo, simeticone (GAS-X) and ibuprofen taken for arthritis. Patient stated that she can only tolerate half a pill of meclizine and she might take half of a 12 mg pill at noon and she's ok, but around 6:00 to 6:30 PM, the meclizine knocks her out. The patient received flu vaccine in Oct2020 and experienced several side effects. She never used to get flu shots, but then she got the H1N1 flu and her son was afraid that she might die because she got so sick. After she had the H1N1 flu, she has always gotten a flu shot. One time she got a flu shot and got side effects from it and the side effects all went away. She can't remember when she received the flu shot that she experienced side effects from or what her side effects were because it happened so long ago. Patient had the 1st dose last 18Apr2021, 20 minutes after receiving the 1st dose, she felt buzzy, blood pressure elevated 197/85 (around 17:05 to 17:10), trouble sleeping, and feeling so tired. She reported that she sat and waited for 15 minutes after receiving the Covid-19 vaccine and thought that she would stay for another 5-10 minutes. Within that time



VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

frame, it felt like something changed in her, she went up to the nurse and informed the nurse that she didn't feel right; she couldn't explain it and didn't know what it was, but something wasn't right. The nurse at the vaccination facility took her into another area and took her blood pressure; and her blood pressure had just shot up and was 197 or something like that over 85. The staff monitored her and advised to call an ambulance. She did not call an ambulance and her blood pressure did not go back to normal at the vaccination facility but she left anyway. Since then, she feels like she was on speed or something and she can't hardly sleep. Her blood pressure taken 3 different times since 18Apr2021 and her blood pressure was still high in 2021. She was so tired, so tired, and went to the physician because she could hardly even stay awake. Other than that, she had a headache in Apr2021 and has some intestinal problems in May2021. She doesn't know if the intestinal problems were brought on from the Covid-19 vaccine or not. Her headaches were not that bad and reported that her headaches come and go. Her intestinal problems came on a week and a half ago and she has intestinal problems anyway. Her intestinal problems were really different and that's why she went to the emergency room on 12May2021. She put a call into her GI (gastrointestinal) doctor because she has intestinal problems, but she couldn't figure out why her problems were different. Her intestinal problems were more intense than what she usually has. She was trying to get an appointment with her GI doctor to see what's going on and if there could be no correlation at all between her intestinal problems and the Covid-19 vaccine. Patient reported that she went to the emergency room yesterday, 12May2021, because of the intestinal issues, and her blood pressure was 181/86. She relaxed in the emergency room while she was waiting for results of some of the test; she turned off the overhead light, was resting, and nothing exciting was going on. Before she left the emergency room on 13May2021, the nurse took her blood pressure again and it was 170/82. She had gone to the urogynecologist a week ago because she was having some problems that weren't associated with what was going on following the Covid-19 vaccine. Her blood pressure was elevated there as well, measuring 165/96. She even went to her physician's office on

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

21Apr2021 and her blood pressure was elevated. She has never had high blood pressure and she doesn't want to be stuck taking blood pressure medications for this because she knows that's what her doctor was going to do and she doesn't want to. She inquired if the elevated blood pressure, feeling like you're on speed, difficulty sleeping, and tiredness were side effects that people were experiencing. She stated that for the first couple of days, she had no side effects at all. She received her Covid-19 vaccine on Sunday, 18Apr2021; and on Monday, 19Apr2021 and Tuesday, 20Apr2021, she thought this was great and then she began experiencing the events. She further inquired if her thyroid has anything to do with feeling the way that she feels, like she was going 1000 miles per minute. She went to see her physician on 21Apr2021 because she was so tired/ tiredness that she could barely keep her eyes open. She was waking up tired and she was still waking up tired. Her physician ran a whole panel of blood work and everything was fine. When she went to the emergency room on 12May2021, she took the blood results with her so that they didn't have to run another panel. The only thing that was different about her blood work that her doctor wasn't concerned about was that her sodium was low. Her blood pressure was normally 134/78 or something like that. There was a time where her blood pressure was really low because she had been sick for months and her blood pressure was really low when she went in the one day to see her ENT and her ENT informed her that her blood pressure was probably low because she was dehydrated. She spoke to her 2 doctors and went to the ER yesterday (as reported). Her 2nd dose was supposed to be given last 09May2021 and she told her doctor that she was not going to take it because ever since she had the vaccine, her blood pressure went up. She mentioned that she never had elevated blood pressure until she got the COVID 19 vaccine. She also mentioned that decongestant gives her palpitations. Patient was asking if these were normal reactions from the vaccine. Prior vaccinations within 4 weeks was none. Outcome of events blood pressure shot up/blood pressure elevated 197/85, feel like on speed or something/felt buzzy/she didn't feel right, so tired, trouble sleeping/difficulty sleeping was not recovered; and outcome of the rest of events was unknown. No follow-

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357219	5/28/2021			F	2/3/2021	2/1/2021	<p>up attempts are needed. No further information expected.</p> <p>had some double vision issues, which was later diagnosed as palsy in the third optical nerve from right eye; I had a headache, that lasted for several weeks; This is a spontaneous report from a contactable consumer (patient). A 73-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number and expiry date were not reported), via an unspecified route of administration on 03Feb2021 as single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient previously received the first dose of BNT162B2 on unspecified date as single dose for COVID-19 immunization. Six (6 weeks) later after 2nd dose on 18Mar2021, the patient woke up and had some double vision issues, which was later diagnosed as palsy in the third optical nerve from right eye. Also, she was just curious because she never gets headaches, and within hours of getting second dose on unspecified date in Feb2021 she had a headache, that lasted for several weeks. The outcome of the events was unknown. Information on the lot/batch number has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357218	5/28/2021	GA	73	F	2/3/2021	2/3/2021	double vision, palsy of third optic nerve in right eye; Glycosylated Hemoglobin A1C 5.8; headache every day after second dose for 2 months; This is a spontaneous report from a contactable consumer (patient). A 73-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration administered on Arm Left on 03Feb2021 (Batch/Lot Number: EL3302) at the age of 73-years-old as 2ND DOSE, SINGLE for COVID-19 immunization. Medical history included ongoing tachycardia and blood cholesterol abnormal (reported as cholesterol). Ongoing concomitant medications included metoprolol (METOPROLOL) taken for tachycardia; rosuvastatin calcium (ROSUVASTIN) taken for blood cholesterol abnormal (reported as cholesterol); and clopidogrel bisulfate (PLAVIX) taken for prophylaxis, all taken since unknown dates. The patient received the 1st dose of PFIZER-BIONTECH COVID-19 VACCINE on 13Jan2021 (Batch/Lot Number: EL0142) at the age of 73-years-old as COVID-19 immunization. Then, the 2nd dose on 03Feb2021. After the second dose on 03Feb2021, she had a headache that started that day and every day for two months which she never got headaches before this. Her headaches have resolved about three weeks ago (Apr2021) and the doctor prescribed her medication, but she did not have to take it. Then on 18Mar2021 (6 weeks after the second dose), she woke up, got up, walked down her hall and saw three front doors - she mentioned that she was having double vision. She went to the hospital where she was admitted on 18Mar2021 to an observation decision unit for 26 hours (19Mar2021). She was tested for a stroke but was not having a stroke. She was then diagnosed with eye palsy in third optical nerve of her right eye. Her right eye was somewhat improved as she can move it up down left and right. Her right eye was no longer paralyzed, her eyelid will now open and close where initially it just wanted to stay closed, but her vision was still distorted. She was still treating it with patching her eyes off and on. The patient also had glycosylated haemoglobin (A1C) was 5.8 - borderline taken on unknown date and waiting for A1C results. The patient recovered from headache in Apr2021 while recovering from "double vision, palsy of third optic nerve in right eye~~

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357208	5/28/2021	FL	74	M	3/4/2021	3/1/2021	problems breathing; allergic reaction; rash on the left ankle; hypersensitive on certain frequencies was reported as worsened; hypersensitive on certain frequencies was reported as worsened; his vision since the shots was compromised/vision in the lower section had shrunk even more/gotten worse; he moved things, but couldn't remember where he moved them; residual neuropathy in feet was reported as worsened; This is a spontaneous report from a contactable consumer (patient himself). A 74-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), via an unspecified route of administration, administered in the right upper arm on 04Mar2021 at 11:00 (Batch/Lot Number: EN6199) as the 2nd dose, single for COVID-19 immunization. The vaccine was administered at the military facility. He previously received the 1st dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; batch/lot number: EN9581) on 11Feb2021 at 2-3 pm (at the age of 74 years old) in the right upper arm and experienced a bout of diarrhea, but he took loperamide (IMODIUM) and it went away; he expected the first shot and last only about a day. Relevant medical history included ongoing legally blind, wherein his central vision was screwed up and this was something going on before the shots and with his peripheral vision, there were areas he could see clearly, and also had eye pain; his hearing was hypersensitive on certain frequencies, which was ongoing; and residual neuropathy in feet; all from an unknown date prior the vaccine. The patient had no concomitant medications. The patient previously took clonazepam (KLONOPIN) from an unspecified date in 2009; further reported that the patient had no information on this medication other than it was Klonopin that caused him to stop breathing and put in coma in 2009 and that he was given intravenous (IV) antibiotics, because he had 3 major infections and this was when the issue with his vision started. The patient previously received and stopped getting the flu shot years prior reporting when he got sick for 6 weeks. The patient had no prior vaccinations (within 4 weeks) other than the first dose. The patient had no family medical history relevant to the adverse events (AEs). The patient reported that he got the second shot of the Pfizer COVID-19 vaccine and within 5 minutes, he had a severe reaction. He was in an observation area at

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

the facility and less than 5 minutes after getting the shot, he had problems breathing on 04Mar2021, it was painful to breath; however, it was further reported that "painful" was not the word for the problems breathing. The triage team gave him shots and he went to the emergency room (ER) and ended up spending the night in the hospital. It was further reported that they gave him an epinephrine (EpiPen) and some other shot in the left arm and diphenhydramine (BENADRYL) in the right arm and put on oxygen on him. He was admitted to the hospital and released the next day. He was given the option to leave the next day and so he did. The doctor explained, they were concerned it was cardiac related, but did blood work and told them he was fine on an unspecified date in 2021. The doctor also told him they saw a rash on the left ankle on 04Mar2021 and therefore knew it was an allergic reaction. The rash on ankle was barely visible the next day, it had resolved though, but was not sure of the exact date. He couldn't have seen it anyway. There had also been other issues since then. He remarked that he moved things, but couldn't remember where he moved them on an unspecified date in 2021. On an unspecified date in Mar2021, the hypersensitive on certain frequencies was reported as worsened. Regarding the patient's hearing, he explained that while in church, they were playing music and it was pure pain. He went to the clinic and saw an otolaryngologist, who told him that his hearing was hypersensitive on certain frequencies, not all though. He stated he had this before, but never with music at the church or like this. He was in the car and a car beside him with heavy base playing was giving him issues; the same kind of the pain, but on the opposite end with base. This was something new and not like he had before. It was ongoing and he had not gone back to church, so as not to experience this again. This started within a week or 2 after the second shot. Since the shots on an unspecified date in Mar2021, his vision was compromised. There were upper and lower areas, "sweet spots," he could see. With his last check up, the vision in the lower section had shrunk even more; where he could see from about the 3:30 to 8:30 area before, currently it was from 5:00 to 7:00. He explained this was like on a clock. Also he was able to see the big E at the top of a vision chart, but in Mar2021 after the second shot, he noticed within days, he could no longer see the large E.

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

He had a regularly schedule appointment a couple weeks after the second shot and this was noticed. It had gotten worse. Additionally, he would stand in front of the eye chart and as part of the eye exam, they would hold out fingers to see if he could see them. Last year at 6 feet (ft), he could see them, but currently, he couldn't see them until 2 ft away. If he was in bright light, he had severe eye pain, to the point of crying. He had to leave and get out of that situation, it was so bad. Even going outside with a hat and sunglass without looking at bright light, it still impacted him. The lighting in his bathroom bothered him; he had to have the blinds closed and was home bound. His closet was the only way to get relief. This was all new since the Covid shot. On an unspecified date in 2021, the residual neuropathy in feet was reported as worsened. He had this previously, but currently had hypersensitive in his feet in those areas. The patient found some essential oils that help so he could get to sleep and keep it from itching in his feet. The patient was deducting that for whatever reason, it was impacting nerve areas that had issues previously. It was causing them to get worse. He could only find this commonality; the optic, auditory, and residual neuropathy, the shot was aggravating these things that he already had problems with previously. It was added that he had also noticed his eyes had a throbbing pain, like a feeling of wanting to explode. He has had this in the past, but not too often and currently, it was daily and it was getting worse. It started about 3 weeks after, but it didn't happen often at first. Currently, it was almost daily. The doctor told him that there was not a way this could happen, there was no evidence this could happen. There had been no treatment, nothing had been done. He said with his DNA, if something could go wrong even just 1% then it would happen to him. The AE "problems breathing" did require an ER visit. The patient was hospitalized for the event problems breathing from 04Mar2021 to 05Mar2021. The patient underwent further lab tests and procedures, which included hearing test with unknown results on an unspecified date. Therapeutic measures were taken as a result of problems breathing, allergic reaction, and rash on the left ankle. The patient recovered from the event "problems breathing" on 04Mar2021; he recovered from the events "allergic reaction and rash on the left ankle" on an

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

unspecified date in 2021; he was not recovered from the events "residual neuropathy in feet was reported as worsened, hypersensitive on certain frequencies was reported as worsened, and his vision since the shots was compromised/vision in the lower section had shrunk even more/gotten worse," while the outcome of the other event was unknown.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1357316	5/28/2021			F			<p>her eyes were glazed over/eyes were cloudy, blurry, and then blacked out /passing out; headache; nauseous; feeling unwell; wobbly/ felt a little weird; her eyes were glazed over/eyes were cloudy, blurry, and then blacked out; she said she started feeling kind of dizzy; This is a spontaneous report from a contactable consumer. A 12-years-old female patient (daughter) received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number and expiration date was not reported), via an unspecified route of administration on an unspecified date as a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient received the first dose of the Pfizer COVID 19 vaccine around 11:30 yesterday. She states that she felt fine for the remainder of the day yesterday but that this morning she had a headache and was nauseous. She states that they had plans to attend a lunch with family but had delayed it due to her daughter feeling unwell so they waited for few hours just waiting to see if she would improve then after few hour she said okay the nausea was gone and after a few hours the daughter was feeling better and they proceeded to go to lunch. When the daughter got out of the car to go to lunch the mother states that she was wobbly and her eyes were glazed over. Then all of a sudden she said she started feeling kind of dizzy like she said her eyes kind of looked cloudy, she felt a little weird and she ended up passing out and had to catch her as she was falling. She reports that she then lost her footing and fell to the ground but that she was able to catch her somewhat. She states that she whole episode lasted about 15 seconds and then she came to. The daughter reports that her eyes were cloudy, blurry, and then blacked out. She states that she is not sitting and eating a banana and feeling okay. Should she get the second dose since she had side effects from the first dose. Response: As noted in the Fact Sheet for Recipients, you should not get the Pfizer-BioNTech COVID-19 Vaccine if you had a severe allergic reaction after a previous dose of the vaccine or if you had a severe allergic reaction to any ingredient of the vaccine. The decision to receive the second dose for any other reason cannot be made by Pfizer. We refer you to speak to your healthcare provider about the risks of the vaccine compared to the risks of potentially not being fully</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

protected against COVID-19 infection. Your healthcare provider knows your health situation and has access to information that can better help inform this decision. Outcome of the event nausea was recovered and outcome of the other events were unknown. Information on the Lot/Batch number has been requested. Follow-up (16May2021): This is a follow up-spontaneous report from a contactable consumer. This consumer Reported for 12-year-old female patient (daughter) that: outcome of the event was updated. Information on the Lot/Batch number has been requested.

1357262 5/28/2021 MD

68 F

5/12/2021

5/12/2021

Hot swollen face red; Hot swollen face red; Have sort of puff in my eardrums and my hearing was like I was in an Echo chamber; Right eye is red; Hot swollen face red; Dizzy; I had extreme tremor in right arm; Had throat swell; This is a spontaneous report from a contactable consumer (patient). A 68-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 at the age of 68-years-old via an unspecified route of administration, administered in arm left on 12May2021 (Batch/Lot Number: ER8735; Expiration Date: 12May2021) as 1st dose, single dose for covid-19 immunisation. The patient's medical history and concomitant medications were not reported. The patient reported that she had her first vaccine and she had throat swell, was dizzy and then had very extreme tremor in her right arm immediately after the vaccine on 12May2021. She stayed in the supervisory section for about 20 minutes and then they transferred me to an Emergency room. She had very hot swollen face red and now a days after quite a while as she have sort of puff in her eardrums and her hearing was like she was in an Echo chamber on unspecified dates. The patient further reported that her face is red and her right eye is red on unspecified dates. She asked how many milligrams in the vaccine has the Propylene glycol. When probed for vaccine expiration date, consumer stated, it says that date she got it 12May2021 and on sticker it says expired on 12May2021 and queried if she received expired vaccine. The outcome of the events was unknown. The outcome of the events was unknown. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1358679	5/28/2021	TX	16	M	5/28/2021	5/28/2021	Patient began experiencing "tunnel vision" five minutes after receiving his first dose of Pfizer COVID vaccine. Patient lost consciousness and began seizing for a few seconds. Patient regained consciousness after a couple minutes. Paramedics were called and patient was checked out. Vitals were good and parents decided to just monitor him and not send him to the hospital.
1358799	5/28/2021	IN	35	M	5/25/2021	5/25/2021	Severe headache, weakness, sudden loss of energy, drowsiness, blurred vision, loss of balance. The day of vaccination, it was mainly the severe headache and some swelling in my face. Mainly along my jaw line and gums. Day 2 all of the other effects I mentioned above hit me when I woke up and persisted until today. Still feeling some of it, mainly a slight headache, some loss of balance and I still get hot and start sweating at random times for no obvious reason.
1358766	5/28/2021	MD	27	M	3/26/2021	5/21/2021	Stroke - Blood Clot in M2 Brain Artery Friday, May 21, 2021 - Air lifted from Hospital to Hospital Admitted to Neuroradiology Dept and immediate Thrombectomy to remove blood clot behind left eye via angiogram through the groin via catheter. Proceedure was sucessful in removing 100% blocked artery and he was transfered to Resovery, observation and follow-on diagnostic testing in ICU for 4 days. Discharged May 24, 2021
1358747	5/28/2021	GA	70	F	2/16/2021	3/1/2021	Approximately 3 to 4 was after shot I noticed drooping left eyelid. It worsened in spite of treatment by ophthalmologist. Great difficulty swallowing, talking, much muscle weakness in neck & shoulders, and all over. Unable to eat much because of weakness in throat. Have lost 23 pounds in six weeks. Very week, unable to drive or do much of anything. Husband has become caretaker. Initial diagnosis is mysthenia gravis. Have been referred to neurologist for treatment. Appt June 7.. I am miserable, having anxiety attacks., worried. Doctor advised me report this.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1358742	5/28/2021	NY	35	F	5/27/2021	5/27/2021	BEFORE ADMINISTERING MODERNA VACCINE I ASKED PATIENT HOW SHE WAS FEELING AND TOOK HER TEMPERATURE SHE SAID SHE WAS FEELING FINE HER TEMPERATURE WAS NORMAL I WENT THROUGH SCREENING QUESTIONNAIRE AND CONSENT FORM AND SHE SAID SHE HAS NO PROBLEMS WITH HEALTH. I ADMINISTERED DOSE ONE OF MODERNA THEN I NOTICED AFTER ADMINISTERING VACCINE HER HEAD TILTED BACK AND EYES ROLLED BACK AND SHE WAS MAKING A SOUND THAT WAS WHEEZING AND SHE WAS NOT RESPONSIVE FOR SEVERAL SECONDS. WHEN I TRIED TO GET A RESPONSE FROM HER. AN AMBULANCE WAS CALLED IMMEDIATELY TO PHARMACY , I WENT OUT TO REACH FOR EPIPEN HOWEVER PATIENT IMMEDIATELY AFTER A FEW SECONDS WAS ALERT AND WAS SPEAKING AND I ASKED HER HOW SHE WAS FEELING. SHE SAID SHE WAS FINE AND SHE DOESN'T NEED AMBULANCE BUT I TOLD HER AMBULANCE IS ARRIVING. SHE TOLD ME AFTER THE VACCINE WAS ADMINISTERED THAT WHEN SHE GOES TO HER DOCTOR TO GET BLOOD WORK SHE GETS DIZZY AND FAINTS. SHE DID NOT TELL ME THIS BEFORE I ADMINISTERED THE VACCINE. PATIENT LEFT THE PHARMACY WALKING OUT WITH AMBULANCE. SHE DID NOT GO ON STRETCHER SHE WAS FEELING FINE WHEN I ASKED HER HOW SHE WAS. I ALSO PUT FAN ON AND GAVE COLD WATER FOR HER WHEN WAITING FOR AMBULANCE . FIREMAN CAME BEFORE AMBULANCE ARRIVED AS WELL. I ALSO ASKED IF SHE WANTS ME TO CALL HER A CAB SHE SAID SHE DOESN'T NEED ONE
1358736	5/28/2021	MA	29	F	5/25/2021	5/26/2021	patient called a couple of days later, explained to me she passed out, her eyes rolling in the back of her head, was unconscious and husband was scared, called 911 ambulance took her to ER , patient is home and appears to be doing well

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1358730	5/28/2021	WA	32	M	4/23/2021	5/1/2021	I have been experiencing red, irritated eyes, something which has never occurred before. My eyes look inflamed almost and I've been using basic Visine to make it better and it does make it go away for a little bit but the redness has been coming back. It could be an eye infection but again I take good care of my eyes and contacts and I'm wondering if this is a weird eye allergy side effect from the COVID shot.
1358565	5/28/2021	NY	29	F	4/11/2021	4/22/2021	4/14/21 - noticed right flank pain and some lower right abdominal pain, but dismissed as common side effects. 4/22/21 - woke up with more severe right flank pain and lower right abdominal pain as well as blood in urine. Went to Hospital and was diagnosed with kidney stones (one 3mm and one 4mm on the right side), however the imagine done did not show they had left the kidney. Was discharged same day with ibuprofen (600mg) and Flomax (0.4mg; 7 days). 4/23-5/4/21 - pain continued on and off, spiking severely on 5/4. Blood in urine stopped being visible to human eye on 4/25/21. 5/7/21 Met with Dr. PA, to discuss continuing symptoms. Urinalysis in showed microscopic levels of blood were still present in urine. Sent to get scans and received a script for naproxen sodium (220mg) to take instead of ibuprofen, 5/17/21 - Imaging results from 5/13 (u/s of kidney) and 5/14 (KUB x-ray) confirmed a 6mm triangular calcium stone in the ureter, causing urine to back up into the kidney. 5/26/21 - Underwent a uteroscopy with the intent of a laser lithotripsy to remove the stone, however noticeable bacteria was present, so instead a stent was implanted and the kidney stone was left alone as to prevent sepsis. Sent home with flomax (0.4mg; 30 days and Cipro (500mg, 2x/day, 5 days) and told to take advil/aleve and tylenol for pain. Tentatively scheduled to go back in to remove the stent and the stone in early June.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1358727	5/28/2021	MO	51	F	3/13/2021	3/14/2021	1. 24 hours of chills, body aches, fatigue, and low grade fever on the day after my shot. 2. On March 20, 2021 I woke up with swollen lips and face, and hives on my arms, legs and trunk. I also had a cough, watery eyes and itchy throat, like typical allergy symptoms. I went to the emergency room and was treated for an allergic reaction. No one, including myself, considered the COVID shot as the reason. The hives were gone within 24 hours, but the other allergy symptoms lasted for one week exactly. They had not gotten any better with a variety of over the counter allergy medications. When I went to my primary doctor for a follow up visit on March 29th all of the symptoms were gone. They were the ones that recommended I sign up with the vaers system, and they suggested the possible/likely connection to the vaccine.
1358854	5/28/2021	ME	49	F	5/26/2021	5/27/2021	Patient states she woke up the day following her vaccine and had a really bad headache and felt "hungover". Pt. stated her eyes and ear lobes were very red and swollen. She stated her left eye was completely swollen shut. She states her eyes and ear were very puffy and itchy as well.
1358673	5/28/2021	WA	50	M	5/26/2021	5/27/2021	Left upper eye lid swelling Right cheek swelling Developed allergy from Peanuts after for Covid vaccine shot - Upper lip swelling stayed over 24 hrs.
1358663	5/28/2021	WA	50	M	5/26/2021	5/27/2021	Left upper eye lid swelling Right cheek swelling Developed allergy from Peanuts after for Covid vaccine shot - Upper lip swelling stayed over 24 hrs.
1358655	5/28/2021	CO	31	F	4/19/2021	4/20/2021	Pfizer-BioNTech COVID-19 Vaccine EUA: one day after receiving vaccine patient presents to urgent care with left eye swelling, drainage, and burning sensation. Patient also reports nasal congestion for one month. Diagnosed with sinusitis and acute conjunctivitis, possibly due to COVID-19 vaccine, virus, bacteria, foreign body, or chemical/mechanical injury. Prescribed oral and ophthalmologic antimicrobials. Discharged to home.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1358646	5/28/2021	IL	14	F	5/28/2021	5/28/2021	Approximately five minutes after the vaccination, patient became very light-headed and nauseated with loss of vision. She was offered water and hard candy while waiting for the paramedics to arrive. She took a small amount of each, but declined anything else from the store. She seemed to be in significant distress and had difficulty moving to the immunization room where she would be out of view from others in the store. Paramedics arrived and checked her vitals and said those looked ok, so they didn't seem concerned. Patient still seemed very unsteady when leaving, but did say that her vision had improved. Patients were advised to keep a very close eye on her.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1358629	5/28/2021	CT	41	F	5/21/2021	5/21/2021	THE PATIENT CAME TO THE PHARMACY TO BE VACCINATED FOR COVID-19, WITH JOHNSON & JOHNSON, ON FRIDAY, MAY 21, 2021 AT ROUGHLY 2PM. I GAVE HER THE VACCINATION IN HER DELTOID MUSCLE ON HER LEFT ARM. SHE ALMOST IMMEDIATELY COMPLAINED OF DISCOMFORT AND ASKED IF I HAD A COLD PACK. I PROVIDED HER WITH ONE, WHICH SHE USED WHILE WAITING THE 15 MINUTE POST-VACCINATION OBSERVATION TIME. SHE LEFT THE PHARMACY WITHOUT INCIDENT. ONLY A COUPLE HOURS LATER, SHE CALLED THE PHARMACY TO REPORT ERYTHEMA AT AND AROUND THE INJECTION SITE. I DID NOT KNOW AT THAT TIME WHETHER THE ERYTHEMA WAS DUE TO THE COLD PACK OR IF IT WAS A VACCINE-INDUCED RASH, SO I INSTRUCTED HER TO TAKE A DOSE OF ANTIHISTAMINE. AS SHE HAD CETIRIZINE IN THE HOUSE, SHE TOOK THAT. SHE WAS HOME WITH HER HUSBAND. I RECOMMENDED HE KEEP AN EYE ON HER AND IF SHE DEVELOPED ANY ADDITIONAL SYMPTOMS OR WORSENING RASH, SHE SHOULD GO TO THE HOSPITAL FOR EVALUATION. ADDITIONAL SYMPTOMS INCLUDED SWELLING, TROUBLE BREATHING, WHEEZING, CHEST OR THROAT TIGHTNESS, OR HIVES. THOUGH SHE DID NOT EXPERIENCE ADDITIONAL SYMPTOMS, SHE DECIDED TO GO TO UCONN HEALTH CENTER ER IN FARMINGTON. THEY DID BELIEVE THE RASH WAS VACCINE-INDUCED BUT DID NOT FEEL SHE REQUIRED ANY ADDITIONAL TREATMENT AND DISCHARGED HER (I.E., NO EPINEPHRINE). THE PATIENT NOTED THAT HER BLOOD PRESSURE AT THE ER WAS HIGHER THAN "HER NORMAL" AT 152/95. THE FOLLOWING TWO DAYS, THE RASH STAYED THE SAME AND WAS DESCRIBED BY THE PATIENT AS THE "WORST SUNBURN SHE'S EVER HAD". SHE ALSO HAD NORMAL SIDE EFFECTS OF BODY ACHES AND CHILLS/SWEATS. ON MONDAY, 5/24/21, SHE FOLLOWED UP WITH HER PCP. HE AGREED WITH THE HOSPITAL THAT THE RASH WAS VACCINE-INDUCED AND TOLD HER THAT HE DIDN'T WANT HER GETTING ANY COVID-19 VACCINES IN THE FUTURE. HE DID BLOODWORK TO RULE OUT PLATELET ISSUES, WHICH, PER PATIENT, WERE



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							NORMAL; SHE NOTED THAT HER RBC'S AND HEMATOCRIT WERE SLIGHTLY ELEVATED. HER PCP GAVE HER A MEDROL DOSEPAK FOR THE RASH. THE PATIENT IS RECOVERING. I BELIEVE IT IS WORTH NOTING, HOWEVER, THAT THE PATIENT APPLIED THE COLD PACK DIRECTLY TO HER ARM FOR AN EXTENDED PERIOD OF TIME AND DID NOT PROVIDE THIS INFORMATION TO EITHER THE ER OR HER PCP. SHE SENT ME A PHOTO OF HER ARM WHICH SHOWS GENERALIZED ERYTHEMA (THE SIZE OF THE COLD PACK) - THE ONLY PART THAT IS COMPLETELY NORMAL IS THE SKIN BELOW THE BAND-AID. I BELIEVE THE PATIENT CREATED AN ICE BURN BY USING A COLD PACK TOO DIRECTLY, FOR TOO LONG, AND THAT THE UNDER BAND-AID AREA WAS NOT RED BECAUSE IT PROTECTED THE SKIN FROM COLD BURN. I SUGGESTED TO THE PATIENT THAT SHE RUN THIS THEORY BY HER PCP, AS I BELIEVE IT IS IMPORTANT "MISSING INFORMATION", THAT COULD POTENTIALLY CHANGE THE DIAGNOSIS AND ALTER HIS RECOMMENDATION TO AVOID FUTURE COVID VACCINATION. WHETHER OR NOT THE PATIENT CONTACTED HIM AGAIN IS UNKNOWN.
1358622	5/28/2021	CA	65	F	4/5/2021	4/5/2021	Initially the back of my neck was itching. My face burned, my forehead , neck, and shoulders was visually burned. After that any food I ate the burned came back. If I am near sunlight the burns come back same place every time.
1358589	5/28/2021	TX	18	M	5/20/2021	5/24/2021	Hives and swelling in face around eyes and forehead. Hives were everywhere on the body

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1358728	5/28/2021	CA	35	M	5/28/2021	5/28/2021	Patient had fainted after receiving the vaccine and when I came to see him, he was back on the chair. He said he felt faint. I asked if his breathing was alright, his sight and hearing was ok; he said everything was fine, but he still felt faint. Then I saw his eyes closing again and he slouched down on the chair and became unconscious. I helped him onto the ground, where he started shaking, so I rolled him onto his side. He felt clammy. It was a few seconds before he stopped shaking and opened his eyes again. I asked him to stay laying on the ground and asked him again regarding his breathing, heart rate, vision, how he felt. He asked if he passed out again and I told him yes and we're going to keep him on the ground until paramedics arrive. He said he felt better; his breathing and speech was fine, there wasn't any sound of shortness of breath, but he was sweating in cold sweats and he asked us to fan him. He said that he felt better and that he has a big phobia of needles, which his wife who was there, confirmed. He informed me that he's fainted several times at doctor's office and hospitals when they stick a needle in him. When the fire fighters arrived, they spoke to him prepared to get a EKG on him, to which he immediately told them that he doesn't want them to stick any needles in him and he became frightened that the EKG pads were needles. When paramedics came, they determined that they had to take him to the hospital because they said he wasn't able to stand up on his own without falling over and his heart rate was increasing.
1359290	5/28/2021	SC	51	F	5/27/2021	5/28/2021	Muscle tightness and pain, joint pain, headache, nausea, severe back pain, abdominal pain, scratchy sore throat, emotional, depressed, shortness of breath, severe fatigue, confusion, foggy head, lack of focus, lack of concentration, eye sensitivity, skin sensitivity

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1359862	5/28/2021	CO	67	M	3/17/2021	3/18/2021	Moderna COVID-19 Vaccine EUA: patient presented to emergency department with one day of rapidly progressive vision loss in left eye to no light perception and pain with extra-ocular movements, chemosis, and swelling around the eye. Optic disc swelling noted. Patient initiated on steroids, antimicrobials, and antivirals: the later two discontinued when infectious workup negative. Patient discharged on steroids. On follow-up with neuro-ophthamology, patient's left eye remains without light perception. Left optic nerve is pale and right optic nerve is normal. There is no improvement in the right eye and no recovery in the left eye. Patient diagnosed with severe left optic neuropathy consistent with optic neuritis. Steroids discontinued.
1357836	5/28/2021	ME	67	F	3/31/2021	4/2/2021	Neuromyelitis optica (G36.0) sudden change in vision OS and now OU 4-1-21
1359711	5/28/2021	CA	49	F	5/28/2021	5/28/2021	49 y/o female without significant PMH other than anaphylaxis from a dental procedure, who presents to the emergency room with multiple complaints after receiving her second SARS-CoV-2 Pfizer vaccination today at about 3-3:30 PM, lot number not current available. The patient's significant other/boyfriend was driving when he noticed the patient suddenly started to complain of shortness of breath with chest pain and a maculopapular rash which later was followed by expressive aphasia and left hemiparalysis. She received Pepcid, solumedrol and Benadryl for the rash in the ER with improvement. Code neuro was called and TPA was given. Post TPA she was alert and oriented and she could currently write with her right hand and think of the words she has to say. She had associated blurry vision which has resolved after TPA was administered. She also was not able to move her left lower extremity nor her left upper extremity which is also improving to some extent after TPA administration. So far CT/CTA head and CTA neck are negative and she has been admitted for likely acute cerebral vascular accident.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1358022	5/28/2021	RI	69	F	3/16/2021	3/22/2021	Intense UTI and urgency to urinate, no control of it. Fatigue/sleeping, brain confusion, aches, headaches everyday, old injuries became active again i.e. my broken hand 7 years ago began hurting and couldn't use it, my knee would not hold me up to stand and kept going out on me (from 2010 broken tibia and torn knee ligaments). Began a sinus infection, cough and eye pain with awful bouts of constant sneezing. Third round of antibiotics for the UTI and my bladder is still not right with leakage and urgency. Liver enzymes are high chart.
1359541	5/28/2021	TX	16	M	5/28/2021	5/28/2021	About 10 mins after shot, fainted with eyes rolling back in head, convulsions for a few seconds. Patient helped to lay on floor. Showed confusion for a few seconds and then came to. EMTs checked vitals and blood sugar levels and said things were normal. Visited urgent care facility a few hours later where physician said episode was likely vasovagal syncope.
1359529	5/28/2021	WA	20	F	5/26/2021	5/26/2021	About 5 min after giving the vaccine, patient complained of not feeling well. Symptoms included headache, loss of sensation in arms, light headedness. Patient appeared pale, and confused. Attempted to have patient stand up and walk to counsel room opposite where she was sat. After standing, she immediately sat down, and fainted while she was seated. Pharmacist supported her head, and her boyfriend/significant other prevented her from falling off the chair. Patient was momentarily unresponsive for about 3 seconds. During this time her eyes remained open. Once patient regained consciousness, walked her to counsel room and had her lie down on her back with her legs elevated on a chair. Blood pressure was within normal limits. Patient was feeling better in about 10 minutes, and continued to monitor for another 5. Gave water to sip on, and no additional adverse effects noted.
1359309	5/28/2021	CO	47	F	5/8/2021	5/12/2021	left eye stroke (blood clot), Central Retinal Vein Occlusion, no treatment, vision foggy

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1358815	5/28/2021	NY	46	M	4/20/2021	4/20/2021	1-2 hours after receiving second vaccine injection, noted severe weakness and heavy feeling in legs. Had to leave work to go home. 2 days later noted onset of tongue numbness and unable to sip coffee. Noted progressive drooping left side of face, difficulty speaking clearly, and tearing of left eye; also numbness and burning of tops of feet. Evaluated in the ED on 4/27/2021. Noted to have dysarthria and left facial nerve palsy. CT head and MRI head demonstrated no hemorrhage, mass effect. On CT scan, intracranial vessel calcification noted c/w cranial atherosclerosis. On MRI few nonspecific high T2-weighted foci within the subcortical white matter of the frontal lobes of uncertain clinical significance. Pt given scripts for Valtrex and 7 day course of steroids.
1359299	5/28/2021	TX	51	F	5/27/2021	5/27/2021	Around 6pm or so I started feeling nauseous, itching at site of injection, red, swollen with fever. Tightness of chest, wheezing, throat irritation, dizziness, headache, weakness, anxiety, change in eyesight where it comes and goes, muscles and joint pain. Just really hurting all over. Upset stomach, feeling tired and unwell. My eyes also have mucus in them and vision comes and goes. I have felt okay during the day until around 6pm the symptoms occur and last the rest of the night. My arm also is painful at injection site and swollen, kind of like a knot. This is the next day after injection. When I had the first shot I had same reactions and it lasted 4 days.
1358825	5/28/2021	ME	19	M	5/28/2021	5/28/2021	Patient started to feel dizzy and woozy approximately 30 minutes after the vaccination. Patient states he was having trouble with his vision and focusing on objects. States his feet were really itchy and he was sweating a bit.
1359284	5/28/2021	AL	59	F	4/8/2021	4/22/2021	4-08-2021 Frequent urination 4x during night vivid dreams 4-22-2021 Muscle weakness, loss of muscle tone, falling, red eyes, swollen wrist 5-1-2021 Went to Urgent care for adverse reactions was prescribed muscle relaxant 5-5-2021 Feel and broke wrist from muscle weakness

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1359042	5/28/2021	AL	20	F	5/28/2021	5/28/2021	At 15 minutes past vaccination patient is crying. When asked if she is ok, she doesn't speak just keeps crying. Then her eyes roll back in her head and she proceeds to pass out. She comes in and out repeating this process for 5-10 minutes. Patient is non verbal during event. Once Patient came to, she knew her name, year, and president but did not know what day it was.
1359017	5/28/2021	PA	27	F	5/28/2021	5/28/2021	Patient has documented Narcolepsy and other heath conditions. Following administration of Moderna vaccine, patient entered REMs cycle and was mildly "asleep" for several minutes following vaccine. The patient's boyfriend was with her and mentioned she has occurrences daily, but feels the vaccine may have prompted her sleep/REMs cycle. They patient was able to respond to me and speak, but her eyes were closed for several minutes. The patient's boyfriend denied emergency medical attention, and she was able to leave once she gained wakefulness. No allergic reaction, trouble breathing, or hives were observed

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1359009	5/28/2021	VA	54	F	1/1/2021	2/21/2021	Almost one month after my second Moderna Covid 19 vaccination I had what I can describe as prickling sensations in my right side of the face. It resolved in a few days. About two days February 21st 2021, later my head started to hurt towards the front, both sides. Within a day this resolved. The next day a very sensitive tender sensation arrived underneath the arch of my right eye. Blinking, talking or touching this general area was very uncomfortable. I could not lie comfortably on that side of my face given it's sensitivity to fabric against it. On a scale of 1-10 most painful it was a 2 or 2.5 most of the time. Advil did not really help much. I figured it would just resolve on it's own. The pain was stable at no time completely going away. Mid April I decided to see my PCP who referred me to a neurologist. I also started Accupuncture to assist wondering if it was stress related. In fact I've intuitively thought it was a side effect of the inoculation. The neurologist gave me comparing at night I could not take after second night due to pain in my muscles it created. Then he gave me a trial on nortryptaline (pamelor) older SSRI to see if that would help it reduce. I am a week into this medication and it's not really doing much yet. However, I have had history of neuropathy in gyn region when lower receptor site gets triggered/inflamed. Nortryptaline has helped that in many years past. Have also used amytryptraline for same many years prior to that successfully. My neuro had me do a brain MRI also. No problems. My eye doc also saw no problems.
1359004	5/28/2021	CA	27	F	5/27/2021	5/27/2021	Patient reports start feeling shooting through her chest once they inject her with needle, start feeling little dizziness, it was her second COVID vaccine, Moderna, denies chest pain, SOB, palpitations, blurred vision, lightheadedness, swelling of the face, throat or tongue. denies weakness.
1359000	5/28/2021	WA	13	F	5/17/2021	5/17/2021	PATIENT DID EXPERIENCE A REACTION WITHIN 5MINS AFTER VACCINATION WITH PFZIER 1ST SHOT. SHE EXPERIENCED BLURRY VISION, LOSS OF HEARING AND DIZZINESS FOR 15MINS WITH HOT FLASHES. GAVE HER APPLE JUICE AND HAD HER PUT HER FEET UP ON CHAIR. AFTER 20 MINS SHE WAS FEELING FINE AGAIN AND LEFT WITH DAD.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1359543	5/28/2021	GA	13	F	5/28/2021	5/28/2021	Patient was given the Pfizer vaccine intramuscularly in her left arm. As soon as the needle was withdrawn her eyes rolled over and she slumped in her chair. We (myself, her mother and her father) where in the process of placing her on the floor when she indicated that she wanted to get up. We placed her back into her seat and her mother proceeded to rub her back. I asked her if she needed anything but she declined. I kept her for observation for 30 minutes monitoring for any signs of shortness of breath, wheezing or swelling of the tongue or throat. No symptoms were observed. I advised her mother to notify patient's pediatrician of the incident and then released the patient.
1359307	5/28/2021	CA	50	F	5/23/2021	5/24/2021	~~Pfizer-BioNTech Covid 19 vaccine EUA": About 24 hours after my second shot, I felt strong nausea, losing control of the environment, feeling very unwell, weak, blood pressure must have dropped, my vision had darkened, I was about to collapse on the floor had I not reached my bed quickly. Couple of minutes later I had the urge to vomit but nothing came out, and then I had a normal bowl movement. After all that, I felt like the pressure had been released, took 1 tylenol, and went back to bed to rest. It's been 4 days now since the fainting symptoms, and I've been fine so far. The scary part was really the fainting symptoms, I wasn't expecting that.
1358096	5/28/2021	OR	50	M	3/11/2021	3/31/2021	The Patient developed Optic Neuritis (headache, loss of vision and color vision in both eyes). He was ultimately diagnosed with Myelin Oligodendrocyte Glycoprotein Antibody Disease and will be treated either with IV IgG or Rituximab.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1358258	5/28/2021	CO	43	F	3/29/2021	3/29/2021	Around 8 PM STARTED WITH A massive headache and then overnight I started to swell when I woke up the next morning 03/30/2021 I had angioedema and severe wheezes, and my eyes closed shut, my lips were twice their size, and my throat was really tight. Within 24 Hours I looked and felt horrible. The reaction continued for 2 weeks (around 04/09/2021)and then my doctor put me on a heavy dose of prednisone and other drugs to stop the reaction. I still have hives every night and facial swelling. My doctor advised me to not get the second shot of the vaccine until she can. It has impacted my work severely. This also happened to my brother who received the vaccine.
1358243	5/28/2021	OR	32	M	5/28/2021	5/28/2021	Patient reported tunnel vision and subsequently passed out, seized for 5 seconds, and then regained consciousness. Patient afterwards reported having a history of this type of reaction to vaccines, tattoos, and dental work. Patient became very warm, received water, and an ice pack. Patient was cooled down and left 30 minutes after the event.
1358226	5/28/2021	OR	79	F	2/24/2021	2/26/2021	Over the next two months, 4 instances of piercing headache accompanied by blurred vision lasting for more than 2 hours and resistant to regular strength acetaminophen. Over the same two months, continuous low level headaches, chills, disrupted sleep.
1358201	5/28/2021	OR	32	F	5/11/2021	5/12/2021	The day after my shot I felt fine, my arm was really sore but I worked out and moved it a lot. Around 5pm that night I was on a conference call with my colleagues when I started experiences facial twitching and a loss of control on the right side of my face near my mouth. I was having trouble enunciating and was slurring my words when speaking. My colleagues were able to visually see the twitching happening over the zoom call. The issue resolved itself on its own within 10 minutes. I have had no other symptoms. I have my second dose scheduled for this Tuesday but I am really afraid that I it will be worse. Please reach out and let me know if its safe to process with the second dose.
1358177	5/28/2021	MA	59	F	5/24/2021	5/25/2021	My eyes are noticeably more sensitive to sunlight and artificial light. I did not have this experience before my Moderna vaccine #2.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1358166	5/28/2021	CA	44	F	4/9/2021	4/10/2021	More severe Headaches, chest tightness, blurry vision, blood shot eyes, stomach pain, back pain, leg pain (back of knees, dizziness off balance.
1358270	5/28/2021	MN	50	F	5/17/2021	5/18/2021	Extreme fatigue, tiredness, headaches, lack of energy, twitchy eyes ever since. Could sleep long hours.
1358146	5/28/2021	VA	49	M	5/24/2021	5/25/2021	Herpes Zoster (Ocular) with a fever of 104. Treatment is antivirals until his appointment with Ophthalmologist on Tuesday 6/1/2021. Currently still symptomatic. Outcome in eye is uncertain.
1358050	5/28/2021	OK	30	M	3/17/2021	3/31/2021	14 days after second vaccination, pt. had dizziness, blurred vision, memory loss; went to hospital x 3 days. Tests were run. Blood clot was never confirmed despite CT scans but was suspected. Pt. is now on ASA 81mg daily maintenance and suffers no ill effects. History was given by mom when her younger son had his vaccine. This patient may have had a VAERS generated by the hospital.
1358085	5/28/2021		60	U	3/2/2021	3/2/2021	Patient developed itchyness around eyes and tingling sensation around mouth ,arms and legs ( mild). Patient without sob, chest pain ,dizziness or other issue. No evidence of facial dissymetry . Ems called. See ems report for further assessment .

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1358078	5/28/2021	CA	33	F	5/27/2021	5/27/2021	Client received her first dose of the Pfizer Covid-19 Vaccine (lot # EW0185 exp. 08/2021) at 14:58. At approximately 15:14 the client walked over to the EMT station. The client was a 33-year-old female alert and tracking with her eyes. The chief complaint was arm numbness. The client stated that she started noticing arm numbness approximately 4 minutes after receiving her first Pfizer vaccination. The client was alert and oriented to person, place, time, and event. The primary assessment revealed that the client's airway, breathing, circulation were intact. The client denied any pertinent medical history such as medications and allergies. The client did not present with any hives, swelling, discoloration, signs, and symptoms of shortness of breath, or other signs of anaphylaxis. The client stated that her arm numbness started gradually and was only present on her inner forearm without any discomfort around the injection site. After the primary assessment was done the client agreed for EMTs to take a set of vital signs in a seated position. Vital signs are as follows: blood pressure 118/84, pulse 70, O2 saturation 99%, respirations 14. After the first set of vital signs was taken, EMT recommended the patient stay an additional 30 minutes for observation and the client consented. However, approximately 5 minutes into observation the client stated that she was feeling better and refused to remain for the remainder of the 30-minute observation. It was recommended that she contact her primary care doctor and received all pertinent information before her next dose. The client was instructed to call 911 if a severe allergic reaction were to occur. The client then departed in a positive disposition with steady gait at 15:20.
1358075	5/28/2021	TX	60	F	4/9/2021	4/9/2021	Watery eyes, dripping like they were running, and they were dark red and teared up constantly had to have a Kleenex all the time. Had COVID in December 28, 2020

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1358047	5/28/2021	CA	12	F	5/27/2021	5/28/2021	Client received her first dose of the Pfizer Covid-19 Vaccine (lot # EW0185 exp. 08/2021) at 11:28 AM. The client was brought to the EMT station by lead RN stating that the client was feeling "dizzy?" at 11:46 AM. The client was a 12-year-old female alert and tracking with her eyes and appeared anxious. The client had a chief complaint of lightheadedness. The client stated that she "began to feel lightheaded?" after her initial 15-minute observation had completed. This was the client's first dose of the Pfizer Vaccine and she stated reluctance to receive her first dose. The client denied any allergies and her parents stated that the client had a history of unspecified behavioral disturbances that require her to see a therapist. The assessment revealed no hives, swelling, discoloration, shortness of breath, or other signs and symptoms of anaphylaxis. The client denied a headache or wanting to throw up. The client refused to have her vitals taken by EMT but agreed at 1150 to remain lying down until she felt better. The client was encouraged to drink water while she waited. After 15 minutes and drinking a bottle of water, the client stated "I feel all better" but "I think I'm overthinking this" and stated that she was now experiencing a "headache?". RN asked the client's parents' permission to speak to the client. RN came over to reassess the client and that client finally agreed to have her vitals taken at 1208: 148/84 blood pressure, Pulse 94, 100% O2 on room air, Respirations 16, alert and oriented to person, place, date, and event. The client revealed to RN that she was experiencing anxiety from her vaccination but became much calmer after discussing her concerns further. Client also revealed that she engages in acts of self-harm but has no intent to end her life. The client's last set of vitals at 1216 were 128/76 BP, HR 96, O2 100%, Resp. 16. The client then stated that she was "ready to go?" after her last set of vitals. Lead RN asked to speak to client's mother in private. Lead RN provided mother with crisis hotline. Mother informed lead RN that client was in therapy and already seeking help. The client's parents were instructed to seek emergency care if a significant allergic reaction occurred later in the evening and were provided with all relevant vaccine-related information by RN. The client departed at 1220 in a positive disposition with her parents.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1358041	5/28/2021	NY	20	M	5/25/2021	5/25/2021	Syncope reaction - IMMEDIATE REACTION. DROP IN BLOOD PRESSURE, FAINTNESS, PROFUSE SWEATING, BLURRED VISION, COLOR DRAINED FROM FACE, NEVER LOST CONSCIOUSNESS. WAS UNABLE TO GET BP DUE TO SMALL SIZE OF HIS ARMS. I HAD TROUBLE LOCATING THE PEDIATRIC CUFF. WHEN EMS ARRIVED THEY TOOK BP AND IT WAS 58/40. EMTS HUNG FLUIDS AND TOOK PT TO EMERGENCY DEPARTMENT. Pt called pharmacy at 8:30p reporting leaving emergency department feeling fine after fluids administered.
1358521	5/28/2021	OK	36	M	3/24/2021	3/25/2021	After vaccine, I had pain around my eye and developed MRSA around my eyes, and I felt "off". I had heart pains, and took a shower and had a heart rate of 130. I took Ativan and felt some better. I thought about going to the ER, but I emailed my doctor instead. He told me to rest. Dr. suggested I go to the ER if I felt worse. I did feel some better after hearing from him. He said he was not to concerned about it, he didn't think it was my heart. He said after I had Covid and the vaccine he wasn't surprised.
1358161	5/28/2021	NM	38	M	5/27/2021	5/27/2021	I nearly fainted. Had about 3 different moments of heart flutters (not sure how else to describe it) My vision was half blackened. I was light headed and had a little bit of breathing weirdness. It probably only lasted about 2 minutes. I laid down and all symptoms went away in about a minute. The only other time I fainted in my life it was from seeing blood shoot out of my body but it wasn't accompanied by heart flutters.
1358460	5/28/2021	TX	54	F	5/27/2021	5/28/2021	Hallucinations and severe room spinning, eye rolling, Hallucinations were in middle of the night, the spinning, eye rolling, nausea were at 6:30 am till noon
1358500	5/28/2021	OH	25	F	5/12/2021	5/21/2021	Episode lasting 30 minutes on 5/22/21: Distorted vision Numbness in both arms Lightheadedness Sensitivity to light Headache Lasting 6 hours: Fatigue From 5/21/21-5/28/21: Symptoms similar to shingles - skin sensitivity above ribs around torso. Nerve pain/?shocks? 10-20 per hour in same area above ribs circling around entire torso. Fatigue.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1358303	5/28/2021	FL	72	F	5/10/2021	5/19/2021	After the first dose, I had the usual tiredness and sore arm, I took Tylenol for the arm. Two days later, I had an episode with my Afib being active (the propafenone had been managing this). After my second dose, I had chills, low grade fever, feeling generally sick, all this was normal per CDC. However, on the 19th I woke with full scale Atrial Fibrillation and my blood pressure was elevated. Both kept rising until my BP was 173/108, I was very dizzy and faint. I called 911, who transported me to Hospital ER (because my heart rate was extremely elevated and BP high). My heart rate eventually went back to normal, BP still higher than it should be. For the past week, my BP has fluctuated between being normal to being high. The past two days, it has been normal. The only explanation was a result of the 2nd vaccine as they could find no other problems in doing x-rays of my heart/lungs and blood work. It was a bit scary because high blood pressure affects my kidneys and was the cause of the stroke in my eye last year.
1358519	5/28/2021	CT	31	F	4/26/2021	4/26/2021	I got the vaccine and I experienced very slightly blurry vision 15 minutes after. My vision deteriorated very bad so I couldn't read my phone or laptop in a weeks time. I contacted my primary care 2 days after this happened and she referred me to a Ophthalmologist, and then the Ophthalmologist referred me to a Retinal Specialist who said nothing seems wrong and to use reading glasses temporarily. And so after that I contacted the Optometrist to get the proper glasses because over the counter glasses weren't working well. There has been redness in my eyes so I've been using eye drops for more than a month. I'm nursing and also had the Lasik done 5 years ago because childhood distance vision problem. I used glasses when I was younger and did surgery to stop using them. Since vaccination my near and distance vision got really bad, now the distance is a little better but near is still very bad.
1358470	5/28/2021	IN	43	F	5/22/2021	5/22/2021	severe headache, black stool, burning/pain on eyes
1358420	5/28/2021	MD	35	F	4/21/2021	4/22/2021	Experienced unilateral muscle spasms on left side. Eye twitching, bicep spasms, calf spasms
1358419	5/28/2021		78	M	3/5/2021	3/26/2021	double vision kicked in from myasthenia gravis about three weeks after second dose.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1358394	5/28/2021	CT	23	M	5/28/2021	5/28/2021	About 4 minutes after administering the vaccine patient was sitting down in the waiting area and stated that he was not feeling too good. I immediately went over to him, at which point I noticed he was sweating profusely and stated he felt a little light headed. Less than 1 minute afterwards, he stopped talking and his eyes began to roll back, at which point his upper body began to slide over to once side as if he was going to fall. I immediately caught him, motioned for someone to call emergency services and continued to call him name. He did not respond, was pale and blacked out for about 30 secs. He was still breathing thankfully. When he regain consciousness, he stated that he felt better but he felt some tingling sensation in his forearms bilaterally. Thankfully at this point emergency services were present and upon taking his vitals, realized that his HR and BP were significantly low for someone of his age.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1358387	5/28/2021	IN	48	F	5/28/2021	5/28/2021	The patient let us know that she had had a seizure after the first COVID shot and that she has them after every vaccine. This has happened since she was a little girl. The patient was visibly nervous before the vaccine was administered. During her observation time following the vaccine administration, she let provider know that she could feel her left arm tightening up. Provider provided the patient with an ice pack for her neck to try to calm her down. The patient asked for us to not call a rapid response yet and that "I'm trying to calm myself down." observed the patient's left hand starting to grasp and the patient became tearful so asked the patient if she was okay. The patient stated she was okay. Provider asked her to let her know if she felt like she was going to have a seizure. About a minute later, the patient let provider know she felt one coming. Provider called the RRT as the clinic Team Lead, let the patient know she was going to recline her in the chair she had been vaccinated in. Seconds after the chair was reclined, the patient's eyes started to roll back in her head and her eyelids started to flutter. Within about 10 seconds, the patient was jerking up and down in the chair. The clinic staff ensured the patient was safe until the arrival of the RRT. As the RRT arrived, the patient's seizure ended. The patient became alert to talk to the team that arrived to the clinic. She refused being seen by the ED. The clinic staff agreed to monitor her vitals until she felt comfortable to leave. After around 30 minutes after the seizure, the patient was in good spirits and stated she would like to stand and see how she felt. The patient stood up and walked around for a moment before saying she was ready to leave. Provider checked the patient out, and she left the clinic.
1358386	5/28/2021	AZ	77	M	4/10/2021	4/1/2021	I was unable to pin down onset of symptoms. Patient was vaccinated on 04/10/2021 and sometime thereafter developed dizziness and double vision. Patient visited his ophthalmologist on 04/22/2021 and was advised to contact his PCP to schedule and MRI to rule out stroke. Patient is insistent that this needs to be reported despite my explanation that his symptoms are probably not vaccine related. I strongly advised patient to see his healthcare provider for further evaluation or go to the ED of local hospital.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1358352	5/28/2021	MN	44	F	5/26/2021	5/26/2021	fever, headaches, chills, sweats, arm stiffness/sore, light headed, nauseous, blurry vision, tired

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1358340	5/28/2021	IL	74	F	3/10/2021	3/31/2021	<p>She got her vaccine, had no reaction. She told them that she had a problem with apples and they made her stay for an additional 30 minutes, and was feeling okay and they went home. Then about 3-4 weeks and she woke up one morning, and her mouth was swollen like she had an overdose of Botox all the way around. Then it seemed like it was moving and half of her lip swelling was gone. She got on Benadryl right away and then she thought maybe she had eaten something that she was allergic to, had some fruit thinking that maybe it was in a container of fruit as that's reaction she had with apples. They called the doctor and he wasn't in, but a NP saw her and she gave her a shot of steroids and put her on the steroid dose pack. It took about 4-5 days and then it started clearing up and it was gone. Then all of a sudden 3 weeks later her face started swelling up, the jaw area was swelling up and it moved around. She went to the ER and was given another prescription for the steroid dose pack and was told to take Benadryl. Then it went away again. Then it started happening another day, her left eye was closing up completely and the eyebrow went all the way up and was swollen. For the first month or so it was in her face. They went to visit some friends in Arizona for a week and she was fine. Then, she started with her forehead swelling and she thought it may have been he sun, but she does not stay in the sun long as she covers her head, this lasted about 2 days and went away. Then they went home and she called him again and said that she had the reaction again on her face and her forehead and the top of her head in her hairline. In between this she saw an allergist and tested her and said that she had no allergy to apples, other fruits and nuts, and informed her that her blood work was fine. Then again, just recently 4 days ago she then broke into a rash, her forehead was rosy and her chest was red and itching. She saw her doctor and he gave her another allergist for her to see and referred her then, but has not seen that doctor yet. The rash seems to be gone at this time, no swelling at this time, but feels terrible. She has had 4-5 outbreaks since the vaccine, and they continue to keep happening, but in different areas every time. She is okay for today.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1358337	5/28/2021	MN	61	F	5/20/2021	5/25/2021	Her lips starting not working right as of Saturday following the vaccine. The facial pain present starting Tuesday before the vaccine was gone. Symptoms progress and by Monday eye was not shutting and she was experiencing facial drooping. Patient went to ER. Patient also experiencing left arm tingling from shoulder blade to middle of her hand.
1358328	5/28/2021	MA	12	F	5/14/2021	5/14/2021	Within 3-5 minutes, she was asking for water and feeling hot. Her back was sweaty. Her eyes looked like they were glazed- not responding; didn't look bright. She got some water and an ice pack on her back and removed her shoes and put her feet up. After drinking the water and keeping the ice pack on for the rest of those 15 minutes. Nurses were there watching her. And she was able to walk out of the clinic on her own power. It had looked like she maybe would have passed out without the intervention of water, ice pack and getting her feet up. She had muscle pain in her arm (of injection site) that day and into the next day. The muscle pain in her arm lasted for about 24 hours.
1358306	5/28/2021	CA	36	F	4/19/2021	4/24/2021	Onset of sxs 4 days post 2nd Pfizer COVID vaccine while standing in the kitchen looking for paperwork Noticed she felt shaky, heart pain with burning, pulse was "going crazy" and going up, hard to focus HR 173 (pulse 160 when the paramedics arrived) Called 9-1-1 Deep burning in her heart Felt like my body was going to explode Whole body painful Vision blurry Pain in teeth Hands were purple and cold - hx of Raynaud's but never had these sxs
1358369	5/28/2021	WA	52	F	4/16/2021	4/22/2021	Shingles outbreak on upper left face and eye resulting in continued iritis infection

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1358326	5/28/2021	IL	55	F	1/20/2021	2/18/2021	I got dermal filler on April 8 2021 and my throat swelled tongue swelled. Eyes itchy, lips itchy, Ears itchy and high pitch ringing. Also face numbness off and on. I was treated in the ER 3 times. Saw a Dermatologist and a Ears Nose Throat Doctor and A allergy Doctor. I had hydraulic shot in my face to dissolve some of the filler. Symptoms improved . BUT still have problems with itch face numbness face ears ring and hurt. I am currently seeing a cosmetic surgeon. I am getting test done to see if filler is still in my face and if nerves in my face are cut .
1353570	5/27/2021	TX		F			Could not see out of it for a little; Head was pounding; Eyes were clouding up again in right eye; She also had temperature of 103; This is a spontaneous report from a contactable consumer (patient). A 65-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration on an unspecified date (Lot number was not reported) as single dose for COVID-19 immunization. The patient medical history and concomitant medications were not reported. The patient previously received the first dose of BNT162B2 on an unspecified date for COVID-19 immunization and had no reaction. Patient received Covid shot and first injection she had no reaction but with second one her head was pounding, eyes were clouding up again in right eye and could not see out of it for a little. She also had temperature of 103 F. The outcome of the events was unknown. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1354143	5/27/2021	PA	20	M	5/27/2021	5/27/2021	~10 seconds after administering the shot into the left deltoid, patient's eyes started to roll back, became unresponsive, and started falling back in the chair. This lasted for ~15 seconds. After this, the patient immediately regained consciousness, had no issues breathing, and was able to talk. Patient reported light-headed. 911 was called immediately upon reaction, first responders came in and took patient's BP and glucose. Glucose 91 mg/dL, BP was low (forget exact value), but returned to normal (~117/80) after about 10 minutes. Patient seemed fully conscious and aware, opted to not go to the hospital and signed a declination form of transport. First responders deemed that the patient was aware and did not necessarily need transport to the ER. Patient requested a ride home from friend/family member and is going home to rest.
1354129	5/27/2021	TX	63	F	2/25/2021	4/12/2021	(04/12/21) Sudden onset of vertigo, followed by severe pain around left eye, then nausea. Treated in ER; CT/artheriogram (negative), labs, xrays, IV's, medication. Kept in hospital over night for testing and observation. Physical therapy has been ongoing to treat vertigo, dizziness.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1354095	5/27/2021	PA	17	F	5/26/2021	5/26/2021	<p>Less than 1 minute after received the shot, patient became clammy and pale while sitting in chair. Her eyes rolled back in her head and her body went slack. Myself (parent) and the nurse who had given the shot braced her on either side while she appeared to fade in and out of consciousness for several minutes (she seemed to occasionally interact with us, mumbling responses to 'yes' or 'no' questions). The nurse did not want to lower her to the floor, but wanted to keep her propped on the chair. Her head kept rolling to the side. At one point, she began to jerk rhythmically. Just as I was about to bring this to the attention of the nurse, the patient returned to consciousness. Patient was moved to a rolling recliner chair and taken to a recovery area where I (parent) did not see her for another 30 minutes as I was receiving my own shot. The chair she had sat in was wet, but it was assumed this was due to sweat (patient had sweated profusely). On the way out of the clinic, noticing a wet stain on the back side of patient's pants, I asked if she had wet her pants (quietly) two separate times. Patient denied it both times. However, upon returning home, patient confirmed that she had wet her pants. Patient was monitored during the evening for similar adverse events ; none noted. Patient ate lunch approximately 1 hour before receiving shot and was given crackers while at clinic. Patient is a well-hydrated individual, and also drank water while on-site. No fever either before or after shot. A slightly elevated BP the next day (135/83). However, patient complained of headache, fatigue, and pain at injection location; elevated BP may be related to headache and/or ordeal from day of the shot.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353780	5/27/2021	NJ	29	M	4/14/2021	4/17/2021	Swelling in the brain; Blurred vision; Weakness in the hand; Difficulty walking; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of BRAIN OEDEMA (Swelling in the brain), VISION BLURRED (Blurred vision), MUSCULAR WEAKNESS (Weakness in the hand) and GAIT DISTURBANCE (Difficulty walking) in a 29-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 032M20A) for COVID-19 vaccination. No Medical History information was reported. On 14-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 17-Apr-2021, the patient experienced BRAIN OEDEMA (Swelling in the brain) (seriousness criteria hospitalization and medically significant), VISION BLURRED (Blurred vision) (seriousness criterion hospitalization), MUSCULAR WEAKNESS (Weakness in the hand) (seriousness criterion hospitalization) and GAIT DISTURBANCE (Difficulty walking) (seriousness criterion hospitalization). At the time of the report, BRAIN OEDEMA (Swelling in the brain), VISION BLURRED (Blurred vision), MUSCULAR WEAKNESS (Weakness in the hand) and GAIT DISTURBANCE (Difficulty walking) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): In 2021, Magnetic resonance imaging head: abnormal (abnormal) He had a brain MRI which shows swelling in the brain. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Concomitant product was not taken by the patient. Treatment information was not provided. The patient has weakness in his hand, difficulty walking, blurred vision. The patient started experiencing symptoms 3 days later, and they are ongoing. The patient was hospitalized for these symptoms, and was given steroids to reduce the swelling. Company Comment: Very limited information regarding these events has been provided at this time. Further information has been requested.; Sender's Comments: Very limited information regarding these events has been provided at this time. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353771	5/27/2021	FL	30	M	5/12/2021	5/12/2021	seizure; completely blurry vision; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of SEIZURE (seizure) and VISION BLURRED (completely blurry vision) in a 30-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The patient's past medical history included COVID-19 from 16-Mar-2021 to 25-Apr-2021 and COVID-19 from 28-Dec-2020 to 16-Feb-2021. Concurrent medical conditions included Drug allergy (Allergy to NSAIDS), Penicillin allergy, Drug allergy (Allergy to Tramadol), Drug allergy (Allergy to Wellbutrin) and Allergy to antibiotic (Allergy to cephalexin antibiotics). On 12-May-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 12-May-2021, after starting mRNA-1273 (Moderna COVID-19 Vaccine), the patient experienced VISION BLURRED (completely blurry vision) (seriousness criterion hospitalization). On 13-May-2021, the patient experienced SEIZURE (seizure) (seriousness criteria hospitalization and medically significant). The patient was hospitalized on 12-May-2021 due to SEIZURE and VISION BLURRED. At the time of the report, SEIZURE (seizure) had not resolved and VISION BLURRED (completely blurry vision) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. The patient experienced 3 episodes of seizure on 13-May-2021 and another 2 episodes of seizure on 14-May-2021. The patient stated that the doctor advised him not to receive the second vaccination dose. The patient was hospitalized right after the events. At the time of reporting, the patient was still in the hospital. Additional treatment details were not provided. Concomitant medication information was not provided. Company comment: Very little information has been provided. Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. Further information has been requested.; Sender's Comments: Very little information has been provided. Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot



*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

be excluded. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353760	5/27/2021	MD		M			<p>COVID-19 PNEUMONIA; WEIGHT LOSS OF 30 POUNDS; DIZZINESS; LEG SWELLING; BLURRED VISION; This spontaneous report received from a patient concerned a 65 year old male. The patient's weight was 148 pounds, and height was 65 inches. The patient's concurrent conditions included arthritis, recurring polychondritis (was on a lot of prescription medications, but did not disclose any particular medications), alcohol user (did not have any alcohol in 6 months, not even beer), and ex-cigarette smoker (was quitting and did not have a cigarette since 25-MAR-2021), and other pre-existing medical conditions included the patient had no drug abuse or illicit drug use. The patient experienced drug allergy when treated with infliximab, recombinant for drug used for unknown indication. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1803609, expiry: UNKNOWN) 0.5 ml, 1 total administered on 25-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. It was reported that a receiving the vaccine on 25-MAR-2021, the patient was subsequently hospitalized for 19 days. He had a fever and started to feel bad the night of the injection. On the morning of 26-MAR-2021 06:30, his chest was hurting bad, had shortness of breath, and a fever of 102.7. His wife called an ambulance because they thought he was having a heart attack and he went to a local hospital where they ruled out a heart attack and gave something to bring the fever down. He checked himself out and came home. It was reported that four hours later, the fever came back, and he felt like he could not get any oxygen into lungs. He went to a hospital in a state, but was transferred to another hospital (in another town) due to insurance. He was in the hospital for 7 days, and was transferred to a different hospital that had better lung doctors for 10 days. He was in 4 hospitals in total. The patient checked himself out of the last hospital even though they wanted to keep him there. While hospitalized, the patient was tested negative for COVID twice. However, the third time he was tested, he was positive on Sunday night, 04-APR-2021. They tested him for the third time, because they were planning do to a procedure on his lungs, but they cancelled procedure after positive result. They had been treating him for pneumonia up until then, and that he was in the hospital</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

for 8 days before getting the positive result, though he had all the symptoms. He received full treatment for COVID, and got two intravenous a day for 8 days and received the plasma. The patient also lost 30 pounds while in the hospital. He was originally 153 pounds and went down to 124 pounds. The patient gained most of his weight back now. He had been at home for over a month. It was reported that the patient still required oxygen, but was not on it constantly. Though, if he tried to do anything, he was out of breath, and was not sure how his lungs were going to do in long-term and could not do too much without running out of breath. The patient had all of the symptoms listed on the fact sheet, including: difficulty breathing, fast heart beat (it still remained more than 100 beats per minute, and was typically around 115 beats per minute), dizziness/weakness, shortness of air (still happened), chest pain, leg swelling, pain in abdomen, headache, blurred vision, and bruised spots (still happened). He did not have a bad rash. He had a lot of different doctors helping him. After he was discharged, he had different doctors calling him every day for 2-3 weeks until he told them to stop. He had not seen any doctors in person since discharge. The patient had booked an appointment to see a doctor on 02-JUN-2021. Laboratory data included: COVID-19 virus test (NR: not provided) NEGATIVE, NEGATIVE, Heart rate (NR: not provided) around 115 beats per minute, more than 100 beats per minutes, and Weight (NR: not provided) 124 pounds, 153 pounds. On 25-MAR-2021, the subject experienced pneumonia, and was hospitalized. On 26-MAR-2021, Laboratory data included: Body temperature (NR: not provided) 102.7. On 04-APR-2021, the subject experienced confirmed covid-19 infection. Laboratory data included: COVID-19 virus test (NR: not provided) positive. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from weight loss of 30 pounds, and the outcome of dizziness, leg swelling, blurred vision and covid-19 pneumonia was not reported. This report was serious (Hospitalization Caused/Prolonged).; Sender's Comments: V0; 20210545010- COVID-19 VACCINE Ad26.COV2. S – Covid-19 pneumonia. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

is no information on any other factors potentially associated with the event(s).

1353637	5/27/2021	VA	46	F	5/22/2021	5/26/2021	Blurred Vision
---------	-----------	----	----	---	-----------	-----------	----------------

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1353531	5/27/2021	CA	48	F	5/7/2021	5/8/2021	feeling tired/excessively tired; left arm was shaking a lot/left arm was shaky like a heartbeat; knocked her out; sleepy; her left arm was sore/still had some left arm pain; excessive, bad diarrhea; This is a spontaneous report from a contactable consumer (patient). A 48-year-old female consumer patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot Number: EW0170) via an unspecified route of administration, in arm left, on 07May2021 15:00 (at the age of 48-year-old) as single dose for COVID-19 immunization. Medical history included ongoing migraine; patient had another allergic reaction but she wasn't sure what it was from. Her forehead got swollen and she had hives all over her body. It wasn't from medication. Her friend had traveled overseas and brought back Arabian candy and she ate a piece of the candy. Within 20 minutes of eating the candy her eyes started to get itchy and the hives started. Concomitant medication included migraine medicine when she needed but she did not get a migraine with the Covid 19 vaccines and patient declined to provide the name of the medication. The patient previously had allergy to cefalexin (KEFLEX), she got really bad diarrhea when she took cefalexin (happened about 3 or 4 years ago). The patient previous receive the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EP7534), in arm left, on 16Apr2021 14:00 (at the age of 48-year-old) as single dose for COVID-19 immunization, then it was the next day she noticed, on 17Apr2021, her tiredness and her arm soreness, the arm soreness only lasted about 2 days, and the tiredness only lasted for a day. Patient received her second vaccine on 07May2021. She felt ok the day she got the vaccine but the following day (08May2021), she was sleepy and her left arm was sore and she thought that was normal. Then Saturday night, 08May2021, she got really excessive, bad diarrhea. She thought maybe that's part of the vaccine maybe it wasn't. The diarrhea continued into Sunday morning, 09May2021 and she called the appointment center for her primary care doctor. Her arm was sore, she was still feeling tired and her left arm was shaking a lot. She asked the appointment center to notify her doctor. She was supposed to work Sunday night, 09May2021, and she needed a work note. She had been leaving messages at her doctor's office and no one was returning

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353601	5/27/2021	NJ	66	F	5/11/2021	5/19/2021	<p>her calls. She was wanting to know if someone here at Pfizer could help her. She received the second Covid 19 vaccine on 07May2021 and the second Covid-19 vaccine hit her more and knocked her out the following day (08May2021). She was really excessively tired and her left arm was really sore. When she got up she was resting her arm and her left arm was shaky like a heartbeat. She still had some left arm pain but it's improved. Her left arm shaking lasted for about a day and a half. No AE require a visit to emergency room and physician office. No prior vaccinations (within 4 weeks). The outcome of the event "her left arm was sore/still had some left arm pain" was recovering, of other events was unknown.</p> <p>Tingling in face; headache; sneezing; itching; light headness and dizzy; lips swelling; eye swelling; like an allergies; This is a spontaneous report from a contactable consumer (patient). A 66-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number: EW0173 and expiration date was not reported), via an unspecified route of administration in right arm, on 11May2021 at 10:45 (at the age of 66 years old) as first dose, single for COVID-19 immunization in a hospital. Medical history included stage 3 kidney disease, systemic lupus erythematosus, high blood pressure and thyroidectomy. The patient's known allergies: penicillin. The patient previously took dilaudid and prednisone; and experienced drug allergy. Concomitant medications included levothyroxine sodium (SYNTHROID); hydroxychloroquine sulfate (PLAQUENIL); metoprolol; famotidine and alprazolam (ALPRAZ). The patient was not pregnant at the time of vaccination and did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19 and since the vaccination, the patient was not tested for COVID-19. The patient experienced tingling in face, headache, sneezing, itching, light headedness/dizzy, lips swelling, eye swelling and had like an allergies on 19May2021 at 09:00. This case was considered non-serious and no treatment was given for these events. The outcome of these events was not recovered at the time of report.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353552	5/27/2021	AL		M	4/29/2021	4/29/2021	dizzy and felt like was going to faint; headache; extreme fatigue; not being able to sleep; red rash; tongue and right arm became numb; stomach ache; joint aches; swelling in right ankle; sweating; dry mouth; watery eyes; nightmares; lethargic; spacey; Extreme hunger; tongue and right arm became numb; welts on my arms and stomach; This is a spontaneous report from a contactable consumer (patient). An adult male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), dose 1 via an unspecified route of administration, administered in Arm Right on 29Apr2021 11:00 (Batch/Lot number was not reported) as 1ST DOSE, SINGLE for covid-19 immunisation. The patient's medical history was not reported. Concomitant medication included an unspecified "dauphin". The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. On 29Apr2021, 11:15, 15 minutes after shot, patient became dizzy and felt like I was going to faint, headache, extreme fatigue for a few days, followed by a couple of days of having a lot of energy and not being able to sleep, red rash on neck, lower face and welts on his arms and stomach, tongue and right arm became numb. After massage of vaccine site symptoms were stomach ache for a day, joint aches, swelling in right ankle,,sweating, dry mouth, watery eyes , nightmares, lethargic and spacey , feeling, Extreme hunger. The outcome of the events was not recovered. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353540	5/27/2021	MN	48	U	4/12/2021	5/3/2021	can't even sleep at night.; couldn't diagnose that the part was either dermatitis or shingles; couldn't diagnose that the part was either dermatitis or shingles; This is a spontaneous report from a contactable consumer (patient). A 48-years-old patient of an unspecified gender received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2, via an unspecified route of administration, administrated in arm right on 12Apr2021 (Batch/Lot Number: EW0150) at the age of 48-years-old as single dose for covid-19 immunisation. Medical history included Hypothyroid. Concomitant medications included liothyronine sodium (CYTOMEL) taken for Hypothyroid from 2017 to an unspecified stop date; levothyroxine sodium (SYNTHROID) taken for Hypothyroid from 2017 to an unspecified stop date; venlafaxine hydrochloride (EFFEXOR) taken for Hypothyroid from 2017 to an unspecified stop date. The patient previously received the first dose of BNT162B2 ('EW/N 6207', is it E, don't know is it EN or EW) on 20Mar2021 at the age of 48-years-old for covid-19 immunization. Patient had the Covid vaccine on an April 12 and it went three week now and patient just recently started having a reaction and patient went to see my doctor yesterday and they couldn't diagnose that the part was either dermatitis or shingles. The patient had second dose of vaccine on April 12. Last Monday (03May2021), patient started having itchiness on only the right side of upper portion of face. Patient had shot in right arm, patient lymph nodes were enlarged. That's the one thing then second thing was last Monday, patient started this, this itchiness started and right side of nose and over to cheek up to a kind of outside corner of eye and next the itchiness was gone away for that well patient guess eye was still there for cheek portion is done. Now it's from that outside corner of forehead and on scalp and it was so itchy, it's like chickenpox patient mean like patient had to take two Benadryl every four hours to keep itching it's kind of that pain but patient do have some red spots on head but again they couldn't diagnose as shingles, they couldn't diagnose it really yesterday. The only thing patient had done making patient aware, patient could potentially have recurrence of shingles and patient did have that two years ago. Patient was loosing mind, it's so itchy. patient mean patient could even sleep at night. Patient had to put cold tampons on head and it just on right side, it is never



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1354234	5/27/2021	MN	66	F	1/26/2021	1/26/2021	<p>move to left side only to right side which was so weird. The patient was just having a really bad reaction, first it was itchininess was on, it went from like the center of patient's forehead nose all the way over to right side. Patient had shot on the right side and it was on nose and cheeks to begin with, just itchy not a rash and now it's moved to forehead and in to patient's scalp and on patient scalp there are little red dots. Patient went on to primary doctor and they can't diagnose it because it didn't look like shingles, the patient was about out of my mind itchy, so bad. The patient was having to take 2 Benadryl's every 4 hours to kind of keep it at bay or a cold compress. Other treatment for the events included Valacyclovir and prednisolone. Valacyclovir 1mg, three times a day for 7 days. Prednisolone 20mg, 3 tablets for first 3 days then 2 tablets for three days, one tablet for three days, half tablet for three days and I am on my second day of that. Tablet, orally. The patient underwent lab tests and procedures which included computerised tomogram (CT) scan: negative on an unknown date, magnetic resonance imaging (MRI): negative on an unknown date. The outcome of the events was unknown.</p> <p>I got my vaccine on 1/26/2021 at 1:00 PM and at around 6:00 PM, I began having an adverse effect. I felt pressure behind my eyes and had trouble visually focusing. The eye pressure felt like a sinus cold, and the lack of visual focus felt kind of like eye strain from being on the computer for a long time. I also had a rash around both of my eyes that felt like I had had a reaction around my eyes from a topical treatment, and I hadn't put anything on my eyes. There were raised, scaly patches on the lids, and there was red, itchy skin around the eyes. I had a headache for a little while, but it went away by 1/27. On 1/27, I still had the eye pressure, lack of visual focus, and itchy eyes. I sent a text to the doctor explaining the symptoms. By the evening of 1/27, I still had not heard from the doctor, so I took Benadryl to help with the itching, and it seemed to help. The symptoms began to diminish after taking the Benadryl, and they were completely gone after 5 days. The doctor sent me cream for the itchy eyes, but I ended up not needing it.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353512	5/27/2021	IL	40	M	4/20/2021	4/27/2021	50% loss of vision; Tingling on one side of body; Experienced Transient Ischemic Attack 1 week after vaccine 2nd dose (April 27, 2021).; Strong pressure in head; loss of ability to support body in RL; Slurred speech; Difficulty in breathing; Cognitive difficulties; Extreme headache; This is a spontaneous report from a contactable consumer (patient) reported for himself that a 40-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (Batch/Lot Number: EL7533) via an unspecified route of administration, administered in Arm Left on 20Apr2021 14:00 as 2nd dose, single for covid-19 immunisation. The patient's medical history and concomitant medications were not reported. Patient previously received first dose of BNT162B2 (Lot number EL8727) in the Left arm on 29Mar2021 16:00 at the age of 40 years for covid-19 immunisation. No known allergies. No vaccines were received within 4 weeks prior to the COVID vaccine. Healthy and no prior adverse event history. The patient experienced transient ischemic attack 1 week after vaccine 2nd dose, strong pressure in head, loss of ability to support body in RL, slurred speech, difficulty breathing, cognitive difficulties, extreme headache on 27Apr2021 16:30; visited emergency department. 2nd incident 02May2021- 50% loss of vision, tingling on one side of body, slurred speech, cognitive difficulties, extreme headache. The adverse events resulted in emergency room and healthcare professional office visit. Patient was treated with headache medications. It was reported that patient was recovered from events. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. Outcome of the events was recovered in 2021. Information on Lot/Batch number was available. Additional information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353515	5/27/2021	ME	40	F			<p>Left side face numb, droopy; Huge cluster of cold sores left side face. Mouth and eye; Lips cherry red; Huge cluster of cold sores left side face. Mouth and eye; Left side face numb, droopy; Loss appetite; Kidney pain; mild body aches; tired and not wanting to do anything; simply not feeling well.; This is a spontaneous report from a contactable other hcp (patient). A 40-year-old female non-pregnant patient received bnt162b2 (PFIZER BIONTECH COVID-19 MRNA VACCINE), dose 2 via an unspecified route of administration on an unspecified date (Batch/Lot number was not reported) at age of 40 years old as single dose for covid-19 immunization. Medical history included Asthma, allergies, Herpes Virus and Penicillin allergies. Concomitant medications included montelukast sodium (SINGULAIR); fluticasone propionate, salmeterol (WIXELA INHUB); salbutamol sulfate (PROVENTIL HFA); cetirizine hydrochloride (ZYRTEC ALLERGY); budesonide (RHINOCORT ALLERGY). No other vaccines received within 4 weeks prior to the COVID vaccine. No covid prior vaccination. Covid tested not done post vaccination. The patient previously took Amoxicillin and experienced allergies, first dose of bnt162b2 (PFIZER BIONTECH COVID-19 MRNA VACCINE) (Lot number: EW0185) on 08May2021 10:13 AM at Right arm as single dose for covid-19 immunization. Adverse events occurred after 1st dose from 09May2021 07:00 AM included mild body aches, no arm pain, tired and not wanting to do anything after few days, simply not feeling well, loss appetite and kidney pain. Acyclovir was received as treatment and not recovered. After 2nd dose, lips were cherry red next day. By end of day, huge cluster of cold sores left side face, mouth and eye. Left side face was numb, droopy. The patient still had no will do anything but didn't feel sick. Loss appetite and kidney pain progressed from time 1st dose to 2nd. The outcome of the events was unknown. Information on lot number/batch number was requested.; Sender's Comments: Based on temporal association, a contributory role of bnt162b2 to the event so facial droopy, huge cluster of cold sores left side face, mouth and eye cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.,Linked Report(s) : 2021530924 same patient/reporter/drug, different AE/dose
1353609	5/27/2021	MS	57	F	4/17/2021	4/21/2021	Pressure and blurry vision in my right eye; Pressure and blurry vision in my right eye; This is a spontaneous report from a contactable consumer (patient). A 57-year-old female (no pregnant) patient received the first dose of BNT162B2 via an unspecified route of administration on the right arm on 17Apr2021 at 13:15 (Lot Number: EW0250) as single dose for COVID-19 immunization. Medical history included rheumatoid arthritis. Known allergies is sulfa. The patient was not diagnosed with COVID-19 prior vaccination. The patient had not been tested for COVID-19 post vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Concomitant medication included hydroxychloroquine (PLAQUENIL). On 21Apr2021 at 12:00, the patient experienced pressure and blurry vision in right eye. The treatment was not received. The adverse event result in doctor or other healthcare professional office/clinic visit. The outcome of events was both not recovered. No follow-up attempts are possible. No further information is expected.
1354278	5/27/2021	NJ	23	F	5/26/2021	5/26/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Flushed / Sweating-Mild, Systemic: Nausea-Mild, Systemic: Tingling (specify: facial area, extremities)-Mild, Systemic: Visual Changes/Disturbances-Medium, Systemic: Weakness-Medium, Additional Details: Pt has history of fainting from needles that was not reported prior to vaccine administration. Pt began feeling dizzy/nauseous/blurry vision immediately after administration, no difficulty breathing or signs of swelling, epipen not administered. pt was laid down on back and feet were propped up, began to feel better. She was evaluated by EMT, all vital signs stable and she had recovered by the time of their arrival, did not go to hospital. Symptoms likely from needle anxiety, not vaccine itself

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1354416	5/27/2021	AL	65	F	5/25/2021	5/25/2021	MD contacted prior to administering second vaccine to report patient's statement of previous occurrence after first vaccine. MD instructed nurse okay to administer but to monitor for minimum of 30 minutes. After administration of vaccine, nurse allowed patient to sit in a chair within easy viewing range. Patient began to rub right eye and upon assessing and reports "some blurriness to vision". Nurse then performed a manual BP check and found patient's BP to be 160 systolic. Patient states she "sometimes has high blood pressure" but doesn't check on a regular basis. After continuing to monitor for over hour bp was 140 systolic. Snellen eye chart used to assess vision and patient found to have 20/20 vision. Patient educated to contact her PCP with any further questions or concerns that were non emergent. On 5/27 nurse contacted patient via phone and patient reported that her bp did increase again later that evening and she contacted her PCP and went to see to address home medications. Patient then reported that her only complaint was "a bit of a sore arm".
1354393	5/27/2021	TX	47	F	5/25/2021	5/27/2021	Recipient states she had fever, chills the first night; woke up with "red, irritated" eyes on 05/27/21. Reports small drainage on both eyes. Denies any seasonal allergies and states this is "unusual" for her.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353171	5/27/2021		45	F	2/2/2021	2/2/2021	<p>She is just not feeling well; flare up of her environmental allergies (sneezing, itchy, watery eyes.); Sneezing; coughing; congestion; itchy; watery eyes; headache; fatigue/She sleeps 10 hours every night and she does not feel rested; This is a spontaneous report from a contactable consumer (Patient). A 45-years-old female patient received first dose of BNT162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: solution for injection, Lot Number: EN5318) via an unspecified route of administration in left arm on 02Feb2021 (at the age of 45-years-old) as 1ST DOSE, SINGLE for covid-19 immunisation. The patient medical history included seasonal allergy, allergic conjunctivitis, environmental allergies. The patient's concomitant medications were not reported. On 02Feb2021, the patient experienced very intense flare with sneezing, coughing, congestion, itchy, watery eyes. Patient reported that she remembers she took it that evening. she got it through her job and she was able to go after work and immediately she felt fatigue on 02Feb2021. She was sleeping that whole night and that has continued she has had the same level of fatigue since then. She sleeps 10 hours every night and she does not feel rested. She had headache that started the next morning wednesday on 03Feb2021. It's like headache, head pressure and she know that's expected and she would say it's been the same level of intensity until about saturday or sunday slowly getting less but it's still there. She had a question of duration and is this normal symptoms and how long they last and the agent said she doesn't have the information for the first dose. She has seasonal allergies, environmental allergies and she had a break for a couple weeks and did not have any kind of flare, they were under control with medications then thursday. She started having a very intense flare sneezing, coughing, congestion, itchy, watery eyes, things she would normally take meds for, the meds are not working. She takes over the counter or prescribed meds she has still been taking them but she is flared up more than usual these past few days. She names of medications, she can check know the Allegra. It was reported that patient spoken 2 different people but she was calling reporting some of side effects that were listed but then she have had some questions about duration of some of them after the first dose. She have had other symptoms that were not listed on the list and she was</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353509	5/27/2021	NJ	31	F	5/4/2021	5/7/2021	<p>wondering if there were connections to the vaccine. She was just not feeling well, she did called her doctor but saw the number on the fact sheet and she wanted to called pfizer as well. Patient took medications such as flonase for her nose and the lot number is AB1350A expiration May2022, Allerfex for her eyes lot number is OFR0350 and expiration Jan2022. The new eye drop she has been on for 2 weeks is Ellistat, the eye drop lot number F0904 and expiration Sep2021. The outcome of the events headache was recovering, fatigue was not recovered and other events was unknown. Follow-up attempts are completed. No further information is expected.</p> <p>bleeding; headaches; facial pain; hot flushes; breathlessness; severe body aches; upset stomach; skull pain; numbness in lips; blurred vision; This is a spontaneous report received from a contactable consumer (patient). A 31-year-old non-pregnant female patient received BNT162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration, administered in left arm on 04May2021 17:30 (Batch/Lot Number: EW0165) (age at vaccination: 31 years old) as single dose for COVID-19 immunisation. The patient had received dose 1 of BNT162b2 on 13Apr2021 17:00 (Batch/lot number: EW0162) administered in left arm for COVID-19 immunization. The patient had no relevant history, no prior drug, no known allergies. The patient's concomitant medications were not reported. No other vaccines received within 4 weeks prior to the COVID vaccine. The patient had not had COVID prior to the vaccination, unknown if tested post the vaccination. The patient experienced severe headaches, facial pain, hot flushes, bleeding, breathlessness, severe body aches, upset stomach, skull pain, numbness in lips, blurred vision. Event onset date wsa 07May2021 at 08:00. The events resulted in doctor or other healthcare professional office/clinic visit and emergency room/department or urgent care. It's unknown if any treatment was received for the events. The events were not resolved.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1354327	5/27/2021	IL	62	F	5/11/2021	5/14/2021	headache, congestion, runny nose, sneezing, burning eyes, watery eyes, higher than normal blood pressure, fever, chills, body aches, shortness of breath, coughing, muscle pain, injection arm pain, tiredness, feeling unwell, no energy, swollen lymph nodes under arm and below ear lobe,
1354307	5/27/2021	TX	29	M	5/24/2021	5/24/2021	Systemic: see comments below-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Visual Changes/Disturbances-Medium, Systemic: Weakness-Medium, Additional Details: patient became faint, sweating, with decreased vision. He sat down on a chair, heart rate in 52-57/min, BP 100/56, rr 20, O2 sat 100%. Took about 10 minutes to fully recover, and all symptoms resolved, HR returned to 61-67/min. He declines EMS, says he will follow- up with PCP regarding drop of heart rate. His girlfriend picked him up and he went home.
1352758	5/27/2021	CA	56	F	5/14/2021	5/24/2021	I started having hives 10 days after the shot - about midnight. It has been spreading around my body, changing locations, but has now lasted for almost 48 hours. Last night it was around my ears, eyes and mouth, the first night around my bra and panty lines. Today it is affecting mostly my arms and hands. I'm not having any difficulty breathing, but I have noticed that my Raynauds has worsened since I got the shot. It was very bad of course when I had the chills and shakes 12 hours after being vaccinated. I am taking Benadryl and my doctor said she could prescribe me zyrtech so that I can work. I can't wear any clothes because any contact seems to make the hives worse.
1354290	5/27/2021	IA	49	F	1/24/2021	1/26/2021	Chronic extreme fatigue Brain fog Muscle aches Slight fever Malaise Sinus headache Eye pain Blurry vision Lethargy Stomach pain Diarrhea Injection site soreness couldnt lift arma
1354154	5/27/2021	NC	31	F	4/7/2021	4/10/2021	Floater developed in right eye



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1354225	5/27/2021	MO	70	M	2/8/2021	3/26/2021	Pt had moderna on 2/8/21, dose 1 and 3/8/21, dose 2. Was evaluated on 3/26/21 with loss of vision by Dr. neurooph at a different facility. Evaluated by myself 5/21/21. Pt reported to me that although he was able to see in February he noted increased foggy vision that gradually progressed over several weeks until it stabilized. Sx may have started in March. Patient did not correlate to either vaccination. He had an asymptomatic COVID+ test 8/26/20. He was diagnosed with bilateral optic neuropathy on 3/26/21 and had nerve pallor. Lab/imaging noncontributory. Patient sought evaluation with me for add'l work up recs. He reported to me 30# weight loss but reported to Dr 100# weight loss. No work up for weight loss or anemia as of yet. Referred back to Primary for this. Had previously declined colonoscopy. Anemia felt to be 2nd to COPD. Also tobacco use report was variable. Rare to me. Etiologies include post vaccination/ post covid/nutritional/anemia/idiopathic
1354349	5/27/2021	MI	23	M	5/26/2021	5/26/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Hypotension-Mild, Systemic: Visual Changes/Disturbances-Mild, Additional Details: Light headed, dizzy, vision issues, drop in blood pressure

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1354207	5/27/2021	MO	12	M	5/27/2021	5/27/2021	PT was sitting with guardian and started to have seizure like activity for him which consists of audible and visual auras and Right arm twitching. This lasted about 1 min. Once we got him into a dark room he started having slurred speech and Left sided weakness that lasted about a min. He was A&OX1. Pt had a right sided slant in his eyes. His pupils were dilated to a 9 and were equal and non reactive. he became sluggish and kept starring off to the right side. This lasted about 2 mins and 45 sec. His pupils returned to 6 and were equal and reactive and he became less lethargic. He started to complain of a head ache. At 1302 he stated that he stated tapping his face and trying to speak. He began to have a right sided glance again and his pupils dilated to an 9 again and we equal and non reactive. he did not respond to his name. This lasted for almost 2 mins. He then stated he was foggy and his pupils returned back to a 6 and were equal and reactive. He was struggling to find sounds in the room. His Vital signs were initial B/p 138/98 resp 22 HR-78. at 1320 his B/P was 128/68 Resp 20 HR 80. Pt was transported by EMS for medical evaluation by his neurologist.
1354191	5/27/2021	OR	48	M	5/27/2021	5/27/2021	Patient felt faint within 2 minutes of vaccination. His vision went dark. When I walked back into the room he was pale and sweating, but responding to questions from the person he arrived with. His arm twitched a few times and his head rolled to the side for a few seconds. Then he regained consciousness, but momentarily looked confused. The patient has a history of seizures, but has not suffered from one in 10 years. After that, the patient remained alert, but continued to sweat and felt light headed for most of standard wait time post vaccination. After the 15 minute wait period the patient felt more normal and left.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1354187	5/27/2021	CA	37	F	4/17/2021	4/18/2021	4/18/21 - Patient reports waking @ 7 am with fever, chills, severe fatigue. and mental confusion. These symptoms progressively worsened over the course of the day until 9 pm when patient reports developing severe right sided facial pain 10/10 radiating from behind right ear, through TMJ to nose and up into right eye. Pain was accompanied with dystonia presenting as involuntary muscle spasms of the right eye and jaw muscles and progressed to palsy of the right eye. Patient reports fever and malaise subsided 4/19/21 but dystonia and palsy continued along with severe facial pain. Patient reports ibuprofen reduced pain level to 8/10, but pain level prevented patient from sleeping. Patient reports pain, dystonia and intermittent palsy were still present when she reported to our clinic on 5/1/21. After a course of 3 acupuncture treatments, patient reports all pain, dystonia and palsy have subsided.
1354181	5/27/2021	VA	23	F	4/10/2021	5/5/2021	Had shortness of breath, coughing, itchy eyes, runny nose and congestion. Went to get tested at Clinic to ensure it was not COVID-19, doctor there confirmed it was most likely allergies and/or the common cold. Treatment: taking decongestants and painkillers as needed, resolved within a week.
1354165	5/27/2021	NY	21	F	5/26/2021	5/26/2021	Patient apparently passed out while waiting after receiving vaccine. She was sitting in a chair and fell over to her right side. She appears to have had a petit mal seizure. Her pupils were very dilated and it took her several minutes to become fully responsive, although she was unresponsive for just a short period of time. She is a student and the EMS staff who responded to the 911 call reports that she is well known to them, as she has a history of "pseudo-seizures". Patient's BP was 138/84 and SPO2 was 98%. Pt was transported to ED around noon, and was back to the clinic by 1:15 to collect her eyeglasses that had been left where she was sitting.
1354297	5/27/2021	CA	12	M	5/26/2021	5/26/2021	Systemic: Dizziness / Lightheadness-Medium, Additional Details: Extreme lightheadedness, patient said vision went black

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353031	5/27/2021			U		5/1/2021	SOME PAIN SPORADICALLY IN CHEST; PAIN IN EYE SOCKETS AN LOWER EXTREMITIES; CHILLS; PAIN IN LOWER EXTREMITIES; TIGHTNESS IN ARMS; FEVER; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's height, and weight were not reported. No past medical history or concurrent conditions were reported. The patient received covid-19 vaccine (suspension for injection, route of admin, and batch number were not reported) dose was not reported, administered on 22-MAY-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On MAY-2021, the subject experienced some pain sporadically in chest. On MAY-2021, the subject experienced pain in eye sockets an lower extremities. On MAY-2021, the subject experienced chills. On MAY-2021, the subject experienced pain in lower extremities. On MAY-2021, the subject experienced tightness in arms. On MAY-2021, the subject experienced fever. Treatment medications (dates unspecified) included: Tylenol(paracetamol). The action taken with covid-19 vaccine was not applicable. The patient recovered from some pain sporadically in chest, pain in eye sockets an lower extremities, chills, pain in lower extremities, tightness in arms, and fever on MAY-2021. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353243	5/27/2021	NJ	41	F	2/22/2021	2/22/2021	Hives all over my body; Swollen eyes; Swollen knees elbows; Chills; This is a spontaneous report from a contactable Other Health Professional. A 41-years-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Lot Number: EL9266, expiry date was not reported), dose 2 via an unspecified route of administration, administered in Arm Right on 22Feb2021 14:30, 2ND DOSE, SINGLE for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. Patient had no allergies. Patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Patient was not diagnosed with COVID-19, prior vaccination and since the vaccination. Historical vaccine includes BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Lot Number: EL9264, expiry date was not reported), dose 1 via an unspecified route of administration, administered in Arm Right on 31Jan2021 13.00, Single for COVID-19 immunization. The patient experienced Hives all over my body, swollen eyes, swollen knees elbows, chills on 22Feb2021 14:30. Patient was treated with Dosepk 4 MG. Adverse events resulted in Emergency room/department or urgent care. The clinical outcome of the events were not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353107	5/27/2021	VA	51	F	4/26/2021	5/14/2021	<p>Bell's Palsy; Soreness in arm; Cries all the time; Can't eat or drink right; Doesn't want to go out in public; Swelling; Redness; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of BELL'S PALSY (Bell's Palsy) in a 51-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 016C21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 26-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 14-May-2021, the patient experienced BELL'S PALSY (Bell's Palsy) (seriousness criteria hospitalization and medically significant). On an unknown date, the patient experienced PAIN IN EXTREMITY (Soreness in arm), CRYING (Cries all the time), FEEDING DISORDER (Can't eat or drink right), SOCIAL AVOIDANT BEHAVIOUR (Doesn't want to go out in public), VACCINATION SITE SWELLING (Swelling) and VACCINATION SITE ERYTHEMA (Redness). The patient was hospitalized on 14-May-2021 due to BELL'S PALSY. At the time of the report, BELL'S PALSY (Bell's Palsy), PAIN IN EXTREMITY (Soreness in arm), CRYING (Cries all the time), FEEDING DISORDER (Can't eat or drink right), SOCIAL AVOIDANT BEHAVIOUR (Doesn't want to go out in public), VACCINATION SITE SWELLING (Swelling) and VACCINATION SITE ERYTHEMA (Redness) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 14-May-2021, Computerised tomogram: Diagnosed with Bell's palsy. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Treatment included steroids, eye drops, and eye ointment which was given at the emergency room. It was reported that the patient was not taking any prior concomitant medications. The pharmacy where she received her first dose told her she should not get the second dose. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

events, a causal relationship cannot be excluded.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1353105	5/27/2021	MA	53	M	2/18/2021		<p>Myasthenia gravis; Eye dropping just for a little bit; Double vision; Felt weak; Unable to stand up; This spontaneous case was reported by a patient (subsequently medically confirmed) and describes the occurrence of MYASTHENIA GRAVIS (Myasthenia gravis) in a 53-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No medical history provided by the reporter. Concomitant products included PYRIDOSTIGMINE BROMIDE (MESTINON) and METFORMIN for an unknown indication. On 18-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 26-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient experienced MYASTHENIA GRAVIS (Myasthenia gravis) (seriousness criterion medically significant), EYELID PTOSIS (Eye dropping just for a little bit), DIPLOPIA (Double vision), ASTHENIA (Felt weak) and DYSSTASIA (Unable to stand up). At the time of the report, MYASTHENIA GRAVIS (Myasthenia gravis), EYELID PTOSIS (Eye dropping just for a little bit), DIPLOPIA (Double vision), ASTHENIA (Felt weak) and DYSSTASIA (Unable to stand up) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): In 2021, Blood test: myasthenia gravis myasthenia gravis. After a week of vaccination, the patient experience double vision. Patient also said he got eye dropping just for a little bit and he felt weak. The patient went to hospital for eye exam and blood work. After the blood work, the team of doctor said he had myasthenia gravis, a autoimmune disease that affects the neuromuscular system and explained that his eye dropping was caused by muscle weakened. The physician advised him to have a surgery by removing his thymus gland and advised he might experience a myasthenia gravis crisis which could put his life in danger. Action taken with mRNA-1273 in response to the event was not applicable. No treatment information was provided. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments:</p>



*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353095	5/27/2021	IL	70	M	12/17/2020	1/1/2021	Blood infection; Sick; Didn't feel good; chilling; Patient received both the doses on same month; This spontaneous case was reported by a physician (subsequently medically confirmed) and describes the occurrence of SEPSIS (Blood infection), ILLNESS (Sick), MALAISE (Didn't feel good) and CHILLS (chilling) in a 70-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 030L20 and 035J202A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Co-suspect product included non-company product ADALIMUMAB (HUMIRA) for an unknown indication. The patient's past medical history included Aortic valve calcification in 2011, Alcohol use (6 bottles beer/week) from 1964 to 2000, Ex-smoker from 1964 to 2015, Eyes red (while on Humira) in 2020, Back surgery in 1996, Open heart surgery in 2003, Carotid endarterectomy in 2006 and Cataract in 2013. Concurrent medical conditions included Diabetes (DIABETES TYPE 2), Blood pressure high, Acid reflux (esophageal), Cholesterol, Plaque psoriasis and Bladder cancer (bladder cancer cells) since 25-Nov-2020. Concomitant products included OMEPRAZOLE for Acid reflux (esophageal), ACETYLSALICYLIC ACID (ASPIRINA) for Anticoagulant therapy, METOPROLOL and LISINAPRIL for Blood pressure high, ROSUVASTATIN for Cholesterol, METFORMIN for Diabetes, PLANTAGO OVATA (METAMUCIL [PLANTAGO OVATA]) for Digestion impaired, HYDROCHLOROTHIAZIDE for Diuretic therapy, NAPROXEN SODIUM (ALEVE) and PARACETAMOL (TYLENOL) for Pain. On 17-Dec-2020, the patient started ADALIMUMAB (HUMIRA) (Subcutaneous) 40MG/0.4ML(40 Milligram, Solution for injection in pre-filled. In January 2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. In January 2021, received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. In January 2021, the patient experienced INAPPROPRIATE SCHEDULE OF PRODUCT ADMINISTRATION (Patient received both the doses on same month). On 12-Apr-2021, the patient experienced SEPSIS (Blood infection) (seriousness criteria hospitalization prolonged and medically significant), ILLNESS (Sick) (seriousness criterion

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

hospitalization), MALAISE (Didn't feel good) (seriousness criterion hospitalization) and CHILLS (chilling) (seriousness criterion hospitalization). On 17-Apr-2021, ILLNESS (Sick), MALAISE (Didn't feel good) and CHILLS (chilling) had resolved. At the time of the report, SEPSIS (Blood infection) outcome was unknown and INAPPROPRIATE SCHEDULE OF PRODUCT ADMINISTRATION (Patient received both the doses on same month) had resolved. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): In April 2021, Catheterisation cardiac: aortic valve calcified (abnormal) Aortic valve calcified. In April 2021, Computerised tomogram: aortic valve calcified (abnormal) Aortic valve calcified. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Treatment for the event included ertapenem for the blood infection. Company comment: This report refers to a case of inappropriate schedule of product administration for mRNA1273, lot# (035J202A and 030L20) with no associated adverse events, however the patient experienced some reaction approximately. three months later. Based on available information, there is no clear temporal association between the use of the product and start date of events, a casual relationship was assessed as unlikely related. the patient's advanced age and co-morbidities are strong confounders.; Sender's Comments: This report refers to a case of inappropriate schedule of product administration for mRNA1273, lot# (035J202A and 030L20) with no associated adverse events, however the patient experienced some reaction approximately. three months later. Based on available information, there is no clear temporal association between the use of the product and start date of events, a casual relationship was assessed as unlikely related. the patient's advanced age and co-morbidities are strong confounders.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353094	5/27/2021		78	F	10/30/2020	2/1/2021	<p>Device connection fit issue; stomach pain; nausea; Infected sebaceous cyst; postoperative pain; blood sugar increased; This spontaneous case was reported by a consumer and describes the occurrence of INFECTED DERMAL CYST (Infected sebaceous cyst) in a 78-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 013M20A and 038A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Co-suspect products included non-company products ADALIMUMAB (HUMIRA) for Psoriatic arthritis and DULAGLUTIDE (TRULICITY) for Blood sugar increased. The patient's past medical history included Thyroidectomy NOS in 1976, Total hip replacement in 2019, Hysterectomy, Gallbladder removal and Bladder repair. Previously administered products included for Plaque psoriasis: Aclovate, Clobetasol and Tacrolimus; for Product used for unknown indication: phenobarbital, Neosporin, Cardura, Vasotec, amlodipine, diovan, isoptin, Metformin, Carafate, januvia, CARDIZEM [DILTIAZEM] and ZITROMAX. Concurrent medical conditions included Sebaceous cyst since 2020, Denture wearer, Non-tobacco user, Abstains from alcohol, Drug allergy, Drug allergy, Drug allergy, Drug allergy, Drug allergy, Drug allergy, Drug allergy, Drug allergy, Drug allergy, Drug allergy, Drug allergy, Drug allergy and Shellfish allergy. Concomitant products included METOPROLOL and NITRIC OXIDE for Blood pressure high, ACARBOSE and GLIMEPIRIDE for Diabetes, ASCORBIC ACID, BETACAROTENE, CUPRIC OXIDE, TOCOPHERYL ACETATE, ZINC OXIDE (PRESERVISION) for Macular degeneration, AMOXICILLIN for Prophylaxis, METHOTREXATE SODIUM (METHOTREXAT [METHOTREXATE SODIUM]) for Rheumatoid arthritis, FOLIC ACID and VITAMIN D3 for Supplementation therapy, LEVOTHYROXINE SODIUM (SYNTHROID) for Thyroid disorder. On 30-Oct-2020, the patient started ADALIMUMAB (HUMIRA) (Subcutaneous) 40 milligram. In February 2021, the patient started DULAGLUTIDE (TRULICITY) (Subcutaneous) 40 milligram. On 18-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 18-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 02-Apr-2021,</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

ADALIMUMAB (HUMIRA) (Subcutaneous) dosage was changed to 40 milligram. In February 2021, the patient experienced PROCEDURAL PAIN (postoperative pain) and BLOOD GLUCOSE INCREASED (blood sugar increased). On 23-Feb-2021, the patient experienced INFECTED DERMAL CYST (Infected sebaceous cyst) (seriousness criterion medically significant). In March 2021, the patient experienced ABDOMINAL PAIN UPPER (stomach pain) and NAUSEA (nausea). On an unknown date, the patient experienced DEVICE CONNECTION ISSUE (Device connection fit issue). The patient was treated with INSULIN GLARGINE (TOUJEO) on 26-Apr-2021 for Blood sugar abnormal, at an unspecified dose and frequency; GINGER ROOT [ZINGIBER OFFICINALE RHIZOME] for Nausea and Stomach pain, at an unspecified dose and frequency; DIPHENHYDRAMINE HYDROCHLORIDE (BENADRYL [DIPHENHYDRAMINE HYDROCHLORIDE]) at an unspecified dose and frequency; CORTISONE at an unspecified dose and frequency; FAMOTIDINE (PEPCID [FAMOTIDINE]) at an unspecified dose and frequency and CLINDAMYCIN at an unspecified dose and frequency. On 15-Mar-2021, INFECTED DERMAL CYST (Infected sebaceous cyst) had resolved. In April 2021, ABDOMINAL PAIN UPPER (stomach pain) and NAUSEA (nausea) had resolved. At the time of the report, PROCEDURAL PAIN (postoperative pain), DEVICE CONNECTION ISSUE (Device connection fit issue) and BLOOD GLUCOSE INCREASED (blood sugar increased) outcome was unknown.

DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): In March 2021, Pathology test: benign (Inconclusive) Benign sebaceous cyst. On an unknown date, Blood test: trouble with blood sugar (Inconclusive) trouble with blood sugar. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Treatment included a surgery for the removal of sebaceous cyst infection on patient's right breast in the dermatologist clinic on 15 Mar 2021. Based on reporter's causality and lack of information regarding the events, the events are assessed as unlikely related to mRNA-1273. This case was linked to MOD-2021-131000 (Patient Link).; Sender's Comments: Based on reporter's causality and lack of information regarding the events, the events are

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

assessed as unlikely related to mRNA-1273.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1353093	5/27/2021	KY	63	F	3/23/2021	4/21/2021	<p>inflammation around the heart; Hot then cold; Brain fog; chills; This spontaneous case was reported by a consumer and describes the occurrence of INFLAMMATION (inflammation around the heart) in a 63-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 046B21A TCP#4 and 008B212A TCP#4) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included COVID-19 (Positive. Nasal swab) on 05-Jan-2021, Vitamin D deficiency and Anxiety. Concurrent medical conditions included Drug allergy (allergy to trimpex), Drug allergy (allergy to macrodantin), Perfume sensitivity (allergy to strong smells like perfume) and Seasonal allergy. Concomitant products included HYDROXYZINE for Anxiety, ASCORBIC ACID, COPPER GLUCONATE, TOCOPHERYL ACID SUCCINATE, XANTOXYL, ZEAXANTHIN, ZINC OXIDE (AREDS 2 VISUAL ADVANTAGE) for Eye disorder prophylaxis, CETIRIZINE HYDROCHLORIDE (ZYRTEK) for Seasonal allergy, VITAMIN D3 for Vitamin D decreased, ACETYLSALICYLIC ACID (ASPIRIN (E.C.)) for an unknown indication. On 23-Mar-2021 at 1:00 AM, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 20-Apr-2021 at 12:30 PM, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 21-Apr-2021, the patient experienced FEELING OF BODY TEMPERATURE CHANGE (Hot then cold), FEELING ABNORMAL (Brain fog) and CHILLS (chills). On 09-May-2021, the patient experienced INFLAMMATION (inflammation around the heart) (seriousness criterion hospitalization). The patient was hospitalized on 10-May-2021 due to INFLAMMATION. At the time of the report, INFLAMMATION (inflammation around the heart), FEELING OF BODY TEMPERATURE CHANGE (Hot then cold), FEELING ABNORMAL (Brain fog) and CHILLS (chills) had not resolved. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 05-Jan-2021, SARS-CoV-2 test positive: positive (Positive) nasal swab. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. It was reported that the patient spent a day and a half in</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

the hospital, many tests were done and the patient is being treated for inflammation around the heart. More tests are coming up in two weeks. Very limited information regarding this event has been provided at this time. Further information has been requested. This case was linked to MOD-2021-057833 (Patient Link).; Sender's Comments: Very limited information regarding this event has been provided at this time. Further information has been requested.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353114	5/27/2021	FL	61	M	3/16/2021	4/15/2021	Losing breathe; Paralysis of face; Bells Palsy; Guillain-Baire syndrome;; Numbness in hands; Could not swallow; Tingly in hands; Impaired vision; Speech impairment; Could not walk; Paralysis in his head from neck up.; Pneumonia; Totally impaired; This spontaneous case was reported by a consumer and describes the occurrence of PARALYSIS (Paralysis in his head from neck up.), PNEUMONIA (Pneumonia), DYSPNOEA (Losing breathe), FACIAL PARALYSIS (Paralysis of face), BELL'S PALSY (Bells Palsy), GUILLAIN-BARRE SYNDROME (Guillain-Baire syndrome.), HYPOAESTHESIA (Numbness in hands), DYSPHAGIA (Could not swallow), LOSS OF PERSONAL INDEPENDENCE IN DAILY ACTIVITIES (Totally impaired), PARAESTHESIA (Tingly in hands), VISUAL IMPAIRMENT (Impaired vision), SPEECH DISORDER (Speech impairment) and GAIT DISTURBANCE (Could not walk) in a 61-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The patient's past medical history included Plasmapheresis in April 2021, Feeding tube insertion in April 2021, Tracheostomy tube insertion in April 2021 and Mechanical ventilation in April 2021. On 16-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 13-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 15-Apr-2021, the patient experienced PARALYSIS (Paralysis in his head from neck up.) (seriousness criteria hospitalization, disability, medically significant and intervention required), PNEUMONIA (Pneumonia) (seriousness criterion medically significant), DYSPNOEA (Losing breathe) (seriousness criteria hospitalization, medically significant, life threatening and intervention required), FACIAL PARALYSIS (Paralysis of face) (seriousness criterion hospitalization), BELL'S PALSY (Bells Palsy) (seriousness criterion hospitalization), GUILLAIN-BARRE SYNDROME (Guillain-Baire syndrome,) (seriousness criteria hospitalization, disability, medically significant, life threatening and intervention required), HYPOAESTHESIA (Numbness in hands) (seriousness criteria hospitalization and medically significant), DYSPHAGIA (Could not swallow) (seriousness criteria hospitalization and medically

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

significant), LOSS OF PERSONAL INDEPENDENCE IN DAILY ACTIVITIES (Totally impaired) (seriousness criterion disability), PARAESTHESIA (Tingly in hands) (seriousness criterion hospitalization), VISUAL IMPAIRMENT (Impaired vision) (seriousness criterion hospitalization), SPEECH DISORDER (Speech impairment) (seriousness criterion hospitalization) and GAIT DISTURBANCE (Could not walk) (seriousness criterion hospitalization). At the time of the report, PARALYSIS (Paralysis in his head from neck up.) had not resolved and PNEUMONIA (Pneumonia), DYSPNOEA (Losing breathe), FACIAL PARALYSIS (Paralysis of face), BELL'S PALSY (Bells Palsy), GUILLAIN-BARRE SYNDROME (Guillain-Baire syndrome.), HYPOAESTHESIA (Numbness in hands), DYSPHAGIA (Could not swallow), LOSS OF PERSONAL INDEPENDENCE IN DAILY ACTIVITIES (Totally impaired), PARAESTHESIA (Tingly in hands), VISUAL IMPAIRMENT (Impaired vision), SPEECH DISORDER (Speech impairment) and GAIT DISTURBANCE (Could not walk) outcome was unknown. Non-drug therapy included: The patient had 7 plasmapheresis, trachea to breathe, feeding tube and put on a ventilator. Company Comment: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. This case was linked to MOD-2021-141559 (Patient Link).; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353066	5/27/2021	CA	57	F	3/11/2021	4/11/2021	<p>Bell's palsy; Trigeminal neuralgia; Can not tolerate loud noises; Jaw still hurts; Double vision in right eyes; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of BELL'S PALSY (Bell's palsy) in a 57-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 029A21A and 025A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 11-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 08-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 11-Apr-2021, the patient experienced BELL'S PALSY (Bell's palsy) (seriousness criterion medically significant), TRIGEMINAL NEURALGIA (Trigeminal neuralgia), HYPERACUSIS (Can not tolerate loud noises), PAIN IN JAW (Jaw still hurts) and DIPLOPIA (Double vision in right eyes). At the time of the report, BELL'S PALSY (Bell's palsy), TRIGEMINAL NEURALGIA (Trigeminal neuralgia), HYPERACUSIS (Can not tolerate loud noises), PAIN IN JAW (Jaw still hurts) and DIPLOPIA (Double vision in right eyes) outcome was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Concomitant products were not provided/unknown. The patient went to the emergency room twice. She was put on a steroid by her doctor. She is undergoing treatment with a neurologist. Company Comment: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353154	5/27/2021	CO	39	F	1/25/2021	2/6/2021	<p>This is a spontaneous report from a contactable Other HCP (patient, self-reported). A 39-year-old female patient received second dose of BNT162B2 (PFIZER-BIOTECH COVID-19 mRNA VACCINE, Solution for injection, lot number: EL8982 and expiry date was not reported), via intramuscularly, in Arm Left, on 25Jan2021 at 04:45 PM, as a single dose for COVID-19 immunization at hospital. The patient received first dose of BNT162B2 (PFIZER-BIOTECH COVID-19 mRNA VACCINE, Solution for injection, lot number: EK9231 and expiry date was not reported), via intramuscularly, in Arm Right, on 04Jan2021 at 04:45 PM, as a single dose for COVID-19 immunization at hospital. The patient was not pregnant at the time of vaccination. The patient did not receive any other vaccine in four weeks. The patient's medical history included known allergies: mushrooms, Levaquin and cipro, hypertension, and thyroid cancer. The patient received medications Amlodipine, Levothyroxine, and fenofibrate in two weeks. The patient was not diagnosed with COVID-19 prior vaccination. The patient was not tested for COVID-19 post vaccination. The patient reported that in first 36 hrs, she was fine but by 06Feb2021 at 06:00 AM, she had the worst headache ever focused on her left temple. She happened to have an eye exam scheduled for that day and was told that her IOP was 21 in her left eye. She experienced photosensitivity for the following 2 days. Then she ended up in the ER from the headache and pressure she felt in her eye. Her blood pressure was 162/125. She was now 11 days post vaccine and currently still had a headache and experiencing light sensitivity focused in her left temple into her scalp and now had inner ear pain and jaw pain. At times, she felt short of breath as well. The events resulted in emergency room/department or urgent care. The patient received cocktail Compazine, Benadryl and Tylenol as treatment for the event headache. The patient also received unknown treatment for other events. Outcome of the events was not recovered. Follow-up attempts are completed. No further information is expected.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353021	5/27/2021	CA	57	F		5/1/2021	MIGRAINE HEADACHE; DIZZINESS; NAUSEA; MUSCLE ACHES; TIREDNESS/FEELING EXHAUSTED; BLIND SPOT IN LEFT EYE; AURA IN LEFT EYE; This spontaneous report received from a patient concerned a 57 year old female. The patient's height, and weight were not reported. The patient's past medical history included migraine headaches, and concurrent conditions included allergy to sulpha, alcohol user, and non smoker. The patient experienced drug allergy when treated with metronidazole. The patient received covid-19 vaccine (suspension for injection, route of admin not reported, batch number: 205A21A, and expiry: UNKNOWN) dose was not reported, administered on 19-MAY-2021 for prophylactic vaccination. No concomitant medications were reported. On MAY-2021, the subject experienced blind spot in left eye. On MAY-2021, the subject experienced aura in left eye. On 19-MAY-2021, the subject experienced tiredness/feeling exhausted. On 20-MAY-2021, the subject experienced dizziness. On 20-MAY-2021, the subject experienced nausea. On 20-MAY-2021, the subject experienced muscle aches. On 24-MAY-2021, the subject experienced migraine headache. The action taken with covid-19 vaccine was not applicable. The patient recovered from muscle aches on 22-MAY-2021, had not recovered from nausea, migraine headache, tiredness/feeling exhausted, and dizziness, and the outcome of blind spot in left eye and aura in left eye was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353018	5/27/2021	NJ		F		4/10/2021	RASH TO BELOW BOTH EYELIDS/ RASH AROUND BOTH EYES/RASH TO FOREHEAD/RASH TO SIDE OF FACE/ TO BOTH EARS/ TO SIDE OF NECK; This spontaneous report received from a patient concerned a 23 year old female. The patient's weight was 180 pounds, and height was 55 inches. The patient's past medical history included surgeries for cleft lip and palate, and concurrent conditions included non alcoholic, and non smoker, and other pre-existing medical conditions included the patient had no known allergies and no drug abuse or illicit drug usage. the patient not pregnant at the time of vaccination. The patient received covid-19 vaccine (suspension for injection, route of admin not reported, batch number: 041A21A, and expiry: 21-JUN-2021) dose was not reported, administered on 09-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 10-APR-2021, the subject experienced rash to below both eyelids/ rash around both eyes/rash to forehead/rash to side of face/ to both ears/ to side of neck. Treatment medications (dates unspecified) included: prednisone. The action taken with covid-19 vaccine was not applicable. The patient was recovering from rash to below both eyelids/ rash around both eyes/rash to forehead/rash to side of face/ to both ears/ to side of neck. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1352999	5/27/2021	CA		F		5/22/2021	<p>COULD NOT MOVE BACK OR NECK; FREQUENT URINATION; URINE WITH BURNING SENSATION; PAIN IN NECK; ACHES; FATIGUE; PAIN IN BRAIN; SEVERE CHILLS; FEELING TIRED; FEVER; LOST MOBILITY ON THE LEFT SIDE OF THE BODY; MASSIVE MIGRAINE; STABBING SHOOTING PAIN IN ALL OVER BODY; URINARY TRACT SYMPTOMS OF PAIN; BAD DIARRHEA; DIFFICULTY BREATHING/TROUBLE BREATHING; BLURRED VISION; INTENSE ABDOMINAL PAIN ON THE LEFT SIDE OF DIGESTIVE TRACT TOWARDS UTERUS AND BLADDER; ABDOMINAL SWELLING; UNABLE TO EAT; COULD NOT SPEAK; SHAKING; This spontaneous report received from a patient concerned a 38 year old female. The patient's weight was 105 pounds, and height was not reported. The patient's concurrent conditions included asthma, autoimmune allergy, pollen allergy, no alcohol use, nonsmoker, and heat, and other pre-existing medical conditions included the patient had no drug abuse or illicit drug usage. The patient received covid-19 vaccine (suspension for injection, route of admin not reported, batch number: 1805029 and expiry: 25-MAY-2021) dose was not reported, administered on 22-MAY-2021 for prophylactic vaccination. Concomitant medications included budesonide/formoterol fumarate for asthma. On 22-MAY-2021, the subject experienced lost mobility on the left side of the body. On 22-MAY-2021, the subject experienced massive migraine. On 22-MAY-2021, the subject experienced stabbing shooting pain in all over body. On 22-MAY-2021, the subject experienced urinary tract symptoms of pain. On 22-MAY-2021, the subject experienced bad diarrhea. On 22-MAY-2021, the subject experienced difficulty breathing/trouble breathing. On 22-MAY-2021, the subject experienced blurred vision. On 22-MAY-2021, the subject experienced intense abdominal pain on the left side of digestive tract towards uterus and bladder. On 22-MAY-2021, the subject experienced abdominal swelling. On 22-MAY-2021, the subject experienced unable to eat. On 22-MAY-2021, the subject experienced could not speak. On 22-MAY-2021, the subject experienced shaking. On 22-MAY-2021, the subject experienced severe chills. On 22-MAY-2021, the subject experienced feeling tired. On 22-MAY-2021, the subject experienced fever. On an unspecified date, the subject experienced could not move back or neck,</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1352998	5/27/2021	PA	23	M	5/1/2021		<p>frequent urination, urine with burning sensation, pain in neck, aches, fatigue, and pain in brain. Laboratory data (dates unspecified) included: Body temperature (NR: not provided) 103.5- 104.5 F. Treatment medications (dates unspecified) included: phenazopyridine hydrochloride, and ibuprofen. The action taken with covid-19 vaccine was not applicable. The patient had not recovered from severe chills, fever, massive migraine, stabbing shooting pain in all over body, urinary tract symptoms of pain, bad diarrhea, difficulty breathing/trouble breathing, feeling tired, blurred vision, intense abdominal pain on the left side of digestive tract towards uterus and bladder, abdominal swelling, unable to eat, could not speak, shaking, and lost mobility on the left side of the body, and the outcome of could not move back or neck, frequent urination, urine with burning sensation, pain in neck, pain in brain, fatigue and aches was not reported. This report was non-serious.; Sender's Comments: V0: Medical assessment comment is not required as per standard procedure as case assessed as non-serious.</p> <p>MUSCLE PAIN; FEVER; HEADACHE; EYES HURT; RED EYES; This spontaneous report received from a parent concerned a 23 year old male. The patient's height, and weight were not reported. No past medical history or concurrent conditions were reported. The patient received covid-19 vaccine (suspension for injection, route of admin not reported, batch number: 205A21A, and expiry: UNKNOWN) dose was not reported, administered on 22-MAY-2021 for prophylactic vaccination. No concomitant medications were reported. On MAY-2021, the subject experienced eyes hurt. On MAY-2021, the subject experienced red eyes. On 22-MAY-2021, the subject experienced muscle pain. On 22-MAY-2021, the subject experienced fever. On 22-MAY-2021, the subject experienced headache. Treatment medications (dates unspecified) included: paracetamol. The action taken with covid-19 vaccine was not applicable. The patient had not recovered from fever, headache, and muscle pain, and the outcome of eyes hurt and red eyes was not reported. This report was non-serious. This case, from the same reporter is linked to 20210545645.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1352781	5/27/2021	AZ	20	F	4/27/2021	5/23/2021	Headache onset 3-4 days after vaccine on 4/27/21. Subsequently developed visual changes (right homonymous hemianopsia/visual field cut) on 5/23/21 and presented to ED, diagnosed with cerebral venous thrombosis (left transverse, sigmoid and internal jugular thrombosis). On initial labs also had thrombocytopenia and mild leukocytosis.
1354213	5/27/2021	MO	25	F	5/27/2021	5/27/2021	SHOT GIVEN AT 9:20AM, DIZZINESS REPORTED WITHIN 10 MINUTES POST VACCINATION. AT APPROX. 9:40 AM PATIENT COMPLAINED OF INCREASED OCCULAR PRESSURE. NO SWELLING WAS NOTED. PATIENT ALERT AND ORIENTED X4, BP 128/82 PULSE 64, RESPIRATIONS 18. PATIENT REQUESTED TO STAY TO BE MONITORED LONGER. PATIENT MADE FOLLOW UP APPOINTMENT WITH PCP.
1354440	5/27/2021	UT	20	F	5/27/2021	5/27/2021	Patient received vaccine and said it was painless. She was accompanied by her mother, shortly in to her 15 minute waiting period her mother approached and said the patient felt light headed. I asked patient to remove her mask and assessed for any swelling of the lips or the face. Patient stated she did not have any issues breathing but felt very faint. Her eyes were very dilated, and she wanted to lay down. So we assisted patient to the floor, called Code White and 911. I stayed with patient as she lay down, she began to recover, but still looked very pale. I continually assessed patient for anaphylaxis, but patient reported no pain in injection site or issues breathing. Paramedics arrived and assessed patient, BP was normal, blood sugar was in the low normal range, paramedics determined that issue was not related to vaccine, but that she was dehydrated and had not eaten, which exacerbated the light headedness.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353091	5/27/2021	AZ	65	F	3/30/2021	4/13/2021	<p>very hot; indurated; itched; Red; huge, great big, rash; Saw an HCP 2 days ago who attributed her vision changes to optical neuritis; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of OPTIC NEURITIS (Saw an HCP 2 days ago who attributed her vision changes to optical neuritis) in a 65-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 008C21A and 019B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Dry eyes. Concomitant products included POLYVINYL ALCOHOL, POVIDONE (REFRESH CLASSIC LUBRICANT EYE DROPS) for Dry eyes. On 30-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 30-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 13-Apr-2021, the patient experienced OPTIC NEURITIS (Saw an HCP 2 days ago who attributed her vision changes to optical neuritis) (seriousness criteria disability and medically significant). On 30-Apr-2021, the patient experienced VACCINATION SITE WARMTH (very hot), VACCINATION SITE INDURATION (indurated), VACCINATION SITE PRURITUS (itched), VACCINATION SITE ERYTHEMA (Red) and VACCINATION SITE RASH (huge, great big, rash). At the time of the report, OPTIC NEURITIS (Saw an HCP 2 days ago who attributed her vision changes to optical neuritis) had not resolved and VACCINATION SITE WARMTH (very hot), VACCINATION SITE INDURATION (indurated), VACCINATION SITE PRURITUS (itched), VACCINATION SITE ERYTHEMA (Red) and VACCINATION SITE RASH (huge, great big, rash) outcome was unknown. Treatment information was not provided. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. This case was linked to MOD-2021-128857 (Patient Link).; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353381	5/27/2021	NJ	28	F	2/20/2021	2/20/2021	Head congestion; Left ear pain; Arm soreness; Chills; Blurred vision; Dehydration; Malaise; Sinus pain in left side; Dizziness/lightheaded; Left side of face swelling; Lips and tip of tongue numb; Itchy around injection site; Swollen throat; Left eye discomfort/swelling; Tension pain in left side of neck; This is a spontaneous report from a contactable Consumer, a patient. A 28-year-old non pregnant female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Batch number: EL9266), via an unspecified route of administration in the Left arm on 20Feb2021 at 10:00 (at the age of 28-years-old) as a single dose for COVID 19 immunisation. The patient's medical history included Asthma. The patients' concomitant medications were not reported. She did not receive any other vaccines within 4 weeks prior to the COVID-19 vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19 and not tested for COVID-19 since the vaccination. On 20Feb2021 the patient experienced arm soreness, blurred vision, chills, dehydration, dizziness/ lightheaded, head congestion, itchy around injection site, left ear pain, left eye discomfort/ swelling, left side of face swelling, lips and tip of tongue numb, malaise, sinus pain in left side, swollen throat, tension pain in left side of neck. The patient did not receive any treatment for the events. The clinical outcome for the events arm soreness, blurred vision, chills, dehydration, dizziness/ lightheaded, head congestion, itchy around injection site, left ear pain, left eye discomfort/ swelling, left side of face swelling, lips and tip of tongue numb, malaise, sinus pain in left side, swollen throat, tension pain in left side of neck was recovered. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353479	5/27/2021	IN	38	M	4/12/2021	4/14/2021	Other weird symptom; runny nose; Fever; cold; cold and flu like symptoms; headache; sinus pressure; Sinus drainage; congestion; nerve shoot through his head down to his arm; tingling sensation that would usually last for less than a second; head or eye movement; head or eye movement; dizziness like the feeling one gets before one passes out; This is a spontaneous report from a contactable consumer (patient). A 38-years-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot Number: ER8737), via an unspecified route of administration, administered in right arm on 12Apr2021 14:00 at age of 38 years as single dose for covid-19 immunisation. Medical history included mystery cough from 2018 and not ongoing, seasonal allergies, used an annuity inhaler for this, ADHD and depression. Concomitant medications included escitalopram oxalate (LEXAPRO) from Sep2020 to Apr2021 for depression; bupropion from Aug2020 to 20Apr2021 for depression; amphetamine sulfate (AMPHETAMINE SALTS) from 2018 and ongoing for attention deficit hyperactivity disorder. Around 14Apr2021, he had cold and flu like symptoms. He said he had headache, and sinus pressure, drainage and congestion. He said he felt dizzy, and he compared his dizziness to a feeling one gets before one passes out. He said it is associated with head or eye movement, and that there was a nerve shoot through his head down to his arm. This was accompanied by a tingling sensation that would usually last for less than a second. He said this reaction lasted for 2 and a half weeks. Patient mentioned that he consulted his physician, and was prescribed with doxycycline, which helped with the relief of his cold and flu like symptoms, as well as the congestion. He said it has been cleared for 5 days now. On 17Apr2021, patient said he had fever with a temperature of 100 F. He was concerned because the fever had not subsided ever since. On 17Apr2021 he had onset of fever which was ongoing. He was struggling to narrow down the choices here. He was grasping at straws trying to figure out if this ongoing fever fits in the realm of rare side effects of Pfizer Covid-19 Vaccine and asked for further information regarding the fever. He later mentioned he also had cold-like symptoms and an other weird symptom. Fever was typically in morning temperature was 100.2 to 100.5 degrees Fahrenheit then got to about 101 degrees

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

Fahrenheit in the afternoon. Cold-like symptoms was for the first 2.5 weeks had headaches, sinus-related symptoms like runny nose, congestion, sinus pressure. He thought the sinus pressure in particular could be associated with the other weird symptom he had. One of patient's sons daycare had a cold going around his class on 14Apr2021; some of the kids went home with colds and fever so he initially chalked this up to that. Otherwise he did not think so. As a kind of cover her but his doctor did prescribe doxycycline which he just finished the last dose so been on that for 10 days at 100mg twice daily. He thought due to that any of the sinus symptoms he had have dropped. He felt cured of those other than fever; only fully recovered completely about 5 days ago (06May2021). Patient had COVID PCR test: First test in Apr2021, probably on 19Apr2021 or 20Apr2021. Not admitted to hospital, no ER visit, but went to hospital that his physician was associated with to have chest x-ray (Nothing notable found) and blood panel (Nothing notable found, didnt lead to anything. Standard blood work nothing notable found. White blood cell-nothing notable found.) done on 24Apr2021. COVID antibody test on May2021 was positive (IgG positive for COVID antibodies, IgM negative, no active COVID). COVID PCR test in Apr2021 and 26Apr2021 was Negative for COVID. AE (virtual visits for the fever) required a visit to physician office. Pfizer Covid-19 Vaccine delayed twice now; was supposed to get second dose on 03May2021 but since had a fever been told he can't. Outcome of event fever was not recovered and the other events was recovered on 06May2021. Follow-up attempts are needed. Further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353465	5/27/2021	TX	28	F	5/6/2021	5/6/2021	<p>eyes seemed to move quickly back and forth; felt weak and had no energy; heart began to beat fast like it was going to beat out of chest; shake all over her body; vision came back blurry; blood pressure and heart beat were high; vision went in and out while driving down the freeway; This is a spontaneous report from a contactable consumer (patient). A 28-year-old female patient received bnt162b2 (Pfizer product), dose 2 via an unspecified route of administration, administered in arm left on 06May2021 11:45 (Lot Number: Ew0175) as single dose for covid-19 immunisation. Medical history and concomitant medications were none. No any other medications the patient received within 2 weeks of vaccination. The patient was not pregnant. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. The patient previously received first dose of bnt162b2 (lot number: Ew0161) in left arm on 15Apr2021 at 11:30 for covid-19 immunisation. The patient previously took amoxicillin and experienced allergy. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient stayed for 20 minutes after getting the second vaccine and was fine so she headed to work. A total of 40 minutes after vaccine (06May2021 12:25), her vision went in and out while driving down the freeway. At 12:45, she started to shake all over her body and heart began to beat fast like it was going to beat out of chest. Her vision came back blurry and was able to pull over on the side of the freeway and call 911. They took her blood pressure and heart beat, both were high. After 30 minutes her heart beat and blood pressure returned to normal. For the remainder of that day the episodes happened 3 times, but only lasted 2-3 minutes at a time. Two days after (08May2021), her vision was blurry and eyes seemed to move quickly back and forth and she felt weak and had no energy. The adverse events result in Emergency room/department or urgent care. Unknown if treatment received. The outcome of events was recovered with lasting effects.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353456	5/27/2021	TX	59	M	4/2/2021	4/3/2021	Eyes swollen; big water bags underneath them; It is now worse than it was; This is a spontaneous report from a contactable consumer (patient) . A 59-year-old male patient received initial dose of bnt162b2 (BNT162B2) PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Batch/Lot Number: unknown; Expiration Date: unknown) dose 1 via unspecified route of administered on 02Apr21 as 1st DOSE SINGLE for covid-19 immunisation. The patient medical history and concomitant medications were not reported. On 03Apr2021 the patient experienced eyes swollen; big water bags underneath them eyes swollen; big water bags underneath them was reported as worsened and had been having problems ever since then. The patient did not have any trouble breathing or anything like that and laughs and says he just looks ugly when he looks in the mirror.The patient says that he called about a week ago and was told to go to the Emergency Room. He says he did not do a report at that time. On 03Apr2021, the patient states that his symptoms started on and it was now worse than it was and says he must be allergic to something. The patient was told not to get the second dose of the vaccine due to this reaction. the patient thinks he had Covid virus last year during the summer; he had a cough that would not go away. Caller states he was going to go get medical attention this morning to see if there was anything they could do about the swelling. States he has decided he isn't going to; he was going to tough it out. Also states that he just got done with his mother's funeral service. States she lived a long life. States he just seems to have a lot going on but it was going to all be okay. The patient says his neighbor took the same Covid vaccine and had told the caller to go get it. The patient neighbor didn't have any reaction.The Caller states he was glad he had Benadryl at home. The outcome of the events was unknown. No follow-up attempts are needed; information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353434	5/27/2021	RI	59	M	4/8/2021	4/13/2021	<p>the shingles on the right side of my face, extending from my right ear down to my chin, and up to my right eye.; This is a spontaneous report from a contactable consumer (patient). A 59-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: ER8729, expiration date: unknown) dose 1 via an unspecified route of administration in the left arm on 08Apr2021 at 13:00 (at the age of 59-year-old) as single dose for covid-19 vaccination at Pharmacy or Drug Store. Medical history included penicillin allergy. The patient did not receive any other vaccines within four weeks prior to the vaccination. The patient was not diagnosed with covid-19 prior to vaccination. Since the vaccination, the patient had not been tested with covid-19. Concomitant medication included VITAMIN D [VITAMIN D NOS]. On 13Apr2021, after five days from vaccination, patient developed the shingles on the right side of my face, extending from my right ear down to my chin, and up to my right eye. He would like to know if it is possible that the Pfizer BioNTech COVID-19 vaccine could have "triggered" the case of shingles of that her husband experienced 5 days after receiving his first dose of the vaccine. Response was that there is no information to suggest that the vaccine causes shingles, shingles was not listed as a commonly reported side effect with the clinical trial participants, this list does not include all possible side effects with the vaccine. Also that they do not have the safety data to speak from since the vaccine has been released to the public. Her wife wanted to know if this was a common thing, Is it from vaccine, if he did get second dose, how soon can he get second dose. she also wanted to know With the Pfizer COVID vaccine, like with the flu vaccine, which has a flu component, does this also have a Covid component in the vaccines. Patient wanted to know wanted to know how soon can he get next COVID shot. Patient's second dose is due on 01May2021. His dermatologist advised he not have second dose. Dermatologist said not to get one on Saturday if the Shingles would clear up. Patient was not sure if he should get it. If so, how soon. Patient also reported that the first vaccine did trigger the shingle's because of whatever in his immune, is he at a higher risk for getting a worse case with second vaccine. Patient received unspecified treatment which was prescribed by</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							dermatologist. AE resulted in Doctor or other healthcare professional office/clinic visit. The outcome of the events was recovering. No Follow-up attempts are needed. No further information is expected
1353415	5/27/2021	NY	49	F	3/16/2021	3/16/2021	slight sporadic blurriness of vision.; slight headache; Soreness at site of administration; full body aches; soreness at site of administration, full body aches; This is a spontaneous report received from a contactable consumer, the patient. A 49-year-old non-pregnant female the received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Lot number: EL3247), via an unspecified route of administration in the left arm on 16Mar2021 at 09:45(at the age of 49-years-old), as a second single dose for COVID-19 immunisation. No significant medical history included. The patient did not have any allergies to medications, food or other products. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not tested for COVID-19. Concomitant medications included vitamins D (MANUFACTURER UNKNOWN) and Vitamin B3 (MANUFACTURER UNKNOWN) for an unknown indication from an unspecified date and unknown if its ongoing. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient previously received BNT162B2 (Lot number: EL3247), in the left arm on 23Feb2021 at 09:45AM (at the age of 49-years-old), as a first single dose for COVID-19 immunisation and experienced general but mild full body aches, Soreness and tenderness at the injection site. On 16Mar2021, the patient was experienced soreness at site of administration, full body aches, slight headache, slight sporadic blurriness of vision. The patient did not receive any treatment for all the events. The clinical outcome of vaccination site pain, general body pain, slight headache, slight sporadic blurriness of vision was recovering. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353391	5/27/2021	MA	54	F	3/11/2021	3/11/2021	Hives forming on face near ears; itchy skin on arms and legs; Tired; weak mildly achy limbs; weak mildly achy limbs; cognitively slower; This is a spontaneous report from a contactable consumer, the patient. A 54-years-old non-pregnant female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: UNKNOWN), via an unspecified route of administration, administered in left arm on 11Mar2021 13:00 (at the age of 54-years-old) as a single dose for covid-19 immunization. Medical history included dry inflamed eyes and MGD of eyes (Meibomian gland dysfunction), thyroidectomy, thyroid cancer, pulmonary sarcoidosis, lymphedema and hypertension. The patient previously took ciprofloxacin and experienced drug hypersensitivity and food allergy (sulfa drugs, tree nuts, raw orchard fruits). Concomitant medication(s) included levothyroxine, liothyronine, losartan, clonazepam. The patient had no other vaccine within four weeks. Prior to the vaccination, it was unknown whether the patient was diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. The patient was not pregnant at the time of vaccination. On 11Mar2021 21:00, the patient had hives forming on face near ears, itchy skin on arms and legs, tired, weak mildly achy limbs, cognitively slower. The patient received treatment for the events. Outcome of the events was not recovered, at the time of this report. No follow-up attempts are Possible. Information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353109	5/27/2021	MS	78	F	5/11/2021	5/11/2021	<p>This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of ATRIAL FIBRILLATION (In and Out of Rhythms (Atrial Fibrillation).) in a 78-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 003B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No medical history was provided by the reporter. Concomitant products included DESLORATADINE for Allergy, ASA and APIXABAN (ELIQUIS) for Anticoagulant therapy, LOSARTAN and METOPROLOL for Blood pressure, FUROSEMIDE for Diuretic effect, MACROGOL 400, PROPYLENE GLYCOL (SYSTANE) for Dry eye, FLECAINIDE from 14-May-2021 to an unknown date and CLONIDINE for Heart disorder. On 11-May-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 11-May-2021, the patient experienced ATRIAL FIBRILLATION (In and Out of Rhythms (Atrial Fibrillation).) (seriousness criterion medically significant), HUNGER (Unusual hungry feeling) and BLOOD PRESSURE FLUCTUATION (Fluctuations of Blood Pressure readings). On 15-May-2021, the patient experienced VACCINATION SITE WARMTH (Large, round, red circle, not bright red, warm to touch), VACCINATION SITE ERYTHEMA (Large, round, red circle, not bright red, warm to touch), VACCINATION SITE RASH (Rash in the circle) and VACCINATION SITE SWELLING (Circle 4 inches below the injection site, size of a golf ball). At the time of the report, ATRIAL FIBRILLATION (In and Out of Rhythms (Atrial Fibrillation).), HUNGER (Unusual hungry feeling), BLOOD PRESSURE FLUCTUATION (Fluctuations of Blood Pressure readings), VACCINATION SITE WARMTH (Large, round, red circle, not bright red, warm to touch), VACCINATION SITE ERYTHEMA (Large, round, red circle, not bright red, warm to touch), VACCINATION SITE RASH (Rash in the circle) and VACCINATION SITE SWELLING (Circle 4 inches below the injection site, size of a golf ball) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 12-May-2021, Blood pressure measurement: 104/54 (Inconclusive) At 6:50am, 97/62 (Inconclusive) At 11:40am, 110/62 (Inconclusive) At 2:50pm, 142/89</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

(Inconclusive) At 8:45pm and 119/69 (Inconclusive) At 10pm. On 12-May-2021, Heart rate: 74 (Inconclusive) At 6:50am, 73 (Inconclusive) At 11:40am, 62 (Inconclusive) At 2:50pm, 109 (Inconclusive) At 8:45pm, 103 (Inconclusive) At 10pm and 97 (Inconclusive) At 2:50pm. On 13-May-2021, Blood pressure measurement: 110/87 (Inconclusive) At 7:12am and 117/76 (Inconclusive) At 8:06am. On 13-May-2021, Heart rate: 104 (Inconclusive) At 7:12am and 101 (Inconclusive) At 8:06am. On 14-May-2021, Blood pressure measurement: 116/80 (Inconclusive) At 7:32am, 129/78 (Inconclusive) At 1:02pm and 169/97 (Inconclusive) At 8:32pm. On 14-May-2021, Heart rate: 99 (Inconclusive) At 7:32am, 102 (Inconclusive) At 1:02pm and 107 (Inconclusive) At 8:32pm. On 15-May-2021, Blood pressure measurement: 140/83 (Inconclusive) At 7:03am, 147/88 (Inconclusive) At 9:19am, 146/96 (Inconclusive) At 4:55pm, 161/95 (Inconclusive) At 8:20pm and 112/83 (Inconclusive) At 10:00pm. On 15-May-2021, Heart rate: 78 (Inconclusive) At 7:03am, 104 (Inconclusive) At 9:19am, 108 (Inconclusive) At 4:55pm, 109 (Inconclusive) At 8:20pm and 95 (Inconclusive) At 10:00pm. On 16-May-2021, Blood pressure measurement: 136/75 (Inconclusive) At 7:03am, 101/67 (Inconclusive) At 9:12am, 101/62 (Inconclusive) At 2:03pm and 127/75 (Inconclusive) At 10:00pm. On 16-May-2021, Heart rate: 101 (Inconclusive) At 7:03am, 104 (Inconclusive) At 9:12am, 90 (Inconclusive) At 2:03pm and 70 (Inconclusive) At 10:00pm. On 17-May-2021, Blood pressure measurement: 139/86 (Inconclusive) At 7:03am. On 17-May-2021, Heart rate: 73 (Inconclusive) At 7:03am. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Treatment information was not provided. Very limited information regarding the event atrial fibrillation has been provided at this time. For the other events a causal relationship cannot be excluded. Further information has been requested.; Sender's Comments: Very limited information regarding the event atrial fibrillation has been provided at this time. For the other events a causal relationship cannot be excluded. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353384	5/27/2021	AL	51	F	3/2/2021	3/3/2021	<p>Twitching below right eye on right cheek; This is a spontaneous report from a contactable consumer, the patient. A 51 years old non-pregnant female patient received first dose of BNT162B2 (PFIZER BIONTECH COVID-19 mRNA VACCINE) (Batch/lot Number: EN6200) via an unspecified route of administration on left arm as single dose on 02Mar2021 at 19:30 (at the age of 51-years-old) for COVID-19 immunization. The patient's medical history included chronic migraine, twitching on eye and Gastroesophageal reflux disease (GERD). The patient previously took penicillin, codeine and Diflucan, and developed allergy to all the three drugs. Prior to the vaccination, the patient was not diagnosed with COVID-19. The patient did not receive any other vaccines within 4 weeks prior to the COVID-19 vaccine. Since the vaccination, the patient was not tested for COVID-19. Concomitant medications include Famvir, Celebrex, Wellbutrin, atenolol, and Emgality. On 03Mar2021, the patient experienced twitching below right eye on right cheek, which would come and go. The patient felt like she was having a transcutaneous electrical nerve stimulation (TENS) unit on her face. The patient also felt it was very different to a twitch she would get on her eye. The patient did not receive any treatment for the event. The event twitching below right eye on right cheek was not resolved. No follow-up attempts are needed. No further information is expected.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353503	5/27/2021	MA		F	5/7/2021	5/8/2021	Central retinal vein occlusion of right eye; Fewer; headache; pain throughout body; fatigue; This is a spontaneous report from a non-contactable consumer (patient). A 38-years-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EW0173), dose 2 via an unspecified route of administration, administered in right arm on 07May2021 16:00 as 2nd dose, single for covid-19 immunisation. Medical history was reported as none. The patient's concomitant medications were not reported. The patient previously received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EW0161) administered in left arm on 16Apr2021 00:00 for COVID-19 Immunization. There is no other vaccine in four weeks, no other medications in four weeks, no covid prior vaccination, no covid tested post vaccination, no known allergies, no other medical history. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. There is no list of any other medications the patient received within 2 weeks of vaccination. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. The patient experienced central retinal vein occlusion of right eye, Fewer, headache, pain through-out body, fatigue on 08May2021. The adverse event resulted in emergency room/department or urgent care, disability or permanent damage. The outcome of the events was recovered with lasting effects (resolved with Sequel). No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353360	5/27/2021	FL	71	F	1/28/2021	1/1/2021	little bumps on her head like pimples, pooped up in new area turned into hives; Itching/ she was unable to keep her hands off them and scratching them; This is a spontaneous report from a contactable consumer (patient). A 71-years-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Solution for injection, Batch/Lot Number: EL9263), via an unspecified route of administration, administered in Arm Right on 28Jan2021 13:00 (at the age of 71-years-old) as a single dose, and second dose via an unspecified route of administration, administered in Arm Left on 03Mar2021 (Batch/Lot Number: EN6200) as a single dose for COVID-19 immunization. Patient had vaccination with varicella zoster second dose vaccine rge (cho) (SHINGRIX), via an unspecified route of administration on 31Dec2020 (Batch/Lot number was not reported). Medical history included first dose on 27 or 28Sep2020 for immunisation (as per doctor recommendation). Other medical history information included thyroid disorder, diabetes mellitus from 1963 and ongoing. Patient also had herpes zoster in the year 2011 where her head and arms broke out. She put up with it for weeks not knowing what it was. The doctor told her it was shingles. It was not always painful but itched. The patient also had itching that started in early Jan2021 before she got the Covid-19 vaccine along with little bumps on her head like pimples in mid of Jan2021. Concomitant medication(s) included insulin glulisine (APIDRA) taken for diabetes mellitus from 1985, 20 units or less a day; insulin detemir (LEVEMIR) taken for diabetes mellitus from 2001, 14 units in the morning, 3 units at night; timolol (TIMOLOL) taken for diabetes related (as reported) from an unspecified start date 1 drop each eye daily; levothyroxine sodium (SYNTHROID) taken for thyroid disorder from 1980, 112mcg daily; aspirin [acetylsalicylic acid] (ASPIRIN [ACETYLSALICYLIC ACID]) taken for prophylaxis (stroke prevention and diabetic related) from an unspecified start date, 81mg, takes two daily; metformin hydrochloride, sitagliptin (JANUMET [METFORMIN HYDROCHLORIDE;SITAGLIPTIN]) taken for diabetes mellitus from 1963, 50/1000 in the morning all the concomitant medication were ongoing. On 31Dec2020 she had the second Shingrix vaccine. The itching started in early Jan2021 before she got the Covid-19 vaccine.

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

She felt little bumps on her head like pimples. After which she was unable to keep her hands off them and scratching them, they turned into hives by the of mid Jan2021. A new area popped up two days ago. She thought she was getting shingles again. She had the first dose of the Covid-19 vaccine and from an unknown date it was worse. She had the first dose of the Shingrix vaccine on 27 or 28Sep2020. Originally stated she had the first Shingrix vaccine on 31Dec2020. Clarifies that the second dose was 29Dec2020. She received both doses at CVS. She saw a dermatologist two weeks ago. She had a biopsy on 28Feb2021 and was told that she had hives from something that she had been in contact with. She did not know what to do. The biopsy result was that she had hives and not shingles. The doctor will discuss that further with her at her upcoming appointment. Patient has hives on her head and on the top of her arm. It started around the time of the first Covid-19 vaccine. It got worse after the second dose. She was confused because last Sep2020 she had the first dose of the Shingrix vaccine. She received the second dose in Dec2020. She was told to wait a month after the Shingrix vaccine before she got the first Covid-19 vaccine. She was originally set up to receive the Moderna vaccine. She was told when she arrived that she was switched to get the Pfizer vaccine. She called her Primary Care and was seen over telehealth. The area was mainly on the right side of her head. The primary care provider suggested that she see a dermatologist for a biopsy. Patient provided Janumet as a concomitant medication. She had called that company. She read that you could get browns that causes hives. That happened to her years ago with the first break out. She took Aspirin 81mg, 2 daily. She did not take them for 3 days prior of getting the Covid-19 vaccine because she was afraid it would weaken the shot. She had an upcoming appointment on 11Mar. Patient condition did improve with cream prescribed by the derma. The one thing that works is Benadryl 25mg but it knocks her for a loop and makes her sleepy. There was a lot of stamped on the box and was hard to read. She stated they do not really want you to see it. She was able to provide from the bottle. Lot: KGL0000, Expiry: Jun2022. The outcome of the events was reported as not recovered. No follow-up attempts are possible. No further information is expected.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353334	5/27/2021	MN	28	F	2/19/2021	3/2/2021	This is a spontaneous report from a contactable other HCP. This 28-year-old female other HCP reported for herself that she received bnt162b2 (BNT162B2, Formulation: Solution for injection), dose 2 via an unspecified route of administration, administered in arm right on 19Feb2021 09:45 (Batch/Lot Number: EL9266) as SINGLE DOSE for covid-19 immunization. Medical history included, hashimoto's, mitral valve prolapse, known allergy, gluten. The patient's concomitant medications were not reported. The patient previously took bnt162b2 for covid-19 immunization (dose number 1, Lot number: EL3247), erythromycin and experienced known allergy: erythromycin. It was reported that, the 11 days (02Mar2021) after she received her second vaccine, she broke out in a full body rash/hives starting around 2:30pm. The rash was around my eyes, chin, ears, arms, armpits, hands, torso, shoulders, back, legs, and thighs. She took benadryl immediately (took one dose at 2:30pm and another dose at 6:30pm). The rash lasted the rest of the day and when she woke up the next morning it was gone. Later that day (03Mar2021), the rash/raised hives came back around 10:30am on my legs, back, right arm, neck, and buttocks. She took Benadryl and prescription steroids again and the rash lasted the rest of the day. The following morning (04Mar201) the rash was gone and has not come back as of today (05Mar2021). The outcome of the events was unknown.No follow-up attempts are possible; information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353331	5/27/2021	FL	77	F	2/26/2021	2/1/2021	Jaw pain up into eye; lymph nodes in the neck that made her hard to move her head; leg cramps; sleepy; palpitations; My chest has been beating like a 107 and it is normally like in the 70/Fast heart beat; lymph nodes in the neck that made her hard to move her head; I did take a Benadryl for my congestion in the nose and then the eyes and that did not seem to help; I did take a Benadryl for my congestion in the nose and then the eyes and that did not seem to help; My eye started to tear and I went like driving through an allergy attack with the runny eyes and nose; My eye started to tear and I went like driving through an allergy attack with the runny eyes and nose; My eye started to tear and I went like driving through an allergy attack with the runny eyes and nose; My eye started to tear and I went like driving through an allergy attack with the runny eyes and nose; she was sneezing; This is a spontaneous report from a contactable consumer (patient). A 77-year-old female patient received the BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Lot Number: EN6205, Expiry Date; UPC and NDC number: Unknown), via an unspecified route of administration on 26Feb2021 01:00 PM in the right arm at 1ST DOSE, SINGLE for COVID-19 immunisation. Patient's age at vaccination was 77 Years. Medical history reported as, the patient first states that she was medication free, but then clarifies that she does takes a vitamin D that is prescribed by her doctor. She had a lot of allergies when she was very young, she was tested for allergies. Two years ago she didn't think she was sick but her calcium was high, she had 2 parathyroid glands removed and she was stronger than she was before. She takes no pills for it, she has nothing wrong with her, outside of the cancer she had when she was 55 years old. Caller reported that the injection did not hurt for either herself or her husband, and it was wonderful. The patient states that she had no fever or chills from the vaccine, but both the caller and her husband were tired after receiving the vaccine, but caller thought it was from stress. Concomitant medications included colecalciferol (VITAMIN D [COLECALCIFEROL]) taken for an unspecified indication, start and stop date were not reported. Historical Vaccine included an unknown vaccine and patient states as, that back a long time, when she was a youngster, when she was given whatever vaccination is needed to go to school, her arm

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

swelled past her elbow, and she was sick for a few days. Caller does not remember which injection it was, it was whatever injection she had to have to go to school, she was 5 years old. Caller doesn't recall the name of the injection. No prior vaccinations (within 4 weeks). The patient states that she does not take the flu shot or anything like that, ever. Vaccination facility was reported as outside the distribution center in the parking lot. On an unspecified date in Feb2021, the patient experienced My eye started to tear and I went like driving through an allergy attack with the runny eyes and nose, lymph nodes in the neck that made her hard to move her head, I did take a Benadryl for my congestion in the nose and then the eyes and that did not seem to help and she was sneezing; On 26Feb2021, experienced my chest has been beating like a 107 and it is normally like in the 70/Fast heartbeat, sleepy, palpitations; On 01Mar2021, experienced leg cramps; On 03Mar2021, experienced lymph nodes in the neck that made her hard to move her head; On 04Mar2021, experienced Jaw pain up into eye. The report received as, the patient was pleased where she had the injection it didn't have swelling or get red and she does have a history of allergies and her doctor said it was ok to get the shot. The doctor told her, that if she had any eye tearing, nasal drip, or other things like that, to take a Benadryl. Caller waited 12 hours, because her eyes did start to tear, and she was sneezing and so she took a non-drowsy Benadryl, but she waited 12 hours to take the Benadryl, because she didn't want it to interfere. The patient experienced fast heartbeat started in the evening on the same day. Patient also had fast heartbeat yesterday. She reports she had a fast heartbeat; it was in the low 90s, she knows that's not fast for some people, but it was fast for her, and it would come and go like palpitations. Patient does have a machine, her heartbeat was in the 90s, and her chest has been beating like a 107 and it was normally like in the 70s. Caller was in the kitchen when she felt it, so she sat down. The patient reports that she has not experienced the palpitations today. The patient states that she was doing something in the kitchen, she's very active. She normally gets up in the morning and does the breast stroke for 1.5 hours, and patient states that she only got up to the pool once this week, and she didn't stay at the pool long because of the leg cramps. The patient reports she did have a fast

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

heartbeat yesterday. The patient reports that she also started to have a lot of cramps in her legs, which she has never had before in her life. The patient states that 2 days ago, the lymph nodes in her neck must have been swollen, and it hurt so bad last night, she didn't know what to do, she took regular over the counter Tylenol and it did help. The patient states that it's not bothering her today. it's right down the sides of her neck. She looked on the internet for lymph nodes in neck, she knew she had lymph nodes in her neck and it was really, really tight. It was both sides of her neck. It's not as bad today because she couldn't stand it anymore last night so she could take Tylenol. She was to a point sitting in a chair, how could she stretch her neck because it hurt so bad. But this morning she can move it pretty good. She told her husband if it continued that she would go to hospital. She was concerned with if she should get the second shot or not. She was wondering did the first Covid shot cause this. She did take Tylenol this morning, she also reports jaw pain and up into her eyes, that started yesterday, and it has been relieved. She's concerned if she got this with the first shot, could she get it with the second which was scheduled on 19Mar2021, and she was a little doubtful about getting that second shot. The patient states that she was very seriously thinking of not getting the second shot, because she had an awful lot of discomfort with this first shot. The patient states that it wasn't that she was tired, she was just sleepy, she was sleepy on the day she got the vaccine, and then on Saturday, 27Feb2021 she had 3 naps, then on Sunday, 28Feb2021 she had 2-3 naps. Then on Monday, 01Mar2021 she was back to normal. The only things caller was concerned about was if she should get the second shot. She read about not getting the second shot if you had a fast heartbeat. She would call her doctor, but all the doctors are telling people to get the shot. The only reason she got it was because of her husband and his underlying conditions. No specify Antipyretic used around the dates of Vaccination. No relevant tests. The patient underwent lab tests and procedures which included Heartbeat: 107, 90s on 26Feb2021. Outcome of the event lymph nodes in the neck that made her hard to move her head was recovering; events palpitations, jaw pain up into eye recovered on an unknown date; event leg cramps recovered on 03Mar2021 and outcome for

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

1353322	5/27/2021						
---------	-----------	--	--	--	--	--	--

1353322	5/27/2021			F			
---------	-----------	--	--	---	--	--	--

remaining events was unknown. No follow-up attempts are possible. No further information was expected.

This is a spontaneous report from a contactable consumer (patient herself). A female patient of an unspecified age received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Formulation: Solution for injection, Batch/Lot number was not reported), via an unspecified route of administration on an unspecified date as 1ST DOSE, SINGLE for covid-19 immunization. The Patient's medical history included anxiety and is also under doctor supervision for anti-anxiety meds. On an unspecified date, the patient experienced heart racing after first dose of COVID-19 vaccine, heart racing lasted for 3-4 days, slow at first and more at night that woke her up at night, feeling of almost fainting because she felt out of control and feeling out of breath. It was reported that, event took place after use of product. The patient underwent lab tests and procedures which included EKG (electrocardiogram): normal on 24Feb2021, heart rate: racing lasted for 3-4 days, slow at first and more on at night on an unspecified date. The outcome of the events was recovered on 24Feb2021. No follow-up attempts are possible; information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353308	5/27/2021		53	F	2/23/2021	2/23/2021	Light headache; Felt left eye is tiring; Injection site sore; Short period of tinkling in left side of the brain; eye lid is heavy; This is a spontaneous report from a non-contactable consumer or other non hcp. A 53-years-old female patient received bnt162b2 (PFIZER- BIONTECH COVID- 19 VACCINE, Solution for injection, Batch/Lot Number: EL9262), dose 1 via an unspecified route of administration, administered in arm left on 23Feb2021 09:00 as 1st dose, single dose for covid-19 immunisation. The patient's age at vaccination was 53 years. The patient was not pregnant. The patient's medical history and concomitant medications were not reported. On 23Feb2021 15:00, the patient experienced injection site sore, light headache, short period of tinkling in left side of the brain, feel left eye is tiring, eye lid is heavy. Vaccine facility type was other. The patient did not have any other vaccine in four weeks. No covid test was done post vaccination. The patient did not have any known allergies and other medical history. Therapeutic measures were taken as a result of injection site sore, light headache and short period of tinkling in left side of the brain with Tylenol. The outcome of the events was recovered on an unspecified date 2021. No follow-up attempts are possible. No further information is expected.
1352763	5/27/2021	CA	64	F	5/21/2021	5/22/2021	Chills, pain behind eyes, fever, body aches, nausea, vomiting, diarrhea, chest restriction, bloating, fatigue

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353180	5/27/2021	NY	87	F	1/21/2021	1/21/2021	headache for 18 days; vision problems where her eyes were glassy; her muscles of her legs the first day bothered her; chills on and off; This is a spontaneous report from a contactable consumer (patient). A 87-year-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Lot Number and Expiration date was not reported), via an unspecified route of administration, administered in Arm Left on 21Jan2021 as single dose for COVID-19 immunization. The patient received second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Lot Number and Expiration date was not reported), via an unspecified route of administration, administered in Arm Left on an unknown date in 2021 on Thursday at 02:00 PM as single dose for COVID-19 immunization. Patient's medical history was reported as none. The patient concomitant medication included unspecified flu vaccine (NDC/LOT/EXP unknown) on an unknown date at the end of Oct2020. She stated that she was lucky to be so healthy, she was active. An unknown date, after receiving the first dose of vaccine, the patient experienced headache for 18 days; described as the headache was not a pounding headache, it was a sickly headache at the back of her neck, like we would get when had a temperature. She did not had temperature. She also experienced vision problems where her eyes were glassy and bothered her and could not do her reading. The patient also experienced chills which were on and off and her muscles of legs the first day bothered her. The reporter stated that her doctor told her that the cases and deaths of COVID-19 are high and it would be better for her to receive the second dose despite her reactions. The reporter wanted to know if the Pfizer COVID vaccine dosage is weight based. The reporter stated that her friend mentioned that a 400 pound man may be given the same dose, so she wanted to know if the vaccine can be given based on weight. The reporter stated that she was not sure of lot number as it was hand written and says Pfizer COVID-19 LOT EL or EC, 3247. The reporter stated that her brother and two of her friends had the Pfizer vaccine and they do not have any side effects. Therapeutic measures were taken as a result of headache and the patient received treatment with ibuprofen IB tablets (UPC: 09661988088-1, EXP:

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353389	5/27/2021	PA	36	F	3/6/2021	3/13/2021	<p>Oct2021). The reporter stated that she was ecstatic or thrilled that she does not have headache at the time of report. She also stated that since even her muscles of her legs the first day bothered her, though it subsided after that. The outcome of the events vision problems where her eyes were glassy and chills on and off was reported as unknown whereas headache was reported as recovered. The outcome of the event muscles of her legs the first day bothered her was reported as recovering. Follow-up attempts are completed. No further information is expected.</p> <p>right eye pain for the last 3 days / viralconjunctivitis symptoms; This is a spontaneous report received from a contactable healthcare professional (pharmacist). A 36-years-old non-pregnant female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot number: en9581) via unspecified route of administration in left arm on 06Mar2021 (at the age of 36-years) as a single dose for COVID-19 Immunisation. Past medication included 1st dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: en5318) via intramuscular route of administration in left arm as a single dose on 18Feb2021 for COVID 19 immunisation. Facility where the most recent COVID-19 vaccine was administered was pharmacy or drug store. The patient did not have any medical history. The patient was allergic to codeine. Prior to vaccination, the patient was not diagnosed with COVID-19. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Since the vaccination, the patient was not tested for COVID-19. Concomitant medications were not reported. The patient did not receive any other medications within 2 weeks of vaccination. On 13Mar2021, the patient experienced right eye pain which was one of viral conjunctivitis (not diagnosed) symptoms. The patient had right eye pain for the last 3 days. The adverse event resulted in doctor or other healthcare professional office/clinic. The patient did not receive any treatment for the event. At the time of this report, the patient was not recovered from the event right eye pain. No follow-up attempts are needed. No further information is expected.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1355298	5/27/2021	VA	76	F	4/7/2021	5/9/2021	Had noises in my ears like a clock ticking. I have titinus but this was not a ringing noise. A couple of weeks later I woke up with my right eyelid all swollen and bruised and went to the ER where there they did a CT scan to make sure I didn't have a blood clot and I did not. Also my platelets were in the normal range. It took a good week for the swelling and bruising to go down and the bruising even went down my face somewhat. I had an appointment with my eye doctor and he didn't know why it happened, but may have had something to do with my taking low dose aspirin. I did not have any contusion to the eye and it was not hit by anything.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1355129	5/27/2021	AZ	39	M	2/17/2021	2/26/2021	On 2/17/2021 I received my first dose of Pfizer Vaccination in my left arm. On 2/26/2021, I woke up with a swollen neck and a golf ball sized mass near my lymph node on the left side of my neck. I immediately went to an Urgent Care, who prescribed antibiotics and had an Ultrasound conducted on 3/1/2021, with inconclusive results. On 3/18/2021, I had a MRI of my neck, which resulted in the neck mass being possible malignancy and metastasis (cancer). On 3/28/2021, was admitted to hospital due to neck mass increase in size and symptoms getting worse. CT scan also stated the neck mass as possible malignancy, head and chest were negative. 3/29/2021, hospital conducted an IR biopsy, which resulted in negative for malignancy. 3/30/2021, I was released from hospital. On 4/2/2021, I went to the Emergency Room due to symptoms getting worse. 4/2/2021, had a CT conducted that stated possible malignancy and had a scope of my throat with negative results. On 4/5/2021, hospital conducted an IR Biopsy which resulted negative for malignancy, however favoring inflammation and an abscess. On 4/15/2021, symptoms got worse and fluid was able to be drawn from the neck and sent to the lab, with negative results. On 5/3/2021, surgery was conducted to remove the lymph node and the mass in the neck. Neck Mass was biopsied, was negative for malignancy and negative for infection. On 5/13/2021, hospital Infectious Disease Division, stated the COVID Vaccine could have triggered an immune response, which contributed the issues I was having. On 5/17/2021, Infectious Disease Division conducted more test and blood work for various infections, which all had negative results.
1355395	5/27/2021	OH	57	F	5/18/2021	5/24/2021	Patient asked me to look at her arm after vaccination. Had stated that it was sore at injection site area. Upon visually seeing her arm it appeared to be cellulitis. At that time I asked (co-worker) to please go see her pcp. She scheduled an appointment and started antibiotic for cellulitis later that day.
1355356	5/27/2021	NC	39	M	5/27/2021	5/27/2021	Patient reported losing feeling in extremities and eyes feeling heavy. Gave dose of benadryl and symptoms resolved within 5 minutes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1355344	5/27/2021	VA	17	F	5/26/2021	5/26/2021	Patient began to sweat, complained of blurred vision, and turned very pale in the face. We called 911 and I stayed with the patient monitoring heart rate and symptoms. Patient was slightly tachycardic upon initial assessment. Once EMS arrived, patient had had resolution of blurred vision and the sweating. Her vitals were normal. Her mom refused further treatment to the hospital. I recommended to follow up with pediatrician.
1355338	5/27/2021	NJ	77	F	4/8/2021	4/18/2021	10 days after receiving the Janssen vaccination I was driving and experienced blurred vision. Pulled over, waited a while then continued driving when vision improved. Arrived home and family member noticed facial drooping on right side as well as slurred speech. Immediately called 911 and was transported to hospital within 30-45 minutes.
1355319	5/27/2021	FL	64	M	3/18/2021	3/18/2021	confusion, didnt know where i was driving home. fever, headaches and body aches feet and hands numb brain fog memory issues. very very tired super weak ... second shot, same but with added lower back pain and leg cramps. massive headache, went to the doc, he told me that first event was a stroke. now i have a blockage carotid left side in my neck. sent me for ultra sound them ct scan. waiting to see vascular doc after discovery 80% blockage. sill very tired very weak. brain fog, hands going numb eye sight weaker. bad smell in my nose sometimes., not sleeping well. short of breathe.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1355538	5/27/2021	AZ	41	F	5/27/2021	5/27/2021	Patient described reaction to first dose as follows: almost immediately after her first Pfizer COVID injection, she states that she felt nauseous and short of breath, then vomited. Per pt, EMS said her blood pressure was ?through the roof? (no exact vitals given). She was observed for 30 minutes, stated she felt much better and went home voluntarily. At no time was epi administered per patient. Today, patient gave her vaccination history from 4/14/2021, stated that she felt fine today and that she wanted to proceed with her second Pfizer dose. It was determined that there was no contraindication and the vaccine was given at 3pm. Within 3 minutes, patient stated that she was having difficulty breathing and was nauseous. EMS arrived immediately, pt coughed up some sputum, vitals as follows: 144/97 105 98% initial temp 101.7, but pt was in the back of a car with engine off and the warehouse was a little warm. EMS repeated vitals 140/88 100 98%. Pt was able to ambulated out of the car to a chair, eyes closed, but at no time did she appear SOB or in any distress, RR remained 16-18 bpm. Final by 128/88.HR 99 SaO2 99%, blood glucose 140, repeated temperature out of the car 99.1. EMS stated that she appeared to be stable, but pt insisted that she did not feel good, was nauseous and SOB, and that she wanted to be transported to a hospital. Pt taken to Arizona General by ambulance, with stable VS and in NAD, AOX3.
1355309	5/27/2021	GA	50	F	5/21/2021	5/22/2021	Patient had cataract surgery on 5/17/2021 on her left eye. She received her second COVID shot (Moderna) on 5/21/2021. Saturday night she started feeling under the weather. Sunday morning she had cloudy vision in her left eye. Monday her vision was almost completely gone. She was seen by the doctor that did her cataract surgery and he said that the vision loss was due to constricted vessels in her eye and that was caused by the COVID shot. The patient's vision has since fully recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1355563	5/27/2021	OR	81	F	4/29/2021	4/29/2021	4/29/21: HAD BLURRED VISION (ALL DAY UNTIL MORNING OF NEXT DAY) + PRESSURE IN HEAD (ALL DAY INTO EVENING OF NEXT DAY) ABOUT 40 MINUTES AFTER RECEIVING VACCINE. 4/29/21: EVER SINCE VACCINATION, EXPERIENCING EXCESSIVE THIRST. ONGOING 5/1/21: PATIENT DESCRIBED SYMPTOM AS SKULL BONE PAIN (TENDER SCALP WHEN TOUCHED) UNTIL 5/5/21 5/3/21: ONGLING BLADDER IRRITATION. NO BLOOD IN URINE, BUT SOME SPOTTING (~2TSP) ON PADDING 5/17/21 . NO BLOOD PRESENT SINCE 5/4/21 MORNING: LYMPH NODE SWOLLEN UNDER THE LEFT ARM (INJECTION WAS IN RIGHT ARM). SIZE OF A TENNIS BALL, VERY PAINFUL, AND PAIN RADIATED TO AROUND THE LEFT BREAST AREA. PAIN LASTED UNTIL THE AFTERNOON OF 5/6/21. 5/9/21: BLOOD CLOT IN LEFT LEG REACTIVATED IN THE MORNING, ACCOMPANIED BY EXTREME PAIN, SWELLING, WARM TO THE TOUCH. PAIN AND SWELLING HAS BEEN MINIMAL BEGINNING 5/24/21, AND HAS NOT BEEN AS WARM TO THE TOUCH AS IT HAS BEEN. TREATMENTS: TOOK IBUPROFEN AND TYLENOL AS NEEDED FOR PAIN. USED ARNICA GEL ON THE ARM AT THE INJECTION SITE + MASSAGE+ CONSTANT MOVEMENT FOR PAIN/STIFFNESS. USED ARNICA GEL ALSO ON LYMPH NODE UNDER LEFT ARM ELEVATED CLOTTED LEG AND STAYED ACTIVE TO OPTIMIZE BLOOD FLOW, USED LIGHTLY HEATED PAD TO EASE THE LEG PAIN

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1355286	5/27/2021	FL	68	M	1/24/2021	1/24/2021	He got his vaccine, and had to go from the roof to the parking lot. He was in his car and thought he had put his car in park, but it was in neutral and he hit another car, which he thought he was hit. The gentleman informed him that he was the one that hit him as he had watched him slowly advance to hitting him. He did not know or was aware that he was even moving. He has headaches normally but they have gotten worse since then. He also has motion sickness but has learned to deal with it and get used to the side effects. He also has blurry vision and just not feeling normal. He did go see his PCP and she put him on Meclizine for the dizziness, which works about 50%, but not completely. He did have the 2nd vaccine on 2/22/21 and still had the symptoms, which have stayed since then as well. He then saw his PCP a week ago and she is scheduling for a CT scan to see if he has any blood clots. He did have an aneurysm in his brain 28 years ago and they felt that he would not be able to survive it and deemed that he would be left as a vegetable, but has survived that and does have a little residual headache, but nothing severe. He now is still having these three symptoms that he did not have prior to the vaccine.
1355235	5/27/2021	CA	26	F	5/27/2021	5/27/2021	Reported sleepiness and dizziness 2-3 minutes after vaccine. Eyes closed intermittently, BP 103-110/ 78-82, HR 87-94, O2 sat 97-98% on RA. Patient given juice, crackers, and rested on cot for 30 minutes. Able to walk and stand without dizziness after 30 minutes. Reported feeling 'normal' after observation period.
1355205	5/27/2021	MA	55	F	4/7/2021	4/19/2021	Develop shingles on the head with extreme headache mild rash, did not progress towards eye. Had the shingrix vaccine 4 years ago.
1355159	5/27/2021	IL	12	F	5/27/2021	5/27/2021	Patient stated was having blurred vision and couldn't see. Skin appeared pale, denied trouble breathing, no sign of swelling, rash, shortness of breath, cough. Patient layed down on the floor, with feet elevated. EMTs arrived, evaluated patient, patient began to feel better and was walking around okay.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1355151	5/27/2021	VT	15	M	5/26/2021	5/26/2021	Temporary blindness (lasted about 30 secs to a min), pale skin, sweating, feeling cold, dizziness. Gave water, apple juice and Gatorade to patient and called 911. EMT came in to take he's BP, blood glucose level and both were normal. Stayed at pharmacy for about 45 minutes and patient got better but was still feeling cold. They've decided not to go to hospital but followed up with dad around at 6:30 - 7 pm ish, and confirmed he is doing okay.
1355147	5/27/2021	FL	40	F	5/19/2021	5/19/2021	105 degree temp for 4 days Softball-size lymph node under left arm for 6 days Vomiting/diarrhea for 2 days Headache/migraine for 3 days Whole-body spasms for 4 days Chills/sweats for 3 days Dizziness for 1 week Lethargy for 6 days Complete numbness in pinky and ring finger and side of palm for 5 days Throbbing arm for 7 days Metallic taste in mouth for 1 week Excessive watery eyes for 4 days Hard cough for 5 days Chest tightness/pain for 5 days
1355136	5/27/2021	MD	75	F	3/1/2021	3/25/2021	Blocked tear ducts in left eye, inflamed right jaw. After second shot had inflamed right jaw with teeth sensitivity. Needed antibiotic eye drops for a month for left eye and a root canal for tooth #29 on right side. There were no issues before 1st shot was administered. Root canal done on May 3.
1355312	5/27/2021	TX	57	F	1/7/2021	1/10/2021	Her tongue felt funny and was swollen. Only lasted a couple hours. Her right eye started irritating her. Went to see an opthamologist who said she was having ocular migraines. Then she developed shingles. Dr. told her not to take the second vaccine and put her on medicine for a year.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1356102	5/27/2021	CA	63	F	5/27/2021	5/27/2021	client received 2nd dose Pfizer Covid vaccine today. Client asked EMT if he could check her blood pressure as she was feeling dizzy with shortness of breath. PHN joined shortly after. Vitals at 1531: blood pressure 132/90, pulse 62, oxygen 98%. Client stated feeling dizzy, and feeling like she "could not catch a full breath". PHN assessed for swelling, client speaking in full sentences, alert and oriented x4. Client declined feeling itchiness of throat, tingling sensation or throat closing. Per client seeing blurry, only ate breakfast today. EMT brought client juice, instructed to take small sips. Client denied any trouble swallowing juice. At 1535 client stated breathing improving. Vitals at 1537: blood pressure 116/82, pulse 60, oxygen 100%. Shortness of breath and blurry vision resolved per client. Per client dizziness improving. Vitals at 1544: blood pressure 120/90, pulse 58, oxygen 98%. Client stated all symptoms had resolved. PHN discussed with client if someone could pick her up, client stated "I feel fine to drive". Client advised to follow up with provider and ER precautions given. Last vitals at 1550: blood pressure 120/88, pulse 70, oxygen 99%. Client reports all symptoms resolved and wants to leave. Client left facility with steady gait at 1553.
1354198	5/27/2021	NJ	18	M	5/27/2021	5/27/2021	patient experienced sudden dizziness, eyes were closed profuse sweating
1354451	5/27/2021	MO	18	M	5/26/2021	5/26/2021	Patient fainted approximately 30 seconds after vaccine. Eyes closed and patient did not respond for approximately 30 seconds but still had pulse. When patient's eyes opened he stated his vision was slightly blurred; also pale and sweating. After elevating feet and providing ice packs patient began to feel better. Blood pressure and pulse stable 30 minutes following. Patient felt fatigued but otherwise back to normal when leaving pharmacy.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1356502	5/27/2021	FL	39	F	5/23/2021	5/23/2021	Right after I got home, I was really thirsty and the water I drank didn't taste right. My tongue felt weird and I was excessively thirsty throughout day and night. Monday, I had a fever, body aches everywhere, my skin hurt to the touch and my left arm was very red & swollen and hot to the touch. Tuesday, no fever and my body wasn't as achy, but I still felt weird, my teeth started hurting and I had unquenchable thirst. Wednesday, my gums and tongue were now tingling with a burning sensation. This morning, that burning sensation spread to my lips, face, eyelids, scalp, forearms and fingers. And still excessively thirsty and everything tastes strange still and my mouth feels like I ate a bunch of black pepper. I'm very concerned about this
1356487	5/27/2021	VA	16	F	5/27/2021	5/27/2021	PATIENT EXPERIENCED DIZZINESS, BLURRY VISION, HEARING LOSS AND BECAME SHAKY AND PALE ABOUT 2 MINUTES AFTER GETTING THE VACCINE. SHE WAS STILL SEATED IN THE IMMUNIZATION ROOM AT THE TIME THE ADVERSE EVENT OCCURED. SHE REMAINED SEATED IN THE ROOM FOR ABOUT 20 MINUTES BEFORE FEELING WELL ENOUGH TO LEAVE. SHE WAS GIVEN WATER AND AN ICE PACK.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1356343	5/27/2021	CA	15	M	5/27/2021	5/27/2021	Client received the 1st dose of Pfizer COVID vaccine lot #EW0185 and expiration date 6/24/21 at 5:52PM. Per vaccinator, reports that client was saying, "Wow that was aniclimactic" after getting vaccine. Per vaccinator, she notices within 1-2 minutes client got quiet and then reported "I am not feeling well." Client received vaccine in left deltoid. RN requested PHN 1 to get gravity chair. PHN grabbed gravity chair and asked RN to get BP cuff and pulse ox. PHN arrive to assess client and found client alert and oriented x 4 in chair at 5:53PM. Client was already drinking water given by vaccinator when PHN arrived. Client reports he was experiencing "dizziness and slight shortness of breath." PHN ask client if he thought he was steady enough to switch to gravity chair. Client stood up slowly and sat in the gravity chair. RN 1 asked client if his throat felt tight-client responds- "No" and coached client to take deep, slow breaths. At 5:55PM vitals are: blood pressure: 130/90, pulse: 55 and oxygen: 98%. At 5:57pm client reports no longer feeling shortness of breath. Client is speaking in full sentences and able to answer all PHN questions about chest pain and headache and client reports having neither. At 6pm vitals: blood pressure:125/90, pulse:75, and oxygen:100%. PHN instruct RN to get Lead PHN or Co-Lead. Client reports he has slight dizziness and feels lightheaded and reports that earlier he had blurred vision but now is seeing clearly. At 6:03PM vitals are: blood pressure:160/100, client appears pale and heart rate:140, and oxygen: 100%. Lead PHN arrives to take over assessment and PHN starts calling 9-1-1 at 6:04PM as blood pressure is repeated by co-lead :180/90, oxygen100% and pulse 129 and upon auscultation hears clear lungs and heart palpitations. Client is then reports shortness of breath and dizziness, no headache and no blurred vision. Parent reports that client has a history of asthma but rarely needs inhaler so she does not have it on her and that client recently had been on antibiotics for Gastrointestinal history and a bad cough (not COVID)-all symptoms had been resolved before receiving vaccine. At 6:07pm Vitals: blood pressure: 170/90, pulse:100%; no change in symptoms. At 6:08pm vitals: blood pressure:170/90, pulse: 94, and oxygen: 100%, client reports experiencing tightness in chest and unable to complete breath. Client reports no chest pain. Vitals taken again by RN due to new symptom, blood pressure:

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							122/70, pulse:93 and oxygen: 100%. RN auscultate again and hears palpitations have slowed and lungs clear. At 6:10PM, vitals are blood pressure:124/74 and pulse: 96. Client reports feeling "shaky, tightness on chest" and could not take full breaths. Paramedics assumed care at 6:12pm. Client and parent left on stretcher with paramedics to be transported to Hospital. Tell security that mother is leaving blue pathfinder in parking lot. Security assures he will not tow vehicle.
1356336	5/27/2021	CA	87	F	5/27/2021	5/27/2021	Client received 2nd COVID vaccine of Pfizer (Lot# EW0185 expiration date 06/24/2021). Caregiver of Client asked EMT and EMT to check her blood pressure and her injection site. At 1754, RN responded to this event. At 1754, vital signs are blood pressure 163/84, heart rate 70, oxygen saturation 99%. Client reports she was anxious. RN answered all concerning questions in regards to COVID vaccine. Client reported to have a thyroid disorder, hypertension, high cholesterol. Client reports in taking Levothyroxine, Aspirin, Cilostazol, Amlodipine, Hydrochlorothiazide, Atorvastatin, Lantoprost. RN educated Client about ED precautions and common adverse effects of the COVID vaccine. At 1800, vital signs are blood pressure 162/80, heart rate 72, oxygen saturation 98%. Client reports no chest pain, no shortness of breath, no dizziness, no blurred vision, no headache, no nausea. At 1810, vital signs are blood pressure 160/79, heart rate 72, oxygen saturation 98%. Client reports no new symptoms and that all concerns have been addressed. Client is talking to staff and caregiver. At 1830, Client stood up with no complaints. Client walked out of facility with a steady gait using her cane accompanied by caregiver.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1356505	5/27/2021	CA	40	F	5/27/2021	5/27/2021	Client received the 2nd dose of Moderna COVID vaccine lot #026C21A and expiration date 5/27/21 at 4:08pm. Client's first dose reaction was reviewed by medical team and was approved to receive second dose. Client reports at 4:27pm to vaccinator that she was a little nauseated and dizzy 15 minutes prior. EMT took vitals at 4:28pm: blood pressure: 166/113, pulse: 86 and oxygen: 98%. EMT retook blood pressure and it was 160/110. Client reports she did not want to report because she did not want PHN to call 911. Client reports she still has nausea and dizziness and a mild headache. Vaccinator provides water bottle and offers gravity chair but client declines. Nurse assisted with vitals at 4:35PM: blood pressure: 138/98 and client reports no chest pain, no shortness of breath, mild dizziness, no blurred vision. Client reports her head hurts towards the back and she still feels nauseated. At 4:40PM vitals are: blood pressure: 136/90, pulse: 82 and oxygen:98%. Client reports headache is the same, no chest pain, no shortness of breath, dizziness still present, nausea improving, offer to call paramedics and client declines. At 4:45pm vitals are: blood pressure: 134/96, pulse:83 and oxygen:98%. Client reports no shortness of breath, nausea is improving and dizziness is slightly better. At 4:50pm vitals are: blood pressure: 138/92, pulse:88 and oxygen:98%. Client reports no changes in symptoms. At 4:55PM, vitals are: blood pressure: 134/94, pulse: 88 and oxygen: 99%. Client reports nausea is better, headache feels better and dizziness has resolved. Client walked out of the facility with a steady gait at 5pm.
1356312	5/27/2021	IN	58	M	5/25/2021	5/26/2021	headache, eye ache, fatigue, running nose, tired
1355531	5/27/2021	CA	12	M	5/26/2021	5/26/2021	The patient received the first dose of pfizer, then waited in the pharmacy waiting room for 15 minutes. Once the patient left and went home the patient caregiver said his eyes, face and lips swelled. Though his breathing was okay. The patients caregiver thinks the patient may be allergic to PEG.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1356100	5/27/2021	CA	22	M	5/27/2021	5/27/2021	Client received 1st COVID vaccine of Pfizer (Lot# EW0185 expiration date 05/27/2021). Client reported lightheaded. EMT responded at 1521. RN notified and responded to this event. At 1521, vital signs are blood pressure 120/69, heart rate 69, oxygen saturation 97%. Client reports history of asthma, no current use of any medication, allergies to Keflex. Client reports he ate today and felt "nervous coming today". Client was offered supplemental nutrition and fluids. Client denied nutrition, but accepted fluids. At 1528, vital signs are blood pressure 125/74, heart rate 73, oxygen saturation 97%. Client states "tight throat", no shortness of breath, headache in the occipital area, no nausea, no chest pain. RN offered 50mg of Benadryl by mouth. Client denied. RN educated Client about ED precaution and common adverse effects of COVID vaccine. At 1532, vital signs are blood pressure 125/67, heart rate 71, oxygen saturation 98%. Client reports tightness in the throat is the same. RN offered 50mg of Benadryl by mouth and paramedic services. Client accepted 50mg of Benadryl by mouth, but denied paramedic services. RN advised Client that Benadryl will result in fatigue and drowsiness. Client states his mother is driving him home. At 1534, 50mg of Benadryl was administered by mouth. At 1535, Client reports the tightness in the throat is improving, no shortness of breath, no chest pain, no nausea. At 1538, vital signs are blood pressure 123/77, heart rate 81, oxygen saturation 97%. Client reports headache is improving, no shortness of breath, tightness in the throat is improving. Client is accompanied by grandmother and reports mother is driving them home. At 1544, vital signs are blood pressure 123/77, heart rate 82, oxygen saturation 97%. Client reports headache is present but improving, tightness in throat is improving, no blurred vision, no chest pain, no nausea. RN offered paramedic services in regards to the tightness of the throat, but Client denied offer. At 1550, Client stood up with no complaints. Client left facility with grandmother and picked up by mother at 1553. Client walked out with a steady gait.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1356065	5/27/2021	PA	19	F	5/27/2021	5/27/2021	After administration the patient stated that "it felt weird". She moved her arm around a little and said she was afraid to move it too much. A minute later she said she felt like she was going to pass out. She leaned against the wall and her eyes started to close. I noticed that she was starting to break out into a sweat. I asked if she was having trouble breathing, if her throat felt like it was swelling or if she felt nauseous. She said no, just dizzy and really thirsty and asked for some water. I asked again if she was having trouble breathing or was nauseous and she said no, then passed out. I took her blood pressure, which was normal. After a couple of minutes she started to wake up, although not fully, and asked what happened. I told her I had given her a COVID vaccine and asked if she remembered that. She said yes then seemed to pass out again. I then decided to call 911. A minute later the patient woke up. I asked how she was feeling and she said better. After a minute she asked if she could sit up and I said yes, as long as she felt she could. I took her blood pressure a second time. By the time EMS arrived the patient was fully alert, we were having a conversation and she said she felt fine. EMS checked her over but she refused to go to the hospital. I had her sit a few more minutes while I filled out her immunization card. When she left she said she felt completely fine.
1355771	5/27/2021	CA	65	F	5/27/2021	5/27/2021	Patient had shortness of breath, heavy chest, dry cough approx. 20 minutes after being vaccinated. She independently ambulated to assessment area. Vitals @ 1044 BP 162/90, P 104, R 22, O2 SAT 98%. vital signs at 1055 160/90 HR 61 RR 20 O2 sat 98% on room air. EMS called at 1045 and arrived at 1052 to facility. Patient stated her breathing did not feel any worse and declined epi pen. Per EMS, epi pen not recommended at this time. Patient monitored one to one till 1135 with no worsening symptoms. Patient called family and left under supervision of family member. Patient advised to follow-up with PCP.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1355760	5/27/2021	IN	58	F	5/25/2021	5/26/2021	On May 26th, 2021 from 4:30 to 9:00 pm I felt lethargic, my body ached, especially where I have arthritis my neck, thumbs and back, I felt hot inside and low constant headache. After 10:00 pm the headache was severe the pain then accumulated behind both eyes. The pain traveled to the right eye and eventually to the right area below the right temple to the upper right ear area. I could feel the pain moving. This all happened in increments until 5/27/21. The extreme pain subsided around 8:00 am. I felt dizzy and headachy all day. 5/28 I felt much better but very tired and somewhat dizzy off and on.
1355597	5/27/2021	PA	69	F	3/7/2021	3/17/2021	TSH level increased, Hashimotos flare up,.Cervical arthritis flare up causing pain. Need to go to physical therapy. May need steroid injections for neck pain. Constant stomach pains. LPR reflux has returned, unable to control, was under control. Lightheaded,loss of balance, blurred vision, headaches, tingling and numbness right hand and fingers, and right foot. Weight gain, tired, exhaustion. These all started around March 17th and continue to get worse. Vitamin deficiencies.
1355579	5/27/2021	NY	23	M	5/27/2021	5/27/2021	Patient was administered the pfizer covid-19 vaccine 1:24pm. After the vaccine was administered patient went to a designated chair to wait for 15 minutes post-vaccine. Pharmacist monitored patient, noticed patient sitting talking on the phone shortly after vaccine. However, after a couple minutes patient passed out and fell off of chair. After yelling patient's name he came to and did not lose consciousness again. Patient suffered injury on head with a substantial laceration on forehead above eye. Code white was called and patient was given an ice pack and advised to sit for 30 minutes following incident. Asked patient if he would like us to call 911, he refused. He sat with management while an incident report was filled out and while he didn't want us to call an ambulance it did seem as though his mom was going to take him to urgent care to have his cut examined.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1355569	5/27/2021	CA	18	M	5/26/2021	5/26/2021	Patient is a 18 y.o. male who witnessed syncopal episode at 1605 yesterday s/p COVID vaccine. Patient says that he received a COVID vaccination yesterday at 1601. Per mother, the patient had a syncopal episode at 1605, he was sitting down and slid out of his chair with full extension of bilateral arms and legs, lasting about 30 seconds. Witnesses deny headstrike or shaking during syncopal episode. The patient denies pain. He states that he only ate cereal yesterday morning and has experienced similar symptoms in the past while receiving other shots. Patient denies recent trauma or fall. HA, confusion, changes in vision/speech, changes in gait, fever, chills, n/v, abdominal pain, chest pain, SOB, palpitations, cough, hemoptysis, back pain, neck pain, dysuria, hematuria, recent sick contact or travel. Otherwise has no complaints at this time. Patient was discharged at 16:54 and given educational materials on understanding vasovagal syncope
1356329	5/27/2021	CA	15	F	5/27/2021	5/27/2021	ABOUT 30 SECONDS AFTER GETTING THE COVID VACCINE, PATIENT BEGAN FEELING DIZZY AND GETTING BLURRED VISION. I HAD HER SIT DOWN AND TAKE A DEEP BREATH AND GAVE SOME WATER, THEN SHE BEGAN FEELING A LITTLE BETTER AND ABOUT 30 MINUTES LATER SHE RECOVERED AND LEFT THE PHARMACY WITH HER FATHER. I CALLED THEM ABOUT 2 HOURS LATER AND CHECKED IN AND HER FATHER TOLD ME SHE IS FEELING BETTER NOW.
1354649	5/27/2021	AL	63	F	5/11/2021	5/12/2021	Nose bleed on left side, busted blood vessel in left eye the next day. Eye has still not cleared up fully but it is looking better.
1354850	5/27/2021	FL	32	F	4/26/2021	5/27/2021	At 6 pm I started having some goosebumps, at 9:00pm I felt cold, I was shaking a lot. At 3am the shaking started again. At 7:00am I had headache, pain on my eyes and a lot of body pain. Felt so tired and painful



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1354822	5/27/2021	VA	19	F	5/27/2021	5/27/2021	PATIENT WAS ADMINISTERED THE JANSSEN COVID-19 VACCINE AT 11:03AM ON 5/27/21. LESS THAN 10 MINUTES LATER, PATIENT STARTED COMPLAINING OF SEVERE ABDOMINAL CRAMPS, LIGHT HEADEDNESS, AND BLURRY VISION. SHE RUSHED TO THE RESTROOM WHEN THE CRAMPS OCCURED, WHERE SHE VOMITED AND EXPERIENCED DIARRHEA. WHEN PATIENT CAME OUT OF THE RESTROOM AROUND 15 MINUTES LATER, SHE WAS GIVEN WATER AND A SNACK BAR TO SNACK ON. SHE REPORTED FEELING BETTER, NO NAUSEA OR STOMACH CRAMPS, BUT STILL VERY WEAK. SHE WAS ESCORTED TO HER CAR VIA MOBILITY CART, WHERE HER DAD WAS ADVISED TO TAKE PATIENT TO URGENT CARE FOR FURTHER EVALUATION AND POSSIBLE FLUID THERAPY FOR DEHYDRATION.
1354766	5/27/2021	MI	44	F	5/24/2021	5/25/2021	Numbing in mouth jaw & gum, breathing wheezing problems, shortness of breath, irritations, skin & tongue burning, messed up my monthly period, swollen eyes, swollen lymph nodes, swollen face & mouth..heart aches & discomfort.
1354756	5/27/2021		76	F	5/25/2021	5/25/2021	Patient complained of blurred vision & dizziness after leaving the observation room. BP 87/58, HR 94, R 18, T 98.6, O2 sat 97%. Patient was given water and crackers. Vitals were rechecked. BP 110/69, HR 93, R 18, O2 sat 95%. Patient stated she was feeling better and was discharged and escorted to family car driven by sister.
1354745	5/27/2021	FL	54	F	3/31/2021	4/1/2021	Beginning 4/1/2021 intense head pressure for 12 days. Beginning 4/13/2021 Severe bilateral eye twtiching for 12 days. Beginning 4/25/2021 periodic bilateral eye twitching with intermittent spontaneous sharp left chesp discomfort. On 5/25/2021 I awoke with sever chest pain and was hospitalized for cardiac evaluation.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1354709	5/27/2021	WA	25	M	5/21/2021	5/21/2021	Pt reported an anaphylactic history to bee stings with his last reaction being in 2017 during his screening. Pt was instructed to wait an additional 30 minutes following his vaccination. Pt was given his vaccine at 1134. Pt reported a sensation of "tongue swelling and chest tightness" at 1139. Pt reported it felt like his past anaphylactic reaction. Pt voice sounded muffled, tongue appeared swollen. Pt self administered 1 adult Epi Pen at 1139 with x1 RN and x1 medic supervision. VS were taken. HR was 107, BP was 137/92, SpO2 was 97%. Lung sounds were clear in the apices and diminished in the bases bilaterally. Periorbital swelling was noted at 1140. 911 was called and an ambulance was dispatched at this time. The pt denied a feeling of nausea, denied dizziness. Pt was alert and oriented x4/4 for the entirety of observation. VS were taken again at 1144. The HR was 97, BP was 131/85, SpO2 was 97%. Last reported oral intake of a "bagel and coffee at 0800". VS taken again at 1147, HR 101, BP 135/86, SpO2 98%. Pt reported a continued feeling of throat tightness, periorbital swelling was increasing. Ambulance arrived at 1154 and was given full report. Paramedic assumed care at 1155. Paramedic team deemed it safe to administer one more dose of epinephrine and transport patient via ambulance to ER. In ER, patient endorses mild chest tightness but denies any shortness of breath, oral pharyngeal edema, difficulty swallowing, wheezing, abdominal discomfort, nausea or vomiting, pruritus, or hives. He was given Benadryl, methylprednisolone, and famotidine while in the emergency department to finish the allergic reaction cocktail. He was observed for a total of 3 hours after his last epi injection and he remained HDS and asymptomatic. He was given a prescription for EpiPen autoinjectors with multiple refills. Patient was advised that he should not receive his second covered vaccination without discussing with his PCM. He was given strict return precautions and patient felt comfortable being discharged home.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1354707	5/27/2021	VA	59	F	4/7/2021	4/19/2021	I went to the ER because I had a very bad headache that was in the front of my face, behind my eyes, but it usually starts at by my neck and head, either one side or the other. I also had this squeezing under my ribcage. They did an EKG, which was normal and then told me to see a cardiologist. It took a while to get in, but I had my ECHO today and the Stress Test is scheduled for June 1st. Last week, I started getting sticking pains in my joints and it's random. It lasted for a couple days, but I haven't had any since then. My headache is gone, but I still get the squeezing feeling from time to time.
1354855	5/27/2021	WI	52	F	2/2/2021	2/2/2021	Patient presented to her primary care provider on 2/11/2021 with right ear pain, numbness on right side of face and head, full feeling on right side of throat and right eye dryness. Patient had received 2nd dose of Pfizer COVID19 vaccine on 2/2/2021 and started feeling itchy from head to tow that lasted 24 hours. Was diagnosed with Bell's Palsy at this visit. She then presented to the Emergency Department on 2/13/2021 with shortness of breath.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1354673	5/27/2021		20	F	5/26/2021	5/26/2021	Client received the COVID vaccine (Moderna dose 1, lot # 024C21A, expiration date 6/26) at 2010. Client reported feeling "lightheaded" at 2016. EMTs and RN responded at that time. The client appeared pale and diaphoretic, and complained of the "room spinning". The client denied any shortness of breath, chest pain, difficulty breathing, changes in vision, or nausea. The client was alert and oriented x4 at this time. The client's vital signs were as follows: heart rate 56, O2 99%. The client was transferred to the zero gravity chair by staff with no difficulty. At 2020, the client's vital signs were as follows: BP 150/88, pulse 66, respiratory rate 12, O2 99%. The client had been given snacks, water, and juice by POD staff previous to her vaccination, but had last eaten a meal at 1445. The client stated she does have a fear of needles. The client stated she doesn't have any medical conditions and doesn't take any medications. The client has allergies to bees, cats, and penicillin. At 2030, the client stated her lightheadedness and "room spinning" had resolved. The client no longer appeared diaphoretic and her skin color had returned to normal. The client's vital signs were as follows: blood pressure 138/96, respiratory rate 12, O2 99, heart rate 74. At 2040, the client's vital signs were as follows: blood pressure 138/86, heart rate 56, O2 99%. Education provided regarding AMR activation and emergency management, primary care follow up, symptom management, and v-safe. At 2048, the client's vital signs were as follows: blood pressure 130/84, heart rate 62, O2 99%, respiratory rate 14. The client left at that time, ambulating with a steady gait, with her partner who stated he would be driving her home.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1354533	5/27/2021	NJ	23	F	5/26/2021	5/26/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Flushed / Sweating-Medium, Systemic: Nausea-Mild, Systemic: Tingling (specify: facial area, extremities)-Mild, Systemic: Visual Changes/Disturbances-Medium, Systemic: Weakness-Mild, Additional Details: Pt has history of fainting from needles that was not reported prior to vaccine administration. Patient began experiencing dizziness/nausea/blurry vision immediately after vaccine administration but did not have difficulty breathing or signs of swelling, no injection site reaction. Patient was laid down on her back with feet propped up and she began to feel better. She was evaluated by EMT and all vital signs were stable/normal, she had recovered by the time of emt arrival.
1354631	5/27/2021	OR	57	F	4/7/2021	4/8/2021	Received vaccine on 4/7/2021. Starting next day-intense all over body itching...increased a few days. Skin flushes-arms, stomach, chest, lower back. Eye twitches. Pressure under left rib cage. Unexplained bruising-legs and arms. Inflamed veins..arms, legs, mouth. Vasculitis? Increased anxiety. Waking up in cold sweats. 2 weeks post vaccine-tongue started swelling up and develop pesty white coating, mouth lesions and blisters. Increased inflamed veins in mouth-Ongoing.
1354577	5/27/2021	FL	42	F	3/25/2021	3/27/2021	right eyelid swelling
1354568	5/27/2021	CO	61	M	3/17/2021	4/22/2021	About 1month afterward starting having facial swelling and tingling from jaw/lips to eyeball on the right side, with eyeball pressue. I also have tingling, numbness, burning to both lower legs from the knee down to the feet. I can have burning and sometimes my feet are freezing at the same time. Lower back pain also. The burning and sensations have gone on for awhile now. Also tinnittis which is currently off the charts with pain, lost 30 lbs as I get so ill from the noise I cannot eat---have nausea when the symptoms are to bad.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1354556	5/27/2021	VT	46	F	4/23/2021	4/30/2021	Developed transverse myelitis. She began to develop numbness in her feet starting 4/30 which worsened over several days. She presented to the emergency department and had a normal CBC, CMP, TSH. Normal vital signs. However on her exam she had decreased but not absent sensations in bilateral lower extremities to the mid calf, lack of positional sense of her bilateral toes. She had a lumbar puncture which showed 160 white blood cells with an 83% lymphocyte predominance but without elevated protein or glucose alteration the numbness found a ascending to just below her breasts at that time she was having no sensory or motor symptoms in her arms, no visual disturbance speech or swallowing difficulty. She was aware of bowel and bladder sensation but unable to sense her self urinating or defecating. She was listing to the left while walking. Her B12 was noted to be low at 232 and she was started on a B12 supplement. She is negative for Covid, RSV, influenza A and B. She also had her cerebrospinal fluid evaluated for IgG and oligoclonal bands. She was after having MRIs of her brain, C-spine, T-spine with and without contrast she was started on Solu-Medrol for 5 days. Imaging had no specific findings suggesting the diagnosis, Dr felt that she likely had some mild myelitis. She did improve with the Solu-Medrol. Since returning home patient has been feeling better but still has some limitations. Still has some limited sensation from her abdomen downward, gait is a little unsteady. The balls of her feet still feel numb, and she is to be very cautious about her footwear and how she walks.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1355119	5/27/2021	MS	26	F	5/27/2021	5/27/2021	15 minutes after receiving the vaccine in the left arm, patient stated that the left side of her face, around her cheek, under her eye was starting to feel numb. I asked about her throat and mouth and said it was fine. i observed her face for any swelling and no swelling was noticable. I watched her for about 1-2 min and asked her again and she said face still and numb. i asked about mouth and throat and this time she stated her mouth/throat were dry and starting to tingle. i asked if she was having trouble breathing and she said no. pt was not wheezing . pt was talking and laughing without problems. i checked her pulse. she had a normal pulse at ~70 bpm. i asked pt if she had someone to drive her if i gave benadryl. she stated that her mom was on her way to pick her up. at that time, 12:32, i gave her a 25mg dose of liquid benadryl. I continued to monitor her and ask how she was feeling. she continued to say the face was numb in same areas and mouth dry and tingles. she continued to talk and laugh without distress, breathing was normal. no labored breathing was evident. her mom and sister arrived at 12:45. with her permission, i reported to her mom the events that transpired. her mom said she would take her straight to dr office but did not tell me which doctor they were going to. pt left walking on her own with no help needed still talking and laughing without any noticeable distress
1354512	5/27/2021	CA	50	F	5/26/2021	5/26/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Nausea-Medium, Systemic: Numbness (specify: facial area, extremities)-Medium, Systemic: Shakiness-Medium, Systemic: Tingling (specify: facial area, extremities)-Medium, Systemic: Visual Changes/Disturbances-Medium, Systemic: Vomiting-Medium

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1355556	5/27/2021		16	F	5/27/2021	5/27/2021	PATIENT'S FATHER REPORTED AFTER PATIENT SAT DOWN IN OBSERVATION AREA, SHE REQUESTED A WATER. PATIENT AND MOTHER WALKED TO RETRIEVE WATER AND AS SHE ENTERED THE TENT PATIENT REPORTED DIZZINESS AND VISION DISTURBANCE. PATIENT STATED SHE BEGAN TO SEE BLACK AS SHE WAS SEATED. NURSE WAS CALLED OVER. DAD STATED PATIENT'S BODY SLUMPED OVER AND HE SUPPORTED HER IN THE CHAIR. THE NURSE WITNESSED FULL BODY UNCONTROLLABLE SHAKING FOR LESS THAN 20 SECS. LOC ASSESSED AND PATIENT WAS AOX4 IMMEDIATELY FOLLOWING THE SHAKING. NURSE ALSO OBSERVED PALE LIPS. FLUIDS OFFERED AND CONSUMED. MD & EMS PAGED. DAD REPORTED TO MD, PATIENT HX OF FAINTING. PATIENT BECAME PALER. MD ADVISED AGAINST PLACING PATIENT ON GROUND. GURNEY PROVIDED. PATIENT FEET ELEVATED. VS OBTAINED #1 BP: 76/48; #2 83/52, p: 60, RR: 16; O2: 98%; #3 BP: 85/53, P: 81 at 1540. PATIENT OBSERVED WITH FEET ELEVATED FOR LESS THAN 10 MINS. MD RECOMMENDED PATIENT REMAIN IN OBSERVATION FOR 15 MINS PRIOR TO LEAVING. PATIENT MOVED TO CHAIR SEATED UPRIGHT POSITION WITHOUT ASSISTANCE FOR 15 MINS. 15 MINS ELAPSED, MD MADE AWARE AND DECLINED TO REEVALUATE PATIENT AT 1555. PATIENT EXITED OBSERVATION AREA ACCOMPANIED BY PARENTS AND BROTHER WITH FLUID IN HAND IN STABLE CONDITION.
1354694	5/27/2021	CA	12	F	5/27/2021	5/27/2021	Ring in ears, blurry vision, difficulty breathing, tingling in left foot. Denies headache, chest pain/tightness. VSS. RR 16. O2sat 98%. HR 79. Symptoms improved with rest. Discharged with parent in stable condition.
1355055	5/27/2021	FL	45	F	5/5/2021	5/5/2021	Headache, vision loss, stiff neck. Caused Aseptic Chemical Meningitis



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1355086	5/27/2021	MI	29	F	4/26/2021	4/30/2021	Had fatigue and fever of 102 the two days immediately after the shot (somewhat expected). Starting on that Friday/Saturday April 30/May 1st started feeling allergic with watery eyes, runny nose, headache, extremely tired and low grade fever of 101 with GI issues. It's been almost 5 weeks now and I still have a low grade fever, consistently around 99.8 - 100.8. Today as of the time of this writing (5/27/21) my temp is 101.4. My normal/baseline temperature historically is around 98.5. Along with this consistent fever, I'm now experiencing random muscle spasms and nerve pain throughout my body, something I have never experienced before. This started 2 weeks ago with back pain that turned into roaming muscle/nerve spasms. Last week I started having abdominal pain that lasted for 3 days. Yesterday, the injection site on my right arm started throbbing and continued throbbing until this morning. I've seen a doctor and am having some tests done, but largely this remains a mystery. Before the 2nd shot I was fine, no fever, no muscle/nerve pain, and wasn't nearly as fatigued as I am now.
1355038	5/27/2021	MN	63	F	3/31/2021	3/31/2021	Nerve pain and numbness of lips within 30 minutes of first shot. Second day complete flare up of fibromyalgia. It started to get better at day 16 so I went ahead and got 2nd shot. By next day full flare again that continues to today, 5/27/2021. Exhaustion, extreme muscle pain, weakness, nausea, nerve pain, blurred vision.
1355016	5/27/2021	UT	24	F	5/12/2021	5/12/2021	10-15 min after vaccination pt. c/o throat felt tight and closing, blurry vision, faint/ pale, slow to process cognitive and respond/ Pt. put in supine position/ given Benadryl 50 mg PO with no response. Epinephrine 1mg IM/RD / color improved, shallow, rapid respirations, lung sounds CTA in all lobes. EMS arrived 32 min after covid vaccine given. Pt. transferred to Hospital.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1355009	5/27/2021		42	F	5/23/2021	5/23/2021	Charge nurse called to attend to patient after receiving her second Pfizer vaccine. Family members reported she was anxious since yesterday about receiving her second Pfizer vaccine today. It was reported by patient that she had symptoms of nausea, dizziness and anxiousness today. As per her family same thing occurred with her 1st Pfizer vaccine. She denied any significant Medical hx , other than decreased vision, which she does not take any medication for. Charge nurse and vaccinating nurse, moved her to a private tent to vaccinate her and to be monitored. Charge nurse and myself elevated her feet, and had her take sips of water. Wet cool cloth was applied to the back of her neck. She confirmed she felt better after the cloth. She was left in stable condition with vaccinating nurse. I was called back at 1330, because she felt with SOB and more anxious. She did not have any emesis at any point while she was at vaccination site, and no syncope occurred. She was more relaxed after breathing exercises. She was walked over in stable condition closer to EMT to be monitored closely. Vitals were taken. At this time, she was more relaxed and denied any nausea, headaches, SOB or any other symptoms. Family members continued to give her water and she was able to sustain without any emesis. Pt left with family members at 1400, in stable condition.
1354999	5/27/2021	WI	52	F	2/2/2021	2/2/2021	Patient presented to her primary care provider on 2/11/2021 with right ear pain, numbness on right side of face and head, full feeling on right side of throat and right eye dryness. Patient had received 2nd dose of Pfizer COVID19 vaccine on 2/2/2021 and started feeling itchy from head to tow that lasted 24 hours. Was diagnosed with Bell's Palsy at this visit. Patient then presented to the Emergency Dept on 2/13/2021 with shortness of breath.
1354993	5/27/2021		54	F	5/27/2021	5/27/2021	'Shakiness' feeling (which has now resolved). Swelling and itching at eyes
1354988	5/27/2021	IN	23	M	5/25/2021	5/26/2021	Severe headache, severe muscle pain, loss of taste, severe skin sensitivity on whole body, sleepiness, lethargic, sharp eye pains
1354984	5/27/2021	IN	38	M	5/14/2021	5/25/2021	My left eye lid has been twitching intermittently for 3 days. I never had this prior to receiving the vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1354863	5/27/2021	MA	46	F	5/11/2021	5/13/2021	I have had lots of hives and swelling since day 2 of the shot. Some of the hives were so big. The bottom of both of my feet were swollen for 2 days, then it jumped to my right hand, over to my left elbow. I woke up with a swollen eye yesterday, and now today huge hives on my arm. It has been 17 days and I have been living on Benedryl
1354952	5/27/2021		21	M	5/26/2021	5/26/2021	Pt w/ allergies to shrimp. Pt w/hx of fainting when getting vaccinated. Pt c/o blurry vision, dizziness. BP 94/49, HR 60, RR 18. Pt A&Ox4. VS Stable. Cleared to go home by NP. Recommended pt to get second dose while lying down. Pt stable and released from the vaccination site.
1354950	5/27/2021	OR	15	M	5/27/2021	5/27/2021	PATIENT EXPERIENCED BLURRY VISION, SWEATING, NAUSEA, AND HEADACHE. PATIENT WAS GIVEN WATER AND GUM. PATIENT WAS REQUESTED TO STAY FOR LONGER MONITORING. WAS DISMISSED ONCE THE BLURRY VISION, SWEATING, AND NAUSEA SUBSIDED.
1354911	5/27/2021	VT	66	F	3/7/2021	5/22/2021	Patient is a 66 y.o. female with an unknown PMHx admitted with DKA and found to have thrombocytopenia, an intraparenchymal bleed on Head CT 2/2 to dural venous thrombosis. Course also complicated by saddle submassive PE w/ + biomarkers and mild RHS. Given unclear etiology of thrombocytopenia, venous thrombosis, and PE, suspect a precipitating/underlying etiology and cannot rule out possible occult malignancy, autoimmune disorder or alternative hypercoagulable state such as APLS. Possibly bacteremic given GPB and Staph on blood cx, though likely contaminant. DKA resolved, anion gap is closed, continued monitoring of glucose and insulin adjustment. OB/Gyn following for heavy vaginal bleeding and possibly gyn malignancy workup, endometrial biopsy pending. Heme also following.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1354909	5/27/2021	IN	36	F	4/11/2021	4/27/2021	On 4/27 around 5pm my leg was itchy (right leg), I scratch it and didn't think any thing of it that evening I got into the shower and on my right leg when I got into the shower I had bruising but it was same 5in wide 7in long and I took a picture of it and sent a picture to my doctor through the online portal and let him know what was going. and it look like little spots of blood under my skin , 9:37 was when the picture was sent. 4/28 8:27am my doctor responding back and asked me some question and asked if it was any where else outside of my leg and asked if there was any bleeding or bleed in my urine and then asked if I had got my covid vaccine. I responded that it was only on my right leg and I didn't see any blood in urine or stool but that I had got my vaccine 4/11 she did call me around 10:15am and wanted to walk through some questions and asked about stomach pain and I had been having some pain and diarrhea and he also asked about vision changes and migraines and he said at that point because of the recent concerns with the vaccine he did want me to get checked out considering my history petechiae . He advised me to go to the er because of vaccine induced thrombotic thrombocytopenia (VITT) and he wanted to run some blood test and diagnostics. I arrived at the Medical center around 11am and I was seen by Dr and explained everything that was going and he knew that they were concern about VITT and they ran a CBC, and Estimated Glomerular Filtration Rate, Lypaz, Liver profile, collected urine and did a culture with an analysis and a pregnancy's test, Vitals were normal. the test came normal. All blood work came back normal, platelet count was at 300, urine should a little bit of epithelial cells. They didn't feel like they needed to be concern about the VITT. I was discharged and then told to follow up with my family doctor and have had some communication, they asked that I followed up with a dermatologist and too look at genetics. 4/28 in the evening my left leg closer to my knee also started to itch it also developed a rash looking like strains but not as bad as what was on my right leg. but since then I have not had any more pop ups but I do still itch.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1354908	5/27/2021	NY	78	F	2/22/2021	3/8/2021	2 weeks after 2nd moderna vaccine forehead became numb, then within 2 weeks from that the numbness moved down through left eye,cheek and mouth area - the numbness comes and goes - no changes in cognitive function - still has been occurring occasionally
1354906	5/27/2021	OH	60	F	4/9/2021	5/2/2021	I am 61, received Pfizer-BioNTech Covid Vaccine on 3-19-21, & 4-9-21. On 5-2-21, after doing some gardening, I felt a sharp pain in my right eye resulting in the sclera part of eye becoming red/bloodshot. I saw PCP, then ophthalmologist on 5-5-21, diagnosing it as right sub conjunctival hemorrhage. I did not lose any vision, but as of today, I still have some residual redness in sclera. My younger sister who had the same above vaccine on same above dates, also experienced right eye redness on 5-11-21, stating no trauma to area.
1354970	5/27/2021	FL	52	F	4/21/2021	5/1/2021	My wife and I got the Moderna vaccine on March 24th. About 4 days after the shot, it hit us both very hard. We typically never get sick, but we were both down for about 4-5 days. As a precaution, She got tested for COVID and it came back positive. On April 21st, we got our second shot. Around May 1st, started feeling tingling in her toes. It slowly moved into her feet. As it gradually moved up her legs, we took her for blood work.. While we were waiting for the bloodwork results, she got to where she couldn't walk, so we took her last weekend to the emergency room. They now believe she has Guillain-Barre syndrome. She is currently taking IV treatments to slow / stop the progression. We've been advised to expect a long recovery process. We don't know what caused it. COVID, the vaccine, neither, both. But I wanted to share this info with you in case you know anyone who is tracking or hoping to study rare reactions. We seem to be getting good care, but we're in a relatively small town, and I'm sure they don't have the benefits of the broader field of vision and cases that you no doubt have. So I'm passing this info along, in case you are trying to find rare cases that could ultimately help us and/or others.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1353095	5/27/2021	IL	70	M	12/17/2020	1/1/2021	Blood infection; Sick; Didn't feel good; chilling; Patient received both the doses on same month; This spontaneous case was reported by a physician (subsequently medically confirmed) and describes the occurrence of SEPSIS (Blood infection), ILLNESS (Sick), MALAISE (Didn't feel good) and CHILLS (chilling) in a 70-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 030L20 and 035J202A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Co-suspect product included non-company product ADALIMUMAB (HUMIRA) for an unknown indication. The patient's past medical history included Aortic valve calcification in 2011, Alcohol use (6 bottles beer/week) from 1964 to 2000, Ex-smoker from 1964 to 2015, Eyes red (while on Humira) in 2020, Back surgery in 1996, Open heart surgery in 2003, Carotid endarterectomy in 2006 and Cataract in 2013. Concurrent medical conditions included Diabetes (DIABETES TYPE 2), Blood pressure high, Acid reflux (esophageal), Cholesterol, Plaque psoriasis and Bladder cancer (bladder cancer cells) since 25-Nov-2020. Concomitant products included OMEPRAZOLE for Acid reflux (esophageal), ACETYLSALICYLIC ACID (ASPIRINA) for Anticoagulant therapy, METOPROLOL and LISINAPRIL for Blood pressure high, ROSUVASTATIN for Cholesterol, METFORMIN for Diabetes, PLANTAGO OVATA (METAMUCIL [PLANTAGO OVATA]) for Digestion impaired, HYDROCHLOROTHIAZIDE for Diuretic therapy, NAPROXEN SODIUM (ALEVE) and PARACETAMOL (TYLENOL) for Pain. On 17-Dec-2020, the patient started ADALIMUMAB (HUMIRA) (Subcutaneous) 40MG/0.4ML(40 Milligram, Solution for injection in pre-filled. In January 2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. In January 2021, received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. In January 2021, the patient experienced INAPPROPRIATE SCHEDULE OF PRODUCT ADMINISTRATION (Patient received both the doses on same month). On 12-Apr-2021, the patient experienced SEPSIS (Blood infection) (seriousness criteria hospitalization prolonged and medically significant), ILLNESS (Sick) (seriousness criterion

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

hospitalization), MALAISE (Didn't feel good) (seriousness criterion hospitalization) and CHILLS (chilling) (seriousness criterion hospitalization). On 17-Apr-2021, ILLNESS (Sick), MALAISE (Didn't feel good) and CHILLS (chilling) had resolved. At the time of the report, SEPSIS (Blood infection) outcome was unknown and INAPPROPRIATE SCHEDULE OF PRODUCT ADMINISTRATION (Patient received both the doses on same month) had resolved. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): In April 2021, Catheterisation cardiac: aortic valve calcified (abnormal) Aortic valve calcified. In April 2021, Computerised tomogram: aortic valve calcified (abnormal) Aortic valve calcified. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Treatment for the event included ertapenem for the blood infection. Company comment: This report refers to a case of inappropriate schedule of product administration for mRNA1273, lot# (035J202A and 030L20) with no associated adverse events, however the patient experienced some reaction approximately three months later. Based on available information, there is no clear temporal association between the use of the product and start date of events, a casual relationship was assessed as unlikely related. the patient's advanced age and co-morbidities are strong confounders.; Sender's Comments: This report refers to a case of inappropriate schedule of product administration for mRNA1273, lot# (035J202A and 030L20) with no associated adverse events, however the patient experienced some reaction approximately three months later. Based on available information, there is no clear temporal association between the use of the product and start date of events, a casual relationship was assessed as unlikely related. the patient's advanced age and co-morbidities are strong confounders.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1350347	5/26/2021	MA	55	F	5/12/2021	5/12/2021	About 7 hours after the 2nd shot I started having chills and body aches. This progressed to a fever of 102, severe headache, chills, body aches throughout the night. The next day bad flu symptoms persisted. Slept most of the day - totally exhausted couldn't keep my eyes open. Severe kidney pain and urine was a reddish/orange color. Made sure to drink plenty of fluids. Also developed hive like rash on lower back. Within 48 hours symptoms ceased. Only rash remained which lasted about a week.
1350374	5/26/2021	MI	48	F	5/8/2021	5/10/2021	migraine , blurry vision,drop foot,leg pain, Concentration problems, numbness, weakness, all still effecting me
1350382	5/26/2021		21	F	5/25/2021	5/25/2021	Developed symptoms shortly after injection; Vasovagal response, dizziness, abdominal cramps, nausea; 21 y.o. female with no pertinent medical history other than ADHD is presenting with dizziness and "blacking out" after receiving her second dose of the Moderna COVID-19 vaccine at 12:20 pm today. Patient had no symptoms when she received her first dose of the vaccine. Patient reports that she became dizzy, diaphoretic, and lost vision after receiving the vaccine. Per triage note staff at Walgreens reported no loss of consciousness, however. Patient otherwise currently reports she is feeling fine.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1350383	5/26/2021	MI	76	M	3/16/2021	5/11/2021	This is a 76y.o. male significant past medical history of HTN, MI, dyslipidemia, and ESRD on hemodialysis that presented to the hospital with chief complaint of fall. He states he fell out of his recliner chair yesterday and landed on his left side. He admits to striking his head but denies any LOC. He reports he did miss hemodialysis on Monday secondary to episodic diarrhea. He is seen today resting in no acute distress. Endorsing overall he is feeling well. Denies any fever, chills, chest pain, shortness of breath, abdominal pain, nausea, vomiting, diarrhea, or changes in motor strength. In the ED, patient hypertensive, afebrile, stable SPO2 on room air. CT head, C Spine and radiographs negative for acute process. CXR concerning for pneumonia. He was started on antibiotic therapy and admitted to observation for further evaluation and management with nephrology consultation. ROS: Constitutional: Denies fatigue, fever or chills. Eyes: Denies change in visual acuity, diplopia or pain. HENT: Denies nasal congestion, sore throat or tinnitus. Respiratory: Denies cough, difficulty in breathing or shortness of breath. Cardiovascular: Denies chest pain, palpitations or edema. GI: Denies abdominal pain, nausea, vomiting, constipation or diarrhea. GU: Denies dysuria, urinary frequency or hematuria. Musculoskeletal: Denies back pain, atrophy, spasticity or joint pain. Hematologic: Denies anemia, bleeding or bruising. Integument: Denies rash, lesions, or history of cancer. Neurologic: Denies headache, focal weakness, seizure or stroke. Endocrine: Denies temperature intolerance, polyuria or polydipsia. Lymphatic: Denies tender, abnormal, swollen glands. Psychiatric: Denies irritability, depression or anxiety.
1350327	5/26/2021		15	M	5/22/2021	5/22/2021	dizzy, headache, blurred vision, vomited after vaccination. (at 03:52 pm) outcome: recovered after drinking water and eating crackers and discharged to home.
1350437	5/26/2021	FL	49	F	5/25/2021	5/25/2021	Patient had puffy eyes, a sore throat, and said her throat felt "thick~~

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1349708	5/26/2021	NE	59	F	3/17/2021	3/1/2021	1. 3/21 leading up to 3/31 I had a low grade fever that would not go away. 2. 3/31 at 2am, hit with bout of intense nausea which continued through 4/-3. The most intense was 3/31-4/1. 3. 4/3-4/4 my right side under rib cage was screaming in pain Treatment -- went to doctor's office on 4/2 to make sure not covid (tested negative), given a perscription for nausea. Called Dr.'s office and advised to go to Primary Care Physician. Also, advised hot water bottle on organs that hurt. The hot water bottle soothed the intense pain. Had soup when could tolerate it. 4. Went to doctor's office on 4/5 regarding the intense pain on right side. An abdominal Ultrasound was ordered. April 25, 4am, my eye sight went to seeing 1/2 of objects and words, then went to tunnel vision. 1. I saw Primary Physician who referred me to an opthamalogist. 2. Opthamalogist saw nothing wrong with eye -- suggested taking baby aspirin and that there had been a TIA, referred me back to Primary Physician for a referral to Cardiologist / Vascular physician
1350385	5/26/2021	PA	49	F	3/10/2021	4/22/2021	Bells Palsy. Symptoms began on 4/21/2021 with alteration of taste. On 4/22/21, tingling on right side of the face began in the morning. At 2pm unable to talk, face drooping and eye tearing. Went to ER and testing ruled out stroke. Admitted for further observation and testing. Discharged on 4/23 with Prednisone 60mg x 6 days and Valtrex x 6 days
1350325	5/26/2021	MA	42	F	2/20/2021	4/9/2021	Infection in my Left eye followed by an infection in my right eye two weeks later
1350302	5/26/2021	NY	23	M	5/25/2021	5/25/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Exhaustion / Lethargy-Medium, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Medium, Systemic: Visual Changes/Disturbances-Medium, Additional Details: Adverse event included loss of color in face (patient turned white) including lips, eye rolled upward staring at ceiling, patient slouching on bench until flat on back on bench (head in mother's arms); patient remained like this for at least a couple minutes while mother was yelling for help; patient eventually regained focus and comforted mother in return; patient reported could not see well and experienced dizziness and still had complete loss of color in face; epinephrine pen was not used

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1350296	5/26/2021	IL	57	F	5/23/2021	5/23/2021	Facial numbness and slight drooping of eyes occurred about an hour after receiving the vaccine. It has gone almost back to normal as of today 5/26/21.
1349678	5/26/2021	WA	31	M	4/23/2021	4/26/2021	pressure headache; tinnitus; hyperacusis; grainy and double vision; photophobia; facial twitching; Pain in back, shoulders and arms; Pain in back, shoulders and arms; Pain in back, shoulders and arms; Burning sensations in back and arms; Muscle weakness in legs and arms; Large rash at injection site; Swollen lymph nodes in both arms; This is a spontaneous report received from a contactable consumer (patient). A 31-years-old male patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: solution for injection, Lot number: ER8736, Expiration date: not reported) via an unspecified route of administration in left arm on 23Apr2021 at 10:00 AM (at the age of 31 years) as 2ND DOSE, SINGLE for covid-19 immunisation. The patient medical history included diabetes (controlled) and concomitant medications were not reported. The patient had a history of allergies to Demerol. Historical vaccine included first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number: EP6955, Expiration date: not reported) via an unspecified route of administration in left arm on 31Mar2021 at 12:00 PM as 1ST DOSE, SINGLE for covid-19 immunisation. The patient didn't receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient received other medications within 2 weeks of vaccination was reported as Vitamin C, D3. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. On 26Apr2021 at 07:45 AM, the patient stated that he woke up with pressure headache, tinnitus, hyperacusis, grainy and double vision, photophobia, facial twitching, pain in back, shoulders and arms, burning sensations in back and arms, muscle weakness in legs and arms, large rash at injection site, swollen lymph nodes in both arms. The adverse events resulted in the doctor or other healthcare professional office/clinic visit, Emergency room/department or urgent care. Treatment was received for the adverse events which includes Prednisone. The events were reported as non serious. Outcome of the events were reported as Not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349769	5/26/2021	OH	54	F	1/12/2021	1/17/2021	Vibration (feeling of cell phone vibrating) throughout my entire body, my right jaw has locked and painful, I have a constant headache, eyesight worse (blurry even with glasses), all over constant body throbbing, stomach issues (sharp pains and cramping), constant numbness (the feeling of when you rub your skin when the novocaine is starting to wear off after a dental procedure) from my feet up to my waist and the feeling of pins and needles (like when you hand is asleep) from my feet up to my pelvic area. This all started with just a small vibration in my right hip and has increasing gotten worse over the last several months.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349682	5/26/2021	PR	69	M	4/28/2021		<p>Light headache; His voice is very hoarse; He is throwing something white through his nose; He has pain in his body; His platelets are "a little low", because of his immunodeficiency; He catches a little cold; Chronic sinusitis; He feels sleepy, closes his eyes, falls asleep for a few minutes and wakes up; Little pain in his left arm; This is a spontaneous report from a contactable consumer or other non hcp. A 69-year-old male patient received his first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection,(Batch/Lot Number: EW0173), via an unspecified route of administration in left arm on 28Apr2021 (at the age of 69-year-old) as 1st dose, single for COVID-19 immunization. The patient medical history and concomitant medications were not reported. The patient experienced platelets are "a little low", because of his immunodeficiency, light headache, his voice was very hoarse, he was throwing something white through his nose, pain in his body, his platelets were "a little low", because of his immunodeficiency (platelet count decreased) , he catches a little cold, chronic sinusitis, he felt sleepy, closed his eyes, falls asleep for a few minutes and woke up, little pain in his left arm. The patient underwent lab tests and procedures which included platelet count decreased: low on Platelets are "a little low", because of his immunodeficiency. Therapeutic measures were taken with paradol, tylenol and tea for the events little pain in his left arm, from there he felt nothing else,for 4 days he has felt "light headache", his voice was very hoarse, he was throwing something white through his nose, he had pain in his body. Tomorrow he was going to get the second dose, he didn't think he will and asked was it feasible to wait a few more days or a week for him to get better. He was hoping to make a chicken broth and feel better after eating it. The outcome of the events was reported as unknown. Information about the lot/batch number has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1350481	5/26/2021	NY	28	F	5/26/2021	5/26/2021	Shortly after receiving the 2nd dose of the Moderna vaccine, she was noted rubbing her eyes frequently. The observation RN walked over, and asked what was wrong, and the client stated her vision was blurry. She also reported she did not eat any breakfast this morning and she is approx. 2 months pregnant. Juice and graham crackers were offered and accepted. No improvement noted. Code Blue was activated and EMS was notified. The client also began scratching her upper body and complained of itchiness. EMS arrived and the client was transferred to Hospital via stretcher accompanied by EMS attendees.
1350710	5/26/2021	FL	56	F	4/24/2021	4/25/2021	On April 25, 2021 around 12:40pm I was just sitting at church reading my assignment. After reading it i stood up and in my right eye i was seeing objects. They looked like squiggle lines or worms. I do not see them as much now but the sight in my right eye haven't been the same.
1350287	5/26/2021	NY	40	F	4/30/2021	5/1/2021	Headache along with blurred vision and numbness on left side of face. Has history of migraines, but this was different and has now persisted longer than one week.
1350842	5/26/2021	OH	55	F	5/20/2021	5/21/2021	She got her vaccine, she only had her arm hurting. The next morning it itched where she got her shot and then she started breaking out with a rash that continued to get worse. She went to the doctor today as it was down both arms, on her hands, blotchy with bumps and this morning she started getting spots on her eyelids and the side of her face that started to swell. She saw a NP today who gave her a steroid shot as her right eye was starting to swell shut. Told her to continue taking Benadryl and to take Allegra in-between for the itching and to report this to VAERS. She has been taking Benadryl and the itching, which has helped some but not a lot, but was wearing long sleeves so she wouldn't itch it. She still has a large red circle at the injection site and that's where she initially scratched her arm.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1350802	5/26/2021	NM	18	M	5/26/2021	5/26/2021	18 year old otherwise healthy male, with mild asthma, and history of vasovagal syncope with prior vaccinations, IV's and any type of injection on multiple occasions. He has no history of prior seizures or seizure disorder. He received his vaccine at about 9 AM and walked to our 15 minute observation area. Within 5 minutes of sitting down, he stated he was not feeling well, became unresponsive, and had a series of 3 very brief, witnessed tonic clonic seizure activity, each lasting 5 seconds or less, with only a few seconds between. Following this he was minimally responsive, still sitting up, eyes opened, and only mumbled in response to questions. He was pale, confused, mildly diaphoretic, BP was 119/99 pulse was 61, O2 sat was 96% and resp rate was approximately 20. He was NOT incontinent of stool or urine. He was fully conscious and oriented to person place time and situation within 5 minutes. He soon regained his color and vitals continued to be stable. He does have a history of "low blood pressure" per his report. He was feeling well, but because of the history witnessed seizure activity the decision was made to transport to hospital. He was transported by Ambulance Service to Hospital. Prior to vaccination today was feeling well. He was accompanied by his girlfriend. Diagnosis per supervising MD, was Post vaso-vagal syncope seizure activity. Or seizure activity related to vaso-vagal syncope.
1350795	5/26/2021	NY	40	F	5/25/2021	5/25/2021	Bells Palsy - Right sided facial paralysis with inability to fully close right eye. Treated with 1 week of 60mg prednisone, artificial eye drops, and artificial eye ointment.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1350778	5/26/2021	TX	36	M	5/25/2021	5/25/2021	At the 10 minute mark of the shot clock, the pt came up to the front desk to state he was feeling light headed and "weird". Pt was advised to sit and upon turning the patient lost his balance and fell backward to the ground. Pt was advised to remain down for evaluation, but stated he was fine and sat up to move himself over to the chair. Dr. was called immed.BP: 65/33, HR: 69, SpO2: 100% and a manual BP: 68/40. He stated he did not hit his head or lose consciousness. Stated he broke the fall by falling on his right arm. His right elbow had a small abrasion, denied pain, and had PMS in all extremities. Pt added when he turned he lost his vision, but doesn't feel he hit his head, and shared he began sweating
1350741	5/26/2021	WI	57	F	5/14/2021	5/15/2021	vertigo and extreme nausea 05/20/2021 since , can't work, can't get out of bed, i can hear my eyes move body aches, can't care for sick family. extreme anger!!! need to go back to the doctor or hospital! no one seems to be able to help, medicine prescribed make me sleep which stops the vertigo and my life
1350736	5/26/2021	AR	45	M	5/24/2021	5/24/2021	A little more than 5 minutes after receiving shot had a seizure. Told me his wife he didn't feel right and hands were very sweaty cold his eyes rolled back in head. Lost his color loss control of bodily functions( urine). Throwing up hard. EMT were called vitals were alright. Once we were home vomiting subsided and he slept hard.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1350733	5/26/2021	AZ	62	F	3/30/2021	4/12/2021	<p>She got her vaccine, it was more painful, she had fever, she spent 2 days just sleeping due to being tired. She felt as if she was "out of it". She was not focused to work on the computer, to do school work and decided to not do that. She is a multitasker and was hard for her to get on her treadmill as she was off balanced and could not do that. She just had a brain fog, memory problems, was off doing her homework and reading things, but the clarity and focus was not there. She knew the answers to her tests, but when she was writing down it was not being written down as the answers in her head and was scoring low on her tests. She was also not sleeping. She has a fit-bit and averaging between 3-1/2 to 4 1/2 hours of sleep. She just felt out of it and this was through the month of April. Then on 5/8/21 she felt like something was in her eye, she had dyed her hair and put eye drops in her eye. She did correlate anything with the vaccine yet. Then Sunday morning (Mother's day), she observed something and was so tired and decided to go back to sleep. Then she woke up and the eye and the face started twisting and was paralyzed on the left side. Her speech was not clear and the automatic thing was to speak slower and it would fix itself, and what was going on. (She had a prior TIA). She thought of a stroke coming to mind, and decided she needed to take action and went to the ER by ambulance. Once she was in the ER, they did an EKG, did CT scan and an MRI to see if there was anything going on for a stroke or sign of a stroke, which there was not according to the paperwork and results. Not felt to be related to her heart either. They diagnosed her with Bell's palsy and sent her results to a neurologist for them to do their assessment. They were relieved that it was not a stroke. She went to the neurologist the following week and felt that there seemed to be some white matter on her CT. She finished the medication that she was given, and was told that he was going to do a phone appointment, and she refused to have that and said that he could not see the differences in her face and the progress over the phone. She was not able to breath out of her left nostril and was getting worse, having pain and wanted to find answers and they did see her in the office. They did EMG's, checked her eyes and said that she was fine, and asked why did it seem that it was getting worse. She felt like her skin was coming off her spine, and feels a pull. He suggested</p>

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

doing an MRI of her spine and her face, and suggested an EMI to see if there was damage to her nerves. She had shingles in the past and was already having difficulties lifting her arm and had suggestions. She also saw her acupuncturist who did not touch her face and did needling on her body and she was able to swallow better, and was informed not to do them on her face. She also had a telemed APT and was OK'd to have acupuncture on her head but again not her face. She was still on the steroids, and had information and paperwork that she had researched and asked him questions to educate her and help her. Her daughters have been doing research and told her that maybe she needed a different neurologist. She called the nurse line at the clinic who advised her to stay where she was and see what he had to offer. She is doing warm towels in the morning and evening and she's able to get some relief and sleep. She finds that her brain is working better and that it is going to take some time for this to heal. She had testing for AVM's during her chemo and she had no indication for that. In November and December 2019, she was really sick with URI and was on breathing treatments and was one step away from pneumonia and was not able to work. She took an antibodies test in March and had antibodies. She then had COVID in her household in December of 2019, but was tested several times and tested negative for that. She was diagnosed with cancer when she hit her head on a cabinet at work, and noticed that she had scarring, which she thought was from chicken pox and shingles. Her chicken pox left scars on her lungs and she did not take medication for that due to driving her kids back and forth to school and not wanting to be under medication effects. The ER followed up with her after telling her that she needed to see a doctor. She went to a cancer center and had biopsies and they lost her specimens at the hospital. She ended up having to get another test and was diagnosed with a very aggressive cancer, and told her she needed surgery. She had laparoscopic thoracic surgery and they removed 3/4 of her lung. She had chemo for 5-6 months, and was antibiotics the entire time due to infections. At one point she was excreting skin from the chemo. They inadvertently found out that a nurse had given other patient's wrong chemo and was fired from being a chemo nurse. She has been under a

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							great deal of stress. Now since doing the warm towels her symptoms are better, the nerve is not as tight. It goes from the top of her brow all the way to her chin on the left side, it goes in sections. It was in the middle first, from there it goes up above and bulges on the top of her brow, and then with warm towels it progresses to a bulge on her face. She can't breath out of her left nostril and uses saline to keep it moisturized. She can blow her nose if she pulls her nose towards the left. She uses the salt water rinses in her mouth as she feels everything is pulling to the right including her neck. She was given a salve from her acupuncturist that has helped as well. She does self pictures throughout the day to see her progress of this process.
1350688	5/26/2021	NJ	65	F	5/26/2021	5/26/2021	PATIENT FELT ODD AFTER APPROX 10 MINS. HER EYES GLAZED OVER AND IT SEEMED AS IF SHE PASSED OUT FOR A FEW MOMENTS. WE DETERMINED SHE WAS DIABETIC AND HAS HTN. WE ALSO DETERMINED SHE DID NOT TAKE HER MEDS IN THE MORNING PRIOR TO VACCINATION. EMTs WERE CALLED
1350699	5/26/2021	MD	57	F	2/4/2021	2/4/2021	Sore at vaccine site. I started having fever, chills, body ache, and headache. Had very serve headache around and behind my both eyes. My left eye the blood vassal burst. The headache went on for a week. Talked to a doctor over phone. Diagnosis with migraine and gave presentations for ibuprofen and magnesium.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1350522	5/26/2021	PA	54	M	4/22/2021	4/30/2021	ED Discharged 5/5/2021 - 5/6/2021 (3 hours) Last attending ? Treatment team Acute nonintractable headache, unspecified headache type Clinical impression Headache Chief complaint Triage Note: To ED c/o severe HA behind R ear since being dx w COVID 4/30. Denies cough, dyspnea, fevers. Reporting he has had 1 round of COVID vaccines. Has taken "alieve, tylenol, and advil" w/o relief. Last doses all "early this morning." pt awake and alert in triage. History of Present Illness Patient is a 54 y.o. yo male presenting to the ED with severe headache behind the right ear since 4/30. Patient was diagnosed with Covid at that time and has taken 1 round of the Covid vaccine. He has tried Aleve, Tylenol and Advil without relief. He states that his last dose were all early this morning. Denies any numbness or tingling, visual disturbances, ataxia, photophobia. He has no history of strokes, MI or blood clots. He states that prior to his Covid diagnosis he is otherwise healthy. ED Discharged 5/8/2021 (4 hours) Last attending ? Treatment team COVID-19 Clinical impression Fever Chief complaint Medical Decision Making 54-year-old male who presents today due to uncontrolled fever, diagnosed with Covid on April 30. Symptomatic for about 2 weeks now. On exam appears to be uncomfortable, is febrile and tachycardic, however remaining vitals are stable. Physical exam is also reassuring. Patient not complaining of any chest pain, shortness of breath, lightheadedness. Will provide patient with symptomatic relief including fluids and ibuprofen, if able to improve patient's symptomatology will have him discharged home. His labs also show some slight hyponatremia, he will likely improve from fluids as I believe this is secondary to his diarrhea that he has been having over the last few days. CK also slightly elevated, would likely benefit from fluids. After a single liter of fluids, patient symptoms improved, fever and tachycardia also improved, continues to endorse some generalized weakness, will give second liter of fluid and Tylenol at this time as he is due for this. After receiving a second liter, the patient states that his symptoms have greatly improved at this time, comfortable returning home. I advised the patient that she should take ibuprofen and Tylenol on 6-hour cycles very regularly, he can take it in a pattern where he takes Tylenol followed by ibuprofen 3 hours later followed by Tylenol again 3

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							hours later, as long as he keeps 6 hours in between doses, explained to him that he should not take this any sooner than this however he should be sure to take these regularly as these will help control his fever. Also encouraged him to hydrate appropriately as this will likely prevent him from feeling poorly. He is agreeable with this plan, I provided him with appropriate return precautions.
1350651	5/26/2021	NC	57	F	3/11/2021	3/12/2021	On the day of the vaccine, about 5 hours after, I started feeling fatigue. I felt like I had been awake for 24+ hours. That evening I was watching television, covered with a blanket, and my nose got very cold and tingly. I felt like I was breathing cold air. That did resolve later that evening. The next day I was really fatigued and felt dizzy. I felt this way all day. Later that day I started itching. My head, legs and arms were itching. At 11PM that night I called the Hospital and spoke with a nurse to see what I could take for the itching. I was told that since it was after 24 hours from the injection, I was able to take Benadryl. I had to take it every day for the week. I continued to have fatigue and dizziness for 2 days after receiving the vaccine. My psoriasis was healing and had almost gone away, but 2 days after the injection I had a flare. I stayed in psoriasis and psoriatic arthritis stayed in a flare until around 05/12/2021. I had to receive several steroid injections and B12 injections to calm everything down.
1350606	5/26/2021	WI	58	F	5/22/2021	5/22/2021	APPROXIMATELY 22 MIN. AFTER RECEIVING VACCINE, CLIENT BECAME LIGHT HEADED, DIZZY, SHORT OF BREATH, THROAT SWELLING, EYES WATERING, BLOOD PRESSURE DROPPED, TIGHTNESS IN CHEST. 911 CALLED. PARAMEDICS GAVE IV EPI. AND TRANSPORTED CLIENT TO HOSPITAL ER. MD DIAGNOSED ANAPHYLAXIS DUE TO COVID VACCINE. IN ER, CLIENT WAS GIVEN PREDNISOLONE AND ALBUTEROL TREATMENT. CLIENT RESTED IN ER WHILE BEING MONITORED. CLIENT THEN RELEASED TO GO HOME.
1350599	5/26/2021	IN	30	F	5/24/2021	5/24/2021	Extreme pressure in my head which made it nearly impossible to keep my eyes open. Severe sensitivity to light. Profuse sweating followed by chills (this happened for hours). Nausea. Dizziness.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1350585	5/26/2021	PA	56	F	4/29/2021	5/2/2021	ED to Hosp-Admission Discharged 5/2/2021 - 5/3/2021 (3 hours) Hospital MD Last attending ? Treatment team Epigastric pain Principal problem Discharge Summary MD (Physician) ? ? Internal Medicine Inpatient Discharge Summary BRIEF OVERVIEW Admitting Provider: MD Discharge Provider: MD Primary Care Physician at Discharge: DO 35 min. Admission Date: 5/2/2021 Discharge Date: 5/10/2021 Discharge Diagnosis 1. Chest pain in a patient with history of coronary artery disease cardiac catheterization and stents. 2. Nausea vomiting diarrhea most likely secondary to COVID-19 3. Positive COVID-19 no respiratory symptoms 4. History of dyslipidemia Hospital Course Patient was admitted with chest pain and GI symptoms most likely from COVID-19 nausea vomiting diarrhea. She decided to sign out AGAINST MEDICAL ADVICE and left the hospital Patient is a 56 y.o. female on hospital day number 0 presented with chest discomfort nausea vomiting diarrhea Medical Problems Hospital Problems POA * (Principal) Epigastric pain Yes Plan 1. Chest pain in a patient with history of coronary artery disease status post cardiac catheterization with multiple stents chest pain is very atypical most likely gastric in origin as she also has history of Barrett's esophagus. I will change the Protonix to 40 IV twice a day. We will start the patient on chest pain protocol we will trend the troponins 2D echo cardiology consult 2. Possible gastroesophageal reflux 3. Nausea vomiting diarrhea with positive COVID-19 most likely GI symptoms of COVID-19 we will hydrate her with normal saline at 100 mL/h. 4. Positive COVID-19 no respiratory symptoms pulse ox 95% on room air we will keep an eye on her inflammatory markers she has GI symptoms. 5. History of dyslipidemia 6. DVT prophylaxis moderate risk subcutaneous heparin bilateral compression devices. 7. CODE STATUS she is a full code. Patient will be admitted to med surgical floor under hospitalist service. Medical management was discussed with the patient in detail. Chief Complaint Patient presents with ? Chest Pain 1. *Extended Emergency Contact Information 2. Primary Emergency Contact: spouse 8. Relation: Spouse 9. Preferred language: English 10. Interpreter needed? No_ History of Present Illness Patient is an 56 y.o. female with past medical history significant for coronary artery disease

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							dyslipidemia status post cardiac catheterization with multiple stents presented to the ER with chief complaint of abdominal discomfort mainly epigastric region she been having pain off and on for 2 years she was in the ER the day before yesterday and signed out AGAINST MEDICAL ADVICE her troponin at that time was 0.04. Today she started having some abdominal discomfort again nonradiating centrally located in epigastric region, she also has diarrhea she has 6-7 bowel movements loose watery as well as she is nauseated and vomited multiple times mainly yellowish stuff with food in it. She denies any blood with stool or blood with urine. She says that she had some chills and uncomfortable feeling and felt like she is having fever. As her symptoms did not get any better she came to the ER. She denies any shortness of breath cough or phlegm. Her pulse ox is 95% on room air
1350583	5/26/2021		73	F	5/24/2021	5/24/2021	Arm started hurting after 10 minutes, area red around bandaid and in bilateral antecubital spaces. No swelling or heat. Also reported blurred vision. Reports being in the sun on Sunday. No shortness of breath, nor throat swelling or anyother symptoms. b/p 130/78 pulse 64. 9:35 Hive type rednness in bilateral axillary. 9:40 reports no further blurred vision. Has appointment with Dermatology & Pulmonolgy. Pictures taken to show dermatologist.
1350576	5/26/2021	MA	41	F	5/17/2021	5/17/2021	Within 2 mins of receiving injection, I experienced full body sweats, deadening of sound, blackness in eyes, lightheaded, unable to hold things in my hands, uneasy stomach, very pale all over, especially face. Talked/deep breathed my way out of fainting. Within 10 minutes all the above symptoms started to lessen. 15 minutes after receiving the injection, the near fainting experience was over and I was comfortable leaving and driving. But the 10 minutes were terrible and I came very close to passing out. My husband experienced the exact same symptoms 2 days later. I will be reporting that immediately following this submission.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349657	5/26/2021	TX	42	F	5/12/2021	5/1/2021	Dry nose and throat; Dry nose and throat; Weepy eyes, a lot of tears, water coming from her eyes; Fever; Cough; Cold-like symptoms; Body pain; inflammation under her armpit; Pain under her armpit; This is a spontaneous report from a contactable consumer (patient) via Medical information team. A 42-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE ; lot number and expiration date were not reported), via an unspecified route of administration on 12May2021 (at the age of 42-years-old ) at 1ST DOSE, single for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient had dry nose and throat; weepy eyes, a lot of tears, water coming from her eyes and had fever; a lot of coughing; cold-like symptoms; body pain; felt inflammation and pain under her armpit in May2021 after the first dose. She mentioned that because of symptoms she could not go to work for 2 days i.e. 13May2021 and 14May2021. The events were reported as non serious. The outcome of the events was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349096	5/26/2021	NJ	71	M	3/24/2021	4/25/2021	<p>Eyesight fading in left eye /; This has caused him great distress; Felt sick; Can't sleep; tinnitus; taking his concentration away/ life has been turned upside down; life has been turned upside down / Felt awful / Felt terrible; This spontaneous case was reported by a consumer and describes the occurrence of VISION BLURRED (Eyesight fading in left eye /) in a 71-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 045b21a and 008b21-2a) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Patients medical history was not provided. On 24-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 24-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 25-Apr-2021, the patient experienced TINNITUS (tinnitus), DISTURBANCE IN ATTENTION (taking his concentration away/ life has been turned upside down) and FEELING ABNORMAL (life has been turned upside down / Felt awful / Felt terrible). In May 2021, the patient experienced VISION BLURRED (Eyesight fading in left eye /) (seriousness criterion medically significant), EMOTIONAL DISTRESS (This has caused him great distress), ILLNESS (Felt sick) and INSOMNIA (Can't sleep). At the time of the report, VISION BLURRED (Eyesight fading in left eye /), TINNITUS (tinnitus), DISTURBANCE IN ATTENTION (taking his concentration away/ life has been turned upside down), FEELING ABNORMAL (life has been turned upside down / Felt awful / Felt terrible), EMOTIONAL DISTRESS (This has caused him great distress), ILLNESS (Felt sick) and INSOMNIA (Can't sleep) outcome was unknown. Patient received both doses of Moderna Covid-19 vaccine and he reported that he has felt terrible, awful and sick for 4 weeks. He cannot sleep and his eyesight is fading in his left eye. This caused him such great distress. He did not give consent for safety to follow up. No treatment or concomitant medication were reported by the reporter. Action taken with mRNA-1273 in response to the events was not Applicable. Company Comment: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Most</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

1349340	5/26/2021	VA
---------	-----------	----

46	F
----	---

3/6/2021
----------

3/12/2021
-----------

recent FOLLOW-UP information incorporated above includes: On 21-May-2021: Significant follow up appended to AER; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded

numbness and tingling on right side of face and in right arm and shoulder.; numbness and tingling on right side of face and in right arm and shoulder.; tingling on right side of face and in right arm and shoulder.; swollen right eye; nausea; severe headache; This is a spontaneous report from a contactable consumer, the patient. A 46-year-old non-pregnant female patient received (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: EH6198; DOSE NUMBER: 1) via an unspecified route of administration on her left arm on 06Mar2021, as single dose for Covid-19 vaccination (at the age of 46 years). Medical history and concomitant medications were not reported. No other vaccines were administered within four weeks. The patient has allergy to penicillin. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. On 12Mar2021 at 20:00 (reported as 6 days post-vaccination), the patient developed nausea, swollen right eye and severe headache that had persisted for several days then. On 15Mar2021 (reported as day 3), the patient developed numbness and tingling on right side of face and in right arm and shoulder. The patient underwent Computed Tomogram (CT) scan and Magnetic Resonance Imaging (MRI) (dates and results not reported). The patient received treatment for the events (treatment details not reported). She was taken to emergency room due to the events. The outcome of all the events was unknown. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349303	5/26/2021	NJ	36	F	3/15/2021	3/15/2021	Swollen eyes; Both eyes are dry and feel burning; Both eyes are dry and feel burning; Hives on both eyes; This is a spontaneous report from a contactable consumer, the patient. A 36-year-old non-pregnant female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot/batch no: EN6206) via an unspecified route of administration in the left arm on 15Mar2021 at 09:00 (at the age of 36-years-old) as a single dose for Covid-19 immunisation. The patient's medical history and concomitant medications were not reported. Allergies to medications, food, or other products reported to Shrimp/seafood (mild). Prior to the vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. The patient did not receive any other vaccines within four weeks prior to the vaccination. On 15Mar2021 at 19:00, patient experienced hives on both eye. The patient also experienced swollen eyes on 16Mar2021 at 08:00 which was followed by dry eyes and burning of the eyes. Therapeutic measures were taken as a result of adverse event and included self-treatment with Benadryl and Allegra. The clinical outcome of the events were reported as recovered with sequelae. No follow-up attempts are needed. No further information is expected.
1349235	5/26/2021			F	2/22/2021	2/23/2021	eyes were blood red; This is a spontaneous report received from a contactable consumer (patient). A female patient with age reported as 77 (unit unknown) received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number not reported), on 22Feb2021 as 1st dose, single for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. It was reported that patient received the first dose of the vaccine the day before the present report (22Feb2021) in the afternoon. The day of this report (23Feb2021), she noticed her eyes were blood red. She also asked if there were any reports of eyes being blood red. The outcome of the event was unknown. Information about lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349212	5/26/2021	PA	79	F	2/11/2021	2/1/2021	tired; cold; head was in a fog; Staggering; Diarrhea; ears were ringing; arm was sore; body ache; neck was painful; back of head pain; This is a spontaneous report from a contactable consumer (Patient). A 79-year old female consumer reported that she received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Lot number EL0140, Expiration Date Mar2021) into the left arm on 11Feb2021 at 4:00pm (at the age of 79-years-old) at single dose for COVID-19 immunization. Concomitant drugs included ciclosporin (RESTASIS) twice daily both eyes taken for dry eye; bimatoprost (LUMIGAN) one daily both eyes taken for glaucoma for 5-6 years, vitamin B complex 1 daily taken as supplement for 15-20 years; colecalciferol (D3) 2 daily during the winter and 1 daily in the summer taken as supplement for 3-4 years. She use to get a lot of sore throats. Her doctor suggested she take vitamins. Some that she took didn't help. On 11Feb2021 the patient experienced arm was sore not recovered, body ache recovered on 13Feb2021 and on 12Feb2021 she experienced tired recovered on 13Feb2021, cold recovered on 12Feb2021, head was in a fog not recovered, staggering recovered on 13Feb2021, ears were ringing recovered on 13Feb2021, Diarrhea recovered on 12Feb2021. Further reported the back of her head and neck was painful that was gone by 13Feb2021. Her arm was sore if she lays on it she can feel it. Unable to answer outcome of event for being tired,if she sits long enough she falls asleep. Her head still feels tender. She is no longer staggering. She feels comfortable going up and down stairs. The next dose is scheduled for 04Mar2021. She is considering not taking the second dose.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349205	5/26/2021	PA	49	F	1/12/2021	1/13/2021	I had swelling on my forehead, between my eyebrows, down the bridge of my nose, and, both sides of the bridge of my nose.; This is a spontaneous report from a contactable nurse (patient). A 49-year-old female patient received bnt162b2 (BNT162B2), via an unspecified route of administration, administered in left arm on 12Jan2021 09:30 (Batch/Lot Number: EJ1686) (at the age of 49 years old) as 1st dose, single for COVID-19 immunisation. The patient was not pregnant at the time of vaccination. Medical history included penicillin allergy. No other vaccine in four weeks and no other medications in two weeks. The patient experienced swelling on forehead between eyebrows, down the bridge of my nose, and both sides of the bridge of my nose on 13Jan2021 06:30. No treatment for the event. No COVID prior vaccination. The patient underwent lab tests and procedures which included Nasal Swab: negative on 12Feb2021. The outcome of the event was recovered on unspecified date. Follow-up attempts are completed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349113	5/26/2021	WA		F	3/20/2021	3/23/2021	<p>Loosing vision in right eye; Can't move my head and body; Condition aggravated; To be immobile during episodes; Increase in mucus in my lungs; Cough up phlegm; Cough; Pain; Headache; Chills; This regulatory authority case was reported by an other health care professional and describes the occurrence of BLINDNESS UNILATERAL (Loosing vision in right eye) and PARALYSIS (Can't move my head and body) in a 64-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 045A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Chronic lung disease (lungs are really sensitive) since an unknown date, Non-smoker since an unknown date, Cold (head) since an unknown date, Bronchitis (due to head colds) since an unknown date and Pneumonia. Previously administered products included for Immunisation: Shingles (extremely ill and 4 hours from being admitted to hospital with bad pneumonia after immune system dropped so low). Past adverse reactions to the above products included Pneumonia with Shingles. Concurrent medical conditions included Sulfonamide allergy, Allergic fungal rhinosinusitis (AFS), Hives and Multiple sclerosis (headaches had been recorded. The 8 lesions in frontal lobe causing more issues, thus the pain.). Concomitant products included METOPROLOL SUCCINATE, BUSPIRONE HCL, CYCLOBENZAPRINE, DULOXETINE and TRAZODONE for an unknown indication. On 20-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 23-Mar-2021, the patient experienced BLINDNESS UNILATERAL (Loosing vision in right eye) (seriousness criteria disability and medically significant), PARALYSIS (Can't move my head and body) (seriousness criterion medically significant), CONDITION AGGRAVATED (Condition aggravated), MOBILITY DECREASED (To be immobile during episodes), BRONCHIAL SECRETION RETENTION (Increase in mucus in my lungs), PRODUCTIVE COUGH (Cough up phlegm), COUGH (Cough), PAIN (Pain), HEADACHE (Headache) and CHILLS (Chills). At the time of the report, BLINDNESS UNILATERAL (Loosing vision in right eye), PARALYSIS (Can't move my head and body), CONDITION AGGRAVATED (Condition</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							aggravated), MOBILITY DECREASED (To be immobile during episodes), BRONCHIAL SECRETION RETENTION (Increase in mucus in my lungs), PRODUCTIVE COUGH (Cough up phlegm), COUGH (Cough), PAIN (Pain), HEADACHE (Headache) and CHILLS (Chills) had not resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. No treatment information was provided. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.
1348855	5/26/2021	TX	25	F	5/8/2021	5/19/2021	Shortly after the second vaccination shot, I was feeling unwell and had major body aches and headaches for approx 4 days afterwards. I also had the feeling of a sinus infection that would not stop. About 11 days later I woke up with double vision and could not see properly. My left eye was fully dilated and visibly tilted to a different direction than my right. I went to the hospital and they did several tests and are unsure about what exactly is wrong and caused this and say that it is very rare. They shows in the MRI that there is a cavernous angioma in my brain and they think it is causing the eye issues. My other eye also has unusual blurry distance vision. While in the hospital they tried using 2 different steroids that did not seem to work. They discharged me from the hospital and basically just said to wait and they think it might possibly start to get better in a month. I am not sure what to do at this point and I'm worried it may be a result of the vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349100	5/26/2021	IL	58	M	5/2/2018	4/1/2021	Cellulitis left calf; Scratch of left calf; difficulty in walking; cognitive issues; unable to taste food; Double Vision; pain in right jaw; losing eye sight; not remembering to eat or take medications; hot sensation on leg; weeping fluid from extremities; difficulty moving; swelling of the left lower extremity; fluttering in right eye; little tremors; sweat; body soreness; Numbness of head; tingling in head; blurred vision; freezing; headache; fatigue; Fever; Sepsis; This spontaneous case was reported by a physician and describes the occurrence of CELLULITIS (Cellulitis left calf), SEPSIS (Sepsis) and SCRATCH (Scratch of left calf) in a 61-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Co-suspect product included non-company product CARBIDOPA, LEVODOPA (DUOPA) suspension for Parkinson's disease. The patient's past medical history included COVID-19 virus test positive in April 2020, Weight loss (lost total of 15 pounds due to poor eating habits; gained 6-7 pounds since) from August 2020 to December 2020 and Dementia. Previously administered products included for Product used for unknown indication: dicyclomine, gabapentin, lisinopril, oxycodone, zolpidem and metamucil. Concurrent medical conditions included Giant cell arteritis since February 2019, Chronic kidney disease stage 3, Dementia, Blood pressure high, High cholesterol, Drug allergy (lisinopril and 2-3 unknown medications), Nonsmoker, Living in care (assisted living facility) and Parkinson's disease. Concomitant products included PREDNISONE for Giant cell arteritis, CARBIDOPA MONOHYDRATE, LEVODOPA (SINEMET) and CARBIDOPA, LEVODOPA (CARBIDOPA/LEVODOPA) for Parkinson's disease, CYCLOBENZAPRINE for Product used for unknown indication, AMLODIPINE, IRBESARTAN, TRAMADOL, ATORVASTATIN, DUCOSATE SODIUM, SENNOSIDE A+B (LAXATIVE STOOL SOFTENER WITH SENNA), LORAZEPAM, PRAMIPEXOLE DIHYDROCHLORIDE MONOHYDRATE (MIRAPEX), BENZONATATE, PRAMIPEXOLE, FLUCONAZOLE (FLUZONE [FLUCONAZOLE]), CLONIDINE, METOPROLOL and ACETYLSALICYLIC ACID (ASPIRIN [ACETYLSALICYLIC ACID]) for an unknown indication. On 02-May-2018, the patient started CARBIDOPA,



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

LEVODOPA (DUOPA) (Enteral) 100 milligram. On 11-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 08-Apr-2021, the patient experienced CELLULITIS (Cellulitis left calf) (seriousness criteria hospitalization and medically significant). In April 2021, the patient experienced SCRATCH (Scratch of left calf) (seriousness criterion hospitalization). On an unknown date, the patient experienced SEPSIS (Sepsis) (seriousness criterion medically significant), GAIT DISTURBANCE (difficulty in walking), COGNITIVE DISORDER (cognitive issues), AGEUSIA (unable to taste food), DIPLOPIA (Double Vision), PAIN IN JAW (pain in right jaw), VISUAL ACUITY REDUCED (losing eye sight), MEMORY IMPAIRMENT (not remembering to eat or take medications), FEELING HOT (hot sensation on leg), SECRETION DISCHARGE (weeping fluid from extremities), MOBILITY DECREASED (difficulty moving), PERIPHERAL SWELLING (swelling of the left lower extremity), BLEPHAROSPASM (fluttering in right eye), TREMOR (little tremors), HYPERHIDROSIS (sweat), PAIN (body soreness), HYPOAESTHESIA (Numbness of head), PARAESTHESIA (tingling in head), VISION BLURRED (blurred vision), FREEZING PHENOMENON (freezing), HEADACHE (headache), FATIGUE (fatigue) and PYREXIA (Fever). The patient was hospitalized from 08-Apr-2021 to 11-Apr-2021 due to CELLULITIS and SCRATCH. At the time of the report, CELLULITIS (Cellulitis left calf) and SCRATCH (Scratch of left calf) was resolving, SEPSIS (Sepsis), AGEUSIA (unable to taste food) and HYPERHIDROSIS (sweat) had resolved and GAIT DISTURBANCE (difficulty in walking), COGNITIVE DISORDER (cognitive issues), DIPLOPIA (Double Vision), PAIN IN JAW (pain in right jaw), VISUAL ACUITY REDUCED (losing eye sight), MEMORY IMPAIRMENT (not remembering to eat or take medications), FEELING HOT (hot sensation on leg), SECRETION DISCHARGE (weeping fluid from extremities), MOBILITY DECREASED (difficulty moving), PERIPHERAL SWELLING (swelling of the left lower extremity), BLEPHAROSPASM (fluttering in right eye), TREMOR (little tremors), PAIN (body soreness), HYPOAESTHESIA (Numbness of head), PARAESTHESIA (tingling in head), VISION BLURRED (blurred vision), FREEZING PHENOMENON (freezing),

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

HEADACHE (headache), FATIGUE (fatigue) and PYREXIA (Fever) had not resolved. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): In April 2021, Blood culture: positive (Positive) Positive. In April 2021, SARS-CoV-2 test: negative (Negative) Negative. In April 2021, White blood cell count: elevated (High) Elevated. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. The patient was positive for COVID-19 in April 2020 and since then, had 10 additional tests on unknown dates which were all negative. Treatment for left leg cellulitis included 11 unknown multiple intravenous antibiotics, paracetamol, and an unknown pain medication while in the hospital. The patient was discharged to home on ciprofloxacin. The patient underwent physical therapy on unknown dates. Company comment Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349379	5/26/2021	WA	53	F	3/12/2021	3/12/2021	Left arm sore; swollen at the edges of the lid with secretions; red at the edges of the lid; Left eyelid began to get sore; shoulder were very sore; Pain in jaw near my earlobe when chewing; This is a spontaneous report from a non-contactable Non-Health Care Professional (Consumer or other HCP). A 53-years-old non-pregnant female patient received BNT162B2 (COVID-19 MRNA VACCINE BIONTECH; Lot/batch no: EN6208) as a single dose on an unspecified route administered in left arm on 12Mar2021 at 8:00am (at the age of 53-year-old) for COVID-19 immunisation. The patient medical history and concomitant medication was not reported. Patient past drug includes penicillin allergy. The patient lab test was not reported. On 12Mar2021, patient experienced left arm sore, shoulder very sore and on the same day patient experienced left eyelid began to get sore, red and swollen at the edges of the lid with secretions for four days and also had pain in jaw near earlobe while chewing. Therapeutic measures were not taken for any events. The clinical outcome of the events was reported as recovering. The patient was not received any other vaccines within 4 weeks prior to the COVID vaccine. The patient was not diagnosed with COVID-19 prior to vaccination. Also, the patient was not tested for COVID-19 since vaccination. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349088	5/26/2021			U			SWOLLEN LYMPH NODE; FLU LIKE SYMPTOMS; BURNING EYES; VACCINE KNOCKED ME DOWN; BACK PAIN; HIP PAIN; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's height, and weight were not reported. No past medical history or concurrent conditions were reported. The patient received covid-19 vaccine (suspension for injection, route of admin, and batch number were not reported) dose, start therapy date were not reported for prophylactic vaccination. The batch number was not reported. The Company is unable to perform follow-up to request batch/lot numbers. No concomitant medications were reported. On an unspecified date, the subject experienced swollen lymph node, flu like symptoms, burning eyes, vaccine knocked me down, back pain, and hip pain. The action taken with covid-19 vaccine was not applicable. The patient recovered from swollen lymph node, flu like symptoms, burning eyes, vaccine knocked me down, back pain, and hip pain. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349028	5/26/2021	KY	64	M	4/2/2021		COUGH; SLIGHT ARM SORENESS; WEAKNESS/REALLY WEAK; HEADACHES EXCRUCIATING AFTER THE VACCINE; FEVER; SORE THROAT; COVID EYES; POST NASAL DRIP; This spontaneous report received from a consumer concerned a 64 year old male. The patient's height, and weight were not reported. The patient's past medical history included covid. The patient received covid-19 vaccine (suspension for injection, route of admin not reported, batch number: 042A21A expiry: UNKNOWN) dose was not reported, administered on 02-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 2021, the subject experienced post nasal drip. On 02-APR-2021, the subject experienced sore throat. On 02-APR-2021, the subject experienced covid eyes. On 02-APR-2021, the subject experienced cough. On 02-APR-2021, the subject experienced slight arm soreness. On 02-APR-2021, the subject experienced weakness/really weak. On 02-APR-2021, the subject experienced headaches excruciating after the vaccine. On 02-APR-2021, the subject experienced fever. Laboratory data included: Body temperature (NR: not provided) 101 F. The action taken with covid-19 vaccine was not applicable. The patient recovered from sore throat, covid eyes, cough, and fever on 06-APR-2021, and slight arm soreness on 04-APR-2021, was recovering from weakness/really weak, and headaches excruciating after the vaccine, and the outcome of post nasal drip was not reported. This report was non-serious. This case, from the same reporter is linked to 20210545446.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349010	5/26/2021	OR	57	F	4/1/2021		<p>ORAL THRUSH; WHOLE BODY IS INFLAMED; EYE TWITCHING; LEG JERKING; PRESSURE UNDER HER RIB CAGE; HOT TO TOUCH; RASH ON UPPER ARM, CHEST, STOMACH; LEFT ARM SORE; UNEXPLAINED BLUE/PURPLE BRUISING ON FRONT AND BACK LEG; BAD TASTE; LOSING TASTE; BURNING IN THE MOUTH; SWOLLEN TONGUE; ITCHINESS ALL OVER THE BODY; SKIN FELT LIKE IT'S BURNING AND HOT TO TOUCH; LIPS NUMBING; This spontaneous report received from a patient concerned a 57 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included sulfa allergy, abstain from alcohol, and non-smoker, and other pre-existing medical conditions included the patient had no known health condition and was taking supplements only. the patient never had allergy medications (never get seasonal allergies).The patient received covid-19 vaccine (suspension for injection, route of admin not reported, and batch number: 041A21A expiry: 21-JUN-2021) dose was not reported, administered on 07-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On APR-2021, the subject experienced skin felt like it's burning and hot to touch. On APR-2021, the subject experienced lips numbing. On 08-APR-2021, the subject experienced itchiness all over the body. On 20-APR-2021, the subject experienced burning in the mouth. On 20-APR-2021, the subject experienced swollen tongue. On 20-APR-2021, the subject experienced bad taste. On 20-APR-2021, the subject experienced losing taste. On MAY-2021, the subject experienced unexplained blue/purple bruising on front and back leg. On MAY-2021, the subject experienced left arm sore. On 03-MAY-2021, Laboratory data included: Blood test (NR: not provided) normal white blood cells and iron level low, Platelet count (NR: not provided) normal, Serum iron (NR: not provided) low, and White blood cells (NR: not provided) Normal. On an unspecified date, the subject experienced oral thrush, whole body is inflamed, eye twitching, leg jerking, pressure under her rib cage, hot to touch, and rash on upper arm, chest, stomach. Laboratory data (dates unspecified) included: COVID-19 virus test (NR: not provided) negative. Treatment medications (dates unspecified) included: cetirizine hydrochloride, and diphenhydramine hydrochloride. The action taken with covid-19 vaccine</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

was not applicable. The patient recovered from skin felt like it's burning and hot to touch, and rash on upper arm, chest, stomach, was recovering from pressure under her rib cage, had not recovered from swollen tongue, and burning in the mouth, and the outcome of itchiness all over the body, unexplained blue/purple bruising on front and back leg, eye twitching, leg jerking, left arm sore, whole body is inflamed, bad taste, losing taste, lips numbing, hot to touch and oral thrush was not reported. This report was non-serious. This case, from the same reporter is linked to 20210534998.; Sender's Comments: V0: Medical assessment comment not required as per standard procedure as case assessed as non serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349007	5/26/2021	FL	50	F	3/1/2021		<p>MEDICATION INDUCED COLITIS; RECTAL BLEEDING; RENAL INSUFFICIENCY; MUSCLE TENDERNESS; HEADACHE; NAUSEA; REDNESS AT INJECTION SITE; FEVER; GENERALIZED ITCHY RASH; SWELLING AT INJECTION SITE; DIZZINESS; RINGING IN THE RIGHT EAR; INTENSE MUSCLE/JOINT CRAMPING; JOINT TIGHTNESS; LUMP AT INJECTION SITE; BLOATING; UNABLE TO EAT OR DRINK; HAD POLYP; SMALL INTERNAL HEMMORRHOID; This spontaneous report received from a patient concerned a 50 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, and batch number: 1805029 expiry: unknown) dose was not reported, 1 total administered to left deltoid on 14-MAR-2021 for prophylactic vaccination. The patient received Benadryl unspecified (form of admin and route of admin were not reported, batch number: unknown expiry: unknown) dose and frequency were not reported from MAR-2021 for itchy rash. The batch number was not reported and has been requested. No concomitant medications were reported. On 14-MAR-2021, after eight hours of vaccination, the patient woke up with intense muscle cramping which she had anticipated but also had joint cramp. The patient had temperature of 103.5 (unit unspecified) and the patient's right side of face was itching down into under her ears which also started to swell. The patient had a rash on her legs, arms, face and everything was itchy for her. The patient took a diphenhydramine (Benadryl) and then she had headache, dizziness, ringing in the right ear, nausea, and her fever jumped to 104. The patient laid down her head into floor because the dizziness was so bad and she ended up in more muscle cramping. The patient's fever never went away but went down and did not go for about a week and three days; the fever was just hanging out at 100 (unit unspecified) the whole time. The patient's dizziness and ringing was going on and also had GI (gastrointestinal) problems and really bad headache. The patient called a healthcare company and ordered meclizine (Meclizine) but did not specified she administered it or not. On 26-MAR-2021, the patient could not take the stomach pain, cramping, diarrhea, high fever, rectal bleeding and mucousy and bloody stool.</p>



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

The patient had intense abdominal pain and GI (gastrointestinal) issues after three days of her fever and was taken to ER (emergency room) and was confirmed that the patient had renal insufficiency and medication induced colitis. The patient had colitis and was given with metronidazole (Flagyl), however she had low grade fever, dizziness, ringing in ears, really bad headache and was admitted to hospital on 28-MAR-2021. The patient's CRP (C-reactive protein) was up, lactic acid was elevated, hemoglobin went from 14 down to 12, WBC count elevated, occult blood was positive and also had rectal bleeding, a foggy headache and dizziness feeling. The patient felt something was way off in her body at the side, also had a small orange halo on arm at the injection site which got resolved after four days. The patient had undergone unspecified tests and the results was negative. The patient liver enzymes were too off which was hand in hand with medication induced colitis. The patient had a small internal hemorrhoid and removed a polyp. The patient's heart rate experienced some issues as well. The patient was hospitalized for 6 days. The patient was discharged on 02-APR-2021. The patient had a follow-up with her physician on the next day of this report. The action taken with covid-19 vaccine ad26.cov2.s was not applicable; and action taken with Benadryl unspecified was not reported. The patient recovered from had polyp on MAR-2021, generalized itchy rash on 16-MAR-2021, muscle tenderness on 06-APR-2021, and redness at injection site on 18-MAR-2021, was recovering from ringing in the right ear, rectal bleeding, medication induced colitis, joint tightness, lump at injection site, bloating, swelling at injection site, and small internal hemorrhoid, had not recovered from fever, headache, and dizziness, and the outcome of intense muscle/joint cramping, nausea, unable to eat or drink and renal insufficiency was not reported. This report was serious (Hospitalization Caused/Prolonged, and Other Medically Important Condition). This case is associated with the product quality complaint number 90000176228. This case is a duplicate of 20210429754. Additional information was received from patient on 13-APR-2021. It was determined that Manufacturer Case Number 20210429754 was a duplicate of this case. All relevant information regarding this case will be submitted under Manufacturer Case Number 20210427282.; Sender's

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							Comments: V0: 20210427282-covid-19 vaccine ad26.cov2.s- rectal bleeding, medication induced colitis, renal insufficiency and had polyp. This event(s) is considered not related. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There are other factors more likely to be associated with the event(s) than the drug. Specifically: CONMEDS-OTHER SUSPECT DRUGS
1348883	5/26/2021	FL	36	F	5/4/2021	5/4/2021	Within 10 minutes after the vaccine I started to feel very faint and eyes became very blurry and couldn't see. The pharmacy gave me water and kept making me drink water and kept checking on me. The vaccine spiked my blood sugar. After a little while my sugar went down and I was fine. That evening I had the worst migraine ever and it lasted 3 days. I also had body aches and chills for 3 days as well and fatigue.
1348842	5/26/2021	NJ	53	M	3/17/2021	3/31/2021	Migraine headache, Pain behind eyes, Tinnitus, Burning pain in hands,feet and face Lower back pain

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1350885	5/26/2021	WY	35	F	4/8/2021	4/8/2021	I had an auto immune response to vaccine - felt numbing in arm right after vaccine; I noticed it going down my arm (the fluid from the injection). Once I left the building, I could feel that my face was numb and having tingling feeling .(Note: My neck sometimes causes me problems due to my pregnancy - before the vaccine - I was having an issue with my neck and that was going down into making my arms feel like they were going numb.) When my face went number, I had a hard time talking well for the next two or three days. My face and jaw were weak; my arms and hands were weak too. It went up my whole arm and on my torso (the numbness) - it was going up and down my body - it wasn't just staying in one place. I went to my mom's place and she gave me some juice. I did feel better when I had some juice but could tell I was having some kind of reaction. I did feel better when I drank the juice and some water. My husband met me for lunch and when I called him, I coughed - and I started seeing things around my eyes like I was going to pass out and I drank more water. I ate (burger) and I did feel a bit better. I was still having these issues with the numbness going from one part of my body to other. I drove home (30 minutes) and did feel a bit better. It felt like I was just "off" and not doing well - noticed I wasn't breathing as well. I noticed my heart was racing. I could feel my heart was having palpitations. I called the doctor for my pregnancy and she could tell I was trying to catch my breath. I was trying to stay calm through all of this and my mind wasn't racing. When I talked to her, she thought I should go to ER, she said I sounded out of breath and my heart was racing. At that point, I was nervous to drive, I was having some kind of vision problems - it was going in and out (like a disorientation). My husband drove me to ER. I drank some water though on the way and I felt better after doing that. I'm really sensitive to any kind of chemicals/drugs - I can be affected easily. (This is still within the first 2 hours after shot.) At ER, I drank more water. They told me not to take the 2nd vaccine at least while I was pregnant. They gave me Benadryl - IV 25 mg. And I felt so much better. Dr told me Benadryl can help with anxiety and with allergic reaction. The fast heartrate did go on for awhile - I did take Benadryl in the middle of the night that night and I had to take Benadryl through the next week or two to help sleep. I kept track of my heart rate because in the

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

morning, I felt like I felt it more in the morning. I checked in with my doctor about it and she told me to watch it. It got up over 100 but it never got to the point that it was dangerous. Numbness finally went away eventually - it lasted about three or four days. My left eye was twitching - it took about three weeks for that to go away. I did get chills that night of the vaccine; I didn't get a fever. I slept - was so tired - I would get the meals for everyone but then take naps and I slept long at night and Benadryl helped with it. I did trip and fall the second or third day after the vaccine - I tripped on something - but I feel like I tripped because I was a little disorientated. I knew I had to be careful and take care of myself because of the symptoms. Four days after I had the shot, I got sick with COVID-like symptoms. Five days later I got a cough. I did not take a COVID test because other members of family tested and didn't have it. Pregnancy history - 6 pregnancies and 4 live births and the first one was a miscarriage. Due date: August 19, 2021

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349103	5/26/2021	KS	67	F	2/1/2021	3/26/2021	<p>sees everything cloudy\her vision started getting blurry; She started problem with her balance 3 days later; Every time, she walks now, she feels dizzy; Eye vision was lost 3 days after the second dose of Moderna vaccine; stopped working by 75%; This spontaneous case was reported by a consumer and describes the occurrence of BLINDNESS (Eye vision was lost 3 days after the second dose of Moderna vaccine; stopped working by 75%) in a 67-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No medical history concomitant information was provided. On 01-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) .5 milliliter. In March 2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 26-Mar-2021, the patient experienced BLINDNESS (Eye vision was lost 3 days after the second dose of Moderna vaccine; stopped working by 75%) (seriousness criteria disability and medically significant). On 12-May-2021, the patient experienced DIZZINESS (Every time, she walks now, she feels dizzy). On an unknown date, the patient experienced VISION BLURRED (sees everything cloudy\her vision started getting blurry) and BALANCE DISORDER (She started problem with her balance 3 days later). At the time of the report, BLINDNESS (Eye vision was lost 3 days after the second dose of Moderna vaccine; stopped working by 75%) had not resolved and VISION BLURRED (sees everything cloudy\her vision started getting blurry), BALANCE DISORDER (She started problem with her balance 3 days later) and DIZZINESS (Every time, she walks now, she feels dizzy) outcome was unknown. Concomitant and treatment information were not provided. Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. However, Very limited information has been provided at this time. Further information has been requested. This case was linked to US-MODERNATX, INC.-MOD-2021-125380 (E2B Linked Report). Most recent FOLLOW-UP information incorporated above includes: On 12-May-2021: Follow-up received on 12-MAY-2021.with events are updated</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

and reporter details was also provided.cross linked with-  
MOD21-089545; Sender's Comments: Based on the  
current available information and temporal association  
between the use of the product and the start date of the  
event, a causal relationship cannot be excluded.  
However, Very limited information has been provided at  
this time. Further information has been requested. US-  
MODERNATX, INC.-MOD-2021-125380:Cluster case for  
lot of people who got problems with their eyes

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349509	5/26/2021	IN		M		5/1/2021	<p>he's losing thoughts/his eyes didn't focus/his eyes wouldn't engage on what was happening; unable to put words together; tired; confused; changes in his cognitive and mental status; changes in his cognitive and mental status; This is a spontaneous report from a contactable consumer (patient's wife). A 74-year-old male patient received bnt162b2 (BNT162B2), dose 2 via an unspecified route of administration, administered in arm right on an unspecified date (Lot Number: EN6205) as single dose for covid-19 immunisation. The patient's medical history included wears hearing aids, multiple myeloma prior vaccine, and had trouble word finding and hard sometimes to remember names before the vaccines. concomitant medications included a normal list of medications he was taking but, it was lengthy. The patient previously received first dose of bnt162b2 on an unspecified date for covid-19 immunisation and no adverse effect. He did well with both shots, no reactions. The reporter's husband received his second COVID Vaccine and she started seeing changes in his cognitive and mental status on an unspecified date of 2021. He's had issues off and on of really unclear thinking and this week (May2021) he's losing thoughts, and unable to put words together. Symptoms began in early April, he maybe had small incidents in March but nothing that was worrisome. On Saturday of this week (01May2021), the patient could not put words together to make a sentence, and he was very tired. He was still tired even though he slept 12 hours night and he was confused. On 01May2021 in the evening he was off, but was repeating himself, not everything was making sense, but was able to attend baptism of their great nephew. He always sleeps 12 hours at night, but then just sat on couch with eyes shut, his eyes didn't focus and he would respond to his name but his eyes wouldn't engage on what was happening. This went on through 03May2021 by 04May2021. On 04May2021, he was in his chair and could not put words together still. Monday (03May2021) they played "Shut the Box,"- he has a masters degree but was unable to add two numbers that make ten. On Wednesday 05May2021 he went to the emergency room (ER) and they did a brain scan (MRI), extensive bloodwork and a urinalysis, everything came back normal and no sign of TIA or stroke. He had been improving since Wednesday (05May2021) at around 4:30 PM, after</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

leaving the hospital, he started being able to put words and thoughts together again. On Thursday (06May2021) he was able to play "Shut the Box." She was calling to see if there have been any reports of mental reactions after the vaccines such as memory issues, or cognitive issues. She stated the neurologist was unaware of any neurologic issues following the vaccine. She stated he had no side effects after the vaccine and that she only had mild side effects for one night and then they resolved. She mentioned that her husband also had cancer. Prior to the vaccine the patient was seeing a neurologist for multiple myeloma, that was unrelated to the vaccine. The patient had a discussion with doctor about having a hard time remembering names and words like he used to, his doctor told him that it was typical with aging this was in January or February. Recently, in one instance, the patient handed the caller a pen and paper and asked the caller to put the battery in it. The caller asked the patient which one would it go in and the patient said either one. The patient wears hearing aids, and had for a number of years. He put transmitters in his ear instead of the ear piece. These instances both happened in the earlier part of Apr2021. His issues were still ongoing but, improving. The outcome of events was recovering.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349636	5/26/2021	CA	70	F	4/1/2021	4/2/2021	Sore arm after the first dose of the Covid Vaccine; Felt Cold after the First Dose of the Vaccine; This is a spontaneous report from a contactable consumer or other non hcp (Patient herself). A 70-years-old non pregnant female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Solution for injection, Batch/Lot Number: ER8734), via an unspecified route of administration, administered in left arm on 01Apr2021 (age at the time of vaccination was 70-years-old) as 1st dose, single for COVID-19 immunization. Medical history included herpes from 1970 to an unknown date. Patient had been treated for Herpes on and off since the 1970s. Patient had undergone 3 surgeries in 2016 for knee revision. Patient had shingles three times in her life and received her shingles vaccine 3 years ago. Family history included that her husband had heart valve replacement in 2016. The patient's concomitant medications were not reported. On 02Apr2021, the patient experienced sore arm and felt cold after the first dose of the vaccine. The outcome felt cold was recovered on 02Apr2021 and sore arm was recovered on an unspecified date in Apr2021. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349619	5/26/2021	NH	73	F	3/24/2021		<p>Eye sight was getting worse; Big white spot that comes up on the image and that's not supposed to be there and it was quite large compared to what I have seen since last; This is a spontaneous report from a Pfizer sponsored program COVAX US Support. A contactable 74-year-old female retired nurse (patient) reported that she received second dose of BNT162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number EN6204) intramuscular into the right arm on 24Mar2021 (at the age of 73-year-old) at single dose for COVID-19 immunization. The patient had received the first dose of vaccine on 24Feb2021 (lot number EL9266) in the left arm. Concomitant Products included Vitamin C complex as supplement. Patient history included arthritis and had a H-pylori test done recently, because of some gastritis she had, because It was abnormal last year that's why they repeated it this year but she had not gotten the result yet. The patient had a history of a retinal vein occlusion in her right eye, and she had this for about 3 years. She used to go and visit her doctor every 5 weeks, she can only go every 31 days because of Medicare and so she has been going for like 3 years and sometime she needed an injection, sometime I don't. The patient reported that she got her second vaccine dose and the several weeks later she went to her eye doctor to get an injection (further not clarified unspecified product) in her eye and when they did that apparently so her eye sight was getting worse so the result was not good between her injections. She went to get her second Pfizer vaccine injection for Covid and that's was fine. She had a little bit of reaction (Further clarification unknown), nothing big, and then when she went last week she noticed they took picture, computer generated pictures. So, they have to describe and she saw the difference in image from the last time she went in. She looked at all her papers that she had. She got a print out of this picture every month. There was a big white spot that came up on the image and that's not supposed to be there and it was quite large compared to what she has seen since last time. That kind concerned her and it took her a while to think about this. Why had changed so drastically. So, the patient was not sure if that had anything to do with the vaccine or not. The doctor was not sure if that had anything to do with it. When she noticed it, the only thing that was different was that she got the Covid injection the second one. It may</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

not have anything to do with that. I did call the doctor office and doctor said was probably because she had gone seven weeks between injections and he thought it was the length of time. She went may be 5 weeks or 6 weeks it might not have this been as big and that might have made a difference. Treatment taken in response to adverse events was reported as no. The patient had just the shot she got in her eyes, the one shot couple of month she didn't have anything else. The outcome of the events was unknown. No follow-up are needed, no further information is expected.; Sender's Comments: - Based on a the information in the case report and a plausible temporal relationship, A possible causal relationship between events Visual acuity reduced,Retinogram abnormal cannot beexcluded

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349615	5/26/2021	NJ	37	F	5/10/2021	5/10/2021	<p>Extreme itching all over head and arms; Chills, with uncontrollable shaking; Chills, with uncontrollable shaking; Cannot get rid of dryness in throat; Hands and feet are frozen; This is a spontaneous report from a contactable consumer (patient). A 37-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; solution for injection; Lot Number: EW0168; Expiration Date: 31Aug2021) via an unspecified route of administration on 10May2021 at 07:40 (at the age of 37-years-old) as a single dose for COVID-19 immunisation (to protect self and kids). Medical history included shingles in left eye from an unspecified date (diagnosed two weeks ago) and unspecified if ongoing. The patient had no history of previous immunizations and had no history of adverse events that followed prior vaccinations. Family medical history was reported as none. Concomitant medications included moxifloxacin (eye drops; strength: 0.5%; Lot Number: AGT001; Expiration Date: Jun2023) ophthalmic taken for shingles in left eye from an unspecified date (started two weeks ago) to an unspecified date (stopped a week ago per doctor's instructions) at 1 drop (in left eye), 4x/day; prednisone (eye drops; strength: 1%; Lot Number: E90450; Expiration Date: Aug2023) ophthalmic taken for shingles in left eye from an unspecified date (started two weeks ago) and ongoing at 1 drop (in left eye), 4x/day and acyclovir (ACICLOVIR) orally taken for shingles in left eye from an unspecified date (been on it for two weeks) to an unspecified date (did not take it today) at 200mg, 5x/day. The patient did not receive any additional vaccines on the same date as the COVID-19 vaccine or within 4 weeks of the COVID-19 vaccine. On 10May2021 the patient experienced extreme itching all over head and arms, chills, with uncontrollable shaking, cannot get rid of dryness in throat and hands and feet are frozen. The clinical course was reported as follows: The patient received the first dose this morning. She waited the recommended fifteen minutes and was fine. While she was driving home, she started to feel extreme itching all over arms and head. She made sure that she did not have a rash. She had to take care of her son that got injured and take him to the pediatrician. The patient's throat did not close, but she cannot get rid of the dryness. She had been drinking and drinking, but her throat was extremely dry. Her son's pediatrician advised her to take</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349607	5/26/2021	CA		M	5/5/2021	5/7/2021	<p>Benadryl, so she took 2 teaspoons, but was still experiencing uncontrollable shaking, chills, throat dryness, extreme itching on arms and head, and hand and feet were frozen. She had chills with uncontrollable shaking. She stated that it was uncontrollable, she was shaking uncontrollably. She did not have a fever. She was aware that chills were a known side effect. She asked whether dryness of the throat was common. She could not get rid of the dryness in her throat. It was not getting better. She clarified that she was not having breathing issues. The extreme itching was all over her head and arms, it would get better, start, and stop. She was not allergic to anything. The patient stated that she had the COVID vaccine scheduled for two weeks ago and then cancelled the appointment. Her doctor said there was no reason to cancel the COVID vaccine appointment because there would be no interaction between the drugs and the COVID vaccine. She did not take Acyclovir today. She was supposed to go for a follow-up appointment today, but she canceled it. The adverse events required a call to her primary care physician. The adverse events did not require a visit to the emergency room. Relevant tests were reported as none. The clinical outcomes of the events extreme itching all over head and arms, chills, with uncontrollable shaking, cannot get rid of dryness in throat and hands and feet are frozen were not recovered/not resolved. Follow-up attempts are completed. No further information is expected.</p> <p>This is a spontaneous from a Pfizer sponsored program from a contactable consumer (patient). A male patient of an unspecified age received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiration date were not reported), via an unspecified route of administration on 05May2021 at first dose, single for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient experienced pain in both shoulders and arms, burning muscles and painful eyes on 07May2021. Outcome of events was unknown. No follow-up attempts are needed; information about lot/batch number cannot be obtained.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349554	5/26/2021	MN	52	F	5/5/2021	5/6/2021	felt pop in right eye; white light flashes; floaters in left eye; blurry vision; This is a spontaneous report from a contactable consumer (patient). A 52-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE) dose 2 via an unspecified route of administration, administered in arm right on 05May2021 11:15 (Lot Number: EW0982) as 2nd dose, single for covid-19 immunisation. The patient medical history was none. Concomitant medication included metoprolol succinate ER tablet 25 mg. The patient was not pregnant. The patient previously received first dose of BNT162B2 (lot number EW0153) on 07Apr2021, 11:00 AM in Right arm. No other vaccine in four weeks. No covid prior vaccination. No covid tested post vaccination. No known allergies. No other medical history. Within 24 hours of receiving vaccine on 06May2021 12:00 PM, the patient felt pop in right eye and experiencing white light flashes and floaters in left eye, blurry vision. Events resulted in Doctor or other healthcare professional office/clinic visit. No treatment was received. The outcome of events was not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349540	5/26/2021		60	F	5/3/2021	5/3/2021	<p>Sweating profusely; could not even move her body it was so sore; flushed/this is like a hot feeling in her face; tingling feeling on the side of her face, above the eye; tingling feeling on her lip; numb feeling on the side of her face, above the eye and on her lip; numb feeling on her lip; fever of 100; arm started hurting really bad; felt really tired/exhausted; This is a spontaneous report from a contactable consumer (patient). A 60-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in Arm Left on 03May2021 (Lot Number: EW0171; Expiration Date: Aug2021) as 2nd dose, single for covid-19 immunisation. Medical history and concomitant drugs were reported as no. The patient previously received 1st dose, single of bnt162b2 on 12Apr2021 (Batch/lot number - ER8729, Expiry Date: Jul2021) for covid-19 immunisation, and she was fine but then the next day her arm was a little sore if she touched it. Caller stated she just needs to ask a question because she is getting concerned. Caller stated then she went Monday to get the second dose and right after the shot her arm started hurting really bad which is a common side effect and she felt really tired so when she got home she went to bed. Caller stated then she noticed on the side of her face felt like she had Novocaine where she had this tingling and numb feeling on the side of her face, above the eye and on her lip and she was also still sore on her arm on Tuesday. Caller stated then Wednesday she was still experiencing a little bit of this tingling and numb feeling, was exhausted, and her arm was killing her. Caller stated on Thursday she was like ok she is feeling really good and starting to get back to normal. Caller stated and she just wanted to let this DSU agent know she has not been sick with anything not even a cold for over three years so this is not common. Caller stated then last night (was early this morning on 07May2021) she woke up sweating profusely and she could not even move her body it was so sore like she got beat up as it was just like an ache from her head to toes (this was like she had exercised and was really sore like that type of soreness) and also her arm was killing her still and she had a fever of 100. Caller stated she was calling because she is not sure if this is common? By Thursday she started feeling better from tired and made it through the whole day until last night she got really tired again and is</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

still tired now. Caller stated she is just flushed (like a hot feeling in her face) now since the sweating had stopped. Caller stated she had a fever the first day on 03May2021 and then went away on Tuesday and she had recovered completely. But then she and woke up early this morning in the middle of the night on 07May2021 and the fever had started back. Caller stated she still has a fever as of now and it has stayed the same since she first noticed it early this morning. Treatment included: Tylenol and Ibuprofen. The outcome of sweating was recovered. The outcome of arm started hurting really bad, could not even move her body it was so sore and flushed was not recovered. The outcome of fever was unknown. The outcome of others was recovering. Information on Lot/Batch number was available. Additional information has been requested.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349526	5/26/2021	GA	53	M	4/22/2021	4/25/2021	<p>Bell's palsy-like symptoms: left eye lid drooping, numbness in left cheek, lips; Bell's palsy-like symptoms: left eye lid drooping, numbness in left cheek, lips; Bell's palsy-like symptoms: left eye lid drooping, numbness in left cheek, lips/ Left shoulder, arm hand numbness and tingling/ Left leg numbness and tingling; Bell's palsy-like symptoms: left eye lid drooping, numbness in left cheek, lips; Left eye pain and dryness; Left eye pain and dryness; Headache behind eye; Left shoulder, arm hand numbness and tingling/ Left leg numbness and tingling; Elevated blood pressure; This is a spontaneous report from a contactable healthcare professional (patient). A 53-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiration date were unknown) at the age of 53-years-old, intramuscular in left arm on 22Apr2021 at 14:00 at 2nd dose, single for COVID-19 immunization. Medical history was reported as none. The patient has no known allergies. It was unknown if the patient has COVID prior to vaccination. Concomitant medication included macrogol 3350 (MIRALAX). The patient previously received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiration date were not provided) at the age of 53-years-old, via an unspecified route of administration on 26Mar2021 at 1st dose, single for COVID-19 immunization. The facility where the most recent COVID-19 vaccine was administered was at a pharmacy/ drug store. On 25Apr2021, the patient experienced Bell's palsy-like symptoms: left eye lid drooping and numbness in left cheek and lips. He also experienced left eye pain and dryness; headache behind the eye; left shoulder, arm, hand, and left leg numbness and tingling; and elevated blood pressure. The events resulted in doctor or other healthcare professional office/clinic visit. No treatment was given in response to the events. The patient underwent lab tests and procedures which included PCR nasal swab for COVID: negative on 15Apr2021 and blood pressure: elevated on 25Apr2021. The outcome of the events was not recovered. Information on the lot/ batch number has been requested.; Sender's Comments: Based on temporal association a contributory role of BNT162B2 to the reported events cannot be totally excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

---

for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349341	5/26/2021	NJ	31	F	1/21/2021	2/4/2021	scattered rashes; Rashes, redness on her face and neck; Itching all over the body; swelling of eyelids; Itching of ear; Redness of ear; Swelling of right ear; This is a spontaneous report from a contactable health care professional, the patient. A 31-year-old non-pregnant female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: EL0142; DOSE NUMBER: 1) via unspecified route of administration on the left arm on 31Dec2020 at 08:00 (at the age of 31-year-old at vaccination) as a single dose for COVID-19 vaccination. On 21Jan2021 at 11:00, the patient received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: EL9262; DOSE NUMBER: 2) via unspecified route of administration in the left arm. Medical history of the patient included cholecystectomy in 2014. The patient was allergic to Norgestimate and Ethinyl estradiol (TRINESSA). Prior to vaccination, the patient was not diagnosed with COVID-19. Since vaccination, the patient was not tested for COVID-19. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient received concomitant medications within 2 weeks prior to the COVID vaccine, but details were not provided. On 04Feb2021, the patient started having redness, itching and swelling on her right ear and continued on 05Feb2021. On 06Feb2021, it extended towards her upper cheeks. On 07Feb2021, event spread to left ear. On an unknown date, the patient also had swelling of eyelids, itching all over her body and scattered rashes. The patient took Cetirizine hydrochloride (ZYRTEC) for two days with no relief and switched to Diphenhydramine hydrochloride (BENADRYL) for two days and still had no relief. The patient went to the emergency department for fear of her throat closing, scheduled for a dermatologist who prescribed her a steroid cream (unspecified) for 2 weeks, which worked. But after 2 weeks, she had to stop the cream. Since then, she had nonstop itching all over her body. Patient also had intermittent swelling of eyes and, rashes, redness on her face and neck till the date of report. Any other antihistamine did not work for her. The clinical outcome of the events redness, itching and swelling on right ear, swelling of eyelids, itching all over her body, scattered rashes and, rashes, redness on face and neck was not resolved. No follow-up attempts are

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349516	5/26/2021	MA	68	F	5/4/2021	5/4/2021	<p>rings of redness around my wrist and beneath my arm; sick; tired; burning; Worse allergy; When the itching and hives around my wrists, neck, forearms, eyes, palms front and back would disappear; When the itching and hives around my wrists, neck, forearms, eyes, palms front and back would disappear; keeping me awake; I have an itchy rash around my wrists, underneath my breasts and on my forearms that is spreading further around these areas.; This is a spontaneous report from a contactable consumer. A 68-years-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), dose 1 via an unspecified route of administration, administered in Arm Left on 04May2021 04:00 (Batch/Lot Number: ENO273) as 1ST DOSE, SINGLE for covid-19 immunisation. Medical history included known allergies: Aspirin. Concomitant medications included vitamin c [ascorbic acid] (VITAMIN C [ASCORBIC ACID]). On 04May2021 04:00, I have an itchy rash around my wrists, underneath my breasts and on my forearms that is spreading further around these areas. On 04May2021 16:45, When the itching and hives around my wrists, neck, forearms, eyes, palms front and back/ hives in the arms, neck would disappear&gt; I tried all kind of ointments and antihistamines. This has being going on for 10 days. On an unspecified date, rings of redness around my wrist and beneath my arm, tired, burning, Worse allergy. Hives around both wrists, on forearms, neck, eyes, inside palm of hands. It is awfully itchy, burning and unbearable, keeping me awake. Tried Benadryl, several steroid creams, the patient is still suffering after 10 days. Therapeutic measures were taken as a result of when the itching and hives around my wrists, neck, forearms, eyes, palms front and back would disappear (urticaria), when the itching and hives around my wrists, neck, forearms, eyes, palms front and back would disappear (pruritus), i have an itchy rash around my wrists, underneath my breasts and on my forearms that is spreading further around these areas. (rash pruritic), rings of redness around my wrist and beneath my arm (erythema), keeping me awake (insomnia): Benadryl, Loratidine, Trimcinolone Acetonid + Fluo, Benadryl Allergy Antihistamine 25 mg gels tablets. The outcome of the event sick, tired, burning, Worse allergy was unknown, while not recovered for the other events. Follow-up attempts are completed. No further</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349352	5/26/2021	NY	60	F	3/11/2021	3/12/2021	information is expected. Eye discomfort; This is a spontaneous report from a non - contactable other healthcare professional. A 60-years-old female patient received a single dose of BNT162b2 (PFIZER BIONTECH COVID-19 mRNA VACCINE ) ( Lot number = not known ) via an unspecified route of administration in left arm on 11Mar2021 ( at the age of 60-years-old ) at 09:45am as a first dose for COVID-19 vaccination. Medical history included that patient was diabetic. Since the vaccination patient had not been tested for covid-19. The patient had took diabetic medicines as a concomitant medications within two weeks of vaccination. The patient did not received any other vaccine within four weeks prior to the vaccination. On 12Mar2021, after 24 hours post vaccination the patient experienced discomfort in the ocular eye. Patient did not experienced any pain. The outcome of this reaction is not recovered. Information about lot/batch number cannot be obtained and no further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349503	5/26/2021	MA	53	M	4/28/2021	4/7/2021	<p>Caller reports he had stool that was not fully formed/his stool was liquidy/close to diarrhea; pain in the arm; Double Vision , massive headaches; Double Vision , massive headaches; Achy and tired, like exhausted after the 2nd shot; Pain at the injection site.; achy/He was achy from joint pain; crampy; He was a little achy and had a headache after the second shot; double visions very disorienting; This is a spontaneous report from a contactable consumer (patient). A 53-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Injection, Batch/lot number: EWO158, expiration date: Jul2021) at left deltoid, in his shoulder on 28Apr2021 15:00 PM at second dose, 0.3 ml single for COVID-19 immunization. Medical history included overweight. Concomitant medication was none. the patient not received other medications within 2 weeks of vaccination. the patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Patient received first dose of covid vaccine (Lot number: EWO158) at Arm Left on 07Apr2021 15:00 PM for COVID-19 immunization and experienced diarrhea (since the first dose), worst headache of his life, Pain at the injection site, pain in the arm. Patient experienced double Vision and massive headaches, both on 05May2021 10:00 AM. patient had double vision about a week after the second dose of Pfizer COVID-19 vaccine (Also reported about 15 minutes after the 2nd COVID Vaccine, pending clarification), he read many times people saying it could be such neurological and/or blood clotting, reporter asked if people died from the vaccine. Caller stated he is overweight and afraid of this possible side effects affecting him even more than COVID-19 infection. He asked what about bowel movements or gastrointestinal side effects. He has had close to diarrhea for about 2 weeks now, since the first dose. Caller stated he does not have a Physician. Patient also reported the Headache after the 2nd vaccine was on 28Apr2021. patient reported he is getting a call. Never mind caller is letting it go to voicemail. Caller reports he was distracted but, he is better now. Caller reports he does not get headaches or neurological issues at all, usually. But after getting the 2nd shot, about a week ago from yesterday, he experienced double vision for about 15 minutes. When he got the 1st shot, the Monday after, he experienced the worst headache of his life worse than</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

any hang over. He never had neurological issues and it terrified him because could not shake it right away, it lasted for about 15 minutes then it was gone. He asked if that is something that is a side effect that could be concern and should he be worried about it. Caller reports double vision for 15 minutes. He got the shot at about 10 am. This happened after the 2nd shot. He got the second shot on 28Apr2021. Caller confirms his first shot was on 07Apr2021. Double Vision: It lasted for about 15 minutes and he waited until it came back. It was scary. The double visions very disorienting, he couldn't see anything, he could not work, he could not do anything. For the double vision he just waited it out, by shutting his eyes and laying his head down, it did not work the first few moments but then it did. He was a little achy and had a headache after the second shot. He was achy from joint pain. He took Tylenol before he to went bed and the headache went away. After the first COVID vaccine he experienced the worst headache of his life: It was so bad it knocked him to knees he took Tylenol and it went away. Pain at the injections site, pain in his arm: Started right away after getting the 1st shot. He could not put weight on the arm or without feeling a little pain. After 09Apr2021 he did not notice much after that. Caller said he was achy all over after the first shot when mentioning the arm pain. He asked if this is all experimental right. He wants to find out as much as he can because he does not trust anything online or anyone that is why he called the source, which is Pfizer. Online there are reports from people against the vaccine and for the vaccine. Headache after the 2nd vaccine: He was achy, not as bad as the 12th. It went away on 29Apr2021 he took to some Tylenol before he went to sleep on 28Apr2021. and it went away in his sleep. The Tylenol took care of it. Achy and tired, like exhausted after the 2nd shot: Caller reports the event subsided on 01May2021. Gastro Issues: patient reports he had stool that was not fully formed, not diarrhea and not normal but, runny. It was not formed. He is feeling like he has to go after the second shot on 28Apr2021. It has not subsided yet, it is still kind of going right now. He is not rushing to the bathroom every 5 minutes, but its not comfortable, so its improved since the first time, he was very crampy and his stool was liquidy and now it is more solid, it is slightly improving. 1st Pfizer COVID vaccine Lot number:



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							EW0158; zero maybe an O. he confirms both vaccines have the same Lot number as far as he knows. It is the same Lot on both cards he got. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. No treatment received for double Vision. Patient was recovered from double Vision on 05May2021, recovered from headache on 29Apr2021, recovered from Fatigue on 01May2021. Outcome of other events was unknown. It was reported as non-Serious, Seriousness criteria of Results in death, Life threatening, Caused/prolonged hospitalization, Disabling/Incapacitating and Congenital anomaly/birth defect were all reported as No. Information on Lot/Batch number was available. Additional information has been requested.
1349459	5/26/2021	NC	33	F	4/24/2021	4/25/2021	pinkeye in both eyes; nausea; mild fever; joint pain; fatigue; sciatica; This is spontaneous report from a contactable consumer (patient). A 33-year-old female patient received dose 2 of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; lot number EW0169) via an unspecified route of administration on 24Apr2021 at 14:15 (at the age of 33-years-old) as a single dose in the right arm for COVID-19 immunization. Medical history included anxiety, irritable bowel syndrome (IBS), and penicillin allergy. The patient did not receive any other vaccines within 4 weeks prior to the vaccine. Prior to vaccination the patient was not diagnosed with COVID-19. Concomitant medications included omeprazole, sertraline, hydroxyzine hcl, and buspirone hydrochloride (BUSPAR) from unknown dates for unknown indications. The patient previously received dose 1 of BNT162B2 (lot number EW0150) on 03Apr2021 at 10:00 as a single dose in the right arm for COVID-19 immunization. ON 25Apr2021 at 03:30 the patient woke up with pinkeye in both eyes. She also experienced nausea, mild fever joint pain, fatigue, and sciatica. The events were reported as non-serious. The patient was not hospitalized as a result of the events. The patient was treated with pinkeye drops: polymyxin B and trimethoprim. The outcomes of nausea, mild fever, joint pain, fatigue, sciatica, and pinkeye were recovering. It was also reported that since the vaccination, the patient had not been tested for COVID-19. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349455	5/26/2021	ME	59	F	4/23/2021	4/23/2021	Tingling pins and needles on my hands; Blurred vision; This is a spontaneous report from a contactable consumer (patient) from COVAES. This 59-year-old non-pregnant female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; lot number ER8733) via an unspecified route of administration in the left arm on 23Apr2021 at 11:30 (at the age of 59-years-old) as a single dose for COVID-19 immunisation. Medical history included penicillin and shellfish allergies, both from unknown dates and unknown if ongoing. The patient had not received any other vaccines in the four weeks prior to the COVID vaccine. Concomitant medications included prednisone from an unknown date for an unknown indication. The patient previously received the first dose of BNT162B2 (lot number not reported) on 02Apr2021 at 11:30 (at the age of 59-years-old) for COVID-19 immunisation. The patient reported the evening of her vaccination she noticed some blurred vision and tingling pins and needles on her hands on 23Apr2021 at 18:00. She reported that because she was concerned about it, she kept watch of it until she fell asleep and in the morning she called her doctor's office who suggested she go to the emergency room for possible neurological effects. The events required an emergency room and physician office visit. The clinical outcomes of blurred vision and tingling pins and needles on her hands were recovering. It was also reported that the patient had not been tested for COVID-19 since vaccination. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349450	5/26/2021			F	4/1/2021	4/1/2021	Her vision in her left eye became blurry; Started out as if she had pink eye or conjunctivitis; Arm soreness; This is a spontaneous report from a contactable consumer (patient). A 58-year-old female patient received dose 2 of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE) via an unspecified route of administration on 01Apr2021 as a single dose for COVID-19 immunization. Medical history and concomitant medications were not reported. The patient previously received dose 1 of BNT162B2 on an unspecified date as a single dose for COVID-19 immunization and experienced arm soreness. Nine days after the patient received dose 2 of BNT162B2 (10Apr2021) the patient experienced vision in her left eye became blurry and she couldn't see because it was completely blurry. It started out as if she had pink eye or conjunctivitis. She normally did not wear glasses except for reading but now the vision was blurry. She also had arm soreness on an unspecified date. The outcomes of arm soreness, conjunctivitis, and blurry vision were unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349420	5/26/2021	MA	44	M	4/8/2021	4/8/2021	Fainting; Remained unconscious for a few seconds; Sweating; Minor tightness in the chest; Blurred vision; This is a spontaneous report was received from a contactable consumer (patient). A 44-years-old male patient received BNT162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Lot Number: ER8734), via an unspecified route on 08Apr2021 at 13:15 as 1st dose, single in the left arm for covid-19 immunisation. The patient's medical history was not reported. The patient's concomitant medications included Betamethasone Dipropionate Cream USP 0.05%. The patient had known allergies with Keflex (cephalexin). Prior to the vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. The patient did not receive any other vaccines within four weeks prior to the vaccination. On 08Apr2021 (5 minutes after vaccination), the patient experienced sweating, minor tightness in the chest and blurred vision followed by fainting and remained unconscious for a few seconds. After regaining consciousness, continued sweating for maybe 10 minutes. The patient visited emergency room. The patient did not receive any treatment for the events. On an unspecified date in APR-2021, the patient had recovered from the events.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349384	5/26/2021	NJ	42	F	3/4/2021	3/4/2021	MY EYE BROWS SWELLED; DIZZINESS; CRAVED BLACK LICORICE LIKE MAD; MASSIVE EYE TEARING; HAD A RIGHT SIDED FRONTAL HEADACHE; POST NASAL DRIP; I FELT LIKE I WAS AT HIGH ALTITUDE WHICH LASTED FOR 36-48 HOURS.; This is a spontaneous report from a non-contactable non-health care professional. A 42-year-old female patient received BNT162B2 (Pfizer BioNTech Covid 19 mRNA Vaccine) (Lot/batch no: EN6199) dose number 1 via unspecified route of administration on left arm as a single dose for COVID-19 immunisation on 04Mar2021 at 06:30 PM (at the age of 42-year-old). Medical history included allergy to gold. Concomitant medication was not provided. Reported patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19 and since the vaccination, the patient had not been tested for COVID-19. The patient experienced dizziness within the first 15 minutes. Within the first hour her eye brows swelled and she had a right sided frontal headache. 2 hours later she felt like she was at high altitude which lasted for 36-48 hours. The swelling broke during the night with massive eye tearing and post nasal drip. She craved for black licorice like mad on 04Mar2021. The action taken was not applicable. Therapeutic measures were taken as a result of events and included self-treatment with ice pack, tylenol, and clairitin from an unknown date. The patients recovered from the events dizziness, eye brows swelled, frontal headache, massive eye tearing and post nasal drip was recovered. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349638	5/26/2021	CA	40	F	4/9/2021	4/9/2021	Left arm numbness; hand tingling; left jaw pain; Left side of face and scalp began to burn; Internal tremor of the brain; dizziness; This is a spontaneous report from a contactable consumer reported for herself. A 40-years-old non-pregnant female patient received second dose bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE,; solution for injection, Batch/Lot Number: Er8730 and Expiration date was not reported), via an unspecified route of administration, in right arm (age at vaccination 40-year-old) as 2nd dose, single for covid-19 immunisation and patient received first dose bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE,; solution for injection, Batch/Lot Number: En6208 and Expiration date was not reported), via an unspecified route of administration, administered in right arm on 19Mar2021 09:45 AM for covid-19 immunisation. Medical history included hypervitaminosis, migraines, and prior to vaccination, patient was diagnosed with COVID-19. The patient was allergic to Levaquin. Concomitant medications that patient received within 2 weeks of vaccination included ferrous citrate (IRON [FERROUS CITRATE]). Facility where the most recent COVID-19 vaccine was administered in hospital. Patient did not receive any other vaccines within 4 weeks previous to the COVID vaccine. Prior to vaccination, patient became now not diagnosed with COVID-19. Patient underwent laboratory test which includes nasal Swab Pcr, covid test on 11May2021 and the result was pending. On 09Apr2021 10:00 the patient experienced left arm numbness 5 minutes after injection, hand tingling, left jaw pain. Left side of face and scalp began to burn one day after injection. Internal tremor of the brain and dizziness. Treatment was received for all event as medical supervision from hospital staff. Since the vaccination, the patient was not tested for COVID-19. The outcome of events was not recovered. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1349523	5/26/2021	OH	65	M	4/13/2021	4/15/2021	<p>This is a spontaneous report from a contactable consumer (patient). A 65-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), dose 2 via an unspecified route of administration, administered in left arm on 13Apr2021 08:15 (lot number: EW0162) at the age of 65 years old, as 2ND DOSE, SINGLE for COVID-19 immunisation. Medical history included PKD (Polycystic kidney disease), hypertension, enlarged prostate, meningioma, swollen retina, and allergies to ace inhibitors. Concomitant medications received within 2 weeks of COVID vaccination included eplerenone; tamsulosin; metoprolol; amlodipine; all taken for an unspecified indication, start and stop date were not reported. Historical vaccination included bnt162b2 on 23Mar2021 at the age of 65 years old for COVID-19 immunization (product=COVID 19, Brand=Pfizer, lot number=ER8732, administration time=08:15 AM, dose number=1, vaccine location=Left arm). The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. According to the patient, he experienced "severe visual distortion starting two days after second shot (15Apr2021 at 08:00 AM). Blurriness and extreme horizontal distortion, with some vertical as well. Letters appeared crooked and having a melting drippy appearance. Straight lines appeared severely crooked. The severe distortion lasted 2 1/2 weeks, however my vision is still blurry in my right eye. All effects were in the right eye." The events resulted in Doctor or other healthcare professional office/clinic visit. Unspecified treatment was given. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. The patient underwent lab tests and procedures which included angiogram: unknown results on 2021, and 3 scans of the eyes: unknown results on 2021. The patient has not recovered from "blurriness/vision is still blurry in my right eye". The patient recovered from "severe visual distortion starting two days after second shot/extreme horizontal distortion, with some vertical as well. Letters appeared crooked and having a melting drippy appearance. Straight lines appeared severely crooked" on May2021.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1351687	5/26/2021	CT	29	F	5/24/2021	5/26/2021	Severe visual aura on left side obscuring vision. 2 days after vaccination. I had exactly the same symptoms after the first shot except 5 days later (first shot was 04/28/21 lot number EW-0172, migraine 05/03/21 around 6:30pm). That time the aura was worse and was accompanied by a very severe headache with nausea. Auras were abnormally severe in comparisons with those I had previously experienced.
1351900	5/26/2021	OR	15	F	5/26/2021	5/26/2021	Patient received c19 vaccine Pfizer - lot EW0178 at 1437 on 5/26/2021 At 1443, patient was given 0.15mg Epi in left thigh due to reaction. BP 104/68 P: 63 O2: 97% RA (laying) BP 101/70 P: 88 O2: 98% RA (laying) Patient was seen with her head back in her chair, then sliding down the chair with her eyes rolled and unable to breath. RN assisted Patient mother at side Lab Mgr present Patient was kept on the floor until 911 arrived for EMS transport to Hospital.
1351899	5/26/2021	CA	34	M	5/25/2021	5/25/2021	Muscle aches, ocular pressure behind the eyes, chills, fever, soreness, gas and bloating, frequent urination, dizziness, faintness, difficulty moving, head ache, suboccipital pressure / muscle tightness, nausea.
1351889	5/26/2021	NJ	12	M	5/26/2021	5/26/2021	26 minutes after receiving the vaccine patient complained of headache, weakness of limbs and visual disturbances. Had not eaten or drank fluids since 12noon today. Given water and a belvita cracker which he consumed without issue. Continued to monitor VS were stable (BP 118/76 and pulse 106) and pulse ox 98%. When symptoms continued past 1 hour with no significant improvement EMS were called and patient was transported to the Emergency Room.
1351859	5/26/2021	CA	29	F	5/26/2021	5/26/2021	Patient works at the store and after receiving IMZ at 1pm returned to pharmacy stating she was not feeling well. She was blurry eyed and was short of breath with an itchy throat. She stated she had allergy to fish and recently had allergic reaction. She had used an EpiPen before in November. She was given diphenhydramine 50mg and an EpiPen 0.3mg AutoInjector and we called 9-1-1. Paramedics arrived and attended to her.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1351850	5/26/2021	CT	46	M	5/19/2021	5/19/2021	Within 2 minutes of receiving shot, overwhelming deadening of sound, blackness in eyes, full body sweats, full body discomfort, very close to fainting for first 6-8 minutes. As those symptoms started to diffuse severe muscle cramping started in opposite arm of shot, moved thru body. Within 15 minutes the only symptoms left were the muscle cramps. Those continued for several days. Still lingering today, a week later.
1351725	5/26/2021	NY	20	F	5/26/2021	5/26/2021	Patient received Janssen covid19 vaccine, she was sitting in post-vaccination waiting area, when she became little headed. Patient closed her eyes and slumped over in chair and fainted. We brought patient to the floor and she came to. Patient stated this commonly happens after vaccines or giving blood as she has anxiety of both. She also stated she did not eat anything all day. Patient was given ice pack and remained in post vaccination waiting area for 30 minutes. Patient stated she felt fine shortly after laying down on the floor.
1351590	5/26/2021	CA	20	F	5/21/2021	5/21/2021	Loss of hearing and vision, everything dizzy for about 15 minutes Fainted Lips turned grey
1351694	5/26/2021	PA	15	M	5/26/2021	5/26/2021	After 15 minute observation period patient experienced weakness in arms and legs, sweating, loss of vision, and pupil dilation. Patient was brought back to the pharmacy around 6:15pm, after a few minutes of sitting the patients pupils returned to normal and the patient regained vision. After 15 minutes the patient was able to stand without issue. An ambulance was called, paramedics monitored the patient and took the patient to a near by hospital.
1352114	5/26/2021	MA	56	F	4/17/2021	4/17/2021	I was taken to a corner away from the conference room. I was close to the exit where the ambulance was in the parking lot. I received the COVID 19 vaccine in my left deltoid. Suddendly I felt very flush as if my blood was leaving my face. My face and throat began to swell. I could not speak. My hand and feet were tingling. I felt very dizzy as if I was swaying. I could not sit up in the chair. I heard people speaking they seemed far away. My lips were and eyes lips twitching and continues to swell. Place in ambulance heard them say my BP 180/120. While in ambulance was given Benadryl 50mg IM in right deltoid. Thet could not find IV access. Ambulance moving so fast shift in back and forth. I was held at hospital.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1351678	5/26/2021	OR	21	F	5/13/2021	5/22/2021	Bell?s palsy: numb right half of face and tongue. Started as a numb tongue with no taste and next day turned into my whole jaw and cheek being numb. Now my eye won?t close, right facial paralysis. There?s also pain behind my ear along with sensitivity to loud noises.
1351654	5/26/2021	TX	15	F	5/23/2021	5/24/2021	Vaccine was given 5/23, on 5/24 she felt a heaviness in her chest, this persisted to 5/25 when she felt like she could not eat. When she told her mother that's when mom noted the facial droop and took her to ER for evaluation. There she was given steroids and a prescription for eye drops and oral steroids. She has not taken the oral steroids at this time but nearly all of her symptoms have resolved.
1351640	5/26/2021	IN	47	F	5/24/2021	5/24/2021	High fever, muscle aches and stiffness, nausea, headache I, blurred vision.
1351627	5/26/2021	IA	68	F	3/29/2021	3/29/2021	Itching right arm around 5:30 pm then spread to whole body by 7:00 pm with Rash on right side of chest near right breast. Also felt dizzy/spacey. Slight headache till early Friday, April 2 at 7:00 - I felt mostly norm at one second and the next I suddenly had a severe headache and the right eye started tearing like I was sobbing profusely and right nostril started running like a faucet. This lasted through Sunday evening.
1351612	5/26/2021	HI	33	F	4/7/2021	4/21/2021	Severe migraine, pain at top of neck & blurred vision and "seeing stars" after orgasms. Occurrences on 04/21/2021 & 04/22/2021 Sexual activity has been avoided since.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1351607	5/26/2021	MI	81	F	3/29/2021	5/3/2021	81-year-old female with past medical history of hypertension, chronic respiratory failure on 2 L oxygen at night, asthma, depression, anxiety, atrial fibrillation, coronary artery disease, who presented to the hospital complaining of a shortness of breath. The patient reported that she was vaccinated for a COVID-19 couple months ago 2nd shot, again presented to the hospital for a shortness of breath getting worse for the last 2 days. The patient has been in contact with and exposed to a positive COVID person, her husband, and he is in the ICU. Vitals were T-max 98.6, heart rate tachycardic, tachypneic, and blood pressure 150/100. The patient had a chest x-ray, which showed a congestion as well as right perihilar infiltrate. Patient was in the ER on BiPAP. She denied any headache. No dizziness. No blurry vision. No difficulty swallowing or difficulty hearing. No chest pain. Reported shortness of breath with some chills. No fever. She denied abdominal pain. No nausea or vomiting. No change in bowel habits or urination habits. Diagnosed with COVID on 5/3/2021 prior to admission.
1351715	5/26/2021	FL	69	M	5/13/2021	5/17/2021	Fever (100.2) chills, aches, vomiting, SHINGLES over left scalp forehead, nose and LEFT EYE. diagnosed 5/18 -----ON GOING as of 5/26 Treatment: VALACYCLOVIR, PREDNISOLONE DROPS, COMBIGAN DROPS

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1352383	5/26/2021	MA	45	M	4/28/2021	5/1/2021	From hospital discharge summary: "45 y.o. right-hand-dominant male who presents with few hours of improving left arm heaviness/left hand cramping in the setting of getting his second Pfizer COVID-19 vaccination in his right arm 3 days ago and 3 weeks of mildly increased exercise/intermittent fasting. The patient reports getting his first Pfizer COVID-19 vaccination on April 7, 2021. Reports some mild symptoms afterwards. Around that same time, the patient reports having a checkup with his primary care doctor that was notable for a cholesterol elevation to 200. This prompted him to try and lose weight including intermittent fasting and increase in exercise, especially for exercises and cardio. The patient reports approximately 20 pound weight loss over the past 3 weeks. 3 days ago, the patient reports getting his second Pfizer COVID-19 vaccination in his right arm. Reports fever (maximum 103 Fahrenheit) and mild headache the subsequent 2 days after the vaccine. Last night, the patient went to sleep on his left side at around 8 PM. He woke up at 4 AM with significant left arm heaviness and left hand cramping. He tried to massage his hand with some slight improvement of the symptoms but otherwise the symptoms persisted. Hence, this morning, he called his PCP, who told him to come into the ER for further evaluation. Here, the patient reports improving left arm heaviness/left hand cramping. He also does report family history of heart attack and an uncle at a similar age and massive heart attack of his grandfather in their 60s. He denies fever, anorexia, unexpected weight change, headache, blurry vision, sinus pressure, cough, hemoptysis, orthopnea, PND, SOB, DOE, chest pain, pleurisy, changes in taste/smell, N/V/D, abdominal pain, flank pain, urinary sx's, genital sx's, black stools, incontinence, absence of flatus, calf pain, leg swelling, numbness/tingling, streaking redness/rash/skin changes, easy bruising. Also, deny history of HTN, DM, smoking, prior MI, prior PCI, prior CABG, prior TIA/CVA, or history of PAD. Further, denies recent trauma/fall, history of cancer, blood thinner use, recent drug use, recent travel, sick contacts, family history of connective tissue disease/congenital aortic anomaly, or family history of similar sx's. --- Hospital Course by Problem # Troponinemia (Likely myopericarditis) The patient has a family history notable for MI and CABG in relatives aged 50-70 on his mother's

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							side. The patient notes that most of these family members were heavy smokers and drinkers, which he is not (never-smoker, rare EtOH, never illicit drugs). His symptoms are notable for L arm heaviness/cramping that began around 8pm on 4/30/21 at 9/10 severity and subsequently was 3-4/10 severity on presentation to ED and is 0-1/10 severity at time of admission to the floor; he has no associated numbness, weakness, coolness, or pallor. His symptoms are non-exertional. He denies CP, SOB, lightheadedness, nausea, jaw pain, abdominal pain, fatigue. He notes that he recently got the second COVID shot in the R arm, and had a post-vaccine course notable for Tmax 103 ~3d ago and 101 as recently as yesterday. His EKG was notable for ST-elevation in II/III/aVF and his troponins were elevated 305 -- > 298 -- > 328. Of note, his CRP was elevated at 69. The patients symptoms and findings could certainly be compatible with atypical ACS and, given the low risk of bleeding associated with heparin, he was treated conservatively upon admission with heparin infusion, metoprolol tartrate 6.25mg q6h, atorvastatin 80mg (he received ASA 325mg in the ED). However, given his recent covid vaccination and elevated CRP and reported fevers, this could also be compatible with myocarditis or other inflammatory etiology. TTE on 5/3 demonstrated preserved EF 55% with no WMA. Given reassuring TTE, a cMRI was ordered to assess for myocarditis vs scar tissue from recent ischemic event. Cardiac MRI on 5/5 was notable for finding consistent with myopericarditis (see below). Aspirin and atorvastatin was stopped on discharge. Patient was discharged with metoprolol 25 mg daily.~~
1350866	5/26/2021	WI	21	F	3/27/2021	4/5/2021	blurred floaters in vision appeared a week or so after vaccination. Went to eye doctor about 3 weeks after vaccination and no cause was found and no treatment was given.
1350869	5/26/2021	WI	44	M	5/18/2021	5/19/2021	the first 36 hours was normal pain with flu type symptoms, now there's vision changes and I had to go to the ER because it was really bothering me. They only helped with the anxiety and did an eye exam. It seemed to have gone away some but now it's coming back and it's like having dirty contacts in and having hypersensitivity to light and dark textures.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1352720	5/26/2021	CA	14	M	5/26/2021	5/26/2021	My son started sweating profusely few seconds after the vaccine injection was administered. He felt intense heat all over his body and his vision blurred. The symptoms lasted for about 20 minutes.
1352539	5/26/2021	MO	43	M	5/21/2021	5/21/2021	Pt. Had glucose level drops. Down into 60's with no previous issue with hypoglycemia, pale skin in face. Severe fatigue, low blood pressure readings of 112/60 and 110/90. Hot flashes and nausea. Non-coherent with glassy eyes with no awareness. Fluctuations in symptoms and slept for Three days in and out. Pt. Took approx. Three days to feel back to himself.
1352531	5/26/2021	CO	35	F	5/10/2021	5/10/2021	Blurred, dimmed vision in left eye and tremors in left hand. Tremors began one week after injection so may be unrelated. The blurred and dimmed vision began almost immediately after injection and was significantly worse the following morning.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1352517	5/26/2021	OH	25	M	4/13/2021	4/17/2021	4/13: vaccine - Pfizer 4/14-4/15: arm sore 4/17: wake up in morning with calf twitching for prolonged period, went back to sleep 4/17-4/19: muscles in my body continue to twitch, mainly legs and arms 4/19: right eye begins to twitch 4/22: stopped drinking coffee and alcohol, began drinking much more water than normal to hydrate 4/27: drank alcohol for first time since I stopped Twitching has not subsided or become better or worse in this previous timeframes 4/28: right eye didnt twitch that much during the day 4/28: playing video games and getting frustrated caused the my eye and hand to twitch 4/29: had coffee for first time, eye twitch was worse than normal In the late afternoon (last time drinking coffee until today 5/26) 4/29: abs twitched for first time 5/1: left eye begins twitching 4/30-5/1: tingling in right hand pinky finger like hand is falling asleep 5/1-5/2: went to bar 5/3: sneezed and both eyes began twitching (I had sneezed before and this has happened, this is the first note I had written) 5/4: I went to my primary care doctor and shared these notes. Stopped taking notes since. Doctor had me take a blood test (see below) as well as referred to a neurologist for an EMG. 5/4-5/26: I've since been on some extra vitamins (b12 and d, as my b12 was on the low side but not outside the recommended range and d was also low) and have not seen any decrease or increase in symptoms. Some days are better than others. My right eye has stopped twitching, but I continue to have it throughout my body in my arms, back, legs, feet, left eye. I've been on an average diet since the beginning of march.
1352727	5/26/2021		33	M	5/1/2021	5/24/2021	Seizure with loss of consciousness, but without passing out, lasting shorter than 2 minutes with no prior history of seizures. Other present symptoms included: aura including heightened fear, visual and auditory abnormalities, loss of awareness, loss of muscle control in face and neck, staring episode, breathing difficulties/gurgling, and loss of bladder control. All symptoms subsided upon regaining consciousness/awareness.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1352398	5/26/2021	MN	15	F	5/26/2021	5/26/2021	About 5 minutes after receiving her vaccine, patient described feeling light headed, had hearing and visual disturbances, felt like she might pass out. after several minutes of sitting with head between her leg, those symptoms went away but she said she had developed a headache. At time she left pharmacy she said she felt ok other than her headache.
1351918	5/26/2021	CA	19	F	5/26/2021	5/26/2021	Client received 2nd COVID vaccine of Pfizer (Lot# EW0185 expiration date 06/24/2021). Client reported nausea and upset stomach at 1528. EMT and EMT responded to this event. RN was notified and responded at 1529. At 1529, vital signs are blood pressure 122/84, heart rate 88, oxygen saturation 97%. Client reports a history of anxiety and insomnia. Client reports current medication usage of Alprazolam, Ambien, Zoloft (sertraline) Sonata, and Zalephon. Client was offered supplemental nutrition and fluids. Client denied nutrition, but accepted fluids. RN educated Client about ED precautions and common adverse effects of the COVID vaccines. At 1540, vital signs are blood pressure 124/90, heart rate 84, oxygen saturation 99%. Client denies shortness of breath, no chest pain, no blurred vision, no headache, no lightheaded. Client reports "stomach feeling better" while drinking water. At 1550, vital signs are blood pressure 122/90, heart rate, 91, oxygen saturation 99%. Client reports "my stomach is improving", reports no nausea and continues to drink water. At 1600, vital signs are blood pressure 119/90, heart rate 86, oxygen saturation 98%. Client reports no new symptoms and that all past symptoms have resolved. At 1604, Client stood up with no complaints and states "I am ok to drive myself". Client walked out of facility with a steady gait.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1352381	5/26/2021	CA	55	F	5/11/2021	5/11/2021	<p>Client received the 1st dose of Pfizer COVID vaccine (lot # EW0182 and expiration date 5/15/21) at 2:47pm. Client walked over to EMT to report that she was having pain on the opposite arm where vaccine was given and that she would like her blood pressure taken (vaccine given in left arm, pain in right arm). PHN finds patient alert and oriented x 4 sitting in a chair. Client reports she had been waiting 20 minutes in observation. Client reports a history of hypertension. Per client, she was not sure about taking her nifedipine, so she did not take her medication at the regular time. Client states she takes Losartan and took it this morning. Client denies any chest pain, headache, blurred vision, dizziness, or shortness of breath. At 3:14pm vitals: blood pressure:173/103, pulse:60, and oxygen: 98%. At 3:20pm vitals: blood pressure:161/106, pulse:60, and oxygen:99%. Client reports no symptoms. PHN came to speak to client and patient reports she has her medication with her and took it out of her purse. Client thought she should not take medication because she was getting the vaccine. Client also stated when she does not take her medication 160-180 systolic is her regular blood pressure at home. PHN let client know that she should take medication as prescribed. Client took 2nd dose of hypertension medication (Nifedipine) at 3:24pm. PHN recommended client to stay for further observation as blood pressure is high. At 3:25pm vitals: blood pressure:155/94, pulse:63, and oxygen:99%. Client reports no more arm pain on right arm and that "she was a little nervous about the vaccine and that her blood pressure goes up easily.". At 3:30pm vitals: blood pressure:160/99, pulse:66, and oxygen:98%. Client reports she is feeling better and was provided with ER precautions and to notify her provider about her blood pressure readings. Also recommended client eating and taking medication prior to dose #2. Client reports no shortness of breath, no headache, no arm pain, no chest pain, no blurred vision. At 3:38pm, vitals are: blood pressure: 152/99, oxygen:99, and pulse:60. Client reports no symptoms. At 3:44pm vitals: blood pressure: 148/99, pulse: 60 and oxygen: 98%. Client walked out with a steady gait at 3:46PM.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1352365	5/26/2021	CA	52	M	4/6/2021	4/12/2021	Tinnitus in left ear started the Monday after the vaccination, I have also had what I can only describe as "fuzzy brain" indicated by a difficulty concentrating on complex projects. I have also been experience intermittent headaches and pressure in my head. My left eye started watering and feeling irritated.
1352355	5/26/2021	CA	15	M	5/26/2021	5/26/2021	Nurse was giving pt the vaccine and pt was replying to questions well before the injection. After injection, pt rolled his eyes back and head went back. Dad came in and stated that this was normal and that it occurs sometimes from injections. Nurse rubbed pt's back and propped his legs up on a chair. Pt drank water and rested and slowly felt better. After about 20 minutes, pt felt fine and was able to walk out.
1352150	5/26/2021	WA	14	M	5/26/2021	5/26/2021	5/25/21 @ Approximately 12:03 pm, 14 year old Patient fainted while waiting in vaccination waiting area after his first COVID-19 vaccination (Pfizer). Patient stated that he started to have ringing in the ears and some blurred vision. Patient's father instructed patient to lay down on the three chairs in vaccination waiting area. At this time store employee came out to assist patient and patient's father. I (employee) came out to assist moments later when I saw what was happening (I had just finished a consultation with another patient). We elevated patient's legs, put and ice pack under his neck, and called 911. Patient was awake but not very talkative. Patient was very alert and talkative in Clinical Service room at the time of immunization, which was a big change from how he was immediately after fainting. Patient appeared sweaty and pale in color. Patient's blood pressure was taken at 12:09 pm and was 88/51 pulse 53 (patient was still laying down at this time). Respiration rate was 20 breaths per minute. At 12:12 pm blood pressure was taken again as patient appeared more responsive and talking more. His BP was 101/63 and pulse 63. Immediately after second blood pressure reading, EMS arrived and they took over. Patient was responsive and drink water and sitting up at this point. EMS checked patient out and was cleared shortly after. EMS stated that this will not defer patient from getting his second COVID vaccination. Before patient left he was continuing to drink water and was eating some crackers.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1352147	5/26/2021	IL	37	M	5/26/2021	5/26/2021	<p>SHORTLY AFTER RECEIVING VACCINE (APPROXIMATELY 1/2 MINUTE) PATIENT FAINTED. HE SLOWLY SLID OUT OF CHAIR AND I (PHARMACIST) CAUGHT HIM GOING DOWN AND HE LANDED ON HIS LEFT SIDE, ALMOST FACE DOWN. I SHOUTED OUT HIS NAME SEVERAL TIMES, ROLLED HIM ON HIS BACK, AND CHECKED FOR BREATHING. NO BREATH SOUNDS OR CHEST RISING, COULD NOT FIND A PULSE, AND THEN HIS EYES ROLLED UP AND BACK. A STORE CUSTOMER CALLED 911 AND I BEGAN COMPRESSIONS. AT COUNT 20 HE BEGAN TO MOVE AND TRIED TO TALK. STOPPED COMPRESSIONS, AND ROLLED PATIENT ON HIS LEFT SIDE. I WAS ABOUT TO CHECK BLOOD PRESSURE WHEN PARAMEDICS WALKED IN AND TOOK OVER. PARAMEDICS CHECKED VITALS, TEMPERATURE, BLOOD GLUCOSE AND RAN EKG. THEY SAID THEY COULD NOT SHARE RESULTS WITH ME, BUT STATED PATIENT REFUSED TO GO TO THE ER/HOSPITAL. AFTER ABOUT 30 MINUTES PATIENT WALKED OUT OF THE STORE ON HIS OWN.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1352121	5/26/2021	NM	59	F	3/15/2021	3/15/2021	Within 2 minutes and her heart rate was over 112 beats per minute. Also felt dizziness, lightheaded, vertigo, brain fog, tinnitus, rash on upper back, puffy red lips, white spots on the soles of the feet, stomach cramps, had problems forming sentences, had a hard time even trying to call husband, itchy eyes, felt itchy and hot on her injection arm, had difficulty breathing, had to take deep breaths, chills, freezing, headache, tongue started to swell, neck started to swell in the thyroid area, started to feel tired and sleepy, had to get assisted to the bathroom, the walls started to move in. The patient took Claritin 1 hour and a half because they didn't want to give her her epi pen because her heart rate was too high and she is allergic to Benadryl. Stayed at the site for 2 hours, drank a lot of water, couldn't walk and she had to stay in a wheelchair. She said it took around 2 weeks to feel normal. She had spells of feeling dizzy and confused with brain fog for 2 weeks. Felt tinnitus for around 10 days after the vaccine. tinitis lasted 10 days brain fog 2 weeks: didn't know how to figure out how to turn car on. fatigue lasted about 4 weeks white spot on feet went away 2 weeks.
1351906	5/26/2021	TX	70	F	5/15/2021	5/15/2021	Patient received 2nd Moderna shot on 05/15/2021 and started feeling eye pain and believes her glaucoma to be worse now.
1352516	5/26/2021	CA	65	M	2/27/2021	2/27/2021	A few hours after my second shot I got a mild headache, tired, and a bit blurry vision. The next day things got worse with high fever, bad headache, and very tired. The bad side effects went away after 4 days but since then I often feel tired with a mild headache and a little chest pain now and then. Before my vaccination, I played tennis 3 times a week, each time I played about 2 to 3 hours continuously without feeling tired. But after the vaccination, it takes only 15 to 30 minutes for me to run out of breath so I have to slow down to catch my breaths. My stamina is adversely effected after my vaccination . I'm afraid that I have a case of Myocarditis, a condition similar to Pericarditis, which is an inflammation of tissue surrounding the heart, that caused by the vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1350994	5/26/2021	CA	33	F	5/25/2021	5/25/2021	Pt reported feeling nauseous a few seconds after receiving the vaccine. Patient vomited X3. (11:10 am, 11:25 am and 12:10 pm). Pt reported that her eyes feel heavy (this feeling went away 8 minutes after receiving the vaccine), reported mild headache and tiredness, reported that she did not eat or drink anything since last night (she last ate at 9pm, 5/24/21). Pt did not show any signs of respiratory distress, no swelling of the throat, mouth, or face, respiratory rate was within limit X3 Vital signs X3 WNL pt.'s baseline 11:15 - BP 136/85, HR, 88, temp 97.7,RR 15 11:35 - BP 129/89, HR 70, temp 97.8, RR 16, 11:55 - BP 128/86, HR 75, temp 97.8 RR 14
1351176	5/26/2021	OH	27	F	3/14/2021	3/24/2021	pt states her heart started beating out of control. She was SOB and had some burning and pain in her chest. Her heart rate was 235. She went to the Hospital ER. They did lab work (troponin levels were high), CT and EKG (abnormal results). She was given O2 and was given a medication. Her DX was Supraventricular Tachycardia. She was released to go home w/ supervision. She was told to FU w/ a Cardiologist. She saw a doctor on 4/7/2021. She had EKG and echo. Both test were normal but pt was told she could have another episode. She will FU in 6 months.
1351127	5/26/2021	NY	23	M	5/25/2021	5/25/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Exhaustion / Lethargy-Medium, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Medium, Systemic: Visual Changes/Disturbances-Medium, Additional Details: Adverse event included loss of color in face (patient turned white) including lips, eye rolled upward staring at ceiling, patient slouching on bench until flat on back on bench (head in mother's arms); patient remained like this for at least a couple minutes while mother was yelling for help; patient eventually regained focus and comforted mother in return; patient reported could not see well and experienced dizziness and still had complete loss of color in face; epinephrine pen was not used.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1351102	5/26/2021	PA	34	F	5/16/2021	5/16/2021	Dx Headache ? Sore Throat ? Fever ? Eye Problem ? Cough ? Covid-19 Screening ? Nasal Congestion Sore throat Acute nonintractable headache, unspecified headache type Fever, unspecified fever cause Cough Nasal congestion with rhinorrhea At increased risk of exposure to COVID-19 virus Conjunctivitis due to COVID-19 Vagal reaction
1351074	5/26/2021	AZ	67	F	3/31/2021	4/22/2021	April 22, about 7 pm, vision was way off, blurry and even lost to the far left in my left eye. Woke up on the 23rd confused, I had a maintenance coming to the house and when they called, I had no idea who they were....thank the Lord they called 911. EMT's came and took me to the hospital where I stayed for 5-days. Diagnosis: Hypertension; Embolic stroke
1351073	5/26/2021	RI	22	M	5/22/2021	5/22/2021	pt started feeling dizzy and blurry vision a few minutes after vaccination. Dr observing instructed him to rest on the floor. BP low, felt cold hands. His BP increased and he stopped feeling dizzy/blurry vision a few minutes after laying on the floor w feet elevated on chair. Police detail called resucue team, but patient was feeling normal by the time paramedics arrived. Was able to stand up and sat under observation for several more minutes before leaving clinic.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1351041	5/26/2021		60	M	4/21/2021	4/21/2021	Per triage notes on 4/21/21: Pt had his 2nd COVID vaccine today at 0800. At 0900 developed lip swelling. Took two doses of Benadryl and has now developed chest tightness and throat swelling. Per doctor's notes: Patient is a very pleasant 60-year-old gentleman who comes in for evaluation after a possible allergic reaction today, possibly related to a second dose of Pfizer Covid vaccine that he got at 8 AM this morning. About an hour later he started to feel flushed. He felt like his face was warm and his ears were warm. He started to feel like the inside of his mouth had filled with a rubber ball. His tongue felt full and he started noticed progressively that he felt like he was having difficulty swallowing. States that he never actually had any lip swelling, contrary to the triage note, just felt funny in the interior of his mouth. Did feel like his tongue was slightly swollen, both based on the fact that it felt "thick" when he was talking, and on direct inspection, as well. Took 50 mg of Benadryl around the time that his symptoms started, and lay down to nap for a little while. When he woke up he was still feeling like he was having more difficulty swallowing. He also felt like his face was a little bit puffy, prickly under each eye. He also felt like he had a blotchy rash on his chest and upper back, which his wife corroborates. He felt like his chest was a little bit tight and that something was heavy on his chest, though he was not wheezing or acutely short of breath, per se. Took another 50 mg of Benadryl at about 2:15 PM, and presented to the emergency department for further evaluation. Currently still has a little bit of chest tightness and throat tightness. He feels flushed. Symptoms have not worsened, but they have not completely resolved, either. He has had anaphylaxis in the past and has had to be admitted to the hospital. And this was in relation to taking doxycycline, it sounds like. Patient presented again to the ED on 4/22/21 with the same symptoms. He was admitted with anaphylaxis. Per ED notes, also diagnosed with Angioedema, improved. Likely related to second covid vaccine. Cant rule out secondary to Lisinopril.
1351187	5/26/2021	TX	49	F	5/21/2021	5/23/2021	Irregular rash/hives on torso, groin, inside of right elbow. Left eyelid, left side of my neck, inner thighs

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1351026	5/26/2021	OH	25	F	5/22/2021	5/22/2021	Site: Redness at Injection Site-Severe, Site: Swelling at Injection Site-Severe, Systemic: Allergic: Difficulty Breathing-Medium, Systemic: Allergic: Itch (specify: facial area, extremities)-Medium, Systemic: Allergic: Itch Generalized-Medium, Systemic: Allergic: Rash (specify: facial area, extremities)-Medium, Systemic: Allergic: Rash Generalized-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Additional Details: patient recieved vaccine at 10am. Reaction did not occur until 2 pm.
1350937	5/26/2021	FL	58	F	4/12/2021	4/30/2021	Sudden onset of multiple eye floaters and film in and over right eye. Dr. appt. within 4 days, performed tests and examination. Gave instructions come back in 3 weeks. Had second vaccine in between. Dr. retested and examined again. Only one floater remained. Received instructions to follow up in one year.
1350983	5/26/2021		44	F	5/26/2021	5/26/2021	Patient with history of stroke, blurry vision d/2 stroke, DM and PE (no longer on anticoag) took the first dose of COVID-19 Vaccine and complained about "chest squeezing". Patient reported no chest pain, just "squeezing". Observation RN reported normal HR , however, given the patient's extensive cardiac history, patient was transferred to ED for further follow-up and observation.
1350963	5/26/2021	CA	47	F	4/3/2021	4/15/2021	Twelve days after the vaccine I got a severe headache with blurry vision. I was also short of breath and my legs were swollen. I was dizzy and had body aches mostly on my left side. My left kidney was inflamed. The pain went all the way on the left side of my body from my ribs to my legs. My left leg was the most swollen. Many of the symptoms lasted for two and a half weeks. The headache lasted for three days. The first week was the worst. When I went to the ER after a week they did not find any blood clots. The aches pains and swelling in my legs came and went over the course of three weeks. I was very tired when the symptoms were present.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1350949	5/26/2021	CA	43	F	4/8/2021	4/15/2021	7 days after vaccine, "face episodes" erupt; "face episodes" = 7-10 days of eyelids swelling; upper and lower lids; entire face is burning; tiny red bumps / burning rash on face; THIS ONLY OCCURS ON MY FACE AND EYELIDS. "episode" each episode follows same phases = begins with itching of eyes, skin and eyelids weep or seem to be shiny and oily; then affected areas start to harden and dry over, face feels like alligator skin on top of it; then, affected area chaffs or peels off and reveals somewhat new skin; looks like had a chemical face peel. I have had FOUR major episodes since first Pfizer shot on 04/08/21; affected a total of 30 days on and off, so far. Latest episode ended 05/25/21. *Have pictures!
1350943	5/26/2021	MD	14	F	5/26/2021	5/26/2021	Mom reported that she has had syncopal events with shots before and the student and mom thought that she had grown out of it. Student was holding her breath while given the shot. Eyes started to roll back. RN giving the shot told her to cough and RN was tapping her her back to try to get her to cough. Ice, juice, water were given to the student. Student vomited x 1, Student rested on the cot until she felt better in about 10 minutes.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1351575	5/26/2021	CO	38	F	4/10/2021	4/10/2021	4/10 Vaccination. Within 4 hours I had body aches, fatigue, chills. 4/11 Migraine upon waking up. I took Excedrin. I had been out of my migraine medications. Rested all day. Pattern continued. 4/13 My BP had increased (200/140), racing heart, not well. I went to urgent care. They gave me migraine cocktail. I was having all over global pain and concentrated pain. Lidocaine Q-tips in nostrils as a nerve block to help with pain. The rest of the night I was ok but the next day the migraine was back. The medication was for onset of migraine but it was already there and didn't work. 4/13-4/18 migraine persisted 4/18 contacted PCM. They told me they needed to see me. I was having high BP due to the increased pain per dr. They did the same migraine treatment that day. The BP medication stayed same as they felt it was a migraine issue. They prescribed oxycodone that day. They couldn't give Toradol because I had had within 24 hours. I went home, slept and didn't work for 2 weeks. 4/18,4/21 I went to ER. Repeat of treatments for migraine. Was never fully gone when discharged. The migraine was always there, the night of the 20th I was throwing up, 21st my eyes were twitching and shaking which was new symptoms to my migraine. *This has triggered my history of migraines to flare up again since giving birth to my daughter 4 years ago.
1350899	5/26/2021	PA	31	M	4/20/2021	5/26/2021	After receiving dose 1, the patient developed a low grade fever that lasted 9 days (never more than 100 degrees F). on the 10th day, the patient developed an all over red rash, swollen lips and tongue, and trouble breathing. As patient is non-verbal, the family/caregiver reported that patient was visually uncomfortable. He was taken to a local ED and was admitted for 4 days. treatment at the hospital is unclear, but as of the day of this report, patient is stable, labs and vitals are normal.
1351961	5/26/2021	PA	47	F	3/17/2021	3/17/2021	Pt said after first dose lymph under arm felt swollen and experienced swelling. After receiving 2nd dose 2 weeks later she said her lymph system "blew up". She was in immense pain, had fluid retention and developed fluid blisters, experienced vision impairment and oil glands clogged in eyes, migraines, hair is falling out and fatigue. Patient said doctor gave her high dose steroids. She is still being treated by doctor for this. Still having multiple symptoms and trying to get them under control.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1351034	5/26/2021	IA	40	F	5/23/2021	5/26/2021	Patient was working her shift and came to the clinic for her COVID-19 vaccine on Sunday, May 23, 2021. She stopped by the pharmacy today stating she was feeling really dizzy and nauseated. Note; we had the patient take a chair outside the pharmacy due to the dizziness, she called someone to pick her up from work as she did not feel safe to drive. It was recommended that she see a physician. Also note; today the white of her left eye was bright red, she stated she poked herself in the eye by accident.
1351561	5/26/2021	WA	29	F	4/5/2021	5/5/2021	Branch retinal artery occlusion (stroke) causing vision loss. Currently taking aspirin and Lipitor as prophylactic measure while continuing to undergo extensive testing.
1351574	5/26/2021	CA	55	F	4/9/2021	4/12/2021	I was pretty sick the day after - fever, severe headache and chills. That started in the first evening of April 9th and all day the 10th. On April 11 the chills and fever went away. I had a shooting headache - for a few minutes and sometimes just for a few seconds then it would go away and that continued until the 12th. . And that kept happening for about 5 days or so. Leg pain happened on the 19th - no swelling. It got really uncomfortable and I couldn't sleep at night. I went to the doctor and he did just a visual and physical pushing etc - he thought it was nerve pain. It subsided after quite a bit after 3 days and was gone by a week.
1351548	5/26/2021	IL	46	F	2/1/2021	3/24/2021	On March 24th, I awoke from sleeping to a thunderclap headache, 6/10 pain. I tried to treat the pain with Tylenol and benadryl, but it wouldn't go away. I also developed visual aura of zig zag lines on my peripheral vision. I presented to the ER on March 26th, and they did an MRI. MRI showed multiple bilateral strokes. My hospitalist stated I should report it to VAERS.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1351535	5/26/2021	NH	54	F	2/6/2021	2/1/2021	In February I started to get these bazaar muscle spasm in my legs especially in my right leg. The spasms would move from my foot to my knees and my thighs. If i wasn't careful I would hunch down and get a charlie horse. So I decided to go see my physical therapist for the muscle spasm that were getting out of control. In the month of April in my right eye my vision started to get blurry and my eyelid started to get droopy. So I decided to go to the eye doctor Dr. who decided to run a few eye test and she said the results came back fine. I will be receiving an mri on 05/27/2021. Ptosis was the diagnostic they gave me for the droopy eye.
1351526	5/26/2021	IA	18	M	5/26/2021	5/26/2021	10 minutes following second dose administration, patient began to have blurred vision followed by syncope. After the syncopal episode, patient felt fine. Patient was provided some water to drink and is currently feeling fine.
1351460	5/26/2021	NC	27	M	4/8/2021	4/23/2021	After like two weeks, before going to bed, I started having SOB and then a full-on chaotic panic attack. Chest pain, stomach was visually twisted and hurt, felt like I had a knot in my throat and full on anxiety. It took about a week for it to start going away after one Urgent Care visit, two ER visits, and a PC visit who prescribed me with clonazepan and Prozac. When I took both of them two weeks later, my symptoms and pain finally got better, but I am still having SOB, a little fatigue, my joints hurt once in a while, digestive problems, weird chest feeling. At least the heart pains went away.
1351441	5/26/2021	MA	44	F	5/26/2021	5/26/2021	Patient received 1st dose of COVID 19 vaccine. Pt. reported some dizziness and denied having eaten anything prior to vaccination so pt was moved to cardiac chair. Approx 5 minutes after vaccination RN observed pt's eyes fluttering shut and unresponsive. Pt was unresponsive to verbal commands and sternal rub. Vitals were obtained and within normal limits, code blue called in hospital and pt transferred to ED via ambulance at approx 1325

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1351423	5/26/2021	MA	26	F	5/26/2021	5/26/2021	Within 5 minutes after the injection I could feel my tongue swell up. My throat did not close. My vision become blurred. When I got home at 4:30 I got a sudden onset of an intense headache in the front of my head by my forehead and by my temples. The back of my neck is sore and so if my arm st the injection site
1351418	5/26/2021	VA	38	F	2/25/2021	3/1/2021	Neurological symptoms: frequent migraines, dizziness, loss of balance, falls, neuropathy/numbness of limbs, vomiting, occasional slurring of speech, insomnia, occasional vision changes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1351201	5/26/2021	CA	57	F	4/13/2021	4/13/2021	<p>She got her 2nd vaccine, the initial adverse reaction seemed like what they show in the movies as narcolepsy. She felt hot and flushed and they took her temp and it was 98.6, her normal temp is 96.8 for years. She could not get out of bed, she could not keep her eyes open, she was sleeping 16 hours a day. She had no strength, she could not walk, her husband had to help her walk. On standing up she was shaky on her legs. She could not step up a step on her porch to come into her house. This lasted almost 4 weeks, and she is still trying to regain her strength. She had a 3:00 PM APT that she missed, and had to reschedule it. She went to the doctor almost a month ago to her Rheumatologist to address the pain and get rid of taking the Tylenol. He did not address her sleeping, her BP yesterday was 180/100. She had rapid weight gain, a nervous wreck, and he was concerned about her BP and he started her on a clinical ketogenic diet and stopped all sugar from her diet and was feeling about 60% better within 3 weeks and lost 19#. She went to her PCP on Thursday 5/20/21 to see if she had any antibodies as she had a severe reaction and her husband was about to unmask to spend time with his unvaccinated grandchildren and have lunch with them, and she was not comfortable at that point in time to have secondary exposure and so she went to get an antibody test to see if she needed to quarantine. They tested her and they found that she has 0 antibodies and she is the first person that they have seen that has 0. She then spoke to the rheumatologist assistant, and said that they are having antibodies tests that are coming back with a 0 due to the pain medications that people are taking. The PCP's office was shocked that she had no antibodies especially after having the 2nd vaccine. She took another antibody test yesterday and sent it back to hospital to see if there was a lab error, and is going to do another test soon and to send to another lab and if that is negative she is going to have to do a lot of research to see what she has to do to get immunity against the virus. Where she lives, they mask and still are using precautions as her state has not opened up as much as other states. She is always fully masked and maintains social distance protocol, which she has done for a year. She feels that OTC Tylenol may have affected the efficacy of the vaccine. The CDC informed her of that after she had been taking the Tylenol. She is quite</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							angry that the people that they are relying on to put out the information needed are not giving the info that is needed, such as she needed to know that OTC pain medications can cause the vaccine to not be effective.
1351378	5/26/2021	CT	56	F	4/26/2021	4/26/2021	Immunization given at 1 p.m. Only side effect noted for the reminder of the day was a mildly sore arm. Took two Tylenol about 2 p.m. At 8:30 p.m. I was sitting on the couch relaxing, watching television, and noticed that I began to feel "jumpy" and that my heart was beating unusually quickly. I went to bed at 9 p.m., and was unable to fall asleep for the reminder of the night. Symptoms remained until 6 a.m.
1351327	5/26/2021	NJ	36	F	5/25/2021	5/25/2021	Soreness on both arms simultaneously since ~10 pm- Took 2 Motrin- no effect Soreness and swelling on left arm increased ~12 am- took 2 Motrin- pain and swelling decreased a little but still can't lift arm without surge of pain Chills and hot flashes since 4 am interchangeably, Headache on and off since ~12:30 pm - took 2 Excedrin- no effect; took 2 more 4 hours later - no effect Nausea with stomach cramps at ~1:30pm- ate toast and drank herbal tea- symptoms decreased by a little Dizziness around the same time as nausea- sat down in a chair and put head down with eye closed Extreme fatigue- all-day- lots of sleep and water
1351300	5/26/2021	WI	13	F	5/21/2021	5/21/2021	Initial complaint: Feeling faint (holding head), both eyes starting to go black 1046 BP 110/70 HR 60 Said "feeling better" did not eat breakfast. Drank water and ate granola bar, vision improved. 1057 BP 115/72 HR 84 She stated she was feeling better after granola bar and water.
1351293	5/26/2021	WA	19	F	4/29/2021	4/29/2021	Sudden drop in blood pressure (systolic dropped to 80s, unsure of exact number), vertigo and lightheaded-ness, increased heart rate, fading vision and changes to hearing, tingling in extremities. Nurses started checking bp, apple juice to increase blood sugar, symptoms started to abate after 5-10 minutes. Free to go 30 minutes after vaccination.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1351238	5/26/2021	NY	60	F	5/24/2021	5/24/2021	Tongue swelling, facial numbness, rash to both arms, tachycardia, headache, eye pain, elevated b/p 210/103, dizziness, and shaky. Epinephrine given with relief of swelling within 20 min. Two hours later reports vomiting and diarrhea.
1351236	5/26/2021	NH	17	F	5/26/2021	5/26/2021	Pt diaphoretic, pale, nauseas, blurred vision, difficulty hearing, lightheaded, SOB, 10 minutes after receiving pfizer. Given water, vital signs obtained. HR low into the 50s, O2 sat 93-94%. Placed on a stretcher. After vitals obtained pt color returned and she stated she started feeling better. HR improved to 70s, O2 sat 97% on RA. BP stable throughout.
1351400	5/26/2021	MN	67	F	5/18/2021	5/25/2021	was at work inside in air conditioning on 5/25/2021 when she noticed she had blurry vision and felt dizzy. called PHN who referred her to call her doctor or go to the emergency room as these could be signs of a blood clot. PHN spoke with on 5/26/2021 and informed PHN that she went home yesterday from work and declined to go to an emergency room or doctor's office, as she has not seen a doctor in the last 10 years. was offered rides from friends and coworkers to a hospital or clinic, but declined. She went home and drank a lot of water, ate some bananas and sat still. She felt better after and that and has not had any reoccurring symptoms. See CONTINUATION PAGE. PHN expressed continued concern for her and recommended considering going to an emergency room or contacting a doctor. PHN reiterated that if she has another episode like that she should go to the hospital or clinic to be checked out.
1346581	5/25/2021	MO	67	F	5/3/2021	5/8/2021	on May 8th, 2021 reports red raised itchy rash on upper chest, face and ears. Also reports face swelling and eye swelling.. States lasted about 72 hours. States took over the counter benadryl tablets and used topical hydrocortisone cream to rash.
1346670	5/25/2021	NY	27	F	5/24/2021	5/24/2021	Site: Redness at Injection Site-Mild, Systemic: vaccine went in eye-Mild, Additional Details: when administering, needle popped off and vaccine went in immunizers eye?



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1346677	5/25/2021	MN	26	M	5/24/2021	5/24/2021	Received shot and waited for the 15 minutes as required, feeling no good with no symptoms. While driving home after leaving the pharmacy, I started experiencing light headed ness and dizziness. This eventually turned into tunnel vision which I thought was going to result in me fainting. This led me to start pulling over, but then the tunnel vision went away. During my short 10 minute drive home, this happened to me twice. After getting home, I had about 3 similar episodes during which similar light headedness happened. These all felt like they were getting close to fainting, and at one point while walking up the stairs in my house I could not stand. All of these symptoms started approximately 20 minutes after leaving the store, and then took place in a 20-30 minute timespan. Roughly 4-5 episodes in total, including the drive home and short time spent at home. No issues after lightheadedness stopped, besides feeling tired. I do not have a history of anxiety attacks due to needles. Donated blood and plasma in college, and have recieved many vaccines and never had this happen.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1346687	5/25/2021	ME	32	F	5/14/2021	5/17/2021	Burning/blistering rash developed abruptly on left arm, chest, lower legs and right arm that has continued to spread to entire body including lips and inside of nose. Numbness in hands and feet. Notes from all medical visits below. 5/17/2021 Walk-In. Patient present with a worsening rash x today. She received her second Pfizer COVID vaccine on 5/14. Patient reports a small rash at the vaccine site that evening. No worsening of rash over the weekend. Patient denies fevers, HA, ST, dyspnea. She reports a history of skin sensitivities. No new soaps, lotions or detergents. No new medications or supplements. No itching or pain from rash. She reports that her symptoms started with small, clear, "bubbles", then turn into flat, excoriated erythema. 5/19/2021 SMHC ER. 32 y.o. woman presenting with a rash. Patient had her second COVID-19 vaccine on 5-14. On 5-17 started developing a rash over her left arm at the site of the vaccine. Started with clear bubbles, that then look excoriated. She reports that they feel like they are burning. They have since spread to her chest and her back, her legs, her arms. She has put a little bit of antibiotic ointment on some of them, but this has not helped. No painful urination. Does report her eyes and her mouth feel dry. 5/19/2021 Dermatology Pt arrived from the ER admitting to significant fatigue. The burning in her skin has an abrupt onset which wakes her from sleep. She notes that starting Saturday 5/15 she has had intermittent pins and needles in her hands and feet. As of today her right foot is becoming more numb. She also notes the onset of burning at the left inside of her mouth. 5/20/2021 Dermatology. Assessment and Plan: 1. Neoplasm of uncertain behavior of skin. 32F with vesicular - petechial eruption with secondary crusting at trunk and extremities s/p 2nd Pfizer COVID-19 Vaccine on 5/14/21. Vasculitis vs DIC vs Stevens Johnson syndrome/ TENS in pt with symptoms consistent with coronavirus infection despite vaccination. SURGICAL PATHOLOGY TISSUE SPECIMEN: pending. Skin biopsies sent urgently on 5/19/21 for H&E and DIF. Prednisone started 5/19/2021 in ER: 60mg x3 d, 50mg x 3 d, 40mg x3 d, 30mg x3 d, 20mg x3 d, 10mg x 3 d (18 day taper). Out of concern for possible vasculitis compromise of the pt's kidneys I prescribed bleach baths and topical mupirocin oint rather than add systemic antibiotics for secondary infection of lesions. Given the

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							worrisome and worsening presentation, the pt and her husband agree to present to the E.R. They declined transport by ambulance and will go to the E.R. now. Number and Complexity of Problems Addressed. 1 acute or chronic illness or injury that poses a threat to life or bodily function. Mild headache last evening, no blurry vision. Extreme fatigue with effort of getting up and getting dressed Interrupted sleep with persistent burning pains at LEs, pins and needles at hands and feet and worsening blue discoloration at LEs and numbness at 2nd & 3rd rt toes. Has been able to hydrate; urine light yellow. Appetite maintained but no stool since 5/17. Pt removed IV from rt antecubital which had been left by E.R. 5/20/2021 ER. This is a 32 y.o. female with a rash that initially developed over her injection site from her second COVID vaccine received 6 days ago. The rash begins as bubbles and then appears excoriated. Described as burning and have since spread to her chest, back, legs and arms. She was evaluated yesterday at SMHC ED and Dermatology. Placed on 60 mg Prednisone and admits that the pain has not really improved. Sent here today for concern of DIC/Vasculitis/SJS. Patient well appearing, VSS. Will repeat labs, provide 1 L NACL and Oxycodone for pain. Had today's dose of Prednisone. Does have decreased DP pulses, foot mottling and decreased capillary refill. Will obtain bilateral arterial US. Discussed with Dr. who also evaluated the patient and is in agreement. Labs improved from yesterday, only mild elevation of D-dimer. Some protein in her urine. Repeat evaluation after keeping her legs covered reveals normal cap refill less than 2 seconds. Still mottled and unable to palpate DP pulses bilaterally. 5/21/2021 Assessment. Prescribed Ondansetron Hydrochloride 4 mg For nausea.
1346560	5/25/2021	NY	40	F	5/19/2021	5/19/2021	About 20 minute after vaccine was administered I felt a subtle numbness feeling to the right of my mouth. Then it was felt on most of my right cheek. It lasted the whole day and the next morning it was mostly gone. Since then my right eyelid and under eye have been a little red which isn't normal for me. Some tingling in right leg felt as well. Mainly concerned about the face sensation and not sure if I should proceed with second shot.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1346729	5/25/2021	MN	32	M	5/18/2021	5/18/2021	Moderate pain at injection site: Started within 6 hours of injection, lasting 36 hours. Felt like severe bruising. No visual signs. Minor Fatigue: Started within 8 hours of injection. Lasted 36 hours. General tiredness. No visual signs. Minor to Moderate Aching: Started 12 hours after injection. Lasted for 24 hours. Whole body aching pain with minor chills, felt like I was coming down with a cold or flu. No visual signs. All adverse events were most pronounced the morning after injection, and had mostly subsided the morning after that.
1346419	5/25/2021		28	F	3/29/2021	3/29/2021	9 hours later, eye itching, redness, itching all over. Lasted a day. Minimal itching with second dose, more achy.
1346719	5/25/2021	NJ	88	F	5/20/2021	5/22/2021	headache elevated blood pressure left eye drooping
1346557	5/25/2021	VA	37	M	5/20/2021	5/21/2021	Lethargy, fever, chills, body aches, headache...beginning at hour 6 and lasting until hour 24. One episode of fainting, while standing up and using the restroom. Blood pressure dropped severely and blacked out, woken up on the floor in the bathroom by wife who explained my eyes were open, dilated, and darting and body was twitching. Loss of consciousness lasted approximately 20-30 seconds. Occurred at hour 12 after receiving vaccination. Gastrointestinal distress, diarrhea, cramping, nausea from hours 40-76
1346550	5/25/2021		60	M	4/29/2021	4/30/2021	Pt described feeling a feeling similar to Pop Rocks but in his brain. Describes the sensation as lightning bolts in his brain. Pt denies any vision changes, hearing changes, light headedness or dizziness.
1346512	5/25/2021	MO	21	M	5/17/2021	5/17/2021	patient received vaccine , looked at his arm , and started to freeze up, almost passing out , eyes rolled back and we got him to the floor and he came around saying he could move his arms (both) and his fingers were seizing up, we got ice packs, hewas clammy, but breathing fine , and hew was speaking and complaining about his inability to move. no issues breathing , we called 911

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1346406	5/25/2021	TN	47	F	5/20/2021	5/22/2021	Adverse event: Two days after first injection, both eyes swollen, hurt to touch and inflamed. Blurred vision in left eye. Previously had derma filler in 2017/2018. Treatment: Benadryl, Tylenol, cold packs Outcome: visited PCP on 5/24/2021, still recovering
1346427	5/25/2021	NY	63	F	3/14/2021	4/8/2021	Initially presented to emergent care on 4/8/21 for left arm pain, SOB on exertion, and intractable headache. Headache had been ongoing for 12 days. It was throbbing and in the frontal region with nausea. No phonophobia. No weakness. No vision loss. No speech impediment. She was somewhat less active given her severe headache. She was found to have a DVT in the left arm and bilateral PE with heart strain. Referred to Hospital and admitted. Started on lovenox 1 mg/kg every 12 hrs and elected to be transition to coumadin since her sister had another blood clot on Eliquis. Neurology started her on gabapentin. She was discharged and told to follow-up with hematology and warfarin clinic. Presented to the ER on 4/27/21 with SOB at night that had been worsening the past 2 nights. Denied dyspnea or chest pain. Sx were thought to be due to anxiety given her hx of panic attacks. She was discharged home and saw hematology the following day. Hematologist noted that her SOB was gradually improving and her left arm swelling and vascular changes had resolved. Repeat CT showed improvement in clotting burden and stable pulmonary and hepatic nodules.
1346418	5/25/2021	OR	33	F	5/24/2021	5/25/2021	My right eye is swollen. I have facial filler. It's right there
1346733	5/25/2021	FL	14	M	5/18/2021	5/22/2021	Patients mom stated her son got the vaccine on Tuesday 5/18/21 and about 4 days later he ate seafood and then started to get an allergic reaction about 2 hours later. Patient started to feel that his lips swelled up along with a rash all around chin, neck and around mouth, on forehead between eyes. He took Benadryl which helped symptoms subside. He also complained of a little chest pain that lasted less than an hour but no shortness of breath. As of Monday 5/24/21 he feels fine no other symptoms. No c/o fever, fatigue, nor headache, body aches. Pain at injection site from vaccine was also reported but that subsided.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1346863	5/25/2021	RI	69	F	3/16/2021	3/22/2021	Intense UTI and urgency to urinate, no control of it. Fatigue/sleeping, brain confusion, aches, headaches everyday, old injuries became active again i.e. my broken hand 7 years ago began hurting and couldn't use it, my knee would not hold me up to stand and kept going out on me (from 2010 broken tibia and torn knee ligaments). Began a sinus infection, cough and eye pain with awful bouts of constant sneezing. Third round of antibiotics for the UTI and my bladder is still not right with leakage and urgency. Liver enzymes are high chart.
1346485	5/25/2021	VA	17	M	4/29/2021	4/29/2021	Patient received the Pfizer vaccine in the morning, then woke at about midnight. He went to get a drink of water, and was holding a glass of water in his hand. He started to feel as if the room was spinning, became very sweaty, had ringing in both ears, and lost consciousness, striking his head on the counter. The event was unwitnessed. He reports waking approximately 1 hour later with a bad headache. He had a headache and felt disoriented. He denies urinary/bowel incontinence or tongue biting. He was able to walk back to his room without difficulty, took ibuprofen, and went back to sleep. He woke the next morning with nausea and vomited, but this did not impact his headache. He has not had any notable neurologic symptoms since that time, but continues to have a minor headache. He has not had any further vomiting. Headache has not subsequently woken him from sleep and does not worsen with recumbent positioning. He denies visual changes, memory changes, difficulty swallowing, shortness of breath, ringing in his ears, or dizziness. He says his headache is located mostly around his forehead and at the top of his head that is now mild and feels like pressure ?like a tension type headache.? His mother is a nurse, and evaluated him the next day. The family did not feel that he needed to be seen in the emergency department, or prior to this visit. He has not had any previous episodes that were similar. Patient was evaluated in my clinic. Complete neurologic exam was within normal limits. He has been referred to neurology for further assessment.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1346975	5/25/2021		35	F	5/3/2021	5/9/2021	Abnormal heart rate starting 6 days after 1st vaccine. Tachycardia & palpitations. Pulse would range from 54 - 146 Previous PSVT before becoming pregnant & it disappeared. Normal sinus rhythm for 19 months until vaccine. Other symptoms were full feeling head, tiredness & headache on right side of head, behind eye
1346974	5/25/2021	WI	14	F	5/21/2021	5/25/2021	PATIENT VISION BECAME BLURRY, AND PATIENT EXPERIENCED COLD/HOT FLASHES
1346934	5/25/2021	AL	33	F	5/4/2021	5/11/2021	Bell's Palsy with left sided facial droop, left sided eyelid lag, left sided facial numbness Treatment: Prednisone 40mg x 7 days; no improvement of symptoms Currently having persistent Bell's Palsy
1346925	5/25/2021	NJ	55	M	4/9/2021	4/11/2021	The participant woke up with a severe migraine headache. He couldn't focus on anything everything looked blurry, He went to work and couldn't focus on numbers, every time he tried to read everything was blurred, He had a constant headache for 2weeks and his eyes are still experiencing blurred vision. He heard that several others also experienced reactions who were vaccinated at his job. He missed 2 days of work and went to urgent care, where he was advised to go to the ER immediately. He had someone take him to ER because he was advised not to drive. To this day he still has a hard time focusing on numbers, When reading the shelf tags at his job everything needs a lot more focus to help with blurriness.
1346895	5/25/2021	OH	66	M	5/19/2021	5/19/2021	Approximately 30 minutes after vaccine resident c/o dizziness, right sided headache, blurry vision, weakness. Resident also talking but making no sense.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1346892	5/25/2021	PA	37	F	1/24/2021	1/24/2021	Like 5-10 mins after receiving the vaccine I began to have right temporal pain. This stayed for 2-3 hours. The pain then started to creep over my right eye and then my entire right face. Within the next 4-5 hours I was having pain over both eyes. By midnight I woke up with pain at the right backside of my head along with chills and body aches. The headache lasted for 2 weeks. I called my Dr. after 1 week. He prescribed prednizone 40mg which did not work. He then prescribed 600mg Advil every 4-6 hours which also did not work. Then imotrex which also didn't help. Also, the last 3/4 days, I had increased jaw tightness. I usually have TMJ issues but this was extraordinary. Eventually the symptoms resolved themselves.
1346880	5/25/2021	ME	53	M	3/24/2021	3/24/2021	visual issues, double vision, out of visual alignment per ophthalmologist, not resolved at second dose
1346845	5/25/2021	CT	43	F	3/6/2021	3/13/2021	Intractable headache beginning 3/13/21, double vision in right eye, blurry vision in left eye, severe pain in right eye, right temple, right side neck, severely elevated blood pressure
1346857	5/25/2021	ID	70	F	4/13/2021	4/19/2021	Patient reported headaches to PCP since vaccination. Presented to hospital with visual hallucinations. Her neuro status continued to deteriorate. She was reporting left-sided visual field deficits and left-sided weakness, although her neuro exam was inconsistent, and waxed and waned. She eventually became fairly rigid, would not flinch if you peeled open her eyes to look at her pupils, and eventually became verbally unresponsive. Her vital signs were stable throughout all of this and she was able to maintain her own airway. Eventually diagnosed with autoimmune encephalopathy and treated with high dose steroids after neurology and psychiatry consultation. She had rapid clinical improvement after steroids.
1346736	5/25/2021	IN	49	F	5/20/2021	5/21/2021	ringing in ears, blurred vision, pain in ears, dizziness



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1346812	5/25/2021	IN	31	M	5/11/2021	5/17/2021	A week following my second Moderna shot. I was dizzy, nauseous, and had some blurred vision. I was diagnosed with BPPV, a type of Vertigo. I did physical therapy to move the inner ear crystals back to where they belong. Prescribed AntiVert for dizziness and Nausea symptoms. More physical therapy to follow.
1346809	5/25/2021	CA	29	M	5/20/2021	5/20/2021	1755 vaccine given by RN 1800 ptx pain, difficulty breathing, BP 140/70/72 1805 ptx sweaty palms, vagal symptoms, watery eyes, BP 99/42/70 1810 ptx dizzy, leaning back, I cant breath, EpiPen given in left thigh 1812 ptx vomited large amount 1815 ptx improving, talking, paramedics called 1820 Paramedics arrived BP 137/73/70 1825 ptx transported to local hospital for follow up evaluation
1346776	5/25/2021	TX	36	M	4/7/2021	4/23/2021	Migraines began 4/23-4/27, including visual auras. Have had mild chronic daily headaches every day since. NSAIDS have not been effective in eliminating pain. Have since stopped NSAIDS to eliminate possible rebound headaches- no change.
1346768	5/25/2021	UT	32	M	5/21/2021	5/22/2021	Patient reports feeling dizzy spells and tunnel vision. Was not temperature related. As he was working, he felt dizzy enough that he may fall down. Started 24-32 hours after dose, and is still going 5 days later. Referred patient to care or emergency room.
1347361	5/25/2021	CA	22	M	5/25/2021	5/25/2021	22 year old received Janssen vaccine at 10:50 am, and while in recovery area, reported that he became light headed, dizzy, and passed out. He slumped out of the chair hitting the right side of his head on the floor. Sustained a cut near his right eye. At 10:56 am blood pressure @140/65, pulse @ 53, 97% O2 sats while sitting on the floor. EMS was called 10:57am. When interacting with staff and friend accompanying him, eye was cleaned and ice applied. EMS arrived 11:05am. EMS reported vitals to be 86/49, 59, 100% O2. EMS recommended transport to client. Client accepted. EMS transported to Medical Center at 11:12 am.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1346758	5/25/2021	CA	35	M	5/5/2021	5/23/2021	35 Y/O MALE WITH NO SIGNIFICANT PMH PRESENTED TO EMERGENCY ROOM WITH ACUTE DIFFICULTY WITH MOUTH MOVEMENTS STARTING 18 DAYS AFTER JNJ COVID VACCINE. REPORTS DIFFICULTY WHISPERING, SMILING, PREVENTING LIQUIDS FROM LEAKING WHILE EATING. PATIENT IS UNABLE TO WRINKLE FOREHEAD, HAS SIGNIFICANT WEAKNESS OF EYE CLOSURE WITH INCOMPLETE EYE CLOSURE ON BOTH EYES. NEUROLOGY DIAGNOSED PATIENT WITH BILATERAL PERIPHERAL FACIAL NERVE PALSY THAT IS LIKELY DUE TO GUILLAIN-BARRE SYNDROME VARIANT.
1346391	5/25/2021	OK	47	M	5/22/2021	5/24/2021	Severe insomnia. I normally fall asleep within 15 minutes of going to bed. Monday after receiving the second shot I never closed my eyes. I was awake the entire night.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1345683	5/25/2021	MD	50	F	4/1/2021		<p>POSITIVE COVID TEST AFTER VACCINE; SORE ARM; DRY THROAT; WARMTH WENT UP NECK; VERY THIRSTY; WATERY EYES; FEELING A LITTLE NASALLY; This spontaneous report received from a consumer concerned a 50 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported and batch number: 202A21A expiry: UNKNOWN) dose was not reported, administered on 09-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On APR-2021, the subject experienced feeling a little nasally. On APR-2021, the subject experienced watery eyes. On 09-APR-2021, the subject experienced sore arm. On 09-APR-2021, the subject experienced dry throat. On 09-APR-2021, the subject experienced warmth went up neck. On 09-APR-2021, the subject experienced very thirsty. On 18-APR-2021, the subject experienced positive covid test after vaccine. Laboratory data included: COVID-19 virus test (NR: not provided) Positive. On 25-APR-2021, Laboratory data included: COVID-19 virus test (NR: not provided) NEGATIVE. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from positive covid test after vaccine on 25-APR-2021, and the outcome of sore arm, feeling a little nasally, dry throat, warmth went up neck, very thirsty and watery eyes was not reported. This report was non-serious. The suspected product quality complaint has been confirmed to be pqv management approval - confirmed no pqc was identified within the reported complaint reported. complaint is approved for void. based on the PQC evaluation/investigation performed.; Sender's Comments: V0: Medical assessment comments not required as per standard procedure as the case is considered non serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1345804	5/25/2021	CA	52	F	2/26/2021	2/26/2021	Double vision; Confusion; Dry mouth; All over body itchininess; My body was filled with sores on my breasts, armpits and back; my blood pressure was high; Neck rigidity; Retinal Hemorrhage; Blood shot eye in right eye; Headache; I thought I was going to pass out; I started shaking; Palpitations; Half of my head (the right) felt a little cold; The vein in my head was swollen; the half part of my body on the right became very stiff; it started to hurt; my mouth started tingling; tachycardia; Right eye started to water; On the left side, in the groin, I had a numbing sensation; My tongue also got dry; runny nose; Half of my head (the right) felt a little cold; Chills; nausea; Extreme fatigue; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of RETINAL HAEMORRHAGE (Retinal Hemorrhage) in a 52-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 014M20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Drug allergy (Allergy to Tramadol). Concomitant products included TRAMADOL. On 26-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 26-Feb-2021, the patient experienced LACRIMATION INCREASED (Right eye started to water), PALPITATIONS (Palpitations), HYPOAESTHESIA (On the left side, in the groin, I had a numbing sensation), TONGUE DRY (My tongue also got dry), RHINORRHOEA (runny nose), NASOPHARYNGITIS (Half of my head (the right) felt a little cold), HEAD DISCOMFORT (Half of my head (the right) felt a little cold), VEIN DISORDER (The vein in my head was swollen), MUSCULOSKELETAL STIFFNESS (the half part of my body on the right became very stiff), PAIN (it started to hurt), PARAESTHESIA ORAL (my mouth started tingling), TACHYCARDIA (tachycardia), CHILLS (Chills), NAUSEA (nausea) and FATIGUE (Extreme fatigue). On 27-Feb-2021, the patient experienced PRESYNCOPE (I thought I was going to pass out) and TREMOR (I started shaking). On 11-Mar-2021, the patient experienced RETINAL HAEMORRHAGE (Retinal Hemorrhage) (seriousness criterion medically significant), OCULAR HYPERAEMIA (Blood shot eye in right eye), NUCHAL RIGIDITY (Neck rigidity) and

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

HEADACHE (Headache). On 12-Mar-2021, the patient experienced HYPERTENSION (my blood pressure was high). On an unknown date, the patient experienced DIPLOPIA (Double vision), CONFUSIONAL STATE (Confusion), DRY MOUTH (Dry mouth), PRURITUS (All over body itchiness) and MYALGIA (My body was filled with sores on my breasts, armpits and back). At the time of the report, RETINAL HAEMORRHAGE (Retinal Hemorrhage), OCULAR HYPERAEMIA (Blood shot eye in right eye), LACRIMATION INCREASED (Right eye started to water), DIPLOPIA (Double vision), NUCHAL RIGIDITY (Neck rigidity), HYPERTENSION (my blood pressure was high), PALPITATIONS (Palpitations), PRESYNCOPE (I thought I was going to pass out), CONFUSIONAL STATE (Confusion), HYPOAESTHESIA (On the left side, in the groin, I had a numbing sensation), TONGUE DRY (My tongue also got dry), RHINORRHOEA (runny nose), NASOPHARYNGITIS (Half of my head (the right) felt a little cold), DRY MOUTH (Dry mouth), HEAD DISCOMFORT (Half of my head (the right) felt a little cold), VEIN DISORDER (The vein in my head was swollen), MUSCULOSKELETAL STIFFNESS (the half part of my body on the right became very stiff), PAIN (it started to hurt), PARAESTHESIA ORAL (my mouth started tingling), TACHYCARDIA (tachycardia), PRURITUS (All over body itchiness), TREMOR (I started shaking), HEADACHE (Headache), MYALGIA (My body was filled with sores on my breasts, armpits and back), CHILLS (Chills), NAUSEA (nausea) and FATIGUE (Extreme fatigue) outcome was unknown.

DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 27-Feb-2021, Blood glucose: low (Low) Dropped to 60. On 27-Feb-2021, Blood pressure measurement: high (High) 174/90 mm Hg.. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown.

Treatment information was not provided. Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. Most recent FOLLOW-UP information incorporated above includes: On 10-May-2021: Events retinal hemorrhage, diplopia, nuchal rigidity, palpitations, headache, etc were added.; Sender's Comments: Based on the current available information and temporal association between

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1345803	5/25/2021	FL	74	F	2/5/2021	3/5/2021	<p>the use of the product and the start date of the event, a causal relationship cannot be excluded.</p> <p>left radial fractures; hit left side of face - vein to eye; fell; felt terrible; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of RADIUS FRACTURE (left radial fractures) in a 74-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 027A21A and 031L20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical history reported. Concomitant products included OMEPRAZOLE for an unknown indication. On 05-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 05-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 05-Mar-2021, the patient experienced FEELING ABNORMAL (felt terrible). On 06-Mar-2021, the patient experienced RADIUS FRACTURE (left radial fractures) (seriousness criterion hospitalization), FACE INJURY (hit left side of face - vein to eye) and FALL (fell). On 06-Mar-2021, FACE INJURY (hit left side of face - vein to eye) and FALL (fell) had resolved. On 07-Mar-2021, FEELING ABNORMAL (felt terrible) had resolved. At the time of the report, RADIUS FRACTURE (left radial fractures) outcome was unknown. Not Provided No treatment details were reported. Was seen in ER x 2 visits , 8-Mar-2021 This case was linked to MOD-2021-137773 (Patient Link).</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1345801	5/25/2021	ME	79	F	2/4/2021	2/2/2021	Second dose not given; it was like if periaureal area felt some numbness; there was no visual swelling just the feeling of swelling and numbness; Flushed; Sweaty; possible allergic reaction; Allergic reaction with angioedema secondary to IM drug and Covid-19 vaccine; the top of her lip was numb; This spontaneous case was reported by a nurse (subsequently medically confirmed) and describes the occurrence of ANGIOEDEMA (Allergic reaction with angioedema secondary to IM drug and Covid-19 vaccine) in a 79-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 011M20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Allergy to vaccine (Allergy to Hepatitis B vaccine.), Psoriasis, Chest pain and Sinus disorder NOS. Concomitant products included VITAMINS NOS for an unknown indication. On 04-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 02-Feb-2021, the patient experienced HYPOAESTHESIA ORAL (the top of her lip was numb). On 04-Feb-2021, the patient experienced ANGIOEDEMA (Allergic reaction with angioedema secondary to IM drug and Covid-19 vaccine) (seriousness criterion medically significant), HYPOAESTHESIA ORAL (it was like if periaureal area felt some numbness), VACCINATION COMPLICATION (there was no visual swelling just the feeling of swelling and numbness), FLUSHING (Flushed), HYPERHIDROSIS (Sweaty) and HYPERSENSITIVITY (possible allergic reaction). On an unknown date, the patient experienced PRODUCT DOSE OMISSION ISSUE (Second dose not given). On 04-Feb-2021, HYPOAESTHESIA ORAL (it was like if periaureal area felt some numbness) and VACCINATION COMPLICATION (there was no visual swelling just the feeling of swelling and numbness) had resolved. At the time of the report, ANGIOEDEMA (Allergic reaction with angioedema secondary to IM drug and Covid-19 vaccine) and PRODUCT DOSE OMISSION ISSUE (Second dose not given) outcome was unknown and FLUSHING (Flushed), HYPERHIDROSIS (Sweaty), HYPERSENSITIVITY (possible allergic reaction) and HYPOAESTHESIA ORAL (the top of her lip was numb) had resolved. DIAGNOSTIC RESULTS (normal

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

ranges are provided in parenthesis if available): On 04-Feb-2021, Blood pressure measurement: 198/80 193/80 at 14:38 144/66 at 15:58. On 04-Feb-2021, Body temperature: 97.4 97.4 at 14:48 97.6 at 15:58. On 04-Feb-2021, Heart rate: 77 77 at 14:38 71 at 15:58. On 04-Feb-2021, Mean arterial pressure: 117 117 at 14:38 92 at 15:58. On 04-Feb-2021, Oxygen saturation: 98 percent 98 percent at 14:38 99 percent at 15:58. On 04-Feb-2021, Pain assessment: 4 pain level 4/10. On 04-Feb-2021, Respiratory rate: 18 18 at 14:38 20 at 15:58. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Follow up received on 13-May-2021 was significant and included the completed VAERS form. The new events of missed second dose of covid-19 vaccine, angioedema, allergic reaction, flushing, sweaty, numbness top lip were added and medical history was updated. On 04-Feb-2021, it was reported that the patient developed perioral swelling and numbness that came on approximately fifteen minutes after receiving her first covid-19 vaccine. The patient was taken to the emergency department, and was kept under observation for two hours with no worsening of her condition. Treatment medication included 50 milligram of Benadryl (diphenhydramine). The patient was given a prescription for diphenhydramine and asked to follow-up with her primary care physician/ emergency department if symptoms worsened. Company comment This case concerns a 79-year-old female with a serious unexpected event of angioedema and nonserious hypersensitivity, hypoaesthesia oral, flushing, hyperhidrosis, vaccination complication, and product dose omission issue. Latency within 1 day after mRNA-1273 dose. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. Most recent FOLLOW-UP information incorporated above includes: On 13-May-2021: Follow up received included the completed VAER form and medical records from the emergency department. Additional information included medical history, patient demographics, age of patient, patient contact details, concomitant medication, new events with outcome of events, missed second dose.; Sender's



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							Comments: This case concerns a 79-year-old female with a serious unexpected event of angioedema and nonserious hypersensitivity, hypoaesthesia oral, flushing, hyperhidrosis, vaccination complication, and product dose omission issue. Latency within 1 day after mRNA-1273 dose. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.
1345794	5/25/2021	MN	54	F	5/20/2021		DOUBLE VISION; BLURRED VISION (HAD TROUBLE LOOKING AT THINGS); FEELING DIZZY; This spontaneous report received from a consumer concerned a 54 year old female. The patient's height, and weight were not reported. No past medical history or concurrent conditions were reported. The patient received covid-19 vaccine (suspension for injection, route of admin not reported, batch number: 1816022 expiry: UNKNOWN) dose was not reported, administered on 20-MAY-2021 for prophylactic vaccination. No concomitant medications were reported. On MAY-2021, treatment medications included: acetylsalicylic acid. On 20-MAY-2021, the subject experienced double vision. On 20-MAY-2021, the subject experienced blurred vision (had trouble looking at things). On 20-MAY-2021, the subject experienced feeling dizzy. The action taken with covid-19 vaccine was not applicable. The outcome of the double vision, blurred vision (had trouble looking at things) and feeling dizzy was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1345783	5/25/2021	CA	33	F	5/19/2021		<p>DIZZINESS; BLURRY VISION; FEVER; FATIGUE; TINGLY ALL OVER HER BODY; CHILLS; NAUSEA; This spontaneous report received from a consumer concerned a 33 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included heartburn, and allergic to codeine, and other pre-existing medical conditions included the patient was on unspecified acid-reflux medication and was not pregnant at the time of report. The patient experienced drug allergy when treated with pantoprazole, and oseltamivir phosphate for drug used for unknown indication. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 204A21A, and expiry: 23-JUN-2021) dose was not reported, administered on 19-MAY-2021 for prophylactic vaccination. No concomitant medications were reported. On 19-MAY-2021, the subject experienced tingly all over her body. On 19-MAY-2021, the subject experienced chills. On 19-MAY-2021, the subject experienced nausea. On 20-MAY-2021, the subject experienced fever. On 20-MAY-2021, the subject experienced fatigue. On 21-MAY-2021, the subject experienced dizziness. On 21-MAY-2021, the subject experienced blurry vision. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from tingly all over her body, chills, and nausea on 20-MAY-2021, and fever, and fatigue on 21-MAY-2021, and had not recovered from dizziness, and blurry vision. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1345751	5/25/2021	WA		M		5/16/2021	BLISTERS IN THE MOUTH; SWELLING IN GUMS; MALAISE; HEADACHE; LOWGRADE FEVER; EYE STRAIN; This spontaneous report received from a patient concerned a male of unspecified age. The patient's height, and weight were not reported. The patient's concurrent conditions included abstains from alcohol, and non-smoker, and other pre-existing medical conditions included the patient had no known allergies. no drug abuse/ illicit drug use. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unk) dose was not reported, administered on 15-MAY-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 16-MAY-2021, the subject experienced eye strain. On 16-MAY-2021, the subject experienced malaise. On 16-MAY-2021, the subject experienced headache. On 16-MAY-2021, the subject experienced low grade fever. On 19-MAY-2021, the subject experienced blisters in the mouth. On 19-MAY-2021, the subject experienced swelling in gums. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from headache, eye strain, malaise, low grade fever, blisters in the mouth, and swelling in gums. This report was non-serious.
1345410	5/25/2021	CA	24	M	5/24/2021	5/24/2021	Patient felt ringing in ears, darken vision, and feeling faint seconds after injection. After drinking water and breathing deeply, patient's symptoms resolved in about 5 minutes.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1345704	5/25/2021	CA	21	M	4/10/2021		<p>PAIN IN THE REAR OF THE RIGHT RIB CAGE; SHARP PAIN; SORE THROAT; NAUSEA; LIGHT RINGING ON THE RIGHT EAR; LEFT EYE DRYNESS; SLIGHT NECK STIFFNESS; BOTH EYES SENSITIVITY TO LIGHT; LEFT EYE IRRITATION; SLIGHT PRESSURE-LIKE FEELING ON THE NECK; SLIGHT PRESSURE-LIKE FEELING ON THE CHEST; DROWSINESS; HOT FLASH ON CHEST AND NECK; TOP LEFT OF THE ARM (AND SHOULDER AREA) FELT LIGHTLY NUMB; DIARRHEA; NERVOUSNESS; ANXIETY; SLIGHT LEFT SIDED CHEST PAIN; VERY SORE ARMS; LOSS OF APPETITE; ARMS AND LEGS FELT HOT TO THE TOUCH; HANDS WERE CLAMMY; SHORTNESS OF BREATH (UPON ACTIVITY - BUT WHENEVER LYING DOWN OR SITTING, THERE IS NO SHORTNESS OF BREATH); SMALL "HIVES" APPEARED ON HIS BODY; UPSET STOMACH; STOMACH PAIN; LIGHT HEADEDNESS; FATIGUE; HEADACHE; FEVER; CHILLS; TROUBLE SLEEPING; This spontaneous report received from a patient concerned a 21 year old male. The patient's height, and weight were not reported. The patient's concurrent conditions included seasonal allergies, non-alcohol user, and non-smoker, and other pre-existing medical conditions included the patient had no drug abuse or illicit drug usage. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 205A21A - VHC expiry: UNKNOWN) dose was not reported, administered on 10-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 10-APR-2021, the subject experienced trouble sleeping. On 10-APR-2021, the subject experienced chills. On 10-APR-2021, the subject experienced headache. On 10-APR-2021, the subject experienced fever. Laboratory data included: Body temperature (NR: not provided) 102.4 deg. On 12-APR-2021, the subject experienced light headedness. On 12-APR-2021, the subject experienced fatigue. On 13-APR-2021, the subject experienced upset stomach. On 13-APR-2021, the subject experienced stomach pain. On 16-APR-2021, the subject experienced small "hives" appeared on his body. On 18-APR-2021, the subject experienced shortness of breath (upon activity - but whenever lying down or sitting, there is no shortness of breath). Treatment medications included: dexamethasone, and</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

diphenhydramine hydrochloride. On 19-APR-2021, the subject experienced arms and legs felt hot to the touch. On 19-APR-2021, the subject experienced hands were clammy. On 19-APR-2021, the subject experienced loss of appetite. Laboratory data included: Body temperature (NR: not provided) negative for fever. Treatment medications included: paracetamol. On 20-APR-2021, the subject experienced very sore arms. On 21-APR-2021, the subject experienced anxiety. On 21-APR-2021, the subject experienced slight left sided chest pain. Laboratory data included: Blood test (NR: not provided) no abnormality, Chest X-ray (NR: not provided) no abnormality, and EKG (NR: not provided) no abnormality. On 22-APR-2021, the subject experienced top left of the arm (and shoulder area) felt lightly numb. On 22-APR-2021, the subject experienced diarrhea. On 22-APR-2021, the subject experienced nervousness. On 23-APR-2021, the subject experienced hot flash on chest and neck. On 26-APR-2021, the subject experienced drowsiness. On 28-APR-2021, Laboratory data included: Body temperature (NR: not provided) no fever. On 01-MAY-2021, the subject experienced slight pressure-like feeling on the neck. On 01-MAY-2021, the subject experienced slight pressure-like feeling on the chest. On 03-MAY-2021, the subject experienced left eye irritation. On 04-MAY-2021, the subject experienced both eyes sensitivity to light. On 08-MAY-2021, the subject experienced slight neck stiffness. On 09-MAY-2021, the subject experienced left eye dryness. On 14-MAY-2021, the subject experienced light ringing on the right ear. On 15-MAY-2021, the subject experienced sore throat. On 15-MAY-2021, the subject experienced nausea. On 16-MAY-2021, treatment medications included: ibuprofen. On 17-MAY-2021, Laboratory data included: COVID-19 virus test (NR: not provided) NEGATIVE. On 18-MAY-2021, the subject experienced pain in the rear of the right rib cage; sharp pain. On 19-MAY-2021, treatment medications included: azelastine hydrochloride, cetirizine hydrochloride, and methylprednisolone. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from chills, and fever on 12-APR-2021, headache on 18-MAY-2021, and nausea on MAY-2021, was recovering from loss of appetite, very sore arms, diarrhea, and sore throat, had not recovered from upset stomach, fatigue, light headedness, small "hives"

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

appeared on his body, arms and legs felt hot to the touch, stomach pain, top left of the arm (and shoulder area) felt lightly numb, hot flash on chest and neck, slight pressure-like feeling on the neck, left eye dryness, both eyes sensitivity to light, nervousness, anxiety, light ringing on the right ear, slight pressure-like feeling on the chest, and left eye irritation, and the outcome of shortness of breath (upon activity - but whenever lying down or sitting, there is no shortness of breath), hands were clammy, pain in the rear of the right rib cage; sharp pain, trouble sleeping, slight left sided chest pain, drowsiness and slight neck stiffness was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1345820	5/25/2021	FL	64	F	4/24/2021	4/24/2021	light that can be seen in the right side of the eye; eye pain; little dots and floaters in vision; pressure in eye; pressure in head; pain on roof of head; slight fever; headache; vitreous degeneration; blurred dark circles in vision which were darkest on outside; noticeably different vision; This spontaneous case was reported by a consumer and describes the occurrence of VITREOUS DEGENERATION (vitreous degeneration) in a 64-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 031B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Drug allergy (acetaminophen with codein). Concomitant products included ACETYLSALICYLIC ACID (ASPIRIN (E.C.)) and MULTIVITAMINS;MINERALS for an unknown indication. On 24-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 24-Apr-2021, the patient experienced VISUAL IMPAIRMENT (noticeably different vision). On 25-Apr-2021, the patient experienced VITREOUS DEGENERATION (vitreous degeneration) (seriousness criterion medically significant), VISION BLURRED (blurred dark circles in vision which were darkest on outside), EYE DISORDER (light that can be seen in the right side of the eye), EYE PAIN (eye pain), VITREOUS FLOATERS (little dots and floaters in vision), OCULAR DISCOMFORT (pressure in eye), HEAD DISCOMFORT (pressure in head), PAIN (pain on roof of head), PYREXIA (slight fever) and HEADACHE (headache). At the time of the report, VITREOUS DEGENERATION (vitreous degeneration), VISION BLURRED (blurred dark circles in vision which were darkest on outside), VISUAL IMPAIRMENT (noticeably different vision), EYE DISORDER (light that can be seen in the right side of the eye), EYE PAIN (eye pain), VITREOUS FLOATERS (little dots and floaters in vision), OCULAR DISCOMFORT (pressure in eye), HEAD DISCOMFORT (pressure in head), PAIN (pain on roof of head), PYREXIA (slight fever) and HEADACHE (headache) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown. Company comment: Based on the current available information and temporal association between the use of the product and the start

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.
1345449	5/25/2021	WA	65	F	5/20/2021	5/21/2021	Severe pain, swelling hard lump and rash on vaccinated arm the day after vaccination. The rash spread almost down to my elbow also noticed the skin in my entire body felt like a bad sunburn but was not red just felt burned. Other symptoms were like when I had Covid low grade fever 101 and flu type symptoms, bad headache, pain in ears, jaw, gums and overall body stiffness and pain along with nausea, fatigue, stomach ache and diarrhea. Also noticed my eyesight was very blurry and on day 2 tiny moving glitter like spots in my vision. Vision is still very blurry day 5 and seems to have exacerbated Covid symptoms and fatigue I was already dealing with.
1345448	5/25/2021	CA	20	F	5/20/2021	5/21/2021	Swelling, soreness, hot flashes, lethargic, eye swelling
1345434	5/25/2021	CA	43	M	5/6/2021	5/9/2021	Mild case of shingles. Scalp tenderness, small rash around eye. Nerve pain. Antiviral valacyclovir prescribed 4 days after onset of symptoms. Cleared up after 2 weeks.
1345414	5/25/2021	CA	48	F	3/3/2021	3/10/2021	Beginning 1 hour after the vaccination I experienced the feeling of not being able to breathe. This lasted for approx 15 minutes. At approximately 6:00 PM I experienced extreme nausea. Nausea continued until about 10:00 PM on 3/4/2021. On 3/10/21 my face broke out in a rash around my ears and temple area. This has continued to date (5/24) At this point, the rash is also under my right eyebrow and on my neck and cheek on the left side of my face, and on both ear lobes. My face has an uncontrollable itch that begins from underneath the skin and terrible. I have never had skin issues prior to the vaccination.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1345412	5/25/2021	CA	32	F	5/12/2021	5/12/2021	Began swelling 3-4 hours after returning from getting the vaccine. No difficulty breathing at first. Had fever, arm ache, and weakness as expected on day after and the next day. Remained fatigued after normal vaccine response subsided. For the next week, had severe brain fog and difficulty processing/remembering/communicating; dry eyes; facial swelling; extreme fatigue; difficulty breathing. After first week, brain fog lessened and became able to have short conversations. Fatigue lessened but continues (difficulty walking more than ~0.25 miles, difficulty breathing, get tired going up stairs).
1346999	5/25/2021	SC	52	M	4/24/2021	4/30/2021	Intermittent itching on a daily basis. 6 to 8 times a day lasting anywhere from 5 to 15 minutes. More severe itching area include palms of hands, back of legs, scrotum. Other areas, are bottoms of feet, inner forearms, waistline, eyes

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1345737	5/25/2021	OK		F		4/1/2021	<p>FLUID IN RIGHT LUNGS (FELT LIKE DROWNING); ANAL LEAKAGE; WEAKNESS/CAN NOT LIFT ANYTHING OVER 5 POUNDS; HEADACHE; BODY ACHES; LACK OF APPETITE; NOT ABLE TO SLEEP; BLURRED VISION; HIGH FEVER; NOT ABLE TO WALK; UNABLE TO DO HOUSEWORK; This spontaneous report received from a patient concerned a 59 year old female. The patient's weight was 91.6 pounds, and height was not reported. The patient's concurrent conditions included chronic obstructive pulmonary disease (COPD), non-smoker, and non-alcoholic. The patient had no drug known allergies, no drug abuse or illicit drug usage. The patient was not pregnant at the time of this report. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 203A21A, expiry: Unknown) dose was not reported, 1 total administered on 06-APR-2021 to left arm for prophylactic vaccination. No concomitant medications were reported. On 08-APR-2021 (that day after receiving shot), the patient had mild fever and body aches, but later she felt better until 13-APR-2021 morning. On 13-APR-2021, while driving, her head hit and she did not thought she would make it home. She experienced blurry vision and she pulled off to the side of the road. She felt feverish for which she took paracetamol (Tylenol) and drove back to home. Later, she experience, body aches, fever, lack of appetite and she could not able to walk. Her leg recover after 6 day but her arms and rest of body continued to ache. On 15-APR-2021, she developed shortness of breath (her COPD but has never had shortness of breath to this extend where she had to be on oxygen), cough, headache, and body aches. She was not even able to do housework. She contacted her doctor. Her lab test was performed which included COVID-19 rapid test (NR: not provided) received possible positive, influenza (flu) virus test (NR: not provided) as negative, and streptococcus identification test (NR: not provided) as negative On 19-APR-2021, her lab test was performed again include, COVID-19 virus test (NR: not provided) Negative, Influenza virus test (NR: not provided) as negative, and streptococcus identification test (NR: not provided) as negative. On 20-APR-2021, she developed low oxygen saturation. Her pulmonary imaging procedure was performed and diagnosed with fluid present in her right</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

lungs which she felt like she was drowning. On 02-MAY-2021, she admitted to the hospital. She went 2 days without talking. In hospital, she was stuck with the needle and drained her. During hospitalization was not able to sleep and she received zolpidem tartrate (Ambien). On 07-MAY-2021, she was discharge from the hospital with low grade fever, has no strength that she can not lift anything over 5 pounds. since 14-MAY-2021, she also had oxygen has been as low as 90%. On 15-MAY-2021, she experienced anal leakage. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from not able to sleep, and headache on 17-MAY-2021, and blurred vision on 13-APR-2021, was recovering from high fever, body aches, lack of appetite, and fluid in right lungs (felt like drowning), had not recovered from weakness/can not lift anything over 5 pounds, and anal leakage, and the outcome of not able to walk and unable to do housework was not reported. This report was serious (Hospitalization Caused / Prolonged). This report was associated with product quality complaint: 90000180209. The suspected product quality complaint has been confirmed to be voided (did not meet PQC criteria). based on the PQC evaluation/investigation performed.; Sender's Comments: V0-20210540104-covid-19 vaccine ad26.cov2.s -Fluid in right lung-This event is considered not related. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There are other factors more likely to be associated with the event than the drug. Specifically: MEDICAL HISTORY, UNDERLYING DISEASE.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1345959	5/25/2021	TX	51	M	1/25/2021	1/28/2021	heart races a little; feels flushed; checked his pulse and it was a little elevated; eyes are tingly; feeling feverish but no fever; This is a spontaneous report from a contactable consumer (patient) via medical information team. A 51-year-old male patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, formulation: solution for injection, #lot: EL9262) via an unspecified route of administration administered in Arm Right on 25Jan2021 14:00 (at the age of 51-years-old) as single dose for covid-19 immunisation. The patient's medical history included blood pressure. The patient's concomitant medications included hydrochlorothiazide, losartan potassium (LOSARTAN HCTZ) ongoing at 12.5 of unknow units once daily for blood pressure and tamsulosin. The patient underwent lab tests and procedures which included heart rate: little elevated. He checked his pulse and it was a little elevated. It was reported as the patient received the first dose of the pfizer covid 19 vaccine on Monday 25Jan2021 but did not have any symptoms until Thursday 28Jan2021. The patient reported feeling feverish but no fever, heart races a little, eyes are tingly and feels flushed. The patient wants to know if what he is experiencing normal. The patient wanted to know if the rumor is true that the second dose has more side effects. He has had no allergic reactions to medicine. He takes a blood pressure medicine, anti-anxiety medicine, and cholesterol medicine. Starting yesterday he started to feel feverish but had no fever. His eyes started to feel tingly, like a feverish feeling. This started after lunch time. He took a nap for like an hour, slept fine, and then the feeling was gone and he was okay. Today, he woke up this morning around 6:30 AM and was fine. It was not until later this morning around 11 AM when he started to feel the same way again. It was like his heart raced a little. He checked his pulse and it was a little elevated, but nothing crazy. He felt flushed. His eyes were tingly. It is like something does not feel right. He was calling to see if these were side effects. Feeling like his heart was racing has subsided. It was worse earlier. The feeling flushed is minor now. The eyes tingly has almost subsided, but still there. The patient experienced feeling feverish but no fever, eyes are tingly on 28Jan2021, heart races a little, feels flushed and checked his pulse and it was a little elevated on an unspecified date. The outcome of the

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							events heart races a little and eyes are tingly and feels flushed was recovering, while the outcome of remaining events was unknown. Follow-up attempts are completed. No further information is expected.
1346377	5/25/2021	NC	63	F	5/21/2021	5/21/2021	Bleared vision, ringing in the left ear
1346367	5/25/2021	NY	36	M	5/20/2021	5/21/2021	Received second dose of Moderna COVID 19 vaccine at 10AM Thursday 05/20. T+12-18hrs: Feeling flushed. Slightly confused. Body aches build over the night. Wake up with mild/moderate pain in back, knees, arm. Groggy. Went to work on something with a friend at 10:00 AM (T+24Hrs), but had to return home because.... T+24hr: ....headache growing. Went home and found fever at 102°. Slight chills, bit mainly just heat without sweating. Fever hit 103.2 at peak. Went through 10lbs ice to keep the fever in check. Headache from T24hr-T36HR feels like a spike through the top of frontal lobe to my left eye. T+32hr: Headache still intense. Only back pain now. Appetite slowly increasing. T+48hr (Saturday morning). Back pain persists, but mild. Headache gone. Have a relatively normal day. T+60hrs (Sat. Afternoon): Back pain increasing. Stop all unnecessary lifting/moving. T+68hrs (early Sunday morning): Go to ER with the back pain. Absolutely excruciating spasms from top of sacrum - roughly L1/12T. Lower back stiff as wood. Given shot of Toradol, dose/prescription to flexiril. I specifically request this plan because usually takes care of the spasms; basically, get me able to move and the pain/spasms will go away. NOTE: I have a history of back issues in this area, but I have not had an episode in years and certainly never had an episode that works like this with no relief. From about 2017-2019, I r T+70-78hrs: Feel normal. T + 78-88hrs: lower back pain comes back with an absolute vengeance. T+90hrs (early Monday morning): Return to ER. Back pain worse than Sunday morning. Receive toradol shot and prescription Prednisone. Back pain gone by around 10:30 AM. Decide to take prednisone Tuesday morning as its getting a bit late in the day by the time pharmacy fills the prescription. T+90hrs: Back pain returns in similar fashion as Sunday afternoon. Still. Barely mobile. T+96 hours: Wake up with lower back pain similar to Sunday/Monday morning. Took prednisone and flexiril this morning. Please help me.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1346366	5/25/2021	SC	63	F	5/3/2021	5/6/2021	pt experienced itching in upper torso area starting 2-3 days after vaccination, splotches appeared at this time and have not resolved at this time Pt also experienced blurred vision in her right eye with eye twitch starting 5 days after vaccination
1346041	5/25/2021	PA	59	F	2/18/2021	2/18/2021	constant runny nose; Mild fatigue; constant watering eye; This is a spontaneous report received from a contactable consumer (patient). A 59-year-old female non-pregnant patient received at workplace clinic BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number EL3247), via unspecified route of administration in right arm on 18Feb2021 10:00 AM (at the age of 59-year-old) as 1st dose, single for COVID-19 immunisation. The patient's medical history included that patient was healthy at present she had cancer (ovarian) with chemotherapy on 2013 (also reported as 7 years before the present report) and she had cancer (breast) with radiation 6 years before the present report on 2015. No COVID prior vaccination was reported. The patient's concomitant medications administered in two weeks included anastrozole (ARIMIDEX), calcium carbonate (CALTRATE) and centrum multivitamin, all from unspecified date. No other vaccine administered in four weeks. As per known allergies it was reported that the patient previously received penicillin, sulfa drugs and she experienced rash with both, vancomycin and she experienced intolerance, codeine and she experienced vomiting. On 18Feb2021 04:45 PM (as reported) the patient experienced constant runny nose and constant watering eye, both over the course of about 6 hours in the evening after the vaccination (as reported) and mild fatigue. No treatment was received due to events. Patient was not tested for COVID post-vaccination. The outcome of the events was resolved. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1346028	5/25/2021	CT	80	M	2/8/2021	2/8/2021	his neck was stiff; it was very, very cold; a lot of pressure on his eyes; pain in arm the injection was given in; I got a lot of headaches and I still have them./unbelievable headaches; More back pain than usual; My blood pressure went up a little bit but not much; This is a spontaneous report from a contactable consumer (patient). Follow-up information received on 17Feb2021 was processed together with initial information. A 80-years-old male patient received first dose of BNT162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Lot Number: EM9809, Expiration date: UNKNOWN), via an intramuscular route on 08Feb2021 (at the age of 80-years-old) as single dose in the left arm for covid-19 immunization. The patient medical history included and back pain. The patient concomitant medications were not reported. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. On 08Feb2021, the patient experienced blood pressure went up, More back pain than usual and on unspecified date experienced Stiff neck, Headache, pain in arm the injection was given in, pressure on his eyes, cold. The clinical course of the event was as follows: blood pressure went up a little bit but not much. It was reported that blood pressure was up which he was told by the nurse was normal. It was just a little bit high. The nurse at the facility said it was not that concerning and that it was fine. The facility let him stay a half an hour and then he was able to driven home. He hadn't wanted to stayed long because it was very, very cold. He had a lot of back pain. He does have back pain all the time, but not that much. It was more back pain than usual. The pain in his back increased/doubled, and the pain is still high. He clarifies he has had problems with his backed and have had backed pain normally, but after the shot it was liked a lot of pain in his backed and his neck was stiff very, very stiff hasn't knew if it's from vaccine or what. Patient stated that before the vaccine, he was okay and was able to worked in his house and outside. He believes the stiff neck began after 2 or 3 days of receiving the vaccine and it have had worsened. Patient stated that pain in his armed where he received the shot went away completely. He clarifies further the pain in his armed went away the second day. He got a lot of headaches and he still had them. The headaches began right away, and the headaches still c continued. He

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

mentions the headache got a little better last night. He was really worried about it and hadn't knew what to did. It was reported that he told his son everything and his son said to not went to hospital because there was a lot of people that had been in contact with covid and it's going to have been worse. He states his son told him to drink a lot of water and saw if he got better. He did that and he did got a little better but not that much. Patient mentions that he had a lot of pressure on his eyes. The patient did not went to emergency room because he was told it was normal to had headaches but they went away and his should went away in 2-3 days. His armed where he received the vaccine was also okay the next day. The patient did not visit to physician office. Patient mentions that he took blood pressure medication, and everything was under controlled and he took 10mg of a cholesterol medication. Patient declined to include these medications for the report, stating he gave all of this information at the facility he received the vaccine at. He had to filled the paperwork out. He confirms he hasn't had any NDC, lot number or expiry date for these medications at this time. It was reported that patient had a blood tests done about 3 weeks before he received the vaccine and the doctor said everything was okay at the time. The outcome of the events headache was recovering, backed pain and neck was stiff was not recovered and other events was unknown.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1346023	5/25/2021	MD	82	M	1/22/2021	1/25/2021	never had difficulty breathing like he did 3 days after the vaccine; This is a spontaneous report from a contactable consumer or other non-Health Care Professional. An 82-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), dose 1 via an unspecified route of administration, administered in Arm Left on 22Jan2021 01:45 AM (Batch/Lot Number: EL3247) as 1ST DOSE, SINGLE for covid-19 immunization. The patient's medical history included High Blood Pressure (hypertension); COPD (chronic obstructive pulmonary disease) and drug hypersensitivity from an unknown date and it was unknown if ongoing. Concomitant medications included lisinopril; felodipime; XARELTO (rivaroxaban); hydrochlorothiazide; zinc; folic acid; Vitamin C; pravastatin sodium; ALLEGRA (fexofenadine hydrochloride); VITRN C (ascorbic acid, ferrous fumarate); atropin; TIMOPTIC (timolol maleate); REFRESH PLUS (carmellose sodium); REFRESH PM (paraffin, liquid, white soft paraffin); BREO ELLIPTA (fluticasone furoate, vilanterol trifenate ); FLONASE SENSIMIST ALLERGY RELIEF (fluticasone furoate) taken for an unspecified indication, start and stop date were not reported. The patient's allergic conditions included Penicillin, Tetracycline, NSAID eye meds (drug hypersensitivity). The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was not diagnosed with covid 19 and was not tested for COVID-19 prior vaccination. On 25Jan2021 at 12:00, the patient reported that he "never had difficulty breathing like he did 3 days after the vaccine". The patient was treated with Prednisone 10 mg, Azithromycin 250 mg, Clonidine HCL .2 mg, Albuterol Sulfate 4 mg. On 04Feb2021, the patient underwent lab test for sars-cov-2 antibody test with nasal Swab which was revealed to be negative. The outcome of event was not recovered. No follow-up attempts are possible. Information about batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1345810	5/25/2021		36	F	5/6/2021	5/6/2021	left side of lip drooping/ trouble keeping left eye open/ trouble opening left side of lips/ eyes watering/ swelling of whole face mostly on left side/ hard to drink/ hard to speak; left side of lip drooping,almost feels numb; trouble keeping left eye open; trouble opening left side of lips; eyes watering; swelling of whole face mostly on left side; hard to drink; hard to speak; This spontaneous case was reported by a consumer and describes the occurrence of BELL'S PALSY (left side of lip drooping/ trouble keeping left eye open/ trouble opening left side of lips/ eyes watering/ swelling of whole face mostly on left side/ hard to drink/ hard to speak) in a 36-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 017C21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No medical reported history provided by the reporter. On 06-May-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 06-May-2021, the patient experienced BELL'S PALSY (left side of lip drooping/ trouble keeping left eye open/ trouble opening left side of lips/ eyes watering/ swelling of whole face mostly on left side/ hard to drink/ hard to speak) (seriousness criterion medically significant), HYPOAESTHESIA ORAL (left side of lip drooping,almost feels numb), OCULAR DISCOMFORT (trouble keeping left eye open), ORAL DISCOMFORT (trouble opening left side of lips), LACRIMATION INCREASED (eyes watering), SWELLING FACE (swelling of whole face mostly on left side) and DYSARTHRIA (hard to speak). The patient was treated with IBUPROFEN (ADVIL [IBUPROFEN]) at an unspecified dose and frequency. At the time of the report, BELL'S PALSY (left side of lip drooping/ trouble keeping left eye open/ trouble opening left side of lips/ eyes watering/ swelling of whole face mostly on left side/ hard to drink/ hard to speak), HYPOAESTHESIA ORAL (left side of lip drooping,almost feels numb), OCULAR DISCOMFORT (trouble keeping left eye open), ORAL DISCOMFORT (trouble opening left side of lips), LACRIMATION INCREASED (eyes watering), SWELLING FACE (swelling of whole face mostly on left side) and DYSARTHRIA (hard to speak) outcome was

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

unknown. No concomitant Medications were provided by reporter. The patient was treated with Advil (batch number: 017C21A). Based on the current available information and temporal association between the use of the product and the start date of the events a causal relationship cannot be excluded. However, more information regarding tests, diagnostics and treatment details are required for further evaluation.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events a causal relationship cannot be excluded. However, more information regarding tests, diagnostics and treatment details are required for further evaluation.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1345978	5/25/2021	FL	68	F	1/22/2021	1/1/2021	Injection site pain; Tired; Muscle pain; Joint pain; Redness and swelling at the injection site; Redness and swelling at the injection site; Asthma is kicked up a little; Dizziness; Weakness; No appetite; Sore throat; Headaches; Nausea; Hoarse voice; Sick; Weepy eyes; Stomach pain/ stomach spasms; Puking her guts out/Threw up; Body aches; losing her voice; This is a spontaneous report from a contactable consumer. A 68-year-old female patient received bnt162b2 (BNT162B2, Solution for injection), dose 1 intramuscular, administered in Arm Left on 22Jan2021 10:45 (Batch/Lot Number: EL8982) as SINGLE DOSE for covid-19 immunisation. The patient's Medical history included ongoing asthma (Verbatim: chronic asthma diagnosed when she was little, she has had asthma her whole life), c-diff from an unknown date and unknown (She confirms she was diagnosed with c-diff a few months prior to getting the vaccine), allergic to eggs from an unknown date, allergic: sulfa drugs, penicillin from an unknown date. The patient's Concomitant medications included fluticasone propionate, salmeterol xinafoate (ADVAIR) taken for asthma from an unspecified start date and ongoing; salbutamol (VENTOLIN [SALBUTAMOL]) taken for asthma from an unspecified start date and ongoing. The patient previously took codeine and experienced "allergic: codeine", flu and experienced allergic: flu shot. The patient experienced headaches (headache) (non-serious) on 22Jan2021, nausea (nausea) (non-serious) on 22Jan2021, sick (illness) (non-serious) on Jan2021, dizziness (dizziness) (non-serious) on 22Jan2021, weakness (asthenia) (non-serious) on 22Jan2021, no appetite (decreased appetite) (non-serious) on 22Jan2021, sore throat (oropharyngeal pain) (non-serious) on 22Jan2021, weepy eyes (lacrimation increased) (non-serious) on Jan2021, stomach pain/ stomach spasms (abdominal pain upper) (non-serious) on Jan2021, puking her guts out/threw up (vomiting) (non-serious) on Jan2021, injection site pain (injection site pain) (non-serious) on 22Jan2021, tired (fatigue) (non-serious) on 22Jan2021, muscle pain (myalgia) (non-serious) on 22Jan2021, joint pain (arthralgia) (non-serious) on 22Jan2021, redness and swelling at the injection site (injection site erythema) (non-serious) on 22Jan2021, redness and swelling at the injection site (injection site swelling) (non-serious) on 22Jan2021,

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

asthma is kicked up a little (asthma) (non-serious) on 22Jan2021, body aches (pain) (non-serious) on Jan2021, losing her voice (dysphonia) (non-serious) on Jan2021, hoarse voice (dysphonia) (non-serious) on 22Jan2021. She had a reaction to the Pfizer covid vaccine shot, she had the first dose on Friday 22Jan2021. She is still having a reaction. She is allergic to everything and she does not get flu shots for that reason. She is still sick, she still not feeling great. She experienced injection site pain, feeling tired, headaches, muscle pain, joint pain. She does not know if she had a fever. She has redness and swelling at the injection site but that is ok. She has nausea, dizziness, weakness, and sore throat. Reports her asthma is kicked up a little, she had to take a couple puffs of Advair and Ventolin right after she had the injection. She has chronic asthma. Her voice is hoarse from this, she is losing her voice. She threw up Sunday. She has no appetite. States all of her symptoms are improving very slightly. Treatment: She has been taking Emetrol for nausea. She is taking the generic for Lomotil called diphenoxylate/atropine 1 by mouth 4 times a day as needed. She is taking ibuprofen 800 mg, one tablet by mouth three times a day, she took that for the first two days. She was taking Tylenol extra strength for body aches, 4 tablets a day. Occasionally she takes Aleve. She was taking other medications for her stomach since she was getting over c-diff. She was having horrible pain in her stomach. She has been taking vancomycin once every three days, she has about a weeks worth of vancomycin left. She confirms she was diagnosed with c-diff a few months prior to getting the vaccine. She took pantoprazole 40 mg and dicyclomine 10 mg to help her stomach, to help with her stomach pain. She is sleeping with a heating pad on her stomach, her stomach hurts like hell. She reached out to her doctor and advised her to wait and see how she is doing. She was told if she was not better by today she should go to the ER. States she will not go to the ER for fear of catching covid. Question: Call transferred from another line. The caller received the first dose of the vaccine on Friday 22Jan2021. The caller stated she has been sick since Friday and got worse on Sunday. She has experienced nausea, dizziness, weakness, no appetite, a sore throat, she is losing her voice, she had to take inhaler right away after the injection, weepy eyes, and a lot of stomach pain. She is

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

taking Lomotil to calm spasms in her stomach. She described the stomach spasms "like someone hit you in the gut and constantly throbbing, I used to get that when I had the regular flu and I don't get any of the vaccines because I am allergic to the by-products in the vaccines but they assured me it non of that was in this vaccine." She was puking her guts out at midnight on Sunday night. She has been staying in bed with a heating pad and has been in bed all week. Her doctor told her if she is no better by Friday she should go to the hospital but she does not want to go to the hospital. She stated she doesn't know if she should get the second dose. The caller asked if these symptoms have been reported and if there is anything she can do for it. Other line; agent (withheld). The outcome for the events "sick" was not recovered. The outcome for the event "losing her voice" was unknown. The outcome for the remaining events is recovering. Follow-up attempts completed. No further information expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1345818	5/25/2021	MA	38	M	4/15/2021	4/15/2021	<p>Panic; Very dizzy; Very nauseous; Felt a lot of pressure in eyes; Left arm went numb, left leg went numb; Light sensitivity; Right arm pain; This spontaneous case was reported by a consumer and describes the occurrence of OCULAR HYPERTENSION (Felt a lot of pressure in eyes) in a 38-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 019B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Anxiety. On 15-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 15-Apr-2021, the patient experienced PAIN IN EXTREMITY (Right arm pain). On 16-Apr-2021, the patient experienced OCULAR HYPERTENSION (Felt a lot of pressure in eyes) (seriousness criterion medically significant), HYPOAESTHESIA (Left arm went numb, left leg went numb), PHOTOPHOBIA (Light sensitivity), DIZZINESS (Very dizzy) and NAUSEA (Very nauseous). On an unknown date, the patient experienced PANIC REACTION (Panic). At the time of the report, OCULAR HYPERTENSION (Felt a lot of pressure in eyes), PAIN IN EXTREMITY (Right arm pain), HYPOAESTHESIA (Left arm went numb, left leg went numb), PHOTOPHOBIA (Light sensitivity), PANIC REACTION (Panic), DIZZINESS (Very dizzy) and NAUSEA (Very nauseous) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. No concomitant and treatment details were provided. Company Comment: Very limited information regarding these events has been provided at this time. The events may be related to the preexisting anxiety the patient has. Further information has been requested.; Sender's Comments: Very limited information regarding these events has been provided at this time. The events may be related to the preexisting anxiety the patient has. Further information has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1345935	5/25/2021	NY	22	F	4/1/2021		SEVERE MIGRAINE; BODY ACHES; CHILLS; FEVER; This spontaneous report received from a consumer/non healthcare professional (patient's mother) concerned a 22 year old female. The patient's weight, height, and medical history were not reported. The patient received COVID-19 VACCINE AD26.COV2.S (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, frequency 1 total, administered on 07-APR-2021 Vaccination site was left arm for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On an unspecified date in APR-2021, the patient experienced body aches, chills, weakness. fever and severe headache with eye involvement. Patient was taken to the Emergency Room and was told that the vaccine caused a severe migraine. The reporter sought compensation of patient's medical bills. Patient was hospitalized and discharged on 30-APR-2021. Patient was hospitalized for 1 day. Patient was hospitalized on 30-APR-2021. The action taken with COVID-19 VACCINE AD26.COV2.S was not applicable. The patient recovered from body aches, chills, and fever on 2021, and the outcome of severe migraine was not reported. This report was serious (Hospitalization Caused / Prolonged).; Sender's Comments: V0: 20210539285-COVID-19 VACCINE AD26.COV2.S- severe migraine, body aches. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). 20210539285-COVID-19 VACCINE AD26.COV2.S- chills, fever. This event(s) is labeled per RSI and is therefore considered potentially related.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1345933	5/25/2021	FL	60	F		3/10/2021	<p>POSSIBLE SMALL STROKE; POSSIBLE TRANSIENT ISCHAEMIC ATTACK (TIA); SUPER DIZZY; THROWING UP; COULD NOT OPEN EYES; WIERDLY AND EXCEEDINGLY THIRSTY; COULD NOT WALK; NUMBNESS IN LEFT ARM; COULD NOT STAND; HEAVINESS IN LEFT ARM; NAUSEOUS; HEADACHE; FELT LIKE HAD CHILLS LIKE ONE GETS FROM THE FLU; This spontaneous report received from a patient concerned a 60 year old White, Not Hispanic or Latino female. The patient's weight was 175 pounds, and height was 65 inches. The patient's concurrent conditions included slightly elevated blood pressure, alcohol user socially and on weekends, non smoker, and penicillin allergy since childhood. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 1805022, expiry: UNKNOWN) dose was not reported, 1 total, administered on 08-MAR-2021 for prophylactic vaccination. Concomitant medications included valsartan for elevated blood pressure, acetylsalicylic acid, and furosemide. On 10-MAR-2021, the patient felt like having chills like getting from the flu, for couple of hours might be, a headache for several days, might be for 3 days. For that the patient took some Advil 200 mg every 6 hours for the first couple of days. Then that passed and felt fine. On 24-APR-2021, around 04:00 in the morning the patient woke up and felt weirdly thirsty, exceedingly thirsty and super dizzy, nauseous thought was having a heart attack and heaviness and numbness in left arm but could still move the arm, however could not walk and could not open eyes until was in hospital. As a treatment Aspirin was given to the patient by husband. The patient was throwing up, could not stand. About 05:30 went to the hospital and ran many tests. Ruled out brain bleed, heart attack, anything cardiac did a CAT scan; bloodwork found that the patient was low in potassium and it was determined that the patient either had a small stroke or a TIA that dissipated on its own. The patient saw her cardiologist and wore a Holter monitor for 10 days. The patient also has an appointment with a neurologist coming up in June and having another CAT scan. Also seeing a vascular neurologist. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from possible small stroke, possible transient ischaemic attack (TIA), super dizzy, could not</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1345908	5/25/2021	LA	72	F	1/28/2021	1/29/2021	<p>open eyes, wierdly and exceedingly thirsty, could not walk, throwing up, numbness in left arm, could not stand, heaviness in left arm, and nauseous on 2021, felt like had chills like one gets from the flu on 10-MAR-2021, and headache on MAR-2021. This report was serious (Hospitalization Caused / Prolonged).; Sender's Comments: covid-19 vaccine ad26.cov2.s-Possible small stroke, Possible transient ischaemic attack , super dizzy, could not open eyes, wierdly and exceedingly thirsty, could not walk, throwing up, numbness in left arm, could not stand, heaviness in left arm. These events are considered unassessable. The events has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the events. covid-19 vaccine ad26.cov2.s-Nauseous. This event is labeled per RSI and is therefore considered potentially related.</p> <p>Left arm, she is noticing that her left arm is sore too.; she has an elevated White blood Cell Count; Blurry vision right eye; tiredness; This is a spontaneous report from a contactable consumer(patient). A 72-year-old female patient received bnt162b2 (BNT162B2), dose 1 via an unspecified route of administration, administered in Arm Left on 28Jan2021 14:45 (Batch/Lot Number: EL3247) as 1ST DOSE, SINGLE for covid-19 immunisation. Medical history included chronic lymphocytic leukaemia, accident, blindness. There were no concomitant medications. The patient reported, blurry vision upon waking up, and tiredness on 29Jan2021. She clarified that she actually only has vision in one eye. The blurry vision is in right eye. With the Left eye, she had an accident as a child and lost her vision in the left eye. She is noticing that her left arm is sore too and had an elevated white blood cell count on an unspecified date. Outcome of the event for blurry vision right eye was recovering and for the other events it was unknown. Follow-up attempts are completed. No further information is expected.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1345833	5/25/2021	TX	64	F	4/14/2021	4/16/2021	Optical nerve was swollen and Nerve was pushing inward; Had blindness in her left eye at 80 percent; A shadow at the top of her left eye; This spontaneous case was reported by a non-health professional and describes the occurrence of BLINDNESS (Had blindness in her left eye at 80 percent) and PAPILLOEDEMA (Optical nerve was swollen and Nerve was pushing inward) in a 64-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 039a21a) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 14-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 16-Apr-2021, the patient experienced VITREOUS FLOATERS (A shadow at the top of her left eye). On 21-Apr-2021, the patient experienced BLINDNESS (Had blindness in her left eye at 80 percent) (seriousness criterion medically significant). On 10-May-2021, the patient experienced PAPILLOEDEMA (Optical nerve was swollen and Nerve was pushing inward) (seriousness criterion medically significant). At the time of the report, BLINDNESS (Had blindness in her left eye at 80 percent), PAPILLOEDEMA (Optical nerve was swollen and Nerve was pushing inward) and VITREOUS FLOATERS (A shadow at the top of her left eye) outcome was unknown. Not Provided The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. No concomitant medications were provided. Patient's husband stated "two days after his wife received the Moderna vaccine she had noticed a shadow at the top of her left eye. Patient stated a week later she had blindness in her left eye at 80 percent. His wife had seen an eye specialist and was told that her optical nerve was swollen and the nerve was pushing inward which was causing the snowy vision. Patient stated his wife cholesterol was 245. Patient's husband stated his wife had blood work (results not provided) and 2 magnetic resonance imaging tests done (results not provided), on 10-May-2021. She was seen at institute for the events. Treatment medications was not provided. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. However, Very limited information has been provided at

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

this time. Further information has been requested. Most recent FOLLOW-UP information incorporated above includes: On 10-May-2021: Patient demographics were added and event added.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. However, Very limited information has been provided at this time. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1345822	5/25/2021	AL	28	F	4/8/2021	4/8/2021	slight delirium; racing heart; tachycardia at 120 bpm; not hungry but very thirsty; not hungry but very thirsty; lot of trouble sleeping; low grade fever; EKG at home and she was catching Afib; tinnitus - ears ringing; couldn't talk; couldn't move; TIA with eyes fluttering; TIA with eyes fluttering, couldn't talk or move; chest pain; shortness of breath; extreme hypertension 200/115; forgot name for about 15 minutes; sterile diarrhea; lost 20 pounds; This spontaneous case was reported by an other health care professional (subsequently medically confirmed) and describes the occurrence of ATRIAL FIBRILLATION (EKG at home and she was catching Afib), DELIRIUM (slight delirium) and TRANSIENT ISCHAEMIC ATTACK (TIA with eyes fluttering, couldn't talk or move) in a 28-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 003B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included COVID-19 (For about a month.) in March 2020. Concomitant products included INTRAUTERINE CONTRACEPTIVE DEVICE (COPPER IUD) and MULTIVITAMIN [VITAMINS NOS] for an unknown indication. On 08-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 08-Apr-2021, the patient experienced WEIGHT DECREASED (lost 20 pounds). On 09-Apr-2021, the patient experienced DIARRHOEA (sterile diarrhea). On 10-Apr-2021, the patient experienced MEMORY IMPAIRMENT (forgot name for about 15 minutes). On 18-Apr-2021, the patient experienced CHEST PAIN (chest pain), DYSPNOEA (shortness of breath) and HYPERTENSION (extreme hypertension 200/115). On 19-Apr-2021, the patient experienced TRANSIENT ISCHAEMIC ATTACK (TIA with eyes fluttering, couldn't talk or move) (seriousness criterion medically significant), BLEPHAROSPASM (TIA with eyes fluttering), SPEECH DISORDER (couldn't talk) and HYPOKINESIA (couldn't move). On 20-Apr-2021, the patient experienced TINNITUS (tinnitus - ears ringing). On 27-Apr-2021, the patient experienced ATRIAL FIBRILLATION (EKG at home and she was catching Afib) (seriousness criterion medically significant). On an unknown date, the patient experienced DELIRIUM (slight delirium) (seriousness criterion medically significant), PALPITATIONS (racing

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

heart), TACHYCARDIA (tachycardia at 120 bpm), DECREASED APPETITE (not hungry but very thirsty), THIRST (not hungry but very thirsty), INSOMNIA (lot of trouble sleeping) and PYREXIA (low grade fever). On 10-Apr-2021, MEMORY IMPAIRMENT (forgot name for about 15 minutes) had resolved. On 05-May-2021, PYREXIA (low grade fever) had resolved. At the time of the report, ATRIAL FIBRILLATION (EKG at home and she was catching Afib), DELIRIUM (slight delirium), TRANSIENT ISCHAEMIC ATTACK (TIA with eyes fluttering, couldn't talk or move), CHEST PAIN (chest pain), DYSPNOEA (shortness of breath), HYPERTENSION (extreme hypertension 200/115), BLEPHAROSPASM (TIA with eyes fluttering), PALPITATIONS (racing heart), TACHYCARDIA (tachycardia at 120 bpm), WEIGHT DECREASED (lost 20 pounds), DECREASED APPETITE (not hungry but very thirsty), THIRST (not hungry but very thirsty), TINNITUS (tinnitus - ears ringing), DIARRHOEA (sterile diarrhea), INSOMNIA (lot of trouble sleeping), SPEECH DISORDER (could'nt talk) and HYPOKINESIA (could'nt move) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 13-Apr-2021, Dehydroepiandrosterone test: increased (High) Elevated. On 18-Apr-2021, Blood pressure measurement: 200/115 (High) Extreme hypertension. On 18-Apr-2021, Urine analysis: increased (High) High leukocytes in urine. On 18-Apr-2021, White blood cell count: increased (High) Elevated.. On 19-Apr-2021, Body temperature: increased (High) Low grade fever. On 19-Apr-2021, Heart rate: 120 (High) 120 beats per minute. On 20-Apr-2021, Neutrophil count: increased (High) high. On 27-Apr-2021, Electrocardiogram: atrial fibrillation catching atrial fibrillation. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. On 09-Apr-2021, the patient reported that she consulted her primary care, followed by an OBGYN consult on On 13-Apr-2021, and unspecified blood work was done. The patient reported that she visited the ER (emergency room) on 18-Apr-2021, 19-Apr-2021 and 20-Apr-2021 with a follow-up visit with her primary care on 19-Apr-2021. The patient also reported that she started

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

consulting her primary care physician since March 2020, for abnormal weight gain and blood tests were done for thyroid levels. It was reported that this whole period the patient lost 20 pounds. The Treatment medications included Tylenol (acetaminophen), hydroxyzine and propranolol. The patient reported that she had taken buspirone and quetiapine for insomnia, but stopped the medications on an unspecified date. On an unspecified date, Ativan (lorazepam) was discontinued. Company Comment: Based on the current available information which shows a temporal association between the use of mRNA-1273 and the onset of the other events, a causal relationship cannot be excluded. Fever is consistent with the product known safety profile.; Sender's Comments: Based on the current available information which shows a temporal association between the use of mRNA-1273 and the onset of the other events, a causal relationship cannot be excluded. Fever is consistent with the product known safety profile.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1345821	5/25/2021	GA		M	4/28/2021	4/28/2021	Blood clots around the heart, 70% blockage; Pneumonia; Can barely walk, need walker or somebody need to hold; Hardly talk; Barely sees; Brain stem stroke; This spontaneous case was reported by a consumer and describes the occurrence of BRAIN STEM STROKE (Brain stem stroke), THROMBOSIS (Blood clots around the heart, 70% blockage) and PNEUMONIA (Pneumonia) in a male patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 046B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Stent placement on 29-Apr-2021. On 28-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 28-Apr-2021, the patient experienced BRAIN STEM STROKE (Brain stem stroke) (seriousness criterion medically significant). On 29-Apr-2021, the patient experienced THROMBOSIS (Blood clots around the heart, 70% blockage) (seriousness criterion medically significant), PNEUMONIA (Pneumonia) (seriousness criterion medically significant), GAIT DISTURBANCE (Can barely walk, need walker or somebody need to hold), SPEECH DISORDER (Hardly talk) and VISION BLURRED (Barely sees). At the time of the report, BRAIN STEM STROKE (Brain stem stroke), THROMBOSIS (Blood clots around the heart, 70% blockage), PNEUMONIA (Pneumonia), GAIT DISTURBANCE (Can barely walk, need walker or somebody need to hold), SPEECH DISORDER (Hardly talk) and VISION BLURRED (Barely sees) outcome was unknown. Not Provided The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. No concomitant medication, No treatment information provided. The patient had brain stem stroke after 5 hours of the vaccination. The next day, on 20Apr2021, the doctor found that patient had 70% blockage, blood clot around the heart and they have to put stent. Company comment: The event of pneumonia is of an infective etiology, hence a causal association is unlikely. However, based on strong temporal association between the remaining events and the administration of mRNA-1273, a causal relationship cannot be excluded.; Sender's Comments: The event of



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							pneumonia is of an infective etiology, hence a causal association is unlikely. However, based on strong temporal association between the remaining events and the administration of mRNA-1273, a causal relationship cannot be excluded.
1346389	5/25/2021	CA	15	F	5/24/2021	5/24/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Hyperventilation-Mild, Systemic: Hypotension-Mild, Systemic: Nausea-Mild, Systemic: Visual Changes/Disturbances-Medium, Systemic: Vomiting-Mild, Additional Details: Patient felt dizzy and blackout/ fainted for less than 10 seconds. Vommiting and blood pressure on the low 96/64
1345995	5/25/2021	KY	19	M	5/14/2021	5/22/2021	On the first day of the adverse effects I woke up to a rash on my legs. It was minor and I thought nothing of it. On the second day it had spread to my arms and was now a serious irritation. I rubbed Aloe Vera on it and that helped a little but wore off in an hour. By day three the rash was now spreading to my chest but I still wasn't sure if it was the vaccine. I took some Benedryll as an antihistamine and the rash completely dissapeared within an hour. 24 hours later at the time I had taken the Benedryll the night prior the rash reappeared and I he only possible explanation is some sort of allergic reaction to the vaccine. I have been allergic to it consistently and if it doesn't dissapeared entirely without me needing to take Benedryll I will be very concerned. The rash when it is present covers almost my entire body, spare my groin, head, neck, and some of my chest and back luckily. It itches very badly and constantly, and is very much visually present in large red splotches.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1347791	5/25/2021	CA	47	F	5/22/2021	5/22/2021	<p>Patient started to not feel well almost immediately after the vaccine was given per certified pharmacy technician on 5/22/21 around 4:05 P.M. Patient started to experience symptoms not related to anaphylaxis, but more so related to hypotension and/or anxiety. Symptoms include dizziness, body fatigue, pins/needles throughout her body, and also patient started to "see dark spots" when she had her eyes open. No other immediate symptoms were present. Patient's condition improved over time and was able to get up from the chair by herself approximately 15-20 minutes post injection. Patient initially had a normal body temperature of 98.6 F. Temperature was taken every 5 minutes starting from 4:11 P.M for a total of 5 readings, which gradually increased to 100.5 F. Patient's condition started to worsen approximately 30 minutes post injection after improvement and looked like she was going to become unconscious. Ambulance was called due to worsening of symptoms again, and patient's care was transferred over at around 4:45 P.M. Patient was called on 5/25/21 at around 2:40 P.M. for follow-up. Patient has not fully recovered, but is on her way to recovery. Currently, her only symptoms are feelings of pins/needles throughout her body while all other symptoms are gone. Advised patient to follow-up with physician for her current symptom. Patient acknowledged and will see doctor soon. No date was given.</p>
1347685	5/25/2021	KY	41	F	4/26/2021	4/27/2021	<p>My vision became abnormal the following day after receiving vaccine. I could see fine, but felt like both eyes were not in sync with one another. It comes and goes. It can last for hours at a time. It has been ongoing, everyday for 4 weeks. I have never had any vision issues prior to the vaccine. I have seen an optometrist and eye specialists. So far, they have seen no signs or not detecting any eye condition or problem. I am to follow up with the eye specialists in 5 weeks. They recommended giving it a few extra weeks to see if symptoms improved or went away before looking into further/other testing.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1347900	5/25/2021	NC	30	F	5/20/2021	5/21/2021	While at my doctors office for a routine visit, I experienced my body attempt to pass out, suddenly, as a blood sample was taken for a vitamin D test. I lost hearing with a ringing in my ears, was sweating profusely, could not support myself to sit up and my vision was going in and out, as I couldn't keep my eyes open. My heart was racing, and the nurse said my lips went blue. The doctor and his nurses were able to get me into a bed and raise my feet above my head for 5-10 minutes to get the blood to come back to my head. I recovered within about 30 mins, as my heart beat slowly calmed, and my vision and hearing restored. The rest of the day and the following day I experienced severe fatigue and brain fog - it felt like I was moving and thinking in slow motion. A couple of days later I had a follow up with my primary care physician, as I was fearful from what I experienced. The doctor told me it happened because I had just been vaccinated with the 2nd shot the day before the blood was taken, and it somehow caused my body to go into shock. I have given dozens of blood samples over my life time and never experienced anything like that. I do not have fear of needles and am completely comfortable with having blood taken. What I experienced was scary. I genuinely felt I was going to die and it happened with no warnings, and at a seemingly random time. I experienced my heart racing uncontrollably after the first dose, but didn't report it as I wasn't sure it was significant. I want to share this experience because it was very traumatic for me.
1347898	5/25/2021	CA	49	F	5/1/2021	5/4/2021	Hives all over body, mostly on the trunk and buttocks. They develop in the evening and last into mid-morning. Sometimes they affect my face, swollen eye lids or lips. Also, I've had them on the palms of my hands and tops of my feet. They are very itchy and burn. It can be hard to sit on my bottom when they are in full effect. This started 4 days after my second vaccine and has only gotten worse with time. I am taking over the counter allergy pills around the clock that barely takes the edge off. There have been no changes in anything I'm doing to cause these.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1347877	5/25/2021	IL	26	F	5/25/2021	5/25/2021	RN note: Patient received vaccine at 1615, at 1620 patient stated she was dizzy and seeing stars, quickly after patient was unresponsive and eyes rolled back and patient postured and was shaking slightly. Patient remained in chair and did not fall, RRT and emergency responders notified. Patient recovered in under 1 minute. Initial vitals signs at 1622 BP: 98/64, HR 101, Respirations 34, SpO2 99%. Paramedics arrived at 1630 and BP at that time was 113/72, HR 114, Respirations 30, SpO2 99%. Patient stated no current medications or medical history. Patient handoff given to Paramedics and she left with them per our recommendation. Also reviewed that patient should follow up with her doctor regarding getting the second dose of the vaccine.
1347872	5/25/2021	VT	28	M	5/13/2021	5/20/2021	One week after receiving the vaccine I woke up on 5/21 with a mild rash. As the day went on the rash progressed and swelling of lips and uvula occurred around 5pm. I was taken to an urgent care who transferred me to a hospital via rescue. I spent the night at the hospital receiving multiple epi pen injections, and fluids. I was discharged 5/22 with a dose of prednisone. I was fatigued all day. On 5/23 I woke up to swollen eyes and lips and covered in hives again. I went to the ER where I was given steroids and fluids again. The hives went down but did not go away. One 5/24 I took multiple doses of Benadryl and dose of prednisone and in the evening time the hives progressed. Today 5/25 I woke up with swollen lips and checks and hives. I went to my doctors office to be evaluated.
1347870	5/25/2021	NC	58	F	1/27/2021	1/27/2021	I experienced after lunch time, I felt I was like drink, slurring my words. on 01-28-2021, the left side of my face was tingly and numb. When I went to work my coworkers noticed my left eye and face was dropping. I also started to drag my left leg. I went to urgent care and was treated as stroke like symptoms. I was admitted for one day at urgent care. My symptoms were gone within the next day. I have not had any symptoms since then.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1347920	5/25/2021	OH	21	M	5/25/2021	5/25/2021	<p>Patient received Janssen COVID19 vaccine (LOT#201A21A) in his left arm at approximately 14:43 on 5/25/21. During the 15 minute observation period, he expressed "I don't feel well" and endorsed dizziness/ lightheadedness, slight tingling feeling in fingers, and nausea. Shortly thereafter at approximately 14:50, he started to slouch and appeared faint while sitting in a chair with eyes closed. He did not fall or hit any part of his body. He was easily aroused with a touch on his arm and responded to verbal questions immediately. He denied trouble breathing, chest pain, palpitations, headache, muscle weakness, vision changes, skin reactions, swelling. He was oriented x3 and not exhibiting verbal or swallowing problems. His vitals were normal- HR 80 bpm and BP 105/80 mmHg. He was offered a receptacle to vomit in if needed; however, he did not vomit. This initial reaction was consistent with potential vasovagal reaction/ near-syncope after vaccination. Patient was encouraged and instructed to sit on the floor to prevent injury in case of fall but he refused. Staff offered him water, a fan, and opened windows while monitoring. Later while waiting for a ride at around 15:10, he endorsed headache (first above his eyes and then toward the back of his head) and clarified this did not feel like a typical migraine that he has had before. Then at around 15:20 he endorsed vision changes in his right eye- he could not see a portion of vision out of that eye except peripheral vision and described not being able to see writing on the right side of a whiteboard in front of him in the room. Later he described a resolution of that gap in vision but then had blurry vision out of that eye. He denied any vision changes in the left eye. Due to alarming symptoms of vision changes and onset of headache, patient was recommended to go to ER for further observation and evaluation. He was not in urgent distress and patient did not wish for EMS to be called but agreed to go to ER when his emergency contact picked him up. Patient's emergency contact came to pick up patient at approximately 15:40 and was recommended to take him to the ER. Patient and emergency contact were amenable to this plan. He was able to stand up and walk to the car without issues.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1347867	5/25/2021	NV	69	F	3/15/2021	4/30/2021	4 days after the vaccine I started my period. light spotting and cramps 6 weeks after the vaccine I woke up with a typical burst blood vessel in my right eye. I realized my actual eye color changed from hazel to blue. As silly as this sounds the color change is not the typical "I was wearing blue, so my eyes looked blue" It changed from hazel to blue overnight. The blood vessel healed, the eye color change has remained. Its pretty but a little strange. It is over 3 weeks.
1348039	5/25/2021	VA	58	F	5/15/2021	5/15/2021	blurry eyes, fast heart rate, headCHE, FACE NUMBNESS,cataracts
1347782	5/25/2021	WA	34	F	5/19/2021	5/20/2021	hours after administration, patient experienced dizziness / vertigo. She felt like her eyes were in a haze / cloudy. there was muscle tensions through the legs (not arms)
1347765	5/25/2021	OR	37	F	4/14/2021	4/15/2021	I received my second Moderna shot on 4/14/21 at 2pm. When I woke up the next morning on 4/15/21 at 0600 I had a headache. I got out of bed and walked to my kitchen to get some ibuprofen. As I went to get water from the kitchen sink my vision went black and I fainted hitting my head on the kitchen island. When I came to, I was lying on the kitchen floor with excruciating pain on the left back of my head. Since then I have been diagnosed with syncope and concussion.
1347746	5/25/2021	TX	70	F	3/4/2021	3/16/2021	Less than two weeks later, I have GCA, where the immune system attacks the vascular system. I have lost vision and have double vision and extreme crushing headaches and fever, night sweats, swollen hands.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1347736	5/25/2021	WA	74	M	5/21/2021	5/21/2021	CONTACT NOTE: Patient and spouse on campus today for scheduled covid vaccine. Spouse is also caregiver. 1442- this RN responded to alert from Front desk identifying the patient and the report of his wife whom had brought him to the lobby for help as he had had a "Focal seizure". Unknown baseline moving forward- evident patient totally dependent, unknown speech baseline. Right hand and bilateral legs contacted. This RN donning PPE as per above walked onto lobby scene with Wife controlling patient's home wheelchair of which he was secured into with a gait belt. Per wife "He had his covid shot about 3 hours ago, he has a history of seizures" Patient unresponsive to name or sternal rub, radial pulse present, thready, even chest rise, eyes open, equal bilateral pupils. This RN wheeled patient to hallway also responding to the FD message, Team Nurses involved in patient's care. This RN attempting to illicit response, some grimace to sternal rub. 1443 74/40 BP HR: 56 SPO2 87% RA- eyes open and reactive to light. Oxygen 4L applied. 1444- Patient responsive to sternal rub, follows commands to blink when he hears his name consistent with the assessment command "blink if you can hear me". 90/57 HR: 80 SPO2 100% 4 L NC 1450- able to grip with left hand, right hand contracted and with pulse oximetry applied. Respirations continue even and unlabored, saturations satisfactory, no verbal response, blinks at will, appears to be gaining lucidity. Decreased to 2L NC, moving head freely. 1500 86/56 78hr 1 L NC 99% with good non-verbal response, pupils contracting bilaterally equally in harmony, remains non-verbal. Able to grip and release RN fingers, move head freely, blink at command. Patient transferred to Gurney and transported. OF Note: EMS on standby for all of assessment from ~1445 forward. SBAR provided with known history, presentation, and known Dx on file. Wife/Caregiver to go with patient via ambulance, patient wheelchair stored, name on chair. All personal belongings : yellow cap, black bag, given to wife. Wife informed staff will follow up post discharge, understands to notify via call to staff of discharge from Hospital Facility: Hospital. OUTPATIENT MEDS: DRUG LIST As of May 21, 2021 This object does not handle Complex Pharmacy Orders. ----- ASPIRIN 81MG CHEW TAB GALANTAMINE HYDROBROMIDE 8MG TAB HYDROPHILIC (EQV

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

AQUAPHOR) TOP OINT METOPROLOL TARTRATE  
25MG TAB MULTIVITS W/MINERALS TAB/CAP (NO  
VIT K) OMEPRAZOLE 20MG EC CAP SERTRALINE  
HCL 100MG TAB TAMSULOSIN HCL 0.4MG CAP



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1347719	5/25/2021	MD	60	F	5/15/2021	5/18/2021	05/15/2021 1300: Received first dose of Moderna COVID vaccine. No issues. 05/16/2021: No issues. 05/17/2021: No issues. 05/18/2021 0800: Some occasional vision blurriness as if my reading/computer glasses were smudged. I kept wiping my glasses all day. That evening, I was anxious and unable to settle down. I did not go to bed until 1:00 AM. 05/19/2021 0500: Brief strange chest sensation (not pain; not pressure; just a strange sensation). 05/19/2021 0800: Dizziness and more noticeable blurred vision which continued throughout the day. 1st BP at home 122/81 2nd BP at home 117/77 05/19/2021 0940: Brief strange chest sensation (not pain; not pressure; just a strange sensation) while driving to doctor's office. 05/19/2021 1015: I happened to have scheduled an annual wellness visit for May 19 at 10:15 AM with a new primary care physician because my previous PCP (in the same practice) has been on a very long medical leave of absence. I was dizzy and having some balance problems walking from the parking lot to the office. 1st BP 143/88 Temperature 97.2 Weight 222.1 EKG good 2nd BP 130/76 Heart: soft murmur Thyroid: symmetrical The blurred vision and dizziness were getting much worse during my appointment. Dr. said he thought the symptoms were likely a side effect of the vaccine but wanted to order an MRI to make sure my brain was OK. Dr. arranged a same day appointment at a Clinic for 3:00 PM. Dr. advised me to rest, stay well hydrated, and not skip meals. My balance was very bad leaving the office and remained bad for about 6 hours. Dr. called me with the results of the MRI and said there was no stroke or clot, and that he thought the symptoms would slowly dissipate. 05/20/2021 0800: I woke up with ringing in my left ear that sounded like a combination of soft static coupled with soft sounds at a higher pitch. The ringing lasted about 1 hour. I had dizziness and blurred vision throughout the day, but it was less severe than the previous day. 05/21/2021 through 05/25/2021: I have had much less dizziness and it usually occurs only in the morning. I still have occasional vision blurriness throughout the day. It is most noticeable when I am working at the computer. I feel as if I have a little brain fog because it takes me longer to figure out how to type some things such as my email address, passwords, etc.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1347716	5/25/2021	CA	60	F	4/12/2021	4/13/2021	dark shadows in right eye, black spots in center of vision, vision has declined -rt and lt eye
1347868	5/25/2021	AZ	47	M	5/21/2021	5/22/2021	swollen right eye for 10 hours.
1348333	5/25/2021	TX	49	F	5/12/2021	5/16/2021	Patient came to the pharmacy 5/25/21 at 1:20pm to alert us that she had reactions that started 4-5 days after getting her first dose of Pfizer. She reports that her blood sugar increased >400 and >600 4-5 days after the dose. The patient spoke with her Dr and the Dr told her to increase her Lantus and Apidra. The patient also reports getting pain in her right leg that caused trouble walking, bruising on hip that both started 4-5 days after the dose. Patient reports headache, insomnia due to pain and increased blood sugar. Patient reports now sleeping a lot because of exhaustion and having to check her blood sugar every 2 hours and drink lots of water as directed by her Dr. Patient says she finally got her blood sugar down below 120 on Friday 5/21/21. Patient reports she lost some vision and had blurry vision in her left eye that started 5-6 days after the dose. Patient says her A1C was 5.6 before the Pfizer dose and after the dose her blood sugar was uncontrolled. Patient says her Dr told her to go to the ER if her symptoms continued. Patient also spoke with someone at the CDC and they told her they would follow up with her regarding her symptoms and they will let her know if she should get her second dose.
1347327	5/25/2021	MO	34	M	5/25/2021	5/25/2021	Approximately 22 minutes after she received the second dose she began to have itchy, watery eyes, nasal congestion, and felt itchy. Had side effects for 3 days after she received the first dose of Moderna. Gave 50mg of Benadryl and observed for an additional 25 minutes (for a total observation time of 47 minutes). Was feeling better 20 minutes after taking Benadryl, no longer had itchy, watery eyes, and nasal congestion subsided. Advised to contact primary care provider as a precaution.
1348813	5/25/2021	TX	44	F	3/8/2021	4/4/2021	Shingles on face, eye, and scalp + 3 separate additional dermatological reactions

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1348629	5/25/2021	NY	39	F	5/21/2021	5/21/2021	At site-rapid heart rate, slight swelling of tongue abs slight throat ?swelling? (as though mistakenly ate nuts allergy trigger foods) -brief Fri 5/218pm severe body aches throughout the night. Slight fever. Aches not highly responsive to ibuprofen. Severe body aches stopped after valerian root was used 5/22 evening. 5/22 1:28 pm left Eye swollen. Ache on skull. Pain even when hair touched later in the day.Swelling gone following day. 5/24 Palpitations on left chest top. Palpitations gone by evening. 5/25 Brain fog and lethargy but no other symptoms.
1348624	5/25/2021	CA	67	M	1/18/2021	2/6/2021	Patient presented at Emergency Dept. with chest pain, blurred vision left eye; headache; left arm, side and leg pain. BP 150/100; EKG, troponin, brain scan, all negative. Patient admitted overnight, echo stress test in AM also negative. Patient discharged at 3:00PM.
1348617	5/25/2021	CO	45	M	5/4/2021	5/23/2021	Developed Bell's Palsy with mild symptoms presenting 15 days after 2nd dose. (5/19) Went to ER, but eye droop and numbness subsided. Awoke 5/23 with full numbness on left side of face and went to ER. Left side entirely numb unresponsive/paralyzed from hair line down through tongue/gum. Started Prednisone 60mg daily and antiviral; both for 7-days.
1348489	5/25/2021	CO	63	F	4/20/2021	4/21/2021	Woke up at 5 AM shivering uncontrollably, weak, unable to move, sweating, feeling feverish, whole body aching. Needed to use heating pad for cold relief (no fever on thermometer). Took Tylenol; symptoms lasted 36 hours; passed out 2x upon standing up to use toilet. Dizzy, nauseous, blurry vision, headache, unable to eat, thirsty, very sleepy; took Tylenol every 6 hours for slight relief. Sick for 2 days but symptoms lessened after 36 hours. Terrible experience. Site of shot was the size of an orange, rash-wise, and very painful for 3 days.
1347904	5/25/2021	TX	57	F	5/22/2021	5/22/2021	Dilation swelling in throat minutes after vaccination. Also became nauseated and light headed minutes afterward. Had to lie down at home. About 2 to 3 hours later. Right side of face flushed/light rash and right eye drooped and almost closed. Stayed this way for about 3 hours before eye started to resume to normal. Didn't affect left side of body.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1348467	5/25/2021	WA	34	M	5/25/2021	5/25/2021	Patient received vaccine, per family at vaccination site patients eyes rolled back and he looked pale. Patient is blind, deaf and nonverbal at baseline. Patient had BP 110/80, HR 84, RR 20 per patients family SpO2 98% on RA. Patient had cookies, applesauce and returned to baseline. Patient observed for 30 minutes.
1348099	5/25/2021	NY	23	M	5/25/2021	5/25/2021	Adverse event included loss of color in face (patient turned pale) including lips, eye rolled upward staring at ceiling, patient slouching on bench until flat on back on bench (head in mother's arms); patient remained like this for at least a couple minutes while mother was yelling for help; patient eventually regained focus and comforted mother in return; patient reported could not see well and experienced dizziness and still had complete loss of color in face; epinephrine pen was not used on patient--only cold wet compress (paper towel) and some air from fan; 911 was called during the incident and paramedics took 10-15 minutes to arrive on scene; mother hysterically crying while pharmacist and manager remained with patient until paramedics brought patient on stretcher to a local hospital
1348331	5/25/2021	OR	26	F	5/5/2021	5/7/2021	I got the Moderna vaccine and 2 days later my eyes we swollen and watery. I also could not stop sneezing continuously. Now I have been sneezing still continuously throughout the day ever since. Have never had this before and I normally do not have allergies.
1348305	5/25/2021	TX	44	F	5/22/2021	5/22/2021	Flushed face, blood shot eyes, felt light headed, itchy throat, took 50mg benadryl. Felt fine about 1 hour later
1348088	5/25/2021	CA	54	F	5/25/2021	5/25/2021	While sitting in observation post vax, at 4:15 PM, pt states that she felt anxious and took her own personal dose of ativan 1 mg. Pt had visual shakes and slight diaphoreses. Assessing RN gave 1 bottle of water. HR 119, O2 sat on RA 99 %. Pt remained anxious, husband at side. After a period of 15 min, pt requested RN to call 911. Charge Nurse notified 911 w/ current BP of 190/100 at 4:28 PM. Pt remained alert until arrival of EMS for transport to Medical Center. Husband remained w/ client for transport. Gave care to EMS at 4:45.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1348087	5/25/2021	OR	73	F	5/25/2021	5/25/2021	After about 20 minutes of observation she started to dry heave/spit up white bubbles. She said her mouth felt "spicy" and her eyes felt "weird". Checked blood pressure it was over 180/90 on the first read, 153/109 on the second and 176/98 on the third. Pulse was normal, strong and steady. No classic symptoms of allergy. Called 911 to be taken in, no treatment given in facility.
1348080	5/25/2021	NY	25	M	5/25/2021	5/25/2021	Administered about 3:30pm and sent to observation area. At roughly 4:40pm client started getting dizzy and closing eyes, color gone from skin with lips getting grayish-purple. At 4:45pm client was going in getting "clammy" skin, sweating some. I had him recline in a chair and administered 1 dose (0.3mg) epinephrine using an auto-injector pen and called for emergency services. At 4:50pm blood pressure was 125/80. Client still coherent. Had mentioned that he had not eaten that day so gave him some saltine crackers and juice. Color started to return and emergency services arrived to take over.
1348071	5/25/2021	OH	13	F	5/25/2021	5/25/2021	Almost 15 min after pt received her first dose of Pfizer vaccine, she felt light-headed. Mom who was at side held pt up and called for provider. Provider came over and pt said she had blurred vision and muffled hearing, pupils were dilated. A few seconds later, pt felt better and was able to drink water. Had pt and mother stay a few extra minutes past 15 min for observation time and patient able to slowly stand up and walk out clinic with mom. She did report not drinking water since this morning.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1348472	5/25/2021		18	M	5/25/2021	5/25/2021	<p>Patient received vaccine around 5 pm. For the first two minutes after vaccination the patient seemed to be fine. Starting around that 3rd minute the patient got very dizzy and nauseous. He was then seated to prevent further NV. I asked the patient if they were breathing ok and the patient stated his breathing was fine. After about another minute the patient's eyes got glossy and the patient seemed to be out of it. I asked multiple orienting questions such as his name, where he was, and what day of the week it is. He was only able to answer the day of the week and his head was bobbing. I then called 911 as the patient became very pale and started to profusely sweat. While on the phone with the 911 operator, the patient went completely unconscious and lost control of motor functions. I was able to confirm the patient was still breathing and still had a heart rate (although rapid) and thus compressions were not given. The EMT arrived quickly to the scene and took over care of the patient. After about 20 minutes of checking vital signs, the EMT gave the patient and his family the option on whether they want to go to the hospital or not for further examination. The family decided they wanted to take the ambulance to the hospital.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1347108	5/25/2021	AR	47	F	5/19/2021	5/20/2021	My first shot on April 21, i woke up on the 22 with a terrible headache, nauseus, my shoulder hurt to my neck, and I ached like i had hte flu, shaking, and did not eat until the afternoon of the 23rd when all the symptoms subsided. On the24th i started coughing for a few days.. i thought at the time mabye i have allergies this year, i coughed a day here and there until the night of Friday May14th- i coughed noon stop all day until Tuesday night, the 18th. I was fine Wedn day and got my second shot ( i let them know about the coughing) i woke up Thursday with a 100 temp and all the same exact symptoms as above..thursday night i called dr because my fever got to 102 and i was really nauseus, headache, eyes hurt, i couldnt break the fever and i was so miserable and a little scared. Friday the 21st my fevor broke in the afternoon. I woke up on the 22 coughing really bad again with headache and its still lingering. I am exhusted, my head hurts, but am feeling better. i called dr last night and he said to try allergy medicine to see if that can help he symptoms. and to follow up in a few days.
1347333	5/25/2021	PA	60	M	4/7/2021	4/11/2021	Headaches Nausea Tiredness Double vision Droopy right eye
1347258	5/25/2021	PA	28	F	5/21/2021	5/21/2021	28 year old female, presented to clinic for her second dose of Moderna Lot #003C21A. Approximately 5 minutes after receiving her injection she told her husband she wasn?t feeling well. She then proceeded to become nonresponsive for a period of approximately 20-30 seconds. Her left arm had notable rigidity. Her eyes deviated upward and her skin had notable pallor. She was lowered to the ground by staff and myself and placed in a supine position with her legs elevated. became responsive and was alert and oriented X3. She initially had decreased strength in her left hand and described a ?pins and needles? sensation. was able to sit up and ambulate to a safe area where she proceeded to feel light headed again. She was then placed in a supine position. BP 90/60. Per the patient and husband there is no significant medical history. The patient did have a syncopal episode with vaccines in the past. After consultation with both the patient and her husband we called 911. Patient was stable when EMS arrived and transported to Hospital for further evaluation.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1347231	5/25/2021	PA	25	F	5/24/2021	5/24/2021	Patient is a 25 year old female. She presented to the clinic for her second dose of Moderna LOT #003C21A. According to patient's husband she has no significant past medical history but has "passed out" with vaccines. No reaction noted with her first COVID vaccine. Approximately 10 minutes after receiving her injection today she told her husband that she wasn't feeling well. She said was light headed and nauseated. Patient then proceeded to become nonresponsive. Her eyes deviated upward and her whole body became stiff. Her skin had notable pallor. She was lowered to the ground by staff, myself, and her husband, and put in a supine position with her legs elevated. 911 was called. This episode lasted approximately 40-60 seconds when she became responsive and cried out for husband. Her muscles relaxed and she became notably upset. She kept saying she wasn't able to see or feel her extremities. Her lack of vision resolved within 10-15 seconds. She had weakness in her arms and legs but was able to squeeze her hands on command. She was alert and oriented X3. BP was 130/90. The patient was stable when the ambulance arrived to transport her to Hospital.
1347222	5/25/2021	MI	60	F	5/7/2021	5/7/2021	Patient bent down to pick something up and lost vision in her left eye, described it as a field of black with shooting colors like fireworks in her eye. She presented to her optometrist Dr. She also presented to the ER for further evaluation. She underwent lab work and a CT of the head without contrast. She was diagnosed with a retinal occlusion of the left eye.
1347196	5/25/2021	TX	54	F	1/22/2021	1/26/2021	Initially thought I was having a stroke. Went to ER. Not having stroke. A few weeks later started having: Loss of balance including falling, speech difficulty, memory impaired, cognitive functions diminished, vision irregularities. Went to see Dr. who prescribed Steroid IV infusion for 5 days. Trazadone for sleep, and has ordered IVIG infusions ( awaiting on someone to administer.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1347190	5/25/2021	MT	12	M	5/25/2021	5/25/2021	Patient received the vaccination at 1148. A few minutes after receiving the vaccine the patient became faint. The patient was placed in Trendelenburg, drank juice and remained laying for 20 minutes. VSS at 1103 when patient sat up. Patient did experience dizziness or blurred vision upon sitting upright. After sitting for several minutes his blood pressure was 100/59.
1347004	5/25/2021	CA	42	M	5/25/2021	5/25/2021	Patient had a vasovagal event approximately 2 minutes after receiving his 1st dose of Moderna at the vaccination table. Charge Nurse was immediately called over and patient was opening his eyes and looked a little confused. Patient was able to communicate and alert and oriented X4. Patient was sweating and said he still felt a "little dizzy". Vitals were taken at 9:24 am B/P 190/131 HR 45 O2 99% Resp. 14. Cot was brought over to patient and patient was able to transfer from chair to cot without assistance. After laying down for about 5 minutes vitals were repeated 9:30 AM B/P 114/66 HR 61 O2 100% Resp. 16. Patient then was able to walk to observation area and sat on a chair for the remainder of his observation time. He left without requiring any further treatment.
1347120	5/25/2021	WI	27	F	1/26/2021	2/12/2021	I was diagnosed with right side bells palsy, I was told to take use artificial tear drops in eye, Valtrex, prednisone tapered and pecid .
1347136	5/25/2021	KS	30	F	4/29/2021	5/6/2021	Flu-like symptoms for the first 3 days: fever, chills, body aches, headache, itchy skin, pain in injection site (left arm). A few days later I started my period. It was irregular with severe PMS, panic attacks, anxiety and depression, severe cramping, more bleeding and blood clots than usual, period lasted longer than usual. Every day since I have been having PMS symptoms (anxiety, depression, panic attacks) and cramping. The cramping feels like period cramps but I am no longer on my period. The cramps last all day long and are not going away. I also had severe eye pain in my right eye about 1 week after the injection. The pain lasted for about 2 days, and was a throbbing pain behind my eyeball. I have never experienced any issues with my eyes before. I also had covid January 2021 and did not experience any of these symptoms then.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1347102	5/25/2021	OR	30	F	5/20/2021	5/20/2021	Day 0 (injection) : soreness, pain, and heat at injection site. Swelling of lymph node under left armpit AND lymph nodes at throat and mouth. Headache, fever (99.8F), chills, very strong shivering, fatigue, strong aches and pains in muscles, unusual joint pain, loss of concentration or brain fog, disorientation, drowsiness. Increased tinnitus. Sore throat. Chest tightness. Increased appetite. Day 1: soreness and pain at injection site. Lymph nodes at armpit and throat/mouth still a little swollen. Headache all day. Disorientation or brain fog. Major fatigue. Sore throat. Tinnitus. Lack of appetite. Day 2-4: Insomnia (inability to fall asleep, easily awoken, unable to fall back to sleep, unable to sleep for more than 3 hours at a time). Minor psychedelic visual effects (auras around objects, long tracers following moving objects, brighter or more intense colors). Headache (minor, all day). Drowsiness. Loss of coordination (minor). Brain fog. Day 4 specifically: Irregular menstrual cycle, my period immediately began 1.5 weeks early and very heavy. Flow is unusually fluid and more like the consistency of blood, not viscous like usual.
1347074	5/25/2021	LA	35	F	5/25/2021	5/25/2021	began having severe itching, multi whelped rash all over body and swelling in face, hands, eyes, ears and feet. Went immediately to the ER where she received IM Benadryl, IM Steroid and oral pepsid. Given a Rx for oral Prednisone 20 mg po q day x 5 days and to continue Benadryl 50 mg every 4-6 hours for 3 days. Rash and itching last for 5 days. Patient reported reaction to her PCP on 3rd day.
1347070	5/25/2021	FL	59	F	5/23/2021	5/23/2021	Shot received aprox. 12:30p.m. and by 6:30p.m. raised area at injection site. then feeling tired. Then early a.m. of 5/25/21 woke with muscle cramps in right calf. As the day progressed, I had the following symptoms: fever ,chills, burning sting/watery eyes, muscle aches, severe head and neck ache, congestion in left cheek and brow bone(general feeling of the flu). On 5/26/21 still having feeling of muscle cramps, exhaustion, headache, and cloudy thinking/judgment.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1347024	5/25/2021	CA	77	F	3/17/2021	3/18/2021	brain fog, dizziness, strange sensation in sinuses difficulty in concentrating, difficulty focusing eyes when reading, eye events such as "flaters" flashing at outer sdes of eyes, exhaustion and needing more sleep than usual
1347683	5/25/2021	SC	71	M	2/24/2021	3/8/2021	Broke out in shingles on forehead and in the right eye. Took shingles medication, Gabapentine and prednsone eye drops. Seeing an Ophthalmologist and primary Doctor regularly. Right eye only opens half way due to nerve damage and waters constantly. Cannot drive or read, and very sensitive to light. Expected to take months to recover.
1348312	5/25/2021	NY	55	F	5/19/2021	5/22/2021	Pain, itchy, tiny blister in left eye.
1347177	5/25/2021		33	F	5/1/2021	5/22/2021	nodular episcleritis, preceded by subconj heme, right eye
1347610	5/25/2021	MS	28	M	5/19/2021	5/19/2021	Injection site was left arm below the shoulder around the tricep. The injection site began itching several hours after injection. Itching was low in intensity. The injection site swelled noticeably. I went to sleep but I woke around 4 AM with an intense headache, nausea, slightly blurred vision, and a fever. Throughout the remaining day my fever got up to 101F. Other symptoms included muscle ache and fatigue. The injection site began intermittently pulsating/twitching the evening of 5/20/21. On Friday morning 5/21 the intermittent twitching spread to my left fingers. The blurry vision, headache, and nausea gradually went away. All symptoms were gone by morning of 5/22. I did not take any medication throughout.
1347678	5/25/2021	WA	70	M	2/25/2021	5/27/2021	Bell's Palsy (7th Cranial Nerve Palsy). After my second Moderna shot on 03/25/2021 against Lot # 040A21A I started experiencing double vision ( 4th Cranial Nerve Palsy) on 03/27/2021. Dr is treating me for the double vision and installed a prism film in the left eye of my glasses. I had a #10 prism installed on 04/08/2021 and it was reduced to a #6 prism on 05/21/2021. It is improving.I have another appointment with Dr. on 07/23/2021.
1347663	5/25/2021	MD	12	F	5/16/2021	5/25/2021	Mother reports of twitches in eye and head

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1347109	5/25/2021	WA	55	F	5/17/2021	5/17/2021	Tingling left side of body, blurry vision, pressure behind left eye, foggy, dizzy, fatigued, hard time catching breath.
1347418	5/25/2021	TX	52	F	4/8/2021	4/8/2021	Later that day I had the worse headache ever. It was the number 2 worst headache I've ever experienced. The headache lasted about a week and a half but it wasn't as intense as it was initially. It gradually got lessened but it was constant and persistent. I had a pain and pressure at my fore head and my eyes hurt as in the muscle of my eye. I also had pain in the injection site with muscle soreness but that went away quickly. The itchiness was different than other vaccines and lasted for about a day. I also started to get congestion in my sinuses and my ears. I also experienced pain when trying to swallow. That lasted about 3 days. It felt like my glands were swollen. The combination of the headache and the ear pain and sinus pressure made me unable to work. Up until that point I was taking ibuprofen to manage the pain and maybe 1 or 2 doses of Benadryl which is what I usually take when I get allergy symptoms like itchy throat. It did not work, I contacted the doctor who said I had a sinus infection. I went to the doctor on 04/22/2021 and received antibiotics (amoxicillin) which lasted 10 days. Around this time, I developed a cough which is still present. The antibiotics did not help, the doctor then gave me steroids on 5/12/2021. They do not seem to be helping. I also took Aleve sinus medicine as well. The cough worsened and I lost my voice around 05/12/2021. My doctor said it was drainage that was causing my cough.
1347658	5/25/2021	CA	58	F	5/10/2021	5/10/2021	Adrenaline rush, chills, fever, vomiting, headache, facial swelling especially around eyes. Chills & fever from 9PM to 3AM the next morning was followed by vomiting 5/11 AM. The headache and swelling lasted 4 days. 5/14/21 I was almost back to normal.
1347653	5/25/2021	ID	61	M	5/11/2021	5/24/2021	Had itchy eyes, loss of smell, loss of taste, fever for 15 hours started 5/24/21 at 1pm until 5/25/21 4am.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1347612	5/25/2021	MO	92	F	5/18/2021	5/18/2021	5/18/21 9:20pm - c/o general aches & soreness right arm 5/19/21 6:10pm - c/o general aches, sleepiness, soreness to right arm temp 99.8 5/20/21 11:21pm - redness administration site, redness & puffiness to eyes & face, arm very sore 5/21/21 11:02am - c/o pain at injection site, red, warm, swollen, afebrile 5/21/21 10:03p - arm red, warm, swollen at injection site, afebrile, states feels better today 5/25/21 4:27am - lethargic, tremoring, nausea, diarrhea, temp 103.4 pulse 128, SPO2 82%, sent to hospital
1347594	5/25/2021	TX	32	M	4/20/2021	4/23/2021	Extreme fatigue, loss of appetite, upset stomach/nausea, trouble sleeping, noticeable vision getting worse (already wear glasses: last check up was March 2018) Headaches/light headedness persisting over the last few weeks. Sometimes I can feel my heart pounding. General feeling of unwell and not normal. The extreme fatigue has subsided, but I was unable to work from 04/23- 05/02. Temp had remained normal throughout and never reached above 99.6. Took a rapid test on 04/23/2021 at Urgent Care, and a lab test from pharmacy for COVID on 05/23/2021; both came back negative.
1347469	5/25/2021		33	F	4/16/2021	4/21/2021	severe stomach aches, severe period cramps and symptoms much worse related to PMS and period pain. two weeks after second shot, I had blurry vision for a day where I saw lots of white spots. for two weeks I had headaches as well.
1347506	5/25/2021		42	F	5/1/2021	5/21/2021	Numbness in left hand. Left arm heavy and sore.Fever. Chills. Cough. Heart palpable. Shortness of breath. Stomach cramps. Nausea. Diarrhea. Pain behind eyes. Burning itchy skin. Uterine bleeding.
1347423	5/25/2021	IL	86	F	5/25/2021	5/25/2021	Pt started with "burning" to her eyes about 10 min after the vaccine. RN noticed swelling to bilateral eyes. Pt also stated "burning in my throat". airway was patent, denied shortness of breath. did state a history of allergic reactions to the flu shot. after discussion with the pt and an assessment with a nurse practitioner it was decided to take the pt to the ER. 911 was called and the pt transported.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1347440	5/25/2021	MD	35	F	5/21/2021	5/22/2021	Upon waking 5.22.21 around 6:30 PM, experienced headache, fatigue, stomach pain, and nausea. On attempt to rise from bed and travel to bathroom many feet away, experienced increasing dizziness. Nausea increased with dizziness, knelt to toilet - brief improvement in dizziness at that time. Stood and stepped into walk-in shower, dizziness disrupted my ability to perceive what I was seeing - everything appeared to be violent motion so I couldn't discern what was immediately in front of me, also extreme nausea. My balance was completely compromised such that I couldn't determine where I was placing my feet. I found a wall with my hand, and stumbled back to the bed. This entire process took about 10 minutes. I found my bed and vision cleared after lying prone for 30 seconds. I was able to use my phone then to call a family member to help; I was prone for one hour and twenty minutes - fatigued, nauseated, dizzy - while awaiting assistance. I was fatigued and dizzy but recovered after about 6 hours of sleep, hydration, and light eating without medical intervention.
1347504	5/25/2021	WV	66	F	3/11/2021	4/6/2021	I had a horrible migraine. After I described it to my Ophthalmologist, Dr. , he said he didn't believe it to be a typical migraine. I had vision disturbance in my right eye for about 2 weeks. After one week, I called my doctor. I'm not sure if it has cleared up or my brain has become used to it. I had a MRI and I followed up with a Neurosurgeon and he said I have a small brain tumor (meningioma), but it was not a part of the problem. I think that if the Janssen Vaccine hadn't been paused around the time I had my migraine, I wouldn't have been so alarmed and worried.
1347514	5/25/2021	CO	50	M	1/11/2021	3/8/2021	March 8th - Dizziness, heart palpitations, skipped beats, tunnel vision, hypotension. This was followed by 2 weeks of regular PAC's and PVC's noted by my self. This did not seem to be related to any kind of anxiety since I have never had anxiety problems. I eventually had an echo cardiogram on 03/30/2021 which resulted as normal I also wore a Ziopatch for 2 weeks from 03/30/2021 which resulted as normal. By the time I was able to be tested most of my symptoms had resolved.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1347449	5/25/2021	MO	13	F	5/18/2021	5/21/2021	the day following vaccination she described worsening of chronic fatigue, headache, chest/rib cage discomfort, swelling of left arm and left face, hives under eyes and left face
1347652	5/25/2021	FL	57	F	5/10/2021	5/10/2021	Headache, fever, chills, vomiting and nausea lasting 4 days requiring medical attention., acute sense of smell causing continued nausea, sweat that smelled like pool chlorine, rash on chest, extreme sensitivity to sound, feeling woozy and not quite balanced when walking, blurry eyes and extreme fatigue.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1343428	5/24/2021	FL	62	F	4/28/2021	4/28/2021	<p>Approximately 5 minutes after shot was administered into my left upper arm, as I sat down to wait my 15 minutes as required, I started to feel a racing heart, lightheaded, shaky, nauseous and strange sensation in my body. I was with my mother and my husband. My husband noticed I was struggling and called over the paramedic on staff. He came over and asked me questions, as to what I was feeling, he brought over a bottle water and asked if I wanted some Cola for the nausea, apparently it helps with nausea. At first I didn't want it, then I ended up taking a few sips. The entire episode lasted approximately 30-35 minutes, and I felt my heartrate returning to normal, however, I continued to feel out of sorts, shaky. Upon returning home, the entire evening of the day in question, I felt a heaviness in my head, ache over my eyes, then my body continued to feel strange, I was very tired, and of course, my arm began aching, I barely slept through the night, feeling strange sensations in my body, aching arm, and headache, nauseated. I had taken Tylenol after getting home from the vaccine shot. I finally got what I remember, maybe 2 hours of sleep, waking up to go to the bathroom, and my legs felt like cement! I could barely walk! Pain was radiating up the back of my legs, thighs, and buttocks. I held myself along the wall to the bathroom and could barely bend. After using the bathroom, I once again felt a tremendous heaviness, cement-like legs, barely making it back to the bed. Throughout the entire day I could barely walk, severe muscle spasms lower back, thighs stiffness, down the back of legs, severe pain. I contacted my doctor, told him of what was happening and he stated not to go back for the 2nd shot due to my issues with the 1st. This has been ongoing since April 28, 2021, today is May 24, 2021 almost one month later and I am no better. Although I have had Fibromyalgia for several years and Chronic Fatigue Syndrome, since the vaccine, it has triggered a complete relapse of my condition, making it unbearable, painful. I have been living on pain meds, and icing/heating on and off. Now requiring physical therapy.</p>



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1343421	5/24/2021		52	M	4/24/2021	4/24/2021	RN responded to a call for help in the observation room at about 1115. The pt was found to be on the ground next to his chair and diaphoretic. Someone was supporting his head and his eyes were open. The pt was was responding and A&Ox4. His initial vitals were 96/49, 42bpm, 96% on RA. The pt remained alert and said that he was trying to sit down in his chair, and then found himself on the ground. He had recently walked over from getting his Pfizer covid vaccine. He was unsure if he had LOC or hit his head. The pt said he felt "a little dizzy," but he denied any pain, including head, neck, back, and chest. He denied feeling SOB. The pt was able to sit up with minimal assistance, and then was able to get himself on to a cot that was placed next to him. He vitals were checked and can be found below. He continued to remain alert and respond appropriately. He said he "felt better." EMS was called due to the pt's dizziness, 61/40 BP, and 31 bpm pulse. AMR and a fire crew arrived at 1131, placed the pt on their gurney and monitoring equipment, and brought the pt in to the ambulance. The pt remained alert and was able to transfer himself to their gurney. Report and care of the pt was given to EMS personal. 1117: 96/49, 42bpm, 20RR, 96% RA 1120: 81/31, 47bpm, 18RR, 95% RA 1123: 61/40, 31bpm, 18RR, 95% RA 1125: 110/53, 53bpm, 18RR, 94% RA 1127: 100/61, 57bpm, 16RR, 94% RA 1131: 113/62, 66bpm, 16RR, 95% RA
1343403	5/24/2021	OH	46	F	5/20/2021	5/22/2021	Patient called today to report having hives on her arm after her 2nd covid shot on 5/20/21. She received moderna. I filled out the report. advised her to take benadryl and keep an eye on it to be sure it did not spread or worsen. Also advised her to report to vsafe. pt was going to call me back this evening to get website since she did not have paper to write on. She did not call back
1343375	5/24/2021	DC	15	F	5/14/2021	5/15/2021	Suddenly my vision got super bright and I could hardly see, and then I couldn't hold myself up and I slowly collapsed onto the ground. It only lasted a few minutes, and then I was perfectly fine. It came on very suddenly and didn't last long, but it was extreme during those few minutes. It was also very hot that day. And I had a mild migraine headache in the morning, but that wasn't very bad, and I get migraines fairly regularly.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1343222	5/24/2021	NC	13	M	5/24/2021	5/24/2021	Approximately 5 minutes after receiving first dose of Pfizer, patient became disoriented, eyes began rolling back in the head, loss of skin color, hands tingling, and altered hearing. We administered 25 mg of benadryl and patient began to feel better within 5 minutes. Patient stayed an additional 30 minutes and continued to improve to normal per parents.
1343441	5/24/2021	PA	41	F	5/24/2021	5/24/2021	Patient reported dizziness, lightheadedness, ascending warmth/tingling, tunnel vision, and that she "couldn't feel her hands" shortly after receiving her vaccine. She was highly anxious and stated "I never should have done this". On arrival to med obsv, her hands were in a contracted position and her arms/legs were shaking. Patient repeatedly asked if she was going to be paralyzed. The patient began to feel better after several deep, relaxed breaths. Patient was given water, apple juice, and crackers. Pt requested to use the restroom around 11:10. She was transferred there via wheelchair where she was able to urinate, and reported feeling better after doing so. On discharge, patient reported slight light headedness and "off" feeling, but was otherwise better. Vitals as follows: 10:50- BP 151/84, HR 144, RR 22, O2 97 10:52- BP 146/78, HR 144, RR 22, O2 97 11:00- BP 148/85, HR 125, RR 20, O2 100 11:07- BP 139/78, HR 116, RR 20, O2 100 11:26 (sitting)- BP 135/70, HR 104, RR 18, O2 100 11:36 (sitting)- BP 128/73, HR 98, RR 18, O2 100

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1343229	5/24/2021	SC	13	F	5/21/2021	5/21/2021	Friday, 5/21 around 11:55 she received her first dose. 20 minutes later she complained that it felt like someone punched her in the face, and her left cheek was swelling. She looked woozy, with her eyes closing, and the nurses laid her down on the floor on a mat. Her tongue and throat began swelling, and she was having extreme difficulty breathing. She then could not feel anything from her neck down, like she was paralyzed. The nurse administered an EpiPen and EMS showed up minutes later. In the ambulance, EMS administered another EpiPen, gave her a steroid and Benadryl and rushed her to the hospital. Once at the ER, she was still having a hard time breathing, and could not feel anything from the waist down and could not move her legs. She also complained about her spine being in extreme pain around the mid to lower back. When her symptoms did not resolve, she was admitted to the hospital for observation and treatment. She had extreme pain in her joints - spine, hips, knees, ankles and toes, if someone tried to move them, she could not move on her own. She also had tingling and numbness that would travel up and down her body - weakness in her arms and legs. The medical staff continued with Bendryl - switched to Adderax, and Motrin and steroids (Prednisone?). She was discharged from the hospital Sunday, 5/23/21 in the afternoon. This morning (Monday 5/24/21) she is still experiencing back and leg pain, weakness and cannot walk with out assistance and it is extremely painful.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1343520	5/24/2021	CA	13	F	5/17/2021	5/17/2021	Patient received her first dose of the Covid vaccine without a problem. She was reading a magazine in a chair while waiting for me (her mother) to have the second dose in the same room. About 5 to 10 minutes has passed since patient had received her injection. I looked over at patient, her eyes had rolled back and she had slumped in her chair. I ran over to her - her face was very red and she did not appear to be breathing. Her eyes were open but were not focused. I sat her up as straight as I could while the technician who administered the vaccine ran for the pharmacist. This took a few minutes. By the time the pharmacist arrived patient was gaining consciousness but began throwing up (although mainly dry retching). Her face had gone pale. The pharmacist was very helpful - she gave patient some Coke to drink and took her blood pressure, which was low. After 30 minutes of observation we were allowed to leave. The event was very frightening. Patient was very pale for the rest of the day. She had a severe pain in her left arm (and leg) which gradually improved over the next three days. We are very worried about her taking the second dose of the vaccine.
1343276	5/24/2021	NV	58	F	5/12/2021	5/16/2021	Blurred vision suddenly onset. Right eye diagnosed with posterior vitreous detachment and left eye liquefaction. Both eyes have floater with right eye very significant visual disturbance. No safe treatment (surgical) so it is wait and see to determine if retinal will be affected
1343265	5/24/2021	FL	32	M	5/19/2021	5/19/2021	The first 10 minutes everything was fine then started sweating uncontrollably, vision went very white and hearing felt like I was in a tunnel. Felt some pressure in my heart and my heart still feels different, best way to describe it is I feel my heart beating which is something I never had before.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1343328	5/24/2021	MD	66	F	5/1/2021	5/20/2021	2nd shot. Work up next morning severe headache, fuzzy vision. Had reoccurrence of black floaters in both eyes still happening on day 5 no sign of them leaving. These floaters have been gone for 2 years. Day 1: floaters vision issues, headaches, slept 21 hours, leg cramping. Joint swelling Day2: slept 18 hours left knee swollen, could not put weight on it by afternoon. Eye floaters continued headache Day 3: left knee still swollen could not walk on it without brace, floaters continued, slept 14 hours Day 4: left knee swollen, swelling in bone of left hand that has arthritis. Floaters still in eye Day 5 left knee swollen but can put weight on it. Floaters in eyes still bad.
1343444	5/24/2021	MA	20	F	5/24/2021	5/24/2021	Patient received the Janssen vaccine at approximately 11:30 AM and was asked to stay sitting for a 15 minute observation period. After five minutes, the patient reported signs of blurred vision and upset stomach. The patient was also noticeably sweating. The pharmacy called 911 and medics came to assess the patient. Medics decided to take the patient by ambulance to the hospital because of "a risk of fainting".
1343457	5/24/2021	OH	34	F	5/14/2021	5/14/2021	Heart Pain, Pain in left arm (shot in right), fatigue, lightheadedness, severe diarrhea, headache, sharp vision, rash, shortness of breath

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1343467	5/24/2021	NJ	13	M	5/22/2021	5/23/2021	At first patient was fine just sore arm. Approx 2pm the next day we were at Aunt's house & he became very sleepy and fell asleep outside. I nudged him to see if he was okay and he couldn't lift his head up all he said was "I hate you" (he didn't want the shot and I had a feel well) I kept nudging him to go inside and he didn't react. Finally after 25 min I had my brother in law carry him upstairs. He didn't wake up for it (the kid is 13 that never happens). Every hour I checked on him and he wouldn't wake up. I am a nurse do figured the shot made him tired but I did start to get anxious I even sternal rubbed him and he reacted to pain but would not wake up. Finally around 445 I told my husband we need to make him drink something and I stood him up he would not wake up. I was trying everything but we got him up enough to gulp down some gatorade. We put on his sneakers and he basically sleptwalked down the stairs went right to car and fell asleep again. It was like he was too tired to stay awake. We got him home and around 515 kept him sitting up in kitchen. Took him about 20 min to fully open eyes and wake up. When he was fully awake he said it was like the shot moved from his arm to his whole body when it happened and that was it. He was sore and achy after that and even today to generalized body. But he was fine as far as not lethargic after.
1343477	5/24/2021	KS	31	F	5/22/2021	5/22/2021	10 minutes after injection I developed tingling to the left side of my face, initially only effecting my lips and mouth. This progressed over the next 24 hours to include my eye, and cheek. It continued to progress to my forehead and downward my left arm 30 hours post injection. I sought medical attention and was diagnosed with parsesthesia. 30 hours post vaccine when the tingling was at its worst I developed a fever, muscle aches, and general malaise, I treated with 600mg ibuprofen PO. The tingling now 48 hours post vaccine has improved however is not completely resolved.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1343486	5/24/2021	MI	82	F	5/2/2021	5/5/2021	Contacted the Health Department on 5/18/21 to report that she is experiencing a brown discoloration of her skin all over her body since her second dose of Moderna vaccine. States the discoloration wipes off when rubbed on her clothing. States her daughter told her that her color is not right. Denies any other signs or symptoms and states the whites of her eyes remain white. Has not seen a physician yet. No treatment. I encouraged her to see her primary medical provider for evaluation and to contact the Health Department with any updates.
1343513	5/24/2021	VA	29	F	5/19/2021	5/20/2021	nausea, body aches, exhaustion, chills, low grade temp, got dizzy while standing, eyes were going fuzzy and felt as if I was going to pass out.
1343541	5/24/2021	NY	57	F	5/10/2021	5/11/2021	Patient states that within a day of getting her dose of Moderna vaccine she started experiencing nausea/vomiting, diarrhea, and double vision. Her vision has since gotten better but she reports still experiencing nausea and diarrhea (now 14 days after her dose). Patient was advised to consult her doctor due to the length of symptoms and having her vision affected to determine the cause.
1343210	5/24/2021	CA	35	F	5/23/2021	5/23/2021	Pressure on head internally. Stiff neck particularly on left side. Tingling numbing down left side all the way down to leg. Unable to sleep due to pressure inside head. Pain in left arm. Coldness on left side. Nauseous. Face puffing and pressure on eyes. Stuffed left nose. Body aches inhaling.
1342440	5/24/2021	WA	29	F	5/14/2021	5/16/2021	Got the vaccine, woke up 48 hours later with pink eye that can't be linked elsewhere. It was a Sunday so I decided to wait until Monday to go to urgent care, and by Monday morning it was in both eyes. Prescribed erythromycin which seemed to clear it up.
1343542	5/24/2021	VA	47	F	4/1/2021	4/1/2021	Due to my extreme allergies I waited at the facility for 30 minutes. Before the 30 minutes were over my lips began to swell and my eyes began to itch. I told the facility but did leave to go back to work. I immediately took Benadryl once returning to work and kept my epi-pens on my desk. I messaged my allergist through my digital chart regarding the situation for advise.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1343544	5/24/2021	CO	48	F	4/13/2021	4/13/2021	Right after vaccine lips tingled and my vision had a softer focus. In another hour tongue swelled and it was challenging to talk normally, felt like I had drunk two glasses of wine, vision blurry, strong itching around eyes and neck. Eye doctor said my vision changed enough to need prescription readers and distance glasses for driving.
1343489	5/24/2021		49	M	5/4/2021	5/4/2021	Patient received dose 2 of the Pfizer COVID vaccine (lot EW0179, exp 8/2021) at 1300. At 1318, patient was sitting in the observation area when he informed EMT that he felt dizzy, warm, and had blurry vision. EMT informed PHN who came over to assess. At 1320, vital signs: blood pressure 130/86, O2 97%, pulse 93, respirations 18. Patient reported blurry vision had resolved. EMT r offered to have patient lay down in the zero-gravity recliner but patient declined. Patient denied allergies, medical conditions, or taking medication. Patient reported eating breakfast and that he experienced no adverse reaction to dose 1. PHN encouraged patient to follow up with provider and when to contact 911. PHN offered Benadryl but patient declined. At 1326, vital signs: blood pressure 124/82, pulse 97, O2 98%, respirations 18. Patient reported all symptoms had resolved. Patient stood up, reporting no dizziness or remaining symptoms. PHN encouraged patient to wait for 30min since onset of symptoms, patient stated he was leaving. Patient left AMA, walking with steady gait at 1330.
1343011	5/24/2021	MN	15	F	5/22/2021	5/22/2021	Systemic: Hypotension-Medium, Systemic: Tingling (specify: facial area, extremities)-Mild, Systemic: Visual Changes/Disturbances-Mild, Additional Details: Stated she could not see clearly or hear well-



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1343390	5/24/2021	IL	37	F	1/28/2021	1/28/2021	On 1/28/21, immediately after receiving the vaccine, I had pain at the injection site on the left arm. Then I had a headache that turned into a migraine, starting at 5-6 PM on 1/28. When I woke up on 1/29/21 at about 9 AM, I had a migraine that was especially painful behind the left eye. Then I had numbness and tingling on the left side of the face, with swelling and a slight droop on the left side of my face, from the eyebrow, to the cheek and downwards. I also had spinal pain. I endured this for the next 3 days. On 1/31/2021, the drooping and swelling went away in the morning. I took ibuprofen and Tylenol, and the migraine went away on the 1/31 at between 6 and 8 PM. The spinal pain vanished at about the same time as the migraine. I called my doctor on 1/29, and I was told to go to the ER if the symptoms became unbearable. I never went to the ER, though. I just intermittently took Tylenol and ibuprofen to manage the pain between 1/28 and 1/31. When I went to get the second vaccine, the nurses refused on account of my previous experiences, because they didn't want to risk my becoming paralyzed. The nurses told me that if I received a release from my doctor, I could get the second injection at the hospital under my doctor's care. My doctor told me that if the nurses had concerns about paralysis, she could not authorize a second injection.
1343547	5/24/2021	WA	41	F	5/20/2021	5/24/2021	Woke up with a slight headache and blurry right eye despite inserting my contact lens.
1342386	5/24/2021	IL	14	F	5/23/2021	5/23/2021	Hives, itching, eyelid swelling, lip swelling
1342395	5/24/2021	CA	41	F	5/7/2021	5/8/2021	Low grade fever Body Aches Headache Eyelid swelling - Lasted almost 2 weeks intermittently Increased heart rate Breathlessness on exertion Fatigue lasting 3 days
1342402	5/24/2021	CO	63	F	5/21/2021	5/21/2021	Burning in eyes, ears and throat, swelling and pain of left deltoid

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1342428	5/24/2021		36	M	4/26/2021	4/26/2021	PT STATES HE HAD HIS 2ND MODERNA COVID VACCINE ON 26 APRIL. HE STATES AFTER ABOUT 15 MIN OF VACCINE HE STARTED TO HAVE HEADACHE AND SINCE THEN HE HAD DAILY HEADACHES. PT STATES HE ALSO HAD FEVER, CHILLS, SORE THROAT 24 HOURS AFTER THE VACCINE THAT RESOLVED THE NEXT DAY. NO HX OF HEADACHES PRIOR TO VACCINE. PT STATES HE NORMALLY WAKES UP WITH HEADACHE AND HAS SOME MILD TO MODERATE HEADACHES THROUGHOUT THE DAY. USUALLY A THROBBING /ACHE. HAS TRIED TYLENOL AND BABY ASA WITH MINIMAL IMPROVEMENT OF SYMPTOMS. LAST WEEK ON 19-21 MAY HE HAD A POUNDING HEACHES ALL DAY AND THE MEDICATION DID NOT HELP AT ALL. PT STATES HE HAD OFF/ON NUMBNESS IN HIS FINGERS/HANDS, BUT DID NOT PAY ATTENTION TO WHICH HAND/FINGERS. NO LIGHT OR SOUND SENSITIVITY. NO NAUSEA/VOMITING. NO CHANGES IN VISION. NO HX OF HEAD INJ/TRAUMA. OCC LIGHTHEADED. SLEEP: 7.5-8 HOURS/NIGHT, NO CAFF: NO COFF, ENERGY DRINKS, SODA, TEA, NO PREWORK SUPPLEMENT. H2O: 2-3 HYDOFLASK FILLED/DAY. EXERCISE: 3 TIMES/WEEK- NO INCREASED HA SYMPTOMS OR WORSENING HEADACHES.
1342606	5/24/2021	MA	44	F	4/22/2021	4/23/2021	24 hours later, had extreme dizziness, nausea, pins and needles all through my body a metal taste in the mouth for 3 weeks after the injection. Exactly a week later at 8:40 pm my left arm at the injection site grew a bump at the same time my left upper eyelid blew up. My arm later developed a red patch for three days. Currently my eyelid is still healing.
1342933	5/24/2021	MI	15	F	5/21/2021	5/21/2021	Systemic: Confusion-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Numbness (specify: facial area, extremities)-Medium, Systemic: Tingling (specify: facial area, extremities)-Medium, Systemic: Visual Changes/Disturbances-Medium, Additional Details: TINGLING IN FEET

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1342936	5/24/2021	NC	22	F	5/23/2021	5/23/2021	Systemic: Fainting / Unresponsive-Mild, Systemic: Shakiness-Mild, Systemic: Tachycardia-Mild, Additional Details: about 10 minutes after patient got the vaccine. she fainted in the chair. her head swung back and she was shaking. she woke soon afterwards. she became increasingly pale and reported feeling palpitations with some blurred vision. nurse checked EKG with normal results. normal blood glucose readings. EMS was called for evaluation then medic transport to nearby hospital
1342919	5/24/2021	VA	47	F	4/13/2021	4/15/2021	AFTER THE 2ND DOSE I HAD A LARGE FLOATER APPEAR IN MY LEFT EYE.
1342967	5/24/2021	MI	16	F	5/5/2021	5/12/2021	Dizziness, Migraine, no visual disturbance. First Migraine accured on 05/12/2021 lasting 24 hours, Second migraine on 05/19/2021, lasting 24 hours

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1343189	5/24/2021	MA	56	F	5/20/2021	5/20/2021	She got her vaccine, she told her about the medicine that she had anaphylaxis too, she asked if she had any lip fillers. She waited the 15 minutes and then left, then started with a really bad headache and nausea, which she was fine before that. On the way home her husband wanted to stop and she said no as she was sick, made it home and started throwing up, very tired and went to bed which she never does but was extremely sick. Had fever of 100.1. She would go from sweating to fever, aches and pains, flu-like symptoms, everything hurt, pain in the arm, couldn't use her dominant arm but has lymphedema in the other arm due to having her breast removed due to cancer. Her lips were hurting her and never has chapped lips and had a lot of pain in them. Looked in the mirror on Friday as her lips were really hurting and found they were swollen and her eyes looked like somebody had punched her in them. She called her doctor and they did not return her call. She didn't feel it was anaphylaxis as she did not have any other symptoms. She put ice on her lips, had take a Zyrtec before the vaccine, but did use the Nasacort and couldn't figure out was going on. She had not used anything new on her lips or anything. Was thinking she had partial anaphylaxis. Went online and saw the reactions as they did not give her a list of them. She called her doctor and they told her to go to the ER. She still has some swelling and redness with pain, but not an emergency for her to go to the ER. Her lips are swollen, very tiny flat things in her mouth. Wants to know if she's OK to get 2nd vaccine as her PCP will not call her back.
1343013	5/24/2021	CA	15	F	5/23/2021	5/23/2021	Systemic: Fainting / Unresponsive-Mild, Systemic: Shakiness-Mild, Additional Details: pt immediately said she felt dizzy& eyes began to roll. Mom stated she has a fainting condition. Her Mom & I eased her to the ground. she briefly passed out, but immediately came to and asked what was happening. Her right leg was bent back but we lifted her to straighten leg. I elevated her feet & got her some water. I also got her some gatorade & a cool wet paper towel for forehead. She leaned against her Mom for a little while, then she sat. Mom said not to call 911
1343033	5/24/2021	FL	72	M	4/26/2021	4/28/2021	dizziness, slurred speech, unstable gait, fatigue, burning sensation to eyelids

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1343051	5/24/2021	SC	56	F	4/19/2021	5/13/2021	?Brainstem Encephalitis? Patient admitted to inpatient on 05/16/2021. Presented to the ED with dizziness, nausea, general fatigue and diplopia. Patient also voiced an intermittent mild headache. Patient was evaluated at an Urgent Care on 5/14/2021 with a ?presumed viral type illness?. In the ED, the patient denied neck pain, photophobia, eye pain, one sided weakness/numbness, facial droop, cough, congestion, and SOB. Temperature max at home was 100.8F. The patient does have gaze deficit and nystagmus on exam. Negative toxicology screen. Negative SARS-COV-2 Antigen. ALT 86. Medical history includes: hypertension, depression, Vitamin D deficiency. Neurology- This is a 56-year-old patient referred to Neurology secondary to diplopia. The patient states that her symptoms started with generalized fatigue and "not feeling well". After 2 to 3 days [last Thursday 5/13/2021] she began having difficulty with double vision. She has double vision in multiple directions. The double vision is fairly constant. Along with the double vision she feels off balance to the point where she has difficulty with walking. She does admit to internal vertigo. Patient denies any recent viral infections. She is about 4 weeks out from her last COVID-19 vaccination which was Moderna. During the hospitalization the patient has developed urinary retention requiring a foley catheter. Hospital medications include IV Solu-medrol and subcutaneous heparin. Patient seen by internal medicine, neurology, infectious disease, and urology during hospital stay. The patient was discharged on 22MAY2021 after demonstrating ability to ambulate. Will continue with physical therapy outpatient. See Tests and Lab Results Below

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1343052	5/24/2021	OH	64	F	5/5/2021	5/9/2021	She got her vaccine, she had no reaction that day at all, kind of laid around with no energy. She went to the ER on 5/2/21 due to her eyes, and then she continued to have problems with her eyes and went to the ER again on 5/12/21 she was completely broke out with little raised bumps, all over her body, her neck, her chest, back, legs, stomach, arms. Very itchy and her face and her eyes are staying real red and puffy. She gave her the prednisone and Pepsin and Benadryl, which she took for the entire course which did not help. Then I went this past Wednesday 5/19/21 to an UC and they gave her Cephalixin which she takes every 8 hours, and still trying to take Benadryl, but it's not helping her. She still continues with all of the rashes, and went and boat oatmeal bar soap and oatmeal bath trying to get rid of the rash, but that is not really working either. She even has sores in her head that are oozing, and was told to use baby shampoo which has not helped. She still continues and cannot get relief from the itching. She eyes are so bad and itching that she has to put cold compresses on them. She says that her skin looks like she has been burnt real bad, especially her eyes and face. She said that you can see the red bumps on her arms, and most of her body which is very noticeable. The UC suggested that she needed to see a dermatologist. She feels that she needs to be tested to see what she is allergic to. She continues with the same symptoms, has soreness around her eyes, and has not had any improvement with the antibiotics either. The skin of her eyes are so sore and says it looks like somebody has hit her hard and the skin is dry to touch. She bought some Vaseline to see if that would help the area as well, and would like something done as it is almost a month and nothing has helped.
1343101	5/24/2021	TX	37	F	5/20/2021	5/20/2021	My left eye started twitching 5/20 a couple hours after I received my 2nd COVID vaccine. It's been several days and my eye is still twitching. Sometimes it twitches several times an hour and sometimes I go a few hours without twitching. No other symptoms and only my right eye has the twitch. I do not have a history of eye twitching.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1343138	5/24/2021	IN	30	M	5/19/2021	5/19/2021	5/19 PM, soreness. 5/20 AM Woke up full body soreness, headache, chills, blurred vision, exhausted, light headed, 4 inch diameter circle around the vaccine site. 5/20 PM Did not want to move, full body soreness, horrible headache, chills, blurred vision, exhausted, light headed, 4 inch diameter circle around the vaccine site. 5/21 AM Tired, temperature fluctuations, headache, extreme sweating, 4 inch diameter circle around the vaccine site. 5/21 PM Started feeling better, mild headache, 4 inch diameter circle around the vaccine site. 5/22 All Day felt pretty good, 4 inch diameter circle around the vaccine site. 5/23 All Day full energy, 4 inch diameter circle around the vaccine site. 5/24, 4 inch diameter circle around the vaccine site.
1343156	5/24/2021	MN	50	M	4/27/2021	4/27/2021	Some flat hives developed that night. The next day more hives appeared on his chest and back. 2 days after shot hives were on forehead, chest, back, neck, forearms, legs. Some were flat and some were raised and blister like (some appeared like chicken pox). 3 days after shot hives (flat and blister like) covered his body including face except the groin area. He also had some redness to the whites of his eyes-he went to the emergency room. The hives were itchy, not painful. He did not experience any difficulty breathing. As of today he no longer has any blister like hives but does still have many red splotches left on his back and chest and arms-they are fainter but still present.
1343165	5/24/2021	IN	24	M	5/19/2021	5/20/2021	on 5/20/21 I noticed 3 yellow spots on my chest that look like bruises but didn't hurt to touch. Now on 5/24/21 I have another yellow spot right under my right eye and the 3 on my chest are still there. I dont technically now if it is the vaccine that caused this but it did happen right after i took it.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1343176	5/24/2021	MA	56	F	5/20/2021	5/20/2021	<p>She got her vaccine, she told her about the medicine that she had anaphylaxis too, she asked if she had any lip fillers. She waited the 15 minutes and then left, then started with a really bad headache and nausea, which she was fine before that. On the way home her husband wanted to stop and she said no as she was sick, made it home and started throwing up, very tired and went to bed which she never does but was extremely sick. Had fever of 100.1. She would go from sweating to fever, aches and pains, flu-like symptoms, everything hurt, pain in the arm, couldn't use her dominant arm but has lymphedema in the other arm due to having her breast removed due to cancer. Her lips were hurting her and never has chapped lips and had a lot of pain in them. Looked in the mirror on Friday as her lips were really hurting and found they were swollen and her eyes looked like somebody had punched her in them. She called her doctor and they did not return her call. She didn't feel it was anaphylaxis as she did not have any other symptoms. She put ice on her lips, had take a Zyrtec before the vaccine, but did use the Nasacort and couldn't figure out was going on. She had not used anything new on her lips or anything. Was thinking she had partial anaphylaxis. Went online and saw the reactions as they did not give her a list of them. She called her doctor and they told her to go to the ER. She still has some swelling and redness with pain, but not an emergency for her to go to the ER. Her lips are swollen, very tiny flat things in her mouth. Wants to know if she's OK to get 2nd vaccine as her PCP will not call her back.</p>



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1343179	5/24/2021	WI	47	M	4/3/2021	4/11/2021	4/11 around 8am my nose just out of the blue started bleeding profusely. I tried about 40 minutes to stop it but wasnt successful so I was transported to hospital ER where they had to cauterize it just to get it to stop. I was advised I could not take anything but Tylenol to try to ensure the bleeding did not start again. It never really got any better and I began developing a weird head pain in my head, which caused severe headaches which the pain being felt in my face and behind my eye area. After the pain continued to get worse on 4/22 I had a virtual visit with Dr. who prescribed a steroid and antibiotic and advised I see an ENT. I havent had any more nose bleeds but I do still get intermitten headaches from time to time

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1342964	5/24/2021	KY	15	M	5/15/2021	5/23/2021	At approximately 6 PM on 05/23/2021, family was sitting down for dinner when all of a sudden she noticed that he was turning his head to the left and appeared to be falling out of his chair. Mom states that eyes were darting back and forth at this time. He was not responding to her shouting his name and his left arm was curled in towards his body with the rest of his body remaining stiff. This lasted approximately 1 minute, followed by a time of confusion and drowsiness. Approximately 1 minute later mom states that patient's eyes rolled back to his head and he had full body movement consistent with tonic-clonic seizures. Family were able to lay him onto the ground during this time. Mom denies any color change, apnea, or loss of bowel or bladder. States he did have one episode of emesis following the event, and 2 episodes of emesis in the ambulance on the way to ED. Patient has no previous history of seizures or seizure-like activity. No new ingestions. Has not been sick recently and denies any new sick contacts. There has been no head trauma. Per Mom, patient's dad has a history of "partial seizures" but never required any medication for them. At arrival to the ED he continued to be drowsy and not at his normal baseline. Continue to hold his left wrist up toward his body in a contracted manner and tended to have repetitive speech. Briefly, ER course significant for a CT head and evaluation by pediatric neurology. CT head was unremarkable for acute intracranial process. A CBC, CMP, and coags were also obtained due to patient's continued contracture positioning and the possibility of a stroke. CMP was unremarkable with a sodium of 139, potassium of 3.7, chloride of 107, bicarb 25, BUN of 12 and creatinine of 0.64. CBC was also unremarkable with WBC of 10.72, hemoglobin of 14.8, hematocrit of 44.4 and platelets of 370. There was 81.77% neutrophils after evaluation by neurology it was felt that the patient remained postictal and recommended that he be admitted on continuous EEG and possible MRI in the a.m.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1344362	5/24/2021	IL	15	M	5/24/2021	5/24/2021	Pt reported to briefly lose consciousness and stated that his vision changed. Pt did not fall completely from chair. Pt was gently lowered to the ground. Pt was alert and oriented x 3 and vision restored while lying on the ground. Patient was given water but then when he sat up, he soon became unconscious again and again was gently lowered to the floor. Regurgitated/ spit out the water. After initial confusion, was alert and oriented again.
1344068	5/24/2021	NC	69	F	1/15/2021	1/24/2021	I woke up in the morning, the site was swollen. It was as big as the palm of my hand. Raised and red. Extremely itchy. Glands in my face and upper neck were swollen. Eyes were swollen. Broke out in hives below my neck into chest. About 20 hives. Raised and oozy. I was told to get in to be seen very soon by a nurse I spoke to. I went in to the doctors office that afternoon. It was well into April until these symptoms left me. I had no problems with my second shot.
1344072	5/24/2021	NY	58	F	5/24/2021	5/24/2021	I waited 30 minutes after the shot, then left the building to head home. About 10 minutes after that, I developed hives on face, neck, chest & arms. I had a very bad headache, swollen glands, stiff neck and some upper back and abdominal pains, slightly blurry vision. I went back to the facility and was checked out there. Was advised "not to worry" and sent home. I took Benedryl that I had brought from home which helped with the hives. Took Tylenol after coming home.
1344074	5/24/2021	CA	24	F	5/20/2021	5/22/2021	Severe fatigue, starting one day after 2nd dose on may 21st, worrisome brain fog starting on may 22nd, constantly waking up in the middle of the night since may 20th, dry mouth and eyes since may 20th, slight irritation around lips

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1344095	5/24/2021	CA	47	F	1/21/2021	1/21/2021	<p>Within 5 minutes, I felt soreness in my arm right away and my arm started throbbing. I got warm all over my body. My airway (not my throat or tonsils) in my chest area started to close and constrict. But it only went so far - it didn't finish closing. I got the sensation that I was going to faint. I was in my car. I yelled for help and went out of my car. I had no energy or ability to walk. I went down to ground and could barely lift my head up. I got very lethargic and was extremely tired and nauseous and I could hardly think. The person who gave me the injection and another lady who was helping out came to help me. My intuition told me I needed Benadryl and my hands were kind of moving to try to get Benadryl. But I could hardly get up. I wanted to call 9-1-1 but my toddler had my phone. I couldn't kneel up even to get my phone to from my toddler. I couldn't walk. They took my blood pressure and heart rate and noticed during the episode that they both had spiked. They said they couldn't give me Benadryl because then they told I wouldn't be able to drive. Then I had a second episode - where I started feeling like I was going to pass out again and a feeling of doom was coming over me and I think I asked for Benadryl again. I could barely hold up the pulse oximeter - I think I was dragging it on the ground; I was on the ground on the parking lot. I thought I was going to faint but I was able to finally get my phone and call my sister. My sister showed up and got dropped off. The ladies didn't help out at all and my sister was going to drive me away. My limbs were really cold and feet were really cold all the way to my knees. I asked for a heating pad. I couldn't get up for 30 minutes, and then for an hour. My tried to get better and I could barely stand up. It took me awhile to get into the car; my sister had to help me. The next day, I was still in the same predicament. I couldn't get up and walk around. After a really long time of resting, I could go a short distance to go to the bathroom alone. My sister (I was staying at her house since I couldn't take care of myself) finally said that my intuition had told me to take Benadryl and she said I should take one. I took a half of child's of Benadryl because the people at the vaccine site had not thought I should have one and that it would just go away. That 1/2 dose gave me hope that I could get better but I still didn't know if I should have a full dose. The Benadryl would help for a little while. I finally went home the the next day.</p>

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

I went to ER and I couldn't still walk very well on my own. On January 23, 2021 - t he ER. The doctor thought if she gave me an EPI pen but thought I might have more problems with it. She said that if Benadryl was helping than to keep taking it. The doctor didn't give me a dosage. I went back to ER on the 27th because I still was not getting better. I was taking Benadryl and I was taking inhalers and at first I thought I felt like my airway felt more open when I took these but it didn't last for long. I didn't know, without guidance, how to take the medication - how much and how often. I couldn't think straight. On the 27th, that doctor listened but he wanted to help me. He gave me Steroids for 5 days and Benadryl on top of that. And gave me Ativan to help me sleep. I had been going without sleep - I didn't have any other adult watching over me after the 3rd or 4th day when I left my sisters' house. Before the second ER visit, I didn't know when my airway was going to close. I could feel my heart racing/beating even when I wasn't doing anything. My heart rate would spike up to 119 or 120 randomly. I felt like my heart was beating out of my chest. About 5 or 6 hours after the Steroids there was popping sound out of my ears. It was loud and happening a long time, I wasn't sure I could sleep but I wasn't as aware of my heart beating out of my chest either. I could finally walk that next morning after the Steroids. I was trying to play with my toddler even though I felt fatigue and felt like crud - but I could walk without feeling I would collapse. So I over did - I tried to take a walk to the end of the street and I couldn't do it. My back hurt so bad after that. When I would lay down, I could not get the heaviness in my back to go away. It hurt so bad. I had a lump in my throat ( a little lower than my throat). That was scaring me. I went to ER again (third visit) - 28th or 29th - tests came back normal. I think it was the 28th. On that night, I was still on prednisone and I couldn't sleep with the pain. They gave me aspirin in case it was a heart thing. The aspirin may have helped with back pain. I took my Steroid pill and Ativan and that was my first night's sleep. The next morning, I could walk and I started to get a lot more hope at that point. I think I took Ativan for a couple of nights and got some good night's sleep. I took the Prednisone for 5 days and I didn't feel anymore like I couldn't stand up or that I was going to fall or that I needed supervision anymore. After about a month, I had

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>enough energy to finally drive and go to the store. I had been scared to drive because of my symptoms before that. By mid February, I was able to drive out and I went to a couple of stores. At that point, I felt like I was going to get better. I'm a single mom and have been doing everything on my own for 20 years. I was talking to the doctor's office and to the nurse almost every day when I was sick. I don't get sick and I don't ever have to ask for help. I was disappointed with the lack of help I received.</p>
1344127	5/24/2021	PA	17	M	5/24/2021	5/24/2021	<p>patient was dizzy, pale,sweaty, blurred vision, and bp was low</p>
1344162	5/24/2021	CA	41	F	5/20/2021	5/20/2021	<p>Approximately 3 hours after vaccine, I began to have tingling on my upper lip (area where I typically get a cold sore). Tingling continued to spread to the left side of my face, including my eyebrow, eye and temple area of my head. Tingling has persisted to both of my arms, hands, legs and feet. It comes and goes, and has continued through-out the day. Itching has now developed on my arms, right breast (nipple area) and feet. I have a general "internal" itch that I can't seem to scratch on my arms, legs and feet. On Saturday 5/22, Sunday 5/23 and Monday 5/24 I have also experienced strong nerve pain in my left eye and the lower right side of my head. The pain is sudden, strong but goes away fairly quickly. My left large toe also has developed a numbness, started off with a lot of tingling in that toe. My head generally has a fullness feeling, specifically my ears have a throbbing sensation that I also equate to a similar feeling when my cold sores are active. There is a dull ache behind my ears and the lower back of my head. I developed a headache starting on 5/20 (over the counter meds helped with that) Pain at injection site lasted for 3 days, but was manageable and did not interfere with daily activities. I have not had a cold sore develop as my dr told me to take Valtrex, I have taken one pill of that on 5/24. I also have taken Tylenol on 5/20, 5/21, 5/22 - 500mg 2 times a day.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1344178	5/24/2021	NY	39	F	4/8/2021	4/8/2021	I had a severe allergic reaction. A minute after the vaccination, my eyelids were swollen and puffy and itchy. I drank some water and couldn't swallow. My throat closed up. My arm was sore, swollen glands, swollen neck, swelling under my breast and underarms. I had blinding headaches and body aches.
1344196	5/24/2021	IL	35	M	5/24/2021	5/24/2021	Patient walked over to the post vaccine waiting area and fainted falling face forward hitting his head onto the concrete. Rph went to patient, he started to shake and open his eyes. Paramedic was near and came over to aid patient. Patient's head was bleeding. Medic radioed out to the ambulance and they came in with a stretcher. Patient was alert
1344246	5/24/2021	CT	52	F	2/4/2021	2/5/2021	I started getting tired and experienced pain in the middle of my chest . When I would kneel over the pressure in my chest would get worse it was also hard to take a deep breath in but it wasn't my lungs it seem like my heart was having trouble keeping up.. It got worse each day until I called the on call doctor on Sunday 3 days post Vaccine. They said most times people have side effects up up to five days so I didn't go in. I was also exhausted at the time so badly that I could hardly keep my eyes open.
1344009	5/24/2021	AZ	25	M	5/2/2021	5/22/2021	Lost vision, lost ability to move, collapsed on floor, one side of body regained movement, dizziness, chest pain
1344342	5/24/2021	TX	72	F	4/7/2021	4/7/2021	Tremors (could not walk, lost sight in both eyes, Extremely high BP (220/110), Could not breathe (put on ventilator in ICU), Found blood in brain) Fluid built up in lungs. All over 4 1/2 days starting on 05/08/2021
1344113	5/24/2021	PA	30	F	5/17/2021	5/18/2021	Myokymia in right lower eyelid (Constant twitches in lower eyelid) May 18- current

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1344397	5/24/2021	CA	48	F	4/10/2021	4/10/2021	I experienced first day of the evening, had a hard time standing, my legs were hurting really bad. As I was driving my left leg was getting stiff, got a spasm. No side effects on my left arm. I also had a bad headache at night. I drank plenty of fluids, I do massages to relieve the pain. I also did peppermint oil and my back upper back was hurting bad on Sunday morning and by the afternoon my right arm was swollen, my joints in my hands hurt and could feel and was having pain opening and closing my hand. The rest of the week, I had constant headaches. My headaches are more intense behind my right eyeball. As the days went by I started to feel tingling sensation to my right side of my face and jaw which lasts about 6 seconds. I've had it also on my left side of my face. My legs feel very heavy and weak and I feel my les feel like they will give out. I also feel my joints hurt, on my right foot, where my joints start fusing together, my doctor prescribed a cream for my joint pain to my feet. The pain I feel on my arms, back and legs is still present. On my left shoulder I feel pain to my collar bone. I also get this pain on my back on my shoulder blade, right side as well, like a pricking, poking sensation, this pain comes and goes. I also started to have bladder issues, where I've lost muscle control and will be seen by an urologist on 06-04-2021. These are pain that I did not experience before. My right knee also got inflamed, to the inside part of my knee and pain to my right calf that comes and goes. I had an U/S of the right calf which are still pending. I also did an anti body test; i do not have the virus for covid.
1344431	5/24/2021	CA	21	F	5/23/2021	5/24/2021	PATIENT FELT FEVERISH AROUND MID-NIGHT ON THE DAY OF VACCINATION, BUT WENT TO SLEEP. SHE WOKE UP AROUND 5AM ITCHING, EXPERIENCING RASH FROM GROIN TO ARMPIT, NOW SPREAD UP TO HER NECK, FACE, NOSTRILS, EARS AND SCALP. HER LIPS ARE SWOLLEN AND EYELIDS AS WELL. NO SWOLLEN TONGUE YET BUT SHE SAID HER THROAT FELT A LITTLE FUNNY.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1344436	5/24/2021	KS	39	F	3/31/2021	4/12/2021	Optical Migraine. I started seeing shapes in my vision and my vision was blurry and distorted. This lasted for about 20-30 minutes. I was unable to work during this time. I did not have a headache afterwards. This had never happened before and I thought it was a retina issue. I saw the eye doctor that day and all tests checked out okay. He diagnosed it as an optical migraine.
1344664	5/24/2021		23	M	5/24/2021	5/24/2021	Patient experienced blurred/loss of vision, headache, sweating, nausea and shaking
1344851	5/24/2021	OR	15	M	5/16/2021	5/16/2021	Person complained of light headiness, dizziness and blurred vision after receiving the first dose of the Pfizer vaccine. EMS was called and treated the individual on scene and was released on their own.
1344880	5/24/2021	FL	52	F	3/30/2021	3/31/2021	Blue Fingers the next day. A few weeks later have tingling in whole body, mostly legs and hands. Blurred vision. Black and blue marks on in back of lower legs. Veins protruding in hands and continue to be blue.
1344903	5/24/2021	MA	35	F	5/15/2021	5/18/2021	Hives and swollen eye (3 days after shot), and swollen lip (10 days after shot)
1345042	5/24/2021	AL	52	M	5/24/2021	5/24/2021	Patient became dizzy after receiving vaccine and at the five minute mark, patient became unresponsive. His eyes rolled back in his head but stayed open. His jaw became very clinched. He was sweating profusely and not aware of anything going on around him. This lasted somewhere between 3-5 minutes.
1345264	5/24/2021		14	F	5/24/2021	5/24/2021	7 minutes after vaccination, attendee developed dizziness and a purple circle in her vision. She was assisted to a cot, lied down and her feet were elevated. HR 90 BP: 104/58 RR: 18 O2Sat: 100% Temp 98.3. Nine minutes later she was asymptomatic. HR: 90 BP: 110/50 RR: 20 O2 Sat: 100 Temp: 98.2. 10 minutes later still asymptomatic. Assisted to sitting position then vitals taken HR: 84 BP: 112/62 RR: 20 O2 Sat: 98 Temp: 98.2. She remained asymptomatic. Assisted to a standing position, Asymptomatic. Discharged to home with her mother. Able to independently walk out of the clinic.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1343559	5/24/2021	KY	14	F	5/20/2021	5/20/2021	Approximately 2 hours after receiving her first covid vaccine, my 14 year old fainted. She was standing in our kitchen at home and became dizzy and started falling backwards. She said her vision was black, she was hot, her head hurt, I could see sweat on her face and chest, and she said she was having tightness in her chest/not able to get full breaths. She didn't totally lose consciousness, but she was disoriented. These symptoms lasted a few minutes, then she felt fine.
1344278	5/24/2021	KS	15	U	5/13/2021	5/13/2021	blurred vision, felt hot, pupils enlarged, loss of bladder function, no loss of consciousness, HIVES
1343722	5/24/2021	OR	47	F	3/3/2021	4/6/2021	She got her vaccine, was fine. The next day she was exhausted, but nothing unusual. Then about 4/6/21, a month later she started slowly losing her vision, and got her vision back for about 2 weeks, and then she slowly started losing it again. She went to her primary care who told her nothing, and told her to go to the ER. She went to two walk in clinics, the ER, an ophthalmologist, a neuro-ophthalmologist. She has been to a retina specialists, two other neuro-ophthalmologists, and a neurologist who do not know what is wrong with her. They tell her that her eyes look healthy and good but she cannot see. Her left eye she may have about 5% of her vision and 15-20% in the right eye. She was given dry eye drops by one of the earlier physicians. She has had some follow ups, and the neurologist told her to drink water eat low carbs. So, she is frustrated at this point that nobody knows what to do and treat her eyes and is depressed. She lives alone and is not able to see to read her credit card info to order food or to see what she has to eat. She was also given Xanax, which she has not taken yet.
1343572	5/24/2021	MO	43	F	5/5/2021	5/9/2021	Clotting that lead to a stroke. lost right side vision in both eyes

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1343575	5/24/2021	IA	17	M	5/18/2021	5/18/2021	Patient reported they couldnt stand the sight of blood and had fainted during draws before. Father was present in the vaccine office as well. Immediately fooling the administration of the vaccine patients eyes glazed over and he fainted. A few seconds later he began to have a spastic seizure that was short in nature, followed by a voiding of his bladder before he regained consciousness. Patient was given water, glucose tablets, and instructed to lay on the floor of the room with his feet elevated while a member of the staff stayed with him to treat and watch him. Followed up with patient and doctor soon after to learn this was the only time it has happened, patient fully recovered.
1343584	5/24/2021	PA	58	F	5/19/2021	5/22/2021	Viterous Detachment; Unable to clearly see out of right eye.
1343597	5/24/2021	PA	20	M	5/17/2021	5/18/2021	In the middle of the night he stood up to go to the bathroom, turned the light on, felt dizzy and light headed. Passed out and woke up confused unable to speak correctly and unstable when trying to stand up. Eyes were dilated. After he layed down for a few minutes he was ok, could walk and talk fine. Migraine Chills Slightly warm
1343622	5/24/2021	GU	31	M	5/20/2021	5/23/2021	3 days later I started having sever shooting and stabbing pain on the entire left side of my face that would not go away. The pain started in my teeth, jaw, temple, eye and ear. The next day I went to the dentist thinking it was my wisdom teeth, they checked my teeth, did ex rays and checked for infection but found nothing. Went to my primary care flight doc and she was un sure what was going on. Then I went to the Emergency room and I was diagnosed with Trigeminal Neuralgia of the face.
1344157	5/24/2021	WI	22	F	5/22/2021	5/22/2021	Injection site redness, warmth, pain Puffy eye lids bilaterally Fatigue Malaise
1343715	5/24/2021	CA	28	F	1/2/2021	1/13/2021	Per provider's note: 1 /2/2021 and about 1.5 weeks after she started to notice some tingling of her right lower eyelid. It then started to feel like it was asleep. This lasts for about 10 minutes. It would go away and then come back about 2-3 weeks later. It would come and go and this week she noticed it was every day.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1344001	5/24/2021	IN	39	M	5/21/2021	5/24/2021	Symptoms consistent with a mild case of bell's palsy. Numbness and tingling in left side of face from chin to cheekbone. No drooping in mouth or eye
1343726	5/24/2021	NY	38	M	1/14/2021	1/18/2021	started a severe headache with blurry vision, feeling of fainting, chills

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1343747	5/24/2021	CA	40	F	5/20/2021	5/20/2021	When Observation Staff was releasing patient, patient reported not feeling well some itching on her neck, asked her if she could walk to the tent, she replied yes. She grabbed her belongings and walked to the tent, sat in the chair without assistance. I asked if she preferred to lay down on the cot, she replied, "yes, that is probably a good idea?". She complained of itching on her neck, hands bilaterally, and lower leg bilaterally for the last 5 minutes that "feels like a bad sunburn?". She reported this is has happened before, several times, and is seeing a "Functional Medicine Doctor" for the past 2 months to try and diagnose this condition. She mentioned the functional medicine doctor recommended she receive the COVID-19 vaccine. She also began to feel a headache, dizzy "but not because my head is spinning but because the ground is unstable?". No visual rash present on areas reported as itchy. She reported a history of low blood pressure, SVT, mitral valve regurgitation, hives, and Lyme disease. She mentioned her dad drove her here and is waiting in the parking lot. Reported she does not take any prescription medication only takes vitamin C, Zinc, a probiotic, and Claritin as needed for the itching. She mentioned she had some blood work done recently due to hormonal imbalance, digestive discomfort, and her history of Lyme disease. Orthostatic laying: BP 105/64, HR 90 SPO2 99, BPM 19, 4/10 pain with the burning sensation Sitting: BP 105/62, HR 90 SPO2 99, BPM 18 Standing: BP 117/64, HR 90 SPO2 99, BPM 18 able to stand with out feeling dizzy or lightheaded for 5 minutes Took vital signs and chatted with the patient about her symptoms and she reported this reaction is similar to what she has been feeling in the past and why she is seeing her Functional Medicine Doctor. She had not taken Benadryl for this reaction recently and said it made her feel "really drowsy" and does not remember it helping much. She brought Claritin 10 mg and took it since it what her fictional medicine doctor recommended. Since her vital signs were WNL, she denied feeling worse, history of similar symptoms and events, patient was escorted out in a wheelchair for safety. She said she felt like she could walk on her own but agreed to be escorted out in the wheelchair. Wheeled out by PHN, patient was able to get out of wheelchair and into the SUV without assistance.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1343776	5/24/2021	DE	60	F	4/7/2021	4/7/2021	naseaa, headaCHE, VOMITING, HEart paLPATIATIONS, BLURRY VISION, TIA
1343777	5/24/2021	NC	18	M	5/24/2021	5/24/2021	Upon standing post-vaccination, patient fell into the floor, eyes rolled back into his head, and was convulsing. Upon regaining his whereabouts, patient stated he did not recall anything that had happened. He had impaired vision, tinnitus, and was ashen in color. I was able to get the patient into a chair and he experienced two more episodes within 5 minutes. 911 was called. Patient requested water and it was provided. Paramedics arrived and conducted multiple tests (blood glucose, blood oxygen, blood pressure, heart monitoring). Patient refused referral to the local hospital and left the pharmacy within 30-45 minutes after the incident without any further problems.
1343370	5/24/2021	MD	47	F	5/21/2021	5/21/2021	I received the injection at 10am. I felt fine until 3:15. Around 3:15, I started feeling like I was coming down with the flu. I could tell I was starting to run a fever because my eyes were feeling hot. That is how I always know I have a fever. By 6:30, I had to go to bed and was freezing cold with chills. My body was aching extremely bad as well. I was in flannel pajama's and covered in blankets but could not get warm. I just shook and shivered for hours. My highest temperature got to 101.7. I was not able to sleep during any of this time also. My body hurt no matter how I laid. At 12:15am, my fever broke and I was sweating. My body still ached and for a few hours I laid sweating. I was not able to go to sleep until about 3:45am that night. The next day I felt better but my body still ached some, but less than the night before. My neck however was really hurting. Could possibly have been due to the chills??? I had a migraine and had to take a Zomig to relieve the pain. Sunday my body was still aching a bit but better than the day before. Overall just tired and run down on Sunday.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1343687	5/24/2021	NY	40	F	5/22/2021	5/22/2021	10:38 patient experienced slight numbness of the right cheek. Obtained history, not very good at giving info about history. 10:40 took BP 132/92. Denies hx of hypertension. denies having tightness of chest or difficulty breathing. 10:48 given benedryl 50mg. 10:58 reports feeling facial swelling improving, but complains of tunnel vision similar to when she has migraines. 10:59 assessed by NP at site location. Moved to Exam room for closer observation. NP informed patient if symptoms worsen she would be transport via EMS. 11:27 BP 135/85 pulse ox 98% pulse 76. Reports no further symptoms at this time and existing ones resolved. 11:31 patient allowed to leave with NP informing patient that if any symptoms return to be seen by a doctor. Talked with patient today at 11:30, to which she informed me that her arm was swollen and he face was slightly this morning. I asked her to see a doctor. She was going to call the Clinic and see NP that saw her Saturday during the clinic
1343792	5/24/2021	TX	14	M	5/17/2021	5/17/2021	Patient (14 years old) fainted in the observation area receiving the first dose of the Pfizer vaccine. Patient fell from chair and had some scratches to right temporal region. Patient was accompanied by his mother. Patient was assisted to chair and appeared very pale and disoriented to time and place. EMS was called at 1138. Patient also stated his vision was blurred, reported nausea (emesis x1), and reported feeling very weak and ?really weird?. Patient also reported he was very sleepy and wanted to go to sleep. Patient was kept awake. Mother stated patient had history of ADHD and anxiety but no other past medical history. Paramedics arrived at 1145 and assessed patient. Blood glucose and VS were normal. Patient continued to report feeling unwell and wanted to go to the hospital but also wanted to ?stop for food?. Patient?s mother reported that patient was starting to sound like his normal self and that his color was returning. Patient?s mother agreed for the paramedics to transfer patient to ED for further evaluation. Patient left in ambulance at 1157.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1343961	5/24/2021	WI	17	M	5/21/2021	5/21/2021	Patient fainted (loss consciousness) a couple of minutes after receiving injection. Mom caught him and called for help and reported his eyeballs rolled up and he started down when she caught him. by time Pharmacist and store staff got there (less than a minute) he had regained consciousness but very lightheaded. No breathing difficulty. So got a chair and had him sit with head down and store staff observing. After another 10min he still reported lightheaded and nausea, so ambulance was called. When they arrived and checked him out everything checked out normal and he was feeling better so they released him to his parents care. Called on 5/24/21 at 10:10am and spoke to mom who reported he was doing fine and no apparent after effects.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1343863	5/24/2021	WA	38	F	5/8/2021	5/16/2021	Typical tiny bit sore arm immediately after injection that was relieved by Tylenol. whole body aches the next 2-3 days that also was relieved by Tylenol. All symptoms subsided by after the initial few days and I was back to normal. I am an athlete and was able to run and do my normal highly active routine after injection until 10 days later when I suddenly woke at 2:30 am unable to barely move. My whole body felt numb and super weak. I was severely dizzy and lightheaded so I went back to bed until 6:30 am and the symptoms persisted so much and scared my husband enough to stay home from work to keep an eye on me. I slept so much that day and severely lightheaded dizzy and body numbness even on 1,000mg Tylenol. I am a highly sensitive person and a red head. I waited this long to get the shot because I know myself so well and wanted to see everyone else's reaction. My husband got the Johnson and Johnson a week after mine and he was fine. No reaction. I called the cdc immediately after my reaction, I also had an odd swollen arm at injection site that wasn't there for 10 days that appeared out of no where and it was super tender and painful and hot and itchy. The CDC said to call my doctor who said they haven't seen or heard of this reaction yet and I should go to the ER if needed. We don't have health insurance and I wasn't having troubles breathing and felt they couldn't do anything for me so I decided to stay home and rest. I am 2 1/2 weeks out now and still dizzy and lightheaded but no swollen arm, that lasted day 10-12. I am concerned getting the second dose as I hear it way worse.
1343998	5/24/2021	TX	53	F		5/21/2021	05/21 intermittent breathing issues - full breath hard to take and caused a cough. happened once every few hours lasted through 05/23 05/22 started feeling warm - low grade temp 98.9 around 4pm only lasted about 4 hours 05/22 body aches around 6pm - lasted until 05/23 am 05/23 fatigue - could not fully wake up. even when up eyes were heavy and felt like closing. 05/24 nausea in the morning. included vomiting. brief dizziness when went back to bed 05/22 - 05/23 diarrhea 05/22 - present. injection site sore / upper arm hurts 05/24 - midday - muscular pain around midsection - hurts when taking deep breath or twisting 05/22 - 05/23 chills 05/21 - 05/24 just not feeling good

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1343857	5/24/2021	DE	37	M	5/7/2021	5/21/2021	After first shot, had outbreak of psoriasis after 7 days on chest. Have not had an outbreak in that area in 10 years. 2 Weeks after second shot, had second outbreak of psoriasis on left side of body, also had outbreak of shingles on L arm and L side of Face, around and under the L eye Went to the walk in clinic on SAT 5/22/2021 after noticing purple colored blemishes/eczema on face , was diagnosed with shingles and prescribed Prednisone and Acyclovir
1345272	5/24/2021	TX	32	F	2/2/2021	2/12/2021	Headache, parathesias, visual disturbances, neurological impairments
1343827	5/24/2021	CO	39	F	5/24/2021	5/24/2021	At 10:58, patient reported feeling of "foggy ness" which she stated was "like air in my head" after receiving Janssen vaccination at 10:53. Patient was found sitting outside of vaccination bus, alert and oriented to person, time, place and event and did not appear to be in distress. Patient denied shortness of breath, dizziness, blurry vision, weakness to one side of body, feeling of syncope, and was negative to all signs of the Cincinnati stroke scale test. Patient's vital signs were monitored for the duration of event. After 15 minutes of monitoring, patient stated that her feeling of "foggy ness" had improved but that it still mildly lingered. Patient was offered a call for emergency services but patient denied them and stated that she would seek further medical help if her condition worsened, or continued. Patient stated that she was going to visit a medical facility after leaving vaccination clinic.
1343806	5/24/2021	KY	65	M	5/23/2021	5/23/2021	Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Mild, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild, Additional Details: Patient came to pharmacy and stated that his doctor looked at his medical history and said he can get a COVID vaccine. Answered questionnaire and stated no allergies to anything. Gave pt the vaccine, and then patient told us that he had history of Guillain-Barre Syndrome. Gave patient cold water. Patient requested some table salts and 2 tabs of 25mg diphenhydramine. Patient refused EpiPen and calling 911. He sat for at 45 minutes to an hour before leaving. He said he was feeling okay when leaving

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1343793	5/24/2021	FL	32	M	5/19/2021	5/19/2021	Site: Pain at Injection Site-Medium, Systemic: Cardiac Disorder (diagnosed by MD)-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Exhaustion / Lethargy-Mild, Systemic: Hearing and vision difficulty-Mild, Systemic: Flushed / Sweating-Mild, Additional Details: Vitals were normal after 30 minutes
1343878	5/24/2021	TX	21	F	5/24/2021	5/24/2021	After about 5 minutes of administering the vaccine, the associate overlooking the observation area came to tell me a patient was not feeling well. I immediately grabbed my carat and went out to the IMZ area next to pharmacy. The patient was still seated and she was conscious, but appeared very weak, sweaty, and slightly pale and cold to the touch. I immediately made sure she could respond to my questions. She was able to respond. I asked if she had eaten before coming in and she confirmed she had not eaten that day yet. I checked her blood pressure and it was 68/33. I stayed by her side and her mother was fanning her on the other side. I had her take several breaths in and out and could visually see her responses improving. She asked for water, which her father handed to her. I checked her blood pressure again and it was up to 125/68. She reported feeling much better and was able to joke around with her sister who also received the vaccine at the same time. I asked her to sit for an additional 15 minutes, on top of her original 30 minutes, and told her parents I would be back to check her blood pressure gain. I came back into the pharmacy and prepared another vaccine. After I administered the next vaccine, I checked her blood pressure again, which read 95/68 and her mom stated this was normal for her. I advised her to stand up slowly before walking. A few minutes later she came to the pharmacy window for her vaccine card and reported feeling normal and her parents thanked me and they all left.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1341926	5/23/2021	NY	15	M	5/23/2021	5/23/2021	Pt walking and c/o unable to see, pale, diaphoretic and lightheaded. W/C to med eval station for further evaluation. Vision returned after 2 minutes, Gatorade and water offered. EMS evaluated with VS 90/60, HR 70, Sat's 98%. Lying on cot with parents at side. No further visual impairment. Able to see without any blurring or peripheral impairment. EMS continue to monitor, taking fluids, no s/s neuro deficit present with assessment. Able to stand with no c/o's dizziness. BP 110/70 HR 88 Sat 98 RA. Continued recover, parents decline any hospital transportation. Ambulatory discharge with parents and contact pediatrician for any further symptoms. Reviewed with parents well hydrated today and s/s anaphylactic reaction. Pt to be vaccinated 2nd dose in med eval area when he returns for 2nd dose, parents verbalized understanding.
1341934	5/23/2021	PA	72	F	3/25/2021	4/10/2021	I woke up 16 days after the second shot at 5:00 in the morning with no sight in my left eye. My husband took me to Hospital where I was admitted immediately. For the next three days I had a CT Scan of my brain. Arteries in my neck checked for any blockages, MRI, Heart study with Bubble and I wore a heart monitor for 3 days. I had no symptoms of anything before this happened. All test came out clear and diagnosed with an CRAO (Central Retinal Arterial Occlusion. No reason for what happened
1341840	5/23/2021	FL	27	M	5/23/2021	5/23/2021	After injection, patient jolted and eyes fluttered. He seemed to be having a seizure like reaction. He then slumped to side and head hit side of wall since we had chair with side rails positioned against wall. He lost conscious for maybe 30 seconds and then eyes opened. I asked if he was OK and the first thing he asked for was water. He said he felt light headed and dizzy. I had my intern who was working grab him water from the deli and had him sit and rest. He started sweating and asked for paper towels. I grabbed him a couple of towels so he can wipe his face. I continued to check on him while doing my work. He seemed fine after that. After 30 minutes, I checked his blood pressure. It read 100/63. I continued to monitor him and he left after that. He did have friend with him the entire time who helped him.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1341893	5/23/2021	TX	12	F	5/19/2021	5/19/2021	The patient is a healthy 12 year old female with no medical history or problems, she received the COVID Pfizer vaccine #1 on Wednesday, May 19th at 4pm and was asymptomatic at that time. Within about 5 hours, she began to experience extreme lethargy. By the following day, May 20th, she experienced profound lethargy that lasted 36hrs. During this time, she was asleep but arousable with effort, she described general myalgias, moderate left arm pain at injection site, mild headache, no other symptoms. Her profound lethargy lasted through midday on May 21st, upon which time she was able to keep her eyes open and began to regain her strength. By the evening of May 21st, she was fully recovered.
1341871	5/23/2021	PA	72	F	3/25/2021	4/10/2021	Lost the vision in my left eye. Taken to Hospital in on April 10th at 6:00 in the morning and over the next 3 days had a CT scan, MRI, Heart monitor and Heart Test w/ Bubble. and the veins in my neck tested. Nothing abnormal was found to have caused an CRAO. Since then I have had family members tell me of three other people who had a similar situation happen to them after the second shot and within several weeks of receiving the second shot. I have not regained the sight in my left eye. I had no symptoms of anything before this happened.
1341863	5/23/2021	OH	13	M	5/21/2021	5/23/2021	My son woke up the day following his vaccine and had mild complaints of headache and ?feels like I have a touch of the flu?. He hydrated with water that day very well and I gave him 500 mg of Tylenol. On Sunday (2 days after vaccine) we were at church celebrating outdoor Mass. about 20 minutes into church my son said he didn?t feel well and needed water. He was standing at the time he said this. He had been standing under and umbrella the entire time to shade him from the sun. About 1 minute later he fainted. He visually looked very pale at the time. We treated him with by having sit down, moved him to air conditioning. It took about an hour before he felt back to baseline.
1341783	5/23/2021	KY	55	M	5/6/2021	5/7/2021	Headaches and blurred Vision.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1341725	5/23/2021	FL	94	F	2/11/2021	2/27/2021	Pt had acute ischemic stroke involving right vertebral artery 16 days after dose number one of Pfizer vaccine. She developed sudden dizziness and loss of leg strength, fell to floor. it took 7 hours until she was found and taken to hospital, so did not receive TPA. CTA on 2/27/2021 showed occluded V4 segment of rt vertebral artery. residual deficits currently include imbalance, loss of lower extremity strength (now in wheelchair), loss of hearing and discordant ocular movement.
1341723	5/23/2021	PA	37	M	4/9/2021	4/10/2021	1. Dizziness - Started on 04/10/2021. Continuing in 7th week since vaccination. 2. Tinnitus- Started 1 week after shot, continuing in 7th week. 3. Headaches and pressure behind the eyes - Started 1 week after shot, continuing in 7th week. 4. Ear fullness and pressure in ears - Resolved 5 weeks after shot. 5. Off balance during walking- Started on 04/10/21. Continuing in 7th week.
1341684	5/23/2021	VT	44	F	5/10/2021	5/19/2021	At day 9 after receiving the vaccination I started to have extremely itchy skin around mi mid area( thighs). At day 10, I was very dizzy/faint in the am. My eyes felt weird and The skin rash /itch was now at my thighs, hands and feet. In the pm my lips started to swell up and I noticed tiny red spots all around my stomach and back( lower and upper back). At that point i went to the ER.
1341538	5/23/2021	KS	47	F	5/3/2021	5/7/2021	Developed deep lowerchest/upper abdomen pain on right side 4 days after vaccine was administered. Pain got progressively worse and a rash developed on right thorax in the Thoracic rib 5 region; Visited Army doctor on 12 MAY. Based on visual exam of multiple, tiny water-filled blisters only on right side of thorax + description of pressing pain in chest similar to feeling of a heart attack, both doctors on shift diagnosed shingles. Forgot I received COVID vaccine 4 days before symptoms started so I never mentioned it to the doctor. TRX= 800mg acyclovir 5x/day x 7 days. Rash continued to get worse and spread more before finally subsiding and starting to crust over. Nearly 3 weeks later, rash is now a combo of scabs and open wounds. Pressing deep pain in right chest is persistent and only relieved partially with 800mg ibuprofen q 8 hours.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1341585	5/23/2021	CT	12	F	5/22/2021	5/22/2021	Systemic: Fainting / Unresponsive-Severe, Additional Details: upon exiting vaccination room pt fell forward. it is unknown if she fainted or tripped, mom was standing behind her and was unsure as well. pt bumped head and had a welt on her upper right eyebrow, also her nose began to bleed. ice pack was given/applied to head/eye, paper towel given to stop nose bleed. also water/starburst given. 911 was called. dispatchers came and quetsioned if she felt dizzy when she left room to which pt responded no, ambulance took pt.
1341935	5/23/2021	IL	14	F	5/23/2021	5/23/2021	pt fainted/had seizure 50 to 10 minutes after covid vaccine. pt did not fall, dad held her.head and eyes rolled back, shaking and stiff for 2 seconds per dad. pt alert, breathing, and movement looked normal when I saw pt . pt mom called 911 and pt was taken to hospital . no history of fainting or seizures per dad
1341640	5/23/2021	VA	15	F	5/21/2021	5/21/2021	Site: Redness at Injection Site-Mild, Systemic: Allergic: Anaphylaxis-Medium, Systemic: Allergic: Difficulty Breathing-Severe, Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Severe, Systemic: Allergic: Itch (specify: facial area, extremeties)-Severe, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Severe, Additional Details: pt's tongue felt funny, then her throat felt tingly, progressed to throat beginning to close. given 50mg benedryl and 20mg pepcid at pharmacy and she went by ambulance to ER. she will undergo further testing this week at allergist to see if she is allergic to polysorbate and peg.
1342331	5/23/2021	OH	18	F	5/23/2021	5/23/2021	Brother told doctor at clinic patient was feeling dizzy & lightheaded. Doctor assisted patient from chair to ground and layed her on floor. Cool compress was applied to forehead. No loss of consciousness and pulse maintained throughout conversation. No history of syncope in the past but brother passed out in eye doctor in the past. After few minutes patient felt better was able to sit up on the floor and take some fluids. after feeling better doctor assisted to walk to car.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1341981	5/23/2021	IN	51	M	3/10/2021	4/1/2021	Patient developed shingles after vaccination and required hospitalization. Shingles rash covered left eye, forehead, and scalp. Hospitalized due to bilateral eyes swelling shut and concern over swelling moving down towards airway.
1342339	5/23/2021	CA	24	F	2/18/2021	2/18/2021	Epileptic Encephalopathy. Severe increase in seizures (number and intensity). Some of the worse ones she has ever had. Started within 3 hours of receiving her vaccine. For 4 days she had some other weird odd side effects besides significant increase in seizures. Weird reactions and increase in seizures with movement of any kind (in wheelchair, in car, carrying her from chair to bed, etc). Never had this before. Looked odd in her face, glassy eyes for a few days, weird movements. Her doctor called it a cytokoline storm type reaction at first but then she never went back down to her baseline for her seizures as they kept getting worse and worse. Finally on March 24th we did a medication infusion via IV to try to break the cycle and then on April 1st we started her on another seizure medication. On April 28 we increased the new seizure medication trying to get her back down to her baseline. She has never gone back down to her baseline, she is still dealing with an increase in seizures. She has days where she is just seizing all day long off and on for no other reason. Her team of doctors and I are 110% (yes 110%) sure this is a reaction to the vaccine. They called off the second dose, considered J&J vaccine but then with the risk of clots and her not 100% stable due to the first vaccine reaction we decided to hold off. This is horrible because for the last year I lived for the day to get her vaccinated to be protected from COVID and now she can't be. I am devastated and so afraid for her life because as you see in her dx she is very high risk for COVID death. We love to travel and just started cruising as she loves it and now we can't because she isn't vaccinated. She can't go back to her life the way she knew it before the pandemic because of the vaccine not being safe for her. :(



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1342270	5/23/2021	NY	13	F	5/16/2021	5/17/2021	Fever, eye redness, body pain starting 1 day after vaccine cough, nausea, abdominal pain 3 days after vaccine 1 episode of emesis 5 days after vaccine - Admitted to hospital with suspicion of MIS-C - As per ID and Hem/Onc, Started on IVIG and aspirin (5/23/21) - currently still admitted for management of MIS-C
1342259	5/23/2021	VA	19	M	5/17/2021	5/18/2021	Adverse Events: Lack of muscle strength, thought capacity, sore eyes, sore left elbow. less coherent thoughts, headache, woken up from sleep. starting at 0230 all lasting approx. 6 hours. Treatment: 3x ibuprofen tablets taken approx 4 hours in. all events completely faded by 1000.
1342139	5/23/2021	AZ	42	F	5/22/2021	5/23/2021	Injection site immediately, pain and swelling. Starting the next day with onset of rapid symptoms including severe headache, extreme full body muscle aches and chills that felt painful as if had the flu, no fever, then the extreme tiredness hit where i had to lay down and sleep. I had to have my mom come get my young son because i couldn't even stay awake. muscle twitching in my calf muscles and my right thumb pad, post nasal drip started then stuffiness and that smell you smell when you are sick. So i slept hard for about 5 hours and when i got up i felt 80% better. The headache had been so bad when i opened my eyes it was very painful. My arm still is very tender and sore and swollen, but these symptoms were weirdly short lived. The most scary was the sleepiness that i couldn't control.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1342095	5/23/2021	CA	78	M	3/30/2021	5/1/2021	My uncle had a stroke almost exactly one month after second moderna shot. He is/was one of the most healthy older men I have ever known. Avid bike rider and exercise buff usually runs circles around guys half his age. I?m talking biking in the hills fit. He does have a pacemaker now and has to tame things done, but I think he got the pacemaker because he pumped so much blood through that thing doing all those hills for all those years. Not on any other meds expect whatever might be expected for the pacemaker. He was at the gym on May 1 working out and sitting down doing some arm curls when all of a sudden he passed out, he regained consciousness as a couple of guys were helping him to his feet, that?s all he could remember. He managed to drive himself home and then couldn?t shake the headaches and on coming symptoms, so one of his sons took him to the emergency room. Within 30 minutes it was already determined the doctors needed to operate fast. The stroke nightmare and recovery has process has been ongoing ever since. He was transferred to a rehab on May 19th where it looks like he will stay for at least a couple weeks, hopefully. He looks like he aged fifteen years, speech is ok, but he?s slow almost as if he is not hearing me? I think his hearing is fine but it seems like he works to formulate the thought of what he wants to say as I write this summary on May 23rd. He?s got two staples in his head, one pretty much top center and the other just a little off to his right. Drain blood I assume as I?ve never seen a post stroke victim up close like that. Our family do not get strokes! Maybe too much tequila and stuff like that, but my huge family usually all live into their 90?s and a few into their 100?s like my grandparents and my 104 year old great grandma. But of course they did not grow up with flu shots and vaccines. My grandparent grew a substance and stored in jars of olive oil or canola oil and rubbed that stuff on their our bodies if ailments go really bad. Other than that it?s highly concentrate oil of oregano. Couple drops on your tongue will set your mouth on fire. That?s the concentration we are talking about! Anyhow, my uncle hasn?t done vaccines or flu shots in the past, but all this gloom and doom from the mainstream media convinced him to get the shot. This now make the second person to stroke out after these unicorn shots. Yeah thanks big pharma and you scandalous mainstream media for just

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

reading your script and following along. No thanks to all you physicians and nurses out there that also know better, but are keeping your fat traps shut and your hand out receiving your paycheck. We wonder why there is vaccine hesitancy? It's not hesitancy, it actually watching family and friend bite the bullet right before our very eyes. You healthcare providers are going to have to pay pounds of flesh to our creator for propagating this mess we are in. Your stronger delusion excuse will only carry you so far, before it becomes unforgiveable. God Bless and let's see how long this report really take to get published on vaers. The world see this one! You better WelcomeTheEagle!

1341984 5/23/2021 PA

63 F

5/18/2021

5/18/2021

The injection did hurt quite a bit more than other injections I have had in the past but it began to feel better and I sat in a chair and was on my phone to send a message, spoke to a stranger who was looking for where to go, and was ok until the feeling of fainting began 10 minutes after the shot. I put my head between my knees but it did not help so I called for help and eventually was helped onto the floor to lie down which began to help. I had vision trouble and hearing trouble and could not speak. I was told my neck became bright red as my face grew white and my hands twitched and my eyes rolled around. I found out later that I had also peed my pants. I have fainted only once before in 1989, and found this reaction pretty frightening although I do not believe it happened as a result of anxiety or fear, the adverse effect itself was frightening and unexpected- not listed on any paperwork I received and was not aware it could occur.

1342049 5/23/2021 NY

31 M

5/23/2021

5/23/2021

Immediately after the patient received the Janssen Covid-19 vaccine, the patient closed his eyes and became unresponsive for less than 10 seconds. Patient then opened his eyes and was conscious again. Patient stated that he always has this type of reaction every time he receives a vaccine. He did not disclose this information because he did not think it would happen since he had not received any vaccines for the last 3 year.s.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1342040	5/23/2021	WA	12	F	5/16/2021	5/19/2021	My 12 year old daughter has reported having twitching of the head and right eye. She reports it started last week and continues to this day. The twitching of the head happens as often as every hour or more. The twitching of the right eye is rare. Depending on how fast the twitch happens with her head pain is associated with it.
1342025	5/23/2021	VA	15	M	5/23/2021	5/23/2021	one minute after injection, pt started to fall forward in the chair. father caught him and I was immediately called into the immunization room. pt was laid onto the floor and his legs were elevated onto a chair. father stated pt had never had a reaction to a vaccine before. no health conditions. 911 was called..... but then parent decided he didn't want them. pt states his vision started to go black before he briefly passed out... probable vasovagal syncope. we waited for 911 to come since they were already alerted. pt sat in chair but then started to get lightheaded again, so he returned to a position where his feet were elevated in the chair. EMS arrived and monitored him. father and EMS made decision to return pt to home.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1342017	5/23/2021	OR	15	F	5/16/2021	5/16/2021	Received her first dose of the Pfizer COVID-19 vaccine on Sunday May 16,2021 at around 2:50 pm. At around 7:20 pm on May 16,2021 she stood up to walk to the bathroom. She began feeling nauseous when she stood up. While she was washing her hands, after going to the bathroom, she began to have difficulty with her vision. She describes white and blue dots obstructing her vision in both eyes. She also began to experience loud tinnitus. She described hearing multiple frequencies. The problem with her vision and the tinnitus continued as she walked through our house to a couch where she laid down. The vision problem and tinnitus continued while she laid on the couch. Her breathing was rapid but she thinks this may have been due to the stress caused by her other symptoms. This episode lasted for several minutes and then the vision problem resolved. The tinnitus continued for several minutes after the vision problem resolved. The intensity of the tinnitus slowly decreased until it finally stopped. The following evening, she experienced tinnitus for a few minutes but it was less intense than it was the previous evening. She very rarely has experienced tinnitus in the past. She has very infrequently experienced brief episodes of orthostatic hypotension when she was dehydrated. When this event occurred, she felt like she was well hydrated. This event lasted much longer and she has never experienced this problem with her vision in the past.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1342002	5/23/2021	CA	17	U	5/23/2021	5/23/2021	On 05.23.21 client received her second dose of the Pfizer Covid-19 Vaccine (LOT # EW0185 EXP. 08/2021). Client approached EMT and stated that they felt "nausea." Lead nurse and Co-Lead nurse also responded. Client was a 17-year-old non-binary individual alert and tracking with their eyes. Client had a chief complaint of nausea. Client stated that they noticed their nausea a few minutes after beginning their observation. This was the clients second dose of the Pfizer vaccine. Client denied any medical history and stated they only take melatonin at bedtime. Assessment revealed no swelling, hives, discoloration, shortness of breath or other signs of anaphylaxis. Client was complaining of nausea that came on abruptly after their vaccination. Client stated they had breakfast this morning but not very much water. Client also stated they felt nervous after their vaccination. Airway, breathing and circulation are intact. Client's initial vitals at 0915 were: 92/64 blood pressure, 68 heartrate, respirations 14, O2 100% on room air, alert and oriented to person, place, date and event. Temperature 97.8*f. Client consented to an additional 30-minute observation and was asked to lie down for at least 15 minutes. Client was provided with water and was reassessed every five minutes until their complaint was resolved. After lying down for 15 minutes, the client stated that their nausea had resolved. Client sat up in an observation chair for the last 15 minutes and stated that their nausea was all gone at the completion of their observation. Clients remaining vitals were 0920 - 110/74, 84, 100%, resp. 14. 0925 - 110/74, 84, 100%, resp 14, 0925- 110/74, 84, 100%, 0930 - 110/74, 88, 100% resp. 14, 0940- 120/78, 88, 100%, resp. 16, 0945 - 118/78, 80, 100% resp 14. Client was provided with relevant vaccine information and instructed to seek emergency care if a severe reaction happened later. RN and EMT worked together to educate client about possible symptoms they could experience. Client acknowledged what they were told and departed facility at 0947 with their mother in positive disposition with steady gait.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1342071	5/23/2021	CA	14	F	5/23/2021	5/23/2021	Client was feeling "cold." Client was a 14-year-old female sitting upright in her observation chair, alert and tracking with her eyes. Client had a chief complaint of dizziness and feeling cold. Client stated that she began to feel cold and dizzy a few minutes after her observation had begun. This was the client's first dose of the Pfizer vaccine. Client denied any medical history or known allergies. Assessment revealed no swelling, hives, discoloration, shortness of breath or other signs and symptoms of anaphylaxis. Client stated that she felt "cold" and "dizzy." Client stated that her only meal was the snacks provided at the vaccination site. Airway, breathing and circulation were intact. Client's initial set of vitals at 1006 was 116/78 blood pressure, 80 heart rate, respirations 16, alert and oriented to person, place, date and event. Temperature 97.8*f. EMTs present were unable to obtain an O2 sat due to client's nail but client was negative for signs of shortness of breath. Client was asked to lie down until her complaint was resolved. Client was provided with food and was able to eat without difficulty. Client was reassessed every 15 minutes due to her stability. Vitals were as follows: 1011 - 108/78, 84, resp. 14 1021 108/78, 88, resp 14 1029 - 108/78, 80, resp 16. After approximately 10 minutes, the client denied any symptoms and was asked to sit up in an observation chair for the remainder of her observation. Client and her mother were instructed to seek emergency care if signs or symptoms of an allergic reaction occur later this evening.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1340357	5/22/2021	IN	47	F	4/21/2021	4/26/2021	Slight pain in right back of throat; Looked like Marge Simpson, felt like Novocaine numbing; Hives on arms, legs, thighs, hips with lots of itching; Hives on arms, legs, thighs, hips with lots of itching; Nose and Upper Lip Angioedema; Right Eye puffy, closed, puckered, creased; Right Eye puffy, closed, puckered, creased; Right Eye puffy, closed, puckered, creased; This is a spontaneous report from a contactable consumer (patient). A 47-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in Arm Left on 21Apr2021 14:15 (Lot Number: EW0153) as single dose for COVID-19 immunisation. Medical history included seasonal allergies to pollen, grasses, weeds. The patient's concomitant medications were not reported. On 26Apr2021, the patient experienced right eye puffy, closed, puckered, creased, on 01May2021, nose and upper lip angioedema, felt like Novocaine numbing; hives on arms, legs, thighs, hips with lots of itching, on 04May2021, lower Lip Angioedema on right side, looked like an asymmetrical fat lip; continued Hives on arms, legs, thighs, hips with lots of itching, on 07May2021, left eye puffy, closed, puckered, creased; continued hives on arms, legs, thighs, hips with lots of itching. slight pain in right back of throat. The patient did not receive any treatment for events. The outcome of events was recovering. Information on lot/batch number has requested.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1340363	5/22/2021	CA	53	F	1/26/2021	1/26/2021	Graves eye disease; This is a spontaneous report from a contactable consumer (patient). A 53-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), first dose via an unspecified route of administration, administered in Arm Left on 26Jan2021 10:00 at age of 53-year-old (Lot Number: EI3249) at single dose for COVID-19 immunization. Medical history included high blood pressure. There was no known allergies. Prior to vaccination, the patient was not diagnosed with COVID-19. Concomitant medication within 2 weeks of vaccination included losartan. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. On 26Jan2021 22:00, the patient experienced bulging eye within 12 hours of first shot and being diagnosed as Graves eye disease. The adverse event resulted in doctor or other healthcare professional office/clinic visit. On going treatment was received for the adverse event. The outcome of the event was not resolved. Since the vaccination, the patient had not been tested for COVID-19.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1340367	5/22/2021	RI	64	F	4/9/2021	4/1/2021	<p>This is a spontaneous report from a contactable consumer (patient) and a physician. A 64-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), dose 2 via an unspecified route of administration, administered in Arm Left on 09Apr2021 in the afternoon around 2 or 3 o'clock (Batch/Lot Number: EW0153) as 2ND DOSE, SINGLE for covid-19 vaccination. The vaccination was done in her building, a medical team came to them. She lives in subsidized housing. The patient's medical history included tendonitis; juvenile idiopathic arthritis from Dec 1969 and ongoing; lupus nephritis from 1989 (diagnosed ten years after SLE); systemic lupus erythematosus (SLE) from Dec 1979; discoid lupus; proliferative kidney disease stage 3; sjogren's; raynaud's; arthritis (since she was 13); bursitis; oral necrosis (this was from being on a calcium drug that they give menopausal women, it was out of her head right now when reporting. She could not think of the name. The drug was supposed to promote bone growth and keep her from getting osteoporosis); menopausal (because of chemo she started menopause at 42); vulvar lichen sclerosus; filamentary keratosis from 2015 and ongoing (this was since either Feb 2015 or Mar 2015); kidney cysts(one is benign and one is being watched); liver hepatic hemangioma; allergies (Allergies to aspirin, penicillin, dextrose IV, Biaxin, Levaquin, Cipro, band-aid adhesive, zofran, sulfa topical. The sulfa is a topical as opposed to being the sulpha with a ph.); adeno conjunctivitis from Jan2015 and ongoing (she had a really bad case of this in JAN 2015 and had to quarantine for three weeks. She lost her vision, she could not see for three days. She got a fever. It left her with a filament thing. It is just delightful. It is viral and really bad. She got it at her eye doctors office when she was there for an annual visit. She sometimes had to go there 3 times to have filament growing on her eye scrubbed off. It is wicked painful. It is quite an adventure.); she used to be three quarters but she shrunk a little; has been a couch potato for a year, it comes with the territory with lockdown and being depressed; she is immunocompromised and catches many things and is high risk She feels like a sitting duck; had issues on her palm of hands; had issues on her breasts, and chest; and various problems. Family Medical History Relevant to adverse events was none. No other vaccinations within four weeks prior to the first</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

administration date of the suspect vaccine. No other vaccines administered on same date with the Pfizer vaccine considered as suspect. Concomitant medications included vitamin b complex (B-COMPLEX 100) 100 as dose did not clarify units, has been on for years; hydroxyzine embonate (HYDROXYZINE PAM) Dosage 25 mg, she did not remember indication, may be allergies, if she is around a cat, she takes it prophylactically; acetylsalicylic acid (ASPIRIN) low strength, 81 mg twice a week, has been on for decades, nephrologist put her on it in the 90's and She did not remember why, he said it preserves kidney function or it is good for overall health; pentoxifylline ongoing at 400 mg, 3 a day, she has been on for years, her vascular doctor prescribed; prednisone dosage: 1 mg, she takes and alternates between 6 and 7 mg, If she takes lower than that, she is a "narcoleptic" (as reported, did not clarify); rosuvastatin Dosage: 10 mg, frequency not specified, it is a nightly thing; fish oil (SUPER OMEGA 3) overall supplement that was suggested by former nephrologist at some point some; estradiol (YUVAFEM) Dosage: 10 micrograms for menopause, vaginal dryness; there was no variable in her medication routine, she is on a long list of medications (she could not remember, one was blood pressure, with the last administration she was worked up and her blood pressure would not come down, she also takes Tylenol as needed), she provided the details as she knows them, but did not know full details for all of her medications. There was nothing new to her routine except like when Prilosec was taken off the market, she got a different medication for it. She has been on all of these for long term maintenance. Historical vaccine included bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), dose 1 via an unspecified route of administration, administered in Arm Left on 19MAR2021 (at the age of 64-year-old)(Batch/Lot Number: ER2613) for covid-19 vaccination, adverse events following prior vaccinations: none; and flu vaccine for immunization in last fall, 2020. She has a history of obscure side effects to medication, things that people have never heard of and she is the 1 in a million that has ever had these problems. The patient previously took ondansetron (ZOFTRAN), ("a chemotherapy treatment", given before chemotherapy), which gave her a homicidal migraine and they had to give her ice packs for her head;

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

9 rounds of "Cytox" (Cytosin or Cytoxan) she was not sure how this was spelled, and chemotherapy (9 rounds of chemo); azathioprine (IMURAN), she does not know if it was spelled Immuran or Imuran; prednisone a number of years and she said to her rheumatologist, "it did not make sense on an intellectual basis that the prednisone being effective in her body as it was once" and he said he would give her IMURAN which is given to kidney patients to cause less of a reaction with the organ, and patient mentioned she had barely an immune system after all these years on prednisone, she went through 3 rounds of steroids; Heparin IV, which made her arm feel on fire on the inside, which they would not give her a flush when she had IV treatment; Dextrose IV made her skin feel hot and itchy, her mouth felt like she put something in that had been soaking in rubbing alcohol; ciprofloxacin (reported as "Cipro"), she had a bad reaction to Cipro, she was given after she was bit by a dog on her calves, she knew it was attached to and is "hurting her calves the rest of her life/the podiatrist said if it has not gone away, she is kind of stuck" (as reported, not specified). The patient just wanted to give Pfizer a full picture of what she was dealing with and she is an unusual case. She added that chemo was in the 90s and that is when all of the medication reactions she mentioned were. She absolutely does not have any of the information about the products she mentioned she had previous reactions to. Every time they did "this", it "hurt" and she asked them not to do it anymore. She asked them to not do dextrose anymore with the chemo because it feels like it is on fire, and she asked them to mix it with saline. She did not have any additional information, did not have the NDC, LOT, expiration date, or manufacturer for any of these medications she reported historical adverse events on. The patient reported that she got her 2nd shot of the Pfizer covid vaccine on 09Apr2021. She has soreness at the site, more-so several hours after getting the vaccine (09Apr2021). Just her arm felt sore within moments after the second vaccine, but she did not get this after the first. She rested and took it easy that weekend. There was Sore, Tired, general lethargy, and fatigue (Apr2021): when she looked online, it really only told her what everyone knows about that you might be sore and tired and she had all that, she thought she was through with all

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

of that. She had no chills, just general lethargy and fatigue. She was sluggish and tired and not herself that weekend (Apr 2021). She stayed home so it is difficult to say. Her arm was definitely sore. For sluggishness and fatigue, she said that she has been a couch potato for a year, it comes with the territory with lockdown and being depressed, so it is difficult to decide if it is health or physically induced or a emotional base. She did not knowingly spike a fever, no chills or sweats. And on Monday (did not clarify dates but states it was Monday after 09APR2021, throughout the weekend she took it easy), she noticed with her foot, she had difficulty getting out of bed could not put weight on her right foot. She was alarmed. She stayed home and rested and did a lot of napping and taking it slow. It is still difficulty and moving certain ways hurts more if she flexes. She has a known history of tendonitis so she wore her brace in the meantime. She thought maybe she had tendonitis in both ankles and this was similar so maybe it was a different set of tendons. She would wear a brace, and eventually it will get better in time. She also was wearing braces like compression socks that toes stick out of. She thought she had tendonitis and that is what she has done in the past. It has been a month and she is not better. This was her left foot, most of the pain was focused on the sole of her foot towards the outer edge. That is where it started. Then it migrated over time. That was weird and had her worried. It was all in her arch in the initial spot. She notes it is not like the tendonitis she had the first time. She does not want to be an alarmist or have her doctor think she is a hypochondriac she waited. She was then rubbing her foot, the right one, and noticed it was tender on the top of her foot just like the left one. There was sore. There was pain in right foot, pain in feet. Pain in feet, her left foot had most of the pain on the top and bottom and a lot of it is along the outer part of her sole of the foot. In her right foot, the pain is mostly at the fleshy part below her toes and on top of her foot. The pain moved around into the other foot for about a month so she went to the podiatrist yesterday (06May2021) and doctor did x-rays. The night before (05May2021), the opposite leg had a line of black and blue dots on her right calf that went up her leg, she did not notice this until Wednesday (05May2021) evening because she never examines it. She soaped up a washcloth and she knew

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

where her parts are in the bath. Her mind wanders and she was not looking. She happened to be wearing something where her legs were not covered and that is how she knew. It did not hurt. It was strange, looking like bruising in a line. The doctor said it was all like one vein and he could feel it. She can not feel it, but he could. The doctor told her these could be clots. She still has them. Doctor said the other leg where she had the pain was only soft tissue pain. Doctor found that every place that hurt when he touched it and it still hurts where he had touched it. She was told she does not have arthritis and she has had arthritis since she was 13. The doctor did not know what it is. It was her left foot constantly, and the right foot hurt off and on during that period. The left for sure was kind of a dull ache and throbbing. The right was only a little bit. The left was worse. It appeared to be soft tissue that was hurting and he said there are so many side effects of this new vaccine and to maybe try heat or ice. Ever since the patient left doctor's office until now (the time of reporting) she did not know if she need to be concerned, that if she does not know what it is, can ice or heat make it worse? She did not know the next steps. Treatment, she tried to keep it elevated because that can not hurt but that is about it. She has not done heat and ice because if the doctor does not know what it is, how does he know it will not make it worse. He asked if she could take aspirin and she said no she is allergic to aspirin. Tylenol she does not take often, only when she feels like she needs it and she has not been doing it often. When she stays off it, it does not hurt as much as when she is walking. She wanted to know if she should be worried and she wanted to add (report this) to the database if this is a side effect and if Pfizer has ever heard of this before. There was also tired, general lethargy, and fatigue. At this point when reporting, she is single and lives alone, and said that "God forbid something happens, there is nobody to say let's get you to a hospital". She heard about blood clots on the news. When they said blood clot yesterday, it was a red warning light going on and a siren. At the time of reporting it was Friday and she did not know that if she need to rush to the hospital. Her primary care physician (PCP) said she had never heard of this and to call Pfizer. The patient asked if she is one of a small group of people this has happened to. She asked if she should not worry

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

and it will go away or should she get to a hospital. She thought she had a problem with her feet (foot problem) but her podiatrist does not know what was going on. She communicated with her physician office today and she said she has never heard of this. She wanted to know if her symptoms have been heard of and if she should go to the hospital. The events did not require a visit to emergency room. The patient underwent lab tests and procedures which included: height as "5 and three quarters of an inch feet (5'0.75")" on an unspecified date; rapid COVID-19 test on 06May2021: negative; regular COVID-19 test on 06May2021: negative; x-ray on 06May2021 to make sure she did not break anything: unknown results. She also went because she had not done it in a year and she had something from the health department saying to get tested weekly for the virus (clarified that she was talking about the COVID tests as what she went and got done). The outcome of the events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1340378	5/22/2021		49	F	3/6/2021	3/25/2021	<p>herself tested positive for the Covid virus; herself tested positive for the Covid virus; eye sight is not right and my sugar level is super high; eye sight is not right and my sugar level is super high; four blood noses; This is a spontaneous report from a contactable consumer (patient husband). A 49-years-old female patient (wife) received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: UNKNOWN), via an unspecified route of administration on 06Mar2021 (at the age of 49-years-old) as a single dose for covid-19 immunization. The patient's medical history and concomitant medications were not reported. The patient received the first dose of the Pfizer COVID-19 vaccine on 06Mar2021 and she was scheduled to receive the second dose on 27Mar2021. On 23Mar2021, the patient started experiencing a wet cough. She received a positive PCR test on 25Mar2021 and started having some symptoms. The patient entered the hospital on 26Mar2021 and was admitted for nine days due to low oxygen, in which they gave her remdesivir, plasma, and steroids. She was discharged from the hospital on 03Apr2021. She had ended isolation. She is home now. She still cant smell or taste anything. She retested two weeks later as a follow up and was still positive for Covid. Her "eye sight is not right and my sugar level is super high," in which she believes is from the steroids she was given. She had four blood noses last week, in which she has never had a blood nose in her life. The first week she was very tired, using the bathroom constantly, and had no taste or smell. Her infectious disease doctor told her based upon her treatment regiment, she would need to wait until after 04Jul2021 to get vaccinated and that she would need to get the series again, "as if it was new."</p> <p>She still has not received the second dose of the Pfizer Covid-19 vaccine. She was told she couldn't receive the second shot until 03Jul2021. They advised her to wait 3 months before receiving the vaccine. Also read it is recommended to wait 3 months before getting the vaccine if you received a plasma treatment. These interim considerations also state that if you currently have a COVID-19 (either before the first dose of vaccine or in between your first and second dose of vaccine), you should wait until you have recovered from the infection, show no symptoms and completed any required isolation. Lastly, the interim considerations state that a prior</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

1340404	5/22/2021	CA					
---------	-----------	----	--	--	--	--	--

				F			
--	--	--	--	---	--	--	--

COVID-19 infection may lower the risk of getting infected again (for a certain amount of time) so if vaccine supply is low, some people with a recent COVID-19 infection may choose to wait to receive their first dose of COVID-19 vaccine. You should talk to your doctor or other health care professional about this. Pfizer is independent of these recommendations. The clinical outcome of the events was unknown. Information on the lot/batch number has been requested.

face, eyes, and one side lips started dropping; numbness on her left face, head, inside mouth, and left hand; numbness on her left face, head, inside mouth, and left hand; This is a spontaneous report from a contactable consumer (patient). A non-pregnant 39-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration in right arm on an unspecified date (Batch/Lot number was not reported) as 2nd dose, single for COVID-19 immunization. Medical history included allergies to sulfa drugs. There were no concomitant medications. The patient also received first dose of BNT162B2 on unspecified date for COVID-19 immunization. After a week of the second dose on unspecified date, the patient had to go to the ER. There was numbness on her left face, head, inside mouth, and left hand. Her face, eyes, and one side lips started dropping. The patient received antiviral and steroid as treatment for the events. The patient has no COVID prior to vaccination and was tested for COVID via nasal swab post vaccination with negative result on unspecified date. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Outcome of the events was unknown. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1340418	5/22/2021	OR	66	M	4/20/2021	4/22/2021	This is a spontaneous report from a contactable consumer (patient). A 66-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE lot number: ER8730) via an unspecified route of administration, administered on the left arm on 20Apr2021 11:45 as 1st dose, single for COVID-19 immunization. The patient's medical history was not reported. Concomitant medications included sertraline; beta carotene, bioflavonoids nos, biotin, calcium ascorbate, calcium pantothenate, calcium phosphate, choline bitartrate, chromic chloride, colecalciferol, copper sulfate, cyanocobalamin, folic acid, hesperidin, inositol, iron amino acid chelate, lycopene, lysine hydrochloride, magnesium oxide, manganese sulfate, molybdenum trioxide, nicotinamide, phytomenadione, potassium iodide, potassium sulfate, pyridoxine hydrochloride, retinol acetate, riboflavin, selenomethionine, silicon dioxide, colloidal, sodium borate decahydrate, thiamine mononitrate, tocopheryl acid succinate, ubidecarenone, zinc oxide (MULTIVITAMIN & MINERAL); and ascorbic acid, beta carotene, copper, nicotinamide, selenium, tocopherol, xantofyl, zinc (LUTEIN +). On 22Apr2021, the patient experienced right eye "floater": posterior vitreous detachment. Doctor said probably not due to the vaccination, "just a coincidence". The event resulted to a doctor or other healthcare professional office/clinic visit. No treatment was received for the events. The patient did not receive any other vaccines within 4 weeks prior to the COVID-19 vaccine. Since the vaccination, the patient has not been tested for COVID-19. Prior to vaccination, the patient was not diagnosed with COVID-19. Outcome of the events was not recovered.
1341340	5/22/2021	MA	68	M	3/23/2021	4/1/2021	Pain in the ocular nerve of the right eye. Current.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1340474	5/22/2021	FL		F			mild to moderate anaphylactic reaction; This is a spontaneous report from a contactable consumer (patient's husband). A female patient of an unspecified age received bnt162b2, via an unspecified route of administration on an unspecified date (Batch/Lot number was not reported) as 1st dose, single for covid-19 immunisation. The patient medical history and concomitant medications were not reported. She had a mild to moderate anaphylactic reaction. He just wonders if there is provisions. Reporter asked if Pfizer was helping with clinic and EMT (Emergency Medical Technicians) bills. It was protocol, they had to take her. Now they have a 1800 fee from the hospital, and 800 for the ambulance. That is a lot of money. The outcome of the event was unknown. Information on the Lot/Batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1340465	5/22/2021	ID	43	M	4/22/2021	4/22/2021	Multiple visual hallucinations; Body aches; This is a spontaneous report from a contactable other Health Professional. A 43-year-old male patient received the second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE) via intramuscular at age of 43-years, on 22Apr2021 (Lot number was not reported) as single dose for covid-19 immunisation. Medical history included hyperlipidaemia (HLD) and post-traumatic stress disorder (PTSD). There were other medications in two weeks but unspecified. The patient previously took morphine and experienced allergy. Historical vaccine included the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE) via intramuscular on 01Apr2021 (Lot number was not reported) for covid-19 immunisation. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient experienced multiple visual hallucinations and usual body aches occurring evening of vaccine on 22Apr2021, resolved by next day. There was no treatment received for the above events. The patient did not diagnose with COVID-19 prior to vaccination and not test for COVID-19 since the vaccination. Events outcome was recovered on 23Apr2021. Information on the lot/batch number has been requested.; Sender's Comments: The Company cannot completely exclude the possible causality between the reported multiple visual hallucinations and the administration of the suspect, COVID19 vaccine, based on the reasonable temporal association. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RA, IEC, as appropriate.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1340355	5/22/2021			F			<p>Cataract; This is a spontaneous report from a Pfizer sponsored program COVAX US SUPPORT. A contactable pharmacist reported for a female patient of an unspecified age received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection) via an unspecified route of administration on an unspecified date (Batch/Lot number was not reported) as a single dose for covid-19 immunization. The patient medical history was not reported. The patient's concomitant medications were not reported. The patient had cataract surgery on 04May2021 and was taking an antibiotic eye drop and a steroid eye drop. Her second dose of the Pfizer Covid 19 vaccine was scheduled for tomorrow (21 days). Reporter asked if safe for her to take the vaccine. The outcome of the event cataract was unknown. Follow-up attempts are completed; information about lot/batch number cannot be obtained.; Sender's Comments: Due to implausible temporal association, the event of Cataract is assessed as unrelated to suspect product BNT162B2. The patient has been on the medication for just 21 days, while it is known that the process of cataract is slow and takes months to years. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1340226	5/22/2021	AZ	52	F		4/9/2021	SEVERE FLU; THYROID NUMBERS OFF; EYE INFECTION; This spontaneous report received from a patient concerned a 52 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included allergic to genetically modified organism (gmo), no corn, no soy, and thyroid autoimmune disease. The patient received covid-19 vaccine (suspension for injection, route of admin not reported, batch number: 202A21A, and batch number: 202A21A expiry: UNKNOWN) dose was not reported, administered on 08-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 2021, the subject experienced thyroid numbers off. On 2021, the subject experienced eye infection. Laboratory data included: TSH (NR: not provided) 34. On 09-APR-2021, the subject experienced severe flu. Treatment medications (dates unspecified) included: ciprofloxacin. The action taken with covid-19 vaccine was not applicable. The patient recovered from severe flu on 10-APR-2021, had not recovered from thyroid numbers off, and the outcome of eye infection was not reported. This report was non-serious.; Sender's Comments: V0: Medical assessment comment not required as per standard procedure since case was assessed as non serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1340457	5/22/2021	IL	26	M			<p>This is a spontaneous report from a contactable consumer (patient's parent). A 26-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration on an unspecified date (reported as "this afternoon") (Batch/Lot number was not reported) (at 26-year-old) as first dose, single for COVID-19 immunisation. The patient's medical history was reported as no. Concomitant medications were not reported. Couple minutes into that he got light headed, his vision got blurred and then he had a complete vision loss. They cleared the room and called the paramedics. The paramedics came and said that both of his eyes were dilated and his blood pressure was high. They sat him for couple of minutes, then his vision return. So if they ask them make the total of vision loss lasted for seven minutes. His blood pressure went down. They kept him there and had a given a bottle of water and two container of fruit juice to bring his sugar level up. They made sure everything seems alright. And paramedics left and said that they thought it would be cause from some sort of blood reaction and allergic reaction to vaccine. And told them not to get the second shot. And let us want to he felt ok that it would be alright to go home. They did keep him there for about half an hour longer just to make sure he was alright and then sent him home. That was just a reaction and he should be ok now. No treatment received. The outcome of the events was resolved on an unspecified date. Information about batch/lot number has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1340351	5/22/2021	SC	31	F	5/6/2021	5/6/2021	mild hallucinations; nauseated; extremely fatigued; eyes heavy with a slight burning sensation; eyes heavy with a slight burning sensation; in a head fog state; mild headache; sick; chills; nose run; sneezing; that were so cold it; This is a spontaneous report from a contactable consumer(patient). A 31-year-old female patient received first dose BNT162B2 (Pfizer BioNTech Covid 19 vaccine, lot number EW0176), via an unspecified route of administration at Arm Left on 06-MAY-2021 12:45 at the 31 years old at single dose for COVID-19 immunization. The medical history was not reported. The concomitant medication was ethinylestradiol, ferrous fumarate, norethisterone acetate(JUNEL FE) The patient previously took steroids and experienced known allergies Tendency. After the initial dose, the patient began to feel nauseated on 06May2021 14:00. The patient waited for the 15min period on site and then proceeded home. By time the patient arrived home, the patient was extremely fatigued and her eyes heavy with a slight burning sensation on 06May2021 14:00. The patient spoke to her mom briefly and she recalls that the patient told her that she got the vaccine. She also stated that the patient rambled off some strange vaccine name and statics on it which the patient have no memory of. During this time the patient had mild hallucinations on 06May2021 14:00. The patient saw her walk by and asked her where she went and she had never moved from her chair. The patient went to her room to rest/sleep immediately after where the patient remember hearing someone come in and lay down but there was no one. The patient also vividly remember waking up and checking the time which was incorrect as well. The patient was in a head fog state on 06May2021 14:00. The patient had a mild headache on 06May2021 14:00. Later that night the patient ate some food and was sick after. While going to bed, the patient had chills that were so cold it made my nose run and the patient was sneezing excessively on 06May2021 14:00. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine.Prior to vaccination, the patient was not diagnosed with COVID-19.Since the vaccination, the patient had not been tested for COVID-19. There was no treatment received for all of events. The outcome of the events was recovering. Information on Lot/Batch number was available. Additional information has been requested.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

---

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1340346	5/22/2021	CA	34	F	5/5/2021	5/6/2021	<p>passed out; loss of vision for a few minutes; Dizziness; blurred vision; Severe weakness; couldn't walk; chills; fever; Fatigue; soreness in right arm; muscle aches; This is a spontaneous report from a contactable other health professional (patient). A 34-year-old female patient (not pregnant) received bnt162b2 (BNT162B2), dose 2 via an unspecified route of administration, administered in Arm Right on 05May2021 15:00 (Lot Number: ew0161) as single dose for covid-19 immunisation. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient did not have COVID tested post vaccination and did not have COVID prior vaccination. The patient had no known allergies. The patient had no other medical history. Concomitant medications included ethinylestradiol, norgestimate (TRI LO MARZIA); ascorbic acid, betacarotene, biotin, calcium lactate, choline bitartrate, chromium nicotinate, colecalciferol, cyanocobalamin, dexpantenol, dl-selenomethionine, folic acid, inositol, magnesium lactate, manganese gluconate, nicotinamide, potassium citrate, potassium iodide, pyridoxine hydrochloride, retinol palmitate, riboflavin phosphate, thiamine hydrochloride, tocopheryl acetate, zinc gluconate (MULTI VITAMIN &amp; MINERAL); probiotics (PROBIOTICS) all taken for an unspecified indication, start and stop date were not reported. The patient received first dose of Covid-19 vaccine (manufacture Pfizer, lot number ew0151) on 14Apr2021 01:00 PM in Left arm for covid-19 immunisation. The patient experienced dizziness with blurred vision / loss of vision for a few minutes, possibly passed out. Severe weakness, couldn't walk for a few minutes. Dizziness with chills/fever lasted a few hours. Fatigue for 12 hours. Soreness in right arm and muscle aches all over. Headache for 12-16 hours, all on 06May2021 06:30 with outcome of recovered. No treatment was received for the events. Information on the lot/batch number has been requested.; Sender's Comments: The causal association between the reported events passed out and loss of vision for a few minutes and the suspect drug BNT162B2 cannot be totally excluded based on a temporal relationship. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated a part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

1340341	5/22/2021	CT					
---------	-----------	----	--	--	--	--	--

1340341	5/22/2021	CT		F			
---------	-----------	----	--	---	--	--	--

1340341	5/22/2021	CT		F	4/5/2021		<p>identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory authorities, Ethics committees, and Investigators, as appropriate.</p> <p>pain down right arm; right elbow throbbing; right hand numb; Tinnitus; pain across forehead right eye; hearing loss; pain across forehead right eye; migraine/migraine for next 24 hours; This is a spontaneous report from a contactable consumer (patient). A 55-year-old female patient (not pregnant) received bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), dose 2 via an unspecified route of administration, administered in Arm Left on an unspecified date (Lot Number: EP6955) as 2ND DOSE SINGLE for covid-19 immunisation. Medical history included Lichen planus, 7 years before 2021, Rash on scalp, given benadryl and blue light for scalp. No recurrence, adhesive tape allergy. Historical vaccine included first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE) via an unspecified route of administration, administered in Arm Left on 12Mar2021 02:30 PM (Lot Number: EN6208) as single dose for covid-19 immunisation. Patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Concomitant medication(s) included ergocalciferol (VIT D) taken for an unspecified indication, start and stop date were not reported. The patient previously took benadryl for rash, bnt162b2 for covid-19 immunisation. The patient experienced 2nd shot pain across forehead right eye migraine then pain down right arm right elbow throbbing right hand numb while sitting at (facility). Migraine for next 24 hours. Onset of Tinnitus 3 days after. Thought it would work itself out. Went to ENT on 26Apr2021 and have hearing loss. Prescribed Prednisone. No change in tinnitus. Never had tinnitus before until got the vaccine. Not on any medications, active and eat healthy. Have follow up on 11May2021. This is a problem, found a Facebook group with over 2000+ members having same symptoms. All event onset date was 05Apr2021 10:00 AM. Therapeutic measures were taken as a result of events. The outcome of events was not recovered. No follow-up attempts are needed. No further information is expected.</p>
---------	-----------	----	--	---	----------	--	--

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1340280	5/22/2021	IL		U	4/26/2021	5/6/2021	transient loss of vision L eye; Urinary retention; constipation; L arm swelling & pain; Episodic ptosis; L arm swelling & pain; fever; headaches; possible TIA; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of TRANSIENT ISCHAEMIC ATTACK (possible TIA), BLINDNESS TRANSIENT (transient loss of vision L eye) and URINARY RETENTION (Urinary retention) in a 44-year-old patient of an unknown gender who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 039B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 26-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 06-May-2021, the patient experienced TRANSIENT ISCHAEMIC ATTACK (possible TIA) (seriousness criterion medically significant). On an unknown date, the patient experienced BLINDNESS TRANSIENT (transient loss of vision L eye) (seriousness criterion medically significant), URINARY RETENTION (Urinary retention) (seriousness criterion medically significant), CONSTIPATION (constipation), PERIPHERAL SWELLING (L arm swelling & pain), EYELID PTOSIS (Episodic ptosis), PAIN IN EXTREMITY (L arm swelling & pain), PYREXIA (fever) and HEADACHE (headaches). At the time of the report, TRANSIENT ISCHAEMIC ATTACK (possible TIA), BLINDNESS TRANSIENT (transient loss of vision L eye), URINARY RETENTION (Urinary retention), CONSTIPATION (constipation), PERIPHERAL SWELLING (L arm swelling & pain), EYELID PTOSIS (Episodic ptosis), PAIN IN EXTREMITY (L arm swelling & pain), PYREXIA (fever) and HEADACHE (headaches) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): In April 2021, Body temperature: increased (High) increased. On 02-May-2021, Faecal disimpaction: abnormal Fecal manual dis-impaction for 2 days.. In May 2021, Urine output: decreased (Low) decreased. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Concomitant medications were not reported. On 06-May-2021, the patient reported that she called 911 and went to the emergency room for possible TIA (transient ischemic

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

attack). No treatment information was provided. Based on the current available information and temporal association between the use of the product and the start of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1340269	5/22/2021	MD	76	F	1/22/2021	1/27/2021	This spontaneous case was reported by a consumer and describes the occurrence of POLYMYALGIA RHEUMATICA (Polymyalgia Rheumatica) in a 76-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 025J20A and 013L20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Dairy intolerance, Drug allergy (allergic to Compazine), Hay fever since 1976, Osteopenia since 2000, Tinnitus since 2016 and Osteoarthritis since 1990. Concomitant products included MACROGOL 400 (BLINK TEARS) for Dry eye, VITAMINS NOS (MULTIPLE VITAMIN) for Multi-vitamin maintenance, VITAMIN D3, PROBIOTICS NOS, FISH OIL and HOMOCYSTEINE THIOLACTONE HYDROCHLORIDE for Routine health maintenance, CETIRIZINE HYDROCHLORIDE (ZYRTEC [CETIRIZINE HYDROCHLORIDE]) from 01-Jan-2020 to an unknown date and MOMETASONE FUROATE (FLONASE [MOMETASONE FUROATE]) for Sinusitis, MAGNESIUM CITRATE for an unknown indication, GLUCOSAMINE & CHONDORITIN. On 22-Jan-2021 at 9:00 AM, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 23-Feb-2021 at 9:00 AM, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 27-Jan-2021, the patient experienced ARTHRALGIA (severe leg pain (both)/Pain seemed to concentrate in back of legs/intense pain in joints and muscles of the legs). On 21-Apr-2021, the patient experienced POLYMYALGIA RHEUMATICA (Polymyalgia Rheumatica) (seriousness criterion medically significant). On an unknown date, the patient experienced CHEST DISCOMFORT (tightness in the chest). At the time of the report, POLYMYALGIA RHEUMATICA (Polymyalgia Rheumatica) and ARTHRALGIA (severe leg pain (both)/Pain seemed to concentrate in back of legs/intense pain in joints and muscles of the legs) had not resolved and CHEST DISCOMFORT (tightness in the chest) outcome was unknown. mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosing remained unchanged. Additional concomitant medication taken at the start of the events included OsteoThera 4 times per day. On 27-Jan-2021, the patient experienced intense pain in the joints and

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>muscles of the legs. She applied ice as treatment. Over the next 2-3 weeks pain moved to other joints and muscles with varied intensity; fatigue and weakness noted. Overtime it became very difficult for the patient to stand up from a seated position, walk, turn over when lying down, or bend over to sit down. On 09-Feb-2021 additional daily supplements were started: Pea Protein, Calcium D-Glucarate, Digestive Enzymes (Digest Gold), GI Motility Complex, Glutagenics Powder, Sun Fiber. The patient sought medical attention from her Primary Care Provider (PCP). The patient's ESR and CRP were elevated, indicative of an inflammatory condition. The patient was referred to Rheumatology. While she waited 5 weeks for the appointment, she experienced tightness in the chest and continued loss of function. She eventually went to the Emergency Room (ER) and 1 lab result was slightly elevated, indicative of Lyme disease. The ER doctor administered ketorolac and iodixanol and the patient started treatment with doxycycline. On 21-Apr-2021, doxycycline was stopped as additional lab tests for Lyme disease were normal. The patient was diagnosed with Polymyalgia Rheumatica and started treatment with Prednisone 15 mg daily (gradual tapering off was planned), heat, light stretching, and exercise to regain leg movement. Based on current available information and the temporal association between product use and the start date of the events a causal relationship cannot be excluded. Most recent FOLLOW-UP information incorporated above includes: On 01-Mar-2021: Additional initial received on 12-May-2021. Concomitant medication added; event added.; Sender's Comments: Based on current available information and the temporal association between product use and the start date of the events a causal relationship cannot be excluded.</p>
1340597	5/22/2021	MI	36	F	5/15/2021	5/17/2021	I had a brain tia-stroke. Blood clots. Paralyzation.loss of vision. Loss of voice

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1340227	5/22/2021	MI	45	F	5/16/2021		<p>RASHES THAT BURN; RED ITCHY RASH; BURNING EYES; BUMPY RASH ON WHOLE BODY EXCEPT FOR FACE AND VACCINATION SITE; FELT VERY HOT ( LIKE HAD A FEVER); FELT TIRED; FELT A BIT QUEASY; MUSCLE ACHES; ACHES AND PAINS; This spontaneous report received from a patient concerned a 45 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included non-alcoholic, non-smoker, fibromyalgia, and allergic reactions to antidepressants, and other pre-existing medical conditions included patient had allergic reactions to antidepressants. the patient had no drug abuse or illicit drug usage. The patient experienced swelling of throat due to allergy when treated with erythromycin, and paroxetine hydrochloride. The patient received covid-19 vaccine (suspension for injection, route of admin not reported and batch number: 206A21A expiry: UNKNOWN) dose was not reported, administered on 15-MAY-2021 for prophylactic vaccination. Concomitant medications included pregabalin for fibromyalgia, hydrochlorothiazide, and naproxen. On 16-MAY-2021, the subject experienced aches and pains. On 16-MAY-2021, the subject experienced felt tired. On 16-MAY-2021, the subject experienced felt a bit queasy. On 16-MAY-2021, the subject experienced muscle aches. On 18-MAY-2021, the subject experienced felt very hot ( like had a fever). On 19-MAY-2021, the subject experienced rashes that burn. On 19-MAY-2021, the subject experienced red itchy rash. On 19-MAY-2021, the subject experienced burning eyes. On 19-MAY-2021, the subject experienced bumpy rash on whole body except for face and vaccination site. The action taken with covid-19 vaccine was not applicable. The patient recovered from aches and pains, felt tired, felt a bit queasy, and muscle aches on 16-MAY-2021, had not recovered from bumpy rash on whole body except for face and vaccination site, red itchy rash, rashes that burn, and burning eyes, and the outcome of felt very hot ( like had a fever) was not reported. This report was non-serious.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1340462	5/22/2021	WV	50	M	4/12/2021	4/12/2021	nurse stated it could possibly be blood clots; Patient is afraid he is going to have a stroke or scared he had one after the COVID-19 Vaccines; blurred vision in right eye that comes and goes; ringing in his left ear; Very fatigued throughout the day, sleeping a lot/tired and sleeps a lot; Very fatigued throughout the day, sleeping a lot/tired and sleeps a lot; Date received First dose: Third Friday in Feb2021/Received second dose on 12Apr2021, six weeks after first dose; Date received First dose: Third Friday in Feb2021/Received second dose on 12Apr2021, six weeks after first dose; Fullness in face; Body aches; Brain fog: At times he can't do the simplest things. He will look at the clock on the wall and says he knows what it is, but can't find the words to say. Cannot carry on a conversation intelligently; Brain fog: At times he can't do the simplest things. He will look at the clock on the wall and says he knows what it is, but can't find the words to say. Cannot carry on a conversation intelligently; Brain fog: At times he can't do the simplest things. He will look at the clock on the wall and says he knows what it is, but can't find the words to say. Cannot carry on a conversation intelligently; Brain fog: At times he can't do the simplest things. He will look at the clock on the wall and says he knows what it is, but can't find the words to say. Cannot carry on a conversation intelligently; headache all over the back of his head/Affecting his balance. In back of head, moves around, sometimes the front; headache all over the back of his head/Affecting his balance. In back of head, moves around, sometimes the front; feeling dizziness/had to stop driving; This is a spontaneous report from a contactable consumer (patient's wife). A 50-years-old male patient received bnt162b2 (BNT162B2), dose 2 via an unspecified route of administration on 12Apr2021 (may have been in morning) (Batch/Lot Number: Unknown; Pfizer COVID-19 vaccine) as 2ND DOSE, SINGLE for covid-19 immunization, at the age at vaccination of 50 years old. The patient's medical history and concomitant medications were not reported. History and Investigations: Doesn't take any medications. Has no medical conditions, unless age was considered a medical condition. Historical vaccine included first dose of COVID-19 Vaccine reported as on Third Friday in Feb2021 (First dose: between 1430-1530), and experienced AEs: Brain fog; Headache: Thinks in the back of the head, but moved around too, sometimes in the front. Has affected his balance. Dizziness: Had to stop a couple times while driving home from vaccine facility. Aches and pains. All symptoms from the first dose went away within 3-4 days.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

Caller would say patient recovered completely from symptoms associated with first dose. The patient experienced nurse stated it could possibly be blood clots on an unspecified date with outcome of unknown, patient is afraid he is going to have a stroke or scared he had one after the covid-19 vaccines on an unspecified date with outcome of unknown, brain fog: at times he can't do the simplest things. he will look at the clock on the wall and says he knows what it is, but can't find the words to say. cannot carry on a conversation intelligently on 12Apr2021 with outcome of not recovered, headache all over the back of his head/affecting his balance. in back of head, moves around, sometimes the front on 12Apr2021 with outcome of not recovered, feeling dizziness/had to stop driving on 12Apr2021 with outcome of not recovered, blurred vision in right eye that comes and goes on an unspecified date with outcome of not recovered, ringing in his left ear on an unspecified date with outcome of not recovered, fullness in face on 12Apr2021 with outcome of not recovered, body aches on 12Apr2021 with outcome of not recovered, very fatigued throughout the day, sleeping a lot/tired and sleeps a lot on an unspecified date with outcome of not recovered, date received first dose: third friday in feb2021/received second dose on 12apr2021, six weeks after first dose on an unspecified date with outcome of unknown. Patient was caller's husband. Had both doses and had the same problem. His experience is very bad with the second dose and has had it for a month. Within a day after the first dose, had brain fog, headache, and dizziness where he had to stop driving a couple times. This went away within a few days. Patient and caller were concerned about the second dose. They spoke with patient's doctor and the local Health Department, both said it couldn't be from the vaccine. Patient was advised to get the second dose. Had the same symptoms with second dose, but occurred within an hour of received second dose. Symptoms have continued. Also experiencing blurred vision in right eye that comes and goes. Patient had an appointment with his doctor this week, but the doctor basically didn't look at him. Doctor advised patient to see a neurologist. Another nurse stated it could possibly be blood clots. Caller is trying to find help. Caller wanted to add with the second dose, patient experienced ringing in his left ear, fullness in his

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

face, and headache all over the back of his head. Was feeling dizziness after second dose and had to stop driving. Patient is afraid he is going to have a stroke or scared he had one after the COVID-19 Vaccines. If the COVID-19 Vaccines woke up some other health issues, patient wants to get it taken care of. Received second dose on 12Apr2021, six weeks after first dose. Got second dose at a different location. Second dose COVID-19 Vaccine AEs: Started experiencing symptoms within an hour. Headache: Affecting his balance. In back of head, moves around, sometimes the front. Comes and goes. Brain fog: At times he can't do the simplest things. He will look at the clock on the wall and says he knows what it is, but can't find the words to say. Cannot carry on a conversation intelligently. Dizziness. Blurred vision in right eye: Doesn't know if this started on 12Apr2021 or a couple days after. States as the day goes on and he gets tired, it will worsen. It comes and goes. Ringing in left ear: Began on 12Apr2021 or a few days after. Fullness in face: Stated this comes and goes, but has stayed the same. Documented as provided. Body aches: Comes and goes. Seems to worsen as the day goes on. Very fatigued throughout the day, sleeping a lot: He's tired and sleeps a lot. It was hard for him to get out of bed. Caller stated patient's symptoms worse as the days goes on. Patient never experienced pain at the injection site. Guesses patient received COVID-19 vaccines in his left arm because the county was doing a drive-thru clinic. Since he didn't get out of his car, she believed patient would have received the vaccines in the left arm. The events REQUIRE A VISIT TO Physician office: Doctor doesn't think anything is wrong. ER: Not yet. Is considering going to the ER today. PRIOR VACCINATIONS WITHIN 4 WEEKS was None. RELEVANT TESTS: None. Events Clot blood and stroke considered medically significant. Follow up attempts are needed. Information of Lot/Batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1340214	5/22/2021		58	F			VOMITING; BORDERLINE MIGRAINES; DIARRHEA; COULD NOT EVEN GET OUT OF BED; RIGHT EYE BLOODSHOT DUE TO A BLOOD VESSEL BURSTING IN EYE.; EXTREMELY ILL; PAINFUL HEADACHES; NAUSEA; This spontaneous report received from a consumer concerned a 58 year old female. The patient's height, and weight were not reported. The patient's past medical history included hip replacement surgery, and overweight. The patient received covid-19 vaccine (suspension for injection, route of admin not reported, batch number: Unk) dose, start therapy date were not reported for prophylactic vaccination. Batch number was not reported and has been requested. No concomitant medications were reported. On an unspecified date, the subject experienced vomiting, borderline migraines, diarrhea, could not even get out of bed, right eye bloodshot due to a blood vessel bursting in eye., extremely ill, painful headaches, and nausea. The action taken with covid-19 vaccine was not applicable. The outcome of the extremely ill, nausea, vomiting, diarrhea, could not even get out of bed, right eye bloodshot due to a blood vessel bursting in eye., painful headaches and borderline migraines was not reported. This report was non-serious.
1340204	5/22/2021	TX	36	F	5/1/2021		TINGLING TONGUE; FEVER; HEADACHE; SWOLLEN EYELIDS; SWOLLEN LEFT CHEEK; This spontaneous report received from a patient concerned a 36 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine (suspension for injection, route of admin not reported, batch number: 203A21A) dose was not reported, administered on 14-MAY-2021 for prophylactic vaccination. No concomitant medications were reported. On MAY-2021, the subject experienced swollen eyelids. On MAY-2021, the subject experienced swollen left cheek. On 15-MAY-2021, the subject experienced fever. On 15-MAY-2021, the subject experienced headache. On an unspecified date, the subject experienced tingling tongue. The action taken with covid-19 vaccine was not applicable. The patient recovered from fever, and headache, and had not recovered from swollen eyelids, swollen left cheek, and tingling tongue. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1339102	5/22/2021	CA	44	F	12/27/2020	1/1/2021	Swollen arm with redness, POTS (fatigue,, dizziness, lightheadedness, blurry vision, increased heart rate upon standing, shortness of breath, exercise intolerance, nausea)
1339064	5/22/2021	PA	36	F	4/6/2021	4/21/2021	I had recovered about 90% (with medication) since having COVID in December when I received my first dose of the COVID vaccine. Thirteen days after the vaccine I began to experience symptoms like when I had COVID. On day 13 I started to itch and my BP dropped and I became light headed. My vision started to go and I had a hard time breathing and forming words for my husband to help me with some water. This lasted about 20 min. Since then I have been having heart rate increases up into the 150s with minimal effort. Bending like doing dishes or putting away groceries makes me extremely light headed. I have become so tired just folding a little bit of laundry. It wasn't until a few weeks in that I noticed this was all exactly like when I had COVID. Including being okay in the morning but having so many issues by the evening. So weird. I'm 3 weeks and 4 days past my second shot and finally starting to have some better days again but no day has been symptom free. I wish could know if this is happening to other long haulers and that it will most likely resolve, I have been starting to wonder about disability and really having a hard time facing the fact that I no longer can complete simple house hold chores like I used to.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1340265	5/22/2021	FL	67	F	1/7/2021	1/26/2021	This spontaneous case was reported by a consumer and describes the occurrence of HYPOTHERMIA (hypothermia) in a 68-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 012L20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Shingles (chicken pox and shingles in 2001). Concomitant products included ROSUVASTATIN for an unknown indication. On 07-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 26-Jan-2021, the patient experienced HERPES ZOSTER (Shingles). On an unknown date, the patient experienced HYPOTHERMIA (hypothermia) (seriousness criteria medically significant) and RASH (Rash on the side of face and around eyes). The patient was treated with VALACYCLOVIR HYDROCHLORIDE (VALTREX) ongoing from January 2021 for Shingles, at an unspecified dose and frequency. At the time of the report, HYPOTHERMIA (hypothermia), HERPES ZOSTER (Shingles) and RASH (Rash on the side of face and around eyes) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On an unknown date, Body temperature: 95 (Low) 95. Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. This case was linked to US-MODERNATX, INC.-MOD-2021-118918 (E2B Linked Report). This case was linked to MOD-2021-118638 (Patient Link). Most recent FOLLOW-UP information incorporated above includes: On 11-May-2021: Updated address and adverse events; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.
1341220	5/22/2021	NC	22	M	5/22/2021	5/22/2021	Approximately 5 minutes after receiving vaccination patient fell out of chair onto floor and was breathing but unresponsive to pharmacist. Patient opened eyes and was fully alert with in a couple of minutes of passing out. Patient waited for another 30 minutes, had someone come pick him up, and stated he felt fine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1340440	5/22/2021	UT	54	F	3/9/2021	3/15/2021	nausea with vomiting resulting in low electrolytes needing hospital treatment; nausea with vomiting resulting in low electrolytes needing hospital treatment; low electrolytes; Headache; severe dizziness/feeling faint; balance issues/unsteadiness; right ear pain; buzzing ear sounds; inability to visually focus at times; sensitive to light; sensitive to movement; sensitive to sound; listing to the right when trying to walk.; This is a spontaneous report from a contactable consumer (patient). A 54-years-old non-pregnant female patient received the first dose bnt162b2 (BNT162B2), via an unspecified route of administration, administered in Arm Left on 09Mar2021 at 10:30 (Batch/Lot Number: EN6208) as 1ST DOSE, SINGLE for covid-19 immunisation. Medical history included vertigo, migraine (as a child). The patient previously took Omnicef, penicillin ad sulfa and experienced drug hypersensitivity. Concomitant medications included estrogens conjugated (PREMARIN), cetirizine hydrochloride (CETIRIZINE HYDROCHLORIDE); fluticasone (FLUTICASONE). No other vaccines were given within 4 weeks. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination the patient had not been tested for COVID-19. On 15Mar2021, The patient experienced Headache, severe dizziness, balance issues, right ear pain, buzzing ear sounds, listing to the right when trying to walk, unsteadiness, feeling faint, inability to visually focus at times, sensitive to light, sound, and movement, nausea with vomiting resulting in low electrolytes needing hospital treatment. The patient was hospitalized due to nausea, vomiting and low electrolytes. The adverse events resulted in an emergency room visit and physician office visit. Treatment was given for the events which included Meclazine, Droperidol, Electrolytes. The clinical outcome of the events was recovering.
1340640	5/22/2021	NC	50	F	3/14/2021	3/15/2021	Migraine, followed by severe eye pain and a very bad broken blood vessel in right eye. Eye pain has continued over time.
1341304	5/22/2021	NY	20	M	5/22/2021	5/22/2021	Blurry vision, lightheadedness, headache

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1341280	5/22/2021	VA	18	F	5/22/2021	5/22/2021	During her observational 15 minutes, patient was having dizziness and blurred vision. Patient had a loss of consciousness for 30 seconds. After regaining, patient was alert and oriented. Patient was given water and asked to sit for 15 minutes.
1341243	5/22/2021	FL	17	M	5/22/2021	5/22/2021	Less than a minute after administration patient started to feel not well. Patient displayed symptoms of possible syncope. Eyes were unfocused and unable to sit up straight. Epipen was administered immediately. EMS was called. Patient's blood pressure was taken multiple times and was low at each reading. Patient's blood pressure would also drop upon standing up. After about half an hour of not resolving EMS took patient to hospital for further evaluation.
1341236	5/22/2021	FL	19	M	5/22/2021	5/22/2021	Patient reported feeling dizziness, his vision went black and he lost hearing within 5 minutes of receiving the vaccine. He was sweating and felt cold and tingling. Patient states the tingling started in his feet and worked its way up his entire body. Paramedics were called.
1341230	5/22/2021	CA	42	M	4/7/2021	4/13/2021	Cold hands and feet, blood pooling in hands, blurred vision, loss of appetite, palpitations, excessive urination, and pain around left shoulder blade area of back.
1341321	5/22/2021	WA	40	M	5/13/2021	5/13/2021	approx 10 minutes after injection, pressure in head and chest, sweating, blue lips, and white face, mostly lost vision for 10 minutes. recovered at 10 minutes then just exhausted. better next day except fatigue.
1341189	5/22/2021	WA	13	M	5/18/2021	5/19/2021	Patient developed SVT (supraventricular tachycardia) approximately 29 hours after receiving the COVID vaccine. Patient has no prior history of SVT or any other cardiac related events. Patient was engaged in a basketball game when the SVT occurred. Patient has been involved in multiple competitive sports since the age of four without any prior incident related to exercise. He felt like he could not breathe, his heart was racing, he became dizzy, began to lose his vision and I took him to the local fire station for evaluation.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1341185	5/22/2021	CA	14	M	5/22/2021	5/22/2021	Situation: 14yo male came in for first dose Pfizer vaccine. Within 5 mins after receiving vaccine, patient had a seizure for approximately 1 minute. During seizure, patient was incontinent of urine. RN was able to get to patient's side before he fell. Background: Patient did not alert vaccinator or RNs that he had a history of seizure. Mom informed staff after the event that he had a febrile seizure when he was a young child. She did not disclose what age he was at the time of the previous seizure. Assessment: RN observed patient in an active seizure for 1 minute in which his body contracted out and his eyes rolled back. She was at his side to prevent him from falling. He was placed on a gurney and moved to room 6 for closer observation for 30 mins. Pfizer vaccine administered on 5/22/21 at 12:52PM 1255 vitals ? 121/64(83), 97.3F 1257 vitals ? 122/75(90) 1311 vitals ? 116/76, HR 68, 100% O2 1318 vitals ? 112/75, HR 68, 100% O2 1325 vitals ? 111/61, HR 68, 99% O2 Recommendation: MD on call, was called and notified of the event. Her recommendation was for the patient to go to the ED for evaluation and labs. RN called the ED to notify them of the patients intended arrival. The mom agreed to take the patient to ED for further evaluation. The patient was taken out via wheelchair.
1341176	5/22/2021	NY	21	F	5/20/2021	5/20/2021	Patient was light-headed, dizzy, and pale minutes after receiving the vaccine. They also reported difficulty seeing (their field of vision was all bright light.)
1341137	5/22/2021	KY	17	M	5/22/2021	5/22/2021	Shortly after receiving vaccination patient experienced blurred vision, lightheaded ness, loss of balance, headache and tiredness, profusely sweating Called 911, provided water and a safe sitting position
1340753	5/22/2021	IN	25	F	5/21/2021	5/22/2021	Muscle and joint pain, hot flashes and cold chills, restlessness, headache and pressure behind the eyes, lower back pain

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1341231	5/22/2021	ND	32	M	4/8/2021	4/14/2021	6 days after receiving the vaccine I began to feel ill. My arms were numb, I was sweating profusely, and was having a bad headache while at work. Suddenly I began to get tunnel vision and felt as if I was about to pass out. I was transported via ambulance to Medical Center where I was given IV and medication to treat vertigo and massive head pain/migraine. Since that day I have continually dealt with severe neck and head pain leading to migraines causing visual issues (auras and blind spots), vertigo, and nausea.
1340718	5/22/2021	DC	13	M	5/22/2021	5/22/2021	Within minutes of getting his vaccine, he felt his throat tighten with mild itching of his throat. He was assessed with normal vital signs, no wheeze, no emesis, no rash. He felt better quickly without intervention. He was observed for 45 minutes and we practiced some calming visualization strategies.
1341078	5/22/2021	NY	15	F	5/22/2021	5/22/2021	Client vaccinated, said it was good then slumped in chair, eyes rolled back. Responded to verbal commands, opened eyes, pupils dilated, diaphoretic, took a minute for her eyes to come into focus. Paramedic to cubicle, client transported to treatment area. Observed by paramedic for 45 minutes, departed for home with Mom and brother.
1340754	5/22/2021	NY	14	F	5/21/2021	5/21/2021	moderna clinic - Patient sat for a bit after vaccine - fainted when got up to leave. I heard the commotion from the pharmacy while i was giving a vaccine. Patient had signed up online for the vaccine with the date of birth 6-20-2001 (showing 19 years of age). Patient came to quickly after fainting - felt dizzy, nauseated, warm and blurred vision (seeing spots). Patient did not hit her head during fall. EMS came to check her out. Took blood pressure and pulse - within normal limits for patients age. Being that she's 14 and received Moderna instead of Pfizer that could have been the reason. Patient faulted age during online sign up stating she was 19. I checked with the mom the day after the incident - patient feels fine - no flu like symptoms or feeling dizzy, nauseated or blurred vision.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1340802	5/22/2021	MO	63	M	4/6/2021	4/28/2021	Patient has been diagnosed with Retinal Vein Occlusion in left eye. No treatment has been obtained yet. Symptoms are burning pain and blurred vision . Went to regular eye doctor on 5/17/2021, and was scheduled appointment that same day with specialist. Has a follow up appointment on 6/25/2021.
1340804	5/22/2021	VA	90	F	2/19/2021	3/4/2021	got a new "blood blister" on my left eye, losing central vision
1340912	5/22/2021	NC	14	M	5/14/2021	5/17/2021	Pt received first shot of Pfizer vaccine on 5/14 - 12:30 PM EST. On 05/17 around 7:45 AM, Pt passed out/fainted. He woke up few minutes prior to the event and this event started after he passed urine. As soon as he finished Urination, he felt nauseated, dizzy and then lost consciousness thereafter. He fell backwards as a result and hurt his back as well as back side of the head. During his unconsciousness his body was completely stiff and his eyes were rolled back. For few seconds then he became completely still (it felt he was not breathing). I gave him physical stimulus (slight slaps on the face) post which he started reviving. During this time we called 911. I gave him few sips of water forcibly and he started reviving thereafter. on 5/15 and 5/16 (post vaccination on 5/14) he was feeling tired and seemed bit dull. This was unusual as Pt is a competitive soccer player and highly active.
1340927	5/22/2021	MD	68	F	3/7/2021	3/12/2021	Severe headaches started March 12, 2021 and lasted for over a month and a half, every day. Affected eyesight of left eye, Swelling in both legs, ankles and feet fore a week. Now every once in a while the sharp headache reoccurs and lasts for a few minutes. Mainly up the back left side of my head, up to the top of the head. Swelling has not occurred again.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1340939	5/22/2021	AZ	91	U	1/21/2021	1/23/2021	Approximately two days after first shot, he was unable to stand in the Am. He had to crawl to the bathroom. The following day he expressed vision problems. He also experienced fatigue. He was very active for his age, but his loss of energy kept him in his room most of the time (very unlike him.) After the second shot, he expressed chill in his body and stated he was unable to feel warm. The fatigue and chills continued. At approximately four weeks after the second shot, he felt it necessary to try to go outside and do some mild yardwork. His symptoms continued, so he returned to his room. On April the 3rd he passed away in the AM after I had a brief conversation with him on the phone.
1340983	5/22/2021	CA	34	F	5/2/2021	5/3/2021	Sudden appearance of significant amount of eye floaters, flashes and blurriness in the right eye about 20 hours after the 2nd shot of Pfizer Covid-19 vaccine. First started to notice sporadic floaters and mild blurriness during the 3-week period between the 1st and the 2nd shot of Pfizer vaccine. Diagnosed with Central Retinal Vein Occlusion (CRVO) with macular edema in the right eye within 48 hours of the 2nd shot of the vaccine. Confirmed by second opinion. Right eye vision is currently 20/50. Received Eylea injection in the right eye. Antiphospholipid panel, Protein S, Protein C, Factor V, Homocysteine and Antithrombin all come back normal from lab testing. Blood pressure normal, no diabetes, no known systematic disease. 34 year old female.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1341011	5/22/2021	FL	21	M	5/22/2021	5/22/2021	<p>Patient - received the Johnson &amp; Johnson vaccination (Lot # 1808609) on 05/22/2021 at 1131 in the left arm. Upon walking to observation patient fell, it was observed that he hit the back of his head by nurse at nursing station #4, nurse immediately cradled patient's head and turned patient on his side for safety. Patient was assessed for open wounds, hematoma and bleeding. Negative findings. EMS called by RN Patient assessed RN. Patient is a 21-year-old with no past medical history per patient's grandfather. Patient is laying on the floor, with eyes wide open, not verbally responsive, and unable to follow commands. Patient was pale and diaphoretic. Patient is awake, but not oriented to time and place. Patient also does not recall having breakfast, but his grandfather stated that he did have eggs earlier this morning. Vital signs as follow: Time 1134: BP 147/78, pulse 43, 98% room air, temp 97.1 Time 1138: BP 147/82, pulse 47, 98% room air, patient started to become response asking questions. Patient denies any lightheadedness or dizziness, he only felt a burning sensation on the back of his head. Patient's grandfather at his side. Patient's wallet, vaccination card and glasses given to patient's grandfather. Time 1142: BP 125/79, pulse 64, 98% room air Privacy screen in place for confidentiality from other patients. Awaiting EMS. Incident aware 1144 EMS arrived. 1146 Patient placed in wheelchair and left the building with EMS. Patient was awake and alert upon leaving the building.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1340887	5/22/2021	VA	71	F	3/3/2021	3/4/2021	My mom received her second vaccine on March 3 at approximately 2:00 PM. On March 4, approximately 16 hours after her vaccination, she woke with an excruciating pain behind her right eye. Her condition continued to decline and an ambulance was called and she was taken to our local hospital. Local hospital transported her via helicopter to another facility, a Level 1 Trauma Center, where she underwent an emergency craniotomy for a hemorrhagic stroke. During surgery it was discovered that she had an arteriovenous malformation (AVM). She spent over two weeks in Hospital and an additional three weeks at a Rehabilitation Hospital. She is home now undergoing home physical, occupational, and speech therapy. She suffers from significant left side neglect and is in a wheelchair, unable to walk or move her arm and hand. She vision in the lower left quadrant of both eyes. She was revived and resuscitated during her craniotomy. Prior to her stroke, she was a healthy, vibrant, independent 71 year old. Although the AVM can be congenital, a prior MRI of her brain in 2015 never picked it up and was reported as normal.
1337323	5/21/2021	VA	13	F	5/21/2021	5/21/2021	five minutes after 13 year old patient's first dose of Pfizer COVID shot, I was alerted that pt reported that her vision was "going black." when I arrived at our designated waiting area, she was sitting down with her father. parent stated that pt has never had any type of reaction to a vaccine previously, but stated that she had severe anxiety about this vaccine. pt was moved to the floor and raised her legs onto the chair. parent declined my offer to call 911 or rescue squad. her pulse was normal. parent and patient waited a total of 30 minutes before leaving the store. pt felt back to normal before leaving the store.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1337001	5/21/2021	SC	48	F	5/20/2021	5/20/2021	ADMINISTERED JANSSEN VACCINE IN MORNING , NO SIGNS OF REACTION WHILE PT'S WAS AT ADMINISTERING FACILITY. LATER AFTERNOON, AT ARROUND 3 PM PER PT'S, PT'S FELT BLURRY VISSION (WORE GLAASES FOR CLEAR VISION), STILL DIZZY (FELT LIKE FAINT FOR A SECOND TWICE), DISORIENTED, NAUSEA, SWEATING (BODY TEMPERATURE 93 F WHEN CHECKED AT EMERGENCY ROOM). PT'S CALLED HUSBAND TO TAKE HER TO EMERGENCY ROOM FACILITY. AT EMERGENCY PT'S BLOOD WORK DONE, PT'S NOTIFIED PROVIDER SHE HAVE THYROID DISEASE AND ABOUT COVID-19 JANSSEN VACCINE. AT EMERGENCY ROOM PT'S GIVEN EPINEPHRINE FOR ALLERGIC REACTION, PT'S FELT BETTER AFTER ~ 25-30 MINUTES OF EPINEPHRINE (GIVEN ONCE). PT'S SPENT ~ 4 HOURS AT EMERGENCY ROOM AND GOT DISCHARGE.
1337014	5/21/2021	MO	20	F	5/21/2021	5/21/2021	After receiving the vaccine the pt walked over to the Recovery area and Pt verbalized becoming lightheaded, dizzy, and having spotty vision. Pt says she has a history of lightheaded and dizziness , so she knows to lay down when that occurs and that's what she did.
1337029	5/21/2021	NC	56	F	4/8/2021	4/8/2021	Immediately after the shot my arm started hurting. The next day I started getting a headache and nausea, chills and muscle ache. My bottom lip was swollen by the third day and I was not feeling right. I had numbness going up to my right eye and I could not speak clearly.
1337123	5/21/2021	CA	13	M	5/21/2021	5/21/2021	Code assist called- Pt complaining of dizziness- blurry vision- Took pt's BP and it was 168/120-2nd BP 65/28- RN's and MD's assisted the code and 911 was called.
1337176	5/21/2021	GA	75	M	1/13/2021	5/11/2021	Hospitalization Patient was admitted to hospital after suffering with high fever and testing positive for COVID-19. In addition to pre-existing medical conditions patient has thyroid problems, enlarged prostate, a prosthetic eye and chews tobacco

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1337191	5/21/2021	KY	51	F	3/16/2021	3/17/2021	On the 17th I suffered a severe migraine at 2:00 AM went down the hallway and threw up most of the day. My vision was off and it felt like the top of my head was about to explode. I went to the Walk-in clinic to get treatment.
1337374	5/21/2021		51	U	4/7/2021	4/7/2021	Itchy, red, or watering eyes.
1337304	5/21/2021		36	F	5/18/2021	5/18/2021	the patient complained of dry mouth with no other signs of swelling or trouble breathing hours after her 15 minute observation time. I advised her to take diphenhydramine and seek medical attention if the condition did not improve. She ended up going to the hospital. Since then division 1 has been checking in with her
1336979	5/21/2021	NJ	22	F	4/10/2021	4/22/2021	An attack of neuromyelitis optica occurred.. High strength steroids and plasma pheresis were necessary in order to restore eyesight.
1337285	5/21/2021		34	M	5/21/2021	5/21/2021	Patient received the Janssen COVID vaccine then shortly after administration patient stated that their vision started to go blurry and the next thing their sight went dark, patient was seen falling out of chair head first after passing out.
1336969	5/21/2021	WA	15	F	5/20/2021	5/20/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Tinnitus-Mild, Systemic: Visual Changes/Disturbances-Mild, Additional Details: Pt was flushed, stated she had ringing in her ears, and was seeing stars. She moved from her chair to sit on the floor and drank water and CapriSun. After a few minutes, she said she was feeling better. Mom states that she had a similar reaction to getting nose pierced not too long ago.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1336933	5/21/2021	MA	12	M	5/16/2021	5/16/2021	12 yo male presenting with bilateral lower extremity paresthesias and confusion. Admitted to the hospital. Pending discharge to rehab facility. ED Note 5/19/21 Patient is a 12-year-old male with hypogammaglobulinemia, asthma, IBS who presents with weakness in his lower extremities. 6 days ago, patient had seafood and later that night vomited once, nonbloody, nonbilious. 4 days ago, he received the first dose of the Pfizer SARS-CoV2 vaccination. That day, he also felt some burning over the anterior parts of his bilateral ankles. Over the past 3 days, he has been sleeping a lot and had a headache. He has not had a fever or other muscle aches, no subsequent N/V, abdominal pain. Last night, he reported ankle pain to his mom. Today at school, he was playing kickball when he had the sensation that his ankles were not working/gave out and he fell to the ground. He had difficulty getting up and required a wheelchair. He did not lose consciousness, denied CP, palpitations, SOB, headache, vision change during or before that episode. He was not incontinent of urine/stool and had no abnormal movements noted at the time. Since then he has noted twitching in his thighs, calves and toes. He reports weakness throughout both lower extremities and has difficulty with intentional movements at the toes/ankles/knees, weakness in hips. He reports a burning sensation over the anterior ankles/dorsum of foot b/l. Denies fevers, chills, cough, SOB, CP, palpitations, abdominal pain, N/V/C. He endorses diarrhea 3x daily which is his baseline. He has panic attacks 3x daily w palpitations/SOB that self resolve. He has been on keflex for an ingrown toe nail for the last week. MRI performed with normal brain and spine. However, on repeat exam patient has diminished sensation in the bilateral feet and diminished ability to dorsiflex or plantarflex both ankles with very limited toe range of motion. Still with preserved reflexes in the patella and Achilles. Discussed at length with neurology and the family. Differential diagnosis at this point of functional neurological disorder versus Guillaine Barré syndrome. Neurology note 5/21/21 Patient is a 12yo M with hypogammaglobinemia, IBS, and poorly controlled anxiety, presenting with 4 days of lower extremity paresthesias and 1 day of hyperacute onset of lower extremity weakness and perhaps some mild confusion. History notable for covid vaccine three

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							days prior to presentation and anxiety surrounding covid and return to school. His general examination is notable for anxious affect with difficult to localize neurologic exam. Exam shows possible bilateral lower extremity weakness of TA and hamstring>quad/IP that is very challenging to grade due to poor effort and giveaway, and decreased sensation in a bilateral stocking/glove distribution to all sensory modalities. MRI w/wo contrast brain and spinal cord normal on admission. LP performed in ED also normal. Given negative workup and history of anxiety with recent psychosocial stressors, most likely sudden onset weakness is secondary to a functional neurologic disorder. Plan for discharge to rehab pending PT evaluation.
1336824	5/21/2021	NC	19	F	5/19/2021	5/20/2021	The subject became symptomatic approximately 24 hours after her study injection. Symptoms included some swelling under her eyes, generalized body aches and apparently some hand swelling, as well as shortness of breath and stridor. She was given epi was given and EMS was called. Admission labs showed hypocalcemia and hypokalemia. She was treated with IV's and labs returned to normal limits, and she was given albuterol. She was hospitalized.
1336807	5/21/2021	NV	51	F	4/8/2021	5/11/2021	Patient presenting to Medical Center with progressive vision loss on 5/17/21, day prior to admission patient endorsing complete right eye vision loss and progressive left eye vision impairment. Prior to admission, she had presented to hospital for progressive right eye vision loss. Had right eye tonometry and ultrasound performed, pressure 24, ultrasound overall unremarkable. ESR and CRP normal limits. Referred for outpatient evaluation by ophthalmology and neuro-ophthalmology. Neuro-ophthalmologist referred her for IV steroids due to concern for ischemic optic neuropathy. She was started on IV solumedrol 1g daily for 5 days, with stabilization of her vision loss. No improvement in right eye vision loss, no worsening of left eye vision loss. Per patient, left eye vision blurriness able to see shapes and colors. Discharged on 5/21/21 on prednisone 60 mg until follow up with neuro-ophthalmology on 5/27/21.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1336714	5/21/2021	MA	16	F	5/14/2021	5/18/2021	4 days after vaccination (on 5/18/21) she presented with right facial droopiness (unable to close right eye, unable to smile on right side etc) consistent with Bell's Palsy. Symptoms are (unsurprisingly) persistent now 3 days later
1336679	5/21/2021	GA	41	M	5/20/2021	5/21/2021	REPORTED FAINTING BY WITNESSES, NURSE VISUALIZED DIAPHORESIS, DRY HEAVING, PT REPORTED WEAKNESS.
1336506	5/21/2021	SC	41	F	5/18/2021	5/18/2021	headache with visual sensitivity, headache, hard to hear for a second, speech was impaired for a second, difficult to find words for a second, felts as if she had a fever and kept coming in flashes, pain went down leg, but then quickly went away, index knuckle on left hand felt burning, but went away, 2nd day- tiredness, hot flashes, thirsty, 3rd day sleep disturbances, night sweats on each day since vaccine, throat dry on second day, 3rd day throaty dry, lymph nodes swelling, tired, this morning pain in right axillary area, neck still sore, dizziness this afternoon, abdominal upset this morning, hot flashes today
1336467	5/21/2021	CA	47	F	5/1/2021	5/21/2021	Pt. c/o feeling light-headed while under observation approx. 5 minutes after receiving vaccine. Pt. notes she did not eat breakfast. Pt given H2O2 + fig energy bars and started feeling better. VS: BP140/66, 98%-76 repeat BP124/64, 98%, 77. Pt noted she started feeling better and she denies lightheadedness, pt states she is ok to drive. Pt offered note to stay home from work, and she declined. Pt. left approx. 12:05pm. Pt advised to call 911 if she notes shortness of breath, swollen throat, swollen eyes, swollen tongue. Rest & tylenol prn

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1336300	5/21/2021	OH		F	5/11/2021	5/11/2021	acute anaphylactic shock; A.fib; blurry vision; swollen lips; Numbing sensation in her hands and lips; tingling sensation in her hands and lips; This spontaneous case was reported by a consumer and describes the occurrence of ANAPHYLACTIC SHOCK (acute anaphylactic shock) and ATRIAL FIBRILLATION (A.fib) in a 53-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 048B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 11-May-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 11-May-2021, the patient experienced ANAPHYLACTIC SHOCK (acute anaphylactic shock) (seriousness criterion medically significant), ATRIAL FIBRILLATION (A.fib) (seriousness criterion medically significant), VISION BLURRED (blurry vision), LIP SWELLING (swollen lips), HYPOAESTHESIA (Numbing sensation in her hands and lips) and PARAESTHESIA (tingling sensation in her hands and lips). At the time of the report, ANAPHYLACTIC SHOCK (acute anaphylactic shock), ATRIAL FIBRILLATION (A.fib), VISION BLURRED (blurry vision), LIP SWELLING (swollen lips), HYPOAESTHESIA (Numbing sensation in her hands and lips) and PARAESTHESIA (tingling sensation in her hands and lips) outcome was unknown. mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was withdrawn on an unknown date. Treatment for the events included diphenhydramine, metoclopramide, ketorolac, prochlorperazine and prednisone. The patient was advised not to receive the second dose of vaccine by her healthcare provider. Company Comment: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1336281	5/21/2021	CA	67	F	4/1/2021		SORE THROAT; SHORTNESS OF BREATH; MYALGIA; FATIGUE; HORRIFIC HEADACHE; HORRIBLE PAIN IN CHEST LIKE HEART ATTACK; BONE WRACKING DRY COUGH; METALLIC TASTE IN MOUTH; FELT DIZZY; FELT LIKE HIT BY DUMP TRUCK; BODYACHE; NOT FEELING WELL; AGITATED; URINATING A LOT; BILATERAL EARACHE; WAS TOO SICK; HEART RATE WENT UP TO MORE THAN 80 BPM; This spontaneous report received from a patient concerned a 67 year old female. The patient's weight was 66.7 kilograms, and height was not reported. The patient's past medical history included tachycardia, atrial fibrillation, left periorbital ecchymosis, dry eyes, trouble focusing, headache, nausea on right side of chest, felt like gas bubble and emesis, possible post concussion symptoms, voice hoarse/raspy voice, chronic laryngitis, flare up of hemorrhoid, constipated over a weekend, increased heart rate, nontoxic uninodular thyroid goiter, atherosclerosis of aorta, fatigue, papillary thyroid cancer, right thyroid lobectomy, deep vein thrombosis, gerd, melanoma of skin, dyspnea, deep vein thrombosis, sinus pain, tooth pain, treatment non compliance, pharyngitis, stroke, vertigo, and influenza like illness, and concurrent conditions included non-smoker, no alcohol use, asthma, cerebral palsy, qt prolonged, chest pain when tired, diabetes mellitus, chronic kidney disease stage 3, hypertension, congenital nystagmus, hearing loss, hypothyroidism, and diabetes, and other pre-existing medical conditions included the patient had no history of abuse or illicit drug usage. The patient was previously treated with phenoxymethylpenicillin, guaifenesin for sore throat, calcium carbonate, famotidine, simeticone, promethazine, cefalexin, diphtheria vaccine toxoid/pertussis vaccine acellular/tetanus vaccine toxoid for prophylactic vaccination, salbutamol, ciclesonide, and polymyxin for red eyes; and experienced drug allergy when treated with atenolol, ciprofloxacin, and erythromycin. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 043A21A, and expiry: 21-JUN-2021) dose was not reported, administered on 04-APR-2021 11:15 for prophylactic vaccination. Concomitant medications included disopyramide phosphate. On 10-MAR-2014, Laboratory data included: Factor V Leiden mutation (NR: not provided) negative, and Prothrombin

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

mutation G20210A (NR: not provided) HET Abnormal, coagulation. On APR-2021, the subject experienced heart rate went up to more than 80 bpm. On APR-2021, the subject experienced agitated. On APR-2021, the subject experienced urinating a lot. On APR-2021, the subject experienced bilateral earache. On APR-2021, the subject experienced was too sick. On APR-2021, the subject experienced bodyache. On APR-2021, the subject experienced not feeling well. On 04-APR-2021, the subject experienced metallic taste in mouth. On 04-APR-2021, the subject experienced felt dizzy. On 04-APR-2021, the subject experienced felt like hit by dump truck. On 05-APR-2021, the subject experienced horrible pain in chest like heart attack. On 05-APR-2021, the subject experienced bone wracking dry cough. On 05-APR-2021, the subject experienced horrific headache. On 09-APR-2021, the subject experienced fatigue. On 13-APR-2021, Laboratory data included: COVID-19 virus test (NR: not provided) Negative. On 20-APR-2021, the subject experienced sore throat. On 20-APR-2021, the subject experienced shortness of breath. On 20-APR-2021, the subject experienced myalgia. Laboratory data included: Anion gap (NR: not provided) 10 mEq/L, B-type natriuretic peptide (NR: not provided) 64 pg/dL, BUN (NR: not provided) 26 mg/dL, Blood pressure (NR: not provided) 214/91 mm Hg, Body temperature (NR: not provided) 97.8 F, CO2 (NR: not provided) 26 mEq/L, Chloride (NR: not provided) 102 mEq/L, Creatinine (NR: not provided) 0.92 mg/dL, Differential white blood cell count (NR: not provided) Normal, Glomerular filtration rate (NR: not provided) more than 60 mL/min, Glucose (NR: not provided) 328 mg/dL, Hematocrit (NR: not provided) 42.9 %, Hemoglobin (NR: not provided) 14.9 g/dL, Lab test (NR: not provided) Normal (no blood clots/thrombocytopenia), MCV (NR: not provided) 91 fL, Nucleated red cells (NR: not provided) 0 kilo per microliter, Oxygen saturation (NR: not provided) 98 %, Pain scale (NR: not provided) 1 (units unspecified), Platelet count (NR: not provided) 190 kilo per microliter, Potassium (NR: not provided) 4 mEq/L, Pulse rate (NR: not provided) 81 beats per minute, RBC count (NR: not provided) 4.73 million per microliter, Respiratory rate (NR: not provided) 18 (units unspecified), Sodium (NR: not provided) 138 mEq/L, Troponin I (NR: not provided) more than 0.02 ng/dL, WBC count (NR: not provided) 7.3

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

kilo per microliter, and X-ray (NR: not provided) Aortic atherosclerosis. Treatment medications included: hydralazine. On 20-APR-2021 17:34, Laboratory data included: Blood pressure (NR: not provided) 190/100 mm Hg, Body temperature (NR: not provided) 36.6 degree celsius, Glasgow coma scale (NR: not provided) Eye opening:4, Verbal response:5, Motor Response: 6, Total Coma Score:15, Oxygen saturation (NR: not provided) 97 %, Pulse rate (NR: not provided) 74 bpm, and Respiratory rate (NR: not provided) 16 (units unspecified). On 28-APR-2021, treatment medications included: prednisone. Additional treatment medications (dates unspecified) included: estradiol, levothyroxine, paracetamol, verapamil hydrochloride, salbutamol, diphenhydramine hydrochloride/lidocaine/nystatin, budesonide/formoterol, guaifenesin, benzonatate, chlorhexidine gluconate, ipratropium, aciclovir, fluticasone, montelukast, hydralazine hydrochloride, fluticasone propionate/salmeterol xinafoate, and famotidine. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from metallic taste in mouth on 05-APR-2021, felt dizzy on 20-APR-2021, felt like hit by dump truck on 16-APR-2021, was too sick, and shortness of breath, and horrific headache on 19-APR-2021, had not recovered from bone wracking dry cough, horrible pain in chest like heart attack, sore throat, and bilateral earache, and the outcome of heart rate went up to more than 80 bpm, myalgia, not feeling well, fatigue, urinating a lot, agitated and bodyache was not reported. This report was non-serious.; Sender's Comments: V0: Medical assessment comment not required as per standard procedure as case assessed as non serious

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1336279	5/21/2021	OH		F	4/1/2021		<p>SUSPICION OF FLUID LEAK INTO EARS; DECREASED LUNG FUNCTION; LOSS OF PERIPHERAL VISION; NUMB LEGS; DIFFICULTY WALKING ACROSS THE ROOM/UNSTEADY GAIT; DIARRHEA; SHORTNESS OF BREATH; EXTREME VERTIGO; WEAK LEGS; HEADACHE/OCCIPITAL HEADACHE; ARTHRALGIA; SORE ARMS; MYALGIA; FATIGUE; FOGGY HEADED; ANAPHYLAXIS; FEVER; This spontaneous report received from a physician concerned a 30-year-old patient The patient's height, and weight were not reported. The patient's concurrent conditions included attention deficit hyperactivity disorder (ADHD), asthma, and milk allergy. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of administration was not reported, batch number and expiry date were unknown) dose was not reported, 1 total, administered on left arm on 10-APR-2021 for prophylactic vaccination. The batch number was not reported has been requested. No concomitant medications were reported. On 10-APR-2021, within 30 minutes of vaccination, the patient developed anaphylaxis with no airway compromise, hives, swelling of limbs, face and administration site. The patient could not get immediate treatment for about an hour and then received Benadryl (diphenhydramine hydrochloride). On an unspecified date, in APR-2021, the patient experienced fever with a temperature of 100s (unit not provided). On 11-APR-2021, the hives started to go down with Benadryl treatment but it was not completely gone. On the same day, the patient experienced headache/occipital headache, arthralgia, sore arms, myalgia, fatigue and was foggy headed. On 12-APR-2021, the patient experienced shortness of breath, difficulty walking across the room (unsteady gait), extreme vertigo, diarrhea, numbness of legs and weakness of legs. It seemed like the patient was exhibiting symptoms of coronavirus disease (COVID-19). On 14-APR-2021, she eventually went to the emergency room (ER). The patient was tested for COVID-19 (swab test) and titres but both were negative. On an unspecified date, in APR-2021 (within 5 days of start of symptoms), a magnetic resonance imaging (MRI) without contrast was done and it did not show any blood clot, and D-dimer test was negative. The physician suspected a fluid leakage into the patient's ear and wanted to know if adenovirus</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							from vaccine could be implicated. The patient was prescribed meclizine, but it did not help. On an unspecified date, a pulmonary function test (PFT) was done which showed decreased lung function. The patient also had steroid (unspecified) for 4 days. On an unspecified date, in MAY-2021 (about 8 days before report), the patient started to lose peripheral vision and her vertigo escalated. It was reported that the patient was due for an MRI on 12-MAY-2021. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the sore arms, fatigue, foggy headed, myalgia, arthralgia, shortness of breath, difficulty walking across the room/unsteady gait, extreme vertigo, diarrhea, weak legs, fever, headache/occipital headache, loss of peripheral vision, anaphylaxis, numb legs, suspicion of fluid leak into ears and decreased lung function was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210520835-COVID-19 VACCINE AD26.COV2.S-Anaphylaxis. This event(s) is labeled and is therefore considered potentially related.
1337392	5/21/2021	NC	31	F	5/6/2021	5/20/2021	Had right ear and neck pain on 5/19/21. Woke up on 5/20/21 with ear pain still present, noticed loss of taste. Had facial paralysis on right side of my mouth. Right eye won't close, excessive watering. Diagnosed with Bell's Palsy 5/20/21.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1338614	5/21/2021	CA	42	M	4/17/2021	4/17/2021	<p>Within 3-5 minutes developed dizziness, tingling in feet and hands, elevated blood pressure, mild nausea. Within an hour started having trouble with focusing his vision. Was given IV fluids at hospital in ER 5 hours after the injection, while leaving the hospital developed a slight limp on right leg. Felt feverish when he got home, took Tylenol when he got home. Noted extreme fatigue. The next morning was lethargic, dizzy and right side of face felt heavy, around 11 am. Called for a telemedicine visit around 12:30p. Became weak and unable to use right side of body, upper and lower extremities and right side of face was drooping, visible to wife. Wife had support of right side of body to move around. Went to urgent care around 2p. During urgent care evaluation, his vision became more impaired and speech became unclear, had to really focus to speak. Transferred to ER. Lost ability to write name, couldn't respond when asked for SSN. Admitted as a "stroke 4". Had CT scan, CT angiogram, MRI, blood labs, cognitive tests, neurologic tests. Neurology consult. Had lost sensation to heat and pressure. All imaging and labs were normal. After MRI, had convulsions. Wasn't dx'd as a seizure. Neck felt tight afterwards. Admitted to hospital x 1 week. Had a burning, red, rash on hands, feet. No bumps, hives, but just a "splotchy" red discoloration on surface of skin that would burn and itch, often flaring at night. Rx'd ativan. Checked for autoimmune disease, Bell's palsy, followed by neurologists, repeat MRI normal. Started to improve, discharged after one week with no clear diagnosis. Discharged to rehab facility. Patient preferred to transfer care to outpatient rehab service closer to home with more social support. Repeat hospitalized 3 weeks later, less extreme, went back to ER, stroke eval neg. Developed more aphasia. Called back to ER for further evaluation of C-spine due to mild abnormality on first scan. On further evaluation not thought to be connected to symptoms. EEG report pending. +Right hemiplegia, aphasia persists. +Rash, itching, burning persist.</p>
1338833	5/21/2021	PA	19	F	5/15/2021	5/15/2021	<p>Immediately after receiving her vaccination client developed blurry vision and R arm pain. Denied cp/syncope/dizziness. She reported that she had not had breakfast in the AM. She was offered water and her symptoms resolved within 15 minutes of being observed.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1338845	5/21/2021	CA	57	F	5/21/2021	5/21/2021	Swelling of eyes, and face
1338625	5/21/2021	NM	32	F	5/20/2021	5/21/2021	Outcome: unexpected/unexplained death Had first dose Moderna Vaccine 3/31/21. She described body aches and mild fever ? ?like I had COVID again for a day? ? lasting about 36 hours, and then felt fine. Had dose # 2 Moderna vaccine about 6:50 PM at Community vaccination site. She was driver, received left deltoid injection from Doctor. During observation period reported no symptoms, was happy and talkative with family and staff. Family reports later that evening she did not feel well ? ?just not hungry? and wanting to lie down. Slept well, then woke up feeling better except for left arm achiness at injection site. Did not report redness, rash, or any difficulty breathing. Was talkative, walking around, took a shower, and was planning to drive to the grocery store later that day. Mid morning ? maybe beginning about 11 AM, family said she went in and out of bathroom several times. She told them she had vomited three times and was feeling shaky. Her oral temperature was 101.3. About 1:30 PM, she was in her room and called out for her mother. When family went into the room, she was shaking ?like she was having a seizure? and then her eyes rolled back and she fell to her side and stopped breathing. Family called 911 and started CPR. CPR was continued by EMT?s once they arrived, but they were not able to resuscitate her.
1338575	5/21/2021	IN	15	M	5/21/2021	5/21/2021	2 minutes after administration, the patient was speaking to his father, dozed off to one side and had tremors. Patient immediately was able to open eyes and was shaking. Pharmacist advised patient to take deep breaths and relax until paramedics arrived. Patient had a few sips of water while waiting. Patient was fine after 15 minutes.
1338588	5/21/2021	CA	14	M	5/21/2021	5/21/2021	Patient appeared to be fainting, shook back and forth in a repeated manner after sitting down for observation following the COVID vaccination. Did not have any blurred vision, was responsive. To be safe, an ambulance was called. This occurred minutes after being vaccinated, the ambulance arrived about 30 minutes afterwards and picked the patient up.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1338848	5/21/2021	AZ	62	M	1/29/2021	1/31/2021	@1/31/2021 Pain started in left ankle Lasted @10 Days. Swollen joints and pain. Swollen joints continued and pain moved throughout different parts of the body. (Right knee, right ankle, etc..) Pain increased every day until he couldn't stand it anymore so on 2/23/2021 went to emergency room for the first time in his life as the patient. Doctor gave him predniSONE 10 mg Discharge Diagnosis: Inflammatory arthropathy; Left arm pain; Tendinitis. 2/26/21 went to PC doctor Diagnosis New onset Polyarthropathy Prescribed PredniSONE 10 mg for 5 days. 3/2/21 Received 2nd Covid Vaccine shot. 3/8/21 called PC doctor still in extreme pain. Doctor prescribed Diclofenac Sodium 50 mg. 1 tablet every 8 hours. 3/9-3/10 started slurred speech. 3/10/21 Emergency room. Discharged Diagnosis Polyarthralgia (Joint pain) Prescribed methLPREDNisolone 10 mg for 5 days. 3/11/21 Dr. called telling him to stop taking the Diclofenac Sodium immediately. Continued taking PredniSONE until 3/18/21. 3/22/21 sent to Gastrologist noted to have progressive microcytic anemia without GI bleeding, B12, folate, iron panel, EGD and Colonoscopy ASAP, Joint Swelling, Rheumatology evaluation pending, slurred speech, consider neurology evaluation. 3/31/21 Colonoscopy and Endoscopy performed. 4/1/21 Rheumatologist Appointment - First Appointment with this doctor. 4/5/21 Gasterology doctor diagnosed him having H-Pylori infection. All of his biopsies came back negative."H-Pylori Diagnosis - Amoxicillin 500 MG 2 Capsules twice daily for 14 Days /Omeprazole 20 MG 1 capsule twice daily for 14 days/Clarithromycin 500 MG 1 tablet twice daily for 14 Days. 4/8/21-4/10/21 Hands started shaking. 4/29/21 PC doctor appointment. Still experiencing fatigue and very pale. Can't catch his breath and gets tired very easily. Doctor took him off of his blood pressure medicine. 4/30/2021-5/2/2021 Had a horrible weekend. Pain/Fatigue/Absolutely No Energy 5/3/2021 stopped at PC office to see doctor. Took blood for more tests. Still experiencing pain in his body and swollen joints. "Prescription for Iron Tablets Take 1 pill in the am and 1 pill in the pm for 1 month Ferrous Sulfate 325mg (5gr) 5/7/2021 patient looks horrible today. He looks almost yellow to me and 1 of his eyes is bloodshot He has no energy (ZERO) and is very tired. He has lost over 15 pounds. 5/7/2021 patient called PC Doctor and asked him to look at his lab work. Dr. called and told him he

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

made arrangements for him to go and see Neuropathist ASAP. Patient met Dr that same day. Dr. sent patient over to Hospital. In the ER they took blood, EKG test, CT scan of his lower abdomen and pelvis. They took a Chest X-Ray. He was given 60 mg of Steroids and started on IV fluid. They also scanned his head. Acute renal failure. Transabdominal ultrasound of the kidneys obtained. Ultrasound retroperitoneal kidneys. Findings: The right kidney measures 10.8 x 6.8 X 7.1 cm The left kidney measures 11.8 X 7.3 x 6.2 cm. There is mild bilateral renal cortical atrophy. There is increased renal cortical echogenicity of both kidneys. There is no hydronephrosis or shadowing renal calculi. The bladder is partially distended and unremarkable. Medical renal disease. No hydronephrosis or shadowing renal calculi. Clinical Indication: ARF-Other Acute renal failure. 5/10/21 Kidney Biopsy. Prednisone 20 MG Tablets Take 3 Tablets by Mouth Daily for 10 Days. 5/13/2021 Dr. visit diagnosis Focal Necrotizing and Crescentic Glomerulonephritis, Pauci-Immune Nine Of 25 (36%) nonglobally sclerotic glomeruli show necrosis and/or cellular/fibrocellular crescent formation. Correlation with ANCA serologies is recommended. 05/17/2021 Prednisone 20mg. Next doctor appointment scheduled Monday, May 24, 2021. I also have 9 different Blood Lab Test Reports if you need to see them. My husband went from running 3 miles a day with nothing wrong with him except reflex condition to not being able to move at all. I'm not sure if it is related to the vaccine or not but I wanted to submit this report just in case. Please let us know if you have any further questions or need any additional information. Thank you.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1338386	5/21/2021	WA	31	F	5/21/2021	5/21/2021	Adverse event: PT abruptly felt lightheaded approximately 14 minutes after receiving Moderna COVID vaccine at 1235. PT lowered herself to the floor to lay on her left side. PT presented with pallor and diaphoresis. RN responding called for aid at 1249, aid arrived at 1251. SPO2 was 97% on RA. PT reported a history of syncope, especially after injections, denies significant medical history and was unsure of baseline BP. EMTs prompted PT to sit in chair, PT was able to rise without difficulty, but continued to c/o 'lightheadedness'. EMTs provided education on vaso-vagal response, provided juice and water to PT. PT reported feeling "stable, but a little warm" and then reported increasing nausea. PT provided emesis bag and chose to lay down once again, reporting that she felt better laying down. At 1304, PT reported that her nausea was resolved, and that she felt 'normal'. Denied vision changes, vertigo when moving head side to side. Color improved. EMTs medically cleared PT at 1313 to be driven home by husband. Treatment: Juice and water were provided, EMTs assessed/treated (Vitals at 1250: Bp 100/P laying, HR 106, SPO2 97% RA. 1255: BP 100/P sitting, HR 92, SPO2 99% RA. 1303: BP 96/52 laying. 1308: BP 102/60 sitting). Pupil check at 1300 WNL, PT declined CBG check. Education provided on s/s to watch for, when to seek medical care provided by RN. Outcome: PT was medically cleared by EMTs at 1313, driven home in private vehicle by husband. HCP Responding: RN, EMT, EMT, RN

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1338339	5/21/2021	VA	14	F	5/18/2021	5/18/2021	I administered the vaccine, got one side of the band-aid on and that is when her head fell back. Her eyes rolled into the back of her head; she then leaned over the right arm of the chair. Her body stiffened next. I held her head and body with the help of a colleague. This happened for about 10 seconds, then she woke up and snatched her mask off with a confused look on her face. We asked her questions to see if she was aware. She was, then she went back out falling over to the side. I called 911. When she awakened the second time after about 7-10 seconds her face turned pale. We then moved her to the floor and propped her feet up. Patient said she was nervous and felt like she had to use the restroom. Her skin was clammy; patient said clammy skin is nothing new for her. The fire truck and ambulance arrived on scene. The workers began to assess patient. Vitals were good. She did not go in the ambulance, but stated her vision were blurry. She went home with grandparents.
1338133	5/21/2021	VA	16	F	5/21/2021	5/21/2021	Patient states she exhibited dizziness and blurred vision. Patient was given orange juice and symptoms were resolved.
1338106	5/21/2021	PA	59	F	5/21/2021	5/21/2021	Patient's doctor recommended and approved her to receive the Janssen vaccine following an adverse reaction to the moderna vaccine (1st dose). Patient reported she experienced hives and mild throat irritation from her first dose of moderna and successfully took benadryl to relieve the symptoms. The patient was asked to stay for 30 minutes following Janssen vaccine for monitoring. Within 10 minutes, the patient reported eye and body itching. The patient refused epinephrine and took benadryl. Within 15 minutes, the patient said she felt better.
1338099	5/21/2021	WA	13	M	5/21/2021	5/21/2021	Patient was administered vaccine at 3:20pm, symptoms started in approximately 10 minutes. (911 called and stayed on phone until paramedics arrived). difficulty breathing, shortness of breath, became less responsive, eyes closed, stopped speaking. Patient lying down with legs elevated. epinephrine 1.25mg injected into left thigh via auto-injector at about 3:25 continued to monitor patient with the help of parents. Patient started arousing in a couple minutes. paramedics arrived. paramedics transported.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1338095	5/21/2021	FL	76	M	2/15/2021	4/21/2021	Day #13 following the 2nd shot, patient experienced severe pain in his left knee and began running fevers. Past medical history includes a surgical infection in 1979 leading to 3 knee replacements in this knee. His hardware extends from mid- thigh to his ankle. On 4/21/21 he required a revision of the total knee (the plastic was replaced) after flushing out the wound with antibiotic solution. He is now on oral and IV antibiotics (Rifampin & Vancomycin, respectively). He is being followed mainly by infectious diseases and ortho, but to my knowledge, this has not been reported by them or his PCP.
1337596	5/21/2021	PA	33	M	4/28/2021	4/28/2021	Lightheadedness, loss of facial motor control, confusion, clumsiness/loss of balance, swelling of legs and feet, rashy, change in taste, visual artifacts, racing heartbeat. First ER visit - benadryl; second ER visit- prednisone medrol pack which resulted in steroid-induced psychosis. He is still in the hospital in the psych ward.
1337393	5/21/2021	WV	54	F	3/19/2021	3/19/2021	I experienced neck puffiness, eye puffiness, chills, chattering teeth, neck pain, red face and skin as well. I also experienced scalp discomfort it felt itchy and skin felt different. I also had face and head flushing with hot flashes. Didn't feel well the full weekend duration of 3 days.
1337872	5/21/2021		16	F	5/5/2021	5/5/2021	Eyes fixated, didn't respond, dizzy.
1337447	5/21/2021	GA	18	F	5/20/2021	5/20/2021	patient came in on 5/20 to receive second dose of COVID (pfizer) vaccine and her mother called on 5/21 in the morning to inform us that her daughter was having swelling in her face from the eyes down but not involving her mouth, tongue or throat. She had given her daughter ibuprofen and benadryl. I recommended she take her to the ER for further evaluation. She said she would and would contact me later to let me know how she was doing.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1337394	5/21/2021	NC	36	F	4/7/2021	5/10/2021	On 5/10/21 got up with sever pain in my left side neck, shoulder and arm pain. Initially thought it was a muscle pull. Pain was out of control on Tuesday 5/11/21 Night. Took Advil, used equate cool & heat pain relieving liquid. On Wednesday 5/12 discovered I have bruises and blood clots on my back and left side. Took appointment with PCP on 5/14. Prescribed Methylprednisolone 4 MG tables for 6 days. Pain continued with blood clots and bruise marks. Developed left side ear pain, Shivering and mild fever. Visited PCP again on 5/21/21. Prescribed Cyclobenzaprine. Over the past 1 months have lost weight, had a sever pain on left leg, blurry vision.
1337606	5/21/2021	NC	20	M	5/21/2021	5/21/2021	Syncope - patient experienced lightheadedness, sweating, paleness, blurred vision and cold extremities. I reassure patient that he will be okay and this is the body's response to pain/anxiety. I also provided patient with water and make sure he was seated so he does not fall. His vision return to normal after 5 minutes or so and he started recovering within 15 minutes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1337614	5/21/2021	WI	63	F	5/19/2021	5/20/2021	Patient with hx of multiple sclerosis presented to ED on 5/20/21 with bilateral lower extremity weakness. Patient got her 2nd COVID vaccine on 5/19/21 (Pfizer), and since that time she developed bilateral lower extremity weakness. She generally uses a wheelchair and a walker but at baseline can ambulate with a walker and currently she cannot stand at all. She reports her last MS flare was about 6 months ago and when she has MS flares, she always has symptoms with her legs. She gets ocrelizumab injections every 6 months (last dose was 5/18/21). She denies any vision changes or difficulty with speech, no upper extremity weakness, numbness/tingling. Denies any bowel or bladder incontinence. She denies any chest or abdominal pain, nausea, emesis, diarrhea, urinary issues, cough, fevers, chills. SARSCOV2PCR test on 5/20/21 = not detected. She does report some mild stiffness in her right upper arm but states that also happened with the first dose of the vaccine. Case was discussed with neurologist who recommended admission and observation but deferring on steroids at this time. As of 5/21/21, patient is still hospitalized. Her lower extremity weakness is improving, but the medical team anticipates she will need short term inpatient rehab or possibly home PT/OT before being able to safely return home.
1337659	5/21/2021		39	F	3/23/2021	3/23/2021	Painful left arm around the deltoid and elbow. Radiating pain behind the left ear, radiating towards the neck area and around the left eye. The pain come and go, feels like pins and needles, lasts for about less than a minute the fade away. The kind of pain happens more than three times daily.
1337722	5/21/2021	WA	64	F	4/5/2021	4/22/2021	Two weeks after the vaccine I noticed that I had a strange feeling in my eye. When I looked in the mirror I saw a little line of blood. I went to the ER and after examining my eye they could not find reason for the blood in my eye. I was told it was a Hyphema. The following day I felt pressure in my eye which lasted for one day. I went to the Optometrist a week later but the blood was no longer visible. The doctor could not find anything wrong.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1337759	5/21/2021	CA	14	F	5/1/2021	5/21/2021	Pt. c/o tingling in right arm approx. 15 minutes after receiving vaccine. Denies shortness of breath or lightheadedness. BP 106/66, 97%O2 P-60, repeat 98%O2, P-62. Pt. advised slow deep breaths, drink H2O2, massage hand and arm. Pt. reports normal sensation after 20 minutes. Pt advised home, rest, ice on vaccination site PRN, tylenol or ibuprofen prn, call 911 if shortness of breath, swollen lips & tongue & eyes, or tightening in throat develop. Pt & her father verbalize understanding.
1337851	5/21/2021	CA	39	F	3/13/2021	3/14/2021	The 1st day I got dizzy, nauseous and experienced chills. The next day, I started experiencing migraines and I've been having them for about 3 days a week since then. I've also been experiencing vertigo for a little over a month, but it has worsened over the last month and has caused me to miss a lot of work. I've also been having blurred vision and trouble focusing. I went to the urgent care before I was able to see my doctor, but I'm currently working with her on getting them resolved.
1337439	5/21/2021	TN	39	M	4/28/2021	5/11/2021	ACCORDING TO DAD, HE GOT THE VACCINE ON 4/28/21. ON MAY 11 HE WAS COMPLAINING OF N/V, LATER HEADACHE AND ALTERED VISION, ENCEPHALOPATHY, CARDIAC ARREST AND DEATH.... AFTER MULTIPLE LOCAL ER VISITS. HE NEVER HAD FEVER. I WAS CALLED ON HIS CASE DUE TO CONCERN FOR CNS INFECTION. HE WAS ADMITTED ON 5/18 AND DIED ON 5/20 THIS MAY OR MAY NOT BE RELATED TO THE COVID VACCINE, BUT IT IS IMPORTANT IT IS REPORTED JUST INCASE IT IS AND MAY HELP SOMEONE.
1333207	5/20/2021	OH	61	F	3/11/2021	3/13/2021	That day when I woke up, I had a headache, my eyes felt hot, I was 99.3 temp, had diarrhea , lessened Sunday and Monday and then on Tuesday , I had diarrhea and a headache again, I called my doctor and tele-med visit. Two weeks after that, the inside of my mouth felt irritated, faded away after four days and then it came back. I contacted my allergist, they ran test. She did not have an allergy to anything she has eaten. Then my tongue was raw.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1333201	5/20/2021	AR	62	F	5/7/2021	5/9/2021	Sun I woke in middle of night with pain in thumb. There was nothing there. When I got up few hours later my thumb on left hand had enormous blood blister. Which immediately grew, was infected, and whole hand swelled up. Wednesday night I had same pain under right eye. Again nothing was there. Few hours later my eye was all swollen. I have another Dr appt tomorrow with Dr. I had the emergency room take care of my thumb. That Dr, Dr , a few days later sent me to Dr.
1333193	5/20/2021	OR	20	F	5/17/2021	5/17/2021	Patient received Pfizer vaccine at 1054am Reaction started at 1105am. Patient stated blurred vision, diaphoretic, salty mouth, and nauseous. RN requested help and patient was laid back down on the ground. Cold washcloth applied to neck and forehead. 12.5/5ml Diphenhydramine given oral solution After about 20 minutes, patient verbalized she felt better - she was brought in and upright position and seated in a chair w/o issue. Blood pressures taken at time of incident and through out monitoring - Vital unremarkable. Rn called patient mother , who was able to come to the clinic to pick up patient. At time of pick up patient started to feel additional reaction, CF team at medical facility called for additional intervention. FNP from CF team advised to get orthostatic BP and record. Ortho Static taken with a drop in BP from laying to standing. BP was as low as 50/30 P:66 O2: 98 on RA 911 activated as patient continued to have sudden decrease in BP. Patient went to the hospital via EMS. Patient parents and twin sister with patient. Admin notified - chart documented.
1333184	5/20/2021	MI	33	F	5/6/2021	5/7/2021	ON 5/7 SHE HAD SYMPTOMS INCLUDING FEVER, MIGRAINE, CHILLS, FATIGUE AND BLURRY VISION. ALL OF THE SYMPTOMS WENT AWAY QUICKLY EXCEPT THE BLURRY VISION. HER VISION HAS BEEN BLURRY EVERY SINCE 5/7. HER VISION IS CONTINUALLY BLURRY. IT DOES NOT COME AND GO. I CALLED THE PATIENT BACK SEVERAL TIMES TODAY TO SEE WHAT HER PCP DECIDED TO DO BUT
1332979	5/20/2021	FL	30	M	5/12/2021	5/12/2021	Eye blurry ness, epileptic seizures

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1332975	5/20/2021	IL	57	F	4/4/2020	2/1/2021	Spondylitis ankylosing aggravated; Injection site got raised bump; Injection site got warm; Degenerative spine disease worsened; Slept most of the day; Numbness in toes; Radiculopathy worsened; Injection site got little pink; Swollen glands; Felt tired; Allergic cough; Spring allergy attack due to grass and flowers; Not feeling well; Vaccination site sore; Bruising because of the blood extraction and recurred bruising because of the blood extraction with Humira; This spontaneous case was reported by a physician and describes the occurrence of ANKYLOSING SPONDYLITIS (Spondylitis ankylosing aggravated) in a 57-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 014M20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Co-suspect product included non-company product ADALIMUMAB (HUMIRA) solution for injection for Hidradenitis suppurativa, Plaque psoriasis and Psoriatic arthritis. The patient's past medical history included Alcohol use (A glass of wine a day) from 1984 to 2014, Tobacco user (Quarter of pack a day) from 1990 to 2017, Trouble falling asleep, Scoliosis, Ankylosing spondylitis, Degenerative disc disease (Degenerative Spine disease) and Radiculopathy. Previously administered products included for an unreported indication: IODINE (product used for unknown indication) and MORPHINE (product used for unknown indication). Concurrent medical conditions included Shellfish allergy (Manifested by giant welts all over the face and body, trouble breathing and itching), Drug allergy (Morphine allergy manifested by itching all over the body, hives and redness), Latex allergy (Manifested by swell up, hives and itching) and Iodine allergy (Manifested by swell up, hives and itching). Concomitant products included OMEPRAZOLE for Acid reflux (oesophageal), METFORMIN for Diabetes, LOTEPREDNOL for Eye irritation, ATORVASTATIN for High cholesterol, LEVOTHYROXINE for Hypothyroidism. On 04-Apr-2020, the patient ADALIMUMAB (HUMIRA) (Subcutaneous) dosage was changed to 40 mg once a week. On 24-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, the patient started ADALIMUMAB (HUMIRA) (Subcutaneous) 40 mg once a week. In February 2021, the patient experienced VASCULAR

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

ACCESS SITE BRUISING (Bruising because of the blood extraction and recurred bruising because of the blood extraction with Humira). On 24-Mar-2021, the patient experienced VACCINATION SITE PAIN (Vaccination site sore). On 02-Apr-2021, the patient experienced ALLERGIC COUGH (Allergic cough), SEASONAL ALLERGY (Spring allergy attack due to grass and flowers), MALAISE (Not feeling well), LYMPHADENOPATHY (Swollen glands) and FATIGUE (Felt tired). On an unknown date, the patient experienced ANKYLOSING SPONDYLITIS (Spondylitis ankylosing aggravated) (seriousness criterion medically significant), VACCINATION SITE PAPULE (Injection site got raised bump), VACCINATION SITE WARMTH (Injection site got warm), INTERVERTEBRAL DISC DEGENERATION (Degenerative spine disease worsened), SOMNOLENCE (Slept most of the day), HYPOAESTHESIA (Numbness in toes), RADICULOPATHY (Radiculopathy worsened) and VACCINATION SITE ERYTHEMA (Injection site got little pink). In March 2021, VASCULAR ACCESS SITE BRUISING (Bruising because of the blood extraction and recurred bruising because of the blood extraction with Humira) and VACCINATION SITE PAIN (Vaccination site sore) had resolved. On 04-Apr-2021, ALLERGIC COUGH (Allergic cough), SEASONAL ALLERGY (Spring allergy attack due to grass and flowers), MALAISE (Not feeling well), LYMPHADENOPATHY (Swollen glands) and FATIGUE (Felt tired) had resolved. At the time of the report, ANKYLOSING SPONDYLITIS (Spondylitis ankylosing aggravated), INTERVERTEBRAL DISC DEGENERATION (Degenerative spine disease worsened) and RADICULOPATHY (Radiculopathy worsened) had not resolved and VACCINATION SITE PAPULE (Injection site got raised bump), VACCINATION SITE WARMTH (Injection site got warm), SOMNOLENCE (Slept most of the day), HYPOAESTHESIA (Numbness in toes) and VACCINATION SITE ERYTHEMA (Injection site got little pink) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): In March 2021, Magnetic resonance imaging: abnormal (abnormal) Worsened Ankylosing Spondylitis, Degenerative Spine disease and Radiculopathy. In March 2021, Mycobacterium tuberculosis complex test: negative (Negative) Negative. In March 2021, X-ray:

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

abnormal (abnormal) Worsened Ankylosing Spondylitis, Degenerative Spine disease and Radiculopathy. On 26-Mar-2021, Computerised tomogram: abnormal (abnormal) Worsened Ankylosing Spondylitis, Degenerative Spine disease and Radiculopathy. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter considered VACCINATION SITE PAIN (Vaccination site sore) to be probably related and ALLERGIC COUGH (Allergic cough), SEASONAL ALLERGY (Spring allergy attack due to grass and flowers), MALAISE (Not feeling well), RADICULOPATHY (Radiculopathy worsened), VASCULAR ACCESS SITE BRUISING (Bruising because of the blood extraction and recurred bruising because of the blood extraction with Humira), LYMPHADENOPATHY (Swollen glands) and FATIGUE (Felt tired) to be not related. No further causality assessments were provided for ANKYLOSING SPONDYLITIS (Spondylitis ankylosing aggravated), VACCINATION SITE PAPULE (Injection site got raised bump), VACCINATION SITE WARMTH (Injection site got warm), INTERVERTEBRAL DISC DEGENERATION (Degenerative spine disease worsened), SOMNOLENCE (Slept most of the day), HYPOAESTHESIA (Numbness in toes) and VACCINATION SITE ERYTHEMA (Injection site got little pink). No treatment information was provided. Company comment: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1332972	5/20/2021	MN	51	F	5/18/2021		<p>FAINTING; DIZZINESS; BLURRED VISION; PAIN AT THE INJECTION SITE; HEADACHE; This spontaneous report received from a patient concerned a 51-year old White Hispanic or Latino female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808986 expiries: UNKNOWN) frequency one total, dose was not reported, administered on left arm on 16-MAY-2021 for prophylactic vaccination. No concomitant medications were reported. After the vaccination Symptoms started on 18-MAY-2021 dizziness, pain at the injection site, and blurred vision. It was also reported she fainted while walking back home. All the symptoms resolved. The Patient was complaining of a headache at the moment of reporting. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from fainting, dizziness, blurred vision, and pain at the injection site on 18-MAY-2021, and had not recovered from headache. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210534713-COVID-19 VACCINE AD26.COV2.S- Fainting. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1333213	5/20/2021	CA	14	M	5/19/2021	5/19/2021	Pfizer vaccine given 5/20/2021 Per mom/ pt the shot was given at 11:02 around 11:07 he leaned forward and became unresponsive. He was slightly drooling from the mouth. Mom says that his body was tight and that he was shaking a little. His eyes were closed and did not appear to be rolling back in his head. This episode lasted for less than 1 minute. He did not remember what happened and thought he wet himself after; which he did not. About 1-2 min after that episode mom states that he appeared to "passed out" for less than a minute. The ambulance was called and he was taken to hospital. He was evaluated and appeared well at that time. No fever. EKG was done and per pt it was normal. No EEG was done. He was discharged without admit That evening he has multiple episodes of vomiting > 10 times. No diarrhea or fever. Seen today at medical office for follow up. Vaccine not given at our clinic
1332870	5/20/2021		33	F	5/7/2021	5/10/2021	13 May - Pt called back saying that last night she developed R side facial numbness including right half of tongue with blurred vision, denied facial droop, muscle weakness. Pt took a benadryl last night fell asleep and in the morning sxs resolved. However, pt states she is starting to feel sxs return, lip is turning red, feeling numbness/tingling on face. Denies light sensitivity and pupil is reacting appropriately to light per pt. Patient described distribution of trigeminal nerve all branches and ophthalmic nerve. 20 May - all symptoms resolved expect right eye visual disturbance described as "haziness". Exam including CN2-12, lymph and visual acuity all normal.
1333583	5/20/2021	MD	53	M	4/9/2021	5/7/2021	Left side stroke;severe headache;blindness;treatment was TPA;no significant finds in any test;currently being treated as a cardiac patient

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1332959	5/20/2021	NY	55	M	4/2/2021		<p>SIGNIFICANT GI BLEED; DEATH; SUBORBITAL BLEEDING AROUND BILATERAL EYES; FATIGUE/ FEELING TIRED; This spontaneous report received from a consumer concerned a 55 year old male. The patient's weight was 240 pounds, and height was 60 inches. The patient's past medical history included thrombocytopenia, and concurrent conditions included cirrhosis of the liver, smoker, and non alcoholic, and other pre-existing medical conditions included patient had no known allergies and drug abuse or illicit drug usage. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: Unknown) dose was not reported, administered on 02-APR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On JAN-2021, Laboratory data included: COVID-19 virus test (NR: not provided) Negative. On 02-APR-2021, the patient experienced fatigue/ feeling tired. On 15-APR-2021, the patient experienced suborbital bleeding around bilateral eyes. On 03-MAY-2021, the patient experienced death. On an unspecified date, the patient experienced significant GI bleed. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient died, and outcome of significant GI bleed, suborbital bleeding around bilateral eyes was unknown and not recovered from fatigue/ feeling tired. This report was serious (Death, and Other Medically Important Condition).; Sender's Comments: V0: 20210516526-covid-19 vaccine ad26.cov2.s-death. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). 20210516526-covid-19 vaccine ad26.cov2.s-significant GI bleed, suborbital bleeding around bilateral eyes. This event(s) is considered not related. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There are other factors more likely to be associated with the event(s) than the drug. Specifically: MEDICAL HISTORY</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1333218	5/20/2021	PA	71	M	2/24/2021	3/19/2021	ED, Discharged , 3/13/2021 (4 hours), Hospital ED, MD Last attending o Treatment team Shortness of breath +1 more Clinical impression Chest Pain o Shortness of Breath o Dizziness Chief complaint, Patient presents with o Chest Pain, o Shortness of Breath o Dizziness. History of Present Illness , Patient is a 71 yr.. male with Hx of stage IIICM Metastatic Adenocarcinoma of the sigmoid Colon, Coronary disease, Hypertension, Dyslipidemia, Chronic Renal insufficiency, presenting to the ED with chest pain. Patient notes that he woke up this morning with pain in the right side of the chest with some associated shortness of breath. Notes symptoms. Additional information for Item 18: Notes symptoms are worse when he is up trying to exert himself and gets incredibly short of breath and fatigued. States he tried to do some workout in the garage but was unable. Denies chest pain worsening with exertion, but has been fairly constant since it began. Reports it is a dull ache. Pain is dissimilar from his previous heart attack. States he has had a mild cough, but no significant production. Denies any fevers, chills. No abnormal nausea or vomiting other than typical chemo induced side effects. Given continued issues, decided to come in for further evaluation. Review of Systems; Constitutional: Positive for fatigue. Negative for appetite change, chills, diaphoresis and fever. HENT: Negative for sore throat. Eyes: Negative for visual disturbance. Respiratory: Positive for cough and shortness of breath. Negative for choking and chest tightness. Cardiovascular: Positive for chest pain. Negative for palpitations and leg swelling. Gastrointestinal: Positive for nausea and vomiting. Negative for abdominal pain and diarrhea. Genitourinary: Negative for dysuria. Musculoskeletal: Negative for back pain and neck pain. Skin: Negative for rash. Neurological: Positive for light-headedness. Negative for seizures, syncope, numbness and headaches. ED to Hosp-Admission, Discharged, 4/5/2021 - 4/25/2021 (20 days) Hospital, MD, Last attending Treatment team Sepsis, due to unspecified organism, unspecified whether acute organ dysfunction present. Principal problem Discharge Summary, DO (Physician), Inpatient Discharge Summary; BRIEF OVERVIEW; MD, Discharge Provider: DO, Primary Care Physician at Discharge: MD, Admission Date: 4/5/2021, Discharge Date: 4/25/2021. Discharge Diagnosis; Medical Problems ;Hospital

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

Problems; POA, (Principal) Sepsis, due to unspecified organism, unspecified whether acute organ dysfunction present, Yes, Essential hypertension Yes, Chemotherapy-induced peripheral neuropathy, Yes. Overview Signed 5/10/2019 2:03 PM by MD, Pins and needles and numbness in tips of finger and toes, Lung metastasis Yes. Hypoxia Yes. COVID-19 Unknown, Acute respiratory failure with hypoxia Yes, Palliative care encounter Not Applicable, Declining functional status No. DETAILS OF HOSPITAL STAY; Presenting Problem/History of Present Illness/Reason for Admission, Sepsis, due to unspecified organism, unspecified whether acute organ dysfunction present. Acute hypoxemic respiratory failure due to COVID-19, Respiratory failure. Sigmoid perforation with abscess. Hospital Course; 71-year-old male prolonged admission for acute hypoxic respiratory failure secondary to COVID-19. No history of colorectal adenocarcinoma with lung mets. Prior resection of bowel, prior chemotherapy. Required management in the ICU due to worsening respiratory failure over the time that he has been admitted to Hospital (20 days). He had remained on BiPAP therapy throughout that time, received appropriate corticosteroids, and antiviral therapies. Approximately 1-1/2 weeks ago he began to develop mild left lower quadrant abdominal pain. In the last 48 hours this is significantly worsened. CT abdomen and pelvis was obtained on Friday, which displayed pneumoperitoneum, sigmoid abscess with sigmoid perforation. There is a prior anastomotic site distal to this. Given his overall complexity he was to be medically managed to avoid the need for OR and intubation. He did well through the initial 24 hours of IV antibiotics, fluids and bowel rest. This afternoon he became increasingly dyspneic, required implementing nonrebreather mask, and subsequently developed severe rigors, tachycardia. I obtained a stat follow-up CT scan which shows similar findings of free air within the abdomen. Given signs of impending sepsis, BiPAP therapy was initiated, bolus IV fluids were given. Blood gas, blood counts, lactic acid are pending. He is receiving empiric Zosyn. I discussed this with general surgery, whom is well-known to the patient. In agreement the patient likely needs surgical intervention. However given his overall complexity and in light of the fact that this area surrounds the ureter, and

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

we do not have urology coverage. It was felt he was most appropriate to be managed in Hospital. Case was discussed with Dr. at Hospital, patient will be transferred there via air transit. At this time his blood pressure appears stable, he is tachycardia, is currently on BiPAP which will be transitioned to CPAP for transport. He has received several doses of Dilaudid, for improved pain control. No further advancement of airway was performed prior to discharge. Case was discussed with family at length, all risks and benefits of transfer were discussed with wife and patient. It is recommended to involve pulmonary critical care services including surgical ICU care as if requiring surgery he is high likelihood for prolonged vent needs. Operative Procedures Performed: Treatments: See above; Procedures: Na Consults: pulmonary/intensive care and general surgery. Pertinent Test Results: CT abdomen pelvis with contrast [3279871876] (Abnormal) Resulted: 04/25/21 1811. Order Status: Completed Updated: 04/25/21 1812. Narrative: PROCEDURE INFORMATION: Exam: CT Abdomen And Pelvis With Contrast, Exam date and time: 4/25/2021 17:36, Age: 71 years old, Clinical indication: Abdominal pain; Additional info: Sepsis, bowel perf. HX of Covid19 +, malignant colon with lung metastasis. Bowel perf. TECHNIQUE: Imaging protocol: Computed tomography of the abdomen and pelvis with contrast. Radiation optimization: All CT scans at this facility use at least one of these dose optimization techniques: automated exposure control; mA and/or kV adjustment per patient size (includes targeted exams where dose is matched to clinical indication); or iterative reconstruction. Contrast material: 350 OMNI; Contrast volume: 80 ml; Contrast route: INTRAVENOUS (IV); COMPARISON: CT ABDOMEN PELVIS W CONTRAST 4/23/2021 16:46, FINDINGS: Tubes, catheters and devices: Catheter terminates in the right atrium in satisfactory position. Lungs: Moderate airspace opacities throughout the lung bases are similar to prior and consistent with Multilobar pneumonia consistent with the history. Liver: No hepatic masses. Gallbladder and bile ducts: Cholelithiasis. Pancreas: No ductal dilation. No masses. Spleen: No splenomegaly or focal lesions. Adrenal glands: No mass. Kidneys and ureters: 10 mm benign left renal cyst, no follow-up necessary. No renal masses or Hydronephrosis bilaterally. Stomach and bowel: Redemonstration of

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

perforated proximal sigmoid diverticulitis. Small pneumoperitoneum is stable. Predominantly gas containing, 25 x 28 mm collection adjacent to the inflamed sigmoid colon similar to prior; a fistulous tract extends toward the midline containing gas and fluid, with suspected fistula to adjacent loops of small bowel. Moderate to severe descending and sigmoid diverticular burden. Minor right diverticular burden. No small bowel obstruction. A somewhat clumped appearance of small bowel in the right lower quadrant near the colon enteric fistula. Appendix: No evidence of appendicitis. Intraperitoneal space: Mesenteric edema around the small bowel, slightly increased, however no new mesenteric collection. There is no extravasation of enteric contrast into the collection adjacent to the sigmoid colon. Vasculature: Mild aortoiliac atherosclerosis. Lymph nodes: No significantly enlarged lymph nodes. Urinary bladder: Unremarkable as visualized. Reproductive: Unremarkable as visualized. Bones/joints: Degenerative changes in the spine. Multilevel disc space narrowing. Multilevel central canal and neuroforaminal stenosis in the lumbar spine. No acute fracture or subluxation. Soft tissues: Small fat-containing right inguinal hernia. Small fat-containing left inguinal hernia. Large ventral abdominal hernia containing gas, which has replaced the previous contents of fat and bowel loops. Volume increased compared to prior. IMPRESSION: 1. Redemonstration of perforated proximal sigmoid diverticulitis. Small pneumoperitoneum is stable. 2. Similar perisigmoid collection; colon enteric fistula, probably at least subacute in duration. The perisigmoid collection is prominently gaseous and there is no frank abscess. 3. Suspected mild enteritis the small bowel loops or loops associated with the fistula. No obstruction. 4. Additional findings as described are similar to recent prior imaging. COMMENTS: Any incidental renal lesion less than 1 cm or classified as too small to characterize, or any incidental cystic renal lesion characterized as simple-appearing, is likely benign. No follow-up imaging is recommended for these lesions per consensus recommendations based on imaging criteria. THIS DOCUMENT HAS BEEN ELECTRONICALLY SIGNED BY MD, CT abdomen pelvis with contrast (Abnormal) Resulted: 04/23/21 1804, Order Status: Completed Updated: 04/23/21 1804, Addenda: THIS

VAERS\_ID RECVD STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

REPORT CONTAINS FINDINGS THAT MAY BE CRITICAL TO PATIENT CARE. The findings were verbally communicated via telephone conference with RN at 6:03 PM EDT on 4/23/2021. The findings were acknowledged and understood. THIS DOCUMENT HAS BEEN ELECTRONICALLY SIGNED BY MD Signed: 04/23/21 1804 by, MD. Narrative: PROCEDURE INFORMATION: Exam: CT Abdomen And Pelvis With Contrast, Exam date and time: 4/23/2021 4:42 PM, Age: 71 years old Clinical indication: Abdominal pain; Localized; Left; Additional info: HX of colon cancer. Worsening left sided abdominal pain. HX of colon cancer. Worsening left sided abdominal pain. TECHNIQUE: Imaging protocol: Computed tomography of the abdomen and pelvis with contrast. Radiation optimization: All CT scans at this facility use at least one of these dose optimization techniques: automated exposure control; mA and/or kV adjustment per patient size (includes targeted exams where dose is matched to clinical indication); or iterative reconstruction. Contrast material: OMNIPAQUE 350; Contrast volume: 80 ml; Contrast route: INTRAVENOUS (IV); Other contrast: Oral, omnipaque 12mg premixed solution, 500mL pt unable to drink 1000mL; COMPARISON: 1. CT ABDOMEN PELVIS W CONTRAST 2/12/2021 11:06 AM, 2. CT ABDOMEN PELVIS W CONTRAST 11/13/2020 11:42:26 AM, 3. CT ABDOMEN PELVIS W CONTRAST 8/24/2020 10:14:40 AM, FINDINGS: Lungs: Bilateral lower lung consolidation. Liver: No mass. Gallbladder and bile ducts: Cholelithiasis, no biliary ductal dilatation. Pancreas: Normal. No ductal dilation. Spleen: Normal. No splenomegaly. Adrenal glands: Normal. No mass. Kidneys and ureters: Normal. No hydronephrosis. Stomach and bowel: Collection of fluid and gas adjacent to the proximal sigmoid colon where there are multiple diverticuli, extraluminal gas arises from a proximal sigmoid perforation which is proximal to the sigmoid anastomosis. No bowel obstruction, no wall thickening at the anastomosis. Appendix: No evidence of appendicitis. Intraperitoneal space: Pneumoperitoneum. Small collection of fluid and gas in the left pelvis and left lower abdomen, maximum short axis diameter approximately 2 cm, arising from the proximal sigmoid colon. Vasculature: No abdominal aortic aneurysm. Lymph nodes: No significant adenopathy. Urinary bladder: Unremarkable

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

as visualized. Reproductive: Unremarkable as visualized. Bones/joints: No acute findings. Soft tissues: Ventral hernia containing bowel without entrapment. IMPRESSION: Perforated diverticulitis, small pericolic abscess; the sigmoid perforation is proximal to the sigmoid anastomosis. Physical Exam at Discharge; Heart Rate: (!) 131, Resp: (!) 42, BP: (!) 168/92 Temperature: 37.1 °C (98.7 °F) Weight: 107 kg (236 lb. 12.4 oz.), General appearance: alert, appears stated age, cooperative, severe distress and morbidly obese, Head: Normocephalic, without obvious abnormality, atraumatic, Neck: supple, symmetrical, trachea midline and thyroid not enlarged, symmetric, no tenderness/mass/nodules. Lungs: retractions and diminished breath sounds Heart: tachycardia, RR. Abdomen: Distended significantly tender in the left lower quadrant with guarding throughout. Extremities: Trace pretibial, Skin: Skin color, texture, turgor normal. No rashes or lesions or Ecchymosis areas throughout upper extremities. Neurologic: Alert and oriented X 3, no focal deficit. Discharge Instructions; Condition at Discharge, Discharge Condition: critical. Admission, Discharged 4/25/2021 - 5/1/2021 (6 days) Hospital, MD, Last attending Treatment team Respiratory failure, acute. Principal problem, Discharge Summary MD (Resident) Cosigned by: MD at 5/18/2021 1:24 PM; Final Summary for Deceased Patient, BRIEF OVERVIEW; Admitting Provider: MD; Discharge Provider: MD Primary Care Physician at Discharge: MD Admission Date: 4/25/2021, Discharge Date: 5/1/2021, Final Diagnosis, Principal Problem: Respiratory failure, acute. Active Problems: Malignant neoplasm of sigmoid colon. Sepsis, due to unspecified organism, unspecified whether acute organ dysfunction present COVID-19. Perforated viscus. DETAILS OF HOSPITAL STAY Presenting Problem/History of Present Illness/Reason for Admission Respiratory failure, acute, Hospital Course; Patient is a 71 yr.. male with history of metastatic colorectal adenocarcinoma with lung metastases, prior bowel resection and chemotherapy. The patient initially tested positive for Covid in early March. His symptoms at that time are mild and resolved. He was later vaccinated and that month. He started having severe symptoms again on 4/3 for which he presented to Hospital. Since that time, he has received full course of Remdesivir and steroids.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>He had a CT scan performed on 4/23 which revealed pneumoperitoneum secondary to presumed perforated sigmoid diverticulitis with focal sigmoid abscess. Patient was weaned down to minimal nasal cannula settings but somewhat suddenly earlier on 4/25 patient had increased work of breathing, became tachycardia, and had rigors. Hospital ordered repeat CT scan which showed similar findings in the abdomen. Patient had been maintained on Zosyn. Repeat labs were sent which were largely unremarkable. Given concerns for worsening sepsis and potential need for surgery, he was subsequently transferred Hospital. On admission to hospital, he had a normal lactic acid and no leukocytosis. He did not have evidence of peritonitis. The decision was made to treat his diverticulitis conservatively. However, early on 4/26 the patient started to develop a lactic acidosis. An extensive discussion was had with the patient and his wife regarding surgery and the possibility the patient may never be able to separate from the vent given his worsening Covid pneumonia. The patient elected to undergo an exploratory laparotomy with with segmental resection of distal descending and loop transverse colostomy. However, as the days progressed the patient had worsening respiratory status that required deep sedation, paralytics and proning all of which were unsuccessful in maintaining his oxygen saturation greater than 88%. His wife, knowing that he would not want to have a prolonged course on the ventilator, elected for transition to palliative extubating with comfort care on 4/30 and the patient expired roughly 10 minutes after extubation.</p>
1333276	5/20/2021	WA	30	F	4/24/2021	4/24/2021	<p>Diarrhea, cold sweat at night, headache, eyes slightly swollen. At first was abdominal pain coupled with diarrhea. For the past week, I have been having cold sweats at night but no fever that I have been able to record. Sore throat, slight cough, and headaches also in this past week.</p>
1333303	5/20/2021	NY	17	F	5/17/2021	5/18/2021	<p>customer states she took her second shot of the vaccine and she has been having eye inches and running noise and not feeling well. Called her and she is ok.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1333444	5/20/2021	AZ	65	F	3/30/2021	4/6/2021	One week after the first injection I developed some blurring of right eye but I thought I just needed new glasses. One week after the second injection I rapidly developed severe loss of vision in the right eye. I have been evaluated medically and was found to have right optic neuritis with significant loss of vision in the right eye. I had injection site redness and swelling after both injections and moderate flu-like symptoms for a day after the second injection
1333569	5/20/2021	CA	16	M	5/18/2021	5/19/2021	Site: Redness at Injection Site-Medium, Site: Swelling at Injection Site-Medium, Systemic: Allergic: Rash (specify: facial area, extremities)-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Systemic: Headache-Medium, Additional Details: Pt is a 16 yo male who came in for second dose pfizer vaccine on 05/18/21. His mother reported that the pt experienced redness and swelling of the left eye at 2am on 05/19/21. At 3am, the patient mother gave her son benadryl and ibuprofen. I called the patient at 11am on 05/19/21 to check up and he is currently sleeping with some swelling and redness present. He has made a doctor appointment later today.
1333625	5/20/2021	LA	47	F	4/6/2021	4/6/2021	Immediately felt dizzy & vertigo-ish, w/in 30mins I had to lay down, violent migraine, pain behind eyes, radiated through neck, upper back, shoulder. Felt better the next day, then one week later migraine persisted & all covid symptoms returned at an alarming rate. Fatigue, fever, hot/cold sweats. Freezing & burning up at the same time. Migraine w/vertigo, loss of taste, no appetite, restlessness, brain fogged, short term memory loss, blurred vision, ringing in ears. Vertigo/migraine also worsened w/change in weather, before rain, or a drop in barometric pressure, or increase in humidity, or a cold front coming in. Any drastic temperature change outside seems to prompt or increase the migraine/vertigo, dizziness.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1333632	5/20/2021	NY	39	F	5/9/2021	5/11/2021	Pt. states after going for a run 5/11/21, she began aggressively sneezing and noted some swelling under both eyes with itching of the eyes. She also reports some frontal sinus pressure and sore throat. Pt. also reports some intermittent chest all pain. 5/14/21 had persistent facial swelling, and dry patchy rash throughout arms and abdomen. She also had new onset headache and moderate to severe sinus pressure. She also complained of lightheadedness and dizziness. BP was also low at that time 90/60.
1333636	5/20/2021	MD	16	F	5/19/2021	5/19/2021	Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Medium, Systemic: Allergic: Itch (specify: facial area, extremities)-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Systemic: Chills-Mild

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1332860	5/20/2021	CT		F	4/12/2021	5/12/2021	has had 4 very brief episodes of syncope in the past 4 days/ dizzy and passed out; Test: On monitor for 24hr w/ no, Result: Arrhythmia; After each episode, she consistently describes dark and blurred vision for 15 min; arm twitching; then dizzy and passed out; she felt scorching hot for a few minutes; This is a spontaneous report from a contactable physician. A female patient of an unspecified age received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Formulation: Solution for injection, lot number: EP6955 and expiration date were unknown), via an unspecified route of administration in arm right on 12Apr2021 as single dose for COVID-19 immunisation. Medical history included anxiety , depression from an unknown date and unknown if ongoing. Concomitant medication included escitalopram oxalate (LEXAPRO) taken for anxiety, depression from an unspecified date. Previously the patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Formulation: Solution for injection, lot number: EP6955 and expiration date: 30Jun2021), via an unspecified route of administration in arm right on 22Mar2021 as single dose for COVID-19 immunisation. It was reported that the patient who will be 20 years has had 4 very brief episodes of syncope in the past 4 days and spent 8 hours in ER Friday. Blood work, ECG, Echo, and MRI without contrast were normal. Doctors are baffled. Reporter enquired about the vaccine-related seizures 1 month after the second dose and asked for email address for a medical monitor supporting the vaccine trial. It was reported that the patient is perfectly healthy She does not drink or use any illicit drugs. She takes BCP to regulate her period and one month ago she started 5 mg/day Lexapro for test anxiety and COVID-induced depression. On Wed 12May2021 10 am while at work, she felt scorching hot for a few minutes, then dizzy and passed out; witnessed by 2 work colleagues. She will ask her colleagues tomorrow how long she was unconscious. On Thurs 13May2021 while at work she felt dizzy briefly but did not pass out. On Fri 14May2021 shortly after lunch while working in her cubicle, she woke up with computer keyboard imprint on her face. Unwitnessed, no warning whatsoever. Sat pm after dinner while in backseat of car, she felt dizzy and within a minute or so she had brief LOC lasting less than 1

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

minute. Sun 16May2021 after breakfast while bathing, she passed out. Unwitnessed. Her phone was nearby so she was able to call me. After each episode, she consistently describes dark and blurred vision for 15 min. Then she feels fine. No obvious seizure activity although last night her boyfriend said her right arm was twitching. No incontinence. Seen by her PMD on Thurs 13May2021 and we spent 8 hours at the ER Friday 14May2021: PE, orthostatics, CBC, Chem 18, pregnancy test, U/A, ECG, ECHO and MRI of brain without contrast was normal. No Neuro or cardiology consult (yet). Today her doctor is recommending she be admitted for observation, consults and further testing. The patient has not received any other vaccinations prior 4 weeks and has no history of allergies. All tests done at the hospital came back normal. Daughter is currently in the hospital being discharged today 17May2021. She will wear a Holter monitor for 2 weeks to record any further events. Cardiology and neurology both conclude the adverse events were not cardio or neurological origin. Physician does not think it was seizures. She did not intend to report seizures-it was syncope. She does not have any further adverse events or history to report at this time beyond what she already reported. The patient underwent lab tests and procedures which included blood test: normal, blood thyroid stimulating hormone: normal, electrocardiogram: normal, electroencephalogram: normal, investigation: normal, investigation: arrhythmia, investigation: normal, physical examination: normal, pregnancy test: normal, urine analysis: normal on 13May2021, echocardiogram: normal, electrocardiogram: normal, full blood count: normal, investigation: normal, magnetic resonance imaging normal: normal on 14May2021. The outcome of the events was unknown.; Sender's Comments: As there is limited information in the case provided, the causal association between the events syncope, arrhythmia, dizziness, feeling hot, vision blurred, muscle twitching and the suspect drug BNT162B2 cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1332511	5/20/2021	TX	69	M	1/1/2021	4/1/2021	<p>to regulatory authorities, Ethics Committees, and Investigators, as appropriate.</p> <p>Right eye that look like a rupture of a blood vessel; This spontaneous case was reported by a consumer and describes the occurrence of CONJUNCTIVAL HYPERAEMIA (Right eye that look like a rupture of a blood vessel) in a 69-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. In January 2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. In February 2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. In April 2021, the patient experienced CONJUNCTIVAL HYPERAEMIA (Right eye that look like a rupture of a blood vessel). In April 2021, CONJUNCTIVAL HYPERAEMIA (Right eye that look like a rupture of a blood vessel) had resolved. Treatment included Paracetamol and Ibuprofen. Concomitant medication was not reported. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. This case was linked to MOD21-086966 (E2B Linked Report). This case was linked to MOD-2021-109540 (Patient Link).; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. MOD21-086966:Same reporter</p>
1333490	5/20/2021	CA	14	M	5/19/2021	5/19/2021	<p>Systemic: Dizziness / Lightheadness-Severe, Systemic: Exhaustion / Lethargy-Severe, Systemic: Flushed / Sweating-Severe, Additional Details: patient developed sweating, pale lips, fatigue/lethargy, eyes closing and hard to remain concious. pharmacist called 911 and paramedics came, evaluated patient and blood pressure / heart rate normalized. patient able to sit down. after 30min post vaccination. patient and patient's father agreed to go home and refused ER service from paramedic.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1333676	5/20/2021	IL	14	F	5/19/2021	5/19/2021	Systemic: Hyperventilation-Medium, Systemic: Tingling (specify: facial area, extremities)-Medium, Systemic: Visual Changes/Disturbances-Medium

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1332357	5/20/2021	MO		F			<p>CONVULSIONS/SEIZURES; HYPERTHYROIDISM; DRUG INTERACTION; FLUCTUATING HEART RATE; NUMBNESS DOWN FACE; NUMBNESS AND TINGLING IN ARM; ABNORMAL VISION; SKIPPED DOSES; This spontaneous report received from a patient concerned a female of unspecified age. The patient's height, and weight were not reported. The patient's past medical history included covid-19 infection, and concurrent conditions included neurological issues related to covid, and seizures. On 19-MAR-2021, the patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, frequency once total, administered for prophylactic vaccination. The patient received Topiramate (capsule, hard, oral, batch number was not reported) 100 mg, 1 time every 1 day, from OCT-2020, 100 mg, 1 time every 1 day, from 08-MAY-2021, and 200 mg, frequency, and therapy dates were not reported for neurological issues related to covid. The batch number was not reported and has been requested. Concomitant medications included thyroid. On an unspecified date in 2021, the patient experienced hyperthyroidism, and was hospitalized (date unspecified) and experienced convulsions/seizures, numbness down face, abnormal vision, fluctuating heart rate, numbness and tingling in arm and had skipped doses (coded as drug dose omission). Patient went to the hospital where she had stopped Topamax for 6 days to check whether electroencephalogram (EEG) would show up, and thyroid function test (NR: not provided) high (hyperthyroid). levels had dropped. The hospital ultimately could not found anything. But she went back to a different hospital for more neurological testing and was taken off of Topamax again. She had another thyroid test and her levels had dropped. On, 07-May-2021, the patient was discharged and started taking it again from the night of 08-May-2021. The numbness had came back. She saw online that Topamax and Armour Thyroid should not be combined. She mentioned that at some point her dose was increased to 200 mg a day and she had experienced more seizures. On an unspecified date in 2021, the patient experienced drug interaction The action taken with covid-19 vaccine ad26.cov2.s was not applicable; and action taken with Topiramate was not reported. The patient recovered from hyperthyroidism,</p>



*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

had not recovered from numbness down face, and abnormal vision, convulsions/seizures, fluctuating heart rate and numbness drug interaction and tingling in arm was not reported. This report was serious (Hospitalization Caused / Prolonged). This report was associated with a product quality complaint 90000179114.; Sender's Comments: V0. 20210522141-COVID-19 VACCINE AD26.COV2.S -Convulsions/Seizures, Hyperthyroidism, Drug interaction. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). 20210522141-TOPOMAX-Convulsions/Seizures. This event(s) is labeled per RSI and is therefore considered potentially related. 20210522141-TOPOMAX-Hyperthyroidism, Drug interaction. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1332367	5/20/2021	GA	62	M		5/10/2021	SEIZURES; PAIN IN JOINTS; VISION BLURRY; This spontaneous report received from a patient concerned a 62 year old male. The patient's height, and weight were not reported. The patient's past medical history included he had been healthy individual all his life. The patient's concurrent conditions included patient was non-alcohol user, and non-smoker. The patient had no history of comorbidities. The patient had no known allergies and drug abuse or illicit drug usage. The patient received Covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 205A21A expiry: 11-MAY-2021) 1 total dose was administered at left arm on 10-MAY-2021 (reported as Monday) for prophylactic vaccination. No concomitant medications were reported. On 10-MAY-2021, the patient experienced blurry vision (vision blurry) which had happen all of sudden. On 12-MAY-2021, (reported as Wednesday) after taking JNJ vaccine he was taken to the emergency room because he had developed seizures (seizure), the patient experienced pain in joints (pain in the joints) which had happen all of sudden and was hospitalized. The patient was treated with Levetiracetam 500 mg for seizure. He was hospitalized for a day. The action taken with Covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from seizures, and had not recovered from pain in joints, and vision blurry. This report was serious (Hospitalization Caused / Prolonged).; Sender's Comments: V0: 20210529765-COVID-19 VACCINE AD26.COV2.S-Seizures. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). V0: 20210529765-COVID-19 VACCINE AD26.COV2.S-Pain in joints. This event(s) is labeled per RSI and is therefore considered potentially related.
1332402	5/20/2021	CO	46	F	5/11/2021	5/11/2021	That evening high fever, chills nausea and then few days later Bell?s palsy, face is tingling, eye won?t shut and speech hindered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1332419	5/20/2021	CA	29	F	4/30/2021	5/12/2021	Petechiae starting on the left side of mouth, then spread around my whole mouth and by my right eye by the next day, then to the forehead the following day. This was a 3 day period of the petechiae spreading before going to urgent care.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1332437	5/20/2021	OH	50	F	3/20/2021		<p>BACK OF THIGHS WERE QUIVERING; SWOLLEN LEFT FOOT AND PAIN; FLASHING LIGHTS IN EYES; UNABLE TO WALK ON LEFT FOOT; NOT APPETITE; JOINT PAIN/LEFT ANKLE PAIN/LEFT WRIST PAIN/PAIN IN LEFT PALM; TERRIBLE HEADACHE; PAIN LEFT THUMB/LEFT HEEL PAIN/RIGHT HAND PAIN/COULD NOT OPEN BOTTLES DUE TO JOINT/HAND PAIN/UNABLE TO USE HAND/BAD HAND PAIN/TERRIBLE PAIN IN BOTH HANDS/LEFT HEEL PAIN/L FOOT PAIN/LEFT ARM PAIN; This spontaneous report received from a patient concerned a 50 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine (suspension for injection, route of admin not reported, batch number: 1802068, and expiry: UNKNOWN) dose was not reported, administered on 12-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 20-MAR-2021, the subject experienced pain left thumb/left heel pain/right hand pain/could not open bottles due to joint/hand pain/unable to use hand/bad hand pain/terrible pain in both hands/left heel pain/l foot pain/left arm pain. On 21-MAR-2021, the subject experienced joint pain/left ankle pain/left wrist pain/pain in left palm. On 21-MAR-2021, the subject experienced terrible headache. Laboratory data included: X-ray (NR: not provided) Not reported. Treatment medications included: tramadol. On 22-MAR-2021, the subject experienced unable to walk on left foot. On 22-MAR-2021, the subject experienced not appetite. Treatment medications included: prednisone. On 25-MAR-2021, the subject experienced flashing lights in eyes. On 26-MAR-2021, the subject experienced swollen left foot and pain. On 28-MAR-2021, the subject experienced back of thighs were quivering. On 28-APR-2021, Laboratory data included: Laboratory test (NR: not provided) Not reported, and X-ray (NR: not provided) Not reported. The action taken with covid-19 vaccine was not applicable. The patient recovered from flashing lights in eyes on 01-APR-2021, and back of thighs were quivering on 31-MAR-2021, had not recovered from swollen left foot and pain, terrible headache, and pain left thumb/left heel pain/right hand pain/could not open bottles due to joint/hand pain/unable to use hand/bad hand pain/terrible pain in both hands/left heel pain/l foot pain/left arm pain, and the outcome of joint pain/left ankle pain/left wrist</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1332449	5/20/2021	WI	21	F	4/16/2021	4/19/2021	<p>pain/pain in left palm, not appetite and unable to walk on left foot was not reported. This report was non-serious.</p> <p>Patient developed visual symptoms the week following administration of the COVID vaccine. Symptoms included blurry vision and double vision. Patient did not seek care. Patient received 2nd dose of Moderna vaccine on 5/12 and had escalation in symptoms after that dose. Patient finally saw her PCP on 5/18 who immediately sent her to optometry where she was noted to have papilledema. She was sent to the ED where an MRI/MRV confirmed increased intracranial pressure without space occupying lesion. LP showed elevated opening pressure of 45/ Patient started on Diamox for presumed IIH.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1332450	5/20/2021			F			<p>RIGHT EYE BLOODSHOT DUE TO A BLOOD VESSEL BURSTING IN THE EYE; BORDERLINE MIGRAINES; DIARRHEA; EXTREME ILLNESS FOR TWO WHOLE WEEKS; COULD NOT EVEN GET OUT OF BED FOR THE FIRST WEEK; This spontaneous report received from a consumer (daughter) concerned a 58 year old female. The patient's height, and weight were not reported. The patient's past medical history included hip replacement surgery, and concurrent conditions included a little overweight. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) frequency 1 total, dose, start therapy date were not reported for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. Patient had some alarming symptoms. She was extremely ill for two whole weeks. She was nauseous, vomiting, (subsumed under borderline migraine) had diarrhea and could not even get out of bed for the first week. After those extreme symptoms subsided she had one eye( her right eye) was completely bloodshot due to a blood vessel bursting in her eye. She called her primary care doctor and they told her that they were uncertain if that was even a symptom or not. She also had very painful headaches (subsumed under borderline migraine), borderline migraines and her primary care doctor told her that if it persisted or got any worse to go to the emergency room or possibly go in to the doctor's office. Reporter stated that blood clots were not something that really ran in their family bloodline. Patient hadn't had any real health problems other than having a hip replacement surgery and being a little overweight. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from, diarrhea, extreme illness for two whole weeks, could not even get out of bed for the first week, and the outcome of right eye bloodshot due to a blood vessel bursting in the eye and borderline migraines, was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210532621-JANSSEN COVID-19 VACCINE Ad26.COV2.S- Eye blood shot. This event is considered unassessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1332492	5/20/2021	AZ		F		5/7/2021	factors potentially associated with the event.  LEFT EYE SORENESS ON THE OUTER PART AROUND THE EYE AND SPREADING TO THE INSIDE; LEFT EYE SWELLING ON THE OUTER PART AROUND THE EYE AND SPREADING TO THE INSIDE; ACHES; CHILLS; FEVER; NAUSEA; FATIGUE; This spontaneous report received from a patient concerned a 54 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine (suspension for injection, route of admin not reported, batch number: 204A21A, expiry: UNKNOWN) dose was not reported, administered on 07-MAY-2021 for prophylactic vaccination. No concomitant medications were reported. On 07-MAY-2021, the subject experienced aches. On 07-MAY-2021, the subject experienced chills. On 07-MAY-2021, the subject experienced fever. On 07-MAY-2021, the subject experienced nausea. On 07-MAY-2021, the subject experienced fatigue. On 08-MAY-2021, the subject experienced left eye soreness on the outer part around the eye and spreading to the inside. On 08-MAY-2021, the subject experienced left eye swelling on the outer part around the eye and spreading to the inside. Treatment medications (dates unspecified) included: paracetamol. The action taken with covid-19 vaccine was not applicable. The patient recovered from aches, chills, fever, and nausea on 08-MAY-2021, was recovering from fatigue, and had not recovered from left eye soreness on the outer part around the eye and spreading to the inside, and left eye swelling on the outer part around the eye" and spreading to the inside. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1332681	5/20/2021	NJ		F	4/24/2021	5/1/2021	Bells Palsy; Facial weakness on right side; Headache; earache; mouth ache; runny nose; runny eye; This is a spontaneous report from a contactable consumer (patient). A 63-year-old female patient received BNT162B2 (PFIZER BIONTECH COVID-19 VACCINE, solution for injection) dose 2 via an unspecified route of administration, administered in Arm Left on 24Apr2021 14:30 (Lot Number: EW0171) as second dose, single for COVID-19 immunisation. The patient previously took the first dose of BNT162B2 on 03Apr2021 15:00 (Lot number: EW0151) administered to left leg for COVID-19 immunization. Medical history included high blood pressure, chronic kidney disease and diabetes mellitus. The patient has no known allergies and was not pregnant at the time of vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was not diagnosed with COVID-19 prior to vaccination. Concomitant medications included isosorbide, metoprolol, ticagrelor (BRILINTA), clonidine and ayurvedic preparation (NEFID) all taken for an unspecified indication, start and stop date were not reported. On 01May2021 01:00, the patient experienced Bell's Palsy, facial weakness on right side, headache, earache, mouth ache, runny eye and runny nose; all on the right side. The patient did not receive treatment for the events. Since the vaccination, has the patient has not been tested for COVID-19. The outcome of the events was not recovered. No follow-up attempts are needed. No further information is expected.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1332676	5/20/2021	VA	19	M	3/25/2021	3/1/2021	heart failure; heart attack; fluid in his lungs; This is a spontaneous report from a contactable consumer (patient's mother). A 19-year-old male patient received the first dose bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot Number: EP7534), via an unspecified route of administration, administered in Arm Right on 25Mar2021 (received at the age of 19-years-old) as 1ST DOSE, SINGLE for COVID-19 immunization. Medical history included ongoing seasonal allergies and cardiac murmur he had as an infant. When probing medical history, the consumer reported that as an infant, her son, had a heart murmur. Her son saw a heart specialist in (State) who did an ultrasound/sonogram of her son's heart. The specialist said the heart murmur was fine and nothing needed to be done. She also adds that for family medical history, she and her husband don't have any early onset heart issues in either side of their families. She also reported that her son has horrible seasonal allergies. Concomitant medication(s) included cetirizine hydrochloride (ZYRTEC [CETIRIZINE HYDROCHLORIDE]) taken for an unspecified indication, start and stop date were not reported; triamcinolone acetonide (NASACORT) taken for an unspecified indication, start and stop date were not reported; montelukast (MONTELUKAST) taken for an unspecified indication, start and stop date were not reported. The reporter stated that her son (patient) had a heart attack (26Mar2021) after receiving the first dose of bnt162b2. The patient also experienced heart failure on 28Mar2021 and had fluid in his lungs on Mar2021. She called regarding the COVID-19 vaccine on behalf of her 19-year-old son who received his first vaccine on 25Mar2021. Her son received his first Covid 19 vaccine at a PRIVACY where he attends college. On Friday, 26Mar2021, he was feeling crummy, on Saturday, 27Mar2021, he was feeling crummy. On Saturday night, 27Mar2021, her son started texting her around 11:30PM saying he had pain in his left shoulder and left arm. He had already taken 2 Advil and it wasn't helping with the pain, her son asked if he could take a third Advil. The reporter told her son he could take a third Advil because it had been an hour and a half since he had taken the first two Advil. The texts from her son continued. He was getting no relief. He took a hot shower and tried self-massage and warm compresses. He ended up throwing

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

up and he said he felt a little better. Her son tried to lay down and couldn't get any relief from his pain. The pain was tremendous in his left shoulder and arm. Her son told his mother, he thinks he needs to go to the emergency department. His mother is two hours away from him and told him to call 911. Her son had a friend take him to the emergency department instead of calling 911. Her son went to PRIVACY. While at the emergency department, the doctor thought that her son's pain was muscular. Her son received an injection of Toradol. Her son was discharged from the emergency room and went back out to his friend who had brought him to the hospital. Her son and his friend didn't even make it out of the emergency department parking lot when her son suddenly couldn't see anything. His eyes were wide open and all he could see was black. His ears started ringing. Her son went back into the emergency department. Her son received Benadryl and an Epi-pen thinking maybe he was allergic to the Toradol and having a reaction to the Toradol. Her son had blood work, an EKG, and vital signs done in the emergency department on 28Mar2021. His blood work were over 3000 which the reporter reports, indicates a heart attack. The emergency room doctor did not think the Toradol would have pushed his Troponin levels that high. With her son complaining to her about the pain in his left shoulder radiating into his left arm and throwing up, those are signs of a heart attack. Her son was maybe playing off the seriousness of the pain he was experiencing. It was agreed at that point it might be her son's heart. She was about 18 minutes away from the hospital when she received a call from the hospitalist, the doctor taking care of her son. And that doctor tells her that her son is not doing well and is not responding to treatment of the bag of saline fluids. The doctor is trying to get her son's blood pressure and heart rate back up. The doctor was afraid he might have to air flight him to the PRIVACY hospital. She told the doctor she is 18 minutes away and asked if he can wait that long or does she have to turn around and drive the opposite direction to the PRIVACY. At this point her son was having a COVID-19 viral test in case he needs to be transported to the other hospital. The doctor tells her that her son can wait the 18 minutes until she gets to the hospital. She arrived at the hospital and wanted to see her son, her son is on high flow oxygen and she has to

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

gown and glove up to be in his room for fear of Covid particles since he's on the high flow oxygen. His COVID-19 viral test results have not come back at this time. Her son was admitted to the hospital for heart failure. He was in the hospital for 5 days. He was admitted in the wee hours of the morning on 28Mar2021. During the time he was in the hospital he had chest x-rays and he was given Lasix to get the fluid off his lungs. His white blood cells were way up so he was given an antibiotic. He had an MRI, Chest X-rays, and a Heart Catheterization through his wrist that would indicate that he had blocked arteries in his heart. He had no blocked arteries. The heart catheterization revealed an artery going into his 4th heart chamber was slow to open and close. The cardiologist prescribed Metoprolol for six months with monitoring. The cardiologist feels the Metoprolol will repair his artery and get his blood pressure and heart rate numbers where they need to be. He was admitted to the hospital at around 3:00AM on 28Mar2021 and was discharged on 01Apr2021. Her son's COVID-19 viral test came back negative, but his COVID-19 antibody test showed that he did have COVID-19 antibodies. The doctor didn't know if that meant that her son had a previously undiagnosed case of the COVID-19 virus or if he developed COVID-19 antibodies that soon after he received the Covid 19 vaccine. She reported when her son was discharged, he was feeling better, but still had residual fluid at the bottom of his lungs. Her son did have to go for a chest x-ray on Tuesday, 06Apr2021, after he was discharged, to make sure the fluid was making its way out of his body. When he was discharged from the hospital, he had some shortness of breath and he was tired and weak feeling. The pain in his left arm began before he was admitted to the hospital. The shortness of breath started during his hospital admission. At this point in time she would say her son has improved. The Metoprolol he was prescribed by the cardiologist is one half of a 25mg tablet once at nighttime. She stated that she does not have any information on how low her son's blood pressure and heart rate were during his time in the hospital. Therapeutic measures were taken as a result of the adverse events. Outcome of the events was recovering.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1332841	5/20/2021		68	M	2/13/2021	2/14/2021	Body chills; Body aches; Blindness; Septic shock due to serratia infection (not sure how the infection came to be); Septic shock due to serratia infection (not sure how the infection came to be); Kidney failure; This is a spontaneous report from a non-contactable consumer. A 68-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration on 13Feb2021 (Lot Number: EL9266) as single dose for COVID-19 immunisation. Medical history included type 2 diabetes, stage 4 kidney disease, high blood pressure. Concomitant medications included unspecified drugs. Prior to vaccination, the patient was not diagnosed with COVID-19. On 14Feb2021, the patient experienced body chills, body aches, blindness, septic shock due to serratia infection (not sure how the infection came to be), kidney failure. The events required a visit to the emergency room. No treatment required. The patient was hospitalized due to the events for 18 days and condition was life threatening. The final outcome was fatal. The patient died on 06Mar2021. An autopsy was not performed. Cause of death was septic shock. No follow-up attempts are possible. No further information is expected.; Reported Cause(s) of Death: Septic shock

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1332687	5/20/2021	CA	34	F	4/7/2021	4/7/2021	fainted; weakness in my legs/Arms fairly weak too; extreme fatigue/Exhausted; brain fog/felt as though someone was throwing cold water at me; I don't feel safe to drive/ missed significant work; shake with a lactic acid type feeling; had a racing heart; diarrhea; fevers of 100 degrees (101 the first night) lasting off and on for the first 11 days; parasthesia a pins and needles feelings in my hands and feet; Most side effects have been neurological; Sunlight hurts my eyes; hard to walk; impossible to exercise.; This is a spontaneous report from a contactable consumer. A 34-year-old female patient (Age at time of vaccination, 34-year-old) received first dose of BNT162B2 (BNT162B2) via an unspecified route of administration, administered in Arm Right on 07Apr2021 at 10:30 (Batch/Lot Number: ER8737) as SINGLE DOSE for covid-19 immunization. Medical history was reported as none. The patient's concomitant medications were not reported. The patient Fainted and experienced weakness in my legs/arms fairly weak too, extreme fatigue/exhausted, brain fog/felt as though someone was throwing cold water at me, i don't feel safe to drive/ missed significant work, shake with a lactic acid type feeling, had a racing heart, diarrhea, fevers of 100 degrees, parasthesia a pins and needles feelings in my hands and feet, most side effects have been neurological, sunlight hurts my eyes, hard to walk and impossible to exercise all on 07Apr2021 at 10:30. The patient reported; It is now day 27 post vaccine and I have weakness in my legs, extreme fatigue, brain fog. I don't feel safe to drive. I have missed significant work. Can't walk down my block without my legs getting so weak they shake with a lactic acid type feeling. Arms fairly weak too. Initially, when I got the vaccine my right leg went weak. The night of the vaccine, I fainted, legs so weak I could barely get off the bathroom floor. Had a racing heart and felt as though someone was throwing cold water at me. Had diarrhea. I had fevers of 100 degrees (101 the first night) lasting off and on for the first 11 days. For the past several days I've been experiencing paresthesia a pins and needles feelings in my hands and feet. Most side effects have been neurological. Sunlight hurts my eyes. Was in ER for the weakness in my legs. Neg for covid. CBC normal. It was deemed that since my reflexes work GBS is unlikely. Exhausted and still extremely weak and it is hard to walk, and impossible to exercise. The patient

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

had no covid prior to vaccination and was not tested post vaccination. No other medications were taken in two week and no allergies was reported. Seriousness assessment was reported as disability. Therapeutic measures were taken as a result of all the events. The outcome of all the events was unknown. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1332699	5/20/2021	TX	29	F	4/22/2021	4/26/2021	stroke-like symptoms; not being able to see out of my left eye; the left side of my body was numb; pounding headache on the left side of their head; shooting pain up and down my neck; could barely turn my head with shooting pain down my body; shingles; migraines; This is a spontaneous report from a contactable consumer (patient). A 29-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection) (at 29 years of age), via an unspecified route of administration, administered in arm left on 22Apr2021 10:15 (Batch/Lot number was not reported) as 1ST DOSE, SINGLE for COVID-19 immunisation. Medical history included autoimmune disorder from an unknown date and unknown if ongoing. Concomitant medication included levothyroxine taken for an unspecified indication, start and stop date were not reported. The patient was not pregnant. The patient had no known allergies. She was not diagnosed with COVID-19 prior to vaccination. She has not been tested for COVID-19 since the vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. It was reported that the patient had stroke-like symptoms, not being able to see out of her left eye, the left side of her body was numb, and she a pounding headache on the left side of their head. Upon being checked into the ER, she was immediately put on stroke alert. After a CAT-Scan and two MRIs, blood clots were ruled out. She stayed under close watch, and an IV was administered. All her blood work numbers checked out and the doctors were puzzled. After three to four hours, the symptoms reduced. After ten hours, they were almost gone. She went home and didn't have any more complications that day. Fast forward to the 1st, new symptoms. She now has shooting pain up and down her neck. At first, she thought she strained her neck, but the next day she could barely turn her head with shooting pain down her body. This morning they went to their PPC to get checked out. Luckily, a diagnosis was given. She had developed shingles. The events started on 26Apr2021 10:00 AM. The events resulted to Doctor or other healthcare professional office/clinic visit and Emergency room/department or urgent care. The patient was hospitalized for the events. Therapeutic measures were taken as a result of the events. She was given IV for migraines but it did nothing. The outcome of the

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

events was recovered with lasting effects. Information  
on the lot/batch number has been requested.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1332715	5/20/2021	MD	35	F	4/25/2021	4/25/2021	entire intestines hurt her; back pain/sharp pain in the lower back; Back pain felt like nerve inflammation like sciatica; Back pain felt like nerve inflammation like sciatica; sore pain in the spine area/pain can change from day to day; it can be on both sides of spine, or tailbone; right side neck pain (felt like a pulled muscle); sharp shoulder blade pain/shooting pain in the hips when she walks; right ear, it felt swollen; hearing was muted-approximately 20% hearing loss, could not hear clear sounds/partial hearing loss/ dulled, similar to wearing a thick hat/transferred to her other ear; Feeling like a pressure on her ear; little pinkish rash/pinkish marbled rash; felt woozy; felt a little drunk or funny; felt a little drunk or funny; She currently has these symptoms, limited movement; difficulty walking, can't walk fast; felt like body could not hold her weight anymore; She can't bend over without pain and is unable to get things on the bottom of the refrigerator or pots in the kitchen; jerking muscle in the left thigh and right thigh; felt a heaviness on her face, felt like a heavy mask on it even when the mask was removed; Pain is a stabbing pain very painful and then the stabbing pains come and go and feels like a pulling pain, like a nerve pain; numbness in buttocks and central part of buttocks like tingling pins and pricks; numbness in buttocks and central part of buttocks like tingling pins and pricks/tingling sensation in both hands and both feet; pain in buttocks; This is a spontaneous report from a contactable consumer (patient). A 35-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration in right arm on 25Apr2021 at 16:15 (at the age of 35 years old) (Lot Number: EW0176, unknown expiration) as 1st dose, single for COVID-19 immunization. Medical history included ongoing penicilline allergy since at the age of 17 years old (manifested by breathing issues, tightness in neck, all swollen up) and currently the patient does not have a thyroid. Concomitant medications included levothyroxine sodium (SYNTHROID) and liothyronine sodium (CYTOMEL), both ongoing as the patient does not have a thyroid. The patient previously took codeine and experienced allergy (at the age of 17 years old). A few minutes after receiving the vaccine on 25Apr2021, the patient experienced right side neck pain (felt like a pulled muscle) and sharp shoulder blade pain. She got the

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

vaccine in her right arm but had no arm pain. Then in her right ear, it felt swollen and her hearing was muted- approximately 20% hearing loss, could not hear clear sounds. Feeling like a pressure on her ear with partial hearing loss. It was dulled, similar to wearing a thick hat. Then it transferred to her other ear. Her face was feeling swollen, but it was not swollen, and she had a little pinkish rash but just under her mask. She didn't have any breathing problems. She asked the (name) staff member if these symptoms were normal. Patient was sitting in the waiting area of (name) pharmacy after administered the COVID-19 vaccine; all of these symptoms started happening around 3-4 minutes after receiving the vaccine. She would say within first 15 minutes after the COVID-19 vaccine was administered, it affected her other ear, where both ears had the muted hearing sensation which lasted about 2 hours. These side effects lasted about 1-2 hours and resolved on their own, no ointments were used. About 15 minutes after receiving the vaccine, she started having back pain, felt woozy, and felt a little drunk or funny. About 45 minutes later, she had sharp pain in the lower back, shooting pain in the hips when she walks. She currently has these symptoms, limited movement, difficulty walking, can't walk fast. After that, she was in bed all day and could barely make it to the bathroom. She previously was very healthy and regularly took long walks. Her back and hips feel sore. Back pain felt like nerve inflammation like sciatica where she got sharp pain in her lower back that felt like immediate inflammation. She got to the point where she was not able to sit straight, felt like body could not hold her weight anymore. She can't bend over without pain and is unable to get things on the bottom of the refrigerator or pots in the kitchen. She is unable to wash her hands together, she felt like her back can't support her weight. She had to wash one hand at a time. She is unable to get out of bed regularly, she has to roll out of bed. It has been 9 days from the vaccine and is still having shooting pains in her hips and jerking muscle in the left thigh and right thigh and it felt like nerves pulling string in the right leg which lasted only like 30-45 seconds. Before she went to the (name) pharmacy for the COVID-19 vaccine, she had never had any sorts of back issues, no strain, no health problems in that area. She told her husband she was going to have to lay on the

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

ground or go home, so they left. She can't walk more than 10-15 minutes. She left the pharmacy, and when she got in the car about 20 minutes after she had gotten the vaccine, she felt a heaviness on her face, felt like a heavy mask on it even when the mask was removed. She felt initially that her face was swollen, like it was pressed, but there was no visual swelling that she could see in the mirror. When she took her mask off the triangular area where the mask had covered she could see a little more of a rash, like pinkish marbled rash but it would go away in about 45 minutes to 1 hour, started to slowly fade away. She felt that if it was a rash it would be all over her face; but this area was only where the face mask had been. She had no injury that could have caused that. The pain the next day was so bad, she was not able to sit or stand. She was barely rolling out of bed, had to hold on to furniture and walls to make it to bathroom. She is still not able to fully bend down. She has limit in movement. She still has pain, it did improve since the first day; but she still gets like a sore pain in the spine area, lower spine like a shooting pain from hips to connection where her legs meet bone which is still there. The pain can change from day to day; it can be on both sides of spine, or tailbone, hips, joints from where her legs attach to the hip area. Pain is a stabbing pain very painful and then the stabbing pains come and go and feels like a pulling pain, like a nerve pain but there is constant soreness in that area; on top of that still has the stabbing pain; this has been going on for the last 9 days did not have a break from this. She has tried massaging the area, tried Bengay on her back, tried ketoprofen (Ketonal), tried Capsaicin patches, Voltaren for the pain but none of those have helped the pain. Pain is a deep pain. The only thing that has helped it is like hot or thermal water bottle that you fill up with hot water which helps mute the pain to where it is manageable and helps her fall asleep at night. She still feels pain at time of call feels like a spinal injury. She experienced for 3 days; she would say on day number 3 (in 2021), the pain moved from the lower back to the half of buttocks on both sides and started getting numbness in buttocks and central part of buttocks like tingling pins and pricks feeling for maybe a day or 2 then it resolved. She still has pain in buttocks and hips and the pain can move to lower back and will hurt in lower back. Then on 04May2021,

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

symptoms like entire intestines hurt her, she wasn't eating, it started at night when she was going to bed; so she is thinking maybe the pain is radiating to other parts of body to like her lower abdominal area; she used the hot water rubber bottle to relax muscles. She does not have the tingling sensation in her buttocks any longer; but does have tingling sensation in both hands and both feet that she sometimes feels, it is ongoing most of the time and is pretty severe. She feels pain getting up and down, still having pain; She is glad she can walk, because before walking was not very possible for her. She also tried a little bit of a back massage where she lay on her back and kind of wobbled on massager, but it doesn't help; the pain does not feel muscular it feels like something with the nerves. When she walks, she feels pain around her spine and lower back central part of spine, hips or lower back, like someone literally stabbed her in the back. She has seen her doctor on 03May2021 and was suggested seeing a neurologist before getting her second shot which is due 17May2021. Doctor ordered a blood panel and urine test and are still waiting for results (unknown results) taken on 03May2021. The patient asked if these are side effects of the vaccine. The patient did not know if she should or should not get the second dose relative to these events as of yet; second dose is scheduled for 17May2021. No additional vaccines administered on same date of the Pfizer suspect. No prior vaccinations (within 4 weeks). The events resulted in physician office visit. Patient was not hospitalized. The patient recovered from events right side neck pain (felt like a pulled muscle), "right ear, it felt swollen", partial hearing loss, pressure on her ear, little pinkish rash/pinkish marbled rash, and jerking muscle in the left thigh and right thigh on 25Apr2021. The patient also recovered from event numbness in buttocks and central part of buttocks in 2021. The patient was recovering from events limited movement, difficulty walking, and heaviness on face. Outcome of events "felt woozy, felt a little drunk or funny", and "entire intestines hurt her" were unknown. While the patient had not yet recovered from the remaining events. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1332719	5/20/2021	OH	64	F	1/27/2021	1/29/2021	Bell's palsy; Eye twitching; This is a spontaneous report from a contactable consumer (patient). A 64-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in left arm on 27Jan2021 13:00 (Batch/Lot number was not reported) as 1st dose, single for COVID-19 immunisation. Medical history included high blood pressure and acid reflux. Other than those, patient was "pretty healthy." Patient was not diagnosed with COVID prior vaccination. Concomitant medications included irbesartan, pantoprazole, meloxicam, and biotin. Patient reported that she had Bell's palsy when she was in college. When she was teaching years later, she noticed that every year when she got the flu shot, her eye would twitch for about 8 or more weeks after the shot. She finally connected the fact that it was happening every year after the shot so she saw a neurologist. She was told that an egg derivative was used in the flu shot, which was connected to Epstein bar disease, which was connected to Bell's palsy. She was told to stop getting the flu shot so she quit getting the flu shot and never had another occurrence until after getting the COVID Pfizer shot. On 29Jan2021, the patient experienced bell's palsy and eye twitching. The twitch appeared a few days after getting the shot, but seemed mild enough, but as of late it has become quite an annoyance. The only thing she can attribute it to was the COVID vaccine. She was a little leery of getting a booster if necessary. No treatment was received. Outcome of the events was not recovered. Patient was not tested for COVID post vaccination. Information about lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1332725	5/20/2021	CA	55	F	4/26/2021	4/26/2021	<p>racing heart; dizziness; disorientation; blurred vision; forearm muscle pain/lower leg muscle pain; fatigue; loss of strength and coordination in fingers and arms/ residual arm &amp; leg weakness; loss of coordination.; right lower lip became numb; difficulty with concentration; This is a spontaneous report from a contactable nurse (patient). A 55-year-old female patient (non-pregnant at time of vaccination) received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration administered in the right arm on 26Apr2021 at 02:30 AM as single dose for COVID-19 immunisation. Medical history included lumbar disc degeneration, spinal surgeries x2, stem cell injection (lumbar disc) a little over a year ago, allergies to shellfish. Concomitant medications reported as none. No other vaccine in four weeks. None other medications in two weeks. No Covid prior vaccination. No Covid tested post vaccination. On 26Apr2021 at 14:30 PM, (reported as after approx 15 min), racing heart, dizziness, disorientation, blurred vision (inability to focus), forearm muscle pain, fatigue affecting ability to perform my job, loss of strength and coordination in fingers and arms, right lower lip became numb, lower leg muscle pain and loss of coordination. Symptoms that continued to persist after 10 days were right lower lip numbness, difficulty with concentration and fatigue that was affecting my ability to perform my job, and some residual arm &amp; leg weakness and coordination. Events resulted in Doctor or other healthcare professional office/clinic visit, Disability or permanent damage. Unknown if treatment received for events. The outcome of the events was not recovered. Information on the lot/batch number has been requested.; Sender's Comments: As there is limited information in the case provided, the causal association between the events and the suspect vaccine BNT162B2 cannot be excluded. The case will be reassessed once new information is available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1332728	5/20/2021	CA	59	F	4/16/2021	4/17/2021	stroke like symptoms; similar to migraines; mini-strokes; Passing Out; Blind spots in her vision; Nausea; Believes it effected her memory; stroke like symptoms; similar to migraines; mini-strokes; This is a spontaneous report received from a contactable consumer. A 59-year-old female patient received bnt162b2 (BNT162B2), dose 1 via an unspecified route of administration on 16Apr2021 (Lot Number: EW0153; Expiration Date: 31Jul2021) as 1ST DOSE, SINGLE for covid-19 immunisation (Age at vaccination: 59 years). Medical history included ongoing strokes, ongoing third and fourth Nerve Palsy. Concomitant medications included dabigatran etexilate mesilate (PRADAXA) taken for blood thinner; metoprolol for Stroke, Heart regulation; lovastatin taken for Stroke, Heart regulation. The patient states that she went to the Emergency Room on 17Apr2021 and then went again on either 18Apr2021 or 19Apr2021. The patient states she does not know if she was admitted or not. States that she thinks she just was in the emergency room the time that she was there. Says that after the Covid Vaccine she was having stroke like symptoms; similar to migraines; mini-strokes. She was passing out, had nausea, blind spots in her vision, and she believes it effected her memory. The events occurred on 17Apr2021. Also, she said on her first emergency room visit they did a CT Scan and on her second emergency room visit they did a MRI and both was not reported. States they told her there was no issues. The patient underwent lab tests and procedures which included CT Scan: and MRI: not reported on Apr2021. Outcome of the event vision impairment was not recovered while outcome of the event nausea was recovered on Apr2021. Outcome of the event memory impairment was recovering while outcome of the remaining events was unknown. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1332760	5/20/2021	MD	22	F	4/4/2021	4/4/2021	Throat closing; Shortness of breath; Swollen throat; Dizziness/ Lightheaded; Wheezing; Allergic reaction; had a combination of allergies specially to PEG in the vaccine; This is spontaneous report received from a contactable consumer (patient's mother). A 22-year-old female patient received 1st dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, LOT number: EW0151, expiration date unknown) via an unspecified route of administration at left upper arm on 04Apr2021 07:30 AM (reported as 06:30 or 07:30, probably 07:30) at age of 22-year-old at single dose for COVID-19 immunization. Medical history included postural orthostatic tachycardia syndrome (POTS) from Jan2021 and gastro stuff. Patient was previously diagnosed with tachycardia, but this was a misdiagnosis. She had a cardiac implant, but they couldn't figure out what was wrong, so her daughter saw a new cardio, and she has been good. Patient was previously had a reaction to Miralax. Concomitant medications included metoprolol tartrate which was taken for several years for POTS, lorazepam (ATIVAN) for panic attacks (started taking 2-3 years ago, maybe 1.5 years ago, when she went off to college, caller clarified it was 2 years ago), escitalopram oxalate (LEXAPRO) for panic disorder and anxiety (started about two years ago and was off for about a month). There was no additional vaccines administered on same date of the Pfizer Suspect. There was no prior vaccinations (within 4 weeks). Caller stated the patient had a reaction to the first shot of Pfizer COVID-19 vaccine. She had a severe reaction. Patient had a combination of allergies specially to PEG in the vaccine. Patient spent the entire day in urgent care. She had a swollen throat and dizziness right after receiving the vaccine (04Apr2021). She was wheezing and lightheaded. Patient was given an ep-pen and Benadryl. It took a while to bring it down. Patient had Pfizer's COVID 19 vaccine on 04APR2021, and had an immediate allergic reaction including throat closing, wheezing, shortness of breath, dizziness, with the first shot, so caller needed to call to report it, caller's cousin is a pharmacist, and said to call. Patient was not taken to the hospital, caller ended up taking the patient to urgent care, they had talked patient out of it, and the doctor was livid, patient's doctor was working at the site that morning. Caller stated she is a busy worker, and today is



VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

the first day she is getting to this, and getting things squared away. She knew her daughter has a 60-day window to decide if she was going to get the second, and she wanted to get it, but the reaction was horrible, it was in her daughter's best interest, they were talking at the hospital, and caller needed to talk to someone to figure it out. Patient's doctor didn't know. Caller's cousin is a pharmacist and talked to them and said, because caller stated her daughter had had a reaction to Miralax, too and her cousin said that has PEG, which her cousin said was what Moderna and Pfizer have, so caller didn't know. Her daughter ended up going to urgent care, stayed there, and was calmer, her vitals settled after the Epi Pen, and caller understood it is the protocol with Epi Pen, that she has to be monitored medically, so patient was monitored at Urgent Care until 1PM, and her daughter was like, it wore her out, so that was the response. Her daughter has recovered completely, but it took a few days, to go back to herself, patient has a cardiac condition, POTS, and gastro stuff, and caller was trying to get her medical stuff squared away, and this definitely didn't help. Caller stated they would be trying to wean her daughter off Metoprolol. caller stated it's Ivabradine, but her daughter has not started it yet, since it has side effects with vision, so her daughter was waiting to go to the eye doctor to take that, so she was taking Metoprolol. Lexapro was stopped trying to get ready for this heart medicine, so they were waiting to figure out all this, before they start that. No further details provided. Caller read from paperwork, which said allergic reaction NOS, drug reaction allergic. Then there was cardio stuff, then it said Cardiac monitoring, oximetry, CBC with automated differential; Hcg beta qualitative urine, IV saline lock. When asked for results, caller said she saw results, but that must be where it's connected with another hospital. Stated she can fax the results. It was reported that patient had a follow up at doctor's office for the events. Event throat closing was reported as serious as medically significant. Onset date of the events was 04Apr2021. Outcome of the events was recovered. Report 1 of 2. Caller was provided with phone number and hours of operation prior to cold transfer onto the line, due to a high call volume, to wait for the next available agent. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1332789	5/20/2021	CA	59	F	4/22/2021	4/24/2021	Increasing the itchiness. now in my legs too/itchiness in my skin; Rash in my left side of my face, neck , ears, arms and chest; My under left eye was swollen & redness; My under left eye was swollen & redness; It's very uncomfortable; This is a spontaneous report from a contactable consumer (patient). A 59-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), second dose at the age of 59-years-old via an unspecified route of administration, administered in arm left on 22Apr2021 12:15 (Batch/Lot number was not reported) as 2nd dose, single for covid-19 immunisation. Medical history included hypertension, depression and known allergies: yes from an unknown date and unknown if ongoing. Concomitant medications included losartan; escitalopram oxalate (LEXAPRO); bupropion; hydrochlorothiazide all taken for an unspecified indication, start and stop date were not reported. The patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE) at the age of 59-years-old, via an unspecified routed of administration administered in left arm on 01Apr2021 12:15 (lot number was not reported) for covid-19 immunization. The patient reported 2 days after her second vaccine, she was with rash in the left side of her face, neck , ears, arms and chest. Her under left eye was swollen & redness. Increasing the itchiness now in her legs too. It's very uncomfortable. The events occurred on 24Apr2021 06:00. She have been using several products over the counter such as Zyrtec, Benadryl cream, Caladryl, Hydrocortisone, Aveeno body wash and Curel lotion. But still suffering of the itchiness in her skin. The patient did not recover from the events. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1332795	5/20/2021	CA	54	F	3/3/2021	3/6/2021	got colitis; high infections; severe stomach pains; This is a spontaneous report from a contactable consumer (patient). A 54-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), first dose at the age of 54-years-old via an unspecified route of administration, administered in arm left on 03Mar2021 11:00 (Batch/Lot number was not reported) as 1st dose, single for covid-19 immunisation. Medical history included dry eye and dry mouth from an unknown date and unknown if ongoing. The patient's concomitant medications were not reported. The patient reported that they got colitis, and continue to have high infections, and severe stomach pains on 06Mar2021 12:00 for almost 2 months now since the time of the vaccine. The patient was hospitalized due to the events for 6 days. The patient's hospitalization was prolonged as a result of the events. The patient underwent lab tests and procedures which included Covid 19 testing PCR (Nasal Swab): negative on 23Mar2021. Therapeutic measures were taken as a result of the events which included treatment with IV and antibiotics. The patient did not recover from the events. Information on lot number/batch number was requested.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1333292	5/20/2021	PA	65	F	3/10/2021	3/26/2021	<p>Sore throat, Fever, unspecified fever cause, Exposure to COVID-19 virus ED to Hosp-Admission Discharged 4/1/2021 - 5/14/2021 (43 days) Hospital MD Last attending o Treatment team COVID-19 Principal problem Discharge Summary MD (Physician) o o Internal Medicine HOSPITAL DISCHARGE SUMMARY HOSPITALIST GROUP .</p> <p>Patient: Date: 5/14/2021 DOB: Admission Date: 4/1/2021 MRN: Length of stay: 43 Days PCP:MD Discharging provider: MD Admission diagnosis: Primary Admission Diagnosis Medical Problems Hospital Problems Hospital Course HPI: Past medical history significant for type 1 diabetes mellitus, essential hypertension, obstructive sleep apnea, peripheral vascular disease status post femoropopliteal bypass 2016, status post multiple toe amputations on left foot, history of right foot osteomyelitis, left foot osteomyelitis in November 2020 who presented to ER on 4/1/2021 with shortness of breath. She was diagnosed with acute hypoxic respiratory insufficiency in the setting of Covid pneumonia with AKI, hyponatremia, troponin elevation, LFT elevation admitted to regular floor on high flow nasal cannula oxygen. Patient was intubated on 4/2/2021 for increased work of breathing and worsening hypoxemia and hypercapnia. Later patient was found to have persistent Candida fungemia. Hospital Course: Persistent Candida fungemia, now improving Blood cultures positive for Candida albicans from 4/12, 4/14 and 4/17/2021. Cardiology was consulted for TEE, done on 04/30 which was negative for vegetations. Ophthalmology was consulted and there was no evidence of fungal endophthalmitis. Blood cultures from 4/23/2021 so far no growth. PICC line has been placed. ID recommendations appreciated. -Currently patient on 6 weeks of IV micafungin, to be continued through 6/7/2021 as per ID recommendations. ID has therapy plan in system Moderate to severe pharyngeal dysphagia Post extubation SLP and modified barium swallow demonstrated aspiration with thin and thickened liquids. S/p PEG tube on 5/7/2021. CT head did not reveal any infarct. Repeat modified barium swallow done today , patient now advanced to level 3 soft diet with thin liquids. -Continue with tube feeds and alter tube feeds based on patient's diet advancement Type I Diabetes</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

mellitus: Labile blood sugars in the setting of changes done to tube feeding. Patient currently on tube feeding and diet has been advanced today. Regimen at the time of discharge Lantus twice daily: With sliding scale insulin and standing dose of short-acting insulin with tube feeds bolus. -Patient will need close monitoring of her blood sugars given changes being done to tube feed and diet advancement, will need titration of insulin based on blood sugars. Lower extremity edema, improved Likely dependent lower extremity edema. Echo April 2021 reviewed: Normal EF, no diastolic dysfunction. -Elevate legs while patient is seated -Ace wraps -Restarted home dose of hydrochlorothiazide Acute on chronic anemia Received 1 unit of blood transfusion during this hospitalization Monitor hemoglobin Vitamin B12 and folate level normal. Hb on last check was 8.0 COVID-19 pneumonia Acute hypoxic and hypercapnic respiratory failure -resolved Status post extubation 04/06/2021 Treated with Remdesivir, convalescent plasma, Decadron as well as Tocilizumab. Treated with IV vancomycin, Levaquin and cefepime in the setting of possible secondary bacterial pneumonia. CT chest ruled out PE but showed extensive infiltrates on admission. Patient is off Covid precautions Currently saturating well on room air and stable from respiratory standpoint. Elevated d dimer, POA : Patient had elevated D-dimer on presentation. Lower extremity ultrasound 4/3/2021 was negative for DVT. CT chest ruled out PE. She was initially placed on intermediate dose of anticoagulation. D-dimer eventually trended down. Currently patient is on subcu heparin for prophylaxis. AKI POA now resolved Creatinine stable. -Continue to monitor renal function, electrolytes and urine output. Hypernatremia : resolved Acute Urinary retention, now resolved. Foley catheter was placed on 4/24 after patient had multiple straight cath done. DC'd Foley catheter on 5/3/2021. Patient is currently voiding without any issues. Chronic medical issues : o Essential Hypertension: On amlodipine, Coreg and hydrochlorothiazide. o Peripheral vascular disease status post femoropopliteal bypass: Restarted home aspirin, statin. \_ Admission Current 5/14/2021 - present (6 days) Hospital MD Last attending o Treatment team COVID-19 with multiple comorbidities Principal problem Physical Medicine and Rehabilitation History and Physical Date: 5/14/2021

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

Admission Date: (Not on file) PCP: MD DOB: Hospitalist: MD Assessments Patient is a 65 y.o. female on hospital day number 0 Active Problems: No Active Hospital Problems: There are no active hospital problems currently on the Problem List. Please update the Hospital Problem List and refresh. IMPRESSION / PLAN: 1. Covid pneumonia/sepsis with hypoxic respiratory failure Received remdesivir, dexamethasone, convalescent plasma Received IL-6 inhibitor Intubation 4/1/2021—extubated, O2 weaned and now tolerating room air CTA chest 4/22/2021—extensive consolidation in both lungs C/W Covid pneumonia, no PE 2. Diabetes mellitus type 1 Lantus scheduled dose twice daily Humalog every 6 hours scheduled and sliding scale Insulin to be adjusted as PEG feedings decrease 3. Diabetic peripheral neuropathy arterial insufficiency Status post femoropopliteal bypass 2016— Status post right common femoral and mid popliteal bypass 9/28/2020 Dr. —no use of synthetic graft Status post remote history of multiple toe amputations left foot osteomyelitis Acute necrotic areas of feet being treated locally 4. Candida albicans fungemia On 6-week course of IV micafungin Weekly CBC, LFT, sed rate, CRP and BMP 5. Essential hypertension On amlodipine, carvedilol, HCTZ, 6. Dysphagia PEG tube placed 5/7/2021—Dr. Cleared for dysphagia level 3 soft diet thin liquids 5/14/2021 Aspiration precautions Speech and Language Pathology 7. Decreased ambulation and functional mobility and functional ability for activities of daily living Physical therapy, Occupational Therapy Plan Patient is admitted for comprehensive inpatient rehabilitation program consisting of physical therapy, Occupational Therapy, speech and language pathology, rehabilitative nursing, psychology, and case management support. Goals will be aligned with patient family goals and directed to improving functional mobility, functional interaction, and activities of daily living to allow the patient to return home safely and continue his rehabilitation as an outpatient or at a home health basis. Estimated length of stay is 16 days. Patient has a good prognosis History of Present Illness Patient is an 65 y.o. female with history of diabetes mellitus type 1

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

hypertension and sleep apnea who became febrile with shortness of breath over several days. Her PCP, Dr, ordered Covid test which was positive. She presented to Hospital on 4/1/2021 for further work-up. On admission she was found to be in hypoxic respiratory failure requiring high flow oxygen which progressed to requiring a nonrebreather and eventually intubation with ICU care. She received remdesivir, dexamethasone, and convalescent plasma. Patient also received IL-6 inhibitor Tocilizumab recommendation of pulmonary critical care. Procalcitonin level was 35.32. Because of concern of superimposed bacterial pneumonia she was also treated with broad-spectrum antibiotics. Patient had a prolonged complicated acute care hospital course. On 4/12/2021 ENT evaluation showed poor phonatory effort but mobile true vocal cord without lesions. Patient was found to have a fungemia from cultures of 4/12/2021 of C albicans with positive blood cultures with C. albicans on 4/17/2021. Patient was placed on IV micafungin for a total of 6-week course. TEE showed no evidence of acute valve pathology. Ophthalmology was consulted and there was no evidence of fungal endophthalmitis. Repeat blood cultures from 4/23/2021 showed no growth. Patient had PEG tube placed by Dr of GI on 5/7/2021. Repeat modified barium swallow on 5/14/2021 showed improvement of swallowing and the patient was upgraded to a dysphagia level 3 soft diet with double swallows and thin liquids via cup or straw with aspiration precautions. Patient was evaluated by therapies while at Hospital acute care. She requires supervision to rise from sit to stand using a rolling walker and contact-guard ambulate 45 feet using a rolling walker with wheelchair follow and verbal cues for walker management. She continues to have some knee buckling. She needs minimal assistance for bathing and min mod assistance for lower body dressing. She is able to perform toileting with contact-guard. Acute inpatient rehabilitation was recommended. Patient is being transferred to the Hospital for comprehensive inpatient rehabilitation program. Additional information for Item 19: Updated Procedure 04/01/21 1217 Respiratory virus detection panel Collected: 04/01/21 0917 | Final result | Specimen: Swab from Nasopharynx Adenovirus Not Detected Mycoplasma pneumoniae Not Detected Chlamydia pneumoniae Not Detected Parainfluenza

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

Not Detected COVID-19 SARS-CoV-2 Overall Result  
 DetectedCritical Enterovirus/Rhinovirus Not Detected  
 Coronavirus Not Detected Respiratory Syncytial Virus Not  
 Detected Influenza A Not Detected Bordetella pertussis  
 Not Detected Influenza B Not Detected Bordetella  
 parapertussis Not Detected Metapneumovirus Not  
 Detected 03/27/21 1807 COVID-19 (SARS CoV-  
 2,RNA Molecular Amplification) Collected: 03/27/21  
 0859 | Final result | Specimen: Swab COVID-19 SARS-  
 CoV-2 Overall Result DetectedCritical Labs/Imaging  
 LABORATORY: CBC: Results from last 7 days Lab  
 Units 05/13/21 0557 05/10/21 0614 05/09/21 0724 WBC  
 AUTO K/mcL 5.4 5.0 4.7 HEMOGLOBIN g/dL 8.0\* 8.0\*  
 8.5\* HEMATOCRIT % 24.7\* 25.3\* 26.4\* PLATELETS  
 K/mcL 201 197 196 NEUTROS PCT AUTO % 67 -- --  
 LYMPHS PCT AUTO % 21 -- -- MONOS PCT AUTO  
 % 8 -- -- EOS PCT AUTO % 4 -- -- CHEMISTRY:  
 Results from last 7 days Lab Units 05/14/21 0609  
 05/13/21 0557 05/10/21 0614 SODIUM mmol/L 137 134\*  
 136 POTASSIUM mmol/L 4.2 4.2 3.9 CHLORIDE mmol/L  
 103 101 104 CO2 mmol/L 28 25 26 BUN mg/dL 23 21 16  
 CREATININE mg/dL 0.86 0.78 0.82 CALCIUM mg/dL 9.0  
 8.8 8.6 Results from last 7 days Lab Units 05/14/21  
 0609 05/13/21 0557 05/10/21 0614 MAGNESIUM mg/dL  
 2.0 1.9 1.7 COAGULATION: OTHER TESTS: 0  
 Lab Value Date/Time TROPONINI 0.10 (H) 04/06/2021  
 0412 TROPONINI 0.17 (H) 04/03/2021 0436  
 TROPONINI 0.29 (H) 04/02/2021 1655 TROPONINI  
 0.28 (H) 04/02/2021 1323 TROPONINI 0.29 (H)  
 04/02/2021 1107 TROPONINI 0.28 (H) 04/02/2021  
 0546 TROPONINI 0.38 (H) 04/01/2021 1248  
 TROPONINI 0.15 (H) 04/01/2021 0857 TROPONINI  
 0.01 11/27/2012 0522 TROPONINI 0.08 (H) 11/26/2012  
 1104 TROPONINI 0.04 11/26/2012 0626 TROPONINI  
 0.04 11/25/2012 2304 IMAGING: Gastrostomy tube,  
 place Result Date: 5/7/2021 Gastrostomy tube, place  
 Procedure Note Surgical Pre-Operative Patient  
 Identification Yes, after the patient was placed on the  
 operating room/procedure table, I confirmed the patient's  
 identity. Impression Overall Impression: Normal EGD up  
 to second part of duodenum. 20 French PEG placed  
 without any immediate complications. Recommendation  
 There is no recommended follow-up for this procedure.  
 Okay to use back for medications and water flushes.  
 Start feeding via PEG tomorrow after GI evaluation.



VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

Indication Pre-procedure diagnosis: Pharyngeal dysphagia Post-procedure diagnosis: See impression Preprocedure A history and physical has been performed, and patient medication allergies have been reviewed. The patient's tolerance of previous anesthesia has been reviewed. The risks and benefits of the procedure and the sedation options and risks were discussed with the patient. All questions were answered and informed consent obtained. Details of the Procedure The patient underwent monitored anesthesia care, which was administered by an anesthesia professional. The patient's blood pressure, heart rate, level of consciousness, oxygen, respirations, ETCO2 and ECG were monitored throughout the procedure. The scope was introduced through the mouth and advanced to the second part of the duodenum. Retroflexion was performed in the cardia, fundus and incisura. The patient experienced no blood loss. The procedure was not difficult. The patient tolerated the procedure well. There were no apparent complications. See anesthesia record for more information regarding anesthesia administered. Specimens \* No specimens in log \* Implants No implants documented in log. I attest the accuracy of any implant/graft nursing documentation. Findings The cricopharynx, upper third of the esophagus, middle third of the esophagus, lower third of the esophagus, GE junction, Z-line, cardia, fundus of the stomach, body of the stomach, greater curve of the stomach, lesser curve of the stomach, incisura, antrum, prepyloric region, pylorus, duodenal bulb, 1st part of the duodenum and 2nd part of the duodenum appeared normal. PEG-G tube successfully placed in the body of the stomach using a deformable internal bolster via the pull technique after the site was identified via transillumination, visualized indentation and needle passed through abdominal wall; distance from external bolster to external end of tube: 3 cm; scope reinserted to confirm placement Staff/Assistant(s) Staff Role RN Other CRNA Other Other MD Other Disposition: PACU - hemodynamically stable. Condition: stable Attending Attestation: I performed the entire procedure. CT abdomen pelvis without contrast Result Date: 4/15/2021 PROCEDURE INFORMATION: Exam: CT Abdomen And Pelvis Without Contrast Exam date and time: 4/15/2021 12:00 AM Age: 65 years old Clinical indication: Other: Na; Additional

VAERS\_ID RECVD STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

info: Distention, fungemia workup. TECHNIQUE: Imaging protocol: Computed tomography of the abdomen and pelvis without contrast. Radiation optimization: All CT scans at this facility use at least one of these dose optimization techniques: automated exposure control; mA and/or kV adjustment per patient size (includes targeted exams where dose is matched to clinical indication); or iterative reconstruction. COMPARISON: No relevant prior studies available. FINDINGS: Tubes, catheters and devices: Small bowel feeding tube noted. Lungs: Bibasilar patchy nodular airspace disease with ground-glass opacity. Liver: Normal. No mass. Gallbladder and bile ducts: Multiple gallstones. Pancreas: Normal. No ductal dilation. Spleen: Normal. No splenomegaly. Adrenal glands: Normal. No mass. Kidneys and ureters: Bilateral renal vascular calcifications. Stomach and bowel: Visualized bowels demonstrated a generalized constipation. Appendix: Not well seen. Intraperitoneal space: Unremarkable. No free air. No significant fluid collection. Vasculature: Moderate atherosclerotic changes. Lymph nodes: Unremarkable. No enlarged lymph nodes. Urinary bladder: Unremarkable as visualized. Reproductive: Unremarkable as visualized. Bones/joints: Degenerative changes within the lumbar spine. Soft tissues: Unremarkable. IMPRESSION: Bibasilar nodular airspace disease with ground-glass opacity. No other acute inflammatory process or obstructive uropathy within the abdomen and pelvis. THIS DOCUMENT HAS BEEN ELECTRONICALLY SIGNED BY MD X-ray abdomen 1 view Result Date: 5/4/2021 XR ABDOMEN 1 VW PORT IMPRESSION: Weighted enteric tube with the tip in the gastric antrum. Residual oral contrast throughout a nondilated colon. END OF IMPRESSION: INDICATION: ng tube placement ng tube placement. TECHNIQUE: AP supine portable projection of the abdomen was acquired. COMPARISON: AP abdomen on 4/15/2021. FINDINGS: The gas pattern is unremarkable. There is residual oral contrast equally distributed throughout a nondilated colon. There is a new weighted enteric tube with the tip in the gastric antrum. Small right lung base pleural effusion is present. No abnormal mass effect is noted. No significant radiopaque calculus is identified. There are no significant bony findings. This report was created using Voice Recognition software. Thank you for allowing us to

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

participate in the care of your patient. X-ray abdomen 1 view Result Date: 4/15/2021 XR ABDOMEN 1 VW  
 PORT IMPRESSION: Orogastric tube is in the stomach. Nonspecific bowel gas pattern. END OF IMPRESSION:  
 INDICATION: Feeding tube placement. TECHNIQUE: Single view of the abdomen. COMPARISON: Prior examination of April 15, 2020. FINDINGS: Orogastric tube is in the stomach. Nonspecific bowel gas pattern is noted. Osseous skeleton is grossly intact. This report was created using Voice Recognition software. Thank you for allowing us to participate in the care of your patient. CT head without contrast Result Date: 4/21/2021 CT HEAD WO CONTRAST IMPRESSION: No acute intracranial pathology. Mucoperiosteal thickening in the ethmoid sinuses as well as some opacification of the bilateral mastoid air cells consistent with chronic sinus disease and mastoiditis. END OF IMPRESSION: INDICATION: DYSPHAGIA DYSPHAGIA. TECHNIQUE: Spiral CT scan through the head from the skull base through the vertex was performed with 5 mm axial reconstructions. Images obtained without contrast. CONTRAST: No contrast was administered. COMPARISON: April 13, 2021 FINDINGS: No acute hemorrhage, mass, or mass effect. No abnormal extra-axial fluid collections are identified. There is preservation the gray-white differentiation. No evidence to suggest large vascular distribution infarct. The ventricles, cisterns, and other CSF containing spaces demonstrate normal size, shape, and configuration. The basal cisterns are patent and symmetric. Stable focal area of gliosis in the right frontal white matter. The calvarium is intact. The visualized portions the aerated paranasal sinuses mastoid air cells demonstrate bilateral ethmoid sinus mucoperiosteal thickening. Additionally there is scattered opacification of some mastoid air cells bilaterally. This report was created using Voice Recognition software. Thank you for allowing us to participate in the care of your patient. Fluoroscopy video swallow with speech therapy Result Date: 4/19/2021 FL VIDEO SWALLOW WITH SPEECH THERAPY MBSS IMPRESSION: Aspiration of thin and nectar thick liquid. Please refer to speech therapy report. END OF IMPRESSION: INDICATION: Dysphagia. Concern for aspiration. Covid 19. SUPERVISION: Procedure was performed by RRA under direct supervision by MD TECHNIQUE:

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

Fluoroscopy assistance was provided to the speech pathology department. Multiple consistencies of barium and food products were administered to the patient. Fluoroscopy of the oral and pharyngeal region was performed. FLUOROSCOPY TIME: 1.1 minutes  
COMPARISON: Modified barium swallow of 4/12/2021.  
FINDINGS: Aspiration of thin and nectar thick fluid. Hypopharyngeal residue with all trials provided. Significant dry secretions in the oral cavity and pharynx. Please see speech pathologist's report for further details and recommendations. This report was created using Voice Recognition software. Thank you for allowing us to participate in the care of your patient. Fluoro NG long tube placement Result Date: 4/30/2021 FL NG LONG TUBE PLACEMENT IMPRESSION: Successful fluoroscopically guided Dobbhoff placement. END OF IMPRESSION: INDICATION: Dobbhoff placement. SUPERVISION: Procedure was performed by staff member under personal supervision by Dr..  
TECHNIQUE: Fluoroscopic guidance for nasogastric tube placement. FLUOROSCOPY TIME: 2.2 minutes  
COMPARISON: None available. FINDINGS: Using fluoroscopic guidance, a nasogastric tube was placed from the left nares into the stomach. Upon placement of the nasogastric tube, 10 cc of Omnipaque contrast material was injected to confirm placement. Opacification within the stomach was visualized confirming appropriate NG tube placement. There were no intraprocedural complications and the procedure was well tolerated by the patient. The patient was discharged from the imaging department in satisfactory condition. This report was created using Voice Recognition software. Thank you for allowing us to participate in the care of your patient. X-ray chest 1 view Result Date: 4/26/2021 XR CHEST 1 VW PORT IMPRESSION: NG tube in the fundus of stomach left upper abdomen. END OF IMPRESSION: INDICATION: SOB evaluate NGT placement following advancement.. TECHNIQUE: AP projection of the chest is acquired. COMPARISON: 4/26/2021 FINDINGS: NG tube in the fundus of stomach left upper abdomen. Stable diffuse patchy infiltrates both lungs in the upper, mid to lower zones and left effusion. No pneumothorax. The heart size is normal. Rib cage is unremarkable. This report was created using Voice Recognition software. Thank you for allowing us to participate in the care of

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

your patient. X-ray chest 1 view - portable Result Date: 4/26/2021 XR CHEST 1 VW PORT IMPRESSION: 1. Interval increase in diffuse airspace opacity and effusions from prior. 2. NG tube tip in the region of the GE junction. Consider further advancement. END OF IMPRESSION: INDICATION: Hypoxia, acute shortness of breath. TECHNIQUE: Portable AP view of the chest is acquired. COMPARISON: 4/22/2021. FINDINGS: Diffuse airspace opacity and effusions appear mildly increased from prior. The NG tube tip is in the region of GE junction. Recommend further advancement. No pneumothorax is identified. This report was created using Voice Recognition software. Thank you for allowing us to participate in the care of your patient. X-ray chest 1 view Result Date: 4/22/2021 XR CHEST 1 VW PORT IMPRESSION: Persistent diffuse patchy infiltrates bilaterally, consistent with Covid infection. END OF IMPRESSION: INDICATION: hypoxia. Covid 19. TECHNIQUE: AP upright projection of the chest is acquired. COMPARISON: Radiographs of 4/18/2021. FINDINGS: The cardiomeastinal silhouette is unchanged. Persistent diffuse patchy infiltrates bilaterally, consistent with Covid infection. No evidence of pleural effusion or pneumothorax. No significant change compared to prior radiographs. This report was created using Voice Recognition software. Thank you for allowing us to participate in the care of your patient. X-ray chest 1 view, Portable Result Date: 4/18/2021 XR CHEST 1 VW PORT IMPRESSION: Enteric tube extends into the stomach. Tip collimated from view. Multifocal airspace disease, increased slightly since 4/13/2021. END OF IMPRESSION: INDICATION: Verify placement of NG tube. TECHNIQUE: AP upright portable projection of the chest is acquired. COMPARISON: 4/13/2021 FINDINGS: An enteric tube extends into the stomach; the tip is collimated from view. The lungs are symmetrically aerated. Multifocal airspace opacities are slightly increased since 4/13/2021. No pneumothorax or pleural effusion. Cardiomeastinal silhouette is stable. This report was created using Voice Recognition software. Thank you for allowing us to participate in the care of your patient. Transthoracic echo (TTE) limited Result Date: 4/21/2021 FINALIZED REPORT TWO-DIMENSIONAL ECHOCARDIOGRAPHIC FINDINGS LEFT VENTRICLE: Normal size and function RIGHT

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

VENTRICLE: Normal size and function AORTIC VALVE: Trileaflet sclerotic MITRAL VALVE: Mitral annular calcification TRICUSPID VALVE: Normal PULMONIC VALVE: Not well seen LEFT ATRIUM: Normal size RIGHT ATRIUM: Normal size INTERATRIAL SEPTUM: Intact AORTIC ROOT: Normal size PERICARDIUM: No effusion IVC: Normal size and normal collapse AORTIC ARCH: Not well seen COLOR AND SPECTRAL DOPPLER: PA systolic pressure in the range of 30 mmHg FINAL IMPRESSIONS: This is a technically limited study with poor acoustic windows and poor endocardial border definition. Normal LV size with normal wall thickness. No clear-cut regional wall motion abnormalities. EF 55 to 60% Normal RV size and function Aortic sclerosis Mitral annular calcification No vegetations or a source of fungemia noted Transesophageal echo (TEE) Result Date: 4/30/2021 FINALIZED REPORT TWO-DIMENSIONAL ECHOCARDIOGRAPHIC FINDINGS: INTUBATION: Anesthesia airway management provided by the anesthesiologist. I intubated esophagus myself without difficulty LEFT VENTRICLE: LV cavity size mild LVH normal function EF 55-60 RIGHT VENTRICLE: Normal RV size function AORTIC VALVE: Leaflet no vegetation MITRAL VALVE: Appears normal no vegetation TRICUSPID VALVE: Appears normal no vegetation PULMONIC VALVE: Appears normal no vegetation LEFT ATRIUM: Appears normal RIGHT ATRIUM: Appears normal INTERATRIAL SEPTUM: Intact SVC: Appears normal IVC: Appears normal PERICARDIU no effusion LEFT ATRIAL APPENDAGE: Appears normal PULMONARY VEINS: Not well seen AORTIC ROOT: Appears normal ASCENDING THORACIC AORTA: Appears normal AORTIC ARCH: Appears normal DESCENDING AORTA: Appears normal COLOR AND SPECTRAL DOPPLER: No stenotic regurgitant lesions noted FINAL IMPRESSIONS: No vegetations noted Normal LV cavity size wall thickness function EF 55-60 Normal RV size function No valve abnormalities Ultrasound upper extremity venous right Result Date: 4/24/2021 US UPPER EXTREMITY VENOUS RIGHT IMPRESSION: No DVT identified. Superficial thrombosis identified in the cephalic vein. END OF IMPRESSION: INDICATION: Concern for DVT. TECHNIQUE: Real-time two-dimensional ultrasound of the right upper extremity

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

was performed with grayscale, color and duplex Doppler imaging. Compression and augmentation were performed where possible. Permanently recorded images were obtained and stored. FINDINGS: The internal jugular vein, subclavian vein, axillary vein, brachial veins, basilic vein are normal. They demonstrate normal flow and compressibility. There is a thrombus identified in the right cephalic vein at the mid arm through distal forearm. This report was created using Voice Recognition software. Thank you for allowing us to participate in the care of your patient. CT angiogram chest pulmonary embolism with and without contrast Result Date: 4/22/2021 CTA CHEST PULMONARY EMBOLISM W WO CONTRAST IMPRESSION: No evidence of pulmonary embolus or right heart strain. Extensive parenchymal consolidation in both lungs, left greater than right consistent with severe pneumonia such as Covid 19 pneumonia. Moderate left-sided small to moderate right sided pleural effusions are seen with associated compressive atelectasis. Enlarged main pulmonary artery which can be seen in the setting of chronic pulmonary hypertension. Interval development of large mediastinal adenopathy particularly in the right paratracheal region and subcarinal region. These may be reactive in nature in the setting of as diffuse pneumonia. Enterogastric tube with the tip extending to just within the stomach. END OF IMPRESSION: INDICATION: pneumonia. Assess for pulmonary artery embolism. TECHNIQUE: Enhanced helical CT scan of the chest was performed from the lung apices to below the diaphragm. 2mm axial reconstruction with MPR coronal, oblique and sagittal images were created. 3D shaded surface images also created on a separate workstation and permanently stored. CONTRAST: 100mL of IOHEXOL 350 MG IODINE/ML INTRAVENOUS SOLUTION administered INTRAVENOUS. Quality of contrast opacification was adequate. COMPARISON: July 22, 2013 FINDINGS: Lung windows demonstrate extensive consolidation involving the lungs, left greater than right. There is a moderate left-sided effusion and a small to moderate right sided effusion with associated compressive atelectasis. The trachea and bronchi are grossly unremarkable. No endobronchial lesions are seen. Soft tissue windows demonstrate a grossly unremarkable thoracic inlet. The thyroid is unremarkable. Moderate

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

bilateral axillary lymph nodes are seen with extensive bulky adenopathy in the mediastinum to include the right paratracheal region as well as the subcarinal region and to a lesser extent the hila. The largest lymph nodes are seen in the paratracheal chain demonstrating short axis of approximately 15 mm. Smaller lymph nodes are seen in the aortopulmonary window. These may be reactive in nature. The heart demonstrates a normal configuration. No right heart enlargement is seen. No pericardial effusion is seen. The thoracic aorta and great vessels demonstrate normal branching pattern. Normal course and caliber is seen. The pulmonary arteries demonstrate normal course. There is moderate dilation of the main pulmonary artery up to 3.2 cm. This can be seen in the setting of chronic pulmonary arterial hypertension. No filling defects are seen. Enterogastric tube is seen with the distal tip extending to just within the proximal stomach. The visualized portions of the upper abdomen are grossly unremarkable. The surrounding osseous structures demonstrate mild degenerative changes of the thoracic spine. This report was created using Voice Recognition software. Thank you for allowing us to participate in the care of your patient.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1334813	5/20/2021	NY	78	F	3/26/2021	4/1/2021	Felt lightheaded; Neurologic event; left cheek, arm and leg on the left side felt numb; can't stand on the left leg; falling; fell in the bathroom and cut eye and got black and blue, knocked head; pain; fever of 99 and something, which is high for her, usually her temperature is around 97; aches; sleeping a lot; weak, could not get up, right hand is weak, progressive weakness; This spontaneous case was reported by a patient family member or friend (subsequently medically confirmed) and describes the occurrence of ASTHENIA (weak, could not get up, right hand is weak, progressive weakness), HYPOAESTHESIA (left cheek, arm and leg on the left side felt numb), DYSSTASIA (can't stand on the left leg), FALL (falling) and INJURY (fell in the bathroom and cut eye and got black and blue, knocked head) in a 79-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 020621A and 003AZIA) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Diabetes, Hypertension and COPD. Concomitant products included GLIPIZIDE and METFORMIN for Diabetes, SERTRALINE for an unknown indication. On 26-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 23-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. In April 2021, the patient experienced ASTHENIA (weak, could not get up, right hand is weak, progressive weakness) (seriousness criteria medically significant and intervention required), HYPERSOMNIA (sleeping a lot), PAIN (pain), PYREXIA (fever of 99 and something, which is high for her, usually her temperature is around 97) and MYALGIA (aches). On 29-Apr-2021, the patient experienced HYPOAESTHESIA (left cheek, arm and leg on the left side felt numb) (seriousness criteria medically significant and intervention required), DYSSTASIA (can't stand on the left leg) (seriousness criteria medically significant and intervention required), FALL (falling) (seriousness criteria medically significant and intervention required) and INJURY (fell in the bathroom and cut eye and got black and blue, knocked head) (seriousness criteria medically significant and intervention required). On 30-Apr-2021, the patient experienced NERVOUS SYSTEM

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>DISORDER (Neurologic event) and DIZZINESS (Felt lightheaded). The patient was treated with Rehabilitation therapy for Asthenia; Rehabilitation therapy for Hypoaesthesia; Rehabilitation therapy for Dysstasia; Rehabilitation therapy for Fall; Rehabilitation therapy for Injury; Rehabilitation therapy for Nervous system disorder and Rehabilitation therapy for Hypersomnia. At the time of the report, ASTHENIA (weak, could not get up, right hand is weak, progressive weakness) and NERVOUS SYSTEM DISORDER (Neurologic event) had not resolved and HYPOAESTHESIA (left cheek, arm and leg on the left side felt numb), DYSSTASIA (can't stand on the left leg), FALL (falling), INJURY (fell in the bathroom and cut eye and got black and blue, knocked head), HYPERSOMNIA (sleeping a lot), DIZZINESS (Felt lightheaded), PAIN (pain), PYREXIA (fever of 99 and something, which is high for her, usually her temperature is around 97) and MYALGIA (aches) outcome was unknown. Events began after second dose of vaccine. Treatment included ibuprofen. Patient was taken to an emergency room on 30-Apr-2021. CT scan (computed tomography) and blood tests performed. Patient was not admitted to the hospital, but was transferred to a rehabilitation center. Most recent FOLLOW-UP information incorporated above includes: On 06-May-2021: No specific follow-up information recorded.; Sender's Comments: Based on current available information and the temporal association between product use and the start date of the events a causal relationship cannot be excluded.</p>
1334512	5/20/2021	CO	13	F	5/19/2021	5/19/2021	<p>Body aches, loopiness, visual hallucination. The hallucination occurred around 10 hrs after the vaccination was administered while patient sat in a dark room. Patient (age 13) has a history of audio hallucinations, but no visual ones</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1334536	5/20/2021	TX	47	F	3/11/2021	3/22/2021	Sickness like the flu at first. Later in March, severe headaches, visual auras, sense of smell change. Continued on while April begin neck pain and severe nerve pain in right arm. Later in April, vision problems in right eye began. May, right arm completely numb, right eye vision problems, balance problems, right leg issues, memory problems, word retention problems. MRIs and x-rays by neurosurgeon in May showed collapsed disc in C5/C6 for no reason (no accident, no trauma) impinging the flow of spinal fluid. Continuing visit to neurologist and another MRI for suspected TIA. Treatment - multiple medications for nerve pain; surgery scheduled to replace collapsed disc and possible other disc (C4/C5) in June; 2nd MRI scheduled to review brain tissue last week of May.
1334594	5/20/2021	IL	15	M	5/19/2021	5/19/2021	After receiving vaccine, we were told to sit and wait 10 minutes before leaving. About 7 minutes into waiting, my son said he was thirsty and not feeling that good. we started to walk to get a water and he totally blacked out and exhibited mild like seizure activity. After he "came too", he complained of blurry vision and still didn't feel good as we waited for ambulance. Once ambulance came he was feeling a little better. Vitals all checked out good and were declined going to hospital. He doesn't remember anything that happened in Pharmacy, except that he thought he was going to die.
1334635	5/20/2021	FL	55	F	4/8/2021	4/8/2021	15 mins after getting the 2nd shot, I had a burning in my throat & lips. Also my ears clotted, vision got blurry& my face got numb. A pain on my left arm & my whole right side of face swollen. After being hospitalized the Dr. said I got Bell's palsy

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1334688	5/20/2021	WA	16	M	5/20/2021	5/20/2021	Immediately after injection Patient began to faint and clench his arms. His head tilted back and eyes were glazed over. Lips became pale and face was pale. He was clammy to the touch on the back of his neck. His blood sugar at the time of injection was 113. He had not eaten breakfast yet. This lasted about a minute or so. He was finally able to say that he felt ok, but asked what happened. This happened a second time about 4minutes after the first time. But didn't seem to last as long. I gave him some juice and saw that his blood sugar was dropping to 85. Then a few minutes later his blood sugar was at 62. He continued to drink the juice and had 3 4carb glucose tablets. He started to feel better about 15 minutes later. He states that he felt numbness in his hands and feet initially. All feelings returned and color to his face and lips. His blood sugar began to rise again and he was feeling better. No hives or rash was noted on his body and the injection site was normal.
1334721	5/20/2021	CA	39	M	4/8/2021	4/8/2021	Immediately while receiving my shot my mouth went dry, I have had continuing dry mouth since then, It made my blood sugar go up and I'm now a diabetic. Soreness for almost 2 week in my arm, blurred vision. I was extremely exhausted, and had a headache. I ended up going to the ER
1334732	5/20/2021	WA	67	F	3/19/2021	3/24/2021	Shortly after the second vaccination I started developing frequent occular migraines. I had them occasionally before, but they became very frequent. I also had very bad pain in my wrists, which is one of my indications of inflammation. I had none of the regular advertse symptoms, like chills, fever, etc, so didn't associate with the vaccine. Less than one month after the second shot I experienced intense occular migraine (no pain), dizziness and nausea. Went to ER the next morning, and I had had a stroke. The neurologist says can't tell if due to migraine, but there is a rare type of stroke caused by occulat migraine.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1334756	5/20/2021	NY	56	F	3/25/2021		POSSIBLE CVA; HIGH BLOOD PRESSURE; HEADACHE; POTENTIAL BLOOD CLOT; STOMACH PAIN; LEG PAIN; This spontaneous report received from a patient concerned a 56 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included polycythemia, and Meniere's disease, and other pre-existing medical conditions included no known allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 1805022, expiry: 25-MAY-2021) dose was not reported, 1 total administered on 10-MAR-2021 to right arm for prophylactic vaccination. No concomitant medications were reported. On 10-MAR-2021, the patient had no side effects right after the vaccination. On 25-MAR-2021, the patient felt a really bad leg pain in left leg behind the knee which had lasted for five days until 31-MAR-2021 or 01-APR-2021. On 31-MAR-2021, the patient had very bad stomach pain and felt if somebody was stabbing her until 11-APR-2021. On 23-APR-2021, the patient had pain in head, it woke the patient up in her sleep; the patient had no control over the right side of body and was not able to see, walk or talk. The patient did not know how long it lasted. On 24-APR-2021, the patient was lying in bed and felt that somebody taken the bottom of the bed and flipped her out; she also had blurred vision. On 26-APR-2021, patient went to the hospital. The patient underwent a CT (computed tomography) scan and found no bleeding in brain but a possible CVA (cerebrovascular accident-stroke). The patient was asked to admit in the hospital but the patient wanted to go back home. The patient's blood pressure was really high although she had a perfect blood pressure and never took medication before. The patient was scared to take the pill and left the hospital. On an unspecified date, after coming back home, the patient suddenly lost control over left side of the body while taking bath and had blurred vision. The patient was taken to the hospital and found no bleeding in her brain. On an unspecified date in MAY-2021, a week prior to this report, the patient undergone phlebotomy and had to draw 500 ml of blood because patient had polycythemia and her blood was super thick. The patient also had a CT (computed tomography) scan and the results were unknown. On 13-May-2021, the patient had MRI (magnetic resonance imaging) and all

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

were normal. On 14-MAY-2021, patient would be taking CT (computed tomography) angiography for finding out blood clot in brain. The patient was concerned about all events and was scared to find out if there would be blood clots in her brain. The PCP (primary care physician) of two hospitals she visited told her that she should not have taken the vaccine shot because of her polycythemia. On 14-MAY-2021, the patient's blood pressure was 175/112 (unit unspecified) and in the morning it was 156/117(unit unspecified). The patient was started with unspecified blood pressure medication and also acetylsalicylic acid (Aspirin) to thin her blood. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from stomach pain on 11-APR-2021, and leg pain on 31-MAR-2021, had not recovered from high blood pressure, and the outcome of headache, possible cva and potential blood clot was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0:20210530382-COVID-19 VACCINE AD26.COV2.S- Cerebrovascular accident, Thrombosis, Hypertension. This event(s) is considered not related. The event(s) has an unknown/unclear temporal relationship, is unlabeled, and has unknown scientific plausibility. There are other factors more likely to be associated with the event(s) than the drug. Specifically: MEDICAL HISTORY

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1334803	5/20/2021	NJ	26	F	5/19/2021		BOTH EYES ARE SWOLLEN/PUFFY/LEFT EYE MORE SWOLLEN; FACE WAS SWOLLEN (SWOLLEN CHEEKS); DARK RED COLOR AROUND EYES; CHEST TIGHTNESS; This spontaneous report received from a patient concerned a 26 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included ulcerative colitis, non-alcohol user, and non-smoker, and other pre-existing medical conditions included the patient had no known drug allergies. The patient received covid-19 vaccine (suspension for injection, route of admin not reported, batch number: 205A21A expiry: 23-JUN-2021) dose was not reported, administered on 18-MAY-2021 12:45 for prophylactic vaccination. No concomitant medications were reported. On 19-MAY-2021, the subject experienced both eyes are swollen/puffy/left eye more swollen. On 19-MAY-2021, the subject experienced face was swollen (swollen cheeks). On 19-MAY-2021, the subject experienced dark red color around eyes. On 19-MAY-2021, the subject experienced chest tightness. Treatment medications included: diphenhydramine hydrochloride. The action taken with covid-19 vaccine was not applicable. The patient was recovering from chest tightness, and had not recovered from both eyes are swollen/puffy/left eye more swollen, face was swollen (swollen cheeks), and dark red color around eyes. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1334483	5/20/2021	WA	37	F	4/11/2021	4/11/2021	Nausea - immediately after the vaccine was given - 1st nausea just lasted a few hours. And then no other symptoms. About 2 weeks exactly after the vaccine I got very very sick and went to the in , ER - I didn't have a fever but everything hurt on my body and I was nauseous and Had blurred vision. My hearing was off - ringing in my ears. I was pretty sick after that for about two weeks. I did a follow up with Dr. and he said it sounded typical this J & J vaccine. He said there was nothing he could do. During those two weeks, I kept taking lots of fluids and ibuprofen as needed. Headaches, body aches c hills, night sweats, blurred vision and I couldn't sleep - had insomnia. The night sweats were very weird - I never had that before and I could literally ring my clothes out they were so wet every night. I felt like I had a fever but I didn't the entire time. I felt like I was burning up but I had chills but there was no fever the whole time. Lately now, I have been feeling a little bit sick for about a week. It's a little strange because I have a cough and phlegm and very congested in my head.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1334809	5/20/2021	TX	67	F	1/1/2021	5/4/2021	<p>Burst blood vessel hemorrhage and is small; eyelids were a little bit swollen; Right eye is red; This spontaneous case was reported by a consumer and describes the occurrence of EYE HAEMORRHAGE (Burst blood vessel hemorrhage and is small) in a 67-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. In January 2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. In February 2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1. On 04-May-2021, the patient experienced EYE HAEMORRHAGE (Burst blood vessel hemorrhage and is small) (seriousness criterion medically significant), SWELLING OF EYELID (eyelids were a little bit swollen) and OCULAR HYPERAEMIA (Right eye is red). At the time of the report, EYE HAEMORRHAGE (Burst blood vessel hemorrhage and is small), SWELLING OF EYELID (eyelids were a little bit swollen) and OCULAR HYPERAEMIA (Right eye is red) outcome was unknown. Not Provided Concomitant product use was not provided by the reporter. Treatment information was not provided. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. This case was linked to MOD-2021-109540, MOD-2021-109560 (E2B Linked Report).; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. MOD-2021-109540: MOD-2021-109560:</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1335965	5/20/2021	MI	64	F	1/17/2021	2/1/2021	felt achy; does not have the energy; sore inside my mouth; sound can hurt my ears; base of my left thumb hurts underneath the thumb where the thumb attaches to the hand; left hand cramp and tightness; Couldn't talk; could barely open her eyes / not be able to open her eyes; fell to the floor; food can taste extra, extra intense; ALT 71 (normal 7-52); sodium 131 (normal 136-144); MCH 34.20 (normal 26-34); MCV 100.30 (normal 80-98); i have a hard time seeing my computer screen; Headache; back pain; neck pain; shoulder pain; short term memory loss/memory problems; skin hurts; flustered; my body temperature, I can be freezing one minute and so hot; brain fog; can't find the words; I feel like I have ADD but on steroids; worked really hard to keep focus; not feeling well; itchy scalp that would be due to the Shingles; Muscle cramps; Muscle tightness; hard to walk; intense anxiety; big emotions, big anger, really really intense; big emotions, big anger, really really intense; exhausted/ fatigue; shingles; like the flu; staring into space; myoclonic jerks; hard time sleeping; stomach gas and bloating; stomach gas and bloating; This is a spontaneous report from a contactable consumer, the patient. A 64-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot: EJ1686), via an unspecified route of administration in the left arm on 17Jan2021 (at the age of 64-years-old) as a single dose for COVID-19 immunization. Medical history included ongoing preglaucoma diagnosed 3-4 years ago, ongoing anxiety and depression her whole life, bronchitis at age 5, sinus infections, ongoing sinus allergy "stuff" and allergies (now the patient managed the allergies and did not get sinus infections), "vaginitis" over 10 years ago and just essentially being dry, menopause a long time ago, both big toes have some fungus for probably 3 years (toenails look ugly, discolored and thick), ongoing arthritis and bone spurs to C5 and C6 to the area of the neck for which the patient did physical therapy (PT) for about 2 years, low on b-12 when she had shingles last time in 2016, "because I dont want to get Covid" (prophylaxis therapy), nearsighted and wore bifocals. Concomitant medications included bupropion for anxiety and depression for 5 years or longer, loratadine for allergies, COLECALCIFEROL (VITAMIN D3) for depression for 10 (maybe 20) years or more, vitamin b complex (SUPER B

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

COMPLEX) from 2016 and ongoing for "low on B-12", cyanocobalamin (VITAMIN B-12) from 2016 for low B12, latanoprost for preglaucoma, clonazepam from 2012 and ongoing for anxiety, ESTROGENS CONJUGATED (PREMARIN) vaginal cream for "vaginitis" and just essentially being dry, ascorbic acid (VITAMIN C) for "because I dont want to get Covid" and an unspecified complete multivitamin for women 50 and older from 2020 "so I wouldn't get Covid". The patient previously got the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot: EK5730) in the left arm on 30Dec2020 (at the age of 64-years-old) for COVID-19 immunization. Around the middle of Feb2021, the patient had a hard time sleeping. She still napped during the day most days. Also around middle of Feb2021, the patient noticed muscle jerks, which came and went. It had gotten worse. The doctor said these were myoclonic jerks. The worst was on 28Mar2021. In the middle of the night, the patient called her on call doctor and asked if it might be a seizure. The physician said it was not a seizure. The weekend of 06Mar2021, the patient started to not feel well. She did not sleep well that Friday or Saturday night. She could not access her memory (short term memory loss) as of 07Mar2021, was flustered and it was clear that something was off as the day progressed. On 07Mar2021, the patient felt her skin hurt, like when you had a fever and the skin hurts. This came and went. Around 07Mar2021, the patient felt intense anxiety which branched out into other intense emotional reactions (big emotions, big anger). On an unspecified date, the patient had a sore inside the mouth. Around 07Mar2021, the patient felt freezing one minute and so hot the next. On 07Mar2021 at 03:00, the patient experienced a bad headache. It was like her neck and her back and her shoulders had intense pain, cramping pain and she had to soak in Epsom salt. The severe headache happened twice, lasted about 2-3 days, moved from the right side of the head, or top of the head. She stayed home from work on 08Mar2021 and 09Mar2021. The patient was exhausted and felt achy, like the flu. She had an appointment with the doctor on 15Mar2021. She was not feeling well at this point. The patient developed shingles (one spot on the right-hand side on back of head) sometime after 15Mar2021 and was diagnosed on 22Mar2021. The patient had an itchy scalp due to the

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

shingles and claimed shingles caused memory issues and brain fog, since 07Mar2021, (it seemed like she got "COVID brain"). The patient was prescribed Valacyclovir 1 mg oral tablet every 8 hours, 30 tablets, for the shingles on 22Mar2021. The open spot on the scalp crusted over by 01Apr2021 when the patient saw the physician again. The patient stated that shingles has lasting effects: brain fog, can't find the words, short-term memory problems have been coming and going since 07Mar2021, felt liked she has attention deficit disorder (ADD) on steroids, worked really hard to keep focus. This has worsened, maybe manifested more so in the last 3-4 weeks or so. Sometimes when she got anxious, her prefrontal cortex did not function well. After being diagnosed with shingles, the patient began to take propranolol 40 mg in Mar2021 as needed (patient takes 1/8 or part of 1/8 of a tablet, just biting off a tiny piece). Initially when she had shingles, she had "some finger in the light socket, fight or flight internally"; the propranolol helped with this. She took it very regularly in Mar2021 and had taken once a week at most the last 2-3 weeks. The patient also took "Brain Goo" as of 22Mar2021 which caused the stinkiest gas in the universe, and the patient was bloated, (reported as from Feb2021) depending on what she ate, and because of that, the following week, the patient took an anti-gas pill, simethicone. She had muscle cramps (in the left upper thigh on the inside of the leg and outside of the leg) and tightness, in Mar2021, that made it hard to walk. The other area that tended to cramp up and cause problems were the arches, mostly the left arch. She reported it was probably 24Apr2021, she came downstairs in the afternoon or early evening and had such an intense cramp like a Charlie Horse and fell to the floor. Muscle cramps come and go, they shift around, it's in the left arch. It's not intensely sharp like it was that day. Right now, her left arch has a knot. The patient began taking tizanidine around 08Apr2021 at 4mg 1 tablet 3 times a day for muscle cramps and tightness, which can get painful, and tizanidine helps relax that. The patient experienced fatigue due to which the patient cannot go to the grocery store by herself very easily as she gets wiped out. The patient had to hang on to the cart because she does not have the energy. She described fatigue and stamina as she had energy for a while and then she crashed. She reported she had to

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

carry protein with her because she can literally crash. She reported her left leg gave out and she had to grab onto the counter and she almost went to the floor. On 24Apr2021, the patient couldn't talk and could barely open her eyes. It felt like her body was shutting down. She couldn't get herself up off the couch to go to the bedroom. This had not happened again. She told her physician about it who was sending her to a neurologist. On 02May2021, her left hand knotted up- had a cramped muscle and tightness. The base of her thumb hurt (underneath the thumb where the thumb attaches to the hand). The patient felt that sound can hurt her ears, which came and went. The patient had a hard time seeing the computer screen, which started between 01Apr2021- 08Apr2021. The patient mentioned this to the physician. She was nearsighted and wore bifocals and will take her glasses off to see the screen better). Food tasted extra intense as of 15Apr2021. On 06May2021, the patient was exhausted after being on the phone so long yesterday. On 06May2021, the patient reported staring off into space "like she could die and it wouldn't matter" and it felt like her brain was cramped up (like her brain was going to shut down). Caller reported that she has been staring off into space steadily, and it was kind of scary. Caller reported that the staring off into space has not occurred again like the first time where she felt like her brain was cramped. Caller reported that she feels like the staring off into space was connected in the same part of her brain that caused her to not be able to talk or open her eyes on the night of 24Apr2021. The patient reported that the staring off into space had continued on and off but not to that degree of intensity. She reported that the first time she stared off into space, she felt like she couldn't interrupt or stop staring off into space. Caller reported that she doesn't know how she stopped staring off into space the first time, but now when she stared off into space she can move her eyes. Caller reported that it felt like she had a cramp in her brain because she couldn't move her eyes. The staring into space was now better otherwise she would have gone to the emergency room. The patient underwent laboratory tests which included on 01Apr2021 which included: ALT 71 (normal 7-52), sodium 131 (normal 136-144), MCH 34.20 (normal 26-34), MCV 100.30 (normal 80-98), and on 02Apr2021, sodium 144, SARS-CoV-2

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

IgG Ab Antibody Test: reactive (detected value reactive, range non-reactive). The clinical outcome of staring into space, couldn't talk, "could barely open her eyes / not be able to open her eyes" was resolved on an unspecified date; herpes zoster and itchy scalp that would be due to the Shingles, sore inside my mouth was resolved on Mar2021; hard time sleeping, myoclonic jerks, not feeling well, "short term memory loss/memory problems", skin hurts, intense anxiety, "big emotions, big anger, really really intense", "my body temperature, I can be freezing one minute and so hot ", headache, back pain, neck pain, shoulder pain, exhausted/fatigue, brain fog, " I feel like I have ADD but on steroids", worked really hard to keep focus, muscle tightness, "base of my left thumb hurts underneath the thumb where the thumb attaches to the hand", left hand cramp and tightness, i have a hard time seeing my computer screen, food can taste extra, extra intense, was not resolved; flustered, felt achy, like the flu, can't find the words, hard to walk, fell to the floor, does not have the energy, sound can hurt my ears, ALT 71 (normal 7-52), sodium 131 (normal 136-144), MCH 34.20 (normal 26-34), MCV 100.30 (normal 80-98) was unknown; stomach gas and bloating, muscle cramps was resolving. Follow-up attempts are needed. further information is expected

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1334817	5/20/2021	AK	39	F	5/2/2021	5/2/2021	stroke; feeling exhausted; problems with her eye after the stroke; threw up everything/ vomiting; fever; diarrhea; no energy; dizzy; nauseous; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of CEREBROVASCULAR ACCIDENT (stroke) in a 39-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Osteoporosis and Common variable immunodeficiency. Concomitant products included ZOLEDRONIC ACID (RECLAST) for Osteoporosis, LURASIDONE HYDROCHLORIDE (LATUDA) for an unknown indication. On 02-May-2021 at 10:20 AM, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 02-May-2021, the patient experienced DIZZINESS (dizzy) and NAUSEA (nauseous). On 03-May-2021, the patient experienced CEREBROVASCULAR ACCIDENT (stroke) (seriousness criteria hospitalization and medically significant), DIARRHOEA (diarrhea), ASTHENIA (no energy), VOMITING (threw up everything/ vomiting) and PYREXIA (fever). On 04-May-2021, the patient experienced EYE DISORDER (problems with her eye after the stroke). On 07-May-2021, the patient experienced FATIGUE (feeling exhausted). The patient was hospitalized from 03-May-2021 to 04-May-2021 due to CEREBROVASCULAR ACCIDENT. At the time of the report, CEREBROVASCULAR ACCIDENT (stroke), DIARRHOEA (diarrhea), ASTHENIA (no energy) and VOMITING (threw up everything/ vomiting) outcome was unknown and DIZZINESS (dizzy), EYE DISORDER (problems with her eye after the stroke), NAUSEA (nauseous), PYREXIA (fever) and FATIGUE (feeling exhausted) had not resolved. Patient gets Immunoglobulin infusion for autoimmune disease Common variable immunodeficiency (CVID). At the hospital patient was treated with intravenous medication, blood thinners and she took Ibuprofen. The patient received both scheduled doses of mRNA-1273 prior to the events; therefore, action taken with the mRNA-1273 in response

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

to the events was not applicable. Company Comment :  
Based on the current available information and temporal  
association between the use of the product and the start  
date of the events, a causal relationship cannot be  
excluded. This case was linked to MOD-2021-106750  
(Patient Link).; Sender's Comments: Based on the  
current available information and temporal association  
between the use of the product and the start date of the  
events, a causal relationship cannot be excluded.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1334820	5/20/2021	FL	62	F	3/26/2021	4/19/2021	beyond 36 days since first dose; diagnosed with shingles; now plum; bumps; itchy; itchy; bright red; left arm rash; hemorrhage in her right eye after dental work; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of EYE HAEMORRHAGE (hemorrhage in her right eye after dental work) and HERPES ZOSTER (diagnosed with shingles) in a 62-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 007B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Blood pressure high, Shingles (at age 30) and H1N1 influenza in 2009. Previously administered products included for Product used for unknown indication: varicella zoster in November 2020 and varicella zoster on 06-Mar-2021. Past adverse reactions to the above products included No adverse event with varicella zoster and varicella zoster. On 26-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 19-Apr-2021, the patient experienced EYE HAEMORRHAGE (hemorrhage in her right eye after dental work) (seriousness criterion medically significant). On 04-May-2021, the patient experienced VACCINATION SITE DISCOLOURATION (now plum), VACCINATION SITE MASS (bumps), PRURITUS (itchy), VACCINATION SITE PRURITUS (itchy), VACCINATION SITE ERYTHEMA (bright red) and VACCINATION SITE RASH (left arm rash). On 06-May-2021, the patient experienced HERPES ZOSTER (diagnosed with shingles) (seriousness criterion medically significant). On 07-May-2021, the patient experienced PRODUCT DOSE OMISSION ISSUE (beyond 36 days since first dose). At the time of the report, EYE HAEMORRHAGE (hemorrhage in her right eye after dental work), HERPES ZOSTER (diagnosed with shingles), VACCINATION SITE DISCOLOURATION (now plum), VACCINATION SITE MASS (bumps), PRODUCT DOSE OMISSION ISSUE (beyond 36 days since first dose), PRURITUS (itchy), VACCINATION SITE PRURITUS (itchy), VACCINATION SITE ERYTHEMA (bright red) and VACCINATION SITE RASH (left arm rash) outcome was unknown. Not Provided The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							unknown. The patient was given a "pain medication" from the ER on 04MAY2021 and valacyclovir on 06MAY2021 when she was diagnosed with shingles. Valacyclovir was prescribed as treatment for shingles. The patient does not want her second dose, which has been postponed from 23APR2021 to 17MAY2021, and instead wants to wait for a "booster shot". Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.
1334861	5/20/2021	MI	30	M	5/18/2021	5/18/2021	The patient received their vaccination and before my immunizing technician could apply his bandaid he fell straight back while seated in his chair. She was able to catch his fall and lie him on the ground. I went into the immunization room to assist immediately and he was apologizing for scaring. I asked him to lie there for a few minutes and take some deep breaths. He was talking and aware of his surroundings. I asked him about his medication history which was null. I asked him if he had been nervous and he said he didn't think so. She said that he did mention he did not like needles. He had not eaten since the morning (a bagel) and it was late in the afternoon. After a few minutes I asked him if he would like to sit up so I could see how he was doing. Management arrived and observed while I went to get a cold cloth for his neck/face. Management asked him if he would like to sit in a chair. He sat in a chair and before I came back after just a few minutes, he had slumped over to the side with his eyes rolling back. Management was concerned so they immediately called 911. fire department and EMS arrived. They tested his blood pressure, etc and said they believed he had just passed out. They asked him if he wanted to go to the hospital. He declined. He called a family member to pick him up who arrived about 45 minutes after his vaccination. He was walking around and coherent when he left.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1334872	5/20/2021	LA	15	F	5/20/2021	5/20/2021	Fainted, blurred vision, ringing in the ear, 911 was contacted, EMT came and shortly ambulance, patient was taken away shortly
1334937	5/20/2021	MI	19	F	4/12/2021	4/12/2021	I was partially blind in both eyes; extreme headache; fever; pain; malaise; This is a spontaneous report from a contactable consumer (patient). A non-pregnant 19-year-old female patient received BNT162B2(Pfizer-BioNTech COVID-19 mRNA vaccine), dose 1 via an unspecified route of administration, administered in left arm, at age 19 years, on 12Apr2021 14:00 (Batch/Lot number was not reported) as 1ST DOSE, SINGLE for COVID-19 immunisation. Medical history included seasonal asthma from an unknown date and unknown if ongoing and taking birth control medications in 2 weeks. Patient had no known allergies. Patient did not have COVID prior to vaccination. The patient's concomitant medications were not reported. Patient had not had other vaccine in 4 weeks. Patient received vaccine on 12Apr2021 14:00. Six hours later (12Apr2021 20:00), she experienced extreme headache, fever, pain, malaise that lasted through Monday night, Tuesday, and early Wednesday morning (14Apr2021). Fever broke early Wednesday morning and when she woke up later in the morning, She was partially blind in both eyes. All other symptoms were gone. COVID was not tested post vaccination. Treatment was received for the events by ER, personal physician, opthamologist. AE resulted in doctor or other healthcare professional office/clinic visit, Emergency room/department or urgent care, Disability or permanent damage. Patient had not recovered from partially blind; while recovered for all other events on 14Apr2021. Information on the lot/batch number has been requested.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1334940	5/20/2021	NY	53	F	5/4/2021	5/5/2021	pneumonia; I've been very very sick; body ache; chills; nausea; so tired/very exhausted; fever 99.3F; a very strong headache; sore throat; The arm is very hot and swelling; The arm is very hot and swelling; pain in the back, neck and everything; pain in the back, neck and everything; shortness of breath; My eyes are so hot and burning; earache; she is not feeling very well; she had a really sore arm in the area of the shot; her head is foggy this morning and all day; This is a spontaneous report from a contactable consumer. A 54-year-old female patient (Age at time of vaccination 54 years) received first dose of BNT162B2 (BNT162B2) via an unspecified route of administration on 04May2021 at 16:00 (Batch/Lot Number: EW0176) as SINGLE DOSE for covid-19 immunization. Medical history included back injury, neck injury, Knee Surgeries, 2 Bulging Discs, Heel Spurs and Sciatic all on the left ongoing since 2010 and Covid-19 on 29Mar2020. The patient's concomitant medications were not reported. The patient experienced pneumonia, i've been very very sick, body ache, chills, nausea, so tired/very exhausted, fever 99.3f, a very strong headache, sore throat, the arm is very hot and swelling, pain in the back, neck and everything, shortness of breath, my eyes are so hot and burning, earache, she is not feeling very well, she had a really sore arm in the area of the shot and her head is foggy this morning and all day all on 05May2021. Consumer reported "Since this morning I've been very very sick. I'm sick. I have body ache, chills, nausea, so tired, fever 99.3F, a very strong headache, sore throat. The arm is very hot and swelling. I had Tylenol this morning nothing is working. The body ache is so horrible, pain in the back, neck and everything. I had covid on march 29 last year, I had pneumonia. I have lingering issues, body ache and pain, I still get very tired, shortness of breath; I feel like it's coming back after getting the vaccine. My eyes are so hot and burning, you know the sensation when you have a fever. Commented how she felt like she was getting covid again after getting the vaccine. Yesterday, 04MAY2021, she was vaccinated with the Pfizer Covid Vaccine. States it was her first dose and she is having a lot of side effects. Her temperature is 99.2, she has body aches, earache, headache, a little bit of shortness of breath, very tired, very exhausted and she is not feeling very well. She is wondering if this is a normal reaction for

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

the first vaccine? States it feels like when she had Covid. Clarifies at she was fine last night other than she had a really sore arm in the area of the shot and it is really hot, like if she has a fever in the area. States at 9:30-10:00 a.m. this morning she started having a headache, chills, and nausea. She took a hot shower, and had some tea and took Tylenol. It is progressing worse and worse. States she has body aches and fever getting warmer and warmer, and her throat feels a little bit sore. States all of them are getting worse. She is staying home and laying down not trying to do a lot, drinking water and staying hydrated. States she spoke to a friend and she said she is not supposed to get these side effects with first one. Her body aches are horrible, it feels like when she got the virus, all the aches and pains. Her head is foggy this morning and all day, and she has issues with pain all over, so much body aches. States she is reporting her side effects and she read the side effects but it seems like when she had Covid last March and she is still going through a lot of issues with it, the pain Covid left her with. States she did a Covid test, and she had antibodies, but this feels like the virus again. States she has the same symptoms as when she got the virus. Treatment: Took 2 Tylenol and nothing seems to help. UPC and Expiration: Unknown Lot: 110856. Caller states the UPC and Expiration got erased because she has had it for awhile. Tylenol Rapid Release 500mg. Caller states she took a hot shower, and had some tea. Caller states she is staying home and laying down not trying to do a lot, drinking water and staying hydrated. The outcome of the event pneumonia was unknown. Outcome of all the other events was not recovered. Information on Lot/Batch number was available. Additional information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1334943	5/20/2021	CA	33	M	4/13/2021	4/1/2021	<p>spinal cord swelling/ transverse myelitis; multiple sclerosis; lesions in the brain; It was hard for him to walk. He has to hold on to walls to walk.; Patient started to get terrible numbness in his feet. The numbness moved to up his left leg. Patient could not walk because of his left leg numbness.; patient cannot walk; Severe back pain; both feet have numbness and tingling; This is a spontaneous report from Pfizer. A contactable nurse (patient's mother) reported that a 33-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), via an unspecified route of administration, administered in left arm on 13Apr2021 13:30 (Batch/Lot Number: EW0153) (at the age of 33 years old) as 1st dose, single for COVID-19 immunisation. Medical history included surgery on his leg (when he was 17) and cold. There were no concomitant medications. Patient had a severe reaction to the covid vaccine. On 17Apr2021 at 08:00, the patient had severe back pain. On Sunday morning (25Apr2021), patient had severe back pain. Patient was a former college athlete. Patient was mentally healthy and physically fit. Patient did not remember getting hurt while playing golf. Patient iced his back and did some stretches. Patient called his friend who is a doctor, and his friend told him he did the right thing by icing and stretching. A few days later, either Tuesday evening, 27Apr2021 or Wednesday, 28Apr2021, patient started to get terrible numbness in his feet. The numbness moved to up his left leg. Patient could not walk because of his left leg numbness. Patient was able to get down a flight of stairs and then called an uber. Patient was taken to the hospital. It was his left foot and left leg initially. Now both feet have numbness and tingling. It was hard for him to walk. He has to hold on to walls to walk (also reported as Patient could not walk because of his left leg numbness. Patient cannot walk. Patient can now only stand if he is holding a wall). He went to the emergency department on 29Apr2021 and got an MRI of back and lower legs, "all was negative for slip disc or spinal cord swelling. Patient had an MRI of his lower back, and legs. The MRI results were that patient had no spinal cord compression that would cause his left lower leg numbness. Patient was admitted to the hospital, to the neurology department, with a consult for a neurosurgeon to see him. The doctors agreed that he had something going on since he had left lower leg</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

numbness. In the course of four days, Thursday through Sunday, patient was admitted to hospital in the neurology unit. Patient was in an overflow area. Several hospitals around that area have closed, so now the hospital is seeing so many more patients, and the hospital is over capacity. Patient was admitted by a hospitalist, and then was referred to a neurology team. The doctors said that that does not explain patient's symptoms, so the doctors ordered a head to toe MRI with contrast. He was admitted to the hospital and continued to have severe back pain then, the doctors did another head to toe MRI with contrast and then they said he has "MS due to brain lesions and spinal cord swelling the length of his spinal cord." They also did a spinal tap. The family kept telling the MDs that he had just received his Pfizer vaccine. The patient denies any weakness or numbness in past 6 months. He continues to have numbness in both feet and now the left leg is always numb. The doctors gave him an outpatient appt at the end of June. It felt like whenever he sits on his foot while watching TV, and it starts going numb. By the time that patient was getting testing done, the nurses covered patient's eyes, and told patient to tell them whenever he could feel it. The doctors and nurses were sticking pens in patient's feet, and patient could not feel it at all. Patient could only feel pressure. On Friday, 30Apr2021, patient had a head to toe MRI with contrast. Reporter thinks that patient got back to his room after the total body MRI about 22:15. The head to toe MRI with contrast revealed that patient had spinal cord swelling, and lesions in the brain. Doctors diagnosed patient with multiple sclerosis. Patient has never had any symptoms of multiple sclerosis. Reporter's husband feels like patient could have transverse myelitis, because some vaccines can cause that. Reporter's husband asked patient's doctor to contact Pfizer to see if there was anything in place about how to treat this. On Thursday, patient's doctor told reporter's husband that there had been no reported adverse effects of spinal cord swelling from the covid vaccine. On Sunday, whenever patient was discharged, patient's doctor told reporter's husband that he was not going to call and report about patient to Pfizer, and that there had already been 45 documented cases. This was a really big red flag to reporter. Patient cannot walk. Patient can now only stand if he is holding a wall. Before this, he was totally healthy. Patient was

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

discharged from the hospital on Sunday. The hospital sent his MRI results, lab work, and spinal tap fluid after his MRI to Clinic. The doctors did the spinal tap on patient to make sure he did not have an infection. Patient did not have an infection. The doctor started patient on Lyrica and some other drug. The hospital told patient to call back in two weeks, because by then they would have stuff back from Clinic, and then he could make a follow up appointment. Upon discharge, patient was told that maybe he could get a follow up appointment in Jun2021. Everything that reporter has read, says that patient's condition needs to be followed up on as soon as possible. Patient cannot walk. This is going to financially cripple patient. Reporter is sure that after this, patient will meet his deductible and is going to have to pay out all of this money to cover his hospital stay and testing. Before the COVID vaccine, patient did not have any problems at all. Patient had to have surgery on his leg when he was 17. Patient has no history of back pain. By the time the doctors and nurses did testing, that was late Friday evening, 30Apr2021 or Saturday morning, 01May2021. By the time that the testing was done, both of patient's feet and left leg were totally numb. The hospital said that patient's symptoms were terrible, and that he had something acute going on. The hospital ran tests on patient. Patient told the doctors at the hospital that he had recently received the COVID vaccine. Patient was never sick he might get a cold every once in a while. Other than that, patient only sees the doctor once a year for a physical. The hospital did preliminary lab work on patient. Patient's vital signs were stable, and he had no fever. After patient received three doses of IV Solu-Medrol, his back pain went away. Patient's doctors felt like patient's spinal cord swelling had diminished. Patient's doctors felt like patient's spinal cord swelling is what cause patient's numbness and tingling. The first dose of IV Solu-Medrol was given sometime on 30Apr2021. Patient received IV Solu-Medrol 1 gram, three days in a row. The doctors said that was all they were going to do at this time. The doctors wanted to wait to see what the lumbar puncture shows (unknown results). Patient was given IV Solu-Medrol while in the hospital. Patient was put on Lyrica and gabapentin. The doctors are hoping that those two medications will make his symptoms go away. Patient used to take a



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

multivitamin for years, but reporter does not know if patient still takes that. Patient is super healthy. Patient was admitted to the hospital on 29Apr2021, and discharged on 02May2021 after receiving his last dose of IV Solu-Medrol. The patient had no COVID prior vaccination. The patient had Nasal Swab (COVID test) on 28Apr2021 and was negative. Event relatedness to Pfizer COVID vaccine: Severe back pain and Patient started to get terrible numbness in his feet. The numbness moved to up his left leg. Patient could not walk because of his left leg numbness. Patient cannot walk. Patient can now only stand if he is holding a wall was related. Reporter stated that she thinks his symptoms are medically significant, but they could be disabling. If the COVID vaccine gave patient multiple sclerosis or transverse myelitis, this could be disabling. The outcome of the event back pain was recovered in May2021; event spinal cord swelling was recovering; events "terrible numbness in his feet. The numbness moved to up his left leg. Patient could not walk because of his left leg numbness and It was hard for him to walk. He has to hold on to walls to walk" were not recovered; and unknown outcome for the other events.; Sender's Comments: Based on available information, a possible contributory role of the subject product, BNT162B2 vaccine, cannot be excluded for the multiple sclerosis, transverse myelitis and other reported events due to temporal relationship. However, the reported events may possibly represent intercurrent medical conditions in this patient. There is limited information provided in this report. Additional information is needed to better assess the case, including complete medical history, diagnostics including spinal MRI at baseline, counteractive treatment measures and concomitant medications. This case will be reassessed once additional information is available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1333710	5/20/2021	CT	23	M	5/15/2021	5/18/2021	Course of the Hospitalization: 05/18/2021 Today the patient was seen examined. Patient denies any chest pain, shortness breath, nausea, vomiting or diarrhea. Patient is in good spirits such time. Patient has any changes to vision/hearing/taste/smell. Patient will follow-up with his cardiologist from the hospital. Patient was told if he any discomfort in his chest, changes to vision/hearing/taste/smell go immediately to emergency room for further workup and evaluation as necessary. Patient was discharged on Pepcid 20 milligrams to be taken twice daily for next 14 days. Side effects, risks, benefits of medications discussed great length. I asked the patient to discuss with the pharmacist any questions comments or concerns he may have both this medication as well. Admitting ER Note: 23-year-old male presenting to emergency department for evaluation of chest pain. Reports pain started 2 nights ago. He received his 2nd COVID vaccine early Saturday morning, by Saturday night started having symptoms including chest pain. Other symptoms resolved the chest pain has persisted, and waxing and waning. Was seen at urgent care and found of ST elevations on EKG and sent to emergency department. While here in the ED again found to have ST elevations in anterior leads with reciprocal changes inferiorly. Troponin elevated to 11. Bedside echocardiogram performed by myself and cardiologist negative for tamponade or significant hypokinesis. Patient will require admission for further management and evaluation.
1336006	5/20/2021	WA	13	F	5/20/2021	5/20/2021	PATIENT FELT LIGHT HEADED AND DIZZY AFTER VACCINATION DURING 15 MINUTE WAIT PERIOD. MOTHER SAID HER EYES ROLLED BACK AND SHE FELL AND MAY HAVE HIT HER HEAD BECAUSE HER HEAD WAS HURTING WHEN SHE CAME TO MOMENTS LATER. SHE FELT FINE EXCEPT FOR A LITTLE HOT AFTER THE EVENT. THEY WAITED FOR ANOTHER 20 MINUTES BEFORE MAKING SURE SHE WAS OKAY AND LEFT WITH NO TREATMENT

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1333266	5/20/2021		19	M	4/27/2021	4/27/2021	Reports "difficulty of breathing", chest tightness 1-2 hours post vaccination on 4/27/2021. Had fever, chills, headaches, rhinorrhea, and watery eyes. Resolved with allegra and Dayquil. Pt came for dose #2 on 5/18. Held dose #2. Need pcp clearance. Question of Allergic reaction vs. covid infection.
1334804	5/20/2021	TX	41	M		5/18/2021	COULDN'T TAKE A DEEP BREATH; FELT COLD; WHOLE BODY ACHY; DIZZINESS; WEAKNESS; CHILLS; EXTREMELY TIRED; NAUSEATED; EYES GOT HEAVY; This spontaneous report received from a patient concerned a 41 year old male. The patient's height, and weight were not reported. The patient's concurrent conditions included type2 diabetes. The patient received covid-19 vaccine (suspension for injection, route of admin not reported, batch number: 206A21A, and batch number: 206A21A expiry: UNKNOWN) dose was not reported, administered on 18-MAY-2021 for prophylactic vaccination. Concomitant medications included metformin for type2 diabetes. On 18-MAY-2021, the subject experienced whole body achy. On 18-MAY-2021, the subject experienced dizziness. On 18-MAY-2021, the subject experienced weakness. On 18-MAY-2021, the subject experienced chills. On 18-MAY-2021, the subject experienced extremely tired. On 18-MAY-2021, the subject experienced nauseated. On 18-MAY-2021, the subject experienced eyes got heavy. On 19-MAY-2021, the subject experienced couldn't take a deep breath. On 19-MAY-2021, the subject experienced felt cold. The action taken with covid-19 vaccine was not applicable. The patient recovered from nauseated on MAY-2021, was recovering from couldn't take a deep breath, had not recovered from extremely tired, whole body achy, weakness, and chills, and the outcome of dizziness, eyes got heavy and felt cold was not reported. This report was non-serious.
1333829	5/20/2021	CA	53	F	4/2/2021	4/2/2021	I have neck pain, autoimmune seemed to think that the lumbar puncture was another attack on my system, severe pain in lumber, severe degenerative disc disorder with spinal stenosis. Difficulty walking half hour walking before extreme pain. Tinnitus is still consistent, nothing has subsided with medication. Within an hour of reading I get dizzy. Pronounced drooping eyelid.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1336030	5/20/2021	WI	54	F	5/19/2021	5/19/2021	Patient got the vaccine at around 1 pm and around 6.30 pm patient had her eyes swelling up and itching and watering. She got a migraine too. She almost could not see as her eyes were shutting off. She thought she is having an allergic reaction and took two Benadryl. Today when she woke up her eyes are the same swollen and maybe 1/2 inch open. She is feeling nausea also. So patient called the pharmacy to inform . She wanted to see if she can take benadryl. she was advised to taken benadryl and also call her doctor and if the symptoms worsen to call 911 or go to hospital. She was advised to inform her family member who was not at home to let her situation be known so they can keep an eye on it.
1334467	5/20/2021	CA	14	F	5/20/2021	5/20/2021	Patient received Pfizer vaccine at 09:14, Mom noticed mild Left eyelid swelling at 09:25, notified staff. No other symptoms. Walked patient and mom to the ED (next building). Upon arrival, bilateral eyelid swelling noted by this writer. No other symptoms,.
1333757	5/20/2021	WA	15	M	5/20/2021	5/20/2021	Patient got shot on 05/20/21, waited in the pharmacy for 15 mins and felt fine. Patients mom called after about an hour and said patient fainted but recovered soon. He was not hurt, mom was advised to keep an eye on patient and call 911/ or urgent care visit. Per mom will wait. Called patient after some hrs per patient he is fine and has no adverse symptoms anymore.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1333833	5/20/2021	NC	53	M	5/4/2021	5/4/2021	After vaccine by 6pm husband had high fever all night long, we woke up he took Tylenol and fever went down. He went out side for a little bit, his body temperature was still hot without chills and this lasted for 3 days and night. I talked to the pharmacist and he recommended Ibuprofen and I gave it to him for two days but he kept the fever. He started shaking and by the 5th day I took him to the clinic and both his eyes were red and hands and feet were hot. I was told to take him home because all vital signs were ok, but I took him back to the ER on day 8 because he was not getting better, they said he had multi organ issues and now he's confused and he doesn't know who I am or where he is and cannot remember and confused. He is now on dialysis and he was on life support, he was never hospitalized or taken prescription drugs and now he's in this condition. He is still in ICU and his body looks so weird. He don't remember words or when I talk to him.
1333904	5/20/2021		17	F	5/20/2021	5/20/2021	Blurry vision, near syncope after receiving vaccine. Onset of symptoms was 3-4mins after vaccine administration. Did not eat breakfast this morning Given juice and crackers Exam was normal Discharged to home
1333965	5/20/2021	NC	12	F	5/14/2021	5/19/2021	child became unresponsive, clenched teeth, unable to stand alone, vomited, eyes dilated, unable to speak, headache, called 911 was transported to the hospital emergency room
1333978	5/20/2021	PA	80	F	4/29/2021	5/6/2021	Stroke Sudden fall around 1:15 PM on May 6, 2021. Laceration on head and eyebrow as result of fall. Lightheaded after fall. Loss of feeling on left side. Dystonia of left hand. Arrived at ER around 2:30 PM. MRI Diagnosis: Cerebrovascular accident due to embolism of right middle cerebral artery (HCC) Transferred to Another hospital around 5:00 PM. Treated with blood thinners. ICU for about 24 hours Numerous CT scans and MRI, ECG Normal function of left side restored. Slight loss of sensation remains on left side. Discharged from hospital and returned home. 5/9/21

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1334031	5/20/2021	CA	65	F	5/18/2021	5/18/2021	Reaction to 1st- 10 days after - achy muscles & bones , swollen glands, SOB - felt like I had Covid again. Lasted 3 dys Reaction to 2nd - super achy muscles & bones, SOB, breathing pain, swollen glands, low grade fever, headache, ears hurt, burning watery eyes, itching around injection site - felt like I had Covid again but worse
1334055	5/20/2021	DE	79	M	1/15/2021	1/28/2021	who sponsored the Vaccine site. Adverse event: Was starting to drive and was kind of lethargic and was slow reacting. My wife was asking questions but I was having slow responses. She said I had glazed stare and I was a little off balanced and the ambulance was called but the symptoms had subsided by the time the ambulance got there: Blood pressure - a little elevated; Blood Sugar was fine . At that time could follow finger across eyes (before when symptoms were still there, had not been able . Ambulance left and just said to keep an eye on him at home when I refused to go to hospital. We called the family doctor and she said to go to ER immediately. No return of symptoms since that episode.
1334062	5/20/2021	NY	41	F	4/9/2021	4/10/2021	I woke up 6 hours after vaccination and started getting the chills with a fever of 101.3. I took some Tylenol which brought the fever down for a few hours but it later shot back up to 104. I had a headache, muscle pain, and fatigue. On Monday, I got a sharp pain on the side of my head causing my eyes to hurt. I called doctor who said that it sounded like a sinus infection and prescribed me Azithromycin. Days later the doctor called me and I told him that I wasn't feeling better and was referred to take a Doppler test which showed nothing wrong. I went to another doctor that prescribed me Bactrim which cleared up my sinus infection and I felt a little better. I still feel fatigued, have brain fog, and double vision. I went to a neurologist and was given a CT scan. That was two weeks ago and I never heard about the results. I'm scared to drive because I don't know what will happen. The vaccine also threw off my cycle and I have gained so much weight since my vaccination.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1334081	5/20/2021	SC	20	F	5/20/2021	5/20/2021	Patient was sitting in observation after receiving first dose of Moderna and within 5 minutes began to feel dizzy and visual disturbances. We gave the patient some bottled water and ice pack and she started to feel better, but ultimately her mother wanted me to call EMS. Ems instructed no food or drink until they got there. The EMS took her blood pressure which was in the 80s/50s. The patient said she was feeling better but was fearful of another dizzy spell and wanted to go with EMS out of an abundance of caution. From the time she received the vaccine to the time she left with EMS it was no more than 30 minutes.
1334331	5/20/2021	WI	58	F	5/14/2021	5/14/2021	Moderna COVID-19 Vaccine EUA. Friday, Sat and Sun flu-like symptoms sore left arm pain extending into hand fever, chills, headache lethargy. Mon May 17 above symptoms with dizziness, spinning in head, hard to think and talk, affects speech everything is fuzzy, felt like I was very drunk. Both legs became heavy feeling and unable to move. Went to hospital. Transferred to hospital for neurological evaluation. Same symptoms on Tues May 18 with some resolution later in the day. Early in the day, a test where I was to follow a finger with my eyes only, and hold my head still, brought on the symptoms. Wed May 19, symptoms resolved and I was discharged. Today, Thurs, May 20, 9:00 am, I had a 20 min episode of dizziness, spinning in head, hard to think and talk, speech was affected and I felt like I was drunk, balance was affected, but no lower leg mobility issues. I had another episode at 11:00 am of longer duration (45 mins) but the same symptoms.
1334104	5/20/2021	PA	14	F	5/20/2021	5/20/2021	Patient immediately became sweaty, dizzy, and experiencing hearing loss after receiving her first dose. Patient was seated on floor with elevated legs before she was wheeled back for observation. Patient was visually pale and sweaty. Patient denied any anxiousness before receiving her vaccine. Patient had vitals assessed and was given snacks and juice. Patient was reassessed after 15 minutes and reported feeling better and was sent home with parent. Patient and parent were advised to reach out to family doctor is any late onset of symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1334106	5/20/2021	WA	16	M	5/19/2021	5/19/2021	After receiving the first dose of Pfizer vaccine, the patient walked over to the observation area and fell from standing to the floor and hit back of head on floor. When medical personnel approached, the patient's eyes were open and he tried to get up from the floor. Answering questions appropriately. A neuro assessment was performed (PERL), oriented x3, equal grasps, 911 was called. Transported to local ED with mother.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1334118	5/20/2021	TX	60	F	5/11/2021	5/12/2021	<p>She got her vaccine, had no reactions. She woke up on 5/12/21 and had extreme headache, blood pressure was high, nausea and vomiting, extreme pain behind her eyes, blurry vision. Later in the afternoon she had diarrhea. She called her PCP that evening and he prescribed Ondansetron (Zofran). On Thursday she continued to have the blurred and double vision with some nausea and dizziness and headaches which have been on-going, especially on the left side of her head. She went to the ER on Friday evening 5/14/21 where her BP at it's highest point was 195/126 and a pulse of 99. They started doing some actions to determine if she was having a stroke. They did a CT scan and gave her medications to get her BP down, started an IV. She was then admitted to HCF that evening. They kept her overnight and did an MRI on 5/15/21, had to start wearing an eye patch on her left eye due to dizziness and was not able to walk without covering the one eye and needed assistance to walk across the room. Everything was clear on the MRI and CAT scan. She saw two resident internist and then she saw a neurologist while being in the hospital. The neurologist diagnosed her with left third nerve palsy as a result from the vaccine and the high BP. They released her that evening with instructions to see an Ophthalmologist the following week, which she did on 5/17/21 and saw Dr. He concurred with the neurologist diagnosis and felt that there was really nothing that they needed to do and for it to run it's course and let it heal which will take anywhere from 2 weeks to 4 months. She was informed to continue to wear the eye patch until the dizziness and double vision improve. There is pain still behind the left eye, and still has high BP and have prescribed medications for that. Her PCP started her on Amlodipine/HCTZ 10/12.5 mg. She then ended up in the ER again last night on 5/19/21. They put her on fluids as she started vomiting again and could not keep any of the medications down that she was prescribed. So they gave her fluids and started a steroid in the IV fluids to help with the pain and inflammation behind her eye, as well as headache medications as well. She was then sent home last night and now the pain in her eye is about a 5 since receiving the steroids. She was also started on Prednisone 20 mg to start today as when she was in the ER they told her to start that. She has not had any nausea or vomiting</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							today, and seems to be OK, but is still taking the Zofran for this. She was able to eat a little bit today and hold it down, but has not had much in the way of an appetite since receiving the vaccine.
1334139	5/20/2021	VA	13	F	5/20/2021	5/20/2021	Syncopal episode immediately following vaccine administration. No loss of consciousness, oriented, alert, responding appropriately to questions. Described "seeing spots in front of eyes, cold feeling". Pt denied nausea.
1334143	5/20/2021	NY	40	M	5/20/2021	5/20/2021	Patient within a few minutes indicated he felt dizzy and sweaty. I sat him down within minutes his eyes rolled back and he lost consciousness. He began to make gurgling noises as if trouble breathing. His color was grey and he was sweating profusely. 911 was called by a technician and I gave one dose of Epinephrine 0.3 mg into lateral right thigh at approx. 9:40 am. Within this period of time he began seizing. He regained consciousness prior to EMT's arriving and was brought to the hospital.
1334146	5/20/2021	ID	47	F	5/19/2021	5/19/2021	I had a blood vessel in my right eye rupture. The white of my eye is blood red. I did not have any event which would have potentially caused this. I do not know if it is related, however I thought it was worth mentioning.
1334225	5/20/2021	CA	14	M	5/19/2021	5/19/2021	Pt experienced headache, blurry vision, "muffled sounds," flushing/sweating & experienced dizziness. Juice was given, mom stated this happens for all shots, crackers given, pt lay down & rested. Provider cleared pt, pt stable & released from vaccination site

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1334350	5/20/2021	MA	16	M	5/19/2021	5/19/2021	PATIENT WAS EXTREMELY NERVOUS, STATED DOES NOT LIKE NEEDLES. WITHIN 2 MINUTES FELT CHEST TIGHTNESS, LIGHTEADEDNESS, STARTED SHAKING AND EYES ROLLED UP BEFORE PASSING OUT. CAME TO WITHIN A FEW SECONDS BUT WAS NOT COHERENT. COULDN'T ANSWER BASIC QUESTIONS AND LOOKED AS IF WAS GOING TO PASS OUT AGAIN. COULD NOT STAND, TALK ETC. HE WAS LIKE THIS FOR 10 MINUTES OR SO. CALLED 911 THEY STATED TO LAY PATIENT CAREFULLY ON THE FLOOR TO RECOVER BLOOD FLOW UNTIL THEY COULD GET THERE. PATIENT STARTED COMING BACK AROUND WITHIN THE NEXT 5 MINUTES. MOTHER REFUSED LEAVING IN AMBULANCE BELIEVED SON WOULD BE FINE.
1334333	5/20/2021	MT	63	F	5/20/2021	5/20/2021	anaphylaxis. SOB, dizziness, double vision, tongue swelling, wheezing

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329473	5/19/2021			F	3/5/2021	3/1/2021	Bell's palsy; Cough; Whole face is numb; Lymph node in the back of the ear; This is a spontaneous report from a contactable consumer (patient). A female patient of an unspecified age received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration on 05Mar2021 (Batch/Lot Number: EM9810) as 2nd dose, single for Covid-19 immunization. The patient's medical history and concomitant medications were not reported. The patient received the first dose of BNT162B2 (lot number: EL9265) on 02Feb2021 for Covid-19 immunization. The patient stated that she got her first Pfizer Covid vaccine on 02Feb2021 and the second one on 05Mar2021. A week and a half later, she got Bell's palsy (Mar2021-pending clarification). She wanted to know if there have been other reports of it. The patient further reported that she got the second dosage on 05Mar2021, a week and a half later she got the cough, her whole face is numb, like she has dopey eyes. The patient added that it was hard for her to talk, as she still wants to cough and it was really impossible to talk, it hurt a lot. The patient further stated that she got lymph node in the back of the ear (pending clarification) and went to the hospital on 22Mar2021. She added that she has all the medical records. The outcome of events was unknown. Information on Lot/Batch number was available. Additional information has been requested.
1329472	5/19/2021			F			bell's palsy twice in one side; This is a spontaneous report from a Pfizer-sponsored program, received from a contactable consumer (patient). A female patient of an unspecified age received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on an unspecified date (Batch/Lot number was not reported) as unknown, single for COVID-19 immunization. Medical history included shingles went to eye two years ago. The patient's concomitant medications were not reported. The patient experienced bell's palsy twice in one side on an unspecified date with outcome of unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329470	5/19/2021	FL	73	F	4/13/2021		<p>Bell's Palsy; She was worried it could be a stroke; This is a spontaneous report received from a contactable consumer reporting for herself. This 73 years old female patient received the first single dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 13Apr2021, in left arm, for COVID-19 immunisation. Medical history included Bell's Palsy 20 years before the report, shingles in Nov2020, ongoing blood pressure, ongoing cholesterol and ongoing indigestion. Concomitant medications included omeprazole orally, 20 mg, 1x/day (1 capsule every morning), lisinopril/hydrochlorothiazide orally, 1 DF, 1x/day (in the morning), for blood pressure and ezetimibe for cholesterol. The patient experienced Bell's palsy following the first dose, since an unspecified date in 2021. She recovered quickly on an unspecified date in 2021. The event was described as "drool down one side, make sure close eyes at night or they dry out". The patient was drinking and it was leaking out the side of mouth, smiled and nothing was moving on the right side, right side of face went saggy. It was the right side that was messed up, the right eye didn't have the muscle coordination that the left eye did. The patient was worried it could be a stroke. She stated she will most likely not receive second dose. Information on the lot/batch number has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329469	5/19/2021		50	F	5/1/2021	5/1/2021	Blood stain in her right eye; Felt her right eye was pounding a little; Her arm was hurting a little bit; Her arm was very hot, extremely hot; Headache; A lot of pressure to her head; This is a spontaneous report from a contactable consumer (the patient) via medical information team. A 50-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Batch/Lot number was not reported), via an unspecified route of administration, administered in left arm on 01May2021 16:10 as 1st dose, single for COVID -19 immunization. Medical history and concomitant medications were not reported. The patient reported she had her COVID vaccine on 01May2021 at 16:10 in the afternoon and about an hour later the headache started. In some occasions it felt like a lot of pressure to her head. On 03May2021, she felt her right eye was pounding a little and then when she woke up in the morning of 04May2021, she saw the blood stain in her right eye. The pounding in her eye was not pounding as much in the afternoon for quite a while but then it stopped that same day on 03May2021. On 01May2021, it was also reported that her arm was hurting a little bit and it stopped on 03May2021; and on 01May2021, her arm was very hot, extremely hot. No events required a visit to emergency room or physician office. The outcome of the events headache, "blood stain in her eye", and "a lot of pressure to her head" was not recovered, "felt her right eye was pounding a little " and "her arm was hurting a little bit" recovered on 03May2021, and "her arm was very hot, extremely hot" recovered on 01May2021. Information on the batch/lot number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329466	5/19/2021	AR	68	M	4/13/2021	4/15/2021	Vitreous Detachment; This is a spontaneous report from a contactable consumer (patient). A 68-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration (at the age of 68-years-old), administered in Arm Left on 13Apr2021 10:45 (Lot Number: ER8732) as 1st dose, single for COVID-19 immunization. Medical history included high blood pressure and allergy to bananas. The patient's concomitant medications included losartan. The patient reported that, "Within 48 hours of receiving said vaccine, I had a Vitreous Detachment in my right eye causing severe floaters and flashes. This detachment was confirmed by my ophthalmologist. My ophthalmologist did not attribute the Vitreous Detachment to the vaccine, but I am making this report on my own initiative." Adverse events start date was on 15Apr2021. The events resulted in Doctor or other healthcare professional office/clinic visit and Disability or permanent damage. No treatment received for the adverse events. The outcome of the events was not recovered. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329459	5/19/2021	TX	72	M	4/16/2021	4/16/2021	unresponsive; had a stroke in his temporal, frontal and parietal regions of his brain and he has even had prior strokes too; feverish; they all fell down, her brother, her and the rollator; rapid heartbeat/ his normal heartrate is in the 60s and it was going from 110 to 140s and it wasn't coming down; had some blood clots that were thrown into the frontal, temporal and parietal region in his brain; agonal breathing; stopped breathing but then he came back so that's when he was intubated; felt very bad/ malaise/ feeling ill; vomiting in the trash can/ had stuff that looked like had came out of his mouth and he had vomit on legs; he just said that he hurt; nauseated; fatigue; his head hurt; having no appetite/ he ate one bowl of soup that the caller had made for him but he wasn't really eating; This is a spontaneous report from a contactable consumer (patient's sister) via a Pfizer-sponsored program. A 72-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in the right arm on 16Apr2021 10:00 (batch/lot number: unknown) as 2nd dose, single for COVID-19 immunisation. Medical history included blood clot years ago, ongoing leukemia (in remission), coma, gout (he takes a gout medicine), neuropathic pain, pain, high blood pressure, thyroid (disorder), varicose veins and uses rollator (his wheelchair with a seat). Concomitant medications included metoprolol taken for high blood pressure from an unspecified start date and ongoing; levothyroxine sodium (THYROXINE) taken for thyroid from an unspecified start date and ongoing; hydrocodone taken for pain from an unspecified start date and ongoing; imatinib taken for leukemia in remission from an unspecified start date and ongoing; gabapentin taken for neuropathic pain from an unspecified start date and ongoing; iron taken for an unspecified indication, start and stop date were not reported; folic acid (FOLATE) taken for an unspecified indication, start and stop date were not reported; vitamin d nos (VITAMIN D) taken for an unspecified indication, start and stop date were not reported; and ongoing unspecified gout medicine. The patient previously took morphine; he had a shot of morphine in the emergency room sometime before his COVID vaccine. Historical vaccine included BNT162B2 on 25Mar2021 (batch/lot number: unknown) as 1st dose, single for COVID-19 immunisation. Vaccination facility



VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

was PRIVACY she thinks. Prior vaccination (4 weeks prior) were none. The patient's sister reported that they both had their second dose and she forgot to tell the other woman she spoke to about herself because the caller's focus was on her elderly brother who was 72-years-old. They both received their COVID vaccines in the morning of 16Apr2021, a Friday, and within hours her brother felt very bad. She went downstairs and saw her brother vomiting in the trash can and he just said that he hurt and that he felt nauseated. This continued for a few days, in fact it continued for 4 days. He was beginning to feel better on Monday, but he was still not up to par. Then Tuesday she guesses her brother was feeling better. On Wednesday night she went downstairs and heard him around 2300 to midnight talking to the dogs and then the next morning she found him unresponsive (22Apr2021). Her first thought was that maybe her brother had a stroke so she called 911. In the emergency room he had a CAT (computerized tomography) scan and at first they said that he didn't have a stroke. But something very unusual was that her brother had a rapid heartbeat and his normal was around 60 but in the emergency room his heartrate was upwards to 120 to 130 to 140. He was then transferred to another hospital where they said the next evening that in fact he did have a stroke even though that first doctor said that he didn't have a stroke. The doctor didn't find any further information until 2 days later when the doctor thought her brother already had some blood clots that were thrown into the frontal, temporal and parietal region in his brain. She was a biologist so she can't say that the COVID vaccine caused this but she thought that Pfizer should be aware of his situation and then she was so focused on her brother that she forgot to tell the other woman the really bizarre things. She had asked certain questions to the doctor based on what her sister was telling her to ask. The caller asked the doctor if her brother was going to be seen by a neurologist and the doctor gave a rambling evasive answer and then turned on his heels and walked out and kicked her out of the hospital. They both had their COVID vaccines in the morning around 1000 or so and she doesn't know if he was vomiting still the next day or not but her brother felt really bad. He has chronic conditions and he generally just felt bad and he had thought that something was wrong with him. He felt

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

malaise, fatigue, his head hurt and he was nauseated. He ate one bowl of soup that the caller had made for him but he wasn't really eating. That lasted for about 4 days and then he started to feel better on Tuesday, confirmed to 20Apr2021, and then he felt even better on Wednesday, confirmed to 21Apr2021, because the caller did take him on some trips. He doesn't drive. Her brother said that he felt feverish and the caller says that he felt feverish to the touch as well but the thermometer said that he didn't have a fever because it had an error sign when she took his temperature. Unresponsive: Her brother was fine Wednesday night around 2300, maybe midnight, she had heard him downstairs talking to the dogs and she knew that he was okay. Then the next morning, 22Apr2021, she found him slumped into his rollator (his wheelchair with a seat) and he was slumped over and had stuff that looked like had came out of his mouth and he had vomit on legs. He was unresponsive so she called 911 and said that she thought her brother had a stroke. The operator said to lay him flat and the caller was finally able to get him up and then his arm got hung up and the operator said again to get her brother on the floor and get him flat. She understands that this was important and she was able to do it but they all fell down, her brother, her and the rollator. Shortly after this the ambulance had shown up. The ambulance took her brother to the emergency room in town and they said that her brother's heartrate was fast. She gave them all of the relevant information but she didn't think to tell them about the COVID vaccine. They said that her brother's heart was acting erradicate and it was very fast. Again, his normal heartrate is in the 60s and it was going from 110 to 140s and it wasn't coming down. She told them that when he was unresponsive that she thought he was having agonal breathing. In the emergency room, her brother's breathing was still not very good and she heard the doctor say that her brother had stopped breathing but then he came back so that's when he was intubated in the emergency room. They did a CAT scan of his head and his neck and the doctor comes back and said that her brother didn't have a stroke. But that was not the case according to a different doctor's later assessment. Approximately around 1430 to 1445 on that Thursday, 22Apr2021, they transferred him to PRIVACY, where he was in the ICU (Intensive Care Unit). His heartrate

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

conditioned to being very fast. He went from the emergency room to the ICU. Thursday when he got transferred to the ICU they didn't do any diagnostic tests that day, he was still intubated and his heartrate was still up into the next day, Friday, 23Apr2021. It wasn't until late in the afternoon that a doctor came in and said that her brother did have a stroke he has even had prior strokes too. They had done an MRI (Magnetic resonance imaging) on Friday of his brain, which was not what they did in the first emergency room, that showed that he had a stroke in his temporal, frontal and parietal regions of his brain. At first caller states that on Saturday, he opened his eyes but he was still unresponsive essentially but then she says that this statement was wrong because he actually didn't respond that quickly. He has gone into a coma once before and when he had came out of it a very unpleasant thing happened that was very personal so she was not going to tell it. On Saturday and Sunday the doctor didn't want to answer the callers questions, this was a different doctor than the first ICU doctor and this one didn't have good bedside manner. Finally on Monday, 26Apr2021, her brother started responding. He was moving his legs with purpose, he had tried to kick the nurse, and he had made some words. The day before this, on Sunday the caller had brought the priest in to bless her brother and he sort of nodded and he seemed to make movements but he was still not able to talk. Monday he said what sounded like words and then Tuesday he made, what seemed to her like, meaningful statements. She was told that he had an ultrasound of his neck to see if he had any clogged arteries or veins and the nurse said that the test results came back good that their were no clogs. But this was where the whole story just becomes awful. Caller discusses how there were issues with a cousin having power of attorney from 2015 that was supposedly no longer valid according to the caller and she had spoke with administration and then she got kicked out of the hospital on Tuesday because of a question she had asked the doctor about her brother seeing a neurologist. The doctor said that the neurologist makes his own schedule and it might be 10 days or more if he even decided he wanted to see her brother. When the doctor asked the caller how would she like her brother's care to be she mentioned that he was in a coma before and was being treated for similar circumstances

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

from PRIVACY and that he was seen by a neurologist and she said that maybe her brother should be seen by PRIVACY and the doctor walked out and within minutes she was being escorted out of the hospital for belittling the doctor and calling administration. Now they won't even let flowers be delivered to her brother. Unfortunately the person who has been involved with him the most, the caller, was now barred from him. She was not saying that this was all due to the Pfizer COVID vaccine but why were they saying that she has a blood clot too. She has had headaches but they may be due to stress. She didn't feel sick like her brother. She has a question and she was really scared about the answer. She was just now reading that if you're on immunosuppressant drugs then you're not supposed to have the COVID vaccine. She asked was that true. Well her brother was in remission for leukemia and he was on a cancer medication called imatinib. Caller declined to speak to medical information about this and says it was already too late because he was already taking it and she doesn't know why he didn't stop them. Her brother's friends have tried to call and they were all getting the same statement, which she believes the hospital was stone walling, but the hospital says that they don't have a patient by his name and they have even told the florist the same thing. So caller was unsure if her brother has been discharged or not. He didn't seem to be in the shape to be shipped to a care facility but she doesn't know. It was hard for her to piece it all together. The hospital wasn't feeding her brother enough before she left so for all she knows they could be starving him to death and holding nutrition from him. History/ Investigations: His medications were ones that he has been taking for years and she doesn't know exact start dates for any and if she needs to she can get the dosage information from the pharmacy. Her brother has hid his pills before and he puts them in different bottles, it was a nightmare. He takes a gout medicine and she doesn't know the name of it. Those were the main ones that he takes other than the cancer medicine she said earlier. And he also takes gabapentin for some of his neuropathic pain and he takes something at night and a few others she thinks. For medical conditions the only thing that she knows was that many years ago he had a blood clot but she can't really say what year it was. She does know that her brother wasn't on any blood thinners

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

to he knowledge and not long ago he had an ultrasound of his legs to determine if he had a blood clot but she was not 100 % sure if he had that but she thinks he did. Her brother told her that years ago he had blood clots that were due to weight lifting causing varicose veins and later they collateralized and they found out that the other secondary vessels took over for pumping his blood so it wasn't a problem. Her concern was can someone from Pfizer talk to her about what's going on with her brother, she knows Pfizer doesn't have his records but how will Pfizer be able to determine if this was from the COVID vaccine. She guesses that she was curious about what may of caused the blood clots. She mentioned the COVID vaccine to one doctor and he didn't seem like she respected her knowledge. She asked was there anything that can be done to help her brother if it was a blood clot. She was upset that the hospital and her wanting her brother to see a neurologist and beginning with a claim that he didn't have a stroke and then a claim that he did. She thinks that they were not doing enough for her brother and they were just saying oh well, it was all due to a fast heart rate which can happen as a result of the COVID vaccine. She was going to be honest, she was exhausted and she can't keep talking for a long time. She asked if she can call medical information back later when she was more refreshed. Consumer further stated that her brother had complaints of feeling ill, feverish and having no appetite. Caller stated that the next Thursday she found her brother unconscious, heart rate was elevated 120 to 140 beats per minute and that her brother had a stroke. The outcome was recovered on 21Apr2021 for the events Malaise, Nauseated, Fatigue, Headache and Appetite absent; recovering for the event Vomiting; and unknown for the rest of the events. Information on lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329450	5/19/2021	MD	43	F	3/30/2021	4/8/2021	It was itchy like hives but looked like measles; broke out in a rash on trunk that quickly spread from chin to toes that evening; It was itchy like hives but looked like measles.; It was itchy like hives but looked like measles.; left eye swelled shut and was itchy and red; left eye swelled shut and was itchy and red; left eye swelled shut and was itchy and red; This is a spontaneous report received from a contactable consumer (patient reported for herself). A 43-year-old female patient (no Pregnancy at time of Vaccination) received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration, administered in Arm Left on 30Mar2021 10:00 at the age of 43 years old (Lot Number: ER8730) as 1st dose, single for covid-19 immunisation. The patient's medical history and concomitant medications were not reported. Facility where the most recent COVID-19 vaccine was administered at Pharmacy or Drug Store. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. No any other medications the patient received within 2 weeks of vaccination. The patient never had allergic reaction before. On 08Apr2021 (day 9 post vaccine), the patient's left eye swelled shut and was itchy and red. She assumed she had pink eye and was treated accordingly. It did not go away. On 15Apr2021 (Day 16), she broke out in a rash on trunk that quickly spread from chin to toes that evening. It was itchy like hives but looked like measles. The adverse events result in Doctor or other healthcare professional office/clinic visit and Emergency room/department or urgent care. Treatment received for the adverse events included Eye drops and steroid creams and antihistamine. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient hadn't been tested for COVID-19. The outcome of the events was recovering.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329508	5/19/2021	NC		F	1/18/2021	2/6/2021	<p>Ischemia in left optic nerve causing permanent vision loss; Ischemia in left optic nerve causing permanent vision loss; This is a spontaneous report from a contactable (patient). A 43-years-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), dose 2 via an unspecified route of administration, administered in Arm Right on 18Jan2021 10:00 (Batch/Lot Number: EL3248) as 2ND DOSE, SINGLE for covid-19 immunization. Medical history included intervertebral disc protrusion, Bulging disc C-Spine, endometriosis, and allergy to sulfa. The patient was previously vaccinated with first dose of bnt162b2, in left arm (Lot number: EK5730) on 28Dec2021 at 12.00pm for covid-19 immunization. Concomitant medications included ashwagandha; loratadine (CLARITIN); vitamins NOS (MV) taken for an unspecified indication, start and stop date were not reported. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient received other medications within 2 weeks of vaccination. The patient was not diagnosed with COVID-19 and has not been tested for COVID-19 Since the vaccination. On 06Feb2021 08:00 the patient experienced ischemia in left optic nerve causing permanent vision loss. The patient received treatment for adverse event and events result in Doctor or other healthcare professional office/clinic visit. The outcome of events was not recovered. No follow-up attempts are possible, information about lot/batch number cannot be obtained.; Sender's Comments: Based on known drug safety profile, there is reasonable possibility of causal association between the events blindness and ischemia and the suspect drug. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329447	5/19/2021	CO	56	F		4/9/2021	now she was losing vision in her left eye too; after first shot, I lost vision in my right eye overnight . . . eye doctor believes it is a cataract. After second shot, right eye became worse and now I am losing vision in my left eye too; This is a spontaneous report from a contactable consumer (patient). A 56-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), via an unspecified route of administration, administered in arm left on 05Apr2021 13:15 (Batch/Lot Number: ER8729) as 1st dose, single (at 56 years of age) and via an unspecified route of administration on an unspecified date (Batch/Lot Number: unknown) 2nd dose, single (at 57 years of age) for COVID-19 immunisation. The patient's medical history included melon and coconut allergy and hay fever. The patient's concomitant medications were not reported. The patient previously took Darvon [betahistine mesilate] and Darvocet [dextropropoxyphene napsilate;paracetamol] and experienced drug hypersensitivity on both. The patient was not pregnant. The patient did not receive any other vaccine within four weeks prior to the COVID vaccine. She was not diagnosed with COVID-19 prior to vaccination. She had not been tested for COVID-19 post vaccination. On 09Apr2021, after the after first shot, the patient had lost vision in her right eye overnight in which the eye doctor believed it was a cataract. After second shot, right eye became worse and now she was losing vision in her left eye too.The outcome of the events was not recovered. Therapeutic measures were taken as a result of the event. No follow-up attempts are needed. No further information is expected.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329456	5/19/2021	IL	57	F	4/14/2021	4/29/2021	<p>Bell's palsy; eyes pretty red; runny nose: second dose; eyes started bothering her, the right eye: second dose; her eye had a little burning sensation and was irritated; This is a spontaneous report from a contactable consumer (patient). A 57-years-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration, administered in Arm Left on 14Apr2021 11:30 (Batch/Lot Number: EW0151) as single dose for covid-19 immunization. The patient's medical history included she was a breast cancer survivor, its been 10 years, all she had was radiation and she also had Tamoxifen for 5 years, had a colonoscopy a couple of months, she had seasonal allergies, adverse event following prior vaccinations: when she was young, she would get vaccines and would always get a light fever and her arm would swell and turn red. The patient's concomitant medication was not reported. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient received the first dose of BNT162B2 (lot number: ER8733) in left arm on 24Mar2021 10:45 for covid-19 immunization and experienced fainted for just a few seconds, heart rate was very fast and headache, wasn't feeling well and lost consciousness. The patient experienced bell's palsy on 01May2021, eyes started bothering her, the right eye, her eye had a little burning sensation and was irritated on 29Apr2021, on the 30Apr2021 eye was pretty red, runny nose on 30Apr2021. The clinical course as following: This past Wednesday was two weeks and then Thursday, her eyes started bothering her, the right eye. She thought it was seasonal allergies, because she has those, that kept bothering her and and she had a very runny nose. Saturday she woke up she felt like her face was kind of numb. She called the nurse and they told her she should go to the emergency room. She was diagnosed with bells palsy and so they gave her treatment and they explained to her what it was all about. She had been working out in the yard and she came in and her eye had a little burning sensation and was irritated. She thought it was because she was outside. She also had a runny nose. She says again, she thought it was seasonal allergies because she has that. Felt weird around her mouth, felt kind of numb: second dose: This past Saturday, she woke up and stated she felt</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

weird around her mouth, it felt kind of numb, it was hard for her to drink, she couldn't smile correctly, her smile was lopsided, one side was droopy. Caller states this began 01May2021. She went to the emergency room that same day and they diagnosed her with bells palsy. She was discharged from the emergency room because this time the lady doctor gave her the procedure with a stroke. The doctor could tell that it was not a stroke because of the eye, the doctor did something with her finger, they say can you see my finger, can you touch your nose. The doctor told her what she had is bells palsy and prescribed some medication. The eye is worse, but she doesn't have a runny nose anymore. With her eye, she can raise the left one, but the right one not as much. They gave her a patch for the right eye. She has to wear it in the evening, because it doesn't close anymore. She has to wear it to sleep with and during the day she has to wear glasses and if she goes outside, she has to wear sunglasses. Her eye is not really irritated, just kind of stiff, it does not really do much, she did some exercises to try to stimulate the muscles. The eye is just there, it doesn't really blink, it is beginning to blink a little bit but when she tries to close both eyes, she can close the left but it's like she can't completely close the right, she has no control of that part of the face, it's numb. She clarifies her eye started on Thursday 29 Apr because it was the first day she was outside. on the 30 Apr it was pretty red but she kept working. On Saturday morning she worked and she had a runny nose then too. Caller states they gave her some medicine at the emergency room. That night, she took Acyclovir and after she took the first one, she didn't have a runny nose anymore. Her eye is a different kind of bother now, it doesn't burn, its just there. They told her to get artificial tears and put the patch on. When asked if her eye is improved, persisted or worsened, she says the eye is not burning anymore, it's just kind of stiff. Bell's palsy: Caller states it's ongoing, when she smiles its the same. Caller states it's lopsided and when she raises her eyebrows, she can raise the left one, but the right one only goes up a little bit, but not as much. Caller states it's persisting, it's not getting worse, not getting better. Caller states she just started the medicine yesterday. Acyclovir: It was 400mg 5 times a day by mouth, one tablet for 10 days. Methylprednisolone: the other thing they prescribed me

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

was Methylprednisolone. She tried taking both the Acyclovir and the Methylprednisolone yesterday, but she had a really bad stomach ache and couldn't eat anymore. She had no appetite and her doctor, she told him she couldn't take both it is too much, so he just said she should continue the Acyclovir so she is not going to take the Methylprednisolone. The Methylprednisolone is a 4mg dose pack, 6 day thing. Yesterday she was supposed to take two before breakfast, 1 after lunch, 1 after supper and 2 before bedtime. She couldn't take all of that, it was too much. Today would have been different, it tapers off. The emergency room visit on 01May2021, they didn't do any testing, she just had observation. the doctor did this thing with her finger where she could see her finger and she pushed back and held onto the doctor's hands and showed her strength. she raised her eyes, closed her eyes, smiled, but no other testing was done. she had her second emergency room visit on 01May2021. Therapeutic measures were taken as a result of bell's palsy included Acyclovir and Methylprednisolone, for events of 'eyes started bothering her, the right eye', 'her eye had a little burning sensation and was irritated', and 'eyes pretty red' included artificial tears and put the patch on, no treatment received for runny nose. The outcome of the event Bell's palsy was not recovered, the outcome of the event runny nose was recovered on 01May2021, the outcome of the other events was recovered on an unknown date.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329474	5/19/2021	NY	56	F	3/30/2021	3/30/2021	left ear felt very sore; severe intestinal cramps; Severe diarrhea; mild hearing loss/partial hearing loss; fever; chills; headache; nausea; loss of appetite; Tinnitus/new tinnitus from the vaccine was much louder; This is a spontaneous report received from a contactable consumer (patient). A 56-year-old female patient (not pregnant) received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, batch/lot number: EP7533 and expiration date: 31Jul2021), via an unspecified route of administration, in arm right, on 30Mar2021 15:45 (at the age of 56-year-old, not pregnant), at single dose, for COVID-19 immunization. Medical history included myopic degeneration/glaucoma, mild tinnitus in both ears since childhood. Patient was not diagnosed with COVID-19 prior to vaccination. No other vaccines within 4 weeks prior to the COVID vaccine. Concomitant medications included brimonidine, timolol, latanoprost eye drops, and pramlintide. The patient previously took first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, batch/lot number: EN6202 and expiration date not provided), via an unspecified route of administration, in arm right, on 09Mar2021 15:45 (at the age of 56-year-old), at single dose, for COVID-19 immunization. Other past drugs included ciprofloxacin (CIPRO), cefprozil (CEFZIL), sulfamethoxazole, trimethoprim (BACTRIM), azelastine nasal spray. The patient experienced tinnitus in left ear started about 30Mar2021 17:00 (reported as "1 hour after vaccination"), it was much louder on 31Mar2021 (reported as "the next morning") with mild hearing loss. Patient woke up in the morning with the fever and chills, and was accompanied by headache, nausea, loss of appetite. Patient had severe diarrhea on 03Apr2021, 04Apr2021, 05Apr2021, fever and severe intestinal cramps on 07Apr2021. All symptoms improved except for severe tinnitus in left ear. Sometimes it was so loud it feels like patient's whole brain was getting affected. Patient's blood vessel in left ear was pulsing too. Pulsing tinnitus. 5 weeks in from second COVID vaccine. Patient had a very loud tinnitus, ringing in the ear and the left ear felt very sore, it was like partial hearing loss, which lasted for few days. So, now the hearing came back and my hearing was normal. Patient visited Audiological/ENT on 14Apr2021 and had hearing tests, it was normal but patient had very loud tinnitus. Patient had a severe

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							tinnitus. This new tinnitus from the vaccine was much louder with additional piercing hissing/whooshing sounds. Patient was still experiencing this discomfort, it is the same, this it is not getting better, it was very loudly. The adverse events result in doctor or other healthcare professional office/clinic visit. Patient stated she was finding that so many people those who have the same side effect (further clarification unknown), it was the tinnitus, the ringing in the ears and partial hearing loss either temporary or permanent and it is a pretty big side effect and its pretty much severe lasting many weeks and months. Patient had not been tested for COVID-19 Since the vaccination. The outcome of the event "tinnitus aggravated" was not recovered; of other events was recovering.
1329480	5/19/2021	FL	57	M	3/24/2021	3/25/2021	ear infection; hypertension 168/98; Branch Retinal Vein Occlusion; blurry vision in my left eye; This is a spontaneous report from a contactable consumer (patient). A 57-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Lot Number: EN6208), via an unspecified route of administration, administered in Arm Left on 24Mar2021 10:00 as 1st dose, single for COVID-19 immunization. There were no medical history and concomitant medications. No other vaccines in four weeks and no other medications in two weeks. No known allergies. No COVID-19 prior to vaccination and not tested post vaccination. On 25Mar2021 08:00, the patient had blurry vision in my left eye and was referred to a Retina Specialist. The patient was diagnosed with Branch Retinal Vein Occlusion and is receiving AVASTIN shots in the eye monthly in the hopes of getting the vision back to normal. On 02May2021, the patient visited a walk-in clinic for an ear infection and was diagnosed with hypertension. BP 168/98. Patient had several reading in this range after the visit. The patient visited his general practitioner (GP) and was started a regimen of Lisinopril 2.5 mg to help bring down the BP. The outcome of the events was reported as not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329620	5/19/2021	CO	64	F	3/29/2021	3/29/2021	Patient states she received 1st dose of Pfizer vaccine on 3/29; had an allergic reaction with whole body itching, numbness on mouth and lips, facial swelling (left eye). She was given Benadryl and observed for 1.5 hours and sent home. (at vaccine clinic 3/29/21) Patient reports she is still having some mild itching, throat is a bit hoarse. She is using allergy eye drops. Patient was advised to see her PCP. She was told that she should not get 2nd dose of the vaccine.
1329502	5/19/2021	MN	31	F	5/3/2021	5/4/2021	After 12 hours from vaccine I had diarrhea; chill; swelling all my body; puffy both eyes and lips; puffy both eyes and lips; This is a spontaneous report from a contactable consumer (patient). A 31-year-old female patient received bnt162b2 (BNT162B2), dose 1 via an unspecified route of administration, administered in arm left on 03May2021 14:00 (Batch/Lot number was not reported) as single dose at the age of 31-year-old for COVID-19 immunisation. The patient medical history and concomitant medications were not reported. Patient was not pregnant. No other vaccine in four weeks. No COVID prior vaccination. No known allergies. Other medical history: she never had any reaction. On 04May2021 04:00 after 12 hours from vaccine she had diarrhea, chill, swelling all her body, puffy both eyes and lips. Events resulted in Emergency room/department or urgent care and Hospitalization. Therapeutic measures were taken as a result of events. COVID was not tested post vaccination. The outcome of events was recovered with sequelae. Information on the Lot/Batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329677	5/19/2021	TN	57	F	3/8/2021	4/6/2021	<p>had severe Vitamin D deficiency; Chills; Fainted; Total and complete exhaustion/soo tired; confusion; cried; could barely function, weak; flashes in eyes; i think i am going to die/ horrid / never felt so horrible in my life; headache immediately; This spontaneous case was reported by a consumer and describes the occurrence of SYNCOPE (Fainted) in a 57-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 030V21A and 029A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 08-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 06-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 06-Apr-2021, the patient experienced HEADACHE (headache immediately). On 08-Apr-2021, the patient experienced SYNCOPE (Fainted) (seriousness criterion medically significant), CONFUSIONAL STATE (confusion), CRYING (cried), ASTHENIA (could barely function, weak), VITREOUS FLOATERS (flashes in eyes), FEELING ABNORMAL (i think i am going to die/ horrid / never felt so horrible in my life) and FATIGUE (Total and complete exhaustion/soo tired). On an unknown date, the patient experienced VITAMIN D DEFICIENCY (had severe Vitamin D deficiency) and CHILLS (Chills). At the time of the report, SYNCOPE (Fainted), VITAMIN D DEFICIENCY (had severe Vitamin D deficiency), CONFUSIONAL STATE (confusion), CRYING (cried), ASTHENIA (could barely function, weak), VITREOUS FLOATERS (flashes in eyes), FEELING ABNORMAL (i think i am going to die/ horrid / never felt so horrible in my life) and CHILLS (Chills) outcome was unknown and HEADACHE (headache immediately) and FATIGUE (Total and complete exhaustion/soo tired) had not resolved. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): In 2020, Blood test: vitamin d normal (normal) Vitamin D normal. In 2021, Blood test: severe vitamin d deficiency (abnormal) severe Vitamin D deficiency. The treatment reported was patient was prescribed Vitamin D 50,000 units once weekly and Tylenol. Action taken with mRNA-1273 in response to the drug was not applicable. This case was linked to MOD-</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							2021-109872 (Patient Link).; Sender's Comments: Based on current available information and the temporal association between product use and the start date of the events a causal relationship cannot be excluded.
1329528	5/19/2021		79	F	2/23/2021	2/24/2021	shortness of breath; experienced white and pink bumps on her face around her lips; experienced white and pink bumps on her face around her lips; she experienced aches and pain in her joints; blurred vision on and off; This is a spontaneous report from a non-contactable consumer (patient). A 80-years-old-female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/Lot number was not reported), via an unspecified route of administration on 23Feb2021 (79-years-old) as 1st dose, single for COVID-19 immunization. The patient medical history and concomitant medications were not reported. It was reported that patient did not have her medications, but she did state that she has had several Botox injections in the area on her face where she experienced the reaction. The 2nd day after the first dose of the vaccine (24Feb2021) she experienced white and pink bumps on her face around her lips. She also had some shortness of breath and called 911. She was admitted to the hospital. The ruled out COVID infection and Pneumonia. On the 3rd day while hospitalized she experienced aches and pain in her joints. She was discharged after 3 days. Her symptoms have subsided. She is only complaining on some blurred vision on and off. She received her first dose on 23Feb2021. Her Doctor told her she should not get the 2nd dose. Therapeutic measures were taken as a result of shortness of breath, experienced white and pink bumps on her face around her lips, she experienced aches and pain in her joints. The outcome of event she experienced aches and pain in her joints was recovering, while other events was unknown. It was reported that patient had several Botox injections in the area on her face where she experienced the reaction. No follow-up attempts are possible; information about lot/batch number cannot be obtained.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329542	5/19/2021	AR	71	F	4/8/2021	4/8/2021	Swelling and pain on right side of body; Swelling and pain on right side of body; Sore arm; Arm swollen; Everything in vision went white; Felt weak and sick; Felt weak and sick; This is a spontaneous report from a contactable consumer (patient). A 71-year-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in Arm Right on 08Apr2021 (Lot Number: BRZU13) as 1st dose, single for covid-19 immunisation. Medical history included ongoing glaucoma (she was diagnosed with glaucoma when she was 37, the glaucoma only started to really get worse over the last few years, her pressure was up pretty high and she has to go on 11May2021 to the eye doctor), ongoing rheumatoid arthritis (she has had rheumatoid arthritis for more than a couple of years, she had rheumatoid arthritis when she was diagnosed as disabled and no one bothered to tell her), ongoing hypertension (it has been 5, 6, or 7 years since she was diagnosed with high blood pressure), ongoing small cataracts (she was diagnosed with small cataracts about a year ago), ongoing severe osteoporosis (it has been a few years since she was diagnosed with severe osteoporosis, reported that some physicians didn't even bother to check to see if she had osteoporosis), ongoing Can't take statins (she can't take statins and her doctor is giving her Omega 3's instead of statins, she tried to take statins and couldn't do it), ongoing allergies (if she eats a grapefruit, her whole face and lips and eyes swell up, she had to go to the emergency room following consumption of a grapefruit, she can't eat oranges or she will have to be taken to the emergency room, she cannot wash her clothes or sleep on sheets that have been washed in certain things), reaction to polyethylene glycol (25-30 years ago, she went into the hospital to have a colonoscopy, she drank the Polyethylene Glycol, went to the bathroom, and passed out, the hospital staff had to come in and get her from the bathroom, the medical staff figured out it was the Polyethylene Glycol that caused her to pass out and made her sick, she has not had a colonoscopy since the incident 25-30 years ago), problems with her hair and scalp started about a year ago (her hair was just thinning at first, and then it went to going bald and got worse and worse. Even with Rogaine and steroids, the balding was moving to the front of her

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

head. She stopped taking the steroids because she couldn't stop eating). Concomitant medications included amlodipine taken for blood pressure abnormal from an unspecified start date and ongoing (has been taking amlodipine for a year or a year and a half); hydrochlorothiazide taken for swelling from an unspecified start date and ongoing (she retired in 2005 and may have started taking hydrochlorothiazide before she retired); dorzolamide hydrochloride, timolol maleate (DORZOLAMIDE HYDROCHLORIDE AND TIMOLOL MALEATE) taken for glaucoma from an unspecified start date and ongoing (been about a year that she has been using the Dorzolamide/Timolol); latanoprost taken for glaucoma from an unspecified start date and ongoing (has been using the Latanoprost for longer than she has been using the Dorzolamide/Timolol); acetylsalicylic acid (ASPIRIN (E.C.)) taken for an unspecified indication from an unspecified start date and ongoing (she has been taking an aspirin daily religiously for about 6 months); famotidine taken for gastroesophageal reflux disease from an unspecified start date and ongoing (has been taking Famotidine for a couple of years); hydrocodone taken for pain from 2005 and ongoing. The patient experienced sore arm on 08Apr2021 with outcome of recovered on Apr2021, arm swollen on 08Apr2021 with outcome of recovered on Apr2021, everything in vision went white on 08Apr2021 with outcome of recovered on 08Apr2021, felt weak and sick on 08Apr2021 with outcome of recovered on Apr2021, swelling and pain on right side of body on 09Apr2021 with outcome of recovered on Apr2021. The events were described as everything went white: patient reported that everything went white in her vision while she was sitting and waiting after receiving her first dose of the Covid-19 vaccine. She thought that it may have just been her glaucoma. The white out of her vision lasted for 5-10 seconds and then her vision returned to normal. Felt weak and sick: when she left the vaccination facility on 08Apr2021, the sun was beating down and she got real sick. She got into her friend's vehicle and upon arriving home, the patient was unable to get out of the car because she felt like she was about to faint. She sat in the air conditioning in her friend's vehicle for 30 minutes. She was still feeling weak and sick but she went inside her house and got into bed. Swelling and pain on right side of body: when she woke

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

up on 09Apr2021, the whole right side of her body to include her face, arm, hand, and foot, were all very painful and very swollen for about 3 days. She has had multiple surgeries on the right side of her body and all of the sites were very painful. Felt weak and sick: she started sweating a lot while she sat in her friend's truck on 08Apr2021 after the first dose of the Covid-19 vaccine. She sat in her friend's truck for 30-40 minutes with the air conditioner running full force and felt a little better. She still felt weak and sick, but she went inside because her friend needed to leave. She took off her clothes and tried to eat some soup, but just got into bed and stayed there. Swelling and pain on right side of body: the swelling and pain was really bad for 3-4 days and eventually went away. The pain and swelling gradually diminished. The bones in her hands, knees, thighs, and feet were all very painful. She has a piece of wire that holds her foot to her leg and a spot on her thigh that was affected when she was being given pain blocks and the provider kept missing the site. She has rheumatoid arthritis in her hands, arms, and shoulders as well as a herniated disk in her neck. Patient reported that all of that was hurting and hurting at the same time. Felt weak and sick: patient reported that it took awhile to start coming back to herself. It took about a week and a half until she finally felt back to normal. The patient reported that she should have gone to the doctor or emergency room when she experienced side effects following the first dose of the Covid-19 vaccine. She didn't want to go to the hospital because her immune system wasn't right and she didn't want to catch anything. Information on Lot/Batch number was available. Additional information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329583	5/19/2021	CA		F	3/19/2021	5/7/2021	<p>she had an epidural placed for pain in the lower back; My Right eye was not blinking and it was watery/tearing; The right side of my face was not moving at all; Bell's Palsy; I had paralysis in my right eye and it went down to the chin area; numbness around my mouth and underneath my nose, the right side/under my nose felt numb; My tongue was numb and under my nose felt numb; This is a spontaneous report from a contactable nurse (patient). A 68-years-old female patient received the second dose of BNT162B2 Pfizer-BioNTech COVID-19 mRNA Vaccine via an unspecified route of administration, administered in right arm on 19Mar2021 (Batch/Lot number was not reported) as single dose for COVID-19 immunization. The patient's medical history included Bell's Palsy about 10 years before this report and they thought it was a stroke as it was a mild case without any facial paralysis at that time. Historical vaccine included the first dose of BNT162B2 Pfizer-BioNTech COVID-19 mRNA Vaccine administered in right arm on 26Feb2021 (Batch/Lot number was not reported) as single dose for COVID-19 immunization, after which the patient suffered from pain in arm only. Concomitant medications were not reported. The patient reported that she woke up on 07May2021 with numbness around her mouth and underneath her nose, the right side. She had paralysis in her right eye and it went down to the chin area. Her tongue was numb and under her nose felt numb. The left side of her lip went to the left when she rubbed her lips together and she also had right sided drooping of her mouth. She called a HCP and he said it was probably a reaction to her medications. He said to go through the weekend and see if it goes away. On 10May2021, it was still there. Her right eye was not blinking and it was watery/tearing. The right side of her face was not moving at all. Drinking coffee or liquids it would pour out on her chin. The reporter states she went to the ED on 10May2021 and the doctor diagnosed her with Bell's Palsy, he said it could have been caused by a virus, or the caller being stressed. Her Internist just said "I don't know" what was causing the Bell's Palsy. The caller stated she had an epidural placed for pain in the lower back on 14Apr2021. She has been taking prednisone 20 mg take 3 once a day since 10May2021 and valaciclovir hydrochloride (VALTREX), 1 g three times daily by oral route. Caller states she has been taking the prednisone 20 mg 3x/day</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

instead of all in one dose daily. At the time of the report the events outcome was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.; Sender's Comments: Based on the plausible temporal association it is likely that the reported events of Bell's Palsy and ophthalmoplegia are likely associated with the suspect product, BNT162B2 Pfizer-BioNTech COVID-19 mRNA Vaccine. The impact of this report on the benefit/risk profile of the Pfizer drug is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329439	5/19/2021	AR		F			<p>this type of reaction was not exactly anaphylactic even though they were considering it as such; heart racing/heart was racing; eyes swollen shut/eyes swelled shut; red arms/arms turned bright red; itchiness; This is a spontaneous report from a contactable physician (patient's father, a dermatologist) via Medical Information team the Pfizer-sponsored program, Support. A female patient of an unspecified age received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), via an unspecified route of administration on an unspecified date, 1.5 weeks prior reporting (batch/lot number and expiration date were not reported) as the 1st dose, single for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. On an unspecified date within an hour after vaccination, the patient had "red arms, heart racing, itchiness, and her eyes swollen shut." She was given diphenhydramine (BENADRYL), and was advised not to get the second shot. The reporter was seeking recommendation on how to proceed; if the patient could take another COVID-19 vaccine instead to complete the vaccination series. It was further reported that the patient had a Pfizer COVID shot a week and half prior reporting and she had a reaction to it, which included "arms turned bright red, heart was racing, and eyes swelled shut" on an unspecified date. They gave her a shot of Benadryl, and then she drove home. She had no problem after that. She had no trouble breathing. They told her not to get the second shot. So the reporter went and looked for more information and saw on one website that she could go ahead and get the Johnson and Johnson vaccine or just stick with the one Pfizer shot. The reporter was wondering what was the current recommendation for this and wanted to clarify. The reporter stated that this type of reaction was not exactly anaphylactic even though they were considering it as such. The patient recovered from all the events on an unspecified date. Information on the batch/lot number has been requested.; Sender's Comments: Based on available information, a possible contributory role of the subject product, BNT162B2 vaccine, cannot be excluded for the anaphylactic reaction and other reported events. There is limited information provided in this report. This case will be reassessed once additional information is available. The impact of this report on the benefit/risk profile of the</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329167	5/19/2021	LA	59	F	2/12/2021	3/13/2021	haze in left eye; pain behind left eye, and pain above left eye; Headache/pain in left temporal area; told symptoms consistent with encephalitis; Within 30-36 hours after second dose, she had stiffness of neck; This spontaneous case was reported by a nurse (subsequently medically confirmed) and describes the occurrence of ENCEPHALITIS (told symptoms consistent with encephalitis) in a 59-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 031A21A and 031M20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 12-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 12-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 13-Mar-2021, the patient experienced ENCEPHALITIS (told symptoms consistent with encephalitis) (seriousness criterion medically significant), MUSCULOSKELETAL STIFFNESS (Within 30-36 hours after second dose, she had stiffness of neck) and HEADACHE (Headache/pain in left temporal area). On an unknown date, the patient experienced VISION BLURRED (haze in left eye) and EYE PAIN (pain behind left eye, and pain above left eye). At the time of the report, ENCEPHALITIS (told symptoms consistent with encephalitis), MUSCULOSKELETAL STIFFNESS (Within 30-36 hours after second dose, she had stiffness of neck), VISION BLURRED (haze in left eye), EYE PAIN (pain behind left eye, and pain above left eye) and HEADACHE (Headache/pain in left temporal area) had not resolved. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 22-Mar-2021, Magnetic resonance imaging: for most part appears normal (normal) for most part appears normal. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. No concomitant medications were reported. Treatment medications included trigger point injections. The patient was evaluated in the ER for symptoms of stiffness of neck and headache and was told the symptoms are consistent with encephalitis, however, the diagnosis had not been confirmed. She was also evaluated by her primary doctor on 22Mar2021,



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

an ophthalmologist on 15Mar2021, 19Mar2021 and 03May2021, a retinal specialist on 03May2021 and is scheduled to see a neuro-ophthalmologist on 03Jun2021. Based on the current available information and temporal association between the use of the product and the start date of the events a causal relationship cannot be excluded. Based on the current available information and temporal association between the use of the product and the start date of the events a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329660	5/19/2021	NY	86	M	5/11/2021		<p>BLOOD CLOTS IN URINE; VISUAL BLOOD CLOTS IN PENILE DISCHARGE; DISCOLOURATION OF URINE; BLOOD DISCHARGE AND CLOTS IN STOOL (CLOTS WOULD FALL OUT WHEN WENT FROM SITTING TO STANDING); This spontaneous report received from a consumer concerned an 86 year old white, not Hispanic or Latino male. The patient's weight, height and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of administration not reported, batch number: 206A21A, expiry: 23-JUN-2021) frequency one total, dose was not reported, administered on 10-MAY-2021 at 10:00 a.m. in left arm for prophylactic vaccination. No concomitant medications were reported. On 11-MAY-2021, the patient experienced clots in stool which would fall out when patient went from sitting to standing. They are about 3 inches in diameter. He also experienced blood discharge. On 12-MAY-2021, he experienced discoloration of urine with unknown origin. From the night of 13-MAY-2021 to the morning to 14-MAY-2021, he experienced clots in urine and visual of blood clots in penile discharge. The patient was hospitalized on 14-MAY-2021 and the duration of hospitalization was not reported. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from discoloration of urine, blood discharge and clots in stool (clots would fall out when went from sitting to standing), blood clots in urine, and visual blood clots in penile discharge. This report was serious (Hospitalization Caused / Prolonged).; Sender's Comments: V0: 20210529768 -JANSSEN COVID-19 VACCINE Ad26.COV2.S- Blood in stool, Discoloration of urine, Blood clots in urine and Penile bleeding. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329496	5/19/2021	CA	60	F	4/9/2021	4/1/2021	I have been sick; couldn't eat anything down; lost consciousness; Trigeminal neuralgia attack; Trigeminal neuralgia attack; massive vertigo attack; eye was so swollen; This is a spontaneous report from a contactable consumer (patient). This 60-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration on 09Apr2021 (at the age of 60-year-old) (Batch/Lot number was not reported) as single dose for COVID-19 immunisation. Relevant medical history included trigeminal neuralgia, head injury, pulmonary problems, severe migraine and tumor in lymph node. Concomitant medications were not reported. On 09Apr2021, the patient lost consciousness; in Apr2021, she experienced trigeminal neuralgia attack, massive vertigo attack and eye was so swollen; on an unspecified date she experienced also sickness and couldn't eat anything down. The patient specified that right after she got the injection, they make you to sit there for 15 minutes to see. She lost consciousness, it was like they gave her a shot before you go on for surgery and the doctor had come over, they had to wake her up. She didn't know what happened, so that was the first thing and the doctor said that's out of all the 1000's of people they vaccinated she was the first one that passed out right after the injection. So, she thought may be that should be noted somewhere and she didn't get a headache that she has a condition called Trigeminal neuralgia which was extremely painful and it's like only 3% of the population get it and it's usually caused after major head injury, was the very next day her shot was on the Friday and then Saturday the pain was terrific and she had the trigeminal pain for a week, took a week to go away and then right after that the next week she had a massive vertigo attack. And she really didn't know all these things or side effects from her head injury. But her conditions are pretty rare, you only get them if you've got massive concussions and fractured skull and stuff like that which happened a long time ago. So she didn't know if the shot had anything to do with it. She has pulmonary problems so she was getting it no matter what because she can't go anywhere hery Pulmonologist won't let her leave the house unless she has to go to a doctor or an emergency room. And she did go to the emergency room because her pain medication wasn't working at all

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							(Unspecified medication). She used to have migraine but after the head injury the migraine went away which she was very happy because she had severe migraine. What she didn't know was this Trigeminal neuralgia the nerve pain. The consumer further specified that she was so happy with the vaccine and she mean she doesn't care what the normal side effects are, she didn't have any other side effects her arm never hurts, she never had any fatigue or headache but she didn't know it was odd, the very morning she woke up Saturday she was in excruciating pain, its nerve pain that went down to the jaw, right under her eye and over the forehead and it's the most extremely painful thing that people get. She takes medication (Unspecified medication) daily to try to control it but sometime the pain is really really bad. She had been sick for the 3 weeks, she did not think anything had to do with the vaccine except the trigeminal. But it could have caused a massive vertigo attack which lasted 8 or 9 days. Today was the first day she was eating food in a week because she couldn't eat anything down. The patient was on a lot of steroids, she was reducing but she was still very plump so she thinks it's about 270 pounds right now. At the time of the report, the outcome of the events was unknown. The information on the batch number has been requested.
1329163	5/19/2021	OR		F	5/16/2021		MEDICATION ERROR DUE TO ACCIDENTAL EXPOSURE INTO EYES; FREAKING OUT; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose, start therapy date were not reported for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 16-MAY-2021, the subject experienced medication error due to accidental exposure into eyes. On 16-MAY-2021, the subject experienced freaking out. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the medication error due to accidental exposure into eyes and freaking out was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329856	5/19/2021	PA	50	F	1/1/2021	4/1/2021	Early Symptoms of the Flu with the 2nd shot, Body aches, chills, aches which resolved Now I have unexplained dizziness and Eyes sometimes go in and out of focus. which has not resolved
1332372	5/19/2021	GA	73	M	1/15/2021	1/17/2021	Major Stroke as described below: There is a large left MCA infarct with a hyperdense left MCA vessels sign consistent with a area of acute ischemia. There is medial uncal herniation compressing the left cerebral peduncle. There is compression of the left temporal horn. There is compression of the left lateral ventricle with left to right shift measuring approximately 9 mm. The basilar cisterns are patent. No intracranial hemorrhage. Bone windows demonstrates no bony lytic or destructive changes The orbital globes and retrobulbar structures appear grossly unremarkable. The visualized paranasal sinuses and mastoid air cells are well aerated. The bony calvarium is intact. IMPRESSION: There is a large left MCA vascular territory acute ischemic change with uncal herniation and mild left to right transpleural seen shift described above without hemorrhage. Dense left MCA vessels sign. Results were discussed with doctor in the the ER at 10:45 PM

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329072	5/19/2021	FL		M		3/28/2021	STROKE; SORE ARM; This spontaneous report received from a patient concerned a male of unspecified age. The patient's height, and weight were not reported. The patient's concurrent conditions included hypertension, and diabetes type 2. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1802068, and expiry: UNKNOWN) dose was not reported, frequency 1 total, administered on 04-MAR-2021 at left arm for prophylactic vaccination. No concomitant medications were reported. On unspecified date, the patient had sore arm. On 28-MAR-2021, the patient's right peripheral vision was gone and went to emergency room and diagnosed with stroke. The patient got hospitalized. At hospital, alteplase was administered as the treatment medication for stroke. Patient was discharged on 02-APR-2021. The magnetic resonance imaging (MRI) has shown small spot (stroke confirmed) while Computerized axial tomography scan (CAT) scan did not show the stroke. The patient was hospitalized for 5 days. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from stroke on 02-APR-2021 and the outcome of sore arm was not reported. This report was serious (Hospitalization Caused / Prolonged).; Sender's Comments: V0;20210518127-covid-19 vaccine ad26.cov2.s-Stroke. This event is considered not related. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There are other factors more likely to be associated with the event than the drug. Specifically: MEDICAL HISTORY, UNDERLYING DISEASE.
1328967	5/19/2021	TX	33	F	4/6/2021	4/7/2021	Dermal swelled in lips, cheeks and under eyes Oral prednisone for 4 days and anti histamines. I'm having more trouble now with breathing/ shortness of breath, chest pain, and headache. Undergoing treatment as of today for this part.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329088	5/19/2021	PA	56	M	4/3/2021		<p>BLOOD IN THE STOOL; SHORTNESS OF BREATHE; TINGLING IN THE FINGERTIPS AND THE TOES; SORENESS IN THE RIBCAGE NEAR THE HEART/LEFT CALF SORENESS; PUMPING SENSATION IN RIGHT SIDE OF HEAD; TIREDNESS; RIGHT ARM SORENESS; COUGHING; LIGHT HEADEDNESS SENSATION; HEMORRHOIDS; This spontaneous report received from a patient concerned a 56 year old male. The patient's height, and weight were not reported. The patient had no relevant medical history and was not on regular medication. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805022, and expiry: UNKNOWN) dose was not reported, once total administered on 01-APR-2021 on left arm for prophylactic vaccination. No concomitant medications were reported. Patient reported that, he received the vaccine on 01-APR-2021. Approximately 2 days after he coughed and felt lightheaded and noticed some lights around his eyes. Approximately 7 days after patient noticed a list of symptoms including a pumping sensation in the right side of his head, left calf soreness, soreness in the ribcage near the heart, a tingling sensation in the fingertips and toes (but not at the center), sense of tiredness, shortness of breath, blood in stool that he referred to repeatedly as clots, right arm soreness (although the injection was given in the left arm). Patient called his doctor twice and was told to go to the hospital. Patient went to the hospital on 04-MAY-2021. Arrived at 12 PM and discharged at 11 PM approximately. Conducted a chest x-ray, took a blood sample twice, and put some stuff on patient's chest. Patient was discharged on 04-MAY-2021 and given a prescription for Motrin 800 mg taken three times per day as needed, and for cyclobenzaprine 10 mg taken twice a day as needed for spasms. Patient decided not to take these medications as he was unsure if they were pain medications and felt apprehensive. He main concerns seemed to be the pumping sensation in the right side of his head and the blood in his stool which he repeatedly referred to as a clot. His family doctor is aware of the situation and says he thinks its hemorrhoids. He refers to the clot as darker red in colour and also mentions that there is regular red blood in stool alongside the darker clot. Patient notices this about 3 times per week. The action taken with covid-</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							19 vaccine ad26.cov2.s was not applicable. The patient recovered from coughing, and light headedness sensation on 03-APR-2021, was recovering from right arm soreness, and had not recovered from pumping sensation in right side of head, soreness in the ribcage near the heart/left calf soreness, tingling in the fingertips and the toes, tiredness, shortness of breathe, blood in the stool, and hemorrhoids. This report was serious (Other Medically Important Condition).; Sender's Comments: V0.20210526242-covid-19 vaccine ad26.cov2.s -blood in stool . This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).
1329098	5/19/2021	CA	58	M	5/13/2021		SORE THROAT; PINK EYE; HEADACHE; RIGHT EYE PAIN; This spontaneous report received from a patient concerned a 58 year old male. The patient's height, and weight were not reported. The patient's concurrent conditions included smoker, and non alcohol consumer, and other pre-existing medical conditions included the patient had no known allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unk) dose was not reported, administered on 08-MAY-2021 for prophylactic vaccination. The Batch number was not reported and has been requested. No concomitant medications were reported. On 13-MAY-2021, the subject experienced right eye pain. On 14-MAY-2021, the subject experienced sore throat. On 14-MAY-2021, the subject experienced pink eye. On 14-MAY-2021, the subject experienced headache. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from right eye pain, sore throat, and headache, and the outcome of pink eye was not reported. This report was non-serious.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329106	5/19/2021	NJ	69	M		5/1/2021	<p>PAIN ALL OVER BODY, FROM ANKLES UP TO HEAD (WORST BACK, CHEST NOT GOOD); SLEEPLESSNESS; FEELING LIKE DYING, NOT MAKING IT; SHORTNESS OF BREATH; NOT EATEN ANYTHING IN DAYS; This spontaneous report received from a patient concerned a 69 year old male. The patient's height, and weight were not reported. The patient's past medical history included horrible accident, right femur replaced, both ankles replaced, both knees replaced, and fuse lower back, and concurrent conditions included artificial hip, blurry vision, ptds (post traumatic demoralization syndrome), and panic attacks. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on 10-MAY-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On MAY-2021, the subject experienced pain all over body, from ankles up to head (worst back, chest not good). On MAY-2021, the subject experienced sleeplessness. On MAY-2021, the subject experienced feeling like dying, not making it. On MAY-2021, the subject experienced shortness of breath. On MAY-2021, the subject experienced not eaten anything in days. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from pain all over body, from ankles up to head (worst back, chest not good), and the outcome of sleeplessness, feeling like dying, not making it, shortness of breath and not eaten anything in days was not reported. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329116	5/19/2021		32	U		5/11/2021	<p>TIREDDNESS; LOSS OF CONSCIOUSNESS; MUSCLE CONTRACTION; LOSS OF SPHINCTER CONTROL; BLANK EYES; This spontaneous report received from a patient concerned a 32 year old of unspecified sex. The patient's height, and weight were not reported. The patient's pre-existing medical conditions included unknown. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 204A21A expiry: UNKNOWN) dose was not reported, administered on 11-MAY-2021 for prophylactic vaccination. No concomitant medications were reported. On 11-MAY-2021, the subject experienced loss of consciousness. On 11-MAY-2021, the subject experienced muscle contraction. On 11-MAY-2021, the subject experienced loss of sphincter control. On 11-MAY-2021, the subject experienced blank eyes. On 12-MAY-2021, the subject experienced tiredness. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from loss of consciousness, muscle contraction, loss of sphincter control, and blank eyes on 11-MAY-2021, and the outcome of tiredness was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0 : 20210530640- COVID-19 VACCINE AD26.COV2.S - Loss Of Consciousness. This event is considered unassessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329190	5/19/2021	TX	33	F	1/27/2021	1/27/2021	Eye swollen; nauseated; Fever; chills; coughing; Body ache; Muscle ache; Tired; Ear ache; This is a spontaneous report was received from a contactable other hcp. A 33-years-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection Batch/Lot number was not reported), via intramuscular route of administration, administered in arm left on 27Jan2021 12:00 as single dose for covid-19 immunisation. The patient's medical history was not reported. The patient's concomitant medications were not reported. The patient had history of promethazine allergy. The patient was not pregnant at the time of vaccination. The patient did not take any other vaccine in four weeks and did not take other medications in two weeks. On 27Jan2021 at 20:15, the patient was feeling nauseated, fever, chills, coughing, body ache, muscle ache, tired, earache, eye swollen. The patient did not take any treatment. The patient had received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection Batch/Lot number was not reported), via intramuscular route of administration, administered in arm left on 06Jan2021 12:00 as single dose for covid-19 immunisation. The patient had no covid prior vaccination. On 28Jan2021, (post vaccination), the patient underwent lab tests and procedures which included covid-19 and the results were pending. The outcome of the events was recovering. Information on the lot/batch number has been requested. Follow-up (16Apr2021): This follow-up is being submitted to notify that the lot/batch number is not available despite the follow-up attempts made. Follow-up attempts have been completed and no further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329132	5/19/2021	FL	34	M		5/9/2021	PERSISTENT MODERATE HEADACHE OVER EYES; MILD FEVER; This spontaneous report received from a patient concerned a 34 year old male. The patient's height, and weight were not reported. The patient's concurrent conditions included penicillin allergy, alcohol use, and non-smoker, and other pre-existing medical conditions included patient had no drug abuse or illicit drug usage and no past medical history of medicines to prescriptions herbal supplements. The patient experienced drug allergy when treated with levofloxacin. The patient received covid-19 vaccine (suspension for injection, intramuscular, batch number: 204A21A, expiry: UNKNOWN) dose was not reported, administered on 09-MAY-2021 for prophylactic vaccination. Concomitant medications included lansoprazole. On 09-MAY-2021, the subject experienced persistent moderate headache over eyes. On 09-MAY-2021, the subject experienced mild fever. Treatment medications (dates unspecified) included: ibuprofen. The action taken with covid-19 vaccine was not applicable. The patient recovered from mild fever on 14-MAY-2021, and had not recovered from persistent moderate headache over eyes. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329435	5/19/2021	NV	19	F	4/23/2021	4/25/2021	lost vision in both eyes; passed out; dizzy; severe nausea set in with severe body pain; severe nausea set in with severe body pain; worst migraine of my life; low blood pressure; This is a spontaneous report received from a contactable consumer (patient). A 19-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration (at the age of 19-years-old), administered in Arm Left on 23Apr2021 13:00 (Lot Number: EW0169) as 1st dose, single for COVID-19 immunization. Medical history included anxiety, and allergies to mosquitoes, hotdogs, and sausage. The patient was not pregnant at the time of vaccination. Concomitant medications included citalopram and drospirenone, estradiol (EOS), IUD, daily supplements. The patient previously took oxycodone ("oxycodone") and percocet [oxycodone hydrochloride;oxycodone terephthalate;paracetamol] and experienced allergies. The patient, 48 hrs later, lost vision in both eyes, became dizzy, passed out multiple times. Later severe nausea set in with severe body pain. Went to Urgent Care the following day and was told side effects. That night had worst migraine of her life, low blood pressure, and continued nausea. Given some meds and sent home to rest. Took 2 full days to feel okay again. Onset date and time of events reported as 25Apr2021 13:00. The adverse events resulted in Emergency room/department or urgent care. Therapeutic measures were taken as a result of the events. Treatment received for the adverse events included Toradol, Benadryl, and Reglan. The patient underwent lab tests and procedures which included sars-cov-2 test: negative (Nasal Swab) on 27Apr2021. The outcome of the events was recovered with sequelae. The events "lost vision in both eyes" and "passed out" were considered as serious (medically significant). Facility where the most recent COVID-19 vaccine was administered was Clinic/facility. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has been tested for COVID-19. No follow-up attempts are possible, no further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329169	5/19/2021	TN	67	F	3/12/2021	3/12/2021	mentally overwhelmed; missed her 2nd dose; headache on and off; staggering fatigue/hard to stay awake where her eyes always wanted to close; felt uneasy; dizzy; she did not make it and urinated on the floor; passed out on the toilet; nervous; jittery feelings; Hands started to shake; This spontaneous case was reported by a consumer and describes the occurrence of LOSS OF CONSCIOUSNESS (passed out on the toilet) in a 67-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 040A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Arthritis (Left knee). Concomitant products included ACETYLSALICYLIC ACID (ASPIRIN (E.C.)), KETOROLAC and HYDROXYZINE for an unknown indication. On 12-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 12-Mar-2021, the patient experienced NERVOUSNESS (nervous), FEELING JITTERY (jittery feelings) and TREMOR (Hands started to shake). On 13-Mar-2021, the patient experienced LOSS OF CONSCIOUSNESS (passed out on the toilet) (seriousness criterion medically significant), DIZZINESS (dizzy), INCONTINENCE (she did not make it and urinated on the floor), FEELING ABNORMAL (felt uneasy), HEADACHE (headache on and off) and FATIGUE (staggering fatigue/hard to stay awake where her eyes always wanted to close). On an unknown date, the patient experienced EMOTIONAL DISTRESS (mentally overwhelmed) and PRODUCT DOSE OMISSION ISSUE (missed her 2nd dose). On 12-Mar-2021, TREMOR (Hands started to shake) had resolved. On 13-Mar-2021, LOSS OF CONSCIOUSNESS (passed out on the toilet) and INCONTINENCE (she did not make it and urinated on the floor) had resolved. At the time of the report, NERVOUSNESS (nervous), FEELING JITTERY (jittery feelings), DIZZINESS (dizzy), EMOTIONAL DISTRESS (mentally overwhelmed), FEELING ABNORMAL (felt uneasy), HEADACHE (headache on and off) and FATIGUE (staggering fatigue/hard to stay awake where her eyes always wanted to close) outcome was unknown and PRODUCT DOSE OMISSION ISSUE (missed her 2nd dose) had resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							(Intramuscular) was unknown. Treatment of these events were not reported. Based on current available information and the temporal association between product use and the start date of the events a causal relationship cannot be excluded.; Sender's Comments: Based on current available information and the temporal association between product use and the start date of the events a causal relationship cannot be excluded.
1329203	5/19/2021		68	F	1/20/2021	1/1/2021	experienced pruritis over her entire body, even inside her ears; she felt sores on her feet and started to itch; Her eyes were draining; This is a spontaneous report from a contactable Pharmacist. This pharmacist reported for a 68-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection) via an unspecified route of administration on 20Jan2021 (Batch/Lot number was not reported) as SINGLE for covid-19 immunization. The patient medical history included excessive histamine response to a variety of modalities- medications/antibiotics, foods, pets/animals, etc. She was also status post craniotomy due to hydrocephalus and had a VP shunt; from an unknown date and unknown if ongoing. The patient's concomitant medications were not reported. As per the description, In Jan2021, on her way home from the initial vaccine administration she felt sores on her feet and started to itch. Shortly thereafter, she experienced pruritis over her entire body, even inside her ears. Her eyes were draining. All of this occurred despite using diphenhydramine 25mg q3 hours. Her symptoms finally resolved on 24Jan2021. She was also inquiring of whether she should receive the second dose of vaccine. The outcome of the events was resolved on 24Jan2021. Follow-up attempts are completed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329314	5/19/2021	FL	72	F	2/17/2021	2/18/2021	Eye burns; chills; Pain; headache; eyes hurting; balance problems/balance off/equilibrium was off; This is a spontaneous report received from a contactable consumer (patient) via medical information team. A 72-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection; Batch/Lot Number: EL9262), via an unspecified route of administration, administered in left arm on 17Feb2021 at 14:30 as single dose for covid-19 immunisation. Medical history included covid-19 in Sep2020. There were no concomitant medications. On 18Feb2021 at 11AM, she experienced, chills, pain headache, eyes burning, eyes hurting, balance problems/balance off, equilibrium was off. She had a bad reaction. It was 3 days of being in bed. She was fine now, she feels great since Sunday afternoon. She had covid in early Sep2020, and in Oct2020 she had 2 tests that came negative, so she knows it was not in her system anymore, but when she got phone the call for covid vaccine thought she should get it. In Dec2020 she did have the covid virus, and asked if this would have any influence on having the vaccine. She does not know that if she had the covid virus in the past, she didn't know if she should have gotten the shot. She called her doctor, and they told her that she should not have gotten the shot, she spoke to a NP, even though she had virus, she shouldn't have gotten it. She was told to rest comfortably as long as she was feeling better. She had 2 negative tests within a week before seeing her doctor. In order to even see the doctor 2 negative tests are required before an appointment can be made. Her second dose was scheduled on 11Mar2021 at 2:30pm. With experiencing these symptoms, she asked if she could get the second dose. The outcome of the events was unknown. No follow-up attempts are possible. No further information is expected.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329327	5/19/2021	MA	78	F	2/4/2021	2/1/2021	<p>cataract; nausea; Diarrhea; nervous; This is a spontaneous report from a Pfizer sponsored program. A contactable 78-year-old female consumer reported for herself that she received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Solution for injection; Lot number: unknown) via an unspecified route of administration on left arm on 04Feb2021 at single dose for COVID-19 immunization. The medical history of the patient included high blood pressure (Caller mentioned this was diagnosed in her late 50s or early 60s, and she was 78 now). She also had history of irritable bowel disease and hiatal hernia which was diagnosed years ago. She said that she did not had any other recent vaccinations or started any new medications. However she takes high blood pressure pills and stomach medicines and a medication for her bowels. It was reported that she had cataract in Feb2021 for which she underwent cataract surgery on 18Feb2021 taking eye drops- Prolensa every morning for 1 and half week. On an unknown date in Feb2021, she was nauseated and had diarrhea. She says she got the shot 04Feb2021 then a few days later she had diarrhea. She mentioned that she was scheduled to get the second shot today i.e. 26Feb2021 Friday, and her son saw on tv some people can get diarrhea, which she did not know before. She said that she had not gotten a temperature, and her BP was fine. She mentioned that she had irritable bowel disease anyway, and usually when she has that it clears in a week. She says that she would like to know if it is safe for her to get the second shot. On an unknown date in Feb2021, she experienced nervousness and it will have repercussions. She said that her son said there was some program on TV that listed all those things, some that were not in the paperwork she got. She had been nauseated or had diarrhea, and she called before, and some people get diarrhea, and she was supposed to check and see if she should get second shot. The outcome of all the events was unknown. Caller mentioned that she called her provider, but they were not going to get back to her in an hour and a half before she would go to get the second dose. She says she got the first dose of the vaccine at (Pharmacy) and says that she thought her diarrhea was better and then it came back the day before yesterday. She mentioned that her vaccine card was handwritten, and she could not read</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

the writing on it. She says it mentioned (Clinic site) and that the handwriting was horrible on the card, and she could not tell if the LOT was E129EG. She says NDC/EXP were not provided on the card. The caller said that she has either got to get the shot or cancel this one, but if she cancels this one she does not know when she would be able to get second since the appointments are all booked up in (State). No follow-up attempts are possible; information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329341	5/19/2021	OH	51	F	3/13/2021	3/13/2021	Feeling a little dizzy here and there, so I am worried/ intermittent mild dizziness; Swelling in soft palate and uvula/Soft palate tingling then swelling including uvula (area tender from swelling); Having flare up with my rosacea/Redness on rosacea area; Soft palate tingling then swelling including uvula (area tender from swelling); Soft palate tingling then swelling including uvula (area tender from swelling); Soft palate tingling then swelling including uvula (area tender from swelling); Mild swelling around nose, eyes and lips (areas feel tight sort of burn); mild swelling around nose, eyes and lips (areas feel tight sort of burn); mild swelling around nose, eyes and lips (areas feel tight sort of burn); Swelling in my face and throat; Tingling; Swelling in my face and throat; Redness of rosacea really pop-up red and then my lips were just slight little swollen around my nose and around my eyes; Redness of rosacea really pop-up red and then my lips were just slight little swollen around my nose and around my eyes; This is a spontaneous report from a contactable consumer (Patient). A 51-years-old female patient non-pregnant received 1st dose of BNT162B2, (Pfizer covid-19 vaccine Formulation: Solution for injection, Lot number: EN6207) via an unspecified route of administration, administered in arm left on 13Mar2021 09:45 as 1st dose, single for covid-19 immunisation. Medical history included allergy, insulin resistance, food intolerance, yeast, rice, spaghetti squash, hybrid pumpkin, yogurt, asthma, Thyroid and Hypermobility in joints. Concomitant medications included cetirizine hydrochloride (ZYRTEC ALLERGY) for Allergy; levothyroxine for thyroid; vilazodone hydrochloride (VIIBRYD); phentermine hydrochloride, topiramate (QSYMIA) and allergy Shot. No other vaccine was received in four weeks. Known allergies are Amoxicillin, Bactrim DS, yeast, rice, spaghetti squash, hybrid pumpkin, Betadine alcoholico, Metrogel, yogurt. Other medical history includes Allergies, asthma in remission, adverse reactions to Welbutrin, Contrave, Oxcarzepazine, Victoza. Patient had surgeries. Patient had blood drawn to check calcium level but don't know if that was within the last 2 weeks. On 13Mar2021 patient stated that I had my first Covid vaccination yesterday (13Mar2021) and I did report "Online" (further not clarified, hence captured as initial report) because I did

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

have some swelling in my face and throat and there was sometimes that I was feeling a little dizzy here and there, so what I am worried about is, if I am going to not have the next vaccination because I am scared of the disease too. That's why I called. When paraphrased the concern, consumer stated, Yes and now the swelling that I had was on my soft palate and my uvula. It started tingling and then I did have some swelling there and on my face, I have rosacea and, so was having the flare up with my rosacea anyway, and that made all the areas that I had the redness of rosacea really pop-up red and then my lips were just slightly swollen and it was a little swollen around my nose and around my eyes and the dizziness it was just here and there, it was not anything big but this is a kind of reaction that I have, the thing the soft palate of my throat I have had that before when I had eaten eat something yeast and something like that, so I do not know is the shot may be have yeast so but I have not had that kind of slight swelling there on my face before, that's what I called. When probed for other Medical condition, consumer stated, I actually have allergies, they were pretty bizarre (not clarified) and Allergist calls me his special patient and I have food intolerances, so that's, the things right they are a lot of them. The thing that has calls me the most trouble is yeast. It does not matter if it is baker's yeast or brewer's yeast or yeast extract and I have unusual one like spaghetti squash and hybrid pumpkin, the spaghetti squash was the pumpkin and having that spaghetti squash in the hybrid pumpkin mainly react to it. In response to other medical condition, consumer stated, "There are other medication, I do have some other health conditions, I have Hypermobility in my joints, and I have a lot of "weird" (not clarified) things that I had like surgeries for different thing too but the main, and I am considered insulin resistance and I have had reactive low blood sugar at a time. Shot at 09:45 on 13Mar2021, experienced Soft palate tingling then swelling including uvula (area tender from swelling), mild swelling around nose, eyes and lips (areas feel tight sort of burn), intermittent mild dizziness. Redness on rosacea area. Benadryl -1 at 10:30, 1 at 11am, 2 at 2:41pm experienced headache (pain, pressure) at 01:45, Advil -1 at 07:45 experienced face flushed/hot feeling. Benadryl was self-administered as treatment. No covid prior vaccination and the patient was not tested for covid

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329369	5/19/2021	FL	34	F	3/11/2021	3/11/2021	<p>tested post vaccination. The outcome of the events was recovering. Information on Lot/Batch number was available. Additional information has been requested.</p> <p>My eyes started to get swelled up; This is a spontaneous report from a contactable other HCP (patient). A 34-year-old non-pregnant female patient received first dose of bnt162b2 (BNT162B2, Solution for injection, Lot number: EN6199, Expiration date was not reported), via an unspecified route of administration, administered in left arm on 11Mar2021 16:15 as first dose single for covid-19 immunisation. Medical history included anaemia, high cholesterol (Under control) and Known allergies: aspirin. Concomitant medications included ascorbic acid (VITAMIN-C) and cholecalciferol (CALCIFEROL) both are taken for an unspecified indication, start and stop date were not reported. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. Patient did not receive any other vaccine in four weeks. On 11th March 2021 (The day patient received vaccine first dose) around 7:15pm, patient eyes started to get swelled up. Patient took Benadryl. Swelling decreased during the night. Then, in the morning, patient woke up with her eyes swollen again. patient took Benadryl once more. Around noon, swelling dismissed. As per the reporter seriousness criteria for the event reported as medically significant. The outcome of the event was recovered on an unspecified date in Mar2021. Information on Lot/Batch number was available. Additional information has been requested; Sender's Comments: As there is limited information in the case provided, the causal association between the event eye swelling and the suspect drug BNT162B2 cannot be excluded. The case will be reassessed once new information is available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329428	5/19/2021	VA	60	F	4/15/2021	4/16/2021	<p>Numbness; Headache; Dizziness; extreme fatigue; muscle aches; she saw white flashes in front of the eyes; She got some bumps that are itchy on the ankle; Bell's palsy; facial paralysis; Lyme disease/had a bunch a symptom and flare up; Lyme disease/had a bunch a symptom and flare up; This is a spontaneous report from a contactable consumer (patient). A 60-year-old female patient received first dose bnt162b2 (BNT162B2), via an unspecified route of administration, administered in Arm Left on 15Apr2021 12:00 (Batch/Lot Number: EW0158) at single dose for COVID-19 immunisation. Medical history included High Blood pressure, Chronic Lyme's Disease, Rocky mountain spotted fever, Psoriasis. She had Bells Palsy with her Lyme's disease 15 years ago. She also added that she was diagnosed about a year with rocky mountain spotted fever. Lyme's disease and rocky mountain spotted fever are both tick born diseases. She also had Bells palsy with the rocky mountain spotted fever. She had mild psoriasis, once a year she got little spots on both arms little patches of skin that were scaly, other then shots been. Concomitant medications included routine blood pressure medication .Patient stated she reported the side effects to the nurse on the other line. she wanted to know if you have information on the vaccine given to individual with Lyme disease. she received the first shot of the Pfizer COVID-19 shot on 15Apr2021. she had a bunch a symptom and flare up. she had facial paralysis which began 24 hours after receiving the vaccine. she worried about getting my second shot. Patient also wanted some clarification on the reported Bell palsy post vaccination. Patient stated that she was calling about the covid vaccine, she had had chronic Lyme disease for a long time and when she got the vaccine it triggered a lot of old symptoms. She was trying to call doctor and health department. She was scheduled for the second dose on this coming Monday 03May2021. She wanted to question if there was research on people with Lyme's diseased. The symptoms she experienced was bells palsy, noticeable numbness in lips to nose to cheeks that occurred about an hour and a half after shot, the bells ballsy was in the center of her face clarifying on both sides of the face. She spoke for a living and her face went numb that didn't make sense. She also still had a headache for 2 weeks every day, she saw white flashes in front of the eyes, some dizziness,</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329432	5/19/2021	MI		F	4/28/2021	4/28/2021	<p>extreme fatigue, and muscle aches. She also went to the chiropractor once a week for back pain and it hadn't been helping. The Chiropractor said that a bunch of patients have been complaining since the shot that the chiropractic wasn't working as well. She got some bumps that are itchy on the ankle, no bugs are outside yet, it's a couple itchy bumps, she didn't know if it's related. Patient clarifies that the bumps she had was 1 on ankle and 1 on hip, and 1 below belly button, it started a couple days ago. No follow-up attempts are needed. No further information is expected.</p> <p>after 2 hours my right eye was completely shut.; 1 hr after my shot my right eye started to drop; sunburn feeling on my cheeks; my face and eye started to swell up; leg swollen; This is a spontaneous report from a contactable consumer reporting for herself, via Medical Information. A female patient of an unspecified age received bnt162b2 (BNT162B2), dose 2 via an unspecified route of administration on 28Apr2021 11:00 (Batch/Lot Number: EL0-0162) as single dose for covid-19 immunisation . The patient medical history and concomitant medications were not reported. The patient experienced 1 hr after my shot my right eye started to drop on 28Apr2021 12:00 with outcome of unknown , after 2 hours my right eye was completely shut. on 28Apr2021 13:00 with outcome of unknown , sunburn feeling on my cheeks on 28Apr2021 with outcome of unknown , my face and eye started to swell up on 28Apr2021 with outcome of unknown; all these events were considered serious because caused the patient to visit the ER. The patient also experienced swollen legs on an unknown date with outcome of unknown. During ER stay, the patient was treated with IV unknown medications. The patient was monitored for a couple of hours and then discharged home with three days therapy. Follow up information has been requested. Information about Lot number had already been received.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329434	5/19/2021	PA	84	M	4/15/2021	4/1/2021	Vision changes in right eye/vision complications/getting a dark spot in the bottom part of the vision of his right eye; loss of his peripheral vision; the peripheral vision in his right eye was getting cloudy/eyes go in and out of focus while reading; his vision was getting a little worse; This is a spontaneous report from a contactable 84-year-old retired pharmacist (patient). An 84-year-old male patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; solution for injection; Lot Number: EW0164) via an unspecified route of administration on an 15Apr2021 at 12:00 (at the age of 84-years-old) as a single dose in the right arm for COVID-19 immunisation. Medical history included ongoing prostate problems from an unspecified date (for probably 15 years), ongoing high blood pressure from an unspecified date (diagnosed with high blood pressure 12-15 years ago), ongoing high cholesterol from an unspecified date (he cannot remember when he was diagnosed with high cholesterol. His cholesterol has been great, since he had been taking cholesterol medications, he has had normal cholesterol. He thought his total cholesterol last time was 170 and that his triglycerides were low), blood pressure from an unspecified date and unspecified if ongoing, heartburn from an unspecified date and unspecified if ongoing and eye problems from an unspecified date and ongoing. The patient did not have a history of adverse events following prior vaccinations. Family medical history relevant to the adverse event was reported as the patient's sister had eye problems. She had to get an injection in her eye every couple of weeks or once a month or something. He did not know if his sister had macular degeneration or what. Other than wearing eye glasses, that was the only family history that he could think of that might be relevant. Concomitant medications included morniflumate (FLOMAX; capsule) taken for prostate from an unspecified date and ongoing at 1 DF 2x/day (8-10 years ago, started with 1 capsule daily but now took 1 capsule twice daily; the patient reported that at his last report, his PSA was up to 9 and it was now down to 3.1); finasteride (PROSCAR) taken for prostate from an unspecified date and ongoing; hydrochlorothiazide/lisinopril (LISINOPRIL + HIDROCLOROTIAZIDA) taken for an unspecified indication from an unspecified date and ongoing (for quite a long time); omeprazole (PRILOSEC) taken for



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

heartburn from an unspecified date and ongoing, as needed (if the patient knew that he was going to have something spicy or tomato based for dinner, he knew he would get heartburn, so he would take a Prilosec in the morning. He had used Prilosec for years off and on, since he was working as a pharmacist and he retired in 2013) and atorvastatin calcium taken for cholesterol from an unspecified date and ongoing (for about a year; he was changed from Zocor because the medication did not get along with his blood pressure sometimes). The patient previously received zocor on an unspecified date for an unspecified indication and experienced did not get along with his blood pressure sometimes. The patient did not receive additional vaccines on the same date or within 4 weeks prior to the COVID-19 vaccine. The patient received the flu (INFLUENZA VACCINE), pneumonia (PNEUMOCOCCAL VACCINE) and shingles (VARICELLA ZOSTER VACCINE) vaccines all at the end of 2020 (at the age of 84-years-old) for immunization. The patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; solution for injection; Lot Number: EB8730) via an unspecified route of administration on an 25Mar2021 (at the age of 84-years-old) as a single dose in the left arm for COVID-19 immunisation. In Apr2021 the patient experienced vision changes in right eye/vision complications/getting a dark spot in the bottom part of the vision of his right eye, loss of his peripheral vision, the peripheral vision in his right eye was getting cloudy/eyes go in and out of focus while reading and his vision was getting a little worse. The clinical course was reported as follows: The patient was a retired pharmacist who called to find out whether there had been any reports of vision complications after the COVID-19 vaccine. He received the second dose of the COVID-19 vaccine on 15Apr2021 and as of about 2 weeks ago, the peripheral vision in his right eye was getting cloudy and the patient was getting a dark spot in the bottom part of the vision of his right eye. He did not know if Pfizer had any types of reports on that type of side effect. He made an appointment with his eye doctor for tomorrow, 04May2021. He wanted to have any information that Pfizer might have. He knew that his eye doctor was going to ask him questions to try to determine what was causing the vision changes. He wanted to check with Pfizer before he went to the eye doctor so that

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

he had an answer to the doctor's questions. The patient reported that his vision was getting a little worse. He was now having a little trouble with the computer. He had to refocus every time he moved his eyes. Yesterday, 02May2021, he had what could have been a problem driving. He was driving on the highway and there was a lighted sign. He could not read the sign because it was on the right side of the road. By the time he could focus on the sign, he could not read it because he was right by the sign. Something like that could be a big problem. He reported that his eyes go in and out of focus while reading. He had to re-focus when he was going to the next line of text that he was reading. He just got an eye exam and new glasses in Feb2021. His problem in Feb2021 was with focus. He was having problems more or less with reading. In the bright light, everything was fine, but that in regular kitchen or incandescent light, he would only be able to read a paragraph or so. He would then have to refocus in order to read more. It became a real problem and the new glasses that he got were not solving it. The patient stated that the last Pfizer representative he spoke with said that Pfizer did not have any vision changes listed as a side effect of the COVID-19 vaccine that the representative knew of. The Pfizer representative informed the caller that there may have been calls that have come in reporting vision changes, but vision changes were not listed as a side effect yet. The patient stated that he saw about 5 doctors. His primary care physician did not know about the vision changes as the changes had just occurred in the last 2 weeks. The patient had absolutely no reaction to either dose of the COVID-19 vaccine. He did not even have a sore arm following the COVID-19 vaccine injections. The vision changes started about 2 weeks ago and he wanted to wait to see if it was going to clear up before he made appointments with his physicians. He reported that his vision did not clear up and that he was now getting concerned, especially with driving. The adverse events required a visit to the physician office. The clinical outcomes of the events vision changes in right eye/vision complications/getting a dark spot in the bottom part of the vision of his right eye, loss of his peripheral vision, the peripheral vision in his right eye was getting cloudy/eyes go in and out of focus while reading and his vision was getting a little worse were not recovered/not resolved.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329125	5/19/2021			U			<p>The patient reported that he did not believe (doubted that) that the COVID-19 vaccine caused his vision changes.; Sender's Comments: Based on the information available the changes in vision in this 84-year old patient is attributed to patient's advanced age and assessed unrelated to BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE).</p> <p>LEFT EYEBALL IN PAIN; LOWER BACK PAIN; CHILLS; A PAINFUL HEADACHES; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose, start therapy date were not reported for prophylactic vaccination. The batch number was not reported. Per procedure, no follow-up will be requested for this case. No concomitant medications were reported. On an unspecified date, the subject experienced left eyeball in pain, lower back pain, chills, and a painful headaches. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the chills, lower back pain, a painful headaches and left eyeball in pain was not reported. This report was non-serious.</p>
1331208	5/19/2021	GA	15	F	5/15/2021	5/15/2021	<p>In her eyes, patient felt tingling and fluttering; we could not see her eyes moving at all. She also felt tingling in both arms, both hands, her face, and torso; she also had a lot of pain in her back. She felt that her face was hot but to the touch it was not. After about 20 minutes of these sensations her fingers cramped in gnarled positions that she was unable to straighten. Her right hand fingers was more rigid than her left. This lasted about 30 minutes and then she was slowly able to straighten her fingers. By the time she went to bed, around 10 pm, she felt basically back to normal.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1330974	5/19/2021		14	M	5/19/2021	5/19/2021	Dizziness, sweaty, blurred vision approx 2 mins after getting vaccine. Brought over to medical. Patient was alert, pale and diaphoretic. Patient was given water, crackers, alert and talkative, feeling much better. Patient sent home Past Medical Hx Had presyncope episodes with vaccine/blood draws in the past No recent illness and ate today
1330996	5/19/2021	TX	13	F	5/15/2021	5/19/2021	Patient developed changes in her vision that she reported as black dots on the left side of her vision that lasted roughly 2 minutes. She said she could not see out to the left side of her eye. This went away after 2 minutes and within 20-30 minutes she developed a severe headache and was in tears from the pain. She has no history of headaches and this has never happened before. She did not report light or sound sensitivity. She did not have any vomiting, but did not want to eat. We consulted her Optometrist and Pediatrician. I gave her Naproxen and caffeine and within 3 hours her headache resolved.
1330998	5/19/2021	IA	58	F	5/19/2021	5/19/2021	Patient felt lightheaded after receiving vaccination, upon standing, lightheaded ness increased. She sat down and we propped up her feet and gave her water. She then began to tremor and her arms were twitching. Her eyes rolled back in her head and she was unresponsive to questions, but breathing was normal. With fanning and cold compress she recovered and EMS did not need to be called. The time of vaccination to recovery was about 5 minutes total.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1331015	5/19/2021	CT	37	F	4/10/2021	4/26/2021	I started experiencing skin rash in face and flushing about two weeks after the vaccine about three times and had to take a Benadryl each time for the reaction even while being on Zyrtec on a regular basis. I started having under eye puffiness and body rashes right after these reactions that didn't go away even with regular allergy medication. I then started having a reaction similar to a nut allergy even though I ate something I made at home that had no nuts. I had some swelling on the right side of my face and eye. I also had some minor lip swelling and itching along with throat tightness. I had to take a Benadryl as well with this reaction. I have experienced episodes of this type everyday after eating or just in general and I'm on a high histamine regimen as prescribed by the doctor. I was placed on steroids Prednisone for three days with no results after that. I have episodes where I feel my throat swelled and tightness along with itchy swelled lips, nasal pressure and itchy body. I'm still taking the his histamines as prescribed and Benadryl when the bad reactions occur. I have a epi pen.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1331046	5/19/2021	CA	13	F	5/19/2021	5/19/2021	On 5/19/2021 client received her first dose of the Pfizer Covid-19 Vaccine (lot #EW0185, expiration 08/2022) at 12:42. Client was found sitting upright in her chair with her mother and appeared melancholy. Client was a 13-year-old female, alert and tracking with her eyes. Client had a chief complaint of headache at 12:48. EMT and RN responded. Client stated that she began to have a headache a few minutes after her observation had begun. This was the client's first dose of the Pfizer vaccine. Client's mother did not report any allergies or medical history. Assessment revealed no hives, rash, discoloration, shortness of breath or other signs of anaphylaxis. Client described a generalized headache with dizziness and stated that she had eaten breakfast this morning. Airway, breathing and circulation were intact. Client denied pain throughout the rest of her body. Vitals at 12:52 were blood pressure 122/74, pulse 84, respirations 18, O2 100% on room air, temperature 97.6*f, lung sounds clear bilaterally, and client was alert and oriented to person, place, date and time. Client's mother consented to allowing the client to lie down for 15 extra minutes but refused to remain for the entire 30-minute additional observation. Client's mother was instructed to seek emergency care or medical attention if condition becomes severe after leaving vaccination site. Client's final vitals were consistent at 13:07: blood pressure 118/78, pulse 84, O2 100% and respirations 18. Client's mother was provided with all vaccine related information and acknowledged that she already knew what signs and symptoms to look for as she was already vaccinated as well. departed facility with her mother at 13:07 with client's mother stating "I have another appointment.~~
1331049	5/19/2021	VA	79	M	3/6/2021	3/29/2021	Diagnnosis: Bell's Palsy, right ear ache, right peripheral facial palsy, and corneal injury. March 29 to April first. Treatment by Opthomologist: eye drops every hour and eye lubricant before bed.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1331130	5/19/2021	NY	54	F	5/19/2021	5/19/2021	PATIENT RECEIVED VACCINE, AFTER ABOUT 25MINUTES SHE STARTED DEVELOPING SYMPTOMS SUCH AS LEG CRAMPING, EYE SWELLING AND EYE ITCHING SIMILAR TO MAST CELL ACTIVATION FLARES SHE HAS HAD IN THE PAST. SHE DENIED ANY LIP, TONGUE OR THROAT SWELLING AND DENIES ANY WHEEZING OR TROUBLE BREATHING, SHE ALSO DENIES ANY ABDOMINAL PAIN, VOMITING OR DIARRHEA.
1331159	5/19/2021	CA	17	F	5/19/2021	5/19/2021	Client received 1st COVID vaccine of Pfizer (Lot# EW0185 expiration 05/23/2021). At 1347, RN assisted Client to stand up from vaccination chair. Client began to have unsteady gait. Both RN and RN assisted Client back to the gravity chair. At 1348, RN and PHN responded to the event. At 1348, vital signs are blood pressure 116/72, heart rate 64, oxygen saturation 100%. Client reported no blurry vision no headache, appearance is pale. Client is accompanied by mother. Per client's mother, Client has no medical history, allergies to dogs, and a history of syncope and lightheaded with needles/vaccines. At 1352, vital signs are blood pressure 118/82, heart rate 62, oxygen saturation 100%. Client reports lightheaded, feels tired, no shortness of breath, no headache. Supplemental nutrition and fluids provided to Client. Client accepted. At 1357, vital signs are blood pressure 116/76, heart rate 63, oxygen saturation 100%. Client reports no headache, no blurred vision, lightheaded improving, feels "sleepy", and skin tone returning to appropriate ethnicity. PHN educated client and mother ED precautions, common adverse effects of COVID vaccine, and emphasize a follow up with primary care provider. At 1400, vital signs are blood pressure 118/72, heart rate 63, oxygen saturation 100%. At 1402 Client stood up with no complains. At 1403 Client walked out of vaccination facility with a steady gait accompanied by mother.
1330954	5/19/2021	NY	14	M	5/19/2021	5/19/2021	Brief syncopal episode, fell from chair, struck head on floor, suffered small laceration and abrasion to left eyebrow.
1331196	5/19/2021	MI	12	F	5/18/2021	5/19/2021	Swollen puffy eyes sore arm

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1331290	5/19/2021	PA	23	F	5/19/2021	5/19/2021	Patient was very nervous about getting the covid vaccine. She sat for 15 minutes and after about 8 minutes she said she thought she was having a panic attack and felt hot. Tech administered vaccine and sat with her the whole wait time since she was nervous. Held an ice pack on her neck when she stated she felt hot. The 15 minute timer went off and she still felt nervous so she continued to sit. Rph also was present once the ice pack was given. She had a dry heave at about 12 minutes. After 20 minutes we moved her to the floor she said she was seeing light flashes. She was sweaty and hot. BP was taken at 420pm 162/109 and 98 pulse. Asked pt if we could call an ambulance, she felt she didn't need one. We got lead from Division 1, also suggested an ambulance and this time pt said ok. Now BP taken was 157/109 and pulse 108. Patient felt a dry heave and we put her on her side. Ambulance arrived and put pt on a stretcher.
1331267	5/19/2021	WI	19	M	5/19/2021	5/19/2021	Immediately after sitting down in the waiting area after receiving the shot, the pt reported feeling a strange pressure in their arm. Following this, the patient described the sensation of "blacking out". The pt fell off their chair and lacked alert consciousness for roughly five seconds. When the pt came to, they appeared confused and twitchy, with wide eyes and an overall appearance of shock. Pt remained in their state for roughly a minute, before stating that they felt completely better. The pt had developed a sweaty back but didn't state that they felt overally hot. They didn't mention being in any pain. The local injection site appeared a bit red but nothing of significant note. Pt did bump their head on the side wall behind the chair, receiving a minor bruise. Pt was given some water to drink and was monitored for 30 minutes. They pt stated they felt fine. They had no past history of fainting with vaccines, thought pt claimed to have passed out like this before but only after suffering a head injury. After their wait, the pt was allowed to leave and assured us that they felt completely fine.
1329867	5/19/2021	PA	13	F	5/18/2021	5/18/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Visual Changes/Disturbances-Mild



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1331293	5/19/2021	CA	14	M	5/19/2021	5/19/2021	Client received 1st COVID vaccine of Pfizer (Lot# EW0185 expiration 05/22/2021). Client has been sitting in vaccination chair for 5 minutes. RN provided supplemental nutrition and fluids. Client accepted fluids, but refused nutrition, states "I'm not hungry". At 1455, RN and PHN observed Client leaning forward with hand on his head. Client appeared to be pale. At 1456, RN and PHN assisted Client to gravity chair. Vital signs at this time are blood pressure 106/60, heart rate 78, oxygen saturation 97%. Client reports dizziness and blurred vision. Client continues to sit in gravity chair drinking fluids. Client is accompanied by his mother. Per Client's mother, there is no past medical history, no known allergies, but history of dizziness with vaccines. At 1459, Client reports no blurred vision. At 1503 vital signs are blood pressure 112/62, heart rate 77, oxygen saturation 98. Client reports no blurred vision, no dizziness, no headache, no nausea, no chest pain. RN educated Client and mother about ED precautions and common adverse effects of COVID vaccine. AT 1503, vital signs are blood pressure 110/62, heart rate 75, oxygen saturation 99%. Client reports no blurred vision, no dizziness, no shortness of breath, no nausea, no chest pain, skin tone returns to appropriate coloration to ethnicity. At 1507, Client is able to stand up without complaints. Client left vaccination facility at 1508 with a steady gait accompanied by mother

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1332217	5/19/2021	OK	15	F	5/18/2021	5/18/2021	First symptom was dizziness and nausea. Then, immediately began sweating profusely . Then began seeing spots that distorted her vision. Immediate pain in the ears, which felt as is the ears were very swollen and inflamed. It was difficult to talk because talking caused pain in the ears. Severe headache. Obviously her anxiety level escalated. We immediately found wet paper towels to place on her forehead and back of the neck to cool her. I found a hair tie and tied her hair up off her neck to keep her as cool as possible. She was sweating so much she soaked her t-shirt and was pouring sweat down her face, neck and body. We also moved patient from the chair, and placed her on the floor of the pharmacy, leaning against the wall with her legs stretched out. As a type 1 diabetic, the obvious concern was blood sugar during this reaction. Patient wears an insulin pump and Dexcom continuous glucose monitor. I was able to read her blood sugar levels during all the reaction time. Her blood sugar level spiked up. It then began to drop after a few minutes. I had an apple juice, and gave her the 15 carb apple juice.
1331735	5/19/2021	CA	15	F	5/19/2021	5/19/2021	Pt received vaccine with mother present at 1419, c/o dizziness, lightheadedness, blurry vision, difficulty hearing, at 1439. Pt states she did not eat lunch. Nursing team intervened by taking vitals, placing wet towel on forehead, lying pt in supine position with legs elevated. Pt VS stable, pulse in 80s, BP(120s/80s), 99% on RA, RR 16-18, no respiratory distress, no s/sx anaphylaxis. Pt states she did not eat lunch. Gatorade offered to pt. Dizziness improves in supine position but returns upon sitting. At 1532 pt states she has facial numbness. EMS called at 1535. EMS arrived at 1557 and assessed pt. Pt?s BG is 93, VS stable. Pt reports feeling dazed, unable to focus, blurry vision and difficulty hearing. At 1602 EMS informed pt that they will take her to Medical Center, pt immediately got agitated and started crying and hyperventilating. 1604 pt stated she had difficulty breathing and a light localized rash began to appear on her chest. 1605 EMS transported pt. Pt?s mother to follow.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1331797	5/19/2021	IL	18	F	5/19/2021	5/19/2021	Patient experienced sharp ear pain, tunnel vision, numbness of the hands and face, muscle tensing and shaking, and mild seizure like behavior (she was unresponsive for 5 seconds and then came back to responsiveness) starting 2 hours after her vaccine. She was taken by ambulance to the ER.
1331823	5/19/2021	IL	17	F	5/19/2021	5/19/2021	Patient was waiting in the waiting area for 6 minutes after getting the pfizer covid vaccine when she started to feel like she was going to faint. Her mom was with her. Her mom had already given her a snack when I was notified. Pt stated her vision was blurry and her hearing was "like she was in a tunnel". She was feeling cold and was feeling scared of that feeling. I asked if I could apply a cold pack and asked her to rest the back of her head against the wall and to close her eyes. I applied the cold pack to her forehead and observed her. She started to sweat and was calmer. She was feeling better and her hearing and vision was back to normal. I had her wait for a total of 30 minutes and had my technician stay with her at that time. She was feeling better and I asked her mom to hang on to her while walking to their car. I followed up with the patient 4 hours later and she was doing well. She said she was feeling well and her arm was not even sore just some fatigue.
1332231	5/19/2021	CO	29	F	5/19/2021	5/19/2021	PATIENT PASSED OUT WITH EYES OPEN. SHE COULDN'T SEE ANYTHING FOR A FEW SECONDS. SHE CAME TO AND THEN ABOUT A MINUTE LATER, IT HAPPENED AGAIN. SHE WAS COMPLETELY PALE BUT CAME TO WITHIN A COUPLE OF SECONDS AND THEN FELT BETTER. WE DID CALL PARAMEDICS, WHO CHECKED HER HEART RATE AND BLOOD SUGAR. THEY DID NOT TRANSPORT HER.
1331181	5/19/2021	CA	16	M	5/18/2021	5/19/2021	Around 1:30 am my son complained of his eye feeling swollen and tight. his right eye was completely swollen and closed. I gave him Benadryl and ibuprofen and water and he went back to bed. Woke up 12 hrs later with a less swollen but still swelled eye and blurred vision. Complained the left side of his face felt numb. Was extremely groggy and tired.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329996	5/19/2021	CA	28	M	5/18/2021	5/18/2021	Systemic: Allergic: Difficulty Breathing-Medium, Systemic: Chills-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Nausea-Medium, Systemic: Visual Changes/Disturbances-Medium
1331327	5/19/2021	IL	41	M	5/18/2021	5/18/2021	Fever, headaches, chills, blurry vision.
1330938	5/19/2021	FL	75	F	2/8/2021	3/8/2021	Visual disturbance beginning about 2 weeks after the second Moderna vaccination. Saw her primary ophthalmologist who did laser treatment to open the posterior capsules. This did not improve her vision so she was referred to a retinal doctor, Dr, who did wide angle fluorescein angiography and found widespread retinal vascular occlusions without hemorrhage. 90% infarcted in right eye, 80% infarcted in left eye. Corrected vision is 20/20 in each eye. There are peripheral visual field defects, but visual field not done. Features not consistent with diabetic retinopathy. Findings confirmed by reporting physician, who feels they resemble Susac syndrome and other cases of post vaccine retinal vascular occlusion of which she is aware.
1329982	5/19/2021	MD	22	M	5/18/2021	5/18/2021	Systemic: Confusion-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Nausea-Mild, Additional Details: Patient said he was not feeling well. When I responded to him he said he did not feel good. I told him to put his head between his knees, but before he could do it, he became non-responsive. He remained seated as I shook him gently asking if he was ok, his eyes were open. When he became responsive, he said he must have fallen asleep. He said he felt nauseated. He was sweating. We called 911. The paramedics came and checked vital signs. His BP was 110/68, blood glucose was 107.Pt left on his own.
1329994	5/19/2021	CA	34	F	5/11/2021	5/13/2021	Systemic: Body Aches Generalized-Mild, Systemic: droopy left eye and heaviness of eyes, sensitivity of jaw-Mild

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1330019	5/19/2021	MD	47	M	4/27/2021	5/11/2021	He got his vaccine, he just had a little arm pain and some stomach problems, but nothing much. Then he noticed partial loss of taste and then Friday he was not able to close his eye and then went to the ER on Saturday has partial left sided facial paralysis, pain in his eye, drooling on the left side, and difficulty speaking. He was diagnosed with Bell's palsy. They gave him some steroid of Prednisone for 6 days and Valacyclovir for 7 days as well for treatment of this. He has had no improvement in his symptoms yet. Was told that it takes a minimum of at least 3 weeks.
1330036	5/19/2021	NY	15	M	5/18/2021	5/18/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Flushed / Sweating-Severe, Systemic: Hypotension-Severe, Systemic: Shakiness-Mild, Systemic: Visual Changes/Disturbances-Severe, Additional Details: Patient became very pale after receiving the vaccine as well
1330044	5/19/2021	PA	47	F	4/28/2021	5/7/2021	On May 7, developed eye pain and redness. Sought treatment on May 8, 2021 at urgent care center. Was prescribed eye drops with antibiotic and steroids. Took eye drops 4 times daily for 5 days. Symptoms returned two days after stopping eye drops. Experienced redness of eye, throbbing/stabbing pain and sensitivity to light in right eye. Sought care from ophthalmologist on 5/19/21 and diagnosed with acute anterior uveitis.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1330102	5/19/2021	MN	12	F	5/18/2021	5/18/2021	<p>Patient at the clinic for their first COVID-19 Pfizer vaccine today. Patient, sister and their mother were scheduling their second dose appointment when the writer heard a "thump" on the ground. The writer turned around to see the patient laying on the ground underneath a chair on her stomach with her eyes closed and not responding to voice command at approximately 1520. The writer and another nurse immediately rolled the patient to her side, a nurse moved the patient's hair from her face and the patient began to open her eyes. Patient began to become alert after less than 30 seconds of the episode. Patient remained laying down for approximately 2 minutes and stated she was embarrassed. Patient began responding to verbal commands and questions. Patient then began to go from a sitting and then to a standing position. Patient and her family escorted to the recovery room and assessed, refusing wheelchair transport. Patient's mother stated no history of this adverse event previously. Vitals taken x2 (See flow sheet). Nurses performed a head-to-toe focused assessment. Patient A &amp; O to person, place, and time. Pupils equal and reactive to light. Patient asked "what day is it" and responded "The 18th." Patient asked "where do you go to school" and responded appropriately with school location. Patient asked "what is your mom's name" and responded. Patient asked "what is your name" and patient responded with her name. Patient asked "how old are you" and responded "12." Nurse assessed the back and both sides of the patient's head and witnessed no bumps, bleeding, or swelling. Nurse noted redness and slight swelling on the right eyebrow approximately an inch in length. No laceration or bleeding noted. The patient's mother touched the site and the patient stated that it hurt. Nurse advised the patient to place an ice pack on the site and the patient declined. Patient denies any neck pain, headache, nausea, dizziness, lightheadedness, or trouble breathing. Patient skin warm and pink. Nurse offered ice, animal crackers, and juice and patient declined. Nurse offered EMS evaluation to patient mother and the patient's mother declined. Patient's mother and the patient educated on the s/s of a head injury and allergic reaction and instructed to call 911 or go to the nearest ER. Patient and mother also instructed to follow up with a PCP and inform them of today's episode at their next visit. The patient and the patient's</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							mother also instructed to ask to be given the vaccine in the recovery room for the second dose at the next appointment. Patient and family remained at the clinic for 30+ minutes. Patient stated that she felt ok and the patient's mother stated she felt ok to take the patient home. Patient left in the company of her mother and sister in stable condition without transport assistance out of the clinic. Patient's mother informed that a VAERS report will be filed and that they may contact her for further follow-up.
1330138	5/19/2021	VA	55	M	5/18/2021	5/18/2021	Site: Swelling at Injection Site-Mild, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Visual Changes/Disturbances-Medium
1330246	5/19/2021	NC	41	F	4/30/2021	5/13/2021	Bell'sPalsy, left sided facial droop, inability to move the left forehead, left facial numbness, inability to close the left eye
1330808	5/19/2021	NY	13	M	5/19/2021	5/19/2021	Patient had a syncopal reaction: skin became hot and clammy, patient was dizzy, upon asking him to repeat a command or do a simple action (like wiggling fingers, lifting arm) he was not responding and his eyes were rolling to the back of his head and would not vocalize (when asked if ok, or what his symptoms were, or if he was having trouble breathing) at which time we called 911 since he was not responding verbally or physically. Had him sit, take off his mask, gave him water to sip, took BP (102/60), within 5 minutes he started to come back around, was able to follow command (wiggle fingers) vocalize that he could breathe fine, and felt that there was water behind his ears. His temperature to touch seemed to start to go back down, and once paramedics arrived they evaluated him and released him as "ok" within 10 minutes.
1330936	5/19/2021		13	M	5/19/2021	5/19/2021	Patient had convulsive seizure, became unresponsive and was cyanotic, sternal rub, patient opened eyes. Heart rate was thready. Patient felt nauseous. Patient was disoriented for 1min and quickly regained orientation. Patient was given water, patient laid on the floor. Discharged to ER Past Medical Hx Hx of seizure at age 4

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1329986	5/19/2021	GA	53	M	5/14/2021	5/16/2021	Posterior vitreous detachment in the left eye resulting in a vitreous hemorrhage. Examination showed bleeding near the optic nerve with no retina damage. Treatment is a follow-up in 3 weeks to monitor the retina and no heavy lifting or gym for 2 weeks. There is a large blood swirl/floater in the left eye.
1330478	5/19/2021	FL	78	M	5/19/2021	5/19/2021	First pt of the day was given an expired vaccine that was ?found? in a cooler. RN assumed that the doses were from the first draw of the day, even though she did not visualize the Clinical Lead bring in the first draw of the day. After the pt was vaccinated did the Clinical Lead realize that there were vaccines in a cooler that were expired from an unknown date and time. Incident Command was informed and, Field Lead, was informed. Per RN Field Clinical Director via phone, Pt was informed of the incident and that the pt was vaccinated with an expired vaccine and that we are in contact with our Medical Director to figure out what the next step will be. Dr called and informed us to go ahead and revaccinate the pt after she communicated with the pt and made sure that the pt understood what was happening. Pt was revaccinated and placed in observation. Pt left observation without further incident. V/S, BP:140/78, HR: 84, SPO2: 96% 2nd set of vitals BP: 138/78, HR: 84, SPO2: 96%
1330891	5/19/2021	MI	56	F	3/18/2021	3/18/2021	Began experiencing throbbing pain about 15 min after the injection that radiated down the entirety of the arm along with a headache and tunnel vision. The headache dissipated about 4 hours later and the tunnel vision dissipated about 30 min later. The pain and throbbing the arm lessen but the days to follow I did notice a loss of strength to my forearm as with as the tricep and bicep although there was no swelling on the injection site. The days to follow I applied heat, cbc, to try and heal alleviate the discomfort but have yet to fully gain the strength back in my arm. Some days are worse then others. About 2 weeks after the injection I began experiencing SOB and pain around my upper (r) ribcage, and shoulder.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1330904	5/19/2021	NJ	26	F	5/18/2021	5/19/2021	At 10pm on 5/18/2021 I started having side effects, 9 hours after vaccination. My face and ears were hot and my body was cold, I felt very fatigued. I took Tylenol before bed and woke up in the middle of the night drenched in sweat. I woke up officially at 8am and felt my face and eyes were swollen, I also had chest tightness. I looked in the mirror and it looks like I was punched in the face. My left eye (the side I was vaccinated) is significantly more swollen than my right side. Since 8am, the swelling and puffiness hasn't gone down in my face, however, the chest tightness went away. I took Benadryl. It is now almost 4pm on 5/19/2021 and I still have the same amount of swelling and puffiness in my face. It's extreme enough that I can't go out in public like this or else someone will think I got beat up. There isn't any bruising, rather, under each eye there are very prominent dark circles with almost a reddish tint. It seems like this possibly could be an allergic reaction but after reading online it seems like allergic reactions would have happened right after vaccine. I noticed this side effect 19 hours after vaccination when I woke up on 5/19/2021. If it's not better when I wake up tomorrow on 05/20/2021 I will go to urgent care.
1330716	5/19/2021	PA	14	M	5/18/2021	5/18/2021	Time to onset: 6 hours. Patient developed full body hives, severe congestion, lip, tongue, throat, and eye swelling. Wheezing. Difficulty swallowing. Treated with Claritin 20 mg po, Benadryl 25 mg po, albuterol inhaler 2 puffs, prednisone 50 mg po, and Asmanex 2 puffs. Within 1 hour hives and lip swelling began to resolve. 1 hr after taking prednisone, tongue and eye swelling resolving. As of 740 am on 5/19/21, hives resolved. Only continuing sx was mild throat swelling sensation.
1330687	5/19/2021	NM	40	F	5/14/2021	5/15/2021	The day after my Covid vaccine May 15, 2021, the pupil in my right eye was constricted compare to my left pupil which was fully dilated in direct light. The day after that, May 16, 2021, my pupil was back to normal.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1330667	5/19/2021	OH	52	F	3/6/2021	3/7/2021	14 hrs after injection I was freezing, three hrs later I was burning up this was at 3am, 4am still burning up and not able to sleep, 5am sat up and had a headache that was at least a ten on the pain scale, I went down our flight of stairs to get water and ibuprofen, I had to sit down before I could get the water, when I finally got up I went to the counter and was getting this stuff out and I started to sway and white spread across my field of vision and I grabbed for the counter to lower my self down and passed out before I could grab the counter, I laid there burning up and with a headache that was killing me. I finally got the water and 800mg of ibuprofen went back to bed and slept until 11am, got up no headache but since then I have been experiencing hot flashes daily the rest of March and into April a few in May. I realize that I am of the age to experience hot flashes heading into menopause but this was to coincidental and I had never had hot flashes before.
1330631	5/19/2021	WI	20	M	4/13/2021	4/20/2021	Pt is an otherwise healthy 20 year old male who presents with 2 weeks of blurred vision in R eye. The blurry vision developed suddenly 1 week after getting 1st dose of covid vaccine (moderna). He was seen in ophthalmology clinic on 04/29 and diagnosed with R optic neuritis; The patient reports that his blurred vision has not improved or worsened since onset. It affects both his near and far vision in the right eye only. He denies double vision, eye pain, headaches, nausea, vomiting, numbness, tingling, or weakness. This has never happened before. No recent illness including fever, chills, runny nose, cough, or sore throat. Pt admitted to hospital. Etiology of his optic neuritis is unclear, but possibility include demyelinating etiology (like clinically isolated syndrome). Infectious etiology was thought to be unlikely given no signs/symptoms of infection and reassuring lab workup. No family history of similar symptoms reported, making hereditary optic neuritis less likely. Other considerations included other primary ophthalmological disease, although otherwise reassuring ophthalmological exam makes that less likely. Unclear association with COVID vaccination.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1330534	5/19/2021	PA	39	M	5/12/2021	5/17/2021	day following shot: i awoke to extreme pain in all muscles and joints, profuse sweating, blurred vision, headache just behind my eyes muscle/joint pain lasted approx 24 hours; ibuprofen offered some relief. sweating lasted 3 days and resulted in dehydration to the point where my kidneys ached; i drank as much water as i could but my urine remained dark headaches/blurry vision lasted 2 days 5 days after the shot, the soles of my feet began to feel itchy, and the itchiness has been ongoing even up to now (7 days after shot) 7 days after shot, itchiness has also begun affecting the palms of my hands
1326571	5/18/2021	FL	61	F	3/20/2021	3/20/2021	3/20/2021 @ 1:00 vaccination I sat in a chair for 5 minutes. After, I felt warm, I was flushed. Fifteen minutes later I walked out, driving down road with friend and I said 'something is wrong'; really bad 'metal taste' in mouth, blurred vision, grabbed her arm and said I am going to throw up, I was so dizzy and I said I can't think. My face was drooping, I couldn't say my A,B,C's, and by the time I got to the ER they got me on an IV. I couldn't talk, think, and had the metal taste for a few hours. The dr. said we are going to give you fluids, my BP was elevated for 6 hours 198/130, no clots. BP went down to 178/98, taste started to go down, I was drinking fluids, I was able to talk a little bit. I felt like in a 'bubble', I couldn't think. When I was discharged I had no temp, my BP was normal. *my body reacted to the vaccination. *6 hours my body reacted *body had felt like I was recovering from the flu for 2 weeks *Never ran a temperature
1326693	5/18/2021	CA	13	M	5/17/2021	5/17/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Hypotension-Medium, Systemic: Visual Changes/Disturbances-Medium
1326633	5/18/2021	NY	16	M	5/17/2021	5/17/2021	Systemic: Allergic: Rash Generalized-Mild, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Nausea-Mild

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1326658	5/18/2021	PA	32	F	5/17/2021	5/17/2021	Systemic: Allergic: Anaphylaxis-Mild, Systemic: Allergic: Itch (specify: facial area, extremities)-Mild, Systemic: Allergic: Itch Generalized-Mild, Systemic: Allergic: Rash (specify: facial area, extremities)-Mild, Systemic: Allergic: Rash Generalized-Mild, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild, Systemic: Numbness (specify: facial area, extremities)-Mild, Systemic: Tingling (specify: facial area, extremities)-Mild, Additional Details: Swelling and tingling occurred in tongue, lips and throat. Symptoms began to abate 3-4 minutes after administration of epinephrine (Epinephrine 0.3 mg via autoinjector to the pt's left thigh at approximately 1730). Patient was taken to ER by EMS. EMS arrived at approximately 1737.
1326679	5/18/2021	FL	13	M	5/17/2021	5/17/2021	Systemic: Confusion-Medium, Systemic: Exhaustion / Lethargy-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Hypotension-Medium, Systemic: Visual Changes/Disturbances-Medium
1326612	5/18/2021	OH	36	M	5/17/2021	5/17/2021	Systemic: Abdominal Pain-Medium, Systemic: Body Aches Generalized-Severe, Systemic: Chills-Severe, Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Severe, Systemic: Exhaustion / Lethargy-Severe, Systemic: Hypotension-Medium, Systemic: Nausea-Medium, Systemic: Numbness (specify: facial area, extremities)-Mild, Systemic: Shakiness-Medium, Systemic: Tingling (specify: facial area, extremities)-Medium, Systemic: Visual Changes/Disturbances-Severe, Additional Details: tingling in arms - numbness in arms as well. called 911 - they checked everything, gave the ok for patient to go home with someone picking him up.
1326705	5/18/2021	FL	36	M	4/24/2021	4/24/2021	Pt received the shot within 15 min became nauseated, confused, tremulous, blurred vision then lost consciousness (was sitting at the time but hit his head, (all symptoms noted preceded the shot as an aura); all of this resolved and no systemic symptoms noted from the shot but an area of local pain from where his head was hit only on palpation. 911 was called evaluated he would be fine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1326742	5/18/2021	VA	61	M	3/8/2021	3/9/2021	The day after the vaccine I was working and later in the day I started to feel dizzy. Within an hour and a half I could not stand up and I was very dizzy. My coworkers said my eyes rolled back in my head. The ambulance transported me to the ER and my Blood Pressure was at 80 Systolic. I was given fluids and I was discharged after five hours. I still couldn't work the next day and I was still really tired for the rest of the week. It seemed to take a couple of weeks to feel normal but the fatigue was extreme for the first week after the episode of dizziness. I have two autoimmune diseases and a history of blood clots so I might not have gotten the Janssen vaccine if the risk was known. The blood thinner I was taking at the time might have helped but my blood pressure on discharge was still only 110/60.
1326748	5/18/2021	TX	68	M	2/20/2021	2/20/2021	I had double vision. Ejection fraction was at 40-40% at the doctor in August of 2020. Mid February I went into the hospital with the double vision. No treatment was given, just a change in medication for the ejection fraction. I was told to go home and it should clear up on it's own.
1326806	5/18/2021	NJ	38	F	5/13/2021	5/16/2021	A few days after my shot I began the most painful heavy period ive ever experienced. Extreme cramping lasting 2 days and extremely heavy flow. Normally my periods are light and last only a day or two due to my birth control which ive been on for 2 years. I am also still experiencing extreme fatigue 5 days after receiving my first dose and a throbbing localized pain in one part on the left side of my forehead making it hard to keep my eyes open.
1326830	5/18/2021	IN	57	M	5/12/2021	5/13/2021	blood shot eyes
1326551	5/18/2021	FL	63	M	5/18/2021	5/18/2021	Patient did not have any reaction to first dose of Moderna vaccine. After second dose he started to feel dizzy and had tingling effect on eyes, facial area , right arm . Also he lost his balance and fell from chair while waiting in post vaccination area after vaccination. Patient was given Benadryl and monitored for while . He felt better after 30 minutes but not completely. Patient refused to call 911. I also called him in the afternoon and he stated he still has tingling effect but he is getting better. I called doctor's office and spoke with nurse and informed her about adverse reaction.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1325693	5/18/2021	PR	49	F	1/28/2021	1/30/2021	edema of left side of face, upper eyelid; edema of left side of face, upper eyelid; edema of left axilla; This is a spontaneous report from a contactable physician. A 49-years-old female patient received bnt162b2 (BNT162B2), dose 1 intramuscular, administered in Arm Left on 28Jan2021 08:45 (Batch/Lot Number: EN5318) as SINGLE DOSE for covid-19 immunisation. Medical history included hypothyroidism, anxiety. Concomitant medication included tramadol (TRAMADOL), methylprednisolone (MEDROL), levothyroxine (LEVOTHYROXINE), clonazepam (CLONAZEPAM), baclofen (BACLOFEN). The patient experienced edema of left side of face, upper eyelid, edema of left axilla (oedema) (non-serious) on 30Jan2021 06:00. The patient was not diagnosed with COVID-19 Prior to vaccination. The patient was not been tested for COVID-19 Since the vaccination. The outcome of the events was recovered. Follow-up attempts are completed. No further information is expected.
1326794	5/18/2021	MS	57	F	5/16/2021	5/16/2021	Evening after afternoon 2nd shot was worse than my worst allergy episode plus body aches Next day I had swollen throat, ear ache, headache behind eyes (Sinus?) 2nd day after eye lids and throat still swollen, shoulders and back ached 3rd day (today) was back to normal 1st shot left bad bruise feeling at injection site
1325401	5/18/2021	IL	63	F	4/12/2021	4/12/2021	very fast heartbeat very high blood pressure at onset low blood pressure next day and after difficulty breathing arm pain and can't raise 45 degree trouble sleeping dizzy very very weakness can't open eyes nose bleeding a lot difficulty sitting difficulty chewing food brain fog and confusion muscle joint pain yellow face and palm congestion and running sneezing nose lost smell and taste it's been more than 5 weeks still can't recover most of the symptoms seems like damaged a lot can't do as heavy physical activities and house work lot more food to keep up the energy

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1326508	5/18/2021	CA	24	F	5/7/2021	5/13/2021	I had a hives outbreak three nights in a row all over my body. I've never had that happen to me, I've never been allergic to anything except spring seasonal allergies that are mostly post nasal drip and dry eyes. It got worse and worse over time and on the third night after eating Thai food which I always eat, my face started to swell and I went to the ER. I'm taking a steroid and Benadryl now.
1326837	5/18/2021	IL	16	M	5/18/2021	5/18/2021	Patient started feeling dizzy about 5 minutes after injection. Was seated and lost consciousness for a couple seconds and popped back awake. Patient complained of nausea, dizziness and vision disturbance. No SOB or wheezing and no hives. Paramedics were called and patient was starting to feel better upon arrival of paramedics. Patients blood pressure was low 90/50, and vision still not normal. Paramedics recommended taking patient to hospital. Patient mom, consented and patient was taken to the hospital.
1326479	5/18/2021	MD	25	M	5/18/2021	5/18/2021	Pt, reported having blurry vision and dizziness denies SOB, dyspnea or itchiness and was instructed to put head down and encouraged to drink water and pt has no other co-morbidities but stated he was nervous to first dose, after a few minutes pt felt better and symptoms subsided. instructed to finish 15 min observation time and to notify team if symptoms return or worsen.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1326170	5/18/2021	LA	63	F	4/14/2021	4/28/2021	D Dimer was high; Chest tightness; blood clots in the lungs; This is a spontaneous report from a contactable consumer. A 63-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), dose 2 via an unspecified route of administration, administered in Arm Right on 14Apr2021 10:30 (Lot Number: ER2613) as SINGLE DOSE for covid-19 immunization. Medical history included ongoing retinal tear from an unknown date (long ago, maybe 2005), Blood pressure, anxiety, reflux, irritable bowel syndrome, eye care. Three years ago, patient had a blood clot on the portal vein. She was treated with Eliquis, referring to Apixaban, for six months. Then they went into the D Dimer and found out she only had one gene for the blood clots, so they discontinued Eliquis, referring to Apixaban. The doctor said the protocol didn't call for it because she only had one gene. Eliquis, referring to Apixaban, was discontinued a year and half ago. The reporter mentioned the specifically didn't get the Johnson and Johnson shot due to blood clots. Family History included that her mother and sister had blood clots in the past unrelated to the vaccine, anxiety which her mom has. Concomitant medications included ramipril taken for blood pressure from an unspecified start date (for five to ten years) and ongoing; ongoing omeprazole taken for reflux; fluoxetine taken for anxiety (for what her mom has) taking for three years and ongoing; linacotide (LINZESS) taken for irritable bowel syndrome taking for 3 year and ongoing; magnesium sulfate taken for eye care taking for 3 year and ongoing; latanoprost taken for retinal tear from 2005 and ongoing. Prior Vaccinations (within 4 weeks) was none. The patient previously received the first dose of the Pfizer COVID 19 vaccine on 26MAR2021 at 1000AM in the right upper arm (Lot number for first dose is ER8732; expiration date 31Jul2021). Last Wednesday she started to have tightness in her chest so they called an ambulance. She was admitted to the hospital 28Apr2021 and was discharged Saturday 01May2021. In the hospital they did a CT and it came out that she had bilateral blood clots in the lungs; the doctor said it was a shower of blood clots in the lungs, small enough not to occlude anything. They treated with a 72 hour heparin drip. They didn't do any more CT but they did put her on Eliquis, referring to Apixaban, for the rest of her life. For the Eliquis he



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

mentioned the generic Apixaban; unknown manufacturer; caller did not see NDC, lot, or expiration date on product dispensed in a pharmacy vial. Last time she was also on the Apixaban, not the brand Eliquis but they have discarded all the old product. The patient also did an X Ray; EKG (Electrocardiogram) was normal sinus; all the blood work including the CBC (Full blood count) was normal on an unknown date; her D Dimer was high on 01May2021. The events required a visit to Emergency Room. The outcome of the event chest pain was recovered with sequelae, of blood clots in the lungs was not recovered, of other events was unknown. Batch/Lot number had been obtained. Further information has been requested

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1326161	5/18/2021	FL		M	4/1/2021	4/5/2021	felt like my body was hit by a truck; felt like my head was exploding; exhausted; arm pain; hardness and swollen in my other arm like a blood clot; brain fog; suicidal thoughts; I got sick for ten days; Migraine; severe body aches; chills; shakes; dehydrated; saw weird lights when I closed my eyes; hard to breathe; earache; This is a spontaneous report from a contactable consumer reporting for himself. A 47-years-old male patient received bnt162b2 (BNT162B2), dose 1 via an unspecified route of administration, administered in Left Arm on Apr2021 (Batch/Lot Number: ER8734; Expiration Date: Apr2021) as single dose for covid-19 immunisation . The patient medical history and concomitant medications were not reported. The patient experienced suicidal thoughts on 05Apr2021 04:00 with outcome of recovering , i got sick for ten days on 05Apr2021 04:00 with outcome of recovering , migraine on 05Apr2021 04:00 with outcome of recovering , severe body aches on 05Apr2021 04:00 with outcome of recovering , chills on 05Apr2021 04:00 with outcome of recovering , shakes on 05Apr2021 04:00 with outcome of recovering , dehydrated on 05Apr2021 04:00 with outcome of recovering , saw weird lights when i closed my eyes on 05Apr2021 04:00 with outcome of recovering , hard to breathe on 05Apr2021 04:00 with outcome of recovering , earache on 05Apr2021 04:00 with outcome of recovering , felt like my body was hit by a truck on 05Apr2021 04:00 with outcome of recovering , felt like my head was exploding on 05Apr2021 04:00 with outcome of recovering , exhausted on 05Apr2021 04:00 with outcome of recovering , arm pain on 05Apr2021 04:00 with outcome of recovering , hardness and swollen in my other arm like a blood clot on 05Apr2021 04:00 with outcome of recovering , brain fog on 05Apr2021 04:00 with outcome of recovering. Suicidal thoughts was considered an Important Medical Event. The patient was not diagnosed with COVID-19 prior to vaccination. The patient has not been tested for COVID-19 since the vaccination. Follow up information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1326120	5/18/2021	NJ	24	F	3/18/2021	3/19/2021	Eye swelling and eye skin peeling under eye. To now completely raw and irritated.; Eye swelling and eye skin peeling under eye. To now completely raw and irritated.; Eye swelling and eye skin peeling under eye. To now completely raw and irritated.; This is a spontaneous report from a contactable consumer (patient). A 24-year-old female patient (not pregnant) received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot and expiry were not reported), via an unspecified route of administration in left arm on 18Mar2021 (at the age of 24-years-old) as unknown, single for covid-19 immunisation. The patient was not pregnant at the time of vaccination. The vaccination facility type was a reported as other. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, patient was not diagnosed with COVID-19 and since vaccination, patient was not tested for COVID-19. Medical history included undifferentiated connective tissue disease, Celiac and known allergies: wheat. Concomitant medications included methotrexate; prednisone; sertraline hydrochloride (ZOLOFT) and birth control. The patient previously took tramadol and experienced allergy. The reported events were eye swelling and eye skin peeling under eye. To now completely raw and irritated, all on 19Mar2021. The patient considered as serious due to disabling/incapacitating but did not result in death, non-life threatening, did not cause/prolong hospitalization and no congenital anomaly/birth defect. The events resulted to doctor or other healthcare professional office/clinic visit, emergency room/department or urgent care, disability or permanent damage. Treatment for the events included steroid cream and benedryl. The outcome of the events was not recovered. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1326114	5/18/2021	CA	60	F	4/9/2021	4/9/2021	Massive vertigo attack; Severe migraine; can't go anywhere; pain medication wasn't working at all; Pain; couldn't eat anything down; eye was so swollen; Passed out right after the injection; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of LOSS OF CONSCIOUSNESS (Passed out right after the injection) in a 60-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 09-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 09-Apr-2021, the patient experienced LOSS OF CONSCIOUSNESS (Passed out right after the injection) (seriousness criterion medically significant). On an unknown date, the patient experienced VERTIGO (Massive vertigo attack), MIGRAINE (Severe migraine), MOBILITY DECREASED (can't go anywhere), DRUG INEFFECTIVE (pain medication wasn't working at all), PAIN (Pain), FEEDING DISORDER (couldn't eat anything down) and EYE SWELLING (eye was so swollen). At the time of the report, LOSS OF CONSCIOUSNESS (Passed out right after the injection), VERTIGO (Massive vertigo attack), MIGRAINE (Severe migraine), MOBILITY DECREASED (can't go anywhere), DRUG INEFFECTIVE (pain medication wasn't working at all), PAIN (Pain), FEEDING DISORDER (couldn't eat anything down) and EYE SWELLING (eye was so swollen) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. No concomitant list is provided. Treatment information was not provided. Based on current available information and the temporal association between product use and the start date of the events a causal relationship cannot be excluded.; Sender's Comments: Based on current available information and the temporal association between product use and the start date of the events a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1326102	5/18/2021	MI	63	M	5/1/2021		DIARRHEA; CHILLS; UNBREAKABLE FEVER OF 104F; CARDIOGENIC SHOCK; KIDNEY FAILURE; IMPAIRED LIVER FUNCTION; HIGH BLOOD PRESSURE (200/100); ABNORMAL WHITE BLOOD CELL COUNT (16000); BLISTERS ON CONJUNCTIVA OF BOTH EYES; This spontaneous report received from a physician concerned a 63 year old white male. The patient's weight, height and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of administration not reported, batch number: Unknown) frequency one total, dose was not reported, administered on 07-MAY-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. The physician reported that one day after receiving vaccine, on 08-MAY-2021, the patient experienced nausea, vomiting, shortness of breath, diarrhea, fever, chills, sweats, and severe chest pain. The patient was admitted to hospital for suspicion of heart attack. He was checked and no blockages were found. Laboratory data included: Scan (NR: not provided) No blockages were found. On 10-MAY-2021, he was transferred to another hospital where he was currently on a ventilator. The doctor reported that he had had fever of 104 f that was unbreakable. His blood pressure was 200/100 mmHg and his pulse oxygen was not good. His white blood cell count was 16000 and he was tested negative for covid-19. The doctor also reported that patient was in cardiogenic shock and was in kidney failure. He reported that the patient's liver function was getting better and patient's face and chest was very red. The patient also had blisters on conjunctiva of both eyes. It was unknown where patient received the vaccine as of this time. No further information was available since doctor had patients to see. Laboratory data included: Blood pressure (NR: not provided) 200/100 mmHg, Covid-19 virus test (NR: not provided) Negative, Body temperature increased (NR: not provided) 104 f, Pulse Oxygen (NR: not provided) Not good, and White blood cell count (NR: not provided) 16000. The patient was admitted to the hospital on 08-MAY-2021 and the duration of hospitalization was 6 days. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from impaired liver function, had not recovered from blisters on conjunctiva of both

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							eyes, kidney failure, abnormal white blood cell count (16000), high blood pressure (200/100), cardiogenic shock, and unbreakable fever of 104f, and the outcome of diarrhea and chills was not reported. This report was serious (Hospitalization Caused / Prolonged and Life Threatening).; Sender's Comments: V0: 20210525538-covid-19 vaccine ad26.cov2.s-cardiogenic shock, kidney failure, impaired liver function, high blood pressure (200/100), abnormal white blood cell count (16000), blisters on conjunctiva of both eyes, diarrhea, chills, unbreakable fever of 104f. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).
1325957	5/18/2021		73	F	1/29/2021	1/29/2021	throat tightness; body tingles; itching; eye and ear pressure; eye and ear pressure; dizziness; weakness; chest tightness; sweating; feeling flushed; This is a spontaneous report from a non-contactable other health professional. A 73-years-old female patient received bnt162b2 (BNT162B2), dose 1 intramuscular, administered in Arm Left on 29Jan2021 (Batch/Lot Number: EL9264) as 1st dose, single for covid-19 immunization. The patient medical history and concomitant medications were not reported. The patient experienced throat tightness, body tingles, itching, eye and ear pressure, dizziness, weakness, chest tightness, sweating, feeling flushed on 29Jan2021. During her 15 minute waiting period after the injection, the patient began to experience throat tightness, body tingles, itching, eye and ear pressure, dizziness, weakness, chest tightness, sweating, and feeling flushed. She denied hives, loss of sensation, SOB. Therapeutic measures were taken as a result of the events. Treatment included: antihistamines, Benadryl 25 mg, Pepcid 10 mg. Follow up response to treatment was good. Patient was discharged and was Stable to go home and follow up with PCP. The outcome of all the events was unknown. No follow up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1325849	5/18/2021	FL		F		5/10/2021	<p>BLURRED VISION; BODY ACHES; FEVER; MUSCLE ACHES; TIREDNESS; INJECTION SITE SORENESS; This spontaneous report received from a patient concerned a female of unspecified age. The patients weight, height, and medical history were not reported. The patient received covid-19 vaccine (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, 1 total administered on 10-MAY-2021 17:30 on left arm for prophylactic vaccination. The batch number was not reported. Per procedure, no follow-up will be requested for this case. No concomitant medications were reported. On 10-MAY-2021, she had injection site soreness (described as soreness around where she got the shot), then was okay during the day and night and had no immediate reaction. She also felt tired. She had usual side effects but on 11-MAY-2021, was experiencing blurred vision at the report time. On 11-MAY-2021, she started with fever. There was no measurement of fever but had all symptoms of fever, body aches and muscle aches. She had to do some work and did not rest then started with blurry vision. She had heard that it was a more dangerous side effect. She also did not have her vaccination card on hand and could not share the lot number or expiry of the vaccine. She indicated she would find it and call back. The caller was asking for advice on how to manage the blurred vision. She was advised during the call to seek the attention of a health care provider. She indicated that she had already contacted a pharmacy and was told to contact the vaccination provider. She was not able to obtain help. She did not know any providers in the area as she was a visitor. The action taken with covid-19 vaccine was not applicable. The patient had not recovered from blurred vision, and the outcome of body aches, injection site soreness, fever, muscle aches and tiredness was not reported. This report was not serious.; Sender's Comments: V0: Medical assessment comment not required as per standard procedure since case was assessed as non serious</p>
1325419	5/18/2021	CA	24	M	5/14/2021	5/14/2021	<p>Right eyelid started itching, turning red and swelling along with rash on neck within 30 mins of receiving vaccine. Fever, Body Aches</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1325409	5/18/2021	CO	24	F	4/8/2021	4/19/2021	Droopy left eye Dizziness Light headedness Panic attacks Extreme anxiety Headaches Shakiness Fatigue
1326537	5/18/2021	GA	56	F	4/12/2021	4/26/2021	Acute Hives all over body. Started out very slowly on left arm where I got both shots. Couldn't get into dermatologist before going on vacation on 5/8. They were getting worse leading up to vacation but then exploded there. Was prescribed Hydroxyzine 10g 3x a day, that was after using xyzel and allegra over the counter. Didn't make a difference and then hives went to eyes, ears and face so that's when I went to an urgent care iand got a prednisone shot and prescription prednisone, 20mg 2x day and famatodine 20mg 2x day. This seems to have done the trick but I still have prednesone in my system.
1325889	5/18/2021	ID	69	F		5/16/2021	STOMACH ACHE; CHILLS; HEADACHE - PAIN BEHIND EYES; FATIGUE; This spontaneous report received from a patient concerned a 69 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included severe spinal stenosis, smoker, penicillin allergy, and non-alcoholic, and other pre-existing medical conditions included the patient has no drug abuse or illicit drug usage. The patient received covid-19 vaccine (suspension for injection, intramuscular, and batch number: 205A21A expiry: 23-JUN-2021) dose was not reported, administered on 30-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 16-MAY-2021, the subject experienced stomach ache. On 16-MAY-2021, the subject experienced chills. On 16-MAY-2021, the subject experienced headache - pain behind eyes. On 16-MAY-2021, the subject experienced fatigue. On 16-MAY-2021 16:00, treatment medications included: paracetamol. The action taken with covid-19 vaccine was not applicable. The patient had not recovered from headache - pain behind eyes, stomach ache, chills, and fatigue. This report was non-serious.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1328746	5/18/2021	CA	15	M	5/18/2021	5/18/2021	Client received the 1st COVID vaccine of Pfizer (Lot#EW0185 expiration 05/22/21) At 4:28PM client reported dizziness, lightheaded, headache, no blurred vision, no chest pain, no shortness of breath. Client has been waiting for 20 minutes in the observation area. at 4:33PM RN responded to event. Vital signs are blood pressure 100/62, hear rate 73, oxygen saturation 99%. Client reports slight headache towards the frontal lobe. Per client and client's father, there is a history of asthma and no known allergies. At 4:38PM EMT obtain vital signs that are blood pressure 110/60, heart rate 74, oxygen saturation 99%. Client reported feeling weak, no dizziness, and no lightheaded. Provided supplemental nutrition and fluids to client. Client accepted. RN educated client and father about ED precautions and common adverse effects of COVID vaccine. At 4:47PM vital signs are blood pressure 100/60, heart rate 82, oxygen saturation 99%. Client reports not feeling symptoms. All symptoms had resolved. Client has steady gate and is waiting for other siblings to complete observation time.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1326946	5/18/2021	ID	55	F	4/8/2021	4/10/2021	She got her vaccine, nothing happened. The next day she experienced extreme fatigue . She took the day off and slept all day. Then everything was fine for a day or two. Then she woke up on 4/10/21 and started getting slight rash across the face, and then by 4/12/21 in the morning inflammation started in her eyes and face and progressed each morning and has never subsided, and today is 5/18/21. There may be limited inflammation but always has the redness like a sunburn. She woke up this morning to inflammation in her eyes, tear duct area, and then bags under her eyes due to the inflammation, extending and extruding back and forth with stretchy skin and looks terrible. She went on 4/23/21 and saw physician who prescribed prednisone. She took it incorrectly for one week only taking 1 a day instead of one three times a day, and then had to get prescribed again a week and a half later and took it correctly. The 2nd time when she took it it seemed to have subsided the reaction, but it came back. On 5/15/21 around 2:00 she started getting inflammation and redness and it progressed badly throughout the day and into the evening. Now it's on a rampage and it reacts daily and she has pictures of what she looks like. Since this morning it was kind of swollen and now it's protruding and now has inflammation in her eyes and eye bag area.
1326483	5/18/2021	TN	17	F	4/16/2021	4/16/2021	Tingling sensation in tongue and face. Reports swelling to left side of face with most evident swelling being to lips, cheek and eye lid. Denies any difficulty breathing or swallowing. All symptoms resolved within 24 hours, used OTC Benedryl
1328921	5/18/2021		21	M	5/18/2021	5/18/2021	Nausea, acute blindness. Evaluated by EMS-Refusal to transport.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1328747	5/18/2021	CA	14	M	5/18/2021	5/18/2021	Client complained of palpitations 20mins after receiving vaccine. First vitals at 1637: pulse 147, blood pressure 124/78, oxygen 99%. Alert and oriented x4. Client denied chest pain, shortness of breath, headache, or blurry vision. Per Father client had asthma that resolved years ago, no current medications or allergies. Pulse at 1638: 127. Vitals at 1640: blood pressure 118/70, pulse 124, oxygen 100%. Per client palpitations improving. Alert and oriented. 1644: client hands shaking, client stated only had breakfast. RN brought client juice and snack. Client began to eat. Father denied client having diabetes. 1648 vitals: blood pressure 122/80, pulse fluctuating from 110-low 120s, oxygen 97%. Symptoms the same with new onset o blurry vision, per client could not focus image. PHN offered Father to call paramedics for further assessment and he declined. PHN advised for client to follow up with provider. Per Father client's sugar lowers when he skips meals. PHN asked Father is he has followed up with provider or checks client's sugar at home, Father denied. Per Father he knows his son and "he needs to eat or sugar goes low". At 1656 client stated he wanted to vomit, emesis bag given. 1658 client pale, PHN asked client how to was feeling. Per client feeling like he "was going to pass out". At 1700 client stated he could not feel legs, RN assessed for sensory and motor. Per client felt like legs "were asleep". PHN assessed for level of consciousness, client unable to answer, client lethargic. 1701 client lost consciousness. PHN and RN lowered client to floor from chair. EMT called 911 at 1703. RN did sternal rub, client unresponsive, breathing normal, pupils reactive. 1704 client woke up with urge to vomit. PHN and RN turned client on side. EMT able to place emesis bag near. Client had 1 small vomit episode. Client's eyes open, blank stare, not answering questions. At 1707 client went unresponsive again. Paramedics arrived at 1709 and assumed care. Client transported to hospital at 1717
1328729	5/18/2021	FL	55	M	3/21/2021	4/25/2021	Very strong headaches and high blood pressure for two weeks. Went to the hospital twice in that span of time. Monday May 10, he couldn't see through his right eyes. He went to the ER and they found a blood clot in his artery(thrombosis) and that night had a stroke in the brain. Still at hospital.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1328292	5/18/2021	PR	48	F	2/2/2021	2/2/2021	Cough, diarrhea, back pain, fever, strong headache, chills, loss of taste, nose bleed, bruises, pain in jaw, teeth, eye pressure, severe pain in neck.
1328261	5/18/2021	TX	14	F	5/18/2021	5/18/2021	immediately after the injection, pt appeared to have fainted, eyes closed, still breathing, body stiffed and jerked for a brief moment then became slouchy on the chair. we called 911 - as we waited for ems, pt opened eyes, said very sleepy, i kept her awake by taking about greys anatomy - ems arrived - mom wanted pt to be monitored at a facility - ems took pt away on stretcher.
1328231	5/18/2021	FL	46	F	3/19/2021	4/2/2021	Left eye started going crossed/turning towards nose on first day of side effects. Next day, both eyes would cross/turn into nose at different times through out the day. Called Neurologist, office stated to go to ER at Hospital to have an MRI. Was admitted to hospital. Ran multiple tests, CT and MRI. NO new lesions on MRI from MS. Doctor stated possible Myasthenia Gravis (MG). Appointment with Dr at Institute. Doctor did not agree with this was MG. Suggested botox injections into eye muscle. No relief from eyes crossed after 3 weeks. Dr stated possible Myasthenia Gravis after first stating he doesn't believe it to be that. Started Pyridostigmine to combat MG on 5/7 at half dose. No relief. after 1 week. Dr increased to full dose 5/14. No relief as of 5/18
1328059	5/18/2021	TX	12	M	5/18/2021	5/18/2021	Patient appear to have a mild seizure (faint, stiffness on the arm that got the vaccine injection, eye rolled) about less than 5 seconds. Patient became fully awake as being put to laying down on the floor. Patient was able to answer to all questions was asked. Patient stated that he was nervous and scared of getting the vaccine. Patient's mother stated that he had fainting history of seeing cut or bleeding. The event occur 30 seconds after received that vaccine.
1328024	5/18/2021	NY	15	F	5/18/2021	5/18/2021	Dizzy, displayed pupil, heart rate, pale with blue around eyes and fingers. No epi pen given as patient wasn't too short of breath and came out of it quickly. 911 was called

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1328020	5/18/2021	WA	14	F	5/14/2021	5/16/2021	Vomiting second day morning followed by rash on face around eyes. Rash subsiding but left eye has blood hemorrhage ( blood shot eye). 24 hrs later second eye also blood shot. Tightness of chest also started third day but now improving. No discharge from eye, no discomfort as of now.
1328014	5/18/2021	MD	13	M	5/18/2021	5/18/2021	Patient began feeling lightheaded, describes fuzzy vision and feeling tired about 2mins after vaccination. He requested to lie down. Appeared pale. Assisted to cot by medical staff. Vital signs checked within normal limits. He began to feel better after 5mins. Accompanied by mother who drove him home after 30mins observation.
1327983	5/18/2021	MO	16	F	5/18/2021	5/18/2021	Right after receiving Pfizer Covid-19 vaccine, patient began to feel queasy. I asked her whether she had eaten recently and she said she hadn't. Her eyes rolled back and up then her head fell backward. I supported her head and her dad was checking her for awareness. I gave her a bottle of water and she drank some of it. She indicated that her vision was still not accurate. Her dad brought her a candy bar and she ate the majority of it and drank the majority of the contents of the water bottle. We gave her a few more minutes to feel comfortable then I asked whether she was ready to stand up. She was not. We gave her a bag of chips and she ate some and finished the water bottle. After a few more minutes, she stood up and was able to walk without assistance. Her father indicated that she had an incident like this before, but patient did not remember the previous incident.
1327803	5/18/2021	AR	14	F	5/13/2021	5/14/2021	Patient states she received the COVID vaccine on 5/13/2021 at 4:00pm, on 5/14/2021 around 10:30am or 11:00am patient started to have dilated eyes, hands froze and where purple with white Raynaud's, stuttering, twitching of the left eye. Patient is still having left eye twitching but other symptoms are better.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1327107	5/18/2021	CA	15	F	5/18/2021	5/18/2021	15 year old female found in supine position with feet elevated in vaccination area. Pt had a left upper lip injury (non-bleeding) , redness and slight swelling to left lateral eye area. She also had a less than dime sized abrasion to right knee. Pt was recovered from dizziness (syncope) and then placed into a wheelchair and placed onto a cot in the observation area with her feet elevated with a chair. VS 107/73 66 24 and an O2 sat of 99% on RA Pt timid and somewhat afraid of passing out again. Chair was later removed and then pt sat up in bed with apprehension. She ate a bag of doritos and drank a half bottle of water ( about 250 ml) She then stood up and denied any dizziness but insisted on sitting and/or lying down. She did sit back down for another 10 minutes and later stood up , denies any symptoms. Pt then ambulated to BR without help, MAEW, NAD, steady gait. She was a + o x 3, VS at 1431 111/69 74 22 with O2 sat of 99% on RA. Pt and mother given directions to change positions slowly allowing 30-60 seconds per position change. They both acknowledged this. Pt discharged home with sister and mother with direction to f/u with pcp as needed and to increase sodium and water intake today and tomorrow. No medical history Denies taking any medications Denies any allergies (name), site supervisor aware of situation. Vaccination Site

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1328752	5/18/2021	CA	16	F	5/18/2021	5/18/2021	Client received 1st COVID vaccine Pfizer (Lot#EW0185 expiration 05/22/21). At 4:28PM Client reports headache, no dizziness, no lightheaded, no blurred vision, no chest pain, no shortness of breath. Client has already completed 20 minutes of observation. EMT obtained vital signs blood pressure 116/71, heart rate 87, oxygen saturation 98%. At 4:33PM, RN responded to the event. Client and father reports history of asthma and no known allergies. Offered supplemental nutrition and fluids. Client accepted. Client reports to RN about no chest pain, lightheaded was improving, headache is going down. At 4:39PM vital signs are blood pressure 130/84, heart rate 96, oxygen saturation 99%. Client reports lightheaded, blurred vision, no shortness of breath. RN educated Client and father in regards to ED precautions and common adverse effects of COVID vaccine. 4:44PM vital signs are blood pressure 121/79, heart rate 92, oxygen saturation 98%. Client reports no chest pain, no shortness of breath, lightheaded is improving, headache is going down, no blurred vision, no dizziness. Client remains sitting in a chair and eating/drinking supplemental nutrition and fluids. At 4:49PM vital signs blood pressure 118/78, heart rate 89, oxygen saturation 99%. Client reports all symptoms has resolved. Client has a steady gate and is waiting for other siblings to complete observation.
1327793	5/18/2021	PA	16	F	4/30/2021	4/30/2021	At approximately 1:04pm on 04/30/2021 patient during 10 minute observation had a syncopal episode and fall from standing to floor with loss of consciousness. Trauma assessment found contusion to occipital region of skull. No bleeding, no other trauma findings. Pt moved to wheelchair, and then to cot without incident. Pt AA&Ox4, airway patent, breathing shallow and non-labored. Pulse strong and regular with delayed perfusion. Pt skin pale, cool and dry. Pt eyes PERRL bilaterally. Pt complains of pain 7/10, dull, localized, to the base of skull, and ringing of ears, as well as dizziness without nausea. Pt administered 650ml oral water with improvement to skin and respirations. Vitals and report continued on next page

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1327004	5/18/2021	IL	15	F	5/16/2021	5/16/2021	Patient experienced difficulty breathing and felt throat was closing within 3 minutes after administration of vaccine. Also complained of change in vision ( temporary loss of vision) and skin tone changed in tone ( face turned pale). Epi-pen was administered and 10 ml of liquid Benadryl.
1327048	5/18/2021	OK	14	F	5/18/2021	5/18/2021	Patient received Pfizer COVID19 vaccine at 03:50 PM to left deltoid by EMT. Patients skin began to become pale. Patient reported nausea. Her eyes closed and her head went limp for approximately 10 seconds or less. Patient remained upright in chair with support from this RN. Patient was moved to cot with assistance from EMT and placed in prone position with feet elevated. Blood pressure, pulse oximetry and pulse obtained by this RN. Initial blood pressure of 90/58, heart rate 71, and oxygen saturation of 98% on room air at 03:52 PM. At 04:00 patient reported she began to feel better. Patient was assisted to sitting position. Patient denied dizziness or nausea upon rising to sitting position. Vital signs at 04:00 PM blood pressure 102/68, heart rate of 81, and oxygen saturation of 98% on room air. Patient stated she was feeling much better. Patient left building with her mother accompanied by this RN.
1327148	5/18/2021	IL	13	F	5/18/2021	5/18/2021	After sitting for five minutes after the Pfizer Covid vaccine, patient reports feeling lightheaded and may have had a brief loss of consciousness episode. Per mom, patient's eyes widened briefly before returning to normal. Patient was gently laid onto the ground. Was initially confused, but soon was alert and oriented x 3. Was talking in full sentences. 911 was called. Patient was doing well when the paramedics came.
1327245	5/18/2021	NH	39	F	4/11/2021	4/16/2021	I woke up that morning with blurred vision in one eye, over the day pressure built in my head which caused a headache. Went to Dr. for blood work, on Monday still had the headache and blurred vision. I was sent to the ER for bloodwork and was called back for a MRI. I also went to the eye doctor but nothing was found.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1327305	5/18/2021	PA	89	F	5/3/2021	5/13/2021	Patient presented to the ED 5/18/21 with voice slurring, headache, leg swelling. Patient with symptoms starting on Friday 5/14/21. Patient with profound weakness of her lower extremities, unable to ambulate around the house which is new. Patient also reporting she feels "different/wrong." While here in the Emergency department, patient fell onto her rear while at ultrasound, did not hit her head. Unable to stand on her own after. Patient was found to have an acute left lower extremity DVT on 5/17/21: Acute deep venous thrombosis throughout the left lower extremity with most proximal extension of thrombus into the common femoral vein noting that the external iliac vein could not be visualized
1327731	5/18/2021	IL	24	F	4/12/2021	4/12/2021	Starting that night i had usual flu like symptoms, pain in hip that is continuing, shooting pains and pressures, episodes of pains where i cannot even keep my eyes open. Shooting pains in head that extend to eyes, achy hands and a dead weight feeling in feet. Back aches and pains. Constant pains in hips and breasts. Doctor has said this is neurological pains. Shakes, tremor in right arm, twist that happens in the forearm and upper arm shakes. Sensitivity to light and sound, I cannot listen to music. I cannot work, on my back all day lying down. Test scheduled this week with neurologists.
1327491	5/18/2021	CA	23	F	4/10/2021	4/11/2021	Pt presented to ER early the following am, with seizures. Pt reports having a small reactions immediately after vaccine administration. Pt reports muscle stiffness, eyes rolling back, shaking, diaphoretic. Pt also reports having a second episode of syncope when she arrived home.
1327559	5/18/2021	OH	15	F	5/18/2021	5/18/2021	Patient received her covid vaccine, while waiting for 15 minutes to be observed the patient fainted. Her mom noticed her eyes rolled back and started calling for help. We called 911 . Patient was placed on the ground carefully as we awaited for EMS to arrive. The patient was breathing, but had low blood pressure when EMS arrived. EMS took the patient to the hospital.
1327665	5/18/2021	CA	23	F	5/18/2021	5/18/2021	HX VASOVAGAL EPISODE. AFTER RECD J AND J VACCINE, EYES ROLLED, UNRESPONSIVE X 30 SECS, THEN BECAME RESPONSIVE, BP 106/76 HR 59. CODE GREEN CALLED, SX RESOLVED, NO TRANSPORT.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1327697	5/18/2021		13	M	5/17/2021	5/17/2021	After waiting the 15 minute period, we left the vaccination site. 5-7 minutes later patient began coughing and had watering eyes while describing an itchy throat. Itching sensation continued, along with the coughing, intermittently for about 15 - 20 minutes. We had liquid Benadryl in the car and gave patient one dose of the appropriate amount. Symptoms were already beginning to subside when Benadryl was given and Benadryl was precautionary.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1327489	5/18/2021	OH	50	F	3/1/2021	3/20/2021	Hello, I received the J&J vaccine on 3/12/2021. Eight days later on the 20th when I went to bed I had a lot of pain in my left heel and left thumb. The next day, on a Sunday, the pain was now in my left heel, left thumb at the big knuckle and top and bottom below my thumb, and just behind the inside of my left ankle, and I had a terrible headache. I was unable to grasp anything or widen my grip because the pain was so intense in my thumb. It was so bad I went to my local ER who did xrays and told me it was just osteoarthritis. The next day, Monday, the pain was terrible. It was in my left thumb, the middle of my left hand, left ankle, the arch of my left foot top and bottom, the big knuckle at the bottom of my left big toe, my right hand was also now hurting at my middle finger the big knuckle at the bottom. I went to see my family doctor who really was unsure at the time what was going on and said it's still just must be the osteoarthritis. The next day on Tuesday I still have the headache I was out unable to open my own water bottles or prescription bottles because the pain was so intense in my left hand. It was now extremely painful to walk on my left foot and I had no appetite. The following day on Wednesday the pain was bad and my right hand that I was unable to touch my ring finger or my pinky with my thumb. As hard as I try my thumb just would not reach those two fingers oh. I now couldn't open any of the doors in my house unless I use the base of my Palms on both hands turn the knob. I now couldn't even comb my own hair or pull my pants up wipe myself properly. I couldn't hold a pencil or anything because the pain was so unbearable. I had no appetite and now I have diarrhea. I called my husband at work and had him come home and we went to the emergency room because it was a bigger facility. The doctor there told me he thought it was something more like rheumatoid arthritis or lupus. This was by far my worst day even though I was unable to work this entire week. Oh and did I mention the only reason I got that back who was because my boss with bullying me and pressuring me every day to get the vaccine. He even went so far as to come of my office and he wanted to use my keyboard to schedule my vaccine himself. The next day on Thursday I was still having a hard time walking I still couldn't touch my ring finger on my pinky with my right hand still unable to open anything with either one of my hands. My husband had to open all the water bottles

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

and prescription bottles and just set the caps on them before he went to work. I now had flashing light in my eyes which lasted about a week. The following day I had all the same symptoms but now my left foot was so swollen I couldn't even get a shoe on it. The big knuckle at the base of my right hand hurts so bad at this point and so does the big knuckle at the base of my left thumb. The swelling and the pain is just unbearable at this point. The following day on Saturday my mom had come up from Florida and stay with me for two weeks take care of me someday the next day on March 28th I start all the same symptoms but now my muscles were quivering on the back of both thighs. By the middle of next week I still had all of the same pain and now I'm realizing that I can't span open my fingers on my right hand and I'm unable to snap my fingers. Side note as of today I still cannot snap my fingers on my right hand. At this point I have been keeping a diary every day of where my pain was in what the pain level was each day. So strange that it's affecting joints on both sides but just in my hands the inside of my wrist and my left foot. Are April 28th I finally got into the rheumatologist. He had me go to the hospital and get blood work done and x-rays. On Thursday May 6th I was unable to go to work. It seems like I can go to work about 3 days a week and the pain is so intense that I'm missing about two days a week. Dr called me and said all of my tests came negative for rheumatoid arthritis. He told me not just because I was a patient but if I was his own sister he would suggest going to the Clinic right away. He said they have a larger database and if anybody else was having the same reaction to the covid vaccine they would know about it. My husband came home from work and made the four-hour drive to the Clinic. I was there Thursday and Friday they the blood work a sonogram x-rays the whole gamut of tests. The rheumatologist in the ER said that he thinks it's still something like rheumatoid arthritis or lupus but that was in the early stages and not showing up positive on the test. On Friday I met with dr. a rheumatologist oh, and the chairman at the Clinic. They said this is a very rare reaction to the J&J vaccine and they're hopeful by prescribing me a non-steroidal anti-inflammatory and Voltaren gel that hopefully I will have some relief within a week and they were hopeful that the symptoms will go away within 3 months. They also took me off work for the next week. Did I mention got the first

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

month that was going on they have me on 50 mg of Prednisone for one week then 100 mg of Prednisone for 2 weeks and then back down to 50 mg for one week. After being on that high dosage of Prednisone for an entire month I still have all of the swelling and pain in my joints. My joints are very stiff at this point. The prednisone maybe eased the pain just a touch but the pain and swelling was definitely there, and the pain is excruciating. I'm feeling so alone, and scared because I don't know anybody else that's having the same reaction. I'm also fearful I'm going to lose my job I'm missing so much work. But I also feel like my boss pressured me into this and now I'm suffering. If anybody is having the same reactions to Johnson & Johnson vaccine please reach out to me. I have my vaccination card I can show you and I have a ton of doctor and hospital records to verify my story. I'm really worried because I'm not sure what's going on with me, how long it's going to last, and is it going to come back if I do get these symptoms to go away. My work place offers no paid extended leave, and has repeatedly asked me I'd I was quitting my job. I'm only having these problems because I was pressured and bullied into getting this vaccine. I completely blame my boss. I would have never got vaccinated if he wasn't on me about it every single day repeatedly. I'm at a loss as to what to do from here. I have no income coming in. Do I qualify for unemployment or some sort of disability benefits? If anybody can please give me some suggestions I'm open to whatever you have to say

1327759 5/18/2021 NC

39 F

3/27/2021

3/27/2021

pt lost vision and had headaches. On 4/17/2021 she went to Hospital. They did multiple test. They did blood work and took MRI. She was diagnosed w/ subarachnoid hemorrhage. Pt was given a surgical procure on her head. She was discharged after five days to FU w/ PCP and surgeon

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1323091	5/17/2021	NC	14	M	5/14/2021	5/14/2021	Pt was given COVID vaccine #1. Approximately 10min after vaccine administration pt reported losing his vision, having difficulty breathing and numbness in left arm. Denied chest pain, headache, nausea. Pt pulse 59. SpO2 91-96%. Pt pupils dilated. Pt alert x2. This RN called 911 with mother's permission. EMS arrived @1800. At that time pt alert x3, no longer pale, numbness decreased, difficulty breathing resolved. Pt walked out of the office on his own. He was not taken to ED via Ambulance.
1323101	5/17/2021	IN	14	M	5/15/2021	5/16/2021	Body aches, fever (highest of 101.00), dizziness and blurred vision.
1323126	5/17/2021	FL	15	M	5/14/2021	5/14/2021	12:15pm pt. was seen sitting in wheelchair with EMT and dad at his side. EMT stated pt. c/o dizziness, nausea and blurred vision after taking Pfizer COVID-19 vaccine. At 12:13 vital signs taken by EMT staff. HR 74, BP 104/70, O2Sat 99%. 12:20pm pt. denies any pain or discomfort. 12:30pm pt. left vaccine site to go home via wheel chair. EMT and dad at his side with no signs of acute distress.
1323273	5/17/2021	NJ	39	F	4/8/2021	4/8/2021	Dizziness and nausea about 20 min after the vaccine. I am still dizzy and have difficulty walking, balancing, eating, blurred vision and hearing (5 weeks later)
1323329	5/17/2021	NC	34	F	1/5/2021	4/25/2021	-received vaccine while pregnant: normal pregnancy except for vision loss Feb 2nd -baby born on due date, no complications, healthy weight (6 lbs 15.8 oz) and baby is healthy SYMPTOMS 3 months post-vaccine, over a 3 week period beginning 4/25/21: -tingling and "crawling sensation" in arms, legs, left side of head, left ear - extreme headache, fatigue, jerking/convulsions, extreme muscle weakness -ER visit 5/9/21: CT, EKG, labs all normal -fever up to 102F, increased pulse -loss of appetite -numbness in extremities -nerve pain -breast pain -chills and night sweats -pronounced weakness - tongue ulcer -cognitive issues such as brain fog, confusion
1323370	5/17/2021	IN	61	F	3/3/2021	3/18/2021	Loss of vision in left eye. 3/22/2021 Optimal Sight 3/22/2021 Retinal Surgeons 3/30/2021 Direct Imaging MRI 4/19/2021 Eye Institute

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1323354	5/17/2021	IL	15	F	5/14/2021	5/14/2021	Pt states had "tunnel vision and feeling of everything fading", ringing of ears and sweating immediately after receiving vaccine. Pt layed down for a few minutes and felt better. No LOC. Refused transport to ER. Father and family who were present took pt home.
1323089	5/17/2021	PA	14	F	5/17/2021	5/17/2021	Slight throat tightness and itchy eyes about 15 minutes after vaccination. Slight cheek warmth without rash or hives. Benadryl 50 mg PO administered with mother's consent. Symptoms did not progress and slowly resolved over a 1 hour observation time at CVC. No SOB, wheezes, tongue thickness, or hives at any time. BP, pulse, O2 sats were all normal. Initial BP - 118/78, pulse-84, O2 sat - 99%. No orthostasis at dismissal. Home with mother with precautionary instructions.
1322531	5/17/2021	NY	39	F	3/19/2021	3/28/2021	I was diagnosed by my neurologist with Guillain-Barre Syndrome. 9 days after my 2nd Pfizer shot (Sunday, March 28th), I felt tingling in my feet. On Monday night I felt tingling and pain in my feet, but I was sure it was passing and said nothing since the pain was manageable at a level 2/3. On Tuesday I was getting concerned. My feet were now tingling and in pain all day, and the pain had escalated to a level 5. On Wednesday I suddenly realized that my life could effectively be over soon. The pain was at a 7-8, and I could barely get through my day. My body felt like there were tiny needles shooting electricity into me, and it felt all-consuming. It was unrelenting, and I suddenly understood why the CEO (a COVID survivor) killed himself after suffering through constant ringing in his ears. It became CRYSTAL clear how chronic pain made regular working life impossible, and I wondered how I would get by on disability and how long it would take to kick in after applying. I started panicking while focusing enough to book a doctor's appointment for that Friday. By the end of Wednesday my calves and thighs were severely cramped, and by Thursday my eyes were tingling and my hands and arms were tingling with pain. I feared MS since it runs in my family. I was terrified and confused and made an appointment with a PCP for Friday, April 2nd.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1323375	5/17/2021	NC	14	M	5/14/2021	5/14/2021	59kg 14 yo M with NKDA and PMH of headaches had a syncopal episode after receiving first Covid19 vaccination in left deltoid at 1458 5/14/21 (lot # EW0179) . Patient described feeling light headed and does not recall losing consciousness. Fell face side down and had trauma of right knee and nose and above the left eye. Bruising on his nose. Reportedly hit the metal base of the curtain that separated the vaccination area from the observation area. EMS called for concern of facial fractures. BG 98/48 and HR 75 with O2 sats 99% post event. EKG negative. BG within normal limits. Patient did have sustained loss of consciousness. Followup BP 101/69 with HR 77. Event attributed to vasovagal reaction.
1323330	5/17/2021	CA	13	F	5/14/2021	5/14/2021	10 minutes after her first dose she had been sitting in a chair & developed diaphoresis, warm skin, loss of vision,& low blood pressure. Pt was initially not responsive, when transferred to a wheel chair to take her to a gurney, left arm & left leg jerk twice. Took her to lay down and check her blood pressure. En route, in the wheel chair within about 5 to 10 seconds, she became responsive and said she could not see. Her vision returned to normal within a minute. Her initial blood pressure was 97/64 with O2 Sat 100% on room air. Her skin temp was 95.5, and her HR was 95. She continued to be responsive with excellent oxygenation and When the EMTs arrived she had a blood sugar of 90 and improving blood pressure with a regular rate and rhythm. Her diaphoresis resolved, and she continued to improve, tolerating water. Had similar reaction last year to flu shot, no hx of seizures



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1323081	5/17/2021	OH	15	F	5/16/2021	5/16/2021	After administration of vaccine the patient stood up quickly and passed out. The patient fell down and came to rather quickly. After she came to we helped her to a chair and sat her down, advised her to put her head between her knees, and got her some water that she requested. After a few minutes she appeared rather pale and went to ask her if she was ok and she asked for a trash can because she felt like she was going to be sick. We gave her a garbage bag and she did get sick in the garbage bag. We kept an eye on her for another 15-20 minutes and she stated that she felt better and that she thought she was ok to leave. We offered her help to her car but she denied it saying she would be ok with she walked slowly. Her father was with her the entire time. While talking with them the father did state that she had incidents like that in the past where she stood up too fast and got light headed and passed out.
1322949	5/17/2021	NC	14	F	5/15/2021	5/16/2021	Starting at 0300 5/16/21 Pt was awoken with pain in R arm, R arm pit, and along back. Pain kept waking Pt up, she slept fitfully. Pt stayed in bed until around 1300 5/16/21. She had a project for school due- had to video tape making a recipe. She was standing up videotaping the ingredients when she felt very dizzy. Pt then reported that she lost her vision- everything turned black. I had to rush to her to catch her- she had loss of consciousness for about a minute. She was very pale- lips turned blue. She had a pulse the whole time, BP was 117/60- when I checked it about 5 min later. Her temperature on a ear thermometer was 99.7. After she awoke, she was still very dizzy and stayed in bed most of the day. 5/17/21 AM- she woke up for school 0600- and was feeling better. No more dizziness, color was back in her cheeks, was able to eat and left for school.
1322834	5/17/2021	TX	18	F	5/16/2021	5/16/2021	Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Medium, Systemic: Allergic: Rash (specify: facial area, extremities)-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium
1322815	5/17/2021	CA	32	F	5/3/2021	5/6/2021	My vision became blurry. My sugar levels dropped drastically. And continue to fluctuate. This all started five days after I have received to shot.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1322607	5/17/2021	PA	77	F	5/14/2021		BURNING SENSATION IN NASAL PASSAGES; HEADACHE; SORE EYES; This spontaneous report received from a consumer concerned a 77 year old female. The patient's weight was 230 pounds, and height was not reported. No past medical history or concurrent conditions were reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, unknown, batch number: 206A21A, and batch number: 206A21A expiry: UNKNOWN) dose was not reported, administered on 13-MAY-2021 to Right Arm for prophylactic vaccination. No concomitant medications were reported. On 14-MAY-2021, the subject experienced burning sensation in nasal passages. On 14-MAY-2021, the subject experienced headache. On 14-MAY-2021, the subject experienced sore eyes. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from burning sensation in nasal passages, headache, and sore eyes. This report was non-serious.
1322580	5/17/2021	PA		F	5/1/2021		SORE THROAT; LEFT EYE PAIN; LEFT EYE SWELLING UPTO EYEBROWS / FELT LIKE IT WAS SEALED SHUT; This spontaneous report received from a patient concerned a 50 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 202A21A, and batch number: 205AZIA expiry: UNKNOWN) dose was not reported, administered on 08-MAY-2021 for prophylactic vaccination. No concomitant medications were reported. On MAY-2021, the subject experienced left eye pain. On MAY-2021, the subject experienced left eye swelling up to eyebrows / felt like it was sealed shut. On 11-MAY-2021, the subject experienced sore throat. Treatment medications (dates unspecified) included: sodium chloride, and paracetamol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from left eye pain, sore throat, and left eye swelling up to eyebrows / felt like it was sealed shut. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1322550	5/17/2021			F	4/1/2021		NECK PAIN; LOW BLOOD CIRCULATION; SINUSITIS; STIFF LEG; VISION WAS VERY VERY UNUSUALLY SHARP; RASH ON LEG; HEAVY HEADACHE; COULDN'T CONCENTRATE; ANAPHYLAXIS; SWOLLEN LYMPH NODE; MUSCULAR PROBLEM; ITCHY LEGS; LITTLE ANXIOUS; This spontaneous report received from a patient concerned a 42 year old female unspecified race and ethnic origin. The patient's height, and weight were not reported. The patient's concurrent conditions included microcytic anemia (which was inherited). She had her period on the day of the vaccine. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin, and batch number: Unknown, expiry date: unknown) dose was not reported, 1 total administered on 07-APR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On the first day of vaccination (07-APR-2021), she was feeling very alert and she had very heavy headaches, as if her head was heating up like the laptop when overheated. On the second day (08-APR-2021), she woke up with a very stiff leg, and a rash on the same leg, which went away after she took a cold shower. She blamed the walk from the day before. Her headaches continued, but her vision was very unusually sharp. She couldn't concentrate or be in front of the computer for very long, which was also very unusual. On Monday (unspecified date in APR-2021), she experienced more headaches and strange sensations on the left side of my face. However, she suffered from sinusitis so she blamed that. On an unspecified date, she was driving. Her leg was still stiff; it was less stiff than before but it, intensified with the driving. She made sure that she was taking regular stops and did some icing, which however didn't seem to help. Her blood circulation was quite slow. On an unspecified date in APR-2021, she suddenly had anaphylaxis (rush of heat all over the body, confused) which she never had before. Her head was still feeling very weird. She was taken to hospital that night. It looked like it could have been a delayed reaction from the vaccine, since she never had any of these episodes before. She had similar intense episode on 25-APR-2021. Very intense leg stiffness, followed by a rush of heat all over the body, headaches and neck pain. She was very confused and

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

scared because none of these intense episodes ever happened to her before. The hospital didn't find anything, other than muscular problems, but it seemed very weird to her that these effects happened so close to each other. She had a few lymphatic massages from a friend, who said the lymph nodes were very swollen, and that was possibly from the vaccine. The massages reignited the circulation, the legs were now feeling very itchy and she began to feel a little better. However, the doctors were investigating these events further with allergy tests. At the time of report, she felt like her body had returned to normal, she was just a little anxious (unspecified date) it would happen again. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from anaphylaxis, sinusitis, rash on leg, stiff leg, low blood circulation, swollen lymph node, couldn't concentrate, neck pain, muscular problem, itchy legs, and heavy headache, and the outcome of little anxious and vision was very unusually sharp was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210511816-COVID-19 VACCINE AD26.COV2.S-Anaphylaxis. This event(s) is labeled per RSI and is therefore considered potentially related.

1322517 5/17/2021

40 F

5/6/2021

5/6/2021 Pt received vaccination at 0955. At approximately 10;15 another patient came over to the admin desk and notified us that pt wasn't doing well. I went over to evaluate and pt told me she felt fine and she would take a Benadryl when she got to the car. I assisted her to the back where we further evaluate her. She had clear signs of anaphylaxis (blood shot eyes, hives, swollen tongue, rapid heart beat) but did not want EPI. I advised her that EPI is NEEDED quickly and that Benadryl was not enough. She then agreed to let me EPI her. Epi was administer in the left thigh at 10;18. A set of vitals were then taken and patient was places on o2. The emergency department was called at 10;20 and arrived at 10;25. During this time another set of vitals were taken. Patient expressed feeling better but jittery. Hives and tongue swelling had significant improvement but patient still had some symptoms so we advised the follow up team of our recommendation for second dose epi. Emergency team took control of patient.

<i>VAERS_ID</i>	<i>RCVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1322459	5/17/2021	MA	22	F	5/14/2021	5/15/2021	Swollen eyes. Bloodshot eyes, and extremely itchy.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1323410	5/17/2021	MA	12	M	5/13/2021	5/13/2021	From ED Note: 12 year old male with PMH of asthma on flovent, food allergies with epi-pen (has not required this) and pre-syncope/syncope who presents with concern for loss of consciousness and possible seizure-like activity following a COVID vaccine. Mom notes that he was in his usual state of health when he presented to COVID clinic to get his first vaccine. He got the Pfizer vaccine, seconds after getting in his left arm, mom noted that he looked very "wide eyed" and distraught. She notes that he slumped forward and had lost consciousness for approximately 5 seconds. She noticed shaking movements in his right arm and bilateral lower legs. She notes that his left arm was against her and therefore cannot comment on it. She notes that his eyes were closed. No tongue biting and no incontinence. No secondary trauma. She notes that when these 5 seconds were over he then had a period for about 30 minutes where he looked pale and was breathing heavy but was alert and answering questions. She notes that he has had presyncopal episodes and episodes of feeling faint when getting flu shots in the past. However, this time she noted that he had shaking which made her nervous for possible seizure activity. Patient denies any chest pain or headache prior to the symptoms. She came via ambulance for further evaluation. On arrival, he reports that he feels 90% back to his baseline. He notes that he does not feel quite ready to run around yet however denies any pains or discomforts, headache, weakness, numbness, or tingling. He had eaten a full breakfast prior to getting the shot. He had a normal night sleep and a normal day yesterday per mom. Medical History: as above Surgical history: none Family History: Reviewed and no pertinent related family hx pertaining to this visit Social History: Lives with family Allergies: food allergies Medications: flovent, epi-pen Immunizations: Up to date Medical Decision Making 12 year old male with PMH of asthma on flovent, food allergies with epi-pen (has not required this) and pre-syncope/syncope who presents with concern for loss of consciousness and possible seizure-like activity following a COVID vaccine. On arrival, he was alert, well-appearing, in no acute distress. His vital signs were normal for age on room air. His physical exam was very reassuring as above with a normal neurologic and cardiac evaluation. Differential includes vasovagal/syncope in the setting of a known

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							stressful trigger vs seizure given report of shaking in his extremities. We feel the latter is significantly less likely given the timeline of the events. Has no known seizure activity nor any triggers per history (fever, trauma, etc.). He also has a normal neurologic assessment. At this time we will defer neurology consults given low concern for seizure. It is possible that this represents a side effect of the vaccine however we also feel that this is less likely given the fact that his symptoms have been seconds after receiving the vaccine. Nonetheless we reported the symptoms to the pharmacist who recorded it in the database. We attained an EKG showing a known incomplete right bundle branch block (unchanged from 2013) and a slightly prolonged QTC of 477 (previously 451). I encourage patient to stay well-hydrated, well rested in the setting of his suspected syncopal episode this morning. I also suggested that for further vaccinations, that he lay down on the table and drink/eat well prior. We provided strict return to ED criteria in the setting of worsening symptoms. All questions were answered at the time of discharge. Mom verbalized her understanding and agreement of the plan. He was discharged in a stable condition with mom at side. **After patient was discharged, cardiology called the follow-up team due to the prolonged QTC to ensure that we were aware. I contacted the patient's PCP to do a follow-up EKG in 1 month's time.
1322837	5/17/2021	IN	26	F	5/15/2021	5/15/2021	Anaphylaxis 2 hours after vaccine. Extreme swelling/tightening of throat, difficulty breathing, talking, dizziness and feeling faint, spots in vision, choking, coughing, chest tightness.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1322558	5/17/2021	MI		M		5/8/2021	CHEST PAIN; MIGRAINES; STOMACH PAIN; DIARRHEA; SWELLING IN BOTH LEGS; BLURRED VISION; CHILLS; PAIN IN BOTH LEGS; TIRED FEELING; NAUSEA; HEADACHE; This spontaneous report received from a patient concerned a male of unspecified age. The patient's height, and weight were not reported. The patient's past medical history included covid-19 infection (twice), and other pre-existing medical conditions included the patient had no known allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 042AZ1A expiry: UNKNOWN) dose was not reported, administered on 03-MAY-2021 for prophylactic vaccination. No concomitant medications were reported. On 08-MAY-2021, the subject experienced headache. On 10-MAY-2021, the subject experienced chest pain. On 10-MAY-2021, the subject experienced migraines. On 10-MAY-2021, the subject experienced stomach pain. On 10-MAY-2021, the subject experienced diarrhea. On 10-MAY-2021, the subject experienced swelling in both legs. On 10-MAY-2021, the subject experienced blurred vision. On 10-MAY-2021, the subject experienced chills. On 10-MAY-2021, the subject experienced pain in both legs. On 10-MAY-2021, the subject experienced tired feeling. On 10-MAY-2021, the subject experienced nausea. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from chest pain, migraines, stomach pain, diarrhea, blurred vision, chills, pain in both legs, tired feeling, and nausea on 10-MAY-2021, was recovering from swelling in both legs, and the outcome of headache was not reported. This report was non-serious.; Sender's Comments: V0: Medical Assessment comment not required as per standard procedure as the case assessed as non-serious.
1324742	5/17/2021	WA	63	F	4/2/2021	4/5/2021	after her vaccination on 4/2/21, she was tired on 4/5/21. on 4/11, she was achy, had HA, sens to light, stomach, backache, nauseous, bilat sciatic pain, temp up to 102, fatigued, oxygen sat 92%. she had visual hallucinations. she went to ER on 4/15/21.
1323529	5/17/2021	IL	12	M	5/15/2021	5/15/2021	DIZZY BLURRED VISION



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1322823	5/17/2021	MD	67	F	4/6/2021	4/16/2021	periodic twitching of right eye lid
1325047	5/17/2021	IL	55	M	4/7/2021	4/7/2021	Within 5 hours after vaccination, began seeing flashes of light in left eye, followed by clouded vision in left eye, leading up to and resulting in obscured field of vision in upper right quadrant of left eye, and periodic clouded vision throughout vision field of eye.
1325037	5/17/2021	ID	13	M	5/17/2021	5/17/2021	Intern administered dose 1 of vaccine in patient's left arm. at 6:45pm. Within 2 minutes patient's eyes started rolling in the back of his head,his face turned pale, started clenching his teeth and making guttural noises. Mother supported patient's head and neck and RPh was called to the immunization room. Patient was placed in supine position. At this time patient had come to but was still looking pale and confused. Offer to call 911 was declined at 6:50pm. Patient's blood pressure was checked-94/58 at 6:50pm. A cold compress was applied to patient and water was offered. Blood pressure was retaken and was 97/68 6:55pm. EpiPen and offer to call 911 was again denied by mother. The color started returning to his face, atient was monitored and blood pressure was taken again-100/68 at 7:08pm. At this time he was able to sit up in a chair. He was then able to walk to our waiting room with assistance and was offered snacks. At 7:20pm blood pressure was rechecked 100/68 and patient and mother were escorted out of our pharmacy.
1325026	5/17/2021	CO	15	F	5/17/2021	5/17/2021	Patient began to feel lightheaded, experienced blurred vision, clammy skin, eyes dilated, 10 minutes following IM dose of Pfizer vaccine, about 2pm. Dose was administered at 1:45pm Mother asked pharmacist to call 911 because her daughter was feeling dizzy. Medical first responders arrived at 2:08pm, took her blood pressure, O2, and blood sugar, temperature. All were within normal ranges. O2=100, BP 114/60mmHg . Even though all vitals were normal, first responders recommended patient should follow up with primary care provider. First responders told mother response was likely due to nervousness or anxiety about new vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1325018	5/17/2021	OR	66	M	4/8/2021	4/14/2021	Lost sight in left eye for 1 hour on 4/14/2021. Although the loss of sight and subsequent hospital visits MAY NOT HAVE BEEN DIRECTLY RELATED to the vaccine, the fact that this occurred 6 days following my 2nd dose makes me want to report it in case others have reported anything similar.
1324997	5/17/2021	IL	38	F	3/15/2021	4/17/2021	Many weeks ago (end of March, into April) i noticed I was short of breath, and a few weeks later a cough developed (mid-April). Also mid-April, on April 17, I had a sudden subconjunctive hemorrhage happen in my right eye for no apparent reason. There was no injury to my eye and my ophthalmologist told me it would heal in a few weeks. Two weeks ago (beginning of May) a terrible, nearly unbearable headache began. A few days later, I continued to feel strange and began to get more frequently short of breath and my cough worsened. On 5/5/2021 I went to my doctor , Family Medicine, and was then sent to the local hospital, and had a cat scan done of my lungs, around 9 AM. I was I was diagnosed with a Pulmonary Embolism in my right lung, that is so large that it is taking up 2/3 of the lung and its pushing on my heart. I am currently taking Eliquis and waiting to be seen by a specialist. I still have shortness of breath, headaches, and chest pain as a result of my PE.
1324801	5/17/2021	FL	25	M	5/17/2021	5/17/2021	Pt was lethargic, described blurred vision, tingling in both arms, sweaty, felt cold to the touch, BP at 7pm was 70/42, contacted EMS for help. EMS followed the pt home (came to pharmacy with his father), his BP had risen to 119/88 per call with father at 8:38pm. Father stated his symptoms had resolved and he was resting.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1324503	5/17/2021	OR	14	M	5/17/2021	5/17/2021	Patient passed out immediately following administration of the vaccine to the left deltoid. His head fell backwards and limp. The Rph administering the vaccine moved in front of the patient and gently moved his head into an upright position. The patient had mild muscle spasms and twitches while passed out but when he regained consciousness he immediately began talking saying he was ok. Father came into the consultation room at that point and Rph explained what had occurred. Patient looked a little pale and eyes were having a hard time staying open so with the help of his dad Rph helped him down to the ground in the corner of the room so he could have back and head support from the wall. Patient was given a glucose tablet and water, and later orange juice. Patient stayed in the consultation room for about 20 minutes before leaving on his own and saying he was feeling much almost back to normal.
1325251	5/17/2021	CA	14	F	5/17/2021	5/17/2021	Patient was given her first Pfizer Covid shot in her LUA at 3:15. After the shot one of the school nurses notice during observation that she stood up and looked lie she wanted to pass out. The nurse accompanied the patient to a nearby cot where she laid her down. The patient c/o lightheadedness, dry fuzzy throat. Patient's extremities were cold to touch, eyes rolling back, hand posturing (stiff and cold), shaking., 62 pulse. No problems breathing or swollen throat. Blood pressure was 119/67 at 3:25 and pulse was 80. Nurse elevated patient legs for about 10 minutes, patient felt dizzy, shaking, apparent panicking eyes still rolling back. She was able to respond to simple commands. Still fuzzy throat. Administer 50mg IM in RUE at 3:34p.m. Blood pressure 116/71 at 3:35. Patient's face cheeks started to look red and warm. Blood pressure 123/76 at 3:39p.m. We called 911 at 3:46p.m. Blood pressure 117/78 at 3:52, temperature 97.5 degrees. Paramedics arrived 3:54p.m. Blood pressure taken by paramedics:142/86, O2 saturation 70%, started oxygen via nasal canula at 3:56. Gave epinephrine 0.5ml IM in left upper thigh. Started IV line at 4:00p.m. Red tonsils, lungs diminished but clear. 4:02p.m. transported by paramedics to Hospital.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1324494	5/17/2021	WA	17	M	5/11/2021	5/11/2021	Pfizer-BioNTech COVID-19 Vaccine EUA ; On 5/11/21, Patient experienced tingling in left arm minutes after the vaccine was injected (4:07pm). Patient became nauseous. While in the vehicle to go home, patient's breathing quickened. After this, patient's vision became blurry and he was unable to see. Patient also experienced hearing loss with ringing in ears. The father of the patient pulled the car over in case medical attention was needed. Patient eventually passed out for about 30 seconds (about 4:22). Patient recovered, but complained about fogginess (thinking was unclear and unfocused). The next day, on 5/12/21, the patient experienced chills and nausea without a fever. Currently, the patient is doing fine with no further symptoms.
1323895	5/17/2021	WV	18	F	4/8/2021	4/9/2021	At first once I received the vaccine I felt completely fine. Later that evening I started to lose my breath and had a fever. By 9:00pm I was unable to move the left side of my body, had sharp pains throughout my body, and involuntarily urinated and vomited. This continues until 12:00pm Friday, the vomiting and urinating involuntarily stopped but the high fever, body pains, and numbness continued until Sunday evening. Now I still am experiencing random sharp pains and numbness on the left side of my body to the point where I cannot move it at all. I am throwing up occasionally (which has never happened before), and I have had a headache and insomnia since I got the vaccine. Pains behind my eye, loss of appetite and weight loss have occurred since.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1323687	5/17/2021	CA	15	M	5/16/2021	5/16/2021	client signaled to EMT for assistance. Client was a 15 year-old male found sitting upright, alert and tracking and stating he was dizzy. Client had a chief complaint of dizziness. Client stated that he began to feel dizzy approximately "2-3 minutes" after his vaccination. Client denied falling and denied any injury. Client denied any allergies or past medical history. Assessment revealed no swelling, discoloration, hives, shortness of breath or other signs of anaphylaxis. Client stated that he felt dizzy but denied any pain throughout his body. Client appeared mildly pale but was alert and oriented to person, place, date and event. Client's airway, breathing and circulation were intact. Vital signs: pulse 78, O2 99%, Respirations 12, Blood pressure 118/82, Eyes equal and reactive to light, lung sounds clear bilaterally. Temperature 97.8. Client and his mother consented to an additional 30 minute observation. Client had a granola bar and juice while waiting and his color pallor subsided. After lying down for five minutes, client stated that he felt better. Remaining vitals were: 0945 - 99% O2, pulse 76, respirations 18, blood pressure 118/78, 1000 - 116/78, Pulse 70, respirations 16 99% O2, 1010 - 118/78, Pulse 76, Respirations 16, 99% O2. Client's mother was provided with all relevant information and instructed to seek medical care or the emergency room if signs of a severe allergic reaction occur later. No medications were administered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1323709	5/17/2021	NC	17	M	5/5/2021	5/8/2021	<p>Pt was seen at ED on 5/8 for L sided weakness in the setting of a headache. Pt's mother reports that these symptoms began 2 days after receiving second dose of Pfizer COVID-19 vaccination in R deltoid. She says that on 5/6, pt complained of L arm weakness during cooking class at school, which was followed by a mild L sided headache later in the day. Symptoms resolved without intervention but recurred on 5/8 with associated L sided facial droop, slurred speech, L arm spasms, and L foot drag. Pt was seen at ED for this and had a HA (5/10 in severity) at that time -- workup was unremarkable with a normal head CT, laboratory workup, and resolution of symptoms. Pediatric Neurology evaluated the pt, deemed no further workup necessary, and advised outpatient follow up. Pt presented again to the ED on 5/10 with concern for full tonic/clonic seizure, witnessed by pt's mother. Mother reports that she heard pt fall and went upstairs to find pt seizing on his bed -- says that pt had shaking of bilateral upper extremities (in flexed position close to chest) and symmetric lower extremity shaking; eyes were closed without clear focality or eye deviation. Also some drooling, though no incontinence or tongue biting. Episode lasted for approximately 2 minutes; pt was confused and did not recall what happened immediately afterwards but improved within the next 8 minutes. He was taken to the ED by EMS. By the time he arrived in the ED, he had left sided weakness again. He was given Keppra 1g, placed on EEG, and was admitted. EEG overnight was read "normal" and additional workup was unremarkable. Pt had MRI brain completed showing cortical abnormalities in the R parietal lobe, suspected to be related to recent seizure. MRA showed patent intracranial cerebral vasculature. MRV showed no evidence of dural venous sinus thrombosis. Weakness resolved by the morning and pt was back to baseline on morning of 5/11/21. However, around 9 AM, L sided weakness (face, arm&gt;leg) with associated headache recurred. Mom says that this event was captured on EEG. He was then transferred to our facility. He was placed on pEEG and had repeat labs, imaging completed. Pt did have L sided facial droop, L arm weakness, and slurred speech on arrival, but this resolved within 24 hours. Pt had one additional episode of "wave" of L sided weakness including L sided facial droop and slurred speech at one other time during the</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							hospitalization, but no additional seizure like activity. He was discharged on 5/14 with a normal neuro exam--some labs (including labs of Rheum and Id workup were pending at time of discharge.) Primary and consulting teams elected to forgo steroids but reconsider should symptoms worsen or return. Pt was readmitted on 5/16--had an episode of expressive aphasia + headache while at a social gathering; states that he became overwhelmed by the noise. No additional seizure like activity.
1324804	5/17/2021	CA	15	F	5/17/2021	5/17/2021	client felt lightheaded after receiving 1st Pfizer Covid Vaccine. Client received vaccine at 1717 and RN kept client in chair a few mins as client stated feeling nervous. PHN brought client water. Per client had only ate snack prior to appointment. Client able to transfer by herself to anti gravity chair. 1722 vitals: blood pressure 122/68, oxygen 98%, pulse 81. Per client feeling nausea, RN gave emesis bag. Client appeared diaphoretic and pale. Per Mother only medical history is seasonal allergies and client takes Zyrtec as needed. No history of fainting with vaccines in the past or allergies. Vitals at 1728: blood pressure 118/72, pulse 82, oxygen 97%. Per client symptoms still there, but improving. Vitals at 1733: blood pressure 120/70, pulse 83, oxygen 100%. Client stated lightheaded resolved, nausea still same. Client denied blurry vision, headache, warmth feeling. Vitals at 1738: blood pressure 118/72, pulse 80, oxygen 99%. Per client all symptoms resolved. Last vitals at 1743: blood pressure 114/80, pulse 76, oxygen 99%. Mother driving client home. Advised to follow up with provider and ER precautions given. After completing 30 min observation client left facility with steady gait at 1750.
1323770	5/17/2021	CA	16	M	5/16/2021	5/16/2021	Within 30 seconds passed out. Woke up and about 5 minutes later passed out again, with eyes open and could hear but couldn't talk. Epi Pen administered by Pharmacist around 8 minutes after shot. Taken by ambulance to ER
1324234	5/17/2021	CT	14	F	5/17/2021	5/17/2021	Patient was experiencing chest tightness, vision was fuzzy, felt nauseous.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1323902	5/17/2021	GA	15	F	5/14/2021	5/14/2021	AFTER COVID19 VACCINATION, PATIENT EXPERIENCED DIZZINESS, WEAKNESS WITH DIFFICULTY MAINTAINING EYE CONTACT. PATIENT STATED SHE FELT SLEEPY WITH DIFFICULTY KEEPING EYES OPEN. AFTER 25 MINUTES, PATIENT WAS AAOX4, VITALS WNL, AMBULATING WITHOUT ASSISTANCE AND LEFT CLINIC WITH FATHER, DENYING ANY DIZZINESS OR WEAKNESS. VITALS: BP HR RR SPO2 12:45 138/80 100 16 99% 12:53 150/90 85 16 99% 12:58 138/90 81 14 99% 13:02 128/80 80 14 99% 13:07 122/86 75 16 99%
1324070	5/17/2021	MI	13	M	5/17/2021	5/17/2021	Patient became very pale eyes rolled behind head and was unable to keep head up. Fainted for a few seconds before waking up again.
1324074	5/17/2021	CA	51	F	3/14/2021	3/31/2021	Loss of vision left eye
1324109	5/17/2021	GA	14	F	5/13/2021	5/13/2021	Vasovagal Syncope @ 10:05 14 year old female. No breakfast or fluids in am before vaccination. EMT called BP 104/68 oxygen 99% HR 78 . BS 85. 10:14 seizure like behavior eyes roll back in head both arms constrict. BP 100/60 IV fluids started 100ml saline. 10:30 BP 104/70. ( Per mother history of syncope four years ago after receiving an allergy shot.) alert and oriented x4 at 10:40. released to mother .



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1324187	5/17/2021	CA	12	F	5/17/2021	5/17/2021	Patient received in RN triage area, post-COVID vaccination administration. Patient being observed for 15 minutes as recommended per CDC guidelines and facility policy on post-vaccination RN monitoring. Patient sitting in chair and reported feeling dizzy/lightheaded, blurred vision, ringing in the ears, patient noted pale, clammy, and diaphoretic, patient reporting feeling short of breath. Rapid response called. 14:05 Vitals: 75/34, HR: 54, 97% Patient placed on gurney, in the supine position. Patient and mother denies adverse reactions to vaccinations in past. Denies any medical history besides asthma. 14:10 Vitals: Bp: 105/53, Hr 83, 100% on 2L. Patient now denies any dizziness/lightheadedness, blurred vision, ringing in ears, and shortness of breath. 14:15 BP109/65, HR: 72, O2: 100%. COVID vaccination fact sheet and discharge information provided to patient on D/c from clinic, patient advised to review. Verbalized understanding. Appointment for 2nd COVID vaccination provided to patient. All questions and concerns addressed. Advised to follow up as needed. Patient departed with mother at 1435 symptom free.
1324212	5/17/2021	NM	18	F	5/12/2021	5/12/2021	Patient felt dizzy less than 5 minutes after vaccine, patient became light headed and pale, had difficulty opening eyes. She remained sitting, but was on the verge of passing out. Our technician then called 911 and they advised not to give patient any water. Paramedics arrived and took her to the hospital for observation. Appears to be a vasovagal response to the vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1322069	5/16/2021	CA	18	M	5/14/2021	5/14/2021	<p>Patient (DOB 05-01-2003) received his 1st COVID vaccine (Pfizer, lot # EW0182 use by 5/15/21 at 0855) at 1539. The patient became pale approximately 30 seconds following the administration of the vaccine, EMT assisted the patient to the chair as he was standing up when he became pale, the patient loss consciousness for approximately 2 seconds. RN arrived at the station and assisted the patient to the ground, where he was placed in a supine position with his lower extremities elevated. The patients face mask was removed, he was alert and oriented to person, place, time, and situation. The patients color slowly returned to his face. Vitals were taken at 1540: BP: 155/70 (R arm, supine position), HR 70, RR 16, oxygen saturation at 97%, and pupils were equal. The patient had a history of fainting x 1 and his last meal was at 0800 and he stated, " I didn't drink that much today." Denied any chronic medical conditions, was not currently taking any medications, and denied any drug allergies. The patient was moved to the anti-gravity chair and he was given pringles and Gatorade. Vitals were retaken at 1545: BP 162/80 (R arm, sitting upright), HR 50, RR 16, oxygen saturation at 97%. Denied any dizziness, headache, chest pain, or vision changes. Vitals were retaken at 1553: BP 158/72 (R arm, sitting upright), HR 52, RR 16, Oxygen saturation at 97%. The patient was advised to eat a full meal prior to receiving his second COVID vaccine dose and to receive his 2nd dose in the anti-gravity chair. Vitals were retaken at 1558, BP 152/78 (R arm, sitting upright), HR 57, RR 16, and oxygen saturation at 98%. The patient was also given a bottle of water, as he did not consume many liquids during the day. The patient's color fully returned to his face and he denied any shortness of breath, dizziness, changes in vision, or difficulty swallowing. Vitals retaken at 1603, BP 150/75 ( R arm, sitting upright), HR 60, RR 16, and oxygen saturation at 96%. The patient called his mother to pick him up, as we strongly advised him to not operate machinery/ a vehicle after fainting. The patient's vital signs were taken at 1608, BP 140/75, HR 60, RR 16, and oxygen saturation at 100%. The patient was advised to drink the entire bottle of water, as his blood pressure was slightly elevated and it was most likely due to being dehydrated, as he did not consume any fluid since 0800 earlier that day. The patient drank a bottle of water and his vital signs were retaken at 1614, BP 122/68 (R arm,</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							sitting upright) and a respiratory rate of 15 breaths per minute. The patient's mother arrived on site around 1630 and spoke with RN and both EMT. RN instructed the patient about emergency precautions and to follow up with his primary care provider. RN also educated the patient about the importance of informing the healthcare provider about his history of fainting with the first vaccine, when receiving the second COVID Pfizer vaccine. Gave the patient V-safe information and reported the occurrence in VAERS. The patient had a steady and even gait when leaving the site with his mother at 1632.
1321828	5/16/2021	MO	34	F	5/14/2021	5/15/2021	Shingles on the eye lid, was prescribed anti viral medication.
1321494	5/16/2021	CA	38	M	4/30/2021	5/6/2021	Brother felt dizzy and saw double vision with left side body fatigue which was diagnosed as a stroke. He has bleeding in the back of his brain. Went to the ER at Hospital and took a CT Scan and MRI which showed bleeding. Brother had normal blood pressure and everything was fine with him but the stroke happened after a week of his 2nd Covid-19 vaccine dose. He lost strength in his left part of the body and had a speech slur and double vision. He had to wear an eye patch and had a headache. Hospital said no surgery was needed and transfered him to Rehab for rehab. He is currently there getting treatment.
1321616	5/16/2021	NJ	58	F	4/11/2021	4/12/2021	Tinnitus, brain fog, blurred vision/double vision, ear pain, ear congestion, fatigue, fever, body aches
1321639	5/16/2021	WA	26	F	5/14/2021	5/14/2021	Received shot. Saw black dots, pain spread from arm to chest, got up to let the pharmacist know woke up on the floor shaking, head felt like it was bleeding but I didn't hit me head. Saw black spots and waves of blur in my vision for hours. Meds came decided to observe at home. Did NOT have anxiety. I suffer from anxiety and panic attacks I am well aware of the feelings, coping techniques etc that come with them. Now I have major anxiety that I got a injected with some that may hurt me.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1321732	5/16/2021	IN	23	M	5/14/2021	5/15/2021	3:00 AM- Woke up with a headache, eyes hurting 3:30 AM- Alarm goes off for Saturday work, found self couldn't keep my balance, felt hot 3:38 AM- Temp read 104° F, drank 8 Ounce of water and some Gatorade, called in sick for work and laid back down. 3:40 AM- Vomiting, sweating, knees aching and felt weak and dehydrated. 7:13 AM- Arrived at IU, got some meds to help with headaches and keeping fluids down
1321777	5/16/2021	RI	14	F	5/14/2021	5/14/2021	Within 10 minutes after the vaccination, there were some body tremors and dizziness, then she lost vision, hearing and ability to speak for a few seconds, followed by difficulty breathing and a feeling of her heart ?jumping out of chest.? Eventually, she recovered, but her right hand (not the injection arm) still has involuntary tremors, which has not gone away.
1321904	5/16/2021	IL	14	F	5/16/2021	5/16/2021	Patient received her first dose of the Pfizer Covid-19 vaccine. While waiting for observation, patient started to faint and seized. She also reported being hot and asked to take off her sweater. Paramedic was called and patient was taken to the nearby hospital. Patient reported black out while sitting on her chair, though by the time paramedic finish with the transportation patient reported vision recovery.
1321962	5/16/2021	TX	29	F	4/22/2021	4/26/2021	I was driving when my vision in my right eye became blurry. The right side on my body started to go tingly and then numb. As I was driving my vision got worse I was starting to barley be able to see out my eye. I also developed a severe headache on the right side of my body. I drove to the ER and got checked in because I thought I was having a stroke. I was immediately put on stroke alert. I feared for my life as my condition was worsening. I was rushed back to have a Cat scan after some initial test. Then two MRIs. One doctor said it was a result of the vaccine another said it wasn't. After being observed for 10 hours I was discharged. My symptoms were almost gone at discharge. Six days later I began that severe neck pain. Then a day after the initial neck pain it becomes unbearable. I got to my PCP where I am diagnosed with shingles. I've never had shingles, I've never had anything like this. I am 100% pro vaccine but the hell this has put me through has been just awful.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1322004	5/16/2021	TN	12	F	5/16/2021	5/16/2021	Approx 6-7 min after receiving vaccine in left arm. Patient's mother expressed concern about her daughters reaction. She complained of headache, stomachache, weakness in her legs and her eyes rolled back in her head and her head dropped.
1321590	5/16/2021	CA	17	M	5/11/2021	5/11/2021	Systemic: Fainting / Unresponsive-Mild, Additional Details: patient had second vaccine in series and fainted. fell face forward from chair and hit cheek and left eyebrow area. patient was laid down and told to put feet on chair. blood pressure and heart rate were lower than normal. patient was monitored for blood pressure and heart rate until vitals normalized. patient and careprovider declined emergency services offered.
1322366	5/16/2021	CA	33	F	5/2/2021	5/6/2021	4 days after receiving vaccine mother states daughter had Bell's Palsy type of symptoms; mouth disfigured(pulled to right) and one side of eye orbit lifted and the other drooping.
1322077	5/16/2021	NY	14	F	5/16/2021	5/16/2021	Approximately 5 minutes after receiving vaccination, patient reportedly became dizzy and stumbled into a floor display in the waiting area. Mother, who was with patient, states there was no loss of consciousness. Patient then sat in chair and after a few minutes stated symptoms began to resolve. Patient stated having a brief period of fuzzy vision. No signs of an allergic reaction were noted. Patient stayed in waiting area for approximately 1/2 and during that time stated symptoms had completed resolved. Patient then left the store.
1321772	5/16/2021	GA	41	M	5/7/2021	5/8/2021	Very strong Headache Blurred vision Chills Abdominal pain
1322378	5/16/2021	CA	31	M	4/12/2021	4/14/2021	Mother states approx. 2 days after receiving vaccine patient had following symptoms similar to his sister that received vaccine on 5/2/21: Bell' Palsy type of symptoms: disfigured mouth pulled to right and one side of eyelid raised/and other side drooping. Mother states his getting a little better. Unable to talk to him/left msg.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1322324	5/16/2021	CA	13	F	5/16/2021	5/16/2021	client had syncope episode after receiving 1st dose Pfizer Covid Vaccine. Client received vaccine at 1336 and was standing next to vaccine station and Father as sibling was receiving vaccine. Within 3 minutes of standing client had syncope episode and hit back of head on floor. RNs responded. PHN called 911 at 1340. Per RN client collapsed and hit back of head, Father tried to hold on but was unsuccessful. As PHN was speaking with paramedics, client regained consciousness. Client stated she remembered feeling dizzy and then woke up on the floor. Client alert and oriented, pale and stated blurry vision. RN elevated legs. Vitals: blood pressure 130/90, pulse 102, oxygen 99%. Father denied any relevant medical history, medications, allergies or history of syncope. Client stated feeling dizzy, denied pain on head or rest of body. Paramedics arrived approximately 1346 and assumed care. After assessment Father signed AMA with paramedics. Client sat in anti gravity chair after paramedics left. EMT stayed with client. Vitals at 1412: blood pressure 120/80, pulse 85, oxygen 96%. Client stated feeling dizzy and head hurts when she moves. Blurry vision resolved. PHN spoke with parents to review ER precautions and advised to make follow up appointment with primary doctor. After sibling was done with observation, client left facility at 1425 with steady gait.
1322279	5/16/2021	FL	12	F	5/16/2021	5/16/2021	About two minutes after she received her shot she told us she was seeing black spots. Then she told me she couldn't see and she passed out. She started to regain consciousness and a little bit of blurred vision and then she began dry heaving. She was clammy and sweaty at that point but continued to improve after she drank some water.
1322249	5/16/2021	CA	14	F	5/15/2021	5/15/2021	So the patient complained of weird vision and her lower lip felt a bit numb. She said her normal vision came back after a couple minutes and her lips no longer numb after about ~10mins. I asked if she experienced any other symptoms or her symptoms got worsen. She answered no. Right after a few minutes of reporting the symptoms, I asked patient's mom if it's ok for me to call the paramedic. Her symptoms went away before the paramedic came. They checked on her pulse and said she's ok but still took her to monitor for further evaluation.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1322248	5/16/2021	TX	37	F	3/31/2021	4/12/2021	Started noticing vision disturbances a couple of weeks after taking the 1st shot and was diagnosed with papilledema.
1322199	5/16/2021	IL	14	M	5/16/2021	5/16/2021	14 year old male reported not being able to see after receiving vaccine. writer noted the boy's skin pale in color. The boy is able to follow command but has unclear speech. Paramedic on site. Per paramedic the boy has body weakness, mild headache, and blurred vision. Per paramedic vital signs are BP 107/63, R 16, PR 66. The boy recovered under the care of the paramedic.
1322196	5/16/2021	WA	26	M	5/16/2021	5/16/2021	Pt got J&J vaccine around 1:25pm. After shot administered, while talking to me, patient suddenly slumped over into my arms and eyes rolled back and lost consciousness for about 10 seconds and he was making some gurgling noise. Some excretions came out of his nose and he came to and was able to lie on floor to elevate his feet, but still was very dizzy. First responders showed up and his vitals were WNLs, but pt continued to look pale and struggle to come to upright position for another 15-20 min. Pt's friend showed up to pick him up and he was able to walk out to the car without issue.
1322138	5/16/2021	OR	15	F	5/16/2021	5/16/2021	Patient had what appeared to be absence seizures (facial twitching, unresponsive but moving eyes, fist clenching) for 30 seconds. This occurred 10 minutes post injection. Patient did not fall out of chair as her grandmother was right next to her. 911 was called, patient recovered immediately after and had no other incidence. patient taken to hospital.
1322457	5/16/2021	OK	14	M	5/16/2021	5/16/2021	About 5 min after receiving shot, his head went to the side, lost consciousness. His legs, arms, hands went stiff and he started shaking. His eyes rolled back in his head, textbook seizure. Lasted a little less than a minute. When came to he said he couldn't see anything. After about 30 seconds he could start to see. He turned pale, felt like he was going to throw up. But never did. A few minutes later he started to get a little color back in his face. He is tired but was better.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320244	5/15/2021	IL	59	M	3/12/2021	3/1/2021	Rheumatoid arthritis flare up; Pain in joint involving hand; Injection site papule; Bruising; Sprain; Dizziness; Loss of balance; Sickness; Vision decreased / Bilateral abnormal vision; Blurring of eyes; fatigue; bumps from the injector pen; Pain in extremity / ARM PAIN; This is a solicited report from non-Pfizer sponsored program received from a contactable physician based upon information received by Pfizer from company (21K-163-3820459-00). A 59-year-old adult make received the first dose of intramuscular BNT162b2 (solution for injection; Lot EL3248 expiry information not provided) as a single dose on 12Mar2021 (at 59-years-old) for COVID-19 immunisation. The patient also started to receive subcutaneous adalimumab (HUMIRA, unspecified formulation) 40mg at an unspecified frequency from an unspecified date for arthritis. Relevant medical history included rheumatoid arthritis, inflammation, high blood pressure, red face, red skin, used cane for walking because he could not walk (before adalimumab), and a loss of hearing in the left ear (one month prior to starting adalimumab). It was unknown if patient was enrolled in a COVID-19 Vaccine Trial. Concomitant medications included sulfasalazine for inflammation; lisinopril for high blood pressure; and another [unspecified] medication for inflammation. The patient previously received treatment for inflammation with steroids which were not good enough. On an unspecified date in Mar2021, after receiving the vaccine, the patient developed arm pain, it made him tired, he had dizziness, fatigue almost every time, and a loss of balance. The patient had bumps from the injector pen/ Injection site papule, Pain in joint involving hand, bruising, sprain, and sickness. On an unspecified date in Apr2021 the patient experienced bilateral abnormal vision/vision decreased and blurring of eyes. On 09Apr2021, patient received second dose BNT162b2 (solution for injection; Lot EL3302 expiry information not provided) as a single dose. The action taken with adalimumab was unknown. The outcome of the event Sickness was recovered on an unspecified date. The outcome of the events bilateral abnormal vision/vision decreased, blurring of eyes, and fatigue, was not recovered. The outcome of the events pain in extremity / arm pain, bruising, sprain, dizziness, loss of balance, was recovering. The outcome of the events Pain in joint involving hand, Injection site papule, and



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

bumps from the injector pen was unknown. The reporter's assessment of the causal relationship of the event with the suspect product BNT162b2 was not provided at the time of this report. Since no determination has been received, the case is managed based on the company causality assessment. No follow-up attempts possible. No further information expected.; Sender's Comments: Based on available information, a possible contributory role of subject product, BNT162B2 vaccine cannot be excluded for the reported events of Injection site papule, Pain in joint involving hand, bruising, dizziness, loss of balance, fatigue and sickness, based on temporal relationship. Based on the information provided by the reporter, it appears unlikely that the subject product contributed to the RA flare and other reported events, which likely represent intercurrent medical conditions. There is very limited information provided in this report. This case will be reassessed upon receipt of follow-up information. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320174	5/15/2021	NE	49	M	1/11/2021	4/30/2021	Bells Palsy; Facial numbness and drooping left side. Eye, cheek, lips.; This is a spontaneous report from a contactable nurse. A 49-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration, administered in Arm Left on 11Jan2021 15:00 (Batch/Lot Number: EK4176) as 2nd dose, single for COVID-19 immunization. The patient had no medical history. The patient's concomitant medications were not reported. The patient previously took the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 21Dec2020 15:30 in the left arm (lot number: EH9899). The patient did not receive any other vaccines within 4 weeks prior the COVID vaccine. The patient experienced Facial numbness and drooping left side. Eye, cheek, lips; had Bells Palsy on 30Apr2021 11:00 which resulted a visit in the emergency room or urgent care. Steroids and acyclovir were taken as treatment for the events. The patient was not diagnosed with COVID prior vaccination and has not been tested after vaccination. The outcome of the event was unknown. The event Bells Palsy was assessed as serious- medically significant.; Sender's Comments: Based on the information currently available, a possible contributory role of the suspect drug in the reported serious event cannot be completely ruled out given the known suspect drug profile and/or implied temporal association. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to the Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320134	5/15/2021	MS	51	M	3/29/2021	4/5/2021	<p>Palsey on left side. Watery left eye. Numbness on left side around mouth and cheek.; Palsey on left side. Watery left eye. Numbness on left side around mouth and cheek.; Palsey on left side. Watery left eye. Numbness on left side around mouth and cheek.; This is a spontaneous report from a contactable consumer (patient). A 51-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), dose 2 via an unspecified route of administration, administered in right arm on 29Mar2021 10:00 (Batch/Lot number was not reported) at the age of 51 years old, as 2ND DOSE, SINGLE for COVID-19 immunisation. Medical history included mitral valve prolapse. Concomitant medication included warfarin taken for an unspecified indication, start and stop date were not reported. The patient previously took doxycycline hydrochloride (DOXYCYCLIN) and experienced allergy. The patient previously received first dose of bnt162b2 on 09Mar2021 09:00 AM at the age of 51 years old for COVID-19 immunization (vaccine location: right arm). No other vaccines received within 4 weeks prior to COVID vaccine. On 05Apr2021 07:00, the patient experienced Palsy (palsey) on left side, watering of left eye and numbness on left side around mouth and cheek. No treatment was received for the adverse events. The patient recovered from all the events on unspecified date. The patient was not diagnosed with COVID-19 prior to vaccination. The patient has not been tested for COVID-19 since the vaccination. Information on the lot/batch number has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320149	5/15/2021	CT	63	M	3/23/2021	4/3/2021	Diagnosed with a blood clot; Diagnosed with stroke; not feeling well; wakes up at night; Numbness of left hand and mouth; Numbness of left hand and mouth; Constipation; severe headache, described as he felt his eyes were exploding out of his head.; Temperature of 100.2; Could not sleep; This is a spontaneous report from a contactable consumer (spouse reporting on behalf of husband). A 63-years-old male patient received the first dose bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration, administered in Arm Left on 23Mar2021 09:00 (Batch/Lot Number: ER2613) as SINGLE DOSE for covid-19 immunization. Medical history included ongoing rheumatoid arthritis started few years ago, ongoing back pain (for many years), ongoing pain (for many years) (patient is a farmer 'seeing another doctor' for back pain/pain, testis cancer from 1986 and ongoing. Concomitant medication(s) included adalimumab (HUMIRA) taken for rheumatoid arthritis from an unspecified start date 'a few years ago.' and ongoing; tramadol (TRAMADOL) taken for back pain from an unspecified start date 'for years' and ongoing. Vaccine was not Administered at Military Facility. No other vaccines were given within 4 weeks. No additional vaccines were administered on the same date of the Pfizer suspect product. The patient experienced diagnosed with a blood clot, diagnosed with stroke, numbness of left hand and mouth on 12Apr2021, severe headache, described as he felt his eyes were exploding out of his head, temperature of 100.2 (in the evening.) , could not sleep on 03Apr2021, constipation on 05Apr2021, not feeling well and wakes up at night on an unspecified date. The patient was hospitalized for stroke and blood clot from 12Apr2021 to 14Apr2021. The patient underwent lab tests and procedures which included body temperature increased: 100.2 on 03Apr2021; computerized tomogram: first cat scan, a blood clot was diagnosed on unspecified date., computerised tomogram head: unknown result on an unspecified date, electrocardiogram: unknown results (husband was not having a heart attack) on 12Apr2021 , laboratory test: unknown results an unknown date , sars-cov-2 test: negative on 12Apr2021, computerised tomogram: negative on an unspecified date. Treatment was given thrombosis, Stroke, Headache, Insomnia. On

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

an unspecified date patient contacted his primary care doctor and was told to take some extra Motrin, twice a day but Motrin was not effective for his headache. The patient was not feeling well he went to his primary care doctor. Caller states her husband was at his doctor on 07Apr2021, and he went to radiology for a Cat Scan on an unspecified date and the results was negative. He had lab work drawn and a CT of the head. Her husband was given a medication to help him sleep, medication not specified. Caller mentioned she rescheduled her husband's second vaccine. On 12Apr2021, in the evening when he was getting out of the shower, he developed numbness in his left hand, and added later in the report, numbness of his mouth. Patient went to the emergency room, where they performed several tests, Multiple Cat Scans. Results of the first Cat Scan, a blood clot was diagnosed, and an EKG because they thought he may be having a heart attack but it was confirmed he was not having a heart attack.. When her husband was in the emergency room, they did a Covid test and it was negative. The patient was diagnosed with a blood clot and got Tissue plasminogen activator. At 7:33 pm, when he was given tissue plasminogen activator. After the treatment, the headache went away, but she is not sure if he has lasting effects. He was admitted to the Intensive Care Unit and was in the hospital for two days and diagnosed with a stroke, but he was able to walk out of the hospital. The patient still gets an ache in his head, and it comes and goes. Caller states it seems that these events were not coincidental, as they all happened after he got the vaccine. Since her husband has been home from the hospital, he is sleeping better but normally does not get a full night of sleep, and he usually wakes up at night and husband gets constipated when he takes Motrin. Caller mentioned that her husband is not fully constipated anymore, but he feels that his system is not back to normal. Caller assumed the stroke has cleared up, but is not sure. Caller rescheduled her husband's second vaccine, and she is not sure her husband should get the second vaccine. Caller states if these events were caused from the Covid vaccine, what will happen in the future? The clinical outcome of the events Clot blood, Stroke, malaise and wakes up at night was unknown; Numbness of left hand and mouth was recovered on 12Apr2021, Fever was recovered on 04Apr2021, while

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320152	5/15/2021	TX	40	F	4/30/2021	4/30/2021	<p>headache and Constipation was recovering. Follow up attempts are needed. Further information has been requested.</p> <p>then itch was mild for 1 hour/Started itching all over the worst was behind; itching all over the worst was behind my eyes deep in sockets; Sharp pain both arms 1 min.; left arm was swollen; This is a spontaneous report from a contactable consumer (patient). A 40-year-old non-pregnant female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/Lot number was not reported), via an unspecified route of administration, administered in arm left on 30Apr2021 at 11:15 (at the age of 40-years-old) as 1st dose, single for COVID-19 immunisation. Medical history was reported as yes but not specified. The patient's concomitant medications were not reported. On 30Apr2021 at 11:15, the patient experienced sharp pain both arms for 1 minute then itch was mild for 1 hour. Started itching all over the worst was behind her eyes deep in sockets that lasted 2 days, had to take diphenhydramine (BENADRYL). Left arm was swollen that night and lasted 2 days. On day 3, she was still itching but not as bad. Therapeutic measures were taken as a result of all events. The outcome of the events was recovering. No follow-up attempts are possible, information about batch number cannot be obtained. No further information is expected.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320163	5/15/2021		59	F	4/16/2021	4/18/2021	abducens nerve palsy right eye and fever; fever; This is a spontaneous report from a non-contactable healthcare professional. A 59-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 16Apr2021 (Batch/Lot number was not reported) as 1st dose, single for covid-19 immunisation. The patient's medical history and concomitant medications were not reported. Patient was not pregnant. The patient experienced abducens nerve palsy right eye and fever on 18Apr2021. Outcome of the events was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.; Sender's Comments: Based on the current available information and the plausible drug-event temporal association, a possible contributory role of the suspect product BNT162B2 to the development of event abducens nerve palsy right eye cannot be totally excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320166	5/15/2021	IN	71	F	4/26/2021		<p>Have some kind of bleeding issue I am on warfarin; Hard of hearing; leg started swelling a week; Eye pain, they hurt; Low grade fever with a 100; chills; This is a spontaneous report from a contactable consumer. A 71-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration, administered in Arm Left on 26Apr2021 (Batch/Lot Number: EW0161) as 2nd dose, single for COVID-19 immunization; warfarin, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at an unknown dose for bleeding issue. Concomitant medication included simvastatin; and furosemide (LASIX) taken for an unspecified indication from 26Apr2021 to an unspecified stop date. The patient previously took BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), 1st dose on 25Mar2021 (lot number: EN6199) for COVID-19 immunization and experienced leg swelling and hard of hearing. The patient mentioned she was hard of hearing. The patient had a reaction to both of the Pfizer shots. Her second one was on the 26Apr2021, her first one was on 25Mar2021. Her leg started swelling a week after and on 26Apr2021, she had her second and the same evening she started having eye pain, it's just they hurt, there was no redness, no swelling, no visual problems, they just hurt and they still hurt. And that night, she had low grade fever with a 100, chills and that lasted about, the fever and chills lasted about 10 hours but the eye pain was still there, it's just eye pain, no vision changes, no redness nothing it's just eye pain. She mentioned she was not tired or stressed, it was just there. The patient also reported that she had some kind of bleeding issue and she was on warfarin. The outcome of the event eye pain was not recovered, fever and chills was recovered while other events was unknown. The event bleeding issue was assessed as serious- medically significant.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320177	5/15/2021	MN		M	4/30/2021	4/30/2021	seizure; faint; feeling dizzy; drained again; his lips lost their color; difficulty hearing; nauseous; sweating profusely; This is a spontaneous report from a contactable pharmacist. An adolescent male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; Batch/Lot Number: Er8736), intramuscular, administered in Arm Left on 30Apr2021 20:30 as 1st dose, single for COVID-19 immunization. Medical history, none known. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. The patient's concomitant medications were not reported. The patient reported no previous adverse events with prior vaccinations, specifically dizziness or fainting. After the shot he went to the bathroom, returned fairly quickly & reported feeling dizzy and quickly took a seat and thought he might faint. Soon thereafter he seemed to have a seizure. His eyes remained open but rolled back, he stayed upright but was unresponsive. They removed his mask & his mother & they kept talking to him. It ended after about 10 seconds & he asked how long he had been out. His color was momentarily better, but drained again & his lips lost their color. They asked if he had any difficulty breathing and he did not. He reported that he had difficulty hearing (like he had headphones on) & was sweating profusely. His mother kept encouraging him to take deep breaths, they got him some water & asked if he had a history of hypoglycemia- he did not. They asked if they could get him a candy bar& they asked for a granola bar which they acquired. He was too nauseous to eat it & asked. The events started on 30Apr2021 20:30. No treatment was given. The outcome of the events was recovered.; Sender's Comments: Based on available information, a possible contributory role of the subject product, BNT162B2 vaccine, cannot be excluded for the seizure and the other reported events due to temporal relationship. There is limited information provided in this report. Additional information is needed to better assess the case, including complete medical history, diagnostics including EEG and head CT/MRI, counteractive treatment measures and concomitant medications. This case will be reassessed once additional information is available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320182	5/15/2021	IL	49	F	3/13/2021	3/14/2021	<p>evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.</p> <p>Got diagnosed with mild stroke after a high blood pressure crisis; Got diagnosed with mild stroke after a high blood pressure crisis; blurry vision on the left eye; Pins and needles feelings in left body side; headache; memory loss; This is a spontaneous report from a contactable consumer (reporting for herself). A 49-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in Arm Right on 13Mar2021 at 10:00 (Batch/Lot number was not reported) as 1ST DOSE, SINGLE for COVID-19 immunization. Medical history included high blood pressure, and asthma. The patient's concomitant medications were not reported. On 14Mar2021, the patient was diagnosed with mild stroke after a high blood pressure crisis and the symptoms showed days after the vaccine such as blurry vision on the left eye, pins and needles feeling in left body side, headache and memory loss. The patient underwent lab tests and procedures which included sars-cov-2 test: negative on an unspecified date. The outcome of the events was unknown. The patient did not received any other vaccines within 4 weeks prior to the COVID vaccine. The events resulted in emergency room/department or urgent care and was admitted in the hospital for 2 day. The patient was not diagnosed with COVID-19 prior to vaccination. The patient has been tested for COVID-19 since the vaccination. Information on the lot/batch number has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320185	5/15/2021	GA	75	F	4/6/2021	4/6/2021	<p>blurred vision; seeing blue and pink flashes in both eyes; seeing blue and pink flashes in both eyes; lightheaded; tingling feeling from knees to feet; got disoriented; joints aching, knees and arms; This is a spontaneous report from a contactable consumer (patient). A 75-year-old female patient received bnt162b2 (BNT162B2), dose 1 via an unspecified route of administration, administered in arm right on 06Apr2021 08:20 am (Batch/Lot Number: ENB200) as single dose at the age of 75-year-old for COVID-19 immunisation. The patient medical history and concomitant medications were none. No history of all previous immunization with BNT162B2. No additional vaccines administered on same date of BNT162B2. No prior vaccinations (within 4 weeks). On 06Apr2021, 10 minutes after she received the vaccine, she patient experienced blurred vision, seeing blue and pink flashes in both eyes, she was lightheaded, tingling feeling from knees to feet, got disoriented, joints aching, knees and arms. The events required a visit to Emergency Room. The events were considered medically significant. The outcome of joints aching, knees and arms was recovered on 27Apr2021, of all other events was recovered on 06Apr2021. The course of events was as follows: 10 minutes after she received the vaccine, she experienced blurred vision, seeing a blue and pink flashing in both eyes, she was lightheaded, from her knees down to her feet had a tingling feeling, and she got disoriented. She told her family member something was wrong with her and they got the EMS. The EMS checked her vital signs and suggested to take her to the main campus Emergency Room center. After the knees and arms stopped tingling, different side effects came up on her as she was sitting and waiting for 15 minutes. Patient did not know how long her eyes flashed exactly, but it stopped the same day. Patient had had some differences with her legs, like her joints aching. It lasted from 06Apr2021 to 27Apr2021 until she had to go back for the next vaccine. The joint pain/achiness in legs and arm lasted for 3 weeks on and off. Patient was not hospitalized. No relevant tests performed. Patient has an appointment scheduled with her physician on following Monday. She was scheduled to go back 27Apr2021 for second dose. No follow-up attempts are needed. No further information is expected.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320189	5/15/2021	NY	66	F	2/25/2021	2/25/2021	visual and neurological issues; She says she got her phone and it affected her brain; her fever went down; She gives her height and says that she shrunk; hoarse was reported as worsened; hoarse; slept a lot; 12 to 16 hours for the next 5 days; trouble walking; trouble seeing; This is a spontaneous report from a contactable other nurse (patient). This nurse reported 2 reports for same patient, this is first of 2 reports. A 66-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), second dose via an unspecified route of administration, administered in left arm on 25Feb2021 11:00 (Batch/Lot number was not reported) as single dose for covid-19 immunisation. Medical history included ongoing asthma, she says she has been having respiratory problems and asthma since she was a teen; covid-19 from 06Feb2020 to 18Feb2021, She says she didn't see her doctor until the day she got better. She says she realized she was in big trouble and need help. She says she got her phone and it affected her brain. She says she she 5 sons and she flipped around her phone having trouble. She says he has had the same phone for 4 years. She says she was fine that day, 18FEB2021, that she had half of the symptoms, and her fever went down. She says the headache lasted a while; allergies; No thyroid gland, clots; thyroid cancer; tremors that started 7 years ago in one hand. She says she has no thyroid gland. She says she has been taking this since her surgery; she was around 33 years old, and she is 66 now, so for 33 years. She says she had clots. History: She says she takes a lot of medications, a lot of neurological medications. She says the only other pertinent thing is she does have tremors that started 7 years ago in the one hand. She says just before she got the COVID virus, a week before, tremors started in the other hand and progressed rapidly. It is remarked that she thinks she was infected when this started. She says the other one took 7 years to be once a day while this one progressed to be daily. She says she does not take anything for that, she is just trying to increase her activity levels. She says when she was 30 or 40 she was very active. She says the doctors think there is something wrong with her immune system. She says they are trying her on diff medications for asthma; they changed it, added more. She says Advair work beautifully and she doesn't use a breakthrough inhaler. She says ever since

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

COVID in 2020, the first week of FEB2020 she thought it was the flu. She says she didn't get any medical help, she was in severe shape, and her headache was severe. She says she crawled to the bathroom once a day, she had a high fever and it felt like a snake effect of a cobra all over, squeezing. She says her pulmonologist gave her Spiriva and that has opened her up, once a day. Caller had gotten to the point she couldn't take 5 or 6 steps and couldn't breath. She gained a ton of weight cause she couldn't move related to this breathing issue. She thought she wouldn't recover, he gave samples once a month. She says she saw him a week ago, 10 days ago maybe. She says she had shortness of breath and couldn't walk. She clarifies she is talking about when she had COVID last year, not this current shot report. She says she didn't consider these current side effects a problem, she expected some side effects and they went away. She says the shortness of breath walking problem was due to shortness of breath; that was what happened with COVID. She says her hoarseness is related to spring allergies and is due to the climate and it is usually from 10APR to 16JUN. She says she gets a sinus drip and congestion and that she is on 5 different medications for that. She says she has more trouble with inhouse allergies. She says she gets trouble as soon as the trees pop. She has had hoarseness for about a year and the allergies have really started around 10Mar2021 for this year. Concomitant medication included ongoing levothyroxine sodium (SYNTHROID) taken for thyroid cancer. She says something new was 8 weeks out she got the flu shot. She says she has a lethal allergy to egg white so she has never had a flu shot her entire life. She says she asked her doctor why they didn't get the one without egg whites. She says they made one without egg white in the 1990's. She says 08DEC2020 was her first flu shot. She says everyone wants her to take more shots but she won't take any more. She says COVID and the flu shot are enough for one year. She says if they have the COVID booster then she will take that one but not any other. She says no but she was told don't ever have anything with egg white in it so she never had the flu shot, she refused. The patient took first dose of BNT162B2 on 04Feb2021 for COVID-19 immunisation and experienced headache. The patient experienced trouble walking (Disabling) on 25Feb2021 19:00 (about

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

7:00pm in the evening) with outcome of recovered on 25Feb2021, trouble seeing (Disabling) on 25Feb2021 19:00 (about 7:00pm in the evening) with outcome of recovered on 25Feb2021, hoarse was reported as worsened (medically significant) on Mar2021 with outcome of not recovered, hoarse (medically significant) on Mar2021 with outcome of not recovered, slept a lot; 12 to 16 hours for the next 5 days on 25Feb2021 22:00 (10:00pm at night) with outcome of recovered on 2Mar2021. The caller is calling about the COVID 19 vaccine. She says she had side effects but she would consider them mild. She says the shot was wonderful. She says she has put off reporting this. Caller remarks she has shrunk, when providing her height. Caller apologizing when clearing her throat, says sorry she is so hoarse today. She says the second dose they came and went away. She says the second shot was at 11:00 am. She says the second shot was on 25FEB2021. She says she had a lot of water to drink then 7 hours after the second shot, about 7:00pm in the evening, she had 45 minutes of visual and neurological issues. She says she had trouble walking, she was stumbling with her feet, she had trouble with eyesight, different sections of her vision was together. She says this was like when she had 5 children. She says her pregnancy during the first 3 months she had neurological visual experiences of shadows put together and at the end of the pregnancy, 2 months after delivery, it would go away. She says she is in an apartment and she sat down then it was 45 minutes total for both occurrences at the same time. She also reports that she slept a lot; 12 to 16 hours for the next 5 days. She says on the 6th day she was fine, no symptoms and no sleepiness. She says it occurred the evening at 10:00pm at night, then it went up through the 5th day afterwards. When asked seriousness of the sleeping event she says none of the above. She says she lives in a senior housing area, they all got it at the same time, that there was only one person who declines. She says almost everyone had sleepiness for at least 3 days afterwards. She says she is still battling the COVID after effects, it was disrupting her breathing. She says she was glad she got the shot, she is glad she was able to do it. She says her second dose seemed to be around 11:00am. For the second dose lot number she reads GL92 then AA or 00. She does not see an

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

expiration date or NDC number for the first or second dose. She says her second dose was in her left arm up high near the shoulder, upper arm high. She says she didn't feel either of them. She says that she was put on BREZTRI Expiration date, lot number, and NDC number not provided. She says her doctors thought she had COPD but she didn't; it doesn't work for people over 70. She says the cardiac problem was with a respiratory medication. She says it was Trelegy. She does not have an expiration date, lot number, or NDC number for Trelegy. She says she is not sure where she put the container but she does have it somewhere. She says it affects the QRS. She says when she had COVID she was sneezing and in August her hair fell out. She says she had a fever for 4 days that week then she went away. She says she wondered if she had the long haul COVID. She says the doctor gave her something to make her lungs spring open. She says she is currently hoarse due to spring allergies, not because of the shot. A medication called Breeze didn't work for her. She says that she was put on BREZTRI Expiration date, lot number, and NDC number not provided. She says her doctors thought she had COPD but she didn't; it doesn't work for people over 70. No additional vaccines administered on same date of the Pfizer suspect. All events did not require a visit to Emergency Room or Physician Office. No family medical history relevant to AE. No relevant Tests. The reporter considered events trouble walking, trouble seeing, slept a lot; 12 to 16 hours for the next 5 days were related to covid 19 vaccine, event hoarse was unrelated to covid 19 vaccine. The outcome of other events was unknown. Information on the lot/batch number has been requested.; Sender's Comments: Based on the available information there is not a reasonable possibility that the drug contributed to occurrence of the events, a possible contribution of the drug to the event pyrexia cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate –data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.,Linked Report(s) : US-PFIZER INC-2021493623 same patient/drug, different

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

vaccine dose/event.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320112	5/15/2021	NJ	46	F	3/21/2021	3/21/2021	states she cant sleep; cant concentrate; tinnitus, ringing of ears; Ear fullness; Tingling in right side of face, around eye and cheeks and everything; This is a spontaneous report from /Medical Information received from a contactable nurse reporting for herself A 46 year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number: EN6206) on 21Mar2021 at single dose via an unspecified route of administration on right deltoid for COVID-19 immunization. Relevant medical history included ongoing autoimmune disease from 2016 (diagnosed about 5 years ago). Concomitant medications were not reported. On 21Mar2021 the patient experienced Tingling in right side of face, around eye and cheeks and everything, started little bit the day of vaccination and then just kept going and got gradually a little bit worse. The events was considered as medically significant. On 23Mar2021 the patient started complaining ear fullness, started to get full like feeling in ear, like plugged under water kind of thing described as ongoing as improved slightly but it comes and goes (as such). The event was considered medically significant. On 27Mar2021 the patient also started experiencing tinnitus, clogged/plugged ears and ringing in the ears. The event was considered medically significant. This was not going away, she also mentioned can't sleep and can't concentrate. Patient also informed that she is part of a huge online Support group (1500-2000) for people who have developed tinnitus after covid vaccination with either of Pfizer, Moderna or Jansen and Jansen Covid vaccine. Patient declined to provide information on the persons other people who were experiencing the same symptoms, hopefully, those persons call Pfizer on their own. She also informed that was not be getting her second dose (as such). The patient recovered from 'Tingling in right side of face, around eye and cheeks and everything' on an unspecified date in Mar2021, was recovering from ear fullness, while have not yet recovered from tinnitus, ringing of ears. At the time of the reporting outcome of other events was unknown.; Sender's Comments: Based on the close temporal relationship, the association between the event "tingling in right side of face" with BNT162b2 can not be fully excluded. The association between the events "ear fullness" and "tinnitus" with BNT162b2 can not be fully

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

excluded based on the temporal relationship. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.

1320220 5/15/2021 OR

35 M

4/22/2021

4/24/2021

2-3 days after shot I became so thirsty drinking up to 2-3 gallons of water a day! My vision has now became blurry and I?m having to urinate 10 times a night. I was in the hospital 2 weeks prior and my chart was fine I?m in the hospital as we speak and I haven hyperglycemia!! Now diabetic after the shot my life has changed!!!

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320042	5/15/2021	TX	39	M	4/14/2021	4/17/2021	eyes are watery, more on the right, top to bottom feels numb/paralyzed type feeling. Seems to be a Bell's palsy type symptom but no drooping; Right side of my face is numb; eyes are watery, more on the right, top to bottom feels numb/paralyzed type feeling.; eyes are watery, more on the right, top to bottom feels numb/paralyzed type feeling.; This is a spontaneous report from a contactable consumer (patient). A 39-year-old male patient received his first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Lot Number: Er8733), via an unspecified route of administration at age of 39-year-old at arm right on 14Apr2021 12:15 at single dose for COVID-19 immunization. Medical history included high blood pressure. Prior to vaccination, the patient wasn't diagnosed with COVID-19. Concomitant medications included hydrochlorothiazide, clomifene citrate (CLOMID), men's multivitamin, gluco, received within 2 weeks of vaccination. The patient didn't receive any other vaccines within 4 weeks prior to the COVID vaccine. On 17Apr2021 10:00, right side of his face was numb, eyes are watery, more on the right, top to bottom feels numb/paralyzed type feeling. Seems to be a Bell's palsy type symptom but no drooping. The adverse events result in doctor or other healthcare professional office/clinic visit. The adverse events result in Emergency room/department or urgent care. The patient underwent lab tests included Curative testing (covid tested): negative on 19Apr2021. The patient was given allergy steroids for events. The outcome of events was recovering.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320264	5/15/2021		25	F		4/10/2021	Tendency to glaucoma; She had an episode were her eyes swelled up really bad; Eyes were red and wet; Blurry vision; Eyes were red and wet; This is a spontaneous report from a contactable consumer (patient herself). A 25-year-old female patient received the first dose of the BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Lot/Batch number: not reported) via an unknown route of administration on 10Apr2021 as SINGLE DOSE for covid-19 immunization. The patient medical history was not reported. The patient's concomitant medications were not reported. In 2021, the patient experienced tendency to glaucoma, she had an episode were her eyes swelled up really bad, eyes were red and wet, blurry vision. The outcome of the events was unknown. It was reported that the patient was supposed to receive the second dose yesterday and she had to reschedule because of events. The patient questioned if there are reports of deaths after getting the vaccine. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320285	5/15/2021	OH	34	F	4/28/2021	4/28/2021	hallucinations; Severe pain unable to lift left arm; severe body/joint aches; severe body/joint aches; severe headache; black spots in vision; weakness; fatigue; insomnia; confusion; nausea; stomach pain; chills; fever; Pregnancy at time of Vaccination: Yes; This is a spontaneous report from a contactable consumer reported for herself. This 34-year-old female patient received the 2nd dose of bnt162b2 (Pfizer-BioNTech COVID-19 Vaccine) via an unspecified route of administration in the left arm on 28Apr2021 01:00 PM at the same age as single dose for COVID-19 immunisation. Medical history included Leiden factor V and pregnancy. Concomitant medications included minerals nos/vitamins nos (PRENATAL VITAMINS), folic acid, labetalol, acetylsalicylic acid (ASPIRIN). The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient previously received the 1st dose of bnt162b2 (Pfizer-BioNTech COVID-19 Vaccine) on 01Apr2021 at 03:00 PM for COVID-19 immunisation, experiencing exposure during pregnancy; received amoxicillin;clavulanic acid (AUGMENTIN) experiencing severe vomiting but not an anaphylactic reaction. The patient experienced severe pain unable to lift left arm, severe body/joint aches, severe headache, black spots in vision, weakness, fatigue, insomnia, confusion, nausea, stomach pain, chills, fever, hallucinations; on 29Apr2021 at 04:00 am. The patient was pregnancy at time of vaccination. Pregnancy due date was 23Aug2021. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. Outcome of the event exposure during pregnancy was unknown, of the other events was recovering. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320192	5/15/2021	MD	64	M	3/23/2021	3/30/2021	found out COVID-19 the 30th by the COVID; I was trembling; could not walk/with my legs, my feet's, can't hardy walk, use walker to walk around, it's causing my foot to not work properly. I cannot move my toes; It was standing low when I was in the hospital/I came home I don't know it's my neither or what I was 169 and 117 at the bottom; they give me down it was high couple of time and one time all I have my heartbeat was beating 131; they thought what patient had is a stroke; feeling chills; This is a spontaneous report from a contactable consumer (patient). A 64-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in left arm on 23Mar2021 (Batch/Lot Number: Unknown) as 1ST DOSE, SINGLE for COVID-19 immunisation. Medical history included diabetes mellitus and hypertension. Patient had got diabetes, hypertension and he got everything. Concomitant medications included insulin taken for an unspecified indication, start and stop date were not reported and unspecified drugs, concomitant Medications: Consumer stated he was taking 2 different insulin. Patient was taking a fast release insulin at the hospital and he did not know it will take but he got told to his primary doctor as he was first he was taking (medication name not clear and not confirmed) he was taking that's the insulin. he did not know what it was. Diagnosis date for diabetes and hypertension: Consumer stated they give he down it was high couple of time and one time all patient had his heartbeat was beating 131 so he called 911. So, patient did not know what caused it but they got everything under control and patient called 911 (Further clarification unknown hence not captured as event), they kept he in hospital for 11 days but patient know something was going on when he first got the Covid shot, he felt after his first injection 2 or 3 days later he was feeling chills and then that was it but by the time and patient took that on 23Mar2021 by the time, all of a sudden patient did not know the day it was it to be in the March because he went for testing and then later on 30Mar2021 the caller found out that he had Covid after getting the vaccine. Patient had the first shot on 23Mar2021 and patient was trembling, he could not walk, he was crazy. It took about 4 or 5 days he went to get out of the bed and he cannot walk at out. he came what at all his wife look and then

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

shut down because patient had not experienced that before and they thought what patient had is a stroke and patient had in my eyes, in so it was not a stroke, that major (Further clarification unknown) but they never told he what it could have been or what it was. Patient stayed in hospital for 11 days after he got that first shot. Patient had CAT (computerized tomography) scan and had MRI (Magnetic resonance imaging) and some other skin they did it with machines in your leg but before it could be they did all that and patient did not know what they did like what they did like he was about in Emergency room. Patient was still experiencing the events with his legs, his feet's, he could not hardy walk, he used walker to walk around because his equilibrity was going off and patient had no problem with his equilibrity (as reported). Patient was still experiencing events they tried to do surgery on his legs but they get his had got his diabetes patient was back on the control he take medications for that, patient could not carry out medications because he didn't know about the number and then they got his high blood pressure, they got down to control it was 118 last time patient had seen like 118-75. It was standing low when patient was in the hospital (Further not clarified hence not captured as event) So, when he came home he did not know it's his neither or what patient was 169 and 117 at the bottom so patient did not know what they got, what's going on. It was causing his foot to not work properly. Patient could not move his toes forward. The outcome of event could not walk was not recovered, of events was unknown.; Sender's Comments: Linked Report(s) : US-PFIZER INC-2021493685 same patient, same product, different dose and events.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1319904	5/15/2021	TX	51	F	2/11/2021	2/12/2021	Swelling of outer area of both eyes; Left eye worse: sore, tender to touch and feels like a little fluid buildup.; Left eye worse: sore, tender to touch and feels like a little fluid buildup.; This is a spontaneous report from a contactable consumer (Patient). A 51-year-old female patient not pregnant patient received second dose of bnt162b2 (BNT162B2), via an unspecified route of administration, administered in Arm Left on 11Feb2021 13:00 (Lot Number: EN5318) as single dose (at age of 51-year-old), for covid-19 immunisation. Medical history and concomitant medications were not reported. Patient had no known allergies (NKA) nor food allergies. First dose of bnt162b2 (BNT162B2), was received via an unspecified route of administration, administered in Arm Left on 21Jan2021 13:00 (Lot Number: EL1283) (at age of 51-year-old), for covid-19 immunisation. Patient did not receive other vaccine in four weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19 and the patient has not been tested for COVID-19 post vaccination. On 12Feb2021 at 16:00 patient experienced swelling of outer area of both eyes. Left eye worse: sore, tender to touch and feels like a little fluid buildup. No treatment was received. Patient had not recovered from the events, at the time of the report.
1320292	5/15/2021	CA	31	F	4/9/2021	4/13/2021	bloody stool; Yeast infection; swollen upper eyelid; This is a spontaneous report from a contactable consumer (patient). A 32-year-old female patient received bnt162b2 (Pfizer-BioNTech COVID-19 vaccine), dose 1 via an unspecified route of administration, administered in Arm Left on 09Apr2021 17:00 at the age of 31 years old (Batch/Lot Number: Unknown) as 1st dose, single for covid-19 immunisation. The patient's medical history and concomitant medications were not reported. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19 and has not been tested for COVID-19 since the vaccination. The patient experienced yeast infection, bloody stool, swollen upper eyelid on 13Apr2021. The patient did not receive treatment for the events. The outcome of the events was not recovered. Information about Lot/Batch number is obtained. Additional information has been requested.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320265	5/15/2021	MD	66	M	4/26/2021	4/27/2021	my facial paralysis significantly worsened; This is a spontaneous report from a contactable consumer (patient). A 66-year-old male patient received BNT162B2(PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration, administered in Arm Right on 26Apr2021 (Lot Number: EW0170) as single dose for covid-19 immunisation. The patient medical history was not reported. The patient's concomitant medications included unspecified products within 2 weeks of vaccination. The patient was not diagnosed with COVID-19 and has not been tested for COVID-19 since the vaccination. The patient previously received BNT162B2 lot EW0150 on 05Apr2021 14:00 at left arm for Covid-19 Immunization, 9 days later, on 14Apr2021, woke up with severe facial paralysis and MRI result determined it was Bells Palsy. He received 2nd vaccination on 26Apr2021, the following day on 27Apr2021 his facial paralysis significantly worsened. He cannot close his eye all the way, he cannot keep saliva in his mouth, his speech was impaired, it's difficult to eat and frankly he's mortified to go out in public and terrified that he might have to live this way for a while. The patient received Prednisone as treatment. The event resulted in: Doctor or other healthcare professional office/clinic visit, Emergency room/department or urgent care. The outcome of the event was not resolved.
1319629	5/15/2021	TN	34	F	5/10/2021	5/11/2021	Extreme sensitivity to sunlight. Patient normally spends many hours a day outside doing various activities exposed to sunlight without getting a sun burn. The day after vaccine and since the patient can be outside for as short as 10-20 minutes and skin becomes visibly red and begins to quickly sun burn severely as if she was outside in direct sunlight for many,many hours. Eyes have also become very sensitive to sunlight requiring the use of sunglasses even indoors in a bright room. Causing great discomfort and unable to focus. Has previously never experienced these issues.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1319772	5/15/2021	CO	40	F	4/6/2021		<p>Cerebral venous sinus thrombosis; Pulmonary embolism; PLATELET COUNT DECREASED; Activated partial thromboplastin time shortened; Rash erythematous; Dizziness; Headache; ALANINE AMINOTRANSFERASE INCREASED; ANGIOGRAM PULMONARY ABNORMAL; ASPARTATE AMINOTRANSFERASE INCREASED; BLOOD ALKALINE PHOSPHATASE DECREASED; BLOOD ELECTROLYTES NORMAL; HAPTOGLOBIN NORMAL; THROMBIN TIME PROLONGED; ULTRASOUND SCAN NORMAL; VENOGRAM ABNORMAL; This spontaneous report received from a patient, concerned a 40-year-old. This case was described in a literature article, reference: outcomes of bivalirudin therapy for thrombotic thrombocytopenia and cerebral venous sinus thrombosis after vaccination: The patient's height, and weight were not reported. The patient's concurrent conditions included tonsil exudate, seasonal allergies, strain of cervical portion of right trapezius muscle, and migraine headaches. There was no history of thrombosis, clotting disorders, inflammatory bowel disease, collagen vascular disorders or cancers. The patient was not pregnant at the time of reporting, was not using estrogen-containing medications or tobacco and had no recent surgical history. On 01-APR-2021, the patient received covid-19 vaccine (suspension for injection, intramuscular, batch number: 042A21A, and expiry: UNKNOWN) dose was not reported, once total administered on left arm for prophylactic vaccination. Concomitant medications included cyanocobalamin, menatetrenone, and paracetamol. On post-vaccination day 5, 06-APR-2021, the patient developed a headache, sinus pressure, myalgias and sore throat with tonsillar exudate. On day 8, she presented to urgent care and was prescribed amoxicillin/clavulanate potassium, a methyl-prednisolone taper and methocarbamol. No laboratory evaluation was performed. She continued to have worsening headaches (different to her normal headaches), especially with movement, associated photophobia and intermittent dizziness prompting her presentation at the Emergency Department on post-vaccination day 12, 13-APR-2021. She denied fever, weakness, numbness, vision changes, speech difficulty, gait instability, seizure. Her initial vital signs were within normal limits, except blood pressure was 141/96 mmHg. Physical examination revealed small areas of petechiae</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

on her chest and right cheek of the face and mild tonsillar exudate without cervical lymphadenopathy. A detailed neurological examination was normal, and she had no leg swelling or pain. She was admitted to the hospital for further testing and management. The patient was found to have thrombocytopenia, an elevated D-dimer, normal fibrinogen, and mild elevation of the serum transaminases. Laboratory data on 13-APR-2021 included: alanine aminotransferase was 87 U/L, aspartate aminotransferase was 65 U/L, blood alkaline phosphatase was 25 U/L, other blood electrolytes were normal, haptoglobin was 208 mg/dL, partial thromboplastin time prolonged was 26.4 sec, platelet count was  $20 \times 10^9/L$ , and thrombin time was 14.9 sec, D-dimer was 27,150 to 47,570 FEU. Peripheral smear did not reveal schistocytes or other evidence of hemolysis. The patient's nasopharyngeal swab tested negative for SARS-CoV-2 RNA by reverse-transcriptase-polymerase-chain-reaction assay. An initial heparin induced thrombocytopenia antibody test, HIT IGG PF4, (HemosIL LIA assay) was negative. A confirmatory HIT PF4 ELISA resulted positive. While the patient did show a transient drop in hemoglobin (nadir of 12.3 g/dL on 15-APR-2021), there was no clinical evidence of bleeding. Mild transaminitis was present on time of admission; investigation for causes such as autoimmune hepatitis did not reveal an etiology. A CT angiogram of the chest showed a mild burden of acute pulmonary embolism with subsegmental filling defects in the right lower lobe. No right heart strain or lung infarct. A CT venography of the head/brain showed occlusive dural venous sinus thrombosis involving the left transverse and sigmoid sinuses extending into the left internal jugular vein. There is no associated infarct. There was possible additional nonocclusive thrombus in the right internal jugular vein. A lower extremity ultrasound was negative for DVT. A right upper quadrant ultrasound confirmed no portal vein thrombosis. The patient was treated with bivalirudin, a direct thrombin inhibitor with a short half-life. Infusion was started at 0.15 mg/kg/hr with titration parameters to target a PTT goal of 50-80 seconds. Additional pharmacologic interventions to aid in platelet recovery included intravenous globulin 1 g/kg/day for 12 days and prednisone 1 mg/kg daily. The patient demonstrated steady improvement until discharge on hospital day 6

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

and continued to show improvement. Platelet count was  $115 \times 10^9/L$  (at discharge on hospital day 6/post-vaccination day 18) and was  $182 \times 10^9/L$  (during outpatient follow-up on post-vaccination day 21). The patient did not demonstrate any sequelae of thrombosis. The patient was recovering well from the events of cerebral venous sinus thrombosis, pulmonary embolism, low platelet count, activated partial thromboplastin time shortened, dizziness, and rash erythematous, and vision changes was not reported. The event of headache resolved on an unspecified date. This report was serious (Hospitalization Caused / Prolonged). This case, from the same reporter is linked. Additional information was received from traditional media and the literature via a company representative on 07-MAY-2021. The following information was updated and incorporated into the case narrative: Literature citation, author details, company representative added as reporter, patient race, medical history, platelet count, clinical progression, lab data, corrective treatment, and outcome.; Sender's Comments: V2: Follow up from literature provided clinical details; company assessment remains the same. This case initially obtained concerns a 40-year-old White female who was hospitalized for cerebral venous sinus thrombosis, pulmonary embolism (PE) and thrombocytopenia 12 days after receiving covid-19 vaccine. Medical history included migraine headaches. There was no history of thrombosis, clotting disorders, inflammatory bowel disease, collagen vascular disorders or cancers. She was not pregnant, was not using estrogen-containing medications or tobacco, & had no recent surgical history. Concomitant medications included cyanocobalamin, menatetrenone, & paracetamol. Post-vaccination day 5 (PVD5), she developed a headache, sinus pressure, myalgias & sore throat with tonsillar exudate. PVD8, she went to urgent care & was prescribed amoxicillin/clavulanate, methylprednisolone taper & methocarbamol. PVD12, headaches worsened, prompting Emergency Department visit. She was hospitalized for further testing and management. Labs showed: Platelets (PLT)  $20k/uL$ , peripheral smear without schistocytes or hemolysis, d-dimer 47K, normal fibrinogen, negative Covid-19 PCR swab, positive HIT PF4 ELISA. CT of brain showed occlusive dural venous sinus thrombosis involving left

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1319804	5/15/2021	TN	47	F	5/10/2021		<p>transverse &amp; sigmoid sinuses extending into left internal jugular vein. CTA showed PE in right lobe. Ultrasound did not show deep vein thrombosis of lower extremity or portal vein. Treatment included bivalirudin, IVIG, &amp; prednisone. Patient improved and was discharged on PVD18 with PLT 115; PLT 182 on PVD21. She was recovering without sequelae of thrombosis. Based on evolving knowledge of Thrombosis with Thrombocytopenia Syndrome (TTS, per definition from Brighton Collaboration-BC), the low platelet count and temporal relationship to vaccination (BC Criteria level 1), the events are assessed to have a plausible relationship with vaccination.</p> <p>LIGHT SENSITIVITY TO EYES; BLURRED VISION; VISION CHANGES; This spontaneous report received from a patient concerned a 47 year old female. The patient's height, and weight were not reported. The patient's past medical history included connective tissue disease, polyglandular failure (type 2), and raynaud's disease, and concurrent conditions included fibromyalgia, chronic hashimoto's disease, chronic lyme's disease, hypophosphatasia, non smoker, and non alcoholic, and other pre-existing medical conditions included the patient was not pregnant at the time of reporting. The patient experienced drug allergy when treated with clindamycin, codeine, lansoprazole, and glycopyrronium bromide. The patient received covid-19 vaccine (suspension for injection, route of admin not reported, batch number: 042A21A, and expiry: UNKNOWN) dose was not reported, administered on 06-MAY-2021 for prophylactic vaccination. No concomitant medications were reported. On 10-MAY-2021, the subject experienced light sensitivity to eyes. On 10-MAY-2021, the subject experienced blurred vision. On 10-MAY-2021, the subject experienced vision changes. The action taken with covid-19 vaccine was not applicable. The patient had not recovered from light sensitivity to eyes, blurred vision, and vision changes. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1319837	5/15/2021	CA	59	F	1/31/2021	1/31/2021	vertigo so bad/ still have vertigo, not as bad; making my bones weaker / pulling calcium out of my bones; difficulty moving around; face very swollen; headaches; Her glands swollen, hard as a rock; no energy/wracked our bodies; pain due to left rib injury; still down from this; injured left eighth rib/fractured left eighth rib; fractured left eighth rib; Vision impaired/ distance vision is blurry/ vision is 'still so bad; This spontaneous case was reported by a consumer and describes the occurrence of VISUAL IMPAIRMENT (Vision impaired/ distance vision is blurry/ vision is 'still so bad) and CHEST INJURY (injured left eighth rib/fractured left eighth rib) in a 59-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No medical report history provided by the reporter. Concomitant products included VITAMIN A NOS and LUTEIN;VITAMINS NOS for Eye disorder NOS, HYDROCODONE BITARTRATE, PARACETAMOL (VICODIN) for Rib pain, DIMENHYDRINATE (DRAMAMINE) for Vertigo, COENZYME Q10 [UBIDECARENONE] for an unknown indication. On 31-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On an unknown date, the patient received dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) at an unspecified dose. On 31-Jan-2021, the patient experienced VISUAL IMPAIRMENT (Vision impaired/ distance vision is blurry/ vision is 'still so bad) (seriousness criterion medically significant). In April 2021, the patient experienced CHEST INJURY (injured left eighth rib/fractured left eighth rib) (seriousness criterion medically significant) and RIB FRACTURE (fractured left eighth rib). On 03-May-2021, the patient experienced DEPRESSED MOOD (still down from this), PAIN (pain due to left rib injury) and ASTHENIA (no energy/wracked our bodies). On an unknown date, the patient experienced VERTIGO (vertigo so bad/ still have vertigo, not as bad), BONE DECALCIFICATION (making my bones weaker / pulling calcium out of my bones), GAIT DISTURBANCE (difficulty moving around), SWELLING FACE (face very swollen), HEADACHE (headaches) and LYMPHADENOPATHY (Her glands swollen, hard as a rock). At the time of the report, VISUAL IMPAIRMENT

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

(Vision impaired/ distance vision is blurry/ vision is 'still so bad), CHEST INJURY (injured left eighth rib/fractured left eighth rib), VERTIGO (vertigo so bad/ still have vertigo, not as bad), DEPRESSED MOOD (still down from this) and PAIN (pain due to left rib injury) had not resolved and BONE DECALCIFICATION (making my bones weaker / pulling calcium out of my bones), GAIT DISTURBANCE (difficulty moving around), ASTHENIA (no energy/wracked our bodies), SWELLING FACE (face very swollen), RIB FRACTURE (fractured left eighth rib), HEADACHE (headaches) and LYMPHADENOPATHY (Her glands swollen, hard as a rock) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown Route) and mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown. Concomitant product includes Oil of Silver. Treatment for the event included urgent care for vertigo so bad, Dramamine for vertigo so bad and ear nose and throat office visit for vertigo so bad. Based on the current available information and temporal association between the use of the product and the start date of the event VISUAL IMPAIRMENT, a causal relationship cannot be excluded. For the other events, very limited information has been provided at this time. A causal relationship cannot be excluded. Further information has been requested. Most recent FOLLOW-UP information incorporated above includes: On 03-May-2021: Case upgraded. Added events, reporter details and concomitant medications.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event VISUAL IMPAIRMENT, a causal relationship cannot be excluded. For the other events, very limited information has been provided at this time. A causal relationship cannot be excluded. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320046	5/15/2021	CT	34	F	4/3/2021	4/1/2021	<p>This is a spontaneous report from a contactable consumer (patient) reported for herself. A 34-year-old female patient (not pregnant) received bnt162b2 (BNT162B2), via an unspecified route of administration, administered in Arm Left on 03Apr2021 12:00 at 34 years old (Lot Number: ER8734) as single dose, for covid-19 immunisation. Medical history included Anemia, Depression, Chronic Dry Eye, penicillin allergy. Prior to vaccination, the patient was not diagnosed with COVID-19. Concomitant medications included cetirizine hydrochloride (ZYRTEC ALLERGY) taken for an unspecified indication, start and stop date were not reported; lifitegrast (XIIDRA) taken for an unspecified indication, start and stop date were not reported; escitalopram oxalate (LEXAPRO) taken for an unspecified indication, start and stop date were not reported. The patient didn't receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient previously took pseudoephedrine hydrochloride (SUDAFED) and experienced drug allergy. An hour after the vaccine on 03Apr2021, patient's fingers were red and swollen (like after exercise on a hot day) and she was itchy all over her body. No symptoms for almost 4 days-- then she started feeling intermittently dizzy/lightheaded, feverish every night (chills and hot flashes) for the next 4 nights. She got a wracking cough and was short of breath (couldn't climb a single flight of stairs without needing to lie down for several minutes). She was also extremely exhausted-- slept 20 hours in a single day. After multiple telemedicine and in-person appointments, a trip to urgent care, and a chest x-ray and CT, she was diagnosed with pneumonia and treated with antibiotics, vitamin D, and two inhalers. She missed her period, had an elevated d-dimer, and her white blood cell count dropped from 7.0 Thousand u/L to 3.6. She was incapacitated for 2 weeks-- the sickest she had ever been in her life. The events resulted in doctor or other healthcare professional office/clinic visit and emergency room/department or urgent care. The patient performed Nasal Swab, negative on 11Apr2021. Therapeutic measures were taken for pneumonia. The outcome of the events was recovering.</p>



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1319856	5/15/2021			F			<p>three days after receiving the second dose, she began losing her vision; This spontaneous case was reported by a consumer and describes the occurrence of BLINDNESS (three days after receiving the second dose, she began losing her vision) in a female patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, after starting mRNA-1273 (Moderna COVID-19 Vaccine), the patient experienced BLINDNESS (three days after receiving the second dose, she began losing her vision) (seriousness criterion medically significant). At the time of the report, BLINDNESS (three days after receiving the second dose, she began losing her vision) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was not applicable. Concomitant medications and treatment medications were not provided. Company Comment: Very limited information regarding this event/s has been provided at this time. Further information has been requested.; Sender's Comments: Very limited information regarding this event/s has been provided at this time. Further information has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320101	5/15/2021	PA	35	M	4/6/2021	4/27/2021	left eye tingling and not able to close with Left side mouth not able to close; left eye tingling and not able to close with Left side mouth not able to close; loss of taste of left side of tongue; Bell's palsy symptoms; Cold with light sneezing; Cold with light sneezing; This is a spontaneous report from a contactable consumer (patient). A 35-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: ER8737), dose 2 via an unspecified route of administration, administered in left arm on 06Apr2021 15:00 as 2nd dose, single for covid-19 immunisation. The patient medical history and concomitant medications were not reported. The patient previously received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EP6955) administered in left arm on 16Mar2021 18:30 for COVID-19 Immunization. Cold with light sneezing developed on 27Apr2021 and Bell's palsy symptoms developed from 28Apr2021 around night before bed (22:45). On 29Apr2021, left eye tingling and not able to close with Left side mouth not able to close and loss of taste of left side of tongue. Doctor diagnosed on 30Apr2021 that it is early stages of Bell's palsy could be due to vaccine or shingles. No symptoms of shingles. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The adverse event result in doctor or other healthcare professional office/clinic visit. The patient received treatment (Bell's Palsy along with Shingles) for the adverse event. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. There is no COVID prior vaccination, no COVID tested post vaccination, no known allergies. The outcome of the events was not recovered. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320021	5/15/2021	CO	29	M	4/28/2021	4/29/2021	<p>Fell unexpectedly; I injured my nose, tooth; I injured my nose, tooth; My arm pain is 7 out of 10; scared to get up.; This is a spontaneous report from a contactable consumer (patient). A 29-year-old male patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; solution for injection) via an unspecified route of administration on 28Apr2021 at 16:15 (at the age of 29-years-old) as a single dose in the left arm for COVID-19 immunisation and ibuprofen (ADVIL) from an unspecified date to an unspecified date at an unspecified dose (2) and frequency for an unspecified indication. Medical history included anxiety/depression (mitigated with SSRi) from an unspecified date and unspecified if ongoing. Prior to the vaccination, the patient was not diagnosed with COVID-19. The patient had no known drug allergies. Concomitant medications (taken within 2 weeks of vaccination) included escitalopram orally taken for an unspecified indication from an unspecified date to an unspecified date at 10mg, daily. The patient did not receive any other vaccines within 4 weeks prior to the COVID-19 vaccine. The patient previously received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; solution for injection) via an unspecified route of administration an unspecified date as a single dose for COVID-19 immunisation. On 29Apr2021 at 03:00 the patient experienced fell unexpectedly, I injured my nose, tooth, my arm pain is 7 out of 10 and scared to get up. The course of events was reported as follows: "Got up at 3am in the morning to take some Advil. Took 2 Advil then fell unexpectedly. Partner was awake and stated that I did not trip on anything. I did not have any previous dizziness or indications that I was going to faint (no night sweats, no stars or blurry vision, no muscle weakness). I injured my nose, tooth (no significant damage), and was scared to get up. My arm pain is 7 out of 10. I have no previous medical history of fainting after a vaccine." No treatment was received for the adverse events. The clinical outcomes of the events fell unexpectedly, I injured my nose, tooth, my arm pain is 7 out of 10 and scared to get up were recovered/resolved on an unspecified date in 2021. Since the vaccination, the patient had not been tested for COVID-19. The lot number for the vaccine, BNT162B2, was not provided and will be requested</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320023	5/15/2021	NY	29	F	4/15/2021	4/22/2021	during follow up. A retinal vein occlusion, and I noticed right away; I scheduled an appointment with a retina specialist, and I was told I had a small blood clot in my right away; Exactly seven days after, something happened to my right eye that caused me issues with my vision.; This is a spontaneous report from a contactable consumer (patient). A 29-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration, administered in arm left on 15Apr2021 18:15 (Batch/Lot Number: EW0162) as single dose for COVID-19 immunisation. Medical history included type 1 diabetes and thyroid issues, allergic to shellfish and to fluconazole. Concomitant medications included insulin and thyroid medication. Exactly seven days after (on 22Apr2021), something happened to patient's right eye that caused issues with her vision. Patient scheduled an appointment with a retina specialist and was told patient had a small blood clot in right away. A retinal vein occlusion and patient noticed right away because it was right in the middle of vision field/where the light enters through in the eye. Patient was type 1 diabetic with perfect control and patient had never had issues with vision (even got checked last year before COVID and no problems). Her endocrinologist did not think it was diabetes related either. The only different thing was the vaccine. Now patient was not sure if she should take the second dose and also her retina doctor wanted her to get checked for further blood clots to make sure she was okay. No treatment was received for the events. The events resulted in physician office visit and disability. Outcome of the events was not resolved.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320044	5/15/2021	CA	63	F	3/27/2021	3/27/2021	Partial loss of vision in left eye after vaccine; muscle weakness; This is a spontaneous report from a contactable consumer (patient). A 63-year-old female patient (not pregnant) received the first dose (also reported as second dose, pending clarification) of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number was reported as "ER8730.3ML/M" or "EW0170%ubt2016", pending clarification) via an unspecified route of administration at left arm on 27Mar2021 15:15 (63-year-old at time of vaccination), at single dose, for COVID-19 immunization. The patient's medical history included hypertension, arthritis, pneumonia, and allergies to rosemary, day lillies (day lillies). Concomitant medications in two weeks included verapamil HCl, losartan potassium (COZAAR), chlorthalidone, ubidecarenone (COQ10), and vitamin (unspecified). There was no other vaccine in four weeks. The patient experienced partial loss of vision in left eye after vaccine, muscle weakness on 27Mar2021 16:00. Adverse events resulted in doctor or other healthcare professional office/clinic visit. Patient did not have COVID-19 prior vaccination. Patient was not tested for COVID-19 post vaccination. Therapeutic measures were taken as a result of the event "partial loss of vision in left eye after vaccine" and included "Optomoligist and referral to retina specialist". The outcome of the events was not recovered. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320048	5/15/2021	IL		M	4/24/2021	4/25/2021	AFib; has no appetite; all he wanted to do was sleep; felt like he was getting the flu; felt faint; lethargy; This is a spontaneous report from a contactable consumer. A 79-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: EP6955 or GP6955), via an unspecified route of administration on 24Apr2021 as single dose for covid-19 immunization. Medical history included atrial fibrillation from an unknown date for 20 years. Concomitant medication included warfarin (MANUFACTURER UNKNOWN), taken for an unspecified indication, start and stop date were not reported. No prior vaccinations within 4 weeks were noted. The patient experienced AFib on an unspecified date with outcome of unknown; felt faint on 25Apr2021 with outcome of recovered on 25Apr2021 (elaborated as felt faint when his head was down by his knees, in which he had to quickly jerk himself up and go sit down), lethargy on 25Apr2021 with outcome of recovering (elaborated as lethargy/he was so lethargic, he could hardly keep his eyes open); has no appetite on an unspecified date with outcome of not recovered; all he wanted to do was sleep (elaborated as that he laid down and his eyes were so heavy in which all he wanted to do was sleep) on an unspecified date with outcome of unknown; felt like he was getting the flu on an unspecified date with outcome of unknown. The patient underwent lab tests and procedures which included body height: 180 (180 cm /5'11"), weight: 72.57 kg (160 lbs) on an unspecified date. Details were as follows: Details were as follows: patient got his first COVID-19 vaccine shot on 24Apr2021. He said he was fine on Saturday. He said on 25Apr2021, he was so lethargic, he could hardly keep his eyes open. He said he got faint, and had to lay down. He said on Sunday, he thought the lethargy and faintness were a side effect of the COVID-19 vaccine, but the lethargy was continuing through to 29Apr2021. He said he also had no appetite, saying his appetite was waning. He said he did not feel like eating anything on 29Apr2021. No emergency room or physician office visit was required. He had AFIB, and that was why he had to worry about blood clots, and the reason he took Warfarin. Lethargic treatment was declined. The lethargy had improved some. He first felt faint around 10:00 an on Sunday. Faint Treatment included cat naps during the day on Sunday, and didn't move around much. The

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

patient noted that the faint feeling was better by Sunday night. Reported for the last year his appetite had not been good, but he made it a habit to eat every day as a matter of his health. He said he kept asking himself what was he going to eat, and he said nothing appealed to him; he declined appetite suppressed treatment, but had taken Centrum every day for 10 years to supplement his diet, no further details provided.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320068	5/15/2021	NC	82	M	2/13/2021	2/13/2021	Covid-19 vaccine might have jump started Alzheimer's; Altered mental status; Patient meant he saw things, he talked to people and he was terrible; Depression; Shaking; Went berserk / He is just crazy. Saying and seeing things that was not there; This is a spontaneous report a contactable consumer (wife). An 82 years old male patient (Height: 170 cm and Weight: 66.68 kg) received the second dose of BNT162B2 (Pfizer-Biontech Covid-19 Vaccine, Lot Number: EN6201) intramuscularly, in the right arm, at single dose, on 13Feb2021 at 10:20, for COVID-19 immunization. Relevant medical history included high cholesterol, high triglycerides and high blood pressure, all from an unspecified date, all diagnosed at least 10 or 15 years and acid reflux (esophageal), from an unspecified date. The patient previously, on 19Jan2021, received the first dose of BNT162B2 (Pfizer-Biontech Covid-19 Vaccine, Lot Number: EL3249) at single dose, in the left arm, for COVID-19 immunization. After the first dose, the patient experienced shaking ("the patient was a little shaky following the first dose of the Covid-19 vaccine on 19Jan2021, but it was nothing major") and was nervous ("the wife reported that when it was time to get the second dose on 13Feb2021, the patient was so nervous to get the shot that he was too nervous to drive"). Concomitant medications included hydrochlorothiazide 12.5 mg, once daily, in the morning, from an unspecified date to Apr2021, for high blood pressure; eicosapentaenoic acid ethyl ester (VASCEPA) 1 mg, twice daily, from an unspecified date to Apr2021, for blood triglycerides; atorvastatin 40 mg, once daily, from an unspecified date to Apr2021, for blood cholesterol; omeprazole from an unspecified date, for an unknown indication; colecalciferol (VITAMIN D (colecalfiferol)) from an unspecified date, for an unknown indication and an unspecified multi vitamins. On 13Feb2021, the patient experienced altered mental status, illusion ("patient meant he saw things, he talked to people and he was terrible. He was saying people called to him. He wanted to go outside; vision illusions like people were calling him to come outside"), depression, shaking and he was feeling abnormal ("he went berserk. He was just crazy. Said and saw things that was not there. Patient was hearing people calling him to go outside"). The patient might have Alzheimer's. Patient's wife reported that the



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

physician stated that the Covid-19 vaccine might have jump started Alzheimer's. Treatment was received. Patient was prescribed donepezil, ondansetron, quetiapine, escitalopram, trazodone, and sertraline after he went berserk to help with altered mental status. None of the medications worked. Patient also received risperidone. Patient's wife reported that even with the risperidone, the patient was not his complete self like he was before he received the Covid-19 vaccine. Risperidone helped some. Relevant laboratory tests, performed on an unspecified date, in 2021, included: computerised tomogram head (CT brain scan) normal, lumbar puncture (Spinal tap) normal, and magnetic resonance imaging head (MRI brain) normal. Clinical outcome of the events was unknown at time of this report.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320082	5/15/2021	FL	40	F	4/23/2021	4/1/2021	difficulty walking; difficulty with speech / slurred speech; fingers are going numb holding the phone; feels like she is coming down with a respiratory illness; nausea; vomiting; cough; sweating; headache; body pain, achy and uncomfortable; body pain, achy and uncomfortable; overall feeling badly; cognition was not there; Problems with breathing; aspirating; sleepiness; fatigue; stomach pain; her nerve response is strong/affected; swelling in hands and feet; had arm soreness; This is a spontaneous report from a contactable consumer (patient). A 40-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot Number: EW0162), via an unspecified route of administration in the left arm, on 23Apr2021 at 15:00 (at the age of 40-years-old) as a single dose for COVID-19 immunisation. Medical history included ongoing neuropathy (few years ago, at least since 2015 or 2016), seizures or epilepsy (had focal/absence seizures since a kid; not on any seizure medication, do have a neurologist), hard time with her vision, cancer from an unspecified date to an unspecified date (cancer as a teenager but has been cancer-free for a very long time), and glaucoma. The patient had a family history of cancer and heart problem. Concomitant medications included latanoprost (MANUFACTURER UNKNOWN) taken for glaucoma from Apr2021 and ongoing and gabapentin (MANUFACTURER UNKNOWN) taken for neuropathy from an unspecified start date and ongoing. The patient previously received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot number: ER8730), intramuscularly in the left arm, on 02Apr2021 for COVID-19 immunisation and experienced not very many side effects with first dose, not enough to be a problem; influenza vaccine (MANUFACTURER UNKNOWN) in 2021 (maybe) for immunisation; and polio vaccine (MANUFACTURER UNKNOWN) as a child for immunisation and experienced severe pain in her legs and she had trouble walking because of pain. The patient did not receive any other vaccines within four weeks prior to the vaccination. The patient experienced difficulty walking and difficulty with speech / slurred speech on 23Apr2021, which required hospitalization from Apr2021 to 26Apr2021. The patient also experienced body pain, achy and uncomfortable, overall feeling badly, cognition

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

was not there, and problems with breathing on 23Apr2021; sweating and headache on 26Apr2021; vomiting and cough on 27Apr2021; feels like she is coming down with a respiratory illness and nausea on 28Apr2021; sleepiness, fatigue, stomach pain, her nerve response is strong/affected, swelling in hands and feet, aspirating, and had arm soreness in Apr2021; and fingers are going numb holding the phone on 29Apr2021. The clinical course was reported as follows: The patient stated that she works in healthcare support and she is a first responder; she identifies as a person with a disability (unspecified). She stated that she did not have very many side effects with first dose, not enough to be a problem. By dinnertime, closer to 18:00-19:00 on 23Apr2021, she started experiencing difficulty walking and with her speech. She was concerned about having a stroke but that she is active and generally healthy. This was unusual for her and she started feeling pain through her body and overall feeling like crap. She did not expect the neurological stuff. By the end of the night on 23Apr2021, she realized she was not feeling good and went to the hospital either that night on 23Apr2021 or early the next day on 24Apr2021 and was admitted to the hospital. The patient stated that her cognition was not there, and her speech was kind of slurry, she felt like everything was slowing, and did not feel like herself. She could not get up unassisted, could not get up out of the bed, chair, or go to bathroom, and still requires the use of a walker and bedside commode, but now with the walker and assistance caller can make it to the bathroom. She also had problems with breathing, but she had a negative COVID-19 PCR test in Apr2021 both arriving to and leaving from the hospital; she did not believe them to be COVID-19 symptoms. At the hospital they did an x-ray or computerized tomography (CT) scan and a magnetic resonance imaging (MRI) on her brain in Apr2021 with unknown results. They gave her 3 or 4 intravenous (IV) unspecified medications and she had her complete blood count (CBC) labs done in Apr2021 with unknown results. There was an issue with her lungs, and she is currently waiting for her doctor to read report to see if there is an issue there. The patient stated that she never experienced anything like this after a vaccine. She cannot even get up and move around it is pretty serious. Caller states that at first when she had the symptoms,

VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

she thought she was going to wait it out, maybe her immune system is overresponding, give it a chance to resolve. She reported that she could not stand up, legs were shaking and that she had pain that was from her breasts down; felt like a ton of bricks. The patient stated that she is cognitively alert now, speaking normal. There are times it goes in waves where she feels like she can walk with walker but then a few hours later that is not the case. On Tuesday, 27Apr2021 night, the patient had a light dinner but then she was vomiting. Caller states that the pain was throughout her body and felt like someone lighting firecrackers. The patient initially stated 28Apr2021 was when the cough started, but later clarified she first noticed it on 27Apr2021, but at that time she was vomiting and thought it was due to that. However, the next day 28Apr2021, she still had this cough and that the cough was getting worse. She felt like she has a respiratory issue and has been coughing. She was not able to stay awake, even without taking any medications. She does take medications regularly but did not take the medications those days and not having medications would not cause sleepiness. She thought the doctor gave her sedative, but they did not. She states she had fatigue to the point where she was dead asleep, and nurse would come in to take vitals or do whatever and she would wake up suddenly with someone in front of her. She was sitting up with the nurse trying to read the discharge instructions and she fell asleep sitting up. She also complained of stomach pain. The patient had not been to work and not been having to use her brain and talking like she would for 8+ hours a day. She stated that the cough hurts, it feels like somebody is lighting firecrackers in her body. It also feels like this when she sneezes; the nerve response is strong. She reported that it is not a constant hacking cough, not really a dry cough; the cough is in-between productive and dry cough and cough is a bit better now and worse towards the evening. She still has swelling in her feet and hands. It looks like it has gone down a bit. She has a history of neuropathy and that her fingers are going numb holding the phone now. She got the shot in her left arm and those fingers are going numb. She was so tired and feels like did not get enough sleep. The fatigue had a slight improvement. She is more awake than when she was in the hospital. However, it depends as the day goes on, she is wiped

VAERS\_ID RECVDDATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

out and has to go lay down. She stated that her nerve response is affected, and she had a difficult time with the neuro exam in Apr2021 with unknown results in the hospital. She was having an issue with her arms. She can't say anything about whether it affected her vision because she already has a hard time with her vision. She stated that she was throwing up pretty bad; the pain was really severe through her whole body while vomiting. After the vomiting stopped, the coughing got worse and she was coughing a little bit before the vomiting, but during the vomiting it was to the point she felt like she was drowning. She reported that she was vomiting through her nose and aspirating. After her MRI she started to get a really bad headache. Then when the nurse was coming to read the discharge information, she started to get sweats. She is not menopausal so she cannot blame the sweating on menopause, as reported. The patient also had arm soreness, but does not care about that long as it does not leave any scars. This was not a big deal for her at all. This started shortly after getting the vaccine. She waited for the observation time and no sensation out of the normal, then later towards the night started feeling like having really bad mensural cramps, like an achy feeling where have to go lie down. Then her lower half started to get worse. Her arms were affected and difficult time with the neuro testing. The patient stated she is now on the road to recovery. The clinical outcome of difficulty walking, difficulty with speech / slurred speech, body pain, achy and uncomfortable, nausea, sleepiness, fatigue, and stomach pain was recovering and of overall feeling badly, cognition was not there, problems with breathing, sweating, headache, vomiting, cough, feels like she is coming down with a respiratory illness, her nerve response is strong/affected, swelling in hands and feet, aspirating, had arm soreness, and fingers are going numb holding the phone was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1319840	5/15/2021	IL	54	F	12/1/2000		face tingling; neck pain/ hurting really bad and pulling on her neck; back pain/ hurting really bad and pulling on her neck and back; SLUGGISH AFTER SECOND VACCINE; psoriasis; had bacteria on forehead and side of face; coughing from pollen; pollen allergy; sniffing and blowing her nose; muscular dystrophy; arthritis made back stiff; bones hurt really bad; HAMMER TOES/KNOT UNDERNEATH THAT WAS PAINFUL AND IT WAS CURVED; RIGHT EYE POURS WITH WATER; PAIN DUE TO CHANGE OF WEATHER FROM NECK ALL THE WAY DOWN; Painful nodule; ARM SORE WITH LITTLE KNOT FROM COVID SHOT; FIRST COVID VACCINE ARM SORE, SECOND COVID VACCINE ARM SORE; TIRED FROM COVID SHOT; another bell's palsy attack; gain weight; autoimmune disease; HAMMER TOES/KNOT UNDERNEATH THAT WAS PAINFUL AND IT WAS CURVED; SLEEPY FROM COVID SHOT/ SLEPT FOR TWO DAYS; watering eyes; eczema gotten really bad on hands and feet; FACE NUMB AND TINGLING; bone disorder; sore arm; blood showed lupus; BELLE PALSY ATTACK/DUE TO WEATHER; flu; sinus infection; This spontaneous case was reported by a physician and describes the occurrence of SYSTEMIC LUPUS ERYTHEMATOSUS (blood showed lupus), BELL'S PALSY (BELLE PALSY ATTACK/DUE TO WEATHER) and CONDITION AGGRAVATED (another bell's palsy attack) in a 54-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Co-suspect products included non-company products ADALIMUMAB (HUMIRA) injection, solution for Psoriatic arthritis, Psoriasis and Rheumatoid arthritis and PREDNISONE for an unknown indication. Concurrent medical conditions included Brain inflammation (inflammation from fluid on the brain.) since 1983, Smoker (One pack a day.) and Abstains from alcohol. Concomitant products included DUPILUMAB (DUPIXENT) for an unknown indication. In 2019, the patient started ADALIMUMAB (HUMIRA) (Subcutaneous) 40 milligram once a week. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form and PREDNISONE (unknown route) dosage form. In December 2000, the patient experienced SINUSITIS

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

(sinus infection). In December 2020, the patient experienced INFLUENZA (flu). In February 2021, the patient experienced BELL'S PALSY (BELLE PALSY ATTACK/DUE TO WEATHER) (seriousness criterion medically significant). On an unknown date, the patient experienced SYSTEMIC LUPUS ERYTHEMATOSUS (blood showed lupus) (seriousness criterion medically significant), CONDITION AGGRAVATED (another bell's palsy attack) (seriousness criterion medically significant), WEIGHT INCREASED (gain weight), AUTOIMMUNE DISORDER (autoimmune disease), the first episode of FOOT DEFORMITY (HAMMER TOES/KNOT UNDERNEATH THAT WAS PAINFUL AND IT WAS CURVED), SOMNOLENCE (SLEEPY FROM COVID SHOT/ SLEPT FOR TWO DAYS), LACRIMATION INCREASED (watering eyes), ECZEMA (eczema gotten really bad on hands and feet), HYPOAESTHESIA (FACE NUMB AND TINGLING), BONE DISORDER (bone disorder), PAIN IN EXTREMITY (sore arm), PARAESTHESIA (face tingling), NECK PAIN (neck pain/ hurting really bad and pulling on her neck), BACK PAIN (back pain/ hurting really bad and pulling on her neck and back), SLUGGISHNESS (SLUGGISH AFTER SECOND VACCINE), PSORIASIS (psoriasis), SKIN BACTERIAL INFECTION (had bacteria on forehead and side of face), ALLERGIC COUGH (coughing from pollen), SEASONAL ALLERGY (pollen allergy), RHINORRHOEA (sniffing and blowing her nose), MUSCULAR DYSTROPHY (muscular dystrophy), SPONDYLITIS (arthritis made back stiff), BONE PAIN (bones hurt really bad), the second episode of FOOT DEFORMITY (HAMMER TOES/KNOT UNDERNEATH THAT WAS PAINFUL AND IT WAS CURVED), LACRIMATION INCREASED (RIGHT EYE POURS WITH WATER), PAIN (PAIN DUE TO CHANGE OF WEATHER FROM NECK ALL THE WAY DOWN), INJECTION SITE INDURATION (Painful nodule), VACCINATION SITE INDURATION (ARM SORE WITH LITTLE KNOT FROM COVID SHOT), VACCINATION SITE PAIN (FIRST COVID VACCINE ARM SORE, SECOND COVID VACCINE ARM SORE) and FATIGUE (TIRED FROM COVID SHOT). At the time of the report, SYSTEMIC LUPUS ERYTHEMATOSUS (blood showed lupus), BELL'S PALSY (BELLE PALSY ATTACK/DUE TO WEATHER), CONDITION AGGRAVATED (another bell's palsy attack), AUTOIMMUNE DISORDER

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

(autoimmune disease), LACRIMATION INCREASED (watering eyes), ECZEMA (eczema gotten really bad on hands and feet), HYPOAESTHESIA (FACE NUMB AND TINGLING), BONE DISORDER (bone disorder), PARAESTHESIA (face tingling), NECK PAIN (neck pain/ hurting really bad and pulling on her neck), BACK PAIN (back pain/ hurting really bad and pulling on her neck and back), ALLERGIC COUGH (coughing from pollen), SEASONAL ALLERGY (pollen allergy), RHINORRHOEA (sniffing and blowing her nose), MUSCULAR DYSTROPHY (muscular dystrophy), SPONDYLITIS (arthritis made back stiff), BONE PAIN (bones hurt really bad), the last episode of FOOT DEFORMITY (HAMMER TOES/KNOT UNDERNEATH THAT WAS PAINFUL AND IT WAS CURVED), LACRIMATION INCREASED (RIGHT EYE POURS WITH WATER), PAIN (PAIN DUE TO CHANGE OF WEATHER FROM NECK ALL THE WAY DOWN) and INJECTION SITE INDURATION (Painful nodule) had not resolved, WEIGHT INCREASED (gain weight) outcome was unknown, SOMNOLENCE (SLEEPY FROM COVID SHOT/ SLEPT FOR TWO DAYS), PAIN IN EXTREMITY (sore arm), SLUGGISHNESS (SLUGGISH AFTER SECOND VACCINE), VACCINATION SITE INDURATION (ARM SORE WITH LITTLE KNOT FROM COVID SHOT), VACCINATION SITE PAIN (FIRST COVID VACCINE ARM SORE, SECOND COVID VACCINE ARM SORE) and FATIGUE (TIRED FROM COVID SHOT) had resolved and INFLUENZA (flu), SINUSITIS (sinus infection), PSORIASIS (psoriasis) and SKIN BACTERIAL INFECTION (had bacteria on forehead and side of face) was resolving. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On an unknown date, Blood test: lupus (normal) lupus. On an unknown date, Body mass index increased: weight gain (Inconclusive) weight gain. On an unknown date, X-ray: lupus (Inconclusive) lupus. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Treatment information was not reported. Very limited information regarding these events have been provided at this time. at therapy date and onset of the events is lacking as events are confounded by the concomitant



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							medication-Humira. Additional information has been requested. This case was linked to MOD-2021-104950 (E2B Linked Report).; Sender's Comments: Very limited information regarding these events have been provided at this time. at therapy date and onset of the events is lacking as events are confounded by the concomitant medication-Humira. Additional information has been requested MOD-2021-104950:Same patient, 2nd dose
1321254	5/15/2021	CA	17	M	5/15/2021	5/15/2021	At 1249, 17-year old male client was administered Pfizer COVID-19 vaccine 2nd dose (Lot # EW0182, expiring 08/2021) in the right arm by registered nurse (RN) vaccinator. Client accompanied by mother. RN vaccinator requested emergency medical technician (EMT) assistance due to client report of feeling sweaty, tingling in both hands, and client nearly falling forward. EMT responded and brought gravity chair to vaccinator table and assisted client into gravity chair. Vital signs at 1257: blood pressure 95/60, heart rate 50, oxygen saturation 97%. RN lead assessed client. Client reported feeling tired and tingling in both hands. Client reported not eating breakfast. Client's Mother reported that client closed eyes and put his head down immediately after vaccine administration, then opened his eyes after 3 seconds. Client's mother reported client does not have allergies or chronic conditions and had sore arm after 1st dose of Pfizer. Client denied any other side-effects to first dose. Client's mother reported client has aversion to needles. Client and client's mother were provided vaccine education, were encouraged to follow-up with client's primary care provider, and encouraged to report side-effects on website. Client was advised that he will be observed for at least 30 minutes. At 1300, client stood up from chair unassisted, walked to observation area unassisted with steady gait, and sat down in gravity chair. Client was provided one bottled water and two granola bar snacks. Vital signs at 1307: blood pressure 125/63, heart rate 62, oxygen saturation 96%. Client reported tingling was resolving. Vital signs at 1317: blood pressure 125/72, heart rate 57, oxygen saturation 97%. Client reported side-effects resolved and feeling better. Client reported driving to vaccine site and felt safe to drive. At 1325, client stood up from gravity chair unassisted and walked out of vaccine site unassisted with steady gait accompanied by mother.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1321098	5/15/2021	CT	15	M	5/15/2021	5/15/2021	COMPLAINED OF SPOTS IN EYES
1321111	5/15/2021	OH	20	M	5/15/2021	5/15/2021	Apx 10 minutes after vaccine administration, Patient became non-responsive, his eyes rolled back in his head, and appeared tonic. His mother said this has never happened to him before. When he recovered he was disorientated and complained of blurred vision. He later said he thought he fell asleep. It is unknown if this is related to the vaccine. We took his pulse (apx 50 bpm) and gave him water. We called 911 and the paramedics evaluated him in the ambulance.
1321119	5/15/2021	CA	14	M	5/15/2021	5/15/2021	At 0950, client requested assistance from emergency medical technician (EMT). EMT's responded and brought gravity-chair. Client reported feeling dizzy, nauseous, blurry vision, and hard of hearing. Client was assisted into gravity chair. EMT obtained vital signs at 0954: blood pressure 110/78, heart rate 67, oxygen saturation 97%, respiratory rate 18, alert & oriented x4, skin was warm and dry to touch. Registered Nurse (RN) was alerted and assessed client. Client's father accompanied client and reported client had no allergies or chronic conditions. Client is not taking any medications. Client reported eating cereal for breakfast. RN provided vaccination education and was encouraged to follow-up with primary care provider to report the reaction and to complete the survey on VSAFE. Vital signs at 1002: blood pressure 108/78, heart rate 71, oxygen saturation 99%, respiratory rate 20. Client reported symptoms decreased to a ?3/10? from a ?10/10?. Vital signs at 1007: blood pressure 112/68, heart rate 80, oxygen saturation 99%, respiratory rate 16. Client reported symptoms mostly resolved. Vital signs at 1014: blood pressure 108/70, heart rate 81, oxygen saturation 97%, respiratory rate 18. Vital signs at 1024: blood pressure 102/66, heart rate 65, oxygen saturation 99%, respiratory rate 18. At 1030, client stood up from gravity chair unassisted and walked out of vaccine site unassisted with steady gait.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1321132	5/15/2021	CA	14	M	5/15/2021	5/15/2021	Adverse event: RN called to vehicle by father who was yelling for help. Once RN arrived at vehicle opened passenger door to find patient fluttering eyes after father stated he had just passed out. Patient was clammy, pale, and diaphoretic. RN advised patient to take slow deep breaths. Patient followed instructions, stated his name and said he felt 'funny'. Pulse taken and was HR 58. Then vehicle was moved to the side and vital signs were taken at 1301. BP 82/42, HR 80, RR 13. Patient was alert, oriented and answered questions appropriately. Treatments: RN and Charge RN present and spoke to both Father and patient about potential contributing factors to episode. Patient given water and gatorade. Able to finish bottle of gatorade and stated his symptoms had improved. Second set of vitals taken at 1324. BP 116/72, HR 82, RR 16. Patient also stated he had a banana for breakfast. Advised patient to stay hydrated, eat lunch, and rest. Advised father to reach out to pediatrician if any further events or questions about today event
1321140	5/15/2021	CA	78	F	2/4/2021	2/12/2021	My mom, got her first Moderna shot on Feb. 4th, 2021 and developed thrombosis in the legs about a week later. She went to the doctor, who at first didn't want to see her and told her to elevate her leg. Pt. had a scheduled eye appointment on Feb. 12th with an other doctor and when she asked if she had any other issues, pt. showed her her leg. The eye doctor immediately told her to go to urgent care. When she did she received blood thinners and started injections in her stomach for 5 days. Feb. 18th pt. suffered a mini stroke and went to the hospital emergency room. She was transferred over to another facility in the afternoon and kept overnight. She had a phone appointment with the Dr. on Feb. 24th and on the 26th she received a heart monitor to wear for 2 weeks. She also had a check up about her leg, which was still swollen. On March 4, pt. received her second Moderna shot and she was feverish and very tired for days and weeks after. By March 18th her condition didn't improve at all and in fact she was feeling really bad over night, so on March 19th she was admitted again to the hospital. She was monitored and kept over night, but during the early morning she suffered a stroke and a heart attack and passed way the next day.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1321144	5/15/2021	CA	14	F	5/14/2021	5/14/2021	<p>Patient received the 1st COVID vaccine (Pfizer lot # EW0182 use by 5/15/2021) at 1455. The client had a history of fainting (x3) with intramuscular injections. The client reported eating lunch prior to arriving for her appointment. The client was vaccinated in the anti-gravity chair at 1455 by EMT. The client became very pale about 1 minute following the vaccination administration and she loss consciousness for 5 seconds, during this time she had 2 myoclonic contractions. RN and EMT immediately placed the patient in Fowler's position in the anti-gravity chair during the syncopal episode. The patient immediately regained consciousness and was alert and oriented to person, place, time, and situation. The patient remained in Fowler's position and vitals were taken at 1456: BP 125/95 (R arm), HR 45, RR 18, and oxygen saturation at 95%. The patient denied experiencing lightheadedness, shortness of breath, dizziness, nausea, headache, or blurry vision. The patient was given a juice box. The patient's color slowly returned. Vitals were retaken at 1505: BP 123/82 (R arm), RR 20, HR 50, oxygen saturation at 98%. The patient stated, "I usually feel really bad after I faint but this time I feel fine." Vitals at 1510 were as follows: BP 130/70, RR 18, HR 67, oxygen saturation at 100%. The patient was speaking in full sentences and laughing with her friend. Vitals taken at 1515: BP 125/ 68, RR 16, HR 68, oxygen saturation at 99%. The patient was positioned from a Fowler's position to sitting upright. The patient's color returned to her face and she denied any nausea, dizziness, blurred vision, double vision, or chest pain. Vitals were taken at 1520: BP 125/70, HR 82, RR 16, oxygen saturation at 99%. At 1524, the patient's blood pressure was 125/68 and HR was 58. The patient continued to deny any shortness of breath, dizziness, nausea, or vision changes. The patient's heart rate was taken at 1531, HR 55 and again at 1536, HR 62. The patient's mother stated her daughter was currently taking an antibiotic for acne (dosage and name unknown) and denied having any drug allergies or chronic medical conditions. RN instructed the patient and her mother about emergency precautions and to follow up with their primary care provider. RN, also educated the patient and her mother about the importance of informing the healthcare provider about her history of fainting with injections when receiving the second COVID Pfizer vaccine. Gave the patient's mother V-safe</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							information and reported the occurrence in VAERS. The patient had a steady and even gait when leaving the site with her mother at 1537.
1321034	5/15/2021	WA	14	M	5/15/2021	5/15/2021	This information was reported to this writer. The patient received the vaccination without incident. He went to the post vaccination area and sat for the recommended 15 minutes. When he stood up he complained of blurry vision. No LOC; did not fall. Patient stated that this has happened in the past as well. EMS was notified. Patient drank juice. EMS assessed patient. Patient cleared to go home by EMS. Left facility with his father.
1321172	5/15/2021	GA	41	F	4/9/2021	4/10/2021	I was sick the next morning when I woke up. I have been sick ever since and seem to be declining. I am unable to work. I have been to the ER and urgent care several times. I have no one to take care of me and am about to lose my house. I am scared for my life. High BP hyper and hypo and heart rate High lymphocytes High monocytes (wbc was 1c high but has lowered while these have risen) Bm issues-frequent, diarrhea, orange, mucus Body aches and pain Feel uncoordinated/unbalanced Weakness Shallow rapid breathing Headaches Drowsy Trouble texting and typing Memory Exhaustion Constant hunger Dark circles under eyes Sweating Cold sores Frequent urination Dry, sore, tired eyes Rashes Sore swollen feet at night Itching lower body Heartburn Swollen, red, hot aching joints Rashes, flushing, hives Delirium Aip elimination diet has decreased autoimmune symptoms, but muscle weakness, fatigue, mental and cognitive issues are getting worse.
1321388	5/15/2021	VA	12	M	5/14/2021	5/15/2021	Fever of 102.2 began 27 hours after the shot. Extremely sore arm, hurts to move it. Headache. Dry eyes. Fatigue - extremely tired, took a 3 hour nap. Cold - not chills, just cold in general. Gave motrin, but fever is still at 102.0 nearly 3 hours later.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1321258	5/15/2021	CO	31	F	4/13/2021	4/18/2021	All symptoms are 4.18.21 - Present * New onset POTS like symptoms (70+ BPM increase from laying down to standing) * Unable to walk without inducing further tachycardia (previously could ski with tachycardia) - Week of 5/10 lowered to 40BPM increase, still cannot lift things or go up stairs. New occasional heart palpitations * New tingling sensations in left fingertips and left foot * Short term memory confusion * Shortness of breath and visual shakiness upon walking
1321336	5/15/2021	FL	14	M	5/15/2021	5/15/2021	Patient sat down immediately after vaccination in waiting room and starting shaking. Pharmacy staff called 911. Shortly after, the patient stated he was feeling better but then said he was having vision darkness. EMT then came to evaluate patient.
1321355	5/15/2021	NE	13	F	5/15/2021	5/15/2021	Patient was sitting with her mother in front of the pharmacy for the 15 min waiting period after vaccination, and mom alerted us to "something going on here." I (pharmacist) went over to the patient and she appeared to be having a seizure, hands clenched, eyes rolled back in head, and she shook a small amount for a short period of time, though mom believes she just passed out. Mom and I protected head and held her in place, it was over within a few seconds. A Nurse Practitioner was in the clinic next door and we alerted her. Together, we laid her down, asked her questions, took pulse with pulse oximeter and blood pressure. All seemed within normal range. We called 911 due to appearance of seizure. Rescue squad came and evaluated her.
1321358	5/15/2021	TX	15	F	5/15/2021	5/15/2021	When come in the counseling room for vaccinate, patient was scare and nervous. Dad had to hold her hand to calm her a little. About ten or fifteen minutes after the shot, she complaint that her vision was blurry and that she cannot see. She also complaint of nausea and about to pass out. Patient seem to get anxiety attack in a moment. I stay to monitor patient for about 10 minutes. Dad believed she got anxiety over the shot that's why she experience all this symptoms. Patient sat another 5-10 minutes and was resumed to normal

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1321460	5/15/2021	CA	60	M	5/6/2021	5/6/2021	05/06/21 PATIENT RECEIVED 2ND DOSE OF MODERNA COVID 19 VACCINE AT JOBSITE CLINIC . PATIENT FELT FINE AFTER THE CLINIC BUT LATER AT HOME STARTED FEELING SICK. PATIENT WAITED UNTIL SUNDAY 5/9/21 TO SEEK MEDICAL ATTENTION AT THE HOSPITAL AND WAS ADMITTED FOR STROKE. PATIENT REPORTED LOSS OF VISION IN ONE EYE. THE HOSPITAL NEUROLOGIST TOLD PATIENT THAT IT WAS DUE TO CLOTS IN HIS EYE. PATIENT IS WATING TO SEE AN OPHTHALMALOGIST ABOUT THE EYE CLOTS. PATIENT HAS NOT BEEN BACK TO WORK SINCE FEELING SICK. EMPLOYER STATES HAS NOT RECEIVED ANY NOTICE FROM DOCTOR STATING ANY CAUSE OR RELATION TO VACCINE

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320295	5/15/2021			U	4/21/2021	4/21/2021	Tunnel vision; Dizziness; Nausea; ringing in ears; Flushed face; chest pressure; my blood pressure up; fatigue; headache; fluctuation with blood pressure and heart rate; fluctuation with blood pressure and heart rate; chest pain; This is a spontaneous report from a contactable consumer (patient). A patient of unspecified age and gender received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 21Apr2021 (Batch/Lot number was not reported) as 2nd dose, single for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient also received first dose of BNT162B2 on 22Mar2021 for COVID-19 immunization and experienced fatigue, headache, ear ringing, and flushed face that lasted a couple days; and fluctuation with blood pressure and heart rate and chest pain which resulted to hospital admission. The patient mentioned that with the second dose, the patient had just typical reaction with the first one (such as fatigue, headache, fluctuation with blood pressure and heart rate, and chest pain) on unspecified dates in 2021. The patient also mentioned that immediately like within 20 minutes following second dose on 21Apr2021, the patient had like tunnel vision, dizziness, nausea, ringing in ears, and flush face. The patient further stated, "Well here is my problem, I am having this, it will go away for a day and then it'll come back worst, and today is the worst it's been. I was fine this morning but for 10 hours now, my heart rate is up, it's just in the 90s, I have chest pressure, my blood pressure up. This morning when I got up and I didn't have any symptoms, my pressure was 107 over". Outcome of the events was unknown. Information on the lot/batch number has been requested.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320249	5/15/2021	TX	37	M	4/12/2021	4/13/2021	migraines; dizziness off and on; Severe chronic headaches; fatigue; little lethargic/feeling lethargic; sensitivity to light; balance is off/was going left and right trying to stay in balance; hypersomnia; not been able to work or drive since being vaccinated; vision impairment; This is a spontaneous report from contactable other HCP. A 37-years-old (current age of 37-38 when the reported events began) male patient received first dose of BNT162B2 (Pfizer-BioNTech COVID-19 mRNA vaccine, Formulation: Solution for injection, Batch/Lot Number: EW0I58; expiration: not reported), intramuscular, administered in arm right on 12Apr2021 16:00 as single for Covid-19 immunisation/covid precautions, not wanting to get covid at pharmacy or drug store. The patient medical history was none. Concomitant medication(s) included vortioxetine hydrobromide (TRINTELLIX; received within 2 weeks of vaccination). No additional vaccines administered on same date of the Pfizer suspect, no other prior vaccinations (within 4 weeks prior to the COVID vaccine), no relevant family medical history. The patient was not diagnosed with COVID-19 prior to vaccination and since the vaccination. No other products and no investigation assessment. On 13Apr2021, the patient had headache, sensitivity to light, was feeling lethargic, balance was off, fatigue, and hypersomnia. The headache and vision impairment (start date: 13Apr2021) were ongoing and began the very next day after the 1st dose of the Pfizer COVID Vaccine and at first the headache was very severe and now was just different and his headache kind of moved around and was always constant and persistent and got better and then boom it came back. The patient had been a little lethargic (start date: 13Apr2021) and that began the same day as the headache and vision impairment which was the very next day after the 1st dose of the vaccine. Dizziness (start date: 13Apr2021) began the very next day after the vaccine and was almost like an imbalance of whenever he was walking, he noticed he was kind of not walking a straight line almost and was going left and right trying to stay in balance (start date: 13Apr2021) and this was a little bit better. After the 1st dose the patient was getting a little concerned right now because he got the vaccine about three weeks ago and ever since he had been having severe chronic headaches and vision impairment that was ongoing and began the very next

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

day after the 1st dose of the vaccine; the patient was a little lethargic, kind of had dizziness off and on and went to his PCP, had an MRI, and was sent to a neurologist. The patient was taking Advil, Motrin and Tylenol that were not helping his migraines (start date: unspecified) and nothing from the bunch of medications the neurologist gave him were working to help and stated Nurtec ODT (lot 3990840, expiry date Oct2022 and NDC 72618-3001-1) 75mg once daily and Nortriptyline 10mg (orange pharmacy bottle with no lot, expiry date or NDC) supposed to be one capsule the 1st week and then two capsules after that by mouth. Motrin, Advil and Tylenol (no lot numbers, expiry dates or UPC numbers to provide because he ran out of those and threw the bottles away when he was done and has been meaning to get more but has not). Unspecified medicines, Toradol IV were given as therapeutic measure. The patient was not sure about the dates regarding his MRI (MRI was maybe a week and a half after this all started and then maybe a week after that he saw the neurologist). Headaches kept him up to night also and the patient had been to neurology, ophthalmology consultation, and received an MRI. The adverse events resulted in disability or permanent. The patient had not been able to work or drive since being vaccinated. The patient had no further treatment and had not gone to the ER but was under advisement that he was to go to the ER, but he could not afford to go to the ER. The patient had not had the 2nd dose of the Pfizer COVID Vaccine yet and his PCP and neurologist both agree that he would not be getting the 2nd dose of the vaccine due to the reactions he has had. The patient was calling to see if Pfizer offered help as he was without insurance and his PCP said he might need to send the patient to the hospital which might be out of the question and he was calling to see if Pfizer could help him with anything as he has not been at work for three weeks and the headache was not going away. The patient underwent lab tests and procedures which included magnetic resonance imaging with no results on unspecified date and nasal swab (sars-cov-2 test) was negative on 15Apr2021. The outcome for little lethargic/feeling lethargic was not recovered, severe chronic headaches was not recovered, sensitivity to light was not recovered, balance is off was not recovered, fatigue was not recovered, hypersomnia was not

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

recovered, not been able to work or drive since being vaccinated was not recovered, vision impairment was not recovered, kind of has dizziness off and on was recovering and for migraine was not recovered. Information on Lot/Batch number was available. Additional information has been requested; Sender's Comments: The events was considered related to suspect drug based on Compatible temporal association and known safety profile of the drug. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate.

1321156 5/15/2021 MA

13 F

5/15/2021

5/15/2021

Patient became unconscious after about 10 minutes after vaccine was given for about 10 seconds. Once consciousness was regained, patient appeared confused and pale. Patient's eyes rolled back and arms and legs were flailing about during unconscious episode

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320321	5/15/2021	MO	54	M	1/19/2021	4/30/2021	I awoke with distorted vision in my Left eye.; a stroke; visual impairment; This is a spontaneous report from a contactable Other Health Professional (patient). A 54-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection) (at 54 years of age), via an unspecified route of administration, administered in arm left on 19 Jan 2021 at 19:00 (Batch/Lot Number: EL3302) as 2nd dose, single for COVID-19 immunization. The patient's medical history was not reported. Concomitant medications included omeprazole (PRILOSEC [OMEPRAZOLE]), rosuvastatin, metoprolol, and ezetimibe (ZETIA), all taken for an unspecified indication, start and stop date were not reported. Historical vaccine included BNT162B2 (lot number: EL1284) in the left arm on 29Dec2020 07:00 PM for COVID-19 immunization. The patient did not receive any other vaccine within four weeks prior to COVID-19 vaccine. He was not diagnosed with COVID-19 prior vaccination. It was reported that the patient awoke with distorted vision in his left eye. He went to the emergency room and was diagnosed with a stroke. He was subsequently transferred to the (hospital name) Level 1 Stroke Center. He continued to have visual impairment. The events started on 30Apr2021 07:00 AM. The patient was hospitalized for 5 days. The events was reported serious life-threatening, hospitalization and disabling/incapacitating. Therapeutic measures were taken as a result of the events with TPA. He had been tested for COVID-19 since the vaccination through rapid test (nasal swab) on 01May2021 with negative result. The outcome of the events was recovering. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320975	5/15/2021	WI	79	F	4/12/2021	5/14/2021	<p>Patient had been working all day in her flower gardens. At 4:30 p.m. she felt like she had double vision and difficulty talking. She does not remember much of what happened after that, but her husband said she had sudden onset of right arm weakness, leg weakness and drooping of the right side of her face. Denies having numbness. He immediately called 911 and EMS took her to the Hospital. She had a CT scan of the head that was negative. When she arrived at the emergency room her symptoms had resolved, but she had recurrent episode of her symptoms in the emergency room with an NIH score of 5 scoring a point for level of consciousness, best language, and dysarthria and 2 points for facial droop. She was given tPA and her symptoms resolved. A CT angio of her head and neck did not show any large thrombus. She was transferred for ongoing care and neurology evaluation. Neuro deficits resolved. Patient was discharged the second day after the event on Aspirin, Plavix and Lipitor. Hospitalist (Dr) asked me to file VAERS report given recent Janssen vaccine administration.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320324	5/15/2021	FL	51	F	4/15/2021	4/15/2021	Immunocompromised; patient is skinny/underweight; having a multiple sclerosis relapse/Multiple Sclerosis flared up after she got the vaccine; double vision that is intermittent and unilateral; had a funny feeling around the lips, tongue, and on the left side of her face; This is a spontaneous combined report from a contactable consumer (patient) via Pfizer. A 51-years-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, formulation: solution for injection, Batch/Lot Number: EN6199) (51 year at the time of vaccination) via an unspecified route of administration in arm left on 15Apr2021 at 10:30 as single dose for COVID-19 immunization. The patient did not receive any other vaccine within 4 weeks prior to the vaccine. Medical history included multiple sclerosis from 2000 and ongoing. The patient's concomitant medications were not reported. On 15Apr2021, after the first dose the patient started experiencing double vision and had funny feeling in her lip, tongue and left side of the face (started prior taking the vaccine). The patient said she might be relapsing from multiple sclerosis. The patient was confused whether she should take the second dose of the vaccine. The patient also received IV methylprednisolone (3gm) (to be administered over 2 hours for three days) and taking prednisone for her double vision which comes and goes. Patient stated she had been immunosuppressed due to being on prednisone for 7days. The patient went to the health care professional and the health care professional gave her a steroid and patient stated the steroid was not responding to the double vision. The patient reported that she does not remember having any issues with her eyes subsequent to taking the vaccine which could be coincidental or nothing to do with the vaccine, but she then developed double vision which was getting worse. The patient also reported that she was skinny and underweight. The patient took 3 grams of Solumedrol IV and it did not help her. Therapeutic measures were taken in response to the events and the patient also had to visit emergency room. The outcome of the event's multiple sclerosis relapse, double vision, immunocompromised and skinny/underweight was unknown while for the event funny feeling around the lips, tongue, and on the left side of her face it was reported as not recovered. Information on Lot/Batch number was available. Additional

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

information has been requested.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320380	5/15/2021		33	F	12/1/2020		<p>angioedema; hives; in lips tingling at times; itching; rash; This is a spontaneous report from a non-contactable other hcp. A 33-year-old female patient of an unspecified age received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, lot number: Unknown) dose 1 via an unspecified route of administration on Dec2020 (at the age of 32-year-old) as single, and dose 2 via an unspecified route of administration on Jan2021 as single for covid-19 immunization. The patient medical history and patient's concomitant medications were not reported. On 2021, Reporter's daughter had the first Pfizer vaccine in DEC 2020. The second in JAN 2021, 10 days after she broke out in hives and had some angioedema, in lips tingling at times, no throat closures. Eye angioedema was the first sign, around the eyes, that went away and was off and on. On day 10 she woke up with this and has had it ever since. angioedema of the lips on and off. Since Jan 21 she's been headed to toe with hives they never go away, some days her legs are just covered. On 2021, the reporter sated that, 5 days after 2nd vaccine angioedema around both eyes and that was gone now, she's been to dermatologist, immunologist and primary care physician and they've tried, prednisone, IV Benadryl, Zyrtec, Allegra, also done oatmeal baths for itching, dermatologist wanted to put her on cyclosporine, she didn't want to go on it because it's a strong antibiotic. They also gave her pepcid. Reporter asked to have anyone else had anything like this and why it is lasting so long. Reporter stated that everyone was saying, it's an immune response, and give it time and see if it goes away. her daughter woke up in a huge snowstorm the first time she had the angioedema with Mouth, she went to the Emergency Room, they gave her IV Benadryl, kept her there for a little while, sent her home on prednisone pack, not tapered, just 5 days of high dose prednisone. When the prednisone was finished, it came back with a vengeance. Then she went to her Primary Care Physician to see if she had any suggestions. They wanted her to go back on the Prednisone but on a tapered dose, but, she didn't want to take it because she was afraid it would come back worse than ever. It never got better, not even on the high dose prednisone. Other than put her on the prednisone, there wasn't really anything more. 4 Months later it hasn't settled down.</p>



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

Reporter asked her daughter to come to where she lives and see Dermatologist, and he ordered a bunch of labs and got it back and it all looked fine. He wanted to start her on cyclosporine, she wanted to wait, didn't want to take it. Reporter stated, "It wipes the immune system out. They give it to transplant patients. they all say It's an immune response, it should settle down. Her daughter has been trying to change her diet, eating things low in histamines, cut out tomatoes, cut out cheeses, everything high in histamines, it doesn't make a difference. Reporter stated, One day they are not quite so bad and then she wake's up and she was covered. Her daughter can't walk, or swim cause hot and cold makes her break out, or makes it worse, because it never goes away. The following adverse reactions have been identified during post authorization use of Pfizer BioNTech COVID-19 Vaccine. Because these reactions are reported voluntarily, it is not always possible to reliably estimate their frequency or establish a causal relationship to vaccine exposure. Immune System Disorders: severe allergic reactions, including anaphylaxis, and other hypersensitivity reactions (e.g., rash, pruritus, urticaria, angioedema). The outcome of the events was reported as unknown. No follow up attempts are possible. Information about lot/batch number cannot be obtained.; Sender's Comments: As there is limited information in the case provided, the causal association between the events and the suspect vaccine BNT162B2 cannot be excluded. The case will be reassessed once new information is available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320448	5/15/2021	MN	14	M	5/14/2021	5/14/2021	<p>Patient is a 14 YO male with no previous medical history that received the Pfizer vaccine administered into his left Deltoid at 1406. He was sent to the observation area where the nurse noted him looking pale at 1410. His mother was present during this whole event. He was taken over to the medical tent for privacy and further evaluation. He was complaining of being light headed. He was given apple juice and crackers as he had stated that he had not eaten or drank anything all day. At 1430 his VS read BP 132/80, HR 145, O2 99%. At this time he was lying down and feet elevated, shaking, pale, and cold. Lung sounds clear. Nausea but not needing to throw up he was covered up to try and keep him warm. At 1440 his blood pressure was 130/82, HR 130, O2 98%. At this time he was lying flat with feet elevated, shaking, pale, and cold. His lung sounds clear. Nausea, but not needing to throw up. At 1450 BP 138/74, HR 120-135, O2 98%. Symptoms had not changed at this point except he mentioned his ears felt cold, although they were warm to touch. He was laid on his left side at this point to try and lower his HR, which did come down to 115-125 when on his L side. We did not take a BP at this point as we wanted him to be on his back when taking them. At 1515 he was laid back on his back to see how his HR would do and how his BP was. BP 138/60, HR 135, O2 98%. Again symptoms were the same except he was complaining of colors being more ?dull?, and his teeth being numb. At this point his pupils were noted to be +8, equal and reactive. 1521 VS read 138/50, HR 135, O2 98%. Vision still dull and pupils unchanged from 1515. He was laid on his R side to see if this would lower his HR. It was brought down to 120-130 on his R side. We gave him a cookie to snack on to see if that would help with any of the paleness, shakiness, and light headedness. He was able to take a few small bites. Hands pale and washed, with +1 bilateral radial pulses. 1529 he was sat up slowly to try to get him to hydrate, as it was apparent he needed fluids onboard. His BP read 142/80, HR 124, O2 98%. He was still complaining of lightheadedness. After sitting up and drinking half a bottle of water and some cookie, he stated that colors were becoming more vibrant. He noticed my eyes were very blue, which previously he had stated they were grey. He stated his lightheadedness had improved and that he was feeling better. We had him sit up for a while and his color started to come back,</p>

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

although his L arm was still pale, of note this was the Vaccinated arm. At 1546 his VS read 150/82, HR 117, O2 99% while sitting. His only complaint was feeling like the air he was breathing ?was cold?. At 1607 he was stood up and when doing so his HR went to 140. After standing for about 4 minutes his BP read 120/82, HR 114, O2 98%. His pupils +6 , equal, round, and reactive. He was feeling way better and his color in his L hand was back equal to his right. He was slowly walked around a chair just to see how he would do with activity. His HR was anywhere from 94-120 when walking around the chair, he complained of no dizziness, or other symptoms. At this point he had finished 2 apple juices, crackers, a cookie, and a bottle of water for a total of 1.5 L of fluid. He was sat back down in the chair to rest and see how things went for a while. His HR was anywhere from 109-120 when in the chair, although he did appear very anxious through this whole process. When he was given a task it appeared that his HR was a few points lower. His final HR was 109, BP 130/82, O2 98%. Of note he did complain of his feet and fingers feeling tingly a few times during this process. Sometimes his feet would be tingly when elevated and then when the garbage can holding them up was readjusted it resolved. These were intermittent complaints. At this point it is 1630. He has responded to fluids and is stable to go home with his mom. It was recommended for him to increase his fluids tonight, and to eat something. He was sent with a bottle of water. It was also recommended to get a pulse ox machine from a pharmacy so that his HR could be monitored and if it does not come down under 100 by tomorrow to make an appointment with his MD to follow up. If any of these symptoms were to come back or if his mom had any concern at all it was recommended to take him to the ED for observation. It was also recommended to follow up with his primary even though he left stable. Throughout this process, I considered administering Epinephrine. The problem was his BP was not low and we could not get his HR to come down. I did not want to increase his HR any more than it already was unless I was absolutely necessary. Given that he responded to fluids, it was decided not to administer it. Given that it took him 2.5 hours to recover from this vaccine, I strongly recommend that he does not get his second dose. I consider this to be an adverse reaction,

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							and his mom was in agreement.
1320459	5/15/2021	FL	46	F	1/13/2021	1/14/2021	Since the time of vaccination, my medications have not changed, my routines have not changed, but I suffer from chronic fatigue now. I live by caffeine while I am at work, and as soon as I get home from work, I am ready for bed. I have been going to bed around 6:00 pm and waking up around 6 am. Still, I am fatigued. If I sit down and close my eyes for just one minute, I fall asleep. This is not my normal baseline.
1320472	5/15/2021	IL	49	F	4/1/2021	4/8/2021	Severe headache Blurred vision Shakes Severe body aches Weak Hard to walk due to stiffness
1320567	5/15/2021		22	M	5/14/2021	5/14/2021	WITHIN 5 MINUTES OF ADMINISTERING VACCINE, PATIENT WAS SEATED AND COMPLAINED THAT HE COULD NOT BREATHE.. HE BEGAN TO PANIC AND BECAME INCREASINGLY ALARMED, CRYING AND WAS HOLDING ONTO HIS CHEST. HE WAS CONSCIOUS BUT DID NOT RESPOND TO ME WHEN I KEPT ASKING IF HE WAS OKAY. I CALLED 911 AND GRABBED THE EPI PEN IN ANTICIPATION OF ADMINISTERING IT. PATIENT WAS DROWSY, CLOSING EYES AND SUDDENLY OPENING THEM. NO SIGNS OF BLUE LIPS. WHEN PARAMEDICS ARRIVED, IT LOOKED LIKE PATIENT'S BOTTOM LIP STARTED SAGGING TO RIGHT SIDE AND WAS SWOLLEN. PATIENT WAS TAKEN TO LOCAL ER AND WAS GIVEN EPI AND BENADRYL IN ER DEPARTMENT.
1320931	5/15/2021	WA	23	M	5/15/2021	5/15/2021	Pt. fainted while walking from counseling room to observation area. Was able to get up and walk to chair, but did develop sweating, blurred vision, difficulty hearing for 5-10 minutes. Pt improved after drinking water, apple juice, and doing deep breathing. Paramedics called to assess pt. Pt. had past vaccine syncope reactions and BP was <120/80 when taken by paramedics. Pt was fine after 30 min and was picked up by his girlfriend to go home together.
1320750	5/15/2021	NY	37	M	5/15/2021	5/15/2021	Patient experienced perspiration, dizziness, lack of strength, lack of coordination, over heated, blurred vision, breath restriction ?could not get a rhythm to my breath, muscle weakness ?could not stand?, nausea

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320758	5/15/2021	TX	57	M	4/21/2021	4/21/2021	Patient contacted the pharmacy stating that he received the vaccine from us and he informed us of a cough but with no fever or other symptoms. The same day the patient had headache, diarrhea, and fever, and eye pain. The cough also worsen and did not go away. He was then treated in the hospital with IV fluids and medication. He spent many days without food and was very weak.
1320776	5/15/2021	OH	14	F	5/15/2021	5/15/2021	A 14-year-old female received her COVID vaccine. After about 5 minutes of sitting in the chair for her 15 minute observation, her mom said she felt nauseous and like she was going to pass out. She was laid her back in the chair. The patient's mother went to get orange juice. She was pale and her eyes were rolling back in her head. She did pass out for a few seconds, and I checked the patient's pulse and blood pressure. BP 139/58, pulse 53. By that point she was coming back around. After she sat for several minutes and had orange juice and water, she was feeling much better.
1320786	5/15/2021	SC	15	M	5/15/2021	5/15/2021	Administered Pfizer COVID vaccine #1 to 15 year old patient. During his 15 minute wait time, patient's eyes began to flutter and he slumped over. Pharmacist responded and lowered patient to floor and elevated legs. He regained consciousness and was able to repeat his name and his location. First BP was 108/68. Pt was able to sit in chair and drank an orange juice, but began to shake and tremble and stated his extremities were numb. Repeat BP was 80/48 and EMS was called. Upon EMS arrival, his pulse and BP had returned to normal. EMS evaluated and advised that he was ok to return home.
1320893	5/15/2021	IA	15	F	5/15/2021	5/15/2021	Patient went to sit 15 minutes for recovery post-vaccine with her mom. All of a sudden she said "My arm feels funny," then laid her head on her mom. Her mom said her eyes rolled back and she passed out and slid down the chair onto the floor. 911 was called, pharmacist ran to scene. Patient remained on floor, started puking. Told her to breath deep, offered water. She slowly started feeling better. Paramedics arrived and examined her. After about 30 minutes, patient left with mom. No ER needed.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1321473	5/15/2021		63	M	4/16/2021	5/10/2021	Nerve palsy in right eye causing double vision. Cat scan no results yet. Prism on glasses to correct vision.
1320943	5/15/2021	CA	47	F	4/30/2021	4/30/2021	within 10 minutes of injection, heart racing, vision vaded to black, face and left side numbness
1320597	5/15/2021	MD	15	M	5/15/2021	5/15/2021	Patient feel dizzy, light headedness, vision changes, observe peel, muscles relax. Did not loose consciousness during brief event, was alert and oriented there after. Escorted by nurse and family member to observation area. observed for 30mins.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320244	5/15/2021	IL	59	M	3/12/2021	3/1/2021	Rheumatoid arthritis flare up; Pain in joint involving hand; Injection site papule; Bruising; Sprain; Dizziness; Loss of balance; Sickness; Vision decreased / Bilateral abnormal vision; Blurring of eyes; fatigue; bumps from the injector pen; Pain in extremity / ARM PAIN; This is a solicited report from non-Pfizer sponsored program received from a contactable physician based upon information received by Pfizer from company (21K-163-3820459-00). A 59-year-old adult make received the first dose of intramuscular BNT162b2 (solution for injection; Lot EL3248 expiry information not provided) as a single dose on 12Mar2021 (at 59-years-old) for COVID-19 immunisation. The patient also started to receive subcutaneous adalimumab (HUMIRA, unspecified formulation) 40mg at an unspecified frequency from an unspecified date for arthritis. Relevant medical history included rheumatoid arthritis, inflammation, high blood pressure, red face, red skin, used cane for walking because he could not walk (before adalimumab), and a loss of hearing in the left ear (one month prior to starting adalimumab). It was unknown if patient was enrolled in a COVID-19 Vaccine Trial. Concomitant medications included sulfasalazine for inflammation; lisinopril for high blood pressure; and another [unspecified] medication for inflammation. The patient previously received treatment for inflammation with steroids which were not good enough. On an unspecified date in Mar2021, after receiving the vaccine, the patient developed arm pain, it made him tired, he had dizziness, fatigue almost every time, and a loss of balance. The patient had bumps from the injector pen/ Injection site papule, Pain in joint involving hand, bruising, sprain, and sickness. On an unspecified date in Apr2021 the patent experienced bilateral abnormal vision/vision decreased and blurring of eyes. On 09Apr2021, patient received second dose BNT162b2 (solution for injection; Lot EL3302 expiry information not provided) as a single dose. The action taken with adalimumab was unknown. The outcome of the event Sickness was recovered on an unspecified date. The outcome of the events bilateral abnormal vision/vision decreased, blurring of eyes, and fatigue, was not recovered. The outcome of the events pain in extremity / arm pain, bruising, sprain, dizziness, loss of balance, was recovering. The outcome of the events Pain in joint involving hand, Injection site papule, and

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

bumps from the injector pen was unknown. The reporter's assessment of the causal relationship of the event with the suspect product BNT162b2 was not provided at the time of this report. Since no determination has been received, the case is managed based on the company causality assessment. No follow-up attempts possible. No further information expected.; Sender's Comments: Based on available information, a possible contributory role of subject product, BNT162B2 vaccine cannot be excluded for the reported events of Injection site papule, Pain in joint involving hand, bruising, dizziness, loss of balance, fatigue and sickness, based on temporal relationship. Based on the information provided by the reporter, it appears unlikely that the subject product contributed to the RA flare and other reported events, which likely represent intercurrent medical conditions. There is very limited information provided in this report. This case will be reassessed upon receipt of follow-up information. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320166	5/15/2021	IN	71	F	4/26/2021		Have some kind of bleeding issue I am on warfarin; Hard of hearing; leg started swelling a week; Eye pain, they hurt; Low grade fever with a 100; chills; This is a spontaneous report from a contactable consumer. A 71-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration, administered in Arm Left on 26Apr2021 (Batch/Lot Number: EW0161) as 2nd dose, single for COVID-19 immunization; warfarin, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at an unknown dose for bleeding issue. Concomitant medication included simvastatin; and furosemide (LASIX) taken for an unspecified indication from 26Apr2021 to an unspecified stop date. The patient previously took BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), 1st dose on 25Mar2021 (lot number: EN6199) for COVID-19 immunization and experienced leg swelling and hard of hearing. The patient mentioned she was hard of hearing. The patient had a reaction to both of the Pfizer shots. Her second one was on the 26Apr2021, her first one was on 25Mar2021. Her leg started swelling a week after and on 26Apr2021, she had her second and the same evening she started having eye pain, it's just they hurt, there was no redness, no swelling, no visual problems, they just hurt and they still hurt. And that night, she had low grade fever with a 100, chills and that lasted about, the fever and chills lasted about 10 hours but the eye pain was still there, it's just eye pain, no vision changes, no redness nothing it's just eye pain. She mentioned she was not tired or stressed, it was just there. The patient also reported that she had some kind of bleeding issue and she was on warfarin. The outcome of the event eye pain was not recovered, fever and chills was recovered while other events was unknown. The event bleeding issue was assessed as serious- medically significant.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1320021	5/15/2021	CO	29	M	4/28/2021	4/29/2021	<p>Fell unexpectedly; I injured my nose, tooth; I injured my nose, tooth; My arm pain is 7 out of 10; scared to get up.; This is a spontaneous report from a contactable consumer (patient). A 29-year-old male patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; solution for injection) via an unspecified route of administration on 28Apr2021 at 16:15 (at the age of 29-years-old) as a single dose in the left arm for COVID-19 immunisation and ibuprofen (ADVIL) from an unspecified date to an unspecified date at an unspecified dose (2) and frequency for an unspecified indication. Medical history included anxiety/depression (mitigated with SSRl) from an unspecified date and unspecified if ongoing. Prior to the vaccination, the patient was not diagnosed with COVID-19. The patient had no known drug allergies. Concomitant medications (taken within 2 weeks of vaccination) included escitalopram orally taken for an unspecified indication from an unspecified date to an unspecified date at 10mg, daily. The patient did not receive any other vaccines within 4 weeks prior to the COVID-19 vaccine. The patient previously received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; solution for injection) via an unspecified route of administration an unspecified date as a single dose for COVID-19 immunisation. On 29Apr2021 at 03:00 the patient experienced fell unexpectedly, I injured my nose, tooth, my arm pain is 7 out of 10 and scared to get up. The course of events was reported as follows: "Got up at 3am in the morning to take some Advil. Took 2 Advil then fell unexpectedly. Partner was awake and stated that I did not trip on anything. I did not have any previous dizziness or indications that I was going to faint (no night sweats, no stars or blurry vision, no muscle weakness). I injured my nose, tooth (no significant damage), and was scared to get up. My arm pain is 7 out of 10. I have no previous medical history of fainting after a vaccine." No treatment was received for the adverse events. The clinical outcomes of the events fell unexpectedly, I injured my nose, tooth, my arm pain is 7 out of 10 and scared to get up were recovered/resolved on an unspecified date in 2021. Since the vaccination, the patient had not been tested for COVID-19. The lot number for the vaccine, BNT162B2, was not provided and will be requested</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							during follow up.
1316730	5/14/2021		13	F	5/14/2021	5/14/2021	Patient states she did not eat or drink anything in the morning prior to her vaccine. Crackers and water given prior to vaccine. Vaccine administered at 0730. 0748 patient stated she was dizzy, pale, and had blurry vision. She states she felt a whoosh. She was transported to wheelchair and transferred to observation area. BP 81/34 HR 86 100% RA. Patient drank more water and crackers. Remained pale, nauseous. Denies dizziness/blurred vision. 0751 85/40, HR 68 100%RA. 0756 89/53, HR 60, 100% RA. 0801 100/49, 61, 100% RA. 0807 95/64, 57, 100% RA. Patient denies any symptoms. Educated patient and mother on when to call 911. Patient ambulated without difficulty. Discharged home with mom.
1316700	5/14/2021	KS	65	M	3/18/2021	4/30/2021	About a week after the injection my right eye started getting cloudy. I went to the eye doctor and he said I had lost some peripheral vision in that eye.
1316665	5/14/2021	MO	41	F	5/12/2021	5/14/2021	Dizziness, mildly blurred vision when reading print, "brain fog~~

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1316589	5/14/2021	CT	46	F	3/28/2021	3/28/2021	3/28/2021 12:45pm Shot received as part of 1200 had gotten access to. It felt like fire in my arm at the point of the shot and moving down toward my wrist. It was cold and rainy, and I had taken my arm out of my sweater and the sleeve had gotten a little damp. I put my arm back in the sleeve and the cool damp sleeve made my arm feel better while I was observed and then drove home. 3/28 3pm I got home and the arm the shot had been given in was sore ? the aches seemed to move across my shoulders and all over my body. 3/28 10pm ? 7:30 am, Over the course of the evening, the aches seemed to get worse and I developed a headache, so, I took 2 tylenol and went to sleep. overnight I had severe chills. 3/29 7:30 am I took 2 Alkseltzer Cold & Sinus (tylenol and decongestant) and laid back down. Around 9am I had a glass of juice ? I was extremely thirsty and this helped. 3/29 11:30am The headache and body aches continued, but the chills seemed to break with a trade to cold sweat. I took 2 more Alkseltzer Cold & Sinus (tylenol and decongestant) and got up. 3/29 3:30pm The headache and aches continue, I took 2 aleve to manage the headache and body aches. 3/29 6:30pm the body aches and headache are better but not gone. Cold sweats starting again 7:30 ? 2 more tylenol. 3/29 11:30 2 tylenol for bed ? slept through the night no problem. 3/30 ? 8am: Woke up still achy, but the headache is significantly reduced, started feeling a little dizzy and periodic cold sweat 3/30 ? 6:30 pm still a little dizzy and marginally achy 3/31 ? 8am: mostly back to normal. The spot on my arm is still raised and tender, but in general, I feel like I did before the vaccine, suffering seasonal allergies sinus congestion and headaches. My eyes are very tired, I'm having a hard time pulling things into focus or looking at screens ? the headache on Monday was a migraine complete with severe light sensitivity. Wearing readers with blue light blocking helps my eyes feel better. 4/1 ? arm still sore at location of shot, going to continue using scar cream on bump where shot was given. Eyes still a little weak/tired. 4/3 ? arm finally quit hurting ? still sore, but not actively in pain at site of injection.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1316519	5/14/2021	MN	15	F	5/13/2021	5/13/2021	Systemic: Fainting / Unresponsive-Medium, Systemic: Tinnitus-Medium, Systemic: Visual Changes/Disturbances-Medium, Additional Details: Fainted immediately after administration & came to within 1 minute. Vision impairment & plugged ears for approx 10 minutes afterwards. She remained in the observation area for 30 minutes and was fully recovered when she left the store.
1316922	5/14/2021	CT	37	M	5/7/2021	5/7/2021	Patient fainted after administration of his vaccine. It was only a few seconds and when he opened his eyes he stated he usually only faints after giving blood. We held him the full 30 minutes for observation and he did not experience any other adverse reaction

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1316358	5/14/2021	MI		F	4/27/2021		<p>PAIN IN BASE OF SKULL/NECK; COUGHED UP MUCUS; FELT HOT; ACHY BACK AND SHOULDERS; FELT LIKE SINUS INFECTION AROUND MY EYES/FOREHEAD; FELT SICK, UNWELL; HEADACHE; NAUSEA ON AND OFF; BODY TEMPERATURE OF 97.6F; A LITTLE STUFFINESS; EXTRA AWARE FEELING; This spontaneous report received from a patient concerned a 60 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included anaphylactic to bee stings, and allergy to pollen. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808978, expiry: 13-JUN-2021) dose was not reported, administered on 27-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 27-APR-2021, the subject experienced extra aware feeling. On 28-APR-2021, the subject experienced a little stuffiness. On MAY-2021, Laboratory data included: Body temperature (NR: not provided) 97.6 F. On 04-MAY-2021, the subject experienced pain in base of skull/neck. On 04-MAY-2021, the subject experienced coughed up mucus. On 04-MAY-2021, the subject experienced felt hot. On 04-MAY-2021, the subject experienced achy back and shoulders. On 04-MAY-2021, the subject experienced felt like sinus infection around my eyes/forehead. On 04-MAY-2021, the subject experienced felt sick, unwell. On 04-MAY-2021, the subject experienced headache. On 04-MAY-2021, the subject experienced nausea on and off. On 04-MAY-2021, the subject experienced body temperature of 97.6f. Treatment medications (dates unspecified) included: arnica montana, and ibuprofen. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from extra aware feeling on 27-APR-2021, a little stuffiness on 29-APR-2021, and coughed up mucus on 05-MAY-2021, was recovering from felt sick, unwell, headache, pain in base of skull/neck, nausea on and off, achy back and shoulders, and felt like sinus infection around my eyes/forehead, and the outcome of felt hot and body temperature of 97.6f was not reported. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1316530	5/14/2021	CA	14	F	5/13/2021	5/13/2021	Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: Exhaustion / Lethargy-Medium, Systemic: Headache-Medium, Systemic: Nausea-Medium, Additional Details: patient's mother told that pt has sickle cell's disease. As rph wasn't unsure the disease's effect on covid 19 vacine. Rph asked pt to stay in resting area for 30 minutes. Approximately, 25 minutes after the patient got the shot, her mother reported her having allergic reactions. Patient reported as having dizziness, not being able to hear, nausea, and some eye blurness. I gave water, candy, and benadryl. Also 911 called just in case. By the time emergency team arrived, pt was doing fine back
1316757	5/14/2021		41	F	4/29/2021	4/29/2021	10 minutes after getting vaccine , half of her tongue, left part of face (cheek), and entire left arm felt numb. It has slowly improved and there are now some days that she feels more numbness. There is no eye tearing, no drooping face, no problems hearing, no change in eyesight, no change in smell, no change in smell. Patient had soreness in her arm near the shot site but this improved in two days.
1316782	5/14/2021	PA	18	F	4/21/2021	4/21/2021	Patient had right sided facial redness and itchiness about 20 to 30 minutes after injection, no swelling, no rash, that lasted about 10-12 hours, patient then had right periorbital swelling about 1-2 hours after injection, with slight scleral injection and itchiness of the eye, this lasted about 24 -36 hours then resolved completely Flu like symptoms ( body aches, fever, chills) within 24 hours that last about 36 hours post vaccine
1316849	5/14/2021	MO	50	F	5/11/2021	5/12/2021	Symptoms lasting 48 hours- High fever (>102 despite taking ibuprofen and acetaminophen), nausea and vomiting, diarrhea, chills, body aches, tooth aches (throbbing in each tooth), blurred vision, extreme dizziness and vertigo, headache and injection site exceptionally swollen, red and hot to the touch.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1317036	5/14/2021	MD	21	M	5/14/2021	5/14/2021	<p>Patient was given Janssen COVID-19 immunization via intramuscular route in the deltoid region of the left arm. Patient was fine following the vaccination and was instructed to sit for 15 minutes to be monitored. Approximately 5 minutes after patient was sitting, his body suddenly went straight and his eyes were open. He started to seizure for about 5 seconds and hit his head against the counter. He regained consciousness afterwards and was in distress. After calling EMS, they checked for his blood pressure, Pulse Ox, and blood sugar levels, which they considered stable. They asked the patient if he felt fine at that time, which he said yes. They told him to wait at the pharmacy until his Dad came to pick up him.</p>



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1316348	5/14/2021	GA	53	F	3/1/2021		<p>PAIN IN BILATERAL LEGS AND ACHY RIGHT SHOULDER AND FOREARM; BOTTOM AND MUSCLE FELT LIKE FIRE; ARMPIT PAIN; FELT LIKE TENDONS PULLED; EXHAUSTION AND TIREDNESS; NAUSEA; MUSCLE ACHES; CHILLS; SORENESS (PAIN) AND BODY ACHES; DIARRHEA; FEVER; TINGLING FROM FINGER TIPS TO ELBOW ALSO TINGLING ON RIGHT ARM AND BOTTOM OF FEET; FLU LIKE SYMPTOM; FELT LIKE BILATERAL EYES WERE BRUISED; JOINT PAIN; This spontaneous report received from a patient concerned a 53 year old female. The patient's weight was 140 pounds, and height was 158.49 centimeters. The patient's past medical history included hysterotomy, cholecystectomy, and transient ischemic attack, and concurrent conditions included penicillin allergy, non alcohol user, and non-smoker, and other pre-existing medical conditions included no illicit drug use. The patient experienced drug allergy when treated with pethidine hydrochloride, cefalexin, levofloxacin, and nitrofurantoin. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 180503, and expiry: UNKNOWN) dose was not reported, administered on 13-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 2021, the subject experienced felt like bilateral eyes were bruised. On 2021, the subject experienced joint pain. On MAR-2021, the subject experienced tingling from finger tips to elbow also tingling on right arm and bottom of feet. On MAR-2021, the subject experienced flu like symptom. Laboratory data included: Body temperature (NR: not provided) 102.5. Treatment medications included: ketorolac tromethamine, and paracetamol. On 13-MAR-2021, the subject experienced fever. Laboratory data included: Body temperature (NR: not provided) 103.0. On 14-MAR-2021, the subject experienced soreness (pain) and body ache. On 14-MAR-2021, the subject experienced diarrhea. On 14-MAR-2021, the subject experienced chills. On 14-MAR-2021, the subject experienced nausea. On 14-MAR-2021, the subject experienced muscle aches. On 15-MAR-2021, the subject experienced exhaustion and tiredness. On 16-MAR-2021, the subject experienced felt like tendons pulled. On 17-MAR-2021, the subject experienced armpit pain. On 18-MAR-2021, the subject experienced bottom and</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

muscle felt like fire. On 26-MAR-2021, the subject experienced pain in bilateral legs and achy right shoulder and forearm. On 29-MAR-2021, Laboratory data included: COVID-19 antigen test negative (NR: not provided) Negative, Complete blood count (NR: not provided) Unknown, Electrocardiogram (NR: not provided) Unknown, Lactate (NR: not provided) Unknown, Magnesium level (NR: not provided) Unknown, Troponin (NR: not provided) 2H-6H P, and Urine analysis (NR: not provided) unknown. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the fever, chills, muscle aches, joint pain, soreness (pain) and body ache, nausea, diarrhea, pain in bilateral legs and achy right shoulder and forearm, felt like bilateral eyes were bruised, tingling from finger tips to elbow also tingling on right arm and bottom of feet, exhaustion and tiredness, armpit pain, bottom and muscle felt like fire, flu like symptom and felt like tendons pulled was not reported. This report was non-serious.; Sender's Comments: V0 : Medical assessment comment not required as per standard procedure as case assessed as non-serious.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1316040	5/14/2021	NY	71	M	3/7/2021	3/1/2021	left side of his mouth went bonkers, it wound up being like when the shingles were acting up on the inside of his mouth it felt tingly and weird and it was confined to the left half of his face and nothing else; left side of his mouth went bonkers, it wound up being like when the shingles were acting up on the inside of his mouth it felt tingly and weird and it was confined to the left half of his face and nothing else; left side of his mouth went bonkers, it wound up being like when the shingles were acting up on the inside of his mouth it felt tingly and weird and it was confined to the left half of his face and nothing else; stress; nerve inflammation; His hand on the right is not doing the thing is his left thumb, it is being weird; stenosis, the cervical stenosis, the left is the main problem; he moved his thumb towards his forefinger, there was a couple inches between and it felt like there was a rubber band pulling his thumb back; This is a spontaneous report from a contactable consumer or other non-healthcare professional. A 71-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, lot number: EN6203; Expiration Date: Jun2021) dose 2 via an unspecified route of administration on 07Mar2021 (at the age of 71-year-old) as single dose for covid-19 immunisation. The patient medical history included diabetes mellitus; he does not take medication for it. It was controlled by diet and exercise, high blood pressure, high lipids, herpes zoster from Oct2019, bell's palsy from Oct2019, herpes zoster oticus from Oct2019, paralysis, vertigo, ear disorder, paraesthesia oral and his tongue was tingly. Concomitant medications included alprazolam taken for sleep disorder, simvastatin taken for lipids increased, alprazolam (XANAX) taken for sleep disorder. The patient had his second shot last sunday and had a discussion had with his doctor's nurse this morning that centered around people taking the Moderna and had some issues with Bell's Palsy or some-thing like that and he wanted to call about what had happened. He has had overlapping stuff from cer-vical stenosis that manifests on the left side on his shoulder arm and hands and also about a year and half ago Oct2019 he had shingles in his ear and mouth on the left side of face. He had Bell's palsy and Ramsey Hunt syndrome number 2. He had paralysis, droopy mouth, eye wouldn't close, vertigo, ear issues, hearing drop and that recovered which was weird.

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

He went to physical therapy until early last year before COVID then he was steered away from that. About 10 months ago some of the symptoms came back in a odd way. His eye had the feeling like it couldn't close. His eyelids had at night the muscles in his face on the left side face felt taut. The inside of his gum felt like his skin was thicker, he was not sure it was the sensation and that never went away. With the shingles he had an issue where down the side of his tongue was tingly, these things overlap and it was either very little or really annoying. In last 10 months it had got quite a bit better until about 5-6 weeks ago it was back to where it was, it was just annoying on and off. Then he got the shot sunday, and it was weird at first, he was writing it off as both stress and relief and other things. He was not dizzy and that evening the left side of his mouth went bonkers, it wound up being like when the shingles were acting up on the inside of his mouth it felt tingly and weird, and it was confined to the left half of his face and nothing else. He did not have droopiness or any Bell's palsy kind of thing had gone away the Ramsey-Hunt syndrome, he says it was a series of things and he has number 2, he does not know what the other ones are, but it was something that comes along with the chicken pox or the herpes zoster virus. The stenosis, the cervical stenosis, the left is the main problem, but the right was not far behind with regard to nerve compression, the right does not bother him as much in the way of tingling and numbness. The weird thing is he had his hands sitting in his lap and he moved his thumb towards his forefinger, there was a couple inches between and it felt like there was a rubber band pulling his thumb back, it happened 2-3 times he was fooling around with it and it went away, the sensation was still there a little in the back ground, the rest of him the right side of him was fine and today is a lot better like he said things over lap so he is not saying anything has anything to do with the vaccine but he is operating under the as-sumption that if Moderna patients are having some issues with Bell's Palsy or something similar, if he has left over inflammation and in Nov2019, he had magnetic resonance imaging (MRI), when he first got sick and then he had another one done and his neurologist said on an unspecified date in Aug that he still sees some nerve inflammation particularly down jaw line, he saw inflammation from 2019 to 2020 he still seen

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

inflammation and the upper part of his eye, the brow seems to behave as if there may be some inflammation running through it. His hand on the right is not doing the thing is his left thumb, it is being weird and the thing sunday night with his mouth. He thinks the whole idea is that the vaccine wakes up the immune system and gets it to recognize the RNA for COVID and generate antibodies and if it is acting like inflammation gets the body's attention, he is not a biologist but maybe it also caught on to his nerve inflammation and took a look at his nerves and cause them to bounce around and have other things occur that were more intense and he was trying to report to let some-one know that the underlying things left over from his shingles, he does not know about the rest of it because sleeping wrong could affect his neck shoulders and arms, he was not sure if it could be an issue with the vaccine, there was no clear definite thing, but the thing sunday night with his mouth was definitely far more, he thought this was the way he felt in his mouth a couple weeks after he got the shingles diagnosis like he had hives on inside of his cheek and tongue, it was crazy with extra salivation but he did not have the hives. The last time he got a vaccine it was the Shingrix it was probably too late last year, he got pretty sick off of it with flu like symptoms but he doesn't ever want another run in with shingles. It was his second COVID 19 vaccine he got 07Mar and it was the same day that the thing with his mouth happened and that was the most noticeable aspect of it, if he had not had the vaccine he would be sitting here right now just thinking he was having a bad day it runs down the left side of his tongue and stops smack in middle of the front of it. It jumps over sometimes but he was not sure if the nerve endings go on both sides of the tip of tongue or not. It has improved since sunday there was a span there where it was pretty annoying and he commented that he feels like it did when he first had shingles and over a period of time when he went to bed, whenever that was, it abated a bit. His second dose was EN6203 and it is dated Jun2021. The patient was sure they were trained to draw up the exact correct amount in there but he did not ask to look at it, it did not even occur to him. The only other thing is he was diabetic, he takes no medications for that it was diet and exercise controlled both of which COVID has been horrible for, his weight has gone up because they have a

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

tough climate there, it has been cold for 2.5 months. It was finally starting to get a little better but the primary things he would have would be blood pressure, he takes medication for and the same for lipids he takes Simvastatin for that, the things many males his age are taking medication for. He also takes Alprazolam and Xanax to get to sleep at night, because his brain doesn't want to shut off, cost of being an engi-neer. He had one had case of sarcoidosis uncovered, there was only one node of it at the back of the trachea where it splits to go into the lungs. His pulmonologist was keeping track of it with X-ray and CT scans, the last time everyone looked in there, there was nothing left, the thing never changed since, it never showed up anywhere else. he does not know if that disappears but he never ended up getting it again. Apparently it shows up frequently in lungs but it did not with him. Those 2 things would be the top of the list type of things for him. He has never had cancer or blood disease, he had mononucleosis in college. The patient underwent lab tests and procedures which included computerized tomogram there was nothing left on. He had one case of sarcoidosis uncovered, there was only one node of it at the back of the trachea where it splits to go into the lungs. His pulmonologist was keeping track of it with X-ray and CT scans, the last time everyone looked in there, there was nothing left, magnetic res-onance imaging was an unknown results on Nov2019. He first got sick and then he had another one done , x-ray: there was nothing left on an unknown date. He had one had case of sarcoidosis uncov-ered, there was only one node of it at the back of the trachea where it splits to go into the lungs. His pulmonologist was keeping track of it with X-ray and CT scans, the last time everyone looked in there, there was nothing left. The outcome of the events was reported as unknown. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1317107	5/14/2021	IL	39	M	3/16/2021	3/17/2021	I have had headaches every day since I received the vaccination that last most of the day. There is a constant pressure in my head that moves around all areas, from the back base of the head, to the sides, temples, forehead/sinus regions. It is from waking until sleeping. Not incredibly intense, but constant. I have difficulty sleeping through the night and have not slept well since, either. I have also experience blurred vision. I have also experience bruising on various parts of my body including my arm, abdomen, and toe nails. My quality of life has suffered tremendously and I wish I hadn't gotten the vaccine.
1316820	5/14/2021	MI	63	F	4/16/2021	5/4/2021	pt states on 5/4/21 her mouth was drooping and she couldn't shut her left eye. When she would drink, she would drool. Her condition did not improve so on 5/8/21 she went to Hospital. She had a CT, no stroke detected. No lab work. She was diagnosed w/ Bells Palsy. She was prescribed a valacyclovir hcl 1gm, 1 tab every 12rs. She was released to FU w/ PCP. She saw her PCP, on 5/12/21. She was evaluated and told to continue her meds and come back on 6/1/21. Pt still has these symptoms, wears a patch on her at night and is using artificial tears. The right side of her face is stronger than her left now.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1316068	5/14/2021	WI	67	M	3/1/2021	3/1/2021	shingles on his face and around his eye/ has shingles on his eye; eye irritation; This is a spontaneous report from a contactable consumer (patient) and via a Pfizer program. A 67-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration (at the age of 67-years-old), administered in Arm Left on 01Mar2021 09:00 (Lot Number: EN6202) as 1st dose, single for COVID-19 immunization; and ibuprofen, route of administration, start and stop date, batch/lot number and dose were not reported for pain. The patient medical history was not reported. There were no concomitant medications. The patient experienced shingles on his face and around his eye/ has shingles on his eye and eye irritation on Mar2021. The patient requested information on the use of OTC pain relievers like Ibuprofen and the Pfizer-BioNTech COVID-19 Vaccine because he read some articles on this topic and asked how far before would he need to wait to take ibuprofen, he stated: "I'm scheduled for second vaccine tomorrow (29Mar2021, confirmed it is second dose of Pfizer-BioNTech COVID-19 Vaccine. First dose was received on 01Mar2021). I don't take Ibuprofen on a regular basis, only take it when I need it because I have a medical condition causing some pain, last time I took it was the day before yesterday and I won't take any today. Stated he got his first dose of the vaccine on 01Mar2021. Patient stated that he was prescribed the eye drops for shingles on his face and around his eye. They are for the eye irritation. Diagnosed with shingles either this past Monday, Tuesday, or Wednesday; uncertain of which day (unspecified date in Mar2021). He is asking if he can take painkillers after the second dose that because he has shingles on his eye. The action taken in response to the events for ibuprofen was unknown. Therapeutic measures were taken as a result of the events. The outcome of the events was unknown. The events were considered as serious. The second dose scheduled for 29Mar2021. The patient wanted to know if he can take his shot while on these Fluorometholone eye drops. No Prior Vaccinations (within 4 weeks).



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1315894	5/14/2021			F			<p>headache; eye dryness; having trouble with my eyes; soreness; This is a spontaneous report from a contactable consumer (patient) via Medical information Team. A female patient of an unspecified age received BNT162B2 (BNT162B2, Solution for injection), dose 1 via an unspecified route of administration on an unspecified date (Batch/lot number: Not Provided, NDC number of Pfizer COVID 19 vaccine: Not Provided, Reason for no lot number: of Pfizer COVID 19 vaccine: Caller unwilling to complete the report, Expiry Date of Pfizer COVID 19 vaccine: Not Provided) as 1st Dose, SINGLE for covid-19 immunisation. The patient medical history was not reported. The patient's concomitant medications were not reported. The patient experienced headache (non-serious) on an unspecified date, eye dryness (non-serious) on an unspecified date, having trouble with my eyes (non-serious) on an unspecified date, soreness (non-serious) on an unspecified date. Consumer was calling reporting AE after receiving her first dose of Pfizer-Biontech Covid19 vaccine. She stated that she got the headache and the soreness but those "didn't bother her" she was worried about "having trouble with my eyes" specifically eye dryness, was this normal. She was due for the second shot on 09Feb2021, should she still get it. Patient stated that HA soreness but that didn't bother me- "i've been having trouble with my eyes" due for 2nd shot 09Feb2021. Trouble with her eyes being dry- SE. Should I go ahead and get the second one. Headache lasting 2-3 days. Additional Context: Received call from consumer regarding the Pfizer Covid 19 vaccine which she received a few days ago. She had a slight headache for 2-3 days, which she thought was normal. She was also having trouble with her eyes being dry and she would like to know if that is normal. She did not wish to provide an address or email. She did not wish to complete report and requested to be transferred to have her question answered. No further details provided. For events, headache, outcome was recovered on an unspecified date, eye dryness, outcome was unknown, having trouble with my eyes, outcome was unknown, soreness, outcome was unknown. Information on lot and Batch number has been requested. Follow-up attempts are completed. No further information is expected.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1317174	5/14/2021	GA	30	F	5/12/2021	5/12/2021	I felt no pain after shot. Went to sleep around 8pm woke up at 10pm to find my vision was blurry. I went back to bed and woke up 7am with sore left arm, body ache, head ache and blurry vision. It?s hard for my eyes to focus on things, light hurts my eyes and it?s blurry
1315920	5/14/2021			F	2/10/2021	2/11/2021	feeling hot and cold and hot and cold; cough; sneeze; She had a little fever/behind her leg was 100.4F; a tiny hemorrhage in her eye; gigantic headache/very bad headache; wasn't feeling good; This is a spontaneous report from a contactable consumer. A 72-year-old female patient received the first dose of BNT162B2 Pfizer-BioNTech COVID-19 mRNA Vaccine via an unspecified route of administration on 10Feb2021 (Batch/Lot number was not reported) as single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient previously took diclofenac sodium. On an unspecified date in Feb2021, a couple of days before receiving her first vaccine dose, the patient took a dose of diclofenac (2 tablets, 15 mg each) and wanted to know if the vaccine will still work. Moreover she was going to receive Botox injections in between her two vaccine doses, her neurologist says that it's fine, but she wanted to have more information, if available. She also stated that she is due for her Botox injection but might postpone the shot so that it will not interfere with her COVID-19 vaccine. On an unspecified date she experienced a tiny hemorrhage in her eye that may have resulted from a cough or a sneeze; she had a rough night feeling hot and cold and hot and cold and she had a little fever stating that her infrared thermometer said that behind her leg temperature was 100.4 F (but her arm was different, along with her forehead). On 11Feb2021 the patient experienced gigantic headache/very bad headache, but she does not think the headache was caused by the vaccine, and wasn't feeling good. She wanted to know if she can take diclofenac for her headache. The patient underwent lab tests and procedures which included body temperature: 100.4 Fahrenheit on an unspecified date. At the time of the report the events outcome was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1315922	5/14/2021	IL	77	F	2/5/2021	2/5/2021	headache; Exhausted; Chills; Joint Pain; achy pain; Flu; Eye floaters; Feeling Strange; Nauseaus; Dizzy; This is a spontaneous report was received from a contactable consumer or other non hcp. A 77-year-old female patient received 1st dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Batch/Lot number was not reported) via an unspecified route of administration, administered in arm right on 05Feb2021 14:00 (at the age of 77-year-old) as single dose for COVID-19 immunization. The patient's medical history included digestion problems, ongoing coeliac disease and allergy to gluten. Concomitant medications included vitamin b complex (vitamin b), zinc (zinc), vitamin c [ascorbic acid] (vitamin c [ascorbic acid]), colecalciferol (vitamin d [colecalfiferol]), bifidobacterium lactis (Probiotic [bifidobacterium lactis]). The patient was not pregnant at the time of vaccination. The patient had not received other vaccine in four weeks. On 05Feb2021 at 18:00, the patient was exhausted and experienced chills, headache, joint pain started in left ankle, later she had achy pains all over and felt lousy like she had the flu. The patient had new floaters in her eyes and a strange feeling in her head and was also extremely nauseous and dizzy. The patient did not take any treatment. The patient was not tested for covid prior vaccination and post vaccination. The outcome of the events was recovered on an unspecified date in 2021. Follow up attempts are completed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1315925	5/14/2021	GA	67	F	2/10/2021	2/10/2021	Mild itch on face, eyes and arms. Previously reported reaction was a little more intense and it included my scalp.; Mild itch on face, eyes and arms. Previously reported reaction was a little more intense and it included my scalp.; This is a spontaneous report from a contactable consumer (Patient). A 67-years-old female patient received bnt162b2 (BNT162B2), dose 2 via an unspecified route of administration, administered in Arm Left on 10Feb2021 01:45 (Batch/Lot Number: EL8982) as 2ND DOSE, SINGLE for covid-19 immunisation. Medical history included high cholesterol, arthritis, glaucoma candidate, GERD, Osteopenia, lumbar radiculopathy penicillin allergy and sulfonamide allergy. Concomitant medication(s) included lovastatin (LOVASTATIN) taken for an unspecified indication, start and stop date were not reported; lansoprazole (LANSOPRAZOLE) taken for an unspecified indication, start and stop date were not reported and unspecified medications. The patient previously took Cortisone, Dexamethasone, Clindamycin, Neurontin, Gabapentin, Carbamazepine, Endocet, Metoprolol, Pamalor and experienced allergies for all medications. The patient did not receive any other vaccines within four weeks prior to the vaccination. Prior to the vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. The patient previously received first dose of BNT162B2), via an unspecified route of administration, administered in Arm right on 20Jan2021 02:00 PM (Batch/Lot Number: EL3246) as 1ST DOSE, SINGLE for covid-19 immunisation and expereinced mild itch on face, eyes and arms and scalp. On 10Feb2021 14:15 the patient experienced Mild itch on face, eyes and arms. Previously reported reaction was a little more intense and it included her scalp. No treatment were received for the events. The outcome of the events were recovered on an unspecified date.
1315967	5/14/2021		19	F	5/12/2021	5/13/2021	19 yo otherwise healthy f c/o ongoing mild diffuse ha w/o visual changes, dizziness and nausea w/o vomiting x24hrs s/p J&J vaccine yesterday; Pt denies any cp, sob, rashes, dyspnea, abd pain/cramping, prior hx of vaccine rxn.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1316147	5/14/2021		28	M	4/19/2021	4/25/2021	<p>he had an episode which he states is similar to a TIA (transient ischemic attack); Reports experiencing something similar last may except for 'the paralysis'; numbness, pain and tightness in his lower half of his body which was more prominently felt on his left side.; numbness, pain and tightness in his lower half of his body which was more prominently felt on his left side.; numbness, pain and tightness in his lower half of his body which was more prominently felt on his left side.; States he felt as though his knee had a tear in it- it felt it was on fire; tightness in left knee; shortness of breath; feeling foggy; headache; balance issue; coordination off; having a hard time to get a sentence out (felt like his motor skills were affected); having a hard time to get a sentence out (felt like his motor skills were affected); confusion; blurred vision; impending sense of doom; post fatigue; his energy doesnt feel up to par; This is a spontaneous report from a contactable consumer (patient) reported for himself. A 28-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration on 19Apr2021 at 28 years old (Batch/Lot number was not reported) as single dose for covid-19 immunisation. The patient's medical history and concomitant medications were not reported. Patient stated that on 19Apr, he had the first shot of pfizer covid vaccine. This past sunday (25Apr2021), he had an episode which he stated was similar to a TIA (transient ischemic attack). Reported numbness, pain and tightness in his lower half of his body which was more prominently felt on his left side. Stated he felt as though his knee had a tear in it- it felt it was on fire; he experienced burning and tightness in left knee. He also reported having shortness of breath, headache, feeling foggy, balance issue, coordination off, having a hard time to get a sentence out (felt like his motor skills were affected), confusion, blurred vision and an impending sense of doom. Stated this episode persisted for 15 min and then it resolved. Currently he was experiencing a 'post fatigue' and his energy didn't feel up to par. Reported experiencing something similar last may except for 'the paralysis'. Had not followed up with his provider. Patient was scheduled for second shot of Pfizer covid vaccine on 10May, he was asking for information if he decided to delay his second shot past may 10th. He was asking for</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

information on getting the second shot given his recent experience possibly related to the vaccine shot. Was not sure if he should get the second shot. He was asking about side effects for the second shot- if it would be worse. Asking if there were any reports of blood clots with Pfizer covid vaccine. The outcome of the events 'post fatigue' and "his energy didn't feel up to par" was unknown, of other events was recovered on 25Apr2021. Information about lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1316035	5/14/2021	PA	64	F	2/23/2021	2/23/2021	urinary tract infection; the vaccine stung when it went in and the site was tender; shingles / shingles rash; the vaccine stung when it went in and the site was tender; This is a spontaneous report from a contactable consumer. A 64-years-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), via an unspecified route of administration, administered in the left arm on 23Feb2021 at 12:00 (Batch/Lot number: EL9269) as 1ST DOSE, SINGLE for COVID-19 immunization. Medical history included pain, eye condition, Prediabetes, immunosuppressive - she is also taking immunosuppressive medication that is lowering her immunity: Mycophenolate since Dec2020. She also had a pain in her lower back on about 19Feb2021. Concomitant medications included prednisone (PREDNISON) taken for eye condition from Aug2020 and ongoing-her immune system is attacking her retina, started a high dose in Aug2020 and has titrated down since then; mycophenolate mofetil (MYCOPHENOLATE) taken for eye condition and immunosuppressive from Dec2020 and ongoing; metformin (METFORMIN) taken for Prediabetes from an unspecified start date and ongoing and been on it about 6 years; and gabapentin for pain. The patient developed shingles on 03Mar2021. She is on prednisone, mycophenolate, and pain medications. She wants to know if it's ok to get the second dose since she is immunosuppressed. The patient was calling about the Covid-19 vaccine and reported that she got the first dose on 23Feb2021 and about 3.5 days later she got a shingles rash. She wanted to know if it is ok to get the second vaccine or if that is contraindicated. The patient said that she is also taking immunosuppressive medication that is lowering her immunity (Mycophenolate) and she has been on it since Dec2020. The patient said that she was on another immunosuppressive medication before this for a month that she had a reaction to. She said that was when she was switched to Mycophenolate. The doctor had her on an antiviral for shingles rash that she started on 03Mar2021. She clarified that it is Valacyclovir HCL 1 pill 3 times a day for 7 days, and she was given pain medicine called Gabapentin 100mg 1 pill 3 times a day by mouth. Her next dose of the Covid-19 Vaccine was scheduled for 16Mar2021. The patient said that the

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

vaccine stung when it went in and the site was tender. Her arm is still a little tender at the site. She said that it seems since she has the shingles stuff it is a little tender. The patient said that she had a pain in her lower back on about 19Feb2021. She went to the doctor on 01Mar2020 because it was not going away. The doctor thought it was a urinary tract infection and gave her an antibiotic that she stopped on 04Mar2021 after being diagnosed with the shingles. The event shingles / shingles rash required a visit to Physician Office; she did a telehealth visit with her doctor for her shingles rash. The event shingles / shingles rash had not resolved while the outcome of the rest of the events was unknown.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1316347	5/14/2021	CA		M		4/1/2021	STROKE; PASSED OUT; DIZZINESS; DID NOT FEEL WELL; HEARTBURN; HEADACHE ON THE FRONT LEFT SIDE; RECURRENT SEIZURE; This spontaneous report received from a patient concerned a male of unspecified age. The patient's weight, height, and medical history were not reported. The patient received COVID-19 VACCINE AD26.COV2.S (suspension for injection, unknown, batch number: 1805029, expiry: UNKNOWN) dose was not reported once a total on left deltoid, administered on 28-MAR-2021 11:00 for prophylactic vaccination. No concomitant medications were reported. On 30-MAR-2021 patient went to the hospital because patient did not feel well and was given seasick pills. Two days later patient was still not feeling well and went to hospital, where the doctor said that patient having a Stroke, and patient in the middle of a Stroke. The doctor administered intravenous to patient .The patient was hospitalized for 3-4 days then transferred to Hospital (where patient is insured) and was hospitalized for 4-5 day. On an unspecified date in 2021, the patient had recurrent Seizure .Three days in a row and then one day rest and then it came back again, basically for the month came different times. Patient said his eyes would roll back to his head. On unspecified date in 2021, patient had dizziness and passed out and went to hospital where they said they should have never released patient. Patient was hospitalized for 2 days and did work up. Then hospital took patient back and they didn't do what hospital did. Patient mentioned feeling better at hospital with the treatment they provided him but when hospital cared for patient, they did not use the same. Patient also mentioned that he was sent to rehab to learn how to walk. Patient had experienced heartburns but they did not give him medication for heartburn. Patient was upset and got his friend to buy Antacid for him and he took it with relief. Patient used a walker/cane to get around and was perfectly fine before. On unspecified date in 2021 patient experienced headache on the front left side of the head (like someone is stepping). The action taken with COVID-19 VACCINE AD26.COV2.S was not applicable. The outcome of the headache on the front left side, dizziness, recurrent seizure, heartburn, stroke, passed out and did not feel well was not reported. This report was serious (Hospitalization Caused / Prolonged, and Other Medically

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1315903	5/14/2021	PA	31	F	1/27/2021	1/27/2021	<p>Important Condition).; Sender's Comments: V0: 20210507602-COVID-19 VACCINE AD26.COV2.S-stroke, recurrent seizure, passed out, dizziness. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). 20210507602-COVID-19 VACCINE AD26.COV2.S-did not feel well. This event(s) is labeled per RSI and is therefore considered potentially related.</p> <p>headaches; runny nose; red, teary and painful eyes; red, teary and painful eyes; red, teary and painful eyes; She woke up with pain and swollen red watery eyes; This is a spontaneous report from a contactable consumer (patient, self-reported). A 31-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTEC COVID-19 mRNA VACCINE, Solution for injection, lot number: EL3248 and expiry date was not provided), via an unspecified route of administration, in Arm Left, on 27Jan2021 at 12:00 o'clock noon, as a single dose for COVID-19 immunization at local hospital. The patient was not pregnant at the time of vaccination. The patient's medical history and concomitant medications were not reported. The patient reported that she was administered with the first dose of the vaccine yesterday. On 27Jan2021, at night, around 7 pm and after that her eyes started getting red and the headache started, and also had a runny nose, red, teary and painful eyes. After midnight, either being 27Jan2021 or 28Jan2021, she had very huge pain in both eyes and swelling as well as the wateriness in the eyes. It wasn't tolerable and so she started having Tylenol. She woke up with pain and swollen red watery eyes. She started having eye drops and that helped but she was still having pain. Her headache went away last night when she slept. She did not have positive COVID test or Antibody test before the vaccine. She did not have any issues with vaccines in the past. Outcome of the event headache was recovered on an unknown date. Outcome of the event runny nose was unknown and for all other events, it was not recovered. Follow-up attempts are completed. No further information is expected.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1316163	5/14/2021	CA	17	M	4/28/2021	4/28/2021	Seizure; Felt dizzy; Eye sight was blurry; Shake and jerk; Shake and jerk; Skin turned pale; Heart rate was high; Nauseous; This is a spontaneous report from a contactable consumer. A 17-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in left arm on 28Apr2021 16:00 as unknown, single for covid-19 immunisation. The patient medical history was not reported. Concomitant medications included fish oil; magnesium [magnesium citrate]; vitamin d [vitamin d nos]; probiotic [bifidobacterium lactis]; vitamin b complex (VITAMIN B). The consumer stated, approximately 20 minutes after receiving the vaccine (28Apr2021 16:15) the patient felt dizzy, eyesight was blurry, and he began to shake and jerk. It resembled a seizure. His skin turned pale, heart rate was high, and he felt nauseous. It took him approximately 5-10 minutes to feel "normal" again. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The adverse event result in emergency room/department or urgent care. There is no treatment for AE. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. The outcome of the events was resolving. Information about Batch/Lot no. has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1316176	5/14/2021	PA	61	F	4/22/2021	4/22/2021	By 12:50 hands were starting to swell; chest pain; heart palpitations; pulse felt like her heart was racing very hard; non specific interstitial disease in the right lower lobe that could represent atelectasis aspiration organomia; non specific interstitial disease in the right lower lobe that could represent atelectasis aspiration organomia; blood pressure was up; throat felt like it was starting to tighten; eyes itchy; eyes itching much worse; This is a spontaneous report from a contactable consumer (patient). A 61-year-old female patient received BNT162B2 (COMIRANTY; Solution for injection; Lot number and expiration date: unknown), via an unspecified route of administration in left upper arm on 22Apr2021 12:10 (at the age of 61-year-old) as unknown single for COVID-19 immunization. This report was not related to a study or programme. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Adverse events following prior vaccinations was first time had flu shot made her very ill, next year doctor suggested she should just have half of a shot instead of full shot to see if she tolerated it and she was able to tolerate that. She had not any other problems with flu vaccines in general. Some of the other vaccines, she was just supposed to take Benadryl with them because of some of the filler ingredients people put in things. She had previously had the 1 dose shingles vaccine, but she had gotten probably shingles probably a couple of months after that so they encouraged her to get the 2 part shingles vaccine at a later date and told her to do the pre-medicate routine like Benadryl day before, day of and at least 2 days after shingles vaccine doses and if any major problems call for help. She did not have a noticeable problem from the 2 part shingles vaccine. Some of the times depends on what filler ingredients people use. She was allergic to nutmeg which was used as an emollient oil or it's called Myristicin something or other oil; if something has too high a dose of mannitol it can cause a problem. She has a very long list of allergies and high sensitivities; if it was a high enough sensitivity it goes in allergies list, even though it may not be a true allergy. Family has lots of allergies. Regarding prescribed indication additional details: She had 3 doctors who initially advised her to get the vaccine including her primary care physician, oncologist and haematologist; this was because she was a high risk person because of

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

various health issues. Her haematologist 2-3 months ago when she had her last appointment with him he was saying to get the shot and prescribed the epi-pen at that time; no one was having it yet, but he expected she would have some sort of reaction to it not able to be covered by Benadryl alone. Medical history included ongoing platelet disorder Verbatim: Unidentified platelet disorder, Lots of allergies, cardiac murmur, ongoing asthma, osteoarthritis, glucose tolerance impaired, hypoglycaemia slow thyroid and back and neck pain. Concomitant medication(s) included diphenhydramine hydrochloride (BENADRYL) taken for hypersensitivity (50mg taken as needed), cetirizine hydrochloride (ZYRTEC [CETIRIZINE HYDROCHLORIDE]) taken for hypersensitivity (10mg daily), fluticasone propionate, salmeterol xinafoate (ADVAIR) taken for asthma (250/50 twice daily), levothyroxine sodium (SYNTHROID) taken for hypothyroidism (137mcg-1 tablet daily), methylphenidate hydrochloride (RITALIN) (20mg tablet twice daily), salsalate, colestyramine (QUESTRAN LIGHT) (2-500mg tablets 3 times daily), sucralfate (CARAFATE) (1mg tablet 4 times daily-dosage verified with caller as milligrams and captured as provided), loperamide hydrochloride (LOMOTIL [LOPERAMIDE HYDROCHLORIDE]) (2.5/0.25 takes 2 tablets of that 4 times daily), calcium carbonate (CALCIUM OYSTER SHELL [CALCIUM CARBONATE]) (Alternates dose of 500mg and 1000mg on days takes Vitamin D), vitamin c [ascorbic acid] (VITAMIN C [ASCORBIC ACID]) (250 mg), vitamin D (50,000 units every other day taken), vitamin B12 (1mg injection every 14 days), clonazepam (KLONOPIN) (2-1mg tablets at bedtime), montelukast sodium (SINGULAIR) taken for asthma (10mg tablets at bedtime) and cefixime (FLEXERIL [CEFIXIME]) taken for back pain, neck pain (10mg tablets 3 times daily as needed). On 22Apr2021, Onset time: She had a note saying her eyes itchy at 12:20, but they were itching before that because she waited long enough to report it; so onset time was less than 10 minutes when her eyes started itching. Then her pulse; she could feel chest pain; heart palpitations; pulse felt like her heart was racing very hard. They did check her pulse while she was in their initial observation and her pulse was only in the 70s, but oxygenation was at 96%.When at doctors office less than 1 hour before that reading, oxygenation was at

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

98%. Recorded at 12:30 eyes itching much worse, throat felt like it was starting to tighten, heart felt like it was starting to race. By 12:50 hands were starting to swell. She had already been pre-medicated with Benadryl before this before she went down to get the Pfizer Covid-19 Vaccine, she had Benadryl in her system. She had that same morning with her morning meds had taken Zyrtec and Benadryl in anticipation of getting the possibility of getting the Pfizer Covid-19 Vaccine because she has to pre-medicate for vaccines just in case she starts to react in anyway. History of all previous immunization with the Pfizer vaccine considered as suspect was none. Additional Vaccines was not administered on same date of the Pfizer Suspect. Emergency Room taken from the location where vaccine administered-they gave her Pfizer Covid-19 Vaccine shot had her sit for basic observation then sit for extended observation. In that time period telling them her symptoms were going on, increasing. They gave her another 50mg Benadryl even though she had already had 1 before and then called emergency room, took her down, left her in waiting area even though she had heart and chest palpitations. Physician Office seen prior to event on 20Apr2021, seen after event 27Apr2021. Primary Care Physician didn't hear anything in lungs either visit. Not admitted to hospital; seen in emergency room, theoretically she got treated; however her basic blood pressure and stuff even with what they were doing was higher than when she was triaged in the ER; blood pressure was up and something else, oxygenation level moderately reduced from when she came down to when she was just let go; however her symptoms were worse when she was leaving than when she got there. She knows what they gave her while she was there was IV of normal saline, solumedrol and IV Benadryl. Thinks they later gave her Tylenol tablets. Finally got them to do an EKG because kept saying her chest was getting worse but that was several hours after she was back there even though came there having chest pains. In her opinion this hospital was not taking reaction seriously. Not admitted to hospital even though symptoms were worse and blood pressure higher on discharge, well above her normal levels. Currently trying to get them to explain why they took so long to do anything for her. Finally did a chest x-ray on 22Apr2021: discharge papers say abnormal x-ray

VAERS\_ID RECVD STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

and they gave a couple of different possibilities as to what that might be so Primary Care Physician wrote a prescription to get a follow-up chest x-ray to make sure that everything is fine and back to normal and not ongoing or progressing or anything because they gave some strange things: what their impressions were: findings: there is non specific interstitial disease in the right lower lobe that could represent atelectasis aspiration organomia. It says the left lung appears clear; cardiomedialastinal silhouette is within normal limits; impression restates non specific right findings there is non specific interstitial disease in the right lower lobe that could represent atelectasis aspiration organomia. This was from front and lateral views of the chest x-ray at 19:00pm 22Apr2021. 2 ECGs: She guesses this is what they call EKG not, relevant point is that in the notes there for the records: Says abnormal ECG compared with blah blah blah, hard to find when exactly they wrote this, trying to get the exact wording for each of the two. Machine results CED, which caller explained is what they call themselves now instead of ER, notes for MD interpretation; one done at 17:53 , other at 21:32. They both say there was slightly different readings, however both say abnormal ECG. One of the wordings that is in both. She had no further details to provide regarding relevant testing/investigations. She had to be in the ER back in the room for several hours before they would do the EKG and that's only because she said I have chest pain and standard procedure is to do an EKG, had been back there for hours, they had done no tests, the only thing they did was basic blood panel, had not done a troponin or heart enzymes test, had not done EKG that's why she knows they were not taking her seriously at all; if someone says chest pains and you don't do anything in the standard protocol they are not taking you seriously. On this Monday, 2 days ago she had gone down to pick up the records from the ER to go to Primary Care Physician appointment 27Apr2021, finally actually got to speak to someone who said they would get back to her on 27Apr2021 to look into why the EKG tests were not done for someone having chest pains. That's one of the first things you do for someone having chest pain, no matter what the source. Frustrated with them because they're still not communicating back, they had not taken her seriously while she was there; unknown if they were

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

actually going to be reporting, as they were still trying to convince her to get the second dose of Pfizer Covid-19 Vaccine. If she reacted to the first dose in first 10 minutes, second dose could be much more of a reaction. With the amount of anti-histamines in her system with Benadryl and Zyrtec and she was still starting to react in under 10 minutes. It's possible to be one of the inactive ingredients but she doesn't see anything in the pamphlet provided that she could identify at first glance as being the culprit to the problem other than 2 possibilities: potassium chloride and other is monobasic potassium phosphate. There is a possibility of her having a reaction to those because she was known to react to certain potassium products; sometimes it was the inactive ingredients. She definitely would have wanted to get the second part of the Pfizer Covid-19 Vaccine series until after she was not getting the medical attention she needed after reaction to the first dose. Because ideally you're supposed to have it at the same location, that just made her very nervous at the prospect of worse reaction at location that did not take her serious the first time. She was a big fan of Pfizer thought they do a great job; she had not known it was a 2 parter, not that it should make much difference. When her Primary Care Physician was saying second dose of Pfizer Covid-19 Vaccine was out of the question and she had been saying to people that she did not think it would be prudent to take the second part, they kept trying to say oh you need to get the second part, talk to so and so so they can convince you to get it, and doctor is going no. She reacted to ringers lactate or lactated ringers whatever the name is, her retired nurse sister sat and watched her getting some ringers lactate prior to surgery for her tear duct and saw her starting to break out in red splotches, patient said she was itching. Action taken in response to the events was drug withdrawn. The outcome of the events was reported as unknown. No follow-up attempts are needed; information about lot/batch number cannot be obtained.



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1316293	5/14/2021	WA	31	M	4/23/2021	4/26/2021	Woke up 2 days after vaccine and had tingling pins and needles throughout all my extremities. Massive tension headache and pressure behind eyes and sinus that has lasted so far for 3 weeks, tinnitus, blurred vision, joint pain, muscle weakness, muscle twitching in face and throughout body, numbness in all my limbs, burning sensations on my neck and back, stomach pain, and heart palpitations that sent me to the ER. When I walk and move my arms I feel weak. The vaccine has effected my nervous system in a terrible way. The ER doctor, ENT, PCP, Optometrist, and Opthamologist told me it was inflammation due to the vaccine. I was prescribed 6 days prednisone, 40mg for 2 days then taper down and they put me in a "let's wait and see" mode. All symptoms have persisted since. I follow-up with a cardiologist on 05/14/2021 and waiting appt for a neuro ophthalmologist.
1316329	5/14/2021	TX	50	F	4/13/2021	4/13/2021	Fever 102.7 for three days, chills, lethargy for a week, bad muscle aches, dry mouth and eyes, very bad headache, stuffy nose, cough, nausea, skin very sensitive like a sunburn, sharp pains at spine, , chest tightness, some symptoms continue today... a month later. I was way sicker from the vaccine than from actually having COVID.
1316338	5/14/2021	OH	30	F	5/10/2021	5/10/2021	102 degree fever, worst headache ever experienced, chills, nausea, inability to eat, fatigue. all occuring simultaneously from may 10 at 10pm to may 13 at 3pm at 3pm on may 13 symptoms shifted to extreme dizziness, nausea, and inability to sit, stand or raise arms in lying position without feeling overwhelming sensation of being about to faint or black out. vision tunnels from standing longer than one minute. this is ongoing as of writing this may 14th.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1316346	5/14/2021	CO	37	M	4/1/2021		<p>HEAD PRESSURE; HEART PALPITATIONS; FEELING OF A RUSH TO THE HEAD AFTER EATING; DRY EYES; RINGING IN THE EARS; MYALGIA; GI ISSUES LIKE BUBBLING STOMACH; FATIGUE; STIFFNESS IN THE NECK/ MUSCLE TIGHTNESS IN THE JAW; DROOPING RIGHT EYE LID; CHEST PRESSURE; ANXIETY; DIZZINESS AFTER GOING FOR A WALK; HEADACHE; This spontaneous report received from a patient concerned a 37 year old male. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 042A21A, and batch number: 042A21A expiry: UNKNOWN) dose was not reported, administered on 07-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 2021, the subject experienced dizziness after going for a walk. On 2021, the subject experienced anxiety. On 2021, the subject experienced headache. On APR-2021, the subject experienced drooping right eye lid. On APR-2021, the subject experienced chest pressure. On APR-2021, the subject experienced stiffness in the neck/ muscle tightness in the jaw. Laboratory data included: Blood test (NR: not provided) NOT REPORTED. On 07-APR-2021, the subject experienced fatigue. On 08-APR-2021, the subject experienced gi issues like bubbling stomach. On 09-APR-2021, the subject experienced myalgia. On 18-APR-2021, Laboratory data included: Blood test (NR: not provided) did not find any specific signs causing his symptoms, and CT scan (NR: not provided) did not find any specific signs causing his symptoms. On 25-APR-2021, the subject experienced ringing in the ears. On 26-APR-2021, Laboratory data included: Blood test (NR: not provided) also found nothing unusual. On an unspecified date, the subject experienced head pressure, heart palpitations, feeling of a rush to the head after eating, and dry eyes. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from gi issues like bubbling stomach, feeling of a rush to the head after eating, and dizziness after going for a walk, had not recovered from fatigue, myalgia, head pressure, heart palpitations, chest pressure, anxiety, and ringing in the ears, and the outcome of dry eyes, stiffness in the neck/ muscle tightness in the jaw, drooping right eye lid and</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1315986	5/14/2021	CA	24	M	5/13/2021	5/13/2021	<p>headache was not reported. This report was non-serious.; Sender's Comments: V0: Medical assessment comments not required as per standard procedure as the case is assessed non serious.</p> <p>On Thursday May 13th, 2021, patient arrived to receive his first Pfizer vaccination. Patient was vaccinated and sent to the observation area. At 1342, the patient stated, "I feel dizzy, like I might pass out," to EMT observer. EMT observer immediately assisted the patient to the gravity chair. The patient's vital signs were taken: BP 110/72, HR 84, RR 15, oxygen saturation at 96% . The patient was alert and oriented to person, place, time, and situation. The patient was given water and stated, "I feel so much better after sitting in this chair." No loss of consciousness or syncope occurred. The patient was given a bottle of water. Co-lead, assessed the patient, who was alert and oriented to person, place, time, and situation, was in no apparent distress, and was speaking in full sentences. No pallor or diaphoresis was observed. Vitals were taken at 1347: BP 108/70, HR 63, RR 14, oxygen saturation at 99%. The patient took off his mask to reduce anxiety. Denied any history of fainting. or having any known drug allergies. Vitals were retaken at 1352: BP 120/68, HR 63, RR 14 ,oxygen saturation at 98%. The patient was offered a granola bar but denied it, as he ate around 1230. Patient denied any shortness of breath, blurry vision, lightheadedness, dizziness, itching, nausea, or facial flushing. The patient stated, "I feel totally fine." Vitals were retaken at 1357, BP 120/70, RR: 14, HR 63, and oxygen saturation at 98%. Notified patient to inform the vaccinator about his reaction when returning for his second Pfizer dose. Vital retaken at 1402, BP 125/ 68, RR 14, HR 63, 98% oxygen saturation. The patient felt comfortable to drive home and left the site at 1405. The patient left the site with an even and steady gait.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1318574	5/14/2021	ME	18	M	5/14/2021	5/14/2021	The patient fainted approximately 3 minutes after receiving the vaccine. I caught him before he fell out of his chair, and he regained consciousness within about 5 seconds of me tapping on his shoulder. We got him some water immediately and he was able to speak to me, but he continued to nod off in his chair over the next couple minutes. We got him to lay on the floor with his legs elevated and a damp cloth across his face. As soon as he made it safely to the floor he had fully regained consciousness and held a conversation with me. I had him stay on the floor in that position for about 10 minutes. When he felt like he had his full strength back he went back to his chair and sat there for another approximately 10 minutes and continued to drink his water. At that point I let him walk around the area with my supervision and he still felt strong so he left the pharmacy.
1317831	5/14/2021	KS	15	F	5/13/2021	5/13/2021	Pt. sitting with mother and sister in observation area. Mother signed for assistance. Pt reported feeling hot and having blurred vision. Able to state name throughout event. Pupils dilated, skin hot. Pt instructed to remove mask and breath deeply, cool pack applied to back of neck. After several minutes patient reported vision retuning to normal. Patient incontinent during episode. Pt transferred to private room. Water, peanuts, and fruit snacks provided. Sister very tearful and anxious. Water and snacks provided. Family remained 30 minutes. Verbalized feeling okay, reported slight headache. Mother made appointment for patient to see pcp today, family left clinic.
1317840	5/14/2021	IL	16	F	5/14/2021	5/14/2021	Right after patient received the vaccine she turned very pale and told the technician she felt light headed. She remained seated in the room and closed her eyes a couple times but never appeared to lose consciousness. Her dad joined us in the room and confirmed she was really nervous before the vaccine. We kept her seated for several minutes and then she said she felt sick and vomited. After that she started to regain her color and was able to move to the waiting room. She sat there for about 5 more minutes and then felt well enough to leave with her dad.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1318016	5/14/2021	WI	32	M	5/14/2021	5/14/2021	Patient received a Johnson & Johnson vaccine today. Shortly afterwards while waiting in pharmacy area, we were alerted that the patient was unresponsive by his wife. Immediately responded to patient. Code white called and management responded. Tried to get him to wake up, he opened his eyes but immediately closed them again. I attempted to keep him alert and eyes open. This proceeded to go on for several minutes. Ice packs were placed on neck and wrists. Feet elevated. Once patient was alert and oriented, water was provided and patient was instructed to take small sips. Patient was kept in pharmacy area for additional 15 minutes once he was back to normal. Patient stated that when he passed out, he felt tired, couldn't see or hear.
1318046	5/14/2021	CO	65	M	4/5/2021	4/27/2021	Per report from family, pt had been feeling unwell for 3-4 weeks prior to event on 4/27 where he collapsed and suffered a cardiac arrest. No interventions were performed until EMS arrived 10-15 mins later (again, per family report). Pt was revived following CPR, and suffered a 2nd episode of cardiac arrest (possible in the ED). Pt was noted to have PEA at that time. Pt was intubated and vented in ICU. Pt was cooled x24 hours (unsure of protocol name) and rewarmed over 24 hours more. Pt was weaned from all paralytics, etc. Per RN reports, pt failed all neuro tests except R eye went from 3 > 2 mm (4/29 +). Pt was transitioned to comfort care on 4/30 and passed within 5 minutes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1318057	5/14/2021	CA	57	F	4/7/2021	4/8/2021	The first thing that happened, 4:30 pm the following day, extremely nauseated and starting throwing up (I was driving and had to pull over) and felt super dizzy which was vertigo. Drove home, had severe diarrhea , chills, fever. My arm swelled up and hurt. My lower back was in severe pain. My upper right back thigh - between the buttocks and knee had a horrible pain in it. Very severe pain and it started radiating down my calf muscle and then to the front of shin. Stayed for days on the back of my thigh in my right leg. I continued having very severe vertigo. I would have to run and throw up if I tried to move or go back to bed. The nausea never went away. That was lasted for 8 days. I went to my doctor's office - I drove to the office - they moved all the doctor's across town for Sutter and I couldn't make it before they closed and I had to go home. I couldn't make it. Just driving there was impossible - It was really bad. Didn't have a doctor visit at all then. The dr. prescribed a medication for vertigo. The pharmacist said to buy the OTC medication for vertigo so I bought it but it didn't help. That made me doped up and sleepy but still nauseated. I got a spike behind my ear on the right hand side of head - in that little pocket - headaches would come there. I still have weird vertigo and dizziness - intermittently- although I always have a dull nauseous feeling. Every now and then I have to run and throw up - it's like my body is tired of feeling dizzy. Flying in the airplane - looking out the window - made me super nauseous - so I had to close my eyes and not look at anything. Still have the nausea and vertigo. I have mild dull headaches still. Did have golf ball size lump on arm and couldn't raise it but now it's gone.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1318162	5/14/2021	CT	37	F	4/12/2021	5/11/2021	Kaleidoscope vision twice, followed by 5-10 minutes of severe confusion and inability to remember words and son's date of birth. The fogginess with feelings of a headache coming on for about an hour afterwards. I was working out (as I do 3 times a week with weight training) when the kaleidoscope vision came on, but I didn't initially feel any other effects and since it went away within 5-10 minutes, I continued with my workout. When I was driving home, it returned and the episode of confusion occurred as soon as I reached my home. I went to the ER after looking up symptoms following the confusion and decided to get checked out since a mini-stroke seemed possible. I have no history of migraines or other health conditions. At the ER, they ran some bloodwork, but I have not received the results of those tests. They also performed a CT scan and said that looked clear, but I have not seen any official results for that either. I have also been advised by a physician that a CT scan won't show signs of a stroke and that I should have received an MRI. I will be following up with a PCP to request an MRI and will provide those results when I have them. I have had one other episode of the Kaleidoscope vision since the original event, and I was sitting down watching a movie at the time. It went away within the same 5-10 minutes and I had what felt like a mild headache coming on, but no other symptoms. And I have never had any migraines or regular headaches/vision events such as these before.
1317793	5/14/2021	NC	65	F	5/6/2021	5/6/2021	Eyes itching, throat swelling, tongue thickness, facial swelling & itching on 5/06/21 On 5/08/21, approx 4:30pm. Wave of pain top of neck spread over my head. Immediately throat swelling, tongue thickening, slurred speech, left side face numbness & tingling. Called 9-1-1. Approx 3:30 am, wave of heat over my head; face & left arm felt so heavy like I couldn't move. Numbness to left face, eye & my tongue. There has been and continues to be a metallic taste in my mouth.
1318529	5/14/2021	WA	26	F	5/14/2021	5/14/2021	Patient fainted in waiting area after receiving immunization. Patient experienced visual disturbances seeing black spots, left sided chest pain, and arm tingling. Checked patient blood pressure, elevated her legs, applied cold ice pack behind her neck. Called 911 and paramedics arrived on time.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1318210	5/14/2021	MA	15	F	5/14/2021	5/14/2021	Nausea, blurred vision, pale skin, blue-colored lips
1318590	5/14/2021	PA	55	F	5/6/2021	5/7/2021	Seizure, involuntary muscle spasms, fatigue, nasal congestion, eye swelling and feeling out o it
1318625	5/14/2021		14	M	5/14/2021	5/14/2021	BLURRED VISION, HYPOTENSIVE, PALE SKIN. EMS TOOK VITALS , NO HX OF VASOVAG. -CLEARED BY EMS.
1318919	5/14/2021	CA	15	M	5/14/2021	5/14/2021	PATIENT RECEIVED PFIZER COVID VACCINE AND WENT TO WAITING AREA. PATIENT COMPLAINED THAT HE FELT FAINT. PATIENT DIAPHORETIC AND SHAKING. CLOSED EYES. APPEARED TO LOSE CONSCIOUSNESS FOR ABOU A MINUTE. GAVE PATIENT COLD WATER. PATIENT REVIVED QUICKLY. MOVED HIM FROM CHAIR TO WAITING AREA TO LAY FLAT. HE WANTED TO RISE TO HIS FEET WITHIN MINUTES. PATIENT'S MOTHER IS PHYSICIAN AND WAS ON PHONE WITH FATHER ACCOMPANYING HIM.
1318931	5/14/2021	DE	23	M	5/14/2021	5/14/2021	Pt scheduled and appt for J&J vaccine and it was administered by LPN in his left arm. Pt waited in observation for 5 minutes and reported he felt dizzy. Pt loss consciousness while sitting in his chair. Nurse repeatedly called patients name with no response . Charge Nurse was called for assistance . Charge Nurse administered a sternal rub and patient woke up . Pt was able to state his name , DOB and location . Pt reported that he lost his vision , with a headache and everything was black. Laid patient in first aid area on a cot and took patients vitals which were WNL. After lying down for 15 min patients vision returned. Pt stated he walked 25 min in the sun to the vaccination clinic and only had 1 meal for the whole day. Pt was monitored for an additional 30 minutes , drank water and was provided some crackers. Pt refused EMS services and just wanted to lie down . medial director was notified immediately of the incident and felt comfortable releasing the patient to walk back home on his own . Patients Vitals were rechecked and within normal limits . Pt left after 45 minutes



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1317200	5/14/2021	CT	49	M	5/13/2021	5/14/2021	He got the vaccine, He felt as if he was breathing shallow on the bus to get to work, within 15 minutes of the vaccine. He came home and collapsed due to the fatigue which is not normal for him. About 12 hours later his throat got scratchy, achy but doable. He went to work and had to leave early due to flu-like symptoms, felt feverish. Really bad aches now, and his breathing and heart rate are elevated right now. Achy-like headaches. He did take some Ibuprofen 800 mg and seems to be helping. He has had the typical soreness of getting the vaccine in the left shoulder, but otherwise ok. He also has a stuffy nose, scratchy throat and his eyes are a little red and glassy. He was directly exposed to somebody for 25 hours that was positive for COVID, but nobody else in the car got COVID in January.
1317087	5/14/2021	CO	42	F	5/6/2021	5/9/2021	Hospitalized for severe vertigo, nausea and disrupted eye sight. Dizziness and tinnitus continuing past hospital stabilization.
1318223	5/14/2021	CA	34	F	4/30/2021	5/8/2021	Per patient, developed Shingles after injection. Pt went to urgent care, Urgent care Doctor diagnosed with Shingles and provided treatment for Shingles - Acyclovir. Pt said that shingles occurred on left side of face and swelling was so bad that it swelled shut her left eye.
1317265	5/14/2021	CA	38	M	5/11/2021	5/11/2021	Ten minutes after receiving my 1st dose I passed out and hit my head on the floor! Causing multiple bruises on my face and head! I was unconscious for 30 seconds, and while unconscious my eyes started to role to the back of my head. When I became alert I was on the floor and I couldn?t breathe! While on the floor gasping for air I vomited twice! 911 was called and an EKG was done on site! It showed that my heart rate was low, and I was transported to hospital ER department. Multiple test were done on me and everything came back perfect! No high blood pressure, not a diabetic, and no Permanent head damage.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1318245	5/14/2021	ME	14	F	5/14/2021	5/14/2021	After about a minute or so, Pt. felt pretty warm/hot in the room and started saying that she could not see/vision was blurry and she started turning pale/yellow. The room was stuffy so we moved from the vaccination room to the waiting room but the symptoms (vassalage syncope) seemed to progress so we brought her into the pharmacy where there was enough room for her to lie down. We had a fan run directly on her & within a few minutes the EMTs were present and they checked her out initially & they decided to bring her to the ambulance & checked her vitals. They asked her mom if she wanted to bring her to the hospital as her vitals were all normal. Mom decided to bring her just in case to make sure everything was okay and get her checked again as a safety precaution/parental concern.
1317249	5/14/2021	NJ	18	M	5/14/2021	5/14/2021	After the vaccine patient complained about change in vision not able to see things, sweating ,dizzy. As per patient request called 911.By the time ambulance came patient felt better and did not want to go to hospital . As per patient he felt okay after 20 minutes or so..
1317765	5/14/2021	MI	44	M	5/10/2021	5/10/2021	1 hour after shot started sweating along with blurred vision and light sensitivity from outdoor to indoor. 4 hours after chills and mild to medium headache with fever 101.5 along with joint and muscle aches. Also my chest felt heavy with no breathing problem. Headache lasted for about 24 hours. Fever and chills lasted for about 60 hours after shot. Joint and Muscle pain lasted 72 hours. Blurred vision last about 18 hours with sensitivity to light. Took tylenol fever reduces to 99.7 - 100.4 After 72 hours body felt normal
1317398	5/14/2021	CA	15	M	5/13/2021	5/13/2021	Blurry vision. BP 114/60; HR 78; RR 16. Pt stable & released from vaccination site
1317399	5/14/2021	PA	79	F	5/13/2021	5/13/2021	Patient became asphasic and was unable to keep her eyes open approximately 5 minutes after injection. Placed on stretcher, vital signs stable. Epi pen injected into her left thigh. Started to complain of chest pressure approximately 25 minutes after epi, ambulance called. Triaged by EMS and taken to ER

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1317411	5/14/2021	WI	17	M	5/14/2021	5/14/2021	<p>Patient was the 4th person to receive today's vaccine of Pfizer. This was his second dose. He did fine the first dose. Patient sat down in the chair and rolled sleeve up. Chose L deltoid for injection site. He was talking with a friend and writer gave injection. Placed band aid. Patient was quiet and looked like he was going to get up but fell forward out of the chair. He hit his L forehead on side of wall. Writer caught patient and sat him up on the ground. Eye's were dilated, he was diaphoretic, zoned out and not responding initially to voice, but eyes were open. Eventually got patient up to a wheelchair and taken to office area to lay down and monitor. Father was notified and sat with us after he arrived at the school. Patient drank 1 full 120cc orange juice and approximately 6oz of water. Throughout monitoring patient gradually felt better. Pupils corrected to normal, wasn't diaphoretic anymore, and vitals improved. He stated this has happened before with lab draws and shots, but not this severe. Writer and colleagues informed him to notify people that are going to give him shots or lab draws about his history. Also informed him to notify his teachers if he feels anything out the ordinary for the rest of the day. Make sure he hydrates. Patient then sat up and walked in the room. He stated he felt fine like before getting the shot. Patient left stable and under his own power.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1317414	5/14/2021	ID	17	M	5/9/2021	5/9/2021	<p>17yo otherwise healthy male presents to clinic for worsening cough, runny nose congestion, and sweats starting 4 days ago. He received the COVID vaccine 5 days ago in the afternoon and initially had what he expected to be normal side effects from the vaccine that evening. Symptoms included body aches, runny nose and general malaise. However, over the last few days he has felt worse and developed more congestion, cough, and sweating. He did improve a little bit 2 days ago but then started to feel worse yesterday and had a worsening cough that is resulting in some chest tightness. Cough is productive sounding. Mom describes it as barking. No appreciable wheezing but he sounds hoarse. He has some SOB after coughing repeatedly. He states it simply feels like it is hard to breathe for 10-20minutes after a coughing attack but then it resolves. He developed sweating yesterday as well. He states he will just start sweating for no reason. No measured fever. No chills. Today he has dried skin and cracked lips from blowing/wiping his nose all the time. No fevers. No vomiting. No diarrhea. No numbness/tingling. No redness/swelling at injection site. No rashes. No HA.</p> <p>EXPOSURE: No one at home is sick, No known exposures prior to vaccine</p> <p>CHRONIC: None, no hx of asthma or allergies, hx of eczema.</p> <p>PCP: None UTD on imms. Vitals: Wt 163.4, HR 60, RR 18, Temp 97.8, O2 sat % 98</p> <p>Past Results: Examination: GENERAL</p> <p>APPEARANCE: alert, no acute distress, non-toxic, mildly diaphoretic, talking and cooperating throughout exam, sitting comfortably on exam bed, able to talk in complete sentences.</p> <p>HEAD: no visible lesions or abnormalities.</p> <p>EYES: no eye, eyelid, or orbital abnormalities identified.</p> <p>EARS: BILATERAL TMs pearly gray without erythema, effusion, or purulence; EAC with normal amount of cerumen bilaterally, no mastoid erythema or tenderness.</p> <p>NOSE: patent nares, congested, clear rhinorrhea.</p> <p>MOUTH/THROAT: moist mucous membranes, uvula midline, mild pharyngeal erythema without tonsillar exudate, no soft palate lesions, no trismus, no soft palate swelling or erythema, no difficulty swallowing or drooling.</p> <p>NECK: supple, non-tender, FROM.</p> <p>CHEST: normal shape, good expansion, no visible lesions/abnormalities, no tenderness, no retractions, no</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

grunting, no stridor. HEART: no murmur, RRR. LUNGS: clear to auscultation, prior to administration of inhaler, diffuse wheezing and rhonchi throughout, post inhaler, improved air movement with focal rales in RIGHT poseterior middle lung field around T5. ABDOMEN: soft, no tenderness, no masses palpated, normoactive bowel sounds, non-distended. NEURO: alert, non-focal exam. SKIN: warm, dry without rash, petechiae, or purpura. Pneumonia of right middle lobe due to infectious organism Start Albuterol (Eqv-Proventil HFA) aerosol, 90 mcg/inh, 2 puff(s), inhaled, every 6 hours, 30 day(s), 1 Start amoxicillin tablet, 500 mg, 2 tab(s), orally, 3 times a day, 10 day(s), 60 Imaging:XR CHEST 2 VIEWS PA AND LAT Notes: History and exam are consistent with Community Acquired Pneumonia. CXR final read indicates RIGHT middle lobe bronchopneumonia. Suspect that pneumonia is unrelated to COVID vaccine. Pneumonia is an inflammation of the lungs caused by infection. Antibiotics are used to treat bacterial pneumonia. Other medications may help improve breathing and relieve symptoms in bacterial and viral pneumonia. Start and complete entire course of antibiotics. Increase fluids and rest as much as possible. Patient informed to return if not improved or go to ER if worsening symptoms, SOB, or increased chest pain. Should be rechecked in 2-3 days by PCP. Discussed side effects and risks of medications with the patient. Patient expressed understanding and a willingness to participate in the plan. Patient left the UC in a stable condition with all questions answered at this time. Cough Imaging:XR CHEST 2 VIEWS PA AND LAT Notes: Discussed cough in clinic. Will plan to treat with albuterol PRN cough/wheezing every 4-6hrs and Stiolto Respimat 2 inhalations QD after discussion with Dr. First dose of Stiolto given in clinic with improvement in symptoms and improved aeration. Focal findings now appreciable. Discussed close follow-up and when to return to clinic. Will report symptoms to VAERS. All questions and concerns answered and addressed.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1317417	5/14/2021	SC	92	F	4/13/2021	5/9/2021	Cardiac arrest at home Patient found down at home by son; son found patient drooling; initially thought she was sleeping but found her with her eyes open sitting in a recliner unresponsive at home. EMS arrived and CPR was initiated; patient was intubated and transferred to local hospital. CPR was performed approximately 10 minutes. Per family, patient was in normal state of health prior to incident
1317446	5/14/2021		16	M	5/13/2021	5/13/2021	It was reported to this writer that the patient was being escorted by his father to the upstairs post-vaccination observation area when he slumped to the wall midway up the first flight of stairs. He appeared pale and diaphoretic; complained of chest heaviness without pain, and blurry vision. Denied nausea. He was helped to sit down. EMS was notified and came to the scene. Assessed by EMS. Vital signs were WNL and without hypotension. Once he had a chance to sit down he accepted water and juice. Continued to be assessed by RN and EMS. Vital signs continued to be WNL. Medically cleared by EMS to leave the facility.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1317648	5/14/2021	WA	16	F	5/6/2021	5/7/2021	12 hours post vaccine she had severe myalgia, rash on both arms and legs, headache, nausea, stomach pain, and mild swelling in legs. Over the next 48 hours the rash darkened and spread to the entire body causing pain in her skin. The myalgia became nearly unbearable and both Ibuprofen and Acetaminophen didn't put a dent in the pain. One side of her face swelled so that one eye could only partially open. The nausea and stomach pain worsened so that she couldn't eat. Headache became intense. By 48 hours post vaccine she became delirious - her speech was slurred and difficult to comprehend. She would fall asleep for a few minutes and wake up unaware of where she was or what was happening. She never got a fever but did have chills. Around this time I called a relative who is a doctor to seek advice and Diphenhydramine was recommended. Benedryl helped immensely. 30 minutes after taking it she could speak clearly, was more alert, pain became tolerable, and her appetite returned. Symptoms and swelling returned when the Benedryl wore off so she continued taking it every 4 hours for the next two days until it wasn't necessary any more. The myalgia, stomach pain and headache persisted for 7 days. At 8 days post vaccine (today) a mild headache, mild and intermittent stomach pain, and mild fatigue are her only remaining symptoms. Her pediatrician cannot see her until next week but we have an appt for the 22nd.
1317704	5/14/2021	WI	19	M	4/17/2021	4/20/2021	developed chest pressure, taken to ED via ambulance. D-dimer and troponin elevated. CT PE Angio = 5.0 x 3.4 cm soft tissue lesion in the anterior mediastinum which could represent residual thymic tissue although size and convex margins appear greater than expected for age. ECHO = There is mild left ventricular systolic dysfunction. There is mild global hypokinesis. The visually estimated LVEF is 46-51%. The quantitative LVEF based on modified Simpson's method is 51%. CT consulted, sent for bx of mass, on repeat imaging with MRI had decreased in size so bx canceled. Bx of L axillary node = benign.
1317602	5/14/2021	OH	69	F	1/21/2021	1/30/2021	Blurry vision started late January, double vision mid March, diagnosed with myasthenia gravis April 23

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1317588	5/14/2021	FL	36	F	5/14/2021	5/14/2021	Patient had a reaction immediately after the JJ vaccine. Patient passed out for 10-15seconds, her body stiffened up, she felt hot and then cold and started sweating excessively. Patients eyes closed briefly and then opened. Patient then became conscious and was unaware what had happened. Patient is not on any medication and had not eaten all morning. After administering the vaccine a small amount of blood came out. I gave her a cotton ball to apply on the area and to hold. After 20-30 seconds she said she felt faint and hot all of a sudden. Her body then went limp and her eyes began to close. Her body then stiffened up for a few seconds. After shouting her name a few times she regained consciousness and was able to talk. she didn't realize what had happened. Her body was fine again but she had urinated during the episode. Upon speaking to the patient I learnt that she was nervous about the vaccination and she had felt dizzy in the past when giving blood. I observed the patient over the next 45 minutes. Her speech was fine, she was still a little light headed. She was in her seat for 40 minutes, then I asked her to stand and to move a little to see how she was. She was able to walk a bit but then sat down as she still felt light headed. She than sipped on water and continued talking and seemed to get some energy back.
1317498	5/14/2021	FL	24	M	5/1/2021	5/2/2021	Tightness in chest and slight difficulty breathing hours before event. Event was an episode on the toilet including vomiting, diarrhea, dizziness, sweating, slight tingling sensations, and temporary loss of vision (5-6 minutes). Dehydration and headache occurred after the event.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1317497	5/14/2021	CA	56	F	3/3/2021	5/10/2021	Follow up report to first VAERS report (1248256) - Entire (all over) breast tenderness (the nipple tenderness has been there since within a couple day after the vaccine - and that hasn't gone away). Dr said I'm having an inflammatory response to vaccine and they have referred me to a rheumatologist (gave me a referral) - joint pain and itching hasn't gone away at all. (The really bad rash on my neck, upper chest and torso and back on day three - that rash is gone but that tingling and itching of having the rash hasn't gone away.) I'm working still but I'm working from home - so that has been okay - although some days I feel worse then others. I noticed yesterday that my breasts were swollen/lumpiness. Was born with fiber cystic breasts - since menopause that has gotten better but now this feels like it did back then - feels like it did when I was going to start my period. I haven't had a period since five years ago. Eye sensitivity: Normally have dry eyes but it's worsened. I have to put drops in multiple times of day. I literally wake up in the middle of the night with almost a sandpaper feeling in my eyes and have to put drops on them. I have been doing acupuncture - it will be my third time today - it helps with stress and the anxiety from these symptoms. They wanted me to take steroids - I'm trying not to do something like this because I am so sensitive to these types of things.
1317482	5/14/2021	CA	63	F	4/10/2021	4/14/2021	Patient was vaccinated on 4/10/2021, with the Johnson & Johnson (Janssen) Covid-19 Vaccine. On 4/14/2021, patient had a stroke and collapsed, falling on her head & face at approximately 3pm. No signs/symptoms prior to stroke & collapsing. Patient became hospitalized with internal bleeding in her brain and is still unresponsive. 'Unresponsive' in this case is defined as but not limited to: unable to be mobile / stationary in a reclined bed position since the incident / no movement of upper & lower extremities / minimal reactionary response in eyes / unable to ingest food by mouth

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1317742	5/14/2021	WA	16	F	5/14/2021	5/14/2021	Adverse event: PT here for first dose of Pfizer COVID vaccine. PT reported feeling anxiety before vaccination, but indicated that she was ready for her vaccination. Immediately post-vaccination, PT experienced an apparent vasovagal response, presenting with palor, slumped posture. PT's eyes were open, but PT was unresponsive and later reported no memory of events. PT became responsive within 2 minutes, but remained "shakey" and pale. RN was in attendance and provided initial assessment/response. RN also responded to PT. Aid was called at 1251 and EMTs arrived at 1253. Aid assessed PT, took vital signs (1256: BP 104/56 laying, HR 70, SPO2 98% on room air, 1303 BP 110/62 laying, HR 87, SPO2 99% RA, 1307: BP 96/58 sitting, SPO2 99%RA, 1311: BP 106/62 sitting, SPO2 99% RA). Treatment: PT was assisted to lay down on cot, water and juice were provided and consumed, cool compress were provided. Psychosocial support provided. Education to PT and mother to monitor for further s/s and to seek out urgent care if more were noted. Outcome: PT's color improved soon after laying down, PT reported "feeling better" after consuming juice and water. PT sat at edge of cot without difficulty, walked down hallway without difficulty. PT medically cleared by EMS at 1223, exited facility with mother in private vehicle.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1316068	5/14/2021	WI	67	M	3/1/2021	3/1/2021	shingles on his face and around his eye/ has shingles on his eye; eye irritation; This is a spontaneous report from a contactable consumer (patient) and via a Pfizer program. A 67-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration (at the age of 67-years-old), administered in Arm Left on 01Mar2021 09:00 (Lot Number: EN6202) as 1st dose, single for COVID-19 immunization; and ibuprofen, route of administration, start and stop date, batch/lot number and dose were not reported for pain. The patient medical history was not reported. There were no concomitant medications. The patient experienced shingles on his face and around his eye/ has shingles on his eye and eye irritation on Mar2021. The patient requested information on the use of OTC pain relievers like Ibuprofen and the Pfizer-BioNTech COVID-19 Vaccine because he read some articles on this topic and asked how far before would he need to wait to take ibuprofen, he stated: "I'm scheduled for second vaccine tomorrow (29Mar2021, confirmed it is second dose of Pfizer-BioNTech COVID-19 Vaccine. First dose was received on 01Mar2021). I don't take Ibuprofen on a regular basis, only take it when I need it because I have a medical condition causing some pain, last time I took it was the day before yesterday and I won't take any today. Stated he got his first dose of the vaccine on 01Mar2021. Patient stated that he was prescribed the eye drops for shingles on his face and around his eye. They are for the eye irritation. Diagnosed with shingles either this past Monday, Tuesday, or Wednesday; uncertain of which day (unspecified date in Mar2021). He is asking if he can take painkillers after the second dose that because he has shingles on his eye. The action taken in response to the events for ibuprofen was unknown. Therapeutic measures were taken as a result of the events. The outcome of the events was unknown. The events were considered as serious. The second dose scheduled for 29Mar2021. The patient wanted to know if he can take his shot while on these Fluorometholone eye drops. No Prior Vaccinations (within 4 weeks).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1313201	5/13/2021	IL	19	F	5/11/2021	5/11/2021	About 6-7 hours after receiving the vaccine, I started to develop hives around my body, including on feet, stomach, ears, face, back, and legs. I had fever and chills, muscle aches, joint pain, headaches, and nausea later that night as well. The next morning, my left eye was swollen, left side of tongue completely swollen, lips swollen, and left side of throat closed (anaphylaxis). I took prednisone, Benadryl, and Tylenol to relieve the symptoms, and the swelling around my left eye, tongue, throat, and lips went away. Throughout the day, more hives have developed around my body and face, including my right eye. I am continuing to take Benadryl and Tylenol and finish doses of prednisone. The fever and chills, muscles aches, joint pains, hives, headache, and nausea are still present.
1313678	5/13/2021	MA	48	F	4/10/2021	4/13/2021	2 days after 1st shot -both eyes were watery and very itchy, started swelling. Swelled to the point of not being able to drive. Took Benadryl, no change. Went to a clinic and they put me on 6 days of prednisone. Swelling decreased. Took 2-3 days.
1313579	5/13/2021	PA	20	F	5/12/2021	5/12/2021	Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Flushed / Sweating-Mild, Systemic: Hypotension-Mild, Systemic: Visual Changes/Disturbances-Medium, Additional Details: immunization given on 5/12/2021 at pharmacy at approximately 5:25p. about 3 minutes later patient complained of lightheadedness and black spots covering her vision. in an attempt to help her lie down, when patient was repositioning, she went limp and passed out for a few seconds. vitals were checked by rph. 911 was called. patient was cleared and went home on her own record. patient has driver friend

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1313238	5/13/2021	NC	45	F		5/8/2021	ACCIDENTALLY SPILLED SOME VACCINE IN THE EYE AS PHARMACIST WAS DRAWING IT UP; This spontaneous report received from a health care professional concerned a 45 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, ophthalmic, batch number: 052A21A, expiry: UNKNOWN) dose was not reported, administered on 08-MAY-2021 for prophylactic vaccination. No concomitant medications were reported. On 08-MAY-2021, the subject experienced accidentally spilled some vaccine in the eye as pharmacist was drawing it up. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of accidentally spilled some vaccine in the eye as pharmacist was drawing it up was not reported. This report was non-serious.; Sender's Comments: V0:Medical assessment comment not required as per standard procedure as case assessed as non serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1313259	5/13/2021	AZ	77	F			Mild Brain pause; Unable to think clearly; Vision Problem; Pressure in her head; This spontaneous case was reported by a consumer and describes the occurrence of MENTAL IMPAIRMENT (Mild Brain pause) in a 77-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No medical report provided by the reporter. Concurrent medical conditions included Hypertension. Concomitant products included ATENOLOL for Hypertension. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On an unknown date, the patient experienced MENTAL IMPAIRMENT (Mild Brain pause) (seriousness criterion medically significant), THINKING ABNORMAL (Unable to think clearly), VISUAL IMPAIRMENT (Vision Problem) and HEAD DISCOMFORT (Pressure in her head). At the time of the report, MENTAL IMPAIRMENT (Mild Brain pause), THINKING ABNORMAL (Unable to think clearly), VISUAL IMPAIRMENT (Vision Problem) and HEAD DISCOMFORT (Pressure in her head) had resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown. Treatment information was not provided. The rechallenge was positive. This case was linked to MOD-2021-114463 (Patient Link).; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1313280	5/13/2021		37	F	4/23/2021	4/23/2021	-immediate headache 5 min post vaccination -dizziness 10 min post -fogginess and confusion 45 min post - increased mucus 1 hour post -flu-like symptoms in evening (lasted 48 hours) -throat/trachea inflammation 10:00pm with wheezing, felt like throat closing and asthma attack (relieved w essential oil to open airways). (lasted 48 hours) -woke up with swollen lips & eyes and inflammation in tonsils & trachea, coughing, coughing up black mucus, felt like asthma attack and migraine, can't take deep breath (lasted 48 hours) -9:00am took 2 Advil - coughing & flu like symptoms continued -swollen tonsils & closing trachea as if having an asthma attack -enlarged lymph nodes (and above left clavicle) one week post vaccine (lasted almost 2 weeks)
1313289	5/13/2021	IL	32	M	5/12/2021	5/12/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Hypotension-Medium, Additional Details: Patient received vaccine. Had not eaten anything that day prior to vaccination. Said he felt tired and closed his eyes for a minute but lost control of his bladder. Seemed shaky and sweaty. Blood pressure taken was low 90/50 initially at 222pm. Gave patient water and a protein bar. Blood pressure at 238pm 109/72. Blood pressure at 253pm 119/86. Seemed much improved after 30 minutes.
1313566	5/13/2021	TX	42	F	5/11/2021	5/12/2021	Systemic: Visual Changes/Disturbances-Medium
1314221	5/13/2021	OR	70	F	4/9/2021	4/27/2021	Patient got small blood clot show on skin 4 days after shot, it went away lighter red in 1.2 week, blood pressure went up and down suddenly. Sunday was fine, Monday the 26 was fine, went to bed at 9:00 PM. Was not able to wake up, went to ER around 8:30 AM on 4/27 AM by daughter call 911. In ER for 28 hour and found out she got stroke. Pnewnewmia. ER gave antibiotic around 3:00 PM, transfer to intensive care, MRI around 7:00 PM 4/27/2021 due to CT scan shown stroke. Lost Vision on right side and parcial on left side due to stroke.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1312642	5/13/2021	NC	84	F	3/1/2021	3/10/2021	My mother had her first Moderna COVID-19 vaccination on March 1st. On March 10th, she suffered a blood clot in her eye that caused the eye to lose vision. Her eye doctor said she is now permanently legally blind in that eye.... I do not know if the blood clot was caused by the vaccine, but I am reporting it in case there is a correlation.
1313595	5/13/2021	CA	48	M	5/12/2021	5/12/2021	Systemic: felt like was about to pass out or faint, but didn't, tunnel vision-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Hypotension-Severe, Systemic: Visual Changes/Disturbances-Medium, Additional Details: at12:12pm pt felt dizzy and faint and was sweating, bp1:12:22pm 117/38 pulse 79, bp2:12:30pm 97/53 pulse 51, bp3: 12:39pm 95/61, bp4: 106/69 pulse 49 at 12:46pm. pt left at 12:50pm advised not to drive had daughter driv ehim home
1313853	5/13/2021	IL	12	F	5/13/2021	5/13/2021	Patient was in observation area and started feeling dizzy with difficulty to see 10 minutes after vaccine administration and decided to go from sitting on chair to sit and then lay down on floor on top of her jacket. Observation room clinic staff noticed and notified RN lead. Patient was attended to and noted that she was alert and oriented c/o dizziness. Patient transferred from floor w/ assist to wheelchair and then to side observation area where her VS were obtained: 0850 BP 79/39. HR 62, O2sat 100%. Mom accompanied patient and stated patient did not eat this morning. Patient given water and crackers. VS 0853 BP 98/56, HR 71 and O2sat 100%. Patient stating that vision is better, continued eating and drinking. VSS 0855 BP 99/64. HR 68, O2sat 100%. Patient stating vision much better and dizzy feeling gone. Patient stood up and did not experience any symptoms, walked to observation room with mom and RN and continued to sit for an additional 10 mins. Patient left with mom at 0915 stating she is back to normal. Encouraged to have patient eat and drink prior to next vaccination appointment.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1313670	5/13/2021		52	F	5/11/2021	5/11/2020	20 min after vaccine reports dizziness and blurry vision she had the same thing with the first vaccine. BP138/78, HR 90, O2 sat 98% respirations/18 /min appears comfortable in cardiac chair c/o being to hot in auditorium. denies SOB no facial swelling lungs clear no hives no CP. reports her lupus is bothering her and her joints. rested for 30 min , remained completely stable all sx resolved with in 5 min . rested in cardiac chair with ice packs felt well upon leaving

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1313062	5/13/2021	NV	68	F	4/8/2021	4/1/2021	<p>passing blood clots from her rectum; blood clots; deathly ill; the lymph nodes underneath the arm swell up / She swelled up on her right side; kind of in the breast/chest area, up a little higher than the breast and it was very uncomfortable; This is a spontaneous report received a contactable consumer, the patient. A 68-year-old elderly female received the first dose of intramuscular BNT162b2 (solution for injection; Lot ER8737 and expiry information not provided) as a single dose in the left arm on 08Apr2021 at 11:00 (at 68-years-old) for COVID-19 immunisation. Relevant medical history included ongoing back problems for which she takes medication. Concomitant medications included unspecified medication for back problems. The patient denied any other vaccines within four weeks prior to this vaccine. The patient reported that she generally gets the flu shot every year and has never had any adverse reactions. The patient also mentioned that she previously tramadol (for an unspecified indication) in the past but has not taken it for years. The patient reported that she received her first dose on 08Apr2021 at (Privacy). The patient explained that within six hours she was deathly ill. The patient reported that stayed very ill for quite a few days. The patient stated when she gets up in the morning, she gets up early and she always goes to the bathroom. The patient stated that on 13Apr2021, when she went to the bathroom, she started passing blood clots from her rectum which went on until 16Apr2021. When describing the blood clots, the patient stated 'envision sunny side up eggs, between six to eight of them, and in between that was all this webbing holding the clots together'. The patient stated while she was urinating, the clots were just pouring out of her rectum. The patient clarified that there was not blood in her stool. The patient explained that she took the opportunity to get some plastic gloves and look through her stool for blood and there was not any. The patient stated that her underwear and the toilet paper was stained. The patient also stated that she was reading that whichever arm you get the vaccine, the lymph nodes underneath the arm swell up. The patient explained that her lymph nodes did not swell up underneath her left arm where she got the shot. She swelled up on her right side. She clarifies she was swollen underneath her arm, kind of in the breast area and chest area, up a little higher than the breast. It was very uncomfortable. The patient</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							denied any visits to the emergency room or doctor's office for the events. The outcome of the event passing blood clots from her rectum was recovered on 16Apr2021. The outcome of the events deathly ill, the lymph nodes underneath the arm swell up / She swelled up on her right side, and was very uncomfortable was unknown.
1313700	5/13/2021	PA	68	M	5/10/2021	5/11/2021	day after vaccination had violent headache. chills, extreme muscular, joint pain, nausea., eyes glossed over, disorientation, dizziness . had weakness in left arm [site of vaccination and left leg .didn't take anything. only ate 2 dry english muffins. day 2. same with marginal relief. day 3 woke up at 4 am with sweats. clothes soaked with sweat. violent diarrhea . at 9 am. still have some disorientation, glossy eyes. afraid to eat because of diarrhea. had 2 , 2 liters of room temperature coke for previous 2 days. now 6 hours later somewhat better feeling.
1313815	5/13/2021	GA	73	F	2/3/2021	2/3/2021	Headaches for about 8 weeks post shot 2. And on March 18, admitted to hospital with eye palsy in 3 rd optic nerve.
1313897	5/13/2021	FL	58	F	5/12/2021	5/12/2021	10PM - LOW FEVER, HEADACHE, BODY ACHES, FATIGUE, RESTLESSNESS 5/13/2021@ 5AM SLIGHT COUGH STARTED; 10AM, SWELLING TO RIGHT EYELID. HEADACHE,BODY ACHES, FATIGUE, LOW GRADE TEMP; 1100- TEMP 99.2 AFTER IBUPROFEN 0900 AND GOODYS POWDER@ 1030
1313663	5/13/2021	MI	38	F	4/7/2021	4/14/2021	Acute multifocal posterior placoid epitheliopathy right > left eye. eye pain and center vision haziness (as if she just got a camera flash in her eye)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1312890	5/13/2021	PA	68	F	2/17/2021	2/19/2021	<p>She is bleeding behind retina so she can't see properly; Clot in retinal branch; She can't see properly; She sees blurry; Light nose bleed; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of RETINAL HAEMORRHAGE (She is bleeding behind retina so she can't see properly) and RETINAL VASCULAR OCCLUSION (Clot in retinal branch) in a 68-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 016M20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No medical history was provided by the reporter. On 17-Feb-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 19-Feb-2021, the patient experienced EPISTAXIS (Light nose bleed). On 22-Apr-2021, the patient experienced VISION BLURRED (She sees blurry). On 29-Apr-2021, the patient experienced RETINAL HAEMORRHAGE (She is bleeding behind retina so she can't see properly) (seriousness criterion medically significant), RETINAL VASCULAR OCCLUSION (Clot in retinal branch) (seriousness criterion medically significant) and VISUAL IMPAIRMENT (She can't see properly). At the time of the report, RETINAL HAEMORRHAGE (She is bleeding behind retina so she can't see properly), RETINAL VASCULAR OCCLUSION (Clot in retinal branch), VISUAL IMPAIRMENT (She can't see properly), VISION BLURRED (She sees blurry) and EPISTAXIS (Light nose bleed) outcome was unknown. Patient started with light nose bleed 2 days after receiving vaccine. Then 2 weeks ago, she developed problem with her eyes. She mentions that she sees blurry. She went to doctor on 29Apr2021 and doctor said that there was a clot in retinal branch and she is bleeding behind retina so she can't see properly. Treatment medication includes: Vastin Injection for the eyes Concomitant medication includes: BP medicine Company comment Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

1312675	5/13/2021	CA					
---------	-----------	----	--	--	--	--	--

			32	M			
--	--	--	----	---	--	--	--

					5/12/2021		
--	--	--	--	--	-----------	--	--

						5/12/2021	
--	--	--	--	--	--	-----------	--

and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

PATIENT REQUESTED TO BE VACCINATED BY FIRST DOSE OF PFIZER BRAND VACCINE FOR COVID 19. VACCINATION HAPPENED AT AROUND 9:39 PM PST. FEW MINUTES AFTER VACCINATION, PATIENT REPORTED FEELING DIZZY. IMMEDIATELY AFTER THAT, HIS BODY STARTED TO EXPERIENCE JERKINGS AND HIS EYES SEEM TO POP OUT. THIS LASTED FOR AROUND 30 SECONDS. PATIENT REGAINED NORMAL STATE OF CONSCIOUSNESS AFTER THOSE 30 SECONDS. HE MENTIONED FEELING FINE. 911 WAS CALLED. PARAMEDICS CAME AT AROUND 10:40 PM. PATIENT WAS CLEARED TO BE NORMAL BY THEM AFTER WHICH HE LEFT THE FACILITY

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1312768	5/13/2021	UT	65	M	4/5/2021		BLEEDING IN EYES; RETINAL TEAR OR DETACHED RETINA; RETINAL TEAR OR DETACHED RETINA; INCREDIBLY PAINFUL INJECTION; REALLY TIRED; This spontaneous report received from a patient concerned a 65 year old white not Hispanic or Latino male. The patient's height, and weight were not reported. The patient's pre-existing medical conditions included no eye problem in the past. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported and batch number: 042A21A expiry: UNKNOWN) dose was not reported, 1 total administered on 05-APR-2021 to left arm for prophylactic vaccination. No concomitant medications were reported. On 05-APR-2021, the patient experienced incredibly painful shot upon administration, immediately the patient was really tired. Three hours after the vaccination, his vision became cloudy and blurry. He then fell asleep. On 05-APR-2021, the patient experienced no peripheral vision. On 06-APR-2021, the patient woke up and had a little improvement in cloudiness but the patient stated that about 20 percent of his vision was still cloudy/blurry. The patient experienced pressure behind eyes, right eye distortion. The patient began to see bright flashes and round floaters. On 06-APR-2021, the patient experienced bleeding in eyes, retinal tear and detached retina that affected the patient's ability to work. On 07-APR-2021, morning, he was then referred to an eye specialist for ongoing eye issues. He went to see physician. He had been back to the eye specialist 2 additional times since then with ongoing eye issues. He had been told he has bleeding in his eyes, a retina tear or detached retina and still no peripheral vision. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from incredibly painful injection on 05-APR-2021, had not recovered from retinal tear or detached retina and bleeding in eyes and the outcome of really tired was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0:20210509138-Covid-19 vaccine ad26.cov2.s-Eye heamorrhage, Retinal tear ,Retinal detachment. These events are considered unassessable. The events has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the events

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1312776	5/13/2021	NY	56	F	3/8/2021		<p>EYE PAIN; SEVERE HEADACHE; FEVER; FEELING THIRSTY; FELT MASSIVE PAIN RADIATING IN BODY AND PAIN IN LEGS AND ARMS; BLURRY VISION AND WHITE CLOUD OVER EYES; FELT LIKE LOSING SIGHT; This spontaneous report received from a patient concerned a 56 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included non-alcohol user, and non-smoker, and other pre-existing medical conditions included the patient did have no known drug allergies and no known health conditions and not on any medications. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805022, and batch number: 1805022 expiry: 25-MAY-2021) dose was not reported, administered on 08-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 2021, the subject experienced felt like losing sight. On 2021, the subject experienced blurry vision and white cloud over eyes. On 2021, the subject experienced felt massive pain radiating in body and pain in legs and arms. Laboratory data included: CAT scan (NR: not provided) couldn't diagnose, Electrocardiogram (NR: not provided) couldn't diagnose, Eye exam (NR: not provided) couldn't diagnose, Lab test (NR: not provided) didn't see any blockage and couldn't figure out, and MRI (NR: not provided) couldn't diagnose. On 08-MAR-2021, the subject experienced feeling thirsty. On 09-MAR-2021, the subject experienced eye pain. On 09-MAR-2021, the subject experienced severe headache. On 09-MAR-2021, the subject experienced fever. Treatment medications (dates unspecified) included: macrogol 400/propylene glycol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from eye pain, blurry vision and white cloud over eyes, and felt massive pain radiating in body and pain in legs and arms, and the outcome of feeling thirsty, severe headache, fever and felt like losing sight was not reported. This report was non-serious.; Sender's Comments: Medical assessment comment is not needed as per standard procedure since case is assessed as non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1312788	5/13/2021	FL		M		5/8/2021	BLURRED VISION; HEADACHE; This spontaneous report received from a consumer concerned a 55 year old male. The patient's height, and weight were not reported. The patient's concurrent conditions included high blood pressure, high cholesterol, back pain, anxiety, non alcohol user, and non smoker. The patient experienced drug allergy when treated with morphine, and tetracycline. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 204A21A, expiry: UNKNOWN) dose was not reported, administered on 07-MAY-2021 for prophylactic vaccination. Concomitant medications included oxycodone hydrochloride/paracetamol for back pain. On 08-MAY-2021, the subject experienced blurred vision. On 08-MAY-2021, the subject experienced headache. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from blurred vision, and had not recovered from headache. This report was non-serious.
1312846	5/13/2021	FL	80	M		3/1/2021	CHANGES IN VISION; HEADACHE; This spontaneous report received from a patient concerned an 80 year old male. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805029, and batch number: 1805029 expiry: UNKNOWN) dose was not reported, administered on 15-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On MAR-2021, the subject experienced headache. On an unspecified date, the subject experienced changes in vision. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from headache, and the outcome of changes in vision was not reported. This report was non-serious. This case, from the same reporter is linked to 20210521409.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1312860	5/13/2021	TN	33	F	3/3/2021	4/9/2021	thought she was suffering from a stroke; anemia; double vertigo; blood clots, thick blood; dissociated; liver spazzed; slurring words; could not speak; possible underlying autoimmune disorder where genetic composition may have triggered this; malabsorption; looked very pale; heart disease; blood pressure was elevated, blood pressure was 190/130, uncontrolled and unspecified hypertension; severe vasculitis on the right side of brain; Thyroid calcification/thyroid had a lot of calcium build up; interstitial markings on lungs/doctor stated looked like COVID lungs; hands were so swollen that could not clench it; face was swollen; electrical shooting pain from the right brain stem of the neck; vision was blurry; stuttering; paranoid; confused; not able to recognize her daughter; hands were very stiff; stomach was bloated/looked 6 months pregnant; lethargic; bile dumps which then leads to inflammation of her intestines; clots the size of golf balls/soaked through a 24 count box of super tampons in 24 hours/period was very bright red; stomach was inflamed; period started 10 days early, which is completely abnormal for her menstrual cycle; severe ovarian pain that was up very high; could feel her hormones whooshing through her veins/foggy head/feeling funky/ felt stoned/ daydream dazes; irritable; migraine; stabbing pain; kidney pain; period pain; lightheaded; pimple in the back of her head; headache; chills; fatigue, tired; fever of 102.6F/fever which lasted another 12 hours; nausea; body aches, muscles started to ache; diarrhea; significant abdominal pain from the cramping due to heaving from the nausea; cramping/lot of cramping in the groin and thigh area; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of CEREBROVASCULAR ACCIDENT (thought she was suffering from a stroke), HYPERTENSION (blood pressure was elevated, blood pressure was 190/130, uncontrolled and unspecified hypertension), CENTRAL NERVOUS SYSTEM VASCULITIS (severe vasculitis on the right side of brain), AUTOIMMUNE DISORDER (possible underlying autoimmune disorder where genetic composition may have triggered this), THROMBOSIS (blood clots, thick blood) and INTERSTITIAL LUNG DISEASE (interstitial markings on lungs/doctor stated looked like COVID lungs) in a 33-year-old female patient who received

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 030B21A and 010A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Gallbladder removal. On 03-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 09-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 09-Apr-2021, the patient experienced MUSCLE SPASMS (cramping/lot of cramping in the groin and thigh area), ABDOMINAL PAIN (significant abdominal pain from the cramping due to heaving from the nausea), DIARRHOEA (diarrhea), PYREXIA (fever of 102.6F/fever which lasted another 12 hours), NAUSEA (nausea), MYALGIA (body aches, muscles started to ache), CHILLS (chills) and FATIGUE (fatigue, tired). On 10-Apr-2021, the patient experienced HEADACHE (headache). On 12-Apr-2021, the patient experienced ACNE (pimple in the back of her head). On 13-Apr-2021, the patient experienced MENSTRUAL DISORDER (period started 10 days early, which is completely abnormal for her menstrual cycle), ADNEXA UTERI PAIN (severe ovarian pain that was up very high), FEELING ABNORMAL (could feel her hormones whooshing through her veins/foggy head/feeling funky/felt stoned/ daydream dazes), IRRITABILITY (irritable), MIGRAINE (migraine), PAIN (stabbing pain), RENAL PAIN (kidney pain), DYSMENORRHOEA (period pain), DIZZINESS (lightheaded), GASTRITIS (stomach was inflamed), GASTROINTESTINAL INFLAMMATION (bile dumps which then leads to inflammation of her intestines) and HEAVY MENSTRUAL BLEEDING (clots the size of golf balls/soaked through a 24 count box of super tampons in 24 hours/period was very bright red). On 14-Apr-2021, the patient experienced LETHARGY (lethargic). On 15-Apr-2021, the patient experienced MUSCULOSKELETAL STIFFNESS (hands were very stiff), ABDOMINAL DISTENSION (stomach was bloated/looked 6 months pregnant), PERIPHERAL SWELLING (hands were so swollen that could not clench it), SWELLING FACE (face was swollen), NECK PAIN (electrical shooting pain from the right brain stem of the neck), VISION BLURRED (vision was blurry), DYSPEMIA (stuttering), PARANOIA (paranoid),

VAERS\_ID RECVD STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

CONFUSIONAL STATE (confused) and MEMORY IMPAIRMENT (not able to recognize her daughter). On 16-Apr-2021, the patient experienced CEREBROVASCULAR ACCIDENT (thought she was suffering from a stroke) (seriousness criterion hospitalization), HYPERTENSION (blood pressure was elevated, blood pressure was 190/130, uncontrolled and unspecified hypertension) (seriousness criterion hospitalization prolonged), CENTRAL NERVOUS SYSTEM VASCULITIS (severe vasculitis on the right side of brain) (seriousness criterion medically significant), INTERSTITIAL LUNG DISEASE (interstitial markings on lungs/doctor stated looked like COVID lungs) (seriousness criterion medically significant), PALLOR (looked very pale), CARDIAC DISORDER (heart disease) and THYROID CALCIFICATION (Thyroid calcification/thyroid had a lot of calcium build up). On 19-Apr-2021, the patient experienced AUTOIMMUNE DISORDER (possible underlying autoimmune disorder where genetic composition may have triggered this) (seriousness criterion medically significant) and MALABSORPTION (malabsorption). On an unknown date, the patient experienced THROMBOSIS (blood clots, thick blood) (seriousness criteria disability and medically significant), ANAEMIA (anemia), VERTIGO (double vertigo), DISSOCIATION (dissociated), LIVER DISORDER (liver spazzed), DYSARTHRIA (slurring words) and APHASIA (could not speak). The patient was hospitalized from 16-Apr-2021 to 17-Apr-2021 due to CEREBROVASCULAR ACCIDENT and HYPERTENSION. On 10-Apr-2021, PYREXIA (fever of 102.6F/fever which lasted another 12 hours) and CHILLS (chills) had resolved. On 12-Apr-2021, MUSCLE SPASMS (cramping/lot of cramping in the groin and thigh area), MYALGIA (body aches, muscles started to ache) and FATIGUE (fatigue, tired) had resolved. At the time of the report, CEREBROVASCULAR ACCIDENT (thought she was suffering from a stroke), CENTRAL NERVOUS SYSTEM VASCULITIS (severe vasculitis on the right side of brain), AUTOIMMUNE DISORDER (possible underlying autoimmune disorder where genetic composition may have triggered this), THROMBOSIS (blood clots, thick blood), INTERSTITIAL LUNG DISEASE (interstitial markings on lungs/doctor stated looked like COVID lungs), IRRITABILITY (irritable), PAIN

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

(stabbing pain), DIZZINESS (lightheaded), MUSCULOSKELETAL STIFFNESS (hands were very stiff), ABDOMINAL DISTENSION (stomach was bloated/looked 6 months pregnant), GASTRITIS (stomach was inflamed), PERIPHERAL SWELLING (hands were so swollen that could not clench it), SWELLING FACE (face was swollen), NECK PAIN (electrical shooting pain from the right brain stem of the neck), VISION BLURRED (vision was blurry), DYSPHEMIA (stuttering), PARANOIA (paranoid), CONFUSIONAL STATE (confused), MEMORY IMPAIRMENT (not able to recognize her daughter), PALLOR (looked very pale), CARDIAC DISORDER (heart disease), MALABSORPTION (malabsorption), ANAEMIA (anemia), VERTIGO (double vertigo), THYROID CALCIFICATION (Thyroid calcification/thyroid had a lot of calcium build up), GASTROINTESTINAL INFLAMMATION (bile dumps which then leads to inflammation of her intestines), LETHARGY (lethargic), ACNE (pimple in the back of her head), DIARRHOEA (diarrhea), DISSOCIATION (dissociated), LIVER DISORDER (liver spazzed), DYSARTHRIA (slurring words), APHASIA (could not speak), NAUSEA (nausea) and HEADACHE (headache) outcome was unknown, HYPERTENSION (blood pressure was elevated, blood pressure was 190/130, uncontrolled and unspecified hypertension) and FEELING ABNORMAL (could feel her hormones whooshing through her veins/foggy head/feeling funky/ felt stoned/ daydream dazes) had not resolved, MENSTRUAL DISORDER (period started 10 days early, which is completely abnormal for her menstrual cycle), ADNEXA UTERI PAIN (severe ovarian pain that was up very high), RENAL PAIN (kidney pain), DYSMENORRHOEA (period pain), HEAVY MENSTRUAL BLEEDING (clots the size of golf balls/soaked through a 24 count box of super tampons in 24 hours/period was very bright red) and ABDOMINAL PAIN (significant abdominal pain from the cramping due to heaving from the nausea) had resolved and MIGRAINE (migraine) was resolving. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 09-Apr-2021, Body temperature: 102.6 (High) fever of 102.6F. In April 2021, Neurological examination: abnormal (abnormal) neurological damage to the hippocampus of the central cranial. On 16-Apr-

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

2021, Blood pressure measurement: 190/130 (abnormal) 190/130 and 175/99 (abnormal) 175/99 after treatment with Metoprolol. On 16-Apr-2021, Chest X-ray: interstitial markings of her lungs (abnormal) interstitial markings of her lungs. On 16-Apr-2021, Computerised tomogram: interstitial markings of her lungs (abnormal) interstitial markings of her lungs. On 16-Apr-2021, Magnetic resonance imaging: severe vasculitis on the right side of her brain (abnormal) severe vasculitis on the right side of her brain. On 16-Apr-2021, Neurological examination: 3/5 tests failed (abnormal) 3/5 tests failed. On 19-Apr-2021, Stool analysis: abnormal (abnormal) showed she was putting out too much potassium, magnesium. On 28-Apr-2021, Blood pressure measurement: 145/90 (abnormal) 145/90. On 28-Apr-2021, Heart rate: 90 (High) was not coming under 90 bpm. On 28-Apr-2021, Magnetic resonance imaging: blood clots, thick blood, anemia (abnormal) blood clots, thick blood, anemia. Action taken with mRNA-1273 in response to the events was not Applicable. Company comment: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. This case was linked to MOD-2021-095842 (Patient Link).; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1312755	5/13/2021	CA		F		4/30/2021	CLOUDY HEAD; TIREDNESS; ABDOMINAL CRAMPS; CLOUDY VISION/HAZINESS/ BLURRED VISION; DIZZINESS WHEN STANDING AND WALKING; .This spontaneous report received from a patient concerned a female of unspecified age. The patient's height, and weight were not reported. The patient's past medical history included double pneumonia. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 201A21A, and expiry: 23-JUN-2021) dose was not reported, administered on 30-APR-2021 13:24 for prophylactic vaccination. No concomitant medications were reported. On 30-APR-2021, the subject experienced cloudy vision /haziness/ blurred vision. On 30-APR-2021, the subject experienced dizziness when standing and walking. On 01-MAY-2021, the subject experienced cloudy head. On 01-MAY-2021, the subject experienced tiredness. On 01-MAY-2021, the subject experienced abdominal cramps. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from abdominal cramps on 01-MAY-2021, had not recovered from cloudy vision /haziness/ blurred vision, and dizziness when standing and walking, and the outcome of tiredness and cloudy head was not reported. This report was non-serious.; Sender's Comments: V0: Medical Assessment comment not required as per standard procedure as the case assessed as non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1312884	5/13/2021	IL		F	3/1/2020	3/1/2021	<p>Osteoarthritis aggravated; Recurred Intestinal tubing; This spontaneous case was reported by a physician (subsequently medically confirmed) and describes the occurrence of UNEVALUABLE EVENT (Recurred Intestinal tubing) and OSTEOARTHRITIS (Osteoarthritis aggravated) in a 62-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. Co-suspect product included non-company product ADALIMUMAB (HUMIRA) for Ulcerative colitis and Crohn's disease. Relevant history includes alcohol abstinence and non tobacco user. Osteoarthritis aggravated started at an unknown date in March 2020 and stopped at an unknown in 2020. The patient's past medical history included Gastric bypass in 2004 and Knee replacement in June 2020. Concurrent medical conditions included Osteoarthritis since 2019 and Gastrointestinal tube insertion since February 2020. In March 2020, the patient started ADALIMUMAB (HUMIRA) (unknown route) 40 milligram every two weeks. In March 2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. In March 2021, the patient experienced UNEVALUABLE EVENT (Recurred Intestinal tubing) (seriousness criterion hospitalization). On an unknown date, the patient experienced OSTEOARTHRITIS (Osteoarthritis aggravated) (seriousness criterion hospitalization). The patient was hospitalized for 2 days due to UNEVALUABLE EVENT. In March 2021, UNEVALUABLE EVENT (Recurred Intestinal tubing) had resolved. At the time of the report, OSTEOARTHRITIS (Osteoarthritis aggravated) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): In March 2021, Computerised tomogram: recurred intestinal tubing (abnormal) Recurred intestinal tubing. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. The patient was hospitalized for two days due to recurred intestinal tubing. She had a laparoscopic procedure to visualized the intestine and it there was no cramping or tumor that was found and the intestine was clear. She was told that it was resolved by itself and no additional treatment or procedure was needed at that time. She was</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

scheduled for an Esophagogastroduodenoscopy to determine the cause of recurrent intestinal tubing. The alternative etiology for the event Recurred Intestinal Tubing was reported as could be due to previous gastric bypass surgery. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1313060	5/13/2021	WV	50	F	4/8/2021	4/8/2021	twitches in her legs and then pain after; Face periodically twitches; eye twitches periodically especially after sneezing or coughing; twitches in her legs and then pain after; Face periodically twitches; eye twitches periodically especially after sneezing or coughing; Face periodically twitches; eye twitches periodically especially after sneezing or coughing; stinging in her legs and it went up to her waist and felt like a band around her waist; stinging in her legs and it went up to her waist and felt like a band around her waist; Unexpected weight loss; no appetite; Unexpected weight loss; no appetite; This is a spontaneous report received a contactable nurse, the patient. A 50-year-old adult female received the first dose of BNT162b2 (solution for injection; Lot EW0158 and expiry information not provided) as a single dose via unspecified route in the right arm on 08Apr2021 at 19:30 (at 50-years-old) for COVID-19 immunisation. Relevant medical history included COVID with insomnia (Nov2020). There were no concomitant medications or past drug history reported. The patient reported as soon as she got the shot, she did not feel sick or nauseated, maybe she had no appetite, but she has lost ten pounds three weeks. States before the vaccine she was 138 pounds. The patient reported that on 18Apr2021, reported as eight to ten days later she developed stinging in her legs and it went up to her waist and felt like a band around her waist. The patient reported that on 20Apr2021 she experienced twitches in her legs and then pain after, her face periodically twitches; eye twitches periodically especially after sneezing or coughing. The patient reported that she had COVID back in Nov2020 and she had some problems after and then recovered. States she just got the Pfizer COVID vaccine three weeks ago and she did really well with the first one; however eight to ten days later, she noticed stinging in her legs and it went up to her waist and felt like a band around her waist. Then she started having twitches in her legs, and then pain, states the twitches have remained, she cannot see them, but she can feel them. Caller states her face periodically twitches as well. Her eye will twitch periodically when she sneezes or coughs. The patient, a retired nurse, assessed the events as medically significant, because she needs to know if it is something more serious. The patient denied any visits to the emergency room or to any doctor's office for the events reported. The patient

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

reported that she called a few neurologists to see if she could have gotten in but they are so booked up that she could not get an appointment until August. The patient stated that the neurology place said they are seeing some very strange things, so the patient believes she is not the only one. The reporter stated that maybe because she had COVID, she does not know if it is because of that, but maybe the first one acting is acting like the second dose for her. The patient inquired if it was okay to get the second dose. The outcome of the event stinging in her legs and it went up to her waist and felt like a band around her waist was recovered on 20Apr2021. The outcome of the event weight loss; no appetite, twitches in her legs and then pain after, and Face periodically twitches; eye twitches periodically especially after sneezing or coughing was not recovered.; Sender's Comments: Based on a compatible temporal association a causal relationship between reported events and BNT162B2 vaccine cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1312954	5/13/2021	NY	46	M	2/24/2021	2/25/2021	<p>My right eye (white of the eye) became irritated and swollen; My right eye (white of the eye) became irritated and swollen; It continued to be swollen until about 7:00am. It is currently inflamed but no longer swollen; This is a spontaneous report from a contactable consumer. This 46-year-old male consumer (patient) reported for himself. A 46-year-old male patient received BNT162b2 (PFIZER-BIONTECH COVID-19 VACCINE; Solution for injection; Lot number and expiration date unknown), via unspecified route on left arm on 24Feb2021 at 10:15 (patient was 46-year-old at the time of vaccination) at a single dose for COVID-19 immunisation. The patient's medical history included allergies to bananas, walnuts. The patient's concomitant medications included atorvastatin, lisinopril, metformin, Farxyga. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was not diagnosed with COVID-19 prior to vaccination. Since the vaccination, the patient has not been tested for COVID-19. On 25Feb2021, at 9:30 pm the patient experienced right eye (white of the eye) became irritated and swollen, It continued to be swollen until about 7:00am and currently inflamed but no longer swollen. The patient received treatment with Benadryl, ibuprofen. The outcome of the event eye irritation and eye inflammation were recovering while, eye swollen was recovered at 26Feb2021, at 07:00. Follow up #1 (03Mar2021): This is a follow up-spontaneous report received from a contactable Other HCP. This Other HCP reported for himself that: This is not part of a study/SAE/AE form. This is personal experience, self-reporting of use of PFE product. I received the Pfizer vaccine on 24Feb. On 25Feb, I experienced the swollen eye issue, so yes that is the first moment an employee of Pfizer was aware. Information about lot/batch number has been requested; Sender's Comments: A causal association between BNT162B2 and the reported events cannot be excluded based on a temporal relationship. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1312955	5/13/2021	GA	37	F	2/15/2021	2/1/2021	<p>developed shingles. It began on my scalp and then traveled down my forehead and into my eye; developed shingles. It began on my scalp and then traveled down my forehead and into my eye; My eye became so swollen, it shut completely; fatigue; aches/ soreness; chills; This is a spontaneous report from a contactable consumer (patient). A 37-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE lot number: EL9267) dose 1, via an unspecified route of administration, administered on the left arm on 15Feb2021 05:00 AM as 1st dose, single for COVID-19 immunisation. Medical history included COVID-19 (prior vaccination), ulcerative Colitis and known allergies red food coloring. Concomitant medications included infliximab (INFLECTRA), vitamin c [ascorbic acid] (VITAMIN C [ASCORBIC ACID]); zinc and ergocalciferol (VITAMIN D). Upon receiving the vaccine, the patient initially had a typical reaction including soreness, fatigue, aches, and chills (Feb2021). On 19Feb2021 07:00 AM, patient developed shingles. It began on her scalp and then traveled down her forehead and into her eye. This was all on the left side of her scalp and face (the vaccine was given on my left side). Her eye became so swollen, it shut completely. She visited both the ER and urgent care as well as an ophthalmologist. She is now 12 days post vaccine and she still have shingles and extreme swelling of left eye. Currently taking Valtrex, oral steroids, steroid eyedrops, and using antibiotic ointment on her eye. The events resulted in a doctor or other healthcare professional office/clinic visit, Emergency room/department or urgent care. Treatment received for the events which included Valtrex, steroids, antibacterial ointment. Post vaccination, the patient has not been tested for COVID-19. Patient was not pregnant. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Outcome of the events fatigue, aches/ soreness and chills was unknown and not recovered for the other events. No follow-up attempts are possible. No further information is expected.; Sender's Comments: Based on the temporal relationship, the association between the event Ophthalmic Herpes zoster with BNT162b2 can not be fully excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

---

the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1313006	5/13/2021			M			<p>back of my head was tingly/a constant feeling of a tingling sensation in my head almost; my motor function was off; speech had an impediment; digestive issues; mucus eyes; I felt a little out of it; tired; headaches; legs are shaky; This is a spontaneous report received from a contactable consumer (patient). A 45-year-old male patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; solution for injection) via an unspecified route of administration on an unspecified date (at an unspecified age) as a single dose for COVID-19 immunisation. Medical history and concomitant medications were not reported. The patient previously received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; solution for injection) via an unspecified route of administration on an unspecified date (at an unspecified age) as a single dose for COVID-19 immunisation. On an unspecified date the patient experienced back of my head was tingly/a constant feeling of a tingling sensation in my head almost, my motor function was off, speech had an impediment, digestive issues, mucus eyes, I felt a little out of it, tired, headaches and legs are shaky. The patient called to report side effects from one of the shots and the course was reported as follows: "The side effects started mild and then went severe. The day after my shot I started experiencing digestive issues and mucus eyes. I felt a little out of it, not terrible. It lasted 5 days to a week. I felt fine for about a week and then I woke up almost two weeks after and the back of my head was tingly, my motor function was off, speech had an impediment, and I did not have control over my body, could not talk right for about 2 days. I lost control over my whole body for about 30 seconds. I still have a constant feeling of a tingling sensation in my head almost and something just is not right when I try to talk. There is a disconnect between my brain and my mouth. I am very tired, nowhere near the energy I used to have. I get random pounding headaches like someone hits me in the head with a bat, other days my legs are shaky. It is off and on. It is not constant, but it is consistent. I got rushed to the hospital but there was no sign of a stroke." The patient inquired as to how long should he expect these symptoms to last. The clinical outcomes of the events back of my head was tingly/a constant feeling of a tingling sensation in my head almost, my motor function was off, speech had an</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

impediment, digestive issues, mucus eyes, I felt a little out of it, tired, headaches and legs are shaky were all unknown. The lot number for the vaccine, BNT162B2, was not provided and will be requested during follow up.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1313027	5/13/2021	AR	48	F	4/12/2021	4/1/2021	stiffness of joints; Didn't sleep at all last night.; Back pain; can't walk; Knee pain; right and left arm pain/legs hurt/hands were also hurting; not as hard of a pain but it is in the muscles below the knee and in the back of the calf.; neuropathy; whip lash in shoulders and neck; feel radiation or heat; uncomfortable; shoulders became sore; tired; Eyes hurt; vasculitis pain flare up; This is a spontaneous report from a contactable consumer (patient). A 48-year-old female patient received BNT162B2 (Pfizer-BioNTech COVID-19 mRNA vaccine), dose 2 via an unspecified route of administration, administered in right upper arm, at age 48 years, on 12Apr2021 13:00 (Batch/Lot Number: 9R8732) as second dose, single, for COVID-19 immunization. Relevant medical history includes two autoimmune diseases and two lung diseases further reported as ongoing Post-traumatic stress disorder (PTSD) diagnosed in 2017 because of trauma from vasculitis because both her arms looked like sleeves of nothing but broken blood vessels; Chronic obstructive pulmonary disease (COPD) from unspecified dates; ongoing bronchiolitis from unspecified date that does not go away; ongoing Hepatitis B contracted after vasculitis had gotten back together with her baby daddy and contracted it that way; ongoing small cell vasculitis (CSVV) from Oct2017 is her main disease; immune system weaker than her mom; body is weak; has weak muscles; generalized anxiety disorder; depression; she had fell on both arms, she's had a knee surgery; and she can barely walk because she pulled a back muscle before, her back and her having an injury from 2 years ago in 2019. Patient also usually gives blood at her primary care. Family history includes arthritis, her mom has it. Concomitant medications included tenofovir alafenamide fumarate (VEMLIDY) taken for antibiotic therapy from an unspecified start date and ongoing; meloxicam taken for joint swelling from an unspecified start date and ongoing; alprazolam (XANAX) taken for generalised anxiety disorder from an unspecified start date and ongoing; quetiapine fumarate (SEROQUEL) taken for post-traumatic stress disorder from an unspecified start date and ongoing; pantoprazole taken for ulcer from an unspecified start date and ongoing; sertraline taken for depression from an unspecified start date and ongoing; promethazine taken for prophylaxis of nausea and

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

vomiting from an unspecified start date and ongoing; albuterol sulfate taken for an unspecified indication from an unspecified start date and ongoing; and budesonide taken for lung disorder, start and stop date were not reported. Patient historically took first dose of BNT162B2 (injection, Batch/lot number: EN6202) in the left upper arm at age 47 years on 19Mar2021 at 1:40pm at a clinic for COVID-19 immunization and experienced no adverse event; and an unspecified flu shot last Oct2020 (also reported as last winter). Patient has some 5 or 6 doctors there as specialists or prescribers. She has a liver specialist and a vasculitis specialist, whom she has not seen since the flare up because of her insurance, a main primary that saved her and brought her into remission is not covered with her insurance, and a GI doctor as well. She also reported that her immune system is probably weaker than her mom's because of her own 2 diseases. She also said that she was supposed to be in lung therapy but her body is weak. She stated that every time something hurts, it may be neuropathy. She has weak muscles and they haven't been this weak. She could move around and do things before. Patient was tired from the autoimmune and lung disease, she has had to stop and rest. Patient clarified that she had these prior to COVID coming. Patient wanted to get the vaccine to have more immunity so she could go out. She didn't want to get the Corona virus. The doctors said she wouldn't make it. It was her choice but the doctors recommended it. It was reported that patient has completed vaccination. About a week ago (13Apr2021), started experiencing a lot of pain from a vasculitis flare up. It is as if it just happened and was having a lot of pain in various parts of the body. Patient stated that it didn't start until like the second day (13Apr2021). Patient was not disgruntled, believes in the vaccine. She has an appointment with the tele doc this week and with another doctor at the same office since doctor was not in this week, because of her back and her having an injury from 2 years ago, X-rays, and can't walk right now, is in a lot of pain. She did not know if she can take pain pills, with all her other stuff. Patient stated that both her legs hurt and she can't walk. Her hands were also hurting with it in Apr2021. Patient had knee pain on 19Apr2021, leg pain was still there but getting better and was still hurting when she walks. It is not as hard of a pain but it is in the

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

muscles below the knee and in the back of the calf in Apr2021. On 21Apr2021 or 22Apr2021, right and left arm just hurts all the way down started. They are the same and are still hurting and staying persistent. On 26Apr2021, back pain was added and stated that she got it for complaining about her arm. It started About 3 days after the shot, around 14Apr2021 or 15Apr2021, patient had whiplash in shoulders and the neck. It started in the back of the head and was like she could feel radiation or heat. It would be so uncomfortable, her shoulders became sore. When she looked left or right, it felt like whip lash. It has gotten better. For her arm, she wanted to revert to ice/heat but she hasn't done anything yet. Patient called her primary in hopes that he would give her something for the pain, she was not in pain management but it is hurting so bad. Since the injection, she has been so tired, so she has not been taking her XANAX. She takes them as needed for generalized anxiety disorder and her anxiety has not been up. A lot of the time she does not have to take them. The diseases make her tired and fatigued. If her mind is too racy, she will take to keep as calm as possible, especially with the small cell vasculitis or then she could have a flare. Her main objective is to keep calm. She was already taking 1 XANAX a day when diagnosed with PTSD but they just raised it because then came her PTSD and depression from the vasculitis. Has muscle relaxer cyclobenzaprine hydrochloride (FLEXERIL) at 100mg once a day which she doesn't take. Did not normally take these but has been taking them since this happened. She is in so much pain. Does not generally have high tolerance for pain. Does not like taking opioids because they make her throw up. She can only take them with Phenergan. Does not take if she does not need them because they do not sit well with the liver. She has an inhaler that keeps the lungs dilated for 10 hours, is not Pulmicort but something else. Eyes hurt on Apr2021 and can't read the label because its so little. She has bronchiolitis which is another rare disease with the airways in her lung and medication keeps the lungs dilated. Haven't seen the doctor yet so no tests yet. Since this happened, she can't walk. On 26Apr2021, when she went back down she couldn't walk since. It is her lower back on the right side, above her hip. She had pulled it 2 years ago (2019), above the hip on the right side. She recognized this

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

feeling from a couple of years ago. It seems to be the place where she feels over winded. It may be neuropathy problems, wondering if it's not neuropathy since it's not her muscles (Apr2021). Everything that was wounded has come back and hurts as bad as it does. For can't walk, the pain just hurts. She didn't sleep at all last night (26Apr2021). Tries to turn and get up and if she is on either of her arms. Other than the neck, shoulders and back of her head, she never got a fever. When it started she thought that it was normal. Then, it started hitting in all of these other places and she was barely moving. Patient had the normal feeling like when she would breathe. On an unspecified date, she was having stiffness of the joints, as if they were traveling, then taking a vacation to every place that she has ever hurt itself. She had fell on both arms, she's had a knee surgery and its like going to that. The knee surgery was on the right knee. Like right now its in her back, and she can barely walk because she pulled a back muscle before. She stated that she will enjoy it if she can walk again and she just wanted to make it through this. The adverse events did not require emergency room visit or physician's office visit but was definitely at the point where she will go see the primary or go to the ER. The outcome of the event vasculitis pain flare up, right and left arm pain/legs hurt/hands were also hurting, and ?can't walk was not recovered; for knee pain, whip lash in shoulders and neck, feel radiation or heat, uncomfortable, and shoulders became sore, it was recovering at the time of report; for the other events, it was unknown. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1313047	5/13/2021	CA	53	M	4/6/2021		First Vaccine, BRVO in the right eye approx 1 week after injection. (sucks).; This is a spontaneous report from a contactable consumer (patient) reporting different event under the same suspect product. This is one of two reports. A 53-years-old male patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in Arm Right on 06Apr2021 15:45 (Batch/Lot Number: ER8729) at the vaccination age of 53 years old as SINGLE DOSE for covid-19 immunisation. Medical history included Asthma, Hypertension, High T3. Patient had allergies penicillin, Tetracycline, "Teramycin". Concomitant medication included levothyroxine sodium (SYNTHROID) taken for an unspecified indication, start and stop date were not reported; liothyronine sodium (CYTOMEL) taken for an unspecified indication, start and stop date were not reported; nebivolol hydrochloride (BYSTOLIC) taken for an unspecified indication, start and stop date were not reported. The patient experienced BRVO in the right eye approx 1 week after injection. Therapeutic measures were taken as a result of the event and patient visited other healthcare professional office/clinic visit. Outcome of event was unknown. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1313053	5/13/2021	CA	30	M	4/21/2021	4/22/2021	heart fluttering; arrhythmias; Fever; chills; intense pressure behind eyes; headache; muscle weakness; fatigue; brain fog; intense body pains/aches; intense body pains/aches - especially at joints (knees, wrists, ankles); heart pounding; insomnia; lack of appetite; migraine with aura; lethargy; This is a spontaneous report from a contactable pharmacist (patient). A 30-years-old male patient received bnt162b2 (unspecified trade name), dose 2 via an unspecified route of administration, administered in Arm Left on 21Apr2021 16:00 (Lot Number: EW0171) as single dose for covid-19 immunization. Facility where the most recent COVID-19 vaccine was administered was Public Health Clinic/facility. The patient medical history was not reported. No known allergies. The patient's concomitant medications were none. No other vaccine in four weeks. No other medication in two weeks. The patient previous received the first dose on 31Mar2021 11:00 (Lot number=ER8737) as single dose at Left arm for covid-19 immunization. The patient had no reaction on previous exposure to vaccine. Prior to vaccination, the patient was diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. The patient experienced Fever, chills, intense pressure behind eyes, headache, muscle weakness, fatigue, brain fog, intense body pains/aches - especially at joints (knees, wrists, ankles), arrhythmias/heart fluttering, heart pounding, insomnia, lack of appetite, migraine with aura, lethargy on 22Apr2021 13:00. The outcome of the events was recovering. No treatment received.; Sender's Comments: The contributory role of the suspect product bnt162b2 (unspecified trade name), dose 2 via an unspecified route of administration, administered in Arm Left on 21Apr2021 16:00 (Lot Number: EW0171) as single dose for covid-19 immunization to reported events is possible based on temporal association and known profile of the product.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1312869	5/13/2021		48	M	4/28/2021	4/28/2021	<p>Blood pressure under 40/60; cyst in the brain; lost his vision.; dizzy; turned white; couldn't speak; felt something on his back (like a pull on his back); eyes went back; arm hurts towards his chest; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of HYPOTENSION (Blood pressure under 40/60), CEREBRAL CYST (cyst in the brain) and BLINDNESS (lost his vision,) in a 48-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 016C221A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No reported medical history.). Concomitant products included MULTIVITAMIN &amp; MINERAL and ASCORBIC ACID (VITAMIN C ACID) for an unknown indication. On 28-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 28-Apr-2021, the patient experienced HYPOTENSION (Blood pressure under 40/60) (seriousness criterion hospitalization), CEREBRAL CYST (cyst in the brain) (seriousness criteria hospitalization and medically significant), BLINDNESS (lost his vision,) (seriousness criterion hospitalization), DIZZINESS (dizzy), PALLOR (turned white), SPEECH DISORDER (couldn't speak), FEELING ABNORMAL (felt something on his back (like a pull on his back)), EYE MOVEMENT DISORDER (eyes went back) and PAIN IN EXTREMITY (arm hurts towards his chest). At the time of the report, HYPOTENSION (Blood pressure under 40/60), CEREBRAL CYST (cyst in the brain), BLINDNESS (lost his vision,), DIZZINESS (dizzy), PALLOR (turned white), SPEECH DISORDER (couldn't speak), FEELING ABNORMAL (felt something on his back (like a pull on his back)), EYE MOVEMENT DISORDER (eyes went back) and PAIN IN EXTREMITY (arm hurts towards his chest) outcome was unknown. Not Provided DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 28-Apr-2021, Blood pressure measurement: 40/60 (Low) Low, 90/60 (Low) low and 150/69 (normal) normal. On 28-Apr-2021, Computerised tomogram: abnormal (abnormal) They found a cyst in the brain. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown Route) was unknown. No treatment information was</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							specified.; Sender's Comments: Very limited information regarding this events has been provided at this time. However, based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Further information has been requested. US-MODERNATX, INC.-MOD-2021-101752:
1315665	5/13/2021	NY	56	F	3/1/2021	3/31/2021	leg pain for 2days.stomach pain for 10 days..sudden head pain followed by right side numbness. blurred vision dizzy unable to walk or talk for a hour or so first episode. 2ond felt like i was being flipped back wards..3rd. In bath tub. Head pain and fell to the left side.4th early in morning head pain and felt numbness on the left side again..

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1314722	5/13/2021	CA	50	F	4/7/2021	4/7/2021	<p>Within 5 minutes from receiving my J&amp;J vaccine, I went to sit down and I started feeling very hot in my body. My heart started to race, had chest discomfort and had trouble breathing, my trachea closed up, had blurry vision and pain in my chest. I felt like I could not breathe and when the nurse came over to ask me I could not speak to her, I went into a shock and I was placed on the floor and I could not hear anything nor could open my eyes, from my hips down to my feet I could not feel anything, my legs went completely numb and I had a syncope. What I was told from the nurse that I was given an Epi-pen to help with my reaction. When I came back my body was having convulsions, felt my head spinning, had pain in my chest that so very intense and the nurse got me up and took me to a nearby ambulance and the EMT staff placed like a heart monitor because my heart was racing super fast. I also felt heaviness in my chest and inside the ambulance I was given two injections on my left arm and when I slowly started coming back, I was already at the hospital. I was at the hospital from 2pm to 4:30pm more less being monitored. At the hospital x-ray of the chest was performed as well as lab work and I was discharged home. When I got home, I still did not feel good, I felt heaviness to my chest, still have trouble breathing and get chills during the night. I also could not stand up and have a nerve sensation to my body and the chest pain to my left side is still very present. I have blurry vision, dizziness, headaches, and my heart-beat continues to race very fast. I get headaches, have abdominal pain and I peed blood few times then that's when I was able to pee, my abdominal pain was painful like having a baby. On Friday 04-08-2021, I again went to the hospital because I had fallen to the floor on my kitchen floor and my daughter took me to the hospital. I let the nurse staff know that I still have continued chest pain and pressure, difficulty breathing and headaches, dizziness and they monitored and gave me three pills as medication. I was discharged home about 5pm with a referral to see a neurologist due to my chest pain, blurry vision, dizziness and fever which I had these past three weeks. I do not know why I felt all these symptoms after my J&amp;J vaccine.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1314809	5/13/2021	IA	75	F	3/18/2021	3/20/2021	Patient presented to emergency department on 3/20/21 with symptoms of dizziness, nausea, and vomiting. She received the COVID vaccine 2 days prior. Patient has had similar episodes of vertigo in the past. Patient notes vertigo is much more severe than past experiences. During hospitalization patient continued to endorse severe dizziness and nausea. Vertigo increased with eye opening or changes in position. Horizontal nystagmus present. Patient was treated with ondansetron, metoclopramide, methylprednisolone and lorazepam for symptom control. Physical therapy also worked with patient. Patient discharged on 3/23/21 with new prescriptions for meclizine and ondansetron as needed.
1314822	5/13/2021	WI	13	M	5/13/2021	5/13/2021	I administered the Pfizer COVID vaccine to the patient at about 2pm. I completed the vaccine, put the used syringe into the sharps container, grabbed the bandage, and turned back toward the patient. As I did this, he started slumping over in the chair, and his eyes rolled back into his head. I immediately put my arms around him so he wouldn't fall out of the chair. The patient's father was in the room as well and knelt down in front of him. The patient's body spasmed for a few seconds, then he came to but was breathing heavily and starting to sweat. I called to technician in the pharmacy and asked him to call 911 at 2:03pm. I brought the patient a cool cloth and asked a technician to bring some water. The patient's breathing started to slow, but he was nauseous and dizzy. He dry-heaved once, and I put the garbage can in front of him. He slumped over the garbage can for a few minutes. Then he asked to lie on the floor. He seemed to do better lying on the floor. When the EMTs arrived, they attempted to have him sit in the chair again, but his dizziness returned, and he complained of being cold. The EMTs moved the patient to the gurney and transported him to the Hospital for further medical attention.
1314839	5/13/2021	NE	62	F	3/9/2021	4/5/2021	Acute Ischemic Stroke / Cerebrovascular Accident right-sided weakness, pressure behind right eye and right sided headache. inability to grasp with right hand and keep right leg up. denies recent illness

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1314846	5/13/2021	WA	48	M	5/6/2021	5/7/2021	5/07 general ill feeling; runny nose, watery eyes. continued until 5/10. Wife denied fever or cough. continued until 5/10. 5/11 at work, patient collapsed. Was awake but non-responsive, breathing on his own, vomited shortly before EMS arrived. EMS arrived, patient stopped breathing, was bagged until arrival at hospital where he was intubated. 5/12 Patient was extubated and died in early AM 5/13. Medical records state cerebral brain hemorrhage.
1314946	5/13/2021	PA	27	M	5/13/2021	5/13/2021	Patient recieved J&J COVID vaccine, after 1 minute was transitioned to the 15 minute waiting area. Upon arriving at the chair, patient fainted and fell to the floor, patient was out for approximately 20 seconds and came to. I then asked the patient if he hurt or felt injured, assessed his alertness he was alert and oriented x 3. He transitioned to chair under own power and was speaking with me, his eyes then rolled back in his head for approximately 10 seconds went out again. At this time we called the ambulance, they came to assess patient, patient refused transport to hospital and left under his own power.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1314691	5/13/2021	WI	57	M	4/27/2021	5/8/2021	History of Present Illness: Patient has a history of sinus problems. He was scheduled for sinuplasty and had preoperative evaluation on 04/21/2021 with WBC 5.8, Hb 15.5, PLT 193,000. He had J&J covid vaccination on 04/27/2021. He underwent sinuplasty on 05/05/2021. Subsequent to his surgery he was having headache. He had some nasal discharge with blood. He took tramadol but had persistent pain. His symptoms were worsening up with some weakness of his right upper extremity. Was having generalized fatigue and weakness. He states he was getting short of breath with a flight of stairs. He had decreased appetite. He was given Vicodin for his headache with some improvement. He noted discoloration and bruising with pain in his left internal thigh area. Was noticing some changes in his vision but no loss of vision. He presented to the ED on 05/11/2021 and laboratory showed WBC 8.7 Hb15.2, PLT 6,000, segs 77%, lymphs 9%. He had no dark colored urine. INR 1.4 PTT 33, immature platelets 30.2. His bili was 2.1. He was treated with dexamethasone 40 mg. There is tiny focus of restricted diffusion in the both cerebellar hemispheres measuring up to 0.4 cm white matter left cerebellar hemisphere of left parietal junction measuring 0.5 cm compatible small lacunar infarcts. Chronic paranasal sinusitis. Patient described minimal blood with flushing his sinuses. Patient was ultimately transferred to Hospital after 3 days (on 5/11) for further acute care management given the multiple clots and bleeds associated with severe thrombocytopenia.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1315154	5/13/2021	IL	16	M	5/4/2021	5/5/2021	<p>Patient is a 16-year-old male patient admitted with seizure like activity. One day prior to admission patient received his second COVID vaccine, Pfizer brand. On the day of admission Patient woke at 0200 with pain in the left side of the chest, mid-axillary per patient's description it was cramp-like pain and he was able to go back to sleep. At 0500 he got up to use the restroom and went into the kitchen. He told his mom he didn't feel well and fell forward making a gurgling sound, arms rigid, was unresponsive, and this lasted 1.5minutes according to mom. Mom called EMS and when he awoke he stated he was nauseous. After EMS arrived it was 2-3 minutes and he did not feel well again, he stood up and head fell back, eyes open, he was shaking, and making a gurgling noise again, this episode lasted 30 seconds. Upon awaking he was disorientated for a few minutes then back to baseline, he was nauseous again and very tired. He came to the ED where EKG (pending), CBC (normal), PT/PTT/INR (slight elevation), CMP (normal), TSH (normal), Ethanol (None), Troponin (normal), Head CT (normal), and chest xray (normal) were done. He received a NS bolus was given. He was admitted to the pediatric hospitalist for further evaluation and management. This is where he had a 24hour Video EEG with normal EEG he was discharged home.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1315811	5/13/2021	WI	68	F	3/3/2021	3/3/2021	<p>audio and visual hallucinations; diarrhea; low blood pressure; earache; mental fog; coordination problems; head rushes; crackling; Eyes not following finger test; Dizziness; This spontaneous case was reported by a consumer and describes the occurrence of HALLUCINATIONS, MIXED (audio and visual hallucinations) in a 68-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 012M20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No medical history was provided by the reporter. Concomitant products included SIMETICONE (GAS X), PARACETAMOL (TYLENOL) and VITAMINS NOS for an unknown indication. On 03-Mar-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 03-Mar-2021, the patient experienced HALLUCINATIONS, MIXED (audio and visual hallucinations) (seriousness criterion medically significant), DIARRHOEA (diarrhea), HYPOTENSION (low blood pressure), EAR PAIN (earache), FEELING ABNORMAL (mental fog), COORDINATION ABNORMAL (coordination problems), ORTHOSTATIC HYPOTENSION (head rushes), CREPITATIONS (crackling), EYE MOVEMENT DISORDER (Eyes not following finger test) and DIZZINESS (Dizziness). At the time of the report, HALLUCINATIONS, MIXED (audio and visual hallucinations) and DIARRHOEA (diarrhea) had resolved, HYPOTENSION (low blood pressure), EAR PAIN (earache), FEELING ABNORMAL (mental fog), COORDINATION ABNORMAL (coordination problems), ORTHOSTATIC HYPOTENSION (head rushes), CREPITATIONS (crackling) and EYE MOVEMENT DISORDER (Eyes not following finger test) had not resolved and DIZZINESS (Dizziness) outcome was unknown. The arm that the patient received each dose was not confirmed. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Further information has been requested.; Sender's Comments: Based on the current available information and temporal</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Further information has been requested.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1315706	5/13/2021	AZ	39	M	4/1/2021		<p>SWEATING; LIPS TURNED INTO PALE; VISION BLURRED; NO ENERGY; STRESSFUL HEADACHE; NUMBNESS IN THE GROIN AREA AND LEFT TESTICLES; SWOLLEN LEFT TESTICLE; FEEL EXTREME PAIN; FEELING SENSATION IN DEEP INSIDE BODY AND WAS NOT SUPERFICIAL/FEELING WAS GOING TOWARD LEFT SIDE OF PELVIS/FEELING BLOOD BEATS IN LOWER PART AREA; LEFT SIDE OF LOWER ABDOMEN AROUND THE WAISTLINE SWOLLEN; This spontaneous report received from a patient concerned a 39 year old male. The patient's height, and weight were not reported. The patient's past medical history included surgery, and concurrent conditions included non alcohol user, and smoker, and other pre-existing medical conditions included the patient had no known drug allergies. the patient did not have any history of drug abuse or illicit drug use. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, and batch number: 043A21A expiry: UNKNOWN) dose was not reported, administered on 03-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On APR-2021, the subject experienced numbness in the groin area and left testicles. On APR-2021, the subject experienced swollen left testicle. On APR-2021, the subject experienced feel extreme pain. On APR-2021, the subject experienced feeling sensation in deep inside body and was not superficial/feeling was going toward left side of pelvis/feeling blood beats in lower part area. On APR-2021, the subject experienced left side of lower abdomen around the waistline swollen. On APR-2021, the subject experienced stressful headache. Treatment medications included: morphine, and oxycodone hydrochloride. On 03-APR-2021, the subject experienced sweating. On 03-APR-2021, the subject experienced lips turned into pale. On 03-APR-2021, the subject experienced vision blurred. On 03-APR-2021, the subject experienced no energy. On 30-APR-2021, Laboratory data included: Diagnostic ultrasound (NR: not provided) no sign of infection, Physical examination (NR: not provided) no sign of infection, and Urine analysis (NR: not provided) no sign of infection. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from vision blurred, and the outcome of numbness in the</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

groin area and left testicles, sweating, swollen left testicle, lips turned into pale, no energy, feel extreme pain, feeling sensation in deep inside body and was not superficial/feeling was going toward left side of pelvis/feeling blood beats in lower part area, stressful headache and left side of lower abdomen around the waistline swollen was not reported. This report was non-serious.; Sender's Comments: V0: Medical assessment comment not required as per standard procedure since case was assessed as non serious.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1315708	5/13/2021	CA		F	4/10/2021		<p>CEREBRAL HEMORRHAGE IN HER HEAD/ DIZZINESS/ LOOSE HER BALANCE/ VOMITED/ HEADACHE; BLOOD PRESSURE WAS HIGH; FAINTING; TEMPORARY BLINDNESS; BROWN SPOTS ON FINGER; EYES ALSO HURT; EYE FEELS HEAVY; EYE PRESSURE FROM THE BACK; FATIGUE/ STILL FEEL TIRED; FEELS WEAK; NAUSEA; SHAKING BECAUSE SHE WAS COLD; CHILLS; This spontaneous report was received from a patient and concerned a 53 year old White (Hispanic or latino) female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 202A21A, expiry: unknown) dose was not reported, administered on 10-APR-2021 to left deltoid for prophylactic vaccination. No concomitant medications were reported. On 10-APR-2021, the patient experienced shaking because of cold, chills, nausea. On 11-APR-2021 patient felt nauseous. On an unknown date the patient had fatigue and headache. On 17-APR-2021, the subject experienced fainting. On 22-APR-2021 patient felt dizzy, vomiting, and was losing balance periodically and got admitted to emergency room; On admission the patient was diagnosed with high blood pressure and cerebral hemorrhage in head due to high blood pressure and patient kept in emergency room under observation. On 24-APR-2021 patient was discharged but still experienced headaches when she returned home. On 30-APR-2021 the patient again visited emergency room and was prescribed unspecified blood pressure medications and Tylenol (paracetamol). On an unknown date, the patient had brown spots appeared on left hand (on top of her middle) the spots covered about half of middle finger. The patient described the headaches as it felt like something was moving inside her head which started on the back of head and right side and moved slowly around which hurt a lot. She mentioned her eyes also hurt. On 05-MAY-2021 the patient visited hospital and reported that they cannot do anything to the headaches. On an unknown date the patient eyes are heavy feels like something is pushing her eye and had temporary blindness Patient was prescribed with butalbital-caffeine with Tylenol for headache; that headache subsides away for 4 hours and comes back. On an unknown date the patient feels tired</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

up and weak. Treatment medications (dates unspecified) included: butalbital/cafeine/paracetamol, and paracetamol. The patient recovered from fainting, and vomited, was recovering from shaking because she was cold, had not recovered from chills, fatigue, headache, brown spots on finger, eye feels heavy, eye pressure from the back, and temporary blindness, and the outcome of nausea, dizziness, blood pressure was high, cerebral hemorrhage in her head, eyes also hurt, loose her balance, still feels tired and feels weak was not reported. This report was serious (Hospitalization Caused / Prolonged, and Other Medically Important Condition).; Sender's Comments: V0: 20210514047-covid-19 vaccine ad26.cov2.s-Cerebral heamorrhage, High blood pressure, Fainting, Temporary blindness. These events are considered unassessable. The events has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the events.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1315715	5/13/2021	MD	72	F	3/31/2021		<p>LEFT EYE AND EYE BALL HURTS; LEFT EYE LID HURTS TO BLINK; EYE LID CRAMPS; HEADACHE ACCOMPANIED WITH DISCOMFORT WITH LIGHT (COULD NOT LOOK AT THE LIGHT); HEADACHE MIGRATES FROM ONE SIDE TO ANOTHER AND TO TOP OF HEAD; PAIN IN LEFT SHOULDER ON SITE OF THE VACCINE FOR WHOLE MONTH AND LONGER;</p> <p>This spontaneous report received from a patient concerned a 72 year old female. The patient's height, and weight were not reported. The patient's past medical history included asthma, and concurrent conditions included border line diabetic, breast cancer, and eye lid cramps. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808609, expiry: UNKNOWN) dose was not reported, administered on 31-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 31-MAR-2021, the subject experienced pain in left shoulder on site of the vaccine for whole month and longer. On 03-APR-2021, the subject experienced headache migrates from one side to another and to top of head. On 06-MAY-2021, the subject experienced left eye and eye ball hurts. On 06-MAY-2021, the subject experienced left eye lid hurts to blink. On 06-MAY-2021, the subject experienced eye lid cramps. On 06-MAY-2021, the subject experienced headache accompanied with discomfort with light (could not look at the light). Treatment medications (dates unspecified) included: paracetamol, menthol/methyl salicylate, and acetylsalicylic acid. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from pain in left shoulder on site of the vaccine for whole month and longer, and had not recovered from headache migrates from one side to another and to top of head, left eye and eye ball hurts, headache accompanied with discomfort with light (could not look at the light), eye lid cramps, and left eye lid hurts to blink. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1315809	5/13/2021	CA	67	F	2/13/2021	3/13/2021	Swollen hands; Heavy periods; chopped her hair since she sweats a lot in her scalp; Body aches; Headache; Fatigue; Bleeding started; Cannot think straight; Hot flashes; Back hurts; Itchy in eyes; Confused; Anxiety increased; Feels depressed; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of HAEMORRHAGE (Bleeding started) and MENTAL IMPAIRMENT (Cannot think straight) in a 67-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 024M20A and 003A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No medical history reported. Concomitant products included DULOXETINE HYDROCHLORIDE (CYMBALTA), LORAZEPAM, MELOXICAM, BLACK COHOSH [CIMICIFUGA RACEMOSA], ESTRADIOL, NORETHISTERONE ACETATE (ESTRADIOL AND NORETHINDRONE), CLOBETASOL PROPIONATE and ESTRADIOL for an unknown indication. On 13-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 13-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 13-Mar-2021, the patient experienced HAEMORRHAGE (Bleeding started) (seriousness criterion medically significant), MENTAL IMPAIRMENT (Cannot think straight) (seriousness criterion medically significant), HOT FLUSH (Hot flashes), BACK PAIN (Back hurts), EYE PRURITUS (Itchy in eyes), CONFUSIONAL STATE (Confused), ANXIETY (Anxiety increased), DEPRESSED MOOD (Feels depressed), HEAVY MENSTRUAL BLEEDING (Heavy periods), HYPERHIDROSIS (chopped her hair since she sweats a lot in her scalp), PAIN (Body aches), HEADACHE (Headache) and FATIGUE (Fatigue). On 06-May-2021, the patient experienced PERIPHERAL SWELLING (Swollen hands). At the time of the report, HAEMORRHAGE (Bleeding started), MENTAL IMPAIRMENT (Cannot think straight), HOT FLUSH (Hot flashes), BACK PAIN (Back hurts), EYE PRURITUS (Itchy in eyes), CONFUSIONAL STATE (Confused), ANXIETY (Anxiety increased), DEPRESSED MOOD (Feels depressed), PERIPHERAL SWELLING (Swollen hands), HEAVY MENSTRUAL BLEEDING (Heavy

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

periods), HYPERHIDROSIS (chopped her hair since she sweats a lot in her scalp), PAIN (Body aches), HEADACHE (Headache) and FATIGUE (Fatigue) outcome was unknown. Patient stated that her OBGYN told her she is going thru menopause for which she was prescribed estrogen and she started getting a period. Treatment included Tylenol. The patient received both scheduled doses of mRNA-1273 prior to the events, therefore action taken with the drug in response to the events was not applicable. Very limited information regarding this events has been provided at this time. The events are assessed unlikely related to product. This case was linked to MOD-2021-110270 (Patient Link). Most recent FOLLOW-UP information incorporated above includes: On 06-May-2021: New concomitant drugs (Black Cohosh, Estradiol/norethindrone, Clobetasol propionate, Estradiol cream) were added, New events (Bleeding, back hurts, had period, itchy in eyes, cannot think straight, confused, body aches, heavy period, anxiety increased and feels depressed) were added and Suspect vaccine dosing details were updated.; Sender's Comments: Very limited information regarding this events has been provided at this time. The events are assessed unlikely related to product.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1315868	5/13/2021	KY	62	M	3/17/2021	3/27/2021	Bell's palsy (a neurological condition where drooping of the eye lid and the face happens); This spontaneous case was reported by a physician assistant (subsequently medically confirmed) and describes the occurrence of BELL'S PALSY (Bell's palsy (a neurological condition where drooping of the eye lid and the face happens)) in a 62-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. Concomitant products included LISINOPRIL, LOVASTATIN, QUETIAPINE FUMARATE (SEROQUEL) and TRAZODONE for an unknown indication. On 17-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 27-Mar-2021, the patient experienced BELL'S PALSY (Bell's palsy (a neurological condition where drooping of the eye lid and the face happens)) (seriousness criterion medically significant). At the time of the report, BELL'S PALSY (Bell's palsy (a neurological condition where drooping of the eye lid and the face happens)) outcome was unknown. mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was withdrawn on an unknown date. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. No adverse event as Medical History was reported. Patient did not receive the second dose of the vaccine due to this condition. Treatment information not provided. Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.
1314167	5/13/2021	SC	62	M	3/13/2021	5/12/2021	Temporary partial blindness in the left eye. Event lasted 1 minute. One quarter of the top portion of sight in my left eye was blocked by what appeared to be a dark curtain, this went away after 1 minute. Had an exam by eye doctor the same day , no eye problems were found. Had an exam by cardiologist the following day. He prescribed a imaging order for a head scan and prescribed Clopidogrel 75 mg and to monitor a fib for 30n days with Apple Watch.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1313931	5/13/2021	PA	79	F	3/24/2021	4/4/2021	ED Discharged 4/4/2021 (4 hours) Hospital Emergency Department Last attending ? Treatment team Generalized weakness +4 more Clinical impression Weakness - Generalized ? Chills Chief complaint ED Provider Notes Emergency Medicine Expand AllCollapse All HPI Chief Complaint Patient presents with ? Weakness - Generalized ? Chills HPI 79-year-old female, history of COPD for which she wears oxygen at night and as needed, also with a history of leukemia and obesity who presents to the ED complaining of generalized body aches, fevers up to 103, feeling generally unwell and weak, poor sleep, onset 3 to 4 days ago. Patient reports that she received her second COVID-19 vaccine approximately 1 week ago. Tolerated this without any particular symptoms. She has had 2 days of watery/nonbloody diarrhea. Does admit to nausea with several episodes of vomiting earlier today. She is denying any particular abdominal pain. Does believe she felt her urine burning earlier today but has had no gross hematuria. Denies any flank pain. No ill contacts although her husband has been at home with a slight cough. Patient does have a cough presently but it is nonproductive. She is denying any particular chest pain or subjective shortness of breath. No rash or unusual lower extremity pain, swelling, or redness. ED to Hosp-Admission Discharged 4/6/2021 - 4/17/2021 (11 days) Hospital Last attending ? Treatment team Severe sepsis (CMS/HCC) Principal problem Discharge Summary Internal Medicine Inpatient DeathSummary BRIEF OVERVIEW Admission Date: 4/6/2021 Discharge Date: 4/17/2021 DETAILS OF HOSPITAL STAY Presenting Problem/History of Present Illness/Reason for Admission Patient is an 79 y.o. female morbidly obese with past medical history of chronic lymphocytic leukemia follow-up that was initially scheduled oncology follow-up for April 7 now postponed to the next 2 weeks, COPD on 2 L oxygen support at home, GERD, depression and anxiety. She was recently seen in the ED on April 4, 2021 with complaint of shortness of breath, nonproductive cough, fever, chills, nonbloody diarrhea, vomiting and weakness and subsequently diagnosed with COVID-19. She had however received a second dose of COVID-19 a week before and was discharged home due to lack of significant findings on imaging chest x-ray and lack of

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

requirement for higher oxygen support. She presented to the emergency via EMS for evaluation of progressive shortness of breath with associated with fever, chills, headache, persistent shortness of breath, cough productive of thick clear sputum, nausea, vomiting and diarrhea. She denies abdominal pain, chest pain, or dizziness. Denies recent antibiotic usage or recent travel. Apparently, she thought she was getting better upon discharge after being kept for about 12 hours in the last ED visit, however she was not feeling well after going to bed last night and asked the husband to call 911. Upon EMS arrival patient was saturating in the 80s and in respiratory distress. She received 1 DuoNeb and was eventually placed on 10 L oxygen support. She was noted to be in significant respiratory distress during speech. Hospital Course Patient was admitted to hospital due to shortness of breath, and was found to have severe sepsis on presentation due to COVID-19 pneumonia. She had evidence of acute on chronic hypoxic respiratory failure as well. She was started on IV antibiotics, as well as remdesivir and Decadron at high dose. Unfortunately she continued to have clinical deterioration, and ultimately required high flow oxygen therapy. She was then transferred to the ICU, and ultimately required intubation due to severe profound ongoing hypoxia despite optimal medical treatment. She did not respond to remdesivir or steroids or antibiotics. Post intubation, she also developed acute renal failure during the course of her admission. Multiple discussions were had throughout the hospitalization regarding goals of care, and initially patient and family wish to be continually aggressive. She received full medical treatment, including life support, with minimal improvement. Despite being on ventilator for roughly 5 days, she continued to have severe hypoxia. She was prone, and was unable to sustain oxygen saturations when supine even for short period. Her renal function continued to decline as well, and at that point discussion was had with family regarding goals of care again. They were explained that symptoms continue to be persistent, and her illness continues to progress despite aggressive medical therapy. Ultimately decision was made to not pursue dialysis, and to allow the patient to be kept comfortable and pass away naturally from this infection. She was terminally extubated on 4/17 and passed away

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

at 11:16 AM due to COVID-19 and acute on chronic hypoxic respiratory failure. Operative Procedures Performed X-ray Abdomen 1 View Result Date: 4/13/2021 Narrative: Single view portable abdomen INDICATION: Nasogastric tube placement, encounter initial Supine portable view of the lower chest and abdomen demonstrates nasogastric tube with tip and side-port in the gas-distended stomach. This report was created using Voice Recognition software. Thank you for allowing us to participate in the care of your patient. X-ray Chest 1 View Result Date: 4/16/2021 Narrative: XR CHEST 1 VW IMPRESSION: No significant change from the previous examination. END OF IMPRESSION: INDICATION: Worsening hypoxemia. TECHNIQUE: AP projection of the chest is acquired. COMPARISON: X-ray 4/13/2021. FINDINGS: The endotracheal tube, nasogastric tube, and right IJ central venous catheter are unchanged. Right-sided chest tube is unchanged. There is a small left pleural effusion. There is diffuse bilateral hazy airspace opacification. No change from prior. This report was created using Voice Recognition software. Thank you for allowing us to participate in the care of your patient. X-ray Chest 1 View Result Date: 4/15/2021 Narrative: XR CHEST 1 VW PORT IMPRESSION: Tubes and lines as described. Small left effusion. Unchanged patchy bilateral airspace consolidation. END OF IMPRESSION: INDICATION: worsening hypoxemia. TECHNIQUE: AP projection of the chest is acquired. COMPARISON: X-ray 4/14/2021. FINDINGS: The endotracheal tube, nasogastric tube, and right IJ central venous catheter are unchanged. The right-sided chest tube is unchanged. There is no pneumothorax. There is a small effusion. There is diffuse bilateral patchy airspace consolidation. There is no significant change. Cardiac silhouette is normal size. There is calcification of the aorta. This report was created using Voice Recognition software. Thank you for allowing us to participate in the care of your patient. X-ray Chest 1 View - Daily Result Date: 4/14/2021 Narrative: Chest radiograph HISTORY: Covid 19 infection. Mechanical ventilation. Comments: Frontal radiograph of the chest was obtained and compared to the prior study dated 4/13/2021. The heart is at the upper limits of normal. The mediastinum is within normal limits. Interstitial alveolar opacities are demonstrated bilaterally consistent with

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

pneumonia. There is an endotracheal tube with the distal end approximately 4.3 cm from the carina. Nasogastric tube is noted directed towards the stomach. There is a right jugular central catheter. A right-sided pigtail catheter is seen. IMPRESSION: 1. Persistent bilateral interstitial alveolar opacities consistent with pneumonia. 2. Lines and tubes in place as described. This report was created using Voice Recognition software. Thank you for allowing us to participate in the care of your patient. X-ray Chest 1 View, Portable Result Date: 4/14/2021 Narrative: PROCEDURE INFORMATION: Exam: XR Chest Exam date and time: 4/13/2021 11:46 PM Age: 79 years old Clinical indication: Hypoxia; Covid+ TECHNIQUE: Imaging protocol: XR of the chest. Views: 1 view. COMPARISON: DX XR CHEST 1 VW 4/13/2021 10:50 AM FINDINGS: Tubes, catheters and devices: Endotracheal tube tip located at the level of the carina. Pigtail drainage catheter tip remains superimposed over the lateral right mid lung zone. Nasogastric tube enters the stomach but tip not included on the image. Tip of right internal jugular central venous catheter in SVC. Cardiac leads superimposed over the chest bilaterally. Lungs: Compared to chest x-ray examination performed earlier on 04/13/2021 at 1051 hrs, new consolidation and/or atelectasis in the left lung base. No significant interval change in scattered patches of ground-glass opacity (GGO) within each lung. Patient has history of COVID-19. Pleural spaces: Small right apical pneumothorax (12 mm). New small left pleural fluid collection. No right pleural fluid collection. Heart/Mediastinum: Stable cardiac silhouette Bones/joints: Unremarkable for age. IMPRESSION: 1. Endotracheal tube tip located at the level of the carina. 2. Pigtail drainage catheter tip remains superimposed over the lateral right mid lung zone. 3. Small right apical pneumothorax (12 mm). 4. Compared to chest x-ray examination performed earlier on 04/13/2021 at 1051 hrs, new consolidation and/or atelectasis in the left lung base. 5. New small left pleural fluid collection. 6. No significant interval change in scattered patches of ground-glass opacity (GGO) within each lung. Patient has history of COVID-19. THIS DOCUMENT HAS BEEN ELECTRONICALLY SIGNED BY MD X-ray Chest 1 View, Portable Result Date: 4/13/2021 Narrative: XR CHEST 1 VW PORT INDICATION: verify placement of

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

right chest tube. Encounter: Subsequent. TECHNIQUE: AP portable erect projection of the chest is acquired. COMPARISON: Earlier today. FINDINGS: The left thoracostomy tube terminates near the lateral right midlung. No other change. Extensive pulmonary infiltrates. Stable life support lines. The previous right pneumothorax has predominantly resolved, only a thin crescent of air caps the right apex. END OF IMPRESSION: This report was created using Voice Recognition software. Thank you for allowing us to participate in the care of your patient. X-ray Chest 1 View, Portable Result Date: 4/13/2021 Narrative: XR CHEST 1 VW PORT IMPRESSION: Lines as described. There is a small right-sided pneumothorax. Unchanged bilateral airspace consolidation. END OF IMPRESSION: INDICATION: verify placement of CVC and post intubation. TECHNIQUE: AP projection of the chest is acquired. COMPARISON: X-ray 4/11/2021. FINDINGS: There is a right IJ central venous catheter. Tip is projected over the SVC. There is a small right apical pneumothorax. Endotracheal tube terminates 2 cm superior to the carina. The nasogastric tube passes beneath the diaphragm. Multifocal areas of patchy airspace consolidation bilaterally. Findings do not appear significantly changed from prior. The cardiac silhouette is normal size. There is calcification of the aorta. This report was created using Voice Recognition software. Thank you for allowing us to participate in the care of your patient. X-ray Chest 1 View Result Date: 4/11/2021 Narrative: XR CHEST 1 VW PORT IMPRESSION: Mildly worsened bilateral airspace consolidation. END OF IMPRESSION: INDICATION: worsening respiratory failure, covid pneumonia worsening respiratory failure, covid pneumonia. TECHNIQUE: AP projection of the chest is acquired. COMPARISON: X-ray 4/8/2021. FINDINGS: The left costophrenic angle is partially excluded. The lungs are adequately expanded. There are large areas of patchy airspace consolidation bilaterally. Findings have mildly increased in severity. There is no effusion or pneumothorax. The cardiac silhouette is mildly enlarged. There is calcification of the aorta. This report was created using Voice Recognition software. Thank you for allowing us to participate in the care of your patient. X-ray Chest 1 View Result Date: 4/8/2021 Narrative: XR CHEST 1 VW PORT INDICATION:

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

Worsening hypoxemia, Covid pneumonia. Encounter: Initial. TECHNIQUE: AP portable erect projection of the chest is acquired. COMPARISON: 4/4/2021. FINDINGS: Scattered pulmonary infiltrates is developed bilaterally, greatest in the right upper and right lower lobe. No change in the heart, mediastinum, or bony thorax. IMPRESSIONS: Developing pulmonary infiltrates. END OF IMPRESSION: This report was created using Voice Recognition software. Thank you for allowing us to participate in the care of your patient. X-ray Chest 1 View - Portable Result Date: 4/4/2021 Narrative: XR CHEST 1 VW PORT IMPRESSION: No evidence of acute pulmonary disease. END OF IMPRESSION: INDICATION: SOB, weak, cough SOB, weak, cough. TECHNIQUE: Portable AP projection of the chest is acquired. COMPARISON: 6/5/2020 FINDINGS: Heart size appears unremarkable. There is mild prominence of pulmonary arteries. This is stable. There is no focal consolidation or effusion. This report was created using Voice Recognition software. Thank you for allowing us to participate in the care of your patient. Transthoracic Echo (tte) Complete Result Date: 4/11/2021 Narrative: Gender: Female Age: 79 Procedure Date: 4/11/2021 10:19 AM Study Quality: Fair Ht / Wt / BSA: 66.00 in / 218.00 lb / 2.07 m2 Heart Rate: 77 bpm BP: 181 / 81 mmHg Indications: Arrhythmia Transthoracic 2D, Color Flow, and Doppler Echocardiogram Conclusions: The left ventricle is normal in size. Ejection Fraction 55% (normal range 50-70%). All wall segments showed normal motion. Mild concentric LVH. Trivial aortic regurgitation. No additional significant valvular abnormality. No prior study for comparison. Presentation and History: Indication: The patient presents for evaluation of arrhythmia. The patient has a history of obesity and chronic obstructive pulmonary disease. Findings: Procedure Information: Contrast agent, definity, is being given per protocol without apparent complications. Due to technical limitations in the assessment of the left ventricle, imaging was performed after the administration of intravenous Definity echocontrast, as per protocol. Left Ventricle: The left ventricle is normal in size. There is mildly increased left ventricular wall thickness. The left ventricular systolic function is normal. The visually estimated ejection

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

fraction is 55% (normal range 50-70%). Wall Motion: All wall segments showed normal motion. Right Ventricle: RV not well visualized. RV grossly normal in size and function by subcostal view. Atria: The left atrium is borderline dilated. The right atrium is normal in size. Aortic Valve: Sclerotic appearing aortic valve with no significant aortic stenosis. Trivial aortic regurgitation. Mitral Valve: There is trace mitral valve regurgitation by color flow and doppler analysis. There is no mitral valve stenosis by color flow and doppler analysis. Pulmonic Valve: There is no evidence of significant pulmonic valvular stenosis or insufficiency by color flow and doppler analysis. Tricuspid Valve: There is trace tricuspid valve regurgitation by color flow and doppler analysis. Great Vessels: All visible segments of the aorta are normal in size. Venous: The inferior vena cava is normal in size and collapses greater than 50% with inspiration. Pericardium/Pleural: There is no evidence of pericardial effusion. Prior Study Comparison: No prior study for comparison. Measurements: Left Ventricle: IVSd: 0.85 cm (0.6-0.9/0.6-1.0) LVIDd: 5.10 cm (3.9-5.3/4.2-5.9) LVIDd Index: 2.46 cm/m<sup>2</sup> (2.4-3.2/2.2-3.1) LVIDs: 3.56 cm (2.0-3.6) LVPWd: 0.95 cm (0.7-1.1) Ao Root: 3.30 cm (2.1-3.5) LV Mass: 203.25 g (67-162/88-224) LV Mass Index: 98.19 g/m<sup>2</sup> (43-95/49-115) LVOT Diam: 1.90 cm (3.0+/-1.3) LVOT Pk Vel: 0.91 LVOT Mn Vel: 0.63 LVOT VTI: 0.20 LVOT Pk Grad: 3.00 LVOT Mn Grad: 2.00 LVOT Diam: 1.90 LVOT Area: 2.84 MV Pk E: 0.66 MV Pk A: 0.66 E/A: 1.00 E'Medial: 5.33 E/E' Med: 12.30 E' Lateral: 10.60 E/E' Lat: 6.20 Mitral Valve: MV Pk E: 0.66 MV Pk A: 0.66 MV Decel Time: 209.00 E/A: 1.00 E'Lateral: 10.60 E'Medial: 5.33 E/E' Med: 12.30 E/E' Lat: 6.20 PHT: 61.00 MVA PHT: 3.61 Decel Slope: 3.14 Aortic Valve: AoV Pk Vel: 1.65 AoV Mn Vel: 1.22 AoV VTI: 0.39 AoV Pk Grad: 11.00 AoV Mn Grad: 7.00 AVA Cont.VTI: 1.42 Tricuspid Valve: TR Pk Vel: 2.89 TR Pk Grad: 33.00 RA Press: 10.00 RVSP: 43.00 Great Vessels: Ao Root-2D: 3.30 cm (2.0-3.7) Ao Asc: 3.30 cm (2.1-3.4) Updated on 4/11/2021 5:10:04 PM with Status of Final electronically signed on 4/11/2021 5:10:04 PM with status of Final Ct Covid Chest Low Dose Without Contrast Result Date: 4/6/2021 Narrative: PROCEDURE INFORMATION: Exam: CT Chest Without Contrast; Diagnostic Exam date and time: 4/6/2021 4:21

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							AM Age: 79 years old Clinical indication: Cough and shortness of breath; Patient HX: +covid; Additional info: Cough. Shortness of breath, covid TECHNIQUE: Imaging protocol: Diagnostic computed tomography of the chest without contrast. 3D rendering (Not supervised by radiologist): MIP and/or 3D reconstructed images were created by the technologist. Radiation optimization: All CT scans at this facility use at least one of these dose optimization techniques: automated exposure control; mA and/or kV adjustment per patient size (includes targeted exams where dose is matched to clinical indication); or iterative reconstruction. COMPARISON: CT CHEST WO CONTRAST 3/8/2021 2:28 PM FINDINGS: Lungs: There are patchy peripheral ground-glass opacities which can be seen with atypical pneumonia. Pleural spaces: Unremarkable. No pneumothorax. No pleural effusion. Heart: No cardiomegaly. No pericardial effusion. Aorta: Atherosclerotic changes of the aorta. Lymph nodes: Unremarkable. No enlarged lymph nodes. Bones/joints: Unremarkable. No acute fracture. Soft tissues: Unremarkable. IMPRESSION: Patchy peripheral ground-glass opacities which can be seen with atypical pneumonia. THIS DOCUMENT HAS BEEN ELECTRONICALLY SIGNED BY MD
1314974	5/13/2021	UT	32	F	3/19/2021	3/19/2021	About 2 minutes after receiving the vaccine, while parked, I started getting very light headed, felt dizzy, and my heart starting beating extremely fast, and then slowed down and started beating very very hard, and felt like it was going to pound out of my chest. I then had a warm sensation in my throat and started feeling like it was getting harder to breathe. I rolled down my Window, and looked for someone to wave over for assistance, but there were cars in the way, so I closed my eyes and focused on breathing deep and slowly to see if that would make it any better. After about 5 minutes my heart rate went back to normal, I felt I could breathe normally, and wasn't so light headed anymore. I should have reported this to someone when they told me I could leave, but I wasn't sure if it was an actual allergic reaction. Or if it was just a stress reaction. I felt like I should at least report it here, because I was completely fine before the injection, during the injection, and right after, until about 2 minutes after being parked.



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1313998	5/13/2021	CT	72	F	3/11/2021	3/11/2021	Immediately after the vaccine I felt a forehead headache that went to the back of my head. I thought it would go away as week and a half and went to the doctor and found out I had a sinus infection. I've not had a sinus infection in a long time. Also, the doctor said that others had reported having headaches after the vaccine. Also two weeks to the day after the vaccine my eyes went funny and I couldn't ready or see properly and it was noted that I had a TIA and was diagnosed of having A-fib..

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1315885	5/13/2021	IL	31	M	10/14/2020		<p>grand mal seizure; vision changes; Feelings of pressure at the back of his neck radiating to right side of his head; This spontaneous case was reported by a physician (subsequently medically confirmed) and describes the occurrence of GENERALISED TONIC-CLONIC SEIZURE (grand mal seizure) in an adult male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Co-suspect product included non-company product ADALIMUMAB (HUMIRA) solution for injection for Crohn's disease. Concurrent medical conditions included Crohn's disease (moderate to severe). On 14-Oct-2020, the patient started ADALIMUMAB (HUMIRA) (Subcutaneous) dosage form. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, the patient experienced GENERALISED TONIC-CLONIC SEIZURE (grand mal seizure) (seriousness criterion hospitalization), VISUAL IMPAIRMENT (vision changes) and NECK PAIN (Feelings of pressure at the back of his neck radiating to right side of his head). At the time of the report, GENERALISED TONIC-CLONIC SEIZURE (grand mal seizure) had resolved and VISUAL IMPAIRMENT (vision changes) and NECK PAIN (Feelings of pressure at the back of his neck radiating to right side of his head) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. The patient had a seizure three days after his first Moderna Covid vaccine and was hospitalized. CT scan was negative. The reporter's causality for co-suspect drug, adalimumab, was not provided. Concomitant product use was not provided. No treatment information was provided. This case concerns an adult male, with PMH of Crohn's disease, hospitalized with a serious unexpected event of generalized tonic-clonic seizure (grand mal seizure), and nonserious unexpected visual impairment and neck pain. Event onset with unknown latency after first dose mRNA-1273. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.; Sender's</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

Comments: This case concerns an adult male, with PMH of Crohn's disease, hospitalized with a serious unexpected event of generalized tonic-clonic seizure (grand mal seizure), and nonserious unexpected visual impairment and neck pain. Event onset with unknown latency after first dose mRNA-1273. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.

1314563	5/13/2021	CO
---------	-----------	----

15	M
----	---

5/13/2021
-----------

5/13/2021
-----------

Approximately 20 minutes after the vaccine the patient was the passenger in his mother's car when he started feeling confused, experienced blurred vision and reportedly lost consciousness. Upon regaining consciousness, the patient vomited.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1313982	5/13/2021	PA	81	F	3/13/2021	4/6/2021	ED to Hosp-Admission Discharged 4/6/2021 - 4/9/2021 (3 days) Last attending ? Treatment team Acute hypoxemic respiratory failure due to COVID-19 (CMS/HCC) Principal problem Discharge Summary Internal Medicine Discharge Summary Hospitalist Medicine Admission Date: 4/6/2021 Length of Stay: 3 Days Discharge Date: 4/9/2021 Admission Diagnosis Hospital Problems POA * (Principal) Acute hypoxemic respiratory failure due to COVID-19 (CMS/HCC) Yes Type 2 diabetes mellitus (CMS/HCC) Yes Obesity Yes Hypothyroidism Yes Chronic combined systolic and diastolic heart failure (CMS/HCC) Yes Benign essential hypertension Yes 81-year-old female presented to the hospital with a complaint of fever and cough COVID-19 - now saturating well on room air and Afebrile Complaining of sore throat and difficulty in swallowing- now resolving Back pain improving Episode of diaphoresis and blurry vision -now resolved Home Or Self Care CODE STATUS: DNR (Do Not Resuscitate) Active Issues Requiring Follow-up Follow-up with PCP for further care as outpatient. Test Results Pending at Discharge Pending Labs Order Current Status Blood culture- 2 SETS Preliminary result Blood culture- 2 SETS Preliminary result Hospital Course HPI: See H&P Hospital Course: Patient presented to the hospital with a complaint of fever and cough. She was admitted for COVID-19 with respiratory failure. Since she was saturating below 94%, she was started on remdesivir on admission. Oxygen was given for supportive care. She received albuterol inhaler, Mucinex, Tessalon Perles and Decadron. In addition she complained of some sore throat and received Chloraseptic spray along with lozenges. She had an episode of diaphoresis and change in vision during the hospitalization. There were no events on the monitor and the CT of the head was negative. The symptoms resolved. She also complained of insomnia back pain for which he received melatonin and Lidoderm patch respectively. She is feeling much better and has been saturating well on room air above 95% for the past 2 days. I will continue with the albuterol inhaler, Decadron and Mucinex as outpatient for few more days. She is asked to follow-up with her PCP for further care as outpatient. ED to Hosp-Admission Discharged

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							<p>4/13/2021 - 4/16/2021 (3 days) Last attending ?  Treatment team Weakness Principal problem Discharge  Summary (Physician) ? ? Internal Medicine  Discharge Summary Hospitalist Medicine  Admission Date: 4/13/2021 Length of Stay: 1 Days  Discharge Date: 4/16/2021 Admission Diagnosis  Hospital Problems POA Type 2 diabetes mellitus  (CMS/HCC) Yes Hypothyroidism Yes  Hyperlipidemia due to type 2 diabetes mellitus  (CMS/HCC) Yes Gastroesophageal reflux disease  Yes Problem List Resolved POA  Resolved Problems Acute hypoxemic respiratory failure  due to COVID-19 (CMS/HCC) 4/17/2021 Yes *  (Principal) Weakness 4/17/2021 Yes Generalized  weakness 4/17/2021 Yes Home Under Care Of  Organized Home Health Service CODE STATUS:  Prior Active Issues Requiring Follow-up Test  Results Pending at Discharge Hospital Course  HPI: See H&amp;P admit report. Hospital Course: Patient  was admitted secondary to weakness and hypoxia she  recently did have a bout of COVID-19 and had been  discharged home and has been set up for remote  outpatient monitoring as per protocol. She returns for  ongoing weakness. Patient was continued on Decadron  and was seen by physical therapy and Occupational  Therapy. The patient slowly continued to improve and  was now back to baseline functioning. She may be  discharged home and follow-up with PCP as advised as  she is no longer on oxygen. She is to complete the  dexamethasone dose as she had previously been taking  to complete a course. Home health had been previously  set up at her previous admission.</p>
1313979	5/13/2021	VA	60	M	5/10/2021	5/11/2021	<p>pt woke up with an extreme severe headache and  nausea. Vision was blurred, he had joint point, body  aches and pains. He used ice pack for headache.  These symptoms lasted about 24 hours. On 5/13/21 Pt  still has blurry vision but other symptoms have subsided.</p>
1314013	5/13/2021	LA	52	F	3/3/2021	5/13/2021	<p>3 weeks after the vaccine my left eye began to twitch and  continued for about 2 weeks. During this time I began to  have muscle twitching in my left and right arms. My left  leg at the inner calf area became intermittently numb and  the muscle twitching began in my legs as well at the  same time.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1314023	5/13/2021	WI	16	F	5/8/2021	5/8/2021	PATIENT LOST CONSCIOUSNESS, FELL FORWARD OUT OF CHAIR (WAS CAUGHT AND ASSISTED TO THE FLOOR), PATIENT REGAINED CONSCIOUSNESS, EMERGENCY SERVICES WERE CALLED, PULSE, BLOOD SUGAR, OXYGEN, AND VISION WERE FINE, PATIENT VERY LIGHT HEADED, BLOOD PRESSURE EXTREMELY LOW, WASN'T RETURNING TO NORMAL
1314077	5/13/2021	SD	19	F	5/13/2021	5/13/2021	Patient got really hot, blurred vision, dizzy and threw up once. Gave her water and a fan. Offered her crackers, but didn't want to eat anything. Symptoms lasted for about 5 to 10 minutes. Observed her for 50 minutes after and felt fine. Her aunt came to pick her up. Patient stated she has a history of adverse effects such as this with vaccines.
1314088	5/13/2021	OH	52	F	5/1/2021	5/7/2021	Given 12:20 pm. Extreme fatigue, eyes swollen/heavy 7:00 pm for about 2 days. New soreness at injection spot 3 days later for appx 24 hours (bearable). Extreme itchiness, splotchiness, and increasing rash on face and neck 7 days later. Currently on day 6 of rash and day 2 of Prednisone prescription with rash slowly lessening.
1314209	5/13/2021	DC	19	M	3/6/2021	3/6/2021	Aches and pains outside of arm 15 minutes afterwards. Subsided largely, but chills started and became more heightened after strenuous exercise later in the day. After 3 hours of sleep, awoke the next day with chest pain and difficulty moving. Heart rate (normally 60) spiked to 140 and could not see fit five seconds, had to call ambulance. Ambulance determined much of it was due to anxiety (multiple exams and significant work were due soon), and recommended medical supervision to ensure it did not escalate. Went to urgent care and was supervised until 1 pm, 24 hours after the vaccination, by which time symptoms had subsided

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1314271	5/13/2021	FL	53	F	4/26/2021	5/8/2021	started seeing double out of left eye on evening of May 8. The morning of May 9 my eyelid was drooping and double vision out of left eye was a little bit worse. Went to emergency room on May 9. Tests included MRI, CAT scan, bloodwork, tested for stroke. All tests normal. I was sent home with a diagnosis of third nerve palsy. My double vision out of left eye has remained the same. No worse or better as of May 13. I have not had any pain associated with this. Just double vision out of left eye.
1314283	5/13/2021	MD	14	M	5/13/2021	5/13/2021	Pt had spent 10 mins in the observation hall when he w.. as reported to be feeling light-headed and his vision, blurry. Mother reported that he had nothing for breakfast b/4 the vaccination appointment. V/S taken was bp 98/57, rr 14, Hr 80, O2 96% RA, T. 95 degrees. When writer offered some drinks and snack, the Pt accepted the offer. 2 small packs of apple juice and 2small packs of crackers were consumed by the Pt. A recheck of the v/s showed the following readings. bp 98/64 , Hr 69, O2 99% RA .Pt and mother stayed for about 15 extra mins before the Pt verbalized feeling okay and ready to leave. He left in the company Of mom unassisted
1314306	5/13/2021	MI	16	F	5/12/2021	5/12/2021	The patient felt tired and describes her eyes going dark, then passed out a few minutes after vaccination. She was vaccinated and then left the immunization room to sit down for a 15 minute waiting period. When she went to sit down, she collapsed on the floor. Her mother assisted her into a chair. She continued to be incoherent and have her eyes rolling back into her head for a few minutes. We used a cool cloth on her forehead and the back of her neck. The parents requested that we call 911. EMS arrived shortly and evaluated her. Heart rate, blood pressure, pulse ox, blood sugar and chest sounds were all within normal range. The patient stated that her arm felt heavy and "funny". She then stated that her tongue felt funny. EMS evaluated her tongue and said it looked normal. To err on the side of caution, she was taken to the hospital to determine whether or not she was having a delayed onset anaphylactic reaction. This patient has no history of seizures.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1314415	5/13/2021	MN	28	F	5/12/2021	5/12/2021	immediately post-vaccination pt experienced flushing/warm sensation L side of arm/neck/face. Patient sat in chair x15min, given water. Pt states continued flushing with dizziness and inability to focus vision/blurry vision. Had patient continue to sit and observed additional 30 min. Pt reported no change in symptoms, moved pt back to vaccination room to reduce noise/traffic. Checked BP 144/100, pulse 77. Pt given more water and observed. No labored breathing or obvious distress noted. Pt reported tingling of tongue/throat. No signs of swelling of tongue/throat with examination but increased flushing of face/throat/ears. Pt offered benadryl, she disclosed anaphylaxis to benadryl and refused antihistamine. discussed concern of reaction and use of epipen/EMS services. Patient declined, asked for continued observation. observed x 15 min, no change in status. observed additional 15min, offered loratadine (pt states taken safely in past) pt declined. observed 15min, pt states continued tingling in mouth/throat with slight difficulty swallowing, no observed labored breathing, pt able to carry conversation without effort. Recommended epipen and EMS, pt refused. Pharmacist advised against driving and recommended seeking emergent care. Patient refused EMS and left with friend with request from pharmacist to go to ER. F/u with pt 2 hrs later, pt was at ER but no updated status. Phone call F/u with pt next day (5/13, 1pm). pt states given 1 medication (unknown) that reduced symptoms of tingling but HR/BP continued to fluctuate. ER discharged pt home evening of 5/12 and pt has f/u with primary care 5/14/21.
1314432	5/13/2021	IN	14	F	5/13/2021	5/13/2021	Dizziness, weakness in legs, claimed loss of vision by patient. Events occurred ~15 minutes after receiving injection. Patient transferred to emergency department for evaluation



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1314108	5/13/2021	VA	18	M	5/12/2021	5/12/2021	Patient received his second dose of Pfizer Covid 19 vaccine around 5:50 pm and about few minutes later his mom notified us that he is about to pass out, I rush there and with mom help , we payed him on the floor, at his point he looked pale and was dehydrated, He sat down with our help after a minute or two and drank about 20 oz of cold water, by the time EMS team arrived and he was talking and sat back on the chair and walked out on his under supervision of EMS personnel. A follow up call was made today with his mother and he ate last night after getting home and went to bed and today went to school .
1314507	5/13/2021	MD	13	M	5/13/2021	5/13/2021	he had his vaccination at 2:18, sat down in observation and after one minute, he lost consciousness, caught by father, and began having tremors. Woke up after 30 seconds - 1 minute. Helped to wheelchair. Skin was pale, but pt. was alert and oriented x 3, he reported blurry vision prior to incident. Observed on cot for 30 minutes. Given water, vital signs checked, wnl. Pt. left with father, escorted in wheelchair.
1314482	5/13/2021	MD	14	F	5/13/2021	5/13/2021	Pt c/o of dizziness as the only symptom s/p vaccination. She denied any chest pain, shortness of breath, vision loss, or pain. Pt's mother stated that she previously gets dizzy after vaccinations, and seeing needles. Pt stated that she had a "fear" of needles, but wanted the vaccine anyway. The nurse moved the pt to the private area, and helped her onto the stretcher, where she laid down. After the pt was lying down, the nurse assessed her. The nurse then took vital signs every ten minutes, listened to her lung sounds, assessed the radial pulse, assessed her vision, and mentation. After 15 minutes the pt sat upright with her feet dangled. With the nurse and the mother ten minutes later, the pt was walked down the hall. No issues were noted and the pt was stable. All the vitals were within normal limits throughout the entire time. The previous dizziness was gone, and the mother stated that she looked great. Pt stated a total of 40 minutes and then was safely discharged.
1309973	5/12/2021	PA	22	M	5/5/2021	5/5/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Flushed / Sweating-Severe, Systemic: Visual Changes/Disturbances-Severe, Additional Details: Heavy breathing and feeling of dehydration

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1309542	5/12/2021	MI	69	M	2/12/2021	2/12/2021	<p>Vision problems (partial loss of vision for a few seconds, unfocused spots in vision, double vision for minutes); Vision problems (partial loss of vision for a few seconds, unfocused spots in vision, double vision for minutes); Vision problems (partial loss of vision for a few seconds, unfocused spots in vision, double vision for minutes); Dizziness, Giddiness, lightheadedness; This is a spontaneous report from a contactable Other Health Professional. A 69-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration, administered in the right arm on 12Feb2021 at 10:00 (Batch/Lot number was not reported) at 69-years-old as a single dose for COVID-19 immunization. The patient did not receive any other vaccine within four weeks of the suspect vaccine. The patient did not have COVID prior to the vaccination. Medical history included blood pressure high (HBP) from an unknown date and unknown if ongoing, atrial fibrillation (A-fib) from an unknown date and unknown if ongoing; and relevant past drug history: Yes, as reported (no details provided). Concomitant medications included nebivolol hydrochloride (BYSTOLIC) taken for an unspecified indication, start and stop date were not reported; hydrochlorothiazide (MANUFACTURER UNKNOWN) taken for an unspecified indication, start and stop date were not reported; losartan (MANUFACTURER UNKNOWN) taken for an unspecified indication, start and stop date were not reported; and others as reported. On 12Feb2021 at 14:00, the patient experienced: vision problems (partial loss of vision for a few seconds, unfocused spots in vision, double vision for minutes) (hospitalization, medically significant), and dizziness, giddiness, lightheadedness (hospitalization). The patient was hospitalized for the events for 3 days. The patient underwent lab tests and procedures which included computerised tomogram (CT): result was not provided on an unspecified date, echocardiogram: result was not provided on an unspecified date, Nasal Swab: negative on 24Apr2021 (post vaccination). Therapeutic measures were taken as a result of the events, which included CT and echocardiogram (as reported). The clinical outcome of the events: vision problems (partial loss of vision for a few seconds, unfocused spots in vision, double vision for minutes) was recovered on an unspecified date. The</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

clinical outcome of the events: dizziness, giddiness, lightheadedness was recovering. The batch/lot numbers for the vaccine, bnt162b2, were not provided and will be requested during follow up.; Sender's Comments: Based on a temporal association, a causal relationship between the reported events partial vision loss for a few seconds, unfocused spots in vision, double vision and dizziness, and the vaccine BNT162B2 cannot be completely excluded. The causality was confounded by the patients preexisting cardiovascular conditions including hypertension and atrial fibrillation and multiple concomitant medications. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1309546	5/12/2021	WI		F			<p>Extreme swelling and pain in both hands; Extreme swelling and pain in both hands; numbness; Left eyelid swelling; Hives on head and stomach; not feeling well; headache; This is spontaneous report received from a contactable consumer (patient). A 29-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/Lot Number: EW0150), via an unspecified route of administration, administered in Arm Left on an unspecified date in 2021 (pending clarification) as 2ND DOSE, SINGLE for Covid-19 immunization. The patient was not pregnant at the time of vaccination. The patient has no medical history. Concomitant medication included birth control (unspecified). The patient was not diagnosed with COVID-19 prior to vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient experienced extreme swelling and pain in both hands, and numbness. The patient also experienced left eyelid swelling, hives on head and stomach, generally not feeling well, and non-stop headache. The event onset date was not reported (pending clarification). There was no treatment received for the adverse event. The adverse events resulted in disability or permanent damage. The patient has not been tested for COVID-19 since the vaccination. The outcome of events was not recovered. Information on lot/batch number was available. Additional information has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1309581	5/12/2021	CT	49	F	4/23/2021	4/1/2021	<p>was feeling some chest pain; she wakes up freezing; eyes felt really hot and dry; eyes felt really hot and dry; slight fogginess; achiness; I tested positive for COVID; Restless body; Nausea; Weakness; Fast heartbeat; Headache; Chills; Muscle pain; Feeling unwell; high fever couldnt shake it at all; got congested/ Stuffy nose; facing joint ache; extremely tired/ Tiredness; Pain in arm/ whole hand just felt achy; Heart hurt when laying on side; Dizziness/ lightheadedness; Swollen lymph nodes; This is a spontaneous report from a contactable consumer (patient). A 49-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), via an unspecified route of administration, administered in left arm on 23Apr2021 15:00 (Batch/Lot Number: EW0164) (at the age of 49 years old) at 1st dose, single for COVID-19 immunisation. Medical history included asthma and hypersensitivity (allergies). Concomitant medications included montelukast sodium (SINGULAIR) taken for hypersensitivity; formoterol fumarate, mometasone furoate (DULERA) taken for asthma; beclometasone dipropionate (QVAR); and levosalbutamol hydrochloride (XOPENEX). On unspecified date in Apr2021, she got pretty sick and swollen lymph nodes. On 23Apr2021, the patient experienced heart hurt when laying on side, high fever couldn't shake it at all, extremely tired/tiredness, headache, chills, muscle pain, feeling unwell, joint pain/ facing joint ache, dizziness/lightheadedness, fast heartbeat, pain in arm and got congested/ stuffy nose. On 24Apr2021, the patient experienced nausea and weakness. On 25Apr2021, the patient experienced restless body, her body also got extremely restless like she had restlessness lesions on whole body. On 26Apr2021, the patient tested positive for COVID-19. On unspecified date, the patient experienced chest pain, she wakes up freezing and her eyes felt really hot and dry and was exhausted, whole hand just felt super achy, slight fogginess and achiness. The patient had vaccination on Friday. On Friday night, she started not feeling well and then was like full blown all the Saturday all the Sunday (as reported). The patient got vaccination last Friday and had a severe reaction to the vaccination. She was extremely upset about it because now she tested positive for COVID. She was not really showing any symptoms and whatsoever before of any COVID like</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

symptoms. Allergy was bothering her but no fever, no chills, no tiredness, no achiness and no nothing. She was nervous because she did realize that it wasn't FDA approved and now she was suffering positive, she started feeling a little better but still tested positive. It was reported that the event started at the time of report, 26Apr2021. The patient had a severe reaction. She had every symptom except that her arm didn't swell. She didn't have any rash in her body. She got pretty sick. She had a high fever couldn't shake it at all, got congested, facing joint ache and extremely tired. Her body also got extremely restless like she had restlessness lesions on whole body she couldn't lay down. The patient reported that it was hurting her so bad and she had to keep moving like she couldn't relax fall free. She had a severe reaction and doctor said she could have COVID knowing it and then got a shot and then came out full blown. The patient stated she was taking Tylenol (50mg, Not clarified), Tylenol Cold and sinus (325mg) for like a flu and Motrin (500mg). She had some time to shake the achiness and the fever was just coming back. She took Tylenol to help rid of fever and achiness, it didn't help and then she tried Tylenol cold and flu that help the little bit then she tried Motrin the Motrin help more with achiness but not hundred percent. The outcome of the events heart hurt when laying on side and fast heartbeat, both recovered on 26Apr2021; events high fever, tiredness, chills, muscle pain, feeling unwell, swollen lymph nodes and dizziness were recovering; events nausea, restless body and stuffy nose were not recovered; and unknown outcome for the other events. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1309584	5/12/2021	FL	48	F	4/22/2021	4/22/2021	tiredness; headache; nausea; feeling of her lungs swelling and expanding in her thorax; terrible back pain; dry and bloody mucus in her nose; dry and bloody mucus in her nose; bloody mucus from her mouth; chills; fever; This is a spontaneous report from a contactable consumer (patient) reported that a 48-year-old female patient received the second dose of BNT162B2 (Pfizer-BioNTech COVID-19 vaccine, lot number: ER8729), via an unspecified route of administration, administered in the left arm on 22Apr2021 as a single dose for COVID-19 immunization. Medical history included menstrual irregularity and tear meniscus from an unknown date and unknown if ongoing. The patient's concomitant medications were not reported. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to the vaccination, the patient had not been diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. The patient previously received he first dose of BNT162B2 (lot number: ER8737) on 31Mar2021 on 24:00 on the left arm for COVID-19 immunization and after 8 days, the patient had scleritis. It was reported that on 22Apr2021 at 23:45 the same day that the patient received the second dose, she had chills and fever. The next day, 23Apr2021, the patient had tiredness, headache, nausea, feeling of her lungs swelling and expanding in her thorax and terrible back pain. The patient could not use a bra for two days, there was bloody mucus from her mouth, dry and bloody mucus in her nose. The patient stated that all side effects stayed for two days except for the fever which was only for one and a half. The patient was tested for any cause of sickness in the blood test on an unknown date and everything was negative. The events resulted in a visit to the doctor or other healthcare professional office/clinic visit, emergency room/department or urgent care and hospitalization on an unspecified date. The patient received prednisolone eye drops and Atrophine sulfate eye D as treatment for the events. The outcome of the events was recovering. The events were reported as non-serious.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1309603	5/12/2021			F			<p>Left eye seems like worse as she got more problem with it (macular is worse); Left eye seems like worse as she got more problem with it (macular is worse); This is a spontaneous report from a non-contactable consumer (patient). An 81-year-old female patient received BNT162B2, via an unspecified route of administration on an unspecified date (Lot number was not reported) at unknown dose #, single for COVID-19 immunisation. Medical history included trouble swallowing pills, could not breathe, pain in stomach, nausea, bad sleeper, gas, high blood pressure (BP), irritable bowel syndrome, depression, constipation, sneezing, 2 miscarriages, fibroid tumor, piloidal cyst, and left eye problem (macular); all from an unknown date and unknown if ongoing. Concomitant medication included ranibizumab (LUCENTIS); losartan; amlodipine; citalopram; levothyroxine; dicyclomine; diflunisal (SENTA); ondansetron; trazodone; cyanocobalamin (VITAMIN B 12); ascorbic acid, bioflavonoids nos (VITAMIN C); simeticone (GAS-X); and unspecified vitamins for focus; all taken for an unspecified indication, start and stop date were not reported. The patient reported that left eye seems like worse as she got more problem with it (macular is worse) on an unspecified date with outcome of unknown. No follow-up attempts are possible; information on the lot number cannot be obtained. No further information is expected.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1309614	5/12/2021	NY	48	F	4/5/2021	4/1/2021	Both of her eyes were swollen/ could not really see from it/ her eyes were closed shut; Whole face was swollen/ cheeks were swollen; eyes started getting puffy; This is a spontaneous report from a contactable consumer, the patient. A 48-year-old female patient received BNT162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 05Apr2021 (Batch/Lot Number: EW0150; Expiration Date: Jul2021) (at the age of 48-years-old) as a single dose for COVID-19 immunisation. The patient's medical history was none. The patient's concomitant medications were not reported. The patient had side effects which was described as whole face was swollen and both of her eyes and cheeks were swollen in Apr2021. The right side was worse than the left. The patient stated that three days ago, it swelled up a little bit so she put some ice on it, but she woke up this morning and her face was literally swollen. Even yesterday it was swollen but it was not this bad. This morning like it's really really big and it's huge. Right now, her eyes were swollen. She could not really see from it. Few days ago in Apr2021, her eyes started getting puffy. She was kind of ignored it because she put ice on it. But each day it got worse and now this morning, her eyes were closed shut, both of her eyes were swollen. Right eye was more big than the left and her face, her cheeks were swollen. The outcome of events, both of her eyes were swollen/ could not really see from it/ her eyes were closed shut, whole face was swollen/ cheeks were swollen and eyes started getting puffy was not recovered. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1309750	5/12/2021			U		4/29/2021	<p>BODY CONVULSIONS FROM CHILLS; BODY ACHES; TEARY EYES; RAPID BREATHING; STUFFY NOSE; CHILLS AND CHATTERING TEETH; PRESSURE HEADACHE; FEVER WITH CHILLS; SORE MUSCLE; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of administration was not reported, batch number: unknown) dose was not reported, 1 total, administered on 29-APR-2021 at around 11:00 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 29-APR-2021, the patient experienced body convulsions from chills, body aches, teary eyes, rapid breathing, stuffy nose, pressure headache, chills and chattering teeth, fever with chills and sore muscle. On 29-APR-2021 at around 15:00, treatment medications included: paracetamol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from body convulsions from chills, body aches, teary eyes, rapid breathing, stuffy nose, chills and chattering teeth, and sore muscle, and was recovering from fever with chills, and pressure headache. This report was serious (Other Medically Important Condition).; Sender's Comments: V0:20210460597-covid-19 vaccine ad26.cov2.s- body convulsions from chills. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1310081	5/12/2021	WY	37	F	4/27/2021	4/30/2021	On Friday I woke up with swelling around both eyes and in my forehead. Swelling increased progressively so that by Sunday my left eye was nearly swollen shut. I saw a nurse practitioner on Monday and she gave me some steroid eye drops. This helped reduce inflammation a little bit but the swelling and redness continues. The skin was stretched, red, thin, itchy, and crusty. It has now been 15 days since my vaccine. The worst of the swelling has subsided but my eyelid and the area under my eye are still puffy, itchy, and red. I am concerned based on the area of the reaction that this was related to an adverse interaction between the vaccine and dermal fillers I had injected in February of 2020. In addition to this reaction I had extreme fever, shakes, lethargy, and random superficial bruising. The bruising appeared in places where I had had no injuries 6-9 days after the vaccine and looked similar to those you see on people who do cupping - not round but like tiny red dots with pooled blood à stippled bruise with no pain.
1309965	5/12/2021	PR	53	F	5/1/2021	5/1/2021	Systemic: Allergic: Rash (specify: facial area, extremities)-Severe, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild, Additional Details: PATIENT COMPLAINT ABOUT SWELLING AND REDNESS ON EYE AND FACE; PATIENT WAS CONTACTED 4HRS LATER AND WAS BETTER AFTER TAKING BENADRYL. SHE DECIDES TO SEE HER PCP AFTER
1309996	5/12/2021	IN	30	F	5/10/2021	5/10/2021	Systemic: Allergic: Anaphylaxis-Medium, Systemic: Allergic: Difficulty Breathing-Medium, Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Medium, Systemic: Allergic: Itch (specify: facial area, extremities)-Medium, Systemic: Allergic: Itch Generalized-Medium, Systemic: Allergic: Rash (specify: facial area, extremities)-Severe, Systemic: Allergic: Rash Generalized-Severe, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Systemic: Chest Tightness / Heaviness / Pain-Mild, Systemic: Flushed / Sweating-Severe, Systemic: Headache-Medium, Systemic: Hyperventilation-Mild, Systemic: Numbness (specify: facial area, extremities)-Mild, Systemic: Tachycardia-Medium

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1309531	5/12/2021	TX	39	F	2/4/2021	4/21/2021	blood pressure drop; nearly fainted; chest pain; jaw pain; loss of vision; Multiple bilateral pulmonary embolisms in my lungs; This is a spontaneous report from a contactable consumer (patient). A 40-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection) (at 39 years of age), via an unspecified route of administration, administered in arm left on 04Feb2021 (Batch/Lot Number: EN6202) as 2nd dose, single for COVID-19 immunisation. Medical history included MTHFR blood clotting gene mutation. Concomitant medications included citalopram, metoprolol, omeprazole and minastein fe24, all taken for an unspecified indication, start and stop date were not reported. Historical vaccine included BNT162B2 (lot number: EN9581) dose 1 on an unknown date (also reported as 04Feb2021) 01:00 PM in left arm for COVID-19 immunisation. The patient was not pregnant. The patient did not have any other vaccine within 4 weeks prior to the COVID vaccine. She was not diagnosed with COVID-19 prior to vaccination. She had not been tested for COVID-19 prior since vaccination. It was reported that 6 weeks after the second dose on 21Apr2021 12:00, the patient had a blood pressure drop, nearly fainted, chest pain, jaw pain, loss of vision. She went to emergency room (ER), they did tests and found multiple bilateral pulmonary embolisms in her lungs. The adverse events resulted in Emergency room/department or urgent care. Therapeutic measures were taken as a result of the events, Eliquis (reported as 'Eloquis') blood thinners given. The patient was hospitalized for the events for one day. The outcome of the events was not recovered. Information on the batch lot/batch number has been obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1309324	5/12/2021	SC	73	F	1/24/2021	1/25/2021	brain fog; couldn't keep eyes open; sore shoulder; This is a spontaneous report from a contactable consumer (patient). A 73-years-old non-pregnant female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Solution for injection, lot number: unknown) via an unspecified route of administration, administered in Arm Left on 24Jan2021 16:00 (at the age of 73-year-old) as SINGLE DOSE for covid-19 immunization. Patient not pregnant at the time of vaccination. Medical history included hypothyroid and allergies to latex. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Concomitant medications included vitamin d3; calcium; iron and thyroid meds. The patient was not diagnosed with COVID-19 prior to vaccination. The patient was not tested for COVID-19 since the vaccination. On 25Jan2021 at 14:00, 24 hours after shot, the patient experienced brain fog, couldn't keep eyes open, sore shoulder, the runs. The seriousness criteria reported was non-serious. The Patient did not received treatment for the adverse events. The outcome of the events was recovered on an unspecified date. Information on the lot/batch number has been requested. Follow-up (15Apr2021): This follow-up is being submitted to notify that the batch number is not available despite the follow-up attempts made. Follow-up attempts have been completed and no further information is expected.
1309755	5/12/2021	OH	39	F	5/1/2021	5/11/2021	Blurred vision started on day 2 after receiving the 2nd dose. My vision is so blurred I don't even know if I'm spelling this right.... and I wear prescription frames.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1309374	5/12/2021		27	M	5/11/2021	5/11/2021	Patient has history of passing out when getting blood drawn. As patient was standing to get vaccination card filled out, he told associate to call RPH that he wasn't feeling well. I ran out to give my attention and patient was sweating and looked dizzy. His eyes started to shut while he was standing and as I was holding his arm and back to support him he started to fall to the ground. Patient gently went to the ground, I pushed him over to one side and he was out for about 3 seconds and woke back up. Patient was very hot and sweaty. He wanted to move to a more private area so I made an area with a privacy panel available to him. Patient stated to me that he has no history of seizure, but suffers from mild anxiety. Myself or one of the associates was with him for approximately 45 minutes just to make sure he was ok. His blood pressure was taken (twice) and water was given. His BP readings were normal. Patient was on his way. Moderna series completed.
1310328	5/12/2021	AR	42	F	5/11/2021	5/12/2021	Patient states she has severe blurry vision the next morning after receiving the vaccine.
1310098	5/12/2021	VA	16	M	5/12/2021	5/12/2021	Approximately 5 minutes post vaccine, mom alerts the pharmacist that patient is experience some visual disturbances. The patient states that he felt dizzy/eyes were "going black" in and out. Heavier breathing than normal. States it feels harder to breath, but no reports of swelling or itching. Also states that ears were ringing. Pharmacist attempted to check blood pressure on patients left arm with an automatic cuff, but the machine errored twice. Then attempted to check BP with a manual cuff. Reading was varied due to patient moving his arm and hard to hear. Seemed to be around 90/50, but not precise. After 10 minutes, patient stated he was starting to feel better, just felt thirsty. Pharmacist rechecked BP on right arm with a different automatic cuff and reading was 104/62, with a pulse of 101. Patient continued to improve, stating that visual disturbances were gone and hearing had returned to normal. Was able to stand and walk around without feeling dizzy. No difficulty breathing reported at that time. Patient and mom waited another 5 minutes to ensure he had no symptoms and then were able to leave approximately 25 minutes post vaccine.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1309180	5/12/2021	FL	62	F	4/1/2021		<p>SORES IN MOUTH; DRY MOUTH; TONGUE RAW BLEEDING; STABBING TO FEET; TINGLING; LEG CRAMPS; MUSCLE PAINS; ABDOMINAL PAIN; TEMPERATURE CHANGES CHILL ON AND OFF THEN REALLY HOT THESE COME AND GO; BLURRED VISION THERE TO VERTIGO; MULTIPLE SOMATIC COMPLAINTS; STOMACH GETS NAUSEATED; COULDN'T SLEEP; VERTIGO; PASS OUT FAINTING FEELING; This spontaneous report received from a patient concerned a 62 year old female. The patient's height, and weight were not reported. The patient's pre-existing medical conditions included no allergy reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 205A21A, and batch number: 205A21A expiry: UNKNOWN) dose was not reported, administered on 11-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On APR-2021, the subject experienced couldn't sleep. On APR-2021, the subject experienced vertigo. On APR-2021, the subject experienced pass out fainting feeling. On APR-2021, the subject experienced blurred vision there to vertigo. On APR-2021, the subject experienced multiple somatic complaints. On APR-2021, the subject experienced stomach gets nauseated. On APR-2021, the subject experienced temperature changes chill on and off then really hot these come and go. Laboratory data included: Chest X-ray (NR: not provided) chest x-ray was clear, Diagnostic ultrasound (NR: not provided) saw nothing, and Laboratory test (NR: not provided) looked very good. On 11-APR-2021, the subject experienced abdominal pain. On 13-APR-2021, the subject experienced muscle pains. On 15-APR-2021, the subject experienced leg cramps. On 30-APR-2021, the subject experienced tingling. On 30-APR-2021, the subject experienced stabbing to feet. On 01-MAY-2021, the subject experienced sores in mouth. On 01-MAY-2021, the subject experienced dry mouth. On 01-MAY-2021, the subject experienced tongue raw bleeding. Treatment medications (dates unspecified) included: meclizine hydrochloride/nicotinic acid. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from leg cramps, abdominal pain, muscle pains, sores in mouth, dry mouth, tongue raw bleeding, tingling, and stabbing to feet, and the outcome</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1309195	5/12/2021	AZ	53	M	5/5/2021	BLURRED VISION;	of multiple somatic complaints, temperature changes chill on and off then really hot these come and go, stomach gets nauseated, couldn't sleep, vertigo, pass out fainting feeling and blurred vision there to vertigo was not reported. This report was non-serious.; Sender's Comments: V0 Medical assessment comment not required as per standard operating procedure as the case assessed as non-serious.
						This spontaneous report received from a physician concerned a 53 year old male. The patient's height, and weight were not reported. The patient's pre-existing medical conditions included the patient had no known drug allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported and batch number: 1805020 expiry: UNKNOWN) dose was not reported, administered on 05-MAY-2021 for prophylactic vaccination. No concomitant medications were reported. On 05-MAY-2021, the subject experienced blurred vision. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of blurred vision was not reported. This report was non-serious.; Sender's Comments: Medical assessment comment is not needed as per standard procedure since case is assessed as non-serious.	



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1309214	5/12/2021			U		5/6/2021	PANIC ATTACK; VISION BLURRED; HIGH HIGH FEVER; NAUSEA; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on 06-MAY-2021 for prophylactic vaccination. The batch number was not reported. Per procedure, no follow-up will be requested for this case. No concomitant medications were reported. On 06-MAY-2021, the subject experienced panic attack. On 06-MAY-2021, the subject experienced vision blurred. On 06-MAY-2021, the subject experienced high high fever. On 06-MAY-2021, the subject experienced nausea. The action taken with covid-19 vaccine was not applicable. The patient recovered from vision blurred, high high fever, and nausea on 06-MAY-2021, and the outcome of panic attack was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1309375	5/12/2021	PA	39	F	1/22/2021	1/22/2021	Left eye swollen; Rash on left arm from injection site down to elbow for 5 days.; Lymph nodes swollen.; This is a spontaneous report from a contactable Other HCP. A 39-years-old female patient received second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, Batch/Lot Number: EL9262) via intramuscular route of administration in left arm on 22Jan2021 06:45 as single dose for Covid-19 immunization. The patient was not pregnant at the time of vaccination. The patient's medical history and concomitant medications were not reported. The patient has known allergies of bactrum and cellebrex. The patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection) via unspecified route of administration on unspecified date as single dose for Covid-19 immunization. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was not diagnosed with COVID-19 prior to vaccination. The patient was not tested for COVID-19 since the vaccination. On 22Jan2021 at 11:00 left eye swollen shut about 4 hours after receiving second dose. Rash on left arm from injection site down to elbow for 5 days. Lymph nodes swollen. Patient received treatment for the events with 2 doses of Benadryl. Outcome of the events were recovered with lasting effects. No follow-up attempts are possible. Information about batch number cannot be obtained. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1309311	5/12/2021	DE	63	F	3/30/2021		<p>Blood pressure was elevated; right eye is cloudy; This spontaneous case was reported by a consumer and describes the occurrence of BLOOD PRESSURE INCREASED (Blood pressure was elevated) and VISION BLURRED (right eye is cloudy) in a 63-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 025B21A and 007A21A) for COVID-19 vaccination. Concurrent medical conditions included Blood pressure high. Concomitant products included METOPROLOL, LISINAPRIL and AMLODIPINE for Blood pressure high. On 30-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 27-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient experienced BLOOD PRESSURE INCREASED (Blood pressure was elevated) (seriousness criterion medically significant) and VISION BLURRED (right eye is cloudy) (seriousness criterion medically significant). At the time of the report, BLOOD PRESSURE INCREASED (Blood pressure was elevated) and VISION BLURRED (right eye is cloudy) outcome was unknown. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not Applicable. Company comment:Very limited information regarding this events has been provided at this time. Further information has been requested.; Sender's Comments: Very limited information regarding this events has been provided at this time. Further information has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1309514	5/12/2021			F	3/18/2021	3/18/2021	difficulty breathing; headache; headache effects her vision; She has asthma; blood pressure had been going up and down; blood pressure has been down (running low); feeling like her throat was closing; difficulty swallowing food; coughing; She experienced soreness in her arm & feeling off balance; feeling off balance; This is a spontaneous report from a contactable consumer (patient). A female patient of an unspecified age received bnt162b2 (BNT162B2), dose 1 via an unspecified route of administration on 18Mar2021 (Batch/Lot number was not reported) as single dose for COVID-19 immunisation. The patient medical history and concomitant medications were not reported. On 18Mar2021, about five minutes after the injection she started coughing and feeling like her throat was closing. She continued to have difficulty swallowing food at this time. She experienced soreness in her arm and feeling off balance. She experienced a headache the following morning on 19Mar2021 that also continues and effects her vision. Her blood pressure has been down (running low). Her blood pressure had been going up and down. She has asthma and has had difficulty breathing since receiving the vaccine. The events feeling like her throat was closing, difficulty swallowing food and blood pressure has been down (running low) were considered medical important. The outcome of events was unknown. No follow-up attempts are needed; information about lot/batch number cannot be obtained.
1309393	5/12/2021	IN	36	F	5/9/2021	5/10/2021	Blurred vision. Nauseous. Chills. Cold sweats. Mild fever. Sweating. Entire aching body down to my toes. Fatigue. Clouded mind. Extremely tired. Loss of appetite. Mild headache. Loss of concentration. Dizzy. Loss of balance. Chest pain radiating through back to shoulder blades. Quick loss of breath. Rapid heart beat. I continue to take Tylenol every 6 hours until persists as directed by the RN that administered the vaccine. Some side effects have lessened, others have not, and the rest seem to be slightly dissipating.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1309404	5/12/2021	GA	34	M	5/4/2021	5/7/2021	Woke up with abdominal pain on the right side just below the ribs. I have had two other "events" that I assumed were gallbladder attacks but the pain subsided within a few hours. With this event, after a few hours and the pain was still high, I had to be driven to the ER. Just before leaving my house I started getting tunnel vision and my arms and legs went numb. I was able to walk on my own again once reaching the hospital. As of today, 5 days later, I am still in pain. I have taken out all fatty foods and things that are bad for gallbladder issues and still no change.
1309421	5/12/2021		48	F	5/10/2021	5/11/2021	PT presents with worsening frontal HA x this afternoon, denies visual changes. hx of migraines. reports chills and bodyaches last night onset 8 hrs after receiving JJ vaccine. reports hx of covid august 2020.
1309431	5/12/2021	CA	35	M	4/9/2021	4/10/2021	at around noon the day following my shot, I started feeling soreness all over my body. I took aleve. I felt some chills and a slight headache. These lasted until Sunday. Monday I started feeling very tired, very week, and still sore in my arms and a little in my legs. I took aleve. Tuesday I still felt lingering soreness but no headache. I started feeling anxiety towards the end of my workday. At around 4pm I started to feel my legs quivering as if I had just run several miles and my muscles were week. This gave me anxiety as I was still working and assisting clients. at around 4:15 I started feeling like I was going to break out in hives around my neck area, which does sometimes happen to me. I got home and around 7pm I took a Zyrtec, but by that point hives started forming on my neck and head. I felt my lip start to swell. I woke up at about 3am on Wednesday to find both of my lips swollen and I took a Benadryl and went back to bed. I woke up at about 7am and my eyes were both swollen almost completely shut and my lips were swollen. I could feel itchiness from incoming hives around my neck and shoulders. I took two Benadryl and rested all day. The swelling mostly went down by the end of the day and I continued to nurse the Benadryl. I saw my doctor on the 15th. He advised how to proceed and prepare with the second dose and referred me to an allergist.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1309462	5/12/2021	NY	52	F	3/1/2021	3/1/2021	11 months without menstruation, in menopause phase; four days just after the shot, I got it back; Very strong pain in left arm started 3 or 4 hours after the shot and lasted 48 hours; Area of shot swelled; This is a spontaneous report from a contactable consumer (patient). A 52-year-old non-pregnant female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot Number: EL3247), via an unspecified route of administration, administered in left arm on 01Mar2021 09:30 as single dose for covid-19 immunization. Medical history included retinal operation, surgery, cataract operation, appendicitis, reflux gastritis (retina detachments and surgeries on both eyes as well as cataracts). No chronic condition reported for Appendicitis. Concomitant medication(s) included pantoprazole sodium 40mg on unspecified date. On 01Mar2021 at 13:00, patient experienced very strong pain in left arm started, area of shot swelled and the patient was 11 months without menstruation, in menopause phase; four days just after the shot, I got it back. The patient did not receive any other vaccine in four weeks. The patient did not have COVID prior vaccination and post vaccination, patient had not tested with covid 19. No known allergies reported for patient. No treatment received for these events. The outcome of event was recovered on an unknown date. Upon follow-up on 29Mar2021, query response received regarding confirmation on patient and awareness date of events as: Yes, I am the patient in the report. I got the vaccine in the left arm.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1309512	5/12/2021	NY		M	4/22/2021	4/1/2021	Headache has continue and got much worse last night, left side of head and eyes hurting this morning; fever; chills; nausea; felt like he couldn't move; a sore arm; Headache has continue and got much worse last night, left side of head and eyes hurting this morning; This is a spontaneous report received from a contactable consumer (Calling on behalf of her son) reported for a 32-year-old male patient that received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), via an unspecified route of administration, administered in left arm on 22Apr2021 (Lot Number: EW0162) as a single dose for covid-19 immunization. The patient medical history was not reported. The patient's concomitant medications were not reported. The patient previous took first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), via an unspecified route of administration, administered in left arm on 31Mar2021 (at age of 32 years old, Lot Number: EP7533) as a single dose for covid-19 immunization. The patient developed headache, fever, chills nausea, felt like he couldn't move, and a sore arm on Apr2021. Fever ended on Saturday (24Apr2021). Headache had continue and got much worse last night, left side of head and eyes hurting this morning (26Apr2021). He took two Advil this morning. The reporter asked how long will it last, if any info on severity, if Left side of the head- is that more of a migraine and what about eye pain. The outcome of event was "Fever" was recovered on 24Apr2021, outcome of "Headache aggravated" was not recovered and other events was unknown. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1309300	5/12/2021	MI	50	F	4/18/2021	4/21/2021	<p>This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of FACIAL PARALYSIS (left eye is not blinking completely) and DEAFNESS UNILATERAL (loss of hearing in the left ear) in a 50-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 007C21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 18-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 21-Apr-2021, the patient experienced DEAFNESS UNILATERAL (loss of hearing in the left ear) (seriousness criterion medically significant) and EAR CONGESTION (congestion feeling in the left ear, feels like its plugged up). On 29-Apr-2021, the patient experienced FACIAL PARALYSIS (left eye is not blinking completely) (seriousness criterion medically significant), HYPOAESTHESIA ORAL (left side mouth numb, does not have as much control on left side of mouth) and LACRIMATION INCREASED (left eye tearing excessively). At the time of the report, FACIAL PARALYSIS (left eye is not blinking completely), DEAFNESS UNILATERAL (loss of hearing in the left ear), HYPOAESTHESIA ORAL (left side mouth numb, does not have as much control on left side of mouth), EAR CONGESTION (congestion feeling in the left ear, feels like its plugged up) and LACRIMATION INCREASED (left eye tearing excessively) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 23-Apr-2021, Physical examination: abnormal (abnormal) Patient was told by a physician there was fluid in the ear.. On 29-Apr-2021, Acoustic stimulation tests: abnormal (abnormal) Based on the results of a hearing test, the ENT told her that he believes her symptoms are due to a nerve issue that is affecting the muscles on the left side of the face.. On 29-Apr-2021, Ear, nose and throat examination: normal (normal) The ENT specialist's examination found no infection and no fluid in ear.. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. There are no routine concomitant prescription or over-the-counter medications. Treatment included antibiotic doxycycline hyclate 100 mg twice a day for ear symptoms, prescribed</p>



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

by a physician who was seen on 23-Apr-2021. A 13-day prednisone taper was prescribed by an ENT (Ear, Nose, and Throat physician/ otolaryngologist) who was seen on 29-Apr-2021. The patient is currently still taking the antibiotic. Thursday 29Apr2021, she visited an ear, nose, and throat (ENT) specialist for her ear symptoms. The ENT specialist's examination found no infection and found no fluid in her left ear. The ENT told her that the antibiotic therapy would not have caused this type of reaction and told her the symptoms may be due to the Moderna Covid-19 vaccine dose. Based on the results of a hearing test which she was given which was ordered by the ENT because of the symptoms, the ENT told her that he believes that her symptoms are due to a nerve issue that is affecting the muscles on the left side of the face. The ENT told her that he has had other patients with similar symptoms after receiving a second dose of Covid-19 vaccine, which are referenced in the cross-linked case. The ENT prescribed a steroid, Prednisone 10 mg, for the symptoms. She started the Prednisone steroid taper on 29Apr2021, describing the Prednisone 10 mg taper to be decreasing by one tablet a day for 13 days. She is still currently taking the Prednisone taper. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1311464	5/12/2021	LA	24	M	5/11/2021	5/11/2021	Patient received J&J vaccine at 4:09pm on 5/11/2021. Within 3 to 4 minutes patient's girlfriend stated that the pt was having difficulty seeing. Pt evaluated and he described complete loss of vision (lasting approximately 10 seconds) that returned. Pt was seated and was instructed to move to floor and lean against wall. Pt described numbness and tingling in both legs that resolved within 5 to 10 minutes. Pt stated he was anxious, shaking was observed, and he was hot and sweating. Vasovagal episode with loss of consciousness was immediate assessment. BP was 98/62 within 20 minutes of AE. 911 was called and EMS evaluated pt. Pt did not go to hospital AMA per EMS and pt stated he felt better. Patient was contacted on 5/12/21 at 3:25pm and he stated "I'm all good no further issues. I got a fever 8 hours after the shot. Other than that I'm all good". Inquired about temperature and pt stated "I do not have a thermometer". Pt instructed to contact primary care but he has not seen them in 2 year (She is primary care). Pt then instructed to contact cardiologist that he sees for his heart palpitations and heart rate control. Patient is prescribed metoprolol for this and he missed a dose the night of 5/9/21, took dose night of 5/10/21, and had shot on 5/11/21. Patient's physician office was called and information reported to her.
1310149	5/12/2021	NY	83	M	4/20/2021	5/4/2021	TWO EVENTS; #1 retinal occlusion, #2 disability and pain at left side Details #1 L I VITREO RETINAL, DIAGNOSE RETINAL OCCLUSION, SMALL BLOOD CLOT BACK OF RT EYE. CAUSED LOSS OF VISION ON TUE 5/4/21 AT 2AM, VISION CONSISTED OF BLACK CLOUDS AND PATTERNS WITH HOLES. NO TREATMENT OBSERVATION AND REPORT TO DR. PRESENT CONDITION IS OF CONSTANT THIN PATTERNS WITH HOLES DISTURBING ANY CLOSE READING OR COMPUTER WORK. DISTANCE WITH BOTH EYES HAVE THE PATTERNS BUT MUCH LESS NOTICABLE. #2 ORTHOPEDIC DR. 5/8/2021 6AM SAT 5/8/2021 SEVERE PAIN L SIDE

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1310133	5/12/2021	IN	41	F	4/7/2021	5/7/2021	Started with headache and dizziness. Was seen in ER and discharged home. Headache, dizziness and now Nausea and vomiting. Eyes tracking to one side continued. Returned and head CT was read as negative. Transferred to Hospital MRI showed two cerebral infarcts. She remains in ICU. Her speech and one side of her body was affected. She is scheduled to be moved to rehab this week.
1312592	5/12/2021	CA	18	M	5/12/2021	5/12/2021	Attendee was found laying on his back on the floor of the observation area and appeared pale skin, eyes open. breathing effortlessly. Attendee was assessed by me and I asked him his name. No response. Said Hello, can you hear me? Attendee responded "yes". I asked patient to tell me how he was feeling and he said I feel dizzy. Blood pressure was taken 152/ 66 pulse 76 SpO2 98%. Attendee informed he appeared to have fainted. Stated he did not have any symptoms or problems like this after first dose. States he did have breakfast. Remembers walking to chair after shot and was watching Anime on his phone and then I asked him if he could hear me. Patient denies SOB, chest pain, no S/S of swelling, itching , redness, denies headache. Sat up with assistance on floor. Offered saltine crackers and Nestle sugar water which he drank. Patient stood with assistance back to chair. No symptoms of nausea, vomiting, headache or dizziness. Second BP taken 132/66 Pulse 66, SPO2 99%. Attendee reported he drove himself to clinic. Advised to call for ride home. Patient called his father who arrived and identified to pick him up at 11:58. Observed patient until father came and answered questions from father. Home care instructions reiterated. Attendee walked to exit by me.
1312486	5/12/2021	CA	34	F	3/21/2021	4/1/2021	Heightened Inter-cranial pressure. Symptoms include: sensitivity to light, new floaters, mild headaches, lack of vision sometimes when entering new light source.
1312440	5/12/2021	TX	57	M	3/21/2021	3/30/2021	Patient suffered a lacunar infarct 9 days after 2nd Pfizer Covid shot. This required an inpt stay and resulted in blurred vision and an aspiration pneumonia.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1311989	5/12/2021	CA	26	M	5/12/2021	5/12/2021	About 2 minutes after injection patient became pale and he verbally says he is feeling dizzy. I quickly grabbed an ice pack and placed it behind his neck to keep him awake. He started leaning forward and told me he is loosing his vision. He leaned forward and I had to support his chest with my arm all the while trying to talk to him. He dropped his phone and wallet on the floor. He seemed to be loosing conciousness. I had an epinephrine 0.3 mg in my hand but because he was speaking I did not inject him. After about 20 seconds he started gaining his vision back but he said his vision is still fuzzy. After about 2 minutes he felt better so I asked him to position himself at the blood pressure machine. It was 86/65. He does not take any medications or has any health issues. After 10 minutes he took blood pressure again and it was around 129/91. He used the restaurant during the 10 m inute break.
1311972	5/12/2021	CA	65	M	5/11/2021	5/11/2021	About 2 minutes after vaccine injection patient became pale, hands became cold and purplish. Patient's head leaned to the left side, started slurring and became unconcious while his eyes were open. I tried to get the patient's attention but saying "hello, are you still with me?" loudly and he did not respond. His eyes were still open at the time. At that point I yelled for help and other colleagues were calling "911" immediately. Based on store protocol and knolwedge of CPR and CDC guidlines, I checked for pulse and respiration - did not have any. I grabbed epinephrine injection 0.3 mg and injected him on left thigh. He immediately gasped for air, then started to faint again. His face color turned pale. At this point he is still sitting upright and EMT has arrived. His blood pressure was lower than normal based on EMT report. I called the patient on 5/12/21 (one day post-event) and patient reported no adverse reaction from vaccine site, he also reported taking 1.5 hours nap. The injection site on epinephrine injection was somewhat painful.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1311476	5/12/2021	NY	19	M	5/12/2021	5/12/2021	PATIENT'S MOM INFORMED US THAT PATIENT WAS "SCARED OF NEEDLES". PATIENT APPEARED CALM IN VACCINATION OFFICE AND DID WELL WHILE VACCINE WAS BEING ADMINISTERED. PATIENT SAID HE FELT GOOD, STOOD UP WITH NO ISSUES, AND WALKED TO OBSERVATION AREA TO TAKE A SEAT. FIVE OR SIX MINUTES ELAPSED AND I WAS CALLED OVER WHEN PATIENT WAS "GOING DOWN". I RAN OVER AND NOTICED THE PATIENT PALE, COLD, WITH CLAMMY SKIN. HIS EYES WERE ROLLING INTO THE BACK OF HIS HEAD AND HE WAS BARELY RESPONDING TO HIS NAME. PATIENT'S MOM WAS CALLING HIS NAME AND I RAN TO GET THE BP CUFF. COULD NOT GET A PULSE OR BP ON PATIENT, CALLED 911. PATIENT WAS RESPONSIVE BUT BARELY. PATIENT RESTED, SITTING, WITH ARMS ON TOP OF A GARBAGE PAIL BECAUSE HE THOUGHT HE WAS GOING TO VOMIT. MOM TOLD US THIS HAS HAPPENED TO HIM IN THE PAST WITH OTHER VACCINES. HE HAS "VACCINE ANXIETY". THE PATIENT WAS TAKEN ON A GURNEY BY EMS, WAS AWAKE AND RESPONSIVE. EMS TOOK CARE OF HIM IN PARKING LOT IN AMBULANCE AND WE SAW PATIENT HEAD HOME IN CAR WITH MOM.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1311288	5/12/2021	WI	36	M	5/11/2021	5/11/2021	Pt. requested and received the J&J / Jansen COVID 19 vaccination yesterday at 1317. While he was being monitored for any adverse reactions, Pt. asked if lightheadedness was a side effect of the shot. Writer advised that it could be and that everyone is different. Writer asked if he would like some water, and he declined. Pt. was advised to remove his mask so he could breathe better. Writer took his pulse while I gathered information. It was 96. Pt. reported that he did eat lunch, is drinking plenty of water and fluids. He relayed he is keeping food down and not having any other issues. Pt. is currently on opiate withdrawal protocol. Writer asked about his breathing and his chest. Pt. relayed he was not having difficulty breathing and denied any chest pain at all. Writer spoke with the Deputy to be sure that we kept an eye on him for a bit longer after his 15 minutes while he was in his cell, due to his lightheadedness. Pt. was talking with writer, answering questions with ease. Pt. was not diaphoretic and did have good color. His pulse was checked again, and it was 84. At 1333, when his 15-minute observation was done, writer went to assist pt. to his feet and informed him that I would escort him back to his cell because he was still feeling a bit uneasy. When he stood, pt.'s knees buckled, and he knelt to the ground. Writer helped pt. to lay down. It was a smooth transition, and he had no injuries to his head or body. Pt. had what appeared to be a short spell where his body completely tensed for a few seconds, then he relaxed. He was having a hard time keeping his eyes open, but when prompted, was able to open his eyes. The Deputy standing by was asked to call for the Public Health Nurses, who had moved on to the next POD to continue vaccinating. Once on the scene, pt.'s blood pressure was obtained. 142/80. His pulse was 82. During this time, it appeared that the tensing episodes became more frequent and a bit more severe. They were happening approximately every 30 seconds, and lasting between 5 and 10 seconds. EMS was activated at approximately 1340. Pt. was awake during these episodes, and communicated with the nurses attending to him. While attending to pt. and waiting for EMS, it was at that time that pt. admitted that this was not the first time this had happened. He admitted that about a week ago, the same thing happened. When that new information was

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							explored, pt. reported that his wife thought he had "Serotonin Syndrome". Writer asked what meds he was taking on the outside and he reported that he only takes methadone from the clinic. He denied any other medications or street drug usage. He does not take any mental health medications at our facility. Collectively, the nurses that attended to him after this episode agreed that this is an isolated incident and not related to receiving the COVID vaccine. EMS arrived at approximately 1347, and report was given. He was transported to the hospital for evaluation. Pt. was returned from the hospital at approximately 1600. The Officer that accompanied him reported to facility that the hospital also believed this was an isolated incident, most likely related to withdrawals. They did not believe that receiving the vaccine was a factor in today's events. Labs were drawn at the hospital, and were all WNL. Once back in custody, writer spoke briefly with pt.. He was feeling much better, and was sent back to his cell without further incident.
1311279	5/12/2021	WI	18	F	4/15/2021	4/21/2021	Went the following Wednesday for routine eye exam and found to have retinal hemorrhages in her left eye. She has since had multiple doctor visits with specialists and multiple tests and everything comes back as normal. She is a normally healthy and active teenage girl with no know health issues. The only variant during the time frame is the vaccine. Doctors say they cannot blame or r/o the vaccine as the cause so we are reporting so that it can be documented as a possibility.
1311275	5/12/2021	KS	56	F	3/23/2021	4/19/2021	Shortly after receiving the vaccine I experienced the flu like symptoms identified as typical. I also experienced tinnitus about two hours after the shot that is continuing to today. Related to the autoimmune flare that I believe is related to the vaccine, I first began experiencing bone/joint pain in my wrist (never had this before) and then over the days this has progressed to significant symptoms of flare of autoimmune today. Pain/ache in all joints now, muscle pain as well, along with vision blurriness at times, fatigue and autoimmune rash on my hands and in my groin.
1311233	5/12/2021	UT	77	F	3/10/2021	3/17/2021	A sinus infection An infection on my arm Eyesight blurry and changed

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1311205	5/12/2021	AZ	90	F	3/6/2021	3/10/2021	Developed pink eye and shingles on the face, neck and scalp
1311158	5/12/2021	IL	18	M	5/2/2021		Transient hemianopia, left eye
1310722	5/12/2021	OH	36	M	3/26/2021	4/12/2021	Patient developed cranial nerve 7 palsy, facial numbness, and non descript visual changes. Was treated with prednisone for Bell's palsy. Also developed joint pain
1311511	5/12/2021	MD	21	F	4/8/2021	4/19/2021	For thirty-six hours after the vaccine. I had body aches and chills and my eye sockets were sore and it hurt to look up. Ten days after the vaccine I was in the shower and a large blood clot came out of my nose. It was a large clot about the size of a quarter and there was no other blood with it. The clot came out of my left nostril but it was not like a nose bleed. I went to the Urgent Care but they did not do tests.
1311067	5/12/2021	CO	17	M	4/21/2021	4/27/2021	At first(4/27/21) it felt like the left side of my face was acting spiritic but it was really the right side of my face not really doing anything so after a week of deducing and not knowing what it was I told my mom. She called the doctors office listed and they said to send me to the ER on 5/5/21. They said I have Bells Palsy and they put me on Prednisone and eye drops. We scheduled an appointment for our primary doctor which we went to on the 5/12/21. The doctor and I + my mom talked and they said we should report this because there was nothing else that could of caused the Bells Palsy.
1310340	5/12/2021	IL	17	M	5/12/2021	5/12/2021	patient was found to have fainted in the waiting area. Reports hitting his head, but was conscious by the time we examined him. A+Ox3, vision intact, speaking normally, complaining of slight pain where he hit his head
1310392	5/12/2021	NJ	53	F	5/12/2021	5/12/2021	shortness of breath, swelling under eyes



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1310703	5/12/2021	MA	38	M	4/28/2021	5/1/2021	description from patient: 1.. On Wed, Apr 28, I got the JnJ vaccine. Other than fatigue the following day no major issues. 2. On Sat, May 1, I had an afib episode in the morning. Reset to sinus rhythm the next morning around 2:30am. I spoke with you during the episode. 3. On Mon, May 3, I had brain fog. I?m usually tired after an afib episode. But this seemed different. I?ve never experienced something like this before. But I chalked it out to the after effects of the afib and moved on. 4. On Fri, May 7, I started having the stiffness in my right calf. I checked in with you that weekend to make sure it wasn?t a clot. After we spoke I think we ruled out a clot. 5. In addition, I?ve developed some added symptoms since then: (i) Sweaty feet. (ii) Pins and needles sensation in feet. (iii) Tightness in the arch of the right foot. (iv) Feet and hands feel sensitive to cold. (v) Burning sensation in feet and left hand. (vi) Mild headache mostly felt in the left temple. (vii) A pulling feeling on the left side of the face. (viii) A feeling that if I close my eyes, I may faint.
1310309	5/12/2021		53	M	4/14/2021	4/25/2021	N17.9 - Acute kidney failure, unspecified E87.1 - Hypo-osmolality and hyponatremia DIZZINESS BLURRED VISION HYPERGLYCEMIA

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1310733	5/12/2021	CA	38	F	5/12/2021	5/12/2021	ID: 37yo F previously healthy radiology tech developed progressive muscle weakness and SOB after the 2nd dose of COVID vaccine. HPI: Patient was previously healthy and physically active prior to COVID vaccines. No prior COVID infection. No prior MSK pain, arthritis, arthralgias. No prior rash. No dry eye / dry mouth. She received the first dose of Pfizer COVID vaccine at the end of Dec 2020 and experienced achiness and fatigue that resolved after a few days. For the first time, her fingertips and toes also started turning white, numb and painful when cold. She received a second dose on Jan 12, 2021 and immediately experienced heart palpitations while at the vaccination site, and later heartburn and vomiting when she went back to work. The following week, she developed sore throat for 2 days, took leftover amoxicillin at home. All of these symptoms resolved after a few days. She However, she developed gradual SOB, muscle ache and fatigue, initially mild but worsened over a few weeks. She noticed feeling out of breath, arms giving out, legs burning when pushing stretchers to patient rooms. One morning while she was getting up for work, she couldn't lift up leg, but had to pick up her legs so she get into her car. She also had to pick up her leg with arms to get into shower. "It felt like waking up every morning having run a marathon." On 2/13 she went to ER, got admitted for CK 30,000 for rhabdo treatment for 4 days. She denied having done extreme sports or increased physical activity that might have caused rhabdo. On discharge home, she could barely walk and continued SOB. She also developed additional rash on left arm, chest and shoulders. A physician ordered lab work and found her CK to be 50K, so she was admitted again on March 6 for 8 days, discharged on 3/14/2021. Denies fever since COVID vaccination.
1310745	5/12/2021	MN	53	F	4/28/2021	4/28/2021	Lips swelling blisters in mouth eyes swollen glands swollen headache face swelling

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1310877	5/12/2021	CA	31	M	4/11/2021	4/14/2021	Twenty-four hours after the vaccine I got fever, chills and body aches. Three days after the vaccine I had irritation in my right eye. The next day my eye was more irritated, and it was uncomfortable. I had a telehealth visit and they gave me antibiotic drops. I was diagnosed by an optometrist on the five days after the vaccine with the Shingles virus. The Shingles are still present on my eye after three weeks and I am taking steroids for that.
1310937	5/12/2021	GA	33	F	3/25/2021	3/25/2021	1st Dose of Pfizer: 3/25 - 3.25 starting experiencing dizziness on the drive back and went to sleep - 3.26 start urinating blood - 3.27 went to Urgent Care, did urine analysis, and got antibiotics, took for 7 days, finished all antibiotics on 4.2 - 4.2 rectal pain and went to the rectal doctor, 7prescribed antibiotics, took for 10 days - 4.10 tongue numbness started - 4.14 right eye start twitching 2nd Dose of Pfizer: 4/15 - 4/15 after shot, start to experiencing severe facial paralysis - 4/15 went to ER on that evening, ER doctor said is bell's palsy, total right facial paralysis - 4/16 lower body experiencing pain and weakness, facial paralysis 2nd day - 4/18 started acupuncture, headache and temple pain, facial paralysis 4th day - 4/19 went to see the rectal doctor again, rectal severe pain, facial paralysis 5th day - 4/20 went to see neurologist, re-confirmed Bell's Palsy, issued MRI for brain - 4/21 continued rectal pain -4/23 severe rectal pain (level 8/10), went to ER, had Morphine, had CT scan - 4/26 see rectal doctor, prescribed pain medicine, but nothing can be done, told to wait it grow bigger -4/30 MRI for the brain - 5/3 Saw another neurologist, -5/10 saw the rectal doc, did procedure in office to cut open a hole in buttock -5/11 start shortness of breath -5/12 low blood pressure, high pulse (116), rectal pain, facial paralysis continue

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1311019	5/12/2021	OH	78	M	4/27/2021	5/1/2021	Husband began expressing "I'm tired" which was out of the ordinary on May 1, 2021. Again on May 2 and 3. On May 4 he was really weak, moving much more slowly than normal, complaining of sinus headache above left eye, sleeping longer and more than normal, brain fog and confusion, not able to do normal activities. This impairment has continued through May 11 with no improvement from one day to the next. Visited his Dr to get checked on May 11 due to our concern over how long this was lasting. He has had no fever but some chills here and there. Dr checked everything she could think of and requested blood tests which we have not heard about yet. Extreme fatigue was the major symptom. Today, May 12, he feels better, moving around faster and doing some normal activities but still tires easily and must rest.
1311066	5/12/2021	MI	33	F	4/9/2021	4/15/2021	Sts felt fine after vaccination but 1 week later started having severe debilitating fatigue lasting several days. then on the 16th started having SOB, dizziness, feeling out of it, shakiness, eye twitching. Went to Emergency room x3 and was given steroids which helped. Also given inhaler - QVAR which helps but needs it more than twice a day. Was placed on heart monitor and is being seen by pulmonary specialist.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1310576	5/12/2021	NJ	49	F	5/2/2021	5/3/2021	First I got my 1st shot Sunday morning I sat in the observation, and for a brief period I got dizzy, and nauseated. It was brief. Day two sore arm of course, and tired felt like flu symptoms Day 3 extremely tired, and couldn't keep my head up I was so lethargic. Felt like the Flu was coming on went to bed after work Thursday, Fri, and Sat my head was still feeling like I had a head cold. Fatigued still Sunday I was in dream state when I jolted from a spinning feeling in my sleep. I opened my eyes and I couldn't even function. I couldn't get out of bed nor move I was completely spinning. I tried to make it to the bathroom and threw up bile. Took a anti nausea pill Zofran, and didn't work. Nothing was working. I fell asleep and woke up just constantly dry heaving. The vertigo was so bad I felt faint It was then at the point I was passing out when we called 911. I couldn't move I was perspiring, and couldn't keep liquids down. I was shaking, clammy, and my body turned numb. Thought I was having a stroke. In the ambulance narapathy started up, and down my arms and hands,, and my fingers locked up. Chest was on firel, and my whole body tingled with fighting off whatever it was.. The hospital IV me with Zofran several times. Antivert and Ativan. EkG fine CT head Brain CT head neck. Ears were fine. No infection in ears. Blood Glucose was high 182 CO2 was slightly low 22 Lymphocytes low 21.6 low Neutrophils Absolute 7.7 high Nothing else to do but send me home to follow up with ENT and Nuero to make appts to follow up. I scheduled my primary qs well to look me over.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1306318	5/11/2021	MD	40	F	4/23/2021	4/23/2021	Went back to sleep and never woke up; Arm soreness; Feeling bad; very flushed/looked red; very tired/fatigue/nappy women taking a lot of naps; This spontaneous case was reported by a consumer and describes the occurrence of DEATH (Went back to sleep and never woke up) in a 40-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 009C2117) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Neurofibromatosis, type 2 (acoustic neurofibromatosis) (Diagnosed at age 11, had tumor on nerves and all over body.), Blindness (All blind in left eye), Allergy NOS (unspecified allergy), Walker user and Feeding tube user. On 23-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 23-Apr-2021, the patient experienced DEATH (Went back to sleep and never woke up) (seriousness criterion death), PAIN IN EXTREMITY (Arm soreness), VACCINATION COMPLICATION (Feeling bad), FLUSHING (very flushed/looked red) and FATIGUE (very tired/fatigue/nappy women taking a lot of naps). The patient died on 23-Apr-2021. The cause of death was not reported. It is unknown if an autopsy was performed. At the time of death, PAIN IN EXTREMITY (Arm soreness), VACCINATION COMPLICATION (Feeling bad), FLUSHING (very flushed/looked red) and FATIGUE (very tired/fatigue/nappy women taking a lot of naps) outcome was unknown. The patient was on a feeding tube, lived independently but had a caretaker who came in every day. The patient had long list of medications for her conditions but concomitant medications were not provided by the reporter. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not applicable. Regarding the events of Pain in extremity, Fatigue, Flushing, Vaccination related malaise, based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded. However, regarding the event of Death, Very limited information regarding this event has been provided at this time. Further information has been requested.; Sender's Comments: Regarding the events of Pain in extremity, Fatigue, Flushing, Vaccination

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

1306311	5/11/2021			M			
---------	-----------	--	--	---	--	--	--

related malaise, based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded. However, regarding the event of Death, Very limited information regarding this event has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Unknown cause of death

STROKE; VISION LINGERING EFFECT/EYE SIGNAL NOT REACHING BRAIN/TROUBLE SEEING; HEADACHE; This spontaneous report received from a patient via a company representative concerned a male. The patient's height, and weight were not reported. The patient's concurrent conditions included atrial fibrillation. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose, start therapy date were not reported for prophylactic vaccination. The batch number was not reported. Per procedure, no follow-up will be requested for this case. No concomitant medications were reported. On an unspecified date, the patient experienced stroke and was hospitalized (date unspecified). It was reported that, the patient had stroke just two day after the vaccine shot. On an unspecified date, around 17:00, the patient experienced headache and it was not remarkable. On an unspecified date, the patient experienced vision lingering effect/eye signal not reaching brain/trouble seeing monitors right side of the eye. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the stroke, headache and vision lingering effect/eye signal not reaching brain/trouble seeing was not reported. This report was serious (Hospitalization Caused / Prolonged). This case, from the same reporter is linked to 20210417613.; Sender's Comments: V0:20210514127- covid-19 vaccine ad26.cov2.s - Stroke. This event(s) is considered not related. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There are other factors more likely to be associated with the event(s) than the drug. Specifically: MEDICAL HISTORY, UNDERLYING DISEASE.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1306547	5/11/2021	WI	40	M	5/6/2021	5/10/2021	Hair loss noticeable from head, eyebrows and body! It is not excessive but definitely noticeable and has never happened before.
1306325	5/11/2021		45	F	3/30/2021	4/12/2021	loss of appetite; tiredness; stiffness in the neck; painful HSV spread to her flank and eyes; painful HSV spread to her flank and eyes; itching; This spontaneous case was reported by a consumer and describes the occurrence of OPTHALMIC HERPES SIMPLEX (painful HSV spread to her flank and eyes) in a 45-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 017B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 30-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 12-Apr-2021, the patient experienced PRURITUS (itching). On 13-Apr-2021, the patient experienced OPTHALMIC HERPES SIMPLEX (painful HSV spread to her flank and eyes) (seriousness criterion medically significant) and HERPES SIMPLEX (painful HSV spread to her flank and eyes). On 22-Apr-2021, the patient experienced MUSCULOSKELETAL STIFFNESS (stiffness in the neck) and FATIGUE (tiredness). On an unknown date, the patient experienced DECREASED APPETITE (loss of appetite). At the time of the report, OPTHALMIC HERPES SIMPLEX (painful HSV spread to her flank and eyes), PRURITUS (itching), HERPES SIMPLEX (painful HSV spread to her flank and eyes), MUSCULOSKELETAL STIFFNESS (stiffness in the neck), DECREASED APPETITE (loss of appetite) and FATIGUE (tiredness) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Company comment Based on current available information and the temporal association between product use and the start date of the events a causal relationship cannot be excluded.; Sender's Comments: Based on current available information and the temporal association between product use and the start date of the events a causal relationship cannot be excluded.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1306353	5/11/2021	CO	35	F	4/7/2021	4/14/2021	1 week later serotonin symptoms appeared; tremors; Blurry vision; Uncoordinated; Confused; headache; This spontaneous case was reported by a physician (subsequently medically confirmed) and describes the occurrence of SEROTONIN SYNDROME (1 week later serotonin symptoms appeared) in a 35-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 030B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No medical history was provided by the reporter). Concomitant products included DROSPIRENONE, ETHINYLESTRADIOL (OCELLA) for Birth control, DESVENLAFAXINE SUCCINATE MONOHYDRATE (PRISTIQ), QUETIAPINE FUMARATE (SEROQUEL), FLUVOXAMINE MALEATE (LUVOX CR) and METHYLPHENIDATE HYDROCHLORIDE (RITALIN) for an unknown indication. On 07-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 14-Apr-2021, the patient experienced SEROTONIN SYNDROME (1 week later serotonin symptoms appeared) (seriousness criterion medically significant), TREMOR (tremors), VISION BLURRED (Blurry vision), COORDINATION ABNORMAL (Uncoordinated), CONFUSIONAL STATE (Confused) and HEADACHE (headache). At the time of the report, SEROTONIN SYNDROME (1 week later serotonin symptoms appeared), TREMOR (tremors), VISION BLURRED (Blurry vision), COORDINATION ABNORMAL (Uncoordinated), CONFUSIONAL STATE (Confused) and HEADACHE (headache) was resolving. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1306540	5/11/2021		30	F	1/21/2021	1/22/2021	She received her second Covid vaccine and ended up passing out in her bathroom around 5:00 this morning. Patient was standing and believes she fell and hit her head on both the tub and floor. EMS came and checked her out and found no concerns on heart monitor. She was running low-grade fever. Recommended follow-up today in clinic. Prior to the fall and through the night she had body aches, chills, and upset stomach. Upon awakening this morning was mostly just experiencing body aches as well as neck pain. Has had mild headache for the last few days but there has been no worsening of symptoms since the fall. Denies any blurry vision.
1306544	5/11/2021	CA	43	F	5/7/2021	5/7/2021	Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild, Additional Details: Patient received Pfizer covid vaccine, experienced some lip swelling on the way home and stopped by another pharmacy and was given 2 pills of benadryl 25mg. Swelling went down, patient is fine. Reported by pharmacy manager.
1306555	5/11/2021	PA	31	F	5/10/2021	5/10/2021	Systemic: Fainting / Unresponsive-Medium, Systemic: Total event time 3 minutes max-Medium, Systemic: Hyperventilation-Medium, Additional Details: Immediately after withdrawal of the vaccination needle, the patient began to hyperventilate, then became unresponsive without her eyes closing, and leaned into her mother (who was standing next to her) from a seated position. The patient's arms became straight and tense, and she made a snoring/snorting noise. Pharmacy staff called 911. The patient came to and started to speak per her mother, and requested us to cancel the emergency services call. She was fully aware, normal breath and speech.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1306570	5/11/2021	MO	22	M	5/10/2021	5/10/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Flushed / Sweating-Medium, Additional Details: About 2 minutes after receiving the vaccine the patient was complaining about being hot (flushed) with sweating. Patient asked for a glass of water. When getting the patient water my technician said she saw the patients eyes roll to the back of his head and that he was going to pass out. I went out to the patient and helped him to the ground and had him lay flat on his back with his feet elevated. After 3-4 minutes the patient was feeling better. Patient never lost consciousness.
1306583	5/11/2021	GA	53	M	4/1/2021	4/2/2021	patient's girlfriend stated that patient got the vaccine on Thursday 4-1-21 and that he had to go to the ER on Friday 4-2-21 because he could not speak or walk. she stated that he had pain behind his right eye and blurred vision. she stated that one week later his doctor ordered a CT scan and determined that he had a stroke. spoke with the Nurse Practitioner at the office. she stated that the patient did have a stroke, but they did not know the cause of the stroke. I am unable to get the lot number of the vaccine because it was entered through the state system and the lot number did not go over. No lot number is associated with the vaccine.
1306664	5/11/2021	FL	52	F	4/13/2021	4/24/2021	April 24th I got a detached retina and 2 small tears in my right eye after having the 1st does. I Had to have emergency inpatient eye surgery to repair it all. April 26th 2021. They froze 2 tears and put a gas bubble in my eye.
1306667	5/11/2021	ME	59	M	5/3/2021	5/3/2021	He got his vaccine, was in the store at the meat counter and then had a visual effect as people were looking at him funny, and things went from black/white to black/gray/white and passed out (told he had a seizure and on film at the grocery store), then woke up in the back of the ambulance on the way to the hospital. In the hospital he was given an injection to slow his heart rate down, said that he drank a pot of coffee and then had another 16 oz coffee after that. He was not admitted, treated in the ER, fed him and was discharged home and then walked about 1/2 mile to his truck at the supermarket, and finished his shopping. He has been a little tired since then, has been taking it easy and not pushing himself too hard and not working too many hours.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1306701	5/11/2021	OH	21	F	5/11/2021	5/11/2021	Vaccine given at 8:45 AM Shortly after vaccine (approximately 8 minutes) she started to complain of tingling in her vaccinated arm and she got a little diaphoretic - complained of being hot. Some heaviness in her chest which progressed over next 10 minutes to feeling difficulty breathing - "like a rock on her chest" . At 09:04 AM She used her Albuterol asthma inhaler to see if it would help her breathing. No improvement in breathing, then complained at 0911 of some vision changes, felt like she was having to concentrate to breath - like breathing through a straw and at this time I started to hear her audibly wheezing - Squad was called. When they arrived around 9:18 AM she was having heaviness, closed her eyes - complaining of a little bit light headed, still having difficulty breathing. She left with squad at 9:24 AM

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1306216	5/11/2021	GA	59	F		4/1/2021	Mouth broke out; zit that broke out on the top of her eyebrow. There are hard little bumps; they were red and hard; Arm was sore; puffy/swollen; She had a breakout on her face, a couple of lesions, and her mouth broke out.; This is a spontaneous report from a contactable consumer (patient). A 59-year-old female patient received the first dose of BNT162B2, via an unspecified route of administration on an unspecified date at single dose for COVID-19 immunisation. Medical history included allergic to Penicillin, crustaceans, shellfish, and mushrooms. Those were what she usually had a breakout for. The patient's concomitant medications were not reported. The patient previously took amoxicillin and experienced drug allergy and second degree burns. Her reaction to amoxicillin was probably 15 years before. The patient had a reaction to her first Covid-19 shot. She took the first shot last Tuesday. She had a breakout on her face, a couple of lesions, and her mouth broke out. It looked like a reaction. She took a couple of diphenhydramine hydrochloride (BENADRYL), and it was going away. Her second shot was scheduled for next Tuesday 11May2021. She needed to know if there was anything in the shot that would cause this. She was leery of taking it. She was okay with it, and the diphenhydramine hydrochloride was fine. She did contact her doctor. That was it, she had nothing else just the breakout. She thought it was maybe Thursday 22Apr2021 or Friday 23Apr2021 that she noticed the breakout on her face. She started trying to take some diphenhydramine hydrochloride. It was rapid when it happened, not slow. She saw these as almost like a reaction. She had welting on the skin similar to a reaction to dust mites. There was this thing she thought was just a zit that broke out on the top of her eyebrow. There were hard little bumps. One had gone away, and the other was still there. It was almost like when she had a breakout of zits was kind of what she would say. It was dissipating. She started taking rounds of diphenhydramine hydrochloride to stop the reaction, and it was working. She was concerned about the second shot. She didn't know if it was an allergic reaction to amoxicillin or any other type of medicine if it was in there. That was what she was concerned about. Before she got the second shot she needed an idea of what might have happened. The lesions came a day or so after the breakout on her

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							face. She would say Sunday 25Apr2021 was when she saw the lesions above her eyebrows. It was right at the beginning of her eyebrow. It was really hard at first. It was not itching, just like zits. Similarly, they were red and hard. Once again she started the diphenhydramine hydrochloride and saw a little bit of difference, but had to keep putting on topical Aquaphor and cocoa butter. She had to keep putting it on there, it was just swollen. The lesions were puffy and red. There was just one left, it was going down. Her mouth was the number one thing. She thought it was from wearing a mask. She had never had a breakout with a mask before. She took the shot on Tuesday, and her arm was sore just for 24 hours. She noticed her mouth broke out Thursday or Friday for sure when she woke up. At first she just kind of forgot about the shot and didn't put two and two together. She took diphenhydramine hydrochloride. It was the same type of reaction she would have if it was amoxicillin. She really needed to know if she should anticipate something with the second shot. Outcome of event a breakout on her face, a couple of lesions, and her mouth broke out was resolving, and of other events was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.
1304878	5/11/2021	MD	57	F	4/21/2021	5/1/2021	04/21/2021, a few hours after the 2nd vaccine shot, I developed a fever and saw black spots. It went away after 24 hours. Then on 05/01/2021, in the evening, the spots returned this time with wiggly lines and floaters. it is mostly in the right eye... and it remains presently.
1304859	5/11/2021		26	F	5/5/2021	5/8/2021	Rash on chest/arms/back w/HA x 3 days with itchiness; denies any SOB/N/V/Photophobia/vision changes; reports taking Tylenol 1000mg at 0530 with some relief; J&J rec'd 5May21

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1305647	5/11/2021	IL	27	M	4/10/2021	4/10/2021	I received the first dose of the Pfizer vaccine. During the 15 minute evaluation, i felt nauseous, hot/sweaty and my vision got blurred to the point i passed out on the floor. After I regained conscio; I received the first dose of the Pfizer vaccine. During the 15 minute evaluation, i felt nauseous, hot/sweaty and my vision got blurred to the point i passed out on the floor. After I regained conscio; I received the first dose of the Pfizer vaccine. During the 15 minute evaluation, i felt nauseous, hot/sweaty and my vision got blurred to the point i passed out on the floor. After I regained conscio; I received the first dose of the Pfizer vaccine. During the 15 minute evaluation, i felt nauseous, hot/sweaty and my vision got blurred to the point i passed out on the floor. After I regained conscio; I received the first dose of the Pfizer vaccine. During the 15 minute evaluation, i felt nauseous, hot/sweaty and my vision got blurred to the point i passed out on the floor. After I regained conscio; I received the first dose of the Pfizer vaccine. During the 15 minute evaluation, i felt nauseous, hot/sweaty and my vision got blurred to the point i passed out on the floor. After I regained conscio; This is a spontaneous report from a contactable consumer. A 27-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), dose 1 via an unspecified route of administration, administered in the left arm on 10Apr2021 at 15:00 (Batch/Lot Number: EW0158) at 27-years-old as a single dose for COVID-19 immunization. The patient did not receive any other vaccine within four weeks of the suspect vaccine. The patient's medical history was reported as none. There were no concomitant medications received within the two weeks of vaccination. The patient experienced: "I received the first dose of the Pfizer vaccine. During the 15-minute evaluation, I felt nauseous, hot/sweaty and my vision got blurred to the point I passed out on the floor. After I regained consciousness (medically significant, hospitalization) on 10Apr2021 at 15:00. Reported Event: The patient received the first dose of the Pfizer vaccine. During the 15-minute evaluation, the patient felt nauseous, hot/sweaty and their vision got blurred to the point where the patient passed out on the floor. After, the patient regained consciousness with the assistance from the doctors and nurses there. The patient passed out again within minutes. After the second time, the patient was placed on a stretcher and sent to the emergency room for further testing. The patient reported that he had no history of medical conditions. The patient stated "all because of my vaccine hospitalization, I acquired a

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

(some amount) medical bill. I would like to discuss assistance for handling this. I have all of the paperwork as proof. It's very unfortunate to pay this amount due a shot." Pfizer received an adverse event letter from withheld directed to Department, on 03May2021. Customer Verbatim: "On Saturday, 10April2021, I received the first dose of the Pfizer vaccine. During the 5-minute evaluation, I passed out on the floor. After I regained consciousness, I passed out again within minutes. After this, I was taken to the emergency room. I have no history of medical conditions. All because of my vaccine hospitalization, I acquired a (some amount) medical bill. I would like to discuss assistance for handling this. I have all of the paperwork as proof. " It was reported that the events required an emergency room visit and physician office visit. The patient was hospitalized due to the events from 10Apr2021 to an unknown date for 1 day (as reported). It was reported that no therapeutic measures were taken. The clinical outcome of the events was recovered on an unspecified date. The patient was not tested for COVID post vaccination. No follow-up attempts are possible; information about batch/lot number cannot be obtained.

1306703 5/11/2021 FL

25 F

5/10/2021

5/10/2021

Approximately 10 minutes after the patient got her second moderna vaccine she became faint and dizzy. The patient was sitting at the time. A law enforcement officer witnessed her becoming faint and ran over to attend her. I was called over to assess her as well. The law enforcement officer called EMS. The patient stated that she felt faint, dizzy, she said she had a headache, blurry vision, and was nauseous. The patient appeared sweaty and she appeared to loose consciousness briefly twice. She did not show any signs of redness, rash, or swelling. After sitting for a few minutes, and before EMS arrived, the patient said she was improving. She did not lose consciousness anymore but she still had a headache, nausea, and blurry vision. When EMS arrived they recommended that she get checked out at the emergency room, but the patient refused stating that she did not want to go to the hospital and that she was feeling better. The patient called her parents and they came and picked her up.



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1304990	5/11/2021			F			INJECTION BURNED; This spontaneous report received from a patient via a company representative concerned a female of unspecified age. The patient's height, and weight were not reported. The patient's concurrent conditions included allergic to pine trees and other pollen producing trees and grass, runny nose, cough, and watery eyes. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unk) dose was not reported, administered on 27-APR-2021 for prophylactic vaccination. The batch number was not reported. The Company is unable to perform follow-up to request batch/lot numbers. Concomitant medications included diphenhydramine hydrochloride for seasonal allergies. On 2021, the subject experienced injection burned. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of injection burned was not reported. This report was non-serious.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1305013	5/11/2021	NM	62	F	4/1/2021	4/11/2021	My feet were swollen last week; Headache; Bell's palsy; Could not open an eye on left side; Can't talk great; Can't blink; Mouth was crooked.; Feeling something wrong; Mouth still numb and twisted; Can't close the eye and has to put a patch at night in order to sleep and wasn't sleeping; This spontaneous case was reported by a consumer and describes the occurrence of FACIAL PARALYSIS (Bell's palsy) in a 62-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 01-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 11-Apr-2021, the patient experienced FACIAL PARALYSIS (Bell's palsy) (seriousness criterion medically significant), EYE MOVEMENT DISORDER (Could not open an eye on left side), SPEECH DISORDER (Can't talk great), EYE DISORDER (Can't blink), DYSKINESIA (Mouth was crooked.), FEELING ABNORMAL (Feeling something wrong), HYPOAESTHESIA ORAL (Mouth still numb and twisted) and INSOMNIA (Can't close the eye and has to put a patch at night in order to sleep and wasn't sleeping). On an unknown date, the patient experienced PERIPHERAL SWELLING (My feet were swollen last week) and HEADACHE (Headache). At the time of the report, FACIAL PARALYSIS (Bell's palsy), EYE MOVEMENT DISORDER (Could not open an eye on left side), SPEECH DISORDER (Can't talk great), EYE DISORDER (Can't blink), DYSKINESIA (Mouth was crooked.), FEELING ABNORMAL (Feeling something wrong), HYPOAESTHESIA ORAL (Mouth still numb and twisted), INSOMNIA (Can't close the eye and has to put a patch at night in order to sleep and wasn't sleeping), PERIPHERAL SWELLING (My feet were swollen last week) and HEADACHE (Headache) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. No relevant concomitant medications were reported. Lab details were not provided. Treatment medication for the symptoms included. prednisone 20 mg for 7 days valacyclovir 500 mg for 7 days white petrolatum to lubricate under the patch muscle relaxant for sleep - described as effective Company comment:

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1305051	5/11/2021	TX	72	F	1/28/2021	1/30/2021	Tiredness; Headache; Muscle pain; Joint pain; Chills; Fever; Feeling unwell; Cough; loss of appetite; Cataract; 'started feeling really ill'; painful injection site; A 72-years-old female patient who received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Batch/lot number: EL9265, Expiration date: unknown), via an unspecified route of administration on 28Jan2021 in left arm at a single dose for covid-19 immunization. The patient's medical history included asthma, nerve injury, chronic nerve damage and blood pressure measurement. Patients concomitant medications included losartan for blood pressure abnormal at the dose of 100 mg per day, atenolol for blood pressure abnormal, albuterol (SALBUTAMOL) for asthma at the dose of 1.25mg, esomeprazole sodium (NEXIUM) for gastroesophageal reflux disease. On 02Feb2021, she had a cataract implant on the right side. Which was the side her headaches were on. She didn't know if it was from the vaccine or not. Five days later after surgery, on an unspecified date in Feb2021, the patient experienced started feeling really ill. She was pending a procedure on her other eye as well. She got lots of symptoms. The patient experienced tiredness, headache muscle and joint pain, chills, fever, her injection site was painful, and she was feeling unwell. The patient underwent lab tests and procedures which included body temperature which was 101.2. A couple of days after the vaccine she felt well. On 05Feb2021, then all the sudden she just felt tired and couldn't do anything. She was laying and sitting all day. She had no appetite. It had persisted. She didn't have an appetite when she eats. She couldn't taste the food. She didn't feel as bad. She could feel herself getting better. She was taking more vitamin c and more vitamins. On same date, she had a cough. She had been taking Theraflu and lung support for her chest since she developed the cough. She had fever and which was up to 101.2. It kept fluctuating. This morning it was 96. She had muscle and joint every day, but this was triple the pain of her normal pain. She had been drinking a Gatorade. She took nexium for acid reflux, and she had been taking that for a while. That was why she thinks she couldn't taste as much. She got the vaccine because with everything going on, it was the right thing to do. The reporter assessed cataract as medically significant. The outcome

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1305075	5/11/2021	VA	68	F	2/3/2021	2/3/2021	<p>of events tiredness, headache, muscle pain, joint pain, fever, feeling unwell was recovering, while chills, painful injection site were recovered, cough and loss of appetite were not recovered and the outcome of started feeling really ill was unknown. She was scheduled for her second dose on 18Feb2021.</p> <p>I started having parathesoas of bilateral lower extremities the evening of my second dose.; The next day I saw my pop and my pulse and blood pressure were elevated.; The next day I saw my pop and my pulse and blood pressure were elevated.; I am also having headaches; stuffy nose; sinus pressure; brain fog; my vision is blurry; tinnitus; This is a spontaneous report from a contactable Nurse (Patient). This 68-year-old non-pregnant female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Solution for injection, Batch/Lot number: Ec3302) via an unspecified route of administration, administered in left arm on 03Feb2021 at 08:15 AM (at the age of 68-years-old) as single dose for COVID-19 immunisation. Patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Solution for injection, Batch/Lot number: El8982) via an unspecified route of administration, administered in left arm on 15Jan2021 at 08:00 AM as single dose for COVID-19 immunisation. Patient received no other vaccine in four weeks prior vaccination and was not tested for COVID prior vaccination. The patient medical history included known allergies like airborne allergies, grasses, molds, trees, pollen, dust and had controlled hypertension. Concomitant medications included Losartin 50 mg. On 03Feb2021 (at evening, same day of vaccination), patient started having parathesias of bilateral lower extremities. Patient saw pop and pulse rate and blood pressure were elevated. This had continued for the past five days. Patient also had headaches, stuffy nose, sinus pressure, brain fog, vision was blurry and tinnitus. Patient not tested for COVID post vaccination. Outcome was not recovered for all the events.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1305012	5/11/2021	FL	40	F	3/31/2021	4/29/2021	<p>Burst blood vessels in the left eye extending from iris to the outer edge of the eye ball; Fatigue; This spontaneous case was reported by a consumer and describes the occurrence of CONJUNCTIVAL HYPERAEMIA (Burst blood vessels in the left eye extending from iris to the outer edge of the eye ball) in a 40-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 039B21A and 006B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No medical history was reported.). On 31-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 28-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 29-Apr-2021, the patient experienced CONJUNCTIVAL HYPERAEMIA (Burst blood vessels in the left eye extending from iris to the outer edge of the eye ball) (seriousness criterion medically significant). On an unknown date, the patient experienced FATIGUE (Fatigue). At the time of the report, CONJUNCTIVAL HYPERAEMIA (Burst blood vessels in the left eye extending from iris to the outer edge of the eye ball) and FATIGUE (Fatigue) outcome was unknown. Concomitant medications were not reported. The patient reported that she experienced the adverse event in the left eye, 12 hours after the administration of the second dose of the vaccine. The right eye was completely fine. Company comment: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Treatment medication included Tylenol (acetaminophen). This case was linked to US-MODERNATX, INC.-MOD-2021-102880 (E2B Linked Report).; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1305114	5/11/2021	MT	56	F	2/14/2021	4/14/2021	Dear Sir or Madam: Writing to you to please refer me to VAERS for possible CVST s/p dose 2 of Moderna I am a retired APRN and just reviewed your article HPI: 57 y/o female (not obese, no hypothyroidism) H/O travel (February1-March 1 2021) with possible SARS Cov2 exposure; possible long COVID Big supporter of public health and COVID19 vaccine campaign with Moderna dose one 2/14/21 and dose 2 on 3/14/21 Mild to moderate sx after both doses Routine ophthalmology exam 4/8/21 Approximately 4/13/21 left sided facial pain, HA and swelling-self treated for blepharitis with warm compresses 4/15/21 returned to ophthalmologist: forceful lower lid compression applied and diagnosed with pre-septal cellulitis-Rxd Augmentin 875 and steroid dose pack-on return to home experienced severe projectile vomiting x2 and awakened with massive facial edema and ecchymosis-petechial hemorrhages-terrible sinus pain Went back to ophthalmology-they said I had a chalazion and black eye-referred back to PCP for r/o temporal arteritis. ESR and CRP neg Symptoms progressed to severe headache in left temporal lobe since 4/15/21-severe nausea, changes in speech, problems with word finding photophobia, global malaise, fatigue (seems like migraine) Went to see PCP 5/6/21 and transported via ambulance to ER for severe HA; HTN; neuro deficits, r/o stroke CBC CMP Etc wnl with CT of Head showing no stroke or aneurysm. Physician did state there may have been Micro thrombi not detected on CT. Neurology consult with plan to treat intractable HA and rxd Zofran and Sumatriptan -I do not recall anyone asking me about COVID19 vaccine timing or side effects. No PL4 As an APRN I would say I have never had migraines-now experience left sided head pain radiating from temporal lobe to jaw; this waxes and wanes; nausea; overall rapid onset of persistent speech deficit and organizational problems also noted by spouse (since dose 2 Moderna)-symptoms poorly controlled with migraine medication I think this needs further investigation as potential vaccine side effect

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1306206	5/11/2021	NY	74	M	3/29/2021	3/29/2021	My vision disappeared in my right eye; This is a spontaneous report from a contactable consumer (patient). A 74-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration on 29Mar2021 at approximately 10 o' clock (Lot Number: ER8727) as 2nd dose, single for COVID-19 immunisation. Medical history included High Blood Pressure and Blood cholesterol abnormal, both from an unknown date. Concomitant medications included unspecified medication for High Blood Pressure, cholesterol, and a blood thinner. The patient previously received the first dose of bnt162b2 for COVID-19 immunization at the age of 74-year-old on 08Mar2021. Lot Number of the first shot was reported as "EN it looks like 6205". The patient stated he had an adverse reaction to the vaccine. The patient got the second shot at approximately 10 o' clock in the morning of 29Mar2021 and at 10 o' clock at night his vision disappeared in his right eye. The patient was in hospital for 3 days. The patient was told that his right eye was not going to work anymore, it was absolutely the same. The patient received treatment and stated they told him to go to an ophthalmologist and get the services and he told him that his right eye was gone. The patient underwent lab tests and procedures which included lab work was done with unknown results on unknown date. The outcome of events was not recovered. Follow-up attempts are needed. Further information is expected.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1305668	5/11/2021	NY	56	F	3/18/2021	3/18/2021	anaphylaxis; headache with numbness; headache with numbness; blurred vision and nausea from headache; blurred vision and nausea from headache; has been trapping food since in her throat; had irritation in her throat; coughing; coughing; off balance; couldn't see straight; This is a spontaneous report from a contactable consumer (patient). A 56-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Lot Number: EN6207), via an unspecified route of administration, administered in Left Arm on 18Mar2021 10:30 (at age of 56 years old) as single dose for COVID-19 immunisation. Relevant medical history included: Asthma, immune problems, upper respiratory stuff, all ongoing; Her Diagnosed allergies include iodine fish, Propofol, and preservatives, sleep apnea, had COVID in Jan2021, and had a cough (Jan2021) from that. There were no concomitant medications. The patient previously took iodine, propofol and had allergies. Patient took first dose on 18Mar for reason that patient has lost all allergies that cannot be detected by blood work. After first shot she was told to wait an extra 15 mins not vitals taken she can leave a felt like a specimen unpaid but paying with life. Patient started coughing while everyone watched her so she said she better take Benadryl cause she doesn't wanna die. Patient left had off balance couldn't see straight. She was the one that had all side effects from vaccine as well as COVID signs. She had research medicine/food that cause her to have anaphylaxis. Patient found same ingredients in vaccine but food and drug said it ok. Patient was an experiment. She need to no from your board it is ok for me to take 2nd vaccine. Patient should be getting paid. Her doctor making it seem it up to her she gotta go out and get and epi pen she cant afford. In running out of gloves and mask. The patient experienced Anaphylaxis, has been trapping food since in her throat, headache with numbness, Cough, blurred vision and nausea from headache, all on 18Mar2021. Caller has been coordinating with the CDC by email. Since day one she had a bad reaction to the COVID vaccine. This has been going on a month now. The CDC advised her not to get the second shot. She has went back and forth with the doctor. She had anaphylaxis from the vaccine. Her throat closed. She had irritation in her throat. She has been trapping food since in her throat.

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

This has been since the anaphylactic reaction. She has to chew her food as fine as possible. She tries not to eat that much. This is still the same. It hasn't improved or worsened. She has also had a headache with numbness that is pretty much 24 hours a day. This started right after. She really felt it the next day. She tried to take Tylenol for four days, three times a day, and nothing happened. It was not going away. Her doctor also put her on a migraine medication, but it didn't work either. The headache has worsened over time. No medication is helping, and the doctors are confused. The migraine medicine is not helping. Her pressure is going up and down. She is wondering if she needs an emergency echo to see what is going on. She is still having bad effects. No doctor knows what to do. She has been to a lung specialist. Her cough just keeps getting worse. The cough started to get worse after the vaccine. She had COVID in Jan2021, and had a cough from that, but the vaccine made it worse. It is a ruff cough. She is on cough suppressant medication. Caller did not have a prescribing doctor. She got it at the hospital. She figured that was the safest, and since she is a patient there they emailed her because she was eligible to get it. She is mostly calling because the doctors don't know how to help. She is about to pass out from this headache. She is even losing vision from the headache. She feels like she is going to have a heart attack before her time. They are trying to figure out why her head is hurting. They do not think it is a migraine. Her headache is a 9/11 or a 10/12. She feels like after the vaccine she has been chemically off balance. She wants to get her thyroid checked too. Mostly because her food is getting trapped in her throat. Her throat is irritated and hoarse. The headache has given her blurred vision, and a felling like she is going to throw up. She feels off balance from the blurred vision. Caller had difficulty seeing information on Tylenol and Nurtec. She asked her husband to help. They cannot read the lot on the Tylenol. She has been to so many specialists to try to find answers, and no one has a clue. She saw on Pfizer's paperwork that she needs to reach out to a immunologist. Her allergist had no clue. From the world trade centers falling she has ongoing issues from that. She has sleep apnea, allergies, asthma, etc. She spent 30 minutes being monitored at the hospital. She had started coughing. Her husband said she needed

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

water. She always carries Benadryl with her. Finally she felt like she needed to take her Benadryl. It saved her. She knows the Benadryl probably won't work forever, but she cannot afford an epi Pen. Time of Onset (24 hours clock): right after vaccine (18Mar2021). All events require a visit to Physician Office. She didn't have to go the ER. She was lucky with the Benadryl. She takes Benadryl with her everywhere even to restaurants. No Prior Vaccinations (within 4 weeks). Treatment received for coughing, headache with numbness, blurred vision and nausea from headache. The outcome of the event has been trapping food since in her throat, had irritation in her throat, headache with numbness, blurred vision and nausea from headache was not recovered, for other events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1305673	5/11/2021	IL	54	F	4/15/2021	4/15/2021	Developed bell's palsy on the left side of my face; My mouth and side of my face started to feel numb within a half hour of receiving the vaccine; My mouth and side of my face started to feel numb within a half hour of receiving the vaccine; Within 24 hours the entire side of my face from my jaw to my eye was numb; This is a spontaneous report from a contactable consumer (patient, self-reported). A 54-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTEC COVID-19 mRNA VACCINE, Solution for injection, lot number: EN0164 and expiry date was not provided), via an unspecified route of administration, in Arm Left, on 15Apr2021 at 10:00 AM, as a single dose for COVID-19 immunization. The patient was not pregnant at the time of vaccination. The patient's medical history included bee venom (known allergies). Concomitant medications were not reported. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccination. The patient did not receive any other medications within 2 weeks of vaccination. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient was not tested for COVID-19. The patient reported that on 15Apr2021 at 10:30 AM, she developed bell's palsy on the left side of her face. Her mouth and side of her face started to feel numb within a half hour of receiving the vaccine. Within 24 hours the entire side of her face from her jaw to her eye was numb. The patient received Medrol 4 mg dosepak and Valtrex - 7-day dose as treatment for the events. The events resulted in physician office visit. Outcome of the events was not recovered. Information on Lot/Batch number was available. Additional information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1305745	5/11/2021	PA		F	4/22/2021	4/22/2021	allergic reactions; had a rash on the chest; it kind of looked like measles; she was like Parkinson's patient; entire body was shaking violently/left leg was going up and down; body aches; wicked headache; right eye had felt like it was burning from the inside; nauseous; her heart started racing for 4 hours; could not get warm from the chills; could still not get warm; fever/a fever that went up to 103 Fahrenheit; This is a spontaneous report from a Pfizer-sponsored program via Medical information team received by a contactable consumer reported for self. A 55-years-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) dose 2 via an unspecified route of administration on 22Apr2021 as 2nd dose, single for covid-19 immunisation. Medical history included an underactive thyroid, to which she took low dose levothyroxine in the morning. The patient was reportedly healthy as she was a retired fitness and kick boxing instructor. The patient's concomitant medications were not reported. The patient previously took levothyroxine for underactive thyroid. Historical Vaccine included first dose of BNT162B2 for COVID-19 immunisation. The patient experienced some awful side effects from the Pfizer COVID Vaccine on Thursday, 22Apr2021, she took her 2nd dose of the vaccine and she felt like that she was going to have a fever which was expected. The next morning, Friday, on 23Apr2021, she mentioned that her entire body was shaking violently. Her left leg was going up and down, she could not hold a cup of tea on her right hand because it was shaking too much. She thought that she was like Parkinsons patient. She recorded a video of her symptoms. She mentioned that she had body aches, a fever that went up to 103 Fahrenheit, a wicked headache, her right eye had felt like it was burning from the inside, she was nauseous, and her heart started racing for 4 hours. She also could not get warm from the chills. She mentioned that she had to wear several layers and sit in a hot car but could still not get warm. She mentioned that she thought she was going to feel better by Saturday evening, but on 25Apr2021, Sunday, upon waking up she had a rash on the chest, between her boobs and under the bra line. She mentioned that it was kind of looked like measles. On 25Apr2021, Monday, she finally feels like herself. Nothing in her life has ever side-lined her like this and is kind of regretting getting vaccinated. According to what

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

she had read, rashes and racing heartbeats within 4 hours are considered allergic reactions and if it occurred after those 4 hours, it will be fine. Outcome of the events was unknown. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1305769	5/11/2021	NY	56	F	4/22/2021	4/22/2021	she thinks may be blood clot or a muscle but not really sure; passed out; very anxious and nervous; her heart is beating fast and she is nervous.; burning sensation in her ear; tiredness; headache; heaviness on her back and chest on the left side; heaviness on her back and chest on the left side; no appetite; nauseous; diarrhea; throbbing is almost like a band-aid is too tight. If she rubbed her hand across her thigh she could feel crushing and throbbing; her heart is beating fast and she is nervous.; sharp pain in her thigh/pinching sensation on inner thigh; sick; throbbing; muscle pain; weird sensation; throbbing sensation to the left side of her belly button/It was like at her stomach; fever of 100.3F; had a feeling of heat on her neck, face, and ears; redness and itchiness at the injection site; redness and itchiness at the injection site; the injection was large, red, hot, and itchy; the injection was large/ the swelling went down; dizzy; This is a spontaneous report from a contactable consumer reported herself. A 56-years-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration on 22Apr2021 (Batch/Lot number was not reported) as 1st dose, single for covid-19 immunisation. Medical history included disability, obese, covid-19 when she was sick with COVID last year, she has never been that sick. she thinks she made it through because she owns a nebulizer and can say her lungs have never felt like they were full of fluid. If anything, they felt heavy. It was heavy in her back and chest. She also had a fever. She guesses she would be considered obese. Concomitant medications included paracetamol (TYLENOL). The patient received the first dose of the Pfizer COVID vaccine last week and she has experienced several side effects and is very anxious and nervous. She experienced redness and itchiness at the injection site, pinching sensation on inner thigh that she thinks may be blood clot or a muscle but not really sure, fever of 100.3F from 24Apr2021, burning sensation in her ear, tiredness, headache, heaviness on her back and chest on the left side, no appetite, nauseous, diarrhea, had a feeling of heat on her neck, face, and ears, throbbing sensation to the left side of her belly button from 26Apr2021 and she felt dizzy from 22Apr2021. The patient stated there was a bad connection and she was having difficulty hearing. The patient was a little nervous. Maybe this was a

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

psychosomatic issue and she was thinking of things too much. She was sick for 5 weeks. She was never in the hospital or intubated. The site where she had the injection was large, red, hot, and itchy. It was from 22Apr2021 (Thursday) for the next maybe 3 days. Now the color is diminishing, the color is going down more like to pink and smaller and it not itching anymore. Once in a while she got a pinching sensation on her inner thigh ever since she had the injection. In the last couple days, she has been feeling a that a little more. She wanted to make sure it was not a symptom of a blood clot. She doesn't feel short of breath. She was nervous talking the call handler so that is why she is talking fast. She doesn't want to feel so sick like she did last year when she had it in March or April. She wanted to know that it's not a symptom of a blood clot. It was a throbbing pinching pain that goes and doesn't come back for a little bit, but it might come back a little bit later. It happened when she woke up. She has no swelling in her legs or thighs or anything else. She says she would not be talking this fast, but her heart was beating fast and she was nervous. She tended to be an anxious and nervous person. The patient never had blood clot issues. She wanted to make sure with everything that she has heard about Pfizer she hasn't heard of anyone having blood clot issues. She had to read to calm herself down a bit. It is a sharp pain with throbbing that comes and goes. She didn't read where it could be a blot clot, she just wanted to know. She is horrible at running to the hospital when she feels something because she gets so nervous and she thinks knowing is better because she's a realist. It takes her a minute to go to the hospital to figure it out. If she continues to feel like this she and her daughter will go to the emergency room. It is 5 blocks away. It is a small little hospital and they will be able to ease her mind. It could be her nerves getting to her too. Her fever got up to 100.3 and that was only on Saturday, 48 hours after the vaccine. Once she took Tylenol it was gone and didn't return again. She took her temperature; it was a beeping one. She always says she would take like 2 out of 3, and every time she took it went up. She felt a weird sensation of burning in her ears, the same as when she first had Covid, feeling like a fever. It brought her back to a bad place and it freaked her out. She is on disability and has people go to the store for her. She did that for 3 to 4



VAERS\_ID RECVDDATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

months. She is not agoraphobic, but she hadn't gone out until she got the vaccine. It took her all day to get back home because she loves the outdoors. It is kind of sad, and she knows she is not the only one who experienced that. She was able to actually stay at home, and when she went out, she wanted to stay. She still has her second dose to take, not everyone in has this and she doesn't want to feel that sick again. Eventually she will perish away one day, from God knows what but a slow death of not being able to breathe she cannot picture for herself or anybody else. She tries not to watch the news, it was depressing, because it is all over the news, she tries to stay in the loop. She was tired and had a headache. She took Tylenol and slept for an hour or hour and half. When she woke up she felt heaviness on her back and chest on the left side, and as she moved around more it was on her back and less on her chest. It was the same as she felt when she had Covid. She didn't have any aches or pains. The other thing was she had no appetite for the next 3 days. Every time she woke up, she felt extremely nauseous but had nothing to vomit. For the next 3 days or 72 hours, she had diarrhea. If she ate anything, she was in the bathroom. On 24Apr2021 (Saturday) after 48 hours she started to feel the heat in her neck and face and ears like right on her ears. She was talking to her daughter and her daughter said these are normal. Where she got the injection was itchy and a little more red. She told herself not to scratch it in her sleep, she is one of those people if something itches, she scratches. What she would do is rub her arm up and down on the site. It was almost the size of an 8 ounce tomato sauce can or maybe the size of a baseball. Then the third day it got redder. In her sleep she was rubbing her arm because it got itchy. Today the swelling went down, the color is like a light pink, and the size is also minimized. The fever lasted that night. She took her temperature again the next day and it was 97.9. That is usually what it is when she wakes up. She is not just tired; she is exhausted and feels like she has to go to sleep. Her daughter came with her granddaughter who is a baby, and she didn't know how to tell them. She was happy to see them but so exhausted. She worries about the sharp pain in her thigh. The other thing is she started getting pain in the middle of her thigh, her inner thigh. A sharp pain with like a throbbing is almost like a band-aid

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

is too tight. If she rubbed her hand across her thigh, she could feel crushing and throbbing. She can feel it from touching the area. She had this before like when she is stretching. It started maybe 3 months ago and went away but then after she took the injection and heard about thing, she worried about a blood clot with Johnson & Johnson, not that she would know because she has never had a blood clot. It could be psychosomatic and all working in her head. It started the last 2 days when she woke up, she felt fine and as she was lying in bed, she started feeling a sharp throbbing pain that eventually goes away. She has no swelling of her legs or thighs, and her daughter said it looks fine. She is semi-terrified of hearing bad news. It takes her longer to go to the hospital. If she starts feeling worse, she will be there in no time. She does not want to wait until it is worse, but she does not want to spook herself into going. She suffers from anxiety. She definitely had the fever not like she was just tired it was like she was exhausted. She got up early and would take a little nap because she was doing a bunch of stuff. That hasn't happened, but that's her. It will be 2300 when she goes to sleep. She was doing a bunch of stuff and felt like she just needed to take a nap. Maybe it is part of that too, but usually she doesn't feel tired like this. After her daughter left, she read something on her phone and passed out. When she woke up, she saw she actually dropped her phone. Her thigh is now not a pinch but more a little bit of a muscle pain. Now it is not like the inner thigh, it is more behind the thigh now, but not below the knee, right behind the thigh, closest to the knee but not on the knee. It is the same thing as if the middle had gone behind her thigh a bit. The little pillow on her chair is not helping anything either. It feels like it maybe muscular, its deep feeling. It feels like it could be muscle, if she rubs it, she can feel it. When asked has it improved persisted or worsened, caller states it is there, but it is dull. She can say there is pain, but it is a little duller just because it is more in the muscle. It is hard to explain, it was not the same throbbing pain but there is a dull pain, it goes around the chunkier part of her thigh, like the inner thigh. When she rubs it there is pain but a dull pain. When she rubs it, it feels better but she can still feel the site where it hurts. When she rubs it, it is still located right in the lower middle going toward her knee but not at the knee, maybe

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

3 to 4 inches away from the fold of her knee, almost at the center of her thigh almost. Almost like a dull muscle ache, there is a bit of throbbing with it. She will go to the doctor if something weird happens and will call back when they have an idea of what happened to her. This will sound crazy. The next thing she felt was a light throbbing where her belly button is but more to the left side, but not at the belly button. It was like at her stomach, not right at the belly button but right on the same line as her belly button but more at her waist. It was a small throbbing started today about an hour ago. She is hoping it is gas. Her fever went away pretty fast. She was on the phone and took her temperature to tell what it was. The woman said to take some Tylenol. It went from 99.9 to 100 to 100.3. She thought oh no. That was the highest she saw. Then eventually it started going down to 99.4, and then by morning it was back to normal. She only took Tylenol the one time. She is thinking maybe it is from being nervous and causing her body to heat up. She doesn't know she is just thinking. She thinks the fever went away the same day within an hour to 2 hours. She also wasn't drinking enough water. When asked if her fever has recovered completely or with last effects, caller states that is fine now, her temperature today was 99.4 without the fan on, she says she thinks that was pretty normal. When she first wakes up it is 97.9 usually. There was also a 98.4. The redness and itching at the injection site started 3 hours after the injection. She took her 2 sons with her. She took it and then her son took it. They said to wait 15 minutes. As soon as she stepped out, she looked up and felt so dizzy. It looks like when in summer and it seems to be boiling hot, that is how it got for her. Things got blurry. It was not like she was going to black out, but she had to close her eyes because the room was going to spin. She knocked back on the door and took a seat, so she sat down because she was not feeling right. When she gets nervous, she chews gum as a coping mechanism. Her son got some gum for her. She felt better but kind of nervous waiting for 15 minutes to go by, what if she felt dizzy again. She let 20 minutes go by and she got up and was fine. She wanted to be out of there and in the cool air outside. That is the first reaction that she had. She is one of those people that feel so nervous she is sure that happens that they feel like, oh they are so nervous, and they read so

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

much, and it is in our faces everyday no matter what. Maybe it had nothing to do with the injection, maybe more that she was so nervous, but it was a weird sensation after. She knows when people first started getting the COVID vaccine, people were just like falling to the ground, she was like that would be terrible. She went with high expectations and was also nervous. Her heart was beating, and she could hear her own heartbeat. She still feels tired and like she can go take a nap now. She asks if that is normal. She would rather talk to Medical Information now. She is over this statistics part of it. She doesn't feel a release, she is just giving her information and she doesn't feel any better. Outcome of the event throbbing sensation to the left side of her belly button/it was like at her stomach was not recovered; of the event dizzy was recovered; of the events the injection was large, red, hot, and itchy/ the swelling went down, tiredness was recovering; of the other events was unknown. Information about lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1305822	5/11/2021	MI		F	4/21/2021	4/22/2021	visual hallucinations lasting 18 hrs; 102°-104° fever lasting 36 hrs; loss of sensation from waist down for 12 hrs; This is a spontaneous report from a non-contactable other hcp (patient). A 20-year-old female patient received second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot Number: EW0170), intramuscular on 21Apr2021 12:45 PM as single dose for covid-19 immunisation. Medical history not reported. Patient not pregnant at the time of vaccination and not diagnosed with COVID-19 prior to vaccination, not receive any other vaccines within 4 weeks prior to the COVID vaccine. Patient intramuscular received first dose of bnt162b2 (Lot number= EW0150) on 31Mar2021 12:45 PM. On 22Apr2021 patient experienced 102°-104° fever lasting 36 hrs, visual hallucinations lasting 18 hrs, loss of sensation from waist down for 12 hrs. The outcome of events was recovered. Patient has not been tested for COVID-19 Since the vaccination. No follow-up attempts are possible. No further information is expected.; Sender's Comments: Based on the current available information and the plausible drug-event temporal association, a possible contributory role of the suspect product BNT162B2 to the development of event visual hallucinations cannot be excluded. The case will be reassessed if additional information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1306113	5/11/2021	PA	49	F	5/1/2021	5/8/2021	I have had 4 terrible days after the vaccine that I had to spend in bed. I had horrific severe headaches at the front of my head and at the back starting in less than 24 hours after the vaccine. On the next day I had a fever added to these headaches. I couldn't open eyes and light hurt my eyes. I had a loss of appetite and huge weakness. I couldn't walk and had literally to crawl to the bathroom. When I stood up from my bed I almost fainted. After 96 hours after vaccine I still have nausea and headaches that diminished a bit. Fever disappeared only after 96 hours. Still I'm very weak, have nausea and can't really do anything except being in bed. I have never had anything like that in my life after a vaccine. and I'm in perfect health and don't smoke, don't drink any alcohol, doing regular gym and my BMI is normal

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1305100	5/11/2021	WI	65	F	2/20/2021	2/21/2021	Severe and extended dizziness for 5 days.; Headache and very tired so sleepy can hardly keep eyes open; Headache and very tired so sleepy can hardly keep eyes open; Headache and very tired so sleepy can hardly keep eyes open; Muscle pain around abdomen; ran fever of 102.5 for 12 hours post injection with rigors; This is a spontaneous report from a contactable nurse (patient). A 65-years-old non-pregnant female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number: EN6200 and expiration date was not reported), via an unspecified route of administration, in left arm on 20Feb2021 at 14:30 as SINGLE DOSE for COVID-19 immunization. The patient previously received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number: EL9269 and expiration date was not reported), via an unspecified route of administration, on 03Feb2021 at 17:00, as SINGLE DOSE for COVID-19 immunization. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine and medications within 2 weeks of vaccination. The patient was not diagnosed with COVID-19 prior vaccination. Since the vaccination, has the patient not been tested for COVID-19. The patient was allergic to medications, food, or other products. The patient medical history included autoimmune disease iritis-right eye for which she was hospitalized for 2 days. Concomitant medications were not reported. On 21Feb2021, patient experienced severe and extended dizziness for 5 days. Headache and very tired so sleepy can hardly keep eyes open. Muscle pain around abdomen, generalized, ran fever of 102.5 for 12 hours post injection with rigors. The outcome of all events was reported as not recovered. No follow-up attempts are possible. No further information was provided.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1307924	5/11/2021	WI	16	M	4/29/2021	5/10/2021	<p>HPI: Patient is a 16-year-old male who was upgraded to our emergency department after blood work showed a significant thrombocytopenia. Please see walk-in clinic provider NP for presenting history and physical exam. Patient reports to me development of sore throat as well as blood from the throat last Thursday. Patient also began to notice development of bruising to his legs without any injury approximately a week ago. Denies any pain. Denies any blood in the urine or stool. No other medical complaints at this time. Chief Complaint Patient presents with ? Sore Throat was seen a few weeks ago for ear infection, also had sore throat at that time that never went away. School nurse wanted him swabbed for strep and covid PCR ? Bleeding/Bruising has large bruising to right leg for about a week, no injury. also states bruise to upper left thigh and right shoulder and scattered small bruises. School nurse wants his platelets checked. Denies pain. States mild bleeding in gums and states notices blood in back of throat ROS: See HPI above. All other 12 review systems negative otherwise specified in HPI above. ROS PMH: Past Medical History Past Medical History: Diagnosis Date ? Asthma ? GI symptoms 10/2018 with pharyngitis ? Headache ? Strep throat ? Tonsillar and adenoid hypertrophy nasal scope Past Surgical History Past Surgical History: Procedure Laterality Date ? COLONOSCOPY 12/07/2018 with biopsies ? ESOPHAGOGASTRODUODENOSCOPY 12/07/2018 with biopsies ? TONSILLECTOMY &amp; ADENOIDECTOMY 2011 Family History Family History Problem Relation Age of Onset ? Hypertension Father ? Diabetes Mellitus Father Social History Tobacco Use ? Smoking status: Never Smoker ? Smokeless tobacco: Never Used ? Tobacco comment: no second hand smoke exposure Substance Use Topics ? Alcohol use: No Allergies: No Known Allergies Meds: No current facility-administered medications on file prior to encounter. Current Outpatient Medications on File Prior to Encounter Medication Sig Dispense Refill ? albuterol HFA 108 (90 Base) MCG/ACT inhaler Inhale 2 puffs every 4 hours as needed. 1 inhaler 1 ? Aspirin-Acetaminophen-Caffeine (EXCEDRIN PO) ? acetaminophen (TYLENOL) 325 MG tablet Take 975 mg by mouth every 6 hours as needed for Pain. ? naproxen (NAPROSYN) 220 MG tablet Take 440 mg by</p>



VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

mouth twice daily - with breakfast and supper.  
Physical Exam: Blood pressure (!) 148/93, pulse 107, temperature 98.6 °F (37 °C), resp. rate 20, height 6' 5" (1.956 m), weight (!) 348 lb 8 oz (158.1 kg), SpO2 96 %.  
O2 flow: Physical Exam Constitutional: He is well-developed, well-nourished, and in no distress. No distress. HENT: Head: Normocephalic. Right Ear: External ear normal. Nose: Nose normal. Mouth/Throat: Oropharynx is clear and moist. No oropharyngeal exudate. Mild erythema in the posterior pharynx with some bleeding. No posterior pharynx edema. Eyes: Conjunctivae are normal. Right eye exhibits no discharge. Left eye exhibits no discharge. No scleral icterus. Cardiovascular: Exam reveals no gallop and no friction rub. No murmur heard. Pulmonary/Chest: Effort normal. No stridor. No respiratory distress. He has no wheezes. He has no rales. Abdominal: Soft. Left upper quadrant tenderness. Musculoskeletal: General: No tenderness, deformity or edema. Cervical back: Normal range of motion. Neurological: He is alert. Gait normal. GCS score is 15. Skin: Skin is warm. He is not diaphoretic. Multiple baseball to softball size bruises to the bilateral lower extremities worse on the right than left. Mild petechiae. Psychiatric: Mood, memory, affect and judgment normal. Diagnostics: Results for orders placed or performed during the hospital encounter of 05/10/21 CBC WITH DIFFERENTIAL Result Value Ref Range White Blood Cells 7.72 4.0 - 13.0 K/uL Red Blood Cells 3.48 (L) 4.15 - 5.30 M/uL Hemoglobin 10.8 (L) 11.8 - 15.4 g/dL Hematocrit 30.5 (L) 35.5 - 46.5 % MCV 87.7 77 - 94 fL MCH 31.0 25.0 - 32.3 pg MCHC 35.4 31.9 - 35.9 g/dL RDW 16.2 (H) 11.5 - 14.8 % Platelet Count 9 (LL) 160 - 424 K/uL MPV 11.4 (H) 6.8 - 10.5 fL Neutrophil % Pending % Lymphocyte % Pending % Monocyte % Pending % Eosinophil % Pending % Basophil % Pending % Absolute Neutrophils Pending 1.6 - 7.5 K/uL Absolute Lymphocytes Pending 1.2 - 4.9 K/uL Absolute Monocytes Pending 0.1 - 0.9 K/uL Absolute Eosinophils Pending 0.0 - 0.6 K/uL Absolute Basophils Pending 0.0 - 0.2 K/uL COMPREHENSIVE METABOLIC PANEL Result Value Ref Range Sodium 138 133 - 144 mEq/L Potassium 4.4 3.5 - 5.0 mEq/L Chloride 101 95 - 107 mEq/L Carbon Dioxide 22 22 - 32 mEq/L Anion Gap 15 6 - 15 mEq/L BUN 14 8 - 24 mg/dL Creatinine 0.81

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

0.69 - 1.20 mg/dL Glomerular Filtration Rate NOT CALCULATED due to age less than 18 years. mL/min  
 Glucose 110 (H) 70 - 100 mg/dL Albumin 4.9 3.5 - 5.2 g/dL Calcium 10.0 8.6 - 10.4 mg/dL AST 23 11 - 41 IU/L ALT 28 (H) 0 - 19 IU/L Alkaline Phosphatase 142 90 - 366 IU/L Bilirubin, Total 0.4 <1.5 mg/dL Total Protein 7.7 5.9 - 7.8 g/dL Globulin 2.8 1.8 - 3.7 g/dL A:G Ratio 1.8 1.2 - 2.7 PROTHROMBIN TIME Result Value Ref Range Prothrombin Time 18.4 (H) 12.0 - 14.6 sec INR 1.5 (H) 0.9 - 1.1 PTT, PARTIAL THROMBOPLASTIN Result Value Ref Range PTT 32 23 - 36 sec CRITICAL VALUE HEME Result Value Ref Range Critical Value ED Course: Patient was upgraded to the emergency department after he was noted to have significant thrombocytopenia. Patient is pleasant he has no active complaints other than some throat irritation bleeding in the throat and bruising that was nontraumatic to the legs. My physical examination reveals multiple rather large bruises to the bilateral lower extremities up to softball size worse on the right than left. Patient had some mild left upper quadrant discomfort. Very minimal bleeding in the posterior pharynx. I personally reviewed the labs and CBC revealed an anemia at 10.830.5 hemoglobin hematocrit respectively. Most notably a 9000 thrombocytopenia. CMP essentially unremarkable. INR 1.5 PTT normal. I added on Lyme disease and tick-borne illness as well as a Monospot type and screen. Patient did receive his 1st visor vaccine for COVID-19 on April 29, 2021. IV was established in the emergency department in consultation made to Pediatric Oncology. I spoke with pediatric oncology in regards to patient's history and present illness. He does agree that the patient should in fact be transferred under the pediatric care but recommended under the general hospitalist service. He did not advise to proceed with any active treatment in our emergency department such as gamma globulin, platelets or steroids. Awaited call back from pediatric hospitalist and spoke with Dr. She has agreed to accept the patient in transfer. Patient and family are comfortable disposition plan no further questions at this time. Impression: 1. ITP Disposition: Transfer ED on 5/10/2021  
 Revision History Detailed Report Note shared with patient Note filed date Mon May 10, 2021 12:24 PM

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1307603	5/11/2021	IN	17	F	4/9/2021	4/9/2021	Immediate sever pain at injection site, immediately followed by flushed face, racing heartbeat, tingling and inching of face, watering eyes, itchy throat that felt like it was closing in, lump in throat, difficulty breathing, unable to speak. Was able to speak after a couple minutes and the other symptoms started to gradually improve at that point. Most of the above symptoms subsided within around forty minutes. The lump in the throat remained for weeks eventually coming and going.
1307702	5/11/2021	KY	17	M	4/30/2021	5/1/2021	Issues with vision, went to eye doctor, referred to retina specialist. Hemorrhaging in the back of left eye. Appointment with pediatrician and pediatric Cardiologist. blood work and EKG done. Follow up with retina doctor on 5/14/21
1307776	5/11/2021	VA	56	F	4/8/2021	4/10/2021	Blurry vision
1307800	5/11/2021	MA	15	M	5/11/2021	5/11/2021	pt found by ems crew incomapny of mother in vaccine booth after having recieved vaccine. pt appeared to have suffered a syncapo episode due to a vaso vagal response. pt mother had consented to all ems evaluation and treatment. pt was assessed on scene and pt wa then transfered to hall way for further evaluation. original vitals at vaccine booth was bp63/42 hr 46 rr 18 spo2 99 ra. pt had perspiration on forehead and pale skin and mild visual disturbances. pt improved once in hallw ay. vitals bp 87/59 hr 52 rr 18 spo2 99 RA. pt began to "feel better" PTs mother denied any allergies or pmhx. pt care was released and pt was escorted out of center by staff with mother
1307864	5/11/2021	NM	69	F	3/23/2021	3/24/2021	Received the shot on 3/23/21 and on 3/24//21 I experienced a terrible headache in the left temple area, pain behind my left eye and double vision. The headache and eye pain lasted approximately two and a half weeks and the double vision for approximately 5 weeks. I saw my eye doctor on 4/8/21, my regular doctor 4/16/21 and an eye specialist on 5/4/21. No conclusion determined, possibly related to an old eye injury or not, could be vaccine or not. Vision seems to have returned to normal at this time.
1307552	5/11/2021	MI	49	M	5/3/2021	5/4/2021	my vision got real blurry and i couldn't think straight

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1307923	5/11/2021	TX	44	M	4/6/2021	4/9/2021	Vision and gait disturbances began 4/9/21, progressively worsened and he began nausea/vomiting 4/11/21, requiring ER visit on 4/12/21 then hospitalization for 5 days. Comprehensive labs done. Follow-up advised with Dr. (has not occurred). Per Dr. (Neurology), do not get second dose of Covid-19 vaccine as there is a chance the vaccine contributed to development of these symptoms. Doctor said it could possibly be Guillain-Barre Syndrome. As of 5/11/21, significant vision impairment still exists and patient is unable to work. Patient is uninsured.
1308699	5/11/2021	OK	16	M	5/11/2021	5/11/2021	Patient was given first dose and was in waiting area for observation. About ten minutes after his shot our vaccine coordinator alerted me that he was having a reaction. When I went out to the patient his eyes were open but he was staring blankly. His father was shaking him and waving his hand in front of his face and asking him if he was okay and the patient was not responding. I also tried to get the patient to respond and he did not. Since the patient was not responsive to any questions we called 911. While waiting on the paramedics to arrive the patient came around and started to answer some simple questions. He was clammy and sweating and he threw up one time. When the paramedics arrived they took over. They checked all the patients vital signs and were with him for about 15 or 20 minutes assessing him. The patient walked out of the store on his own and was not taken by ambulance. I called the patient around 3:10pm to check on him and I spoke with him and he said he was doing fine.
1307998	5/11/2021		24	M	4/5/2021	4/14/2021	About week after shot, became extremely weak , fatigued , and am showing signs of vestibular neuritis (vertigo , feeling as though I would pass out, blurred vision , head ache , ear pain)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1308220	5/11/2021	NV	58	F	1/8/2021	1/17/2021	After the second dose I had fever, body aches and swollen lymph nodes. I went to the doctor and got antibiotics. Nine days after the vaccine I got Bells Palsy and I have not been able to work since then. I noticed when I gargled that night the water was coming out. The following day was a holiday and everything was closed. I was able to see my doctor. My left eye was not closing and I had difficulty eating because the left side of my face was effected. I had to tape my eye shut at night. It is very sad and upsetting because I don't know if it will get better. I have seen a Neurologist. It has been four months and I am still getting therapy for the Bells Palsy. Physical therapy since 04/19/2021 with electrical stimulation. My eye closes a little better and my smile is a little straighter.
1308490	5/11/2021	CA	34	M	5/11/2021	5/11/2021	Vaccine was administered at 2:54PM, patient began feeling dizziness, feeling faint, sweaty, blurred vision at 3:00PM. Ammonia Inhalant was stimulated and was held near patient's nasal passage. Doctor was notified and assessed patient. Vitals: BP: 90/60 mmHg Spo2: 100% Pulse: 72 Provided Gatorade for hydration. Per Dr. monitored patient for additional 30 minutes. After 30 minutes symptoms were resolved . Had patient walk around and per Doctor ok to release patient. patient advised may go to ER for follow up if symptoms returned and do not resolve. Also notified may contact his PCP for further assistance and/or our office for any further assistance
1308708	5/11/2021	NJ	23	F	4/6/2021	4/20/2021	Bell's palsy in right face: onset exactly 2 weeks following dose 2. Facial paralysis, hyperacusis, tongue numbness, blurred vision, no gag reflex, reduced hypoglossal activity, neck/ear/jaw pain
1306694	5/11/2021	MD	56	F	5/9/2021	5/9/2021	Patient had a subconjunctival hemorrhage in her left eye that was noticed after receiving the vaccine. There were not symptoms other than the redness in the left eye. It was not noticed before receiving the vaccine but was noticed right after.
1306750	5/11/2021	GA	28	M	4/9/2021	4/19/2021	Left bottom eyelid twitching/spasm on and off for 3 weeks now

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1307879	5/11/2021	WA	50	F	4/7/2021	4/7/2021	**DAILY SINCE VACCINE ON April 7** - nausea (starts daily between 12-3pm, sometimes earlier, lasts for hours up to bedtime, feels like I have to vomit), headache (above right eye, starts in the afternoon, sometimes evening, lasts hours, dull ache) --- Symptoms Chronologically - see below --- 15 min post vaccine - headache above right eye, muscle tension in neck and shoulders; 36 hours post vaccine - 101.7 fever (for a few hours), tired, body aches, arm soreness, nausea, headache; 3-7 days post vaccine - lower back ache, stiff shoulders, stiff neck, fatigue, arm soreness, nausea (starts daily 12-3pm, lasts hours), headache (dull ache above right eye, starts daily afternoon/evening); 8+ days - nausea and headache
1306995	5/11/2021	IL	79	M	2/20/2021	2/22/2021	Initially had chills, myalgia, and weakness. Symptoms worsened with fever and ongoing headache that lasted for 2 weeks. Developed visual disturbances. Was admitted twice and ultimately diagnosed with giant cell arteritis
1306785	5/11/2021	CA	27	M	5/10/2021	5/11/2021	Janssen COVID-19 vaccine EUA Woke up around 4:00 am - 4:30 am with a mild head ache with minor pressure around where the nose bridge intersects the eyebrows. Along with some minor nausea.
1308714	5/11/2021	CA	21	M	5/11/2021	5/11/2021	patient was in the observation area when his family told us that the felt dizzy. i got to his side and asked if he was doing ok but did not get a response. he was sitting on a chair with eye opened but not responding. so we called 911. then a few seconds later , he said i could hear you but was not able to see. then he said he felt hot so we gave him some water. Now dispatcher on the phone told us no water and have him lay on the floor. by now he had started to feel a lot better. then the parametic team came and took over . His vitals, blood sugar and EKG were all normal. then patient was offered to go to hospital for evaluation but he refused

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1306760	5/11/2021	TX	47	F	3/25/2021	4/12/2021	Face tingling and pressure on left side started 2 weeks after vaccine dose #1. - received Steroids for inflammation of jaw After steroids finished , eye started twitching 04-12-21. (every hour, multiple times and hour....all day) Got second dose on 4-22-21 (Moderna Lot 008C27A) Legs were like jelly 05-04- 21 for two days with severe pain. Could barely walk. Resolved after 3 days Eye still twitching - from 04-12-21 until 05-10-21 (Dr prescribed more steroids)
1307486	5/11/2021	AZ	39	F	3/9/2021	4/3/2021	Intermittent, severe, spasmodic neuro muscular facial contracture and eye closure, worse on right side began approximately 3 weeks after 2nd Covid-19 vaccination injection.
1306901	5/11/2021	MN	29	F	4/7/2021	4/10/2021	On April 10th, patient was traveling and noticed she was having a hard time drinking without spilling. Companions noted her smile was different. This started sometime in the morning. Had a hard time raising her eyebrows. Experienced jaw pain, severe headache and neck pain. Symptoms were mainly on the left side of her body. On April 10th she went into the Hospital Emergency room. At that time she was diagnosed with Bells Palsy. She was give a Rx for prednisone 60mg daily for 7 days. She started physical therapy the week of May 3, 2021. She still has symptoms, but they are less severe.
1306809	5/11/2021	LA	51	F	4/29/2021	5/3/2021	Client reports, "I got my vaccine on the 29th, and on the 3rd I found myself on the floor under my counter with a big bruise on my face. I had blood on my pillow in the other room where I may have bitten my lip, but I don't remember anything about what happened. I'm worried I may have had a seizure, and I've never had seizures." Client denies any event preceding this one, and is unsure of duration of event. Purple and yellow hematoma noted to client's orbit of right eye and to right cheek. Client denies ongoing signs or symptoms, at this time.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1307142	5/11/2021	CA	34	M	4/5/2021	4/6/2021	4/5/21 - Shot 4/6/21 - flu like symptoms 4/6/21 - persistent headaches & pains in body start (pains vary - some shooting some persistent) 4/9/21 - primary care does D-Dimer Test (result 1.46) 4/10/21 - primary send me to ER 4/10/21 - ER does blood work & EKG, all fine. Checks out AMA w/o CT scan. 4/17/21 - Bruise appears between eyes and above nose w/o any trauma event. 4/17/21 - checks back into ER. Blood work fine, CT scan fine. 4/18/21 - headaches and body pain continue to persist (most notable body pain is almost a numbness feeling in legs and arms at joints) 5/11/21 - headaches have subsided partly but numbness body pain persist.
1307164	5/11/2021	MA	45	M	4/8/2021	4/22/2021	Patient felt warm and was sweating profusely later the evening on the day of vaccination. 1 week later patient started experiencing muscle spasm initially starting at the lower legs, progressively walking upwards to the upper thigh. And this time patient also developed a new left-sided facial droop, with facial muscle weakness. He was evaluated at the ED 2 weeks after his Covid vaccine. CT head, CT angio was unremarkable. However MRI showed some mild diffuse cerebral atrophy. On neuro exam There Is Mild Left-Sided Facial Droop, unable to raise left side eye, unable to puff out his cheeks. There is also stocking glove distribution of decreased sensitivity to vibration, temperature, light touch. At this time th
1307172	5/11/2021	PA	18	M	5/11/2021	5/11/2021	Immediately after vaccine administered, his eyes rolled back in his head, placed him on the ground and he regained consciousness. BP 120/87, hr 72. He said he only slept a few hours and had a history of fainting after flu shot. He ate a snack and drank water and felt much better . He left after 30 minutes observation.
1307177	5/11/2021	VA	17	M	5/1/2021	5/3/2021	Bell's palsy on left, Patient is a 17 year old male who presents to ED today for left sided facial weakness involving the face and forehead. Patient says he received the Pfizer vaccine for COVID19 this past Saturday. Two days later on Monday, he developed these symptoms. He arrives well appearing in NAD. He has weakness of the left face involving the forehead, difficulty raising eyebrow and closing left eye.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1307254	5/11/2021	MN	62	F	3/8/2021	4/21/2021	Major rash - neck, back, chest, stomach, some on thighs, left eyelid, major itching - saw doctor - took Benadryl at night and Zyrtec during day. Been 3 weeks and still have signs of rash and some minor itching.
1307256	5/11/2021	GA	23	F	3/20/2021	4/6/2021	Weeks 1 . Extreme dizziness and headaches. Week 2.- Brain fog, disorientation, double vision, headaches, depersonalization, dizziness, heart palpitations. Week 3- Brain fog, painful nerve pain in feet, legs, arms, hands. Hand/eye tremors. Double vision, headaches. Week 4- Brain, persistent nerve pain, leg weakness, hand weakness, disorientation , double vision, headaches , depersonalization, persistent tremors.
1307285	5/11/2021	FL	59	F	5/3/2021	5/3/2021	patient stated she took the vaccine on Monday 5/3/21 @930 and around 1pm patient stated she got home and just crashed (took a long nap). She felt very tired after the vaccine and on 5/5/21 she started feeling a lot of head pressure, light headed, blurry vision, and headache. No other c/o of symptoms.
1307411	5/11/2021	FL	51	M	2/28/2021	2/28/2021	Twenty minutes after injection of the second Moderna vaccine the patient lost vision in both of his eyes. and went to the ER for eval. They told him to see an ophthalmologist after ruling out stroke etc. Patient saw an ophthalmologist and told to get CT scan after papilledema was diagnosed with vision of HM OD and 20/100 OS. Sent to ER for CT scan which was negative and diagnosed with MS/ optic neuropathy and given IV steroids and oral steroids with improvement of vision. Currently on PO steroids and vision is improving. Seen by me last Friday with papilledema remaining in both eyes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1306864	5/11/2021	VA	85	F	4/9/2021	4/21/2021	<p>S/p pfizer vaccine 4/9/21. S/p fall. She presented last wk to the hospital in cardiogenic shock, anemia, acute RLE DVTs, AKI, and rib fractures. She was found to have a n intramuscular hematoma along her posterior right thigh and with an acute DVT in her leg - see imaging reports below. Her INR was in the 7 range. She was also found to be in cardiogenic shock as mentioned above, requiring pressors. Pressors were eventually weaned off. S/p PRBCs. Imaging studies were obtained. Findings are listed below. Her AKI resolved by day of discharge. Since hospital discharge: The swelling is improving along her right leg. She is not checking her weight on a daily basis. She has access to a scale. She needs a refill on iron and Fosamax. No bleeding. On day of discharge, her hemoglobin was 8.8. Her MCV was elevated at 100. Her platelet count was 132. Her INR was 1.4. Her calcium is mildly low at 8.3. Her coumadin is on hold at this time. 106/56 was her BP today. She's been resting well. She's doing some house chores. She has yet to schedule a follow-up visit with for an INR check and in office checkup apt since hospital discharge. 4/23/21 RLE CT: Postop changes from ACDF for right femoral neck fracture again noted with good alignment. Early healing process of the fracture noted. No acute osseous fracture or hardware fracture. Extensive muscular and subcutaneous edema in right thigh. Two elongated intramuscular hematomas also noted at the medial posterior right thigh as above. 4/23/21 CXR: Patchy bibasilar pleural parenchymal opacities and enlarged cardiac silhouette without interval change. Multiple thoracic compression deformities better characterize on recent CT. Postoperative changes as discussed. Stable hiatal hernia. 4/23/21 RUQ Ultrasound: Mild gallbladder prominence, nonspecific. Findings similar to reference CT. No gallbladder wall thickening. Negative sonographic Murphy sign. Trace ascites. Partially evaluated right pleural effusion. Increased renal echogenicity. Correlate for medical renal disease. -1.1 cm right renal cyst. 4/22/21 PVL Study: Acute non-occlusive deep vein thrombosis in the mid and distal femoral vein within the right lower extremity. Acute non-occlusive deep vein thrombosis in the distal femoral vein within the left lower extremity. 4/21/21 Chest/Abdomen/Pelvis CT: Age-indeterminate T1, T3, T8, and T9 compression deformities. Subacute or chronic right posterior 12th,</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							11th, and 10th rib fractures. Intramuscular hematoma in the posterior right thigh, partially visualized. Subcutaneous contusion in the right posterior hip region. Small volume of free fluid which appears minimally complex. No convincing solid organ injury, but assessment is limited without administration of intravenous contrast. Mild biliary dilatation of uncertain etiology. Possible 1.8 cm peripherally calcified splenic artery aneurysm. Nonspecific bilateral perinephric stranding. Trace pleural effusions. Moderate sliding-type hiatal hernia. Additional incidentals as above. 4/21/21 C Spine CT: Age-indeterminate T1 compression fracture, new from March 2019. No other acute fracture or subluxation
1301998	5/10/2021	PA	16	F	5/9/2021	5/9/2021	Systemic: Hypotension-Mild, Systemic: Visual Changes/Disturbances-Mild, Systemic: Weakness-Mild, Additional Details: Patient felt faint after void vaccine. She had some changes in vision and sat down to relax and drink an orange juice. Vitals were examined. (BP: 90/56 & 90/60; pulse: 62). Parents stated that patient has a history of feeling faint after vaccine administration. Patient was able to walk out under own power. A follow up call was placed and the parents stated that the patient was stable and doing well.
1302035	5/10/2021	CO	18	M	5/7/2021	5/7/2021	Systemic: Chills-Mild, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Hypotension-Medium, Systemic: Nausea-Mild, Systemic: Visual Changes/Disturbances-Mild, Additional Details: DURING SYNCOPE EPISODE, PATIENT STATED HE "COULDN'T SEE". VISION RETURNED AFTER LESS THAN 1 MINUTE. PATIENT WAS UNCONCIOUS FOR LESS THAN 30 SECONDS. AFTER LAYING DOWN FOR 1 MINUTE, I RETURNED PATIENT TO CHAIR AND MONITORED BLOOD PRESSURE. PATIENT WAS HYPOTENSIVE FOR 20 MINUTES. PATIENT BECAME HEMODYNAMICALLY STABLE AFTER 20 MINUTES USING 4 SEPERATE READINGS 5 MINUTES APART EACH. PATIENT'S FATHER ACCOMPANIED PATIENT AND OPTED TO TAKE HIM HOME AFTER HE WAS STABLE.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1302096	5/10/2021	NJ	40	F	4/29/2021	4/29/2021	<p>Within 20 mins. I began profusely sweating, my vision was blurry, my eyes watering, nose running, hot/cold flashes/chills/fever, dizzy, stomach cramping-very painful, a sense of anxiety/dread came over me. loss of appetite, Everything smelled extremely intensely and "off" as well as tasted "off" even just water tasted very strange, things had a weird tensile effect and clothing felt very strange on me, i had extreme difficulty driving and was almost in a car accident. I felt like i was in extreme heroin withdrawals and/or a bad acid trip. I've had the flu several times, this did not feel like the flu. At one point i realized i was digging my nails into my skin, broke the skin and drew blood but did not feel it at all and only noticed as i looked down and saw the marks. I can home and took valium so to sleep through it and though the extreme horrible feeling was better about 4/5 hours later. I felt poorly for about 5/6 days after, very tired, things felt, tasted and smelled off and lost 6 pounds. two days after adverse reaction I felt what i had felt immediately after vaccination again for several hours and had to go home from a relatives soccer game to lie down for rest of day. My clothes felt like they were soaking wet and they weren't and the wind against my skin felt very very strange. I still do not feel 100% like i did before vaccine and it has been two weeks now. I DO NOT WANT TO GET THE SECOND SHOT BECAUSE OF THIS, AND THAT THEY SAY IT COULD BE WORSE EFFECTS. I still two weeks later have strange taste in my mouth either sweet or of metal, and food tastes different. I am still fatigued/low energy as well.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1302103	5/10/2021	IN	51	F	5/7/2021	5/7/2021	She got her vaccine and immediately felt it going in the arm, and went up to her neck, and gone within the 15 minutes. Then she left, came home and around 7:00 she started getting really tired, could not keep her eyes open and fell asleep around 7:30. A couple of hours later her arm was in so much pain and her neck was in so much pain, pain up the left side of her neck, hot and cold chills, body aches. She had to put a heating pad on her neck due to pain and stiffness. Today she is having diarrhea, yesterday she had a cough, congestion, headache, and has flu-like symptoms. She has no appetite, she cannot taste anything, has not eaten in 2 days, is drinking water and holding that down, nausea as well. She has never had a vaccine in her life that she has gotten sick over like this. She has not taken anything for it.
1302106	5/10/2021	IN	38	F	4/27/2021	5/3/2021	On 4/28 had fever of 100.7, joint pain, tired and sick. On 5/3 began having a reaction on chest, chin line, eyes, and lips. I have itchy bumps on these areas of my body and some sores on my chest. My eyes are itchy and have dry patches around the eye. They are also red and swollen.
1302115	5/10/2021	IL	16	F	5/7/2021	5/7/2021	Patient complained of feeling dizzy and blurred vision, headache and eyes hurting. Denies any c/o nausea. BP 114/64 HR= 99 O2 Sat= 99% Patient/mom verbalized that she had a half of subway sandwich prior to her vaccination. Placed patient in supine position, took vital signs and instructed to remove her jacket since the observation area was warm. Gave her cold drinks, bar of candy and Tylenol 500 mg 1 tablet for headache. Continued to monitor patient then 30 minutes later RN walked her on the hallway. Still a little wobbly. Instructed to take some deep breaths. Mom did mention that her menstrual period is almost due. 10 minutes later she claims she is doing better but still have mild headache and sleepy. Discharged home with her mom and was instructed RN will follow up on her. Instructed if headache persists and start having dizziness to go to ER.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1302160	5/10/2021	IL	25	F	5/7/2021	5/7/2021	Above employee received her second dose of the Pfizer today. During the follow up assessment she was asked if she had any reactions from the 1st vaccination she claims that she reported to her manager that time that she can't move the right side of face and right eye twitching. She also verbalized that the eye twitching was intermittent for 4-5 days. Never consulted a doctor or ER visit. After vaccine administration she was required to sit for observation for 30 minutes. No reported reactions. Was advised to call the vaccine clinic or RN will call her for follow up. At 14:15 pm RN called above employee while still at work. She claims that the twitching started again on the right eye accompanied by slight throat tightness. Denies any c/o SOB, difficulty of swallowing. Instructed to go to ER but she verbalized she will go home and then go to urgent care if needed but still refused to go to the hospital ER.
1301988	5/10/2021	CA	37	F	5/2/2021	5/2/2021	Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild, Systemic: Nausea-Medium, Systemic: Vomiting-Medium
1302226	5/10/2021	WI	63	M	4/16/2021	4/29/2021	Right sided Bells Palsy with right facial droop and right eye ptosis. Also had headache. Currently on prednisone. Mild improvement noted
1301679	5/10/2021	NY	48	F	5/6/2021	5/7/2021	fever of 101 degrees, blurred vision, nausea, extreme fatigue, headache, dizziness, sleeplessness due to pain and terrifying nightmares, pain and tenseness in abdomen , itchiness at injection site (red patch 4" in diameter), chills , general achy feeling, and sharp pains that would feel like they would move around and hit in odd places. The heels of the feet for instance, the sensation of charley horses over and over on the morning after the vaccine. The second day was the worst. Most painful and most fatigued. By the third day, I was starting to feel better pain-wise, but the dreams were worse. The dreams are so bad, I am afraid to sleep. This is the 4th day, and I only have pain at the injection site (mild), sporadic dizzy spells, sporadic nausea. I monitored my fever and took extra strength Tylenol for fever and pain.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1302263	5/10/2021	OH	40	F	4/7/2021	4/8/2021	Later during the night after the vaccine I developed a high fever, body aches for about 24hrs which caused me to sleep the next day. 2 weeks later I developed a bacteria infection in my right eye and possibly bronchitis so I went to the Urgent Care and was treated with Z-Pack and steroids. I feel alot better but I still have a little lingering cough. This past Friday I woke up with a pain in the right side of my neck which got worse so I went to my PCP on Sat who diagnosed me with Carotidynia where he states my corotid artrery is inflammed and was prescribed an antiinflammitant Diclosenac with the intents of decreasing the inflammation.
1302214	5/10/2021		72	M	4/20/2021	5/5/2021	Bells palsy, right sided; ED Note: 72-year-old male who is presenting with 2 days of right facial droop, not sparing forehead and as such concerning for a peripheral CNS etiology. On exam, he is hemodynamically stable though slightly hypertensive, saturating well room air no acute distress. Cardiopulmonary exam is unremarkable, abdomen soft and nontender, lower extremity with very mild trace edema. On neurological exam, there is a right facial droop which does not spare the forehead, there is otherwise no other focal neurological symptoms, patient able to ambulate without any issues, no slurred speech or dysphagia. His presenting symptoms is somewhat associated with a COVID-19 vaccine which he received recently. Do not suspect a CNS pathology (no other symptoms except weakness, sensation intact), given that he has presented within the timeframe, will give patient prednisone 60 mg, artificial tears, eye patch and have recommended that he follow-up with an eye doctor.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1301987	5/10/2021	MN	23	F	5/9/2021	5/9/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Exhaustion / Lethargy-Severe, Systemic: Flushed / Sweating-Severe, Systemic: Headache-Severe, Systemic: Visual Changes/Disturbances-Severe, Systemic: Weakness-Severe, Additional Details: After about 10-15 minutes of vaccination patient stated she was dizzy. She was given some water to drink. Then she said her dizziness was getting worse and was having a really bad headache. I asked if I can call an ambulance for her to take her to ER she refused worrying about the cost. Her mother was contacted and was notified of the situation. Once patient started getting worse and started having visual changes with flashing lights, 911 was called immediately and paramedics took over.
1301972	5/10/2021	PA	23	F		5/4/2021	BLURRED VISION; HEADACHE; This spontaneous report received from a consumer concerned a 23 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included penicillin allergy. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 204A21A expiry: 23-JUN-2021) dose was not reported, administered on 28-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 04-MAY-2021, the subject experienced blurred vision. On 04-MAY-2021, the subject experienced headache. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from blurred vision, and headache on 05-MAY-2021. This report was non-serious.; Sender's Comments: V0: Medical Assessment comment not required per standard procedure as the case is assessed as non-serious.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1301921	5/10/2021	NY		M	3/7/2021	3/7/2021	Got pretty sick off of it; Flu like symptoms; Left side of his mouth went bonkers; His mouth it felt tingly and weird / it was confined to the left half of his face / tongue was tingly; The right doesn't bother him as much in the way of tingling and numbness; Left is the main problem / right is not far behind / regard to nerve compression; Moved his thumb / felt like there was a rubber band pulling his thumb back; Sleeping wrong / his brain doesn't want to shut off; With extra salivation; Thinking he was having a bad day / It was weird at first; 5-6 weeks ago it was back to where it was / eye / feeling like it couldn't close; 5-6 weeks ago it was back to where it was / left side face felt taut; 5-6 weeks ago it was back to where it was / gum felt like his skin was thicker; Either very little or really annoying / it was just annoying on and off; Stress; Still sees some nerve inflammation / jaw line / upper part of of his eye / brow; Has had overlapping stuff from cervical stenosis / manifests on the left side; This case was reported by a consumer via other manufacturer and described the occurrence of cervical spinal stenosis in a 71-year-old male patient who received Herpes zoster (Shingrix) for prophylaxis. Co-suspect products included TOZINAMERAN (COVID-19 VACCINE PFIZER) (batch number EN6203, expiry date June 2021) for prophylaxis. The patient's past medical history included shingles (had shingles in his ear and mouth on the left side of face in October 2019), bell's palsy, ramsay-hunt syndrome, paralysis, lagophthalmos, vertigo, hearing decreased, stiffness, tingling mouth, gingival discomfort, neuritis, sarcoidosis (case of sarcoidosis uncovered, there was only one node of it at the back of the trachea where it splits to go into the lungs) and mononucleosis. Previously administered products included Covid vaccine (received 1st dose on an unknown date, batch nub- EL9264 and expiration date- May 2021). Concurrent medical conditions included diabetes, blood pressure high and lipids increased. Concomitant products included simvastatin, alprazolam and alprazolam (Xanax). On an unknown date, the patient received Shingrix. On 7th March 2021, the patient received the 2nd dose of COVID-19 VACCINE PFIZER. On 7th March 2021, less than 6 months after receiving Shingrix, the patient experienced cervical spinal stenosis (serious criteria GSK medically significant), oral discomfort, tingling mouth, numbness, nerve compression, mobility decreased, restlessness,

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

increased salivation, feeling bad, lagophthalmos, stiffness, gingival discomfort, discomfort, stress and neuritis. On an unknown date, the patient experienced sickness and influenza-like symptoms. On an unknown date, the outcome of the cervical spinal stenosis, sickness, influenza-like symptoms, oral discomfort, tingling mouth, numbness, nerve compression, mobility decreased, restlessness, increased salivation, feeling bad, lagophthalmos, stiffness, gingival discomfort, discomfort, stress and neuritis were unknown. It was unknown if the reporter considered the cervical spinal stenosis, sickness, influenza-like symptoms, oral discomfort, tingling mouth, numbness, nerve compression, mobility decreased, restlessness, increased salivation, feeling bad, lagophthalmos, stiffness, gingival discomfort, discomfort, stress and neuritis to be related to Shingrix. Additional details were provided as follows: The age at vaccination was not reported but could be 70 or 71 years old for Shingrix vaccine. The patient received Shingrix vaccine too late last year and received 2nd dose of Covid vaccine on 7th March 2021. The patient had overlapping stuff from cervical stenosis that manifested on the left side on his shoulder arm and hands, droopy mouth, eye wouldn't close, vertigo, ear issues, hearing drop. His eye had the feeling like it couldn't close his eyelids at night the muscles in his face on the left side face felt taut. The inside of his gum felt like his skin was thicker, he was not sure it was or wasn't but that was the sensation and that never went away and down the side of his tongue was tingly. These things overlap and it was either very little or really annoying. it was just annoying on and off and after the shot on Sunday it was weird at first, he was writing it off as both stress and relief and other things. He wasn't dizzy, he waited for 15 minutes and went home and after that evening the left side of his mouth went bonkers, it wound up being like when the shingles were acting up on the inside of his mouth it felt tingly and weird and it was confined to the left half of his face and nothing else. The patient did not have droopiness or any Bells palsy kind of thing had gone away the Ramsey-Hunt syndrome. The patient experienced the stenosis, the cervical stenosis, the left was the main problem but the right is not far behind with regard to nerve compression, the right doesn't bother him as much in the way of tingling and

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

numbness. The weird thing was he had his hands sitting in his lap and he moved his thumb towards his forefinger and there was a couple inches between and it felt like there was a rubber band pulling his thumb back, it happened 2-3 times he was fooling around with it and it went away but the sensation was still there a little in the back ground, the rest of him the right side of him was fine. The patient had MRI in November 2019 when he first got sick and then he had another one done and his neurologist said in August that he still had some nerve inflammation particularly down jaw line, he saw inflammation from 2019 to 2020 and the upper part of of his eye, the brow seemed to behave as if there may be some inflammation running through it. The patient had been thinking the whole idea was that the vaccine woke up the immune system and got it to recognize the RNA for COVID and generate antibodies and if it was acting like inflammation getting the body's attention. The patient had one had case of sarcoidosis uncovered, there was only one node of it at the back of the trachea where it splits to go into the lungs. His pulmonologist was keeping track of it with X-ray and CT scans, the last time everyone looked in there, there was nothing left, the thing never changed since, it never showed up anywhere else. The patient does not know if that disappeared but he never ended up getting it again. It was unknown if the reporter considered the cervical spinal stenosis, sickness, influenza-like symptoms, oral discomfort, tingling mouth, numbness, nerve compression, mobility decreased, restlessness, increased salivation, feeling bad, lagophthalmos, stiffness, gingival discomfort, discomfort, stress and neuritis to be related to Covid vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1301795	5/10/2021	PA	44	F	1/12/2021	1/12/2021	congestion on her chest; having allergic reaction for a week.allergic reactions keep coming back; little bumps all over her face and body which are like measles after the vaccine; swollen eyes; watery eyes; runny nose; sneezing; ear feels full; dry eye socket with crust on eyelashes; Crust on eyelashes; Headache; This spontaneous case was reported by a consumer and describes the occurrence of PULMONARY CONGESTION (congestion on her chest) in a 44-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 026L20A and 026L20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Food allergy since an unknown date. Concomitant products included LIRAGLUTIDE, INSULIN GLARGINE (LANTUS), VENLAFAXINE HYDROCHLORIDE (EFFEXOR) and LOSARTAN for an unknown indication. On 12-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 09-Feb-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 12-Jan-2021, the patient experienced PULMONARY CONGESTION (congestion on her chest) (seriousness criterion medically significant), HYPERSENSITIVITY (having allergic reaction for a week.allergic reactions keep coming back), RASH PAPULAR (little bumps all over her face and body which are like measles after the vaccine), EYE SWELLING (swollen eyes), LACRIMATION INCREASED (watery eyes), RHINORRHOEA (runny nose), SNEEZING (sneezing), EAR DISCOMFORT (ear feels full), DRY EYE (dry eye socket with crust on eyelashes), EYELID MARGIN CRUSTING (Crust on eyelashes) and HEADACHE (Headache). At the time of the report, PULMONARY CONGESTION (congestion on her chest), HYPERSENSITIVITY (having allergic reaction for a week.allergic reactions keep coming back), RASH PAPULAR (little bumps all over her face and body which are like measles after the vaccine), EYE SWELLING (swollen eyes), LACRIMATION INCREASED (watery eyes), RHINORRHOEA (runny nose), SNEEZING (sneezing), EAR DISCOMFORT (ear feels full), DRY EYE (dry eye socket with crust on eyelashes), EYELID MARGIN CRUSTING (Crust on eyelashes) and

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

HEADACHE (Headache) had not resolved. mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosing remained unchanged. Treatment medications Provided were 25 mg Benadryl. 16 mg hydrocortisone cream. metoprolol steroid, and Doxycycline for 7 days given by her HCP. Company Comment: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. This case was linked to MOD-2021-095089 (Patient Link).; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1301794	5/10/2021	PA	44	F	1/12/2021	1/12/2021	little bumps all over her face and body which are like measles; swollen eyes; watery eyes; Runny nose; Sneezing; Congestion on her chest; Dry eye socket; dry eye socket with crust on eyelashes; Headache; allergic reaction for a week/allergic reactions keep coming back; Ear feels full; This spontaneous case was reported by a non-health professional (subsequently medically confirmed) and describes the occurrence of PULMONARY CONGESTION (Congestion on her chest) in a 44-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 030L20A and 026L20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Food allergy. Concomitant products included LIRAGLUTIDE (VICTOZA), INSULIN GLARGINE (LANTUS), VENLAFAXINE HYDROCHLORIDE (EFFEXOR) and LOSARTAN for an unknown indication. On 12-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 09-Feb-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 12-Jan-2021, the patient experienced EAR DISCOMFORT (Ear feels full). On 21-Apr-2021, the patient experienced HYPERSENSITIVITY (allergic reaction for a week/allergic reactions keep coming back). On an unknown date, the patient experienced PULMONARY CONGESTION (Congestion on her chest) (seriousness criterion medically significant), RASH PAPULAR (little bumps all over her face and body which are like measles), EYE SWELLING (swollen eyes), LACRIMATION INCREASED (watery eyes), RHINORRHOEA (Runny nose), SNEEZING (Sneezing), DRY EYE (Dry eye socket), BLEPHARITIS (dry eye socket with crust on eyelashes) and HEADACHE (Headache). At the time of the report, PULMONARY CONGESTION (Congestion on her chest), HYPERSENSITIVITY (allergic reaction for a week/allergic reactions keep coming back), RASH PAPULAR (little bumps all over her face and body which are like measles), EYE SWELLING (swollen eyes), LACRIMATION INCREASED (watery eyes), RHINORRHOEA (Runny nose), SNEEZING (Sneezing), EAR DISCOMFORT (Ear feels full), DRY EYE (Dry eye

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1301682	5/10/2021	CA	29	M	4/22/2021	5/7/2021	<p>socket), BLEPHARITIS (dry eye socket with crust on eyelashes) and HEADACHE (Headache) had not resolved. Treatments provided were 25mg diphenhydramine, 16mg Hydrocortisone cream, Metoprolol steroid, and Doxycycline for 7 days given by her HCP. Action taken with mRNA in respect to the events was not applicable. Based on the current available information and temporal association between the use of the product and the start date of the events. However, the patient's past medical history of food allergies remains a risk factor for these events. This case was linked to MOD-2021-095202 (Patient Link); Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events. However, the patient's past medical history of food allergies remains a risk factor for these events.</p> <p>On 07May21 at 11:00PM, I experienced an immense pain on both of my arms that I've never experienced before in my life. Every time I move my arms, fingers, or apply any amount of pressure on any part of my arms, I will get a surge of pain raining down on my arms and only my arms from the shoulder down. At the same time, I also felt a surge of energy/adrenaline flowing throughout my legs, from the pelvis down, urging me to move around. I tried to force myself to sleep (without medication, just forcefully closing my eyes and trying to sleep) to no avail, so I got up and walked around my room and did some leg squats exercises without moving my arms too much from 11:10PM till 3:10AM, (I think getting my blood pumping throughout my body helped ease the pain a bit). The intensity of the pain on my arms decreased about half at around 3:10AM and I was finally able to fall asleep at around 3:30AM. I woke up once at around 7:45AM to go to the bathroom and drink some water. During this time, I think the intensity of the pain had dropped to 1/3 from when I first experienced this pain. I fell back asleep again and woke up at around 11:20AM. Most of the pain is gone by now, I only felt the lingering stings of the dreadful night from before. I continued to feel this phantom pain on both of my arms throughout the day and it wasn't until the day afterwards on the morning of 09May21 that relief was finally bestowed upon me.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1301671	5/10/2021	WA	28	F	4/7/2021	4/21/2021	Missed menstrual period ongoing, last cycle 3/24/21 with multiple negative urine pregnancy tests. Dizziness and blurred vision also experienced shortly after administration.
1301668	5/10/2021	CA	28	M	5/4/2021	5/9/2021	Hives starting on eyelids and forehead, all over face, and back of ears. I got these symptoms almost exactly 6 days after each vaccine dose. I treated the hives with hydrocortisone and oral anti histamine medication, it took about 5 days to clear up after the first dose, just starting to see symptoms with the second dose.
1301656	5/10/2021	IL	21	F	5/4/2021	5/4/2021	fainting, eyewitness reported seizure (patient also had scrapped left shoulder)
1301648	5/10/2021	IL	42	M	5/3/2021	5/5/2021	Shingles like rash along v cranial nerve on the left side only, extreme pain in left ear, left eye, left upper jaw.
1301635	5/10/2021	IA	40	F	5/7/2021	5/8/2021	Severe flu like symptoms. Body hurts to even touch from head to toes, uncontrollable shaking/shivering, freezing hold or suffocating hot, eyeballs keep loosing focus, feeling like I'm having a anxiety or panic attack, short of breath. First day I felt fine, next day I woke up feeling like I was hit by a car and second day after I'm feeling all the symptoms listed above on a scale of 1-10 I'm at a 10 for discomfort
1302269	5/10/2021	PA	24	F	5/10/2021	5/10/2021	10 MINUTES AFTER INJECTION, PATIENT DEVELOPED DIZZINES, GENERAL MALAISE, FLUSH FACE, AND NAUSEA. SHE WAS TAKEN TO A ROOM AND LAID ON THE TABLE- BLOOD PRESSURE READ 116/68, PULSE 54. DNP came in to evaluate after this reporter and the patient started with itchiness on tongue and spotty vision- the order was placed for Epinephrine 0.3 mg- administered right vastus lateralis IM at 9:45 and 911 called for ambulance transfer by Reporter and patient reported decrease in itching and flushing almost immediately. Pulse rate came up to 62 and continued to monitor symptoms until emergency services came and transported her to Hospital.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1302196	5/10/2021	GA	67	F	5/7/2021	5/7/2021	A few minutes after receiving the shots I broke out into a sweat, the back of my neck was hurting, my vision was narrowing, I was having difficulty breathing, extremely nauseous, felt like I was passing out, trembling. Pharmacist helped me to lay down which took care of the nausea and relieved the passing out feeling. Still had difficulty breathing for several more minutes. BP was 100 over 80. About 30 minutes before I could get up and sit in a chair. Extremely weak. It was two hours before I was strong enough to drive home. Pharmacist offered several times to call an ambulance but since it was gradually improving, I declined.
1301740	5/10/2021			M			COULD NOT SEE FOR A FEW MINUTES; This spontaneous report received via social media from a patient via a company representative concerned a male of unspecified age. The patients weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, frequency 1 total, administered on 2021 for prophylactic vaccination. The batch number was not reported. Per procedure, no follow-up will be requested for this case. No concomitant medications were reported. It was reported by consumer that his friend's son on unspecified date 2021, was experienced temporary blindness for few minutes after vaccination. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from temporary blindness for few minutes. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210503255-covid-19 vaccine ad26.cov2.s-Could not see for a few minutes. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).
1303109	5/10/2021	PA	52	F	3/18/2021	4/30/2021	skin rash (cherry hemangioma or petechiae); also with intermittent headache since vaccination above left eye radiating to right side

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1302351	5/10/2021	MI	84	M	3/15/2021	5/4/2021	History of Present Illness: This is a 84y.o. male with a medical history of endocarditis secondary to staph aureus on chronic doxycycline suppression, bioprosthetic valve, coronary artery disease, COPD, atrial fibrillation on Eliquis, dementia, and thrombocytopenia who presented to the hospital secondary to hypotension. The patient resides at a facility and was sent in for low BP. Patient is overall a poor historian. Presentation, his min blood pressure was 95/61. CT of the abdomen and pelvis showed intrapelvic fluid collection with concerns for possible abscess, long segment of sigmoid colitis, and right lower lobe groundglass attenuation concerning for acute infectious process. ROS: Constitutional: Denies fever or chills Eyes: Denies change in visual acuity, eye pain HENT: Denies nasal congestion or sore throat Respiratory: Denies cough or shortness of breath Cardiovascular: Denies chest pain or edema GI: Denies abdominal pain, nausea, vomiting, bloody stools or diarrhea GU: Denies dysuria, hematuria Musculoskeletal: Denies back pain or joint pain Integument: Denies rash, papules Neurologic: Denies headache, focal weakness or sensory changes Endocrine: Denies polyuria or polydipsia Lymphatic: Denies tender or enlarged lymph nodes Psychiatric: Denies depression or anxiety Tested + for Covid 5/4/2021 with admission CT abd with ground glass RLL
1304111	5/10/2021	IL	39	F	4/9/2021	4/28/2021	Janssen COVID-19 Vaccine EUA Bilateral Bell's Palsy April 28th- I lost taste and my tongue felt burnt and had a coating on it. April 29th- Morning, I noticed my top lip was off-center. Later that evening, I felt numbness around my lip and mouth. April 30th- Lost muscle function on left side of face, including around left eye. Went to Urgent Care, they diagnosed as Bell's Palsy and prescribed a high dose steroid and antiviral medication. May 2nd- Called doctor because right eye was twitching and muscles were feeling very tight. They thought it was my eye over compensating May 4th- Lost muscle function on right side of face. Went to Urgent Care to be re-evaluated. They suggested I go to the ER. Went to ER, bloodwork, CT scan and MRI all came back normal. They believe it is bilateral Bell's Palsy

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1303945	5/10/2021	FL	64	F		5/5/2021	FEET AND ARMS BURNING; EYES BURNING; SWEATING; COULD NOT EAT; CHILLS; HEAD FELT IT WILL EXPLODE; EXTREME NAUSEA; FEVER; This spontaneous report received from a consumer concerned a 64 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 204A21A, and batch number: 204A21A expiry: UNKNOWN) dose was not reported, administered on 05-MAY-2021 13:00 for prophylactic vaccination. No concomitant medications were reported. On 05-MAY-2021, the subject experienced feet and arms burning. On 05-MAY-2021, the subject experienced eyes burning. On 05-MAY-2021, the subject experienced sweating. On 05-MAY-2021, the subject experienced could not eat. On 05-MAY-2021, the subject experienced chills. On 05-MAY-2021, the subject experienced head felt it will explode. On 05-MAY-2021, the subject experienced extreme nausea. On 05-MAY-2021, the subject experienced fever. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from chills, feet and arms burning, head felt it will explode, sweating, extreme nausea, fever, eyes burning, and could not eat. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1303940	5/10/2021	NC	37	M	4/1/2021		<p>SUSPECTED SINUS INFECTION; TIGHTNESS OF NECK; BODY SPASMS; UNABLE TO SLEEP; SEVERE PRESSURE HEADACHE; DIFFICULTY CONCENTRATING; LIGHT HEADEDNESS; PAIN AROUND LEFT EYE; TIGHTNESS OF FACE; NUMBNESS OF FACE AND NECK; This spontaneous report received from a patient concerned a 37 year old male. The patient's height, and weight were not reported. The patient's concurrent conditions included seasonal allergies, and other pre-existing medical conditions included the patient had no known drug allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 042A21A, and batch number: 042A21A) dose was not reported, administered on 06-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On APR-2021, the subject experienced numbness of face and neck. On 12-APR-2021, the subject experienced severe pressure headache. On 12-APR-2021, the subject experienced difficulty concentrating. On 12-APR-2021, the subject experienced light headedness. On 12-APR-2021, the subject experienced pain around left eye. On 12-APR-2021, the subject experienced tightness of face. On 30-APR-2021, the subject experienced body spasms. On 30-APR-2021, the subject experienced unable to sleep. On 30-APR-2021, the subject experienced tightness of neck. On 04-MAY-2021, Laboratory data included: CT scan (NR: not provided) CLEAR. On an unspecified date, the subject experienced suspected sinus infection. Treatment medications (dates unspecified) included: amoxicillin trihydrate, naproxen, azithromycin, and paracetamol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from severe pressure headache, difficulty concentrating, light headedness, body spasms, unable to sleep, numbness of face and neck, tightness of neck, pain around left eye, and tightness of face, and the outcome of suspected sinus infection was not reported. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1303646	5/10/2021	IL	29	M	5/10/2021	5/10/2021	about 15 minutes after receiving the vaccine, the person that accompanied the patient yelled for help. She states his eyes rolled back and then slumped over and arms flailed a few times. The patient didn't know it had happened. He stated he felt dizzy and looked pale. We gave him a water bottle and after a few minutes he felt better.
1303626	5/10/2021	VA	58	F	5/10/2021	5/10/2021	after patient waited allotted time in pharmacy under supervision, as patient was walking out of store she fainted
1303422	5/10/2021	TN	19	M	5/10/2021	5/10/2021	Patient began to seize (shake uncontrollably and eyes were rolling into the back of head).
1302148	5/10/2021	NY	37	F	5/8/2021	5/9/2021	After the first vaccination, I had headaches that lasted for one week, extreme throbbing behind my right eye. Migraines, lethargy and exhaustion. After my second vaccine on Saturday, I woke up in the middle of the night vomiting violently with the chills, then a fever, headache and muscle aches.
1303206	5/10/2021	IL	87	M	4/1/2021	4/15/2021	The days after the shot the patient was sleeping 12-14 hours a day which was not normal. On 04/15 pt started to feel dizzy and signs of blurry vision began. They went their general physician ruled out stroke & clot, then recommended they see an eye dr since the vision was the worst symptom. By 04/21/2021 the pt lost 100% of their eye sight. They eye dr after doing a scan discovered the pt had temporal arteritis. They believe the vaccine could had caused the body to lose the fight against the temporal arteritis and pt eyesight was lost.
1303082	5/10/2021	FL	64	F	4/1/2021	4/1/2021	Within probably an hour maybe 2 noticed eye floaters in right eye were not small, light and unobtrusive but dark broken circles with speckled floaters inside. Later at dusk/dark same day noticed a line of light on right side of right eye. Next day saw floaters with sunglasses.
1303015	5/10/2021	NY	36	F	5/10/2021	5/10/2021	Blurred vision, confusion, tiredness

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1302965	5/10/2021	MN	26	M	5/9/2021	5/9/2021	- a 26 yo male, received a Janssen vaccine at approximately 1:30pm on 5/9/21 - Prior to administration, I asked patient if he had any issue with vaccines prior and he stated no. His consent form did not indicate medication allergies or a history or reactions. - Less than 5 minutes after administration, the patients friend, who also received a vaccine, stated that he was having a seizure - I instructed her (pharmacy technician) to call 911. - I observed the patient laying on his side by the wall in the pharmacy waiting area; he was conscious with eyes open. I did not observe him seizing. He did have a red spot on his forehead where his head hit the wall. He was also sweating. His friend stated that he seized for less than 5 seconds. - I gave the patient a frozen water bottle for his head and a room temperature water bottle. - The patient stated he did not want to pay for an ambulance which I relayed to her. - The EMT did arrive anyway and checked on the patient. - The patient and his friend left the store together, without EMT support or transfer. - The EMT team did not communicate with me prior to leaving the store.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1302511	5/10/2021	FL	38	M	3/11/2021	4/30/2021	ED notes: 39 y.o. male with no significant medical history brought by EMS for dysarthria, RT arm weakness, and RT facial droop beginning at 2:05pm today. Sx acute onset, severe, constant, and have not occurred previously. Pt was driving just prior to symptom onset when he called his mother stating he did not feel well at 2:05pm. Upon arriving home, mother noticed he was dysarthric and called 911. EMS noted facial droop, arm weakness, dysarthria, and gaze palsy and transported him to the hospital. Initial glucose by EMS 110. Pt denies headache, recent head trauma, history of brain hemorrhages or prior stroke. PMH: None, PSH: None, Allergies: NKDA, Tobacco: Denies, ETOH: Social, Drugs: Denies Pt AAOx3, bib from home for weakness and facial droop. Stroke alert called en route. As per report, pt was driving home at 2 pm when he started to feel ~~"weird~~". Pt called his wife and was able to drive himself home. Upon arrival at his house he ~~"collapsed~~" on the couch and his wife noticed right-sided facial droop and weakness, more prominent on the right side. Upon arrival to ED pt appears pale and weak. R sided facial droop and right arm and right leg weakness noted. Dr. at bedside. Stroke alert called in ED. Hr noted to be in the 40s. As per wife, pt is an athlete 5/4/21 Critical Care Notes: Neurology- No hx of neurological disease but does have family history of blood clotting disorder in maternal uncles and cousins (factor 2 and factor 5 but unclear specific diagnosis)- Patient presented with R sided weakness, R facial droop, dysarthria, double vision, R CN 6 palsy; no prior history of similar events- CT brain negative for acute abnormality - CTA brain/perfusion showed no significant stenosis, occlusion, aneurysm, no perfusion abnormality- MRI brain showed small acute ischemic infarct in ventromedial L thalamus and chronic bilateral cerebellar lacunar infarcts- Patient showing improvement in symptoms s/p tPA- Repeat CT showed new mild hypoattenuation suggesting evolving acute infarction with no bleed, herniation, mass effect, or midline shift- Echo with bubble study revealed patient PFO, No DVT on LE US- Lipid profile WNL, tox screen neg, RPR neg- Neuro checks per unit protocol- Check ANCA, Anti cardiolipin, anti thrombin III, antiphospholipid Ab, Factor V Leiden, Protein C and S, ANA, FTA, A1c; Dr. (H/O) consulted- ESR elevated- DAPT per neuro- DSA with NIR today

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							<p>Cardiology- Hx of sinus bradycardia: Patient is athletic, works out regularly. Had previous cardiac evaluation with no significant findings- EKG showing borderline 1st degree AV block- Troponin neg- BP well controlled - MAP goal &gt;65mmHg- 2D echo with bubble study revealed patent PFO, No DVT on LE US Heme/Onc- CBC unremarkable - No active bleeding- Transfuse if Hgb &lt; 7- DVT prophylaxis SCDs, patient ambulatory- No DVT on LE US- Workup as above for blood clotting disorders given stroke in otherwise young healthy patient with family history of clotting disorders- H/O consulted, pending eval 5/9/21 Neurology Note: Overall neurological assessment remains stable and unchanged overnight. Double vision on the right eye stable, improving as per patient's report. Will recommend to continue with DAPT as ordered. Follow up with neurology as an outpatient in 2-4 weeks. Follow up with Cardio as well. Ok to discharge patient home as per Neurology standpoint. 1. Left ventromedial thalamic CVA. 2. PFO - S/P closure 5/7/2021. 3. Congenital hypoplastic left VA, basilar trunk. 4. Remote cerebellar lacunar infarcts. 5. Family history of Factor V Leiden, factor II. PLAN: 1. Ok to discharge patient home as per neurology standpoint. 2. Continue ASA 81 mg and Plavix 75 mg Daily. 3. Follow up with neurology as an outpatient in 2- 4 weeks. 4. Follow up with Cardio as per their recommendations. 5. Medical management as per IM.</p>
1302414	5/10/2021	SC	64	F	1/20/2021	1/24/2021	<p>Headaches, Blurred eye-site, Exhausted! Went to Urgent Care 1/30/21 did Covid test again gave me steroids. Went to GP March 7. did blood work. Gave me stronger antibiotics and more steroids. Feb 11-13 in Hospital. Taken by ambulance to ER. BP was 195/100 heart rate 120. Had high blood counts on many things! Sugar levels high for 5 days. 145-165 usually normal. ER doctors suggested I see a Neurologist. I had a mild stroke in right Occipital lobe. Went to Clinic on March 1. Prelim appt. Checking on Chiari Malformation mostly. April 1-2 Clinic. Botox in head for migraine headaches. Diclofenac Sod 50 mg &amp; Cyclobenzaprine 10 mg. I'm still very weak/exhausted, eyes blurry and feel swollen and memory is awful with shaking in hands. Saw Eye specialist, I have 20/20 vision. I haven't been able to work since Jan 23, 2021. I can't drive and am having a tough time with remembering anything.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1303333	5/10/2021	WA	35	F	5/5/2021	5/7/2021	Left eyelid ptosis, left facial sensory deficit, possible left sided vision changes started morning of 5/7/2021. . Remote 2mm cerebellar stroke found on imaging.
1302456	5/10/2021	CA	36	F	4/5/2021	4/5/2021	Extremely dry eye and dry mouth for multiple months after the vaccine. Dry eye so bad I woke up in night to put more drops in. I had to begin taking Restasis for dry eye. I experienced chills, body aches, weakness, fatigue, confusion, anxiety, and a fever of 103 degrees F for the next day and elevated temperature (100 degrees F) for 10 days following the second dose.
1302962	5/10/2021	KS	17	F	5/6/2021	5/6/2021	Evening of 5/6 hives started. Father gave no medications, just watched and waited. Pt went to school on 5/7, came home around 1400, hives noted on neck, arms, legs, groin, back, stomach, all over per father. Father gave benedryl Friday around 10 am, then took to emergency room Saturday morning due to eyes being swollen shut, left arm was swollen hand and wrist. ER gave 2 injections - immediate reacting and long acting, along with 2 benedryl, pepcid. Pt was discharged from ER after about 1 hour. Hives persist today, May 10th. Pt is now on 40 mg 5/9 and 5/10. Hives remain persist on feet and hands today.
1302523	5/10/2021	TX	25	F	5/4/2021	5/4/2021	Night of vaccine had severe body aches, back pain, leg pain severe until legs went numb, then arm pain severe until also numb, chest pains/ trouble breathing. Following days had pains in arms and legs as if a tourniquet was left on and I cycled through severe pain and being numb. 5 days in I lost my vision (super blurry and seeing double) and lost complete control of arms and legs on top of headache and chest pains. Vision came back a couple hours later but the leg pains/ numbness continued even now. It feels as if my circulation has been cut off.
1302546	5/10/2021	CA	61	F	4/8/2021	4/10/2021	Eye infection started 2 days after the shot - 4/10/21. Styte developed and continued for over 2 weeks. Infection resolved without medication but small redness still present 5/10/21. Eye infection may not have been related to the vaccine but it was unusual. I have not had a styte for over 10 years.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1302637	5/10/2021	CT	63	F	5/8/2021	5/8/2021	Approx 0.1 to 0.2ml leaked out between needle and barrel of syringe upon administration. Volume estimation was confirmed by visual observation with recreated leaks of known volume. Patient counseled re-administration not recommended since most of the vaccine was administered.
1302816	5/10/2021	ME	67	F	3/31/2021	4/2/2021	Started losing vision in both eyes after second shot on March 31, 2021. They are doing steroid injections, temporal artery biopsy and lots of blood test. Vision is still basically gone and tingling and no strength at all.
1302849	5/10/2021	NJ	40	M	5/7/2021	5/7/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Vomiting-Medium, Additional Details: Five minutes after administering the vaccine, the patient was dizzy with blurred vision. Soon thereafter, he vomited. Once he completed vomiting, patient stated that he "felt a lot better". Blood pressure was normal at 115/85. He contacted his wife to pick him up. Follow-up call: Patient stated that he had no reaction after.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1302850	5/10/2021	FL	58	M	4/20/2021	4/27/2021	4/28 H&P: HPI: Hx obtained from chart review and wife. 58 y/o male patient with history of B-cell lymphoblastic leukemia who was treated with hyper CVAD then dasatinib s/p allogenic stem cell transplant in 2018 on remission and cGVH 5/19/2020 requiring prednisone 5 mg daily on chronic acyclovir, bactrim and fluconazole who follows up at UM with Dr., also pt with hx of hypothyroidism, hyperlipidemia and hyponatremia presented today complaining of weakness for the last 2 days and headache the day prior to admission. Pt was taking Tylenol for the headache, and per wife he had a temp of 99 F. Denies any GI, urinary or abdominal symptom. Pt was being treated for a toe infection (ingrown toenail) with clindamycin. Pt travel during the weekend for 2 days where he did not have contact with any infected person. Pt is compliant with his medications and follows for his medical care. Today at the ED pt was having headache and during the afternoon started with AMS, became agitated, with upper extremity tremors and nuchal rigidity. Ct head did not showed any acute abnormality. However, pt developed a fever. LP was performed pending results. Started on empiric treatment for meningitis: vancomycin, acyclovir and ceftriaxone. MICU was called to admit patient due to worsening of mental status. PMH: hyperlipidemia, primary hypothyroidism, hx ALL s/p bone marrow transplant and cGVH. Allergies: denies. Medications: Acyclovir 800 mg BID, amlodipine 5 mg daily, fluconazole 200 mg BID, levothyroxine 175 mcg, pantoprazole, prednisone 5 mg daily, bactrim 1 tab 3 times a week, terbinafine cream and triamcinolone. Social: from Miami. No hx of alcohol, smoking. Physical Exam: Nursing note and vitals reviewed. Constitutional: Vital signs are normal. Pt lethargic, disoriented, no following commands w/o respiratory distress. HENT: Head: Normocephalic and atraumatic. Eyes: Conjunctivae and EOM are normal. Neck: No JVD present. Cardiovascular: Regular rhythm, normal heart sounds and intact distal pulses. Exam reveals no friction rub. No murmur heard. Pulmonary/Chest: Effort normal and breath sounds normal. No respiratory distress. He has no wheezes. He has no rales. He exhibits no tenderness. Abdominal: Bowel sounds are normal. There is no abdominal tenderness. There is no rebound and no guarding. Lymphadenopathy: He has no cervical adenopathy.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

Neurological: Disoriented. Nuchal rigidity. Resting tremors. Hyperreflexia lower extremities. No clonus. Does not follow commands. Moves 4 extremities. Skin: Skin is warm. 4/29 ID note: 58yo M patient who comes with CC of 2 days of weakness and 1 day of headache. Progressive onset and no other associated symptoms, weakness referred as generalized by wife and headache really started on day of admission. He has an important history of B-cell lymphoblastic leukemia diagnosed 03/12/2018 ( + ), treated with 2 cycles of hyperCVAD, and dasatinib (latter stopped on 02/22/21 due to fluid retention), on remission. s/p allogeneic stem cell transplant on 08/21/18 (CMV +/-) from brother (10/10 donor), which engrafted 09/01/2018. And chronic graft vs host disease diagnosed on 05/19/20 due to scleroderma of bl upper extremities, elevated LFTs and swelling of upper and lower extremities with decreased ROM, started on steroid initially 40mg bid and eventually 5mg qd since 03/16/21 He was on prophylaxis with Acyclovir, Bactrim 1 tab 3 times a week, and Fluconazole. In the ED patient found to be initially alert and oriented, but during the day became more agitated, eventually having altered mental status and becoming non verbal. He also presented fever. On evaluation physical exam showed a patient making incoherent sounds, with tremors which stopped, increased muscle tone and some rigidity and increased reflexes, nystagmus, not following command but retracting extremities when touched or moved, with possible kernig and brudzinski signs. Started on Ceftriaxone, Vancomycin and Acyclovir and changed to Cefepime, Vancomycin, Ampicillin and Acyclovir by MICU team. Acyclovir changed to Ganciclovir by ID. CSF without pleocytosis, normal glucose and only mild elevated protein. CT and MRI without acute findings. Assessment: 58yo M patient with history of ALL in 2018 s/p Allo-SCT (CMV+/-) at UM 2018, and complicated by chronic GVHD, currently on prednisone 5mg daily and prophylaxis with Bactrim three times a week, Acyclovir and Fluconazole, who presented with headache, fever and generalized weakness for 2 days. Became encephalopathic and was admitted to MICU. 1. Meningoencephalitis in immunocompromised patient - No changes since yesterday, leukocytosis 15.22 and Tmax 100.2- Negative HIV, RPR, - Culture CSF NGTD, Blood culture negative day 1, respiratory panel negative-

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1302922	5/10/2021		68	F	4/1/2021	4/21/2021	<p>Repeat LP- Pending additional studies, 2. Other problems- Hypothyroidism- Hyperlipidemia- Hyponatremia- Toe infection (ingrown nail) - 01/2021- CKD II and congenital solitary kidney -Baseline Cr 1.3 Plan: - Continue Ampicillin, Cefepime, Vancomycin and Ganciclovir- In process CSF HSV 1/2, CMV, culture- Ordered serum VZV,Cryptococcus, Fungitell, Galactomannan, West Nile IgM, CMV PCR- Ordered Quantiferon-Gold- Needs LP and CSF - Measure opening pressure, Encephalitis panel, cryptococcus, Fungal, AFB, viral culture, HHV6 PCR, EBV DNA PCR, VZV PCR, West Nile virus, Adenovirus, NMDA- Plan for LP today, family agreed. 5/3 ICU update: Patient has been accepted at where he is well known to the heme/onc service. Will transfer today.</p> <p>Nausea, cramping, HA, visual changes, now ongoing for 4 weeks.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1302601	5/10/2021	PA	59	F	5/6/2021	5/10/2021	o ED Course Medical decision making arrival to ED 5:54 am on 5/10/21 Patient with altered mental status from an unknown cause. Her pupils were dilated and slow to react and she was in some respiratory distress and very diaphoretic. At this point airway was controlled 5 oh endotracheal intubation using the glide scope and during the intubation patient was noted for copious amounts of dark brown vomitus coming from her esophagus which was guaiac positive. Her blood pressure was low she was sedated initially with propofol etomidate was used for the intubation however because of her hypotension the propofol was slowed and she was given Versed which did seem to control her agitation and maintain her blood pressure. Patient had IV fluid initiated wide open and CT scan was obtained of head chest abdomen pelvis given the fact that her altered mental status could be from some kind of intracerebral catastrophe and the patient's abdominal exam being unobtainable certainly possible that her GI bleeding could be from a perforated viscus. CT scan of the brain does not demonstrate any stroke that appears to be acute however there may be some ischemia present although it may be remote and an MRI will need to be done when the patient is more stable. CT of the chest abdomen pelvis shows what is likely an aspiration pneumonia on the right as well as a perforated viscus in her abdomen. Radiology feels is probably somewhere in the right colon terminal ileum. At this point the patient was given Cipro and Flagyl and that should also aid with her aspiration pneumonia. Her blood pressure did start to decrease her temperature was noted to be elevated at 101.8. She was given Tylenol rectally and fluids were allowed to run wide open. Her blood pressure continued to decline and Levophed was instituted. Case was discussed in detail with surgery and she will go to the OR immediately. Her temperature continued to rise and was 104.5 upon transfer to the operating room as blood pressure was 78 systolic ED COURSE: o ED Course Medical decision making Patient with altered mental status from an unknown cause. Her pupils were dilated and slow to react and she was in some respiratory distress and very diaphoretic. At this point airway was controlled 5 oh endotracheal intubation using the glide scope and during the intubation patient was noted for copious amounts of dark brown vomitus coming from her esophagus which was guaiac positive.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

Her blood pressure was low she was sedated initially with propofol etomidate was used for the intubation however because of her hypotension the propofol was slowed and she was given Versed which did seem to control her agitation and maintain her blood pressure. Patient had IV fluid initiated wide open and CT scan was obtained of head chest abdomen pelvis given the fact that her altered mental status could be from some kind of intracerebral catastrophe and the patient's abdominal exam being unobtainable certainly possible that her GI bleeding could be from a perforated viscus. CT scan of the brain does not demonstrate any stroke that appears to be acute however there may be some ischemia present although it may be remote and an MRI will need to be done when the patient is more stable. CT of the chest abdomen pelvis shows what is likely an aspiration pneumonia on the right as well as a perforated viscus in her abdomen. Radiology feels is probably somewhere in the right colon terminal ileum. At this point the patient was given Cipro and Flagyl and that should also aid with her aspiration pneumonia. Her blood pressure did start to decrease her temperature was noted to be elevated at 101.8. She was given Tylenol rectally and fluids were allowed to run wide open. Her blood pressure continued to decline and Levophed was instituted. Case was discussed in detail with surgery and she will go to the OR immediately. Her temperature continued to rise and was 104.5 upon transfer to the operating room as blood pressure was 78 systolic CRITICAL CARE: o Critical Care Indication patient was critically ill... o Critical Care Indication Patient was critically ill with a high probability of imminent or life threatening deterioration. o Critical Care Time Spent 75-104 minutes (1 hour 15 minutes-1 hour 44 minutes) 2 hours and 50 minutes ED WORKING DIAGNOSIS: Perforated abdominal viscus (R19.8); Status: Active Septic shock (A41.9); Status: Active DISCHARGE/ADMISSION/TRANSFER DISPOSITION: o Disposition admitted o Admit To To OR CONDITION ON DISCHARGE/ADMISSION/TRANSFER: o Condition Critical Date of OR Procedure o Date of Procedure 05/10/2021 10:01 Pre Op Dx, Post Op Dx, Procedure o Pre Operative Diagnosis: Perforated viscus o Post Operative Diagnosis: Ischemic bowel, most likely from shower emboli. Most of the small intestine and large intestine was affected. o Procedure: Exploratory

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

laparotomy, ICG injection for evaluation of perfusion  
Indication and Consent Findings: . Findings: Even after the ICG injection. There was spotty tissue necrosis from mid jejunum all the way through sigmoid colon. Most areas were blackened with a foul smell. There was some highlighted areas secondary to the ICG but not a significant amount that would lend for an anastomosis. Black ascites was present throughout the abdomen. Unfortunately after much contemplation there was no surgical intervention. Procedure Procedure: Patient was placed in supine position. Was intubated in the emergency room so, we were able to proceed with resuscitation through our anesthesia team. Patient's abdomen was prepped and draped in usual fashion. Proceeded to make a midline incision. The blood supply in the subcutaneous tissues did not even bleed. Appeared to be darkened and almost coagulated. As we entered through the fascia we were able to open the peritoneum between 2 hemostats. The large rush of free air through from the abdomen. We then proceeded to open the abdomen for the length of her incision. This was done with electrocautery. From here there was a black ascites present within the abdomen. There was a large amount of dead intestine that we could immediately see. I worked my way to the ligament of Treitz. There was no adhesions so this was easily found. That intestine did appear to be pink. It lasted for about a foot. After that area everything was either black or purple in color with a few pink spots in between. This went all the way down to the terminal ileum where pneumatosis was visualized. We then looked at the colon from cecum through rectum. It appeared to be blackened as well. Not knowing whether all of this intestine was dead or not especially with patient being hypotensive I injected ICG dye approximately 2 cc. This was to evaluate perfusion. Unfortunately perfusion was no better than what I could visualize. I could not even find enough room of the colon or small intestine to make an anastomosis. Was very hard decision, however, we did not resect any bowel. I closed the patient's abdomen. Patient will be taken to ICU on ventilator. Discussed with daughter with pastor present.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1302418	5/10/2021	FL	72	F	3/8/2021	3/30/2021	She received her vaccine, didn't really have any feelings. She went to get her glasses and when they checked her eyes they could not give her a prescription as she was bleeding behind her right eye. She is now going for injections in her eye, which was very painful and does not know if it is helping or not yet. She will be going back to see her doctor shortly.
1300764	5/9/2021	FL	16	F	5/8/2021	5/8/2021	Systemic: Allergic: Itch (specify: facial area, extremities)-Mild, Systemic: Allergic: Itch Generalized-Mild, Systemic: itching of eyes, feeling warm-Mild
1301192	5/9/2021	AZ	28	F	3/7/2021	3/28/2021	The week of 3/28/21 I began to feel numbness on the right side of my body, in my genital area. By 4/18/21, the numbness had spread into my right glute, which was completely numb. On Sunday, 4/25, I had a sudden onset of all of the following: the numbness had spread upward and downward and the right side of my body was partially numb; vision in my right eye was blurry; my right eye hurt, and felt swollen; my pupils were unequal; my neck was stiff; I was dizzy; and I could not speak properly. I felt very floaty. These symptoms waxed and waned, together, for several hours at a time, getting progressively worse each time. My lucid periods also got progressively worse. I went to my PCP who ran bloodwork and referred me to a neurologist, who I could not get an appointment with until July. On 5/3/21, I was admitted to the ER based on the recommendation of the triage nurse who heard my symptoms and their duration. The ER ran a bunch of tests and found nothing. I went home and over the next few days entered again into several nonlucid states. I believe my body was getting closer and closer to death. I began taking my temperature with a reliable thermometer, and found it was dropping to 93-95 during my symptomatic periods. I found help from alternative doctors who immediately intervened, and continue to monitor me. The doctor I listed on this form was my ER doctor.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1301180	5/9/2021	HI	18	M	5/7/2021	5/7/2021	11:00 AM PT RECEIVED VACCINE, moved to a chair on his own, 11:05 AM PATIENT WAS OBSERVED TO BE SLOUCHING IN CHAIR AND WAS ASKED IF NEEDED ASSISTANCE. WE GOT SOME WATER AND HELPED HIM TO LAY DOWN, PATIENT WAS ASHEN IN COLOR AND SAID HE FELT WOOZY.ABOUT 11:15 PATIENT STARTED TO RESPOND WITH EYES OPENED AND A SMILE. DECLINES EMS CALL. 11:20 SAT BACK UP IN CHAIR,REPORTED FEELING OK. KEPT PATIENT FOR ABOUT 30 MINUTES AND NO FURTHER INCIDENTS TO REPORT.
1301168	5/9/2021	FL	64	M	3/26/2021	4/27/2021	My husband who is 64 years old, was a previously in good health. Only history was mild cardiomyopathy diagnosed 12 years ago. And elevated blood pressure, which was normal with medications. He was very active, maintained a demanding full time job and was a great husband of 2 children. He received his 2nd dose of Pfizer on approximately 4/1/21. He didn't complain of any side effect. However, on the morning of 4/27/21 he woke me up saying that he could not breath. We started driving to the hospital, however he got worse and we stopped at the fire station. They gave his oxygen and rushed him to the hospital. We came to hospital and when the fire truck was pulling in, I was told that my husband went into pulseless electrical activity. CPR was started and after approximately 5 minutes he regained pulse. He was taken to the ICU and therapeutic hypothermia protocol was completed. Since then, he is still requiring mechanical ventilation. He opens his eyes spontaneously, at times appears to obey small commands and is bedridden.
1301041	5/9/2021	MO	17	F	5/9/2021	5/9/2021	Syncope following vaccination. Patient reported blurry vision, dizziness. Had patient rest with feet elevated and gave patient bottle of water. Observed patient for 30 minutes. After 30 minutes patient reported feeling back to normal.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1300769	5/9/2021	PA	21	M	5/8/2021	5/8/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Exhaustion / Lethargy-Medium, Systemic: Hypotension-Medium, Systemic: Nausea-Medium, Systemic: Seizure-Medium, Systemic: Tingling (specify: facial area, extremities)-Medium, Systemic: Visual Changes/Disturbances-Medium, Additional Details: Patient had a history of seizures from 2012-2015 but is no longer on medication of any sort. About 5-7 min after vaccine was given he had seizure like activity. He had cold sweats, low blood pressure, and was very pale. He complained of dizziness, nausea, tingling in hands, and blurred vision. 911 was called and he left with EMT
1300704	5/9/2021	CA	32	M	5/7/2021	5/7/2021	Approximately 8 hours after injection I began experiencing extreme fatigue. This was soon followed by uncontrollable shaking and chills. As this progressed I began to experience extreme aching pains all over my body, a headache, and dizziness. I fell asleep somewhere around 11pm or 2 hours after on set of symptoms. I awoke multiple times in the night to body aches and a head splitting migraine. During the night the chills and shaking turned into a fever and sweating. At 6am the next day I forced myself to take some painkillers and hydrate. The body aches had started to recede at that point but the migraine was extremely painful and It was nearly impossible to open my eyes with a hypersensitivity to light. I slept on-and-off through the next morning and nearly all symptoms stopped by 1pm on May 8 or 24 hours after the injection.
1301247	5/9/2021	VA	41	M	5/6/2021	5/8/2021	Cant move a Lot of the left side of face, almost seems like bell palsy., left eye waters a bit as i cant independently blink my left eye, unless i close them both...cant move left cheek (can only smile on one side) difficulty drinking since i cant curve my lip on the left..talking challenges (lisp) since it seems im speaking out of one side of my mouth. When eating, a little hard to feel it on the left side in jaw area.. I have zero pain, just unable to completely move all parts of the the left side of my face in general.. I had my shot on thursday, first felt this on saturday when i woke up.... hasnt gotten any worse, just the same (its 420pm on sunday now) - havent had any treatments, not sure if its temporary

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1300799	5/9/2021	IL	26	M	5/8/2021	5/8/2021	Systemic: Confusion-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Visual Changes/Disturbances-Mild, Additional Details: Patient went unresponsive approximately 30 seconds after vaccine administration, was unresponsive for a total of 30 seconds, his neck and face were flush, pupils were dilated and his eyes wandered. He woke up confused.
1301289	5/9/2021	CT	57	F	3/26/2021	3/28/2021	Severe joint pain, fevers, severe headaches, cough, severe fatigue, the first week. Second & 3rd week - Positive D dimer, low o2 sat.s. high fevers and body/joint pain. 4-6 week-Hemoptysis, Systemic inflammatory response syndrome, sepsis, acute bronchitis, uveitis and vertigo. Info below is for answer 21 1 admissions to Hospital was 4 days 2nd admission to Another Hospital. 6 day stay Most of the treatment was antibiotics, oral steroids, steroid drops for my eyes and breathing treatments to open my airway.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1301301	5/9/2021	LA	69	F	4/6/2021	4/7/2021	The injection site felt "achey" immediately after the injection and this discomfort lasted several hours despite my gently massaging the band-aid site. My left arm felt "heavy" for the rest of the day. Within 18 hours of vaccination, I was awoken from sleep shaking violently. I thought that someone was shaking me violently. When I realized that my body was shaking so, I wrapped myself in a comforter; then I passed out or went back to sleep. When I was aware of myself again, I was too hot wrapped in the comforter and removed it. I was very concerned about what had happened to me so I moved slowly getting up and starting my day. I live alone so there was no one to help or advise me. For the next few days, I rested often, not sleeping, just feeling the need to lay about. By week 2 after the injection, I was "dragging" but not sleeping. When I laid down, my mind roamed about, when I tried to read or engage in meaningful activities were not successful. By week 3, I have full-blown insomnia. I go to bed at 4 am to be awake for hours while in bed, then being exhausted during the day. I am normally active, but I do not have the stamina to do what I love such as mowing my own lawn and working in garden. My heart rate jumps to 122 after 10-20 minutes of activities when in the past I could work steadily for 40 minutes and my heart rate never get above 90 beat per minute ( I wear a charge 2 watch that monitors exercise parameters.) I had to stop to rest up to 4 times to complete the yard work that I could normally complete in less than 40 minutes. Currently, I have "hay fever" symptoms: itchy runny nose, tickle in the throat with dry cough, tired, runny eyes and frontal headache; I take benadryl and other allergy medicines. I have poor sleep habits.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1301329	5/9/2021	FL	33	F	5/9/2021	5/9/2021	Patient was given her shot, she got up and sat down in the nearest observation chair, then immediately said she was dizzy and thought she was going to pass out. I went to her and she repeated that she was about to pass out. When her head started to roll back I was able to hold her by her shoulders. Her eyes rolled back and her head dropped back and she started convulsing. She lost consciousness for about 10 seconds. When she came to she didn't know what was happening. She was very sweaty by this time. I asked if she had a history of seizures or had ever fainted before and she answered no. EMS was called. I checked her BP and it was 84/41. The patient tried to stand to assist with finding her husband in the store but I told her she had to sit until EMS arrive. We offered her water and orange juice and she asked for both. When the husband got there we asked him if she has a history of fainting or seizures and he said this has happened multiple times, mostly as a result of seeing blood. He said she hasn't had seizures but she has had tremors when this has happened. I checked her BP again and it was 116/88. She was feeling a lot better. EMS arrived and she was stable by that point. They recommended that she go to the hospital, but patient opted not to go.
1301374	5/9/2021	AR	68	M	4/13/2021	4/15/2021	Pfizer-BioNTech COVID-19 Vaccine EUA was administered on 4-13-21 at about 10:45 A.M. Within 48 hours of receiving said vaccine, I had a Vitreous Detachment in my right eye causing severe floaters and flashes. This detachment was confirmed by my opthamologist . My opthamologist did not attribute the Vitreous Detachment to the vaccine, but I am making this report on the advice of the information given to me by the administering clinic.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1301470	5/9/2021	OH	49	F	4/6/2021	4/6/2021	<p>The adverse reactions of light headedness, throat irritation, heaviness in my chest and difficulty inhaling began about 20 min after my injection, It lasted 5 minutes. About 30 min afterwards the 2nd wave of reaction came on, with the same symptoms but was even harder to inhale and lasted twice as long. I took a combination of benadryl, motrin and pepcid which alleviated the worst of the symptoms after about an hour. To this day, I still cannot take a deep breath in. About 72 hours after the vaccine I began to have diarrhea (and still have it 20 days later), lethargy, nausea and shortness of breath. The next day I had a little more energy, but still had continued shortness of breath. My vision had become less clear and my thought process a bit fuzzy. This is still happening today. Seven days after the vaccine, I suddenly became extremely light headed just simply walking. To the extent that I needed to sit or lay down before I began to pass out. After the light headedness came on heavily, I also noticed a very heavy weight on my upper chest and found it quite difficult to inhale. These moments would come and go throughout the day. Regardless of whether I was just sitting and relaxing or walking around. These symptoms would last anywhere from a couple minutes to a couple of hours. I found it very hard to catch my breath and could feel my heart flushing often. Additionally I would wake in the middle of the night feeling that I needed to gasp for air. I sought medical assistance from a clinic, an ER and even my allergist and I am scheduled to see my family physician later this week. I am not an anxious person, but have experienced many episodes in the last 20 days that have truly made me feel that I was going to die (no exaggeration!) due to the inability to breathe or that I may have been having a heart attack. I began to have chest pain that would travel from the center of my chest to my left shoulder. The pain also would move to my right lung area. During this I also had heaviness in my chest and felt I could not breathe in or out easily. I am still very light headed and have difficulty walking very far without taking a break because I feel I cannot catch my breath. I still have all of the same symptoms that I experienced 20 minutes after my vaccine. These symptoms have varied in intensity. I have often commented to my family that I feel the symptoms of the chest heaviness and heart flushing seem to come in waves. I am a health conscious</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							person and have never had poor health in my life. The events in the last few weeks have definitely taught me how terrible life must be for those who chronically suffer from heart or lung issues. I am still currently battling these symptoms, however, the last few days seem the symptoms have often been less severe.
1301550	5/9/2021	CA	79	F	3/1/2021	3/30/2021	Severe Lethargy, Muscle aches and pains constantly, Color Blindness to certain colors. Failed the color dot test
1301198	5/9/2021	FL	50	F	4/6/2021	4/7/2021	Constant headache blurred vision dizziness pain in back of head numbness in left leg bp very high weakness tightness in right arm and pain in left arm where the shot was given sore throat face numbness
1301206	5/9/2021	CA	64	M	4/19/2021	4/21/2021	I'm experiencing ptosis (droopy left eye) and double vision. The Ophthalmologist diagnosed my condition as "Third Cranial Nerve Palsy" and that it would take 3 to 6 months to cure itself and that sometimes this condition may take as long as a year. If it doesn't cure itself surgery will be required and special glasses to wear.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1299174	5/8/2021	WA	17	M	4/20/2021	4/20/2021	<p>felt like his throat was being to close up; appeared to be gasping for air; lose sensation in his extremities; extremities tense and contracting; respiratory distress; This is a spontaneous report from a contactable nurse, reporting for her son. A 17-year-old male patient received BNT162B2 ((PFIZER-BIONTECH COVID-19 MRNA VACCINE), dose 1 intramuscular, administered in the left arm on 20Apr2021 at 10:15 (Batch/Lot Number: EW0170) as a single dose (at the age of 17 years old) for covid-19 immunisation. Medical history included anxiety from an unknown date. There were no concomitant medications. Prior to the vaccination, the patient was not diagnosed with COVID-19. The patient did not receive any other vaccines within four weeks prior to the vaccination. Historical vaccine included anxious reaction to Hep B two years prior (2019). The patient experienced respiratory distress on 20Apr2021 at 10:21 with outcome of unknown, felt like his throat was being to close up on 20Apr2021 at 10:22 with outcome of unknown, appeared to be gasping for air on 20Apr2021 at 10:22 with outcome of unknown, lose sensation in his extremities on 20Apr2021 at 10:22 with outcome of unknown, and extremities tense and contracting on 20Apr2021 at 10:22 with outcome of unknown. Chronology of events was as follows: on 20Apr2021 at 1021: Patients mother alerted roving medic that son was experiencing respiratory distress. Medic immediately radioed and arrived at car at 10:22. At 10:22: Patient stated he felt like his throat was being to close up and appeared to be gasping for air. Patient also stated he was beginning to lose sensation in his extremities; extremities tense and contracting; denied changes in vision. At 10:25: 0.3 mg Epinephrine administer into left vastus lateralis. The patient underwent lab tests and procedures which included blood pressure measurement: 80/52 on 20Apr2021, blood pressure measurement: 111/57 on 20Apr2021 at 10:26, oxygen saturation: 89 % on 20Apr2021, and respiratory rate: 26 on 20Apr2021. The events resulted in Emergency room/department or urgent care. It was also reported that since the vaccination, the patient had not been tested for COVID-19; Sender's Comments: Based on current known drug safety profile, the reported events were assess as intercurrent medical events and thus assessed as not related to suspected drug BNT162B2 . Case will be reassessed pending new information. The</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate
1299101	5/8/2021	RI	53	F	4/13/2021	4/13/2021	Loss of vision in left eye.; This is a spontaneous report from a contactable consumer. A 53-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot number was not reported), via an unspecified route of administration, administered in right arm on 13Apr2021, at 10:00 as single dose for covid-19 immunisation. Medical history included Lupus, Hashimotos, chronic obstructive pulmonary disease, asthma, non- alcoholic fatty liver disease, and allergy from unknown dates. The patient experienced loss of vision in left eye on 13Apr2021, at 10:00. The event resulted in doctor or other healthcare professional office/clinic visit, emergency room/department or urgent care. The patient underwent other tests and magnetic resonance imaging in Apr2021 with unknown results. Therapeutic measures were taken as result of the event. No COVID prior to vaccination was noted. No COVID test was performed post vaccination. The outcome of loss of vision in left eye was not recovered. The batch/lot number for the vaccine, BNT162B2, was not provided and will be requested during follow-up.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1299108	5/8/2021	CA	44	F	5/1/2021	5/5/2021	Neurological disorientation such as staggered motor function. It has been challenging to walk- extremely noticeable as if you are tipsy on new years eve - Headache in center of forehead that hasn't waned 24-48 hour period of visual abnormalities Extreme pain at injection site since shot and until now although getting better Extreme Lethargy Shortness of Breath Plugged ears Congestion which went from clear mucus to bright green within an extreme short period of time Dr prescribed augmentin antibiotics ITS NOT COVID 19 I GOT A NEGATIVE TEST 5/5/2021 All over rolling from extreme to mild pains Muscle spasms in places all over the body. A part of my body is always twitching under the skin (not any jerking movements others report ) SEVERE CHEST PAIN Swollen arm at injection site A deep cough not severe and frequent but significant and persistent

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1299142	5/8/2021	MO	67	F	3/16/2021		cardiac enzymes were extremely elevated; Weight from 223 pounds to 211 pounds in 2 months; No appetite; Sleep pattern is bad/she cannot fall asleep until 0400 and then wakes right back up around 0800; Feels rough with fine bumps at times; Feels rough with fine bumps at times; Itches at times; Rash on outer aspect of arm; Tightness, uneasiness in chest; Palpitations, Fluttering in Chest; Palpitations, Fluttering in Chest; Easily Winded; This is a spontaneous report from a contactable nurse (patient). A 67-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), the first dose on 16Mar2021 (Batch/Lot Number: EN6207; Expiration Date: 31Jul2021), then the second dose on 07Apr2021 (Batch/Lot Number: ER8730; Expiration Date: 31Jul2021), both via an unspecified route of administration, at the age of 67-years-old, administered in arm left as a single dose for COVID-19 immunisation. Medical history included chronic obstructive pulmonary disease (COPD) from 2002 and ongoing, ongoing diabetes mellitus, penicillin allergy from an unknown date and unknown if ongoing, became really sick, really fast, uncertain if was Covid 19 from Feb2020 to an unknown date and chest discomfort from an unknown date and unknown if ongoing. Concomitant medications included acetylsalicylic acid (ASPIRIN (E.C.)), glyceryl trinitrate (NITROGLYCERIN), both taken for chest discomfort; dulaglutide (TRULICITY) taken for an unspecified indication, all from an unspecified start date and ongoing. The patient previously took morphine and codeine and experienced drug allergy. The patient was at her eye doctor on 02Apr2021 and decided afterwards to have her grandson take her to the Emergency Room (ER) for some tightening and uneasiness she had been having in her chest over the preceding days. She also felt some palpitations, they were fast, then slowed down; did not feel labored. She went to the ER and was there for 8 hours. They told her that her cardiac enzymes were extremely elevated. After the cardiologist reviewed her results she was allowed to go home. She went to her regular cardiologist on 05Apr2021. That cardiologist went over her tests results and said that while it was not normal results for her he didn't find them too worrisome. He stated that just because her enzymes are elevated does not mean she is in trouble. He scheduled her for a Dobutamine Stress

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

Test on 07Apr2021. She has been trying to get the results of this stress test from the doctor's office but has not been successful in doing so. Says that once she completed the Stress Test on 07Apr2021 she went to get her second dose of the Covid Vaccine. She was still having her symptoms when she got her second vaccine and they have continued since. She saw her endocrinologist who went over blood work with her. The endocrinologist told her that her blood glucose level was very good and her A1c was a 5.5. The endocrinologist was concerned because usually the A1c is between 6 and 7. Patient was 5 foot 6- and one-half inches.

Tightness, Uneasiness in chest: Stated it is not pain, just an uneasy, uncomfortable, fluttering feeling. Palpitations, Fluttering in chest: Not a labored feeling, goes fast, then slows down, not constant. Rash on outer aspect of arm: Extends from her wrist to about 2-3 inches below her elbow. Outside of arm, not on the inner part of her arm. Feels rough with fine bumps at times; then will feel smooth again. Itches at times. She uses calamine lotion, which does help to relieve the itching and smooth the skin. Stated it eventually does come back though. Easily Winded: She has had respiratory conditions all of her life. This winded feeling, she has been having is different than that she stated. She gets the fast heartbeat really quick, can almost hear it; becomes winded and sits down. The episodes last about 15 minutes. She has had no appetite; she has lost almost 15 pounds in 2 months. Her weight was 223 pounds 2 months ago and now weighs 211 pounds. She mentioned her sleep pattern is bad. Some days she cannot fall asleep until 0400 and then wakes right back up around 0800. The patient underwent lab tests and procedures which included blood glucose: 100 on 22Apr2021, blood pressure measurement: 128/62 on 21Apr2021, body temperature: 97 degrees fahrenheit on 21Apr2021, haemoglobin: 5.5 on Apr2021, heart rate: 78 on 21Apr2021, myocardial necrosis marker: extremely elevated on 02Apr2021, oxygen saturation: 98 % on 21Apr2021. Therapeutic measures were taken as a result of rash on outer aspect of arm, Feels rough with fine bumps at times and Itches at times. The outcome of the events Itches at times, Feels rough with fine bumps at times, Rash on outer aspect of arm, Easily Winded was not recovered; Palpitations, Fluttering in Chest and Tightness,

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>uneasiness in chest was recovering, while of the rest was unknown. No follow-up attempts are needed. No further information is expected.; Sender's Comments: Based on the information provided and plausible temporal association, the causality between the suspect drug and the events cannot be excluded. This impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly to regulatory authorities, Ethics Committees, and Investigators, as appropriate.</p>
1299153	5/8/2021			F	3/18/2021	3/20/2021	<p>vision loss; eye pain; This is a spontaneous report from a non-contactable consumer (patient). An adult female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 18Mar2021 (Batch/Lot number was not reported) as single dose for Covid-19 immunization. It was unknown if the patient was pregnant at the time of vaccination. Medical history included Factor V Leiden, PCOS (Polycystic ovarian syndrome), and POTS (Postural orthostatic tachycardia syndrome), all from an unknown date and unknown if ongoing. The patient's concomitant medications were not reported. It was unknown if the patient was not diagnosed with COVID-19 prior to vaccination. It was unknown if the patient received any other vaccines within 4 weeks prior to the COVID vaccine. The patient experienced eye pain and then vision loss on 20Mar2021, 2 days after vaccination. It was unknown if the patient received treatment for the adverse event. The adverse events resulted in Doctor or other healthcare professional office/clinic visit, Disability or permanent damage. It was unknown if the patient has not been tested for COVID-19 since the vaccination. The outcome of events was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1299155	5/8/2021	SC		F	3/30/2021	4/1/2021	her head is stopped up; feels really weak; has "gook" in her eyes; cold; headache; sore throat; nausea; feeling sick for the last week; She can't do anything; gastroparesis; sore arm; This is a spontaneous report from a contactable consumer (patient). A 58-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration administered on arm left on 30Mar2021 (Batch/Lot Number: ER8733; Expiration Date: Jul2021) as SINGLE DOSE for COVID-19 immunization. Medical history and concomitant medications were not reported. She reported having only a sore arm after getting the vaccine (in 2021) however she has had to cancel the appointment (twice) for her second dose on 20Apr2021. She was feeling sick for the last week (Apr2021) as her head was stopped up, has gastroparesis, felt really weak, has "gook" in her eyes, a real bad cold, headache, sore throat, and nausea. She can't do anything and has stayed in her bed. Outcome of the events were unknown. She doesn't think the first shot caused it because she didn't get sick until days later.; Sender's Comments: A causal association between BNT162B2 and the reported events cannot be excluded based on temporal relationship. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1299088	5/8/2021			F	4/4/2021	4/6/2021	hives; itching; swelling around the eyes; This is a spontaneous report from a contactable other healthcare professional. A 53-year-old female patient received first dose of BNT162B2(PFIZER-BIONTECH COVID-19 VACCINE) via unknown route on 04Apr2021 as a single dose for COVID-19 immunization. Medical history and concomitant medications were not reported. On 06Apr2021, two days after receiving the first dose patient experienced hives, itching, and swelling around the eyes. Patient was given Zyrtec and went to emergency room where she was given intravenous SoluMedrol and intravenous Pepcid as a corrective treatment for the reported events. Outcome of the events were unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.; Sender's Comments: Based on the available information, the known safety profile and the temporal association of BNT162B2 administration to the events, a possible contribution of the drug to the events cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees, and Investigators, as appropriate and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees, and Investigators, as appropriate.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1299161	5/8/2021	RI	26	M	4/20/2021	4/20/2021	within fraction of seconds I fell down (lost conscious); After sometime i woke up I barely could see; On the same night, my left arm (where shot is injected) started pain; This is a spontaneous report from a contactable consumer (patient). A 26-year-old male patient received bnt162b2 (BNT162B2), dose 1 via an unspecified route of administration, administered in Arm Left on 20Apr2021 17:45, at the age of 26 years old, (Batch/Lot Number: EW0170) as single dose for covid-19 immunisation. The patient medical history was not reported. There were no concomitant medications. The patient previously took Tetanus shot and after 5-10 mins of it he lost conscious for a while. The patient experienced lost conscious on 22Apr2021 07:45 with outcome of recovered, vaccination site pain on 20Apr2021 with outcome of recovered, vision blurred on 22Apr2021 with outcome of recovered. The clinical course was as follows on the same night of vaccination the left arm (where shot is injected) started pain and became pain relief after a day i.e., 21Apr2021. The next day on 22Apr2021 he woke up and went to bathroom for his daily routines. He stepped in shower and stood under water for sometime then he removed the band-aid from the left arm (where the shot is given) within fraction of seconds he fell down (lost conscious) on the left hand side from the bath tub (him legs still in the bath tub) after sometime he woke up and now fell in the bath tub. After sometime he woke up, and he barely could see, tied him towel and came out to him room and laid down for a while. Then everything went back to normal. The patient didn't receive treatment for the events.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1298891	5/8/2021	CO	56	F	4/28/2021	4/28/2021	feeling hallucinogenic; dilated pupils; eyelids were hanging; both eyes were red; felt light headed; nausea; feels very tired; This spontaneous case was reported by a consumer and describes the occurrence of HALLUCINATION (feeling hallucinogenic) in a 56-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 007C21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Concussion (In 2010, she had a head injury (concussion), and has had two other concussions since then as well.) in 2010. Concurrent medical conditions included Hypersensitivity NOS (sensitive to medications and vaccines). On 28-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 28-Apr-2021, the patient experienced HALLUCINATION (feeling hallucinogenic) (seriousness criterion medically significant), MYDRIASIS (dilated pupils), EYELID PTOSIS (eyelids were hanging), OCULAR HYPERAEMIA (both eyes were red), DIZZINESS (felt light headed), NAUSEA (nausea) and FATIGUE (feels very tired). At the time of the report, HALLUCINATION (feeling hallucinogenic), MYDRIASIS (dilated pupils), EYELID PTOSIS (eyelids were hanging), OCULAR HYPERAEMIA (both eyes were red), DIZZINESS (felt light headed), NAUSEA (nausea) and FATIGUE (feels very tired) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Concomitant product use was not provided by the reporter. No treatment information was provided. Company comment Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1299186	5/8/2021	MD	66	F	2/25/2021	2/28/2021	severe tinnitus; This is a spontaneous report from a contactable consumer (patient). A 66-year-old non-pregnant female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), first dose via an unspecified route of administration, administered in the right arm on 25Feb2021 12:30 (lot number and expiration date were not reported) as single dose (at the age of 66-years-old) for COVID-19 immunisation. The patient was administered in a pharmacy/drug store. Medical history included type 2 diabetes, gastroparesis, chronic headaches, fibromyalgia, dry eyes and inflammation, osteoarthritis, hypothyroidism, high blood pressure, high cholesterol, high triglycerides, urinary frequency, arteriosclerosis of the aorta, lactose intolerance, and allergies to sulfa drugs. The patient had concomitant medications included too many to list. The patient was not covid tested post vaccination. The patient previously took methyldopa (ALDOMET) and experienced allergies. Three days after her first COVID-19 vaccine (28Feb2021) she developed severe tinnitus and has remained ever since. The event resulted in a doctor visit. The event was considered a disability. The patient did not receive a treatment for the event. The patient has not recovered from the event. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1299196	5/8/2021	NC	41	F	1/23/2021	1/26/2021	Increased intracranial pressure with vision loss requiring VP shunt placement; Increased intracranial pressure with vision loss requiring VP shunt placement; This is a spontaneous report from a contactable nurse (patient). A 41-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration, administered in arm right on 23Jan2021 at 12:00 (Lot Number: EK9231)(at the age of 41-year-old) as single dose for COVID-19 immunisation. The patient was not pregnant. Medical history included hypertension (HTN), obstructive sleep apnea syndrome (OSA) and hypothyroidism, all from an unknown date and unknown if ongoing. Known allergies: KEFLEX, LEVAQUIN, Penicillin. Concomitant medication included levothyroxine; lisinopril; trazodone and HCTZ, all concomitants were taken for an unspecified indication, start and stop date were not reported. The patient previously received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in arm right on 04Jan2021 at 15:00 (Lot Number: EL0140) (at the age of 40-year-old) as single dose for COVID-19 immunisation. On 26Jan2021 at 14:00, the patient experienced increased intracranial pressure with vision loss requiring VP shunt placement. The events required emergency room visit and physician office visit. The patient was hospitalized due to the events for 2 days. The patient underwent lab tests and procedures which included intracranial pressure (CSF pressure): increased on 26Jan2021, SARS-COV-2 test (Nasal Swab): negative on an unspecified date. Therapeutic measures were taken as a result of the events and included 3 lumbar punctures and surgery for VP shunt. The patient outcome of the events was recovering.; Sender's Comments: The 41-year-old patient had medical history included hypertension (HTN), obstructive sleep apnea syndrome (OSA) and hypothyroidism, and was on multiple concomitant medications. Intracranial pressure increased and blindness were most likely due to concurrent disease, and unlikely related to the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE). The case will be reassessed should additional information become available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

---

evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1299159	5/8/2021	AR	68	F	4/12/2021	4/14/2021	<p>she feels like she has Covid; feeling chest pain/her chest is sore; headache/her head just starting hurting; she is scared; She used to weight 143 pounds 9 months ago, she states she is swelling up.; overall body aches; cramping; eyes had swollen; fever of 101.9°F/temperature like 101.9 degrees, a fever; chills; nausea; wiping would be pink/She also states that she when she went to the bathroom, she wiped pink and it worsened and turned darker.; This is a spontaneous report from a contactable consumer (patient). A 68-years-old female patient received bnt162b2 (BNT162B2), dose 1, via an unspecified route of administration, administered in Arm Right on 12Apr2021 11:00 (Lot Number: EP7534; Expiration Date: 31Jul2021) as SINGLE DOSE (at the age of 68 years old) for covid-19 immunisation. Medical history included she is on the borderline of Chronic obstructive pulmonary disease (COPD). She was taking breathing medicine, but has been taken off of it, she is doing so well; osteoporosis; osteoarthritis; osteopenia. Concomitant medication included hydrocodone (HYDROCODONE) taken for osteoporosis, osteoarthritis, osteopenia, start and stop date were not reported. The patient did not receive any other vaccine within 4 weeks prior to the vaccine. On unspecified date the patient experienced feeling chest pain/her chest is sore, headache/her head just starting hurting, she is scared, she used to weight 143 pounds 9 months ago, she states she is swelling up and overall body aches. On 14 Apr2021, she experienced wiping would be pink/She also states that she when she went to the bathroom, she wiped pink and it worsened and turned darker. She wiped this morning, and she thinks it stopped. She felt cramping. It started light pink, then a couple days ago it was darker. She was a walk in patient at the clinic to be checked out. She lives alone, has no companion for a sex life, she had no new medications. She went to her physician yesterday 22Apr2021, and had a pap smear and blood draws. Her MD told her to take Airborne around the time of the second vaccine. On 16Apr2021 she experienced nausea. On 22Apr2021 the patient experienced eyes had swollen, fever of 101.9°F/temperature like 101.9 degrees, a fever, chills. On 23Apr2021 the patient experienced cramping. The headache has been on and off all weekend. She felt she was dying. The worst yesterday. She read all the Covid</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>symptoms and all her symptoms point toward Covid. She feels like she has Covid from unknown date. She has chest pain and tries to ignore it, but she can't. She has to go get her pain pills because her head just starting hurting. The patient underwent lab tests and procedures which included body temperature: 101.9 degrees fahrenheit on 22Apr2021, blood test: unknown results on 22Apr2021, pap smear: unknown results on 22Apr2021, weight: 143 lbs on 9 months ago. Therapeutic measures were taken as a result of overall body aches. She took gas pain pills, allergy relief pain pills because her whole body hurt. She has been applying warm towels to her eyes to help with swelling. Outcome of fever of 101.9°F/temperature like 101.9 degrees, a fever, chills was recovered on 23Apr2021. Outcome of eyes had swollen, headache/her head just starting hurting, nausea, wiping would be pink/She also states that she when she went to the bathroom, she wiped pink and it worsened and turned darker was recovering. Outcome of feeling chest pain/her chest is sore was not recovered. Outcome of she feels like she has Covid, she is scared, cramping, he used to weight 143 pounds 9 months ago, she states she is swelling up, overall body aches were unknown.</p>
1299028	5/8/2021	NC	64	M	2/19/2021	2/24/2021	<p>Shingles around right eye; This is a spontaneous report from a contactable consumer (patient). A 64-year-old male patient received bnt162b2 (BNT162B2), dose 1 via an unspecified route of administration, administered in arm left on 19Feb2021 15:30 (Batch/Lot Number: EZ9263) as single dose for covid-19 immunisation. Medical history included hypertension, elevated cholesterol, essential tremor and penicillin allergy. Concomitant medication included propranolol, meloxicam, atorvastatin calcium and enalapril. The patient experienced shingles around right eye on 24Feb2021. Symptoms began day 4 post-COVID jab. This occurred despite SHINGRIX jabs x2 in 2018. Event resulted in physician's office visit/ urgent care. Valacyclovir and gabapentin was given as treatment. Outcome of the event was not recovered. Patient did not have covid prior to vaccination and had not been tested post-vaccination. No follow-up attempts are possible. No further information is expected.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1298960	5/8/2021	AR	71	F	1/21/2021	1/22/2021	ALL symptoms like first shot were back but much worse and came on so very quickly; 28 hours after my first shot I suddenly had developed a burning,itching, slight rash, swelling of my face, upper chest. It got very severe the next day and night. Being a Sunday could not call my do; 28 hours after my first shot I suddenly had developed a burning,itching, slight rash, swelling of my face, upper chest. It got very severe the next day and night. Being a Sunday could not call my do; 28 hours after my first shot I suddenly had developed a burning,itching, slight rash, swelling of my face, upper chest. It got very severe the next day and night. Being a Sunday could not call my do; 28 hours after my first shot I suddenly had developed a burning,itching, slight rash, swelling of my face, upper chest. It got very severe the next day and night. Being a Sunday could not call my do; 28 hours after my first shot I suddenly had developed a burning,itching, slight rash, swelling of my face, upper chest. It got very severe the next day and night. Being a Sunday could not call my do; eye lids swelled to almost closed; This is a spontaneous report from a contactable consumer (patient). A 71-year-old non-pregnant female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot number: EL3248) via an unspecified route of administration, administered in Arm Left on 21Jan2021 at 02:30 AM (at the age of 71-years-old) at a single dose for covid-19 immunisation. Medical history included High blood pressure and low thyroid. The patient had no known allergies, not till after this vaccine 1st shot. Concomitant medication patient had in two weeks included levothyroxine sodium and Lisinopril Co Q10. Patient reported that, 28 hours after my first shot on 22Jan2021 at 17:30 PM, I suddenly had developed a burning, itching, slight rash, swelling of my face, upper chest. It got very severe the next day and night. Being a Sunday could not call my doctor or know what to do. My eye lids swelled to almost closed. On Monday I went to my doctor. By then swelling was going down. He put me on Zyrtec nothing else. Told me he thought that my going to the river the day after (before swelling) that the sunny day caused my swelling. Then two weeks later 3 days before I was supposed to get 2nd shot. Late afternoon suddenly with no notice my neck started itching then eyes burning swelling by night fall all symptoms like first shot were back but much worse and came on so very



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

quickly on an unspecified date. Had not been in any direct sun in days. The adverse events resulted in Doctor or other healthcare professional office/clinic visit. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. The events were treated with Zyrtek. The patient recovered with lasting effects form all the events on an unspecified date.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1298907	5/8/2021	CA	64	M	4/19/2021	4/21/2021	<p>CN#3 palsy; left eye ptosis; double vision; This spontaneous case was reported by a physician and describes the occurrence of IIIRD NERVE PARALYSIS (CN#3 palsy) in a 64-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 19-Apr-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 21-Apr-2021, the patient experienced IIIRD NERVE PARALYSIS (CN#3 palsy) (seriousness criteria disability and medically significant), EYELID PTOSIS (left eye ptosis) and DIPLOPIA (double vision). At the time of the report, IIIRD NERVE PARALYSIS (CN#3 palsy), EYELID PTOSIS (left eye ptosis) and DIPLOPIA (double vision) had not resolved. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Concomitant product use was not provided by the reporter. The reporter is the brother of the patient and reported that there were no adverse events after the first dose of the vaccine. On an unspecified date, an ophthalmologist was consulted who confirmed the diagnosis of cranial nerve 3 palsy. Treatment information was not provided. Company Comment - Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1298892	5/8/2021	TX		F	4/10/2021		<p>She fainted, felt too much weakness; Stomach cramps; Diarrhea; Migraine pain; out of breath; cold sore; whenever close eye feel like falling down; admitted to ER because of dehydrated; body ache and pain all over the body; injection site in the left arm had big ball, big rash almost tennis ball size; pain a the injection site for a week; fever; knee got too weak; vomiting; nausea; Muscle pain; This spontaneous case was reported by a consumer and describes the occurrence of LOSS OF CONSCIOUSNESS (She fainted, felt too much weakness) in a female patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 039A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 10-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, the patient experienced LOSS OF CONSCIOUSNESS (She fainted, felt too much weakness) (seriousness criterion medically significant), ABDOMINAL PAIN UPPER (Stomach cramps), DIARRHOEA (Diarrhea), MIGRAINE (Migraine pain), DYSPNOEA (out of breath), ORAL HERPES (cold sore), DIZZINESS (whenever close eye feel like falling down), DEHYDRATION (admitted to ER because of dehydrated), PAIN (body ache and pain all over the body), VACCINATION SITE RASH (injection site in the left arm had big ball, big rash almost tennis ball size), VACCINATION SITE PAIN (pain a the injection site for a week), PYREXIA (fever), ARTHRALGIA (knee got too weak), VOMITING (vomiting), NAUSEA (nausea) and MYALGIA (Muscle pain). At the time of the report, LOSS OF CONSCIOUSNESS (She fainted, felt too much weakness), ABDOMINAL PAIN UPPER (Stomach cramps), DIARRHOEA (Diarrhea), MIGRAINE (Migraine pain), DYSPNOEA (out of breath), ORAL HERPES (cold sore), DIZZINESS (whenever close eye feel like falling down), DEHYDRATION (admitted to ER because of dehydrated), PAIN (body ache and pain all over the body), VACCINATION SITE RASH (injection site in the left arm had big ball, big rash almost tennis ball size), VACCINATION SITE PAIN (pain a the injection site for a week), PYREXIA (fever), ARTHRALGIA (knee got too weak), VOMITING (vomiting), NAUSEA (nausea) and MYALGIA (Muscle pain) outcome was unknown. The</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Concomitant product use was not provided by the reporter. The patient stated, After getting dose, she had all kind of adverse events, including stomach cramp, diarrhea, nausea, vomiting, dizziness, migraine pain , pain at the injection site for the week, out of breath, fever, cold sore, whenever she closed her eyes, she felt like falling down. She had to go to emergency department because of she was too much dehydrated, they had to give nausea medication and migraine pain medication through IV, over. She fainted, felt too much weakness, knee get too weak, when she massaged her left arm after 2 days, there was big ball ( inflamed), when she message there was huge rash size of tennis ball, body ache, pain all over muscle and body. She thought she will gonna dye but 2 days later, she was okay. Treatment for the event included nausea and migraine pain medication intravenously. Company Comment - Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1298886	5/8/2021	TX	58	F	4/14/2021	4/14/2021	both eyes were burning; both eyes were burning, hurting so bad; hurting so bad, looks like black eyes from a punch; like red flash on both eyes/eyes sensitive to light; hair feels different,does not know why or maybe it was her sense of touch; had a hard knot; swollen injection site, had a hard knot; stomach was all torn up right after the shot was given; exhausted; This spontaneous case was reported by a consumer and describes the occurrence of MUSCLE RUPTURE (stomach was all torn up right after the shot was given) in a 58-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 046B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Asthma (specially during summers.). Concomitant products included PROCATEROL HYDROCHLORIDE (PRO-AIR) and CETIRIZINE HYDROCHLORIDE (ZYTEC ALLERGY) for an unknown indication. On 14-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 14-Apr-2021, the patient experienced MUSCLE RUPTURE (stomach was all torn up right after the shot was given) (seriousness criterion medically significant) and FATIGUE (exhausted). On 15-Apr-2021, the patient experienced EYE IRRITATION (both eyes were burning), EYE PAIN (both eyes were burning, hurting so bad), CONTUSION (hurting so bad, looks like black eyes from a punch), PHOTOPHOBIA (like red flash on both eyes/eyes sensitive to light), PARAESTHESIA (hair feels different,does not know why or maybe it was her sense of touch), VACCINATION SITE INDURATION (had a hard knot) and INJECTION SITE SWELLING (swollen injection site, had a hard knot). At the time of the report, MUSCLE RUPTURE (stomach was all torn up right after the shot was given), EYE IRRITATION (both eyes were burning), EYE PAIN (both eyes were burning, hurting so bad), CONTUSION (hurting so bad, looks like black eyes from a punch), PHOTOPHOBIA (like red flash on both eyes/eyes sensitive to light), PARAESTHESIA (hair feels different,does not know why or maybe it was her sense of touch), FATIGUE (exhausted), VACCINATION SITE INDURATION (had a hard knot) and INJECTION SITE SWELLING (swollen injection site, had a hard knot) outcome was unknown. The action taken with mRNA-

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Concomitant products also include cunasal. Treatment medication were not reported/unknown. Company Comment : Based on the information provided which includes a temporal association between the use of mRNA-1273 vaccine, the onset of the reported events, a causal relationship cannot be excluded. Fatigue , injection site induration and injection site swelling are consistent with product known safety profile.; Sender's Comments: Based on the information provided which includes a temporal association between the use of mRNA-1273 vaccine, the onset of the reported events, a causal relationship cannot be excluded. Fatigue , injection site induration and injection site swelling are consistent with product known safety profile.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1298843	5/8/2021	NC	78	F	4/1/2021		NOT CLEAR VISION; SENSATION IN RIGHT SIDE OF THROAT; SENSATION ON TOP OF HEAD; DIZZY SPELLS; SORENESS UP SPINE; SORENESS IN JOINTS (HIPS, PELVIC, AND LEGS DOWN TO KNEES); This spontaneous report received from a patient concerned a 78 year old female. The patient's height, and weight were not reported. The patient's past medical history included half thyroid removed. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, and batch number: 43AZIA expiry: 21-JUN-2021) dose was not reported, administered on 10-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On APR-2021, the subject experienced soreness up spine. On APR-2021, the subject experienced soreness in joints (hips, pelvic, and legs down to knees). Treatment medications included: paracetamol. On 10-APR-2021, the subject experienced sensation in right side of throat. On 10-APR-2021, the subject experienced sensation on top of head. On 10-APR-2021, the subject experienced dizzy spells. On MAY-2021, the subject experienced not clear vision. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from sensation in right side of throat, sensation on top of head, and dizzy spells on APR-2021, and the outcome of soreness in joints (hips, pelvic, and legs down to knees), soreness up spine and not clear vision was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1298831	5/8/2021		52	F	3/1/2021		<p>FLU LIKE SYMPTOMS (CHILLS AND FELT TIRED EXHAUSTED); SORE ARM AFTER VACCINATION; This spontaneous report received from a patient concerned a 52 year old female. The patient's weight was 130 pounds, and height was 61.5 inches. The patient's past medical history included foot surgery, and pain in injection site, and concurrent conditions included rheumatoid arthritis, auto-immune hives as a reaction to heat, alcohol user, no tobacco use, bone spurs got worse, hypothyroidism, dry eyes, chronic urticaria, calcium depletion, joint pain, morton's neuroma, limping, numbness, and weak ankle. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular and batch number: 1808609 expiry: UNNKNOWN) dose was not reported, administered on 28-MAR-2021 for prophylactic vaccination. Concomitant medications included amitriptyline hydrochloride for autoimmune disorder, omalizumab for chronic urticaria, ciclosporin for dry eyes, levothyroxine sodium for hypothyroidism, liothyronine for hypothyroidism, conjugated linoleic acid/linum usitatissimum seed oil/ubidecarenone for supplement, and calcium/colecalciferol for supplement, calcium depletion, and joint pain. On MAR-2021, the subject experienced flu like symptoms (chills and felt tired exhausted). On MAR-2021, the subject experienced sore arm after vaccination. Laboratory data (dates unspecified) included: X-ray (NR: not provided) No significant findings. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from sore arm after vaccination on MAR-2021, and the outcome of flu like symptoms (chills and felt tired exhausted) was not reported. This report was non-serious.</p>



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1298820	5/8/2021			U		5/1/2021	MINOR HALLUCINATIONS; BLURRED VISION; HIGH FEVER; FEELS LIKE A BAD HANGOVER; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, 1 total administered on 30-APR-2021 at mid afternoon for prophylactic vaccination. The batch number was not reported. Per procedure, no follow-up will be requested for this case. No concomitant medications were reported. On 01-MAY-2021 around 12:00 AM, the patient woke up with a high fever of 105, blurred vision and minor hallucinations. Laboratory data included: Body temperature (NR: not provided) 105 F. Per patient it sounds bad but it was just from the high fever. On the day of report, the patient had slight fever along with which the feeling of a bad hangover. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from high fever, had not recovered from feels like a bad hangover, and the outcome of blurred vision and minor hallucinations was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210504263-COVID-19 VACCINE AD26.COV2.S - Minor Hallucinations. This event is considered unassessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1298819	5/8/2021			F	3/1/2021		<p>BLOOD IN EYE; DO NOT HAVE TOTAL VISION IN LEFT EYE; This spontaneous report received from a patient concerned a female of unspecified age. Initial information was processed along with the additional information received on 06-MAY-2021. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: unknown) dose was not reported, 1 total, administered on 05-MAR-2021 for prophylactic vaccination. Batch number was not reported. Per procedure, no follow-up would be requested for this case. No concomitant medications were reported. On 22-MAR-2021, the patient experienced blood in eye. On an unspecified date, the patient experienced losing vision in left eye and reports she has not yet got back complete vision in the eye. It was reported that, the patient would love to get compensated for all the physician visits, blood test, prescriptions, and time out of work. He also said that he knew when he signed for the vaccination that they are not responsible. He also mentioned that he would never get another shot. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from don't have total vision in left eye, and the outcome of blood in eye was not reported. This report was serious (Other Medically Important Condition).;</p> <p>Sender's Comments: V0 20210504249 -COVID-19 VACCINE AD26.COV2.S- Do not have total vision in left eye, Blood in eye. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1298817	5/8/2021	MA		F	4/14/2021		LEFT ARM NUMBNESS; LEG CRAMPING; NUMBNESS UNDER LEFT EYE; NAUSEA; CHEST PRESSURE; SEVERE HEADACHES; This spontaneous report received from a parent concerned a 43 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) frequency 1 total, dose not reported, on approximately 08-APR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. The patient was not pregnant at the time of report. Patient had the Janssen Covid-19 vaccine on approximately 08-APR-2021 and started experiencing side effects on 14-APR-2021 (six days later) which included severe headaches, nausea, left arm numbness, cramping in one leg, and chest pressure. Patient went to Emergency room several times for these symptoms and was discharged each time. Patient also had numbness under left eye and was admitted to hospital on or about 16-APR-2021 or 17-APR-2021 to rule out blood clot on MRI and was diagnosed with arachnoid granulation and released on 20-APR-2021. Patient was hospitalized for approximately 3-4 days. Patient then started with chest pressure, slight headache and leg cramping and went to Emergency room on evening of 02-MAY-2021. On an unspecified date in APR-2021, Laboratory data included: MRI(Magnetic resonance imaging) (NR: not provided) arachnoid granulation. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the chest pressure, severe headaches, left arm numbness, leg cramping, numbness under left eye and nausea was not reported. This report was serious (Hospitalization Caused / Prolonged).; Sender's Comments: V0-20210504059- Covid-19 vaccine ad26.cov2.s- left arm numbness, leg cramping, numbness under left eye. These events are considered unassessable. The events have a compatible/suggestive temporal relationship, are unlabeled, and have unknown scientific plausibility. There is no information on any other factors potentially associated with the event. 20210504059-covid-19 vaccine ad26.cov2.s –nausea. This event is labeled per RSI and is therefore considered potentially related.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1298806	5/8/2021		79	F	4/6/2021		TRANSIENT ISCHAEMIC ATTACK; BLINDNESS UNILATERAL; VISION BLURRED; COMPUTERISED TOMOGRAM HEAD; ECHOCARDIOGRAM; MAGNETIC RESONANCE IMAGING HEAD; ULTRASOUND DOPPLER; This spontaneous report received from a patient via a Regulatory Authority Vaccine Adverse Event Reporting System (VAERS) (VAER reference number 1231357) concerned a 79 year old female of unknown race and ethnicity. The patient's height, and weight were not reported. The patient's past medical history included congestive heart failure, and atrial fibrillation, and concurrent conditions included diabetes, and other pre-existing medical conditions included patient has no allergy or illness. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1802070, expiry: UNKNOWN) dose was not reported, 1 total, administered on left arm on 08-MAR-2021 for prophylactic vaccination. Concomitant medications included ergocalciferol, magnesium, and mecobalamin. On 06-APR-2021, the patient woke up with lost of vision in left eye for 4 to 5 hours. Patient went to her ophthalmologist; the sight came back but very blurry. Retina specialist had seen patient on 13-APR-2021 and diagnosed transient ischaemic attack of left eye. The patient was guided to go to ER on 13-APR-2021. On 06-APR-2021, the patient experienced blindness unilateral, vision blurred. The patient was admitted in the hospital on 13-APR-2021 and was hospitalized for 3 days. Laboratory data included: Computerized tomogram head (NR: not provided) UNKNOWN, Echocardiogram (NR: not provided) UNKNOWN, Magnetic resonance imaging head (NR: not provided) UNKNOWN, and Ultrasound Doppler (NR: not provided) UNKNOWN. Laboratory data (dates unspecified) included: Eye exam (NR: not provided) Unknown. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from blindness unilateral, transient ischaemic attack, vision blurred, computerised tomogram head, echocardiogram, magnetic resonance imaging head, and ultrasound doppler. This report was serious (Hospitalization Caused / Prolonged).; Sender's Comments: V0: 20210500771 - Covid-19 vaccine ad26.cov2.s- blindness unilateral, transient ischaemic attack, vision blurred, computerised tomogram head,

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

echocardiogram, magnetic resonance imaging head, and ultrasound doppler. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1299255	5/8/2021	AL	60	F	4/19/2021		High fever of 107.5 degree Fahrenheit; Dizziness; Nausea; Headache; Fatigue; Joint and muscle pain; Joint and muscle pain; Blurred vision; Persistent cough; My glands started hurting; My ears hurt specially on the right where the shot was given everything is the worse; Sore throat; Jaw pain; my neck under my chin is swollen and painful; my neck under my chin is swollen and painful; Abscess in my gum and swelling and blisters in my mouth; Abscess in my gum and swelling and blisters in my mouth; Abscess in my gum and swelling and blisters in my mouth; This is a spontaneous report from a contactable consumer(patient). A 60-years-old female patient received first dose of bnt162b2 (BNT162B2, solution for injection, Lot Number: EW016) via an unspecified route of administration in right arm on 19Apr2021 at 17:15 as SINGLE DOSE for covid-19 immunization. Patient was 60 years old at the time of vaccination. Medical history included rheumatoid arthritis, COPD, chronic empyema, asthma, chronic bronchitis, gastritis, irritable bowel syndrome, blood pressure high and digestive disorder, all from an unknown date and unknown if ongoing. Concomitant medications included quetiapine fumarate (SEROQUEL), POTASSIUM CHLORIDE, albuterol sulfate (ALBUTEROL), budesonide, formoterol fumarate (SYMBICORT), FLUNISOLIDE, FLUOXETINE, HYDROCHLOROTHIAZIDE, IPRATROPIN, METOPROLOL, MONTELUKAST, PANTOPRAZOLE, FAMOTIDINE and LOSARTAN, all taken on unspecified date for unknown indication. In Apr20, the patient had high fever of 107.5 degree fahrenheit, dizziness, nausea, headache, fatigue, joint and muscle pain, blurred vision, persistent cough, my glands started hurting, my ears hurt specially on the right where the shot was given everything was the worse, sore throat, jaw pain and neck pain, my neck under my chin is swollen and painful, abscess in my gum and swelling and blisters in my mouth. On unspecified date, the patient underwent lab tests and procedures which included body temperature 107.5 degree F, blood test which she does every year and she had a follow up every 6 months. Outcome of the events was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1298903	5/8/2021		76	F	4/5/2021	2/1/2021	Pain in face; Ophthalmic herpes zoster; Eye inflammation; Shingles; This spontaneous case was reported by a consumer and describes the occurrence of OPTHALMIC HERPES ZOSTER (Ophthalmic herpes zoster) in a 76-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Co-suspect product included non-company product ADALIMUMAB (HUMIRA) for Rheumatoid arthritis. No Medical History information was reported. On 05-Apr-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form and ADALIMUMAB (HUMIRA) (Subcutaneous) 1. On 02-Feb-2021, the patient experienced EYE INFLAMMATION (Eye inflammation). In February 2021, the patient experienced HERPES ZOSTER (Shingles). In April 2021, the patient experienced OPTHALMIC HERPES ZOSTER (Ophthalmic herpes zoster) (seriousness criterion medically significant). On an unknown date, the patient experienced FACIAL PAIN (Pain in face). At the time of the report, OPTHALMIC HERPES ZOSTER (Ophthalmic herpes zoster), EYE INFLAMMATION (Eye inflammation), FACIAL PAIN (Pain in face) and HERPES ZOSTER (Shingles) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Treatment included prednisone. Very limited information regarding the events has been provided at this time. Additional information regarding date of vaccination and Humira infusion, and correct onset date for the events are required for further evaluation.; Sender's Comments: Very limited information regarding the events has been provided at this time. Additional information regarding date of vaccination and Humira infusion, and correct onset date for the events are required for further evaluation.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1300247	5/8/2021	CA	61	F	4/4/2021	4/4/2021	Immediately after my J&J vaccine, I experienced soreness to my left arm, fatigue , dizziness and a bad headache. In the middle of the night my headache kept getting worse, my eyes started to hurt really bad and I also broke out in hives. About 6 hours later my headache felt like it wanted to explode. I saw a doctor through Tele-health by who prescribed a 6pk of steroids. Then on Day 6, my headaches came back along with the hives and I felt really tired and the hives broke out all over my body including my crotch and ear canal. He prescribed a 6pk of steroids and I started to feel and get better. On Day9, all of my symptoms were resolved except for the fatigue. To this day I still continue to have fatigue.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1299201	5/8/2021	FL	33	M	4/17/2021	4/18/2021	severe headaches; strong pain in my head, my left arm and left eye; strong pain in my head, my left arm and left eye; light pressure during the morning in my head not as severe as the other days; whole body turned red; bumps; itchy; nausea; stomach ache; eyes were numb; left arm was numb; rash all over his body; chills; flu symptoms; Caller (male, age 33) spoke already to someone prior to Pfizer and gave information on his experience with the Pfizer covid vaccine. "I took the first dose of the Pfizer vaccine on Saturday 17APR2021. I got a severe reaction from the Pfizer vaccine. I got the normal chills the next day and flu symptoms. From the next day to day 5 I got severe headaches, strong pain in my head, my left arm and left eye. I took Tylenol and ibuprofen within those days. The Tylenol didn't help at all, ibuprofen 200mg didn't do much. Yesterday I went to the ER because I had light pressure during the morning in my head not as severe as the other days, in the afternoon I had a tight pressure in my head so I took 2 tablets of extra strength Tylenol, the headache went away but within an hour I had a bad reaction. My whole body turned red, bumps, itchy. It was bad. It was bizarre because I've never had reaction to Tylenol prior. I never had that before yesterday. It was the first time. They gave me a shot of steroids. The doctor didn't know if it was a bad reaction to the Pfizer reaction (said it would usually occur within 4 hours of getting the vaccine) or the mix of the Tylenol and the pfizer vaccine together. He had no clue. But he had not seen a reaction of the vaccine at 5 days later. He said I could have reacted late, or the Tylenol and Pfizer vaccine together had a bad reaction. I had covid late Jan of this year. The vaccine more interaction due to that if I had immunity to it. It was so bad I don't know if it's possible to wait 2 months for the 2nd shot. I heard the first dose 80-90 percent immunity or even more. With my body I never had this reaction. Today I'm a whole lot better (day 6). I am too putting too much, should I wait 90 days other say 4 weeks. What to do about the 2nd dose? How about using antihistamines during/after my second dose? What about Tylenol or Ibuprofen?" I had a side effect after the first dose of the vaccine. Should I get the second dose? e-transmitting potential duplicate AE. Caller said he didn't give PCP information to the safety agent. He did not have. Response: Spoke from EUA PI (Revised: 06 April 2021) under Post Authorization

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

Experience Fact Sheet for Recipients and Caregivers (Revised: 06 April 2021) under section WHAT ARE THE RISKS OF THE PFIZER-BIONTECH COVID-19 VACCINE? As noted in the Fact Sheet for Recipients, you should not get the Pfizer-BioNTech COVID-19 Vaccine if you had a severe allergic reaction after a previous dose of the vaccine or if you had a severe allergic reaction to any ingredient of the vaccine. The decision to receive the second dose for any other reason cannot be made by Pfizer. We refer you to speak to your healthcare provider about the risks of the vaccine compared to the risks of potentially not being fully protected against COVID-19 infection. Your healthcare provider knows your health situation and has access to information that can better help inform this decision.

Request Name: Product: PFIZER-BIONTECH COVID-19 VACCINE Caller (male, age 33) spoke already to someone prior to Pfizer MI and gave information on his experience with the Pfizer covid vaccine. "I took the first dose of the Pfizer vaccine on Saturday 17APR2021. I got a severe reaction from the Pfizer vaccine. I got the normal chills the next day and flu symptoms. From the next day to day 5 I got severe headaches, strong pain in my head, my left arm and left eye. I took Tylenol and ibuprofen within those days. The Tylenol didn't help at all, ibuprofen 200mg didn't do much. Yesterday I went to the ER because I had light pressure during the morning in my head not as severe as the other days, in the afternoon I had a tight pressure in my head so I took 2 tablets of extra strength Tylenol, the headache went away but within an hour I had a bad reaction. My whole body turned red, bumps, itchy. It was bad. It was bizarre because I've never had reaction to Tylenol prior. I never had that before yesterday. It was the first time. They gave me a shot of steroids. The doctor didn't know if it was a bad reaction to the Pfizer reaction (said it would usually occur within 4 hours of getting the vaccine) or the mix of the Tylenol and the pfizer vaccine together. He had no clue. But he had not seen a reaction of the vaccine at 5 days later. He said I could have reacted late, or the Tylenol and Pfizer vaccine together had a bad reaction. I had covid late Jan of this year. The vaccine more interaction due to that if I had immunity to it. It was so bad I don't know if it's possible to wait 2 months for the 2nd shot. I heard the first dose 80-90 percent immunity or

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

even more. With my body I never had this reaction. Today I'm a whole lot better (day 6). I am too putting too much, should I wait 90 days other say 4 weeks. What to do about the 2nd dose? How about using antihistamines during/after my second dose? What about Tylenol or Ibuprofen?" Caller wanted to know if his reactions could be due to him having covid before and if it was safe to get the covid vaccine after having covid infection. Response: Spoke from EUA PI (Revised: 06 April 2021) CLINICAL TRIAL RESULTS AND SUPPORTING DATA FOR EUA The study excluded participants who were immunocompromised and those who had previous clinical or microbiological diagnosis of COVID-19. Spoke from attached document and emailed as requested. Request Name: Product: PFIZER-BIONTECH COVID-19 VACCINE Caller (male, age 33) spoke already to someone prior to Pfizer MI and gave information on his experience with the Pfizer covid vaccine. "I took the first dose of the Pfizer vaccine on Saturday 17APR2021. I got a severe reaction from the Pfizer vaccine. I got the normal chills the next day and flu symptoms. From the next day to day 5 I got severe headaches, strong pain in my head, my left arm and left eye. I took Tylenol and ibuprofen within those days. The Tylenol didn't help at all, ibuprofen 200mg didn't do much. Yesterday I went to the ER because I had light pressure during the morning in my head not as severe as the other days, in the afternoon I had a tight pressure in my head so I took 2 tablets of extra strength Tylenol, the headache went away but within an hour I had a bad reaction. My whole body turned red, bumps, itchy. It was bad. It was bizarre because I've never had reaction to Tylenol prior. I never had that before yesterday. It was the first time. They gave me a shot of steroids. The doctor didn't know if it was a bad reaction to the Pfizer reaction (said it would usually occur within 4 hours of getting the vaccine) or the mix of the Tylenol and the pfizer vaccine together. He had no clue. But he had not seen a reaction of the vaccine at 5 days later. He said I could have reacted late, or the Tylenol and Pfizer vaccine together had a bad reaction. I had covid late Jan of this year. The vaccine more interaction due to that if I had immunity to it. It was so bad I don't know if it's possible to wait 2 months for the 2nd shot. I heard the first dose 80-90 percent immunity or even more. With my body I never had this reaction.

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

Today I'm a whole lot better (day 6). I am too putting too much, should I wait 90 days other say 4 weeks. What to do about the 2nd dose? How about using antihistamines during/after my second dose? What about Tylenol or Ibuprofen?" Caller wanted to know about delaying his second dose; information on timing of dose 2. Response: Spoke from attached document and emailed as requested. Request Name: Caller (male, age 33) spoke already to someone prior to Pfizer MI and gave information on his experience with the Pfizer covid vaccine. "I took the first dose of the Pfizer vaccine on Saturday 17APR2021. I got a severe reaction from the Pfizer vaccine. I got the normal chills the next day and flu symptoms. From the next day to day 5 I got severe headaches, strong pain in my head, my left arm and left eye. I took Tylenol and ibuprofen within those days. The Tylenol didn't help at all, ibuprofen 200mg didn't do much. Yesterday I went to the ER because I had light pressure during the morning in my head not as severe as the other days, in the afternoon I had a tight pressure in my head so I took 2 tablets of extra strength Tylenol, the headache went away but within an hour I had a bad reaction. My whole body turned red, bumps, itchy. It was bad. It was bizarre because I've never had reaction to Tylenol prior. I never had that before yesterday. It was the first time. They gave me a shot of steroids. The doctor didn't know if it was a bad reaction to the Pfizer reaction (said it would usually occur within 4 hours of getting the vaccine) or the mix of the Tylenol and the pfizer vaccine together. He had no clue. But he had not seen a reaction of the vaccine at 5 days later. He said I could have reacted late, or the Tylenol and Pfizer vaccine together had a bad reaction. I had covid late Jan of this year. The vaccine more interaction due to that if I had immunity to it. It was so bad I don't know if it's possible to wait 2 months for the 2nd shot. I heard the first dose 80-90 percent immunity or even more. With my body I never had this reaction. Today I'm a whole lot better (day 6). I am too putting too much, should I wait 90 days other say 4 weeks. What to do about the 2nd dose? How about using antihistamines during/after my second dose? What about Tylenol or Ibuprofen?" Caller wanted to know about using Benadryl during/after the second dose. Response: Spoke from attached document and emailed as requested. Request Name: Product: PFIZER-

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

BIONTECH COVID-19 VACCINE Caller (male, age 33) spoke already to someone prior to Pfizer MI and gave information on his experience with the Pfizer covid vaccine. "I took the first dose of the Pfizer vaccine on Saturday 17APR2021. I got a severe reaction from the Pfizer vaccine. I got the normal chills the next day and flu symptoms. From the next day to day 5 I got severe headaches, strong pain in my head, my left arm and left eye. I took Tylenol and ibuprofen within those days. The Tylenol didn't help at all, ibuprofen 200mg didn't do much. Yesterday I went to the ER because I had light pressure during the morning in my head not as severe as the other days, in the afternoon I had a tight pressure in my head so I took 2 tablets of extra strength Tylenol, the headache went away but within an hour I had a bad reaction. My whole body turned red, bumps, itchy. It was bad. It was bizarre because I've never had reaction to Tylenol prior. I never had that before yesterday. It was the first time. They gave me a shot of steroids. The doctor didn't know if it was a bad reaction to the Pfizer reaction (said it would usually occur within 4 hours of getting the vaccine) or the mix of the Tylenol and the pfizer vaccine together. He had no clue. But he had not seen a reaction of the vaccine at 5 days later. He said I could have reacted late, or the Tylenol and Pfizer vaccine together had a bad reaction. I had covid late Jan of this year. The vaccine more interaction due to that if I had immunity to it. It was so bad I don't know if it's possible to wait 2 months for the 2nd shot. I heard the first dose 80-90 percent immunity or even more. With my body I never had this reaction. Today I'm a whole lot better (day 6). I am too putting too much, should I wait 90 days other say 4 weeks. What to do about the 2nd dose? How about using antihistamines during/after my second dose? What about Tylenol or Ibuprofen?" Caller wanted to know about using Tylenol or ibuprofen. Response: Due his reaction informed caller to speak with HCP or allergist regarding this. Follow-up #01 (23Apr2021): This is a follow-up spontaneous report received from a contactable reporter( patient). This male consumer (patient) reported that: Narrative case summary and further information: Patient Ethnicity: # Is the patient also the reporter? Yes Reporter type: Consumer or other non health professional Specify Consumer or other non health professional: self Dates for massive severe

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

headache: (From: Unspecified To: Unspecified) Reporter seriousness for massive severe headache: Unspecified Dates for had chills: (From: Unspecified To: Unspecified) Reporter seriousness for had chills: Unspecified Dates for nausea: (From: Unspecified To: Unspecified) Reporter seriousness for nausea: Unspecified Dates for little bit of a stomach ache and nausea: (From: Unspecified To: Unspecified) Reporter seriousness for little bit of a stomach ache and nausea: Unspecified Is Pfizer Vaccine a Pfizer product? Yes Pfizer Vaccine manufacturer: Unspecified Dates for Pfizer Vaccine: (Start: 17 Apr 2021 Stop: Unspecified) NDC number of Pfizer Vaccine: Unknown Expiry Date of Pfizer Vaccine: Unknown Why was the patient taking Pfizer Vaccine (Verbatim): just to get vaccinated for covid Other Products: No Patient History: No Investigation Assessment: No Additional Context: Caller states he is calling about the Pfizer Vaccine and has a couple of questions in his experience with this; states he had the 1st dose of the Pfizer Vaccine on 17Apr2021 and had a really severe reaction with it and basically through the next day he had normal things that are normal but the last 5 days he has had a massive severe headache and overnight had chills then his symptom was nausea and headache and everything else; states the following four days after that he had a little bit of a stomach ache and nausea which were not as bad but had a severe headache. States he had a severe body reaction on Thursday 22Apr2021 and today he is 100 percent better. HCP information: Caller declined to provide the HCP information as he does not have that with him at this time. States he took Tylenol yesterday and the whole week which is Tylenol Extra Strength 500mg and yesterday took two tablets and on the 2nd day Sunday 18Apr2021 he took about 5 tablets the whole day and the bottle has expiry date 2024 and lot ABC207. States the emergency room gave him a steroid shot he can't find the name of and has no dosage, lot number to provide. States the emergency room gave him a medication Prednisone that he is to take for the next 5 days and is required to take it this week and it is 5mg in an orange pharmacy bottle with no lot or expiry date because it is an orange pharmacy bottle. States he took Ibuprofen 200mg with expiry date Dec2022 and lot WJ02713. States the Tylenol and Ibuprofen were the two ones that

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

were recommended to take and he took them and the Tylenol and Ibuprofen gave him a severe headache and it was really really bad on the 5th day which was yesterday and the pressure from the headache he could feel and it was a slight pressure and was uncomfortable and the left side of his body and his eyes were numb and the left arm was numb; states after that the next day on the 5th day, he had a tight pressure in his head and in late afternoon the pain was starting to get tighter with a severe headache; states today is the 6th day. Caller states he took Tylenol again and a half hour later he had a severe body rash all over his body and had to go to the emergency room to get a steroid shot from it and the rash is not ongoing and he went to the ER yesterday and they have him the steroid shot at that time and a medication to take for the next 5 days which caller said is the Prednisone. States he had the really bad rash all over his body and it was really really red and itchy and he had bumps coming up so went to the emergency room and they could not tell if it was due to the Tylenol or part of the Pfizer Vaccine; states he had taken Tylenol a couple of times in 5 days and was fine and then took Tylenol yesterday and had the severe reaction. States he had been reading a lot and is really worried about taking the 2nd dose of the Pfizer vaccine and is debating on waiting two months before getting the 2nd one and his general practitioner can't find anything wrong and can't say the reported event is due to the Pfizer Vaccine; states a lot of people get a reaction in 6 days he has found in his reading; states his HCP has some patients that had reactions within 4 hours and not in 5 days after the vaccine and states he has no patient information or lot numbers for their vaccines to report. States he had covid in late January 2021 and that can react a lot with the Pfizer Vaccine and he understands that and does not know if this is actually an allergy of the vaccine in these few days of the last 7 days or if is the Tylenol reacting with the vaccine. States he realized that having had covid in late January could affect him a lot more with the vaccine. Caller states he only has the medication for Prednisone that he was given to take for the reaction from yesterday. VACCINE SUPPLEMENTAL FORM Patient Age at Time of Vaccination in Years: 33 Vaccine Lot Number: EW0162 Time the Vaccination Was Given: 10:35am Vaccine Lot Expire Date: unknown Anatomical

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

Location of Administration of Pfizer vaccine considered as suspect: left arm History of all previous immunization with the Pfizer vaccine considered as suspect: This was the 1st dose of the Pfizer vaccine administered on 17Apr2021. Additional Vaccines Administered on Same Date of the Pfizer Suspect: None Did any AE(s) require a visit to ER or MD office?: Yes, emergency room but not the HCP office. If the patient was hospitalized, how many days was the hospital stay?: n/a Prior Vaccinations (within 4 weeks): None Patient's Medical History: see additional context Family Medical History Relevant to AE(s): None Relevant Tests: None PSCC Communication: PC filed. Caller was provided with the report reference number, contact information and hours of operation for Covid Line, # option #3, Monday to Friday 8:00am to 8:00pm EST and Saturday and Sunday 9:00am to 3:00pm EST; caller was placed on hold; due to larger than normal call volumes, the caller agreed to be placed into the queue for the next available agent. Is there a Product Complaint: Yes Description of Product Complaint: Description of complaint: Vaccine Supplemental Form completed in additional context. Caller states he is calling about the Pfizer Vaccine; states he had the 1st dose of the Pfizer Vaccine and had a really severe reaction with it; States he realized that having had covid in late January could affect him a lot more with the vaccine. States he had covid in late January 2021 and that can react a lot with the Pfizer Vaccine and he understands that and does not know if this is actually an allergy of the vaccine in these few days of the last 7 days or if is the Tylenol reacting with the vaccine. States the Tylenol and Ibuprofen were the two ones that were recommended to take and he took them and the Tylenol and Ibuprofen gave him a severe headache and it was really really bad on the 5th day which was yesterday and the pressure from the headache he could feel and it was a slight pressure and was uncomfortable and the left side of his body and his eyes were numb and the left arm was numb; states after that the next day on the 5th day, he had a tight pressure in his head and in late afternoon the pain was starting to get tighter with a severe headache. States he took Tylenol yesterday and the whole week which is Tylenol Extra Strength 500mg and yesterday took two tablets and on the 2nd day Sunday 18Apr2021 he took about 5



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

tablets the whole day and the bottle has expiry date 2024 and lot ABC207. States he took Ibuprofen 200mg with expiry date Dec2022 and lot WJ02713. No follow-up attempts are needed; information about lot/batch number cannot be obtained. This is a spontaneous report from a contactable consumer or other non hcp. A male patient of an unspecified age received bnt162b2 (BNT162B2), dose 1 via an unspecified route of administration, administered in Arm Left on 17Apr2021 10:35 (Batch/Lot Number: EW0162) as SINGLE DOSE for covid-19 immunisation . The patient medical history was not reported. Concomitant medication(s) included paracetamol (TYLENOL) taken for an unspecified indication, start and stop date were not reported. The patient experienced chills (chills) (medically significant) on 18Apr2021 with outcome of unknown , flu symptoms (influenza) (medically significant) on 18Apr2021 with outcome of unknown , severe headaches (headache) (medically significant) on an unspecified date with outcome of unknown , strong pain in my head, my left arm and left eye (pain in extremity) (medically significant) on an unspecified date with outcome of unknown , strong pain in my head, my left arm and left eye (eye pain) (medically significant) on an unspecified date with outcome of unknown , light pressure during the morning in my head not as severe as the other days (head discomfort) (medically significant) on an unspecified date with outcome of unknown , whole body turned red (erythema) (medically significant) on an unspecified date with outcome of unknown , bumps (swelling) (medically significant) on an unspecified date with outcome of unknown , itchy (pruritus) (medically significant) on an unspecified date with outcome of unknown , nausea (nausea) (medically significant) on an unspecified date with outcome of unknown , stomach ache (abdominal pain upper) (medically significant) on an unspecified date with outcome of unknown , eyes were numb (hypoesthesia eye) (medically significant) on an unspecified date with outcome of unknown , left arm was numb (hypoesthesia) (medically significant) on an unspecified date with outcome of unknown , rash all over his body (rash) (medically significant) on an unspecified date with outcome of unknown. The patient underwent lab tests and procedures which included sars-cov-2 test: positive on Jan2021 . The action taken in response to

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

the event(s) for bnt162b2 was not applicable. This is a spontaneous report from a contactable consumer or other non hcp. A male patient of an unspecified age received bnt162b2 (BNT162B2), dose 1 via an unspecified route of administration, administered in Arm Left on 17Apr2021 10:35 (Batch/Lot Number: EW0162) as SINGLE DOSE for covid-19 immunisation . The patient medical history was not reported. Concomitant medication(s) included paracetamol (TYLENOL) taken for an unspecified indication, start and stop date were not reported. The patient experienced chills (chills) (medically significant) on 18Apr2021 with outcome of unknown , flu symptoms (influenza) (medically significant) on 18Apr2021 with outcome of unknown , severe headaches (headache) (medically significant) on an unspecified date with outcome of unknown , strong pain in my head, my left arm and left eye (pain in extremity) (medically significant) on an unspecified date with outcome of unknown , strong pain in my head, my left arm and left eye (eye pain) (medically significant) on an unspecified date with outcome of unknown , light pressure during the morning in my head not as severe as the other days (head discomfort) (medically significant) on an unspecified date with outcome of unknown , whole body turned red (erythema) (medically significant) on an unspecified date with outcome of unknown , bumps (swelling) (medically significant) on an unspecified date with outcome of unknown , itchy (pruritus) (medically significant) on an unspecified date with outcome of unknown , nausea (nausea) (medically significant) on an unspecified date with outcome of unknown , stomach ache (abdominal pain upper) (medically significant) on an unspecified date with outcome of unknown , eyes were numb (hypoesthesia eye) (medically significant) on an unspecified date with outcome of unknown , left arm was numb (hypoesthesia) (medically significant) on an unspecified date with outcome of unknown , rash all over his body (rash) (medically significant) on an unspecified date with outcome of unknown. The patient underwent lab tests and procedures which included sars-cov-2 test: positive on Jan2021 . The action taken in response to the event(s) for bnt162b2 was not applicable.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1300460	5/8/2021		64	F	3/30/2021	4/16/2021	This 64 year old white female received the Pfizer Covid shot on 3/30/21 and went to the ED on 4/16/21 and was admitted on 4/17/21 with the following diagnoses listed below. I63.9 - Acute CVA (cerebrovascular accident) BLURRED VISION SPEECH PROBLEM
1300419	5/8/2021	CA	64	F	12/23/2020	12/23/2020	This is my 7th report to VAERS and my number is 908013. I developed burning and numbness in my face and tongue as well as presyncope and high bp spike of 180/126, 30 minutes after receiving the Pfizer covid vaccine. I became severely ill after and have had persistent severe paresthesias in my face and scalp, tongue, limbs and tight constricting band around chest as well as fatigue, tremors, fasciculations, internal vibrations, dizziness, blurred vision and headaches for 19 weeks. I have seen many physicians and have been very ill. My case was presented to the CDC grand rounds and I have been evaluated by neurologists. I am on many meds and my severe agonizing paresthesia pain is better controlled now. I have been severely debilitated now for 19 weeks.
1300411	5/8/2021	WI	59	M	4/22/2021	5/2/2021	stroke on 5/2 8:45 am hospitalized 5 days no physiologiical explanation. 3/4 of right cerebellum is dead. at onset nausea vomiting vision loss, loss of balance and coordination BP bottomed out low heartrate while sleepiing
1300403	5/8/2021	VA	74	F	4/12/2021	4/12/2021	Headaches in eyes and head, extreme sensitivity to light non-stop!!! since April 12, PM until today May 8th. Just starting to diminish a little bit.
1300331	5/8/2021	FL	29	F	5/8/2021	5/8/2021	After about 10 mins patient was limp sweaty and eyes rolled back, after few minutes she fully came back stated she was fine
1299978	5/8/2021	TN	46	M	5/3/2021	5/5/2021	Chest pains started on 5/5/21 around 4pm and worsened through 9pm. The next morning chest pains continued to the point where I went to the Emergency Room. There, a cardio ultrasound, blood work and a cardio catheter were performed. Tests for all respiratory viruses all came back negative. I was taken to the Critical Care Unit and remained under supervision overnight and through the morning 5/7/201, when I was discharged. I was diagnosed with Myocarditis and Pericarditis.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1299771	5/8/2021	MN	36	F	5/6/2021	5/7/2021	about 19 hours after the vaccine was received, I saw floaters in my eyes so badly that my vision was reduced by more than 50% (it happens frequently where I see floaters, but never even remotely this bad). Became very disoriented & confused, had trouble processing things, had trouble talking, felt dizzy for about 30 minutes. After 30 minutes, it slowly diminished and I felt more myself within an hour. (although still had the typical affects from the vaccine: bad nausea & fatigue, slight fever & aches).
1299734	5/8/2021	MN	63	M	3/29/2021	4/17/2021	While this first vaccine gave no side effects other than a slightly sore arm, 17 days later on 4-17-2021 I suffered a TIA (Transient Ischemic Attack). That occurred at 5:15 pm and I immediately took 4-81 mg aspirin and headed for a nearby Emergency Room. They said it was a stroke (and it did show on an MRI the next day but sub-centimeter and I was told the size of a pinhead. AT the ER the double vision in my left eye and numbness in left lips, gum and tongue were already subsiding, but the DR there gave me a Plavix and within 5 minutes I was completely back to normal (or close). I am not sure IF that first dose of vaccine had anything to do with this TIA, but it might have? I had also stopped taking my 81mg aspirin several days before this TIA as I had a Periodontal appointment for insertion of an implant post and wanted to control the possible bleeding. The thoughts of my Doctor at Hospital as well as the Neurologists was that the omission of the aspirin PROBABLY was the main cause of the temporary clotting that caused this event HOWEVER I did not tell them that I was 17 days post-Covid Pfizer vax #1 and so the possibility remains that the vaccine could have been partially the cause of this event? As listed previously, Dr at Hospital was my Doctor and might shed some light on this and her thoughts. I felt it was important enough to report as I have heard stories of all of the vaccines possibly causing some clotting and this might fit.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1299543	5/8/2021	MO	36	M	5/7/2021	5/7/2021	Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Additional Details: Patient warned pharmacist he passes out often after vaccines or blood draws. Within 1 minute after vaccine, patient started to sweat and lean forward off of bench he was sitting on. Pharmacist helped patient sit back at first but then decided to lay the patient down on the patient after it was clear patient was about to faint. Patient fainted for about 10-20 seconds then abruptly opened eyes and quickly acknowledged that he had fainting and sat up. Patient was given water and left in 40 minutes
1299540	5/8/2021	VA	57	M	5/7/2021	5/7/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Medium, Additional Details: 3 minutes post vaccination patient was pale, experiencing diaphoresis, felt funny. Immediately he drank apple juice and right after still felt like he was going to faint. As he was sitting upright in chair talking his eyes rolled back in his head and he became unresponsive. I had him lie down and propped up his feet. Called 911 and took his blood pressure. He regained consciousness but was still not coherent. He attempted to sit in chair again and immediately felt like he was going to pass out
1299537	5/8/2021	NH	81	F	4/23/2021	4/29/2021	6 days following vaccine patient had blurred vision and collapsed; refused transport to hospital from EMS; 10 days after vaccine, patient suffered what was deemed to be a TIA but actually found to be an ischemic stroke. Was speaking and was to be released to at home rehab; 1.5 days later suffered what appeared to be a stroke but brain MRI showed no change. She now has C3 nerve involvement not related to the stroke and, speech and movement issues. Cause undetermined.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1299287	5/8/2021		23	F	4/21/2021	4/22/2021	I got super nauseous.; I really wasn't feeling well; Then I got super hot and sweaty; Then I got super hot and sweaty; I passed out.; I had a fever of up to 103.5; This is a spontaneous report from a contactable consumer (patient). A 23-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), via an unspecified route of administration, administered in right arm on 21Apr2021 08:45 (Batch/Lot number was not reported) (at the age of 23 years old) as single dose for COVID-19 immunization. The patient medical history was not reported. The patient was not pregnant at the time of vaccination. Concomitant medication included ibuprofen. The patient previously took sepra and experienced allergies (known allergies); and first dose of BNT162B2 on 31Mar2021 08:45 at right arm for COVID-19 immunization. No other vaccine in four weeks. On 22Apr2021, the patient had a fever of up to 103.5 and was down to around 102 by the time of the incident (around 4:00). The patient woke up and was standing for about 3 minutes to refill water when she got super nauseous. She was making her way to the bathroom to throw up, and the next thing she knew she was on the floor. The patient was not sure how long she was passed out for though she had no reason to believe it was long. She tried to sit up, but she really wasn't feeling well, so she laid back down and closed her eyes for a bit. Then she got super hot and sweaty. Once that passed (maybe a few more minutes), she was able to check her temperature and she was down to around 101 and was able to get back to bed. No treatment for the events. No COVID prior vaccination. The patient had not been COVID tested post vaccination. The outcome of the events was recovered in Apr2021. Information about Batch/Lot number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1300366	5/8/2021	CA	18	F	4/28/2021	4/28/2021	Patient received the 2nd dose of the Pfizer COVID-19 Vaccine in her left arm on 4/28 at 12pm. At 9pm that even she developed symptoms of heaviness, weakness, numbness, tingling and intermittent pain from her left upper arm to her left hand and fingers. She had fever for 2 days. The symptoms resolved after 48 hours. She started having the same symptoms in her left upper arm to her fingers yesterday. She started to have right lower leg pain, numbness and tingling yesterday. She has had no chest, pain, cough, SOB, headaches, blurred vision, dizziness or fever. She has no neck or back pain. She has no rash or bruising. She received the first Pfizer Vaccine on 4/7/21.
1299525	5/8/2021	ND	18	F	5/7/2021	5/7/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Visual Changes/Disturbances-Mild, Additional Details: within ~ 5 minutes of dose administration, patient's mother got our attention that the patient was having a reaction. Patient was pale and lightheaded/dizzy and complained of blurred vision severe enough that she could not see my hand in front of her face. Patient remained concious. Pt was instructed to place their head within their lap and remain in the chair and was given a cold water to sip. within ~ 10min the vision changes returned to normal, & the lightheadedness subsided after 15 min.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1299259	5/8/2021	NH	74	F	3/17/2021	3/1/2021	Shingles on face; I could get acne breakout with that/it is gonna around the eyes was only the eyelid and it was on region on my eyelid; it started down my forehead and blistered.; top of my scalp near the crown there is little tenderness still. It was really tender.; She touched my hair and I didn't jump out if my skin but it hurts.; This is a spontaneous report for herself. A 74-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), dose 1 via an unspecified route of administration on 17Mar2021 (Batch/Lot Number: Unknown) as 1ST DOSE, SINGLE for covid-19 immunisation. Medical history included pulmonary hypertension from an unknown date, arthritis from an unknown date, and rosacea from an unknown date. Concomitant medications included atenolol taken for an unspecified indication, start and stop date were not reported; enalapril maleate (LOTRIAL [ENALAPRIL MALEATE]) taken for an unspecified indication, start and stop date were not reported; guanidine taken for an unspecified indication, start and stop date were not reported; levothyroxine sodium (SYNTHROID) taken for hypothyroidism, start and stop date were not reported, and other vitamins over the counter start and stop date were not reported. The patient experienced shingles on face; I could get acne breakout with that/it is gonna around the eyes was only the eyelid and it was on region on my eyelid on Mar2021 with outcome of unknown, it started down her forehead and blistered on Mar2021 with outcome of unknown, top of her scalp near the crown there is little tenderness still. it was really tender on Mar2021 with outcome of unknown, and she touched her hair and she didn't jump out if her skin but it hurts on Mar2021 with outcome of unknown. As treatment, the patient received valacyclovir, that is for 7 days, 1000mg Once a day. The lot number for the vaccine, BNT162B2, was not provided and will be requested during follow up.; Sender's Comments: Based on the available information the reported events more likely represent intercurrent medical conditions which were unlikely related to BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE). The case will be reevaluated should additional information become available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of procedures for safety evaluation, including the review and analysis of aggregate data for



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

1299273	5/8/2021			U			
---------	----------	--	--	---	--	--	--

adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Investigators, as appropriate.

This is a spontaneous report from a contactable consumer (patient). A patient of unspecified age and gender received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration on an unspecified date (Batch/Lot number was not reported) as a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. Patient had the first shot of the Pfizer vaccine and after three days, patient developed a very bad eye infection and got pus, bleeding out of the eyes. Also, in the last 24 hours, it has started turning in, patient thought he/she was getting an upper respiratory infection. Patient got this vaccine on Friday and by Monday, patient started noticing swelling in right eye and then it got worse and worse until patient finally ran down to the doctor on Tuesday because had a yellow pus leaking all out of the eyes. The doctor said that he/she have some kind of viral or bacterial conjunctivitis and got infected so he wanted patient to be on antibiotic (treatment) and started that. Outcome of the events was unknown. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1299214	5/8/2021	NY	60	M	4/1/2021	4/4/2021	Bell's Palsey; This is a spontaneous report from a contactable consumer, the patient. A 60-year-old male patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot: ER8734) in the left arm on 01Apr2021 at 13:00 (at the age of 60-years-old) as a single dose for COVID-19 immunization. Medical history was none. The patient had no known allergies. The patient was not diagnosed with COVID-19 prior to vaccination. Concomitant medications included loratadine (CLARITIN) and fexofenadine hydrochloride (ALLEGRA). The patient previous received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot number: EN6204) on 11Mar2021 at 14:00 (at the age of 60-years-old) in the left arm for COVID-19 immunization. There were no other vaccinations within 4 weeks of the vaccine. On 04Apr2021 at 12:00 (reported as 3 days after the second vaccination), the patient experienced Bell's Palsy and it was difficult to close the left eye and move the left side of his mouth. The patient visited a doctor or other healthcare professional because of this event. It was unknown if the patient received treatment for the event. Since the vaccination, the patient was tested for COVID-19 via a molecular nasal swab on 15Apr2021 with negative results. The clinical outcome of Bell's Palsy was not resolved.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1299288	5/8/2021	TX	63	M	4/14/2021	4/15/2021	<p>passed out; no energy; Tired/exhausted; Blurred vision; This is a spontaneous report from a contactable consumer (patient). A 63-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), dose 2 via an unspecified route of administration, administered in Arm Right on 14Apr2021 09:00 (Lot Number: RW0150) as SINGLE DOSE for COVID-19 immunization. The patient previously took BNT162B2 (lot number: EN6207) dose 1 in the right arm on 24Mar2021 for COVID-19 immunization. Medical history included ongoing hormones are low. Concomitant medications included levothyroxine sodium (SYNTHROID) taken for hormone from an unspecified start date and ongoing; hydrocortisone taken for hormone from an unspecified start date and ongoing. The patient took the second dose of the COVID-19 vaccine, the next day he was tired on 15Apr2021. The patient had never been tired in his life like that. The patient was completely passed out. His wife wanted to call an ambulance and the caller told her no ambulance please. He knew the tiredness would eventually go away. The patient had no energy, zero, for 4 days or so. He has blurred vision for some reason on 15Apr2021. He thinks that the vaccine was no good. The patient has never had blurred vision before that that he is still experiencing some blurred vision. The blurred vision is what concerns him. His vision is not right and his side effects were severe. The tired disappeared, but the blurred vision is still there at time of call on 23Apr2021. The patient was wearing his reading glasses but that something has happened with his vision. He had 20/20 vision and now something is not right. The patient was exhausted, passing out, and not polite. The patient has to go to the doctor for the doctor to check his eyes. The outcome of tired was recovering. The outcome of the event blurred vision was not recovered and the outcome of the rest of the events was unknown.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1299300	5/8/2021	FL		M	4/15/2021		His eyes didn't look good and could not see after his first dose.; His eyes didn't look good and could not see after his first dose.; This is a spontaneous report from a Pfizer-sponsored program received from a contactable consumer (patient's wife) reported for a male patient (reporter's husband). A male patient of an unspecified age received first dose of BNT162B2 (BNT162B2), via an unspecified route of administration on 15Apr2021 (Batch/Lot number was not reported) as SINGLE DOSE for covid-19 immunization. The patient's medical history and concomitant medications were not reported. The patient experienced his eyes didn't look good and could not see after his first dose. Outcome of the events was unknown. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1299310	5/8/2021	NC	57	F	4/1/2021	4/1/2021	Getting severe vertigo; diagnosed with vertigo; started to feel very ill/Just doesn't feel too good; Had stroke like symptoms, but didn't have a stroke, had vertigo; Having a little bit of nausea and a little bit of weakness; Having a little bit of nausea and a little bit of weakness; This is a spontaneous report from a contactable consumer. A 57-year-old female patient received bnt162b2 (BNT162B2), dose 1 via an unspecified route of administration, administered in Arm Left on 01Apr2021 10:45 (Batch/Lot Number: EW0150; Expiration Date: Jul2021) as a single dose (at the age of 57 years) for covid-19 immunization. The patient's medical history included diabetic, high blood pressure (diagnosed with this 5 years or more ago, caller was not sure). The patient's concomitant medications were not reported. The patient was previously given flu shot (tries to stay up on taking flu shot. Tries to stay up on them as much as caller can, tries to get every year as long as didn't catch flu, as long as not some reason not to receive the shot), pneumonia shot in 2019 and arm was sore. The patient experienced getting severe vertigo; diagnosed with vertigo, started to feel very ill, and had stroke like symptoms, but didn't have a stroke on 01Apr2021. It was further reported that patient got severe vertigo and it was like if she took her shot it was like 30 minutes after the shot. Patient was still having vertigo side effects. She went to the hospital, was in hospital from 02Apr2021 to 03Apr2021 and they diagnosed her with vertigo and they done tests and all her tests came back normal. Patient was trying to find out if she should I take the second Pfizer shot. It was also reported that later on that day patient called paramedics and was hospitalized for two days. Patient had stroke like symptoms, but didn't have a stroke, had vertigo. Patient had stroke like symptoms, but didn't have a stroke, had vertigo. Wasn't sure if first dose Pfizer Covid Vaccine had anything to do with it, but could have dislodged something in caller's ear that led the vertigo on. Had to go see another specialist, eye ear, throat doctor and test came back fine with this doctor. The patient told the specialist she didn't feel comfortable just going to site where caller received first dose Pfizer Covid Vaccine, patient was more comfortable with hospital setting. The specialist told caller she probably needed to talk to someone that had something to do with the Pfizer Covid Vaccine. Caller was waiting on a call back from her

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

Primary Care Doctor. Patient was supposed to have second dose Pfizer Covid Vaccine on 29Apr2021, next week, patient canceled the appointment due to trying to find out more information. It was mentioned that the patient was 75% back to the way usually feels. Having a little bit of nausea and a little bit of weakness. Patient does not have spinning of the room, dizzy and all of that like it was. Just doesn't feel too good. On an unknown date, the patient was having a little bit of nausea and a little bit of weakness. The patient was hospitalized for getting severe vertigo; diagnosed with vertigo, started to feel very ill and had stroke like symptoms, but didn't have a stroke, had vertigo from 02Apr2021 to 03Apr2021. The outcome of the events severe vertigo; diagnosed with vertigo, started to feel very ill, and had stroke like symptoms, but didn't have a stroke was recovering and unknown outcome for the remaining events.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1299324	5/8/2021	CA	59	F	3/25/2021	4/15/2021	<p>An awful rash described as "a wild wild rash on my chest, bright red itchy angry"/Rash on mostly upper left part of back and right hand; itchy hurting mess//Every rash is painful and itching/ Rash is very itchy/ rash is a scratchy, hurty mess; itchy hurting mess/ Every rash is painful and itching/very painful/hurty mess; Tired and sleepy; Tired and sleepy; This is spontaneous report from contactable consumer (patient herself) via a medical information team. A 59-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Formulation: Solution for injection), via an unspecified route of administration on 15Apr2021 at 12:10 (at the age of 59-year-old) as a single dose for COVID-19 immunisation. The patient's medical history included fibromyalgia from an unspecified date in 2012, lupus psoriasis from an unspecified date in 2010, allergies, compromised immune status, genetic /chromosomal abnormalities, respiratory illness, endocrine abnormalities, diabetes from an unspecified date in 2015, chronic fatigue (chronic fatigue syndrome) from an unspecified date in 2012, obesity, psoriasis from an unspecified date in 2010, migraine, anxiety, and depression from an unspecified date in 1965. Concomitant medications included atenolol (Strength: 50 mg) from an unspecified date in 1988 at 50 mg, daily for migraine. The patient previously received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Formulation: Solution for injection), in left arm on 25Mar2021 (at the age of 59-year-old, Lot number: ER2613) as a single dose for COVID-19 immunisation and experienced left arm soreness and slept for 3 days on 25Mar2021. It was reported that the patient received first dose in left arm up very high in the muscle. The family history included glaucoma, anxiety, and depression from an unspecified date in 1965, diabetes from an unspecified date in 2015, heart disease. Prior vaccinations (within 4 weeks) was none. The patient did not develop adverse events prior vaccinations. Additional vaccines administered on same date of the Pfizer suspect was none. Caller was a consumer, enquired asking what she was supposed to do with this rash. Caller reports that she received her second vaccine dose on 15Apr2021 and 4 hours after getting her vaccination she became an "itchy hurting mess" on 19Apr2021. Her first vaccine dose was reportedly 3 weeks prior to her</p>

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

second. She reports that she was experiencing an awful rash described as "a wild rash on my chest, bright red itchy angry" on 19Apr2021. Caller reports that she has seen her healthcare professional twice her Dermatologist three times and her Psychiatrist twice with no improvement or guidance. Caller states "Pfizer was the one who made it they should know what do to about the side effects". Caller reports that she has tried numerous over the counter products and medicines to help with her rash, but nothing has helped. Caller reports that she has asked her doctor to give her a cortisone shot and was refused because it may interfere with the vaccine. Caller became audibly upset asking loudly, "what am I supposed to do?!" and "what happens to me" reporting that people get the shot, and they are "thrown to the wind" and no one knows what to do for me. Caller asks, "How many people total have had adverse reactions after getting the vaccine." During this call, caller threatened to go to the News and then stated, "I don't know what to do I may have to kill myself". Caller made no additional statements of harm to herself and no need to direct to suicide hotline was necessary. Caller was a consumer, asking "how do I get help to pay for the medicines I have had to use after getting the vaccine." Caller was a consumer, asking "what would be a contraindication to getting the vaccine." Caller was a consumer, asking, "did you have anyone with autoimmune problems get the vaccine". Caller reports that she has fibromyalgia, lupus Psoriasis and says, I have an autoimmune disease, I am not immunosuppressed. Received call from consumer regarding the Pfizer COVID vaccine. She has reported adverse events. There was no prescriber. The doctor's on site need more training. She should have never been allowed to have the vaccine. She had a swollen left eye and a rash around left eye when she went in and the doctor said it was ok. She wanted to know if there was any directive on who should not get the vaccine. Small rash around left eye started to spread. The rash was there before. It was hard to comb out what happened when. Rash was very itchy and very painful. Nobody knows what it was. She has been to 6 doctors. This was the second dose that she started having the issues with the rash. She later stated she had arm pain and slept for 3 days after the first dose. She has a growth that was there previous on the upper left arm and during the



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

second injection, she thinks it was given a little higher in the shoulder, closer to where that growth was. She was not sure that one was given in the muscle. The Effexor was increased at first due to titration up to full capacity or dose. Then titration down because of side effects and then titration down due to rash. She stated it was the same rash that we are talking about. It was in a pharmacy vial with no lot or expiration. If she ever had a regular vial it was thrown away. There were different bottles with different doses and different lots and expirations. She no longer has any of the bottles to provide a lot or expiration. She has the 150mg, count size was 90 tablets. This was the one she was taking when she was taking the shot. It was in a Pharmacy vial. Her current dose was 75 mg once daily. That was in a pharmacy vial with no lot or expiration. She has pictures of the rash and it is bright red and very angry. They did a biopsy of chest on 27Apr2021, and the results are not back yet. She went to dermatologist for the third time on 27Apr2021. For the first one, she only slept for 3 days and only had arm pain. She later stated she might have slept for 3,4 or 5 days, she does not remember. ER or physician's office required. Physician visits 16Apr2021, saw a dermatologist at withheld Dermatology, that she doesn't remember his name. He was a 50-year-old male doctor. Creams, ointments and later stated Hydrocortisone 1%. She has a bag full of creams and ointments. and was lucky she remembers what goes on what parts. Some do not go on face or near eye. This was the only one that went near her eye. Then on 20Apr2021, she saw Dr. at the same group with the same address and phone as last one. She does not remember what was given when. Maybe 2.5% cream was given then, but then said no, that was not during that visit. She does not remember when was given what. They just keep having her buy more lotion and buy more stuff. They have helped a little bit. Something inside of her body was causing it. The rash just keeps getting worse and they are a band aid, and nothing was getting rid of it. She does not wish to provide the names of those creams and ointments and did not wish to provide dose, lot, or expiration for any. She said they are not the issue. She then saw the same 50-year-old bald male, not Dr. the other guy, on 27Apr2021, she got a biopsy on her chest and does not have results. He prescribed a new

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

cream. She also saw Dr., primary care physician, 27Apr2021. She said she believes it was because of the vaccine but she did not want to give cortisone or prednisone because it might negate the vaccine. She directly faults Pfizer with her doctor not knowing what they could and could not use. She saw Dr. Psychiatrist, on 27Apr2021. She had already lowered her Effexor by phone. No additional treatment during that visit. She lowered the dosage on 22Apr2021 from 150 mg to 75 mg now. That doctor said she does not know if it was from the Effexor or the shot. The dermatologist does not know if it was from Psoriasis or the vaccine because the rash got worse in sun. Usually psoriasis gets better in the sun. Caller states she has done three reports so far and no one can help her. Says every idea they give her was one she has already done or can't do. States nobody knows why she has this rash, nor do they know what to do. She has been sleeping all day, every day, since 15Apr2021. She has lost 2 weeks of her life. She also wanted to know if Pfizer recommends giving the vaccine with autoimmune problems. She has not read anything about that. She lastly stated that the rash started in her upper arm and was now spreading to her lower right arm. This started 2 days ago (25Apr2021). Was there any clearing house for people with problems. She read there are like 400 people who have problems after the four hours. They did not count her and there are a probably a million other people. There was no specific information on those 400 people, and it was just a report. She did not have any further details to provide. Call handler asks caller if she was wanting to do a follow up report from the one this morning and if she has any new symptoms. The caller states that her rash has gotten worse. She states it was better in the morning, worse at night, better in the morning, worse at night. States her rash was a scratchy, hurty mess. She wants to know what to do about her rash. Caller says that the doctor won't give her steroid medications for the rash because she had the vaccine recently. Caller goes on about how she needs to speak with the people who developed the vaccine. States how can Pfizer just be out there telling everyone to get the vaccine, get the vaccine, get the vaccine; but then could not help them when they have a reaction. Caller randomly says that she has read about shingles after the vaccine. States why do they put polyethylene glycol in

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

things if they know some people are allergic? Caller did not specify that this was in the vaccine, she just stated it as things. Call handler asks caller if she was allergic to polyethylene glycol? Caller yells she doesn't know. States her rash itches and hurts and was driving her nuts. Again says better in the morning, worse at night, better in the morning, worse at night. The patient was tired and sleepy on 15Apr2021. No investigation assessment. The patient underwent lab test and procedure which included biopsy: Results are not back yet on 27Apr2021. The outcome of the events tired and sleepy was not recovered, recovering for the event rash, itchy and unknown for the other event. Description of Product Complaint: Description of complaint: Unspecified creams and ointments that were prescribed that are not helping her rash get any better. They just keep having her buy more lotion and buy more stuff. They have helped a little bit. Something inside of her body was causing it. The rash just keeps getting worse and they are a band aid, and nothing was getting rid of it. She has a bag full of them and did not wish to provide the names, manufacturer's, doses, lots, or expirations. She only stated name of Hydrocortisone 1%. She later stated one was changed to 2.5% but did not wish to provide details about which one. She did not wish to provide lot or expiration for any of them. Product strength and count size dispensed: Unknown. Additional lot numbers: None was a sample of the product available to be returned. Follow-up attempts are completed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1299327	5/8/2021	CT	75	F	2/18/2021	3/29/2021	rash on her scalp; flat macular rash; on her scalp the vesicles were breaking out basically; Pain in her throat one side, injection on the right side, just in the right peritonsillar fossa; very foggy; trouble sleeping; numbness; paresthesia; Shingles; Rash around her eye; Sore throat; Earache; This is a spontaneous report from a patient. A 75-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration, administered in Arm Left on 18Feb2021 (Batch/Lot Number: EN6201) as a single dose (at the age of 75 years) for covid-19 immunization. The patient's medical history included lung Cancer from Aug2010 to Oct2010 (lung cancer survivor and had 35 days of treatments, 20Sep2010 was her last day of treatment. She says the end date for this condition was mid Oct2010, she has inoperable lung scarring, it's not COPD, more like a seasonal allergy, when she runs into an URI they up the prednisone to stop the spasms. She clarifies that URI stands for upper respiratory infection; ongoing sleep obstructive sleep apnea (patient uses a CPAP. She says she has had this condition prior to 2010, since the early 2000's), polymyalgia rheumatica from 2019 and ongoing,ongoing hypothyroidism (had this condition for 30 years probably) , hypertension from Feb2021 and ongoing; gastrooesophageal reflux disease (since the 1990's), chemotherapy and radiation (chemotherapy and radiation 10 years ago), postmenopausal and inoperable lung scarring from an unknown date and unknown if ongoing. Concomitant medication included prednisone (PREDNISONE) taken for polymyalgia rheumatica from; budesonide, formoterol fumarate (SYMBICORT) taken for lung neoplasm malignant; salbutamol sulfate (ALBUTEROL [SALBUTAMOL SULFATE]) taken for lung neoplasm malignant; omeprazole (PROTONIX [OMEPRAZOLE]) taken for gastrooesophageal reflux disease; levothyroxine sodium (SYNTHROID) taken for hypothyroidism from an unspecified start date and ongoing; calcium carbonate, vitamin d nos (CALCIUM + VIT D) taken for postmenopause from an unspecified start date and ongoing; ascorbic acid (VIT C) taken for postmenopause; hydrochlorothiazide (HYDRODIURIL) taken for hypertension from Feb2021 to an unspecified stop date. The patient received the first dose of BNT162B2 (lot:EL9262) in the left arm on 21Jan2021 at

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

the age of 75 years for Covid-19 immunization. The patient experienced shingles, rash around her eye, sore throat, earache on 29Mar2021; numbness, paresthesia and trouble sleeping on 31Mar2021; very foggy on 03Apr2021; very foggy was reported as worsened/ trouble sleeping was reported as worsened, rash on her scalp, flat macular rash, on her scalp the vesicles were breaking out basically, pain in her throat one side, injection on the right side, just in the right peritonsillar fossa on an unspecified date. It was further reported that 5 and a half weeks later (after the vaccine) she developed shingles. She said it just recently came to her attention and might be related to the vaccine, but she was not sure if it was or not. She said she has not had the shingles vaccine, she had chemotherapy and radiation 10 years ago and never had any issues so she never got the vaccine for shingles. Patient is on a dose of gabapentin 800mg for the shingles, she has had a lot of difficulty with the dose and the shingles, She said she was little bit fuzzy, but that's probably because of the gabapentin, not the vaccine. Patient also mentioned she had a sore throat, it involves the right forehead, scalp, neck, she has an earache. She said the earache and the sore throat have passed but she still has the issue around her eye, a rash. She said the numbness and paresthesia started, she didn't pay much attention to it, then 2 days later she thought she should see the doctor. She says she saw a rash on her scalp, she didn't see the vesicles right away, she saw a flat macular rash. She says on her scalp the vesicles were breaking out basically. She says the sore throat has been interfering with her sleep, she can't use her CPAP, it got to disabling because she can't use her CPAP. She was very foggy. Trouble sleeping was medically significant moving into disabling because she was really foggy, more foggy as she goes along. She says the foggy is medically significant moving towards disabling, that up until today it was medically significant. She said for her throat she had to gargle a lot, it didn't go away with Tylenol. Tylenol NDC, lot, and expiration date not provided. She says the earache was there, it was annoying. She said the trouble sleeping was related to the shingles, she can't say the vaccine did it. The patient underwent lab tests and procedures included bloodwork on 02Apr2021 and everything came back normal. She said that was to test

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

her kidney function following the HydroDiuril. She said the HydroDiuril was changed from 25mg to 12.5mg. She says she also had a screen of her inflammation markers of her lungs and that that was normal. She says both tests were done on 02Apr2021, that was the last ones, not the first ones done. The patient went to her doctor and ophthalmologist and was prescribed Valtrex. She does not know the dose and frequency, she says it is an antiviral for shingles. She says the gabapentin was for the pain for the paresthesia. The gabapentin was fluctuating, they keep increasing it due to discomfort, and she was up to 800mg in divided doses. She said she also was given eye drops, triple antibiotic polymixin. She had neomycin and another one, that it was the same as the ointment triple antibiotic for abrasions. She used that 3 times a day in her right eye. She also took a cortisone preparation eye drops and that they are also 3 times a day in her right eye. She says her ophthalmologist put her on a second course of Valtrex, she does not know the dose or frequency, saying that it varies according to her primary care physician. She says the total is 800 mg in divided doses. She says she is doing 200, 200, 400, she is trying to get off of it but that doesn't work so they are going to be increasing it. The organ involvement included respiratory and Dermatological/Mucosal. The patient was recovering from the events shingles and rash around her eye, recovered from sore throat, earache on 19Apr2021, not recovered from the events numbness, paresthesia, very foggy, trouble sleeping, and unknown outcome for all the other events.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1299370	5/8/2021	MD		F			<p>Anaphylaxis After the Covid-19 Vaccine; This is a literature report. Authors reported a case of the first patient at the (Hospital), who had immediate anaphylaxis after administration of the Pfizer-BioNTech Covid-19 vaccine. Authors highlighted that the patient never had an episode of anaphylaxis previously and had nonreactive skin testing for polyethylene glycol, polysorbate-containing vaccines, as well as the Covid-19 vaccine itself. Importantly, she had an underlying condition that predisposed her to non-IgE-mediated anaphylaxis. The case is a 34-year-old female healthcare professional, who presented to the Allergy and Immunology clinic for evaluation of an anaphylaxis event that occurred after administration of the first dose of the Pfizer-BioNTech Covid-19 vaccine. The patient had negative SARS-CoV-2 nucleic acid tests 109 and 39 days before immunization. She noted in the interview to have been subjectively overheated while standing in line waiting to receive the first dose of the vaccine. Within 3 min of vaccine administration, she developed flushing, urticaria on her extremities and face, generalized pruritus, tongue swelling, nausea, light-headedness, racing pulse, and shortness of breath with absence of wheezing. Emergency medical personnel responded and administered intramuscular epinephrine and diphenhydramine. She noted substantial relief within minutes of administration of these medicines. The patient was transported to the emergency department for monitoring and had no further reaction. After discharge, she noted erythema and hives around the site of injection, which were nearly resolved by the time of our evaluation 2 days later. Two years earlier, she noted a large hive at the site of injection that took days to resolve after receiving preservative free quadrivalent influenza vaccine, Fluarix (GlaxoSmithKline) without associated systemic symptoms. Two months before the anaphylaxis event, she received Afluria (Seqirus), quadrivalent preservative-free influenza vaccine. Again, she noted a large local hive at the site of injection without a systemic reaction. She also described a history of childhood asthma and eczema but had never had an episode of anaphylaxis. She lastly described a greater than 10-year history of inducible episodes of pruritus, swelling, and hives that were most notable at times of sweating. She noted an inability to take warm showers as well as</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

limitations with exercise due to pruritus and hives in what was suspicious for cholinergic urticaria. Authors performed an examination, laboratory studies, and several procedures for evaluating her anaphylaxis episode. Laboratory evaluation showed elevation in C-reactive protein (CRP) (1.27 mg/dL) 2 days following immunization, negative chronic urticaria (CU) index (4.3), and IgE levels (74.98 IU/mL) within the reference range. Dermatographism was not present. Skin examination revealed no skin findings of cutaneous mastocytosis. Serum tryptase was 4.7 ug/L and 5.4 ug/L checked 7 and 26 days, respectively, after the event and was within reference range; tryptase was not checked before or during the event. The tryptase alpha/beta 1 (TPSAB1) copy number variation test did not reveal tandem duplication(s) of TPSAB1 by allele-specific PCR. Prick puncture skin testing for polyethylene glycol, Pevnar 23 (Merck), and Pfizer-BioNTech Covid-19 (Pfizer) was negative. She scored 11 of 21 on the cholinergic urticaria disease severity standardized scale, suggesting moderate level of the disease. Authors further confirmed cholinergic urticaria via exercise provocation challenge guided by a standardized protocol. Based on the history and findings, her systemic reaction after receiving the Covid-19 vaccine was most consistent with anaphylaxis from a severe episode of cholinergic urticaria. Cholinergic urticaria has a known association with anaphylaxis although most people usually have only cutaneous symptoms. Because of her newly diagnosed cholinergic urticaria and recent anaphylaxis episode, authors recommended she carry an epinephrine auto-injector. Authors also recommended non-sedating antihistamine therapy for prevention of urticaria during bathing and exercise once she was done breastfeeding. Lastly, authors recommended all vaccines including the second dose of the Covid-19 vaccine be administered under supervision in a cool room without excessive clothing. The protection data after a single dose of the vaccine was unclear at the time so administering a single dose was not considered ideal. Based on the evaluation and the patient's increased risk for SARS-CoV-2 exposure, she, after informed decision making, accepted a second dose of the Pfizer-BioNTech Covid-19 vaccine. Authors recommended against pre-medications since they were able to perform the challenge in a cool room and



VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

confirm that she was not sweating or overheating. Authors also did not want to mask an IgE-mediated reaction in the event of false-negative skin testing. In addition, the patient did not want to use any antihistamines as her infant was not weaned and still breastfeeding. She tolerated her second dose, without premedication, exhibiting only transient, mild nausea and a sense of warmth, but without any objective findings. Vaccines have an overall excellent safety profile; this includes data from Covid-19 vaccine clinical trials. Authors highlighted that the patient showed propensity for allergic reactions even before administration of the Covid-19 vaccine based on her localized reaction to the influenza vaccines and her history of cholinergic urticaria. It was important for them to evaluate whether IgE-mediated anaphylaxis might underlie her case. Authors showed that the patient had nonreactive skin testing with both 1:1 epicutaneous and 1:100 and 1:10 intradermal Covid-19 vaccine and drugs containing polysorbate 80. However, more data are needed to determine skin testing's role in predicting IgE-mediated Covid-19 vaccine allergy. Likewise, evaluation of mast cell activation in addition to IgE-mediated allergy needs to be considered after any episode of anaphylaxis or potentially severe cutaneous reaction to Covid-19 vaccinations. Evaluations should include the evaluation of inducible urticaria disorders, hereditary alpha tryptasemia, mastocytosis, and idiopathic mast cell activation disorders. Assuming that immediate Covid-19 vaccine reactions correlate to an IgE-mediated allergy ignores other non-contraindicating etiologies and potentially erroneously denies patients the benefit of immunization. Thus, the general public should be aware of immune conditions that may place a person at risk of anaphylaxis, but that these may not be specific to the Covid-19 vaccine. Distinctly, CDC guidance notes "If you had an immediate allergic reaction after getting a shot of a Covid-19 vaccine, you should not get a second shot of that vaccine, even if your allergic reaction was not severe enough to require emergency care." The fact that the patient with a common mast cell disorder was able to safely receive the second dose of the Covid-19 vaccine following anaphylaxis suggests that anaphylaxis may not represent an absolute contraindication but validates the recommendation that these cases should be evaluated

VAERS_ID	RECVDATE	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	----------	-------	---------	-----	----------	------------	--------------

by an allergist and an immunologist for directed care and not be categorically denied the Covid-19 vaccine. Prior patient reactions and cholinergic urticaria exercise provocation test. Left Upper: Large local hive after influenza vaccine. Left Lower: Prior cholinergic urticaria around the cheeks triggered by heat. Middle: Baseline skin before cholinergic urticaria exercise provocation test. Right: Urticaria in face and arms after exercise provocation challenge. Skin test for Covid-19 vaccine and components. Left: Skin test results corresponding to components labels on right. Top Image is right arm. Bottom image is left arm. Right: Organized skin test panel with further component and administration details along with flare and wheal size. (Note: Actual test location varies to organized panel.). No follow-up attempts are possible; information about lot/batch number cannot be obtained.; Sender's Comments: Based on the current available information and the consistency with the known safety profile of the suspect product BNT162B2, a possible contributory role of the suspect product BNT162B2 to the development of event Anaphylaxis cannot be totally excluded.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1299267	5/8/2021	CA	18	M	4/23/2021	4/23/2021	extreme hallucinations; not feeling well; chills; aches and pains; headaches; slight numbness in his extremities; difficulty walking; he did not get much sleep; fever; This is a spontaneous report from contactable consumer (parent). An 18-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), dose 2 via an unspecified route of administration, administered in left arm on 23Apr2021 at 12:45 (Lot Number: Ew0153) at the age of 18 years, as a single dose for COVID-19 immunization. Medical history included autism spectrum disorder, ADHD (Attention deficit hyperactivity disorder) combined, learning disabilities. The patient had no known allergies. Prior to the vaccination, the patient was not diagnosed with COVID-19. Concomitant medication taken within two weeks of vaccination included alfetamine aspartate/alfetamine sulfate/dexamphetamine saccharate/dexamphetamine sulfate (ADDERALL) taken for an unspecified indication. Historical vaccine included BNT162B2, dose 1 in left arm, on 02Apr2021, lot # EK5730. The patient did not receive any other vaccines within four weeks prior to the vaccination. On 23Apr2021 at 21:00 the patient experienced extreme hallucinations, not feeling well, chills, aches and pains, headaches, slight numbness in his extremities, difficulty walking, he did not get much sleep, fever. The clinical course of events was reported as follows: My son reported to me at bedtime last night, the night of his second Pfizer vaccine dose, that he was not feeling well. I told him to take some Advil and go to bed. He had a very bad night with chills and aches and pains but most distressing was his description of having had extreme hallucinations. He said that he was aware they were hallucinations and not real during and after the experience, but it was nonetheless concerning. It is also concerning that he didn't wake me for help. At any rate, he did not get much sleep and I have to assume his fever went pretty high before morning. He described to me the need to hydrate during the night. He also relayed to me this morning an experience of headaches and slight numbness in his extremities, difficulty walking, but he is now feeling much better. He is dressed, has eaten, and is playing games on the computer. I am keeping a close eye on him today and should we return to that level of concern, we will take him to urgent care. The clinical outcome of the events was recovering. It was also reported that since the

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1298903	5/8/2021		76	F	4/5/2021	2/1/2021	<p>vaccination, the patient had not been tested for COVID-19.</p> <p>Pain in face; Ophthalmic herpes zoster; Eye inflammation; Shingles; This spontaneous case was reported by a consumer and describes the occurrence of OPTHALMIC HERPES ZOSTER (Ophthalmic herpes zoster) in a 76-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Co-suspect product included non-company product ADALIMUMAB (HUMIRA) for Rheumatoid arthritis. No Medical History information was reported. On 05-Apr-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form and ADALIMUMAB (HUMIRA) (Subcutaneous) 1. On 02-Feb-2021, the patient experienced EYE INFLAMMATION (Eye inflammation). In February 2021, the patient experienced HERPES ZOSTER (Shingles). In April 2021, the patient experienced OPTHALMIC HERPES ZOSTER (Ophthalmic herpes zoster) (seriousness criterion medically significant). On an unknown date, the patient experienced FACIAL PAIN (Pain in face). At the time of the report, OPTHALMIC HERPES ZOSTER (Ophthalmic herpes zoster), EYE INFLAMMATION (Eye inflammation), FACIAL PAIN (Pain in face) and HERPES ZOSTER (Shingles) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Treatment included prednisone. Very limited information regarding the events has been provided at this time. Additional information regarding date of vaccination and Humira infusion, and correct onset date for the events are required for further evaluation.; Sender's Comments: Very limited information regarding the events has been provided at this time. Additional information regarding date of vaccination and Humira infusion, and correct onset date for the events are required for further evaluation.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1294839	5/7/2021		50	F		3/1/2021	BAD FLARE UP IN EYE (SCLERITIS); Rheumatoid arthritis flare up; Cold sores; This spontaneous case was reported by a consumer and describes the occurrence of SCLERITIS (BAD FLARE UP IN EYE (SCLERITIS)) and RHEUMATOID ARTHRITIS (Rheumatoid arthritis flare up) in a 50-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Co-suspect product included non-company product UPADACITINIB (RINVOQ) for Rheumatoid arthritis. Concurrent medical conditions included Arthritis. On an unknown date, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form On an unknown date, received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. and UPADACITINIB (RINVOQ) (Oral) at an unspecified dose. In March 2021, the patient experienced SCLERITIS (BAD FLARE UP IN EYE (SCLERITIS)) (seriousness criterion medically significant), RHEUMATOID ARTHRITIS (Rheumatoid arthritis flare up) (seriousness criterion medically significant) and ORAL HERPES (Cold sores). At the time of the report, SCLERITIS (BAD FLARE UP IN EYE (SCLERITIS)), RHEUMATOID ARTHRITIS (Rheumatoid arthritis flare up) and ORAL HERPES (Cold sores) outcome was unknown. No concomitant medication reported. No treatment information provided. Action taken with respect to mRNA-1273 was not applicable. Company comment: Very limited information regarding these events has been provided at this time. The events are probably related to the patient's comorbidities.; Sender's Comments: Very limited information regarding these events has been provided at this time. The events are probably related to the patient's comorbidities.
1295070	5/7/2021	MA	47	M	5/6/2021	5/6/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Hyperventilation-Medium, Systemic: Tingling (specify: facial area, extremities)-Medium, Systemic: Visual Changes/Disturbances-Mild, Additional Details: Tingling in hands which went away after a while. Called EMS per patients request, vitals were fine, symptoms improved after about forty minutes

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1295194	5/7/2021	OH	47	M	4/21/2021	4/21/2021	Vertigo, Vomiting, Dizziness, face numbness, double vision, left arm is difficult to use, went to the emergency, given Meclizine, baby aspirin, Atorvastatin Calcium I still have difficulty walking, double vision comes and goes my balance is still off
1295098	5/7/2021	NJ	42	F	5/5/2021	5/5/2021	shakes, body aches, fever, pain in arm pit of the same arm vaccine was administered, neck pain, pain shooting down arm with tingling in fingers (if arm vaccine was administered), pain in eyes, fatigue, headache
1295134	5/7/2021	MO	21	F	5/6/2021	5/6/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Nausea-Medium, Additional Details: before vaccination, pt indicated that she doesn't do well in needles. she experiences panic attacks with needles. pt complained of lightheadedness, nausea,flushed, warm feeling. gave pt a trashcan but didnt vomit. gave a cool compress, and pt already had h2o to drink. after sitting over 30 minutes, pt boyfriend came to p/u pt. called pt. pt is doing much better also indicated she had some blurred vision also.
1295141	5/7/2021	IL	44	M	5/6/2021	5/6/2021	Site: Pain at Injection Site-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Headache-Mild, Systemic: Tingling (specify: facial area, extremities)-Mild, Systemic: Tinnitus-Mild, Systemic: Visual Changes/Disturbances-Mild, Additional Details: Within a few minutes, pt began to sweat/feel light headed/dizzy/ringing in the ears. Pt stated he felt like he was going to pass out. Pt reported no symptoms related to anaphylaxis. Pt did not lose consciousness and symptoms started improving within 10 minutes. Pt then noticed blurry vision which resolved. Pt's BP was checked: 120/90, pulse WNL. Pt. was feeling fine but per PCP guidance, went to ER for a follow up when I followed up via phone. Reported no further issues after leaving pharmacy

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1295153	5/7/2021	GA	42	M	3/3/2021	3/13/2021	<p>Got covid vaccine, had 2nd dose on March 3rd. Had about 2 days of fevers, aches, night sweats and fatigue. About 1 1/2 weeks after the dose, he started to get significant fatigue. He started to sleep poorly. He developed arthralgias described as bilateral, distal joints (hip down, wrists mainly). He developed tingling sensations in his arms and legs. He has had mental fog. He had some HA and eye pain. His PCP sent him to the ED for evaluation. He was evaluated by neuro consult on 4/4, had an LP. The LP only showed some elevated protein (somewhat traumatic tap based on 10 RBC in tube 4). MRI brain, cervical/thoracic spine was unremarkable. He was dx w/ possible post-infectious polyneuropathy, and suggested f/u w/ neuro clinic for further eval. Pt reports his paresthesias lasted 2 days and has since resolved. He has not been seen by outpatient neuro clinic yet. He did have a post LP HA which he returned to the ED for. He reports that the HA has resolved. In the past 2-3 days he has had felt less fatigue. He still has arthralgias, continuous. They do not seem to be worse in AM or PM. He can do most activities and just tired working out this week. Activity does not seem to make it better or worse. The joints are not red or swollen but feel "tight". He has not noticed any fevers but gets occasional nightsweats or sometimes feels flush and measures only a low grade temp that does not last (&lt;100F). He has had slight decrease in wt but no change in appetite. No n/v/d. NO cough, SOB, CT/CP, wheezes. No rash. He does have some sinus sx's which he thinks could be c/w seasonal allergies. Got covid vaccine, had 2nd dose on March 3rd. Had about 2 days of fevers, aches, night sweats and fatigue. About 1 1/2 weeks after the dose, he started to get significant fatigue. He started to sleep poorly. He developed arthralgias described as bilateral, distal joints (hip down, wrists mainly). He developed tingling sensations in his arms and legs. He has had mental fog. He had some HA and eye pain. His PCP sent him to the ED for evaluation. He was evaluated by neuro consult on 4/4, had an LP. The LP only showed some elevated protein (somewhat traumatic tap based on 10 RBC in tube 4). MRI brain, cervical/thoracic spine was unremarkable. He was dx w/ possible post-infectious polyneuropathy, and suggested f/u w/ neuro clinic for further eval. Pt reports his paresthesias lasted 2 days and has since resolved.</p>

VAERS\_ID RECVD STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

He has not been seen by outpatient neuro clinic yet. He did have a post LP HA which he returned to the ED for. He reports that the HA has resolved. In the past 2-3 days he has had felt less fatigue. He still has arthralgias, continuous. They do not seem to be worse in AM or PM. He can do most activities and just tired working out this week. Activity does not seem to make it better or worse. The joints are not red or swollen but feel "tight". He has not noticed any fevers but gets occasional nightsweats or sometimes feels flush and measures only a low grade temp that does not last (<100F). He has had slight decrease in wt but no change in appetite. No n/v/d. NO cough, sob, CT/CP, wheezes. No rash. He does have some sinus sx's which he thinks could be c/w seasonal allergies. Got covid vaccine, had 2nd dose on March 3rd. Had about 2 days of fevers, aches, night sweats and fatigue. About 1 1/2 weeks after the dose, he started to get significant fatigue. He started to sleep poorly. He developed arthralgias described as bilateral, distal joints (hip down, wrists mainly). He developed tingling sensations in his arms and legs. He has had mental fog. He had some HA and eye pain. He was dx w/ possible post-infectious polyneuropathy, and suggested f/u w/ neuro clinic for further eval. Pt reports his paresthesias lasted 2 days and has since resolved. He has not been seen by outpatient neuro clinic yet. He did have a post LP HA which he returned to the ED for. He reports that the HA has resolved. In the past 2-3 days he has had felt less fatigue. He still has arthralgias, continuous. They do not seem to be worse in AM or PM. He can do most activities and just tired working out this week. Activity does not seem to make it better or worse. The joints are not red or swollen but feel "tight". He has not noticed any fevers but gets occasional nightsweats or sometimes feels flush and measures only a low grade temp that does not last (<100F). He has had slight decrease in wt but no change in appetite. No n/v/d. NO cough, sob, CT/CP, wheezes. No rash. He does have some sinus sx's which he thinks could be c/w seasonal allergies. Now experiencing substantial disruption of the ability to conduct normal life functions, including the ability to work.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1295215	5/7/2021	NJ	57	F	5/4/2021	5/4/2021	05/04/2021-> MY BOTH EYE STARTED EACHY LITTLE BIT ON SAME DAY OF 1ST DOSE COVID19 VACCINATION . 05/05/2021-> FEEL BETTER TILL AFTER NOON THEN SLOWLY BECAME MORE RED, MORE EACHY AND I NOTICE MY RIGT EYE HAS SWELLING UNDER EYE BY THE TIME OF 9.30 PM, I TOOK BENADRY FOR RELIVE 05/06/2021-> CONSULT MY PRIMARY DR, SHE HAS PRISCRIBED ME ORAL MEDICINES AND EYE DROP: PREDNISONE 20 MG-TWICE A DAY LORTADINE 10 MG- ONCE A DAY NEOMYCIN-POLYMYXIN-HC DROP-TWICE A DAY
1295293	5/7/2021	NJ	28	F	4/18/2021	4/19/2021	Patient presented to the ED 3 times for rash that started on face and went down to chest. Rash spreading to lower abdomen and under L>R breast. Swelling of face (lips, eyelids), neck area. Tingling of lips. Events started about 24 hours after 2nd dose of Pfizer vaccine. Differential: allergic reaction vs. reaction to vaccine vs. AED related hypersensitivity/rash vs. much less likely SJS. Dermatology consulted. Patient reports gardening on 4/18 and near weed whacking activities in an area that has poison ivy. Patient reports extreme sensitivity to poison ivy historically. Rash biopsy: differential diagnosis includes drug reaction and allergic/irritant contact dermatitis. Presence of a couple days of treatment may hinder histologic features for diagnosis.
1295311	5/7/2021	PA	61	F	4/30/2021	4/30/2021	Bleeding into white area of right eye Took several days to dissipate Did not affect vision
1295401	5/7/2021	NC	66	M	5/4/2021	5/5/2021	day after vaccine had head pain (mostly involving sinus area - above eyes, between eyes, between eyes and ears), back of head/neck pain, all over body aches, light fever, chills, fatigue. All of those symptoms lasted a full day. A lesser version of the head pain persists, even as I report.
1295508	5/7/2021	CA	61	M	5/2/2021	5/2/2021	Foggy mentally. Slowed thought process. Dull headache. Back of head lower. Sides of head above ears. Seemed harder to focus mentally and visually. Aspirin works but symptoms still coming back after 4-6 hours when aspirin wears off.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1294826	5/7/2021	NJ	53	M		5/1/2021	BLURRED VISION TO RIGHT EYE; This spontaneous report received from a patient concerned a 53 year old male. The patient's height, and weight were not reported. The patient's concurrent conditions included alcohol user, and cigarette smoker, and other pre-existing medical conditions included patient had no known drug allergies and patient did not have drug abuse or illicit drug usage. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 206A21A, expiry: UNKNOWN) dose was not reported, administered on 29-APR-2021 16:00 for prophylactic vaccination. No concomitant medications were reported. On 01-MAY-2021, the subject experienced blurred vision to right eye. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from blurred vision to right eye. This report was non-serious.
1294538	5/7/2021	CA	24	M	5/6/2021	5/6/2021	Client received first dose of COVID vaccine @ 2:25pm, complained of feeling dizzy, tunnel vision, and feeling like "passing out". Client placed in zero-gravity chair, given water to drink. Vital signs stable, continued observation until symptoms improved. Client made aware to follow up with his primary care. Client walked out of observation area with steady gait @ 3:36 pm, friend to drive him home.
1295444	5/7/2021	CO	17	F	4/27/2021	5/4/2021	HPI Pt is a 17yo female, otherwise healthy, who presents with right side of her face with decreased movement, some pain, and eyebrow twitching x 5 hours. Symptoms started out of the blue. No trauma. No hx of similar symptoms in the past. No fevers, upper respiratory infection symptoms, cough, sore throat, nausea, vomiting, diarrhea, rash, dysuria. Does have a blister on her lip x 2-3 days. No weakness to her muscles. No slurred speech. No headache, dizziness, vision changes. She is having trouble blinking her right eye and closing her right eye. Normal oral intake, urine output and activity level. No sick contacts. No known COVID exposures. Got the Pfizer vaccine #1 on 4/27/21.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1294746	5/7/2021	CA	63	M	3/17/2021	4/1/2021	<p>blood clots; urinating blood; arm pain; fatigue; he started bleeding from the second one; This is a spontaneous report from a contactable consumer, the patient. This 63-year-old male patient reported that he received the second dose of BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Lot Number: EN6206) on 17Mar2021 (at the age of 63-years-old) via unspecified route as a single dose for COVID-19 immunization. Medical history included enlarged prostate, urinary health issues (gets up in the middle of the night), has glasses as he had cataract surgery last year (2020) so he lost his close-up vision. Concomitant medications were not reported. The patient previously received the first dose of BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Batch/lot number: EL3249) on 18Feb2021 (also reported as 17Feb2021) (at the age of 63-years-old) via unspecified route as a single dose for COVID-19 immunization and experienced urinating blood and blood clots profusely, UTI, bleeding, arm pain, and fatigue. The patient received his second shot on 17Mar2021 and almost to the date three weeks later, had the same incident with urinating blood and passing blood clots. He waited an extra day because he could not go to the bathroom and then he went to the ER that same day so that they could flush him out. He also had an appointment on that same day with his urologist. A CT scan was done at the ER and then in the afternoon he went to the doctor. The doctor did a catheter flush. The patient was unclogged but he was passing blood. The patient also reported that he did have the normal arm pain and fatigue the second day or the day after the shot. He has no other adverse reactions at this time. The patient reported 11Apr2021 or 12Apr2021 was when he started bleeding from the second one (shot). He went to the hospital on 14Apr2021. The patient confirmed he was not admitted. The patient reported he is going to the doctor today (21Apr2021) to see the urologist but the urologist is going to do a scope in his bladder because that is the only thing that they cannot see. The clinical outcome of the events urinating blood, blood clots, bleeding, arm pain, and fatigue was unknown. The patient stated he does not know if this is an issue, however, it coincided with both of his shots. The patient was calling to see if this is something that has been seen or if it is in his head.; Sender's Comments: Linked</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

Report(s) : US-PFIZER INC-2021470922 same  
patient/reporter, different AE/first dose

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1294744	5/7/2021	CA	63	M	2/18/2021	3/1/2021	<p>urinating blood; might be a UTI; arm pain; fatigue; blood clots; he started bleeding after the first shot; This is a spontaneous report from a contactable consumer, the patient. This 63-year-old male patient reported that he received the first dose of BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Lot Number: EL3249) on 18Feb2021 (also reported as 17Feb2021) (at the age of 63-years-old) via an unspecified route as a single dose for COVID-19 immunization. Medical history included enlarged prostate, urinary health issues (gets up in the middle of the night), and has glasses as he had cataract surgery last year (2020) so he lost his close-up vision. Concomitant medications were not reported. On 18Feb2021, the patient got his first shot. Three weeks later, he had an episode of urinating blood and blood clots profusely. The patient stated the amount of blood and blood clots was scary at best. The patient reached out to his daughter who is a nurse who advised him to go to the Emergency Room (ER). He reached out to the nurse hotline as well, which recommended that he go to the emergency room that day as well. He went to the ER (it was a Sunday). They did a blood test, a sonogram or some kind of sonogram, and a urine sample. They also flushed the patient's bladder out with a catheter. This emergency room visit determined that it might be a urinary tract infection (UTI) and started him on antibiotics. The patient confirmed he was not admitted to the hospital. The patient then made an appointment with his doctor because that was on a weekend. He saw his doctor who referred him to a urologist. The patient also reported that he did have the normal arm pain and fatigue the second day or the day after the shot. The patient reported 11Mar2021 or 12Mar2021 was when he started bleeding after the first shot, he was unsure of the exact date, and stated he went to the hospital on 14Mar2021. The patient reported he is going to the doctor today (21Apr2021), to see the urologist but the urologist is going to do a scope in his bladder because that is the only thing that they cannot see. The clinical outcome of events urinating blood, blood clots, UTI, bleeding, arm pain, and fatigue was unknown.; Sender's Comments: Linked Report(s) :PFIZER INC-2021471072 same patient/reporter, different AE/2nd dose</p>

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1294717	5/7/2021		50	F	4/9/2021		<p>patient stated recent eye exam showed corneal ulcer; This is a spontaneous report from a contactable other health professional. A 50-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration on 09Apr2021 (Batch/Lot number was not reported) as single dose for COVID-19 immunization. Medical history included rheumatoid arthritis. The patient's concomitant medications were not reported. On an unspecified date, the patient stated recent eye exam showed corneal ulcer. The outcome of the event was unknown. Information on the lot/batch number has been requested.; Sender's Comments: Based on the available information and known product information, the causal relationship between the reported ulcerative keratitis and use of BNT162B2 cannot be fully excluded. However, the medical history of rheumatoid arthritis may confound the reported drug event pair. The limited information precludes a more meaningful assessment. The case will be assessed further upon receipt of additional information. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Committees and Investigators, as appropriate.</p>

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1294713	5/7/2021	FL	52	F	4/13/2021		<p>24 hours later my neck started swelling up, my left lymph node; abnormal mass in my neck which was my lymph node; I developed a headache over the whole left side of my head; I could hardly move my neck; All of a sudden I kind of broke out in the sweat; Left side of my head just went totally numb; Started feeling tingling in my left hand; I went to eat some yoghurt and I could not swallow at all; Airway is being compromised by the swelling in my neck; I cannot walk my left leg is dragging, so I am lurking around having to hold on; My voice was like had to whisper; Right side of my body started shaking; Later that evening the numbness subsided. I could speak better my left lymph node was still sore; blood pressure went up; white blood cells count was really, really extremely high; This is a spontaneous report from a contactable consumer (patient). A 52-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), dose 1 via an unspecified route of administration, administered in left arm on 13Apr2021 (Lot Number: EW0153), at the age of 52 years, as single dose for COVID-19 immunization. Medical history included covid-19 in Sep2020. Concomitant medication was not reported. The patient experienced 24 hours later, after vaccination, her neck started swelling up, her left lymph node; abnormal mass in her neck which was her lymph node, which required hospitalization. The patient she developed a headache over the whole left side of her head. She could hardly move her neck. All of a sudden she kind of broke out in the sweat, left side of her head just went totally numb. Started feeling tingling in her left hand. She went to eat some yoghurt and she could not swallow at all, airway was being compromised by the swelling in her neck. She cannot walk her left leg was dragging, so she was lurking around having to hold on. Her voice was like had to whisper. Right side of her body started shaking, Later that evening the numbness subsided. She could speak better, her left lymph node was still sore. Blood pressure went up, white blood cells count was really, really extremely high. The patient was hospitalized from 14Apr2021 to 16Apr2021. The clinical course was reported by the patient as follows: When probed for the reason of hospitalization, consumer stated, "The symptoms I had was, I got the vaccination in my left arm, 24 hours after getting the COVID vaccination shot on 13Apr2021, almost exactly 24 hours later my</p>

VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

neck started swelling up, my left lymph node, which I was expecting to have that problem. And I could hardly move my neck and then I developed a headache over the whole left side of my head and behind my eye and it was hurting and then it hurt my ear. So, I was having ear ache too. So, that went on for about an hour and a half and then all of a sudden I kind of broke out in the sweat and the left side of my head just went totally numb and then I started feeling tingling in my left hand and so I went to the bathroom to see if my face was numb, to see if I had any paralysis of my face which I did not have any at all, it was just numb. So, then I am concerned, so I decide I am going to take an Aspirin and so before I took the Aspirin I wanted to eat something because I had not had anything to eat that day. I went to eat some yoghurt and I could not swallow at all, I couldn't swallow the yoghurt. So, then I am concerned my airway is being compromised by the swelling in my neck. So, I got to call # and then I cannot walk my left leg is dragging, so I am lurking around having to hold on and then when I called # my voice was like had to whisper and it was hard to get an information where I was at. Finally they arrived and I was taken into the ambulance and when I was in the ambulance my blood pressure went up and also the right side of my body started shaking, they took me to the hospital. I was in the hospital. I had MRI, a CT scan and all of those things and it was negative for a blood clot or anything, heart problems or brain bleed. So, they ruled all of that out, my white blood cells count was really, really extremely high that is what the doctor said and anyway so I was admitted in the hospital and now I can talk better and the numbness is going away on the 14th a day later which went on for the symptom. So, later that evening the numbness subsided. I could speak better my left lymph node was still sore and everything and of course they did noticed that in the scan, MRI stuff about the abnormal mass in my neck which was my lymph node.". The patient stated, "I was hospitalized on 14Apr2021 and I was released the evening of 16Apr2021. Treatment: the patient stated they did not treat her for anything except for the high blood pressure when out there and that is it. The clinical outcome of Lymph node pain was not recovered. The clinical outcome of the remaining events was unknown.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1294710	5/7/2021	IL	60	F	4/16/2021	4/16/2021	<p>Itching on her hands and her feet; Chills; Clammy; Sensitivity to light; inflammation; Under her eyes it is swollen; She was having severe diarrhea; having severe dry heaves; vomiting bile; It had dehydrated her/lead to dehydration; Her throat closing up and it being sore from vomiting and dry heaving; couldn't swallow to get any fluids in; Her throat closing up and it being sore from vomiting and dry heaving; she was struggling with having a dry mouth; puffiness; Headache; severe muscles aches/Muscles pain; feeling nauseous; Was a little warm on her arms/ it was warm to the touch; it just looked like a bee sting and it wasn't super sore; sensitive to the touch; It had big red spots; had a little tiredness; This is a spontaneous report from a contactable consumer (patient). A 60-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), via an unspecified route of administration, administered in left arm on 16Apr2021 at 10:00 (at age of 60 years old, Lot Number: EW01SO) as single dose for covid-19 immunization. Medical history included she had lupus, sjogren's syndrome. The patient's concomitant medications not reported. The patient previously took Pneumonia Vaccine on 04Mar2021 (Anatomical Location: Left arm); took the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), via an unspecified route of administration, administered in left arm on 26Mar2021 at 10:00 (at age of 60 years old, Lot Number: the lot number starts with ER something and then it ends with a 3) as single dose for covid-19 immunization; took azathioprine for lupus and had allergic reaction; took belimumab (BENLYSTA), subcutaneous from an unspecified date (Lot Number: PV7G; Expiration Date: Jun2023, NDC: 49401-088-01, Number on the side: 0147098) to an unspecified date, self injection once a week for lupus. She gets it through the VA and it is subcutaneous use and the manufacturer is company. she was immunocompromise, she had lupus, so she was off of her medication (BENLYSTA) for a month per the CDC guidelines. She wanted to let Pfizer know that as well. For her first COVID vaccine she was originally scheduled to go 6 to 7 days after she had her pneumonia shot and they told her that she would have to wait 2 weeks before having her COVID shot and she did. Other than that she had followed the guidelines and she had been able to</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

take her regular medications but she had to stop her Benlysta because of her immune system and everything. She had been following through on what the CDC has said. Patient stated that she just did a follow up with her doctor because of what happened after her second Pfizer COVID vaccine and her doctor recommended her to let Pfizer know about the side effects that she was having. On Friday 16Apr2021 she had her shot at 10 AM and it was no big deal, it was a little warm on her arms. She stated that it just looked like a bee sting and it wasn't super sore, it was warm to the touch and sensitive to the touch. It had big red spots and there has really been no change since it began. It looks about the size of a bee sting and it was still there. She had a little tiredness and she was not hungry but when she woke up at 06:40 the next morning (17Apr2021) on Saturday she was having severe dry heaves and vomiting bile and she could not get it under control. It had dehydrated her and she was having severe muscles aches. She had the severe dry heaves and the vomiting that lead to dehydration and then she went to the emergency room and she got replenished and they had given her something for feeling nauseous and eventually she was released 3 to 4 hours later. They gave her pills as well so she was doing well now and she hasn't done anything since she went to the emergency room with the vomiting and feeling nauseous. She went there about 1030 to 1040. Before she went she couldn't stop and she told herself that if it didn't stop on the 5th time then she was going to go to the emergency room and it got really bad so she had to call 911 to come and get her. Then she was having severe diarrhea on Sunday (18Apr2021) and the only way she could stop that was for her husband to pick up antidiarrheal pills. That only went away because of the medicine from the pharmacy. She had the over the counter medicine and she took Imodium. She hasn't been eating a lot so she hasn't had a bowel movement since she took that medication. When she had diarrhea there was no substance, it was very watery. And now today (unspecified date) she was having another reaction that she was seeing and it was just itching on her hands and her feet. She had been continuing to take the Benadryl and something that they gave her in the emergency room and she had taken Tylenol for the little headache that she has had. She had a slight headache and she was still

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

taking Tylenol like they had recommended. This began the same time as she was vomiting on 17Apr2021 when she was going through all of that she had the slight headache. But her biggest concern was during this time when initially on Saturday (17Apr2021), her throat closing up and it being sore from vomiting and dry heaving, she was having the dry heaves her airway closed shut and she couldn't swallow to get any fluids in. Her concern was that the back of her throat was killing her and it was totally closed up so she had to go to the emergency room. She had recognized this because in the past she has had a medication where she had an allergic reaction (she thinks it is the medication that they gave her for lupus because she has been on several different things. She thinks azathioprine but she can't recall exactly but she thinks that might of been the one that did it to her) and it had closed her esophagus up the same way like this. This time it got worse to where she couldn't even swallow water no less a pill. This was on 17Apr2021. When she went to the emergency room they gave her the hydrocortisone to take it down and she actually had felt better while she was waiting for the saline drop. She was able to swallow when her airway was opened again by the time they treated it with the hydrocortisone. Around 16:00 she was better when she left the emergency room that same day 17Apr2021. She doesn't really have a sore throat, it is pretty fine. It seems to be okay she thinks that once the dry heaves and all that stopped it helped to relax that. She was a little raspy from the whole thing and she was struggling with having a dry mouth but that even had been resolved as far as her throat. She had no other reactions than what she explain but she also had a lot of muscles pain but that was to be excepted because it says that on all that she has read. She had had all of the reactions listed except for fever. She had had chills and then when clammy and then was clammy and had chills. She had all of those side effects listed on the sheet and when she went on Saturday following her vaccine to the emergency room most of the side effects were treated in emergency room. They gave her Pepcid, hydrocortisone through her IV and gave her Zofran for the vomiting and they said to keep taking acetaminophen. They gave her cetirizine for allergy or the itching or whatever and they also gave her famotidine which she thinks is Pepcid. Since being off the lupus drug she was getting her

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

symptoms again such as sensitivity to light, inflammation and the dry heaves didn't help so under her eyes it was swollen and she just takes it as it was because she was not on her medication and she had something else injected inside of her. Also, she had Sjogren's disease too so her eyes were already drier than normal and she had had puffiness since 17Apr2021 when she was vomiting. She just wanted to make sure that Pfizer got that information because she didn't see that listed. The only side effect she was related was the swollen glands and she has glands in her throat but she wanted to be sure that Pfizer had that data just in case if it could help someone else. Again, she wants to reiterate that with her first dosage she had no problems. She couldn't even see the mark and all of this is stemming from the second dose of the COVID vaccine. The outcome of the events "Dry heaves, Bilious vomiting, Dehydration, Her throat closing up and it being sore from vomiting and dry heaving, Unable to swallow, Dry mouth, Nauseous" was recovered on 17Apr2021. The outcome of events "Feeling of warmth, Vaccination site pain, Hyperaesthesia, Vaccination site erythema, Tiredness" not recovered. The outcome of the event "Headache" was recovering. The outcome of other events was unknown. No follow up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1294683	5/7/2021	NJ	64	M	3/18/2021	4/18/2021	ptosis of right eye; leg pain (both legs); This is a spontaneous report from a consumer. A 64 years old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), dose 2 via an unspecified route of administration on 18Mar2021 (Lot Number: EN6208) as SINGLE DOSE (at age of 64 years old) for covid-19 immunisation. Medical history included hypertension from an unknown date and unknown if ongoing , anxiety from an unknown date and unknown if ongoing, restless legs syndrome from an unknown date and unknown if ongoing, sleep disorder from an unknown date and unknown if ongoing, Neurological Disease from an unknown date and unknown if ongoing, spinal fusion from an unknown date and unknown if ongoing (had 2 spinal fusions. One spinal fusion was of the cervical spine with hardware, and the other spinal fusion was of the lumbar spine with hardware). Concomitant medications included amlodipine besilate, atorvastatin calcium (CADUET) strength 5mg/20mg taken for an unspecified indication, start and stop date were not reported; lisinopril taken for an unspecified indication, start and stop date were not reported; carvedilol taken for an unspecified indication, start and stop date were not reported; tadalafil 5 mg taken for enlarged prostate, start and stop date were not reported; alprazolam (XANAX) 0.5 mg taken for anxiety, start and stop date were not reported; ropinirole (ROPINIROLE) taken for restless leg syndrome, start and stop date were not reported; clonazepam taken for sleep disorder, start and stop date were not reported; carbidopa, levodopa 50mg/200mg taken for an unspecified indication, start and stop date were not reported. Historical vaccine information included BNT162B2, dose 1 on 28Feb2021 (Lot Number: EN6205) dose 1, for covid-19 immunization at age of 63 years old. He received second dose on 18Mar2021; 30 days later 18Apr2021 woke up at 5 A.M., noticed ptosis of right eye on 18Apr2021. Concerned she took him to the hospital where he was assessed for stroke, TIA, all tests were negative. Consumer states, "my fiance was hospitalized over the weekend, we do feel it was exactly 30 days after second dose of Pfizer dose, from what I read in medical articles. I see that there were some cases of Palsy experienced by people in clinical trial. He is currently at home. He was in the hospital (emergency room)from 7am on 18Apr2021 and

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

left at 3:50pm that same day against medical advise due to they did not have a neurologist. They wanted to admit him and transfer him to another facility because they didn't have a neurologist available. She clarified her fiancé's adverse event as ptosis of his right eye. She said her fiancé had diagnostics and blood work performed while at the Emergency Room. She said she wasn't positive if the blood work performed was a CBC and basic blood chemistry, but the blood work results were normal. She said the hospital she brought her fiancé to did not have a neurologist on staff. She said the hospital wanted to admit and transfer her fiancé to a specialized hospital with a neurologist on the premises. She said her fiancé's condition did not worsen while at the Emergency Room, but she felt her fiancé was not being monitored closely, and was not getting any care. She said since her fiancé was not receiving anything at the Emergency Room, and the Emergency Room didn't have the bandwidth to address his issues, and nothing was done to transport him to another hospital, her fiancé left the Emergency Room against medical advice (AMA). She said her fiancé went to a neurologist on Monday (19Apr2021). Emergency Room Visit Treatment: Stated her fiancé was given Oxycodone while at the Emergency Room. She said she did not know the Oxycodone dose, NDC, Lot, and Expiration Date. She said the Oxycodone was administered for leg pain (both legs) caused by a pre-existing condition her fiancé had. She said her fiancé normally took Ropinirole for his leg pain. Consumer reported her fiancé had follow-up testing done at the neurologist on Monday (19Apr2021), and was waiting for the test results to come back. She clarified the neurologist was doing the follow-up testing to confirm or rule-out a diagnosis of Myasthenia Gravis. Consumer reported when she took her fiancé to the Emergency room she thought he was going to be assessed for a possible TIA or stroke, but when it was mentioned her fiancé may have Myasthenia Gravis, it was equally concerning. Neurologist Visit Treatment: She stated the neurologist prescribed Pyridostigmine 60mg on Monday (19Apr2021) for her fiancé to start taking while the doctor waited for the blood work and repetitive nerve conduction study results to come back. She said the doctor's logic was to take the Pyridostigmine 60mg, and see if the ptosis resolved, and if the ptosis resolved the doctor

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

would know the cause of the ptosis. She said her fiance's right eye ptosis had not improved, changed, or resolved since he started taking the Pyridostigmine 60mg. She said she did not have the Pyridostigmine 60mg NDC, Lot, and Expiration Date. The patient underwent lab tests and procedures which included blood gases (ABG): unknown on 18Apr2021, Vital capacity: normal on 18Apr2021, Blood test: unknown on 18Apr2021, COVID-19: negative on 18Apr2021; vital signs measurement: normal on 18Apr2021 . Therapeutic measures were taken as a result of ptosis of right eye. Outcome of the event ptosis of right eye was not recovered. Outcome of the event leg pain (both legs) was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1294658	5/7/2021	PA	34	M	4/16/2021	4/17/2021	<p>On the 3rd day I also woke up with left side of my face feeling a slight but noticeable cold burn mainly above my left eyebrow and left cheek bone; Arm is still sore; palms of my hands feeling as if they were on fire. The back of my neck and upper back felt like they had a really bad sunburn 8 days post vaccine; parasthesia/pins and needles in my left arm and legs; Felt lightheaded for 4 full days after the shot beginning 20 hours after the shot; facial numbness/my left arm became numb/the numbness moved to various parts of my body; Constant electrical buzz and vibration in my body for the first week which made it impossible to sleep; impossible to sleep; This is a spontaneous report from a contactable consumer (reporting for himself). A 34-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration, administered in Arm Left on 16Apr2021 at 11:30 (Batch/Lot Number: EP7533) as single dose for COVID-19 immunization. Medical history included allergy (cannot digest bananas or avocados). The patient's concomitant medications were not reported. On 17Apr2021 at 08:00, the patient felt very strong lightheaded for 4 full days, with some facial numbness, woke up with left side of his face feeling a slight but noticeable cold burn mainly above his left eyebrow and left cheek bone. After lightheadedness, his left arm became numb. The numbness moved to various parts of his body. It would leave the left arm, then move to my right arm, then it would move to my neck and throat (skin only). The patient had constant electrical buzz and vibration in my body for the first week which made it impossible to sleep. The electrical buzz in the front part of his head between his eyes. Along with the arm numbness (parasthesia), the patient woke up with palms of his hands feeling as if they were on fire. The back of his neck and upper back felt like they had a really bad sunburn on 24Apr2021 (reported as 8 days post vaccine). On an unspecified date, the patient's arm was still sore. The patient had doctor or other healthcare professional office/clinic visit. The patient also visited emergency room/department or urgent care. The patient was hospitalized for 1 day. The patient did not received treatment for the events. The patient was not diagnosed with COVID-19 prior to vaccination and has not been tested for COVID-19 since the vaccination. The outcome</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							of the event cold burn was recovering while not recovered for the other events. Information about Lot/batch number was available. Further information has been requested.
1294590	5/7/2021	KY	67	M	4/7/2021	4/8/2021	Malaise beginning ~10 hours after injection. Finally able to sleep at 8:00 next morning. Woke at 11:00 disoriented, blurred vision. EMT took me to stroke center. They determined probably not a stroke, sent me to Hospital (cardiac). I was told the MRI there showed no evidence of stroke. I do not know the results of the other scans/tests. Felt better after 24 hours. Mostly recovered after 72 hours. Now (28 days later), have some residual problems with right eye, become out of breath after moderate exertion (%SpO2 95 or above).
1294589	5/7/2021	KY	67	M	4/7/2021	4/8/2021	Malaise beginning ~10 hours after injection. Finally able to sleep at 8:00 next morning. Woke at 11:00 disoriented, blurred vision. EMT took me to stroke center. They determined probably not a stroke, sent me to the Hospital (cardiac) area. I was told the MRI there showed no evidence of stroke. I do not know the results of the other scans/tests. Felt better after 24 hours. Mostly recovered after 72 hours. Now (28 days later), have some residual problems with right eye, become out of breath after moderate exertion (%SpO2 95 or above). Health Department administers vaccinations at a local convention center but has no permanent offices/staff there.
1294567	5/7/2021	MO	28	F	5/5/2021	5/6/2021	Seeing black, spotty eyesight, almost passing out but was able to make it back to bed to lay down twice. Cannot stand or walk for longer than a couple of minutes unassisted (holding onto something) without breathing becoming shallow and dizziness setting in. Intermittent dizziness and inability to focus eyesight occurred throughout the day even if sitting down. Issues have been consistent throughout entire day. Not sure if this is adverse but also started having circulation issues in toes/fingers turning white & numb when either standing, walking or lying down. Experienced chills but only until ceiling fan was turned off. Circulation slightly improved except in feet.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1294566	5/7/2021		20	M	5/5/2021	5/7/2021	pt presents to the ED for "cold sweats, fever, headaches and soreness, and eye pain" that began yesterday after receiving the J&J COVID vaccine, has not attempted to take tylenol or motrin for fever and headaches
1295530	5/7/2021		33	M	4/11/2021	4/11/2021	Initially fever to 103 and headache, then developed a Stye on left eye and pain around entire left orbit lasting severe days, and has subsequently had significant brain fog, misplacing items, forgetfulness, which had never experienced before and in absence of any mood problem and is still ongoing a month later
1294558	5/7/2021		29	F	5/5/2021	5/6/2021	29-year-old female brought to the emergency room by EMS after syncopal episode at sick all this morning. Patient states that she receive the Johnson and Johnson coronavirus vaccine yesterday at approximately 1500. Throughout the evening and overnight she developed the expected side effects of myalgias, mild headache and fatigue. She states because she was not feeling well this morning she was instructed to give us a call. She is sick, she was sitting in a chair and when she was called to code forward she stood up, developed tunneling of her vision with spots in front of her eyes, felt dizzy and then passed out. When she woke up the dizziness had resolved. She states that she feels dizzy intermittently at base
1295494	5/7/2021	CA	67	M	4/7/2021	5/3/2021	Quivering twitching of left eye.
1294563	5/7/2021		23	M	5/3/2021	5/7/2021	pt presents to the ED for migraines and blurred vision that began last night which he is concerned is a side effect from the J&J vaccine, pt received the vaccine on 5/3/21.
1297313	5/7/2021	CO	16	F	5/7/2021	5/7/2021	After counseling and giving the patient her vaccine, the patient walked to the waiting room and sat down. 2 minutes after receiving the vaccination the patient leaned back, tensed up, became unresponsive and had a vacant look in her eyes. We called 911. Her lips started turning blue. I administered 0.3mg epinephrine auto injector and the color in her lips came back. Paramedics arrived evaluated her and transported her to the hospital.
1296454	5/7/2021		78	M	2/5/2021	5/2/2021	dizzy, weakness, blurry vision, abnormal speech; non-STEMI

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1296455	5/7/2021	MI	22	F	5/7/2021	5/7/2021	Patient got warm was sweating fainted temporarily lost eyesight
1296470	5/7/2021	FL	34	F	5/1/2021	5/4/2021	1. Dizzy 30 mins later 2. As if I was drugged 1 hour later 3. Not speaking coherent 1:40 hour later 4. Walking supported/leaning by a wall 2:00 hours later 5. Could not walk alone and had involuntary movements 6. Dislodged jaw 7. Not standing by my self 9. Winking eyes and not able to open them 10. The left side was weaker than my right side
1296497	5/7/2021	MS	86	M	4/8/2021	4/27/2021	received the first dose of the vaccine on April 8. He presented to the emergency room on April 27 with generalized weakness and inability to ambulate. He had an episode of blurred vision, pain and weakness in his left leg. A stroke was ruled out. His family refused the second dose of the Covid vaccine.
1296509	5/7/2021	ME	17	M	5/7/2021	5/7/2021	Patient describes his experience as a "loss of vision" shortly followed by "blinking out" and dropping his phone. Patients in the observation area noticed him fainting and called pharmacy staff over to the location. Patient experienced no issues breathing nor experienced any swelling. Patient describes quickly feeling better, though pulse showed 60 BPM once EMS arrived.
1296528	5/7/2021	NY	79	M	3/10/2021	5/3/2021	Blood clot in right eye resulting in permanent loss of vision.
1296328	5/7/2021	NY	31	F	4/9/2021	4/10/2021	4/9/2021 vaccination 4/10/2021 fever, malaise, body aches, chills. Lasted for 24 hours. 4/16/2021 cramping in leg, calf pain. Tried stretching, ibuprofen. Telemed. Keep eye on it, seemed muscular. Didn't get better over next few days 4/18/2021 Couldn't r/out blood clot. Noticed heart murmur. Sent me to ER to r/out blood clot. Referral to cardiologist. 4/20 observed heart murmur. blood work; normal. Echocardiogram week later 4/28 Echocardiogram results; 'Reaction to the vaccine'. Didn't see anything alarming. To do normal check-ups with PCM. *COVID +; 12/9/2020

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1296776	5/7/2021	CA	20	F	5/7/2021	5/7/2021	Patient felt faint, headache, arm/throat/tongue became numb, blurry vision, felt cold, feel tired and nausea. Patient BP and HR was initially high, lied patient on ground with legs elevated and cold pack and patient eventually felt better and BP and HR eventually normalized. Patient had already eaten prior to coming in.
1297817	5/7/2021		28	F	4/12/2021	4/12/2021	Half hour after shot numbness and tingling on my face Fever of 101.4 starting about 4 hours after injection along with headache body aches nausea and chills, ringing in the ears and dizziness when laying down or closing my eyes Fever remained high with Tylenol and Motrin for about 24 hours. Around 24 hours the fever broke and for 3 days had a low grade fever of 99-100 the body aches resolved but the dizziness ringing in the ears nausea Continued for 5 day after the shot

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1297348	5/7/2021		78	F	3/6/2021	3/31/2021	<p>Autoimmune encephalitis vs Listeria infection - 78 yo F with encephalitis. Second Moderna vaccine on 3/6/2021, admitted on 3/31/2021. 4/18 IM Progress NOTE states: #Limbic encephalitis, improving. Treating for Listeria given inflammatory findings in addition to lymphocytic CSF and few gram-positive cocci on stain. CSF paraneoplastic antibodies are negative therefore anticipating that the serum antibodies will also come back negative Depressed flat affect consistent with limbic inflammation -improving Repeat MRI 4/14 shows improvement Ampicillin, tentative plan for 4 to 8 week course for possible listeriosis Gentamicin, completed 1 week course 4/15. Continues on Keppra</p> <p>4/20 Neurology Progress NOTE:  Impression - Meningoencephalitis, presumed to be secondary to listeria.</p> <p>4/27 ID progress NOTE : Patient found to have limbic encephalitis and possible infectious cerebritis. CSF exam, was performed after about 2.5 days of antibiotics due to patient anticoagulation, showed 27 white blood cells, 96% lymphocytes; protein 146, glucose 69. Meningitis encephalitis PCR panel negative. Gram stain with rare intracellular GPC's, culture negative. Per micro lab, 2 different techs each visualized 2 different fields with an intracellular GPC. Clinical picture was thought compatible with Listeria (which is a bacillus, but could be mistaken for a coccus). Completed 10 days of empiric vancomycin and ceftriaxone on 4/10. was on ampicillin CNS dosing, plus gentamicin for synergy started 4/9, now off of gentamicin. Ampicillin changed to meropenem due to drug eruptions. Continued slow clinical improvement; repeat MRI brain 4/13 showed radiographic improvement. Noted to have negative coccidioides serology but not titre came back at 1:8, repeat titre negative. Repeat LP shows similar findings with 28 WBCs, with lymphocytic predominant, slightly low glucose and elevated protein. Awaiting Coccidioides CSF and fungal cultures. Continue fluconazole 400 mg daily, renally adjusted. No evidence of QTc prolongation. Continue to monitor rash. No evidence of DRESS, TENS or SJS. Patient has eosinophiluria. Continue current plan of care. Diagnosis: -Limbic</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							encephalitis -Positive coccidioides titre of 1:8 -Possible infectious cerebritis -Rash and pruritus - improving. - Breast cancer in remission s/p mastectomy, radiation, chemotherapy -Atrial fibrillation with RVR -AKI with eosinophiluria Discharged on 4/27/21
1297551	5/7/2021	IN	44	M	3/30/2021	4/23/2021	At first on April 23rd, my tongue felt like it was burned and tingling. By 4/26 I woke up with right side of face dropping, swollen, and paralyzed. Went to the ER and was diagnosed with Bells Palsy. ER doctor also performed CT scan which was normal. Was given prednisone and valacyclovir, instructed to protect and dress my eye. The right side of my neck under my ear is very swollen and tender. I have pain in the back of my neck on the right side. I had a follow up with PCP 5/05/21. She told me to use an eye ointment. It has been two weeks and my face is still paralyzed. Some of the swelling has gone down in my check.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1297599	5/7/2021	OR	16	F	5/7/2021	5/7/2021	16yoF was accompanied with an adult who was present for the vaccination. The COVID-19 Vaccine Pfizer-BioNTech 0.3mL administered IM in right deltoid while patient was sitting. Patient remained sitting for 10 minutes after administered dose. Patient reported feeling well after the injection. Patient stood up while we continued to talk, after 2 more minutes passed out while standing. Suddenly, patient began to go limp and her eyes crossed and rolled back. Patient fell backwards into the privacy curtain and into aisle 13 of the store. Patient's head bounced off the floor. Immunizer knelt next to patient. Patient was unresponsive until immunizer placed cold hand on back of neck and front of chest to check if she was breathing, immunizer calmly guided patient to breath, slow deep breaths into the belly and patient's eyes fluttered open. She said her head hurt really bad. Immunizer offered to the accompanying adult to call EMS because patient should be evaluated after hitting her head so hard. The accompanying adult denied EMS, then stating that patient had previously fainted while walking and said that she would be fine. Immunizer advised patient to remain laying down while immunizer got some ice. Ice was then placed on the back of the head. Patient slowly stood up after laying for 10 minutes and was walked over to a sitting area to put feet up and continue with ice for another 5 minutes before the accomanying adult wanted to leave.
1295596	5/7/2021	AZ	42	F	4/9/2021	4/16/2021	The day of and the first week after I only felt a little lightheaded. Seven days after the vaccine I began having dizzy spells, extreme fatigue and nausea, blurred vision, extreme right head pressure, floaty sensation, numbness and tingling in my right arm and leg, muscle spasms, and extreme anxiety. All things I have never experienced before. And they have persisted daily since they began. My first period one week after the injection was a couple days late and very light and only lasted a few days, which is also not normal for me. I have short periods of relief and then the symptoms return. It is very scary and I need help. I have been to my pcp several times and the Dr. They can't explain my symptoms.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1297837	5/7/2021	CA	27	F	5/7/2021	5/7/2021	Patient presented with sweating and blurred vision 5 to 8 minutes after vaccination. No swelling of lips or tongue observed or shortness of breath reported. Patient reported having anxiety from vaccinations. Patient was sat down on the ground with her feet elevated, hydrated with water, instructed to take deep breaths, and blood pressure was taken every two minutes. Vitals will be reported as Time, BP, Pulse: 11:28, 78/62, 60; 11:30, 118/96, 121; 11:32, 107/69, 57; 11:35, 116/88, 65; 11:52, 107/73, 57. A pulse oximeter reading was taken twice reporting 96% and 97%. Patients reported feeling better after 2 minutes (11:30) and was given a glucose tablet at around 11:35, when she reported not having eaten yet. Patient reported feeling better and drove home after contacting family by phone. Follow-up phone call with patient at 12:10 showed that patient arrived home safely, felt normal. At another follow-up phone call at 5:45 patient reported that she was doing okay and no problems.
1295431	5/7/2021	CA	19	F	5/3/2021	5/5/2021	Chronic hives reactivated. One of the worst outbreaks since inception of hives. Edema in lips and eyelids. 72 hours past injection, hives ongoing, currently being treated with prednisone.
1296638	5/7/2021	MN	16	F	4/21/2021	4/21/2021	Developed headache, chills, hot flashes, body aches, burning eyes, nausea, and fatigue 4 hrs after vaccination. Symptoms wax and wane in severity, but have not resolved. She was seen by pediatrics and family practice by telemedicine. Treated with Tylenol and Advil. Then presented to Hospital ER 5/3/21 with worsening fatigue and weakness. ER work-up included normal/ negative CBC, d-dimer, monospot, CMP, ESR, CK, UPT, UA, RP Covid, and Influenza. Only noteworthy finding was mildly elevated CRP at 0.51. Treated with Zofran. Outpatient follow-up work-up included normal ECG, normal repeat CBC, CMP, CK, ESR, A1C. CRP 3. EBV, CMV, Parvovirus, Covid antibody, ANA, and RF pending. She briefly D/C'd Amitriptyline, so advised to resume.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1295633	5/7/2021	NC	24	M	4/6/2021	4/19/2021	Severe migraine headache with visual changes, aura, right sided numbness of face and arm, followed by pain. never had this before. lasted over 24 hours and necessitated trip to urgent care; CT scan was considered, but symptoms resolved with sumatriptan; recovered completely and no further symptoms
1296262	5/7/2021		37	F	3/24/2021	4/18/2021	Patient is a 37 years old female with no significant medical history who presented to the ED complaining of dizziness and right-sided weakness x1 week. Other associated symptoms of blurry vision, double vision, vertigo/dizziness sensation described as "room spinning." Patient endorses receiving her 1st Moderna coronavirus vaccine shot about on 3/24/21. She denies any other focal deficits, facial droop, difficulty with speech or trouble walking. CT head is negative. MRI and MRA head and neck negative. Orthostatic vital signs negative. She was evaluated by Neurology, who ordered MRI of the cervical and thoracic spine with and without contrast that was negative. Echo showed LVEF 60-65%. Trace mitral regurgitation. Trace tricuspid regurgitation. PT vestibular evaluation was negative for BPPV. TSH/ammonia/B12 WNL. RPR was positive but FTA ABS is negative. Patient's symptoms improved with meclizine. She desired to be discharged to follow up with Neurology for outpatient EMG and nerve conduction test.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1295618	5/7/2021	VA	24	M	3/6/2021	3/15/2021	<p>A week and a half approximately after the initial vaccination of the J+J covid vaccine I started having a course of strange symptoms. Insomnia, inability to focus on things directly in front of me (a hand in front of my face would go out of focus automatically after a second), blurred vision, short term/long term memory loss, severe emotional issues, difficulty breathing, anxiety. Shortness of breath at a certain point was so bad I thought I was not going to make it. One very troublesome symptom that culminated after weeks of 4 hours of sleep was that my brain started feeling "funny". The best way to describe it was a brain "orgasm" which I have never experienced before. At the same time I experienced dry heaving for several minutes, and severe shortness of breath. After this experience my symptoms gradually improved over the next week or two. Prior to this it felt like my brain was not getting enough oxygen/blood, which could have been feeding my insomnia. When I would try to sleep, I would wake up at 4 am gasping for air, as I felt like my breathing was labored when sleeping. I could not focus on my computer screen to do my job at home. Large amounts of melatonin seemed to help my brain feel better and get some rest. I took hydroxyzine for unrelated reasons prior to the vaccine injection as needed, however not too often. During March I did not take it, as I had experienced disruptions in circadian rhythm due to the medication. I feel it is possible I had a blood clot that has been described in the news, although now there may be no way to know for sure. I talked with my primary care physician about this, and he did not think this was the case because I was male. However I have a BMI of 18.7 and some issues females have such as TMJ and inability gain weight/anorexia diagnosis when younger. I also was recently diagnosed with an only recently described actual medical issue called R-CPD, which is the complete inability to burp or belch. I felt like during the time when I experienced the side effects, that this condition was heightened (bloating/loss of appetite). I lost quite a bit of weight during March, I usually weigh 135-140, and was down to 115 at a certain point. I am now back up to 130. I now take sertraline at 1/4 pill dosage to treat the anxiety I experienced as a result of these symptoms as well as some other personal issues. I experienced severe side effects from the sertraline taking it at full dosage, and still experience some at 1/4 pill dosage.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1295672	5/7/2021	CO	28	M	5/6/2021	5/6/2021	Patient experienced vasovagal syncope approximately 5 minutes following vaccination. Patient regained consciousness but was standing at time of incident and has a cut above eye after falling. He was taken by EMS to attend to the cut.
1295677	5/7/2021	NC	39	F	5/4/2021	5/4/2021	Patient reports acute onset of "wave in chest", palpitations, and progressive chest tightness immediate after vaccination as well as feeling sleepy. Symptoms slightly improved over course of 15 mins and patient was going to leave vaccination site. Patient returned to vaccination site for assessment at 45 mins post vaccination with complaints of heaviness in chest without complaints of dermatological changes, shortness of breath, dizziness, nausea. VITALS at 19:25: HR 81 regular, Temp 97.5F, RR 18, BP 130/82, O2 99% RA Patient reported sensation of "scratchy throat" and constantly clearing throat. and was given water , symptoms with weight on chest and throat scratchiness resolved with belching. Throat clearing resolved with water. VITALS at 19:45:HR 66 regular, RR 16, O2 98% RA, BP 122/84. Patient reporting c/o chest heaviness relieving but still would come and go. Patient vocalizing desire to leave site under supervision of family member that was present. Patient A&O x 4 at time of departure from site at 19:50.
1295777	5/7/2021	OH	89	M	1/24/2021	1/26/2021	Severe Headache, insomnia, double vision

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1295819	5/7/2021	IN	25	F	1/13/2021	1/18/2021	I developed a "blurry spot" (later noted to be a scrotoma) in my vision of my right eye a few days after my vaccine. No pain was associated, just a small spot of blurred/rainbow vision. I did not initially connect it to the vaccine, and do not know for sure if it is connected, but it seems pertinent. I was first seen by my optometrist who did a retina scan and found a retinal hemorrhage. I subsequently saw my PCP, a neurologist and a retina specialist. After more scans, I was diagnosed with Acute nueromacular retinopathy. My doctor, who is a specialist in this specific disorder, noted there had been some connections to this very rare disorder and Covid-19, as well as vaccines. Not a lot is known about this disease, but I did have other potential risk factors, such as being on birth control. Hard to say what actually caused it. But the close connection to the vaccine in timing is suspicious. I am personally curious if there are other documented cases.
1295946	5/7/2021		19	F	5/5/2021	5/5/2021	Patient stated feeling dizzy after receiving the vaccine and fainted immediately afterward. Patient fell slowly from sitting position to the floor; hit her head on the left side of forehead leaving redness at the site. Patient reported blurry vision, pressure on ears, and nausea that went away after a few minutes. Patient fainted three (3) times. Patient was pale and had diaphoretic skin. Approximately 30 minutes post, patient stated feeling better and symptoms went away.
1296055	5/7/2021	IL	44	M	5/4/2021	5/4/2021	Patient approached pharmacy staff during 15 minute observation to report feeling of overheating and anxiousness. He was brought into the consultation room where blood pressure was taken which was normal. Patient was given water and a dose of Benadryl as well as provided direct cooling with table fan. He mentioned getting a taste in his mouth prior to the flushing and anxiety as well as blurred vision. He was observed for an additional 45 minutes with symptoms subsiding and was advised to seek medical attention if symptoms reappear as he refused any further medical intervention. Patient was called several hours after vaccine at home where he said he was feeling improvement but was resting.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1296178	5/7/2021		17	M	4/12/2005		Patient feeling lightheaded, sweat and blurred vision. He also reported numbness, tingling bilateral hands. dizziness and blurred vision subsided within 5 minute. Patient was encouraged to hydrate and wait full 15 minutes prior to leaving. Patient was feeling well enough to leave and mother was able to drive him home
1296197	5/7/2021	CT	90	M	3/30/2021	4/5/2021	Wife reports patient was vaccinated on 3/30/21. She stated patient only had blurred vision following vaccination which lasted a about 2 days. On 4/4 family members visited and it was noted that 1 member tested positive for Covid on 4/5/21 and her spouse was home sick on 4/4/21 and was later positive on 4/5/21. Around 4/5/21 patient began having more frequent episodes of delusion and confusion. Speech slurred and slouched in chair. Patient would be demanding when asking for water when water was in his hand. Talking to her but looking at the ceiling. She stated she thought he was having "mini strokes." Increased weakness with standing. Slid to floor multiple times from chair. She reports loss of appetite and trembling. Saw MD on 4/12. "Could hardly breathe." MD ordered doxycycline and an inhaler. Patient to Hospital on 4/13/21. Diagnosed with Covid on 4/13/21 via PCR. Discharged from hospital to Skilled Nursing Facility on 4/16/21. Sent back to Hospital on 4/18/21 and passed away on 5/1/21. Wife states that death certificate indicates "Utonic Hypercapnic respiratory failure, acute/chronic CHF, hypoxemic respiratory failure and HTN, DM, prostate CA and COVID PNA. No autopsy performed. Medical PCP.
1296211	5/7/2021	TX	77	M	4/24/2021	4/27/2021	Three days after vaccination developed symmetric weakness in both legs, myalgia, difficulty walking, dysarthria/dysphagia, along with shortness of breath and right eye drooping. Also recently (4/13/2021) treated with nivolumab/ipilimumab so immune checkpoint inhibitor toxicity is suspected.
1296217	5/7/2021	NC	16	F	4/28/2021	4/29/2021	Numbness in tongue, right sided facial droop, difficulty closing right eye, headache, jaw pain. dx with Bell's Palsy
1295982	5/7/2021	TX	37	M	5/7/2021	5/7/2021	FAINTING, SWEATING, EYES ROLLED BACK, ARMS AND LEGS JERKED. ABOUT 5 MINUTES OF SYMPTOMS, THEN RESTED FOR 30 MINUTES BEFORE LEAVING.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1296245	5/7/2021		85	F	4/8/2021	4/23/2021	Patient is an 85-year-old female with a history of hypothyroidism, hypertension, and osteoarthritis who presented from home complaining of 4 days left shoulder pain that radiates into her left pectoral area. She states she was vaccinated with the Janssen Covid vaccine on 4/8/21 in her left shoulder and her pain started 4/23/21. She is not sure if these were related. It was initially intermittent, sharp, stabbing, however became fairly persistent. She has noted her blood pressure being elevated. On my evaluation her blood pressure is 185/64. Patient states she was recently started on lisinopril for hypertension. She has not taken her lisinopril yet today. Chest x-ray showed no obvious infiltrates. Clear lung fields. Normal cardiac dimensions. EKG shows sinus mechanism with normal axis, intervals, ST segments. Otherwise normal EKG. D dimer was elevated, and VQ scan was negative for PE. Patient was evaluated by Cardiology who recommended outpatient stress test. Echo showed LVEF 60-65%. Trace aortic valve regurgitation. Mild mitral regurgitation. Mild mitral leaflet calcification is visualized. Trace tricuspid regurgitation. The right ventricular systolic pressure is calculated at 28mmHg. Patient was found to have hyperlipidemia and was started on statin. Her pain resolved on the day of discharge. Her blood pressure was controlled with lisinopril and coreg. She is to follow up with Cardiology and her PCP.
1292209	5/6/2021	OR	61	F	3/17/2021	3/22/2021	3/18/21, Day after Vaccine, drowzy in the morning, around 12:00 p.m. I had a brief period of incoherent speech and a few moments of having trouble putting sentences together. Around 2:00 a moment of temporary blindness in my left eye. 03/19/21 -03/20/21, extreme fatigue, stayed in bed. 03/21/21, fatigue, light-headed, slightly dizzy 03/22/21, right side leg and arm became numb as if asleep. Went to Hospital Emergency. I had a stroke, had a Carotid Endarterectomy at medical center, was in the Hospital for 5 days, two weeks after surgery became seriously enemic and d_Dimers are still elevated THE CONTINUATION PAGE IS INOPT. AND WOULD HAVE LIKED TO EXPLAIN IN FURTHER DETAIL.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1291840	5/6/2021	CA	69	F	5/4/2021	5/4/2021	Systemic: Allergic: Anaphylaxis-Severe, Systemic: Allergic: Difficulty Breathing-Severe, Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Severe, Systemic: Allergic: Itch (specify: facial area, extremities)-Severe, Systemic: Allergic: Itch Generalized-Severe, Systemic: Allergic: Rash (specify: facial area, extremities)-Severe, Systemic: Allergic: Rash Generalized-Severe, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Severe, Additional Details: symptoms started 2 hours after the 2nd Covid a injection. Lower lip was protruding and severely swollen, spasms in left ear, itching and tingling of the face and throat, hived around eyes and on back. Pt tried Benadryl at home but did not help and was rushed to emergency room where was started immediately on an IV. Was also given epinephrine, Benadryl and Pepcid. Pt stayed at emergency room for 5 hours.
1291856	5/6/2021	NJ	17	M	5/5/2021	5/5/2021	Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Medium, Systemic: Hyperventilation-Medium, Systemic: Visual Changes/Disturbances-Medium
1291859	5/6/2021	NJ	17	M	5/5/2021	5/5/2021	Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Medium, Systemic: Hyperventilation-Medium, Systemic: Visual Changes/Disturbances-Medium.
1291904	5/6/2021	VA	48	M	4/15/2021	5/1/2021	Loss of site in the left eye. Went to my regular eye doctor, then to retina specialist
1291919	5/6/2021	NJ	24	M	5/5/2021	5/5/2021	Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Shakiness-Mild, Systemic: Tinnitus-Mild, Systemic: Visual Changes/Disturbances-Mild
1291960	5/6/2021	FL	39	M	4/20/2021	4/20/2021	Chills, nausea, diarrhea, dizziness, fatigue, brain fog, blurry vision, poor depth perception and headaches.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1291963	5/6/2021	CA	21	M	5/5/2021	5/5/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Flushed / Sweating-Severe, Systemic: Hypotension-Severe, Systemic: Visual Changes/Disturbances-Severe, Additional Details: Got shot 2:09pm pt had vision loss, sweating, low bp after recieving shot. 1st bp: 120/50 pulse 51 at 2:23pm, 2nd bp: 97/56 pulse 52 at 2:34pm, 3rd bp:97/47 pulse 54 at 2:48pm. advised pt to not drivr had friend leave with him at 2:50pm
1291971	5/6/2021	CA	60	F	5/5/2021	5/5/2021	Pain at Injection Site-Medium, Redness at Injection Site-Mild, Systemic: Dizziness / Lightheadness-Medium, Systemic: Hypotension-Severe, Systemic: Nausea-Mild, Systemic: Visual Changes/Disturbances-Severe, Additional Details: recieved shot at 3:10pm, patient reported severe arm pain, nausea, blurred vision. 1st bp: 96/66 pulse 64 at 3:34pm, 2nd bp:102/68 pulse 62 at 3:50pm, 3rd bp 122/76 pulse 68 at 4:04pm. advised pt not to drive and left pharmacy around 4:10pm, observed patient for over 30mins due to use of epipen for ciplr allergy in past
1292268	5/6/2021	MO	54	M	1/19/2021	4/30/2021	Left sided visual issues. Went to ER, Advised that I had a stroke. No issues or problems prior



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1292123	5/6/2021	KY	30	F	5/5/2021	5/5/2021	730 left arm soon after that she began to feel nauseous headache dizziness weakness generalized she has history of 2 years ago of a stroke secondary to a PFO treated she is on long-term anticoagulation she still having some episodes of dizziness and generalized headache no vomiting no blurred vision no numbness of arms or legs weakness of arms or legs feels like she is having gait disturbances because the symptoms she presented to ICC no fever she had some chills No blurring of vision no double vision no visual field defects She is on long-term anticoagulation She has had no CVA after her stroke 2 Patient is a 30-year-old female with a past medical history of DM2, lupus, CVA in 2019 due to embolism, HTN. Patient presents to emergency department with complaint of right face, arm, leg numbness and weakness. Patient reports concern as she got her COVID-19 vaccine at 730 this morning and immediately after felt nauseous and dizzy and then developed numbness tingling to right side of her face, and weakness to right arm and leg thereafter. She does have history of CVA, patient reports no residual deficits from that event. Denies fever, chills, shortness of breath, chest pain or palpitations Initial ED work-up included laboratory studies which resulted with, sodium 135, glucose 326. Imaging studies included CT head which was unremarkable, CTA head and neck unremarkable as well. Vitals on admission, temp 98.5, HR 89, RR 16, BP 124/79, SPO2 100% on room air.
1292216	5/6/2021	NY	46	F	4/12/2021	5/3/2021	On May 3, I suddenly had head numbness from 9/9:30am ?-2:30pm... at least 5 hours!!! Right side head and back of head... very strong numbness... it never happened b4 in my life ...but I could act normally, vision was ok, speaking was ok On May 5, late afternoon but forgot the time .I was standing before desk, suddenly felt feet, legs, walls, floor shaking overlapping for 6-7 seconds ... then normal again It never happened to me before in my life!!!so frightening
1291823	5/6/2021	FL	45	F	3/10/2021	3/25/2021	Since I have received the shot, I have had 2 coldsore flare ups on my lips and 2 cases of red eye (I never had pink eye prior to the shots). They seem to occur weekly now since the shot.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1291497	5/6/2021	WA	42	M	5/3/2021	5/5/2021	Pain in left eye, herpes on front-left head
1292647	5/6/2021	OH	58	F	4/9/2021	4/19/2021	pt stated she was watching TV about 10 days after taking the vax she had a stroke. She became where she couldnt talk and was speaking jibber jabber. Her eyes blurred. These symptoms went away and she felt better. On 4/23/21 she went to ER. Her BP was 212/117. She had multiple test. She was diagnosed w/ Stroke. She was prescribed water pills and sent home to FU w/ PCP. On 5/3/21 she saw PCP. He prescribed blood pressure medicine. She is waiting on them to call her back w/ appt date for a Carotid US. She feels better but says she has brain fog, has fatigue and right eye is still blurry.
1291981	5/6/2021	NH	19	F	5/5/2021	5/5/2021	PATIENT IMMEDIATELY FELT DIZZY AND PASSED OUT A FEW SECONDS LATER. THE VACCINATOR WAS NOT ABLE TO CATCH HER FALL AND SHE FELL OUT OF THE CHAIR AND HIT HER FOREHEAD. PT WAS IN AND OUT OF CONSCIOUSNESS Q5 MIN, UNRESPONSIVE TO PAINFUL STIMULI, AND MUCOUS MEMBRANES WERE BLUE FOR 30 SECONDS BEFORE JERKING AWAKE AND COLOR RETURNED TO NORMAL. SHE DENIES NECK PAIN, HEADACHE, AND SPINE INTACT. SHE REPORTED DIZZINESS, BLURRED VISION, AND RINGING IN THE EARS FOR Q15 MINUTES UNTIL RESIDED. PT PRESENTED WITH DIAPHORESIS UNTIL HER REPORTED SYMPTOMS RESIDED. VITALS, CLEAR LUNG SOUNDS, AND GLUCOMETER WERE DONE. MEDICS GAVE ORAL GLUCOSE. VITALS MONITORED UNTIL STABLE. PATIENT STAYED WITH FIRE Q1H AND SIGNED AMA WITH FIRE TO GO HOME. SCHOOL SECURITY WALKED HER HOME.
1291499	5/6/2021	CA	35	M	4/8/2021	4/28/2021	After take it , there are some herpes coming out around the right eye. I visit at urgent care and the MD provide the prescription. Sulfamethoxazole, acyclovir & trifluridine ophthalmic solution 1% eye drop. Also, the skin is itchy with small red bumps. So far the symptoms of itchy skin is stronger than before.
1292708	5/6/2021	IL	20	M	5/6/2021	5/6/2021	Blurry vision, diaphoretic, hearing loss

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1291986	5/6/2021		33	F	2/18/2021	3/21/2021	Significant dizziness/off balance, shaky when upright, blurry vision with fast head movements or looking up/down and laterally; headaches base of skull into pressure behind eyes. Muscle spasms neck/back. Increased s/s of ? autoimmune; suspect autoimmune related flair. Multiple ED visits, PCP visits, specialist visits across the course of 2 months; time off of work >5 weeks d/t s/s. Not completely resolved at time of this submission.
1291446	5/6/2021	WA	53	M	5/1/2021	5/1/2021	major headache for three days, first night felt like there were hot electrodes zapping through my hand joints these were severe enough to bring tears to my eyes. night sweats for three nights with 102 temp. shoulder joints, knee joints and left hip joint were also affected
1291451	5/6/2021	WA	73	M	5/5/2021	5/5/2021	Patient developed sever nausea, chest tightness, blurred vision, and one episode of vomiting. Patient stated requested that we call 911 and he wasn't able to stand up.
1291471	5/6/2021		42	F	4/30/2021	5/3/2021	42 yo f c/o acute onset of itchy rash to LUE and neck x2-3d after receiving J&J covid19 vaccine approx 2d prior to onset of sx's; additionally reports mild intermittent ha w/dizziness w/o nv or other sx's x24hrs; Pt states concerns for covid19 rxn; pt states mild improvement in rash sx's after total 3x doses of 25mg benadryl; pt denies any other rashes, cp, sob, dyspnea, abd pain/cramping, vaginal bleeding/discharge, urinary sx's, visual changes, neck pain. Pt denies any ha sx's at time of provider evaluation
1291524	5/6/2021		30	M	4/18/2021	5/1/2021	I developed seasonal allergies for the first time ever Headache, redness in the eyes, sneezing and fatigue almost 10 days after the second dose of vaccine
1291484	5/6/2021		20	M	5/5/2021	5/5/2021	PT presents with global headache that awoke PT from sleep with sensation of pressure behind eyes bilaterally. denies visual changes. reports receiving JJ vaccine 10am.
1291810	5/6/2021	MA	28	M	5/5/2021	5/5/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: pt described a vibration in his head, visual disturbance-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Nausea-Mild, Systemic: Shakiness-Mild, Systemic: Visual Changes/Disturbances-Mild

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1291440	5/6/2021	IN	34	F	5/5/2021	5/5/2021	I came down with a bad headache about 2 1/2 hrs after the shot, but then at approximately 11am my right eye developed a red welt on the eyelid and then my eye proceeded to puff up until it was swollen and my eyeball was bright red.
1291588	5/6/2021			U		4/1/2021	BLURRED VISION; VOMITING; WEAKNESS; CHILLS; HEADACHE; FEVER; FATIGUE; STOMACH PAINS; POOR SLEEP; ABDOMINAL BLOATING; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin, and batch number were not reported) dose was not reported, administered on 08-APR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On APR-2021, the subject experienced stomach pains. On APR-2021, the subject experienced poor sleep. On APR-2021, the subject experienced abdominal bloating. On APR-2021, the subject experienced fatigue. On 12-APR-2021, the subject experienced blurred vision. On 12-APR-2021, the subject experienced vomiting. On 12-APR-2021, the subject experienced weakness. On 12-APR-2021, the subject experienced chills. On 12-APR-2021, the subject experienced headache. On 12-APR-2021, the subject experienced fever. On 13-APR-2021, Laboratory data included: Blood test (NR: not provided) No major abnormalities in blood. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from blurred vision, vomiting, weakness, chills, and fever on 13-APR-2021, and had not recovered from headache, fatigue, poor sleep, stomach pains, and abdominal bloating. This report was non-serious.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1291608	5/6/2021	CA	24	F	4/17/2021	4/17/2021	face feels like it's tightening; painful menstrual period; Pale as a ghost; severe non-stop diarrhea since the day she got her vaccine; little stomach bug; Cannot keep eyes open at work; diarrhea has been all kinds of colors(now orange)/black when she was taking Pepto-Bismol; Fainted; Anxiety high; general health bad; Nausea; consistent low grade fever (100F to 100.4F); This spontaneous case was reported by a non-health professional (subsequently medically confirmed) and describes the occurrence of SYNCOP (Fainted) in a 24-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 17-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 17-Apr-2021, the patient experienced SYNCOP (Fainted), ANXIETY (Anxiety high), GENERAL PHYSICAL HEALTH DETERIORATION (general health bad), NAUSEA (Nausea) and PYREXIA (consistent low grade fever (100F to 100.4F)). On 18-Apr-2021, the patient experienced FAECES DISCOLOURED (diarrhea has been all kinds of colors(now orange)/black when she was taking Pepto-Bismol). On 19-Apr-2021, the patient experienced SOMNOLENCE (Cannot keep eyes open at work). On 20-Apr-2021, the patient experienced DIARRHOEA (severe non-stop diarrhea since the day she got her vaccine) and FOREIGN BODY IN GASTROINTESTINAL TRACT (little stomach bug). On 28-Apr-2021, the patient experienced SKIN TIGHTNESS (face feels like it's tightening), DYSMENORRHOEA (painful menstrual period) and PALLOR (Pale as a ghost). At the time of the report, SYNCOP (Fainted) had resolved, SOMNOLENCE (Cannot keep eyes open at work), SKIN TIGHTNESS (face feels like it's tightening), ANXIETY (Anxiety high), GENERAL PHYSICAL HEALTH DETERIORATION (general health bad), FAECES DISCOLOURED (diarrhea has been all kinds of colors(now orange)/black when she was taking Pepto-Bismol), FOREIGN BODY IN GASTROINTESTINAL TRACT (little stomach bug), DYSMENORRHOEA (painful menstrual period), PALLOR (Pale as a ghost), NAUSEA (Nausea) and PYREXIA (consistent low grade fever (100F to 100.4F)) outcome was unknown and

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

DIARRHOEA (severe non-stop diarrhea since the day she got her vaccine) had not resolved. Not Provided  
 The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. No concomitant medications were reported. Treatment medications include Pepto-Bismol (bismuth subsalicylate) for diarrhea for 1.5 days (unknown dose/frequency). Patient waited out 20 minutes post-vaccination and then went to the bathroom. When she came out of bathroom she fainted, paramedics were summoned. Mother took patient to Emergency Room(ER) 20 April 2021, after taking her first to urgent care (who directed mother to take patient to the ER), ER sent her home saying it was just a little stomach bug, but no one else in the family got this "bug". Patient's last test for Covid-19 was on Monday (26-Apr-2021) and results came back negative on 28-Apr-2021. Company comment: The event of faeces discolored is assessed as unlikely due to mRNA-1273 administration but due ingesting Pepto-Bismol. Based on the current available information and temporal association between the use of the product and the start date of the other events, a causal relationship cannot be excluded. Pyrexia and nausea are consistent with the product established safety profile.; Sender's Comments: The event of faeces discolored is assessed as unlikely due to mRNA-1273 administration but due ingesting Pepto-Bismol. Based on the current available information and temporal association between the use of the product and the start date of the other events, a causal relationship cannot be excluded. Pyrexia and nausea are consistent with the product established safety profile.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1291612	5/6/2021	OH	38	M	4/26/2021	4/26/2021	thinks it was a potential seizure; vasovagal effect from the needle; Patient fell off the bench onto the floor and became rigid and stiff and exhibited some rigid movement; Patient fell off the bench onto the floor and became rigid and stiff and exhibited some rigid movement; This spontaneous case was reported by a pharmacist (subsequently medically confirmed) and describes the occurrence of SEIZURE (thinks it was a potential seizure) and PRESYNCOPE (vasovagal effect from the needle) in a 38-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 007C21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 26-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 26-Apr-2021, the patient experienced SEIZURE (thinks it was a potential seizure) (seriousness criterion medically significant), PRESYNCOPE (vasovagal effect from the needle) (seriousness criterion medically significant), MUSCULOSKELETAL STIFFNESS (Patient fell off the bench onto the floor and became rigid and stiff and exhibited some rigid movement) and FALL (Patient fell off the bench onto the floor and became rigid and stiff and exhibited some rigid movement). At the time of the report, SEIZURE (thinks it was a potential seizure), PRESYNCOPE (vasovagal effect from the needle), MUSCULOSKELETAL STIFFNESS (Patient fell off the bench onto the floor and became rigid and stiff and exhibited some rigid movement) and FALL (Patient fell off the bench onto the floor and became rigid and stiff and exhibited some rigid movement) was resolving. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown), the reporter did not provide any causality assessments. Concomitant medications taken by the patient were not provided. The reporter reported that patient never had any allergic reactions to vaccines or medications before and had no past medical histories for vasovagal reactions. After receiving the vaccine, the patient waited in the pharmacy for 15 minutes - 20 minutes. The patient fell off the bench onto the floor and became rigid and stiff and exhibited some rigid movement. The patient was out of it for 15-30 seconds.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							The reporter stated that she called 911. The patient came to, his eyes were huge, but he was aware to self and surroundings. The emergency team came, took the patient's vitals which were stable and stated the patient likely experienced a vasovagal effect from the needle. However, the reporter thinks it was a potential seizure; more than a vasovagal response. Emergency team offered no treatment. The emergency team had encouraged the patient to follow up with a doctor but the patient did not want to make a big scene. Emergency team offered no treatment for the patient. Company comment: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.
1291632	5/6/2021		38	F	5/4/2021	5/5/2021	Fever of 101.6, severe joint pain, dizziness, loss of vision, nausea, severe headache.
1291661	5/6/2021	MA	60	F	2/11/2021	2/11/2021	Headache started 12 hours after the 10 AM injection. Over the next 10 hours muscle aches and joint aches set in with severe chills and fatigue. Felt nauseated/ did not vomit. My eyes ached. I stayed in bed for 24 hours. Two days after the injection most of the symptoms had subsided but my vision was very blurry. I have experienced the same type of blurry vision after taking Nyquil, so I don't take it anymore. Now 3 days after the second Covid shot, my vision is clearing. I am developing a cold sore which I feel may be another reaction to the vaccine. I did not take any medication for the symptoms and did not report it to my doctor. I just wanted the fact of the symptoms to be included with the CDC data.



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1291481	5/6/2021		54	M	4/27/2021	4/27/2021	In the afternoon, I experienced a nosebleed. The weather was not overly dry, I was well-hydrated, and I was confused why I would experience a nosebleed. The bleed was not excessive, and I considered coincidence. An hour or two later in the late afternoon, my wife noticed that I had a ruptured capillary in my left eye. She was very concerned since it appeared very bloody even though it did not cause me any significant pain. The affected eye was mildly itchy afterward. I was not hit in the eye or scratched it in any way. I associated the capillary bleeding events as related to each other and potentially related to my vaccination. However, both events were minor and passed, cleared up in 72 hours. I have a photo of my eye that is available upon request.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1294088	5/6/2021	CA	51	M	3/6/2021	3/7/2021	<p>Bell's Palsy; lethargic; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of BELL'S PALSY (Bell's Palsy) in a 51-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 025a21a) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 06-Mar-2021 at 11:30 AM, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 07-Mar-2021, the patient experienced LETHARGY (lethargic). On 07-Mar-2021 at 12:00 PM, the patient experienced BELL'S PALSY (Bell's Palsy) (seriousness criterion medically significant). On 08-Mar-2021, LETHARGY (lethargic) had resolved. At the time of the report, BELL'S PALSY (Bell's Palsy) had not resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Patient began to experience paralysis of the facial muscles on the left side of his face along with lethargy that lasted one day. He was unable to blink his left eye and the left half of his tongue had no taste. He also reported blurry vision. He subsequently called 911 and was diagnosed with Bell's Palsy in the emergency room that evening. That week, the left side of his face was drooping. He reported that it had tightened up and was more symmetrical now, however, he was still unable to smile, frown or blink from the left side of his face. He was scheduled to receive his second dose of the vaccine on 06-Apr-2021, however, his neurologist stated that she could not guarantee that it would not make his Bell's Palsy worse, but she still recommended getting the second dose. The medical staff at the base didn't know if he should get the second dose and his civilian doctor wouldn't commit. The emergency room physician contacted an Infectious Disease doctor who felt it would be fine for him to get the second dose. Concomitant product use was not provided by the reporter. No treatment information was provided. Company comment: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							and the start date of the events, a causal relationship cannot be excluded.
1293581	5/6/2021	CA	60	M	4/6/2021	4/8/2021	As per patient 2 days post vaccination he develop blurry vision in his left eye, he went to local ER but they said they could not find anything wrong so they refer him to clinic for further evaluation. Their Doctor diagnose him with Retinal Detachment, left eye (Dx: H33.022). on 04/29/2021 pt had Pars plana vitrectomy, air-fluid exchange with internal drainage retinotomy.
1293641	5/6/2021	NH	26	M	5/6/2021	5/6/2021	I asked the patient how he felt after the injection and he said that he felt a little lightheaded and nauseous. He said he had a little too much to drink last night because his buddies were moving West. I asked him to lay on the floor but he refused. He said, "I just want to sit for a while". Within minutes the patient turned pale and started twitching. I asked another pharmacist to help to move him to the ground. 911 was called while patient was on the ground lying sideways because I was afraid that he may choke on his vomit. In a few minutes, patient sat up and asked for a bucket to throw up in. The Fire department came and took his blood pressure (BP120/?) and asked him some questions. They his blood pressure was good and advised him not to drive home. They helped him to get back on the chair. He stayed in the vaccination booth for us to keep an eye out until his friend showed up to take him home (30 minutes later). We had a male associate escort him out because he said he was still nauseous.
1293856	5/6/2021	PA	29	F	5/6/2021	5/6/2021	patient was light headed and blurred vision, this occurred almost immediately after the injection by, imz tech. Immunization tech called for me, rph. I took her BP AT 610PM, it was normal at 128/78 and immunization tech held an ice back on the back of her neck. She recovered quickly and we waited with her for the remainder of her 15 minute wait. Two people were with her. We got a motorized cart for her. She left after the 15 minutes and felt fine, stating no residual issues.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1293945	5/6/2021	CA	44	M	3/24/2021	4/8/2021	Flashes and blurred vision in the left eye, various eye exams conducted and fluid drained in an attempt to lower pressure and remove clot (unsuccessful). The event resulted in Central Retinal Artery Occlusion and loss of vision.
1294017	5/6/2021	CA	54	M		4/27/2021	BRUISING AT INJECTION SITE; DARKER DISCOLORATION ON OUTSIDE AND A LIGHTER COLOR ON INSIDE OF BANDAGE; PAIN AT INJECTION SITE; This spontaneous report received from a patient concerned a 54 year old male. The patient's height, and weight were not reported. The patient's past medical history included arthritis, and smoker, and concurrent conditions included non-smoker, and other pre-existing medical conditions included the patient had no other bruises recently or petechia, chest pain, leg or abdominal pain, difficulty breathing, headache or blurred vision and no allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 206A21A, expiry: 23/JUN/2021) dose was not reported, administered on 27-APR-2021 for prophylactic vaccination. Concomitant medications included acetylsalicylic acid for arthritis. On 27-APR-2021, the subject experienced pain at injection site. On 29-APR-2021, the subject experienced bruising at injection site. On 29-APR-2021, the subject experienced darker discoloration on outside and a lighter color on inside of bandage. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from bruising at injection site, had not recovered from pain at injection site, and the outcome of darker discoloration on outside and a lighter color on inside of bandage was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1294044	5/6/2021	MS	52	M		4/30/2021	SEVERE BODY ACHES ON LEFT SIDE; MUSCLE SPASMS ON LEFT SIDE LEG EYE ARM AND CRAMPING ON RIGHT SIDE; PRESSURE BEHIND LEFT EYE; CRAMPING AND RIB PAIN ON RIGHT SIDE; This spontaneous report received from a patient via a company representative concerned a 52 year old male. The patient's height, and weight were not reported. The patient's pre-existing medical conditions included patient had no underline health problems. The patient received covid-19 vaccine (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on 30-APR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 2021, the subject experienced pressure behind left eye. On 2021, the subject experienced cramping and rib pain on right side. On 30-APR-2021, the subject experienced severe body aches on left side. On 30-APR-2021, the subject experienced muscle spasms on left side leg eye arm and cramping on right side. Treatment medications (dates unspecified) included: acetylsalicylic acid. The action taken with covid-19 vaccine was not applicable. The patient had not recovered from severe body aches on left side, muscle spasms on left side leg eye arm and cramping on right side, pressure behind left eye, and cramping and rib pain on right side. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1293539	5/6/2021	IL	33	F	5/6/2021	5/6/2021	<p>Patient experienced sudden dizziness and nausea within 5 minutes of receiving Janssen COVID-19 immunization. Gave her water, crackers and cold/wet rags for her forehead as she felt hot. Took her temperature, returned normal. Gave her a trash can to keep near. Kept an eye on the patient and realized she was getting red in the face and more dizzy than she had been. Went out and stood next to patient, with her mom on her other side. Began to experience light sensitivity, feeling like the room was spinning. Patient almost fell out of the chair while sitting still. Mom used a personal pulse oximeter on patient, all results normal. Asked the patient about other symptoms, such as chest/abdominal/leg pain, headache, shortness of breath. Patient reported a headache, dizziness, nausea and leg numbness roughly 30 minutes following the vaccine. I recommended going to the ER, mom believed it would pass with time, but insisted she never responds this way to immunizations. Patient began to experience stabbing chest and abdominal pain around 45 minutes. Patient's mom was still hesitant to take her to the ER immediately on her own and asked us to call her PCP. He wanted the patient to go to the ER. Patient believed she would fall if she stood, offered to get a motorized cart, wheelchair or call an ambulance to transport her. Both patient and mom requested the ambulance. Asked a technician to check patient medications and allergies for EMTs, retook the patient's temperature which was normal again. Stayed with patient until EMTs arrived, reported all symptoms patient was experiencing.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1294081	5/6/2021	GA	66	F	3/29/2021		<p>blood pressure kept going up and down\she could not get her blood pressure under control; Fever at injection site (right arm); muscle aches in neck; Sharp pains in legs; pain in stomach; had blurred vision; she had floaters; headache; she had a fever where the vaccine was given (at injection site); body aches; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of BLOOD PRESSURE FLUCTUATION (blood pressure kept going up and down\she could not get her blood pressure under control) in a 66-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 006M20A and 044A01A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Eye operation in March 2021. On 29-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 26-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient experienced BLOOD PRESSURE FLUCTUATION (blood pressure kept going up and down\she could not get her blood pressure under control) (seriousness criterion hospitalization), VACCINATION SITE WARMTH (Fever at injection site (right arm)), NECK PAIN (muscle aches in neck), PAIN IN EXTREMITY (Sharp pains in legs), ABDOMINAL PAIN UPPER (pain in stomach), VISION BLURRED (had blurred vision), VITREOUS FLOATERS (she had floaters), HEADACHE (headache), VACCINATION SITE PAIN (she had a fever where the vaccine was given (at injection site)) and MYALGIA (body aches). The patient was hospitalized from 06-Apr-2021 to 10-Apr-2021 due to BLOOD PRESSURE FLUCTUATION. At the time of the report, BLOOD PRESSURE FLUCTUATION (blood pressure kept going up and down\she could not get her blood pressure under control) had not resolved and VACCINATION SITE WARMTH (Fever at injection site (right arm)), NECK PAIN (muscle aches in neck), PAIN IN EXTREMITY (Sharp pains in legs), ABDOMINAL PAIN UPPER (pain in stomach), VISION BLURRED (had blurred vision), VITREOUS FLOATERS (she had floaters), HEADACHE (headache), VACCINATION SITE PAIN (she had a fever where the vaccine was given (at</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

injection site)) and MYALGIA (body aches) outcome was unknown. Concomitant product use was not provided by the reporter. Treatment for the event included blood pressure medication and eye drops. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1294049	5/6/2021	CT		F	3/6/2021		<p>UVEITIS/IRITIS; SORE ARM; TIRED; This spontaneous report was received from a 58-year-old, White, not Hispanic/Latino female patient. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of administration was not reported, batch number: 1805022, expiry: unknown) dose was not reported, 1 total, administered at approximately 10:00 on left arm on 05-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. After vaccination, the patient waited to 30 minutes and nothing happened. On 06-MAR-2021, the patient was tired and her arm was a little sore. On 08-MAR-2021, the patient recovered from the arm soreness and tiredness and was fine. On 22-MAR-2021, the patient woke up with blood in the left eye, her vision was deteriorating and had foggy vision. The patient visited an ophthalmologist 3 times after which she started treatment with prednisone acetate, Cyclogyl (cyclopentolate hydrochloride), and Prolensa (bromfenac sodium) (dates unspecified). Later, on 05-APR-2021, the patient went to the retinal specialist who was unsure when the patient's vision would return and thought the diagnosis was uveitis/iritis. The patient's doctor thought that the patient got the shot and then her immune system kicked and was fighting the shot or the coronavirus disease (COVID-19). The patient was tested negative for COVID-19 two times and her and her white blood cell (WBC) count was "through the roof" (result unspecified) (test dates unspecified). It was reported that the patient would be seeing a specialist regarding the diagnosis of uveitis/iritis on 25-JUN-2021. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from sore arm, and tired on 08-MAR-2021, and had not recovered from uveitis/iritis. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210507327-covid-19 vaccine ad26.cov2.-Uveitis. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1294131	5/6/2021	VA	42	F	3/24/2021	3/28/2021	3/31 stroke like symptoms ED with admission for testing 4/20 stroke like symptoms ED with admission for testing 4/27 seizure 4/28 seizure during MRV confirmed no stroke 5/2 15 seizures ED visit to stop seizure activity 5/3 19 seizures, admission for LP and EEG study 5/4 4 seizures discharged, tests inconclusive 5/5 2 seizures 5/6 2 seizures All are accompanied by severe headache, blurred vision, confusion
1294192	5/6/2021	MD	69	M	3/9/2021	4/23/2021	Hemorrhages of the left eye retina.
1294234	5/6/2021	KS	18	F	5/6/2021	5/6/2021	Patient became very pale and whole body sweating. Patient reported ears ringing and black spot in vision. Also, said arms were tingling. lasted approximately 15 minutes
1294243	5/6/2021	IL	83	F	2/26/2021	3/1/2021	Patient described brain fog. Tinnitus progressing to hearing crickets and then hearing the ocean. Patient broke out in shingles, this time affecting the eye and losing partial eye sight (had visit with eye doctor recently). Has follow up regarding tinnitus with healthcare provider soon. First Shingrix dose was November 13, 2020.
1291976	5/6/2021	CA	87	F	5/5/2021	5/5/2021	Systemic: Chills-Mild, Systemic: Confusion-Severe, Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Severe, Systemic: Hypotension-Severe, Systemic: Nausea-Medium, Systemic: Tingling (specify: facial area, extremities)-Medium, Systemic: Visual Changes/Disturbances-Severe, Systemic: Vomiting-Mild, Systemic: Weakness-Severe, Additional Details: shot 4:23pm, pt complained of seeing stars, being nauseous, weak, was going in and out of consciousness for 30 -45 seconds. Had patient elevate legs a while seated and took bp at 4:30pm was 115/36 pulse 52. pt tried to vomit but nothing came up. Took 2nd bp at 4:44pm 137/91 pulse 75. Moved patient inside pharmacy had her lay down flat with legs elevated for 8 minutes. complained of tingliness in both arms up to elbows. 3rd bp at 4:50pm was 127/80 pulse 65, 4th bp 125/82 pulse 77, left at 5pm

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1292753	5/6/2021	MI	17	F	4/28/2021	4/28/2021	Patient describes feeling nauseated, lightheaded, and dizzy about 20 minutes after vaccine while in waiting observation area. Mom states she looked over, patient's eyes were rolled back, she was shaking, and not responding to mom. Patient does not remember this part. She states the next thing she remembers is looking up at nurses looking down on her. Mom thinks she was out for a few minutes. Of note, patient had not had anything to eat or drink on day of vaccination. She also has a history of syncopal episode after a toradol injection, and with illness.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1294072	5/6/2021		55	F	12/30/2020	12/31/2020	Slurring her speech; "I could not open my eyes and look at a screen"; Periorbital edema; Could not think clearly; Thought she was having a stroke; Could not focus on a computer screen, tv, phone, or read; Headache/Whole entire head hurt; Vomiting; Diarrhea; Miserable; Eyes were swollen all around her eyes; Migraine/ chain of migraines/ migraine pain; This spontaneous case was reported by a health care professional (subsequently medically confirmed) and describes the occurrence of MENTAL IMPAIRMENT (Could not think clearly) and CEREBROVASCULAR ACCIDENT (Thought she was having a stroke) in a 55-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 026I20a) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Migraine (History of migraines). Concomitant products included ELETRIPTAN HYDROBROMIDE (RELPAX) and NAPROXEN SODIUM (ALEVE) for Migraine. On 30-Dec-2020, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 31-Dec-2020, the patient experienced MIGRAINE (Migraine/ chain of migraines/ migraine pain). On 07-Jan-2021, the patient experienced DIARRHOEA (Diarrhea), FEELING ABNORMAL (Miserable) and VOMITING (Vomiting). In January 2021, the patient experienced EYE SWELLING (Eyes were swollen all around her eyes). On an unknown date, the patient experienced MENTAL IMPAIRMENT (Could not think clearly) (seriousness criterion medically significant), CEREBROVASCULAR ACCIDENT (Thought she was having a stroke) (seriousness criterion intervention required), DYSARTHRIA (Slurring her speech), PHOTOPHOBIA ("I could not open my eyes and look at a screen"), PERIORBITAL OEDEMA (Periorbital edema), DISTURBANCE IN ATTENTION (Could not focus on a computer screen, tv, phone, or read) and HEADACHE (Headache/Whole entire head hurt). At the time of the report, MENTAL IMPAIRMENT (Could not think clearly), CEREBROVASCULAR ACCIDENT (Thought she was having a stroke), MIGRAINE (Migraine/ chain of migraines/ migraine pain), DYSARTHRIA (Slurring her speech), PHOTOPHOBIA ("I could not open my eyes and look at a screen"), PERIORBITAL OEDEMA (Periorbital edema), DIARRHOEA (Diarrhea), FEELING ABNORMAL

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							(Miserable), EYE SWELLING (Eyes were swollen all around her eyes), DISTURBANCE IN ATTENTION (Could not focus on a computer screen, tv, phone, or read), VOMITING (Vomiting) and HEADACHE (Headache/Whole entire head hurt) had resolved. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): In January 2021, Magnetic resonance imaging: indicates bright spot which could be migraine (abnormal) Bright spot which could be migraine. In January 2021, SARS-CoV-2 test: Negative. mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was withdrawn on an unknown date. For mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown), the reporter did not provide any causality assessments. Treatment information mentioned while in ER had infusions of pain medications and ketorolac, steroids, and antihistamines. Would also ice head for pain relief. Most recent FOLLOW-UP information incorporated above includes: On 14-Apr-2021: Additional events, Medical history, event outcome and action taken updated; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded, noting the medical history of migraines in the patient as a confounder.
1293054	5/6/2021	NC	22	M	5/5/2021	5/5/2021	Site: Pain at Injection Site-Mild, Systemic: Body Aches Generalized-Mild, Systemic: Chills-Mild, Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Flushed / Sweating-Medium, Systemic: Hypotension-Medium, Systemic: Visual Changes/Disturbances-Mild, Additional Details: pt had tunnel vision and lost his vision for a split second, he could not remember me asking if he was okay. I gave him benadryl and checked bp that was 95/65, Encouraged pt to drink water and got a sucker for him. He was clammy and seemed worried. His bp started coming up within 5 minutes and was 105/80. His bp was 120/80 in 5min later, asked pt to get a ride and his wife came and got him. It had happened to him one time giving blood. pt had chills and aches last night and is fatigued

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1292768	5/6/2021	FL	57	F	5/4/2021	5/5/2021	Fever with chills, migraine headache that changed locations from back of skull to behind eyes. Light and noise sensitive. Took tylenol, advil fever went away next morning but still have a slight headache and light sensitive.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1294076	5/6/2021	IL	69	F	1/29/2021	3/15/2021	right eye is swollen; eye lid is swollen; bump underneath skin , it is raised; vision is blurry; painful; started having a discharge again; vaccine made her medication stop working because she started having a discharge; eye infection / infected eye gland / eye infection in right eye; Heavy left arm, could not lift; Left wrist was very red; Left wrist was very swollen; This spontaneous case was reported by a consumer and describes the occurrence of EYE INFECTION (eye infection / infected eye gland / eye infection in right eye) in a 70-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 010AZ1A and 026L20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Cataracts (Patient states that she never had an eye problem other than cataract.) and Discharge (Patient states that she used to have a discharge a year ago and that is why she was put on Estrace.) in 2020. Concomitant products included ESTRADIOL (ESTRACE) for Discharge, VITAMINS NOS for an unknown indication. On 29-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 27-Feb-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 15-Mar-2021, the patient experienced LIMB DISCOMFORT (Heavy left arm, could not lift), ERYTHEMA (Left wrist was very red) and JOINT SWELLING (Left wrist was very swollen). On 21-Apr-2021, the patient experienced EYE INFECTION (eye infection / infected eye gland / eye infection in right eye) (seriousness criterion medically significant). On an unknown date, the patient experienced EYE SWELLING (right eye is swollen), SWELLING OF EYELID (eye lid is swollen), MASS (bump underneath skin , it is raised), VISION BLURRED (vision is blurry), PAIN (painful), DISCHARGE (started having a discharge again) and DRUG INTERACTION (vaccine made her medication stop working because she started having a discharge). On 18-Mar-2021, LIMB DISCOMFORT (Heavy left arm, could not lift), ERYTHEMA (Left wrist was very red) and JOINT SWELLING (Left wrist was very swollen) had resolved. At the time of the report, EYE INFECTION (eye infection / infected eye gland / eye infection in right eye), EYE SWELLING (right eye is swollen), SWELLING OF

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							EYELID (eye lid is swollen), MASS (bump underneath skin , it is raised), VISION BLURRED (vision is blurry), PAIN (painful) and DISCHARGE (started having a discharge again) had not resolved and DRUG INTERACTION (vaccine made her medication stop working because she started having a discharge) outcome was unknown. Treatment for the events included, ibuprofen, neomycin/poly/dexamethasone ointment, metronidazole. Based on current available information and the temporal association between product use and the start date of the events a causal relationship cannot be excluded. This case was linked (Linked Report). Most recent FOLLOW-UP information incorporated above includes: On 28-Apr-2021: patient history, concomitant medication information and events are updated. On 28-Apr-2021: no new information; Sender's Comments: Based on current available information and the temporal association between product use and the start date of the events a causal relationship cannot be excluded.
1292930	5/6/2021	WA	19	F	5/6/2021	5/6/2021	After about 6 minutes post-injection, she started feeling really dizzy and briefly passed out. After a couple minutes she was responsive, but still really weak and tired and said she had blurry vision. We called 911 and they came in and monitored blood pressure and heart rate, which was really low when they started, but did come back up into normal range and patient was feeling much better after about 15 minutes, but still tired.
1293499	5/6/2021	TX	67	F	3/15/2021	3/29/2021	Very dry eyes, rubbed cornea off
1293063	5/6/2021	PA	67	M	5/6/2021	5/6/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Flushed / Sweating-Severe, Systemic: Hypotension-Medium, Systemic: Nausea-Severe, Systemic: Tingling (specify: facial area, extremities)-Severe, Systemic: Visual Changes/Disturbances-Severe, Systemic: Weakness-Severe
1293071	5/6/2021	FL	45	M	4/12/2021	4/24/2021	severe vertigo with eye movements, dizziness, nausea
1293082	5/6/2021	MO	18	F	5/5/2021	5/5/2021	Patient called pharmacy in evening to report extreme blurred vision in right eye. Patient was instructed to have someone take her to urgent care.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1294252	5/6/2021	FL	70	F	3/13/2021	3/15/2021	On Mar 15 in the evening, patient developed left sided numbness initially in the chest, and then woke up the morning of Mar 16 with numbness on the left side of her face, left arm, and left leg. She also complained of a frontal headache that felt like a sinus infection. She went to the ER at 10am at Hospital. CT brain and CT angio head/neck were negative. MRI brain w/o contrast showed no stroke and MRI cervical w/o contrast showed mild cervical arthrosis. She had gradual improvement in her numbness. ECHO showed mild LVH, no shunt or PFO. She was started on lisinopril due to mildly elevated blood pressures during this admission- new diagnosis of hypertension. After discharge she continued to have episodes of left sided numbness and blurry vision nearly every day until she presented to my clinic to establish care on 04/22. At that time she was experiencing numbness on the left side of her face in a V2 distribution. She was sent to the ER at Medical Center and was admitted 4/22- 4/24. CT head was negative. Symptoms resolved after this hospitalization. MRI/MRV was ordered outpatient and performed 05/04. MRV showed Right transverse venous sinus filling defect probable thrombus, nonocclusive. She was started on Pradaxa 05/05 and has not had any neurologic symptoms since.
1293171	5/6/2021	CA	16	M	5/6/2021	5/6/2021	After 10 minutes receiving the 1st dose of Pfizer Covid-19 vaccine, patient experienced sweating, pale looking, eyes rolling back. He was still aware, and stated that he wants to lie down. We took his BP, all the numbers are within normal range. He rested for 15 more minutes, and said that he wants to go home and rest. We called to follow up later and talked to Mom. She said he is ok after eating and resting.
1293389	5/6/2021	WI	18	M	4/8/2021	4/8/2021	Patient received 1st dose of COVID-19 vaccination and immediately after became pale with upward eye deviation and loss of consciousness for approximately 10 seconds. Patient aroused and was noted by nurse to be nauseous, confused, sweating, and shivering. Patient's vitals were obtained and patient was given Gatorade and a snack. Patient was monitored for an additional 30 minutes and repeat vitals obtained. Patient was discharged in stable condition to mother.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1293397	5/6/2021	PA	16	F	4/30/2021	4/30/2021	At approximately 1:04pm on 04/30/2021 patient during 10 minute observation had a syncopal episode and fall from standing to floor with loss of consciousness. Trauma assessment found contusion to occipital region of skull. No bleeding, no other trauma findings. Pt moved to wheelchair, and then to cot without incident. Pt AA&Ox4, airway patent, breathing shallow and non-labored. Pulse strong and regular with delayed perfusion. Pt skin pale, cool and dry. Pt eyes PERRL bilaterally. Pt complains of pain 7/10, dull, localized, to the base of skull, and ringing of ears, as well as dizziness without nausea. Pt administered 650ml oral water with improvement to skin and respirations. Vitals and report continued on next page Pt however post oral hydration still stated no change to headache, and new onset tinnitus to left ear. Pt parent was consulted for transport to emergency department for assessment for potential injury post fall, and consented. EMS was contacted, who transported patient to hospital. Vital signs as follows 1312 108/68 93p 14r 98%RA 1323 106/62 82p 17r 98%RA 1335 104/60 74p 16r 97%RA
1293377	5/6/2021	OH	17	F	5/6/2021	5/6/2021	Pt reported blurry vision and lightheaded. @1115 BP 110/54, HR 63, Oxsat 92%. At 1125 BP 108/70, Oxsat 98, HR 64. At11:39 BP 106/62, HR 74.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1293311	5/6/2021	MA	89	F	3/10/2021	3/18/2021	She had her second dose of the covid vaccine approx 8 days ago, the day after she was very tired and slept all day. Then yesterday when she awoke she had a sense of discomfort in the left eye, and a friend who helps them at home noticed that her left eye was slightly bloodshot. Yesterday she went to see her eye doctor who dx her with an incidental small burst blood vessel but did not advise stopping eliquis and said it should resolve within weeks. She has no loss of vision. However, in the evening when at home she said she had difficulty forming words - husband did not particularly notice a problem - she ignored it basically and went to sleep . Then this morning went to the hairdresser, noticed the word finding/ speech 'garbled' slightly problem again and walked into her pcp office - she was eval'd there at approx 1140 am and sent to ER by ambulance. Code green not called given the initial deficit was last night, CT head suggested possible subacute infract. She had no chest pain or pressure, trop noted as slightly elevated at 129 , Platlets 84 Diagnosed with Bilateral punctate infarcts throughout the brain, in cerebellum, occiput, left temporal and parietal lobes
1293280	5/6/2021	MI	36	F	5/2/2021	5/3/2021	Metal taste in mouth immediately then burning through chest and abdomen on first day. Could lift arm by second day, extreme fever chills and fatigue monday, hospitalizationon tuesday due to extreme headache and vision loss

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1293220	5/6/2021	MI	83	M	3/18/2021	5/5/2021	<p>BRIEF OVERVIEW: Primary Care Provider at Discharge: DO Admission Date: 5/5/2021 Discharge Date:5/6/2021 Active Hospital Problems Diagnosis Date Noted POA ? Essential hypertension 05/06/2021 Yes ? Pulmonary embolism on right (HCC) 05/05/2021 Yes ? Right flank pain 05/05/2021 Yes ? Hypokalemia 05/05/2021 Yes ? Uncomplicated alcohol dependence (HCC) 05/05/2021 Yes Resolved Hospital Problems No resolved problems to display. CONSULTS: None INPATIENT PROCEDURES: None DETAILS OF HOSPITAL STAY: PRESENTING PROBLEM: Patient is a 83 y.o. male with Hx of HTN who presents today with complaint of right sided flank pain, with radiations into the right side of his back and right side of his chest. The pain is worse with movement and deep inspiration. He denies palpitations and shortness of breath. He has no previous HX of VTE. He denies fever, chills, cough, nasal congestion, and sore throat. He denies abdominal pain, N/V, and changes in bowel movements. The patient is a limited historian. He is oriented x4 on admission, but states that he has had difficulty with his memory over the past 2-3 years. He lives alone in an apartment. In the emergency department the patient's vital signs were stable. Labs revealed a potassium of 3.3. AST was 52 and ALT 61. White blood cell count was 11.13. Troponin was negative and BNP was within normal limits. Lactic acid was 1.5. UA showed trace blood. EKG showed normal sinus rhythm with PACs. CTA the thorax abdomen and pelvis showed acute pulmonary emboli involving the segmental subsegmental arteries of the upper and lower lobes. There is no evidence of heart strain. He was admitted for observation due to severe pain, and was given IV fentanyl. Echocardiogram showed: The left ventricular ejection fraction is 67%. No regional wall motion abnormalities noted. The right ventricular size, thickness, and function are normal. The estimated right ventricular systolic pressure is 36 mmHg. The inferior vena cava was not visualized during the exam. There is no comparison study available. He was started on Eliquis 10 mg bid for 7 days, than 5 mg bid for total of 3 months. He should follow up with PCP in 1 week and should check CBC and BMP on 5/10/21. He should also follow up with pulmonologist in 2-3 months. He had Pfizer COVID-19 vaccine on 2/18/21 and 3/18/21. There is remote possibility that this PE could be</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

related to COVID-19 vaccine, so this was reported to Vaccine Adverse Event Reporting System (VAERS). He had mild hypokalemia due to HCTZ, and required K-dur supplement. HCTZ was switched to Maxzide 25/37.5 mg daily. Rechecked K was normal 3.9. BMP should be checked in 1 week. Also he is drinking little bit too much alcohol, 4 alcoholic drinks every night. He was instructed to cut alcohol drinking to <=2 alcoholic drink a day. His daughter was updated over the phone.

1293400 5/6/2021 CA

59 M

4/1/2021

4/7/2021 From Physician H&P: Patient is a 59-year-old man multiple medical chronic conditions, including known protein S deficiency not on anticoagulation, sinus bradycardia, hypercholesterolemia, chronic neuropathy of the lower extremities, who presented to the emergency room at the recommendation of his primary care office for possible stroke and persistent headache. He reports that his history of present illness begins on 4/7/2021, for which after he had received the COVID-19 Johnson & Johnson vaccine he started to have throbbing headache. He stated that it was diffuse and pounding in quality, up to 10 out of 10 pain. However this resolved on its own, and since then and has been intermittent with this type of headache. He did report 2 weeks ago, that he had a brief episode of tunnel vision as he describes it, where his vision seemed to narrow while he was looking at his phone. This only lasted no more than 10-30 minutes, and this resolved on its own as well. He continues to have intermittent headaches, again otherwise nonspecific with pounding quality however the intensity is improved. Humidifier regarding the Johnson & Johnson vaccine to report any side effects, for which she had notified his primary care doctor who then decided to proceed with MRI of the brain to evaluate for possible etiology. The MRI was done with and without contrast at facility on 5/4/2021, for which there was concern for possible left temporal posterior stroke, and if there was any concern for venous thrombosis, further imaging was necessary. He was then recommended to go to the emergency room for evaluation. He otherwise is in his regular state of health. He denies any recent fever or chills or cough, no chest pain or shortness of breath, nausea, vomiting, abdominal pain. No changes in bowel or bladder habits.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1288393	5/5/2021	IN	68	F	2/22/2021	4/11/2021	Hearing loss due to nerve damage; sudden and unexpected hearing loss in her left ear; This is a spontaneous report from a contactable consumer, the patient. A 68-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot: EN6200), via an unspecified route of administration on 22Feb2021 (at the age of 68-years-old) as a single dose for COVID-19 immunization. Medical history was not reported. Concomitant medications were reported as none. There were no other vaccines administered within 4 weeks or on the same date as the COVID-19 vaccine. The patient previously received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot: EL9263) on 01Feb2021 (at the age of 68-years-old) for COVID-19 immunization. On 08Mar2021, the patient had a cataract extraction in both eyes after which she started taking prednisolone acetate USP 1% (UPC: 6075811910, Lot: T0557, Expiry: Jun2023) steroid eye drops on approximately 10Mar2021 for an unspecified length of treatment. On 11Apr2021, the patient experienced sudden and unexpected hearing loss in the left ear only, which worsened. Per the appointment with the ear, nose, and throat (ENT) doctor, there was no reason for the unexpected hearing loss in her left ear, and the hearing loss was not related to anything medical. The ENT doctor started the patient on a steroid treatment (prednisone) for 10 days. On 20Apr2021, the patient had an abnormal hearing test which showed left ear hearing loss due to nerve damage (as of an unspecified date). The events did not require an emergency room visit. The clinical outcome of sudden and unexpected hearing loss in her left ear was not resolved, while of hearing loss due to nerve damage was unknown.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1289097	5/5/2021	TX	40	F	5/4/2021	5/4/2021	Systemic: Chills-Mild, Systemic: Dizziness / Lightheadness-Medium, Systemic: syncope episode, did not pass out, pale,sweating,visual changes-Mild, Systemic: Flushed / Sweating-Medium, Systemic: Shakiness-Mild, Systemic: Tingling (specify: facial area, extremities)-Mild, Systemic: Visual Changes/Disturbances-Mild, Additional Details: vaccine 2:40pm, CC@ 2:55pm, sweating, visual changes, sweating, feeling of going to pass out, cold compress, vitals BP 93/55 pulse 81. slight tingling feeling in hands, pale, laid on floor/feet elevated, monitored and after 30+ additional minutes felt better,sipped some water& walked out of store, advise lots of water/rest/come back or ER if further issues

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1288379	5/5/2021	NY	18	M	4/15/2021	4/15/2021	unable to hear anything; Feeling funny; pale; diaphoretic; This is a spontaneous report from a contactable healthcare professional. An 18-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 intramuscular, administered in Arm Left on 15Apr2021 (Lot Number: EW0164) as single dose for covid-19 immunisation, administered at the hospital. The patient's medical history and concomitant medications were not reported. On 15Apr2021, the patient started "feeling funny", "was unable to hear anything", opened his eyes with a bunch of people standing in front of him; pale, diaphoretic, brought to the emergency department for evaluation. The patient did not receive treatment for the events. Outcome of the events was recovered in Apr2021.; Sender's Comments: Based on the limited information provided and plausible temporal association, the Company (Pfizer) cannot exclude that the suspect medication may have contributed to the reported serious event in this patient. Additional information regarding relevant medical history, underlying conditions and concomitant medications will aid in the comprehensive assessment of the case. The impact of this report on the benefit-risk profile of the Pfizer product and on the conduct of the study is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, ethics committees. and investigators, as appropriate.



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1288650	5/5/2021			U			MILD FLU SYMPTOMS; VISUAL DISRUPTION; SWEATING; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine (suspension for injection, route of admin not reported) dose, start therapy date were not reported for prophylactic vaccination. The batch number was not reported. Per procedure, no follow-up will be requested for this case. No concomitant medications were reported. On an unspecified date, the subject experienced mild flu symptoms, visual disruption, and sweating. The action taken with covid-19 vaccine was not applicable. The patient recovered from mild flu symptoms, visual disruption, and sweating. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1288419	5/5/2021	WI	97	F	3/11/2021	3/1/2021	fatigue; Eyesight; Dizzy; bell's palsy; This is a spontaneous report from a contactable consumer (patient's son). A 97-year-old female patient received the second dose of BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Batch/lot number: EN6207) intramuscularly in the right arm on 11Mar2021 at 14:00 as a single dose for COVID-19 immunization. Patient's medical history included glaucoma for more than 25 years - 'implants caser' (as reported), thyroid disorder for more than 25 years, eye disorder, and gastrointestinal disorder. The patient had no other prior vaccinations to the COVID vaccine. The patient previously received the first dose of BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Batch/lot number: EN6201) intramuscularly in the right arm on 18Feb2021 at 15:00 as a single dose for COVID-19 immunization and experienced cannot focus with her eyes and full body aches and pains. Ongoing concomitant medications included timolol ("Timnol") drops for the eyes since more than 5 years, levothyroxine sodium (LEVOTHYROXIN) pill for thyroid since more than 20 years, and omeprazole pill for stomach for 5 years. One week after the second injection (Mar2021), the patient experienced Bell's Palsy at 20:30, reported as serious for important medical event. On 12Mar2021 at 22:00, patient was dizzy and 'eyesight', both events reported as non-serious. It was further described as, "She saw patient over everything so she slept. Day after 2nd she had to had most of day as too Dizzy/fatigued to be mobile. Dangling/twisting side of face last 7 days ongoing." The patient did not receive treatment for Bell's palsy, dizzy or eyesight. The clinical outcome of Bell's palsy was not recovered, of dizzy was recovering, of eyesight was recovered on unspecified date, of fatigued was unknown.; Sender's Comments: Linked Report(s) : US-PFIZER INC-2021185916 Same patient, reporter, event, different vaccine dosing

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1288421	5/5/2021		37	M	3/25/2021	3/25/2021	Watering eyes/recurrent eyes watery; Runny nose/recurrent runny nose; Drop in blood pressure; Seasonal allergy; Postural orthostatic tachycardia syndrome; tachycardia syndrome; Psoriasis flare-up/flare off of psoriasis/Psoriasis flare-up/Psoriasis flare-up - Worsened; Scalp swelling/ scalp swelling - Worsened/swollen scalp; Knee swelling; Psoriatic arthritis aggravated/-Worsened/flare off of psoriatic arthritis; Itchy scalp/Itchy scalp -Worsened/Localised itching -Worsened/itch on back, arms, knees; Local swelling / Local swelling -Worsened/swollen back; Scalp pain/Scalp pain Worsened/painful scalp; Pain back/Pain back - worsened/painful back; Painful arm/Painful arm - worsened; Painful knee/Painful knee Worsened; Swollen arm /Swollen arm -worsened; This is a non-interventional study report based on the information received by Pfizer (Mfr Control No. 21K-163-3740568-00) received from a contactable consumer (patient). A 37 yearsold male patient received bnt162b2 (BNT162B2), dose 1 intramuscular on 25Mar2021 (at the age of 37 years old) (Batch/Lot number was not reported) as SINGLE DOSE for covid-19 immunisation; adalimumab (HUMIRA), subcutaneous from 2017 (Batch/Lot number was not reported) to 25Mar2021, at unknown dose weekly[1 in 2 wk] for Moderate to Severe Chronic Plaque Psoriasis . Medical history included non tobacco, abstains from alcohol, Klippel feil syndrome, spinal fusion surgery, seasonal allergy, postural orthostatic tachycardia syndrome from 2017 to an unknown date , blood pressure decreased from 2017 to an unknown date. The patient concomitant medications were not reported. It was unknown if patient was enrolled in a COVID-19 Vaccine Trial. The patient experienced psoriatic arthritis aggravated/-worsened/ flare off of psoriatic arthritis (medically significant) on 25Mar2021, postural orthostatic tachycardia syndrome on an unspecified date, tachycardia syndrome on an unspecified date. psoriasis flare up/ Psoriasis flare up -Worsened on 25Mar2021, scalp swelling/ scalp swelling - worsened/ painful scalp on 25Mar2021, knee swelling on 25Mar2021, watering eyes/recurrent eyes watery on an unspecified date, runny nose/recurrent runny nose on an unspecified date, drop in blood pressure on an unspecified date, seasonal allergy on an unspecified date, itchy scalp/itchy scalp - worsened/localised itching -worsened/ itch on back,

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

arms, knees on 25Mar2021, local swelling / local swelling -worsened/ swollen back on 25Mar2021, scalp pain/scalp pain worsened/painful scalp on 25Mar2021, pain back/pain back - worsened/ painful back 25Mar2021, painful arm/painful arm - worsened on 25Mar2021,painful knee/painful knee worsened on 25Mar2021, swollen arm /swollen arm -worsened on 25Mar2021, psoriasis flare-up/psoriasis flare-up - worsened on 25Mar2021. The patient underwent lab tests and procedures which included blood pressure measurement: drop on 2017 blood test: normal o an unspecified date, magnetic resonance imaging: normal on 2018, x-ray: normal on 2008. The action taken in response to the event for adalimumab was permanently withdrawn on 25Mar2021(also reported as dose not changed). The clinical outcome of the event Psoriatic arthritis aggravated, Psoriasis flare-up, Scalp swelling, Knee swelling, Itchy scalp, Local swelling , Scalp pain, Painful arm, Knee pain, Swollen arm, Psoriasis flare-up was not recovered, while Postural orthostatic tachycardia syndrome, tachycardia syndrome, Watering eyes, Runny nose, Drop in blood pressure recovered, and the remaining events was unknown. Causality for Humira (Adalimumab) the reporter's causality for the event(s) of postural orthostatic tachycardia syndrome, swollen scalp, swollen knee, recurrent eyes watery, recurrent runny nose, blood pressure drop, seasonal allergies, itch on scalp, itch on back, arms, knees, swollen back, flare off of psoriasis, flare off of psoriatic arthritis, painful scalp, painful back, painful arms, painful knees, swollen arm and recurrent congestion with humira (adalimumab) was no reasonable possibility. The reporter assessment of the causal relationship of the (enter the event term) with the suspect product was not provided at the time of this report. Since no determination has been received, the case is managed based on the company causality assessment. Information on the lot/batch number has been requested.; Sender's Comments: Based on the available information, the reported events are attributed to underlying or intercurrent medical conditions which were unlikely related to BNT162B2 vaccine.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1288423	5/5/2021			F			<p>Blood clots in her nose; Nose bleed; her arms are both numb on her; Couldn't move them; She feels lethargic; This is a spontaneous report from a contactable consumer (patient herself) via a medical information team. A female patient of an unspecified age received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Formulation: Solution for injection), via an unspecified route of administration on an unspecified date as a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. It was reported that, enquired have people died from the vaccine or not. Enquired what do you know about the news in the media about reports of death in nursing home elderly patients. Response: Pfizer and BioNTech are aware of reported deaths following administration of Pfizer-BioNTech COVID-19 vaccine . We are working with the (withheld) to gather all the relevant information. (Withheld) Authorities have prioritized the immunization of residents in Nursing Homes, most of whom are very elderly with underlying medical conditions and some which are terminally ill. (Withheld) confirm the number of incidents so far was not alarming, and in line with expectations. All reported deaths would be thoroughly evaluated by (Withheld) to determine if these incidents are related to the vaccine. (Withheld) Health Authorities have now changed its recommendation in relation to vaccination of the terminally ill (Clinical Frailty Scale 8 or higher). Our immediate thoughts are with the bereaved families. The Global Advisory Committee on Vaccine Safety (GACVS) COVID-19 Vaccine Safety subcommittee met virtually on Tuesday, 19Jan2021, to review available information and data on deaths reported in frail, elderly individuals who had received the Pfizer BioNTech COVID-19 mRNA vaccine, BNT162b2 (hereafter, BNT162b2). Experts invited from the (Withheld) and the (Withheld) provided an overview of deaths reported in (Withheld) and in the WHO global database (VigiBase) following vaccination with BNT162b2." Based on a careful scientific review of the information made available, the subcommittee came to the following conclusions: The current reports do not suggest any unexpected or untoward increase in fatalities in frail, elderly individuals or any unusual characteristics of adverse events following administration of BNT162b2. Reports are in line with the expected, all-cause mortality</p>

VAERS\_ID RECVDDATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

rates and causes of death in the sub-population of frail, elderly individuals, and the available information does not confirm a contributory role for the vaccine in the reported fatal events. In view of this, the committee considers that the benefit-risk balance of BNT162b2 remains favourable in the elderly, and does not suggest any revision, at present, to the recommendations around the safety of this vaccine." Enquired what was the efficacy after one dose. Caller had a terrible experience after her first dose of the Pfizer BioNTech COVID19 vaccine. She had blood clots in her nose, every time she blew her nose, blood clots would come out. She never had a nose bleed before. She also added that her arms are both numb on her. She couldn't move them, she feels lethargic. She's supposed to get her second dose next Friday. Enquired do we have any information regarding blood clots or not. Caller was upset and disconnected the call before some of the answers were given. Caller also asked the following questions: Has there been deaths reported from the vaccine or not, what was the efficacy after 1 dose, any guidance on getting the second dose after having side effects after the first dose. Response: Proposed response : CONS-Blood clots. Caller said "this was ridiculous" when I tried providing her with a long website with more information. She feels like we are withholding information from the public. She thinks the deaths should have been on the media. Caller hung up. Enquired do you have any guidance on getting the second dose after having side effects with the first dose. I had a side effect after the first dose of the vaccine. Should I get the second dose or not. Caller disconnected before agent could provide response. Response: Proposed response: As noted in the Fact Sheet for Recipients, you should not get the Pfizer-BioNTech COVID-19 Vaccine if you had a severe allergic reaction after a previous dose of the vaccine or if you had a severe allergic reaction to any ingredient of the vaccine. The decision to receive the second dose for any other reason could not be made by Pfizer. We refer you to speak to your healthcare provider about the risks of the vaccine compared to the risks of potentially not being fully protected against COVID-19 infection. Your healthcare provider knows your health situation and has access to information that can better help inform this decision. The outcome of the events was unknown. No follow-up attempts are needed. Information

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1288431	5/5/2021	IL		M	4/9/2021	4/1/2021	<p>about lot/batch number cannot be obtained.</p> <p>was unsure if the patient had COVID-19 virus; was unsure if the patient had COVID-19 virus; Inability to eat; Severe sweating; Stomach cramping/pain; Headaches that wouldn't go away; Diarrhea; A fever of 100 degrees or more; Felt like his eyes were going to pop out; Stomach burning; This is a spontaneous report from a contactable consumer reporting on behalf of the patient via a Pfizer sponsored program. A male patient of unspecified age (husband) received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 09Apr2021 (Batch/Lot number was not reported) as a single dose for COVID-19 immunisation. Medical history included headache. The patient's concomitant medications were not reported. The reporter stated her husband got his first dose on 09Apr2021, and she (the reporter) received her second dose on 12Apr2021. The reporter is concerned about the patient because he began having severe sweating, stomach cramping/pain, headaches that wouldn't go away, diarrhea, inability to eat, a fever of 100 degrees or more and felt like his eyes were going to pop out along with stomach burning after receiving the first dose of COVID-19 vaccine (in Apr2021). The reporter stated the patient had a headache before his first dose and was unsure if the patient had COVID-19 virus or if it is side effects after his first dose of COVID-19 vaccine. The reporter clarified side effects several times. The reporter also stated she had no side effects with the COVID-19 vaccine. The patient had not yet recovered from headache, while unknown outcome for the remaining events. Information on the lot/batch number has been requested.</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1288636	5/5/2021	FL	64	M	4/7/2021		<p>CEREBRAL VENOUS THROMBOSIS; VISUAL IMPAIRMENT; HYPOAESTHESIA/ NUMBNESS IN ARM; This spontaneous report was received from a health care professional via a Regulatory Authority Vaccine Adverse event Reporting system (VAERS) (VAER reference number 1207958) and concerned a 64 year old male of unspecified race and ethnicity. The patient's height and weight were not reported. The patient's concurrent conditions included pollen allergy. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 1805029 expiry: UNKNOWN) dose was not reported. 1 total, administered on 16-MAR-2021 for prophylactic vaccination on left arm. Concomitant medications included atorvastatin and lisinopril; both for unknown indication. On 07-APR-2021, the patient experienced cerebral venous thrombosis, hypoaesthesia, and visual impairment. The patient had cerebrovascular thrombus with partial loss of sight and numbness of his left arm. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from cerebral venous thrombosis, hypoaesthesia, visual impairment. This report was serious (Disability Or Permanent Damage). This case version (1) was created on 30-APR-2021 for the purpose of quality improvement the following corrections were made. The MAC was added for the pharmacovigilance narrative.; Sender's Comments: V1: This spontaneous report was received from a health care professional via VAERS (ID: 1207958) and concerned a 64-year-old male of unspecified race and ethnicity who experienced cerebral venous sinus thrombosis (CVST) 22 days after vaccine. Concurrent conditions included pollen allergy and concomitant medications included atorvastatin and lisinopril. Twenty-two days after vaccine, the patient experienced CVST, hypoaesthesia, and visual impairment. The patient had cerebrovascular thrombus with partial loss of sight and numbness of his left arm. Specific imaging and laboratory results, including platelet count, were not reported. Information is limited in this case, and the occurrence of CVST could represent background incidence of such events in the general population. The platelet count is not reported and thus this case does not meet the Brighton Collaboration (BC) definition for Thrombocytopenia Thrombosis Syndrome (TTS) with BC Level 5 (not a case</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							of TTS.)
1288729	5/5/2021	PA	24	M	5/5/2021	5/5/2021	Pt brought to med obs #1 via stretcher with c/o lightheadedness, tunnel vision, and brief LOC. Pt placed on floor with BLE elevated prior to stretcher arrival. Pt able to ambulate to stretcher without difficulty. Pt reports he felt better upon arrival to med obs #1. Reports he ate breakfast PTA. Accepted water, declined snack. VSS. Symptoms resolved. Sent home with parents. Escorted to exit with staff. VS are as follows: 1106: BP 124/75, HR 53, RR 18, O2 sat 99% on RA 1111: BP 134/71, HR 59, RR 18, O2 sat 98% on RA
1288888	5/5/2021	TN	50	M	5/3/2021	5/4/2021	Extreme chills in hands and toes, body aches, arthralgia (joint pain), muscle aches (mostly larger muscles, quadriceps), some vision loss (lights are dim), nausea, gall bladder pain

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1289333	5/5/2021	KY	80	F	3/2/2021	3/3/2021	<p>March 2 - second Moderna bruising appears March 3 - spontaneous bruising appears March 4 - visit with primary care doctor, blood work shows significant drop in platelets March 9 - first visit with oncologist/haematologist &amp; hospitalized March 9-19 - hospitalized for tests, treatment to increase platelets, &amp; many blood panels. No official diagnosis, treat as ITP. Follow up visits with oncologist/haematologist to keep an eye on platelets as they increase. March 30-Apr 4 - ER visit due to swelling of ankles, feet, and left arm. Tests show superficial blood clot, fluid on lungs, and pneumonia. Oncologist said that "we have no official diagnosis", that she's being treated for ITP. April 6-14 - follow up visit to oncologist/haematologist show elevated kidney enzymes, then later liver enzymes, low sodium. April 14 - decision to move to short term rehab for regular PT and OT. Continued swelling (fluid in third spaces.) April 21 - visit to cardiologist to perform cardioversion, successful (during first week of hospital stay, heart rhythm med had to stop). April 23 - facility nurse discovered significantly low Hemoglobin and a blood transfusion was ordered. April 24 - returned to short term rehab facility. April 25 - discovered my mother on O2 and state of health was different, extremely weak and not moving, arm hurting badly. I insisted that her oncologist is contacted. Transported to ER. Discovered her blood work abnormal. After stabilizing her, rushed to the hospital ICU. April 26 - Discussed with her ICU doctor the history of what you have read above. He explained that the covid-19 vaccination has a tendency to affect three proteins specifically that clot and thin blood. I begged him to "get it out of her system." Her bleeding was significant and platelets dropped, again. Still has her mental facilities. Responding well to aggressive treatment: albumin transfusion, plateletpheresis, and CRRT. Pleural catheter to remove fluid from the lungs. Mention of Sepsis. April 27 - Lifted her head up today, opened her eyes, making doctors very happy. Her cardiologist and the ICU doctor both said they were "confused" and everything happening to my mom was "a mystery." Though going in to the evening, her nurse expressed to me that she's worried. The ICU oncologist called me at home in the evening. He asked me if she had been having a fever on a regular basis. He said he thought it could be TTP or a rare disease called HTH, but both</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1289095	5/5/2021	WA	51	M	4/9/2021	4/29/2021	<p>results wouldn't be back for one week. He planned to consult with a doctor. He explained to me that the blood was attacking itself and "confused," and that her organs were shutting down. He indicated that the blood work wasn't indicating significant infection. He referenced how the vaccination has made her auto immune system "go crazy." April 28 - I get a call very early from the nurse that she has been fighting with my mother's blood pressure all night, trying to keep it elevated. She told me to come to the hospital, because she had taken a turn for the worse. I arrive to find my mother's eyes wide open, breathing shallow, and blood pressure steady, but drops without assistance from medication. She continues to have her mental facilities. She passed away, organs shutting down, and blood pressure dropped.</p> <p>Having lunch on 04/29/21, around 11:30 am. Talking with co-worker started noticing by vision went blurry. My hands &amp; feet started tingling. I turned very pale in facial color. Had co worker call 911, paramedics to me to ER. All my vitals showed normal, ekg, blood work, platlet count all good !! Went home and over next few days felt a little off, made regular doctor appt. follow up. Doctor said all my vitals look normal. Not sure what the cause is, had a ultra sound done of my left leg pain also. Showed no blood clots. Waiting for a heart monitor appt. On 05/03/21 woke up at 3 am drenched in sweat. Still feel a little off, for no reason . At times I feel like I might pass out. Had epilepsy as a you child. But out grew with medications. No seizures in 40 years.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1288375	5/5/2021	FL	72	F	2/9/2021	2/23/2021	<p>The result came back positive for Sjogren's; This is a spontaneous report received from a contactable consumer (patient). A 72-year-old female patient received bnt162b2 (Pfizer/BioNTech COVID-19 Vaccine), dose 2 intramuscularly, administered in Arm Left at 72 years old on 09Feb2021 08:00 (Lot Number: EL9265) at single dose for covid-19 immunization. Medical history included pain joint and muscles, autoimmune inflammation. Family history was none. Concomitant medications included ibuprofen (ADVIL) taken for pain joint and muscles from 20Jan2021 to 15Mar2021 at 6 pills a day. No prior vaccine was administered within 4 weeks. The patient previously received the first dose of bnt162b2 (Lot number: EL1283) at 72 years old on 12Jan2021 8:00 AM intramuscularly in left arm for covid-19 immunization. Patient had major aches in muscles (legs &amp; arms) and hip joints-muscle pain, joint pain, tiredness after the first vaccination. Before her present health issue began after her first Pfizer vaccine shot, patient had never been tested for possible autoimmune problems. Within a week (I believe the timing), she began to feel migrating pain and stiffness around her body and was very lethargic. She had aches and often stiffness in her legs and arms, a dry cough, and night sweats. Her mouth became parched. Her eyes had suffered from dryness in the past and became even more acute. At night she had trouble sleeping because of the increasing pain. Again, the pain was strange in that it migrated around her body. At first, her primary care physician, Dr.(name) did not recognise her symptoms, didn't order any tests, and sent her to physical therapy. After a month (after the second vaccination), when the body pains and tiredness got worse, and her ankle swelled, she sent her for blood tests at (name) Diagnostic on 23Feb2021. The result came back positive for Sjogren's, a disease she had never heard of before. Later a Rheumatologist ran a confirmatory test with lab corp. With the same result in return. Dr. (Name withheld) Put her on Meloxicam for inflammation and the issues mostly have subsided except for continuing pain in her arms. Since mid-Jan, Dr. (Name withheld) had referred her to an ophthalmologist, gastroenterologist and rheumatologist. Patient had an appointment schedule with a pneumologist on 21Apr. The gastroenterologist did an endoscopy and has ordered a CT Scan to rule out</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1289109	5/5/2021	NH	27	M	4/29/2021	4/29/2021	<p>lymphoma. The rheumatologist was running more test. Relevant tests included: autoimmune testing onset lab for ANA Sjogren's on 23Feb2021, Result: Positive, Units: 2.4; autoimmune testing onset lab for Sjogren's on 18Mar2021, Result: Positive, Units: 2.1. Event required visit to Physician office. Treatment received for the event included meloxicam 15 mg from 16Mar2021 and ongoing at 1 pill a day. The outcome of the event was recovering. Seriousness Criteria was reported as Persistent/significant disability/Incapacity.</p> <p>27yo male vaccinated with Janssen covid vaccine. Within minutes of standing up from vaccination in the vaccine booth, stated he was dizzy. I sat him down immediately, he was having trouble staying awake eyes glossing over, speech very slow. I turned to push the door open into the main pharmacy to call for help and have them dial 911, grabbed epinephrine and ammonia salts as well. When I turned back he had slumped in his chair. As I took the step back towards him, he spontaneously started to sit up and speak. Was diaphoretic, still slow speech eyes glossy. I supported him as best I could. His HR was 42, i lifted his legs up unto a chair in quazi trandelenburg position. He stated that made him feel alot better. I stayed with him until EMTS arrived. He got himself onto they stretcher and they took him out of the store.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1288056	5/5/2021	OR	61	F	4/28/2021	4/28/2021	I had the second Moderna shot that afternoon, scheduled for 4:15pm but it was about 4:30pm when I got it. I moved around as instructed by my doc, and after 15 minutes went back to my car. I noticed after another several minutes that my pulse was still elevated so opted to go back in and talk to a health care professional. Pulse was 120. Paramedic wanted me to lie down in waiting area but I didn't want to be in such a potentially germ environment, and the guy next to me who had fainted earlier was just getting up himself. She walked me back to my car, where I agreed to wait, listen to a stress relief hypnosis audio and see if my pulse rate would calm down. She came back out w/ a BP cuff and said my blood pressure was 210 over 130 (or some number over 100; I don't recall which) and she said I needed to get in an ambulance right away and go to the hospital. I said I would make my own decisions about my body and I wanted to try a couple of other things first, promised not to leave, contacted my doctor, naturopath. (Note: I did not have any other worrisome symptoms -- blurred vision, dizziness, etc. My head was a little buzzy, but whether out of fear or in reaction to the shot I didn't know. I was a little flushed). He asked me a bunch of questions, said my body hadn't had time to mount an immune response to the vaccine and that I had likely had a histamine reaction to a preservative in the vaccine (or similar), which a couple of his other patients had experienced. He asked if I'd been drinking fluids (yes, plenty), had eaten recently (no, so he suggested I have some food; I had some nuts, a little cheese and some Cheez-Its so had that), asked if I had an antihistamine around -- I did, but I don't do well with Benadryl and didn't have Claritin, but after looking through my bag found some Allervive, an herbal product he compounds. He said, "That's perfect." I took two of the three capsules and hung up. Staff were checking up on me in my car every ten minutes or so, by the way, very kind and professional as I had been quite upset at the whole "get in an ambulance" scenario. He thought some of my reaction was probably also stress-related, and I noticed before the shot that I was teary, not from anxiety but the kind you get when you feel relief after a long ordeal. I didn't feel anxiety, really, until the first blood pressure measurement. He also let me know that if the bottom number didn't drop below 100 they couldn't let me go.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							After eating, drinking some more water and taking the Allervive my BP was down to 138 over 75 in just a few minutes. I agreed to stick around and make sure it stuck. We re-tested again about 15 minutes later, perhaps longer, and it was the same. I had been a little flushed but that had gone away too. I left and went for a light walk and eventually drove home without incident. I had symptoms after the shot that could have been related to my body fighting off the allergic reaction or to the vaccine itself, but they were pretty mild (fatigue later that night; occasional heart rate elevation sometimes after eating or with very mild exertion -- not unusual for me if I'm "fighting off" something; sore, itchy, red blotch sized between a quarter and a half dollar at vaccination site -- it is still a little tender today and appears a bit bruised; a bit sinus headache-y for three days, especially when I bent down to tie my shoes or something like that - also not that unusual as I often seem to "cleanse" through my sinuses when I have a bug or am fighting something off). In hindsight, I think the symptoms I had after the first shot, which lasted about 9 hours, may have been fighting off the allergic reaction and not a reaction to the virus vaccine itself.
1289336	5/5/2021	WA	38	F	4/29/2021	4/30/2021	Thunderclap Migraine, Blurred vision in right eye, right eye lid would not remain open. Sensitivity to light and sound. Dizziness. Nauseous. Started at 1:00 am, called Primary. Advised since I do not suffer from migraines to go to the ER. I was given a Migraine Cocktail. An MRI of my brain, and CT scan. They attempted the lumbar puncture and were unsuccessful in retrieving.
1289024	5/5/2021	NY	57	F	4/2/2021	4/7/2021	5 days after shot, vision in left eye became blurry- went to primary eye doctors- sent to Surgeons- determined a blood clot in the back of the eye

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1288183	5/5/2021	TN	54	F	1/26/2021	1/26/2021	<p>had fine hives on my forehead and also under neath my right eye and cheeks; Initially, while waiting posterior neck muscle soreness/ache from of ears downward to top of shoulder, but not affecting shoulder. only neck.; My BP 160s; repeat 1288/60; rash on my forehead; This is a spontaneous report from a contactable Nurse. A 54-years-old non-pregnant female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot Number: EW5318), via intramuscular route, administered in Arm Left on 26Jan2021 at 16:15 as single dose for COVID-19 immunization. Medical history included seasonal allergy, eczema, sinus disorder. Known allergies: PCN, Biaxin, Avelox, shellfish, salmon, latex. Concomitant medications included Gabapentin, levocetirizine, Multi-betic, Zetia, Crestor, Zinc, Super B complex, Biotin, D3. On 26Jan2021 at 16:30 patient experienced Initially, while waiting posterior neck muscle soreness/ ache from of ears downward to top of shoulder, but not affecting shoulder only neck. We waited over 30min. BP is 160s and repeat 1288/60, HR-66, and Sat100% per EMT. Left after over 30min being watched. Upon returning home, Dad noted that I had a rash on forehead. I removed my face mask noted in the mirror that I had fine hives on my forehead and also under neath my right eye and cheeks. On 26Jan2021 Lab data was noted as BP with 1288/60, Heart rate as 66 and oxygen saturation as 100. Treatment have been taken with Benadryl and applied cortisone to face and neck rash that developed. No other vaccine in four weeks. No Covid prior vaccination. No Covid tested post vaccination. The outcome of the events was recovering.</p>



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1288032	5/5/2021			U		5/1/2021	RUNNY NOSE; EYES HEAVY; CHILLS; FEVER; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on 30-APR-2021 for prophylactic vaccination. The batch number was not reported. Per procedure, no follow-up will be requested for this case. No concomitant medications were reported. On 01-MAY-2021, the subject experienced runny nose. On 01-MAY-2021, the subject experienced eyes heavy. On 01-MAY-2021, the subject experienced chills. On 01-MAY-2021, the subject experienced fever. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the runny nose, fever, chills and eyes heavy was not reported. This report was non-serious.
1288051	5/5/2021	WA	72	F	1/20/2021	1/30/2021	activate autoimmune system ? effect on skin (dry , itchy on scalp/face) and organ (spleen?) -- > body fluid function: 1) tear gland ( dry eye, posterior capsular opacification)--YAG capsulotomy 2) salivary gland (extreme dry mouth -- > tooth decay --extraction of 3 teeth ; removal of gum abscess 3) reabsorption of fluid in GI (colon?) -- > 16 diarrah/day
1289773	5/5/2021	FL	49	F	5/3/2021	5/4/2021	Severe migraine, low fever of 100.6, burning eyes, chills, extreme body pains and aches, throbbing of socket from recently removed tooth. Loss of appetite. Localized injection site pain. Took Tylenol every 4 hours for first 8 hours then switched to Tylenol PM. Lots of liquids and sleep. Ice pack on injection site

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1288078	5/5/2021			U		4/1/2021	BLURRED VISION; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's height, and weight were not reported. The patient was previously treated with Tylenol (paracetamol) for loss of mobility in arm which caused by pneumococcal vaccine. The patient received covid-19 vaccine (suspension for injection, route of admin not reported, batch number: Unk) dose, start therapy date were not reported for prophylactic vaccination. The batch number was not reported. Per procedure, no follow-up will be requested for this case. No concomitant medications were reported. On APR-2021, the subject experienced blurred vision. The action taken with covid-19 vaccine was not applicable. The outcome of blurred vision was not reported. This report was non-serious.
1289349	5/5/2021	CA	57	F	3/14/2021	3/15/2021	The evening after the vaccine I noticed I had big black dots floating in my vision in my right eye. The following day there were more floaters in my vision. The outside of my vision had a dark spot. I managed to drive to work but it was scary. Every day the vision in my right eye was getting darker. At Eye Center I saw an eye specialist and I was told that my retina was detached. I had surgery to reattach my retina 04/09/2021. I am still having trouble seeing and my vision is still blurry after four weeks after surgery for Retinal Detachment.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1288117	5/5/2021	PA	62	F	3/22/2021	4/20/2021	stroke at vision site; partial sight lost in left eye; feeling weak; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of CEREBROVASCULAR ACCIDENT (stroke at vision site) and BLINDNESS (partial sight lost in left eye) in a 62-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 036B21A and 012A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Implantable cardioverter defibrillator insertion. On 22-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 19-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 20-Apr-2021, the patient experienced CEREBROVASCULAR ACCIDENT (stroke at vision site) (seriousness criteria hospitalization and medically significant), BLINDNESS (partial sight lost in left eye) (seriousness criteria hospitalization, disability and medically significant) and ASTHENIA (feeling weak). The patient was hospitalized from 20-Apr-2021 to 21-Apr-2021 due to BLINDNESS and CEREBROVASCULAR ACCIDENT. At the time of the report, CEREBROVASCULAR ACCIDENT (stroke at vision site), BLINDNESS (partial sight lost in left eye) and ASTHENIA (feeling weak) had not resolved. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 20-Apr-2021, Computerised tomogram: (abnormal) Stroke at vision site. On 20-Apr-2021, Magnetic resonance imaging: (abnormal) Stroke at vision site. No concomitant medication were reported. The reporter stated that the patient was taking medicines but doctor changed her medication and she did not want to talk so she did not give names.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1288141	5/5/2021	VA	37	F	1/26/2021	1/26/2021	Severe Hives; Severe swelling on eye and lip; Severe swelling on eye and lip; severe swelling arthritic feeling in hands; This is a spontaneous report from a contactable consumer or other non hcp. A 37-years-old non pregnant female patient received second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number: ENS318) via unspecified route administered in Arm Left on 26Jan2021 09:30 via an unspecified route of administration, as single dose for an unspecified indication. Historical vaccine included first dose of bnt162b2. Medical history included covid-19 from an unknown date and unknown if ongoing. Concomitant medications included colecalciferol (VITAMIN D COLECALCIFEROL). No other medication taken four weeks prior to vaccine. The patient underwent lab tests and procedures which included sars-cov-2 test with unknown date. The patient experienced severe hives on, severe swelling on eye, severe swelling on lip, Started roughly 10 hours after the vaccine and are still lasting 4 days later. Also severe swelling arthritic feeling in hands(could not grip anything on day 2) all these on 26Jan2021 19:00. The patient was currently using prednisone, Zyrtec, benedryl, and Pepcid AC and said nothing was helping. The patient said she had no known allergies and have never had hives before. She had to miss two days of work. The outcome of the event was not resolved. Follow-up (02Feb2021): This is a follow-up spontaneous report received in response to the mail trail sent regarding the confirmation below mentioned query. The response included: Query: Dear Manufacturer, Kindly see the attached document received by Pfizer Inc. containing a product in which you have been identified as the manufacturer. Response: Email received. Case created #. Dear Colleagues, Would you kindly address the query below and copy it to the mailbox with your reply.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1288100	5/5/2021	GA	39	F	1/21/2021	2/18/2021	<p>Vomiting; Had a procedure performed by a HCP to pop five styes on her upper and lower eyelids; Vaccinations have flared up all her medical conditions; swelling of the left side of her face; Abdominal pain; rash on upper cheek bone is coming back; Bilateral Red Rash on Cheek area; Woke up with a rash on lower right jaw bone, Rash Grew to the entire Face; Burning Nerve Pain on the Face, Ear Canal, and Skull; Red Eyes; Very Dry Eyes; Swollen Face; Hot Face; eye problems; Fever; Nausea; Muscle Pain; Joint Pain; Swollen Lymph Nodes under Jaw; This spontaneous case was reported by an other health care professional (subsequently medically confirmed) and describes the occurrence of VOMITING (Vomiting), RASH (Woke up with a rash on lower right jaw bone, Rash Grew to the entire Face) and NEURALGIA (Burning Nerve Pain on the Face, Ear Canal, and Skull) in a 39-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 023M20A and 028L20A) for COVID-19 immunisation. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Ehlers-Danlos syndrome, Mast cell activation syndrome, Postural orthostatic tachycardia syndrome, Erythromelalgia, Cystitis interstitial, Delayed gastric emptying, Acid reflux (esophageal), Osteopenia, Occipital neuralgia (Occipital Myalgia) and Allergy. Concomitant products included PENTOSAN POLYSULFATE SODIUM (ELMIRON), PROPRANOLOL, DEXLANSOPRAZOLE (DEXILANT), FAMOTIDINE, ETHINYLESTRADIOL, LEVONORGESTREL (CAMRESE) and DIPHENHYDRAMINE HYDROCHLORIDE (BENADRYL [DIPHENHYDRAMINE HYDROCHLORIDE]) for an unknown indication, ALPRAZOLAM (XANAX). On 21-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 18-Feb-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 18-Feb-2021, the patient experienced VOMITING (Vomiting) (seriousness criterion hospitalization), LYMPHADENOPATHY (Swollen Lymph Nodes under Jaw), PYREXIA (Fever), NAUSEA (Nausea), MYALGIA (Muscle Pain) and ARTHRALGIA (Joint Pain). On 23-Feb-2021, the patient experienced RASH (Woke up with a rash on lower right jaw bone,</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

Rash Grew to the entire Face) (seriousness criterion hospitalization), NEURALGIA (Burning Nerve Pain on the Face, Ear Canal, and Skull) (seriousness criterion hospitalization), OCULAR HYPERAEMIA (Red Eyes), DRY EYE (Very Dry Eyes), SWELLING FACE (Swollen Face), FEELING HOT (Hot Face) and EYE DISORDER (eye problems). On 25-Feb-2021, the patient experienced RASH ERYTHEMATOUS (Bilateral Red Rash on Cheek area). On 05-Mar-2021, the patient experienced RASH (rash on upper cheek bone is coming back). On 08-Mar-2021, the patient experienced ABDOMINAL PAIN (Abdominal pain) and SWELLING FACE (swelling of the left side of her face). On 09-Mar-2021, the patient experienced EYELID CYST REMOVAL (Had a procedure performed by a HCP to pop five styes on her upper and lower eyelids) and CONDITION AGGRAVATED (Vaccinations have flared up all her medical conditions). On 22-Feb-2021, VOMITING (Vomiting), PYREXIA (Fever), NAUSEA (Nausea), MYALGIA (Muscle Pain) and ARTHRALGIA (Joint Pain) had resolved. On 25-Feb-2021, RASH (Woke up with a rash on lower right jaw bone, Rash Grew to the entire Face), NEURALGIA (Burning Nerve Pain on the Face, Ear Canal, and Skull), OCULAR HYPERAEMIA (Red Eyes), DRY EYE (Very Dry Eyes), SWELLING FACE (Swollen Face), FEELING HOT (Hot Face) and RASH ERYTHEMATOUS (Bilateral Red Rash on Cheek area) had resolved. At the time of the report, LYMPHADENOPATHY (Swollen Lymph Nodes under Jaw), EYE DISORDER (eye problems) and RASH (rash on upper cheek bone is coming back) had not resolved and EYELID CYST REMOVAL (Had a procedure performed by a HCP to pop five styes on her upper and lower eyelids), ABDOMINAL PAIN (Abdominal pain), CONDITION AGGRAVATED (Vaccinations have flared up all her medical conditions) and SWELLING FACE (swelling of the left side of her face) outcome was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Treatment medications included: Cromolyn Sodium 100mg/5ml orally daily, and applying to face topically, Naltrexone 4.5mg, Zirbel , Myrbetriq 60mg daily, Ondansetron 8mg prn nausea, Hydroxyzine 25mg, Hemax , Hyoscyamine 0.1 Oral PRN, Benadryl for bilateral rash on cheek area, Aleve, Advil

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

1288170	5/5/2021			F			
---------	----------	--	--	---	--	--	--

and Tylenol. She ended up in the ER a couple of times and visited Immunologist and other specialists. She stated she has been out of work since 21Jan2021. She stated that she takes Zyrtec (as needed) and received a Benadryl intramuscular shot on 08Mar2021. This case was linked to MOD-2021-068238 (Patient Link). Most recent FOLLOW-UP information incorporated above includes: On 10-Mar-2021: Updated patient medical history, added new events, and treatment medications.; Reporter's Comments: one more drug the patient was consuming was Hizentai 8 gms per week.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded

Both my mom and I had vision problems after getting the vaccine. I had vision problems (very hazy vision); This is a spontaneous report from a contactable consumer (reporter's mother). A female patient of an unspecified age received second dose of BNT162B2 (PFIZER-BIONTEC COVID-19 mRNA VACCINE, Solution for injection, lot number and expiry date were not provided), via an unspecified route of administration, on an unknown date, as a single dose for COVID-19 immunization. The patient's historical vaccine included first dose of BNT162B2 (PFIZER-BIONTEC COVID-19 mRNA VACCINE, Solution for injection, lot number and expiry date were not provided), via an unspecified route of administration, on an unknown date, as a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not provided. Patient had vision problems (very hazy vision) after the second vaccination. Really bad. Outcome of the event was unknown. No follow-up attempts are possible. Information about batch/ lot number cannot be obtained. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1288364	5/5/2021	OH	27	M	4/16/2021	4/16/2021	lost my vision; lost my vision and hearing; essentially unresponsive; feel light-headed; This is a spontaneous report from a contactable consumer (patient). A 27-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, lot number: EW0161), dose 1 via an unspecified route of administration, administered in the left arm on 16Apr2021 at 14:30 as SINGLE DOSE (at the age of 27 years-old) for covid-19 immunisation. Medical history included coarctation of the aorta from an unknown date and unknown if ongoing coarctation of aorta (age: 3 months), only requires bi-annual cardiologist visits, loss of consciousness from an unknown date and unknown if ongoing, covid-19 from an unknown date and unknown if ongoing. Prior to the vaccination, the patient was not diagnosed with COVID-19. The patient did not receive any concomitant medications. The patient had no know allergies. The patient did not receive any other vaccine within 4 weeks prior to the vaccine. The patient lost his vision and hearing, essentially unresponsive and light-headed on 16Apr2021 at 14:30. Circulation issues leading to a black out. Within 60 seconds of getting the shot, he began to feel light-headed. Within 30 seconds of that, he knew he needed help, so alerted the emergency medical technicians (EMTs) via car horn/flashers. By the time they arrived (120 seconds from the initial shot), he lost his vision and hearing and was essentially unresponsive. They woke him enough to unlock my car door, at which point they had him lay back to improve his circulation. That ultimately worked and got him back to normal within about 5 minutes. The patient had issues like this before relating to a coarctation of his aorta which he had done at 3 months of age. Over the years, he has "blacked out" like this from weight lifting and other high exertion things. This was the first time it was induced without him overexerting himself, and the onset of the "blackout" was much quicker than what he had experienced from weightlifting. Normally, he could tell 1-3 minutes in advance that he would black out. This time, it was about 30 seconds. Therapeutic measures were taken as a result of lost vision and hearing, essentially unresponsive and feel light-headed. EMTs did an electrocardiogram (EKG) and blood glucose check. The outcome of lost his vision and hearing, essentially unresponsive and light-headed was recovered on an



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

unknown date. It was also reported that since the vaccination, the patient had not been tested for COVID-19.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1288187	5/5/2021	GA	67	F	2/5/2021	2/5/2021	I felt hives on my forehead; With the 2nd shot my arm was definitely sore; I felt like I had a fever but it did not show on the thermometer; This is a spontaneous report from a contactable consumer(patient). A 67-years-old non pregnant female patient received second dose of bnt162b2 (BNT162B2, Formulation: solution for injection, Lot number: not reported) via an unspecified route of administration in Arm Right on 05Feb2021 at 08:00 as SINGLE DOSE for covid-19 immunization. Medical history included breast cancer survivor from an unknown date and unknown if ongoing, food allergy valium, strawberries, bananas, lobster, mahi, whiting fish from an unknown date and unknown if ongoing. The patient received other vaccines within 4 weeks prior to the COVID vaccine via right arm on 14Jan2021. There was no COVID prior vaccination. The patient was not tested post COVID-19 vaccination. Concomitant medications included turmeric [curcuma longa rhizome]; ergocalciferol (VIT D), vitamin c [ascorbic acid], collagen (collagen), olive oil (olive oil). The patient previously took bnt162b2, valium and experienced drug hypersensitivity. On 05Feb2021 at 15:00, The patient stated that, I got hives near my left eye with the first Pfizer shot but I wasn't sure if that was the cause as I do have food allergies. My arm was a little stiff but not significantly and I did not have any other side effects. On 5Feb21, With my second shot, I felt hives on my forehead which confirmed I did have a hive reaction from the first vaccine on 14Jan2021 shot, with the 2nd shot my arm was definitely sore, I wanted to just lay down and I felt like I had a fever but it did not show on the thermometer. However, it is a lot better 24 hours later. My hives have gone down and I feel fine. The patient underwent lab tests and procedures which included body temperature: fever but it did not show on the thermometer. Therapeutic measures were taken as a result of the 2nd shot my arm was definitely sore with Aleve to reduce the pain of the vaccine area on right arm. The events were considered as non-serious. The outcome of the events were reported as recovered. Information on the lot/batch number has been requested. ; Sender's Comments: Linked Report(s) : US-PFIZER INC-2021122958 same patient, same product( different dose), similar events

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1288190	5/5/2021	CA		F			<p>had numbness and tingling in her right arm; had numbness and tingling in her right arm; nausea/Nauseous; face tingling which is like a numb feeling; face tingling which is like a numb feeling; This is a spontaneous report from a contactable Consumer (patient). A 50-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, formulation: solution for injection, Lot/Batch number: unknown), via an unspecified route of administration on an unknown date as a single dose for covid-19 immunization. The patient's medical history included allergies to Latex, Azithromycin, Dipac, Prozac, crab and lobsters, egg since she has a mild egg allergy, wheat intolerance, Irritable bowel syndrome(IBS). The patient's concomitant medications were not reported. Patient stated that after she got first Pfizer Covid shot, right away she was nauseous. Patient sat down and was monitored for 15 minutes. Patient had tingling and numbness 30 minutes later in her right arm. The patient further stated that 1.5 hours after her face had a tingling, numb feeling, she called her doctor and patient was asked if she can puff her cheek and scrunch her eyes.The patient stated that she was able to do it. Her doctor stated that she was okay and if it gets worse, asked her to call back in the morning. Patient stated that it was still there but just better a little tingling and numb. The patient stated that she can puff her cheeks and scrunch her eyes. Patient was asking whether she had an allergic reaction to the 1st shot as it was recommended for her not to get the 2nd shot. The outcome of the events was unknown. Information on the lot/batch number has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1288202	5/5/2021	CT	73	F	2/12/2021	2/12/2021	one localized rash described as red with white lump; heart palpitations; Left breast hurt; Red rash; tingling of the left breast; Foggy different feeling; This is a spontaneous report from a contactable consumer (patient). A 73-years-old female patient received first dose of BNT162B2 (Pfizer COVID19, Solution for injection, Lot number EN6201) via an unspecified route of administration in the left arm on 12Feb2021 at 15:00 for Covid-19 immunisation. The patients medical history included Breast cancer, thyroid cancer, blood pressure and palpitations. The patient had allergic to Z-pak. The concomitant medication includes Synthroid 150mcg 1 tablet by mouth once a day for thyroid cancer. Relevant Family medical history included Shingles shot, she took one a long time ago, like 10 years ago, it gave her ringing in the ear. She had no other vaccines on the same day on in the 4 weeks prior to the first dose. On 12Feb2021, the patient experienced Foggy different feeling, on 13Feb2021 at 16:00, tingling of the left breast, on 14Feb2021 experienced Left breast hurt, heart palpitations and localized rash described as red with white lumps. She had no ER visit. The outcome of the event foggy different feeling, left breast hurt, and white lumps was recovered, whereas of red rash and heart palpitations it was recovering and for tingling of the left breast it was recovered with sequelae. The patient underwent lab test which included blood work whose results were unknown and TSH with results 0.57. She wanted to know if those AEs are from the vaccine and if she is ok to get the second shot. She felt lightheaded for 20 minutes, in the left breast is where she had cancer and it was in situ in the duct, it had not spread for which she received 8 weeks of radiation. She went to bed and noticed that her breast was hurting in the night, but she was too tired to get up at that point, when woke up and took a shower she lifted the left breast and saw a massive, bigger than pancake, rash. It was on the bottom of the breast and it ran down to the stomach, it also had white lumps on it, this just frightened her. There was severe redness before, but that has started to fade, it was still dark brown right now, like she can see outline, but it was going away. Before when there was redness, she could press the spot and it would turn white, it would be red again. When read the instruction that came it says there could be a side effect of a rash, but it would be all

VAERS\_ID RECVDDATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

over the body not localized. She does not know if the vaccine was responsible for it. Then just quickly she started having heart palpitations on Sunday, just a few, but on Monday it was like a 100 of them. She called doctor, at this point that she also has a history of thyroid cancer in 1982, they removed 2/3rds of her thyroid and since then she has been on Synthroid. When her thyroid was not working properly, she had a TSH done. She got lab work done just to see if it was the thyroid. The doctor said it could be from the shot. The Heart Palpitations were fading, she stopped taking Synthroid for 1 day and it went from 100 palpitations to 50, to like 6-7 now. The heart palpitations were going away and that was after stopping the Synthroid for 1 day. The Light headedness only lasted for 20 minutes but started 5 minutes after getting the shot. She clarified that it was not lightheadedness she means to say that she was a little foggy and had a different feeling. The tingling in the Left Breast began, it was for a couple hours, she thought it was different. Normally she doesn't have that. She has had 6 breast operations, so she has very little feeling in that breast normally. Her left breast began to hurt when she was sleeping, she was too tired to get up and look, she rolled over felt something was wrong. This was at 2-3AM on and it subsided when she took shower and patted all around, she dried it and kept an eye on it, the pain started to go away easily. She did notice that she started to feel a little bit of an itch, but that went away quickly too. She had the rash and lumps, it was during the shower she lifted the breast and saw it. She has a picture to provide. It is Not ongoing, it has started to fade, it is still dark reddish brown, but she can tell it was going away. The heart palpitations started late at 4 or 5 in the evening, she has not had that for years. She knows at one-point TSH was high, but they like to keep it low like this in which the 1/3 of thyroid stays dormant, this is intentional because if it gets too high.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1288217	5/5/2021	NC	70	F	2/22/2021	2/23/2021	I awoke at 3:15 am, with my face swollen, including eyes, cheeks, below jaw line and lips.; Minor headache; slight nausea; This is a spontaneous report received from a contactable consumer. A 70-year old-female patient received first dose of bnt162B2 (BNT162B2, Formulation: Solution for injection, Batch/Lot number: EM9809) via an unspecified route of administration on left arm on 22Feb2021 at 21:00 as single dose for covid-19 immunization. Concomitant medications included: Calamine lotion, benefiber, calcium600/vitamin D. Medical history included allergies to Penicillin, statins, metals. The patient underwent lab tests and procedures, which included elbow replacement on an unspecified date in 2016. It was reported that 18 hours after injection, on 23Feb2021 at 3:15 am, patient woke up with face swollen, including eyes, cheeks, below jaw line and lips. There was no indication of swollen tongue, no difficulty breathing or swallowing. Minor headache and slight nausea. The adverse events required emergency room visit. Prior to the vaccination, the patient was not diagnosed with COVID-19. No covid test post vaccination. No other vaccine in four weeks. The patient didn't receive other medication in two weeks. Therapeutic measures were taken as a result of events and included treatment with: Benadryl, Famotidine. Outcome of the events was recovering

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1288219	5/5/2021	NY		F	2/15/2021	2/15/2021	rash with raised bumps and redness; rash with raised bumps and redness; Facial irritation; Swelling of eyelids and area underneath eye brows; Itchiness where rash is; Irritation of gums; This is a spontaneous report from a contactable nurse. A 58-years-old female patient (not pregnant) received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection) via intramuscularly, administered in left arm on 15Feb2021 at 14:30 as single dose for covid-19 immunization. Medical history and concomitant medications were not reported. No Known allergies. She received first dose intramuscularly administered in left arm on 25Jan2021, at 02:30 pm, as single dose for covid-19 immunization. No other vaccine in four weeks. No other medications in two weeks. No Covid prior vaccination. No Covid tested post vaccination. On 15Feb2021 at 08:00 pm, she had Facial irritation and rash with raised bumps and redness. Swelling of eyelids and area underneath eyebrows. Itchiness where rash is present. Irritation of gums resulted in doctor or other healthcare professional office/clinic visit. Therapeutic measures were taken of hydrocortisone cream to face. All events were assessed as non-serious with outcome of not recovered. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1288224	5/5/2021	NE	44	F	2/15/2021	2/20/2021	Rash and hives on face; Rash and hives on face; throat itchiness; swollen face around eyes; This is a spontaneous report received from a contactable consumer (patient). A 44-year-old non pregnant female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, solution for injection, lot number EL9262, expiry date: unknown) via an unspecified route of administration in left arm on 15Feb2021 at 09:15 (at the age of 44-year-old) as a single dose for Covid-19 immunization in Hospital. The patient had known allergies: sulfa, penicillin, latex. The patient did not had any other medical history. Prior to the vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. The patient did not receive any other vaccines within four weeks prior to the vaccination. Concomitant medications (in two weeks) included melatonin, magnesium, cetirizine hydrochloride (ZYRTEC), and azelastine hydrochloride, fluticasone propionate (DYMISTA). The patient previously received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, solution for injection, lot number EL9262, expiry date: unknown) via an unspecified route of administration in left arm on 25Jan2021 at 08:15 as a single dose for Covid-19 immunization. On 20Feb2021 at 7:30, the patient experienced rash and hives on face, throat itchiness, and swollen face around eyes. Patient received treatment with Oratidine, Benadryl, and Prednisone for the events. The outcome of the events of rash and hives on face, throat itchiness, and swollen face around eyes was recovering. No follow-up attempts are possible. No further information is expected.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1288314	5/5/2021	CA		F		3/1/2021	felt hot and was sweating and then was cold again; felt hot and was sweating and then was cold again; chills and she is constantly cold; feels like eyes burning; feels like coming down with a cold, has cold symptoms; Fever over 100 every night; headaches; body aches; little sore in left arm; Autoimmune Reaction; throat and thyroid pain; throat and thyroid pain; Thyroiditis; trace E.coli in her urine; This is a spontaneous report from a contactable consumer (patient). A 49-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, lot number: EN6208) via unknown route of administration on unspecified date in 2021 at single dose in left arm for COVID-19 immunisation at vaccination site in drive through by medical. Medical history included donated left kidney in 2019, had Allergies to Latex. Patient previously had flu shot regularly, sick like she had the flu (20 years ago). Patient was not pregnant. Prior Vaccinations (within 4 weeks) were none. No other vaccine in four week. No covid prior vaccination. Covid tested post vaccination. Concomitant medications included ergocalciferol (VIT D) and ascorbic acid (VIT C). It was reported that patient started with chills and she was constantly cold on 13Mar2021 and will turn on the heater for that. States her eyes are burning on 13Mar2021 and she feels like she was coming down with a cold, has cold symptoms. Caller states she has a fever over 100 every night, and headaches on 13Mar2021. states she has been taking Tylenol and drinking tea and she was very disciplined with her diet and drinks lots of fluids. Caller clarified that these symptoms started on Saturday 13Mar2021 at night and that she was fine that day 12Mar2021. On 12Mar2021 that night she was a little sore in her left arm from the vaccine. States she felt the body aches on 13Mar2021 and chills and then it went from there with the fever and headache and she felt hot and was sweating and then was cold again and the next night just added, on 14Mar2021. Caller states all her symptoms she has listed are persisting. stated she did take Augmentin after she got the Covid 19 shot for 5 days because the lab found minimal trace E.coli in her urine in 2021, nothing alarming. states they wanted her to take 5 days to clear that. States it was 800mg twice a day. Then after the second week throat and thyroid pain in 2021. Doctor visit in week 3, labs, blood and urine culture showed no

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

infection in 2021 but an autoimmune reaction on 01Mar2021 04:00 due elevated ESR and T3 and T4 in 2021 which combined with the Thyroid pain and the fever indicated Thyroiditis in 2021. Labs in the second week after the first vaccine showed negative for COVID19 and Negative for COVID19 antibodies on 25Mar2021. The fever and throat pain continued until early on week 4 after the first vaccine when after the labs results doctor prescribed a Prednisone treatment 3days x20mg/day, 4days x10mg/day, 7days x5mg/day. The pain and fever disappeared after days 2 of the Prednisone treatment, but unfortunately the thyroid pain return 2days after the end of the 14 days treatment it's more subdued but the pain was back. No fever yet. Due back for labs in a couple of weeks. Adverse events resulted in Doctor or other healthcare professional office/clinic visit, Emergency room/department or urgent care included throat, thyroid pain, autoimmune reaction, thyroiditis, fever, chills, body aches. Patient underwent lab tests and procedures included urine lab: minimal trace E.coli in her urine, nothing alarmin and showed no infection, blood test: showed no infection in 2021, COVID-19 Virus test: negative on 25Mar2021. The outcome of event pyrexia was recovered in 2021 the outcome of the event e-coli was unknown, while for other events was not recovered. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1288330	5/5/2021	DE	65	F	2/26/2021	2/26/2021	<p>it sounded like a form of Bell's Palsy; left cheek tingle; my left forehead, cheek, side of lip and chin felt like I had razor burn.; My head itched; left eye felt dry; salivate more than usual from the left side of my mouth; left side of my face began to feel heavy, sometimes also my sinuses, but more often my lower jaw; left side of my face began to feel heavy, sometimes also my sinuses, but more often my lower jaw; left side of my face began to feel heavy, sometimes also my sinuses, but more often my lower jaw; feel pain in my left ear; My lymph nodes on the left side of my face became swollen; This is a spontaneous report from a contactable consumer. A 65-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration, administered in Arm Left on 26Feb2021 12:45 (Batch/Lot Number: EN6202), at the age of 65-years-old, as single dose for COVID-19 immunization. Medical history included allergy to Sulfa. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Concomitant medication included calcium; magnesium; colecalciferol, menadione (VITAMIN K+D); glutathione; all taken for an unspecified indication, start and stop date were not reported. Within 45 mins (also reported as 20-25 minutes) of receiving the shot, she began to feel her left cheek tingle. In the intervening days, her left forehead, cheek, side of lip and chin felt like she had razor burn. Her head itched. Her left eye felt dry, but that went away. She began to salivate more than usual from the left side of her mouth. The left side of her face began to feel heavy, sometimes also my sinuses, but more often my lower jaw. Sometimes, she would feel pain in her left ear. Her lymph nodes on the left side of my face became swollen. Her doctor on Zoom said it sounded like a form of Bell's Palsy (medically significant), though she does not have the drooping eye or mouth. She had an MRI of her left lymph node that did not reveal any issues. Her symptoms, while they have abated, are still present five weeks after the shot. The events started on 26Feb2021 13:30. No treatment was received for the events. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination the patient has not been tested for COVID-19. The outcome of the event left eye felt dry was recovered while other events was not recovered.</p>

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1288169	5/5/2021			U			I had vision problems (very hazy vision); This is a spontaneous report from a contactable Consumer (patient, self-reported). A patient of an unspecified age and gender received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: solution for injection, lot number and expiry date was not reported), via an unspecified route of administration, on an unknown date, as single dose for unknown indication. Patient's medical history and concomitant medications were not reported. On an unknown date, the patient had vision problems (very hazy vision). On an unknown date, next Friday, the patient will get the second dose. Patient mother and patient had vision problems after getting the vaccine. The patient deciding whether to get the second one, as the patient afraid to lose patient's vision. Need to decide quickly. Outcome of the event was unknown. No follow-up attempts are possible; information about batch/lot number cannot be obtained. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1291216	5/5/2021	AL	59	F	3/26/2021		<p>cataract; This is a spontaneous report from a contactable consumer (patient) via a sponsored program. This 59-year-old female patient received the first dose of BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: EN6205) via an unspecified route of administration in the left upper arm on 26Mar2021 09:30 (at the age of 59-year-old) as single dose for COVID-19 immunization. The patient did not receive any other vaccines within four weeks prior to the vaccination. She was not enrolled in the clinical trial. Medical history included ongoing diabetes mellitus for 2 years (2019), heart attack occurred 6 years ago (2015), and she has had the following conditions for probably about 5 or 6 years: ongoing blood cholesterol increased, ongoing blood potassium decreased, ongoing heartburn, and ongoing high blood pressure. Family Medical History included her mom died of cancer and her dad died of a massive heart attack. Concomitant medications included metformin (manufacturer unknown) taken for diabetes mellitus, metoprolol (manufacturer unknown) taken for heart attack, ezetimibe (manufacturer unknown) taken for blood cholesterol, prasugrel hydrochloride (EFFIENT) taken for stent placement, losartan (manufacturer unknown) taken for hypertension, potassium chloride (manufacturer unknown) taken for blood potassium decreased, omeprazole (PROTONIX) taken for heartburn; all ongoing from an unspecified start date. On an unspecified date in 2021, the patient developed cataract. As reported, the patient just had her eye cataracts removed, one at a time: she had one done 05Apr2021 for the left eye, and one done yesterday, 19Apr2021 for the right one. She had a scheduled second dose due last 16Apr2021, but she missed it, so she was asking how to re-schedule the second dose. The clinical outcome of the cataract was not reported.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1291104	5/5/2021	PA	67	M	3/27/2021		shingles in the right eye; This is a spontaneous report from a contactable consumer reported for her husband (patient). A 67-year-old male patient received second dose bnt162b2 (BNT162B2, Lot Number: EN6204; Expiration Date: 30Jun2021) administered in left arm on 27Mar2021 10:00 as single dose for covid-19 immunisation. None medical history neither concomitant medication. None Prior Vaccinations within 4 weeks. Patient received first BNT162B2 (Lot#: EN6202, Expire date: 30Jun2021) dose on 06Mar2021 in left arm. Everything seem to be fine then 2 weeks or maybe 2 and half weeks after the second dose (but also reported begins on "14Apr2021"), he ended up with shingles in the right eye. Consumer was not sure if it is something to do with the immune system. She did search the net regarding adverse reaction and it said there are cases of shingles in another country. 6 women in a second country, whose ages and location of shingles varied. Some of these were after the first shot and some were after the second. The event was not recovered. No Follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1291106	5/5/2021	FL	63	F	4/9/2021	4/1/2021	<p>she actually feels like she has covid; she actually feels like she has covid; felt like her head was in a tunnel/surround sound in her head; she was scared to death; ringing in her ears; diarrhea; nausea; ear aches that make it feel like her hearing is off; the vaccine may have poked her in the bone; temperature and it has been pretty normal for the most part and went up to 99.9 degrees Fahrenheit; felt like I wished I were dead; sick; tired; This is a spontaneous report from a contactable consumer (the patient). A 63-year-old female patient received the second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Lot number EN5318; Expiration Date: 2021), via an unspecified route of administration, on 09Apr2021 at 14:30 (at the age of 63-years-old) as a single dose in the right arm for COVID-19 immunization. The patient's medical history was not reported. Historical vaccinations included the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Lot number EP69556121) on 18Mar2021 (at the age of 63-years-old) as a single dose in the right arm for COVID-19 immunization. There were no concomitant medications. The reporter state that exactly seven (7) days after her second dose, she "felt like I wished I were dead." She reports having diarrhea and nausea that she is still struggling with, and also reports ear aches that make it feel like her hearing is off, describing it as an echo "like I'm in a tunnel or buried in the sand." She reports that this "head thing" was so severe in the beginning and reports that it is still ongoing. She states she couldn't even stand to hear the television and reports that it felt like there was a "surround sound" in her head. She also reports that she just wanted to lay in bed one afternoon and when she woke up the next morning, she was still tired. She reports now that she is progressively feeling "some better" and thinks in 3 days that it will be gone, but she also believes that she may have COVID-19 now and feels like the 2nd Pfizer Vaccine actually bred the disease in her for some reason and she wished she was dead for three days. She also stated that she has spoken with her HCP about this who suggested she visit an urgent care; however, the caller states she cannot drive and has no means of transportation to this appointment. She continued to say that the symptoms were horrible and she is still going through it; states last night she was scared to death and she does not drive or</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

she would have taken herself to the emergency room. She stated that she still had the ear ache, it is not so "echoey" but she still hears some of the ringing in her ears. The other thing concerning happened yesterday - she has also been monitoring her temperature and it has been pretty normal for the most part and went up to 99.9 degrees Fahrenheit and she has been trying to get ahold of someone to report this. States last night was the worst night with diarrhea and she was up and down all night long. The patient also mentioned that her second dose of the Pfizer Vaccine was in her right arm and the woman who gave her the vaccine may have poked her in the bone and caused her to jump. The patient experienced that she actually feels like she has COVID on an unspecified date with outcome of unknown, felt like "I wished I were dead" in Apr2021 with outcome of unknown, the vaccine may have poked her in the bone on 09Apr2021 with outcome of unknown, diarrhea on 16Apr2021 with outcome of not recovered, ear aches that make it feel like her hearing is off on 16Apr2021 with outcome of not recovered, tired in Apr2021 with outcome of recovering, felt like her head was in a tunnel/surround sound in her head on 16Apr2021 with outcome of recovering, nausea on 16Apr2021 with outcome of not recovered, she was scared to death on 16Apr2021 with outcome of not recovered, ringing in her ears on 16Apr2021 with outcome of unknown, temperature and it has been pretty normal for the most part and went up to 99.9 degrees fahrenheit in Apr2021 with outcome of unknown and sick in Apr2021 with outcome of unknown. The patient underwent lab tests and procedures which included body temperature: 99.9 degrees Fahrenheit on Apr2021.



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1291109	5/5/2021	TX	43	F	4/9/2021	4/10/2021	<p>A blood vessel burst in my right eye; headache; tired; This is a spontaneous report from a contactable nurse. A 43-years-old non-pregnant female patient received bnt162b2 (BNT162B2), dose 1 via an unspecified route of administration, administered in Arm Left on 09Apr2021 at 08:15 (Batch/Lot Number: 20921163) as a single dose for COVID-19 immunisation. Medical history included diagnosed allergies, compromised immune status, respiratory illness, genetic / chromosomal abnormalities, endocrine abnormalities (including diabetes) and obesity. The patient had not received any other vaccinations within 4 weeks. Concomitant medication(s) included chlorthalidone (CHLORTHALIDONE) taken for blood pressure measurement, start and stop date were not reported. The patient reported that a blood vessel burst in her right eye on 10Apr2021 at 0600, she also reported a headache and was tired. The patient states that she got her first dose of the Pfizer COVID vaccine on Friday 9Apr2021. Patient states that the next day a blood vessel burst in the right eye. Patient states that at first she was thinking she didn't know what to think. Patient states that she didn't know what to do. Patient looked online to see how long the eye would take to heal. Patient states that the redness has gone away, the side part of patient's eye looked like something happened. Patient states that it was a lot when it happened. Patient states that the following morning on the 10Apr2021 she had a headache in the morning. Patient states that on or around 6:00 AM or 7:00 AM on 10Apr2021 she woke up with the headache and noticed the burst blood vessel. Patient states that the headache woke her up. Patient states that she took something for the headache but it still kind of lingered and patient felt kind of off all day long. Patient states that it lasted then kind of gradually went away and she didn't feel that way after a couple of days. Patient states that was the first vaccination and she is set to get the second vaccination on 30Apr2021. Patient states that with having that reaction of the blood vessel in the eye, she wants to get on with her life. Patient states that she wants the other portion of the vaccination but is nervous about getting it. The outcome of the events for the blood vessel burst in her right eye was recovering and the remaining events was recovered on 10Apr2021. The patient was not tested for COVID-19 before or after vaccination.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

---

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1291164	5/5/2021	KS		F	3/22/2021	4/19/2021	I had heart palpitation.; felt really chilly/I was cold; throat was sore and itchy; My throat was sore and itchy; felt so terrible; I had back pain, ear pain.; ear pain; insomnia/could not sleep; dizzy; might be allergic to amoxicillin; Headache; Cannot see clearly; I feel like there is something in my eye.; This is a spontaneous report from a contactable consumer (patient). A 49-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration on 22Mar2021 as single dose for covid-19 immunisation. Medical history included penicillin allergy 7 years ago, hyperthyroid, Graves diseases. The patient's concomitant medications were not reported. Patient got the first dose of the Pfizer BioNTech covid vaccine on 22Mar2021. For the first 2 weeks she felt really chilly. Her throat was sore and itchy. She was cold and her temperature was 96. She felt so terrible. She was seen at Immediate Care and tested for the flu and for covid. Both tests were negative. They tested her blood, CBC and thyroid and they were normal. They gave her amoxicillin. She still felt terrible and went back for her symptoms and it was also because 7 years ago she found out that she was allergic to penicillin. So she thought she might be allergic to amoxicillin. She had back pain, ear pain, could not sleep, had insomnia and was dizzy. When she went back they gave her a steroid injection. Since the steroid injection patient has been feeling much better. She has a little bit of a headache. But she is not chilly and she did not have back or ear pain. Her reading has been affected since getting the vaccine. She cannot see clearly and she did not have that trouble before the vaccine. She had just gotten new glasses in February. She feels like there is something in her eye. Last night she had heart palpitation (19Apr2021). Patient questioned symptoms associated with the vaccine and if she should get the second dose. She stated that she is scheduled to receive the second dose of the Pfizer BioNTech covid vaccine tomorrow (21Apr2021) and scheduled to see her eye doctor on Thursday. Patient was told that she should wait 90 days after taking amoxicillin and was wondering if it is true. Outcome of felt so terrible was recovering, outcome of felt really chilly/was cold and back pain, ear pain was recovered in 2021, outcome of other events was unknown. No follow-

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1291173	5/5/2021	CT	56	M	3/8/2021	3/12/2021	<p>up attempts are needed; information about lot/batch number cannot be obtained.</p> <p>tunnel vision; blurry; vision impairment; Vein was bulging out (about 8mm long, 3mm wide, 2mm thick. upper cheek-bone very tender to touch; Area below eye remained puffy; cute pain in area of sternum; 3/12/21 Acute pain in vicinity of left shoulder blade; pain in right lower-outer eye area at cheek-bone; This is a spontaneous report from a contactable consumer. A 56-years-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), dose 1 via an unspecified route of administration, administered in Arm Right on 08Mar2021 12:30 (Batch/Lot Number: EN6199) as single dose, dose 2 via an unspecified route of administration, administered in Arm Right on 29Mar2021 (Batch/Lot Number: EP6955) as single dose for covid-19 immunisation . Medical history included none. There were no concomitant medications. Patient did not have Covid prior to vaccination. The patient experienced "acute pain in area of sternum. Felt like heart attack. Pain dissipated in 6 hours. Minor pain for a couple more days" on 14Mar2021 with outcome of unknown , tunnel vision on 01Apr2021 with outcome of recovered , blurry on 01Apr2021 with outcome of recovered , vision impairment on 01Apr2021 with outcome of recovered , acute pain in vicinity of left shoulder blade on 12Mar2021 22:00 with outcome of unknown , pain in right lower-outer eye area at cheek-bone on 12Mar2021 22:00 with outcome of unknown, vein was bulging out (about 8mm long, 3mm wide, 2mm thick, upper cheek-bone very tender to touch on 01Apr2021 with outcome of unknown, area below eye remained puffy on 01Apr2021 with outcome of unknown. The patient underwent lab tests and procedures which included 02Apr2021 eye exam: all was normal; 05Apr2021 Full blood work was done: normal; 15Apr2021 Partial Physical Examination, EKG and Chest x-ray: All normal; 20Apr2021 Carotid Artery Ultrasound: normal. No treatment was received. The outcome of events tunnel vision, vision impairment and blurry was recovered while outcome for other events was unknown. Patient was not tested positive for Covid post vaccination.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1291177	5/5/2021	OH	64	F	3/27/2021	3/27/2021	Kidney infection; UTI; tightness around her rib cage; size of her arm at the injection site is down to 2.5 inches by and inch.; allergic reaction; when they injected the vaccine that it burned; lethargic; half a bandage was covered in blood; it felt like three baseballs are sitting on her arm.; The muscles were so tight in her ribcage that she couldn't take a deep breath.; She states that the front of her shoulder, the sides, and the back of her arm was all hard and tense.; teeth chattered after getting the vaccine; Dizziness; difficulty breathing/hard time breathing; headache; fatigue; can still feel where the injection went; feels like an electrical shock; arm pain that radiated under her arm to her rib cage right after the vaccine/arm hurting; nerves were jerking starting at her temple going down throughout her body to her arms and fingers; itching; muscle aches; joint aches; arm pain that radiated under her arm to her rib cage right after the vaccine/arm hurting; arm pain that radiated under her arm to her rib cage; nerves were jerking starting at her temple going down throughout her body to her arms and fingers; hit a nerve upon vaccination; This is a spontaneous report from a contactable consumer (patient). A 64-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, lot number: EN6206), dose 1 , single dose via an unspecified route of administration in the right arm on 27Mar2021 at 11:00 (at the age of 64 years-old) for COVID-19 vaccination. Medical history included hypertension from an unknown date and unknown if ongoing History: Caller states that she does have health problems but they are not relevant to this event. She takes high blood pressure medication and is diabetic, diabetes mellitus from an unknown date and unknown if ongoing History: She has health problems but they are not relevant to this event. She takes high blood pressure medication and is diabetic. Hostorical vaccine included tired when she gets flu shot and got the thing where she couldn't lift her arm up and it hurt down the ribcage; still hurts in the lower quarter along the back side of the rib cage; still tender and goes to the bottom where the rib cage ends when she got the pneumonia shot . She is not sure if it effects the lungs more. The patient had no family history relevant to the adverse events. The patient did not receive any other vaccine within 4 weeks prior to the vaccine. Concomitant medications were not reported.

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

The patient experienced kidney infection, urinary tract infection (UTI), itching all over and that lasted two days and didn't get hives, muscle aches and in the beginning she couldn't get out of bed, fatigue, arm pain that radiated under her arm to her rib cage right after the vaccine/arm hurting, hurts down her arm, nerves were jerking, feels like an electrical shock in her, would feel like her eyebrow or her nose would twitch in the center; it was so bizarre, starting at her temple going down throughout her body to her arms and fingers, it was jerking like lightening fire, the jerking started at the temple on right side and went down the face, it made her knees and ankles jerk, her arm was jerking, she still has some jerking in her left hand so it jerks over to the thumb, she can't control that, the nerves were doing their own thing, her leg and knee would move with out her wanting it to, that the moving is still happening in her shoulder, arms, knees, leg, and foot and joint aches, they hit a nerve upon vaccination and can still feel where the injection went on 27Mar2021, headache and difficulty breathing/hard time breathing and changed her position to sitting up more than laying down on 28Mar2021, dizziness on 29Mar2021, really tired for a good week and a half, size of her arm at the injection site is down to 2.5 inches by and inch, arm felt like it was big in the front, on the side and the back, it felt like three baseballs are sitting on her arm, allergic reaction, it burned when they injected the vaccine, more lethargic than normal on an unknown date. It was also reported that she had difficulty breathing, described as tightness around her rib cage on day 3 and was having a harder time breathing when laying down on day 2.5-3. She states that it still hurts down her arm. It took 4 days for her to be able to lift her arm to her head. She didn't want to lift up because it was still tender around the chest area, especially on right side. it was still tender around the chest area, especially on the right side. The muscles were so tight in her ribcage that she couldn't take a deep breath. On an unknown date, half a bandage was covered in blood and the front of her shoulder, the sides, the back of her arm was all hard and tense and teeth chattered after getting the vaccine. There was no laboratory tests performed. Treatment was received for difficulty breathing/hard time breathing and fatigue. She used her inhaler for her breathing and took ibuprofen (ADVIL, lot: RA467,

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

expiration date: Jul 2022) liquid gel minis at night for her pain. She was prescribed cephalexin. She had an albuterol inhaler on the 28th, 29th, 30th, and 31st, so she took that treatment for 3 days. She was only trying to use one dose of the albuterol inhaler because it can raise the blood pressure, but she also wanted to breathe easier. The muscles were so tight in her ribcage that she couldn't take a deep breath. She still has that in the right lower quarter from her back side ribcage under the arm to the side of the leg. The events did not require emergency room or a physician's office visit. The clinical outcome of Itching was recovered on 29Mar2021 and dizziness was recovered on 30Mar2021, headache recovered around 31Mar2021, unknown for her leg and knee would move with out her wanting it to, felt like three baseballs are sitting on her arm, hit a nerve upon vaccination, half a bandage was covered in blood, kidney infection, urinary tract infection (UTI), fatigue, tightness around her rib cage, size of her arm at the injection site is down to 2.5 inches by and inch, allergic reaction, injected the vaccine that it burned and lethargic and recovering for muscle aches, joint aches, difficulty breathing/hard time breathing, pain in arm, nerves were jerking and feels like an electrical shock, arm pain that radiated under her arm to her rib cage and the front of her shoulder, the sides and the back of her arm was all hard and tense.

1291008	5/5/2021	NJ	45	M	2/26/2021	3/19/2021	Double Vision - believed to be an MS flare up
---------	----------	----	----	---	-----------	-----------	---

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1291209	5/5/2021	CT	43	M	4/10/2021	4/19/2021	<p>Bell's palsy; This is a spontaneous report from a contactable consumer, the patient. This 43-year-old male patient, height: 66.22 cm &amp; weight: 175 kg, received the first dose of BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: ER8734), via an unspecified route of administration in the left arm on 10Apr2021 17:00 (at the age of 43-year-old) as single dose for COVID-19 immunization. The patient did not receive any other vaccines within four weeks prior to the vaccination. The patient was not enrolled in the clinical trial. Medical history included LASIK eye surgery. Concomitant medication(s) included prednisolone acetate (manufacturer unknown) and moxifloxacin (manufacturer unknown) both were taken after LASIK eye surgery. On 19Apr2021 12:30, the patient experienced Bell's palsy. The clinical course was described as follows: On 19Apr2021 at 12:30, the patient was eating lunch and he noticed the left side of his face was a little numb. The patient states he thought originally that he might be having an allergic reaction, but he was eating the same food that he always eats so it couldn't have been that and sort of ignored it. About 21:30, 22:00 at night (19Apr2021), he realized in the shower that he could not open his right eye, right eyelid, then his face was numb and he couldn't form his mouth to make a whistle, and he still can't, and he thought he was having a stroke because his face was all messed up. So that's when he went to the emergency room and they did a CAT scan that determined it was not a stroke, it is Bell's Palsy. The patient stated they prescribed him medications to take, and he was not hospitalized and discharged home. The patient stated his eyelids, they don't blink at the same rate and his left eye doesn't close all the way, he had to force it closed and it's very annoying. The patient verified that all his symptoms began on 19Apr2021 at 12:30 and all symptoms have worsened. The patient stated that he is perfectly healthy, not overweight and he's never had it before, and it came right out of the blue. The clinical outcome of the Bell's palsy was not resolved.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1291316	5/5/2021		73	M	3/1/2021	3/2/2021	infection in ear lobe; ear infection/tissue inside his ear dried up and bleeding/infection started in his ear lobe that migrated to his whole left side of his face; Pain localised; Ear bleeding; Skin fissures; Shingles; Fluid discharge; Axillary abscess/substantial bubble of puss under arm; fever/Temp of 105; Chills; weakness; Swelling face; Eye swelling; This is a solicited report based on the information received by Pfizer. A 73-year-old male patient received bnt162b2 (Pfizer-BioNTech COVID-19 vaccine), dose 1 intramuscular on 01Mar2021 (Batch/Lot number was not reported) as a single dose for covid-19 vaccination; adalimumab (HUMIRA), subcutaneous from an unspecified date (Batch/Lot Number: 1132646) to an unspecified date, at unspecified dose, subcutaneous from an unspecified date (Batch/Lot Number: 1136949) to Mar2021, at unspecified dose for moderate to severe hidradenitis suppurativa. The patient medical history includes ear infection. Concomitant medications were not reported. On unknown dates, the patient experienced tissue inside ear dried up and had bleeding, second infection in ears/painful when touched, felt pain on top of head, skin was cracking up, minor infections in ears, possible shingles and whole left side of face and eye swollen. In 2021, the patient experienced infection in ear lobe, feeling low energy and whole left side of face and eye swollen. On 02Mar2021, the patient experienced felt weakness and chills. On 08Apr2021, the patient experienced substantial bubble of pus under arm. On 10Apr2021, the patient experienced thick white odorous liquid almost syrup came pouring out of armpit. In Apr2021, the substantial bubble of pus under arm resolved. On unknown dates, felt pain on top of head, minor infections in ears and whole left side of face and eye swollen resolved. Covid-19 vaccine was also considered suspect. In Feb2021, the patient saw his physician twice for an ear infection. On 01Mar2021, the patient got his first vaccine shot. The next day he had chills and fever and feeling of weakness the next day. He went away after a short time and he felts better. He went to the physician twice in the past two weeks for minor infections especially in his ears. The tissue inside his ear dried up and bleeding. On the first visit he had a fever due to the infection in the ear. His physician prescribed antibiotic for a week. He got another infection in the same ears. He was painful when touched it. He went back to

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

physician and physician prescribed another antibiotic. The physician said the infections were to be expected with Humira because Humira weakens immune system. Partly because of his age. His age may be a contributing factor as well. He agrees to have physician contacted. On 29Mar2021 to 1Apr2021, he was in the hospital his infection started in his ear lobe that migrated to his whole left side of his face. His eye was swollen and felt pain on top of his head. His Temp of 105 when he went in. The patient was given intravenous antibiotics. He was tested to make sure infection had not spread to blood or bones. The Humira might have played a role because it lowers the bodies resistance to infection. They asked him not to take the Humira for two Saturdays. He did not take Humira on 09Apr2021 or before. He was stable. His skin was cracking up. Thought it might be shingles. He was prescribed an oral antibiotic first time, but then a week and a half later, it acted up again and he went back and got a different antibiotic and that worked until it. He was feeling completely better since he got out of the hospital. He had more energy than he had in a while. He had been feeling low energy for a while due to the infection. His physician did not think he should stop taking Humira but if he got a fever he needs to investigate immediately to see if he needs to be hospitalized. In 08Apr2021, he had substantial bubble of puss under his arm. He gave him a steroid injection to control that. On 10Apr2021, he had thick white odorous liquid almost syrup came pouring out of his armpit and he thinks that was the end of it. On 11Apr2021, he had his second Covid vaccine manufactured by Moderna then after he was released from the hospital. He was no issues or reactions with either injection. He was careful when he went out around people. It was unknown if patient was enrolled in a COVID-19 Vaccine Trial. The action taken in response to the events adalimumab was not applicable. The outcome of event infection in ear lobe, eye swelling and swelling face recovered in 2021, weakness and chills and fever recovered in Mar2021, ear infection and pain localised recovered on unspecified date, Axillary abscess/substantial bubble of puss under arm recovered in Apr2021; event ear bleeding was recovering; event fluid discharge, skin fissures and shingles was unknown. The reporter's causality for adalimumab (Humira) on the events infection in ear lobe, tissue inside ear dried up

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

and had bleeding unknown onset, tissue inside ear dried up and had bleeding unknown onset, second infection in ears/painful when touched, felt pain on top of head, minor infections in ears, substantial bubble of puss under arm, whole left side of face and eye swollen onset in 2021 and whole left side of face and eye swollen unknown onset with Humira (Adalimumab) was a reasonable possibility. The reporter's causality for the event(s) of felt weakness and chills with Humira (Adalimumab) was no reasonable possibility. The reporter's causality for the event(s) of feeling low energy, thick white odorous liquid almost syrup came pouring out of armpit, skin was cracking up and possible shingles was not provided. Opinion is that there is a reasonable possibility that the events of infection in ear lobe, feeling low energy, thick white odorous liquid almost syrup came pouring out of armpit, second infection in ears/painful when touched, felt pain on top of head, skin was cracking up, minor infections in ears, possible shingles, substantial bubble of puss under arm, whole left side of face and eye swollen onset in 2021 and whole left side of face and eye swollen unknown onset are related to humira(adalimumab). Opinion is that there is no reasonable possibility that the events of felt weakness, chills, tissue inside ear dried up and had bleeding unknown onset and tissue inside ear dried up and had bleeding unknown onset are related to humira(adalimumab).; Sender's Comments: Pfizer comment: The serious events Ear lobe infection and Condition aggravated were considered as unlikely related to Pfizer BNT162b2 vaccine. A possible contributory role of BNT162b2 cannot be completely excluded for the non-serious asthenia, pyrexia and chills, which occurred in a close temporal relation, namely, one day after the first dose BNT162B2 injection. The other reported events were confirmed as non-serious, while the causality was confounded by ADALIMUMAB administration. The infectious events were to be expected with co-suspect due an immunosuppression activity with increased infection susceptibility, such as Herpes zoster and Ear lobe infection aggravated, in this case. Furthermore, swelling face and eye swollen with unknown onset in 2021 may be attributable to the co-suspect and unrelated to the vaccine. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees, and Investigators, as appropriate.
1291233	5/5/2021	CA	62	F	4/9/2021	4/15/2021	Severe case of pink eye, in left eye, and a swollen lymph node in front of left ear. Started mildly on 04/15 and became much worse by 04/16. Both lids were swollen, itchy, discharge and RED. Started to get better by 04/23 and was almost gone by 04/25. Called the doctors office on 04/17 and they subscribed antibiotic eyedrops that I used for 7 days.
1291292	5/5/2021	TX	72	M	2/26/2021	3/7/2021	On March 7 at 23:30 (11:30) I awakened to go to urinate and everything seemed darker. Went back to bed not realizing I was possibly having a stroke. I had a Diabetic Dr Appointment at 0800 on the 8th so I went to the appointment and informed Dr that I was partially blind in my right eye. She immediately had me hospitalized and the diagnosis of a stroke was confirmed by CAT Scan and x-ray and I think a MRI. I was discharged and returned 9 days later with worsening vision and balance. I had a severe fall on discharge and hit head kept me in a extra day and actually broke a rod on a low back fusion.
1289355	5/5/2021	NM	21	F	5/5/2021	5/5/2021	Dizzy, Sweaty, Lost Vision Temporarily, Hearing muffled, Sensation of needing to urinate, Chills, overwhelmed, numbness in hands
1291397	5/5/2021	OH	59	F	3/9/2021	3/19/2021	Severe headache from about day 3 after vaccine. Felt like a vice across back of head. On March 19 headache with with vomiting. Went to emergency room on March 20 on advice of primary care doctor. Diagnosed with a migraine. Given fluids, Toradol, Compazine and potassium. Headache was preceded by visual disturbance. Relief for 3 days. Fever on April 4. Migraine again on April 17. Also, developed tinnitus in left ear around week 2 after vaccine. Still have tinnitus. Have had vertigo off and on. Last episode was May 2.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1289692	5/5/2021	WA	32	F	4/28/2021	4/28/2021	<p>Patient is a 32-year-old female new patient 5 months post partum &amp; currently breastfeeding, with seasonal and perennial allergic rhinitis and history of childhood asthma, referred by the emergency department to discuss anaphylaxis like reaction to the Johnson Johnson COVID-19 vaccination on 4/28/21. She received her vaccine around 2:00 p.m. She began developing itchiness in her palms/soles of feet and scalp that quickly developed into a a welt like rash about 3-1/2 hours after receiving the vaccine while on a walk with her husband; this was shortly followed by facial swelling over her right eye. They made it home and she got in a cold shower to cool down, became dizzy, started seeing spots and had difficulty breathing. Her husband called EMS and she was hypotensive when they arrived. She was given 2 doses of epinephrine (0.2 mg each per ED note) and a dose of Benadryl which helped. Shortly after the 2nd dose, she began having difficulty swallowing, maintaining the ability to breathe through her nose. She was given a 3rd dose of epinephrine and transferred to the ED; during transport an IV was started with an epinephrine drip. She was seen at Emergency Department; she was given IV fluids, solu medrol, tryptase level and had a normal EKG. She was discharged with an epi pen prescription. Tryptase is still pending at the time of her visit. She started a new prenatal vitamin at 11 am 4/28/21. Otherwise, she reports no new foods, medications or topical products. She did eat before going on a walk, pepper jack cheese, wheat thins, and black bean hummus. She is pretty sure she was not stung by a bee prior to onset of symptoms yesterday. Interestingly she reports recent urticarial episodes that occurred in February of 2021. These occurred when she was visiting her in-laws and occurred in the middle of the night, 2 nights in a row during the middle of her visit. She has never had hives previously. She reports no family history of hives or anaphylaxis. She reports no use of new topical products or medications.</p>

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1291655	5/5/2021	UT	44	F	4/2/2021	4/3/2021	Morning of April 03, 2021 I woke up with swollen, itchy, burning eyes and pain in hands. I took an Allegra and went to the vaccination center. The Head nurse sent me to the Urgent care. During the exam I developed tightness in chest and throat started to swell. Doctor determined it was a delayed anaphylactic reaction to the COVID vaccine. It was delayed due to taking the Allegra the previous day. He treated me with a benedryl shot and famotidine and prednisone in pill form. Observed for 1 hour and allowed to go home. As of April 5, 2021, still experiencing tightness in chest. Swelling in face has reduced
1291657	5/5/2021	GA	71	F	2/6/2021	2/6/2021	Started 2/6/21 at approximately 8pm and lasted for 5 days: Extreme weakness, light headed, nausea, migraines, burning in eyes, chills, ramped up back pain, extreme pain in left arm, unable to sleep.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1291184	5/5/2021	AZ	46	M	4/18/2021	4/19/2021	<p>This is a spontaneous report from a contactable consumer (patient's fiance). A 46-year-old male patient received the first dose bnt162b2 (BNT162B2), via an unspecified route of administration, administered in Arm Left on 18Apr2021 11:20 (Lot Number: EW0162) (received at the age of 46-years-old) as SINGLE DOSE for COVID-19 immunisation. Medical history included right knee pain. Concomitant medications were not reported. The patient received the Pfizer 1st shot 18Apr2021 11:20 am. On 19Apr2021, at midnight, he had low grade fever then swelling right leg. On the day of the report, 20Apr2021, he had swelling to both legs. The patient had taken ibuprofen as treatment beside propping legs up. The reporter wanted more information on the swelling and if it's related to taking ibuprofen. It was further reported that the patient experienced severe swelling from the knees down to the calves on both legs on 19Apr2021. He also experienced night sweats, fever, lightheadedness and dizziness on 19Apr2021. They want to know if there are any reports regarding the swelling side effects and if it is from the vaccine. The first dose of the vaccine was given 2 days ago (18Apr2021) and the second dose is due on 09May2021. The patient got his first shot on 18Apr2021 about 11:20am. After about 15 hours he developed swelling in one leg, she later clarified this to be his right leg, and now reports that both of his legs are swollen at the time of report (20Apr2021). She noted that patient told her his legs are not painful. She doesn't know if it's a blood clot or if they needed to go to the hospital. She also wanted to know if there is information about this as a side effects or if other people are having this too. She then reported that the patient started experiencing a fever, profuse sweating, and was spacey about 12 hours after the vaccine, a little after midnight 19Apr2021. She doesn't know if the dehydration made it worse. His fever was low-grade 99.8 degrees and lasted 4 and a half to 5 hours and has now resolved. When asked if patient received any treatment for fever, caller said it was so recent, and that was listed as a common side effect that goes away. Reported the patient drank fluids and she kept an eye on him. Leg swelling was about 15 hours after the vaccine, early morning 19Apr2021. She noted that the swelling in the right leg got bigger and didn't go down, but the left leg did. But today the left was more swollen and more</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							prominent today. She further clarified that the patient takes ibuprofen for pre-existing right knee pain. Caller also reported that the patient propped his legs to alleviate the swelling, it has improved some but the swelling did not go away. The adverse events did not require a visit to the physician office or emergency room. Outcome of the event fever was resolved on 19Apr2021 (lasted 4 and a half to 5 hours); outcome of the event "severe swelling from the knees down to the calves on both legs" was not resolved; outcome of the remaining events was unknown.
1289795	5/5/2021	CA	54	M	3/6/2021	3/8/2021	on 3/8/21 patient describes numbness which starts on left hip which goes down left leg. on 3/21/21 patient complains of 3 days of pain and swelling in left lower leg, calf, edema of the foot and ankle which is painful with movement. ultrasound negative. on 3/23/21 ultrasound shows Deep vein thrombosis is visualized in the left popliteal vein. progress note indicates no immobility or long car rides. No history of DVT or pulmonary embolus. Begin enoxaparin x5 days and then dabigatran.
1291424	5/5/2021	CA	60	F	1/21/2021	1/22/2021	Fatigue with whole body muscle spasms (legs, arms...). I have previous gotten muscle spasms like this when I had reactions to Remicade (used to treat neurosarcoidosis). Ever since I got this shot (2nd covid-19 moderna vaccine), my spasticity from my neurosarcoidosis has gotten worse. I am having chronic tightness and pain. The increase in pain initially lasted for 10 days. However, since then, the pain from spasticity in my muscles has resumed. And in April, I started seeing spots in my vision from the left side of my left eye. I don't know if it is related. I saw a neuro-ophthalmologist and he could not find a cause. He has been considering an MRI.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1290898	5/5/2021	WA	18	F	4/14/2021	4/15/2021	her eyes are currently very puffy/swollen, watery and itchy; her eyes are currently very puffy/swollen, watery and itchy; her eyes are currently very puffy, watery and itchy; her eyes are currently very puffy, watery and itchy; She says she has the other normal side effects like a headache; This is a spontaneous report from a Pfizer-sponsored programt. A contactable consumer (the patient) reported that an 18-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number for second dose: EW0162 or EWO162, expiration date: 30Jul2021, NDC number: 59267-1000-02) via an unspecified route of administration in left arm on 14Apr2021 19:15 at age of 18-year-old at 0.3 mL, single for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. No family medical history relevant to AE. The patient previously took the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: ER8730) in left arm on 24Mar2021 at age of 18-year-old at 0.3 mL for COVID-19 immunisation and experienced no event (reported as "no AE following prior vaccination"). The caller declines being sick at the time of vaccination. No relevant tests. She said her eyes were currently very puffy/swollen, watery and itchy, start date 15Apr2021 ongoing improved. She said she had the other normal side effects like headache, start date 15Apr2021 ongoing improved. She did not elaborate on any other side effects. She said she was wondering what to do about her eyes, they were still swollen. She said she took an allergy pill to help that the pharmacist told her to take, her eyes were still somewhat swollen. She asked if she should call her doctor. The outcome of the events was recovering. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1289722	5/5/2021	CA	37	F	3/17/2021	3/18/2021	The evening I got headaches, chills, muscle, loss of smell and taste. The third day I woke up with swelling like hives and rash around my right eye. I took 10mg of Claritin. The hives spread around the back of my neck and the rest of my body over the course of the morning. Within a few hours it had spread to my chest and my throat felt like it was closing. I had taken Benadryl but it didn't seem to help. I was also fatigued but had no shortness of breath. I had not eaten anything before the hives started. It had been 48 hours after the shot that I was in the Emergency Room, the hives started around 36 hours. I was given Epinephrine 3mg, Prednisone and Famotidine and given steroids for a few days. I have not had any problems since the first three days after the ER visit.
1289804	5/5/2021	WA	53	M	4/3/2021	4/3/2021	That evening - 04:30 pm, I started feeling body aches and pains and fatigue. The aches getting worse in the night. Felt feverish but didn't have a fever overnight. The next day the same - general aches and pains and fatigue. Early afternoon, I took Tylenol and at night time I had headache and I took Tylenol again that evening (about 11:00P). Next morning, just fatigue - no more aches. Site of vaccination was more sore than initially. I had a sort of sinus headache - left side of face and head. My wife noticed I had bags under my eyes - very odd bags under eyes. I took Sudafed. Inside of my left nostril was aching. Tuesday morning, the bags weren't there but I got bad acne on the same nostril - my left nostril. It was like - I was worried that the acne was cystic (very deep - through the nose). I haven't gotten acne in a long time. I had the sinus headache and acne which lasted two to three days. I tried nasal saline - on that Wednesday and Thursday. The acne lasted into the next week - subsided beginning on the 12th or 13th. The bagginess in eyes had been gone by end of the 5th. Headaches didn't persist after the 7th or 8th or so. Had trouble getting a doctor appt because they didn't know what doctor to send me to.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1289818	5/5/2021	CA	16	M	5/4/2021	5/4/2021	Within 3 minutes of receiving the vaccine, Subject experienced syncope, had ringing in the ears, loss of vision, was pale, diaphoretic, and hyperventilation. BP 102/49 and 96/58. Staff responded, provided supportive care. Subject regained consciousness. Reported on 5/5/2021 made a full recovery. It is noted he reports he worked out that morning, had not eaten or had water that day. Did not seek medical attention.
1289841	5/5/2021	IA	16	F	5/5/2021		Immediately after second dose, patient reported feeling tingly, light headed and "off". She had had this same reaction in the past with her 1st dose and was prepared that it may happen again. Her mom and dad were both with her. She laid down for awhile and was monitored directly in immunization room for 30 minutes. She reported feeling better, back to normal before leaving with direction supervision of her parents. They report that she often has these reactions to shots or medical procedures. This is the same reaction she had to the first shot.
1289978	5/5/2021	WI	39	F	5/5/2021	5/5/2021	Patient was seated on a chair in the hallway following administration of Janssen vaccine. Staff heard a noise and found the individuals on the floor to the left of her chair. She was blinking her eyes and diaphoretic. She held her position for a short time and then started talking to staff and sat up on the floor. She had a bump on her left side of her head. Recovering quickly, she was alert and oriented to person, place and time. BP was 102 /60's. Speech was clear. She denies any pain, changes in vision or dizziness following the event. She was given some water, snacks and observed for 30 minutes at which time she stated she wished to leave and was feeling fine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1290025	5/5/2021	WA	62	F	4/30/2021	4/30/2021	Janssen COVID-19 Vaccine EUA Extreme chills and quaking, despite 3 blankets and two heating pads, occasional jerks of my body -within 7 hours. Lasted 20 hours or more. Fatigue- unable to walk myself to bathroom within 8 hours, lasted two or more days. Very weak. VERY Severe Headache, including facial pain, neck pain, temple pain and eye sockets , stared 7 hrs, lasted two days Severe nausea, I actually thought of food poisoning (but it wasn't). Approx. onset 9 hours. Very painful body aches and muscle spasms throughout my body but especially my Back, underarms, legs, feet. Approx. onset 7 hours. lasted 48 to 60 hour Diabetic Ketoacidosis approx 30 hours after. Wasn't able to eat, blood sugar remained in the 150 to 180 area. Managed to eat 2 TBsp of applesauce to reduce ketones, (which worked) Fatigue unable to work until 5 days later.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1290768	5/5/2021	TX	21	M	3/30/2021	4/27/2021	Grand mal seizure; "extreme sluggishness; "swollen eyes, they were basically swollen shut; dark and red coloration around his eyes/his eyes were red; difficulty breathing; sore arm; fatigue; he had a high fever just by touching him, he was extremely warm to the touch.; This spontaneous case was reported by an other caregiver (subsequently medically confirmed) and describes the occurrence of GENERALISED TONIC-CLONIC SEIZURE (Grand mal seizure) in a 21-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 002C21A and 020B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included ADD. On 30-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 27-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 27-Apr-2021, the patient experienced SLUGGISHNESS ("extreme sluggishness), EYE SWELLING ("swollen eyes, they were basically swollen shut), OCULAR HYPERAEMIA (dark and red coloration around his eyes/his eyes were red), DYSPNOEA (difficulty breathing), PAIN IN EXTREMITY (sore arm), FATIGUE (fatigue) and PYREXIA (he had a high fever just by touching him, he was extremely warm to the touch.). On 28-Apr-2021, the patient experienced GENERALISED TONIC-CLONIC SEIZURE (Grand mal seizure) (seriousness criteria hospitalization, medically significant and intervention required). The patient was hospitalized from 28-Apr-2021 to 28-Apr-2021 due to GENERALISED TONIC-CLONIC SEIZURE. On 28-Apr-2021, GENERALISED TONIC-CLONIC SEIZURE (Grand mal seizure) had resolved. At the time of the report, SLUGGISHNESS ("extreme sluggishness), EYE SWELLING ("swollen eyes, they were basically swollen shut), OCULAR HYPERAEMIA (dark and red coloration around his eyes/his eyes were red), DYSPNOEA (difficulty breathing), PAIN IN EXTREMITY (sore arm), FATIGUE (fatigue) and PYREXIA (he had a high fever just by touching him, he was extremely warm to the touch.) had not resolved. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On an unknown date, Blood test: (Inconclusive) No results were provided. On an unknown date, Chest X-ray:

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							(Inconclusive) No results were provided. On an unknown date, Computerised tomogram: (Inconclusive) No results were provided. On an unknown date, Urine analysis normal: (Inconclusive) No results were provided. For mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown), the reporter did not provide any causality assessments. No concomitant medication were reported. Treatment included Advil for fever, Maxipime, Keppra for seizure prevention and normal saline. Action taken with mRNA-1273 in response to the event was Not Applicable Company Comment: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. This case was linked to US-MODERNATX, INC.-MOD-2021-098517, MODERNATX, INC.-MOD-2021-097451 (E2B Linked Report).; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. MODERNATX, INC.-MOD-2021-098517:Case for dose 1 MODERNATX, INC.-MOD-2021-097451:Cross linked case
1290125	5/5/2021	MA	21	M	5/5/2021	5/5/2021	After receiving vaccine and during monitoring period, patient walked up to check out table and fall witnessed by RN at 16:25. Patient unconscious for 10 seconds, later reported feeling dizzy and having blurred vision prior to fall. Denied any other symptoms once conscious. Initial vitals obtained: BP 100/50, Pulse 80, O2 Sat 97%. Patient alert and oriented. Given gatorade and remained lying down. EMS called and arrived to scene to assess patient. Patient denied transfer to hospital, monitored for additional 30 minutes at vaccine site. Additional set of vitals obtained prior to patient exiting facility: BP 118/84, Pulse 75, O2 Sat 99%.
1290464	5/5/2021	MA	16	M	4/24/2021	5/1/2021	One week post vaccine, little blisters lower eyelid, itchy and swollen. Prescribed Erythromycin and Cephalexin. Next day, red eye, blisters worse, swollen and itchy. Second opinion, prescribed valtrex and doxycycline. Following day starting to improve. Day 4 just blisters now.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1290723	5/5/2021	ME	27	F	5/5/2021	5/5/2021	<p>Patient administered Janssen vaccine on 5/5/21 at 1011AM by pharmacist on duty. Patient did not admit any anxiety surrounding vaccine during counseling prior to receiving the vaccine. After administration patient mentioned she has can get anxious sometimes and has tendency to create symptoms in her head. She asked what to be on the look out for for signs of syncope and described starting to feel nauseous, clammy, and tunnel vision. Within seconds she briefly lost consciousness and started to slump in chair within immunization room. Pharmacist prevented her from falling out of chair while opening door to waiting room and asked for assistance from patients boyfriend. Together we held patient in place on chair and propped feet up on another chair. Immediately patient regained consciousness enough to explain what she was feeling but then quickly lost consciousness again and started snoring as if she immediately fell asleep. Boyfriend said no history of sleep issues/narcolepsy, together we laid patient on floor of immunization room with feet slightly elevated and boyfriend at her head and again she immediately regained consciousness. Patient explained that she was immediately starting to feel better and felt dizzy and described having very odd dream like scenarios. She laid on floor for 10 min, Alert and orientedx4, moved to seated position for another 10 min, accepted offer for apple juice, moved to waiting area to sit for another 10min before OK leaving. MOD/PDM aware....Called patient at 6pm that same evening and patient reported feeling great.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1290729	5/5/2021	CA	27	M	4/5/2021	4/15/2021	On day 1 (April 15) of noticing my body was very off after the vaccine I had Leg pain and severe headaches, I say severe because though I rarely get headaches and stay hydrated I could tell this headache really hurt and lasted the full day and several days after (something I have never had happen to me) Also on April 15, I had leg pain, If I took a step off a few inches curb or stair step I felt sharp pain shoot up my leg. On April 16th I still had the headaches and leg pain , but also while driving I began loosing my vision and started to pass out/faint. I Pulled over and waited at least a half hour. during that time I. noticed I couldn't type or read anything on my phone as I was trying to reach a friend to help me. eventually after time had passed I was able to drive myself to a friends where I thought the best thing would be to sleep it off. the headaches and leg pain lasted a couple more days and I thought it was going to go away, but it is now May 5th and today and last couple days the leg pain feels more like someone has been punching my left leg. five had chest pain and headaches return. I do not have medical insurance and have avoided going to the hospital or primary care because I am afraid. today the pain is so irritating and sore I wish I could escape my body.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1290765	5/5/2021	AZ	38	F	4/26/2021	4/26/2021	<p>Body Swelling; eyes on fire; eyes completely puffy; extremely Migraine; vision went blurry; Dizzy; could not keep her balance; eyes completely red; body ache; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of SWELLING (Body Swelling), EYE IRRITATION (eyes on fire), PERIORBITAL SWELLING (eyes completely puffy), MIGRAINE (extremely Migraine), VISION BLURRED (vision went blurry), DIZZINESS (Dizzy), BALANCE DISORDER (could not keep her balance), OCULAR HYPERAEMIA (eyes completely red) and MYALGIA (body ache) in a 38-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 002c21a) for COVID-19 vaccination. No Medical History information was reported. On 26-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 26-Apr-2021, the patient experienced SWELLING (Body Swelling) (seriousness criterion hospitalization), EYE IRRITATION (eyes on fire) (seriousness criterion hospitalization), PERIORBITAL SWELLING (eyes completely puffy) (seriousness criterion hospitalization), MIGRAINE (extremely Migraine) (seriousness criterion hospitalization), VISION BLURRED (vision went blurry) (seriousness criterion hospitalization), DIZZINESS (Dizzy) (seriousness criterion hospitalization), BALANCE DISORDER (could not keep her balance) (seriousness criterion hospitalization), OCULAR HYPERAEMIA (eyes completely red) (seriousness criterion hospitalization) and MYALGIA (body ache) (seriousness criterion hospitalization). The patient was hospitalized from 26-Apr-2021 to 27-Apr-2021 due to BALANCE DISORDER, DIZZINESS, EYE IRRITATION, MIGRAINE, MYALGIA, OCULAR HYPERAEMIA, PERIORBITAL SWELLING, SWELLING and VISION BLURRED. At the time of the report, SWELLING (Body Swelling), EYE IRRITATION (eyes on fire), PERIORBITAL SWELLING (eyes completely puffy), MIGRAINE (extremely Migraine), VISION BLURRED (vision went blurry), DIZZINESS (Dizzy), BALANCE DISORDER (could not keep her balance), OCULAR HYPERAEMIA (eyes completely red) and MYALGIA (body ache) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. The</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

treatment included Adrenaline (Epinephrine). Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1290769	5/5/2021	SC	39	M	4/16/2021	4/17/2021	possible central retinal vein ablasion; left eye vision was only like 5% of his vision; severe headache; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of RETINAL VEIN OCCLUSION (possible central retinal vein ablasion) and VISUAL IMPAIRMENT (left eye vision was only like 5% of his vision) in a 39-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 042B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 16-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 17-Apr-2021, the patient experienced HEADACHE (severe headache). On an unknown date, the patient experienced RETINAL VEIN OCCLUSION (possible central retinal vein ablasion) (seriousness criteria hospitalization and medically significant) and VISUAL IMPAIRMENT (left eye vision was only like 5% of his vision) (seriousness criterion hospitalization). At the time of the report, RETINAL VEIN OCCLUSION (possible central retinal vein ablasion) and VISUAL IMPAIRMENT (left eye vision was only like 5% of his vision) had not resolved and HEADACHE (severe headache) was resolving. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. No Relevant concomitant medications was reported. Treatment information was not provided. Company Comment: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1289448	5/5/2021		69	M	2/19/2021	5/1/2021	HPI: This is 69 years old man with extensive cardiac history including coronary disease status post CABG in 1995, stable from that standpoint with recent negative stress test. The patient also has a history of A. fib for which he is on Xarelto. He was on Lopressor for years and complained to his primary care provider that he had a rectal dysfunction so this was discontinued on Thursday and he was started on Norvasc. He went to a bar to wash therapy with friends and after he had to severe he started feeling dizzy heaviness in the head and blurry vision. He denies having any chest pain, shortness of breath, headache, focal weakness numbness tingling. He has had no palpitation. He got concerned so he came to the emergency room. He had no symptoms in the ER. EKG showed atrial fibrillation with nonspecific ST-T change. Chest x-ray showed no acute intracranial abnormality.
1290878	5/5/2021	TX	30	M	5/5/2021	5/5/2021	He was doing fine when I escorted him to the waiting area. Upon a few minutes later, he started to fell down. I was called and came to check on him. He told me he closed his eyes for a bit and started to fall down. I was not sure if the fall was because he lost balance or the shot made him fainted. There was no respiratory distress or any anaphylactic reaction so no Epipen was use. I applied cold pack to him and he recovered a few minutes later.
1290092	5/5/2021	CT	18	F	5/5/2021	5/5/2021	Felt Dizzy , cold/hot sweats , blurry vision/Hearing , nausea at first. BP low (per paramedics)

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1288421	5/5/2021		37	M	3/25/2021	3/25/2021	Watering eyes/recurrent eyes watery; Runny nose/recurrent runny nose; Drop in blood pressure; Seasonal allergy; Postural orthostatic tachycardia syndrome; tachycardia syndrome; Psoriasis flare-up/flare off of psoriasis/Psoriasis flare-up/Psoriasis flare-up - Worsened; Scalp swelling/ scalp swelling - Worsened/swollen scalp; Knee swelling; Psoriatic arthritis aggravated/-Worsened/flare off of psoriatic arthritis; Itchy scalp/Itchy scalp -Worsened/Localised itching -Worsened/itch on back, arms, knees; Local swelling / Local swelling -Worsened/swollen back; Scalp pain/Scalp pain Worsened/painful scalp; Pain back/Pain back - worsened/painful back; Painful arm/Painful arm - worsened; Painful knee/Painful knee Worsened; Swollen arm /Swollen arm -worsened; This is a non-interventional study report based on the information received by Pfizer (Mfr Control No. 21K-163-3740568-00) received from a contactable consumer (patient). A 37 yearsold male patient received bnt162b2 (BNT162B2), dose 1 intramuscular on 25Mar2021 (at the age of 37 years old) (Batch/Lot number was not reported) as SINGLE DOSE for covid-19 immunisation; adalimumab (HUMIRA), subcutaneous from 2017 (Batch/Lot number was not reported) to 25Mar2021, at unknown dose weekly[1 in 2 wk] for Moderate to Severe Chronic Plaque Psoriasis . Medical history included non tobacco, abstains from alcohol, Klippel feil syndrome, spinal fusion surgery, seasonal allergy, postural orthostatic tachycardia syndrome from 2017 to an unknown date , blood pressure decreased from 2017 to an unknown date. The patient concomitant medications were not reported. It was unknown if patient was enrolled in a COVID-19 Vaccine Trial. The patient experienced psoriatic arthritis aggravated/-worsened/ flare off of psoriatic arthritis (medically significant) on 25Mar2021, postural orthostatic tachycardia syndrome on an unspecified date, tachycardia syndrome on an unspecified date. psoriasis flare up/ Psoriasis flare up -Worsened on 25Mar2021, scalp swelling/ scalp swelling - worsened/ painful scalp on 25Mar2021, knee swelling on 25Mar2021, watering eyes/recurrent eyes watery on an unspecified date, runny nose/recurrent runny nose on an unspecified date, drop in blood pressure on an unspecified date, seasonal allergy on an unspecified date, itchy scalp/itchy scalp - worsened/localised itching -worsened/ itch on back,

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

arms, knees on 25Mar2021, local swelling / local swelling -worsened/ swollen back on 25Mar2021, scalp pain/scalp pain worsened/painful scalp on 25Mar2021, pain back/pain back - worsened/ painful back 25Mar2021, painful arm/painful arm - worsened on 25Mar2021,painful knee/painful knee worsened on 25Mar2021, swollen arm /swollen arm -worsened on 25Mar2021, psoriasis flare-up/psoriasis flare-up - worsened on 25Mar2021. The patient underwent lab tests and procedures which included blood pressure measurement: drop on 2017 blood test: normal o an unspecified date, magnetic resonance imaging: normal on 2018, x-ray: normal on 2008. The action taken in response to the event for adalimumab was permanently withdrawn on 25Mar2021(also reported as dose not changed). The clinical outcome of the event Psoriatic arthritis aggravated, Psoriasis flare-up, Scalp swelling, Knee swelling, Itchy scalp, Local swelling , Scalp pain, Painful arm, Knee pain, Swollen arm, Psoriasis flare-up was not recovered, while Postural orthostatic tachycardia syndrome, tachycardia syndrome, Watering eyes, Runny nose, Drop in blood pressure recovered, and the remaining events was unknown. Causality for Humira (Adalimumab) the reporter's causality for the event(s) of postural orthostatic tachycardia syndrome, swollen scalp, swollen knee, recurrent eyes watery, recurrent runny nose, blood pressure drop, seasonal allergies, itch on scalp, itch on back, arms, knees, swollen back, flare off of psoriasis, flare off of psoriatic arthritis, painful scalp, painful back, painful arms, painful knees, swollen arm and recurrent congestion with humira (adalimumab) was no reasonable possibility. The reporter assessment of the causal relationship of the (enter the event term) with the suspect product was not provided at the time of this report. Since no determination has been received, the case is managed based on the company causality assessment. Information on the lot/batch number has been requested.; Sender's Comments: Based on the available information, the reported events are attributed to underlying or intercurrent medical conditions which were unlikely related to BNT162B2 vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1284750	5/4/2021	NH	73	F	3/28/2021	3/28/2021	chronic lyme disease; could not breath/shortness of breath; knees swelled up; eyes burned; significant fatigue; increase in body pain; my knees are still damaged, especially in the back; knees still damaged, especially in the back; This is a spontaneous report from a contactable consumer (patient). A 73-year-old non-pregnant female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), at the age of 73-year-old via an unspecified route of administration, administered in Arm Right on 28Mar2021 14:00 (Lot Number: ER8733) as single dose for covid-19 immunisation. Medical history included hepatitis c, persistent lyme disease (ongoing), Known allergies: some antibiotics and foods. There was no other vaccine in four weeks, no covid prior vaccination and no covid tested post vaccination. There were no concomitant medications. The patient experienced could not breath, had to walk around for 20 minutes, she had chronic lyme disease. Her knees swelled up, her eyes burned, she had shortness of breath. Now three weeks later her knees were still damaged, especially in the back and she still had significant fatigue and increase in body pain, but the shortness of breath upon walking had improved. The back of her knees had never been this bad. She -would never have another shot-think it would kill her. The events start date was 28Mar2021. No treatment was received. The outcome of event Dyspnoea was recovering, of knees still damaged, especially in the back, fatigue and increase in body pain was not recovered, of other events was recovered with sequel.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1284749	5/4/2021	CA	17	F	3/30/2021	4/11/2021	left-side facial drop with left mouth corner; stroke symptoms; transient mild headache; blurry vision; left side of tongue affected; slurring speech; felt confused; drowsy; This is a spontaneous report from a contactable consumer (patient). This 17-year-old female patient received the 1st dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: ER8734), via an unspecified route of administration in the right arm at 17 years old on 30Mar2021 at single dose for COVID-19 immunization. Medical history included acquired brain injury (C-PVL) from pneumococcal strep infection, hypoxic ischemic encephalopathy, premature birth, quadriplegic dyskinetic cerebral palsy. Concomitant medications were none. The patient was not pregnant at time of vaccination. The patient previously received T-Dap vaccine at 10 years old and had prolonged migraine reaction. 12 days after, the patient developed stroke symptoms with transient mild headache, blurry vision, and left-side facial drop with left mouth corner and left side of tongue affected causing slurring speech also felt confused and drowsy which lasted for 8 hours. Events were started on 11Apr2021 at 03:30 PM. Events resulted in: Doctor or other healthcare professional office/clinic visit, Emergency room/department or urgent care. The patient went to ER, they did stroke work-up. No evidence of stroke. The patient received treatment including CT scan, MRI, EKG, labs. The patient had no covid prior vaccination, no covid tested post vaccination. Outcome of the events was recovering.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1284728	5/4/2021	LA	66	F	3/2/2021	4/2/2021	shingles; Eyes swells a lot; headache; This spontaneous case was reported by a consumer and describes the occurrence of HERPES ZOSTER (shingles) in a 66-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 013A21A and 028A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No medical history reported. Concurrent medical conditions included Drug allergy. Concomitant products included HYDRALAZINE, LOSARTAN, ATENOLOL, AMLODIPINE, OXYCODONE, FEXOFENADINE HYDROCHLORIDE (ALLEGRA), ESOMEPRAZOLE MAGNESIUM (NEXIUM [ESOMEPRAZOLE MAGNESIUM]) and Ibuprofen for an unknown indication. On 02-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 29-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 02-Apr-2021, the patient experienced HEADACHE (headache). On 05-Apr-2021, the patient experienced HERPES ZOSTER (shingles) (seriousness criterion medically significant) and EYE SWELLING (Eyes swells a lot). At the time of the report, HERPES ZOSTER (shingles) had not resolved and EYE SWELLING (Eyes swells a lot) and HEADACHE (headache) outcome was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown), the reporter did not provide any causality assessments. Patient could not see good due to swelling of eyes. Her face was itching, had rash and bumps on her face due to shingles. Treatment details include acyclovir tablet 800mg 5 times a day, acyclovir ointment. Company Comment:Based on the current available information which includes a temporal association between the use of the product and onset of the reported events, a causal relationship cannot be excluded. Some vaccines have been known to exacerbate latent herpes zoster. Patient has a history of shingles/. Headache is consistent with the product known safety profile. The patient received both scheduled doses of mRNA-1273 prior to the events; therefore, action taken with the mRNA-1273 in response to the events was not applicable.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1284784	5/4/2021		71	M	4/7/2021	4/7/2021	going to pass out on; blurred vision; little lightheaded; This is a spontaneous report from a contactable consumer reported for self. This 71-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) at single dose on 07Apr2021 for COVID-19 immunisation. Medical history and concomitant medication were not reported. Patient was a "little lightheaded" the first day (on 07Apr2021) but "it wasn't bad". He then explained since Saturday, 10Apr2021, he was experiencing "dizziness, a blurred vision, and was lightheaded". He specified he thought he was "going to pass out on" that Saturday 10Apr2021. He explained that his symptoms "won't go away" and he was concern about their persistence. He asked if similar symptoms were reported as side effects from the vaccine. Patient was concerned on getting the second dose due this coming Monday. He then said he would need medical advice. The outcome of events was not recovered. Information about Batch/Lot number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1284719	5/4/2021	CA	72	F	1/29/2021	2/6/2021	Left ear hearing loss; unilateral vision loss; Brain fog; Hot; Swelling in her arm that is the size of a baseball; COVID Arm; Itchy; Red circle around injection site; Tired; This spontaneous case was reported by a consumer and describes the occurrence of DEAFNESS UNILATERAL (Left ear hearing loss) and BLINDNESS UNILATERAL (unilateral vision loss) in a 72-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 042L20A and 010A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Dairy intolerance. Concomitant products included DOXYCYCLINE from 01-Jan-2020 to an unknown date for Rosacea, DEXLANSOPRAZOLE (DEXILANT) and FAMOTIDINE for Stomach discomfort, ROSUVASTATIN for Stroke, LEVOTHYROXINE for Thyroid disorder NOS, CLOPIDOGREL, CALCIUM, ACETYLSALICYLIC ACID (BABY ASPIRIN), LEVOCETIRIZINE DIHYDROCHLORIDE (XYZAL) and MAGNESIUM OXIDE for an unknown indication. On 29-Jan-2021 at 9:15 AM, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 03-Mar-2021 at 9:15 AM, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 06-Feb-2021, the patient experienced FEELING ABNORMAL (Brain fog), VACCINATION SITE WARMTH (Hot), PERIPHERAL SWELLING (Swelling in her arm that is the size of a baseball), VACCINATION SITE REACTION (COVID Arm), VACCINATION SITE PRURITUS (Itchy), VACCINATION SITE ERYTHEMA (Red circle around injection site) and FATIGUE (Tired). On an unknown date, the patient experienced DEAFNESS UNILATERAL (Left ear hearing loss) (seriousness criterion medically significant) and BLINDNESS UNILATERAL (unilateral vision loss) (seriousness criterion medically significant). On 13-Feb-2021, VACCINATION SITE REACTION (COVID Arm) had resolved. At the time of the report, DEAFNESS UNILATERAL (Left ear hearing loss), FEELING ABNORMAL (Brain fog), VACCINATION SITE WARMTH (Hot), PERIPHERAL SWELLING (Swelling in her arm that is the size of a baseball), VACCINATION SITE PRURITUS (Itchy), VACCINATION SITE ERYTHEMA (Red circle around injection site) and

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

FATIGUE (Tired) outcome was unknown.  
Treatment information not provided. The patient received both scheduled doses of mRNA-1273 prior to the events, therefore action taken with the drug in response to the events was not applicable. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Most recent FOLLOW-UP information incorporated above includes: On 21-Apr-2021: Case upgraded to serious based on event update. Con meds added. Prior event outcome updated. Medical history updated based on information; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1284735	5/4/2021	NY	64	F	3/4/2021	3/6/2021	<p>Angioedema; Shock; stridor; dry cough; Hoarse voice; Sneezing; Rhinorrhea; Dizzy; nausea; Hypotension; Weakness feeling; Generalized erythema; Generalized pruritus with skin rash; Generalized pruritus with skin rash; Diarrhoea; Vomiting; Throat closed in; the sides of the throat, down my neck , straight over my chest felt as if someone was squeezing me, chest felt heavy; Potential anaphylactic reaction; Difficulty breathing; severe brain fog; Severe chest pain hard to breath felt as if being smothered; difficult to sleep nights before as felt wired after the shot; bp slightly elevated 140/80; Became very groggy; eyes heavy, had about 3 sleep attacks; 3 sleep attacks; This is a spontaneous report from a contactable Health Care Professional (patient). A 64-year-old non-pregnant female patient received the first dose of BNT162B2 (Pfizer-Biontech Covid-19 Vaccine, Lot Number: EN4206) at single dose, intramuscularly, in the left arm, on 05Mar2021 at 10:00 AM, for COVID-19 immunization. The patient also received hylan g-f 20 (SYNVISC), via an unspecified route of administration, in knee, on 04Mar2021, at single dose, for an unspecified indication. Relevant medical history included narcolepsy from an unspecified date, in 1973, cataplexy from an unspecified date, complex regional pain syndrome (CRPS) from an unspecified date, in 2003, osteoporosis from an unspecified date, gastroesophageal reflux disease (GERD) from an unspecified date, hypertension from an unspecified date and arthritis from an unspecified date, in 2003. Concomitant medications included methylphenidate hydrochloride (RITALIN), imipramine, baclofen, atenolol, rosuvastatin calcium (CRESTOR), ezetimibe (ZETIA), imipramine hydrochloride (TOFRANIL), montelukast sodium (SINGULAIR), acetylsalicylic acid (BABY ASPIRIN) and clonidine, all taken for an unspecified indication, start and stop date were not reported. The patient reported allergy for drugs like lisinopril, spiro lactone, ghb (gamma-Hydroxybutyric acid), epinephrine and all seizure type medications. The patient became very groggy, felt eyes heavy, had about 3 sleep attacks, on 06Mar2021, at 13:00. Also reported difficulty to sleep nights before as felt wired after the shot (insomnia) and bp was slightly elevated 140/80 on 07Mar2021. On 27Mar2021 at 13:00, throat closed in, felt the sides of the throat, down her neck, straight over her chest felt as if someone was</p>

VAERS\_ID RECVDDATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

squeezing her, chest felt heavy (severe chest pain hard to breath, felt as if being smothered, throat closing in severe chest heaviness). Severe brain fog. Potential anaphylactic reaction and difficulty breathing were reported. On an unspecified date, the patient experienced angioedema, shock, stridor, dry cough, hoarse voice, sneezing, rhinorrhea, dizzy, nausea, hypotension, weakness, generalized erythema, generalized pruritus with skin rash, diarrhoea and vomiting. Decrease level of consciousness and loss of consciousness were not reported. The patient underwent lab tests and procedures which included oxygen saturation: normal on 06Mar2021 and blood pressure measurement: 140/80, slightly elevated, heart rate: 99, respiratory rate: 20 on 07Mar2021. The patient was not hospitalized and was not admitted to an Intensive care unit. The patient did not have COVID prior to vaccination and the patient did not test COVID post vaccination. The patient recovered from throat constriction, chest heaviness, potential anaphylactic reaction and difficulty breathing. Clinical outcome of angioedema, shock, chest pain, stridor, dry cough, hoarse voice, sneezing, rhinorrhea, dizzy, nausea, hypotension, weakness, generalized erythema, generalized pruritus, skin rash, diarrhoea and vomiting was unknown. Outcome of the other events was reported as recovering. Follow up attempts are completed. No further information is expected. Follow up (26Mar2021): New information received from a contactable Health Care Professional includes: adverse events added, clinical course and case seriousness updated from non-serious to serious. Follow-up (20Apr2021): New information received from a contactable Health Care Professional includes: medical history, concomitant medications details and additional adverse events added (Potential anaphylactic reaction and difficulty breathing added as additional adverse events). Follow-up attempts are completed. No further information is expected.; Sender's Comments: Based on known safety profile and/or temporal association, the contribution of the suspect drug to the onset of serious events cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1284760	5/4/2021	NJ	66	M	3/31/2021	4/1/2021	<p>pneumonia; temperature going up to 103 degrees/fever; tested positive for COVID19/COVID 19 positive; sore throat; cough; diarrhea; very bad headache; a little tired; high blood pressure; His Legs were a little wobbly from not using the muscles while in the hospital; get dehydrated; This is a spontaneous report from a contactable consumer(patient). A 66-year-old male patient received first dose BNT162B2 (Pfizer BioNTech Covid 19 vaccine, lot number ERO727), via an unspecified route of administration at Arm Right on 31-MAR-2021 09:30 at the 66 years old at single dose for COVID-19 immunisation. The medical history was none. The concomitant medications were none. On 07Apr2021, he started to develop symptoms: sore throat and cough. On 08Apr2021, he got a PCR and rapid test, and he tested positive for COVID19. On the weekend of 10Apr2021 and 11Apr2021, it started getting more severe. He had a very bad headache on the left side of his head, right next to his left eyeball on 07-APR-2021. The patient stated that he could not get any relief, tried to take Tylenol but nothing helped. He also had diarrhea on 07-APR-2021, "couldn't hold anything in", and started to get dehydrated in APR2021. The reporter states that then that weekend on the 10Apr2021 at night getting a high temperature going up to 103 degrees/fever. On 13Apr2021, his son told him that he better get to the ER. At the ER, he did a chest X-ray and another PCR test to confirm the COVID19 diagnosis. On the chest X-ray they found something unusual in his chest so they did a "contrast cat scan" and found pneumonia on 13-APR-2021. He was admitted the hospital on 13Apr2021 and was discharged on 16Apr2021. He is now scheduled for his second dose of the vaccine one 21Apr2021. He went to a clinic yesterday for a PCR test and it came out positive. He's getting conflicting information as to what needs to be done, some people are telling him he has to wait for 3 months, other are telling him to notify his PCP. He's wondering if he can get his second dose as planned on 21Apr2021. The patient stated that while he was in the hospital, they did a CAT scan. Caller reports that first they did an X-ray of his lungs and found something in lungs. The patient stated that they scheduled a CAT scan with contrast and was told he had pneumonia on top of having the COVID virus. The patient stayed in the hospital and they pumped him with fluids because he</p>



VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

was pretty dehydrated because he couldn't hold anything in. The patient stated that he had diarrhea and everything else. The patient stated he had high blood pressure in APR-2021 and he just didn't want to take a risk of any fatalities. The patient stated that they gave him some type of medication to fight the COVID virus, "Repar" or something like that. 16Apr2021 in the afternoon, they released caller back home. The patient stated that his temperature went down, his blood pressure went down and everything seemed to be ready for him to go home. The patient stated that yesterday on 18Apr2021 he decided to get another PCR test because he wanted to see if he still had the COVID virus. The patient stated that he didn't have a follow up PCR at the hospital because the hospital doesn't normally do it. PCR test still came out positive yesterday 18Apr2021. Caller states that his big question is that he is scheduled to get the 2nd Pfizer COVID vaccine on 21Apr2021 and since he is still testing positive for the COVID virus, is he still required to get the second Pfizer COVID vaccine or does caller have to wait. The patient stated that he is getting conflicting answers, some say you can't get the second shot for at least 3 months but the caller doesn't know how true that is. The patient stated that he tested positive for the COVID virus on 8Apr2021, caller went to a testing center. The patient stated that it was getting annoying, it was not the COVID symptoms. The patient stated that he thinks only thing is he was feeling was a little tired and tired from being in the hospital for so many days in APR-2021, In APR-2021 his Legs were a little wobbly from not using the muscles while in the hospital. The patient stated he was walking around in the apartment to help build up the leg muscles. The patient stated that he does have an appetite and is drinking liquids. The patient stated that he was diagnosed with pneumonia on 13Apr2021 and he is not sure if it is ongoing or not. He asked the hospital before discharge about if they were going to check again for the pneumonia the answer was we normally don't test and that caller needs to go to his PCP doctor to see if the PCP will order another test for the pneumonia. The patient stated that it would have been easier for them to check again while caller was still in the hospital already. The events sore throat, fever, cough require a visit to Emergency Room. If applicable, there was not any other vaccinations within four weeks prior to the first

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

administration date of the suspect vaccine. The outcome of event COVID-19 was Not recovered, the events Pneumonia, Dehydration, Tiredness , Muscle weakness was unknown, the events Sore throat, Cough, Diarrhea, Fever, Headache was recovered on 16-APR-2021, the event Blood pressure high was recovering.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1284762	5/4/2021	FL	80	F	3/11/2021	3/11/2021	I had an allergic reaction to the Pfizer Covid vaccine; I fell; Passed Out Without Warning and Hit her Face on the Tile Floor; Busted Mouth; Stitches in Mouth; Right Knee Very Sore /Left Shoulder Very Sore and Can't Use It; Black Left Eye; states it was black, blue, purple, green and yellow; Tiredness; Left Hand Pinky Sore; This is a spontaneous report from a contactable consumer (patient). An 80-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), second dose via an unspecified route of administration, administered in Arm Right on 11Mar2021 14:00 at age of 80-year-old (Batch/lot Number: EN6205) at single dose for COVID-19 immunization. The vaccine was not administered at Military Facility. Medical history included she has hearing aides but it is hard to hear or understand sometimes. There were no concomitant medications. Prior Vaccinations (within 4 weeks) was the first dose of Pfizer COVID Vaccine (Batch/lot number: EL9267) on 18Feb2021 at age of 80-year-old administered in right arm and no adverse events following prior vaccinations. The patient reported she had an allergic reaction to the Pfizer COVID vaccine, she fell on 11Mar2021, not fainted. On 11Mar2021, the patient passed out without warning and hit her face on the tile floor, experienced busted mouth/stitches in mouth, right knee and left shoulder were very sore, black left eye/it was black, blue, purple, green and yellow, tiredness, left hand pinky sore. The patient was calling about the Pfizer COVID Second Shot; verified Pfizer COVID Vaccine. Her second shot was on 11Mar2021 and on the same day she passed out without any warning whatsoever, and she hit the tile floor and ended up in the hospital for five days. She passed out and didn't remember falling or feeling anything before falling. The patient also has a primary physician, but she had been seeing the plastic surgeon for this. The patient asked what does she do if she needs to get a booster. It scared her to death if she would have to take another shot. The patient asked (name) to hand her a pair of glasses to read the plastic surgeons name. She stated the printing is so small on there. She was supposed to see the doctor on 19Apr2021, but she didn't feel good enough to go see the doctor. For busted Mouth, they put in 3 layers of stitches. The stiches have been giving her a fit because sometimes they come undone and hang down. She had to go back into him and

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

get them cut out twice, and she had another one from last night (18Apr2021). It is very sore. States the stitches inside the lip have not resolved and it was still hard. One part of her lip is soft and one part is hard. It was all hard in the beginning. The stitches on the inside are supposed to dissolve. For right Knee it was very sore and she can't hardly use it. For left shoulder it is very sore and she can't hardly use it. It made it awkward to get in and out of bed when she can't use her left arm or her right knee. Her left shoulder was really bothering her and she may have to go have some more work done. It has been popping and went in and out of the joint. That would be back with her primary doctor. Sore pinky on left hand had recovered it didn't stay that long. Black left eye, it was black and blue purple green and yellow. It cleared up in the last couple of days. She was lucky she didn't break the bone around her eye. Treatment included stitches, hospitalization, given antibiotics and blood clotting shots so she didn't get blood clots, she had 3 of those in her belly. She wasn't allowed to get out of the bed when she was in the hospital. She had a terrible experience in the hospital. For the event onset time, it was at 20:00, they drove home from (place name), which is an hour and something, and they stopped at (place name), came home and set outside and she said she had to go lay down because she was tired. She woke up an hour and half to 2 hours later, got out of bed, sat on side, stood up and got herself together and walked to bottom of bed and went out flat. The events required a visit to emergency room and physician office. For emergency room visit, it was reported on 11Mar2021 at (hospital name); the patient should've called redacted number but didn't, they drove in. The patient was hospitalized from 11Mar2021 to 16Mar2021 at (hospital name). The outcome of passed out, tiredness were resolved on 11Mar2021, outcome of 'black left eye/it was black, blue, purple, green and yellow' was resolved on 17Apr2021, outcome of left hand pinky sore was resolved in 2021, the outcome of fell, allergic reaction to the Pfizer COVID vaccine were unknow, outcome of busted mouth, right knee/left shoulder very sore were not resolved.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1284767	5/4/2021	TX	29	F	4/12/2021	4/12/2021	<p>Hurts to move her arm; Felt like she had the flu; Congestion; Headache; Tiredness; lymph nodes in her underarm area are swollen, really achy; lymph nodes in her underarm area are swollen, really achy; Chest pain; Numbness in her face; Completely lost her vision; This is a spontaneous report from a contactable consumer (patient). A 29-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration, administered in Arm Left on 12Apr2021 (Batch/Lot Number: ER8729) as single dose for COVID-19 immunization. There were no medical history or concomitant medications. The patient experienced completely lost her vision on 12Apr2021 with outcome of recovered on 12Apr2021, congestion on 16Apr2021 with outcome of not recovered, chest pain on 12Apr2021 with outcome of recovered on 12Apr2021, numbness in her face on 12Apr2021 with outcome of recovered on 12Apr2021, felt like she had the flu on 17Apr2021 with outcome of recovering, lymph nodes in her underarm area are swollen, really achy on 13Apr2021 with outcome of not recovered, headache on 15Apr2021 with outcome of not recovered, tiredness on 13Apr2021 with outcome of not recovered, hurts to move her arm on an unspecified date with outcome of not recovered. lymph nodes in her underarm area are swollen, really achy was reported as worsened. Clinical course: the patient was asking for advice because she had the first dose of the Covid Vaccine 1 week ago and had a really bad reaction and had to go to the hospital. It has been a week now and the symptoms are continuously getting worse. It sounds like the side effects were all expected. She felt like she had the flu yesterday. She is really achy, her lymph nodes in her underarm area are really swollen, and it hurts to move her arm. She is familiar that these symptoms are expected, but it has been a week. She wants to know if she should see a physician or if there is something she should do. Event details: The flu like feeling was not until 6 days after she got the first shot. It is not as bad but she does have aches and congestion. Her lymph nodes are really swollen and she has a headache and tiredness. She had symptoms before, that was just the start of the flu like feeling. On the day of the shot she went to the hospital because she completely lost her vision and had chest pain. She got the shot on Monday, 12Apr2021. She had</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

numbness in her face, vision loss, and chest pain. From there she went to the hospital and that subsided. It was just like total exhaustion and body aches for the next couple of days. She lost her vision for 5 minutes total. The numbness to her face was right after the shot and is all gone now. The achiness is pretty bad now. It differs per day but her symptoms have probably gotten a little worse as time has gone on. She had slight pain in her lymph nodes and they weren't really swollen. It got progressively worse to now they are very swollen and it hurts to move her arm. It was the same arm where the shot was given. The headache is off and on. It started around Thursday 15Apr2021. It is sporadic when she gets it. It hasn't gone away. The tiredness has been the same since she got the shot. When she went to the hospital she went to the ER. She was not admitted. She spent 4 to 5 hours there. Treatment: In the ER she just had an IV (intravenous). Other than that they did a bunch of lab work. She had no medicine or anything. Investigations: They did a chest X-ray and lab work in the ER. Emergency Room Visit required for events completely lost her vision, chest pain, numbness in her face, felt like she had the flu.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1284822	5/4/2021	NC	69	F	4/6/2021	4/14/2021	A 69-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, lot# EP7533), via unspecified route of administration in left arm on 6Apr2021 at 2:40PM at single dose for COVID-19 immunization. The patient was not administered with prior vaccine within four weeks. Patient had a history of ongoing high blood pressure. The patient's concomitant medication included ongoing Amlodipine Besylate at 5mg one tablet one time a day for high blood pressure and ongoing. On 14Apr2021, patient experienced her left eye got blurry. She doesn't know if her eye getting blurry is coming from the Covid-19 vaccine. She hasn't taken the second Covid-19 vaccine yet. She reports her eye might be blurry because of the Covid-19 vaccine. She reports the left eye blurriness started about 4 or 5 days ago on 14Apr2021. Her eye was getting blurry a little bit then it seemed to get worse, now it's staying about the same. It seems like there is something in her eye, just her left eye. When she tries to read, the letters are blurry but if she puts what she's reading up close to her face she can make the letters out. She reports her husband got his Covid 19 vaccine first and she was skeptical about getting the vaccine for herself. On 25Nov2020, when she went to the doctor on for a regular checkup, he changed one of her medications and she didn't notice the change. She doesn't know if she needs glasses. She doesn't wear glasses not even to read. She tried reading glasses but they gave her a headache. She has made an appointment to see an eye doctor. She reports it seems like there is something in her left eye. She might have cataracts. She has an eye appointment in about 3 weeks on 04May2021 or 05May2021. She can see fine out of her right eye and she can see out of her left eye she just has to put what she's reading close to her left eye to see it. No emergency Room/ Physician Office due to AE. Outcome of the events was not resolved.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1284713	5/4/2021	TN	56	M		4/28/2021	ITCHY EYES; EYE SWELLING; This spontaneous report received from a health care professional concerned a 56 year old male. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 043A21A expiry: unknown) dose was not reported, administered on 28-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 28-APR-2021, the subject experienced eye swelling. On 29-APR-2021, the subject experienced itchy eyes. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from eye swelling, and itchy eyes. This report was non-serious.
1284474	5/4/2021	CO	52	F	3/15/2021	3/16/2021	Chills . headache. Nausea. Sleepy. Blured vision . arm at site very sore . small lumps developed and still have them .
1284765	5/4/2021	MA	50	F	4/18/2021	4/18/2021	fainting; hot burning sensation down left arm from injection site to wrist; hot burning sensation down left arm from injection site to wrist; hot burning sensation down left arm from injection site to wrist; dry throat; intense thirst; difficulty swallowing; vertigo; cloudy vision; waves of nausea; weak/numb hands; weak/numb hands; uncontrollable shaking; This is a spontaneous report from a contactable consumer (patient). A 50-year-old non-pregnant female patient received the first dose bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in Arm Left on 18Apr2021 at 09:45 (Batch/Lot Number: EW0164) as single dose for covid-19 immunisation. The patient's medical history and concomitant medications were not reported. The patient previously took pneumococcal vaccine for immunisation and experienced allergy, tylenol and experienced allergy, codeine and experienced allergy. The patient experienced fainting, hot burning sensation down left arm from injection site to wrist, dry throat, intense thirst, difficulty swallowing, vertigo, cloudy vision, waves of nausea, weak/numb hands, uncontrollable shaking; all on 18Apr2021 with outcome of recovered in Apr2021. No treatment received for the events. All events resulted in doctor or other healthcare professional office/clinic visit.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1284682	5/4/2021	TN		M			SIDE EFFECTS; This spontaneous report received from a patient concerned a 77 year old male. The patient's height, and weight were not reported. The patient's past medical history included eye surgeries. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number was not reported) dose, start therapy date were not reported for prophylactic vaccination. The batch number was not reported and has been requested. Concomitant medications included abiraterone acetate for drug used for unknown indication. On an unspecified date, the subject experienced side effects. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of side effects was not reported. This report was non-serious.
1284672	5/4/2021	MI		F	4/25/2021		SHINGLES; LEFT EYE SWOLLEN; SORENESS ON THE HEAD; This spontaneous report received from a patient concerned a 64 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 041A21A, and expiry: UNKNOWN) dose was not reported, administered on 06-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 25-APR-2021, the subject experienced shingles. On 25-APR-2021, the subject experienced left eye swollen. On 25-APR-2021, the subject experienced soreness on the head. On 28-APR-2021, treatment medications included: valaciclovir. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from shingles, and the outcome of soreness on the head and left eye swollen was not reported. This report was non-serious.; Sender's Comments: V0: Medical assessment comment is not required as per standard procedure as case assessed as non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1284657	5/4/2021	NY	49	F		4/17/2021	SEVERE MIGRAINE; RIGHT ARM WEAKNESS; LOSS OF TASTE; LOSS OF SMELL; This spontaneous report received from a patient concerned a 49 year old female. The patient's weight was 125 pounds, and height was 160 centimeters. The patient's concurrent conditions included migraine, history of concussion, post concussion syndrome, eye convergence inefficiency due to concussion, regelan and penicillin allergy, non alcohol user, and non smoker, and other pre-existing medical conditions included the patient did not had any drug abuse or illicit drug usage. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 042A21A, and expiry: UNKNOWN) dose was not reported, administered on 10-APR-2021 for prophylactic vaccination. Concomitant medications included gabapentin for severe migraine. On 17-APR-2021, the subject experienced loss of taste. On 17-APR-2021, the subject experienced loss of smell. On 22-APR-2021, Laboratory data included: COVID-19 virus test (NR: not provided) Negative. On 23-APR-2021, the subject experienced severe migraine. On 23-APR-2021, the subject experienced right arm weakness. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from loss of taste, loss of smell, severe migraine, and right arm weakness. This report was non-serious.; Sender's Comments: V0:Medical Assessment comment not required as per standard procedure as the case assessed as non-serious.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1284655	5/4/2021	NY		U	4/6/2021		<p>RECURRENT ANAPHYLACTIC SHOCK; IDIOPATHIC INTRACRANIAL HYPERTENSION; This spontaneous report received via company representative from a patient concerned a patient of unspecified age and sex. The patients weight, height, and medical history were not reported. The patient received COVID-19 VACCINE AD26.COV2.S (suspension for injection, route of admin not reported, batch number: 042A21A, expiry: UNKNOWN)dose was not reported, 1 total administered on 06-Apr-2021;11:54 for prophylactic vaccination. No concomitant medications were reported. On 06-APR-2021 at 12:10pm the patient was reacting to the vaccine and was hospitalized and received treatment for extreme Anaphylactic Shock ( had 3 bounceback reactions over the course of the next 24 hours. Patient was treated with Epinephrine (iv drip), Steroids and multiple Nebulizer treatments. Patient was in the ICU for 3days and a regular room for e additional days. Hospitalized from 6Apr through 11Apr.I was home for several days and was again hospitalized 19Apr through 22Apr for a severe headache, ringing in ears, numbness in left arm, leg, an leg. Also for blurry/double vision in right eye. On 19-APR-2021, the patient was again hospitalized for a severe headache, ringing in ears, numbness in left arm, and leg, blurry/double vision in right eye. It was determined to be Idiopathic Intracranial Hypertension and still being treated for it and will be attending Occupational and Physical therapy to get vision, arm and leg to work properly again. Patient was hospitalized for 3 days. The action taken with COVID-19 VACCINE AD26.COV2.S was not applicable. The patient had not recovered from idiopathic intracranial hypertension, and the outcome of recurrent anaphylactic shock was not reported. This report was serious (Hospitalization Caused / Prolonged).; Sender's Comments: 20210452704-Covid-19 vaccine ad26.cov2.s-Idiopathic intracranial hypertension. This event(s) is considered unassessable. The event(s) has an unknown/unclear temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). 20210452704-Covid-19 vaccine ad26.cov2.s-Anaphylactic reaction. This event(s) is considered related. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and is scientifically plausible. There is no</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

information on any other factors potentially associated  
with the event(s).

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1284651	5/4/2021		34	F		4/4/2021	<p>HEADACHE; BLURRY VISION; NECK STIFFNESS; NAUSEA; VOMITING; CEREBRAL VENOUS SINUS THROMBOSIS; DURAL VENOUS SINUS THROMBOSIS; RIGHT INTERNAL JUGULAR VEIN THROMBOSIS; INTRAPARENCHYMAL HEMORRHAGE; LOW PLATELET COUNT; This spontaneous report received from a patient via the VAERS (Vaccine Adverse Event Reporting System)(VAERS ID: 1224712) and concerned a 34-year-old white female. The patient's weight and height were not reported. The patient medical history included being 4 months post-partum. The patient had no drug, food or other product allergies, and had no chronic or long-standing conditions. The patient received COVID-19 vaccine Ad26.CoV2.S (suspension for injection, route of administration and batch number not reported), dose was not reported, administered on 23-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. From an unspecified date, the patient had 2 weeks of headaches and blurry vision, 2 to 3 days of neck stiffness and nausea with 1 episode of vomiting and had been transferred to the current hospital from another. On 04-APR-2021 (12 days post-vaccination), the patient was diagnosed with dural venous sinus thrombosis (DVST), transverse/sigmoid (cerebral venous) sinus thrombus (CVST) with associated intraparenchymal hemorrhage in the right temporal lobe as well as thrombosis of the right internal jugular vein (thrombus). Magnetic resonance imaging (MRI) impressions showed there was a re-demonstrated of intraparenchymal hematoma in the right posterior temporal lobe measuring approximately 6.2 x 3.6 cm in maximal axial dimensions. There was surrounding edema and associated mass effect with effacement of the right temporal horn and right-to-left midline shift measuring 5 mm. There was medialization of the right uncus without transtentorial herniation. The basal cisterns were otherwise patent. There was dural thickening and hyperenhancement overlying the hemorrhage. There was prominent cortical veins along the right frontal temporoparietal convexity consistent with venous congestion. There was also a small are of vasogenic edema in the right anterior temporal lobe separate from the hematoma. There was a right mastoid effusion, but normal orbitals and the calvarium and skull base were unremarkable. Magnetic</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

resonance venography (MRV) results revealed non-opacification of the torcula, right transverse sinus, right sigmoid sinus and upper internal jugular vein compatible with occlusive thrombosis. A small amount of thrombus also extended into the left transverse sinus. The superior sagittal sinus, remainder of the left transverse sinus, left sigmoid sinus, left upper internal jugular vein, straight sinus, vein of Galen and bilateral internal cerebral veins demonstrated normal contrast opacification. The patient's platelet count was 126 upon admission (normal range [NR] not provided), with other workup laboratory test results reported as pending. The action taken with COVID-19 vaccine Ad26.CoV2.S was not applicable. The outcome of the right internal jugular thrombus, intraparenchymal hemorrhage, DVST, CVST, headache, blurry vision, neck stiffness, nausea and vomiting was reported as unknown. This report was serious (caused/prolonged hospitalization and other medically important condition).; Sender's Comments: V0: This case concerns a 34-year-old white female who experienced cerebral venous sinus thrombosis (CVST), dural venous sinus thrombosis, right internal jugular vein thrombosis, and cerebral hemorrhage 12 days after receiving covid-19 vaccine ad26.cov2.s for prevention of symptomatic SARS-CoV-2 virus infection. The patient was noted to be 4 months post-partum. She presented for medical assistance with a 2-week history of headaches, blurry vision, and neck stiffness for 2 to 3 days as well as nausea with 1 episode of vomiting. Magnetic resonance imaging showed a large hematoma in the right posterior temporal lobe with surrounding edema and associated mass effect resulting in effacement of the right temporal horn and right-to-left midline shift measuring 5 mm and occlusive thrombus within the torcula, right transverse sinus, right sigmoid sinus, and upper internal jugular vein. A small amount of thrombus extended into the medial aspect of the left transverse sinus. The platelet count on admission was 126,000. Although the post-partum status of the patient may have contributed, based on evolving knowledge of Thrombosis with Thrombocytopenia Syndrome (TTS, per definition from Brighton Collaboration) and considering the low platelet count and temporal relationship to vaccination, we consider the events to have a plausible relationship with vaccination.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1284528	5/4/2021	WI	36	M	4/14/2021	4/18/2021	<p>4 days after the first shot I was feeling very very dizzy. My ears felt full enough that I thought maybe they were just full of wax. I bought an over the counter ear cleaning kit. That didn't relieve any symptoms. I never get headaches, but a couple days later the front top of my head was throbbing. The area just above my forehead. It was not sinus pressure, my face didn't feel any pressure or pain. My throat also felt like I was being slightly choked. Not my airway, but just my jugulars. It began in the evenings. It would feel like I had been hanging upside down for a while. My head felt full of blood, like it was going to pop, like my eyes were bugging out. By a week to 10 days later, my upper arms felt weak, my toes were tingling, and my heart would flutter for just a few seconds occasionally. I was still dizzy, still felt like I was choking, except I was feeling this way all the time now. The symptoms only seemed to be staying the same or getting worse. I have NEVER gone to the doctor on my own in my life to get something checked, but this had me disconcerted enough to check in and see if I should get my second shot at all. My appointment was to see my doctor was the morning of the same day I was scheduled to get my second Pfizer shot. My doctor had not heard of these symptoms being associated with the Pfizer shot and chalked my symptoms up to stress. I am not a stressful person and very much err on the side of "waiting to see what happens" if I feel sick. I never feel sick. But I accepted the explanation and took the second shot that day anyway. It should be noted that the second shot made my left armpit swell up quite a bit. I did feel dizzy again, but not nearly as much. The other symptoms seemed to not be as bad either.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1284500	5/4/2021	CA	64	F	4/6/2021	4/6/2021	April 6th, at approximately 10:55am, I received a Moderna Covid-19 vaccination at clinic. After the vaccination, I felt fine; no side effects for about 5 hours. At approximately 4:30pm, I got the chills, body, muscles and back aches, fever - 101.2, sore throat, my eye balls hurt and a sore scalp. All of these effects came one like a wave. My entire body ached and I felt as though I was run over by a steam roller. I took Tylenol, 500mg at 5:30am and the next day, April 7th at 11:30am and still had a fever. My entire body was in pain and discomfort and I could barely move and was unable to work for 4 days and laid up on the weekend. To-date, I am still feeling tired, achy and lethargic.
1284487	5/4/2021	CA	16	F	5/1/2021	5/1/2021	Patient reported feeling lightheaded status post first dose Pfizer COVID vaccine (Lot: EW0167, expiration date: 08/31/2021) to medic. Medic noted that the client was CAOx4, her skin was pale, warm and slightly moist, pupils were equal, round, reactive to light and accommodating (PEARRL), respiration rate (RR) was 20. The client's sister stated the client had a history of anxiety and that "she gets this way whenever she gets a shot". Medic walked patient to the zero gravity chair. The client was given water to sip on. At 1213 baseline vitals were taken with client sitting: Blood pressure (BP): 110/82, heartrate (HR): 98, RR: 20, PEARRL. Medic reports she coached the client on her breathing to help alleviate her complaint of feeling lightheaded, mild nausea and anxiety. Client reported she felt anxious prior to her vaccination and that her last oral intake was 15 minutes prior to vaccine. Client denied headache, blurry vision and chest pain. At 1220 a second set of vitals were taken while standing: BP 108/80, HR 86, RR 16, CAOx4. Client stated her symptoms were diminishing. Client's RR slowed down to normal rate and rhythm, vital signs were trending to normal and client was negative for orthostatic pressures. Client was advised to stay for additional 30 minute observation. Client's symptoms resolved completely and she was able to ambulate away from observation site without assistance and with a steady gait.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1284478	5/4/2021	AK	33	F	3/10/2021	3/10/2021	After first shot had a very severe dizzy spell that night. Then continued to have lower-grade vertigo (occasional major dizzy spells) and vision problems for about three weeks afterwards. Was seen by eye doctor and eyes looked normal. Got second dose, and it seemed to improve for a couple days then came back. After a few weeks of continued vertigo and vision problems (mostly depth perception and suddenly became extremely aware of pre-existing eye floaters because of the disorientation) went to an ENT and they were not able to find anything visibly wrong related to vaccine. Went on Ativan and symptoms have improved somewhat on it, but am very scared of them coming back when i go off of it. Seems to be improving very very slowly. This has been almost 2 months of symptoms now. Made it very hard to work or drive.
1284467	5/4/2021	IN	43	M	4/27/2021	4/29/2021	Day of 2nd dose of vaccine received: mild soreness in shoulder, neck and back, around the area where the shot was given. Day after vaccine: lower than normal energy, but otherwise fine. Two days after vaccine: low energy, body aching, occasional cough. Three days after vaccine: similar symptoms of the previous day. Four days after vaccine: lower energy, body aches, coughing, persistent headache, eyes feeling tired and burning, and congestion starting in my chest, all worsened in the evening. Five days after vaccine: congestion in chest, regular cough, sore throat, runny nose, eyes feeling dry and burning, shortness of breath. Was tested for Covid on the fifth day after the vaccine. Six days after vaccine, chest congestion, coughing, sore throat, runny nose, shortness of breath, and still low energy. Covid test result came back as negative.
1284466	5/4/2021	NY	36	F	5/1/2021	5/2/2021	Huge red welt at injection site that has continued to grow larger 2 days later. Hot to touch and starting to itch 2 days later. Nausea for 2 days that has now started to subside. Low grade fever. Fatigue. Brain fog. Minor congestion. Sever sever headache primarily behind both eyes constant.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1285280	5/4/2021	VA	59	M	5/3/2021	5/3/2021	AFTER 5 MINUTES PATIENT RECEIVED THE VACCINE ,PATIENT FAINTED AND SUSTAINED SOME INJURIES AROUND HIS RIGHT EYEBROW WHILE HE IS IN THE WAITING AREA. PARAMESICS ARRIVED AT THE SCENE AND PATIENT REFUSED FURTHER TREATMENT. HE WAITED ABOUT 20 MINUTES AT THE WAITING AREA AND LEFT THE STORE.
1284848	5/4/2021			F	4/21/2021	4/1/2021	when she woke up this morning her left eye had a blood spot on the white part of the eye; soreness at the injection site; This is a spontaneous report from a contactable consumer, the patient. A 71-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), dose 2 via an unspecified route of administration on 21Apr2021 (Batch/Lot number was not reported) as single dose for COVID-19 immunisation. The patient medical history and concomitant medications were not reported. The patient previously received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), dose 1 on an unknown date for COVID-19 immunisation. On 23Apr2021, patient reported that when she woke up this morning her left eye had a blood spot on the white part of the eye and denied any injury or change in vision. The only other symptom reported was soreness at the injection site on an unknown date in Apr2021. The patient also reported that her husband and everyone I talk to has a sore arm after getting their injection. The outcome of the events was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.
1284482	5/4/2021	CA	44	F	4/22/2021	4/22/2021	Dizzy, black dots in vision, weak, nausea, all black vision, very dizzy - they took me and laid me down with ice on the back of my neck and I felt better. All day felt weak and woozy and brain fog. Lethargic and spacey the following two days. Three days after the shot, I had a pain in my hand and a blood vessel started popping out and hurting. It was quite painful for that evening and night and after ice and rest and ibuprofen, swelling was down the next morning and it's still just a little tender to the touch.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1286818	5/4/2021	TX	41	F	4/16/2021	4/20/2021	Six hours after I received the second dose of the Covid vaccine from Moderna I experienced Covid like symptoms. I had tested positive for Covid 75 days prior to the vaccine, and my symptoms were similar or worse than when I had Covid. I had severe body aches, fever of 101F, headache, fatigue and confusion starting on 16 April. The fever and body aches subsided the morning of 19 April. I continued to have severe fatigue and headaches through 22 April. Starting the morning of 19 April small bumps begin to appear behind my ears mostly on the left side. On the morning of 21 April a rash appeared on the left side of my neck, it began to spread down my arm and up my face, unilaterally. It began to blister, itch and burning pain. The rash clearly followed dermatomes. By evening the rash spread into red bumps all over my body, bilaterally upper and lower extremities. Rash was not reactive to Benadryl. I went to the ER and was immediately admitted to the hospital with a dx of Shingles. My left eye and left ear were beginning to swell shut, with an increasing headache. Please note the afternoon of 20 April I did have Dysport injections to my upper forehead. I have had these injections several times before without any prior reaction. Also, severe Covid like symptoms were experienced with the first dose of the vaccine.
1284873	5/4/2021	TX	64	M	4/14/2021	4/16/2021	After the COVID vaccine, it started numbness in hand fingers while sleeping, slowly, slowly and day by day it become more. Last four days I could not able to sleep, whole body getting numb while sleeping, and it getting all blood to the hands, legs and hand figures, foot fingers are becoming numb. And also getting pains in the bone joints, specially in fingers. Getting Itchy, eye pain due to no sleep. Some one should call and provide remedy immediately, otherwise I may die, this responsible is control organization. This I am entering at May 4th 2:00AM CST. I already registered online, no responded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1287981	5/4/2021	TX	49	F	3/8/2021	3/8/2021	<p>Shortly after getting the shot she reported feeling "off" as she was driving she started feeling short of breath and her heart was racing. When she got home around 5 PM she was still feeling short of breath and reported that her heart was racing. She was unable to speak clearly, but was stating that it was due to be being short of breath. She also reported feeling lethargic and fell asleep until the next morning. She slept until approximately 12 pm the next day. When she woke up she reported feeling right sided cheek tingling. At that time she thought she had just slept wrong. When she attempted to walk down stairs she was limping and reported just feeling very weak on her left side. On Wednesday she slept in late again complaining of lethargy. When she awoke that Wednesday (3/10) her speech was markedly slurred. She was also saying things that didn't make sense. She was dragging her left leg when she tried to walk. We immediately took her to the ER and she was worked up for stroke. When she was triaged in the ER we mentioned that she had just had her COVID vaccine and voiced concerned that maybe she had a reaction to her COVID vaccine. She was admitted to hospital on 3/10 for a possible stroke. Her MRI was done later on 3/11, Her MRI showed that she has strokes on both sides of her brain in the frontal, parietal and occipital lobes. The doctor referred to her stroke as being caused by a "showering of clots". The doctor said this usually only happens to someone with cardiac issues. My mom has no cardiac history. Her doctor ordered an 2D Echo of her heart and no abnormalities were found (3/12). She is still disabled from her stroke. She was hospitalized from 3/10 - 3/16. She was discharged to other care facility from 3/16-3/26. She is currently needing outpatient rehab in a day neuro program. She attends this at outpatient facility. She has to walk with a cane due to persistent left leg weakness. Her speech has a slight slur, and she suffers from short term memory loss. She intermittently has trouble with her equilibrium and reports feeling dizzy. She sometimes has a hard time swallowing or says that it doesn't feel right when she swallows. She also trouble with word retrieval. She has left-sided neglect which correlates left eye visual deficits. She currently requires care from a general physician, neurologist, physical therapist, occupational therapist, speech therapist, neuro ophthalmologist and neuro psychologist. She was started</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							on a new medication regime 325 mg aspirin daily, plavix for 21 days (now completed), metformin, amlodipine, coreg and losartan. She is going to need outpatient rehab until at least June from the last update we received from her rehab doctor.
1287330	5/4/2021	KY	19	M	5/4/2021	5/4/2021	Fever 102 Vomiting Muscle aches Fatigue Blurry vision
1286712	5/4/2021	FL	17	F	5/4/2021	5/4/2021	Patient became light headed and her head started to nod in post waiting area. Brought ice and gatorade and sat with her and mom for 20 minutes. She continued to nod and close her eyes but responded to verbal stimuli when prompted. She eventually became fully awake and mom and her decided she was well enough to go home.
1286668	5/4/2021	CA	34	M	3/31/2021	4/6/2021	After my J&J vaccine, I experienced fever, chills and a left sore arm and those symptoms resolved in 24 hours. On 04-06-2021 I experienced headaches on and off and on 04-07-2021, I had light headiness, an air-filled pressure sensation to my eyes, forehead, more like a sinus headache. On 04-14-2021, I went to see my PCP due to my headaches continuing, the doctor ran complete blood panel test were performed along with a D-dimmer test to rule out blood clots and he told me to take Advil as pain medication. My D-dimmer test was normal. I noticed when bending down my headaches became worse. On 04-20-2021, an MRI of the brain was performed. On 05-01-2021, I experienced muscle body aches, fever and continued with headaches. I went to a walk-in clinic, where a Covid-19 test was performed and it was negative. I started taking antibiotics and the fever and muscle bode aches started to go away. I still have to this day headaches and an air-filled pressure sensation around my eyes and eyebrows. As of today, my headaches are consistent, and they come and go.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1286666	5/4/2021	PA	58	F	4/2/2021	4/3/2021	24 hours after receiving the vaccine, she developed fever >101F, myalgias, fatigue, headache. Then noticed a lesion on her forehead. Seen in uricare and then ER. By then had additional lesions on her Left forehead extending into her scalp as well as 1 on her Left eyelid. Diagnosed with Shingles in L V1 region and started on IV Acyclovir x 3 days. Then transitioned to PO Valtrex 1gram PO TID and discharged home. Still with headaches and not all lesions have resolved. No visual involvement as per ophthalmology.
1286643	5/4/2021	MI	64	F	3/25/2021	3/26/2021	EXACERBATION OF MYASTHENIA GRAVIS:DOUBLE VISION, DIFFICULTY SWALLOWING, THROAT CLOSES UP,CHEWING DIFFICULTY, EXTREME WEAKNESS,BREATHING PROBLEMS DIAPHRAM GETS EXTREMELY WEAK, LEGS GIVE OUT WHILE WALKING, ARMS ARE WEAK, EYELIDS WONT STAY OPEN, CANTS HOLD MY HEAD UP MOST OF THE TIME, SLEEPLESSNESS, THESE SYMTOMS STARTED SLOWLY AND ADVANCED AS TIME WENT ON. I STILL STRUGGLE TO THIS DAY, CANT TAKE CARE OF MYSELF, CANT DRIVE, CAN'T WORK I WAS SENT TO THE EMERGENCY ROOM BY MY DOCTOR, THEY PUT ME IN THE ICU, WAS GIVEN 2 TRATMENTS OF IVIG IT DID NOT HELP. THIS FORM WILL NOT LET ME FILL IN NAME OF HOSPITAL: I WAS IN THE HOSPITAL FOR 3 DAYS. I HAD THIS CONDITION UNDER CONTROL FOR 12 yr

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1286511	5/4/2021	TX	52	F	1/29/2021	2/1/2021	MODERNA VACCINE - Began feeling very dizzy, off balance - this continued though out the first week 2/1 - 2/7/21. By Sunday Feb 7th my symptoms became worse more frequent. Monday Feb 8th. I could barely walk, so weak, ringing in my head, spinning, dizzy, could not form words; passed out. I was rushed to hospital where my blood pressure was so high. I was disoriented major brain pain - as if something popped in my head..Was admitted for 4 days could not walk. I am constantly feeling pain in my head. ringing, dizziness effecting my vision and balance and effecting my day to day life. It is effecting the vestibular part of my brain. Ear fullness, dizziness, balancing, vertigo and IT IS NOT GOING AWAY...I have never had high blood pressure nor dizzy/vestibular problems as soon as the vaccine was administered is when the problems began -- MY BIOLOGICAL SISTER HAD A MASSIVE STROKE (A VERY RARE TYPE OF STROKE 2 DAYS AFTER THE MODERNA VACCINE) THAT HIT HER BALANCE PART OF HER BRAIN. I WANT SOMEONE TO REVEIW ALL RECORDS ; aS OF TODAY i AM STILL HAVE DEBILITATING ISSUES. THAT IS EFFECTING MY DAILY LIFE WITH NO ANSWERS
1286457	5/4/2021	NY	100	F	4/8/2021	4/8/2021	Received first dose of Pfizer vaccine in left deltoid on 4/8/21 at 7:30 am. At 10:00 am, she called her niece and complained of extreme fatigue. At 12:00 pm, she complained of worsening fatigue and blurry vision. At 3:40 pm, she complained of loss of appetite but denied fever and chills. The niece was unable to reach her by phone after 4 pm, so she came over to the decedent?s residence at 6:15 pm to check on her. The niece found her lying face up in bed ?gasping for air.? She then became unresponsive and EMS was called. The decedent was pronounced at 8:11 pm after unsuccessful resuscitative efforts. Autopsy showed hypertensive and atherosclerotic cardiovascular disease with marked partially calcific coronary atherosclerosis; marked pulmonary edema; and pleural effusions. The brain was saved for neuropathology given the history of blurry vision.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1286398	5/4/2021	MA	23	F	5/4/2021	5/4/2021	Recipient felt lightheaded and dizzy immediately after receiving vaccine. Transferred individual to recliner via wheelchair and administered Gatorade. Initial VS @ 3:45p as follows BP 80/40, SpO2 98% and HR 54. Denies blurred vision, numbness, changes in hearing or vision or difficulty swallowing. Reports tingling sensation in hands. VS recheck at 4pm 100/70, 98%, 74 bpm. Reports feeling much better, no tingling or lightheadedness. Released after 30 mins observation
1286273	5/4/2021	WA	39	F	4/9/2021	4/11/2021	First pregnancy - EDC 09/18/21, RH negative (spouse is positive), Advanced maternal age - First adverse event on 09/11/21 included minor spotting while using the bathroom 2 days after 2nd dose of the Pfizer shot - pregnancy at 17 weeks, 1 day. I contacted my doctor via the online message system and advised her of the spotting. She instructed me to rest and take fluids. - Second adverse event on 09/13/21 (17 weeks, 3 days pregnant)- I woke up with a swollen right eye, which was crusted shut with mucus. My first thought was that it was either debris in my eye or pink eye. I made an appointment with the eye doctor and he said that it's likely a sty forming and to use a warm compress. - Third adverse event on 09/16/21 (17 weeks, 6 days pregnant) - I tried using the bathroom to pass a stool and was finding myself a bit constipated (which hasn't been uncommon in this pregnancy). I experienced enough bleeding to have blood in the toilet and continuous blood while wiping. I went immediately to the ER for treatment.
1286161	5/4/2021	CA	17	F	4/27/2021	5/3/2021	03May21-daughter C/O obstruction in throat. upon view, left tonsil is enlarged, red, 'puffy', striated with white patches. Uncomfortable to swallow. slight runny nose, congested voice, puffy eyelids (slight). Went to urgent care, was tested for Mononucleosis and results positive.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1284927	5/4/2021		37	M			HEAVINESS IN EYE; ABDOMINAL PAIN / STRANGE SENSATIONS IN ABDOMEN; LEFT EYE SWOLLEN AND PUFFY; STRANGE SENSATIONS IN FACE; LEFT ARM PAINFUL; NAUSEA; This spontaneous report received from a parent concerned a 37 year old male. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose, start therapy date were not reported for prophylactic vaccination. The batch number was not reported. The Company is unable to perform follow-up to request batch/lot numbers. No concomitant medications were reported. On an unspecified date, the subject experienced heaviness in eye, abdominal pain / strange sensations in abdomen, left eye swollen and puffy, strange sensations in face, left arm painful, and nausea. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the heaviness in eye, abdominal pain / strange sensations in abdomen, left arm painful, left eye swollen and puffy, strange sensations in face and nausea was not reported. This report was non-serious.
1287978	5/4/2021	UT	65	U	4/5/2021	4/5/2021	Within 3 hrs after receiving the vaccine my vision in what seemed to be both eyes was 80% cloudy and I was very exhausted. The following day most of the vision issued returned to normal but I had distortion and floating objects in my right eye along with bright flashes and pressure in my right eye. After following up with our prescribed online health care service twice I was told to contact a specialists. I was able to get into the eye ER Clinic and have had 3 visits including one with a Retina specialist. I still have lost part of my peripheral vision in my right eye and continue to have follow up care.
1286122	5/4/2021	NY	25	M	5/3/2021	5/3/2021	fever of 101.8 , blurry vision , weak in legs

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1284917	5/4/2021	FL	51	F	4/1/2021		PALPITATIONS; CHEST PAIN; CATARACTS; BILATERAL EYE PAIN; INTERMITTENT HEADACHE/LIGHTHEADEDNESS; This spontaneous report received from a pharmacist concerned a Vietnamese female of unspecified age. The patient's weight, height, and medical history were not reported. The patient's concurrent conditions included high cholesterol. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of administration and vaccination site not reported, batch number: Unknown) dose was not reported, 1 total, administered in APR-2021 (reported as approximately 2 weeks prior to the date of the report) for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. In APR-2021, reported as 5 days ago, the patient experienced with intermittent headache, bilateral eye pain and blurry vision, in addition to chest pain and palpitations. She was seen in the emergency Room on 26-APR-2021, and was subsequently diagnosed with acute cavernous venous thrombosis. Patient was hospitalized and number of days were unspecified. On an unspecified date, the patient experienced bilateral eye pain, blurry vision, cataracts, and intermittent headache/lightheadedness. On 26-APR-2021, Laboratory data included: Magnetic resonance imaging (NR: not provided) grossly abnormal indicative of clot, and Platelet count (NR: not provided) 251000 on admission. On 27-APR-2021, Laboratory data included: Magnetic resonance imaging (NR: not provided) no evidence of thrombus, mild white matter (units unspecified), and platelet count (NR: not provided) 246,000. On 28-APR-2021, Laboratory data included: Anti-thrombin III decreased (NR: not provided) unknown, erythrocyte sedimentation rate (nr: not provided) 21 (normal), factor V leiden mutation (NR: not provided) unknown, Fibrin D dimer abnormal (NR: not provided) 0.29 (unit not reported) (normal 0-0.49), Platelet count (NR: not provided) 227,000, Protein C (NR: not provided) unknown, Protein S antigen (NR: not provided) unknown, and Serotonin syndrome (NR: not provided) unknown. Laboratory data (dates unspecified) included: Ammonia (NR: not provided) high ammonia level. Treatment medications (dates unspecified) included: acetylsalicylic acid. The action taken with covid-19 vaccine ad26.cov2.s

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							was not applicable. The patient recovered from intermittent headache/lightheadedness on 28-APR-2021, and the outcome of chest pain, palpitations, bilateral eye pain and cataracts was not reported. This report was serious (Hospitalization Caused / Prolonged, and Other Medically Important Condition).; Sender's Comments: V0.20210451865-covid-19 vaccine ad26.cov2.s-cataract,palpitations,chest pain. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).
1290486	5/4/2021	RI	57	F	4/3/2021	4/4/2021	Suffered with flu like symptoms: chills, fever, body aches, migraines (could not lift my head), fatigue for a week. Migraines have been getting worse as the month of April comes to an end Had seen my medical doctor for migraines and fatigue a week after vaccine. Was given perscription for migraines. Did not help with pain Had seen my neurologist and was given different migraine medication: Sumatriptan SUCC 100mg Still migraines. Started taking Tylenol 500mg with migraine meds need to be in dark room and close eyes

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1284918	5/4/2021	TX		U		4/1/2021	ALLERGIC REACTION TO VACCINE; COLLAPSED LUNG; HURT TO BREATHE; BURNING SENSATION ON RIB CAGE GOING TO BACK; NOT FEELING GOOD; WEAKNESS; SEVERE HEADACHE; KNEES BREAKING; TEETH SHATTERING; VERY COLD; HURT TO WALK; BLURRED VISION; SHAKY; DIZZINESS; HURT TO TALK; HURT TO DRIVE; PAIN; This spontaneous report received from a patient via email concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: UNKNOWN and expiry : unknown) dose was not reported, administered on 08-APR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On an unspecified date in Apr-2021, the patient experienced hurt to walk, blurred vision, shaky, dizziness, hurt to talk, hurt to drive, and pain. On 08-APR-2021, the patient experienced very cold, knees breaking, teeth shattering, severe headache. On 09-APR-2021, the patient experienced not feeling good, weakness. On 15-APR-2021, the patient experienced hurt to breathe, burning sensation on rib cage going to back. On 17-APR-2021, the patient experienced collapsed lung on same day the patient visited emergency room and the doctor gave something for pain via intravenous. The doctor has said to take deep breaths every hour on the hour and to drink lots of water. Laboratory data included: CT scan (NR: not provided) NOT REPORTED, Chest X-ray (NR: not provided) NOT REPORTED, EKG (NR: not provided) NOT REPORTED, and Laboratory test (NR: not provided) NOT REPORTED. On 22-APR-2021, the patient experienced allergic reaction to vaccine. The patient has visited the family doctor on 22-Apr-2021 and doctor gave Gabapentin 100mg 3 times a day and Tramadol every 6 hours for pain. The patient called the doctor as the patient was having pain and is taking 300 mg of gabapentin twice a day and it was still not working. The patient was having an appointment with Dr. Hughston again on 30-Apr-2021. Treatment medications (dates unspecified) included: tramadol, and gabapentin. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							weakness, hurt to breathe, burning sensation on rib cage going to back, hurt to walk, blurred vision, shaky, dizziness, hurt to talk, hurt to drive, and pain, and the outcome of very cold, teeth shattering, severe headache, knees breaking, not feeling good, collapsed lung and allergic reaction to vaccine was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0 20210456498-COVID-19 VACCINE AD26.COV2.S-collapsed lung. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).
1285291	5/4/2021	FL	57	M	4/29/2021	5/1/2021	paralysis on left one side of the face, difficulty in closing eyelids and smiling, drooling, difficulty in chewing numbness of tongue, Headache
1285795	5/4/2021	WA	75	F	4/9/2021		o Patient with several complaints that started after receiving her Johnson&Johnson COVID vaccine 3 weeks ago. She has swelling in her medial malleolar area with negative calf tenderness or Homans' sign. Due to recent findings with Johnson&Johnson vaccine, will send patient for doppler testing to look for the presence of a clot. Her swelling could be due to mild injury while working in her garden or varicose veins. o Will obtain CBC to evaluate platelets due to patient's concerns for recent vaccine. o Other complaints that may be related to the vaccine (visual change and fluid area on shin) have now resolved. Discussed with patient that based on the vaccines being new, difficult to know what side effects may be seen, but she should continue to watch for changes and encouraged her to see an eye specialist for an eye check. o Last vitamin D was normal and advised that no check necessary at this time and that she can take Vitamin D 1000-2000 units daily.
1286111	5/4/2021	AZ	57	F	4/4/2021	4/5/2021	Headaches, blurred vision, sensitivity to light, spots, farsighted need reading glasses to read and work on the computer, dizzy at times Saw the doctor on 5/4/2021 and am being evaluated ...Doctor is sending me to an eye specialist

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1285963	5/4/2021	IL	53	F	3/25/2021	4/28/2021	I was sitting at my work computer and I experienced a vertigo sensation which lasted for 10 min. Next, I had tunnel vision with a bright light where I couldn't read the words on my computer screen. This lasted for about 20 min. Next, I saw Kaleidoscopic vision on the sides of both of my eyes. This lasted for 1/2 hour more. It then turned into a headache. I have NEVER had anything like this in my life and went to the emergency room. They did a CT scan and found no abnormal findings. My blood pressure and all labs were normal. They stated it was "probably" a migraine with aura. It happened again 2 days later and again yesterday. I have an appointment to see my GP on 5/6/21. Again, this is not normal and has never happened before in my life.
1285619	5/4/2021	OR	33	F	3/30/2021	4/29/2021	33 y.o. female presenting alone with complaint of Lt arm pain and intermittent headaches x 2 weeks. She is wondering if symptoms are related to Janssen COVID Vaccine that she received on 4/30 (Lt deltoid). Reports similar symptoms right after vaccination, but symptoms resolved completely. Two weeks ago, symptoms started again, including headaches and pain to Lt upper arm. No vision changes or neurological changes. Pain level at this time is zero.
1285764	5/4/2021	PA	17	M	5/4/2021	5/4/2021	Pt c/o car sickness PTA, per his report. Pt reports he only drank gatorade and had one slice of bread PTA. Reports dizziness, blurred vision, diaphoresis prior to arrival to med obs #1. Denies LOC. Provided juice and saltine crackers. Mother and brother brought to bedside. Pt improves improvement of symptoms after eating/drinking. No s/s of distress noted. VSS. VS are as follows: 1137: BP 87/55, recheck 109/89, HR 77, RR 17, O2 sat 97% on RA 1142: BP 115/77, HR 66, RR 16, O2 sat 98% on RA
1285742	5/4/2021	PR	40	F	3/31/2021	4/29/2021	I AM EXPERIENCING BLURRED VISION ON THE LEFT EYE CURRENTLY BUT IT DIDN'T START RIGHT AWAY - ALSO EXPERIENCED A THROAT INFECTION 3 WEEKS AFTER VACCINE AND WAS PRESCRIBED ZYTROMAX ANTIBIOTIC

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1285649	5/4/2021	NY	56	M	4/9/2021	4/28/2021	ON 4/28 felt intense pain in legs and blurry eyes, slowly went away after taking advil, came back at night, on thursday 4/29 pain continued and had shortness of breath decided to go to urgent care made appt for 4/30 813AM, at Urgent Care symptoms pointed to blood clots was told to go to local imaging company to get sonogram, sonogram showed blood clots in leg told to go to emergency room, went to Hospital and was admitted, confirmed blood clots and put on blood thinner neprin IV, released 5/2 at 1PM, at home now on blood thinner pills 10mg Eliquis

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1284735	5/4/2021	NY	64	F	3/4/2021	3/6/2021	<p>Angioedema; Shock; stridor; dry cough; Hoarse voice; Sneezing; Rhinorrhea; Dizzy; nausea; Hypotension; Weakness feeling; Generalized erythema; Generalized pruritus with skin rash; Generalized pruritus with skin rash; Diarrhoea; Vomiting; Throat closed in; the sides of the throat, down my neck , straight over my chest felt as if someone was squeezing me, chest felt heavy; Potential anaphylactic reaction; Difficulty breathing; severe brain fog; Severe chest pain hard to breath felt as if being smothered; difficult to sleep nights before as felt wired after the shot; bp slightly elevated 140/80; Became very groggy; eyes heavy, had about 3 sleep attacks; 3 sleep attacks; This is a spontaneous report from a contactable Health Care Professional (patient). A 64-year-old non-pregnant female patient received the first dose of BNT162B2 (Pfizer-Biontech Covid-19 Vaccine, Lot Number: EN4206) at single dose, intramuscularly, in the left arm, on 05Mar2021 at 10:00 AM, for COVID-19 immunization. The patient also received hylan g-f 20 (SYNVISC), via an unspecified route of administration, in knee, on 04Mar2021, at single dose, for an unspecified indication. Relevant medical history included narcolepsy from an unspecified date, in 1973, cataplexy from an unspecified date, complex regional pain syndrome (CRPS) from an unspecified date, in 2003, osteoporosis from an unspecified date, gastroesophageal reflux disease (GERD) from an unspecified date, hypertension from an unspecified date and arthritis from an unspecified date, in 2003. Concomitant medications included methylphenidate hydrochloride (RITALIN), imipramine, baclofen, atenolol, rosuvastatin calcium (CRESTOR), ezetimibe (ZETIA), imipramine hydrochloride (TOFRANIL), montelukast sodium (SINGULAIR), acetylsalicylic acid (BABY ASPIRIN) and clonidine, all taken for an unspecified indication, start and stop date were not reported. The patient reported allergy for drugs like lisinopril, spiro lactone, ghb (gamma-Hydroxybutyric acid), epinephrine and all seizure type medications. The patient became very groggy, felt eyes heavy, had about 3 sleep attacks, on 06Mar2021, at 13:00. Also reported difficulty to sleep nights before as felt wired after the shot (insomnia) and bp was slightly elevated 140/80 on 07Mar2021. On 27Mar2021 at 13:00, throat closed in, felt the sides of the throat, down her neck, straight over her chest felt as if someone was</p>



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

squeezing her, chest felt heavy (severe chest pain hard to breath, felt as if being smothered, throat closing in severe chest heaviness). Severe brain fog. Potential anaphylactic reaction and difficulty breathing were reported. On an unspecified date, the patient experienced angioedema, shock, stridor, dry cough, hoarse voice, sneezing, rhinorrhea, dizzy, nausea, hypotension, weakness, generalized erythema, generalized pruritus with skin rash, diarrhoea and vomiting. Decrease level of consciousness and loss of consciousness were not reported. The patient underwent lab tests and procedures which included oxygen saturation: normal on 06Mar2021 and blood pressure measurement: 140/80, slightly elevated, heart rate: 99, respiratory rate: 20 on 07Mar2021. The patient was not hospitalized and was not admitted to an Intensive care unit. The patient did not have COVID prior to vaccination and the patient did not test COVID post vaccination. The patient recovered from throat constriction, chest heaviness, potential anaphylactic reaction and difficulty breathing. Clinical outcome of angioedema, shock, chest pain, stridor, dry cough, hoarse voice, sneezing, rhinorrhea, dizzy, nausea, hypotension, weakness, generalized erythema, generalized pruritus, skin rash, diarrhoea and vomiting was unknown. Outcome of the other events was reported as recovering. Follow up attempts are completed. No further information is expected. Follow up (26Mar2021): New information received from a contactable Health Care Professional includes: adverse events added, clinical course and case seriousness updated from non-serious to serious. Follow-up (20Apr2021): New information received from a contactable Health Care Professional includes: medical history, concomitant medications details and additional adverse events added (Potential anaphylactic reaction and difficulty breathing added as additional adverse events). Follow-up attempts are completed. No further information is expected.; Sender's Comments: Based on known safety profile and/or temporal association, the contribution of the suspect drug to the onset of serious events cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate.
1280952	5/3/2021	IN	25	F	4/1/2021	4/14/2021	Head ache, blurry vision, random bruising
1281531	5/3/2021	TX	35	M	4/5/2021	4/12/2021	Received 2nd dose of vaccine, 5 days later his left leg started hurting and swelling. He had severe headache afterwards, dizzy and blurred vision. 04/24/2021 he complained of not feeling right, coughed and passed out. Had fever and chills when he came to. Wife called 911 and was talking and walking. Was awake and talking in ambulance, oxygen level was low. Once arrived at hospital, he became restless and passed away within 3 minutes. Autopsy was performed due to his age - 35 and no pre-existing illnesses - was determined he died of Pulmonary Thrombo Embolism
1282126	5/3/2021	PA	17	F	5/3/2021	5/3/2021	Sudden sweatiness, nausea and tunnel vision. Very brief LOC. Immediately better when placed supine. More scarred than anything else. No fall or injury. BP/pulse/O2 saturation all Normal Initial 126/89, 69, 100%. No orthostasis. Classic vasovagal reaction. Resolved.
1282010	5/3/2021	ME	67	M	4/7/2021	4/14/2021	Nauseous, vomiting, headache, light headed, disorientation, vision changes, jaw pain, lymph node inflammation, lethargy, mental confusion, sense of hopelessness, 15 days taper Prednisone, ibuprofen, acetaminophen, still currently experiencing symptoms today
1281780	5/3/2021	IL	76	M	5/1/2021	5/1/2021	At 8 PM on May 1, the day of the vaccination. I experienced loss of vision in my right eye. The loss was the top half of the eye and symptoms were similar to retinal TIA. Loss of vision was complete in the top half and lasted for several minutes. It resolved eventually but I went to emergency room at the request of my eye doctor.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1281761	5/3/2021	MD	41	F	3/23/2021	4/4/2021	On April 4 (throughout the day) -- began to show symptoms of feeling abnormal / off-center (beginning around 10am). by 5pm -- became uncoordinated / unbalanced (couldn't access phone, put on clothes, etc.). Advised by Neurologist to seek ER treatment and directed to local hospital. Initially, diagnosed as showing symptoms of a Stroke. Upon further analysis, hospital determined it was a MS Flare Up. Since April 4 -- patient lost use of left side (hands, legs). Right Side brain also affected. Currently in acute rehab (Since April 17) to regain functionality. As of May 3 -- still unable to walk on her own or use left hand. Still experiencing visual issues. Acute Rehab facility believes recovery may take up to a year. Patient's normal Neurologist was puzzled by diagnosis because the symptoms as well as the duration and acuteness of the episode is inconsistent with her MS condition. Patient was originally diagnosed with MS in 2009 and there have no MS flare-ups since the initial diagnosis. The normal Neurologist noted that the symptoms are inconsistent with her history. Believe it was proper to notify, given the recent vaccination. Can provide full medical records, if helpful
1281759	5/3/2021	IL	75	M	3/27/2021	4/10/2021	Patient began complaining of visual disturbances and felt as though his house (specifically ceiling) was shaking. This happened on two occasions. Patient's blood pressure was consistently elevated e.g., ( 207/107), despite being on medication for HTN. Ultimately on 4/21/21, patient was admitted to the hospital due to right sided facial drooping/weakness and slurred speech. Patient was diagnosed with a T.I.A. Treatment was obtained and patient was discharged from hospital on 4/22/21.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1281725	5/3/2021	FL	62	F	4/29/2021	4/29/2021	<p>She got the vaccine, she's healthy. Within minutes they took her VS and showed no signs of anything happening at that point. She had a care ride. At approximately 4:00 PM the EMS was at the facility, she could not breath or talk and EMS was called and it got worse in the ride to the ER. She had a severe headache to the point that somebody grabbed her around the throat and her eyes were popping out of her head. She had chest pains, and given nitro for that, and had trouble breathing. She had no voice. The attempted to give her aspirin in applesauce. Her temp was taken and it was 97, by the time she was admitted it was elevated. In the car, EMS was trying to get her veins and 11 attempts were made and she was bruised. She has waited a year and a half for surgery as she needs right knee replacement, and has spine, joint issues and was not able to move due to extreme weakness. She was given Epinephrine in her leg and it did not do anything. She was admitted to the hospital and was there a couple of days until she was able to help her walk. She had no anxiety and had anger over the nursing staff, attending physician and the way she was treated. She is a licensed CNA and has worked in 3 hospitals and has a grievance due to the lack of care that she received while in the hospital. The ER nurses were good, but going to the 6th floor was another issue. Her Dr. on Saturday ordered a swallow test as they could not determine why she had no voice and could not swallow. It was done and she was still having difficulty getting food down, but it was slow and did go down. Since he has been back at ALF she is now better, able to walk, talk and go about her life. While in the hospital she was having a hard time getting her medications, and was given a breathing treatment in the ER, and was still having problems on the floor and was having problems with them getting her medications so that she could breath. She finally got their attention and told her that she was not okay with her and the lack of the nursing staff care. She fought to get her Flonase, and by the time she was ready to leave on Saturday she had been given one treatment of Symbicort. She did have blood tests done to the point that it was excessive, but she had veins that were blowing and there was no access points. On Friday she refused them as she had been stuck 11 times. On Saturday morning they came to get more blood and she refused on Saturday evening</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							when she was being discharged, and she was prescribed a multivitamin to take, which she has never taken one before. She has no heart issues and no chest pains but was discharged home with nitroglycerin. She states that she will not be getting the 2nd vaccine.
1281594	5/3/2021	MD	17	M	5/3/2021	5/3/2021	Visually observed patient looked faint for approximately 5 seconds Patient was reclined on cot, given juice & crackers, BP checked 1st 110/70 BP was weak Patient was observed for 30 minutes, patient verbally reported he was feel much better Left the facility with his father & told to go get food & water
1281894	5/3/2021	MT	16	F	4/29/2021	4/29/2021	At 1045 patient started experiencing eyes swelling and mild hives. 5/1/21 in morning had severe hives head-to-toe and swollen eyes worse. Took Benadryl 2 tabs, which totally resolved symptoms. This morning, 5/3/21, reoccurrence of hives and eye swelling. Taking Benadryl currently to manage symptoms.
1281524	5/3/2021	NY	80	F	2/8/2021	3/14/2021	Received second dose of Covid-19 Moderna vaccine on 2/8/21. On 3/10/2021 she went to ophthalmologist for normal checkup. Did have her eyes dilated (Tropi-Phen). 3/14/21 started having what she thought was floaters in her left eye, has a history of floaters. Then 3/16/21 got worse with blurred vision in both eyes. 3/22/21 Retinal specialist diagnosis of panuveitis with significant vitritis and retinal vasculitis on angiogram. On 3/24/2021 she was started on 60 mg of prednisone daily along with Prednisolone acetate eye drops. Vision beginning to improve. Due to ADRs from steroids (SOB, insomnia, hyperglycemia, myopathy) , started on Humira 4/27/21 with goal to taper steroids. Patient has been unable to work due to vision issues.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1281493	5/3/2021	VT	46	F	4/12/2021	4/12/2021	About 5 minutes after I received the shot, had a sudden burning sensation in the middle of my chest that radiated out. I thought that was it for me. Nausea, dizziness, numbness in my left cheek and arm, got a funny taste in my mouth. This got pretty intense and lasted about 10 minutes. They had me stay in observation for another 45 minutes as those symptoms came in waves but never as intense as the first time. They let me go and I went home to rest. On the way home my cheeks became flushed and it felt like my eyes and cheeks were swelling. I had a lot of other symptoms over the next several hours which I wrote down. Early Tuesday morning those symptoms went away and I was left with some flu like symptoms, dizziness and a brain fog like I have never had before.
1281386	5/3/2021	TX	27	F	4/12/2021	4/12/2021	NARRATIVEPATIENT WALKED IN TO FIRST AID AND COMPLAINED OF NUMBNESS TO THE LEFT SIDE OF HER FACE AND COMPLAINED OF TIGHTNESS TO HER THROAT. PATIENT PUT HERDISCOMFORT AS A 3/10. SHE SAID THAT SHE WAS BREATHING FINE BUT HER THROAT FELT SCRATCHY AND BOTHERSOME. PATIENT WAS GIVEN ROOM TEMPERATURE WATER ANDSHE DID NOT HAVE ANY DIFFICULTY SWALLOWING IT. DR. ARRIVED AND VISUALLY CHECKED THE PATIENT'S THROAT WITH A FLASHLIGHT. PATIENT WAS OFFEREDTRANSPORT BUT DENIED IT. SHE STATED THAT THE NUMBNESS RESOLVED BUT SHE STILL FELT THAT HER THROAT WAS TIGHT. PATIENT CALLED HER MOTHER WHO IS AN RN ANDSHE CAME AND PICKED UP THE PATIENT. AMA FORM WAS FILLED OUT AND PATIENT SIGNED THE AMA.
1281353	5/3/2021	MI	16	M	4/29/2021	4/29/2021	Pt in for covid vaccine. Immediately after pts dose pt stated he began to feel like his arm was on fire. Pt stated his ears were ringing and he became diaphoretic. Pt aslo states he feels like he loss vision for about 30 seconds. Pt had small amount of emesis as well. Vitals 110/67 hr 70 rr 20 temp 97.8 oxygen 98%. After about 5 minutes pt stated he felt so much better. Pt monitored for 30 minutes by nurse vitals q5 min. Last vitals 120/72 hr 72 respiratory rate 18 oxygen 98% t 97.8. Pt left facility accompanied by family. Educated to follow up with PCP.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1281313	5/3/2021	MI	57	F	3/26/2021	4/30/2021	Presented to emergency department on 4/30/21 with blurred vision and dizziness. Patient was admitted for further evaluation of possible stroke and was found to be COVID-19 positive during admission screening. She has had minimal symptoms at time of reporting that have not required treatment. Patient is still admitted at time of writing.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1281053	5/3/2021			M	3/20/2021		ADVERSE EFFECT OF VACCINE; SHORTNESS OF BREATH; FATIGUE; HEADACHE; LOW PLATELETS; NIGHT SWEATS; DIAPHORESIS; BLURRED VISION; FEVER; BODY ACHES; This spontaneous report was received from a physician via a company representative and concerned a white nonhispanic or Latino 50 year old male. Initial information was received on 28-APR-2021, with additional information obtained via telephone follow up from a physician on 29-APR-2021. The patient's height was 73 inches and weighed 252 lbs; approximate body mass index was 32.68 kg/m2. Medical history included: lung infection in 2014 which led to aortic valve disease which required biologic aortic valve replacement (2014); prolapse of right coronary aortic valve cusp, severe aortic insufficiency. There was no history of hyperlipidemia and was positive for family history of cardiovascular disease. Concurrent conditions included attention deficit disorder (ADD), back and neck problem, other congenital anomaly of heart, hypertension, lumbago, shortness of breath and thyroid nodule. The patient received COVID-19 vaccine Ad26.CoV2.S (suspension for injection, intramuscular, batch number and expiry date unknown) on 19-MAR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. Concomitant medications included: carvedilol, losartan and atorvastatin (all for aortic valve replacement). Also aspirin, Adderall (dextroamphetamine-amphetamine) both for unspecified indication. On 20-MAR-2021, the day after receiving the vaccine, the patient developed fevers, body aches and headache which resolved within 24 hours. Then a week on an unspecified date, he developed more symptoms which included fatigue, shortness of breath for the most part and some headaches. On 27-MAR-2021 the patient experienced a single episode of visual disturbance of blurred vision while driving. At a stoplight vision in both eyes were blurred and he had trouble see the road; he no longer could drive. The blurred vision resolved within a few minutes and not vertigo or headache occurred at that time; and there were no other reported visual changes. The patient visited his physician 28 days after receiving the vaccine on 16-APR-2021. He reported ongoing fatigue, body aches and headaches. No further visual changes or disturbances. He felt fatigue and shortness of



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

breath were the most noticeable. He denied chest pains and fevers but has been experiencing night sweats (unspecified start date); and generally feels unwell and described himself as "feeling off". No leg edema or leg pain currently. Also no coughing, wheezing or bruising. His concentration was stable and there was no loss of memory. No other neurological symptoms. Physical exam was positive for chills diaphoresis, fatigue, fever and shortness of breath; cardiovascular examine revealed a murmur present, and pulmonary examine was normal breath sounds, no decreased breath sounds, wheezing, rhonchi or rales. Vital signs: blood pressure 104/68, pulse 93, temperature 98. The physician's assessment also included an adverse effect of vaccine. Laboratory results form 16-APR-2021 included: Creatinine (normal range 0.50 - 1.30 mg/dl) 1.09, white blood count (WBC) (normal range 3.8 - 10.8) 3.4, red blood cell count (RBC) (normal range 4.20 - 5.8) 4.92, hemoglobin (normal range 13.2-17.1 g/dL) 13.9, glucose (normal range 71-99mg/dL) 109, D-Dimer elevated at 286 (normal range <230), elevated C-Reactive Protein (CRP) (normal range 0 - 5 mg/L) 32.3, fibrinogen (results not reported), Covid-19 Antigen Antibody negative, platelet count 123,000 (lower limit of normal <140,000). The patient has a baseline platelet count of 200,000 from JAN-2021 and for the past 9 years had ranged from 180,000 - 240,000. A heparin-induced thrombocytopenia (HIT) was negative anti-PF4 antibody. On 20-APR-2021, the patient received Computerized tomogram (CT) of the head with and without contrast which was normal - no acute hemorrhage, mass effect or abnormal enhancement. The patient also had a CT chest with contrast with no evidence of pulmonary embolism to the segmental level; a 16 by 16 mm nodule with small calcification was noted, this was nonspecific but could reflect primary lung cancer, correlation with PET/CT is indicated. Additional laboratory results on 20-APR-2021 concerning serotonin release stated as follows: Positive, 6%, 40%, 37%. HIT panel negative with less than 0.6 antibody On 27-APR-2021 additional laboratory results were as follows: WBC 4.1, RBC 4.95, hemoglobin 14.0 g/dL, D-Dimer 275, fibrinogen 427 and HIT panel negative with less than 0.6 antibody. A hematologist was consulted and a complete blood count and HIT panel were performed on 28-APR-2021. Results were platelet

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

count of 159,000, D Dimer of 275, HIT negative anti-PF4 antibody screen and the SRA assay was pending. On 29-APR-2021 the duplex of left lower extremity was negative for deep vein thrombosis (DVT). Additional laboratory reports included a platelet factor 4 antibody test test methodology which used latex particle enhanced immunoassay to detect anti -pF4/heparin antibodies (reference range 0.0-9), with the patient's value was <0.6 (negative). A COVID PCR test was not performed. An enzyme-linked immunosorbent assay (ELISA) test was ordered for 30-APR-2021 for anti-PF4 antibodies. The action taken with COVID-19 vaccine Ad26.CoV2.S was not applicable. The outcome of the event blurred vision and fever were resolved; the outcome of low platelets, adverse event of vaccine, shortness of breath, fatigue, headache, body aches, night sweats and diaphoresis were not reported. This report was serious (other medically important condition).; Sender's Comments: V0.20210456790-COVID-19 vaccine Ad26.CoV2.S -Low platelet counts,blurred vision,adverse affect of vaccination. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1280955	5/3/2021	CA	60	F	5/2/2021	5/2/2021	Patient was working in the traffic area of the parking lot. The patient was exiting the area after the 15 min observation period. She reported no symptoms or complications prior to leaving the area and no usual behavior was noted at this time. Patient was accompanied by her husband and son. Near the parking lot the patient was witnessed losing consciousness and falling to the ground. Patient immediately assisted the patient and also called for assistance. I was notified immediately and myself, the paramedics on sight, and NP responded to the patient incident. The patient was diaphoretic and had abnormal vital signs that were repeated multiple times. The set I obtained were 117 heart rate, 99% oxygen on room air, 167/94, 225/112, both taken lying down. Patient complained of severe headache, blurry vision, tinnitus, and dizziness over the past 2 days prior to days. Patient reports having only one medical condition, psoriasis, and takes a cream for it, but also reports she has not seen a doctor in "many years". No stroke symptoms were observed.
1280917	5/3/2021	AZ	32	F	4/28/2021	4/29/2021	After 2nd vaccine. Night 1 - woke up, hot/cold sweats. Flu-like symptoms. Very sick. Tired. Gassy. Slept a lot. Bloody nose. Day 2 - extremely tired. Hot/cold. Couldn't stay awake. Clammy. Gassy. Slept all day. Day 3 - eyelid swelling when I woke up. Put a hot towel on the eyes. low-grade fever. Extremely tired. Migraine all day. Body aches. Toe pain (not sure how that even happened). Night 3 - extreme neck pain. Hurt very bad to sleep on it. Eye swelling. Gassy. Tired. Slept a lot. Migraine. Inability to focus. Chest pain. Trouble breathing. Day 4 - mild neck pain. Semi-clammy. feeling much better.
1282130	5/3/2021	FL	60	M	4/27/2021	4/27/2021	Day 2 following the vaccine, patient began to experience flu-like symptoms (fatigue, head ache, body ache). Followed by a syncope episode, did not follow up with any emergency care. Did not contact primary care or go to the hospital, or take any medication to treat symptoms. Mentioned having eye soreness, eyes feeling fatigued which is not usual for the patient and coincide with timing of adverse effects.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1283108	5/3/2021	CA	53	F	4/2/2021	4/8/2021	4/2/21 She experienced headache, body ache watery eyes, 4/8/21 face and neck rash, mouth shifted to the left hand side, headache (allergy was gone). then 4/10/21 went to urgent care md prescribed prednisone 20mg 2 tab daily for 3 days then 1 tablet daily for 4 days pt did not mention to md of covid vaccine
1281030	5/3/2021	MI	40	F	4/13/2021	4/18/2021	Headache with blurred vision, nerve burning pain throughout my body, muscles cramping and pain in both legs and ringing in both ears. Tinnitus. And I've did not have this before my vaccination.
1283472	5/3/2021	OH	17	M	5/2/2021	5/3/2021	on day after second shot noted swelling to eyes, lips and cheeks
1284033	5/3/2021	WI	46	M	4/6/2021	4/21/2021	transverse myelitis - potentially related to immunosuppression from Humira, the herpes simplex virus or the vaccine (or combination of all 3). Sx included areflexia, bilateral paresthesia (legs and feet), double vision, cord damage from cervical region to conus of the cord. Also developed urinary retention.
1283993	5/3/2021	OR	67	M	5/3/2021	5/3/2021	Patient and wife stated that he has had many vasovagal syncope events when he has had vaccines administered, both more recently, and in the past. The patient was seated in a chair with arms. Within a couple of minutes of administering the vaccine, his eyes rolled back in his head, he broke out in a cold sweat, BP was 75/55, pulse 55. He never stopped breathing (was snoring); epinephrine for an anaphylactic reaction was not indicated. I offered to call 911 multiple times but his wife said this was the normal course of his reaction and held an icepack on his neck for the duration. After 5-10 minutes the patient was once again responsive. He sat for an additional 10 minutes and then said he was ready to leave. His wife walked him out of the store.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1283743	5/3/2021	FL	40	M	5/3/2021	5/3/2021	Got injected, didn't hurt much. Was told to wait 15 minutes in case of reaction. They walked away and left me sitting in a chair in a public space with everyone else who was waiting. I texted my wife to check in, when I started tearing up and crying for no real reason, then started feeling nauseous so I closed my eyes. Suddenly I felt like I had been given a shot of adrenaline out of nowhere so I'm just trying to figure out if it's nerves or a physiological response to something. I'm trying to control my breathing but having a hard time breathing. Then the fever hit. The most intense flash of heat. I was hyperventilating. I couldn't open my eyes or move or make a sound, I could just sit there struggling to breathe. My phone was in my hand and I couldn't lift it. I just simply didn't have the strength or energy to move. At some point I legit thought I was about to die. I managed to angle my wrist so I could check my heart rate with my watch. It was 47bpm. I was fading away but I made myself get control of my breathing and forced myself to take long deep slow breaths. It hurt, and I felt like passing out, but I kept doing it. Fever turned into chills and then I soaked through my jeans and T-shirt in under a minute. I was finally thinking clearly and breathing and getting oxygen. Everyone else near me was fine. Nobody checked on me the entire time including the 3 people who sat there and watched me suffer through this. I told the pharmacist about my reaction and asked if it was normal and didn't receive any indication that I should be concerned, so I went home since I felt better. It wasn't until my friend pointed out that this sounds like anaphylaxis that I thought I should report it. So here I am. Hopefully I'll be okay.
1283733	5/3/2021	NJ	60	M	3/18/2021	4/1/2021	on April 2nd patient woke up at around 4:30 am and complained of pain in his back. I rubbed his back and he wondered if it was just something he ate. He then tried to calm down and got back into bed. He was holding my hand when suddenly his hand felt cold. I turned on the light to find his eyes rolled back and he was gasping his last breath. This was about 5:20 AM. Patient was a healthy active man.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1283016	5/3/2021	NC	25	M	5/2/2021	5/2/2021	on the patients PQCF every question was a no,pt showed no fears for needles or signs of aversion,afetr administeru=ing the vaccine pt was waiting for 15 mins sitted ,after 5 mins or more he stated that he could not see,he went blind momentarily, would not blink after a waved my hands across his eyes,we initiated a call to 911 and made him comfortable no other signs of syncope was observed ,he was very aware and calm,after acouple more minutes he regained his sight and at this time he broke out in sweat and was clammy, he felt a lot better with the fan on him and drank some water and ate some chocolate and after a couple more mins he was good to go home,checked up him again the next day and everything is normal
1283710	5/3/2021	NC	66	M	2/19/2021	4/20/2021	AFIB Palsey to the optic nerve, double vision
1282219	5/3/2021	FL	45	F	5/3/2021	5/3/2021	Patient. Complained of feeling her blood pressure dropping. Patient closed her eyes and body became relaxed. EMS contacted , patient layed in stretcher, vital signs monitored by EMS. Patient eventually recovered.
1283441	5/3/2021	TX	54	F	4/29/2021	5/2/2021	lightning streaks in right eye, followed by headache and black spot in vision
1283369	5/3/2021	MO	24	F	4/8/2021	4/19/2021	24 yo female admitted 4/21 for 2 days of acute onset urinary retention, , blurry vision, and LE paresis/stiffness/tremulousness, found to have csf pleocytosis and abnormal mri t2 signal of brain/cord. she went to the urgent care and a foley catheter was placed on 4/20. 4/21 on exam: spontaneous clonus substantial vasogenic edema that is more prominent posteriorly and longitudinal spine lesion in the thoracic cord that is likely responsible for her grossly abnormal exam. night sweats over the past several weeks has an episode of vomitting after foley catheter was placed Diagnosis ADEM (Acute disseminated encephalitis and encephalomyelitis)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1283217	5/3/2021	OR	36	M	1/9/2021	1/9/2021	Was admitted via ED 4 days post injection of second dose and was diagnosed with pericarditis and NSTEMI. Since hospitalization a series of symptoms persisted or developed including altered vision, chronic intense headaches which are exacerbated by noise/lights/eyes moving to certain angles, dizziness, severe lethargy, severe intolerance to stress, emotional abnormalities including anxiety and depression, muscular stiffness, flu-like symptoms, vertigo-like symptoms, decreased reaction time, compromised memory recall and articulation fluidity.
1282322	5/3/2021	OH	48	F	4/30/2021	4/30/2021	chest feeling heavy, vision change, increase BP, Increase heart rate, dry mouth, tongue felt funny
1283068	5/3/2021	AK	93	M	2/17/2021	2/18/2021	Hi, my name is, I'm a RN and am submitting this report about my grandpa. I took him into the VA to get his second covid vaccine on 2/17/21. At that time my grandp lived semi-independently in a house between my parents and my uncle . He didn't get out very much but with some help of grocery shopping and organizing his medication he was still able to live alone and function well independently. My mother reported to me on 2/18/21 that my grandpa was confused, weak and tired. My grandpa has never had any signs of dementia. At this time he developed a delerium that waxed and waned. He complained of headache, no appetite and extreme weakness. On 2/23/21 he fell down in his house and we decided to move him into my uncles spare bedroom to keep better eyes on him. The delerium persisted and on 3/5 he was taken to Hospital for a workup for his delerium and weakness. There he saw Dr. an internal medicine doctor at hospital. The workup showed an elevated BNP (probably baseline but I'd have to look at previous lab results) but nothing further. We opted not to do further imaging and instead take him home. It became obvious to me that this was the end of his life and so I requested a hospice referral from Dr. My grandpa died on 3/24/21.
1282999	5/3/2021	CT	17	F	5/3/2021	5/3/2021	LIGHT HEADED, BLURRY VISION STARTED RIGHT AFTER ADMINISTRATION, PERSISTS AFTER 4 DAYS
1282988	5/3/2021	OK	49	F	4/1/2021	4/7/2021	Dizziness Shortness of breath Chest pain Vision changes

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1282902	5/3/2021	CA	62	F	3/31/2021	3/31/2021	After injection I too seat to wait 15-20 minutes. Immediately I started to lose peripheral vision and then my hearing....I called for help. They took me in a room to lay down and said my blood pressure had dropped vary low. After an out of doing better I just needed t get home. So another hour passes and I get home, go directly to bed and what seems like a bad flu begins. That night my temperature continues to climb, the aches and headache are horrible. I continue fevers for 3 nights. Feel a little better and then with 2 days it relapse and all starts again. I am in bed for 1 and 1/2 weeks, then stay home due to continued headache, dizziness. After 3 weeks the dizziness continues and I then start getting an aching pain in the back of my left leg. Seeing my doctor on May 11th and hope to discuss.
1282756	5/3/2021	LA	39	M	5/3/2021	5/3/2021	Almost vasovagal syncope. Vaccine administered at 11:00. Vasovagal symptoms present at 11:03. Profuse sweating, decreased ability to see (tunnel vision), ringing in the ears (subsequent hearing loss). Fainting did not present, and symptoms completely subsided at 11:08.
1282449	5/3/2021	CA	37	F	4/9/2021	4/17/2021	I woke up in the morning with a tiny bruise under neat my left eye. I do have a photo. It disappeared the day after.
1283212	5/3/2021	KS	47	F	5/1/2021	5/2/2021	At 7;30 am on May 2nd, I had blurry vision, dizziness, pressure on my chest and neck and difficulty breathing, ?blue? face color. My entire body was painful when moving. Difficulty breathing became extreme and I passed out. My husband called 911. I regained consciousness and was breathing with difficulty when paramedics arrived. Symptoms disappeared without treatment shortly after I was admitted to the ER around 8:20 am. After an additional day of fever and body aches, all symptoms have now disappeared.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1283712	5/3/2021	WV	31	M	5/3/2021	5/3/2021	Pt scheduled appointment for and received correct J&J Covid Vaccine that was requested. There were no issues with processing nor provision. PT advised RPH that he had a problem with needles and experienced low blood pressure every time he was vaccinated or had blood drawn in the past but had done better the last time and did not want to miss out on getting the vaccine. RPH was prepared and patient was cared for properly. Pt arrived at 1244 hrs and was provided vaccine at 1247 hours. Patient was fine for about 1 minute and then reported he was having trouble. Pt remained seated in booth in chair with room to get to floor if needed. RPH remained with patient, brought his significant other into the booth to help calm the patient as he was alert and orientated and continued to improve while removed mask and fanned with papers (pt stated the fanning was helping). Pt was improving slowly and moving/trying different positions as he felt he was improving. At approx 1325 hrs pt knew he needed to lie down and moved himself to floor with the assistance of his significant other and associate (did not fall nor did head impact the floor at any time). Code White was called. PT remained alert and orientated and was talking and stated that this was really helping. Code Team arrived and pt was continuously monitored until he gradually returned to his feet and was able to leave under his own power. Pt refused medical attention and refused Ambulance - never lost consciousness so no EMT was called. Pt's significant other was able to drive them home. Event concluded at approximate 1345hrs.
1279903	5/2/2021	PA	50	F	5/1/2021	5/1/2021	Lightheaded, legs weak, cold sweats vision blurred

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1279896	5/2/2021	IL	37	F	4/17/2021	4/19/2021	I had hives since getting the first dose that hadn't gone away. After getting my second dose, I still had the hives and I woke up in the middle of the night and they had spread; I had them on my upper legs, my butt, my stomach, my back, my arms.... I went back to bed and managed to fall asleep. I was then woken up by my husband who informed me that my eyes were a little swollen and my lips were quite swollen. I had been told when I got my second dose to go to the ER if I had any swelling on my face, so my husband drove me to the ER. They admitted me and gave me Prednisone, Pepcid and Benadryl intravenously; I was at the ER for about five hours before I was sent home with a nine day prescription for Prednisone and a prescription for an Epi-Pen; the doctor also told me to take one or two Benadryl every six hours for 24 hours. Two days later I had an appointment with an allergist who told me to start taking two Allegra in the morning and two Zyrtec in the evening. She also prescribed me Doxepin to help me sleep (I hadn't been sleeping well because the itching was keeping me awake). Two days after that I had a follow-up appointment with my GP. She was on board with everything the allergist said.
1279840	5/2/2021	IL	20	F	5/1/2021	5/1/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Flushed / Sweating-Mild, Systemic: Hyperventilation-Mild, Systemic: Nausea-Mild, Systemic: Shakiness-Mild, Systemic: Visual Changes/Disturbances-Mild
1279809	5/2/2021	MD	29	M	5/1/2021	5/1/2021	Systemic: Allergic: Difficulty Breathing-Medium, Systemic: Body Aches Generalized-Medium, Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Severe, Systemic: Exhaustion / Lethargy-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Medium, Systemic: Seizure-Severe, Systemic: Shakiness-Severe, Systemic: Tachycardia-Severe, Systemic: Tingling (specify: facial area, extremities)-Severe, Systemic: Visual Changes/Disturbances-Medium, Systemic: Weakness-Severe

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1279749	5/2/2021	PA	38	M	5/1/2021	5/1/2021	Symptoms: Fever, tiredness, body aches, joint pain, soreness around eyes, and soreness at injection site. Symptoms started approximately around 7:00 P.M. , which is approximately six hours after receiving the vaccination.
1279745	5/2/2021	NY	57	F	1/31/2021	2/7/2021	Headache, cold, eye lid got big with pain and not closing properly, pain in back of left ear with riggings, left face switch to right side, unable to hear properly, unable to talk properly on 3/4/2021 but left face switch still persiste on 5/2/2021 Treatment with Valacyclovir and prednisone
1279644	5/2/2021	NY	26	F	5/1/2021	5/1/2021	Immediately agter receiving the shot I broke out into a sweat and began to feel lightheaded. My eyes started to blur like I could pass out. The pharmacist/doctors at CVS gave me some water and told me to elevate ny legs. After 10 minutes they checked my temperature and blood pressure. I stabized somewhat and when home. I was sure it it was my nerves but something did feel right. I had a slight burning in my chest and felt queezy on/off throughout the day. Chills and hot flashes followed. I was anxious and paranoid about the possibility something serious could be wrong with me. I felt shooting pains in my lower left abdomen that nught and the next day. The following day I still felt very weak. My arm hurt. My muscles felt like jello and I?m unhappy. I wish I never got the shot and I?m worried about my body?s reaction to it.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1279406	5/2/2021	NC	47	U	3/26/2021	3/26/2021	scared; swollen face, neck, throat, eyes, lips; swollen face, neck, throat, eyes, lips; swollen face, neck, throat, eyes, lips; terrible headache pressure; terrible headache pressure; spread to face with eyes swelling shut, lips tingling; burning flush and itchy; spread to face with eyes swelling shut, lips tingling; burning flush and itchy; spread to face with eyes swelling shut, lips tingling; burning flush and itchy; Burning flush; flush; worse/symptoms worsen; delayed drug sensitive; itching limbs; took the first dose on 16Mar2021 and the second dose on 26Mar2021; took the first dose on 16Mar2021 and the second dose on 26Mar2021; This is a spontaneous report from a contactable consumer (patient). A 47-year-old patient of an unspecified gender received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), second dose via an unspecified route of administration, administered in the right arm on 26Mar2021 12:45 (lot number and expiration date were not reported) as single dose (at the age of 47-years-old) for COVID-19 immunisation, administered in a pharmacy/drug store. Medical history included epstein-barr virus infection (EBV infection), high blood pressure (BP), exercise induced asthma and allergies to penicillin; all from an unknown date and unknown if ongoing. Concomitant medications included metoprolol succinate at 25 mg and hydrochlorothiazide, losartan potassium (LOSARTAN/HYDROCHLOROTHIAZIDE); both taken for an unspecified indication, start and stop date were not reported. The patient previously took tetracycline, prednisone and methylprednisolone acetate (MEDROL) and experienced allergies. The patient had no other vaccine in four weeks. The patient did not have COVID prior to vaccination and has not tested for COVID post vaccination. The patient took the first dose of BNT162B2 first dose on the right arm, on 16Mar2021 12:00 (at the age of 47-years-old, unknown lot number and expiration date) for covid-19 immunisation. The patient took the first dose on 16Mar2021 and the second dose on 26Mar2021 (pending clarification). The patient was given the shot on Friday (26Mar2021) noon/pm. The patient experienced the events starting on 16Apr2021 at 6 pm itching limbs. Saturday morning (17Apr2021), worse known delayed drug sensitive. The patient took 2 BENADRYL, every 4 hours. On Sunday (18Apr2021), the patient felt okay and discontinued BENADRYL. "Urgi" med Monday evening (19Apr2021) spread to face with eyes swelling shut, lips

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							tingling; burning flush and itchy. The patient was given dexamethasone shot and given prednisone. The patient forgot that the patient was sensitive and called doctor for advice. The patient was advised to keep on with the BENADRYL at first sign of distress call. On Tuesday (20Apr2021), the patient was in distress and sent to ER because the patient felt there was no alternative treatment other than prednisone. "Urgi" doctor agreed to send the patient out of ER with MEDROL pack assuring it was fine. The patient took the first MEDROL with BENADRYL. The patient woke up Wednesday (21Apr2021) morning feeling okay. Took MEDROL without BENADRYL. By Thursday morning (22Apr2021), the patient was rushed to doctor with a swollen face, neck, throat, eyes, lips with terrible headache pressure. Another "dex shot" was given. Followed by oral "dex", ZYRTEK 2x BENADRYL as needed. Last pm, the patient was back at ER and was told that unless the patient had to inject themselves and called, the patient will not be admitted. On Friday (23Apr2021), day 7, BENADRYL wears and symptoms worsen. The patient was scared. The patient's adverse events resulted in a doctor clinic visit, emergency room and was considered a life-threatening illness by the reporter. The patient has not recovered from the events. Information on the lot/batch number has been requested.
1279968	5/2/2021	NJ	18	M	5/2/2021	5/2/2021	The patient received the vaccine and waited in the room while the parent received the vaccine. The patient then walked to sit in the waiting area, lost vision while walking, sat down, eyes began to roll, and the patient passed out momentarily (less than a minute). Was moved to an area to lie down and remained there for approximately 15 minutes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1280794	5/2/2021	VA	16	M	5/2/2021	5/2/2021	Patient came into the immunization room for his shot along with his mom. He did state he hated needles, but was in good spirits. He got the shot, I filled out his card, and directed him and his mom to sit in the waiting area for 15 mins in case of dizziness or a reaction. They were walking out of the room to the waiting area and he almost immediately fainted. He fell and possibly hit his head on the chair/ floor when he went down. (This was maybe 2 mins post-injection). He almost looked like he was going to have a seizure (arms were tensed up, his eyes were not focused, was starting to shake) but then he suddenly came-to. He seemed to be pretty coherent after he woke back up but 911 was called since he was bleeding

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1279431	5/2/2021	VA	60	F	1/15/2021	2/21/2021	Unspecified Cardiac Event; This is a spontaneous report from a contactable consumer (Patient's Daughter). A 60-year-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Solution for injection, Lot number: EK4176), via an unspecified route of administration on 15Jan2021 at single dose for COVID-19 immunization. The patient also received second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Solution for injection, Lot number: EK4176), via an unspecified route of administration on 05Feb2021 at single dose for COVID-19 immunization. Medical history included chronic obstructive pulmonary disease from an unknown date to 21Feb2021, brain aneurysm, smoker. Family medical history included States her Grandfather had skin cancer, but it was benign, moles and then freeze them off. No cardiac events. Grandma passed away infection from knee surgery. The patient received a Prior Vaccinations within 4 weeks has received both doses of the Pfizer Covid Vaccine. Concomitant medication was not reported. On 21Feb2021, patient experienced unspecified cardiac event. Caller stated that she was calling in regards to her mother regarding the Covid19 vaccine. States she was instructed by the pathologist to call Pfizer directly, rather than just report on VAERS. States this was not the same pathologist as the one that did the autopsy. Caller states does have a copy of the autopsy. States she called several pathologist to get the autopsy done. Dr. called her back after it had been done, and the caller discussed with him, the patient passed away after some cardiac event. States it is not clear what cardiac event. States she passed away 16 days after receiving her second dose of the vaccine. States the patient's physician would be happy to talk to Pfizer about it. Reporter states her mom was an LPN there and they all know her. States anyone there is fully aware of who she is. States some people in the office are taking it hard, and they may get sentimental. States it helps if people get things business and not talk about feelings. Reporter states it was 8:50am when the EMTs arrived and she had already passed. Caller states was who did the autopsy. She has been speaking with a lady, but she goes by (university name). States (Hospital Name) is a hospital, it used to be (University name). Hospital. Reporter states (phone number) is a direct line to (university name).

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

Reporter states when the autopsy results came back she had the original and they are sending another because of the cause of death. Reporter states the autopsy showed no Pulmonary Obstruction, which made them question, well did she have COPD? States it was interesting because her mom was a smoker but her lungs were pink, and there was no fluid or obstruction in her lungs. States her mom taught her a little bit growing up. Reporter states she was going to be a nurse too but she lost her grant because she got married, now she doesn't qualify. Caller stats an autopsy was done; however they did not do a toxicology report. Caller states that patient was an organ donor. States she received a letter from them stating the patient will be helping a lot of people with skin grafts. Reporter adds, the patient was negative for Covid, she had to be tested for the autopsy. States she died from some type of cardiac event. States the patient did have COPD but on the autopsy, her lungs were clear and there were no pulmonary obstructions. States the liver showed possible hypertension, but the patient did not have hypertension. Reporter states there are some interesting things with her autopsy report and the patient's PCP could go over it medically if necessary. Reporter states this morning she saw several articles that state heart inflammation has been linked to the vaccine. Caller asks if she still needs to report it through VAERS? States she should have done it in the beginning but her mom was a big supporter of the vaccine. Reporter states her mom was on Facebook, and someone stated they weren't sure about getting the vaccine and her mom had commented, well she just got her second one, let's see what happens and then she died 16 days later. States that is why she was hesitated to report it. States the Pathologist encouraged her to call in and report it. Caller states she does not know if her mom had any other adverse events. States she will not say a word about things unless it gets really bad. Reporter states the only person that would know is Dr. meant a lot to her mom and she would be willing to tell her doctor, but not her daughter because she wouldn't want her to worry. Caller states the patient never used her inhaler, it is still full. States she took her mom's purse because her mom lived out of her purse, everything she needed was in there. Reporter states the patient had Tylenol, Sudafed, Advil, and Prednisone in her purse. Reporter states she knows



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>she wasn't taking Prednisone. States the pill box is locked and it looks like it hasn't been open in a while. Reporter states she does not know if she was taking any medication, Dr. may have more information. Reporter states no, she didn't go to the doctor or the ER. States the patient's dog woke up her stepdad and she had already passed away. States they have her dog and he is going through a lot, when she first passed the dog had aggressive tendencies, and when she would lay with him, he would nudge her to get up. He doesn't like it when people go to sleep and that makes it harder. States the dog ended up getting an eye infection, because his tear ducts were clogged, states he did that a couple weeks, and now he is getting better, not as fearful or aggressive. Reporter states when her mom had the brain aneurysm, it takes a little bit longer for anesthesia to wear off. States it was an extremely strong anesthesia that she had never had before. States she wouldn't let anyone take care of her except for her. States when she was under anesthesia, she would call her mom. States they would know when she said mom, she was talking about her daughter. States her mom said she looks like her grandma when she was younger. Consumer adds the patient's husband's contact information, in case it is needed. On 21Feb2021, the patient died due to cardiac event secondary to COPD. Autopsy was performed. Autopsy details was available. The outcome of the event was fatal.; Reported Cause(s) of Death: Cardiac Event Secondary to COPD</p>
1280764	5/2/2021	CO	27	F	3/24/2021	4/14/2021	Symptoms: Partial blindness in left eye and continuous Headache L BRANCH RETINAL ARTERY OCCLUSION Aspirin 81 mg PredniSONE 60 mg tablet
1280011	5/2/2021	CT	78	F	4/10/2021	4/15/2021	Blood clot in the brain resulting in inter-cranial bleeding... affected speech, processing , vision

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1280744	5/2/2021	MN	41	M	4/7/2021	4/13/2021	12 hours after injection, experienced normal side effects (e.g., muscle aches, chills, headache, fatigue) Within 1 week of receiving the vaccine, I began to experience blurriness in my left eye. After conferring with my primary care facility, it was recommended that I see an ophthalmologist. Confirmed that I had a Branch Retinal Vein Occlusion (BRVO) and recommended I meet with a retinal specialist. Dr. confirmed the BRVO was caused by a blood clot and commenced treatment via eye injection. I then met with my primary physician to discuss the situation. He recommend further tests to determine whether I had other clotting. In addition to blood work, he order MRIs of my brain, head and neck region and also recommended that I meet with a thrombosis specialist. I met with a Dr. who ordered additional blood work for additional testing. All tests performed to determine if I had additional clotting have come back negative.
1280553	5/2/2021	MD	60	F	4/5/2021	4/13/2021	Hives, swelling, pain at injection site eight days after injection; started taking Benadryl; went on to get hives on body 24 hours later then started with severe migraines; was sick for five days. Six days later I noticed a blind spot in my left eye field of vision which was diagnosed to be Optic Neuritis for which I have been hospitalized and treated for and have been very ill since.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1280492	5/2/2021	NY	16	F	5/2/2021	5/2/2021	16 y/o female with NO PMH and no h/o similar prior experiences/syncope c/o "feeling tired" ~3 min after receiving the 1st dose of pfizer vaccine. Pt LOC, "gently" falling onto the floor, landing on her face ~5 min after receiving the vaccine. Pt reported feeling tired before LOC, not associated with any other symptoms (dizziness, changes in vision/hearing). LOC lasted ~10 seconds, pt immediately returned to baseline. She was sat up with the help of her mother and nurse and the clinical lead was notified. Pt was laid down on a cot, VS were taken, ice was applied to her pressure points. Pt reported complete resolution of symptoms within ~5 min. Pt was progressively moved from lying down to sitting to standing. Pt denies eating or drinking anything today and was given fluids and snacks. Pt was monitored for a total duration of 45 min. Pt was driven home by parents. Pt was advised to eat and hydrate today and for the next dose. Pt and parents were advised to call PCP / 911 if symptoms return/persist/worsen or if pt develops concussive symptoms. Pt was instructed to inform the nurse that she fainted ater 1st dose and to prophylactically lay down prior to receiving prior to second dose vaccination.
1280173	5/2/2021	OR	43	M	4/30/2021	4/30/2021	I thought I was going to get the first shot of the Moderna vaccine, it wasn't until the needle was in my arm that I was told I had received the Janssen vaccine. At approximately 4:46pm I developed a strong pain at the injection site. At approximately 8pm I began to run a fever and feel extremely fatigued. My back and all my joints started to ache, I was sweating but also freezing cold. I had a dull, throbbing pain in my testes. I had pain in my scalp, my eyebrows, my ear lobes, my fingernails, my toes and toenails, the soles of my feet hurt. Least of all I also had a headache. I took 500mg Ibuprofen for the pain. Now, almost 48 hours later I still have a low grade fever, still have considerable pain at the injection site, still have a headache. The remaining symptoms dissipated on 5/2/21 at about 12pm. Took another 500mg Ibuprofen for breakfast, but otherwise have had no appetite since receiving the vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1280289	5/2/2021	TN	33	F	4/9/2021	4/9/2021	I was very ill on Friday night after receiving the vaccination. Flu-like symptoms, high fever, shortness of breath, pain in my abdomen, horrible headache, nausea, dizziness, loss of consciousness and leg pain (both legs). The flu-like symptoms passed on Saturday, but by Tuesday, April 13 I was continuing to have a terrible headache, abdominal pain and leg pain. I saw my primary doctor on the 13th and was sent over to the hospital for an ultrasound of my leg. No clots were found and I was told to continue trying to recover at home unless it got worse. I was seen at the emergency room on April 14th for abdominal pain, leg pain, dizziness and headache. The nurse told me I was probably hysterical over the vaccination being pulled, and I told him this was not the case. They performed CT (without contrast) on my abdomen and head, then released me with instructions to return if I was worse. By the 16th I was unable to walk as my left side was completely numb. I went back to the ER. I had a CT of my abdomen and head with and without contrast. I had a lumbar puncture and several labs. I was given IV antibiotics for some infection they found in my urine. I was given fluids and pain meds, and my BP was shooting up to 145/94 (which is very high for me), when standing. My vision was blurry and I was unable to remember much of the last week. I was admitted from the 16th through the 20th and had an MRV, 2 MRIs, more lab work and medicine for my headache. I was released on the 20th and the headache was unbearable and I was still numb on my left side, going back to my doctor on the 22nd. He suggested the ER, and the ER admitted me back to the stroke unit. I was released on the 22nd with a diagnosis of a hemiplegic migraine that could cause stroke-like symptoms (ZERO history of headaches previously). I was sent home with a walker and home health services. PT visited on April 30th and ordered two visits per week for the next month. I am unable to walk without a walker. I cannot shower or use the stairs without assistance. My memory is still foggy. I am unable to concentrate for long. I often stutter and can't remember basic words. I have also stopped and forgotten where I am at a given moment. I am on Depakote nightly for the headaches, and they have lessened slightly, but when they flare up it is debilitating and I often vomit. I have instructions to follow up with my primary tomorrow morning and see

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							what the next steps are.
1280215	5/2/2021	TX	66	M	5/2/2021	5/2/2021	Patient was administered the Johnson and Johnson Janssen COVID-19 vaccine. Shortly after, a few seconds, the patient stated he felt flushed and head started to fall back. Staff member cradled his head and called another staff member over. Staff member called 9-1-1. Patient went unconscious and his eyes rolled back for approximately 30 seconds. When aware, we (staff members) transferred patient from the chair to the floor where staff member supported his back and fanned him due to his profuse sweating. Staff member continued talking to him when he became unconscious again, this time gasping for air and turning pale. We kept saying his name until he came to again and was somewhat aware of his surroundings. He fainted one last time. After this time, he sat up on his own and seemed to be very coherent. The EMS arrived shortly after and took over. They said they would take him out to check him out but he seemed to be doing better. An EMS personnel let us know the patient did tell him that he has fainted from vaccines before. However, he did not disclose this to us on the PQCF form or when asked verbally.
1280177	5/2/2021	NC	17	F	5/2/2021	5/2/2021	Patient said she was feeling dizzy, vision was blurry, sweeting. Was able to breath, asked for water which was given to her. She had some rash on the face, provided diphenhydramine liquid 50mg. She was feeling feverish, took tylenol.
1280345	5/2/2021	GA	48	M	4/10/2021	4/10/2021	Patient reports, on the afternoon after the vaccine, he started to feel weak, and had some discomfort with blurry vision in both eyes with pain and discomfort in his right eye. He continued to work. On 4-11-21, he went to work feeling weak with pain/discomfort in his right eye with blurry vision in both eyes. The pain was so much with blurry vision that he had asked someone else to take him to the airport to travel back home. He traveled back home via airplane. On 4-12-21, his condition did not change. He consulted with his Commander and unit staff, and would go see an eye doctor. He was seen by a civilian eye doctor on 4-15-21, 4-16-21, 4-27-21, and military doctor on 5-1-21. He was diagnosed with Anterior Uveitis, pupils unequal, pupil bound.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1277009	5/1/2021	NM	38	M	4/5/2021	4/8/2021	hives all over; This is a spontaneous report received from a contactable consumer (patient's wife). A 38-year-old male patient received the 2nd dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EP6955, expiration date: 30Jun2021) via an unspecified route of administration in the arm right on 05Apr2021 11:16 AM as a single dose for covid-19 immunisation. Medical history included ongoing asthma since he was born and eye surgery from 05Mar2021. Concomitant medications included prednisolone acetate from 05Mar2021 after eye surgery. The patient previously received (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EN6202, expiration date: Jun2021) on 15Mar2021 11:16 AM at 38 years old for covid-19 immunisation. The patient received his second Covid 19 vaccine on 05Apr2021 and the hives started on 08Apr2021. The patient had hives all over. The hives did get worse overnight. The patient had gotten hives when he was younger but it was a reaction to a plant. The hives he had currently have not gone away even with a shower or taking Benadryl. He took 2 25mg tablets of Benadryl within an hour of each other yesterday, 08Apr2021. Then about 9 hours later he took 2 more 25mg tablets. He was going to sleep so he thought the Benadryl (lot number: SEF004, expiry date: Dec2021) would help with that. The patient had no questions except if her husband needed to go to the doctor. The AEs did not required a visit to Emergency Room, no physician office. The patient had no Prior Vaccinations (within 4 weeks). Outcome of the events was not recovered. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1276916	5/1/2021	FL	72	M	2/17/2021		<p>eye swelling; he had an allergy to the Covid 19; This is spontaneous report received from contactable consumer (patient) reported for himself. A 72-year-old male patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot number: BUD1230, Expiry date: unknown) via an unspecified route of administration, administered in left arm on 17Feb2021 (age at vaccination was 72 years) at a single dose for COVID-19 immunisation. Medical history included high blood pressure. Concomitant medications included amlodipine (AMLODIPINE) and atenolol (ATENOLOL). The patient previously took first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot number: EL1284, Expiry date: unknown) via an unspecified route of administration, administered in left arm on 11Jan2021 (age at vaccination was 72 years) at a single dose for covid-19 immunisation. The patient has taken both doses. No additional vaccines were administered on same date with the Pfizer vaccine considered as suspect. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with any adverse event. In the original report caller stated that the patient reported he had an allergy to the Covid 19 vaccine 4 days after the first Covid 19 dose. He went to an allergist and the doctor asked him to wait 6 weeks until he took the second Covid 19 dose. After he received the second Covid 19 vaccine he had the same type of reaction as the first. The reaction was bumps on his scalp. Nothing major. He had taken Prednisone, Zyrtec at night, and Allegra in the morning. He recently has had bloodwork done and that bloodwork was sent to a lab. His concern was that lab results showed that he had a negative IGG serum so he doesn't have any Covid 19 antibodies. A culture was not performed. On an unspecified date, the patient also experienced eye swelling. The patient visited emergency room and physician office. The patient is a chemical engineer, not a biologist, but his theory is whether his immune system is keeping him from developing the antibodies. He doesn't know what to do now. He asked if he's protected. He asked if he should take a different type of Covid 19 vaccine that is not an mRNA vaccine. He was going to see his allergist again next Tuesday, 06Apr2021. He says there are people who</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

developed the Covid 19 vaccine and he wants to call someone else and report his case. Someone who will pay attention to his case. None of the doctors that he visits have an answer about his allergy. He was taking the Prednisone after the first vaccine. He now takes Allegra in the morning and Zyrtec in the evening and that helps him. He also uses Cortisone10 cream where he has the bumps on his scalp. When he does that the number of bumps slowly disappear. No more swelling on the bumps. The bumps are on his scalp. He stopped using his shampoo and now uses baby shampoo. He reports after the first Covid 19 vaccine he didn't have a fever or felt tired, he didn't feel anything, just the bumps on his scalp appeared. He asked why he had no reaction right away after the first Covid 19 vaccine. He reported that it was 4-5 days after the first Covid 19 vaccine. He doesn't know if it's the allergies or his immune system. After he stopped taking Prednisone, he continued to take the Allegra and Zyrtec and the bumps went away but then they appear in a different location. The bumps don't hurt or itch. In his original report he states he had enquired if he should get the second Covid 19 vaccine and he never received an answer. He continued to do everything he did before getting the Covid 19 vaccine. He still exercises, he bikes, he plays tennis. He's not tired or anything. When probing concomitant medications, he reported that his doctor recently changed his blood pressure medication from Losartan 25 mg to Amlodipine 2.5 mg. As a chemical engineer, and he's not a biologist, but he did the antibody test and he thought, what is his immune system doing. Whether his immune system is protecting him from the mRNA. He doesn't know. He would like someone who has the knowledge to answer his question. The outcome of the events was unknown. No follow-up attempts are needed. No further information is expected.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1276888	5/1/2021	TX	34	F	3/29/2021	3/29/2021	small red spot on right eye; Pain in left arm; This is a spontaneous report from a contactable consumer, reporting for herself. A 34-year-old non-pregnant female patient received the first dose of the bnt162b2 (BNT162B2; Lot Number: ER87Z7), via an unspecified route of administration in the left arm on 29Mar2021 at 13:45 at a single dose for covid-19 immunisation. Medical history included polycystic ovary syndrome (PCOS), fibromyalgia, rheumatoid arthritis, Hashimoto's, and hypothyroidism. There were no known allergies. Concomitant medications included unspecified thyroid prescription, pain reliever, vitamins and supplements (as reported), given in two weeks. There were no other vaccinations given in prior four weeks. On 29Mar2021, the patient experienced small red spot on right eye and pain in left arm for two days, which were non-serious. There was no treatment given in response to the events. There was no covid prior to or post vaccination. The clinical outcome of the events was recovering. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1276879	5/1/2021	TX	33	F	3/27/2021	3/1/2021	hangover like headache; hangover like headache; right eye was swollen and painful; right eye was swollen and painful; This is a spontaneous report from a contactable physician, reporting for herself. A 33-year-old non-pregnant female patient received the second dose of the bnt162b2 (BNT162B2), via an unspecified route on 27Mar2021 at a single dose of administration for covid-19 immunisation. The patient's medical history and concomitant medications were not reported. There were no allergies to medications, food, or other products. The patient previously received the first dose of the bnt162b2 on 06Mar2021 at a single dose for covid-19 immunisation. No other vaccines administered within 4 weeks prior to the immunization. In Mar2021 (reported as 01Mar2021), the patient experienced hangover like headache for one day and morning right eye was swollen and painful, which required physician office visit. The events were further described as: hangover like headache for one day, resolved by next day, Monday morning right eye was swollen and painful. Therapeutic measures were taken in response to the events. There was no covid-19 prior to or post vaccination. The clinical outcome of the events was recovering. No follow-up attempts are possible; information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1276860	5/1/2021	KY	68	F	2/9/2021	2/28/2021	Other vaccine same date details/other vaccine same date product; mild visual acuity decrease/slight decrease Visual Acuity and depth perception; Neuromyelitis optica exacerbation; This is a spontaneous report from a contactable Physician. A 68-years-old (non-pregnant) female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number: EL9265, expiration date was not provided), via intramuscular route of administration at right arm on 09Feb2021 14:00 (at the age of 68-years-old) as single dose for COVID-19 immunization. Medical history included Addison's Disease, hypertension, Post Hysterectomy, Optic Neuritis type symptoms and Minor visual symptom. Concomitant medications included amlodipine for hypertension, estradiol for hysterectomy, fludrocortisone for Addison's disease, hydrocortisone for Addison's disease, metoprolol hypertension olmesartan hypertension. On 28Feb2021, the patient awoke with slight decrease visual acuity and depth perception and neuromyelitis Optica exacerbation and required visit to physician office. Other vaccine same date details/other vaccine same date product. The patient was treated with solumedrol high dose iv starting Rituxan Infusions for event neuromyelitis Optica exacerbation. The seriousness of the event neuromyelitis Optica exacerbation was considered as medically significant. The patient was not pregnant at the time of vaccination. The patient did not have any known allergies. The patient had no other vaccine within four weeks. Prior to the vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. The patient provided information to you regarding the reported adverse event(s) with the use of the product as consider the Pfizer product had a casual effect to the adverse event. The outcome of the event was event neuromyelitis Optica exacerbation was recovering on 03Mar2021, and outcome of other events was unknown. No follow-up attempts are needed. No further Information is expected.; Sender's Comments: Based on medical history and concurrent disease the event neuromyelitis optica progression and visual acuity decreased mostly represented intercurrent condition in this patient unrelated to Bnt162b2. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1276815	5/1/2021	NJ	56	F	1/13/2021	1/1/2021	<p>evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate</p> <p>only on my left side I had: muscle and joint pain; only on my left side I had: muscle and joint pain; earache; goopy eye; headache; exhaustion; pain at injection site; This is a spontaneous report from a contactable consumer (patient). A 56-years-old non-pregnant female patient received bnt162b2 (Pfizer, Solution for injection, Lot Number: EL3302), dose 1 via an unspecified route of administration, administered in arm left on 13Jan2021 13:30 (at the time of 56-years-old) as single dose for covid-19 immunisation. Medical history included Von Willebrand's and history of lyme disease, allergies: Peanut and latex. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient received vitamin supplements within 2 weeks of vaccination. Concomitant medication included vitamin supplements. After first shot in left arm, only on my left side I had: muscle and joint pain, earache, goopy eye, headache, exhaustion, and pain at injection site from 12 hours to 36 hours after shot administered on Jan2021. The patient received treatment as epipen on hand. Therapeutic measures were taken as a result of events. The outcome of events was unknown.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1276819	5/1/2021	NC	77	F	2/11/2021	2/1/2021	sore throat; swollen glands; she said her throat felt swollen, and like it was closing up; Feeling unwell; Weakness; light headed/weak when standing up; polymyalgia; sick; This is a spontaneous report from a contactable nurse (patient). A 77-years-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Lot Number: EL9284; Expiration Date: 31May2021), dose 2 via an unspecified route of administration, administered in Arm Left on 11Feb2021 14:30 as single dose for covid-19 immunisation. Medical history included polymyalgia rheumatica, Giant Cell Vasculitis from 2020 (Verbatim: Giant Cell Vasculitis, Reported she started taking Prednisone about a year ago for Giant Cell Vasculitis. She said she started at Prednisone 60mg a day, and now is down to Prednisone 10mg a day), Congestive Heart Failure, COPD, Hypertension, Pulmonary Hypertension. There were no concomitant medications. The patient previously took first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot Number: EL1283, Expiry Date: 30Apr2021) on 21Jan2021 via Intramuscular, anatomical location was arm left, prednisone for Giant Cell Vasculitis (she started taking Prednisone (60mg a day) about a year ago for Giant Cell Vasculitis and was down to Prednisone 10mg a day. her side effects are not that bad. She said she just expected to feel better.), flu vaccine (She gets temperature 101 and sick from the flu vaccine, so she doesn't get the flu vaccine anymore and it had been quite a few years since she took the flu vaccine.), pneumonia vaccine (got a pneumonia vaccine about a year or so ago). On 12Feb2021, patient had been on the couch and watching television. She was fine laying down, but when she got up, she was lightheaded and didn't feel well and had weakness when she got up. Patient had a sore throat with swollen glands in her neck, her throat felt swollen and like it was closing up and glands started hurting on 15Feb2021. She was sick when got up, but when lay down she was fine. she had polymyalgia was doing better before the vaccination. She was wondering if it was normal for the COVID-19 Vaccine side effects to last that long or were the COVID-19 Vaccine side effects expected to last that long. Wanted to know if because she was taking Prednisone, her COVID-19 Vaccine side effects were lasting longer. Patient stated she always

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278560	5/1/2021	CA	18	M	5/1/2021	5/1/2021	<p>thought she was 5'5", but the last time she was measured at the doctor she was told she was 5'. No further details provided. her shortness of breath is worse since she got the COVID-19 Vaccine. She said she was doing better before she received the COVID-19 Vaccine. She took 1 Tylenol on 11Feb2021 and again on 15Feb2021 (Lot Number: 06V1489, Expiration Date: May2022). She said she took 2 Equate Brand Tylenol 500mg tablets because her throat felt swollen, and the throat swelling went away on 16Feb2021. Patient had severe pulmonary hypertension until she had a cardiac catheterization. She said she was told from the cardiac catheterization that she had the potential for pulmonary hypertension but did not have severe pulmonary hypertension. She said prior to the cardiac catheterization she had years of cardia echos performed, and the cardiac echos were not correct. The outcome of the event throat felt swollen was recovered on 16Feb2021, for feeling unwell, lightheadedness, weakness it was not recovered and sore throat, swollen glands it was recovering.</p> <p>About 3 minutes after receiving the vaccine, patient complained of loss of vision, ringing in ears, lightheadedness, tingling in arms. Pt was diaphoretic and flushed. Pt was taken on a wheel chair to a gurney where they were assessed and vitals recorded. Patient was given some drinking water and symptoms resolved within minutes. Patient was observed for 20 minutes. Pt reported feeling better and fine and walked out of vaccine center on their own.</p>

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1277295	5/1/2021	FL	68	M	2/19/2021		<p>brain fog; vicious chills; Really Hot; This is a spontaneous report from a contactable consumer (patient). A 68-year-old male patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EN6100 and expiration date not provided), via an unspecified route of administration, in arm right, on 19Feb2021 (at the age of 68-year-old), at single dose, for COVID-19 immunization. Medical history included ongoing asthma, brain injury, concussions (patient stated he had three. The most severe was three years ago. Patient stated he was knocked completely unconscious and was unconscious for a while), pneumonia from 1980 to 1983. Patient got pneumonia back in the 1980s, around 1983; and after that he had asthma. Patient was having issues seeing things as he went to the eye doctor today and they dilated his pupils. Concomitant medications were not reported. Patient previously took first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EN5318 and expiration date not provided), via an unspecified route of administration, in arm right, on 29Jan2021 16:00 (at the age of 68-year-old), at single dose, for COVID-19 immunization; and experienced brain fog and tired. The patient experienced brain fog, vicious chills, and really hot. Patient stated that he also had 1-2 instances of vicious chills and 1-2 instances of being hot. Patient said the hot and chills definitely happened after the second vaccine. Patient stated it happened somewhere in the 7-10 days after the vaccine and then was gone. Patient had brain fog after first dose vaccine. It never went away completely. After the second injection the brain fog returned stronger again. Patient stated that if he was not able to function; at it's worst he would rate it as a 6. Patient said he could function but would be working and be in the middle of an email and typing and would get lost in the middle of a sentence. Patient said it had improved; as of now he would rate it as a 3-4 on the same scale. No additional vaccines administered on same date of the Pfizer suspect. The outcome of the event "brain fog" was recovering; of events "vicious chills", "really hot", was recovered on unknown date. No follow-up attempts are possible. No further information is expected.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1276792	5/1/2021	IL	58	F	4/15/2021	4/16/2021	Underneath my eyebrow is real puffy and the corner is puffy; Eyelids itching; Bottom of the eyelid itching and is progressed to swelling and it feels like sand paper in my eye; Bottom of the eyelid itching and is progressed to swelling and it feels like sand paper in my eye; it just started to run just a little bit; This spontaneous case was reported by a non-health professional and describes the occurrence of PERIORBITAL SWELLING (Underneath my eyebrow is real puffy and the corner is puffy) in a 58-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. EW0158) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Acid reflux (esophageal) and Anxiety attack. Concurrent medical conditions included Blood pressure high and Acquired hypothyroidism. Concomitant products included CLONAZEPAM for Anxiety attack, METOPROLOL, AMLODIPINE and OMEPRAZOLE MAGNESIUM (PRILOSEC [OMEPRazole MAGNESIUM]) for an unknown indication. On 15-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 16-Apr-2021, the patient experienced PERIORBITAL SWELLING (Underneath my eyebrow is real puffy and the corner is puffy) (seriousness criterion medically significant), EYELIDS PRURITUS (Eyelids itching), SWELLING OF EYELID (Bottom of the eyelid itching and is progressed to swelling and it feels like sand paper in my eye), OCULAR DISCOMFORT (Bottom of the eyelid itching and is progressed to swelling and it feels like sand paper in my eye) and LACRIMATION INCREASED (it just started to run just a little bit). At the time of the report, PERIORBITAL SWELLING (Underneath my eyebrow is real puffy and the corner is puffy), EYELIDS PRURITUS (Eyelids itching), SWELLING OF EYELID (Bottom of the eyelid itching and is progressed to swelling and it feels like sand paper in my eye), OCULAR DISCOMFORT (Bottom of the eyelid itching and is progressed to swelling and it feels like sand paper in my eye) and LACRIMATION INCREASED (it just started to run just a little bit) had not resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Patient received treatment with Biotrue eye drops.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1276837	5/1/2021		67	F			<p>bleeding/bruising; CP (Cerebral palsy); itchy /itchiness; shaky; hot; Chest tightness; Anxiety; misc mental health; arm pain; bleeding/bruising; localized rash; SOB (Shortness of breath); NVD (Nausea, vomiting, and diarrhea); NVD (Nausea, vomiting, and diarrhea); NVD (Nausea, vomiting, and diarrhea); Visual/Neuro concerns; Visual/Neuro concerns; mechanical irritation; This is a spontaneous report from a non-contactable other HCP. A 67-year-old female patient received bnt162b2 (BNT162B2), dose 1 via an unspecified route of administration on an unspecified date (Batch/Lot Number: EN6205) at single dose for covid-19 immunisation. The patient's medical history and concomitant medications was not reported. During her 15-minute waiting period after the injection, the patient began to experience itchy, shaky, hot, chest tightness. Patient monitored and improving. Patient ambulates well without dizziness. Chest tightness resolved and itchiness improving. Precautions discussed with patient. Patient aware of what to monitor and when to go to ED. Patient voiced understanding and appreciated. Patient able to ambulate out of the facility with ease. Vaccine-Related Anxiety (include misc mental health), Local reaction (arm pain, bleeding/bruising, mechanical irritation, localized rash) and Red flag symptoms (CP (Cerebral palsy), SOB (Shortness of breath), NVD (Nausea, vomiting, and diarrhea), Visual/Neuro concerns). Outcome of pruritus was recovering, chest discomfort was recovered on an unspecified date. Outcome of rest of the events was unknown No follow-up attempts are possible. No further information is expected.; Sender's Comments: A causal association between BNT162B2 and the reported events cannot be excluded based on a compatible temporal relation. however, Relevant medical history and concurrent disease are missing for a medically meaningful assessment. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1277010	5/1/2021	TN	56	F	4/7/2021	4/8/2021	Left side face swelling; This is a spontaneous report from a contactable consumer reported for herself. This 56-year-old female patient received the 1st dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EN6207) via an unspecified route of administration in the left arm (reported as "left shoulder") on 07Apr2021 13:00 as a single dose for covid-19 immunisation. Medical history included asthma diagnosed as a child. The patient stated it's not ongoing, it's more during seasonal allergies. She took Singulair to help. Concomitant medications were unknown. The patient had Pfizer covid19 vaccine on Wednesday 07Apr2021 and left side face swelling yesterday on 08Apr2021. It's on the left side of the face. It started around the eye and currently she can feel it running down the side of the face. Left side face swelling was reported as worsened. The patient asked if she would be okay to get the second vaccine. She stated she was not in pain, but was concerned that she won't be able to get the second vaccine. She had not treated the swelling yet, and was not sure if she should see her doctor. She was scheduled for the second dose of the vaccine. The patient had no prior Vaccinations (within 4 weeks). Outcome of the events was not recovered. No follow-up attempts are needed. No further information is expected.
1275923	5/1/2021	CO	27	F	4/30/2021	4/30/2021	Immediately after the injection I felt light headed. Soon I could not see (very blurry vision) and I could not hear (like drowning in water). I then started to sweat profusely from every inch of my skin. I couldn't catch my breath. I was handed water and told to sip on it, which proved difficult when my throat started to feel like it was swelling up. After about a 15 minute ordeal, it was like nothing ever happened. The only symptom that remained, was sweat soaked clothes

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1277050	5/1/2021	NJ		M		4/1/2021	tested positive for COVID-19; tested positive for COVID-19; This is a spontaneous report from a contactable consumer (patient). A male patient of an unspecified age received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number and expiry date: unknown), via an unspecified route of administration, on an unknown date, as single dose for COVID-19 immunisation. The patient's medical history included hypertension, diabetes, visual problems and kidney transplant. Concomitant medications were not reported. On an unknown date in Apr2021, the patient tested positive for COVID-19. The patient underwent lab tests and procedures which included sars-cov-2 test: positive in Apr2021. The patient's doctor told him that because the patient tested positive for COVID he have to wait 90 days before taking the next dose. The event resulted in emergency room visit. The patient was supposed to get his 2nd dose on 14Apr2021 but has to cancel because he tested positive last week for COVID. He wanted to know how long does he have to wait before he can get his 2nd dose of the COVID vaccine. The outcome of the event was unknown. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1276782	5/1/2021	CA	59	F	4/12/2021		<p>This spontaneous case was reported by a consumer and describes the occurrence of LOSS OF CONSCIOUSNESS (passed out) in a 59-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 11-Apr-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 12-Apr-2021, the patient experienced LOSS OF CONSCIOUSNESS (passed out) (seriousness criterion medically significant), BACK PAIN (backache), CONCUSSION (concussion), EYE INJURY (injured bone under eye), CONTUSION (bruised hip), PAIN (face still sore) and PYREXIA (fever). At the time of the report, LOSS OF CONSCIOUSNESS (passed out), BACK PAIN (backache), CONCUSSION (concussion), EYE INJURY (injured bone under eye), CONTUSION (bruised hip), PAIN (face still sore) and PYREXIA (fever) had not resolved. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On an unknown date, Computerised tomogram: unknown (Inconclusive) Unknown. On an unknown date, Magnetic resonance imaging: unknown (Inconclusive) Unknown. Company comment :Based on the information provided which includes a strong temporal association between the use of mRNA-1273 vaccine and onset of the reported events, a causal relationship cannot be excluded. Fever is consistent with the product safety profile; Sender's Comments: Based on the information provided which includes a strong temporal association between the use of mRNA-1273 vaccine and onset of the reported events, a causal relationship cannot be excluded. Fever is consistent with the product safety profile</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1277209	5/1/2021	NJ	61	F	3/19/2021	3/19/2021	severe vertigo; fall down on the floor; nausea; horrible spinning; vomited; dizzy; generalized weakness; brain fog; a little tired; a little off; Fatigue; sore arm; couldn't eat; couldn't open her eyes; nystagmus; couldn't walk at all without help; This is a spontaneous report from a contactable consumer, reporting for herself. A 61-year-old female patient received the second dose of the bnt162b2 (BNT162B2; Lot Number: EN6208; Expiration Date: Jun2021), via an unspecified route of administration in the right arm on 19Mar2021 at 13:30 at a single dose for covid-19 immunisation. Medical history included ongoing celiac disease diagnosed in 2012 and has been gluten free ever since, allergies, and anxiety. Concomitant medications included zolpidem tartrate (AMBIEN) taken for sleep; cetirizine hydrochloride (ZYRTEC [CETIRIZINE HYDROCHLORIDE]) taken for allergies; alprazolam (MANUFACTURER UNKNOWN) taken for anxiety; vitamin d nos (MANUFACTURER UNKNOWN) taken for immune system health; and magnesium (MANUFACTURER UNKNOWN) taken for health. The patient previously received the first dose of the bnt162b2 (Lot number: EN6203) at 61 years of age on 26Feb2021 between 5:15PM and 5:30PM in the left arm at a single dose for covid-19 immunization and the flu vaccine (INFLUENZA) for immunization 15 years ago and experienced arm was sore. There were no other prior vaccinations within 4 weeks. On 19Mar2021, the patient experienced sore arm. On 21Mar2021, the patient experienced a little off, fatigue, brain fog, a little tired. On 31Mar2021, the patient experienced severe vertigo, fall down on the floor, nausea, vomited, horrible spinning, generalized weakness. In 2021, the patient experienced couldn't open her eyes, couldn't eat, nystagmus, could not walk at all without help. On an unknown date, the patient experienced dizzy. The events, severe vertigo, fall down on the floor, nausea, vomited, and horrible spinning, required emergency room and physician office (video) visits. The patient was hospitalized for severe vertigo, fall down on the floor, nausea, vomited, and horrible spinning from 31Mar2021 to 02Apr2021. The clinical course was as follows: the patient received the second dose on 19Mar2021 and she didn't really have any bad side effects, a sore arm, and a little tired on the second day, maybe a little off but was fine. 12 days later she was vacuuming and had severe vertigo, she was

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

down on the floor, just horrible spinning, horrible nausea and laid on floor and vomited all day. Her doctor told her to go to the ER. They did all kinds of tests with unknown results on an unknown date and she could not open her eyes for 2 days, she was so violently spinning with vertigo, they gave her fluids. She went in on Wednesday and by Friday she was a little better, she could open her eyes, still had spinning and vertigo. It was like nystagmus, her eyes were, she just really couldn't open her eyes for the doctor, had generalized weakness and couldn't walk at all without help in the hospital. The only time she moved from one position was to go to the bathroom with assistance. In the ER, she could not get up out of bed the first night they were trying all ways of catharizing her. She could not even get out of the bed with the help, they had to carry her to the CAT scan with negative result on 31Mar2021. She had slightly improved but still had vertigo and she was not vomiting anymore, that was only the first couple days. She was sent home with medications for dizziness and nausea but they didn't do anything. Two weeks later she was still dizzy, had vertigo, it was way better than it was, she can open the windows a little bit but she was basically in a dark room for like the first week and a half. Not violent like it was the first couple of days. The events were further described as: she was a little sore on 19Mar2021, 20Mar2021, 21Mar2021, and maybe the 22Mar2021 her arm was still sore. She clarified the sore arm pretty much ended on the 22Mar2021. She was surprised she felt fine on 19Mar2021 and 20Mar2021 and on the evening of 21Mar2021, in the middle of the night between 20Mar2021 and 21Mar2021 she felt a little off and a little more tired. On 21Mar2021, she didn't feel great, fatigued and brain fog but was fine after that. She began feeling a little off and a little tired early morning on the 21Mar2021. That was pretty much gone by the 22Mar2021. The feeling tired and a little off and the brain fog and fatigue went away 22Mar2021. She vomited constantly, started suddenly and violently and was incapable of moving, all she did was vomit and lay on the floor. It was a complete 360, she was fine vacuuming a minute before and then suddenly got dizzy and went down and could never get up. She had to be taken from upstairs in her house and transported to the hospital. She was not really experiencing the nausea now, she was not completely

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

herself but she can eat, she couldn't eat for the first couple of days and was on IV fluids and once she got out of the hospital was able to eat a little and now eating almost normally. It took a week to eat normally and she couldn't eat holiday dinner on 04Apr2021. From 31Mar2021 to 10Apr2021, every day the nausea has slightly been improving. She was not quite herself and still has vertigo and was making herself eat her meals. She vomited 30 times and in the hospital they gave her an IV to stop that and never vomited in hospital, maybe once in the ER. She confirmed the 31Mar2021 was the last time she vomited. She had not recovered completely from nausea. She used be running around all the time, she would walk 10 miles per week to exercise, yesterday she had a mammogram scheduled and she was just so wiped out for doing something for the first time and had to lie down for the whole rest of the day. She was hospitalized from 31Mar2021 until the evening of 02Apr2021 when they let her out. She was given medication for nausea and dizziness didn't do anything. She was given ondasetron (ZOFTRAN), 4 mg and meclizine. Because of her weakness, the patient was checked to see if there was any brain bleed or brain stem problems that would explain the vertigo and did not find anything. The tests were negative for any brain problems on an unknown date. Lab data included: blood levels: low on vitamin d (probably because she was not absorbing nutrients as well) on an unknown date, endoscopy: unknown results on an unknown date, and MRI: negative on 01Apr2021. Therapeutic measures were taken as a result of severe vertigo, fall down on the floor, nausea, horrible spinning, vomited, and dizzy. The clinical outcome of the events, severe vertigo, nausea, generalized weakness, could not open her eyes, nystagmus, could not walk at all without help, was recovering. The clinical outcome of the events, fall down on the floor, horrible spinning, dizzy, was unknown. The clinical outcome of the events, a little off, fatigue, sore arm, brain fog, and a little tired, was recovered on 22Mar2021. The clinical outcome of the event, vomited, was recovered on 31Mar2021. The clinical outcome of the event, could not eat, was recovered in 2021. No follow-up attempts are needed. No further information is expected.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1276726	5/1/2021	PA	74	M	4/1/2021	4/23/2021	Loss of vision in left eye; This spontaneous case was reported by a consumer and describes the occurrence of BLINDNESS UNILATERAL (Loss of vision in left eye) in a 74-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. In April 2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 23-Apr-2021, the patient experienced BLINDNESS UNILATERAL (Loss of vision in left eye) (seriousness criterion medically significant). At the time of the report, BLINDNESS UNILATERAL (Loss of vision in left eye) had not resolved. Not Provided On 23-Apr-2021 (2 weeks after receiving the second dose), patient had loss of vision in the left eye. Concomitant product use was not provided by the reporter. No treatment was received by the patient. The patient received both scheduled doses of mRNA-1273 prior to the events; therefore, action taken with the mRNA-1273 in response to the events was not applicable. Company comment: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded
1277398	5/1/2021	CA	47	F	4/30/2021	4/30/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Hypotension-Mild, Additional Details: Patient reported feeling lightheaded/dizzy ~5 minutes after receiving vaccine. She was given water and placed her head down while her boyfriend held her so she wouldn't fall over. 1st BP reading was taken ~8 minutes after the vaccine was given (87/38 and HR 49). Patient stated that her BP tends to run low. Had patient stay under our supervision for an additional 30 minutes. At the 30-min mark 2nd BP reading was taken (91/53 and HR 56). Patient reported feeling much better with symptoms resolved.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1277400	5/1/2021	CA	39	F	4/30/2021	4/30/2021	Systemic: Allergic: Itch (specify: facial area, extremities)-Medium, Systemic: Allergic: Itch Generalized-Medium, Systemic: Allergic: Rash (specify: facial area, extremities)-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: she felt numb in her left side of face, face was hot red itchy felt some swelling in lips, itching on face and body dizzy and nauseous-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Nausea-Medium, Systemic: Numbness (specify: facial area, extremities)-Medium, Systemic: Tachycardia-Mild
1277426	5/1/2021	WV		M	4/1/2021	5/1/2021	April 1 - Severe Dizziness. Hot, Nausea. Had several dizzy spells in subsequent days, some with vomiting. April 6 - ER Visit - Dizziness. They cited low magnesium and gave me that via IV. April 8 - ER Visit - High Blood Pressure. April 11 - Lost eyesight, left eye April 12 - Admitted to hospital
1277488	5/1/2021	OH	52	F	4/27/2021	4/27/2021	She was admitted on 4/29 for altered mental status. She received her second dose of COVID vaccination on 4/27 at 0700 and her son reported that 2h after the vaccination she started to act strange with labile mood, but mostly intermittently tearful. Later that evening after 5pm she became confused (at times not recognizing who her son was) with worsening intermittent agitation, labile moods, singing, and reporting visual hallucinations. Denied SOB, chest pain, fevers, chills, n/v/d, new medications... Per son she is A&Ox4 at baseline and no history of mental illnesses.
1277579	5/1/2021	NH	33	F	4/10/2021	4/20/2021	Vasovagal syncope reaction Sweating nausea diarrhea paleness blurred vision ringing in ears etc

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1277610	5/1/2021	IL	17	F	4/28/2021	4/28/2021	After a few minutes of receiving vaccine, patient reported dizziness, light headedness, and blurry/dots in vision. She then became more upset leading to hyperventilation and crying. She then said she had tingling in her fingers, which progressed to difficulty moving her fingers/stiff fingers, and coldness and redness in tips of fingers. She then reported she was losing sensations in her feet and legs. 911 was called. We tried to have the patient take slow deep breaths. We offered an ice pack and water up front and a heat pack for her fingers. Paramedics arrived. Her blood pressure, heart rate, oxygen saturation, glucose were within normal limits. She was given oxygen and the paramedic was able to help her slow her breathing. Her fingers went back to normal and she felt fine before leaving. She did not feel the need to go with the paramedics.
1277701	5/1/2021	NY	72	M	4/16/2021	4/16/2021	This was the second Moderna shot. Taken at 12 in the afternoon on April 16. By 5 o'clock my temperature went up to 104.0. I threw up was talking gibberish, eyes rolling back in my head. Could not stand on my own. Was incoherent. Could not dress myself. An ambulance was called I was taken to hospital.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1277192	5/1/2021	VA	17	F	4/7/2021	4/7/2021	<p>nausea; headache; began having left eye twitches and they progressed to spasms and the nose and left side of her face. It then included both sides of her face; pinching in her left shoulder; began having left eye twitches and they progressed to spasms and the nose and left side of her face. It then included both sides of her face; patient could not open her eye or control her face; her left leg had goosebumps and chills; her left leg had goosebumps and chills; This is a spontaneous report from a contactable consumer (patient's mother). A 17-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; solution for injection; Lot Number: ER8731) via an unspecified route of administration on 07Apr2021 at 15:15 (at the age of 17-years-old) as a single dose in the left arm for COVID-19 immunisation. Medical history included asthma from an unspecified date and unspecified if ongoing. Family medical history relevant to the adverse event was reported as none. Concomitant mediations included ethinylestradiol/levonorgestrel (JOLESSA) taken "to decrease her periods" from 2019 ("about two years ago") and ongoing and at an unspecified dose, cyclic, for three months straight with no placebo. Then takes a placebo pill for one week straight and biotin taken "for hair and nail growth" from an unspecified date ("she began taking within the last 6 months") and ongoing. There was no history of previous immunization with the Pfizer vaccine, there were no additional vaccines administered on the same date as the COVID-19 vaccine and there were no prior vaccinations within 4 weeks. It was not provided whether there were adverse events following prior vaccinations. On 07Apr2021 the patient experienced began having left eye twitches and they progressed to spasms and the nose and left side of her face. It then included both sides of her face, patient could not open her eye or control her face, her left leg had goosebumps and chills, pinching in her left shoulder, nausea and headache. The reporter called to report that her daughter had a severe reaction to the first dose of the COVID-19 vaccine. The clinical course was reported as follows: The patient received the first dose of the COVID-19 vaccine in her left arm. Less than an hour after receiving the COVID-19 vaccine, the patient developed goosebumps and chills in her left leg. The reporter was not very concerned about it at the time.</p>

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

About 9:00PM that same night, the patient started complaining of pinching in her left shoulder. The reporter was not too terribly concerned. By 9:30PM, that same night, the patient started to have left eye twitches. Then they increased to eye spasms, then the patient could not open her eye or control her face. Then, it progressed to patients nose and left side of her face. At that point, the reporter tried to contact a nurse with the health insurance advice line. She waited for 30 minutes. The patient's symptoms continued to get worse, so the reporter took the patient to the emergency room. While the patient was in the emergency room triage, while hospital staff were getting her blood pressure and temperature, her symptoms also started to involve the right side of her face. Around 10:15PM, that same night, the patient started to get nauseous and a headache kicked in. The emergency department took patient straight back to a room. The patient was not admitted to the hospital. The emergency department started an IV on the patient, and they administered Reglan, Benadryl, and Toradol to treat her symptoms. The emergency department ran blood tests, preformed a urinalysis and a CT scan. The reporter did not know what all blood testing that was done revealed; however, the reporter did know that they told her that none of the testing revealed anything and were all normal. The patient was eventually discharged from the emergency department at about 1:50AM. She was sent home with Butalbital, for headache and was advised to take ibuprofen. She was still having the twitching but not as bad when discharged. On 08Apr2021, the patient's symptoms had not completely subsided, but were significantly better. On 08Apr2021, the patient woke up with nausea, chills and a headache. The reporter expected the patient to have these side effects. The side effects continued until very late in the day on 10Apr2021. The patient never vomited, was only very nauseous. The reporter also stated that when the woman was administering the first dose of the COVID-19 vaccine, the woman said "oops" and it was not explained what "oops" meant. The reporter asked if it was possible that the patient received the dose subcutaneously and that was why she had these side effects. The reporter also stated that the second dose was scheduled for 28Apr2021 and she asked if the patient should receive the second dose. The clinical outcomes of the events began having left eye

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1276603	5/1/2021	AZ	62	F		3/18/2021	<p>twitches and they progressed to spasms and the nose and left side of her face. It then included both sides of her face, patient could not open her eye or control her face, her left leg had goosebumps and chills, pinching in her left shoulder, nausea and headache all recovered/resolved on 10Apr2021. No follow-up attempts are needed; No further information is expected.</p> <p>BOTTOM EYELIDS ROLLING INWARDS TOWARDS EYES; LIGHT SENSITIVITY TO EYE; EYE RED; ENTROPION IN EYE; PAIN EYE; MIGRAINE HEADACHE; FOGGY FEELING IN HEAD; This spontaneous report received from a patient concerned a 62 year old female. The patient's weight was 140 pounds, and height was 67 inches. The patient's concurrent conditions included codeine allergy, alcohol consumption, and cigarette smoker. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: Unknown) dose was not reported, administered on 18-MAR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. Concomitant medications included amoxicillin for allergic reaction, and for allergic reaction. On 18-MAR-2021, the subject experienced foggy feeling in head. On 19-MAR-2021, the subject experienced migraine headache. On 20-MAR-2021, the subject experienced pain eye. On 20-MAR-2021, the subject experienced light sensitivity to eye. On 20-MAR-2021, the subject experienced eye red. On 20-MAR-2021, the subject experienced entropion in eye. On 21-MAR-2021, the subject experienced bottom eyelids rolling inwards towards eyes. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from foggy feeling in head on 18-MAR-2021, had not recovered from pain eye, light sensitivity to eye, entropion in eye, and bottom eyelids rolling inwards towards eyes, and the outcome of migraine headache and eye red was not reported. This report was non-serious.</p>
1277726	5/1/2021	MA	16	M	5/1/2021	5/1/2021	SYNCOPE WHILE UNDER SUPERVISION

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1276281	5/1/2021	KY		M	1/28/2021	4/1/2021	<p>Blood clot in the right eye; This is a spontaneous report from a contactable consumer(patient) based on information received by Pfizer, license party for apixaban (ELIQUIS). This spontaneous case was reported by a consumer and describes the occurrence of OPTHALMIC VEIN THROMBOSIS (Blood clot in the right eye) in male patient of an unknown age who received apixaban (Eliquis) for an unknown indication. CO-SUSPECT PRODUCTS included Covid-19 Vaccine for an unknown indication. On an unknown date, the patient started Eliquis (unknown route). On 07-Jan-2021, the patient started Covid-19 Vaccine (unknown route). In April 2021, the patient experienced OPTHALMIC VEIN THROMBOSIS (seriousness criterion medically significant). The action taken with Eliquis (Unknown) was unknown. At the time of the report, OPTHALMIC VEIN THROMBOSIS outcome was unknown. The consumer received his first Pfizer covid 19 shot on 07-Jan-2021 and the second one on 28-Jan- 2021, and 10 days prior to this report he got a blood clot in his right eye. He takes a blood thinner and remarks this should keep him from getting blood clots, should not it. Blood thinner provided was Eliquis. The event was related to covid 19 vaccine and causality with Eliquis was not provided. For Eliquis (Unknown), the reporter did not provide any causality assessments. This case was received via pfizer. BMS Medical Evaluation Comment: This patient had ophthalmic vein thrombosis while on therapy with apixaban and after taking covid 19 vaccine. Underlying thromboembolic risk as ascertained by the use of apixaban is a significant factor that likely predisposed the patient to develop ophthalmic vein thrombosis and considered not related to apixaban therapy. Causality Assessment: For apixaban: the causal relationship of the event Ophthalmic vein thrombosis with the suspect product apixaban was not provided Per Reporter; the causal relationship of the event Ophthalmic vein thrombosis with the suspect product apixaban was Not Related Per Company (Bristol-Myers Squibb)</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1276382	5/1/2021	MA	51	M		4/8/2021	BOTH EYES HAVING PRESSURE-TYPE PAIN, NOW LOCALIZED TO LEFT EYE; HEADACHE; INJECTION SITE PAIN SPREAD IN LEFT ARM; BODY ACHES; CHILLS; This spontaneous report received from a consumer concerned a 51 year old male. The patient's height, and weight were not reported. The patient's concurrent conditions included diabetes ii, insomnia, neuropathy, tinnitus, vertigo, acne, chronic back pain (bulging discs), seasonal nut allergies, anxiety, smoker, non alcohol user, depression, hearing loss, and cholesterol. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 043A21A, expiry: not reported) dose was not reported, administered on 08-APR-2021 12:00 for prophylactic vaccination. Concomitant medications included atorvastatin for cholesterol, bupropion, lamotrigine, metformin hydrochloride, montelukast, and sertraline. On 08-APR-2021, the subject experienced body aches. On 08-APR-2021, the subject experienced chills. On 08-APR-2021 12:00, the subject experienced injection site pain spread in left arm. On 08-APR-2021 15:00, the subject experienced headache. On 09-APR-2021, the subject experienced both eyes having pressure-type pain, now localized to left eye. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from injection site pain spread in left arm, body aches, chills, headache, and both eyes having pressure-type pain, now localized to left eye. This report was non-serious.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1276391	5/1/2021		57	M	3/20/2021		<p>SLURRED SPEECH; TINGLING FEELING IN ALL FOUR LIMBS; STROKE; VISION DECREASED; This spontaneous report received from a patient via the VAERS (Vaccine Adverse Event Reporting System;) a 57 year old male. The patient's height, and weight were not reported. The patient's past medical history included history of CABG (Coronary artery bypass grafting), and concurrent conditions included diabetes mellitus, congestive heart failure, and diabetic retinopathy, and other pre-existing medical conditions included the patient had no known allergies to medications, food, or other products and did not had other illnesses at the time of vaccination and up to one month prior. The patient did not have an adverse event following any previous vaccination. The patient, at age of 57 years, received Covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 1805029 expiry: UNKNOWN) dose was not reported, administered on 18-MAR-2021 to left arm for prophylactic vaccination. Concomitant medications included insulin and insulin lispro for drug used for unknown indication. On 20-APR-2021, the patient began experiencing tingling feeling in all four limbs at different times. On 28-MAR-2021, patient experienced slurred speech. The patient experienced what he described as near blindness. The patient was driving down road and all of the sudden most of visual field went black and could only see the white lines of the road. The patient was close to hospital and was able to see enough to get himself to the hospital and was diagnosed as having a stroke. The patient had CT, MRI, and ultrasound of heart (results unspecified). The action taken with Covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the tingling feeling in all four limbs, slurred speech, vision decreased and stroke was not reported. This report was serious (Hospitalization Caused / Prolonged).; Sender's Comments: 20210440193-covid-19 vaccine ad26.cov2.s-Stroke, Vision decreased, Tingling sensation in all four limbs, Slurred speech. This event(s) is considered not related. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There are other factors more likely to be associated with the event(s) than the drug. Specifically: MEDICAL HISTORY: history of CABG, UNDERLYING DISEASE: congestive heart failure, and diabetic</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1276401	5/1/2021			F	3/20/2021		retinopathy BLINDNESS; RETINAL ARTERY OCCLUSION; VISUAL ACUITY REDUCED; This spontaneous report received from a healthcare professional via VAERS (Vaccine Adverse Event Reporting System, VAERS ID 1201402-1) concerned an 82 year old female. Initial information was processed with additional information received from VAERS on 23-APR-2021. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: Unknown) dose and anatomical vaccination site was not reported, administered on 06-MAR-2021 for prophylactic vaccination. The batch number was not reported. The Company is unable to perform follow-up to request batch/lot numbers. No concomitant medications were reported. On 20-MAR-2021, the subject experienced blindness in both eyes, retinal artery occlusion and visual acuity reduced (no light perception in the right and counting fingers in the left). She went to the emergency room and was hospitalized. Work up for other causes (not further specified) was reported as negative. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from blindness in both eyes, retinal artery occlusion and visual acuity reduced. This report was serious (Hospitalization Caused / Prolonged, Disability Or Permanent Damage).; Sender's Comments: V0: This 82-year-old female patient of unspecified ethnicity was hospitalized for blindness in both eyes, retinal artery occlusion and visual acuity reduced (no light perception in the right and counting fingers in the left) 14 days after receiving COVID-19 VACCINE AD26.COVS for the prevention of symptomatic SARS-CoV-2 virus infection. No other details reported. The information available precludes a complete and meaningful assessment. However, considering the temporal relationship and recently evolving theories in the literature about COVID infections and vaccinations, potential vaccine contribution cannot be excluded. Additional information was requested.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1276411	5/1/2021	AZ	86	F	4/6/2021		SINUS ACTING UP; HOT FLASHES; LEG CRAMPS; LOOSE BOWELS; DIFFICULTY IN REMEMBERING; SWELLING INSIDE THROAT; ACHINESS ON SIDES OF NECK; DIZZINESS; NOSE BLEED; ACHINESS ON INSIDE OF LEFT ELBOW AND RIGHT KNEE; NAUSEA; TIREDNESS; MUSCLE ACHES; BLOOD PRESENT ON UNDERWEAR NEAR THE GROIN AREA; SHORTNESS OF BREATH; FEELING OF BLOOD RUSHING TO HEAD; This spontaneous report received from a patient concerned an 86 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included allergy to sulfonamide derivatives, non-steroidal anti-inflammatory drugs (NSAIDs), sulfa antibiotics, penicillin, and cephalexin, asthma, and dry eyes. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, and batch number: 042A21A expiry: UNKNOWN) dose was not reported, 1 total dose administered on 06-APR-2021 for prophylactic vaccination on left arm. No concomitant medications were reported. On 06-APR-2021, the patient felt rush of blood to her head almost causing her to pass out. On 07-Apr-2021 (in morning), she developed muscle aches, shortness of breath, a nosebleed one and hot flashes. She experienced trouble while remembering which was never a problem before. She developed leg cramps, loose bowels (for 1 week), swelling in her throat, achiness on both sides of her neck, dizziness, nausea if she ate something that did not agree with her, tiredness and an unusual blood stain in her underwear near the groin area (but not the private parts). The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from blood present on underwear near the groin area, nose bleed, and achiness on inside of left elbow and right knee on 07-APR-2021, feeling of blood rushing to head, sinus acting up, leg cramps, swelling inside throat, and achiness on sides of neck, loose bowels on 14-APR-2021, dizziness on 11-APR-2021, and nausea on 09-APR-2021, was recovering from muscle aches, and had not recovered from shortness of breath, hot flashes, difficulty in remembering, and tiredness. This report was serious (Other Medically Important Condition).; Sender's Comments: V0 :-covid-19 vaccine ad26.cov2.s-BLOOD PRESENT ON UNDERWEAR NEAR THE GROIN AREA. This event is considered unassessable. The

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1276415	5/1/2021	FL	32	F	4/11/2021		<p>event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event.</p> <p>TROUBLE BREATHING; NECK PAIN; BLURRY VISION; DIARRHEA; DIZZINESS; COUGH; FEEL SICK; WEAKNESS; NAUSEA; ALLERGIES; This spontaneous report received from a patient concerned a 32 year old female. The patient's height, and weight were not reported. The patient's pre-existing medical conditions included she had no history of allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808978, expiry: 13/JUN/2021) dose was not reported, administered on 11-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 11-APR-2021, the subject experienced allergies. On 11-APR-2021, the subject experienced cough. On 11-APR-2021, the subject experienced feel sick. On 11-APR-2021, the subject experienced weakness. On 11-APR-2021, the subject experienced nausea. On 13-APR-2021, the subject experienced diarrhea. On 13-APR-2021, the subject experienced dizziness. On 15-APR-2021, the subject experienced neck pain. On 15-APR-2021, the subject experienced blurry vision. On 17-APR-2021, the subject experienced trouble breathing. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from weakness, dizziness, neck pain, blurry vision, trouble breathing, cough, allergies, nausea, diarrhea, and feel sick. This report was non-serious.; Sender's Comments: V0: Medical Assessment comment not required as per standard procedure as the case assessed as non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1276424	5/1/2021	KY	56	F		4/7/2021	LIGHTHEADEDNESS; HEADACHE; ANXIETY; VISUAL DISTURBANCE; This spontaneous report received from a patient concerned a 56 year old female. The patient's height, and weight were not reported. The patient's past medical history included hiccupping, and concurrent conditions included speech slurred, non alcohol consumer, and non smoker. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 201A21A, expiry: UNKNOWN) dose was not reported, administered on 07-APR-2021 for prophylactic vaccination. Concomitant medications included iron for used for unknown indication. On 07-APR-2021, the subject experienced anxiety. On 07-APR-2021, the subject experienced visual disturbance. On 07-APR-2021, the subject experienced headache. On 08-APR-2021, the subject experienced lightheadedness. On 22-APR-2021, Laboratory data included: Lab test (NR: not provided) No results available (units unspecified). Treatment medications (dates unspecified) included: oxycodone/paracetamol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from visual disturbance, lightheadedness, and headache on 08-APR-2021, and had not recovered from anxiety. This report was non-serious.; Sender's Comments: V0: Medical assessment comment is not required as per standard procedure since case is assessed as non-serious.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1276438	5/1/2021	NH	42	F		4/12/2021	GLASSY EYES; CHILLS; STOMACH DISCOMFORT; FATIGUE; SWELLING AT INJECTION SITE; LUMP; PAINFUL; REDNESS; WARM; This spontaneous report received from a patient concerned a 42 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 202A21A, expiry: UNKNOWN) dose was not reported, administered on 11-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 12-APR-2021, the subject experienced lump. On 12-APR-2021, the subject experienced painful. On 12-APR-2021, the subject experienced redness. On 12-APR-2021, the subject experienced warm. On 12-APR-2021, the subject experienced fatigue. On 12-APR-2021, the subject experienced swelling at injection site. On 21-APR-2021, the subject experienced stomach discomfort. On 22-APR-2021, the subject experienced glassy eyes. On 22-APR-2021, the subject experienced chills. Treatment medications (dates unspecified) included: ibuprofen. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from warm, and swelling at injection site on 21-APR-2021, and chills on 23-APR-2021, was recovering from stomach discomfort, fatigue, and glassy eyes, and had not recovered from lump, painful, and redness. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1276467	5/1/2021			M		4/1/2021	<p>LOST NIGHT VISION; HAD A SHARP PAIN IN THE SIDE OF HEAD; HURT SHOULDER; HAD A SHARP PAIN IN THE SIDE OF JAW; SLIGHT CHEST PAIN; CHEST HEAVINESS; STABBING PAIN IN BACK; LIGHT-HEADNESS; PAIN IN HIPS; DIFFICULTY BREATHING; This spontaneous report received from a patient concerned a male of unspecified age. The patient's height, and weight were not reported. The patient's past medical history included blood clots, and other pre-existing medical conditions included sick for at least 6 weeks, started with a fever for several days. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: unknown) dose was not reported, administered on 10-APR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On APR-2021, the subject experienced difficulty breathing. On APR-2021, the subject experienced slight chest pain. On APR-2021, the subject experienced chest heaviness. On APR-2021, the subject experienced stabbing pain in back. On APR-2021, the subject experienced light-headness. On APR-2021, the subject experienced pain in hips. On 10-APR-2021, the subject experienced hurt shoulder. On 10-APR-2021, the subject experienced had a sharp pain in the side of jaw. On 10-APR-2021, the subject experienced had a sharp pain in the side of head. On 11-APR-2021, the subject experienced lost night vision. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from difficulty breathing, and stabbing pain in back, and the outcome of pain in hips, had a sharp pain in the side of head, had a sharp pain in the side of jaw, lost night vision, slight chest pain, chest heaviness, light-headness and hurt shoulder was not reported. This report was non-serious.; Sender's Comments: V0:Medical assessment comment not required as per standard procedure as the case assessed as non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1276735	5/1/2021	DE	48	F	4/21/2021	4/21/2021	Double vision; blurry vision (unable to see clearly with prescribed glasses); swollen lymph nodes under left arm; fever 101; headache; This spontaneous case was reported by a consumer and describes the occurrence of DIPLOPIA (Double vision) in a 48-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 036B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concomitant products included GABAPENTIN. On 21-Apr-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 21-Apr-2021, the patient experienced PYREXIA (fever 101) and HEADACHE (headache). On 22-Apr-2021, the patient experienced LYMPHADENOPATHY (swollen lymph nodes under left arm). On 23-Apr-2021, the patient experienced DIPLOPIA (Double vision) (seriousness criterion medically significant) and VISION BLURRED (blurry vision (unable to see clearly with prescribed glasses)). On 23-Apr-2021, PYREXIA (fever 101) had resolved. At the time of the report, DIPLOPIA (Double vision) outcome was unknown, VISION BLURRED (blurry vision (unable to see clearly with prescribed glasses)) was resolving and HEADACHE (headache) and LYMPHADENOPATHY (swollen lymph nodes under left arm) had not resolved. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 21-Apr-2021, Body temperature: 101 (High) High. Patient received treatment with ibuprofen (Motrin) and acetaminophen (Tylenol). Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1276560	5/1/2021	FL	77	F	4/8/2021		INCREASED BLOOD PRESSURE; SEVERE BURSITIS; TIREDNESS; BLURRY VISION; NUMBNESS ON LEFT SIDE OF FACE AND NECK; SWELLING ON INSIDE OF MOUTH; ANXIETY; FEELING WIRED; NAUSEA; This spontaneous report received from a patient concerned a 77 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included allergies, and migraine. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: JJ1805029, and expiry: UNKNOWN) dose was not reported, administered on 08-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 08-APR-2021, the subject experienced blurry vision. On 08-APR-2021, the subject experienced numbness on left side of face and neck. On 08-APR-2021, the subject experienced swelling on inside of mouth. On 08-APR-2021, the subject experienced anxiety. On 08-APR-2021, the subject experienced feeling wired. On 08-APR-2021, the subject experienced nausea. On 09-APR-2021, the subject experienced tiredness. On 25-APR-2021, the subject experienced increased blood pressure. On 25-APR-2021, the subject experienced severe bursitis (arm felt as bugs biting the arm). Laboratory data included: Diagnostic ultrasound (NR: not provided) diagnosed with a severe case of bursitis (units unspecified), EKG (NR: not provided) diagnosed with a severe case of bursitis (units unspecified), and X-ray (NR: not provided) diagnosed with a severe case of bursitis (units unspecified). Treatment medications (dates unspecified) included: paracetamol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from blurry vision, increased blood pressure, and nausea on APR-2021, and tiredness on 11-APR-2021, had not recovered from numbness on left side of face and neck, and swelling on inside of mouth, and the outcome of severe bursitis (arm felt as bugs biting the arm), anxiety and feeling wired was not reported. This report was non-serious.; Sender's Comments: Medical assessment comment not required as per standard operating procedure as the case is assessed as Non-serious



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1276768	5/1/2021	TX		F	4/6/2021	4/6/2021	<p>Can't breath; tongue swollen; throat is real red; Itches all over; rash on the upper part of body; Fever; eyes are burning; feels like she got pneumonia; arm felt numb; headache; This spontaneous case was reported by a consumer and describes the occurrence of DYSPNOEA (Can't breath) and SWOLLEN TONGUE (tongue swollen) in a female patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 021B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below.</p> <p>Concurrent medical conditions included Asthma, Bronchitis and Sinusitis. On 06-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 06-Apr-2021, the patient experienced HYPOAESTHESIA (arm felt numb) and HEADACHE (headache). On 07-Apr-2021, the patient experienced EYE IRRITATION (eyes are burning), CHEST DISCOMFORT (feels like she got pneumonia) and PYREXIA (Fever). On an unknown date, the patient experienced DYSPNOEA (Can't breath) (seriousness criterion life threatening), SWOLLEN TONGUE (tongue swollen) (seriousness criterion life threatening), PHARYNGEAL ERYTHEMA (throat is real red), PRURITUS (Itches all over) and RASH (rash on the upper part of body). At the time of the report, DYSPNOEA (Can't breath), SWOLLEN TONGUE (tongue swollen), HYPOAESTHESIA (arm felt numb), EYE IRRITATION (eyes are burning), CHEST DISCOMFORT (feels like she got pneumonia), PHARYNGEAL ERYTHEMA (throat is real red), PRURITUS (Itches all over), RASH (rash on the upper part of body), PYREXIA (Fever) and HEADACHE (headache) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On an unknown date, Pyrexia: 98.3 (normal) normal. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Patient have not taken medical care at the time of report. No treatment information available. advised to seek medical care immediately. Company comment Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Reporter did not allow further contact; Sender's Comments: Based on the current available information and temporal</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

1276612	5/1/2021	KY					
---------	----------	----	--	--	--	--	--

			37	F			
--	--	--	----	---	--	--	--

4/7/2021	FEVER; BURNING IN EYES; COUGH; HEADACHE; CHILLS; INJECTION SITE PAIN; TIREDNESS; NAUSEA; This spontaneous report received from a patient concerned a 37 year old female. The patient's height, and weight were not reported. The patient's past medical history included seasonal allergies, and non-alcoholic, and concurrent conditions included cigarette smoker, and other pre-existing medical conditions included patient had no drug abuse or illicit drug use. Cigarette smoking: half-a-pack a day. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number:1808980) dose was not reported, administered on 07-APR-2021 to Left Arm for prophylactic vaccination. No concomitant medications were reported. On 07-APR-2021, the subject experienced chills. On 07-APR-2021, the subject experienced injection site pain. On 07-APR-2021, the subject experienced tiredness. On 07-APR-2021, the subject experienced nausea. On 24-APR-2021, the subject experienced headache. On 25-APR-2021, the subject experienced cough. On 26-APR-2021, the subject experienced fever. On 26-APR-2021, the subject experienced burning in eyes. Laboratory data (dates unspecified) included: Body temperature (NR: not provided) 100.0 F. Treatment medications (dates unspecified) included: ibuprofen. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from chills, injection site pain, tiredness, and nausea on 08-APR-2021, had not recovered from fever, headache, and cough, and the outcome of burning in eyes was not reported. This report was non-serious.
----------	--

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1276626	5/1/2021		49	M	4/19/2021		DEEP VEIN THROMBOSIS; This spontaneous report received from a consumer concerned a 49 year old male. The patient's weight was 80.3 kilograms, and height was 182.9 centimeters. The patient's past medical history included post-operative deep vein thrombosis (more than 30 years ago), depression, heart murmur, and back surgery, and his concurrent conditions included non-smoker, no alcohol use, and marijuana abuse. The patient had no history of known allergies. The patient's mother had a history of aneurysm. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: unknown, and expiry date: unknown) dose was not reported, administered on 08-APR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. Concomitant medications included fexofenadine hydrochloride (Allegra) for allergy, rivaroxaban (Xarelto) for venous thromboembolism, and omeprazole (Prilosec) for unknown indication. About one and half weeks after vaccination, on 21-APR-2021, the patient was taken to the emergency department and was admitted with the complaints of leg pain since 2 days with suspected blood clot in leg. Over the last days, patient's left leg looked swollen compared to the right leg. The patient also had pain, initially started in groin area and radiated down across the anterior portion of the leg, then to posterior leg, and into toes. The patient also had some intermittent tingling in toes. The patient denied of weakness, numbness or persistent paresthesia. The patient was concerned regarding the pain as it felt similar to the post-operative deep vein thrombosis he had in the past. The patient had been anxious since vaccination when hearing about the development of blood clots. The patient also denied of fevers, chills, chest pain, shortness of breath abdominal pain, nausea, vomiting, diarrhea, and difficulty walking. On 21-APR-2021 16:25, the patient's laboratory data included: Blood pressure (148/66 mmHg), Body mass index (24), Body temperature (98.8 F), Oxygen saturation (100 %) Pulse rate (88), and Respiratory rate (16). On 21-APR-2021 16:32, laboratory data included: Blood pressure (148/66 mmHg), Body temperature (97.8 F), Oxygen saturation (100 %), Pulse rate (91), and Respiratory rate (15). Other general physical examinations included: General: Well-developed well-nourished in no acute distress. HEENT

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

(Head, Eye, Ear, Nose, Throat) examination: normocephalic atraumatic extra ocular motions are intact. Neck examination: Supple without jugular vein distention or meningismus. Lung examination: Clear auscultation bilaterally without wheezes rales or rhonchi. Heart examination: Regular rate and rhythm without murmurs rubs or gallops. Abdomen examination: Soft no tender non-distended without rebound or guarding. Extremities: Without clubbing cyanosis edema, no lacerations or abrasions or ecchymosis noted, no appreciable size difference in the left leg compared to the right, the patient had some tenderness throughout palpation of the medial thigh on the left with radiation up into the left inguinal region, no calf tenderness or swelling, no erythema, palpable posterior tibialis pulse. Skin examination: Warm and dry and well perfused. Psych examination: Appropriate mood and affect. Neuro examination: Cranial nerves 2-12 are grossly intact, strength is 5/5 in upper and lower extremities, full distal sensation in the left lower extremity, full plantar and dorsiflexion of the left foot including the left great toe, sensation is grossly intact, awake, alert and oriented x3. On ultrasound Doppler venous lower extremity test, identified sub occlusive thrombus in the left superficial femoral veins, likely related to organizing/chronic thrombus, however no prior imaging was available at the institution for comparison, no evidence of occlusive deep vein thrombosis. The final diagnosis was made as Deep Vein Thrombosis (DVT). At no time the patient had ever endorsed any chest pain/pleuritic pain, shortness of breath or exertional dyspnea. Due to the nature of this clot, a course of anticoagulation was planned. Patient was prescribed with Xarelto at twice daily starting doses, with transition to 20 mg doses. During the initiation of treatment, the patient should be followed up by his primary care physician for further evaluation. The patient stated that he would call the primary care physician in the following morning for follow-up appointment. The patient was discharged from the hospital on APR-2021. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of deep vein thrombosis was not reported. This report was serious (Hospitalization Caused / Prolonged, and Other Medically Important Condition).; Sender's Comments: V0: 20210457179-Covid-19 vaccine ad26.cov2.s-deep vein thrombosis. This event is

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1276666	5/1/2021	CA		F		3/11/2021	<p>considered not related. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There are other factors more likely to be associated with the event than the drug. Specifically: MEDICAL HISTORY</p> <p>BLURRED VISION; SWOLLEN LIPS; BURNING LIPS; This spontaneous report received from a patient concerned a 91 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unk) dose was not reported, administered on 11-MAR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 11-MAR-2021, the subject experienced blurred vision. On 11-MAR-2021, the subject experienced swollen lips. On 11-MAR-2021, the subject experienced burning lips. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from blurred vision, swollen lips, and burning lips. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1276698	5/1/2021	OH	56	F	3/19/2021	3/19/2021	inappropriate schedule of product administration; facial angioedema/angioedema worse than ever; covered in hives/autoimmune condition came out of remission-dermatographism worse than ever; autoimmune condition came out of remission-chronic hives, angioedema and dermatographism worse than ever; sore arm; This spontaneous case was reported by a patient (subsequently medically confirmed) and describes the occurrence of ANGIOEDEMA (facial angioedema/angioedema worse than ever) in a 56-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 002B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Angioedema from 2013 to November 2020, Nissen fundoplication in 2004, Nissen fundoplication (re-do), Hernia repair and Intestinal operation (removal of part of stomach due to scar tissue from Nissen fundoplication in 2004). Family history included Osteopenia (diagnosed at age 51 due to undiagnosed hyperparathyroidism with adenoma) since an unknown date. Concurrent medical conditions included Hives (idiopathic chronic) since 2013, Dermatographism since 2013, Hypertension (controlled with medications), Chronic depression, Herniated disc, Gastroparesis, Kidney stones (from abnl urine calcium oxalate levels; primarily L. kidney (MD suspects medullary sponge kidney) with ureter stricture issues), Migraine (since early 20's), Chlaiditi's syndrome, Hyperparathyroidism secondary, Osteoarthritis (cervical spine, lumbar spine, bilat. hips, shoulders, wrists, hands, great toes & L. ankle. ), Enlarged thyroid (with nodules & isthmus), Fibromyalgia, Chronic fatigue syndrome, Insomnia (severe since age 13), Restless leg syndrome, Adenomyosis, Otitis media with effusion, Rhinitis (non-allergic), Asthma, Eczema, Food allergy (yeast, sugar, corn, and artificial sweeteners), Environmental allergy (strong odors- perfumes, cleaning products, cigarette smoke), Anxiety, Panic attacks (causes tachycardia), Mood disorder (extreme irritability-not bipolar), Lumbar disc herniation, Spinal hemangioma, Bone spur, Spinal stenosis (moderate), Degenerative disc disease (significant), Pinched nerve, Chronic gastritis, Constipation chronic (with intermittent bouts of diarrhea), Vagus nerve disorder, Gluten intolerance, Dairy

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

intolerance, Premature ventricular contractions (occasional due to stress- causes palpitations), Calcium low, Potassium low, Vitamin D deficiency, Vitamin B12 deficiency, Blood pressure high, Drug allergy (amlodipine- swollen feet and ankles), Allergy to antibiotic (amoxicillin/clavulanate potassium- severe pain, burning, and cramping in stomach), Allergy to antibiotic (sulfamethoxazole/trimethoprim- elevated heart rate, low oxygen levels, nausea & chest tightness ), Allergy to antibiotic (ciprofloxacin- elevated heart rate, low oxygen levels, nausea, tightness in chest, Achilles pain & photosensitivity), Drug allergy (diclofenac topical gel- vertigo), Drug allergy (dilaudid- severe nausea/vomiting, dizzy & slow heart rate), Allergy to antibiotic (doxycycline- severe nausea & eyesight issues), Drug hypersensitivity (general anesthesia- nausea), Drug allergy (hydrochlorothiazide- sudden drops in blood pressure, nausea, extreme fatigue & yeast infections), Drug allergy (all narcotics- nausea/vomiting), Drug allergy (pyridium- rash), Drug allergy (temazepam- asthma, tachycardia, anxiety, panic attacks & excessive urination) and Allergy to vaccine (MMR and shingles vaccine (Shingrix) but not hives, angioedema, or dermatographism). Concomitant products included CETIRIZINE HYDROCHLORIDE (ZYRTEC [CETIRIZINE HYDROCHLORIDE]) from 01-Feb-2021 to an unknown date for Allergy, ALPRAZOLAM (XANAX) for Anxiety and Panic attacks, ALBUTEROL SULFATE for Asthma, BENZONATATE for Chronic cough and Asthma, HYDROXYZINE HCL from 01-Feb-2021 to an unknown date and PREDNISONE for Chronic idiopathic urticaria, Angioedema and Dermatographism, IBUPROFEN for Chronic pain, MAGNESIUM OXIDE for Constipation, TRIAMCINOLONE ACETONIDE for Eczema and Urticaria, CALCIUM CITRATE for Hyperparathyroidism secondary and Osteopenia, VITAMIN D3 for Hyperparathyroidism, Osteopenia and Kidney stones, OLMESARTAN for Hypertension, CLONAZEPAM (KLONOPIN) for Insomnia, LAMOTRIGINE (LAMICTAL) for Irritability, TAMSULOSIN HYDROCHLORIDE (FLOMAX [TAMSULOSIN HYDROCHLORIDE]) for Kidney stones, VENLAFAXINE HYDROCHLORIDE (EFFEXOR SR) for Major depression, DIHYDROERGOTAMINE MESILATE and ACETYLSALICYLIC ACID, CAFFEINE, PARACETAMOL (EXCEDRIN MIGRAINE) for Migraine,

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

ZOLMITRIPTAN (ZOMIG) for Migraine headache, PROMETHAZINE HYDROCHLORIDE (PHENERGAN [PROMETHAZINE HYDROCHLORIDE]) for Nausea and Gastroparesis, ZOLEDRONIC ACID (RECLAST) for Osteopenia, AZELASTINE HCL and FLUTICASONE PROPIONATE for Rhinitis. On 19-Mar-2021 at 2:40 PM, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 19-Mar-2021, the patient experienced PAIN IN EXTREMITY (sore arm). On 24-Mar-2021 at 6:30 AM, the patient experienced MECHANICAL URTICARIA (covered in hives/autoimmune condition came out of remission-dermatographism worse than ever) and CONDITION AGGRAVATED (autoimmune condition came out of remission-chronic hives, angioedema and dermatographism worse than ever). On 20-Apr-2021, the patient experienced ANGIOEDEMA (facial angioedema/angioedema worse than ever) (seriousness criterion medically significant). On an unknown date, the patient experienced INAPPROPRIATE SCHEDULE OF PRODUCT ADMINISTRATION (inappropriate schedule of product administration). On 21-Mar-2021, PAIN IN EXTREMITY (sore arm) had resolved. At the time of the report, ANGIOEDEMA (facial angioedema/angioedema worse than ever), MECHANICAL URTICARIA (covered in hives/autoimmune condition came out of remission-dermatographism worse than ever) and CONDITION AGGRAVATED (autoimmune condition came out of remission-chronic hives, angioedema and dermatographism worse than ever) had not resolved and INAPPROPRIATE SCHEDULE OF PRODUCT ADMINISTRATION (inappropriate schedule of product administration) had resolved. mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was temporarily withheld on an unknown date. The patient's autoimmune conditions of idiopathic chronic hives, angioedema, and dermatographism were diagnosed in approximately 2013 and took about a year to get under control. During 2018, it came back so she was treated with omalizumab, but it lost effectiveness, so she was switched to ciclosporin for a month in January 2019. Then the patient was taken off ciclosporin and "doubled up" on cetirizine hydrochloride, and hydroxyzine per her immunologist. This "surprisingly" kept her under control from 01 Feb 2021 until she got the first vaccination. She



*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

noted she hadn't had an episode of angioedema since November 2020. Treatment included prednisone 60 mg on 20 Apr 2021 but the angioedema (which involved her eyes and lips) did not respond, although she said it had gone down somewhat. The patient was supposed to get her second dose of the vaccine on 22 Apr 2021 but that was cancelled per a nurse practitioner (NP) at the pharmacy because she took one dose of prednisone on 22 Apr 2021. The NP said that would make the vaccine less effective so she should wait until at least 27 Apr 2021 so that one dose of prednisone was out of her system. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Most recent FOLLOW-UP information incorporated above includes: On 23-Apr-2021: Major updates to multiple fields (medical history, concomitant medications, narrative); Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1276711	5/1/2021	IL	61	F	3/3/2021	3/1/2021	retinal tear; This spontaneous case was reported by a consumer and describes the occurrence of RETINAL TEAR (retinal tear) in a 61-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 010A21A) for COVID-19 vaccination. No Medical History information was reported. On 03-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. In March 2021, the patient experienced RETINAL TEAR (retinal tear) (seriousness criterion medically significant). At the time of the report, RETINAL TEAR (retinal tear) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. No concomitant medications were reported. No treatment information for the events was reported. The patient noticed floaters in her left eye, 2 to 3 weeks after first dose of vaccine. The patient contacted her Ophthalmologist and was informed that she was having retinal tear. Company comment: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1276715	5/1/2021	MN	61	M	3/14/2021	4/17/2021	<p>They are suspecting Dress Syndrome; erythema all over his body; broke out into a rash, started as a bulls eye rash in the arm; This spontaneous case was reported by a physician (subsequently medically confirmed) and describes the occurrence of DRUG REACTION WITH EOSINOPHILIA AND SYSTEMIC SYMPTOMS (They are suspecting Dress Syndrome) in a 61-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Parkinson's disease, Drug allergy (penicillin) and Drug allergy (ampicillin). Concomitant products included CEFALOXIN, CARBIDOPA, SILDENAFIL (VIAGRA [SILDENAFIL]) and DILTIAZEM for an unknown indication. On 14-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 15-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 17-Apr-2021, after starting mRNA-1273 (Moderna COVID-19 Vaccine), the patient experienced DRUG REACTION WITH EOSINOPHILIA AND SYSTEMIC SYMPTOMS (They are suspecting Dress Syndrome) (seriousness criterion medically significant), ERYTHEMA (erythema all over his body) and RASH (broke out into a rash, started as a bulls eye rash in the arm). At the time of the report, DRUG REACTION WITH EOSINOPHILIA AND SYSTEMIC SYMPTOMS (They are suspecting Dress Syndrome), ERYTHEMA (erythema all over his body) and RASH (broke out into a rash, started as a bulls eye rash in the arm) outcome was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Reporter mentioned patient is a mostly healthy, active farmer. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1276724	5/1/2021	IN	78	F			Stroke, Left side of her body effected/Something was wrong, Movement effected, Coordination abnormal, Blood clot; Woke up shaking; Eyesight effected; This spontaneous case was reported by an other caregiver (subsequently medically confirmed) and describes the occurrence of CEREBROVASCULAR ACCIDENT (Stroke, Left side of her body effected/Something was wrong, Movement effected, Coordination abnormal, Blood clot), TREMOR (Woke up shaking) and VISUAL IMPAIRMENT (Eyesight effected) in a 78-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. Concurrent medical conditions included Seizure. On an unknown date, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1. On an unknown date, the patient experienced CEREBROVASCULAR ACCIDENT (Stroke, Left side of her body effected/Something was wrong, Movement effected, Coordination abnormal, Blood clot) (seriousness criteria hospitalization prolonged, disability and life threatening), TREMOR (Woke up shaking) (seriousness criterion hospitalization prolonged) and VISUAL IMPAIRMENT (Eyesight effected) (seriousness criterion hospitalization prolonged). The patient was hospitalized on sometime in March 2021 due to CEREBROVASCULAR ACCIDENT. The patient was treated with Rehabilitation therapy for Cerebrovascular accident. At the time of the report, CEREBROVASCULAR ACCIDENT (Stroke, Left side of her body effected/Something was wrong, Movement effected, Coordination abnormal, Blood clot), TREMOR (Woke up shaking) and VISUAL IMPAIRMENT (Eyesight effected) outcome was unknown. Unknown For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Products known to have been used by the patient, within two weeks prior to the event, included seizure medication. Treatment for the event included intensive care and stroke unit. Company Comment: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. However, Very limited information regarding

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

---

this event has been provided at this time. Further information has been requested.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. However, Very limited information regarding this event has been provided at this time. Further information has been requested.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1276727	5/1/2021	WA	69	F	2/28/2021	4/11/2021	<p>She did not get much sleep one night; Bleeding profusely; Horrible cramping; Blood red, vampire red eye; This spontaneous case was reported by a consumer and describes the occurrence of HAEMORRHAGE (Bleeding profusely) in a 69-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 025A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No medical history was provided by the reporter. Concomitant products included LOSARTAN and MULTIVITAMINS [VITAMINS NOS] for an unknown indication. On 28-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 28-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 11-Apr-2021, the patient experienced HAEMORRHAGE (Bleeding profusely) (seriousness criterion medically significant), MUSCLE SPASMS (Horrible cramping) and OCULAR HYPERAEMIA (Blood red, vampire red eye). On an unknown date, the patient experienced SLEEP DISORDER (She did not get much sleep one night). At the time of the report, HAEMORRHAGE (Bleeding profusely), MUSCLE SPASMS (Horrible cramping) and SLEEP DISORDER (She did not get much sleep one night) outcome was unknown and OCULAR HYPERAEMIA (Blood red, vampire red eye) had not resolved. She is on HRT implant called BioTe and is scheduled for a Pap Smear After the first dose apart from fever she got all the flu like symptoms which lasted 6 days. 2 weeks after the second dose, she got horrible cramping and bled profusely for 7 days. She adds that her husband snores and she did not get much sleep one night and woke up the next day with some redness in her left eye which turned blood red, vampire red in the next few days. The eye is still red so she went to her retinologist to get her eye checked and he said there is no issue with the eye. She is concerned about her upcoming cataract surgery on Monday. Treatment information was not provided. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1276738	5/1/2021	SC	33	F	3/14/2021	4/11/2021	<p>uveitis on the right eye, rated 3 out of 4 in terms of worseness on a scale of 1-4; synechia forming on the back of the right eye.; stabbing pain that woke me up/It would hurt if I move my eye to look at something; very red eye assumed pink eye; blurry vision; watery eye; mild chills; tiredness; raised bump - at injection site; small light colored bruise remained; bump that itched - at injection site; red bump- at injection site; painful bump- at injection site; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of UVEITIS (uveitis on the right eye, rated 3 out of 4 in terms of worseness on a scale of 1-4) and IRIS ADHESIONS (synechia forming on the back of the right eye.) in a 33-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 014M20A and 031A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 14-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 11-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 11-Apr-2021, the patient experienced VACCINATION SITE MASS (raised bump - at injection site), VACCINATION SITE BRUISING (small light colored bruise remained), VACCINATION SITE PRURITUS (bump that itched - at injection site), VACCINATION SITE ERYTHEMA (red bump- at injection site) and VACCINATION SITE PAIN (painful bump- at injection site). On 12-Apr-2021, the patient experienced CHILLS (mild chills) and FATIGUE (tiredness). On 13-Apr-2021, the patient experienced EYE PAIN (stabbing pain that woke me up/It would hurt if I move my eye to look at something), OCULAR HYPERAEMIA (very red eye assumed pink eye), VISION BLURRED (blurry vision) and LACRIMATION INCREASED (watery eye). On 14-Apr-2021, the patient experienced UVEITIS (uveitis on the right eye, rated 3 out of 4 in terms of worseness on a scale of 1-4) (seriousness criterion medically significant) and IRIS ADHESIONS (synechia forming on the back of the right eye.) (seriousness criterion medically significant). On 13-Apr-2021, CHILLS (mild chills) and FATIGUE (tiredness) had resolved. On 14-Apr-2021, UVEITIS (uveitis on the right eye, rated 3 out of 4 in terms of worseness on a</p>



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

scale of 1-4), IRIS ADHESIONS (synechiae forming on the back of the right eye.), EYE PAIN (stabbing pain that woke me up/It would hurt if I move my eye to look at something) and OCULAR HYPERAEMIA (very red eye assumed pink eye) had resolved. On 23-Apr-2021, VACCINATION SITE BRUISING (small light colored bruise remained) had resolved. At the time of the report, VISION BLURRED (blurry vision), LACRIMATION INCREASED (watery eye), VACCINATION SITE MASS (raised bump - at injection site), VACCINATION SITE PRURITUS (bump that itched - at injection site), VACCINATION SITE ERYTHEMA (red bump- at injection site) and VACCINATION SITE PAIN (painful bump- at injection site) outcome was unknown. No concomitant medication included. Treatment medication included Steroid drops PredForte four times daily, dilating drop twice daily. Company Comment: Based on the information provided which includes a temporal association between the use of mRNA-1273 vaccine and onset of the reported events, a causal relationship cannot be excluded. Vaccination site pruritus, vaccination site erythema, vaccination site pain, chills and fatigue are consistent with the product safety profile. This case was linked to MODERNATX, INC.-MOD-2021-089596 (E2B Linked Report).; Sender's Comments: Based on the information provided which includes a temporal association between the use of mRNA-1273 vaccine and onset of the reported events, a causal relationship cannot be excluded. Vaccination site pruritus, vaccination site erythema, vaccination site pain, chills and fatigue are consistent with the product safety profile MODERNATX, INC.-MOD-2021-089596:Case for dose 1

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1276767	5/1/2021	FL	35	F	1/26/2021	1/26/2021	<p>Blurred vision "in a tunnel"; Blurred vision "in a tunnel"; Difficulty walking; Dizzy; Tingling in face and mouth; Face felt flushed; Chills; Nauseas; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of TUNNEL VISION (Blurred vision "in a tunnel") in a 35-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 008C21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No medical history was reported. Concomitant products included AMFETAMINE ASPARTATE, AMFETAMINE SULFATE, DEXAMFETAMINE SACCHARATE, DEXAMFETAMINE SULFATE (ADDERALL), AMPHETAMINE, EPINEPHRINE, AMLODIPINE, NIMODIPINE and ALPRAZOLAM for an unknown indication. On 26-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 26-Jan-2021, the patient experienced TUNNEL VISION (Blurred vision "in a tunnel") (seriousness criterion medically significant), VISION BLURRED (Blurred vision "in a tunnel"), GAIT DISTURBANCE (Difficulty walking), DIZZINESS (Dizzy), PARAESTHESIA (Tingling in face and mouth), FLUSHING (Face felt flushed), CHILLS (Chills) and NAUSEA (Nauseas). At the time of the report, TUNNEL VISION (Blurred vision "in a tunnel"), VISION BLURRED (Blurred vision "in a tunnel"), GAIT DISTURBANCE (Difficulty walking), DIZZINESS (Dizzy), PARAESTHESIA (Tingling in face and mouth), FLUSHING (Face felt flushed), CHILLS (Chills) and NAUSEA (Nauseas) was resolving. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 21-Jan-2021, COVID-19: positive (Positive) other. On 22-Feb-2021, COVID-19: negative (Negative) other. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. A few minutes after vaccine administration, the patient became dizzy, nausea, blurred vision "in a tunnel", chills, difficulty walking and tingling in face and mouth. Her face also felt flushed at the time. The patient was then transported by Ambulance to the Emergency Room. At the Emergency Room the patient was treated and discharged. The side effects have improved, but are still present at this time. Treatment medications included lorazepam and ondansetron. Company comment: This</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

case concerns a 35-year-old female with PMH of COVID-19 a serious unexpected event of tunnel vision, and non serious unexpected vision blurred, gait disturbance, dizziness, paresthesia, flushing, and expected chills and nausea. Event onset the same day as first dose mRNA-1273. Events resolving. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.; Sender's Comments: This case concerns a 35-year-old female with PMH of COVID-19 a serious unexpected event of tunnel vision, and nonserious unexpected vision blurred, gait disturbance, dizziness, paraesthesia, flushing, and expected chills and nausea. Event onset the same day as first dose mRNA-1273. Events resolving. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1276475	5/1/2021	MI	70	F		4/1/2021	<p>BLACK TOE; STUBBED HER RIGHT SMALL TOE; SEVERE HEADACHE; CHEST PRESSURE; CHEST PAIN; SORE ARM; NECK PAIN; MUSCLE ACHES; EXTREME TIREDNESS; SHORTNESS OF BREATH; HEAVY AND TIRED EYE; MULTIPLE BRUISE; BLURRED VISION IN LEFT EYE; FUNNY EYES; COUGHING; This spontaneous report received from a patient concerned a 70 year old female. The patient's height, and weight were not reported. The patient's past medical history included covid-19 in march 2020, and concurrent conditions included migraine on the right or left side of her head, and sinus problem. he patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 043A21A, expiry: 21/JUN/2021) dose was not reported, administered on 08-APR-2021 for prophylactic vaccination. Concomitant medications included mecobalamin. On APR-2021, the subject experienced shortness of breath. On APR-2021, the subject experienced heavy and tired eye. On APR-2021, the subject experienced multiple bruise. On APR-2021, the subject experienced blurred vision in left eye. On APR-2021, the subject experienced funny eyes. On APR-2021, the subject experienced coughing. On APR-2021, the subject experienced neck pain. On APR-2021, the subject experienced muscle aches. On APR-2021, the subject experienced extreme tiredness. Laboratory data included: Platelet count (NR: not provided) Normal. On 08-APR-2021, the subject experienced sore arm. On 10-APR-2021, the subject experienced chest pressure. On 10-APR-2021, the subject experienced chest pain. On 14-APR-2021, the subject experienced stubbed her right small toe. On 14-APR-2021, the subject experienced severe headache. On 15-APR-2021, the subject experienced black toe. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from chest pressure, and chest pain on 11-APR-2021, and heavy and tired eye, blurred vision in left eye, funny eyes, coughing, black toe, stubbed her right small toe, sore arm, severe headache, muscle aches, and extreme tiredness on APR-2021, had not recovered from multiple bruise, and the outcome of shortness of breath and neck pain was not reported. This report was non-serious.; Sender's Comments: V0 Medical assessment comment not required as per standard</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

operating procedure as the case assessed as non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1279221	5/1/2021			F			<p>mental foggiess; blurred vision; Feverish/a fever of 102; Muscle ache; pins and needles in her upper arms and legs; Headache; This is a spontaneous report from a contactable healthcare professional (patient) received by Pfizer from Medical information Team. A female patient of an unspecified age received BNT162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration on an unspecified date (Batch/Lot number was not reported) as single dose for COVID-19 immunisation. The patient medical history was not reported. She had previously received the first dose of BNT162b2 for COVID-19 immunisation and experienced a little blurred vision. The patient's concomitant medications were not reported. A few hours after the second dose, the patient experienced a fever of 102. The fever went through the night and all though the next day and through the next night. She took tylenol and advil for the fever but the fever did not go away but did slightly reduce the fever. She had muscle aches when she had a fever. She had been feverish for two days and after that had blurred vision. She also experienced pins and needles in her upper arms and legs. She stated she had a mental foggiess that barely went away yesterday (unspecified date). At the time of reporting, the the blurred vision was still occurring. The patient went to an optometrist but they did not have an answer for her. The patient also reported a headache but said it could be due to trying to study with blurred vision. The event blurred vision was not resolved. The outcome of the other events was unknown. No Follow-up attempts are needed; information about lot/batch number cannot be obtained.; Sender's Comments: Based on chronological connection to the vaccine a causal relationship between reported event mental foggiess and BNT162b2 (PFIZER-BIONTECH COVID-19 VACCINE) cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278742	5/1/2021	MI	68	F	4/7/2021	4/8/2021	today she is off kilter again; feels a heaviness in her eyes; all that coughing like something is irritating her lungs and she can't stop; it was making her lungs hypersensitive.; all of a sudden she got really really hot, she runs about 97-97.4 and she got so hot and her face got really red like she had a high fever and she was 99.2; burning in her stomach and a stomach ache; burning in her stomach and a stomach ache; never has that much energy when she was normal/had tons of energy; woke up on day 4 in the middle of the night and her lungs were pinching, pinching, pinching, like an asthma attack and she couldn't stop it and she had to get her old fashioned inhaler to stop it; tired; had weakness with climbing stairs and with exertion/ zapping her energy; 2 inches below the injection site the muscle was hard and swollen and sore; 2 inches below the injection site the muscle was hard and swollen and sore; 2 inches below the injection site the muscle was hard; This is a spontaneous report received from a contactable consumer (patient). A 68-year-old female patient received the first dose of BNT162B2 (PFIZER- BIONTECH COVID-19 VACCINE) via an unspecified route of administration, administered in left arm on 07Apr2021 14:40 (lot number: EW0150) at age of 68 years as single dose for COVID-19 immunisation. Medical history included low vitamin D, lungs were working at 75% the capacity of an 84 year old and not 68 year old and asthma attacks. Concomitant medications included vitamin D2 and D3 and regular vitamins for low vitamin D, had been taking that for 6-7 weeks, tiotropium bromide (SPIRIVA RESPIMAT) 2.5mcg takes 2 inhalers a day in the morning and salbutamol sulfate (PROAIR) 2 puffs and a special medication because her lungs were working at 75% the capacity of an 84 year old and not 68 year old and put her on an asthma medication to open her lungs. Patient got a flu shot every year and got it in Jan2021 and nothing. Patient stated that her symptoms were mild. Patient stated on day 1 after she got the shot she had nothing, that was 07Apr2021. Stated the next day (08Apr2021) she did not have injection site soreness but 2 inches below the injection site the muscle was hard and swollen and sore and remained that way for days 2, 3 and about day 4 it started to recede and day 7 it was tender. Stated it was one muscle and it was below the injection site, not at the injection site. Stated it was a

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

lifting muscle, if she lifted her arm up it could only go so far and she would feel it and drop her arm down. Stated she got the injection in her left arm as she used it the least. Stated on days 2 (09Apr2021), 3 and 4 she had weakness with climbing stairs and with exertion, she could do it but she would notice it was more of a struggle. Stated that today she was off kilter again. Patient relayed that she looked all over online to see if she was sick with something. Stated she was tired on days 3 (10Apr2021) and 4 and that on days 5 (12Apr2021) and 6 she had tons of energy and she worked from dawn to dusk waxing floors and never has that much energy when she was normal. Stated that all of a sudden on day 5 and 6 she was perfect and then toward the evening of day 6 she thought it was her as she had to go to the Secretary of States and stand in line to renew her license and she did well and got home and started feeling tired. States she woke up last night of day 6 (13Apr2021) with a burning in her stomach and a stomach ache and it woke her and made her feel like she had food poisoning or something like that and nothing happened and she took 2 Tums and it kind of settled that down. Stated on day 7 (14Apr2021) she woke up and the stomach part was gone and all of a sudden she got really really hot, she runs about 97-97.4 and she got so hot and her face got really red like she had a high fever and she was 99.2, which is not much for most people but she feels and she took Motrin and after that she still feels a heaviness in her eyes and her temperature is 98.6 and she is normally in the 97's and was running a 2 degree fever and now maybe a 1 degree fever and she felt it in her eyes and didn't feel sick. Stated she felt fatigued like she want to take a nap but didn't feel ill. Stated whatever was going on was zapping her energy. Stated she woke up on day 4 (11Apr2021) in the middle of the night and her lungs were pinching, pinching, pinching, like an asthma attack and she couldn't stop it and she had to get her old fashioned inhaler to stop it. Stated this hadn't happened and she had been taking the special medication for 3 weeks now and it was very rare for her to get those attacks and this was worse than any. Patient relayed that today all day even with the special medication to open her lungs she can feel in her lungs that they were, she can't explain it, like they are gripping and releasing and gripping and releasing a little but. Stated she knew she



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

was having some kind of asthma thing going on, it was not making her cough it was making her lungs hypersensitive. Stated she was expecting everything and she did read and nobody had symptoms that last more than 7 days and she was expecting them to be gone tomorrow, or she hoped anyways. Stated the last 10 days had been easy-peasy and all of a sudden she was waking with all that coughing like something was irritating her lungs and she can't stop. Patient provided that it woke her husband up with her coughing for half an hour. States this lasted half an hour and was more than normal and something really irritated her lungs, shouldn't have happened as she is on the other thing every day and has not had an attack with that. Patient stated her provider didn't know as it was so relatively minor and was unusual but minor and she did not feel like it was life threatening. Stated her brother had Covid and she did not feel like she was trying to breathe and couldn't, or suffocating and dying. She did not feel that. The air irritated to even breathe and made her cough and couldn't stop and that was the first time she had to use an inhaler on top of on inhaler and something made her lungs respond to nothing there. Stated it may be her immune system thinking something was there, the headless thing in her lungs. Patient stated she thought she was over it and then got the fever not understanding if the fever was Covid related and she stayed at home and didn't go out until yesterday it was the 1st day out since Thursday and how could she have caught anything if she wasn't near anybody. Stated these were just thoughts in her head. Outcome of events was unknown.; Sender's Comments: The reported event of asthma aggravated was assessed as possibly related based on temporal association. The impact of this report on the benefit-risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for AE. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, ethics committees and investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278759	5/1/2021	FL		F	2/23/2021	2/24/2021	<p>~~I was going to pass out, thought I was going to die"; dry heaves; burning sensation inside my body; Severe Diarrhea; I had chills; headache; Feeling sick; This is a spontaneous report from a contactable consumer. A 70-year-old elderly female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration, administered in Right Arm on 23Feb2021 (Batch/Lot Number: EN6202) as SINGLE DOSE for covid-19 immunisation. Dose 1 of BNT162B2 for COVID-19 immunisation was given on 29Jan2021 lot number unknown in right arm. Medical history included macular degeneration from an unknown date, glaucoma from an unknown date, hypertension from an unknown date (controlled), and herpes zoster from 2017 to an unknown date. The patient is not pregnant. The patient did not have Covid-19 prior vaccination. The patient had no known allergies. Concomitant medications included losartan (LOSARTAN) taken for an unspecified indication, start and stop date were not reported; amlodipine besilate (AMLODIPINE BESILATE) taken for an unspecified indication, start and stop date were not reported; and carvedilol (CARVEDILOL) taken for an unspecified indication, start and stop date were not reported. Other medications in two weeks also included unspecified eye drops for glaucoma. No other vaccine was given in last four weeks. The patient experienced "I was going to pass out, thought I was going to die" on 24Feb2021, dry heaves on 24Feb2021 with outcome of recovered, burning sensation inside my body on 24Feb2021 with outcome of recovered, severe diarrhea on 24Feb2021 with outcome of recovered, chills on 24Feb2021 with outcome of recovered, headache on 24Feb2021 with outcome of recovered and feeling sick on 24Feb2021 with outcome of recovered. All events recovered on an unspecified date in 2021. The patient was not Covid tested post vaccination. No follow-up attempts are possible; No further information is expected.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278775	5/1/2021		28	F	4/18/2021	4/18/2021	fainted; dizzy; warm; arms had seized up and were twitching; leg and body had also briefly been shaking; eyes were dilated; vomiting; arm is sore; sweaty; This is a spontaneous report from a non-contactable consumer (patient). A 28-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), dose 2 via an unspecified route of administration, administered in Arm Left on 18Apr2021 11:00 (Batch/Lot Number: Unknown) as SINGLE DOSE for COVID-19 immunisation. The patient was not pregnant at time of vaccination. Medical history was reported as none. There were no concomitant medications. The patient previously had first dose of BNT162B2 (Lot number: ER8727) on 28Mar2021 01:00 PM in the left arm at 28 years old for COVID-19 immunisation and experienced fainting. On 18Apr2021 11:15 AM, the patient fainted about 10 minutes after second dose was vaccinated. The patient became dizzy and very warm and then woke up about 5-7 seconds after had fainted. The patient's arms had seized up and were twitching and leg and body had also briefly been shaking. The patient was very sweaty and warm. The patient's eyes were dilated when woke up according to the overseeing nurse. The patient said it was scary. Half hour after, the patient felt fine but then began vomiting when got home. The patient's arm is sore but nothing else has happened. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. The outcome of the events was recovering. No treatment was given to the patient for the events. No follow-up attempts are possible; information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278778	5/1/2021	AZ	46	M	4/2/2021	4/12/2021	<p>calf feels tight, stiff, it feels like dead weight/started within the last 2- 3 weeks; calf feels tight,; pain running up the right arm up to the shoulder; pain running up the right arm up to the shoulder/his calf pain, started to feel tight, started within the last 2- 3 weeks; He asks if someone can tell him if it is a blood clot in the back of his calf; his eyes also hurt a little bit; This is a spontaneous report from a contactable consumer (patient). A 46-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), second dose at the age of 46-years-old via an unspecified route of administration, administered in arm left on 02Apr2021 (Batch/Lot Number: ER8734) as single dose for covid-19 immunisation. There was no medical history reported. There were no concomitant medications. The patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 12Mar2021 (lot number: EN6202) at the age of 46-years-old for covid-19 immunisation and experienced If it is a blood clot in the back of his calf, Regular pain feeling, Headache, Muscle pain, Calf feels tight, stiff, it feels like dead weight, Pain running up the right arm up to the shoulder and Calf pain, started to feel tight. The patient reported that he has been feeling the regular pain feeling, a headache, muscle pain before, it comes and goes on 12Mar2021. However, he says that the last few days there had been, by his calf muscle in the back there, they've been tightening, like stiffening up on him when he's sleeping on an unspecified date. It wakes him up at times. He also reports pain running up the right arm up to the shoulder on an unspecified date. He says he is just curious in terms of what that might be. He asks if someone can tell him if it is a blood clot in the back of his calf on an unspecified date. The headache went away after 2-3 days. He says his eyes also hurt a little bit on 12Apr2021 and was the same time frame as the headache. He says those things were just mild, nothing major. He did not take anything for it. He confirmed he no longer has muscle pain. He just has pain behind the calf and right arm up to his shoulder. He says his calf pain, started to feel tight, started within the last 2- 3 weeks. The arm pain in right arm up to shoulder started maybe within the last 2 days. The outcome of the events was unknown. Follow-up attempts completed. No further information expected.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278821	5/1/2021	WA	21	M	5/1/2021	5/1/2021	Patient got vaccine and sat down. He felt tired, his vision and hearing was impaired, and his skin turned white. He was still talking to us and somewhat alert but felt very tired and lightheaded. After continuing to talk to him for about 5 minutes, he started feeling better and his skin color recovered. He was able to drink water and his senses came back. He kept sitting and staff member watched him longer till he was able to get up .

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278862	5/1/2021	IL	88	F	2/19/2021	3/26/2021	throat closing, tongue swelling, face swelling and a hard time breathing/ diagnosed her symptoms as angioedema; potassium was low and sodium was low; potassium was low and sodium was low; This is a spontaneous report from a contactable consumer (patient). An 88-year-old female patient received her second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EN6198) at the age of 88-years-old, via an unspecified route of administration in left deltoid on 19Feb2021 at single dose for COVID-19 immunization; losartan potassium (lot number: LJ5020047-A, expiration date: Aug2023), via an unspecified route of administration from 2011 to an unspecified date in 2021 at 50 mg, 1x/day for blood pressure high; diclofenac sodium modified-release tablet (lot number: PW6V5QFTAF61, expiration date: May2022), via an unspecified route of administration from an unspecified date to an unspecified date in 2021 at 75 mg, 1x/day for an unspecified indication; ibuprofen (ADVIL LIQUI GELS, 200 mg strength, lot number: CY1426, expiration date: Jun2022) capsule, via an unspecified route of administration from an unspecified date to an unspecified date in 2021 at 2-4 capsules, as needed (daily) for an unspecified indication; and aflibercept (EYLEA) injection, ophthalmic from an unspecified date to 11Mar2021 at 1 DF (injection), every 8 weeks in each eye for macular degeneration. Medical history included macular degeneration (the wet kind), blood pressure high, spinal stenosis, and thyroid disorder (reported as thyroid something) she provided that it was something like hypotrachea (as reported). The patient's concomitant medications were not reported. The patient previously received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL8982) at the age of 88-years-old, via an unspecified route of administration in right deltoid on 29Jan2021 at 0.3 mL, single for COVID-19 immunization. The patient was calling about the Pfizer COVID-19 vaccine and mentioned that she had a reaction but didn't think it was from the vaccine because it was 5 weeks to the date after the second shot. The reaction was very severe, and she had to visit the emergency room. The patient experienced throat closing, tongue swelling, face swelling and a hard time breathing. She saw her primary care provider after that, and she also saw her PMR doctor-

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

physical medicine and rehabilitation. The doctors recommended that she report this reaction to the COVID 19 vaccine five weeks later. Both doctors thought it might be from the vaccine and it was worth reporting. When asked about the symptoms and if they occurred at that same time, the patient stated yes, and they diagnosed her symptoms as angioedema in the emergency room. This happened on 26Mar2021. The patient was never admitted to the hospital. When asked if angioedema improved, worsened or was persisting, patient stated it was nonexistent now. The events happened after the second dose of the vaccine. The patient had to stop her medications because her primary care provider was unsure what may have caused this reaction, but it may be her medications. She has been taking losartan potassium for about ten years but now had to stop because angioedema could possibly be the result of that, even after ten years. She also had to stop diclofenac sodium because they may have caused that kind of reaction. Having to stop ibuprofen broke her heart as she has taken it for years. This too could have that type of reaction. For aflibercept, she mentioned that she gets the injections in both eyes every eight weeks. She had it 31 times in the right eye and 30 times in the left eye. The reaction she was speaking of, the emergency room, came exactly 2 weeks after she had her last injections, which was on 11Mar2021. Angioedema was an emergency situation, if the throat closes and they couldn't open it up, they may cut into the neck and windpipe. The description was enough to scare her. Both doctors suggested the Pfizer vaccine as just possibly a late reaction. The patient had a basic metabolic panel while in the emergency room. She reported that potassium and sodium was low. Chest Xray- the patient did not have a report on it. Nasal scan was fine. COVID nasal test was negative. Swab for many other kinds of viruses was negative. All of these tests were done on 26Mar2021. The action taken in response to the events for losartan potassium, diclofenac sodium, ibuprofen, and aflibercept was unknown. The outcome of the event "potassium was low and sodium was low" was unknown and recovered on an unspecified date in 2021 for the other event.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278952	5/1/2021	MO	60	F	4/8/2021	4/8/2021	anaphylactic reaction; anti kell antibodies in her blood; nausea; her left and her right hips, both, had severe pain/her right knee joint is in severe pain; she could barely walk and she couldn't bend at all; really weak; had leg aches; she couldn't stay awake/she couldn't sleep again; diarrhea; severe pain at the back of her neck with a headache; severe pain at the back of her neck with a headache; had extreme fatigue; lightheadedness; upper back pain; bloody nose; she couldn't see out of her left eye for about 2 hours; she couldn't breathe; This is a spontaneous report from a contactable consumer. A 60-year-old female patient received her second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot Number: ER8731), via an unspecified route of administration, administered in Arm Right on 08Apr2021 10:41 as SINGLE DOSE for covid-19 immunisation (Age at vaccination: 60 years). Medical history included ongoing chronic obstructive pulmonary disease, ongoing chronic kidney disease and Positive ANA. The patient's concomitant medications were not reported. The patient received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: ER8727) on 18Mar2021 for covid-19 immunisation and experienced First dose: a little bit of soreness and swelling all on the site. The patient stated that during her second dose last Thursday on 08Apr2021, she had an anaphylactic reaction and she couldn't breathe and long story short she had to go to the emergency room and she was given all kinds of epi shots and treatment and stuff and eventually she had to be kept in the ICU unit. She is not sure why she had such a severe reaction. She wanted to report that since then she has kept track every day on how she has been and she actually thought yesterday was the first day that she had felt better. She had extreme fatigue, lightheadedness, upper back pain and even a bloody nose on 10Apr2021 and also she couldn't see out of her left eye for about 2 hours. Then on 11Apr2021, she had severe pain at the back of her neck with a headache that lasted about 20 minutes and she couldn't move her neck. She had diarrhea and the only temperature she had was on 12Apr2021, it was only 99.5 degrees Fahrenheit, which isn't bad, but she had really bad diarrhea on 12Apr2021 and she took Imodium. She had a headache and slight breathing difficulties and things like that. On 13Apr2021 she had a headache, was



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

really weak, had leg aches, fatigue that was really bad and she couldn't stay awake and her temperature that day was 98.7 degrees Fahrenheit which is normal. Then yesterday, 15Apr2021, she thought she was over all the things and that she was feeling better from the fatigue, nausea (occurred on an unspecified date), lightheadedness but she couldn't sleep again. She didn't sleep since Wednesday morning until last night finally and she only slept for an hour since Wednesday morning. She woke up on 15Apr2021 and had no symptoms except her left and her right hips, both, had severe pain and she could barely walk and she couldn't bend at all. All she could do it take Tylenol and she used a heating pad and the pain was excruciating. She went to bed last night and she did sleep for maybe a total of 2 hours and when she woke up this morning her left hip seemed to be a little better but her right hip is still in severe pain and now her right knee joint is in severe pain too. Other than that, she has no other symptoms just the joint pain. She didn't know it would go on for this long, it has been over a week now and she just wanted to let us know about this. The patient was hospitalized for the event anaphylactic reaction from 08Apr2021 to 08Apr2021. The patient underwent lab tests and procedures which included Blood typing: anti kell antibodies (doctor randomly decided to do a blood typing and they found anti kell antibodies in her blood) on an unspecified date, temperature: 99.5 degrees fahrenheit on 12Apr2021, temperature: 98.7 degrees fahrenheit on 13Apr2021. Therapeutic measures were taken as a result of anaphylactic reaction, dyspnoea, diarrhea and arthralgia. Outcome of the event anaphylactic reaction was recovered with sequelae on 09Apr2021 while outcome of the events nausea, dyspnea, arthralgia, sleep disorder and movement disorder was unknown. Outcome of the event vision impairment was recovered on 10Apr2021 while outcome of the event neck pain was recovered on 11Apr2021. Outcome of the remaining events was recovered on 15Apr2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1279058	5/1/2021	GA	85	M	2/9/2021		<p>bent over to look up and almost blacked out; swimmy headedness was really more noticeable after second shot; sensation in equilibrium or vision or whatever; weakness; felt different/really knew something was wrong/something is not right; This is a spontaneous report from a contactable consumer (patient). An 85-year-old male patient received the second dose of bnt162b2, via an unspecified route of administration, administered in Left arm on 09Feb2021 (Lot Number: EM9810) as single dose for covid-19 immunisation. The patient medical history and concomitant medications were not reported. The patient previously received the first dose of bnt162b2, at the age of 85-year-old, via an unspecified route of administration, administered in Left arm on 20Jan2021 (lot number: EL3302) as single dose for covid-19 immunization and experienced Vertigo, felt peculiar, nausea, dizziness/swimmy headed. The patient previously received the flu shot for immunization and experienced Sore arm. He is 85 and not familiar with all the goings on today but heard a report the other day and did not know there was such a thing as Vertigo. He thought that was just a movie. When he took the shot at (place name) in (county name) on 20Jan2021, soon thereafter, not that day but maybe next, he felt peculiar. It was just uneasiness and he did not feel right. That went on and on 09Feb2021, he got second shot and he got swimmy headed, but it has continued on since then and probably gotten worse, especially when he gets up in the morning. He has to hold on until he gets balanced or coordinated. It just doesn't seem right After he gets up and gets going, it is not as prevalent. But then sometimes it strikes him and he is just completely out of it. He later stated the peculiar feeling and swimmy headedness started the same day as the first injection, but he just did not really pay attention to it and thought it was just one of those things that you accept with getting older. Wife and he both went and he thought his feelings were merely from excitement or depletion or exhaustion. He felt like he had weakness and he just felt different. He got it at noon and waited for 15 minutes. Because of the events around him at the time, it did not register with him because it was the stress of driving 30 miles through expressway. Old people aren't used to driving that far. It got worse after the second shot and then he really knew something was wrong. When you are old, you have these</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

feelings and pains and aches and all that stuff, and you just accept it as being old. It did not register with him until a couple of weeks ago when he heard it on TV about Vertigo and he said that is what he has. The swimmy headedness was really more noticeable after second shot, it brought it on stronger. He does not complain about things and thought it may just be getting old. He said it just kept on and getting a little worse and worse. Then he said something is not right and one day he bent over to look up and almost blacked out because of sensation in equilibrium or vision or whatever. He got scared and that was a couple of weeks ago. (name) was not cognizant of what was going on until he heard on television about Vertigo. One of the news channel mentioned or somebody mentioned it. It was just general things. He confirmed it was regarding someone who had gotten Vertigo after getting the vaccine but did not have a particular person to report on. NO ER or physician's office required. The outcome of the event dizziness aggravated and Weakness was not recovered, other events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1279104	5/1/2021	CO	18	F	5/1/2021	5/1/2021	The patient was sitting in the waiting area following her vaccination when shortly after receiving the vaccine, her mother flagged us down and said that she lost her vision. She was describing feeling unwell. I had her lay down on the floor in the immunization booth and her mother elevated her legs. I asked her to describe her symptoms and she said that she just saw all white. I asked if she wanted me to check her blood pressure and I had her sit up on the floor and it was low around 75/53 with a pulse of 53 but not sure how accurate it was since she was sitting on the floor. She fluctuated from starting to feel better and feeling unwell again and her vision going out again. I asked if they wanted me to call 911 and her mother said she wasn't sure what to do, if she should take her to an urgent care. I said that it would be best if she was seen in an emergency room where they can better respond to this kind of situation. The patient was able to get up and walk with her mother's assistance. I was going to help walk her out but she said that she was okay walking out with her mother's help. About 10 minutes later, I called the patient to see how she was doing. Her mother said that she was doing okay and that they were on their way to the hospital just to make sure that she was checked and everything was okay.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278697	5/1/2021	RI	44	F	3/31/2021	4/2/2021	It feels like an MS flare; left eye blood vessel rupture with pain; left eye blood vessel rupture with pain; pressure emanating to left eye; Dizziness; off-balance; headache and head pressure; headache and head pressure; chest heaviness; exhaustion; nausea; This is a spontaneous report from a contactable consumer (patient). A 44-year-old non-pregnant female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number was not reported), via an unspecified route of administration, administered in Arm Left on 31Mar2021 17:45 as single dose for COVID-19 immunization on an unspecified facility. Medical history included multiple sclerosis, ulcerative colitis, rheumatoid arthritis, and seasonal allergy from an unknown date. The patient took several unspecified concomitant medications taken within two weeks. The patient previously took metoclopramide (REGLAN) for nausea and experienced drug allergy. No other vaccines were taken in four weeks. No COVID-19 prior to vaccination and not tested for COVID-19 post vaccination. On 02Apr2021, the patient had MS flare, left eye blood vessel rupture with pain and pressure emanating to left eye, dizziness, off-balance, headache and head pressure, chest heaviness, exhaustion, and nausea. The patient visited the emergency room and physician's office where she was given an unspecified treatment. The outcome of the events was not recovered. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1279208	5/1/2021	UT	26	F	4/7/2021	4/7/2021	lost vision; migraine; unable to lift head; chest pain; nausea; This is a spontaneous report from a non-contactable consumer (patient). A 26-year-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiry date not reported), via an unspecified route of administration, administered at the right arm on 07Apr2021 10:45 (age at vaccination was 26 years) as single dose for COVID-19 immunization. Medical history and concomitant medications were not reported. The patient was not pregnant at the time of vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was vaccinated at pharmacy or drugstore. The patient was not diagnosed with COVID-19 prior to vaccination. Since the vaccination, the patient had been tested for COVID-19. The patient experienced lost vision on 07Apr2021 with outcome of recovered on an unspecified date, migraine on 07Apr2021 with outcome of recovered on an unspecified date, was unable to lift head on 07Apr2021 with outcome of recovered on an unspecified date, chest pain on 07Apr2021 with outcome of recovered on an unspecified date, and nausea on 07Apr2021 with outcome of recovered on an unspecified date. The patient underwent lab tests and procedures which included sars-cov-2 test: negative on an unspecified date. Therapeutic measures were taken as a result of lost vision, migraine, unable to lift head, chest pain, nausea that included migraine medication, ibuprofen, and nausea medication. No follow-up attempts are possible. Information about lot/batch number cannot be obtained. No further information is expected.
1278847	5/1/2021	CA	45	F	4/7/2021	4/14/2021	Left eye twitching.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1279253	5/1/2021	MO	61	U	3/27/2021	3/31/2021	ear pain; eye dry; sore throat; Bell's palsy on the left side of my face; This is a spontaneous report from a contactable consumer (patient). A 61-year-old patient of an unspecified gender received first dose of BNT162B2), via an unspecified route of administration on 27Mar2021 16:00 (Batch/Lot Number: ER8733) as single dose in left arm for covid-19 immunisation. Medical history included hypertension and blood cholesterol increased from an unknown date. Concomitant medications included evolocumab (REPATHA) 420mg monthly intramuscular for an unspecified indication, start and stop date were not reported; lisinopril taken for an unspecified indication, start and stop date were not reported. At 8:30 pm, four days after the COVID vaccine (on 31Mar2021), patient started to have dried left eye, pain behind my left ear and real deep sore throat and took 1 tablet of Ibuprofen 200mg orally (treatment), and went to bed and then the next morning, woke up with total paralysis on the left side of face, lip was dripping, eye wouldn't close and was diagnosed with Bell's palsy by the doctor. Outcome of events was not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1279258	5/1/2021	FL	49	F	4/1/2021	4/1/2021	her symptoms started as a couple of dots at the injection site; The rash started growing all over her body; Rash growing all over body was worsened; It is still burning and itching; It is still burning and itching; Neither of them can sleep; This is a spontaneous report from a contactable consumer (Patient husband) via Medical Information Team. A 49-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Lot# unknown), via an unspecified route of administration on 01Apr2021 (at the age of 49-years) as single dose for COVID-19 immunisation. It was reported that the patient received vaccine 22 days ago. The patient medical history and concomitant medications were not reported. On an unspecified date in Apr2021, patient experienced symptoms that started as a couple of dots at the injection site that got worsen and started growing all over her body, it is still burning and itching, neither of them can sleep. There is no relief for her rash even after ten days. Patient visited the emergency room four times and has been to her primary doctor and her pain management doctor where she received six different prescriptions, of which three are from a hospital which prescribed over-the-counter medicine and asked to come back after seven days. But nothing helped and the rash is still growing like poison ivy. Reporter described that patient back looks like the surface of Mars as seen on a television channel. Nothing else was different in her diet or medications outside of the vaccine. Later, patient visited another hospital where she was prescribed with another medication. Patient received treatment with an unspecified intravenous (IV) medication which helped her to sleep. Reporter stated that none of the medication helped except the IV medication, considered so because it helped her sleep. Reporter was upset and thought that Pfizer vaccine gave the patient that rash. The outcome of the event insomnia was recovered and the outcome of the event condition aggravated was unknown while for all the other events, it was not recovered. No follow-up attempts are needed; information about lot/batch number cannot be obtained.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1279280	5/1/2021	MA	17	M	4/7/2021	4/8/2021	broken blood vessel in right eye; flu like symptoms; dull headache/ sharp pain on right side of head; slight fever; exhaustion; upset stomach; This is a spontaneous report from a contactable consumer (patient). A 17-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiration date not provided) via an unspecified route of administration on 07Apr2021 11:00 as a single dose for COVID-19 immunisation. The patient has no medical history and there were no concomitant medications. The patient has no known allergies. Prior to the vaccination, the patient was not diagnosed with COVID-19. On 08Apr2021, a day after the vaccine, the patient began experiencing flu like symptoms with dull headache, slight fever, exhaustion and upset stomach. 10 days later, on 17Apr2021, he developed sharp pain on right side of head, and broken blood vessel in right eye. The events resulted in Doctor or other healthcare professional office/clinic visit. No treatment was given in response to the events. The patient underwent COVID test post vaccination via Nasal swab on 17Apr2021 and was negative. The outcome of the events was not recovered. Information about lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1279286	5/1/2021	GA	48	M	4/14/2021	4/14/2021	coughing; loss of vision comes and goes; Chills; body and back pain; body and back pain; Fatigue: he has been in his bed and falling asleep in his chair for the past few days; This is a spontaneous report from a contactable consumer (patient). A 48-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/Lot Number: ER8131), via an unspecified route of administration on 14Apr2021 at 09:20 (at the age of 48-years-old) as a single dose for COVID-19 immunisation. The patient's medical history was not reported. There were no concomitant medications. The first vaccine has been experiencing loss of vision, chills, body and back pain, and fatigue for the past 3 days, from 14Apr2021. He wanted to know if he should go to the ER. The patient was audibly coughing while on the call. He went to the appointment at 09:20 on 14Apr2021 and while driving back he noticed the loss of vision at about 10:15 on 14Apr2021. He said that the loss of vision comes and goes but is still persisting. On fatigue: Patient has been in his bed and falling asleep in his chair for the past few days. Chills, body and back pain and fatigue were reported as worsened. The outcome of the events loss of vision, chills, body and back pain, and fatigue was not recovered, while of coughing was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1279290	5/1/2021	MI	71	F	3/31/2021	4/16/2021	<p>noting large bump after hour later a large Boulder size bump on forehead same eve as lost of I remembered loss consciousness; noting large bump after hour later a large Boulder size bump on forehead same eve as lost of I remembered loss consciousness; Large brown circle surround site of shot; bruising surrounding it; some welting. Some tenderness; some welting. Some tenderness; Mild concussion with symptoms. Amnesia at time of loss of consciousness.; Mild concussion with symptoms. Amnesia at time of loss of consciousness.; This is a spontaneous report from a contactable consumer. A 71-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), dose 2 via an unspecified route of administration, administered in Arm Left on 31Mar2021 12:30 (at the age of 71-years-old) (Batch/Lot Number: ER8732) as SINGLE DOSE for covid-19 immunisation. Medical history included, neuropathy peripheral, drug hypersensitivity, diarrhoea, vision blurred blurred/double vision since Feb, hypertension Mild high blood pressure. Drop in blood pressure and increase in blood pressure month after Covid, chills, MGUS, non symptomatic ascending aorta aneurysm, pronounced cough, fever, sore throat, flu symptom. I had the virus on 30Nov after being unknowingly infected with virus by someone unknowingly with virus, some 8 feet away, with no direct interaction. Experienced fever 4 days later. tested. Virus positive. Excessive flu symptom-pronounced cough, fever, sore throat. treated w/antibodies some 8 days later. The patient received first dose of BNT162B2 for COVID-19 immunization on 10Mar2021 ({Product=COVID 19, brand=Pfizer, Lot number=EN6199, Lot unknown=False, Administration date=10Mar2021, Administration time=12:30 PM, Vaccine location=Left arm, Dose number=1}). Concomitant medication included hydrochlorothiazide, lisinopril (ZESTORETIC); bupropion hydrochloride (WELLBUTRIN); naproxen (NAPROXEN). Large brown circle surround site of shot, with additional bruising surrounding it. Not noticed until 18 days after 2nd shot, some welting. Some tenderness. Don't know when first appeared, does not appear to be fading. No reaction after first shot. (There was sudden unexpected loss of consciousness after sudden slumping. Wednesday eve before noting large bump after hour later a large Boulder</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

size bump on forehead same eve as lost of l  
remembered loss consciousness. Mild concussion with  
symptoms. Amnesia at time of loss of consciousness. Do  
not know if two are related. Deep brown circle on left arm  
noted 2 day later. The patient did not receive treatment  
for the events. The patient underwent lab tests and  
procedures which included sars-cov-2 test: positive on  
30Nov2020. The outcome of the events was not  
recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1279311	5/1/2021	MD	45	M	3/25/2021	3/26/2021	stroke/mini stroke; he couldn't move/loss of motor function/movements were off; Loss of motor function including movement and speech/couldn't speak; head was very tingly; speech was not slurred but more like there was an impediment; he couldn't move his mouth properly, his tongue and the bottom of his jaw wasn't moving like he wanted it to; Caller states he thought he was going to die, his body was shutting down; behavior change; his legs are shaky; eyes feel a little dry; thumbs weren't working right; rule out MS or Parkinson's; rule out MS or Parkinson's; I have had some sort of off feeling in my head, occasionally worse than other days/feels like he has a really tight cap on his head; he was a little dry thought he may be dehydrated; very tired; pounding headache in the back of his head constantly; he was twitching; really off-feeling; digestive issues/digestive problems; eyes were real mucousy/First week mucous in my eyes/could be allergy; eyes were real mucousy/First week mucous in my eyes/could be allergy; This is a spontaneous report from a contactable consumer (patient). A 45-year-old male patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot Number: ER2613), via an unspecified route of administration, administered in Arm Left on 25Mar2021 as single dose for COVID-19 immunization on an unspecified facility. There were no medical history. No known allergy. The patient had no health issues with any severity, he is pretty athletic, pretty healthy. The patient's concomitant medications were not reported. No COVID-19 prior to vaccination. On 26Mar2021, the patient had digestive issues/digestive problems, eyes were real mucus, first week mucous in my eyes which could be allergy which resolved on 01Apr2021. On 06Apr2021 08:00 the patient reported that he couldn't move/loss of motor function and movements were off but his cognitive functions were fine, loss of motor function including movement and speech/couldn't speak, had some sort of off feeling in my head, occasionally worse than other days/feels like he has a really tight cap on his head, suffered a stroke or mini stroke and was sent to the emergency room. On 06Apr2021 at unspecified time the patient couldn't move his mouth properly, his tongue and the bottom of his jaw wasn't moving like he wanted it to, head was very tingly, speech was not slurred but more like there was an impediment, very tired, pounding

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

headache in the back of his head constantly, he was a little dry thought he may be dehydrated, he was twitching, really off-feeling, and states he thought he was going to die, his body was shutting down. On an unspecified date, the patient had eyes feel a little dry, thumbs weren't working right, his legs are shaky, and noticed behavior change. The patient was hospitalized for 3 days from 06Apr2021 to 09Apr2021 due to thought he was going to die, his body was shutting down, stroke/mini stroke, couldn't move his mouth properly, his tongue and the bottom of his jaw wasn't moving like he wanted it to, couldn't move/loss of motor function/movements were off, head was very tingly, speech was not slurred but more like there was an impediment, loss of motor function including movement and speech/couldn't speak. The patient underwent lab tests and procedures which included IGG antibody test: positive and IGM antibody test: negative both on 19Apr2021, computerised tomogram: showed nothing on 06Apr2021, echocardiogram: unknown result on unspecified date, magnetic resonance imaging brain: showed nothing both on an unspecified date in Apr2021 (not sure if 15Apr2021 or 16Apr2021) and on 07Apr2021, COVID-19 test: negative on 06Apr2021, repeat COVID-19 test: negative on 07Apr2021. Therapeutic measures were taken as a result of stroke/mini stroke, loss of motor function including movement and speech/couldn't speak have had some sort of off feeling in my head, occasionally worse than other days/feels like he has a really tight cap on his head which includes TPA and digestive issues/digestive problems were treated with high fiber diet. The outcome of the event he was going to die, his body was shutting down, stroke/mini stroke, he couldn't move/loss of motor function/movements were off, head was very tingly, speech was not slurred but more like there was an impediment, loss of motor function including movement and speech/couldn't speak, have had some sort of off feeling in my head, occasionally worse than other days/feels like he has a really tight cap on his head, very tired, pounding headache in the back of his head constantly was not recovered, for the events digestive issues/digestive problems, eyes were real mucousy/first week mucous in my eyes/could be allergy was recovered on 01Apr2021, while for the rest of the events was unknown. Caller states he has an appointment with a

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1279321	5/1/2021	SC		F	4/19/2021	4/19/2021	<p>neurologist and he's trying to get it moved up. Caller states his doctor wants to do a lumbar puncture to rule out MS or Parkinson's that sort of thing. Caller states but at this point they are trying to rule things out. Caller states he doesn't have a family history of really either them. Caller states there was no diagnosis. Caller states the doctor said he was pretty sure its a stroke, mini stroke, but his general practitioner doesn't think its a mini stroke. Caller states the effects are so long going and they will improve and fall back and then the doctor also said at the fact that has been cognitively aware the whole time, so there's been no official diagnosis yet.</p> <p>felt like the left side of her body was numb; felt bad; blurred vision; dizziness; anaphylactic reaction; This is a spontaneous report from a contactable consumer (patient) via medical information team. A 57-year-old female received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: solution for injection, lot number and expiry date unknown) via an unspecified route of administration on 19Apr2021 as a single dose for COVID-19 immunisation. Medical history and concomitant medications were not reported. On 19Apr2021, the patient experienced difficult breathing, difficult to swallow, dizziness, headache, tachycardia, low blood pressure, redness in her face, felt shortness of breath and felt bad right after received the vaccination. 30 min after administration, the patient was admitted to the emergency room to manage the condition and was in observation for 3 hours and was diagnosed as anaphylactic reaction to the vaccine. After being released from the emergency room, the patient was experiencing blurred vision, tachycardia, continuous headache, felt like the left side of her body was numb, had nausea and dizziness. The patient was treated with benadryl and ondansetron in emergency room. Outcome of the events were reported as unknown. Follow-up attempts are needed. Further information is expected.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1279461	5/1/2021	CA	33	M	3/23/2021	3/23/2021	I got shingles about one month after the second dose. I had severe pain around my spine and back on Friday (4/23/2021) and by the next morning developed red bumps on the left side of my nose that I at first mistook for acne. They produced a very tiny amount of white liquid secretion. The bumps turned darker and I got a red rash on the left side of my nose. The left side of my face as well as the lymph nodes around my collar area swelled up. By Tuesday morning, it spread to my left eye, so I went to the ER where they started me on two new antibiotics. After none of the antibiotics worked, I started an antiviral (acyclovir) and antiviral eye drops and started to improve. The rash and swelling reduced and no new blisters have formed. The doctor and I both thought it likely I had shingles.
1277837	5/1/2021	VA	53	F	4/9/2021	4/12/2021	Fatigue, backache, blurred vision, left leg pain, headache



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278546	5/1/2021	OH	68	F	4/8/2021	4/10/2021	<p>confused/When talking to her she is talking out of her head/hought her condo was turned completely around; She is having headaches; muscle pain; chills; double vision; dizziness; her arm, and joint pain; her arm, and joint pain; extremely exhausted; This is a spontaneous report from a contactable consumer. A 68-year-old female patient (consumer's mother) received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), first dose via an unspecified route of administration on 08Apr2021 (Batch/Lot number unknown as complainant does not have the product with them at the time of call) as SINGLE DOSE for covid-19 immunisation. The patient medical history and concomitant medications were not reported. Reporter was calling about her mother. The patient was fine before she got this shot and no one can seem to help her. They had the vaccine on 08Apr2021 and her mom (patient) started having severe reactions to it on 10Apr2021. Patient had the chills, muscle aches, muscle pain, headache, dizziness, her arm, and joint pain. She did not have fever, but had chills. She had double vision now. The symptoms are not going away. They are getting worse. They took her mom to the ER. The patient was confused. When talking to her she was talking out of her head. The severity of confusion is she thought her condo was turned completely around. Patient was not getting better. Went to the doctor and the doctor was at a lost. Patient was extremely exhausted. Caller stated they all took the same shot on the same day and her mom was the only one to have a reaction. Patient was literally out of her mind. Caller's dad had to take patient to the store with him because he didn't want to leave her by herself. They live in a condo on the second floor. Her mom thought the condo was reversed. Her dad was worried to leave her mom by herself because he didn't want her to go out the wrong door and go over the balcony. Her mom was not like that prior to receiving COVID19 Vaccine. Reporter was asked if there was an antidote. They were told patient should see her doctor and that she need treatment but no one could give they something to antidote the vaccine. The outcome of events was not recovered. No follow-up attempts are needed; information about lot/batch number cannot be obtained.</p>

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1279193	5/1/2021		60	F	2/10/2021		<p>Back disorder; lower back issues; Feeling abnormal; felt fuzzy; Vaccination site pain; sore arm; Dizzy; Fatigue; Energy decreased; not feeling as much energy as before; Pain upon movement; walk about a block but then starts to hurt; This is a solicited report from a contactable consumer (patient) via a non-Pfizer sponsored program, based on the information received by Pfizer (Manufacturer Control No: 21K-163-3774842-00).</p> <p>Solicited report from a consumer of a 60 year old female with events of heart/atrial flutter, atrial fibrillation, eye surgery and arm surgery and non-serious weight gain due to attempting to stop smoking, lower back issues, felt fuzzy, got first dosage of covid-19 vaccine and experienced sore arm, fatigue and dizzy from the blood thinners after surgery, still not feeling as much energy as before and walk about a block but then starts to hurt with humira 40mg/0.4ml (adalimumab). The patient had a relevant medical history of tobacco use/four cigarette sticks per day, seropositive high titer rheumatoid arthritis, fingers swelling, joint pain, joint swelling and lost of blood flow in hands and legs. On unknown dates, the patient experienced eye surgery, arm surgery, lower back issues, felt fuzzy, got first dosage of covid-19 vaccine and experienced sore arm, fatigue and dizzy from the blood thinners after surgery, still not feeling as much energy as before and walk about a block but then starts to hurt. In 2020, the patient experienced heart/atrial flutter and atrial fibrillation. In Sep2020, the patient experienced weight gain due to attempting to stop smoking. On 24Feb2021, the heart/atrial flutter and atrial fibrillation resolved. Covid-19 vaccine was also considered suspect. The patient had eye and arm surgery in the past. On 24Feb2021, she underwent pulmonary vein cryoballoon ablation surgery for the atrial fibrillation and atrial flutter. She had a procedure done and went into her heart and froze the nerve endings that were causing the atrial fibrillation, and also fixed the flutter in her heart. The causality as per reporter for this procedure was reported as no reasonable possibility. She still recovering. She discontinued the Humira two weeks before the surgery and took her last injection on 10Feb2021 and was paused it for four weeks, but she started back it on 10Mar2021. She follows up with her surgeon at the end of the month and she hopes this helps got her off of the blood thinners and other medicines, she been on for this.</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

She stated that this was not related Humira. She was advised by her physician to increase the exercise to lose some weight. With her lower back issues, she was hoping that when she got off of the blood thinners, she could do pain shots again and start exercise. She could walk about a block but then she started to hurt. She had been careful with her diet also, cut out the salt also. This had nothing to do with Humira and she did not want to be contacted about this again for this also. She felt fuzzy, it took her most of the morning to get woken up. Her Doctor thinks once she would off of the blood thinners she would be back to normal. Other than that she feels fine. She does not wanted to be contacted about this. It was unknown if patient was enrolled in a COVID-19 Vaccine Trial. On unknown date, patient received first dose COVID-19 Vaccine manufactured by Pfizer, lot number unknown. She agreed to have physician contacted. Blood thinner was also considered as co-suspect. Other medical history included abstains from alcohol, contrast dyes allergy manifested by scratch throat, allergy manifested by bowel movements (oral medications for rheumatoid arthritis; up to eight times a day and slept 15 hours per), prevent esophagus damage, heart, low thyroid, and attention-deficit/hyperactivity disorder. The patient's concomitant medications included pantoprazole to prevent esophagus damage, metoprolol for heart, levothyroxine for low thyroid, vortioxetine hydrobromide (TRINTELLIX) for depression, and dexamfetamine sulfate (DEXTROAMPHETAMINE) for attention-deficit/hyperactivity disorder. The patient underwent laboratory tests and procedures which included blood work: everything was fine in Jan2021; chemical stress test and treadmill stress test: confirmed atrial fibrillation and atrial flutter in Sep2020; body weight: gain in Sep2020; and X-ray: confirmed atrial fibrillation in Sep2020. The action taken in response to the events for adalimumab and apixaban was unknown. The patient recovered from atrial flutter and atrial fibrillation on 24Feb2021. Outcome of Feeling abnormal and Pain upon movement was unknown. The patient had not recovered from the remaining events. Change History: On 05Mar2021, received updates to patient demographics, medical history, event information, reporter opinion of causality, suspect drug information, concomitant drug information, past drug information,

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

laboratory/diagnostic procedures and narrative description. The events of "atrial flutter", "atrial fibrillation" and "weight gain due to attempting to stop smoking" were added. On 11Mar2021, received updates to patient demographics, medical history, event information, reporter opinion of causality, company opinion of causality, company alternative etiology, suspect drug information, laboratory/diagnostic procedures and narrative description. The events of "LOWER BACK ISSUES" and "WALK ABOUT A BLOCK BUT THEN STARTS TO HURT" were added. the event of "atrial flutter" was amended to "heart/atrial flutter". On 08Apr2021, received updates to event information, reporter opinion of causality, company opinion of causality, company alternative etiology, suspect drug information and narrative description. The events of "felt fuzzy", "got first dosage of covid-19 vaccine and experienced sore arm", "fatigue and dizzy from the blood thinners after surgery" and "still not feeling as much energy as before" were added. Causality for humira 40mg/0.4ml(adalimumab): The reporter's causality for the event(s) of heart/atrial flutter, atrial fibrillation, eye surgery, arm surgery, weight gain due to attempting to stop smoking, lower back issues, got first dosage of covid-19 vaccine and experienced sore arm, fatigue and dizzy from the blood THINNERS after surgery unknown onset and fatigue and dizzy from the blood thinners after surgery unknown onset with humira 40mg/0.4ml(adalimumab) was no reasonable possibility. The reporter's causality for the event(s) of felt fuzzy, still not feeling as much energy as before and walk about a block but then starts to hurt was not provided. Manufacturer opinion is that there is no reasonable possibility that the events of heart/atrial flutter, atrial fibrillation, eye surgery, arm surgery, weight gain due to attempting to stop smoking, lower back issues, felt fuzzy, got first dosage of covid-19 vaccine and experienced sore arm, fatigue and dizzy from the blood thinners after surgery unknown onset, fatigue and dizzy from the blood thinners after surgery unknown onset, still not feeling as much energy as before and walk about a block but then starts to hurt are related to humira 40mg/0.4ml(adalimumab). The reporter's assessment of the causal relationship of the events with BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) was not

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

provided at the time of this report. Since no determination has been received, the case is managed based on the company causality assessment. No follow-up attempts are possible; information about batch number cannot be obtained. No further information is expected.; Sender's Comments: Based on the current available information , the events of sore arm, fatigue and dizzy could be related to the suspected drug of BNT162B2. The other events are most likely related to an intercurrent or underlying condition which is not related to the suspected drug. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278470	5/1/2021	MA	42	F	3/18/2021	3/18/2021	Palpitations; a weird feeling under her skin; Shortness of breath; the chest pressure was in the middle of her chest. She said the chest pressure felt like something sitting on her lungs; Dizziness; At the time she was given her COVID-19 Vaccine shot, she had a warmth that went down her left arm (the arm she received her COVID-19 Vaccine in) to her left fingertips & to her left back; dry eyes; she was coughing more; the increase in coughing had made her voice huskier sounding; This is a spontaneous report from a contactable consumer (patient). This 42-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 18Mar2021 08:45 Arm Left (Lot Number: EP6955, Expiration Date: 30Jun2021) single dose for covid-19 immunisation. Medical history included ongoing Crohn's disease from 1999, ongoing Hidradenitis suppurativa at the end of 2019, ongoing Small Fiber Peripheral Neuropathy diagnosed at the end of 2019. She said her doctor was not sure of the Small Fiber Peripheral Neuropathy's cause, or if the Small Fiber Peripheral Neuropathy was associated with any of her other medical conditions. She said she had symptoms for sometime, and was diagnosed with a lot of things at the end of 2019 because she was finally able to see a specialist. Concomitant medications included adalimumab (HUMIRA AC) from in Feb2020 at 40mg injection pen once a week for her Crohn's disease. Reported she has had no reactions to flu or pneumonia vaccines for immunisation in the past. She said she had her first COVID-19 Vaccine dose on Thursday, 18Mar2021. She said on Saturday morning (20Mar2021), she had shortness of breath, dizziness, and chest pressure. She said her shortness of breath, dizziness, and chest pressure has been lasting for 20-something days, and she doesn't know why. She said she had taken two (different) week long prescriptions of Prednisone. She said she had 2 EKGs, 2 chest x-rays, and blood work, which were all normal on 13Apr2021 and 2021. She said her doctors don't know why she was having the shortness of breath, dizziness, and chest pressure. She said she was using inhalers, medications, and everything, and still had her symptoms. She asked if what she was experiencing was a side effect of the COVID-19 Vaccine, or due to her 2 autoimmune

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

diseases because her doctors were grasping at straws at this point. Reported she had so many medical conditions, and was taking so many different medications. Reported she has had shortness of breath and chest pressure every day, but the dizziness wasn't constant, and had lessened. She said she has never had the shortness of breath and chest pressure before. She said she has never had anything last that long either. She said she was wondering if her shortness of breath and chest pressure were caused by the COVID-19 Vaccine. Clarified the chest pressure was in the middle of her chest. She said the chest pressure felt like something sitting on her lungs, saying it was an odd feeling. Reported she was coughing more, and she believed the increase in coughing had made her voice huskier sounding in 2021. She said she had a cough associated with outdoor allergies, but the cough she had now didn't feel like her normal allergy cough. She said she had no mucus. She said she was not sneezing, or coughing out anything. She said the cough she had now was different. Reported at the time she was given her COVID-19 Vaccine shot 18Mar2021, she had a warmth that went down her left arm (the arm she received her COVID-19 Vaccine in) to her fingertips. She said the warmth feeling also went to the left side of her back. She said she was kept longer after she got her COVID-19 Vaccine for monitoring. She said the warmth feeling in her left arm, left fingertips, and left back didn't last long, and went away. Reported she had gone to the Emergency Room on Tuesday, 13Apr2021, because she had palpitations, and a weird feeling under her skin. She said while at the Emergency Room, she had an EKG, chest x-ray, and blood work. She said the doctor was looking for a blood clot. She said all her testing came back negative for a blood clot. She said earlier that day (13Apr2021) was her 3rd visit to her doctor since her symptoms had started. Reported she had started Restasis on 19Mar2021, the day after her first COVID-19 Vaccine. She said she was prescribed Restasis for dry eyes, and didn't have the dose, NDC, Lot, and Expiration Date because she was not at home. AEs require a visit to Emergency Room and Physician Office. Treatment included Stated she had taken 2 different week long doses of Prednisone to treat her symptoms. She said she first took Prednisone 40mg, once a day, for 7 days. She said she was off the

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

Prednisone 40mg for 2 days, and had instructions to call her doctor if she wasn't feeling better. She said she went back to her doctor, and was prescribed Prednisone 60mg for 3 days, then Prednisone 40mg for 3 days, and then Prednisone 20mg for 3 days. She said she did not have the 2 Prednisone prescription NDC, Lot, and Expiration Dates. She said she was also put on a 10-day Azithromycin 250mg tablet prescription. She said she took a Azithromycin 500mg (2-250mg tablets) dose the first day, and then Azithromycin 250mg, once a day, for the next 9 days. She said she did not have the Azithromycin 250mg tablet NDC, Lot, and Expiration Date. She said she was also prescribed an Albuterol (90mcg per actuation) inhaler, providing: NDC Number: 66993-019-68, Lot Number: A63H, Expiration Date: Jan2022. She said she didn't feel like the Albuterol inhaler was doing the rescue part, and that she could take the Albuterol inhaler every half hour. Reported she was prescribed an Albuterol inhaler (90mcg per actuation) for shortness of breath. Outcome of the event Shortness of breath, the chest pressure was in the middle of her chest. She said the chest pressure felt like something sitting on her lungs, coughing more, the increase in coughing had made her voice huskier sounding was not recovered. Outcome of the event Palpitations, a weird feeling under her skin was unknown. Outcome of the event Dizziness was recovering. Outcome of the event had a warmth that went down her left arm (the arm she received her COVID-19 Vaccine in) to her left fingertips & to her left back was recovered on 18Mar2021. No follow-up attempts are needed. No further information is expected.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1277851	5/1/2021	IN	18	F	5/1/2021	5/1/2021	Administered vaccine at 12 noon. At roughly 12:03pm the patient started experiencing signs of syncope. She had pale blue lips, ringing in ears, changes in vision/blurry vision, she felt dizzy/light headed. The symptoms began improving at roughly 12:10 and had almost completely resolved by 12:15. I kept the patient for an additional 15 minutes for monitoring. I counseled patient on what to do if they felt as though they were going to pass out. I provided a cold compress for the back of the patient's neck, and had ammonia inhalant on standby but didn't have to use to help keep patient conscious. By 12:30 the patient was feeling completely normal again. Her mom/stepmom was with her and was able to drive her home. I asked them to reach out in case of any other symptoms developed.
1277900	5/1/2021	VA	64	M	1/28/2021	2/1/2021	2021-01-28 Received the 1st shot of COVID-19 vaccine Pfizer and noticed on or about February 1, my farsighted vision began to change for the better in that I was able to read fine print and view the computer screen without wearing prescription glasses. 2021-02-19 Receive the 2nd shot of COVID-19 vaccine Pfizer and subsequently my vision changed where my nearsightedness became worst and I began to see halos when looking at lighted objects, especially at night. **Later I researched and found the Pfizer vaccine can cause symptoms of illness that can lead to high glucose levels.
1278070	5/1/2021	OK	83	F	3/10/2021	3/22/2021	UTI 3/16/2021-3/20/2021. UTI 4/28/2021. Sensitivity to light 3/24/2021 - current. Blurry Vision 3/20/2021 - 3/24/2021. Partial blindness 4/04/2021 - current. Headaches 3/24/2021 - current. Doctor ruled not a stroke. Stroke of the eye due to blood clot or plaque build up is the highest suspected cause. No previous incidents of this nature had occurred.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278338	5/1/2021	NY	17	M	5/1/2021	5/1/2021	Patient given first dose of COVID vaccine today. After being vaccinated patient walked over where his brother was sitting. Soon after sitting he felt weak and fell to the floor, patient appeared to be shaking for 2 seconds, generalized, witnesses unsure if he hit his head. No eye rolling, no foaming of the mouth, no incontinence noted. Patient was monitored and assisted off the floor to a wheelchair. While being assessed at a nearby cot, while sitting, the patient's eyes rolled back, upper limb shaking for 2 seconds. Patient does not remember either episode. Vitals: 120/70, HR 88, RR14, Oxygen 100%, Glucose 113, exam: patient alert and oriented x3, PERRLA, heart RRR, normal S1 and S2, no murmur, lungs cleared. Due to second episode occurring, 911 was called. Mother was on site and full report given to her. Patient was getting up and heart rate noted to drop to 56, he felt dizzy at this point and sat down, then laid down. The patient was evaluated by EMT and was taken to hospital for further evaluation.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278945	5/1/2021	MI	61	M	4/12/2021	4/12/2021	right eye went blind for several Minutes; hemorrhage behind eye; when it cleared I had white clouds that were blocking vision; PAMM; This is a spontaneous report from a contactable consumer. A 61-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration, in the left (unspecified anatomical location) on 12Apr2021 (Batch/Lot Number: ER8734), at the age of 61-years-old, as single dose for COVID-19 immunization. Medical history included overweight and elevated BP. The patient own allergies. The patient previously took the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via unspecified route of administration in the left arm on 22Mar2021 02:30 pm (lot number: EP7534), at the age of 61-years-old. There are other unspecified medications in the last two weeks. There are no other vaccines in four weeks. The patient experienced right eye went blind for several minutes and when it cleared, the patient had white clouds that were blocking vision. Ophthalmologist saw hemorrhage behind eye called it PAMM. The events happened 4 hours after vaccine 2nd dose on 12Apr2021 18:00. Retinal specialist believed it may be vascular but could not determine cause. Dr. advised that he was one of several patients who had eye issues after vaccine. Therapeutic measures were taken as a result of the events. The patient had no prior vaccination, the patient was not tested for COVID post vaccination. The outcome of the event was not recovered. The events were reported as serious-disability.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278466	5/1/2021	MO	77	F	2/6/2021	2/7/2021	stroke caused by a blood clot; stroke caused by a blood clot; right arm went completely numb; She is tired; shortness of breath; her eyes were blurry; her head felt like somebody put a spike in it on the right side; sore arm; This is a spontaneous report from a contactable consumer. A 77-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in Arm Left on 06Feb2021 13:15 (Lot Number: EM9809) (at age of 77-year-old) as single dose for COVID-19 immunisation. Medical history included colitis ulcerative from Oct2020 (dropped weight, she dropped from 127 pounds to 109 pounds) , cardiac disorder, atrial fibrillation, and osteoporosis, all were ongoing. Concomitant medications included carvedilol taken for cardiac disorder, atrial fibrillation from an unspecified start date and ongoing; cyanocobalamin (VITAMIN B12) taken for cardiac disorder from 2018 (reported as has taking it close to 3 years) and ongoing; denosumab (PROLIA) taken for osteoporosis from an unspecified start date and ongoing; ubidecarenone (Q10) taken for cardiac disorder from unknown start date and ongoing; calcium, colecalciferol (CALCIUM + D3) taken for osteoporosis from 2020 (reported as a year ago) and ongoing; influenza vaccine (FLU VACCINE VII) taken for an unspecified indication, start and stop date were not reported, and vitamins NOS (MULTIVITAMIN) from an unspecified start date and ongoing, the patient started taking it when she was a senior in high school and stated because she is not the best eater in the world. There was no prior vaccinations (within 4 weeks). AE(s) following prior vaccinations: The patient stated arm is sore with flu shot and probably did when she was little when she got the loaded shot, the mumps one. She wouldn't remember that because she was little. The patient experienced stroke caused by a blood clot on 20Feb202114:30 with seriousness criteria hospitalization, sore arm on 07Feb2021, and right arm went completely numb, tired, shortness of breath, her eyes were blurry, her head felt like somebody put a spike in it on the right side on an unspecified date. The event stroke caused by a blood clot result in emergency room visit.The patient was hospitalized for stroke caused by a blood clot from 23Feb2021 to 24Feb2021. The patient reported that she received the first dose and she is thankful she got it on

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

06Feb2021 and the only side effect she had was a sore arm. Stated on 20Feb2021 she had a stroke caused by a blood clot obviously, she ended up in the hospital. She didn't think at the time, doesn't fault the physicians that took care of her. She didn't think it was related and her eldest son thought it was related. The patient stated they thought it was a mild stroke and after they did the C scan the neurosurgeon, while she was lying in the hospital bed, looked at her assistant and said he couldn't believe that she was talking and walking. The patient stated part of it was ignorance on her part, everyone thought it was the left side that numbs, but hers was the right side. Stated she didn't fall, she dropped something and went down to get it and her right arm went completely numb and she couldn't get back up and she tried to push with legs and couldn't get up. Stated all of a sudden her eyes were blurry and then she never gets headaches and her head felt like somebody put a spike in it on the right side, stated it is supposed to affect the left side. stated she has a heart problem. The patient stated she had a sore arm for about a week, lasted for a few days. stated she gets a sore arm with the flu shot. stated when she would roll over to lay on her left side and roll over on that arm it was enough to wake her up. stated it lasted about 5 days. She couldn't figure out why it was lasting so long. Stated the second thing that happened was that she went to her son's home that night for dinner, hadn't told him about it and while she was eating dinner she asked am i leaning to the left and he said yes, she was and that her words were being slurred and only lasted for about 10 mins. Stated she didn't call and ignorance is unreal with this stuff. She went to urgent care the next day and they didn't call the ambulance. When she went to the doctor on 23 Feb2021 she was sent immediately to Hospital so she could go through the ER and that's when the neurosurgeon became involved. Stated right now her balance isn't quite right but she is driving and she was taking care of herself and they didn't send anyone home to help her. She was not having any problem talking. Stated she was not going to get into this and will beat it and get back to normal. She was tired a lot, which they said it's normal. Stated she was a real dynamite. Stated it is improving slowly, she was extremely tired and not taking her long walk like she was used to and has shortness of breath, she was not trying to over do it.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

Stated she always gets a sore arm with the flu shot. Stated her pain level is lower than most people. The patient stated the sore arm started late evening but the next day was really hurting and the main thing was rolling over. The patient stated she didn't take anything for her sore arm, she won't even take an aspirin because some of these Advil medications will mix with the heart medications. Stated in the hospital they were giving her medications she had through an IV in her arm but doesn't know what was going through that. Stated they put her on a blood thinner and they were testing the blood thinner through the IV. She was so miserable, she just wanted to go home and get a good nights sleep. Stated they took all kinds of test, checked her oxygen and had to have a certain number before she could go home. The patient received treatment for event stroke caused by a blood clot and not received treatment for sore arm . The outcome of events stroke caused by a blood clot was resolving, of event sore arm was resolved on 12Feb2021, of other events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278689	5/1/2021	VA	17	F	4/12/2021	4/1/2021	<p>Not sleeping well at night due to pressure feeling in her chest up; Not sleeping well at night due to pressure feeling in her chest up; shivers; jaw got paralyzed; she got shaky; feeling bad/ brain fog; burning sensation in her body; She couldn't talk; slight elevated temp (99.7F max); She has been off balance this week since getting her vaccine; This is a spontaneous report from a contactable physician. A 17-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 12Apr2021 (batch/lot number was not reported) as a single dose for COVID-19 immunisation. Medical history included irritable bowel syndrome, panic attacks, migraines and acne. The patient was not pregnant at the time of vaccination. It was unknown if there were other vaccines in four weeks. The patient did not have Covid prior to vaccination and was not Covid tested post vaccination. Concomitant medications in two weeks included ondansetron hydrochloride (ZOFran) taken for anti-nausea, start and stop date were not reported; doxycycline taken for acne, start and stop date were not reported. The patient previously took glycerol (GLYCERIN) and experienced allergies. The patient got her vaccine on 12Apr2021. Two nights after her vaccine (14Apr2021), she got shaky and feeling bad and burning sensation in her body. No fever at that time, but slight elevated temp (99.7F max) the day after the vaccine (13Apr2021). Mother gave her anti-nausea medication (ondansetron hydrochloride 2 mg) and within 5 minutes her jaw got paralyzed. She couldn't talk. It lasted about 30 min. Mother called ambulance and patient was brought to ER. ER didn't do bloodwork or any evaluation. ER didn't know what happened per mother. She has been off balance this week since getting her vaccine (Apr2021). She feels better this morning but she still feels off balance. Not sleeping well at night due to pressure feeling in her chest up and she shivers to get the feeling away per patient (unspecified date). Slept better last night as of 17Apr2021. No facial drooping. She can smile and lift her eyebrows. Patient had "brain fog" this week as well after the vaccine. The adverse events "she got shaky", "feeling bad", "burning sensation in her body", "jaw got paralyzed" and "she couldn't talk" resulted in doctor or other healthcare professional office/clinic visit and emergency room/department or urgent care visit.</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

There was no treatment received for the adverse events. The outcome was recovered on an unspecified date for the events "jaw got paralyzed" and "she couldn't talk"; recovering for the event "not sleeping well at night"; not recovered for the event "off balance"; and unknown for the rest of the events. Information on the lot/batch number has been requested.; Sender's Comments: Based from temporal relation of event and vaccine administration, Trismus as an event in relation to suspected drug BNT162B2 cannot be totally excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278492	5/1/2021	VA	49	F	4/6/2021	4/1/2021	Thyroid storm; Thyroid eye disease; Graves' disease; Trouble swallowing and eating; Trouble swallowing and eating; Throat is scratchy; mild symmetric ptosis; bilateral perinasal sinus disease/nasal problems like sneezing, running nose, and coughing; nasal problems like sneezing, running nose, and coughing; trouble sleeping; This is a spontaneous report from a contactable consumer reported for herself. This 50-years-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) at age of 49 years old on 06Apr2021 at around 16:50 in the top of her right arm (lot: ER8737) at single dose for COVID-19 immunisation (reported as to protect herself and others). Medical history included ruptured brain aneurysm, it was paraophthalmic from 12Sep2012, HELLP syndrome from 01Sep2012, allergies. Seasonal allergies. Mumps, chicken pox, tetanus, rubella, measles from 1989. She had a ruptured brain aneurysm on 12Sep2012. It was a direct result from pregnancy HELLP syndrome, like toxemia on steroids. On 27Aug2012 her daughter was born, then she was diagnosed with HELLP 5 days later. She was hospitalized for another week. She was released and on 12Sep2012 and had the ruptured brain aneurysm which they say in itself was hereditary, and her blood pressure went up so high that it burst. She was hospitalized for 40 days. She was paralyzed and everything. She went on physical therapy and got everything back, no deficits. Family history included hereditary in her family to have hyperthyroidism/thyroid problems on both sides (her father and mother). Concomitant medications included cetirizine hydrochloride for allergies, it was the generic antihistamine for Zyrtec. She had been taking them for about 20 years. The patient previously received first dose of BNT162B2 at age of 49 years old on 19Mar2021 in the top of her right arm (lot: ERU6208) for COVID-19 immunisation. The patient had an emergency reaction to the second dose of the Covid-19 vaccine. All events required a visit to Emergency Room and Physician Office, and received treatment. She walking into the ER with trouble breathing and swelling to her face after the second Covid shot. She had the second vaccine on 06Apr2021 at around 16:30, and everything went fine. She came home and felt fine. She went to bed that evening at around 23:00. She woke up on 07Apr2021 the

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

morning at around 05:00 and was having excessively rapid heart rate, which is called tachycardia. Her left eye swelled open, and her right eye swelled shut. She took herself to the emergency room. She said that she had a hard time seeing now and had vision loss, and they gave her Iohexol intravenously. They also gave her ketorolac and methylprednisolone sodium succinate. The first one, Iohexol, they told her was Iohexol (OMNIPAQUE) for a cerebral CT. They did an orbital CT with contrast. Her vitals were blood pressure 171/86, temperature 98.1, pulse 125, respirations 18, and oxygen saturation 97%. 9 years ago she had a ruptured brain aneurysm, it was paraophthalmic. She thought maybe the vaccine caused some type of brain bleed (Apr2021) because her eye was swelled out. That was the reason for the scan. After she left the ER, they sent her to an emergency ophthalmic appointment, and the ophthalmologist told her that she had to get glasses immediately. She had just had her eyes checked in February. Her vision in her left eye had deteriorated. She had to go and get glasses. Then they sent her to have thyroid lab work done. She had an appointment set up to be seen by her regular ophthalmologist that following Monday. Everything was on Wednesday, 07Apr2021. She was fine until Friday, drove to work and when she got to work at about 08:00 or 09:00 her body started shaking excessively. It was the tachycardia. She thought it was from the pain in her eye and took paracetamol (TYLENOL) but she still didn't feel well. On Monday she saw the regular ophthalmologist and he said that her neck was swollen with a goiter and she had thyroid eye disease and Grave's disease on 07Apr2021. He sent her to her primary care physician within an hour and he concluded the same thing. He immediately sent her to the pharmacy for a heart medication for tachycardia. It was propranolol (INDERAL) 20 mg, and she took it 3 times a day. He set her up with an emergency endocrinologist appointment and he spoke with the endocrinologist on Monday night and went over the charts with her. Everything that he diagnosed her with is at his office. He sent her to the endocrinologist for a final diagnosis. She went to the endocrinologist on Tuesday and she sent her for more lab work. They did a whole panel of labs. She definitely had Grave's disease with a goiter. They put her on methimazole 10 mg tablets, and she took them 2 times a day. That was only

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

temporary until her labs come back. On Monday afternoon her primary doctor sent her to have an ultrasound of her neck. Her neck was swollen and she was having trouble swallowing and eating on 07Apr2021. The radiologist report said that it was strictly thyroid and she had no polyps or lesions. Her doctor suspected, they don't know exactly, but they suspect this happened because it was hereditary in her family to have hyperthyroidism/thyroid problems on both sides, and it was dormant and when she got the vaccine it triggered it to activate. She had thyroid storm (on 07Apr2021), and if she had not gone to the ER it could have been fatal. They were able to see everything during the thyroid storm so they could treat it. She was in thyroid crisis and had thyroid eye disease. Her left eye is permanently disfigured. She has an extremely protruding left eye and a right lazy eye. She had to see an ocular plastic surgeon to get it fixed at some point. She lost so much weight this past week (Apr2021). She had lost 8 pounds since Sunday, and she didn't know how many before that. It hit her hard. Her adrenaline was going so fast. Her throat was scratchy (on 07Apr2021), and she had a lot of nasal problems like sneezing, running nose, and coughing (Apr2021). It was reported that even with medicine, it only kept her heart rate down for a little while. She didn't take Tylenol until Friday morning for eye pain. It wasn't from the pain though, it was from tachycardia. She can close her left eye but she had damaged muscles behind her eye in Apr2021. It was still protruding, but the swelling went down about 80% 2 days after leaving the hospital. Within 24 hours after they injected her eye the swelling went down 80%, but it was still protruding. Her right eye was a lazy eye. It was swollen shut. She couldn't get it moving, so it may have been out of fear. She put cold compresses on her eyes before she went to the hospital. She was able to open her right eye. She can close her left eye but not all the way. She had to keep using eye drops because it got dry (in Apr2021). Her vision has gotten worse since February, especially her left eye. Her doctor sent her to get prescription glasses. The vision center had to adjust them and tilt them because the muscle in her eye won't let her eye move to see through the lens. It is her distance vision, mostly in her left eye. Her right eye droops and her left eye popped out. The shaking made her look like she had Tourette's.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

After she got medicine at the hospital it went away and her body calmed down. On Thursday it seemed okay. Her doctor said it was because she still had the IV medicine in her body. On Friday the medicine wore off and her heart was racing and it was making her body shake. Doctor said her heart was beating so quickly because her thyroid was causing her to make so much adrenaline and it caused her body to shake. 20 minutes after she took the propranolol it completely stopped. On 07Apr2021 they suspected she had Grave's disease and Thyroid eye disease. The thyroid testing came back as unreadable. It came back as 0.01 UIU/mL. It was thyroid stimulating hormone. It was not a full panel, but that was enough to try to find out if it was her thyroid. The endocrinologist ordered full testing. The goiter was pressing on her throat and she had a hard time swallowing when she was eating. It was scratching her throat. She has gone to soft foods until it was easier to swallow. She can swallow on her own, but it was hard to swallow foods, it got stuck in her throat. They told her she would get better with the thyroid medication. She lost weight so fast and would start to lose muscle. She was losing weight because her adrenaline was up. It had made her weak on 10Apr2021. They gave her a list of supplements and protein drinks. In October she started to exercise and lost a couple pounds between then and January. She was just taking long walks and thought it was going great. She had only lost a couple of pounds. After Wednesday her weight started rapidly changing, and every time she got weighed she had 3 more pounds gone. She started feeling really weak by the weekend. Her heart was making her feel weak, and she hadn't had any medicines yet and felt tired on 10Apr2021. After Wednesday, she started having 2 bowel movements a day which is very strange. Her doctor said it is a symptom of hyperthyroid. Normally it is like clockwork in the morning and that's it. She noticed it on Thursday 08Apr2021. She became hypersensitive after Wednesday and paid attention to everything. She already had seasonal allergies. She stopped any kind of decongestant. She knew with heart palpitations to stay away from that. She just took cetirizine hydrochloride (ZYRTEC) and fluticasone propionate (FLONASE). Her doctor said her body was used to that to keep her sinuses down, and with her body making so much

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

adrenaline it could be excessive. Wearing a mask over her face was hard to breathe because the heart. She had trouble sleeping, which could be part of the fatigue because it was disturbing her sleep. They confirmed it was her thyroid on Monday and again Tuesday with more extensive labs for the correct level of methimazole. Investigations included: She had a CBC with differential on 07Apr2021. She had a CT orbit sella post fossa W contrast that showed facial swelling and periorbital edema of both eyes on 07Apr2021. The impression on the radiology digital imaging she can provide at a later time. She had mild symmetric ptosis on 07Apr2021 otherwise normal for appearance of orbital content. The impression for the CT scan on 07Apr2021 was bilateral perinasal sinus disease which was her allergies. The rest was stable coiling. She had vascular coiling directly behind her eye from the ruptured aneurysm. The outcome of events Thyroid storm, vaccine caused some type of brain bleed, hyperthyroid, pain in her eye, Lost so much weight, Dry eye, blood pressure 171/86, Hypersensitivity, trouble sleeping, facial swelling, mild symmetric ptosis, trouble breathing was unknown, outcome of events Eye swelling, Tired, Weak was recovering, outcome of event shaking was recovered on 07Apr2021, outcome of other events was not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278501	5/1/2021			F	4/13/2021	4/1/2021	hearing disability and a broken foot; hearing disability and a broken foot; she woke up at 1:30 am to her knee caps aching and pounding like no tomorrow; About 8 hours later, she experienced a sore arm; very tired; chills worse than the one she got from the 1st dose; low grade fever; her face was red and hot as well as her legs; her face was red and hot as well as her legs; Had a bad reaction to both of my shots; This is a spontaneous report from a contactable consumer, the patient. A female patient of an unknown age received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, lot unknown, second dose) solution for injection intramuscular on 13Apr2021 (at an unknown age) as a single dose for COVID-19 vaccination. Medical history was not reported. Concomitant medication included polyethylene glycol 3350. Historical vaccine included BNT162B2 (first dose) for COVID-19 vaccination on 21Mar2021 and experienced faint, stroke, meningitis, diarrhea, could not swallow, menstrual cramps, getting sick, extreme fatigue, felt hands to be freezing, severe headache, flu-like chills, body ache, sore throat, feeling dehydrated, sinus pain, face and eyebrows hurt, throw up viscously, not understood well, profusely sweating, ice-cold ends, painful arm, neck pain, losing her mind, sheer panic, and swollen glands under her jaw. The patient experienced hearing disability and a broken foot. On 13Apr2021, about 8 hours after vaccination, she experienced a sore arm, she was very tired, chills worse than the one she got from the 1st dose, a low grade fever which felt like her whole body was on fire, her face was red and hot as well as her legs, she woke up at 1:30 am to her knee caps aching (14Apr2021) and pounding like no tomorrow. The patient had a bad reaction to both of the shots in Apr2021. The outcome of the events was unknown. The lot number for the vaccine, BNT162B2, was not provided and will be requested during follow up.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278507	5/1/2021	MA		F	3/1/2021	4/10/2021	muscle weakness to the right eye; can feel a slight droop but not visually; muscle weakness right corner of mouth; right side did seem to be decreased (sensation) compared to left; tongue started to swell; mouth pain; muscle weakness; numbness in her right arm; Pain in the jaw, radiating to the right arm; some jaw pain on the right; This is a spontaneous report received from a contactable nurse based on the information received by Pfizer from Allergan (manufacturer control number: AGN261930). A 28-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE Solution for injection, lot number and expiry date not reported), via an unspecified route of administration, in Mar2021 (reported as two weeks prior to her Botox injections), as single dose, for COVID-19 immunisation; and botulinum toxin type A (BOTOX COSMETIC Injection, lot number: C6548AC4; expiration date: Jul2023), via an unspecified route of administration, from 09Apr2021, for Glabella, frontalis and crow's feet, at dose "for glabella -12U total (3 injection locations), frontalis- 8 units , and crow's feet - 4 units in each side (2 injection sites of 2 units each on both sides)". Medical history included birth control. The patient was not pregnant and was not breastfeeding at the time of vaccination. Concomitant medication included ethinylestradiol, norethisterone (ALYACEN) taken for birth control, from 2011 (reported as 10 years ago) and ongoing. The patient previously took clindamycin and was allergic. The patient received her first dose of BNT162B2 two weeks prior to her Botox injections (Mar2021). On an unspecified date, the patient started having symptoms of muscle weakness, which she can feel but isn't visual, to the right eye and then a few days later in her right corner of her mouth which progressed into some jaw pain on the right. The patient's neuro assessment was her sensation on the side she was having all her symptoms, her right side did seem to be decreased compared to left. It was also reported that the patient received her first ever Botox treatment on 09Apr2021. On 10Apr2021, she experienced numbness in her right arm, pain in the jaw, radiating to the right arm, this was ongoing and progressing. The patient called her PCP went to the emergency room (ER) on an unspecified date because her tongue started to swell. ER did her blood work on an unspecified date (unknown result) and said to monitor

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

the patent. The patient was given ibuprofen every 8 hours for the events "some jaw pain on the right", "pain in the jaw, radiating to the right arm" and "mouth pain". It was reported that the patient has less arm, mouth and jaw pain probably due to ibuprofen. It was also reported that the patient can feel a slight droop but not visually and experienced muscle weakness on an unspecified date. The muscle weakness was minimal during the neuro assessment. The events did not result to hospitalization. The nurse wanted to know if the numbness in right arm; pain in the jaw, radiating to the right arm; and swelling of tongue has been experienced in the past. The patient was recovering from the events "some jaw pain on the right", "numbness in her right arm", "pain in the jaw, radiating to the right arm", and "mouth pain". The outcome of the event "can feel a slight droop but not visually" was unknown, while the outcome of the remaining events was not recovered. Information about batch/lot number has been requested.; Sender's Comments: Based on the limited information in the case report, a possible causal relationship between events Extraocular muscle paresis, facial paralysis and suspect drug BNT162B2 cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278535	5/1/2021			F	4/8/2021	4/10/2021	very delusional; Can't remember; Severe headache; Double vision; Still not feeling right; Cold chills; This is a spontaneous report from a contactable consumer (patient's daughter). A 68-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 08Apr2021 at single dose for covid-19 immunisation. The patient medical history was not reported. The patient's concomitant medications were not reported. The patient had a severe reaction 2 days later on 10Apr2021 and was still not feeling right. The patient was experiencing cold chills, severe headache, she's like out of her head, she can't remember, especially at nighttime it's worse, double vision and she's very delusional. The reporter wanted to know what to do. The outcome of the events was unknown. No follow-up attempts are needed; information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278555	5/1/2021	CA	54	F	4/13/2021	4/13/2021	Weakness on right side of body; Extreme visual disturbances in right eye that won't go away; Nausea; Chills so bad I was hyperventilating; Chills so bad I was hyperventilating; This is a spontaneous report from a contactable consumer reporting for herself. A 54-years-old female patient received bnt162b2 (BNT162B2), dose 2 via an unspecified route of administration, administered in Arm Left on 13Apr2021 08:15 (Batch/Lot number was not reported) as single dose, Medical history included hypertension. The patient's concomitant medications were not reported. The Patient received the first dose of BNT162B2 vaccine on 23Mar2021. The patient experienced weakness on right side of body on 13Apr2021 19:00 with outcome of not recovered , extreme visual disturbances in right eye that won't go away on 13Apr2021 19:00 with outcome of not recovered , nausea on 13Apr2021 19:00 with outcome of not recovered , chills so bad I was hyperventilating on 13Apr2021 19:00 with outcome of not recovered. The events weakness on right side of body and extreme visual disturbances in right eye were considered Important Medical Events. The patient visited the ER because of the events and underwent CT scan, ultrasound, multiple medications. No follow-up attempts are needed; information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278674	5/1/2021	MI	49	F	3/25/2021	3/25/2021	<p>Allergic reaction; itching from head to toe; rash; broken vessels in cheeks, turned red; difficulty breathing; arm went numb; was not feeling good; blotchy; This is a spontaneous report from a contactable consumer (patient). A 49-years-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration administered in right arm on 25Mar2021 14:30 (Batch/Lot Number: EN6207) as single dose for COVID-19 immunisation. The patient medical history and concomitant medications were none. No prior vaccinations within 4 weeks. The patient experienced itching from head to toe on 25Mar2021 with outcome of not recovered, rash on 25Mar2021 with outcome of not recovered, broken vessels in cheeks, turned red on 25Mar2021 with outcome of not recovered, difficulty breathing on 25Mar2021 with outcome of recovering, allergic reaction, arm went numb, was not feeling good and blotchy on 25Mar2021 with outcome of unknown. The events itching from head to toe, rash, broken blood vessels in cheeks and difficulty breathing require a visit to Emergency Room. No relevant tests. Clinical course reported as follow: Patient received her first dose 25Mar2021 and within 3 hours she was in the Emergency Department. She had an allergic reaction. She has had itching and rash since receiving the shot. The allergic reaction wasn't even 5 minutes of getting the shot her arm went numb and she thought she's in trouble and was this normal. She asked people running the clinic and asked if this was normal and they said no never heard of that. After that itching started. Itching started at her head and moved to her face and then her entire body. She had a rash on her face, neck and chest. The blood vessels broke in her cheeks. She knew she should have some diphenhydramine hydrochloride (BENADRYL) and the emergency department didn't have any there. The staff made her wait for 30 minutes after her injection. She was not feeling good. It was hard for her to take a deep breath, and to catch her breath after 30 minutes of waiting there. Then she drove herself to store and got diphenhydramine hydrochloride, and drove herself home, she was not feeling any better and took the diphenhydramine hydrochloride. She called her doctor's office. It was like an hour after the shot and she told them at the doctor's office she was blotchy, itchy, and having</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

trouble breathing. She talked to the nurse and was advised she must get to the Emergency Department. The nurse told her that the staff should not have let her leave the facility where had shot administered and should have called an ambulance and did not. The staff did not even have diphenhydramine hydrochloride. She went to the Emergency Department and she was still itchy. It had been since 25Mar2021. The rash was mainly on both sides of her neck and under her ears. It comes and goes. She confirmed outcome as persisting. The broken vessels, turned red, under her eyes were no better. She would get spells of difficulty breathing. She couldn't get a deep breath for about a week after the shot and it has gotten better. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278681	5/1/2021	NV	62	F	4/16/2021	4/1/2021	<p>blood pressure (BP) was usually 110/70 however 8 hours after shot BP was 145/85; really bad vertigo and dizziness; really bad vertigo and dizziness; facial palsy; vision in her right eye got fuzzy; face got numb on the right side; hot electrical nerve zinging entire right arm, right shoulder blade and right calf; sore arm; feel sick; hangover; vomiting; This is a spontaneous report from a contactable consumer (patient) via the medical information team. A 62-year-old non-pregnant female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), first dose via an unspecified route of administration, administered in the right arm on 16Apr2021 11:15 (Batch/Lot Number: EW0162) as single dose (at the age of 62-years-old) for COVID-19 immunisation. Medical history included anaphylaxis: carries an epi pen, and has allergies to wasps. The patient also took unspecified dietary supplements. The patient had no other vaccine in four weeks. The patient got her first vaccine dose on 16Apr2021 and reported having a history of anaphylaxis and carried an epi pen. She stayed at the vaccination facility for an hour and a half and she got facial palsy and her vision in her right eye got fuzzy. Then her face got numb on the right side. It took 4 hours for it to go away but by dinner she felt ok. She added that immediately after the shot (16Apr2021), she experienced hot electrical nerve zinging entire right arm, right shoulder blade and right calf that lasted 30 minutes; blurry vision right eye started 15 minutes after shot, recurred off and on for 6 hours; facial palsy on right side that started about 30 minutes after shot that lasted 4 1/2 hours; vertigo/dizziness that started 7 hours after the shot; and blood pressure (BP) was usually 110/70 however 8 hours after shot BP was 145/85. She filed a report online when her symptoms began to subside. A couple hours later, she began to feel sick again and went to bed. When she walked to her mailbox, she was feeling ok but when she bent over to get the mail, that made it all worse. She woke up feeling as if she had a hangover and reported vomiting right away after getting out of bed. She had really bad vertigo and dizziness. She also had a sore arm (unspecified which arm) and stated that she was "experiencing everything on the freaking list." The patient wanted to know if this was normal and asked if she should get the second dose. She was advised that if she had a severe allergic reaction after a previous dose of</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

the vaccine, she should not get the Pfizer-BioNTech Covid-19 vaccine. She also wanted to know if her symptoms got worse over the weekend and wanted to know what were the signs if she should go to the hospital. The patient did not receive any treatment for the adverse effects. The patient did not have COVID prior to vaccination and was not COVID tested post vaccination. The patient recovered from hot electrical nerve zinging entire right arm, right shoulder blade and right calf 16Apr2021 11:45; face got numb on the right side on 16Apr2021 15:15 and facial palsy on 16Apr2021 16:15. The outcome of the remaining events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278406	5/1/2021	TX	37	F	1/6/2021	1/6/2021	sleepy; tired; tested positive for covid-19 after receiving the first dose of the covid-19 vaccine; tested positive for covid-19 after receiving the first dose of the covid-19 vaccine; body ache; runny nose; left eye was throbbing; she couldn't swallow like her body forgot how to do it; feeling she had something in her throat; severe headache; tension on her neck that felt like a neck injury; neck pain; jaw was paralyzed; pain in arm; This is a spontaneous report from a contactable lactation registered nurse (patient). A 37-year-old patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/lot number and expiration date unknown) via an unspecified route of administration on 06Jan2021 around 5 pm (at 37-year-old) at single dose for COVID-19 immunization. Medical history included migraine. Concomitant medication included amitriptyline since 2018 at 10 mg nightly, 20 mg and 30 mg for migraine and stopped after COVID, and she was feeling tired/ sleepy and that made it worse; riboflavin sodium phosphate (VITAMIN B), and magnesium. The next day on 07Jan2021 about 7:59 am (around 13 hours after receiving the vaccine), all of a sudden she was driving and her jaw was paralyzed, it's became hard, she couldn't move it and it was very painful. she never had that and she was driving with her two little kids and it freaked her out and she tried to park and she finally parked being it lasted for a couple of minutes. When she looked at the time again it was 8:03 am, it was gone. She needed to get her kids to safety because she was driving but then it went away. On 09Jan2021, she started to have all of a sudden this tension on her neck that felt like a neck injury, it was hard to move her neck to a certain side and started while she was working. It was progressing and she thought she hurt herself. The pain began to lead to a severe headache. The neck pain felt like an injury lasted for a couple of days, but headache persisted and was intense, it lasted for 2 weeks and her coworkers thought she had COVID. She worked on 09Jan2021 and 10Jan2021 and then called out after that. On 12Jan2021 and 13Jan2021 the pain was not just in her head but in the left eye, it was throbbing and severe pain deep inside. It lasted for a couple of days lasted for over a week, it was not as bad as the first couple of days, the pain was the most severe on the 12Jan2021 and 13Jan2021 and couldn't do anything and stayed in bed. It

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

felt like it was nerve pain and she never had that before, it was definitely different. She took daily anti migraine medicine and as long as she took it she doesn't have migraine headaches. For her Sumatriptan 50 mg, she took it twice on 12Jan2021, but because of the side effects it makes her nauseous and she couldn't take it anymore, she just has the prescription. She was only allowed to have 10 a month. It is sumatriptan and it didn't work either and she was supposed to take it to reverse the headache and it didn't work. For the amitriptyline, its 10 mg and had to triple to 30 mg. She took it at nighttime, but one of the side effects is that it made her sleepy but she didn't sleep. She has a 3 month supply and had plenty, if she needed to adjust but that was her first time she was taking that much, her doctor said she could up her dose to 20 mg, her gave her permission before because it can be used at higher doses if needed, she did try the 20 mg but that did not work so she had to triple to 30 mg. Once she realized that was not helping she just said forget it. She had to triple the dose of her migraine medicine and she was taking 3000-4000 mg of paracetamol (TYLENOL) even that couldn't take it down and even did cold compresses. The headaches lasted for a couple of weeks and then she finally got COVID. The headache after that was different, not as intense, and even taking paracetamol a couple times per day was dealing with this headache, the fever the body aches. It is not like the headache she got from the vaccine. It lasted for another week with COVID and was different and managing the headache. So currently she was good. She stopped taking amitriptyline, she was taking it for 3 years and was switched to Vitamin B2 and magnesium in the last month and had no headaches. She had to switch after getting COVID because she felt more tired and sleepy and felt that the amitriptyline would make it worse so she had to find something else. She was good with the new medications. She was cleared to go back to work on 03Feb2021. She was pretty much good by 03Feb2021. She was told by her MD not to get a second dose but her employer stated she could be terminated if she was not fully vaccinated. She was concerned and scared of having this reaction again. Her arm pain hurt for a few hours but because she has other pain she thought it was her left arm but she really couldn't recall. she did have pain in her arm, it was normal pain nothing



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

significant. It started at 11 pm on 06Jan2021 and lasted until Saturday 09Jan2021 and remembered that she had a hard time helping at work because she has to use the arm but the arm soreness was just like with any other vaccine, nothing abnormal. From 10Jan2021 to 13Jan2021 she kept feeling she like had something in her throat in the morning, and when she would start drinking she couldn't swallow like her body forgot how to do it. She would hold it in her mouth and then 30 seconds later she would start swallowing and then it went away. It was just in the morning for like 4 days. It cleared by 14Jan2021, clarifies it ended then. Caller stated her husband took a test on 11Jan2021 and didn't get his results until 14Jan2021 and showed he was positive and he was already isolating and she was at home with the kids. States her husband was the one that brought it in. She did start to have COVID symptoms until 23Jan2021, she had fever, chills, body ache, runny nose, shortness of breath and diarrhea. She was prescribed a z pack, azithromycin, and it helped with cough, the congestive cough and nasal spray for her runny nose. It was water coming out of her nose, most runny she has ever felt. She got testing and kept going for testing because she felt so sick and it was negative (on 13Jan2021 and 18Jan2021). She finally tested positive on 25Jan2021. No additional therapies for COVID-19. No other test performed, they see patients that keep testing positive 3 months later after no symptoms and just want to wait for symptoms to go down. The patient was not hospitalized, not admitted to an Intensive Care Unit. The outcome of the event paralyzed jaw was resolved on 07Jan2021, neck pain/ tension was resolved on 11Jan2021, headache was resolved on 03Feb2021, throbbing eye was resolved on 19Jan2021, pain in arm was resolved on 09Jan2021, "feeling she had something in her throat" and swallowing impaired was resolved on 14Jan2021, of other events were unknown. Reporter seriousness for Jaw was paralyzed: unknown Reporter seriousness for headache: serious, affected her ability to perform and no one wanted to see her in person and only had virtual visits with the doctor Reporter seriousness for tested positive for COVID-19 after receiving the first dose of the COVID-19 vaccine: Unspecified Reporter seriousness for tension on her neck that felt like a neck injury: Not serious Reporter seriousness for left eye was throbbing:

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278572	5/1/2021	NY	68	F	4/10/2021	4/28/2021	<p>Medically significant Reporter seriousness for pain in arm: Not serious Reporter seriousness for feeling she had something in her throat: Not serious The primary reporter considered the events paralyzed jaw, neck pain, headache, throbbing eye, pain in arm, "feeling she had something in her throat" were related to BNT162B2; while event tested positive for COVID-19 was unrelated. Information on the lot/batch number has been requested.; Sender's Comments: Based on temporal association, the causal relationship between BNT162B2 and the events</p> <p>4/10- shot, left arm 4/14- slight rash left cheek, I ignored it 4/21 -left cheek twitching, didn't think about it, ignored it 4/28- Food tasted off 4/29- in the morning, left eye blurry and teary, smile looked off, left ear hurt, headache - later afternoon self-diagnosed with Bell's palsy- confirmed at Urgent Care 4/30 Blood test negative for Lyme's Disease 5/1 Talked to my Acupuncture therapist- (I am her 4th Bell's Palsy case post Pfizer shot #2). I thought this definitely should be reported.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278685	5/1/2021	NC	58	F	3/22/2021	4/8/2021	<p>Left eye scleritis and pain 17 days after vaccine.; Left eye scleritis and pain 17 days after vaccine.; This is a spontaneous report from a contactable nurse (patient herself). A 58-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration, administered in right arm on 22Mar2021 11:00 (Batch/Lot Number: EP7534) (at the age of 58-years-old) as single dose for COVID-19 immunisation. The recent COVID-19 vaccine was administered in public health clinic administration facility. The patient medical history included Hashimoto's thyroiditis, high cholesterol, and depression, and allergies to penicillin and sulfa. Prior to vaccination, the patient was not diagnosed with COVID-19. Concomitant medications included escitalopram oxalate (LEXAPRO), levothyroxine sodium (SYNTHROID); magnesium; ergocalciferol (VIT D); all taken unspecified indications, start and stop dates were not reported. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient previously took cephalosporin (CEPHALOSPORIN C) and benzalkonium chloride (BAK) and experienced allergies on both. On 08Apr2021, the patient experienced left eye scleritis and pain 17 days after vaccine. The events were reported as serious due to hospitalization. The events also resulted to healthcare professional office/clinic visit and emergency room/department or urgent care. Therapeutic measures were taken as a result of the events which included methylprednisolone dose pack. Since the vaccination, the patient has not been tested for COVID-19. The outcome of the events was recovering.; Sender's Comments: Based on the available information and known product information, the causal relationship between the reported left eye scleritis and pain and the BNT162B2 vaccination cannot be fully excluded. However, reported scleritis associated with it may be confounded by the history of thyroid disease since non-infectious scleritis has been associated with thyroid disorders and autoimmune disease. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278679	5/1/2021	MO	60	F	3/27/2021	3/31/2021	<p>Bell's Palsy; I started to have sharp pain behind my ear; sinus congestion; deep sore throat; dry left eye; This is a spontaneous report from a contactable other healthcare professional (HCP; patient). A 60-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), via an unspecified route of administration, administered in left arm on 27Mar2021 at 16:00 (Lot Number: ER8733, expiry date not reported) at the age of 60-years-old at a single dose for COVID-19 immunisation. The patient was not pregnant at the time of vaccination. The vaccination facility type was facility. The patient received no other vaccine in four weeks. The patient had no COVID prior to vaccination and was not tested for COVID post vaccination. Medical history included penicillin-rash; high cholesterol being treated with Repatha; slightly high blood pressure being treated with lisinopril; cysts in pancreas, thyroid and kidneys-all benign. Concomitant medications included evolocumab (REPATHA) for high cholesterol; lisinopril for slightly high blood pressure; spironolactone for an unspecified indication and testosterone for an unspecified indication, all start and stop dates were not reported. The patient received the first dose of the Pfizer-BioNtech Covid-19 vaccine on 27Mar2021, 4 days later on 31Mar2021 20:30 she developed Bell's Palsy. She would like to know if in the clinical trials those who experienced this adverse event was after the first or the second dose of the vaccine. She already reported this adverse event to Safety, online and verbally. She would like to know if Pfizer recommends for people who develops Bell's Palsy after the first dose of the vaccine not to receive the second dose and if there's information about the cases of Bell's Palsy after receiving the vaccine during the vaccination to larger populations. She's also wondering if there is information about how long it takes to resolve. Patient reported that four days after vaccination on 31Mar2021 at 20:30, she started to have sharp pain behind her ear, sinus congestion, deep sore throat, and dry left eye, went to bed, next morning she woke up with Bell's palsy on left side of face (also reported to have occurred on 31Mar2021 20:30). These resulted in a doctor or other healthcare professional office/clinic visit. The patient was treated with high dose prednisone and Valtrex. The outcome of the events was not recovered.; Sender's Comments: Bell's palsy is not</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

uncommon in general population, however the causal association between bell's palsy and the usage of the vaccine BNT162B2 cannot be excluded because of strong temporal association. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.

1278666 5/1/2021 CA

62 F

4/13/2021

4/13/2021

felt low blood pressure; weak; confused; When fell hit self on head, lip, nose, and eye; When fell hit self on head; bruises on face; had burst lip; diarrhea; leg pain; fainted; seizure; felt hot; chills/shaking.; This is a spontaneous report from a contactable consumer (patient herself). This 62-year-old female patient (not pregnant) received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Lot number not provided), via an unspecified route of administration in the left arm, on 13Apr2021 at 21:00 (at the age of 62-year-old) as single dose for COVID-19 immunisation. Historical vaccine includes the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Lot number EP6775 MS 389) administered via an unknown route in the left arm on 17Mar2021 (at 10:00 AM) for COVID-19 immunisation. No other vaccine was received in four weeks. Relevant medical history included gastritis and anxiety. Past drug history included allergy to mirtazapine (REMERON). Relevant concomitant medications included diazepam (VALIUM), vitamins and probiotics. On 13Apr2021 at 23:00 the patient had chills / shaking. On 14Apr2021 at 02:00 AM, she felt hot. She went to bathroom, felt low blood pressure, weak, and fainted. Woke up, felt disoriented, not know where she was, confused. When fell hit self on head, lip, nose, and eye. She suffered various bruises on face. May have had seizure, had burst lip and felt was biting. Then suffered diarrhea that day. She also experienced leg pain. She went to the doctor on 16Apr2021. On unknown date, blood work up was done and results were not provided. The patient was recovering from the events. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278636	5/1/2021	TX	16	F	4/16/2021	4/16/2021	fainted for a few seconds; I started seeing blurry; my ears were ringing; This is a spontaneous report from a contactable consumer (patient). A 16-year-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot Number: EW0161, expiry date not reported), via an unspecified route of administration, administered in the right arm on 16Apr2021 16:45 (age at vaccination was 16 years) as single dose for COVID-19 immunization. Medical history was none. The patient had no known allergies. The patient was not pregnant at the time of vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was vaccinated at a pharmacy or drugstore. The patient was not diagnosed with COVID-19 prior to vaccination. Since the vaccination, the patient has not been tested for COVID-19. Concomitant medications were not reported. The patient reported that on 16Apr2021 17:00, "I started seeing blurry. I stood still so my vision would clear. Then I fainted for a few seconds. When I came to my ears were ringing." The events resulted to emergency room/department or urgent care. Therapeutic measure was taken as a result of the events that was seen by a doctor. Clinical outcome of the events was unknown. No follow-up attempts are required. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278634	5/1/2021	MS	49	F	4/1/2021	4/12/2021	Burst blood vessel in left eye; This is a spontaneous report from a contactable consumer (patient). A 49-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), second dose at the age of 49-years-old via an unspecified route of administration, administered in arm right on 01Apr2021 15:30 (Batch/Lot Number: Fp6955) as single dose for covid-19 immunisation. Medical history included diabetes mellitus from an unknown date and unknown if ongoing. Concomitant medication included canagliflozin (INVOKANA), metformin and rosuvastatin; taken for an unspecified indication, start and stop date were not reported. The patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE) on 11Mar2021 (lot number: En6199) at the age of 49-years-old administered on the right arm for covid-19 immunisation. The patient experienced burst blood vessel in left eye on 12Apr2021. No treatment was received for the event. The patient was recovering from the event.
1278619	5/1/2021	WA	26	M	5/1/2021	5/1/2021	Patient got vaccine and sat down for observation. He reports that after 1 minute, he was shakey, sleepy, and very tired. Then he felt like he fell asleep until the person checking him called at him. He had some vision and hearing impairment at the beginning, then after 10 minutes he was better. His arm was hot, he was sweating, his skin was turning white color. His mom came (she was shopping) and said the patient is usually an anxious person, so it was overwhelming to be at department store and getting the shot. After another 10 minutes, he was drinking water, his senses were back, he was fine.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278606	5/1/2021	ME	24	M	5/1/2021	5/1/2021	<p>Patient administered Janssen Covid vaccine at 0943AM on 5/1/21 by pharmacist on duty. Patient had no prior reactions to vaccines but did admit being needle adverse prior to administering vaccine. After administration patient sat in waiting area within direct view of pharmacist. No sooner than 2 minutes post administration patient spoke up to pharmacist assisting customer at consultation window about feeling nauseous, and vision fading. Patient comfortable being assisted in taking two steps to immunization room to lie flat on ground after removing outer jacket. Patient was visibly sweating profusely and described hands feeling cool, dizzy, and lacking peripheral vision slightly. Pharmacist remained in immunization room talking to patient for 10 minutes, patient never fully lost consciousness and within 10 minutes recovered from all visual disturbances. Patient moved to seated position within immunization room and accepted offer for juice box. Patient remained seated in immunization room for additional 10 minutes under supervision from pharmacist through window. Patient comfortable moving to waiting area again for additional 10 minutes, afterwards he described feeling still slightly nauseated but no other symptoms. He called his ride from the waiting area and told pharmacist he was recovered and comfortable leaving. Pharmacist agreed to call patient later in the day to check in again. Pharmacist left message at 5pm 5/1/21. Appropriate parties notified and VAERS completed.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278596	5/1/2021	FL		F			<p>patient had complaints of numbness and tingling in her right arm/numbness and tingling in both arms/and legs; patient had complaints of numbness and tingling in her right arm/numbness and tingling in both arms/and legs; This is a spontaneous report from a contactable nurse reported that a female patient of an unspecified age received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number was not reported), administered in arm left on an unspecified date then received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number was not reported) on 16Apr2021; both via an unspecified route of administration as a single dose for covid-19 immunisation. The vaccine was administered at the clinic. The patient's medical history and concomitant medications were not reported. The nurse reported that a patient received the 1st dose of the Pfizer covid vaccine approximately 21 days ago. It was given in her left arm. Within the 1st 15 minutes, the patient had complaints of numbness and tingling in her right arm. Her symptoms resolved by the next day. The patient has come back today for 2nd dose and has had an amplified response not just in 1 arm but in both arms within 15 minutes of observation. She did not report any other symptoms. Five minutes after, the patient said she had numbness and tingling in her legs. They kept her for about an hour eventually and she called someone to drive her home as a precaution. The nurse further reported that the patient who had numbness and tingling in the opposite arm from the arm that the first vaccine was administered in. The same patient came back for the second dose and felt numbness and tingling again. It has been said that the effects can be amplified on the second dose. This time, the numbness and tingling not only happened in one arm, but in both arms. Also had numbness and tingling in the legs. The patient did not experience any other side effects. No difficulty breathing, no swallowing issues, no dizziness or nausea, no vision changes, did not feel like she was going to pass out, and was not diaphoretic. Is a little concerning. Said she can find where she was spatially and can ambulate normally. Her concern was, is it going to increase, is it going to affect her breathing. The nurse asked the patient if she could drive home by herself and is she not going to be able to feel the pedals in the car. The nurse asked her to have someone to pick</p>

VAERS\_ID RECVD STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

her up. This patient was in the 30 minute observation area caller thought because of something in the past, being allergic to, but not to any kind of vaccine. They just take extra precaution. Usually people were in there if they have like an allergy even to like antibiotics or sulfa drugs, things that weren't even included in the ingredient list for Pfizer but just to be extra cautious they put them in the 30 minute observation area. If they start to develop any symptoms they ask them if they could please stay an additional 15 minutes. If symptoms persist or get worse then they keep them longer. Onset date of the reported numbness and tingling in arm was the date she was administered first dose of Pfizer Covid-19 Vaccination, unknown other than approximately 21 days ago. She was in the 30 minute observation and the nurse wanted to say within probably the first 15 minutes she started having symptoms of the numbness and tingling. It was like when you sleep on your arm and it kind of falls asleep, that's how patient described it. The duration of the events lasted the first time, by the next morning, it had resolved. She woke up and she was fine. She was vaccinated probably early to mid-afternoon. The clinic only does vaccines until probably 4:30pm. After the second dose she received today, 16Apr2021 they kept the patient for about an hour. She was still in there when the nurse came out to make this call. The nurse has been checking in on her intermittently and they have 3 nurses in the observation area so they're aware of what's going on with her to keep an extra eye on her in case she has any difficulty breathing, make sure she doesn't look like she's going to fall out of the chair. They were extra vigilant on observing her. Patient was still having the numbness and tingling, in the legs clarified she has been having numbness and tingling in all of the extremities. In the arms, it wasn't constant. It would come and go and radiated back and forth. Must be something was stimulating in the brain. The events were considered as serious - medically significant. The outcome of the events was recovered on an unspecified date. Information about lot/batch number has been requested.; Sender's Comments: Based on the information currently available, a possible contributory role of the suspect drug in the reported serious events cannot be completely ruled out given the known suspect drug profile and/or implied temporal association. The impact of this report on the

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1276281	5/1/2021	KY		M	1/28/2021	4/1/2021	benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including  Blood clot in the right eye; This is a spontaneous report from a contactable consumer(patient) based on information received by Pfizer, license party for apixaban (ELIQUIS). This spontaneous case was reported by a consumer and describes the occurrence of OPTHALMIC VEIN THROMBOSIS (Blood clot in the right eye) in male patient of an unknown age who received apixaban (Eliquis) for an unknown indication. CO-SUSPECT PRODUCTS included Covid-19 Vaccine for an unknown indication. On an unknown date, the patient started Eliquis (unknown route). On 07-Jan-2021, the patient started Covid-19 Vaccine (unknown route). In April 2021, the patient experienced OPTHALMIC VEIN THROMBOSIS (seriousness criterion medically significant). The action taken with Eliquis (Unknown) was unknown. At the time of the report, OPTHALMIC VEIN THROMBOSIS outcome was unknown. The consumer received his first Pfizer covid 19 shot on 07-Jan-2021 and the second one on 28-Jan- 2021, and 10 days prior to this report he got a blood clot in his right eye. He takes a blood thinner and remarks this should keep him from getting blood clots, should not it. Blood thinner provided was Eliquis. The event was related to covid 19 vaccine and causality with Eliquis was not provided. For Eliquis (Unknown), the reporter did not provide any causality assessments. This case was received via pfizer. BMS Medical Evaluation Comment: This patient had ophthalmic vein thrombosis while on therapy with apixaban and after taking covid 19 vaccine. Underlying thromboembolic risk as ascertained by the use of apixaban is a significant factor that likely predisposed the patient to develop ophthalmic vein thrombosis and considered not related to apixaban therapy. Causality Assessment: For apixaban: the causal relationship of the event Ophthalmic vein thrombosis with the suspect product apixaban was not provided Per Reporter; the causal relationship of the event Ophthalmic vein thrombosis with the suspect product apixaban was Not Related Per Company (Bristol-Myers Squibb)

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1279193	5/1/2021		60	F	2/10/2021		<p>Back disorder; lower back issues; Feeling abnormal; felt fuzzy; Vaccination site pain; sore arm; Dizzy; Fatigue; Energy decreased; not feeling as much energy as before; Pain upon movement; walk about a block but then starts to hurt; This is a solicited report from a contactable consumer (patient) via a non-Pfizer sponsored program, based on the information received by Pfizer (Manufacturer Control No: 21K-163-3774842-00).</p> <p>Solicited report from a consumer of a 60 year old female with events of heart/atrial flutter, atrial fibrillation, eye surgery and arm surgery and non-serious weight gain due to attempting to stop smoking, lower back issues, felt fuzzy, got first dosage of covid-19 vaccine and experienced sore arm, fatigue and dizzy from the blood thinners after surgery, still not feeling as much energy as before and walk about a block but then starts to hurt with humira 40mg/0.4ml (adalimumab). The patient had a relevant medical history of tobacco use/four cigarette sticks per day, seropositive high titer rheumatoid arthritis, fingers swelling, joint pain, joint swelling and lost of blood flow in hands and legs. On unknown dates, the patient experienced eye surgery, arm surgery, lower back issues, felt fuzzy, got first dosage of covid-19 vaccine and experienced sore arm, fatigue and dizzy from the blood thinners after surgery, still not feeling as much energy as before and walk about a block but then starts to hurt. In 2020, the patient experienced heart/atrial flutter and atrial fibrillation. In Sep2020, the patient experienced weight gain due to attempting to stop smoking. On 24Feb2021, the heart/atrial flutter and atrial fibrillation resolved. Covid-19 vaccine was also considered suspect. The patient had eye and arm surgery in the past. On 24Feb2021, she underwent pulmonary vein cryoballoon ablation surgery for the atrial fibrillation and atrial flutter. She had a procedure done and went into her heart and froze the nerve endings that were causing the atrial fibrillation, and also fixed the flutter in her heart. The causality as per reporter for this procedure was reported as no reasonable possibility. She still recovering. She discontinued the Humira two weeks before the surgery and took her last injection on 10Feb2021 and was paused it for four weeks, but she started back it on 10Mar2021. She follows up with her surgeon at the end of the month and she hopes this helps got her off of the blood thinners and other medicines, she been on for this.</p>

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

She stated that this was not related Humira. She was advised by her physician to increase the exercise to lose some weight. With her lower back issues, she was hoping that when she got off of the blood thinners, she could do pain shots again and start exercise. She could walk about a block but then she started to hurt. She had been careful with her diet also, cut out the salt also. This had nothing to do with Humira and she did not want to be contacted about this again for this also. She felt fuzzy, it took her most of the morning to get woken up. Her Doctor thinks once she would off of the blood thinners she would be back to normal. Other than that she feels fine. She does not wanted to be contacted about this. It was unknown if patient was enrolled in a COVID-19 Vaccine Trial. On unknown date, patient received first dose COVID-19 Vaccine manufactured by Pfizer, lot number unknown. She agreed to have physician contacted. Blood thinner was also considered as co-suspect. Other medical history included abstains from alcohol, contrast dyes allergy manifested by scratch throat, allergy manifested by bowel movements (oral medications for rheumatoid arthritis; up to eight times a day and slept 15 hours per), prevent esophagus damage, heart, low thyroid, and attention-deficit/hyperactivity disorder. The patient's concomitant medications included pantoprazole to prevent esophagus damage, metoprolol for heart, levothyroxine for low thyroid, vortioxetine hydrobromide (TRINTELLIX) for depression, and dexamfetamine sulfate (DEXTROAMPHETAMINE) for attention-deficit/hyperactivity disorder. The patient underwent laboratory tests and procedures which included blood work: everything was fine in Jan2021; chemical stress test and treadmill stress test: confirmed atrial fibrillation and atrial flutter in Sep2020; body weight: gain in Sep2020; and X-ray: confirmed atrial fibrillation in Sep2020. The action taken in response to the events for adalimumab and apixaban was unknown. The patient recovered from atrial flutter and atrial fibrillation on 24Feb2021. Outcome of Feeling abnormal and Pain upon movement was unknown. The patient had not recovered from the remaining events. Change History: On 05Mar2021, received updates to patient demographics, medical history, event information, reporter opinion of causality, suspect drug information, concomitant drug information, past drug information,

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

laboratory/diagnostic procedures and narrative description. The events of "atrial flutter", "atrial fibrillation" and "weight gain due to attempting to stop smoking" were added. On 11Mar2021, received updates to patient demographics, medical history, event information, reporter opinion of causality, company opinion of causality, company alternative etiology, suspect drug information, laboratory/diagnostic procedures and narrative description. The events of "LOWER BACK ISSUES" and "WALK ABOUT A BLOCK BUT THEN STARTS TO HURT" were added. the event of "atrial flutter" was amended to "heart/atrial flutter". On 08Apr2021, received updates to event information, reporter opinion of causality, company opinion of causality, company alternative etiology, suspect drug information and narrative description. The events of "felt fuzzy", "got first dosage of covid-19 vaccine and experienced sore arm", "fatigue and dizzy from the blood thinners after surgery" and "still not feeling as much energy as before" were added. Causality for humira 40mg/0.4ml(adalimumab): The reporter's causality for the event(s) of heart/atrial flutter, atrial fibrillation, eye surgery, arm surgery, weight gain due to attempting to stop smoking, lower back issues, got first dosage of covid-19 vaccine and experienced sore arm, fatigue and dizzy from the blood THINNERS after surgery unknown onset and fatigue and dizzy from the blood thinners after surgery unknown onset with humira 40mg/0.4ml(adalimumab) was no reasonable possibility. The reporter's causality for the event(s) of felt fuzzy, still not feeling as much energy as before and walk about a block but then starts to hurt was not provided. Manufacturer opinion is that there is no reasonable possibility that the events of heart/atrial flutter, atrial fibrillation, eye surgery, arm surgery, weight gain due to attempting to stop smoking, lower back issues, felt fuzzy, got first dosage of covid-19 vaccine and experienced sore arm, fatigue and dizzy from the blood thinners after surgery unknown onset, fatigue and dizzy from the blood thinners after surgery unknown onset, still not feeling as much energy as before and walk about a block but then starts to hurt are related to humira 40mg/0.4ml(adalimumab). The reporter's assessment of the causal relationship of the events with BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) was not

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

provided at the time of this report. Since no determination has been received, the case is managed based on the company causality assessment. No follow-up attempts are possible; information about batch number cannot be obtained. No further information is expected.; Sender's Comments: Based on the current available information , the events of sore arm, fatigue and dizzy could be related to the suspected drug of BNT162B2. The other events are most likely related to an intercurrent or underlying condition which is not related to the suspected drug. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278862	5/1/2021	IL	88	F	2/19/2021	3/26/2021	throat closing, tongue swelling, face swelling and a hard time breathing/ diagnosed her symptoms as angioedema; potassium was low and sodium was low; potassium was low and sodium was low; This is a spontaneous report from a contactable consumer (patient). An 88-year-old female patient received her second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EN6198) at the age of 88-years-old, via an unspecified route of administration in left deltoid on 19Feb2021 at single dose for COVID-19 immunization; losartan potassium (lot number: LJ5020047-A, expiration date: Aug2023), via an unspecified route of administration from 2011 to an unspecified date in 2021 at 50 mg, 1x/day for blood pressure high; diclofenac sodium modified-release tablet (lot number: PW6V5QFTAF61, expiration date: May2022), via an unspecified route of administration from an unspecified date to an unspecified date in 2021 at 75 mg, 1x/day for an unspecified indication; ibuprofen (ADVIL LIQUI GELS, 200 mg strength, lot number: CY1426, expiration date: Jun2022) capsule, via an unspecified route of administration from an unspecified date to an unspecified date in 2021 at 2-4 capsules, as needed (daily) for an unspecified indication; and aflibercept (EYLEA) injection, ophthalmic from an unspecified date to 11Mar2021 at 1 DF (injection), every 8 weeks in each eye for macular degeneration. Medical history included macular degeneration (the wet kind), blood pressure high, spinal stenosis, and thyroid disorder (reported as thyroid something) she provided that it was something like hypotrachea (as reported). The patient's concomitant medications were not reported. The patient previously received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL8982) at the age of 88-years-old, via an unspecified route of administration in right deltoid on 29Jan2021 at 0.3 mL, single for COVID-19 immunization. The patient was calling about the Pfizer COVID-19 vaccine and mentioned that she had a reaction but didn't think it was from the vaccine because it was 5 weeks to the date after the second shot. The reaction was very severe, and she had to visit the emergency room. The patient experienced throat closing, tongue swelling, face swelling and a hard time breathing. She saw her primary care provider after that, and she also saw her PMR doctor-

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

physical medicine and rehabilitation. The doctors recommended that she report this reaction to the COVID 19 vaccine five weeks later. Both doctors thought it might be from the vaccine and it was worth reporting. When asked about the symptoms and if they occurred at that same time, the patient stated yes, and they diagnosed her symptoms as angioedema in the emergency room. This happened on 26Mar2021. The patient was never admitted to the hospital. When asked if angioedema improved, worsened or was persisting, patient stated it was nonexistent now. The events happened after the second dose of the vaccine. The patient had to stop her medications because her primary care provider was unsure what may have caused this reaction, but it may be her medications. She has been taking losartan potassium for about ten years but now had to stop because angioedema could possibly be the result of that, even after ten years. She also had to stop diclofenac sodium because they may have caused that kind of reaction. Having to stop ibuprofen broke her heart as she has taken it for years. This too could have that type of reaction. For aflibercept, she mentioned that she gets the injections in both eyes every eight weeks. She had it 31 times in the right eye and 30 times in the left eye. The reaction she was speaking of, the emergency room, came exactly 2 weeks after she had her last injections, which was on 11Mar2021. Angioedema was an emergency situation, if the throat closes and they couldn't open it up, they may cut into the neck and windpipe. The description was enough to scare her. Both doctors suggested the Pfizer vaccine as just possibly a late reaction. The patient had a basic metabolic panel while in the emergency room. She reported that potassium and sodium was low. Chest Xray- the patient did not have a report on it. Nasal scan was fine. COVID nasal test was negative. Swab for many other kinds of viruses was negative. All of these tests were done on 26Mar2021. The action taken in response to the events for losartan potassium, diclofenac sodium, ibuprofen, and aflibercept was unknown. The outcome of the event "potassium was low and sodium was low" was unknown and recovered on an unspecified date in 2021 for the other event.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278862	5/1/2021	IL	88	F	2/19/2021	3/26/2021	throat closing, tongue swelling, face swelling and a hard time breathing/ diagnosed her symptoms as angioedema; potassium was low and sodium was low; potassium was low and sodium was low; This is a spontaneous report from a contactable consumer (patient). An 88-year-old female patient received her second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EN6198) at the age of 88-years-old, via an unspecified route of administration in left deltoid on 19Feb2021 at single dose for COVID-19 immunization; losartan potassium (lot number: LJ5020047-A, expiration date: Aug2023), via an unspecified route of administration from 2011 to an unspecified date in 2021 at 50 mg, 1x/day for blood pressure high; diclofenac sodium modified-release tablet (lot number: PW6V5QFTAF61, expiration date: May2022), via an unspecified route of administration from an unspecified date to an unspecified date in 2021 at 75 mg, 1x/day for an unspecified indication; ibuprofen (ADVIL LIQUI GELS, 200 mg strength, lot number: CY1426, expiration date: Jun2022) capsule, via an unspecified route of administration from an unspecified date to an unspecified date in 2021 at 2-4 capsules, as needed (daily) for an unspecified indication; and aflibercept (EYLEA) injection, ophthalmic from an unspecified date to 11Mar2021 at 1 DF (injection), every 8 weeks in each eye for macular degeneration. Medical history included macular degeneration (the wet kind), blood pressure high, spinal stenosis, and thyroid disorder (reported as thyroid something) she provided that it was something like hypotrachea (as reported). The patient's concomitant medications were not reported. The patient previously received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL8982) at the age of 88-years-old, via an unspecified route of administration in right deltoid on 29Jan2021 at 0.3 mL, single for COVID-19 immunization. The patient was calling about the Pfizer COVID-19 vaccine and mentioned that she had a reaction but didn't think it was from the vaccine because it was 5 weeks to the date after the second shot. The reaction was very severe, and she had to visit the emergency room. The patient experienced throat closing, tongue swelling, face swelling and a hard time breathing. She saw her primary care provider after that, and she also saw her PMR doctor-

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

physical medicine and rehabilitation. The doctors recommended that she report this reaction to the COVID 19 vaccine five weeks later. Both doctors thought it might be from the vaccine and it was worth reporting. When asked about the symptoms and if they occurred at that same time, the patient stated yes, and they diagnosed her symptoms as angioedema in the emergency room. This happened on 26Mar2021. The patient was never admitted to the hospital. When asked if angioedema improved, worsened or was persisting, patient stated it was nonexistent now. The events happened after the second dose of the vaccine. The patient had to stop her medications because her primary care provider was unsure what may have caused this reaction, but it may be her medications. She has been taking losartan potassium for about ten years but now had to stop because angioedema could possibly be the result of that, even after ten years. She also had to stop diclofenac sodium because they may have caused that kind of reaction. Having to stop ibuprofen broke her heart as she has taken it for years. This too could have that type of reaction. For aflibercept, she mentioned that she gets the injections in both eyes every eight weeks. She had it 31 times in the right eye and 30 times in the left eye. The reaction she was speaking of, the emergency room, came exactly 2 weeks after she had her last injections, which was on 11Mar2021. Angioedema was an emergency situation, if the throat closes and they couldn't open it up, they may cut into the neck and windpipe. The description was enough to scare her. Both doctors suggested the Pfizer vaccine as just possibly a late reaction. The patient had a basic metabolic panel while in the emergency room. She reported that potassium and sodium was low. Chest Xray- the patient did not have a report on it. Nasal scan was fine. COVID nasal test was negative. Swab for many other kinds of viruses was negative. All of these tests were done on 26Mar2021. The action taken in response to the events for losartan potassium, diclofenac sodium, ibuprofen, and aflibercept was unknown. The outcome of the event "potassium was low and sodium was low" was unknown and recovered on an unspecified date in 2021 for the other event.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278862	5/1/2021	IL	88	F	2/19/2021	3/26/2021	throat closing, tongue swelling, face swelling and a hard time breathing/ diagnosed her symptoms as angioedema; potassium was low and sodium was low; potassium was low and sodium was low; This is a spontaneous report from a contactable consumer (patient). An 88-year-old female patient received her second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EN6198) at the age of 88-years-old, via an unspecified route of administration in left deltoid on 19Feb2021 at single dose for COVID-19 immunization; losartan potassium (lot number: LJ5020047-A, expiration date: Aug2023), via an unspecified route of administration from 2011 to an unspecified date in 2021 at 50 mg, 1x/day for blood pressure high; diclofenac sodium modified-release tablet (lot number: PW6V5QFTAF61, expiration date: May2022), via an unspecified route of administration from an unspecified date to an unspecified date in 2021 at 75 mg, 1x/day for an unspecified indication; ibuprofen (ADVIL LIQUI GELS, 200 mg strength, lot number: CY1426, expiration date: Jun2022) capsule, via an unspecified route of administration from an unspecified date to an unspecified date in 2021 at 2-4 capsules, as needed (daily) for an unspecified indication; and aflibercept (EYLEA) injection, ophthalmic from an unspecified date to 11Mar2021 at 1 DF (injection), every 8 weeks in each eye for macular degeneration. Medical history included macular degeneration (the wet kind), blood pressure high, spinal stenosis, and thyroid disorder (reported as thyroid something) she provided that it was something like hypotrachea (as reported). The patient's concomitant medications were not reported. The patient previously received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL8982) at the age of 88-years-old, via an unspecified route of administration in right deltoid on 29Jan2021 at 0.3 mL, single for COVID-19 immunization. The patient was calling about the Pfizer COVID-19 vaccine and mentioned that she had a reaction but didn't think it was from the vaccine because it was 5 weeks to the date after the second shot. The reaction was very severe, and she had to visit the emergency room. The patient experienced throat closing, tongue swelling, face swelling and a hard time breathing. She saw her primary care provider after that, and she also saw her PMR doctor-

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

physical medicine and rehabilitation. The doctors recommended that she report this reaction to the COVID 19 vaccine five weeks later. Both doctors thought it might be from the vaccine and it was worth reporting. When asked about the symptoms and if they occurred at that same time, the patient stated yes, and they diagnosed her symptoms as angioedema in the emergency room. This happened on 26Mar2021. The patient was never admitted to the hospital. When asked if angioedema improved, worsened or was persisting, patient stated it was nonexistent now. The events happened after the second dose of the vaccine. The patient had to stop her medications because her primary care provider was unsure what may have caused this reaction, but it may be her medications. She has been taking losartan potassium for about ten years but now had to stop because angioedema could possibly be the result of that, even after ten years. She also had to stop diclofenac sodium because they may have caused that kind of reaction. Having to stop ibuprofen broke her heart as she has taken it for years. This too could have that type of reaction. For aflibercept, she mentioned that she gets the injections in both eyes every eight weeks. She had it 31 times in the right eye and 30 times in the left eye. The reaction she was speaking of, the emergency room, came exactly 2 weeks after she had her last injections, which was on 11Mar2021. Angioedema was an emergency situation, if the throat closes and they couldn't open it up, they may cut into the neck and windpipe. The description was enough to scare her. Both doctors suggested the Pfizer vaccine as just possibly a late reaction. The patient had a basic metabolic panel while in the emergency room. She reported that potassium and sodium was low. Chest Xray- the patient did not have a report on it. Nasal scan was fine. COVID nasal test was negative. Swab for many other kinds of viruses was negative. All of these tests were done on 26Mar2021. The action taken in response to the events for losartan potassium, diclofenac sodium, ibuprofen, and aflibercept was unknown. The outcome of the event "potassium was low and sodium was low" was unknown and recovered on an unspecified date in 2021 for the other event.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1278862	5/1/2021	IL	88	F	2/19/2021	3/26/2021	throat closing, tongue swelling, face swelling and a hard time breathing/ diagnosed her symptoms as angioedema; potassium was low and sodium was low; potassium was low and sodium was low; This is a spontaneous report from a contactable consumer (patient). An 88-year-old female patient received her second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EN6198) at the age of 88-years-old, via an unspecified route of administration in left deltoid on 19Feb2021 at single dose for COVID-19 immunization; losartan potassium (lot number: LJ5020047-A, expiration date: Aug2023), via an unspecified route of administration from 2011 to an unspecified date in 2021 at 50 mg, 1x/day for blood pressure high; diclofenac sodium modified-release tablet (lot number: PW6V5QFTAF61, expiration date: May2022), via an unspecified route of administration from an unspecified date to an unspecified date in 2021 at 75 mg, 1x/day for an unspecified indication; ibuprofen (ADVIL LIQUI GELS, 200 mg strength, lot number: CY1426, expiration date: Jun2022) capsule, via an unspecified route of administration from an unspecified date to an unspecified date in 2021 at 2-4 capsules, as needed (daily) for an unspecified indication; and aflibercept (EYLEA) injection, ophthalmic from an unspecified date to 11Mar2021 at 1 DF (injection), every 8 weeks in each eye for macular degeneration. Medical history included macular degeneration (the wet kind), blood pressure high, spinal stenosis, and thyroid disorder (reported as thyroid something) she provided that it was something like hypotrachea (as reported). The patient's concomitant medications were not reported. The patient previously received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL8982) at the age of 88-years-old, via an unspecified route of administration in right deltoid on 29Jan2021 at 0.3 mL, single for COVID-19 immunization. The patient was calling about the Pfizer COVID-19 vaccine and mentioned that she had a reaction but didn't think it was from the vaccine because it was 5 weeks to the date after the second shot. The reaction was very severe, and she had to visit the emergency room. The patient experienced throat closing, tongue swelling, face swelling and a hard time breathing. She saw her primary care provider after that, and she also saw her PMR doctor-

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

physical medicine and rehabilitation. The doctors recommended that she report this reaction to the COVID 19 vaccine five weeks later. Both doctors thought it might be from the vaccine and it was worth reporting. When asked about the symptoms and if they occurred at that same time, the patient stated yes, and they diagnosed her symptoms as angioedema in the emergency room. This happened on 26Mar2021. The patient was never admitted to the hospital. When asked if angioedema improved, worsened or was persisting, patient stated it was nonexistent now. The events happened after the second dose of the vaccine. The patient had to stop her medications because her primary care provider was unsure what may have caused this reaction, but it may be her medications. She has been taking losartan potassium for about ten years but now had to stop because angioedema could possibly be the result of that, even after ten years. She also had to stop diclofenac sodium because they may have caused that kind of reaction. Having to stop ibuprofen broke her heart as she has taken it for years. This too could have that type of reaction. For aflibercept, she mentioned that she gets the injections in both eyes every eight weeks. She had it 31 times in the right eye and 30 times in the left eye. The reaction she was speaking of, the emergency room, came exactly 2 weeks after she had her last injections, which was on 11Mar2021. Angioedema was an emergency situation, if the throat closes and they couldn't open it up, they may cut into the neck and windpipe. The description was enough to scare her. Both doctors suggested the Pfizer vaccine as just possibly a late reaction. The patient had a basic metabolic panel while in the emergency room. She reported that potassium and sodium was low. Chest Xray- the patient did not have a report on it. Nasal scan was fine. COVID nasal test was negative. Swab for many other kinds of viruses was negative. All of these tests were done on 26Mar2021. The action taken in response to the events for losartan potassium, diclofenac sodium, ibuprofen, and aflibercept was unknown. The outcome of the event "potassium was low and sodium was low" was unknown and recovered on an unspecified date in 2021 for the other event.



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1279193	5/1/2021		60	F	2/10/2021		<p>Back disorder; lower back issues; Feeling abnormal; felt fuzzy; Vaccination site pain; sore arm; Dizzy; Fatigue; Energy decreased; not feeling as much energy as before; Pain upon movement; walk about a block but then starts to hurt; This is a solicited report from a contactable consumer (patient) via a non-Pfizer sponsored program, based on the information received by Pfizer (Manufacturer Control No: 21K-163-3774842-00).</p> <p>Solicited report from a consumer of a 60 year old female with events of heart/atrial flutter, atrial fibrillation, eye surgery and arm surgery and non-serious weight gain due to attempting to stop smoking, lower back issues, felt fuzzy, got first dosage of covid-19 vaccine and experienced sore arm, fatigue and dizzy from the blood thinners after surgery, still not feeling as much energy as before and walk about a block but then starts to hurt with humira 40mg/0.4ml (adalimumab). The patient had a relevant medical history of tobacco use/four cigarette sticks per day, seropositive high titer rheumatoid arthritis, fingers swelling, joint pain, joint swelling and lost of blood flow in hands and legs. On unknown dates, the patient experienced eye surgery, arm surgery, lower back issues, felt fuzzy, got first dosage of covid-19 vaccine and experienced sore arm, fatigue and dizzy from the blood thinners after surgery, still not feeling as much energy as before and walk about a block but then starts to hurt. In 2020, the patient experienced heart/atrial flutter and atrial fibrillation. In Sep2020, the patient experienced weight gain due to attempting to stop smoking. On 24Feb2021, the heart/atrial flutter and atrial fibrillation resolved. Covid-19 vaccine was also considered suspect. The patient had eye and arm surgery in the past. On 24Feb2021, she underwent pulmonary vein cryoballoon ablation surgery for the atrial fibrillation and atrial flutter. She had a procedure done and went into her heart and froze the nerve endings that were causing the atrial fibrillation, and also fixed the flutter in her heart. The causality as per reporter for this procedure was reported as no reasonable possibility. She still recovering. She discontinued the Humira two weeks before the surgery and took her last injection on 10Feb2021 and was paused it for four weeks, but she started back it on 10Mar2021. She follows up with her surgeon at the end of the month and she hopes this helps got her off of the blood thinners and other medicines, she been on for this.</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

She stated that this was not related Humira. She was advised by her physician to increase the exercise to lose some weight. With her lower back issues, she was hoping that when she got off of the blood thinners, she could do pain shots again and start exercise. She could walk about a block but then she started to hurt. She had been careful with her diet also, cut out the salt also. This had nothing to do with Humira and she did not want to be contacted about this again for this also. She felt fuzzy, it took her most of the morning to get woken up. Her Doctor thinks once she would off of the blood thinners she would be back to normal. Other than that she feels fine. She does not wanted to be contacted about this. It was unknown if patient was enrolled in a COVID-19 Vaccine Trial. On unknown date, patient received first dose COVID-19 Vaccine manufactured by Pfizer, lot number unknown. She agreed to have physician contacted. Blood thinner was also considered as co-suspect. Other medical history included abstains from alcohol, contrast dyes allergy manifested by scratch throat, allergy manifested by bowel movements (oral medications for rheumatoid arthritis; up to eight times a day and slept 15 hours per), prevent esophagus damage, heart, low thyroid, and attention-deficit/hyperactivity disorder. The patient's concomitant medications included pantoprazole to prevent esophagus damage, metoprolol for heart, levothyroxine for low thyroid, vortioxetine hydrobromide (TRINTELLIX) for depression, and dexamfetamine sulfate (DEXTROAMPHETAMINE) for attention-deficit/hyperactivity disorder. The patient underwent laboratory tests and procedures which included blood work: everything was fine in Jan2021; chemical stress test and treadmill stress test: confirmed atrial fibrillation and atrial flutter in Sep2020; body weight: gain in Sep2020; and X-ray: confirmed atrial fibrillation in Sep2020. The action taken in response to the events for adalimumab and apixaban was unknown. The patient recovered from atrial flutter and atrial fibrillation on 24Feb2021. Outcome of Feeling abnormal and Pain upon movement was unknown. The patient had not recovered from the remaining events. Change History: On 05Mar2021, received updates to patient demographics, medical history, event information, reporter opinion of causality, suspect drug information, concomitant drug information, past drug information,

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

laboratory/diagnostic procedures and narrative description. The events of "atrial flutter", "atrial fibrillation" and "weight gain due to attempting to stop smoking" were added. On 11Mar2021, received updates to patient demographics, medical history, event information, reporter opinion of causality, company opinion of causality, company alternative etiology, suspect drug information, laboratory/diagnostic procedures and narrative description. The events of "LOWER BACK ISSUES" and "WALK ABOUT A BLOCK BUT THEN STARTS TO HURT" were added. the event of "atrial flutter" was amended to "heart/atrial flutter". On 08Apr2021, received updates to event information, reporter opinion of causality, company opinion of causality, company alternative etiology, suspect drug information and narrative description. The events of "felt fuzzy", "got first dosage of covid-19 vaccine and experienced sore arm", "fatigue and dizzy from the blood thinners after surgery" and "still not feeling as much energy as before" were added. Causality for humira 40mg/0.4ml(adalimumab): The reporter's causality for the event(s) of heart/atrial flutter, atrial fibrillation, eye surgery, arm surgery, weight gain due to attempting to stop smoking, lower back issues, got first dosage of covid-19 vaccine and experienced sore arm, fatigue and dizzy from the blood THINNERS after surgery unknown onset and fatigue and dizzy from the blood thinners after surgery unknown onset with humira 40mg/0.4ml(adalimumab) was no reasonable possibility. The reporter's causality for the event(s) of felt fuzzy, still not feeling as much energy as before and walk about a block but then starts to hurt was not provided. Manufacturer opinion is that there is no reasonable possibility that the events of heart/atrial flutter, atrial fibrillation, eye surgery, arm surgery, weight gain due to attempting to stop smoking, lower back issues, felt fuzzy, got first dosage of covid-19 vaccine and experienced sore arm, fatigue and dizzy from the blood thinners after surgery unknown onset, fatigue and dizzy from the blood thinners after surgery unknown onset, still not feeling as much energy as before and walk about a block but then starts to hurt are related to humira 40mg/0.4ml(adalimumab). The reporter's assessment of the causal relationship of the events with BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) was not

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

provided at the time of this report. Since no determination has been received, the case is managed based on the company causality assessment. No follow-up attempts are possible; information about batch number cannot be obtained. No further information is expected.; Sender's Comments: Based on the current available information , the events of sore arm, fatigue and dizzy could be related to the suspected drug of BNT162B2. The other events are most likely related to an intercurrent or underlying condition which is not related to the suspected drug. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1273324	4/30/2021	FL	73	F	2/18/2021	2/22/2021	The day before the first vaccine she was up and acting normal, laundry, housework and knew what to do. She has severe dementia but was doing OK and knew where she was. She got the first vaccine on 1/29/21, and the 3rd and 4th day they noticed she was having hallucinations and saying things that weren't there. She could hear baby's crying but there were no baby's present. Within 7 days she had what the son described as a stroke. He said that she was watching television and he was on a conference call and he noticed she walked into a wall and he asked if she was okay and starting stumbling across the room and when he touched her she felt very heavy and said that one side of her face was drooping. He got her back into the chair and called 9-1-1. She was so agitated at the hospital that the husband does not know what they gave her and they kept her for a week. They finally got her under control. They discharged her from there and she that was all that they could do with her. They brought her home with nurses assistance and her paranoia was evident, hallucinations were very evident. They said that they tried to do a CAT Scan and an MRI and they said that she did not have a stroke. Restless was very adamant, talking strange things and wanting to go to her son's house when she was there. Before that vaccination she knew where she was and after that she did not know where she was thinking she was at one location and just confusion. She then got her 2nd vaccine and then her husband went out of town and took her back home on 2/24/21 as he was able to get her in a car and travel and able to eat and knew somewhat what was going on. On 2/25/21 when he brought her home to a long term care facility. She was chanting constantly, had irritability, anger, cognition completely eroded. She was very agitated, very combative. Drugs would not calm her down, and tried to get CAT scans or MRI's but were unsuccessful due to her combativeness. She was screaming and yelling 24 hours a day to the top of her lungs and gave her Ativan which had the adverse effects of what they were supposed to do. Had biting, hallucinations, paranoia. She had a couple of falls, they had her in a wheelchair and tried to feed her and she would fall down. They took her to the hospital a few times and she progressively got worse. On 4/19/21 she shut down and quit eating, quit drinking, closed her eyes, and lasted a

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							week like that and then she died on 4/24/21 @ 2:30 AM. None of her doctors could figure out what had happened. They were finally able to get a CAT scan and felt that she may have a stroke. Finally they memory care facility told them to come a take her to the hospital and they had moved their hospice patient's as she was screaming and disruptive and they could not handle her anymore. They thought she was suffering from Lewy body dementia at one point. They were going to have her tested for that and they could not do it on Saturday when she passed for genetics and missed those timelines and could not do it.
1272636	4/30/2021	CA	24	F	4/12/2021	4/12/2021	headache, chills, and body aches begin on 4/12 chills and aches end after 48 hours persistent symptoms: severe (tense, sometimes pounding) headache on right temple, sinus, back of head that worsens with activity, sometimes accompanied by nausea and loss of appetite sensitivity to light and sound and difficulty focusing vision fatigue and mind fog taking ibuprofen with limited improvement
1273366	4/30/2021	TX	64	M	3/18/2021	3/25/2021	Blurred vision began one week after vaccination. Pt reports it has gotten better, but is still intermittent. Pt reported having had cataract surgery the previous year (March 2020) so recommended to discuss with ophthalmologist
1273086	4/30/2021	OH	48	F	3/31/2021	4/9/2021	Patient reports sudden change in vision and "zapping " sensation in brain as well as short term memory loss that started within 1 week of vaccination and is progressively worsening
1273083	4/30/2021	TX	43	M	4/28/2021	4/29/2021	Site: Pain at Injection Site-Mild, Site: Redness at Injection Site-Mild, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild, Systemic: Right upper eyelid bruise-Mild, Additional Details: patient came and said he woke up with right upper eyelid bruise and not hurting. I advised him to monitor and if getting worse , he need to go to emergency or urgent care

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1273007	4/30/2021	PA	57	M	4/1/2021	4/27/2021	1st shot migraine head ache for week, dizzy ness, fell down steps, hard to breath, pain in chest, call and ask health clinic if should get second shot they said ok to. blood pressure up by 10-15 pts 2nd shot- 3 hours dizzy, head ache, 8 hours later, gaunt start in right foot, hot and freezing every 15 minutes rotation in for day, stabbing stomach pains, 3 black outs for up to 4 hours each, 2 day burning eyes, and gaunt start in other foot left foot, and gaunt move up to ankle on right foot. blood pressure now 20-25 pts higher. notified heath clinic again.
1272960	4/30/2021	MN	54	M	4/15/2021	4/21/2021	approximately 1 weeks post vaccine patient suffered vision loss and was diagnosed with ischemic stroke
1273122	4/30/2021	DC	25	F	4/17/2021	4/25/2021	Patient presented to ED at hospital with 2 day history of urticarial profoundly itchy rash associated with eyelid swelling and lip swelling. The rash has improved somewhat with steroids but not fully resolved. She had visited an urgent care facility one day prior to ED visit and received steroids. She was admitted to the medicine service of our hospital and skin biopsy was performed which did not show evidence of vasculitis.
1272946	4/30/2021	NY	17	F	4/29/2021	4/29/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Visual Changes/Disturbances-Mild, Additional Details: Patient has a history of Syncope during shots and in medical setting. She was put in a prone position to recover which she did within 15 minutes
1272711	4/30/2021	CA	69	M	4/6/2021	4/25/2021	initially had mild headache and diarrhea but this resolved after a few days. Then around 4/25, developed atraumatic bruising and swelling and pain to the left biceps region (opposite side from vaccine). denied current headache/visual symptoms/abdominal pain or other bleeding/bruising.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1272642	4/30/2021	IN	58	F	4/23/2021	4/23/2021	Vaccine date Fri 4/23/21 Starting at 5pm I had a low grade Fever 99.1 and Chills lasted until approx 9pm and then went away. Sat 4/24/21 woke up with Sore L. Arm at site of Vaccine, but felt better. Sun. 4/25/21 woke up at 7:30am and didn't feel well, nausea, chills, needed to lay down, about 8:00am severe Headache at my Sinuses, Behind my Eyes, Forehead, and Back of Head at Base of Neck through 10pm. I took Speedy Release Tylenol, 3 hrs later Headache was returning I took 2 Ibuprofen and slept. Slept most of the day until 9pm when I felt I could tolerate Chicken Noodle Soup. I woke up Mon. 4/26/21 w/mild Headache just behind my Eyes.
1272630	4/30/2021	OH	45	F	4/1/2021	4/8/2021	Within seconds/ less than a minute of receiving the vaccine, I felt heat rush up through left side of neck... Then underneath my eye / crawl / felt strange like swelling. Then within 5-10 min my skin on left side of head crawl .... But ok within an hour. Only on left side. Also, no pain at all didn't even feel needle go in but had lump at injection site and painful when touched until Day 12.
1272626	4/30/2021	FL	25	F	4/6/2021	4/6/2021	Passed out as soon as the vaccine given. I had nausea dizziness and blurry vision that lasted for 15 minutes
1275241	4/30/2021	NY	35	F	4/6/2021	4/7/2021	102 fever, chills, muscle aches, sinus pressure, headache, pressure behind eyes. Eye irritation. Eye grittiness and pain. Trouble focusing the eyes. Sensitivity to light. Sudden onset of many black floaters in field of vision. Visual disruption. Dizziness. Spontaneous vitreous degeneration.
1273424	4/30/2021	LA	41	F	4/7/2021	4/7/2021	4pm severe peri orbital eye pain and severe headache 4:30p Severe ear pain with light sensitivity 9pm fever, severe chills,with excessive uncontrollable shakes that appeared to look like a convulsion, uncontrollable teeth chattering, hot flashes, diaphoretic , elevated blood pressure and teeth nerve pain, severe body aches and lasting muscle soreness
1272674	4/30/2021	CA	38	F	4/29/2021	4/29/2021	Started with itching eyes and then itching on the roof of the mouth followed by hives later in the day. Took Benadryl 50 mg and symptoms did not worsen but did not totally go away.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1275474	4/30/2021	ME	30	M	4/30/2021	4/30/2021	During the observation period, pt was seen trying to take off his jacket, and proceeded to pass out and fall out of his chair. Pharmacist rushed to help him up and he complained of feeling very hot and sweating profusely. He did not have any swelling/itching of throat/facial area. Patient was provided cold water, and told to remain seated. Pt was asked questions such as name, what day it is, to establish if patient was alert and oriented. Patient complained of experiencing tunnel vision while passing out. He proceeded to pass out once more, while seated, this time the pharmacist was able to support him in his chair. After the water and rest, patient said he felt much better and his girlfriend came to escort him home. He stayed for about 30 minutes before leaving and staff made sure he was feeling alright.
1274799	4/30/2021	CA	16	F	4/30/2021	4/30/2021	Patient fainted post-vaccination. Observed patient beginning to lean forward and RN was able to prevent her from falling. Patient's eyes observed to roll upward while patient became unresponsive to stimuli and diaphoretic. No incontinence. EMS called while patient assisted simultaneously to gurney by multiple staff. Upon lying down, patient awoke and become alert and oriented to person, place, time, and situation, though stayed pale and diaphoretic for several minutes. VS @ 12:55: BP 120/80, P 59, SAO2 99%, resp unlabored. VS @ 13:00: BP 138/83, P 62, R 20, SAO2 99% VS @ 13:04: BP 123/73, P 54, SAO2 99% VS @ 13:10: BP 100/69, P 78, SAO2 98% Sitting at edge of bed without symptoms at 13:05, alert and conversing with staff and mother. EMS arrived at 13:07 - their monitor showed NSR, random blood sugar = 93. Ate a snack and drank juice, symptoms completely resolved. Mother declined transport to ED. Discharged home with mother with post-vaccination instructions, will receive 2nd dose while lying down.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1291643	4/30/2021	NY	63	F		4/14/2021	1ST dose: 3/2/21 5 pm headache sore left arm 4 days. benadryl/tylenol ok on 3/7/21. mild anxiety short of breath. general allergy. 2nd dose 3/30/21 : 4 PM 3/31/21: severe migraine -r hydroxyzine/tylenol hydrated ok. vitamins zinc, probiotics some cough - nose allergy seasonal. 5TH APRIL :itchy hands, arms, some pain on right hand. mild headache. 14TH APRIL 2021: woke up noon : severe headache, blurred vision, malaise, right hand frozen, pain, burning sensation upto upper right arm. itch. Cold pack treatment, numb pain on left finger tips. contact welts, red patches, hair nose eyes blurry dbl vision watery itchy - bitter taste in mouth. lower right leg toe nerve pain burn on toe. pinched nerves. upper arm.
1281101	4/30/2021	CA	65	M	3/22/2021	3/26/2021	65-year old man with PMH notable for CAD s/p 3v CABG 2015, HFrEF (EF 54% 11/2020), CKD, T2DM (A1c 7.5% 9/2020), and OSA, presenting with 2 days of weakness, malaise, difficulties getting out of bed and walking. The patient was in his normal state of health until he got the 2nd dose of the moderna covid vaccine two days ago; since then he has been somnolent, weak, not eating or drink much, and slid out of his bed and woke up on the floor once. He came to the ED because he was so weak that he couldn't walk. He furthermore endorses suprapubic and generalized right-sided abdominal tenderness that started after two episodes of nonbloody emesis and chills while waiting in the ED. He denies fevers, chest pain, dyspnea, orthopnea, lower extremity swelling, palpitations, brbpr, melena, dysuria, rash, easy bruising/bleeding, headache, vision changes, and sensory changes.
1273427	4/30/2021	FL	46	F	4/22/2021	4/22/2021	BURNING ALL OVER BODY ESPECIALLY FACE, EYE PAIN/BLURRINESS, RASH, EXTREME FATIGUE

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1275554	4/30/2021	MN	18	F	4/30/2021	4/30/2021	Patient reported to immunizer that she did not like needles. Following her vaccine, the patient walked around the pharmacy shopping during wait time. Once at POS counter, she collapsed (did not hit head) ~5pm. Patient thought she half fell and half sat down. She sat on floor leaning against cupboard. She reported reduced vision and hearing. BP ~100/60mmHg at ~5:05pm. She was provided water and cool cloth. Friend was brought into store from parking lot to be with her as well. She reported vision improving and was able to go back into vaccination room to rest. She reported not eating much that day - patient was provided with Hershey candy bar and sucker. ~5:15pm her BP was 100/62 and she continued to feel better/improve. 5:35pm patient reported felt well enough to go home (with friend). Throughout event, patient declined call parents or anyone else.
1275053	4/30/2021	VT	36	M	4/30/2021	4/30/2021	light headed, dizziness, sweating, anxious, vision blur saw yellow, had him sit extra 15 minutes until felt better took temperature - low registered 95, drank juice had a granola bar, stayed seated until felt better was with friend who was able to help when left temperature was at 96
1274597	4/30/2021	IA	52	M	3/26/2021	3/29/2021	Three days after receiving the vaccine, he developed a headache which was intermittent with pain score of 5-8 out of 10. Headache became consistent around 4/11/21. Pain is in the occipital region and occasionally radiates behind the eyes. Also complains of dizziness, nausea, vomiting, and tingling in his hands bilaterally - worse in the mornings and goes away after waking up. He presented to Medical Center on 4/28/21 and transferred to Medical Center for treatment of vaccine induced thrombocytopenia and nonocclusive straight sinus thrombus. He was started on bivalirudin infusion 4/29 @ 0142 via continuous infusion. Still receiving treatment at the time of this report.
1274482	4/30/2021	WI	21	M	4/30/2021	4/30/2021	after pt got janssen vaccine he suffer blurred vision, ear ringing, light headache, vomiting, dizziness and sweating for short time

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1274397	4/30/2021	CA	79	F	3/18/2021	4/4/2021	~~Pfizer-BioNTech COVID-19 Vaccine EUA" - received first dose 2/25/2021 and second dose 3/18/2021 Patient wint intermittent persistent occipital headache for 2-3 days. Pain was rated 8/10. Also with bilateral lower extremity rash without itchiness persisting for 2 days. no vision change, no photophobia. Denied any fever, chills, SOB, cough, loss of smell or taste, myalgia, nausea, vomiting, diarrhea, weakness or any focal neurological deficit. Admitted for ITP (also with epistaxis and severe low platelets, hyponatremia, acute cystitis without hematuria. No chest pain, no GI bleed. Treatments included 2 units PRBC transfusion (4/6), plateletpheresis (4/6), dexamethasone IV (changed to prednisone oral on 4/7), IVIG infusion from 4/5 to 4/7, and B12 replacement. Discharge home with prednisone oral, folic acid, cyanocobalamin

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1274385	4/30/2021	CA	61	F	3/27/2021	3/31/2021	<p>~~Moderna COVID-19 Vaccine EUA" -- received 1st dose 3/27/2021 Received 1st Moderna vaccine in R arm on 3/27/21. Within first hour, she had a headache, R eye pain, and felt tired; symptoms subsided after she laid down. On 3/31 in early AM, felt sudden and more severe headache and same eye pain, and "electrical contractions down neck, back, and spine." Went to medical facility, then transferred to hospital, and transferred to another hospital via helicopter. 61-year-old female, generally very healthy, on no medications, here complaining of sudden onset right sided stabbing/electrical headache which began 30 minutes prior to arrival. She states she was standing at work when had sudden onset severe headache radiating into her right eye. Stating that it feels like my right eyeball is going to explode. She ranks the pain a 9 out of 10. She does have a history of migraine headaches which have never been evaluated with imaging or by neurology. They were normally frontal, and she has not had one in more than 2 years. She states that this headache is dramatically different than her prior migraines. Patient states associated with this sudden onset headache, she had bilateral neck pain, and substernal chest pain. Upon arrival to clinic, she points to her substernal region as the site of her chest pain. She denies associated shortness of breath, irregular heart rate/rhythm, presyncope. She does feel slightly weak. Of note, patient states she had a MODERNA COVID-19 vaccine on Saturday and subsequently had some right-sided shoulder pain. Her symptoms are on the same side. - 7:50 AM: BP 165/109 (R arm); pulse 86; no antihypertensives given, given a total of 100 mcg fentanyl over 1 hr - 9:04 AM: BP 150/92 (R arm); pulse 60; transferred to hospital and then to transfered to another hospital via helicopter for SAH 3/31/2021 ED - given nicardipine IV, dexamethasone IV, levetiracetam, and antiemetics. Nero noted that no associated trauma, LOC, or seizure with the HA, Neuro assessment - day 4 (plus possible re-rupture within last 24 hours) of good clinical grade HH2 low volume aSAH due to ruptured R ICA ANR 4/1/2021 - completed successful and uncomplicated RICA oblong aneurysm coiling (successful coil elimination &amp; preservation adjacent PcommA infundibulum). Patient was admitted to critical care for post procedure care, monitoring, and management of sodium, blood pressure, and headache.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							Levetiracetam discontinued since patient did not have any seizures. 4/7/2021 - discharged
1274025	4/30/2021	PA	19	F	4/30/2021	4/30/2021	Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Shakiness-Mild, Systemic: Tingling (specify: facial area, extremities)-Mild, Systemic: Tinnitus-Mild, Systemic: Visual Changes/Disturbances-Mild, Systemic: Weakness-Mild, Additional Details: 5 minutes after vaccine pt felt lightheaded and blurred vision. then passed out. patient advised to sit down then passed out again and started to shake head (seizure like symptoms) for a few seconds. patient was pale, confused and started sweating, fingers were cold to touch. Then her fingers started to get numb and tingly. she was having a hard time seeing colors and she started having ringing in ears. Ambulance was called and they took over.
1273873	4/30/2021	AZ	81	M	2/15/2021	3/17/2021	right bell's palsy symptoms started on 3/17/2021, became severe on 3/18/2021, with severe right facial droop and inability to close right eye, minimal improvement over past 6 weeks. Younger sister also developed Bell's Palsy after her second Covid vaccination.
1273705	4/30/2021	TX	55	F	3/11/2021	3/30/2021	Early in the morning I started developing a headache. I typically have migraines and thought this was just what I was getting. I took Excedrin Migraine to try to keep it from getting worse, but it continued to get worse and worse and worse. About noon I found that I could not stand any light or sound - this is not typical for me as I can usually listen to things during a headache even if I can't open my eyes. I ended up spending all the rest of the day and the night alone in a dark noiseless room. I told my husband it was the worse headache I had ever had. It was only later that we found out the shot caused blood clots in the head. I did not correlate the two because it had been so long - almost 3 weeks - since my vaccination.
1275860	4/30/2021	NC	45	F	3/16/2021	4/15/2021	TIA, Loss of vision. Disoriented, crossed vision, headache

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1270017	4/29/2021		40	F	1/28/2021	1/28/2021	1/28 1st Pfizer > 1/29 Onset, dizziness, nausea, h/a, eye pressure, "heaviness" in legs, altered taste 2/3 Cough, mild congestion Seen in ER on 2/5 for evaluation of cough. Reports 3 days of upper respiratory congestion, mild nonproductive cough. Diffuse body aches. Mild nausea associated with coughing, however no emesis. Denies chest pain/abdominal pain. ROS positive for: fatigue, congestion, cough, myalgias.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1269664	4/29/2021	CA	61	F	4/12/2021	4/12/2021	<p>passed out; tunnel vision; "jerking movements" of her upper extremities; left arm was tingling/left pinky and ring fingers felt nerve tingling sensations; then the back of her throat had a chemical taste and tingling; then the back of her throat had a chemical taste and tingling; BP was 164/94 while lying down; continued to have pain in her left arm and across the left side of her chest and left-sided back shoulder; continued to have pain in her left arm and across the left side of her chest and left-sided back shoulder; continued to have pain in her left arm and across the left side of her chest and left-sided back shoulder; tongue was tingling and felt swollen with an altered chemical taste for 2 days; tongue was tingling and felt swollen with an altered chemical taste for 2 days; This is a spontaneous report from a contactable consumer (patient). A 61-year-old female patient (not pregnant) received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), dose 1 via an unspecified route of administration, administered in Arm Left on 12Apr2021 11:00 (Lot Number: ER8734) at the age of 61 years old as single dose for covid-19 immunisation. Medical history included Low thyroid, kidney infections, skin rashes, high cholesterol, food sensitivities. Concomitant medications in two weeks included liothyronine sodium (CYTOMEL); levothyroxine; vitamin b complex (VITAMIN B); levoglutamide (L GLUTAMINE). Facility type vaccine was Pharmacy or Drug Store. No other vaccine in four weeks. On 12Apr2021 11:00, within 1st min of vaccine, the patient's left arm was tingling, then the back of her throat had a chemical taste and tingling, then tunnel vision, then that was the last thing she remembered until she heard her partner saying, "Are you ok?" The patient said to her she thought she fell asleep. She was an RN and said that the patient passed out for about 15 seconds and had "jerking movements" of her upper extremities before she woke up. The staff and medic helped the patient to the floor where she rested for 20 min with her legs elevated on chair. BP was 164/94 while lying down, pulse was 74. The patient returned home and continued to have pain in her left arm and across the left side of her chest and left-sided back shoulder for most of the day. Also her left pinky and ring fingers felt nerve tingling sensations for the rest of the day. Her tongue was tingling and felt swollen with an altered chemical taste for 2 days. No</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1269721	4/29/2021	OH	38	F	3/25/2021	3/30/2021	<p>treatment received for the events. No covid prior vaccination and no covid tested post vaccination. The outcome of the events was recovering.</p> <p>anxiety; night sweat; fatigue/extremely fatigued; nerve pain; body aches; had a slight ringing in my ear; This is a spontaneous report from a contactable consumer (patient). A 38-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) dose 1 via an unspecified route of administration administered in right arm on 25Mar2021 15:30 (Batch/Lot number was not reported) as single dose for COVID-19 immunisation. Medical history included post viral syndrome (chronic fatigue), dry eye, known allergies included lactose intolerance and had adverse reactions to Botox. No COVID prior vaccination. No COVID tested post vaccination. Concomitant medications in two weeks included Vitamin B, D, Magnesium, zinc, copper, omega 3. No other vaccine was received in four weeks. On 25Mar2021 (pending clarification) by 2am the patient woke up with a horrible anxiety and night sweat. Evening two the patient had some fatigue, evening three I had a flare up of nerve pain and body aches, same issues night four. By night five the patient felt like her entire body was on fire with nerve pain. Day six on 30Mar2021 the patient was extremely fatigued and had a slight ringing in her ear that remained. The patient slowly regained her strength and functioning. The events resulted in "Doctor or other healthcare professional office/clinic visit, Disability or permanent damage". No treatment was received for events. The outcome of events was recovering. Information on the lot/ batch number has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1269737	4/29/2021	FL	79	F	4/2/2021	4/2/2021	<p>hallucinations; Headache; chills; fever; sweats; diarrhea; got ill/not feeling well; Pain behind eyes and neck and shoulders; Pain behind eyes and neck and shoulders; Pain behind eyes and neck and shoulders; muscle pain; vomiting; she got the 2nd dose of the vaccine last 02Apr2021, she got the first vaccine last 24Mar2021; she got the 2nd dose of the vaccine last 02Apr2021, she got the first vaccine last 24Mar2021; This is a spontaneous report from a Pfizer-sponsored program. A contactable consumer (patient) reported that a 79-year-old female patient received the second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration on 02Apr2021 as SINGLE DOSE for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. Historical vaccine includes first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE) on 24Mar2021. On 02Apr2021, the patient experienced hallucinations, headache, chills, fever, sweats, diarrhea, got ill, pain behind eyes and neck and shoulders, muscle pain, and vomiting. The patient was hospitalized for all events for 4 days. The patient further stated that after 3 hours getting the vaccine she experienced a terrible adverse event like headache, muscle pain, diarrhea, vomiting and chills, she contacted her doctor and she was advised to call the ambulance and go to the hospital but since she was designated next to the isolation of COVID patients she decided to go home after getting the saline that will help her to increase the potassium, she mentioned that until now she was experiencing hallucinations and severe headache and she was not feeling well. The patient also stated that she got the first vaccine last 24Mar2021 (less than 21 days interval). The patient mentioned that she had taken diarrhea medications and antibiotics after the 2nd dose. Therapeutic measures were taken as a result of hallucinations, headache, sweats, diarrhea, got ill, pain behind eyes and neck and shoulders, muscle pain, and vomiting. The outcome of all events was unknown. Information on lot number/batch number has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1269743	4/29/2021	PA	67	F	3/19/2021	3/1/2021	collapsed, head hit the tile floor of bathroom; collapsed, head hit the tile floor of bathroom; right arm was bruised; corner of her eye was purple/bruised; feeling nauseated; Headaches off and on; pain; This is a spontaneous report from a contactable consumer (patient). A 67-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection; Lot Number: EN6208) intramuscular, administered in Arm Left, at the age of 67-year-old, on 19Mar2021 11:00, as SINGLE DOSE for covid-19 immunisation. Medical history included asthma and Allergies. The patient's concomitant medications were not reported. The patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection; lot number EN6203) single dose, at the age of 67-year-old, on 26Feb2021, for covid-19 immunisation and experienced slight ache in her left arm, headaches, and mitral valve disease. On 20Mar2021, the patient had headaches off and on and the patient mostly woke up with them. The patient doesn't know if the headaches were from pollen in the air since it is Spring time or mold. On 24Mar2021 at 4am, the patient got out of bed because she had to use the restroom. As soon as the patient took the first step into the tile floor of the bathroom, the patient collapsed. The patient didn't fall, the patient collapsed on the file floor. Her head hit the floor. Her head was killing her when she was laying there. The patient used the restroom and went back to bed. The patient got out of bed because her head was killing her. The patient guesses she threw her right arm out to brace herself, because she noticed her right arm was bruised the morning of 24Mar2021 when she went to shower. The patient took Equate 500MG for the events head hit the tile floor of bathroom, headache, and right arm was bruised and used a wash cloth with cold water as a cold compress and applied it by her eyebrow, the corner of her eye was purple/bruised. It looked like she had eyeshadow on. On 24Mar2021, she was feeling nauseated. Thankfully, she had the next 2 days off (Thursday and Friday) because she didn't feel so hot. On 26Mar2021, the patient called her PCP and was asked if she wanted to come in/ make an appointment. Since, the caller was planning to meet with the surgeon about her upcoming surgery on 29Mar2021, it didn't really fit into her schedule. She was undergoing all these tests, etc. It

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

was determined her surgery was going to happen after receiving the second vaccine. The surgery is hopefully a mitral valve repair. The patient mentioned that her provider is aware of her experience with the COVID vaccine. The patient saw the surgeon on 29Mar2021, and she told him all about her experience. He advised the patient to call her PCP and schedule an appointment with them. She saw her PCP on 01Apr2021. She told her PCP what happened and her PCP asked why she didn't go to urgent care. The patient doesn't really know why she didn't, she just thought she was going to feel better. The patient thought she would work through the pain since Mar2021. Plus, she had everything going on with her surgery- like finding out she had to have the surgery and going under other tests. Her PCP wanted her to go to radiology to have a MRI of the head/brain done. She had the MRI done at 3:00PM on 06Apr2021 and the results were negative. Up until last weekend, she still felt "headachy". The patient has headaches too because of stress knowing her surgery was scheduled in a matter of 2 weeks, so she didn't know if the headaches she was experiencing was because of the COVID vaccine, stress, allergies, etc. The patient was certain the headache she experienced the day after she collapsed, was due to the collapse. The patient clarified that she knew it was more of a "collapse" instead of a fall because all the furniture leading to the bathroom, like the loveseat, lamp, cedar chest, etc, were all intact with no marks. It was like all of a sudden she collapsed. Her bruising is all gone, but there might be a slight mark that is like yellow and green (because the bruising changes colors) on her arm. Her eye was okay. The patient will have her planned surgery on 15Apr2021. The events required physician office visit. The patient underwent unspecified lab test and procedures relevant to her upcoming surgery but no other testing in regards to her symptoms after the COVID vaccine. Outcome of headache was not recovered, the events corner of her eye was purple/bruised and right arm was bruised recovered in 2021, while it was unknown for the other events.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1269746	4/29/2021	AZ	46	M	3/12/2021	3/12/2021	Regular pain feeling; Headache; Muscle pain; Calf feels tight, stiff, it feels like dead weight; Calf feels tight, stiff, it feels like dead weight; Pain running up the right arm up to the shoulder/Calf pain; He asked if someone can tell him if it is a blood clot in the back of his calf; This is a spontaneous report from a contactable consumer (patient). A 46-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration, administered in left arm (shoulder) on 12Mar2021 10:07 (Lot Number: EN6202) as single dose for covid-19 immunization. There were no medical history and concomitant medications. The patient has no prior vaccinations within 4 weeks. The patient was not sick at time of vaccination. The patient reported that on 12Mar2021, he has been feeling the regular pain feeling, a headache, muscle pain before, it comes and goes. However, he said that the last few days (2021), there had been, by his calf muscle in the back there, they've been tightening, like stiffening up on him when he's sleeping. His calf feels tight, stiff, it feels like dead weight. It wakes him up at times. He also reported pain running up the right arm up to the shoulder on unknown date in 2021. He was just curious in terms of what that might be. He asked if someone can tell him if it is a blood clot in the back of his calf. The headache went away after 2-3 days. He also reported that his eyes also hurt a little bit and was the same time frame as the headache (onset date reported as 12Apr2021: after the second dose, pending clarification). He stated that those things were just mild, nothing major. He did not take anything for these. He confirmed he no longer had muscle pain. He just has pain behind the calf and right arm up to his shoulder. His calf pain, started to feel tight, started within the last 2- 3 weeks (2021). The arm pain in right arm up to shoulder started maybe within 2 days. The patient received the second dose on 02Apr2021. Outcome of the events muscle pain and headache was recovered in Mar2021, events pain running up the right arm up to the shoulder/Calf pain was not recovered, and outcome of other events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1269758	4/29/2021	VA	59	F	4/13/2021	4/14/2021	<p>Lost consciousness; dizzy like she was about to faint; twitching and shaking; eyes went to one side; she was about to faint; seizure; Diarrhea; chills; head hurting; eyes hurting; Muscle soreness; joint pain; Nausea; temperature of 99.3; This is a spontaneous report from a contactable consumer (daughter of patient) and another consumer. A 59-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration, administered in Arm Left on 13Apr2021 16:21 (Lot Number: EW0164; Expiration Date: Aug2021) at vaccination age of 59 years old as single dose for covid-19 immunisation. Medical history included vertigo, antacid therapy. Concomitant medication included esomeprazole magnesium (NEXIUM 24HR) taken for antacid therapy from an unspecified start date and ongoing. No additional vaccines administered on same date of the Pfizer Suspect. The patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot EP7533), on 23Mar2021 at 17:38 PM at age of 59 years old in the right arm as single dose for covid-19 immunisation and only had a little bit of muscle soreness on her right arm on 23Mar2021 after the first dose and it went away the day after (24Mar2021). The patient took Tetanus shot about two weeks before the first dose of the Pfizer COVID 19 vaccine. Then received the second dose on 13Apr2021 16:21PM in the left arm. After the second dose she had chills; her head was hurting; her eyes were hurting; she had muscle soreness; she had joint pain all yesterday 14Apr2021. Then this morning 15Apr2021, after taking a Tylenol and getting a shower she felt dizzy like she was about to faint. Her mother had vertigo but this was not like her usual vertigo. Her mother sat on the bed and started to have what looked like a seizure with twitching and shaking; then she lost consciousness. Her mother's eyes were open and they saw her mother's eyes twisted, went to one side, and she fell back on the bed. They called at 05:30 AM and the ambulance arrived quickly but by the time they arrived she had regained consciousness. They recommended she follow up with HCP. They called the doctor who advised her to rest, and make an appointment to see the doctor tomorrow. Reporter clarified her mother had the chills from 10:00 AM today (15Apr2021) and had them day with a lot of headache,</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

eyes hurting goes along with the headache, and she had a temperature of 99.3. The chills and temperature resolved last night then the eyes hurting ended this morning (15Apr2021) with the headache. All of the other symptoms resolved yesterday (14Apr2021). She also had nausea that started yesterday (14Apr2021) and she started to have diarrhea once today (15Apr2021) and felt like it had stopped. The nausea was coming and going from time to time. The events did not require a visit to emergency room or physician office. The outcome of events chills, muscle soreness, joint pain, temperature of 99.3 was recovered on 14Apr2021. The outcome of events Lost consciousness, head hurting, eyes hurting, felt dizzy, twitching and shaking, eyes went to one side, Diarrhea was recovered on 15Apr2021. The outcome of event seizure, she was about to faint was unknown. The outcome of event nausea was recovering.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1269769	4/29/2021	CA	37	F	3/29/2021	3/31/2021	Blood clots; Major blood loss; Blurred vision; Heart palpitations; Shortness of breath; Extreme fatigue; Dizziness; This is a spontaneous report from a contactable other hcp (patient). This 37-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in arm left on 29Mar2021 12:00 (Lot number was not reported) as single dose (at 37 years old) for COVID-19 immunisation. Medical history none. There were no concomitant medications. On 31Mar2021 01:00, the patient experienced blood clots, major blood loss, blurred vision, heart palpitations, shortness of breath, extreme fatigue, dizziness. The outcome of the events was unknown. Therapeutic measures were taken as a result of the events included blood transfusion, ongoing tests, ultrasounds. The events required a visit to the emergency room and a visit to the physician's office. Seriousness criteria of the events was reported as serious due to disability and life threatening. Prior to vaccination, the patient was not diagnosed with COVID-19 and since the vaccination, the patient had not been tested for COVID-19. No allergies. The patient was not pregnant at the time of vaccination. The information on the Lot / Batch number has been requested.; Sender's Comments: Based on the limited information currently available, a possible association of the suspect drug administration with the reported events cannot be completely excluded, due to a plausible temporal relationship. This case will be reassessed when additional information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1269802	4/29/2021	HI	33	F	4/26/2021	4/26/2021	33 year old female with no significant past medical history presents to the ED with syncope s/p receiving first COVID-19 vaccination this evening at 1758. The patient states that she completed her 15 minutes of observation when she suddenly felt dizziness after standing and had a syncopal episode, waking up on the ground. Per the nurse at the scene, the patient hit the back of her head. The patient does not remember hitting the back of her head as she lost consciousness prior to falling. Since then, the patient has been experiencing symptoms of generalized weakness and intermittent nausea, but denies symptoms of headache, visual changes, vomiting, neck pain, back pain, shortness of breath, chest pain, or abdominal pain. The patient has had normal PO intake today. She reports that she has had three separate syncopal episodes s/p getting her blood drawn in the past, but denies syncopal episode s/p receiving vaccinations in the past. The patient is an otherwise healthy individual with no known drug allergies, taking no daily medications, and denies the use of alcohol, tobacco, or drugs. Her last normal menstrual period was completed recently and she denies any chance of pregnancy, recent pregnancies, or currently nursing.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1269966	4/29/2021	MD	52	F		4/10/2021	OVERHEATED; HARD TIME STAYING AWAKE; TIREDNESS; PAIN IN RIGHT EYE; TINGLING OVER RIGHT EYE; SEVERE HEADACHE (BACK OF HEAD, OVER WHOLE HEAD)/ FELT LIKE HEAD GOING TO EXPLODE/ HEADACHE VERY SLIGHT, FEELS LIKE LITTLE PRESSURE; FELT NAUSEOUS; This spontaneous report received from a patient concerned a 52 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included slight sleep apnea/ problems with sleep, pollen allergy, and dust allergy. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808609, expiry: 09-JUN-2021) dose was not reported, administered on 20-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 10-APR-2021, the subject experienced severe headache (back of head, over whole head) / felt like head going to explode/ headache very slight, feels like little pressure. On 10-APR-2021, the subject experienced felt nauseous. On 12-APR-2021, the subject experienced pain in right eye. On 12-APR-2021, the subject experienced tingling over right eye. On 21-APR-2021, the subject experienced hard time staying awake. On 21-APR-2021, the subject experienced tiredness. On an unspecified date, the subject experienced overheated. Laboratory data (dates unspecified) included: COVID-19 virus test negative (NR: not provided) negative. Treatment medications (dates unspecified) included: ibuprofen. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from overheated, and felt nauseous on 11-APR-2021, had not recovered from hard time staying awake, tiredness, pain in right eye, and tingling over right eye, and the outcome of severe headache (back of head, over whole head)/ felt like head going to explode/ headache very slight, feels like little pressure was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1269988	4/29/2021	NY	51	F		4/1/2021	<p>FLU LIKE SYMPTOMS; NUMBNESS IN LIPS/MOUTH/TEETH; TWITCHING IN LEFT EYE; PAIN IN LEGS/PAIN DOWN TO FEET; NUMBNESS IN LEGS/FEET/FINGERTIPS/FACE/CHEEK/NOSE; This spontaneous report received from a consumer concerned a 51 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, and batch number: 202A21A expiry: UNKNOWN) dose was not reported, administered on 08-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On APR-2021, the subject experienced numbness in legs/feet/fingertips/face/cheek/nose. On APR-2021, the subject experienced pain in legs/pain down to feet. Laboratory data included: Blood test (NR: not provided) unknown, Doppler scan (NR: not provided) unknown, and EKG (NR: not provided) unknown. On 08-APR-2021, the subject experienced flu like symptoms. On 08-APR-2021, the subject experienced numbness in lips/mouth/teeth. On 08-APR-2021, the subject experienced twitching in left eye. Treatment medications (dates unspecified) included: procaine hydrochloride. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from flu like symptoms on APR-2021, and the outcome of pain in legs/pain down to feet, numbness in legs/feet/fingertips/face/cheek/nose, numbness in lips/mouth/teeth and twitching in left eye was not reported. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1269654	4/29/2021	NY	41	F	4/14/2021	4/14/2021	Feeling of blacking out; Nauseous/nausea; Light headed; Vision clouded over; Ears started ringing loudly; Pale; Vasovagal response; This is a spontaneous report from a contactable consumer (patient). A 41-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number and expiration date were not reported), on the left arm on 14Apr2021 (15:15) as a single dose, with route of administration unspecified, for COVID-19 immunization. Medical history included hypothyroidism, allergies and sulfa allergies. The patient was not pregnant at the time of vaccination. Concomitant medication included thyroid (ARMOUR THYROID). On 13Apr2021 (15:15), the patient had a feeling of blacking out; nauseous/nausea; light headed; vision was clouded over; ears had started ringing loudly; was pale; and had vasovagal response. The events had resulted in doctor or other healthcare professional office/clinical visit and emergency room/department or urgent care. The patient had received an anti-nausea medication, fluids and antacids as treatment for the reported events. The patient's bloodwork was fine and vitals were good, both on 13Apr2021. The outcome of the events was unknown. The patient was not diagnosed with COVID-19 prior to the vaccination, and had not been tested post-vaccination. Information on the lot/batch number has been requested.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1270011	4/29/2021	NM	54	U	4/9/2021	4/9/2021	<p>feel weird, objects looked distorted,; could not sleep; felt hyperactive with her eyes popping out of her head; bone pain; muscle soreness; Headache; hallucinations; This spontaneous case was reported by a consumer and describes the occurrence of HALLUCINATION (hallucinations) in a 54-year-old patient of an unknown gender who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 026B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No medical history was provided by the reporter. Concomitant products included GABAPENTIN for Peripheral neuropathy, CLONAZEPAM (CLONAZEPAM AUDEN) for Seizures, METOPROLOL, DROXIDOPA and MONTELUKAST SODIUM (SINGULAIR) for an unknown indication. On 09-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 09-Apr-2021, the patient experienced HALLUCINATION (hallucinations) (seriousness criterion medically significant) and HEADACHE (Headache). On an unknown date, the patient experienced FEELING ABNORMAL (feel weird, objects looked distorted,), SLEEP DISORDER (could not sleep), EUPHORIC MOOD (felt hyperactive with her eyes popping out of her head), BONE PAIN (bone pain) and MYALGIA (muscle soreness). On 11-Apr-2021, HALLUCINATION (hallucinations) had resolved. At the time of the report, FEELING ABNORMAL (feel weird, objects looked distorted,), SLEEP DISORDER (could not sleep), EUPHORIC MOOD (felt hyperactive with her eyes popping out of her head), BONE PAIN (bone pain), MYALGIA (muscle soreness) and HEADACHE (Headache) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown. Treatment given included Naproxen. Company comment: Based on the information provided which includes a temporal association between the use of mRNA-1273 vaccine and onset of the reported events, a causal relationship cannot be excluded. Headache and myalgia are consistent with the product safety profile.; Sender's Comments: Based on the information provided which includes a temporal association between the use of mRNA-1273 vaccine and onset of the reported events, a causal relationship cannot be excluded. Headache and myalgia are consistent with</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1269554	4/29/2021		22	M			<p>the product safety profile.</p> <p>severe blurred vision; shortness of breath; shaking; stiffness in his jaws; patient who fainted; This is a spontaneous report from a contactable pharmacist. A 22-year-old male patient received the first dose of bnt162b2 (BNT162B2, Solution for injection, Lot number was not reported), via an unspecified route of administration on an unspecified date (received at the age of 22-years-old) as SINGLE DOSE for COVID-19 immunisation. Medical history SVT (supraventricular tachycardia) (diagnosed with SVT by his cardiologist, however it was never confirmed), palpitation, and had fainted in two different situations in the past. Concomitant medications were not reported. The patient fainted after the first dose of COVID-19 vaccine as soon as he stood up. He was unconscious for about 5 seconds. He was experiencing severe blurred vision, shortness of breath, shaking and stiffness in his jaws. He was 22 years old, 170 pounds, and 6 feet tall. He has history of palpitation. In the past he was diagnosed with SVT by his cardiologist, however it was never confirmed. In addition, he had fainted in two different situations in the past. Based on what the patient says, his health issues and why he faints was never fully understood by medical doctors. Outcome of the events was unknown. Information about Lot/batch number is requested.; Sender's Comments: A possible contributory effect of suspect BNT162B2 on event syncope cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1270009	4/29/2021	FL		F	4/23/2021	4/23/2021	rupture in blood vessels; one eye is black; blood shot; This spontaneous case was reported by a consumer and describes the occurrence of EYE HAEMORRHAGE (rupture in blood vessels) in a female patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 23-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 23-Apr-2021, the patient experienced EYE HAEMORRHAGE (rupture in blood vessels) (seriousness criterion medically significant), EYE CONTUSION (one eye is black) and OCULAR HYPERAEMIA (blood shot). At the time of the report, EYE HAEMORRHAGE (rupture in blood vessels), EYE CONTUSION (one eye is black) and OCULAR HYPERAEMIA (blood shot) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. No treatment information was provided. No concomitant medication was provided. Company Comment Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1269551	4/29/2021	FL	24	M	4/14/2021	4/14/2021	<p>fell out completely; passed out/fell off at the store; feeling dizzy; had terrible headache; chills; weak with shilling; i started sweating; I'm still feeling very sick; This is a spontaneous report from a contactable consumer (patient). A 24-year-old male patient received first dose of bnt162b2 ((PFIZER-BIONTECH COVID-19 VACCINE; lot EW0158; Expiration Date: Jul2021), via an unspecified route of administration, administered in left arm on 14Apr2021 12:00 as single dose for COVID-19 immunisation. Medical history included eye allergy. Concomitant medication included amoxicillin sodium, clavulanate potassium (AMOXICILINA CLAV) taken for eye allergy from 12Apr2021. On 14Apr2021, he received the first dose of the vaccine about an hour ago and waited five minutes and went to the bathroom. He had a severe reaction while patient was in the bathroom, he started to feel dizzy, had a terrible headache and chills. He walked out of the bathroom at the store and fell out completely in front of the pharmacists. The patient also experienced weak with shilling (as reported) and started sweating. The pharmacists called 911 and the responders checked his vitals and blood pressure and all of that and everything was fine. Patient clarified he passed out completely for almost 5 minutes. Patient stayed there with everyone until, they were waiting to see how he was doing. He reported he was feeling much better now, still feel a bit dizzy, not 100% but not as bad as when it happened. It has improved and he definitely felt terrible at the time. He was monitoring himself at home to see if he notices something weird going on. He does not have a headache right now and was feeling much better. When he was having the effect, he was mentally sharp, and knew what was going on. He thought about letting himself walk outside the bathroom so he could be seen. He didn't lose track of what was going on and body reacted adversely. He remembered stuff and everything and he felt good. Patient stated the chills went away; however, would not say they went away completely, he was recovering. The events did not require a visit to emergency room or physician office and the paramedic said it was not necessary right now because all the vitals and everything else seemed fine. There was no therapy received for the events. There were no additional vaccines administered on same date of the vaccine and no other vaccines within 4 weeks prior</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1269982	4/29/2021	ME		F		4/1/2021	<p>to vaccination. Prior to vaccination, the patient was not diagnosed with COVID-19 and since the vaccination, the patient had not been tested for COVID-19. Outcome of events feeling dizzy, terrible headache, chills was recovering; still feeling very sick was unknown; outcome of the rest of events was not recovered.</p> <p>WATERY EYE; BLURRED VISION IN RIGHT EYE; FEVER WITH UNKNOWN TEMPERATURE; HEADACHE RIGHT BEHIND THE EYE; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 206A21A expiry: UNKNOWN) dose was not reported, administered on 25-APR-2021 14:00 for prophylactic vaccination. No concomitant medications were reported. On APR-2021, the subject experienced fever with unknown temperature. On APR-2021, the subject experienced headache right behind the eye. On 26-APR-2021, the subject experienced watery eye. On 26-APR-2021, the subject experienced blurred vision in right eye. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered with sequelae from headache right behind the eye, had not recovered from fever with unknown temperature, and watery eye, and the outcome of blurred vision in right eye was not reported. This report was non-serious.</p>
1270057	4/29/2021	PA	40	M	4/28/2021	4/28/2021	<p>Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Mild, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild, Systemic: Shakiness-Mild</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1269496	4/29/2021	GA	73	F	4/9/2021	EXPELLED PEA SIZED MUCUS BOLUS WITH BLACK CENTER WHEN COUGHING OR BLOWING NOSE; UNEXPECTED THERAPEUTIC BENEFIT; TIRED; GASTROINTESTINAL TRACT PAINFUL; BLURRED VISION; THROAT SWELLING REQUIRING MOUTH BREATHING; This spontaneous report received from a patient concerned a 73 year old female. The patient's height, and weight were not reported. The patient's past medical history included covid 19/covid cough, and concurrent conditions included migranes, osteoarthritis, irritable bowel, constipation, reactive asthma, malaise, exhaustion, brain fog, migrating joint pain, disturbed sleep pattern, mold allergy, pollen grass allergy, raynaud's syndrome, alcohol use, memory disturbances, non smoker, sulfonamide allergy, tetracycline allergy, barbiturate allergy, and penicillin allergy, and other pre-existing medical conditions included the patient was not pregnant at the time of reporting. the patient had no history of drug abuse or illicit drug usage. the patient increased the use of normal nebulizer from sporadically to daily for months that caused a trip to the emergency room in apr-2020. The patient was previously treated with butalbital/cafeine/paracetamol; and experienced cut off vital organs to brain shut down blood vessels when treated with cimetidine for migraine, and low blood pressure when treated with pethidine hydrochloride, tachycardia when treated with oxycodone hydrochloride/paracetamol, and throat swelling when treated with capsaicin. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805031, expiry: UNKNOWN) dose was not reported, administered on 09-APR-2021 for prophylactic vaccination. Concomitant medications included epinephrine. On 09-APR-2021, the subject experienced blurred vision. On 09-APR-2021, the subject experienced throat swelling requiring mouth breathing. On 10-APR-2021, the subject experienced gastrointestinal tract painful. On 11-APR-2021, the subject experienced tired. On 13-APR-2021, the subject experienced unexpected therapeutic benefit. On 20-APR-2021, the subject experienced expelled pea sized mucus bolus with black center when coughing or blowing nose. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from blurred vision, and throat swelling requiring mouth breathing on 09-APR-	

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

2021, and tired on 12-APR-2021, was recovering from unexpected therapeutic benefit, had not recovered from gastrointestinal tract painful, and the outcome of expelled pea sized mucus bolus with black center when coughing or blowing nose was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1269514	4/29/2021	VA	24	F	2/27/2021	3/4/2021	<p>permanent pupil dilation; loss of peripheral vision - able to see straight forward but was fuzzy; extreme lightheadedness; severe headache/complicated migraines; Extreme aphasia; This is a spontaneous report from a contactable nurse, the patient. This 24-year-old non-pregnant female patient received the first dose of BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: EN6200), via an intramuscular of administration in the left arm on 27Feb2021 14:30 (at the age of 24-year-old) as single dose for COVID-19 immunization. Medical history included mitral valve prolapse, asthma, attention deficit hyperactivity disorder, Crohn's disease, tachycardia and pernicious anemia. Concomitant medications included adalimumab (HUMIRA), propranolol (manufacturer unknown), escitalopram (manufacturer unknown), ethinylestradiol/norgestimate (SPRINTEC) and amphetamine aspartate/ amphetamine sulfate/ dexamphetamine saccharate/ dexamphetamine sulfate (ADDERALL XR). The patient previously took ibuprofen and experienced drug hypersensitivity. Prior to the vaccination, the patient was not diagnosed with COVID-19. The patient did not receive any other vaccines within four weeks prior to the vaccination. On 04Mar2021 10:30, the patient reported experiencing "extreme aphasia, loss of simple understanding, inability to comprehend normally, permanent pupil dilation, loss of peripheral vision - able to see straight forward but was fuzzy, body felt fuzzy, extreme lightheadedness, frustration due to not being able to comprehend my own words, and severe headache afterwards. Checked hemoglobin and glucose through finger stick, both were normal. Symptoms subsided after a few hours but reoccurred for about an hour that same day. Since this occurred, I still have trouble at times finding the words to say. 4 days after this happened, I was hospitalized and put on stroke precautions: 4 MRIs and blood work show no sign of stroke and discharged with a diagnosis of complicated migraines." The patient was placed on prochlorperazine maleate and nortriptyline as events treatments. Since the vaccination, the patient had been tested negative for COVID-19 on the BINAX test via nasal swab on 04Mar2021. The patient was hospitalized for 2 days on unspecified dates in Mar2021. The patient had recovered with lasting effects.; Sender's Comments: The causal</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

---

association between the reported events and vaccine administered cannot be excluded at this time. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1269535	4/29/2021	CO	59	F	4/5/2021	4/5/2021	blood clot under her eye; bright red bruise in the corner of the eye to the middle of the eye underneath; feeling crummy; she was down; headaches; couldn't move; arm hurt all the way below her arm pit into her breast; arm hurt all the way below her arm pit into her breast; arm hurt all the way below her arm pit into her breast; got very sick; This is a spontaneous report from a contactable consumer (patient). A 59-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/Lot Number: ER8737), dose 1 via an unspecified route of administration, administered in Arm Left on 05Apr2021 08:30 (at the age of 59years) as single dose for Covid-19 immunization. Medical history included ongoing rheumatoid arthritis and osteoarthritis (not bad enough that she takes treatment, but she is diagnosed; she was diagnosed way back in 2006). Concomitant products: patient stated she takes some medications (not further specified). The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient reported that she had her first dose of the Pfizer Covid-19 vaccine on 05Apr2021 and got very sick. She was down for two days and after day 10 (as reported) she has a blood clot under her eye. She would like to know what would happen if does not get a second dose. She consulted if there is any talk on whether or not people should receive an additional dose of the Pfizer Covid-19 vaccine next year. The patient further reported that on 06Apr2021 she woke up feeling crummy right away and a couple of hours into that day she couldn't lift her arm, literally couldn't lift arm for 6 inches and stated it went on for 2 days. She further stated that her arm hurt all the way below her arm pit into her breast. She stated that it all ended on 08Apr2021 and she went back to work on 08Apr2021. The patient added that she was down for two days, had headaches, and stated she never knew what people meant when they said they got hit by train. She doesn't believe she had a fever and couldn't move. The patient further stated that she got pretty darn sick and this morning 14Apr2021, she woke up with a blood clot under her eye. She is an esthetician and is pretty good with skin. She stated that she doesn't know how she could get this overnight unless she injured herself in her sleep, but she is a light sleeper. She does not know if it is a clot. She also stated that she called a medical esthetician who told her to take a baby

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

aspirin and cold compress. The patient clarified that she didn't feel so good and today she feels better. She doesn't know that it is a blood clot, it is not raised and not hard, it looks like she has a bright red bruise in the corner of the eye to the middle of the eye underneath, not in the eye. She wants to make it clear she doesn't know if it is a blood clot. She feels like if she hurt herself, that would be the reason, but it would be painful, and it is not. She added that the bruise is about the same. Therapeutic measures were taken as a result of the events (except for feeling down and couldn't move). The outcome of events thrombosis and contusion was not recovered; the outcome of other events was recovered on 08Apr2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1269576	4/29/2021	CA	44	F	4/3/2021	4/1/2021	I haven't been able to work since/I can't function; my left leg went completely numb; I couldn't walk; my immune system attacking the nerves; The shortness of breath is very bad; My pulse is high; My blood pressure is low; I have major neurological symptoms now.; My left eye is now affected too and blurry.; keep feeling my face and now my tongue and mouth go numb; keep feeling my face and now my tongue and mouth go numb; This is a spontaneous report received a contactable other healthcare professional, the patient. This other healthcare professional reported similar events for the same patient with each dose of the same product; this case refers to the second dose. A 44-year-old adult [non-pregnant] female received the second dose of BNT162b2 (solution for injection; Lot unknown expiry information not provided) in the right arm via unspecified route on 03Apr2021 (at 44-years-old), for COVID-19 immunisation. Relevant medical history included thyroid. Concomitant medications included levothyroxine sodium (TIROSINT) for thyroid. The patient previously received COVID-19 immunisation with the first dose of BNT162b2 (Lot unknown expiry information not provided) in the left arm on 13Mar2021 at 12:00 (at 44-years-old) and experienced face, head and ears started tingling, shortness of breath, numbness and weakness, severe burning all over her nerves of her body, and abnormal uterine bleeding. The patient denied any known allergies and being diagnosed with COVID-19 prior to the vaccine. The patient was not pregnant at the time of vaccination and the patient denied receiving any other vaccine within four weeks of this vaccine. The patient reported that on 03Apr2021 she received her second shot and within four hours her left leg went completely numb and she could not walk. The patient reported that she went to the emergency room three times since that time. The patient reported that she was told it was her immune system attacking her nerves. The patient reported that the shortness of breath is very bad, her pulse is high, and her blood pressure is low. The patient explained that she has major neurological symptoms now. The patient stated that she has had two magnetic resonance imaging (MRI), on computerized tomogram (CT) and two x-rays though no results were provided. The patient explained that she has appointments with neurologist and immunologist. She is unable to work since she has to be on video with



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

people and keep feeling my face and now her tongue and mouth go numb. The patient stated that she was scared to eat food, so she does not choke. The patient mentioned that her left eye is affected too and blurry. The patient exclaimed that she cannot function, it is scarring her little kids and has affected her entire family. The patient reported that events resulted in: Doctor or other healthcare professional office/clinic visit; Emergency room/department or urgent care, Hospitalization, Disability or permanent damage]; with hospitalization for three days. The patient has not been tested for COVID-19 since the vaccine. Treatment for the events included intravenous (IV) anti-inflammatory. The outcome of the events left leg went completely numb, could not walk, immune system attacking her nerves, shortness of breath, pulse is high, blood pressure is low, neurological symptoms, unable to work/ cannot function, feeling my face and now her tongue and mouth go numb, and left eye is affected too and blurry, was not recovered. The lot number for the vaccine, BNT162b2, was not provided and will be requested during follow up.; Sender's Comments: Based on the close temporal relationship, the association between the reported events with BNT162b2 can not be fully excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.,Linked Report(s) :-PFIZER (Same reporter/patient/product, similar events with first dose)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1269544	4/29/2021	KS		F	4/3/2021		<p>She is forming a cataract; low grade fever; headaches; body aches; chills; felt miserable; anxiety; This is a spontaneous report from a contactable consumer from a Pfizer-sponsored program COVAX US Support. A female patient of an unspecified age (Age: 69; Unit: Unknown) received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Lot number was not reported), via an unspecified route of administration on 03Apr2021 at a SINGLE DOSE for covid-19 immunisation. The patient's medical history and concomitant medications were not reported. The patient received first dose of COVID vaccine BNT162B2 on 12Mar2021 for COVID-19 immunization and felt a little tired. The patient was scheduled to get an eye examination and her optometrist will be putting some solution to both of her eyes next Tuesday. She wanted to know if she should wait longer because she doesn't want to mess up the vaccine's efficacy. The patient stated that she will be dilated at the optometrist. She was forming a cataract and she did not know if the vaccine would cause the eye exam to be misleading. The patient stated that she read an article that said if you were having a mammogram that you needed to wait two weeks or four weeks. The patient stated she had a low grade fever, headaches, body aches and chills after the second dose of the vaccine. She stated she took Tylenol on the way home after the second dose. She stated that during the nighttime her temperature was creeping up to 100.9. She stated she felt miserable. She stated she took two pills two different times of 500mg each. She stated she took another pill four hours after the first pill because she was miserable and then the temperature started dropping. She stated the symptoms went away after three days. The patient stated that the anxiety was intense for the second dose due to the possible side effects. The patient underwent lab tests and procedures which included body temperature: 100.9 on an unspecified date. Therapeutic measures were taken as a result of low grade fever and felt miserable. The outcome of the events was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1269647	4/29/2021	VA	45	F	4/1/2021	4/1/2021	About five hours after the second dose, my eyelids became very itchy. This lasted for an hour or two. During the night, I woke up gasping for air and wheezing. This lasted approximately one hour. The next day I had shortness of breath off and on. I normally have mild seasonal allergies, but four days after vaccination I had the worst allergy attack in years, and it's recurred once or twice a week since then. I still have slight wheezing every day, and I have not been able to resume my regular running due to shallow breathing, which leads to high blood pressure. First dose, left arm: arm soreness, swollen lymph nodes, mild diarrhea

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1269557	4/29/2021	MO	36	M	3/11/2021	3/12/2021	chest pain; neck pain; general muscle pain; joint pain; headaches; fatigue/malaise; fatigue/malaise; shortness of breath; lightheadedness; nausea; severe heartburn flare up; abdominal pain; digestive issues (urgent, but small stools); heart racing/palpitations; elevated heartrate; vision changes in the left eye; This is a spontaneous report from a contactable consumer (patient). A 36-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/Lot Number: EN6201), dose 1 via an unspecified route of administration, administered in Arm Left on 11Mar2021 13:45 (at the age of 36years) as single dose for Covid-19 immunization. Medical history included heartburn and known allergies: Penicillin, alcohol; all from an unknown date and unknown if ongoing. The patient previously took Cipro (ciprofloxacin) and experienced drug allergy. Concomitant medication included Ritual Multivitamin. The patient was not diagnosed with COVID-19 prior to vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. On 12Mar2021 (06:00 am), the patient experienced chest pain, neck pain, general muscle pain, joint pain, headaches, fatigue/malaise, some shortness of breath, lightheadedness, nausea, severe heartburn flare up, abdominal pain, digestive issues (urgent, but small stools), heart racing/palpitations, elevated heartrate, and vision changes in the left eye. The adverse events resulted in Doctor or other healthcare professional office/clinic visit, Emergency room/department or urgent care, and Hospitalization. The patient was hospitalized from an unspecified date for 1 day. Treatment was received for the adverse events. There were many tests done/are being done. The patient has not been tested for COVID-19 since the vaccination. The outcome of events was unknown.
1269613	4/29/2021	CA	53	M	4/23/2021	4/24/2021	Dose -1 Moderna Pain in the left arm for 2 weeks. Dose -2 Moderna fever - 102 Body Pains Sore throat Burning eyes Rash on left arm ( Took Tylenol) Fever, body pains subsided after 3 days. Sore throat, Rash and burning eye sensation still persists.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1269620	4/29/2021	CA	27	F	2/1/2021	3/26/2021	Swelling of neck lymph nodes and left eye. Swelling of under tongue. Ongoing off and on body aches, headaches and fever. Esophagitis and heartburn. Treatment has been a short dose of prednisone (6 days) and motrin/Tylenol off and on. Clindamycin oral and IV clindamycin (10 days) carafate(30 days)
1269627	4/29/2021	WI	24	M	4/28/2021	4/28/2021	Symptoms (so far, still the first day of second dose vaccine): Foggy vision. As if viewing everything through light fog
1269636	4/29/2021	MN	34	F	4/21/2021	4/21/2021	Within five minutes of my vaccination I started to feel very dizzy and my eyesight became blurry. I told my husband who had also been vaccinated that I thought something was wrong and within a seconds I then passed out and he caught me. I vomited twice in the span of the next ten minutes and I was not alert for any of that time-no recollection of being able to see or hear. My husband stated my eyes were open and pupils very dilated. He was able to get me to the ground with the help of the pharmacist who had administered the vaccine. 911 was called and by the time they arrived I became coherent enough to talk and interact. I declined a hospital visit because I had no interest in a ambulance ride but did follow up with my primary. No history of ever fainting or medical anxiety.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1269643	4/29/2021	NY	65	F	3/16/2021	3/21/2021	stroke; face sunk in and changed/Bells Palsy; This is a spontaneous report from a Pfizer-sponsored program. A contactable consumer (patient) reported that a 65-year-old female patient received the first dose of BNT162B2 (Pfizer-BioNTech COVID-19 vaccine, lot number: EN6202), via an unspecified route of administration, administered in the left arm on 16Mar2021 at 14:00 as a single dose for COVID-19 immunization. Medical history included a mild case of COVID-19, last year, on an unspecified date in 2020. There were no concomitant medications. The patient had no prior vaccinations within 4 weeks of the COVID vaccine. On 21Mar2021, the patient's face sunk in and changed. The patient's symptoms were not improving. Her eye and right side of her face are affected. She cannot close her right eye. She worked on it and is now able to close right eye not like the left eye closes, but it doesn't blink as the left eye does. She has been using eye drops for this. She said it was Bells Palsy. The patient added that it is hard to look in the mirror. She will not get the second dose. She was not interested in taking the vaccine now. She wanted to wait and see. It being so new and see. Her sister took it and encouraged her, and said it is necessary because they like to travel. She got Prednisone when she was at the hospital, they gave her 60mg Prednisone. Her physician didn't want to keep her on it too long and said it may cause other complications. Her physician cut her off, she weaned her down 50mg, 40mg, 30mg, 20mg, then 10mg. When the patient noticed her face start to turn, she went to the ER. She thought she was having a stroke. The patient was not admitted to the hospital. The outcome of the event face sunk in and changed/bells palsy was not recovered while the outcome of the event stroke was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1269540	4/29/2021			M			<p>he has Hashimoto's Disease and is immunocompromised; he has Hashimoto's Disease and is immunocompromised; Approximately 12 hours after receiving the first dose he began to have pain in his right eye only.; swelling of the soft tissue behind the eye and believes it is from the vaccine; This is a spontaneous report from a contactable consumer. A 55-year-old male patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE) lot number and expiration date not provided, via an unspecified route of administration on an unspecified date as single dose for Covid-19 immunisation. Medical history and concomitant medications were not reported. Approximately 12 hours after receiving the first dose, the patient began to have pain in his right eye only. He stated that he couldn't touch it, it felt like "my eye ball was going to explode out of my eye socket." The pain continued for the next two days and is still there a bit now. He saw his eye doctor last week and she saw swelling of the soft tissue behind the eye and believes it is from the vaccine. Also, on an unspecified date, the patient experienced Hashimoto's disease and is immunocompromised. The outcome of the events eye pain was not recovered. The outcome of other events was unknown. Information on the lot/batch number has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1272203	4/29/2021	IN	60	F	4/14/2021	4/15/2021	<p>Bell's Palsy; Right Eye does not close; Sometimes she can not talk; Red Left Arm (from injection site all the way to elbow); This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of FACIAL PARALYSIS (Bell's Palsy) in a 60-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 017B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 14-Apr-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 15-Apr-2021, the patient experienced FACIAL PARALYSIS (Bell's Palsy) (seriousness criterion medically significant), EYE DISORDER (Right Eye does not close), SPEECH DISORDER (Sometimes she can not talk) and VACCINATION SITE ERYTHEMA (Red Left Arm (from injection site all the way to elbow)). At the time of the report, FACIAL PARALYSIS (Bell's Palsy), EYE DISORDER (Right Eye does not close), SPEECH DISORDER (Sometimes she can not talk) and VACCINATION SITE ERYTHEMA (Red Left Arm (from injection site all the way to elbow)) outcome was unknown. Not Provided On 21 Apr 2021, the patient was diagnosed with Bell's Palsy. Treatment information included unspecified oral antibiotics and steroids. This case concerns a 60-year-old female with a serious unexpected event of facial paralysis, and nonserious unexpected eye disorder and speech disorder and expected vaccination site erythema. Event onset 2 days after first dose mRNA-1273. Event outcomes unknown. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.; Sender's Comments: This case concerns a 60-year-old female with a serious unexpected event of facial paralysis, and nonserious unexpected eye disorder and speech disorder and expected vaccination site erythema. Event onset 2 days after first dose mRNA-1273. Event outcomes unknown. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1271717	4/29/2021	TX	18	F	4/29/2021	4/29/2021	19 years old female presented at COVID clinic (08210) for her second dose of COVID vaccine (Moderna). Patient reported having needle anxiety. Pharmacist confirmed with the patient if she experienced any adverse reaction after she received her first dose. Patient stated after first dose she felt week but nothing major happened. About 8-10 minutes after vaccine was given, patients started having some side effect such as nausea/vomiting and dizziness. she stated that she feels burning up. She denied any shortness of breath. Pharmacist used cold wet towel to rub her forehead and back of her neck. Blood pressure was checked and it was 128/80, HR was 70. Store manager and pharmacist manager were notified. One of the technician called patient's mom. Patient stated she had not ate any thing in the morning so she was given water and some protein bar. Patient waited until all symptoms resolved (with supervision of the pharmacist) and after she felt better patient's mom took her home.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1271783	4/29/2021	MI	51	M	4/1/2021	4/26/2021	<p>BRIEF OVERVIEW: Bilateral PE Discharge Provider: MD Primary Care Provider at Discharge: NP Admission Date: 4/26/2021 Discharge Date: 4/26/2021 Active Hospital Problems (Diagnosis Date Noted) ? Pulmonary embolism without acute cor pulmonale, unspecified chronicity, unspecified pulmonary embolism type (HCC) 04/26/2021 Resolved Hospital Problems No resolved problems to display. CONSULTS: None INPATIENT PROCEDURES: None DETAILS OF HOSPITAL STAY: Patient is a 51 y.o. male with a past medical history of psoriasis, environmental allergies who presents today with sudden shortness of breath, left side pleuritic chest pain 7/10, worsened with deep inspiration. No recent travel, no family history, no history of malignancies, no immobilization or surgeries. He had his 2nd dose of Pfizer COVID vaccine on April 1. He does not have a history of COVID-19 infection, and COVID-19 PCR test was negative in ER. His blood pressure is a little high at 170 6/83 mm, pulse 76 per minute saturating 96% on room air, troponin less than 6, BNP 16, WBC 12.3,, EKG without any significant ST T-wave changes. CT angiogram of the chest shows nonocclusive thrombi in almost all the lobes, there is no saddle embolus noted. There is no evidence of right heart strain. Echo: The technical quality of the exam was limited due to suboptimal acoustic windows. The left ventricle is normal in size. There is normal left ventricular wall thickness. The left ventricular ejection fraction is 60%. Regional wall motion abnormalities cannot be excluded due to limited visualization. The right ventricular size, thickness, and function are normal. No significant valvular pathology identified with Doppler examination. There was insufficient tricuspid regurgitation envelope detected to calculate right ventricular systolic pressure. Injection of contrast documented no interatrial shunt. There is no comparison study available. He was started on Heparin gtt. And admitted for observation. He required no supplemental oxygen. He was discharged later pm on Eliquis 10 mg bid for 7 days, than 5 mg bid for 3 months. I am questioning did he had COVID-19 vaccine related bilateral PE. His hypercoagulable profile is pending. He has no sign of malignancy, no new symptoms, no weight loss. He had normal colonoscopy 2 yrs ago. He should follow up with his PCP. He was given work excuse from 4/26-5/3/21. She shouldn't take non steroidal anti-</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							inflammatory (Ibuprofen (Motrin), Naproxen, Naprosyn, Voltaren, Relafen ... meds because of blood thinner Eliquis. He can take Tylenol 500 mg 1-2 tabs 3-4x a day as needed. He was also prescribed Lidoderm patch. For HTN he was started on DASH diet and Norvasc 5 mg daily. He should follow up with PCP next week. Also he was instructed to quit smoking.
1271806	4/29/2021	WI	42	M	4/8/2021	4/8/2021	Severe insomnia, severe brain fog, sinus pain, sore throat, shortness of breath, body aches and tingling, eye irritation, blurred vision, headaches, stomach discomfort.
1271827	4/29/2021	OK	82	M	3/5/2021	3/21/2021	lungs shut down from 95 to 0 in a blink of an eye
1272005	4/29/2021	WA	53	F	4/3/2021	4/4/2021	The first night I got the vaccine, and I had a fever of 103 degrees for about six hours and 101 degrees at the 24 hours. I had all over body aches for two days but my hands still ache after tree weeks. I woke up in the morning an noticed a big bulging blue vein in my right eyelid right above the outer part of my eye. One week later my thumb started to throb and then a big bulging blue vein in my left thumb. It felt like it had been injured but it looked better within hours. I called my doctor and he advised that I go to the ER. I also had trouble with my head throbbing for a week after the shot. My eye was painful and lasted a little over a week and my eyes were a little blurry. Both problems have resolved but I still have an ache in my hands after three and a half weeks. It is a deep bone ache which makes it difficult to work with my hands.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1271678	4/29/2021	MI	21	F	3/23/2021	4/5/2021	Hepatitis / Encephalopathy (seizures, ADEM, MISC/A) PRESENTING PROBLEM: Fever and chills [R50.9] Hepatitis [K75.9] Febrile illness, acute [R50.9] Acute nonintractable headache, unspecified headache type [R51.9] Seizure (HCC) [R56.9] MIS-C associated with COVID-19 (HCC) [M35.81] Active Issues Requiring Follow-up MIS-C/A - 2/2 COVID-19 infection vs idiosyncratic reaction to J&J vaccine -prednisone taper over 16 days as above -ID will be arranging follow up serial labs (CBC with diff, CMP, Ferritin level, CRP, LDH) -Bactrim prophylaxis while on steroids -Acyclovir 400 mg BID for prophylaxis (hx of recurrent HSV infection of eyelid) - duration to be clarified by ID at follow up -ASA 81 mg daily -TTE w/ normal coronaries. She will need cardiac MRI, to be arranged by adult congenital cardiology Generalized tonic-clonic seizures - witnessed and captured on EEG 4/9. No further events. Continue Keppra 1500 mg BID. outpatient f/u with neurology Abnormal MRI brain - diffuse T2 white matter hyperintensities - non-specific. She will need follow up MRI brain w/ and w/o contrast in 1 month and follow up with neurology clinic ADHD - given insomnia, Senthuri was recommended to avoid vyvanse for now. She will discuss with her outpatient prescriber Anxiety and depression - zoloft increased to 125 mg daily Insomnia - 2/2 trauma from critical illness. Improved with trazodone HS. Elevated EBV PCR - ID will continue to monitor. Nausea/vomiting - resolved. Likely 2/2 gastritis in setting of steroid use. PPI BID x 4 weeks DISCHARGE DISPOSITION: Home without services
1272145	4/29/2021	CA	60	F	4/7/2021	4/7/2021	Janssen COVID-19 Vaccine EUA 24 hours of SEVERE pain in every muscle and especially neck, eyes, head, face, jaw. Also fever, nausea, vomiting, inability to sleep, intense tiredness. After 24 hours, all symptoms continued but were milder for 2 more days. Couldn't eat at all for 3-4 days.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1272098	4/29/2021	CA	18	M	4/29/2021	4/29/2021	Patient received Pfizer vaccine on left deltoid and immediately displayed seizure like activity while sitting down. Patient eyes rolled back and was briefly unresponsive for a few seconds. EMS was notified at this time. The patient was assisted and carried down to the matted floor and feet were elevated on a chair. Patient did become responsive and was alert and oriented but continued be dizzy. Patient did not have labored breathing or respiratory distress at this time. Patient's vital signs were taken at 14:50: 130/71, 80hr, 95% PsO2, 18rr The fire department arrived and transported patient to Hospital. Patient did have another seizure like activity and patient's heart rate dropped into the 40-50s. Peripheral IV on right hand was initiated and bolused. Patient's mother, was notified of event and patient's sister who was waiting outside was brought into facility. Patient's sister who is 14 years old was later picked up by mother.
1272327	4/29/2021	OH	18	F	4/29/2021	4/29/2021	Shortly after administering the vaccine, some people out in the waiting area grabbed me and said patient's eyes rolled back and she passed out and fell forward. She had mentioned that she was very anxious about the shot while I gave it to her. After I came out to her, she was very pale and I gave her some water. I had her call her boyfriend to come inside. One of the technicians called the squad to come check her out. They did so, and they left shortly after. She mentioned that they told her she could either go to the hospital and be observed or go home. She said she wanted to go home. She and her boyfriend went home

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1272464	4/29/2021	CA	45	F	3/12/2021	3/26/2021	At three AM I woke up with the room spinning, I couldn't focus, felt like I was falling. I had horrible pain in my back. I was sweating and vomiting. My husband carried me to the car and brought me to the ER. At the Er I was given a patch for my back pain, medicine for the dizziness and nausea. The dizziness didn't subside. I couldn't walk. I told them I had gotten the vaccine two weeks before and they said it wasn't related. I was diagnosed with a bladder infection, high blood sugar, and vertigo. I was discharged in the evening but with no improvement. I was not able to focus or walk for days. I saw my OBGYN, he was the only doctor I could see right away and he referred me to an ENT. The ENT can't see me until the end of June. I wasn't able to drive for weeks. I am slowly regaining my balance but still feel waves of dizziness and my eyes can't focus well when I am reading. The back pain is gone. My OBGYN also doesn't feel the dizziness is related.
1272508	4/29/2021	NC	40	M	4/29/2021	4/29/2021	Patient reported acute onset of diffuse tingling sensation , light-headed, with cold sweats, blurred vision, and acute complaints of shortness of breath within 9 mins of injection. Shortness of breath was immediate after administration. VS at 11:30 AM T97.4, HR 60, RR 16 BP 88/58 O2 87- rechecked at 95--lungs CTAB Reports a controlled 1600 cal/day diet, OJ and gummy snack given. Patient encouraged to push PO fluids and focused respirations. O2 stabilized at 94-95% on RA VS rechecked at 12:15 PM 96.9 Tympanic, HR 58, RR 16 even and unlabored, BP 98/72 O2 97% Reported feeling better and with appetite, was able to walk around parking lot for several mins to make sure he felt ok to independently leave and opted to depart. A&O x 3. Insight and judgement intact.
1272521	4/29/2021	MI	51	F	4/8/2021	4/13/2021	5 days after vaccination I had partial vision impairment in my right eye. I saw my eye doctor two days later who believed it was retinal vein occlusion. He referred me to an ophthalmologist who I saw the following monday. The ophthalmologist confirmed it was retinal vein occlusion. His treatment was to administer an injection of medicine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1272575	4/29/2021	AL	18	F	4/29/2021	4/29/2021	Approximately 15 minutes after receiving the vaccine the patient reported feeling lightheaded. Patient reported no vision changes, no problems breathing or talking. She said she does not like needles and that could have been the issue. I asked her to remain seated in observation and got her a cup of water. She drank with no problems swallowing. Reported no other symptoms. After approximately 5 minutes patient reported feeling about the same. After an additional approximate 5 minutes patient reported feeling much better. She remained in observation for approximately 5 more minutes, totaling approximately 30 minutes and reported feeling good. I offered for her to remain in observation as she felt comfortable but at that point she said she felt good and would call the pharmacy with any questions or concerns.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1269934	4/29/2021	TN	64	M	4/8/2021		<p>BLOODSHOT IN EYE/EYES WERE RED; KNOT IN CENTER OF RIGHT ARCH OF FOOT; NECK HURTS/COULD NOT MOVE NECK; HEAD SWELLING AND TENDER; SLEEPY; HEADACHE; CHILLS; HEART ACHE; This spontaneous report received from a patient concerned a 64 year old African American, not Hispanic or Latino male. The patient's height, and weight were not reported. The patient's concurrent conditions included blood pressure. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805020, expiry: unknown) dose was not reported, 1 total administered on 08-APR-2021 between 09.30 and 09.40 to left arm for prophylactic vaccination. Concomitant medications included acetylsalicylic acid (Aspirin) for blood pressure. On 08-APR-2021, 20 minutes after vaccination, the patient started having symptoms. The patient's heart started aching and that lasted for 15-20 minutes and then went away. On 09-APR-2021, the patient had chills that had lasted for four hours. On 10-APR-2021, the patient could not move his neck left or right and back of his head felt like it was swelling and tender; he also had a headache, and he was extremely sleepy. The patient's neck and head tenderness lasted three to four days. On 11-APR-2021, the patient eyes had blood shot and were red and reported that he might had a stroke or blood clot. On 17-APR-2021, he had a knot came up in the center of right arch on foot. On 19-APR-2021, at the time of this report, the patient's eyes were still red and had a slight headache; the patient's neck still hurts, he was sleepy, and the knot was still there on his right arch of his foot. The patient took acetylsalicylic acid (Aspirin) but he was already taking that for his blood pressure. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from heart ache on 08-APR-2021, head swelling and tender on 14-APR-2021, and chills on 09-APR-2021, and had not recovered from neck hurts/could not move neck, bloodshot in eye/eyes were red, headache, sleepy, and knot in center of right arch of foot. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: This 64-year-old African American (non-Hispanic/Latino) hypertensive male patient reported "heart aching" 20 minutes after receiving COVID-19 VACCINE AD26.COV2.S for the prevention of symptomatic SARS-</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							CoV-2 virus infection. The event lasted for 15-20 minutes. Other associated symptoms developed in the succeeding 3 days: chills that lasted for hours, could not move his neck and felt it was swelling and tender, headache, sleepiness, blood shot eyes. Nine days after vaccination, the patient reported he had a knot in the center of arch right foot. The patient took Aspirin. No other details was reported. The event is confounded by the underlying hypertension. The information available precludes a complete and meaningful assessment. However, considering the temporal relationship and recently evolving theories in the literature about COVID infections and vaccinations, potential vaccine contribution cannot be excluded. Additional information was requested.
1272052	4/29/2021	CO	16	F	4/29/2021	4/29/2021	Patient was a client at a drive-through COVID-19 clinic. Patients Father was driving and the patient was seated in the front passenger seat. After receiving vaccine, FOC drove forward and parked in an observation lot that was staffed by 3 RNs. FOC reported to an observation lot attendant that patient, Patient was losing vision (narrowing), shaking, and then stopped responding. The observation lot attendant noted loss of consciousness, reclined patient in the seat and elevated feet above the heart by placing them on the car dashboard. At 1535, 911 was notified by RN. When car door was opened by the attending observation lot worker, client began regaining consciousness. Client was given apple juice and crackers and vitals were taken. At 1540, Patient blood pressure measured 91/60, pulse oximeter reading of 96% saturation, and heart rate 72bpm. Paramedics arrived to the scene at 1545 and assessed the client; patient was not transported. Father was instructed by paramedics of warning signs and when to seek further care. FOC and patient were advised to inform PCP and to report this instance when receiving future vaccines. FOC and patient remained onsite for 15 minutes following Paramedic care and were dismissed when patient and FOC reported that they felt comfortable leaving.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1270306	4/29/2021	MA	33	M	4/9/2021	4/16/2021	33-year-old male without past medical history presenting with 10d of nausea and vomiting associated with dysequilibrium. Patient notes he received his second dose of Moderna on April 9. On April 16th, patient woke up and started to feel disequilibrium, unsteady on his feet. This was associated with nausea and vomiting. Patient will vomit about 2-3 times per day nonbloody nonbilious. He notes that the vomiting is associated with movements of his head. He went to urgent care where he was given prescription of meclizine. This did not work. Was also given prescription for prednisone and Augmentin for question of vestibular neuritis. This did not help either. Patient then went to see ENT today. He was told that his symptoms were not consistent with a vestibular process. He was recommended to go to emergency room for further evaluation. Patient has not been able to really hold down any food or liquids. He denies any fevers, chills, headache, vision changes, neck stiffness, abdominal pain, constipation or diarrhea, chest pain, dyspnea. In the ED, patient afebrile, HR 67, BP 135/97, RR 18, SpO2 96% on RA. Labs notable for Hb of 17.3. CT head -10 millimeter periventricular hypodensity in right parietal lobe chronicity.
1272159	4/29/2021	NC		F	4/7/2021		Hello Dr., I just wanted to log my information regarding my Johnson & Johnson COVID vaccine. I was fine no sickness or pain before injection. On April 7th 2021 I got the injection. Immediately my vision went a little dim. After getting home for about 3 hour felt pain lump in center of chest. The next day April 8th ,2021 woke up to center chest and complete rib case painful and swollen this went on for two days with flu symptoms, On fourth night April 10th, 2021 I had spasms down lower back of left leg all through the night hurt very bad by toke the prescribed Advil to help with pain. I also started taking Vapor Nyquil for flu and Cold, Therrraflu and Therflu sinus and pain hot tea med's, used Vicks Vapor Rub

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1270169	4/29/2021	CA	36	M	4/28/2021	4/28/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Flushed / Sweating-Medium, Systemic: Tingling (specify: facial area, extremities)-Mild, Systemic: Visual Changes/Disturbances-Mild, Additional Details: this may be duplicate: pt recieved shot 2:10pm at 2:15 complained of profuse sweating and blurred vision, asked for cup of water and turned on fan for patient, no other symptoms except for say felt the med injected to arm, at 2:39pm bp was taken and was 118/74 with 70 pulse, pt remained seated for additional 15mins, total 30 min observation time at 2:41 pm took 2nd bp reading was 129/79 pulse of 72, pt doesnt have pcp and Advised to have urgent care thats 24 hrs on speed dial in case
1271675	4/29/2021	MA	46	F	1/21/2021	2/11/2021	No Sid effects until about 21 days after first dose. Severe head pain from base of neck wrapping around head, Facial dropping on one side, rash spider web like, swelling of face of eyes, nose, and lips, neck swelling, inability to turn head, SEVERE confusion, photophobia, impaired motor skills, blurred vision, ringing in ear. Neurologist dx with meningitis---had CT scan at ED clear, no lumbar puncture to confirm meg dx. On 2/25/2021 admitted to hospital. Full work up of lots of testing. All was fine except MRI showed edema on c1-c7 and noted new in appearance from a MRI completed 2/5/2021, slightly elevated WBC, and platelets however improved over 24 hrs. My symptoms continued to improve each day. On 3/26 approx 25 days after second dose same symptoms occurred----sudden acute head pain, facial sores, swelling of face, confusion etc. Today, 4/29/2021 I am much better however my memory recall in not 100%, motor skills not 100% and still have some fatigue compared normal functioning to prior to first onset. I have two neurologist, eye doc, PCP, and had doctors from the clinic involved in my case.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1270488	4/29/2021	MD	39	F	4/11/2021	4/11/2021	I had to go to the emergency room, high d-dimer (.95), elevated Pro B Type Natriuretic Peptide (152 pg/mL) --- Days 1-2 (12-22hrs post-vaccine) were horrific - fever, body aches, extreme pain everywhere, my eyes hurt so bad I thought I'd lose my vision, I was in so much pain that I couldn't talk to ask for help. Saying they were flu-like symptoms is a euphemism. ---Days 2-9 I was weak and shaky on my legs, easily winded (e.g. breathing hard when doing laundry). Fever returned off and on. ---Days 4-13 It felt like someone was sitting on my chest. ---Day 10 I had a blood draw per my doctors request. ---Day 12 Blood draw results showed high d-dimer, and my doctor told me I need to go to the ER for a ct scan to look for blood clots. ---Day 12 Went to Emergency Department - ct scan showed no clots, but elevated Pro B Type Natriuretic Peptide ---Day 15 Finally started feeling better, but still winded easily, fatigued, dizziness, heart palpitations
1270531	4/29/2021	NH	16	F	4/10/2021	4/12/2021	From 2 days post vaccine, fever, fatigue, sore throat and headaches, lasting about a week. Persistent symptoms of headaches, dizziness, and blurring of vision still present at 19 day post vaccine.
1270545	4/29/2021	ME	73	F	3/17/2021	4/2/2021	Spontaneous total loss of vision in right eye. Blood clot formed and had stroke. CRAO--Central Retina Arterial Occlusion; will not recover use of eye. All tests have turned out normal
1272610	4/29/2021	WA	41	F	4/7/2021	4/7/2021	2-3 days after receiving the Johnson and Johnson vaccine, the muscle underneath my right eye began twitching and it has twitched continuously since then without ceasing. It twitches all day and night and has not stopped even for a short period of time.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1270724	4/29/2021	MO	67	M	4/29/2021	4/29/2021	The Headache/Pressure is there in the morning, and I feel fatigued, like I really didn't get any rest in the night., And the headache/pressure stays with me all day., But I don't believe it wakes me in the night, I did developed blurry vision, but only in one eye (right)., I went to Eye doctor, and they said it appeared a cataract had developed since the last visit. but the blurry vision has somewhat improved with reduction of the blood pressure., as far a dizziness., I would not feel comfortable going out and flying a plane since the covid vaccine shot, so I'd say I am a little unstable on my feet right now.....
1271187	4/29/2021	NJ	39	F	4/7/2021	4/13/2021	Symptoms started 6 day after receiving vaccine, lasting even after three weeks of vaccination Severe headache Nausea Leg pain Backpain blur eye vision for couple of days and itchy eyes Red patch (Bruising on right thigh near knee area)
1270163	4/29/2021	TX	53	M	4/23/2021	4/26/2021	patient reported facial swelling and L sided droop starting after the 2nd Moderna vaccine he received on Friday 4/23. Noted initially a headache, not localized to any area, and about 8-10 hours after noticed facial swelling bilaterally on eyes, lips, and down to his throat. His L side of the face was also noted to be drooping, the next day, including inability to raise his eyebrow on L, difficulty closing L eye, and a L sided mouth droop. Reports the swelling started to get better just prior to arrival in ED, however is still persistent and includes the lips and throat, says it feels like the inside is swollen. Was able to tolerate liquids but noted some difficulty. Denies any difficulty breathing. Also denies any extremity weakness, vision changes, balance issues, speech deficits other than what's related to lip swelling and mouth droop

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1271389	4/29/2021	FL	31	F	3/14/2021	3/25/2021	<p>Began on 3/26/21 with numbness in face. Woke up on 3/27 with numbness in feet. Spread to my feet and up legs and arms through next couple days. Fatigue increased dramatically, though it was present prior. Dizziness, sharp pains in left ear in skull, nerve issues. The following is a log from when the symptoms became most intense, so significant I have not been able to drive myself and been working from home due to balance issues, no feeling in feet, and neurological symptoms. After different a week and a half,, i sought medical care and began logging daily as follows: Fri 4/9: fatigue was high, neuropathy present. Balance was off. Stabbing sharp pains into the left ear but behind the ear in head. Dizzy spells with static feeling rush in forehead lasting a few seconds and passing. Gate while walking feels awkward and difficult. Think walking after sprinting on a treadmill plus's stiffness Sat 4/10: couldn't eat. General malaise. Fatigue. Neuropathy and balance issues present. Gate slightly improved. Noted increase in joint pain and popping in wrists elbows hips and knees. Needed white noise to cover ear ringing to sleep. Sun 4/11: feeling a bit better. Able to eat. Gastric issues after eating. Slightly more energy but neuropathy and balance was frustrating like superglue on my fingers and areas of my feet with no feeling at all surrounded by pins and needles. Aching in wrists and pain shooting down through to heel of my foot. Ear ringing more noticeable. Two instances of ice pick ear pain. Monday 4/12: neuropathy present, balance improved. No digestive issues. Feeling more stable while walking. Still numb in hands and feet and part of my face but less pronounced. Ear ringing unbearably loud and constant. Tuesday 4/13: slightly less energy but neuropathy still seems improved and not losing balance as much. Ears obnoxious, joints popping and cracking constantly. Pain in wrists and hands. One instance of ice pick ear pain Wednesday: same as Tuesday, but no ear pains. Had to take a nap in the middle of the day due to worn out feeling. Laying in bed felt something in my back snap, then a stabbing pain into my lower right side of my back. Aching like the skin was hurting for hours. Thursday: other symptoms same as Tuesday. Ears ringing crazy loud, stiff in the hips more noticeably. Neuropathy present with dizzy waves/vertigo. Low back skin pain right side continue. Also right hip. Gate while walking is</p>

VAERS\_ID RECVD STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

starting to feel like it did before after a few days of improvement. Friday: back still hurting. Neuropathy increased. More numbness than previous few days. Very stiff throughout lower back hips and legs. Low back pain. Gate while walking feels awkward and robotic. Ears ringing. Joints throughout cracking/popping. This is not historically common for me. While washing dishes got shooting pain down my left wrist back of hand almost shooting down the veins to in between my pointer finger and thumb. Painful to touch. Immediate strong increase in the pins and needles in my hand concentrated in finger tips but now radiating up forearm too. .numbness in feet and part of my face. Whole body aching. When trying to sleep kept getting head rush static attributed to Benadryl to sleep and staying up too late. Saturday: very tired. Back hurting in morning. Felt better after getting up. Kept feeling head rush like static in forehead continuing on and off throughout the day into the night with dizziness almost like I might pass out. Nausea and low appetite Fatigue higher than normal. Neuropathy still present. Ears ringing insanely loud and constant. Aching and stiffness in hands wrists and legs and feet in heel/sole. Chest pain in sternum. Had a few months ago almost daily for awhile. Went away til now. Sunday- neuropathy the same. Ears ringing the same. Stiffness throughout. Dizzy spells and static in forehead. Nausea and low appetite. Fatigue. Ice pick ear pain starting in evening a few times throughout the night. Monday. Neuropathy the same. Ears ringing the same. Slightly less pain and popping in joints. Fatigue high. No appetite. Ice pick ear pain starting in morning happening several times. PREDNISONE STARTED WEDNESDAY Wed April 21: feeling about the same. Ringing in ears, neuropathy same, fatigue high. Appetite improved. Ice pick ear pain a couple times. Neuropathy seemed to improve towards the end of the day, when it usually is worsening. Felt nauseas and sick to stomach before bed with digestive issues. Dizzy spells all evening with static feeling. Ears ringing constant. Thursday: neuropathy improved, still present and noticeable but I was able to walk normally and had more feeling than previous. Joints still cracking and popping. Not as nauseas or sick feeling throughout the day. No ear pain. Dizziness occasional, less than day before. Ears ringing constant. Friday: neuropathy still improved but present and noticeable, able to walk more

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

normally than previous. Joins still the same. Not as nauseas or sick feeling. Chest pains in sternum and stabbing ice pick ear pains on and off all day. Very painful in the ear. Light headed/easily motionsick, but better than Wednesday worse than thursday. Ears ringing constant. Saturday: Neuropathy still improved, joints are stiff but not in pain. Light headed easily, ears ringing constant. This is the worst day for the ice pick ear pain yet. Repetitive ?attacks? concentrated in the morning enough to make me have to drop and hold my head. It was very painful and higher frequency than ever seen previously. Sunday: Feeling sore in my hip joints. Ears ringing constantly. Ice pick ear pain only happened twice. Neuropathy slightly more than day previous but okay and balance still improved. Chest pains in sternum present. Episodes of blurred vision/double vision towards the end of the day.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1271152	4/29/2021	NJ	59	M	3/24/2021	3/24/2021	In a nutshell, patient was fine, got the first shot of the Moderna Vaccine on 3/24/21, then began to exhibit many covid-like symptoms starting around 4 hours later but 3 times nasal swap tested negative for COVID19 including before and after vaccination. Suffered with various attempts at treatments and tests for approximately a month and then was admitted to the ER at hospital on 4/28/21. Wife (former smoker who lives in same house and has lung problems) who took the vaccine at the same time from the same lot suffered minor arm pain, aches and pains and fatigue but was fine the next day. Patient (59) had normal blood pressure and clear lungs in good health, non-smoker, good weight, exercises regularly and strenuously, good diet, rarely gets ill. He works as a ship's captain and engineer and has worked in boatyards for years doing physical work. Has tinnitus and in one eye, glaucoma drops but is on no other prescription medicines. Details: March: had nasal congestion, cough and suspected bronchitis, aches and pains, no fever, PCR tested negative for COVID19, and was treated with antibiotics (azithromycin and then a run of amoxicillin), proair, advair discuss a couple of days, various vitamins/minerals, over the counter cold/flu medicines. Seemed to work with most symptoms going away prior to March 24, 2021. March 24, 2021 morning: Got first shot of the Moderna Vaccine at pharmacy. Lot 045A21A at same time as spouse. That morning had no cough and felt ok. Approximately 4 hours later, patient started to cough, felt congested, felt like flu/pneumonia, trouble breathing, aches and pains especially in joints, extreme fatigue, headache, (but suffered no loss of taste or smell throughout 3/24-present) took Theraflu and went to bed early, slept well. Following days, struggled with intensifying symptoms. Felt like the vaccine gave him covid symptoms without the loss of smell/taste. Spouse experienced minor pain at point of injection, some fatigue, aches and pains which went away by end of next day 3/25/21. Spouse had some lingering cough left over from earlier bronchitis before getting the vaccine which cough/congested breathing continued with no noticeable change. [Spouse was also not adversely impacted by the second shot of Moderna vaccine a month later.] Apr Wk1 & Wk2: Increasing difficulty sleeping due to lung congestion or suddenly waking up wide awake for no reason. At end of Wk2, had some minor tremors in

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

muscles for a couple of days. Suffered from extreme fatigue, congestion, trouble breathing, nightmares, aches and pains. Took azithromycin run then a run of amoxicillin, proair, prednisone, albuterol nebulizer, occasional Theraflu or over-the-counter cold/flu medicines, vitamins/minerals (including heavier doses of Vitamin D, Zinc, C, etc.), probiotic acidophilus, tonic water with quinine or Perrier, melatonin 10mg and magnesium 500mg at night, occasionally a Unisom sleeping pill. Started to lose appetite where rarely hungry. Would force himself to eat anyway, but occasionally vomited it up. Apr Wk3 4/13/21: Patient got another PCR covid test which was negative, chest xray, blood work done at Urgent Care. Showed some elevated liver/kidney enzymes and low red blood cell count/anemia, vague thickening of the plura, swollen lymphnode in the chest xray, no sign of cardiovascular issue. (Some yellow flags but nothing flashing red.) Dr. recommended followup tests and bloodwork and that he get GI/Cardio/pulmonary workups w/specialists. Patient continued to take antibiotics, pregnizone, albuterol nebulizer, vitamins/minerals, and occasional cold/flu/cough medicines, etc. Added SuperB Complex. One day he had hot/cold chills for a few hours. Apr Wk4: While lungs felt clearer, still coughing and now occasionally vomiting productively or dry heaves, insomnia grew into bigger issue with hallucinations not just with nightmares but occasionally during the day where it was difficult to separate reality from dream, trouble remembering, started to feel paranoid/irrational sometimes, trouble sleeping was not due to lung congestion but more due to panic-attack like heavy breathing or sudden central chest/sternum pain (maybe from coughs), aches in joints, but biggest problem was extreme fatigue and tiring when walking up a flight of stairs, etc. Took some Tramadol occasionally for pain relief (but never with aspirin, Tylenol or cold medicine). Could be sitting comfortably watching a mellow tv program but suddenly need to breathe really heavy, hyperventilating and felt need to standup and walk around until it eased. Extreme trouble sleeping. Most comfortable position was kneeling with body bent over a pillow on the bed. [He'd never had panic-attacks/heavy breathing issues before the Moderna shot and doesn't abuse substances.] Wk5: 4/24/21 feet swelled up and turned purple on the soles. Went for a walk around the

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

block and raised feet. No longer on antibiotics or pregnizone, only taking the albuterol nebulizer, vitamins/minerals/probiotics, melatonin and a OTC cough/flu medicine before bed. Knelt for hours while trying to sleep. 4/25/21, feet more swollen with fluid and more discolored. When searched online, they looked like "covid toes". Took no medicines except nebulizer and took only a couple of vitamins/calcium-vitaminD and before bed a beer, melatonin, magnesium & nyquil. 4/26/21, feet less swollen and no longer purple except a small line on the side of one foot. Patient indicated he had not knelt when trying to sleep prone during night. But only got a couple of hours of sleep, nighttime hallucinations and panic-breathing attacks. Daytime inability to focus, extreme fatigue, aches and pains, quick to tire on any exertion, vomiting food or dry heaves 2 or 3 times that day, panic-like-attacks with need to heavy breathe/hyperventilate. Wheezing with occasional rattle at end. Coughs sometimes productive, sometimes not but lungs didn't feel very congested and oxygenation/blood pressure was good. 4/27/21, went to work in morning and was able to perform but very tired. In early afternoon, came home, ate, took nyquil and nebulizer and tried to sleep. 4/28/21, felt much worse, feet and knees swollen, extreme exhaustion, felt miserable. Went to work anyway. Came home around 2pm, ate. Felt much worse so we went to the ER at Hospital. Spouse provided MMC with his medical conditions, medicines, the info on COVID IGG serology test and informed them of the chest xrays and bloodwork that had been done at the Urgent Care center 2 weeks prior. ER indicated he needed to stay overnight and they performed additional bloodwork, xrays, scans and MRIs. The ER doctor called in specialists in Nephrology and Cardiology to provide consultations.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1271042	4/29/2021	MI	87	M	4/1/2021	4/20/2021	BRIEF OVERVIEW: Discharge Provider: MD Primary Care Provider at Discharge: MD Admission Date: 4/22/2021; Discharge Date: 4/23/2021 Active Hospital Problems - Admitted for bilateral PE ? Acute pulmonary embolism without acute cor pulmonale, unspecified pulmonary embolism type (HCC) 04/22/2021 DETAILS OF HOSPITAL STAY: Patient is a 87 y.o. male with psoriatic arthritis, essential hypertension who presents today with right-sided chest pain. He reports onset starting yesterday. The pain radiated around to his back into the center of his chest. Thought he had pulled a muscle was having heartburn. Taking a deep breath made the pain worse. He tried Tums but no significant relief. It was not associated with shortness breath. Denied any, lower extremity swelling or calf pain. Today the pain was acutely worse so presented to the emergency department for evaluation. No prior DVT, PE, no FH of DVT/PE. No weight loss. No recent prolonged trip. On arrival to the emergency department his pulse was noted to be elevated to 120 but otherwise vitals unremarkable. CT angiogram thorax had significant findings of multiple bilateral pulmonary emboli involving segmental and subsegmental vessels. There was no evidence of right heart strain. He was started on heparin drip and transferred to another facility for ongoing care. He was switched to Eliquis 10 mg bid for 7 days, then 5 mg bid for 3 months. He has not sign of any malignancy, no weigh loss. He received Moderna COVID-19 vaccine on 3/4/21 and 4/1/21. It is conceivable that this PE could be complication of COVID-19 vaccine. He should follow up with PCP in 1 week. CTA also showed partial visualization of gas fluid collection within the right upper quadrant, likely reflecting a duodenal diverticulum which was present on 8/20/2012 CT abdomen, incompletely assessed. There is a small hiatal hernia. PCP to follow. Discussed with wife, and with daughter over the phone. Patient discharged home.
1270879	4/29/2021	MN	63	F	4/9/2021	4/12/2021	Visual disturbance in lateral visual field of right eye. Posterior vitreous detachment initially evaluated in the Emergency Room, on April 12, 2021 and subsequently diagnosed by Ophthalmology Department on April 13, 2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1270740	4/29/2021	TX	73	F	3/20/2021	4/1/2021	Ten days after I received the 2nd Moderna vaccination, I had a TIA stroke (double vision, right side of face and right became numb, slurred speech, could not walk). I received a TPA shot within an hour an 15 minutes of the stroke. I have no long term side effects from the stroke. I will take blood thinners the rest of my life.
1271412	4/29/2021	PA	32	M	4/23/2021	4/24/2021	o Triage Presenting Complaint pt received covid vaccine #2 on friday; on saturday morning he developed cold chills, today he developed headache, chest tightness, intermittent sob; denies n-v-d; has taken aleve, pepto, and tums with no change in s/s The patient is a 32 year old Male complaining of multiple complaints. 04/26/2021 00:40 patient, c/o multiple complaints. Patient states that he received his second Moderna vaccine on Friday, then developed chills, body aches, headache, chest pain. He took Tums, Tylenol without relief. He says that it woke him up in the middle of the night Saturday night with headache and chest pain, but subsided after an hour and he was able to go back to sleep. He states that he had intermittent feelings of sickness all day today until the headache and chest pain worsened this evening and he decided to come in. He denies any radiation of pain, diaphoresis, dizziness, numbness, weakness, vision change, shortness of breath, abdominal pain, or other complaints. He denies any significant PMH at all.
1266803	4/28/2021	DC	32	M	4/27/2021	4/27/2021	Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Tingling (specify: facial area, extremities)-Severe, Systemic: Visual Changes/Disturbances-Mild, Systemic: Weakness-Mild, Additional Details: Numbness, tingling in hands/ mouth/ tongue. History of similar reactions with other vaccinations per patient. Patient has a phobia with needles.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1266338	4/28/2021	SC	22	M	4/28/2021	4/28/2021	Patient was visibly nervous prior to receiving the vaccine. About 5 minutes after administration (during the 15 minute watch period), patient appeared to be slumped over in the chair. He had eyes closed and seemed to be shaking slightly. Pharmacist and tech grabbed the emergency kit and laid patient on the floor. After a few more seconds the patient woke up and was able to respond to questions. He was very pale, sweaty, reported feeling clammy and dizzy. Patient claimed he had not eaten since the morning. We gave him some water and a pb&j sandwich. Patient stated he felt better and he just gets very nervous around needles. The patient sat with us for another 30 minutes until his grandmother and cousin were able to come pick him up from the pharmacy.
1266655	4/28/2021	OH	22	F	4/2/2021	4/8/2021	4/2 vaccination 4/8 severe HA, leg, arm, lower back pain, chest pain, diarrhea, bad anxiety with shaking 4/9 PCM (NP) appt; CT scan of abdomen and blood panel 4/10 felt worse, nauseous. Diarrhea continued 4/11 At 11PM, pain right side of neck, to jaw, and toes turned purple. 4/13 PCM; vit D prescribed as they were extremely low, extra strength Tylenol release for leg and arm pain, ordered a D-dimer for possible blood clot. Doppler for right leg. COVID; neg 4/17 chest pain was extremely severe. Radiated to L arm. Went back to ER. EKG, CT Scan, BNP. All normal. Stated probably really bad heartburn. 4/19 Prilosec. I called my dr on 4/22 to follow up. They told me to keep eye on BP as been elevated thru this whole thing. 4/22 My chest, arm and leg pain with HA are still present despite Tylenol and Prilosec. My PCM said to come back in . She prescribed Prednisone and Pantropical and did a blood test to check for inflammation which was normal. I have been taking both medications since Tuesday. *My HA still present. My right side still has pain and I still have chest pain.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1266359	4/28/2021	MA	63	F	3/15/2021	4/21/2021	I now have mini little eczema patches on my face - two or three of them; I use Fluticasone (steroid) on them which I was using for the original adverse event with red patches on/below my neck. I had a health report today primarily related to a different health issue but I asked her if I should use the Fluticasone cream on them. She cautioned me to use the steroid cream minimally on my face. The eczema I have on my hand - that is what I always there in dry, bad weather - seems worse than it normally gets. The rash on my neck is gone. Also, two weeks after the Vaccine, I have noticed that my eye sight is different. I am going to the eye doctor tomorrow because of this.
1266394	4/28/2021	AZ	78	M	3/28/2021	4/18/2021	Patient on 4/18/21 experienced "chicken wire" vision (never before an issue), after vision issues patient said he lost vision on and off for the next 24 hours, accompanied with mental confusion, and was unable to get out of bed on the morning of 4/19/21. Next two days a continued decline in in ability to ambulate and demonstrated neurological deficits on 4/20/21 of impaired vision, cognition and experienced difficulty in moving limbs. Patient was in a car accident on 4/21/21, is now hospitalized, unable to ambulate, and has further neurological deficits with impaired speech, cognition, and movement as well as pneumonia.
1266158	4/28/2021	NC	29	M	4/27/2021	4/27/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Visual Changes/Disturbances-Medium, Additional Details: Gave patient water, a snack, and had him sit in pharmacy for full 30 minutes before leaving. He said he felt perfectly fine and was having no other continuing symptoms.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1266417	4/28/2021	NY	54	M	3/20/2021	3/30/2021	<p>Patient is a lovely 54 year old- year old male initially seen 4/5/2021, kindly referred by Dr. History of COVID pneumonia in 4/2020 which was complicated by ARF and shingles, Ramsay Hunt Syndrome, with subsequent post-herpetic pain on right side of scalp.He recently received his COVID-19 Pfizer vaccine 3/20/2021 11 days prior to presentation to the hospital with shortness of breath, worsening dypnea on exertion which started 2 days after vaccine. Before this he was biking twice a week, and swimming nearly daily. He did report any medical problems before COVID, was on no meds. 3/31/2021- CT PE protocol showed multiple bilateral PEs without right heart strain. Pulmonary Vasculature: Bilateral filling defects consistent with pulmonary emboli are visualized involving the following: Distal right main pulmonary artery extending to the right lower lobar, segmental, and subsegmental branches, right middle lobar, segmental, and subsegmental branches and proximal right upper lobe artery. Left lower lobar, segmental, and subsegmental arteries. The right heart is not dilated.COVID/flu swab neg, trop x2 neg, BNP wnl. - Started on therapeutic lovenox then plan to transition on discharge to PO xarelto 15 mg bid x21 days then continue with xarelto 20 mg daily. He was seen by Dr. and referred to me for follow up. He had US 4/5/2021- which showed Right Lower Extremity: There is acute thrombus of the femoral proximal vein.Right Lower Extremity: There is no evidence of deep or superficial venous thrombosis in the common femoral, popliteal, posterior tibial, peroneal, GSV and SSV veins. Left Lower Extremity: There is no evidence of deep or superficial venous thrombosis.' 4/5/2021: Initial hematology visit Currently does not have any pain in legs, swelling. Reports that he still is not back to 100%, he got on peloton yesterday and was only able to go 5-6 miles at a slower pace. Denies fevers, chills, sweats. He has some intermittent pain where his previous zoster scalp lesions were. He has been undergoing facial PT. Thrombophilia workup sent which was grossly negative.</p>
1266557	4/28/2021	MA	16	M	4/27/2021	4/27/2021	Numbness, dizziness, blurred vision
1266643	4/28/2021	NJ	66	F	4/1/2021	4/8/2021	Fatigue double vision asthma-like breathing diarrhea headache



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1266689	4/28/2021	LA	85	F	3/5/2021	3/17/2021	BLOOD CLOTS IN BOTH LUNGS. SHORTNESS OF BREATH. UPPER BACK PAIN. WEAKNESS. SWEATING AND COLD. NO COLOR IN FACE -- GREY. LOSS OF EYE SIGHT -- STARTED WITH BLURRED VISION.
1266739	4/28/2021	NJ	28	F	2/8/2021	4/23/2021	The day following the Moderna injection with severe headache and sensitivity to light which lasted for 3 days. then followed by low level confusion and forgetfulness, losing words during conversation until 2/23/2021 when had grand mal seizure. I have a history of epilepsy since 13 yrs old and had been seizure free for 8+ years until 2/23/2021. Since that seizure with continued forgetfulness , foggy feeling in head, and eye fluttering. Seen by epilepsy specialist on 4/12 and was admitted to hospital for video EEG and MRI and found to have significant both focal and generalized seizure activity despite my usual anti-seizure medications that had been working for 14 years. My medications were changed and I was discharge home after 6 days.
1266861	4/28/2021	OH	69	F	4/15/2021	4/16/2021	4-16-21 @ 2PM SHE HAD A 'SHADOW IN HER RT EYE'. DROVE TO ER. DX WITH CLOT TO RT EYE AND LT OCCIPITAL AREA OF BRIAN. NO SURGERY. WAS GIVEN PLAVIX. HAS APPT WITH EYE DOCTOR ON MAY 3RD. SAW A NEUROLOGIST AND PCP. SHE IS DOING BETTER NOW AND RT EYE HAS 'CLEARED UP'. WILL NOT BE GETTING SECOND DOSE.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1266769	4/28/2021	MA	53	F	2/24/2021	3/13/2021	On the morning of Saturday, March 13th my mother had a CARDIAC ARREST, luckily i was with her when this happened and called 911 immediately and followed an emergency/cpr protocol. She had no pulse when the emergency team arrived and they used the defibrillator on her three times in our house before they took her in the ambulance where they used the defibrillator another time. She was rushed to the Hospital where she was sedated and put on a breathing machine. It did not seem as if she would survive, the entire morning was a whirlwind and traumatizing. In the afternoon they transferred her to the ICU unit. Luckily after 24 hours they lowered sedation and she had no brain injury etc., we were all amazed she was alive. The doctors ran tests etc. to find out what caused this cardiac arrest event, they found NOTHING - no blood clot, no clogged arteries, nothing that could have caused this. My mother also has had not health conditions before this that would have caused this. She now has a defibrillator implanted and her life will never be the same, her families either, we will constantly worry. I have post traumatic stress from witnessing my mother turn purple and lifeless right in front of my eyes and the emergency team working on her all morning and in the ER. Thank gosh i was with her that morning and that the emergency team arrived within a few minutes or else my mother would not be here today. The only thing that changed leading up to her Cardiac Arrest was that she got the Pfizer Covid-19 vaccine on February 24th - we need answers, did the vaccine have anything to do with this?
1266819	4/28/2021	IL	27	F	4/27/2021	4/27/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Nausea-Severe, Systemic: Visual Changes/Disturbances-Medium
1266839	4/28/2021	OH	59	F	3/16/2021	4/28/2021	Experienced an unusual headache on about April 8th. It felt like it was behind my left eye, and in front of my left ear. Pain subsided in about an hour after resting. On April 28th, I experienced vaginal bleeding. I awoke to a dry cough and felt the leakage. The blood was bright red and I'd estimate 4-6 Tablespoons. I feel light-headed, concerned, but otherwise fine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1265630	4/28/2021	HI	56	M	4/5/2021	4/5/2021	After taking the shot, I was ordered to sit and wait 15 minutes on the site. I got a bottle of water. Then I was allowed to return to work, as I started driving my car, I felt the left half of the face a num feeling. The area from the eye to the chin, my skin could not sense much. Half the facial muscles were stiff. A doctor who has been examined was told that it may have caused sinusitis and prescribed allergic drug, Loratadine 5mg/Pseudoephedrine Sulfate 120mg.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1266095	4/28/2021	FL	41	F	4/10/2021	4/10/2021	As soon as I took the vaccine shot I had an immediate headache, after taking the vaccine I took Tylenol and slept in the rest of the day. The next day I woke up and my arm was red and swollen. I was running fever, still had the headache and now blurry vision. My entire body was hurting. My left side of my body felt numb and tingling. The next two days the pain became worse. I did not really have an appetite. When I did eat I could barely hold my food down. On Wednesday morning I could barely get out of bed, I also felt extreme pain in my lower legs, stabbing pain in stomach and right lower side. I also had ringing in my ears, more in the right ear. I then notice a bruise on my left leg, that it was not originally there, and was also tender to touch. I went to the emergency room on the same day and I was admitted. I was in there for 4 days, they tested my leg and stated it was not a blood clot, although it look and felt like one. They discharge me and advise me that it was a migraine that was causing all my pain. This was on Sunday, I had a follow up with my PCP on the Friday, however to being in so much pain and shortness of breath, and arm pain I was advise to go to the ER on the Thursday and was admitted again. I was told in the ER I had a blood clot in my right arm and it was most likely from the IV from the previous visit. My blood pressure and heart rate was so high that they put me on medication. No matter the pain medication they gave me, it would not completely take the pain away. They discharge me again on Monday and after me begging them to get run any and all test, they said they found nothing. I'm still in the same amount of pain and same symptoms, still having trouble keeping my food down. The only thing that changed is my left arm is not as sore, however I still have a huge knot and its still warm to touch. I don't know what else to do that is why im contacting the CDC for help. I'm in a extreme amount of pain and pounding headaches. Please help

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1266768	4/28/2021	FL	75	M	3/20/2021	4/7/2021	75yo male developed Bell's possibly, possibly associated with administration of COVID-19 vaccine (Pfizer). Pt received dose #1 on 3/20/21 at local clinic. On 4/7, pt developed R-sided facial droop and eye weakness, prompting visit to ED and short one-night admission (Neurology service) at hospital. Hx of subdural hematoma in Sept 2020 in the setting of COVID. Imaging with probable small vessel disease but no acute infarct. Discharged on 7-day course of prednisone. Spoke to patient on 4/12. He received does #2 on 4/10 (external location) and tolerated well without any change in sx.
1265954	4/28/2021	MD		F	3/27/2021	3/27/2021	bleeding in the right eye, on the white part of the eye; headaches; This is a spontaneous report from a contactable consumer (patient). A 62-year-old female patient received the first dose of BNT162B2 (Pfizer-BioNTech COVID-19 vaccine, lot number and expiry date unknown), via an unspecified route of administration on 27Mar2021 as a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient reported that she had a headache two hours after the vaccine on 27Mar2021. On 29Mar2021 (reported as two or two and a half days after getting the first shot), she had bleeding in the right eye, on the white part of the eye. She was scheduled to get the second dose on 17Apr2021 and she is afraid and hesitant. She noticed the bleeding when she woke up in the morning, so the bleeding probably started at night. The blood was in the lower part of the right side of the eye and it was frightening. She read that side effects can be similar to flu like symptoms, but she didn't get any of those. She is concerned and both her Ophthalmologist and Primary care doctors both think that it will go away. The patient was worried because it never happened ever. She is afraid that with the second vaccine, the effects, will probably be stronger and wanted to know how protected she will be if she only takes the first vaccine. The outcome of the events was unknown. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1266453	4/28/2021	TX	26	M	4/28/2021	4/28/2021	The patient wanted to go to the restroom after getting the vaccine. He said he felt a little nauseous and had a slight headache but felt ok to walk to the bathroom. After returning from the bathroom, the patient informed he gotten a little dizzy in the bathroom and passed out. His head was bleeding. Patient informed his head was hurting at hit sit, feeling nauseous, vision a bit blurry and did throw up a bit. He was able to state his name, address, DOB, and was cognizant. There was no signs of SOB or allergic reaction. The EMS was called and it was detected his BP was a little low. Patient did feel a little better but it was advised to go to the hospital to make sure he did not have a concussion. Patient was then escorted by EMS to the hospital.
1265643	4/28/2021	CA	41	F	4/10/2021	4/10/2021	She received the vaccine via drive through at the local fairgrounds. Notes she developed swelling around her eyes within an hour. After 24 hours, she turned red, developed swelling on her entire body, and itchiness on her entire body. Notes her joints were painful; unable to make a fist with her hands. Also had a fever. No asthma symptoms. She called Urgent Care for advice, was recommended to take cetirizine or other antihistamines and pain medications. Patient took cetirizine and ibuprofen, symptoms resolved within a few hours. Still has some residual swelling around her eyes but notes it isn't itchy.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1266898	4/28/2021		29	F	3/8/2021	3/8/2021	My first side effects were fatigue and feeling ?out of it?, which started about 2 hours after the injection. At 7 hours after my left leg became numb and a little sore. I started to notice a feverish, tingly feeling on my skin and this would last at least 24 hours. These symptoms quickly spread through my whole lower body. The chills and intense body aches started at 11 pm. I woke up at 2 am that night and had a low grade fever 99.9 F. I took 2 pills of Tylenol. The fever broke around 3:30 or 4 am and I slept through the rest of the night. The next morning 3/09, I felt fatigue, slow, and woozy. I still had chills and muscle aches, although the intensity was less. Halfway through the day the chills intensified, the muscle aches became more severe, and my eyeballs felt like they were burning in the back of my head. By that evening, the fever was back and I couldn?t think straight. My legs ached with a pain that I?ve never felt before. I did not have a severe headache, but I felt that if I exerted myself too much I would get one. My partner said I could barely form coherent sentences, and I was so weak I couldn?t sit up straight. I took 2 more Tylenol that night, went to bed and slept through the whole night. The morning of 3/10 I woke up feeling tired but my skin did not have that feverish feeling. I was no longer sick. On 3/11 I woke up and did my normal morning routine. I ate an egg, some of a Nutella stuffed scone, and drank coffee and water. I took my 3 pills, loratadine, omeprazole, and a probiotic, and I had a severe allergic reaction within 5 minutes of taking the pills. For the next 10 minutes my breathing became labored and wheezy. I experienced severe eosinophilic esophagitis symptoms. For the next week, my EoE symptoms were heightened. I had a reaction after drinking a seltzer water, which does not usually affect me. Within 2 weeks I was back to normal and to my knowledge have not experienced any other related side effects.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1265896	4/28/2021	NH	33	M	3/31/2021	3/31/2021	even to the point of near blindness; suddenly begin to sweat profusely; feeling weak/felt weak; nauseous; my vision becomes extremely blurry; spent much of that time in the bathroom with diarrhea; This is a spontaneous report from a contactable consumer. A 33-year-old male patient received first dose of BNT162B2 (BNT162B2), via an unspecified route of administration, administered in Arm Left on 31Mar2021 at 13:30 (Batch/Lot number was not reported) as SINGLE DOSE for covid-19 immunization. Medical history included Seasonal allergies (trees, grass) and related fruits (apples/cherries/peaches). Concomitant medications included cetirizine hydrochloride (ZYRTEC [CETIRIZINE HYDROCHLORIDE]) taken for an unspecified indication, start and stop date were not reported. The patient reported "Received the shot and waited in the parking lot for the 15 minutes. No negative effects whatsoever during the 15 minutes, and I was cleared to leave. As I am driving out of the parking lot, suddenly begin to sweat profusely, feeling weak/nauseous, and my vision becomes extremely blurry, even to the point of near blindness. I stopped the car and sat for about 30 seconds/1 minute until my vision returned sufficiently to drive back to the waiting area where I requested water. I immediately felt better with the water, and the staff also gave me benadryl although I don't think it had any impact. I felt weak for an additional 30 minutes or so and spent much of that time in the bathroom with diarrhea. I felt fine to drive after this 30 minutes and have had no side effects since." Therapeutic measures were taken as a result of even to the point of near blindness, suddenly begin to sweat profusely, feeling weak/felt weak, nauseous and my vision becomes extremely blurry. No treatment was reported for the event spent much of that time in the bathroom with diarrhea. Outcome of the events was recovered on 31Mar2021.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1265897	4/28/2021	IL	72	M	2/8/2021		This is a spontaneous report from a non-contactable consumer. A 72-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), second dose at the age of 72-years-old via an unspecified route of administration, administered in arm left on 08Feb2021 09:30 (Batch/Lot Number: EM9810) as single dose for covid-19 immunisation. Medical history included high blood pressure, diabetes, Stage 3 Kidney Disease; from an unknown date and unknown if ongoing. Concomitant medication included amlodipine; levothyroxine, tamsulosin; taken for an unspecified indication, start and stop date were not reported. The patient experienced thirteen days after receiving the second Covid shot, his right eyelid started closing (also reported as 10Mar2021). Eight days later he was diagnosed with Myasthenia Gravis. The event resulted to doctor or other healthcare professional office/visit and emergency room department or urgent care. The patient was hospitalized due to the event for 5 days. No treatment was received for the event. The patient was recovering from the event. No follow up attempts are possible. No further information is expected

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1265918	4/28/2021	CA	71	F	3/11/2021	3/13/2021	lost partial vision in my right eye which has been determined to be a AION; blood pressure elevated; weak; dizzy; nauseated; fever; headache; This is a spontaneous report from a contactable consumer (patient). This 71- year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE Lot number: EN6208), via an unspecified route of administration, on 11Mar2021 at 16:00 (at the age of 71-years-old) as a single dose for COVID-19 vaccination, in left arm. The facility where COVID-19 vaccine was administered was Public Health Clinic facility. Historical vaccine included: bnt162b2 (COMIRNATY, Solution for injection, Lot number EN6200) dose 1 on 18Feb2021 04:00 PM, for covid-19 immunization, left arm. No known allergies. The medical history included: Blood pressure abnormal. Concomitant medications included: Prozac, Inderal, Atorvastatin. Prior to the vaccination, the patient was not diagnosed with COVID-19. The patient did not receive any other vaccines within four weeks prior to the vaccination. On 13Mar2021 09:00 am, Day after 2nd injection, she felt weak, dizzy, nauseated, fever, blood pressure elevated and had an extremely severe headache. That evening I lost partial vision in my right eye, which has been determined to be AION. Vision has not returned at one month out. Event resulted in: Doctor or other healthcare professional office/clinic visit, Emergency room/department or urgent care, Disability or permanent damage. Treatment included: Blood pressure monitoring and return 13Apr2021. The clinical outcome of the events was not recovered. The patient was not tested for COVID-19 after the vaccination. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1265922	4/28/2021			F	4/8/2021	4/8/2021	her eye completely swollen and red like she had a little blood vessel burst; eye completely swollen; eye completely swollen and red; little pain in the lower eyelid; This is a spontaneous report from a contactable consumer, the patient. A female patient of an unspecified age received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration on 08Apr2021 at 13:00 as a single dose for COVID-19 immunization. Medical history and concomitant medications were not reported. On 08Apr2021 (the night of the vaccination), the patient experienced a little pain in the lower eyelid. On 09Apr2021 (the next day), her eye was completely swollen and red like she had a little blood vessel burst. The clinical outcome of "eye completely swollen and red like she had a little blood vessel burst" and "little pain in the lower eyelid" was unknown. Information on the lot/batch number has been requested.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1265870	4/28/2021	CA		M		8/1/2020	<p>The consumer reported he is on Eliquis for DVT behind his right knee that is still there; cataract surgery; neuropathy; He has gained five pounds; The first shot he took, his arm turned red; wanted to sleep a lot; weird dreams; He has been on the walker for 8 months now; Monoclonal gammopathy; This is a spontaneous report from a contactable consumer, based on information received by Pfizer (manufacturer control number:COMPANY-BMS-2021-037416), license party for apixaban (ELIQUIS). This spontaneous case was reported by a consumer and describes the occurrence of NEUROPATHY PERIPHERAL (neuropathy), CATARACT (cataract surgery) and GAIT DISTURBANCE (He has been on the walker for 8 months now) in 80-year-old male patient who received apixaban (Eliquis) tablet (batch no. 1708750) for DVT. The occurrence of additional non-serious events is detailed below CO-SUSPECT PRODUCTS included Covid-19 Vaccine for an unknown indication. Product or product use issues identified: DRUG INEFFECTIVE (The consumer reported he is on Eliquis for DVT behind his right knee that is still there) (seriousness criterion medically significant). The patient's past medical history included Pre-diabetic, Proctectomy, Sinus operation, Appendectomy and Drug allergy (sulfa). In 2018, the patient started Eliquis (batch no. 1708750) (Oral), 5 milligram twice a day. On an unknown date, the patient started Covid-19 Vaccine (unknown route). In 2020, the patient experienced MONOCLONAL GAMMOPATHY. In August 2020, the patient experienced GAIT DISTURBANCE (seriousness criterion disability). On an unknown date, the patient experienced NEUROPATHY PERIPHERAL (seriousness criterion medically significant), CATARACT (seriousness criterion medically significant), WEIGHT INCREASED (He has gained five pounds), INJECTION SITE ERYTHEMA (The first shot he took, his arm turned red), SOMNOLENCE (wanted to sleep a lot) and ABNORMAL DREAMS (weird dreams). The patient was treated with Surgery (cataract surgery) for Cataract. The action taken with Eliquis(Oral) was unknown. At the time of the report, NEUROPATHY PERIPHERAL, CATARACT, GAIT DISTURBANCE, MONOCLONAL GAMMOPATHY, WEIGHT INCREASED, INJECTION SITE ERYTHEMA, SOMNOLENCE and ABNORMAL DREAMS outcome was unknown. The patient received apixaban at a</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

strength of 5 mg. The consumer reported he was on apixaban, 5 mg twice daily by mouth for a DVT behind his right knee that was still there. He started the medication three years ago. He stated he had to get his glasses. He had cataract surgery three or four years ago. He has neuropathy and believed it was affecting his right eye. He has had the neuropathy for quite a while. He finally went to neurologist and figured out he has neuropathy. The neurologist did needles. The neurologist found he also has MGUS (Monoclonal gammopathy). He stated it was a protein that was formed in the bone marrow and goes into the blood stream. He stated he has had it for a while. It was over a year ago when he found he had it. He stated the neurologist gives the test to people over 70 years old. The neurologist said it was idiopathic or pre-diabetic that caused it. He has gained five pounds. He stated he has to get off the chocolate. He was walking every day. The patient uses a walker which he stated was driving him nuts. He has been on the walker for 8 months now (Aug-2020). He reported he had his COVID shot and would not go through it again. The first shot he took, his arm turned red and it bothered his thinking. He put something down and misplaced it. After the second shot, he felt really bad and wanted to sleep a lot. He did not feel like doing anything. That lasted for a day. It came back a week later. He stated he has been busy and working on taxes. He reported he had weird dreams right after having it. For Eliquis(Oral), the reporter considered NEUROPATHY PERIPHERAL to be not related. No further causality assessments were provided for CATARACT, GAIT DISTURBANCE, MONOCLONAL GAMMOPATHY, WEIGHT INCREASED, INJECTION SITE ERYTHEMA, SOMNOLENCE and ABNORMAL DREAMS. Case Assessment Drug: ELIQUIS Injection site redness, Sleepiness, Abnormal dreams, Monoclonal gammopathy, Drug ineffective, Cataract, Weight gain, Walking difficulty Per Reporter= Not related Per Company =Related Drug: ELIQUIS Neuropathy Per Reporter= Not Related Per Company = Not Related; Sender's Comments:Medical Evaluation Comment: This 80 -year-old patient had multiple events after receiving apixaban therapy. This patient also got vaccinated for COVID-19. Elderly age with medical history of pre-diabetes are likely the risk factors for the reported events peripheral neuropathy, cataract and gait disturbance;

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

---

hence considered as not related to apixaban. Drug ineffective is inherent to the nature of pharmacotherapy and is considered not related to the suspect.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1265946	4/28/2021	NE	26	F	4/1/2021	4/3/2021	<p>her mouth, her lip, her right eye was not cooperating/noticeable difference between both of her eyes; her mouth, her lip, her right eye was not cooperating/noticeable difference between both of her eyes; her mouth, her lip, her right eye was not cooperating/noticeable difference between both of her eyes; half of her face is numb; ear infection; Bell's palsy/face droopiness; Ear ache/Ear pain; This is a spontaneous report from a contactable consumer (patient). A 26-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot Number: ER8734 and expiration date not provided), via an unspecified route of administration, administered in Deltoid Left (reported as left shoulder) first dose on 01Apr2021 10:00 at single dose for covid-19 immunisation. The patient medical history was not reported. The patient concomitant medication includes Multivitamin at 2 gummies once a day for immune support, bone support, and health reasons. The patient historical vaccine includes flu shot and experienced sore arm. On 03Apr2021, the patient stated that two days after the vaccine the patient experienced earache, went to the ED (emergency department) this Sunday diagnosed bell's palsy. On 11Apr2021, the patient experienced ear pain that she thought was an earache or ear infection, then she went to the ER because she woke up with half of her face numb. She says she was diagnosed with Bell's Palsy and she did some research. She says during the trials people did get Bell's palsy but they didn't know if it was connected to the vaccine. She says she is reporting it and she wants to get more information, she's due to get the second dose next Thursday. She says it was a mild case but she was concerned it will come back and come back worse. She says she has a meeting at 3 pm and it is currently 2:13 pm where she lives. The patient stated that now she was left with the face stuff, the face droopiness. The patient was still taking the Bell's Palsy medications every day, she thinks she is getting better. She says about her face being numb she woke up and felt it in her mouth, her lip, her right eye was not cooperating, there was a very noticeable difference between both of her eyes. She says she went to the ER where they did a couple of tests to see if it was a stroke or something else, they didn't do any imaging, with what they saw on her face and the way they were testing the</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

conclusion was Bell's Palsy. She says she saw her primary care physician today because she needed to follow up and it looks like a mild case of Bell's Palsy. She says her face is getting better with medications. She says she is taking Prednisone 60 mg a day for 7 days. She is also taking Valacyclovir 1000 mg 3 times, she clarifies it says to take 1 tablet 1000 mg total 3 times a day by mouth. The events prompted the patient to Emergency room visit and physician office visit. The outcome of the event facial paralysis, hypoaesthesia was recovering. The outcome of the event ear pain was Recovered with Sequel on 11Apr2021. The outcome of the remaining events was unknown.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1266056	4/28/2021	NJ		U	3/27/2021	3/27/2021	Anaphylactic reaction; Sign and symptoms like severe migraine and stroke; Sign and symptoms like severe migraine and stroke; Liver enzyme abnormal; Yellowing of the eyes; Pulmonary deficits requiring BiPap Machine; This is a spontaneous report from a contactable Nurse (patient) A patient of unspecified age and gender received bnt162b2 (BNT162B2), dose 1 via an unspecified route of administration on 27Mar2021 (Batch/Lot Number: ER8733) as SINGLE DOSE for covid-19 immunisation . Medical history included Allergy with Shellfish, dizziness, stroke, vertigo, Osteoporosis in cervical spine and thoracic spine, Chronic basilar migraine, asthma, hysterectomy, Myeloma tumor removal ,microcytic anaemia, Iron deficiency, Cataract removal and Abdominoplasty.Concomitant medication(s) included azelastine (AZELASTINE) Nasal spray 137 micro grams, "22 per mere" (not clarified) per day taken for an unspecified indication, start and stop date were not reported; estriol (ESTRIOL) at : 0.5 mg daily taken for an unspecified indication, start and stop date were not reported; montelukast sodium (SINGULAIR) at 10 mg daily taken for an unspecified indication, start and stop date were not reported; aceclofenac, paracetamol (ACIMOL [ACECLOFENAC;PARACETAMOL]) at 150 mg once a month taken for an unspecified indication, start and stop date were not reported; ubrogepant (UBRELVY) taken for an unspecified indication, start and stop date were not reported at 50 mg. The patient experienced anaphylactic reaction (hospitalization) on 27Mar2021 with outcome of not recovered , extreme red all over body, red face on 27Mar2021 with outcome of not recovered , shortness of breath; hard time deep breathing on 27Mar2021 with outcome of not recovered , Sign and symptoms like severe migraine and stroke on 27Mar2021 with outcome of unknown , liver enzyme abnormal on 27Mar2021 with outcome of unknown , yellowing of the eyes on 27Mar2021 with outcome of unknown , pulmonary deficits requiring bipap machine on 27Mar2021 with outcome of not recovered. The patient was hospitalized for anaphylactic reaction (anaphylactic reaction) from 27Mar2021 to 31Mar2021. The clinical course was reported as follows: "When probed for second dose due date, Nurse stated, "I am not getting the second dose I am still having reactions from the first dose. It started within 5 minutes and I went an

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

anaphylactic, I was brought to Emergency room there at least 8 hours then went home on prednisone and Benadryl it's too "intestacy me walker" (not clarified) within 2 days I developed an extreme I was red all over, extreme red face completely body was red, shortness of breath having a hard time deep breathing and rushed back to the Emergence room, again for another anaphylactic reactions which I received "Pfizer one" (not clarified) in the Emergency room was put on BiPap Machine and the step down unit I developed severe migraine and I developed sign and symptoms of stroke like "deficit"(not clarified). Then I was transferred through the rapid response to the intensive care, in the intensive care, my liver enzyme starting failing and I had severe abnormal, liver enzymes goes, yellowing of the eyes and I was having antihistaminic response I regained 15 pounds of fluids also, it's not administered to me my body did it on its own. It's was due to my reaction I still continue to have Pulmonary deficits, that's the breathing goes, requiring BiPap machine and requiring respiratory treatment I was receiving Benadryl 50 mg every 4 hours I.V, I was receiving Solumedrol every 6 hours around the clock and first I received Epinephrine shots I got in the beginning.Nurse stated, "I was receiving Racine like too the epinephrine dose if it doesn't help, it helps you breath rest all the time by the way I was COVID negative. This is all from the vaccine."When probed for date of Hospitalization, Nurse stated, "The first day was 27Mar and then I went back end its 31st when I called my doctor, he told me to come in the evening."When probed for vaccination date, Nurse stated, "It's probably 1 o'clock in the morning.".Nurse added, "I have not even told what happening to me in past two weeks. I have not even told you what happening to me in the past two weeks. I had more reactions heart been affected, liver been affected, eye sight been effected, track of life been affected, every organ of my body. What day I can walk, I can live thing, I want to know is that like to this medication how it is going to stop and nobody has this kind of issues as my body."The patient underwent lab tests and procedures which included hepatic enzyme: abnormal on unkown date.Treatmente received for some events. Outcome of the events Anaphylactic reaction , extreme red all over body, red face, Shortness of breath; hard time deep breathing , severe migraine and Pulmonary deficits

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

requiring BiPap Machine was not recovered the outcome of the other events was unknown.; Sender's Comments: Based on known drug safety profile, there is reasonable possibility of causal association between the event Anaphylactic reaction and the suspect drug BNT162B2. While causality for the other events cannot be totally excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1265959	4/28/2021	OH	35	F	3/26/2021	3/30/2021	Nearly fainting; vertigo like symptoms; lightheaded; lethargic; blurred vision; shaky; heart palpitations; limbs feel heavy; This is a spontaneous report from a contactable consumer (patient). A 35-years-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE lot number: ep 6955) via an unspecified route of administration, administered on the right arm on 26Mar2021 15:30 at a single dose for COVID-19 immunization. Medical history included anxiety, depression; and known allergies: penicillin and gluten. Concomitant medications included bupropion hydrochloride (WELLBUTRIN) and sertraline hydrochloride (ZOLOFT). The patient previously took amoxicillin and diflucan and experienced allergies. On 30Mar2021 22:00, the patient experienced nearly fainting, vertigo like symptoms, lightheaded, lethargic, blurred vision, shaky, heart palpitations and limbs feel heavy. The event resulted to a doctor or other healthcare professional office/clinic visit, Emergency room/department or urgent care, Hospitalization. The patient was hospitalized for the events for 1 day. Treatment was received for the events which included medication, heart monitor, MRI, MRA, MRV, CT scan. COVID test post vaccination included nasal swab on 01Apr2021: negative. Patient was not pregnant. The facility where the vaccine was administered was in a school or student health clinic. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. Post vaccination, the patient has not been tested for COVID-19. Outcome of the events was not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1265961	4/28/2021	FL	23	F	4/11/2021	4/11/2021	<p>This is a spontaneous report from a contactable consumer. A non-pregnant 23-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), dose 1 via an unspecified route of administration, administered on left arm on 11Apr2021 15:45 (Batch/Lot Number: ER8733) at single dose (at the age of 23 years old) for COVID-19 immunisation. Medical history included asthma. The patient had no known allergies. Concomitant medications included mometasone furoate (ASMANEX), levocetirizine and montelukast, all taken for an unspecified indication, start and stop date were not reported. The patient experienced wit in 10 min extreme weakness, loss of vision with complete pupil dilation not exceeding 5min and without losing complete consciousness. Once vision restored, profuse sweating, pressure cranial to thoracic inlet with moderate difficulty swallowing water. Paramedics arrived. Taken orally 25mg Benadryl. Cyanosis of nail beds and lips, poor perfusion to distal extremities, low temp, normal sinus rhythm, clear lungs, BP 137/89 and pulse 92, all on 11Apr2021. Seen at urgent care within the hour, deemed adverse reaction, ruling out allergic reaction Further concern for possible adverse reaction with second dose. Seeking consult with primary care physician, The patient had no COVID-19 prior vaccination and no COVID-19 test post vaccination. The outcome of the events was recovered on an unspecified date.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1265973	4/28/2021	CA	72	M	2/3/2021	2/1/2021	Blood clot in right lung; Sore left arm at injection site; Shortness of breath; This is a spontaneous report from a contactable consumer (patient). A 72-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), first dose intramuscular, administered in the left upper arm on 03Feb2021 at 09:00 (batch/lot number: EL3248) as a single dose for COVID-19 immunisation (prevention). Medical history included rheumatoid arthritis from Dec2009 to an unknown date (takes daily pills for rheumatoid arthritis), squamous cell lung cancer early stage from Aug2018 to an unknown date, lung surgery to remove small portion of that and went on chemo in Aug2018, skin cancers prior to getting the vaccine, reading glasses (he needed prior to getting vaccine), blood pressure (abnormal) (takes blood pressure medication; takes daily pills). Family medical history was reported as none. Concomitant medications included nivolumab (OPDIVO) taken for squamous cell lung cancer early stage from 17Jan2019 to an unspecified stop date (getting it every 4 weeks for 2 years and 3 months; the bag was 480 ml); and unspecified blood pressure medication and rheumatoid arthritis medication. The patient experienced blood clot in right lung on 25Feb2021, sore left arm at injection site on 03Feb2021 and shortness of breath on Feb2021. The patient had the first Pfizer COVID vaccine on 03Feb2021 and second one on 01Mar2021. He did not really have any special events but then he had a CT scan on 23Feb2021, which was about 20 days after first shot. When he went in for doctor's meeting a couple of days later, they said he had a blood clot in right lung. He later stated he was not positive it was in the right lung. He told his doctor that he just got the shot, but they said they had not heard of any reports from Pfizer of people getting blood clots in their lungs after getting it. He thought about reporting then, but did not. He has no evidence that the blood clot in his lung was related to the vaccine. He was also a lung cancer patient and was on an immune therapy drug nivolumab from (name). He has been on it for over 2 years and started Jan2019. He was diagnosed with cancer back in Aug2018. It was squamous cell lung cancer early stage. He had lung surgery to remove small portion of that in Aug2018 and went on chemo. On 17Jan2019, he started on nivolumab immune therapy drug. Fortunately, it worked extremely well. He

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

immediately started recovering and was feeling better. The last few CT scans indicated he had no sign of disease. It does not mean he was cured, but was healthy otherwise. The nivolumab spurred his immune system to eat the cancer cells. It stimulates your immune system. It has been a pretty successful drug and has been on the market for about 5-6 years. He and his wife both got shot on same date. The word on the street was that you should ask for Pfizer because it seems to have less side effects that people can get for vaccines. Pfizer's reputation has been known for having less common serious side effects. He had a sore arm and it went away about a day later. They prescribed rivaroxaban (XARELTO), a blood thinner, for his blood clot which he went on and got on a day or two later. He was hoping it was gone. He feels better. At the time, he did not know he had the blood clot. He visits his doctor for treatment for nivolumab every 4 weeks and every 4 months, they do a CT scan. At his last visit, he reported that he was still fine but lately experienced some shortness of breath. It was occasional and it comes and goes and was not all the time. He plays golf and noticed the shortness of breath during his game. He quit a couple of holes early and did not want to take any chances. The doctor later told him that a blood clot in your lung can contribute to shortness of breath. When he started rivaroxaban it was 2 pills a day for about 2-3 weeks and it was a starter dose. It was a little more in the beginning. He thinks it was 10 mg twice daily and then it went to 1 tablet a day for the last week at dinner and now it was 15 mg once daily. The two combined were greater to jump start you. It was not a special dose. He then corrected dose to 15 mg rivaroxaban twice daily for the starter dose for 2-3 weeks and one tablet daily for the last week of the starter. Then he switched to maintenance dose of 20 mg daily. He did not have a lot or expiration for the previous dose of 15 mg. The lot and expiration for the 20 mg was unknown because he believes the label was covering it. He stated he needed to get his glasses to read bottle. They were reading glasses and he needed prior to getting vaccine. Nothing has changed with his vision. He was hoping to get off of them and has never been on them. He hopes it was not a long term thing. Second dose was given 01Mar2021, Pfizer COVID vaccine, BNT162B2, expiration was unknown. Injected in left upper arm in the

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

muscle (intramuscularly). Second dose administered at 09:20-09:30. He takes blood pressure medication and did not see it was relevant. Takes daily pills for that and rheumatoid arthritis. In the past, he had a few skin cancers. All were prior to getting the vaccine. They were some squamous and basal cell. He has had nothing in quite a while. Nivolumab was helping skin issues. Squamous cell skin cancer was the same family as lung cancer. He did not have a lot of expiration for the nivolumab. He received it by IV infusion. Shortness of breath was mid Feb2021, on and off for a couple of weeks prior to doctor visit on 25Feb2021. He usually does not have much to report and mentioned it. It did not prevent him from doing anything and was not debilitating. One of his fellow golfers said he was huffing and puffing and he just poo poed it away. He had a flu vaccine in Oct2021 (as reported). No further details provided. Blood clots in right lung morning time, unknown time. Sore left arm at injection site noon - to late in the day of the shot. Shortness of breath - sometimes he feels it in the morning or midday if active. He cannot say a straight time. No emergency room (ER) or physician's office visit required. Vaccination facility type was clinic. Not a military facility. On 25Feb2021, normally scheduled office visit and did the CT scan on 23Feb2021. He went in separate for that. He had the treatment on Thursday. He has another CT scan scheduled in third week of May2021. They were doing it early because of the blood clot. Hopefully, it was gone by then. Prior vaccinations (within 4 weeks): 1st and 2nd Pfizer COVID vaccine as mentioned above. CT scan on 23Feb2021, positive for small blood clot in single vessel in what he thinks was his right lung. All of his previous trouble with the lung cancer was in his right lung. He has never heard of anyone else having blood clots related to the Pfizer COVID vaccine. He does not think he has heard of any and wanted to know if there were any. He knows there was something in the press about the (name) vaccine with blood clots. When you do 120 million and have a handful of people, you may have a few things. He did not have any information on the people for (name) to report on. He knows of others who have had the vaccine and no one had any symptoms. No further details provided. The outcome was recovered on 04Feb2021 for the event "sore left arm at injection site"; recovering for the event



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1265997	4/28/2021	GA	53	M	3/28/2021	4/10/2021	<p>"shortness of breath"; and unknown for the event "blood clot in right lung".</p> <p>This is a spontaneous report from a contactable consumer, the patient. This 53-year-old male patient reported that he received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Lot Number: UNKNOWN) via an unspecified route in the left arm on 28Mar2021 at 12:00 (at the age of 53-years-old) as a single dose for COVID-19 immunization. Medical history was reported as healthy. The patient had a known allergy to amoxicillin/clavulanic acid (AUGMENTIN). The patient did not receive any other vaccines within four weeks. The patient did not have COVID prior to the vaccination. Concomitant medication included over the counter (OTC) product (unspecified). Ten days after (as reported), on 10Apr2021, the patient had blood clot in retina of eye which caused temporary blindness. The events resulted in: Doctor or other healthcare professional office/clinic visit, emergency room/department or urgent care. The patient was doing additional testing to see what damage occurred (test name and results not provided). The patient was not treated for blood clot in retina of eye and temporary blindness. The clinical outcomes of blood clot in retina of eye and temporary blindness was unknown. The patient was not tested for COVID-19 post vaccination. The lot number for the vaccine, BNT162B2, was not provided and will be requested during follow up.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1266001	4/28/2021	TN	33	F	4/6/2021	4/6/2021	loss of consciousness plus all the normal symptoms; paralysis/partial paralysis; Fever of 103.7; diarrhea; nausea; dizzy; joint pain; migraine; throat swelling; nose swelling; eyes swelling; This is a spontaneous report received a contactable consumer, the patient. A 33-year-old adult [non-pregnant] female received the second dose of BNT162b2 (solution for injection; Lot ER8729 and expiry information not reported) in the right arm via unspecified route on 06Apr2021 at 09:45 (at 33 years-old) for COVID-19 immunisation. Relevant medical history included asthma, allergies, penicillin and adhesive tape allergies, and high blood pressure. Concomitant medications included lisinopril. The patient previously received COVID-19 immunisation with the first dose of BNT162b2 (Lot ER7531) in the right arm on 16Mar2021 at 09:45 (at 32-years-old). The patient previously received treatment for an unspecified indication with hydrocodone bitartrate/paracetamol (NORCO) and experienced an allergy. The denied being diagnosed with COVID-19 prior to the vaccine. The patient was not pregnant at time of vaccination, and the patient denied receiving any other vaccine within four weeks of this vaccine. On 06Apr2021 at 20:00 the patient experienced fever of 103.7, diarrhea, nausea, dizzy, paralysis, partial paralysis, joint pain, migraine, throat swelling, nose swelling, eyes swelling, loss of consciousness plus all the normal symptoms. The patient reported as a result of the events the patient sought care with a doctor or other healthcare professional office/clinic visit, emergency room/department or urgent care. The patient was tested for COVID-19 since the vaccine with nasal swab test on 07Apr2021 and was negative. Treatment for the events received in the emergency room (ER) included diphenhydramine HCl (BENADRYL), ibuprofen, and acetaminophen (TYLENOL). The outcome of the events, fever of 103.7, diarrhea, nausea, dizzy, paralysis, partial paralysis, joint pain, migraine, throat swelling, nose swelling, eyes swelling, loss of consciousness plus all the normal symptoms, was not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1266044	4/28/2021	DC	30	F	4/12/2021	4/13/2021	lost consciousness for a brief period; doing something that looked like a small seizure; got tunnel vision; vasovagal response; feel faint, dizzy, and lightheaded; feel very weak; This is a spontaneous report from a contactable consumer (patient). A 30-year-old female consumer received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 12Apr2021 at 14:30 at single dose in left arm for COVID-19 immunisation at the age of 30-year-old. Lot number was EP7524. Medical history included periodontal surgery. Concomitant medications included spironolactone, adapalene, benzoyl peroxide (Epiduo Forte), azelaic acid (FINACEA), aciclovir, hydrocortisone (Xerese). The patient believed she experienced some kind of vasovagal response. On 13Apr2021 at 08:00, the patient got up from sleeping and went to the restroom, where she started to feel faint, dizzy, and lightheaded. The patient sat down and got tunnel vision and she started to feel very weak but regained her vision after sitting. The patient was helped back to bedroom but had to stop and sit in the floor where patient lost consciousness for a brief period, less than 10 seconds. Her partner said patient was doing something that looked like a small seizure. The patient had had this response before many times when giving blood and even after her periodontal surgery. The patient was recovering from the events.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1266047	4/28/2021	CA	33	F	3/9/2021	3/9/2021	Mini Stroke/blockage in left eye; Mini Stroke/blockage in left eye; Sore arm for 1 day after 1st dose; Diagnosed with CRVO of the eye; This is a spontaneous report from a contactable consumer (patient). A 33-year-old female patient received first dose of BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: EN1199), via an unspecified route of administration, administered in left arm on 09Mar2021 12:30 (at the age of 33-years-old) as single dose for COVID-19 immunisation. The patient had no known allergy and no other medical history. The patient's concomitant medications were not reported. On 09Mar2021 the patient experienced sore arm for 1 day. She was diagnosed with CRVO of the eye. On 30Mar2021 she had mini stroke/blockage in left eye. Symptoms noticed about 1 week prior to 30Mar2021. The events resulted in Doctor or other healthcare professional office/clinic visit. The patient did not receive treatment for events. The patient did not have COVID prior vaccination and she was not COVID tested post vaccination. The outcome of events was not recovered.
1265932	4/28/2021	MA	57	F	4/24/2021	4/24/2021	4/24/21 1:05pm first dose Pfizer vaccine 1:10pm huge allergic reaction, felt like pre-anaphylaxis, like I was going to die 1:13pm took 2 Benadryl 25mg 5:30pm took 1 Benadryl 25 mg Loose stools all day, stayed home as Benadryl was working 4/25/21 12:30am took 1 Benadryl 25mg (weird feeling in my tongue) 1:25pm took 1 Benadryl 25mg for pain in my cheekbones & teeth and rash on both cheeks below eyes 1:58pm took 1 Benadryl 25mg " " 2:19pm took 1 Benadryl 25mg " " 2:49pm checked into hospital emergency room as allergic reaction would not subside 4:30pm got IV with Benadryl 25mg, Methylprednisolone & Pepcid (throat felt strange) 7:26pm discharged from ER 4/26/21 Medrol 24g 4/27 Medrol 20g

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1269260	4/28/2021	FL	38	M	4/5/2021		<p>MIGRAINE TYPE HEADACHE; PAIN IN NOSE; FEELING OF PIMPLE INSIDE NOSE; PAIN IN EYES; PRESSURE IN LEFT EYE; BLINKING LIGHT AURA IN LEFT EYE; NASAL PRESSURE; FEELING OF BUMPS INSIDE NOSE; PAIN IN FOREHEAD/A LOT OF HEADACHES; This spontaneous report received from a patient concerned a 38 year old male. The patient's height, and weight were not reported. The patient's concurrent conditions included social drinker, and non smoker, and other pre-existing medical conditions included the patient have no known drug allergies, drug abuse or illicit drug usage. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808609, expiry: UNKNOWN) dose was not reported, administered on 31-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On APR-2021, treatment medications included: acetylsalicylic acid/caffeine/paracetamol. On 05-APR-2021, the subject experienced migraine type headache. On 05-APR-2021, the subject experienced pain in nose. On 05-APR-2021, the subject experienced feeling of pimple inside nose. On 05-APR-2021, the subject experienced pain in eyes. On 05-APR-2021, the subject experienced pressure in left eye. On 05-APR-2021, the subject experienced blinking light aura in left eye. On 05-APR-2021, the subject experienced nasal pressure. On 05-APR-2021, the subject experienced feeling of bumps inside nose. On 05-APR-2021, the subject experienced pain in forehead/a lot of headaches. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from pain in nose, feeling of pimple inside nose, and feeling of bumps inside nose on 07-APR-2021, had not recovered from pain in forehead/a lot of headaches, migraine type headache, pain in eyes, pressure in left eye, and blinking light aura in left eye, and the outcome of nasal pressure was not reported. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1268352	4/28/2021	MO	35	F	4/16/2021	4/16/2021	Approximately 10 minutes after receiving the vaccine, the patient honked her horn to call a staff member over. RN approached vehicle and the patient stated she didn't feel well. Patient appeared pale. RN sent another staff member to get water, at which time the patient stopped responding to questions. The patient remained in her car, with the seat belt on - her eyes rolled into the back of her head and she began having jerky movements. 911 was called. HR was feint and BP was not able to be felt (too low, even with manual cuff). The patient came to, after about 45 seconds. RN asked the patient her children's names and the patient talked gibberish. About 1 minute later the patient began speaking in clear sentences. 0.5mL of epinephrine were administered. Blood glucose was 123. At 1:50 we were able to get a HR of 80 and a BP of 128/100. Oxygen was 100% with 2L via nasal canula. Patient was transported to Hospital.
1268655	4/28/2021	WI	62	M	3/20/2021	3/27/2021	runny nose & watery eyes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1268664	4/28/2021	CA	59	F	4/6/2021	4/6/2021	Immediately that evening, I started to get headachy and nauseous. My arm in the injection site was very sore. The next morning, the other arm was sore. It was difficult for me to raise my arms above my head without feeling extremely weak. I couldn't lift anything above my head for the fear I would drop them. Knee replacement surgery on both knees about 4 years ago - I felt pain in my knees; all my joints; all of my teeth; my vision was blurry. My head hurt so badly. Tylenol dulled the headache and joint pain but it didn't help it to go away. My chest also hurt quite a bit. I felt extremely lethargic. I didn't feel like getting out of bed. I could only get the meals made (I'm a caregiver for my mom and mother-in-law) and then get back into bed. I usually walk five miles a day. I'm still not there yet (to walk that much) but I'm getting better. The nausea lasted until the 17th. The headache just left finally on April 23. The body aches, teeth ache and joints subsided around the 17th also. The blurry vision - I still have a little bit of that but it's starting to improve. The weakness in the arm - that is starting to improve - I do still feel kind of weak when I raise my arms above my head. The fatigue I still have but I'm feeling a bit of improvement. I have to keep checking my bed to see if I accidentally put the massage setting on (and I hadn't) because my body was shaking in entire body- That started on the second day after the vaccine and stopped about the 19th. I called to the advice nurse to register my health complaint and she had me come in for a full workup. And she asked me to go to ER. They kept me in the ER overnight.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1268689	4/28/2021	OK	18	F	4/25/2021	4/25/2021	18 yo female requests to have injection in supine position due to previous history of passing out with injections. Mom at pts side and sts pt first passed out at the age of 4 years old when she witnessed her father having blood drawn for a health screen. She also reportedly passed out after receiving a vaccine at Pharmacy in 2017. Due to her history of injection related syncopal episodes, pt is placed in a supine position on the cot as precaution. Approximately 30 seconds after receiving the injection, the pt was witnessed becoming unresponsive by this HCP. Pt was then witnessed having her eyes roll up and back followed by a few seconds of generalized seizure activity. HCP remains at pts side. The cot has a suspended cloth and is soft, therefore, pt is safe from harm on it. Seizure ends after seconds and pt awakens. She is initially confused but orients quickly. She remains AOX4 and has no complaints. Spoke with mom extensively about pts condition and presenting symptoms. VS- HR initially 52 but quickly improves to 77, BP 107/64, RR 16, sats 98%. Pt will follow up with pts pediatrician. Mother and pt do not want pt evaluated at the ER today and do not want an ambulance. VAERS info given.
1268977	4/28/2021	IL	16	F	4/1/2021	4/1/2021	Patient fainted while seated minutes after vaccine was given. Mother was next to her to prevent her from falling to floor. She complained of nausea and blurred vision. She was given water and Gatorade and began feeling better 5-10 minutes after fainting.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1269142	4/28/2021			F	4/8/2021		<p>BENIGN PAROXYSMAL POSITIONAL VERTIGO; OUT OF CHARACTER DECISION MAKING; FAINTNESS; FLU LIKE SYMPTOMS; This spontaneous report received from a patient concerned a 27 year old female. The patient's height, and weight were not reported. The patient never experienced a reaction to any other vaccine in past. the patient had no past medical issues. The patient had never experienced vertigo or dizziness and had no recent changes to diet, activities, or lifestyle. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 205A21A, expiry: UNKNOWN) dose was not reported, 1 total, administered on left arm on 08-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 08-APR-2021 (upon receiving the vaccine), the patient experienced flu-like symptoms, a high fever and body aches for the first 24 hours. On 13-APR-2021, the patient began to experience severe dizziness, vertigo, faintness, mild headaches, blurred vision, and out of character decision making. On 16-APR-2021 at 15:15, the patient was hospitalized for severe dizziness and blurred vision where he had blood human chorionic gonadotrophin, complete blood count (CBC), comprehensive metabolic panel, electrocardiogram, blood magnesium level and urinalysis (results not provided). The patient was diagnosed with benign paroxysmal positional vertigo (BPPV) and was treated with 0.9% sodium chloride (NaCl) (normal saline) and Meclizine (meclozine). At the time of this report, the patient was still experiencing extreme dizziness and vertigo. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from faintness, and out of character decision making on APR-2021, and flu like symptoms on 09-APR-2021, and had not recovered from benign paroxysmal positional vertigo. This report was serious (Hospitalization Caused / Prolonged, and Other Medically Important Condition).; Sender's Comments: 20210441536-covid-19 vaccine ad26.cov2.s-Benign paroxysmal positional vertigo, Faintness. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1269150	4/28/2021	AZ	57	M	4/9/2021		<p>LEFT EYE TRAUMA/ CATARACT; RASH ALL OVER BODY ARM/ECZEMA; SHOULDER PAIN/SORENES/WOUND; BLOOD SUGAR ABNORMAL 319; URINATION PROBLEM; MALE GLAND (REALLY BIG) WAS SWOLLEN/ RED; FEELING OF PASSING; LIGHT HEADACHE; WEAKNESS; This spontaneous report received from a patient concerned a 57 years old male. The patient's height, and weight were not reported. The patient's concurrent conditions included diabetes (did not take any medication). Patient was assaulted before getting the Covid-19 vaccine and was cut in the neck and needed blood transfusion last OCT-2020. Patient got several vaccinations. Last vaccination he received was in 1980. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805020, expiry: UNKNOWN) dose was not reported, 1 total administered on 08-APR-2021 at left arm for prophylactic vaccination. No concomitant medications were reported. On 09-APR-2021, 1 day after vaccination, patient experienced light headache, feeling of passing and weakness. On 11-APR-2021, after 2-3 days of vaccination, patient was suffering from urination problem which included swollen male gland/ redness (peeling of the skin /flesh is visible /getting worse) and pain during urination. He had pain upon pulling back his foreskin (he was not circumcised and never had such problems). On unspecified day, he had trouble in vision. He visited two doctors regarding the problem who stated that patient had left eye trauma (cataract). On unspecified date. he also had rashes all over the body (specifically arms) referred as eczema. On an unspecified date, he had shoulder pain/soreness/wound on both shoulders right as well left. Skin of the left shoulder was peeled and flesh was visible. He stated that peeling of the skin was moving towards the back of his shoulder and was getting worse. He had tattoos on his left and right shoulder/arm. As per patient, he was given a lot of shots in his right during his profession. Patient has abnormal blood sugar level. On 23-APR-2021, Laboratory data (dates unspecified) included: Blood sugar abnormal (NR: not provided) 319. Treatment medications (dates unspecified) included: bismuth subsalicylate and took 7 up to alleviate symptoms. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							recovered from left eye trauma/ cataract, urination problem, rash all over body arm/eczema, weakness, feeling of passing, light headache, and male gland (really big) was swollen/ red, and the outcome of shoulder pain/sorenes/wound and blood sugar abnormal 319 was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0 : 20210448488 - COVID-19 VACCINE AD26.COV2.S - left eye trauma / cataract . This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). 20210448488-COVID-19 VACCINE AD26.COV2.S- BLOOD SUGAR ABNORMAL 319 .This event(s) is considered not related. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There are other factors more likely to be associated with the event(s) than the drug. Specifically: MEDICAL HISTORY, UNDERLYING DISEASE
1268279	4/28/2021	MA	56	F	4/9/2021	4/9/2021	Red patchy face, felt like a sunburn later severe headache, chills, fever, rapid heartbeat, stopped 14 hours later, slight headache 72 hours later left eye pain, 84 hours later left eye swelling, went to PCP. Put on antibiotics and eye drops returned to PCP no improvement. The swelling got worse on Thursday, April 15 was admitted to hospital for orbital cellulitis. Lab tests, CT scan and recieved iv antibiotics and steroids. Discharged diagnosed as periorbital cellulitis on Saturday April 17 was put on oral antibiotics and eyedrops.
1269190	4/28/2021	CA	82	M	3/12/2021	3/17/2021	Pt developed L eye vision changes on 3/17/2021 but did not seek medication attention until 3/22 when he saw ophthalmology and was advised to go immediately to ER. After a temporal artery biopsy to r/o temporal arteritis and head/brain imaging studies, he was diagnosed with non-arteritic anterior ischemic optic neuropathy. He was treated and discharged home with close follow up. On 4/5/2021, he developed hematuria and was again hospitalized and found to have an obstructing L ureteral stone. Pt was hospitalized 3 days for first issue, 7 days for second issue.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1269331	4/28/2021	KY		F	2/1/2021	2/2/2021	The vessels are broken; broken blood vessels there; Eye was kind of itching; She used words like "inflammation"; Sclera the white portion of my eye, on the inside of the eye is red it is completely red; The initial case was missing the following minimum criteria: unspecified suspect product. Upon receipt of follow-up information on [16Apr2021], this case now contains all required information to be considered valid. This is a spontaneous report from a contactable nurse. A female patient of an unspecified age received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration on 01Feb2021 as single dose for covid-19 immunisation. The patient medical history and concomitant medications were not reported. The patient had the vaccination on Monday, Monday afternoon. She has redness in sclera. She got the vaccination on Monday, Tuesday night, her eye started to itch, by Wednesday her sclera the white portion of her eye, on the inside of the eye is red it is completely red, the vessels are broken. she has broken blood vessels there, that is what that means, that's what she was reporting, so this is now 3 days that she has, had an eye as a nurse, put an eye patch on. She was putting antibiotics in her eye and eye patch,(Treatment). On Monday and by Tuesday night her eye was kind of itching and right now has eye patch on. She used words like "inflammation" and "irritation". She had a reaction the following night (02Feb2021) with redness in eye and also bleb in eye (which is still unresolved). Outcome was not recovered for redness in eye and unknown for other events. No follow-up attempts are possible; information about lot/batch number cannot be obtained.; Sender's Comments: Based on known drug safety profile, close temporal association the event of Ocular hyperameia is assessed as related

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1269298	4/28/2021	FL	67	M	1/9/2021	1/1/2021	headache; couldn't pick up my arm, that lasted for a day; This is a spontaneous report from a contactable consumer (patient, self-reported). A 67-year-old male patient received first dose of BNT162B2 (PFIZER-BIONTEC COVID-19 mRNA VACCINE, solution for injection, lot number and expiry date were not provided), via an unspecified route of administration, on 09Jan2021, as a single dose for COVID-19 immunization. Patient's medical history included high blood pressure. Concomitant medications were not provided. The patient reported that after he got the shot, on an unknown date in Jan2021, he couldn't pick up his arm, that lasted for a day. The next week, he got a headache, and he didn't get headaches. He would get a slight headache every now and then, off and on for 3 or 4 days above his eyebrow. He took Tylenol and it went away. He heard that he would get really bad side effects with the second shot and he was just concerned. Patient's second dose was scheduled on 29Jan2021. Outcome of the event was recovered on an unknown date in Jan2021. Information on the lot/batch number has been requested. Follow-up attempts are completed. No further information is expected.
1269333	4/28/2021	TX	72	M	2/4/2021	2/5/2021	eyes hurting; his vision was not focused to well; This is a spontaneous report from a contactable consumer (patient). A 72-year-old male patient received first dose of BNT162B2 (PFIZER-BIONTEC COVID-19 VACCINE, Solution for injection, Batch/lot number: EL9269 and expiry date was not reported) via an unspecified route of administration, in the left arm, on 04Feb2021 at 10:30 as a single dose for covid-19 immunisation. Patient's medical history, relevant family medical history and concomitant medications were not reported. No history of all previous immunization with the Pfizer vaccine considered as suspect and no additional vaccines administered on same date of the suspect. Patient received prior vaccinations within 4 weeks included flu shot about 3 weeks ago. On 05Feb2021, patient experienced eyes hurting and with vision not being focused well. No relevant tests were done. The outcome of events was resolving. Follow-up attempts are completed. No further information is expected.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1269566	4/28/2021	OR	68	M	3/24/2021	3/31/2021	Facial pain or headache becomes more severe, drowsiness or confusion , swelling of the forehead or eyelids, vision problems including blurred and double vision, seizure, dry mounth nausea tiredness constipation, double vision Diplopia, one aye is affected, vertigo, speech or walking
1269843	4/28/2021		18	M			Patient has been using Advate for many years. After last 2 doses, patient reports flushing, glassy eyes, chest/abdomen/shoulder pain, and upper body rash. Patient reports quick onset after Advate dose, which resolves within 10 minutes.
1269846	4/28/2021	OR		M	3/20/2021	4/6/2021	I have a severe Shingle outbreak that impacted my right eye as well. This happened on 4/6/32. I had taken the Pfizer Covid Vaccine on 3/20. Now I have seen an article saying Herpes Infection could be a side effect of Pfizer Covid Vaccine
1284977	4/28/2021	OK	30	F		4/1/2021	Sudden on set of numbness in arms and intense migraine. Had to leave work and go to ER. ER considered admitting, but allowed follow up with neurologist instead. After several test to rule out any other possible reasons for symptoms, it was determined to be a reaction from Pfizer Vaccine. I had many neurological side effects after receiving vaccine. Black eyes, vertigo, and the common side effects of vaccine. Migraine has gone down to a headache after the help of medication, but has never fully gone away. numbness never resided either. has continued for almost a month now.
1267172	4/28/2021	NY	55	F	4/5/2021	4/6/2021	Migraine headaches - Emergency room treated w/ pain meds - several days, still occurring. Migraine has not gone away yet. Following up w/ GP (Dr visit 4/29/2021). Eyes burning and red - still occurring mostly in the left eye Shooting pains in left ear - still occurring Shooting pains in head all over - Still occurring Leg pains - Shooting pains all areas of both legs Abdominal pain - shooting pains on and off in the abdominal and rib cage areas Shortness of breath - still occurring, not quite as bad as initially Fatigue, no energy - still occurring

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1266414	4/28/2021	IL	50	M	4/22/2021	4/25/2021	Patient presented to the emergency room with right sided facial droop including forehead, +bells sign, no sensation deficits, no other focal numbness or weakness. Patient also reports dry eye which cannot close. In the ER he received 60mg prednisone and, 1000mg valtrex. He received prescription for prednisone (60mg/day for 5 days), valtrex (3 grams/day for 7 days) and hypromellose artificial tear drops). He as instructed to with PCP and neurology.
1269181	4/28/2021	AZ	38	F	4/26/2021	4/26/2021	Patient stated her vision was blurry and she felt "drunk" within 15 minutes of vaccination. Observed patient for another 15-20 minutes. Patient asked for paramedics to be called because she never has had any adverse effect from vaccinations previously. Paramedics tended to patient and took her to the hospital. She received and Epi-pen and stayed overnight for further observation. Patient was told she had an allergic reaction to the Moderna vaccination.
1267690	4/28/2021	MI	17	F	4/27/2021	4/27/2021	patient became very diaphoretic in the observation area, her head went back, eyes closed, extremities became very rigid and patient appeared to have lost consciousness for a brief moment. RN was present at side of patient, patient was hypotensive, vitals checked BP 71/48 and pulse 54. Patient states she felt like she went to sleep, started to feel better several minutes later. EMS was contacted to evaluate and transport patient to ED.
1267209	4/28/2021		74	F	1/22/2021	4/12/2021	~~74 year old female with Past Medical History DM II, ESRD on HD, hep A, HTN, HLD, presented to ER with worsening cough and fatigue. She says she completed her covid vaccination series in February 2021. She worsened over the weekend with her symptoms and wen to urgent care and was directed to ER. In the ER she has required 5-6L NC for hypoxia and she was placed on NRB therapy. She denies chest pain, palpitations, abdominal pain, constipation, diarrhea, headache, vision changes, slurred speech~~

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1267303	4/28/2021	MD	18	F	3/29/2021	4/21/2021	<p>symptom started 4/21, with pain and tightness in the left arm, progressively spreading up the arm over the following 48 hours, and then to the distal right arm, and legs. The leg symptom were present when seen 5 days ago, though were not discussed as Patient wasnt sure if thats what was really starting. This is associated with a feeling of "not being able to feel muc" and "doesn't feel right", as if it "feels foreign... body says this is weird," and feels heavy. Also notes that different extremities feel different - left is worse than right. Seen 5 days ago, and noted to have been advised by hematology to stop eliquis approximately 2 weeks prior to onset of symptom after PE/Renal artery embolism 1/2021. At that visit was referred to ER, where workup for repeat clot was normal (CTA, b/l upper extremities dopplers, head/neck CT, CXR). EKG was notable for Sinus tach and nonspecific T wave abnormalities. Discharged home with close follow up. Since then the intensity of the symptom as worsened and the leg symptoms have gotten more pronounced and consistent with the upper extremities symptom. Today notes new difficulty getting dressed on because clothes were getting stuck/he couldnt pull them down. Also notes when his left arm is touched it causes burning pain that shoots up the arm. Reports headache. 2-4/day, last 30 minutes, 5/10 in severity. Worse with movement of head. Frequent nausea, no emesis, but not specifically associated with headache. No waking from sleep. Since PE, has complains of intermittent left sided squeezing chest pain, which he wonders may be due to his anxiety. Lasts a few minutes Received Pfizer COVID vaccine 3/29, hasnt received 2nd dose yet ROS: general: no fevers or weight loss. CHRONICALLY C/O FATIGUE AND TROUBLE FOCUSING. has had evaluation for executive function difficulty in the past (interdynamics), now pursuing evaluation at Neurology and awaiting EEG with this. HEENT: no sore throat. + VISION CHANGES - TROUBLE FOCUSING, but not specifically blurry vision. CV: LEFT SIDED CP, NONSPECIFIC T WAVE CHANGES ON LAST EKG W/SINUS TACH. Pulm: SOB, with walking up and down stairs, since PE. not worsening. No Cough. GI: +NAUSEA, no vomiting, no abdominal pain. No current diarrhea. Neuro: + HEADACHES. + SENSORY CHANGES. + family h/o MS</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1269415	4/28/2021	GA	64	F	4/6/2021	4/8/2021	? Tuesday, April 6th ? Patient receives the 2nd Pfizer vaccine shot ? Thursday, April 8th ? Patient is sick with vomiting and diarrhea ? Friday, April 9th ? Patient is delirious and still sick with vomiting and diarrhea. She is also has pain in her stomach. An ambulance is called to take her to the hospital. The hospital determines her white blood count is elevated, indicating an infection. Blood sugar is very high ? approximately 400. Covid test is negative. She is restless upon arrival. She tries to climb out of bed continuously. She is restrained. o Saturday, April 10th ? Patient is running a fever and is in pain. She is also confused and doesn?t recognize her oldest sister. Meds are administered to handle both items. (Toradol?). Blood sugar around 200. She continuously counts and calls for Mother and Father. Patient continues to be restless o Sunday, April 11th - at request of family, a CT scan is done of her stomach and abdomen. Nothing is found. Potassium was at 3.2 (normal is 3.5) so she received an IV drip to help with potassium levels. Sugar ? 206. Later drops to 176. Patient calms down some. She is still confused and doesn?t recognize her oldest sister. ? Monday April 12th ? the hospital attempts to do an MRI, but patient panics. This is a closed MRI and her 1st husband died in one. The MRI isn?t done. ? Tuesday, April 13th ? she is asked by the doctor to state her name and wiggle her toes. She complies. Doctor orders speech therapy. She is sedated for an MRI and a CT scan. Both are successfully completed. She sleeps for the rest of the day. Blood sugar ? 274 @ 5:09pm. ? Wednesday, April 14th ? Patient was asleep all day. Most of the day she isn?t responsive when nurses come in and do things like take blood. She normally responds even if she is asleep. Around 5pm she starts to respond and make noises; she briefly opens her eyes then falls asleep. She continues to run a temperature. ? Thursday, April 15th ? Patient is asleep most of the day. She is responsive when nurses do things like take blood. A spinal tap is performed. There was mention of dementia. Hospital is sharing little information, varying from she is retreating into herself vs. something worth isolating is going on. Temp was 102.3 at 7:37, but later dropped to 99.3 without meds. Dr. (neurologist) provides an update to the family. Tests so far are negative. EEG showed sleeping brain (she was asleep during test). MRI showed

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							nothing. Spinal tap negative so far. No infection or anything has shown up. Orders another EEG and MRI ? Friday, April 16th ? Patient tried to open her eyes. ? Saturday, April 17th ? a met code was called on her and she was moved to ICU. A circulation issue was found in right leg. Occlusion was really bad. Initially the doctor was concerned about blood clots. None were found, just swelling. Pressure was relieved. Blood pressure issues. She was put on 2 blood pressure meds, at least. She was dehydrated and acidic. Diabetic ketoacidosis was mentioned. A cytokine storm was expected. ? Sunday, April 18th ? blood pressure not stable. She was put on dialysis. Peripheral circulation was worse. ? Monday, April 19th ? she coded around 5am. Doctors were trying to save her. She passed away about 30 minutes later .
1268261	4/28/2021	PA	33	M	3/31/2021	4/2/2021	Patient stated he did not get flu-like symptoms until 4 days after vaccination. He stated that 30 hours after his first Moderna dose he experienced increased heart rate and pulse. He felt as though he was going to pass out and his vision was altered and extremities were numb. He called 911 and went to hospital where he was admitted. He was told his blood work was normal except for elevated glucose and cholesterol. For 5 days after this episode he continued to experience tightness in his chest and pressure in the back of his head.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1267320	4/28/2021	CA	41	M	3/26/2021	4/4/2021	<p>3/26 @ 3:15pm ? Got the first dose of Pfizer COVID-19 vaccine for the 1:10pm appointment. However actual time received was around 3:15pm. No vaccine reaction was observed and drove back home. However did not eat or drink much from morning till 4:30pm due to the long line at the vaccination center 4/4 @ 9:00pm ? Experienced first sign of near-syncope at the dinner table upon picking up a glass of milk 4/6 @ 8:45am ? Experienced brain fog, to be exact head felt like it was filled with cotton candy, at the back and top of the head. Felt this way the entire day. Went to work as usual. Logged out at around 5:30pm 4/7 @ 9:00am ? dizziness started getting worse. Started feeling imbalance and started losing depth perception which climbing down staircase 4/8 @ 10:00am ? started to get easily startled by any unexpected trigger. Whole body would ?twitch? or ?startle? upon slightest unexpected event. For e.g., sound, touch, taste (hot/cold) 4/10 @ 12:00pm ? Went to ER. ER ordered series of blood tests, EKG, chest x-ray. Everything came out normal. ER doctor said to wait it out and after a week symptom may go away. ER doctor felt body?s immune response was over-working due to the vaccine immune response and possibly pollen allergy I may have experienced right after getting the vaccine. No prescription meds give. Advised to take Meclizine 25mg and Zyrtec. Below are the symptoms experienced on 4/10: ? Lightheadedness/Sudden Jerking body movements when triggered/passing out momentarily for a second when taking strain/not in my elements ? Feeling extremely fatigued. Did not sleep well at night on 4/8 and 4/9 ? Head feels Intoxicated, foggy, lightheaded, as if stuffed with cotton candy. Startled when unexpected things happen like a sudden jerking movement along with momentary passing out while anything unexpected happens. E.g., when I am pushing myself on the sofa to re-position, I feel my whole body is turning off for a second. Simply does not feel normal ? Rubbery legs ? Worsens after shower. I feel like I need to lay down as the foggy feeling worsens after shower ? Lightheadedness. Losing control sometimes. ? I am easily startled when climbing down the stairs - no Depth perception. ? Don?t have the strength to blow nose or cough. Feels like momentary fainting when doing these activities ? Dis-equilibrium. Whole body is twitching when something unexpected happens to my senses. ? Unable</p>

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

to control while laughing feels like momentary faint. I have felt like this when I was down with a fever. Ticked easily ? Difficulty pulling myself out of bed. Felt like muscle was giving away ? Tingling feeling in the right abdomen area ? Difficulty staying alert or focused and random rather unpleasant thoughts constantly coming to mind. Felt a bit of panic attack. 4/11 ? Went to PCP. Body weakness and fatigue got worse. PCP did blood sugar test and flushed out the left ear. Ordered Brain MRI to see if structurally anything was wrong. Brain MRI came out OK as well however noticed minor sinusitis. Prescribed Amoxicillin antibiotics and nasal spray. Referred me to Neurologist and Head and Neck Specialist. 4/11 ? 4/15 - Above symptoms progressively got worse. Especially weakness in the arms and shoulders. Arms quivered every time trying to stand up and felt like fainting. Hand-eye coordination progressively got worse. For e.g., could not pick up water bottle, hands were quivering badly 4/15 ? Neurologist conducted certain diagnostic tests and concluded that there are no neurological issues. Said with rest and plenty of fluids it should get better. Spinal tap was not recommended and said if symptoms got worse a spinal tap can be done during the next visit. Follow up visit with neurologist scheduled on 4/27 4/15 ? 4/27 ? Weakness in arms got better. Arm strength and coordination has improved however it's still not back to normal. Brain fog and dizziness still persists with no improvement. Left limb and arms are stronger than the left. Difficulty climbing up and down stairs. Dizziness worsens after shower. Not feeling myself. In addition, not able to multitask - getting startled and need to be deliberate about having to do everyday chores need to just focus on one task 100% completely and if something else comes up then my body just goes into a momentary shock. Mostly I can feel my head feeling heavy and my eyelids shutting down when something shocking happens ? a feeling like body is ?turning off?, almost a fainting or passing out feeling. Sometimes when I turn to one side and sleep, I can feel a flickering sensation in the ear. Still always feeling woozy and as if there is something in my head ? a medicated or intoxicated feeling in the head 4/27 ? Neurologist said she sees a lot of improvement and reiterated again that I don't have any neurological issues. She said I can go back to work starting 5/1. She said I may have

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1267674	4/28/2021	NJ		F	4/12/2021		Conversion Disorder / Disequilibrium. It?s hard for me to fathom why she would diagnose me with Conversion Disorder when so many people are reporting very similar symptoms that I am facing on the below forum: <a href="https://www.drugdiscoverytrends.com/dizziness-among-common-covid-19-vaccine-side-effects/">https://www.drugdiscoverytrends.com/dizziness-among-common-covid-19-vaccine-side-effects/</a> 4/30 ? Next appointment with Head and Neck / Audiology
1267765	4/28/2021	OH	62	F	4/20/2021	4/21/2021	April 25th emergency Droopy Eye, Chin, blurred vision and speech.. Diagnosed with Bells Palsey Need script for O.T and P.T.. Speech and eye. Cat Scan, Blood Work Nuerologist, complete work up. Seeing Dr. eye ulcered, blurred vision slurred speech.. Seeing M.D. Today April 28th.
1267813	4/28/2021	TX	68	M	1/11/2021	1/30/2021	Patient received vaccine that morning, she was off her daily aspirin for an upcoming procedure, and she had transient vision loss over night that lasted 1 minute, suspicious for amarois fugax. She is getting a TIA work up including MRI, MRA / head neck. The episode happened the night of the vaccine (overnight on 4/21 around 2-4 am) and again on the night of 4/22/21 around 2 am. She had two episodes of complete vision loss R eye, that self resolved within 1 minute.
1267880	4/28/2021	OH	16	M	4/27/2021	4/27/2021	Acute right central retinal artery occlusion. Total painless loss of vision right eye, subsequently about 85% loss persisted.
1268042	4/28/2021	WI	64	F	4/1/2021	4/2/2021	Swollen face and eyes, tired, muscles sore
							Woke up out of a sound sleep with severe headache ,nausea and vomiting. Location of headache:Frontal, top of head, behind eyes. Severe pain. Different than her usual migraines. Had a brain bleed in 2013 so is familiar with how that felt and this felt very different per patient. Tylenol was taken and did help but not much . Constant thing. Had severe headache for 1 week. Dissipated and continues with it today. When had headache she was in bed . Only up to do her husbands medication. Was told to contact her PCP on 04/13/2021. Never had pain like this prior. She took BP 04/14/21 and was 119/65. Waiting for MD call back.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1267932	4/28/2021	MD	32	F	3/7/2021	3/7/2021	Day 1 (3/7/21): sever ice-pick like headache right back toward the left front of the head. Then sever flu-like symptoms including: fever, chills, fatigue, and body aches and pains. Flu symptoms lasted 3 days. Day 6 (3/12/21): severe head pain like an ice-pick in the back right radiated to the front left, heard a loud humming inside my head, it felt like my head was gyrating, AND my vision in my right eye became distorted and I couldn't move my legs I couldn't feel them - I thought I was having a seizure. After the Day6 event I have had persistent tremors, muscle twitches, weakness in legs, phantom sensations on my left side hand/arm or left leg, forgetfulness, memory problems, word retrieval problems, constant ringing in ears and nausea.
1267979	4/28/2021	VA	73	F	3/5/2021	3/6/2021	Loss of vision
1268256	4/28/2021	WA	18	M	4/28/2021	4/28/2021	Blurry to blackout vision, loss of orientation within 10 minutes of vaccination and lasting for 20 minutes.
1268008	4/28/2021	TX	55	F	4/8/2021	4/15/2021	Received Vaccine on the 4/8 that night I was very cold had 5 blankets, teeth shattering, severe headache, & knees like if they were breaking them. The following day slight headache, weakness, not feeling good. On the evening of 4/15, it hurt to breathe and I had a burning sensation on my rib cage going to my back. I thought I could handle it until Monday to see my Dr. but by the time I went to the ER it hurt to walk, talk, breathe and the burning sensation would not go away. I went to the ER on 4/17 he said I had a collapsed lung, gave me something for pain via IV. Did an EKG, Chest X-Ray, CT Scan, and Lab work. He let me go and said to take deep breaths every hour on the hour and to drink lots of water. I got in to see my regular Dr. on 4/22 and he said I had an allergic reaction to the vaccine. He gave me Gabapentin 100 mg 3 times a day and Tramadol q 6 hours for pain. I called him back because I still have the pain and now I am taking 300 mg Gabapentin in the am and 300 in the pm. It is still not working. I am constantly hurting the burning sensation on my rib cage and goes back to my back, it hurts to breathe, walk, talk, drive, I have blurred vision , dizziness and weakness. I have an appointment with Dr. again tomorrow.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1268233	4/28/2021	IL	42	F	4/2/2021	4/23/2021	4/16 - rash, lip swelling, tongue pain, temperature, chills, body aches, lymphadenopathy, 4/23 - chest pain (same day as cortisone injection) 4/24 - worsening swelling, pain with swallowing 4/25 - admitted to the hospital through the ED with erythemic rash to bilateral palms, bilateral feet, back; painful, not itchy; eye red; lip swollen; tongue pain and pain with swallowing
1267913	4/28/2021	WI	26	F	3/16/2021	3/16/2021	Reaction after Janssen vaccine (1805031), in right arm, at 1:20pm 3-16-2021: - Within 15 minutes: nothing - Within an hour or two after: itchy right hand, pulsing in right side of head behind eye, dizziness - About 8pm, onset like a wall: severe anxiety/impending feeling of doom, shortness of breath slightly, increased heart rate, tiredness, muscle aches, sore skin, feeling of sharp pains in ?blood stream?, chills, nausea - 12pm after sleeping for about half an hour: flushing of face, slight shortness of breath, facial swelling and blotchiness, swollen lips, fast heart rate, feeling of impending doom, nausea, tongue swelling, slight difficulty swallowing, nasal congestion, groggy voice, sinuses full of moving fluid, ear pressure, hot with chills, eye redness, achy body and sore skin, feeling of sharp pains ?in blood stream? - 1am, in addition to previous symptoms (peak of symptoms): Fever 101.4 F, puffy feet that hurt, dizziness - 1:30am, after eating a little: temp 100.8 F, puffiness went down slightly and severe symptoms improved a bit. Still chills - 2:45am woke up drenched in sweat and hot, 100.7 F. Chills mostly gone. Nose very stuffy. Eye pressure/pain. Feel improved. Chest feels exhausted. Still body aches but improved. Ear pressure. - 8am: 99.4 F. Feel better mostly overall. Head feels like a cinder block. Eyes and ears hurt. Body aches mostly gone. Pain at injection site. Chills gone. Sweats gone. Skin still sore. - 1pm: 98.3 F. - Only remaining symptom for next couple days is tenderness at the injection site. -Following a few days: completely recovered. no symptoms, back to 100%

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1268231	4/28/2021	MN	16	M	4/23/2021	4/23/2021	had his injection at 12:15pm without incident and went to monitoring area and sat at table. lost consciousness and fell to the floor, staff alerted RN who came over to . regained consciousness right away. stated that he remembered leaning forward over the table looking at his phone and texting his sister and then he was on the floor. A wheel chair was brought over and was laid down on the cot where he stated he already felt better. PHN assessed for injuries. He denies pain, no injuries noted except for right eyebrow that is red and starting to swell. At 12:20pm BP 108/64, P-63, Os Sats 96% and R-18.
1267337	4/28/2021	CA	56	F	3/3/2021	3/5/2021	Patient tells me 2 days prior to vaccine on 3/3 (Pfizer) she had mild hives?not unusual for her in the spring. They typically occur along with seasonal allergies and she thinks the hives are unrelated to current rash. She went ahead and had the 1st Pfizer vaccine on 3/3. She developed a new circular rash at the injection site on the left arm and new rash over the left side of her back described as ?on fire?. she was seen for a telemedicine clinic visit diagnosed with possible shingles and was prescribed treatment. Did not improve significantly. She went ahead and had the second Pfizer jab on 3/24. She developed extreme tenderness at injection site. the rash that was on her back got much worse and spread. The rash occurs any place she scratches, has blood drawn or gets a band-aid placement. After that second shot she also noticed that her hip joints feel ?weak and unhinged". . Has also had similar symptoms of weakness in bilateral shoulders. Feels like her leg muscles are weak (points specifically to quadriceps). She has trouble repositioning herself and doing normal activities that she had been doing without difficulty just a few weeks ago. Her RN notes that she can get out of bed and walk to bathroom but is unsteady and shuffles. Has also noticed facial and periorbital swelling with purple discoloration and darkness around eyes. Had a faint pink rash extending from eyelids up over brows that has now decreased. Feels her legs are puffy and swollen.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261736	4/27/2021	MO	71	F	4/10/2021	4/10/2021	<p>Blood was coming through; Slight bee stings all over and thigh; Scabs on me; my eyelids have been a little itchy too; that was the only way that I am able to get some sleep; was miserable; consumer was in pain; hives; the same day I started to itch, it was mild across my breast and my stomach but my thighs and my bottom legs were turning red, swelling; but my thighs and my bottom legs were turning red/Thighs/Legs turned red; but my thighs and my bottom legs were turning red, swelling; This is a spontaneous report from a contactable consumer (patient). A 71-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) at the age of 71-year-old, via an unspecified route of administration on 10Apr2021 13:30 (Lot Number: EN6207) as single dose for COVID-19 immunisation. The patient's medical history was not reported. Concomitant medications included apixaban (ELIQUIS), tamsulosin, and iron. The patient got her first injection on Saturday, 10Apr2021 at 1:30 pm in the afternoon around 7 o'clock the same day she started to itch, it was mild across her breast and stomach but her thighs and bottom legs were turning red, swelling, hives there too, and she rubbed alcohol (treatment) on this to stop the itch, that seems to helped a little bit, but the swelling was not that bad today but the redness was still there. She has scabs on her, blood was coming through, and slight bee stings all over and thigh on an unspecified date, she used hydrocortisone cream (treatment), she was lucky she have some of that here because she keep that when going or here but she rubbed that on last night and that was the only way that she was able to get some sleep. The patient doesn't think that she was going to get the second shot, she doesn't want to experience that again. It feels like that today it was not that bad itching today but at 71 that was miserable yesterday so probably she would not get the second shot. She hopes that the first one can protect her to a point, but she cannot subject herself to that again, that would be senseless for her to experience that again and get a second shot. The patient also stated that her eyelids have been a little itchy too so hopefully you all understand it was 71 years old was suffering from that kind of misery second time. The patient was unable to probe the more question, patient was in pain and not willing to proceed. The outcome of the events was unknown.</p>

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261709	4/27/2021			F			<p>This is a spontaneous report received from a contactable consumer (patient). A female patient of an unspecified age received BNT162B2, dose 2, via an unspecified route of administration on an unspecified date (Batch/Lot number was not reported) as single dose for COVID-19 immunisation. The patient medical history and concomitant medications were not reported. Have been to 5 doctors since receiving the Pfizer Covid vaccine series (2 shots). The patient stated she had a bad reaction to first dose and 'horrendous' reaction to second dose. She developed 'tremendous' ear pain and unable to see straight ahead. The patient stated this has been ongoing for over 3 weeks. Also reported that this is day 16 and still no change to her eyes and ears. Stated she developed a bad headache and was throwing up after the 2nd dose. She was unable to look straight without feeling dizzy. Had seen neurologists and had multiple scans; will be having an MRI today. Stated she has no bleeding in the brain. This had affected her daily life; she was unable to work or drive. Took migraine medicine initially. The patient underwent lab tests and procedures which included multiple scans: no bleeding in the brain on an unknown date. The outcome of the events ear pain and unable to see straight ahead was not recovered. The outcome of other event was unknown. The events were reported as non-serious by reporter. No follow-up attempts are possible; Information about lot/batch number cannot be obtained.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261700	4/27/2021	OH	61	F	3/17/2021	3/23/2021	Severe joint pain through entire body.; Muscle fatigue; lethargic; Severe headache; Top lip swelled; left eye mild swelling; Temperature of 100°; This is a spontaneous report from a contactable consumer (patient). A non-pregnant 61-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), dose 2 via an unspecified route of administration, administered in the left arm on 17Mar2021 at 14:00 (Batch/Lot number was not reported) at 61-years-old as a single dose for COVID-19 immunization. The patient did not receive any other vaccine within four weeks of the suspect vaccine. The patient was not tested for COVID post vaccination. The patient's medical history was reported as none; no allergies to medications, food, or other products. The patient did not have COVID prior to the vaccination. There were no concomitant medications. The patient previously took bnt162b2 for COVID-19 immunization on 23Feb2021 (Dose number=1; Vaccine location=Left arm; Administration time=13:30; Lot number= Unknown), hyaluronic acid (JUVEDERM) in Jan2019 (location=under left eye), hyaluronic acid (JUVEDERM) (location= top lip) on 02Feb2021. On 23Mar2021 at 05:00, the patient experienced: severe joint pain through entire body, muscle fatigue, lethargic, severe headache, top lip swelled (where she received hyaluronic acid filler on 02Feb2021), left eye mild swelling (at the hyaluronic acid filler injection site from Jan2019), temperature of 100°; all assessed as non-serious. There was no therapeutic measures taken. The clinical outcome of the events was recovering. The batch/lot numbers for the vaccine, bnt162b2, were not provided and will be requested during follow up.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261696	4/27/2021	CT	47	F	3/23/2021	3/26/2021	Left eye pain/lacrimation 3 days after vaccination; left eye pain/lacrimation; This is a spontaneous report from a contactable physician (patient). A 47-year-old female patient received dose 1 of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE) via an unspecified route of administration on 23Mar2021 at 15:00 (at the age of 47-years-old) as a single dose in the right arm for COVID-19 immunization. Medical history included rosacea. The patient was not pregnant at the time of vaccination. The patient did not receive any other vaccines within 4 weeks prior to the vaccine. The patient was not diagnosed with COVID-19 prior to vaccination. The patient did not take any concomitant medications. The patient had no allergies to medications, food, or other products. On 26Mar2021 at 06:00 the patient experienced left eye pain and lacrimation. The patient did not receive any treatment for the events. The outcome of left eye pain and lacrimation was not recovered. It was also reported that since the vaccination the patient had not been tested for COVID-19. The lot number for the vaccine, BNT162B2, was not provided and will be requested during follow-up.
1261678	4/27/2021			F			suspected COVID-19 with symptoms; suspected COVID-19 with symptoms; burning eyes; dry mouth; Pink eye; This is a spontaneous report from a contactable consumer (Patient sister). A 60-years-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection Lot number was not reported) dose 2 via an unspecified route of administration on an unspecified date as single dose for covid-19 immunisation. The patient medical history and concomitant medications were not reported. Patient after she got the second dose of the vaccine, she was tired she could not get out of bed, had fever, chills, headache and aches. She was long hauler who had COVID. Periodically she had a pink eye, burning eyes, joint pain or dry mouth. Her symptoms were on and off. Sometimes she feels very sick and other times she was okay. After receiving the vaccine, she felt like she had COVID like around three. The outcome of the event was unknown. Follow-up attempts are completed. No further information is expected. Information on lot/ batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261611	4/27/2021	VA	85	F	1/22/2021	1/23/2021	was achy with the first dose; sore arm with first dose; This is a spontaneous report from a contactable consumer (patient). A 85-years-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Lot Number: EK4176), via an unspecified route of administration on 22Jan2021 as single dose (at the age of 85-years) in Arm Left for covid-19 immunization. Medical history included: knee arthroplasty from Apr2018 to an unknown date (knee cap was not replaced) and breast cancer from Aug2013 to an unknown date. The patient did not receive any other vaccination within 4 weeks. Concomitant medications included: levothyroxine sodium (SYNTHROID) 200mcg daily taken for hypothyroidism (since 35 years); omeprazole 20 mg daily taken for gastroesophageal reflux disease; furosemide 40mg daily taken for left ventricular failure from 2017 to an unspecified stop date; spironolactone 25mg, takes half tab daily, taken for left ventricular failure from 2017 to an unspecified stop date; ascorbic acid, betacarotene, cupric oxide, tocopheryl acetate, zinc oxide (PRESERVISION), 1 daily taken for macular degeneration from 2011 to an unspecified stop date; colecalciferol (VITAMIN D) 5,000 units daily taken for vitamin d deficiency (since 6-7 years) (all are ongoing). On 23Jan2021, the patient experienced achy and sore arm with first dose. She is always achy. The degree of the achiness went away. On an unspecified date, the patient had ultrasound to check for deep vein thrombosis and results were unknown. The outcome of pain in extremity was recovered on 25Jan2021 and for another event it was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261542	4/27/2021	CA	68	F			<p>MS exacerbation; This spontaneous case was reported by an other and describes the occurrence of MULTIPLE SCLEROSIS RELAPSE (MS exacerbation) in a 68-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The patient's past medical history included Blood pressure high, Headache, Malignant hyperthermia, Optic neuritis, Eye disorder, Memory deficit, Pain, Depression and Sleep difficult. Concurrent medical conditions included Relapsing-remitting multiple sclerosis. Concomitant products included METHYLPREDNISOLONE SODIUM SUCCINATE (SOLUMEDROL), LORATADINE (LORATAB), METOPROLOL, ZOLPIDEM, MEMANTINE, DIPHENHYDRAMINE HYDROCHLORIDE (BENADRYL [DIPHENHYDRAMINE HYDROCHLORIDE]), HYDROCODONE BITARTRATE, PARACETAMOL (NORCO), VENLAFAXINE HCL and MEMANTINE HCL for an unknown indication. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, the patient experienced MULTIPLE SCLEROSIS RELAPSE (MS exacerbation) (seriousness criterion medically significant). At the time of the report, MULTIPLE SCLEROSIS RELAPSE (MS exacerbation) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. No treatment information was provided.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261529	4/27/2021	WV	70	F	4/8/2021		<p>eyeball filled with blood; Blotchy red skin felt like sunburn; burning skin; felt like she weighed a thousand pounds; sore all over,; This spontaneous case was reported by a non-health professional and describes the occurrence of CONJUNCTIVAL HAEMORRHAGE (eyeball filled with blood) in a 70-year-old female patient who received mRNA-1273 for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 08-Apr-2021, the patient received dose of mRNA-1273 (Intramuscular) at an unspecified dose. On an unknown date, the patient experienced CONJUNCTIVAL HAEMORRHAGE (eyeball filled with blood) (seriousness criteria medically significant), ERYTHEMA (Blotchy red skin felt like sunburn), SKIN BURNING SENSATION (burning skin), FEELING ABNORMAL (felt like she weighed a thousand pounds) and MYALGIA (sore all over,). At the time of the report, CONJUNCTIVAL HAEMORRHAGE (eyeball filled with blood), ERYTHEMA (Blotchy red skin felt like sunburn), SKIN BURNING SENSATION (burning skin), FEELING ABNORMAL (felt like she weighed a thousand pounds) and MYALGIA (sore all over,) outcome was unknown. The action taken with mRNA-1273 (Intramuscular) was unknown. Reporter did not allow further contact; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261495	4/27/2021	PA		M	2/20/2021	2/25/2021	cant see close up, can't read, can't drive car, can't put tooth paste on toothbrush; can't drive car; either inflammation or same condition I had in my left eye due to lack of blood flow to optic nerve; Five days after first shot, had a problem of vision in right eye, couldn't see, didn't loose complete vision; getting better but now I cant see details, cant see close up; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of OPTIC NERVE DISORDER (either inflammation or same condition I had in my left eye due to lack of blood flow to optic nerve), VISUAL IMPAIRMENT (Five days after first shot, had a problem of vision in right eye, couldn't see, didn't loose complete vision), HYPERMETROPIA (getting better but now I cant see details, cant see close up), IMPAIRED DRIVING ABILITY (can't drive car) and LOSS OF PERSONAL INDEPENDENCE IN DAILY ACTIVITIES (cant see close up, can't read, can't drive car, can't put tooth paste on toothbrush) in a 73-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 023M20A) for COVID-19 vaccination. The patient's past medical history included Vision loss (Had complete vision loss in left eye "due to a condition of lack of blood flow to the optic nerve") in 2010 and Pneumonia ("had infection in one of my lungs and my heart went numb, I almost died") in September 2020. Concurrent medical conditions included Ischemic optic neuropathy, Atrial fibrillation (controlled on medications), Hypertension arterial, Polymyalgia rheumatica, Cholesterol and Bone density decreased. Concomitant products included ALENDRONATE SODIUM (FOSAMAX) for Bone density decreased, FUROSEMIDE (LASIX [FUROSEMIDE]) for Hypertension arterial, HYDROXYCHLOROQUINE for Polymyalgia rheumatica. On 20-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 25-Feb-2021, the patient experienced OPTIC NERVE DISORDER (either inflammation or same condition I had in my left eye due to lack of blood flow to optic nerve), VISUAL IMPAIRMENT (Five days after first shot, had a problem of vision in right eye, couldn't see, didn't loose complete vision), HYPERMETROPIA (getting better but now I cant see details, cant see close up), IMPAIRED DRIVING ABILITY (can't drive car) and LOSS OF



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

PERSONAL INDEPENDENCE IN DAILY ACTIVITIES (cant see close up, can't read, can't drive car, can't put tooth paste on toothbrush). At the time of the report, OPTIC NERVE DISORDER (either inflammation or same condition I had in my left eye due to lack of blood flow to optic nerve), HYPERMETROPIA (getting better but now I cant see details, cant see close up), IMPAIRED DRIVING ABILITY (can't drive car) and LOSS OF PERSONAL INDEPENDENCE IN DAILY ACTIVITIES (cant see close up, can't read, can't drive car, can't put tooth paste on toothbrush) had not resolved and VISUAL IMPAIRMENT (Five days after first shot, had a problem of vision in right eye, couldn't see, didn't loose complete vision) was resolving. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): In 2021, SARS-CoV-2 antibody test: negative (Negative) "I had an antibody test and came back negative.". The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Patient also reports taking an unspecified blood pressure medication, cholesterol medication, and blood thinner. Treatment for the events included high dose prednisone in case the event was due to inflammation. Patient reports 12 doses of prednisone 80 mg over three days. Patient expressed concern over receiving the second planned vaccine to fear of going blind in right eye.; Sender's Comments: Based on the information provided which includes a temporal association between the use of mRNA-1273 vaccine and onset of the reported events, a causal relationship cannot be excluded

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261741	4/27/2021	IL	73	M	3/2/2021	3/6/2021	<p>This is a spontaneous report from a contactable nurse. A 73-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), second dose via an unspecified route of administration on 02Mar2021 (batch/lot number was not reported) as a single dose for COVID-19 immunization. Medical history included migraine (diagnosed about 30 years ago), low hypotension, allergic to strawberries, gastroesophageal reflux disease (GERD). Concomitant medications included omeprazole taken for gastroesophageal reflux disease, sumatriptan taken for migraine and naproxen taken for migraine; start and stop dates were not reported. Historical vaccine included BNT162B2 first dose on 09Feb2021 for COVID-19 immunization. The patient experienced four days after his second shot (06Mar2021), his migraines got more pronounced than normal which they expected, but then the migraines got so severe that it had occurred every single day. The reporter seriousness for migraine was medically significant. Migraine was reported as worsened. The caller stated that she was a registered nurse as well, she was calling about the Pfizer Covid vaccine. She spoke with the CDC on Saturday. Her fiance, he has a history of getting migraines for like the past 33 years. After the first dose on 09Feb2021, he then had the second on 02Mar2021. 4 days after the second dose, he got a migraine headache that was more severe than his usual and then it went away, then the next day after, he got another migraine headache, and he has been getting them everyday since then. He gets the headache once a day, for like a 12 hour duration then 8. Made attempt to clarify with the caller, she stated that for the 30 something years his migraines would occur once a week or twice a month, but now after the second dose it was daily. Currently the span of the migraine headache was shorter, it has gone from 12 hours to 8 hours. He was on sumatriptan and naproxen for his migraines, but now it takes the medication 1.5 hours to make the headache go away. They did a CAT scan and the result was normal. Both the first and second dose took place in the morning at 10AM or 10:30AM. After the second vaccine on 02Mar2021, his first migraine was on Saturday 06Mar2021. After stating his age, she stated that he's not old like the typical 73 year old. He sees a doctor at the VA for primary care and also has another primary care</p>

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

doctor outside of the VA. He has seen both for the migraines, caller stated that she would like to skip this section as her fiance was not there right now and doesn't know if he wanted to provide that. Migraine, it's usually on the right side of the head, in the temple, eye, cheek bone area, as well as a little bit around the hairline area. It was now every 8 hours a day, that he experiences the migraine for and it's getting worse and worse. Seriousness criteria: his medication before would take half hour, but now it's taking hour to hour and a half. His migraines were so severe that she recalls one time being in the car with him, and he actually has to hold the left side of his face, and put his head down. His primary doctor gave a shot called Aimovig and she guesses it takes a while to start working, it can take a couple weeks, it was suppose to be a preventative medication but it hasn't done anything yet, it hasn't kicked in yet. An as ER nurse for 30 years, she can tell his level of pain was more than 10 on a pain scale. Lot number was unknown, the vaccine card was physically with her fiance, she does not have it at this moment. When queried anatomical location of vaccine, sounding unsure she stated that he got one on the right arm and one on the left arm. Caller stated that she will try calling him on the other phone and see if he can answer, he carries the vaccine card with him. Causality was related, because this started 4 days after the second shot and has not stopped. It's not like a typical migraine. He takes a medication on and off for GERD called omeprazole. He was diagnosed with low hypotension, they put him on metoprolol but the doctor said that he might as well not take it since his blood pressure goes low. The CAT scan was normal and was done 2 weeks ago at the end Mar2021. He gets blood work every 6 month, the last one was a couple months ago and it was fine. Lot and expiry for sumatriptan, naproxen, and Aimovig were unknown, they were not physically with her at the moment. Facility of vaccine administration: it's not a military facility, it's a grocery store with pharmacy inside. He has not had to go to the ER. He did have a physician appointment however, he did not specifically see the doctors for the migraine, it was an appointment that was already annually schedule as he see's the doctor every 6 months. At the doctor's appoint he did tell (name) how bad the migraines were. He was really highly ranked in the military so his pain

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

tolerance was pretty high, to see him double over with headache was unbelievable. He has had no other vaccines on the same day or in the 4 week period prior getting the Covid vaccine. He has had no issues with vaccines in the past. Treatment was Aimovig injection, it's a once a month injection, but she understood that it can take up to weeks for it to actually work. As an ER nurse, she has seen people with a headache and say their pain level was 10 but you know it's not, but in her fiance's case it was definitely 10+, they were also closer together in frequency and it worries her. At the end of the call, she asked that his doctor at VA mentioned the vaccines works with the immune system and can cause inflammation, caller asked if this was true. The outcome of the event was not recovered. Information about lot/batch number has been requested.; Sender's Comments: Considering the plausible drug-event temporal association, a contributory role of the suspect product bnt162b2 to the reported migraine cannot be excluded. Case will be reassessed upon receipt of additional information. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1262091	4/27/2021	TX		M		3/15/2021	COLD SORES; FEELING BAD; RETRO-ORBITAL PAIN; EYE PAIN; BRUISING; MALAISE; FEVERISH; SORENESS AT INJECTION SITE; This spontaneous report received from a patient concerned a male of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unk) dose was not reported, administered on 15-MAR-2021 14:00 to Right Arm for prophylactic vaccination. The batch number was not reported. Concomitant medications included aciclovir. On 15-MAR-2021, the patient experienced soreness at injection site. On 16-MAR-2021, the patient experienced feverish. On 16-MAR-2021, the patient experienced feeling bad. On 16-MAR-2021, the patient experienced retro-orbital pain. On 16-MAR-2021, the patient experienced eye pain. On 16-MAR-2021, the patient experienced bruising. On 16-MAR-2021, the patient experienced malaise. On 18-MAR-2021, the patient experienced cold sores. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from feverish, feeling bad, retro-orbital pain, eye pain, and malaise on 17-MAR-2021, and bruising, and soreness at injection site on 21-MAR-2021, and was recovering from cold sores. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261524	4/27/2021	FL	74	F	3/3/2021	3/3/2021	<p>experiencing a stroke in both eyes that affected her whole left side of the body and moved to the right side; lost of sight after taking moderna vaccine; huge lump on arms; This case was received via an unknown source (no reference has been entered for a health authority or license partner) on 21-Apr-2021 and was forwarded to Moderna on 21-Apr-2021. This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of CEREBROVASCULAR ACCIDENT (experiencing a stroke in both eyes that affected her whole left side of the body and moved to the right side), BLINDNESS (lost of sight after taking moderna vaccine) and LIMB MASS (huge lump on arms) in a 74-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 027A21A) for COVID-19 vaccination. No Medical History information was reported. On 03-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 03-Mar-2021, the patient experienced CEREBROVASCULAR ACCIDENT (experiencing a stroke in both eyes that affected her whole left side of the body and moved to the right side) (seriousness criterion hospitalization), BLINDNESS (lost of sight after taking moderna vaccine) (seriousness criterion hospitalization) and LIMB MASS (huge lump on arms) (seriousness criterion hospitalization). The patient was hospitalized for 3 days due to BLINDNESS, CEREBROVASCULAR ACCIDENT and LIMB MASS. At the time of the report, CEREBROVASCULAR ACCIDENT (experiencing a stroke in both eyes that affected her whole left side of the body and moved to the right side), BLINDNESS (lost of sight after taking moderna vaccine) and LIMB MASS (huge lump on arms) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. No concomitant medications were reported. No treatment information provided.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. However, Very limited information regarding these events has been provided at this time. Further information has</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261508	4/27/2021	PA		M			<p>been requested.</p> <p>Faintness; Eyes are yellow; Stomach cramps; Diarrhea; Can't sleep; Feeling unwell; Dizzy; Chills; Light headache; Nausea; Tiredness; This spontaneous case was reported by a consumer and describes the occurrence of SYNCOPe (Faintness) in a male patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 immunisation. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Asthma. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, the patient experienced SYNCOPe (Faintness) (seriousness criterion medically significant), OCULAR ICTERUS (Eyes are yellow), ABDOMINAL PAIN UPPER (Stomach cramps), DIARRHOEA (Diarrhea), SLEEP DISORDER (Can't sleep), MALAISE (Feeling unwell), DIZZINESS (Dizzy), CHILLS (Chills), HEADACHE (Light headache), NAUSEA (Nausea) and FATIGUE (Tiredness). At the time of the report, SYNCOPe (Faintness), OCULAR ICTERUS (Eyes are yellow), ABDOMINAL PAIN UPPER (Stomach cramps), DIARRHOEA (Diarrhea), SLEEP DISORDER (Can't sleep), MALAISE (Feeling unwell), DIZZINESS (Dizzy), CHILLS (Chills), HEADACHE (Light headache), NAUSEA (Nausea) and FATIGUE (Tiredness) had not resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1261516	4/27/2021	IN	41	F	4/20/2021	3/24/2021	Broken blood vessels in left eye; Slight face numbness; Ringing in ears; This spontaneous case was reported by a consumer and describes the occurrence of CONJUNCTIVAL HAEMORRHAGE (Broken blood vessels in left eye) in a 41-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 021B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Thyroid disorder. Concomitant products included LEVOTHYROXINE for Thyroid disorder, BUPROPION HYDROCHLORIDE (WELLBUTRIN) for an unknown indication. On 20-Apr-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 24-Mar-2021, the patient experienced TINNITUS (Ringing in ears). On 20-Apr-2021, the patient experienced HYPOAESTHESIA (Slight face numbness). On 21-Apr-2021, the patient experienced CONJUNCTIVAL HAEMORRHAGE (Broken blood vessels in left eye) (seriousness criterion medically significant). At the time of the report, CONJUNCTIVAL HAEMORRHAGE (Broken blood vessels in left eye) and HYPOAESTHESIA (Slight face numbness) outcome was unknown and TINNITUS (Ringing in ears) had not resolved. Action taken with mRNA-1273 in response to the events was not Applicable. Concomitant and treatment information not provided. Company comment:This case concerns a 41-year-old female with a serious unexpected event of conjunctival hemorrhage, and nonserious unexpected hypoaesthesia and ongoing tinnitus. Event onset the same day as second dose mRNA-1273. Event outcomes unknown. Tinnitus ongoing. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. This case was linked to MOD-2021-083153 (E2B Linked Report).; Sender's Comments: This case concerns a 41-year-old female with a serious unexpected event of conjunctival hemorrhage, and nonserious unexpected hypoaesthesia and ongoing tinnitus. Event onset the same day as second dose mRNA-1273. Event outcomes unknown. Tinnitus



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261598	4/27/2021	AZ	65	F	2/11/2021	2/18/2021	ongoing. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. MOD-2021-083153:CROSS LINKED WITH DOSE 1  I can't smell or taste today; Sniffles lots of mucus in throat; couldn't catch my breath; fever; Sore arm at the injection site; sore throat, felt like pins in throat; burning eyes; cough; achy; tired; chills; This is a spontaneous report from a contactable consumer (patient). This 65-year-old non pregnant female patient received the bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), dose 1 via an unspecified route of administration on left arm on 11Feb2021 10:30 (Batch/Lot Number: EL 9269) as single dose for covid-19 immunisation. The patient's medical history and concomitant medications were not reported. Patient not received other vaccine in four weeks. patient had Sore arm at the injection site the following 2 days in 20Feb2021. 18Feb2021 achy, tired, chills. 19Feb2021 burning eyes, achy, chills, cough. 20Feb2021 aches in lower back mild cough sniffles, chills, sore throat, felt like pins in throat, tired. At 20Feb2021 16:30 fever of 100.9. 21Feb2021 sore throat felt like pins poking them and also in ears. Sniffles lots of mucus in throat. Felt like I couldn't catch my breath to clear it. It's was a drowning feeling. 22Feb2021 sore throat sore ears, lots of mucus, chills. Temp of 100.1. Still stuffed up the pain in the throat and ears were better but no energy. 23Feb2021 still a lot of mucus, stuffy nose, Slight chills. 2.24 still stuffed up but better. Now I can't smell or taste today. Please get back with me as I want to know if this is just vaccine symptoms. Because if this is the case people need to know. The patient not received any treatment. patient not having covid prior vaccination; patient not tested covid post vaccination; The outcome of the events was recovering.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261791	4/27/2021	NY	58	M	4/11/2021	4/12/2021	<p>Bells Palsy; This is a spontaneous report from a contactable consumer reporting for husband. A 58-year-old male patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE) (lot number EW0153/expiration date: 31Jul2021), via an unspecified route of administration, on 11Apr2021 (at the age of 58 years old) as a single dose in the left arm for COVID-19 IMMUNIZATION. The patient previously received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE) (lot number EM8727/expiration date: 31Jul2021), via an unspecified route of administration, on 21Mar2021 (at the age of 58 years old) as a single dose for COVID-19 IMMUNIZATION. Relevant medical history included ongoing hypertension, when he was about 45, probably 10 years and was recovering from leukemia onset 2 years ago, in 2019 and he has been recovering from leukemia since about 2020; the patient had an ongoing history of being a little overweight, with onset unknown other than over 10 years ago. Concomitant medication included nebivolol hydrochloride (BYSTOLIC) 10mg tablet taken by mouth once daily for hypertension. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. On 12Apr2021, late afternoon the patient experienced swelling in his face, couldn't blink, drooping and was diagnosed with Bells Palsy which required an emergency room visit. He was not admitted to the hospital for this event, was kept under observation only in the emergency room on 12Apr2021. He was given some medication and then discharged. Bell's Palsy affected his right side of his face. The outcome was improved, the pain was a little less; but he still does not have, nothing works on the right side of his face. His right eye does not blink, eyebrow does not move, and he still can't speak very good. Treatment was received for the event. The outcome of the events Bells Palsy was recovering. Since the vaccination, the patient had not been tested for COVID-19.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261792	4/27/2021	MD	60	M	3/30/2021	4/10/2021	Significant sudden lost of vision on left eye.; This is a spontaneous report from a contactable consumer (patient). A 60-year-old male patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; lot EW0150), via an unspecified route of administration, administered in right arm on 30Mar2021 02:30 as single dose for COVID-19 immunisation. Medical history included remitting multiple sclerosis (MS). The patient had no known allergies. Concomitant medications included levothyroxine sodium (SYNTHROID), latanoprost, timolol and glatiramer acetate. On 10Apr2021 09:30, the patient experienced significant sudden lost of vision on left eye. Previous day/night vision was normal then all of the sudden, after a week and a half from first dose of Covid-19 vaccination, vision in his left eye deteriorated 90 percent. The event resulted in disability or permanent damage. The patient did not receive therapy for the event. The patient had no covid prior vaccination and was not covid tested post vaccination. Outcome of event was not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261817	4/27/2021	PA	40	F	4/16/2021	4/18/2021	Possible TIA (diagnosed in Urgent Care); loss of balance; dizziness; headaches; neck pain; blurred vision/blurry eye (right); right arm/leg weakness; This is a spontaneous report from a contactable consumer (the patient). A 40-year-old non-pregnant female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number unknown due to it was never shown vial, just administered injection by nurse) via an unspecified route of administration in left arm on 16Apr2021 18:00 at age of 40-year-old at single dose for COVID-19 immunisation. Relevant medical history was "none". No known allergies. Concomitant medications included levocabastine hydrochloride (ZYRTEC) taken for an unspecified indication from an unspecified date, and multivitamin. The patient did not take other vaccine in four weeks. No COVID prior vaccination. COVID not tested post vaccination. The patient experienced Possible TIA (diagnosed in Urgent Care), loss of balance, dizziness, headaches, neck pain, blurred vision, right arm/leg weakness, blurry eye (right). The events onset date was provided as "18Apr2021 10:00 a.m.". The events resulted in: Doctor or other healthcare professional office/clinic visit, Emergency room/department or urgent care, Life threatening illness (immediate risk of death from the event). No treatment received for the events. The outcome of the events was not recovered. Information about lot/batch number has been requested.
1261855	4/27/2021	HI	58	F	4/22/2021	4/24/2021	a 58 yr old female who presents with Facial Droop (since Covid shot Moderna first dose done on 4/22/21, Eyes watery, face drop mostly left side, ), Blood Pressure (would like to increase her Losartan to 2x a day), Health Maintenance (declines all HM dues for now) She reports that she had her first Moderna COVID-19 vaccine 4 days ago. The following day she developed some drooping and the left side of her face and some watery eye. By her report the symptoms are staying about the same without any improvement noted. She has not had any fever
1261864	4/27/2021	HI	45	F	4/23/2021	4/23/2021	SWOLLEN EYES AND LIPS

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261950	4/27/2021	OH		F	1/19/2021	3/18/2021	Broken blood vessels in eye; Sinus infection type symptoms; Pigment color in eye different; Red streaks in eye; Blood shot and watery eyes; Didnt feel good; Body aches; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of EYE HAEMORRHAGE (Broken blood vessels in eye) and SINUSITIS (Sinus infection type symptoms) in an 80-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 026L20A and 046A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Cataract operation. Concurrent medical conditions included Glaucoma. On 19-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 18-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 18-Mar-2021, the patient experienced EYE HAEMORRHAGE (Broken blood vessels in eye) (seriousness criterion medically significant), SINUSITIS (Sinus infection type symptoms) (seriousness criterion medically significant), EYE COLOUR CHANGE (Pigment color in eye different), OCULAR HYPERAEMIA (Red streaks in eye), LACRIMATION INCREASED (Blood shot and watery eyes), MYALGIA (Body aches) and MALAISE (Didnt feel good). At the time of the report, EYE HAEMORRHAGE (Broken blood vessels in eye), SINUSITIS (Sinus infection type symptoms), EYE COLOUR CHANGE (Pigment color in eye different), LACRIMATION INCREASED (Blood shot and watery eyes), MYALGIA (Body aches) and MALAISE (Didnt feel good) outcome was unknown and OCULAR HYPERAEMIA (Red streaks in eye) had not resolved. Treatment included unknown steroid.; Sender's Comments: The event of sinus infection involves an infective origin, and hence assessed as unlikely related. Based on the information provided which includes a temporal association between the use of mRNA-1273 vaccine and onset of the other reported events, a causal relationship cannot be excluded. Myalgia is consistent with the product safety profile.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1262055	4/27/2021	PR		F	1/14/2021	1/14/2021	Bradycardia; chest tightness; Dry mouth; sandy eye sensation; This case was received on 20-Apr-2021 and was forwarded to Moderna on 20-Apr-2021. This regulatory authority case was reported by an other health care professional (subsequently medically confirmed) and describes the occurrence of BRADYCARDIA (Bradycardia), CHEST DISCOMFORT (chest tightness), DRY MOUTH (Dry mouth) and FOREIGN BODY SENSATION IN EYES (sandy eye sensation) in a 43-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 011L-20A) for COVID-19 vaccination. Concurrent medical conditions included Hyperbaric oxygen therapy, Renal stone and Drug allergy. Concomitant products included METOPROLOL TARTRATE for an unknown indication. On 14-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 14-Jan-2021, the patient experienced BRADYCARDIA (Bradycardia) (seriousness criterion medically significant), CHEST DISCOMFORT (chest tightness) (seriousness criterion medically significant) and DRY MOUTH (Dry mouth) (seriousness criterion medically significant). 14-Jan-2021, the patient experienced FOREIGN BODY SENSATION IN EYES (sandy eye sensation) (seriousness criterion medically significant). At the time of the report, BRADYCARDIA (Bradycardia), CHEST DISCOMFORT (chest tightness) and DRY MOUTH (Dry mouth) had resolved and FOREIGN BODY SENSATION IN EYES (sandy eye sensation) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 14-Jan-2021, Activated partial thromboplastin time: normal (normal) normal. On 14-Jan-2021, Blood gases: normal (normal) normal. On 14-Jan-2021, Chest X-ray: normal (normal) normal. On 14-Jan-2021, Electrocardiogram: normal (normal) normal. On 14-Jan-2021, Full blood count: normal (normal) normal. On 14-Jan-2021, Metabolic function test: normal (normal) normal. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. No treatment information was provided. Company comment:Based on the current available information and temporal association between the use of

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1262094	4/27/2021	MD		F	4/1/2021		TOE CRAMP; FINGER CIRCULATION ISSUE; DIZZINESS; TINNITUS; HEAD VIBRATING; TEETH VIBRATING/CHATTERING; LEG PAIN; FATIGUE; MUSCLE ACHE; SORENESS AT INJECTION SITE; FEVER, HOT FLUSHES THROUGHOUT CHEST; NAUSEA; CARDIAC FLUTTER; CHEST PAIN; MIGRAINE; This spontaneous report received from a patient concerned a 42 year old female. The patient's height, and weight were not reported. The patient's past medical history included tonsillectomy, car accident, broken 2nd vertebrae, right femur-metal rod, smoker, radiculopathy 5/6, radiculopathy L5, bulging disc L4/L5, and mild degenerative disc disease L5/S1 and concurrent conditions included allergy to latanoprost eye drops, macrobid, bactrium, prednsisone, penicillin, elmiron, crestor, welchol, bentyl, librax, mercaptopur (6mp), lyrica, topimax, nuvigil, cymbalta, budesonide, humira, depakote IV, neurontin and mirena and very sensitive to medication, high blood pressure when in pain, migraines (neck pain, hormones, weather), fibromyalgia, interstitial cystitis, crohns- ileitis, gastritis, acid reflux, spinal stenosis, haemorrhoids, gastric polyp, high triglyceride's, low red blood cell count anemia (d and iron-sometimes), possible mild obstructive sleep apnea, restless leg, cats and dogs allergy, cockroach allergy and dust allergy, and the patient received vaccines: engerix-b, havrix, hep a & hep b. The patient was previously treated with botulinum toxin type for migraine, ethinylestradiol/norgestimate for birth control. The patients diet for IC included no maltodextrin, no sorbitol/sucralose/Splenda/equal, low sodium. The patient's family history included sleep apnea in brother from 1982-2016, muscular dystrophy in maternal grandmother who was deceased at 70 and the maternal grandmother also had cataracts, stroke, and diabetes and she took Diethylstilbestrol (DES), the patients mother had interstitial cystitis since 1955, hepatitis C, high cholesterol, sleep apnea, restless leg, died of lung cancer, the patients aunt had fibromyalgia, cataracts, and migraines, her cousin had severe Crohn's, patients paternal grandmother had leukemia and died at 45 years due to suicide, paternal grandfather had breast cancer and died at age of 50 years due to heart disease (heart attack), and her cousin mothers side had history of Crohn's and diverticulitis. The patient received covid-19



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 041A21A) dose was not reported, administered on 03-APR-2021 at 01:15 in right arm for prophylactic vaccination. Concomitant medications included cetirizine hydrochloride and guaifenesin for allergies; lisinopril for blood pressure due to back pain; hyoscyamine, infliximab, loperamide hydrochloride and ondansetron for crohns; oxybutynin, amitriptyline and milnacipran hydrochloride for interstitial cystitis and fibromyalgia; omeprazole and sucralfate for gastritis; butalbital/caffeine/paracetamol, curcuma longa rhizome, fish oil and riboflavin for migraine, ascorbic acid, calcium, folic acid, magnesium, and zinc for vitamins supplements. On 03-APR-2021, within 10 mins of vaccination at 01:30 the patient experienced toe cramp. On an unspecified date in APR-2021, the patient experienced finger circulation issue, dizziness, tinnitus, head vibrating, teeth vibrating/chattering, fatigue, muscle ache, soreness at injection site, fever, hot flushes throughout chest, nausea, cardiac flutter, chest pain, migraine, and leg pain and visited emergency room on 10-APR-2021. Laboratory data (dates unspecified) included: Body temperature (NR: not provided) 99 F, Chest X-ray (NR: not provided) unknown, and Troponin (NR: not provided) unknown. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the toe cramp, fatigue, finger circulation issue, fever, hot flushes throughout chest, soreness at injection site, muscle ache, tinnitus, teeth vibrating/chattering, migraine, cardiac flutter, leg pain, chest pain, head vibrating, nausea and dizziness was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0:-JANSSEN COVID-19 VACCINE Ad26.COV2.S- Cardiac flutter. This event is considered unassessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1262099	4/27/2021	PA	16	F	4/27/2021	4/27/2021	NEAR SYNCOPAL EVENT APPROX 2-3 MINS AFTER INJECTION. PT REPORTED MUFFLED HEARING AND BLURRED VISION DENIED CP, SOB, ITCHINESS, INITIAL VITALS UPON ENTERING OBSERVATION UNIT: BP-79/43 HR-46 RR-18 SPO2-100%--A00X4 REPORTED A HEADACHE APPROXIMATELY 10 MINS INTO OBSERVATION PT DISCHARGED WITH CAREGIVER ASYMPTOMATIC WITH NEGATIVE ORTHOSTATICS. LAST SET OF VITALS: BP 109/76 HR 70 SPO2 99% RR18
1262103	4/27/2021	PA	36	F	4/25/2021	4/27/2021	EYES SWOLLEN, ARM RED AND SWOLLEN AT SITE OF SHOT. TOLD PATIENT TO TRY BENADRYL, ICE PACK ON SITE OF SHOT AND COOL COMPRESSES ON EYES AND IF GOT WORSE GO TO EMERGENCY ROOM

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261492	4/27/2021	PA	71	M	3/16/2021	3/17/2021	Dizziness; weakness; dyspnoea; throat swelling; Swelling face; Eye swelling; fever; vomiting; muscle pain; joint pain; Tiredness; Not moving so much due to the healing broken ribs; Broke 3 ribs; Hurt his left arm and forearm; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of DIZZINESS (Dizziness), ASTHENIA (weakness), DYSPNOEA (dyspnoea), PHARYNGEAL SWELLING (throat swelling), SWELLING FACE (Swelling face), EYE SWELLING (Eye swelling), PYREXIA (fever), VOMITING (vomiting), MYALGIA (muscle pain), ARTHRALGIA (joint pain) and FATIGUE (Tiredness) in a 71-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 047A21A and 040B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included End stage COPD (stage four), Emphysema (stage four), Kidney disorder, Heart disorder, Rheumatoid arthritis (severe) and Dependence on oxygen therapy. Concomitant products included METHADONE, OXYCODONE and PREDNISONE for an unknown indication. On 16-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 13-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 17-Mar-2021, the patient experienced DIZZINESS (Dizziness) (seriousness criterion hospitalization), ASTHENIA (weakness) (seriousness criterion hospitalization), DYSPNOEA (dyspnoea) (seriousness criterion hospitalization), PHARYNGEAL SWELLING (throat swelling) (seriousness criterion hospitalization), SWELLING FACE (Swelling face) (seriousness criterion hospitalization), EYE SWELLING (Eye swelling) (seriousness criterion hospitalization), PYREXIA (fever) (seriousness criterion hospitalization), VOMITING (vomiting) (seriousness criterion hospitalization), MYALGIA (muscle pain) (seriousness criterion hospitalization), ARTHRALGIA (joint pain) (seriousness criterion hospitalization), FATIGUE (Tiredness) (seriousness criterion hospitalization), RIB FRACTURE (Broke 3 ribs) and LIMB INJURY (Hurt his left arm and forearm). On 19-Apr-2021, the patient experienced MOBILITY DECREASED (Not moving so

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

much due to the healing broken ribs). The patient was hospitalized from 14-Apr-2021 to 17-Apr-2021 due to ARTHRALGIA, ASTHENIA, DIZZINESS, DYSPNOEA, EYE SWELLING, FATIGUE, MYALGIA, PHARYNGEAL SWELLING, PYREXIA, SWELLING FACE and VOMITING. At the time of the report, DIZZINESS (Dizziness), ASTHENIA (weakness), DYSPNOEA (dyspnoea), PHARYNGEAL SWELLING (throat swelling), SWELLING FACE (Swelling face), EYE SWELLING (Eye swelling), PYREXIA (fever), VOMITING (vomiting), MYALGIA (muscle pain), ARTHRALGIA (joint pain), FATIGUE (Tiredness), MOBILITY DECREASED (Not moving so much due to the healing broken ribs), RIB FRACTURE (Broke 3 ribs) and LIMB INJURY (Hurt his left arm and forearm) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 17-Mar-2021, Heart rate: high high. This case was linked to MOD-2021-080362, MOD-2021-080525 (E2B Linked Report).; Sender's Comments: MOD-2021-080362: MOD-2021-080525:caller's case

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1261191	4/27/2021	ND	52	F	4/10/2021		<p>WHOLE BODY HURTS; LUMP AT INJECTION SITE; ARM SORE; ARM SWOLLEN AT INJECTION SITE; FEELING LIKE IN A FOG; COULD NOT HEAR DISTANT SOUND; COULD NOT MOVE; VISION WAS BLINDED IN MIDDLE; EXTREME SLEEPINESS; BOWEL MOVEMENTS AND URINATION AT SAME TIME; TASTE SWEET; This spontaneous report received from a patient concerned a 52 year old female. The patient's height, and weight were not reported. The patient's past medical history included thyroid radiation, and concurrent conditions included diabetic, and sensitive to taste in her mouth. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: EL043A21A and expiry: UNKNOWN) dose was not reported, administered on 10-APR-2021 17:50 for prophylactic vaccination. No concomitant medications were reported. On 10-APR-2021, the subject experienced taste sweet. On 11-APR-2021, the subject experienced extreme sleepiness. On 11-APR-2021, the subject experienced bowel movements and urination at same time. On 11-APR-2021 08:00, the subject experienced could not hear distant sound. On 11-APR-2021 08:00, the subject experienced could not move. On 11-APR-2021 08:00, the subject experienced vision was blinded in middle. On 11-APR-2021 08:00, the subject experienced feeling like in a fog. On 12-APR-2021, the subject experienced whole body hurts. On 12-APR-2021, the subject experienced lump at injection site. On 12-APR-2021, the subject experienced arm sore. On 12-APR-2021, the subject experienced arm swollen at injection site. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from could not hear distant sound, could not move, and extreme sleepiness on 11-APR-2021, and bowel movements and urination at same time on 13-APR-2021, was recovering from vision was blinded in middle, and whole body hurts, and had not recovered from arm sore, lump at injection site, arm swollen at injection site, feeling like in a fog, and taste sweet. This report was non-serious.; Sender's Comments: V0: Medical Assessment Comment not required as per standard procedure as the case assessed as non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1262138	4/27/2021	CA	61	F	4/9/2021	4/9/2021	Patient is a 61 year old female who has completed a 60 mins-minute observation period with the following signs and symptoms of an adverse reaction: other - Pt. c/o flushing. Noted tremors, eye rolling and hyperventilation. Moderna COVID-19 vaccine# 1 in series administered.
1262108	4/27/2021	GA	49	F	4/3/2021	4/20/2021	Around 4/20/2021 developed itching along left jawline. Progressed to rash and bumps along left jawline/chin and rash and bumps above left temple near left eye (this area was sensitive). Itching continued and worsened. 4/23/2021 had telehealth visit - suspected shingles and was started on Valtrex 1,000mg three times daily. By 4/25/2021, rash had mostly resolved along left jaw/chin and above temple near left eye ..still some slight itching (but improved). By 4/26/2021, rash, bumps and itching nearly completely resolved.
1261967	4/27/2021	MA	42	M	4/26/2021	4/26/2021	Systemic: Visual Changes/Disturbances-Mild, Additional Details: Patient's wife called into the pharmacy about 3 hours after the patient recieved their vaccine. Patient's wife reported that the patient was experiencing blurred vision. No other symptoms were reported and patient's wife answered no when asked if the patient was experiencing trouble breathing, rash/hives, dizziness, nausea/vomiting etc.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261251	4/27/2021	OH	62	M	4/1/2021		<p>BLOOD IN STOOL; TENDER LUMP ABOVE HIS LEFT EYEBROW; FACIAL CONTUSION; INJECTION SITE PAIN; This spontaneous report received from a patient concerned a 62 year old male. The patient's height, and weight were not reported. The patient's concurrent conditions included Human immunodeficiency (HIV) infection, seasonal allergy, medical marijuana, alcohol use (glass of wine with dinner), non smoker, and bleeding issues. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 042AV1A expiry: UNKNOWN) dose was not reported, 1 total administered on 09-APR-2021 19:30 to right arm for prophylactic vaccination. Concomitant medications included atazanavir sulfate for antiviral, emtricitabine/tenofovir alafenamide fumarate for antiviral, cetirizine hydrochloride for seasonal allergies, amlodipine besilate, and topiramate. He stopped his antivirals medications two days prior to this report and three days after vaccination. On APR-2021, the patient experienced injection site pain. On 10-APR-2021, around noon he noticed a lump above left eyebrow/facial contusion, described as a raised portion the size of a pea, with a red portion an inch by and half. It was tender. It was still present at the time of this report but improved. On 11-APR-2021, after a bowel movement, he noticed fresh blood in the stool around the faeces and afterwards he wiped. On 13-APR-2021, he contacted his healthcare professional (HCP) and they did a coagulation test (NR: not provided) and it was within normal range. He mentioned that the bleeding was a little worse but his HCP was going to retest in a few days. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from injection site pain on 12-APR-2021, was recovering from tender lump above his left eyebrow, and facial contusion, and had not recovered from blood in stool. This report was serious (Other Medically Important Condition).; Sender's Comments: V0:20210431872-Covid-19 vaccine ad26.cov2.s-Blood in stool. This event is considered not related. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There are other factors more likely to be associated with the event than the drug. Specifically: MEDICAL HISTORY</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1264332	4/27/2021	WY	50	F	4/10/2021	4/10/2021	04/10/2021-post vaccination-syncopy episode, supported fall to the ground, dizziness, blurred vision, nausea, high BP 194/118, stabilized at 187/110 ( already on propranol 10mg), BS 82, Pox 97,Medics responded, tx w/ Zofran, sent home w/ family support/supervision. Instruc to be seen by MD on Mon 4/12, as ct has hx significant HTN, if increase H/A, dizziness or blurred vision to go to ER. 04/14/2021-4 days post vaccination-ct c/o pain, tingling, heaviness L arm (arm vaccine given in)numbness L side, fatigue, achy all over, instructed to go to ER r/t high BP, ER reported-EKG, blood work, ultrasound all negative. Instructed to take Ibuprofan alternated with Tylenol x 24 hrs for arm pain, and to make appt with
1262142	4/27/2021	CA	85	F	4/27/2021	4/27/2021	Patient c/o dry cough and mild, frontal headache after receiving COVID-19 vaccine today. Denies any shortness of breath, dizziness, vision blurriness, or swelling or itching.
1261009	4/27/2021	MI	33	F	4/3/2021	4/3/2021	Extreme fatigue a couple hours after receive, maybe around 2p. Took a nap for maybe 2 hours, face started to feel itchy and tight. Around 8pm I look in the mirror and I notice my face looked a little puffy, and tiny bumps around my nose and mouth. The next morning, around 5am, my eyelids and lips were noticeable swollen and the hives (tiny bumps) were covering my face, it was itchy mostly around my nose and mouth. I took Zyrtec every day for three days. The swelling went down after the second day, the hives (tiny bumps) cleared up around day three, my skin was completely normal after about a week. On April 13, I started to feel fatigued ( same way I did after I got the vaccine on the 3rd), the next morning my eyelid and lips were swollen and hives and itchness returned. I contacted doctor and he suggested taking Allegra 24 during the day and Benadryl at night ) if I?m itchy. He almost prescribed prednisone for 3 days,but only take if my face was still swelling the next day. On the 14th, my face was still swelling so I started the prednisone. It took about 4 days for my face to clear up completely



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1261020	4/27/2021	CA	35	F	4/9/2021	4/9/2021	EXTREMELY HEAVY FEELING. COULD NOT GET UP TO EVEN USE THE BATHROOM. FEVER, CHILLS. BURNING EYES. FATIGUE. IT FELT LIKE A REALLY BAD FLU. I STARTED GETTING MUSCLE CRAMPS THE NEXT DAY AND THEY HAVE CONTINUED ON AND OFF SINCE THEN. CRAMPS IN MY STOMACH, LEGS, ARMS AND CHEST. I HAVE ACUTE JOINT PAIN IN MY LEGS AND ARMS. THE INJECTION SITE WAS RED, SWOLLEN AND A LUMP FORMED. THE REDNESS AND SWELLING WENT AWAY FINALLY AFTER 2 WEEKS AND TURNED INTO A BRUISE.
1261037	4/27/2021	HI	71	F	4/5/2021	4/5/2021	No reaction on first shot. Second shot taken on April 5th, at 10:30pm, experienced chills and headache. Next day had mild headache and little itchy bumps on arms and legs. Very small. Appearance happens with one to two bumps at a time for three weeks now. Totaling about a dozen or so. Also notice vision is not as sharp.
1261141	4/27/2021			U			CANNOT KEEP EYES OPEN; FEEL VERY WEAK, NO STRENGTH AT ALL; LOT OF JOINT PAIN; LOT OF MUSCLE PAIN; This spontaneous report received from a patient via a company representative concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown and expiry: unknown) dose was not reported, 1 total administered on 24-MAR-2021 for prophylactic vaccination. The batch number was not reported. The company was unable to perform follow-up to request batch/lot numbers. No concomitant medications were reported. On 2021, the subject experienced cannot keep eyes open. On 2021, the subject experienced feel very weak, no strength at all. On 2021, the subject experienced lot of joint pain. On 2021, the subject experienced lot of muscle pain. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the feel very weak, no strength at all, lot of muscle pain, lot of joint pain and cannot keep eyes open was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261160	4/27/2021			U		3/1/2021	BLURRED VISION; This spontaneous report received from a patient via a company representative concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on MAR-2021 for prophylactic vaccination. The batch number was not reported. The company was unable to perform follow-up to request batch/lot numbers. No concomitant medications were reported. On MAR-2021, the subject experienced blurred vision. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from blurred vision. This report was non-serious.; Sender's Comments: V0 Medical assessment comment not required as per standard procedure as the case was assessed as non-serious.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1261166	4/27/2021	MN	90	F	3/1/2021		LOW GRADE BLADDER INFECTION; EXTREMELY WARM SENSATION IN CHEST AND BACK; COUGH; SHORT TERM MEMORY LOSS; COULD NOT REMEMBER; NOT WELL; HALLUCINATIONS; COULD NOT WALK; COULD NOT FEED HERSELF; CONFUSION; PLATELET COUNT DECREASED; UNABLE TO STAND; FALL; DIZZY; FELT TIRED; WEAKNESS; EYES LOOKED PUFFY; ABDOMEN WAS LARGER; BIBASILAR ATELECTASIS; CARDIOMEGALY; SWELLING IN BOTH LEGS INCLUDING ANKLE AND TOES; LEVEL 4 PITTED EDEMA; This spontaneous report received from a consumer concerned a 90 year old female. The patient's weight and height was not reported. The patient's past medical history included Alzheimer's, and dementia. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported) dose was not reported, 1 total, administered on 08-MAR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 11-MAR-2021, the patient felt tired. On 12-MAR-2021, the patient had a fall, was dizzy and unable to stand. On 13-MAR-2021, the patient was taken to the emergency room and had a low grade bladder infection and was treated with intravenous (IV) antibiotic (unspecified) from 13-MAR-2021 to 15-MAR-2021 and from 15-MAR-2021 she was switched to oral antibiotic (unspecified) until 23-MAR-2021. The patient was confused and could not walk. It was reported that, the patient was unable to feed herself. On 13-MAR-2021, the patient experienced platelet count decreased. On 13-MAR-2021, the patient's laboratory data included: electrocardiogram (ECG) which could not rule out anterior infarct age undetermined and her platelet count was 136 (unit non specified). On 14-MAR-2021, the patient had hallucinations and her platelet count was 130 (unit non specified). On 15-MAR-2021, her laboratory data included: abdomen computerized tomography (CT) scan which showed bibasilar atelectasis and cardiomegaly, likely cyst vs hemangioma. Unchanged incompletely characterized exophytic lesion in the left kidney significant and possibly represented a hemorrhagic cyst, further evaluation with magnetic resonance imaging (MRI) would need to be performed for definitive characterization. On 17-MAR-2021, the

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

patient's cognition seemed well. On 19-MAR-2021, the patient started showing symptoms of blood clot. On 19-MAR-2021 to 22-MAR-2021, the patient was not well. The patient was wearing slippers because she had level 4 pitted edema and was swollen from her knees down including ankle and toes. It was reported that, her swelling was greater on the left side than the right side and she had this swelling on 23-MAR-2021. Also, the patient's confusion returned. On 29-MAR-2021, the patient had confusion and her ultra sound of left leg was normal. On 01-APR-2021, the patient's laboratory data included: diagnostic ultrasound revealing contralateral femoral vein was widely patent. On 03-APR-2021 and 09-APR-2021, the patient was confused and did not know where she was. On 07-APR-2021, her electrocardiogram did not mention anterior infarct and it was abnormal ECG no significant change found. On 10-APR-2021, the patient could not remember where she was. On an unspecified date, the patient had cough and extremely warm sensation in chest and back. The patient was in rehabilitation center and was set to be discharged 16-APR-2021. On 13-APR-2021, the patient's platelet count was 171 (unit not specified). On 17-MAR-2021, In rehabilitation center the patient was no longer wearing shoes due to swelling of ankle, legs toes and feet. The patient's eyes looked puffy and her abdomen was larger. The patient was treated with Lasix (furosemide) in the rehabilitation center. According to the patient's physician, the patient had no sign of stroke. The patient was propped up on right side while at rehabilitation center so according to her daughter the patient was experiencing weakness. At rehabilitation center an ultrasound was ordered for left leg. The patient's both legs were swollen and one was more swollen than the other. The patient was having an issue with memory and confusion which was unusual as the patient had previously been treated neurologist for Alzheimer's disease and dementia and was highly intelligent. At the time of this report, the patient was being treated for low grade bladder infection. The patient's primary care physician reports that she had no concerns about the vaccine being linked to the patient's fall and hospitalization and reported that there were no blood clots, no stroke, no deep vein thrombosis, and no coagulation abnormalities. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

patient recovered from not well on 22-MAR-2021, was recovering from platelet count decreased, and the outcome of cough, swelling in both legs including ankle and toes, extremely warm sensation in chest and back, confusion, fall, hallucinations, low grade bladder infection, could not feed herself, could not walk, felt tired, dizzy, unable to stand, level 4 pitted edema, could not remember, eyes looked puffy, abdomen was larger, weakness, short term memory loss, bibasilar atelectasis and cardiomegaly was not reported. This report was serious (Hospitalization Caused / Prolonged, and Other Medically Important Condition).; Sender's Comments: v0 This spontaneous report involves a 90-year-old white female patient with the past medical history remarkable for Alzheimer's and dementia who felt tired 3 days after the Janssen COVID-19 Vaccine Ad26.COV2 had administered. The next day the patient had fell, was dizzy and unable to stand. The next, the patient was taken to the emergency room and was diagnosed with a low grade bladder infection. The patient was confused and could not walk and was unable to feed herself. The next day, the patient had hallucinations and her platelet count was 130 (unit non specified), normal range 179-450. While hospitalized, the patient started showing symptoms of blood clot, had pitted edema, could not remember where she was. On an unspecified date, the patient had cough and extremely warm sensation in chest and back. The patient's eyes looked puffy and her abdomen was larger. The patient's primary care physician reports that she had no concerns about the vaccine being linked to the patient's fall and hospitalization and reported that there were no blood clots, no stroke, no deep vein thrombosis, and no coagulation abnormalities. Considering the patient's age, gender – predisposes to urinary tract infections, as well as the underlying Alzheimer's and dementia the causality for the events assessed not related to the vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261174	4/27/2021	FL		M		3/21/2021	HEADACHE; INJECTION SITE PAIN; FATIGUE; SUBCONJUNCTIVAL HEMORRHAGE; This spontaneous report received from a consumer concerned a 56 year old male. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805029 expiry: UNKNOWN) dose was not reported, 1 total, administered on 21-MAR-2021 at right arm for prophylactic vaccination. No concomitant medications were reported. On 21-MAR-2021, the patient had red left eye as per reporter who was HCP the patient experienced subconjunctival hemorrhage. The patient also experienced headache, injection site pain, and fatigue. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the subconjunctival hemorrhage, headache, injection site pain and fatigue was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: 20210424915 -COVID-19 VACCINE AD26.COV2.S- subconjunctival hemorrhage. This event is considered unassessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the events.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261175	4/27/2021	TX	60	F	3/27/2021		<p>           DIZZINESS; FATIGUE; NOT FEELING WELL; ELEVATED PLATELETS; LOW CLOTTING TIME; ELEVATED EOSINOPHILS; LEFT SIDE PAIN STARTING FROM THE LEFT BREAST DOWN TO THE HIP; LEFT FACIAL SWELLING; FACIAL NUMBNESS; LEFT EYE TWITCHING; IMPAIRED VISION IN LEFT EYE; LEFT LEG NUMBNESS; LEFT ARM PAIN; This spontaneous report received from a patient concerned a 60 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included blood pressure, and other pre-existing medical conditions included the patient was not diabetic, not on blood thinners prior to going to the hospital, and does not take thyroid medications. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered to the left arm, on 27-MAR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 27-MAR-2021, the subject experienced left side pain starting from the left breast down to the hip. On 27-MAR-2021, the subject experienced left facial swelling. On 27-MAR-2021, the subject experienced facial numbness. On 27-MAR-2021, the subject experienced left eye twitching. On 27-MAR-2021, the subject experienced impaired vision in left eye. On 27-MAR-2021, the subject experienced left leg numbness. On 27-MAR-2021, the subject experienced left arm pain. On 29-MAR-2021, the subject experienced elevated platelets. On 29-MAR-2021, the subject experienced low clotting time. On 29-MAR-2021, the subject experienced elevated eosinophils. On 29-MAR-2021, the subject experienced not feeling well. Laboratory data included: CT scan (NR: not provided) unknown, Clotting time (NR: not provided) LOW, Eosinophil count high (NR: not provided) UNKNOWN, MRI (NR: not provided) unknown, Mean platelet volume (NR: not provided) LOW, and Platelets increased (NR: not provided) 10 times above normal. On 30-MAR-2021, the subject experienced fatigue. On 12-APR-2021, the subject experienced dizziness. Treatment medications (dates unspecified) included: acetylsalicylic acid. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from left side pain starting from the left breast down to the hip, facial         </p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261208	4/27/2021	CA	44	U	4/6/2021		<p>numbness, left eye twitching, impaired vision in left eye, left arm pain, and fatigue on 2021, and dizziness on APR-2021, was recovering from left facial swelling, and not feeling well, had not recovered from left leg numbness, and the outcome of elevated platelets, elevated eosinophils and low clotting time was not reported. This report was non-serious.; Sender's Comments: V0 Medical assessment comment not required as per standard operating procedure as the case assessed as non-serious</p> <p>SWEATS; SWOLLEN EYES; FATIGUE; HEADACHE; This spontaneous report received from a patient concerned a 44 year old of unspecified sex. The patient's height, and weight were not reported. The patient's concurrent conditions included hypertension, and hospitalisation, and other pre-existing medical conditions included the patient had no known allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808980 expiry: 20/JUN/2021) dose was not reported, administered on 05-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 06-APR-2021, the subject experienced sweats. On 06-APR-2021, the subject experienced swollen eyes. On 06-APR-2021, the subject experienced fatigue. On 06-APR-2021, the subject experienced headache. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from sweats on 08-APR-2021, swollen eyes, and fatigue on 07-APR-2021, and headache on 10-APR-2021. This report was non-serious.; Sender's Comments: V0-Medical assessment comment is not required, as per standard operating procedures, as case was assessed as non-serious.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261226	4/27/2021	FL	55	F	4/8/2021		VISUAL DISTURBANCE; COMPLEX MIGRAINE; HAD DIFFICULTY FINDING WORDS; NOT FEELING NORMAL; FATIGUE; COMPLEX HEADACHES; CHILLS; BODY ACHES; This spontaneous report received from a patient concerned a 55 year old female. The patient's height, and weight were not reported. The patient's pre-existing medical conditions included the patient had no previous history of migraines. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 042A21A, expiry: UNKNOWN) dose was not reported, administered on 08-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 08-APR-2021, the subject experienced body aches. On 08-APR-2021, the subject experienced chills. On 13-APR-2021, the subject experienced visual disturbance. On 13-APR-2021, the subject experienced complex migraine. On 13-APR-2021, the subject experienced had difficulty finding words. On 13-APR-2021, the subject experienced not feeling normal. On 13-APR-2021, the subject experienced fatigue. On 13-APR-2021, the subject experienced complex headaches. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from visual disturbance, complex migraine, and had difficulty finding words, and body aches, and chills on 13-APR-2021, had not recovered from fatigue, and not feeling normal, and the outcome of complex headaches was not reported. This report was non-serious.; Sender's Comments: V0:Medical assessment comment not required as per standard operating procedures, as the case was assessed as non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261211	4/27/2021	MA		M		4/9/2021	<p>OPTIC NEURITIS; This spontaneous report received from a patient concerned a 53 year old male. The patient's height, and weight were not reported. The patient's concurrent conditions included non-smoker, and other pre-existing medical conditions included patient had no known drug allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: F1808980, and expiry: UNKNOWN) with unspecified dose on left arm, on 31-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 09-APR-2021, patient experienced loss of vision on the right eye that had not gotten better or worse since then. Patient went to ophthalmologist on 12-APR-2021 who diagnosed patient with optic neuritis and referred to neuro-ophthalmologist. On 13-APR-2021, patient went to emergency eye and ear. Patient was having upcoming appointments with primary doctor and neuro-ophthalmologist at the time of reporting. On 12-APR-2021, Laboratory data included: Dilated pupils (NR: not provided) diagnose with optic neuritis by eye doctor. On 13-APR-2021, Laboratory data included: Blood test (NR: not provided) normal findings, and CT scan (NR: not provided) normal findings. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from optic neuritis. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210429417-covid-19 vaccine ad26.cov2.s-Optic neuritis. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261239	4/27/2021	IL	77	M		4/7/2021	<p>FEELING LIKE SINUS INFECTION; HEADACHE; NIGHT SWEATS; PAIN IN LEFT EYE; BURNINIG IN BOTH EYES; PINK EYE; MUSCLE ACHES; FEVER; This spontaneous report received from a patient concerned a 77 year old male. The patient's height, and weight were not reported. The patient's concurrent conditions included glaucoma. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 201A21A, expiry: 23/JUN/2021) dose was not reported, administered on 07-APR-2021 on left arm for prophylactic vaccination. No concomitant medications were reported. On 07-APR-2021, the subject experienced fever. On 08-APR-2021, the subject experienced night sweats. On 08-APR-2021, the subject experienced pain in left eye. On 08-APR-2021, the subject experienced burninig in both eyes. On 08-APR-2021, the subject experienced muscle aches. On 08-APR-2021, the subject experienced pink eye. On 09-APR-2021, the subject experienced feeling like sinus infection. On 09-APR-2021, the subject experienced headache. Treatment medications (dates unspecified) included: ibuprofen. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from night sweats on 10-APR-2021, and muscle aches on 09-APR-2021, had not recovered from headache, and feeling like sinus infection, and the outcome of pain in left eye, burninig in both eyes, fever and pink eye was not reported. This report was non-serious.; Sender's Comments: v0- Medical assessment comment is not required as per standard operating procedures, as case is assessed as non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261490	4/27/2021	PA	71	M	3/16/2021	4/14/2021	<p>Dizzy; Weak; All of the sudden he had difficulty breathing"; Fast heart beat; Is still very tired; Swelling of his face and throat; Fall; Rib fracture; Pharyngeal swelling; His eyes were swelled like mush mellow; Vomiting; Muscle pain; Joint pain; Fever; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of DIZZINESS (Dizzy), ASTHENIA (Weak), DYSPNOEA (All of the sudden he had difficulty breathing") and HEART RATE INCREASED (Fast heart beat) in a 72-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 040B21A and 047A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included COPD, Emphysema, Kidney function abnormal, Heart disorder, Rheumatoid arthritis aggravated and Hypoxia. Concomitant products included OXYGEN for COPD and Emphysema, METHADONE and OXYCODONE for Rheumatoid arthritis, PREDNISONE for an unknown indication. On 16-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 13-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 14-Apr-2021, the patient experienced DIZZINESS (Dizzy) (seriousness criterion hospitalization), ASTHENIA (Weak) (seriousness criterion hospitalization), DYSPNOEA (All of the sudden he had difficulty breathing") (seriousness criteria hospitalization and medically significant), HEART RATE INCREASED (Fast heart beat) (seriousness criterion hospitalization), SWELLING FACE (Swelling of his face and throat), FALL (Fall), RIB FRACTURE (Rib fracture), PHARYNGEAL SWELLING (Pharyngeal swelling), EYE SWELLING (His eyes were swelled like mush mellow), VOMITING (Vomiting), MYALGIA (Muscle pain), ARTHRALGIA (Joint pain) and PYREXIA (Fever). On 19-Apr-2021, the patient experienced FATIGUE (Is still very tired). The patient was hospitalized from 14-Apr-2021 to 17-Apr-2021 due to ASTHENIA, DIZZINESS, DYSPNOEA and HEART RATE INCREASED. On 17-Apr-2021, DIZZINESS (Dizzy), ASTHENIA (Weak), DYSPNOEA (All of the sudden he had difficulty breathing"), HEART RATE INCREASED (Fast heart</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261271	4/27/2021	TN		M		4/1/2021	<p>beat), SWELLING FACE (Swelling of his face and throat), EYE SWELLING (His eyes were swelled like mush mellows), VOMITING (Vomiting), MYALGIA (Muscle pain), ARTHRALGIA (Joint pain) and PYREXIA (Fever) outcome was unknown. At the time of the report, FALL (Fall), RIB FRACTURE (Rib fracture), PHARYNGEAL SWELLING (Pharyngeal swelling) and FATIGUE (Is still very tired) outcome was unknown. This case was linked to MOD-2021-080525 (E2B Linked Report).; Sender's Comments: Based on current available information and the temporal association between product use and the start date of the events a causal relationship cannot be excluded. MOD-2021-080525:caller's case</p> <p>VISION TURNED ALL WHITE; ARM SORENESS; CHILLS; PAIN IN HIP JOINTS; FEVER; This spontaneous report received from a patient via a company representative concerned a male of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of administration not reported, batch number: Unknown) dose was not reported, administered on 10-APR-2021 for prophylactic vaccination. The batch number was not reported. Per procedure, no follow-up will be requested for this case. No concomitant medications were reported. On APR-2021, the subject experienced vision turned all white. On APR-2021, the subject experienced arm soreness. On APR-2021, the subject experienced chills. On APR-2021, the subject experienced pain in hip joints. On APR-2021, the subject experienced fever. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the arm soreness, fever, chills, pain in hip joints and vision turned all white was not reported. This report was non-serious.; Sender's Comments: V0: Medical assessment comment is not required as per standard procedure as case assessed as non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261274	4/27/2021		29	M		4/9/2021	CHILLS; FEVER; LOST MY VISION; CLOSE TO FAINT; PALENESS; DIZZINESS; UNABLE TO STAND; SWEATING; LOSS OF ENERGY IN LEGS/BODY WEAKNESS; This spontaneous report received from a patient concerned a 29 year old male. The patient's height, and weight were not reported. The patient's concurrent conditions included iodine allergy. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 203A21A, and expiry: UNKNOWN) dose was not reported, administered on 09-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 09-APR-2021, the subject experienced lost my vision. On 09-APR-2021, the subject experienced close to faint. On 09-APR-2021, the subject experienced paleness. On 09-APR-2021, the subject experienced dizziness. On 09-APR-2021, the subject experienced unable to stand. On 09-APR-2021, the subject experienced sweating. On 09-APR-2021, the subject experienced loss of energy in legs/body weakness. On 10-APR-2021 14:00, the subject experienced chills. On 10-APR-2021 14:00, the subject experienced fever. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from lost my vision, close to faint, paleness, dizziness, unable to stand, sweating, and loss of energy in legs/body weakness on 09-APR-2021, and fever on 14-APR-2021, and was recovering from chills. This report was non-serious.; Sender's Comments: V0:Medical assessment comment not required as per standard procedure as case assessed as non serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261286	4/27/2021	NY	74	F	3/22/2021		BELL'S PALSY; This spontaneous report received from a patient concerned a 74 year old female. The patient's height, and weight were not reported. The patient had no known drug allergies. The patient was not involved in any accident nor had any prior history of Bell's palsy. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805022 expiry: UNKNOWN) dose was not reported, 1 total, administered on 08-MAR-2021 on left deltoid for prophylactic vaccination. On 22-MAR-2021, the patient developed slurred speech. On 08-APR-2021, the patient had drooping eyelids, was unable to close mouth and had puff cheeks. On 12-APR-2021, the patient visited her doctor's office and diagnosed with Bell's palsy which was further confirmed with computerized tomography (CAT) scan. On an unspecified date in APR-2021, Laboratory data included: computerized tomography CAT) scan (NR: not provided) Bell's Palsy. Treatment medications included: prednisone. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from bell's palsy. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210436167-covid-19 vaccine ad26.cov2.s-Bell's palsy. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261301	4/27/2021			U		4/1/2021	HIGH BLOOD PRESSURE; FULL-BLOWN FLU (MASSIVE HEADACHES,SICK,COUGHING,WHEEZING,PAINFUL BODY ACHES); DOUBLE VISION; SLUR SPEECH; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on APR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On APR-2021, the subject experienced high blood pressure. On APR-2021, the subject experienced full-blown flu (massive headaches, sick, coughing, wheezing, painful body aches). On APR-2021, the subject experienced double vision. On APR-2021, the subject experienced slur speech. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from full-blown flu (massive headaches,sick,coughing,wheezing,painful body aches), double vision, slur speech, and high blood pressure. This report was non-serious.; Sender's Comments: V0 Medical assessment comment not required as per standard procedure as the case was assessed as non-serious



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261305	4/27/2021	CA	92	F		4/9/2021	CAPILLARY LEAKAGE; SWELLING OF FACE; SWELLING OF EYES; This spontaneous report received from a consumer concerned a 92 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included cardiovascular disease, and polyethylene glycol, polysorbate allergy. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 1808978, expiry: UNKNOWN) dose was not reported, administered on 09-APR-2021 09:46 for prophylactic vaccination. Concomitant medications included acetylsalicylic acid, colecalciferol, diltiazem, losartan, metformin, and risedronate sodium. On 09-APR-2021 18:01, the subject experienced capillary leakage. On 09-APR-2021 18:01, the subject experienced swelling of face. On 09-APR-2021 18:01, the subject experienced swelling of eyes. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the swelling of face, capillary leakage and swelling of eyes was not reported. This report was non-serious.; Sender's Comments: V0: Medical assessment comment not required as per standard procedure since case was assessed as non serious

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1261306	4/27/2021	VA	54	F		4/1/2021	BURST BLOOD VESSEL IN RIGHT EYE; HIGH BLOOD PRESSURE; RECURRENT EPISODES OF HOT FLASHES; TIREDNESS; NAUSEA; HEADACHE; This spontaneous report received from a patient concerned a 54 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included augmentin allergy, and levaquin allergy, and other pre-existing medical conditions included the patient had previous history of 2 medicated stents and history of widow maker in February 2020. in February 2021, all cardiology tests looked perfect and facial fillers 3 weeks before the vaccine. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported and batch number: 041A21A expiry: UNKNOWN) dose was not reported, 1 total, administered on 07-APR-2021 to left arm for prophylactic vaccination. Concomitant medications included estrogens conjugated for hormone. On FEB-2021, Laboratory data included: Cardiovascular evaluation (NR: not provided) Normal. On APR-2021, the patient experienced headache. On 08-APR-2021, the patient experienced nausea and tiredness. The patient could not drink her coffee as usual and reported that she took dicyclomine HCL10mg four times a day started from 08-APR-2021 until 11-APR-2021. On 11-APR-2021, the patient experienced hot flashes, and it was beet red. The patient called obstetrician-gynecologist (OB GYN), as hot flashes were non-stop and were numerous in number of episodes and were waking her up at night and experienced high blood pressure. On 13-APR-2021, the patient experienced burst blood vessel in right eye in the evening. The patient experienced eye pain that felt like someone was sticking a knuckle in her eye socket which began around the time of the burst blood vessel. Patient checked blood pressure after noticing burst blood vessel and measured 230 to 240/ 125 to 140 mmHg (patient normally had blood pressure of 105/70mmHg). Patient went to the emergency room on 14-APR-2021 as per cardiologist, received clonidine, had electrocardiogram, bloodwork and chest x-ray done which were fine. The blood pressure was 190/115 at emergency room, patient had hot flash and blood pressure went up another 20 points. Patient turned red from belly to face during hot flashes. Patient was hospitalized on 14-APR-2021 and discharged on the same day. Laboratory data included:

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261318	4/27/2021	MI	40	F	4/10/2021		<p>Blood pressure (NR: not provided) 230-240/125-140 mmHg, 105/70 mmHg. Laboratory data included: Blood pressure (NR: not provided) 190/115, Blood test (NR: not provided) Fine, Chest X-ray (NR: not provided) Fine and electrocardiogram (EKG) (NR: not provided) Fine. Additional treatment medications (dates unspecified) included: clonidine and dicycloverine hydrochloride. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from nausea on 11-APR-2021, was recovering from burst blood vessel in right eye, had not recovered from tiredness, recurrent episodes of hot flashes, and high blood pressure, and the outcome of headache was not reported. This report was serious (Other Medically Important Condition). This case, from the same reporter is linked to 20210438524, 20210437846 and 20210439405.; Sender's Comments: V0 20210438448-COVID-19 VACCINE AD26.COVS-Burst blood vessel in right eye, High blood pressure. This event(s) is considered not related. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There are other factors more likely to be associated with the event(s) than the drug. Specifically: MEDICAL HISTORY</p> <p>BLURRY VISION; DIZZINESS; HEADACHE; This spontaneous report received from a patient concerned a 40 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included abstains from alcohol, and non smoker, and other pre-existing medical conditions included the patient had no drug abuse or illicit drug use. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 043A21A, expiry: UNKNOWN) dose was not reported, administered on 09-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 10-APR-2021, the subject experienced blurry vision. On 10-APR-2021, the subject experienced dizziness. On 10-APR-2021, the subject experienced headache. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from headache, blurry vision, and dizziness. This report was non-serious.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1261358	4/27/2021		41	M		4/7/2021	DIAGNOSIS OF BRANCH RETINAL VEIN OCCLUSION VIA BLOOD CLOT; LETHARGIC; CHILLS; MUSCLE ACHE; HEADACHE; This spontaneous report received from a patient concerned a 41 year old male. The patient's weight was 210 pounds, and height was 72 inches. The patient's concurrent conditions included alcohol user, and non smoker, and other pre-existing medical conditions included the patient had no known allergies. the patient did not have any drug abuse/illicit drug use. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, and batch number: 041A21A expiry: UNKNOWN) dose was not reported, administered on left deltoid on 07-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 07-APR-2021,he reported blurred vision in left eye. Then he experienced lethargic, chills, muscle ache, headache. On 14-APR-2021, he experienced diagnosis of branch retinal vein occlusion via blood clot in the eye. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from lethargic, chills, and muscle ache, and the outcome of diagnosis of branch retinal vein occlusion via blood clot and headache was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: This is a report of a 41 year old male patient, who was noted to have branch retinal vein occlusion via blood clot in the eye 7 days after receiving the covid-19 vaccine ad26.cov.2. Patient is 210 pounds and 72 inches. No pre existing medical conditions. No known allergies. Patient is a non smoker and did not have any drug abuse/illicit drug use. On the day of the vaccination, patient reported blurred vision on the left eye. He also experienced lethargy, chills, muscle ache and headache. Seven (7) days after receiving the vaccine, a blood clot was noted leading to branch retinal vein occlusion. The information provided precludes a meaningful medical assessment. Additional information requested.
1261376	4/27/2021	WA	64	M	4/8/2021	4/10/2021	Mild aches and headache, mild blurred vision for 2+ weeks

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1261407	4/27/2021	CA		M	4/5/2021		EYE STRAIN; DEHYDRATION; FELT LETHARGIC A LITTLE BIT; DULL HEADACHE; This spontaneous report received from a patient concerned a 35 year old male. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 042A21A expiry: 21/JUN/2021) dose was not reported, administered on 03-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 05-APR-2021, the subject experienced eye strain. On 05-APR-2021, the subject experienced dehydration. On 05-APR-2021, the subject experienced felt lethargic a little bit. On 05-APR-2021, the subject experienced dull headache. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from eye strain, dehydration, felt lethargic a little bit, and dull headache on APR-2021. This report was non-serious.
1261447	4/27/2021	NC	71	F	4/9/2021		NUMBNESS OF EXTREMITIES; TINGLING OF EXTREMITY; MILD SORE ARM; TIREDNESS; This spontaneous report received from a patient concerned a 71 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included penicillin allergy, and auras with migraines. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, and batch number: 043A21A expiry: UNKNOWN) dose was not reported, administered on 08-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On APR-2021, Laboratory data included: Blood test (NR: not provided) cleared of blood clots, Ophthalmological examination (NR: not provided) clear eyes, and Screening test (NR: not provided) clear stomach, carotids were clear. On 09-APR-2021, the subject experienced mild sore arm. On 09-APR-2021, the subject experienced tiredness. On 10-APR-2021, the subject experienced numbness of extremities. On 10-APR-2021, the subject experienced tingling of extremity. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from numbness of extremities, and tingling of extremity on APR-2021, and mild sore arm on 11-APR-2021, and the outcome of tiredness was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261448	4/27/2021	NY	62	F	4/16/2021		EYE SPASM; This spontaneous report received from a patient concerned a 62 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: UNKNOWN) dose was not reported, administered on 11-MAR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 16-APR-2021, the subject experienced eye spasm. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from eye spasm. This report was non-serious.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1261481	4/27/2021	AL	57	F	4/1/2021		<p>STY IN RIGHT EYE; LITTLE LIQUID IN THE EAR; CHILLS; HEADACHE; DID NOT FEEL GOOD; ARM PAIN; SWELLING OF THE NECK; SWELLING OF THE LEFT SHOULDER; ENLARGED LYMPH NODES ON THE LEFT SIDE; NECK PAIN; TENDON TIGHTNESS; POPPING NOISE WHEN SWALLOWING; SUSPECTED COVID-19; SINUS ISSUE; This spontaneous report received from a patient concerned a 57 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included chronic hives, allergic to sulfa medications (welts all over the body), non-smoker, allergy to percocet (increased heart rate), latex allergy (skin burns), and sleep disorder. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 202A21A, and expiry: UNKNOWN) dose was not reported, administered on 10-APR-2021 15:30 for prophylactic vaccination. Concomitant medications included cetirizine hydrochloride for chronic hives, and diphenhydramine hydrochloride for sleep disturbance. On APR-2021, the subject experienced popping noise when swallowing. On APR-2021, the subject experienced suspected covid-19. On APR-2021, the subject experienced sinus issue. On 10-APR-2021, the subject experienced swelling of the neck. On 10-APR-2021, the subject experienced swelling of the left shoulder. On 10-APR-2021, the subject experienced enlarged lymph nodes on the left side. On 10-APR-2021, the subject experienced neck pain. On 10-APR-2021, the subject experienced tendon tightness. On 10-APR-2021, the subject experienced did not feel good. On 10-APR-2021, the subject experienced arm pain. On 10-APR-2021, the subject experienced headache. On 11-APR-2021, the subject experienced chills. On 15-APR-2021, Laboratory data included: COVID-19 virus test negative (NR: not provided) Negative. On 21-APR-2021, the subject experienced sty in right eye. On 21-APR-2021, the subject experienced little liquid in the ear. Laboratory data included: COVID-19 virus test negative (NR: not provided) Negative, and X-ray of nasal sinuses (NR: not provided) Normal sinuses. Treatment medications (dates unspecified) included: dextromethorphan hydrobromide/doxylamine succinate/ephedrine sulfate/ethanol/paracetamol, paracetamol, guaifenesin/pseudoephedrine hydrochloride, naproxen</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261237	4/27/2021	TX		M		4/1/2021	<p>sodium, fluticasone propionate, dextromethorphan hydrobromide/guaifenesin/paracetamol/pseudoephedrine hydrochloride, and cefalexin. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from swelling of the neck, swelling of the left shoulder, enlarged lymph nodes on the left side, neck pain, tendon tightness, and arm pain on 13-APR-2021, and chills on 12-APR-2021, was recovering from sty in right eye, had not recovered from headache, and the outcome of popping noise when swallowing, suspected covid-19, did not feel good, sinus issue and little liquid in the ear was not reported. This report was non-serious.</p> <p>STROKE LIKE SYMPTOMS; VISION ABNORMAL; This spontaneous report received from a consumer via social media concerned a male of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose, start therapy date were not reported, 1 total administered 11-APR-2021 for prophylactic vaccination. The batch number was not reported. Per procedure, no follow up will be requested for this case. No concomitant medications were reported. On 12-APR-2021, Monday afternoon, the patient felt symptoms similar to an stroke and at the end of the evening he felt normal. It was reported that only his vision was out of place. The physicians could not explain what was wrong as everything looked normal in test and scan (unspecified). According to them it was a side effect of vaccine. Laboratory data included: Eye exam (NR: not provided) Normal, and Investigation (NR: not provided) Normal. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from stroke like symptoms on 12-APR-2021, and had not recovered from vision abnormal. This report was serious (Other Medically Important Condition).; Sender's Comments: 20210431142-Covid-19 vaccine ad26.cov2.s-stroke like symptoms . This events is considered unassessable. The events has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the events.</p>



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1264423	4/27/2021	FL	52	F	4/11/2021		<p>EXTREME SWELLING TO UPPER AND LOWER LIPS; LEFT MOUTH DROOP; SORENESS TO LIPS; NUMBNESS TO LIPS; TINGLING TO LIPS; EXTREME GUM TISSUE IRRITATION; LEFT EYE DROOP; SORENESS TO RIGHT ARM; FEVER; ITCHING TO RIGHT ARM; PANTING; This spontaneous report received from a patient concerned a 52 year old female. The patient's past medical history included had covid-19 on november 2nd, and aspirin, codeine, nsaid, morphine, class of erythromycins, barbiturates, sulfates, sulfonamides allergy, and concurrent conditions included hashimotos (hypothyroid), asthma, socially drinks, and non-smoker, and other pre-existing medical conditions included patient had no drug abuse or illicit drug usage. The patient was previously treated with diphenhydramine hydrochloride for allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 202A21A, and batch number: 202A21A expiry: UNKNOWN) dose was not reported, administered on 10-APR-2021 for prophylactic vaccination. Concomitant medications included formoterol fumarate for asthma. On 11-APR-2021, the subject experienced panting. On 11-APR-2021, the subject experienced itching to right arm. On 11-APR-2021, the subject experienced soreness to right arm. On 11-APR-2021, the subject experienced fever. On 12-APR-2021, the subject experienced extreme swelling to upper and lower lips, left mouth droop. On 12-APR-2021, the subject experienced soreness to lips. On 12-APR-2021, the subject experienced numbness to lips. On 12-APR-2021, the subject experienced tingling to lips. On 12-APR-2021, the subject experienced extreme gum tissue irritation. On 12-APR-2021, the subject experienced left eye droop. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from extreme swelling to upper and lower lips, left mouth droop, panting, and itching to right arm on 11-APR-2021, left eye droop on 13-APR-2021, soreness to right arm on 14-APR-2021, and fever on 12-APR-2021, was recovering from soreness to lips, numbness to lips, and tingling to lips, and had not recovered from extreme gum tissue irritation. This report was non-serious.; Sender's Comments: V0: Medical assessment comment is not required as per standard procedure as case assessed as non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1263468	4/27/2021	FL	41	M	3/31/2021	4/12/2021	Dr., reports that pt experience Bells Palsy 12 days post-vaccination. Dr., reported that pt went to Hospital on 4/17/2021 and released same day; pt was prescribed Medrol dose Pak and Acyclovir. Pt was seen by Dr., (general practitioner & ophthalmologist), Dr., discontinued the Medrol dose Pak and Acyclovir and prescribed Prednisone 60/40 to be taken for a week and Valtrex 1 mg to be taken TID x7 days; Dr., also ordered protein spikes for IgM and IgG Herpes Zoster & Herpes Simplex, basic blood test. Pt have follow up appt today with Dr., since pt is starting to develop dry eyes and he cannot close his eyes, pt is prescribed artificial tears drop for use during the day and CELLUVISC eye ointment to used during the night. Dr., recommends that pt refrained from getting the 2nd dose until more is known based on pt.'s condition; from his professional experience Bell's Palsy can dissipate in 4-6 months and not uncommon after post flu vaccination. Advised Dr. per CDC Bell's palsy is not a contraindication to getting 2nd dose of the vaccine. Advised we agreed with his recommendations that pt should postpone his second dose to see if his symptoms dissipate first. 4/21-Spoke to Dr. and he had concerns of patient receiving second vaccination shot. I advised currently per CDC there are no contraindications with vaccine and Bell's Palsy. Recommended for him to contact CDC hotline for further advice and transferred his call to CDC Covid hotline. Dx with Bell's Palsy; feeling more movement on the face today. Working with Dr. in regards to treatment and second dose of Pfizer vaccine. Will contact next week to follow up.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1263480	4/27/2021	MT	17	F	4/21/2021	4/22/2021	At 2am 4/22 patient started to feel sick and sent a text that I didn't read until 630 as I was asleep. She had severe muscle aches, hurt to move, hurt to breathe and felt like she was having a heart attack. She felt like she might pass out and had some blurred vision. At 630am, I saw her texts and immediately brought her 2 tylenol and a large glass of water. She went back to bed. She woke up around 10:45 and was feeling decent except for a headache but no fever or anything so we went to try on some Prom dresses. At the dress shop, she collapsed and had a seizure lasting around a minute. She lost her bladder and was completely confused and incoherent. She's never had a seizure before. I scooped her up, brought her to the ER where they ran every test and scan imaginable. Full blood work up and cultures, a chest xray, a CT scan of her brain and lungs. Her temp was high 103-104 and she had full body chills and a pounding headache. Her BP kept dropping and got as low as 81/36. They threw 2 bags of IV fluids into her and admitted her to the hospital. She had also developed a heart murmur. Over the course of the night, her BP stabilized but her temp continued to spike and come back down with Tylenol/Ibuprofen. She also had IV Tordahl for the headache. Her inflammatory markers were high at 15.3 which we were told should be less than 1. They reran labs in the morning but everything came back really low which they felt was a dilution effect from all the fluids so wanted us to follow up with her primary care on Monday. On Saturday night, her lymph nodes were swollen to the size of ping pong balls but have since slowly reduced in size although still there. Her labs were better from discharge and her white blood cell count was within range and her inflammatory marker was down to 1.7. Her blood sugar was a little low. She did pass out and have seizure like response to giving blood in the doctors office, lost bladder control again, shot pupils, etc. She is still stuttering over words, has some short term memory retention and has some motor function issues which they think is a result of the initial seizure and should resolve itself over time. Her liver function tests were totally normal in the hospital but are a high now so they will be checking her out again next week.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1263540	4/27/2021	IN	70	F	4/25/2021	4/25/2021	Within 10 minutes of getting the vaccine I started having hay fever- like symptoms. Sinus drainage, itchy, burning eyes, runny nose, scratchy throat, hoarse voice. This lasted for several hours. It again worsened during the night and next day I had bouts of nausea and some head ache.
1263944	4/27/2021	MN	37	M	4/8/2021	4/14/2021	4/8 Vaccination 4/14 7:30 in the morning, I was driving my son to school. I got this really bad HA on R side of head. Went away quickly. Left side of face was left numb. I quickly did a neuro check; I could move fingers, eyes, etc. I called nurse and told to go to the ER. At the ER, Covid test; neg, CT scan, MRI, blood work; all normal. Something happened to the nerve on that side of my face, trigeminal nerve. It took a couple days for the numbness to dissipate. But I do still have some pain on the L side of my face. Told to follow up with PCM; scheduled for 4/29/2021
1263949	4/27/2021	TX	45	F	3/11/2021	3/11/2021	Occurred over 3 days:nausea, tunnel vision, ringing in the ears, lightheadedness, racing pulse, clamminess but not diaphoresis. Pain, heat induration, redness and itching at injection site. Itching from injection site moving up arm to neck, side of face and hair. Itching to inside of mouth and lips. Feeling of heaviness and weakness to arms and legs. Chest heaviness and increased work of breathing. I wasn't breathing faster, but I was aware of the fact that I had to work harder to breath. As I said, these symptoms occurred over three days. The Friday I went to the ED at Hospital. I arrived around 14:45 and I think it was somewhere around 20:30 when I left.
1263965	4/27/2021	TN	16	F	3/22/2021	3/22/2021	Nurse was giving injection and small amount splashed into patient's eye. PT C/O BURNING. Mom flushed eye with bottle of water from car. Eye was flushed with saline by medical personnel. Eye was not red swollen or drainage was noted.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1264107	4/27/2021	CT	53	F	4/20/2021	4/20/2021	A few hours after the vaccination I started to feel dizzy and get a headache. I woke a few hours later about midnight and my head was swollen on top and a very bad headache on top of my head, above, through and around my right eye. I was throwing up and had shaking and chills. My knees and shins were very sore. My hips and lower back and groin area were very sore. I was not able to go to work the next day. Around 9PM the day after the vaccination my symptoms began to clear. However the next day my headache was still too severe to go to work and I had a rash with large itchy bumps on my right elbow which is the same spot I have scars from when I was 10 years old and a suspected case of shingles. Today it is one week after the vaccination and I am still getting headaches on my right head and eye and also my teeth and jaw are sore.
1264148	4/27/2021	TX	16	M	4/23/2021	4/25/2021	Extensive hives, joint swelling; swelling over left eye. I saw him on 4/26/21. He had some minor hives. I prescribed an epiPen, prednisone (40 mg daily), and benadryl (25 mg tid prn rash, hives). He came back on 4/27/21. He had more hives, swollen left upper eyelid, joint pain, difficulty walking because of hives on soles of feet. He had no respiratory distress. His chest was clear. I admitted him on 4/27/21 to the Hospital.
1264207	4/27/2021	IL	53	F	3/22/2021	3/23/2021	BP went up to 210/111 the day after vaccine was administered. On 4/24/2021 patient went to ER for double vision. BP was 200/100's again. Given IV BP meds, did CT scan that showed no abnormalities noted. K+ was 2.9. On Sunday, 4/25/21 back to ER for double vision again. BP 160/90's. Observed, given more BP meds and sent home again. Went to PCP, clinic 4/26 who referred to Ophthalmologist. Ophthalmology, found optic nerve damage and believes related to mini stroke possibly from Covid vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1264387	4/27/2021	NJ	46	M	4/12/2021		<p>BLISTERS ON RIGHT ARM BETWEEN ELBOW AND SHOULDER; SHORTNESS OF BREATH; BLURRED VISION; ITCHING ALL OVER ESPECIALLY IN RIGHT ARM; FEVER OF 101 F; TIREDNESS; SCAR ON ARM THAT WAS 4 INCHES LONG AND 2 INCHES WIDE; This spontaneous report received from a patient concerned a 46 year old male. The patient's weight was 225 pounds, and height was 66 inches. The patient's past medical history included umbilical hernia, and covid-19, and concurrent conditions included high cholesterol, non-smoker, and social alcohol drinker, and other pre-existing medical conditions included the patient had no known allergies. The patient had no history of drug abuse or illicit drug use. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 206A21A, expiry: UNKNOWN) dose was not reported, administered on 12-APR-2021 for prophylactic vaccination. Concomitant medications included atorvastatin calcium for high cholesterol. On APR-2021, treatment medications included: diphenhydramine hydrochloride, oxygen, and paracetamol. Also given unspecified cream for right arm. He wanted help with the scar on arm that was 4 inches long and 2 inches wide. On 12-APR-2021, the patient experienced tiredness. On 13-APR-2021, the Patient experienced blisters on right arm between elbow and shoulder, shortness of breath, blurred vision an itching all over especially in right arm. On 13-APR-2021, the patient experienced fever of 101 F. Laboratory data included: Body temperature (NR: not provided) 101 F. On an unspecified date, the patient experienced scar on arm that was 4 inches long and 2 inches wide. The patient was hospitalized for 2 days. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from blisters on right arm between elbow and shoulder, shortness of breath, blurred vision, itching all over especially in right arm, tiredness, and fever of 101 F on 14-APR-2021, and the outcome of scar on arm that was 4 inches long and 2 inches wide was not reported. This report was serious (Hospitalization Caused / Prolonged).; Sender's Comments: V0: 20210435619-COVID-19 VACCINE AD26.COVS-blisters on right arm between elbow and shoulder, shortness of breath, blurred vision, itching all over especially in right arm. This event(s) is considered unassessable. The event(s) has a</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). 20210435619-COVID-19 VACCINE AD26.COV2.S-tiredness, fever of 101 F. This event(s) is labeled and is therefore considered potentially related.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1262159	4/27/2021	CA	32	F	4/27/2021	4/27/2021	<p>Client received her first Pfizer dose of 0.3mL in left deltoid on 04/27/21 at 09:32am with lot number EW0179 expiring on 08/31/2021. Client who is 32-year-old female with no race or ethnicity was disclosed, was brought to EMT station by ancillary staff after complaining of tingling in her toes. Client remained alert and tracking with her eyes and appeared in no apparent distress. Client had a chief complaint of tingling in her toes bilaterally at 10:01am on 04/27/2021. Client stated that she completed her 15-minute observation and was walking to her car, when she noticed tingling in her toes bilaterally and returned to the site/EMT station. toes that was painless and localized. Client's airway, breathing and circulation were intact. Client's initial set of vitals was blood pressure 132/84, pulse 80, alert and oriented to person, place, event and time, respiration 16, eyes equal and reactive to light and lung sounds clear bilaterally. EMT was unable to obtain an SPO2 due to client's acrylic fingernails. Client noted that she had spoken to her doctor recently and her doctor stated to her that she had "poor circulation," but did not specify any diagnosis. Client also stated that she tested positive for Covid in early January and has a history of seasonal allergies. No other pertinent medical history was noted or disclosed. Assessment revealed no swelling, pain, hives, shortness of breath, chest pain, discoloration, or other signs of anaphylaxis. Client consented to staying an additional 30 minutes for observation and vitals were monitored every 15 minutes due to the stability of the client and no signs or symptoms of allergic reaction. Vital signs at 1001 were blood pressure of 132/84, pulse of 80 and respiratory rate of 16 breaths per minute. Vital signs at 1016 were blood pressure of 128/80, pulse of 76 and respiratory rate of 16 breaths per minute. Client was provided with fact sheet and areas of interest were highlighted for convince. After approximately 15 minutes, client stated that her numbness had "gone away" and laughed stating "it's probably because I'm not walking." At the completion of her additional 30-minute observation, client remained stable and was instructed to follow up with her primary care doctor at the soonest possibility. Vital signs at 1031 were blood pressure of 128/80, pulse of 76 and respiratory rate of 16 breaths per minute. Client was also instructed to seek medical care or dial 911 if a severe reaction occurred in the future. Situation did not warrant</p>



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1264398	4/27/2021	VA	43	M			<p>EMS and client declined service being offered. No interventions or medications were administered or indicated. Client acknowledged what she was told and exited Border View YMCA at 1032 in positive disposition by self.</p> <p>90% LOSS OF VISION IN ONE-EYE; BURNING EYE; FOGGY VISION; This spontaneous report received from a consumer (company representative) concerned a 43 year old male. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose, start therapy date were not reported for prophylactic vaccination. The batch number was not reported. The Company is unable to perform follow-up to request batch/lot numbers. No concomitant medications were reported. On an unspecified date, the patient experienced 90% loss of vision in one-eye, burning eye, and foggy vision because of which patient visited his physician. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the burning eye, foggy vision and 90% loss of vision in one-eye was not reported. This report was serious (Other Medically Important Condition). This case, from the same reporter is linked to 20210436318.; Sender's Comments: :20210436363-covid-19 vaccine ad26.cov2.s-90% loss of vision. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).</p>
1263361	4/27/2021	PA	33	F	4/9/2021	4/20/2021	<p>Approximately 10-11 days after receiving the vaccine, the patient began to complain of severe headaches. Around day 11-12, she was noted by family to have deterioration in ambulatory function and language skills, prompting a visit to a local ED. By day 13 she had lapsed into a vegetative state in which she could only yawn, moan and occasionally open eyes. MRI brain demonstrated significant, confluent T2 intensities in the subcortical white matter of the bilateral cerebral hemispheres.</p>

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1264409	4/27/2021			F		4/10/2021	CHRONIC MIGRAINE; VISUAL DISTURBANCE/AFFECTED VISION; BAD NOSE BLEED; LOW FEVER; NAUSEA; This spontaneous report received from a patient concerned a 37 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included stevens johnson syndrome from med. The patient was previously treated with macrogol 4000. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on 09-APR-2021 for prophylactic vaccination. The batch number was not reported an has been requested. No concomitant medications were reported. On 10-APR-2021, the subject experienced low fever. On 10-APR-2021, the subject experienced nausea. On 17-APR-2021, the subject experienced bad nose bleed. On an unspecified date, the subject experienced chronic migraine, and visual disturbance/affected vision. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the chronic migraine, low fever, nausea, bad nose bleed and visual disturbance/affected vision was not reported. This report was non-serious.; Sender's Comments: V0:Medical assessment comment not required as per standard procedure as case assessed as non serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1264394	4/27/2021	MI	38	F		4/1/2021	<p>FOGGY FEELING IN HEAD/ SPACED OUT; DIZZINESS; UNABLE TO GET UP; SHORTNESS OF BREATH / WINDED; UNABLE TO STAND; LEG CRAMP; LETHARGIC; GENERAL BODY PAIN; TINGLING IN NECK THAT RADIATED DOWN THE ARMS; WORST MIGRAINE IN THE BACK OF EYES AND NECK; LEG PAIN; EXTREME FATIGUE; This spontaneous report received from a patient concerned a 38 year old female. The patient's height, and weight were not reported. The patient's pre-existing medical conditions included very healthy and active. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on 08-APR-2021 11:00 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On APR-2021, the subject experienced shortness of breath / winded. On APR-2021, the subject experienced unable to stand. On APR-2021, the subject experienced leg cramp. On APR-2021, the subject experienced lethargic. On APR-2021, the subject experienced general body pain. On APR-2021, the subject experienced tingling in neck that radiated down the arms. On APR-2021, the subject experienced worst migraine in the back of eyes and neck. On APR-2021, the subject experienced leg pain. On APR-2021, the subject experienced extreme fatigue. On 08-APR-2021, the subject experienced unable to get up. On 08-APR-2021, the subject experienced foggy feeling in head/ spaced out. On 08-APR-2021, the subject experienced dizziness. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from general body pain, and the outcome of dizziness, foggy feeling in head/ spaced out, unable to stand, leg cramp, extreme fatigue, lethargic, leg pain, shortness of breath / winded, tingling in neck that radiated down the arms, worst migraine in the back of eyes and neck and unable to get up was not reported. This report was non-serious.; Sender's Comments: V0: Medical assessment comments not required as per standard procedure as the case is considered non serious</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1264433	4/27/2021	VA	47	M			90% LOSS OF VISION IN ONE EYE; BURNING EYE; FOGGY VISION; This spontaneous report received from a patient concerned a 47 year old male. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin, and batch number were not reported) dose, frequency 1 total, start therapy date were not reported for prophylactic vaccination. Batch number was not reported and has been requested. No concomitant medications were reported. On an unspecified date, the patient experienced 90% loss of vision in one eye, burning eye, and foggy vision. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the burning eye, foggy vision and 90% loss of vision in one eye was not reported. This report was serious (Other Medically Important Condition). This case, from the same reporter is linked to. Sender's Comments: V0.- Covid-19 vaccine ad26.cov2- 90% loss of vision in one eye. This event(s) is considered unassessable. The event(s) has an unknown/unclear temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1264435	4/27/2021	MA	50	F	4/15/2021		WEIRD HEADACHES/COMPLICATED MENSTRUAL HEADACHE/HEADACHE BEHIND EYES; This spontaneous report received from a patient concerned a 50 year old female. The patient's height, and weight were not reported. The patient's past medical history included complicated menstrual migraine, and knee surgery, and other pre-existing medical conditions included no blood thinners, no clotting issues, been pregnant 13 times. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 203A21A, and batch number: 203A21A expiry: UNKNOWN) dose was not reported, administered on 12-APR-2021 for prophylactic vaccination. Concomitant medications included ketorolac tromethamine for weird headaches/complicated menstrual headache/headache behind eyes, and naproxen for weird headaches/complicated menstrual headache/headache behind eyes. On 28-DEC-2020, Laboratory data included: COVID-19 virus test positive (NR: not provided) POSITIVE (units unspecified). On 15-APR-2021, the subject experienced weird headaches/complicated menstrual headache/headache behind eyes. On 16-APR-2021, Laboratory data included: CT scan (NR: not provided) Normal, no blood clots or tumors., Complete blood count (NR: not provided) platelets were normal. (units unspecified), and Scan with contrast (NR: not provided) Normal, no blood clots or tumors. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from weird headaches/complicated menstrual headache/headache behind eyes. This report was non-serious.; Sender's Comments: V0: covid-19 vaccine ad26.cov2.s ,complicated menstrual headache, Medical assessment comment not required as per standard procedure as case assessed as non serious .

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1264459	4/27/2021	RI	55	F		4/2/2021	DEPRESSED; VERY BLURRY VISION; VERY FATIGUED; SIDE AND MIDDLE OF THROAT SWOLLEN; This spontaneous report received from a patient concerned a 55 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included hashimoto's disease, and reading glasses user. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported and batch number: 1808978 expiry: UNKNOWN) dose was not reported, administered on 02-APR-2021 for prophylactic vaccination. Concomitant medications included varicella zoster vaccine rge (cho) for prophylactic vaccination. On 02-APR-2021, the subject experienced side and middle of throat swollen. On 02-APR-2021, the subject experienced very fatigued. On 03-APR-2021, the subject experienced very blurry vision. On 04-APR-2021, the subject experienced depressed. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from side and middle of throat swollen on 03-APR-2021, was recovering from very blurry vision, and had not recovered from very fatigued, and depressed. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1264513	4/27/2021	NV	44	U		4/12/2021	HEADACHE; BLURRED VISION; SWOLLEN ANKLES; BRUISED ARM/LEG/ANKLE; ABDOMINAL PAIN; This spontaneous report received from a patient concerned a 44 year old of unspecified sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808982 and expiry: UNKNOWN) dose was not reported, administered on 09-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 12-APR-2021, the subject experienced abdominal pain. On 19-APR-2021, the subject experienced swollen ankles. On 19-APR-2021, the subject experienced bruised arm/leg/ankle. On 20-APR-2021, the subject experienced blurred vision. On 23-APR-2021, the subject experienced headache. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from blurred vision on 22-APR-2021, and abdominal pain on 15-APR-2021, and had not recovered from headache, swollen ankles, and bruised arm/leg/ankle. This report was non-serious.
1264541	4/27/2021	CA	26	M	4/27/2021	4/27/2021	THE PATIENT STARTED SWEATING WITH SHAKES FOR A FEW MINUTES THEN STARTED FILLING COLD HE STATED IT FELT LIKE SEIZURE NOT SURE IF THAT'S WHAT HE HAD. HE STATED HIS CHEST FELT TIGHT. HIS EYE MAY HAVE ROLLED BACK NOT SURE AFTER A FEW MINUTES(5-10 MINUTES) HE STARTED FILLING BETTER WE CALLED 911 AND THEY CAME WITHIN 5-10 MINUTES HE WAS OBSERVED FOR A WHILE HE SAT ON THE CHAIR TILL BETTER AND WENT TO ER FOR FURTHER OBSERVATION
1264559	4/27/2021	WA	30	M	4/10/2021	4/14/2021	Severe headaches after four days. Continued mognanes to this date ( 14 days). Pain in right eye. Numbness and tingling throughout body. Waking up at 1 AM with 110 bpm heart rate. Easy bruising. Blood spots

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1264598	4/27/2021	CA	45	F	3/31/2021	4/9/2021	03/09/2021- I started to have mild sinus pain, headache and body ache 03/10/2021- This day my headache turned unbearable like a migraine, the pain shifted in my head, I had pressure around sinus, felt nausea and had body ache.. I took Advil cold and sinus multiple time b/c the pain was so bad. Inhaled menthol rub to try to fine soothes. Used ice to help my throbbing head ache. It lasted all day long. My mom took care of me massaging my head. Had I known know what I know I would have gone to the ER but I didn't at the time thinking the adverse reaction time for the vaccine had subsided. 03/11/2021- felt much better but weak and my vision seemed a bit off. I had a hard time reading things close to me as it was blurry. Current- I feel fine but my close range vision is blurry
1264631	4/27/2021	WA	76	F	2/25/2021	4/19/2021	Headache, blurry/double vision, malaise for past week



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1264700	4/27/2021	TX	25	F	3/18/2021	3/18/2021	platelets were incredibly low at 16; RBC was 3.25; Autoimmune hemolytic anemia; Idiopathic thrombocytopenic purpura; yellowing of both eyes; felt tired/increasing fatigue; This spontaneous case was reported by a consumer and describes the occurrence of PLATELET COUNT DECREASED (platelets were incredibly low at 16), RED BLOOD CELL COUNT ABNORMAL (RBC was 3.25), AUTOIMMUNE HAEMOLYTIC ANAEMIA (Autoimmune hemolytic anemia) and IMMUNE THROMBOCYTOPENIA (Idiopathic thrombocytopenic purpura) in a 25-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 008B212A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 18-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) .5 ml. On 18-Mar-2021, the patient experienced FATIGUE (felt tired/increasing fatigue). On 27-Mar-2021, the patient experienced EYE COLOUR CHANGE (yellowing of both eyes). On 28-Mar-2021, the patient experienced PLATELET COUNT DECREASED (platelets were incredibly low at 16) (seriousness criteria hospitalization and medically significant) and RED BLOOD CELL COUNT ABNORMAL (RBC was 3.25) (seriousness criteria hospitalization and medically significant). On 05-Apr-2021, the patient experienced AUTOIMMUNE HAEMOLYTIC ANAEMIA (Autoimmune hemolytic anemia) (seriousness criterion medically significant) and IMMUNE THROMBOCYTOPENIA (Idiopathic thrombocytopenic purpura) (seriousness criterion medically significant). On 16-Apr-2021, PLATELET COUNT DECREASED (platelets were incredibly low at 16) outcome was unknown. At the time of the report, RED BLOOD CELL COUNT ABNORMAL (RBC was 3.25), EYE COLOUR CHANGE (yellowing of both eyes) and FATIGUE (felt tired/increasing fatigue) outcome was unknown and AUTOIMMUNE HAEMOLYTIC ANAEMIA (Autoimmune hemolytic anemia) and IMMUNE THROMBOCYTOPENIA (Idiopathic thrombocytopenic purpura) had not resolved. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 28-Mar-2021, Platelet count decreased: 16 (Low) Low. On 28-Mar-2021, Red blood cell count: 3.25 (Low)

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

Low. On 05-Apr-2021, Platelet count decreased: 90 (Inconclusive) 90. On 05-Apr-2021, Red blood cell count: 2.76 (Inconclusive) 2.76. On 16-Apr-2021, Platelet count decreased: 329 (Inconclusive) 329. On 16-Apr-2021, Red blood cell count: 3.47 (Inconclusive) 3.47. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. On either 23 Mar 2021 or 24 Mar 2021 (described as around the 5th or 6th day), the patient noticed bruises on both arms (described as 1 or 2 petechiae on chest, "a little bit on right leg," petechiae on both forearm but mostly on the left one, "a little bit on both arms but mostly on the left"). On 24Mar2021, the patient noticed a bruise on lower back. On 26 Mar 2021, the patient noticed bruising on both sides of both knees. On 27 Mar 2021, the patient had yellowing of both eyes. On 28 Mar 2021, the patient had increasing fatigue and saw their Nurse, who advised her to go to the emergency room to get blood tests. When the patient arrived at the emergency room, the patient had bruises on calves, and their platelets were incredibly low at 16, RBC was 3.25. While admitted, the patient had daily blood tests because the patient was notified that the "immune system started attacking red blood cells". The patient was initially treated with steroids, but didn't respond to steroids; then, the patient was treated with IVIG and responded. On 01 Apr 2021, the patient received a platelet transfusion and red blood cell transfusion. On 05 Apr 2021, the patient's platelets went up to 90, and RBCs were at 2.76. On 05 Apr 2021 around 1600, the patient was discharged with an official diagnosed with idiopathic thrombocytopenic purpura and autoimmune hemolytic anemia. On 16 Apr 2021, the patient's platelets were 329 and red blood cells were 3.47. Company comment: Based on current available information and the temporal association between product use and the start date of the events a causal relationship cannot be excluded.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1264704	4/27/2021	SC	56	F	3/16/2021	4/13/2021	shingles by her eye; real sick; real sick, severe flu-like symptoms; hurt so bad; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of HERPES ZOSTER (shingles by her eye) in a 56-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 026A21A and 025B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concomitant products included VENLAFAXINE HYDROCHLORIDE (EFFEXOR), LISINOPRIL, CETIRIZINE and NAPROXEN for an unknown indication. On 16-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 13-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 13-Apr-2021, the patient experienced MALAISE (real sick), INFLUENZA LIKE ILLNESS (real sick, severe flu-like symptoms) and PAIN (hurt so bad). On 17-Apr-2021, the patient experienced HERPES ZOSTER (shingles by her eye) (seriousness criterion medically significant). At the time of the report, HERPES ZOSTER (shingles by her eye), MALAISE (real sick), INFLUENZA LIKE ILLNESS (real sick, severe flu-like symptoms) and PAIN (hurt so bad) outcome was unknown. Not Provided For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Treatment included valaciclovir hydrochloride, 1 GM 1 tab three times a day, erythromycin ointment in right eye three times daily and methylprednisolone Dose Pak.; Sender's Comments: Based on the current available information which includes a temporal association between the use of the product and onset of the reported events, a causal relationship cannot be excluded. Some vaccines have been known to exacerbate latent herpes zoster.
1265189	4/27/2021	VT	36	F	4/27/2021	4/27/2021	Red eyes, severe head ache, hard to hear, tunnel vision, nausea, fever, fatigue, sleeplessness, diarrhea
1265208	4/27/2021	FL	56	M	3/14/2021	3/24/2021	1. The left eye was red for a couple of days. 2. Many red spots on the body like rashes. Still going on.
1265436	4/27/2021	MN	27	F	4/9/2021	4/21/2021	Burst blood vessels in eye and eye yellowing, mysterious bruising on limbs

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1264155	4/27/2021	AZ	43	F	4/12/2021	4/12/2021	Dizziness, lightheadedness, pressure behind eyes x 15 days following vaccine
1262252	4/27/2021		88	M	4/20/2021	4/24/2021	Drooping of face, double vision and loss of balance representing stroke like symptoms. Symptoms began 4 days after receiving the Pfizer vaccine on the same side as vaccine was administered.
1262404	4/27/2021	NY	40	F	4/9/2021	4/9/2021	Fatigue, blurred vision, chills, dizziness, bodyache
1262384	4/27/2021	CA	16	M	4/27/2021	4/27/2021	Covid vaccine site: Per chart pt received covid vaccine at 1413 accompanied by his Grandma. About a minute later, pt had a syncopal episode while walking to observation area. Per grandma, pt hit L-side of face on plastic chair. Medical staff responded to incident, RN and Dr, pt supine on ground - awake and alert. Dr examined pt. VSS taken: BP: 130/60 HR: 74 O2sat: 99% RA. 1420: With permission from Dr, pt stood up to sit on the wheelchair. Pt wheeled to observation/triage area. Intervention: Ice and gauze dressing. Pt is awake and alert, mild swelling to L side of-face, under eye - small break in skin noted, bleeding controlled. Pt had some juice, water and crackers, no difficulty swallowing. Pain 2/10, tolerable. Cold compression on and helping. Grandma remains with pt - per grandma, pt has history of passing out with blood draws. 1440: Pt remains awake and alert, NAD, no new or worsening complaints. Grandma remains at bedside. 1505: Orthostatic BP done per Dr. Results given to MD. No new orders. 1510: Dr OK'd pt to go home with grandma. Grandma and pt stated they are comfortable to go home. Instructed pt and grandma to monitor for symptoms and to call PCP or 24 hour advice line for new or worsening symptoms. Call 911 or go to emergency if has emergent symptoms. Grandma and pt verbalized understanding and agreed. Pt and grandma exited triage area, ambulatory with steady gait and in no apparent distress. Grandma will drive pt home.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1262327	4/27/2021	DE	69	F	4/26/2021	4/26/2021	Client reports took insulin this morning, did not take BP medications, had coffee and juice before coming in today. Reports history of intermittent lightheadedness and dizziness, and shortness of breath (SOB) at times. Denies headache, chest pain, change in vision, arm pain, nausea, vomiting, diarrhea, and other s/sx. 10:20am reported feeling lightheaded, hx of DM, ate a breakfast bar at about 10:25am, pulse ox on room air 98%. 10:48am lightheadedness, dizziness and SOB, BP 156/96, P 82, R 16, pulse ox room air 98%. Client status s/sx persist and now with SOB, requests transport to Hospital. 10:50 called 911. EMS assessed client BP 142/86, P84, room air pulse ox 98%. On standing client unsteady and assisted back to seat by EMS. Assisted to by EMS to stretcher and transported out of Community Center for transport to Hospital ED.
1262326	4/27/2021		30	M	4/27/2021	4/27/2021	Patient raised hand and noted to be pale. Was asked if okay and noted that eyes rolled back and became diaphoretic. Paramedics called. Patients legs lifted and ammonia applied. Patients color started improving and patient started speaking. Patient stated " I want to lay down". Patient was taken by paramedics on stretcher
1262312	4/27/2021	FL	40	M	4/26/2021	4/26/2021	Systemic: Fainting / Unresponsive-Medium, Systemic: Fell from chair and hit head on floor - small gash on bridge of nose-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Headache-Medium, Systemic: Hypotension-Medium, Systemic: Weakness-Medium, Additional Details: Within 5 minutes of vaccination, pt fell from sitting position in chair to the ground. Pt hit his head and had small gash on bridge of nose. When I got to him, his eyes openned and he knew what happenned. Called 911. He laid on ground while we had NP check blood pressure, pulse, and O2 levels. Pt was stable and walked out with EMS to be checked out.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1262430	4/27/2021	AZ	62	F	3/18/2021	3/19/2021	Day vaccine was administered to patient the only effective on that date was Tired and drowsiness were experienced. in the late afternoon this condition was only intensified . The next business day was difficult due to a Migraine that was in full force on that Friday. Patient was unable to perform any actions including Work from home. Patient slept for the next 20 hours. Other than sleep no other actions were committed. On that date 3/19/2021 it was noticed that her eyes were sensitive to Light and were also very puffy.. On the Sunday there was little and or no change still sensitive to light and the puffiness was still felt but the eyes were so swollen that it was almost impossible to open them. The Urgent care patient went to on the Sunday was the initial with Healthcare facility
1262258	4/27/2021	TX	21	M	4/26/2021	4/26/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Nausea-Mild, Systemic: Visual Changes/Disturbances-Mild, Additional Details: Patient reported that he felt bad at the end of his 15 minutes seated observation time. He reported that he felt light-headed/dizzy, had some nausea, had red dots in visual field, and he appeared pale. Patient was encouraged to stay seated. He consented to transitioning to lying down on a couch and hydrating with a water bottle. BP was within normal limits. He did not faint. After ~15 minutes of lying down he felt recovered and normal. Patient was able to walk out fine with his friend.
1262196	4/27/2021	WA	57	F	3/14/2021	3/18/2021	I had a rash from the shot and an immediate headache in my temple right above my eye. I started to get Migraines which became very painful four days after the vaccine. I had to go to the ER because the pain was so bad one day that I almost passed out. It is a much different pain than my normal Migraines my left arm and leg were numb. I have been getting Migraines daily for five weeks now. I have been trying to control my diet and switched medication in an effort to control the Migraines. The medication helps a little if I take it early. I also still get a little of the numbness in the left side of my body. All services provided by insurance company.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1262233	4/27/2021	WA	45	F	4/17/2021	4/17/2021	Dr consult EMS called to assess via 911 Dr visit in person Urgent Care Trouble breathing, dizziness, heart pain, numbness and tingling in extremities, blurred vision, muscle spasms, poor muscle tone, rapid heart rate, drop in blood pressure, elevated heart pressure, trouble talking, brain fog, intestinal upset, cold sweats, tremor, poor coordination, restlessness, fatigue Onset at time of vaccine administration Labeled NOT anaphylaxis
1262222	4/27/2021	TX	35	F	4/21/2021	4/24/2021	I woke up with neck pain on the right side of the back of my neck on Sat 4/24. Thinking I just "slept wrong", I ignored this symptom initially. Over the course of Sunday and Monday, this neck pain worsened culminating in severe pain by Monday afternoon with significant decreased ROM (inability to turn my head from side). At approx 1800, while inactive and sitting, I lost vision in my left eye. Since I am fairly recently post partum (delivered 3/20/21), I took my blood pressure as a precaution. My initial reading was 161/108 with repeat 5min later 156/106. I was instructed to go to the nearest ER. My BPs there were 171/86 and 166/96. Labs and diagnostic imaging were performed and I rec'd IV fluids, Reglan, and IV Tylenol. I was discharged around 0045 with a diagnosis of Migraine Headache. I woke up on Tuesday 4/27 with a worsening headache. My BP was 148/91, 141/100 and 130/100 throughout the morning. I was seen by my chiropractor in an attempt to resolve the neck pain around noon, my BP afterwards was 149/99 142/97-No resolution of headache. At this point I was instructed to go to Medical Facility for further testing and admission to the women's services unit. My BP just prior to admission was 146/107. I was admitted, given an IV infusion of magnesium sulfate and am currently inpatient with plans to be discharged tomorrow.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1263321	4/27/2021	MN	42	M	4/2/2021	4/10/2021	On 4/10 I started feeling tired with muscle aches. A few days later my skin started to hurt. Clothing was uncomfortable when it moved across my skin. Those symptoms lasted about a week. Then as they started to lessen I had some back pain (Sciatic) and a sore throat. Also the muscles behind my eyes were slightly painful and bright lights were uncomfortable. Then about 4/21 most of the symptoms reduced and I was feeling close to normal. Then on 4/22 I was brushing my teeth and noticed that I couldn't spit water like normal. I called my GP doc and she recommended I head to the ER. After thinking about it I also remember on 4/21 while drinking something I had some water squirt out of my lips. At the time I thought I was just being clumsy but in hindsight the muscle weakness in my face started on 4/20. I checked into the ER on 4/22. When I checked into the hospital my facial weakness was very difficult to notice. By the evening of 4/22 it was noticeable if I tried to ?show my teeth? or make a big smile. By the morning of 4/23 it was very noticeable. The morning of 4/24 I couldn't move my lips, nose or eyebrows. My tongue, jaw and throat were not impacted at all. I was started on plasmapheresis on 4/24. I had another treatment on 4/25. I noticed facial weakness was very slightly recovering the evening of 4/25. By 4/27 my facial weakness is still healing with noticeable improvement day to day.
1262177	4/27/2021	IL	34	M	4/27/2021	4/27/2021	PT STARTED TO FEEL DIZZY, AND LSO HAD SOME VISUAL DISTURBANCES. HIS BP AND , OXYGEN AND PULSE WERE NORMAL BP- 128/72, PULSE=73, OXYGEN- 98



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1264400	4/27/2021	RI	20	F	3/20/2021		<p>WORSE ASTHMA; RED SPOTS ON ARMS/LEG/CHEST/CHIN/NECK; CONSTRICTING PUPILS; DILATED PUPILS; SEVERE MIGRAINE; BLACK SPOTS IN VISION; NECK PAIN; LIGHT-HEADEDNESS; NECK WEAKNESS; NAUSEOUS; LIGHT BRUISING ON LEG/ARM; FELT LIKE HIT BY MACK TRUCK; SEVERE ABDOMINAL PAIN; FATIGUE; ALLERGIC REACTION; This spontaneous report received from a patient concerned a 21 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included asthma. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808609, and expiry: unknown) dose was not reported, 1 total administered on 20-MAR-2021 to right arm for prophylactic vaccination. Concomitant medications included omeprazole for abdominal pain. On 20-MAR-2021 two minutes after the vaccination, the patient had allergic reaction started with itching and redness on arms and upper chest. After ten minutes, the patient felt something wrong and consulted onsite EMT(emergency medical technician). Later the redness turned to hives with itchy to burning sensation. The EMT (emergency medical technician) was given intravenous Benadryl to the patient and hives got disappeared and redness remained. On the same day the patient went to the Emergency Room(ER) and stayed around seven hours. Pepcid and prednisone was given to the patient in ER (Emergency Room). The patient experienced chest tightness and warm and again Benadryl administered to the patient. The patient was also given Epipen while going home. On 21-MAR-2021, the patient experienced fatigue. On 22-MAR-2021, the patient had severe abdominal pain with 7-8 on pain scale, the abdominal pain was lasted for 24 hours and went away. The patient has been on Prilosec for the abdominal pain since a month. On 26- MAR-2021, the patient felt like hit by mack truck and fatigue. On 29-MAR-2021, the patient experienced light bruising legs far more easily than usual and had a bruise where she wore watch, but it was not deep bruising. On 05-APR-2021, the patient experienced black spot on vision in both eyes around 18:00-19:00 at night until went to bed, and lasted for 4 days. On 05-APR-2021, the patient experienced lightheaded and motion sickness when sitting or standing still; the patient also</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							had neck pain. The patient's neck weakness was felt like the patient's head was going to fall off. The patient experienced neck weakness about once in a week around 15 minutes and also felt nauseous. On 09-APR-2021, the patient had severe migraine with light and sound sensitivity and had rapidly dilating pupils. The patient administered cocktail of medicine Benadryl, Toradol, and Compazine and this medicines helped the patient little bit with the pain. On 9-APR-2021, the patient experienced trouble reading for 2 days due to the dilatation of the both eyes. On an unspecified date, the patient experienced worse asthma than usual, and red spots on arms, leg, chest, chin, and neck. The spots were darker and shinier than usual. Other treatment medications (dates unspecified) included: Medrol for migraine. The patient had visited emergency room for allergic reaction. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from black spots in vision on 09-APR-2021, constricting pupils, and dilated pupils on 10-APR-2021, and severe abdominal pain on 23-MAR-2021, had not recovered from fatigue, light-headedness, nauseous, neck pain, severe migraine, light bruising on leg/arm, worse asthma, red spots on arms/leg/chest/chin/neck, and neck weakness, and the outcome of allergic reaction and felt like hit by a truck was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210436540-covid-19 vaccine ad26.cov2.s-Allergic reaction. This event(s) is labeled per RSI and is therefore considered potentially related.
1262161	4/27/2021	CA	58	F	3/16/2021	4/19/2021	sore shoulder , tired, light headed, neck pain, shingles on neck, oozing from ears, eyes, mouth, covid toes
1262288	4/27/2021	ME	72	M	2/25/2021	4/23/2021	Branch Retinal Artery occlusion / visual loss

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1263131	4/27/2021	NY	18	M	4/27/2021	4/27/2021	<p>Recipient received dose #2 vaccine today, and almost immediately had response with witnessed seizure-like activity, with posturing, tonic-clonic movement of his upper extremities, and eye movement with lateral nystagmus. Loss of consciousness was noted. Symptoms lasted approximately 15-30 seconds, and patient was placed in a reclined position. He regained consciousness quickly and became pale and diaphoretic. He was normally responsive and answered questions appropriately. Initial BP 74/32, HR 38, SpO2 98%. He drank some Gatorade and had improvement of symptoms gradually over 15-20 minutes. Repeat BP 100/58, HR 78. No past history of seizures. One prior syncopal event after pain response with sports injury. No prior difficulty with dose #1. After recovery, patient reported immediate pain with vaccine administration, then vision went blurry and he lost consciousness. Mother was driving the vehicle, and she witness symptoms as well as nursing staff in the vaccine pod. After recovery, options for further medical evaluation were discussed given complicated vasovagal response with seizure-like activity, mother called pediatrician to see if he could be seen, they recommended ER. Mother chose to drive by personal vehicle, rather than EMS transport. Symptoms were fully resolved and patient was transported to ER for further evaluation by personal vehicle.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1262534	4/27/2021	OH	56	F	4/13/2021	4/13/2021	Prior to administering vaccine, nurse discussed anaphylactic reactions to mango and bee stings. Not a component in vaccine but will monitor for 30 minutes after. discussed risk vs benefit. Answered pt questions and administered vaccine. 11:23am pt reported to nurse tingling sensation around mouth and lump in back of throat. breathing WNL. Administered benadryl at 11:23am with consent of pt. Continued to monitor. 11:45am pulse 85, BP 168/98, respirations 16. Denies SOB. Pt feels sensation in back of neck going up to head. Tightness in throat and compares it to her previous anaphylactic reactions. Notices vision changes. 11:50am pulse 82, strong and steady, BP 158/90. respirations WNL. Discussed epinephrine with pt. pt agreed. administered 0.3 mg 11:52am, called EMS. Continued to monitor pt. 11:59am pulse 88, BP 160/100, respirations WNL denies SOB. Normal pallor. Responding appropriately. Pt stated feeling tired and wants to just close her eyes, "feeling my body react". Continues to complain of lump in throat, itchy eyes. 12:03pm discussed, consented and administered second dose of Epinephrine 0.3mg. EMS arrived, pt still responding appropriately. Pt left via stretcher to ER.
1263187	4/27/2021	NY	25	F	4/4/2021	4/16/2021	Painful headache, dizziness, loss of feeling in right side, numbness in right side, drooping face, blurred vision, shortness of breath

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1263100	4/27/2021	FL	42	F	4/13/2021	4/14/2021	42-year-old female with previous history of chronic/refractory immune thrombocytopenic purpura (ITP). She received the Moderna COVID-19 vaccination on 4/13/2021 and subsequently developed headache, photophobia, diplopia and blurry vision. She had outpatient labs 4/14/2021 with a platelet count of 8000 and presented to the emergency room. She was seen by hematology/oncology and was started on high-dose dexamethasone for 4 days, IVIG x2 doses with an excellent response. Platelet count on discharge was above 200,000. Due to the headache and visual disturbance MRI and MRV was obtained which showed no evidence of cavernous sinus thrombosis however there was a question of idiopathic intracranial hypertension and ophthalmology and neurology was consulted. She had a fundoscopic exam with no evidence of papilledema. Her headache slightly improved with acetaminophen and hydrocodone. The patient was cleared for discharge home by hematology/oncology and will follow up with them in 1 week.
1263085	4/27/2021	TX	34	M	3/29/2021	4/14/2021	SEEN ON 4/16/2021 WITH PROVIDER WITH THE FOLLOWING COMPLAINTS: Pt here for left sided low back pain; he gets it in different spots. Sharp - left mid back , left low back, left hip and left thigh. Does not radiate to foot. Does not cause paraesthesias, numbness, weakness or tingling. No problems urinating, dysuria. The pain started after janssen vaccine along with low grade fever; lasted for 2 days then went away for over 1 week. In fact he drove and hiked 10 miles as well w/o any recurrence of pain. He notes pain restarted 2 days ago. Massage and heat help. Exercising does not worsen. Pain for past 2 days is at a 2 level. No hx of back pain or arthritis. He does have hx of renal stones and cystitis but was cleared last year by his urologist. He has not drunk enough water today and would like to do his cbc on 4/22. He denies any heaches, vision changes, abd pain or leg pain. Most of the time his pain is low back area. It was more intense in the 2 days after vaccine. No hx of blood clots. No chest pain or SOB. No injuries to back. Pain is the same as post vaccine though milder. He denies straining his muscle. No easy bruising or bleeding. kidney stones feel much differently.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1262935	4/27/2021		17	M	4/23/2021	4/23/2021	c/o of blurry vision and light headache which was resolved before medical responders arrived. pt. skipped breakfast this morning. pt. was given bottle of water which he drank with no issues. Denies SOB, itchy with no swelling noted. V/S were stable. BP f130/54, R 17, O2 Sat 98%, HR 71. advised mom to have pt. f/u with PCP if symptoms reoccurred. pt. taken home by mom
1262914	4/27/2021	NY	65	M	4/9/2021	4/10/2021	pt had severe vomiting with red color and an order it. He had massive pain in his leg. Patient had loss of appetite, nausea, and headaches. His eyes were rolling in the back of his head, which this symptom would come and go. He would have hallucinations. On unspecified date Pt woke up screaming the house was on fire and there was a dog by the bed and a person in the closet, talking out of his head. An ambulance came and brought him to ER. Pt coded in the ambulance and brought back. Pt was coherent upon arriving to the ER. He had to be intubated and bagged and died about 15 minutes later. Pt had blood work which was totally out of whack. Family was told they did not understand what had happened to him. The only thing the family could think of that was different was he had recently been vaccinated.
1262912	4/27/2021	MI	63	F	2/5/2021	2/16/2021	Double vision, led to eventual Myasthenia gravis (ocular) diagnosis
1262842	4/27/2021	CT	59	U	3/15/2021	3/17/2021	Two days after being vaccinated I developed floaters in my right eye. This continued for 2-3 days and then my eye sustained a detached retina. I require a emergency surgery to save my vision. A week later I had to have a second surgery to complete the repairs of the detached retina. 6 weeks later vision is not restored to where I was prior to the detachment.
1262688	4/27/2021	VA	64	F	3/12/2021	3/24/2021	Patient was driving on 3/24 when her vision became blurry in her left eye. She saw her eye doctor on 4/21 and was sent to a specialist. On 4/23 she was diagnosed with a blood clot in her left eye. She is to begin eye injections for treatment.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1262596	4/27/2021	FL	50	F	4/8/2021		Feeling numbness, tightness, hotness, warmth, spotting and discoloration in right and alternates to the left leg today. Also started feeling some tightness in the left eye today. Have a Dr appointment but on May 17th and going to urgent care today. Advised to go to HCF instead of urgent just to ensure they can get imaging, US and appropriate testing's to r/o all cause of complications. 4/20-f/u pc to caller; couldn't sleep last night; used a heating pad on her leg but didn't work; states both legs hurt; feel tight; 4/10 pain; worried when also saw spots on her left leg and became concerned because saw news of clots; the episode started with tightness of her right leg which progressed to most of leg as well as left leg. Has not gotten worse today and denies any concomitant effects. Normally healthy. Did not go to the hospital because says she wouldn't be able to afford it. Has appointment with primary care in 2 weeks. rec'd that since she is still ok today then it's likely ok to skip the ER and go see MD as planned; warned to go to the ER right away or dial 911 if any of the following effects: sudden shortness of breath, severe headache, vision changes, loss of motor or/sensory function, chest pain. Call us back if having any effects at all besides the ones already noted so we may help determine if needs ER care.
1262574	4/27/2021		25	F	4/27/2021	4/27/2021	Patient received Pfizer Covid Vaccine Dose 2 (LOT EW0175 EXP 08/2021). Patient was in post-vaccination observation area sitting in chair when she began to feel dizzy and lightheaded. She fell from chair to floor. Both HMs assigned to observation area stated they heard impact to the floor and other patient sitting in area witnessed patient hitting head on the floor. Nurse was notified at 0743 by HM and nurse responded. When nurse arrived, patient had eyes closed but immediately opened eyes with contact. Nurse was notified of fall and that she lost consciousness for about 30 seconds upon syncope episode. Code was called at 0745. Vitals taken (BP 94/65, HR 80, RR 16, 92 BG). Patient continued talk and stated she had nothing to eat this morning and has a known history of syncope/vasovagal with vaccinations and blood work. Code team arrived at 0747 and Code secured at 0751. Patient was escorted by code Team to Emergency Department for further evaluation.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1263257	4/27/2021	MI	38	M	3/26/2021	3/27/2021	Chills, Muscle Spasms, Shortness of Breath, Fever, Sweating, Joint Pain, Muscle Aches, Severe Headache. Symptoms resolved within 24hrs except headache and fatigue. Headaches continue and new symptoms have emerged. Acute severe head pain, dizziness, mental confusion, difficulty speaking and visual affects of stars, dark spots and difficulty focusing.
1262540	4/27/2021	VA	55	F	3/7/2021	3/19/2021	blood clot in my left eye, swelling of the eye and under the eye. headaches at the base of my skull so bad nothing helped. Joint pain so bad I couldn't walk for 2 days.
1258113	4/26/2021	TX	16	F	4/24/2021	4/24/2021	Received first dose of Pfizer , within 1 minute fathe noted she "passed out". Called staff to car ad observed pt with clonic/tonic movement of hands, eyes closed, respirations slowed but even pulse approx 58/min. Responded to verbal Stimuli. Said she felt failt, lips pale, skin clammy. 911 called had additional same incident 9 minutes later. Transferred pt to medical facility by ems after 2nd episode .
1257831	4/26/2021	IL	61	F	4/15/2021	4/20/2021	On 4/20/2021 client states she began having headaches, leg burning sensations, right eye swelling. Contacted our website and I called and spoke to her. She states eye swelling still present on 4/23/21.
1257883	4/26/2021		41	F	3/14/2021	3/17/2021	Developed itching and hives 2-3 days later. 1 week later developed swelling around eyes and involving lips



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1257995	4/26/2021	NJ	36	F	4/20/2021	4/20/2021	Had vaccine, first feeling the cold, and stayed on the couch. Then a burning sensation was felt in her legs and throughout her body. She felt hot/burning sensation. She took off her clothes as she had that sensation to feel more comfortable as she felt the clothes felt like pins and needles. Then she had problems falling to sleep. Her arm was hurting as well, and then had a mild headache. She woke up early around 5:00 AM, and her arm was hurting to the point that she could lift it. She had pain in the muscles of her legs, thighs, calf and then her stomach started aching, and her whole body was aching. The arm was still unable to move, headache, and stayed in the bed all day, was very very tired as well. The next day she felt so tired, stayed in bed, body aches, headache, and then she started noticing her vision was going. Very very blurry vision on 4/21/21, and sensation to the light. She was this way all day Wednesday and still problems on the light. On 4/23/21, she was still tired, her arm was not hurting as much. When she woke up her extremities were shaky. Today her arms are shaking, her vision was tweeking and she could feel it, and also the headaches. She called her doctor on the 24th, and told him her symptoms. Her vision is bad to the point that she cannot use her phone as she cannot see, focus well and has blurry vision. Yesterday at 4:00 Am she went to the hospital and they kept her over night. They ran blood work, then they took an MRI of her brain, head MRI, and did not see anything of concern and told her to FU with a Neurologist. to have further tests done but as she is pregnant (5-6) weeks they would probably have to wait. Some of her side effects are still there, but has nausea and feels that her vision continues to be bad, and daily she wakes up and is worsening. She has slight dizziness, and headaches, and feeling shaky. She has not seen her doctor as far as her pregnancy yet, but has an APT on 6/10/21. She has an APT to see her PCP on Friday, 4/30/21 at 9:00 AM.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1258002	4/26/2021		16	M	4/19/2021	4/19/2021	Syncopal episode after receiving covid vaccine. He became acutely lightheaded, describes tunneling of his vision, then his head rolled back and his eyes fluttered. Event was witnessed by his mother. Did not fall to ground. No injury. Taken to ER no further care required and symptoms resolved. Has happened before with blood draws and other vaccinations.
1258006	4/26/2021		19	F	4/2/2021	4/2/2021	During observation, member stated that she could not see and was getting hot. Started to talk and could not speak and her eyes began rolling to the back of her head. ADULT EMERGENCY CALLED. Pt assisted to wheelchair, member still unresponsive, unable to talk, blinking her eyes with eyes rolling back. Placed on stretcher. BP 126/96 HR 100 SPO2 100. EMS arrived and transported patient to hospital for further eval.
1258030	4/26/2021		88	F	4/3/2021	4/3/2021	Syncopal episode, eyes rolled back, extremely diaphoretic and not completely out. CODE EMERGENCY CALLED. 911 also called due to hx of lung ca with mets.
1258104	4/26/2021		51	M	4/11/2021	4/18/2021	patient having reaction to pfizer shot given on april 11th. patient states symptoms from numbness to extremities, shortness of breath, sores on lip, headache, yellow eyes, weakness. on 4/25 Overnight he felt very "hot", like he was breaking a fever, but was not febrile per vital signs. He sweated and then noticed bubbling of his skin on both hands and feet and then those bubbles popped and his skin is peeling now.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1258564	4/26/2021	NY	51	M	3/24/2021	3/26/2021	<p>State opened Covid vaccines to 50 and over on Mon, March 22. I immediately scheduled my appointment for a first shot at a Dept of Health site near me for Wed, March 24. I had no immediate negative side effects. When I woke on Fri, March 26 and commenced my day of remote work from home, I noticed my left eye vision was blurry. I proceeded to work that day and continued my normal activities into the weekend assuming my vision would self-correct. By Sunday, March 26, my left eye vision was still noticeably problematic so I scheduled to see an optometrist whom I had seen before. I saw him at 12:15pm on Tues, March 30. After running numerous vision tests, optometrist let me know my vision loss in the left eye seemed to be the result of a stroke that had cut blood flow in the optic nerve and damaged my vision in the lower portions of the left eye. The center and upper portions of my left eye were generally unaffected at that time. He suggested I see my primary care physician to check for vitals, such as blood pressure and do other blood work, and more importantly see a neuro ophthalmologist urgently. The next morning, Wed, March 31 I saw my PCP, who informed me my blood pressure was normal, requested blood work, and gave me a prescription for an MRI of my brain, with and without contrast. I am 6'2" and I weighed at 239, about where it has been for most of last 15 years. I also complained of pain and stiffness in my front right thigh and lower right back. She said if I didn't get an appointment to see a neuro ophthalmologist that same afternoon, she recommended I go to an ER. With the help of Optometrist's office, I was able to get an appointment that day with Dr., neuro ophthalmologist at 2:15pm on Wed, March 31. His office repeated numerous vision tests and confirmed the left eye vision loss (essentially the lower half excluding the center) and diagnosed it as a NAION - non arthritic ischemic optic neuropathy. With this diagnosis, there was no treatment, and I scheduled a follow-up for May 12. He said that my optic nerve into my left eye would slowly reduce its swelling over the next 6 to 8 weeks and in that time, my vision could remain the same, or improve. At that point, I didn't think it would worsen, but sadly that later happened. In addition to the the first MRI that PCP prescribed, Neuro ophthalmologist prescribed a second MRI of orbits, with and without contrast. He also</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

suggested I begin taking a low dose Aspirin daily, which I did. The next week, the blood work revealed a very slightly elevated cholesterol reading. I was told by my PCP on April 5 that this would normally not be considered as a problematic level of high cholesterol, but should be improved or lowered. The blood tests taken at Lab on Fri, April 2 revealed a LDL Chol, Calculated as 111, whereby <100 was considered desirable range. Other than that, there was nothing of concern in my blood work. The two MRIs were done on April 9 and April 20, and did not reveal findings which doctors felt would have impacted my optic nerve swelling or had caused the eye stroke. Out of precaution, I scheduled to see a cardiologist on Tues, April 13. She recommended I start taking Crestor for cholesterol, and do a series of tests which I completed on Friday, April 23 - echocardiogram; holter monitor; transesophageal echocardiogram; and ultrasound carotid bilateral. As of today, Mon, April 26 I do not know the results of the cardio work-up, but both neuro ophthalmologists I saw felt that a problem related to my heart would not have caused this stroke in my eye. Finally, on Fri, April 23 I had a consultation with a second highly recommended neuro ophthalmologist. After a series of vision tests, she agreed with other doctor's diagnosis of NAION - non arthritic ischemic optic neuropathy. She also said there was nothing I could do to treat except wait for the next 4 or more weeks for the optic nerve swelling to go down. She also confirmed my fear which was that my left eye vision had worsened since March 31 as my vision loss was no longer limited to the lower portion of my left eye, but now included blind spots throughout the upper range of my left eye vision, making my loss of peripheral vision worse and more widespread. She said in some cases with NAION, a patient's vision could remain the same, could improve or could worsen in the 6 to 8 weeks after the event. Four weeks after the March 26 event, by April 23 my left eye vision had worsened. I still hold out hope that it can improve some in the next four weeks... My right eye vision was not affected in any way, although one risk of NAION is that there is a 20% (?) chance it may recur in the next 5 years, and if it does, it most commonly affects the other, good eye. None of the doctors I saw directly attributed my vision loss to the Moderna vaccine taken on March 24; however, there has also not been a clear

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							cause determined by my doctors. While most of the doctors I saw seemed to think it coincidental, none also was able to absolutely rule it out either as a cause or a trigger. Dr. suggested I follow through with this idea, which other medical professionals suggested, to submit this vaccine adverse event report. Without a doubt, this was an adverse effect and/or problem that occurred soon after (36 hours approximately) taking the first dose of the Moderna vaccine.
1258196	4/26/2021	VA	33	F	4/1/2021	4/17/2021	Patient developed blurry vision and headaches 16 days after her vaccine. went to the ER a week later and was diagnosed with Optic Neuritis via CT imaging
1257786	4/26/2021	KY	75	M	2/19/2021	3/25/2021	Droopiness of the right eyelid - possibly myasthenia gravis ocular type
1257653	4/26/2021	NH	60	M	2/24/2021	4/26/2021	Large swelling in and around my left armpit with soreness. Appears to look like a lump under my left armpit with veins visible with the eye. Swelling appeared after within 36 hours of receiving the 2nd Pfizer Covid-19 vaccination shot.
1257362	4/26/2021	NY	68	F	3/2/2021	3/2/2021	The one that began on 3/2/2021 and continues non-stop is a headache with head pressure 24 hours per day, 7 days per week. Now, I was diagnosed with Shingles on 4/14/2021. Starting at 8:30 PM on 3/2/2021, I had dizzy spells that subsided on 4/14/21. I also had groin pain which lasted until recently. Other symptoms on 3/2/2021 which lasted a few days were: high temperature, intense arm pain at injection site, teeth hurt, neck hurt, sinus pain & pressure, ear pressure, chills, intense nausea, leg pains especially of right leg on which I could not put pressure or weight, balance issues, exhaustion, rash on face & around eyes, across nose & on cheeks
1258080	4/26/2021		80	F	2/24/2021	3/30/2021	Severe eye pain requiring prednisolone eye drops, per patient could have resulted in vision loss. One eye only.
1257709	4/26/2021	FL	59	M	4/18/2021	4/21/2021	Started not feeling well on Wednesday, April 21st. Have gotten worse and have had a fever (100) for the last 2 days. Body aches, head ache, congestion, burning eyes.
1257704	4/26/2021	IN	39	M	4/24/2021	4/25/2021	Dizziness, coughing, mild headache, and pain behind eyes - took Tylenol Daytime Cold Tablets twice during day - 4/25/21

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1257695	4/26/2021	OH	41	M	3/19/2021	4/5/2021	Shingles in eye
1257692	4/26/2021	GA	45	M	4/12/2021	4/24/2021	I haven?t had a headache for years until this weekend. Sore and achey around and behind left eye and left forehead.
1257674	4/26/2021	CA	29	F	4/25/2021	4/25/2021	Site: Itching at Injection Site-Mild, Systemic: Allergic: Anaphylaxis-Mild, Systemic: Allergic: Difficulty Breathing-Mild, Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Mild, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild
1257375	4/26/2021	IN	24	F	4/4/2021	4/6/2021	Runny Nose Sneezing Watery eyes
1257661	4/26/2021	NY	34	F	4/22/2021	4/22/2021	around 2 hours after the shot I developed a headache. I suffer from chronic migraines but this way way more intense than my normal ones. the pain was all over my head, I had vision changes being very blurry and cloudy. the pain shot all the way down my neck. i had to go to urgent care expecting to get a toradol shot and go home. instead was sent via ambulance to the ER in fear i may have had a bleed. i ended up in the ER on saturday 4/24/21. they never gave me a CAT scan i was sent over there for. instead made me sit there for 2 hours in room before being seen. then came in said here's some meds and made me wait another 2 hours. i was discharged faster than it took them to take my copay for the visit! so for having a blinding headache for 2 days they didnt take it very seriously. on top of the headache i had sever muscle and joint pain to the point i couldnt move. i couldnt keep food down either.
1257628	4/26/2021	MD	62	F	4/14/2021	4/15/2021	Fever 101.4 x6 hours Headache Light headed and unsteady Fatigue All over muscle soreness and fatigue Bone pain at elbows Achy eyes Brain fog
1257619	4/26/2021	DC	25	F	4/23/2021	4/23/2021	Systemic: Allergic: Difficulty Breathing-Mild, Systemic: Allergic: Itch (specify: facial area, extremities)-Mild, Systemic: Chest Tightness / Heaviness / Pain-Mild, Systemic: Visual Changes/Disturbances-Mild, Additional Details: Patient said that she feels chest tightness(mild), sweating, blurred vision (mild) light headed.\r\nPatient on Amphetamine 15 and 30mg

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1257407	4/26/2021	TX	44	M	4/25/2021	4/25/2021	Rash on face, in ear ,arms,,soreness on left shoulder ,headache,,itch in eyes,,pain on left hand ,,fatigue,,
1257390	4/26/2021	NY	31	M	4/24/2021	4/24/2021	Fever around 100.7 for more than 24 hours, puffy and swollen eyes and splitting headache
1257388	4/26/2021	HI	59	F	3/3/2021	4/3/2021	3/3/21 2nd shot 3/25/21 started a cough and runny nose, asked Dr. for cough medication due to chronic coughing causing rib pain 4/3/21 woke up with both ears plugged. Called Dr and over the phone he said it sounds like an allergy which caused blocked eustachian tube and prescribed nasal spray and allergy medication with instruction to immediately stop blowing my nose. 4/19/21 left ear worse and could barely hear anything at work so drove to Urgent Care to get it looked at. Dr. there said since there is liquid behind the ears it is Acute serous Otitis and to continue taking the meds my Dr. prescribed. 4/25/21 L ear is no better and unable to hear from it, today woke up with R ear getting plugged. Also, before the hearing problem, I woke up with a rash on the entire front of my neck that itched, lasted for a week with minimal rash around my eyes and ear area.
1258700	4/26/2021	TX	18	M	4/26/2021	4/26/2021	Patient received his first dose of Pfizer vaccine and waited 15 minutes in the observation area. Upon rising from chair, patient reported feeling dizzy and faint. Patient called for assistance. Patient reported feeling hot and sweaty and being unable to hear and see correctly. Pulse and SpO2 were taken, Pulse was initially 54 bpm and rose to 68 bpm after drinking water. SpO2 was 94-95% RA. Patient refused EMS. Patient reported feeling better after about 20 minutes. Hearing and vision improved. Patient remained in observation area for another 20 minutes before leaving in stable condition.
1258647	4/26/2021	GA	51	F	3/26/2021	4/9/2021	04/19/2021 - 2 weeks post vaccine severe left sided headache and left sided visual disturbances - no previous history of migraines/ocular migraines
1257666	4/26/2021	CA	29	F	4/25/2021	4/25/2021	Systemic: Allergic: Anaphylaxis-Mild, Systemic: Allergic: Difficulty Breathing-Mild, Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Mild, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1260371	4/26/2021	CA	62	M	4/1/2021	4/10/2021	Patient states he received J&J vaccine on 4/1; on 4/10 he had nonradiating persistent low back pain. A few days after that (on 4/13) he felt numbness and pain in his legs, in addition to ?decreased sensation in his inner thighs. These sensations were migratory and intermittent. Also noted in his upper extremities as well. He also had issues with temperature sensation in his lower extremities. On 4/14 he had slight haziness in vision while driving which resolved after 30-60min and has not recurred. He also had slight difficulty walking. On 4/15 he had an appointment with his PMD; had L-spine XR which revealed moderate lower lumbar facet arthritis, and was thought that change in sensation was likely d/t radiculopathy - was prescribed ibuprofen, muscle relaxant, oxycodone (took oxy x1, ibuprofen for a few days). Since then he has also had intermittent stabbing pains in various parts of his body which resolved spontaneously. On 4/17-4/18 his back pain resolved. On 4/18 at 4:30am he woke up with R-sided facial weakness. He has not had focal weakness aside from the face. Was seen in ED that morning for this R-sided facial droop involving the forehead, diagnosed with Bell's palsy and given prednisone/valacyclovir. Yesterday 4/19 around mid-day he started having L-sided facial weakness and slurred speech. This has progressed since yesterday. Reports ability to swallow, though a little difficult d/t cheek weakness. Low back pain has returned as well. Does report constipation and possible poor bladder emptying for the last few days. He was seen by a Doctor and referred to ED to rule out AIDP and other diseases after J&J vaccine.
1258765	4/26/2021	FL	73	F	3/25/2021	3/25/2021	I started feeling faintly, experienced headaches, flashing blackness in my eyes and head. I also had blurry vision , extreme fatigue, nausea and diarrhea. I sat down for 10 minutes to be monitored and then I went home. To this day I still have headaches that come and go and I have no energy whatsoever and still have nausea that comes and goes.
1258447	4/26/2021	NC	41	M	4/8/2021	4/24/2021	patient reported acute onset of left sided weakness with associated left visual field deficit with left sided lateral hemianopsia.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1260758	4/26/2021	VA	22	F	4/12/2021	4/24/2021	Nose bleed at work 12 days post vaccine, never had a nose bleed before in my life. Pain in left shoulder and right leg on day 11. Persistent headache for two days. Occasional light-headedness, blurred vision, slow cognitive abilities for 2 days since nose bleed.
1260524	4/26/2021	UT	33	F	4/7/2021	4/9/2021	04/07/2021 fatigue, low grade fever. 04/8/2021-04/14/2021 pain in injection site, fatigue, lack of interest, confusion, vision troubles, trouble understanding, nausea, dyslexia, dizziness, lightheaded, feeling of impending doom, increased anxiety, headaches, body aches, leg pain, numbness, tingling, arm pain and numbness, face numbness. 04/14/2021 Severe headache with other symptoms described. ER visit helped severe headache. Fatigue, leg pain, confusion and oversleeping continues. Unable to wake up in the morning, consistently late to work or unable to work. Unmotivated, careless, lack of interest, unable to concentrate or function for normal daily activities. Constant Fog, repetitive headaches. Memory issues and unable to complete familiar job duties and other activities. I feel as if something broke in my brain, I just want to be me again. So far little improvement and symptoms getting worse i am afraid this will be permanent.
1259979	4/26/2021	TX	50	F	3/23/2021	4/26/2021	Pt called the office reporting injection site pain, headache, and right eye redness. Started with the red eye then injection site arm hurting/pain, and headache. Pt was told to go to her PCP and/or the emergency room to be seen and treatment.
1259758	4/26/2021	TX	16	F	4/23/2021	4/23/2021	Friday : soreness at injection site,3 hours later severe migraines; fatigue Saturday - severe migraines, fatigue Sunday,- Vomiting, severe migraines, joint aches Monday - awoke with swollen face - centered around eyes and cheeks area, achy headaches, fatigue - went to ER and received Steroid shot.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1259719	4/26/2021	IN	16	F	4/26/2021	4/26/2021	After RN administered vaccine she spoke to my daughter for some time afterwards 5-6 minutes and my daughter was fine answering her questions and just visiting with her. She directed us to the table to schedule her second vaccine which was directly in front of us. We went to this table and spoke with two other ladies choosing a date and time and she was also fine talking with them and answering questions of eat time offered and then suddenly she went straight back with warning passed completely out and struck the back of her head on the concrete floor. EMS and RN?s who were there went to her aid immediately and she was unconscious for a little over a minute. They initially couldn?t get her to respond and finally she came to and had no idea what happened and no recollection of falling. She had blurred vision and bleeding a bit from the back of her head and they wanted her to have CT of her head after hitting it that hard. They took her by ambulance to hospital and they assessed her and ordered a CT. The CT thankfully came back clear and she has follow up appointment with concussion doctor first thing in the morning. On discharge she was describing her pain from hitting head a 7/10 It was very scary and everyone around us was visibly upset as well. She has never fainted or had a reaction to any other shot, vaccine or needle before today so that was a very unusual reaction.
1259691	4/26/2021	PA	42	F	3/22/2021	3/28/2021	6 days after shot, I got what seemed like an Aura migraine, unable to see well out the front of my eyes, sides of my eyes had lights and line of geometric patterns. No pain in my head at this time. Lasted for 1-2 hours. For the next 2 weeks, I had light sensitivity and felt light headed on and off throughout the day with some fatigue. I had a headache a few times.
1259688	4/26/2021	OR	17	M	4/20/2021	4/20/2021	bp 128/76 pt w syncope 5 mins into monitoring. hit head on front left. monitored for s/sx of concussion. denies blurred vision head ache. monitored for 15mins post fall 09:07 am pt c/o blurring in right eye peripheral vision pt to check with pcp if symptoms continue or worsen.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1259663	4/26/2021	NJ	72	F	3/30/2021	4/6/2021	Loss of vision in lower right quadrant of left eye. Swelling of optical disc observed by ophthalmologist, retinal specialist,, neuro-ophthalmologist. Patient presented at ER on April 14,2021 with above vision loss and pain in left ear and was later admitted. Was seen by neurology and vascular surgeons, who desired to biopsy the temporal artery (patient refused). CT scan, MRI and spinal tap were performed. Patient treated with IV steroid (1000 mg in 50 mL drip) daily for 5 days. Patient was released on April 20, 2021. Follow up visit with Dr on April 23, 2021. Further follow up with neurology pending.
1259619	4/26/2021	MD	16	M	4/26/2021	4/26/2021	Within 10 secs after injection patient said his body started having some adverse reaction. He said he didn't say anything until his eyes were black and couldn't see then he said he didn't feel so good. The color drained from his body and he went limp. Luckily a nearby paramedic caught him and he was wheeled to a recovery room to be monitored. Patient felt better after 15 Mins but it was so scary. We didn't expect any reactions as hes gotten all of his immunizations and never had any reactions. I was really traumatized by this whole event. The staff there were very nice and helpful and helped us ease thru his recovery. I wanted to report this incident so that way you have a log of adverse side affects from getting the vaccine. I hope the 2nd shot will be ok.... I'm very scared at this point. TBD
1259569	4/26/2021	IL	44	F	3/9/2021	3/19/2021	I went to the ER because I was having Ocular problems. Ten days after the vaccine on 01//19/2021 my vision became blurry. It was a feeling of trying to see under water. My distance vision was not as effected. It lasted a two hours and then it went away. I went to an Ophthalmologist, but it happened again two weeks later on, 4/02/2021 and my vision became blurred. This time it was blurred and almost like double vision. I was scheduled an MRI and my blood work.
1259559	4/26/2021	VA	17	F	4/23/2021	4/26/2021	After only an hour outside in low 60s weather, I had felt symptoms similar to heat exhaustion. My vision got extremely spotty, and couldn't see much. There was a loud ringing in my ears and everything else sounded muffled. I felt dizzy and my skin felt like tissue paper. It faded after I went inside and got water. However, I still have a headache, 6 hours later.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1259470	4/26/2021	FL	17	M	4/26/2021	4/26/2021	After I administered the vaccine, patient said to his mother "that was it", he also told his friend on the mobile that he just got the injection, then he said "I feel dizzy", I said "are you serious?" He said "Yes" and he just went out of consciousness in his mother's arm. I shout "call 911" and held his head which tilt backwards with eyes rolling back. together with his mother we lowered him to the floor and I supported his head at all times; as he was flat on the floor, he raised his own head and regained consciousness. Both mother and I tried to talk to him and keep him awake when he closed his eyes, he was laying on the floor flat and talking until EMT arrived at 16:42. EMT pulled him off the floor and took him to the ambulance.
1258916	4/26/2021	TX	65	M	4/10/2021	4/25/2021	On Saturday April 24, 2021, I began experiencing severe headaches, eyeball pain, light-headiness, weakness and lack of energy, pain at the injection site and flu like symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1260530	4/26/2021	OH	49	F	4/6/2021	4/6/2021	<p>The adverse reactions of light headedness, throat irritation, heaviness in my chest and difficulty inhaling began about 20 min after my injection, It lasted 5 minutes. About 30 min afterwards the 2nd wave of reaction came on, with the same symptoms but was even harder to inhale and lasted twice as long. I took a combination of benadryl, motrin and pepcid which alleviated the worst of the symptoms after about an hour. To this day, I still cannot take a deep breath in. About 72 hours after the vaccine I began to have diarrhea (and still have it 20 days later), lethargy, nausea and shortness of breath. The next day I had a little more energy, but still had continued shortness of breath. My vision had become less clear and my thought process a bit fuzzy. This is still happening today. Seven days after the vaccine, I suddenly became extremely light headed just simply walking. To the extent that I needed to sit or lay down before I began to pass out. After the light headedness came on heavily, I also noticed a very heavy weight on my upper chest and found it quite difficult to inhale. These moments would come and go throughout the day. Regardless of whether I was just sitting and relaxing or walking around. These symptoms would last anywhere from a couple minutes to a couple of hours. I found it very hard to catch my breath and could feel my heart flushing often. Additionally I would wake in the middle of the night feeling that I needed to gasp for air. I sought medical assistance from a clinic, an ER and even my allergist and I am scheduled to see my family physician later this week. I am not an anxious person, but have experienced many episodes in the last 20 days that have truly made me feel that I was going to die (no exaggeration!) due to the inability to breathe or that I may have been having a heart attack. I began to have chest pain that would travel from the center of my chest to my left shoulder. The pain also would move to my right lung area. During this I also had heaviness in my chest and felt I could not breathe in or out easily. I am still very light headed and have difficulty walking very far without taking a break because I feel I cannot catch my breath. I still have all of the same symptoms that I experienced 20 minutes after my vaccine. These symptoms have varied in intensity. I have often commented to my family that I feel the symptoms of the chest heaviness and heart flushing seem to come in waves. I am a health conscious</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							person and have never had poor health in my life. The events in the last few weeks have definitely taught me how terrible life must be for those who chronically suffer from heart or lung issues. I am still currently battling these symptoms, however, the last few days seem the symptoms have often been less severe.
1259416	4/26/2021	CA	57	F	3/7/2021	3/19/2021	Approx. March 19, I started having headaches under right eyebrow and begin to take some Advil. After a couple weeks of no sign of improvement, I contacted my PCP and she recommended a frontal xray which came back clear. I also started getting headaches in the back of my head, more of a throbbing and they have continued for weeks. On 4/16 I started taking a baby aspirin and still the headaches seem to come and go. I have never really had headaches, I consume lots of water regularly, so no chance of dehydration, am postmenopausal, but this seemed like a potential side-effect from the vaccine, so thought I'd pass along this info.
1258770	4/26/2021		16	F	4/22/2021	4/22/2021	Intense headache for 2 days 102 degree fever for 2 days light sensitivity for 2 days fatigue, nausea, and body aches for 2 days treatment: 500 mg acetaminophen every 6 hours while headache lasted, cold washcloth on forehead and eyes, lots of sleep and water
1258879	4/26/2021	FL	67	F	4/12/2021	4/26/2021	PATIENT CALLED TODAY AND SPOKE WITH PHARMACIST AND TOLD THAT SHE HAVE RIGHT SIDE OF HEAD IS NUMB. PAIN IN CHEEKBONE. EYES ARE SWALLON. PHARMACIST TOLD HER TO SEE HER PRIMAMARY DOCTOR AND CHECK OUT THESE SYMPTOMS.
1258921	4/26/2021	MO	27	F	4/9/2021	4/21/2021	I've developed a tic on my left eye that makes my eye keep closing about twenty times in a minute. A few days later it spread to my right eye and now sometimes I cannot see because my eyes want to close at almost all points in time. This started about a week to ten days after I received the vaccine. Currently did no treatment, and it is ongoing.
1258955	4/26/2021		34	F	4/4/2021	4/25/2021	Watery eyes, runny nose. Allergy like symptoms but typically don't have allergies. Also don't feel like I have cold.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1258972	4/26/2021	CA	47	M	4/7/2021	4/22/2021	Hospitalist Discharge Summary Admission date/time Apr 23, 2021 at 00:19 Discharge date: Apr 26, 2021 Hospital course 47M pmh DMII, HTN, HLD, L basal ganglia stroke, pw right-sided weakness, gait imbalance, double vision and slurred speech beginning at 2:00 p.m. 4/22. on admission, double vision resolved; slurred speech, headache and right-sided weakness imbalance gait remain. 4/23am pt developed L pupil dilation and lethargy, MRI brain demonstrating acute stroke, allow permissive htn treat for sbp>220mmhg or DBP >120mmhg, cont asa/statin; US carotid nonacute/benign; TTE pending; ST/PT/OT. Tele benign. 4/24 BPs remain elevated, allow permissive htn to standards <220/120; cont st/pt/ot, a little improved participation today po intake etc. 4/25 cont to improve slowly, will be good candidate. cont allow permissive htn, no events on tele, cont asa/statin for significant stroke, add plavix. 4/26 pt cont improve clinically, BP stabilizing still permissive htn, recommend start home BP meds within 2-3 days once out of acute phase, pt accepted today, TTE benign doppler benign, but doesn't seem like bubble study done, recommend repeat as outpatient to ensure no positive bubble defer to pt's pcp f/u. double vision persists, pt currently w eye patch relief, recommend outpatient ophtho follow up closely after or during time. cont asa/plavix/statin, then transition to asa/statin as rx per guidelines. no afib on tele, consider zio patch on d/c to ensure no afib in young patient w x2 stroke. recommend hypercoag workup outpatient. Acute stroke, L lacunar - asa/plavix/statin -permissive htn -tele -PT/OT/ST -TTE benign, nml ef, no bobble done? -repeat tte outpatient w bubble to ensure no R>L shunt -US carotid nonacute - MRI Brain 4/23 1. Focal patchy restricted diffusion and FLAIR signal hyperintensity in the left medial thalamus/rostral midbrain compatible with acute lacunar type ischemic infarct. 2. No significant intracranial mass effect, midline shift or extra-axial collection. 3. Chronic left basal ganglia infarct approximating the anterior limb of the left internal capsule involving the head of the left caudate nucleus.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1259250	4/26/2021	MN	80	F	3/15/2021	3/15/2021	March 15, 2021 admitted Hoppital - lost vision in right eye due to blood clot retinal artery occlusion March 15 & 16 CT scan, Blood work, chest X-ray, mri March 16 discharged from Hospital March 17 Retina Center - . March 22 Clinic - March 29 Neuroscience Specialty Clinic - ecocardiogram and ACT monitor for 30 days April 19 Retina Center -
1259139	4/26/2021	FL	51	M	3/26/2021	3/26/2021	Fever, sweats, chills, headache, burning eyes, loss of taste were expected side effects. Was admitted to the ICU on 3/27/2021 with heart failure. Felt fine before the shot.
1259170	4/26/2021	NJ	47	F	4/7/2021	4/10/2021	Persistent severe headache along with blurred vision. The headache has not resolved since a few days after getting the vaccine.
1259187	4/26/2021	MN	80	F	3/15/2021	3/15/2021	March 15, 2021 admitted Hoppital - lost vision in right eye due to blood clot retinal artery occlusion March 15 & 16 CT scan, Blood work, chest X-ray, mri March 16 discharged from Hospital March 17 Retina Center March 22 Clinic March 29 Neuroscience Clinic - ecocardiogram and ACT monitor for 30 days April 19 Retina Center
1259216	4/26/2021	MN	80	F	3/15/2021	3/15/2021	March 15, 2021 admitted Hoppital - lost vision in right eye due to blood clot retinal artery occlusion March 15 & 16 CT scan, Blood work, chest X-ray, mri March 16 discharged from Hospital March 17 Retina Center - March 22 Clinic - March 29 Neuroscience Specialty Clinic - ecocardiogram and ACT monitor for 30 days April 19 Retina Center -
1258978	4/26/2021	IL	45	F	4/3/2021	4/5/2021	Crushing headaches, dizziness, blurred vision, confusion, anxiety. Muscle pain and stiffness, heart palpitations, loss of coordination. Sinus and jaw pain.
1259365	4/26/2021	KY	52	F	3/31/2021	4/14/2021	Rash covering chest, neck and face. Also swelling of face and around eyes. Started on 4/14 was still present when I visited doctor on 4/23 and was placed on Benadryl. Finally started going away 4/25. Still have rash and swelling if Benadryl wears off



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254720	4/25/2021	FL	25	M	4/7/2021	4/7/2021	Temporary hearing loss; ringing of the ears; Extreme cold sweats; Blurred vision; This is a spontaneous report from a non-contactable consumer for a 25-years-old male patient received bnt162b2 (BNT162B2), dose 1 via an unspecified route of administration, administered in right arm on 07Apr2021 14:00 (Batch/Lot Number: EP7533) as SINGLE DOSE for covid-19 immunisation. Medical history included Covid-19 (Covid prior vaccination: Yes). Concomitant medications included sulfamethoxazole, trimethoprim. The patient previously took a tetanus booster on left arm. The patient had a Covid prior vaccination and not Covid tested post vaccination. On 07Apr2021 at 14:00, the patient experienced temporary hearing loss, ringing of the ears, extreme cold sweats, and blurred vision. The patient did not receive treatment for the events. The outcome of events was recovered on 07Apr2021. No follow up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254717	4/25/2021		36	M	3/23/2021	3/23/2021	Tingling all over his body; body tingles; May have lost weight; Wheezing sound whenever he breathes; Feeling numb; Feeling weak; no energy; Hands are shaking; Electrolytes were out of whack; electrolytes were too low; Phosphorus level was too low; Throwing up; vomiting; Vertigo; head was spinning; looked like the building was going up and down; vision was spinning; Fell three times; Face pale yellowish; Feel like going to pass out; Nausea; Felt there is pinching on left side of his chest; Heavy sweating (sweating all over his body); Head felt heavier; head was heavy in the front side of his head, not in the back; Feeling hot; 99.9 degrees body temperature; pre fever; Head felt a little dizzy; no control to his body like he was going to faint; Arm soreness; sore arm; Headache; it is only a little bit of pain; frontal headache; head is hurting; This is a spontaneous report from a contactable consumer (patient). A 36-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Lot Number was unclear and reported as either ER8727 or ED8727), via an unspecified route of administration, on 23Mar2021, at a single dose, for COVID-19 immunization. The patient's medical history included asthma. The patient's concomitant medication included an unspecified inhaler. The patient was healthy. He has asthma, but other than that he has no health issues. He has never been hospitalized. The patient was calling to share his side effects after receiving the vaccine. He took the vaccine because it has been recommended. Most importantly, he took it for his elderly parents. He does not want to hurt them. He wants to help the community. The pharmacist told him he needed to call and report, so he googled Pfizer's phone number. On Tuesday (23Mar2021), the patient received his first dose of the COVID-19 vaccine. At first, he felt nothing. The patient's head felt a little dizzy (clarifies that it is a heavy feeling) and had a little bit of arm soreness at night (resolved about a day and a half later), but he could not complain. When the patient had the first dose, he experienced headache and sore arm the night on 23Mar2021. After the first dose, his head felt nothing like the day he went to the emergency room. He would say it was maybe 10% of the day he went to the emergency room. The next day (24Mar2021) in the morning, the patient experienced heavy sweating (sweating all over his body), feeling hot, headache, 99.9 degrees (also

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

reported as 9.8) body temperature, and more pain on the arm. On the morning of 24Mar2021, the patient's head felt heavier. He heard people get chills, he did not get chills. He checked his temperature and it was 99.9 degrees. The patient considers that a pre fever, anything over 100 degrees is a fever to him. Sweating all over his body has gotten better. But it comes back from time to time, along with tingling all over his body (unspecified date). His body tingles, he sweats a little bit and then it goes away. His body tingling and sweating go back to back. Time passed by two days and nothing. On the sixth day (29Mar2021), the patient's mother had a doctor's appointment. After the patient got home from taking his mother to the doctor, he started sweating all over his body (started sweating again). His head was heavy (head is a bit heavy again), but not painful. It is heavy in the front side of his head, not in the back. It (head) is only a little bit of pain. He feels like his brain is going to come out of the front of his head. He started throwing up as soon as he got home. He got vertigo. He was running through the house, trying to make it to the bathroom and he fell three times (before he went to the emergency room). His head was spinning, and he could not open his eyes. The patient clarified that he could open up his eyes, but he did not want too. It looked like the building was going up and down. On 29Mar2021, the patient's face was pale yellowish, feel like going to pass out, time to time nausea and vomiting, vertigo, vision was spinning, tingling sensation, no control to his body like he was going to faint, vomited a total of 3 times, felt there is pinching on left side of his chest (the left side of his chest was pinching in the emergency room), and frontal headache. He felt like everything around him was spinning. The patient took meclizine for vertigo and medication for vomiting. The patient's father has vertigo, so his father gave him some meclizine for his vertigo. The patient also took ondansetron (ZOFTRAN). The patient's family called the hotline and took him to the emergency room (ER). He has not fell again. He vomited three times, and then another in the ambulance, for a total of four times. When he got to the hospital, they started treating him. When he went to the emergency room, he did not open his eyes, and was talking with his eyes closed. All of his symptoms happened at the same time, when he came home from his mother's doctor

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

appointment. The doctor at the emergency room told him that his electrolytes were out of whack, and that his phosphorus level was too low. They gave him some sodium sulfate right away. The doctor recommended that he stay overnight. The patient did not want to stay overnight because his parents are elderly, and he takes care of them. The doctor told him since he was not willing to stay, to go home and drink a lot of water. Per laboratory works done on 29Mar2021, the patient's phosphorous and electrolytes were too low, so they gave him saline and sodium phosphate for management. Also, the patient had abdominal and heart X-ray and computerized tomography (CT) scan done and everything came normal. Also, both X-rays came back clear. The patient had no diarrhea. Heaviness of head started feeling better after his emergency room visit on 29Mar2021. Around 02Apr2021 or 03Apr2021 is whenever it started feeling better. It comes back, and he gets scared. On 30Mar2021, the patient was almost improving and was advised to drink lots of fluids. Every now and then patient was feeling weak and head is hurting, hands are shaking on 30Mar2021. Every single day, he feels dizzy, weak and tingles all over his body. When the patient went to the emergency room, the doctor could not tell him what caused his symptoms. The doctor told him that it could possibly be because of the vaccine. He has never felt like this in his life. He has never felt in his life. He felt hopeless and was crying. He was worried about his elderly parents, and who would take care of them. The patient's second dose of the COVID-19 vaccine is due 13Apr2021. He is debating on whether to take it or not. He cannot afford to take it if it is going to make him feel worse. He has read that the second dose of the COVID-19 vaccine makes people feel worse. He is scared. He is asking if he should get the second dose of the COVID-19 vaccine. Within one week (unspecified date), he may have lost weight. The patient has to use his inhaler more now as he has a wheezing sound whenever he breathes. He has been using his inhaler more often, whenever he starts wheezing. He always feels like his whole body is tingling. He has no energy. He has only visited this doctor once. His long-term primary care physician is not practicing anymore, he thinks that he may have lost his license. It is hard for him to get an appointment with his primary care doctor since

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

the pandemic. The patient is going to try to see his doctor through tele health. The emergency room doctor recommended that he follow up with a neurologist. The patient was advised to go to a neurologist. The patient reported these symptoms as side effects and asked how long the symptoms last. At the time of reporting, the patient currently still has that nausea and vomiting feeling, but it is better; and he feels heavy (pertaining to vertigo). If he starts to get vertigo again, he knows he will throw up. He can feel whenever the vertigo is coming, he begins to feel like the floor is moving. He can be standing still quietly, and the floor will start moving. The pharmacist told him to call Pfizer and share what happened to him. Since he took the first dose of the Pfizer COVID-19 vaccine, he spoke to the pharmacist. He was thinking of taking another company's vaccine of one shot. But they did not offer it in his area. The patient read that the first dose of the Pfizer COVID-19 vaccine gives him about 50-60% immunity. The patient was asking if he can take the other company's vaccine. The patient should have taken the other company's vaccine because it would have been one shot and done. He is nervous about taking the second dose of the Pfizer COVID-19 vaccine. He wishes he would have taken the other company's one shot because then he would not have to worry about having symptoms again. The patient's father received his second vaccine today. He asked the pharmacist there the same questions. He is still confused about if he is going to take the second dose of the COVID-19 vaccine. He cannot explain his symptoms. He can handle pain, but he cannot handle, vertigo, throwing up, and feeling numb (as reported; unspecified date). He feels like he had symptoms that people 90 and older should have. He kept falling. The patient further asked if he could take another company's COVID-19 vaccine as his second dose. Also, if it was okay if he was scheduled to get the second dose 4 weeks after the first dose. Lastly, if the company thinks that he is eligible for the second dose of the Pfizer COVID-19 vaccine despite these symptoms. The patient recovered from "Arm soreness; sore arm" on 25Mar2021; and from "Fell three times" on 29Mar2021. The patient was recovering from "Heavy sweating (sweating all over his body)", "Head felt heavier; head was heavy in the front side of his head, not in the back", "Throwing up;

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

---

vomiting", and "Nausea". The outcome of the remaining events was unknown. Information about lot number and expiration date for the suspect product will be requested in follow-up attempts.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254681	4/25/2021	KS	18	M	4/7/2021	4/7/2021	<p>Passed Out; feeling light headed/lightheadedness/being lightheaded; Fell Down Stairs/falling; hit his head and his knee; hit his head and his knee; This is a spontaneous report from a contactable consumer (patient's father). An 18-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), dose 1 via an unspecified route of administration, administered in right arm at the age of 18-year-old on 07Apr2021 09:50 (Batch/Lot number was not reported) as single dose for COVID-19 immunisation. Medical history included ongoing congenital diaphragmatic hernia (that prevented his lungs from developing before he was born). There were no concomitant medications. The patient previously took influenza vaccine (FLU) for immunization and without a reaction. Caller is a consumer, calling about his 18 years son who received the covid vaccine this morning and had an adverse event afterwards. Caller reported that his 18 years son had his first covid vaccine dose this morning. He has had all of his vaccinations, even the flu shot every year without a reaction. After having his covid vaccination, on the way home he said he started feeling light headed. He was supposed to go back to school once they got home but the caller noticed that his son hadn't left yet because he drives himself. He reported that his son's room is downstairs and when he looked his son was laying down at the bottom of the stairs and appears to have passed out. He reports that now he is fine and he has eaten. Calling now because he was concerned and "wanted to make sure there was nothing else I should do in this situation". Caller stated that he took his two kids to get their vaccines. His son is 18 years old and his daughter will be 18 next Tuesday. Stated that they stayed at the site in case of a reaction to the vaccine and nothing happened. On the way back home the son became lightheaded. Caller thought maybe he needed to eat even though he had eaten a light breakfast before they went to get the vaccines. Stated his son got home and passed out. Caller had never seen his son pass out before. Said his son fell down the stairs while going to the basement where his room is located. Caller was concerned this could've been a reaction and is calling to see if there is anything further they should be concerned about. The son's vaccine, lightheadedness, passing out, and falling all took place today 07Apr2021. Caller said</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

he nor his son are certain if he was injured during the fall. His son thinks he hit his head and his knee and noticed that his shorts where ripped behind the leg on 07Apr2021. Caller states his son says he is feeling back to normal and fine. The son was supposed to go to school after the vaccine but the caller had him stay home so he could keep an eye on him. Caller stated it was scary. The caller opened the door and saw his son lying on the floor with the gum he had bought at the drug store strewn out everywhere. Caller stated they are believers in vaccines. Stated his son used to have a part time job at the grocery store bagging groceries for customers and was wanting to go back to work. Caller also said that his son was born with a congenital diaphragmatic hernia that prevented his lungs from developing before he was born. Caller stated that due to this him and his wife felt it was best for the son to get the vaccine since if he got the Covid virus it could have been really bad for him. Caller denies any medications, labs, testing or treatments that are relevant to these events. Caller stated his son is healthy. Stated when his son mentioned being lightheaded in the car, the caller didn't think much of it. The outcome of events was recovered on 07Apr2021. Information on the lot/batch number has been requested.



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254673	4/25/2021			F			<p>internal bleeding; purple bruise on my left side on the skin of my left eye; rash all over my body; This is a spontaneous report from a contactable consumer. A female patient of an unspecified age received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), dose 1 via an unspecified route of administration, administered on left arm on an unspecified date (Batch/Lot number was not reported) at single dose for COVID-19 immunisation. The patient medical history and concomitant medications were not reported. The patient reported that she had a reaction to the first dose of Pfizer's COVID vaccine. She stated, "I had a reaction to the vaccine and developed a purple bruise on my left side on the skin of my left eye. I had the shot on my left arm. I described it like an 'old lady bruise'. It was very purple. I've never had this before. I called my doctor and she said it was some kind of internal bleeding. It wasn't large, but was a purple spot. She had sent me to the eye-doctor, even though it wasn't in my eye, but was close to my eye. I did go and see her, and a week later, she did say that there are some things with low platelets with vaccines, so she did to my blood work and checked some clotting things and everything seemed to come back fine. I did also get my antibodies checked. On day 16, I got my antibodies checked. They had a quantitative one and mine came back at 6.12. I did get a rash all over my body, but that may be from the sun because I do get a rash from being in the sun. I didn't know if it's not a good thing to get the second shot if I have a rash. Would I get that reaction and would it be worse the second time? " The outcome of the events was unknown. No follow-up attempts are possible; information on the lot/batch number cannot be obtained.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254667	4/25/2021	NC	76	F	3/24/2021	3/25/2021	This is a spontaneous report from a contactable consumer (patient). A 77-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; solution for injection; Lot Number: ER8730) via an unspecified route of administration on 24Mar2021 at 10:30 (at the age of 76-years-old) as a single dose for COVID-19 immunisation. Medical history included ongoing pollen allergy from an unspecified date and ongoing ribs sore from an unspecified date. The patient stated that the pollen was bothering her and that she had been taking Zyrtec in the morning and at night. Medical history (including any illness at time of vaccination) was also reported as none. Family medical history relevant to the event was reported as "her son also had a seizure after the polio vaccine when he was 7 years old". Concomitant medications were not reported. It was reported that the patient denied any medications or medical conditions relevant to symptoms. There were no additional vaccines administered on the same date as the COVID-19 vaccine and there were no prior vaccinations received within 4 weeks of the COVID-19 vaccine. The patient previously received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; solution for injection; Lot Number: EN202) via an unspecified route of administration on 24Feb2021 (at the age of 76-years-old) as a single dose for COVID-19 immunisation. The patient previously received the polio vaccine on an unspecified date for immunization and experienced seizure and the patient previously received the flu shot on an unspecified date (6 years ago) for immunization and 8 hours after the vaccine was achy, sick, in bed for 9 days. Developed bronchitis and coughed so hard she cracked her ribs. Stated her ribs were still sore at times to this day. The patient stated that she would never get another flu shot and that her doctor agreed with her on that decision. On 25Mar2021 the patient experienced headaches, dizziness, dizziness comes and goes but it affects her vision, numb, head feels fuzzy/fuzziness is constant and eyes are crossing. The patient stated that she got her second dose of the vaccine on 24Mar2021. She reported that after her first shot she was fine. She stated that she started having headaches and dizziness the day after her second vaccine and this had lasted for 14 days. It has gone on now for several weeks and was not getting any

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

better. She felt her symptoms went in different degrees at different times of the day. She might go one day without a headache. Today her headache was more like a numbness all around her head. She stated that her headaches come and go, sometimes start when her eyes pop open in the morning or at 10 AM. If she was going to have a headache that day, it usually started by 10 AM and was a full-blown headache. Stated her head always felt fuzzy and woozy and sometimes she felt like her eyes were crossing. She stated that she never got headaches; not since her early 20s. Dizziness continued to come and go, but it affected her vision and she was scared to drive and have a wreck. She reported that the symptoms were driving her bonkers. She also reported that she had to hold onto walls when she walked. The dizziness did not go away even when she laid down. She was dizzy when sitting on the sofa. Her head also felt fuzzy and numb, the fuzziness was constant. She reported that she felt disabled and felt like she was turning 100 instead of 77. She cannot lay in bed all the time and wanted to know how long these symptoms would last. The patient denied any labs, testing or treatment relevant to symptoms. She had not been to the doctor or to the emergency room in relation to these symptoms. She stated that she thought about it at times. She stated that she would have to call an ambulance to take her since she was scared to drive. Yesterday she thought she was not doing so bad and drove to the store. She stated that while in the store, her dizziness had her to where she could hardly pay for her items. Stated that it kind of felt like she was drunk, but she was not drunk. The patient stated that her experience with the polio vaccine made her almost not get the COVID-19 vaccine for fear it would bring on a similar situation. The clinical outcomes of the events headaches, dizziness, dizziness comes and goes but it affects her vision, numb, head feels fuzzy/fuzziness is constant and eyes are crossing were all not recovered/not resolved. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254622	4/25/2021	GA	67	M	3/31/2021	4/2/2021	He woke up panicked; Vision loss; Visual disturbances; Difficulty breathing; This is a spontaneous report from a contactable consumer. A 67-years-old male patient received the first dose BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration, on 31Mar2021 as a single dose for COVID-19 immunization. Medical history included: heart attack a few years ago and takes maintenance drugs for the heart condition and asthmatic and takes medication but the medications come and go depending on how he is physically. Concomitant medications were not reported. This case was from the same reporter; this case is for the husband. On 2Apr2021 he experienced difficulty breathing and they did not know if it was attributed to the vaccine but he did not have any breathing issues until he got the vaccine but it was a general feeling of something was different but did not think it was severe until the vision thing. Reporter stated there is no medication her husband takes that is related directly to the episode he experienced. On 5Apr2021, he woke up from being asleep, asked if the TV was on (which it was) because he could hear it, but could not see it. His symptoms have also resolved. He had no history of anything like that happening previously with the first dose pfizer covid vaccine. Hi wife stated that he experienced visual disturbances since then, with no prior history of vision impairment. The outcome of the events could not see, Visual disturbances was recovered; the outcome of Difficulty breathing was not recovered; the outcome of the event He woke up panicked was unknown. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254646	4/25/2021	FL	51	F	3/24/2021	3/24/2021	My ears are ringing constantly; My eyesight changed and I can't see out of my glasses./vision is so bad I cannot drive; Eyes are blurry; Nausea; Couldn't keep food down; Dizzy; can't get balance; Couldn't sleep for five days; Sore throat; runny nose; 1st dose: 24Mar2021, 2nd dose: 24Mar2021; 1st dose: 24Mar2021, 2nd dose: 24Mar2021; This is a spontaneous report from a contactable consumer. A 51-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), dose 1 (Lot Number: SJCFR EN 6199) on 24Mar2021 09:00 as single dose, and dose 2 (Lot Number: En6199) on 24Mar2021 (to be confirmed) as single dose, both via an unspecified route of administration, administered in left arm for covid-19 immunization. Medical history and concomitant medications were not reported. The patient has no history of COVID prior vaccination. She has not been tested for COVID after vaccination. On 31Mar2021, the patient reported that her ears were ringing constantly, her eyesight changed, and she couldn't see out of her glasses. Her eyes were blurry, and vision was so bad she cannot drive. She had nausea for a week straight. She also couldn't keep food down. She was dizzy and couldn't get balance. She also couldn't sleep for five days. She also had sore throat, and runny nose for a week. It was reported that the events resulted in doctor or other healthcare professional office/clinic visit, emergency room/department or urgent care, and has caused disability or permanent damages. Treatment for the events included prednisone and anti-nausea medicine. The outcome of the events was not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254728	4/25/2021	NJ		F	3/15/2021	3/16/2021	<p>She had a rash only on the parts of her that were exposed to the sun; She had a bruise on the corner of her face by her left eye. She said her primary care doctor said she had some kind of internal bleeding. She said it was like an old lady bruise &amp; was a deep purple; She had a bruise on the corner of her face by her left eye. She said her primary care doctor said she had some kind of internal bleeding. She said it was like an old lady bruise &amp; was a deep purple; This is a spontaneous report from a contactable consumer reporting for self. A 54-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in Arm Left on 15Mar2021 (Batch/Lot Number: EN6205) as single dose for covid-19 immunisation. Medical history included rash. There were no concomitant medications. The patient reported she had her first COVID-19 Vaccine dose, and was due to get the second COVID-19 Vaccine (today, 07Apr2021, at 4:20PM). She said she went to her (primary care) doctor, and wanted to check with Pfizer because she had a weird reaction after she had her first COVID-19 Vaccine. She said she had a bruise on the corner of her face by her (left) eye. She said her (primary care) doctor said she had some kind of internal bleeding. The caller said it was like an old lady bruise, and was a deep purple color. She clarified she noticed the bruise when she woke up at a little before 7:00AM on 16Mar2021. She said the bruise lasted for 5 days, and kind of dissipated on its own, and then the bruise was gone. She said she had her COVID-19 Vaccine shot in her left arm (on 15Mar2021), and then woke up in the morning (on 16Mar2021), and the bruise (on the left side of her face) was there. She said she went to her eye doctor to check to see if there was any bleeding in her left eye, and there was no bleeding. She said her (primary care) doctor had blood work done (on 23Mar2021), and checked to see if she had any internal bleeding. She said her blood work seemed OK. She said she knows her doctor can't answer any questions about the COVID-19 Vaccine, so that was why she contacted Pfizer. She said she also had her blood checked for the COVID-19 Virus antibodies (on 31Mar2021). She said she does have the COVID-19 Virus antibodies. She said she knew the COVID-19 Virus antibody testing was new. She said she didn't know what was considered to be a</p>

VAERS\_ID RECVDDATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

high versus low COVID-19 Virus antibody level, and that her COVID-19 Virus antibody level was a 6.12. She said she had her COVID-19 Virus antibody test 16 days after her first COVID-19 Vaccine. She said she made sure her COVID-19 Virus antibody test was done at least 2 weeks after getting her first COVID-19 Vaccine. Reported she also had a rash on either 04Apr2021 or 05Apr2021. She said in the past, she had a rash happen the first time she went in the sun, and she wasn't sure if her rash was related to sun exposure, or her first COVID-19 Vaccine dose. She clarified she was pretty sure her rash was from sun exposure. She said since she had been out of the sun, her rash was starting to go away. She clarified she had a rash only on the parts of her that were exposed to the sun. She said she seemed to get a rash after her first exposure to the sun. She said she had read up on having a rash to sun exposure, and the rash was like an immune reaction to the UVA rays. She said the rash was not itchy, and was only bumps. No further details provided. Reported she was one of those small percent of people who gets a really weird reaction to things, so her doctor wasn't surprised when she had the bruise after getting the first COVID-19 Vaccine. She said she was very small at 105 lbs., and always takes a children-size portion of things. No further details provided. Reported half of her wanted to get the second COVID-19 Vaccine dose, and the other half of her was afraid she would have some sort of weird reaction. She said since she was already protected with the COVID-19 Virus antibodies, did she need to get the second COVID-19 Vaccine. Caller asked how long do the COVID-19 Virus antibodies last, saying she heard their might be a COVID-19 Vaccine booster shot in the future. Caller stated she had so many questions she wanted to ask. Caller was advised she would be transferred to Pfizer Medical Information for further assistance. Outcome of event rash was recovering, of other was recovered in Mar2021. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1255132	4/25/2021	MI		U			cerebral palsy; autism; This is a spontaneous report from a contactable other healthcare professional (mother) reporting for her child. A 16-year-old patient of unspecified gender received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Batch/Lot number was not reported) via an unspecified route of administration on an unspecified date at single dose for covid-19 immunisation. The patient took Flu vaccine eight years ago, eyes glued shut and was hospitalized, reported sticky. She does not know the ingredients but mentioned preservatives. The patient concomitant medications were not reported. On an unspecified date, the reporter stated that her child had cerebral palsy and autism and was looking for information on adverse events. Outcome was unknown for the events. Information on the lot/batch number has been requested.; Sender's Comments: Based on known drug safety profile, there is reasonable possibility of causal association between the events cerebral palsy and autism and the suspect drug. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254609	4/25/2021	PA	54	F	3/7/2021	3/1/2021	<p>passed out; trouble flexing her right hand open and closed; not feeling well, she feels very bad; sores in her mouth and nose; sores in her mouth and nose; anal hemorrhoid sores; had difficulty speaking, with her words; has been dropping things, she has broken glass; her eye felt heavy and her eye was drooping; Dizzy; Fall; Slight fever; Fatigue; extreme pain through right side (right side means her shoulders, neck, torso, arm, and entire leg); first dose given 14Jan2021, and second dose given 07Mar2021; first dose given 14Jan2021, and second dose given 07Mar2021; Shortness of breath; severe nerve pain; Vomiting; had a feeling of urination, like she had to urinate when she didn't, that feeling of urination; Disorientated; eye pain like pins and needles; skin is burning and painful to the touch; Headache; joint and muscle pain; joint and muscle pain; Nausea; horrible lack of appetite/couldn't eat anything other than soup; This is a spontaneous report received from a contactable consumer (patient) via a Pfizer-sponsored program called COVAX US Support. A 54-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration, administered in Arm Right on 07Mar2021 (Lot Number: EN6204) as single dose for covid-19 immunization. The patient's medical history included history of three spinal surgeries (takes no pain meds, she is not on pain meds, she has never been on or kept taking them); and has "neuropathy and nerve related issues" that were not this bad since ten years ago in 2011, clarified that what she has is not actually neuropathy, something with the peripheral nerve, she says she doesn't remember actual verbiage), since ten years ago in 2011, and the only difference was this vaccination, it was not this bad until this vaccination. She doesn't react well to pharmaceuticals anyway (unspecified). Her medications are that she takes the minimum amount of medications, very minimal (unspecified). There were no concomitant medications. There was no other products. Also, she has not had any other recent vaccinations or started any new medications. For past drug, she didn't take anything other than 5mg of zolpidem tartrate (AMBIEN) to sleep at night because of her spine. Patient previously also took pregabalin (LYRICA) and was off it, was also on gabapentin or neurontin (patient did not have those</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

medications to provide NDC/LOT/EXP for either of them because she took them back to the pharmacy or turned them in to the police station because she doesn't keep medications in her house if she isn't taking them, and she couldn't take that medication). Historical vaccine included first dose of bnt162b2 on 14Jan2021 (at the age of 54-year-old; Lot Number: EN5318) in Arm Right for covid-19 immunization, and for her first dose the only thing was a sore arm, it was very sore, and she only experienced a slight bit of fatigue after her first dose. She received both doses of vaccine. Her first dose was LOT: EN5318 and was given 14Jan2021, and her second dose was LOT: EN6204 given 07Mar2021. The patient was reporting for Pfizer COVID-19 vaccine, for she was having a horrible reaction to it "45 days" (as reported) after taking 2nd dose, and had been in the ER, and her temperature still hasn't gone back down to her normal, her oral temp is still raised and her rectal is raised even more. She was not feeling well, she felt very bad, she would never get a vaccine again, that is how bad it was. Since "45 days" later she was still having significant pain and trouble flexing her right hand open and closed. For events treatment, she took over the counter Tylenol for fever and pain, strength unknown. Patient said she had not had this kind of disabling symptoms or anything before this vaccination. She had a slight fever almost the whole "45 days". On 08Mar2021, her oral temp was over 98 degrees Fahrenheit when her norm temp being 97.2 or 97.3degrees Fahrenheit. Her rectal temp stayed at 100 degrees Fahrenheit. The next day, actually on the 09Mar2021 (which was two days after her second dose), she had the slight fever, fatigue, and extreme pain through her right side. She said her right side means her shoulders, neck, torso, arm, and entire leg. She also had shortness of breath, and severe nerve pain. She called her primary care provider who said to wait 5 days to be seen. On day 5, or actually the whole five days (reported as in Mar2021), she was in bed and didn't leave her apartment because she was in bed and she was vomiting. On day 2 or within 6 hours of vaccination, she had a feeling of urination, like she had to urinate when she didn't, that feeling of urination was equivalent of having contrast dye (NDC/LOT/EXP: Unknown) put in her IV which makes her feel like she is peeing her pants but she did not, and that feeling has not gone away. On day

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

5 (11Mar2021), she was dizzy and fell. In Mar2021, she was disorientated and vomiting, she couldn't eat anything other than soup. On day two (Mar2021) she had some kind of eye pain that is still there "45 days later", it feels like pins and needles. Her skin was burning and painful to the touch, she couldn't keep an IV in her when she was in the ER. She was not admitted to the hospital. She was having headaches, and joint and muscle pain. She had nausea and vomiting at different times. She continued to have shortness of breath. She had a horrible lack of appetite. She had sores in her mouth and nose. She had anal hemorrhoid sores. Last night (05Apr2021 )she had a headache that was severe like someone put a knife behind her right eye, and when she got up (06Apr2021) her eye felt heavy and her eye was drooping. She also had difficulty speaking, with her words. She says she had passed out, and had been dropping things, she had broken glass. She has been to a neurologist and a gastroenterologist. She clarified that all of these events were after her second dose, for her first dose the only thing was a sore arm, it was very sore, and she only experienced a slight bit of fatigue after her first dose. None of her doctors know what to do, her gastro doctor was giving her an anti inflammatory suppository and was going to do some tests. She had blood done from neurologist and at the ER and no one knows what to do, they keep referring her to other doctors. She wished someone could explain to her, but no one know and they said it was uncharted territory, they didn't know what to do. She is now back on Lyrica which she was off of but the ER prescribed her 300mg three times a day. She wanted to know what the hell is going on with this vaccine, and that she doesn't think having these side effects "45 days" out is normal. She wanted to be transferred to speak with someone about what to do because her doctor's don't know anything. The outcome of the events was unknown. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254663	4/25/2021	MI	63	M	4/6/2021	4/7/2021	his eyes and feet are really swollen; his eyes and feet are really swollen; This is a spontaneous report from a contactable consumer. A 63-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), dose 1 via an unspecified route of administration, administered in right arm on 06Apr2021 at 09:05 (Lot Number: EW0150; Expiration Date: 31Jul2021), at the age of 63 years, as a single dose for COVID-19 immunization. Medical history included cerebrovascular accident, diabetes mellitus since 2008, hypertension since 2008, both ongoing. Concomitant medications taken within two weeks of vaccination included warfarin sodium (COUMADIN), acetylsalicylic acid (ASPIRIN), atorvastatin taken for blood cholesterol since 04Mar2021, carvedilol (CARVEDILOL ABZ) taken for blood pressure since 05Mar2021, and insulin lispro; all ongoing. The patient did not receive any other vaccines within four weeks prior to the vaccination. On 07Apr2021 at 10:15, when the patient woke up he experienced his eyes and feet are really swollen. The reporter informed that when the patient woke up today his eyes were really swollen. It looked like he was stung by a bee or something. The reporter was wondering if that is a common side effect of the Pfizer vaccine. The patient had not received any treatment. The clinical outcome of the eye swelling was not recovered, and the clinical outcome of swelling of feet was unknown. No follow-up attempts are needed. No further information is expected

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254752	4/25/2021	IN	61	F	3/19/2021	3/19/2021	<p>Her platelets are 200, which is very low; Bell's palsy; Shot on the top of my shoulder; excruciating pain/shoulder pain/given high on the top of her shoulder. It hurt; sore arm; This is a spontaneous report from a contactable consumer (patient). A 61-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), first dose at the age of 61-years old via an unspecified route of administration on 19Mar2021 10:10 (Batch/Lot number was not reported) as single dose for covid-19 immunisation. Medical history included systemic lupus erythematosus from 1985 and ongoing, arthritis and osteoarthritis from an unknown date and unknown if ongoing (She has osteoarthritis throughout her body and her feet). Family history included stroke (husband died at the age of 59, he was having stroke upon stroke). The patient's concomitant medications were not reported. It was reported that when she received the shot, it was given high on the top of her shoulder and it hurt. She could not move her arm for 3 days. The pain was excruciating. On the 4th day, her arm was sore, but she could move it. She had no fevers, she didn't get sick, but she just couldn't move her arm. The shot was given at at 10:10 am, and by noon she could barely move her arm. Her left side of the mouth doesn't want to work properly. Her Bells Palsy started on 05Apr2021. She was in her car and driving to the store, when all of a sudden her left eye was watering. She got home and she didn't see anything wrong with her eye, except it was watering. She could tell a difference between the left and right side of face when she touched it. Something was wrong with her right side. Her eye was not opening all the way, it's been dropping, and her lip was down. She can't smile, and when she drinks water it's comes out. The patient clarified that it was her left side that is drooping. She went to the emergency room due to Bell's palsy. She could not move her arm within 2 hours of getting the shot. The patient mentioned her whole body aches from the Lupus and arthritis, but the shoulder pain was different after the vaccine. The shot itself hurt, and she thinks the one who administered the vaccine might have hit something. There's not a day that doesn't go by that she is not in pain. Her platelets are 200, which is very low. The patient underwent lab tests and procedures which included activated partial thromboplastin time: unknown result, blood glucose: unknown result, computerised</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

tomogram: unknown result, full blood count: unknown result, glomerular filtration rate: unknown result; all on 06Apr2021, magnetic resonance imaging: showed a darkened area in her brain that looks like its connected with Bells Palsy on an unspecified date, basic metabolic panel: unknown result on 06Apr2021, platelet count: her platelets are 200, which is very low on an unspecified date, prothrombin time: unknown result, troponin i: unknown result (High sensitive ); both on 06Apr2021. The patient did not recover from Bell's palsy, recovered from vaccination site pain on 23Mar2021, from sore arm on 19Mar2021 and the outcome of the remaining event was unknown. Information about Lot/batch number is requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254755	4/25/2021	CA	72	F	3/31/2021	3/31/2021	Tired, can't sleep; Tired, can't sleep; Heart racing, described as irregular arrhythmia; Heart racing, described as irregular arrhythmia/Heart pounding, hard pounding; Arm barely sore; This is a spontaneous report from a contactable consumer (patient). A 72-years-old female patient received first dose of BNT162b2 (Pfizer-BioNTech COVID-19 Vaccine), at the age of 72-years-old , via an unspecified route of administration, administered in Arm Left on 31Mar2021 11:40 am as single dose for covid-19 immunisation. Medical history included ongoing food allergy, she had anaphylactic shock from a food allergy (she was 40 at the time and she doesn't eat anything she is allergic to), sinus infection and then got horrible hives under her eyes. No Prior Vaccinations (within 4 weeks). Concomitant medication was eye drops every night. No additional vaccines administered on same date of the Pfizer Suspect. The patient previously took epipen had two episodes when she was 40. She is bad about carrying her EpiPen, she forgets it. She was allergic to Amoxicillin. At 11:40 am last Wednesday patient had the vaccine, and around 4 or 5 pm, her heart started pounding for 10 seconds, and it felt like forever. An hour later, her heart started pounding again. It happened twice an hour apart and the second time lasted longer. It described as hard pounding. It started at 4 or 5 pm and then for 4.5 hours there was nothing, but then her heart started racing. At around 4 or 5 pm her heart was pounding, than around 9:30 pm her heart started racing and beating fast, she could feel it. She lives in a rural community and her husband called the local fire station and asked if he could take her there, to the station, so that she could have her heart checked. She was hooked up to a monitor and the paramedics said that she had an irregular arrhythmia and needed to go to the hospital by ambulance. Her heart rate was 115 to 130 beats, then 140 beats, at the hospital. It was about 11pm when she was evaluated and then left in the ambulance, as she was 45 minutes from the hospital. The paramedics would have, the arrhythmia, on record and that 5 minutes before she got to the hospital, the paramedic said her heart rhythm was normal. She was not admitted to the hospital, but held in observation and left the hospital at 4:30 in the morning. She hasn't felt anything after that. it was only one time she thought her heart was going faster, after that, but it didn't happen

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

again. It is currently no problem and even at the hospital, the heart racing stopped and it was normal. The doctor in the emergency room said she was totally normal. Her arm was barely sore, when touched, and noticed this when she was being helped to the bathroom in the emergency room, maybe later in the afternoon, it was not hurting. But she didn't have any other events. She was tired the next day on 01Apr2021. She was up all night in the emergency room. people say that one will be tired, as an effect, but she can't say that it is because of the vaccine, or if she only had 3 hours of sleep. She hasn't been sleeping but she can't attribute it to the vaccine. She can't attribute this to the vaccine, that she has been tired lately and not sleeping. Event outcome of irregular arrhythmia and Heart racing, described as irregular arrhythmia/Heart pounding, hard pounding was recovered on 31Mar2021, of Arm barely sore was recovered on 02Apr2021, of the remaining was unknown. Information about Batch/Lot number has been requested.

1254809 4/25/2021 NV

F

3/6/2021

her mouth drooped; her eyes drooped; she started to stutter while talking; headache; This is a spontaneous report received from a Pfizer-sponsored Program. A contactable consumer (patient) reported that a female patient of an unspecified age received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Dose 1) via an unspecified route of administration on 06Mar2021 (batch/lot number was not reported) as SINGLE DOSE for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient asked if she receives the 2nd dose of the vaccine will she experience the same adverse events after she received her first dose. She experienced headache, her mouth drooped, her eyes drooped, and she started to stutter while talking after receiving the first dose. Event onset dates were not reported. The outcome of the events was unknown. The patient's second dose is on 09Apr2021. Information on the batch/lot number has been requested.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254867	4/25/2021			F	4/6/2021	4/7/2021	My arm got pretty swollen; runny eyes; runny nose; took Claritin for the allergies; I was wheezing; My lungs hurt to breath and laugh. My lungs are just really sore.; This is a spontaneous report received from a contactable 23-year-female consumer (patient) reported for herself that she received 1st dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 06Apr2021 single dose for COVID-19 immunisation. Medical history and concomitant drugs were not provided. The patient reported that her arm got pretty swollen, runny eyes, runny nose. She took oxymetazoline hydrochloride (CLARITIN) for the allergies and she was wheezing. She had allergy induced wheezing that she got. On 07Apr2021 a couple hours after she took the oxymetazoline. her lungs hurt to breath and laugh. Her lungs were just really sore. She looked it up on google and that scared her that she could be have a bad reaction so she decided to call. The outcome of the events was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254965	4/25/2021	TX	35	F	4/6/2021	4/6/2021	<p>passed out; dizzy; nauseous; hit her head/huge bump on head; My left eye is half swollen shut; eyelid and under eye are black; very swollen all over head and eye; in lots of pain; breastfeeding; breastfeeding; This is a spontaneous report received from a contactable consumer (who is also the patient). This consumer reported events for mother (self) and child. This is the maternal report. A 35-year-old female patient received the first dose of BNT162B2 PFIZER-BIONTECH COVID-19 VACCINE, lot number: ER8733), via an unspecified route of administration in the left arm, on 06Apr2021 12:15, as single dose, for COVID-19 immunisation, at a drug store. The patient medical history was not reported. The patient had no known allergies. The patient was not pregnant at the time of vaccination. The patient had no prior COVID-19 and was not tested for COVID-19 post vaccination. Concomitant medication included minerals nos, vitamins nos (PRENATAL VITAMINS). The patient did not received other vaccines in four weeks. On 07Apr2021 at 03:00, the patient went to the bathroom and felt fine. She sat on the toilet and all of a sudden felt dizzy and nauseous. Next thing she knew, she woke up on the floor and had a huge bump on her head near her left eye. She passed out and hit her head on the tile in the bathroom. Her left eye was half swollen shut, her eyelid and under eye were black, was very swollen all over her head and eye and was in lots of pain. She went to the emergency room around 04:30. All tests, CT scan and blood work came back normal. She was told that it was most likely caused by the vaccine. Treatment for the events included "CT scan, bloodwork, IV fluids" (as reported). She was hoping that Pfizer will pay for her ER visit since the events were vaccine reactions. She reported that she was still in lots of pain and was not taking pain meds because she was breastfeeding. The events resulted to emergency room and physician office visits. The outcome of pain was not recovered. The patient was recovering from the remaining events.; Sender's Comments: Linked Report(s) : US-PFIZER INC-2021442302 Baby case</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1255032	4/25/2021	TX	60	F	4/4/2021	4/8/2021	Stroke - Cerebellar hemorrhage. Had to have brain surgery to relieve the pressure and a drain placed. She has a history of low blood pressure, never high. They did an angiogram that came back normal and an MRI as well. They have been unable to find a cause of the stroke at this time. She was in ICU for four days then Neuro PCU for about 4 days and now she is in inpatient rehab. She is currently learning to walk and has weakness on her whole left side. Vision issues. And motor control issues of the left arm. The stroke came on very sudden and she felt fine before her sudden ?worst migraine ever?. Luckily my brother was with her and took her to get help straight away before she became unconscious.
1255102	4/25/2021	CA	41	F	4/5/2021	4/7/2021	anterior uveitis in left eye; This is a spontaneous report from a non-contactable consumer (patient). A 41-year-old female patient received bnt162b2 (BNT162B2), dose 2 via an unspecified route of administration, administered in Left Arm on 05Apr2021 11:00 (Lot Number: 8734), at the age of 41-years at vaccination, as SINGLE DOSE for COVID-19 immunisation. Medical history included asthma, mild heart murmur, 1 instance of resolved heart failure from postpartum preeclampsia in 2017, uveitis in both eyes, occurred between Nov2013-May2014. Historical vaccine includes dose 1 of BNT162B2 received on 15Mar2021 10:00am on left arm (Lot number: En6208). The patient is not pregnant at the time of vaccination. Concomitant medications included azelastine; ciclosporin (RESTASIS); cetirizine hydrochloride (ZYRTEC); propranolol, all were taken for unspecified indication, start and stop date were not reported. The patient previously took Vicodin and experienced itching; Advil and experienced hives. On 07Apr2021 16:00, patient experienced anterior uveitis in left eye, diagnosed by ophthalmologist on 08Apr2021. The patient underwent lab tests and procedures which included body mass index: 30. The outcome of the event was not recovered. Therapeutic measures were taken as a result for the event which includes Prednisolone AC 1% Eye Drop. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1255142	4/25/2021		32	M	4/8/2021	4/8/2021	Headache; body aches; light headedness; blurry vision; lethargic; sore throat the next morning; slight fever; fatigue; This is a spontaneous report from a non-contactable consumer or other non hcp. A 32-years-old male patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; Solution for injection) via an unspecified route of administration on 08Apr2021 (Batch/Lot number was not reported) as single dose for covid-19 immunization. Medical history included, covid 19 vaccination from an unknown date.The patient's concomitant medications were not reported. On 08Apr2021 patient had headache, body aches, light headedness, blurry vision, lethargic, sore throat the next morning, slight fever, fatigue resulted in prolongation of existing hospitalization (vaccine received during existing hospitalization). The patient did not test for COVID post vaccination and did not received any treatment for the events. The outcome of the events was not recovered. No follow-up attempts are possible; Information about lot/batch number cannot be obtained.
1254586	4/25/2021	CA	18	F	3/26/2021	3/27/2021	full body blistering hives; full body blistering hives; eyes swollen shut; lips started to swell; This is a spontaneous report from a contactable consumer reported for herself. A 18-year-old female patient received her second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), via an unspecified route of administration, in left arm on 26Mar2021 12:00, at the age of 18 years old (Batch/Lot Number: EN6208) as single dose for covid-19 immunisation, at the hospital. The patient had received the first dose of BNT162B2 on 05Mar2021 02:00 PM from lot # EN6200 in the left arm. Medical history included hypersensitivity. The patient's concomitant medications were not reported. The patient was not pregnant. Patient had not Covid prior vaccination, patient has not tested positive for COVID-19 since having the vaccine. No Covid tested post vaccination. The patient experienced full body blistering hives, eyes swollen shut, lips started to swell on 27Mar2021 12:00 AM with outcome of recovering. The patient was treated for the events with an injection of steroids and Benadryl at ER. No follow up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254203	4/25/2021	IL	57	F	2/20/2021	2/20/2021	intermittent lightheadedness; migrating sensation of tingling over body & face; bowel urgency; warm flush; though very fatigued; coldness of feet, then hands; This is a spontaneous report received from a contactable Other-Health Care Professional (patient). A 57-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VAC-CINE, Formulation: solution for injection, lot number: EN6201 and Expiry date was not reported), via an unspecified route of administration in left arm on 20Feb2021 as single dose for COVID-19 immunization. The patient medical history included Hypothyroid, Hypertension, Menopause and Shrimp allergy were reported. The patient concomitant medications Synthroid, Telmisartan/HCTZ, Prempro were reported. No other vaccination in four weeks. Patient did not have covid prior vac-cination. On 20Feb2021 Immediate post vaccination onset of intermittent lightheadedness and mi-grating sensation of tingling over body & face; at 45 minutes also experienced a sequence of cold-ness of feet, then hands (w/decreased perfusion), as those resolved then core/trunk, as trunk warmed then at 75 min upper gums, then eyelids, then nose; bowel urgency; at 2 hours warm flush, mind clearer, better color vision, feeling stronger; lightheadedness resolved within 3 hours of pharmacist observation. No urticaria, angioedema or respiratory distress. No treatment. Could stand and walk with assistance, though very fatigued. Rested at home. Re-presentation of light-headedness & tingling on 22Feb & again mildly on 24Feb while resting. Patient did not receive any treatment for adverse event. Patient did not tested covid post vaccination. The outcome for event peripheral coldness was recovered and for events dizziness, paraesthesia, Anal incontinence, Hot flush, Fatigue was recovering. No follow-up attempts are possible; No further information is expected.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1255081	4/25/2021			F	3/18/2021		begin to see faces one at a time/become grotesque looking and scary looking/hallucinations; This is a spontaneous report from a non-contactable consumer (patient). A female patient of an unspecified age received the first dose of BNT162B2 (Pfizer-BioNTech COVID-19 vaccine, lot number: ER8727), via an unspecified route of administration on 18Mar2021 as a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient stated that she had one dose of the Covid vaccine and was supposed to have the second one on the day of the report. She was not sure whether or not to get the second dose. She felt okay after the first dose. She read all the information about side effects and said they were all general side effects and said that the information did not include the unusual side effects. The patient stated that when these happened to her she didn't relate it to the vaccine at first. The patient stated that when she would lay down at night to sleep and close her eyes she would begin to see faces one at a time. They would then become grotesque looking and scary looking. This happened a couple of times, over a couple of days, right when she would close her eyes. The patient mentioned that she had the light on in her room because she always has the light on in her room. The patient asked if it was a side effect people are having. She saw on the internet that it could be a side effect of vaccines. She mentioned it to a friend who told her that she was having hallucinations. She looked online and it said vaccines can sometimes cause hallucinations. She said she read online about one person who said that after their second dose they had bad hallucinations like as if they were on mushrooms. The outcome of the event was unknown. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254307	4/25/2021	FL	59	M	2/21/2021	2/21/2021	sight problems; double vision issue; eyelid was drooping; high blood sugar; This is a spontaneous report from a contactable consumer. A 59-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), dose 2 via an unspecified route of administration on 21Feb2021 (Batch/Lot number was not reported) as SINGLE DOSE for covid-19 immunisation. The patient's medical history and concomitant medications were not reported. The patient received first dose of BNT162B2 on an unspecified date for COVID-19 immunization. On Sunday, 21Feb2021, he got the second dose of Pfizer's COVID-19 vaccine, at night he started experiencing a reaction, he began having sight problems. He thought it would be temporary, so he went to bed (used slang), but on Monday he still had the double vision issue, he had problems in his vision, his eyelid was drooping, so he went to the emergency room at (Name). They determined he has double vision and right now his eyelid is completely drooped. He is very surprised after receiving the vaccine, he has low cholesterol and high blood sugar at 126, his blood pressure was 133-135. The patient underwent lab tests and procedures which included blood cholesterol: low on an unspecified date, blood glucose: 126 on an unspecified date, blood pressure measurement: 133-135 on an unspecified date. The outcome of the events was unknown. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254132	4/25/2021	CA	68	F	2/21/2021	2/21/2021	Racing heart within 10 minutes; vicelike headache; extreme nausea; pain in fingers and toes; bloody nose; pain in hips; swollen eyes; itching at injection site; no appetite; General weakness; insomnia; This is a spontaneous report from a contactable consumer or other non hcp (Patient). A 68-years-old female patient (Non-pregnant) received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot No: EN6200), via an unspecified route of administration, administered in Arm Left on 21Feb2021 13:45, as SINGLE DOSE for COVID-19 immunisation. Medical history included colostomy, osteoporosis and seizure (Grand Mal Seizures). The patient had no known allergies. Concomitant medications included felbamate (FELBATOL); levothyroxine sodium (SYNTHROID), lisinopril (ZESTRIL); calcium carbonate (OSCAL [CALCIUM CARBONATE]) and vitamin c [ASCORBIC ACID]). On 21Jan2021, the patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot No: EL9261), via an unspecified route of administration, administered in Arm Left, as SINGLE DOSE for COVID-19 immunisation. Patient not received COVID prior vaccination. Patient not tested for COVID post vaccination. On 21Feb2021 (13:00), the patient experienced racing heart within 10 minutes; vicelike headache; extreme nausea; pain in fingers and toes; bloody nose; pain in hips; swollen eyes; itching at injection site; no appetite; general weakness; insomnia. Patient not received treatment for the events. At the time of this report event outcome was recovering. No Follow-up attempts are needed. No further information is expected.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254135	4/25/2021	OH		F			I had a temperature of 100.4; eye ache; headache; dizziness; no appetite; scratchy throat; This is a spontaneous report received from a contactable consumer (reporting on herself). A 78-years-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VAC-CINE, Formulation: solution for injection, Lot Number: EN6201 and Expiration Date was not report-ed), via an unspecified route of administration in Arm Right on an unspecified date as single dose for COVID-19 immunization. Medical history included essential hypertension from an unknown date. The patient's concomitant medications were not reported. Patient calling regarding the side effects that she had from the Second dose of the BNT162B2. she had a temperature of a100.4, eye ache, headache, dizziness, no appetite, scratchy throat. Patient was 78-year-old. When ask lot number patient said for the second dose. she guess this was what you EN6201. Patient was left handed so received vaccine on her right arm. Patient saying on other medication that she don't take it on a regular basis. And saying sorry to say she is a bad patient. Patient took Advil for the temperature and she just put cold compresses on my eye and on my head. The outcome of the events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254159	4/25/2021	LA	68	F	2/22/2021	2/23/2021	injection site tenderness; severe headache with vision changes; severe headache with vision changes; pronounced joint and muscle pain; pronounced joint and muscle pain; chills; feeling very ill - flu like but without fever or congestion/cough; feeling very ill - flu like but without fever or congestion/cough; This is a spontaneous report from a contactable consumer (patient). A 68-years-old female patient received first dose of bnt162b2 (BNT162B2, Solution for injection, Batch/Lot Number: EL9267), via an unspecified route of administration, administered in arm left on 22Feb2021 at 14:00 as single dose for COVID-19 immunization. Medical history included COVID-19 from an unknown date and unknown if ongoing as COVID was seen prior to vaccination. hypertension, GERD, osteopenia, mild arthritis, high cholesterol, depression. Also reported known allergies such as latex, thyroid scan uptake medium, KIWI, food allergy. Concomitant medications included HCTZ, amlodipine besilate; enalapril, omeprazole, duloxetine hydrochloride and gabapentin for an unspecified indication. On 23Feb2021 at 17:30 patient reported injection site tenderness, severe headache with vision changes, severe headache with vision changes, pronounced joint and muscle pain, chills and feeling very ill - flu like but without fever or congestion/cough. The outcome of the events was recovering. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254194	4/25/2021	MN	68	F	2/25/2021	2/25/2021	muscle aches,; severe back ache; soreness in arm; fatigue; This is a spontaneous report from a contactable consumer.A 68-year-old female patient (non-pregnant at the time of vaccination) received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Solution for injection; Lot number: EN60205), via an unspecified route of administration on arm left on 25Feb2021 10:00 AM at single dose for COVID-19 immunization. The patient medical history included scoliosis, high cholesterol and has allergies. Prior to the vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. The patient did not receive any other vaccines in 4 weeks. The patients concomitant medications included Preservision Areds 2, Atorvastatin 10 mg, Vitamins. On 25Feb2021, the patient experienced soreness in arm and fatigue same night as vaccine. Next morning muscle aches, severe back ache, fatigue - arm had improved.. The events resulted in doctor or other healthcare professional office/clinic visit. The patient treatment included chiropractic adjustment. It was unknown if the patient recovered from the events.. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254197	4/25/2021	FL	54	F	2/25/2021	2/26/2021	Severe headache/centered in forehead radiating slightly back; I couldn't eat due to nausea and minor vomiting in first half of the day; I couldn't eat due to nausea and minor vomiting in first half of the day; couldn't eat due to feeling weak and lightheaded; couldn't eat due to feeling weak and lightheaded; I was hot and cold throughout the day; Unable to locate thermometer to take temperature; This is a spontaneous report from a contactable consumer (Patient). A 55-year-old female patient (non-pregnant) received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, Lot number: unknown), via an unspecified route of administration administered on left arm 25Feb2021 02:00 PM at single dose for COVID-19 immunisation. Patient medical history included asplenic, cochlear implant, survived bacterial meningitis, PTSD, anxiety, depression, neck and back pain and allergies. Allergies to medications, food, or other products: Bactrim. Concomitant medications were not reported. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient received other medications within 2 weeks of vaccination: Tizanidine, clonazepam, Lamictal and singular. On 26Feb2021 11:00 AM, the patient had experienced severe headache centered in forehead radiating slightly back Ice on patient's head made the headache worse Tylenol helped a bit, couldn't eat due to nausea, minor vomiting, feeling weak and lightheaded, hot and cold throughout the day. Unable to locate thermometer to take temperature and visual impairment. The patient was not diagnosed with COVID-19 prior to vaccination. Since the vaccination, patient was not tested for COVID-19. The outcome of event is Recovering. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254923	4/25/2021			F			<p>When I close my eyes at night, I saw like vague faces, and it would turn more gruesome; headache; chills; dizziness; allergic reactions; This is a spontaneous report from a non-contactable consumer. A female patient of an unspecified age received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on an unspecified date (Batch/Lot number was not reported) as a single dose for covid-19 immunisation. The patient's medical history and concomitant medications were not reported. The patient experienced when she close her eyes at night, she saw like vague faces, and it would turn more gruesome, headache, chills, dizziness and allergic reactions. It was further reported that when the patient close her eyes at night, she saw like vague faces, and it would turn more gruesome, she would open her eyes and close them and it would happen again, vaguely for a couple of days and a short time. The patient mentioned that she didn't think it was a side effect, her friend who had the vaccine said, she had a hallucination, I looked on line, and found there are some hallucinations after vaccine, One person said after vaccine, not sure if Pfizer vaccine, think it was, had a bad hallucinations like taking mushrooms or something. Patient would like to know if it's safe for her to get the second dose. The outcome of the events was unknown. No follow-up attempts are possible; information about lot/batch number cannot been obtained</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254209	4/25/2021	NY	61	F	2/20/2021	2/20/2021	Headache; Sleepy; This is a spontaneous report from a contactable consumer (patient). A 61-years-old non-pregnant female patient received of first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in right arm on 20Feb2021 14:45 (Lot Number: EI9269 and Expiration date: Unknown) as single dose for covid-19 immunization. Medical history included lupus. Concomitant medications included hydroxychloroquine sulfate (PLAQUENIL [HYDROXYCHLOROQUINE SULFATE]), levothyroxine sodium (SYNTHROID) and esomeprazole sodium (NEXIUM [ESOMEPRAZOLE SODIUM]) for an unspecified indication. On 20Feb2021 at 18:15, patient experienced Headache and sleepy. 3-4 hours after receiving the shot the patient became so sleepy she could not hold her eyes open and felt like she was melting. The patient also had a slight headache for about 2 days. She did take a nap for about 1.5 hours - woke up for a couple hours and then went to bed for the night. she felt ok in the morning except for the slight headache. The outcome of the events was recovered. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1255164	4/25/2021	NJ	63	F	3/21/2021	4/3/2021	Also felt that she almost faint, not dizzy not vertigo type for under a minute; stroke; meningitis; have massive diarrhea; had a sore throat and could not swallow or eat; menstrual cramps; felt alot of extreme fatigue; felt hands to be freezing for 4-5 days and she have to get hot water to wrap around it; sinus pain; her face and eyebrows hurt; throw up viscously that it is almost coming out of her nose and also went to sheer panic/vomiting; she is not speaking well or understood well; profusely sweating and had whole body sweat drenched on the floor; ice-cold ends; painful arm; baseline temperature is 94.6; Neck pain; Woke up Monday morning and couldn't get out of bed, wanted to die; Caller states she is losing her mind; had her gripping her pelvis because of the pain; sheer panic.; woke up with gut ripping food poisoning; still very tired; couldn't get out of bed; had a sore throat and could not swallow or eat; feel nauseous; feeling dehydrated; her head because of the ache; getting sick; nausea; experienced severe headache which led her to stay in bed all afternoon/her headache is more severe and describe it as she would like to shot her head because of the ache; has a flu-like chills; body ache symptom which comes and go; This is a spontaneous report from a contactable consumer. A 63-years-old female patient received first dose of BNT162B2 (BNT162B2, PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot Number: EP7534) via an unspecified route of administration in arm left on 21Mar2021 as single dose for covid-19 immunisation. Medical history included taking a anti-HTN medicine (beta blocker) and had slowly been weaned off of that prior to getting his shot as her cardiologist is afraid that it might affect the efficacy of the vaccine shot and had not been put back in any BP regulating meds until then and quite concerned because of her fluctuation BP. anxiety and gets to panic immediately, also is disabled and doesn't live with any nearby family, has allergies to alot of foods. State she comes from family of strokes, heart attacks, and high blood pressure and one of her biggest fears is having a stroke. States her boyfriend has a family of strokes too, 2 blood pressure medicines, which contain polyethylene glycol (PEG). and concomitant medications not reported. The patient stated after 1 week of getting the vaccine-getting sick, felt alot of extreme fatigue, felt hands to be freezing for 4-5 days and she have to get hot water to

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

wrap around it. On 03Apr2021 experienced severe headache which led her to stay in bed all afternoon, she also has a flu-like chills body ache symptom which comes and go. On 04Apr2021 experienced nausea and took Tylenol for feeling so sick and felt well 2 hrs after. On 05Apr2021 woke up feeling all the symptoms like the other days, her headache is more severe and describe it as she would like to shot her head because of the ache, she also had a sore throat and could not swallow or eat for 2 1/2 days, she also feel nauseous and throws up water already, she already was feeling dehydrated. After which she called her doctor and mentioned that no organization or her doctor cant guide her well with regards the symptoms that she is feeling if this is common after receiving the vaccine. She asked her doctor and her doctor said that it could probably be a symptom of COVID19 infection. So she got tested and turned out she had a negative result. After a while she also experienced some sinus pain that was not normal for her, she also mentioned that her face and eyebrows hurt. She went to her ENT and ENT who she trusted and respected a lot as a surgeon because according to her is very well versed mentioned that these are not normal side effects that she is experiencing. She also consulted with a brain surgeon and the brain surgeon mentioned that if the side effects won't go away , advised that she need to go to an ER and that doctor feared that he could be having stroke or meningitis. In shock, patient called her cardiologist again and cardiologist advised her not to be alarmed about brain surgeon's advised. She was back to her BP management medication for 2 days already and cardio advised that she should get the vaccine still. On Wednesday and Thursday- her sinus pain went away she had experienced the worst pain ever and had her gripping her pelvis because of the pain, she also have massive diarrhea, had nausea and throw up viscusly that it is almost coming out of her nose and also went to sheer panic. Also felt that she almost faint, not dizzy not vertigo type for under a minute. Called her neighbor and neighbor said that she is not speaking well or understood well. She was profusely sweating and had whole body sweat drenched on the floor. Called her physician and physician said that it could be food poisoning. Patient even said that she is not blaming the above event with Pfizer. Also mentioned she experienced sore throat in



VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

between. Patient states she is losing her mind, she is a highly anxious and panicky person, she was worried about getting the vaccine at first, but went ahead with it. States she has removed herself from her blood pressure medication, Bystolic, because there is an ingredient in there that is a beta blocker, polyethylene glycol or polysorbate or something. Worried of having an anaphylactic reaction now after the vaccine to the medication, states she has allergies to alot of foods. Patient states she had a very painful arm at first, that she had no symptoms for the first four days, states a week later she started getting sick, states last Saturday symptoms worsened significantly, that she had a headache and it wouldn't go away for 4-5 days, nausea, vomiting a couple of days, dehydration, a little diarrhea, chills, mild body aches. One day she was down for the count, then on Easter Sunday she took a Tylenol and was better. Later in the afternoon the nausea came back. Woke up Monday morning and couldn't get out of bed, wanted to die. States her baseline temperature is 94.6 and she went all the way up to 98 it was rising, body aches, sore throat. Went and got tested for Covid, flu, and strep and were all negative at urgent care. There the doctor told her because of her neck pain that she says she has had for years, she could die of a stroke or meningitis and so she called her ENT and they told her to wait a couple days and then to go to the emergency room if she was not better and the headache does not go away soon. patient states she does feel better today, only last night she woke up with gut ripping food poisoning, like she had the flu, Had worst menstrual cramps in that area, then she was throwing up, had diarrhea, felt like she was going to faint, went into this ungodly sweat. Saw on news that more people are getting sick a week or more after the shot, did not mention which shot they received. States she has a previous disability and a broken foot. Today she is feeling fine, just still very tired. experienced side effects between 1-1.5 weeks after the injection. She listed the following symptoms: headaches, chills, nausea, a sore throat, fatigue, ice-cold ends, vomiting, and diarrhea. She specified her sore throat was from hell, her temperature was up, but she had no fever, and both the vomiting and diarrhea were little. She added last Saturday was when she felt sick the most and it lasted 4-5 days. She said she tested for COVID-19 and the Flu.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254228	4/25/2021	IL	43	F	2/13/2021	2/9/2021	<p>She specified the doctors also thought she had a stroke then meningitis. She explained she spoke with 3 doctors but feels like she's on her own to determine whether she should get the second dose. The patient underwent lab tests and procedures which included body temperature: up, body temperature: 94.6, body temperature: 98, influenza: negative, sars-cov-2 test: negative, streptococcus test: negative. Seriousness was non-serious. The outcome of the events was unknown.</p> <p>tightness in chest; joint pain; headache; nausea; swollen lymph nodes; fatigue; itchy eyes; bacterial vaginosis; This is a spontaneous report from a contactable consumer. A 43-years-old female patient received bnt162b2 (BNT162B2), via an unspecified route of administration on 13Feb2021 12:00 (Batch/Lot number was not reported) as SINGLE DOSE for covid-19 immunisation. The patient medical history was not reported. Concomitant medication included amlodipine besilate (AMLODIPINE BESILATE) taken for an unspecified indication,phentermine (PHENTERMINE) taken for an unspecified indication,metoprolol tartrate (METOPROLOL TARTRATE) taken for an unspecified indication, ascorbic acid (VIT C) taken for an unspecified indication, ergocalciferol (VIT D) taken for an unspecified indication. The patient experienced bacterial vaginosis with outcome of recovering. The patient had tightness in chest, joint pain, headache, nausea, swollen lymph nodes, fatigue, itchy eyes on 09Feb2021 with outcome of recovered. Information on the lot/batch number has been requested.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1254225	4/25/2021	PA	77	F	2/15/2021	2/20/2021	itchy rash; eyes are itchy; blotches on both arms, under arms, some on her breasts, and buttocks, and some on knees and on her elbows; Rash; This is a spontaneous report received from a contactable consumer reported for herself. A 77-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Formulation: solution for injection, Lot number: EN6201) via an unspecified route of administration in left arm on 15Feb2021 as single dose for COVID-19 immunization. Patient medical history and Concomitant medications were not reported. No other products or investigation assessment was reported. On 20Feb2021, the patient experienced itchy rash, eyes are itchy, rash, blotches on both arms, under arms, some on her breasts, and buttocks, and some on knees and on her elbows, stated her eyes were itchy and where the rash was itching. Age at time of onset of reaction/event was reported as 81. Stated that she was due for her second dose on 8Mar2021. Reporter wanted to know if the rash will happen again with her second dose. The patient was not recovered from the event. Follow up attempts are completed. No further information is expected.
1254279	4/25/2021	NJ	66	F	2/25/2021	2/26/2021	I woke up the following morning and my eyesight was slightly blurry. Need new glasses as a result.; This is a spontaneous report from a contactable consumer or other non hcp. A 66-year-old female patient received bnt162b2 (BNT162B2, solution for injection), dose 1 via an unspecified route of administration, administered in Arm Left on 25Feb2021 17:45 as SINGLE DOSE for covid-19 immunisation. Medical history included food allergy from an unknown date and unknown if ongoing Known allergies: Tea tree oil. On 26Feb2021 08:00, the patient experienced i woke up the following morning and my eyesight was slightly blurry, need new glasses as a result. The action taken in response to the event for bnt162b2 was not applicable. The outcome of the event was not recovered. No follow-up attempts are possible; information about lot/batch number cannot be obtained

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254576	4/25/2021			F	3/8/2021	3/8/2021	<p>a little bit of swelling on the outside of neck on my right side/also the injection side; have a cataract in that eye; gotten more sick; COPD and uncontrolled asthma typically happen but are a little worse after the vaccine.; COPD and uncontrolled asthma typically happen but are a little worse after the vaccine.; coughs all of the time; I had drainage and hard to breath; I had drainage and hard to breath; swelling was more in the lymph node area on the right side of her neck on the outside/a little bit of swelling on the outside of neck on my right side; My left eye, the inside lining coming down, they are monitoring it, it could have moved and could be causing me to not being able to focus; causing me to not being able to focus; headache; This is a spontaneous report from a contactable consumer(patient). A female patient of an unspecified age received the first dose of bnt162b2 (BNT162B2), via an unspecified route of administration on 08Mar2021 (Batch/Lot Number: EP7534; Expiration Date: 18Mar2021) as SINGLE DOSE for covid-19 immunization. Medical history included Ongoing chronic obstructive pulmonary disease (Has had for 12 years) , Ongoing asthma (Has had for 12 years), ongoing adrenal insufficiency ( Has had for 1 year), Ongoing hypothyroidism from (Has had for 1 year), Swelling from 2019 and ongoing (swell right side all the time. 'Tends to swell if I take something, it started 2 years ago' ), Concomitant medications included salbutamol (ALBUTEROL HFA) taken for chronic obstructive pulmonary disease, asthma from an unspecified start date and ongoing; hydrocortisone (HYDROCORTISONE) taken for adrenal insufficiency from an unspecified start date and ongoing. On an unspecified date the patient experienced cataract in that eye that I need surgery for, a little bit of swelling on the outside of neck on my right side (' also the injection side'), gotten more sick, coughs all the time; On 08Mar2021 swelling was more in the lymph node area, throat swelled a bit on the outside, My left eye, the inside lining coming down, they are monitoring it, it could have moved and could be causing me to not being able to focus, headache; On 11Mar2021 had drainage and hard to breath. COPD and uncontrolled asthma typically happen but are a little worse after the vaccine. Treatment was given for the event COPD and uncontrolled asthma. The clinical outcome of the events Swollen lymph nodes recovered on 09Mar2021,</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

headache was recovered on 09Mar2021; drainage and hard to breath was recovering while the remaining events was unknown. Clinical course was reported as follows got the first dose, throat swelled a bit on the outside. States she reacts a lot to different things now since she has gotten more sick. Clarified that her swelling was more in the lymph node area on the right side of her neck on the outside, her throat did not swell up on the inside like she would have trouble breathing. States her eyes were moving around and it felt like she could not focus, like her eyes were jumping around a bit. States it was mild and fine. She waited for the 30 minutes. Her eyes bothered her the most because she had to drive home. Also had a slight headache. The swelling was gone the next day, but her eyes were still doing that. States she doesn't know if it was from the vaccine or if her eyes got worse because she coughs all of the time. On the third day, she felt like she was having a hard time breathing and drainage which she gets a lot but it seemed worse than usual and then it went back to her original. Hard time breathing and drainage. She states it got worse for 2 weeks and then improved, she still has it like before. She had COPD and uncontrolled asthma, it could have been a reaction to that. These are typically happen but are a little worse after the vaccine. Also stated Her doctor said she did not have an allergic reaction and she could get the second shot. She doesn't know if these reactions were part of a shot reaction, because she has all those reactions on and off. She took her normal treatments with her nebulizer with Albuterol and that was it. States she took her normal Hydrocortisone and took all of her usual meds that she usually takes and some extra nebulizer treatments. The clinical outcome of the events Swollen lymph nodes, Neck swelling, and headache was recovered on 09Mar2021; drainage and hard to breath was recovering while the remaining events was unknown. Follow up attempts are initiated. Further information has been requested

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254322	4/25/2021	TN	68	M	3/8/2021	3/8/2021	Had double vision for the rest of the day/evening. Was fine the following morning.; This is a spontaneous report from a contactable consumer (patient). A 68-year-old male patient received bnt162b2 (BNT162B2), at vaccination age of 68-year-old via an unspecified route of administration in the left arm on 08Mar2021 14:30 (Batch/Lot number was not reported) as a single dose for covid-19 immunisation. The patient medical history was not reported. The patient was not diagnosed with covid-19 prior vaccination. Concomitant medications included lisinopril; montelukast sodium (SINGULAIR) and amlodipine, indication, start and stop date were not reported. The patient did not receive other vaccine in four weeks. The patient previously took acetylsalicylic acid (aspirin), ibuprofen and fexofenadine hydrochloride (ALLEGRA) but had allergies. On 08Mar2021 03:30 PM, the patient had double vision for the rest of the day/evening and was fine the following morning. The patient did not receive treatment for the adverse events. The patient was not covid tested post vaccination. The outcome of the event was recovered on 09Mar2021. Information about lot/batch number has been requested.
1254331	4/25/2021	LA	74	M	3/9/2021	3/10/2021	is seeing double; left eye was really blurry; This is a spontaneous report from contactable consumer (patient). A 74-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EN6202) on 09Mar2021 at 12:00 (at the age of 74 years) at a single dose in the arm right for COVID-19 immunization. Medical history included ongoing high blood pressure diagnosed 5-6 months ago. Concomitant medication included amlodipine taken for high blood pressure from an unspecified start date and ongoing. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. It was reported that on an unspecified date, patient was driving to get kids from school and all of a sudden he is seeing double. Also, on 10Mar2021 at 13:30, patient's left eye was really blurry. Stated blurriness had kind of cleared up before went to bed and woke up and it was still blurry. Stated it happens from a distance. Stated that if he covers his left eye that it goes away. The outcome of the events was not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254408	4/25/2021	MA	44	M	3/23/2021	3/26/2021	Several lumps on right side of head and neck.; Several lumps on right side of head and neck.; Welt on Eye/swollen eyelid right side; This is a spontaneous report from a contactable consumer (patient). A 44-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration, administered in arm left on 23Mar2021 12:30 (Batch/Lot Number: ER8727) as single dose for covid-19 immunisation. Medical history included hypercholesterolaemia from an unknown date and unknown if ongoing. Concomitant medication included rosuvastatin, calcium, vitamin, fluticasone propionate (FLONASE) and multivitamins. The patient experienced several lumps on right side of head and neck, welt on eye and swollen eyelid right side on 26Mar2021 07:00 with outcome of not recovered. No treatment was given for the events.
1254424	4/25/2021	SC	89	F			I got sick for a week; Migraines; This is a spontaneous report from a Pfizer. A 89-years-old contactable female consumer (patient) reported for herself she received BNT16B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Batch/Lot number was not reported), via an unspecified route of administration on an unspecified date at single dose for COVID-19 immunization. Medical history included blindness, rheumatoid arthritis, fibromyalgia, osteoporosis, scoliosis, intervertebral disc protrusion, arthritis from an unknown date. The patient's concomitant medications were not reported. The patient experienced sick for a week, migraines on an unspecified date. The patient stated that the patient got sick for a week. Her rheumatoid arthritis was so bad that she can't open anything. Patient then mentioned having migraines. Patient then stated she was a nurse and hurt herself, my back. She had arthritis, fibromyalgia, osteoporosis and went to a surgeon for scoliosis. She had 9 docs with no cartilage. She had herniated bulging discs and was cut down my left side. The outcome of event was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254435	4/25/2021		58	F	3/26/2021	3/27/2021	numbing on the left side of face - eye, cheek, mouth and left fingers, thumb to pinky; numbing on the left side of face - eye, cheek, mouth and left fingers, thumb to pinky; numbing on the left side of face - eye, cheek, mouth and left fingers, thumb to pinky; numbing on the left side of face - eye, cheek, mouth and left fingers, thumb to pinky; This is a spontaneous report received from a contactable consumer (patient). A 58-year-old female patient received the first dose of BNT162B2 (lot number: ER8727), via unspecified route of administration in left arm on 26Mar2021 11:45 AM at single dose for COVID-19 immunisation. The patient's medical history included primary central nervous system lymphoma and seizure. The patient had allergies to tree nuts. The patient's concomitant medications included vitamins, fish oil. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was not diagnosed with COVID-19 prior to vaccination. The patient previously received levetiracetam (KEPPRA) (anti-seizure medication) that she had stopped in end of Jan2021. Approximately 21 hours after injection of vaccine, the patient experienced numbing on the left side of face - eye, cheek, mouth - and left fingers, thumb to pinky. Lasted about 10 minutes and feeling came back. Same thing happened 15 minutes later and then stopped. Events onset date reported as 27Mar2021 09:15 AM. The event resulted in doctor or other healthcare professional office/clinic visit. The patient contacted her oncologist, she resumed taking levetiracetam and will continue until 2 weeks after next shot (if decide to get it). The patient had routine brain MRI and all clear. Since the vaccination, the patient has not been tested for COVID-19. The outcome of the event was unknown. No follow-up attempts are needed. No further information is expected.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254512	4/25/2021	NC	66	M	3/18/2021	3/18/2021	a big old puffy bag under his right eye; face was swelling; left eye is a little bit swollen; lymph nodes are swollen coming down to his nose and down on his cheek; This is a spontaneous report from a contactable consumer reported self. A 66-year-old male patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot Number: EP6955) on 18Mar2021 as single dose for covid-19 immunisation. Medical history included blocked artery that can't put a stent. None family medical history. None other vaccines administered on same date. Last vaccines were 50 years ago as a child and there were no issues. After his first dose, patient was asked to sit for 15 minutes and he was fine and got in the car and drove home which takes 5-7 minutes and by the time he got home, he had a big old puffy bag under his right eye which drew his attention to look in the mirror and he saw his face was swelling. It started under his right eye and his left eye is a little bit swollen and then on the side coming down to his nose and all the way down on his cheek, lymph nodes are swollen on both sides as well. He went to the pharmacist and they told him they don't recommend him taking anything so he left it alone thinking it would be gone when he woke up. His daughter asked him called an ambulance, so he did that at 2:00-3:00a.m. When they came they said that there is no swelling any other place, they could recommend to take Benadryl, following morning he got the tablets and has taken all 24 and it is still there. No emergency room or physician office visit. The outcome of events was not recovered. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254551	4/25/2021	TX	59	M	4/2/2021	4/3/2021	He thinks he has angioedema/suspected angioedema; swelling all over his face; He has big water bags under his eyes; my eyes are still swollen up; This is a spontaneous report from a contactable consumer reporting for himself A 59 years old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number/expiration date unknown) on 02Apr2021 at single dose via an unspecified route of administration for COVID-19 immunization. Relevant medical history included suspected Covid- 19 and cough as reported that patient thought he had the virus last year because he had a cough that wouldn't go away for about 3 months and he had to take over the counter OTC medicines. Concomitant medications were not reported. The day after vaccination patient experienced swelling all over his face, He stated he had big "water bags" under his eyes (as such). He thought he had angioedema. He wanted also to confirm that he shouldn't get the second vaccine. At the time of the reporting events outcome was unknown. Information on the lot/batch number has been requested.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1254553	4/25/2021		31	M	3/16/2021	4/4/2021	drooping face; complaining of right facial weakness; has difficulty closing right eye; headache; neck pain; hard to get into sleep last night; This is a spontaneous report from a non-contactable Other-Healthcare professional. A 31-year-old male patient received of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Pfizer, Formulation: Solution for injection, Lot number and Expiration date were not reported) via an unspecified route of administration on 16Mar2021 (age at vaccination 31 years) at single dose for Covid-19 immunization. Reportedly, there were no known allergies to medications, food or other products other medical history. Patient did not have COVID prior to vaccination. Patient was not tested for COVID post vaccination. Prior to vaccination, patient was not diagnosed with COVID-19. Patient was complaining of right facial weakness since 04Apr2021 (the day before yesterday), drooping face, has difficulty closing right eye. It was associated with headache, neck pain. The neck and headache pain scale was 7/10 for 4-5 days. It was reported that pain comes and goes. The headache was less when he works and exercise. But the headache was more severe at night. It was hard to get into sleep last night. There was no n/v/c/d, blurred vision, cp, sob, doe, fever, chills, cough, sore throat, runny nose, etc. There was no rash, numbness. The adverse event resulted in Doctor or other healthcare professional office/clinic visit. The reporter assessed the case as non-serious with no seriousness criteria (Seriousness criteria-Results in death/ Seriousness criteria-Life threatening/ Seriousness criteria-Caused/prolonged hospitalization/ Seriousness criteria-Disabling/Incapacitating/ Seriousness criteria-Congenital anomaly/birth defect). No treatment was given for adverse events. Outcome of the events was unknown. Information about batch/lot number has been requested.; Sender's Comments: Based on the temporal association, a possible contributory role of BNT162B2 to the development of drooping face cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254572	4/25/2021	NY	28	M	3/28/2021	3/28/2021	<p>afraid to take second dose of Pfizer COVID-19 vaccine due to the events; brain fog every single day; kind of off and uneasy; body aches; slight dizziness not like he was going to fall over, but cant stand still without lean a little/felt immediate rush to the head and feeling of fainting; very weird like an out of body experience this was almost like an anxiety attack/anxiety attacks for every 30 minutes or so; tension headaches; Chills; tunnel vision/tunneled, it was like tunnel vision and a very very weird like an out of body experience this was almost like an anxiety attack; it was extremely intense; pain at the injection; insane rush from the bottom of his feet to the top of head, felt like he was going to pass out; weakness; This is a spontaneous report from a contactable consumer (Patient). A 28-year-old male patient received first dose of BNT162B2 (Pfizer COVID Vaccine, solution for injection, Lot Number: ER8733; Expiration Date: 31Jul2021), via an unspecified route of administration, administered in left arm on 28Mar2021 at 17:00 (at the age of 28 years-old) as single dose for COVID-19 immunization. Medical history included ongoing asthma, anxiety experienced years and years ago when he was about 19-20 years old and it has been under control, he hasn't had this happen in years. The patient mother suffers from slight anxiety at times; dad currently has high blood pressure. Concomitant medication included albuterol sulfate taken for asthma (in inhalation (90mcg per actuation 200 metered inhalations: 2 puffs as needed) and liquid form (0.083% 2.5 mg out of 3ml as needed) for nebulizer since he was born). Patient did not have COVID prior vaccination. Patient did not want to contract COVID-19 because he has asthma. On 28Mar2021 at 17:00 (within 5 minutes of vaccination), patient experienced Tunnel Vision, chills, weakness, insane rush from the bottom of his feet to the top of head, felt like he was going to pass out (which was recovered same day with lasting effects), weakness, hasn't felt the same; feels like something is off every day; not himself, very weird like an out of body experience this was almost like an anxiety attack/anxiety attacks for every 30 minutes or so, tension headaches, dizziness and felt immediate rush to the head and feeling of fainting, at 8PM or 9PM, he felt pain at the injection and body aches. The patient visited physician room as a result of Insane tension headaches, and anxiety. On 29Mar2021, he</p>

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

didn't really feel too anxious, but he felt out of place, kind of off and uneasy. The chills and body aches, kind of off and uneasy were disappeared on 30Mar2021. On 31Mar2021, brain fog and slight dizziness does not like he was going to fall over but cant stand still without lean a little/felt immediate rush to the head and feeling of fainting. On 02Apr2021, injection site pain was gradually faded away. The patient states that these events started after the Pfizer COVID 19 vaccine. Therapeutic measures were taken as a result of events included Tylenol. The patient underwent lab tests and procedures which included SARS-CoV-2 test (Nasal swab): Pending on 06Apr2021. The patient did not take any other vaccinations four weeks prior to vaccination. The patient was afraid to take second dose of Pfizer COVID-19 vaccine due to the events. Patient felt very hard to work with these symptoms and to get through everyday life, it is very tough. Patient knows plenty of people that died from COVID-19 and he does not want to have to make changes and fix things in his life that he did not cause and worries this will stick around for the rest of his life all because he took a vaccine. The patient had physician office and Emergency room visit. The outcome of the events insane rush from the bottom of his feet to the top of head, felt like he was going to pass out, pain at the injection, chills and body aches were recovered, while for tension headaches, anxiety attacks, dizziness, weakness, brain fog, hasn't felt the same; feels like something is off every day; not himself was not recovered, and for tunnel vision it was unknown. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254255	4/25/2021	IL		F			<p>tested positive for COVID; tested positive for COVID; Nosebleed; Severe pain; Problems with her eyes; pain in eyes, neck, and back; pain in eyes, neck, and back; pain in eyes, neck, and back; This is a spontaneous report from a contactable consumer. A female patient of an unspecified age received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/Lot number: Unknown, Expiration date: Unknown) via an unspecified route of administration on an unspecified date as single dose for covid-19 immunisation. The patient medical history and concomitant medications were not reported. The patient experienced tested positive for covid, nosebleed, severe pain, problems with her eyes (ocular discomfort), pain in eyes, neck, and back (eye pain) , pain in eyes, neck, and back (neck , pain in eyes, neck, and back pain on an unspecified date. The patient underwent lab tests and procedures which included covid-19: positive on an unknown date. She stated she is having severe pain in her eyes. The pain is also in her neck and back. She is also having nose bleeds. She further mentioned after the first dose she had a few pains in her eye and nose bleeds. However, this time after the second dose the nose bleeding is more and severe in her eye and neck. She also tested positive for COVID after getting the first dose of the vaccine. The patient stated she was not the only one with these problems. Another lady had the same problems she had. She further explained after the COVID Vaccine she took the last one and she had problems with her eyes and severe pain. She also had pain in right shoulder up to her back and neck. The patient explained she knows someone else who experienced the same problems she had after getting the COVID Vaccine. Patient tested positive after getting the COVID Vaccine. The outcome of the events was unknown. No follow-up attempts are needed; information about lot/batch number cannot be obtained.</p>
1256761	4/25/2021	NC	43	F	4/7/2021	4/25/2021	<p>Janssen COVID-19 vaccine EUA Patient presented to hospital after crushing chest pain and syncopal event. Found to be hypotensive and hypoxic and echocardiogram revealed RV dilation and dysfunction with clot visualized in R atrium of heart. Patient received IV alteplase followed by start of IV heparin infusion. Currently intubated in ICU, on 3 vasopressors for shock.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1256117	4/25/2021	UT	41	M	4/9/2021	4/9/2021	Bloody nose Left leg / foot pain Entire left side of body not correct Chest pain Shortness of breath Blurred vision Can't sleep
1256182	4/25/2021	MI	73	M	2/26/2021	3/4/2021	he did not feel good from the day he received the shot, 6 days later he suddenly got a very very bad headache and couldn't breathe. he was taken by ambulance to Hospital where they diagnosed him with a stroke. He was airlifted to another Hospital and was there until 3-13-21 while there he received a feeding tube because he couldn't eat because he lost the ability to swallow without it going to his lungs. he was then sent to a rehab facility till 4-6-21. with a total hospitals and rehab stay of a month and 2 days. he is extremely weak on his right side unable to stand and walk on his own, he has vertigo and severe balance issues, he also still is unable to see having double vision and other issues escalating the dizziness. still on multiple medications for issues from this. he was a very strong independent hard working man, working more then half the people half his age, this has greatly effected his life and we are lucky to still have him because the stroke was bad enough that we know that they saved his life only by the quick action of the hospital
1256190	4/25/2021		51	M	4/22/2021	4/22/2021	Patient had first dose on 4/1/21 he developed fatigue and muscle cramps lasting about 36 hours Patient had second dose 4/22/21 and once again developed muscle cramps. He also started to have vision changes, increase thirst, and blood sugar spikes between 400-500. He is not a diabetic



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1256204	4/25/2021	CA	45	F	4/22/2021	4/22/2021	About an hour and a 1/2 after injection I was on virtual call with my sister and she asked what's wrong with my eye? I hadn't noticed anything. In looking in the mirror, my left eye lid was drooping, swollen and red. My right eye was a bit red and slightly swollen but not droopy. I double checked my vision but was not having any disparity. The droop, swelling and redness lasted for many hours but was gone by morning. Between getting the shot and the virtual call, I had gone to the store to pickup some replacement prescription glasses. It is possible they sprayed a cleaning agent on them (though I didn't notice them do that or smell any chemical agents, which I am sensitive to notice). I got pregnant (with donor sperm) in April 2014 with twins. Miscarried at 9 weeks. Got pregnant with (now) husband March 2015. Daughter born 7 lbs 3 oz. Did IVF this past winter/Spring. Now about 14 weeks pregnant. EDD 10/22/2021
1256207	4/25/2021	CA	16	F	4/24/2021	4/24/2021	After shot felt light headed, dizzy, Requested water. Sat down put head back started snoring loudly. Stating seizing, eyes rolled back in head. Nurse had to wake up with smelling salts. Low blood pressure 60/40 All happened within 10 minutes.
1256274	4/25/2021	TX	75	F	4/8/2021	4/8/2021	PATIENT SAID SHE HAS BLUTY FEELING IN HER EYES SINCE GETTING THE SHOT
1256305	4/25/2021	WA	27	M	4/21/2021	4/24/2021	Pericarditis or myopericarditis on post-vaccine day 3. Had myalgias and subjective fever on post-vaccine day 0 and 1, blurry vision post-vaccine day 1, episode of emesis on post-vaccine day 2, then developed acute onset pressure-like chest pain on post-vaccine day 3.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1256310	4/25/2021		38	M	3/27/2021	3/28/2021	After receiving the vaccine, about 12:30am on 03/28/21 I felt a chills, shaky muscles around my neck/shoulders..the room temperature was at 80F but I felt cold like 35F. The next morning, I felt very tired walking up stairs from the basement to my room on the 2nd floor..barely made it to the 2nd floor, felt like my body hitting a wall/ no energy to lift my legs up. I made to my bedroom but felt very dizzy, using my hands holding myself up on my desk and realized I might faint any seconds..my vision was bright and blurry. I slowly moved myself to a bed and laid down for a while. Later that day in the late afternoon, my muscles were sore (legs, thighs, back) I could not walk more than 10-15 steps which I needed rest. These conditions lasted me for 6 days since receiving the vaccine and felt better on the 7th day. Currently I'm ok.
1257229	4/25/2021	OR	79	F	3/17/2021	4/2/2021	Starting early February about 2 weeks after vaccine administration pt began having intermittent headaches and jaw pain, which progressed to rapid and complete painless vision loss 4/20/21 to right eye. Seen same day in ophthalmology clinic, diagnosed with optic nerve ischemia, likely GCA, Rx'd 80mg PO prednisone, lab evaluation started which revealed elevated CRP. This, in combination new new grey 'veil' over vision of L eye the next day 4/21/21, led to admission and initiation of 1,000mg daily IV methylprednisolone. Unfortunately pt then progressed to complete painless loss of vision of left eye as well on 4/23/21 while inpatient on high dose steroids. Patient is now completely blind in both eyes.
1255872	4/25/2021	MA	17	M	4/24/2021	4/24/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Flushed / Sweating-Medium, Systemic: Hypotension-Medium, Systemic: Visual Changes/Disturbances-Severe, Additional Details: Patient received shot and vision went black after about 5 mins. Vision began to return blurry within 15 mins with paramedics.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1256713	4/25/2021	NY	34	F	4/6/2021	4/18/2021	Pt received vaccine on 4/6, on 4/18 started to develop paresthesias in legs, numbness, hyperesthesia, blurry vision and difficulty urinating. She was admitted on 4/23 and MRI of brain/C-spine/T-spine/L-spine showing widespread demyelinating lesions mostly in T-spine. ADEM was primary consideration. LP showed lymphocytic predominance with about 130 WBC, elevated protein and normal glucose. Viral PCR of CSF and nasal swab were negative. Culture negative. She had acute urinary retention requiring foley catheter. She will be discharged today 4/25 with plans to follow outpatient for final MS serologies and neuro/optho follow up for final diagnosis.
1256449	4/25/2021	VA	57	F	4/7/2021	4/15/2021	I contracted Herpes zooster in 1990, and was treated with Valtrex (3 times a day for 3 days) which help to keep control of the virulence of the episodes. Through the years the number of episodes went down (2-3 times a year). In the last 5 years they were so mild that I did not need to use any medication. However, after receiving the COVID vaccine I had a bad case of Herpes in the genital area but in addition and first time since I contracted it I also have blisters in one eye and the mouth. I first had a blister in the right side of my lips and a couple of days later I had another one on the left side of my eyelid. It is painful and I am alarmed because I never had these before.
1256810	4/25/2021	NY	18	F	4/22/2021	4/22/2021	Fever, chills, whole body skin sensitivity, swelling in throat, eyes and injection site
1256826	4/25/2021	NY	61	M	3/8/2021	3/10/2021	shortness of breath, foot swelling, chills, body aches, dry mouth, fatigue, wheezing, eye burning sensation, joint pain, Blood clots in lungs, prescribed Xarelto
1256857	4/25/2021	MN	52	F	4/9/2021	4/9/2021	Had a headache within an hour, felt slightly flu-ish.. Developed a rash on my face on about day three. It kept getting worse and painful (swollen and near the eye) so I saw the doctor on April 16th. He treated me for shingles. The rash and pain was on the left side of my face and neck and in my hair. I felt better on about April 20th except the headache is still there and I still have nerve pain in my hair and one spot on the left side of my head, near my temple. It comes and goes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1256896	4/25/2021	IA	52	F	4/20/2021	4/20/2021	With the first and second shot, I had major arm pain, then all Covid symptoms other than the respiratory issues...even worse then when I had Covid! I had it bad. I'm a long hauler. I have Interstitial Cystitis which got so much worse with Covid, and the same with the shots. I have pigmentary maculopathy and macular degeneration, which I'm losing my vision quite quickly. After Covid and the shots, it was also severely damaged and won't get better! I'm still dealing with muscle weakness,/atrophy, shortness of breath, confusion, major brain fog, like I'm lost in space, I'm more anxious and it was all so bad that I will never get the shot again! It made stop sick
1256955	4/25/2021	IL	16	M	4/25/2021	4/25/2021	Patient received the vaccine and sat down for 15 minutes. After the 15 minute wait patient got up to schedule their second dose appointment. While waiting in line, patient fainted and fell to the floor. Patient stated had blurred vision, was not showing signs of difficulty breathing , denied a soar itchy throat. Had patient lay down, feet were elevated. ambulance removed patient from pharmacy area via stretcher.
1257136	4/25/2021	NY	42	F	4/9/2021	4/10/2021	Vomiting, Fever, Diarrhea, Nausea, Vertigo, Convulsions, Extreme Fatigue, Disorientation, Extreme Blurred Vision, Problems With Night vision, Extreme Chest Pain, Short of Breath, Extra Sleeping, Decreased Productivity, Confusion, Getting Lost Abnormally, Decreased to NO appetite

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1257174	4/25/2021	CA	18	F	4/21/2021	4/21/2021	Medical alert called. arrived to patient on floor unconscious. LVN who first visualized stated patient fainted. Aroused after 1-2minutes. vitals taken 1025 92/56 73 bpm 99%O2sat FSBG 105 MD present assessing pt. 1030 vitals repeated 119/72 82bpm 99% O2Sat patient Alert and oriented, stated dizziness. after initial eval, seated patient upright, provided water and juice. then moved patient to chair. cracker provided. pt states dizziness resolved. vitals 1040 108/72 78bpm 100%O2 saturation. pt states she feels stable. refuses wheelchair to car. stable to walk, accompanied by mother. reviewed vaccination patient instructions. advised to call 911 if symptoms worsen or any of the listed severe reactions occur. mother of pt stated understanding. pt stable and stated she feels much better. released.
1255193	4/25/2021			M			Muscles started convulsing; feeling dizzy; Vision started going in and out; Fell over; legs were weaker than ever; This is a spontaneous report from a non-contactable consumer (patient). A 31-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on an unspecified date (Batch/Lot Number: Er8733) as single dose for COVID-19 immunisation. Medical history included COVID: prior to vaccination. Concomitant medications were not reported. The patient had no known allergies. The patient had no other vaccine in four weeks. 3 hours after shot, the patient started feeling dizzy. Stood up then vision started going in and out. Fell over. Muscles started convulsing and legs were weaker than ever. The patient had no treatment for the events. The outcome of the events was unknown. No follow-up attempts are possible. No further information is expected.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1254813	4/25/2021	CA	70	M	4/6/2021		stressed; it makes his blood pressure go up and that makes him blind in one eye; it makes his blood pressure go up and that makes him blind in one eye; This is a spontaneous report from a contactable consumer (patient). A 70-year-old male patient received the first dose of BNT162B2 (FIZER-BIONTECH COVID-19 VACCINE, solution for injection), via an unspecified route of administration on 06Apr2021 (Batch/Lot number and expiration date were not reported) at the age of 70-years-old at a single dose for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. The patient and his daughter (58 years old female) received their first dose of the Pfizer COVID vaccine on 06Apr2021 and second dose is scheduled 4 weeks later. The patient wanted to know how he can take the second dose in 3 weeks and stated that because he was stressed about the appointment time, it makes his blood pressure go up and that makes him blind in one eye. The outcome of the events was unknown. Information about lot/batch number has been requested.
1257286	4/25/2021		35	M	4/5/2021	4/6/2021	History: pt got J&J COVID-19 vaccine on 4/5 and the next day, pt developed left-sided headache and body ache, like as if having a cold, per pt, and gradually the headache got better every day but it didn't go away completely, now steady for a week w/o daily improvement, bilateral, but also with left neck pain with certain rotation of neck, with vague intermittent bilateral blurry vision and bilateral intermittent non-pulsatile tinnitus (says pt heard some gobbled unclear noise during meeting thru the speaker earlier), w/o paresthesia/weakness in limbs, here for eval. Sometimes, pt has felt dizzy when standing up. Denies use of any meds currently and denies prior history of headaches, prior concussion/head injury.
1256541	4/25/2021	MA	73	M	2/15/2021	2/20/2021	About 5-6 days later after 1st vaccine started to have headaches, diarrhea, redness in eyes, eyes felt sticky then days later bloody nose that wouldn't stop bleeding. Went to urgent care on March 4, 2021. They did blood work and it showed very low platelet count and nurse put a rocket in the nose and then taken by ambulance to hospital. Was in the hospital for 4 days while treated with steroids.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1255233	4/25/2021	TX	75	F	3/15/2021	3/30/2021	infection; Abnormal nose bleed with blood cloths the first day; Abnormal nose bleed with blood cloths the first day/6 more nose bleed that it was taking me to control up to 30 min; This is a spontaneous report from a contactable other HCP (patient). A 75-year-old female patient (not pregnant) received bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Lot Number: EN6207), via an unspecified route of administration on 15Mar2021 10:45 (at 75 years old, not pregnant), single dose for covid-19 immunisation. Medical history included Type II diabetes, Hypertension, GERD and hypercholesterilymia, sulfa allergy, all from an unknown date. Concomitant medications included verapamil; rosuvastatin calcium (CRESTOR); metformin; omeprazole, unspecified blood thinners. The patient previously took tetracycline for known allergies: Tethracycline. Patient experienced abnormal nose bleed with blood cloths the first day (reported as 30Mar2021 0130). Five days later in two days had 6 more nose bleed that it was taking me to control up to 30 min. She went to ER in the morning and had a CBC having results normal with normal levels of platelets. She was referred to PCP. She saw a NP next day and gave me referral to ENT specialist. Using an scope could not find anything and ordered to have CT Scan. Results show negative for polyps, tumors and show only a shadow by eye socket which MD believe it was an infection that was leading to the bleed. Prescribe a very small amount of Amoxicilline 125 mg, twice a day for 7 days plus a saline gel. Patient had the last nose bleed at midnight. For 3 days did not have any bleeding until today, at 10:15 am, with heavy bleeding which took me 15 min. to control. She has no history of nose bleed, taking blood thinners, no head traumas either. No other vaccine in four weeks. No Covid prior vaccination. No Covid tested post vaccination. The outcome of the event infection was unknown, other events was not recovered.; Sender's Comments: Information provided was so limited to prevent a meaningful and definite medical assessment for the events. A causal relationship cannot be completely excluded for BNT162B2 injection and development of Thrombosis and Epistaxis, only based on a plausible chronological sequence. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees, and Investigators, as appropriate.
1255214	4/25/2021	TX	60	F	4/1/2021	4/2/2021	Bell's Palsy; right side of mouth felt numb; freezing cold; This is a spontaneous report from a contactable consumer (patient). A 60-year-old female patient received the second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, lot number: EN6207), via an unspecified route of administration administered in right arm on 01Apr2021 15:15 (at the age of 60-year-old) as SINGLE DOSE for COVID-19 immunisation. The patient was not pregnant at the time of vaccination. The patient had no other vaccine in four weeks. The patient had no COVID prior vaccination and was not COVID tested post vaccination. Medical history included high blood pressure. The patient had known allergies with Allegra. Concomitant medications included pravastatin; ascorbic acid, betacarotene, cupric oxide, tocopheryl acetate, zinc oxide (PRESERVISION); cetirizine hydrochloride (ZYRTEC [CETIRIZINE HYDROCHLORIDE]); and bupropion. Historical vaccine includes first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, lot number: EN6199), administered in the left arm on 14Mar2021 at 04:00 PM for COVID-19 immunisation. On 02Apr2021 at 13:00, the patient got freezing cold. The patient was cold for several hours. On 03Apr2021, the patient woke up and right side of mouth felt numb. The patient went to urgent care and was diagnosed with Bell's Palsy on 03Apr2021. The events resulted in doctor or other healthcare professional office/clinic visit, emergency room/department or urgent care. Therapeutic measures were taken as a result of bell's palsy, freezing cold, and right side of mouth felt numb. The patient had not yet recovered from the events.
1256690	4/25/2021	AZ	59	M	4/11/2021	4/11/2021	Headache and dizziness followed by red, irritated left eye



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1255226	4/25/2021	MI	61	F	4/5/2021	4/5/2021	Anaphylaxis-swelling of eyes, tongue, and injection site, rash/hives, shortness of breath, and dizziness; Anaphylaxis-swelling of eyes, tongue, and injection site.; This is a spontaneous report from a contactable consumer (patient). A 61-year-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiration date unspecified), via an unspecified route of administration, administered in right arm on 05Apr2021 16:00 as single dose for COVID-19 immunization. Medical history included known allergies: yes and hypertension. The patient was not pregnant. Concomitant medications included metoprolol succinate (TOPROL XL), lisinopril dihydrate (LISINOPRIL), and cetirizine hydrochloride (ZYRTEC). The patient had no other vaccine in 4 weeks. On 05Apr2021 16:15, the patient experienced anaphylaxis-swelling of eyes, tongue, and injection site, rash/hives, shortness of breath, and dizziness. The events resulted in emergency room/ department or urgent care. Therapy for the events included prednisone, antihistamine, and intravenous (IV) fluid. The patient did not have covid prior vaccination and was not Covid tested post vaccination. Outcome of events was recovering. Information about lot/batch number has been requested.
1255860	4/25/2021	VA	17	M	4/24/2021	4/24/2021	Systemic: Chills-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Exhaustion / Lethargy-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Shakiness-Mild, Systemic: Visual Changes/Disturbances-Mild, Systemic: Weakness-Mild, Additional Details: Family History: Both parents had seizures after being immunized in the past and this was their son's first immunization. Otherwise, the patient was calm and healthy.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1255239	4/25/2021	CA	44	F	4/7/2021	4/7/2021	causing burst blood vessels in face, eyes, nose and throat; causing burst blood vessels in face, eyes, nose and throat; causing burst blood vessels in face, eyes, nose and throat; causing burst blood vessels in face, eyes, nose and throat; Nausea; repeated vomiting; This is a spontaneous report from a contactable consumer (reporting for herself). A 44-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration, administered in Arm Left on 07Apr2021 at 10:15 (Batch/Lot Number: ER 8737) as single dose for COVID-19 immunization. Medical history included drug amoxillin allergy. Concomitant medication included ibuprofen, simeticone (GAS X), cimetidine (TAGAMET [CIMETIDINE]) and colecalciferol (VITAMIN D [COLECALCIFEROL]), all taken for an unspecified indication, start and stop date were not reported. On 07Apr2021 at 23:00, the patient experienced causing burst blood vessels in face, eyes, nose and throat, nausea and repeated vomiting. The outcome of the events was recovering. The patient did not had COVID prior to vaccination and did not tested positive post vaccination. No follow-up attempts are possible. No information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1255244	4/25/2021	PA		F	3/15/2021	3/28/2021	I had cob webs across my left eye, which turned out to be an occipital stroke; This is a spontaneous report from a contactable consumer (patient). A 79-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot E19264), via an unspecified route of administration, administered in left arm on 15Mar2021 as single dose for COVID-19 immunisation. Medical history included diabetes, arthritis, high blood pressure (BP), and known allergies to adhesive. The patient was not pregnant. Concomitant medications included tolterodine l-tartrate (DETROL), propranolol hydrochloride (INDERAL), metformin, celecoxib (CELEBREX), and valsartan (DIOVAN). On 28Mar2021, the patient experienced cob webs across her left eye, which turned out to be an occipital stroke. She reported that she had good control of her BP so the cause of it was unknown at this time. Therapy of the event included Paxil and underwent doppler test and MRI. The event resulted in doctor or other healthcare professional office/clinic visit, and disability or permanent damage. The patient had no Covid prior vaccination and was not Covid tested post vaccination. Outcome of event was recovered with sequel in Mar2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1255274	4/25/2021	NY	58	F	3/30/2021	3/30/2021	<p>Sinuses felt congested/Feels like left side of head is congested; Left ear ache/inflammation; Momentary buzzing sound in left ear; Vertigo at night; Feeling foggy; Autoimmune fluid response (injection left arm); Left eye felt inflamed; Face felt swollen/fluid; This is a spontaneous report from a contactable consumer (patient). A 58-year-old female patient received BNT162b2 (BNT162B2), dose 1, via an unspecified route of administration, administered in the left arm, on 30Mar2021 at 14:00 (Batch/Lot Number: 8733), at the age of 58 years old, as a single dose, for COVID-19 immunisation. The patient was not pregnant at the time of vaccination. The patient's medical history included asthma, Crohn's disease, and asymptomatic mild thrombocytopenia. The patient had allergy to penicillin, sulfa, preservatives, azithromycin (ZPACK), dust, mold, and sulfites; she also had seasonal allergies. Additionally, allergy to food included wheat, rye, oats, barley, quinoa, tomato, potato, celery, peas, banana, cantaloupe, strawberries, chocolate, tea, beef, and caffeine. In 1982 the patient reacted to an unspecified allergy shot with anaphylaxis and 4-day delayed reaction of serum sickness including liver dysfunction, swelling, rash, nausea, not being able to keep food or liquid down, treated with hydroxyzine (ATRX) (started at day 5 of serum sickness which helped clear it up). The patient had not had COVID-19 prior to vaccination with BNT162b2. Concomitant medications included mesalazine (LIALDA), cetirizine hydrochloride (ZYRTEC), mometasone furoate (ASMANEX), fluticasone propionate (FLONASE), and vitamin D. The patient had not received any other vaccines during the 4 weeks prior to BNT162b2 administration. The patient stated that 20 minutes after vaccination her left eye felt inflamed and 3 hours after vaccination her face felt swollen/fluid. The patient stated waking-up on 04Apr2021 at 06:00 AM with momentary buzzing sound in the left ear, ear ache/inflammation, sinuses feeling congested, lightheaded/dizziness all day, vertigo at night and on the following morning when lying on the left side, and feeling dizzy/lightheaded for 3 more days. The patient also reported feeling foggy, feeling like her left side of head was congested, and autoimmune fluid response (injection left arm) (as reported), all on 04Apr2021. Due to the events, the patient consulted a doctor or other healthcare professional office/clinic visit.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1255326	4/25/2021	NJ	30	F	1/6/2021	1/1/2021	<p>No treatment was required for the events. The patient was not tested for COVID-19 after vaccination. The patient was recovering from all reported events with the exception of buzzing year which resolved on 04Apr2021.</p> <p>Right eye ptosis that began 24 hours after vaccine administration and had not resolved 4 months later; This is a spontaneous report from a contactable other hcp (patient). A 30-years-old non pregnant female patient received bnt162b2 (BNT162B2), via an unspecified route of administration, administered in Arm Right on 06Jan2021 16:00 (at the age of 30-years-old) (Batch/Lot number was not reported) as SINGLE DOSE for covid-19 immunisation. Medical history was none. No known allergies. Concomitant medication(s) included levothyroxine sodium (SYNTHROID) taken for an unspecified indication, start and stop date were not reported; intrauterine contraceptive device (PARAGARD) taken for an unspecified indication, start and stop date were not reported. No Covid prior vaccination. No other vaccine in four weeks. It was reported that, Right eye ptosis that began 24 hours after vaccine administration (Jan2021) and had not resolved 4 months later. The patient had Planned surgery. AE resulted in: Doctor or other healthcare professional office/clinic visit, Disability or permanent damage. On 23Mar2021, the patient had Covid antigen tested post vaccination with nasal swab which was negative. Outcome of the event was not recovered. Information about the Lot/batch number has been requested. ; Sender's Comments: Based on temporal association, the causal relationship between BNT162B2 and the event, eyelid ptosis cannot be completely ruled out. The impact of this report on benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethic committees, and Investigators, as appropriate.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1255332	4/25/2021	TX	38	F		3/1/2021	<p>Rheumatoid arthritis flare up; This is a spontaneous report from contactable nurses. A 38-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Lot number was not reported), via an unspecified route of administration on an unspecified date (at 38 years old) as single dose for COVID-19 immunization. Medical history was not reported. Concomitant medications included methotrexate; fluticasone propionate (FLONASE ALLERGY RELIEF); VITAMIN D (reported as VITAMIN D-400) taken for an unspecified indication, and an unspecified multivitamin capsule. The patient previously took tofacitinib citrate (XELJANZ) and was on hold for about one month due to eye infection from which she took antibiotics. The patient stated she received her first COVID vaccine before restarting tofacitinib citrate. She is currently having a rheumatoid arthritis flare up in Mar2021. The physician (MD) is aware. The outcome of the event was not resolved. Information about lot/batch number has been requested.; Sender's Comments: Based on temporal relation, the association between BNT162B2 vaccine and rheumatoid arthritis flare up cannot be completely ruled out. The impact of this report on benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to committees, and Investigators, as appropriate.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1255334	4/25/2021	NY		F			Severe Allergic Reactions; hives; swollen face; swollen eyes; difficulty in breathing; This is a spontaneous report from a contactable consumer. A female patient of an unspecified age received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), dose 1 via an unspecified route of administration on an unspecified date (Batch/Lot number was not reported) as a single dose for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. The patient experienced severe allergic reactions immediately after the administration of 1st dose of Pfizer/BioNTech Covid-19 vaccine which resulted in more than 24-hour hospitalization with symptoms of hives, swollen face, swollen eyes and difficulty in breathing, all on an unknown date. It was unknown if the patient received treatment for the events. The outcome of the events was unknown. Information on the lot/batch number has been requested.
1255356	4/25/2021	PA	66	M	4/9/2021	4/11/2021	Right eye, subconjunctival hemorrhage; This is a spontaneous report from a contactable consumer (patient). A 66-year-old male patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in Arm Right on 09Apr2021 11:00 (Lot Number: EP7533) as single dose (at the age of 66-years-old) for covid-19 immunisation. Medical history included high cholesterol, cataract surgery. Patient had no known allergies. Concomitant medications in two weeks prior to the vaccination included atorvastatin (LIPITOR). Patient did not receive other vaccine in four weeks prior to the COVID vaccine. Patient had no COVID prior vaccination. Patient was not tested for Covid post vaccination. The patient had previously received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, via an unspecified route of administration, administered in Left arm (Lot number: EN6206) on 17Mar2021 02:45 PM (at the age of 66-years-old) for COVID-19 immunization. The patient experienced right eye, subconjunctival hemorrhage on 11Apr2021 at 12:00. No treatment was required. Patient was recovering from the event.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1255585	4/25/2021	IL	55	F	4/6/2021		Anaphylactic reaction; Eyes swollen; This is a spontaneous report from a contactable Other Health Care Professional (reporting on her-self). A 55-years-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: solution for injection, lot number: EP6955 and Expiry date was not re-ported), via an unspecified route of administration on 06Apr2021 13:35 as single dose for COVID-19 immunization. Medical history included diabetes mellitus, fibromyalgia, intervertebral disc degeneration, post-traumatic stress disorder, back disorder all from an unknown date and unknown if ongoing. Concomitant medication(s) included metformin (METFORMIN) taken for diabetes mellitus, start and stop date were not reported; gabapentin (GABAPENTIN) taken for fibromyalgia, start and stop date were not reported; duloxetine hydrochloride (CYMBALTA) taken for fibromyalgia, post-traumatic stress disorder, start and stop date were not reported; naproxen (NAPROXEN) taken for back disorder, start and stop date were not reported. The patient previously 'Incurin' and 'Epitab' and experienced anaphylactic reaction. Historical vaccine includes first dose of bnt162b2 for covid-19 immunisation. It was reported that on 06Apr2021 at 13:35, patient had her second BNT162B2 vaccine. she ended up having an anaphylactic reaction was hospitalized and just got out today. She also want to say she have a history of having anaphylactic reaction from three different medication 'Incurin' and 'Epitab'. Patient stated that she had nothing wrong after the first one. Patient is a Nurse but not working right now. she was disabled (Further not clarified if consumer is physically disabled or financially) but she was a nurse. Patient was hospitalized on 06Apr2021. patient stated, she, was better. Her eyes are still swollen but she breathing when she went to hospital. Consumer stated for laboratory work Well in hospital they got lab, not before the vaccine and in the hospital they did lab when she got admitted in the hospital. Patient stated since she got in the hospital she have to take Prednisone for 5 days and Benadryl (treatment) for 5 days. she just got out of the hospital. The outcome of the event Anaphylactic reaction was recovering and for event eyes swollen was not recovered.; Sender's Comments: The events was considered related to suspect drug based on strong



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

1255859	4/25/2021	FL	60	F	3/18/2021	3/19/2021	temporal association and known safety profile of the drug. however, the contribution of age and underlying medical conditions cannot be excluded.
---------	-----------	----	----	---	-----------	-----------	---

3/19/21: patient is a 60yo female who presented with complains of facial droop. The sister reports the patient complained about headache in the left temporal area around 8-9pm, reports having the same pain throughout the week but today was stronger, and the sister noticed she had facial droop and was unable to open her left eye. The patient also reports abdominal discomfort the the epigastric region and LUQ that started today and was associated with nausea. She denies diarrhea or fever. Of note patient reports having Covid Pfizer vaccine yesterday and 5 minutes later being were unable to speak with edema in her lips and tongue, associated with SOB. She was taken to a ER, was given epipen, albuterol, benadril, prednisone and was discharged home at night with improvement on her symptoms. Patient discharge note on 3/22/21: Admitted for facial paresthesias in setting of arnold-chiari malformation, HTN, HLD, after covid vaccine, neuro work up neg, discharged home on 3/22/21.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1255614	4/25/2021	TN	76	U	3/20/2021	3/20/2021	<p>did not feel good the next day; it was like she had Covid, weak and had some shakes two days after; it was like she had Covid, weak and had some shakes two days after; it was like she had Covid, weak and had some shakes two days after; This is a spontaneous report from a contactable consumer (patient). A 76-year-old Patient of an unspecified gender received first dose BNT162B2 (Pfizer Covid vaccine, Solution for injection) via an unspecified route of administration in arm left on 20Mar2021 at single dose for COVID-19 immunisation. Patient medical history and concomitant medications were not reported. It was stated that patient wanted to report side effects from the Pfizer Covid vaccine. Stated that patient had Covid in December. Stated that that the vaccine did something to nervous system like shaking that patient took it and for over 2 hours had chills. Later clarified that these side effects were from the second one. Stated that the pharmacist told if patient had antibodies not to get the shot. Stated patient had it checked and had antibodies left. Stated that patient had asked doctor if patient should get the vaccine since it was past 90 days since patient had Covid and he stated yes. Stated that patient took the first one. Stated patient did not feel good the next day on 20Mar2021. Stated that it was like patient had Covid, weak and had some shakes two days after on 20Mar2021. Stated that with the second one that patient had blurred vision and woke up at 12:45 in the morning shaking and freezing for 2.5 hours and calmed down. Stated that in the afternoon that patient had another spell of this. Stated that patient just felt better today. Stated that patient had heard others that had Covid and then had reports of them getting sick. No further details provided. Declined to complete a report about the others. Stated that Pfizer should know that people should not take the vaccine if they have antibodies. Stated that hair started coming out before the vaccine. Clarified that patient had antibodies checked three weeks before patient had first shot. Stated that that one pharmacist stated not to have it until summer and then another stated to go ahead and take it. Stated that patient had back and hip trouble and cannot get up the stairs good before the vaccine. Stated that the vaccine is supposed to protect you but who knows. Stated that patient took both doses of the vaccine. Stated that the pharmacist told if patient had antibodies not to get the</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1255553	4/25/2021		18	F	4/9/2021	4/10/2021	<p>shot. Stated that that one pharmacist stated not to have the vaccine until summer and then another stated to go ahead and take it. Outcome of event Shaking was recovered on 11Apr2021, while with other events was recovered on 21Mar2021. Information about lot/batch number cannot be obtained. No follow-up attempts are needed. No further information is expected.</p> <p>losing vision; almost passing out; After second dose: fever; chills; headache; body ache; pain at injection site; dizziness; This is a spontaneous report from a non-contactable consumer (patient). An 18-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration, administered in Arm Left on 09Apr2021 (Batch/Lot number was not reported) as SINGLE DOSE for covid-19 immunisation, at 18 years old. The patient medical history was not reported. There were no concomitant medications. No other vaccines if four weeks. Patient received the first dose of bnt162b2 at 12Mar2021 16:30, arm left for covid-19 immunisation, at 18 years old. Patient is not pregnant. The patient experienced after second dose: losing vision, almost passing out, dizziness, fever, chills, headache, body ache, pain at injection site on 10Apr2021 00:00 (12AM). Treatment was not given. Outcome of the events was recovering. No follow-up attempts are possible; information about lot/batch number cannot be obtained.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1255500	4/25/2021	NJ	74	M	3/22/2021	3/23/2021	Discombobulated; I was hanging up against wall; My equilibrium was completely off; the headache got on my left side, It's sharp as somebody hit you with a nail; I have been taking 2-3 hours nap and that's not me; He was afraid. He cannot explain it, he can take pain, but with vaccine he couldn't even open the eyes; This is a spontaneous report from a contactable consumer. A 74-year-old male consumer reported that he received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Lot number unknown), into the left upper arm on 22Mar2021 (at the age of 74years-old) at single dose for COVID-19 immunization. Medical history included high cholesterol and 'prostate'. Concomitant drugs included Flomax 0.4 mg for prostate, one a day, Simvastatin 40 mg once daily for High Cholesterol and Clonazepam 2 mg for sleep for years. The patient reported that he received first dos of vaccine and the next day was discombobulated. He was hanging up against wall. His equilibrium was completely off that got better little bit but he was still wobbly but the headache got on his left side, he felt like he was having a stroke and he still has a headache that comes and goes, it was sharp as somebody hit you with a nail and he just does not know if he should take second shot or not since he was afraid. "He cannot explain it, he can take pain, he had done operations (Clarification unknown) and everything but with vaccine he couldn't even open the eyes, his equilibrium was so off and sleeps, he has been taking 2-3 hours nap and that's not him." As per treatment, the only thing they gave him was Aspirin or Advil. He tried Tylenol and it did not work and he tried everything and then he tried Sinutab and he tried Motrin, he tried everything. At the time of reporting the patient had not recovered. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1255497	4/25/2021	TX	23	M	4/8/2021	4/8/2021	can not walk, or eat by himself needs help; his sputum is thick and brown; low platelets; Elevated liver enzymes; low sodium and unstable phenotypes; rashes all over his body; fever of 100.8 next day friday the 9th woke up with a 104 temp; headache; coughing and his sputum is thick and brown; felt like flue symptoms; extreme body ache; his eyes are unable to open for most times; can not walk, or eat by himself needs help; This is a spontaneous report from a contactable consumer (parent). A 23-years-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Batch/Lot Number and expiry date were not reported), via an unspecified route of administration on 08Apr2021, as single dose for COVID-19 immunization. Patient medical and concomitant medications were not re-ported. On 08Apr2021, patient same day developed a fever of 100.8 next day friday the 9th woke up with a 104 temp and ever since (5 days) has had a fever, rashes all over his body, today he started coughing and his sputum is thick and brown, felt like flu symptoms within an hour, extreme body ache, his eyes are unable to open for most times, cannot walk, or eat by himself needs help and headache. Also reported his condition was low platelets, elevated liver enzymes, low sodium and un-stable phenotypes. Treatment received at hospital includes cortisone, paracetamol (TYLENOL), ceftriaxone sodium (ROCEPHIN) and azithromycin. On 08Apr20212 underwent body temperature measurement and result was fever of 100.8 next day friday the 9th woke up with a 104 temp, on unknown date low sodium and unstable phenotypes was done and result was low sodium, underwent liver enzymes test and result was elevated liver enzymes, had platelet count test and result was low platelets and had sputum test and result was sputum is thick and brown. The outcome of the events was unknown. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1255401	4/25/2021	CA	63	M	4/8/2021	4/8/2021	unconscious at times; perspiring profusely; bad cough; coughing until he throws up; He was very ill; high fever" of 104; really bad pain in his arm; delirious and out of it; This is a spontaneous report from a contactable nurse (patient's wife). A 63-year-old male patient received his first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in Arm on 08Apr2021 (Batch/Lot number was not reported) as SINGLE DOSE for covid-19 immunisation. Medical history included sick from Dec2019, down to the eye, diarrhea and fever. There were no concomitant medications. The patient experienced high fever" of 104, had really bad pain in his arm, was delirious and out of it and he was very ill on 08Apr2021. The reporter also stated that the patient also was unconscious at times, perspiring profusely, had bad cough, was coughing until he throws up on an unspecified date. The event pyrexia was assessed as life-threatening and pain in arm was assessed as disability by the reporter. The patient underwent lab tests and procedures which included fever: 104 on 08Apr2021. Therapeutic measures were taken as a result of pyrexia included Tylenol. Outcome of the events was unknown. Information on about lot/batch number has been requested.; Sender's Comments: The information currently provided is very limited, hence the reported events are conservatively assessed as related to the administration of the vaccine. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1255362	4/25/2021	OR	44	F	3/30/2021	3/30/2021	<p>PMS symptoms; nipples became very hard and sore.; swollen breast tissue; Menses late and hasn't started; symmetrical lumps on the distal sides of my breasts; faint; slight injection site soreness; intense tingly whole body sensations; Sense of pressure and tingling on eyeballs; Increased sensitivity to touch; This is a spontaneous report from a contactable healthcare professional (patient). A 44-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration, administered in arm left on 30Mar2021 16:00 (Batch/Lot number was not reported) as single dose for covid-19 immunisation. Medical history included Mild/moderate TBI in Oct1999 with herniated disk in lower lumbar region from auto accident (patient was a pedestrian and a car ran into her); fractured tibia/fibula from occurrence; low blood pressure which she had occasionally fainted from at blood draws (started after being active athletically during recovery from 1999 injury). Patient was not pregnant. There were no concomitant medications (no vaccine in 4 weeks and no other medication in two weeks). Patient did faint 15 minutes after receiving Pfizer Covid vaccine on 30Mar2021. Medical people at vaccination site made a vasovagal note on record. Patient reported that there were no body aches or fatigue or fever, only slight injection site soreness for a couple of days which was hard to notice through intense tingly whole body sensations that started after receiving vaccine on 30Mar2021 16:15. Still continuing to feel a week and a half later. It was very uncomfortable but not painful. Patient also experienced sense of pressure and tingling on eyeballs and increased sensitivity to touch. Menses were due one week after vaccination but 4.5 days after vaccination on 03Apr2021, nipples became very hard and sore. After a few days on nipples slightly sore still but mostly swollen breast tissue with soreness on Apr2021. Patient had not had this as PMS symptom since becoming pregnant almost 9 years ago and it never lasted 7.5 days with it still ongoing as of time of report. Her menses was late on Apr2021 and hasn't started but she was not pregnant. Patient's usual PMS symptoms have kind of started yesterday on 09Apr2021. It quickly formed bilaterally symmetrical lumps on the distal sides of her breasts which was also unusual on Apr2021. No</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

treatment was received and events results in doctor's clinic visit. Outcome of the events was not recovered. Patient was not diagnosed with covid prior to vaccination and had not been tested post vaccination. Information on the lot/batch number has been requested.; Sender's Comments: Based on known drug safety profile, there is reasonable possibility of causal association between the event syncope and the suspect suspect vaccine BNT162B2. The impact of this report on the benefit/risk profile of the Pfizer drug is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1255357	4/25/2021	MI	49	F	3/30/2021	3/30/2021	Before the Bell's Palsy diagnosis she felt like she was getting a cold; dry eye and eye watering; pain in her feet; dry eye and eye watering; Bell's palsy; Legs went numb; Feet burning; Arms went numb; Nausea; This is a spontaneous report from a contactable consumer. A 49-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in Arm Left on 30Mar2021 11:45 (Batch/Lot Number: ERG213) as a single dose for covid-19 immunisation. The patient's medical history included ongoing systemic lupus erythematosus diagnosed 17 years ago. The patient's concomitant medications were not reported. On 30Mar2021, the patient experienced headache and nausea, arms went numb on 31Mar2021, legs went numb and feet burning on 01Apr2021. On 05Apr2021, the patient was diagnosed with Bell's palsy. It was also reported that before the bell's palsy diagnosis she felt like she was getting a cold. It was further reported that on the first day the patient had a headache and nausea. The second day her legs went numb for 3 days, on 05Apr2021 she got Bell's Palsy. Patient cannot talk, symptoms were not treated in any way. Patient had numbness in her arms first and then it went to her legs. She later clarified her arms and legs are still numb. The headache started soon as she got the vaccine. Her nausea started 2 hours after the vaccine and lasted 8 hours. Her legs still bothering her. She still has pain in her feet. Before the Bell's Palsy diagnosis she felt like she was getting a cold. She had a headache on the right side of the face. Her tongue was numb 3 days ago. She can't close her eye all the way, it was causing headache, dry eye and eye watering. It was going into her nose. Her lip was moving, she cannot talk. She went to urgent care last night after her daughter asked why she was winking. Her lip was sagging and thought it was a stroke. They said the Bells Palsy was definitely from the vaccine. The outcome of the event nausea was recovered on 30Mar2021, Bell's Palsy legs went numb, arms went numb, feet burning was not recovered and unknown outcome for the event before the Bell's Palsy diagnosis she felt like she was getting a cold.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1255856	4/25/2021	CA	17	M	4/24/2021	4/24/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Nausea-Mild, Systemic: Visual Changes/Disturbances-Mild, Systemic: Weakness-Mild
1251481	4/24/2021	GA	56	F	3/24/2021	3/31/2021	pt reported that 7 days after receiving moderna 1 she developed an intense headache that shes never experienced before and it lasted 6 days-she went to the er and also felt pain behind her left eye. she had a Cat scan that showed bleeding in brain and saw neurosurgeon in icu for 2.5 days then had repeat testing mri done which showed bleed was stable. she was transferred by ambulance to another medical facility to see ophthalmologist to check pressure behind eye, she stayed for observation until repeat mri with and without contrast and decision that blood would be absorbed into tissue and surgery not needed. pt said she tried to report event three times from hospital but was unable to get through to vaers via phone
1251397	4/24/2021	MI	40	F	3/8/2021	3/9/2021	The second shot was on March 8th. I started feeling very dizzy later on that night, and the next day I felt really dizzy and tired, over the week the dizziness, muscle pain & weakness increased, to the point I could not walk, my muscles were constantly spasming almost like convulsing, I was seeing double, my ears were ringing, and it was so bad by Saturday the 13th of March, I was admitted to the neurology unit at Hospital under the review of Dr neurologist. By day 4, I left the hospital to go see an ENT to see if my ears were the reason for my dizziness. Since then, I've seen my rheumatologist (who's tests showed an elevated SED and issues with my kidneys), I have another meeting with her this Monday. I have seen the ENT twice, and they told me my ears were normal and probably from the vaccine. I have seen an eye doctor, and she too found nothing wrong with my eyes to cause the hallucinations or dizziness. My eye sight has gotten worse in one eye. I am still suffering from dizziness, nausea, bone pain, and muscle spasms.
1252082	4/24/2021		18	F	4/23/2021	4/23/2021	Right after vaccination syncope occurred with loss of vision, pale complexion, sweating, light headed ness, etc. for about 10 minutes after

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1251644	4/24/2021	MI	63	M	3/17/2021	4/14/2021	In order of progression: - numbness/tingling in hands - double/blurred vision - affected speech, loss of some tongue/palate mobility - partial paralysis of face - headache - loss of functioning in throat (unable to swallow) - loss of bowel control - loss of reflex (especially in upper body) - not able to open eyes - respiratory arrest
1251493	4/24/2021	CO	78	F	3/11/2021	4/11/2021	Ischemic Stroke requiring hospitalization. Significant reduction in field of vision. Loss of nearly all Left Side peripheral vision
1251498	4/24/2021	NY	39	F	4/14/2021	4/15/2021	Severe headaches, loss of vision with a beginning diagnosis of optical neurosis, continued headache and increased loss of vision In right eye after receiving steroids in hospital.
1251511	4/24/2021	PA	34	F	4/12/2021	4/16/2021	Subconjunctival hemorrhage of both eyes triggered a visit to the ER, CT scan, determination of something on the scan sent me to ICU, diagnosed with Acute cerebellar hemorrhage.
1251522	4/24/2021	HI	63	F	3/30/2021	3/30/2021	15 minutes after vaccine - eyes were getting puffy; lip and tongue - tingly and numb. I took Benadryl and the symptoms went away. That night of the shot, I had a headache - (Like a bus hit me) at 07:00 PM. The headache never went away after that. 24 hours later, I had a full body itch - I took Benadryl for that and that helped the rash. Since that first headache - I have had headaches every day. I have had to manage it with Tylenol and Ibuprofen and I still do. I saw my doctor 2 weeks after vaccine. My vision was going blurry about two weeks after my vaccine is when I really noticed it. My doctor sent me to an Ophthalmologist - I was told I had cataracts. I had my regular Optometrist - in January 2020 and nothing was noticed with cataracts. The doctor told me to try to manage the headaches and if I have any extreme pain then to go straight to ER.
1251556	4/24/2021	TX	16	F	4/23/2021	4/24/2021	Systemic: Body Aches Generalized-Medium, Systemic: Chills-Medium, Systemic: Lymph Node Swelling-Severe, Systemic: Vomiting-Medium, Additional Details: Patient experiencing muscle twitching in neck, head, face, and upper torso, pain behind both ears, and blurry vision

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1251584	4/24/2021	IL	17	M	4/24/2021	4/24/2021	3 min after receiving the vaccine pt verbalized feeling faint. Staff offered pt a cool pack for his neck. Patient accepted. Pt reported not having had breakfast and leaned back into the chair and became pale. PTA eyes were noted to be rolled into his head. Pts body became rigid. Staff assisted pt to the floor to a supine position. Staff obtained baseline vitals (127/75, HR 66) while simultaneously dialing EMS. Pt a color returned within approx 2 min and pt was talkative. Dad reports pt with fear of needles with hx of syncope in past. Pt reported feeling fine upon EMS arrival. Pt declined EMS transport. Tolerated water and muffin without difficulty. Pt without injury. Self ambulated out of clinic after additional 15 min observation period.
1251601	4/24/2021	OH	63	F	4/10/2021	4/12/2021	got it April 10th First day fine, second-day urine dark, third-day fog and disoriented sensation in my head and double vision, and periods of weakness in hands (now coming and going), lack of appetite, extreme thirst, no fever, no vomiting, pains in my thighs and stomach, middle back pain, Hips, pelvis, 9th day: calves so painful and tight I could not get out of bed, figures swelled up to the point that I could not put on my finds, 10th day my calves are very painful (like the soreness that is felt after someone punches you) Especially right calf. The batch number is 206a21a if I can read it from my card.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1251720	4/24/2021	NY	52	F	4/4/2021	4/5/2021	The day after I received the vaccin I experienced an extreme tension in my two eyes that I still have now but not as intense. My left eye is the most affected - The blood flows really fast in the eye and it is pulsing. I don't have the sensation every day now but still on and off. Both of my eyes feel tension not as much as it was at the beginning but still experiencing symptoms of pressure and pulsions. It feels like I am going to have an ophthalmic migraine. My eyes doesn't feel right either. Overall, I felt weak, highlighted and it felt like if I was experiencing feeling of "dissociation" - caused I think by my sight being affected. I couldn't do a lot as my energy was very low and it felt that my oxygen wasn't at its maximum. Every small activity required a lot of energy and I could barely walk around my block. It affected my work and I couldn't teach at the end of that first week. I wasn't feeling good. I went to my doctor on Monday, April 12th as I was concerned about blood clot or other neurological and pulmonary issues. My Doctor examined me and listened to me and concluded that the sides effects were taking longer than the average to go away. The following day I woke up reading about the blood clots due to J&J vaccin. I called back my doctor and we did a blood test. It came back negative and I got my eyes checked by my ophthalmologist too, and he didn't see anything.
1251727	4/24/2021	PA	18	M	4/24/2021	4/24/2021	Sister observed patient's eyes roll back and slid and hit the floor , did not hit the floor Color returned after a few minutes, seen by paramedic, went home with father and sisters

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1252197	4/24/2021	TN	24	F	3/10/2021		NECK PAIN; BODY ACHES; BURNING SKIN; POSSIBLE SINUS INFECTION; POSSIBLE DOUBLE EAR INFECTION; FAST HEART RATE; SHORTNESS OF BREATH; SPLITTING HEADACHE; FATIGUE; DIZZINESS; VISION CHANGES; POOR SLEEP; This spontaneous report received from a patient concerned a 24 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included vasovagal syncope, postural orthostatic tachycardia syndrome, atypical asthma, ehlers-danlos syndrome, attention deficit hyperactivity disorder, hallucinations, and no allergies or reactions to previous vaccination. The patient experienced drug allergy when treated with hydrocodone for drug used for unknown indication, and drug allergy when treated with salbutamol. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805020, expiry: UNKNOWN) dose was not reported, administered on 10-MAR-2021 13:30 to Left Arm for prophylactic vaccination. No concomitant medications were reported. On MAR-2021, treatment medications included: levosalbutamol. On 10-MAR-2021, the subject experienced dizziness. On 10-MAR-2021, the subject experienced vision changes. On 10-MAR-2021, the subject experienced poor sleep. Laboratory data included: Blood pressure (NR: not provided) 102/60 mmHg, and Pulse rate (NR: not provided) 72 pm. Treatment medications included: paracetamol. On 10-MAR-2021 22:00, the subject experienced splitting headache. On 10-MAR-2021 22:00, the subject experienced fatigue. On 10-MAR-2021 23:30, the subject experienced fast heart rate. On 10-MAR-2021 23:30, the subject experienced shortness of breath. On 11-MAR-2021, the subject experienced possible sinus infection. On 11-MAR-2021, the subject experienced possible double ear infection. On 11-MAR-2021, the subject experienced burning skin. On 11-MAR-2021 03:00, the subject experienced neck pain. On 11-MAR-2021 03:00, the subject experienced body aches. On 11-MAR-2021 07:45, treatment medications included: atenolol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from shortness of breath, and splitting headache on 11-MAR-2021, and dizziness, and vision changes on 10-MAR-2021, was recovering from fatigue, burning skin, and possible

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							double ear infection, had not recovered from fast heart rate, possible sinus infection, body aches, and neck pain, and the outcome of poor sleep was not reported. This report was non-serious.; Sender's Comments: V0 Medical assessment comment not required as per standard operating procedure as the case assessed as non-serious.
1252064	4/24/2021	IN	60	F	4/14/2021	4/14/2021	Severe dizziness, rare front or left headache with pain, pain in both eyes and left eyelid tremor, diarrhea, muscle and joint pain, stiff fingers, feet and leg muscles, rash all over the body, fatigued and shortness of breath, tiredness.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1251318	4/24/2021	TX	29	M	3/25/2021	3/27/2021	on -03/25/21 I Injured my back doing an sitting dumbbell overhead press. The injury occurred while pulling the dumbbell from the ground into an overhead press position. The injury felt muscular in nature, there was no pain after the first few minutes, I was able to complete my workout without any pain. 03/26/21 - Received Moderna Vaccine first dose 03/27/21 - Worked out again with no pain, avoided aggravating the area just in case. 03/28/21 - Woke up with debilitating back pain, unable to fully stand, dull stabbing pain shooting from lower back into hip and then into knee. Following week I was unable to stand upright without intense pain, received Celebrex and muscle relaxers which did little to help with pain, Doctor then put me on 1 week of prednisone, an anti-inflammatory steroid which did not appear to do much. Four hours after starting steroid use I decided to stretch my psoas muscle, despite incredible pain I managed to get it stretched out, I could walk upright with reduced pain afterwards. For the next week the pain would gradually get better. 04/19/21 At this point pain had subsided to about 10% of pain at its worst point and has gradually gotten better, pain is almost non-existent at this point. I noticed that my right quadriceps muscle had atrophied in comparison to my left quadricep muscle. 04/22/21 Began self-administered rehabilitation, slight increase of pain during workouts. Noted that my right quadricep had gotten significantly weaker and had from visual inspection lost about 40% of it's muscle mass, left leg feels hard to the touch while flexed, right leg is mushy to the touch while flexed, one month prior I could do squats of 285x8, now my right quadricep could only complete 5 reps of 15lbs on single leg extensions, my left leg could still do 40+ reps without failure.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1252099	4/24/2021	MD	25	F	4/3/2021	4/3/2021	About 7 minutes of receiving my J&J vaccine, I started to feel nauseous while sitting down and waiting for my fifteen minutes of monitoring. I experienced pain in my left arm and my heart was beating fast. My vision was in and out, started seeing black and white spots. I then got up from my chair and I went to the counter and as I was talking to the clerk telling her I did not feel good, I just went down and fainted. I had fainted and when I came back, woke up a nurse was trying t put an epi-pen on me but I told her I did not need it. They called the ambulance and they monitored me there. The EMT said to me that my blood pressure had dropped and I had had a "vasovagal syncope" and that my body probably went into shock. I did not go to the hospital and went home. For the rest of the day I felt ill, and out of it. I also felt pain, an aching pain to the right buttocks region. The next day I still felt not good. Also I have noticed since the J&J vaccine, I had my menstrual cycle but normally my menstrual cycle lasts 5 days now this month it only lasted about 4 hours and I this concerns me. Before this vaccine, I did not have experience these symptoms.
1252112	4/24/2021	TX	52	F	3/21/2021	3/21/2021	Transverse sinus thrombosis in the brain with severe headaches, nausea, dizziness, and blurred vision. Patient report headaches began within a week of receiving vaccine. She reports a electrical tingling sensation on the top of her head, which began on Tuesday 4/20/2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1252193	4/24/2021	FL		F		3/10/2021	<p>SHORTNESS OF BREATH; EYE PAIN; EAR PAIN; PAIN IN THE ARM; FEVER; NOT FEELING GOOD; HEADACHE; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1802072, expiry: UNKNOWN) dose was not reported, administered on 10-MAR-2021 13:00 for prophylactic vaccination. No concomitant medications were reported. On 10-MAR-2021, the subject experienced pain in the arm. On 10-MAR-2021, the subject experienced fever. On 10-MAR-2021, the subject experienced not feeling good. On 10-MAR-2021, the subject experienced headache. On 11-MAR-2021, the subject experienced shortness of breath. On 11-MAR-2021, the subject experienced eye pain. On 11-MAR-2021, the subject experienced ear pain. Treatment medications included: paracetamol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from fever, and had not recovered from pain in the arm, not feeling good, headache, eye pain, ear pain, and shortness of breath. This report was non-serious.; Sender's Comments: V0: Medical assessment comment not required as per standard procedure as case assessed as non-serious.</p>

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1252293	4/24/2021			F		3/14/2021	BURNING EYES; SORE THROAT; FEVER; HEADACHE; This spontaneous report received from a patient via a company representative concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown, expiry: UNKNOWN) dose, start therapy date were not reported for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 14-MAR-2021, the subject experienced burning eyes. On 14-MAR-2021, the subject experienced sore throat. On 14-MAR-2021, the subject experienced fever. On 14-MAR-2021, the subject experienced headache. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the fever, burning eyes, sore throat and headache was not reported. This report was non-serious.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1252215	4/24/2021	KS		F		3/6/2021	This spontaneous report received from a patient concerned a 64 year old female. The patient's weight was 120 pounds, and height was 64 inches. The patient's past medical history included covid, and concurrent conditions included non alcoholic, and non smoker, and other pre-existing medical conditions included no known allergies reported. no drug abuse or illicit drug usage reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805018, and batch number: 1805018 expiry: UNKNOWN) dose was not reported, administered on 06-MAR-2021 15:15 for prophylactic vaccination. No concomitant medications were reported. On 06-MAR-2021, the subject experienced body aches. On 06-MAR-2021, the subject experienced feeling hot. On 06-MAR-2021, the subject experienced blister on lip. On 06-MAR-2021, the subject experienced headache. On 06-MAR-2021 22:00, the subject experienced fever. On 08-MAR-2021, the subject experienced stomach ache. On 08-MAR-2021, the subject experienced shingles. On 08-MAR-2021, the subject experienced nausea. On 10-MAR-2021, the subject experienced blisters on forehead and on right and left side of eye / vesicle like chicken pox/acne. Laboratory data included: Blood test (NR: not provided) Within normal limit (units unspecified), and Disorder thyroid (NR: not provided) Within normal limit (units unspecified). The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from body aches, and fever on 07-MAR-2021, stomach ache, and nausea on 09-MAR-2021, and feeling hot, and headache on 08-MAR-2021, was recovering from blister on lip, and had not recovered from blisters on forehead and on right and left side of eye / vesicle like chicken pox/acne, and shingles. This report was non-serious.
1251742	4/24/2021	PA	17	M	4/24/2021	4/24/2021	Blurred Vision, Dizziness, given juice, evaluated by paramedic on site, mom reported he didn't eat breakfast and mowed the lawn, color returned, went home with mom

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1249663	4/24/2021	VT	63	F	4/9/2021	4/9/2021	Fever; Chills; Headache; she blew a blood vessel in her right eye; This spontaneous case was reported by a consumer and describes the occurrence of CONJUNCTIVAL HAEMORRHAGE (she blew a blood vessel in her right eye) in a 63-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 037B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No medical history reported.). On 09-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 09-Apr-2021, the patient experienced CONJUNCTIVAL HAEMORRHAGE (she blew a blood vessel in her right eye) (seriousness criterion medically significant). On 12-Apr-2021, the patient experienced PYREXIA (Fever), CHILLS (Chills) and HEADACHE (Headache). At the time of the report, CONJUNCTIVAL HAEMORRHAGE (she blew a blood vessel in her right eye) and HEADACHE (Headache) outcome was unknown and PYREXIA (Fever) and CHILLS (Chills) had not resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown. No treatment details were reported. This case concerns a 63-year-old female with a serious unexpected event of conjunctival hemorrhage, and nonserious expected pyrexia, chills, and headache. Event onset the same day as after first dose mRNA-1273. Event outcomes unknown. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.; Sender's Comments: This case concerns a 63-year-old female with a serious unexpected event of conjunctival hemorrhage, and nonserious expected pyrexia, chills, and headache. Event onset the same day as after first dose mRNA-1273. Event outcomes unknown. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1253759	4/24/2021	KS		F	3/1/2021		<p>PAIN IN EAR; PAIN BEHIND EYES; CAN NOT FALL ASLEEP; LOW BACK PAIN; PAIN BEHIND EAR; PAIN AND BODY ACHES; EXHAUSTED; SEVER HEADACHE; JOINT PAIN; COLD HANDS AND FEET; This spontaneous report received from a patient concerned a 70 year old female. The patient's height, and weight were not reported. The patient's past medical history included covid 19 infection, and concurrent conditions included chronic pain, kidney problems, on physiotherapy, non alcoholic, and non smoker, and other pre-existing medical conditions included she had more 3 drug allergy but not remember. The patient experienced drug allergy when treated with levofloxacin, and sulfacetamide sodium/sulfadiazine/sulfadimidine/sulfamerazine. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805018 expiry: UNKNOWN) dose was not reported, administered on 23-MAR-2021 on left arm for prophylactic vaccination. Concomitant medications included gabapentin for pain, and oxycodone hydrochloride/paracetamol for pain. On MAR-2021, the subject experienced cold hands and feet. On MAR-2021, the subject experienced joint pain. Laboratory data included: Blood pressure (NR: not provided) FINE, and Renal function test (NR: not provided) BETTER. On 24-MAR-2021, the subject experienced pain in ear. On 24-MAR-2021, the subject experienced pain behind eyes. On 24-MAR-2021, the subject experienced can not fall asleep. On 24-MAR-2021, the subject experienced low back pain. On 24-MAR-2021, the subject experienced pain behind ear. On 24-MAR-2021, the subject experienced pain and body aches. On 24-MAR-2021, the subject experienced exhausted. On 24-MAR-2021, the subject experienced sever headache. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from cold hands and feet on 24-MAR-2021, and low back pain on MAR-2021, had not recovered from sever headache, pain in ear, pain behind eyes, can not fall asleep, exhausted, pain and body aches, and joint pain, and the outcome of pain behind ear was not reported. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1252329	4/24/2021	MA		F		3/11/2021	COUGH; STUFFY NOSE; WATERY EYES; RUNNY NOSE; SNEEZING; ITCHINESS ON NECK AND SHOULDERS; COLD; HEADACHE; TIRED; This spontaneous report received from a patient concerned a female of unspecified age. The patient's height, and weight were not reported. The patient's concurrent conditions included asthma, and drug allergy. The patient was allergic to sulfa drugs, ciprofloxacin, and iodine. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805031, expiry: UNKNOWN) dose was not reported, administered on 11-MAR-2021 10:00 for prophylactic vaccination. No concomitant medications were reported. On 11-MAR-2021, the subject experienced headache. On 11-MAR-2021, the subject experienced cold. On 11-MAR-2021, the subject experienced tired. On 11-MAR-2021, the subject experienced itchiness on neck and shoulders. On 13-MAR-2021, the subject experienced runny nose. On 13-MAR-2021, the subject experienced watery eyes. On 13-MAR-2021, the subject experienced stuffy nose. On 13-MAR-2021, the subject experienced sneezing. On 13-MAR-2021, the subject experienced cough. Laboratory data included: Body temperature (NR: not provided) felt little warm and took temperature but reported no fever. Treatment medications included: diphenhydramine hydrochloride, and ibuprofen. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from headache, stuffy nose, sneezing, and cough on 13-MAR-2021, and cold, tired, and itchiness on neck and shoulders on 11-MAR-2021, was recovering from watery eyes, and had not recovered from runny nose. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1249685	4/24/2021	SC	53	F	3/23/2021	3/23/2021	side of the neck and ear ache; Nose draining; Sore Throat; Cannot swallow; Felt like hot iron stuck on the face; Eyes clumpy and hard to open mornings; Bell's Palsy; This spontaneous case was reported by a pharmacist (subsequently medically confirmed) and describes the occurrence of FACIAL PARALYSIS (Bell's Palsy) in a 53-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 017B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Cancer (stage 4 of unspecified cancer). Concomitant products included PEMBROLIZUMAB (KEYTRUDA) for an unknown indication. On 23-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 23-Mar-2021, the patient experienced FACIAL PARALYSIS (Bell's Palsy) (seriousness criterion medically significant). On an unknown date, the patient experienced PAIN (side of the neck and ear ache), RHINORRHOEA (Nose draining), OROPHARYNGEAL PAIN (Sore Throat), DYSPHAGIA (Cannot swallow), BURNING SENSATION (Felt like hot iron stuck on the face) and ABNORMAL SENSATION IN EYE (Eyes clumpy and hard to open mornings). At the time of the report, FACIAL PARALYSIS (Bell's Palsy), PAIN (side of the neck and ear ache), RHINORRHOEA (Nose draining), OROPHARYNGEAL PAIN (Sore Throat), DYSPHAGIA (Cannot swallow), BURNING SENSATION (Felt like hot iron stuck on the face) and ABNORMAL SENSATION IN EYE (Eyes clumpy and hard to open mornings) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. The patient's Primary Care Physician and Oncologist recommended not to have the second dose. Treatment included prednisone for 5 days, flonase, and ice pack to open the eyes. Patient stated that her Primary Care Physician and Oncologist recommended not to have the second dose. Company comment:Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Patient stated that her Primary Care Physician and Oncologist



*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

recommended not to have the second dose; Sender's  
Comments: Based on the current available information  
and temporal association between the use of the product  
and the start date of the events, a causal relationship  
cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1249695	4/24/2021	NY	60	F	4/1/2021	4/11/2021	They thought they were having a stroke; Facial paresthesia; The right side of their face felt numb, like with paralysis; Their face was swollen; Right upper extremity paresthesia; Blurry vision; Dizzy; Nervous as hell; Felt like someone hit them with a gun in the right temple with Novocain; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of CEREBROVASCULAR ACCIDENT (They thought they were having a stroke), PARAESTHESIA (Facial paresthesia), HYPOAESTHESIA (The right side of their face felt numb, like with paralysis), SWELLING FACE (Their face was swollen) and PARAESTHESIA (Right upper extremity paresthesia) in a 60-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 025B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No medical history reported.). On 01-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 11-Apr-2021, the patient experienced VISION BLURRED (Blurry vision), DIZZINESS (Dizzy), NERVOUSNESS (Nervous as hell) and FEELING ABNORMAL (Felt like someone hit them with a gun in the right temple with Novocain). On 14-Apr-2021, the patient experienced CEREBROVASCULAR ACCIDENT (They thought they were having a stroke) (seriousness criterion hospitalization), PARAESTHESIA (Facial paresthesia) (seriousness criterion hospitalization), HYPOAESTHESIA (The right side of their face felt numb, like with paralysis) (seriousness criterion hospitalization), SWELLING FACE (Their face was swollen) (seriousness criterion hospitalization) and PARAESTHESIA (Right upper extremity paresthesia) (seriousness criterion hospitalization). The patient was hospitalized from 14-Apr-2021 to 19-Apr-2021 due to CEREBROVASCULAR ACCIDENT, HYPOAESTHESIA, PARAESTHESIA, PARAESTHESIA and SWELLING FACE. On 11-Apr-2021, VISION BLURRED (Blurry vision), DIZZINESS (Dizzy), NERVOUSNESS (Nervous as hell) and FEELING ABNORMAL (Felt like someone hit them with a gun in the right temple with Novocain) had resolved. At the time of the report, CEREBROVASCULAR ACCIDENT (They thought they

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

were having a stroke), PARAESTHESIA (Facial paresthesia), HYPOAESTHESIA (The right side of their face felt numb, like with paralysis), SWELLING FACE (Their face was swollen) and PARAESTHESIA (Right upper extremity paresthesia) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): In April 2021, Blood pressure measurement: normal (normal) Normal. In April 2021, Blood test: normal (normal) Normal. In April 2021, Echocardiogram: normal (normal) Normal. In April 2021, Lumbar puncture: negative (Negative) Negative for Lyme disease. In April 2021, Magnetic resonance imaging brain: normal (normal) Normal (2x). In April 2021, Ultrasound Doppler: normal (normal) Normal. In April 2021, X-ray: normal (normal) Normal. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown Route) was unknown. Concomitant product use was unknown. Treatment information was not provided.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Further information is requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1249696	4/24/2021			M	3/18/2021	3/18/2021	Struck down with Bell's Palsy over the weekend and was treated; Patient also experienced soreness at the injection site; This spontaneous case was reported by a consumer and describes the occurrence of FACIAL PARALYSIS (Struck down with Bell's Palsy over the weekend and was treated) in a 76-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event. Concomitant products included VALACYCLOVIR [VALACICLOVIR] and NAPHAZOLINE HYDROCHLORIDE (EYE DROPS [NAPHAZOLINE HYDROCHLORIDE]) for Bell's palsy, APIXABAN (ELIQUIS), METOPROLOL TARTRATE, AMLODIPINE, ATORVASTATIN, CARBAMAZEPINE, FAMOTIDINE (PEPCID [FAMOTIDINE]), PARACETAMOL (TYLENOL) and PREDNISONE for an unknown indication. On 18-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 18-Mar-2021, the patient experienced VACCINATION SITE PAIN (Patient also experienced soreness at the injection site). On 17-Apr-2021, the patient experienced FACIAL PARALYSIS (Struck down with Bell's Palsy over the weekend and was treated) (seriousness criterion medically significant). On 19-Mar-2021, VACCINATION SITE PAIN (Patient also experienced soreness at the injection site) had resolved. On 18-Apr-2021, FACIAL PARALYSIS (Struck down with Bell's Palsy over the weekend and was treated) had resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown. Valacyclovir and Eye drop were listed in concomitant medication for Bell's palsy. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1249792	4/24/2021	CA	84	F	4/10/2021	4/17/2021	Patient complained of not being able to read 1 week after vaccine. 1 week and one day, became very disoriented. Taken to ER on 1 week and 2 days after the shot and diagnosed with a stroke in the left occipital lobe of brain. Also diagnosed with atrial fibrillation same day. (for first time.). Patient had no history of blood clotting disorders nor heart problems. This stroke rendered patient with restricted vision. She is now unable to drive, and still quite foggy, though she is likely to recover almost fully.
1249822	4/24/2021	TX	65	F	1/28/2021	1/29/2021	Left eyelid swollen and purple; Sharp pain on her left eyelid; Very weak and fatigued; Very weak and fatigued; This is a spontaneous report from a contactable consumer. A 65-years-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Formulation: Solution for injection, Lot number: unknown), via an unspecified route of administration administered in Deltoid Right on 28-JAN-2021 16:00 at single dose for COVID-19 immunisation. Patient medical history included COVID-19 Virus and diabetes runs in family, but she just had a physical. Patient did not have diabetes. Concomitant medication was not reported. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. On 29 Jan2021, the patient had experienced very weak and fatigued very weak and fatigued. On 30 Jan 2021, the patient had experienced sharp pain on her left eyelid. On 31 Jan 2021, the patient had experienced left eyelid swollen and purple. Next COVID-19 Vaccine in 18Feb2021. The patient did not received other medications within 2 weeks of vaccination. Patient was not on any prescription or over the counter medications. She took Eye Relief Eye drops and Benadryl for her eyelid swelling. Benadryl and Eye Relief eye drops did not do anything for swollen eyelid. Provided, lab-1451-1.0, on back of fact sheet for recipients and caregivers. On an unspecified date in 2021 the events sharp pain on her left eyelid and very weak and fatigued was resolved. At the time of reporting, the outcome of the event left eyelid swollen and purple was not recovered..

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1249838	4/24/2021	IL	63	F	2/4/2021	2/4/2021	face was swelling, bright red, and very itchy; face was swelling, bright red, and very itchy; face was swelling, bright red, and very itchy; Continued to worsen all day and night. Eyes and lips swelled shut; entire face and neck brilliant red; max amt of itching; neck still red and bumpy; Have been unable to sleep well; This is spontaneous report from a contactable healthcare professional (patient herself). A 63-year-old non-pregnant female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot Number: EL3246), via an unspecified route of administration on 04Feb2021 at 15:15 PM (at the age of 63-years-old) as single dose in left arm for COVID-19 immunisation. The patient's medical history included diabetes Type 2, hypothyroid, shingles 10 years ago. Patient had known allergies. Concomitant medications included Synthroid, Rosuvastatin, Metformin, Tresiba and Ozempic. The patient did not receive any other vaccines within four weeks prior to the vaccination. The patient had no COVID prior vaccination and was not tested COVID post vaccination. On 04Feb2021 at 20:00 by midnight, the patient's face was swelling, bright red, and very itchy. She took one Benadryl. Her face and neck worsened, got into MD in morning. She prescribed Claritin and make appointment with allergist. Patient did both. Events continued to worsen all day and night. Her eyes and lips swelled shut, entire face and neck brilliant red with maximum amount of itching. Patient kept ice on face and neck all night but continued to worsen. She went into hospital Emergency Room at 9:00 AM, received IV Prednisone, Benadryl and one more. Also, prescribed with Famotidine, Prednisone, Benadryl and Tylenol if needed for home. Itching started subsiding, brilliant red remained everywhere, swelling was still significant around eyes and cheeks, neck was still red and bumpy. Patient have been unable to sleep well. She took appointment with allergist 08Feb2021 morning. She wondered if she should take second vaccine and reported that this has been an expensive and emotional nightmare. The outcome of the events was not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1249905	4/24/2021	CO	93	M	1/22/2021	2/1/2021	shingles in his forehead and close to his eye but not in eye; lesions; swelling, pain and inflammation; swelling, pain and inflammation; swelling, pain and inflammation; This is a spontaneous report from a contactable consumer. A 93-year-old male patient received the first dose of the BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; formulation: Solution for injection, Lot number: EL3302), via unspecified route of administration on 22Jan2021 at 14:00 (at the age of 93-years-old) as a single dose for COVID-19 immunisation. It was reported that patient had a lot of medical conditions and takes a lot of medications (unspecified) (but nothing she thinks is related to the vaccine). Additional vaccines administered on same date of the pfizer suspect was none. The patient did not receive any other vaccine within 4 weeks prior to the vaccine. On 07Feb2021 patient had lesions showed up and he was diagnosed with shingles he had symptoms 2-3 days prior: he was on a medical treatment with a viral medication, prednisone, ibuprofen and Tylenol. On Tuesday they went to see his ophthalmologist because he has shingles in his forehead and close to his eye but not in eye, his ophthalmologist said that after 10 days with the viral medication and 5 days with prednisone, he should be able to get the second dose of the vaccine. She would like to know if the vaccine could have caused him shingles. He was on a viral medication and was put on prednisone for swelling and inflammation on an unknown date in Feb2021. The patient was also alternating Tylenol and Advil for pain. The patient did not visit emergency room. The outcome of the events lesions, swelling, pain and inflammation was unknown while for shingles was not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1249692	4/24/2021	OH	77	F	1/26/2021		<p>Afib; Lightheaded/dizzy; nervous; Dehydrated; Problems with vision; Tachycardia; Problems concentrations; Fatigued/Tired; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of ATRIAL FIBRILLATION (Afib) in a 77-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 002A21A and 098K20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No reported medical history). On 26-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 26-Feb-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient experienced ATRIAL FIBRILLATION (Afib) (seriousness criterion medically significant), DIZZINESS (Lightheaded/dizzy), NERVOUSNESS (nervous), DEHYDRATION (Dehydrated), VISUAL IMPAIRMENT (Problems with vision), TACHYCARDIA (Tachycardia), DISTURBANCE IN ATTENTION (Problems concentrations) and FATIGUE (Fatigued/Tired). At the time of the report, ATRIAL FIBRILLATION (Afib), DIZZINESS (Lightheaded/dizzy), NERVOUSNESS (nervous), DEHYDRATION (Dehydrated), TACHYCARDIA (Tachycardia), DISTURBANCE IN ATTENTION (Problems concentrations) and FATIGUE (Fatigued/Tired) outcome was unknown and VISUAL IMPAIRMENT (Problems with vision) had not resolved. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments Treatment included metoprolol, digoxin and diltiazem. No concomitant medication was provided. The patient received both scheduled doses of mRNA-1273 prior to the event, therefore action taken with the drug in response to the event is not applicable.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. However, The patient's advance age may remain a risk factor for the event Atrial fibrillation. Further information has been requested.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1249958	4/24/2021	CA	74	F	2/11/2021	2/11/2021	my arm was very itchy for 3-4 days/Itchy on arm where she bends her elbow; Arm soreness is in left arm, which received the COVID-19 Vaccine; This is a spontaneous report from a contactable consumer (patient) via medical information team. A 74-year-old female patient BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, formulation: Solution for injection, Lot Number: EL9265, expiration date not reported) via an unspecified route of administration in left arm on 11Feb2021 around 11:00 am (at the age of 74-year-old) as a single dose for COVID-19 immunisation. Medical history included patient was allergic to Ibuprofen and gets swollen eyes. Can't take any medications with Ibuprofen in it. Hasn't taken Ibuprofen in years. Has no NDC/Lot/Exp to provide. Patient had no family medical history. Patient did not receive any other vaccines within four weeks prior to the vaccination. No additional vaccines were administered on same date of Pfizer suspect. Reportedly, there were no other products. No investigation assessment. There were no relevant tests. On 11Feb2021, patient experienced arm soreness is in left arm, which received the COVID-19 Vaccine and on 12Feb2021, started itching where she bends her arm across her elbow about six inches. Had no rash. Was very itchy that day and then it decreased a little. Itching went on for three to four days. Patient was little better in the morning. It was very itchy. Wants to know if that is an allergic reaction. Patient was scheduled for second dose on 03Mar2021, but she doesn't want to get the second COVID-19 Vaccine. Heard all sorts of stories. Patient asked how much she is protected if she just received one shot. Patient asked if you get a reaction can you take Benadryl after getting the vaccine. Patient also asked for his son who has a Penicillin allergy. He was supposed to get his first vaccine tomorrow. He is 45, is it ok to get the vaccine. No further details provided. The case was reported as non-serious. There was no PQC present. Patient was recovered from itching on 16Feb2021 and was recovering from arm soreness.
1251244	4/24/2021	MN	26	M	4/23/2021	4/23/2021	Patient had a fever of 103 with vomiting, chills, and "puffed-up" eyes. This was severe enough the patient felt the need to go to the hospital.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1249963	4/24/2021	TN		F	2/6/2021	2/6/2021	Severe low back pain; slight headache; The initial case was missing the following minimum criteria: No Adverse Effect. Upon receipt of follow-up information on (29Mar2021), this case now contains all required information to be considered valid. This is spontaneous report from contactable consumer via Pfizer-sponsored program. A female patient of an unspecified age received first dose of bnt162b2 (COMIRNATY, Solution for injection, Lot Number: EN6201) via intramuscular route at left upper arm on 06Feb2021 at 13:15 as single dose for COVID-19 immunization. Patient medical history included ongoing Osteoarthritis, Ongoing Knee surgery Back, hips, and neck on Jun2020, Stroke on Jun2017. patient family history included: Stroke and COPD (mother), Lung cancer and COPD Mezolthezmalona (Father), Stroke (Grandmother). patient concomitant medication included Tylenol arthritis orally for Joint pain, Premarin 45 mg tablet orally for Hormone replacement, AREDS 2 eye vitamin orally for Eye health, Orphenadrine orally for Muscle relaxation, Women's Multivitamin orally for Health. On 06Feb2021 18:00 the patient experienced slight headache, on 08Feb2021 Severe low back pain. No treatment received. Seriousness criteria: Persistent/significant for Severe low back pain and Not serious for slight headache. The patient underwent lab tests and procedures which included Mar2020 and Dec2020 Covid-19 Result: Negative. The outcome of event was recovered on 13Feb2021. Follow-up attempts are completed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1250012	4/24/2021	PA	67	M	2/17/2021	2/17/2021	chills; sweats; tiredness; headache; eyes affected; nausea; joint pain; muscle pain; weakness in my legs and body.; This is a spontaneous report from a contactable consumer. A 67-years-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Batch/Lot Number: ENG6200TA), dose 1 via an unspecified route of administration, in left arm on 17Feb2021 at 10:00 (at 67-years age) as single dose for COVID-19 immunisation. Medical history included hypothyroidism, BPH, low iron, COVID-19 in 2020 and seasonal allergy. Concomitant medication(s) included clopidogrel, Tamsulosin, levothyroxine sodium, magnesium sulfate and ergocalciferol (VIT D) received within 2 weeks of vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient did not have side effects until 8-10 hours after the shot. He previously had COVID last year, and it felt like he had it all over again. On 17Feb2021 at 18:45, the patient experienced chills, sweats, tiredness, headache, eyes affected, nausea, joint and muscle pain, and total weakness in my legs and body, but did not had fever. No treatment received for the reported events. Since the vaccination, the patient has not been tested for COVID-19. The outcome of the events was recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1250736	4/24/2021	CT		M		3/9/2021	REDNESS AROUND BOTH EYES; SWELLING AROUND BOTH EYES; This spontaneous report received from a patient concerned a male of unspecified age. The patient's height, and weight were not reported. The patient's concurrent conditions included some seasonal allergies, and dust allergies, and other pre-existing medical conditions included the patient had no known drug allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805018, and batch number: 1805018 expiry: UNKNOWN) dose was not reported, 1 total, administered on 09-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 09-MAR-2021, the subject experienced redness around both eyes. On 09-MAR-2021, the subject experienced swelling around both eyes. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the redness around both eyes and swelling around both eyes was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1250753	4/24/2021	OH		F		3/6/2021	HAND JERKING IN RIGHT HAND; BLURRED VISION; NUMBNESS IN RIGHT ARM; TINGLING IN RIGHT ARM; EXHAUSTION AND FATIGUE; HEADACHE; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1802068, and batch number: 1802068 expiry: UNKNOWN) dose was not reported, administered on 05-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 06-MAR-2021 18:30, the subject experienced hand jerking in right hand. On 06-MAR-2021 18:30, the subject experienced blurred vision. On 06-MAR-2021 18:30, the subject experienced numbness in right arm. On 06-MAR-2021 18:30, the subject experienced tingling in right arm. On 06-MAR-2021 18:30, the subject experienced exhaustion and fatigue. On 06-MAR-2021 18:30, the subject experienced headache. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from exhaustion and fatigue, and headache on 08-MAR-2021, was recovering from hand jerking in right hand, and had not recovered from blurred vision, numbness in right arm, and tingling in right arm. This report was non-serious.; Sender's Comments: V0 Medical assessment comment not required as per standard operating procedure as the case assessed as non-serious.
1250791	4/24/2021	NM	18	F	4/23/2021	4/23/2021	Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Severe, Systemic: Flushed / Sweating-Mild, Systemic: Hypotension-Medium, Systemic: Nausea-Severe, Systemic: Shakiness-Severe, Systemic: Visual Changes/Disturbances-Medium, Systemic: Vomiting-Mild

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1250890	4/24/2021	OH		M		3/8/2021	BLURRED VISION; KIDNEY PAIN; UNEXPECTED THERAPEUTIC BENEFIT; UNABLE TO WALK; CHILLS; MILD HEADACHE; This spontaneous report received from a patient concerned a 71 year old male. The patient's height, and weight were not reported. The patient's concurrent conditions included arthritis. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: Unknown) dose was not reported, administered on 08-MAR-2021 03:45 for prophylactic vaccination. No concomitant medications were reported. On 08-MAR-2021, the subject experienced unexpected therapeutic benefit. On 08-MAR-2021, the subject experienced unable to walk. On 08-MAR-2021, the subject experienced chills. On 08-MAR-2021, the subject experienced mild headache. On 09-MAR-2021, the subject experienced blurred vision. On 09-MAR-2021, the subject experienced kidney pain. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from chills, mild headache, blurred vision, kidney pain, and unable to walk, and the outcome of unexpected therapeutic benefit was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1250961	4/24/2021	MD		U		3/9/2021	RED EYES; PALPITATIONS; FLUSHING; BODY ACHE; FEVER; HEADACHE; MALAISE; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 1805022, expiry: UNKNOWN) dose was not reported, administered on 08-MAR-2021 to Left Arm for prophylactic vaccination. No concomitant medications were reported. On 09-MAR-2021, the subject experienced body ache. On 09-MAR-2021, the subject experienced fever. On 09-MAR-2021, the subject experienced headache. On 09-MAR-2021, the subject experienced malaise. On 10-MAR-2021, the subject experienced palpitations. On 10-MAR-2021, the subject experienced flushing. On 11-MAR-2021, the subject experienced red eyes. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from fever, headache, body ache, and malaise, and had not recovered from palpitations, flushing, and red eyes. This report was non-serious.
1251133	4/24/2021		16	M	4/24/2021	4/24/2021	Light headedness, headache and visual changes. Hypotension. Pt placed supine and provided with water. Observation for 30min, symptoms resolved and pt sent home.
1251142	4/24/2021	IL	73	F	4/8/2021	4/22/2021	Blood clot in eye

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1251238	4/24/2021	OH	47	F	4/8/2021	4/16/2021	tia in right eye, on Friday morning on 4/16/ 21, between the hours of 8 am and 9:30 am, I went from feeling fine and sleeping to waking up not being able to hear in both ears, not being able to see anything out of my right eye, my left arm was completely numb all the way up to my shoulder and neck, the right side of my tongue was numb and my blood sugar was over 611. Initially they thought it was just a reaction to my high sugar levels, since the mri's showed I did not have evidence of a stroke. It wasn't until I saw a retina specialist the following Tuesday that she confirmed that yes I did have a stroke in my eye. I have not recovered my vision fully in my eye or the sensation in my tongue. I didn't connect it to the vaccination until I spoke with a friend whose sister also got pfizer 5 days before me and suffered a stroke 3 days before me, and two days after we spoke they announced Johnson& Johnson pause due to clots in women. The retina specialist says we will have to wait and see if the damage heals on it's own in the meantime I need to see her on a monthly basis.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1249923	4/24/2021	CA	52	M	1/27/2021	1/28/2021	Lymph Node under left arm starts to itch/hurt/ left arm pit Lymph Node swollen/itchy, achy; Eyes swollen; some wheezing; tired; Lymph Node under left arm starts to itch/hurt/ left arm pit Lymph Node swollen/itchy, achy; Lymph Node under left arm starts to itch/hurt/ left arm pit Lymph Node swollen/itchy, achy; minor tightness in breathing; Sever chills; fever; extreme fatigue; headache; eye ache; This is a spontaneous report from a contactable consumer. A 52-year-old male patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Solution for injection; Lot number: EN5318), via an unspecified route of administration on arm right on 27Jan2021 at single dose for COVID-19 immunization. The patient medical history included Chronic Kidney Disease Stage III, High Blood Pressure, Asthma from an unspecified date and allergies to Penicillin, Levoquin, Erythromycin, Clindamycin from an unspecified date. Prior to the vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19 . The patient Concomitant medications were not reported. Historical vaccines included patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Solution for injection; Lot number: EL3249), via an unspecified route of administration on arm right on 06Jan2021 at single dose for COVID-19 immunization. On 28Jan2021, the patient experienced Sever chills, fever, extreme fatigue, headache, eye ache and got cleared on the same day. On 03Feb Lymph Node under left arm starts to itch/hurt. On 07Feb Eyes swollen (right almost swollen shut); left arm pit Lymph Node swollen/itchy, achy; some wheezing; and tired. Since then: i) swelling in eyes reduces and then swells again, ii) lymph node under left arm still itchy/achy/swollen, iii) at times minor tightness in breathing; and iv) tired.The event resulted in Doctor or other healthcare professional office/clinic visit, Emergency room/department or urgent care. Therapeutic measures were taken, and treatment included prednisone and EpiPen. The outcome of the events was reported as Not recovered. Follow up (15Feb2021): This follow up report contains no new medically significant safety information. Follow up (17Feb2021): This follow up report contains no new medically significant safety information.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1253909	4/24/2021	KS	30	F	3/24/2021		<p>BODY ACHES; EYES HURT AND WERE SENSITIVE TO LIGHT; MUSCLE CRAMPS; EYES HURT; BRUISE AT INJECTION SITE; RASH AT INJECTION SITE; WEAKNESS; TIREDNESS; EXTREME HEADACHE; FEVER; This spontaneous report received from a patient concerned a 30 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805018 expiry: UNKNOWN) dose was not reported, once a total administered on 23-MAR-2021 vaccinated at left arm, for prophylactic vaccination. No concomitant medications were reported. On 24-MAR-2021, the subject experienced body aches. On 24-MAR-2021, the subject experienced eyes hurt and were sensitive to light. On 24-MAR-2021, the subject experienced muscle cramps. On 24-MAR-2021, the subject experienced eyes hurt. On 24-MAR-2021, the subject experienced bruise at injection site. On 24-MAR-2021, the subject experienced rash at injection site. On 24-MAR-2021, the subject experienced weakness. On 24-MAR-2021, the subject experienced tiredness. On 24-MAR-2021, the subject experienced extreme headache. On 24-MAR-2021, the subject experienced fever. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the fever, extreme headache, muscle cramps, eyes hurt and were sensitive to light, bruise at injection site, rash at injection site, weakness, tiredness, body aches and eyes hurt was not reported. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1253153	4/24/2021	MD		F		3/17/2021	<p>RETURN OF SMELL; RETURN OF TASTE; TIGHTNESS/HEAVINESS IN CHEST UPON INJECTION "OVER THE HEART"; HEAVY BREATHING UPON INJECTION; FEET SWEATING; SWOLLEN FACE AND LIPS, LOCALIZED TO LOWER AREA OF FACE (NOT AFFECTING THE EYES); SWELLING OF RIGHT LYMPH NODE ("TURKEY NECK APPEARANCE"); BODY ACHES; This spontaneous report received from a patient concerned a 63 year old female. The patient's height, and weight were not reported. The patient's past medical history included cardio-hx of pvc, and soft murmur allergy, and concurrent conditions included non-alcoholic, non-smoker, pollen allergy, peanut allergy, bee sting allergy, capsaicin allergy, fungus/mushroom allergy, and tetracycline allergy, and other pre-existing medical conditions included no drug abuse or illicit drug use. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 1802070, and batch number: 1802070 expiry: UNKNOWN) dose was not reported, administered on 17-MAR-2021, 19:30 on left arm for prophylactic vaccination. No concomitant medications were reported. On 17-MAR-2021, the subject experienced return of smell. On 17-MAR-2021, the subject experienced return of taste. On 17-MAR-2021, the subject experienced tightness/heaviness in chest upon injection "over the heart". On 17-MAR-2021, the subject experienced heavy breathing upon injection. On 17-MAR-2021, the subject experienced feet sweating. On 17-MAR-2021, the subject experienced swollen face and lips, localized to lower area of face (not affecting the eyes). On 17-MAR-2021, the subject experienced swelling of right lymph node ("turkey neck appearance). On 17-MAR-2021, the subject experienced body aches. Treatment medications (dates unspecified) included: magnesium sulfate, and diphenhydramine hydrochloride. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from tightness/heaviness in chest upon injection "over the heart", heavy breathing upon injection, feet sweating, swollen face and lips, localized to lower area of face (not affecting the eyes), and swelling of right lymph node ("turkey neck appearance) on 17-MAR-2021, was recovering from body aches, and had not recovered from return of smell, and return of taste. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1253206	4/24/2021			M			HEADACHE; FEELING HUNG OVER; BODY ACHES; PAIN BEHIND EYES; This spontaneous report received from a patient via a company representative concerned a 45 year old male. The patient's height, and weight were not reported. The patient's pre-existing medical conditions included the patient had no known medical history. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: UNKNOWN, expiry: UNKNOWN) dose was not reported, administered on 2021 for prophylactic vaccination. The batch number was not reported. The company is unable to perform follow-up to request batch/lot numbers. No concomitant medications were reported. On 2021, the subject experienced headache. On 2021, the subject experienced feeling hung over. On 2021, the subject experienced body aches. On 2021, the subject experienced pain behind eyes. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the headache, feeling hung over, body aches and pain behind eyes was not reported. This report was non-serious.
1253252	4/24/2021	PA		F		3/17/2021	PAIN BEHIND HER EYES; FELT HUNG OVER; BODY ACHES; HEADACHE; This spontaneous report received from a patient concerned a 45 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unk) dose was not reported, administered on 16-MAR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 17-MAR-2021, the subject experienced pain behind her eyes. On 17-MAR-2021, the subject experienced felt hung over. On 17-MAR-2021, the subject experienced body aches. On 17-MAR-2021, the subject experienced headache. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from pain behind her eyes, felt hung over, body aches, and headache. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1253275	4/24/2021	CA		F		3/15/2021	SEEING FLOATING TINY CIRCLES, LINES AND DOTS IN FIELD OF VISION; FEELING TIRED; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805022, and batch number: 1805022 expiry: 31-MAY-2021) dose was not reported, administered on 14-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 15-MAR-2021, the subject experienced seeing floating tiny circles, lines and dots in field of vision. On 15-MAR-2021, the subject experienced feeling tired. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from seeing floating tiny circles, lines and dots in field of vision, and the outcome of feeling tired was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1253276	4/24/2021	TX		F		3/20/2021	<p>LIGHT HEADED; FEELING LIKE WAS RUN OVER BY A TRAIN (LOWER BACK PAIN); PRE-EXISTING LEFT SIDED FACE PAIN MADE WORSE BY VACCINE (IN LEFT EYE, CHEEK AND EAR); FEELING STRANGE NOT COMFORTABLE; CHILLS; FEELING LIKE WAS RUN OVER BY A TRAIN (HIP PAIN); FEVER; This spontaneous report received from a patient concerned a female of unspecified age. The patient's height, and weight were not reported. The patient's concurrent conditions included thalassemia trait, and previous neck injury that causes pain on left side. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805029, and expiry: UNKNOWN) dose was not reported, administered on 19-MAR-2021 for to right deltoid prophylactic vaccination. No concomitant medications were reported. On 20-MAR-2021, the subject experienced light headed. On 20-MAR-2021, the subject experienced feeling like was run over by a train (lower back pain). On 20-MAR-2021, the subject experienced pre-existing left sided face pain made worse by vaccine (in left eye, cheek and ear). On 20-MAR-2021, the subject experienced feeling strange not comfortable. On 20-MAR-2021, the subject experienced chills. On 20-MAR-2021, the subject experienced feeling like was run over by a train (hip pain). On 20-MAR-2021, the subject experienced fever. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from chills, and feeling like was run over by a train (lower back pain), and had not recovered from fever, light headed, feeling like was run over by a train (hip pain), pre-existing left sided face pain made worse by vaccine (in left eye, cheek and ear), and feeling strange not comfortable. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1253292	4/24/2021	NY	62	F	3/14/2021		ALLERGIC REACTION; HEART BEAT ELEVATED; FATIGUE; GLASSY EYES; LETHARGIC; RUNNY NOSE; This spontaneous report received from a consumer concerned a 62 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included advanced multiple sclerosis, and penicillin allergy. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805029) dose was not reported, administered on 13-MAR-2021 for prophylactic vaccination at her right arm. No concomitant medications were reported. On 14-MAR-2021, the subject experienced glassy eyes. On 14-MAR-2021, the subject experienced lethargic. On 14-MAR-2021, the subject experienced runny nose. On 14-MAR-2021, the subject experienced fatigue. On 15-MAR-2021, the subject experienced heart beat elevated. On 17-MAR-2021, treatment medications included: loratadine. On an unspecified date, the subject experienced allergic reaction. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from fatigue, had not recovered from glassy eyes, runny nose, heart beat elevated, and allergic reaction, and the outcome of lethargic was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1253429	4/24/2021	IL		F		3/1/2021	SINUS PRESSURE BEHIND EYES WHICH WAS MOVING TO THE FOREHEAD; HEADACHE; FEVER OF 99.9F; This spontaneous report received from a patient concerned a 54 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unk) dose was not reported, administered on 18-MAR-2021 11:30:00 for prophylactic vaccination. No concomitant medications were reported. On MAR-2021, the subject experienced sinus pressure behind eyes which was moving to the forehead. On MAR-2021, the subject experienced headache. On MAR-2021, the subject experienced fever of 99.9f. Laboratory data included: Body temperature (NR: not provided) 99.9 F. The batch number was not reported and has been requested. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from sinus pressure behind eyes which was moving to the forehead, headache, and fever of 99.9f. This report was non-serious.
1253434	4/24/2021	IN	80	F		3/12/2021	POOR VISION; DOUBLE VISION; BLURRED VISION; This spontaneous report received from a patient concerned an 80 year old female. The patient's height, and weight were not reported. The patient's past medical history included cataract surgery on left eye. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, and batch number: 1805029 expiry: UNKNOWN) dose was not reported, administered on 12-MAR-2021 to left arm for prophylactic vaccination. Concomitant medications included influenza vaccine for prophylactic vaccination. On 12-MAR-2021, the subject experienced poor vision. On 12-MAR-2021, the subject experienced double vision. On 12-MAR-2021, the subject experienced blurred vision. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from poor vision, double vision, and blurred vision. This report was non-serious.; Sender's Comments: V0: Medical Assessment comment not required per standard procedure as the case is assessed as non-serious.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1253146	4/24/2021			F		3/17/2021	ITCHY EYES; EYELIDS SWELLED; HEADACHE; FATIGUE; TEMPERATURES UP TO 99 DEGREES; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: UNKNOWN, expiry: UNKNOWN) dose was not reported, administered on 17-MAR-2021 for prophylactic vaccination. The batch number was not reported. The unspecified Company is unable to perform follow-up to request batch/lot numbers. No concomitant medications were reported. On 17-MAR-2021, the subject experienced itchy eyes. On 17-MAR-2021, the subject experienced eyelids swelled. On 17-MAR-2021, the subject experienced headache. On 17-MAR-2021, the subject experienced fatigue. On 17-MAR-2021, the subject experienced temperatures up to 99 degrees. On 18-MAR-2021, Laboratory data included: Body temperature (NR: not provided) 99 degrees (units unspecified). The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from eyelids swelled, had not recovered from headache, fatigue, and temperatures up to 99 degrees, and the outcome of itchy eyes was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1253550	4/24/2021	WA		F		3/15/2021	<p>SHARP PAIN IN LOWER LEFT GROIN; JAGGED RAINBOW COLORS IN RIGHT EYE IN RIGHT LATERAL VISION; BRAIN SPEECH WASN'T FIRING CORRECTLY; HEADACHE IN LEFT TEMPORAL LOBE; FATIGUE; NAUSEA; RING IN EARS; CHILLS; PRESSURE IN HEAD; DIZZINESS; DIARRHEA; FLUSHED FACE; RED FACE; FEELING HOT; JOINT PAIN; MUSCLE PAIN; SHAKING; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805029, and batch number: 1805029 expiry: UNKNOWN) dose was not reported, administered to left arm on 11-MAR-2021 17:26 for prophylactic vaccination. No concomitant medications were reported. On 15-MAR-2021, the subject experienced feeling hot. On 15-MAR-2021, the subject experienced shaking. On 15-MAR-2021, the subject experienced joint pain. On 15-MAR-2021, the subject experienced muscle pain. On 15-MAR-2021 06:00, the subject experienced pressure in head. On 15-MAR-2021 06:00, the subject experienced dizziness. On 15-MAR-2021 06:00, the subject experienced diarrhea. On 15-MAR-2021 06:00, the subject experienced flushed face. On 15-MAR-2021 06:00, the subject experienced red face. On 15-MAR-2021 06:00, the subject experienced ring in ears. On 15-MAR-2021 06:00, the subject experienced chills. On 15-MAR-2021 06:00, the subject experienced headache in left temporal lobe. On 15-MAR-2021 06:00, the subject experienced fatigue. On 15-MAR-2021 06:00, the subject experienced nausea. On 17-MAR-2021, the subject experienced brain speech wasn't firing correctly. On 20-MAR-2021, the subject experienced jagged rainbow colors in right eye in right lateral vision. On 21-MAR-2021, the subject experienced sharp pain in lower left groin. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from diarrhea on 19-MAR-2021, and had not recovered from ring in ears, pressure in head, headache in left temporal lobe, fatigue, chills, dizziness, nausea, flushed face, red face, feeling hot, muscle pain, joint pain, jagged rainbow colors in right eye in right lateral vision, brain speech wasn't firing correctly, shaking, and sharp pain in lower left groin. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1253645	4/24/2021	CA		M		3/18/2021	BUMP ON THE SIDE OF LEFT EYE FILLED WITH PUS; This spontaneous report received from a patient concerned a male of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805020, expiry: UNKNOWN) dose was not reported, administered on 08-MAR-2021 to right arm for prophylactic vaccination. No concomitant medications were reported. On 18-MAR-2021, the subject experienced bump on the side of left eye filled with pus. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from bump on the side of left eye filled with pus. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1253981	4/24/2021	ME		M	4/10/2021		LEFT EYE BLEEDING; ITCHY EYE; HEADACHE; This spontaneous report received from a patient concerned a male of unspecified age. The patient's weight was 195 pounds, and height was 175 centimeters. The patient's concurrent conditions included sulfonamide allergy, seasonal allergy, and alcohol user, and other pre-existing medical conditions included the patient did not have any drug abuse or illicit drug usage. The patient experienced drug allergy when treated with Aspirin (acetylsalicylic acid), erythromycin, and Tylenol (paracetamol). The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 203A21A expiry: UNKNOWN) dose was not reported, 1 total, administered on 09-APR-2021 at Left deltoid for prevention of covid-19 disease. No concomitant medications were reported. On 10-APR-2021, the patient experienced headache and the pain was tolerable but did not take medication for it. On the same day, the patient's left eye was bleeding and it was spreading but later on it got better because the spreading stopped. The patient also reported that the bleeding might be because of the seasonal allergy and rubbed the eye because it was itchy. The patient had never experience eye bleeding before. The patient's attending physician did not inform about the situation. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from eye bleeding, and itchy eye, and had not recovered from headache. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210425458-COVID-19 VACCINE AD26.COV2.S-Left eye bleeding. This event(s) is considered not related. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There are other factors more likely to be associated with the event(s) than the drug. Specifically: MEDICAL HISTORY, UNDERLYING DISEASE

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1253983	4/24/2021	CA		F		4/7/2021	MICRO INFARCTION/SLIGHT DROOP ON RIGHT SIDE OF LIP/RIGHT EYE CLOSING ALONE; BOTH LEG PAIN BEHIND HER KNEES; EXTREMELY TIRED; This spontaneous report received from a consumer concerned a 70 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included hypertension. The patient received Covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, and batch number: 1808980 expiry: UNKNOWN) dose was not reported, total 1 dose, administered on 06-APR-2021 for prophylactic vaccination on left deltoid. No concomitant medications were reported. The patient was not pregnant at the time of reporting. On 07-APR-2021, the patient was extremely tired. On 08-APR-2021, she experienced leg pain on both legs behind her knees. On 10-APR-2021, both the event both leg pain behind her knees and extremely tired. On 12-APR-2021, her right eye started to close on its own, along with a slight drop on her right side of her lips. The doctor, he recommended her to take aspirin and ordered lab work. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from both leg pain behind her knees, and extremely tired on 10-APR-2021, and had not recovered from micro infarction/slight droop on right side of lip/right eye closing alone. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210427668- Covid-19 vaccine ad26.cov2.s- MICRO INFARCTION/SLIGHT DROOP ON RIGHT SIDE OF LIP/RIGHT EYE CLOSING ALONE. This event is considered unassessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1253988	4/24/2021	FL	19	F	4/10/2021		<p>TUNNEL VISION; EXTREME BODY ACHE; DIZZINESS; VOMITING; CHILLS; HEADACHE; NAUSEA; This spontaneous report received from a parent concerned a 19 year old female. The patient's weight was 112 pounds and height was 66 inches. No past medical history or concurrent conditions were reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of administration not reported, batch number: Unknown) frequency one total, dose was not reported, administered on 10-APR-2021 at 11:30a.m. in left arm for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. The parent reported that the patient on 10-APR-2021 experienced tunnel vision, extreme body ache, dizziness, vomiting, chills, headache and nausea for which eight hours later patient went to the emergency room where the patient was given two bags of intravenous fluid and rotated ibuprofen and paracetamol when awake. The patient was also given Benadryl at evenings. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from tunnel vision on 11-APR-2021, and vomiting, and chills on 10-APR-2021, was recovering from extreme body ache, headache, and dizziness, and had not recovered from nausea. This report was serious (Other Medically Important Condition).; Sender's Comments: V0:20210428952- covid-19 vaccine ad26.cov2.s-Tunnel vision, extreme body ache, dizziness, vomiting. These events are considered unassessable. The events have a compatible/suggestive temporal relationship, are unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the events.</p> <p>20210428952- covid-19 vaccine ad26.cov2.s-chills, headache, nausea. These events are labeled per RSI and are therefore considered potentially related.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1253990	4/24/2021	AZ		M		3/31/2021	STROKE IN THE CEREBELLUM; LOW PLATELET COUNT OF 90,000; DIZZINESS; NAUSEA; DOUBLE VISION; This spontaneous report received from a consumer concerned a male of unspecified age. The patient's weight and height were not provided. Medical history included 5-6 episodes of double vision. Concurrent conditions included inner ear syndrome. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805020, and expiry: 25/MAY/2021) 1 total, dose was not reported, administered on 16-MAR-2021 in left deltoid for prophylactic vaccination. No concomitant medications were reported. On 31-MAR-2021, the patient experienced double vision and could not move. He was taken to hospital and it was discovered that he had a stroke in the cerebellum confirmed via a magnetic resonance imaging scan. On 31-MAR-2021 the patient developed low platelet counts of 90,000 and was hospitalized. On an unspecified date the patient also experienced dizziness and nausea. At the time of reporting his vision was still blurred and he had double vision. He could not drive. He had 5-6 episodes of double vision in the past couple months but the cause was determined to be inner ear syndrome. The patient was discharged from hospital on an unspecified date and was awaiting an appointment with his neurologist and would follow-up with his primary care physician. he action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from double vision, and the outcome of stroke in the cerebellum, low platelet count of 90,000, dizziness, nausea, was not reported. This report was serious (Hospitalization Caused / Prolonged).; Sender's Comments: V0: This male patient of unspecified age was hospitalized for cerebellar stroke and low platelet count 15 days after receiving Janssen COVID-19 vaccine for the prevention of symptomatic SARS-CoV-2 virus infection. Symptoms reported were double vision, blurred vision, "could not move", dizziness, nausea. There was prior history of episodic double vision due to an unspecified inner ear syndrome for the past couple of months prior to vaccination. Platelet count was 90,000; MRI showed stroke in the cerebellum. No other laboratory tst results reported. No treatment reported. Outcome of the events were not reported. Based on the information that is

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

available, the event is assessed as plausible with the causal association to immunization, per organization causality classification of adverse events following immunization based on a lack of a definitive plausible biological mechanism. However, considering the temporal relationship and recently evolving theories in the literature about COVID infections and vaccinations, potential vaccine contribution cannot be excluded. Additional information is requested



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254007	4/24/2021	TX		F		4/1/2021	LOSS OF TASTE; SORE ARM BY THE ROTATOR CUFF; FLU/ALLERGY LIKE SYMPTOMS/COUGH/HEADACHE/SORE THROAT/TIREDNESS; SNEEZING; EYE WERE RUNNING; ITCHY EYES; ITCHY EARS; SCRATCHY THROAT; POST NASAL DRIP; This spontaneous report received from a patient concerned a 73 year old female. The patient's height, and weight were not reported. The patient's past medical history included kidney stones, and covid-19 test positive, and concurrent conditions included sinusitis. The patient was previously treated with paracetamol, benzonatate for cough, zinc, and ascorbic acid. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 04121A expiry: UNKNOWN) dose was not reported, administered on 06-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 2021, Laboratory data included: Oxygen saturation (NR: not provided) 97-98 %. On 12-MAR-2021, Laboratory data included: COVID-19 virus test (NR: not provided) Positive. On 20-MAR-2021, Laboratory data included: COVID-19 virus test (NR: not provided) Negative. On APR-2021, the subject experienced flu/allergy like symptoms/cough/headache/sore throat/tiredness. On APR-2021, the subject experienced sneezing. On APR-2021, the subject experienced eye were running. On APR-2021, the subject experienced itchy eyes. On APR-2021, the subject experienced itchy ears. On APR-2021, the subject experienced scratchy throat. On APR-2021, the subject experienced post nasal drip. On 06-APR-2021, the subject experienced sore arm by the rotator cuff. On 21-APR-2021, the subject experienced loss of taste. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from sore arm by the rotator cuff, and the outcome of loss of taste, flu/allergy like symptoms/cough/headache/sore throat/tiredness, sneezing, eye were running, itchy eyes, itchy ears, scratchy throat and post nasal drip was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1254034	4/24/2021	AZ	52	F	1/29/2021	1/30/2021	<p>mild flu like symptoms; bloody nose; blood sugars were also elevated; severe pain in her stomach and head; severe pain in her stomach and head; tongue was throbbing and hurt; throat was hoarse; when she was talking she would get out of breath really quickly; producing a lot of phlegm/cough; vaginal mucous; eyes also feels like a film is over them; gums began to hurt; weakness/body felt heavy; total exhaustion; Fatigue; This is a spontaneous report from a contactable consumer or other non-HCP via medical information team. A 52-year-old female patient received the first dose of BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Solution for injection, Lot number: EL9262) intramuscularly at a dose of 0.3 ml in left arm on 29Jan2021 as single dose for COVID-19 immunization. Patients age at the time of vaccination was 52-years-old. Medical history included type 1 diabetes mellitus, menopause from an unknown date. Concomitant medications included insulin lispro (HUMALOG), rosuvastatin, trazodone taken for an unspecified indication. On 30Jan2021, the patient experienced bloody nose; on 31Jan2021, the patient experienced mild flu like symptoms; on an unspecified date the patient experienced blood sugars were also elevated, severe pain in her stomach and head, tongue was throbbing and hurt, throat was hoarse, cough, when she was talking she would get out of breath really quickly (dyspnea), states she slept for several days, producing a lot of phlegm, vaginal mucous, eyes also feels like a film is over them, gums began to hurt, weakness/body felt heavy, fatigue, total exhaustion. The patient underwent lab tests and procedures which included sars-cov-2 test: negative on 08Feb2021. The outcome of the events stomach and head, gums began to hurt, weakness/body felt heavy, fatigue was recovered and total exhaustion was not recovered while for others was unknown. The patient would like to know the timing of the second dose of the Pfizer COVID vaccine if she does not receive it at the recommended 21-day interval. Follow-up (10Feb2021): This is a follow-up spontaneous report from a contactable consumer. This consumer (patient) reported about the patients height and weight. The patient had a very severe reaction and is still very ill and weak. The patient did have Covid test two days ago and it was negative. No further follow-up attempts are possible, no information is</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							required.
1254073	4/24/2021	VA	67	F	2/10/2021	2/10/2021	painful knees; red bumpy rash on face; itchy eyelids, eyebrows; Mild headache; nausea; fatigue; This is spontaneous report from a contactable consumer (patient). A 67-year-old non-pregnant female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Solution for injection; Lot number: EM9810), via an unspecified route of administration on arm Left on 10Feb2021 12:00 PM at single dose for COVID-19 immunization. The patient medical history included Systemic lupus, RA, Minimal Stage Kidney Disease, mild heart failure, allergic asthma and allergies to Nafcillin, cleocin, celebrex, fluorescein dye, lasix, bactrim, flecanide. Prior to the vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. The patient Concomitant medications included Prednisone 5mg, Plaquenil 200mg, APIXABAN (Eliquis), METOPROLOL SUCCINATE (Toprolxl) taken in two weeks. The patient did not receive any other vaccine in 4 weeks prior to the COVID vaccine. On 10Feb2021 05:00 PM, the patient experienced mild headache, nausea, painful knees, fatigue, red bumpy rash on face, itchy eyelids and eyebrows. The patient did not receive any treatment for the events. The outcome of the events was recovered.
1252377	4/24/2021	CA	26	M	3/27/2021	3/24/2021	Initial adverse reaction was a headache and impaired vision. My vision has continued to be impaired with it being similar to static and has caused headaches. After research I saw AstraZeneca had this in their files as a possible side effect. I understand it is different but made with similar technology so it may or may not be true for J&J vaccine, but this has continued for almost a month so I am concerned.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1253608	4/24/2021	NC		F		3/14/2021	<p>PAIN MID TO RIGHT BREAST; SHORTNESS OF BREATH; TIGHT CHEST; DRENCHED BED SHEETS UPON WAKING; PULSE 134 TO 143 WHILE SLEEPING; PRESSURE IN EYES; SHOOTING PAIN LEFT ARM TO HIP; VOMITING; SORE ARM; FATIGUE; NAUSEA; HEADACHE; FEVER; BODY ACHE; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 108-5022, and batch number: 108-5022 expiry: UNKNOWN) dose was not reported, administered on 14-MAR-2021 for in left arm prophylactic vaccination. No concomitant medications were reported. On MAR-2021, Laboratory data included: Pulse rate (NR: not provided) 134-143 bpm. On 14-MAR-2021, the subject experienced drenched bed sheets upon waking. On 14-MAR-2021, the subject experienced pulse 134 to 143 while sleeping. On 14-MAR-2021, the subject experienced pressure in eyes. On 14-MAR-2021, the subject experienced shooting pain left arm to hip. On 14-MAR-2021, the subject experienced vomiting. On 14-MAR-2021, the subject experienced sore arm. On 14-MAR-2021, the subject experienced fatigue. On 14-MAR-2021, the subject experienced nausea. On 14-MAR-2021, the subject experienced headache. On 14-MAR-2021, the subject experienced fever. On 14-MAR-2021, the subject experienced body ache. On 18-MAR-2021, the subject experienced shortness of breath. On 18-MAR-2021, the subject experienced tight chest. On 19-MAR-2021, the subject experienced pain mid to right breast. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from drenched bed sheets upon waking, pulse 134 to 143 while sleeping, pressure in eyes, shooting pain left arm to hip, vomiting, sore arm, fatigue, nausea, headache, fever, and body ache on MAR-2021, was recovering from tight chest, and shortness of breath, and had not recovered from pain mid to right breast. This report was non-serious.; Sender's Comments: V0: Medical Assessment comment not required as per standard procedure as the case assessed as non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1253541	4/24/2021	NC	54	F	3/9/2021		LEFT COLLAR BONE PAIN; NECK PAIN; SHINGLES (RIGHT EYE SCRATCHY LIKE SAND IN IT VERY SOON POST VACCINATION, SWOLLEN LEFT FACIAL LYMPH NODES AT LEFT JAW, RIGHT EYE PAIN AND PAIN PRESSURE BEHIND RIGHT EYE, LIPS AND EYE DEVELOPED BLISTERS AROUND THEM , LEFT FACIAL SWELLING); DIARRHEA; This spontaneous report received from a patient concerned a 54 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included hypertension, diabetes, acid reflux, and other pre-existing medical conditions included patient had no known allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1802072, expiry: 25/MAR/2021) dose was not reported, administered on 09-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 09-MAR-2021, the subject experienced shingles (right eye scratchy like sand in it very soon post vaccination, swollen left facial lymph nodes at left jaw, right eye pain and pain pressure behind right eye, lips and eye developed blisters around them, left facial swelling). On 09-MAR-2021, the subject experienced diarrhea. On 10-MAR-2021, the subject experienced left collar bone pain. On 10-MAR-2021, the subject experienced neck pain. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from diarrhea on 10-MAR-2021, was recovering from left collar bone pain, and had not recovered from neck pain, and shingles (right eye scratchy like sand in it very soon post vaccination, swollen left facial lymph nodes at left jaw, right eye pain and pain pressure behind right eye, lips and eye developed blisters around them , left facial swelling). This report was non-serious.; Sender's Comments: V0: Medical assessment comment not required as per the standard procedure as the case is assessed as non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1252698	4/24/2021	CO	18	M	4/11/2021	4/11/2021	VACCINE CONSENT FORM SHOWS NO ADR, NO SEIZURES OR NEUROLOGICAL CONDITIONS , NO SERIOUS REACTION TO VACCINE IN PAST, PT HAS BEEN EXAMINED BY PROVIDER IN PAST YEAR. AS VACCINE WAS BEING ADMINISTERED THE FATHER WHO ACCOMPANIED HIS SON THE PT SAID THAT THE PT WOULD PASS OUT. THE PT DID NOT CONFIRM NOR DENY THIS, UPON ADMINISTRATION OF VACCINE PT BECAME QUIET, GLASSY EYED AND BEGAN TO GO LIMP. HE RESPONDED TO QUESTIONS UNCLEARLY. THE FATHER RESTRAINED PT FROM BEHIND CHAIR AND I IN FRONT OF HIS KNEES TO PREVENT HIM FROM FALLING TO FLOOR. AFTER APPROXIMATELY 3-4 MINUTES, HIS UPPER BODY MUSCLES SHOOK AND THEN THE LOWER BODY, MAYBE 10 SEC?, THEN HE OPENED HIS EYES AND SEEMED RECOVERED. HE WAS ASKED TO REMAIN IN THAT CHAIR UNTIL HE HAD TOTALLY RECOVERED, WHICH HE ASSERTED APPROX 15 MIN LATER. I REQUESTED THE PT AND HIS FATHER REMAIN ANOTHER 15 TO 20 MIN IN WAITING AREA AND TO CHECK OUT WITH ME BEFORE LEAVING. PT WALKED OUT WITHOUT ASSISTANCE, WITHOUT FALTERING OR DIZZINESS.
1252414	4/24/2021	MD	17	M	4/23/2021	4/23/2021	About 3 minutes after administration of vaccine reported ?seeing black? , loss of vision, began to perspire and looked pale. Lasted about 2 minutes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1253923	4/24/2021			F		3/1/2021	SHIVERING; HEADACHE; FEVER; EYE PAIN; HOT EXTREMITIES; neck pain; everything aches; This spontaneous report received from a patient via a company representative concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, 1 total, administered on 25-MAR-2021 for prophylactic vaccination. Batch number was not reported. Per procedure, no follow up will be requested for this case. No concomitant medications were reported. On MAR-2021, the subject experienced eye pain. On MAR-2021, the subject experienced hot extremities. On MAR-2021, the subject experienced neck pain. On MAR-2021, the subject experienced everything aches. On MAR-2021, the subject experienced headache. On MAR-2021, the subject experienced fever. On 26-MAR-2021 03:00, the subject experienced shivering. Laboratory data (dates unspecified) included: Body temperature (NR: not provided) UNKNOWN. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the fever, shivering, headache, eye pain, hot extremities, neck pain and everything aches was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1253118	4/24/2021	AZ		F	3/18/2021		SEVERE BACK PAIN IN BETWEEN THE BLADES AND LOWER BACK; EYES HURT; CHILLS; FEVER; NAUSEA; HEADACHE; This spontaneous report received from a patient concerned a 69 year old female. The patient's height, and weight were not reported. The patient's past medical history included covid-19 infection, and concurrent conditions included fibromyalgia, lupus, left bundle branch block, alcohol use, and non-smoker, and other pre-existing medical conditions included the patient had no drug abuse or illicit drug use. The patient was not pregnant at the time of reporting. The patient was previously treated with ivermectin for covid-19 infection; and experienced drug allergy when treated with pethidine hydrochloride, morphine, and oxycodone hydrochloride/paracetamol. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 1805020, expiry: UNKNOWN) dose was not reported, administered on 17-MAR-2021 14:30 for prophylactic vaccination. No concomitant medications were reported. On 18-MAR-2021, the subject experienced severe back pain in between the blades and lower back. On 18-MAR-2021, the subject experienced eyes hurt. On 18-MAR-2021, the subject experienced chills. On 18-MAR-2021, the subject experienced fever. On 18-MAR-2021, the subject experienced nausea. On 18-MAR-2021, the subject experienced headache. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from fever, and nausea, and the outcome of chills, headache, severe back pain in between the blades and lower back and eyes hurt was not reported. This report was non-serious.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1252479	4/24/2021	TX		M		3/12/2021	INCREASED HEART RATE; RED EYES; SEVERE CHILLS; FEVER; This spontaneous report received from a patient concerned a 30 year old male. The patient's height, and weight were not reported. The patient's concurrent conditions included immunodeficient, recurrent infections, chronic inflammation, asthma, cat allergy, dog allergy, and seasonal allergies. The patient experienced drug allergy when treated with azithromycin non-company, and sulfamethoxazole/trimethoprim. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805029 expiry: UNKNOWN) dose was not reported, administered on 12-MAR-2021 for prophylactic vaccination. Concomitant medications included ibuprofen for fever. On 12-MAR-2021, the subject experienced increased heart rate. On 12-MAR-2021, the subject experienced red eyes. On 12-MAR-2021, the subject experienced severe chills. On 12-MAR-2021, the subject experienced fever. Laboratory data (dates unspecified) included: Body temperature (NR: not provided) 102.7 (not reported), 101.6 (not reported), 102.3-102.5 (not reported), 101.7 (not reported), and Heart rate increased (NR: not provided) over 100 (not reported). The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from red eyes, severe chills, fever, and increased heart rate. This report was non-serious.; Sender's Comments: V0: Medical Assessment Comment is not required per standard procedure as the case includes non-serious event.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1252563	4/24/2021		35	F			SWOLLEN EYES; SLURRED SPEECH; SHAKING; COLD; DECREASED MOTOR ABILITY; EYE PAIN; CHILLS; TIREDNESS; FEVER; MILD HEADACHE; LOWER BACK PAIN; This spontaneous report received from a patient concerned a 35 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: unk) dose, start therapy date were not reported for prophylactic vaccination. No concomitant medications were reported. On an unspecified date, the subject experienced swollen eyes, slurred speech, shaking, cold, decreased motor ability, eye pain, tiredness, fever, chills, mild headache, and lower back pain. Laboratory data (dates unspecified) included: Body temperature (NR: not provided) 100.2 Unit Not Reported. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from swollen eyes, slurred speech, shaking, cold, decreased motor ability, tiredness, fever, chills, mild headache, and lower back pain, and the outcome of eye pain was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1252622	4/24/2021	AR	48	M		3/13/2021	BLURRY VISION; VOMITING; STOMACH UPSET; HEAD TO TOE SORENESS; WEAKNESS; FEVER; NAUSEA; HEADACHE AGGRAVATED; This spontaneous report received from a patient concerned a 48 year old male. The patient's height, and weight were not reported. The patient's past medical history included previous neck injury, recent knee surgery, and shoulder injury, and concurrent conditions included penicillin allergy, use reading glasses, and headaches. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805020, and batch number: 1805020 expiry: UNKNOWN) dose was not reported, administered on 10-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 13-MAR-2021, the subject experienced blurry vision. On 13-MAR-2021, the subject experienced vomiting. On 13-MAR-2021, the subject experienced stomach upset. On 13-MAR-2021, the subject experienced head to toe soreness. On 13-MAR-2021, the subject experienced weakness. On 13-MAR-2021, the subject experienced fever. On 13-MAR-2021, the subject experienced nausea. On 13-MAR-2021, the subject experienced headache aggravated. Treatment medications (dates unspecified) included: paracetamol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from fever on 15-MAR-2021, was recovering from weakness, nausea, blurry vision, headache aggravated, vomiting, and stomach upset, and had not recovered from head to toe soreness. This report was non-serious.
1252689	4/24/2021	NJ	67	F	3/10/2021	3/22/2021	Swollen upper and lower eyelids for 5 weeks; Hives on 4/24/2021

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1252469	4/24/2021	NJ	59	F		3/7/2021	LEFT SIDED THROAT PAIN; LEFT EAR PAIN; PAIN UNDER LEFT EYE; LEFT SIDED HEADACHE; TIRED; This spontaneous report received from a patient concerned a 59 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included osteoporosis, seasonal allergy, alcohol user, and non-smoker, and other pre-existing medical conditions included the patient was not pregnant at the time of reporting and had no history of drug abuse or illicit drug use. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 1805031, and batch number: 1805031 expiry: 26-MAY-2021) dose was not reported, administered on 06-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On FEB-2021, Laboratory data included: Endocrine function test (NR: not provided) within normal limits. On MAR-2021, treatment medications included: naproxen. On 07-MAR-2021, the subject experienced left sided throat pain. On 07-MAR-2021, the subject experienced left ear pain. On 07-MAR-2021, the subject experienced pain under left eye. On 07-MAR-2021, the subject experienced left sided headache. On 07-MAR-2021, the subject experienced tired. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from left sided headache, and tired, and the outcome of left sided throat pain, left ear pain and pain under left eye was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1252704	4/24/2021	CA	16	M	4/24/2021	4/24/2021	<p>Patient started to feel dizzy for about one minute. His father states that patient was sitting up on a chair and he started to fall backward, so his father caught him and lowered him to the ground. He did not hit his head. He was not responsive for approximately 10 seconds, per the father. Clinical monitors arrived and patient was alert and oriented to name, place, date/time. He was slightly pale and clammy but he denied any dizziness, chest pain, palpitations, shortness of breath, headache, changes in his vision/hearing, or nausea. He was laying on his back on the ground with his legs elevated on a chair and he started to feel better, and his blood pressure and oxygen saturation were stable with mild bradycardia per the vital signs obtained by one RN. He said he was feeling better and he was smiling and joking with staff. He slowly started to sit up and sipped bottled water. Stated that he had not eaten since 11am, and he agreed to a snack. I left to get him a snack, and RN said that he started to "zone out" and he lost consciousness again for approximately 20 seconds. When I came back, he was sitting up, conscious, and had spit up saliva and water onto his shirt. His breathing was steady. He again stated that he was feeling better very quickly, again in good spirits, but his father and I agreed that it would be best to call 911 to transport him to the ER just to be safe. He did not hit his head. He denied dizziness, chest pain, palpitations, shortness of breath, nausea, changes in vision, and headache. He was alert and oriented to name, place, and time. EMS was requested and they arrived, took his vitals, and he was transported to the Emergency Dept for further care. He and his father were confident that he would recover quickly as he had a history of syncopal episodes related to vaccines in the past.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1252756	4/24/2021	TX		F		3/12/2021	RESTLESSNESS; TROUBLE KEEPING EYES OPEN; LACK OF FOCUS; MOTOR SKILLS WERE AFFECTED; MUSCLE SPASM NEAR LYMPH NODE; LYMPH NODES SWELL; SHIVERING; WEAKNESS; BEDRIDDEN; DIFFICULT TO LIFT ARM; FAST HEART BEAT; PAIN IN ARM; COULD BARELY MOVE; NAUSEA; CHANGE IN SMELL; CHANGE IN TASTE; DISORIENTATION; DIZZINESS; JOINT PAIN; CHILLS; FEVER; MUSCLE PAIN; HEADACHE; FATIGUE; INJECTION SITE PAIN; TINGLING; STINGING; FEELING NOT RIGHT; DIFFICULTY DRIVING; This spontaneous report received from a patient concerned a female of unspecified age. The patient's height, and weight were not reported. The patient's concurrent conditions included penicillin allergy, and other pre-existing medical conditions included unknown. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805031, and batch number: 1805031) dose was not reported, administered on 12-MAR-2021 14:00 for prophylactic vaccination. No concomitant medications were reported. On 12-MAR-2021, the subject experienced tingling. On 12-MAR-2021, the subject experienced stinging. On 12-MAR-2021, the subject experienced feeling not right. On 12-MAR-2021, the subject experienced difficulty driving. On 12-MAR-2021, the subject experienced injection site pain. On 13-MAR-2021, the subject experienced change in smell. On 13-MAR-2021, the subject experienced change in taste. On 13-MAR-2021, the subject experienced disorientation. On 13-MAR-2021, the subject experienced dizziness. On 13-MAR-2021, the subject experienced joint pain. On 13-MAR-2021, the subject experienced chills. On 13-MAR-2021, the subject experienced fever. On 13-MAR-2021, the subject experienced muscle pain. On 13-MAR-2021, the subject experienced headache. On 13-MAR-2021, the subject experienced fatigue. On 13-MAR-2021 18:00, the subject experienced pain in arm. On 13-MAR-2021 18:00, the subject experienced could barely move. On 13-MAR-2021 18:00, the subject experienced nausea. On 14-MAR-2021, the subject experienced fast heart beat. On an unspecified date, the subject experienced restlessness, trouble keeping eyes open, lack of focus, motor skills were affected, muscle spasm near lymph

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1252940	4/24/2021	CA		F	3/15/2021		<p>node, lymph nodes swell, shivering, weakness, bedridden, and difficult to lift arm. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from tingling, difficulty driving, chills, fever, and headache, and nausea on 13-MAR-2021, was recovering from fatigue, disorientation, dizziness, injection site pain, muscle pain, and joint pain, had not recovered from fast heart beat, and change in smell, and the outcome of stinging, feeling not right, pain in arm, could barely move, restlessness, trouble keeping eyes open, lack of focus, motor skills were affected, muscle spasm near lymph node, lymph nodes swell, shivering, weakness, bedridden, difficult to lift arm and change in taste was not reported. This report was non-serious. This report was associated with a product quality complaint: 90000173045. The suspected product quality complaint has been confirmed to be void (does not meet criteria) based on the PQC evaluation/investigation performed.</p> <p>HEADACHE; NAUSEAS; FATIGUE; ALMOST FAINTING SENSATION; SWEATING; BLURRY VISION; COLD ARMS; This spontaneous report received from a patient concerned a 50 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unk) dose was not reported, administered on 15-MAR-2021 for prophylactic vaccination on right deltoid. The batch number was not reported and has been requested. No concomitant medications were reported. On 15-MAR-2021, the subject experienced cold arms. On 16-MAR-2021, the subject experienced almost fainting sensation. On 16-MAR-2021, the subject experienced blurry vision. On 16-MAR-2021, the subject experienced sweating. On 16-MAR-2021, the subject experienced nauseas. On 16-MAR-2021, the subject experienced fatigue. On 17-MAR-2021, the subject experienced headache. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from headache on 17-MAR-2021, and had not recovered from almost fainting sensation, cold arms, blurry vision, sweating, nauseas, and fatigue. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1253116	4/24/2021	TX		F			<p>FELT LIKE DEATH; EYES BURNING; MIGRAINE HEADACHES; MENSTRUAL CYCLE AHEAD OF TIME; HEART TROUBLE; FATIGUE; BODY ACHES; FEVER; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unk) dose, one total, start therapy date were not reported for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On an unspecified date, the subject experienced heart trouble, felt like death, eyes burning, fever, migraine headaches, fatigue, body aches, and menstrual cycle ahead of time. Treatment medications (dates unspecified) included: ibuprofen. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from heart trouble, fever, migraine headaches, fatigue, and body aches, was recovering from felt like death, and the outcome of eyes burning and menstrual cycle ahead of time was not reported. This report was non-serious.; Sender's Comments: V0: Medical assessment comment not required as per standard procedure since case was assessed as non serious.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1253071	4/24/2021	UT	47	M	3/6/2021		<p>BLOOD SHOT EYES; BLOODY NOSE; DID NOT SLEEP DUE TO FLU SYMPTOMS; FEVER; NASTY MIGRAINE/ INTENSE PAIN IN THE BACK OF NECK AND HEAD, EYES HURT; SOUR STOMACH; INTENSE BODY ACHES; STUFFY NOSE; FLU LIKE SYMPTOMS; EXTREMELY SICK; This spontaneous report received from a patient via a company representative concerned a 47 year old male. The patient's height, and weight were not reported. The patient's past medical history included covid-19, and concurrent conditions included heart coronary artery disease. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported) dose was not reported, administered on 05-MAR-2021 15:30 for prophylactic vaccination. The batch number was not reported and has been requested. Concomitant medications included atorvastatin, hydrochlorothiazide, and losartan. On 06-MAR-2021, the subject experienced extremely sick. Laboratory data included: Body temperature (NR: not provided) 102 F. On 06-MAR-2021 05:00, the subject experienced nasty migraine/ intense pain in the back of neck and head, eyes hurt. On 06-MAR-2021 05:00, the subject experienced sour stomach. On 06-MAR-2021 05:00, the subject experienced intense body aches. On 06-MAR-2021 05:00, the subject experienced stuffy nose. On 06-MAR-2021 05:00, the subject experienced flu like symptoms. On 06-MAR-2021 05:00, the subject experienced fever. On 07-MAR-2021, the subject experienced did not sleep due to flu symptoms. On 08-MAR-2021, the subject experienced blood shot eyes. On 08-MAR-2021, the subject experienced bloody nose. Laboratory data included: Body temperature (NR: not provided) 101 F. On 09-MAR-2021, Laboratory data included: Body temperature (NR: not provided) 101 F. Treatment medications (dates unspecified) included: ibuprofen. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from nasty migraine/ intense pain in the back of neck and head, eyes hurt on 15-MAR-2021, sour stomach, intense body aches, stuffy nose, extremely sick, did not sleep due to flu symptoms, blood shot eyes, and bloody nose, flu like symptoms on 12-MAR-2021, and fever on 11-MAR-2021. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1252654	4/24/2021	CA	58	F	4/1/2021	4/2/2021	4/2/21: chills, feverish, headache, fatigue, extreme pain in lower back and lower left abdomen. No treatment. Lasted for 24 hours 4/22/2021: Fatigue; not feeling right. 4/23/2021: Increased fatigue, headache, weakness and intermittent pain in legs and arms. Pain in abdomen, left lower quadrant 4/24/2021: Continued fatigue, headache, weakness in legs & arms. Pain has increased in arms. Pain in abdomen continues. Left side of face feels tender...hard to explain but it hurts near my eye, upper cheek to my ear. Also have sneezing and ear ache.
1252759	4/24/2021	MA		M		3/11/2021	ACHING AROUND 5-6 PM; AROUND 5-6 PM EYE BALLS WERE SWELLING; COULDN'T FALL ASLEEP; EYE PRESSURE VERY HIGH; GENERAL WEAKNESS AROUND 5-6 PM; FEVER AROUND 100; This spontaneous report received from a patient concerned a male of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805031 expiry: UNKNOWN) dose was not reported, administered on 11-MAR-2021 09:15 for prophylactic vaccination. No concomitant medications were reported. On MAR-2021, the subject experienced could not fall asleep. On MAR-2021, the subject experienced eye pressure very high. On 11-MAR-2021, the subject experienced aching around 5-6 pm. On 11-MAR-2021, the subject experienced around 5-6 pm eye balls were swelling. On 11-MAR-2021, the subject experienced general weakness around 5-6 pm. On 11-MAR-2021, the subject experienced fever around 100. Treatment medications (dates unspecified) included: paracetamol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the aching around 5-6 pm, fever around 100, around 5-6 pm eye balls were swelling, general weakness around 5-6 pm, could not fall asleep and eye pressure very high was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1253032	4/24/2021	NC		M	3/13/2021	3/14/2021	BUMP ON BACK TOP PART OF THE HEAD; SWOLLEN EYES; ITCHING OF THE BUMPS; This spontaneous report received from a patient concerned a male of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number not reported and is requested) dose was not reported, administered on 13-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 14-MAR-2021, the subject experienced swollen eyes. On 14-MAR-2021, the subject experienced itching of the bumps. On 15-MAR-2021, the subject experienced bump on back top part of the head. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from swollen eyes on MAR-2021, had not recovered from bump on back top part of the head, and the outcome of itching of the bumps was not reported. This report was non-serious.
1252981	4/24/2021			U			FALL; BRUISED SHOULDER FROM FALL; BRUISED HIP FROM FALL; BLACK EYE FROM FALL; This spontaneous report received from a patient via a company representative concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose, start therapy date were not reported for prophylactic vaccination. The batch number was not reported. The Company is unable to perform follow-up to request batch/lot numbers. No concomitant medications were reported. On an unspecified date, the subject experienced fall, bruised shoulder from fall, bruised hip from fall, and black eye from fall. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the fall, bruised shoulder from fall, bruised hip from fall and black eye from fall was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1253063	4/24/2021	MT	53	F		3/1/2021	<p>NAUSEA; SEVERE FATIGUE; HEADACHE; SWOLLEN LYMPH NODES IN NECK; RUNNY NOSE; WATERY EYES; FLU LIKE/BAD COLD; SWOLLEN LIPS; This spontaneous report received from a patient concerned a 53 year old female. The patient's weight was 190 pounds, and height was 62 inches. The patient's past medical history included chf, asthma, and congestive heart failure, and concurrent conditions included seasonal allergy, penicillin allergy, alcoholic, no smoking, and nonsmoker, and other pre-existing medical conditions included the patient has no drug abuse or illicit drug usage. The patient experienced drug allergy when treated with clarithromycin, and erythromycin. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, and batch number: 1805018 expiry: UNKNOWN) dose was not reported, administered on 14-MAR-2021 11:00 for prophylactic vaccination. No concomitant medications were reported. On MAR-2021, the subject experienced swollen lips. On 14-MAR-2021, the subject experienced swollen lymph nodes in neck. On 14-MAR-2021, the subject experienced runny nose. On 14-MAR-2021, the subject experienced watery eyes. On 14-MAR-2021, the subject experienced flu like/bad cold. On 14-MAR-2021, the subject experienced severe fatigue. On 14-MAR-2021, the subject experienced headache. On 15-MAR-2021, the subject experienced nausea. Treatment medications included: diphenhydramine hydrochloride. Additional treatment medications (dates unspecified) included: diphenhydramine hydrochloride. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from runny nose, and flu like/bad cold, and had not recovered from headache, swollen lymph nodes in neck, nausea, severe fatigue, watery eyes, and swollen lips. This report was non-serious. Version created to amend the previously reported information on 15-MAR-2021. Upon review, following information was amended: Medically confirmed field was unchecked.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1252890	4/24/2021	KY		F	3/10/2021		<p>BURNING AROUND THE EYES; IRRITATION IN BOTH EYES; BAD RASH AROUND BOTH EYES; ALLERGIC REACTION INCLUDING SNEEZING; ALLERGIC REACTION WITH COLD LIKE SYMPTOMS; ALLERGIC REACTION WITH EYE TEARING; REDNESS AROUND THE NECK; BODY PAINS; CHILLS; FEVER; NAUSEA; LEFT SHOULDER PAIN AT THE SITE OF INJECTION; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805025 and expiry: UNKNOWN) dose was not reported, administered on 10-MAR-2021 on left deltoid for prophylactic indication. No concomitant medications were reported. On 10-MAR-2021, the subject experienced body pains. On 10-MAR-2021, the subject experienced chills. On 10-MAR-2021, the subject experienced fever. On 10-MAR-2021, the subject experienced nausea. On 10-MAR-2021, the subject experienced left shoulder pain at the site of injection. On 12-MAR-2021, the subject experienced allergic reaction including sneezing. On 12-MAR-2021, the subject experienced allergic reaction with cold like symptoms. On 12-MAR-2021, the subject experienced allergic reaction with eye tearing. On 12-MAR-2021, the subject experienced redness around the neck. On 12-MAR-2021, the subject experienced bad rash around both eyes. On 13-MAR-2021, the subject experienced burning around the eyes. On 13-MAR-2021, the subject experienced irritation in both eyes. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from allergic reaction including sneezing, and allergic reaction with cold like symptoms on 14-MAR-2021, and body pains, chills, fever, nausea, and left shoulder pain at the site of injection on 12-MAR-2021, was recovering from redness around the neck, and had not recovered from burning around the eyes, allergic reaction with eye tearing, bad rash around both eyes, and irritation in both eyes. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1252853	4/24/2021	TX		F	3/11/2021		SEVERE PAIN BACK (BOTH SIDES-PELVIC AREA); CRAMPING ( LEFT ARM, RIGHT ARM, LEFT FINGERS, RIGHT UPER THIGHT, LEFT CAFT); BURNING EYES (SLIGHTLY); NAUSEA; FEVER; SORE ARM, INJECTION SITE; SINUS HEADACHE; ALL OVER BODY ACHES; This spontaneous report received from a patient concerned a female of unspecified age. The patient's height, and weight were not reported. The patient's concurrent conditions included postural orthostatic tachycardia, asthma, dysautonomia, celiac, gluten allergy, wheat allergy, mould allergy, tree allergy, alcohol use, and non-smoker. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, and batch number: 1805029 expiry: UNKNOWN) dose was not reported, administered on 11-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 11-MAR-2021, the subject experienced sinus headache. On 11-MAR-2021, the subject experienced all over body aches. On 11-MAR-2021, the subject experienced fever. On 11-MAR-2021, the subject experienced sore arm, injection site. Laboratory data included: Body temperature (NR: 97.3 - 97.6) 101-103 F. On 12-MAR-2021, the subject experienced cramping ( left arm, right arm, left fingers, right uper thigh, left caft). On 12-MAR-2021, the subject experienced burning eyes (slightly). On 12-MAR-2021, the subject experienced nausea. On 13-MAR-2021, the subject experienced severe pain back (both sides-pelvic area). On 16-MAR-2021, Laboratory data included: Urine culture (NR: not provided) POSITIVE (units unspecified). Laboratory data (dates unspecified) included: Blood culture (NR: not provided) Pending, and COVID-19 (NR: not provided) negative. Treatment medications (dates unspecified) included: ibuprofen, and oxycodone/paracetamol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from burning eyes (slightly), sinus headache, all over body aches, and fever on 15-MAR-2021, was recovering from sore arm, injection site, and nausea, and had not recovered from cramping ( left arm, right arm, left fingers, right uper thigh, left caft), and severe pain back (both sides-pelvic area). This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1252786	4/24/2021	ME		F		3/9/2021	ITCHINESS THROUGHOUT THE BODY AND ON THE TOP OF FOOT; ITCHY EYES; FLUSHED FACE; SNEEZING; HEADACHE; FATIGUE; SORENESS ON THE SITE ARM; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805022 expiry: UNKNOWN) dose was not reported, administered on 09-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 09-MAR-2021, the subject experienced soreness on the site arm. On 10-MAR-2021, the subject experienced headache. On 10-MAR-2021, the subject experienced fatigue. On 13-MAR-2021, the subject experienced itchy eyes. On 13-MAR-2021, the subject experienced flushed face. On 13-MAR-2021, the subject experienced sneezing. On 14-MAR-2021, the subject experienced itchiness throughout the body and on the top of foot. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from itchy eyes, and flushed face on 14-MAR-2021, sneezing on 15-MAR-2021, soreness on the site arm on 10-MAR-2021, headache on 11-MAR-2021, and fatigue on 12-MAR-2021, and was recovering from itchiness throughout the body and on the top of foot. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1252760	4/24/2021	IN		F		3/12/2021	BLURRED VISION; MIGRAINE; HOT FLASHES; PALE; SWEATING; FEVER; MUSCLE ACHES; This spontaneous report received from a patient concerned a 54 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included mitral valve prolapse, drug allergies: compazine, and non-smoker. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805029, and batch number: 1805029 expiry: 25-MAY-2021) dose was not reported, administered on 11-MAR-2021 10:30 for prophylactic vaccination. Concomitant medications included metoprolol tartrate for mitral valve prolapse. On 12-MAR-2021 07:00, the subject experienced blurred vision. On 12-MAR-2021 07:00, the subject experienced migraine. On 12-MAR-2021 07:00, the subject experienced hot flashes. On 12-MAR-2021 07:00, the subject experienced pale. On 12-MAR-2021 07:00, the subject experienced sweating. On 12-MAR-2021 07:00, the subject experienced fever. On 12-MAR-2021 07:00, the subject experienced muscle aches. Laboratory data (dates unspecified) included: Body temperature (NR: not provided) 97.9 F, and COVID-19 virus test (NR: not provided) negative. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from blurred vision on 14-MAR-2021, and migraine, and muscle aches on 13-MAR-2021, and had not recovered from fever, hot flashes, pale, and sweating. This report was non-serious.
1246834	4/23/2021	OH	61	M	4/21/2021	4/21/2021	Patient developed vision changes, dizziness, and right sided weakness after receiving 1st dose of vaccine. Patients BP was measured at 230/118, HR: 58, pOx: 99% on RA. Patient determined to be experiencing hypertensive emergency and emergency services were called in order to r/o possible stroke.
1246813	4/23/2021	SC	51	M	4/7/2021	4/14/2021	Patient suffered loss of vision in his right eye on 4/15/21. Evaluation by neurology and ophthalmology consultants have diagnosed him with nonarteritic ischemic optic neuropathy



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1246859	4/23/2021	KS	65	F	3/3/2021	3/20/2021	Acute onset Dementia and Severe Audio and Visual Hallucinations followed by aggressive and combative behavior. This began on March 13th and has gotten progressively worse since that date
1246909	4/23/2021	GA	56	F	4/6/2021	4/20/2021	vision issues - double vision, unable to focus, moving objects, nystagmus upon waking up for work, immediate visit to ER, code "stroke" called, 1 CT scan, 2 MRIs, waiting on referral to Hospital for temporal lobe MRI, currently taking ASA daily Discharge dx - TIA
1245147	4/23/2021	FL	62	F		4/10/2021	FLUSHED; WATERING EYES; SUNBURN-LIKE RASH; CHILLS; LOW GRADE FEVER; This spontaneous report received from a patient concerned a 62 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included copd from 911 exposure, asthma, chronic rhinitis, thyroiditis, lipidaemia, codeine allergy, and levaquin allergy. The patient experienced drug allergy when treated with betamethasone, ciprofloxacin, and bupivacaine hydrochloride/epinephrine. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported and batch number: 205A21A expiry: UNKNOWN) dose was not reported, administered on 10-APR-2021 09:30 for prophylactic vaccination. No concomitant medications were reported. On 10-APR-2021, the subject experienced flushed. On 10-APR-2021, the subject experienced watering eyes. On 10-APR-2021, the subject experienced sunburn-like rash. On 10-APR-2021, the subject experienced chills. On 10-APR-2021, the subject experienced low grade fever. Treatment medications (dates unspecified) included: paracetamol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from flushed, and sunburn-like rash on 11-APR-2021, and watering eyes, chills, and low grade fever on 12-APR-2021. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1246686	4/23/2021	IN	52	F	3/8/2021	3/17/2021	Vomiting, vision impairment (read very slow to me), and seizure(s). Rushed to ER in ambulance. Was put on a ventilator (sedation). Received a CT scan showing a CVST and hemorrhaging in her right temporal lobe. Life-Lined to Hospital. Wore an EEG on her head to monitor seizure activity for 4-5 days. Was put on 4 types of seizure medication and blood thinner for the clot. Did another CT scan which showed her Mid-Line shift was pushing into the left side of the brain by 15mm. Discharged from Hospital on 3/27/21 to Rehabilitation Hospital. She was discharged to home with a caregiver on 4/16/21. She will continue outpatient therapy at the rehabilitation hospital. She will see Speech, Vision, PT, and OT every week until further notice.
1246638	4/23/2021	PA	18	F	4/14/2021	4/14/2021	She received the shot walked a couple steps had a blank stare on face sat her in a chair where she sat for a couple seconds and just stared at me then head jerked and right hand curled and eyes rolled back into head. tried shaking her to respond she passed out .She came to opened eyes wasn't speaking but followed my command to spit out gum then again went limp with head shaking and hands twitching. Got her to the ground with help and called 911. She laid on ground then came to . She did not remember incident but was responding appropriately to questions. drank orange juice and placed ice bag under neck while laying. By the time paramedics arrived she was awake and appropriate. Pulse ox, blood sugar and EKG normal. Blood pressure was low but not unusual for her. Prior to shot she was well hydrated and had eaten. After being checked out by paramedics we denied need to go to hospital and she did walk out on her own. Observed her closely over night and had no further symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1246520	4/23/2021	NY	58	M	3/29/2021	4/1/2021	4/14/21 Patient is a 58 y.o. male who presented for confusion, fatigue and dizziness since the past couple of days. Patient was getting lost on the train and forgetting his work duties. 4/14/21Neurologic exam: MS - awake, alert, oriented to name, -age, hospital, -time, speech fluent and without dysarthria, naming & repetition intact, follows commands, attention and concentration are impaired, clock drawing is impaired and shows L sided neglect, line bisection test is impaired, remote and recent memory and fund of knowledge are impaired CN - PERRL, EOMI and without nystagmus, visual fields are intact to confrontation but there is extinction on the L to double simultaneous stimulation, facial sensation is intact to PP V1V2V3, no facial droop, hearing is intact to finger rub B, palate is not well visualized due to his palate/tongue anatomy, head turn is 5/5 B, tongue protrudes symmetrically. Fundoscopy is deferred due to the COVID-19 pandemic and need for PPE which precludes exam. Motor - Normal bulk/tone, 5/5 B UE and LE, curling of the L fingers on pronator drift testing Sens - Pinprick is intact B UE and LE. There is extinction to double simultaneous stimulation on the L DTR's - 1/4 B bi/tri/BR and patellar/ankles. No clonus. No Hoffman's. Babinski is down B. Coord - finger-to-nose is without dysmetria B, there is dysmetria of the L leg on heel-to-shin
1246972	4/23/2021	CA	43	F	4/9/2021	4/10/2021	Numb left arm, intense headaches, inability to coordinate a fraise, pinches on the brain, blurred vision, problems to be focus. (attention problem)
1246467	4/23/2021	MA	67	F	3/30/2021	3/30/2021	eye bleeding (broken capillary)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1246442	4/23/2021	NY	53	F	3/26/2021	4/14/2021	Muscle aches started about 12 hours after the injection. First my legs and back but after another 12 hours it was mostly my legs. Legs felt like the muscles were being pulled. (It felt like the beginnings of the extreme reaction I had to ampicillin 2 decades earlier, though not nearly as severe.) My arm swelled slightly, was warm at the injection site and ached about 12 hrs after the injection. The leg aches lasted about 2 days, the arm ache lasted about 1 day and the slight arm swelling lasted about 6 days... Reason for my reporting: I had an annual eye exam 4/14/21 where a retinal scan was done. The optometrist saw some blood spots in my left eye and referred me to an ophthalmologist. Ophthalmologist performed additional scans and tests including a Fluorescein angiography and determined I have BRVO (Branch Retinal Vein Occlusion) which is a series of blot clots in small vessels of the eye's main vein. He did not say it could be a result of the vaccine but I have no risk factors associated with getting BRVO. Since it is not affecting my vision yet, the doctor wants to monitor it in 3 months to make sure it has not worsened. Since the Janssen vaccine was put on hold for causing other types of blot clots in women in my age group, I am wondering if the vaccine caused the blood clots in my eye.
1246617	4/23/2021	NC	56	F	4/8/2021	4/8/2021	Patient has a history of allergic reactions to iodine and presented to the ED for evaluation of lightheadedness, dizziness, nausea, vomiting. Patient states that this afternoon she received the Johnson and Johnson COVID-19 vaccine at the Arena and within a minute she began to have a reaction. Patient describes the event as she got up to walk to the observation room and was unable to make it to her chair before she began to sweat profusely, become exceptionally nauseous, and dizzy. She describes her dizziness as so severe that she was unable to stand or move at all. Patient also endorses seeing "black spots" in her vision and saying that she was going to pass out. Patient reports several episodes of vomiting that did stop until the staff present placed an IV and gave her Zofran. Patient denies any throat swelling, wheezing or trouble breathing. On examination patient reports that all of her symptoms resolved within 40 minutes of onset without any other treatment than Zofran.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1247125	4/23/2021	FL	31	F	4/10/2021	4/23/2021	<p>Saturday 4/10: 3:00 pm- first sign of headache -anxious and fatigued, series of falling asleep and waking up confused 10:41pm: First sign of chills and running ?hot and cold? Sleep was disturbed with intense vivid dreams and waking to sweat and running hot and freezing cold Sunday 4/11: 2:15 pm: Headache, sweating, diarrhea 6:51 pm: experienced confusion, brain fog, muscle tightness all over body Monday 4/12: 8:15 am: Woke up to muscle soreness, brain fog, and stuffy nose with green mucus. Left arm from at injection sight still sore. 8:53 am: Experienced disorientation and concern about safety driving to work 10:53 am: Dizziness and overall feeling of being unwell. Series of running hot and ?clammy? Expressed that everything seemed like a dream-like state. Experienced forgetfulness, confusion and uncertainty. 11:59 am: Ran hot and cold going from sweating to shivering cold. 12:02 pm: Questioned ?what?s real and what?s imagined?, hard to grasp reality. Fatigued, confused and trouble at work concentrating. 12:35- 1pm: Shivering cold, difficulty regulating body temp 2:30 pm: Starting feeling a little better, body temp started to go back to somewhat normal Tuesday 4/13 1:13 am: woke up sweating drenched and anxious, confused and achy. Experienced unusual amount of milky discharge not usually present in between menses. Throughout the day experienced less confusion as before, but still sore and not well overall in general Wednesday 4/14 4:15 am: woke up with major feet cramps, toes curling in without release for over an hour. Intense pain that had not been experienced before with the length of the duration of the cramp in both feet. 7:15 am: Feet cramped on and off, noticed left eye swollen (previously has happened before but not sure reason why). Took a Claritin and drank water to help with the cramping. Experienced immense anxiety about driving vehicle to work due to the muscle spasms now mostly on the left foot. 8:07 pm: Left foot was still cramping up sporadically throughout the day with lingering pain when muscle was relaxed Sleep throughout the night was accompanied by vivid intense dreams and waking up with more cramping in feet, more the left foot now Thursday 4/15 7am: Cramps in feet were still present, decided to check in to an urgent care to check it out 9:30 am: MD Now Urgent care visit- ran urine analysis and blood tests. 10:30 am: Discharged</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							from Urgent care with following diagnosis: Acute cystitis without hematuria, abnormal urinalysis adverse effect of vaccine, initial encounter cyanosis of skin, shortness of breath and protein found in urinalysis. Instructed to immediately get CT angiogram to rule out blood clot. 12: pm Admitted to Mount Sinai Emergency Room-blood work, XRay and IV given. details below Discharged with the following diagnosis: Foot cramps - Primary Local reaction to COVID-19 vaccine Friday 4/16 Subtle and lingering muscle spasm on left foot. Experienced chills and consistent headache throughout the day Saturday 4/17 10 pm: Began to run a fever however did not check the temperature. Radiated heat and friend took care of me throughout the night as I sweated with confusion Sunday 4/19 Complete fatigue and tiredness, cramping in the foot seemed to have subsided. Still was running hot throughout the day. Monday 4/20 Took off work due to exhaustion and muscle ache and what seemed to be a fever Thursday 4/23 Followed up with General Practitioner Dr. Franco and was advised to report my experience with the Johnson and Johnson vaccine. Feeling better as of Friday 4/24 with slight fatigue but body temperature seems to be ok. No signs of the lingering cramping in the left foot but still slightly achy all over the body.
1247185	4/23/2021	IL	65	M	4/7/2021	4/9/2021	1.stiffness in joints, 2. achy 3. coughing 4.runny nose 5. feeling tired 6. nauseous 7. blurred vision
1247190	4/23/2021		16	F	4/21/2021	4/21/2021	Nausea, feeling hot, decreased vision. BPs 99/44 (pulse 63), 109/69 (pulse 66).
1247355	4/23/2021	AR	22	F	3/8/2021	3/8/2021	03/08 AT 4PM BEGAN TO HAVE SYMPTOMS. AT 5PM AN EPIPEN .3 WAS GIVEN FOLLOWED BY A EMERGENCY VISIT. GIVEN IV STEROIDS AND BENADRYL. BP WAS NORMAL. ON 03/10, WAS TAKEN BY AMBULANCE FOR FAINTING / LOW BLOOD PRESSURE, CONCUSSION, AND VOMITING. (FAINTING SPELL HAD CAUSED THE CONCUSSION). SPENT 5 DAYS IN HOSPITAL WITH LOW BLOOD PRESSURE UNTIL RESOLVED. CONTINUES TO HAVE BLURRED VISION IN LEFT EYE.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1247359	4/23/2021	MA	39	F	3/24/2021	4/18/2021	I felt light halo in both eyes, visual artifact. At the ER they performed lab work and ultrasound of the eyes. My symptoms to my eyes resolved on its own. I am at 35 weeks pregnant with high risk twin pregnancy, many medical factors being monitored.
1247388	4/23/2021	OH	53	M	3/19/2021	3/23/2021	Patient describes right side of face became red/purplish and swollen roughly 3 days after vaccine. Symptoms were accompanied by sinus pressure on right side of face. Eye was also red and mildly itchy. Facial symptoms were accompanied by arm pain and tenderness. Symptoms resolved after roughly 3 days
1247420	4/23/2021	WI	41	F	3/29/2021	4/12/2021	PATIENT REPORTS: DIZZINESS 2 WEEKS POST-INJECTION, SEEING STARS ON SIDES OF VISION 2 WEEKS POST-VACCINATION, AND EXPERIECING FEELING OF "SHOOTING PAIN" OR "BURNING PAIN" INSIDE OF HEAD 2 WEEKS POST-INJECTION. NOT TYPICAL SYMPTOMS FOR PATIENT.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1247470	4/23/2021	AZ	55	F	4/5/2021	4/6/2021	4/5/2021--Received Janssen vaccine. Felt very hot during the day. 4/6/2021--Woke up with very bad headache and rash on the injected arm plus on my stomach. Went for a walk and felt pain in my left calf and achilles tendon. Went to work. 4/7/2021--Started my work day as a Personal Trainer/Fitness Instructor at 6am as usual. Taught cycling classes and trained a few clients. Went for walk. Still had a headache. When I got in my car to head home, my vision was super blurry and I felt very dizzy. I ate an orange and peanuts and hydrated more. I was not even sure I could drive home. I got home told my family how I was feeling. My husband noticed my eyes were very red and swollen. I took a shower, drank a smoothie and ate a salad. Used my aunt's BP cuff to check my BP and it was 148/99. I have NEVER had HBP. 4/8/21--Woke up feeling disoriented as if the left side of my face, body were off--neurological stuff. I went to reach for grapes in the refrigerator and could not grab them. I felt like I have never felt before and ask my husband to drive me to the ER. While at the waiting room at the ER, I felt chest tightness and pain and nauseous. My BP was 153/111. Again, I have never been diagnosed or been treated for hypertension. They did EKG, lab tests, chest X-ray. Once my BP came down, they sent me home. This is before all the JJ Janssen vaccine "news" came out and the reasons it was paused. I developed a very bad cough about two hours after I got home from the ER. 4/9/11--Made appointment with a brand new primary care doctor. Saw her on Monday 4/12/2021 as recommended by ER. I had never met her before. She prescribed a very low dose of BP medication, which I did not take because the number one side-effect is dry-cough. I was already coughing a lot, later on with blood. 4/11/2021--Still feeling pretty bad, I woke up to the news of the Janssen vaccine being paused. Frankly, I felt relieved that I was not going crazy. This truly has been one of the hardest things I have ever gone (and still am) going through. I became concerned about the pain in the left calf and heel could be a clot. Called primary care doctor. Had ultrasound of legs and chest x-ray the following day 4/12/2021--Had persistent cough with blood. Went to ER at 9pm. Had EKG, blood work, CT without contrast of chest, covid test--negative. Got home around 2am. 4/19/21--Followed up with primary care doctor who after



VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

explaining to her I am extremely fatigued, still blurry vision, dizzy, cough better but not gone, chest discomfort on the left side, she referred me to an opthamologist and cardiologist. My insurance and this poorly established referral system is very difficult to navigate. Up to now I am still waiting for the referral and pre-aurhtorization to the opthtamologist. (4/23/2021). I want to say, I am pretty healthy. I have worked in fitness and wellness for over 30 years. I have never drank alcohol, smoked or done any drugs. Prior to this no physician has told me I have HBP or any issues for which I have to be medicated. I take zero medications. Even when I had the bad headache from the vaccine I took nothing. I have not worked in two weeks and had not driven until last saturday. If I don't work, I don't get paid. I pay for almost \$600/month for my insurance in the marketplace. This has been another stressor of this storm. Getting providers to really listen and insurance companies to take situations like this seriously. I could not drive at night. This has been rough and I look forward to being myself soon. This reaction felt like a heart attack/stroke with extreme fatigue, acid reflux, cough with some blood, muscular pain. The rash and headaches were the least of my concerns. I am not yet recovered from all of this. I sure hope there is no permanent damage and that this too shall pass. It is important to note that I have tried reporting this event several times to the VAERS website online. I completed the 4-5 pages multiple times and it would not let me submit. I also called the VAERS 1-800 number to report and they told me to go back to the online form. I left several messages when I could not get it done online and to this date no one has called me back. I called to report my adverse reaction and they told me they do not take that info. I also called the health dept. After several phone calls to them a nurse called me back but did not take a formal report. When someone is feeling pretty sick, this is a lot to ask of. I persisted because I feel this is important to be reported.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1247645	4/23/2021	WA	48	F	4/8/2021	4/8/2021	On the night of my J&J my vaccine , I felt very tired and sleepy but I could not sleep. The next morning I felt a burning sensation to my eyes as well to my right ear and that went away. I went to see my PCP that day as well because I was having a pressure sensation down my right calf and leg. On Wednesday I felt numbness sensation down my right arm and the right side of my body was weak. On Thursday, I called my PCP who advised me to go to the ER and to get monitored for thrombosis. I also began to have headaches and blurry vision. At the ER they performed an ultrasound and did lab work. The ultrasound exam did not show evidence of thrombosis or blood clots. The ER physicians told me to rest and elevate my legs. I also noticed that my BP was 130/90 which I never had before. To this day I still have throbbing sensation to my right calf and leg. I again went to the ER and thy monitored me. They told me to take Ibuprofen for pain and again did an ultrasound which did not show any blood clots. I then started to have a burning sensation to my skull and scalp and also my left arm. I have not fully recovered from my symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1247646	4/23/2021	WI	64	F	3/24/2021	4/13/2021	On April 13th, patient noted a black spot in her vision with her right eye. As the day progressed, she began experiencing a headache which worsened in severity despite treating with medication. She started treating with Tramadol; when that didn't help, she took her prescription oxycodone (5mg/325mg) 3 hours later, q6 hours x 2. That evening, patient experienced 1 episode of emesis and thought she may not be feeling well, so went to bed. When she woke the next morning, she felt better, but still noted the black spot in her vision. She sought care with her Ophthalmologist, who evaluated her, and he did not believe it was related to her vision. He referred her for an MRI, immediately. MRI revealed a stroke in the occipital region. She was admitted and given IV fluid along with another panel of testing. She was seen by Neurologist and Hospitalist; more testing was completed on Friday, including bloodwork which revealed high potassium levels which was treated. She was also given 1 unit of blood. She discharged on Friday and was started on Clopidogrel (75 mg). Follow up appointments are scheduled with eye doctor, neurology, internist. Right eye was affected and vision will not likely return, per her doctors.
1246437	4/23/2021	TX	16	F	4/20/2021	4/21/2021	eyes began itching in the middle of the night and patient woke up with swollen face and eyes
1245315	4/23/2021	UT	45	F	3/6/2021	3/7/2021	Vertigo, body aches, headache first 2-3 days. Then a few days later major fatigue set in, chest pain, mouth breaking out in canker sores randomly, broke out in hives, rashes on my legs and arms, skin hurts to touch, dizzy, loss of balance, difficulty sleeping, night sweats, blurred vision, double vision this is probably the worst of all the symptoms, I lost my taste for 5 weeks. I have taken anti-viral homeopathic drops because it really felt like I was getting the chickenpox or something...like a nerve pain burning. I have documentation how perfectly healthy I was before this and now I am not.
1247561	4/23/2021	FL	72	M	3/12/2021	4/13/2021	Bells palsy happening on left side of his face, everything is paralyzed, small pain behind left ear, left eye will not close(drys out), and is still going on with no improvement Went to ER because they thought it was a stroke .

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1245468	4/23/2021	NY		F	4/13/2021	4/13/2021	<p>~~I lost hearing in both ears for 20 min, on and off ever since"; "my vision doubled in size"; "It sounds like a buzzing nose, and feels like I'm on a plan and my ears need to pop."; This spontaneous case was reported by a consumer and describes the occurrence of DEAFNESS TRANSITORY ("I lost hearing in both ears for 20 min, on and off ever since") in a 27-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 042B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Sore throat (Patient reported that her throat was no longer sore at the time of vaccine just "scratchy."). Concomitant products included CODEINE PHOSPHATE, GUAIFENESIN, PHENIRAMINE MALEATE (ROBITUSSIN A-C) from an unknown date to 13-Apr-2021 for Sore throat. On 13-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 13-Apr-2021, the patient experienced DEAFNESS TRANSITORY ("I lost hearing in both ears for 20 min, on and off ever since") (seriousness criterion medically significant) and DIPLOPIA ("my vision doubled in size"). On an unknown date, the patient experienced TINNITUS ("It sounds like a buzzing nose, and feels like I'm on a plan and my ears need to pop."). On 13-Apr-2021, DIPLOPIA ("my vision doubled in size") had resolved. At the time of the report, DEAFNESS TRANSITORY ("I lost hearing in both ears for 20 min, on and off ever since") and TINNITUS ("It sounds like a buzzing nose, and feels like I'm on a plan and my ears need to pop.") had not resolved. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 13-Apr-2021, SARS-CoV-2 test: negative (Negative) Patient had received a negative COVID test on the day of the vaccination.. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Patient denies any treatment related to the events. Company comment: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							cannot be excluded.
1247659	4/23/2021	TX	22	F	3/8/2021	3/8/2021	Janssen COVID-19 Vaccine EUA 8pm 3/8/21: Nausea, vomiting, chills began; slept for 10+ hours 8 am 3/9/21: Fatigue, nausea, headache; noticed petechiae on arms and abnormal bruising on legs 8 am 3/10/21: Blurry vision, headache (unlike usual throbbing headaches, consistent pain on top of head), lightheaded/dizzy 10 am 3/10/21: Asked friend to drive me to ED at Hospital; Labs were drawn showing platelet count of 42K and I was released from ED and told to follow up with Hematologist
1245254	4/23/2021	NC	47	M		3/6/2021	TINNITUS; BRAIN FOG; PRESSURE BEHIND RIGHT EYE (WHERE HEADACHE PAIN WAS) ON AN OFF; ACHY BODY; INSOMNIA; HEADACHES; FEVER (LOW GRADE); LETHARGY; This spontaneous report received from a patient concerned a 47 year old male. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805018 expiry: UNKNOWN) dose was not reported, administered on 06-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 06-MAR-2021, the subject experienced lethargy. On 07-MAR-2021, the subject experienced achy body. On 07-MAR-2021, the subject experienced insomnia. On 07-MAR-2021, the subject experienced headaches. On 07-MAR-2021, the subject experienced fever (low grade). On 09-MAR-2021, the subject experienced pressure behind right eye (where headache pain was) on an off. On 10-MAR-2021, the subject experienced brain fog. On 07-APR-2021, the subject experienced tinnitus. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from lethargy, headaches, and fever (low grade) on 08-MAR-2021, achy body on 07-MAR-2021, and brain fog on 15-MAR-2021, was recovering from insomnia, and had not recovered from pressure behind right eye (where headache pain was) on an off, and tinnitus. This report was non-serious.
1245317	4/23/2021	CA	55	M	4/13/2021	4/14/2021	Tinnitus Facial swelling Eye irritation Lip and mouth irritation Throat irritation Canchre sores Tounge sore Ongoing - some improvement w Benadryl and nose steroid spray

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1245365	4/23/2021	OH		F	3/13/2021	4/1/2021	CVA isolated; Diplopia (left eye); Left with a palsy; Inability to walk confidently; Left cranial nerves VI, and III show deficit's; Cannot see out of left eye; This spontaneous case was reported by a health care professional (subsequently medically confirmed) and describes the occurrence of CEREBROVASCULAR ACCIDENT (CVA isolated), DIPLOPIA (Diplopia (left eye)), PARALYSIS (Left with a palsy), GAIT DISTURBANCE (Inability to walk confidently), CRANIAL NERVE DISORDER (Left cranial nerves VI, and III show deficit's) and VISUAL IMPAIRMENT (Cannot see out of left eye) in a 66-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 immunisation. Concurrent medical conditions included Obesity (BMI 45-45.9). On 13-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 01-Apr-2021, the patient experienced CEREBROVASCULAR ACCIDENT (CVA isolated) (seriousness criteria hospitalization, disability, medically significant and life threatening) and DIPLOPIA (Diplopia (left eye)) (seriousness criteria hospitalization, disability and medically significant). On 12-Apr-2021, the patient experienced PARALYSIS (Left with a palsy) (seriousness criteria disability and medically significant), GAIT DISTURBANCE (Inability to walk confidently) (seriousness criteria disability and medically significant), CRANIAL NERVE DISORDER (Left cranial nerves VI, and III show deficit's) (seriousness criteria disability and medically significant) and VISUAL IMPAIRMENT (Cannot see out of left eye) (seriousness criteria disability and medically significant). At the time of the report, CEREBROVASCULAR ACCIDENT (CVA isolated), DIPLOPIA (Diplopia (left eye)), PARALYSIS (Left with a palsy), GAIT DISTURBANCE (Inability to walk confidently), CRANIAL NERVE DISORDER (Left cranial nerves VI, and III show deficit's) and VISUAL IMPAIRMENT (Cannot see out of left eye) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. The Patient was Treated with Lovenox, Coumadin, Brimonidine eye drops. The patient has been taking High Blood Pressure Medication, Severe

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

Obesity medications and Hyperlipidemic Medications. The patient has no known Allergies. Company Comment: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1245366	4/23/2021	NJ	88	F	3/5/2021	4/2/2021	<p>Pain in eyes; Lips was swollen; Itchy; Burning; all around her cheeks and near the nose was in pain; Like a rash; Mouth went to one side of her face; Left side of her face get swollen; 3 or 4 spots on the top of her mouth, 3 or 4 fever-like blisters outside of her mouth. All outside, like a rash, it was itchy and burning. It was hurting and hard, very noise and painful; Big and red spot in the upper part of her face; This spontaneous case was reported by a consumer and describes the occurrence of FACIAL ASYMMETRY (Mouth went to one side of her face) in an 88-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 021B21A and 027A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Blood pressure high (Takes medications for high blood pressure.). Concomitant products included INSULIN for an unknown indication. On 05-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 02-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 02-Apr-2021, the patient experienced FACIAL ASYMMETRY (Mouth went to one side of her face) (seriousness criterion medically significant), SWELLING FACE (Left side of her face get swollen), BLISTER (3 or 4 spots on the top of her mouth, 3 or 4 fever-like blisters outside of her mouth. All outside, like a rash, it was itchy and burning. It was hurting and hard, very noise and painful), LIP SWELLING (Lips was swollen), PRURITUS (Itchy), BURNING SENSATION (Burning), PAIN (all around her cheeks and near the nose was in pain) and RASH (Like a rash). 02-Apr-2021, the patient experienced ERYTHEMA (Big and red spot in the upper part of her face). On 06-Apr-2021, the patient experienced EYE PAIN (Pain in eyes). At the time of the report, FACIAL ASYMMETRY (Mouth went to one side of her face) and ERYTHEMA (Big and red spot in the upper part of her face) was resolving and SWELLING FACE (Left side of her face get swollen), BLISTER (3 or 4 spots on the top of her mouth, 3 or 4 fever-like blisters outside of her mouth. All outside, like a rash, it was itchy and burning. It was hurting and hard, very noise and painful), EYE PAIN (Pain in eyes), LIP SWELLING (Lips was swollen), PRURITUS (Itchy), BURNING SENSATION</p>



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

(Burning), PAIN (all around her cheeks and near the nose was in pain) and RASH (Like a rash) outcome was unknown. Treatment: Hydrocortisone and Antihistamine Concomitant: A couple of High blood pressure medication Additional information: Immediately after receiving the vaccine (she thinks) the L side of her face get swollen. Her lips was swollen, all around her cheeks and near the nose was in pain. And developed 3 or 4 spots on the top of her mouth, 3 or 4 fever-like blisters outside of her mouth. All outside, like a rash, it was itchy and burning. It was hurting and hard, very noise and painful. She also developed a big and red spot in the upper part of her face. Still there but is getting better (seem is going away). Her mouth went to one side of her face, to the R side. It still there but is getting better (tomorrow is going to be a week). Also, 4 days after the 2nd dose her eyes started to hurting and couldn't put drops. She never had fever, cough, chills or nausea. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1245367	4/23/2021	TN	52	M	3/11/2021	3/12/2021	<p>TIA; Lips numb; Face numb; Eyes spinning; Right eye winking; Feeling Cloudy vision; Dizziness; CHILLS; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of TRANSIENT ISCHAEMIC ATTACK (TIA), HYPOAESTHESIA ORAL (Lips numb), HYPOAESTHESIA (Face numb), EYE MOVEMENT DISORDER (Eyes spinning), EXCESSIVE EYE BLINKING (Right eye winking), VISION BLURRED (Feeling Cloudy vision) and DIZZINESS (Dizziness) in a 52-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 023M20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No reported medical history). On 11-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 10-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 12-Mar-2021, the patient experienced CHILLS (CHILLS). On 19-Mar-2021, the patient experienced TRANSIENT ISCHAEMIC ATTACK (TIA) (seriousness criterion hospitalization), HYPOAESTHESIA ORAL (Lips numb) (seriousness criterion hospitalization), HYPOAESTHESIA (Face numb) (seriousness criterion hospitalization), EYE MOVEMENT DISORDER (Eyes spinning) (seriousness criterion hospitalization), EXCESSIVE EYE BLINKING (Right eye winking) (seriousness criterion hospitalization), VISION BLURRED (Feeling Cloudy vision) (seriousness criterion hospitalization) and DIZZINESS (Dizziness) (seriousness criterion hospitalization). The patient was hospitalized from 19-Mar-2021 to 21-Mar-2021 due to DIZZINESS, EXCESSIVE EYE BLINKING, EYE MOVEMENT DISORDER, HYPOAESTHESIA, HYPOAESTHESIA ORAL, TRANSIENT ISCHAEMIC ATTACK and VISION BLURRED. On 21-Mar-2021, TRANSIENT ISCHAEMIC ATTACK (TIA), HYPOAESTHESIA ORAL (Lips numb), HYPOAESTHESIA (Face numb), EYE MOVEMENT DISORDER (Eyes spinning), EXCESSIVE EYE BLINKING (Right eye winking), VISION BLURRED (Feeling Cloudy vision) and DIZZINESS (Dizziness) had resolved. At the time of the report, CHILLS (CHILLS) had</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

resolved. CT scan of the head was done and MRI. Patient said he was discharged on Sunday, March-21st. He said his symptoms were gone after that and he was given baby aspirin. The action taken of all the events with the suspect drug Moderna COVID-19 Vaccine was not applicable. The causality of all events was not provided.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. However, patient's medical history and concomitant medications are necessary for assessment. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1245377	4/23/2021	TN	40	F	4/1/2021	4/2/2021	severe allergic reaction to the vaccine; became incoherent, could not function; I couldn't comprehend or process what my children were saying to me, I could see their lips; Vision blurry; dizziness increased; heart was racing; 154 heart rate; woke up with a "fever"; started throwing up; face started tingling; injection site swollen; injection site with burning sensation; Covid arm; injection site hot; injection site itchy; brain fog; became dizzy, the more I moved around, the worse it would get; It like an out of body experience; I was confused; woke up with severe neck pain; neck to collarbones were swollen; low grade fever, 101.9 degrees.; ymph node in both armpits and both breast were swollen and hurt to touch; chills; extreme fatigue, had no energy at all; headache; injection site was sore to the touch, it hurt bad, but looked fine; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of ANAPHYLACTIC REACTION (severe allergic reaction to the vaccine), INCOHERENT (became incoherent, could not function), APHASIA (I couldn't comprehend or process what my children were saying to me, I could see their lips), VISION BLURRED (Vision blurry) and DIZZINESS (dizziness increased) in a 40-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 003B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (Medical history not provided.). On 01-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 02-Apr-2021, the patient experienced NECK PAIN (woke up with severe neck pain), SWELLING (neck to collarbones were swollen), PYREXIA (low grade fever, 101.9 degrees.), LYMPHADENOPATHY (ymph node in both armpits and both breast were swollen and hurt to touch), CHILLS (chills), FATIGUE (extreme fatigue, had no energy at all), HEADACHE (headache) and VACCINATION SITE PAIN (injection site was sore to the touch, it hurt bad, but looked fine). On 05-Apr-2021, the patient experienced DIZZINESS (became dizzy, the more I moved around, the worse it would get), AUTOSCOPY (It like an out of body experience), CONFUSIONAL STATE (I was confused) and FEELING ABNORMAL (brain fog). On 06-Apr-2021, the patient experienced ANAPHYLACTIC

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

REACTION (severe allergic reaction to the vaccine) (seriousness criterion hospitalization), INCOHERENT (became incoherent, could not function) (seriousness criterion hospitalization), APHASIA (I couldn't comprehend or process what my children were saying to me, I could see their lips) (seriousness criteria hospitalization and disability), VISION BLURRED (Vision blurry) (seriousness criteria hospitalization and disability), DIZZINESS (dizziness increased) (seriousness criterion hospitalization), VACCINATION SITE REACTION (Covid arm), VACCINATION SITE WARMTH (injection site hot), VACCINATION SITE PRURITUS (injection site itchy), VACCINATION SITE PAIN (injection site with burning sensation) and VACCINATION SITE SWELLING (injection site swollen). On 11-Apr-2021, the patient experienced PARAESTHESIA (face started tingling). On 11-Apr-2021 at 1:15 AM, the patient experienced TACHYCARDIA (heart was racing; 154 heart rate), PYREXIA (woke up with a "fever") and VOMITING (started throwing up). The patient was hospitalized from 06-Apr-2021 to 10-Apr-2021 due to ANAPHYLACTIC REACTION, APHASIA, DIZZINESS, INCOHERENT and VISION BLURRED. At the time of the report, ANAPHYLACTIC REACTION (severe allergic reaction to the vaccine), INCOHERENT (became incoherent, could not function), APHASIA (I couldn't comprehend or process what my children were saying to me, I could see their lips), DIZZINESS (dizziness increased), NECK PAIN (woke up with severe neck pain), SWELLING (neck to collarbones were swollen), DIZZINESS (became dizzy, the more I moved around, the worse it would get), AUTOSCOPY (It like an out of body experience), CONFUSIONAL STATE (I was confused), TACHYCARDIA (heart was racing; 154 heart rate), FEELING ABNORMAL (brain fog), VACCINATION SITE REACTION (Covid arm), VACCINATION SITE WARMTH (injection site hot), VACCINATION SITE PRURITUS (injection site itchy), LYMPHADENOPATHY (ymph node in both armpits and both breast were swollen and hurt to touch), CHILLS (chills), FATIGUE (extreme fatigue, had no energy at all), HEADACHE (headache), VACCINATION SITE PAIN (injection site with burning sensation), VACCINATION SITE PAIN (injection site was sore to the touch, it hurt bad, but looked fine), VACCINATION SITE SWELLING (injection site swollen),

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

PYREXIA (woke up with a "fever") and VOMITING (started throwing up) outcome was unknown, VISION BLURRED (Vision blurry) and PYREXIA (low grade fever, 101.9 degrees.) had resolved and PARAESTHESIA (face started tingling) had not resolved. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 02-Apr-2021, Body temperature: 101.9 (High) 101.9 degrees. On 11-Apr-2021, Heart rate: 154 (High) 154. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Concomitant product use was not provided. The patient was taken to the emergency room on 06-Apr-2021 and was then hospitalized. Treatment details included hydroxyzine and IV (intravenous) steroids, and dexamethasone as well as IV fluids. The patient was advised by her HCP (health care provider) to not take the second dose of the vaccine due to having an allergic reaction. On 10-Apr-2021, the patient was released from the hospital but her injection site was sore, swollen and getting bigger. The patient reported additional side effects on 11-Apr-2021 that are ongoing. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Reporter did not allow further contact; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1245402	4/23/2021	FL	67	F	3/14/2021	3/16/2021	Renal left eye coagulation and couldn't see from left eye; Couldn't see from left eye; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of RETINAL ARTERY OCCLUSION (Renal left eye coagulation and couldn't see from left eye) in a 67-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 020B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included no adverse drug reaction (No Medical history reported.). Concomitant products included VITAMIN D [VITAMIN D NOS], VITAMIN E NOS and CENTRUM VITAMINTS. On 14-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 08-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 16-Mar-2021, the patient experienced RETINAL ARTERY OCCLUSION (Renal left eye coagulation and couldn't see from left eye) (seriousness criterion medically significant) and VISION BLURRED (Couldn't see from left eye). At the time of the report, RETINAL ARTERY OCCLUSION (Renal left eye coagulation and couldn't see from left eye) and VISION BLURRED (Couldn't see from left eye) had not resolved. Not Provided mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown Route) and mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) dosing remained unchanged. Company Comment: Very limited information regarding these events has been provided at this time. The events are probably related to the patient's comorbidities. This case was linked; Sender's Comments: Very limited information regarding these events has been provided at this time. The events are probably related to the patient's comorbidities. Crossed linked

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1245422	4/23/2021	PA	64	F	3/16/2021	3/28/2021	Diagnosed with Bell's Palsy; Stroke; Second dose scheduled 2 days past her 42 days; terrible dizziness; double vision; This spontaneous case was reported by a consumer and describes the occurrence of CEREBROVASCULAR ACCIDENT (Stroke) and FACIAL PARALYSIS (Diagnosed with Bell's Palsy) in a 64-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 010M20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included High cholesterol, Hypertension and Thyroid disorder. On 16-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 28-Mar-2021, the patient experienced CEREBROVASCULAR ACCIDENT (Stroke) (seriousness criteria hospitalization and medically significant), DIZZINESS (terrible dizziness) and DIPLOPIA (double vision). On 10-Apr-2021, the patient experienced FACIAL PARALYSIS (Diagnosed with Bell's Palsy) (seriousness criteria hospitalization and medically significant). On an unknown date, the patient experienced INAPPROPRIATE SCHEDULE OF PRODUCT ADMINISTRATION (Second dose scheduled 2 days past her 42 days). The patient was hospitalized from 28-Mar-2021 to 31-Mar-2021 due to CEREBROVASCULAR ACCIDENT, and then from 10-Apr-2021 to 13-Apr-2021 due to FACIAL PARALYSIS. At the time of the report, CEREBROVASCULAR ACCIDENT (Stroke), FACIAL PARALYSIS (Diagnosed with Bell's Palsy), DIZZINESS (terrible dizziness) and DIPLOPIA (double vision) outcome was unknown and INAPPROPRIATE SCHEDULE OF PRODUCT ADMINISTRATION (Second dose scheduled 2 days past her 42 days) had resolved. Not Provided The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Patient had a stroke that affected her right side and affected her vision. She stated she had a very mild case of bells palsy, her mouth and her left side was drooping a bit, her left eye did not blink and would not close, she could chew and she could talk pretty good, she had to drink with the right side with a straw. Products known to have been used by the patient, within two weeks prior to the event, included unspecified cholesterol medication, high blood pressure medication and unspecified thyroid medication. Treatment



*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

medications included: prednisone, 5 or 6 medications for the heart and valacyclovir HCL 1g tablet. This report refers to a case of Inappropriate schedule of product administration for mRNA-1273. Based on the current available information and temporal association between the use of the product and the start date of the events (stroke, facial paralysis, dizziness, and diplopia), a causal relationship cannot be excluded.; Sender's Comments: This report refers to a case of Inappropriate schedule of product administration for mRNA-1273. Based on the current available information and temporal association between the use of the product and the start date of the events (stroke, facial paralysis, dizziness, and diplopia), a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1245441	4/23/2021	MI	50	F	4/9/2021	4/9/2021	<p>Temperature of 95F, hypothermia; Diarrhea; left eye was twitching; Finger in the left and right hand where blue; Vomiting; Chills; sore arm; This spontaneous case was reported by a consumer and describes the occurrence of HYPOTHERMIA (Temperature of 95F, hypothermia) in a 50-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 030A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (Relevant medical history was not reported). On 09-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 09-Apr-2021, the patient experienced LIMB DISCOMFORT (sore arm). On 10-Apr-2021, the patient experienced CHILLS (Chills). On 11-Apr-2021, the patient experienced HYPOTHERMIA (Temperature of 95F, hypothermia) (seriousness criterion medically significant), DIARRHOEA (Diarrhea), BLEPHAROSPASM (left eye was twitching), CYANOSIS (Finger in the left and right hand where blue) and VOMITING (Vomiting). At the time of the report, HYPOTHERMIA (Temperature of 95F, hypothermia), DIARRHOEA (Diarrhea), BLEPHAROSPASM (left eye was twitching), CYANOSIS (Finger in the left and right hand where blue), LIMB DISCOMFORT (sore arm), VOMITING (Vomiting) and CHILLS (Chills) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Concomitant medication use was not reported. Treatment for the events included acetaminophen and naproxen. It was noted that the patient's HCP was aware of her symptoms. Based on the current available information and the temporal association between the product use and the start date of the events a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and the temporal association between the product use and the start date of the events a causal relationship cannot be excluded.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1245356	4/23/2021	PA	48	M	2/16/2021	2/16/2021	<p>Suspected stroke; Bell's palsy; High BP; A spontaneous report was received from a healthcare professional concerning a 48-year-old, male patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced bell's palsy, suspected stroke, and high blood pressure. The patient's medical history, as provided by the reporter, included hypertension. The patient stopped taking hypertension medications since Aug-2020. The concomitant product use was not provided/unknown by the reporter. On 16 Feb 2021, approximately 9 hours prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Batch number: 004M20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 16 Feb 2021, approximately 9 hours of receiving vaccine, the patient developed left ear fullness/pain/pressure. On 17 Feb 2021, the patient developed left eye watery and pain behind left ear. On 18 Feb 2021, the patient dribbled when drinking water when working overnight shift. On 19 Feb 2021, upon awakening in the afternoon, patient's speech was "off" and noted left side of face drooped and unable to close left eye. The patient went to Urgent care and referred to ED for suspected stroke due to High blood pressure. The patient was diagnosed with bell's palsy. Treatment for the event included steroids, eye ointment and metoprolol. Action taken with the drug in response to the event was not provided. The outcome of the events, bell's palsy, suspected stroke, and high blood pressure, were not resolved.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: US-MODERNATX, INC.-MOD-2021-026086: Same reporter</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1245467	4/23/2021	AZ		F	4/1/2021	4/1/2021	<p>still feels a bit off; Left eye still worries her in that it seems vision is blurry; Still feels tired and "off " not normal; Cheek felt like it was drooping; Painful to lie on it and to raise the arm; leg felt like it was paralyzed or numb; left eye felt like it was drooping; shoulder where she got the shot is still painful; headache for 3 days starting the day of the shot; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of MONOPARESIS (leg felt like it was paralyzed or numb) in a female patient of an unknown age who received mRNA-1273 (batch no. 019B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No reported adverse event.). On 01-Apr-2021, the patient received first dose of mRNA-1273 (Intramuscular) 1 dosage form. On 01-Apr-2021, the patient experienced HEADACHE (headache for 3 days starting the day of the shot). On 03-Apr-2021, the patient experienced MONOPARESIS (leg felt like it was paralyzed or numb) (seriousness criterion medically significant), OCULAR DISCOMFORT (left eye felt like it was drooping), PAIN IN EXTREMITY (Painful to lie on it and to raise the arm), FACIAL DISCOMFORT (Cheek felt like it was drooping) and VACCINATION SITE PAIN (shoulder where she got the shot is still painful). On 19-Apr-2021, the patient experienced MALAISE (still feels a bit off), VISION BLURRED (Left eye still worries her in that it seems vision is blurry) and FATIGUE (Still feels tired and "off " not normal). On 03-Apr-2021, MONOPARESIS (leg felt like it was paralyzed or numb), OCULAR DISCOMFORT (left eye felt like it was drooping) and FACIAL DISCOMFORT (Cheek felt like it was drooping) had resolved. On 04-Apr-2021, HEADACHE (headache for 3 days starting the day of the shot) had resolved. At the time of the report, MALAISE (still feels a bit off), PAIN IN EXTREMITY (Painful to lie on it and to raise the arm), VISION BLURRED (Left eye still worries her in that it seems vision is blurry), FATIGUE (Still feels tired and "off " not normal) and VACCINATION SITE PAIN (shoulder where she got the shot is still painful) outcome was unknown. The action taken with mRNA-1273 (Intramuscular) was unknown. The patient consulted an HCP and spoke to 2 other doctors who concur that the patient should not get the second shot until the patient</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

has been checked out. The new primary has ordered new tests to see if the patient had a TIA or stroke after the shot. Patient is waiting on a phone from the new HCP call to schedule the tests. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Further information has been requested.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1246360	4/23/2021	GA	19	F	4/9/2021	4/9/2021	<p>She has a history of Bipolar II, dx about 2 years ago. She has been in counseling for the past 5 years. She just changed from effexor to lexapro about 1 month ago. She has been on abilify 10mg for the past ~6months. On 4/8/21 she went to bed around 11pm and awoke on 4/9 around 8:30am. She had her JJ covid vaccine on 4/9/21. She had 2 handfuls of goldfish crackers on the way to her vaccine appointment around 11am. She had ~6-8oz of water when she awoke. She arrived at the Clinic on campus. She sat down for ~5 minutes and then the staff came to get her. She had the shot administered in left deltoid. When she first felt the pain her vision started to go black and she felt like she was going to pass out. She denies feeling hot or dizzy prior to event. Her vision went completely black, then when she "came to" she was bent over in her chair with arms drawn up to body and fists clenched. Immediately her body relaxed and she felt very confused. She was told she just had a seizure - bend forward and had whole body shaking for ~30 seconds. She felt extremely nauseated and had some dry heaving. Someone helped her to the floor and put up her legs. She was told she looked very pale. She felt much better within 5 minutes. Vitals were checked and were stable. She was given granola bar to eat and drank ~12oz of water. No one sided weakness, no incontinence, no tongue bite. She stayed there for ~45 minutes for monitoring. Someone walked her to her car, asked her if she was ok, and then she drove herself home. Of note, the room she was in was warm and they were going to open doors to get some air. She was not ill or tired at the time. After the event she drove for 5 minutes to her home. Once in her room she felt extremely tired and then slept until 7pm (~6-7 hours). She then called Mom. Mom reports that patient sounded different on the phone. Speech was slow and she seemed "off." Mom drove to her and was at her room by around 7:40pm. At that time, patient looked very pale to Mom. Mom took her home, gave her chicken soup. She did not have an appetite. She just wanted to go to sleep. Mom tried to have her stay up until around 10pm. She had ~8oz of water and then went to bed. She slept through the night. She awoke the next morning and reports that her brain felt like it hurt to work. She had chills, body pain, shakiness during the day on 4/10/21. This was easily managed by tylenol q4. Of note, she did</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							have covid19 in 8/2020. She was ill for ~1 week with lack of smell/taste, febrile, shakiness, headache. She had an odd event on 4/19/21 while giving a presentation at school. She had sudden onset of left pinky numbness/tingling with radiated up the side of her forearm. This lasted ~1-2 minutes. However, her left arm hurt for a few hours afterward. She denies any fatigue after event. She has a Mirena IUD. She smokes nicotine via vape numerous times per day. She smoke weed up to 3X/day but not every day. She drinks beer a few days per week.
1245498	4/23/2021	NV	41	F	3/11/2021	3/11/2021	I immediately began to feel my arm asleep, it wastes the ring finger and the little finger. then i was taking iboprofen ) sr, order to me, the was eors and he gave me diclofenacoy take it 5 day but i star havin ptoblems with my eyes and legs. my my sensory nervous system is very devilite. I ca"t smell and I have no Taste this week i did an MRI and x ray

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1245504	4/23/2021	SC	59	F	1/14/2021	1/15/2021	<p>Her heart started pumping really hard; Fast heartbeat/Heart fluttering a lot; She also had pressure on the top part of her head which was tender and a pressure in the back part of her right eye.; She also had pressure on the top part of her head which was tender and a pressure in the back part of her right eye.; Anxiety; Eye felt red; This is a spontaneous report from a contactable consumer. A 59-years-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, Lot/Batch number: E10142), dose 1 via an unspecified route of administration, administered in left arm on 14Jan2021 at 09:00 as single dose for covid-19 immunisation. Medical history included vitamin supplementation, supplementation therapy, cataract (Mother had cataracts; problems with her heart; had a couple of strokes before she died at 59 years of age), cardiac disorder, cerebrovascular accident, pain (Before she had the first dose of Pfizer COVID-19 Vaccine she was not so concerned because she figured she would probably get body aches or headaches, normal side effects), headache, normal side effects. Concomitant medications included ergocalciferol (vitamin d [ergocalciferol]), krill oil (megared omega 3 krill oil), vitamin c [ascorbic acid], nigella sativa seed (black seed [nigella sativa seed]), betacarotene, calcium carbonate, cyanocobalamin, folic acid, nicotinic acid, pyridoxine hydrochloride, riboflavin, sodium ascorbate, thiamine hydrochloride, tocopheryl acetate (one-a-day vitamin), cyanocobalamin (vitamin b12 [cyanocobalamin]), acetylsalicylic acid (baby aspirin), calcium, magnesium, zinc (magnesium/calcium/zinc) taken for vitamin supplementation and probiotics taken for supplementation therapy. No any other vaccinations within 4 weeks Prior to the first administration. No AE(s) following prior vaccinations: although she did get unknown Shingles vaccine in Sep2020, no AEs associated. She has not gone to get the second Shingles vaccine because she does not want to overlap vaccines while getting Pfizer COVID-19 Vaccine. The patient Was concerned for her 2nd dose which she was scheduled to take tomorrow on 02Feb2021 at 14:30, because of the side effects from her 1st dose. On 15Jan2020, a day after the 1st dose, her heart started pumping really hard and she had a fast heartbeat/ heart fluttering a lot. She also had pressure on the top part of her head which was</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							tender and a pressure in the back part of her right eye. She it was strange because this has never happened to her before up until she got the vaccine. She consulted her eye doctor and mentioned that she will be monitored for the pressure in her right eye. She is also getting anxiety because of this. She was asking if she can go tomorrow to take the 2nd shot. The outcome of events her heart started pumping really hard, she also had pressure on the top part of her head which was tender and a pressure in the back part of her right eye, anxiety and eye felt red was unknow where the outcome of events fast heartbeat/heart fluttering a lot was not recovered. Follow-up attempts are completed. No further information is expected.
1245779	4/23/2021	MI	34	M	2/17/2021	3/20/2021	I had a nasty zit on the back of my neck, popped it, and my immune response was extreme. Initial: Itching and burning through my neck and shoulders, and swollen lymph nodes in neck and collarbone. I began sweating at night profusely and losing weight. I have had a lot of trouble sleeping. These symptoms continued in 24-48 hour cycles of flare ups until 04/19/2021 but finally seem to be abating. Progression: secondary symptoms appeared over the course of the month such as full body joint soreness, weakness, stiffness, stabbing pains (in the neck, arms, chest, and abdomen), blood pressure spikes, dry/sore throat, dry eyes, difficulty swallowing. Symptoms are similar to arthritis or other autoimmune diseases. Night sweats continue but are lighter. Weight loss continues but slower. Sleeping remains irregular.
1245952	4/23/2021	PA	20	F	4/22/2021	4/23/2021	Woke up about 12hrs after vaccine and felt incredibly nauseous and had chills. I was walking downstairs to take Tylenol and I felt like I was going to pass out. Luckily I sat down and then proceeded to pass out, although I am not sure what really happened. My mom found me about 10 seconds later confirming I wasn't out for that long, but she was slapping my face and talking to me and I was unaware. She reported that my eyes were open. When I came to I was having cold sweats, I was clammy, and my ears were ringing. I was very scared and I don't know what happened to me. I felt like I was dreaming when I woke up, but once my Tylenol kicked in I felt better. But it still was a very strange out of body experience.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1245983	4/23/2021	CA	28	F	4/22/2021	4/22/2021	Systemic: Fainting / Unresponsive-Medium, Systemic: Flushed / Sweating-Mild, Systemic: Shakiness-Mild, Systemic: Visual Changes/Disturbances-Mild
1246090	4/23/2021	MI	53	M	4/6/2021	4/7/2021	about 8 am the day after shot, left eye had blurry periphery vision for about 15 minutes, slight headache in right hemisphere for about 15 minutes afterwards. blood pressure during this time was about 160/90 taken by nurse at work. Symptoms went away about 8:30 am
1246093	4/23/2021	GA	65	F	2/1/2021	3/1/2021	Severe left ear tinnitus Left lower eyelid twitching Dizziness Continuing for 7 weeks now every day all day
1246099	4/23/2021	CA	25	M	4/22/2021	4/22/2021	Systemic: Allergic: Anaphylaxis-Medium, Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Hyperventilation-Medium, Systemic: Hypotension-Medium, Systemic: Shakiness-Medium, Systemic: Weakness-Medium, Additional Details: immediately after first dose pt head started to lower, eyes closed, slid down in chair. respiratory rate decreased for several seconds then panic breathing occurred thereafter. pt was sweating profusely and skin was cold and clammy. could not verbally respond for 30-45 seconds. after a minute pt could talk and answer question. blood pressure was taken 3 different times 5 minutes apart 75/43, 87/46, 93/52. Pt was feeling fine a half hour later and was called 4 hours later to follow up.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1246269	4/23/2021	CA	46	F	4/5/2021	4/5/2021	I'm writing this as a former, trained healthcare professional (physical therapist). 30sec-after injection I raised my left (injected) arm and my deltoid/bicep had a sudden hard spasm. I told my husband (who was in the middle of getting his shot) and the administrator that I was passing out. I blacked out. They ran over. They said 5 minutes passed in which my eyes were wide open and dilated. I suddenly began profuse sweating and convulsions/ severe full body shaking. They could not keep me lucid, and called 911. Paramedics came and got a systolic BP of 36 (I'm unaware of the diastolic BP) with blood sugar at 111 ish. I could not form words and kept going in and out of consciousness. I was transported by ambulance to the ER. A few minutes into the ambulance ride I was able to form words, and vitals started to return. I've passed out a few times and this WAS NOT a normal episode of syncope.
1246275	4/23/2021	FL	38	F	4/14/2021	4/21/2021	Fatigue, febrile, malaise times one week following vaccine. Developed shingles in right eye, and forehead one week post vaccine.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1245450	4/23/2021	MA	71	M	3/6/2021	4/3/2021	<p>Felt left side of face drooped, unable to close left eye, and could not control left side of face; patient woke up with 5-seconds chills and went away quickly, happened 3 times during the day; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of FACIAL PARALYSIS (Felt left side of face drooped, unable to close left eye, and could not control left side of face) in a 71-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 025B21A and 010A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Bladder disorder. Concomitant products included OXYBUTYNIN HYDROCHLORIDE (OXYBUTININ ACCORD) for Bladder disorder NOS. On 06-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 03-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 03-Apr-2021, the patient experienced FACIAL PARALYSIS (Felt left side of face drooped, unable to close left eye, and could not control left side of face) (seriousness criterion medically significant) and CHILLS (patient woke up with 5-seconds chills and went away quickly, happened 3 times during the day). On 04-Apr-2021, CHILLS (patient woke up with 5-seconds chills and went away quickly, happened 3 times during the day) had resolved. At the time of the report, FACIAL PARALYSIS (Felt left side of face drooped, unable to close left eye, and could not control left side of face) outcome was unknown. Treatment Medications included prednisone 20mg 3 times daily for 4 days, valacyclovir 1 gm tablet 3 times daily for 7 days and artificial tears drops with directions instill 1 to 2 drops every 4 hours to left eye. On 04Apr2021, Emergency room and primary care doctors confirmed that it is Bell's Palsy. As up 16Apr2021, the neurologist assessed and confirmed of Bell's Palsy (severe facial paralysis). Based on current available information and the temporal relationship between product use and the start date of the events a causal relationship cannot be excluded. Action taken with mRNA-1273 in response to the events was not Applicable This case was linked to MODERNATX, INC.-</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							MOD-2021-079332 (E2B Linked Report).; Sender's Comments: Based on current available information and the temporal relationship between product use and the start date of the events a causal relationship cannot be excluded. MODERNATX, INC.-MOD-2021-079332:Case for dose 1
1249368	4/23/2021	CA	40	M	3/29/2021	3/29/2021	Visual deficit: floaters and blurry vision, headaches, swollen lymph nodes, involuntary tremors, numbness and tingling, progressively worse since his 2nd Moderna vaccine on March 29, 2021 Unable to see neurologist, earliest appointment 30 days out.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1249090	4/23/2021	NC	49	F	4/8/2021		<p>SINUS CLOGGED/ SINUS HEADACHE; SHOOTING NERVE PAIN IN BACK; FACE SWOLLEN; SHAKES; ITCHY; SHARP NERVE PAIN IN SPINE; INCREASED BLOOD PRESSURE; FEELING LIKE FLU; ARTHRITIC PAIN; LEG CRAMPS; NAUSEA; DIZZINESS; ANXIETY; BLURRING OF EYES; This spontaneous report received from a patient concerned a 49-year-old female. The patient's weight was 185 pounds, and height was not reported. The patient's pre-existing medical conditions included no known drug allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 207A21A, expiry: 23-JUN-2021) dose was not reported, administered on 08-APR-2021 in left arm for prophylactic vaccination. No concomitant medications were reported. On an unspecified date in APR-2021, Laboratory data included: Blood pressure (NR: not provided) 160/90 mmHg. On 08-APR-2021, within 5 minutes after vaccination the patient experienced dizziness, chills with shakes, nausea, anxiety and 20 minutes later she was evaluated by an emergency medical services onsite. On 08-Apr-2021, Blood pressure (BP) reading was 240/130 mmHg. She was kept under evaluation at the vaccination site until BP was 160/90. She experienced pain (body aches, shooting nerve pain in back with itching, arthritic pain from neck to spine and in hands) which began around midnight on 09-Apr-2021 and in morning she experienced full blown flu (ringing of ears, face swollen, sinus clogged, headache, body ache, chill). On 09-Apr-2021, Blood pressure (BP) reading was 153/87 mmHg. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from dizziness, blurring of eyes, and nausea on 08-APR-2021, had not recovered from increased blood pressure, itchy, arthritic pain, sharp nerve pain in spine, leg cramps, feeling like flu, and anxiety, and the outcome of sinus clogged/ sinus headache, shooting nerve pain in back, face swollen and shakes was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0 20210417592-Covid-19 vaccine ad26.cov2.s-Increased blood pressure. This event is considered unassessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1249122	4/23/2021	CA		F			EYE IRRITATION/SENSATION OF PRESSURE IN HER EYES; This spontaneous report received from a consumer concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received Covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: unknown) dose, start therapy date were not reported for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On an unspecified date, the patient experienced eye irritation/sensation of pressure in her eyes and had to go to the hospital for surgery. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of eye irritation/sensation of pressure in her eyes was not reported. This report was serious (Other Medically Important Condition). This case, from the same reporter is linked to 20210420255.; Sender's Comments: V0: 20210420006-Covid-19 vaccine ad26.cov2.s-eye irritation/sensation of pressure in her eyes. This event is considered unassessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1249132	4/23/2021	WI	29	F	3/31/2021		<p>PSYCHOTIC EPISODES; MINIMAL SLEEP FOR AT LEAST 50 HOURS; TIREDNESS; This spontaneous report received from a consumer concerned a 29-year-old white female. The patient's height, and weight were not reported. The patient's concurrent conditions included cognitive disability, but she was not on medication for anything. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 10805031 expiry: UNKNOWN) dose was not reported, administered on 17-MAR-2021 in left arm around 4:40 pm for prophylactic vaccination. No concomitant medications were reported. On 31-MAR-2021, the patient exhibited bizarre behaviors that raised eyebrows but not red flags, as her father thought she was goofing around, she was talking loudly and laughing to herself with nobody around. She seemed very tired, taking a long time in the bathroom (about an hour/an hour and a half). On 03-APR-2021, she was saying things that did not make sense and people could not make sense of what she was talking about. On 04-APR-2021, she started experiencing really bizarre behavior. She was hearing voices, talking to herself and seeing people that were not there, insisting that people were coming over to the house and she had to go there. By the evening, she experienced hallucinations and delusions. She was taken to emergency hospital. She had been awake for about 12 hours, possibly longer. She was tested for a urinary tract infection, but the result was negative. In the emergency room, she had a blood test and computed tomography (CT) scan that did not show anything. In the night on same day, her condition was bad. She was trying to get out of the house. On 05-APR-2021, at 6am, she went back to the hospital room and was admitted to the psych ward for psychotic behaviors. She had been there for 7 days. She had been on unspecified medications, which was helping the symptoms. She was examined by a doctor and admitted to the psychiatric ward. In the evening on same day, her behavior became more severe, showed signs of aggression, flipping furniture, throwing things, saying a light on the wall was watching her. On 06-APR-2021, the psychiatrist stated that she was experiencing psychotic episodes and she was put on antipsychotic medication and examined her. She did not sleep for almost 3 days, started 04-APR-2021 morning at 7:00 am until 06-APR-</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

2021 night (about 50 hours with minimal sleep). Then she was sedated, and she finally slept. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from minimal sleep for at least 50 hours on 06-APR-2021, was recovering from psychotic episodes, and the outcome of tiredness was not reported. This report was serious (Hospitalization Caused / Prolonged).; Sender's Comments: V0-20210420207-Covid-19 vaccine ad26.cov2.s-psychotic episodes. This event is considered unassessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1249163	4/23/2021	IL	59	F	3/30/2021		<p>DIZZY/LIGHTHEADED; RUBBER LEGS; HEART RACING; LOOKED WHITE; NEAR SYNCOPAL EPISODE/NEARLY PASSED OUT; INTERMITTENTLY FEELING HOT; FLUSH; FOGGY; NOT FEELING WELL; BLURRY VISION; This spontaneous report received from a patient concerned a 59 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included seasonal allergy. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808980, and expiry: 20-JUN-2021) dose was not reported, administered on 30-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 30-MAR-2021, the subject experienced blurry vision. On 01-APR-2021, the subject experienced intermittently feeling hot. On 01-APR-2021, the subject experienced flush. On 01-APR-2021, the subject experienced foggy. On 01-APR-2021, the subject experienced not feeling well. On 02-APR-2021, the subject experienced near syncopal episode/nearly passed out. On 02-APR-2021, the subject experienced heart racing. On 02-APR-2021, the subject experienced looked white. On 03-APR-2021, the subject experienced dizzy/lightheaded. On 03-APR-2021, the subject experienced rubber legs. On 05-APR-2021, Laboratory data included: ECG (NR: not provided) UNKNOWN (units unspecified). The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from near syncopal episode/nearly passed out on 02-APR-2021, heart racing on 04-APR-2021, and blurry vision on 30-MAR-2021, was recovering from intermittently feeling hot, flush, foggy, not feeling well, dizzy/lightheaded, and rubber legs, and the outcome of looked white was not reported. This report was non-serious.; Sender's Comments: V0: Medical assessment comments not required as per standard procedure as the case is considered non serious.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1249165	4/23/2021	NC	30	F	3/1/2021		HIGH HEART BEAT / TACHYCARDIA; ALLERGIC REACTION (SWOLLEN FACE UNDER EYES, ITCHINESS IN MOUTH, ITCHINESS IN PALMS / FEET); SHAKINESS; TINGLING; FEVER; HEADACHE; WEAKNESS; MUSCLE PAIN IN BACK AND LEGS; DROWSINESS / SLEEPINESS; BACK PAIN; BODY ACHES; This spontaneous report received from a patient concerned a 30 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1802070, expiry: UNKNOWN) dose was not reported, administered on 14-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On MAR-2021, the subject experienced back pain. On MAR-2021, the subject experienced body aches. On 14-MAR-2021, the subject experienced drowsiness / sleepiness. On 14-MAR-2021, the subject experienced weakness. On 14-MAR-2021, the subject experienced muscle pain in back and legs. On 15-MAR-2021, the subject experienced fever. On 15-MAR-2021, the subject experienced headache. On 25-MAR-2021, the subject experienced tingling. On 02-APR-2021, the subject experienced high heart beat / tachycardia. On 02-APR-2021, the subject experienced allergic reaction (swollen face under eyes, itchiness in mouth, itchiness in palms / feet). On 02-APR-2021, the subject experienced shakiness. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from high heart beat / tachycardia, and muscle pain in back and legs on 02-APR-2021, drowsiness / sleepiness, and weakness on 16-MAR-2021, tingling on 28-MAR-2021, fever on 18-MAR-2021, and headache on 19-MAR-2021, had not recovered from shakiness, and allergic reaction (swollen face under eyes, itchiness in mouth, itchiness in palms / feet), and the outcome of back pain and body aches was not reported. This report was non-serious.; Sender's Comments: V0: Medical Assessment Comment not required as per standard procedure as the case assessed as non-serious.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1249180	4/23/2021	NY		F		4/9/2021	<p>DIZZINESS; NO APPETITE; HARD TO WALK; WEAK; FREQUENT HEADACHE; TIREDNESS; NAUSEA; FELL; PASSED OUT, BLACKED OUT; TROUBLE BREATHING; MEMORY LOSS; FAST HEARTBEAT; HEAD INJURY; FACIAL INJURIES; DEEP CUT ON UPPER LIPS; FACE BLEEDING; REDNESS ON RIGHT SIDE OF FACE; INSIDE OF THE EYE WAS RED; BLACK EYE; SWEATING; SHAKING; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported) dose was not reported, administered on 08-APR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 09-APR-2021, the patient woke up all wet from sweating, shaking, trouble breathing, heartbeat was fast, and was nauseous. Patient went to the bathroom and on the way back from the bathroom, patient passed out. Patient had no memory of this or how she ended up on the floor or how she fell. Patient blacked out and woke up about 20 minutes later. She found that there was blood everywhere because she had hit her face. There was deep cut on patients upper lip, had a black eye, and the inside of the eye was red all on the right side of her face. Patient cleaned her face carefully and then got back in the bed because patient was very weak and extremely nauseous. Patient went back to sleep and anytime she tried to get up patient was very dizzy and nauseous. Patient was able to walk with help but it was hard. The next day patient experienced dizziness, tiredness, no appetite, frequent headaches, her face was swollen, and was bleeding a lot. She thought her face needs stitches. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the sweating, shaking, trouble breathing, fast heartbeat, nausea, passed out, blacked out, memory loss, head injury, weak, dizziness, tiredness, no appetite, frequent headache, hard to walk, fell, deep cut on upper lips, black eye, inside of the eye was red, redness on right side of face, face bleeding and facial injuries was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0.20210422314-covid-19 vaccine ad26.cov2.s -passed</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

out, blacked out. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1249217	4/23/2021	MO	30	F	4/8/2021		<p>WOKED UP WITH PAIN AROUND 5-6 INCH BELOW BELLY BUTTON; HEART BEAT LIKE PAIN; LEFT LEG MIDDLE OF CALF FEELS LIKE CRAMP; BLURRY VISION; FELT PRESSURE BEHIND BOTH EYES; PAIN IN RIGHT HAND JOINTS FROM SHOULDER BLADE TO MIDDLE FOREARM; SHARP PAIN IN KNUCKLE; FULL BODY CHILLS; HEADACHE; BODY PAIN; SPINE HURTING BAD; CONVULSION; DIFFICULT TO TURN OVER; FEVER; This spontaneous report received from a patient concerned a 30 year old white and Not Hispanic or Latino female. The patient's height, and weight were not reported. The patient's pre-existing medical conditions included patient was not pregnant at the time of reporting. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 207A21A, expiry: UNKNOWN) dose was not reported, 1 total, administered to left arm on 07-APR-2021 14:16 for prophylactic vaccination. No concomitant medications were reported. On 07-APR-2021, after vaccination patient had no issues for 12 to 14 hours. On 08-APR-2021, the patient experienced convulsion, body shaking, difficult to turn over, spine hurting bad, and fever. On 08-APR-2021 03:00, the patient experienced full body chills, headache and body pain. On 08-APR-2021 01:00, treatment medications included: acetylsalicylic acid/caffeine/paracetamol/salicylamide. On 08-APR-2021 19:00, treatment medications included: ibuprofen. On 10-APR-2021, the patient experienced sharp pain in knuckle, pain in right hand joints from shoulder blade to middle forearm. On 12-APR-2021 17:10, the patient experienced blurry vision, felt pressure behind both eyes. On 13-APR-2021, the patient experienced left leg middle of calf feels like cramp, heart beat like pain. On 13-APR-2021 08:00, the patient experienced woke up with pain around 5-6 inch below belly button. Laboratory data on 08-APR-2021 included: Body temperature (NR: not provided) 100.5 Fahrenheit. The action taken with covid-19 vaccine ad26.cov2.s was not reported. The patient recovered from woke up with pain around 5-6 inch below belly button, body pain, pain in right hand joints from shoulder blade to middle forearm, and headache on APR-2021, and the outcome of full body chills, fever, convulsion, difficult to turn over, sharp pain in knuckle, blurry vision, felt pressure behind both eyes, left leg</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1249218	4/23/2021			F			<p>middle of calf feels like cramp, spine hurting bad and heart beat like pain was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210425698-covid-19 vaccine ad26.cov2.s-convulsion. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).</p> <p>MIGRAINE; STRONG UTERUS CRAMP; COULDN'T MOVE; BURNING EYES; This spontaneous report received from a patient concerned a female of unspecified age. The patient's height, and weight were not reported. The patient's past medical history included bilateral mastectomy, and concurrent conditions included penicillin and aspirin allergy, and breast cancer. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin, and batch number were not reported) dose, start therapy date were not reported for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On an unspecified date, the subject experienced migraine, strong uterus cramp, couldn't move, and burning eyes. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the strong uterus cramp, migraine, burning eyes and couldn't move was not reported. This report was non-serious.; Sender's Comments: V0: Medical assessment comment not required as per standard procedure as case assessed as non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1249233	4/23/2021	CA	35	M	4/9/2021		SKIN PEELING BETWEEN INSIDES OF FINGERS OF RIGHT HAND; HEADACHES; NAUSEA; BLURRY VISION; SORENESS OF KIDNEY/LOWER BACK AREA; MASSIVE BODY ACHES; DIZZINESS UPON STANDING (HYPOTENSION); CHEST TIGHTNESS; FOGGINESS; FATIGUE; This spontaneous report received from a patient concerned a 35 year old male. The patient's height, and weight were not reported. The patient's concurrent conditions included alcohol use, and non-smoker, and other pre-existing medical conditions included no known drug allergies and no drug abuse or illicit drug usage. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808982 expiry: UNKNOWN) dose was not reported, administered on 09-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On APR-2021, Laboratory data included: Pain scale (NR: not provided) 5-6 out of 10. On 09-APR-2021, the subject experienced fogginess. On 09-APR-2021, the subject experienced fatigue. On 10-APR-2021, the subject experienced blurry vision. On 10-APR-2021, the subject experienced soreness of kidney/lower back area. On 10-APR-2021, the subject experienced massive body aches. On 10-APR-2021, the subject experienced dizziness upon standing (hypotension). On 10-APR-2021, the subject experienced chest tightness. On 10-APR-2021, the subject experienced headaches. On 10-APR-2021, the subject experienced nausea. On 13-APR-2021, the subject experienced skin peeling between insides of fingers of right hand. Treatment medications (dates unspecified) included: paracetamol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from fogginess, blurry vision, fatigue, massive body aches, dizziness upon standing (hypotension), headaches, nausea, chest tightness, skin peeling between insides of fingers of right hand, and soreness of kidney/lower back area. This report was non-serious.; Sender's Comments: V0 Medical assessment comment not required as per standard procedure as the case was assessed as non-serious.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1249235	4/23/2021	OH	67	M	3/1/2021		DOUBLE VISION; SHORT TERM MEMORY LOSS; LACK OF ATTENTION; COGNITIVE DEFICIENCIES; HEADACHE; POSSIBLE INFARCTION DUE TO RECENT EVENT; This spontaneous report received from a health care professional concerned a 67 year old white and not Hispanic or Latino male. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported) dose was not reported, 1 total, administered on 11-MAR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 14-MAR-2021, the patient experienced headache and dizziness. On 15-MAR-2021, patient had experienced double vision, trouble reading, lack of attention, short term memory loss and cognitive deficiency. One or two days later, (possibly on 16-MAR-2021), the patient visited emergency room and his computerized axial tomography (CAT) scan was normal. In MAR-2021 (a week after), the patient's symptoms got worsened and he consulted primary care physician. The patient underwent magnetic resonance imaging (MRI) scan which showed possible infarction due to recent event. It was reported that, the patient was yet to visit cardiologist and neurologist for follow up on the MRI scan. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from headache on 18-MAR-2021, had not recovered from double vision, short term memory loss, lack of attention, and cognitive deficiencies, and the outcome of possible infarction due to recent event was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210427306-covid-19 vaccine ad26.cov2.s-possible infarction due to recent event. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1249014	4/23/2021			U		3/10/2021	INCREASED SORENESS; FLUSHED SKIN; LOWER BACK IN EXTREME PAIN; LEGS IN EXTREME PAIN; HEADACHE/ SKULL WAS IN A LOT OF PAIN/ PAIN AROUND TEMPLES; CHILLS IN MY EXTREMITIES; FEEL WARMER; FEVER; VOMITING; PAIN AROUND EYES; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's height, and weight were not reported. The patient's concurrent conditions included multiple sclerosis. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin, and batch number were not reported) dose was not reported, administered on MAR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 10-MAR-2021, the subject experienced increased soreness. On 10-MAR-2021, the subject experienced flushed skin. On 10-MAR-2021, the subject experienced lower back in extreme pain. On 10-MAR-2021, the subject experienced legs in extreme pain. On 10-MAR-2021, the subject experienced headache/ skull was in a lot of pain/ pain around temples. On 10-MAR-2021, the subject experienced chills in my extremities. On 10-MAR-2021, the subject experienced feel warmer. On 10-MAR-2021, the subject experienced fever. On 10-MAR-2021, the subject experienced vomiting. On 10-MAR-2021, the subject experienced pain around eyes. Laboratory data included: Body temperature (NR: not provided) 100, 104.5, 102.5. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from increased soreness, flushed skin, legs in extreme pain, chills in my extremities, feel warmer, fever, vomiting, and pain around eyes on 11-MAR-2021, and was recovering from lower back in extreme pain, and headache/ skull was in a lot of pain/ pain around temples. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1249262	4/23/2021	FL	73	U	4/7/2021		<p>BLOWS THE NOSE; SORE THROAT; LIKE I HAVE A COLD; WATER GETS OUT FROM EYES; LEG FELT ICKY; LEG HURTS ALL THE TIME; DIARRHEA; COUGH WAS WITH SPUTUM AND BLOOD COMES; HEADACHE; FEVER; CHILLS; This spontaneous report received from a patient concerned a 73 year old of unspecified sex. The patient's height, and weight were not reported. The patient's concurrent conditions included CHF, heart surgery, hospitalized for gall bladder issue, heart surgery for chronic AIFB, circulation problem, stomach issue, seasonal allergy, strawberry allergy, non-alcoholic, and non-smoker, and other pre-existing medical conditions included no drug abuse/illicit. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 043A21A, and expiry: UNKNOWN) dose was not reported, administered on 07-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 07-APR-2021, the subject experienced chills. On 07-APR-2021, the subject experienced fever. On 08-APR-2021, the subject experienced headache. Laboratory data included: Headache (NR: not provided). On 09-APR-2021, treatment medications included: guaifenesin. On 12-APR-2021, the subject experienced cough with sputum and blood comes. On 14-APR-2021, Laboratory data included: Headache (NR: not provided) SCALE 2. On an unspecified date, the subject experienced diarrhea, blows the nose, sore throat, like I have a cold, water gets out from eyes, leg felt icky, and leg hurts all the time. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from chills, and fever on 09-APR-2021, and the outcome of diarrhea, headache, cough with sputum and blood comes, blows the nose, sore throat, like i have a cold, water gets out from eyes, leg felt icky and leg hurts all the time was not reported. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1249644	4/23/2021	NV	69	M	3/23/2021	3/26/2021	leg hurting; Leg was completely clotted; 10 days was blowing blood clots out of his nose; blowing blood clots out of his nose; This spontaneous case was reported by a consumer and describes the occurrence of PAIN IN EXTREMITY (leg hurting), DEVICE OCCLUSION (Leg was completely clotted) and DEVICE OCCLUSION (10 days was blowing blood clots out of his nose) in a 69-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 003B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Coronary artery disease since an unknown date, Blood pressure (controlled blood pressure) since an unknown date, Diabetes (controlled diabetes) since an unknown date, Cholesterol (controlled cholesterol) since an unknown date and Stent placement (history of 7 stents in heart) since an unknown date. Concomitant products included CLOPIDOGREL BISULFATE (PLAVIX), METOPROLOL, LOSARTAN, ATORVASTATIN and EMPAGLIFLOZIN, LINAGLIPTIN (GLYXAMBI) for an unknown indication. On 23-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 26-Mar-2021, the patient experienced PAIN IN EXTREMITY (leg hurting) (seriousness criterion hospitalization), DEVICE OCCLUSION (Leg was completely clotted) (seriousness criteria hospitalization and disability), DEVICE OCCLUSION (10 days was blowing blood clots out of his nose) (seriousness criterion hospitalization) and EPISTAXIS (blowing blood clots out of his nose). At the time of the report, PAIN IN EXTREMITY (leg hurting), DEVICE OCCLUSION (Leg was completely clotted), DEVICE OCCLUSION (10 days was blowing blood clots out of his nose) and EPISTAXIS (blowing blood clots out of his nose) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): In February 2021, Ultrasound scan: (abnormal) 85% plaque Plaque build up in main artery of leg. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown), the reporter did not provide any causality assessments. Patient have allergy to denies and had a history of PAD Patient given Xarelto as treatment. Please update the narrative by replacing

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

1249383	4/23/2021	PA					
---------	-----------	----	--	--	--	--	--

				M			
--	--	--	--	---	--	--	--

4/7/2021	PULSATING BEHIND LEFT EAR INCREASES AND DECREASES; LEFT ARM PAIN; LEFT EYE PAIN BEHIND EYE; BLOOD SHOT TO LEFT EYE; This spontaneous report received from a patient concerned a 64 year old male. The patient's weight was 96 kilograms, and height was 73 inches. The patient's past medical history included heart attack, and concurrent conditions included social drinking of alcohol, and cigarette smoker. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808982, and expiry: UNKNOWN) dose was not reported, administered on 07-APR-2021 for prophylactic vaccination. Concomitant medications included acetylsalicylic acid for prophylaxis for heart attack, hydrochlorothiazide for prophylaxis for heart attack, and ramipril for prophylaxis for heart attack. On 07-APR-2021, the subject experienced left eye pain behind eye. On 07-APR-2021, the subject experienced blood shot to left eye. On 07-APR-2021, the subject experienced left arm pain. On 09-APR-2021, the subject experienced pulsating behind left ear increases and decreases. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from left eye pain behind eye, and left arm pain on 09-APR-2021, was recovering from blood shot to left eye, and had not recovered from pulsating behind left ear increases and decreases. This report was non-serious.
----------	--

Thrombus with Device Occlusion. Please delete the wording Occult Blood and add Epistaxis. Company comment: Based on current available information and the temporal association between product use and the start date of the events a causal relationship cannot be excluded.; Sender's Comments: Based on current available information and the temporal association between product use and the start date of the events a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1249405	4/23/2021	CA		F		4/9/2021	<p>LEG CRAMPS; SHORTNESS OF BREATH; FEELING SLEEPY; DIZZINESS; HEAVY HEAD; VISION NOT NORMAL; NAUSEA; FEELING VERY TIRED; FEVER; MUSCLE PAINS; BODY ACHES; This spontaneous report received from a patient concerned a 58 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included asthma. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 042A21A, and batch number: 042A21A expiry: 21-JUN-2021) dose was not reported, administered on 08-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 09-APR-2021, the subject experienced body aches. On 09-APR-2021, the subject experienced muscle pains. On 09-APR-2021, the subject experienced fever. On 16-APR-2021, the subject experienced dizziness. On 16-APR-2021, the subject experienced heavy head. On 16-APR-2021, the subject experienced vision not normal. On 16-APR-2021, the subject experienced shortness of breath. On 16-APR-2021, the subject experienced feeling sleepy. On 16-APR-2021, the subject experienced nausea. On 16-APR-2021, the subject experienced feeling very tired. On 18-APR-2021, the subject experienced leg cramps. Laboratory data (dates unspecified) included: Blood test (NR: not provided) No Information (units unspecified). Treatment medications (dates unspecified) included: paracetamol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from body aches, muscle pains, and fever on 11-APR-2021, and leg cramps on 18-APR-2021, and had not recovered from nausea, dizziness, feeling very tired, heavy head, vision not normal, shortness of breath, and feeling sleepy. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1249409	4/23/2021	TN		F			<p>SPONTANEOUS HEADACHE; This spontaneous report received from a health care professional concerned a 63 year old female. The patient's height, and weight were not reported. The patient's past medical history included abdominal aortic aneurysm, ascending aortic aneurysm, atrial fibrillation, degenerative disc, heart issue, stroke, drug allergy, blood clot behind eye, smoker, and overweight, and other pre-existing medical conditions included patient had medical history of naturally throwing clots and short term memory. The patient was previously treated with promethazine. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1802029, and batch expiry: UNKNOWN) dose was not reported, administered on 18-MAR-2021 for prophylactic vaccination. Concomitant medications included apixaban for atrial fibrillation, hydrocodone, levothyroxine, and lisinopril. On an unspecified date, the subject experienced spontaneous headache. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of spontaneous headache was not reported. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1249420	4/23/2021	MN	64	F	4/5/2021		<p>PAIN IN RIGHT EYE COMING FROM BACK OF HEAD STOPS FOR A WHILE AND THEN REPEATS; EYE ITCHING; TIREDNESS; PAIN AT INJECTION SITE; STOMACH PAIN; This spontaneous report received from a patient concerned a 64 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on 05-APR-2021 for prophylactic vaccination. The batch number was not reported. The company is unable to perform follow-up to request batch number. No concomitant medications were reported. On 05-APR-2021, the subject experienced stomach pain. On 05-APR-2021, the subject experienced tiredness. On 05-APR-2021, the subject experienced pain at injection site. On 15-APR-2021, the subject experienced pain in right eye coming from back of head stops for a while and then repeats. On 15-APR-2021, the subject experienced eye itching. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from stomach pain, and pain at injection site, and tiredness on 07-APR-2021, had not recovered from pain in right eye coming from back of head stops for a while and then repeats, and the outcome of eye itching was not reported. This report was non-serious.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1249503	4/23/2021	RI		M	3/31/2021		<p>BIG TOES COLD; STRESSED OUT; FELT LIKE HEAD 2 TO 3 TIMES NORMAL SIZE; HIGH BLOOD PRESSURE; TINGLING IN BOTH BIG TOES, FINGERS, LEFT AND RIGHT HAND AND THIGHS; TINGLING IN LEFT ARM; LEFT ARM FELT HEAVY; COLD WET SENSATION IN EXTREMITIES; DRY LEFT EYE; POUNDING HEADACHE; WOKE HIM UP; FOGGINESS; MILD HEADACHE/JABS IN THE BACK OF HIS HEAD; This spontaneous report received from a patient concerned a 58 year old male. The patient's height, and weight were not reported. The patient's concurrent conditions included high blood pressure, benign prostatic hyperplasia, gerd, headache, seasonal allergy, diarrhea from peanuts, cramping from peanuts, shellfish when younger itchy rash, skin inflammation, itchy throat, valium-nausea, spinning, non alcohol user, non smoker, and exposure to person with covid infection, and other pre-existing medical conditions included the patient was exposed to a person with covid-19 before 5 days of vaccination, and had no history of drug abuse or illicit drug use. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 043A21A, and expiry: 21-JUN-2021) dose was not reported, administered on 31-MAR-2021 for prophylactic vaccination. Concomitant medications included momiflumate for benign prostatic hyperplasia, lisinopril for blood pressure, ergocalciferol for gerd, famotidine for gerd, and lansoprazole for gerd. On 31-MAR-2021, the subject experienced foggiess. On 31-MAR-2021, the subject experienced mild headache/jabs in the back of his head. On APR-2021, Laboratory data included: Blood pressure (NR: not provided) 180/100 mmHg, 200/90 mmHg, 180/100 mmHg. On 01-APR-2021, Laboratory data included: CT scan (NR: not provided) negative/nothing. On 01-APR-2021 03:00, the subject experienced woke him up. On 01-APR-2021 03:00, the subject experienced pounding headache. On 05-APR-2021, the subject experienced dry left eye. On 17-APR-2021, Laboratory data included: CT scan (NR: not provided) negative. On 18-APR-2021, the subject experienced cold wet sensation in extremities. On 19-APR-2021, the subject experienced tingling in left arm. On 19-APR-2021, the subject experienced left arm felt heavy. On 20-APR-2021, the subject experienced tingling in both big toes, fingers, left and right hand and</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

thighs. Laboratory data included: Blood test (NR: not provided) normal. On an unspecified date, the subject experienced stressed out, felt like head 2 to 3 times normal size, high blood pressure, and big toes cold. Treatment medications (dates unspecified) included: paracetamol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from tingling in both big toes, fingers, left and right hand and thighs, and big toes cold, was recovering from fogginess, and high blood pressure, had not recovered from mild headache/jabs in the back of his head, and cold wet sensation in extremities, and the outcome of woke him up, stressed out, felt like head 2 to 3 times normal size, tingling in left arm, left arm felt heavy, pounding headache and dry left eye was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1249531	4/23/2021	AZ	74	F	4/6/2021		<p>NAUSEA; DIARRHEA; LEG CRAMPS; TINGLING TO THE HANDS, FEET AND THROUGHOUT THE WHOLE BODY; NUMBNESS TO THE FINGERS AND TOES; BLURRED VISION; INTERMITTENT HEADACHE; PAIN INSIDE THE RIGHT THIGH; FATIGUE; SORE RIGHT ARM; This spontaneous report received from a patient concerned a 74 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included chronic obstructive pulmonary disease, hypothyroidism, milk allergy, tomato allergy, wheat allergy, allergic to weeds, allergic to cat and dog dander, sulfonamide allergy, and tetracycline allergy. The patient experienced drug allergy when treated with epinephrine, and erythromycin. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805020 expiry: UNKNOWN) dose was not reported, administered on 06-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 06-APR-2021, the subject experienced sore right arm. On 06-APR-2021, the subject experienced fatigue. On 12-APR-2021, the subject experienced tingling to the hands, feet and throughout the whole body. On 12-APR-2021, the subject experienced numbness to the fingers and toes. On 12-APR-2021, the subject experienced blurred vision. On 12-APR-2021, the subject experienced leg cramps. On 12-APR-2021, the subject experienced pain inside the right thigh. On 12-APR-2021, the subject experienced intermittent headache. On 14-APR-2021, the subject experienced diarrhea. On 18-APR-2021, the subject experienced nausea. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from sore right arm, and fatigue on 09-APR-2021, and had not recovered from tingling to the hands, feet and throughout the whole body, numbness to the fingers and toes, intermittent headache, blurred vision, diarrhea, nausea, leg cramps, and pain inside the right thigh. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1249543	4/23/2021	MI	33	M	4/9/2021		SWOLLEN LEFT EYE; HEADACHE; INJECTION SITE SORENESS; TIREDNESS; This spontaneous report received from a patient concerned a 33 year old male. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808982 expiry: UNKNOWN) dose was not reported, administered on 09-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 09-APR-2021, the subject experienced injection site soreness. On 09-APR-2021, the subject experienced tiredness. On 21-APR-2021, the subject experienced swollen left eye. On 21-APR-2021, the subject experienced headache. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from injection site soreness, and tiredness on APR-2021, and had not recovered from swollen left eye, and headache. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1249553	4/23/2021	CA	54	F	3/13/2021	3/15/2021	not feeling well; Cough; My lungs feel like fine ,I can hold my breath for a long time .It is a kind of irritation there.; Could not drink or eat anything; Vomited; when I close my eyes I was seeing weird stuff (people, monsters), it felt like I was hallucinating; Fever; Headache; Little of nausea; dry cough; feeling washed out; Chills; This spontaneous case was reported by a consumer and describes the occurrence of HALLUCINATION (when I close my eyes I was seeing weird stuff (people, monsters), it felt like I was hallucinating) in a 54-year-old female patient who received mRNA-1273 for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No medical history reported). On 13-Mar-2021, the patient received first dose of mRNA-1273 (Intramuscular) 1 dosage form. On 15-Mar-2021, the patient experienced CHILLS (Chills). On 16-Mar-2021, the patient experienced HALLUCINATION (when I close my eyes I was seeing weird stuff (people, monsters), it felt like I was hallucinating) (seriousness criterion medically significant), COUGH (dry cough), ASTHENIA (feeling washed out), PYREXIA (Fever), HEADACHE (Headache) and NAUSEA (Little of nausea). On 17-Mar-2021, the patient experienced DECREASED APPETITE (Could not drink or eat anything) and VOMITING (Vomited). On 19-Mar-2021, the patient experienced COUGH (Cough) and RESPIRATORY TRACT IRRITATION (My lungs feel like fine ,I can hold my breath for a long time .It is a kind of irritation there.). On an unknown date, the patient experienced MALAISE (not feeling well). On 18-Mar-2021, VOMITING (Vomited) had not resolved. On 23-Mar-2021, CHILLS (Chills), PYREXIA (Fever), HEADACHE (Headache) and NAUSEA (Little of nausea) had resolved. At the time of the report, HALLUCINATION (when I close my eyes I was seeing weird stuff (people, monsters), it felt like I was hallucinating), MALAISE (not feeling well), DECREASED APPETITE (Could not drink or eat anything) and ASTHENIA (feeling washed out) outcome was unknown and COUGH (Cough), RESPIRATORY TRACT IRRITATION (My lungs feel like fine ,I can hold my breath for a long time .It is a kind of irritation there.) and COUGH (dry cough) had not resolved. The action taken with mRNA-1273 (Intramuscular) was unknown. Based on current

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

available information and the temporal association between product use and the start date of the events a causal relationship cannot be excluded. Most recent FOLLOW-UP information incorporated above includes: On 29-Mar-2021: Outcome of the events included nausea, headache, fever, chills were updated as recovered on 23-Mar-2021. Dry cough was added as new event.; Sender's Comments: Based on current available information and the temporal association between product use and the start date of the events a causal relationship cannot be excluded.

1249599	4/23/2021	CA	59	F	4/9/2021	4/10/2021	Bad headache day after shot. Then headache came and went, not too bad until 4.21.21. Sharp pain behind right eye. Dr ran labs, and all look ok. But today, 2 weeks to the day of shot, my headache came roaring back ad bad as day 1. Most pain is behind forehead and eyes. Finally took advil...But pain is not gone. Worst pain is behind right eye. I've never had migraines before. I'm tired of the pain.
1246797	4/23/2021	WV	70	M	1/1/2021	1/1/2021	Patient developed new onset right eye droop three days after the vaccine dose, was checked for serum antibodies for myasthenia gravis and was positive

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1249238	4/23/2021	CA		M		4/12/2021	FAST HEARTBEAT; BLURRED VISION IN LEFT EYE; LIGHTHEADEDNESS; PRESSURE IN THE HEAD, HEADACHE; This spontaneous report received from a consumer concerned a male of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on 05-APR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 12-APR-2021, the subject experienced fast heartbeat. On 12-APR-2021, the subject experienced blurred vision in left eye. On 12-APR-2021, the subject experienced lightheadedness. On 12-APR-2021, the subject experienced pressure in the head, headache. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from fast heartbeat, blurred vision in left eye, and lightheadedness on 12-APR-2021, and was recovering from pressure in the head, headache. This report was non-serious.; Sender's Comments: V0:Medical assessment comment not required as per standard procedure as case assessed as non serious.
1247954	4/23/2021	ID	54	F	4/12/2021	4/12/2021	Had a mild allergic reaction, face turned red under the eyes and on the nose and cheeks within about 10 minutes after receiving vaccination. Administered 50mg diphenhydramine orally. Symptoms remained the same for about 20 minutes then started lessening. After about 45 minutes from time of administration of vaccine symptoms were nearly resolved and patient was allowed to go home with instructions to call 911 or the pharmacy if symptoms returned and difficulty breathing occurred. No further response from patient.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1247663	4/23/2021	CA	55	F	4/6/2021	4/6/2021	4/6/ 21 within hours of the vaccine: extreme sleepiness as if I had been drugged , excruciating headache for hours but I could not open my eyes or full wake up, trouble breathing, but could not open my eyes or fully wake up. 4/6/ 21 5pm awake but very groggy headache is not as bad. Took an alleve which helped but the headache did not go away. 4/7-4/12 bad headache exacerbated by going outdoors in sunlight. persistent grogginess every morning. very difficult to wake up. I run several days a week was able to complete 4 miles no problem . but headaches would be worse being outside in daylight. 4/13 I read news of headaches and clotting rx so I saw my Dr. did blood work and scheduled for MRI. blood work /platelets came back WNL . MRI was cost prohibitive for me so I cancelled MRI would follow up with MRI if headaches worsened and or developed other symptoms. 4/13-4/21 Persistent , annoying headache but improving somewhat. Still have difficulty waking up in the am. 4/22 First day that headache mostly was not present. Difficulty waking up in the am still. 4/17



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1247692	4/23/2021	MA	43	F	2/9/2021	2/9/2021	<p>Date of office visit: 4/22/2021 2:15 PM Intake done by: LPN Reason for today's visit: New Patient 30 minutes HR: 80, regular rate &amp; rhythm BP: 136/78 (prehypertension) weight: 195 lbs 88.6 kg temperature: 98.5 F height: 5 ft 6 inch (measured) body mass index: 31.5 Obesity Classification: Class I, Simple obesity Progress Note xxxxx 4/22/2021 Patient is a 43-year-old female referred to me for management of hemorrhage into her pituitary gland. February 9, 2021 11 AM she received Moderna vaccine. by 7 PM she had a severe headache, leg numbness, severe arthralgias in her knees, global paresthesias, pressure behind her eyes, she describes her head is very heavy and pressurized was very painful. Symptoms lasted for three days and gradually remitted. To a lesser degree the headache persisted longer but resolved March 10, 2021 received Moderna vaccine. On same day she developed headache, chest pain, back pain, leg numbness. She states that when she walked it exacerbated chest pain and headache and she had to walk very gently on her toes. She tried Tylenol, ibuprofen without effect. The symptoms persisted. She started taking two aspirin a day. March 14 she worked third shift as usual (despite symptoms) March 15, the symptoms were bad enough that she felt she had to go to the emergency room. March 15, 2021 18:56 CT Head or Brain C-: 7 mm rounded hyperdensity within the pituitary gland which may represent a hyperdense pituitary mass lesion. Associated hemorrhage is not excluded. March 15, 2021 22:34 MRI Brain C-/C+: There is 0.6 x 0.6 x 0.7 cm round structure in the anterior pituitary gland with high T1 signal, dark T2 signal, susceptibility artifact and no enhancement. This likely represents a hemorrhage within the microadenoma. Advise neurosurgical consult and follow-up MRI in 6 months.</p> <p>3/17/2021 I was consulted (while she was in hospital, chart review only. Patient not seen at that time) I wrote... PITUITARY ACTH Patient had ACTH stimulation test yesterday. Assuming she has received no steroid Rx during this admission prior to the ACTH stimulation test (as I have been told), then these results confirm that her adrenal gland has the ability to respond to ACTH and thus there is no reason to believe the underlying pituitary abnormality had resulted in chronic ACTH deficiency from the pituitary lesion that resulted in hemorrhage.</p>

VAERS\_ID RECVD STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

3/16/2021 4:32 PM .Cort 30 min Stim Cortisol 30  
 Minutes Post ACTH 19.3 mcg/dL Cortisol 60  
 Min 27.6 mcg/dL As the pituitary  
 hemorrhage was an acute event, it is possible the  
 pituitary currently does not have the ability to make  
 adequate amounts of ACTH, despite the normal ACTH  
 stim test, but the situation is too acute to cause the  
 adrenal to atrophy (as a result of chronic ACTH  
 deficiency) and she still could have secondary adrenal  
 insufficiency. When there is a chronic ACTH deficiency of  
 sufficient duration, the adrenal gland will eventually  
 atrophy and the patient will then develop primary adrenal  
 insufficiency as well and then the ACTH stim test will  
 become abnormal. As we do not know if her pituitary can  
 make ACTH appropriately, I think it would be prudent to  
 treat the patient with PREDNISONE 2.5 mg qAM for now  
 even though we do not know for certain whether her  
 pituitary can make ACTH. After discharge, she should be  
 evaluated by endocrine to assess for ACTH deficiency.  
 She should be advised to seek medical attention if she  
 develops symptoms of adrenal insufficiency like nausea,  
 emesis, abd pain, orthostatic symptoms. PITUITARY  
 TSH 3/15/2021 11:47 PM T3 Total 83  
 (normal: 60-181) nGm/dL T4, Total 7.3  
 (normal: 4.5-13.3) mcg/dL TSH, 3rd gen  
 2.160 (normal: 0.358-3.740) mIU/ml I think, based  
 on above admission TFTs, she should also be treated  
 with LEVOTHYROXINE 100 mcg qAM even though we  
 do not know for certain if she has central hypothyroidism.  
 This too should be reassessed in the future. PITUITARY  
 LH/FSH If she acutely or recently developed secondary  
 amenorrhea and FSH is not c/w menopause, then that  
 would suggest the lesion or hemorrhage has causes  
 hypogonadotrophic hypogonadism. This situation would  
 increase the probability she has central adrenal  
 insufficiency and central hypothyroidism. If menses  
 remains normal henceforth, the it is more likely her ability  
 to make TSH and ACTH are normal.  
 Patient was discharged on  
 levothyroxine 100 µg in the morning and prednisone 2.5  
 mg daily. She's also on iron pills. Past medical history:  
 Iron deficiency anemia. Treatment was an IUD, after  
 which she's gained a lot of weight. Medicines: IUD,  
 Levothyroxine 100 mcg QAM, prednisone 2.5 mg QAM,  
 ferrous sulfate 325 mg daily Allergies: none No cigarette

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

use, alcohol abuse or drug use Family social history: patient has three children. High school educated. Healthcare worker. REVIEW OF SYSTEMS: overall health is good. She feels well. No headache. No nausea. No nocturia Physical exam: Extraocular muscles intact. VF full Lungs are clear. Cardiac exam regular. Impression: hemorrhage into pituitary gland Temporarily, symptoms correlate with covid vaccination in a women who previously was (reportedly) dx with covid infection. Maybe the pituitary hemorrhage was the result of the coronavirus vaccination or the aspirin she was taking. At this point she's feeling well. It's been about one month since the event. I'd like to wait another month and then proceed with testing of a pituitary gland to try to figure out if she really needs to remain on levothyroxine and prednisone and reimage the pituitary. On the day of the testing she will take neither medicine in the morning. Will then measure LH, FSH, estradiol, TSH free T4 and cortisol and renal panel. Patient will then receive ACTH 0.25 mg IM and have cortisol measured at 30 minutes and 60 minutes. I will follow-up with her by phone. She scheduled to see Dr. April 26. I would like to do another MRI but I would prefer to wait another month as she is clinically doing well and I want to allow the pituitary more time to "heal"/stabilize. No follow-up is scheduled with me, if Dr. does not order an MRI and I will after I received next blood test. M.D. 4/22/2021 3:40 PM Electronically signed by: M.D. on 4/23/2021 2:47 PM

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1247714	4/23/2021	VA	81	M	2/15/2021	2/21/2021	Per the family: on Monday, February 15 he experienced visual disturbances with slightly blurred vision. Not thinking anything of it at the time, the vision cleared, and he continued about their evening/week without telling anyone of his visual disturbances. On Sunday, February 21, he experienced additional visual disturbances including double vision and dizziness, and we had him visit a local ER for evaluation. He was discharged with a diagnosis of dehydration and vertigo. No scans were performed. The visual disturbances cleared up the following week and the only persistent symptom was a slight dizziness. An eye exam was performed on Friday, February 26 with no problems found. An MRI was performed on March 3, and he was diagnosed with the below conditions. Impression (3/3/2021) 1. Small acute to subacute infarcts in the left splenium of the corpus callosum and parasagittal left occipital lobe. 2. Trace subarachnoid hemorrhage in the parasagittal left parietal lobe. 3. Mild chronic microvascular ischemic disease. He was admitted to the hospital and remained there until Saturday, March 6. Follow-up scans and testing were performed with no underlying reason for the stroke being determined. Prior to the stroke, he had been a very active individual with osteoarthritis as is only health complaint. He was not on any prescription medication prior to the stroke. While in the hospital, the tests for high blood pressure, high cholesterol (LDL 92 MG/DL), sugar inadequacies (glucose 93 mg/dl, A1C 5.7%), etc. came back without major concerns. His follow-up CT scans also did not reveal the stroke shown on the MRI. No inquiry was made by any of his doctors or hospital staff as to his COVID vaccination status/dates to even consider the connection. Below are the results of the last CT scans: Impression (3/4/2021) 1. Age-related volume loss and white matter disease similar to prior exams. 2. Small infarct seen on MRI are not well seen on CT. 3. No acute intracranial abnormality demonstrated on the CT scan. Impression (3/5/2021) 1. No evidence of acute infarct or intracranial hemorrhage. No significant change. 2. Periventricular white matter disease is likely secondary to chronic small vessel ischemic changes. Per daughter on 4/23/21 patient has improved significantly

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1247785	4/23/2021	OH	57	F	4/8/2021	4/9/2021	ABOUT 15 HOURS AFTER INJECTION I HAD A EXTREME HEADACHE AROUND THE EYE AND NOSE AREA. I LAYED DOWN WITH A COLD PACK OVER MY EYES FOR ABOUT 2 HOURS. I FINALLY DECIDED TO TAKE A COUPLE TYLENOL AND DISCOVERED IT WAS HARD FOR ME TO SWALLOW. I TOOK A BENADRYL PILL AS WELL AND LAYED BACK DOWN. MY THROAT BECAME LESS RESTRICTED SO I JUST CONTINUED TO MONITOR MYSELF. THE HEADACHE BECAME LESS SEVERE BUT CONTINUED FOR ANOTHER 24 HOURS OR MORE. I CONTINUE TO BE TIRED BUT ALSO WORK LONG HOURS. TODAY, 04/23/21, TWO WEEKS AFTER INJECTION, I WENT TO URGENT CARE TO HAVE A ANTIBODY TEST DONE. BOTH THE IGG AND IMG CAME BACK NEGATIVE!
1247816	4/23/2021	NC	36	F	4/8/2021	4/23/2021	patient called EMS with pain crisis and noted that she had lost vision in both eyes. was transported to Emergency room by EMS and had cardiac arrest and died.
1248991	4/23/2021	MS		M		3/1/2021	COUGH; CHILLS; FEVER 103 F; DIFFICULTY KEEPING EYES OPEN; This spontaneous report received from a consumer concerned a male of unspecified age. The patient's height, and weight were not reported. The patient's pre-existing medical conditions included the patient had no known drug allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805020, and batch number: 1805020 expiry: UNKNOWN) dose was not reported, administered on 09-MAR-2021 for prophylactic vaccination on left arm. No concomitant medications were reported. On MAR-2021, the subject experienced difficulty keeping eyes open. On 09-MAR-2021, the subject experienced cough. On 09-MAR-2021, the subject experienced chills. On 09-MAR-2021, the subject experienced fever 103 f. Laboratory data included: Body temperature (NR: not provided) 103 F. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from fever 103 f, cough, and chills, and the outcome of difficulty keeping eyes open was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1247921	4/23/2021	MD	80	M	3/11/2021	4/15/2021	4/15/2021 approximately 1030 am client found to be AMS, non-responsive, aphasic, aphagic, left-sided facial droop, teeth clenched, left eye closes, right eye with deviated gaze. 911 called, client to hospital ER, work up/evaluation, admission for stroke related to blood clots found left frontal and right temporal lobes, per spouse. Client discharged 4 days later to home s/p CVA, bed-bound, remains aphasic, aphagic, non-communicative, no response to verbal stimuli. PLEASE NOTE: hospital admission. Unable to complete section 21. Admit for 4 days.
1247691	4/23/2021	AL	77	M	1/26/2021	1/27/2021	Started experiencing a bad headache behind the right eye on Wed 1/27 at night, and on Feb. 7th could not get out of bed, his left shoulder blade became so painful went to the ED Feb. 8. Sent home the next day. The pain was so bad he thought he was having a heart attack. Took NTG did not help. Returned to ED on the 10th - stayed in in hospital for 8 days. Specialists were seen and nothing could help with the pain. Consulted with cancer doctors, and neurologists, doing tests to diagnosis. Dr. gave a nerve block and a week later the pain started to get better a week later on a holiday. Pain still comes and goes. Pain Started getting worse today 4/23/21. Must lie down on right side to get any relief. Has lost 50 pounds is very weak and getting weaker every day. and it is very painful to walk 40 steps to the garage. The TENS unit is not helping with the pain. Getting a spinal test.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1248045	4/23/2021	IL	39	F	4/10/2021	4/11/2021	<p>J&amp;J COVID Vaccine EUA J&amp;J Vaccine 4/10/2021 4/13/21: Believes she is having a reaction to her Johnson and Johnson COVID-19 vaccination. This vaccination was given on 04/10/2021. Patient is 39-year-old female with a past medical history significant for ulcerative colitis that has been in remission since the patient was 21 years of age, epileptic seizures on Vimpat and clonazepam. Patient comes in as a transfer with a chief complaint of possible reaction to Johnson and Johnson COVID-19 vaccine. Patient presents with multiple complaints. The patient states that upon receiving the vaccine on 04/10/2021 she suddenly developed presyncopal episodes where she felt like she was about to pass out but that subsided later on. 12 hours following the shot she had intense headache which was frontal and then later on travel to the back of her head and traveled down her spine. Patient described the headache to be the worse headache of her life, stated that it was worse than going through labor. Patient stated that she received morphine which helped her with the headache. Patient also complained of chest pain which was left-sided with no radiation, constant. No history of previous myocardial infarctions. Her troponins that were conducted were negative. Patient also complained of experiencing blood in her stool. She stated that when she wiped herself on the morning of 04/13/2021 she experience blood on the toilet paper and blood in the bowel. However, her stool occult blood that was conducted was negative. Patient is being followed by Neurology, she contacted her neurologist and they recommended to come to the ED with concerns of thromboembolism. Patient's D-dimer was negative. Patient denied any recent travel anywhere or coming into contact with anyone sick. She denied developing any fevers cough shortness of breath abdominal pain nausea vomiting or any urinary concerns. 4/15/21: Patient is a 39-year-old female with a past medical history significant for ulcerative colitis that has been in remission since the patient was 21 years of age, epileptic seizures on Vimpat and clonazepam. Patient comes in as a transfer with a chief complaint of possible reaction to Johnson and Johnson COVID-19 vaccine. Headache: MRI brain and MRI venogram was ordered. MRI brain did show concerning signed for idiopathic intracranial hypertension. Neurology was consulted. Patient had high volume LP. Patient</p>

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

responded well post LP. Patient will be discharged on topiramate with a taper instructions per neurology. Patient will make appointment with Ophthalmology. Patient will follow up with Neurology as well. Chest pain concerning for ACS: Negative troponin. EKG normal sinus rhythm. Concern for vaccine reaction: Patient has J&J vaccine. No clots were noted. Patient's symptoms are most likely are secondary to idiopathic intracranial hypertension and history of migraines. 4/16/2021: 39-year-old female presents emergency room with chief complaint of headache. Onset this morning. Headache is generalized. Headache is constant. Headache is worth with position change. Such as moving head side to side or with changing from lying to sitting and sitting to standing. Headache improves with lying supine. To has tried pushing fluids, taking over-the-counter medication, and also increasing her caffeine intake to offset the headache. She denies any of these helping with her symptoms. Patient's pain is right an 8 out of 10. The patient denies anything additional alleviating and or aggravating factors to chief complaint. Today when the patient's headache started. She contacted her neurologist. She was told to come to the emergency department for a blood patch. The patient added that her neurologist felt that she needs a blood patch not only because of the recent lumbar puncture but because there was at minimum 25 mL of spinal fluid removed at the time of her lumbar puncture. This lumbar puncture occurred under fluoroscopy. However, they had difficulty getting the pressure gauge on thus, more than 25 mL was removed.. Pain Pain Scale: 8 /10. Timing: constant. gradual. Character: mild. 4/19/21: patient reports intense headaches she attributes to the spinal tap. Ketorolac, DHE, ondansetron given.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1248068	4/23/2021	CA	17	F	4/5/2021	4/6/2021	The day after the vaccine I felt very weak and fatigued on April 7th. A couple days later on April 9th I developed a fever. A few days after that my muscles started twitching and haven't stopped. I feel like something is crawling under my skin and the vaccine is extremely affecting my nervous system. I did not have this problem before I had the vaccine. It has not gone away and it is now April 23rd I still feel weak, not the same as I used to feel before having the vaccine, and my muscles are twitching all over my body. My face is twitching and my eye and there is nothing I can do to make it stop. I am so young and I thought the vaccine was safe but I am suffering from it. Especially in my feet I feel like they are tingling and vibrating and my calves are convulsing too. Meanwhile, my heart is fluttering and I feel like it is very hard for me to focus and I feel things crawling under my skin in my brain. The muscle convulsions are happening everywhere.
1248145	4/23/2021	PA	36	F	4/8/2021	4/18/2021	Migraine, stiff neck, vision problems, tingling in hand. Still on going
1248383	4/23/2021	NC	61	F	3/24/2021	3/24/2021	After I left after waiting I felt find. I went to work and about hour or two I took a tylenol 800 in case my arm got sore. But I was so sleepy my eyes felt like sand was in it. I had to call my daughter so I could stay awake. I was extremely tire. The next day I was not as sleepy but I was very tire. It just started getting better. I not as tired no more. But I didn't know how to report it until I seen on news and my sister told me how to report it.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1248928	4/23/2021	LA		F		3/5/2021	<p>WATERY EYES; RUNNY NOSE; CONGESTION IN THROAT; SORE ARM; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 18OSO18), dose was not reported, administered on 05-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 05-MAR-2021, the patient had a sore arm, but was not too painful. On 06-MAR-2021, the morning after receiving the vaccine, the patient woke up with watery eye, runny nose, and congestion in throat. The patient was inquiring if she should take Benadryl (diphenhydramine) to help with those symptoms. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from sore arm on 06-MAR-2021, and had not recovered from watery eyes, runny nose, and congestion in throat. The patient assessed all of the events as as related to covid-19 vaccine ad26.cov2.s. This report was non-serious.</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1248976	4/23/2021	DE	69	F	3/6/2021		<p>CONSTANTLY CLEARED THE THROAT; FELT KIND OF SWOLLEN THROAT; A LOT OF COUGHING; NUMBNESS IN LEFT ARM; TINGLING IN LEFT FINGERS; SHARP HEADACHE; TWINGE OF PAIN IN LEFT SIDE OF TONGUE; LIGHT HEADEDNESS; BURNING SENSATION AT ADMINISTRATION SITE/ TENDERNESS AT INJECTION SITE; LEFT-SIDED NUMBNESS THAT SPREAD FROM HER JAW, FACE TO TOP OF HEAD; LEFT SIDED FACIAL NUMBNESS LASTED FOR AT LEAST 5 HOURS DESCRIBED IT AS WAS SIMILAR TO DENTAL ANESTHESIA, BUT MORE EXTENSIVE; ALLERGIC REACTION; This spontaneous report received from a patient concerned a 69 year old female. The patient's height, and weight were not reported. The patient's past medical history included covid infection, and concurrent conditions included seasonal allergy, vision damaged, and sensitivity to alcohol, and other pre-existing medical conditions included azithromycin allergy (headache, rash, hives, swollen lips, tongue and throat , breathing problems, chest pains, raises blood pressure), sulfadiazine allergy (headache, rash, hives, swollen lips, tongue and throat), omnicef allergy (headache, rash, hives, upset stomach), cefdinir, clonidine allergy (headache, rash, hives, upset stomach), cipro allergy (headache, rash, hives, upset stomach), aspirin allergy (upset stomach), cortisone allergy (feels like shards of glass), lisinopril allergy (cough), amlodipine allergy (swelling of legs &amp;feet), hydrochlorothiazide allergy (headache, upset stomach). The patient experienced drug allergy when treated with amlodipine, acetylsalicylic acid, azithromycin, cefdinir, ciprofloxacin, clonidine, cortisone, hydrochlorothiazide, lisinopril, cefotaxime sodium, and sulfadiazine. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported and batch number: 1805031 expiry: UNKNOWN) dose was not reported, administered on 06-MAR-2021 14:05 to left arm for prophylactic vaccination. No concomitant medications were reported. On 15-MAR-2020, Laboratory data included: COVID-19 antibody test (NR: not provided) Positive (units unspecified). On 06-MAR-2021, the subject experienced left-sided numbness that spread from her jaw, face to top of head. On 06-MAR-2021, the subject experienced left sided facial numbness lasted for at least 5 hours described it as was similar to</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

dental anesthesia, but more extensive. On 06-MAR-2021, the subject experienced allergic reaction. On 06-MAR-2021 14:25, the subject experienced light headedness. On 06-MAR-2021 14:25, the subject experienced burning sensation at administration site/ tenderness at injection site. On 06-MAR-2021 15:05, the subject experienced twinge of pain in left side of tongue. On 06-MAR-2021 15:15, the subject experienced sharp headache. On 06-MAR-2021 16:00, the subject experienced constantly cleared the throat. On 06-MAR-2021 16:00, the subject experienced felt kind of swollen throat. On 06-MAR-2021 16:00, the subject experienced and had a lot of coughing. On 06-MAR-2021 16:00, the subject experienced numbness in left arm. On 06-MAR-2021 16:00, the subject experienced tingling in left fingers. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from constantly cleared the throat on MAR-2021, and and had a lot of coughing, numbness in left arm, burning sensation at administration site/ tenderness at injection site, and sharp headache on 06-MAR-2021, had not recovered from light headedness, left sided facial numbness lasted for at least 5 hours described it as was similar to dental anesthesia, but more extensive, left-sided numbness that spread from her jaw, face to top of head, tingling in left fingers, and twinge of pain in left side of tongue, and the outcome of felt kind of swollen throat and allergic reaction was not reported. This report was non-serious.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1247847	4/23/2021	NV	16	F	4/22/2021	4/23/2021	Pt. received her second Pfizer dose at 3pm. By 11:30pm she had significant swelling on both of her eyes, mouth, and the start of red splotchy skin on arms and legs. We took her to ER. They gave her 50mg of hydroxyzine and sent us home. 5min after leaving the ER at 12:30am on 4/23 she felt a golf ball sized lump in her throat and was having difficulty breathing. We brought her back to the ER. At this time they gave her an ekg, and at around 1:30am gave her an epi pin and an oral steroid. Within 5min of the oral steroid and epi pin she no longer had difficulty in breathing and the lump in her throat was gone as was the res splotches. By 5am the swelling in her face had reduced drastically to 90% normal in her left eye and 70% normal in her right eye and 70% normal in her lip. She was released from the ER at 5:45am and went home to sleep. At 11:30am on 4/23 her swelling in her face remains the same and she is complaining of a headache. She was given 50mg more of hydroxyzine.
1248431	4/23/2021	VA	24	F	4/3/2021	4/5/2021	6 hr after shot: intense chills 8-10 hr after shot: migraine (then took Tylenol) 12-24 hr after shot: lethargy, aches, migraines 48 hr after shot: lethargy, cold sore on left side of mouth, and beginning of rash on left eye 72 hr after shot: singles rash (diagnosed by ophthalmologist) on left eye, including discharge, pain, redness, and swelling
1248945	4/23/2021	OK		M		3/6/2021	NAUSEA; HEADACHE; PRESSURE IN THE EYE; VOMITING; This spontaneous report received from a consumer concerned a male of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: Unknown, and batch number: UNKNOWN expiry: UNKNOWN) .5 ml, administered on 05-MAR-2021 to Left Arm for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 06-MAR-2021, the subject experienced nausea. On 06-MAR-2021, the subject experienced headache. On 06-MAR-2021, the subject experienced pressure in the eye. On 06-MAR-2021, the subject experienced vomiting. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the nausea, headache, pressure in the eye and vomiting was not reported. This report was non-serious.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1248816	4/23/2021	MA	56	F	4/7/2021	4/22/2021	1 day after: mild chills, sore arm, headache (night) 2 days after: mild chills, achy eyes, dry sandpapery eyes, skin sensitivity, headache (night) 15, 16 days after: dry sandpapery eyes (all day), injection site shooting pain - come/ go Ibuprofen taken
1248775	4/23/2021	CA	16	F	4/23/2021	4/23/2021	16 y.o. female who received the Pfizer-BioNtech COVID-19 Vaccine, mRNA, BNT162b2 (PF) 30 mcg/0.3 mL IM Susp, Lot EW0158 on 4/23/2021. The patient experienced the following reaction(s) during the immediate of observation: Tinglys, blurry vision, diaphoretic. Patient was treated/managed as follows: Pt brought to treatment area to lay down on mat with legs elevated. VS: 4:15 pm BP: 100/80 R: 18 HR: 58 O2: 98% Pt reports feeling much better after laying down. 4:30 VS: BP: 105/78 HR:60 O2: 99% Patient given educational material regarding vaccine and advised to continue to self-monitor per the CDC guidance. Pt escorted to car with mom by nurse.
1248719	4/23/2021	FL	76	F	3/28/2021	3/29/2021	The day after the vaccine I had a problem with one of my eyes and then the other. It was similar to ocular migraine symptoms. I then started to have stroke like symptoms. I looked at my friends and stated that I did not know their names. I went to a walk-in clinic and then I was hospitalized for three days. My blood pressure was extremely high. All of the tests were negative for stroke and I have worn a Holter monitor. I also had Neurology, Cardiologist consult and many different medications. I have stopped taking all of those medications. I have not had any more symptoms like that since that day and it only lasted less than 15 minutes.
1248715	4/23/2021	MN	60	F	4/2/2021	4/4/2021	After receiving the 2nd dosage of vaccine, 2 days later I began having problems with my vision, which was on Sunday 4/4/21, I went to bed thinking it would correct itself. I woke up on Monday 4/5/21 and had double vision so I immediately went to the ER at hospital where my BP was 190/95. At the hospital they did a CT Scan and an MRI which both came back normal, I was eventually diagnosed with 6th Nerve Palsy and referred to see a neurologist, I am currently under Dr's care at facility who is a neurologist in the specialty eye clinic. I am currently wearing a patch over my right eye to prevent the double vision which is still present.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1248713	4/23/2021	NY	47	M	4/6/2021	4/12/2021	patient presented to emergency room with severe headache and blurry vision. diagnosed with cavernous sinus thrombosis

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1248696	4/23/2021	FL	65	F	2/2/2021	2/2/2021	Stress levels that get high; Her immune system gets lower; Left arm is in pain for a week and half like someone beat her with a bat; Doesn't want to experience this pain while she is working/pain behind ears; her neck and shoulder and the pain so she couldn't turn her head to the left; From her neck and shoulder and the pain so she couldn't turn her head to the left; She couldn't turn her head to the left; shingles attacked her head- shingles / herpes zoster virus/herpes zoster in her arm/Possible shingles after receiving the shingles vaccine; Arm where the shot was given shot is with a muscle ache / very bad muscle pain when she lifts her arm; shingles attacked her ear; Her lymph nodes in her neck and face swollen; Had pain in her ear / pain behind her ear; Headache; Her neck was swollen/she was all swollen; the pain in her ear, her right ear all the way to her shoulder she thought was a pinched nerve./massage therapist told her it was not a muscle it was a nerve/nerve in her ear gets attacked/nerve ending is there; This case was reported by a consumer via licensee and described the occurrence of herpes zoster otitis externa in a 65-year-old female patient who received Herpes zoster (Shingles vaccine) for prophylaxis. Co-suspect products included COVID-19 VACCINE (COVID 19 VACCINE) (batch number EN6198, expiry date 30th June 2021) for prophylaxis. The patient's past medical history included bell's palsy (patient had bell's palsy twice due to herpes zoster virus), meningitis (patient had bell's palsy twice due to herpes zoster virus) and nerve compression (patient had pinched nerve about 2 months from the time of reporting). Concurrent medical conditions included mitral valve prolapse (patient has mitral valve prolapse and her heart is a little enlarged in the middle) and esophageal acid reflux. On 2nd February 2021, the patient received the 1st dose of Shingles vaccine. On 23rd February 2021 15:30, the patient received the 1st dose of COVID 19 VACCINE. On 2nd February 2021, less than a day after receiving Shingles vaccine and an unknown time after starting Valtrex, the patient experienced headache. On 7th February 2021, the patient experienced neck swelling. On 25th February 2021, the patient experienced herpes zoster otitis externa (serious criteria GSK medically significant), lymphadenopathy cervical, ear pain, shingles and muscle pain. On an unknown date, the patient experienced



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

stress, immune system disorder, pain in arm, pain, neck pain, shoulder pain, mobility decreased and pinched nerve. The patient was treated with valaciclovir hydrochloride (Valtrex) and ibuprofen + paracetamol (Advil Dual Action). On an unknown date, the outcome of the herpes zoster otitis externa, headache, neck swelling, lymphadenopathy cervical, shingles, muscle pain, pain in arm, pain, neck pain, shoulder pain, mobility decreased and pinched nerve were recovered/resolved and the outcome of the ear pain was not recovered/not resolved and the outcome of the stress and immune system disorder were unknown. It was unknown if the reporter considered the herpes zoster otitis externa, headache, neck swelling, lymphadenopathy cervical, ear pain, stress, immune system disorder, shingles, muscle pain, pain in arm, pain, neck pain, shoulder pain, mobility decreased and pinched nerve to be related to Shingles vaccine. Additional details were provided as follows: The reporter was the patient herself. The patient did not have much for medical history but one thing she had was mitral valve prolapse which worries her and her heart was a little enlarged in the middle. Another condition was acid reflux but she stated that everyone had that condition. In the past, patient had the bell's palsy and meningitis twice with the herpes zoster virus, the same virus that attacked her ear and her head- shingles. She had knowledge that those viruses attacked her in the past. The patient had pain that she had maybe about 2 months ago, the pain in her ear, her right ear all the way to her shoulder which she thought was a pinched nerve. Her son had a puppy and she played with him and she thought it was a pinched nerve. She went to get a massage and the massage therapist told her it was not a muscle it was a nerve. The nerve in her ear got attacked. She had gone to a walk in clinic and they didn't recognize that it was the herpes zoster virus. It could be the neck and then they didn't recognize the herpes zoster virus. The patient was given Valtrex and that medicine had helped her before as well, so then she took the Valtrex. The patient want an appointment with her doctor and she would have liked to have tests to check and see, but they didn't schedule her. The patient had received the Shingles vaccine around 2nd February 2021 before the Covid-19 vaccine in order to be preventive. The patient did not have NDC/Lot number or expiry date of Shingles

VAERS\_ID RECVDDATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

vaccine. The patient had a headache in the evening, then on Friday she did not have anything. She noticed then on Saturday that she had got the reaction, then on Sunday she was all swollen, then it continued into Monday, Tuesday and Wednesday. The patient also had received Covid-19 vaccine (Pfizer product) on 23rd February 2021 which expires on 30th June 2021. Two days after she had the Covid 19 vaccine, her neck was swollen, lymph nodes were swollen in her neck and face, she had pain behind her ear and her arm where the shot was given was with a muscle ache. When she had stress levels that got her high, her immune system got lower and hence she got a virus like bells palsy, meningitis and also some kind of shingles. She wont break out on the skin but the nerve ending was there behind her ear. She lifted her arms above and her left arm was in pain for a week and a half like someone beat her with a bat. The patient experienced possible shingles after her Shingles vaccine. She took ibuprofen and she called her doctor and they told her to take ibuprofen. She called her physician and with the nurse she was told to take an Advil, she further reported that her doctor and nurse don't care. She was apprehensive with the second dose of Covid-19 vaccine because she got reactive with the first one. She was 65 years old and she cannot afford to get Covid but she did not want to experience such pain while she was working. Her doctor took a week to respond, then she started reading on vaccines and its side effects, people were having those experiences on their first dose of vaccines. The reporter states that if someone experiences those kind of experiences, they should kindly call the hotline and seek help. The patient just wanted the vaccine to be beneficial to her. At this point she really does not know what was to be done, she did not want to be afraid of the Covid 19 vaccine as she knew that the benefits were greater than the risk. She was also apprehensive with the first Covid 19 vaccine. The patient want to take her second shingles vaccine after the second Covid vaccine. The patient was taking the ibuprofen for a little bit but then the pain came back. The patient would be getting the second Covid-19 vaccine on 16th March 2021. Later in the call, she clarified that the virus she was speaking of was the herpes zoster virus or also known as shingles. The patient was going to change her doctors as she did not like the little care they had for someone experiencing

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

something like those events. The patient thought if this was related to her Covid-19 vaccine so she started reading more about what the vaccine could do to the patient and it had a side effect and it said in there and she misread during her paperwork and it was considered severe if she had swelling on her face and throat and she ignored her paperwork. She read that and decided to call. That was what she experienced with her lymph nodes, and from her neck and shoulder and the pain such that she couldn't turn her head to the left, and she thought maybe it was a pinched nerve and she always thought something else was bothering her. She was taking Valtrex for the virus that caused bells palsy and that made it better (shingles/herpes zoster). She started healing with that medicine and she knew it wasn't a pinched nerve and that it was the shingles/herpes zoster that attacked her. She was better on the reporting date but still had pain behind her ear. She knew a doctor that had the same situation with this virus (shingles or herpes zoster) and she went blind. When the doctor did her eyes and got the Lasix surgery, she had the virus attack her and she called it the herpes virus, the secondary or whatever they call it. It was related to chicken pox and she got the virus when she was a kid, then it laid dormant and 10 to 15 years before the time of reporting, when that doctor went blind, if the doctor had known she would have taken the Valtrex prior to her Lasix surgery. She had been to the emergency room with her meningitis and the doctor explained it to her. The patient clarified again that she never had the shingles rash breakout on her skin, but had the nerve part of it., she had symptoms for 3 weeks and they wanted to send her for neurology and MRI and she told them to give her the Valtrex and she took it for 7 days and her symptoms disappeared completely. Only reason she thought it was the herpes zoster virus was because she got the Covid 19 vaccine in her left arm and it was the same area and the same thing only but this time it wouldn't go away completely, but it was her arm which felt like someone had hit her with a bat. She had very bad muscle pain when she lifts her arm. The reporter confirmed Covid-19 vaccine date as 23rd February 2021 (first dose). The patient was treated with Valtrex (Valacyclovir Hcl 1gm tablet 1 per day usually at night in a pharmacy bottle) which should be discarded by 5th November 2021. The patient also took

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							Advil Duo Action which had 250mg acetaminophen and 125mg ibuprofen (2 caplets in the morning and one caplet at night) with lot number DN7584 and expiration date of August,2022. The patient had product complaint regarding Advil Dual Action (Ibuprofen). It was unknown if the reporter considered the herpes zoster otitis externa, neck swelling, lymphadenopathy cervical, ear pain, stress, immune system disorder, shingles, muscle pain, pain in arm, pain, neck pain, shoulder pain, mobility decreased and pinched nerve to be related to Covid-19 vaccine. The reporter consented to follow-up and also gave consent to follow-up with health care professional.
1248572	4/23/2021	GA	18	F	4/22/2021	4/22/2021	Patient states she has a headache different from her normal chronic headaches. She states it starts at the base of the back of her head and moves to above her left eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1248950	4/23/2021	LA		F	3/1/2021		<p>EYE BURNS, MORE THE RIGHT EYE THAN THE LEFT BUT STARTING TO FEEL IT IN THE LEFT EYE TOO; UNABLE TO WEAR CONTACT LENSES; EYE FEELS INFECTED; HARD TO KEEP EYE OPEN; A LOT OF BOWEL MOVEMENTS, PATIENT WENT 3 TO 4 TIMES LAST NIGHT, WHICH IS UNUSUAL; RUNNY NOSE; CONGESTION (NOSE); This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on 07-MAR-2021 09:30:00 to left arm for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On MAR-2021, the subject experienced runny nose. On MAR-2021, the subject experienced congestion (nose). On 07-MAR-2021, the subject experienced a lot of bowel movements, subject went 3 to 4 times last night, which is unusual. On 08-MAR-2021, the subject experienced eye burns, more the right eye than the left but starting to feel it in the left eye too. On 08-MAR-2021, the subject experienced unable to wear contact lenses. On 08-MAR-2021, the subject experienced eye feels infected. On 08-MAR-2021, the subject experienced hard to keep eye open. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from a lot of bowel movements, patient went 3 to 4 times last night, which is unusual, had not recovered from hard to keep eye open, eye burns, more the right eye than the left but starting to feel it in the left eye too, unable to wear contact lenses, runny nose, and congestion (nose), and the outcome of eye feels infected was not reported. This report was non-serious.; Sender's Comments: V0 Medical assessment comment not required as per the standard operating procedure as the case assessed as non serious.</p>

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1240974	4/22/2021	IL	45	M	4/13/2021		This spontaneous report received from a patient concerned a 45 year old male. The patient's height, and weight were not reported. The patient's concurrent conditions included acid reflux, and eye twitches. The patient received Covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 207A21A, and expiry: UNKNOWN) dose was not reported, administered on 10-APR-2021 09:00 for prophylactic vaccination. No concomitant medications were reported. On 13-APR-2021, the subject experienced eye twitching. On 13-APR-2021, the subject experienced slight pressure on side of head. On 13-APR-2021, the subject experienced burning sensation in chest. On 13-APR-2021, the subject experienced shortness of breath. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from eye twitching, slight pressure on side of head, burning sensation in chest, and shortness of breath. This report was non-serious.
1241061	4/22/2021	NY		F	4/14/2021		EYE PRESSURE; BLOODSHOT EYE; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight was 179 pounds, and height was not reported. The patient's pre-existing medical conditions included patient's race. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 202A21A expiry: UNKNOWN) dose was not reported, administered on 10-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 14-APR-2021 21:00, the subject experienced bloodshot eye. On 15-APR-2021, Laboratory data included: Intraocular pressure test (NR: not provided) 2-3/10 pressure, 1/10 pressure. On 15-APR-2021 07:00, the subject experienced eye pressure. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from bloodshot eye, and eye pressure. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1241139	4/22/2021	CA		F		4/9/2021	<p>SWELLING AT INJECTION SITE; BAD COLD; CHILLS; HIGH FEVER; FATIGUE; BODY ACHES; SWELLING AT BACK OF NECK; COUGHING; WHEEZING; SNEEZING; CHEST PAINS; MASSIVE MIGRAINE; CLAMMY; SWEATY; RUNNY NOSE; LOSS OF APPETITE; NAUSEA; BLURRED VISION; SLURRED SPEECH; HIGH BLOOD PRESSURE; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808982, and batch number: 1808982 expiry: UNKNOWN) dose was not reported, administered on 09-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 09-APR-2021, the subject experienced blurred vision. On 09-APR-2021, the subject experienced slurred speech. On 09-APR-2021, the subject experienced high blood pressure. On 09-APR-2021, the subject experienced loss of appetite. On 09-APR-2021, the subject experienced nausea. On 11-APR-2021, the subject experienced body aches. On 11-APR-2021, the subject experienced swelling at back of neck. On 11-APR-2021, the subject experienced coughing. On 11-APR-2021, the subject experienced wheezing. On 11-APR-2021, the subject experienced sneezing. On 11-APR-2021, the subject experienced chest pains. On 11-APR-2021, the subject experienced massive migraine. On 11-APR-2021, the subject experienced clammy. On 11-APR-2021, the subject experienced sweaty. On 11-APR-2021, the subject experienced runny nose. On 11-APR-2021, the subject experienced chills. On 11-APR-2021, the subject experienced high fever. On 11-APR-2021, the subject experienced fatigue. On 12-APR-2021, the subject experienced bad cold. On an unspecified date, the subject experienced swelling at injection site. Treatment medications (dates unspecified) included: ondansetron, paracetamol, dextromethorphan hydrobromide/guaifenesin/paracetamol/pseudoephedrine hydrochloride, acetylsalicylic acid/caffeine/paracetamol/salicylamide, and diphenhydramine hydrochloride. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from massive migraine, had not recovered from nausea, bad cold, coughing, wheezing,</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1241080	4/22/2021	NJ		F		4/10/2021	<p>sneezing, chills, body aches, chest pains, swelling at back of neck, clammy, sweaty, slurred speech, high blood pressure, high fever, runny nose, fatigue, and loss of appetite, and the outcome of blurred vision and swelling at injection site was not reported. This report was non-serious.</p> <p>DRY SKIN ON THE FACE, NECK, EAR, AND EYES; ITCHY SKIN ON THE FACE, NECK, EAR, AND EYES; FLAKY SKIN ON THE FACE, NECK, EARS, AND EYES; FEVER; ACHE; This spontaneous report received from a patient concerned a 25 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 042A21A, and expiry: 21-JUN-2021) dose was not reported, administered on 10-APR-2021 10:30 for prophylactic vaccination. Non-company suspect drugs included: diphenhydramine hydrochloride (tablet, batch number: UNKNOWN, route of admin was not reported) dose, frequency, and therapy dates were not reported for an unspecified indication. Concomitant medications included ibuprofen. On 10-APR-2021 21:00, the subject experienced ache. On 10-APR-2021 21:00, the subject experienced fever. On 11-APR-2021, the subject experienced dry skin on the face, neck, ear, and eyes. On 11-APR-2021, the subject experienced itchy skin on the face, neck, ear, and eyes. On 11-APR-2021, the subject experienced flaky skin on the face, neck, ears, and eyes. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from ache, and fever on 11-APR-2021, and had not recovered from dry skin on the face, neck, ear, and eyes, itchy skin on the face, neck, ear, and eyes, and flaky skin on the face, neck, ears, and eyes. This report was non-serious.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1241072	4/22/2021	PA		F		4/1/2021	ITCHY SCALP; EYES SWELL; FEET SWELL; RASH; GENERAL ACHE; CHILLS; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on 08-APR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On APR-2021, the subject experienced general ache. On APR-2021, the subject experienced chills. On 13-APR-2021, the subject experienced itchy scalp. On 13-APR-2021, the subject experienced eyes swell. On 13-APR-2021, the subject experienced feet swell. On 13-APR-2021, the subject experienced rash. Treatment medications (dates unspecified) included: prednisone. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the itchy scalp, rash, eyes swell, feet swell, chills and general ache was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1241060	4/22/2021	TX	62	F		4/1/2021	ECZEMA ON HAIRLINE AT THE BACK OF NECK AND BEHIND EARS, ON ELBOWS AND ON FRONT OF THE OF ANKLE/RASH/ITCHINESS/BUMPS/REDNESS; SLIGHT SORE ARM; MILD HEADACHE; KIND OF PRESSURE BEHIND ONE EYE; This spontaneous report received from a patient concerned a 62 year old female. The patient's weight was 150 pounds, and height was 62 inches. The patient's concurrent conditions included non-smoker, non-alcohol user, and overweight, and other pre-existing medical conditions included the patient does not have any medical conditions and not taking any medication, the patient had no known allergies, the patient had no history of drug abuse or illicit drug use, the patient was not pregnant at the time of reporting. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808609 expiry: UNKNOWN) dose was not reported, administered on 06-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On APR-2021, the subject experienced kind of pressure behind one eye. On 06-APR-2021, the subject experienced slight sore arm. On 06-APR-2021, the subject experienced mild headache. On 09-APR-2021, the subject experienced eczema on hairline at the back of neck and behind ears, on elbows and on front of the of ankle/rash/itchiness/bumps/redness. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from slight sore arm on 08-APR-2021, and mild headache on 06-APR-2021, had not recovered from eczema on hairline at the back of neck and behind ears, on elbows and on front of the of ankle/rash/itchiness/bumps/redness, and the outcome of kind of pressure behind one eye was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1241038	4/22/2021			F		4/12/2021	SHAKING UNCONTROLLABLY; FULL BODY ACHES EVERY WHERE, FEET, KNEES, SHOULDERS; SWOLLEN EYES; CHILLS; TERRIBLE HEADACHE; FEVER; This spontaneous report received from a consumer via a company representative concerned a patient of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: UNKNOWN) dose was not reported, administered on 12-APR-2021 for prophylactic vaccination. The batch number was not reported, per procedure, no follow-up will be requested for this case. No concomitant medications were reported. On 12-APR-2021, the subject experienced shaking uncontrollably. On 12-APR-2021, the subject experienced full body aches every where, feet, knees, shoulders. On 12-APR-2021, the subject experienced swollen eyes. On 12-APR-2021, the subject experienced chills. On 12-APR-2021, the subject experienced terrible headache. On 12-APR-2021, the subject experienced fever. Treatment medications included: paracetamol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from terrible headache, chills, shaking uncontrollably, fever, full body aches every where, feet, knees, shoulders, and swollen eyes. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1241015	4/22/2021	CO	33	F		4/9/2021	THROAT SENSATION LIKE TICKLE; COUGH; SHORTNESS OF BREATH; LIGHT PRESSURE ON CHEST; FELT LIKE HAVING AN ALLERGY; INJECTION SITE PAIN; This spontaneous report received from a patient concerned a 33 year old female. The patient's height, and weight were not reported. The patient's past medical history included anxiety, and endometriosis, and concurrent conditions included alcoholic, and non-smoker, and other pre-existing medical conditions included the patient had no drug abuse or illicit drug usage. The patient experienced watery eyes when treated with ibuprofen. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 205A21A, and batch number: 205A21A expiry: UNKNOWN) dose was not reported, administered on 09-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 09-APR-2021, the subject experienced injection site pain. On 10-APR-2021, the subject experienced throat sensation like tickle. On 10-APR-2021, the subject experienced cough. On 10-APR-2021, the subject experienced shortness of breath. On 10-APR-2021, the subject experienced light pressure on chest. On 10-APR-2021, the subject experienced felt like having an allergy. On 12-APR-2021, Laboratory data included: COVID-19 virus test negative (NR: not provided) Negative. Laboratory data (dates unspecified) included: Laparoscopy (NR: not provided) unknown. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from felt like having an allergy, throat sensation like tickle, and injection site pain, and had not recovered from cough, shortness of breath, and light pressure on chest. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1241009	4/22/2021	TX	44	F	4/1/2021		TRANSIENT DIZZINESS AND LIGHT HEADED; STOMACH PAIN; SWOLLEN LEGS; LEG PAIN; MIGRAINES /MIGRAINE TYPE HEADACHE TOWARDS RIGHT EYE; HEAVY LEGS; RASH ON BOTH LEGS; DIARRHEA; This spontaneous report received from a patient concerned a 44 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included alcohol user, and non smoker, and other pre-existing medical conditions included no medical history. The patient had no known allergies and no drug abuse or illicit drug usage. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 042821A expiry: UNKNOWN) dose was not reported, administered on 05-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On APR-2021, the subject experienced diarrhea. On APR-2021, the subject experienced rash on both legs. On 06-APR-2021, the subject experienced migraines /migraine type headache towards right eye. On 06-APR-2021, the subject experienced heavy legs. On 12-APR-2021, the subject experienced stomach pain. On 12-APR-2021, the subject experienced swollen legs. On 12-APR-2021, the subject experienced leg pain. On 15- APR-2021, the subject experienced transient dizziness and light headed. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from migraines /migraine type headache towards right eye, stomach pain, and swollen legs on APR-2021, had not recovered from rash on both legs, leg pain, transient dizziness and light headed, and heavy legs, and the outcome of diarrhea was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1240987	4/22/2021	PA	38	F		3/1/2021	TINY RED DOTS ALL OVER FACE MOSTLY ON EYELIDS AND CHEEKS/PETECHIAE; HEADACHES; This spontaneous report received from a patient concerned a 38 year old female. The patient's height, and weight were not reported. The patient's pre-existing medical conditions included the patient was not pregnant at the time of reporting. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808609, expiry: 09-JUN-2021) dose was not reported, administered on 24-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On MAR-2021, the subject experienced tiny red dots all over face mostly on eyelids and cheeks/petechiae. On MAR-2021, the subject experienced headaches. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the headaches and tiny red dots all over face mostly on eyelids and cheeks/petechiae was not reported. This report was non-serious.
1241006	4/22/2021	MN		M		4/11/2021	BLURRY VISION; PAIN IN EYES; HEADACHE; This spontaneous report received from a patient concerned a 41 year old male. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on 10-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 11-APR-2021, the subject experienced blurry vision. On 11-APR-2021, the subject experienced pain in eyes. On 11-APR-2021, the subject experienced headache. Treatment medications (dates unspecified) included: ibuprofen. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from headache, blurry vision, and pain in eyes. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1241184	4/22/2021			F			HIT BY TRUCK; EYEBLUR; BODY ACHES; HOT AND COLD FLUSHES; DIZZINESS; SUPER SORE ARM; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unk) dose, start therapy date were not reported for prophylactic vaccination. Batch number was not reported. Per procedure, no follow up will be requested for this case. No concomitant medications were reported. On an unspecified date, the subject experienced hit by truck, eyebur, body aches, hot and cold flushes, dizziness, and super sore arm. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from super sore arm, and the outcome of hit by truck, eyebur, body aches, hot and cold flushes and dizziness was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1241226	4/22/2021	MI	52	F			<p>CEREBRAL INTRACRANIAL HYPERTENSION WITH FREE FLUID IN BRAIN BEHIND EYE; FLARED UP ARTHIRITIS; This spontaneous report received from a patient and concerned a 52 year old, White, not Hispanic or Latino, female. Initial information was received on 16-APR-2021 from the patient, with additional information received on 20-APR-2021 from the patient. The patient's weight was 170 pounds, and height was 65.5 inches. The most recent body mass index was 27.9. The patient's family history included rheumatoid arthritis in father, and concurrent conditions included arthritis (possibly rheumatoid arthritis), chronic back pain, and hip pain. The patient was due for a surgery, but it was cancelled due to pandemic. She had no history of headaches or migraines. Patient received several unspecified vaccines (had several vaccines 3 years ago before trip ) with no problems. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805020 expiry: UNKNOWN) dose was not reported, administered on 15-MAR-2021 on right arm for prophylactic vaccination. Concomitant medications included acetylsalicylic acid 81 mg, daily, ascorbic acid, ergocalciferol, metaxalone, oxycodone, and zinc. The patient concurrently receives spinal/epidural pain injections every two to three months. Approximately 16-30 hours after the vaccination, she had a flare up of her arthritis (left hip, L3, L4, L5, sciatic pain on the left side going all the way down to her knee, ankle, and foot, where her normal arthritis hurts daily). Pain medication did not help. She also developed migraines which caused pain behind the left eye similar to severe sinus infection, light sensitivity, her face felt tingly and numb in her temples and cheeks (left side). She was concerned about a stroke, but did not have droopiness and could smile on both sides. On 29-MAR-2021 (day 14 post vaccination), the patient went to her pain specialist to receive her spinal/epidural pain injection because she was in a lot of pain and she was "overdue". In retrospect, the patient wondered if she should have waited longer after having received the vaccine before doing so. On 30-MAR-2021 (day 15 post vaccination), she awoke and was blind for several (12 - 14) hours. She thought she had a stroke and took 4 baby aspirins. She was rushed to the hospital and was hospitalized on 30-MAR-2021. After the initial 2-3 hours that she was completely blind, it</p>



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

would come back within minutes. The vision came back in halos. It was blurry but if she moved or bent down, it would go again and then it would come back very quickly. Several tests were performed. The MRI (Magnetic resonance imaging) did not show clots, stroke, or tumors, but showed intracranial hypertension. After the CT and MRI, a lumbar puncture was performed (results not provided). The patient said that the hospital noted cerebral intracranial hypertension with free fluid in her brain behind her eye. In the hospital, bloodwork was normal except for her triglycerides which were high. Patient reported that her platelet levels which were "perfect" and provided "318" as a specific example. She was discharged on 01-APR-2021. Corrective treatments included: steroids in the hospital for the intracranial hypertension and prescription strength aspirin 325 mg. The patient was not certain if injectable blood thinners were given to her in the hospital. She was discharged with methylprednisolone, alprazolam, twice a day prn to treat her headaches, aspirin 325 mg daily, and rosuvastatin 5 mg, daily, for high triglycerides. After patient was discharged, she had 2 episodes of lightheadedness with the blindness. The first one lasted about 5 minutes maximum and the second one on 12-APR-2021 lasted approximately 30-40 minutes. She had to be sitting down and her vision returned in halos with a lot of fireworks like bright stars. The patient had ringing in the ears, especially the left ear and when she had these episodes. On 14-APR-2021, the patient patient went to PCP (primary care provider). She stated that alprazolam helps her headaches. On 20-APR-2021, she had a "good day", did not experience headaches, and did not take alprazolam. She will follow up with a neurologist and an ophthalmologist. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the cerebral intracranial hypertension with free fluid in brain behind eye and flared up arthritis were not reported. This report was serious (Hospitalization Caused / Prolonged, and Other Medically Important Condition).; Sender's Comments: V0: This 52 year-old White female was hospitalized for intracranial hypertension 15 days after receiving the Janssen Covid-19 vaccine. Medical history includes an unspecified arthritis with chronic left hip and back pain for which she receives epidural injections every 2-3 months, and a body mass index of 27.9. She

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

has no history of migraines or other headaches and has tolerated multiple vaccinations previously. Concomitant medications include acetylsalicylic acid 81 mg daily, metaxalone, and oxycodone. Approximately 16 hours after vaccination, she experienced a flare of her arthritis which her pain medications did not relieve. The next day, she began to experience migraine headaches which were associated with pain behind her left eye and sinuses, left-sided facial tingling and numbness without weakness, and light sensitivity. Fourteen days post-vaccination, she received an epidural injection because she was in a lot of pain. The following morning, she awoke and experienced visual disturbance, described as "complete" blindness. then return of vision with halos and blurriness, and intermittent loss and return of vision depending on her body position. She took 4 baby aspirins, went to the hospital, and was admitted. MRI showed intracranial hypertension but no clots, stroke, or tumors. A lumbar puncture and CT scan were also performed. Blood tests, including platelet counts (e.g. 318), were normal except for high triglycerides. She was treated with steroids and aspirin 325 mg and was discharged 2 days later. She was given methylprednisolone, oxycodone-acetaminophen and alprazolam prn for headaches, aspirin 325 mg, and rosuvastatin for high triglycerides to continue at home and will follow up with a neurologist, ophthalmologist and her primary physician. Based on the available information, the relationship of intracranial hypertension with Janssen Covid-19 vaccine is considered inconsistent.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1241247	4/22/2021	TX	54	F		3/31/2021	<p>PINKISH RED SKIN; DRY TONGUE; DRY THROAT; BURNING ITCHY SENSATION AROUND JAW , NECK AND EYE; EARS PAIN; HOT ITCHY EARS/NECK/BACK/ARM; INJECTION SITE PAIN; INJECTION SITE SORE AND BLED; This spontaneous report received from a patient concerned a 55 year old female. The patient's height, and weight were not reported. The patient's past medical history included Idl high, and other pre-existing medical conditions included the patient does not have any allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, and batch number: 1805031 expiry: UNKNOWN) dose was not reported, administered on 31-MAR-2021 for prophylactic vaccination. Concomitant medications included dextromethorphan hydrobromide/guaifenesin/paracetamol/pseudoephedrine hydrochloride, and diphenhydramine hydrochloride. On 31-MAR-2021, the subject experienced injection site sore and bled. On 31-MAR-2021, the subject experienced injection site pain. On 13-APR-2021, the subject experienced ears pain. On 13-APR-2021, the subject experienced hot itchy ears/neck/back/arm. On 13-APR-2021, the subject experienced burning itchy sensation around jaw, neck and eye. On 14-APR-2021, the subject experienced pinkish red skin. On 14-APR-2021, the subject experienced dry tongue. On 14-APR-2021, the subject experienced dry throat. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from injection site pain, injection site sore and bled, ears pain, pinkish red skin, burning itchy sensation around jaw , neck and eye, dry tongue, and dry throat, and had not recovered from hot itchy ears/neck/back/arm. This report was non-serious.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1241306	4/22/2021	WI		F		3/19/2021	DULL VISION; EYELID AND UNDEREYE DROOPINESS/PUFFINESS; ACNE-TYPE, PAINFUL RASH ON TEMPLES; DRY, ITCHY SKIN ACROSS FOREHEAD; BODY ACHES; HEADACHE PROGRESSED TO MIGRAINE; TIRED; This spontaneous report received from a patient concerned a 52 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included migraines. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805031, and expiry: 26-MAY-2021) dose was not reported, administered on 19-MAR-2021 12:20 for prophylactic vaccination. No concomitant medications were reported. On 19-MAR-2021, the subject experienced body aches. On 19-MAR-2021, the subject experienced headache progressed to migraine. On 19-MAR-2021, the subject experienced tired. On 21-MAR-2021 18:00, treatment medications included: paracetamol. On 26-MAR-2021, the subject experienced acne-type, painful rash on temples. On 26-MAR-2021, the subject experienced dry, itchy skin across forehead. On 02-APR-2021, the subject experienced eyelid and undereye droopiness/puffiness. On 09-APR-2021, the subject experienced dull vision. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from body aches, headache progressed to migraine, and tired on 22-MAR-2021, was recovering from acne-type, painful rash on temples, and had not recovered from dry, itchy skin across forehead, eyelid and undereye droopiness/puffiness, and dull vision. This report was non-serious.
1241348	4/22/2021	KY	54	F	3/23/2021	4/5/2021	Rash around eyes, swollen, puffy. Have not changed anything in daily routine to cause this. Have a coworker who has the same issue and also received J&J vaccine

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1241352	4/22/2021	MI	29	M		4/1/2021	<p>SHORTNESS OF BREATH; EYES BURNING; EXTREME FATIGUE; HEADACHE (PRESSURE IN FOREHEAD) FOR THREE DAYS; TROUBLE LOOKING AT THINGS FOR A LONG TIME/PATIENT COULD NOT OPEN HIS EYES; This spontaneous report received from a patient concerned a 29 year old male. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unk) dose was not reported, administered on 07-APR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On APR-2021, the subject experienced trouble looking at things for a long time/subject could not open his eyes. On 07-APR-2021, the subject experienced shortness of breath. On 07-APR-2021, the subject experienced eyes burning. On 07-APR-2021, the subject experienced extreme fatigue. On 07-APR-2021, the subject experienced headache (pressure in forehead) for three days. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from eyes burning on APR-2021, had not recovered from extreme fatigue, shortness of breath, and headache (pressure in forehead) for three days, and the outcome of trouble looking at things for a long time/patient could not open his eyes was not reported. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1241357	4/22/2021	MN		F		4/12/2021	EYE PAIN; HEADACHE; FLU LIKE SYMPTOMS; ABDOMINAL PAIN; This spontaneous report received from a patient concerned a female of unspecified age. The patient's height, and weight were not reported. The patient's concurrent conditions included pollen allergy, and penicillin allergy. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 203A21A expiry: UNKNOWN) dose was not reported, administered on 09-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 12-APR-2021, the subject experienced flu like symptoms. On 12-APR-2021, the subject experienced abdominal pain. On 13-APR-2021, the subject experienced headache. On 17-APR-2021, the subject experienced eye pain. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from flu like symptoms, and headache on APR-2021, had not recovered from eye pain, and the outcome of abdominal pain was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1241379	4/22/2021	MN	43	F	2/27/2021	2/27/2021	left neck spasm; felt uneasy; slight pain under sternum; fatigue; pain in her left knee; trembling in her upper body; face became a bright red; heat in her body; weakness in arms and hands; bed bound; pain in her lower back over kidney area; her body would be drenched in sweat mostly around heart and sternum area, she could splash; injection site started having pain; her injection site started having pain, it swelled up; Had skin eruptions like a boil on her right uper buttock; the boil was thought to be cellulitis and she was given a topical antibiotic; vomiting; racing heart; facial numbness and tingling; nausea; hard time breathing; shortness of breath; hives were on her upper back and under hips; she was covered in hives from, they covered her chest in a "Vshape; cough; burning sensation in her mouth; mouth was dry, tongue was thick and full, no salivation; Disoriented; began to feel very very thirsty; drinking 1 liter of water; felt pins and needles down her arms; numbness like pins and needles on injection site and neck; and while laying in bed, she felt like she was driving a race card; could not sleep; was going to pass out; high blood pressure; "She had a spot appear on her right leg and a ultrasound of her leg was performed to verify if a blood clot had developed (clot was not diagnosed)"; twitches in her abdomen, where her abdomen would cramp up; fallen down a short flight of stairs; felt like she could not move her limbs (elbow to fingers, knees to toes),limbs felt like they were frozen and paralyzed; dizzy; vertigo; migraine, lightheadedness, ringing ears, cloudy vision and headache; felt like as if someone was sitting on her chest; had a crawling sensation; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of PRESYNCOPE (was going to pass out), CELLULITIS (Had skin eruptions like a boil on her right uper buttock; the boil was thought to be cellulitis and she was given a topical antibiotic), PERIPHERAL PARALYSIS (felt like she could not move her limbs (elbow to fingers, knees to toes),limbs felt like they were frozen and paralyzed) and DYSPNOEA (hard time breathing; shortness of breath) in a 43-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 025A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Bradycardia and Hives (Patient recalls

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

20 years ago; she had hives.) in 2001. Concurrent medical conditions included Migraine. Concomitant products included RIZATRIPTAN for Migraine. On 27-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 27-Feb-2021, the patient experienced PERIPHERAL PARALYSIS (felt like she could not move her limbs (elbow to fingers, knees to toes),limbs felt like they were frozen and paralyzed) (seriousness criterion disability), DIZZINESS (dizzy), VERTIGO (vertigo), MIGRAINE (migraine, lightheadedness, ringing ears, cloudy vision and headache) and CHEST DISCOMFORT (felt like as if someone was sitting on her chest; had a crawling sensation). On 01-Mar-2021, the patient experienced ABDOMINAL PAIN (twitches in her abdomen, where her abdomen would cramp up) and FALL (fallen down a short flight of stairs). On 02-Mar-2021, the patient experienced PRESYNCOPE (was going to pass out) (seriousness criterion medically significant), RASH MACULAR ("She had a spot appear on her right leg and a ultrasound of her leg was performed to verify if a blood clot had developed (clot was not diagnosed)"), HYPERTENSION (high blood pressure), INSOMNIA (could not sleep), PARAESTHESIA (felt pins and needles down her arms; numbness like pins and needles on injection site and neck) and RESTLESSNESS (and while laying in bed, she felt like she was driving a race car). On 03-Mar-2021, the patient experienced DISORIENTATION (Disoriented) and THIRST (began to feel very very thirsty; drinking 1 liter of water). On 04-Mar-2021, the patient experienced ORAL DISCOMFORT (burning sensation in her mouth; mouth was dry, tongue was thick and full, no salivation). On 05-Mar-2021, the patient experienced DYSPNOEA (hard time breathing; shortness of breath) (seriousness criterion medically significant), URTICARIA (hives were on her upper back and under hips; she was covered in hives from, they covered her chest in a "Vshape), COUGH (cough), HYPOAESTHESIA (facial numbness and tingling) and NAUSEA (nausea). On 07-Mar-2021, the patient experienced PALPITATIONS (racing heart). On 10-Mar-2021, the patient experienced VOMITING (vomiting). On 11-Mar-2021, the patient experienced CELLULITIS (Had skin eruptions like a boil on her right upper buttock; the



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

boil was thought to be cellulitis and she was given a topical antibiotic) (seriousness criterion medically significant). On 12-Mar-2021, the patient experienced HYPERHIDROSIS (her body would be drenched in sweat mostly around heart and sternum area, she could splash), VACCINATION SITE PAIN (injection site started having pain) and VACCINATION SITE SWELLING (her injection site started having pain, it swelled up). On 13-Mar-2021, the patient experienced BACK PAIN (pain in her lower back over kidney area) and BEDRIDDEN (bed bound). On 15-Mar-2021, the patient experienced MUSCULAR WEAKNESS (weakness in arms and hands). On 17-Mar-2021, the patient experienced PYREXIA (heat in her body). On 21-Mar-2021, the patient experienced ERYTHEMA (face became a bright red) and TREMOR (trembling in her upper body). On 30-Mar-2021, the patient experienced FATIGUE (fatigue) and ARTHRALGIA (pain in her left knee). On 01-Apr-2021, the patient experienced CHEST PAIN (slight pain under sternum). On 02-Apr-2021, the patient experienced MUSCLE SPASMS (left neck spasm) and MALAISE (felt uneasy). At the time of the report, PRESYNCOPE (was going to pass out), CELLULITIS (Had skin eruptions like a boil on her right uper buttock; the boil was thought to be cellulitis and she was given a topical antibiotic), PERIPHERAL PARALYSIS (felt like she could not move her limbs (elbow to fingers, knees to toes),limbs felt like they were frozen and paralyzed), DYSPNOEA (hard time breathing; shortness of breath), RASH MACULAR ("She had a spot appear on her right leg and a ultrasound of her leg was performed to verify if a blood clot had developed (clot was not diagnosed)'), DIZZINESS (dizzy), VERTIGO (vertigo), MIGRAINE (migraine, lightheadedness, ringing ears, cloudy vision and headache), CHEST DISCOMFORT (felt like as if someone was sitting on her chest; had a crawling sensation), ABDOMINAL PAIN (twitches in her abdomen, where her abdomen would cramp up), FALL (fallen down a short flight of stairs), HYPERTENSION (high blood pressure), DISORIENTATION (Disoriented), ORAL DISCOMFORT (burning sensation in her mouth; mouth was dry, tongue was thick and full, no salivation), URTICARIA (hives were on her upper back and under hips; she was covered in hives from, they covered her chest in a "Vshape), COUGH (cough), HYPERHIDROSIS

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

(her body would be drenched in sweat mostly around heart and sternum area, she could splash), BACK PAIN (pain in her lower back over kidney area), MUSCULAR WEAKNESS (weakness in arms and hands), ERYTHEMA (face became a bright red), MUSCLE SPASMS (left neck spasm), INSOMNIA (could not sleep), BEDRIDDEN (bed bound), PARAESTHESIA (felt pins and needles down her arms; numbness like pins and needles on injection site and neck), RESTLESSNESS (and while laying in bed, she felt like she was driving a race car), THIRST (began to feel very very thirsty; drinking 1 liter of water), PALPITATIONS (racing heart), TREMOR (trembling in her upper body), CHEST PAIN (slight pain under sternum), MALAISE (felt uneasy), VACCINATION SITE PAIN (injection site started having pain), VACCINATION SITE SWELLING (her injection site started having pain, it swelled up), FATIGUE (fatigue), VOMITING (vomiting), PYREXIA (heat in her body), ARTHRALGIA (pain in her left knee) and NAUSEA (nausea) outcome was unknown and HYPOAESTHESIA (facial numbness and tingling) had not resolved. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 02-Mar-2021, Blood pressure measurement: increased (High) increased. On 02-Mar-2021, Electrocardiogram: unknown (Inconclusive) unknown. On 02-Mar-2021, Heart rate: increased (High) increased. On 02-Mar-2021, Ultrasound Doppler: unknown (Inconclusive) result unknown. On 06-Mar-2021, Blood pressure measurement: increased (High) increased. On 06-Mar-2021, Electrocardiogram: normal (normal) Tests came back fine. On 06-Mar-2021, Heart rate: 110 (High) increased. On 06-Mar-2021, Oxygen saturation: 90 (Low) decreased. On 06-Mar-2021, Ultrasound scan: normal (normal) The tests came back fine. On 07-Mar-2021, SARS-CoV-2 test: negative (Negative) negative. On 18-Mar-2021, Blood pressure measurement: normal (normal) normal. On 18-Mar-2021, Electrocardiogram: unknown (Inconclusive) unknown. On 18-Mar-2021, Heart rate: 85 (High) Pulse was a bit higher than her normal.. On 01-Apr-2021, Fibrin D dimer: unknown (Inconclusive) result unknown. On 01-Apr-2021, Ultrasound Doppler: unknown (Inconclusive) result unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

Per report, the patient had a skin eruption which was thought to be cellulitis at the clinic. Treatment included intravenous infusion with epinephrine, naltrexone, diphenhydramine, rizatriptan, naproxen sodium, TEA, a nerve supplement, and topical antibiotics. She was discharged home with EpiPen, prednisone, and famotidine. On 01 April 2021, the patient felt like she had a blood clot and received an EKG, D-dimer test, and ultrasound of the heart and lower limbs. On 07 April 2021, the patient reported feeling energetic. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1241579	4/22/2021	IL	43	F	2/8/2021	2/8/2021	Day 1: Symptoms of fatigue, malaise develop at 12pm. Symptoms of fatigue, malaise worsen, headache develops. Go right to bed after work at 4:30pm Day 2: Extreme fatigue, malaise, brain fog. Severe joint pain, immobility. Inability to go to work, bedridden. Later that evening, Redness, pain, and swelling of right eye (iritis) begin to develop, indicating beginning of lupus flare. Day 3: Iritis increase in severity, Moderate to severe aches and joint pain, moderate fatigue, malaise, brain fog. Contact rheumatologist & ophthalmologist. Prednisone therapy withheld to prevent inhibiting immune response to vaccine. Day 4-14: All symptoms persist, then dull to functional levels by Day 14. Rheumatologist recommends this flare be reported to VADERS. 3/17: Given 2 wk prednisone taper for Lupus flare that developed days earlier. (Extreme fatigue, malaise, brain fog. Severe joint pain, immobility. Inability to perform most daily activities, occasionally bedridden & inability to go to work, Iritis (Redness, pain, and swelling of right eye) 4/5: Given 2 wk prednisone taper for Lupus flare that developed days earlier. (Extreme fatigue, malaise, brain fog. Severe joint pain, immobility. Inability to perform most daily activities, occasionally bedridden & inability to go to work, Iritis (Redness, pain, and swelling of right eye) 4/18: Redness, pain, and swelling of right eye (iritis) begin to develop, indicating beginning of lupus flare. 4/19: Inability to go to work, bedridden due to extreme fatigue, malaise, brain fog. Severe joint pain, immobility. Inability to perform most daily activities, occasionally bedridden & inability to go to work, Iritis (Redness, pain, and swelling of right eye) 4/20: Some spotting. At this point menstrual cycle delayed 20 days

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1240964	4/22/2021	OH		F		4/10/2021	LACK OF APPETITE; BODY OVERHEATING; SWEATING; HEADACHE; LOW GRADE FEVER; TIREDNESS; EYES FEELING HEAVY; This spontaneous report received from a patient concerned a 28 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included alcohol user, and smoker, and other pre-existing medical conditions included patient had no known drug allergies, drug abuse or illicit reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 042A21A, expiry: 21/JUN/2021) dose was not reported, administered on 10-APR-2021 09:40 for prophylactic vaccination. No concomitant medications were reported. On 10-APR-2021, the subject experienced eyes feeling heavy. On 10-APR-2021, the subject experienced tiredness. On 11-APR-2021, the subject experienced lack of appetite. On 11-APR-2021, the subject experienced body overheating. On 11-APR-2021, the subject experienced sweating. On 11-APR-2021, the subject experienced headache. On 11-APR-2021, the subject experienced low grade fever. Laboratory data included: Low grade fever (NR: not provided) 99.3 F. Treatment medications (dates unspecified) included: paracetamol, and ibuprofen. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from body overheating, and sweating on 13-APR-2021, and low grade fever on 12-APR-2021, had not recovered from headache, tiredness, and lack of appetite, and the outcome of eyes feeling heavy was not reported. This report was non-serious.
1241604	4/22/2021	CT	46	F	4/21/2021	4/21/2021	Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild, Systemic: numbness under tongue left side, jaw left side, forehead left side novacaine like feeling-Medium, Additional Details: left side under tongue numb, left jaw numb, forehead numb decreased with administration of benadryl butr did not go away 1.5 hors post shot. pt states feels like when she gets novacaine at dentist..tingly as well\r\n

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1240556	4/22/2021	NC	50	M	3/29/2021	3/29/2021	LEFT EYE DISCOMFORT; RED VEIN ON EYES; TIREDNESS; SENSE OF SMELL WENT AWAY; This spontaneous report received from a patient concerned a 50 year old male. The patient's height, and weight were not reported. The patient's past medical history included cocaine use, marijuana use, abstains from alcohol, and smoker, and concurrent conditions included sleep disorder, high blood pressure, fast heartbeat, problem with urination, and allergy, and other pre-existing medical conditions included unspecified allergy medication a little white pill. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808609, expiry: UNKNOWN) dose was not reported, administered on 29-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 2021, the subject experienced sense of smell went away. On 29-MAR-2021, the subject experienced tiredness. On 31-MAR-2021, the subject experienced left eye discomfort. On 31-MAR-2021, the subject experienced red vein on eyes. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the sense of smell went away, left eye discomfort, tiredness and red vein on eyes was not reported. This report was non-serious.
1241599	4/22/2021	CA	17	F	4/21/2021	4/21/2021	Systemic: Allergic: Difficulty Breathing-Medium, Systemic: Chest Tightness / Heaviness / Pain-Mild, Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Severe, Systemic: Exhaustion / Lethargy-Mild, Systemic: Fainting / Unresponsive-Severe, Systemic: Headache-Mild, Systemic: Hyperventilation-Medium, Systemic: Nausea-Severe, Systemic: Shakiness-Medium, Systemic: Tachycardia-Mild, Systemic: Visual Changes/Disturbances-Severe, Systemic: Weakness-Mild

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1240616	4/22/2021	NJ	48	F		4/12/2021	<p>NUMBNESS ON LEFT SIDE OF THE FACE; TINGLING ON LEFT SIDE OF THE FACE; PRESSURE BEHIND THE LEFT EYE/THROBBING PAIN BEHIND LEFT EYE; This spontaneous report received from a patient concerned a 48 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808609, expiry: UNKNOWN) dose was not reported, administered on 12-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On APR-2021, treatment medications included: paracetamol. On 12-APR-2021, the subject experienced numbness on left side of the face. On 12-APR-2021, the subject experienced tingling on left side of the face. On 12-APR-2021, the subject experienced pressure behind the left eye/throbbing pain behind left eye. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from numbness on left side of the face, and tingling on left side of the face on APR-2021, and had not recovered from pressure behind the left eye/throbbing pain behind left eye. This report was non-serious.</p>
1241182	4/22/2021	CA	67	F		4/1/2021	<p>LOSS OF BALANCE; BLURRY CLOUDY VISION; DIZZINESS; This spontaneous report received from a patient concerned a 67 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 203A21A, and batch number: 203A21A expiry: UNKNOWN) dose was not reported, administered on 12-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On APR-2021, the subject experienced dizziness. On 13-APR-2021, the subject experienced blurry cloudy vision. On 15-APR-2021, the subject experienced loss of balance. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the blurry cloudy vision, dizziness and loss of balance was not reported. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1241705	4/22/2021	CA	26	M	4/22/2021	4/22/2021	PT SEEMED TO BE AFRAID OF NEEDLE HE CLOSED HIS EYES AND LOOKED AWAY WHILE PRIMARY NURSE DID INJECTION AFTER INJECTION HE STATED "I FEEL SOMETHING" HIS BODY THEN WENT LIMP SECONDARY NURSE WAS BY HIS SIDE ALREADY HELP HIM UP AND CODE GREEN WAS CALLED. PT WAS TRANSFERED TO SUPINE POSITION CONSCIOUS AT THIS POINT WHEN LAYED DOWN. VSS WITH EMT. PT WAS MONITORED X30 MIN WAS COHERENT, WHEELED TO CAR PARTNER DROVE HIM HOME, REFUSED HOSPITAL.
1240201	4/22/2021	CA	38	F	3/24/2021	3/24/2021	Swollen arms and hands, Numbness pins and needles whole body over first two days, Swollen Numb Face off and on. First 2 days. Face felt like hives but never surfaced. Itchy Red Eyes, body aches, fever/chills, joint pain, nausea, Blurry vision twice the first 2 days lasted briefly. euphoria. Off work for 3 days felt back to normal after 6 days. Traveled Dec end of 2019. Returned with bad Cold out of work for a week +
1240217	4/22/2021	CA	39	M	4/2/2021	4/8/2021	Right eye twitch, right side of face swelling, pressure right side of face, shingles like rash up left side of torso. The rash lasted a week the face swelling and twitching non stop since about day 7 and has not let up
1240234	4/22/2021	NM	53	M	4/21/2021	4/21/2021	He felt nauseous, got up to go to kitchen sink and passed out for a few seconds. When I got to him, he was on the ground, eyes open, but seriously disoriented. He got up to the couch. He was very, very clammy and his heart rate was 44 bpm. I held three fingers for him to identify, he correctly answered. He has a small gash on his forehead. His heart rate came up to 70, 20 minutes after episode. Refused to go to urgent care.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1240268	4/22/2021	WA	40	F	4/20/2021	4/20/2021	throat constriction, dryness, scratchy/itchy. facial itching, head, arm, back itching, eye swelling, overheating, tachycardic. epinephrine administered, 911 called, ambulance taken across the street to ER for observation. steroids given. further benadryl taken at home. symptoms started 10-15 minutes post injection. I am allergic to PEG, my allergist put me on a pre dose of antihistamines & steroids to lessen or prevent reaction so overall reaction was fairly mild but epi was the only thing left to give as I had already had 400mg hydroxyzine, 40 mg pepcid x3, 28mg medrol x5 during the 24 hours prior to my vaccination.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1240485	4/22/2021	WI		M	4/3/2021		NECK PAIN (WITH RADIATION); SHORTNESS OF BREATH; BLURRED VISION; CONFUSION; BULGE IN NECK ON LEFT SIDE/NECK SWELLING; WHOLE LEFT SIDE OF BODY IS SWOLLEN; SEVERE INFLAMMATION; This spontaneous report received from a patient concerned a male of unspecified age. The patient's weight was 240 pounds, and height was not reported. The patient's concurrent conditions included ankylosing spondylitis. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808978 expiry: UNKNOWN) dose was not reported, administered on 03-APR-2021 12:05 for prophylactic vaccination. No concomitant medications were reported. On APR-2021, Laboratory data included: Electrocardiogram (NR: not provided) Electrocardiogram (units unspecified). On 03-APR-2021, the subject experienced neck pain (with radiation). On 03-APR-2021, the subject experienced shortness of breath. On 03-APR-2021, the subject experienced blurred vision. On 03-APR-2021, the subject experienced confusion. On 03-APR-2021, the subject experienced bulge in neck on left side/neck swelling. On 03-APR-2021, the subject experienced whole left side of body is swollen. On 03-APR-2021, the subject experienced severe inflammation. On 08-APR-2021, Laboratory data included: Blood test (NR: not provided) blood work. Treatment medications included: diazepam, and prednisone. On 13-APR-2021, Laboratory data included: Blood test (NR: not provided) blood work. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from neck pain (with radiation), shortness of breath, blurred vision, confusion, bulge in neck on left side/neck swelling, whole left side of body is swollen, and severe inflammation. This report was non-serious.; Sender's Comments: V0:20210417102-Ccovid-19 vaccine ad26.cov2.s-Neck pain. This event(s) is considered not related. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There are other factors more likely to be associated with the event(s) than the drug. Specifically: MEDICAL HISTORY, UNDERLYING DISEASE

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1240495	4/22/2021	WA	35	F	4/18/2021	4/18/2021	PT MENTIONED SHE WAS NERVOUS ABOUT GETTING THE SHOT. AFTER SHE RECEIVED THE SHOT, SHE WENT INTO THE WAITING ROOM AND A FEW MINS LATER, FELT LIKE SHE WAS GOING TO PASS OUT. WE HAD HER LAY ON THE FLOOR AND ELEVATED HER FEET. SHE PROCEEDED TO PASS OUT. WE ADMINISTERED THE SMELLING SALTS, SHE WAS SLIGHTLY AWAKE BUT OUT OF IT AND SAID SHE DIDN'T SMELL ANYTHING. WE LIFTED HER MASK AND DID ANOTHER SMELLING SALT AND SHE "WOKE UP" BUT STILL REMAINED ON THE FLOOR. SHE FELT WEIRD, EYES REMAINED CLOSED AND SHE WAS SLIGHTLY CRYING AND SCARED. WE ASKED HER PARTNER IF THIS HAS EVER HAPPENED BEFORE AND HE SAID SHE HAS ONLY PASSED OUT B/C OF PAIN NOT ANXIETY. WE TOOK HER PRESSURE/HEART RATE EVERY 5 MIN FOR 15 MIN. IT WAS ELEVATED 165/110 (HR 69) AND STAYED AROUND THAT EACH READING. WE ASKED HER IF SHE WANTED US TO CALL EMT AFTER THE FIRST 5-10 MIN AND SHE WASN'T SURE. 15-20 MIN LATER WE CALLED EMT AND THEY CAME TO ASSIST. THEY TOOK HER VITALS AND THEN EVENTUALLY HELPED HER SIT UP AND EVENTUALLY SHE WALKED OUT ON HER OWN.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1240516	4/22/2021	NV	39	F		4/6/2021	<p>BLURRY VISION; EYE SENSITIVITY TO LIGHT; HER PUPILS WERE REALLY SMALL; FEELING DIZZY; FEELING OUT OF IT/FELT SHE WAS HIGH ON DRUG; This spontaneous report received from a patient concerned a 39 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included latex allergy, hypothyroidism, and seasonal allergies, and other pre-existing medical conditions included patient was not breast feeding. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, and batch number: 042A21A expiry: 21/JUN/2021) dose was not reported, administered on 06-APR-2021 19:25 for prophylactic vaccination. No concomitant medications were reported. On 06-APR-2021, the subject experienced blurry vision. On 06-APR-2021, the subject experienced eye sensitivity to light. On 06-APR-2021, the subject experienced her pupils were really small. On 06-APR-2021, the subject experienced feeling dizzy. On 06-APR-2021, the subject experienced feeling out of it/felt she was high on drug. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from feeling dizzy, and feeling out of it/felt she was high on drug on 08-APR-2021, and was recovering from blurry vision, eye sensitivity to light, and her pupils were really small. This report was non-serious.; Sender's Comments: V0:Medical assessment comment not required as per standard operating procedures.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1240532	4/22/2021	CA		M		4/8/2021	<p>TIGHT MUSCLES; RIGHT HIP JOINT PAIN; FAINTED; NUMB LEG; TINGLY FOOT; FLUSHED; HIT HIS HEAD; INSOMNIA; CHILLS; This spontaneous report received from a patient concerned a male of unspecified age. The patient's weight was 185 pounds, and height was 69 inches. No past medical history or concurrent conditions were reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808982) dose was not reported, administered 1 total on 08-APR-2021 13:00 at Left Deltoid for prophylactic vaccination. No concomitant medications were reported. On 08-APR-2021, the patient experienced insomnia and chills at night. On 09-APR-2021, patient was doing physical activity (walking around the store). Patient experienced really sharp and stabbing right hip joint pain, right leg numbness and his right foot felt tingly like it had fallen asleep. That got worse over 5 minutes. Patient experienced very hot and flushed and proceeded to go outside where he fainted (his vision was blurry and in a confused state of mind and experienced hot and nausea) and hit his head. He tried to get up again. He fainted again and eventually came to. He was given stiches. On 11-APR-2021, he was having pain in right joint hip and tight muscles. He visited hospital where an EKG (electrocardiogram) was performed and results was normal. Laboratory data included: EKG: electrocardiogram (NR: not provided) as Normal. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from fainted (nausea/hot/blurry vision/confused state of mind), insomnia, flushed, and chills on APR-2021, was recovering from right hip joint pain, and the outcome of numb leg, tingly foot, hit his head and tight muscles was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210422158-JANSSEN COVID-19 VACCINE Ad26.COVID-19- Fainted. This event is considered unassessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1240591	4/22/2021	CO		F		4/1/2021	This spontaneous report received from a patient concerned a 51 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808980, and batch number: 1808980 expiry: UNKNOWN) dose was not reported, administered on 31-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 01-APR-2021, the subject experienced severe brown line in the white part of eye. On an unspecified date, the subject experienced headache. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from severe brown line in the white part of eye, and the outcome of headache was not reported. This report was non-serious.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1240560	4/22/2021	NY		F		4/11/2021	<p>FAINTED; BLOOD PRESSURE WAS LOW; This spontaneous report received from a consumer concerned a 31-year-old female patient. Initial information was received on 13-APR-2021 and processed with additional information received on 20-APR-2021 via telephone log. The patient's height, and weight were not reported. The patient's medical history included flu shot in OCT-2020 without any side effects, gestational diabetes during pregnancy 6 years ago, and gave normal birth. The patient is a non-smoker and does not consumer alcohol. No surgery or injuries were reported. The patient did not have any prior clotting disorder or family history of clotting disorders. The patient did not have varicose veins. No allergies were reported. The patient received vaccination with JANSSEN COVID-19 VACCINE (covid-19 vaccine ad26.cov2.s) (suspension for injection, route of admin not reported, batch number: 206A217, expiry: UNKNOWN) dose was not reported, 1 total, administered on right deltoid muscle on 11-APR-2021 for prophylactic vaccination. No concomitant medications were reported as it was reported that patient did not take any medications. On 11-APR-2021, the patient received the vaccine and within 3 minutes, she felt dizzy and fainted and was taken by Emergency Medical Services to a hospital. Her vital signs were taken (pulse rate, blood pressure, and oxygen saturation) and patient was found to be hypotensive (the husband did not recall blood pressure level). When blood sugar was being tested using a needle for a prick, the blood was not coming out. Her blood sugar was normal at 129 and electrocardiogram was normal. The patient was given intravenous fluids and released home after 6 hours without any other treatment. The patient has been doing well since the release from the hospital ED and no further complaints were reported. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from fainted and blood pressure was low on 11-APR-2021. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: The case concerns a 31-year -old female who experienced low blood pressure 3-4 minutes after Janssen Covid-19 vaccine was administered intramuscularly for prevention of symptomatic SARS-CoV-2 virus infection. Patient's height and weight were not reported. Medical history included resolved gestational diabetes. The patient had</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1240963	4/22/2021	WI		U			no history of allergic reactions or reactions to a flu vaccine (last one received OCT-2020). No concomitant medications. Post vaccination the patient felt dizzy, could not sit on the chair and fainted and was taken to Emergency Room. Her blood pressure was low and she experienced hot flashes and watery eyes. Her blood sugar was 129 and electrocardiogram was normal. The subject was given IV infusion and was released from the ED without any medication. Symptoms of low blood pressure and fainting are known anxiety related reactions to immunization and given temporal relationship are considered likely related to Janssen vaccine administration.
1240646	4/22/2021	FL	52	F		3/31/2021	BLURRED VISION; This spontaneous report received from a consumer concerned multiple patients. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose, start therapy date were not reported for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On an unspecified date, the subject experienced blurred vision. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of blurred vision was not reported. This report was non-serious.
							BLURRED VISION; DOUBLE VISION; This spontaneous report received from a patient concerned a 52 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805029 and expiry: 25/MAY/2021) dose was not reported, administered on 27-MAR-2021 09:30 for prophylactic vaccination. No concomitant medications were reported. On 31-MAR-2021, the subject experienced blurred vision. On 31-MAR-2021, the subject experienced double vision. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from blurred vision, and double vision. This report was non-serious.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1240657	4/22/2021	TX		U		4/12/2021	SWELLING IN CHIN AREA WHICH MOVED ABOVE THE EYE; ITCHING; FATIGUE; This spontaneous report received from a consumer concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of administration not reported, batch number: Unknown) dose was not reported, administered on 12-APR-2021 for prophylactic vaccination. The batch number was not reported and has been requested No concomitant medications were reported. On 12-APR-2021, the subject experienced swelling in chin area which moved above the eye. On 12-APR-2021, the subject experienced itching. On 12-APR-2021, the subject experienced fatigue. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from itching, and had not recovered from swelling in chin area which moved above the eye, and fatigue. This report was non-serious.; Sender's Comments: V0: Medical assessment comments not required as per standard procedure as the case is assessed non serious.
1240668	4/22/2021	NJ		F			BAD HEADACHE; BLURRY VISION; This spontaneous report received from a patient concerned a female of unspecified age. The patient's height, and weight were not reported. The patient's concurrent conditions included asthma, antiphospholipid syndrome, and allergy, and other pre-existing medical conditions included family history of stroke and heart attack. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on 06-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On an unspecified date, the subject experienced bad headache, and blurry vision. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the bad headache and blurry vision was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1240685	4/22/2021	WI	61	F		4/11/2021	BLURRED VISION FOR THREE DAYS; HEADACHE; TIREDNESS; This spontaneous report received from a patient concerned a 61 year old female. The patient's weight was 193 pounds, and height was 64 inches. The patient's concurrent conditions included seizure disorder, non-alcoholic, and non-smoker, and other pre-existing medical conditions included the patient had no known allergies. The patient had no drug abuse or illicit drug usage. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 043A21A, expiry: UNKNOWN) dose was not reported, administered on 10-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 11-APR-2021, the subject experienced blurred vision for three days. On 11-APR-2021, the subject experienced headache. On 11-APR-2021, the subject experienced tiredness. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from blurred vision for three days on APR-2021, and headache, and tiredness on 12-APR-2021. This report was non-serious.
1240738	4/22/2021	MI		M		3/1/2021	FALL TWICE; BLACK EYE; This spontaneous report received from a consumer concerned a male of unspecified age. The patient's height, and weight were not reported. The patient's concurrent conditions included rare form of msa parkinson, latex allergy, penicillin allergy, and passes out. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unk) dose was not reported, administered on 25-MAR-2021 for prophylactic vaccination. Batch number was not reported and has been requested. No concomitant medications were reported. On MAR-2021, the subject experienced black eye. On 25-MAR-2021, the subject experienced fall twice. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the fall twice and black eye was not reported. This report was non-serious. This case, from the same reporter.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1240748	4/22/2021			U			PAIN ON LEFT EYEBALL; CAN'T HARDLY SEE; HEADACHE; This spontaneous report received from a patient via a company representative concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported) dose, start therapy date were not reported for prophylactic vaccination. The batch number was not reported. The Company is unable to perform follow-up to request batch/lot numbers. No concomitant medications were reported. On an unspecified date, the subject experienced pain on left eyeball, can't hardly see, and headache. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the headache, pain on left eyeball and can't hardly see was not reported. This report was non-serious.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1240870	4/22/2021	IL	56	F	4/1/2021		<p>DRY EYES; PAIN IN NECK; LETHARGIC; FELT ROUGH; PAIN IN RIGHT ARM/TENDER LEFT ARM; PAIN IN SHOULDER; WEAKNESS; DRAINED/TIREDNESS; PAIN IN HEAD/HEADACHE; BURNING SENSATION AT THE SITE OF VACCINATION; FLUTTER IN RIGHT WRIST; INJURY IN RIGHT WRIST; This spontaneous report received from a patient concerned a 56 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included cigarette smoker, and allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 04A21A, expiry: UNKNOWN) dose was not reported, administered on 10-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On APR-2021, the subject experienced injury in right wrist. On 10-APR-2021, the subject experienced flutter in right wrist. On 10-APR-2021, the subject experienced burning sensation at the site of vaccination. On 11-APR-2021, the subject experienced dry eyes. On 11-APR-2021, the subject experienced pain in neck. On 11-APR-2021, the subject experienced lethargic. On 11-APR-2021, the subject experienced felt rough. On 11-APR-2021, the subject experienced pain in right arm/tender left arm. On 11-APR-2021, the subject experienced pain in shoulder. On 11-APR-2021, the subject experienced weakness. On 11-APR-2021, the subject experienced drained/tiredness. On 11-APR-2021, the subject experienced pain in head/headache. On 11-APR-2021 10:00, treatment medications included: paracetamol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from dry eyes, pain in neck, pain in shoulder, and pain in head/headache on 12-APR-2021, lethargic, and weakness on 13-APR-2021, and flutter in right wrist on 10-APR-2021, had not recovered from pain in right arm/tender left arm, and the outcome of burning sensation at the site of vaccination, felt rough, drained/tiredness and injury in right wrist was not reported. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1240889	4/22/2021	CA		F		4/1/2021	<p>FELT FATIGUE; SHORTNESS OF BREATH; BLURRY VISION; HEART PALPITATIONS; DIZZINESS; VACCINATION SITE IS HARD THE SIZE OF A SILVER DOLLAR; SWEATING PROFUSELY; DIFFICULTY GOING UP THE STAIRS; WEAKNESS LIKE PASSING OUT; FEVER; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on 11-APR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On APR-2021, the subject experienced shortness of breath. On APR-2021, the subject experienced blurry vision. On APR-2021, the subject experienced heart palpitations. On APR-2021, the subject experienced dizziness. On APR-2021, the subject experienced vaccination site is hard the size of a silver dollar. On APR-2021, the subject experienced sweating profusely. On APR-2021, the subject experienced difficulty going up the stairs. On APR-2021, the subject experienced weakness like passing out. On APR-2021, the subject experienced fever. Laboratory data included: Body temperature (NR: not provided) 102 F. On 11-APR-2021, the subject experienced felt fatigue. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the felt fatigue, fever, blurry vision, heart palpitations, dizziness, weakness like passing out, shortness of breath, vaccination site is hard the size of a silver dollar, sweating profusely and difficulty going up the stairs was not reported. This report was non-serious.; Sender's Comments: V.0 Medical assessment comment not required as per standard procedure as case was assessed as non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1240945	4/22/2021	LA		M		4/10/2021	<p>CHEST PAIN/BURNING; FACE REDDENING; BLURRED VISION; SORE LEGS; HEADACHES; TROUBLE BREATHING AFTER DOING MANUAL LABOR/SHORTNESS OF BREATH; This spontaneous report received from a patient via a company representative concerned a 62 year old male. The patient's height, and weight were not reported. The patient's past medical history included atrial fibrillation, and concurrent conditions included high blood pressure, and borderline diabetes, and other pre-existing medical conditions included patient had no known allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Expiry: UNKNOWN) dose was not reported, administered on 09-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 10-APR-2021, the subject experienced trouble breathing after doing manual labor/shortness of breath. On 10-APR-2021, the subject experienced face reddening. On 10-APR-2021, the subject experienced blurred vision. On 10-APR-2021, the subject experienced sore legs. On 10-APR-2021, the subject experienced headaches. On 12-APR-2021, the subject experienced chest pain/burning. Laboratory data included: EKG (NR: not provided) came out fine. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from chest pain/burning on 13-APR-2021, and face reddening on 12-APR-2021, and was recovering from trouble breathing after doing manual labor/shortness of breath, headaches, sore legs, and blurred vision. This report was non-serious. This case is a duplicate. Additional information was received from patient on 15-APR-2021. It was determined that it was a duplicate of this case. All relevant information regarding this case will be submitted under Manufacturer Case Number. Sender's Comments: V0:Medical Assessment comment not required as per standard procedure as the case assessed as non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1240954	4/22/2021	TX		F		4/8/2021	<p>PAIN IN WHOLE RIGHT ARM AND BOTH LEGS; PAIN AT INJECTION SITE; FATIGUE; PAIN IN LEFT HIP; SHOOTING PAIN IN HEAD; SWELLING OF BOTH LEGS; PAIN OVER EYES; PAIN IN BRIDGE AND SIDE OF NOSE; STOMACH ACHE; NAUSEA; SEVERE HEADACHE; INSOMNIA; BLEEDING AT INJECTION SITE; This spontaneous report received from a patient concerned a 74 year old female. The patient's height, and weight were not reported. The patient's past medical history included superficial blood clot, and concurrent conditions included no alcohol user, and non smoker, and other pre-existing medical conditions included no known drug allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 042A21A, and expiry: 17/JUN/2021) dose was not reported, administered on 08-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 08-APR-2021, the subject experienced insomnia. On 08-APR-2021, the subject experienced bleeding at injection site. On 11-APR-2021, the subject experienced severe headache. On 11-APR-2021, the subject experienced nausea. On 11-APR-2021, the subject experienced stomach ache. On 15-APR-2021, the subject experienced pain at injection site. On 15-APR-2021, the subject experienced fatigue. On 15-APR-2021, the subject experienced pain in left hip. On 15-APR-2021, the subject experienced pain in whole right arm and both legs. On 15-APR-2021, the subject experienced shooting pain in head. On 15-APR-2021, the subject experienced swelling of both legs. On 15-APR-2021, the subject experienced pain over eyes. On 15-APR-2021, the subject experienced pain in bridge and side of nose. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from nausea, and stomach ache on 11-APR-2021, insomnia on 09-APR-2021, and bleeding at injection site on 08-APR-2021, recovered with sequelae from severe headache on 11-APR-2021, and had not recovered from pain at injection site, fatigue, pain in left hip, shooting pain in head, pain over eyes, pain in bridge and side of nose, pain in whole right arm and both legs, and swelling of both legs. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1240548	4/22/2021	NY	54	F	4/7/2021		<p>STOMACH PAIN; LEFT LEG CRAMP; KNEE ACHE; TIRED; FEVER; FELT FOGGY AND DAZE; LOSS OF APPETITE; EYE PAIN; DIARRHEA; STOMACH FLU; VOMITING; HOT FLASHES ON BACK; HEADACHE; BODY TREMBLING; ARM BURNING; LYMPH NODE PAIN; UNDER ARM PAIN; INJECTION SITE WARM; ARM SORE; This spontaneous report received from a patient concerned a 54 year old female. The patient's height, and weight were not reported. The patient's past medical history included sore arm, injection site redness, and hand numbness, and concurrent conditions included asthma. The patient was previously treated with tetanus vaccine for tetanus. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 202A21A expiry: UNKNOWN) dose was not reported, administered on 07-APR-2021 15:00 for prophylactic vaccination. Concomitant medications included salbutamol for asthma, and salbutamol sulfate for asthma. On 07-APR-2021, the subject experienced body trembling. On 07-APR-2021, the subject experienced arm burning. On 07-APR-2021, the subject experienced lymph node pain. On 07-APR-2021, the subject experienced under arm pain. On 07-APR-2021, the subject experienced injection site warm. On 07-APR-2021, the subject experienced arm sore. Treatment medications included: paracetamol. On 08-APR-2021, the subject experienced eye pain. On 08-APR-2021, the subject experienced diarrhea. On 08-APR-2021, the subject experienced stomach flu. On 08-APR-2021, the subject experienced vomiting. On 08-APR-2021, the subject experienced hot flashes on back. On 08-APR-2021, the subject experienced headache. On 09-APR-2021, the subject experienced felt foggy and daze. On 09-APR-2021, the subject experienced loss of appetite. On 09-APR-2021, the subject experienced tired. On 09-APR-2021, the subject experienced fever. Laboratory data included: Fever (NR: not provided) 100.1 T. On 10-APR-2021, the subject experienced stomach pain. On 10-APR-2021, the subject experienced left leg cramp. On 10-APR-2021, the subject experienced knee ache. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from diarrhea, and vomiting on 08-APR-2021, and hot flashes on back on 11-APR-2021, had not recovered from headache, and stomach pain, and the outcome of</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							body trembling, arm burning, arm sore, lymph node pain, under arm pain, injection site warm, eye pain, stomach flu, fever, left leg cramp, knee ache, felt foggy and daze, loss of appetite and tired was not reported. This report was non-serious.
1244979	4/22/2021	OR	43	F	4/10/2021	4/14/2021	Nueropathy (numbness weakness tingling) on right side. Loss of vision 30 minutes right side. Headaches, temple pain, sinus pain. Shots of random pain throughout body.
1243927	4/22/2021	PA	29	M	4/10/2021	4/11/2021	The night following my vaccination I ended up with a fever of over 100 degrees Fahrenheit and also suffered from a severe headache and sore throat. The fever and headache subsided after 24 hours, but the sore throat and ulcers on my gum line remained for the next 3-4 days. 9 days after I had gotten the vaccine, I started suffering from what I thought was a significant MS relapse. The left side of my face went numb and started drooping, my legs went completely numb, and my vision went blurry.
1243939	4/22/2021	IL	66	F	3/20/2021	3/29/2021	I can't say for sure but 9 days after receiving the vaccine, my condition called Erythromelalgia flared up terribly, which involved uncomfortable to intense burning of the outer ears 24/7 with no relief. It calmed down for a couple of days and then came back with other symptoms, including the burning ears, and parts of my neck and face. In addition to that, my eyes were bloodshot and had drainage coming from them and in the morning, it appeared that they had like a lining of film over them. Skin is peeling due to all the burning in the areas described. Several different treatments were tried but none has slowed down the flare-up. After another trip back to the NP, she said that it was inflammation and gave me a steroid shot along with prednisone tablets. I also went to an optometrist who found some things wrong with my eyes and prescribed some steroid eye drops. Before the vaccine, we pretty much had the Erythromelalgia under control with meds but this time, it's been hard to get things under control and more tolerable.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1244086	4/22/2021	VA	40	F	3/31/2021	4/16/2021	Patient was initially seen on 4/16 in the ED and discharged after complaints of myalgias. She was tested for COVID and discharged home and instructed to take acetaminophen. On 4/20, she returned to the ED with continued complaints including abdominal pain, nausea, and diarrhea. She also complained of dizziness when she stands, and that her skin and eyes were jaundiced. The patient was hypotensive and was not responding to IV fluids. She was started on vasopressors. She was found to be in acute liver and kidney failure. She was emergently intubated and ended up being transferred to hospital. Due to the nature of her condition, the above therapies were continued and CRRT was started due to acidosis. A bicarb drip was started and was continuous. Arrangements were made to transfer the patient to hospital once stable enough. It was thought that she was in HLH. She was also empirically started on hydrocortisone, later changed to dexamethasone. She was started on antibiotics - cefepime, Flagyl, and vancomycin. She has now been transferred to hospital. Outcome unknown at this time. 4/22
1244279	4/22/2021	CA	64	F	4/1/2021	4/9/2021	April 2 -3 felt tired and achey and chills April 8 - 10 tingeling of face, left eye hurt. April 11 no energy, left eye watering, lips swelling April 13 more swelling of face - Night of 13 wanted to rip my face off!!! April 14 swelling of eyes, lips, cheeks, hives on face and eyes. Felt miserable Zoom call with Doctor put on Medrol dose pack, Allegra, AM Zyrtec,PM Pepcid AC, purchased Epinephrine, Benadryl during day April April 19 more hives on chest
1244287	4/22/2021	CA	17	M	4/15/2021	4/15/2021	Flushing/sweating, dizziness, nausea, vision problems. BPs 122/64 (pulse 61), 88/47 (pulse 65), 106/62. O2 sat 100%.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1244352	4/22/2021	NM	30	M	3/27/2021	4/2/2021	Friday night, Got a migraine and I had it all Saturday to night. I felt nauseous that night. It went away on Sunday. The following Saturday, I had a migraine and it lasted a full eight days - hanging out in my left eye (it was all in that eye - when I moved that eye from left to right, I would feel it) . I had taken Tylenol and ibuprofen but it didn't do anything. Some days it was intense and some days it was in the background. I did see and talk to a someone at my doctor's office - over video chat (on April 15th - that was day eight of migraine) and she told me to start taking Tylenol that night and I've been taking it one time in the morning since that day and it hasn't come back. I think the migraine went away on it's own. I haven't had a migraine ever in my entire life so it was very unsettling.
1244362	4/22/2021	TX	59	F	4/5/2021	4/6/2021	She reports red bumps on the back of her neck and under her eye. She thought it was from a new makeup. She went to her Primary Care doctor who thought it might be shingles, so patient was prescribed Bactrim and Valacyclovir. The bumps under her eye resolved quickly, however red bumps developed on her hands and upper arms, which steadily got worse over several days. On January 13, 2021, the patient went to the doctor and immediately diagnosed the reaction related to her COVID-19 shot. She stated she had seen this reaction numerous times. The patient was prescribed Clobetasol Cream 0.05%. Her hands and upper arms have improved, but her Thumb and fingers.
1244373	4/22/2021	VA	74	M	4/10/2021	4/17/2021	Had mild symptoms of headache, fatigue, nausea, light headedness for starting about 3 hrs. after shot given and lasting into evening of next nigh; No fever or shortness of breath experienced. Except for fatigue was generally OK for next 6 days. Then eyes started blurring down my vision, and started seeing double/triple vision... symptoms are intermittent; worse in evening when eyes are fatigued. Called medical center for info and course of action and was advised to report to medical center emergency Room. Will see what eyes are like in morning

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1244745	4/22/2021	OH	42	F	4/8/2021	4/9/2021	Sore arm and rash 4/9 within 12-16 hours of shot. Body aches and low fever for 12-24 hours after shot. Eyelid hives and rash start 4/10 off and on thru 4/22. Saw dermatologist on 4/16. Used elidel 4/10-4/16 was ineffective. Was treated with eucrisa. Somewhat effective but rash clears and returns. Painful menstrual period 4/22. Unusual at my age and with an IUD.
1244930	4/22/2021			F			HEART BEATING LIKE CRAZY; CELLS REJECTING THE FOREIGN MATERIAL, FEEL IT COMING OUT OF MY SKIN; SHADOWS DANCE IN VISION; WHOLE BODY HURTS; GUT FEELS HEAVY; BODY FEELS 5-10 DEGREES COLDER; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unk) dose, start therapy date were not reported for prophylactic vaccination. The batch number was not reported. Company is unable to perform follow-up to confirm batch/lot number. No concomitant medications were reported. On an unspecified date, the subject experienced heart beating like crazy, cells rejecting the foreign material, feel it coming out of my skin, shadows dance in vision, whole body hurts, gut feels heavy, and body feels 5-10 degrees colder. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the body feels 5-10 degrees colder, shadows dance in vision, whole body hurts, cells rejecting the foreign material, feel it coming out of my skin, heart beating like crazy and gut feels heavy was not reported. This report was non-serious.; Sender's Comments: V0- Medical Assessment comment not required as per standard procedure as the case assessed as non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1243872	4/22/2021		16	M	4/22/2021	4/22/2021	16 y/o VR present with father received vaccine and approximately 1 minute later became unresponsive, falling forward and hitting his face on the carpeted floor. VR became rigid with posturing that lasted one minute. VR regained consciousness. VR had a 2.5cm laceration to the left eyebrow and abrasions to the left face. Hemostasis is achieved with pressure. NIHHS is 0 at the time VR regained consciousness. CN exam intact as tested. Cerebellar exam is intact – gait is deferred. VR had been fasting. BP 90 /50, HR 50, 99% on RA, RR 16. Sitting causes lightheaded/dizziness. Ambulance was called and VR transported to Emergency Department. Father present throughout the likely multifactorial syncopal event.
1244964	4/22/2021	OH	57	F		4/1/2021	LETHARGIC; EYE FLOATERS; ALMOST PASSED OUT; MIGRAINE TYPE OF HEADACHE; FELT NAUSEOUS; LOSS OF EFFECT; This spontaneous report received from a patient concerned a 57 year old female. The patient's concurrent conditions included sulfa allergy, non alcohol user, and non smoker, and other pre-existing medical conditions included the patient did not have any drug abuse/illicit drug. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 1808978, and expiry: UNKNOWN) dose was not reported, administered on 07-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On APR-2021, the subject experienced loss of effect. On 08-APR-2021, the subject experienced lethargic. On 08-APR-2021, the subject experienced eye floaters. On 08-APR-2021, the subject experienced almost passed out. On 08-APR-2021, the subject experienced migraine type of headache. On 08-APR-2021, the subject experienced felt nauseous. Treatment medications (dates unspecified) included: paracetamol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from eye floaters, and felt nauseous on 09-APR-2021, had not recovered from migraine type of headache, and lethargic, and the outcome of almost passed out and loss of effect was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1245063	4/22/2021			F	4/10/2021		<p>MOODY; SLEEP A LOT; NO APPETITE FOR FOOD; BURNING AND ELECTRICITY-TYPE STABBING PAIN IN BACK; NAUSEATED; BLURRED VISION; HEART BEAT SPED UP; BUZZING-LIKE PAIN IN JAW; BUZZING-LIKE PAIN IN TEETH; PAIN AROUND EYEBALLS; TWO MIGRAINE HEADACHES; FREQUENT AND INTENSIFIED THROBBING; BURNING PAIN IN THE JOINTS OF WRISTS AND FINGERS/ELECTRICITY-TYPE STABBING PAIN IN MY KNEES, ANKLES, HIP AND SHOULDER; STIFFNESS IN THE JOINTS OF WRISTS AND FINGERS; NUMBNESS IN FINGERTIPS; BURNING AND ELECTRICITY-TYPE STABBING PAIN IN NECK; FEEL HEAT IN CHEST; FEEL HEAT IN FACE; PAIN AND MUSCLE SORENESS AT INJECTION SITE; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: UNKNOWN) dose was not reported, administered on 10-APR-2021 10:00 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 10-APR-2021, the subject experienced pain and muscle soreness at injection site. On 12-APR-2021, the subject experienced blurred vision. On 12-APR-2021, the subject experienced heart beat sped up. On 12-APR-2021, the subject experienced buzzing-like pain in jaw. On 12-APR-2021, the subject experienced buzzing-like pain in teeth. On 12-APR-2021, the subject experienced pain around eyeballs. On 12-APR-2021, the subject experienced two migraine headaches. On 12-APR-2021, the subject experienced frequent and intensified throbbing. On 12-APR-2021, the subject experienced burning pain in the joints of wrists and fingers/electricity-type stabbing pain in my knees, ankles, hip and shoulder. On 12-APR-2021, the subject experienced stiffness in the joints of wrists and fingers. On 12-APR-2021, the subject experienced numbness in fingertips. On 12-APR-2021, the subject experienced burning and electricity-type stabbing pain in neck. On 12-APR-2021, the subject experienced feel heat in chest. On 12-APR-2021, the subject experienced feel heat in face. On 12-APR-2021, the subject experienced burning and electricity-type stabbing pain in back. On 12-APR-</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

2021, the subject experienced nauseated. On 15-APR-2021, the subject experienced moody. On 15-APR-2021, the subject experienced sleep a lot. On 15-APR-2021, the subject experienced no appetite for food. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from pain and muscle soreness at injection site, buzzing-like pain in jaw, blurred vision, pain around eyeballs, two migraine headaches, burning pain in the joints of wrists and fingers/electricity-type stabbing pain in my knees, ankles, hip and shoulder, numbness in fingertips, burning and electricity-type stabbing pain in back, nauseated, feel heat in chest, no appetite for food, buzzing-like pain in teeth, stiffness in the joints of wrists and fingers, burning and electricity-type stabbing pain in neck, and feel heat in face, and the outcome of heart beat sped up, frequent and intensified throbbing, moody and sleep a lot was not reported. This report was non-serious.; Sender's Comments: V0 Medical assessment comment not required as per standard procedure as the case was assessed as non-serious.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1244986	4/22/2021	NY		F		4/9/2021	CHEST TIGHTNESS; HOT FLASHES; FAST HEARTBEAT; STOMACH PAIN; SHAKY AND NERVOUS; SEVERE DIARRHEA; NERVOUSNESS; RASH ON TOES; GLASSY EYES; WHOLE BODY VERY WEAK /FELT VERY WEAK; SPOTS ON THE BODY; RIGHT ARM SWOLLEN; LIGHT HEADED; BREATHING DIFFICULTY; SEVERE PAIN IN RIGHT TEMPLE; ACHY; SHARP PAIN IN RIGHT ARM; CHILLS; SEVERE HEADACHE; NAUSEA; VERY TIRED; SORE THROAT; This spontaneous report received from a patient concerned a 66 year old female. The patient's weight was 143 pounds, and height was not reported. The patient's past medical history included sinus surgery, carpal tunnel surgery, and viral infection, and concurrent conditions included allergic to antibiotics, allergic to prednisone, non alcoholic, and non smoker, and other pre-existing medical conditions included patient is allergic to lots of medications, antibiotics, prednisone, other medications there was no drug abuse or illicit drug usage patient is non-alcoholic and non-smoker. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 205A21A, and expiry: UNKNOWN) dose was not reported, administered on 09-APR-2021 19:00 for prophylactic vaccination. Concomitant medications included clonazepam for anxiety, loratadine for drug used for unknown indication, and sodium chloride for drug used for unknown indication. On 09-APR-2021, the subject experienced breathing difficulty. On 09-APR-2021, the subject experienced severe pain in right temple. On 09-APR-2021, the subject experienced right arm swollen. On 09-APR-2021, the subject experienced light headed. On 09-APR-2021, the subject experienced spots on the body. On 09-APR-2021, the subject experienced sore throat. On 09-APR-2021, the subject experienced achy. On 09-APR-2021, the subject experienced sharp pain in right arm. On 09-APR-2021, the subject experienced chills. On 09-APR-2021, the subject experienced severe headache. On 09-APR-2021, the subject experienced nausea. On 09-APR-2021, the subject experienced very tired. On 10-APR-2021, the subject experienced glassy eyes. On 10-APR-2021, the subject experienced whole body very weak /felt very weak. On 14-APR-2021, the subject experienced shaky and nervous. On 14-APR-2021, the subject experienced



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							severe diarrhea. On 14-APR-2021, the subject experienced nervousness. On 14-APR-2021, the subject experienced rash on toes. On 14-APR-2021, the subject experienced hot flashes. On 14-APR-2021, the subject experienced fast heartbeat. On 14-APR-2021, the subject experienced stomach pain. On 15-APR-2021, the subject experienced chest tightness. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from glassy eyes, was recovering from sharp pain in right arm, nausea, light headed, stomach pain, severe diarrhea, and spots on the body, had not recovered from severe headache, achy, severe pain in right temple, very tired, whole body very weak /felt very weak, and chills, and the outcome of breathing difficulty, shaky and nervous, fast heartbeat, right arm swollen, sore throat, chest tightness, hot flashes, rash on toes and nervousness was not reported. This report was non-serious.
1245002	4/22/2021		17	F	4/21/2021	4/21/2021	Dizzy, decreased vision, BP 85/42 (pulse 94). Given crackers and water. F/u BP 102/62 (pulse 97). Blood glucose 110.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1245064	4/22/2021	MD	65	U	3/23/2021		<p>FELT DIZZY/FELT FAINTING; HEAD SPINNING; HANDS SHAKING; DROWSY; VISION BLURRED; MOUTH DRY; ONE SIDE OF TONGUE WAS HEAVY; WEAKNESS; This spontaneous report received from a patient concerned a 65 year old of unspecified sex. The patient's height, and weight were not reported. The patient's concurrent conditions included non-smoker, and non-alcoholic, and other pre-existing medical conditions included the patient had no known allergies and no drug abuse or illicit drug usage. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on 23-MAR-2021 for prophylactic vaccination. The batch number was not reported. The company is unable to perform follow-up to request batch/lot number. Concomitant medications included influenza vaccine for prophylactic vaccination, and acetylsalicylic acid. On 23-MAR-2021, the subject experienced felt dizzy/felt fainting. On 23-MAR-2021, the subject experienced head spinning. On 23-MAR-2021, the subject experienced hands shaking. On 23-MAR-2021, the subject experienced drowsy. On 23-MAR-2021, the subject experienced vision blurred. On 23-MAR-2021, the subject experienced mouth dry. On 23-MAR-2021, the subject experienced one side of tongue was heavy. On 23-MAR-2021, the subject experienced weakness. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from felt dizzy/felt fainting, drowsy, vision blurred, mouth dry, one side of tongue was heavy, hands shaking, head spinning, and weakness. This report was non-serious.; Sender's Comments: V0: Medical assessment comments not required as per standard procedure as the case is considered non serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1245089	4/22/2021	MI		U		4/1/2021	MUSCLE SPASM; MUSCLE TREMORS; INCREASE BLOOD PRESSURE; HEART RAISING; LIGHT HEADED; RIGHT EYE TWITCHING; UNABLE TO EAT; HEADACHE; NAUSEA; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1802068, and expiry: UNKNOWN) dose was not reported, administered on 31-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On APR-2021, the subject experienced muscle spasm. On APR-2021, the subject experienced muscle tremors. On APR-2021, the subject experienced increase blood pressure. On APR-2021, the subject experienced heart raising. On APR-2021, the subject experienced light headed. On APR-2021, the subject experienced right eye twitching. On APR-2021, the subject experienced unable to eat. On APR-2021, the subject experienced headache. On APR-2021, the subject experienced nausea. Laboratory data included: Blood pressure (NR: not provided) Increased, and Heart rate (NR: not provided) Increased. Treatment medications included: prednisone. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the muscle spasm, increase blood pressure, heart raising, headache, light headed, right eye twitching, nausea, unable to eat and muscle tremors was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1245090	4/22/2021	NJ	63	F			PAIN IN EYE; DRY EYE; HEADACHE; This spontaneous report received from a patient concerned a 63 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 042A21A, expiry: UNKNOWN) dose was not reported, administered on 06-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On an unspecified date, the subject experienced pain in eye, dry eye, and headache. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the pain in eye, headache and dry eye was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1245107	4/22/2021	AR		F	4/1/2021		<p>HEADACHE; DIZZINESS; BLURRED VISION; SHORTNESS OF BREATHE; CHEST TIGHTNESS; EUPHORIA; UNCOORDINATION; BODY ACHES AND BODY PAIN; FATIGUE AND FELT TRIED; NAUSEA; SEVERE MIGRAINE; SORES ON TONGUE; This spontaneous report received from a patient concerned a female of unspecified age. The patient's height, and weight were not reported. The patient's concurrent conditions included clenching of the jaws. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported and batch number: 1805020 expiry: UNKNOWN) dose was not reported, administered on 01-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On APR-2021, the subject experienced sores on tongue. On 01-APR-2021, the subject experienced severe migraine. On 01-APR-2021, the subject experienced euphoria. On 01-APR-2021, the subject experienced uncoordination. On 01-APR-2021, the subject experienced body aches and body pain. On 01-APR-2021, the subject experienced fatigue and felt tried. On 01-APR-2021, the subject experienced nausea. On 03-APR-2021, the subject experienced shortness of breathe. On 03-APR-2021, the subject experienced chest tightness. On 11-APR-2021, the subject experienced dizziness. On 11-APR-2021, the subject experienced blurred vision. On 15-APR-2021, Laboratory data included: MRI (NR: not provided) NEGATIVE. On an unspecified date, the subject experienced headache. Treatment medications (dates unspecified) included: meglumine gadoterate. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from shortness of breathe, and chest tightness on 04-APR-2021, euphoria, uncoordination, body aches and body pain, and nausea on 03-APR-2021, and dizziness, and blurred vision on APR-2021, had not recovered from severe migraine, fatigue and felt tried, and headache, and the outcome of sores on tongue was not reported. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1245108	4/22/2021	LA		F		3/30/2021	CANNOT SWALLOW PROPERLY; FEELING PAIN IN LEFT ARM; PAIN AT INJECTION SITE; NAUSEA; MUSCLE PAIN; HEADACHE; BLURRY VISION; HOT FEELING SENSATION; DIZZINESS; SWEATING; This spontaneous report received from a patient concerned a female of unspecified age. The patient's height, and weight were not reported. The patient's pre-existing medical conditions included heart test was performed. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808980 expiry: UNKNOWN) dose was not reported, administered on 30-MAR-2021 16:00 for prophylactic vaccination. No concomitant medications were reported. On 2021, Laboratory data included: X-ray (NR: not provided) Not reported. On 30-MAR-2021 16:30, the subject experienced hot feeling sensation. On 30-MAR-2021 16:30, the subject experienced dizziness. On 30-MAR-2021 16:30, the subject experienced sweating. On 31-MAR-2021, the subject experienced blurry vision. On 31-MAR-2021, the subject experienced feeling pain in left arm. On 31-MAR-2021, the subject experienced pain at injection site. On 31-MAR-2021, the subject experienced nausea. On 31-MAR-2021, the subject experienced muscle pain. On 31-MAR-2021, the subject experienced headache. On 04-APR-2021, the subject experienced cannot swallow properly. Treatment medications (dates unspecified) included: paracetamol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from hot feeling sensation, and sweating on 31-MAR-2021, was recovering from pain at injection site, had not recovered from dizziness, nausea, muscle pain, headache, blurry vision, and cannot swallow properly, and the outcome of feeling pain in left arm was not reported. This report was non-serious.
1353928	4/22/2021		51	M		3/24/2021	facial weakness/ eye issues/bells palsy Narrative:

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1353934	4/22/2021		37	M	4/7/2021	4/15/2021	Narrative: 36 year old male with no pertinent pmhx who presented to ER on 4/19/21 with a four day history of headache and left eye visual blurring which began last night. Blurring peripheral in nature. Patient denied nausea, dizziness, no antecedent trauma. He reported no occupational exposure history nor migraine headache hx. Location of pain was the top of the head, intensity is 6/10, he had taken no medications to ameliorate symptoms nor had he endorsed any antecedent drug tobacco or alcohol use. Patient noted that he received the johnson and johnson covid 19 vaccine 4/7/21 (vaccine was not received from the specific facility). ER physician followed up with patient day after presenting to ED today, and patient reported he was doing well. ER presentation may represent a simple tension type headache given his single episode, relief with NSAID and the location that the patient described the pain.
1241850	4/22/2021	FL	60	F	4/3/2021	4/10/2021	Developed visual loss to 20/800, double vision, oscillopsia, ataxia, dysarthria Symptoms started with difficulty with speech and loss of depth perception on 04/10/2021 (7 days after COVID vaccine shot) Trial treatment with Solu Medrol 1 gm 5 days and Gammaglobulin 0.4 mg /kg for 5 days. No significant improvement except vision went from 20/800 to 20/400
1241132	4/22/2021	CA		F		4/12/2021	TIREDDNESS; BLURRED VISION; DOUBLE VISION; HEADACHE; This spontaneous report received from a patient concerned a 58 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 041A21A expiry: UNKNOWN) dose was not reported, administered on 07-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 12-APR-2021, the subject experienced blurred vision. On 12-APR-2021, the subject experienced double vision. On 12-APR-2021, the subject experienced headache. On 14-APR-2021, the subject experienced tiredness. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from blurred vision on 14-APR-2021, and double vision on APR-2021, and had not recovered from headache, and tiredness. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1244933	4/22/2021	IL	51	F	4/1/2021		<p>METALLIC TASTE; SWELLING OF TONGUE; SWELLING; RED BLEMISHES AROUND EAR; BODY ACHES; DIZZINESS; RASH/MOSQUITO TYPE RED DOT UNDER LEFT EYE AND LEFT EARLOBE; LARGE RED SPOT ON NECK, ALMOST LIKE HIVES; WEAKNESS; FEVER; HEADACHE; INCREASED HEART RATE; SLEPT ONLY 3 HOURS; This spontaneous report received from a patient concerned a 51 year old female. The patient's height, and weight were not reported. The patient's past medical history included hernia surgery, and smoker, and concurrent conditions included seasonal asthma, heart palpitations, overweight, and metallic taste reaction with contrast dyes use with scans. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805031 expiry: UNKNOWN) dose was not reported, administered on 10-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On APR-2021, the subject experienced slept only 3 hours. Laboratory data included: Heart rate (NR: not provided) 118-120. On 10-APR-2021, the subject experienced increased heart rate. On 10-APR-2021, the subject experienced metallic taste. On 10-APR-2021, the subject experienced swelling of tongue. On 10-APR-2021, the subject experienced swelling. On 10-APR-2021, the subject experienced red blemishes around ear. On 10-APR-2021, the subject experienced body ache. On 10-APR-2021, the subject experienced dizziness. On 10-APR-2021, the subject experienced rash/mosquito type red dot under left eye and left earlobe. On 10-APR-2021, the subject experienced weakness. On 10-APR-2021, the subject experienced large red spot on neck, almost like hives. On 10-APR-2021, the subject experienced fever. On 10-APR-2021, the subject experienced headache. Laboratory data included: Body temperature (NR: not provided) 98.9. On 11-APR-2021, Laboratory data included: Body temperature (NR: not provided) 100.4. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from metallic taste, swelling of tongue, and swelling on 10-APR-2021, and dizziness, and weakness on APR-2021, was recovering from rash/mosquito type red dot under left eye and left earlobe, and large red spot on neck, almost like hives, had not recovered from red blemishes around ear, fever, headache, body ache, and</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							increased heart rate, and the outcome of slept only 3 hours was not reported. This report was non-serious.; Sender's Comments: V0:Medical assessment comment not required as per standard procedure as case assessed as non serious.
1242453	4/22/2021	MI	47	M	4/12/2021	4/17/2021	Pt complained of blurry vision for four days, went to Urgent Care. At UC, blood glucose was >600 and pt stated that his PCP was investigating possible type 2 DM. Pt was sent to ED. Blood glucose 652 in ED. Pt admitted to hospital with dx hyperosmolar hyperglycemic state.
1241915	4/22/2021	FL	54	M	3/26/2021	4/14/2021	Acute severe headaches and blurred vision after vaccine and acute ischemic stroke with resulting right hemianopsia
1241999	4/22/2021	FL	34	F	4/8/2021	4/8/2021	Towards end of 15 min wait period, started walking, experienced lightheadedness and limb numbness. Following Monday, experienced Charlie horse like pulling pain from back of knee to upper thigh/groin area, sharp stabbing pain above left eyebrow lasting about a minute. During week, experienced pain feeling like bones were about to snap. Ongoing since injection, continued severe limb numbness and lightheadedness some dull "sinus" headache and extreme fatigue.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1245073	4/22/2021	CA		F		4/6/2021	COUGH; POSSIBLE SHORTNESS OF BREATH; HEADACHES BACK OF HEAD TO EYES; FEVER; NAUSEA; LETHARGY; GENERALIZED ACHING; WEAKNESS; CHILLS; This spontaneous report received from a consumer concerned a 37 year old female. The patient's weight was 145.6 pounds, and height was 63 inches. The patient's concurrent conditions included hypothyroidism, allergy to egg, sulfa allergy, no alcohol use, and non smoker, and other pre-existing medical conditions included patient had no drug abuse or illicit drug usage. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 042A21A, and expiry: UNKNOWN) dose was not reported, administered on 06-APR-2021 for prophylactic vaccination. Concomitant medications included levothyroxine for hypothyroidism. On 06-APR-2021, the subject experienced lethargy. On 06-APR-2021, the subject experienced generalized aching. On 06-APR-2021, the subject experienced weakness. On 06-APR-2021, the subject experienced chills. On 06-APR-2021, the subject experienced fever. On 06-APR-2021, the subject experienced nausea. On 07-APR-2021, the subject experienced headaches back of head to eyes. On an unspecified date, the subject experienced cough, and possible shortness of breath. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from generalized aching, chills, fever, and nausea on 07-APR-2021, had not recovered from lethargy, weakness, and headaches back of head to eyes, and the outcome of cough and possible shortness of breath was not reported. This report was non-serious.
1243856	4/22/2021	OH	17	F	4/20/2021	4/22/2021	Left arm sore. Severe migraine headache with blurry vision in left eye( vision corrected later in the day) Onset of menstrual cycle with severe abdominal cramping , nausea, heavy bleeding and headache.
1242025	4/22/2021	FL	21	F	4/15/2021	4/21/2021	My left arm developed a rash, my left eye is super itchy, and the rest of my body itches. Have not treated it. It began a week after I got vaccinated.
1242245	4/22/2021	CA	18	M	4/16/2021	4/16/2021	Blurry vision, light-headed. BPs 87/62 (pulse 81), 114/82 (pulse 68). Patient was dehydrated - advised to hydrate before second vaccine dose.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1242351	4/22/2021	UT	65	M	2/22/2021	3/4/2021	Ten days after first dose patient developed NAION and edema of superior optic nerve left eye, had inferior visual field defect. Ten days after second dose of vaccine developed NAION to left eye a second time, with vision loss of superior visual field. This resulted in count fingers vision in the left eye. Treated with inpatient hospital stay, IV steroid infusions. Pt is now on steroid taper and has 20/200 vision in left eye. Patient is still legally blind in that eye. Work up including MRO of brain and orbits, CT angiogram were normal. Labs, ESR, CRP and platelets were also normal.
1242488	4/22/2021	NE	57	F	3/9/2021	3/19/2021	Headache for a week, no fever, but had three nose bleeding, on the day ten (3/19/21), blood vessel in the left eye ruptured. it was during day time and felt like needle shot on the left eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1242571	4/22/2021	KS	45	M	3/6/2021	3/15/2021	Janssen/J&J COVID-19 Vaccine EUA Miller-Fischer Variant GBS - See continuation page #1 facial diplegia and ataxia 45-year-old male with history of schizophrenia presented with 6-day history of facial diplegia initially evaluated at outside facilities and transferred over here for further management. There is a concern for Miller Fischer variant GBS. No history of tick bite no signs of systemic infections. Patient had a recent COVID-19 vaccine March 6th. On exam patient has pretty severe bilateral facial weakness in the lower motor apparent without any other cranial nerve involvement. There is numbness in the lateral toes of the right foot and sensory ataxia on exam. Patellar reflex and Achilles tendons were absent. Remaining reflexes were present. Multiple labs are pending lumbar puncture is pending. MRI brain is negative for enhancing lesions of the cranial and intra-articular portions of the facial nerve. After lumbar puncture will probably start the patient on IVIG if there was no signs of infection planning for 5-day course. Recommend artificial tears and supportive management to prevent corneal ulcers from facial weakness. OT and speech to see the patient. Assessment: 1. Acute facial diplegia with bilateral peripheral cranial nerve VII dysfunction concerning for AIDP. Symptoms started about 1 week ago. House Brackmann scale 5 bilaterally. Patient with metallic taste of tongue, pressure in his ears with some pain behind the ears. Unable to close his eyes, raise his forehead, puff out his cheeks, or purse his lips. No vibration sense to his chin. Also noticing new numbness of his right toes and has absent R patellar reflex. No recent noted infections although possible left mandibular tooth abscess noted on CT imaging and he reports a chronic "rotten tooth". Patient had a COVID-19 Johnson & Johnson vaccine on March 4. MRI brain with and without contrast is negative without noted enhancement of the facial nerve root. Planning lumbar puncture today and then will discuss further treatment. Will add moisture for his eyes and gabapentin for pain. 2. Neutrophilic leukocytosis. Unclear etiology. May need to have the dentist look at his tooth and consider removal. Will discuss further. 3. History of schizophrenia. Patient denies any acute complaints with this but is anxious to restart his lithium which is okay from our standpoint. 4. Tobacco use 5. Hypothyroidism. Continue home

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

levothyroxine. Plan: - LP, see orders - motor sensory neuropathy panel, b12, ANA, ACE, EBV Ab panel, RPR, Lyme reflexive panel, HIV, TSH, UA -Eyedrops and ointment to bilateral eyes -Gabapentin 100 mg 3 times daily -SLP to see History of Present Illness: 45-year-old male with a history of schizophrenia and tobacco use who presents with facial diplegia for the last 6 to 7 days. On Saturday night a week ago he had a fullness in his bilateral ears and thought he may have an ear infection. He woke up Sunday morning (March 21) with bifacial weakness and dysarthria. He has a metallic taste in his tongue. He feels somewhat swollen and sore in the posterior area. He still has a full feeling in his ears but no hearing loss. He cannot completely close his eyes. He has no movement of his forehead he cannot puff out his cheeks. He has had difficulty getting food to back of his mouth to swallow. His eyes are watering. He has some occasional stabbing, ice pick pains behind his ears, mild at present. He feels numb in his perioral area. Since occurrence this is not worsened or improved. He denies any illnesses in the last month or 2. He has had some diaphoresis at home since this occurred. No palpitations. No bowel or bladder issues. No difficulty walking. Denies shortness of breath. After transfer here and when he is asked he has noted some numbness in his third through fifth toes on the right foot which is new. He had a Johnson & Johnson COVID-19 vaccination on March 4. He has been on lithium since he was a child and recently was placed on Zoloft. He denies any new mental health issues but stopped his medications when the symptoms occurred as he was concerned there might be a potential side effect. At the outside hospital he had a CT of the neck which did note lucency around the root of his remaining left mandibular molar suspicious for abscess as well as large dental caries. He reports knowing he has had a rotten tooth on the back left for a long time. He is missing most of his upper teeth except a couple molars ("from bad decisions in his young years"). He had gone into the local ED about 3 days ago and they gave him a prescription for amoxicillin, prednisone, Zyrtec and Benadryl. He had a couple doses of amoxicillin and prednisone before he went back to the ED yesterday with ongoing symptoms. Medical History Past Medical History: Diagnosis Date o Anxiety o Paranoid schizophrenia o Smoking status: Current Every

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

Day Smoker Packs/day: 0.50 Years: 30.00 Pack years: 15.00 Substance and Sexual Activity o Alcohol use: Yes Frequency: 2-4 times a month o Drug use: Not Currently o Sexual activity: Defer Patient is allergic to geodon [ziprasidone hcl]; haldol [haloperidol]; abilify [aripiprazole]; and latuda [lurasidone]. Review of Systems he has a history of low back pain with right leg radiculopathy for which she had a radiofrequency ablation done in the past. Physical Exam: Current Vital Signs: BP 139/77 (BP Location: Left arm, Patient Position: Lying) | Pulse 89 | Temp 36.6 °C (97.9 °F) (Oral) | Resp 18 | Ht 1.702 m (5' 7") | Wt 110 kg (241 lb 6.5 oz) | SpO2 97% | BMI 37.81 kg/m² Labs: Sodium 137 Potassium 4.4 BUN 16 Creatinine 1.05 Glucose 109 Lithium level 0.2 WBC 16.64 Hemoglobin 14.5 DISCHARGE SUMMARY Hospital Course: 45-year-old male with a history of schizophrenia who had 6 to 7 days now of complaints of upper forehead/facial weakness, eyes watering leading to blurry vision until he wipes away the excess and numbness of his lips and mouth and tongue feeling thick. He noticed that his speech was a little different and he felt muffled and cottonmouth. He had a little bit of issue eating as he states that he had to put his food in the back of his throat so that his tongue would not push the food out of his mouth. He denies any numbness around his maxilla or mandible or cheeks. He stopped all of his medications abruptly when he had the symptoms as he thought it may be a side effect from something. He denies any recent environmental or insect exposure. No fevers or chills. No URI symptoms. No ear pain. No nausea or vomiting. Patient was ultimately diagnosed with Miller Fisher variant GBS secondary to Johnson & Johnson COVID-19 vaccine. Neurology evaluated and started IVIG treatment for 5 total doses. He progressively improved with his symptoms throughout the 5 days of hospitalization. He completed IVIG therapy on 4/1/2021. I personally evaluated the patient on the day of discharge he was doing well and had no complaints. He is to follow-up with neurology in 1 to 2 months. FMLA paperwork was filled out. He was discharged with eye ointment solution and told to protect his eyes. It was neurology recommendation that he take at least 2 months off of work in order to do so. I had no changes in my physical exam—significant cranial nerve deficits associated with

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							primary diagnosis. Otherwise no focal neurologic deficits observed in the upper and lower extremities. Heart was regular rate and rhythm lungs are clear. Abdomen had normal bowel sounds and was nontender. He has no peripheral edema to speak of. Miller-Fischer Variant GBS - F/u with neuro in 1-2months
1242617	4/22/2021	MI	20	F	4/6/2021	4/6/2021	Pt was anxious prior to the vaccine administration; became dizzy, pale ,clammy, weakness. Evaluated by paramedic, HR increased to 134, no shortness of breath or tingling/numbness noted. Paramedic called, patient declined, called brother to take her to her apartment, agreed to keep an eye on her.
1242701	4/22/2021	MN	35	F	4/9/2021	4/12/2021	the first 2 days had the expected fever, body aches. Day 3 and onward started experiencing new and building symptoms as each day progressed. Headache for 3 days (above right eye, caused some vision changes), then sore throat, cough, brain fog, difficulty sleeping, along with body aches continuing. Currently on day 13 and still have sore throat, coughing, brain fog, difficulty sleeping, muscle aches, congestion. Also on day 3, eczema has been building on my face/neck. Eczema has continued to get worse each day. when I got the shot, I communicated to the nurse, I was maybe pregnant. it was too soon to test. That was Friday. I had a positive pregnancy test the following Tuesday. I've since taken 2 more tests that were positive and have missed my period. So safe to say i'm pregnant.
1242711	4/22/2021	UT	57	F	4/8/2021	4/12/2021	Soreness in my legs - I have blood clot history in my family and was worried. I went to see my doctor. - 14th. He did a visual exam. He said I was developing immunity because the vaccine was working. On the 19th, in the middle of the night, I had diarrhea and wasn't feeling well at all. I had diarrhea for 18 hours - and I was sleeping and running a fever but it didn't go over 101: It was at 99 - 100.5. Diarrhea stopped yesterday -I was eating BRAT (bananas, rice, applesauce, toast) - no caffeine - diet. But this morning, I work up with diarrhea again and I have had diarrhea three times already today. I've had a ringing in my ears that started two days ago and it's still there.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1243280	4/22/2021	IL	20	F	4/10/2021	4/20/2021	At 1:30 pm on 4/20/21 pt. began having involuntary contractions and movement of her shoulders, neck and head. This continued in a rhythmic pattern. Unable to reach pt. neurologist. Had video visit with pediatrician at Pediatrics. Went to hospital emergency department for evaluation. Diagnosed with Dystonia by ER doctor Dr. Received iv benadryl and discharged home with prescription for benztropine. On 4/21/21, had video visit with neurologist, who also prescribed Baclofen. Involuntary movements of neck continues, as well as feet, legs, hands, and eyes.
1243473	4/22/2021	OR	54	F	4/12/2021	4/14/2021	Eye twitching, stiff neck, some tingling numbness in neck and face
1242349	4/22/2021		63	F	3/23/2021	3/23/2021	Confusion, slurred speech, ptosis of the right eyelid, lightheadedness, right facial droop and trouble with memory with associated soreness in right arm post Moderna vaccination second dose for COVID-19 on 23 March 2021. TIA vs vaccine reaction (symptom onset roughly 45 minutes post injection) CT of the head without contrast, CTA head and neck and MRI of brain without contrast, CTA head and neck showed mild beaded appearance of the distal cervical segment of the left vertebral artery consistent with fibromuscular dysplasia. There is no stenosis. MRI brain showed chronic microvascular ischemia DC with Plavix and neurology referral, symptoms resolved
1243633	4/22/2021	IL	16	F	4/21/2021	4/21/2021	Patient was on observation having a conversation with her father when suddenly she started passing out and exhibiting twitching like having Petit mal convulsions and not able to arouse, and later in 2 minutes she recovered eyes open appears pale in face and lips, not aware that she had passed out, and became responsive. Father claims that HR is always running on low side because she is an athlete. On around 4:40pm she was released under the care of her parent and recommended to get an appointment with her PCP for further evaluation Patient status was checked the following day 4/22 and Pediatrician said that it must be a vasovagal Syncope per Neurologist he consulted no further appointment will be needed at this time



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1243428	4/22/2021	RI	63	M	3/25/2021	3/29/2021	Decrease in vision of both eyes on the fourth day following vaccination. No improvement yet. Has not experienced anything similar in the past.
1243608	4/22/2021	GA	70	M	4/19/2021	4/20/2021	Next day after receiving 2nd moderna vaccine pt felt weak and visual changes. Third day after extremity weakness. Confirm acute ischemic stroke
1243371	4/22/2021	OR	79	M	4/21/2021	4/21/2021	Patient came for vaccination in the morning, then went out to breakfast. During breakfast, the patient slumped forward in his seat and was unresponsive for about a minute. There was no incontinence or seizure activity. On regaining consciousness, patient seemed to quickly get back to his usual level of mentation. He was diaphoretic and nauseous. He denies any preceding lightheadedness, nausea, visual changes, chest pain or palpitations. He presented to the emergency room, also had nosebleed and UTI. Was admitted for observation overnight and discharged the next day.
1243738	4/22/2021	ID	55	F	3/16/2021	4/22/2021	Patient suffered a stroke, and has ongoing Vertigo, Migraines, blurred vision.
1243063	4/22/2021	AR	45	F	3/19/2021	3/1/2021	Patient states that after she received her first covid vaccine, her WBC and RBC went out of range. She stated that she had blood coming out of her nose and eyes and was admitted to the hospital and was in the ICU for 3 days. During that time she had about 8 blood transfusions. She also reports having itchy rashes on her body and blisters inside her mouth that were very bothersome. She states that she's out of the hospital now and is doing better but feels like her body is still fighting off a cold.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1242937	4/22/2021	ME	70	F	4/6/2021	4/6/2021	Five minutes after getting injection, I noticed a tightening and tingling in my throat, mouth, trachea; sharp sudden onset headache; racing pulse 100 beats per minute; blood pressure 154/100. Because of the headache, I had the pharmacist take my BP. Upper palate was scratchy and irritated. Took 25 milligram tablet of Benedryl. Throat getting tighter but no shortness of breath. At 4:00 BP was 164/104, pulse still 100. At 4:00 took another 25 mg of Benedryl. BP remained high. Stayed for an hour. Turned down epi-pen because her breathing was fine. 5:15 BP still 164/104. Left site and started feeling itchy-- eyelids, lip, scalp. 7:00 BP had come down. 148/94, pulse 88; headache persisted. Took 650 mg of aspirin. 9:00 headache had lessened and BP was 138/80, pulse was 84. By 10:00, moderate headache. Slept. Woke up at 12:00 am with muscle pain in right leg. 3:30 am woke with bad headache, chilled, slight fever (99.6), rash on right trunk and upper abdomen. Took two more aspirin for headache. 8:00 am 130/76, normal temp, hives.
1242887	4/22/2021	NY	55	F	3/13/2021	3/1/2021	2 DAYS AFTER VACCINE - FLU-LIKE S/S THAT RESOLVED SPONTANEOUSLY. IN THE FOLLOWING 2 WEEKS SHE DEVELOPED INTERMITTENT PETECHIAE AND LARGE, PAINLESS ATRAUMATIC BRUISES THROUGHOUT HER BODY. PT ALSO C/O FATIGUE, FEELING COLD AND MILD SOB, BUT SHE ATTRIBUTED THIS TO NORMAL CIRCUMSTANCES. DENIES TRAUMA, HA, DIZZINESS, CHEST PAIN, BLURRY VISION, OR BLEEDING AND HAS NO HX OF EASY BRUISING OR CLOTTING DISORDERS IN HER PMH OR FMH.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1242735	4/22/2021	NE	28	M	4/10/2021	4/20/2021	ED NOTE is as follows...from 4/21/21 @ 21:47 a 28 y.o. male who to the emergency room with reports of a headache for the last 48 hours. He reports this as being one of the worst headaches he has ever had. He was seen at urgent care and given Toradol, Zofran and Benadryl and still rates his pain an 8 out of 10. He does feel pressure behind his eyes. And reports vomiting in the parking lot at urgent care. He denies abdominal pain back pain, neck pain, shortness of breath, chest pain, numbness or tingling or any other worsening concerns. Reports that he did receive a recent Johnson & Johnson vaccination. Patient states he does vape. He occasionally drinks alcohol he denies any illicit drugs. Patient denies any head trauma. Diagnosis management comments: This is a 28-year-old male arrives to the emergency room with reported migraine headache for the last 48 hours. He did report that he was go to urgent care in which he received a migraine cocktail of Zofran, Benadryl and Toradol. Patient reported that his headache was not resolved so urgent care sent him on for further evaluation. Patient upon arrival had a negative neurological exam however he did report that he had pressure behind his eyes. Was unable to see any papilledema on fundoscopic exam. Check patient's pressures bilaterally and they were 21 and 18. Patient did report to me that this was the worst headache of his life. I did administer IV fluids here as well as Tylenol and morphine. Patient did report some improvement. Patient did report in his past medical history had a recent Johnson & Johnson vaccination. A CBC and CMP was obtained. Did have thrombocytopenia with a count of 66. Since my exam was PERRL with normal extraocular movements. He had no eye redness or eye pain. Of low concerns for any iritis or uveitis. Patient's patient CT of his head did show a abnormal CT that had a dense appearing superior sagittal sinus that was representing a venous thrombosis. Radiologist did recommend a MRI MRV. An MRI and MRV was ordered. Patient MRI MRv did show findings are consistent with a venous thrombosis involving the right jugular right transverse sinus and superior sagittal sinus there is also a patchy edematous change within the subcortical white matter areas bilaterally and symmetrically. There was no CVA. With patient's reported migraine headache. Reported blurred

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							vision, low platelets, recent vaccination I do believe patient has vaccine induced thrombotic thrombocytopenia. With this finding I did converse with my overseeing physician Calls were made out to neurology and then a call out did prefer to have patient started on IVIG at 1 g/kg daily for 2 days and blood thinner Xarelto 15 mg p.o. twice daily. These orders were initiated. Internal med services was consulted and with conversations of family, internal med services out possible transfer that an interventionalists could be available if patient needed it. Report was given at 2100 upon my end of shift.
1236117	4/21/2021	FL	47	F	3/7/2021	3/27/2021	Immediately had flu symptoms the same night as vaccine that went away within 2 days. HOWEVER, twenty-one (21) days later, both eyes were extremely painful to move. Then I lost vision in right eye with extreme blurriness & partial blind spots resulting in a diagnosis of Optic Neuritis by Ophthalmologist and Neurologist. Confirmed optic Neuritis on MRI scan. Twenty-four (24) days later, numbness in legs, feet and right arm started. Hard to walk up and down stairs. Twenty-six (26) days later, extreme pain in in muscles and skin along with tingles all over and numbness. Weakness and Chest pain. Flu like symptoms without fever ie: aches, pains, skin pain, confusion. Dizziness, feeling of being extremely anxious and out of sorts in space. Had to complete round of Steroids and numbness and tingles got better, but did not dissolve. After completion of IV steroids, thirty-four (34) days later all symptoms returned full force and worsening. Checked into ER 4/10 and admitted into hospital. Have not been able to complete normal routine or work level since March 27th due to neurological disturbance and symptoms. Two (2) Eye exams, 3/30/21 confirming swollen optic nerves. MRI 3/31/21 Blood work 4/2/21 CoVid Test 4/9/21 Negative Hospital: April 10-12th. MRI Extensive Blood work Spinal Tap Neuro-Opt exam Outcome pending and further treatment pending results.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1236253	4/21/2021	FL		F		4/12/2021	DIZZY; HEADACHE; DRY EYES; FEELS LAZY; SLEEPY; This spontaneous report received from a patient concerned a 47 year old female. The patient's height, and weight were not reported. The patient's past medical history included anemic, and hysterectomy, and concurrent conditions included stones in gallbladder, high cholesterol, borderline diabetic, overweight, alcohol user, and non-smoker, and other pre-existing medical conditions included no known drug allergies. The patient experienced stomach upset when treated with paracetamol for pain. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unk) dose was not reported, administered on 12-APR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 12-APR-2021, the subject experienced dry eyes. On 12-APR-2021, the subject experienced feels lazy. On 12-APR-2021, the subject experienced sleepy. On 13-APR-2021, the subject experienced dizzy. On 13-APR-2021, the subject experienced headache. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from dry eyes, feels lazy, sleepy, headache, and dizzy. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1236289	4/21/2021	CA	51	M		4/9/2021	DIARRHEA; INJECTION SITE REACTION; EYE PAIN; TEETH PAIN; CHILLS; TIREDNESS; HEADACHE; GENERALISED ACHING; This spontaneous report received from a patient concerned a 51 year old male. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 202A21A and expiry: 23-JUN-2021) dose was not reported, administered on 09-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 09-APR-2021, the subject experienced generalised aching. On 09-APR-2021, the subject experienced chills. On 09-APR-2021, the subject experienced tiredness. On 09-APR-2021, the subject experienced headache. On 10-APR-2021, the subject experienced eye pain. On 10-APR-2021, the subject experienced teeth pain. On 14-APR-2021, the subject experienced injection site reaction. On 14-APR-2021, the subject experienced diarrhea. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from generalised aching, and chills on 11-APR-2021, was recovering from tiredness, had not recovered from headache, injection site reaction, eye pain, and teeth pain, and the outcome of diarrhea was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1236234	4/21/2021	WI	47	F	3/16/2021		BLURRY VISION; WEAKNESS; FELT SICK; TIRED; COULDN'T MOVE; DIZZY; This spontaneous report received from a patient concerned a 47 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included non-alcoholic, non-smoker, no cholesterol, and varicose veins, and other pre-existing medical conditions included no known drug allergies and had a watch on eating. family history of varicose veins, thrombosis and blood clots. patient is healthy and exercise regularly. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805031, and expiry: UNKNOWN) dose was not reported, administered on 15-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 16-MAR-2021, the subject experienced couldn't move. On 16-MAR-2021, the subject experienced dizzy. On 16-MAR-2021, the subject experienced felt sick. On 16-MAR-2021, the subject experienced tired. On 18-MAR-2021, the subject experienced blurry vision. On 18-MAR-2021, the subject experienced weakness. Treatment medications (dates unspecified) included: ascorbic acid/ergocalciferol/folic acid/nicotinamide/panthenol/retinol/riboflavin/thiamine hydrochloride. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from couldn't move, felt sick, and tired, had not recovered from dizzy, and the outcome of blurry vision and weakness was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1236211	4/21/2021	CA	59	F		4/11/2021	HEADACHE; DOUBLE VISION; SHORT OF BREATH; PAIN IN LEGS; UNUSUALLY TIRED; This spontaneous report received from a patient concerned a 59 year old female. The patient's weight was 101 kilograms, and height was 60 inches. The patient's concurrent conditions included psoriasis, dry eyes, seasonal allergies-non serious, alcohol use, and non-smoker, and other pre-existing medical conditions included patient had no known drug allergies and not asked drug abuse or illicit drug usage. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported and batch number: 201A21A expiry: UNKNOWN) dose was not reported, administered on 07-APR-2021 for prophylactic vaccination. Concomitant medications included ciclosporin for dry eyes, and etanercept for treatment of psoriasis. On 11-APR-2021, the subject experienced double vision. On 11-APR-2021, the subject experienced short of breath. On 11-APR-2021, the subject experienced pain in legs. On 11-APR-2021, the subject experienced unusually tired. On 12-APR-2021, the subject experienced headache. Treatment medications included: ibuprofen. Laboratory data (dates unspecified) included: Blood test (NR: not provided) Unknown. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from double vision, and pain in legs on 11-APR-2021, and headache on 13-APR-2021, and was recovering from unusually tired, and short of breath. This report was non-serious.
1236320	4/21/2021	MD	37	F	4/12/2021	4/12/2021	Events: muscle soreness; feeling sore in muscles I'd only read about in an undergraduate human anatomy textbook, including the six muscles back of each eye; UNTESTED (as in, no thermometer applied to prove one way or another) fever/chills, unable to focus in the sense of getting some advanced tasks done like job application, though eyes were fine for actual focusing; exhaustion. Treatment: much sleep and acetaminophen. Time Course: about two days post-vaccine, was in bed almost that whole time.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1236210	4/21/2021	OH		F	3/31/2021		FOGGINESS; RUNNY NOSE; WATERY EYES; DROWSINESS; CHILLS; FEVER; FATIGUE; This spontaneous report received from a patient concerned a female of unspecified age. The patient's height, and weight were not reported. The patient's pre-existing medical conditions included never had allergies before. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on 31-MAR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 2021, the subject experienced fatigue. On 31-MAR-2021, the subject experienced chills. On 31-MAR-2021, the subject experienced fever. On APR-2021, the subject experienced fogginess. On APR-2021, the subject experienced runny nose. On APR-2021, the subject experienced watery eyes. On APR-2021, the subject experienced drowsiness. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from fogginess, runny nose, and watery eyes on APR-2021, and chills, and fever on 2021, and the outcome of fatigue and drowsiness was not reported. This report was non-serious.
1236251	4/21/2021			U			YELLOW SPOT IN EYES; 2 KNOTS ON HEAD THAT ARE SORE TO TOUCH; VACCINE WITH TWITCHING; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unk) dose, start therapy date were not reported for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 2021, the subject experienced vaccine with twitching. On an unspecified date, the subject experienced yellow spot in eyes, and 2 knots on head that are sore to touch. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from vaccine with twitching on 2021, and the outcome of yellow spot in eyes and 2 knots on head that are sore to touch was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1236176	4/21/2021	NY	53	F		4/1/2021	PUFFY EYES; ITCHY EYES; BLOWING NOSE; HEADACHE; This spontaneous report received from a patient concerned a female of unspecified age. The patient's height, and weight were not reported. The patient's concurrent conditions included menopause, and headache. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 202A21A, expiry: unknown) dose was not reported, administered on 12-APR-2021 15:30 for prophylactic vaccination. No concomitant medications were reported. On APR-2021, the subject experienced headache. On 13-APR-2021, the subject experienced puffy eyes. On 13-APR-2021, the subject experienced itchy eyes. On 13-APR-2021, the subject experienced blowing nose. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from puffy eyes, itchy eyes, blowing nose, and headache. This report was non-serious.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1236155	4/21/2021	TX	45	F		3/8/2021	ALLERGIC REACTION; SWOLLEN EYELID; VERTIGO; RASH ON NECK; NAUSEA; EYES PUFFY; ITCHY EYES; EAR CLOGGED; EARACHE; RINGING IN EAR; SLEEPY; TIRED; HEADACHE; This spontaneous report received from a patient via Social media concerned a 45 year old female. The patient's height, and weight were not reported. The patient's past medical history included bronchitis, and pneumonia, and concurrent conditions included asthma, and high cholesterol. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805018, expiry: UNNOWN) dose was not reported, administered on 08-MAR-2021 09:30 for prophylactic vaccination. No concomitant medications were reported. On 08-MAR-2021, the subject experienced sleepy. On 08-MAR-2021, the subject experienced severe headache. On 08-MAR-2021, the subject experienced tired. On 21-MAR-2021, the subject experienced earache. On 21-MAR-2021, the subject experienced ringing in ear. On APR-2021, the subject experienced ear clogged. On 05-APR-2021, the subject experienced eyes puffy. On 05-APR-2021, the subject experienced itchy eyes. On 12-APR-2021, the subject experienced swollen eyelid. On 12-APR-2021, the subject experienced vertigo. On 12-APR-2021, the subject experienced rash on neck. On 12-APR-2021, the subject experienced nausea. On an unspecified date, the subject experienced allergic reaction. Treatment medications (dates unspecified) included: triamcinolone, ibuprofen, ciprofloxacin/dexamethasone, azithromycin, and prednisone. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from ringing in ear, was recovering from earache, and nausea, had not recovered from, swollen eyelid, rash on neck, tired, and headache, and the outcome of vertigo, eyes puffy, allergic reaction, sleepy, ear clogged and itchy eyes was not reported. This report was non-serious.
1236121	4/21/2021	VA	52	M	4/15/2021	4/17/2021	I HAVE A LOSS OF MY CENTRAL VISION IN MY RIGHT EYE DUE TO A BLOCKAGE IN MY RETINAL ARTERY (BRANCH RETINAL ARTERY OCCLUSION).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1236055	4/21/2021	FL	22	F		4/8/2021	PASSING OUT; RUPTURED BLOOD VESSEL IN THE EYE; MIGRAINE/SEVERE VOMITING/INABILITY TO RETAIN FLUIDS/NAUSEA; TREMBLING; SWEATING; FELT SICK; FEVER OF 101F; This spontaneous report received from a consumer (father) concerned a 22 year old not Hispanic or Latino, white female. The patient's height, and weight were not reported. The patient's pre-existing medical conditions included patient reported no significant medical history. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 043A21A, expiry: UNKNOWN) dose was not reported, frequency 1 total, administered to left deltoid on 08-APR-2021 11:30 for prophylactic vaccination. No concomitant medications were reported. On 08-APR-2021 20:00, the patient felt sick and was incapacitated by severe vomiting (coded as migraine/severe vomiting/inability to retain fluids/nausea), sweating, trembling, fever of 101 F that resulted in her passing out. Vomiting was so severe that patient was unable to retain fluids and ruptured a blood vessel in her eye (coded as Broken Blood vessel in eye). Patient was hospitalized on 09-APR-2021 at 12:24 am. During hospitalization she received IV fluids and medicines for migraine and nausea and multiple blood samples were collected. Patient was discharged on 09-APR-2021 around 6 AM. Patient was hospitalized for around 6 hours. Patient reported that symptoms had recovered except was still having nausea and ruptured eye vessel from severe vomiting. (it was Confirmed with patient that she had no past medical history of migraine and was referring to her headache as migraine.) Laboratory data included: Body temperature (NR: not provided) 101 F, Blood test (NR: not provided) unknown. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from trembling, sweating, passing out, and felt sick on APR-2021, and fever of 101F, and had not recovered from migraine/severe vomiting/inability to retain fluids/nausea, and ruptured blood vessel in the eye. This report was serious (Other Medically Important Condition).; Sender's Comments: V0-covid-19 vaccine ad26.cov2.s -Passing out, Ruptured blood vessel in the eye, Migraine/severe vomiting/inability to retain fluid/nausea, trembling, sweating. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). 20210422127-covid-19 vaccine ad26.cov2.s -Fever, Felt sick. This event(s) is labeled per RSI and is therefore considered potentially related.
1236113	4/21/2021	CA	45	F		4/10/2021	RIGHT EYE CLEAR LIQUID SECRETION; RIGHT EYE WAS SWOLLEN SHUT; ARM SORENESS; REDNESS OF FACE; SWEATING; This spontaneous report received from a patient concerned a 45 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported and batch number: 202A21A expiry: 23-JUN-2021) dose was not reported, administered on 10-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 10-APR-2021, the subject experienced redness of face. On 10-APR-2021, the subject experienced sweating. On 10-APR-2021, the subject experienced arm soreness. On 12-APR-2021, the subject experienced right eye clear liquid secretion. On 12-APR-2021, the subject experienced right eye was swollen shut. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from right eye clear liquid secretion, and right eye was swollen shut on 12-APR-2021, and redness of face, and sweating on 11-APR-2021, and was recovering from arm soreness. This report was non-serious.; Sender's Comments: V0: Medical assessment comments not required as per standard procedure as the case is considered non serious.
1236348	4/21/2021	OK	54	F	4/17/2021	4/17/2021	Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Severe, Systemic: Excessive Salivation-Severe, Additional Details: Patient received vaccine at 10 AM, left store around 10:15, and noticed symptoms beginning at 10:35 upon arriving at home. Pt only called her physician after the weekend, but mentioned her symptoms were subsiding Sunday eve into Monday morning. Pt has lupus and believed this was initially at problem with her lupus, but physician office says this could have been a reaction to the vaccine

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1236797	4/21/2021	FL	39	F	3/5/2021	3/1/2021	03/04/21 - @2:55pm - Follow up with Dr. on Labs - told left eye was hemorrhaging, and right eye is stable. 03/05/21 @ 6:45-8:50 am - Went for Covid Vaccine (J&J) 03/05/21-03/08/21- Severe Headache, Nausea, and stomach pain 03/11/21 @ 5:30 pm - MRI of the Brain & Orbits 03/12/21 @ 11:30 am - Labs 03/19/21 @ 6:30 am - Lumbar Puncture 03/22/21 call from Dr. explained headaches and severe pain in the head. 03/29/21 - Appt with PCP 04/01/21 @ 2:20 pm Appt with Dr. to follow-up from Labwork 04/07/21 - Vomited 4x - strong pain in stomach 04/08/21 - Appt at Dr. office 04/09/21 @ 5 pm appt with Acupuncture for headaches 04/13/21 ? I woke up to work and could not see anything. Went to Dr. for an emergency visit & testing done. He Confirmed I am hemorrhaging in my right eye as well. 04/15/21 @ 9 am ? appt at Dr. office for Eylea Injection on the right eye. 04/19/21 @ 4 pm appt with (Neurology)
1236106	4/21/2021	SC	59	F			BLURRY VISION; RINGING IN BOTH EARS START IN ONE AND SWITCHES TO OTHER EAR; This spontaneous report received from a patient via a company representative concerned a 59 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1802072, and expiry: UNKNOWN) dose was not reported, administered on 08-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On an unspecified date, the subject experienced blurry vision, and ringing in both ears start in one and switches to other ear. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from blurry vision, and ringing in both ears start in one and switches to other ear. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1236079	4/21/2021	MS	60	F	4/6/2021		This spontaneous report received from a patient concerned a 60 year old female. The patient's weight was 143 kilograms, and height was 65 inches. The patient's past medical history included shingles vaccine, and concurrent conditions included alcoholic, and non smoker, and other pre-existing medical conditions included no known allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 042A21A expiry: UNKNOWN) dose was not reported, administered on 06-APR-2021 13:30 for prophylactic vaccination. No concomitant medications were reported. On 06-APR-2021, the subject experienced heart thumping hard in chest. On 06-APR-2021, the subject experienced foggy feeling in head. On 06-APR-2021, the subject experienced shallow breathing. On 06-APR-2021, the subject experienced violent chills. On 06-APR-2021, the subject experienced fever. On 06-APR-2021, the subject experienced excruciating headache. On 06-APR-2021, the subject experienced fatigue. On 06-APR-2021, the subject experienced body ache. On 06-APR-2021, the subject experienced nausea. Treatment medications included: paracetamol. On an unspecified date, the subject experienced eye running d/t the pain, couldn't stand the light and sound, pure misery, burning up, and full body shaking/came on like a train wreck. Laboratory data (dates unspecified) included: Body temperature (NR: not provided) 103.6 F, 100.5 F. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from heart thumping hard in chest, and violent chills on 07-APR-2021, shallow breathing, fever, and excruciating headache on 08-APR-2021, and body ache on 09-APR-2021, had not recovered from fatigue, and foggy feeling in head, and the outcome of nausea, full body shaking/came on like a train wreck, eye running d/t the pain, couldn't stand the light and sound, burning up and pure misery was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1236054	4/21/2021	CA	64	F		4/1/2021	CRANKY; REDNESS OF EYE; HEADACHE; DIZZINESS; BOTH EYES ARE SWOLLEN AND RED; RIGHT EYE BURNS; VISIBILITY NOT GREAT DUE TO SWELLING OF EYE; CHEEK BONE SWELLING; DIARRHEA; This spontaneous report received from a patient concerned a 64 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included poison oak, abstain from alcohol, and non-smoker, and other pre-existing medical conditions included no illicit drug use. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 042A21A, expiry: UNKNOWN) dose was not reported, administered on 08-APR-2021 11:00 for prophylactic vaccination. No concomitant medications were reported. On APR-2021, the subject experienced diarrhea. On APR-2021, the subject experienced visibility not great due to swelling of eye. On APR-2021, the subject experienced cheek bone swelling. On 08-APR-2021, the subject experienced dizziness. On 08-APR-2021, the subject experienced both eyes are swollen and red. On 08-APR-2021, the subject experienced right eye burns. On 08-APR-2021, the subject experienced headache. On 09-APR-2021, the subject experienced redness of eye. On an unspecified date, the subject experienced cranky. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from headache, had not recovered from both eyes are swollen and red, right eye burns, and dizziness, and the outcome of cranky, diarrhea, cheek bone swelling, visibility not great due to swelling of eye and redness of eye was not reported. This report was non-serious.; Sender's Comments: V0: Medical Assessment comment was not required as per standard procedure as the case assessed as non-serious.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1236143	4/21/2021	PA		U		4/1/2021	COGNITIVE MEMORY RECALL ISSUES; EYE SWELLING; CHILLS; HEADACHE; FATIGUE; FEVER; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 043A21A, and expiry: UNKNOWN) dose was not reported, administered on 08-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On APR-2021, the subject experienced cognitive memory recall issues. On APR-2021, the subject experienced eye swelling. On APR-2021, the subject experienced chills. On APR-2021, the subject experienced headache. On APR-2021, the subject experienced fatigue. On APR-2021, the subject experienced fever. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from cognitive memory recall issues, eye swelling, chills, headache, fatigue, and fever on APR-2021. This report was non-serious.; Sender's Comments: V0: Medical Assessment comment not required as per standard procedure as the case assessed as non-serious.
1236778	4/21/2021	CT	54	M	4/19/2021	4/20/2021	PATIENT CALLED THE PHARMACY AT 9:00AM AND SHOWED SIGNS AND SYMPTOMS OF TONGUE SWELLING, BLURRY VISION AND RAPID HEART BEAT. I NOTIFIED THE PATIENT TO GO TO THE EMERGENCY ROOM IMMEDIATELY.
1236893	4/21/2021		33	F	4/20/2021	4/20/2021	blurred vision, lightheaded - resolved
1236914	4/21/2021	PA	31	F	4/18/2021	4/20/2021	I received my 1st dose vaccine on Sunday, April 18th at 12:00pm. I started to show some uncomfortable symptoms on Tuesday, April 20th around mid-morning. It started with a bad headache and tiredness. By the evening on 4/20/2021 my eyes were sore, my head was pounding, I was extremely tired - just all around feeling unwell. Slept all night. Woke up this morning (4/21/2021) with a continued headache, sore eyes and feeling dizzy and very tired. This is still happening as I fill this form out (10:10am / 4/21/2021)

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1235596	4/21/2021	PA	50	F	1/26/2021	2/13/2021	Shingles. January 26th - Received first Pfizer vaccine at hospital February 8th - infusion of Remicade 500 mg February 13th - skin started to get pins and needles and very painful February 15th - Received second Pfizer vaccine at hospital February 17th - Patches started appearing, extremely painful, went to dermatologist and was diagnosed with Shingles. February 18th - blisters started appearing on right side of face . Cheekbones, nose, under eye, cheek, upper lip
1236038	4/21/2021	TX	34	M		4/8/2021	BURNING SENSATION ALL OVER BODY; RED EYES; HOT EYES; BODY ACHE; HEADACHE; NAUSEA; This spontaneous report received from a consumer concerned a 34 year old male. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 202A218, and expiry: UNKNOWN) dose was not reported, administered on 08-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 08-APR-2021, the subject experienced burning sensation all over body. On 08-APR-2021, the subject experienced red eyes. On 08-APR-2021, the subject experienced hot eyes. On 08-APR-2021, the subject experienced body ache. On 08-APR-2021, the subject experienced headache. On 08-APR-2021, the subject experienced nausea. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from burning sensation all over body, headache, red eyes, body ache, nausea, and hot eyes. This report was non-serious.
1236846	4/21/2021	NJ	44	F	4/19/2021	4/19/2021	since 4/19 with sinus pressure, sore throat, HA, nausea/vomiting, chills, sweats, fatigue, anorexia. then last night 4/20 developed R eye pain and woke up this AM 4/21 with extreme Right eye swelling and pain. no blurred vision, no spots in vision but difficulty opening eye due to swelling.
1236840	4/21/2021	PA	30	F	1/22/2021	1/27/2021	Pins and needle sensation in extremities, swelling in hands and feet, high level of sensitivity to foods that did not cause problems prior to vaccine, digestion issues, eye pain, blurred vision, achy joints, numbness in extremities, enlarged veins. All ongoing.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1236825	4/21/2021	NJ	93	F	3/5/2021	3/10/2021	pt says her throat started burning immediately after taking the vax and she had some difficulty swallowing. her PCP came and checked her vitals. She was observed for about 30 minutes and was able to leave. About 4 or 5 days later she noticed her vision declining. She already has poor vision but seemed to be getting worse. She has a varicose vein on her right leg and her upper right leg is swollen. She will contact her doctors.
1236793	4/21/2021		29	F	4/20/2021	4/20/2021	Complained of nausea, blurred vision, tingling of hand and foot. Symptoms were resolved and patient went home.
1236794	4/21/2021	MI	42	F	4/20/2021	4/21/2021	I am reporting that I nearly fainted early in the morning. I woke up feeling uncomfortable and hot and went to the kitchen for an ibuprofen. I immediately felt wobbly and nauseous. I sat on the floor a minute in the kitchen. Took the ibuprofen and walked back upstairs to my bedroom. Again I felt nauseous and then felt my face get hot, lips tingle, vision get grey, realized I was about to faint and lied down on the floor. A minute later I went back to bed feeling the chills, slept two hours and felt fine when I got up. Checked my Blood Pressure and it was normal. I don't normally faint. It was unexpected.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1236352	4/21/2021	IL		F		4/12/2021	<p>DIZZINESS; BLURRY VISION; SLIGHTLY SWOLLEN RIGHT EYE; BLACK RIGHT EYE; FLU LIKE SYMPTOMS OF GENERAL ACES AND CHILLS; THROBBING PAIN ON RIGHT ARM AT INJECTION SITE; HEADACHE; This spontaneous report received from a patient concerned a 53 year old female. The patient's height, and weight were not reported. The patient's past medical history included iga nephropathy, hypothyroid disease, and anemia, and concurrent conditions included alcohol user, and non smoker, and other pre-existing medical conditions included the patient did not have any drug abuse or illicit drug usage. The patient was previously treated with levothyroxine sodium for hypothyroid disease, iron for anemia, and midazolam hydrochloride for iga nephropathy; and experienced severe full body rash when treated with capsaicin/menthol, and drug allergy when treated with naproxen sodium. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 203A21A, expiry: 23-JUN-2021) dose was not reported, administered on 12-APR-2021 11:00 for prevention of covid 19. No concomitant medications were reported. On 12-APR-2021, the subject experienced throbbing pain on right arm at injection site. On 12-APR-2021, the subject experienced headache. On 13-APR-2021 21:00, the subject experienced flu like symptoms of general aches and chills. On 14-APR-2021, the subject experienced slightly swollen right eye. On 14-APR-2021, the subject experienced black right eye. On 14-APR-2021, the subject experienced dizziness. On 14-APR-2021, the subject experienced blurry vision. Treatment medications (dates unspecified) included: paracetamol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from flu like symptoms of general aches and chills on 14-APR-2021, and had not recovered from slightly swollen right eye, throbbing pain on right arm at injection site, headache, dizziness, blurry vision, and black right eye. This report was non-serious.</p>
1236642	4/21/2021	IN	47	M	4/19/2021	4/20/2021	Low fever, chills, headache, eyes burn, body soreness, throat sore

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1236623	4/21/2021	IN	43	F	4/19/2021	4/19/2021	Hands and feet felt arthritic, nausea before eating, all over body & joint pain, then a debilitating migraine that lasted all day, sinus pressure in ears, around eyes, lethargy
1236612	4/21/2021	AR	46	M	4/3/2021	4/7/2021	ABOUT 5 DAYS AFTER TAKING THE VACCINE BOTH OF MY EYE LIDS APPEARED BRUISED AND PURPLE
1236609	4/21/2021	SC	65	M	3/1/2021	3/2/2021	On 03/02/2021 a day after the first dose I noticed my vision was a little off the next day. It seemed to get better and then on 04/7/2021 I noticed the sight in my right eye was again blurry. My second dose was on 03/22/2021. The sight in my right eye has been getting progressively worse each day. I am now experiencing double vision. I went to an ophthalmologist and got numerous tests performed. After they could find the cause I was sent for an MRI which did not find the cause.
1236574	4/21/2021	NJ	37	M	4/15/2021	4/16/2021	1: Very high fever, starting 15 hours post-injection, peaking at 105.2, resolved within 14 hours from onset. 2: Extreme eye irritation and redness in right eye, which had contact lens in. Onset 18 hours post-injection, resolved approx. 36h later. Removed lens immediately after onset. 3: Extreme eye irritation and redness in left eye, which *did not* have contact lens in. Onset 26h post-injection, resolved approx. 24h later. Note: No reaction to 1st vaccine dose at all, not even injection site soreness. COVID-19 (PCR positive) 5 months prior to 1st dose; sympomatic but mild: low grade fever resolving within 4 hours of onset, anosmia, nasal congestion, moderate headache. No professional treatment sought, treated symptoms with ibuprofen, resolved within 6 days. 2/3 likely coincidental, but due to time proximity to vaccine I wanted to report it in case a pattern emerged.
1236546	4/21/2021	NV	47	F	4/20/2021	4/20/2021	Site: Redness at Injection Site-Mild, Systemic: Allergic: Itch (specify: facial area, extremities)-Mild, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild, Additional Details: pt reported slight swelling in throat but no trouble breathing, paramedics came and checked vitals and cleared, pt was monitored for an hour and given benadryl, syptoms went away and pt left

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1236420	4/21/2021	CO	4	M	4/10/2021	4/10/2021	<p>Around 4:00 pm on 4/12/2021 I began to feel a slight headache and my side effects worsened that evening. I lost my appetite due to the muscle pain, aches, fatigue, and chills that I felt. After taking a nap, I did not feel rested but instead restless. Because of the chills, I put on joggers and a sweatshirt, then proceeded to try and read a book while sitting under a blanket. I was unable to concentrate or focus on my book because of the chills, so I instead watched television. By 9:00 pm, I tried to go to sleep and took my last remaining dose of Tylenol. The aches and chills had only gotten worse and I was still dressed in joggers and sweatshirt as I tried to fall asleep underneath two blankets and quilt. All night long I tossed and turned because of the shivers, aches, and chills. I was unable to sleep for more than 45 to 60 minutes at a time before I woke up again. This happened repeatedly all night and it was very painful. On 4/13/2021 around 8:00 am, I got out of bed with continued shivers, aches, pain, fatigue, headache, and chills. I suffered from these symptoms all day long. Around 3:00 pm I tried to eat spaghetti with meatballs and steamed vegetables, but the spaghetti tasted like cardboard and I was only able to eat some of the vegetable mix. All day long I kept drinking water to stay hydrated and spent most of my time switching from my couch to my bed with restlessness, aches, shivers, and chills. The chills started to subside around 2:00 am on 4/14/2021 after I took a hot shower for about 15 to 20 minutes. Still dressed in joggers and a sweatshirt, this time I tried to sleep under two blankets, but the shivers and chills kept waking me up every 60 to 90 minutes. On 4/14/2021 around 10:00 am, I finally felt well enough to be able to drive to a store to buy ibuprofen. When I got home, I took some and was finally able to take a nap and get some rest. I felt much better after my nap, was able to eat, and go for a small walk. This was my Pfizer second shot and it is worth mentioning that I live alone with no friends or family and I am an COVID-19. I had nobody to call and ask for help or to take care of me. I had to deal with the additional psychological trauma of not being able to ask anyone for help as I worried how long the adverse effects would last. I did not call my doctor because the last time I went in to see him, the facility charged me \$170 for a 20-minute appointment and decided to take more than two months to let me know that I still owed \$119. Everyone at the</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

CDC and other agencies have failed those of us who live alone, especially public health officials, who did absolutely nothing to prepare to help and support people like me during this pandemic. Your ideals of individualism are bad public health policy for those of us who are alone, have nobody to turn to, and do all the right things by wearing masks, getting vaccinated, and staying six feet away from everybody. Yet, we are the ones who suffer the most and have to struggle with adverse effects of pandemic trauma, depression, and other mental health issues in addition to loss of taste and smell. I have not enjoyed food in over six months. It sure would be nice if for the next pandemic you also put together a plan for people who live alone and have nobody to turn to for help because you've failed us in this pandemic.

1236822      4/21/2021   IN

55   M

4/20/2021

4/20/2021

Patient was fine for several hours and was out shopping. Developed headache and dizziness. called wife to pick him up. by time she got there he had developed vomiting. was taken to ER and subsequently admitted to hospital with rotary nystagmus in right eye and slightly less nystagmus in left eye, vertigo, vomiting.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235526	4/21/2021	OK	49	M	4/13/2021	4/13/2021	<p>confusion/was not coherent; blurry vision; vomited; cardiac outcomes went up, from the lab results they were elevated; This spontaneous case was reported by a physician (subsequently medically confirmed) and describes the occurrence of CONFUSIONAL STATE (confusion/was not coherent), VISION BLURRED (blurry vision), VOMITING (vomited) and CARDIAC OUTPUT INCREASED (cardiac outcomes went up, from the lab results they were elevated) in a 49-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The patient's past medical history included No adverse event. On 13-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 13-Apr-2021, the patient experienced CONFUSIONAL STATE (confusion/was not coherent) (seriousness criterion hospitalization), VISION BLURRED (blurry vision) (seriousness criterion hospitalization), VOMITING (vomited) (seriousness criterion hospitalization) and CARDIAC OUTPUT INCREASED (cardiac outcomes went up, from the lab results they were elevated) (seriousness criterion hospitalization). At the time of the report, CONFUSIONAL STATE (confusion/was not coherent), VISION BLURRED (blurry vision), VOMITING (vomited) and CARDIAC OUTPUT INCREASED (cardiac outcomes went up, from the lab results they were elevated) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown), the reporter did not provide any causality assessments. Patient had his first dose of the Moderna COVID-19 vaccine yesterday and immediately felt the vaccine go to his chest and down to the toes; 30-40 minutes after had confusion, blurry vision; he made it to a hospital in Dallas where he vomited, he could not read at the moment, could not call 911, did not know how to send his location, how to call or text, he was not coherent. Was admitted in the ER with altered mental state, he was not responsive when she went to see him. He stayed overnight, his cardiac outcomes went up, from the lab results they were elevated. They performed CT scans, neurological checks, a holter monitor, MRI, multiple blood works and everything was clear.; Sender's Comments: Very limited information regarding these events has been provided at this time. Further</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235663	4/21/2021	CA	36	M	3/27/2021	4/10/2021	information has been requested. I developed a viral infection in my right eye. My doctor suspects it is the herpes simplex 1 virus. I developed symptoms on Saturday that I thought were consistent with something being stuck in my eye or having a scratch on the surface of my eye. I saw my doctor on Monday and he confirmed that I had a viral eye infection. He believes HSV 1 is the most likely cause. I have never had another symptomatic infection from that virus (no cold sores or other eye infections). I started taking oral valtrex and prescription eye gel drops. I am still taking the medication and will consult with my doctor once I've completed the current course of pills.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235650	4/21/2021	CO	62	F	3/3/2021		<p>took 3 steps and just blacked out and passed out; coughing; black eye; didn't remember losing her consciousness; When she sneezes or cough her chest hurts; can't turn over while sleeping at night; she has not gotten back to normal; This spontaneous case was reported by a consumer and describes the occurrence of LOSS OF CONSCIOUSNESS (took 3 steps and just blacked out and passed out) in a 62-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 019B21A and 011A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No reported medical history.). On 03-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 01-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient experienced LOSS OF CONSCIOUSNESS (took 3 steps and just blacked out and passed out) (seriousness criterion medically significant), COUGH (coughing), EYE CONTUSION (black eye), MEMORY IMPAIRMENT (didn't remember losing her consciousness), CHEST PAIN (When she sneezes or cough her chest hurts), MOVEMENT DISORDER (can't turn over while sleeping at night) and FEELING ABNORMAL (she has not gotten back to normal). At the time of the report, LOSS OF CONSCIOUSNESS (took 3 steps and just blacked out and passed out), COUGH (coughing), EYE CONTUSION (black eye), MEMORY IMPAIRMENT (didn't remember losing her consciousness), CHEST PAIN (When she sneezes or cough her chest hurts), MOVEMENT DISORDER (can't turn over while sleeping at night) and FEELING ABNORMAL (she has not gotten back to normal) had not resolved. Not Provided Treatment information was provided as tylenol. No concomitant information was provided. Patient mentioned she is a vegan no meat, dairy, does not take pills. Woke up next morning, she had a black eye, her reading glasses were broken, didn't remember losing her consciousness. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Further information has been requested. This</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							case was linked to MOD-2021-076632 (Patient Link). Reporter did not allow further contact; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Further information has been requested.
1235647	4/21/2021	CA	57	F	4/17/2021	4/18/2021	Pain and swelling in cheeks and around eyes where dermal fillers were previously injected.
1235602	4/21/2021	CA	40	F	4/9/2021	4/20/2021	Started getting a blurry circle in my vision around 11am. It kept bothering me. I kept closing my eye and thinking it was just something bright I looked at that made the circle appear, but then I couldn't really see and there was a white line that snaked around and started strobing a few different colors and my eye felt lazy and heavy. This lasted around 25-30 minutes. I have never experienced this before in my life and really freaked me out thinking I had a stroke, but could walk and talk fine and

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235595	4/21/2021	TX		F	3/13/2021	4/9/2021	<p>Was not responding/wouldn't open her eyes; Very sick; Her pupils were dilated; Hypoxia; Life support; This spontaneous case was reported by a consumer and describes the occurrence of LOSS OF CONSCIOUSNESS (Was not responding/wouldn't open her eyes), ILLNESS (Very sick), MYDRIASIS (Her pupils were dilated), HYPOXIA (Hypoxia) and LIFE SUPPORT (Life support) in a 73-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 040A21A) for COVID-19 vaccination. The patient's past medical history included No adverse event (No medical history). On 13-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 09-Apr-2021, the patient experienced LOSS OF CONSCIOUSNESS (Was not responding/wouldn't open her eyes) (seriousness criteria hospitalization and medically significant), ILLNESS (Very sick) (seriousness criterion hospitalization), MYDRIASIS (Her pupils were dilated) (seriousness criterion hospitalization), HYPOXIA (Hypoxia) (seriousness criterion hospitalization) and LIFE SUPPORT (Life support) (seriousness criterion hospitalization prolonged). The patient was hospitalized from 09-Apr-2021 to 11-Apr-2021 due to LIFE SUPPORT, then on 09-Apr-2021 due to HYPOXIA, ILLNESS, LOSS OF CONSCIOUSNESS and MYDRIASIS. On 11-Apr-2021, LOSS OF CONSCIOUSNESS (Was not responding/wouldn't open her eyes), ILLNESS (Very sick), MYDRIASIS (Her pupils were dilated), HYPOXIA (Hypoxia) and LIFE SUPPORT (Life support) had resolved. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 09-Apr-2021, Oxygen saturation: low (Low) low. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. The patient was on life support. Very little regarding these events has been provided at this time. Further information has been requested. Based on the current available information and the temporal association between product use and the start date of the events a causal relationship cannot be exclude.; Sender's Comments: Very little regarding these events has been provided at this time. Further information has been requested. Based on the current available information and the temporal association between product use and the start date of the</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							events a causal relationship cannot be exclude.
1235592	4/21/2021	NH	34	F	4/19/2021	4/19/2021	Sore throat, headache, chills, sweats, itchy/burning eyes, feeling "off", nausea, diarrhea, lethargy, body aches. No treatment outside of home as of yet. Hydration, rest, OTC cold/flu medications to help decrease symptoms.
1235586	4/21/2021	MI	24	F	4/8/2021	4/8/2021	April 8th at 11pm I started to have slight body aches. I woke up at 3am with intense body aches/ chills/sweats, felt like I had a cabin fever for the entire day of April 9th. I felt dizzy, had a headache, my eyes aches and very very fatigued and couldn't eat. Night of April 9th I started to not feel so dizzy but I was very very hot and could not cool down. Ever since April 10th I've have runny/stuffy nose/ body aches, sore throat, I developed a cough week of April 12th, eyes ached and very very fatigued. Today, April 21st, I am still a little fatigued, little soar throat, but runny/stuff nose still, and body soreness/aches.
1235639	4/21/2021	CA	56	M	4/1/2021	4/2/2021	?Pfizer-BioNTech COVID-19 Vaccine EUA The following morning after receiving my first vaccination, I woke up with a few small hives around various parts of my body. My arms, chest, back, and legs. As the day went on and I moved around, the hives disappeared. Before going to bed, I noticed that my left eye was mildly swollen. The next morning, I woke up and the hives returned. Again, after moving around, the hives went away. Later in the late afternoon and into the evening, I noticed that both of my eyes were swollen and so was my upper lip. I woke up and the hives returned, only one eye was swollen and my lip was swollen. By later in the afternoon, the hives and swelling had just about disappeared. The following morning, I was back to normal with no hives and no swelling around my eyes or lips.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235536	4/21/2021	TX	65	M	2/28/2021	3/29/2021	stroke; Completely lost vision in right eye which came back; migraine; fatigued kicked in, very tired,exhausted; nauseated; throwing up; This spontaneous case was reported by a physician (subsequently medically confirmed) and describes the occurrence of CEREBROVASCULAR ACCIDENT (stroke) and BLINDNESS TRANSIENT (Completely lost vision in right eye which came back) in a 65-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. ASKU and ASKU) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Stroke. Concomitant products included METFORMIN, LISINOPRIL, GLIMEPIRIDE, ROSUVASTATIN CALCIUM (CRESTOR), PIOGLITAZONE HYDROCHLORIDE (ACTOS) and CANAGLIFLOZIN (INVOKANA [CANAGLIFLOZIN]) for an unknown indication. On 28-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 28-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 29-Mar-2021, the patient experienced MIGRAINE (migraine), FATIGUE (fatigued kicked in, very tired,exhausted), NAUSEA (nauseated) and VOMITING (throwing up). On 06-Apr-2021, the patient experienced CEREBROVASCULAR ACCIDENT (stroke) (seriousness criterion hospitalization) and BLINDNESS TRANSIENT (Completely lost vision in right eye which came back) (seriousness criterion medically significant). The patient was hospitalized from 06-Apr-2021 to 09-Apr-2021 due to CEREBROVASCULAR ACCIDENT. On 01-Apr-2021, MIGRAINE (migraine), FATIGUE (fatigued kicked in, very tired,exhausted), NAUSEA (nauseated) and VOMITING (throwing up) had resolved. On 09-Apr-2021, CEREBROVASCULAR ACCIDENT (stroke) and BLINDNESS TRANSIENT (Completely lost vision in right eye which came back) had resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Treatment reported during hospital included IV blood thinner ,Xarelto 20mg. Metoprolol Tartrate 25mg, Amiodarone 200mg, after

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

second dose. Company comment: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded. This case was linked to MOD-2021-076248 (Patient Link).; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded. .

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235684	4/21/2021	IL	71	F	2/5/2021	3/8/2021	<p>If not 100 % sure but she may had an ischemic stroke,This is not normal; viral meningitis; chills; vision problems,vision problem was bad; hearing problems; This spontaneous case was reported by a consumer and describes the occurrence of ISCHAEMIC STROKE (If not 100 % sure but she may had an ischemic stroke,This is not normal) and MENINGITIS VIRAL (viral meningitis) in a 71-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. QQ2A21 and 038K20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No reported medical history.). On 05-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 07-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 08-Mar-2021, the patient experienced VISION BLURRED (vision problems,vision problem was bad) and HEARING DISABILITY (hearing problems). On an unknown date, the patient experienced ISCHAEMIC STROKE (If not 100 % sure but she may had an ischemic stroke,This is not normal) (seriousness criterion medically significant), MENINGITIS VIRAL (viral meningitis) (seriousness criterion medically significant) and CHILLS (chills). At the time of the report, ISCHAEMIC STROKE (If not 100 % sure but she may had an ischemic stroke,This is not normal), MENINGITIS VIRAL (viral meningitis), VISION BLURRED (vision problems,vision problem was bad), HEARING DISABILITY (hearing problems) and CHILLS (chills) outcome was unknown. Action taken with mRNA-1273 in response to the events was not Applicable. Treatment medication includes: Blood thinner Rosuvastatin, 81mg aspirin. Additional information:After second dose had chills but she hear from people who had fever, chills and etc. Woke up on Monday March 8 with vision problems, hearing problems. She waited 8 days until she went to the doctor because everybody says had a reaction but this was getting worse. Went to eye doctor because of vision problem was bad, on March 18 4 weeks after first symptoms appears, optometrist send to her internist and after consultation, on March 23 had 2 MRI head and brain. March 26 had contrast MRI brain, send her for a carotid study in her neck. Went to</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

the internist again, April 2 send to spinal test. April 5 echocardiogram, yesterday went to first appointment with her vision therapeutics. This morning went to the neurologist send her for 2 more brain MRI. If not 100 % sure but she may had an ischemic stroke, doctor will confirm it with the studies. Neurologist confirm she has viral meningitis and the symptoms are similar with ischemic stroke, but that is not confirmed yet. Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. Further information is requested.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. Further information is requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235524	4/21/2021	NY	78	F	2/20/2021	3/3/2021	collagenos colitis; Migraine; the arm starting hurting; This spontaneous case was reported by a nurse (subsequently medically confirmed) and describes the occurrence of COLITIS MICROSCOPIC (collagenos colitis) in a 78-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 015M20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Breast cancer, Chronic pain (left arm), Colitis collagenous and Mastectomy bilateral on 20-Oct-2011. Concurrent medical conditions included Headache. Concomitant products included CICLOSPORIN (RESTASIS) for Dry eye, COLECALCIFEROL (VITAMIN D 3) for Nutritional supplement, LORAZEPAM for Sleep disorder NOS. On 20-Feb-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 03-Mar-2021, the patient experienced COLITIS MICROSCOPIC (collagenos colitis) (seriousness criterion medically significant), MIGRAINE (Migraine) and PAIN IN EXTREMITY (the arm starting hurting). At the time of the report, COLITIS MICROSCOPIC (collagenos colitis), MIGRAINE (Migraine) and PAIN IN EXTREMITY (the arm starting hurting) had not resolved. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. The patient had previous health issues and these problems returned with vengeance. The patient had a history of headaches but mild she started having migraines. The patient had breast surgery and had previously had problems in her left arm because of infections and had 12 surgeries. The arm got better and haven't had any pain in years. The arm was started hurting again. The patient was diagnosed with collagenous colitis. It hasn't bothered her in many years. It was back and worse than ever. Treatment information was not provided. Action taken with mRNA-1273 in response to the event was not applicable. Company Comment: This case concerns a 78-year-old female with PMH of collagenous colitis, had a serious unexpected event of colitis microscopic, and non-serious unexpected migraine and pain in extremity. Event onset 12 days after second dose mRNA-1273. Event ongoing. Based on current available information and temporal association between the use of the product

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

and the start date of the event, a causal relationship cannot be excluded. This case was linked to MOD-2021-075459 (Patient Link).; Sender's Comments: This case concerns a 78-year-old female with PMH of collagenous colitis, had a serious unexpected event of colitis microscopic, and nonserious unexpected migraine and pain in extremity. Event onset 12 days after second dose mRNA-1273. Event ongoing. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235522	4/21/2021	NY		F	1/18/2021	3/3/2021	collagenos colitis; arm started hurting again; migraine; This spontaneous case was reported by a nurse (subsequently medically confirmed) and describes the occurrence of COLITIS MICROSCOPIC (collagenos colitis) in a 79-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 026L20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Cancer on 20-Oct-2011 and Mastectomy bilateral on 20-Oct-2011. Concurrent medical conditions included Allergic reaction to food since January 2021, Iodine allergy since January 2021, Pain in arm (Pain returned) since January 2021, Headache aggravated (Got much worse) since January 2021 and Colitis collagenous (went away and now has returned) since January 2021. Concomitant products included CICLOSPORIN (RESTASIS) for Dry eyes, LORAZEPAM for Sleep disorder, VITAMIN D NOS for an unknown indication. On 18-Jan-2021 at 3:15 PM, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) .5 milliliter. On 03-Mar-2021, the patient experienced MIGRAINE (migraine). On an unknown date, the patient experienced COLITIS MICROSCOPIC (collagenos colitis) (seriousness criterion medically significant) and LIMB DISCOMFORT (arm started hurting again). At the time of the report, COLITIS MICROSCOPIC (collagenos colitis) and LIMB DISCOMFORT (arm started hurting again) outcome was unknown and MIGRAINE (migraine) had not resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Company Comment: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. This case was linked to MOD-2021-075934 (Patient Link).; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1235511	4/21/2021	NJ	66	F	3/18/2021	3/28/2021	Experienced very high blood pressure/blood pressure was 190/119; The blood vessel broke in her left eye/ there was blood in half of her eyes; Very high heart rate/heart rate was 126/heart rate was 150 and she did not even feel it; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of HYPERTENSION (Experienced very high blood pressure/blood pressure was 190/119), EYE HAEMORRHAGE (The blood vessel broke in her left eye/ there was blood in half of her eyes) and HEART RATE INCREASED (Very high heart rate/heart rate was 126/heart rate was 150 and she did not even feel it) in a 66-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 006B21A) for COVID-19 vaccination. Concurrent medical conditions included Crohn's disease and Colitis. Concomitant products included MESALAMINE for Crohn's disease and Colitis. On 18-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 28-Mar-2021, the patient experienced HYPERTENSION (Experienced very high blood pressure/blood pressure was 190/119) (seriousness criterion hospitalization), EYE HAEMORRHAGE (The blood vessel broke in her left eye/ there was blood in half of her eyes) (seriousness criterion hospitalization) and HEART RATE INCREASED (Very high heart rate/heart rate was 126/heart rate was 150 and she did not even feel it) (seriousness criterion hospitalization). At the time of the report, HYPERTENSION (Experienced very high blood pressure/blood pressure was 190/119) had resolved and EYE HAEMORRHAGE (The blood vessel broke in her left eye/ there was blood in half of her eyes) and HEART RATE INCREASED (Very high heart rate/heart rate was 126/heart rate was 150 and she did not even feel it) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 15-Mar-2021, Blood pressure measurement: 141/90. On 16-Mar-2021, Blood pressure measurement: 136/84. On 17-Mar-2021, Blood pressure measurement: 140/91. On 22-Mar-2021, Blood pressure measurement: 155/94. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Patient reported to be treated with beta blockers and test were performed and came out "okay".

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

No further information regarding test results or types of tests was provided.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235498	4/21/2021	OR	69	F	3/12/2021	3/12/2021	<p>started feeling belly muscle twitches in her belly area it hurts and disturbing; left side of her head she had twitches near to ear; at the same time she felt trembling in her bod; she can still feel nerve on her right side of her face near to eye; not feeling well; face wash flushed; heart rate was up; feeling loose; blood pressure, it was up than the normal; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of MALAISE (not feeling well), ERYTHEMA (face wash flushed), HEART RATE INCREASED (heart rate was up), FEELING ABNORMAL (feeling loose), HYPERTENSION (blood pressure, it was up than the normal), MUSCLE TWITCHING (started feeling belly muscle twitches in her belly area it hurts and disturbing), MUSCLE TWITCHING (left side of her head she had twitches near to ear), TREMOR (at the same time she felt trembling in her bod) and NEURALGIA (she can still feel nerve on her right side of her face near to eye) in a 69-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The patient's past medical history included No adverse event (No reported medical history). Concomitant products included METHIMAZOLE for an unknown indication. On 12-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 12-Mar-2021, the patient experienced MALAISE (not feeling well) (seriousness criterion hospitalization), ERYTHEMA (face wash flushed) (seriousness criterion hospitalization), HEART RATE INCREASED (heart rate was up) (seriousness criterion hospitalization), FEELING ABNORMAL (feeling loose) (seriousness criterion hospitalization) and HYPERTENSION (blood pressure, it was up than the normal) (seriousness criterion hospitalization). On 16-Mar-2021, the patient experienced MUSCLE TWITCHING (started feeling belly muscle twitches in her belly area it hurts and disturbing) (seriousness criterion hospitalization), MUSCLE TWITCHING (left side of her head she had twitches near to ear) (seriousness criterion hospitalization), TREMOR (at the same time she felt trembling in her bod) (seriousness criterion hospitalization) and NEURALGIA (she can still feel nerve on her right side of her face near to eye) (seriousness criterion hospitalization). At the time of the report, MALAISE (not feeling well), ERYTHEMA</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

(face wash flushed), HEART RATE INCREASED (heart rate was up), FEELING ABNORMAL (feeling loose), HYPERTENSION (blood pressure, it was up than the normal), MUSCLE TWITCHING (started feeling belly muscle twitches in her belly area it hurts and disturbing), MUSCLE TWITCHING (left side of her head she had twitches near to ear), TREMOR (at the same time she felt trembling in her bod) and NEURALGIA (she can still feel nerve on her right side of her face near to eye) outcome was unknown. Not Provided The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Concomitant medication consisted of thyroid medication and graves disease medication. This case concerns a 69-year-old female hospitalized with serious unexpected events of malaise, feeling abnormal, hypertension, heart rate increased, feeling abnormal, neuralgia, muscle twitching, tremor, and erythema. Event onset "within 10 minutes" after the first dose of mRNA-1273. Event outcomes unknown. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. Reporter did not allow further contact; Sender's Comments: This case concerns a 69-year-old female hospitalized with serious unexpected events of malaise, feeling abnormal, hypertension, heart rate increased, feeling abnormal, neuralgia, muscle twitching, tremor, and erythema. Event onset "within 10 minutes" after the first dose of mRNA-1273. Event outcomes unknown. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235490	4/21/2021	IL	71	F	1/26/2021	3/3/2021	<p>a fib was worse (more erratic heartbeat); eyelid and under the eye looked bruised like a shiner; red markings along side the folds of the nose; face is still red and swollen; slightly elevated blood pressure; lips were swollen; rash running along same side of body as injection; soreness at injection site; redness at the injection site; This spontaneous case was reported by a consumer and describes the occurrence of HEART RATE INCREASED (a fib was worse (more erratic heartbeat)) in a 71-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 026120A and 010A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Stroke in February 2000. Concurrent medical conditions included Allergy and Chronic atrial fibrillation. Concomitant products included APIXABAN (ELIQUIS) and NAPHAZOLINE HYDROCHLORIDE (EYE DROPS [NAPHAZOLINE HYDROCHLORIDE]) for an unknown indication. On 26-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 03-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 03-Mar-2021, the patient experienced RASH (rash running along same side of body as injection), VACCINATION SITE PAIN (soreness at injection site) and VACCINATION SITE ERYTHEMA (redness at the injection site). On 10-Mar-2021, the patient experienced HEART RATE INCREASED (a fib was worse (more erratic heartbeat)) (seriousness criterion medically significant), PERIORBITAL HAEMORRHAGE (eyelid and under the eye looked bruised like a shiner), ERYTHEMA (red markings along side the folds of the nose), SWELLING FACE (face is still red and swollen), BLOOD PRESSURE INCREASED (slightly elevated blood pressure) and LIP SWELLING (lips were swollen). On 06-Mar-2021, RASH (rash running along same side of body as injection) and VACCINATION SITE ERYTHEMA (redness at the injection site) had resolved. On 17-Mar-2021, PERIORBITAL HAEMORRHAGE (eyelid and under the eye looked bruised like a shiner), ERYTHEMA (red markings along side the folds of the nose) and LIP SWELLING (lips were swollen) had resolved. At the time</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							of the report, HEART RATE INCREASED (a fib was worse (more erratic heartbeat)) and BLOOD PRESSURE INCREASED (slightly elevated blood pressure) outcome was unknown, SWELLING FACE (face is still red and swollen) had not resolved and VACCINATION SITE PAIN (soreness at injection site) had resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Treatment Hydrocortisone cream to face. Very limited information regarding these events has been provided at this time. Further information has been requested.; Sender's Comments: Very limited information regarding these events has been provided at this time. Further information has been requested.
1236918	4/21/2021	MA		F	4/21/2021	4/21/2021	Patient called the COVID-19 Nurse Hotline with post-dose vaccine related symptoms or guidance. Pt informed that when she woke this morning and went to the bathroom and loss control of her legs, she started to fall to the ground her husband tried to help her to the ground where she started to have vision changes described as bright lights and then she blacked out and her husband states she hit her head on the ground after she lost control of her ability to hold up her neck. Pt states that she is still on the ground while having this conversation. She states she is able to move each individual limb and head but is unable to support herself to stand or sit. She reports she started with a restless night, pain in ankle from falling, headache, nausea, soreness and swelling of the L arm. Pt's husband was asked to bring pt to the ER since she is still unable to move. They agree with this plan and teaching given per CDC recommendation.
1237444	4/21/2021		26	F	4/16/2021	4/21/2021	Migraine symptoms. Couldn't see, had blind spots, difficulty driving. Used cold compress on eyes and forehead in a dark room for 30 mins and symptoms seemed to go away.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235550	4/21/2021	MO	38	F	3/12/2021	4/10/2021	Uveitis; Inflammatory eye condition flared up; Flu like symptoms; This spontaneous case was reported by a pharmacist (subsequently medically confirmed) and describes the occurrence of UVEITIS (Uveitis) in a 38-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 042B21A and 012A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No medical history reported). On 12-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 09-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 10-Apr-2021, the patient experienced INFLUENZA LIKE ILLNESS (Flu like symptoms). On 11-Apr-2021, the patient experienced UVEITIS (Uveitis) (seriousness criterion medically significant) and EYE INFLAMMATION (Inflammatory eye condition flared up). At the time of the report, UVEITIS (Uveitis), INFLUENZA LIKE ILLNESS (Flu like symptoms) and EYE INFLAMMATION (Inflammatory eye condition flared up) had not resolved. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Concomitant product use was not provided by the reporter. Patient went to Ophthalmologist and confirmed her condition as Uveitis. Treatment information was not provided. The patient received both scheduled doses of mRNA-1273 prior to the event; therefore, action taken with the drug in response to the event is not applicable. Company Comment - Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235783	4/21/2021	MN	33	F	4/5/2021	4/5/2021	Blood Vessel Burst in left eye; Brain fog; Dizziness; Fatigue; Nausea; Soreness; Headache; This is a spontaneous report from a contactable consumer. A 33-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), first dose at the age of 33-years -old via an unspecified route of administration, administered in arm left on 05Apr2021 14:45 (Batch/Lot Number: EW0151) as single dose for covid-19 immunisation. Medical history included polycystic ovaries from an unknown date and unknown if ongoing, gallbladder removed on an unspecified date, allergies: Sulfa from an unknown date and unknown if ongoing. Concomitant medications included calcium; colecalciferol (D3); fish oil; bifidobacterium bifidum, bifidobacterium lactis, bifidobacterium longum, lactobacillus acidophilus, lactobacillus rhamnosus (PROBIOTIC); clarithromycin (CLARITIN); all taken for an unspecified indication, start and stop date were not reported. The patient previously took amoxicillin and experienced allergies. The patient experienced blood vessel burst in left eye, brain fog, dizziness, fatigue, nausea, soreness and headache on 05Apr2021 17:00. It was unknown if treatment was received for the events. The patient did not recover from the events.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235989	4/21/2021	SC		F		4/8/2021	BLISTER ON OPPOSITE ARM OF INJECTION WITH PURPLE POOLING BLOOD UNDERNEATH/WIDE AREA OF NEEDLE STICK LOOKING DOTS OF BLOOD; BRUISING ON OPPOSITE ARM OF INJECTION; RASH ON OPPOSITE ARM OF INJECTION; BLURRING OF VISION; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 207A21A, and expiry: UNKNOWN) dose was not reported, administered on 08-APR-2021 13:00 for prophylactic vaccination. No concomitant medications were reported. On 08-APR-2021, the subject experienced blurring of vision. On 09-APR-2021, the subject experienced rash on opposite arm of injection. On 09-APR-2021, the subject experienced blister on opposite arm of injection with purple pooling blood underneath/wide area of needle stick looking dots of blood. On 09-APR-2021, the subject experienced bruising on opposite arm of injection. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from blurring of vision, rash on opposite arm of injection, blister on opposite arm of injection with purple pooling blood underneath/wide area of needle stick looking dots of blood, and bruising on opposite arm of injection. This report was non-serious.; Sender's Comments: V0 Medical assessment comment not required as per standard procedure as the case was assessed as non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235970	4/21/2021	CA		F	4/6/2021		<p>HIVES ON HER RIGHT ARM; BLOODY DIARRHEA; BLOOD FROM A HEMORRHOIDS; HUGE MIGRAINE/VISION IMPACTED; This spontaneous report received from a patient concerned a 64 year old female. The patient's weight was 208 pounds, and height was not reported. The patient's past medical history included breast cancer left side, and hay fever, and concurrent conditions included allergic to anti-seizure drug cipro, pregabalin (Lyrica) and gabapentin, irritable bowel syndrome (IBS) (C and D), chronic migraines, hashimoto disease, seizures, non alcohol user, and non smoker. The patient did not have any drug abuse, illicit drug use. The patient received Covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown, Expiry: Unknown) dose was not reported, 1 total dose administered on 06-APR-2021 in right arm for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 06-APR-2021, after 45 min of vaccination, the patient experienced a huge migraine, which was worst in her life due to which she could hardly make it home. Her vision was impacted. On the same day, in evening she developed bloody diarrhea, blood from a hemorrhoid. She believed, the vaccine has exacerbated her underlying medical conditions. She also reported that, when she took off her clothing, she noticed that she developed hives on her right arm. The action taken with Covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from huge migraine/vision impacted on 07-APR-2021, and had not recovered from hives on her right arm, bloody diarrhea, and blood from a hemorrhoids. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210420554-Covid-19 vaccine ad26.cov2.s-Bloody diarrhea. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235958	4/21/2021	GA		M		4/7/2021	PASSED OUT; ERRATIC BODILY MOVEMENT FOR THREE SECONDS; CONFUSED; SLOUCHED OVER IN CHAIR LIKE HE PASSED OUT; STARTLED; PALE; DID NOT KNOW NAME; FELT TIRED; This spontaneous report received from a health care professional concerned a male of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 201A21A expiry: UNKNOWN) dose was not reported, administered on 07-APR-2021 for prophylactic vaccination. No concomitant medications were reported. It was reported that on 07-APR-2021, the patient while sitting in the observation area slouched over in chair like he had passed out. On 07-APR-2021, he began to have erratic bodily movement for three seconds. He lowered to the floor. He opened his eyes and was very startled and confused. He did not know name. He was evaluated by emergency medical services (EMS), and all the tests were normal. He refused transfer to the hospital. On 07-APR-2021, he complaint of feeling tired, and was pale. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the erratic bodily movement for three seconds, confused, felt tired, slouched over in chair like he passed out, startled, pale, passed out and did not know name was not reported. This report was serious (Other Medically Important Condition). This case, from the same reporter is linked to 20210417256, 20210417209, 20210417456 and 20210417122.; Sender's Comments: V0-20210417550- Covid-19 vaccine ad26.cov2.s-Passed out. This event is considered unassessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235834	4/21/2021			U	2/16/2021	3/7/2021	right eye hemorrhage; whole part of my eye is dark blood red; Headache; This is a spontaneous report from a contactable consumer (patient). A patient of unspecified age and gender received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration on 16Feb2021 (Batch/Lot number was not reported) as SINGLE DOSE for covid-19 immunisation. The patient medical history and concomitant medications were not reported. The patient experienced right eye hemorrhage; whole part of my eye is dark blood red (medically significant) on 07Mar2021 with outcome of unknown, headache off and on ever since patient had that first vaccine (non-serious) on an unspecified date in 2021 with outcome of unknown. Patient did not know if this were related to the vaccine. Patient had the second vaccine on 09Mar2021. Information on the lot/batch number has been requested.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235810	4/21/2021	OH	26	F	4/2/2021	4/8/2021	arm was starting to go numb/get heavy; tingling/pins and needles type feeling start migrating to and from my toes, up both of my legs, through my torso, and then into my finger tips and arms; then that my vision started getting blurry; heart rate started elevating to a point where I even had to put my bf's hand on my chest to show him; lightheaded feeling; This is a spontaneous report from a contactable consumer or other non hcp reporting for herself. A 26-years-old female patient received bnt162b2 (BNT162B2), dose 1 via an unspecified route of administration, administered in Arm Left on 02Apr2021 12:15 (Batch/Lot Number: EW 0150) as single dose for covid-19 immunisation . Medical history included attention deficit hyperactivity disorder (ADHD). Concomitant medications included amfetamine aspartate, amfetamine sulfate, dexamfetamine saccharate, dexamfetamine sulfate (ADDERALL) taken for an unspecified indication, start and stop date were not reported. The patient previously took vicodin and experienced drug hypersensitivity, morphine and experienced drug hypersensitivity. The patient experienced arm was starting to go numb/get heavy on 08Apr2021 23:45 with outcome of not recovered , tingling/pins and needles type feeling start migrating to and from my toes, up both of my legs, through my torso, and then into my finger tips and arms on 08Apr2021 23:45 with outcome of not recovered , then that my vision started getting blurry on 08Apr2021 23:45 with outcome of not recovered , heart rate started elevating to a point where i even had to put my bf's hand on my chest to show him on 08Apr2021 23:45 with outcome of not recovered , lightheaded feeling on 08Apr2021 23:45 with outcome of not recovered. All the reported events were considered serious because Important Medical Events. The patient underwent lab tests and procedures which included heart rate: started elevating on 08Apr2021 , sars-cov-2 test: negative on 06Apr2021 (covid test name post vaccination: Sofia SARS Antigen FIA). The patient visited her PCP and a Bloodwork was scheduled. Follow up information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235802	4/21/2021		43	F	4/1/2021	4/1/2021	<p>I haven't slept in days; I had headache so badly that my right eye which is to the opposite side to where I got the shot/ like whenever I take a step to walk it's feels like my head is going to explode; really bad back ache; My face and my back started getting like hot, like heat, like very hot reaction/like radiating heat in my back it is like surrounding my spine, its right in the middle of my back; It feels like heat and pressure around my spine area; high pressure behind the right eye; My arm started hurting; the arm I got the shot in; This is a spontaneous report received from a non-contactable consumer (patient). A 43-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number ER8733), intramuscular (reported as in the muscle) in left arm on 01Apr2021 (at the age of 43-year-old) at 0.3 ml, single for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. Patient stated that initially, right afterward she meant her arm started hurting which was normal the arm she got the shot in, she wasn't worried about that. But then her face and her back started getting like hot, like heat, like very hot reaction. She did not know how to describe it, it was like radiating heat in her back it was like surrounding her spine, it was right in the middle of her back. It felt like heat and pressure around her spine area. And in her head, it had not lit up. She had headache so badly that her right eye which was to the opposite side to where she got the shot. She had very high pressure behind the right eye. It was literally like whenever she took a step to walk it was felt like her head was going to explode. It was for her a headache and really bad back ache. When paraphrased the above concern, patient stated It was for days at the time of this report. First adverse reaction was on the actual day that she received the vaccine that was 01Apr2021. Second shot was reported as 29Apr2021. When probed for if patient still experiencing adverse event patient stated that she was still experiencing. As per outcome of event patient stated for its persisting. As per treatment she took an ibuprofen (ADVIL) for the first-time last night before the present report. Just because she needed to get sleep. She had not slept in days. So, she took ADVIL to get rid of the pain last night that was only the things she had done since Thursday 01Apr2021. But it didn't even work. She woke up and felt the exact</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

---

same. Dose of Advil was reported as 200 mg, she took one 200 mg tablet. She just took it the day before the present report (04Apr2021). The outcome of the events was not resolved. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235800	4/21/2021	IN	63	M	3/17/2021	4/1/2021	high fever (over 102, 103.7, 102.7, 99 or 100); Blurred vision; shaking like crazy; has no energy; it was double vision, like looking in a fun house mirror; he is still freezing; does not feel like himself; Had been feeling tired and rundown; Headache; horrible chills; night sweats; This is a spontaneous report from a contactable consumer (sister). A 63-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration on 17Mar2021 (Batch/Lot number was not reported) as single dose for covid-19 immunisation. Patient medical history: no. Family medical history: no. The patient's concomitant medications were not reported. Vaccination facility type: hospital. Vaccine administered at military facility: no. The patient experienced high fever (over 102, 103.7, 102.7, 99 or 100) on 04Apr2021, blurred vision on 04Apr2021, headache on 2021, horrible chills on 2021, night sweats on 2021, shaking like crazy on Apr2021, has no energy on Apr2021, had been feeling tired and rundown on 2021, it was double vision, like looking in a fun house mirror on Apr2021, he was still freezing on Apr2021, did not feel like himself on Apr2021. On Saturday, her brother was out shopping with her and stated that he felt very tired and run down and had a headache. He started running a high fever but stuck it out at home. On 04Apr2021, he was taken to the emergency room and admitted to the hospital. They had been running test after test and can't seem to find anything wrong. The doctor thought that it was some kind of reaction to the vaccine. The patient was still running a high fever over 102 and was still experiencing fatigue and headaches on and off, and horrible chills and night sweats. The patient wanted to wait until the day after Easter to go to the hospital but started experiencing new symptoms. He was starting to experience blurred vision. Was then taken to the emergency room. The fever went down with Tylenol but continued to go up again when Tylenol wears off. Temperature was 103.7 at one point and has mostly been over 102, stating that this morning was 102.7. It had been one week that he was still having these symptoms. It was strange because the patient was feeling all right for the first 2 weeks. At the hospital, they kept giving him Tylenol to bring the fever down. He had been shaking like crazy. Had horrible chills and night sweats. He had no energy. He had not had the second

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

dose. They cannot find anything else wrong. He was a health nut and run five miles a day. Took good care of himself. He seemed ok the first 2 weeks. Had been a week that he still can't break the fever. When looked up the symptoms, he had everything except for nausea. He also had blurred vision. They did a spinal tap, echocardiogram, EKG and blood work. He had seen 5 different doctors. The fever was highest at 103.7 and has consistently been over 102. With Tylenol, it had gone down to 99 or 100 but always shoots back up. 2 weeks after the shot, he took his temperature and wasn't feeling good all day. He stayed home from Wednesday until Sunday when he started experiencing new crazy vision symptoms. Stated that started Saturday. He was taken to the hospital on Easter and was admitted to the hospital, and was still there. The vision problem was new and it started to develop Saturday night. It was double vision, like looking in a fun house mirror. He still experienced the double and blurry vision now but only occasionally, when he tried to get up. It was on and off when he had to get up to go to the bathroom. He was still freezing and had shake and chills. He got night sweats and fever, chills, and did not feel like himself. The reporter didn't think he had high cholesterol or high blood pressure, diabetes, or anything like that. Tests: They did bloodwork, CT scans, MRI of the brain, echocardiogram, EKG, spinal tap. There were no white blood cells found in the spinal tap and that the echocardiogram was good. Everything came back normal. He had seen cardiologists, neurologists, gastroenterologists, primary care doctors, and no one can find anything. They did another kind of test regarding his vision. Her brother was depressed and wanted his energy back. It had been a whole week. The outcome of the events high fever (over 102, 103.7, 102.7, 99 or 100) and blurred vision was not recovered, outcome of the remaining events was unknown. The patient was hospitalized for high fever (over 102, 103.7, 102.7, 99 or 100) and blurred vision from 04Apr2021 to an unknown date. The reporter was not sure if this was happening because of the vaccine. Follow-up attempts are completed. No further information is expected. Information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235669	4/21/2021	CA	50	F	4/9/2021	4/10/2021	episode of passed out; severe allergic reaction at injection site; injection arm is irritating; itchiness; injection arm is hurting; redness; swelling at injection site; This spontaneous case was reported by a consumer and describes the occurrence of LOSS OF CONSCIOUSNESS (episode of passed out) in a 50-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Blind (patient is legally blind in the left eye). Concomitant products included QUETIAPINE FUMARATE (SEROQUEL) for Seizure, PARACETAMOL (TYLENOL), CYCLOPENTAMINE, ESZOPICLONE, CLONAZEPAM (KLONOPIN), VITAMIN B COMPLEX and CYANOCOBALAMIN (VITAMIN B12 FORTE) for an unknown indication. On 09-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 10-Apr-2021, the patient experienced LOSS OF CONSCIOUSNESS (episode of passed out) (seriousness criterion medically significant), VACCINATION SITE PRURITUS (itchiness), PAIN IN EXTREMITY (injection arm is hurting), IRRITABILITY (injection arm is irritating), INJECTION SITE HYPERSENSITIVITY (severe allergic reaction at injection site), VACCINATION SITE ERYTHEMA (redness) and VACCINATION SITE SWELLING (swelling at injection site). At the time of the report, LOSS OF CONSCIOUSNESS (episode of passed out) outcome was unknown and VACCINATION SITE PRURITUS (itchiness), PAIN IN EXTREMITY (injection arm is hurting), IRRITABILITY (injection arm is irritating), INJECTION SITE HYPERSENSITIVITY (severe allergic reaction at injection site), VACCINATION SITE ERYTHEMA (redness) and VACCINATION SITE SWELLING (swelling at injection site) had not resolved. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 10-Jan-2021, SARS-CoV-2 test positive: Positive. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Concomitant medication not reported. Treatment medication not provided.; Sender's Comments: Based on the current available information and temporal association between

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

the use of the product and the start date of these events,  
a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235784	4/21/2021	IN	41	F	4/5/2021	4/6/2021	blood vessels in her left eye popped and eye looks bloody; Caller adds that it is gross; Caller adds that it looks like it is getting red, more red, it does not look like it is spreading but it is getting darker; This is a spontaneous report from a contactable consumer (patient). A 41-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), dose 1 via an unspecified route of administration, administered in arm left on 05Apr2021 10:15 (Lot Number: ER8732) at age of 41 years old as single dose for covid-19 immunisation, alpha-1 antitrypsin deficiency, liver disorder, lung disorder. Medical history included ongoing alpha-1 antitrypsin deficiency, ongoing factor v leiden carrier, ongoing bipolar disorder, diabetes mellitus (she did not know if it meant anything but it turned out they were both very very diabetic. She adds this scares her, she does not want a needle), iron deficiency, vitamin d deficiency, lung disorder, emphysema, chronic obstructive pulmonary disease, hypertension, insomnia, depression, dumping syndrome and acid reflux. There was no history of all previous immunization with the Pfizer vaccine considered as suspect. There was no vaccines administered on same date with the Pfizer vaccine considered as suspect. There was no any other vaccinations within four weeks prior to the first administration date of the suspect vaccine. AEs following prior vaccinations was none. Concomitant medications included fluticasone propionate, salmeterol xinafoate (ADVAIR) taken for alpha-1 antitrypsin deficiency, emphysema, chronic obstructive pulmonary disease from an unspecified start date and ongoing; colestipol taken for dumping syndrome from an unspecified start date and ongoing; dexlansoprazole (DEXILANT) taken for gastrooesophageal reflux disease from an unspecified start date and ongoing; iron taken for iron deficiency; lamotrigine (LAMICTAL) taken for bipolar disorder from an unspecified start date and ongoing; levomefolic acid (L-METHYLFOLATE) taken for depression from an unspecified start date and ongoing; lisinopril taken for hypertension; amlodipine besilate (NORVASC) taken for hypertension from an unspecified start date and ongoing; alpha-1-antitrypsin (PROLASTIN-C) taken for alpha-1 antitrypsin deficiency from an unspecified start date and ongoing (did not have dosage, she got an infusion into a



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

port once a week. She got five bottles. She was on this for alpha-1, maybe 10 years); tiotropium bromide (SPIRIVA) taken for lung disorder, alpha-1 antitrypsin deficiency, chronic obstructive pulmonary disease, emphysema from an unspecified start date and ongoing (Caller thinks it is a standard, it is once a day. She has been on for 10 years. It does not say anything else, it just says Spiriva handihaler); temazepam taken for insomnia; vilazodone hydrochloride (VIIBRYD) taken for bipolar disorder; colecalciferol (VITAMIN D3) taken for vitamin d deficiency; olanzapine (ZYPREXA) taken for bipolar disorder from an unspecified start date and ongoing; multivitamin (Dosage text: Caller takes one a day, it does not really have a dose, she does not see a dose thing on it. has been taking for about 20 years, Caller states she eats like crap). The patient got her first shot yesterday (05Apr2021), and then woke up with the blood vessels in her left eye were popped, and her whole eye looked bloody. She added this was kind of tripping. She wanted to know if this had anything to do with the shot (Pfizer Covid19 vaccine) or anything else. It was gross, and she did not like looking at it. It looked like there was blood around her eye, and it started when she woke up this morning it was like that. It looked like it was getting red, more red, it did not look like it was spreading but it was getting darker. She clarified and stated that it was a lot of pets. She did start an allergy drop a week and a half ago, Pataday (lot number 102C5, expiration date Dec20211, over the counter) eye drop; it was a 0.2 % antihistamine. Treatment reported as: just the Pataday eye drops, which were for allergies. She did not know what was up with the pollen this year but it was trying to kill her. She started these a week and a half ago. The events did not require a visit to Physician office or Emergency Room. The outcome of events was not recovered. Follow-up attempts are completed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235675	4/21/2021	FL	32	F	4/14/2021	4/14/2021	Unconscious in shower/Eyes rolled back in head; Hot and sweaty; This spontaneous case was reported by a consumer and describes the occurrence of LOSS OF CONSCIOUSNESS (Unconscious in shower/Eyes rolled back in head) in a 32-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (Historical condition not reported.). On 14-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 14-Apr-2021, the patient experienced LOSS OF CONSCIOUSNESS (Unconscious in shower/Eyes rolled back in head) (seriousness criterion medically significant), FEELING HOT (Hot and sweaty) and EYE MOVEMENT DISORDER (Eyes rolled back in head). At the time of the report, LOSS OF CONSCIOUSNESS (Unconscious in shower/Eyes rolled back in head), FEELING HOT (Hot and sweaty) and EYE MOVEMENT DISORDER (Eyes rolled back in head) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235759	4/21/2021	IL		F	3/6/2021	3/1/2021	Numbness to left side of face; Low grade tremor in left jaw; pins and needles up left jaw and cheek; weakness across left cheek; Feels like whole muscle jaw is under tension; potential for Bell's Palsy; weird sensation left flickering in left eye immediately; Fever; Headache; This is a spontaneous report received from a contactable other health-care professional. A 64-year-old-female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, lot number: ER8730), via an unspecified route of administration at the right arm on 27Mar2021 13:00 at single dose for COVID-19 immunization. The patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, lot number: EN6202), via an unspecified route of administration at the left arm on 06Mar2021 at single dose for COVID-19 immunization. The patients medical history included Sjogren syndrome (states is an autoimmune disease that she was diagnosed with a really long time ago; maybe around 2005 and ongoing) and on unspecified date either on 2018 or 2019 patient had administered with Whooping Cough Vaccine for which she experienced Sore Spot on Arm. Concomitant medications were not reported. It was reported that after first dose states of the vaccine patient had immediate numbness to the left side of her face that went away after a while. The patient had a low grade tremor in her left jaw and a twitching, flickering in her eye. Patients jaw feels dull like the whole muscle is under tension. It was reported that she didn't have much of a reaction after her second vaccine besides a fever and a headache and stated that they started about 5 hours after the vaccine and were gone the next day. The patient had a fever and headache after the first vaccine also; they started about the same, 5 hours or so after the vaccine but they lasted for about 5 days. On 06Mar2021 13:00 patient got immediately dull, pins and needles up left jaw and cheek. went away and has left tremor in lower jaw and now flickering twitch in left eye. weakness across left cheek continues. Outcome was reported as unknown for potential for Bell's Palsy and Feels like whole muscle jaw is under tension, not recovered for weird sensation left flickering in left eye immediately, pins and needles up left jaw and cheek and weakness across left cheek, recovered from pyrexia and headache, recovering from Numbness facial and low grade tremor in left jaw. No

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235749	4/21/2021	OH	56	F	3/17/2021	3/23/2021	<p>follow up attempts are needed. No further information is expected.; Sender's Comments: Based on the information provided and plausible temporal association, the causality between the suspect drug and the event potential for Bell's Palsy cannot be excluded. This impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly to regulatory authorities, Ethics Committees, and Investigators, as appropriate.</p> <p>Blacked out; feel light headed; unbalanced; Having trouble to focus with my eyes; Head feels full; Lymph nodes in head, neck and under arms swollen; very high blood pressure; This is a spontaneous report from a contactable consumer or other non hcp. A 56-years-old non pregnant female patient received bnt162b2 (BNT162B2, PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), dose 1 via an unspecified route of administration, administered in Arm Left on 17Mar2021 10:45 (Batch/Lot Number: EN6207) as SINGLE DOSE for covid-19 immunisation. The patient medical history and concomitant medications were not reported. The patient not received any other vaccines within 4 weeks prior to the COVID vaccine. Six days after the vaccine (on 23Mar2021 10:15 ), the patient started to feel light headed, unbalanced. Blacked out on March 23rd for a very short time. Having trouble to focus with his eyes. Head feels full. Lymph nodes in head, neck and under arms swollen. Very high blood pressure and now needing medication for that. These last two weeks have been a nightmare and thinking he was going to die and was in the Emergency room. No treatment was received for the events. Event blacked out seriousness was medically significant. The events outcome was not recovered.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235733	4/21/2021	OH	44	F	4/3/2021	4/3/2021	<p>Immediate left side (injection side) headache.; Intense headache, neck, facial and cranial pain; Intense headache, neck, facial and cranial pain; Extreme vertigo within 1 hour; loose stool; Nausea; vomiting; Swollen; itchy hives; itchy hives; Swollen left eye; This is a spontaneous report from a contactable HCP and a consumer (the patient). A 44-years-old female patient received bnt162b2 (BNT162B2), dose 1 via an unspecified route of administration, administered in Arm Left on 03Apr2021 11:30 (Batch/Lot Number: EW0150) as single dose for covid-19 immunisation . Medical history included migraine, demyelination , post-traumatic stress disorder. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient's concomitant medications were not reported. The patient experienced immediate left side (injection side) headache. on 03Apr2021 11:45 with outcome of not recovered , intense headache, neck, facial and cranial pain on 03Apr2021 11:45 with outcome of not recovered , extreme vertigo within 1 hour on 03Apr2021 11:45 with outcome of not recovered , loose stool on 03Apr2021 11:45 with outcome of not recovered , nausea on 03Apr2021 11:45 with outcome of not recovered , vomiting on 03Apr2021 11:45 with outcome of not recovered , swollen on 03Apr2021 11:45 with outcome of not recovered , itchy hives on 03Apr2021 11:45 with outcome of not recovered , swollen left eye on 03Apr2021 11:45 with outcome of not recovered. All the reported events were considered Important Medical Events. Course of the event: Immediate left side (injection side) headache. Spread to entire head within 30 minutes. Intense headache, neck, facial and cranial pain persists at hour 53. Extreme vertigo within 1 hour, persisting now at hour 53. Nausea, vomiting and loose stool within 6 hours. Vomiting ceased at 48 hours post 1st shot vaccination. Nausea and diarrhea persists at hour 53. Swollen, itchy hives, injection side within 40 hours, spread to neck and face. Swollen left eye, within 24 hours, waning at hour 53. No follow-up attempts are needed. No further information is expected.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235720	4/21/2021		20	F	4/14/2021	4/15/2021	headache in my eyes so bad i couldn?t open them. terrible nausea that resulted in vomiting at 6:30 A.M. the next morning. Internal bleeding in kidneys that resulted in blood and foam in urine - blood cleared in 4 days; foam cleared in 4 days. Back pain where kidneys are located. Shortness of breath when lying down for 3 nights; had to sleep propped up.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235714	4/21/2021	VA	19	F	3/23/2021	3/23/2021	<p>Nausea; Passed out; Felt a little dizzy; Mumbling, slurred speech; Developed a "static" feeling in her head; Eye shutting; Weakness in her left arm and leg; This is a spontaneous report from a contactable physician. A 19-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number/expiration date not reported), intramuscular on 23Mar2021 as single dose for COVID-19 immunization. Medical history included seasonal allergies from an unknown date. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, it was unknown if the patient has been tested for COVID-19. Concomitant medication included fluoxetine 60 mg taken for an unspecified indication, and an unspecified oral contraceptive. It was reported that on 23Mar2021, the patient received Pfizer Covid vaccine and felt a little dizzy on 11:00. She also started noting mumbling, slurred speech, passed out for about 15 (unspecified) after using the bathroom, developed a "static" feeling in her head and then noted her left eye shutting and then weakness in her left arm and leg. She was taken to the Emergency Room (ER) for evaluation. Symptoms lasted about 5 hours. She fell asleep in the ER. Symptoms seemed to clear by about 8:30 PM. She had lab and head CT at the hospital which were essentially normal. She felt okay the next day, but had some nausea for a couple days starting on the 3rd day on 25Mar2021. She stated she feels fine at the time of report in the Student Health Clinic and asked whether she should receive her second Pfizer dose scheduled on 20Apr2021. The adverse events result in Doctor or other healthcare professional office/clinic visit and Emergency room/department or urgent care. No treatment was received for the adverse events. The outcome of the event nausea was recovered in Mar2021, and for other events was recovered on 23Mar2021 20:30. Information about lot/batch number was requested.; Sender's Comments: Based on the information currently available and temporal association, a possible causal relationship cannot be excluded between the suspect product BNT162B2 and the reported event Passed out. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation,</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

1235707	4/21/2021	WY					
---------	-----------	----	--	--	--	--	--

				M			
--	--	--	--	---	--	--	--

including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees, and Investigators, as appropriate.

he was a "full-blown diabetic" in an emergency situation/he wasn't diabetic until he got the shot; his sugar was "400 something"; chest pain; abdominal pain; felt awful; if he closed his eyes he would just go to sleep; This is a spontaneous report from a contactable consumer (patient's parent). A 51-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiration date not reported) via an unspecified route of administration on an unspecified date as a single dose for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. The reporter was calling in behalf of her son. The patient had the first dose of Pfizer's COVID-19 vaccine on Saturday about 2 weeks ago, does not know exact date. The next Monday, on an unspecified date, he was a "full-blown diabetic" in an emergency situation and his sugar was "400 something". The patient also experienced chest pain, abdominal pain, felt awful, and if he closed his eyes he would just go to sleep on an unspecified date. Back in Dec (year not reported), his blood sugar was 88 in a general check-up, but he was not a diabetic as far as they knew. The reporter stated that he wasn't diabetic until he got the shot. They think it was caused by the COVID shot, he was told in the emergency room not to take the 2nd shot. The outcome of the events was unknown. Information about lot/batch number has been requested.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235692	4/21/2021	SC		M	3/19/2021	3/19/2021	super mild bell's palsy; eye twitching; jaw pain; This spontaneous case was reported by a pharmacist and describes the occurrence of FACIAL PARALYSIS (super mild bell's palsy) in a male patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No reported medical history.). On 19-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 19-Mar-2021, after starting mRNA-1273 (Moderna COVID-19 Vaccine), the patient experienced PAIN IN JAW (jaw pain). On an unknown date, the patient experienced FACIAL PARALYSIS (super mild bell's palsy) (seriousness criterion medically significant) and BLEPHAROSPASM (eye twitching). At the time of the report, FACIAL PARALYSIS (super mild bell's palsy) outcome was unknown and PAIN IN JAW (jaw pain) and BLEPHAROSPASM (eye twitching) had not resolved. Not Provided The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. No relevant concomitant medications were provided. Patient experienced super mild case of Bell's palsy. Within an hour of receiving the injection he developed jaw pain. There was no dropping of the jaw. He still has residual jaw pain and some eye twitching. He is scheduled for his second injection and would like to know if the reaction to the second dose could be worse. Also, would like to know if he should administer the injection in the opposite arm. No treatment information was provided.; Sender's Comments: Very limited information regarding these events has been provided at this time. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1236016	4/21/2021		34	U		4/1/2021	GROGGY; BODY FELT LIKE FIRE; FEELING OF STRONG HANG OVER; HEADACHE BETWEEN THE EYES AND OVER THE EYES; WEAKNESS; SERIOUS CHILLS; HIGH FEVER; This spontaneous report received from a patient concerned a 34 year old of unspecified sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin, and batch number were not reported) dose was not reported, administered on 09-APR-2021 15:30 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On APR-2021, the subject experienced serious chills. On APR-2021, the subject experienced high fever. Laboratory data included: Body temperature (NR: not provided) 102.6 F. On 10-APR-2021, the subject experienced groggy. On 10-APR-2021, the subject experienced body felt like fire. On 10-APR-2021, the subject experienced feeling of strong hang over. On 10-APR-2021, the subject experienced headache between the eyes and over the eyes. On 10-APR-2021, the subject experienced weakness. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from serious chills, and high fever on APR-2021, was recovering from feeling of strong hang over, and headache between the eyes and over the eyes, had not recovered from weakness, and groggy, and the outcome of body felt like fire was not reported. This report was non-serious.; Sender's Comments: V.0 Medical assessment comment not required as per standard procedure as case was assessed as non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235791	4/21/2021	WA	33	M	4/5/2021	4/1/2021	<p>he feels like his throat is so raw; Second COVID-19 vaccine: sore arm; Second COVID-19 vaccine: feeling achy/ Her husband is still sore/achy today; Second COVID-19 vaccine: nauseous; Second COVID-19 vaccine: vomiting/ throwing up; Second COVID-19 vaccine: diarrhea; Second COVID-19 vaccine: fatigue; vomiting blood; Second COVID-19 vaccine: blood in the phlegm or just whatever he spit up / spitting up blood; Second COVID-19 vaccine: Chilly; Second COVID-19 vaccine: redness around his eyes, like under his eyelids; his pores looked red; This is a spontaneous report from a contactable consumer (wife). A 33-year-old patient (husband) received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration administered in right arm on 05Apr2021 15:40 (Lot Number: ER8734) at single dose for COVID-19 immunization. Medical history included atopic dermatitis. Concomitant medication included dupilumab (DUPIXENT), an injection that patient takes every other week to control his atopic dermatitis, he has been using this for 3 years at least. The patient previously received the first dose of BNT162B2 (Lot number: ER6207) in left shoulder on 15Mar2021 15:40, at the age of 32 years old, for COVID-19 immunization, and experienced arm sore and body aches. The patient experienced vomiting blood in Apr2021, blood in the phlegm or just whatever he spit up / spitting up blood in Apr2021, he feels like his throat is so raw on 05Apr2021, sore arm on 05Apr2021, feeling achy/ her husband is still sore/achy today on 05Apr2021, nauseous on 05Apr2021, vomiting/ throwing up on 05Apr2021, diarrhea on 05Apr2021, chilly in Apr2021, redness around his eyes, like under his eyelids; his pores looked red in Apr2021, fatigue on 05Apr2021. No treatment received for the adverse events. Outcome of the events pain in arm, ache, nauseous, erythema, fatigue was not recovered, of the other events was unknown. Clinical course as reported: Her husband got their second dose of the vaccine on 05Apr2021. Her husband was having a more severe reaction than the first time. The first time he got the vaccine his arm was sore. Last night (05Apr2021), the caller's husband was vomiting just over and over and had diarrhea, both at the same time. Wife added the thing she was worried about was that her husband was vomiting blood as well, and</p>

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

that her husband said it was from the phlegm, like he felt like his throat was so raw. Her husband did not really want to eat anything which she expected was normal. She was trying to give him fluids, and having him drink a little bit. Her husband had not vomited since around 4 am. And right now, he was sleeping. She did not know if she should give him medicine or take him to be seen or if this was a normal reaction to the vaccination. She did read side effects from the paper and she saw that some vomiting was expected but the blood was what caught her off guard. Around 10 o'clock last night (05Apr2021), her husband felt nauseous and went to bed. She actually fell asleep on the couch and heard her husband vomiting across the house, that was how bad the vomiting was. The vomiting started at midnight last night (05Apr2021). Her husband has been vomiting every couple of hours (2 hours), around the clock. Diarrhea had been at the same time. From her understanding, her husband had vomited at least 3 or 4 times, and had diarrhea 3 or 4 times. She kind of lost track after the 3rd time, but she had not heard him since around 4 am Her husband was still sore/achy today (06Apr2020) and was is still nauseous. She believed he was also feeling chilly. He was wrapped up in his blanket. Her husband did not have a fever, she has been checking his temperature. Wife stated no treatment yet, as she did not know what was safe. Her husband wanted to wait until he stopped vomiting because anything he put in his stomach came right back up. After the first time her husband was done throwing up, and was only dry heaving, he started to like kind of spit. When he would gargle or spit, there was blood in the phlegm or just whatever he spit up. The first time the wife went to check on him, she saw him spitting up blood. It was not like his vomit was red with blood in it, it was just the after effects, so she thought she should call and report this. Each time he has vomited, there was still that spit up of blood afterwards. The patient himself clarified the vomiting was last around 4 am (06Apr2020), give or take, and the last stool/bout of diarrhea was around 7 am (06Apr2020). He was still feeling nauseous and fatigued. He added that after the first time he vomited and the couple times he checked later on, he looked in the mirror and saw that there was this redness around his eyes, like under his eyelids. He adds it was red, it wasn't like splotchy, but it was like his pores looked red, like

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

pinpoints. The patient clarified that the fatigue and achiness probably started around the first time he vomited, and that was still hanging around. The wife stated this was better than him getting Covid. Wife added what she was trying to see was if she should take her husband to the hospital or not. She did not want to wait too long, but if this was something that was a side effect that was expected, then her husband could just sleep it off.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1238341	4/21/2021	FL	64	F	4/7/2021	4/17/2021	<p>Patient claims "3 days" after vaccination she developed headache that worsened over the next two days to include dizziness, photophobia, scotomata. However, the state tracking system lists her date of vaccination 10 days prior to the symptom onset. Below is a more detailed description: This is a 64-year-old female nurse practitioner with coronary artery disease, uncontrolled (untreated) type 2 diabetes, obesity, and remote history of kidney donation who presented yesterday with a 5-day history of nausea and frontal headache with new recent dizziness /lightheadedness when standing. She describes her headache as starting out as temporal and periorbital and then persisting as a frontal discomfort radiating to the back and down the neck. Associated with this were complaints of blurry vision, photophobia and scotomata. She denies any focal weakness or numbness/tingling. There was no vomiting or reports of seizures. She denies no recent problems finding words or bouts of confusion. She denies a history of arrhythmia or palpitations. Patient received the first dose of the Moderna COVID-19 vaccination on 4/14/2021 into her right arm, 5 days prior to admission (But state records list 4/7/2021 as the date). She did not take any medication to pre-empt side effects such as NSAID, aspirin, H2 blocker, or Tylenol. Initially she developed a sore arm the night of the vaccination. Three days later the headache developed that did not respond to Tylenol PM although it helped her sleep. She noted taking more than the recommended dose and had mouth dryness. Patient denies any past history of COVID exposure and any illness c/w COVID where she was not tested. She has never had her antibody titer checked. She recently had a dental procedure for an exposed nerve and had a temporary filling placed. No antibiotics were given and denies having a dental abscess. She described that one of her sisters developed "blood clots from her heart due to atrial fib" after her Pfizer vaccination. She denies rashes or stigmata of endocarditis, no fevers, chills, or night sweats. She describes vaginal itching a few days ago and self treated with an anti-yeast cream (Monistat) that relieved symptoms and does not currently have dysuria, frequency or urgency. On admission, her UA was abnormal and culture is pending but she received one dose of Rocephin and is still without urinary symptoms. After admission CT scan and MRI of the</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

brain revealed focal areas of likely small subacute embolic infarcts. (See report) Since admission she had a reassuring ECHO and no further worsening. No evidence for A flutter or fib Review of Systems Constitutional: no fever, no chills, no sweats, mild General weakness Skin: no Jaundice, no rash, no lesions, no petechiae ENMT: no ear pain, no sore throat, moderate congestion, no hoarseness Respiratory: no shortness of breath, no cough, no orthopnea, no wheezing Cardiovascular: no chest pain, no palpitations, no edema Gastrointestinal: mild nausea, no vomiting, no diarrhea, no GI bleeding Genitourinary: no dysuria, no hematuria, no discharge, no pain Musculoskeletal: no back pain, no trauma; Some neck discomfort bilaterally R>L Neurologic: moderate headache, mild dizziness, no numbness, mild weakness Psychiatric: mild sleeping problems, no irritability, Describes herself as high strung type A Heme/Lymph: no bleeding tendency, no bruising tendency, no petechiae, no swollen nodes Allergy/Immunologic: moderate seasonal allergies, no food allergies, no recurrent infections, no impaired immunity Additional ROS info: Except as noted in the above Review of Systems and in the History of Present Illness all other systems have been reviewed and are negative or noncontributory Problem List/Past Medical History 1) Uncontrolled diabetes with a hemoglobin A1c greater than 11; She stopped metformin and has tried to control it with diet alone. She does not have a PCP 2) Coronary artery disease with 4 stent placements in 2017; noncompliant with aspirin 3) Hyperlipidemia on Crestor 4) History of kidney donation to her late husband. She reports a stable creatinine 5) Obesity with a BMI of 34.8 Physical Exam Vitals & Measurements T: 36.4 °C (Oral) TMIN: 36.4 °C (Oral) TMAX: 36.5 °C (Oral) HR: 86(Peripheral) RR: 18 BP: 115/72 SpO2: 92% WT: 92.4 kg General: alert, no acute distress Skin: warm, dry Head: no trauma, normocephalic Neck: Trachea midline, no adenopathy, no tenderness; No bruits Eye: normal conjunctiva, sclera clear Cardiovascular: regular rate and rhythm, normal peripheral perfusion. No carotid bruits Respiratory: Lungs CTA, respirations non labored Chest wall: no deformity Gastrointestinal: non distended, Extremities: no deformity, no trauma Neurological: oriented x 4, LOC appropriate for age, CN

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
							<p>II-XII intact, motor strength equal &amp; normal bilaterally upper extremity, sensation equal &amp; normal bilaterally, speech normal Psychiatric: cooperative, affect appropriate for age, normal judgement, normal psychiatric thoughts Assessment/Plan This Visit</p> <p>Diagnosis 1. ASB (asymptomatic bacteriuria) R82.71 - No antibiotic treatment recommended - Do not act on pending urine culture 2. Embolic cerebral infarction I63.40 - Unclear source as echo was clear; no stigmata of endocarditis - No carotid study as of yet - She has multiple risk embolic stroke (DM, age, hyperlipidemia, smoking, obesity) - Unclear if COVID vaccine initiated this process (has a low threshold for a cerebral event) - There are no national reports regarding this type of side effect in an mRNA vaccine 3. Adverse effect of viral vaccines T50.B95A - Received COVID Moderna vaccine and symptoms developed 3 days later - Unclear if vaccine cause symptoms 4. Diabetes mellitus E11.9 - Poorly controlled with Hbg over 11 5. Body mass index (BMI) of 38.0 to 38.9 in adult Z68.38 - Current weight 92.4 kg 6. Tobacco use Z72.0 - Small amount 7. H/O unilateral nephrectomy Z90.5 - Creatinine is currently 6.0 Plan: * I will report the possible vaccine adverse event to the national system (VAERS) - This was shared with the patient and she can also file a report - Recommend that the sister also file a VAERS report * Await neurology opinion regarding carotid studies * No further antibiotics since she has no symptoms</p>
1238670	4/21/2021	PA	18	F	4/11/2021	4/11/2021	<p>Patient was nervous and shortly after injection reported that she had vision changes and got diaphoretic. While assisting the pt into a reclining position she briefly lost consciousness; total duration 3-5 seconds. She regained consciousness immediately once she was flat and her feet were elevated. I monitored her blood several times and it was normal. Over the course of 30-40 minutes she recovered and left the pharmacy.</p>
1238665	4/21/2021	WI	59	F	3/17/2021	3/20/2021	<p>After 5 days of nausea, fatigue, back, kidney and joint pain abated, strong eye and temple headache continued followed by worsening swelling of eye. Diagnosed by optometrist as uveitis and treated with indocin, post-treatment relapse and seen by eye specialist in uveitis. Abated as of April 15</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1238604	4/21/2021	CA	16	M	4/21/2021	4/21/2021	Patient appeared pale, light headacheness, near fainting, tunnel vision, skin cold and clammy within 10 minutes of 2nd Pfizer injection. Patient rested on gurney and felt better. 1st BP taken at 10:45 BP 85/47, HR 56. 2nd BP taken at 10:55 BP 95/57, HR 61. Patient left the facility 30 minutes after his vaccination with stable condition.
1238581	4/21/2021	FL	73	M	3/3/2021	3/31/2021	On the evening of 3/31/21 I noticed 2 rashes on my inner right thigh that were hurting me. The next morning I called my dermatologist's office and they had me come in to see Dr that same day, 4/1/21. He confirmed that it was the early stages of the shingles virus. He prescribed Valacyclovir for me which I took for 7 days (3 tablets/day. The rash has improved every day and now it is still there but only very feintly. My doctor said it could come back or others might appear and to keep an eye on it.
1238525	4/21/2021	CO	81	M	4/1/2021	4/21/2021	Janssen COVID-19 Vaccine EUA; patient reports intermittent blurry vision and fatigue after vaccination. Presents to infusion center for chemotherapy, experienced blurred vision, found to be hypotensive and bradycardic, and transferred immediately to emergency department (ED). In the ED diagnosed with acute left lower lobe segmental pulmonary embolism and thrombocytopenia. Admitting to hospital for further management.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1238492	4/21/2021	OR	52	F	4/9/2021	4/10/2021	No pain or anything right after. They kept me an hour to observe due to past adverse event after vaccine. Body aches the next day - I took care of them with Tylenol. On Sunday, A rash started on my feet - little red dots. It didn't itch. Dr. on Tuesday. Thursday, I was super tired and the rash was continuing to get worse. My doctor called and said the labs were normal. I was getting scratchy throat, runny nose, rash moved to stomach, my back (mainly in my shoulder blades) my upper arms; and my face was bright red -looked like it was peeling, and rash was on my scalp (in my hair). The inside of my lips were swelling and my eyelids were swelling and I felt like I needed to cough. I called the doctor and she told me to go to the ER - Thursday, the 15th. I did. They gave me: Epi shot - IV with Benadryl, steroids, and Pepcid. I was there for about 3 hours. Everything worked with my reaction. Epi - Pen prescription; More steroids, Benadryl and Pepcid and I have been taking this through today (today is my last day of the steroids - I have two days of Benadryl left). My face is cleared up now, it's still super dry. I still have the rash all over my body. It looks like I rolled around in a fire ant hill.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1238480	4/21/2021	OR	52	F	4/9/2021	4/10/2021	No pain or anything right after. They kept me an hour to observe due to past adverse event after vaccine. Body aches the next day - I took care of them with Tylenol. On Sunday, A rash started on my feet - little red dots. It didn't itch. Dr. on Tuesday. Thursday, I was super tired and the rash was continuing to get worse. My doctor called and said the labs were normal. I was getting scratchy throat, runny nose, rash moved to stomach, my back (mainly in my shoulder blades) my upper arms; and my face was bright red -looked like it was peeling, and rash was on my scalp (in my hair). The inside of my lips were swelling and my eyelids were swelling and I felt like I needed to cough. I called the doctor and she told me to go to ER - Thursday, the 15th. I did. They gave me: Epi shot - IV with Benadryl, steroids, and Pepcid. I was there for about 3 hours. Everything worked with my reaction. Epi - Pen prescription; More steroids, Benadryl and Pepcid and I have been taking this through today (today is my last day of the steroids - I have two days of Benadryl left). My face is cleared up now, it's still super dry. I still have the rash all over my body. It looks like I rolled around in a fire ant hill. I was told to carry the Epi-Pen with me for two weeks.
1237836	4/21/2021	AZ	76	M	3/6/2021	3/7/2021	Woke up at approximately 4:00 am with headache and severe dizziness. It was so bad it forced me to go to Emergency Room at the Medical Center 3/7/21. They checked my eyes that were bouncing back and forth, gave me IV, did an EKG. Prescribed Meclizine 25 mg for the dizziness, three times a day. Absolutely no help. Went to Primary Care Physician, and he thought it might be an inner ear infection and gave me a prescription for progressive Steroid Treatment. No help. Got appointment for 4/9/21 with Ear, Nose and Throat specialist. At the same appointment was sent to see, an Audiologist in the same building. The two doctors determined it was not an inner ear problem. I was then advised to get a Cat Scan of my Brain and see my cardiologist. I am now in my 6th week of major dizziness which has affected all aspects of my life.
1238374	4/21/2021	IN	66	F	3/7/2021	4/16/2021	I had been sick since this past Friday; high fever, all over body pain, constant cough and frequent sneezing, migraines, eye pain and extreme fatigue. I tested positive for Covid April 21, 2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1238812	4/21/2021	MT	61	F	3/30/2021	3/30/2021	DILATED EYES, BRIGHTNESS SINCE THE DAY OF VACCINE AND IT HAS NOT GOTTEN BETTER.
1238209	4/21/2021	CO	16	M	4/21/2021	4/21/2021	patient saw black stars in his eyes and fainted. Fainted for about 5 seconds and came back very pale white. Has history of vasovagal reactions post injections. After laying down on flat surface for about 20 minutes with water and chocolate bar he started feeling better and his face got more color.
1238115	4/21/2021	IL	68	F	4/2/2021	4/3/2021	Received Covid vaccine 4/2/21 at 1010 notes that by noon she felt a headache coming on and gradually started to feel worse, with low grade fever of 99.0, wasn't concerned about that, but later around 0130 on 4/3/21 she felt very miserable, temperature 100.9, and felt a hot burning sensation starting slowing from the top of her head, down her face, slowly down both arms, down to tips of fingers, down both legs to her toes. She tried to stand up to go to the bathroom and had trouble walking, mentally knew what her mind needed to do, but visually was unable to see or make out objects, such as the shape of her glasses case. Her son had helped her to the couch to sit down. This episode had continued on until around 0330-0400 on Saturday morning lasting up to 2.5 hours. She ended up taking Motrin and the other symptoms of temperature, achiness, and headache slowly went away. No further noted issues to follow.
1238062	4/21/2021	NC	81	M	2/11/2021	2/13/2021	Received the second dose on 2/11/21 and on 2/13/21 I started to experience severe headaches. This is highly unusual since I haven't had a headache in 30 years. I waited a few days to see if they would dissipate in a few days. It is now April 21, 2021 and I get headaches every day some more sever in the afternoon. If I sneeze or bend down it feels like my head is coming apart. Even at the time during the day when the headache subsides the pressure behind my eyes remain till the next flare up. The only time I get relief is when I lay down for bed. I sleep through the entire night. This is not fun. I need some help. I have MRIs, specialist prescribing pills
1238012	4/21/2021	CA	38	F	4/21/2021	4/21/2021	Systemic: increased in eye preasure discribed by the patient-Mild
1237885	4/21/2021	NJ	72	F	4/15/2021	4/15/2021	Blurred vision

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1237883	4/21/2021	NC	18	M	4/21/2021	4/21/2021	Patient got light headed and started having blurry vision. Pharmacist gave Benadryl and called EMTs. EMT's came and checked him out and his vitals were fine and he was feeling better.
1237846	4/21/2021	IN	28	F	4/5/2021	4/21/2021	Patient received the Johnson & Johnson / Janssen COVID-19 vaccine on April 5, 2021. Patient woke up overnight with severe headache that was different than her typical migraines headaches. Headache was "like I never had before", "it's really painful." When I asked if this was the worst headache of her life she responded "probably." No photophobia, no phonophobia, no nausea, and no vomiting, which she gets every time she has migraines. "This is a different type of headache," she said. "I usually throw up and my headaches get better." This headache feels like a "balloon in my head." She reported vision changes (blurred vision) 45 minutes prior to our visit which started at 8:19 a.m. on April 21, 2021. ("I was having a problem with peripheral vision, about 45 minutes ago," but not so much now. Patient denies loss of balance (dizziness), seizures, focal weakness, radicular symptoms, saddle anesthesia, sensory changes, slurred speech, numbness, chills, and fever. She was sent to the emergency department for further evaluation. She is a female patient with new, severe headache that is between 18 and 48 years of age, and has received the Ad26.COV2.S (COVID-19) vaccine within 3 weeks of headache onset.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1238419	4/21/2021	AZ	58	F	3/14/2021	3/1/2021	About the time I got the 1st vaccine, my chronic diarrhea (usually controlled by 0-1 loperamide 2mg qd) became severe. Gaseous, explosive diarrhea, 10-15 times/day. Even taking the loperamide with simethicone, up to 4 times/day, would not stop it. This went on and on. On 4-2-21 I took stool samples to lab, ordered by my healthcare provider. Those tests came back (or, I found out the results) on 4-14-21, 3 days after receiving the 2nd vaccine. They showed that I have Pancreatic Insufficiency. Fecal Pancreatic Elastase was 132 (norm >200, moderate pancreatic insufficiency 100-200 and severe is <100, per lab report). Occult blood, lactoferrin, and culture were all negative (stool). I have to wonder about this "coincidence". 36,000 units tid. I started these mid-day on 4-18-21 (pharmacy didn't have enough immediately and RX picked up and started when filled on 4-18-21).
1239088	4/21/2021	NV	31	F	4/9/2021	4/16/2021	Severe migraine for 4 days shooting pain in arm of injection site discomfort in eyes
1237386	4/21/2021	MD	36	F	4/5/2021	4/5/2021	4-5 7:30pm - chills, shaking fever 102.1 - took Motrin 4/5-4/7 - continued with high fever, chills, shaking and severe muscle pains in back and legs - took Motrin/Tylenol every 3 hours for fever 4/7-4/11 - severe brain fog - felt as if I could not think, dizzy, lightheaded, vision was off 4/11 7pm - starting with hives on the back of both arms. Quickly spread to arms, elbows, right butt/hip and legs - felt itchy and then burning. Very hot to the touch. I had a teledoc appointment at midnight that night. Took Claritin and Benadryl and slept with ice packs to cool my skin. 4/12 - hives were gone in the morning but came back that evening. Took Benadryl and made an appointment with my PCP for the following day. Still feeling dizzy and lightheaded. 4/13 - had appointment with PCP and was instructed to continue with Claritin and Benadryl for a week. At this point I was feeling EXTREME worry, panic and anxiety. Hear rate was elevated so I had to stay until that came down. 4/13-4/17 - Still dizzy and lightheaded - brain fog - continued with anxiety and worry. Set my alarm for every hour at night to be sure I would wake up. 4/18 - Finally feeling like myself - still a bit of worry but so much better!

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1236919	4/21/2021		34	M	4/20/2021	4/20/2021	c/o blurred vision; symptoms were resolved and pt. went home.
1239767	4/21/2021	MO	31	F	4/18/2021	4/18/2021	Headache, nausea, fever, dizzy, body aches, chills Next day - crossed vision, couldn't walk straight - went to urgent care, sent to ER
1239422	4/21/2021	CO	16	M	4/21/2021	4/21/2021	5 MINUTES AFTER VACCINE ADMINISTRATION HE FELT LIGHT HEADED THEN COULDN'T SEE (BUT HAD EYES OPEN), BLACKED OUT, WAS DREAMING AND THEN WOKE UP. DURING THE TIME HE WAS DREAMING PHYSICALLY HIS EYES WERE OPEN AND HE WAS MOANING, HIS BODY STIFFENED UP AND FACE WENT WHITE. HEART RATE WENT UP TO 125BPM BUT THEN DECREASED TO 65 BPM AS SOON AS HE CAME BACK. HE WAS MONITORED FOR 35 MINUTES LAYING FLAT ON FLOOR, ATE CHOCOLATE BAR AND HAD SODA. FELT MUCH BETTER BEFORE LEAVING AND REGAINED COLOR.
1239281	4/21/2021	KY	26	F	4/12/2021	4/16/2021	developed shingles on eyelid 4 days after vaccine. patient has previous history of shingles, reports that this is 9th outbreak in 2 years
1239261	4/21/2021	CA	72	F	4/4/2021	4/20/2021	pins and needles, started in my left arm, on my extremities and starting up my torso, skin felt like it was crawling, irregular heart beat, lowered heart rate, low blood pressure, swollen eyes, throat clamping up, pain in left ear and around left ear in the neck, headache. The tingling started in the afternoon within an hour after the vaccine, and very slowly, slowly, slowly increased the next day and in the evening it got intolerable. They put me on an IV and within minutes it all started to go away.
1239238	4/21/2021	WA	16	M	4/21/2021	4/21/2021	Patient received Covid-19 vaccine (first dose) at our store today at 9:40 am. Patient was advised to stay in the area for 15 minutes for observation. Patient was sitting in the waiting area. At around 10:00 am, patient's mom knock on the door saying that her son might have an adverse effect. Patient stated he was feeling dizzy and was about to lose consciousness. He also stated he lost his vision. Patient was alert and was able to answer questions. Medics arrived and took his blood pressure. He was transported to the hospital

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1238728	4/21/2021	NC	36	M	3/20/2021	3/21/2021	Started with headache on 3/20 3/21 am - flu like sx 11:00 became unresponsive, disoriented, started having hearing & vision problems, left hand wasn't working. Problems worse upon standing, dx w/ hypovolemic shock
1239158	4/21/2021	AZ	61	F	4/10/2021	4/10/2021	Headache started 4/11/2021 approx 10:30 - ice packs to top of head, over eyes and back of neck, ended 4/11/2021 approx 1600; Nausea started 4/11/2021 approx 10:30 ended 4/11/2021 1600; Malaise started 4/11/2021 approx 10:30 ended 4/11/2021 ended 1600 sips of water throughout day and nibbled on saltines; photosensitivity (lights brighter than usual) started 4/11/2021 approx 10:30 ending 4/11/2021 1630; Bilateral eye pain started 4/11/2021 10:30 ending 4/11/2021 16:30 pain scale 7 (0 no pain, 10 extreme pain); Hot flashes started 4/11/2021 0800 ending 4/20/2021 0800



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1238785	4/21/2021	NV	45	F	4/7/2021	4/15/2021	<p>The patient received the vaccine on April 7, 2021. Almost immediately after the vaccine, the patient developed some nonspecific complaints of headache, myalgias, arthralgias, fever and chills. The symptoms lasted for several days and then seemed to resolve. She was then at her baseline until approximately April 15, 2021 when she noted that she was becoming bruised. She had multiple ecchymoses on her lower extremities and this has never happened to her before. She apparently began taking aspirin at that time. According to the patient, she took 325 mg of aspirin on April 15th, 16th, and 17th. She did not take any aspirin on April 18th but then on April 19th, she took 650 mg of aspirin. On April 19, she had a telehealth visit. They recommended that she go to an urgent care. She went to an urgent care on the afternoon of April 19. They told her that they were ill equipped to take care of her and then sent her to the emergency department. On arrival in the ED on 04/20/21 she was afebrile. O2 saturation was 99% on room air. Her other vital signs were unremarkable. Her initial laboratory studies were notable for white count of 6.6 with a hemoglobin 15.2. Her initial platelet count was 5,000. Initial chemistry panel was completely unremarkable. She was not having any headache, dizziness, nausea, vomiting, blurred vision or any neurologic symptoms. She thinks that her lower extremities are swollen. She was not having any myalgias or arthralgias. Not having any abdominal pain, nausea vomiting, diarrhea, dysuria, urgency, frequency. . The patient has no other specific complaints. The patient was admitted on 04/20/21.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1239064	4/21/2021	CA	58	M	4/16/2021	4/18/2021	He presented to the ER via ambulance after he had 3 witnessed seizures which included full loss of consciousness and rhythmic jerking lasting for an unknown duration. En route apparently he was seizing and prehospital personnel gave him 5 mg IM versed as well as 5mg iv versed which did seem to abate the seizure. He was apparently quite combative and has no prior history of seizures. In the ER the patient was apparently having right sided eye deviation and was given 2mg of Ativan. A stat CT of the head did not reveal any acute process. Telemetry neurology was consulted. During his work up the patient was found to have a urine toxicology positive for amphetamines as well as opiates. Telemetry neurology recommended loading the patient with Keppra, initiating regular Keppra doses and indicated they believed the etiology of his seizures was polysubstance abuse.
1239018	4/21/2021	CA	39	F	4/8/2021	4/20/2021	Eye infection - swollen eye, fluid, pain, swelling
1238966	4/21/2021	FL	62	M	3/17/2021	3/17/2021	Same day of vaccination 3/17/2021, I began seeing severe floaters on the left eye.
1238953	4/21/2021	GA	53	F	4/9/2021	4/9/2021	Patient reported on 4/21/21 that she had been hospitalized 5 days after having COVID vaccine. Vaccine 4/9/21, 8:15a.m. By noon started feeling bad; pain all over, headache, eyes hurting, low-grade fever. Eyes bloodshot later in afternoon. Symptoms progressed, including worsening fever (102.2) 4/10 and 4/11. treated conservatively at home. 4/12/21 fever 106.2, indescribable general pain, headache, eye pain. Went to ER. Elevated blood pressure, low potassium, neck stiffness during hospital stay. Hospital course included COVID testing, LP; both negative. Anti-coagulants given. Discharge home 4/16/21.
1238940	4/21/2021	FL	59	F	3/17/2021	3/29/2021	Constant dull headache, pain behind eyes, ( for three weeks to-date)and on eye balls not relieved by over the counter medication

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1238832	4/21/2021	MO	30	F	3/24/2021	4/1/2021	Red blisters on left side of forehead, left eyebrow, eyelid. Itching, tingling, pain in the area. Blurred vision in the affected eye. 7-8 eyelashes were lost on a clump of eyelid flesh that scabbed over and detached. Symptoms began April 1st. The symptoms began to decrease about a week and a half later. As of April 21st there are still several pink bumps on my forehead but they may be becoming scars at this point.
1238831	4/21/2021	IL	47	F	4/9/2021	4/9/2021	Patient experienced sweating, blurry vision, elevated blood pressure, recovered and released
1238908	4/21/2021	CA	18	F	4/21/2021	4/21/2021	1:50 Called into observation room by RN. for assistance with this patient. Pt had Dose 2 of Pfizer at 1: 16 pm and was now complaining of nausea and lightheadedness. Pt assisted to floor, legs elevated up on a chair. Pt is alert .He stated, his name is (unlisted). Skin: pale, hands diaphoretic. Immediately, pt 's chest was pounding;HR was elevated , pt's eyes closed and he appeared attempt to answer this RN's questions as to how he feels, however, could not. Would not/could not open eyes. It appeared that he was shaking/mild jerking as with the chills, however, this RN was discerning if it was seizure like activity. Upper body flushed/red. This lasted about 30-45 seconds. Then pt.'s shakiness slowed down, heart pounding resolved and he opened his eyes. Able to squeeze nurse hand. 1:53 pm DPN Came to assist.Ice pack to forehead Pt was still shaky, but now responding. Still w/ complaints of nausea, lightheadedness. 2:05 still lying on floor with legs elevated. 2:10 Sat up for 5 minutes. C/o nausea. Placed in wheelchair. Within 1 minute, pt. Is pale, shakiness returns, and c/o nausea. Returned to the floor , legs elevated and 9-1-1 initiated. HR steady, respirations -steady. MOC now present.Pt. now responding to MOC or RN's commands to squeeze hand or Speak. Eyes closed. HR and RR steady. 9-11 arrived at 2: 15 pm and pt. Left facility with paramedics and MOC.
1239216	4/21/2021	CA	55	M	3/31/2021	4/7/2021	patient with intermittent blurry vision, no headaches. will refer to ophthalmology

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1236976	4/21/2021	NY	47	F	4/14/2021	4/15/2021	4/15- CHILLS, FEVER, BODYACHES, SWEAT POURING FROM BODY, DIARRHEA- CAME ON EXACTLY LIKE COVID DID AND VERY INTENSE. 4/16- SAME SYMPTOMS- SEEMED TO LIGHTEN UP. IN BED ALL DAY. HEADACHE AND DIZZY. 4/17- FEELING ALITTLE BETTER DURING DAY- EXHAUSTED. 4/18- WOKE UP AT 1:00ISH WITH EXTREME MIGRAINE, HEAD FELT LIKE GOING TO EXPLODE, VOMITTING. * THIS WAS WHEN I BECAME CONCERNED* USED ICE PACKS ON HEAD. WAS IN FRONT LEFT EYE, AND DOWN THAT SIDE OF HEAD , INTO MY NECK. 4/18 - MIGRAINE GONE BY 7AM, HEADACHE ALL DAY- EXHAUSTED 4/19 - SLIGHT HEADACHE THAT WONT GO AWAY- EXTREM FATIGUE 4/20- SLIGHT HEADACHE STILL STARTING TO FEEL BETTER 4/21- SLIGHT HEADACHE BUT FEELING MUCH BETTER NOTE- HAD COVID MARCH OF 2020 EXTREMELY BAD. DOCTOR AT CLINIC WHERE I RECEIVED VACCINE ADVISED WOULD GET VERY SICK FROM VACCINE. ALL SYMPTOMS WERE EXTREMELY BAD - HOWEVER MY CONCERN IS THE MIGRAINE AND HOW BAD IT WAS AND STILL HAVE LINGERING HEADACHE. MY QUESTION IS SHOULD I RECEIVE 2ND SHOT?
1237205	4/21/2021	MA	60	M	4/18/2021	4/20/2021	Because pt was uncomfortable he did not use his CPAP machine. 45 hours after second dose was administered my husband was sitting up in bed eating breakfast, He tilted his head back to swallow his his escitalopram and baby aspirin, sipped his coffee chewed and swallowed. He then went speechless and began staring off to his left. He lost consciousness. His chin stretched out to the left and his head rolled back as did his eyes. Eyelids remained open. His head and upper body began to tremble and seemed stiff though his hands remained down by his side. Time slows when in such an emotional situation but I think the complete event lasted about 35 real seconds. I wonder if his temperature being elevated a couple of degrees and with his absolute lymphocytes on the rise if his strong immune response revealed a family predisposition to dystonia?

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1237180	4/21/2021	NJ	24	F	4/2/2021	4/2/2021	Pt reported premedicating with Benadryl at 1800 for dose 2. Denied rash, swelling, difficulty breathing, lightheadness, or rapid heart rate after dose 1. At 1900, PT reported dizziness and wooziness. Visible swelling on R eye and above top lip. Tremors BL in hands. Denied SOB, wheezing. (-) wheezing on auscultation. HR 83, regular, and slightly thready. BP 100/60. SpO2 98-100%. PT self-administered 50mg Benadryl via Port-A-Cath from own medication bag at 1911; vaccinators were unaware that she had brought medical supplies with her. Around 1910, Mom stated "I forgot she had some reaction to the last dose. We were expecting this to happen." 911 was called and PT was transferred to Morristown Medical Center for further evaluation. Patient was treated with 60 mg methylprednisolone IV, 20 mg famotidine IV, Diphenhydramine 25 mg IV, 1L NS Bolus, Acetaminophen 650 mg PO
1237175	4/21/2021	MA	23	M	4/17/2021	4/19/2021	Swollen eye lids (top and bottom), rash on face, hands, necks. Itchy all over. Throat tenderness and tight feeling
1237159	4/21/2021	KY	53	F	3/25/2021	3/25/2021	Numbness on the left side of my neck all the way up to my eye, and pain in my port site. I monitored my symptoms for 2 d5ays and they eventually went away.
1237108	4/21/2021	VA	66	M	3/6/2021	3/9/2021	3 days after receiving injection i lost my sense of smell and taste. no fever or chest congestion. taste and smell returned i 5 days 03/19/2021 woke up with vision loss i left eye. eye care assoc. diagnosis is NAION, optic neuropathy due to lack of blood flow to optic nerve damaged.
1237067	4/21/2021	IN	53	F	4/1/2021	4/8/2021	I first tasted a metallic taste, and then about a week later, had swelling not directly under my eyes, but right where the cheekbones are located. At first i tried allergy medicine, thinking it was allergies, but that did not work. After thinking about it, I realized it must have been a reaction to the shot. It is like someone cut open the area and poured 2 tablespoons of water in the area and stitched it back up. Also, the day the swelling started, i got a severe headache and it lasted for four days. The headache is gone, the metallic taste is gone, but the swelling is still there and i am extremely thirsty all of the time.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1237040	4/21/2021	AZ	28	F	4/20/2021	4/21/2021	Fever (chills, sweat, chills, sweat through the night), headache, body ache, aching behind eyes, bone pain
1237222	4/21/2021	FL	45	M	4/14/2021	4/18/2021	Noticed a quarter sized yellowish green spot on my abdomen and then on Tuesday 4/20/2021 I had a vision incident where I saw images of lines in the fire ground that lasted about 1 minute
1236995	4/21/2021	MD	28	M	4/6/2021	4/6/2021	Pt felt light headed and experienced slight vision loss within minutes after receiving the second dose of the Moderna vaccine. Pt assessed by EMT and recovered without intervention.
1237028	4/21/2021	DE	30	M	4/9/2021	4/20/2021	Woke up with double vision and pain behind left eye. No vision loss, but left eye was lazy. Pain behind left eye got worse over next 8 hours, but left eye regained alignment slowly over the same 8 hours. Referred to hospital for MRI and diagnosis. Awaiting results as of April 21st.
1236970	4/21/2021	OH	55	F	4/21/2021	4/21/2021	Pt stated after her first Pfizer dose she did not have any adverse reactions that she could remember. Pt. was feeling normal prior to vaccination and stated she had a granola bar and some water for breakfast. Pt was sitting in chair when she alerted technicians about her symptoms. Pt. then stated she began to feel dizzy and lightheaded while sitting in the chair. When asked, pt. said her vision was clear and normal. Pt. has Hx of DM type II, HTN, seasonal allergies and asthma. We assisted pt. to floor in semi fowlers position with a pillow behind her head in position of comfort. I asked pt. if anyone was with her and she stated someone had dropped her off, but was alone currently. Pt. was alert and oriented to person, place and time. I asked if she would like us to call the squad and she responded yes. We called emergency personnel. Pt. was warm to touch, but was complaining of chills. Pulse was 88 bpm, respirations 14. Per pt. she has an allergy to lisinopril and is currently taking several prescription medications, but could not recall any names. Pt. began to notice some wheezing and I asked if she had an inhaler for her asthma. She self-administered 2 puffs of Ventolin which helped with her breathing symptoms. EMS arrived on scene and a brief Hx was given to the squad. EMS took vitals and loaded pt. on cot and transported to Hospital.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1236962	4/21/2021	WI	67	F	4/20/2021	4/20/2021	Patient called to report that a few hours after receiving COVID vaccine she experienced tingling then numbness in the area of her eye. She reports she took benadryl last night and the problem has mostly resolved however she does have some residual tenderness in that area.
1236955	4/21/2021	FL	32	M	3/31/2021	4/18/2021	This is a comprehensive neurological evaluation for a very pleasant right handed 32 year old gentleman who denies any past medical history who presents to the hospital with several day progressive visual changes and facial weakness. Patient reports he noted on Saturday that he had somewhat of a headache, he does get headaches from time to time in particular while looking at screens the television, he did have some associated blurring of his vision as well. This was not the worst headache of his life. He had no other associated symptoms. He went to bed on Saturday, he awoke on Sunday and went out to eat and noted that he couldn't form his mouth around the utensil, his face and lips and mouth felt weak. He still did have an intermittent headache and perhaps some neck pain as well at this point. His vision was still blurry. He denies any recent trauma, no car accident no whiplash no falls. He did go to an outside facility where a CT brain was performed and was normal he was told. He has noted yesterday that he could not close his eyes unless he did it manually, also he notes the way his voice sounds is different to him. He has not appreciated any weakness of his arms or legs. He is able to lift up his head off the bed without trouble. He does not think he has a hard time swallowing or breathing per se however he does describe that he is more "aware" of his breathing. He describes paresthesias of his face and around his mouth. No recent URI or diarrheal/GI illness, he did receive the Johnson & Johnson COVID -19 vaccine March 31st. Seen and evaluated in the ED with ed staff. He does report he recently ran a virtual type marathon over the course of 16 days. Clinical context and exam most consistent with that of GBS type variant (?Miller Fisher). Treated with IVIG. Symptoms improved after 1 dose. 4 more doses pending.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1237803	4/21/2021	CA	31	F	4/8/2021	4/17/2021	Presented to ED 4/18 with severe L sided chest pain since 4/17. Arm weakness and numbness 4/18 that lasted a few hours but resolved. No vision changes. O2 sat was 100% on room air. Diagnosed with PE. No recent mobilization. Does not smoke or use illicit drugs. Was admitted to the hospital telemetry unit 4/18-4/20. Discharged on apixaban. I do not have any information on the vaccine Lot number received.
1238947	4/21/2021	CA	18	F	4/21/2001	4/21/2001	At 2:58 pm, Pt. reported feeling light headed and her vision getting blurred. Pt was alert and oriented X4, BP=137/82, hHR=88, RR=22. Pt. was laid on a flat surface, legs were raised, cold ice pack applied at the back of the neck, slow deep breaths were encouraged and performed. at 3:02 pt reported symptoms had subsided, pt. was offer room temperature water and observed further for 20 minutes. At 3:39 pt. was d/c home in a stable state with mom.
1236953	4/21/2021	PA	38	F	4/9/2021	4/15/2021	Moderna Covid-19 Vaccine EUA Rash on arm at vaccination site, legs and back began on 4/15/21 (vaccine date was 4/9/21). Rash was mildly itchy but symptoms were controlled with Benadryl. Did not seek care of doctor after internet search indicated rash at vaccine site and other locations on body was verified side effect. Visual hallucinations began on 4/17/21 (vaccine date was 4/9/21). These hallucinations have been sporadic- occurring approximately 3 to 4 times daily. Primary visual hallucination is seeing what appears to be an animal (something with 4 legs roughly the height of a small dog or cat) or a human roughly my height (around 5'4) walking towards me- usually on my left side. This report is being submitted on 4/21/21 and I am still experiencing visual hallucinations to date. Did not seek care of doctor. I do receive mental health medication management services; however, my diagnosis is completely unrelated to any psychosis and I have never before experienced visual hallucinations.
1236934	4/21/2021	IN	57	F	4/19/2021	4/19/2021	Had shot at 10:00 am. Came back home, took a nap. Woke up around 2:00 pm to itching in my ears, nose, eyes, mouth and throat and arm pits. Lasted till about 1:00 am.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1237019	4/21/2021	FL	57	F	4/19/2021	4/20/2021	Just after 3:00 am, I was very nauseous, vomiting repeatedly while every bone and muscle ached severely. My stomach muscles went into spasms and my head felt like what i imagine a migraine feels like. The pain behind my left eye was severe. My left side of neck felt like there was a knot and it took all my strength to try to massage it felt like no blood was moving. Strangest feeling I have ever had. Went from chills to sweats every 3-4 minute cycles. Did not feel like I had a fever though. I am O - blood type if that matters. Day 2 all but body aches are gone.
1237503	4/21/2021		53	F	2/13/2021	2/27/2021	Headaches, eye pain, dizziness 2 weeks after vaccination. Late uveitis seen about 2 months after.
1237710	4/21/2021		24	F	4/21/2021	4/21/2021	Patient denied symptoms during 15-minute required observation period. When she got up from chair to pick up vaccination card, endorsed near-syncope and bilateral lower extremity weakness like "she felt she was walking in sand." Denies visual symptoms, oral swelling, dyspnea, pruritis, nausea. Patient sat back down and was attended to. She was noticeably nervous (hand/leg shaking). SpO2 99%, HR 62. Patient endorses history of anxiety that is treated with beta blocker. Patient felt back to her baseline after approximately 15 additional minutes of rest and sipping on water. Trial of ambulation at that time with complete resolution of symptoms. She was cleared to return to work with return precautions.
1237645	4/21/2021	GA	41	M	4/21/2021	4/21/2021	patient reported he has previously fainted immediately following vaccine. His wife brought an ice pack and water. After vaccination i sat with pt a few minutes to make sure he was feeling well and ready to move to a chair in front of the pharmacy to sit for 30 minutes and make sure he is feeling well. I notified my manager that pt in front has fainted before and he kept a close eye on him. I was administering shot to the next pt and heard a sound. I left vaccination booth and saw pt on the ground. I placed his legs/feet in front of him and his wife held his head and ice pack. Our pt reported that he did not hit or hurt his head and did not need other assistance. we monitored the patient an additional 20 minutes and he was feeling well, vital signs good and accompanied by his wife.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1237635	4/21/2021		78	F	1/22/2021	1/27/2021	Acute headache radiating to neck and right shoulder and right eye. Acute hypertension with hypertensive crisis BP 223/113 needing Emergency department admission. Following this ED visit the the BP had been uncontrolled with ongoing headaches and right sided neck pain radiating to the right eye/head through March and in April have improved. During this time had #2 Pfizer vaccine 2/12/21 and had experienced arm pain and headache as well as a spike in her BPs as well as right sided neck pain radiating to her right eye
1236999	4/21/2021	ND	62	F	4/8/2021	4/9/2021	Fever, body aches, headache, chills, tired, vomited bile, weak, high blood pressure, visual changes.
1237249	4/21/2021	PA	54	F	3/15/2021	3/16/2021	The next day I had very limited energy/felt like a shell of myself. Day 3 I woke up with extreme sinus cavity pain on my left side and a sty in my eye which progressed to get very severe to the point of on day 4 the top part of my face swelling and being hot. I called HCP and did a virtual visit and was placed on an antibiotic and eye ointment for 7 days. At the end of the antibiotic being completely taken the sty was completely gone but there was a still an aching in the sinus cavity. A week later it became severe again and my left eye started swelling underneath so I had another tele appointment with HCP and was given a 10 day antibiotic - Augmentin and antibiotic eye drops
1237618	4/21/2021	CA	28	F	4/14/2021	4/14/2021	Covid arm, fever, chills, muscle pain, eyes burning
1237598	4/21/2021	OH	46	M	4/21/2021	4/21/2021	THE PATIENT STARTED TO HAVE BLURRY VISION AT ABOUT 10 MINUTES AFTER VACCINE, THEN TONGUE IN ONE SPOT ON FRONT TINGLING, STARTED TO GET TINGLING ARM. BP TAKEN AND AT 151/111 AT 10:45 AM. CALLED 911, SQUAD TOOK PATIENT AT AMBULANCE AND LEFT PROPERTY

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1237691	4/21/2021	TX	63	M	3/8/2021	3/16/2021	3/16 - 3/23 : fewer ( 100 -101 F), headache. used Tylenol 3/24 : fewer, headache, nausea, vomiting. used Tylenol 3/25 : fewer, headache, watery eye. stayed in ER. diagnosed sinus infection. treated with Amox/clav 875mg- 125mg; claritin; Tylenol 3/26 - 3/28: fewer, serious headache, double vision. continue used butal/apap/caf 50-325-40; Amox/clav 875mg-125mg; waiting for schedule MRI. 3/29 - 3/31: fewer, serious headache, double vision. stayed in hospital. continue used butal/apap/caf 50-325-40; Amox/clav 875mg-125mg.
1237519	4/21/2021	CA	30	M	4/6/2021	4/7/2021	Rashes on my neck (left side), shortness of breath, pink eye on the right eye
1237498	4/21/2021	TX	44	F	2/21/2021	3/31/2021	I've been experiencing dizziness and vision issues fir the past 7-10 days. I also have developed Vitiligo, or what appears to be Vitiligo, on my hands... first noticed around March 31, 2021.
1237355	4/21/2021	CA	55	F	4/20/2021	4/21/2021	Left eye twitching. This happened the day after dose #1 as well but didn't think of it as a side effect until it happened again with dose 2
1237490	4/21/2021	MD	35	F	4/9/2021	4/15/2021	Pain started above eyebrow 7 days after vaccine, diagnosed a few days later at urgent care and er. Shingles on the left side of the face, surrounding the eye. Currently on valtrex
1237266	4/21/2021	NY	56	F	4/9/2021	4/10/2021	4/10/21 awoke 0600 with severe headache, injection site sore along with entire upper arm, aching muscles in both shoulders and neck, severe dizziness, eye "fatigue" and burning, feeling of "fog head" (difficulty concentrating)
1237404	4/21/2021	NC	51	F	3/26/2021	3/27/2021	Acute onset peripheral non-infectious keratitis involving her left cornea with no prior illness or eye conditions, treated aggressively with topical corticosteroids. This resembled an acute auto-immune inflammatory condition. Patient has recovered under my care.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1237307	4/21/2021	FL	85	F	4/20/2021	4/20/2021	This was 2nd dose of Moderna COVID 19 vaccine, patient didn't get any reaction after 1st dose. Patient was very conscious and in a good shape after 2nd dose too. However, while patient was under observation after the second dose almost 7 min. after the dose, pt started to fall from their chair to the floor while they were conscious as they put their hands front of them to touch the floor first. I stepped quickly on the floor to check the pt, cleared the air pathways, took their mask out, put them on their side, supported their head and was watching their vitals and called 911. Patient had a good pulse and breathing, they were conscious but their were closing their eye 1st for 2-3 minutes after falling on the floor. Then they opened their eyes and were moving their head to answer my question and check. Paramedic came within 5-7 minutes of the call while patient was in a better shape and we learned from the patient and the patient's son that pt didn't take any food since the day before the vaccine. Paramedic did their check on the pt and asked to take the pt with them to do more check, however pt said they feel far better and didn't want to go with the paramedic.
1237318	4/21/2021	NY	83	F	2/10/2021	4/12/2021	I awoke at 6 am with an extremely painful headache in my left temple on Monday, April 12, subsequently diagnosed by my GP,, Dr. , as shingles, It affects the whole left side of my face, including my eye. An article in the NY Post on Tuesday, April 20 lists shingles as a possible side effect of the Pfizer vaccine, with about 6 recent cases in the NY area. I am reporting with the hope that more information will be published about this so that anyone experiencing this will see their doctor immediately when antiviral medication is more effective. I will notify Dr. that I have reported to you.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1237558	4/21/2021	NE	34	F	4/19/2021	4/19/2021	12:30 PM - 30 MINUTES AFTER RECEIVING THE SECOND DOSE OF MODERNA VACCINE ITCHING AND BURNING SENSATION BEGAN IN HER LIPS AND IN THE FOREHEAD BETWEEN EYEBROWS. IT INCREASED THROUGH THE DAY AND SWELLING OF LIPS WAS PAINFUL ON THE NEXT DAY 4/20. aLL IMPROVED ON THE MORNING OF 4/21. PATIENT TOOK PICTURES. SHE SELFMEDICATEDWITH ICE AND ALTERNATING ORAL ACETAMINOPHEN AND NAPROXEN EVERY 4 HOURS ON 4/19 AND 4/20. HISTORY OF COSMETIC TREATMENT WITH BOTOX AND LIP ENHANCEMENT FILLER (RETILANE) ON 3/23/2021 IN CLINIC
1232779	4/20/2021	AZ	78	F	4/12/2021	4/12/2021	I got Bells Palsy within 15 minutes of getting the vaccine. I noticed that my cheek was going numb, and my eye was drooping. I stayed at the facility for 30 minutes. On the way home I couldn?t close my eye. I have had Bell?s Palsy in 2015 and I had mostly recovered with some residual effects to my eye and my mouth was a little droopy. It effects my eyelid, my mouth and the side of my face. Today my cheek was more numb even though my eye seemed to be getting better. The new effects are on the right side of my face in the same area as they were before. It has been eight days since my vaccination.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1232781	4/20/2021	MI	18	F	4/20/2021	4/20/2021	The 12:20 pm appointment today (4/20/21) had an adverse reaction to the IMZ. Patient was done receiving the vaccine at about 12:30 pm and I stated she would have to wait until 12:45 pm. Around 12:38 pm I noticed she looked a little pale and went to her side to check on her. The patient stated she was feeling light-headed, dizzy, nauseous, and had trouble with her vision. I had the patient lay down and elevate her feet. The technician also grabbed an ice pack to place behind her neck. Asked if she would like water. The patient then stated she was having trouble breathing/short of breath and her ears were ringing. Once the patient stated issues with breathing 911 was called. A code white had been called and management was in the pharmacy. The 911 operator continued to ask questions about the patient's status and stated to not give any water or medications. I continued to assess the patient's symptoms. Her vision improved; however, she continued to feel light-headed, nauseous, and having trouble breathing. A member of EMS was in the store and came over to assess the patient. He had the patient sit up but she continued to have the same symptoms. He assessed her IMZ site. She was not feeling itchy and had not developed any hives. The ambulance arrived. EMS evaluated the patient and then took her out of the store on the stretcher.
1232785	4/20/2021	IN	47	F	4/13/2021	4/14/2021	My arm was sore a couple days. Felt tired Wednesday, then Thursday, Friday and Saturday I felt exhausted. My muscles and joints hurt. On Saturday I had a little headache and the skin right below my eyes was red and felt like it was burning a little.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1232894	4/20/2021	CA	62	F	4/20/2021	4/20/2021	Client received the 1st COVID vaccine of Pfizer (lot # EW0171 and expiration date 4/25/21) at approximately 2:16pm . Client reported to EMT that as she was leaving the waiting room and "stood up she felt dizzy." Client was alert and oriented X 4 and sitting in a chair near EMT station when Nurse arrived. At 2:31PM vitals were oxygen:96%, blood pressure:132/88 and pulse:88. Transfer client to gravity chair. Client reports blurred vision, a slight headache and tingling in her right arm although she received the shot in her left arm. At 2:36 pm vitals were oxygen:96%, blood pressure:134/88 and pulse:91. At this time client reports dizziness is subsiding, arm tingling has resolved but now she is getting tingling in her left leg, sensation and movement intact. Client reports feeling weak and that her left wrist is also tingling. Offer client water. At 2:41PM oxygen:97%, blood pressure:136/86 and pulse:88. Client reports tingling in lower left leg and by left thumb. At 2:46pm client reports right foot tingling on the top. At 2:51PM oxygen:96%, blood pressure:134/86 and pulse:88. Client reports dizziness has subsided and that the tingling in her left leg is coming and going but right foot tingling has resolved. At 3:01pm vitals were oxygen:96%, blood pressure:134/86 and pulse:85 and reports that tingling has improved. Client reports having a history of asthma and environmental allergies. Client takes montelukast (singulair), wixela, ventolin, proventil, loratadine, and vitamins. Client was provided ER precautions and to follow up with provider. Client left facility with a steady gait at 3:04PM.
1232800	4/20/2021	MD	17	F	4/20/2021	4/20/2021	after shot administered pt reported worst dizziness they have ever experienced, ringing in ears, and blurred vision, had pt lay in supine position with feet elevated, all sx resolved within 15-20 minutes, advised pt to follow up w/ PCP

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1232804	4/20/2021	WA	17	M	4/20/2021	4/20/2021	1021: Patients mother alerted roving medic that son was experiencing respiratory distress. Medic immediately radioed their another medic. Two other EMT arrived at car at 1022. 1022: Patient stated he felt like his throat was being to close up and appeared to be gasping for air. Pt also stated he was beginning to lose sensation in his extremities; extremities tense and contracting; denied changes in vision. Mother stated no food or medication allergies but pt had previous anxious reaction to Hep B two years prior. Initial vitals on arrival: BP: 80/52 SpO2: 89% Resp: 26 1025: 0.3 mg Epinephrine administer into left vastus lateralis by emt overseen by another emt 1026: repeat vitals BP: 111/57 Sp
1232880	4/20/2021		60	M	4/9/2021	4/9/2021	Pt came in on 4/9 for first dose pfizer. Reports that he visualized the vaccine oozing out of post injection. cleared by public health nurse to restart vaccination series per CDC guidelines. Vaccine administered in opposite arm of first injection on 4/16/2021.
1232858	4/20/2021	VA	45	F	4/20/2021	4/20/2021	Patient received their first dose of Moderna vaccine today. After about 7-8 minutes, the patient said she was starting to feel dizzy. The pharmacist escorted her into the immunization booth to sit and monitor her. She attempted to take the patient's blood pressure but the machine errored out on the first attempt. The patient was sweating so the pharmacist applied a cold compress to the patients neck and wrists. The patient said she was possibly seeing a couple of spots, but said that this was a common reaction when she is nervous. The pharmacist took the patient's blood pressure again and got a reading of 92/57. The patient stated that her blood pressure usually runs low, though. About 30 minutes after the vaccine the patient stated that her symptoms had all resolved. She was no longer dizzy, no visual disturbances, and no longer sweaty. Her husband drove her home shortly after that when the patient felt she was better.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1232844	4/20/2021	MD	21	M	4/20/2021	4/20/2021	Patient was sitting in the waiting room alert and responsive after his vaccine. Suddenly while he was sitting in the waiting room His eyes began to roll back into his head, his head dropped and his body tensed up and he began to shake. The event lasted approximately 30 and then the patient became alert and oriented again. When he became alert again he seemed very sweaty and pale. Nurse Practitioner took blood pressure and it was 100/58. Paramedics arrived on scene approximately 5 minutes after and transported him to the hospital.
1232676	4/20/2021	MI	37	F	4/13/2021	4/19/2021	Flashing lights in peripheral of left eye for 20 minutes, tingling in right leg
1232801	4/20/2021	WA	17	M	4/20/2021	4/20/2021	1021: Patients mother alerted medic that son was experiencing respiratory distress. Medic immediately radioed Personnel Personnel notified another Person and both arrived at car at 1022. 1022: Patient stated he felt like his throat was being to close up and appeared to be gasping for air. Pt also stated he was beginning to lose sensation in his extremities; extremities tense and contracting; denied changes in vision. Mother stated no food or medication allergies but pt had previous anxious reaction to Hep B two years prior. Initial vitals on arrival: BP: 80/52 SpO2: 89% Resp: 26 1025: 0.3 mg Epinephrine administer into left vastus lateralis by 2 personnel 1026: repeat vitals BP: 111/57 Sp
1232797	4/20/2021	MO	54	F	4/17/2021	4/18/2021	Headache, eye pain, dizziness. Headache started Saturday night 4/17/21. Woke up on 4/18/21 and was dizzy and had bad Headache. It progressed all day and the Headache was relieved by taking Aleve (2) around 5:30 pm. The dizziness is still happening as of today 4/20/21 and Headache came back. Took Aleve again and Headache subsided but dizzy still. Almost like I have vertigo.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1232769	4/20/2021	OH	77	F	1/26/2021	1/26/2021	Patient states that she started having trouble feeling tired, having difficulty concentrating/making decisions, vision problems, and dizziness/lightheadedness after the first vaccine dose on 1/26/21. She was not very clear on timeframe of onset of individual symptoms. She received her second dose on 2/26/21. She was diagnosed with A-fib during the time between her 2 doses. She did not notify pharmacy where vaccine was administered of her suspected side effects until 4/20/21. Patient states she has seen several of her healthcare providers to see if they could find any reason for her to be experiencing these things other than the vaccine but she says they haven't found anything.
1232763	4/20/2021	CO	59	F	3/12/2021	3/17/2021	On 3/17/21 patient returned to clinic complaining of sudden onset of dizziness, weakness, shaking, some SOB and anxiety. Patient reports this started suddenly at noon. She reports associated lightheadedness and difficulty with focusing her vision. She reports "feeling like I am going to pass out and not wake up". Denies nausea, vomiting, head injury, fall, slurred speech, confusion, or chest pain. Last meal was previous night, has not eaten that day. She denies recent alcohol use, did admit to smoking marijuana prior to episode starting. She did have the Johnson&Johnson Covid vaccine on 3/12/21, only has had a sore left arm, denies other side effects. Patient was sent to the emergency department via ambulance for further evaluation. Work up at the emergency department showed bilateral pulmonary embolisms.
1232728	4/20/2021	IA	60	F	4/18/2021	4/19/2021	severe headache, swelling of eyelids, naseau, muscle pai nin legs
1232692	4/20/2021	RI	57	F	4/2/2021	4/2/2021	Mild allergic reaction - itching throat, teeth, mouth, eyes

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1232680	4/20/2021		38	F	4/19/2021	4/19/2021	Patient with complaints of tickling feeling over body, and feeling a little warm. She stated her head felt heavy, then she remembered people talking around her. Patient hit the floor, and hit right side of head, no notable injury. Patient denies blurred vision, dizziness, nor nausea and vomiting, but states has a slight headache. Patient remained oriented during evaluation period, and was accompanied by her coworker. She stated that she consumed a protein shake this morning before coming to the event. Patient stated she also had a headache last night and consumed two Ibuprofen tablets before bed. 12:48 pm vitals- B/P 120/74, HR 54 R 20. At 1:05pm, patient stated she felt better, and denies nausea, blurred or double vision, vomiting, but remains with slight headache. This nurse advised that her friend drive home, and patient agreed. Patient transported to car per wheelchair.
1232674	4/20/2021	NY	28	F	4/15/2021	4/15/2021	After 20 minutes, the tongue started to swell and lips. An hour later I had some hives on my stomach. This continued for a couple of days. 5 days later my face, eyes, lips and tongue are swollen. Difficulty breathing at times.
1232895	4/20/2021	FL	40	F	4/7/2021	4/7/2021	I received my first dose of the Pfizer vaccine on April 7th. The same day that I received it my eyes turned red, blood shot. Specifically the left eye, and I had my shot in the left arm. I thought it was odd but after a day or so it went away. On 4/17 I went to the beach, and my eyes got almost sun burnt even while wearing sun glasses with a hat, under an umbrella. I go to the beach all the time and this has never happened before. I do not know if any of this is related to the vaccine and my symptoms are not drastic enough to warrant a trip to the doctor yet, however I felt that I should report this.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1233210	4/20/2021	OR	48	F	4/7/2021	4/7/2021	1 minute after shot, severe dryness of throat and mouth. Did not report because didn't realize the significance. 20 minutes (driving home), slight swollen tongue and throat began tightening . Took 2 Benadryl. Minimal effect. 45 minutes, continued throat tightness, very bad taste in mouth, dizziness, nausea. Used emergency asthma inhaler, no effect. 2 hours, itchiness that moved from place to place on my body. Itchiness in ears. Continued mouth and throat symptoms. Chills, tremor. All other ongoing symptoms continued. 3 hours, left eye slightly swollen. Left cheek area around sinuses very tender, painful, lightly swollen. 3.5 hours, slightly swollen lips ( visible but not extreme). 4-10 hours: very uncomfortable, all symptoms ongoing, sleep very difficult, repeated Benadryl every 4 hours Went to see doctor first thing in the morning, approx. 11 hours after vaccination. Still had allergy symptoms.
1232588	4/20/2021	WI	64	F	3/17/2021	3/18/2021	Pt reported she noticed fatigue and achiness about 12 hours after vaccine. The next day, she noticed a bump on her hairline by her lymph node with pain radiating to under her jaw. A few days late she reported a fever, red eye, and increased blood pressure. She went to the emergency room and ended up being admitted and checked for a heart attack or blockage. The cardiologist who cared for her said she did not have a heart attack. He could not conclude that the symptoms were a result from the vaccine, but advised her against getting the second dose out of an abundance of caution.
1232590	4/20/2021	AZ	40	F	4/7/2021	4/16/2021	First day - debilitating chills, fever, sweats, weakness Day 7 started experiencing light sensitivity, loss of central vision, dizziness, headache Note: I have never had anything like this happen before (not prone to migraines etc.) Now in Day 13 and still have headaches light headedness and sensitivity to heat and light
1232638	4/20/2021	OH	43	F	4/9/2021	4/10/2021	Rash, headache , fatigue, blurred vision, leg pain
1232595	4/20/2021	CO	60	F	4/20/2021	4/20/2021	patient experienced blurry vision approximately 15 minutes after receiving vaccine and the blurry vision lasted 10 mins. She also reported experiencing a headache on the left side which also last 5min. She indicated feeling dizzy for a few minutes. Recovered completely by 3:15 Ppm

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1232691	4/20/2021	WA	43	M	4/20/2021	4/20/2021	1110: Alerted that we had a medical patient. 1111: At patient side to find the patient was slouched over and having snoring respiration?'. The patient appeared pale and diaphoretic. 1112: Contacted Safety Supervisor and also contacting 911. 1113: The patient was seated upright to open airway and asked if he could wake up. Patient was breathing on his own, eyes open, but not tracking. The patient was not responding to painful stimuli. 2 person lift assist to get the patient off the chair and laying on the floor. The patient then had seizure like activity, arms clenched at his side. 10 second passed by, the patient having minimal postictal phase, and the patient immediately sat upright, asking what happened. The patient informed mobile crew that he started to feel hot and dizzy before he started to dream. Vitals taken: BP: 110/54, HR: 40, R: 18, SPO2: 99%, CBG: 108. 1116: Patient care transferred to paramedic unit to transport to closest hospital.
1233129	4/20/2021	IL	41	F	3/25/2021	3/25/2021	Approximately 45 minutes post-vaccine, I noticed my right hand was quite itchy but I didn't really think about it. About one hour post vaccine, I began itching on my arms and a coworker noticed that I had hives on my right arm and chest. I called my doctor and she told me to get to the pharmacy and take 50 mg of Benadryl as soon as possible. Once I reached pharmacy, about 12 minutes away, I had hives on my face and neck, with my right eye swelling shut and swollen lips. I took the Benadryl immediately and the hives lessened within 45 minutes. I took 50 mg of Benadryl every 4-6 hours for the next 16 hours because the hives and swelling kept returning when the Benadryl wore off.
1233284	4/20/2021	NC	57	F	4/15/2021	4/16/2021	I experienced double vision and difficulty in focusing. This is not a symptom I've ever experienced before. I was outside walking around when it began. I also had a mild headache. The vision problems ended after around two hours.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1233301	4/20/2021	SC	46	F	3/26/2021	3/27/2021	PATIENT SAID DAY AFTER SHE FELT DIZZY, HAD BLURRY VISION, NAUSEAM AND BAD HEADACHE. THE NEXT DAY SHE WAS FINE. A WEEK LATER ON DAYS 8 AND 9 POST VACCINE THE ABOVE SYMPTOMS RETURNED WITH A VENGEANCE. PATIENT WAS UNABLE TO GET OUT OF BED, COULD NOT READ A BOOK DUE TO BLURRY VISION. OVER THE COUNTER MEDICATION DID NOT RELIEVE HER PAIN

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1231617	4/20/2021	WV	70	F	3/17/2021		<p>OPTIC NERVE DAMAGE; DIARRHEA; BRUISED ARM; TINGLY FACE; STOMACH CRAMPS; SHIVERING/CHILLS/FELT COLD; SORE ARM; WEAKNESS; NAUSEOUS RIGHT ON THE SPOT.; TIREDNESS; HEADACHE; FEVER; This spontaneous report received from a patient concerned a 70 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included minor low pressure glaucoma, blood pressure, mild asthma, augmentin allergy, non alcoholic, non-smoker, and pre-diabetic. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805018, expiry: UNKNOWN) dose was not reported, administered on 17-MAR-2021 10:00 on left arm for prophylactic vaccination. No concomitant medications were reported. On 17-MAR-2021, Patient stated that the shot hurt so bad not like any other shot she had before, she felt nauseous right on the spot. When she went home, she felt tired, weak and had headache, stomach cramps and her face was tingly but not red. At around 9 or 10 PM, She felt cold, had shiver, diarrhea, chills, and a fever of 100.8 F max. Her arm felt sore and looked bruised so she took Tylenol. By 21-MAR-2021, she had minor symptoms but fever went away, her arm was sore and she had diarrhea. Her symptoms completely resolved by 25-MAR-2021. On 08-APR-2021, patient went to see her Ophthalmologist to follow up on her minor low pressure Glaucoma and Dr. told her she had an Optic Nerve Damage. Dr. told her that her eye pressure is 10 or 11 and it did not make sense that her pressure was low but she had an optic nerve damage. Ophthalmologist suggested that this could be because her oxygen level was low or she had sleep apnea but patient regularly checked her oxygen (always around 98) and did not had sleep apnea. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from diarrhea, bruised arm, tingly face, stomach cramps, shivering/chills/felt cold, sore arm, weakness, nauseous right on the spot, tiredness, headache, and fever on 25-MAR-2021, and the outcome of optic nerve damage was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210421255-Covid-19 vaccine ad26.cov2.s-Optic Nerve Damage. This event(s) is considered not related. The event(s) has a</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There are other factors more likely to be associated with the event(s) than the drug. Specifically: UNDERLYING DISEASE
1232584	4/20/2021	SC	55	F	4/20/2021	4/20/2021	Fast beating heart beat, shortness of breath, tingling in face, lips, arms and legs and feet. Instant Dry mouth with tongue discomfort. Blurry vision, instant headache. Feeling like a floating feeling, feeling dazed.
1233268	4/20/2021		71	F	3/4/2021	4/3/2021	photo sensitivity to left eye odd numbness/pain in cheek bone below left eye. Now blind in left eye with drooping eyelid.
1233259	4/20/2021	FL	53	F	2/1/2021	2/14/2021	First dose was administered on 1/22/21 (lot#EL3302) after which I began with hormonal fluctuations consistent with pre-menstrual symptoms (would be normal for someone 2 Yrs POST-menopausal) On 2/15/21, following my second dose on 2/12/21, I experienced the onset of what could only be described as menses, which, although extremely light, continued for 3 days. Coincidentally, on 2/19/21, I had an annual exam scheduled at which I mentioned this odd occurrence. I was advised that post menopausal bleeding is not normal and I needed follow up tests. I am relatively informed and explained that my experience was not random bleeding, it was truly a menstrual period with all symptoms relating to such, but decided to follow through with testing to be sure. I had an ultrasound performed on 2/25/21 which noted an endometrial stripe of 5mm (1mm wider than ?normal?) and a hysteroscopy was scheduled and performed on 4/9/21. Biopsies taken and visual inspection showed NO abnormalities whatsoever and my bleeding occurrence was considered idiopathic. In speaking with the physician, she refused to acknowledge that the Covid vaccine could have had anything to do with the event, but several others I know in healthcare have stated that there is a possible link and there is documentation to support.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1233251	4/20/2021	CO	51	F	3/24/2021	3/24/2021	Dizziness, severe headache, heart palpitations, fever 102.5, blurred vision, severe earache, ringing in ears, pain behind eyes, vertigo, nausea, stomach pain on day of vaccine. Took ibuprofen 200mg. on 4/25 at 8:00 am. Fever and chills resolved and headache lessened with ibuprofen. Went to emergency room for dizziness and heart palpitations on 3/30. Heart palpitations resolved after hospital evaluation. Headache, vertigo, earache and ringing in ears persist to present
1233211	4/20/2021	TN	56	F	4/8/2021	4/8/2021	Within 2-3 hours of receiving the second dose, I developed a subconjunctival hemorrhage on the left side of my left eye (covering the entire left side of my eye). No doctor was seen as a result. It continues to resolve (it has not cleared yet).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1233206	4/20/2021	NM	61	F	4/15/2021	4/15/2021	<p>DAY ONE April 15, 2021. On Thursday April 15th at 10:00 a.m. I received the first dose of the Covid 19 vaccine. They gave me the shot in my left arm. Within about 5 seconds, I started feeling nauseated and light headed like I was going to pass out. I asked to just sit there for awhile because I did not feel stable to stand up and go to the waiting area. I stayed seated for about 1-2 more minutes then the paramedics took me to the Medical area in a wheelchair. The paramedics checked my vitals. My blood pressure was 135 over ?? I don't remember. I told the medic my BP is normally 98/58. She said my BP was elevated. My pulse was in the high 80's. My temperature was 98.6 and my oxygen was 100. I started getting pain and pressure going up the back of my neck, into my head, eyes and ears. It was very painful and throbbing pressure. I felt dizzy and really high. It felt like I was floating on the top of the ceiling and the people were off in a distance. I was really woozy. I then got diarrhea. The nausea continued but I did not throw up. At times my thinking was spacey, so I talked to the paramedic to help me stay grounded. I narrated what was happening in my body. They did a glucose finger prick test because of my spaceyness, but it was normal. It was like my whole system was freaking out. I was there and then not there, feeling like I was floating. These symptoms continued for about 90 minutes and getting worse. The paramedics offered me to go to the hospital, but I thought eventually I would be fine. I did not want to go to the hospital and have a huge medical bill. At around 90 minutes, I started having pain in my heart left side, under my left breast on my left shoulder. The paramedics did an EKG and did not find anything but some irregular heartbeats. The heart beats felt like BA BOOM, then my heart would do a cartwheel. BA BOOM and another cartwheel. At this time, my husband arrived and took me to the hospital emergency room because the pain in my heart was getting worse. I stayed in the hospital emergency room until around 5:00pm on April 15th. They did another EKG and some lab work and did not find anything but low thyroid. I continued to feel drunk, nauseated, pain pressure and throbbing in my head neck, ears and eyes, diarrhea, and like I was High and going to pass out. The chest pain in my heart was off and on. It felt like muscle cramping in my heart, under my left breast and the left shoulder. I</p>

VAERS\_ID RECVD STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

also got a pain in my left groin area, then behind my left knee. It was a sharp and throbbing pain for about an hour in each location, but eventually went away. While in the Emergency room, they tried to give me Ativan. I asked what it was for and they said Anxiety. I said I wasn't anxious; I was just having a reaction to my first Covid 19 vaccine. I said I did not want it because my body was already struggling to handle the Covid 19 vaccine. They said the doctor prescribed it. I said I had not seen a doctor, and they said it is protocol. The nurse then came in and wanted to give me a shot for nausea and I said no, I don't want any more chemicals in my body, it is really having a hard time already with the Covid vaccine. I went home, was wiped out, still feeling drunk/woozy/high, also nauseated, diarrhea, very dizzy, had a hard time walking. The pain, throbbing in my head, neck, ears and eyes was still there. By this time, I could not find clear thoughts, and could not make sense of things. I was very agitated and at the same time exhausted and only wanted to sleep. DAY TWO April 16, 2021 I woke up with a smashing head ache, neck ache, back ache and general feeling like Crap. The nausea and diarrhea were still there and had woken me in the middle of the night. I felt like a truck had hit me. I stayed in bed all day and tried to eat and drink as much as I could. I drank a lot of water that day. I felt horrible, but was able to stand without feeling like I was going to fall over. Had trouble finding clear thoughts at times. Still felt out of it and had chest pain off and on. Also had the BA BOOM heart beats and cartwheels in my heart. DAY THREE April 17, 2021 Very similar to day two. I felt weak, nauseated, diarrhea, pain all over, jittery, not able to have clear thoughts at times. It felt like my body was still on RED ALERT!!! I also had very shallow breathing on day 2, 3, 4 and 5. It tired me and I panted just getting up to go to the restroom. I am able to eat fine and keep food down. BA BOOM hear beats and cartwheels in my heart have lessened. DAY FOUR April 18, 2021 I felt a little better and made the mistake of thinking I was getting over the reactions and did too much. Shortness of breath. DAY FIVE April 19, 2021 I feel horrible again, Nausea is really strong as well as the diarrhea. I am feverish, sweaty and shaky. Shortness of Breath. Tight in my chest. I just took my temperature and it is normal, although I am hot, sweaty, feel feverish and shaky. I am

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1233187	4/20/2021	OK	55	F	4/6/2021	4/11/2021	<p>exhausted. The headache is still here as well as the pains in my neck, ears and eyes. The aches in my body are still here. I have no energy. A wave of emotions is also here and I am weepy and crying. This is no fun. I am able to eat food OK and drink lots of water to counteract the diarrhea. DAY SIX April 20, 2021</p> <p>Shortness of breath, very tight in my chest, having to take Benadryl and use my rescue inhaler to keep my breathing open. Feverish, chills, shakey, hot. Temperature 97.0 Blood pressure 90/66 Pulse 70. I feel like crap, just wiped out.</p>
1233204	4/20/2021	MI	85	F	1/14/2021	1/14/2021	<p>Lot # unknown. On 4/7/21 very tired for 24 hours. But on 4/11/21 experienced extreme fatigue with sore body by late evening temp had risen to 100.5. Temp continued ranging from 99.9 to 101, also experienced body aches, headache, eyes burned, decreased appetite, sweating and chills all continued to 4/15/21. 4/15/21 temp normal but fatigue remained and cough started. Hard cough both dry and productive at times. An ache in the middle of my chest. Had doc appointment on 4/16/21. Temp normal but doc stated my labs were at the levels of someone who had covid but I was covid neg. The doctor suggested my illness was related to the vaccine. I missed a week of work and although I have returned to work I am still experiencing a lingering hard cough.</p> <p>1-14-21 - FIRST SHOT - HUGE BURNS OVER TOTAL BODY, UNABLE TO WEAR CLOTHES DUE TO BURNS AND BLISTERS. WEEPING OUT OF EARS, LOSS OF HAIR, NO ENERGY OFF AND ON, AND LOSS OF EYE SIGHT. PREDIZONE WAS GIVEN, GAINED 30 POUNDS. 2-4-21 - SECOND SHOT - BURNS AND BLISTERS ALL OVER BODY AND OTHER SYMPTOMS CONTINUED. MORE PREDIZONE GIVEN. OFF PREDIZONE ON APRIL 1, 2021.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1233134	4/20/2021	FL	59	F	3/25/2021	3/26/2021	Client received Dose 1 of Pfizer Covid Vaccine Lot # EN6200 on 3/25/2021 as well as Pfizer Dose 2 Lot # ER 8732 on 4/15/2021. Client stated had mild eyelid swelling after both dose 1 and dose 2, but did not keep a journal of the exact days the swelling occurred. Client stated was unsure whether to report the reaction as she gets the same swelling after taking various medications. She stated she has been tested for allergies and does not have any. She reported the eyelid swelling was mild and came and went the weeks following the first dose of vaccine. She also had some swelling after the second but nothing that would keep her from getting future doses of the vaccine if they become necessary.
1232943	4/20/2021	RI	30	M	4/10/2021	4/19/2021	I observed a tiny red spot on left side of my scrotum which grew into hard mass which visually appear more like a tumor than a pimple. It does not pain on touching but I am afraid to check tenderness by pressing. I have recently moved to the area so I do not have a PCP. Is this something due to vaccine that I need to get checked in emergency?
1233124	4/20/2021	MA	55	F	4/13/2021	4/13/2021	I HAD CONTRACTED COVID-19 MID- DECEMBER 2020. Recovered from COVID, all of it's side effects, and COVID-related pneumonia by February 2021. My 1st injection took place at about 9:20am. Approximately 10 minutes later I had the 'FEELING' of my tongue swelling (although no physical sign of swelling), and I became quite light-headed/swimmy. This lasted a couple of hours, then went away. All was well until the next morning around 9:00am. I began to have flu-like symptoms including severe body aches, headache, chest tightness. As well my complexion became gray, and eyes glassy (according to those at work). By noon time I was sent home. These symptoms persisted until the next morning. I woke up feel almost normal again. Seems the whole course took place in about 36 hours or so.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1233122	4/20/2021	GA	37	F	4/8/2021	4/12/2021	Monday, 4/12 - Had first-ever (in my life) nosebleed; painful shingles rash emerged on right shoulder blade Tuesday, 4/13 - Had second-ever nosebleed; shingles rash painful + itchy Thursday, 4/15 - Went to urgent care thinking that shingles rash was spider bite; urgent care doc visually examined and confirmed it was shingles, prescribed Valtrex; went to primary care doc who confirmed shingles and took blood to test platelets Friday, 4/16 - Blood test confirmed platelets are normal Saturday, 4/17 - Had third nosebleed
1233118	4/20/2021	WI	48	F	4/14/2021	4/16/2021	Right Bell's palsy: unable to raise eyebrow, difficulty closing eyelid; unable to smile.
1233107	4/20/2021	NC	53	F	4/5/2021	4/5/2021	She got the vaccine, within the first night she woke up around 9:00 to 10:00 as she felt more fatigued. She had pulsing ringing (already has tinnitus), really loud ringing. Her skin was really hot (sunburn hot), tongue was sore, her eyes hurt (tissue burning sensation) feeling. Heft left arm was extremely painful, but went away. The headache all through the front, part of her forehead, eyes, head, and took 2 Tylenol. About 3 days after that her right wrist started hurting, throbbing pain. She has never had any joint pains. She has been taking Turmeric, the right wrist is still hurting. She did have body aches, throat, and all symptoms, felt like she had a flue/cold. She is completely dizzy, disoriented and not able to use her phone. She is not able to regain her balance at this point. The lingering effects are she cannot read, she always feels like she has been lost in space. The pain is improving, but is still present. When she looks down the dizziness is a lot worse. She has pushed back the 2nd vaccine. She has called her doctor and reported this who told her to call us. She took Claritin and it stopped a lot of the symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1233089	4/20/2021	SC	51	F	4/19/2021	4/20/2021	I received the second vaccine at approximately 10:45am on 4/19/21 at pharmacy; later that afternoon a very bad migraine started to develop, which I did not take medication for as I want to ensure nothing would interfere with the vaccination doing its job. The pain of said migraine has traveled to different locations in my head between 4/19 through the morning of 4/21 - from the base of the back of the head and neck area to the top/left of the skull and over left eye area. On 4/20/21 at 10:05am, I developed a very unpleasant ringing in both ears that I am very concerned about as it is exacerbating the migraine and is extremely painful.
1233055	4/20/2021	NY	62	F	4/8/2021	4/11/2021	I had the initial body ache that's been associated with the second vaccine injection, it disappeared after 36 hours, followed by excruciating pain in my right jaw, the lymph node behind my right ear shooting into my right temple. Within a day my right eye was involved. After 2 misdiagnoses, and increased pain and emerging blisters, it was determined that I had shingles (4/18/2021)
1233048	4/20/2021		61	F	4/18/2021	4/18/2021	strong headache focused behind eyes, moderate body aches and chills and fatigue, minor dizziness and nausea, slight cough. All beginning at around 6 pm (9 hours after shot) and ending around 5 pm the next day. Fatigue continues.
1233046	4/20/2021	TX	33	F	4/8/2021	4/9/2021	Initial onset of bilateral lower extremity paresthesias and nausea/vomiting on 4/9/21, lasting 2 days and 1 day respectively. Improvement then noted with return of right lateral leg paresthesia on 4/18/21. No treatment attempts made by patient. Mild right lower leg symptoms persist. No headache, vision changes, abdominal pain, petechiae or bleeding reported.
1233033	4/20/2021	OR	43	F	2/19/2021	2/19/2021	Intense severe flushing and swelling of face; face turned a deep purple hue and white rings around eyes and nose and mouth. Searing stinging pain in face with flushing. Lasted 6 hours. Severe tinnitus within 24 hrs, has continued and not abated. Disruption of menstrual cycle, delayed period by 10 days, spotting and stop in period cycle and starting again .

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1233029	4/20/2021		39	F	4/8/2021	4/8/2021	Within 40 minutes approximately of getting the vaccine, my face became numb at the tip of my nose and the area above my upper lip. By one and a half hours later after the vaccine, the numbness had expanded from right below my eyes down to my jawline. This numbness lasted a few hours and by the following morning, the numbness had returned to just my nose and area above my upper lip. This numbness lasted about an extra day. Nausea lasted 15 minutes beginning approximately 40 minutes after getting the vaccine. Lightheaded and feeling somewhat disoriented began about 40 minutes after getting the vaccine and lasted two days. While I received the injection in my left arm, my right arm was actually sore, which started within a couple of hours after getting the vaccine and lasted about three days. Severe muscle aches beginning from my waist down to my ankles, which began about four days after getting the vaccine and lasted about three days total. No muscle aches above my waist was experienced. Soreness in my left arm at injection site as well as itchiness was observed about 8 days later. All side effects fully subsided about 9 days after the injection.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1233169	4/20/2021	KY	82	M	2/5/2021	2/8/2021	Per letter received from patient and phone interview, patient has long history of severe Glaucoma. Patient reports being blind in right eye for many years. Doctors have treated the left eye successfully with medications since the age of 35 to prevent blindness of the left eye. Patient reports pressure in left eye has been well controlled with 4 different Glaucoma eye drops daily. Pressure in the left eye has been maintained at 10 and 12. Patient states his vision was stable until second Moderna vaccination on 02/05/2021. Within a few days, the patient noticed change in his vision. After 1.5 weeks, patient reached out to doctor. Patient was seen by Dr. on 2/24/21 and found left eye pressure had increased to 30. Patient was immediately referred to a Glaucoma Specialist. That same day, about 4-5 hours later, he noted the pressure had increased to 40. Dr. agreed to perform shunt surgery, and did so on 3/10/21. Initially this reduced the pressure to 8. During the next week or 2, it increased to 11. During the patient's most recent follow up visit, the pressure was at 15. At that point, Dr. decided to remove a suture to reduce the pressure more. Patient reports vision has only slightly improved since this all began. Next follow up appt is on 4/28/21. Patient states in his opinion, he has sustained significant vision impairment as a result of the second Moderna vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1231525	4/20/2021	OK		F		3/1/2021	<p>RAPID HEART RATE; SOME UNWANTED PALPITATION; FELT TINGLING ALL OVER THE FACE; STRONG MEDICINAL TASTE COMES IN MOUTH; SNEEZING OCCASIONALLY; EARS ITCHING; EAR RINGING; EYES WERE TWITCHING SOME; MUSCLE AND JOINT ACHES; HAD LOTS OF POST NASAL DRIP; TENDER ARM; ALLERGIC REACTION; OCCASIONAL HEADACHE; LEG CRAMPS; This spontaneous report received from a patient concerned a 65 year old female. The patient's weight was 210 pounds, and height was 68 inches. The patient's concurrent conditions included seasonal hay fever, non alcoholic, and non smoker, and other pre-existing medical conditions included patient has no known drug abuse. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805020 expiry: UNKNOWN) dose was not reported, administered on 03-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On MAR-2021, the subject experienced leg cramps. On MAR-2021, the subject experienced occasional headache. On 03-MAR-2021, Laboratory data included: Heart rate (NR: not provided) Above 100, and Oxygen saturation (NR: not provided) Normal. On an unspecified date, the subject experienced rapid heart rate, some unwanted palpitation, felt tingling all over the face, strong medicinal taste comes in mouth, sneezing occasionally, ears itching, ear ringing, eyes were twitching some, muscle and joint aches, had lots of post nasal drip, tender arm, and allergic reaction. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from leg cramps, and occasional headache, and the outcome of allergic reaction, muscle and joint aches, tender arm, felt tingling all over the face, strong medicinal taste comes in mouth, sneezing occasionally, ears itching, ear ringing, eyes were twitching some, rapid heart rate, some unwanted palpitation and had lots of post nasal drip was not reported. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1232004	4/20/2021		59	M	4/19/2021	4/19/2021	Patient received vaccination at 10:15am, waited 15 minutes, then went to work. Patient reported blurry vision, cold chills, dizziness and stomach cramping beginning 12:30pm. Patient sat down and began experiencing a new onset headache. Patient tried to get up once, sat down, then tried to get up again and reportedly blacked out. Patient was aroused by coworkers at which time was taken to his residence. Patient did not seek treatment. Roughly 24 hours after the event the patient reported still feeling weak and light headed. Patient was urged to seek medical treatment.
1231993	4/20/2021	CA	69	F	3/19/2021	4/2/2021	Exactly 2 weeks after the injection, I developed symptoms of Bell's Palsey, with the left side of my face (left eye, left side of mouth) paralyzed with slight drooping, and inability to close my eye, or eat, and drink with the left side of my mouth.
1231977	4/20/2021	TX	96	M	4/20/2021	4/20/2021	Lethargic, pale, glassy and pinpoint eyes to unresponsive, limp and falling to the right side. Client laid on ground due to unresponsiveness and unable to obtain vitals, client gasped when laid flat then reported nausea, rolled to side client started vomiting. EMS called, EKG ran, client refused services. Walked out of clinic.
1231716	4/20/2021	MD	54	F	3/25/2021	3/29/2021	1-3 days headache 4-18 days painful joints, pain in chest, left side worse - rest, advil day 20 - Vitreous detachment resulting in floaters in left eye. Saw Dr to check for torn retina- none 17-present - painful left hip/glute, unable to walk/stand without pain - advil, hot/cold, saw chiropractor, exercises, additional treatment
1231710	4/20/2021	MA	52	F	4/19/2020	4/19/2021	Systemic: Allergic: Rash (specify: facial area, extremities)-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild, Systemic: Abdominal Pain-Mild, Systemic: Nausea-Mild

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1231665	4/20/2021	GA	24	F		4/1/2021	<p>DRY COUGH; SORE LEGS; CHILLS; FEVER; SWOLLEN EYES; BODY ACHES; HEADACHE; This spontaneous report received from a parent concerned a 24 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 042A21A expiry: UNKNOWN) dose was not reported, administered on 08-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On APR-2021, the subject experienced headache. On 08-APR-2021, the subject experienced swollen eyes. On 08-APR-2021, the subject experienced body aches. On 08-APR-2021, the subject experienced sore legs. On 08-APR-2021, the subject experienced chills. On 08-APR-2021, the subject experienced fever. On 11-APR-2021, the subject experienced dry cough. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from swollen eyes on 09-APR-2021, was recovering from body aches, had not recovered from fever, chills, sore legs, and dry cough, and the outcome of headache was not reported. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1231659	4/20/2021		79	F		3/1/2021	SWELLING TO EYES; RED ITCHY BLISTER LIKE RASH; This spontaneous report received from a patient concerned a 79 year old female. The patient's height, and weight were not reported. The patient's past medical history included muscle ache, and concurrent conditions included high blood pressure, high cholesterol, thyroid disease, horseradish allergy, and cataract. The patient experienced drug allergy when treated with rosuvastatin. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin, and batch number were not reported) dose was not reported, administered on 12-MAR-2021 for prophylactic vaccination. The batch number was not reported. The Company is unable to perform follow-up to request batch/lot numbers. Concomitant medications included amlodipine, ezetimibe, levothyroxine sodium, lisinopril, and rosuvastatin calcium. On MAR-2021, the subject experienced swelling to eyes. On MAR-2021, the subject experienced red itchy blister like rash. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from swelling to eyes on 2021, and was recovering from red itchy blister like rash. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1231655	4/20/2021	CA		F		3/21/2021	EXCESSIVE MENSTRUAL FLOW; LATE PERIOD; HARD TO FOCUS; BLURRED VISION; ABDOMINAL PAIN; This spontaneous report received from a patient concerned a female of unspecified age. The patient's height, and weight were not reported. The patient's concurrent conditions included hereditary angioedema. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported and batch number: 1805020 expiry: UNKNOWN) dose was not reported, administered on 18-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 21-MAR-2021, the subject experienced abdominal pain. On 02-APR-2021, the subject experienced blurred vision. On 02-APR-2021, the subject experienced difficulty focusing eyes. On 08-APR-2021, the subject experienced menorrhagia. On 08-APR-2021, the subject experienced late period. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from abdominal pain on 08-APR-2021, and menorrhagia, and late period on APR-2021, and had not recovered from blurred vision, and difficulty focusing eyes. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1231630	4/20/2021			U	4/1/2021		<p>STINGING; RIGHT (SHOT ARM) BEGAN TO ACHE; BURNING PAIN IN NECK; NUMBNESS FACIAL; TINGLING IN HANDS AND FEET; SWOLLEN LYMPH NODE; SORE THROAT; RIGHT EYE WATERS; RUNNY NOSE; RIGHT SIDE FEELS NUMB; HOT LEFT FOOT; BURNING PAIN IN LOWER BACK; FATIGUE; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin, and batch number were not reported) dose was not reported, administered on 07-APR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On APR-2021, the subject experienced numbness facial. On APR-2021, the subject experienced tingling in hands and feet. On APR-2021, the subject experienced swollen lymph node. On APR-2021, the subject experienced sore throat. On APR-2021, the subject experienced right eye waters. On APR-2021, the subject experienced runny nose. On APR-2021, the subject experienced right side feels numb. On APR-2021, the subject experienced hot left foot. On APR-2021, the subject experienced burning pain in lower back. On APR-2021, the subject experienced fatigue. Treatment medications included: menthol. On 07-APR-2021, the subject experienced stinging. On 07-APR-2021, the subject experienced right (shot arm) began to ache. On 07-APR-2021, the subject experienced burning pain in neck. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from burning pain in neck, and burning pain in lower back, and the outcome of stinging, right (shot arm) began to ache, numbness facial, tingling in hands and feet, swollen lymph node, sore throat, right eye waters, runny nose, fatigue, right side feels numb and hot left foot was not reported. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1231628	4/20/2021	CA	22	F		4/9/2021	SORE THROAT; BURNING EYES; BODY ACHES OR BODY WAS PAINFUL TO THE TOUCH; MIGRAINE; NIGHTMARES THROUGHOUT THE NIGHT; DIZZY; FEELING COLD; SHAKING; CHILLS; INJECTION SITE PAIN; FEVER OR BODY WAS BURNING UP LIKE A FURNACE; FELT FATIGUED; This spontaneous report received from a patient concerned a 22 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included smoker, and other pre-existing medical conditions included the patient had no known allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 042A21A expiry: UNKNOWN) dose was not reported, administered on 09-APR-2021 15:50 for prophylactic vaccination. No concomitant medications were reported. On 09-APR-2021, the subject experienced body aches or body was painful to the touch. On 09-APR-2021, the subject experienced migraine. On 09-APR-2021, the subject experienced nightmares throughout the night. On 09-APR-2021, the subject experienced dizzy. On 09-APR-2021, the subject experienced feeling cold. On 09-APR-2021, the subject experienced shaking. On 09-APR-2021, the subject experienced chills. On 09-APR-2021, the subject experienced injection site pain. On 09-APR-2021, the subject experienced fever or body was burning up like a furnace. On 09-APR-2021, the subject experienced felt fatigued. On 09-APR-2021 19:00, the subject experienced burning eyes. On 10-APR-2021, the subject experienced sore throat. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from burning eyes, nightmares throughout the night, dizzy, chills, fever or body was burning up like a furnace, and felt fatigued on 10-APR-2021, was recovering from injection site pain, body aches or body was painful to the touch, migraine, and sore throat, and the outcome of feeling cold and shaking was not reported. This report was non-serious.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1231626	4/20/2021	FL	63	F	3/29/2021		PROFUSE SWEATING; SHORTNESS OF BREATH; EYES SENSITIVE TO BRIGHT LIGHT; FEELS AWFUL; PHOTOSENSITIVITY; SICK TO STOMACH/NAUSEA; This spontaneous report received from a patient concerned a 63 year old female. The patient's height, and weight were not reported. The patient's pre-existing medical conditions included the patient had no known allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808978, expiry: not reported) dose was not reported, administered on 29-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 29-MAR-2021, the subject experienced profuse sweating. On 29-MAR-2021, the subject experienced shortness of breath. On 29-MAR-2021, the subject experienced eyes sensitive to bright light. On 29-MAR-2021, the subject experienced feels awful. On 29-MAR-2021, the subject experienced photosensitivity. On 29-MAR-2021, the subject experienced sick to stomach/nausea. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from profuse sweating, shortness of breath, eyes sensitive to bright light, feels awful, photosensitivity, and sick to stomach/nausea on 29-MAR-2021. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1231550	4/20/2021	GA		U		4/7/2021	LOSS OF VISION; SEIZURE; DIZZINESS; This spontaneous report received from a health care professional concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805031, and expiry: UNKNOWN) dose was not reported, 1 total administered on 07-APR-2021 on right deltoid for prophylactic vaccination. No concomitant medications were reported. On 07-APR-2021, the patient experienced loss of vision, seizure and dizziness. The seizure was for few seconds. The patient was not sent to hospital. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the dizziness, loss of vision and seizure was not reported. This report was serious (Other Medically Important Condition). This case, from the same reporter is linked to 20210417256, 20210417122, 20210417456, 20210417469, 20210417550, 20210417620 and 20210418457.; Sender's Comments: 20210417209-covid-19 vaccine ad26.cov2.s-Loss of vision, seizure. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).
1232067	4/20/2021	MA	32	F	4/18/2021	4/19/2021	Caller had second Moderna vaccine on Sunday @11:00 am. Yesterday noted to have low grade temp and red rash at site of injection. Today @ approx. 3:45 pm noted red rash on arm and face on cheeks and between eyes leading up to forehead. Denies breathing difficulties or swelling. Referred to ED or Urgent care for follow up.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1231450	4/20/2021	CA	74	F	2/24/2021	4/19/2021	Patient last vaccine 02/24/21. Received Juvederm treatment 04/12/2021 for facial wrinkling, dermatologist . Developed eye pain/ eye sensitivity (without visible conjunctivitis by husband reported who is MD) approximately 04/05/2021. Patient used Visine eye drops for irritated eyes. On 04/19/2021 developed redness and swelling nose bridge and forehead, went to see (dermatologist) thinking this to be from the Juvederm injections. In office diagnosed herpes/shingles, in meantime a pustule/herpetic lesion developed on forehead (picture available). Patient contacted Kaiser and went to Urgent Care, seen referred to dermatology prescribed Valtrex. see page 2Dermatology and seen: diagnosed with varicella zoster . Also referred to Ophthalmology and seen, diagnosed with Right Herpes Zoster Conjunctivitis. Prescribed Valtrex PO and Erythromycin opht ointment. Of concern is that patient received Zoster vaccine in 2009 (?Zostavax, and one dose Shingrix 2018. Has to her knowledge never had shingles or zoster. There is no other underlying morbidity specifically no autoimmune conditions such as rheumatoid arthritis or Sjogren disease. No known contact with persons with shingles or herpes zoster. The concern is development of zoster and herpetic conjunctivitis after recent COVID vaccination and Juvederm treatment, while having been vaccinated with Zoster vaccine and Shingrix, without known previous or apparent underlying autoimmune conditions.
1231419	4/20/2021	CA	50	F	4/9/2021	4/15/2021	Blood pressure readings of 240/187 . Severe headaches, eye pain, numbness, dizziness, confusion, stinging pain on left side of body. Extreme fatigue. Went to urgent care sent via ambulance to hospital.on 4/15/21 Released. Back in hospital on 4/19/21. Same symptoms. Ct scan done no issues. Still have severe high bp.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1231404	4/20/2021	IL	42	F	1/11/2021	1/13/2021	I originally did not think this was an adverse event due to my h/o eczema, but decided to report this due to new onset of hives and sudden abnormal spike in TSH levels after taking the vaccine. 1/13/21: noticeable rash over L eye 1/18/21: Onset of hives on face, hands, and forearms. Originally thought trigger was kiwi from a couple sips of a smoothie. Hives on forearms have persisted. Also developed upset GI system. 2/1/21: Started on two Zyrtec at night, one Pepcid twice daily, two Allegra in the morning., one Montelukast at night - for hives. 2/11/21: f/u with endocrinologist. TSH levels increased to 3.970 (was 0.066 8/3/20, target was 0.5-2.0). 4/1/21: Synthroid adjust to 125 mcg daily. Despite (cont)
1231402	4/20/2021	IL	42	F	1/11/2021	1/13/2021	I originally did not think this was an adverse event due to my h/o eczema, but decided to report this due to new onset of hives and sudden abnormal spike in TSH levels after taking the vaccine. 1/13/21: noticeable rash over L eye 1/18/21: Onset of hives on face, hands, and forearms. Originally thought trigger was kiwi from a couple sips of a smoothie. Hives on forearms have persisted. Also developed upset GI system. 2/1/21: Started on two Zyrtec at night, one Pepcid twice daily, two Allegra in the morning., one Montelukast at night - for hives. 2/11/21: f/u with endocrinologist. TSH levels increased to 3.970 (was 0.066 8/3/20, target was 0.5-2.0). 4/1/21: Synthroid adjust to 125 mcg daily. Despite (cont) consistent use, TSH level increased to 18.300. Unclear why TSH is spiking. I suspect possible relation to the COVID-19 vaccine, as TSH numbers began to spike shortly after. Decided to report this after finding out some patients with COVID-19 have had sudden spikes in TSH levels.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1231400	4/20/2021	IL	42	F	1/11/2021	1/13/2021	I originally did not think this was an adverse event due to my h/o eczema, but decided to report this due to new onset of hives and sudden abnormal spike in TSH levels after taking the vaccine. 1/13/21: noticeable rash over L eye 1/18/21: Onset of hives on face, hands, and forearms. Originally thought trigger was kiwi from a couple sips of a smoothie. Hives on forearms have persisted. Also developed upset GI system. 2/1/21: Started on two Zyrtec at night, one Pepcid twice daily, two Allegra in the morning., one Montelukast at night - for hives. 2/11/21: f/u with endocrinologist. TSH levels increased to 3.970 (was 0.066 8/3/20, target was 0.5-2.0). 4/1/21: Synthroid adjust to 125 mcg daily. Despite consistent use, TSH level increased to 18.300. Unclear why TSH is spiking. I suspect possible relation to the COVID-19 vaccine, as TSH numbers began to spike shortly after. Decided to report this after finding out some patients with COVID-19 have had sudden spikes in TSH levels.
1231372	4/20/2021	FL	43	M	4/10/2021	4/10/2021	The day of the vaccination 5 hours after receiving the vaccine I started to get bruises the size of my hand on my left leg then I kept getting more on the upper part in the leg and in the buttock I take photos to have the record then I started to feel dizzy that I couldn't walk and I was going to faint, I had to call the rescue to come to my house because I felt very bad I could not move then I went to the emergency room to the hospital with the same symptoms I couldn't move it seemed that if I get up I was going to faint, I was under observation the bruises did not continue to appear, but I have been left with nervous tic symptoms in the left eye and in the left arm I have involuntary reflexes in the muscles of the left arm
1231357	4/20/2021	NY	79	F	3/8/2021	4/6/2021	Woke up with lost of vision in left eye for 4 to 5 hours on April 6th, 2021 in the morning. Patient went to her ophthalmologist that afternoon. The sight came back but very blurry. Retina specialist seen her on 4/13/2021 and diagnosed mini stroke (TIA) of her left eye. He urgently Guide her to go to ER on 4/13/2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1231350	4/20/2021	VA	23	F	4/6/2021	4/7/2021	Day after vaccination, woke up right shoulder shoulder has loss of sensation, over one week the numbness spread lower arms and upper chest right side, 2 weeks numbness now beginning in top of right thigh. Headache for 3 days since vaccination. April 18th light pain and swelling left eye lid, and right ankle.
1235538	4/20/2021	MI	61	F	4/17/2021	4/17/2021	Headache behind the eyes started at 11:01 am, nausea started at 11:10am. Fever 101.8 degrees F started after 12:00pm. Following day 04/18/2021 fever reached 200.1 degrees F. Fever broke early morning Monday 04/19/2021 Nausea and headache stopped. Diminished sense of smell and taste and lack of appetite persist.
1233316	4/20/2021	MI	69	F	4/6/2021	4/6/2021	Patient reported that RN had inadvertently squired a small amount of vaccine in patient's eye.
1231619	4/20/2021	AZ		F		4/9/2021	HALLUCINATIONS; This spontaneous report received from a patient concerned female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805020, and expiry: UNKNOWN) dose was not reported, administered in right arm on 02-APR-2021 for prophylactic vaccination. No concomitant medications were reported. The patient reported that she was concerned because she was seeing things she knew wasn't there (out of the peripheral of her eye). It was reported that she was hallucinating from afternoon of 09-Apr-2021. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from hallucinations. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210421275-JANSSEN COVID-19 VACCINE Ad26.COVID-19- Hallucination. This event is considered unassessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1232241	4/20/2021	MO	63	F	4/16/2021	4/16/2021	Headache Body aches Severe coughing Fever 100.6 Started 3 hours after vaccine. In bed for next 38 hours. Fever finally broke. Felt decent day 2. Still achy and coughing. Day 4 very congested, achy headache , sunlight bothered my eyes. Voice gone, pale but no fever.
1232542	4/20/2021	TN	42	F	4/16/2021	4/17/2021	12 hours after injection: chills, fever 101 F, headache, bone and body aches, nausea, severe stomach pain for about 3 hours, face and eyes hurt, swollen bags under eyes, fatigue. Still having headaches 4 days later.
1232523	4/20/2021	CA	60	F	4/7/2021	4/7/2021	All symptoms for up to 10 days after vaccination: pain at injection site; muscle aches around neck/shoulders; chills; malaise; stuffy nose/sinus problems; blood while blowing nose; all over body aches; excessive sneezing; watery eyes; brain fog; tongue/gum swelling; shortness of breath; throat tightening; acne; fleeting stomach pain; sore sternum.
1232498	4/20/2021	MN	64	F	4/17/2021	4/18/2021	Patient arrived to Emergency department of Medical Center 4/18/21 around 5:00 PM and reported that she had received a COVID vaccine dose #2 at outside clinic a day before this and today is experiencing significant side effects. She presents here with dizziness, headache, myalgias, and urinary incontinence. Around 1:00 PM today she had started to develop body aches, headache, myalgias in the hips, back and arms, chills and sweats. She had a urge to urinate but was unable to get up from reclining due to weakness in her legs and pain when moving. She states it took her an hour to get off the couch and then had difficulty walking due to severe dizziness, and she fell to the floor in her bedroom and fell back and hit the back of her head on the ground but denies any loss of consciousness. She has no visual changes, no nausea or vomiting, no chest pain, no shortness of breath, or hematuria or dysuria, also no numbness in the groin. She states it is painful to move.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1232469	4/20/2021	OH	20	M	4/15/2021	4/15/2021	Student passed out sitting in chair a few minutes after receiving the vaccine. This was witnessed and medical care was at student side immediately. SPO2-94% HR-80. 2:41p Student opened eyes spoke then passed out again while in chair. Student was lowered to ground x3 assist and legs elevated on chair BP-120/78, SpO2-96%, HR-57 cold and diaphoretic. 2:48p BP-100/72, HR-80, SpO2-99% student alert and talking legs repositioned on floor without issues. 3p assisted to standing position x2 assist then to chair. 3:10p ambulated with standby assist without issues. Vitals checked every 5-10 mins and remained stable. Student admitted to having similar episode in Summer 2019 with blood draw. Student had little to drink and nothing to eat this day. 3:15p Student?s roommate arrived to walk home with student. Encourage student to eat and drink plenty of fluids for remaining day and ensure that he eats and drinks fluids prior to 2nd vaccine dose. 3:30p Student was cleared by PA to leave at his convenience.
1232460	4/20/2021	IA	51	F	3/18/2021	3/19/2021	The day after shot was give (3/19/21) the client experienced a headache, sore throat. Then on Saturday she was achy and very tired. Then on Monday (3/22) she called her Dr and they said this was a normal side effect from getting the vaccine. Then on Tuesday (3/23) she got a large rash on her hands, feet, face and neck. Her eyelids were a purple color, she felt very weak and tired; she said her blood sugars were in the 400 range also. She then went to the Dr office on Thursday (3/25) that week and Dr checked blood work and told her it was an allergic reaction to the vaccine and that she shouldn't get the second one. He put her on Benadryl and steroid. She felt better 2 days later.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1232427	4/20/2021	FL	34	F	4/14/2021	4/14/2021	She got her vaccine, initially she had bruising on her forearm that was blue/yellow with a swollen vein connected running down to her hand. She had tingling and numbness in her fingers in a select few on the left hand. She also had drooping of her left eye for a short period and a sensation on her left leg, swelling and pain. She went to the urgent care on 4/15/21, they told her to go home and monitor it. She knew that somewhat was not right and called a nurse at Hospital and went to the ER shortly thereafter and confirmed that she had a blood clot in her jugular vein IJ-DVT. In the ER they gave her a shot of Lovenox in the ER into her stomach and run several tests. They also gave her an anti-inflammatory in her right arm. She was sent home with Eliquis for the next 3 months. She has extreme exhaustion, and in addition to that she has had a lot of swelling on the left side of her leg, and visited the ER again on 4/17/21. Her left foot became blue, very swollen, so they ran a number of tests which all came back negative. She thinks these are side effects in relation to the previous. She is still continuing with stiffness in her neck as well. She also has a severe headache, fever of about 100, and severe achiness. She has not been able to work due to these symptoms since 4/15/21. The ER told her to have a lot of rest, no heavy listing/straining due to the clot.
1232381	4/20/2021	FL	71	M	2/11/2021	4/18/2021	I developed facial stroke like symptoms starting on 4/16/2021 with a metallic taste in my mouth. On 4/18/2021 I noticed some difficulty eating experiencing some mouth numbness. The right side of my face was drooping and right eye would not close completely. I went to the Hospital Emergency Room mid day on the 18th. I was examined and after some tests it was determined that I was not experiencing a stroke, but Bell's Palsy. This was determined by the tests outlined below. I was admitted overnight for observation and discharged the next day. I have no idea if this is related to my Covid vaccination but report this only out of an abundance of caution.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1232355	4/20/2021	NH	35	F	4/17/2021	4/17/2021	<p>First vaccine was administered on 3/27/2021 in my left arm lot # EP6955. I experienced a sore arm and fatigue. On 4/4/2021 I began feeling ill with full body aches, fever (between 101-103), chills, sweating, sore throat, mild headache. On 4/5/2021 I wested tested for COVID 19, Flu A&amp;B, and Strep throat. I tested positive for both Strep throat an COVID 19. I was given azithromycin for the strep and took Tylenol to lower the fever. My symptoms lasted till 4/8/2021. After that I was just very fatigued and nausea came and went. under the strong recommendation of my PCP, I then received my second dose of the Pfizer vaccine on 4/17/2021. Approximately 8 hours after the vaccine I suddenly felt ill. I was dizzy, nauseous and felt like I was going to faint. I experienced chills and was shaking uncontrollably for approximately 30 minutes. I vomited once, took Tylenol and went to bed. Throughout the night I felt mild chills, body aches and moderate nausea. I got up at 7am on 4/18/2021 with had a migraine headache (a sharp pain behind my life eye that went straight through to the base of my skull. I spent the day taking Tylenol and relaxing on the couch. At approximately 6pm I began itching. a few little dots showed up on my neck and leg. An hour later my legs, arms and neck had many very itchy red spots. I took a Benedryl and went to bed at 8pm. I woke up at 2am 4/19/2021 completely covered with itchy red spots (arms, legs, torso, neck, genitals, scalp, butt, face). I took more Benadryl and went back to sleep. The rash was extremely itchy and seemed to keep spreading. I went to my PCP at 8:45am and she prescribed Prednisone. Throughout the day the rash continued itch and my left eye, both ears, bottom lip, and knees began to swell. I spoke with a nurse over the phone who said to continue with the prednisone and Benadryl. On 4/20/2021, I woke up and the rash is not as pronounced or as itchy but still visible and still pretty itchy. Both my lips, left eye and both ears are still very swollen.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1232303	4/20/2021	WA	27	F	4/8/2021	4/12/2021	Day after shot, I experienced flu-like symptoms. I experienced a high fever and body aches. On the 13th of April, I began to experience severe dizziness, vertigo, and blurred vision. I have been experiencing this everyday since the 13th of April. I was submitted to the hospital on April 16th due to severe dizziness and blurred vision. The diagnosis was BPPV (benign paroxysmal positional vertigo) and I received 0.9% NaCl (NS) and Meclizine (Antivert). I am still experiencing severe dizziness and vertigo.
1232300	4/20/2021	PA	48	F	4/20/2021	4/20/2021	POST VACCINE, C/O CHEST TIGHTNESS, SOB, NAUSEA, BLURRED VISION. BROUGHT BACK TO OBS VIA WC AND ASSISTED TO STRETCHER AND PLACED IN TRENDELENBERG. STATES SOME RELIEF AFTER A FEW MINUTES. ADMITS TO HAVING ANXIETY ISSUES. VSS OTHER THAN SATS DROPPING TO HIGH 80'S WHEN TALKING INCREASES. NO DISTRESS NOTED, DEEP BREATHING EXERCISES PERFORMED, RECOVERS IMMEDIATELY. LUNGS CLEAR IN ALL LUNG FIELDS, ADMITS TO DECREASED STAMINA AND INCREASED SOB WITH EXERTION FOR LAST FEW MONTHS AND IS SEEING NEW PCP IN A FEW WEEKS. INSTRUCTED TO SEEK FURTHER TREATMENT/EVAL SOONER IF WORSENS/PERSISTS. ALSO C/O EYES BURNING MILDLY. ALL S/S RESOLVED AFTER LAYING DOWN FOR 30 MINS. VSS WHEN STANDING/AT DEPARTURE. ESCORTED VIA WC TO EXIT AT , AND CRUTCHES RETURNED TO PATIENT TO AMBULATE TO VEHICLE. GAIT STEADY, NOT FURTHER ISSUES OR CONCERNS. 1330 INITIAL BP 148/88 HR 97 RR 18 SATS 100% RA 1335 BP 128/88 HR 104 RR 20 SATS 92% RA 1345 STANDING BP 134/71 HR 99 RR 20 SATS 96% RA

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1232017	4/20/2021	MN	20	M	4/20/2021	4/20/2021	Patient was given dose 1 of the vaccine and instructed to wait at least 15 minutes in the chairs in front of the RPH for observation. He waived at us and sat down. We asked if he was ok and he waived again stating he didn't feel well. He sat back down and we proceeded to check on him. As we were coming to check on him, he fainted and fell face forward on to the floor. We called 911 and rolled him gently to his back. He had a laceration above his eye from the fall. EMT came and assessed the patient. After observation, he was allowed to be picked up from his friend and taken to a clinic for stitches.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1232248	4/20/2021	UT	68	F	3/9/2021	3/11/2021	A few days after my shot I started feeling very tired and groggy. My head was dizzy most of the day. Five days after the vaccination I started to go into a sweat if I exerted myself too much. I continued to have a dizzy head and my stamina was greatly reduced. I used to ride my exercise bike for 90 -150 minutes a day but after the vaccine I could only go 20 minutes the first week and then I got progressively weaker and more dizzy. I could barely walk a half block. I also experienced some shortness of breath and a racing heart at times. The third week out was the worse. I could hardly care for myself. I started to get a lot of pain behind my eyes and other sinus pressure. Also the lymph gland under my ear was swollen and painful. I was extremely tired for a couple of days at that point but have found it hard to sleep on most other nights. I have strange dreams that are almost like an hallucination. I also have head aches but they seem to have improved as the weeks have gone by, especially since I have been taking Aleve every day. I am unable to exercise and have very little energy still. The dizzy head continues to persist even 6 weeks out. I had this same kind of dizzy head in August when I had Covid but it went away in a week or two. I get dizzy just reading a book or looking at my piano music also. Having had Covid twice I am very confident that these symptoms were caused by this vaccination. It also seemed to make my blood sugar more volatile. The sad thing is that I was feeling perfectly normal when I went in! I am devastated by these symptoms and they have completely altered my life. I am so discouraged that they never go away. Some days I feel like I am improving and then they pop up again. I was a very active person and now I can hardly do anything. I think I got the shot too close to when I had covid and that it has triggered an immune response that is overwhelming my body. Will it ever get better? I can't stand to go on like this!

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1232062	4/20/2021	MT	37	M	4/20/2021	4/20/2021	About 5 min after vaccination, the patient was leaning back in his chair with his eyes closed while in the waiting room after his vaccination. I approached him and asked if he was alright and gently tapped his shoulder. He did not respond. I spoke louder, he did not respond. I shook his shoulder and spoke very loudly, he opened his eyes and rolled his head around and told me that he felt really dizzy. His skin was warm and he was sweating. He reported that he was breathing fine, that he just felt dizzy and hot. Over the next 5 minutes his dizziness decreased. He reported that the site of vaccination felt numb. Vaccination site did not show any redness or signs of local reaction. He reported that he was still breathing fine. His dizziness continued to decrease, and 25 minutes after the vaccine he reported that he did not feel dizzy anymore. He asked for some water, which I gave him. He stayed sitting in the chair until an hour after the vaccine. He got up and walked around and reported feeling no more dizziness and that he felt fine driving home.
1232236	4/20/2021	MD	45	F	4/20/2021	4/20/2021	Spike in blood pressure, dizziness, severe headache blurred vision, disorientation
1232206	4/20/2021	NY	18	M	4/15/2021	4/15/2021	BRIEF FAINTING AT THE TIME OF VACCINATION; PATIENT STARTED "FEELING FUNNY", "WAS UNABLE TO HEAR ANYTHING", OPENED HIS EYES WITH A BUNCH OF PEOPLE STANDING IN FRONT OF HIM; PATIENT REMAINED SITTING IN A CHAIR; PALE AND DIAPHORETIC; ASSISTED TO A STRETCHER AND BROUGHT TO ED; PATIENT DISCHARGED IN STABLE CONDITION
1232205	4/20/2021	CT	43	F	4/19/2021	4/19/2021	Body aches, aching eyes, flu-like symptoms, fatigue

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1232204	4/20/2021	NJ	28	F	3/6/2021	3/11/2021	I received the shot on Saturday, March 6th. Flu-like symptoms developed 12 hours after (aches, chills, extreme fatigue) and lasted about 12 hours -- pain in left arm lasted a full five days. On Thursday March 11th I started to develop a cold sore on my chin which was followed by malaise and swollen glands. I treated it with Zovirax. On Wednesday March 17th I developed what looked to be a pimple in the middle of my left eyelid. There was a small white/ fluid filled head about the size of a pin head. Over the next three days, three more fluid-like blisters the size of a pin-head began to develop on upper eyelid. By Tuesday March 23rd, I had over half a dozen fluid filled blisters that were painful and began to crust. The blisters extended from upper eyelid to below the brow (only on left side of face). On Tuesday March 23rd I went to the eye doctor. The eye doctor had asked if I ever had shingles (I have had the chicken pox vaccine, but never had chicken pox nor shingles). I have had HSV-1 since childhood and get the yearly cold-sore when stressed or immunity is low, but I never have had cold sores appear anywhere else other than lip/chin area. The doctor had suspected the eye blisters were a form of herpes and prescribed me 14 days of Valacyclovir. The blisters only affected the skin-- not the cornea or inside eye. Within a day and a half of the antivirals medication, the blisters were fully crusted over and started to clear up.
1232143	4/20/2021	CA	17	M	4/19/2021	4/19/2021	Systemic: Tingling (specify: facial area, extremities)-Mild, Additional Details: light headed, sweaty, notable to respond verbally, closing eyes, unable to sit up by himself, pressure in ears. Paramedic team came. Patient recovered. Patient does not need to go to the hospital.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1232126	4/20/2021	CA	26	F	4/7/2021	4/8/2021	Systemic: CYCLE CAME 2 WEEKS EARLY 2ND DAY OF VACCINE-Medium, Additional Details: PT CALLED THE PHARMACY TODAY 04/19/21 AROUND 3PM REPORTING THAT HER CYCLE STARTED 2 WEEKS EARLY. THIS STARTED NEXT DAY AFTER VACCINE AND STILL HAS BLEEDING. SHE DID TALK WITH A MD BUT DID NOT REMEMBER MD NAME AS WAS VISUAL. PER PT MD TOLD HER THAT SOME WOMEN REPORTED SAME SIDE EFFECT AFTER VACCINE. SHE IS GOING TO HAVE ANOTHER VISIT WITH HER GYNCOLOGISTS FOR FURTHER EVALUATION. INFORMED PT THAT WE WILL REPORT THE INCIDENT.
1232122	4/20/2021	VA	50	M	4/1/2021	4/2/2021	Was flying on 2 Apr 21 at cruise about 1 hour into flight, experienced loss of color in vision, went from full color to red and gray, somewhat washed out, experienced lightheadedness and a bit of disorientation but not dizziness. Needed to use the bathroom and try to move to improve circulation and had to think about moving my body. I was not uncoordinated but my steps and balance were deliberate vs. unconscious and automatic. I was able to walk down the aisle to the lavatory without any problem but my vision did not immediately improve as I had hoped. I went into the lavatory and leaned against the side (I'm 6'4" and it was the rear lavatory on a 737). I was not dizzy and my lightheadedness began to clear up slowly as I urinated. The color was also coming back slowly as I finished up and walked back to my seat, again, I had to think about each step and my balance, although I was okay walking back. As soon as I sat down, I began sweating profusely. It lasted about two minutes or less, not long at all and I didn't get wet from the sweat. As suddenly as the sweat came, it went. My eyesight went back to normal and I felt nothing had happened. I am sure I was awake, aware and lucid the entire time, although it felt like what I imagine a psychedelic episode would be like (I've never used any form of hallucinogen, however). I was back to normal when I disembarked the aircraft, felt no adverse or lingering effects either. Nothing to report since.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1232120	4/20/2021	MD	16	F	4/19/2021	4/19/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Exhaustion / Lethargy-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Headache-Mild, Systemic: Nausea-Mild, Systemic: Shakiness-Mild, Systemic: Tingling (specify: facial area, extremities)-Mild, Systemic: Tinnitus-Mild, Systemic: Visual Changes/Disturbances-Mild, Systemic: Weakness-Mild, Additional Details: Tingling in face and legs
1232101	4/20/2021	MA	25	F	4/15/2021	4/15/2021	1:40P COMPLAINED OF RAPID HT RATE, SWEATING AND ANXIETYSHE WAS DIAPHORETIC, HYPERVENT, AND SLIGHTLY HYPER- TENSIVE. 133/83 HR 97 O2 98%. PLACED ON STRETCHER, GIVEN H2O STATED THIS HAPPENED TO A LESSER DEGREE WITH FIRST VACCINE. IT HAS BEEN 21/2 MTHS SINCE FIRST DOSE ASHE WAS ANXIOUS ABOUT RECEIVING SECOND DOSE. 2P 122/87 HR 88 O2 100%. COLD CLOTH TO HEAD , SEMI FOWLERS POSITITO FACILITATE BREATHING. 2:05 FEELING BETTER. DANGLED WITHOUT DIFF. AMBULATED TO BR WITH SUPERVISION. FELT BETTER AFTER AMBULATING. 2:15 121/74 HR 87 O2 100% SKIN WARM AND DRY. DENIES UNTOWARD EFFECTS. DISCHARGED
1232091	4/20/2021	NJ	75	F	2/25/2021	3/9/2021	I was diagnosed with a Central Retina Vein Occulsion or eye stoke (left eye) due to blood clot obstructing blood flow through central vein.
1232556	4/20/2021	FL	42	F	4/17/2021	4/17/2021	Nausea within 30 minutes, sleepiness within 1 hour, after 3 hour nap woke up with scratchy throat and eyes & muscle weakness. Chills, sweats, fatigue, nausea, muscle weakness, loss of appetite, and irritability lasted 2 days. Day 3 woke up with swollen toes on my left foot still irritable but less fatigued. Took Aleve, drank lots of fluids. No formal treatment sought at this time.
1232286	4/20/2021	MA	70	F	2/26/2021	4/8/2021	About 4 weeks after my second shot I experienced and am still experiencing painful middle and lower back pain. This has been going on for 2 weeks now. Along with that came a Chalazion in my right eye. I had to be seen for both conditions. I have never had a sty or chalazion before. It seems very ironic that both of these happened after I received the vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1234505	4/20/2021	FL	40	F	4/10/2021	4/16/2021	<p>Saturday, April 10th- ? Received Johnson &amp; Johnson / Janssen Covid 19 Vaccine at pharmacy at 10:00 AM o Vial 205A21A ? Had chills and overall yucky/flu like symptoms for that night, Sunday was pretty much back to normal Friday (April 16th) evening- ? Started feeling weird ? headache ? facial area tight/flushed/tick ? Worsened/blurry vision especially in right eye ? Noticed leg bruising, not sure when it?s from ? No appetite Overnight Friday into Saturday, woke up several times covered in sweat Saturday (April 17th) - ? Fatigue, no appetite, headache / blurry vision continued, brain ?fog?/hard to concentrate ? Rested most of the day, went for small walks ? Off / on low grade fever seemingly worse at night and getting out of shower Sunday (April 19th) - ? Fatigue, no appetite, headache / blurry vision continued, brain ?fog?/hard to concentrate ? Rested most of the day, went for small walks ? Bloodshot, tired, red eyes that don?t go away with drops Monday (April 20th)- ? Fatigue, no appetite, headache / blurry vision continued, brain ?fog?/hard to concentrate ? Went on normal 3 mile walk and did fine ? Bloodshot, tired, red eyes that don?t go away with drops Tuesday (April 21st)- ? Fatigue, no appetite, headache / blurry vision continued, brain ?fog?/hard to concentrate ? Went on normal 3 mile walk and did fine ? Bloodshot, tired, red eyes that don?t go away with drops</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1234129	4/20/2021	MD	63	M	4/15/2021	4/15/2021	Within 1 or 2 minutes after getting the vaccine I started to feel like the left side of my face was becoming flushed. Then I felt my face, and especially my lips, tingle; then I seemed to be having a neurological reaction--it was like the left side of my face was becoming numb. For the rest of the day, the left side of my face felt very different from the right-side. There was some pain around the temple. The next day, and even through today, 5 days later, the problem has been mainly around my eye. My eye often feels irritation when I blink and there is some muscular quivering of my lower eyelid. After speaking to my brother who is a radiologist he decided that it was unlikely to be an allergic reaction, and because the feeling of my face on the left side was reminiscent of the feeling I had a year ago when I had shingles around my left eye, he thought the reaction could very well be related to shingles. In other words, there was a activation of a response that resembled my shingles episode. This was bolstered by my speaking with my neighbor who also had the pfizer vaccine who said she had a very similar reaction affecting her face that lasted several days, and she,years before, had shingles on her face (as well as the shingles vaccine).
1234808	4/20/2021	TX	77	M	4/20/2021	4/20/2021	Patient became light headed and blacked out, did not know where he was. Indicated his right eye was red and swollen.
1234802	4/20/2021	TX	32	M	4/15/2021	4/16/2021	Began approx 24 hours later with Right sided headache, intermittent dizziness. Approx 36-48 hours later, develop progressing right facial droop, difficulty raising right eyebrow, and difficulty closing right eye. No paresthesias and no limb involvement. Presented to ER on 4/19/2021. Worked up for Bells Palsy vs CVA. Rec'd Toradol, Reglan, & Benadryl IV with improvement in headache. Diagnosed with Bells Palsy. Given Prednisone 60 mg daily x 5 days and recommended Neurology follow-up.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1234796	4/20/2021	OR	64	M	3/22/2021	3/22/2021	PATIENT STATES: WITHIN FIVE MINUTES OF INJECTION MY FACE BEGAN TINGLING ON THE LEFT SIDE STARTING IN MY CHIN AND MOVING UP TO INCLUDE MY ENTIRE MOUTH, LIPS, UNDER MY LEFT EYE AND THE ENTIRE LEFT SIDE OF MY FACE AND HEAD. THE TINGLING BECAME NUMBNESS AND VISION ISSUES IN MY LEFT EYE. I STARTED EXPERIENCING HEART ARRHYTHMIAS DIZZINESS AND VERTIGO. I THINK IT WAS CAUSING ME SOME STRESS, WHICH CAUSED ME TO BE HYPERSENSITIVE TO EVERYTHING. I WAS SITTING IN MY CAR FOR THEREQUIRED 15 MINUTES AND AT THAT TIME I WENT INTO THE PHARMACY TO REPORT IT BUT THERE WERE SO BUSY THAT I COULD NOT GET ANYONE'S ATTENTION TO ALERT THEM SO MY WIFE AND I LEFT. WE WENT TO A COFFEE SHOP, I HAD SOME CAFFEINE AND I FELT OK TO DRIVE BACK HOME TO REST.
1234782	4/20/2021	AL	64	M	4/19/2021	4/19/2021	At about 4:00pm on 4/49/21 patient began to feel numbness on the right side of his face spanning from his jaw to his eye. He described it as feeling like he received a Novocain shot in his mouth. On 4/20/21, he is still experiencing the same feeling. He has not taking anything for it, other than 2 Ibuprofen 200mg tablets...taken following his vaccination. Patient contacted his primary care physician was has not been seen in person.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1234578	4/20/2021			U			<p>Patient was evaluated 4/14/21 during Doctors computer visit. I did not give her the vaccine and history is all as per her report and am not sure where exactly she received the vaccine. She noted having the Johnson and Johnson COVID-19 vaccine 3/13/21 in left shoulder. She noted having immediate lightheadedness and arm soreness at vaccine site by provider and was given water and stayed at vaccine site for an hour before going home. She noted nausea, diarrhea, and headache. She noted fever, chills, diaphoresis, abdominal pain, bodily shaking and progressive headache 3/13/21 and felt she has ?visual hallucinations and trouble speaking? transiently when at home later with husband. The headache pain did radiate down back and to all extremities but worse on right. She stated she did follow up with a chiropractor who Manipulated neck. She noted her right foot feeling more ?cold? than left and that since 3/13/21 she had dizziness with sensation she was ?falling to the right? since day of vaccine. She stated she did see a dentist on 3/17/21 and prescribed Amoxicillin x 10 days for suspected odontogenic infection for jaw pain that improved. She noted seeing her primary care doctor at an outpatient and was diagnosed with anxiety and had labs done (I did not have copy of results during visit over computer visit) and was prescribed alprazolam but did not take any. Severe headaches were persisting over this time since vaccine and unlike prior headaches and sense of imbalance was unusual for her and persistent from 3/13/21-4/14/21. Overall following the computer visit it was unclear what the cause of her symptoms was and was advised to go to the ER but declined and opted to attempt to follow up with her established neurologist the same day. Calls to this neurologist on that day were unsuccessful.</p>
1234575	4/20/2021	MN	24	F	4/20/2021	4/20/2021	slight blurred vision

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1234557	4/20/2021	NJ	36	F	4/17/2021	4/17/2021	Immediately after the vaccine was given I felt a tingling feeling in my left fingers. Once I sat down for the 15 min evaluation I then felt tingling in left toes. at around the 10 min mark I had a wave of nausea and my hands got clammy. at around the 14 min. I had a burning sensation at the tip of my nose that lasted a minute or so. Right after was a burning numbness above my upper lip and then shortly after a numbness in both cheeks. I also then saw that my cheeks were flushed when I was able to look in a mirror. The flushed cheeks lasted over an hour as well as the numbness above my upper lip. at about 6 hours later felt a pressure between my eyes.
1234553	4/20/2021	PA	72	F	4/12/2021	4/18/2021	No reaction until the 6th day, Sunday. Expected reactions on Day 6: temperature 100.4, tiredness behind eyes, slightly achy body. Massive headache by Monday and ringing in ears. Took Naproxin and Mucinex Monday morning before going to work. At the end of the day I took Naproxin and Mucinex in order to sleep. By Tuesday I had chest congestion which has gotten only worse along with needle-like pain in the chest upon coughing. I spit up yellow phlegm, tiredness behind eyes returned, sneezing, choking on phlegm, and constant runny nose and ringing in ears. This has made working difficult, but not impossible. Please ignore if these are normal reactions. I'm just not sure.
1234551	4/20/2021	OH	37	F	4/12/2021	4/12/2021	First night from 11 pm to 6 am, 102 degree fever. Fever broke at 6 am. So tired i could not keep my eyes open. Slept that whole next day. 3rd day still extremely tired, pounding headache, stomach ache. By day 4 i felt better half way during the day. Pounding headache and extreme tiredness for 4 days.
1234881	4/20/2021	MO	57	F	3/21/2021	3/21/2021	Fever up to 101.8, runny nose, cough, covid headache, loss of taste and smell, tinnitus, eye socket pain, boxy aches, bone pain in femurs, nausea, diarrhea - the exact same symptoms I had when I had covid in December, and most had continued off and on for three months.
1234510	4/20/2021	IL	68	F	3/9/2021	3/10/2021	Extreme fatigue, restless sleep, headache, digestive problems, eye and visual problems, skin irritation, sore throat

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1234887	4/20/2021	SC	60	F	4/6/2021	4/6/2021	Patient reports persistent but less obvious cognitive change described as being in a cloud x 2 weeks. Reports received second moderna covid vaccine 4/6 at which time she experience right facial swelling around eye, tongue numbness, difficulty swallowing and confusion that began 20 min after injection. Reports she drove around for 2 hours trying to remember/find her way home and couldn't/didn't think to call husband. Did not take benadryl or attempt to trt sx with any other medication. Reports similar but more mild rx to initial dose 3/9
1234503	4/20/2021	CA	47	F	1/15/2021	1/16/2021	Fatigue - the next day. I was really, really tired and had a headache. The next day, I woke up totally fine. I was fine for two or three days. Then I noticed under my arm pit - it was hurting real bad - that took four days to clear up; pain and nothing visual to see. And I had a red spot on vaccination area and it was growing and it went all the down to my elbow. My doctor had me mark it with a circle. It took three weeks for it to clear up. The doctor put me on antibiotics for it.
1234455	4/20/2021	MA		M	3/24/2021	4/1/2021	One week after taking the vaccine the patient developed numbness and tingling in his face, hands, and feet. These symptoms progressed over time and on April 18, 2021, he presented to the ER with ?weird nerve symptoms,.? He remained there overnight and was admitted the next day,. He was diagnosed by lumbar puncture with Bell?s palsy of the face secondary to Guillain Barre syndrome,. He is presently still an inpatient there. He?s being treated with IV immunoglobulins, with no improvement. His eyes and facial muscles droop, and he has difficulty chewing food. The patient has no PCP but the hospital should be able to give you medical records of his admission. The patient and I both strongly support vaccines, and we were both eager to be vaccinated, but we don?t believe this rare illness has struck him with no precipitating event except the vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1234444	4/20/2021	NY	16	F	4/16/2021	4/16/2021	The patient passed out completely while sitting after having her 1st covid vaccine. She was alert shortly thereafter but had blurry vision and low blood pressure. She said she was very hot and was sweating somewhat. We gave her some water and gradually she started feeling better. In the meantime, we had call 911 and when they evaluated her, they felt it was somewhat of a panic attack since she did have anxiety before getting the vaccine.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1234435	4/20/2021	NJ	59	M	4/16/2021	4/20/2021	<p>Chief Complaint pt c/o left facial droop starting today, states received 1st dose of Pfizer vaccine on 4/16. denies any other symptoms History of Present Illness 59 yo WM here with left facial droop noted by his wife this PM when coming home, wife is a NP. No other symptoms Pt noted that he was recent vaccinated at the megasite Friday, as noted above. Denies: Nausea vomiting headache chest pain SOB falls head trauma changes in vision, double vision falls recent illness new medications change in sleep patterns tinnitus history of: heavy caffeine use heavy alcohol use trauma stroke in the past exposed to meningitis BCP Gen AAOx3NAD PERRLA EOMI, lids intact able to close without issue Neck Supple, no bruits, no JVD appreciated cervical LNno lymphadenopathy CV +s1/s2 RRno RRG PulmCTA bilaterally no RRW Absoft NT/ND no RRGCVa Extremities no edema, radial pulse intact CN 2-12 intact, mm strength UE and LE 5/5, patellar reflex 2/4; no gait disturbance very settle facial droop noted at the left lip, evident at resting and with laughter, not with induced smiling Review of Systems as above Physical Exam Vitals &amp; Measurements Temperature Temporal: 97.5 DEGF Systolic Blood Pressure Cuff: 136 mmHg Diastolic Blood Pressure Cuff: 84 mmHg Peripheral Pulse Rate: 93 BPM Oxygen Saturation: 97 % Respiratory Rate: 16 BR/MIN WT (Kgs): 72.6 kg Weight Calculated (lbs): 160.054 LBS HT (In): 68 INCH as above Assessment/Plan 1 . Left-sided Bell's palsy ( G51.0 ) Grade 2 very mild but has slight noticeable lip paralysis treat with high dose steroids as rec, eat with it fu in 7 days with PCP supportive care please see the clinical summary (includes immunizations), patient instructions and other supporting documents - as these are supplements to the SOAP note and should be reviewed as apart of the chart. Education provided-verbal, as well as any patient instructions printed. Ordered: predniSONE 20 mg oral tablet, 60 mg 3 TAB, Oral, Daily, X 7 DAYS, # 21 TAB, 0 Refill(s): 172.72, 04/20/21 18:21:00 EDT, Height Calculated (cm), cm, 72.6, 04/20/21 18:21:00 EDT, WT (Kgs), kg</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1234424	4/20/2021	CA	75	F	3/11/2021	3/23/2021	excessive swelling of bilateral neck lymph nodes with swelling of face so that vision was impaired. Exzema type blisters and welts covered my face and arms below elbows. This lasted with fluctuating intensity before finally abating on April 19. I took Benadryl and applied cortisone creme and used ice packs and other topical treatments.
1234420	4/20/2021	WV	56	M	3/17/2021	3/19/2021	I began to feel numb around my mouth and nose. It spread to most of my face, then chest, then arms, mainly left arm and leg, then to both legs. General weird feeling / numbness, no pain. I had trouble with limb control, not bad, but enough to notice. Mainly left side, but noticeable on both sides. From the onset on face numbness to the chest leg spread was just a matter of a few, maybe 5 minutes. I looked at my face in the car mirror, and appeared to have facial control. I was driving to a relatives house, and it worried me. On the way, I also noticed a lump in my right neck, about the size of a pea. When I got to my relatives house I told them I thought I had a small stroke, but wasn't sure. The numbness lasted until the next day, then slowly went away. It took about 2 days before the numb twitchy feeling went away from my left eye/upper cheek area. The lump in my neck also went away. rubbing on it actually made the numbness slightly go away. I did not go to a hospital, or seek any treatment. I think I should have. I do believe that I had a small stroke / blood clot, and that it should be reported. I think I am OK now,
1234221	4/20/2021	AZ	58	M	4/6/2021	4/14/2021	9 days after receiving vaccine started experiencing sore throat, swollen / infected eyes, bronchial irritation that progressively worsened. Went to dr after 5 days and tested for COVID which was negative. Symptoms continue to worsen. I have not been sick in over 5 years.
1234189	4/20/2021	FL	48	F	12/30/2020	1/3/2021	After 3 days of receiving 1st dose. I started having left side facial spasms. Symptoms continued with chronic left ear pain, vision loss, hearing loss and speech which lead to left side facial paralysis. ( Bell's Palsy).
1234175	4/20/2021	GA	61	M	4/7/2021	4/8/2021	Subconjunctival hemorrhage left eye. Treatment-recommended to scheduled appointment with his primary care provider for further evaluation

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1234135	4/20/2021	NY	63	F	4/3/2021	4/4/2021	Went to bed few hours after vaccine woke up with a swollen face and low grade fever . Monday woke up my eyes were swollen shut face was worse went to walk in clinic. And they gave me 50 mg steroids for 3 days . Still puffy for 2 weeks with headache
1234517	4/20/2021	TX	48	F	3/25/2021	4/7/2021	SEVERE, SUDDEN ONSET HEADACHE IN LEFT TEMPORAL LOBE; LEFT EYE/FACIAL DROOPING, ELEVATED BLOOD PRESSURE (NO HISTORY OF HEADACHES OR MIGRAINES); TREATED IN THE ER WITH IV MORPHINE, 'MIGRAINE COCKTAIL', INCLUDING IV MAGNESIUM SULFATE
1235420	4/20/2021		66	F			1315: Pt c/o itching in throat, ears, and eyes ~ 45 minutes post Pfizer COVID 19 vaccination. VSS: BP: 156/90 P: 81 RR: 18 non labored, SaO2: 97% on RA, lungs CTA all fields, no stridor or wheezing noted. 1320: Pt medicated with Benadryl 25 mg po. 13,50: P
1235561	4/20/2021	FL	50	F	3/27/2021	3/28/2021	Severe Headaches, Eye Pressure, and pain extended all the way to the back of my head. Joint pain is constant, especially in the legs.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1235468	4/20/2021	TX	50	F	4/9/2021	4/9/2021	I received my 1st vaccine shot on 04.09.21 at 4:05pm CST. Around 5:15pm CST, my lower extremities and entire left side went numb. All feeling in my lower extremities returned by 11:00 pm CST. The facial and left arm/hand numbness remained with varying degrees of transient numbness. The numbness has ranged from 10% to 95% of feeling. I started doing research and determined my reaction was temporary and inflammatory and Bell Palsy like in nature. I missed work on 04.13.21 and notified my primary care physician, Dr by phone about the numbness. I was informed to go to the ER, especially if the numbness worsened. After taking Benadryl, by morning, the numbness remained transient, but subsided a bit. On 04.17.21, I started to feel a pull on my left eye muscle and a glare when I looked down. I notified my eye doctor, Dr I underwent an exam. My eye nerve was fine, however, my prescription in the left eye increased. As of today, 04.20.21, I am MUCH better, but the injection site remains little sore. The numbness remains transient in my left arm/hand, facial cheeks, and forehead with about 95% of feeling. My skin on my face (T-zones), also feels like sandpaper. I am making this report because I am apprehensive about receiving the 2nd shot.
1233320	4/20/2021	NJ	22	M	4/20/2021	4/20/2021	Patient fainted 15 minutes after getting his first dose of covid-19 vaccine. He fainted for about 15-20 seconds and came back saying his vision decreased and thought he was dreaming. He was breathing normal upon waking and didn't complain of anything else. he was lying flat until EMS arrived on site after approximately 10 minutes. He was able to get up and leave the facility by himself and didn't get transported to any medical facility.
1235559	4/20/2021	WI	44	M	3/18/2021	3/22/2021	Blurred vision, especially in right eye. Lasting for days. Dull steady headache. Terrible tinnitus in ears. Lethargic and tired for days
1235554	4/20/2021	NY	53	F	3/26/2021	4/17/2021	Rash on side of head ocular droop shingles - herpes zoster shingles

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235540	4/20/2021	CA	67	M	12/22/2020	1/28/2021	After about 2 weeks from 2nd dose taken on Jan 13, 2021, starting having tinnitus (ringing in the ear ) in right ear started having a headache on back part of head where connects neck, First I Felt , I must have slept on the wrong side but this pain persisted over a month, now I get similar pain every 1-2 weeks for a day or so . When I chew, I am feeling noise on my left ear my eye sight has deteriorated and have to see ophthalmologist to get new prescription for eye glasses, I am also getting thorbing headache on my right side of head , comes and goes away ,happens once in a while
1235471	4/20/2021	TX	33	F	4/19/2021	4/19/2021	Fever of 100.5 Nausea and vomiting Headache Sore arm Aches all over body (it hurt to move) Extreme dizziness Sore eyes Had difficulty sleeping that night because symptoms were so severe (even after taking Tylenol)
1235453	4/20/2021	KY	67	F	4/8/2021	4/10/2021	After receiving my second dose I was fine with a little pain at the injection site on 4/8 and 4/9. On Saturday, 4/10 I woke up feeling dizzy and my blood pressure was around 180/85. As the day progressed the dizziness turned to double vision and my blood pressure was 212/102. At about 3:30 PM I contacted my cardiologist who advised I go to the ER. Tests were run and they found that I had a Dorsal Pons stroke which caused the double vision due to lack of movement in my right eye.
1235451	4/20/2021	PA	23	F	4/17/2021	4/17/2021	quick onset with severe back pain, high fever that would not go down with ibuprofen, sore throat, fever that would not stay away without tylenol for 48 hours, migraines over left eye, night sweats, body pain so severe that it limited mobility

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235447	4/20/2021	MN	33	F	3/22/2021	4/17/2021	Patient presented to the ER on 4/20/21 with headache. On Saturday (4/17/2021), the patient had "the worst headache I have ever had" along with severe inner left ear pain. Patient took an ibuprofen which helped with the pain for about an hour then the pain came back. Pain got worse 2 hours later when she drove home from work. She called the RN line and was told to take ibuprofen and follow up in the AM. The next day 4/18/2021, patient went to urgent care and received Toradol and was told it was a migraine. Today 4/20/21, patient still had pain and noted feeling left sided facial numbness and blurry vision that correlated with when she got the headache. Patient went to an urgent care today and CT scan revealed a blood clot. She was then sent to the ED for evaluation. In the ED, she has no headache and facial numbness and has minimal left ear pain. Her headache is localized to the left side of her head. Patient denies fever, chills, and COVID symptoms. Patient was started on argatroban drip per hematology recommendation.
1234875	4/20/2021	NY	34	M	4/9/2021	4/20/2021	I felt extreme fatigue and general malaise at 14:30. I took a Vicodin for my chronic back pain and lost consciousness at 15:00. I Went to bed and woke up at 16:25. 30 min later I slept again for about 90 min. Then I woke up and walked outside for some fresh air and got this extreme ice pick pain in the left side of my head for a few seconds. Then a few seconds later again. Now it just nags a bit behind my left eye and it feels a bit off in the left side of my brain. Bright lights hurt a bit. My back pain and Sciatica is also a lot higher than normal.
1235425	4/20/2021	OR	37	F	4/19/2021	4/19/2021	Initial left body pain with severe headache, after 35 min this transitioned to severe headache and left face numbness, slurred speech and left eye issues, combined with normal tiredness and ache at injection site (these latter symptoms abated within 24 hour). The facial numbness and headache have persisted and are still present.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1234888	4/20/2021	TN	21	M	4/8/2021	4/10/2021	-Fatigue, headache, fever, dizziness, burning sensation in head 4/9/2021 ~2AM-6PM -Fatigue 4/9/2021-4/20/21 - Fatigue, dizziness, fever, headache, dry eyes, shortness of breath 4/17/2021 5PM-12AM -Heart palpitations, fatigue, dizziness, fever, headache, dry eyes, shortness of breath 4/18/2021 3PM-4/19/2021 12AM (was hospitalized) -Resting heart-rate upon arrival to hospital was ~105
1235408	4/20/2021	WA	47	F	4/3/2021	4/6/2021	Tiredness, body aches, chills, watery eyes, swelling in throat that lasted a couple days Very large, swollen and itchy rash around the injection site. Rash improved after several weeks.
1235221	4/20/2021	IN	42	F	4/6/2021	4/7/2021	The next morning my eyes were sensitive to light and then I became more exhausted by the hour. Full body Aches set in, foggy head, headache. By around two I began running a light fever. By about 3 pm I felt overall horrible. By four-five I became incredibly nauseated and began vomiting about an hour later. I kept vomiting throughout the night until it was only acidic bile left. During this time I was burning up if I had even a sheet on my skin, but freezing if I didn't. I was sweating late into the night. Vomiting stopped around 3 am. The next two days I managed rice, bananas and teaspoons of water but was always nauseated. Fever was gone, but headache and exhaustion remained. Daily nausea finally began to wane and was replaced by heartburn and gross feeling in my throat for about two days. About a week and half after the shot I finally regained my energy and had no stomach issues. Two weeks after injection today- The injection site still is bruised and burns/itches from time to time lightly.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235219	4/20/2021	SC	71	F	3/9/2021	3/9/2021	EMS was called, because patient began to feel dizzy and extremely nauseous within about 1 minute of being vaccinated. She stood up to walk, but did not get more than 10 feet away before returning to sit down. Her face became flushed. Her BP was high at 177/87 with a pulse of 108, and she complained of having blurry vision. Her blood pressure lowered to 132/90 with a pulse of 82. Her final readings were BP 139/75 and pulse 77 when EMS took them. EMS was called at 1:22pm and arrived at 1:32pm. Pt was given some water and advised to get some rest at home. She refused to ride to the hospital with EMS, and claimed to feel better after another 10-15 minutes or so. EMS thought it was just an anxiety attack.
1235215	4/20/2021	NC	43	F	4/19/2021	4/19/2021	At approximately 5:00 pm thr day of vaccine my cheeks started to burn with a slight itch. It began to spread to other parts of my body mainly neck, back and arms. My skin is pink and felt warm to touch. It feels and looks as if I have a sunburn. 29 hours after vaccine my eyelids have now started to itch and burn. I have been taking 25 mg of Benadryl every 4 hours but symptoms persist.
1235203	4/20/2021	CA	49	F	4/20/2021	4/20/2021	Eye twitching and swelling six hours after administration of second vaccine. I have no face fillers or surgeries on face.
1235199	4/20/2021	CA	38	F	4/9/2021	4/11/2021	Deep pain in right leg, could not walk for a week. Slight pain still present. Fatigue, dizziness, nausea, blurred vision
1235152	4/20/2021	MO	35	F	3/20/2021	4/20/2021	I received the vaccine at about 9:30 AM. From about 8:00 pm - 8:45 pm I experienced a pattern of 30-90 seconds of normal vision, then 1-2 seconds of only being able to see light/colors/shapes (I had lasik in 2016, my prescription was -4.75, the 1-2 seconds of bad vision I experienced was like when I removed my glasses before having lasik correct my vision). This pattern of 30-90 seconds normal vision then 1-2 seconds of bad vision repeated for about 45 minutes. During this time I was also very dizzy and lightheaded. My other side effects were as expected (fever of up to 102, chills, VERY sweaty, did not have energy to remove my sweatshirt when I was hot, headache). I am only reporting this in case it is important/helpful for further studies/development of the vaccine and public health.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1235127	4/20/2021	IL	24	M	4/20/2021	4/20/2021	Within 5 minutes after the shot, patient had a seizure-like episode that last about 5 seconds while sitting in the lobby chair. On duty rph, Bright, questioned pt to check mental status, vision affected. The patient stated he was fine, remained in the lobby for another 30 minutes, No other reaction was seen nor reported within this time frame.
1235117	4/20/2021	PR	39	F	4/15/2021	4/16/2021	At 17 hours after the 2nd dose. I started with a fever, back pain, hips to the bones, followed by chills and a bit of a headache. The acetaminophen was taken every 4 hours but as the day passed before 4 hours the fever and all the symptoms began. I felt as if I had fire inside my body. In the mouth and eyes. Then that fire continued and after 79 hours I noticed large welts on my legs, very intense itching and burning all over my body, I consulted a Dr on the phone and he told me to take Benadryl 50 every 8 hours, low a little the hives with the first dose but continued the same. I feel the allergy the same as when they administer Iodine and I feel acid or fire through my veins. I have not been to the hospital since I do not have the facility (the means or capability) to leave my children and be able to go with someone to the hospital. At this moment I write 4/20/2021 9:20 pm I am with these symptoms.
1234921	4/20/2021	FL	39	M	4/7/2021	4/16/2021	Tinnitus, dizzyness, confusion, eye pain, pressure in ears. Started 8 days after vaccination. Has been continuing for the past 4 days
1235426	4/20/2021	CA	41	F	3/23/2021	3/25/2021	Thursday morning I woke up and my eyes were crusted over and difficult to open. At around 9:30 am I had uncontrollable unexpected diarrhea that I just oozed out of my bottom didnt even have time to get to the bathroom! The symptoms stopped . The pharmacy suggested I report incident
1233479	4/20/2021	AR	45	F	2/9/2021	2/9/2021	Since about an hour after the first shot, I have been having horrible migraine headaches that have affected my daily life. I have blurred vision and light sensitivity with them. Nausea and vomiting have happened. I also had a hard time getting out of bed the next day. And the same thing happened after the second shot as well. I am still having the headaches in different severities every day.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1233734	4/20/2021	RI	26	M	4/20/2021	4/20/2021	NEAR SYNCOPE, DIZZY, ABNORMAL FEELING IN THROAT Primary/secondary assessment / observation Vital signs stable, lung sounds clear through out, warm dry skin w/ regular bi lateral radial pulses Patient denied any CX pain, SOB, dyspnea, headaches, visual disturbances, N/V while in observation, patient informed provider he began to feel better & was able to leave. Patients vital signs presented with out any abnormal findings Patient was advised to seek emergency medical treatment if any adverse reactions presented
1233716	4/20/2021	GA	62	F	4/13/2021	4/13/2021	Lower eyelid stye, swelling and bruising under and around right eye, stye on the lid, large, painful, swollen purplish lump below Headaches Muscle aches Fatigue
1233691	4/20/2021	KS	52	F	4/16/2021	4/16/2021	Fever 100.5 - 102.00 4/16, 4/17, 4/18, Fatigue, body pain, nausea, headache 4/16, 4/17,4/18. Fatigue, body pain, nausea, facial / eye swelling, pain when walking in lower back and hamstrings 4/19, 4/20
1233688	4/20/2021	PA	51	F	3/12/2021	3/12/2021	Patient experienced facial flushing, tachycardia and hypertension. Flushing occurred from the base of the neck and covered the neck, face, side of face, eyebrows, and forehead. There was no rash, swelling or redness on any other part of the body or injection sight. Heart rate was 122 BPM at onset and decreased to 77 BPM during the course of observation. BP was recorded at 197/124, 194/120. Patient was observed for approximately 1 hour. Patients physician was contacted during the observation period. Physician advised against the use of diphenhydramine and recommended an additional dose of the patients Metoprolol.
1233649	4/20/2021	CA	56	F	3/27/2021	4/7/2021	Zoster without complications Valtrex 1gm q8hrs for 7 days that has been extended for 3 more days due to the persistence of the symptoms Symptoms: nerve pain, red rash, burning sesnsation at the left part of the brain/face (specifically on the left forehead, eye, chick, ear and scalp).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1233631	4/20/2021	TN	19	M	4/15/2021	4/15/2021	<p>Patient had parked in the COVID vaccine waiting area, and was observed to fall forward onto his steering wheel within a few minutes of parking by 2 other participants waiting in the car next to him. One of them immediately notified one of the parking lot volunteers who came and got me within 1 minute of this observation. 2 students and I came quickly to the open drivers side door and began talking to assess the situation. Mr. Bannister appeared pale, mildly diaphoretic (sweating) and slightly confused as to the passage of time, but was able to state and spell his name and talk coherently about his circumstances. He stated that he was not allergic to anything that he knew about, and that he had no prior history of similar reactions to vaccines or medicines although he had not taken any shots in several years. He noted that he had not eaten anything since breakfast (now mid-afternoon). He described himself as initially feeling weak, faint, and nauseated with his vaccinated arm feeling heavy and numb. He also reported that he had a sensation of blurriness before passing out, but denied any spinning sensation, visual loss or ringing in the ears. There were no obviously visible abrasions or bleeding on his face or forehead. The nursing students brought a chair, and we elevated his legs and gave him some water to drink during the time we were monitoring his vital signs. He refused a cupcake because of the nausea, but as time progressed he gained facial color and was more comfortable in conversing. His hands had equal muscle grip and strength, visible fingernail beds were pink and his capillary refill was less than 3 seconds. Towards the end of our monitoring, he did accept some nuts and M &amp; Ms to eat. A University Safety Medical Report was completed by the appropriate safety personnel. He was fully AAO x 3 at the end of our monitoring, and stated that if he felt better he would drive to his apartment (less than 5 minutes away) but would wait for his girlfriend to get out of class if he did not feel fully capable of driving. We encouraged him to eat something light when he got home, to use cool water/warm water soaks at his shot site, exercise his arm, and to take an NSAID for pain relief the next day. We recommended that he eat something light before his second shot (which had already been scheduled), that he bring someone with him the next time, and as a precaution to wait 30 minutes following the second shot.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							He left at 3: 15 pm driving his car without any apparent difficulties. An online report was completed for the incident 04/20/2021.
1233602	4/20/2021	AZ	46	F	3/5/2021	3/6/2021	overall body fatigue with angina-like symptoms, bone aches, fever, head ache for next 36-48 hours. Head ache (frontal lobe with right eye visibility impairments at times for the next 6 days). For the next 2 weeks approx 50% lower strength/fitness during gym workouts.
1233583	4/20/2021	NY	36	F	4/9/2021	4/9/2021	Patient reports received J&J vaccine on 4/9. Later that day developed a minor headache and dizziness. Woke up on 4/10 still feeling dizzy, and this has been persistent since. Patient states it comes in waves, and at times feels her vision is a little blurry. Denies vomiting, diarrhea, headaches today. Patient states also feels chest may be a little heavier today- "sensation of wearing a shirt that is too tight" but denies difficulty breathing or SOB. Pt denies any leg pain/redness/swelling/warmth.
1233580	4/20/2021	MO	32	F	4/16/2021	4/16/2021	Full body convulsions and Paralysis. Left-arm went numb first and traveled throughout the body. Convulsions started in left hand and also traveled throughout the body. It took six minutes from the shot to the first convulsion. Convulsions didn't stop until lorazepam was administered. Benadryl was administered immediately on-site in pill form. The hospital also gave additional Benadryl as well. Blood sugar dropped to 50 within the first half-hour. Extreme eye sensitivity to light and extreme exhaustion afterward. Pain felt extreme as well. Many side effects such as very low pain tolerance, head ache, light sensitivity, confusion, loss of memory, severe muscle pains, muscle numbness throughout body, blood sugar dropping, etc.
1233544	4/20/2021	CA	38	M	4/1/2021	4/1/2021	patient received the vaccine janssen at 2:12 pm . At 2:13 pm patient complaint of experiencing dizziness , nausea, sweating , blurry vision dry mouth , difficulty swallowing saliva . per Dr order administer the Epi-pen . 911 was called . Paramedics transport patient to the nearest hospital
1233750	4/20/2021	TX	56	M	4/15/2021	4/15/2021	Pfizer-BioNTech COVID-19 Vaccine EUA Severe Migrane Headache, Severe pain in left eye swelling and loss of vision, Nausea and Vomiting, Severe Fatigue

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1233492	4/20/2021	IL	58	F	4/9/2021	4/13/2021	rash on face,neck & upper chest. eyes red, burning. watery. slight headache, lower back pain. Going away slowing almost gone have not gone back on xeljanz. seeing rheumatologist on 4-22
1233566	4/20/2021	NH	34	F	4/14/2021	4/15/2021	Severe throat tightening, itching body, mild hives on hands. I have to take Benadryl every 4 hours to keep these side effects tolerable. I emailed my doctor to see how long this would last or if there is anything I need to be doing. They called me and told me to come in right away. I was unable to see my doctor but was seen by another doctor. She said I was definitely having an allergic reaction after scratching my skin, looking in my nose, ears, and mouth. She asked if I had changed anything like soaps or laundry detergent recently, which I told her I did not. I said the only thing out of the ordinary that I have done in the past YEAR has been getting the COVID vaccine. She then told me it was probably just seasonal allergies.. which I have never had before. She wrote on my after care summary that I could use OTC eye drops for my eye symptoms (and I don?t have ANY eye symptoms), she also wrote that I could use Flonase for my nose symptoms (which I don?t have any nose symptoms), and to buy Zyrtec for keeping the seasonal allergies at bay. She didn?t even consider the vaccine to be an issue. I also didn?t even know throat tightness could be a vaccine side effect until I looked it up. I don?t know why I was brushed off and told seasonal allergies when my side effects don?t line up with that. I don?t think it was a coincidence I received the vaccine and started to have ?seasonal allergies?. I asked if I should be getting an allergy test to see what ?seasonal? things I?m having this reaction to and she said that doesn?t matter, just to keep treating the symptoms. So no tests were given.
1233467	4/20/2021	MA	54	F	4/9/2021	4/13/2021	She had some mild symptoms 1-2 days after the vaccine that resolved. 4-5 days after the vaccine she developed a headache, describes it as constant. She has taken tylenol and advil OTC without much relief. She denies any vision changes, worse with position changes, nausea or vomiting. Today is improved without intervention, but still present mildly.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1233440	4/20/2021	AL	72	F	3/11/2021	3/12/2021	She had the vaccine, when she woke up the next day her arm was really sore and kept bending it, and thought that she was going to be okay. Almost a week later it was swollen, parallel to it and big, beat red, and hot to touch. Over the next few days she was getting more and more tired, but the arm started getting stiffer. It kept getting more and more read and spreading to the elbow and wrist. When she got up over the weekend and kept putting it off thinking that it would go away and decided to touch it out. Then it started getting numb going into her fingers. On the following Saturday she could not move her arm up due to stiffness. She had some heart flutters, was not feeling right and decided she needed to see her doctor. She saw a NP and then she went to see her cardiologist the same day. He did an EKG and told her that she was fine. That is the provider that told her that whoever gave her the shot hit a blood vessel that caused all of her symptoms. The swelling was starting to go down and did some tests for blood testing, which she states was all negative. She went to an eye doctor who is now sending her to a neurologist. She has now recovered from it completely now.
1233428	4/20/2021	CO	45	F	2/12/2021	2/15/2021	Patient had a headache and vision changes, went to ER. They ran tests and found it was "stroke.~~

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1233424	4/20/2021	CO	31	F	4/19/2021	4/19/2021	t + 3 hours: onset of arm pain and limited arm mobility t + ~5 hours: onset of join pain, body aches, fatigue, dizziness, reduced appetite. t +~7 hours: onset of muscle pain throughout body, chills/shivering/teeth chattering, muscle weakness and lack of coordination (dropping items, unable to hold items in hands), no appetite t + ~9 hours: extreme chills, teeth chattering, inability to keep warm even with lots of layers and blankets, confusion, dizziness, migraine, fever (temp unknown); took 400mg ibuprofen to reduce headache and body pain, exposure to light causes eye/head pain t+~12 hours: extreme weakness and muscle aches, moving at all causes waves of chills and pain throughout body, severe migraine with aura, moving or standing is very difficult to impossible, lack of balance and coordination, fever (temp unknown), profuse sweating enough to soak through clothes. Weakness such that a glass of water 1ft away cannot be lifted. Had to get up to go to bathroom, and had to prop myself up on furniture and walls to make it the 15ft to the bathroom from bed. t + ~24 hours: some muscle weakness, fever cleared, generally feeling well with some aches and tiredness. Felt sicker than I've ever been in my life -- like influenza but more extreme symptoms with shorter duration.
1233422	4/20/2021	MN	30	F	1/27/2021	1/27/2021	About 4-5 minutes after receiving my vaccine, my entire body got flush, and I almost passed out. I was able to stay conscious, but my sight became extremely blurry. I was not able to see well for the next 4 hours or so afterwards. I also developed a vertigo, and needed to take 2 days off of work, plus the entire weekend to begin to recover. The only thing that helped the headache, my eyes, and my head feel somewhat normal was to sleep. I slept on and off for most of the following 5 days after my vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1234122	4/20/2021	FL	60	F	4/15/2021	4/15/2021	Approximately 1 - 2 hrs after receiving the 2nd dose of the Moderna vaccine, I started developing a red rash on my left cheek. It started tingling, and slightly itching, and was warm to the touch. A welt had also started on my left cheek approximately 1 inch down from my left eye. I immediately put Benadryl cream on the whole area and it quickly subsided within an hour. A cold compress helped as well. I also had a severe headache that lasted almost a day and felt extremely weak. I did not have those reactions after the 1st dose. My arm hurt after both doses, but I only felt very tired after the 1st dose.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1235106	4/20/2021	CA	45	F	3/6/2021	3/6/2021	<p>Started within a few minutes after vaccine was administered. Accelerated heart palpitations, elevated high blood pressure and nausea. Stabilized about 30 minutes after. Since then heart palpitations have been up and down (over a month). March 30 - Doctor appointment. Dr notes: Patient presents with PALPITATIONS x 2 weeks, the last 2 days have been really bad per patient. Patient states she started getting the palpitations post covid vaccine on 3/6/21. Moderna vaccine received. Patient received Moderna Vaccine 3 weeks ago 10 min after vaccine started with palpitations , nausea Cold feeling , BP was high HR was 115 about , waited x 40 min felt better , BP 135/ Patient did not have pain with injection 1 we 1 week later Went to store to buy food had Had palpitations For no reason, no chest pain short of breath dizziness + Mild cold sweat ,+ nausea, unable to drive , had to take mask off, husband drove her home, once She was home felt better . Lasted 10 min . Was good for 1 week , and today At home Started with palpitations At 6 Am Drank water , felt better no associate symptoms This time , lasted 15 min and had small Feelings of palpitations Lasting seconds during the day Never had palpitations before , patient worries about everything , whole family is home Patient thinks she worried about the vaccine once she got it No drugs , no weight loss , usually hydrating No caffeine No history heart disease Review of Systems Constitutional: Negative for chills, diaphoresis and fever. Cardiovascular: Positive for palpitations. Negative for chest pain and leg swelling. Respiratory: Negative for cough and shortness of breath. Gastrointestinal: Negative for diarrhea and nausea. Neurological: Negative for dizziness. Psychiatric/Behavioral: The patient is nervous/anxious. Physical Exam Constitutional: She is well-developed, well-nourished, and in no distress. No distress. Neck: No thyromegaly present. Cardiovascular: Regular rhythm. Tachycardia present. No murmur heard. ER Visit on Apr 2, 2021 CHIEF COMPLAINT: PALPITATIONS TRIAGE NURSE PRESENTING HISTORY Information provided by: PATIENT History of Present Illness: Palpitations off and on x two weeks. Denies chest pain. General Appearance-DistressLevel: MILD Industrial Related: NO Patient is a 45 year old female with off and on palpitations x 1 week. Patient denies fever, chills, chest pain, SHORTNESS OF</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

BREATH, headache, nausea, vomiting, diarrhea, abdominal pain, dysuria, hematuria, cough, rash or flank pain. Patient also feeling anxiety during this time. Initial VS: BP: 132/83 / Pulse: 132 / Temp: 97.6 °F (36.4 °C) / / SpO2: 100 % Physical Exam Vitals signs and nursing note reviewed. Constitutional: General: She is not in acute distress. Appearance: She is well-developed. She is not diaphoretic. HENT: Head: Normocephalic. Eyes: Conjunctiva/sclera: Conjunctivae normal. Neck: Musculoskeletal: Normal range of motion. Cardiovascular: Rate and Rhythm: Tachycardia present. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: No stridor. Musculoskeletal: Normal range of motion. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Psychiatric: Thought Content: Thought content normal. ASSESSMENT: Plan Anxiety and palpitations. Work up pos for UTI. Patient non toxic with no fever, leukocytotic or lactic acidosis. Patients hr improved with fluids and ativan. Patient pending thyroid panel. Patient discharged with rx for keflex and ativan. Patient agrees with plan and understands strict return precautions. Additional information for Item 19: CO2 22 mEq/L 21 - 31 mEq/L More details on Labs for Apr 2 does not fit in the form. Lab result from April 2

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1233413	4/20/2021	MD	53	F	4/16/2021	4/17/2021	Had the Moderna vaccine 4/16/2021 the following day developed swelling of her left eye, then progressed to left face. Has a fullness feeling in both eyes. No eye redness or drainage. No itching. Denies any difficulty with swallowing. No tongue swelling. No wheezing. No shortness of breath. The last 2 days has been taking Benadryl 25 mg every 6 hours without much relief. Apart from the facial swelling she feels fine. No other facial care products used. Has not had any Botox injections or facial fillers injected in the skin. Patient was seen today for allergic reaction. Diagnoses and all orders for this visit: Allergic reaction to vaccine - predniSONE 20 MG tablet; Take 2 tablets by mouth daily for 3 days. - cetirizine (ZYRTEC) 10 MG tablet; Take 1 tablet by mouth daily for 7 days. Swelling of face - predniSONE 20 MG tablet; Take 2 tablets by mouth daily for 3 days. - cetirizine (ZYRTEC) 10 MG tablet; Take 1 tablet by mouth daily for 7 days. See orders, medications and pt instructions. Allergic reaction to the Moderna vaccine localized facial swelling no other systemic symptoms like shortness of breath or wheezing not responded to over-the-counter Benadryl we will give a course of prednisone 40 mg daily for 3 days switch to cetirizine 10 mg daily for 1 week apply cool compresses to face for 15 minutes 3-4 times a day if has any shortness of breath or tongue swelling or difficulty with swallowing or wheezing advised to go to the emergency room
1233378	4/20/2021	IL	50	M	4/3/2021	4/3/2021	Loss of vision in left eye, stroke in eye caused by retinal vein occlusion. 3 weeks. Injection in left eye once a month for 6 month, not guaranteed to bring back vision.
1233336	4/20/2021	IN	59	F	4/20/2021	4/1/2021	11 a.m. the next morning starting feeling funny. by 4:30 headache, chills, body warm to touch, hands and feet ice cold. left eye cloudy/blurry and kept closing. Lasted until about 10:30 the next morning.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1233493	4/20/2021	NJ	35	F	4/8/2021	4/12/2021	From 6-48 hours after: chills, headache, hot flashes, fever of 100.5 On 4/12/2021 I had to call an ambulance due to issues with vision including seeing weird color patterns and near black out along with racing heart and lightheadedness. I refused further medical care because I felt better once the ambulance arrived. I visited my primary care doctor on 4/13/2021 to follow up. He said it was likely an ocular migraine. A blood test was ordered and results came back as essentially normal. I have been continuing to have dizzy spells, headaches, blurry vision and light sensitivity. An MRI of my brain and spinal cord has been ordered for 4/29 to rule out other conditions.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1234044	4/20/2021	OH	72	F	3/4/2021	3/24/2021	<p>Patient called c/o shortness of breath on exertion, slight cough, runny nose, weakness and fatigue. States O2 sitting 97 and P 79-80 and O2 walking &lt;88 and P 100's. States had covid vaccine # 1 on 3/4/2021. Completed viral/travel screen which was negative. Patient is a 72 y.o. female with chronic diastolic heart failure, hypertension, hyperlipidemia, hypothyroidism, vitamin D deficiency, depression with anxiety, who presented with shortness of breath on exertion. CTA chest was performed, showing filling defects in secondary and tertiary pulmonary arterial branches in bilateral lower lobes as well as right upper lobe. Patient was admitted for management of acute bilateral pulmonary emboli. Patient was started on Lovenox 1 mg/kg twice daily; transitioned over to oral apixaban for discharge. TTE obtained, without evidence of right heart strain. Patient is a 72 y.o. female who presents to the office today stating "I do not feel so good". She mentions noting blurry vision over the past 1 week right eye only with decreased vision. Denies any eye pain. Thinks her vision is worse outside in the sun. In addition, today she states she was up moving around getting ready for today's appointment when all of a sudden she felt a brief slight low light shock pointing to left anterior chest wall. Denies any chest pain or pressure but reports noting her heart rate was elevated up to 150. She states her O2 sat at home was 97% on room air. She checked her blood pressure which was not abnormal but cannot recall the number. She was recently diagnosed with a PE for which she was hospitalized, see previous note. She is concerned as she feels perhaps her Covid vaccine initially received on 3/4/2021 could have caused her blood clot. Her second dose was received on 3/31/2021 and has since not been feeling well EKG in the office with new onset A. fib relation noted, rapid ventricular rate with a pulse of 152 bpm. 911 was called and patient transferred to the ER for further evaluation and recommendations. Patient currently on Eliquis for PE. Patient, with a past medical history of essential hypertension, mixed hyperlipidemia and grade 1 diastolic dysfunction, as well as acute bilateral pulmonary emboli 3/2021 diagnosed a few days after her first dose of the Pfizer Covid vaccination, now anticoagulated on Eliquis who presented to KMC emergency room on 4/14/2021 from her primary care provider's office after being found in newly diagnosed</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1234102	4/20/2021	NJ	54	F	3/28/2021	4/7/2021	<p>atrial fibrillation with RVR, rate in the 150s. Of note, patient had received her second dose of the Pfizer Covid vaccine on 4/10/2021. She had scheduled this primary care provider appointment due to waxing and waning blurred vision of her right eye, with associated right-sided headache that had been ongoing over the last week. Patient reports that on the day of arrival she had not felt well, felt slightly weak and fatigued, but denied shortness of breath, chest pain or heart palpitations. Per ER notes, patient was instructed on vagal maneuvers while she was in the ambulance, and had converted to sinus rhythm by the time of her arrival to the emergency room. Per review of her telemetry on the day of discharge, patient did have one short episode of PAF on 4/15/2021, spontaneously converting to sinus rhythm, as well as intermittent PACs. Her home lisinopril was changed to Coreg, without further episodes of RVR and with good blood pressure control. In regards to her headache, patient underwent an MRI of the brain, which was negative for acute findings; she had no temporal tenderness, and ESR was within normal limits. She did improve symptomatically with administration of Tylenol and Zofran for her corresponding nausea/vomiting. On the day of discharge, patient was feeling much better, and stable for discharge. An appointment with doctor of ophthalmology was offered to patient for 4/16/2021, however due to transportation issues, this was rescheduled for 4/20/2021. She was instructed on changes in her medication, as well as encouraged to schedule an appointment with her established cardiologist. All questions and concerns were addressed.</p> <p>I developed shingles as a result of this vaccine. Needed immediate care for my eye.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1234099	4/20/2021	MO	18	M	4/20/2021	4/20/2021	Pt had a vasovagal response to the vaccine. It happened right after administration. Patient started shaking and closed his eyes. Just a few seconds later he woke up and said something along the lines of, "Oh did I pass out?" I caught him in my arms before he could fall to the floor. The same response where he started aggressively shaking and eyes closed happened a few seconds later. His legs straightened out and his head was headed backward. Again I caught him and stabilized him. Afterward, my 2nd pharmacist stopped over and spoke with him. He seemed to be feeling better, but to ensure the same reaction wouldn't happen again, we had him wait 30 min instead of the standard 15. He sat in his chair and did not have any issues. We offered food but he was not interested. I spoke w/ him again this afternoon via phone and he said he was doing fine. Pt said he has had this type of rxn before w/ previous vaccines.
1234096	4/20/2021	OR	36	F	3/10/2021	3/16/2021	6 days post vaccine patient started experiencing migraines and almost every morning since. Post vaccine 21 days right eye and right hand started to twitch . April 12th when vaccine paused became worried. Went to the ER on April 16th complaining of increased migraines/head pressure, numbness in right hand and off and on numbness in both legs, stiff neck, dizziness, mood changes, insomnia. April 19th more symptoms flushing burning in legs and numbness. Chest felt weird like someone put vicks on it.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1233514	4/20/2021	MA	56	F	4/8/2021	4/8/2021	Slight tingling sensation after injection felt on right side of face near mouth. that evening sinus pressure / mild headache and slight sore arm. Took one dose of Ibuprofen 600mg. During the several days that followed had slight pressure sensation on right side (mostly near right eye, to right ear to right side of nose) feeling more pronounced on April 16, 17, 18th. Checked my blood pressure on Sunday 4/18 as i wasn't feeling great and found it was 145/70s. my normal blood pressure systolic range is normally 100 - 118 at most. monitored blood pressure and found other readings of 138, 135. Called dr on call that weekend to advise. Suggested I take Ibuprofen and monitor bp. No real change observed. On Monday 4/19, blood pressure early in the am after waking was 148/68 but improvement of pressure sensation on right side of face. Blood pressure readings later in the day were back to normal range. Dr. office closed due to holiday on 4/19. Had a telehealth appt with dr. on 4/20. Bloodpressure (self check) seems to e back to normal range. Pressure on right side of face feels better as well. Dr. asked me to monitor symptoms. Will monitor headache/pressue and blood pressure for next several days and report any issues to dr.
1233786	4/20/2021	SC	36	F	4/20/2021	4/20/2021	Roughly 5 to 10 minutes after receiving the vaccine, pt said she had tingling down her lower arm and in her fingers. Pt also had slight swelling/redness on the inside of lower part of arm. Gave pt some benadryl and water and monitored for 15 minutes. She said she didnt feel any worse. Her husband took her home and said he would keep an eye on her.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1234080	4/20/2021	MI	34	F	4/8/2021	4/10/2021	<p>4/10/21 Patient presented to Urgent Care with Arm Pain (left arm painful and tingly since COVID shot 4/8; now pain is different and there is a lump on her forearm she can feel). 4/13/21 Contacted the office to schedule an appointment regarding worsening symptoms. Scheduled appointment. 4/14/21 cont. Seen in office by PA for: 1. Left arm pain - tender nodule L forearm, will get US due to recent birth, Johnson and Johnson vaccine, FH of DVT, to r/o DVT causing the lump, await results. Symptomatic care in the interim, may use warm compresses. - USV VENOUS UPPER EXTREMITY DUPLEX LEFT; Future 2. Paresthesia of left arm - site of reported injection and superficial induration 1.5cm from acromion process, suspect SIRVA due to sit of administration of vaccine, recommend symptomatic care with warm compresses, gentle massage if benefit noted, pt is breastfeeding so recommend local care at this time, consider PT, pt declines at this time as she will be on vacation next week. Discussed possible cortisone injection but deferred due to recent COVID vaccine 6 days ago, pt agrees as there is some recommendation to avoid steroids in close proximity to vaccinations to avoid blunting the immune response 3. Family history of DVT - see #1 4/15/21 After speaking with the DVT clinic Dr contacted the patient and recommended she take an 81mg low dose daily aspirin, until symptoms resolve, around one month. And repeating venus duplex in 7-10 days. Determined she would go prior to her leaving for her trip as she planned to be out-of-town during that time frame. (Per provider result notes.) 4/16/21 Patient was seen in emergency department for: Patient presents for evaluation of multiple concerns. Following the Johnson &amp; Johnson COVID-19 vaccine she was recently diagnosed with superficial thrombophlebitis in the left forearm by ultrasound, has been taking aspirin and symptoms have not worsened. Left upper extremity exam is quite reassuring today, I see no clinical evidence for DVT and she is neurovascular intact. I did not feel that repeat ultrasound was necessary at this time, but she does have this scheduled next week so I advised her to keep that appointment. She has a very slight headache which has been present since the day she received the vaccine, currently 2/10 without vision or other neurologic concerns. No abdominal pain. I have low clinical suspicion for CVST or PVT at this time.</p>

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

Advised return if she develops worsening headache or new neurologic symptoms. Patient complained of new onset left lower lateral breast pain and lump starting today. She is currently breastfeeding and notes decreased milk production today. She does have a tender fullness on exam but no redness or visible swelling, she is nontoxic and well-appearing without fever. She has history of mastitis in the past, but she states her PCP recommended she be evaluated for possible blood clot in the breast. Advised the patient that I have very little concern for that at this time, if anything it would be superficial and not amenable to anticoagulation but I did not feel that imaging was necessary at this time. I will cover her with antibiotics for lactational mastitis, she has cephalosporin allergy but states she had formal testing for penicillin allergy and tolerated this well so I prescribed Augmentin. She will use a warm compress and continue nursing, I did recommend she start on the right side to initiate let down on the left. 4/20/21 patient was seen in the office for: Patient presents for follow up of recent ED visit. She was seen here last week for left arm pain/nodule/paresthesia following her Johnson & Johnson vaccine. She also reported a slight headache that was present since day of vaccine. An US was performed and showed a left cephalic vein thrombus of LUE. She was advised to start ASA 81mg daily for the next month and get repeat US in 7-10 days. She then called in with left breast pain/swelling and was directed to the ED for evaluation of possible blood clot. She does have hx of mastitis several weeks ago. The ED did not pursue additional imaging of breast, they told her it was likely lactational mastitis and they did prescribe augmentin and warm compresses for this. Today, patient presents states he feels "a lot better". Regarding the left breast lump, redness, swelling she states this has completely resolved. She did not start the augmentin as she was worried about this potentially causing thrush for her daughter; she explains she had mastitis 7-8 weeks ago and was on antibiotics and then her and her daughter continually passed thrush back/forth to each other 3x so she was hoping to avoid this. She did treat with frequent feeding/pupping, and warm compresses and symptoms resolved. She was told to see us for elevated blood pressure in the ER, per review of EMR and her DC papers, her blood pressure in the ED

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>was 130/75. Today her blood pressure is 122/78. Regarding her left arm symptoms, she states the numbness/tingling has nearly resolved; she will occasionally get a very mild tingling in her 4th/5th fingers that resolves after a few seconds. She denies pain or swelling of the arm. She no longer can palpate the clot and thinks that it is gone. She no longer feels swelling or tenderness in her left axilla. She stopped the ASA and started motrin/warm compresses as was advised by the ED. Her mild headache continues since the vaccine but is somewhat improved. She denies worsening or severe headache; denies vision changes, dizziness, lightheadedness, speech difficulty, etc. Phone encounter also from 4/20/21: Phone call placed to DVT clinic to get their guidance as Dr had talked with them last week. Reached RN, who reviewed with Dr. After review of patient's history/chart/growth of superficial clot, Dr recommended that patient not travel as planned and continue on 81mg ASA daily. They would like us to place a referral so they can see her later this week or early next week. They also want us to place order for repeat US either this coming Friday or Monday and they will coordinate to get this done at their office/same time as appointment. I did place phone call to patient to discuss and give their advice. They had just left this morning for another state by car. I reviewed Dr advice to not travel and she will discuss with her husband if they are going to run around or not. She was agreeable to continuing on the 81mg ASA Daily and repeat US/visit with DVT clinic in 5-7 days as recommended.</p>
1234074	4/20/2021	NC	32	F	3/8/2021	4/8/2021	<p>I experienced eye pain, cold hands, blurred vision, headache, fatigue, pain at the injection site after receiving the vaccine. I have recovered from all except intermittent cold hands and intermittent eye blurriness.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1234070	4/20/2021	MI	34	F	4/8/2021	4/10/2021	4/10/21 Patient presented to Urgent Care with Arm Pain (left arm painful and tingly since COVID shot 4/8; now pain is different and there is a lump on her forearm she can feel). 4/13/21 Contacted the office to schedule an appointment regarding worsening symptoms. Scheduled appointment. 4/14/21 cont. Seen in office by PA for: 1. Left arm pain - tender nodule L forearm, will get US due to recent birth, Johnson and Johnson vaccine, FH of DVT, to r/o DVT causing the lump, await results. Symptomatic care in the interim, may use warm compresses. - USV VENOUS UPPER EXTREMITY DUPLEX LEFT; Future 2. Paresthesia of left arm - site of reported injection and superficial induration 1.5cm from acromion process, suspect SIRVA due to sit of administration of vaccine, recommend symptomatic care with warm compresses, gentle massage if benefit noted, pt is breastfeeding so recommend local care at this time, consider PT, pt declines at this time as she will be on vacation next week. Discussed possible cortisone injection but deferred due to recent COVID vaccine 6 days ago, pt agrees as there is some recommendation to avoid steroids in close proximity to vaccinations to avoid blunting the immune response 3. Family history of DVT - see #1 4/15/21 After speaking with the DVT clinic Dr contacted the patient and recommended she take an 81mg low dose daily aspirin, until symptoms resolve, around one month. And repeating venus duplex in 7-10 days. Determined she would go prior to her leaving for her trip as she planned to be out-of-town during that time frame. (Per provider result notes.) 4/16/21 Patient was seen in emergency department for: Patient presents for evaluation of multiple concerns. Following the Johnson & Johnson COVID-19 vaccine she was recently diagnosed with superficial thrombophlebitis in the left forearm by ultrasound, has been taking aspirin and symptoms have not worsened. Left upper extremity exam is quite reassuring today, I see no clinical evidence for DVT and she is neurovascular intact. I did not feel that repeat ultrasound was necessary at this time, but she does have this scheduled next week so I advised her to keep that appointment. She has a very slight headache which has been present since the day she received the vaccine, currently 2/10 without vision or other neurologic concerns. No abdominal pain. I have low clinical suspicion for CVST or PVT at this time.

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

Advised return if she develops worsening headache or new neurologic symptoms. Patient complained of new onset left lower lateral breast pain and lump starting today. She is currently breastfeeding and notes decreased milk production today. She does have a tender fullness on exam but no redness or visible swelling, she is nontoxic and well-appearing without fever. She has history of mastitis in the past, but she states her PCP recommended she be evaluated for possible blood clot in the breast. Advised the patient that I have very little concern for that at this time, if anything it would be superficial and not amenable to anticoagulation but I did not feel that imaging was necessary at this time. I will cover her with antibiotics for lactational mastitis, she has cephalosporin allergy but states she had formal testing for penicillin allergy and tolerated this well so I prescribed Augmentin. She will use a warm compress and continue nursing, I did recommend she start on the right side to initiate let down on the left. 4/20/21 patient was seen in the office for: Patient presents for follow up of recent ED visit. She was seen here last week for left arm pain/nodule/paresthesia following her Johnson & Johnson vaccine. She also reported a slight headache that was present since day of vaccine. An US was performed and showed a left cephalic vein thrombus of LUE. She was advised to start ASA 81mg daily for the next month and get repeat US in 7-10 days. She then called in with left breast pain/swelling and was directed to the ED for evaluation of possible blood clot. She does have hx of mastitis several weeks ago. The ED did not pursue additional imaging of breast, they told her it was likely lactational mastitis and they did prescribe augmentin and warm compresses for this. Today, patient presents states he feels "a lot better". Regarding the left breast lump, redness, swelling she states this has completely resolved. She did not start the augmentin as she was worried about this potentially causing thrush for her daughter; she explains she had mastitis 7-8 weeks ago and was on antibiotics and then her and her daughter continually passed thrush back/forth to each other 3x so she was hoping to avoid this. She did treat with frequent feeding/pumping, and warm compresses and symptoms resolved. She was told to see us for elevated blood pressure in the ER, per review of EMR and her DC papers, her blood pressure in the ED

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

was 130/75. Today her blood pressure is 122/78. Regarding her left arm symptoms, she states the numbness/tingling has nearly resolved; she will occasionally get a very mild tingling in her 4th/5th fingers that resolves after a few seconds. She denies pain or swelling of the arm. She no longer can palpate the clot and thinks that it is gone. She no longer feels swelling or tenderness in her left axilla. She stopped the ASA and started motrin/warm compresses as was advised by the ED. Her mild headache continues since the vaccine but is somewhat improved. She denies worsening or severe headache; denies vision changes, dizziness, lightheadedness, speech difficulty, etc. Phone encounter also from 4/20/21: Phone call placed to DVT clinic to get their guidance as Dr had talked with them last week. Reached RN, who reviewed with Dr. After review of patient's history/chart/growth of superficial clot, Dr recommended that patient not travel as planned and continue on 81mg ASA daily. They would like us to place a referral so they can see her later this week or early next week. They also want us to place order for repeat US either this coming Friday or Monday and they will coordinate to get this done at their office/same time as appointment. I did place phone call to patient to discuss and give their advice. They had just left this morning by car. I reviewed Dr advice to not travel and she will discuss with her husband if they are going to run around or not. She was agreeable to continuing on the 81mg ASA Daily and repeat US/visit with DVT clinic in 5-7 days as recommended.

1234063 4/20/2021 IN

41 F

4/19/2021

4/20/2021

Received Covid vaccine. Woke up suddenly with a sharp pain in my right side, which hurt so bad I yelled for my husband who was next to me. The pain suddenly exploded through my right side and hurt so bad I screamed, then the pain immediately subsided. Everything else then seemed normal. No headaches or vision issues and no muscular issues.

1234051 4/20/2021 FL

82 M

3/26/2021

4/15/2021

Eye Stroke and Macular Tear

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1234090	4/20/2021	MT	53	F	4/6/2021	4/6/2021	Given Day 1 is the day vaccine administered. Day 1 fatigue, sore arm. Day 2 very ill; muscle and joint aches, extreme fatigue, headache, sore arm, dizziness. nausea. Day 3 very mild symptoms; headache, dizziness, nausea. Day 4 nasuea, slight itching of eyelids, fingers, sore arm. Day 7, sore arm resolves. Day 9 itching intensifies, red spotted rash on chest, crotch, inner thighs, underarms, back of scalp, feet and hands that become raised welts if touched or scratched. Seems to be a histamine reaction. Day 13 injection site is painful and swollen. It is now Day 14 and the rash/histamine reaction continues and injection site is swollen and painful.
1234027	4/20/2021	CO	34	F	4/6/2021	4/6/2021	About 12 hours after the shot I experienced chills, fever and headache lasting about 36 hours. Since then I have had incredible headaches almost daily, lasting a few hours (I have been taking Tylenol for the headaches). Usually headaches are after 5pm, I will feel dizzy, foggy, and intense pressure, some blurred vision. I do not have a history of migraines or headaches, I have been taking the Tylenol, drinking lots of water, and taking baths to try and help with them.
1234021	4/20/2021	NH	62	F	4/17/2021	4/20/2021	Right corner of eye appears to have a burst blood vessel causing the inner area of right sclera to be bloodshot.
1233859	4/20/2021	NJ	50	F	1/27/2021	3/11/2021	Diagnosed with new onset severe uveitis in both eyes 3/10
1233804	4/20/2021	OH	45	F	4/16/2021	4/16/2021	Walking from bathroom to bed (three paces total), tunnel vision resulting in complete blackout visually. No loss of consciousness. No precipitating symptoms, other than existing body aches, chills, and sweating. Severe nausea, body aches, and cold sweat drenching the bedsheets. Tingling in both hands, similar to that accompanying oncoming numbness. Vision returned once supine. Conscious breathing and raising legs above heart reduced syncopal symptoms after 20 minutes. Unable to rise from bed to alert family members due to risk of loss of consciousness and vomiting. Fever of 99.5 F, chills, body aches, moderate nausea, sleeplessness continued for several hours. Oral dose of promethazine 12.5mg at about 10am 17 Apr 2021 reduced nausea and ended sleeplessness.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1233806	4/20/2021	MI	71	M	3/9/2021	3/9/2021	Minutes after receiving vaccine, patient slumped over and was unresponsive. He appeared to stop breathing, was diaphoretic, and very pale. Four people eased patient to the floor. Once on the floor, the patient snorted and appeared to be breathing, His pulse was tachycardic and thready. Unable to obtain a blood pressure. 911 was called. Patient opened his eyes but was still unresponsive to verbal commands. Patient given a tube of icing (glucose) as his wife could not report when he had last eaten. Slowly, he began to come around. When EMS arrived, patient was assisted to sitting position and then onto gurney. Vitals signs were obtained and reported to be WNL. EMS spoke with patient and wife and convinced patient to be evaluated at ER.
1234112	4/20/2021	GA	46	F	3/31/2021	3/31/2021	The evening that I took the vaccination I was running a fever body aches and chills the day after taking the vaccination I had the same effects fever body aches chills 5 days after taking the vaccination very sick not feeling well not feeling myself passed out twice at home the sixth day after taking the vaccination I proceeded to work was sent home before I could even get in the building went to ER was treated for an allergic reaction after telling them I was 6 days from vaccination then on 4-9-2021 I was taken by my husband to the ER my entire left side was numb tingling sensation couldn't lift my leg couldn't hold my arm up had no peripheral vision severe headache at the ER I was seen my neurologist and I was told that I had 20 minutes to make a decision whether to take the TPA shot which I chose to take I was released from the hospital on 4/11/2021 I am finally going back to work tomorrow ( 4-21-2021) I am now having more anxiety I've had extreme weight loss I've lost 20 lb since this occurred
1233830	4/20/2021	NJ	53	M	4/20/2021	4/20/2021	While sitting after receiving his vaccine he patient started to feel dizzy. Then his eyes rolled back and he went limp. He was unconscious for under a minute. A police officer came since we called 911 but the patient was already awake and felt better. He declined an ambulance.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1234016	4/20/2021	PA	48	M	4/20/2021	4/20/2021	Pt received second dose moderna vaccine. Did not bring first dose vaccine card, unable to obtain first dose lot number and date of vaccination from patient. Pt left facility and upon approaching stop light in front of building, pt began to experience SOB with fast heart rate and mouth dryness. Pt returned to facility to seek medical attention. Brought to med obs #1 via wheelchair by staff for evaluation. Reports mild improvement of symptoms upon arrival to med obs. No s/s of distress noted upon pt arrival. Pt reports taking prescribed lisinopril PTA this AM. Upon assessment of VS, BP elevated. Pt states he occasionally has SBP 200+/DBP 100+. Denies s/s of anxiety at present and denies headache/vision changes. VS are as follows: 1314: BP 187/107 (RUE), rechecked on LUE 233/134, HR 75, RR 17, O2 sat 98% on RA. 1319: BP 233/118 (LUE), rechecked on RUE 242/122, HR 104, RR 16, O2 sat 99% on RA. Per VS parameters, pt qualifies for EMS transport for ER evaluation of elevated BP. Notified in-house PA of need for assessment and confirmation of EMS need for transport as well as notification to lead supervisor. Constable at employee entrance notified to assist in arriving EMS. Upon assessment of pt by PA, pt disclosed he is non-compliant with prescribed lisinopril at home and will occasionally use medication PRN or double/triple his dosage based on symptoms. PA provided education on proper use of lisinopril and confirmed need for higher level of care. Pt agreeable to EMS transport for further evaluation. 9-1-1 called. While awaiting EMS arrival, pt reported sweating of hands and shallow breathing, stating, "I feel like I have to concentrate on my breathing now." Pt not in distress. EMS arrived to transport pt to Hospital. Pt alert and oriented x4 and ambulatory from stretcher to EMS gurney upon transfer. VS while awaiting EMS arrival are as follows: 1324: BP 249/126, HR 83, RR 17, O2 sat 100% on RA 1329: BP 247/109, HR 85, RR 18, O2 sat 100% on RA 1336: BP 243/112, HR 84, RR 20, O2 sat 100% on RA 1347: BP 245/144, HR 87, RR 18, O2 sat 100% on RA

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1233865	4/20/2021	PA	22	M	4/15/2021	4/15/2021	Approximately 3 to 5 minutes after immunization, patient was observed in a waiting room chair unconscious, unresponsive and not breathing (respiration was not immediately observable or recognizable). Patient was carefully and quickly placed in a supine position on the floor. Pulse was present but the patient was completely unresponsive. Respiration was not observed. EMS was immediately notified. Pharmacist and staff prepared for resuscitation and utilization of Epinephrine if needed. Patients face was flushed, arms became flushed and the patients skin became moist. After approximately 45 seconds in the supine position the patients eyes opened and he became responsive to auditory communication. Respiration became reestablished. BP was recorded at 130/91 with a pulse of 91 BPM. EMS arrived on scene and provided further evaluation. After an additional 5-10 minutes, patient was completely conscious and coherent. Patient indicated that he had a similar experience in a grocery store over 1 year ago that was unrelated to immunization and was attributed to dehydration. Patient refused additional medical care or transport to ED. Patient was released to a friend who drove him home. Patient was observed 1 day later picking up his car from the pharmacy and has recovered. Patient was advised to seek additional medical evaluation to assess the root cause of this event.
1233877	4/20/2021	FL	58	M	4/14/2021	4/16/2021	Vaccine 4/5/21. Fever and fatigue 4/6/21. Better 2 days later. Started feeling ill Wednesday 4/14/21. Went to the Doctors 4/16. They treated as sinus infection. Sunday 4/18 started rash - Clinic gave shingles medication. Went to Optomologist and Medical MD on Monday 4/19/21. Shingles on face left side, eye, eyelid, head, swelling. Cornea 3 lesions. Scrip for eye medication also. First shot on 3/13 no reaction, only a little tired the next day, fully functional.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1233882	4/20/2021	WA	39	F	3/18/2021	3/19/2021	Intermittent but fairly constant migraines beginning the night of and lasting for 3 weeks following vaccine. On Friday afternoon I noticed pressure behind my right eye, which I attributed to the migraine. By Sunday midmorning it felt like someone was trying to pry my eyeball out of the socket. I have a high pain threshold, but the pain was 8.5-10 out of 10. I called my mom who advised me to take some ibuprofen (I took two 220mg Naproxen tablets). The pain and pressure diminished for several hours, then came back. I repeated the dose and had no more problems with my eye after Monday morning.
1233923	4/20/2021	NV	22	F	3/26/2021	3/27/2021	Patient contacted for follow up regarding post vaccine status. On day 2 patient reported feeling very tired, more so than usual, body aches, cough, and a decrease in taste. Patient agreed to come in to the clinic on Friday to be evaluated for COVID testing. On the day of testing mother called clinic and stated to cancel appointment, patient had gone to the emergency department the day before. Mother reports that patient began complaining of increased facial pain on 04-14-2021. Soon the facial pain increased, and the patient noticed she was having trouble chewing her food and talking, as well as a facial droop to the right side of her face. As the mother was driving the patient to the hospital the patient began complaining of edema to her lips and tongue, and that her right eye was hurting and was very dry. After being evaluated in the emergency department the patient was diagnosed with Bell's Palsy and sent home with the following prescriptions: Prednisone 20 mg, Valacyclovir 50 mg, and eye drops.
1233927	4/20/2021	NM	62	M	4/20/2021	4/20/2021	PT EXPERIENCE DIZZINESS AND BLURRED VISION APPROXIMATELY 20 MINUTES POST IMMUNIZATION, TOOK PT BLOOD PRESSURE AND GLUCOSE READING. PT REMAINED AT PHARMACY FOR ABOUT 45 MINUTES UNDER OBSERVATION. HE FELT BETTER AND LEFT PHARMACY

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1233941	4/20/2021	TX	18	M	4/20/2021	4/20/2021	18 y/o male reported having blurry vision approx.. 5 minutes after having his 1st dose vaccine. Pt walked to 15 waiting area prior to felling ill. Pt was siting down and had a syncopal episode lasting 20 seconds. Pt was Pale and cool to the touch. After he gained consciousness pt. stated he felt pins and needles to his legs arms hands and lower back. Pt felt better after gaining consciousness. 911 was called R22 arrived on the scene did an evaluation and obtained a pt. refusal as pt. did not want to go to the hospital.
1229052	4/19/2021	IN	54	M	3/27/2021	3/29/2021	Double vision. Right eye pain. Numbness right temple. Slight double vision for one week, then double vision worsened and not resolving itself.
1228950	4/19/2021	IA	22	F	4/18/2021	4/19/2021	Woke up at 3 AM with nausea so went to sit in the bathroom, alternated between feeling better and feeling just about to puke for about an hour. At about 4 AM I was going to the bathroom and then felt about to puke again. I then began to get tinnitus in both my ears and my left eye went black and I thought I was going to pass out. I laid on the bathroom floor for another 30 minutes before going back to sleep. Other symptoms that started on 4/18/21 included chills and fever which lasted until about 6 AM on 4/19/21.
1228954	4/19/2021	WI	67	M	4/14/2021	4/18/2021	Hospital admission for weakness and double vision
1228971	4/19/2021	MI	31	F	4/12/2021	4/12/2021	Worst headache of my life impairing my vision and all daily activities. Lasted for 3 days after shot. Extreme fatigue, diarrhea, injection site pain, nausea lasting 3-5 days after shot. Dizziness and off balance causing me to fall over on day 5. Lasted through the day and into the next Elbow pain still (going into one week after shot) and injection arm feels tingly Took extra strength Tylenol and it seemed to help, but not fully take symptoms away

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1229011	4/19/2021	WI	35	F	4/14/2021	4/14/2021	Client vaccinated around 1135-1140 am with her first dose of Moderna. Around 1145 am , client walked up to staff stating she did not feel well and felt like she was going to pass out. Visibly sweaty and rapid breathing. Client continued to state that she felt like she was going to die and pass out. Stated she was having difficulty breathing and throat tightness. Eyes began rolling back, diaphoretic and clammy. Epinephrine 0.3mg IM injection given at 1148 am into her left thigh and 911 called. BP 104/42, Pulse 50, O2 sat 99%, Respirations 24. Within 5 minutes of Epinephrine administration, clients breathing was improved. Paramedics arrived on scene within 6 minutes and took over care. Client transported to Hospital.
1229042	4/19/2021	MI	42	F	4/16/2021	4/17/2021	Extreme physical pain entire body, Enlarged lymph node under arm on side of injection, Blurry vision, Intermittent fever/cold sweat.
1229012	4/19/2021	CA	50	M	4/15/2021	4/17/2021	I have facial numbness on left side of my face. I cannot move my left eye freely, and left side of my lips freely. I cannot close or open my left eye, and left side of my lips are droopy.
1229038	4/19/2021	VA	45	F	3/31/2021	4/5/2021	Non stop joint pain in legs. Daily migraine unable to open eyes at times. Seeing silver waves constantly and vision has become worse
1229013	4/19/2021	TX	49	F	4/10/2021	4/15/2021	Patient arrived to ED with C/O vision changes and dizziness after vaccine on Saturday (unknown) patient was transferred to Main campus for Occipital Stroke at neuro facility., This facility did not give the vaccine
1229040	4/19/2021	CT	29	F	4/13/2021	4/15/2021	A couple days after my first dose, I experienced intermittent numbness and tingling in my lips (no swelling). Each episode lasted for anywhere from 30 seconds to 2 minutes. This lasted for about 4 days. Additionally, about 4 days after my first dose, I also woke up with a red itchy rash under my left eye.
1229063	4/19/2021	IL	38	M	2/13/2021	3/13/2021	Migraine. Sharp pains above eye. Right pupil does not open. right eye swelling. no energy. must be horizontal most of day, 39 days after second vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1228946	4/19/2021	CA	50	F	4/7/2021	4/7/2021	pain in legs, pain in back, itching in eyes, little headache, insomnia
1229081	4/19/2021	AZ	49	F	4/16/2021	4/16/2021	Patient returned to observation area two hours post injection complaining of LA pain. Medic on site observed some swelling to the LA and proceeded to provide an ice pack. After further assesment patient did not appear in any distress and was instructed to stay in observation for an additional 30 min. At approximately 1300 the patient began scratching the vaccinated arm and mumbling in a language we could not understand. Immediately the interpreter was called and we prepared for an adverse reaction. Two of our LPNs began taking vitals, One RN began assessing the site where we noted possible infiltration to the subcutaneous tissues. We then moved the patient to a private room. RN chart note: "Patient crying sitting in chair, complains of L arm pain. Left arm swollen, softball size, hard to touch, patient sensation remains intact, left radial pulse +2 and present, patient can wiggle all fingers on command. Patient initially denied Benadryl, however after educated with safety and calling 911, patient denied ambulance, and agreed to IV placement. 20 g IV placed in Right AC, 50 mg IV push Benadryl once for swelling and itching of arm spreading in size, 500mL LR bag hung, Patient A0x4 on room air answering questions appropriately. Patient denied ambulance service at this time. Patient states headache is stronger and chest pain decreased." Patient then fell asleep and approximately at 1400 awoke with red eyes, continued headache that had gotten worse. BP retaken and was 162/102. At this point we decided we would need EMS to respond. With the language barrier and poor past medical history, we did not find it appropriate to continue treating the patient on site. She was still A&Ox4, denied restricted airways or significant chest pain. Our medical director was alerted of the event and instructed us to call EMS despite patient refusal. EMS arrived by 1430 and assessed patient, she finally agreed to transport.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1228935	4/19/2021	WI	51	F	4/5/2021	4/19/2021	Presented to emergency department for evaluation of weakness and aphasia. The patient has her eyes open on arrival. She does follow commands with mild weakness to the right upper and lower extremities. Mild right facial droop is noted on physical exam. The patient does not speak otherwise. Initial CT concerning for ischemic stroke. CTA with perfusion was then obtained that shows evidence of a small area of core infarct with a large area of penumbra. Carotid occlusion from the bifurcation LP is noted on the left side with collateral circulation coming from the Act. Patient transferred from this emergency department to tertiary care center for possible thrombectomy.
1228929	4/19/2021	VA	53	M	3/27/2021	4/13/2021	I was diagnosed with Bell's palsy on 04/13/2021 at a Urgent Care, and all my bloodwork came back negative. I am currently taking Valtrex (1GM tab 3xs/day) and Prednison (1 50mg/day), plus eye drops. I woke that morning having trouble drinking and eating and when I looked at my face, could see that something was wrong. My face (left) has not gone back to normal and my left eye is watery and seems sensitive to light.
1228927	4/19/2021	GA	71	F	2/3/2021	2/28/2021	TIA (diagnosed by neurology), hypertensive crisis, Acute hypokalemia. Hypertensive crisis/spikes were treated with anti-hypertensives and patient monitored for 6 days. No TPA used as CVA not diagnosed and symptoms were transient - less than 24 hours. Patient does report some residual visual changes
1228926	4/19/2021	TX	33	M	4/17/2021	4/18/2021	Patient reports "hives" on bilateral hands,wrists,under right eye, head.
1228892	4/19/2021	PA	53	F	1/8/2021	3/15/2021	At 6:45am on March 16, I felt my right eye cross inward. I experienced double vision for approximately 5-8 minutes. I checked my blood pressure, which was 158/89. After about 10 minutes, my vision returned to normal. I immediately went to the emergency department and was admitted. I was diagnosed with a TIA.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1228829	4/19/2021	IA	70	F	4/19/2021	4/19/2021	Since 3/3/21, patient has been seen by numerous providers and ophthalmologists for shingles. She has had a CT (3/6/21), MRI (3/25/21), and lab work (3/22/21). Patient was started on Gabapentin, Oxycodone, valacyclovir, prednisone, Latanoprost drops, Systane drops, and prednisolone drops since that time. Patient is seeing a specialist and will remain under his care due to the potential for long term loss of vision due to nerve damage.
1228821	4/19/2021	NY	51	M	4/16/2021	4/16/2021	Fatigue, weakness, achiness- especially in legs Now is in the hospital due to severe optic nerve swelling behind both eyes
1228769	4/19/2021	TN	24	F	3/27/2021	3/28/2021	3/28/21 or 3/29/21 symptoms began. Center of tongue began to swell, Sinuses became inflamed, Rash around lips began, Lips were constantly dry, Muscle aches, Substantial nasal congestion, Eyes became watery and increasingly puffy, Shortness in breath, Back pain.
1228760	4/19/2021	FL	69	M	4/5/2021	4/6/2021	vision distortion while driving reports seeing bright lights and unable to keep eyes open States he pulled over was having nausea/vomiting, lightheaded, confusion, changes in speech. symptoms resolved recommended he follow up with pcp to report issues and potentially order at CT-head. Informed him if symptoms return to call 911 immediately and get checked out for potential stroke like symptoms. informed him or symptoms such as; CP, paralysis, numbness, tingling, confusion, slurred speech, droop of the face, drooling that may occur and if any begin to seek emergency treatment right away. Informed him with his pre-existing medical conditions and medications like testosterone he is at a higher risk of heart attack and strokes, caller verbalized understanding. 4/11-RN spoke with patient regarding seeing bright lights and unable to keep eyes open States he pulled over was having nausea/vomiting, lightheaded, confusion, changes in speech. He states that symptoms resolved



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1228755	4/19/2021	NY	66	F	3/29/2021	3/29/2021	Time line of events Got moderna at 10am on 3/29/21 130-3pm: feeling lightheaded 3pm to evening: severe fatigue 7pm: fatigue continued, developed severe itching/burning sensation above eyebrow w/ 2 half dollar sized swollen lesion, her forehead felt like ants were crawling around her skin, got numbness of thumbs Still having the ?ant crawling sensation on forehead?, fatigue and numbness of thumbs Had severe concussion in past and had similar nerve symptoms
1229103	4/19/2021	CA	69	M	3/24/2021	3/24/2021	I became and felt very medicated with glassy eyes. That lasted for four days. During that time, I experienced slight chill for about 30 mins/one day, and headaches off an on for about three days. I also felt somewhat tired - as if I never slept. That lasted about three days off and on albeit I went about my normal activities. For the headaches, I just took aspirin. The rest I let go it's course. I began to feel my real self about the fifth day, and then everything was fine.
1229420	4/19/2021	MD	36	M	4/5/2021	4/5/2021	Received first Covid 19 vaccine and was told to walk around by person who administered injection since they did not have enough chairs. Approximately five minutes after injection I was standing in an aisle when my vision became blurry and I felt a wave of heat come over my body. I began to crouch down and passed out hitting my head causing a concussion.
1228738	4/19/2021	CA	23	F	4/9/2021	4/10/2021	About a day after the vaccine I noticed my left hamstring was quite sore and cramping and a day or so after that I had intense twitching in my right bicep. Throughout the next week the pain had moved to both of my legs being achy and cramping and intense muscle spasms throughout all the muscles in my body. I have had no headache, vision issues, shortness of breath or swelling within my limbs.
1228701	4/19/2021	TX	51	F	4/12/2021	4/13/2021	ringing in ears for 2 hours with blurred /decrease in vision which still remains, frequent headaches
1228786	4/19/2021	SC	62	F	4/8/2021	4/13/2021	Had 3 vertigo attacks last one leaving me with constant blurred vision and dizziness

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1229319	4/19/2021	NV	62	F	4/16/2021	4/16/2021	HOT ZINGING FEELING RIGHT ARM, SHOULDER AND CALF ONSET Immediate / DURATION 30 minutes INJECTION SITE PAIN day 2 / 2 days TIREDNESS day 2/ ONGOING SEVERE HEADACHE AT PREVIOUS CONCUSSION SITE day 3/ ONGOING but no longer severe CHILLS day 2 / 2 days SEVERE JOINT PAIN AT DAMAGED JOINTS day 2 / 2 days LOW GRADE FEVER day 2 / 2 days VERTIGO/NAUSEA/VOMITING day 2 / 2 days (I LOST 4 LBS) DIZZINESS Day 2 / ONGOING FEELING GENERALLY UNWELL day 2 / 2 days FACIAL Palsy RIGHT SIDE INLCUDING EYE SOCKET day 1 / BAD ON DAY 1, LESSENING EACH DAY BLURRY VISION RIGHT EYE Immediately / ONGOING INTERMITTENT HYPERTENSION Day 3 / Lasted all night. I couldn't sleep. Was sort of vibrating. Got up to 168/107. Was down to 116/88. Now bouncing around and up again at 150/96. My norm is 110/70ish. When I got the shot I had to sit with an EMT for 90 minutes because of the facial palsy. Then I was massively sick for 3 days. Vertigo, dizziness, and vomiting were the worst. Now the pain at concussion site and continuing dizziness is lousy, plus the BP increase started last night and is bouncing around. Maybe it will settle down like all the rest of the side effects. Seemed like each day brought on new side effects and they last from 12 to 48 hours.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1227807	4/19/2021	OH		F		3/6/2021	WEAKNESS; NO TASTE; NAUSEOUS; FATIGUE; BODY ACHES; NUMB LIPS; SWOLLEN FACE RIGHT SIDE; BLURRED VISION; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: Unknown, and batch number: 1802068 expiry: UNKNOWN) .5 ml, administered on 06-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 06-MAR-2021, the subject experienced weakness. On 06-MAR-2021, the subject experienced no taste. On 06-MAR-2021, the subject experienced nauseous. On 06-MAR-2021, the subject experienced fatigue. On 06-MAR-2021, the subject experienced body aches. On 06-MAR-2021, the subject experienced numb lips. On 06-MAR-2021, the subject experienced swollen face right side. On 06-MAR-2021, the subject experienced blurred vision. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from weakness, no taste, body aches, numb lips, nauseous, fatigue, swollen face right side, and blurred vision. This report was non-serious.
1228691	4/19/2021	CT	26	F	4/12/2021	4/13/2021	Multiple extremely swollen lymph nodes around ear, jaw, and neck on right side of body. (Opposite of injection side) Appeared day after the shot and is still present 1 week afterwards. Swollen painful bumps on right side of the forehead and eyebrow.
1229493	4/19/2021	NY	33	F	4/16/2021	4/17/2021	She received her first dose of Moderna on friday 4/16/21. She is complaining of pain underneath the left arm as of saturday 4/17/21. It is a little swollen to the eye. She is so much pain that she can not put on her bra. She told us on monday 4/19/21.
1229464	4/19/2021	NJ	57	M	3/15/2021	3/27/2021	Started with a bad headache that wouldn't go away. Then heavy pressure over my eyes, and feeling very tired. Symptoms went away for a few days, then returned. Got tested for COVID-19, with a PCR lab test, and the results were positive.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1229456	4/19/2021		62	F	3/11/2021	3/19/2021	Left eye infection on 3/19/21,3 internal styes (lower lid); swelling, infection, pain, itching. 3/22/21 trip to urgent care-prescribed Ofloxacin sterile eye drops, both eyes 3x day.3/26/21-2 additional styes developed internal upper lid left eye. 3/27/21 trip to urgent care-prescribed 300 mg Clindamycin 3 x day for 10 days. 3/29/21 follow up with Optometrist. No further prescriptions. Infections mostly clear 4/2/21. 4/15/21-6th stye developed inside lower lid a week after 2nd dose. Treating at home with warm compresses and eye drops.
1229407	4/19/2021	TX	50	F	4/6/2021	4/6/2021	04/06/2021 -5pm redness that looked like a sunburn on both arms, 04/14or 04/15/2021 7pm worst leg cramp I've had since I was pregnant over ten years ago in right leg, 4/18/2021 about 3pm, all of a sudden there was a blood clot next to my eye (between my eye and my nose). No pain, just appeared.
1229404	4/19/2021	CA	23	F	4/13/2021	4/15/2021	Chills, soreness of arm, and blur vision

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1229389	4/19/2021	GA	69	F	1/11/2021	1/21/2021	<p>Jan 11, 2021?.First Mederna COVID-19 Vaccine Jan 21, 2021?.Had episode of head feeling like it was whirling around. BP was extremely high. ER was running over with COVID patients and no rooms. I took her to see. Not having classic signs of stroke and EKG was done it was fine. Carotid us and ECHO was ordered. All were NEG. Referred to Dr. for a Heart Cath. Feb 25, 2021 Heart Cath was NEG. Followed up with Dr. and he ordered a Ct Scan of her head with and without contrast. He Also wanted her to see Dr. or Dr. to have her eyes fully examined. Dr. couldn't find anything wrong with her eyes. He said they looked healthy. Mar 12, 2021?.CT of head was done this was a Friday. Mar 15,2021?. Dr called me at work and told me Mama had had a stroke. A Rt Frontal Lobe Infarction She continued having these episodes throughout the weekend with her eyes not being able to focus and feeling. like her eyes where getting hung in their socket. Mar 16, 2021 Seen Dr and he ordered a MRI to see what It would show. Mar 18, 2021 MRI done and the results were NEG? (That?s complete BULLCRAP if you ask me)! April 14, 2nd reading was requested by FNP 2nd IMPRESSION read by Dr. although there are no acute intracranial abnormalities detected, there is a small area of encephalomalacia in the right lentiform nucleus extending to the right caudate head with ex vacuole dilation of the anterior horn of the right lateral ventricle. Ekg- Jan 21,2021 Echo- a week after the EKG Carotid Ultrasound- same as ECHO Heart Cath- Feb. 25, 2021 Cardiologist- Dr. - had to follow up with him due to having a heart cath and BP continuing to spike at random times Optometrist Dr. - twice to rule out anything going wrong with eyes- NEG both visits Now we are waiting to follow up with Dr Neurologist</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1229383	4/19/2021	WA	56	M	3/16/2021	3/19/2021	day 3 - swollen tingly lips, allergy symptoms of running nose, dry cough, itchy eyes - worsening over days 4-5 day 6 - same as above plus red, puffy eyes/hives going down cheeks - at doctors direction began benedryl day 7-10 - same as above and worsening with swelling/hives coming down sides of face into neck - still taking benedryl day 11 - same as above but worsening - started 6 day course of steroids - stopped benedryl day 12-17 - same as above but not worsening - stopped steroid after day 17 day 18-22 - same as above, minor reduction in facial swelling- began taking zyrtec per doctor day 25-31 same as above, more reduction in facial swelling, rashes start on arms and back day 25- stop taking zyrtec day 25
1229376	4/19/2021	CA	33	F	4/3/2021	4/4/2021	The morning after my shot (received around 3-3:30p on Saturday 4/3/21), I woke up to a partially swollen right eye and pressure pain across the sinuses. Vision slightly obscured, but I could still see. Applied a cold compress throughout the day and monitored for additional concerns. By the end of the day, the swelling subsided. By Monday, both eyes still felt pressure pain, but the swelling was significantly improved. Other side effects included the expected muscle soreness/aches, fatigue, and a mild rash around the vaccination spot. No additional adverse effects observed.
1229346	4/19/2021		28	F	4/16/2021	4/16/2021	Patient complained of dizziness, shakiness, and a tight chest. Vitals taken over several minutes and patient eventually complains of nausea. EMS is called at 3:57 pm. Complaints of chest pain 9/10. 4:03 pm EMS arrives and Epi pen administered (0.3 mg). Patient complains of itchy lips and eyes appear swollen. Transferred by ambulance to Hospital.
1229405	4/19/2021	IN	50	F	4/12/2021	4/13/2021	Patient has been experiencing constant tiredness, dizziness, difficult and blur speech , face numbness, and blurred vision a day after getting the vaccine. Patient also experienced hot and cold episodes that went away after taking Tylenol, but they came back when the medicine wore off.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1229328	4/19/2021	NC	39	M	4/8/2021	4/16/2021	Was at the grocery store and was having a hard time focusing. All of the colors were running together. I then fell backwards, and began having a seizure. Bystander said my eyes got huge and mouth and tongue turned blue as I couldn't breathe. I had a seizure for about 5-8 minutes and was totally blacked out. During the seizure I lost control of my bladder and dislocated my jaw.
1229130	4/19/2021	TX	62	M	3/17/2021	4/9/2021	Pt here for in office visit converted from virtual. He developed painful rash on Friday late morning 4/9. Bumps on his right side of forehead and pain traveling down front of his right ear and into lower part of his jaw. No tinnitus, hearing issues, pain inside ear. No eye issues such as eye pain, vision issues or blurriness, tingling. He had an eye exam 2 weeks ago. No facial paralysis, tingling or numbness. He has been taking tylenol. No hx of shingles. No hx of vaccine for shingles. Chicken pox as a child. He sees GI for UC. On medication last few years. He last saw his GI last year and is overdue to see him this year. He did get his janssen vaccine 2 weeks ago 3/17.
1229307	4/19/2021	MA	26	F	3/24/2021	3/24/2021	Approximately five minutes after receiving the vaccine, the patient began to lose consciousness (fainted) while sitting upright in a chair. The patient lost vision, then hearing, then eventually laid down on the floor until she regained consciousness.
1229298	4/19/2021	WA	51	F	1/17/2021	2/15/2021	Started getting tingling in right thigh followed by tingling in left lower leg & left foot. Severe muscle cramps in left calf. Intermittent tingling in both upper arms. This was followed by blurry vision in the left eye & intermittent dizziness.
1229269	4/19/2021	AZ	67	F	4/15/2021	4/18/2021	Sudden tunnel vision, high blood pressure, lasting for five hours.
1229268	4/19/2021	NY	46	F	4/6/2021	4/7/2021	FEVER RASH SHINGLES ON RIGHT BACK, HIP AND GROIN AREA FATIGUE SWOLLEN EYES

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1229229	4/19/2021	GA	64	M	3/15/2021	4/9/2021	Patient awoke 04/09/2021 with visual disturbance and limited field of vision. Went to eye center and was evaluated. MD at eye center sent him to ER and told patient that it appeared he was having a stroke. Admitted to medical center 04/09/2021. Patient reports he was diagnosed with a stroke affecting the occipital region that affects his vision. Patient was discharged from the hospital 04/11/2021.
1229216	4/19/2021	KY	19	M	4/1/2021	4/2/2021	Within hours of getting the shot, patients left eye started turning red. He visited a medical facility and they diagnosed him pink eye and gave him antibiotic drops. The drops did not seem to be working and by that Monday he went to see the eye doctor. Eye doctor said it was viral pink eye and thought it was strange that this came about right after the vaccine and in the eye on the same side he was vaccinated. Over the next days and weeks, the viral infection moved to the other eye. Both eyes stayed swollen, red and tearing constantly. He has lost some of his vision and says that things far away are very fuzzy looking. The doctor said it was the worst case of viral pink eye he has ever seen and that he would have it for the long haul of 4 to 6 weeks. He had to do a medical withdrawal from college due to missing too much of the nursing program he is enrolled in. The pinkeye is still ongoing and we don't know when it will be over.
1229213	4/19/2021	IL	16	M	4/16/2021	4/16/2021	Within 2 minutes of receiving the vaccine, he started sweating, he then vomited, lost vision and hearing. Had trouble breathing. Ambulance called
1229209	4/19/2021	PA	87	F	3/13/2021	3/14/2021	Became very dizzy with loss of balance. Sight in left eye became very blurry. Significant difficulty walking. Significant cognitive impairment including loss of memory and not understanding what was being said to her. Fell over and broke her left arm that required surgery.
1229200	4/19/2021	VA	17	F	4/19/2021	4/19/2021	Pt received vaccine. Patient moved to waiting area. After a few minutes, pt reported dizziness, vision changes, and feeling faint. VS were taken: BP46/31. EMS called at 12:25. Patient moved to cot and laid supine with legs raised on chair. VS taken two more times: 96/60 and 110/90. EMS Arrived at 12:35. Patient reported improvement in symptoms. Patient refused EMS Transport and chose not to go to ED.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1229181	4/19/2021	CA	92	F	4/9/2021	4/9/2021	Swelling of eyes and face with significant capillary leakage.
1229154	4/19/2021	CA	92	F	4/9/2021	4/9/2021	Swelling of eyes and face with significant capillary leakage.
1229153	4/19/2021	MO	27	M	4/15/2021	4/15/2021	Client began to complain of feeling dizzy and experiencing tunnel vision right after receiving the vaccine. Ice pack was applied to back of client's neck. About 5min after receiving the shot the client stated he thought he was going to pass out. 2 RN's walked client to a safe place to lie down. Client began to pass out while walking and was carefully lowered to the floor. Total time unconscious was about 30 seconds. Client began talking though mumbled. About 3 min later client stated he was feeling better. Another 3 min and client moved from laying on the ground to sitting in a chair. He stated he was less dizzy but his arms felt tingly. Client eating crackers and drinking water. Vitals remained stable throughout incident. Client was released to personal vehicle at 1:41pm, walked out of building on his own, gait was steady. Educated pt to request to lie down for 2nd vaccine.
1229337	4/19/2021	TX	83	M	3/13/2021	4/6/2021	Janssen COVID-19 Vaccine EUA Patient received vaccine on 3/13/2021. Patient presented to physician office complaining of headache for over 3 weeks. Headache is worse when bending forward, and keeps patient awake and/or awakens him. Described as a constant pounding headache in the frontal and bitemporal area radiating towards his occiput. No nausea, emesis, vision changes, or personality changes. CT of Head demonstrates an acute left frontal subdural hematoma measuring 5 mm in maximum thickness. Patient's warfarin held, keppra started, vitamin K and PCC administered. Patient stabilized clinically and on CT and was discharged on 4/9/2021

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1227871	4/19/2021	TX		F			<p>symptoms started out with "the eyes"/"bloody eyes"; headache; allergies; runny nose; chills; This is a spontaneous report from a contactable consumer (patient). A 39-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) dose 1 via an unspecified route of administration on 2021 (lot number was not reported) as a single dose for COVID-19 immunisation. Medical history and concomitant medications were not reported. On 2021, the patient received the Pfizer BioNTech COVID-19 vaccine on Tuesday and has been having side effects and would like to know if she was able to take anything to help treat these side effects. Her symptoms started out "with the eyes" and a headache, and then reported symptoms similar to allergies, stating that she has had a runny nose and "bloody eyes". These symptoms had not stopped since she received her vaccine. She was having chills on 2021. She did not know if these symptoms were going to go away on their own or if she just had to wait them out. She would like to know if it was recommended she take the second dose of the Pfizer BioNTech COVID-19 vaccine based on the side effects that she experienced. The outcome of the events was not recovered. Information about the lot/batch has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1228104	4/19/2021	TX	58	F		3/8/2021	BRUISING ON LEFT SIDE OF STOMACH, RIGHT SIDE OF CHEST, ON BACK, FOREHEAD ABOVE RIGHT EYE AND ON RIGHT WRIST; CHILLS; ACHY AND SORE TO TOUCH AREAS; NAUSEA; This spontaneous report received from a patient concerned a 58 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included cholesterol elevated, overweight, alcohol use, and nonsmoker, and other pre-existing medical conditions included patient had no known allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 1805018, expiry: UNKNOWN) .5 ml, administered on 08-MAR-2021 to Left Deltoid for prophylactic vaccination. No concomitant medications were reported. On MAR-2021, treatment medications included: ibuprofen. On 08-MAR-2021, the subject experienced achy and sore to touch areas. On 08-MAR-2021, the subject experienced nausea. On 08-MAR-2021 01:00, the subject experienced chills. On 09-MAR-2021, the subject experienced bruising on left side of stomach, right side of chest, on back, forehead above right eye and on right wrist. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from chills on 09-MAR-2021, and nausea on 08-MAR-2021, and had not recovered from achy and sore to touch areas, and bruising on left side of stomach, right side of chest, on back, forehead above right eye and on right wrist. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1228089	4/19/2021	NY		F		3/10/2021	EYES ROLLING; SHAKY; DIZZY; This spontaneous report received from a consumer concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: Unknown, and batch number: UNKNOWN expiry: UNKNOWN) .5 ml, administered on 09-MAR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 10-MAR-2021, the subject experienced eyes rolling. On 10-MAR-2021, the subject experienced shaky. On 10-MAR-2021, the subject experienced dizzy. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from eyes rolling, shaky, and dizzy. This report was non-serious.
1227398	4/19/2021	NV	60	F	4/15/2021	4/16/2021	left side headache, left eye pain, severe vomiting, full body pain, neck pain, chills as of Sunday some had subsided but not all. tylenol of no use!
1227998	4/19/2021	FL	52	F	4/14/2021	4/14/2021	Pt. develop a reaction to 1st dose of covid-19 vaccine. Symptoms described as having elevated heartrate and headache and blurred vision. Pt. current medications cytomel and levothyroxine, also pt. in remission for cancer with a thyroid of 4/14/21 removal. V/S: 123/71, 73 P. Pt. verbalizes feeling better and recovered . No hospital provided.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1227982	4/19/2021	IL		U	2/25/2021	2/27/2021	I could not open my eyes; associated with Mild flushed; EPISODIC Parosymal Hypertension/hypertensive episode lasted for 5 hours to 7hours per day/ highest BP at home was 216/95 mmhg/ episode of Paroxysmal hypertensive episode associated with tachycardia.; I developed a continuous tearing & watery nasal dripping that lasted for 7 hours; episode associated with tachycardia; I developed a continuous tearing & watery nasal dripping that lasted for 7 hours; I was not feeling well; This is a spontaneous report from a contactable physician (patient). A 71-year-old patient of an unspecified gender received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration administered in left arm on 25Feb2021 10:00 (Lot Number: EN6200) as single dose for COVID-19 immunisation. Medical history included thyroid cancer, hypertension, Sjogren's syndrome, hyperlipidaemia. Concomitant medication included amlodipine, aspirin, atorvastatin calcium (ATORVAS). No other vaccine was received in four weeks. No covid prior vaccination. The patient previously took lisinopril and experienced allergy (caused cough). The patient underwent COVID test via nasal swab post vaccination on 08Mar2021 and result was negative. 2 days after receiving vaccine on 27Feb2021, the patient developed a continuous tearing and watery nasal dripping that lasted for 7 hours. At that time, the patient could not open eyes and the patient was not feeling well. and then one and off episode of paroxysmal hypertensive episode associated with tachycardia. Highest BP at home was 216/95 mmHg and worsening PR was 126/4min. Associated with mild flushed but not associated with clammy, no dyspnea, no nausea or vomiting, no diarrhea, no right side abdominal pain. This hypertensive episode lasted for 5 hours to 7 hours per day. The patient contacted to primary care doctor twice in different days. The patient was brought to ER where the patient got first Pfizer shot. Stayed one night 5 as observation patient on 08Mar2021 and next day 09Mar2021, the patient was admitted to Medicine floor. During hospitalization, this episodic parosymal hypertension was continued SBP was up to 211 and finally discharged from hospital on 21Mar2021. The events resulted in emergency room/department or urgent care, hospitalization, life threatening illness (immediate

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

risk of death from the event. Extensive work up was done. No treatment was received for events. The outcome of events was recovering.; Sender's Comments: Based on vaccine-event chronological association, a causal relationship between reported events and BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) cannot be completely excluded. The case will be reevaluated should additional information become available.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1227954	4/19/2021	NY	56	F	3/25/2021	3/1/2021	Weakness; Lower abdominal pain; Low grade fever; felt lousy; Fatigue; Double vision; This is a spontaneous report from a contactable consumer (patient). A 56-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (lot number: EN6208, expiration date: 30Jun2021) via unspecified route of administration in right arm on 25Mar2021 15:00 (at the age of 56-years-old) at single dose for COVID-19 immunisation. Patient medical history included Guillain Barre syndrome on Feb2017 and asthma on unspecified date. Concomitant medication included ongoing IVIG treatment, unspecified (one infusion every four weeks) for Guillain Barre syndrome. The patient previously received first dose of bnt162b2 (lot number EN6201) on 04Mar2021 at the age of 56-years-old for covid-19 Immunization, and experienced sore arm. On 25Mar2021, after the second dose of the vaccine, the patient felt really lousy. The patient was fatigued on unspecified date in Mar2021. On 29Mar2021, patient had lower abdominal pain and low grade fever. The left side has been the side that has been impacted by Guillain Barre syndrome CID and that was the side that was affected after the vaccine. On 28Mar2021, the patient experienced weakness; was too weak to care for herself and she and her husband decided to go into the hospital. The patient was admitted on 28Mar2021 by neurologist (for the event weakness) and she stayed 2 nights and then came home 30Mar2021. The patient had been tired and weak since discharge from the hospital. The patient was on a monthly course of IVIG but the round she got in the hospital was exactly 2 weeks in-between her scheduled monthly treatments. Complete fatigue and weakness were still ongoing. The patient also experienced double vision on unspecified date in Mar2021 which was ongoing, but this was something that starts flaring up with her condition. The patient's low grade fever experienced on 29Mar2021 lasted for 3-4 days. The patient has gone backwards in her Guillain Barre syndrome since she had the vaccine, her opinion is that this was a set back she is not sorry she got the vaccine and is grateful for it. Events resulted in emergency room visit and Physician's office visit. Outcome of the events (weakness, fatigue and double vision) was not recovered. Event (Lower abdominal pain) was recovering; event (low grade fever) was recovered

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

on unspecified date (lasted 3-4 days); while outcome of  
event (felt lousy) was unknown.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1227951	4/19/2021	GA	65	F	3/31/2021	4/2/2021	momentarily vision loss; This is a spontaneous report from a contactable female consumer. A 65-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Solution for injection, Lot Number: ER8728) via an unspecified route of administration, in left arm on 31Mar2021 11:00 (at the age of 65-years-old) as single dose for COVID-19 immunization. Vaccine was not administered at Facility. Facility type was Department of Health. Medical history included bone loss diagnosed more than 3 years ago from an unknown date and unknown if ongoing. Concomitant medication(s) included vitamins nos (Multivitaminum) taken for routine health maintenance from an unspecified start date and ongoing; calcium taken for bone loss from an unspecified start date and ongoing; vitamin d [vitamin d nos] taken for routine health maintenance from an unspecified start date and ongoing taking it for years. Also patient stated she started on her own because reading and recommendation vitamin D was so critical. This is vitamin D3 and she does not know if sun can provide. She has been taking it only about a year. Patient asked about a question on her vaccination questionnaire. She said it asked about every getting vaccines on a base, why was that question there. Caller stated this happened early in the afternoon and she was in the kitchen and was standing near island she was working up right. She was not bent over. All of sudden she looked up and maybe for a minute or two lost her vision. It was not too long, but long enough it certainly caught her attention. Caller stated when she was looking down at whatever she was doing on the counter she looked up and her line of sight was in the great room but she could not see anything and thought oh my gosh what happened. Patient reported that she and her husband both received their first doses of the PFIZER-BIONTECH mRNA COVID-19 vaccine on 31Mar2021. She reported that they've both experienced visual disturbances since then, with no prior history of vision impairment. She stated her husband was nearby and he was like what do you mean and she could not even see a foot in front of her. Reported that by the time she went through a conversation her vision had come back and she has not experienced it since. Her episode occurred on Friday (02Apr2021), during the day while at her kitchen island. She was unable to see, but it resolved

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

quickly. Her husband's episode occurred last night 05Apr2021. She reported that her husband (67 y/o, male) woke up from being asleep, asked if the TV was on (which was because he could hear it, but could not see it). His symptoms have also resolved. Patient explained her husband and she both, on different days experienced vision disruption. Momentarily, but they experienced it different day. They both had the general feeling that something was a little different but nothing severe and worrisome until the vision thing. Event blindness transient was considered serious (medically significant) based list. No treatment for the events was given. Outcome of the event was recovered on 02Apr2021 for female patient. Follow up attempts are completed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1227950	4/19/2021	CA	41	F	3/29/2021	3/1/2021	Weakness of Right Eye; Numbness in right eye; Feels tugging in the back of her head and symptoms around right eye; Weakness in arms and legs; Feels tugging in the back of her head and symptoms around right eye; Neuropathic Symptoms on Right Side of Face; Numbness on Right Side of Mouth; she started experiencing weakness in the right eye and on the right side of the face, which is the same side as her Bell's Palsy, and the corner of mouth started to have numbness; This is a spontaneous report from a contactable consumer (patient). A 41-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/Lot number was not reported) via an unspecified route of administration on 29Mar2021 (at the age of 41-year-old) as single dose for covid-19 immunization. Medical history included facial paralysis from 1998 to an unknown date, Bells palsy at age 18 , ongoing temporomandibular joint syndrome , asthma exercise, depression, pain, hypoaesthesia, Numbness in face in the past (June 2020 tele-visit with neurologist), fatigue, headache, anxiety. Concomitant medications included gabapentin (GABAPENTIN) taken for neurological symptom, hydroxyzine (HYDROXYZINE) taken for anxiety. The patient experienced she started experiencing weakness in the right eye and on the right side of the face, which is the same side as her bell's palsy, and the corner of mouth started to have numbness on 01Mar2021 with, neuropathic symptoms on right side of face on 01Apr2021 with, numbness on right side of mouth on 01Apr2021, weakness of right eye numbness in right eye, feels tugging in the back of her head and symptoms around right eye, weakness in arms and legs, feels tugging in the back of her head and symptoms around right eye. Caller states basically she had Bell's Palsy years ago and was left with cranial nerve damage. She stated she noticed after the first Pfizer vaccine, that in that area of the face that she had Bell's Palsy, she started having neuropathic symptoms. and stated that it started thursday. States it has been there for a couple of days and she still has a little bit of neuropathic symptoms but not as great as when the onset began. The outcome of the events was recovering. Information about batch/lot number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1227939	4/19/2021	CO	71	M	1/28/2021	2/2/2021	Stevens johnson syndrome/Small blisters first appeared in the nose and around the eyes a couple days; This is a spontaneous report from a contactable consumer (patient). A 71-year-old male patient received his first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration in left arm on 28Jan2021 19:00 (Batch/Lot Number: el3247) as a single dose, and her second dose via an unspecified route of administration in left arm on 17Feb2021 11:30 (Batch/Lot Number: en7201) as a single dose for COVID-19 immunization. Medical history included allergies to sulfa and mycin drugs. Concomitant medications included Tamsulosin, atorvastatin, prasugrel, and acetylsalicylic acid (BABY ASPIRIN). The patient was not diagnosed with COVID-19 prior to vaccination. On 02Feb2021, the patient experienced Stevens Johnson Syndrome - small blisters first appeared in the nose and around the eyes a couple days after shot #1. It exploded with blisters all over face, neck and body a couple of days after the second shot. Patient had large blisters and open sores today and still getting new blisters 6 weeks after shot #2. Patient initially assumed that this was shingles in spite of the fact that he had the new shingles shot. He went to the doctor this morning and he diagnosed it as Stevens Johnson Syndrome. Biopsy was taken and sent to a lab. There was no other change in medication history, food, or exposure to potential allergens. Therapeutic measure included gabapentin to lessen pain. Events resulted in doctor or other healthcare professional office/clinic visit and emergency room/department or urgent care. Outcome of events was not recovered. The patient had not been tested for COVID-19 since the vaccination.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1227888	4/19/2021	VA	42	F	1/11/2021	1/18/2021	<p>Body Tremors/tremors get worse when I feel cold; dizziness; headaches; balance issue; tremors get worse when I feel cold; I blurt out words for no reason; Eyes can't focus, when trying to read the words seem to be shaking; This is a spontaneous report from a contactable other hcp (patient). A 42-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), second dose via an unspecified route of administration, administered in arm right on 11Jan2021 (Batch/Lot Number: EH9899) as single dose for covid-19 immunisation. The patient's medical history and concomitant medications were not reported. The patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE) on the left arm on 21Dec2020 (lot number: EH9899) for covid-19 immunisation. The patient experienced body tremors, dizziness, headaches, balance issue, tremors get worse when she feel cold, she blurt out words for no reason, eyes can't focus, when trying to read the words seem to be shaking on 18Jan2021. The patient underwent lab tests and procedures which included sars-cov-2 test: negative on 22Dec2020, sars-cov-2 test: negative on 27Feb2021. There were no treatment received for the events. The patient did not recover from the events.; Sender's Comments: Based on the available information, causality between reported events and BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) cannot be completely excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1227886	4/19/2021	GA	30	F	3/31/2021	3/31/2021	Swelling on right side of face; right eye swelled shut; labored breathing; red splotches on face and arm; extreme fatigue and fog; extreme fatigue and fog; This is a spontaneous report from a contactable consumer (patient). A 30-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE Solution for injection), dose 1 via an unspecified route of administration, administered in left arm on 31Mar2021 16:45 (Batch/Lot number was not reported) at a single dose for covid-19 immunisation. The patient medical history was not reported. Patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Patient was not diagnosed with Covid-19 prior vaccination, and has not been tested for Covid-19 since vaccination. Patient was not pregnant at time of vaccination. Concomitant medications reported included bupropion hydrochloride (WELLBUTRIN XL) for unspecified indication, start and stop date not reported. On 31Mar2021 17:30, patient experienced swelling on right side of face, right eye swelled shut, labored breathing, red splotches on face and arm, and extreme fatigue and fog. Therapeutic measures were taken as a result of swelling on right side of face, right eye swelled shut, labored breathing, red splotches on face and arm and extreme fatigue and fog. The adverse events resulted on emergency room/department or urgent care. Patient received steroids, inhaler and allergy medicine. Outcome of the event labored breathing and extreme fatigue and fog (feeling abnormal) recovered on unspecified date, while others were recovering. The vaccine was administered in a Pharmacy or Drug Store. Follow up attempts are needed. Information on lot/batch number was requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1227833	4/19/2021	IL	68	F	2/17/2021	2/21/2021	<p>Vision became double; Muscles in my rayed no longer work together; This is a spontaneous report from a contactable consumer (patient). This 68-year-old, non-pregnant, female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE) dose 2, via an unspecified route of administration, administered in left arm on 17Feb2021 at 01:00 PM (age at vaccination of 68 years; lot number: EL6201) as single dose for COVID-19 immunization. Medical history included "IND" from an unknown date, gastrooesophageal reflux disease from an unknown date and unknown if ongoing, arthritis from an unknown date and unknown if ongoing, vestibular vertigo from an unknown date and unknown if ongoing, and type 2 diabetes from an unknown date and unknown if ongoing. Patient had allergies to benzoic acid, vancomycin, moxifloxacin hydrochloride (AVELOX), sulfa, azithromycin (ZITHROMAX), and tree pollen. Patient had not experienced COVID or tested positive for COVID prior to vaccination. Concomitant medication(s) included pravastatin sodium (PRAVASTIN) taken for an unspecified indication, start and stop date were not reported; glimepiride taken for an unspecified indication, start and stop date were not reported; insulin glargine (LANTUS) taken for an unspecified indication, start and stop date were not reported; vitamin D taken for an unspecified indication, start and stop date were not reported; and famotidine (PEPCID AC) taken for an unspecified indication, start and stop date were not reported. Patient had received no other vaccine in four weeks. Patient received the first dose of BNT162b2 (COMIRNATY), via an unspecified route of administration, as a single dose (batch/lot number: unknown) on an unknown date for COVID-19 immunization. The patient reported that three days after her second dose her vision became double on 21Fe2021 at 2:00 PM. She had three MRI's, two MRA's, and blood test and they could not find a cause. The muscles in her "rayed" no longer work together but vision was fine and no diabetic damage. She had not received treatment for vision became double. Not sure if it's from the vaccine but wanted someone to know if it might help. The patient was not recovered from vision became double and muscles in her "rayed" no longer work together.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1227873	4/19/2021	LA	74	M	2/25/2021	2/25/2021	blood vessel had busted in his right eye; Black Floaters in right eye; Muscle and body aches; Muscle and body aches; Fatigue; Lost of taste and smell; Lost of taste and smell; Headache; Runny nose; Nausea; This is a spontaneous report from a contactable consumer (patient). A 74-years-old male patient received first dose of BNT162B2 (Lot Number: EL9267), intramuscular administered in the right arm on 25Feb2021 14:00 as SINGLE DOSE for covid-19 immunisation. Medical history included genetic/chromosomal abnormalities, endocrine abnormalities, diabetes, obesity, compromised immune status, respiratory illness, diagnosed allergy, High blood pressure, Heart problems (Family medical history: Father died early of heart problems), all from an unknown date and unknown if ongoing; and Allergic to Latex and rubber products diagnosed 1990. Concomitant medications included medications for high blood pressure. The patient experienced blood vessel had busted in his right eye on Mar2021 14:05; black floaters in right eye on Mar2021; fatigue on 28Feb2021; muscle and body aches on 28Feb2021 15:00; headache on 26Feb2021 09:00; lost of taste and smell in the early morning on 28Feb2021; runny nose in the morning on 26Feb2021; and nausea in the afternoon on 25Feb2021. The clinical course was reported as follows: The patient mentioned that he received his 1st dose of the Pfizer COVID19 Vaccine and 5 minutes after, they noticed a blood vessel had busted in his right eye, the same side where he got injected on his right arm. He thinks some blood had dried in his eyes and it was red that afternoon and the next day. He had a right eye busted blood vessel and it turned red. The whole white turned red. They watched him for another 15 minutes and it just stayed red. After a few days, the redness went away, but it left floaters in his right eye. He mentioned that he got 50-150 floaters in his right eye. He has a bunch of black floaters. Floaters are not directly in his sight, but he can see them all around. It has not impaired his sight. If they move in his line of sight, he can still see through them. He did not take second shot. He was scared to because he would get more floaters. It has been 3 weeks already and he still has floaters and it has not changed. Second shot was scheduled for 19Mar2021. Two weeks after first and a week before second one, he decided he did not want to get second shot. Fatigue got better 7 days after. Taste



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1228125	4/19/2021	NY		F		3/11/2021	<p>and smell took longer to return but came back since then. He takes regular medications for high blood pressure and did not feel they were relevant. Headache comes and goes but improved. The patient did not receive any treatment for the events. The patient did not receive any other vaccines within four weeks prior to the vaccination. No previous history of all previous immunization with the Pfizer vaccine considered as suspect. No ER or physician's office required. The outcome of the event 'black floaters in right eye' was not recovered and outcome of the other events was recovering. No follow-up attempts are needed. No further information is expected.</p> <p>BLURRY VISION FOR 15-20 MINUTES; FELT SPACEY; WATERY EYES; OCCULAR HEADACHE; This spontaneous report received from a patient concerned a 68 year old female. The patient's height, and weight were not reported. The patient's past medical history included ocular headache, and chronic lymes disease, and other pre-existing medical conditions included patient had no known allergy. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 1805022, expiry: 25-MAY-2021) dose was not reported, administered on 11-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 11-MAR-2021, the patient experienced blurry vision for 15-20 minutes, felt spacey, watery eyes and ocular headache. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from blurry vision for 15-20 minutes, felt spacey, and watery eyes on 11-MAR-2021, and the outcome of ocular headache was not reported. This report was non-serious.; Sender's Comments: V0: Medical assessment comment is not required as per standard procedure as the case is non serious</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1227870	4/19/2021	AZ	78	F	3/16/2021	3/29/2021	<p>Bell's Palsy/facial paralysis; Bell's Palsy/facial paralysis; This is a spontaneous report received from a consumer (patient's husband). A 78-year-old female patient received BNT162B2 (Pfizer-BioNTech COVID-19 mRNA vaccine), dose 1 via an unspecified route of administration, at age 78 years, administered in right bicep on 16Mar2021 09:00 (Batch/Lot number was not reported) as single dose for COVID-19 immunization. Patient's medical history includes bells palsy from 1997, lower right lobe of her lung removed in 2016, and removed for carcinoid tumor on an unspecified date. Patient did not have prior vaccinations in 4 weeks. Concomitant medications were none. There were no other vaccines administered on the same date as the suspect. Patient previously took quite a few medications but she hasn't been taking for years or that would affect it. It was reported that patient and the reporter received first dose on 16Mar2021 at 09:00 AM in the right bicep as recommended by the pulmonologist and oncologist. It was reported that on 29Mar2021, also reported as "13 days later from vaccination", facial paralysis started around noon. At the time of report, patient was experiencing Bell's Palsy from 29Mar2021 and asking for recommendation for second dose. Patient was also officially diagnosed with Bell's Palsy when she went to the ER on 31Mar2021. Patient has seen the doctor and been to the ER and the doctor refused to comment saying he had no opinion, they had asked him if she should do the second dose and he said he had no opinion. Reporter relayed that on the website there is no specific notable balance in the numerical groups to suggest a causal relationship to the vaccine. Reporter was asking if the second dose was prohibited, stating patient was scheduled for 06Apr2021 which is 21 days after her first dose. Patient's husband spoke from the FDA's briefing document that "Bell's palsy was reported by four vaccine participants and none in the placebo group. These cases occurred at 3, 9, 37, and 48 days after vaccination," and mentioned that there have been 4 reports of Bell's Palsy during the study and 1 of those was after the first dose and 3 were after the second dose. They wanted to know if it is allowed should she get it or could it be rescheduled to a later date. For tests, no testing was done they just did a visual exam on an unspecified date. Vaccine was not administered at</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

Facility. The outcome was unknown. Information about lot/batch number is requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1227866	4/19/2021	FL	63	F	4/1/2021	4/1/2021	intracranial pressure; angioedema near her ears and the gland secretes and the passage way swells up; rush of pressure to back of head and the lower part of head; Headache; dizzy/Dizziness/light headed; out of body experience like floating; my arm started to really hurt/Sore Arm; sore to touch; cloudy and pressure in her ears/Ear Pressure; vertigo issues; vestibular migraines; patient can't walk; tunnel vision; eyes felt funny. States like walking through a stream of pollen, not that she had itchy eyes, but it felt like she had been effected by something; This is a spontaneous report from a contactable consumer (patient). A 63-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), first dose via an unspecified route of administration, administered in Left Arm on 01Apr2021 about 13:30-14:00 pm (Batch/Lot Number: ER8737) as SINGLE DOSE for covid-19 immunisation. Medical history included ongoing Hashimoto's disease, Diagnosed 13 Years ago, patient was allergic to penicillin and Avalox (anaphylactic and I am sensitive to medications). Don't know if this happened when she got Hashimoto's, Thyroid, ongoing Vestibular Issues Started 5 years ago. States one doctor thinks it is her bad neck. States when she got old things shifted and changed. One ENT said she has neuritis, where something hit her ear nerve in right ear. States hence that was what the acyclovir was for, when she feels an earache coming on, she takes acyclovir. No previous immunization with the Pfizer vaccine considered as suspect. No Additional Vaccines Administered on Same Date of the Pfizer Suspect. No prior Vaccinations (within 4 weeks). AEs following prior vaccinations: None; reported she hadn't had any flu vaccines in years because of the ingredients. States because of her Hashimotos because of everything with her health it was not conducive. Last one was 2014. Concomitant medications included guaifenesin (MUCINEX) taken for hypersensitivity from an unspecified start date and ongoing; fexofenadine hydrochloride (ALLEGRA) taken for hypersensitivity from an unspecified start date and ongoing; levothyroxine sodium (LEVOXYL) taken for thyroid disorder from an unspecified start date and ongoing; azelastine hydrochloride (AZELASTINE HYDROCHLORIDE) taken for hypersensitivity from an unspecified start date and ongoing; aciclovir (ACYCLOVIR ACTAVIS) taken for ear

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

pain from Mar2021 to an unspecified stop date;  
 naltrexone (NALTREXONE) taken for autoimmune  
 thyroiditis from an unspecified start date and ongoing;  
 alprazolam (XANAX) taken for an unspecified indication  
 from an unspecified start date and ongoing; magnesium  
 (MAGNESIUM) taken for an unspecified indication from  
 an unspecified start date and ongoing; fish oil (FISH OIL)  
 taken for an unspecified indication, start and stop date  
 were not reported; curcumin (TURMERIC MERIVA)  
 taken for an unspecified indication from an unspecified  
 start date and ongoing; 7-keto-dehydroepiandrosterone  
 (7 KETO DHEA) taken for an unspecified indication, start  
 and stop date were not reported; ferritin (FERRITIN)  
 taken for an unspecified indication from an unspecified  
 start date and ongoing; boric acid, zinc sulfate  
 (OPTIZINC) taken for an unspecified indication from an  
 unspecified start date and ongoing; colexcaliferol  
 (VITAMIN D [COLECALCIFEROL]) taken for an  
 unspecified indication, start and stop date were not  
 reported; lactobacillus reuteri (PROBIOTICA) taken for  
 an unspecified indication from an unspecified start date  
 and ongoing; calcium saccharate (CALCIUM D  
 GLUCARATE) taken for an unspecified indication from  
 an unspecified start date and ongoing; berberine  
 hydrochloride, coptis chinensis, glycyrrhiza uralensis,  
 mahonia aquifolium, phellodendron chinense, rheum  
 officinale, scutellaria baicalensis, zingiber officinale  
 (CANDIBACTIN BR) taken for an unspecified indication  
 from an unspecified start date and ongoing;  
 cyanocobalamin, folic acid (VITAMIN B12 & FOLIC  
 ACID) taken for an unspecified indication from an  
 unspecified start date and ongoing; alpha-amylase swine  
 pancreas, cellulase, lipase, protease nos (DIGESTIVE  
 ENZYME) taken for an unspecified indication from an  
 unspecified start date and ongoing; pancreatin enzymatic  
 hydrolysate (PANCREATIN ENZYMATI  
 C HYDROLYSATE) taken for an unspecified indication from  
 an unspecified start date and ongoing; levoglutamide (L  
 GLUTAMINE) taken for an unspecified indication from an  
 unspecified start date and ongoing; betaine hcl  
 (BETAINE HCL) taken for an unspecified indication, start  
 and stop date were not reported, Bio Identical Hormone  
 Cream taken for an unspecified indication, start and stop  
 date were not reported. On 01APR2021, she could feel  
 rush of pressure to back of head, tunnel vision, cloudy

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

and pressure in her ears and was dizzy. Hx of Hashimoto's - autoimmune disorder, vestibular issue, concerns with getting the second one (dose). Read about adverse reactions and dizziness was on the list of severe reactions. The instant, within a minute, patient could feel this happening to her, she instantly could feel she becoming dizzy, light headed, out of body experience like floating. (didn't mention this in report) felt like walking on air. While sitting and chit chatting with other people to distract myself. Patient didn't have any anxiety. She will admit she was reluctant to get the vaccine because of my health problems. She was more concerned, she instantly got a headache with the pressure, when she was leaving, she felt her eyes feel weird, almost like an allergy issue, burning, not quite burning either. Kind of like a burning, not quite like a burning, felt like when you walk into the wind that has lots of pollen, that feeling. She didn't walk out side, she was inside when this happened, the pressure was already starting, no headache in front of head, it was in back of my skull, at top of her neck and pressure within the ears and ache and pressure on back of her head. Not dizzy, not like when you are in the hospital and they give she something and patient can't walk, or where you tried to stand and you couldn't , it was more like light headed, like walking on air like. It lasted all yesterday. As the night progressed by 10PM or 11PM her arm started to really hurt, patient took Tylenol and went to bed, took Xanax as she did and slept, woke up fine. This morning it felt like she wanted to have a headache but haven't had it since. It's almost like patient had intracranial pressure, because she had these conditions, so she read a lot. Investigation Assessment was No. States she is calling to report a potentially strange side effect. She states as soon as she got the injection, approximately within one-two minutes, she could feel a rush to the back of her head and the lower part of her head which then made her feel like she had somewhat of her vision clouded, like a tunnel vision. Clarifies her vision was clouded on the sides but she could see forward. Caller states that she was not dizzy like falling over and she does have vestibular migraines and vertigo issues, but she had that feeling of dizziness and when she got up and walked, it felt like she was walking on a cloud. Clarifies she felt a heavy pressure in the back of her head. States as soon as the injection was over, she

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

could feel it. States she is concerned regarding the second dose because of her autoimmune and vestibular conditions. She states is caused immediate pressure in her ears. States that could've affected her and put her into a migraine, she doesn't know. States a friend said jeez you should report that and she read more on the list of side effects and saw something about an allergic reaction and dizziness, and she did have some sort of adverse reaction. States she doesn't know and it is concerning to her. States she is doing fine today, other than a little headache that comes and comes. States it was bizarre with the clouded, not cloudy, but tunnel vision. States she does not want to release any medical records; she declines for now to provide. She states CVS administered it, not her doctor. States she is going to discuss it with him. States she doesn't want to have a worse reaction with the second dose. Caller states a headache is a headache but the pressure she felt within one minute and continuing it concerns her on the second one with the larger dose. States she is also concerned with the second dose if dizziness is a severe allergic reaction, not saying she fell over and wiped out. Patient wondering if that was an allergic reaction. States as the evening went on and she took Tylenol, it improved. States the dizziness improved as the night went on but had a bizarre feeling when she went to bed. States her arm was sore in the evening and is still sore to the touch. Clarifies that her eyes felt funny. States like walking through a stream of pollen, not that she had itchy eyes, but it felt like she had been effected by something. States it was not like a tired and burning feeling, states she can't explain it but something felt like had an allergy type situation if she has a problem with seasonal allergies. Treatment included took Tylenol. States when someone has an autoimmune issue they have a lot of issues regarding the stomach and take a lot of vitamins and supplements. Caller states she wants to report she has a lot of food sensitivities and environmental sensitivities because of her Hashimotos. States anything can set off an immune response. States what happens with that is she would get on her face, angioedema near her ears and the gland secretes and the passage way swells up. States she takes Pepcid AC to treat it. States this did not happen with her first vaccine. States she was very hesitant on taking the vaccine because knows she has

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

these issues and she didn't want to have adverse reactions. States that her reaction to the first vaccine potentially concerns her for the second dose. States going to speak with the medical information department is a good idea. States the location she received her vaccine was very busy. States they did a nice and good job on getting people in. States the girl administering it did good, but she didn't mention unless you knew you had to wait 15 minutes due to possible adverse reactions, they didn't really check on people. States she just had to do whatever and she didn't know whether or not to report it then because she was not in distress. States she thought she just has to get home and drove 30 miles. All events (AEs) did not require a visit to Emergency Room nor Physician Office. The events of Tunnel vision, rush of pressure to back of head and the lower part of head, Headache, dizzy/Dizziness/light headed, cloudy and pressure in her ears/Ear Pressure, was recovered on 01Apr2021, of my arm started to really hurt/Sore Arm; sore to touch was not recovered, of other events was unknown.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1227863	4/19/2021	IL	86	M			He has double vision; Weakness; Tiredness; Headache; He had problem with lymph nodes; doesn't feel good; This is a spontaneous report from a contactable consumer (patient's wife). An 86-year-old male patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, lot number: EN6207), via an unspecified route of administration administered in left shoulder on an unspecified date (at the age of 86-year-old) at SINGLE DOSE for COVID-19 immunisation. Medical history included blood pressure abnormal and blood cholesterol abnormal. Concomitant medication included lisinopril taken for blood pressure. On an unspecified date, the patient experienced he has double vision, weakness, tiredness, headache, and he had problem with lymph nodes. The reporter further stated, "Now I realize that was Wednesday, now this Wednesday afternoon it will be a week do these symptoms last these long normally I am calling because I mean he is not ready for the hospital or anything like that but he just doesn't feel good." The reporter also mentioned that the patient has no fever. The patient was afraid to get the second shot. They are scheduled for the second dose of vaccine on 06Apr2021. There was no treatment received for all events. The patient was recovering from all events.
1227836	4/19/2021	FL	30	F	4/13/2021	4/13/2021	Hypoesthesia in left arm & hand. Intermittent hypoesthesia in lips and jaw within 15 minutes of vaccination. Dizziness and vision impairment after 35 minutes. I attempted to return to the store and fell over twice while walking there due to dizziness/blacking out. Scraped my knees and chin. Was helped by store employees, they checked my blood pressure and cleaned the wounds on my knees (from falling). Hypotension (88/50) upon returning to the store. Drank fluid, ate, was taken to urgent care. At urgent care, normal blood sugar (104), still hypotensive (86/56) approximately 2 hours after vaccination but I felt less dizzy, no vision abnormalities since being helped at the store. Remained at urgent care for over 2 hours, blood pressure was 99/62 at release. Prior to release hypoesthesia largely resolved and was left with only arm pain.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1227821	4/19/2021	IL		F	4/6/2021	4/6/2021	bad GI gastric feeling; diarrhea/diarrhea movement/bowl moment; had cold; nausea/feel like throw-up; headache; feeling like shut down; hyperventilation; her face was gray/both hands and arms are white/ her face was gray; passed out; Reality perception off; small bowl moment; injected to wrong site; stomach got hungry; her vision was different,; was not able to sleep; Very painful contraction; This spontaneous case was reported by a physician (subsequently medically confirmed) and describes the occurrence of LOSS OF CONSCIOUSNESS (passed out) and ACUTE PSYCHOSIS (Reality perception off) in a female patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 025B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event. On 06-Apr-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 06-Apr-2021, the patient experienced PRODUCT ADMINISTERED AT INAPPROPRIATE SITE (injected to wrong site), INCREASED APPETITE (stomach got hungry), VISUAL IMPAIRMENT (her vision was different,), INSOMNIA (was not able to sleep) and PAIN (Very painful contraction). On 07-Apr-2021, the patient experienced LOSS OF CONSCIOUSNESS (passed out) (seriousness criterion medically significant), ACUTE PSYCHOSIS (Reality perception off) (seriousness criterion medically significant), GASTROINTESTINAL DISORDER (bad GI gastric feeling), DIARRHOEA (diarrhea/diarrhea movement/bowl moment), FEELING COLD (had cold), NAUSEA (nausea/feel like throw-up), HEADACHE (headache), MALAISE (feeling like shut down), HYPERVENTILATION (hyperventilation), SKIN DISCOLOURATION (her face was gray/both hands and arms are white/ her face was gray) and ABDOMINAL DISCOMFORT (small bowl moment). On 06-Apr-2021, PRODUCT ADMINISTERED AT INAPPROPRIATE SITE (injected to wrong site) had resolved. At the time of the report, LOSS OF CONSCIOUSNESS (passed out), INCREASED APPETITE (stomach got hungry), VISUAL IMPAIRMENT (her vision was different,), INSOMNIA

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							(was not able to sleep), DIARRHOEA (diarrhea/diarrhea movement/bowl moment), FEELING COLD (had cold), NAUSEA (nausea/feel like throw-up), HEADACHE (headache), MALAISE (feeling like shut down), HYPERVENTILATION (hyperventilation), SKIN DISCOLOURATION (her face was gray/both hands and arms are white/ her face was gray) and PAIN (Very painful contraction) had not resolved, ACUTE PSYCHOSIS (Reality perception off) and ABDOMINAL DISCOMFORT (small bowl moment) outcome was unknown and GASTROINTESTINAL DISORDER (bad GI gastric feeling) had resolved. For mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown), the reporter did not provide any causality assessments. Treatment information include Ibuprofen 200mg initially 1 tablet a day, then every 4 hours in order to get inflammation down. Based on the current available information and the temporal association between the product use and the start date of the events a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and the temporal association between the product use and the start date of the events a causal relationship cannot be excluded.
1227800	4/19/2021	IL		F		3/9/2021	SWELLING OF EYES; SWELLING OF FACE; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: UNKNOWN expiry: UNKNOWN) .5 ml, administered on 08-MAR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 09-MAR-2021, the subject experienced swelling of eyes. On 09-MAR-2021, the subject experienced swelling of face. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the swelling of eyes and swelling of face was not reported. This report was non-serious.
1227493	4/19/2021	VA	39	M	3/10/2021	3/10/2021	itchy skin, runny eyes & nose / sneezing / shortness of breath / swollen lips - symptoms resolved after 5 hours

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1227476	4/19/2021	OR	64	F	4/8/2021	4/8/2021	Migraine began day of injection which downgraded to headache in days following. Other symptoms beginning day after injection on April 9... muscle pain, joint pain, eye pain, sensitivity to light, fatigue, nausea. All these symptoms have continued as of today April 18.
1227416	4/19/2021	NJ	62	F	3/15/2021	3/15/2021	After the first dose within 10 minutes, I had itchy throat and mouth, heart palpitations, eyes felt like a fullness. After the second dose within 20 minutes, I had tightness in tongue and throat, upper eyelid swelling and redness and beet red flush like rash over cheeks. Next day swollen arm and small rash at injection site.
1227406	4/19/2021		25	M	4/14/2021	4/14/2021	Patient complained of feeling anxious a few minutes after receiving the vaccine, while he was just about to walk up stairs to the observation area. . Stated, "I could not see, my eyes went black, and my fingers were tingling. I almost passed out". Clinician immediately sat patient on a chair and gave him water, which he drank. Medics were called to see patient. Vital signs were WNL. Once cleared by medics, patient was escorted to the ground level observation area. He soon reported that he was back to baseline. Medics cleared him as being medically stable. Patient reported that he no longer was light headed and had no visual disturbances. {Patient did say that he often gets anxious with needle injections.
1231060	4/19/2021	IN	31	F	4/14/2021	4/17/2021	Three days after I got the vaccine, I noticed a very abnormal heart palpitation lasting about 3 seconds. Everything felt fine so I sat down for a few minutes. Once I got up I came very close to passing out. I lost my balance and my vision was dark. Never experienced anything like this before
1229497	4/19/2021	OH	51	F	4/15/2021	4/16/2021	Systemic: Allergic: Rash Generalized-Mild, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild, Systemic: leg pain-Mild, Additional Details: pt complained of fatigue, hives over upper half of body starting the day after vaccination and leg/thigh pain starting two days after vaccination

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1227874	4/19/2021	MO	56	F	3/23/2021	3/23/2021	Her voice was hoarse and raspy; She had about 10 canker sores in her mouth.; Facial paralysis; Her left calf felt numb; She said she saw more wrinkles on her face than she knew she had; This is a spontaneous report from a contactable consumer (patient). A 56-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE) (Pfizer product, lot: EP7534) in left arm on 23Mar2021 17:30 at a single dose for COVID-19 immunisation. Vaccination Facility Type was Hospital. Medical history included ongoing genital herpes. Concomitant medications included valaciclovir hydrochloride (VALACYCLOVIR HCL) 1gram tablet for genital herpes. Stated she had genital herpes for over 10 years, and had an outbreak about 2 weeks prior to getting her 1st COVID-19 Vaccine. She said she hadn't had a herpes outbreak in over 10 years. She said she stopped taking her Valtrex medication after the COVID-19 Virus Pandemic started. She said she restarted the Valtrex when she had the genital herpes outbreak a couple weeks before her 1st COVID-19 Vaccine. She said she had taken a 1/2 Valacyclovir 1gram tablet, off and on, to treat her recent. History of all previous immunization with the Pfizer vaccine considered as suspect (or patient age at first and subsequent immunizations if dates of birth or immunizations are not available) was none. Additional Vaccines Administered on Same Date of the Pfizer Suspect was none. Prior Vaccinations (within 4 weeks) was none. Patient experienced her left calf felt numb on 23Mar2021 with outcome of recovered/resolved; the skin from under both her eyelids to her cheek bones felt like it was being pulled down on 23Mar2021 with outcome of recovered/resolved; her voice was hoarse and raspy on 24Mar2021 with outcome of not recovered/not resolved; she had about 10 canker sores in her mouth on 24Mar2021 with outcome of recovered/resolved; facial paralysis on 23Mar2021 with outcome of recovered/resolved; her skin felt tight on 23Mar2021 with outcome of recovered/resolved; She said she saw more wrinkles on her face than she knew she had on 23Mar2021 with outcome of unknown; cholesterol was high on an unspecified date in 2021 (either late Feb2021 or early Mar2021) with outcome of unknown. She is asking for a recommendation on receipt of second dose. Clinical course: patient reported she had her first COVID-

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

19 Vaccine shot last Tuesday (23Mar2021), and she had some side effects that were not listed on the COVID-19 Vaccine information sheet she was given. She said she was concerned about getting the second COVID-19 Vaccine shot. She said she sat for 15 minutes after she received her COVID-19 Vaccine, and was completely fine. She said she then had about a 5 minute walk to her car. She said when she was walking to car, her left calf felt numb. She said at first she thought maybe she had been sitting too long, and her left leg fell asleep. She said once she got to her car, the skin from under both her eyelids to her cheek bones felt like it was being pulled down. She described the feeling as being in the sun for days, saying her skin felt tight. She said she looked in her car mirror. She said her face wasn't red, but her face definitely looked like it was being stretched. She said she saw more wrinkles on her face than she knew she had. She clarified her face being stretched as a facial paralysis, and said the facial paralysis only lasted about 4 hours, and then disappeared. She said the next day (24Mar2021), she woke up, and her voice was hoarse and raspy. She said her voice continued to be hoarse and raspy for 2 weeks now. She clarified the hoarseness had been on and off and had improved from last week, but in the evenings her voice gets raspy. She said she had about 10 canker sores in her mouth. She said she gargled with Scope, and the canker sores would come and go. She said the canker sores were not painful like canker sores, but were just sores. Reported she had blood work done in either late Feb2021 or early Mar2021, and everything was fine, except her cholesterol was high. No further details provided. Treatment: Reported she spoke to the on-call doctor at her doctor's office on 23Mar2021 first, and then called the (name) Hospital Emergency Room and spoke with someone about her side effects on 23Mar2021. She said the doctor on-call at her doctor's office told her to take a 1/2 tablet of Valtrex (clarified as generic Valacyclovir HCL 1gram tablet). She clarified she had been taking Valacyclovir HCL since she was diagnosed with genital herpes about 10 years ago. She said she stopped taking the Valacyclovir HCL when the COVID-19 Pandemic started last year. She said she restarted the Valacyclovir HCL, taking a half Valacyclovir HCL 1gram tablet (500mg) daily. She said she spoke with her gynecologist today (02Apr2021), and he told her

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							to take the full Valacyclovir HCL 1gram tablet for 3 months and then go back to taking a half Valacyclovir HCL 1gram tablet (500mg). She said the Valacyclovir HCL 1gram tablet was dispensed in a pharmacy bottle, providing NDC Number: 1671469701. She did not have a Lot Number and Expiration Date. She said the generic Valacyclovir HCL 1gram tablet was manufactured by NorthStar Rx and had "(3/3)" after the manufacturer's name. Reported she gargled with Scope mouthwash for her canker sores in her mouth. She said she had finished the Scope mouthwash, and disposed of the product bottle, and didn't have the UPC, Lot and Expiration Date. Reported her gynecologist was the one who told her to call Pfizer to get further direction about getting her second COVID-19 Vaccine. Follow-up attempts are completed. No further information is expected.
1228431	4/19/2021	NC	40	M	4/6/2021	4/8/2021	Bruising on upper back and left arm. Blurred Vision. Gastrointestinal issues. Shortness of Breath. Dizziness. Eyes being extremely sore. Fatigue. Difficulty concentrating.
1228673	4/19/2021	MD	42	F	4/5/2021	4/19/2021	SEVERE CLUSTER HEADACHE BEHIND LEFT EYE AND NAUSEA
1228644	4/19/2021	NY	53	F	4/16/2021	4/18/2021	Facial swelling around sites of prior facial filler injections. Angioedema under eyes
1228638	4/19/2021	MN	34	M	4/8/2021	4/9/2021	severe joint pain and tiredness starting 12 hours post vac. lasted 12 hours. extreme headache 14 hours post vac, lasting 10 hours. i noticed during my lunch bathroom break that i had ruptured blood vessles on my eye lids and skin surrounding the eyes. all symptoms cleared after 14 hours duration. no additional ruptured vessles. occasional dizzyness, i maintained full function during the day, i forced myself to work because i had a critical heath and safety audit vital to our manufacturing site that could not be changed and i had no backup. it was a miserable struggle, i think the average person would have slept all day. i took ibuprofen 600mg in the afternoon and aspirin 325mg around 10am. drank fluids

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1228627	4/19/2021	VA	44	F	4/15/2021	4/17/2021	I had a off and on temperature/fever, chills, total body fatigue, headache, nausea, sinus and eye pain, and intense arm pain in vaccination arm (right) the day following the 2nd vaccination dose. On the second day my temperature regulated but I still had a headache, nausea, body fatigue. Noticed heart palpations intermediately throughout the day, while moving, lying down and sitting. On the third day still had a slight headache, slim body fatigue and noticed more consistent heart palpations. Also started my menstruation cycle on Saturday as well. Experienced more intense menstrual cramps than normal. It's the fourth day now and still feel the heart palpations more sporadically than yesterday and intense menstrual cramps. Please note that I already had a irregular heart beat prior too covid but I noticed a significant increase in the occurence of the heart palpations. Normally I only have them once a month or once very few months. This has been several times a day and on Sunday seemed to be experiencing hourly.
1228606	4/19/2021	MA	35	F	4/5/2021	4/12/2021	On 4/12/2021, I began experiencing migraine-like symptoms: bad headache and irritated nerves at back of neck. By 4/14/2021, I had a small sore at the corner of my left eye, which at the time I thought was an outbreak of herpes (which I also have, and have had near my eye before). However, the symptoms got worse. By 4/16/2021, I had a second sore appear near my cheekbone and intense itching on my face, with nerve pain in my face. By the morning of 4/17/2021, I woke up with my left eyelid swollen and redness in my left eye, which led me to seek medical attention at an urgent care facility. At urgent care, was diagnosed with shingles with concern of eye involvement. Was prescribed valcyclovir and an antibiotic eyedrop, ofloxacin. Follow up appointment with an opthamologist has been booked.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1228604	4/19/2021	FL	55	F	4/3/2021	4/3/2021	twitching of fingers, core, leg toe foot random going to call dr on monday has labs for tuesday and appt for thursday Completed follow up call on 4/16/2021 at 10:22am: Pt reported a couple of day from rcvding her 1st dose on 4/3/2021, she also experienced fatigue (legs felt weak) and nausea. Pt reported that the twitching has subsided and occurring less frequent than first reported. On 4/15/2021, she reported that her right toe still twitches a little, and this morning 4/16/2021 her left thumb twitched again. Pt reported that she spoke with her MD Thursday 4/15/2021, per MD this could have been a reaction from the vaccine. Pt also reported trouble sleeping since rcvding the vaccine, prior to the vaccine she reported no trouble with sleeping. Pt mentioned the insomnia to her MD; MD thinks this may be due to the possibility of pt experiencing peri-menopause but pt reports she does not have any peri-menopause symptoms except having low progesterone. ***NOTE*** Recommend pt to keep an eye on her symptoms, and if symptoms persist and does not get better to communicate info to MD.
1228582	4/19/2021			F	4/18/2021	4/18/2021	spontaneous eye twitching; no change in visual acuity; no treatment.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1228541	4/19/2021	PA	37	F	4/16/2021	4/17/2021	Roughly 12hrs after receiving 2nd Pfizer Covid-19 dose I woke up with a stabbing headache, dizziness, lightheadedness, slight chills and bodyaches. As the day progressed I began to develop extreme bodyaches, extreme joint pain, I couldn't regulate my body temperature which fluctuated between feeling very cold and very hot/feverish. My eyes were bloodshot from having a fever of 102.5 at it's highest. I was in significant pain and unable to sleep and rest due to the severe bodyaches and joint pain in my hips, knees and wrists. I also had significant pain in my low back. I don't have pain anywhere in my body generally. The dizziness and lightheadedness also continued to worsen to the degree that I couldn't sit up or walk without losing balance. Around 11:30pm on Saturday 4/17, my fever broke and my aches and pains started to dissipate. As the aforementioned symptoms began to dissipate, I started having difficulty breathing. I felt as though I was having trouble breathing, specifically inhaling. I felt like I couldn't catch my breath at times, though I was sitting or lying down and not exerting myself. I also developed wheezing and a mild cough, both of which have continued to worsen. Today is Monday 4/19/21 and I'm still having mild lightheadedness and dizziness, mild headache that feels like stabbing pains and my cough continues to worse as is the wheezing and feeling like I'm having difficulty breathing at times, without exertion. Injection site continues to be sore. My first dose, I had fatigue and injection site soreness, both of which were completely resolved as of 24hrs after being vaccinated.
1228525	4/19/2021	AZ	64	M	2/16/2021	3/16/2021	Randomly approx 4-5 times over the next 3 weeks, first my left eye, and then my left eye would go black from the outside in, as though I was going to pass out. I would remain still and my vision would come back, first in the right eye and then the left eye. It always happened the same way. My left eye would begin to go black from the outside circumference to the middle, losing site, and then the right eye would start to do the same thing. It hasn't happened again after that first month of reoccurrences, and it never happened before the shots.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1228505	4/19/2021	IN	40	M	4/16/2021	4/16/2021	ER Nursing Intervention/Reassessment [Charted Location: EMR-Emergency Rm Service] [Authored: 04/16/2021 15:18]- for Visit: 004092726008, Complete, Revised, Signed in Full, General IV: IV Intervention: ? IV IV INTERVENTION/REASSESSMENT ? IV 1 Date 04/16/2021 ? IV 1 Time 14:25 ? IV IV 1 ? IV 1 Size 20G ? IV 1 Type peripheral iv ? IV 1 Inserted By inserted per RN ? IV 1 Side right ? IV 1 Right antecubital ? IV 1 Actions flushes easily labs obtained ? IV 1 Dressing needleless valve placed, catheter secured, transparent dressing applied with date/time/initials transparent semi-permeable dressing applied ? IV 1 Response pt. tolerated well pt instructed to call RN for problems ? IV 1 Total Attempts 1 COVID Screening Questions: COVID Screening Questions: ? Have you had a COVID-19 vaccine in the last 7 days? Yes (1) ? Was this COVID-19 vaccine your: First dose (1) Assessment Date / Time: ? Date/Time 04/16/2021 14:25 History of Present Illness: Chief Complaint: ? History of Present Illness allergic reaction ? Onset Time/Last Seen Normal 04/16/2021 13:15 Skin Assessment: Skin Assessment: ? Skin cool diaphoretic ? Mucous Membranes moist intact COVID Screening Questions: COVID Screening Questions: ? Have you had a COVID-19 vaccine in the last 7 days? Yes ? Was this COVID-19 vaccine your: First dose ER Triage Note: ? Triage Date/Time 04/16/2021 14:21 ? Triage Chief Complaint medical, Allergic Reaction to Covid Vaccine ? Additional Triage Comments Pt states he went home after receiving his Covid Vaccine (Pfizer) when he noticed he was itching on his back. Pt arrived to ED with generalized erythema, skin cool and clammy, and wheezing. Pt denies contact with chemicals or anything else. ? Have you been sexually assaulted? no ? Stroke Screening no ? Pregnant/Could be pregnant not applicable ? LMP not applicable ? Tetanus <5 years ago ? Immunization up to date yes ? CDC Early Warning Symptoms None Identified ? CDC Precautions standard precautions mask applied Infectious Disease: Infectious Disease: ? Have you traveled recently? No ? Do you have any of the following symptoms? none Mode of Arrival: ? Mode of Arrival private auto Height/Length - Weight for Calculation: Weight for Med Calculation: ? Height (ft) 6 Feet ? Height (remainder in inches) 0 Inch ? Height (cm) 182.8 cm ? Body Measurements stated ? Weight for

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

Calculation (kg) 108 Kg ? Weight Method stated ? BSA (m2) 2.29 M2 ? BMI (kg/m2) 32.3 kg/m2 Triage Vital Signs: ? Temp (degrees F) 97.1 degrees F ? Temp (degrees C) 36.1 degrees C ? Method skin/temporal ? Heart Rate (beats/min) 118 bpm ? Respiration (breaths/min) 18 ? BP Systolic (mm Hg) 156 mm Hg ? BP Diastolic (mm Hg) 103 mm Hg ? Sitting BP right upper arm ? SpO2 Patient On room air ? SpO2 (%) 98 % Treatment Prior to Arrival: ? Treatment Prior to Arrival none Allergies: Allergies/Intolerances: Allergies: ?? Pfizer-BioNTech COVID-19 Vaccine: Anaphylaxis ?? tramadol: Hives Home Medications - OMR: Home Medications - OMR: \* Patient Currently Takes Medications as of 04/16/2021 15:11 documented in Structured Notes ?? losartan 50 mg oral tablet: None, 1 tab(s) orally once a day, Hx, Status: Active, Quantity: 0, Refills: None, Last Dose Taken: ?? Albuterol (Eqv-ProAir HFA) 90 mcg/inh inhalation aerosol: None, 2 puff(s) inhaled every 6 hours, Hx, Status: Active, Quantity: 0, Refills: None, Last Dose Taken: Patient Seen Time: ? Patient Seen Time 04/16/2021 14:21 ? LMP not applicable ? Tetanus <5 years ago ? Immunization up to date yes Triage Vital Signs: ? Temp (degrees F) 97.1 degrees F ? Temp (degrees C) 36.1 degrees C ? Method skin/temporal ? Heart Rate (beats/min) 118 bpm ? Respiration (breaths/min) 18 ? BP Systolic (mm Hg) 156 mm Hg ? BP Diastolic (mm Hg) 103 mm Hg ? Sitting BP right upper arm ? SpO2 Patient On Pulseox: 98 % on RA @ bedside monitor -- normal ? SpO2 (%) 98 % ? Acuity Level 3 Preferred Pain Scale: Preferred Pain Scale Numeric Pain Scale@ Numeric Pain Score - Rest@ 0 - No Pain Numeric Pain Score - Activity@ 0 - No Pain Treatment Prior to Arrival: ? Treatment Prior to Arrival none Nursing Documentation Review: ? Triage Review I have reviewed the above Vital Signs, Nursing Documentation and Triage Assessment. Arrived From: ? Arrived From home home after leaving vaccination clinic HPI: ? HPI CC: rash/itching HPI: history from patient He describes Covid just after receiving the Pfizer vaccine, his initial dose. By the time that he returned home he had opened up a soft drink was having some slight cough, trouble swallowing and had sensation of itching on his back. He asked his mother to check his back and it was discovered that he was starting to have rash over his

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

body. This seemed to be persistent and he returned to ER for further evaluation/treatment. He has not had reaction to vaccination in the past. He does have allergy to tramadol. He denies having any allergy to soap, detergent, or other chemicals. He denies having exposure to any chemical, fume, dust, plant material after receiving the vaccination. He denies having any new foods or drinks recently. He is not having any nausea or vomiting. He has felt somewhat sweaty. Allergy: tramadol H/O LE muscle weakness/atrophy, COPD ROS Const: No fever, chills, sweats. No unusual weakness (he does note "my leg is atrophying" when he is speaking about his LLE) HEENT: No runny nose, congestion, ear ache. Perhaps some odd sensation in the throat due to swollen uvula. CV: No chest pain, palpitations. No unusual shortness of breath. No edema to the ankles / legs. No pain with breathing. Abdom: No nausea, vomiting, diarrhea, or constipation. No abdominal pain. Lymph: No swelling to glands. Physical Exam: ? Physical Exam A&O, nontoxic. Pleasant. No pain distress. Mild physiologic distress. Appears to be overweight adult with component of chronic illness and with acute allergic reaction/process. Eyes: EOMI, nonicteric, conjunctiva clear. Throat: Moist mucous membranes. Symmetric rise of palate. No pharynx erythema. Tonsils normal size and without erythema or exudate. His uvula is moderately edematous and elongated. He is managing his secretions well. There is no angioedema of the tongue, soft palate, lips. No stridor. No blood in the oropharynx. No rhinitis/runny nose. Neck: supple, normal ROM, nontender. trachea midline. No cervical or supraclavicular lymphadenopathy. Thyroid nontender and normal size. Back: No pain on percussion. No muscle spasm. Nontender palpation. No kyphosis. Lungs: fair to good air movement with quiet, fine primarily inspiratory wheezes in the mid to lower lung fields. No effort, no rales, crackles, rhonchi. Normal resonance on percussion. Cough clear. Cardiac: borderline tachy RRR S1, S2, without murmur or rub. Posterior tibial, Pedal pulses 2/4 bilaterally. No ankle or pretibial edema. Skin: cool & dry extremities. cool & moist (not diaphoretic) back skin. Normal turgor. He does have confluent macular rash to the neck, (somewhat on face), arms, back/chest/abdomen. Some mild hyperemia to the legs/ankles. No urticaria. The right

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

deltoid injection site is involved with the hyperemia/macular rash but no urticaria at this location right now Abdom: Bowel sounds present x 4 Quadrants. Normal tympany to percussion. Soft. Non-distended. Nontender. Nonsurgical. Good muscle tone and moves all extremities. He notes he has his chronic weakness in his left lower extremity. Medical Decision Making: ? Discussed with another healthcare provider Discussed case with another healthcare provider ? Consultation Consultation 1, Consultation 2 ? Consultation 1 04/16/2021 15:54 ? Consultation 1 Comments discussed with RPh. He will come to ER to obtain additional information from patient. This is the hospital's first presumptive Pfizer vaccine reaction. ? Consultation 2 04/16/2021 15:41 ? Consultation 2 Comments discussed with Dr. we discuss presentation. he agrees pt will need monitoring with the persisting symptom/findings and the H/O COPD. 1617 Dr has been to ER and completed eval. pt to be placed on 2nd floor med/tele for additional monitoring and treatment. pt did have labs yesterday. ? Decision to Admit Based On 1446 Based on his symptoms and presentation presumptive acute anaphylaxis to component of the Pfizer Covid vaccine. We will begin treatment with 0.3 mg epinephrine IM once as well as dexamethasone, famotidine, diphenhydramine IV. We will continue to monitor with cardiac telemetry and pulse oximetry. He does have slight wheezing but this may be related to his chronic COPD. No respiratory distress at this time, but his symptoms seem to have been mildly progressive over the past hour (per his report). I believe inclusion of the epi to be prudent based on his presentation. Additionally, I will inform the vaccination clinic of this reaction. he agrees pt will benefit from continued monitoring and repeated IV antihistamine and IV steroid treatment. Pt will need IV fluid for hydration as well. Recheck: ? Recheck Recheck 1, Recheck 2, Recheck 3 ? Time 14:55 ? Recheck patient stable patient improving with treatment ? Comments He is improving. His skin is now warm and moist (not sweaty , not diaphoretic). The rash is receding from the arms. Good coloration to the legs/ankles. Back & torso rash starting to recede. no nausea/vomiting. no difficulty breathing. still with fading macular rash on the torso and upper back. Lungs: improved air movement compared to the initial exam, nl

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

effort, no rales, crackles, rhonchi. He has lower field (only) quiet fine inspiratory wheezes. Normal resonance on percussion. Cough mildly wheeze @ bases, with improved airflow. Cardiac: borderline tachy RRR S1, S2, without murmur or rub. Posterior tibial, pedal pulses 2/4 bilaterally. No ankle or pretibial edema. ? Time #2 15:05 ? Recheck #2 patient stable patient improving with treatment ? Comments #2 man from pharmacy is here and recognizes patient from the vaccination clinic. Patient rash has faded from his extremities fully and appears to have faded from his abdomen still somewhat at the malar area of the cheeks as well as the neck and torso portion of the chest. His pulse is 98?99 continues to have elevated blood pressure. Pulse oximetry 98-100% on room air, normal. Pharmacist will enter the reaction into the CDC/FDA/Pfizer database. Overall pt notes he feels tired (probably related to hydration & benadryl). He notes he has returned to home about 2 weeks ago after spending some time on the road in mountains playing guitar / touring with a small band , playing music. ? Time #3 15:37 ? Recheck #3 patient stable ? Comments #3 He has been resting. No respiratory distress. His blood pressure and pulse and pulse oximetry are reviewed at bedside and they are nonfocal at this time. Overall he is improving. He notes he still has malaise and feels about the same with itching in his back and the sensation in his throat. When I evaluate his back there is hyperemia/some macular rash that is in approximately the distribution of the trapezius muscle of the back this is where he notes he has the itching. Additionally when I evaluate his throat there is still some presence of uvula edema. There is no other angioedema. Perhaps he does have some mild hyperemia to the uvula and soft palate at this time. He is clinically improving but his symptoms have not resolved fully. Skin warm and dry normal turgor. No diaphoresis Lungs initially some coarseness/mucousy breath sounds to the mid lower fields but this clears after he coughs. Good air exchange at this time. No rales rhonchi wheezes or crackles. Cough initially mucousy then clear. managing secretions well. no stridor. no respiratory distress. Critical Care Times: ? Critical Care Time of minutes excluding, separately billable procedures 35 Disposition Summary: Arrival 04/16/2021 14:21 Disposition to be admitted Disposition Decision

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

1228501 4/19/2021 NY

34 M

4/10/2021

4/11/2021

Date/Time 04/16/2021 15:54 Does an Emergency Medical Condition Exist at the time of D/C? yes Condition at Disposition Stable Alert and Oriented Guarded Emergency Diagnosis: ?? History of COPD (Z87.09): Entered Date: 04/16/2021 15:59, ICD-10: Z87.09 ?? Anaphylaxis due to immunization (T80.52XA): Entered Date: 04/16/2021 15:59, ICD-10: T80.52XA ?? Drug reaction, initial encounter (T50.905A): Entered Date: 04/16/2021 15:59, ICD-10: T50.905A PCP Summary: ? PCP , ? Select Follow-up Physician Follow Up Physician #1 Follow Up Physician #2 ? Follow-Up MD ? Group Name Primary Care ? Specialty ? Follow-Up MD ? Fax Number ? Follow Up In 04 days Instructions: ? Other Instructions Return to ER for worsening symptoms or other concerns ? Additional Instructions Patient has had clinical improvement and stabilization although he is not fully resolved of his symptoms. He is placed into the hospital for further evaluation and management under Dr. Note Complete: Note Complete This document is complete. Affix my electronic signature. Last Updated: 04/16/2021 16:19 by (MD) References: 1. Data Referenced From "ER MD Exam and Disposition" 04/04/2021 17:40 2. Data Referenced From "1. Vital Signs - Adult" 04/16/2021 14:30

1 Day after the injection, inside my mouth began to swell, my throat began to close up and limit my breathing, wheezing was taking place, my eyes were also starting to swell shut as well as sneezing and runny nose. Coughing also took place. No rash was present and nothing present at the injection site. Allergy symptoms subsided over the next few hours as a result of Zyrtec being taken. Swelling of eyes remained until the next day after the event.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1228466	4/19/2021	MD	42	F	4/8/2021	4/8/2021	4/8 3:30pm chills, fever, and severe headache started 4/8 8pm fever 102.7, severe headache, left foot and knee swollen, ringing/muffled sound in left ear 4/8 11pm unable to sleep due to headache 4/9 severe headache, fever all day. Unable to sleep 4/10 fever, severe headache, yellow bruising on shin left leg, back pain between should blades. 4/11 fever, severe headache, back pain between shoulder blades. 4/12 low grade fever, headache 4/13 thru currently, random severe headaches (debilitating - need to close eyes, limit light and noise, headache worse when walking)
1228106	4/19/2021	MO		U		3/8/2021	TIREDDNESS/TIRED; HEADACHES; CHILLS; RUNNY NOSE; RED EYE IN BOTH; COUGH; This spontaneous report received from a patient concerned a 59 year old of unspecified sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: Unknown) dose was not reported, administered on 08-MAR-2021 to Left Deltoid for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 08-MAR-2021, the subject experienced runny nose. On 08-MAR-2021, the subject experienced red eye in both. On 08-MAR-2021, the subject experienced cough. On 09-MAR-2021, the subject experienced tiredness/tired. On 09-MAR-2021, the subject experienced headaches. On 09-MAR-2021, the subject experienced chills. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from chills on 09-MAR-2021, was recovering from headaches, and had not recovered from runny nose, cough, red eye in both, and tiredness/tired. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1228450	4/19/2021	NJ	73	F	4/10/2021	4/10/2021	<p>April 17, 2021 History of Present Illness The patient was admitted for a potential post vaccination reaction pattern. She received the majority of vaccine 1 week ago on Saturday within 24 hours start developing a pruritic process with a cutaneous eruption on the back of her neck this progressed over 72 hours to involve the entire body area. She does state that she felt something is in her mouth but was unclear whether they were truly ulcers. There was no involvement of any tongue or lip swelling, nasal (sneezing, rhinorrhea), ocular (tearing, injection of eyes, tunnel vision), respiratory wheezing cough, change in voice) or gastrointestinal symptoms (nausea, vomiting or diarrhea associated with the administration of the moderna vaccine. She does have a history of asthma as a child and through her adolescent years. She does not have a history of asthma at the present time she does have some mild seasonal allergies she had seen an otolaryngologist in the past and told her that she had nasal allergies. The reaction consisted of a progressive cutaneous eruption that started in her neck and went to her torso and upper arms and then progressed to her lower extremities and her abdomen as well as her back and neck and face over the course of 72 hours. The vaccination occurred on Saturday and the patient was seen by her primary care physician on Wednesday and given steroids which did not have any effect. She then came to the emergency department on Thursday where she was admitted for a reaction pattern and has been in the hospital since.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1228114	4/19/2021	VA		F		3/7/2021	PATIENT WAS TEARING; SWOLLEN EYES, WORSE LEFT EYE; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 1805022, and batch number: 1805022 expiry: UNKNOWN) .5 ml, administered on 06-MAR-2021 to Left Arm for prophylactic vaccination. Concomitant medications included hydroxyzine. On 07-MAR-2021, the subject experienced swollen eyes, worse left eye. On an unspecified date, the subject experienced subject was tearing. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from swollen eyes, worse left eye, and the outcome of patient was tearing was not reported. This report was non-serious.
1228402	4/19/2021	NM	47	F	4/8/2021	4/8/2021	Headache 1st day-6pm to 11am, Feverish off & on since shot,. Headache 3rd day-12pm to 3pm , Headache 7th day-5pm to 10pm. 7th8th9th day- leg pain from hip all the way to foot. Could not stand or put pressure for very long. Vision blurry after 2nd day. Still blurry.
1228400	4/19/2021	IN	32	F	4/15/2021	4/15/2021	did not keep us the allotted 15-30 minutes after receiving vaccine. On the drive out, I immediately got a headache, hot/sweaty, blurred vision and felt faint. We were unable to pull over and the high curbs and single car line we were in, my husband pulled over when he could but thankfully my symptoms only last 2-3 minutes. I used a cold compress and had a fan on me when I arrived home about 10 minutes later. About an hour and a half later, my arm hurt bad enough to use a cold compress for two days. Today, 4 days later, my arm has a slight pain to the touch. I did report this to my family doctor, via email.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1228396	4/19/2021	IN	22	F	4/17/2021	4/18/2021	After receiving the shot I was fine for the first few hours. Then my arm started to get really stiff and felt almost swollen. I had my mom check it and it wasn't swollen but the day after I woke up and felt like something wasn't quite right. I felt where my lymph nodes are near my clavicle and there were very swollen almost the size of a golf ball, my lymph node under my armpit was also quite swollen. I had a headache on the left side of my head and around my eye. My lymph node near my clavicle is still quite swollen but I'm feeling a little better. I kept using a cold compress on my arm and lymph nodes as well as taking Tylenol. I did also have a slight fever of about 100 one night but it went away by the next day.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1228395	4/19/2021	FL	70	F	3/10/2021	3/10/2021	<p>Got the vaccine and waited the 15 minutes per their recommendations, and while driving her car home within 10 minutes felt that her face, bridge of her nose and spreading into her cheeks became numb and tingling. Then the lower part of her face, spreading down into her windpipe and clavicle area, then her (outer 2 toes on each foot, pinky and next finger) started to get numb and tingly, as well as the upper lip. As the day wore on that evening the feeling went to the either side of her spine, the numbness and tingling. She waited to see if it dissipated, and called her doctor on Monday 3/15/21 and saw a PA who felt that she may have upset her whole nerve system and told her that it was going to take a while for it to straighten out. She consulted with her PCP and gave her some samples of Horizant, but she did not try it as she has multiple allergies to medications. She also from the time of her vaccine that she started to get horrible burning and tingling throughout her body everywhere, (arms, stomach) woke her up from sleep. The other symptoms previously mentioned continued as well. On Wednesday 3/17/21, called her cardiologist who told her to call the hospital and perhaps go to the hospital and they told her to call her doctor. The cardiologist told her she needed to see a neurologist who she saw on 3/31/21. The patient was afraid she had Guillain Barre syndrome, and the neurologist felt that if that was the case and that she would not have been able to walk at this point. She did the neurologic testing, and she was going to give her Gabapentin (which she had already been given samples of and did not want to take). The burning and tightness of her face down to her throat/clavicle area was concerning to her and still continues. Her conclusion was that if she got worse to go to the hospital, and the basically do not know what to do. She herself is wanting to know if this is going to disappear, and what are the long-term affects. She is now hesitant to have her eyes dilated, is scheduled for some procedures and afraid to have them done as it has been 5 weeks since the vaccine and still having the same reactions, and does not know what she should do. Since the vaccine the worst is in the morning, and residual in the face/burning of her face to throat/clavicle, and also continues with the burning in her spine as well. The burning is not as bad as it was, but the face, throat/clavicle area is the worst.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1228388	4/19/2021	FL	24	F	4/16/2021	4/17/2021	Swollen, redness, itchiness surrounding the area of injection. Body tremors, distorted vision
1228385	4/19/2021	NC	40	M	4/6/2021	4/8/2021	Shortness of breath. Disorientation, Dizziness, Gastrointestinal issues, urinary tract discomfort, blurred vision for extended periods of time during multiple days.
1228368	4/19/2021	KY	68	F	4/8/2021	4/8/2021	12 hours after vaccination eyes discharging and crusted overnight, headache, deep and constant muscle pain, joint pain, intestinal pain and discomfort, fever 101, painful, swollen lymph nodes
1228359	4/19/2021	RI	46	F	4/10/2021	4/10/2021	- 1-2 minutes after the moderna vaccine on 4/10, felt a shock in her head and then her eyes went blurry. Face felt hot. Then it came down to her throat and she felt like there was something big stuck in her throat. It was hard to talk. Husband was there also and noted that Pt had trouble speaking. Felt faint but did not faint. The thing that was stuck in her throat came down to her chest and felt chest tightness. Then a few minutes later, that sensation went away. Ears felt hot and red. - Pt was monitored following vaccination and BP was taken and was 140s (higher than normal). - Pt then decided to go to the ED and be monitored. ED provider thought reaction was due to anxiety as symptoms were not classic for an allergic reaction/anaphylaxis and Pt improved without intervention/symptoms resolved. Pt denies anxiety and feels reaction was an AE.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1228255	4/19/2021	PA	39	F	4/17/2021	4/17/2021	As soon as I received it, about 2 minutes after, it was a drive thru event and my mom was also with me in the car receiving the vaccine also. I was still waiting for the nurse to replace her bandaid since she was bleeding a little more than normal. As soon as the car got out of the tent, I was driving, it felt like my head was being drilled, my vision blurred, everything turned dark, I could not hear, I had a bad headache almost about to faint but I kept on driving slowly to get to the waiting area. By the time I parked, I removed my mask, open the car window and relaxed and just started inhaling deeply. I felt better soon after and spoke to the nurse there and she recommended drinking fluids the next 48 hrs. I felt dizzy, tired but not very sore like the first dose. 2 days later, I still feel dizzy, vision is blurry sometimes and occasional headache, a little tenderness on abdomen and feeling like I am catching my breath sometimes.
1228220	4/19/2021	NY	41	F	4/7/2021	4/7/2021	Numbness of face, arm and leg (right side of the face became droopy), closed-eye hallucination, vision blurriness, difficulty breathing, brain fog, tingling sensations on the chest and neck.
1228194	4/19/2021	CA	22	M	4/18/2021	4/18/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Additional Details: Patient felt dizzy/light-headed within 1-2 minutes of receiving his 2nd dose of Moderna vaccine on 4/18/21 at ~12:30pm. Patient stood up from the waiting area, walked approximately 20 feet to the pharmacy window to request assistance where he fainted and hit his head on the counter ledge. He has a raised bump (approximately 2 inches wide) on his right temple above his eyebrow. Patient remained conscious, received water/juice/granola bar & was monitored by the RPh for an additional 30-40 minutes.
1228686	4/19/2021	PR	62	M	4/12/2021	4/12/2021	Headache Joint pain Back pain Eye pain Fever shaking chills Fatigue Tiredness After a week tiredness still present and moderate fatigue
1228461	4/19/2021			U			Left side face and eye paralysis. Diagnosed on Apr 15, 2021 with Bells Palsey at Emergency Room. I cannot work due to this and now may have permanent damage due to this vaccination.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1230796	4/19/2021	AZ	40	F	4/8/2020	4/8/2020	48 hr fever, 72 hr muscle pains, headache, eye pain ( severe flu symptoms) slight cough with asthma symptoms
1230540	4/19/2021	VA	48	F	2/10/2021	2/14/2021	4 days post vaccine woke with severe dizziness, brain fog, tingling scalp, migraine with pain behind right eye. 5 days post vaccine tried to work but severe disabling dizziness and had to be driven home. Severe disabling dizziness persisted. Could not drive from Feb 14 till March 11. Have had frequent migraines, dizziness, nausea from dizziness,brain fog, tingling scalp and extremities, fullness in right ear. Dx with viral labyrinthitis by ENT Dr. Today, I woke with severe vertigo/room spinning and could not get out of bed. Husband brought me to ENT and now also have viral BPPV



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1230961	4/19/2021	TN	52	M	3/11/2021	3/19/2021	<p>Mini-stroke transient ischemic attack; Room spinning; Winking eyelids involuntarily; Felt like he was falling to his right side; This spontaneous case was reported by a pharmacist (subsequently medically confirmed) and describes the occurrence of TRANSIENT ISCHAEMIC ATTACK (Mini-stroke transient ischemic attack), VERTIGO (Room spinning) and BLEPHAROSPASM (Winking eyelids involuntarily) in a 52-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 023M20A) for COVID-19 vaccination. The patient's past medical history included Open heart surgery. Concomitant products included POTASSIUM, FUROSEMIDE (LASIX [FUROSEMIDE]), WARFARIN, METOPROLOL SUCCINATE (TOPROL XL), MINERALS NOS, VITAMINS NOS (PRENATAL VITAMINS [MINERALS NOS;VITAMINS NOS]), CETIRIZINE HYDROCHLORIDE (ZYRTEC [CETIRIZINE HYDROCHLORIDE]) and ESCITALOPRAM OXALATE (LEXAPRO) for an unknown indication. On 11-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 19-Mar-2021, the patient experienced TRANSIENT ISCHAEMIC ATTACK (Mini-stroke transient ischemic attack) (seriousness criteria hospitalization, disability, medically significant, life threatening and intervention required), VERTIGO (Room spinning) (seriousness criteria hospitalization, disability, medically significant, life threatening and intervention required) and BLEPHAROSPASM (Winking eyelids involuntarily) (seriousness criteria hospitalization, disability, medically significant, life threatening and intervention required). The patient was hospitalized from 19-Mar-2021 to 21-Mar-2021 due to TRANSIENT ISCHAEMIC ATTACK. On 21-Mar-2021, TRANSIENT ISCHAEMIC ATTACK (Mini-stroke transient ischemic attack), VERTIGO (Room spinning) and BLEPHAROSPASM (Winking eyelids involuntarily) had resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Patient received vaccine in right non-dominate deltoid muscle to prevent COVID-19. Patient was admitted to hospital from 19Mar2021 to 21Mar2021 for a magnetic</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							resonance imaging (MRI) and computerized tomography (CT) scan, with observation and Low-Dose Aspirin. Patient was feeling much better and his cardiologist recommended that he receives his second Moderna vaccine as soon as required and to take an extra Vitamin D supplement as a precaution. Scheduled second dose was due on 08Apr2021. Treatment included was low dose aspirin.; Sender's Comments: Based on the current available information and the temporal association between the product use and the start date of the events a causal relationship cannot be excluded.
1230895	4/19/2021	OR	28	M	4/7/2021	4/17/2021	The patient is a 28 y.o. male who presents to the Emergency Department with left sided body aches and 6/10 head pain that began approximately two weeks ago following the administration of the Johnson and Johnson COVID-19 vaccine. The patient is present with a chaperone at bedside who helps provide history and translates for the patient. Since the administration of the vaccine the patient states he's been experiencing these symptoms. The patient reports that he began experiencing his symptoms approximately 30 minutes following the vaccine administration and have worsened since onset. He reports that he took oral Tylenol yesterday with minimal relief. The patient states that movement and exertion exacerbate his symptoms and reports that he was not able to attend work today secondary to his pain. The patient denies any associated symptoms of fever, chills, nausea, vomiting, diarrhea, constipation, or any visual changes.
1230874	4/19/2021	NJ	47	F	4/12/2021	4/14/2021	I have an ear ache, nasal sensitivity, eye pain, slight headache all on the left side of head, shot was in left arm.
1230866	4/19/2021	PA	74	F	2/4/2021	3/2/2021	I received my first shot on 2/4 and I developed Bell's Palsy on 3/2 on the left side of my face I received my second shot on 3/9 and I developed Tinnitus on 3/22 in my left ear The Emergency Room Doctor prescribed prednisone and an antiviral for 1 week and over the counter drops for my eye After about 7 weeks my Bell's Palsy and eye are about 80% The Tinnitus remains

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1230859	4/19/2021	AZ	30	F	4/7/2021	4/9/2021	Moderate Swollen face under eyes and chin for 3 days. Had vx on April 7th around 9pm. April 8th got body ache and chills (took Tylenol extra strength). April 9th-April 11th moderate swollen face. April 12th-April 14th mild swollen face. (Took Benadryl 50mg at night). Called doctor line and Health nurse line who recommended going to Urgent care.
1230848	4/19/2021	AZ	64	F	4/5/2021	4/12/2021	Exactly a week after receiving the J&J vaccine, I was out on my morning walk when my head became very fuzzy and my vision was altered (seeing jagged zigzags-fuzzy ones with my left eye). The vision issue persisted when I closed my eyes. The fuzzy head issue continued during a very difficult walk home and when I arrived and things didn't clear, my husband ended up taking me to the emergency room. I got in quickly because the symptoms I described sounded to them like a stroke. But, I didn't have a stroke. They did a CT scan. It was fine. The vision thing they thought sounded like the effect of a migraine. But, I've never experienced migraines. (Note: this incident occurred the day before the news of the J&J blood clots became public). Anyway, after a couple of hours in the emergency room, I was fine and went home. So, I don't know what happened and it probably didn't have anything to do with the vaccine. I'm not prone to being alarmist and I would only consent to go to the emergency room if I thought I were in a serious situation. The blood work indicated my platelets were in the normal range. And, I'm too old to be in the category of the six women who experienced blood clots. However, I just thought I should report this in case anyone else experiences something similar.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1230840	4/19/2021	SC	32	F	3/16/2021	3/16/2021	<p>Pt states she had weakness that began about 30 minutes after vaccination. This included muscle spasms and muscle pain "all over." She states she had flu-like symptoms for ~1.5 days after vaccination and then felt ok until approximately 3/22/2021, when muscle weakness began and has not stopped. She presented to another hospital on 3/29/2021 to the emergency room and "had a full work-up including EKG, x-rays, and lab work" and was told she had a viral illness. She was given a prescription for azithromycin and ibuprofen, as she was complaining of sore throat. She presented to the emergency room on 3/30/2021 with c/o generalized weakness, back pain, myalgias and chest pain. She also c/o fever and chills. Temp in the ER was 98.5F. Physical exam revealed "diffusely tender abdomen, no rigidity or guarding" and "diffusely tender back all throughout."</p> <p>3/31/2021-saw family physician w/ c/o cough and myalgias, negative for back pain and chest pain/palpitations. Sore throat and cough were improved. Was diagnosed with an apparent viral illness and supportive care. She was advised this could be a viral illness and discharged to home in stable condition.</p> <p>4/11/2021-Pt reports she went to urgent care b/c felt she had a bad ear infection and eyes were hurting (mostly right); was diagnosed with sinus infection and that ears looked ok. Was told to stop azithromycin and begin amoxicillin and ibuprofen. 4/16/2021-presented to emergency room. "Patient with 3 weeks of progressive symptoms of headache, blurry vision, nausea, weakness, and poor control of her bowel and bladder. Symptoms are constant with gradual progression with a duration of 3 weeks. Timing is constant. Severity is now severe. Quality is sharp, tight headache." Vision changes got worse when she was on the flight there. "No exacerbating or alleviating factors. Not associated with fevers. Does have some nausea and muscle aches. Diffuse tremors and difficulty walking without assistance. PE revealed mild psychomotor retardation, tremulous and diffuse weakness, and Romberg present. Mild right sided papilledema. 4/17/2021- further HPI recorded-The patient is presenting for evaluation of headaches, paresthesias, numbness. The patient is a fairly good historian and tells me that symptoms began after she received the Johnson &amp; Johnson COVID-19 vaccine. Patient began to feel fatigued, malaise, numbness and weakness over the</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

legs. Patient had some mild blurriness of vision in the right eye. Symptoms have been persistent and patient began to have some difficulty with walking and feeling off balance. Patient describes the headaches as primarily right-sided. According to nursing staff, the patient has also had some incontinence of urine today. Patient has had some numbness over proximal legs and "private areas". 4/19/2021 ? Assessment as per Infectious Diseases physician; Pt with continued intermittent headaches. Has continued difficulty bearing full weight due to unsteadiness. No loss of sensation at arms/legs. Has action tremor, wide gait, hyperreflexia of arms/legs bilaterally. ADEM Hyperreflexia CSF pleocytosis Fatigue Headache, new onset Patient has nonspecific findings of CSF pleocytosis as well as clinical findings concerning for ADEM. No infectious cause for this problem; temporally associated with receipt of Janssen COVID vaccine. 4/19 Assessment as per Neurologist; Question of transverse myelitis/ADEM: Perhaps induced by the Covid vaccine On steroids MRI scan of the thoracic spine shows demyelination but no contrast enhancement Continue to work with therapy services No signs of CNS infection and antibiotics discontinued. The patient continues on methylprednisolone 500 mg iv q 12 hr at this time (4/19/2021).

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1230837	4/19/2021	OH	43	F		4/1/2021	SWOLLEN EYES; HIVES IN THE EYES; ITCHY EYES; FEELING JITTERY; CONGESTION; This spontaneous report received from a patient concerned a 43 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: D41A21A, and expiry: UNKNOWN) dose was not reported, administered on 09-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On APR-2021, the subject experienced feeling jittery. On APR-2021, the subject experienced congestion. On 10-APR-2021, the subject experienced itchy eyes. Treatment medications included: diphenhydramine hydrochloride. On 11-APR-2021, the subject experienced swollen eyes. On 11-APR-2021, the subject experienced hives in the eyes. Treatment medications included: diphenhydramine hydrochloride. On 12-APR-2021, treatment medications included: diphenhydramine hydrochloride. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from itchy eyes, swollen eyes, and hives in the eyes on APR-2021, and had not recovered from feeling jittery, and congestion. This report was non-serious.
1230832	4/19/2021	PA	62	F	4/3/2021	4/4/2021	4/4 2021 - Red raised Rash at the injection site about the size of a quarter 4/5 2021 _ Itchy raised rash, sore to the touch about the size of a dollar piece 4/6 2021 - Itchy raised, hard and hot. sore to the touch about 3" round 4/7 2021 - Itchy raised, hard, sore to the touch about 3 1/2" round Called Dr. Was told to take Benadryl, Tylenol, compress If no improvement the next bay then I had to come in to the office. I started to see some improvement- not as red. over the next two day it continued to itch less, redness was fading, still itchy and hard. By the 11th they swelling was down to the size of a quarter and redness was gone but still itchy. 4/18 it was about the size of a pea still a little itchy but doesn't hurt and no redness. However, on 4/13 around 6:30 pm I had to be rushed to the hospital couldn't breath, vision and speech was declining . was admitted for blood clot that cut the oxygen to brain causing a mini stroke

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1230820	4/19/2021	NC	46	F	4/1/2021	4/3/2021	Patches of extreme dryness started inside front lower lip and left and right upper lip where lip touches gums 04/03/21 to present. Pain and ulcer appeared inside lower lip/gum 04/09/21. Dry areas of lip tissue sticking to gums. Red left eye on 04/09/21 for about 4 days. No itching or pain. Joint pain in hands, knees, and ankles starting approx. week after to present. Dry eyes and nasal passages for last week. Saw Dentist on 04/09/21 for dry mouth patches and mouth pain. Miracle mouthwash prescribed. Mouth symptoms improved not eliminated to date.
1230999	4/19/2021	WA	41	M	4/19/2021	4/19/2021	5-10min after 2nd dose, pt fainted while sitting in waiting room chair. pt fell forward tipping chair and fell into blood pressure machine. head was scraped between the eyes--slight bleed. pt leg was bruised and pant leg torn from falling into machine. i told technician to call 911 while i went to pt and attempted to sit him up. pt was unresponsive for 20-30 seconds. as he came to, he was able to speak. moved to chair and gave him water as paramedics arrived. they did full assessment x 20-30min. pt did not want to be transported to hospital so they asked him to stay for additional 30min. he then said he was ok to go home.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1230802	4/19/2021	CA	16	M	4/19/2021	4/19/2021	<p>Patient went to observation area and was sitting with his mother after receiving vaccine at 03:41 PM on RA.</p> <p>Patient told nurses at 03:45 PM he felt lightheaded, was seeing blurry vision, and his stomach hurt. Patient was pale, diaphoretic, and had unstable vitals. First set of vitals was taken on the RA at 03:46 PM with BP 80/40 mmHg, HR 90 bpm, RR 18 bpm, and oxygen at 98%.</p> <p>Patient was told to take slow deep breaths, was given an ice pack for the neck, water to drink, and some pretzels.</p> <p>At 03:48 a second set of vitals was taken on the LA with BP 120/60 mmHg, HR 56 bpm, RR 18 bpm, and oxygen at 100%. Patient claimed vision was no longer blurry, he was no longer lightheaded, and stomach no longer hurt.</p> <p>Patient was no longer diaphoretic and was no longer pale. Last set of vitals was taken on the LA at 03:50 with BP 122/78 mmHg, HR 56 bpm, RR 17 bpm, and oxygen 100%. Patient stayed for an additional 15 minutes and left at 04:16pm with his mother. He claimed to feel back to normal. Both patient and his mother, father, and sister were educated on what to do if he starts to feel these symptoms again.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1231009	4/19/2021	CA	32	M	4/16/2021	4/16/2021	<p>Patient received the 1st COVID-19 Vaccine (Pfizer, Lot #: EW0162, expiration date: 07/31/2021) at 10:00. At 10:12 patient ambulated to Medic in the observation area, asking to use the restroom due to complaints of nausea. Patient was advised by Hospital that he would not be able to use the restroom due to his physical presentation of pale, warm, moist skin, pupils becoming greater than or equal to 9 mm, and a look of confusion. Medic attempted to assist the client with ambulation to anti-gravity chair, when the patient?s knees buckled and he was assisted to the floor. Nurse and Nurse responded to assist Medic. Patient lost consciousness and was then assisted into anti-gravity chair and sternal rub applied. Per Medic , patient?s loss of consciousness subsided after 3 seconds and became conscious, alert, and oriented to person, place, time, and event (CAOX4). Patient stated he has ?syncopal episodes every time he has a procedure done that involves needles.? Baseline vitals were obtained by Medic at 1015, while patient was sitting: blood pressure: 98/50, heart rate: 60, respiratory rate: 18, pupils equal and reactive to light at 5 mm. Patient claimed that about 2 minutes status post-vaccine, he began to feel ?lightheaded, nauseous, and had a hot flash. Patient stated he has similar reactions every time. Patient denied chest pain, headache, vomiting, abdominal pain, and blurry vision. Patient was given water to sip on. At 1020, second set of vitals were taken by Medic, while patient was sitting: blood pressure: 90/60, respiratory rate: 16, heart rate: 97, and patient was conscious, alert, and oriented to person, place, time, and event (CAOX4). Patient?s skin was normal color, warm, and dry. Pupils were 3 mm and equal and reactive to light. Patient claimed last oral intake was on 04/15/2021 with minimal fluid intake as well. Patient denied any complaints and claimed he was feeling better. ALS interventions offered by Medic for further evaluation and care, but patient refused. Third set of vitals were obtained by Medic, while patient was standing, at 1030: blood pressure: 118/76, heart rate: 82, respiratory rate: 14, and patient was conscious, alert, and oriented to person, place, time, and event (CAOX4). Patient was negative for orthostatic pressures and was released into the care of his spouse, after waiting in the observation area for about 1 hour. Patient drank a full 12 ounce water bottle and was able to walk out on his own, with a steady</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							gait and in no distress.
1230794	4/19/2021	NC	73	M	3/27/2021	4/8/2021	Headache and pain behind Rt. eye, developing into a low grade fever and vomiting. By Tuesday the 11 I developed a rash on my face with pain shooting behind my eye to the back of the head. Tuesday at Emergency room eye was swollen closed, rt. side of face was broke out in scabs and sharp pains through the eye and scalp.
1230787	4/19/2021	OH	25	M	4/19/2021	4/19/2021	Vasovagal response. Sweaty, light headed, hearing changes, change in vision. Felt back to baseline within 20 mins. Had patient lie down, hydrate with water, gave a sucker. elevated legs, cold cloth to forehead. Continuous monitoring.
1230777	4/19/2021	NY	38	F	3/31/2021	4/14/2021	Bad headache, right side of face pain, vision issues, chest pain, blocked right ear, went to er, did tests "all ok". 5 days later and still feel awful everyday. Minor to moderate headaches, low grade fever, minor chest pain, heart racing, fatigue, brain fog.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1230737	4/19/2021	ND	57	F	4/10/2021		NECK TIGHT FEELING ON RIGHT SIDE IN GLAND AREA WHEN SWALLOWS; LEFT EYE WATERING CONSTANTLY WHILE AWAKE; NO APPETITE; PAIN AT INJECTION SITE; NAUSEA; MUSCLE ACHES; SHARP STABBING PAIN IN HEAD; HEADACHE; BODY ACHES; PAIN BACK OF LEFT LEG NEAR KNEE; FEVER; This spontaneous report received from a patient concerned a 57 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: EL043A21A, expiry: not reported) dose was not reported, administered on 10-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 10-APR-2021 16:45, the subject experienced fever. On 11-APR-2021, the subject experienced pain back of left leg near knee. On 11-APR-2021 04:00, the subject experienced body aches. On 11-APR-2021 04:00, the subject experienced sharp stabbing pain in head. On 11-APR-2021 04:00, the subject experienced headache. On 12-APR-2021, the subject experienced neck tight feeling on right side in gland area when swallows. On 12-APR-2021, the subject experienced left eye watering constantly while awake. On 12-APR-2021, the subject experienced no appetite. On 12-APR-2021, the subject experienced pain at injection site. On 12-APR-2021, the subject experienced nausea. On 12-APR-2021, the subject experienced muscle aches. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from sharp stabbing pain in head on 12-APR-2021, and had not recovered from pain at injection site, neck tight feeling on right side in gland area when swallows, fever, headache, body aches, nausea, left eye watering constantly while awake, pain back of left leg near knee, muscle aches, and no appetite. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1230656	4/19/2021	IN		F		3/7/2021	<p>NERVES ACTING UP; THROAT FELT SWOLLEN; CHILLS; NAUSEA; ITCHING; TINGLING; BULLS-EYE RASH AND AND RAISED BUMP AROUND THE INJECTION SITE; MUSCLE ACHES; HEADACHE; This spontaneous report received from a patient concerned a female of unspecified age. The patient's height, and weight were not reported. The patient's concurrent conditions included migraines with nausea and blurred vision, lyme disease, pneumonia, bronchitis, anaphylactic reaction to eggs, anaphylactic reaction to red dye, penicillin allergy, alcohol user, and non smoker. The patient experienced drug allergy when treated with phenazopyridine hydrochloride, and sulfamethoxazole/trimethoprim. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, and batch number: 1802068 expiry: UNKNOWN) dose was not reported, administered on 06-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 07-MAR-2021, the subject experienced muscle aches. On 07-MAR-2021, the subject experienced headache. On 09-MAR-2021, the subject experienced itching. On 09-MAR-2021, the subject experienced tingling. On 09-MAR-2021, the subject experienced bulls-eye rash and and raised bump around the injection site. On 11-MAR-2021, the subject experienced nerves acting up. On 11-MAR-2021, the subject experienced throat felt swollen. On 11-MAR-2021, the subject experienced chills. On 11-MAR-2021, the subject experienced nausea. Treatment medications (dates unspecified) included: paracetamol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from nerves acting up on MAR-2021, chills, nausea, and headache on 11-MAR-2021, and muscle aches on 09-MAR-2021, and was recovering from bulls-eye rash and and raised bump around the injection site, itching, tingling, and throat felt swollen. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1230636	4/19/2021	CA		F		3/12/2021	PAIN IN EYE BONE; PAIN IN JAW/ HEADACHE LIKE PAIN INSIDE JAW BONES; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 1805031, and expiry: Unknown) 0.5 ml, administered on 12-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 12-MAR-2021, the subject experienced pain in eye bone. On 12-MAR-2021, the subject experienced pain in jaw/ headache like pain inside jaw bones. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from pain in eye bone, and pain in jaw/ headache like pain inside jaw bones. This report was non-serious.
1230622	4/19/2021	OH	57	M	3/18/2021	3/19/2021	Had a blood clot and a stroke and blind in right eye, and some paralysis in face. Happened day after first vaccine.
1230618	4/19/2021	PR	43	F	4/16/2021	4/18/2021	I have a dermal filler under my eyes and two days after getting the second shot of the Pfizer vaccine I woke up with eyes very swollen .
1230613	4/19/2021	OR	62	F	4/19/2021	4/19/2021	About 20 minutes after vaccine, started seeing visual auras, felt flushing. Auras got worse and filled vision and felt really disoriented. After about one hour., auras stopped and disoriented feeling subsided.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1230596	4/19/2021	MI	52	F	12/30/2020	1/11/2021	Severe itching of my inside my eyes (upper and lower inside lids); bloodshot eyes; swelling of lids themselves. Felt like an allergy. Felt extremely itchy. Also had like a grittiness to my eyes. It was very severe. It lasted for two weeks before I was seen by the doctor. 1/25 - Dr said my eyes were very inflamed. She rolled up my eyelids and said that I had bumps under my eyelids from severe inflammation. I had been using, at home, an OTC allergy eyedrop - Ketotisin Fumerate - that wasn't helping. Dr prescribed a steroid eye drop. They also gave me an Erythromycin ointment for outside of eyes because they said my skin was very dry and affected and she was trying to moisturize it. She described it as a toxic conjunctivitis. The steroid drops did help. I went back for a follow up and it was improved. Subsequent to that, I went back to doctor for an exam for eye glasses and she said there was still a residual of the bumpiness under the eye lids (March 17th). Now I have been experiencing problems with that again that started a week ago today - April 12th. Having a more itchiness (extreme but not quite as severe as the first time) - redness; bloodshot eyes. I tried the OTC med again and it didn't help. I used the Steroid medication again twice and it did help it a bit...I am trying not to use the Steroid medication too much - so just trying to get the symptoms at bay with sparse use of Steroid drops. (Received the 2nd dose - January 20, 2021.)
1230571	4/19/2021	RI	61	F	3/1/2021	3/27/2021	3 days after 2nd vaccine I had a large red itchy patch around the vaccination site. 8 days after the 2nd vaccine I had intense swelling under my eyes (about the size of a golf ball) Photos available by request.
1230547	4/19/2021	CA	68	F	4/15/2021	4/15/2021	Nausea, vomiting, diarrhea, severe trembling, headache, fever, swollen glands, swelling in eyes, lips, tongue, uglia. Bloody nose. Swelling and itchy at vaccine sight and still swollen on 4/19/2021. Pressure in ears and head.
1230810	4/19/2021	IN	51	M	4/17/2021	4/19/2021	Severe swelling of the left eyeball and eyelid starting at 2:30 am on 4/19/21. No pain, fever or itchiness. But there was flow of tears and couldn't open that eye. The swelling in the eye got worse in the morning and it was completely shut.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1231189	4/19/2021	IL	21	F	4/16/2021	4/17/2021	I started to have hives form along essentially my whole body besides my face starting 36 hours after my initial vaccine. My legs are the most concentrated with hives. I awoke up with swelled up hands, eye lids and wrists. Today, I woke up with a swollen upper lip and swollen bottoms of my feet.
1229531	4/19/2021		21	M	4/13/2021	4/13/2021	Patient received the vaccine and moments after passed out (head and eyes rolled back), starting slouching on his right side and started to show twitching/convulsions and turned pale. Regained conscience soon after his name was spoken to him. Called RRT, took vitals while waiting for RRT. Mother of patient explained that this happens every time the patient receives a shot or blood drawn. RRT showed up and assisted soon after.
1231024	4/19/2021	TN	36	F	2/2/2021	2/3/2021	Suddenly became hypotensive, diaphoretic and clammy, vision got swimmy. I was able to sit down and then lie down before passing out. Then I got the chills and fingers were a bit cyanotic. Blood pressure was checked--it was low 60s/40s. Pulse ox was checked--that was fine, 99 or 100. Temp was checked--that was also normal. Laid down for a few hours and drank lots of fluids, (water and juice). Blood pressure slowly came back up as the day progressed, but not back to normal. It took two weeks for my blood pressure to fully stabilize back to my normal range. I checked my blood pressure daily for probably three weeks and drank juice/gatorade daily to help.
1231335	4/19/2021	CA	29	F	4/17/2021	4/17/2021	1735 Pt reported nausea to obs staff. RN responds as pt loses consciouness x3-5 sec. Regains consciousness, but is weak, pale, diaphoretic. Other 2 RN's respond, help pt to right side on cot. Semi-conscious, reponds to verbal. States she "feels bad." 1737 BP 80/40, P26-55, R14, O2 100%. 911 called. Next door (clinic backup) MFD ALS crew x4 on scene at 1740. Care turned over. BP 68/37, P66, R14, O2 100%, bl gluc 105. 1747 Pt more alert, but still weak and pale. IV access by medic in right arm. IVF wide open. 1750 BP 96/53, P 67, R16, O2 100%. Pt eyes now open, talking, pink lips. Pt. reports her right hand/arm feel numb (vacc inj side). 1755 BP 99/58, P 64, R 16, O2 100%. Transport by amb to ER at 1755.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1231333	4/19/2021	CA	29	F	4/2/2021	4/3/2021	Had hives on face, neck, ears, back, and upper arms. Hives started on face in the morning and slowly appeared in other areas over the next couple of hours. Lips and left eye were swollen. Generally feeling unwell. Went to doctor same day and received antihistamine and steroids for my symptoms. Hives and swelling went down by 11 am the same day after taking the steroids.
1231315	4/19/2021	CA	59	F	4/8/2021	4/15/2021	Rash on upper arm started 7 days after vaccine at the vaccination site. some itchy dots underneath eye. It was hot and itchy. Day 2 it was raised and larger. Day 3 it was at it's worst and I thought I had to go to the ER. The rash on my left arm was very bad and hot and raised. I had taken Benadryl at night and also applied cortisone cream on rash. The rash on my face underneath my eye got worse and it also was now underneath the other eye, My eyes were very red and felt scratchy and got very teary by the end of the day. Also some swelling and itching of upper lip. Day 4 issues in the face got better, but arm rash spread and even got some on the lower arm. Day 5 no more rash in the face or sensitive eyes or lips. It is day 5 now and my upper arm still feels warm and has a rash with red blotches, but it is getting better.
1231313	4/19/2021	CA	65	M	2/13/2021	2/17/2021	Within 4 days of 1st Pfizer vaccine for COVID, developed fatiguable diplopia confirmed associated with vertical eye misalignment.
1231302	4/19/2021	PR	36	F	1/27/2021	2/15/2021	Ischemic cerebral infarction (cva) Right sided numbness Temporary loss of speech Lack of coordination Aura in vision
1231233	4/19/2021	TN	30	F	3/29/2021	4/12/2021	About a week and a half ago I started feeling brain fog and was experiencing a floating sensation. Monday while on lunch I was driving and the world completely shifted and flipped in front of me causing me to pull over out of risk of wrecking my car. I do not have a history of dizzy spells or vertigo per se and there would be absolutely nothing that could have triggered this but the vaccine. I have an article where I am not the only one. Though I can still function im still scared to drive far and I occasionally feel like my eyes are floating



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1231230	4/19/2021	MS	52	M	4/17/2021	4/18/2021	Patient reported blindness for 12 hours starting at 1:00am the following morning along with a "bad headache".
1231225	4/19/2021	TX	47	F	4/6/2021	4/7/2021	Site pain soreness, woke up with 100.7 fever, body aches, chill, nausea, headache and extreme fatigue and felt like this for 3 full days. Then 7 days later awoke with extreme headache behind left eye, sensitivity to light, sensitive/sore spot on top of head, exhausted but trouble sleeping, upset stomach.
1231218	4/19/2021	FL	45	F	4/6/2021	4/6/2021	I have had the same that most people complain about, soreness of arm, but nothing that concerned me. I have noticed changes to my vision and after one week, developing headaches that are not going away even with Motrin. I have also noticed after a few days after the shot a strange reaction, like if my heart jumped a beat and I had shortness of breath. It would be only one or two second episodes at a time, so I'm not too concerned, but if it continues, I will discuss this with my doctor. I had never felt that before. This is not chest pains, it's difficult to describe. It's like the heart has to "jump" a beat.. but only once or twice. It's scary, but it does not happen often and it's happening less in the past day. The headaches are not fun, but I hope they will go away after a few weeks. I don't suffer migranes or headaches on a regular basis.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1230968	4/19/2021	IL	62	F	3/11/2021	4/9/2021	<p>delerious; Fever; Rash; horrible body aches; Skin on fire; severe headache; pounding a rod into brain; dizzy; lack of concentration; eyes not dilating; ringing in ears; This spontaneous case was reported by a consumer and describes the occurrence of DELIRIUM (delerious) in a 62-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 037A21B and 001B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No reported medical history). On 11-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 08-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 09-Apr-2021, the patient experienced DELIRIUM (delerious) (seriousness criterion medically significant), PYREXIA (Fever), VACCINATION SITE RASH (Rash), PAIN (horrible body aches), SKIN BURNING SENSATION (Skin on fire), HEADACHE (severe headache), HEADACHE (pounding a rod into brain), DIZZINESS (dizzy), DISTURBANCE IN ATTENTION (lack of concentration), MIOSIS (eyes not dilating) and TINNITUS (ringing in ears). At the time of the report, DELIRIUM (delerious), PYREXIA (Fever), VACCINATION SITE RASH (Rash), PAIN (horrible body aches), SKIN BURNING SENSATION (Skin on fire), HEADACHE (severe headache), HEADACHE (pounding a rod into brain), DIZZINESS (dizzy), DISTURBANCE IN ATTENTION (lack of concentration) and MIOSIS (eyes not dilating) outcome was unknown and TINNITUS (ringing in ears) had not resolved. This case concerns a 62-year-old female with a serious unexpected event of delirium, and nonserious unexpected dizziness, pain, skin burning sensation, disturbance in attention, miosis, tinnitus, and expected fever, headache, vaccination site rash. Event onset 2 days after second dose mRNA-1273. Event outcomes ongoing or unknown. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.; Sender's Comments: This case concerns a 62-year-old female with a serious unexpected event of delirium, and nonserious unexpected dizziness, pain, skin burning sensation, disturbance in attention, miosis,</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							tinnitus, and expected fever, headache, vaccination site rash. Event onset 2 days after second dose mRNA-1273. Event outcomes ongoing or unknown. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.
1231215	4/19/2021	FL	69	F	4/14/2021	4/16/2021	OUTBREAK OF STYE OR HERPES IN LEFT EYE, OUTBREAK OF SORES IN LEFT BROW...LEFT EYE SORE N RED AND SWOLLEN,...NUMBNESS ABOVE LEFT BROW, FEELS LIKE IT SPREADING TO MY FORE HEAD.
1231185	4/19/2021	FL	18	M	4/8/2021	4/8/2021	Vision problem. My son has been a homeschooled student for many years, using computer for his schooling without any problems. He had a minor injury to one eye shortly before the vaccination (scratched with hand), but after the shot, he complained of vision problems in both eyes. Redness, dryness, pressure, uncomfortable. Unable to concentrate and stay reading for more than a few minutes at a time. His primary doctor is now treating with antibiotic drops, but will take him to the eye doctor if he does not get better by Thursday as he will be done with the eye drops. We have also added allergy medicine, which seems to help a little. He is due for his second shot on 4/29. I still need him to get the shot to be protected from Covid, so hopefully, he will be better.
1231174	4/19/2021	GA	31	F	4/19/2021	4/19/2021	Patient with light headed feeling, heart palpitations, Feels dazed and syncopal. Stated visual defect present. VS stable. EMS called for consultation. Evaluated. Orange juice given and pretzels. Released to family after refusing transport to local healthcare facility. Patient will eat before dose 2 in 21 days.
1231167	4/19/2021	NY	34	F	4/18/2021	4/18/2021	Arm where injection was administered felt pins and needles and then went numb, vision changes and extreme light headedness, confusion - all felt within minutes of shot and lasted for only 25 minutes. Exhaustion followed.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1231148	4/19/2021	AZ	40	F	4/8/2021	4/16/2021	Starting Friday afternoon, noticed numbing of right tongue and progressed to swelling of upper cheeks and lower eye lid, drooping of right corner of mouth. Was unable to lift right eye brows and cannot close right eye fully, Denied loss of taste, still able to eat, drink, and talk. Also had allergy symptoms of fatigue and congestion. Took Allegra.
1231145	4/19/2021	IN	74	F	2/5/2021	2/10/2021	Halucinations- hearing things such as race cars, weedeaters, chainsaws, a choir. ALL hours of the night and day. Yet couldn't hear an actual conversation with people right in front of me. Can't sleep no matter how tired. A few nights didn't even close eyes. Saw some very weird things on the ceiling at night while in bed (room was pitch black). Visual- saw things moving that really wasn't moving. Memory- trouble remembering simple things especially timing of things. Nauseated and throwing up. Head hurt. Trouble walking- couldn't stand up fully and very feeble acting A few things still going on as of today 4-19-2021
1231122	4/19/2021	AL	50	F	2/21/2021	2/22/2021	Achy left ear, paralyzed left side of face, left side of mouth paralyzed, left eye would not close or blink. This started the day after the vaccine injection. The facial paralysis lasted 5 weeks. The leg pain started 3 weeks after injection.
1231118	4/19/2021	NY	52	F	4/17/2021	4/17/2021	Fever, severe headache, muscle weakness, no Strength to stand, vomitting, swollen left eye, rashes on abdomen.
1231076	4/19/2021	OH	66	M	4/8/2021	4/15/2021	Numbness on right side of face , numb tongue, water build up in ears, right nostril closed up right side of face sags and eye will not close can?t blink. Diagnosis Bell?s palsy nad viral infection
1231068	4/19/2021	TX	38	F	4/14/2021	4/15/2021	Pain on my eyes and headache Really bothers me

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1231046	4/19/2021	MI	55	F	4/15/2021	4/15/2021	4/15/2021 Evening: Dry mouth, sore arm 4/16/2021 By 8am: Headache, stiff joint, temp 99.5F 4/16/2021 Throughout the day, headache and temp ranging 99.5F to 100F 4/16/2021 6:30 pm: Took Tylenol 4/16/2021 By 7 pm, the headache is gone 4/16/2021 By 8pm, temp 97.2F, still higher than normal temp (below 96.8F) 4/17/2021 9am. Temp 98.1F. Sharp sting in right eye, mild sting in left eye. They went away after 5 mins or so. Eyes felt heavy through out the day. 4/19/2021 3pm. Tinnitus. Usually it is unnoticeable, but it's very loud. It comes and goes, but this is the worst tinnitus I have experienced.
1231020	4/19/2021	CA	50	M	3/11/2021	3/31/2021	Sudden onset Optic Neuritis, going blind. Extreme headache, Nausea. Loss of Color Vision. Gray Vision, Spots. Vision Loss. Extreme eye pain around eyes. continued extreme headache.
1231015	4/19/2021	MD	34	F	4/18/2021	4/18/2021	numbness on the right side of my face, beginning by my right ear and slowly moving along my right jaw down to my chin then felt it all the way up along the right side of my nose to my eye. The numbness felt like when novocaine is wearing off after getting a tooth filled-i could feel and move my facial muscles and eat but the muscles felt weaker-my right nostril kept running, more saliva was produced on my right side and I had to constantly swallow and my right eye felt dry and sore. This started about 4-5 hours after receiving the vaccine and lasted only a few hours. By the next day, all sensations were gone just the predicted sore arm and slight achiness.
1231011	4/19/2021	AZ	80	F	4/9/2021	4/9/2021	Started to ache everywhere, headache across eyes, pressure in ears, cold, fever, upset stomach. @ 2 AM had severe pain in left arm, could not move it. Experienced light-headedness, all over body ache. Arm pain was so bad i didn't want to move. couldn't sleep all night. tried to eat breakfast but got dizzy, cold and clammy, couldnt eat. Stayed in bed until around 5 PM because of arm pain and general malaise Was finally able to eat and took a tylenol and fell asleep as light-headedness abated and arm pain was better. Next day was better but couldn't lift arm well until 15th still some pain to this day

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1231216	4/19/2021	NJ	45	M	2/12/2021	4/9/2021	Diagnosed with Bell's Palsy. Symptoms began 4/9 and still occurring. Treatment has included steroids, antibiotics, antivirals, eye drops, and physical therapy.
1229696	4/19/2021	ID	49	M	4/16/2021	4/18/2021	patient itching everywhere, blood in eyes
1229954	4/19/2021	AZ	54	F	3/13/2021	3/13/2021	She got the vaccine, and got a racing heart, tightness and heaviness in her chest immediately. When she got to the nurse she relayed that to her. Later she felt unwell, and that her heard in a vice. She then went to the restroom and noticed swelling immediately under eye, and spread to the top of her checked and became dizzy around 1:00 AM that morning. Her lymph does swell and had to see a doctor a week later. Her doctor did an EKG, chest x-rays. She could not rid of the tightness of chest that would not go away. She gave her anti-inflammatory medicines and gave her a script for new inhaler, and is still having the tightness of the chest now. This was not on and off and had to see a doctor. She is taking her inhaler and taking Benadryl as she is now break and can't afford to go back if she has a problem. She got really, really ill and had 10 of the possible effects and then got the severe side effects. With the swelling, breathing difficulty and swelling of the face was advised not to get the 2nd vaccine. She told the nurse at the vaccine site what she was experiencing and was informed by her that it was pre-vaccine anxiety and was dismissed.
1229930	4/19/2021	GA	40	F	4/6/2021	4/6/2021	Blood pressure 50/40 heart beat 50 fever body spasms eye spasms diarrhea short breath lot headaches skin burning when showering skin very dry and swollen
1229914	4/19/2021	IA	27	F	4/3/2021	4/6/2021	April 6, 2021 - Intermittent blurry/spotty vision for about 10 minutes. Once vision returned to normal, felt nauseated and emesis x1 then migraine around right eye for approximately 4 hours. April 8, 2021 - Sudden onset of blurry/spotty vision for approximately 20 minutes. Once vision returned to normal, had migraine around right eye for approximately 4 hours. April 13, 2021 - Same symptoms as 4/8/2021

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1229897	4/19/2021	PA	28	M	4/19/2021	4/19/2021	VOICED BECOMING LIGHTHEADED, DIZZY, AND HAVING VISION CHANGES POST VACCINE. PALE, DIAPHORETIC UPON ARRIVAL TO OBS AT 1353. PLACED IN TRENDELENBERG, VSS, SNACK PROVIDED, S/S RESOLVED. ESCORTED TO EXIT WITH NO ISSUES WITH SIG OTHER AT 1409. 1353 INITIAL BP 125/70 HR 63 SATS 95% RA 1400 BP 118/71 HR 64 SATS 96% RA 1505 STANDING BP 128/84 HR 60 SATS 97% RA
1229870	4/19/2021	PA	44	F	3/3/2021	3/12/2021	I had a seizure and fell out of bed between the night of March 12th and the morning of March 13, 2021. I injured my face badly as well as my eye. I had to go to the Emergency room here on 3/16/21. I had a second seizure at the entrance to event on Saturday March 27, 2021 . It was a grand mal, clonic-tonic seizure. I was lile flighted to Medical center on March 27, 2021 I was not discharged until 3/31/21.
1229862	4/19/2021	WY	63	F	4/15/2021	4/16/2021	[jab #1 - no reaction at all, not even sore arm] DAY OF SHOT - NONE DAY AFTER SHOT 4/16/2021: 5:00 - 11:30 WOKE TO V. SEVERE HEADACHE, LIGHT AND NOISE SENSATIVITY, NAUSEA, DRY HEAVES 11:30 - 14:00 SEVERE HEADACHE (similar to bad eye-strain), ABLE TO TAKE SMALL AMOUNT OF WATER 14:00 - 17:00 BAD HEADACHE (my caffeine addiction kicking in) ABLE TO TAKE TEA WITH CRUSHED ASPIRIN TO MITIGATE AND SLEEP DAY TWO AFTER SHOT 4/17/2021 5:00 - 14:00 WOKE FEELING V. WELL BUT HAD NO APPETITE AT ALL UNTIL MID-AFTERNOON.
1229860	4/19/2021	FL	25	F	4/13/2021	4/16/2021	Two days after the shot I had a really bad cold, during the cold, I noticed that my lip and tongue felt funny. A day after I was over my cold (no more symptoms) My eye began to water by itself and I could see a sty on my inner lid. The next day (Today) I noticed I couldn't purse my lips around a straw, and my right side isn't moving at all. My eye won't blink unless I force it, and my lip won't move.
1229850	4/19/2021	MA	59	F	3/4/2021	3/7/2021	headaches started two days after all day and night every day front forehead and eyes

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1229833	4/19/2021	PA	72	M	3/25/2021	3/30/2021	Five days after receiving the first dose patient was admitted to Hospital on 03/30/2021 with an acute left MCA M2 branch stroke requiring tPA that resulted in a small amount of hemorrhagic transformation. Tee revealed no cardiac source of embolism. He is left with some expressive and receptive aphasia. He also has some loss of L eye vision. There was no stenosis of the carotid arteries but the left M2 branch was occluded. He did not have any atrial fibrillation in the hospital but is wearing a 30 day monitor currently. We have no idea this was related to the vaccine but wanted to report. The Neurologist thinks it is just a coincidence. But we still want you to know it happened.
1229817	4/19/2021	OH	43	M	4/18/2021	4/18/2021	Fever, chills, fatigue, fuzzy vision
1229809	4/19/2021	MI	45	F	4/14/2021	4/14/2021	15 minutes after the injection I had an intense allergic/anaphylactic reaction. I was watched and treated on site by EMS for 2 hours with Benadryl, oxygen and rest. We did not use epi because I was still able to breath (minus some wheezing, coughing, hoarseness and lung irritation). I felt the reaction hit when I started seeing green spots and my vitals dramatically increased (BP 181/111, HR 142 and weak). I then experienced the following symptoms: rash/hives on neck and chest, fatigue and weakness, dizzy and lightheaded and needed wheelchair for moving around, chills and shaking, blurry vision, nausea, stomach pain, headache, chest pain and increased urination. I also had elevated glucose (147). During those two hours my vitals decreased a little, but the rest of my symptoms persisted. I was not getting better and my vitals started to increase again at the two hour mark so EMS called an ambulance and transported me to hospital. I was treated with solumedrol and observed for several hours. The meds helped enough to send me home. (I did have to continue taking Benadryl at home that night and the next day because I continued to have an allergic response). I also had severe injection site pain and bruising.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1230000	4/19/2021	WA	66	F	3/29/2021	3/30/2021	Starting 7 days after the 2nd dose I started having very swollen eyes each morning. That has continued and worsened. On Day 18 after receiving 2nd dose, in addition to swollen eyes, my whole face swelled. This has continued on Day 19, 20, and 21 (today being 3 weeks from having the 2nd shot). Also on Day 18, I noticed a hard lump on my neck which is still there and sore to touch. I continue to have a rash on the left side of my chest which started the day after I received the 2nd dose (March 30), and it is still there 3 weeks later.
1229717	4/19/2021	PA	59	F	3/12/2021	3/27/2021	March 27 woke with severe headache lasted 24 hours. Monday tops of my legs hurt so much it was hard to lower myself to sit. Lasted till Thursday. April 11 woken by severe headache, couldn't see clearly. Very dizzy blurred vision threw up went to er was admitted. Had. Ultrasound, CT scan, EKG, MRI. Left hospital Monday evening, still dizzy till Thursday. Head still doesn't feel right.
1229673	4/19/2021	SC	55	M	4/3/2021	4/12/2021	BELLS PALSY TYPE SYMPTOMS RIGHT EYELID STILL SLIGHTLY VISSABEL AFTER 9 DAYS, CHILLS 3 DAY, FATIGUE 2 DAYS
1229690	4/19/2021	CO	34	F	3/23/2021	4/3/2021	Janssen COVID-19 Vaccine EUA: patient presents to the emergency deaprtment (ED) reporting headache (10 out of 10 pain, difficult to keep eyes open) with neck pain, blurred vision, nausea, and photophobia for two weeks prior to arrival. Patient is four month post partum and breastfeeding. Patient diagnosed with cerebral venous sinus thrombosis and intraparenchymal hemorrhage. Admitted and underwent venous sinus thrombectomy. Currently still hospitalized.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1229684	4/19/2021	FL	50	F	4/12/2021	4/13/2021	24 hours after second Pfizer vaccination, began to experience eye pain and swelling in the right eye / conjunctivitis; which escalated dramatically on 4/14/2021. on 4/15/2021 eye pain continued to escalate and began experiencing severe light sensitivity. Saw ophthalmologist on 04/15/2021 and began taking steroid drops to reduce eye inflammation. Pain reduced, but experiencing fuzzy vision on 04/17/2021 and 04/18/21. Unsure yet of resolution. 24 hours after second Pfizer vaccination experienced fever of 101.2 before reducing with tylenol (lasted from about 5pm to 9pm on 04/13/2021). Extremely tired with brain fog throughout the week (and still experiencing as of 04/19/2021)
1229668	4/19/2021	FL	35	F	4/6/2021	4/6/2021	about 30 minutes after the vaccine I had burning eyes/stinging went away after 15 minutes. About 1.5 to 2 hours after the vaccine I started to feel like my lips, roof of my mouth, and cheeks were numb and tingling. It felt as though they were swollen, but my face was not swollen. It's almost the sensation that you get when you put orajel on and it begins to wear off. I took 2 Benadryl around 8pm because I felt like I was becoming more numb on my face. The next day I still had residual numb/heaviness feeling in my lips and tingling on my cheeks but not nearly as much as the previous day. All reactions were gone by the 36 hour marker.
1229633	4/19/2021	GA	32	M	4/19/2021	4/19/2021	Patient reports dizziness, sore muscles, headache, and nausea that began at 10:30am this morning after receiving his first dose of Pfizer COVID 19 vaccine. He said between 10:30am and 11:00am his vision became blurred. At 2:30pm when patient called to make report he was still experiencing blurred vision. I strongly urged him to go to ER for evaluation or call his PCP ASAP. He verbalized understanding.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1229629	4/19/2021	TX	64	F	2/26/2021	3/6/2021	I have alopecia areata which had been in remission for 5 months or more. I had ahead full of healthy hair growing very well. After the first vaccine, in 7-10 days my hair sloughed. It took only 2-3 days to completely fall out to a slick bald head. After the second dose EP6955 Pfizer, in the days and weeks to follow, I noticed hair loss of eyebrows, eyelashes, nasal hair, and all body hair. Also, profound itching and tingling of skin on my abdomen, chest, arms and legs. My diagnosis has been updated to alopecia universalis. 1st vaccine 2/26/2021 2nd vaccine 3/19/2021 reaction start date 3/6/2021
1229626	4/19/2021	IL	38	F	4/1/2021	4/3/2021	Prior to receiving the J&J vaccine on April 1, 2021, my last menstrual period was noted in September 2019. I have an IUD in place (placed in December 2017). The first 24 hours after receiving the vaccine, I had mild symptoms of headache, low grade fever and aches from the neck up. 2 days after receiving my vaccine, my period began and continued as a light period until April 14, 2021. I continued with headaches in the temporal region and experienced light headedness and blurred vision throughout the day (still continues as of today 4/19/21). I went to my primary physician on 4/15/21 and was sent for labs (CBC, CMP, and TSH level), an EKG (after hearing an irregular heart rhythm), and a MRI of my brain. All of my labs and MRI were reported as normal. My EKG showed occasional PVC's.
1229607	4/19/2021		55	F	4/6/2021	4/6/2021	High Blood Pressure headache low grade fever heart palpitations extreme Chest pain blurred vision extreme shoulder pain extreme neck pain back pain calf pain

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1229582	4/19/2021	NY	37	M	4/16/2021	4/16/2021	Within five minutes of the vaccination, the patient expressed distress. Patient was slumped over in his seat, extremely labored breathing and his eyes were rolling to the back of his head. The Pharmacist spoke to the patient to see how he was feeling but he wasn't very responsive so we administered an EpiPen and immediately called 911. The paramedics came at around 6:20pm and checked the patient's vitals. EMT said the patient's vitals were normal and have the patient the option to go to the ER. Patient was alert and able to drink water. Patient refused hospitalization. We advised the patient to go directly to the emergency room if he was developing any symptoms once home and to follow up with his primary care provider.
1230538	4/19/2021	GA	38	F	4/13/2021	4/14/2021	Hopefully like symptoms and soreness in the arm after the shot. After waking the next morning I threw up 3 times. Over the course of the next few days for headaches nausea stomach cramps and developed multiple rashes throughout my body including I swelling and puffiness around my eyes that still remains.
1231197	4/19/2021	NY	40	F	4/16/2021	4/19/2021	My left eye is swollen and darker in color. It's painful to blink.
1229538	4/19/2021	MI	67	F	3/10/2021	3/13/2021	Cold Hot Chills Itching Hives Flushing Clamy Change in Vision 4weeks of Migraines Ankle and Feet Sweating
1229570	4/19/2021		35	F	3/19/2021	4/8/2021	Stroke in pregnancy. 4/8/21 35YF, 29 weeks pregnancy with stroke about 2-3 weeks after second vaccine dose. Past medical history significant for migraine headache with visual aura. She also has a history of kidney stones. 4/8 She presents to the emergency department for acute onset of right sided weakness. This occurred while she was cooking French toast for her kids and she noticed that she had a sudden onset of right arm weakness. She says it was "floppy". She was unable to lift it. A few minutes later, she noticed that her tongue felt "fat" and she was unable to speak properly. Her words sounded very "thick." She did not notice any drooping of her face. About 5 minutes later, she noticed that her arm weakness resolved and the sensation in her tongue resolved. 4/8 with some paresthesias of her right face and right arm. 4/9 Subjective; no weakness, Discharged home 4/9/21 on Aspirin

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1229752	4/19/2021	MI	35	F	4/16/2021	4/18/2021	Racing heart with some itching along neck and shoulder blades which traveled into face started Sunday evening after vaccine Friday afternoon. Developed periorbital edema around both eyes which was worse on Monday morning. Some improvement with low dose 12.5 mg Benadryl and ice packs.
1230341	4/19/2021	PA	44	F	3/16/2021	4/18/2021	According to patient, she woke up at 2:00 a.m. to use the restroom and noticed she had a very dry mouth and was thirsty. She passed out and when she came to she experienced decreased vision. She was taken to the emergency room via ambulance for tests. She was diagnosed with a blood clot to her lungs after CT scans. She also had additional scans and blood work and stayed at Hospital in town (I am having trouble adding this to the shaded area in question 21).
1230486	4/19/2021	DE	44	F	4/10/2021	4/10/2021	At approx 11:30pm my wife woke up and ran to the bathroom complaining of extreme nausea, fatigue, and back pain. While I was getting her tylenol she fainted, hitting her head on the floor. When she came to, she started experiencing the chills along with an irregular body temperature. I put blankets on her, gave her water, and tended to her eye. I was able to move her from the floor to the bed within 15 minutes. She fell asleep around 2am. She has been doing better but has been experiencing off & on headaches & nausea. We did not go to the doctor since we do not have insurance.
1230435	4/19/2021	SC	38	F	4/7/2021	4/7/2021	vision blurry, fainted, leg numbness, headaches
1230403	4/19/2021	PA	25	M	4/19/2021	4/19/2021	POST VACCINE PATIENT BECAME DIAPHORETIC, DIZZY, HAVING VISUAL DISTURBANCES AND NASUEA. BROUGHT TO OBS VIA WC, PLACED IN TRENDELENBERG ON STRETCHER, VSS THROUGHOUT OBSERVATION. S/S RESOLVED AND PATIENT ESCORTED TO EXIT WITH NO ISSUES AT 1450. 1445 INITIAL BP 131/72 HR 70 SATS 96% RA 1448 SITTING BP 125/71 HR 66 SATS 97% RA 1450 STANDING BP 121/55 HR 82 SATS 97% RA

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1229654	4/19/2021	VT	41	M	2/18/2021	3/26/2021	I've been vaccinated for 2 months now. My new symptoms just started to really ramp up 3 weeks ago. Of course I had the initial symptoms of being sick for 2 and 1/2 days after my second shot?.but recently it started with leg aches and then it matriculated up into my upper body. My legs have since become less achy per say. Now it?s my upper body and mostly in my shoulders (more in the one I received the shots in), back pain, and general fatigue. Currently still dealing with the upper body ache discomfort, cold hands and feet but I noticed that I have a slight headache always and my vision has become a little blurry in one eye. The headache severity is day to day but what?s interesting now is I?m having ear ringing and sensitivity to sound. Headache seems to emulate from the back of my skull and the crown of my head. The other lingering piece is the fatigue after doing activities. I?m an active guy and recently my body gets really achy after I do anything super strenuous and I get tired. Also feeling a little shaky, some rapid heart rate, and some circulation issues in my legs and arms. Note; never experienced these issues before the Vaccine aside from the normal wear and tear of an active lifestyle.
1230001	4/19/2021	SC	26	M	4/19/2021	4/19/2021	t 1510 client received Moderna Covid-19 vaccination. At 1512 client reports syncope. Client is clammy to touch, pale, and reports blurred/loss of vision. Adverse reaction protocol initiated. EMS called at 1513 and arrives on site at 1521. Vital taken prior to EMS arrival are as follows: 1. 1514 BP 120/70, R 16, P 68. 2. 1519 BP 110/68 R 16 P 72. Client reports not eating prior to vaccination. Client given drink and consumes entire beverage within about 5 minutes. Client also consumes a pack of cheese crackers and two bottles of water. Client refused epinephrine, benadryl, and EMS transport to hospital. Client reports feeling better and being very nervous about needles. Client reports feeling fine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1230381	4/19/2021	CA	41	F	4/15/2021	4/15/2021	First day, obvious swelling on left arm with bruise. Left side of the body experienced muscle pain. At night, fever started at 37.6. Second day morning, fever 38.5 degree. Fever lasts whole day. Sever headache. Taking Tylenol every 7 hours. Body temperature dropped half an hour to one hour after taking Tylenol but came back 3-4 hours later. Muscle with pinch pain. Short breath. Stomach ached. fascial muscle also pinch pain. Almost no food intake. Only water. Eye hurt when seeing light. Cooling forehead by cold wet towel. On third day, temperature dropped to 37.8. Sweating a lot. Felt weak. Headache when moving or coughing.
1230520	4/19/2021	CA	32	F	4/9/2021	4/10/2021	24 hours after vaccine was administered, patient states she had an allergic rxn. swollen and itchy eyes and hives on face and neck. Patient went to ER and was given Benadryl Injection and Benadryl capsules for home use. After a week symptoms still persisted and patient went back to the ER and was given a 3 day course of Prednisone. Patient called pharmacy after the course of the Prednisone was finished without a resolution to the symptoms. Patient called the pharmacy and we recommended patient to see PCP, or go to ER or clinic. Patient agreed and will go to ER or clinic.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1230351	4/19/2021	FL	68	F	1/12/2021	1/12/2021	01/12/21 Brief pricking pain in left hip with mild cramping in left foot. 01/16/21 4 days later I experienced discomfort with burning,tingling radiating sensations in both knees,lower legs and feet for a few minutes. 01/22/21 symptoms returned and remained or more than 24 hours. After subsiding for several hours they returned 01/24/21 but progressed overnight up thighs to buttocks with 4 soft BM during night.01/25/21 I walked in to see PCP to report symptoms,exam and lab work drawn.01/27/21 tingling was experienced to upper thighs buttocks,perineum ,scapulae ,and fingers bilaterally,lasted briefly. 01/29/21 tingling in face. 02/01/21 pain in both arms. 02/02/21 weakness in legs,burning and cramping in both feet.02/04/21buttocks and thighs feeling heavy,tightness,numbness around nose,eyes and ear lobes,fatigue. 02/10/21 burning and tingling in 4th and 5th fingers of both hands radiating to elbows,hands unsteady. 02/12/21 MRI of brain and spine done,admitted to Hospital for worsening of symptoms including unsteadiness on feet, discharged 02/13/21. 02/14/21 Tingling in lips,tongue,speech halting and stuttering,head jerking,face twitching,shortness of breath,pounding heart. Speech abnormality returned on at least 6 different occasions. Mild headache,blurred vision,tightness in face,around eyes are occasional and transient since 03/22/21.Tingling and burning in feet and lower extremities and sporadic joint pain continue on and off with unsteadiness on feet and fatigue
1230332	4/19/2021	TX	47	F	3/30/2021	4/10/2021	Adverse effect from 1st dose of Pfizer vaccine for COVID: - swelling of head with hives, - swelling of face, lips, eyes - swelling of feet, - shortness of breath, chest tightness - extreme itching and rashes across all over body.
1230325	4/19/2021	KS	47	M	4/14/2021	4/15/2021	Eye redness and puffy, migraines, fever cold chills, muscle pain and joint pain, it?s been five days and eye almost closed completely. Wanted to report the blood shot eyes and puffy ness around left eye



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1230318	4/19/2021	CA	24	F	4/8/2021	4/8/2021	Patient went for Covid vaccine 4/8/21 Clinic. Reports she noticed 3-4 cm swelling at injection site of left arm soon after. Also reports swelling under left eye. When she got home, she noticed the injection site was slightly purple. She reports she continues to feel mildly itchy 3/10 at the injection site today (4/14). patient email photo of arm on day of injection and 4/14 on 4/14, but provider did not observe sx described in person.
1230268	4/19/2021	CA	36	M	4/19/2021	4/19/2021	Patient was sitting in waiting area and became very diaphoretic and dizzy. Patient collapsed to the floor witnessed by family member and nurse. Within 5-10 seconds patient jumped off floor confused but alert. Left eyebrow had 3cm cut with blood coming from his eyebrow. A small abrasion to the left lateral nose was noted. Patient was assisted to the chair and was alert and oriented x3. EMS was notified and came out to evaluate patient. Vitals were as followed b/p 100/64, HR 51, O2 98%. Cold compress was placed on patients neck. Pressure placed on laceration. Minimum bleeding noted to area. Patient refused to be taken by EMS to the hospital and stated that he would be taken by his accompanied family member. Vitals upon leaving were B/P 115/65, HR 79, O2 99% and alert and oriented x3.
1230237	4/19/2021	CA	49	F	4/17/2021	4/18/2021	all fingers on left hand were vibrating for maybe 2-3 minutes, my husband wasn't able to feel any vibration, but in close visual observation, he could see slight vibration. I massaged my hand and fingers and shook my hand until it finally stopped.
1230136	4/19/2021	AZ	38	F	4/16/2021	4/17/2021	Started to feel tingling in left shin after vaccine. Lethargic next day. On 4-17-2021 Tingling in left fore arm and shin date. Subsides some . On 4-18-2021 tingling returned to shin and forearm. Some in left groin area. 4-19-2021 tingling itching in left shin, some in groin, left face under eye. Injection site mild itch and tingling. Spoke with primary care provider who said monitor symptoms.
1230060	4/19/2021	CA	28	F	4/17/2021	4/17/2021	Patient complained of severe lightheadedness, tunnel vision, ringing of the ears, and sweating. History of syncopal episodes with blood draws/shots. Denies shortness of breath, denies swelling of face/throat. Felt better 2 minutes after she was assisted to supine position. Vitals signs stable.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1230376	4/19/2021	VA	68	F	3/5/2021	3/28/2021	I developed Bell's Palsy (droop of mouth and unable to close right eye) three weeks after COVID vaccine shot #1. I went to the emergency room and was diagnosed and given a prescription for Prednisone. My doctor was out of town and the doctor on call added 3000 units of Valtrex. I was referred to another Dr., who indicated that this may be a result of the vaccine. She conferred the treatment given.
1230214	4/19/2021	NJ	47	F	4/17/2021	4/17/2021	Swollen eyes. mostly right eye. painful to blink. Dr prescribed steroid eye drops to treat. follow up appt in 2 days.
1230057	4/19/2021	CA	68	M	4/7/2021	4/11/2021	Headache, diffuse abdominal pain , recent blurred vision lasting 1 week
1230059	4/19/2021		68	M	3/10/2021	3/12/2021	Pt has a history of CVA and aspiration pneumonia in Feb 2021. Pt had been on olanzapine since 2/24 at Institute. He was given his second Moderna Covid-19 vaccine on 03/10/21. Per note on 3/12, pt had seizure like symptoms at 0545 for approx. 45 seconds (eye rolling, lack of response, increased confusion) Per staff, there was no flexing of limbs or loss of bowel or bladder control. No noted stroke like symptoms but he appeared more confused at neuro check. Pt was back to baseline at 15 min neuro check. Pt reported to have had additional seizure, of approx. 4 minutes duration, during morning report that day-but when MD got to his room, he appeared ?post ictal with a mildly agitated restless delirium? rolling back and forth on the floor, moaning, and not making eye contact. Pt did lose control of his bladder. Olanzapine was discontinued on 3/12, due to potential to lower the seizure threshold. Divalproex was initiated for seizures. Per note 3/22-no additional seizure type symptoms have occurred.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1230104	4/19/2021	WI	45	F	4/13/2021	4/13/2021	Client report receiving first COVID vaccine on 04-13-2021 about 10:30 am, adverse reaction began on same day, hours later about 4:30 - 5:00 pm. Adverse reaction of blurred vision started. Client wears contacts and glasses, normally without issues. Blurred vision in both eyes, right eye feels dry. Client has not reported rubbing eyes, no drainage or redness in either eyes. Client has also reported symptoms of fatigue, headache and congestions. Took Tylenol for the headache on 04/14. No known history of allergies. Client plan to contact her PCP, regarding adverse reaction.
1230146	4/19/2021	NH	54	M	3/25/2021	3/30/2021	About a week after my first shot i experienced the start of a rash on my lower back.Did not think much of it at the time,assumed contact dermatitis. Rash started to spread slowly,used hydrocortosone daily as needed.Contacted my PCP on 4/09 virtually and he told me to keep an eye on it.After my 2nd shot I experienced the usual fatigue and arm.pain but my rash got worse.,Contacted local urgent care provider on 4/18/2021 @11:25 AM.My provider was Doctor. By this time my rash was all over my back and had travelled to my front.After full mock up she diagnosed me with a pityriasis-rosea condition .She prescribed me kenalog 0.1% predisone cream and Benadryl for itching.
1230018	4/19/2021	MN	31	M	4/14/2021	4/15/2021	Left upper eye lid swelled up for 3 days. Slight itchiness. Went down slightly after taking Acetaminophen
1230199	4/19/2021	OH	51	F	2/4/2021	2/4/2021	Approximately 10 minutes after receiving vaccine the patient's throat felt scratchy, tongue felt itchy, tingling occurred around lips and throat, and eyes felt itchy. Benadryl 25 mg was given immediately after patient complained of symptoms and after 30 minutes of observation patient felt better and left with her husband. Patient followed up with her allergist and allergist recommended her not to get the second dose. Patient reported she wants to get the second dose, therefore, I recommended she take Benadryl before receiving a second dose of the vaccine if she chooses to do so.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1230202	4/19/2021	MO	71	F	4/19/2021	4/19/2021	Within 2 min, Pt asked if it was normal to feel vaccine traveling down arm, "tingling feeling Rt arm down to fingers." She then states top of her head started hurting and denies having symptoms prior to vaccine, and having dizziness, blinking her eyes frequently, newly noted. 1435hrs: BP 195/92, HR69, SpO2 100 on room air, RR 17. BP continued to elevated (197/111, 211/106, 242/113) and transported to exam room and consulted provider who recommended ER. As BP continues to elevate, H/A increases from 2/10 to 5/10, dizziness continues and blurry vision starts. 1503hrs: BP 148/96, HR 46, SpO2 99% on 2L O2 via nasal cannula. Pt states "I'm having medication taste in my mouth, is this normal?" She then states she is having chest pressure and EMS arrives. 1509hrs: Patient transported by EMS to local hospital ER via ambulance and she states after transfer to gurney that "my chest really doesn't feel good.~~
1230212	4/19/2021	MO	58	M	4/15/2021	4/16/2021	Moderate loss of vision in left eye. Slight loss of vision in right eye. Started the day after receiving vaccination and is still present today. Have not seen Dr.
1230003	4/19/2021	AZ	53	F	4/15/2021	4/15/2021	Moderma Covid-19 Vaccine EUA - -Right after shot had diarrhea -Then neck got stiff and down back -Left eye hemorrhage - Constipation from Thurs right after one time episode of diarrhea until Monday afternoon after taking Miralax - nausea - headache - Bradycardia low 30's - swimmy headed - felt like I had taken tramadol or something body felt crawly inside In hospital 25 hours on heart monitor
1230098	4/19/2021	IA	56	F	4/13/2021	4/13/2021	Since receiving her second dose of Moderna client reports severe ringing in her ears and extreme loud ringing to the point of a panic attack and needed to take xanax to get some relief. Client reports not being able to get warm at all, has not reported having chills though. She also has experienced headache, has pressure and pain in eyes reports no blurred vision but will stare and get fixated on certain items so is being very cautious with driving. Reports a foggy feeling and brain zaps that are terrible occurring several times a day. Left arm pain at injection site and up around bicep, and left hand stinging/numbness, and fatigue yet has trouble sleeping.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1229629	4/19/2021	TX	64	F	2/26/2021	3/6/2021	I have alopecia areata which had been in remission for 5 months or more. I had ahead full of healthy hair growing very well. After the first vaccine, in 7-10 days my hair sloughed. It took only 2-3 days to completely fall out to a slick bald head. After the second dose EP6955 Pfizer, in the days and weeks to follow, I noticed hair loss of eyebrows, eyelashes, nasal hair, and all body hair. Also, profound itching and tingling of skin on my abdomen, chest, arms and legs. My diagnosis has been updated to alopecia universalis. 1st vaccine 2/26/2021 2nd vaccine 3/19/2021 reaction start date 3/6/2021
1229905	4/19/2021	NJ	51	F	3/23/2021	3/23/2021	3/23 & 3/24 - Sore arm 3/23 & 3/24 - Severe diarrhea which did make me weak 3/23 - 3/26 - My Sjogrens Syndrome had a flare but I previously never had such dry hands and dry legs. - I did have fatigue 4/1 & 4/2 - I had COVID arm -> I can share a picture of my left arm 4/9 thru 4/11 - Bulging temple on my left side just above my left eye appeared -- I took aspirin from 4/9 thru 4/12 to reduce chance of a blood clot -- This never happened like this in my life before and I had no headache and I was not dehydrated -- I can share a picture of the temple by my eye. I did feel fatigue. 4/7 thru 4/17 - The left side of my upper lip twitched for about a minute; it usually occurred in the morning when I woke up. 3/23 thru 4/17 - My Sjogrens Syndrome dry eye inflammation and dryness increased in my left eye but has since gone back to pre-vaccine limited dryness
1225330	4/18/2021	IL	69	M	3/4/2021	3/14/2021	Patient was admitted on 4/14/21 for work up of complaints of dizziness, lightheadedness, one episode of syncope, balance and gait issues, blurred vision, tinnitus that has been present for a little over a month. Patient underwent a CTA 4/14/21: intraluminal filling defects within the superior sagittal sinus and draining dural veins to the right and left of midline near the vertex. There are findings consistent with chronic thrombosis of the left transverse and sigmoid sinus with partial recanalization of the sigmoid sinus and jugular bulb at the skull base. Still in hospital today

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224917	4/18/2021	MO	75	F	3/1/2021	3/1/2021	Exacerbation of COPD/having trouble breathing; extremely tired, couldn't get out of bed, couldn't move/tiredness; weakness; bleeding; Test: Iron; Result: Critically low; red blood cell was below 5; administered at the left upper forearm; This is a spontaneous report from a contactable nurse (patient) via Pfizer. A 75-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Batch/Lot number was not reported, NDC number: 59267-1000-02), via an unspecified route of administration, administered in the left upper forearm on 01Mar2021 at the age of 75-years-old as single dose for COVID-19 immunization. The vaccine was administered to the patient at a pharmacy (in a grocery store). The patient had no prior vaccinations (within 4 weeks). The patient's medical history included retired (retired registered nurse), ongoing depression (has had this condition for probably 20 years), ongoing lung cancer (has had this condition for probably 3 years), ongoing bipolar (has had this condition for about 4 years), ongoing emphysema (has been severe for about 4 or 5 years), and ongoing chronic obstructive pulmonary disease (COPD) (has been severe for about 4 or 5 years). Concomitant medications included duloxetine taken for depression from an unspecified start date and ongoing (been taking this probably for 15 years); and arformoterol tartrate (BROVANA) (started taking this probably 5 years ago), budesonide (started taking this probably 5 years ago), tiotropium bromide (SPIRIVA) (has been taking this for probably about 4-5 years), oxygen (has been using this full time for 3 years), and Trilogy machine (she sleeps with this, it is an invasive intubation. She puts a big mask on and it pumps air in, pulls air out, letting her lungs rest. Her oxygen hooks up to it), all taken for emphysema and COPD from an unspecified start date and ongoing. The patient reported that she received the vaccine on 01Mar2021 and sometime in Apr2021 around Easter, she went to the hospital for COPD exacerbation, tiredness and weakness. The patient required a visit to the emergency room due to the events and reported that she went by ambulance to the hospital. The patient stated that she has these events often and it has nothing to do with the COVID vaccine. She went to the hospital with exacerbation of COPD and missed her date to get her

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

last shot. She wanted to know whether she can get the 2nd dose of the vaccine with her experience after the 1st dose. The patient reported that she now weighs 177 after she has been pumped full of cortisone. The patient reported that her lung doctor was really the one that manages her medical. The patient reported that she thinks she came home from the hospital the day before Easter and she was in the hospital for 5 days (in Apr2021). She was sick before that, at home, and she finally had to call # to come and get her. She believes she had to call # the 5th day before Easter, but she was not positive. When asked to clarify what she meant by sick, the patient explained she was extremely tired, she couldn't get out of bed and couldn't move. She was having trouble breathing. She was on oxygen 24/7 and sleeps with a trilogy machine so she was having a lot of trouble, it was awful. She said she then found out at the hospital her red blood cell was below 5 and her iron was critically low. They had to give her 2 units of blood and an infusion. Then she went back yesterday and got another infusion and she has to go back next week for another infusion. The patient confirmed that she was hospitalized for COPD. She then stated she didn't know the exact date of when she was discharged from the hospital, but she was thinking it was the day she was scheduled for her second shot. She then clarified she came home Easter. The patient reported that she can't do much without having to sit down, catch her breath, and rest a little bit. She was improving but not as fast as she'd like to. While reading the vaccine record card, the patient stated "my eyes aren't as good as they used to be". Her pulmonologist stated she was going to die if she doesn't take the vaccine. If she catches COVID she was not going to make it, so her pulmonologist thinks her chances are better with the vaccine than without it. The patient said she goes all the time to the hospital; therefore, she doesn't think the events were related to the vaccine. She had been sick several times. They can't do anything about the bleeding, they can't go in to do anything because of her lungs, her lungs were so bad. No further details were provided regarding the bleeding she was speaking of. The patient reported that duloxetine doesn't come as 90 mg so she takes a 30 mg and 60 mg tablet; she mixes the Brovana and Budesonide and takes them at the same time, twice a day. She was given an

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

albuterol solution, 0.5mg PRN (as needed), for her emphysema/COPD. She says she just started taking this from her last hospital stay. The patient reported that she did not remember her iron count, just that it was critically low. She did remember asking the nurse what could happen, and the nurse said a lot of things such as infection. She confirmed tests were done in regards to the lung cancer. Her lungs were too critical for any kind of invasive tests. It was reported that the events Exacerbation of COPD and "extremely tired, couldn't get out of bed, couldn't move" were assessed by the patient as unrelated to BNT162B2. The outcome of the events "Exacerbation of COPD/having trouble breathing" and "extremely tired, couldn't get out of bed, couldn't move/tiredness" was recovering, while the outcome of the other events was unknown. Information on the lot/batch number has been requested.; Sender's Comments: Based on the narrative information provided, the reported events Chronic Obstructive Pulmonary Disease, Fatigue, Asthenia, Blood iron decreased, Red blood cell count decreased and Asthenia are assessed as intercurrent medical conditions and unrelated to BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection). The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1225336	4/18/2021	NJ	42	F	3/6/2021	3/9/2021	started getting a strange throbbing head pain under my right eye. then a few days later excruciating pain in my lower tooth radiating throughout my entire mouth and jaw. on the right side. it was the worst pain in my life. unrelenting, throbbing, radiating pain. I almost went to the emergency room since the pain continued for 48 hours without relief. I googled symptoms and found trigeminal neuralgia but ended up at a dental office and required an emergency tooth extraction in tooth #30. I had a root canal there prior so at first I didn't connect the two but the pathology found that I had periapical granuloma, which is inflammation. I do not know if the vaccine caused the inflammation but I believe the vaccine hastened inflammation rapidly in that area. the dental surgeon nor dentist believe there is a connection, but interestingly my mom had a similar experience right after her vaccine. I noticed there is a study testing on "Oral side effects of COVID-19 vaccine" <a href="https://pubmed.ncbi.nlm.nih.gov/33483637/">https://pubmed.ncbi.nlm.nih.gov/33483637/</a>
1225292	4/18/2021	VA	34	M	4/16/2021	4/16/2021	Started having a disturbance with hearing, blurred vision, hands became cold, diaphoreses, and pallor. Bp 92/68, HR 95, pulse ox 92
1225286	4/18/2021	MI	64	M	3/13/2021	3/20/2021	3/13/2021 Lt shoulder rash and lt eye swollen; 4/14/21 had acupuncture for neck pain; 4/15/21 herpes rash started LUE advanced to both UE, neck, lt ear, and lt hip; lt eye swollen Increased Valtrex from 500 mg daily to 1 gm three times daily. Advil for pain. Benadryl for itching. Initial rash abating; new rash developing; eye swelling diminishing.
1225279	4/18/2021	MA	22	F	4/12/2021	4/13/2021	Pt called through to MGB covid line on 4/13/2021 after receiving her first covid vaccine on 4/12/2021. She noticed at somepoint in the afternoon when she was looking in the mirror that her left lower lip was not moving and she had decreased sensation. Her face looked equal and symmetrical besides her left lower lip, can open and close both eyes, No numbness in hand or legs, no confusion no trouble communicating. Pt advised to be seen in in ED on 4/13/2021 for evaluation.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1225357	4/18/2021	PA	18	M	4/18/2021	4/18/2021	AFTER VACCINE GIVEN, DEVELOPED BLURRED VISION, DIZZINESS, FELT FAINT, APPEARED PALE PER STAFF, BROUGHT TO OBS VIA WHEELCHAIR, GIVEN SNACK/WATER/JUICE, REPORTED FEELING BETTER, COLOR RETURNED. VSS LYING TO STANDING, ESCORTED WITH FATHER TO EXIT WITH NO ISSUES ONCE SYMPTOMS RESOLVED AT 0900. 0840 INITIAL BP 105/70 HR 68 RR 18 SATS 98% ON RA 0850 STANDING BP 108/71 HR 63 RR 18 SATS 98% ON RA
1225278	4/18/2021	IN	25	F	4/16/2021	4/16/2021	Migraine 8 Hours, headache lasting 24 hrs, body aches 24 hrs, fatigue 48hours, nauseous 24 hrs, eye pain 24 hours, stiffness 24 hrs,
1225212	4/18/2021	OH	24	M	4/13/2021	4/13/2021	Significant fogginess of brain which has only worsened and is still lingering to now (4/18/21). Simultaneously this is mixed with fatigue regardless of how much sleep I get or water that I drink. Less frequently I have symptoms like eyes burning (similar to bad allergies), slight dizziness, minor headaches, and minor body aches. The fatigue and brain fog are by far the worst and still persist, the others listed are minor but still come and go in small amounts. On Wednesday (4/14) I took Zyrtec (10mg tablet) to help focus throughout the day then one ibuprofen tablet (200mg) at night, and on Friday (4/16) I only took the Zyrtec. Since then I have not taken any medications. The symptoms were alleviated by the medication but without them all symptoms come and go to varying degrees throughout the day and worsen by night time.
1225171	4/18/2021	FL	23	F	4/17/2021	4/17/2021	Systemic: Dizziness / Lightheadedness-Severe, Systemic: Fainting / Unresponsive-Severe, Additional Details: She complained to employee of lightheadedness. By the time I went to see her she had fainted. She opened her eyes again, but felt fainty . We called 911. Administered EpiPen. Rescue came and stayed with her for about an hour when her relative came to pick her up.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224921	4/18/2021	CT	62	M	4/2/2021	4/3/2021	vision very blurry; This is a spontaneous report from contactable male consumer (patient). A 62-year-old male patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot number: ER2613), via an intramuscular route of administration in left arm on 02Apr2021 09:30 at single dose for COVID-19 immunization. Medical history included allergies, compromised immune status, respiratory illness, genetic/chromosomal abnormalities, endocrine abnormalities, diabetes and obesity. The patient's concomitant medications were not reported. The patient did not receive prior vaccinations within 4 weeks. On 03Apr2021, at 08:30-09:00, the patient had very blurry vision. This was for 4-5 hours. The outcome of the event was recovering. No follow-up attempts are needed. No further information is expected.
1224846	4/18/2021	IN	41	M	3/23/2021	4/5/2021	complete body went paralyzed; lost vision; throwing up; fever; This is a spontaneous report from a contactable consumer. A 41-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: En6207), dose 1 via an unspecified route of administration, administered in left arm on 23Mar2021 08:30 as single dose for covid-19 immunisation. Medical history was reported as none. There were no concomitant medications. The patient started throwing up, fever, complete body went paralyzed and lost vision all it the ER on 05Apr2021 13:00. The events were resulted in emergency room /department or urgent care. There is some treatment (saline and ondansetron) for the events. The patient did not have covid prior vaccination, did not test covid post vaccination. The patient received Covid test post vaccination via Nasal Swab on 05Apr2021, covid test result was negative. There is no known allergies, no other medical history, no other vaccine in four week, no other medications in two weeks. The outcome of the events was resloving.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1224818	4/18/2021	NJ	48	M	1/27/2021	1/28/2021	Heart stopped 6 times; unresponsive; soreness; felt like unwell; vomiting; Body aches; achiness; passed out 7 times; fever; chills; Left arm soreness at injection site and up back of shoulders; Left arm soreness at injection site and up back of shoulders; This is a spontaneous report from a contactable consumer.A 48-years-old male patient received second dose of bnt162b2 (Pfizer-Biontech Covid-19 Vaccine, Formulation: Solution for injection, Lot Number: EN5318), intramuscular, administered in left arm on 27Jan2021 11:00 at single dose for covid-19 immunisation. Medical history included asthma, myocarditis and allergies to Fruit or nut that grows on trees. Concomitant medication included esomeprazole magnesium (NEXIUM). The patient's heart stopped 6 times on 29Jan2021, he had a low grade fever, achiness and chills at 01:30, but they were gone the next day. Basically, at first, he took the shot and got the reactions that everyone else does, right arm soreness 01:30. On 07Jan2021 17:00, patient took the first dose of bnt162b2 (Pfizer-Biontech Covid-19 Vaccine, Formulation: Solution for injection, Lot Number: EL1042), intramuscular, administered in left arm. No prior vaccination was given within 4 weeks. He fell in the shower and passed out and hit his head at 18:00. He was not hooked up to a machine. About 18:30, his wife got him to the couch. He drank carrot juice and ate a granola bar. At 18:30 his eyes were wide open, but he was unresponsive. About every 30 minutes, he was going down. The third one came about 18:45-19:00. The pass outs lasted 15-20 seconds. and all he remembers was waking up to her screaming at him. The next one came at 19:15 and was in the ambulance on the way to the hospital and that is when he vomited in the ambulance and on the couch. Pass out number 3 was at home and 4 was in the ambulance. There was vomiting with both of them. Pass out number 5 was in the hospital when she was getting in the bed and was not hooked up in the room yet. Finally, they got him hooked up to a machine at 20:30 and into a room. They said if you feel dizzy, press the button. He found out his heart rate went from 80's down to 30's. That was the 6th pass out. This was the first time he was on a machine. His heart did not actually stop, it just went down to 30's and would come back. Then, it happened one more time on the machine and at that point, they were hooking him up to an IV and giving him medication to

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

keep him from vomiting. He does not have the name of that medication or the dose or lot or expiration. He got stabilized but they had him hooked up shockpads in case anything happened. They recorded his heart stopping 6 times during the night and of those 6 times, he does not have the times. 2 seconds was the longest time of all of the stops. He does not know how many each were. This was when he woke up on 30Jan2021. He later stated he was hospitalized 28Jan2021 at 7pm and those 6 stops occurred 29Jan2021 through the night previously. The patient was hospitalized for heart stopped 6 times from 29Jan2021 and discharged on 01Feb2021. The patient underwent lab tests and procedures which included body temperature was low grade fever, echocardiogram, brain scan and electrocardiogram shows normal, heart rate: 80 beats, heart rate was down to 30 on his heart beat. They gave shot in the leg for blood clots, nausea medication and a bunch of pills given as treatment. The outcome of heart stopped 6 times was recovered with Sequel, patient passed out 7 times, body aches, fever and chills, left arm soreness at injection site and up back of shoulders was recovering, unresponsive and soreness next day felt like unwell and vomiting was unknown, achiness was recovered. No follow-up attempts are possible. No further information is expected

1224800 4/18/2021 TX

F

3/13/2021

no sense of smell and taste; Bad headache; dry eyes; no sense of smell and taste; This is a spontaneous report from a Pfizer-sponsored program. A contactable female consumer (patient herself) reported that she received first dose of BNT162B2 (COMIRNATY, PFIZER-BIONTECH COVID-19 VACCINE, formulation solution for injection, Lot number/Expiration date: unknown) via an unspecified route of administration on 13Mar2021 as single dose for covid-19 immunization. Patient medical history and concomitant medication were not reported. On an unspecified date, after her first vaccination caller got exposed to Covid positive person and experienced with no sense of smell and taste, Bad headache, and very dry eyes. No lab data was recorded. Caller questioned whether she could take second dose if it was ok. Outcome of the event was unknown. No follow-up attempts are possible, Information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1225595	4/18/2021	NM	60	M	3/24/2021	3/24/2021	Received vaccine, and hour later felt nauseous and dizzy, went home, laid down and had shallow breathing, next day(3/24/21) couldn't do much, fatigued, legs felt like giving out, midnight on 25th he jumped out of bed to check on animals before he made it to the door he felt really bad and had to sit down, wife checks him and speech was slurred, face was droopy, 40m later went to emergency room, emergency room said he was fine in grants. Hospital said he had a stroke possible bell's palsy. Still not doing well headaches, right side of body weak, blurry vision which is getting worse, one day doing well next moment he's not.
1224793	4/18/2021			F			Caller received vaccine on Sat next day had really really red eyes; still don't feel good and is shaky; still don't feel good and is shaky; This is a spontaneous report received from a Pfizer Sponsored Program via a non-contactable consumer (patient). A female patient of an unspecified age received BNT162B2 via an unspecified route of administration on an unspecified date at single dose for COVID-19 immunisation. The patient medical history was not reported. The patient's concomitant medications were not reported. The patient received vaccine on Saturday- next day had really really red eyes-still don't feel good and is shaky-wants to know if she should still be feeling like this. Events outcome was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224769	4/18/2021	NJ	59	M	3/24/2021	3/24/2021	Blood vessel bursts in whites of eye; Feeling of pressure on eye; General ill feeling; eye discomfort; This is a spontaneous report received from a contactable consumer (patient). A 59-years-old male patient received the first dose of BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: EP7534) via an unspecified route of administration in right arm, on 24Mar2021 (at the age of 59 years old) at 13:15, as a single dose, for COVID-19 immunisation. Medical history included Colon re-section surgery in 2020 due to diverticulitis. The patient did not have allergies to medications, food or other products. Prior to vaccination, the patient was not diagnosed with COVID-19. The patient did not receive any other medications within 2 weeks of vaccination. The patient did not receive any other vaccines within 4 weeks prior to BNT162b2. On 24Mar2021 (at 4:00pm), the patient experienced blood vessel bursts in whites of eye, eye discomfort/feeling of pressure on eye and general ill feeling. Since the vaccination, the patient has not been tested for COVID-19. The patient did not receive treatment for the events. The clinical outcome of the events, blood vessel bursts in whites of eye, eye discomfort/feeling of pressure on eye and general ill feeling, was recovering. Follow-up attempts are completed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224710	4/18/2021			F			fainted after the first shot and fell down face forward and busted her lip; fainted after the first shot and fell down face forward and busted her lip; fainted after the first shot and fell down face forward and busted her lip; rash on arms, back and chest; Blurred vision; Joint and muscle pain.; Joint and muscle pain; Weak and having to walk with a cane.; This is a spontaneous report from a contactable consumer(patient). A 68 years old female patient received first dose BNT162B2 (Pfizer BioNTech Covid 19 vaccine), via an unspecified route of administration on an unspecified date at single dose for COVID-19 immunization. The medical history and concomitant medications were not reported. The patient was having some symptoms and she need to talk to someone about what to do about them. She had nausea and diarrhea, severe pain in her abdomen feeling like a knife stabbing her mostly left side. It was excruciating. She got the second vaccine yesterday and all the above events started last night. She had chills, headache, mental clarity and can't think straight and weak after the second dose. She fainted after the first shot and fell down face forward and busted her lip. She had quite a few side effects. Blurred vision, rash on arms, back and chest. Joint and muscle pain. Weak and having to walk with a cane. The outcome of the events was unknown. No follow-up attempts are possible; information about batch number cannot be obtained.
1224712	4/18/2021	CO	34	F	3/23/2021	4/4/2021	DVST: R internal jugular, transverse/sigmoid sinus thrombus with associated intraparenchymal hemorrhage in R temporal lobe. Presented transfer from outside hospital after presented with 2 weeks headaches, blurry vision and 2-3 days neck stiffness and nausea with 1 episode of vomiting.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224925	4/18/2021	MN		U	1/26/2021		<p>brain dysfunction; dysrhythmia; literally had to quit working because could not function; I got my second vaccine and my symptoms became much worse; weak; dizzy; Forgetful; I had quite severe cramps with muscle pains; I had quite severe cramps with muscle pains; Loss of taste and smell; Loss of taste and smell; I am having dizziness to the point where I am literally tripping over and specially; I can't see that is my eyes are closed or lights are off; a loop problem which was small irritation on finger tips; specially can't see that is eyes are closed or lights are off; joint pain; now had turned into a very pain full and persisting what appeared to be kind of infection; uncomfortable; was having all of the pain in my limbs, arms and thighs.; This is a spontaneous report from a contactable physician (patient). This 77-Year-old patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 26Jan2021 (Lot: EL3247) as single dose for COVID-19 immunisation and unspecified medication. Medical history included Myopathy, Sleep apnea diagnosed from 2006 (reported for 15 years ago, as of 02Apr2021), High cholesterol, Blood pressure high, first heart attack in 2010 and second heart attack in 2017, Trauma, Prostate enlargement from 2016, prostate enlargement that was biopsy that didn't have any cancer and some changes in PSA levels and then stating so on. But it was diagnosed about 5 years ago, acoustic neuroma. Concomitant drugs included tocotrienols nos at 200 mg, 1x/day, ascorbic acid (VIT C) at 2000 mg, 1x/day, pramipexole dihydrochloride (MIRAPEX) at 5 mg, ASPIRIN [ACETYLSALICYLIC ACID], lisinopril (NEOPRIL [LISINOPRIL]), Metoprolol at 50 mg, and aluminium sulfate, calcium acetate (BUROFIX) at 2.5mg. The patient previously received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 07Jan2021 at age of 77-year-old lot number: EK9231 for COVID-19 immunisation and experienced fatigue, not feeling well, muscle aches, dizziness. The patient got second vaccine on Jan 26th and symptoms became much worse. The patient literally had to quit working because could not function was weak, dizzy, forgetful, had quite severe cramps with muscle pains, had puzzling symptoms similar to long hour Covid patient, loss of taste and smell. The patient thought may have Covid. The patient got tested again for Covid the test result of the</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

active disease came negative. And then got Covid antibody test to see if any way that even the test was negative, so the patient had the infection and now the patient was having side effects and that came negative. The patient saw the neurologist and brain specialist, had the Brain scan saw the cardiologist as was having dysrhythmia. The patient saw back and bone expert the orthopedic doctor because was having all of the pain in limbs, arms and thighs. The patient saw rheumatologist as it was causing a lot of muscle pain, joint pain and things. Now, all of them basically said that the organ they were checking had minor problems. The patient had prior heart attack but there was no sign to do in the way of heart attack and heart failure had previous acoustic neuroma radiated in brain and that used to cause a little bit of dizziness but it was pretty much gone away and now was having dizziness to the point where was literally tripping over and specially can't see that is eyes are closed or lights are off. The patient further stated, this is more disturbing. Since the patient had the symptoms, did returned to work briefly at the end of Feb and after 3 days of work had to quit. The patient was not up to functioning so it's about a month now still feel a very, very strong presence of this function brain dysfunction and muscle pain. The patient had a course of steroids during this time to see if that would help had number of things pain medications (Unspecified Medications) and so on but nothing really is demonstrating any real help. The patient was having a loop problem which was small irritation on finger tips and now had turned into a very pain full and persisting what appeared to be kind of infection. And that still since the second shot. Outcome of the events was unknown. Causality included the patient believed they are. And would say that because a lot of people have the similar but less side effects.; Sender's Comments: Based on the information provided, known drug safety profile and plausible temporal association, the causality between the suspect drug and the events cannot be completely excluded. The impact of this report on the benefit-risk profile of the Pfizer product and on the conduct of the study is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							notified to regulatory authorities, ethics committees. and investigators, as appropriate.
1225579	4/18/2021	NC	60	M	4/17/2021	4/17/2021	Right eye developed a green line like a fat magic marker from inside of eye up towards middle of outside of eye. Changes color to Orange and red. Never had this before. Had symptoms for one hour on the night of injection then went away, returned mid day the next day. As I am writing this.
1225663	4/18/2021	FL	34	M	4/3/2021	4/4/2021	Pain and throbbing in arm where I received the shot, especially the following morning. It's been recurring pain especially when I move my arm in certain ways. No health insurance at the moment, haven't seen a physician about this or received an MRI. The more concerning though is recurring vertigo I've been experiencing. I have never had it before, but a few days after I'm receiving the dose my eyes started shaking involuntarily and I had difficulty keeping my balance. It went away after a bit, but has happened a number of times over the last two weeks. I'm obviously hoping it just goes away.
1225662	4/18/2021	NC	51	F	4/2/2021	4/3/2021	Muscle twitching daily starting day-of or day after shot. Day 1 was left quad and right tricep. Another day was groin and calf. Each day since, and night, various muscles, including gluts, quad, calves, triceps, both thumbs, groin, left eye I have had several incidents where muscle tightened like a Charlie Horse, usually at night but did not get very painful, and possibly restless leg one night but could have just been a lot of twitching in my leg. Now it has been over 2 weeks and it continues. I'm uncertain whether to get round 2. The twitching doesn't last too long but it does seem to be more frequent and more lasting. My thumbs just keep twitching. Very concerning.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224337	4/18/2021		43	F	3/24/2021	3/24/2021	<p>aphasia; difficulty speaking; Jaw: Trismus; This is a spontaneous report from a non-contactable other healthcare professional. A 43-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), first dose via an unspecified route of administration on 24Mar2021 (batch/lot number: ER8727) as a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. On 24Mar2021 during her 15 minute waiting period after the injection, the patient began to experience difficulty speaking. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. Jaw: trismus present. Treatment included: no therapy. Follow up response to treatment: no change. Patient transported to ED by ambulance. Differential diagnosis: systemic reaction (hypoglycemia, hypotension, generalized rash) and red flag symptoms (CP, SOB, NVD, visual/neuro concerns). Patient with no other neuro deficits but aphasia was clearly present. AMR called to have patient brought to ED for further evaluation. Husband, will meet her there. The report was assessed as non-serious. The outcome of the events "difficulty speaking" and "trismus" was not recovered; and unknown for aphasia. No follow-up attempts are possible. No further information is expected.; Sender's Comments: The company cannot completely rule out a reasonable possibility that BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) caused the aphasia (speech disorder) and trismus due to a reportedly close drug event chronological association. Information on further evaluation would be necessary for a more meaningful medical assessment. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224702	4/18/2021	MI	56	F	4/2/2021	4/2/2021	one eye is red like it has vessels like broken or bleeding in there; This is a spontaneous report received from a contactable consumer (patient). A 56-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), via an unspecified route of administration on 02Apr2021 as single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient was feeling ok and everything, but one eye was red like it had vessels like broken or bleeding in there on 02Apr2021, she said it didn't hurt. The outcome of event was unknown. Information on the lot/batch number has been requested.
1225660	4/18/2021	MA	38	F	4/13/2021	4/15/2021	I had immediate headache after the vaccine and felt tightness in the neck. I waited 30+ minutes at the vaccine site and was tested by EMT professionals twice. After they approved me to go I left the site. Had persistent headache, fever, body ache. Next 2 days had visual and auditory hallucinations.
1225649	4/18/2021	MI	72	M	4/15/2021	4/16/2021	Patient said the morning after the vaccine he started getting "lightning bolts" in his vision that has persisted into Saturday and as of Saturday evening he had eye pain in his right eye.
1225640	4/18/2021	WI	64	F	3/31/2021	3/31/2021	After about 10 minutes after receiving shot I got a tingling sensation in the left side of my face and a stiffness and tightness with some swelling. The stiffness continued to get worse over time and moved across my face, my jawline, chin, above my lip, under my right eye, and my forehead. The stiffness has persisted for 3 weeks at which time I went to my doctor.
1225639	4/18/2021	IN	59	F	4/16/2021	4/17/2021	Awoke to a black eye on my right eye. It is in the corner of my eye closest to my nose. As of today Sunday 04/18/21 I still have the black eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1225523	4/18/2021	NY	56	M	4/18/2021	4/18/2021	Moderna COVID-19 Vaccine EUA Pt reported pain and pressure in both hands 4/10 pain and described it similar to arthritis pain. Once Pt removed jacket the symptoms subsided. Pts eyes were also swollen and at the discretion of Doctor. 10ML of Liquid Diphenhydramine (Benadryl) was given. Approximately 10 minutes after that Pt reported feeling better. Pt was advised to follow up with PCP 1109 by phone pt. reported Dull Pain in the knees at 3/10 and stated eyes were still "puffy" Pt was advised to follow up with PCP and would be receiving a follow up call later
1225607	4/18/2021	WI	37	F	4/8/2021	4/10/2021	Day2, vision obstruction with what looked like waves of water, and again on day 10, same symptoms. Essential vision loss since the waves were taking over the whole pupil
1225369	4/18/2021	PR	48	F	4/17/2021	4/17/2021	I got my first dose on March 27 Phizer lot number ER8730. In April 11, I saw skin allergic reaction on my skin at my leg (thighs). I got my second dose on April 17 Phizer lot number EW0162 around 3:30 pm. The same date around 7:00 pm I noticed swollen eyes. Similar allergic reaction when I had aspirin. I took Benadryl that night. Today I wake up without swollen eyes. The allergic on my thighs continues. The intend of this report, is to provide to the organization my reaction with the vaccine.
1225504	4/18/2021	MO	59	M	4/13/2021	4/13/2021	Terrible headache, pain in eyes, aching joints
1225495	4/18/2021	FL	63	F	4/16/2021	4/16/2021	This was my second shot. After my first shot the only, minor side effect was mild pain at the site of the shot. However my second shot was entirely different. Pain in the site of the shot was almost immediate. Only 10 hours after my shot, I felt very tired, no appetite, nausea, had chills throughout the night and head ache. Next day stayed in bed all day with head aches (not very bad) but extremely tired, no appetite, pain behind both eyes. Next morning (right now as I am writing this) I feel a lot better, still has pain behind my eyes (not bad) but feeling more energetic. Appetite still not great.
1225471	4/18/2021	AL	50	F	3/29/2021	3/29/2021	Dizziness, extreme nausea, headache, weakness about 10 minutes following vaccine. Still having severe headaches, dizziness, memory loss, blurred vision, fatigue, restlessness.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1225450	4/18/2021	IN	35	F	4/15/2021	4/15/2021	On 4/15/21, that evening my arm became very sore and tender. It also felt very heavy. I started getting cold chills and at the same time being hot. I didn't take my temperature but did take Tylenol. On 4/16/21, all day my arm began to feel heavy, like there was a 50 lb weight hanging off of it. I was still having cold chills and hot flashes constantly throughout the day. I felt tired, groggy like a cloud over my eyes and head, achy all over too. In the evening, I was freezing cold, couldn't get warm. I had a heating pad on my arm where it was sore and my heated blanket. I went bed sleeping horribly and waking up freezing cold and then waking up again with a puddle of sweat around me. This happened constantly throughout the night. On the morning of 4/17/21, I was constantly having hot and cold flashes, the soreness moved from on top of my arm where the injection site was to my under arm, around my armpit. It hurt so bad to just apply deodorant to my arm pit. My armpit are hurt all day yesterday and last night. I took a 3 hour nap yesterday because I felt groggy and tired. Everything seemed cloudy. I woke up and felt better but my arm still hurt and definitely not 100%. I went to bed last night (4/17/21) sweating profusely off and on and being freezing cold inbetween. I had to change my shirt twice last night and my pants once because I was so sweaty. I woke up this morning on (4/18/21) with my armpit area still hurting.
1225434	4/18/2021		29	F	4/8/2021	4/13/2021	It started with bad brain fog, and has progressed to a constant mild frontal headache and brain fog that is causing fatigue and problems with vision. It feels like my eyes don't want to open all the way.
1225428	4/18/2021	CO	61	F	4/1/2021	4/3/2021	Fainted on day 2. Woke up with a bruise under eye. Extreme pain in entire chest, shoulders. No headaches, no fever. Did not injure myself during fainting spell. Pain in chest and arms, occasional chills continued for 2 weeks solid. I needed to take pain relief round the clock. Pain when sneezing or coughing, continuing for 2 weeks. Prior to the 2nd shot, I would describe myself as in very good condition. After, very weak physical condition. I feel like I need to recover from this shot.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1225414	4/18/2021	NJ	54	M	3/29/2021	3/29/2021	Drove to vaccination site. Had a coffee and muffin on way down; had a coffee and veggie wrap on drive back. Once back home and at my computer for day, room started spinning - I made it outside to back porch, then vomited all food and liquid from the morning. I could not stand - felt like a giant hand was pushing me down - so I laid on my back porch for several hours. When I did stand up, the vertigo (dizziness and nausea) was immense. Made it to couch inside and toward evening gradually made it to bed upstairs, crawling part of the way. By the next morning the spinning still present but about 50 percent less. Better if I kept eyes shut; spinning and nausea if I opened them. This eventually subsided later in day - I was able to hold down crackers and ginger ale. By the following day (Wed.) I was able to work - the room spinning and dizziness was finally gone. And by this point able to hold down food and liquids.
1225396	4/18/2021	WI	28	F	4/18/2021	4/18/2021	Patient presented to clinic today for 1st Covid vaccine. After receiving vaccine, patient complaining of seeing "colored spots". Patient brought to reclining chair from waiting room. Patient has multiple comorbidity's - please see list in CMR. Patient's aunt in room with patient. 0807: Patient c/o having a "heavy face". VS 159/98, 89, 96% on RA. Patient denies any issues with breathing. Per patient when she swallowed some water, she felt as if it was hard to get down. Patient given 50 mg PO Benadryl (own supply). 0811: Patient stating that colored spots are now gone. VS: 169/95, 87, 98% on RA. 0817: VS 133/90, 96, 93%. Patient had small seizure in room; patient eyes rolled back, patient appeared to be non-responsive. Total time for seizure was approximately 30 seconds. After seizure, patient responsive and alert X3.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1225621	4/18/2021	OR	63	M	4/15/2021	4/16/2021	Unusual (reason for submission): Blood O2 dropped to 94-96 the day after 2nd COVID vaccination. I take O2 reading daily (generally). Always been rock solid at 98 with maybe a 97 every two months. This is really an outlier event. Reading taken on six different fingers with one monitor reset. Returned to 98 following day. Other expected symptoms: Temp 99.8 (generally 97.6 - 98.0). Injection shoulder sore, felt puffy (but no visual difference). Medium "Brain Fog" (senses seemed disconnected, lack of concentration). Lethargic legs (not sore or weak, just slow to respond). Left neck and ear aches. Slept about 14 hours day after shot. No symptoms other than sore arm the day of shot. BP and blood sugars up, but at higher end of my normal ranges. BP 175/93 (16th). (at 149/93 on 17th). Blood stick reading 198 (16th). (at 158 on 17th)
1224212	4/18/2021	CA	52	F	3/23/2021	4/4/2021	I woke up with my face swollen on right side. Lip was also swollen. Numbness on right side of face. Similar to Bells Palsy symptoms but no problem with eye closure. Next day the swelling went down but continued to have numbness and some nerve pain on face for about 10 more days.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224349	4/18/2021	NJ		F	3/5/2021	3/21/2021	<p>vitreous detachment; 5 hemorrhages in her eye/hemorrhage on the eye (retina); This is a spontaneous report from a Pfizer Sponsored Program received from a contactable pharmacist (patient). A female patient of an unspecified age received bnt162b2 (BNT162B2 reported as PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration on 05Mar2021 (Batch/Lot number was not reported) as a single dose for covid-19 immunization. The patient's medical history and concomitant medications were not reported. She mentioned that she got her first dose vaccine on 05Mar2021 at pharmacy. The patient reported that two weeks and two days after (21Mar2021), she experienced vitreous detachment, her vitreous detached from the retina and she already had had 5 hemorrhages in her eye. She mentioned that her second dose is due on Friday, 02Apr2021 and she requested information on this specific side effect to make an informed clinical decision on whether or not to get her second dose of the vaccine this Friday. She mentioned that she does not know if this happened because of the vaccine or not. She added that she had a hemorrhage on the eye (retina). The outcome of the events was unknown. Information on lot/Batch number has been requested.; Sender's Comments: Based on the information available, a possible contributory role of the suspect BNT162B2 cannot be excluded for the reported vitreous detachment and retinal haemorrhage. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224387	4/18/2021	CA	57	F	3/30/2021	3/30/2021	breathing out; cheeks, lips, and mouth started quivering/trembling; cheeks, mouth and lips started quivering and twitching; swelling sensation on her left side of her face; left cheek area felt swollen and tingly; pressure around the eye sockets; Could this be a sign of Bell's Palsy, and is it likely that she develop Bell's Palsy?; This is a spontaneous report from a contactable consumer (reporting for herself). A 57-years-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Solution for injection, Lot Number: ER8734, expiry date not reported), via an unspecified route of administration, administered in left arm on 30Mar2021 14:00 at a single dose for covid-19 immunization. Medical history included has back issues, but nothing serious probably for about 7 years and patient stated that she had a Pilates injury and after that her back has never been the same; and patient stated that she was pretty healthy, adding that she was allergic to sulfa, cow's milk, wheat, and almond. Family medical history relevant to events reported included mom has osteoporosis, and severe dry eye syndrome. The patient's concomitant medications were reported as she doesn't take any regular medicines but she does take regular supplements and herbs and stated that she was very lucky. Patient stated that Pfizer COVID-19 vaccine was the he one she trusted the most and she doesn't want to die from COVID if she gets it. Patient received her dose in her left arm, at the time of administration, on 30Mar2021 14:00, she was breathing out, then her "cheeks, lips, and mouth started quivering/trembling and it was definitely noticeable". Patient further stated that while it was being administered her cheeks, mouth and lips started quivering and twitching. She also reported that immediately afterward (30Mar2021), she experienced a swelling sensation on her left side of her face, "kind of how it feels when you have novocaine, but no visible signs of swelling or drooping". Her left cheek area felt swollen and tingly. She stated that it felt swollen but it didn't look swollen, like when you go to the dentist. She also experienced pressure around the eye sockets. She added that both areas under eye sockets felt a little bit weird, tight or something but not like a pain, hard to describe. All of these symptoms resolved within a few hours, and 24 hours later she's "pretty much back to normal". The pressure around eye socket, lasted for a

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224358	4/18/2021	IL	83	F	3/30/2021	3/30/2021	<p>few hours; while trembling and quivering only happened when the shot was being administered, and 24 hours later, she was pretty much back to normal. Patient asked if this has this been reported before and if she should she get her second dose. Patient stated if this could this be a sign of Bell's Palsy, and was it likely that she develop Bell's Palsy (30Mar2021). Patient stated that all her family have all received their doses and no one had this kind of reaction. She wanted to take the second vaccine, just doesn't want to have a stroke or heart attack or anything like that. She stated that all of her events are completely gone except she still has a little bit of swollen feeling left in her cheek on a scale of 1-5 with 5 being the worst, she would say it is a 1, its pretty much gone, the swollen feeling. She stated that provider was aware of the events because she called and told her yesterday. Her family got their vaccines either moderna or Pfizer and have had no issues, other than typical ones such as forearm, a little bit of nausea, or fever but nothing like what the caller has experienced. She was the only one in her family that has had this issue. She did not have any kind of rash, no fever nausea or headache, and stated it was just like getting her flu shot. The patient did not require emergency room and physician office visit. The event swelling sensation on her left side of her face was recovering. The outcome of the other events reported was recovered on 31Mar2021.</p> <p>Total lost of vision in the left eye for about one minute; This spontaneous report from a contactable consumer reporting for herself An 83-year old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection) on 30Mar2021 at 09:00 at single dose via an unspecified route of administration on left arm for COVID-19 immunization. Relevant medical history was not reported. Concomitant medications included unspecified antidepressants and levothyroxine. On 30Mar2021 on 15:30 the patient experienced total lost of vision in the left eye for about one minute. The patient recovered from the event on 30Mar2021. Information on the lot/batch number has been requested. Follow up attempts are needed.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224338	4/18/2021	PA	70	F	3/15/2021	3/15/2021	Lower chest partial atelectasis or scarring in the lung bases bilateral; Partial lung collapse (both upper and lower parts collapsed); Lower chest partial atelectasis or scarring in the lung bases bilateral; Beneath this area was a red circle where blood clotted or something; Wheezing; Shortness of breath; Swelling of the face; underneath the arm where the injection site was, a big red circle was noted and it was swollen/under her nose and left elbow were red; underneath the arm where the injection site was, a big red circle was noted and it was swollen; I would get hot and cold; I was sweating; Pain in her chest, stomach, back and head; Pain in her chest, stomach, back and head; Pain in her chest, stomach, back and head; Pain in her chest, stomach, back and head; Fatigue; Pain in left elbow; goes to bathroom and bowel was not emptying the way it should; rib cage is going on the side of body noticed this thumping; Her lips were red; Throat was red; Been sick and just laying around; Her eyes were red; Cramp in left arm where site of injection; Sharp pains were hitting her in her eye, thigh, chest, head, and the arm; Sharp pains were hitting her in her eye, thigh, chest, head, and the arm; This is a spontaneous report received from contactable consumer (patient). A 70-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via unspecified route of administration on 15Mar2021 (at the age of 70 years) at a single dose in the left arm for COVID-19 immunization. Medical history included lung issues and allergic asthma. Family history included brothers and sisters who died of lung issues and third sibling sister died many years ago due to allergic asthma. The patient previously took flu vaccine for immunization and experienced severe pain throughout her whole body. On 15Mar2021, patient received the first dose of Pfizer COVID-19 vaccine. Later on, that day when she got home after receiving the vaccine, underneath the arm where the injection site was, a big red circle was noted and it was swollen, beneath this area was a red circle where blood clotted or something, she would get hot and cold and take her clothes off because she was sweating but did not have fever, there was pain in her chest, stomach, back and head, wheezing, shortness of breath, fatigue, swelling of the face, pain in left elbow. She goes to bathroom and bowel was not emptying the way it should. She also noted that

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

her rib cage is going on the side of body noticed this thumping, lips and throat were red. She's been sick and just laying around, her eyes, under her nose and left elbow were red, had cramp in left arm where site of injection, and sharp pains were hitting her in her eye, thigh, chest, head, and the arm. Patient clarified that these symptoms began on 15Mar2021, the same day she received the Pfizer COVID-19 vaccine. On 23Mar2021, patient went to the ER and the findings were lower chest partial atelectasis or scarring in the lung bases bilateral and partial lung collapse (both upper and lower parts collapsed). At the hospital her temperature was 98.9 F on 23Mar2021, but 97.1F - 97.7F is her normal temperature. She went to the Pulmonary doctor also, but was getting a second opinion because she knew it could be life threatening. The pulmonary doctor made light of it saying they were just creases, like creases in pants. Patient said crease was a far cry from partial lung collapse on both bases and the Pulmonary doctor also said that it is in the upper part of the lung also. This scared her and made her think nobody cared. She did not know if she should provide the information because the doctor did not seem to believe that that her symptoms were coming from receiving the Pfizer COVID-19 vaccine. She guessed she should provide the information because Pfizer does research. She wanted to know how long do the side effects last and if she should take the second dose. The outcome of the events underneath the arm where the injection site was, a big red circle was noted and it was swollen/under her nose and left elbow were red, pain in her chest, stomach, back and head, wheezing, shortness of breath, fatigue, swelling of the face, pain in left elbow, goes to bathroom and bowel was not emptying the way it should, rib cage is going on the side of body noticed this thumping, lips were red, throat was red, been sick and just laying around, eyes were red was not recovered; while unknown for the other events. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224328	4/18/2021	NY	48	F	3/29/2021	3/30/2021	I have pain in the armpit area that started on 3/30 in the evening; visional swelling on in the left armpit area above the breast; This is a spontaneous report from a contactable consumer (patient). A 48-years-old non pregnant female patient received bnt162b2 (BNT162B2), dose 2 via an unspecified route of administration, administered in Arm Left on 29Mar2021 09:30 (Batch/Lot Number: EL3247) as SINGLE DOSE for covid-19 immunisation. Medical history included high blood pressure/ allergies. Concomitant medication(s) included probiotics (PROBIOTICS) taken for an unspecified indication, start and stop date were not reported; hydrochlorothiazide, triamterene (TRIAMTERENE HCTZ) taken for an unspecified indication, start and stop date were not reported. The patient also received Desloratin within 2 weeks of vaccination. The patient previously received bnt162b2 (BNT162B2), dose 1 via an unspecified route of administration, administered in Arm Left on 09Mar2021 09:30 (Batch/Lot Number: EL3247) as SINGLE DOSE for covid-19 immunisation. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. No covid prior vaccination. No covid tested post vaccination. Since 30Mar2021 17.30 (05:30 PM) evening, the patient had pain in the armpit area. The patient took Tylenol before going to bed. This morning (30Mar2021) there was visional swelling on in the left armpit area above the breast. Outcome of the event was not recovered. No follow up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224325	4/18/2021	OH	73	M	2/26/2021	3/4/2021	Drooping and closed left eyelid/third nerve ocular palsy paralysis; Headache; Sandy eyes; This is a spontaneous report received from a contactable consumer (Patient) reporting for himself. A 73-year-old patient received second dose of BNT162B2 0.3ml on 26Feb2021 at 12:00 pm (Lot no: EN6203, Expiration date: unknown) via intramuscularly route of administration in right arm as SINGLE DOSE for covid-19 immunization. The patient does not have cardiovascular disease, he just had a blockage at one time. The patient had one stent put in and low dose to preventative for plaque buildup in veins. The patient's concomitant medications included Simvastatin for mild heart attack in 2013. The patient previously vaccinated with first dose of BNT162B2 on 05Feb2021 at 13:00 pm and 5 days later got sandy eye. It was reported that, on 04Mar2021 (3 weeks later of second dose) the patient experienced blurred vision and drooping, closed left eyelid which were diagnosed as third nerve ocular palsy paralysis on 08Mar2021. It was reported that the patient still gets Headaches periodically. The outcome of the events was not recovered. Follow attempts are requested. Further information is expected.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224296	4/18/2021	PA	48	F	3/30/2021	3/30/2021	Tingly and numbing lower left side of my lip; numbing lower left side of my lip; Eye feel tired; Eye feel tired, low level pain behind them; slight sore throat on the left side; the standard arm feels heavy and a bit achy; This is an initial spontaneous report received from a contactable consumer. A female patient of an unspecified age received first dose BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Solution for injection; Batch/Lot Number: ER8727), via an unspecified route of administration, administered in Arm Left on 30Mar2021 16:00 as single dose for COVID-19 immunization. Medical history included type 2 diabetes mellitus, seasonal allergy and allergy to animal from an unknown date and unknown if ongoing. Concomitant medications included metformin and dulaglutide taken for an unspecified indication, start and stop date were not reported. The patient experienced tingly and numbing lower left side of my lip, eye feeling tired, low level pain behind them, slight sore throat on the left side and the standard arm feels heavy and a bit achy on 30Mar2021 16:30. The outcome of the events was not recovered. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224275	4/18/2021	KY	53	F	3/19/2021	3/24/2021	constipation; Severe lower right side pain, felt like burning and stabbing, thought my appendix was rupturing; felt like burning and stabbing; appendix was rupturing; This is a spontaneous report from a contactable consumer (reported for herself). A 53-year-old female non pregnant received second dose of BNT162B2 (Pfizer Covid-19 vaccine, lot number ER2613, expiry date: unknown) via an unspecified route of administration at left arm at a single dose on 19MAR2021, for covid-19 immunization. Medical history included Gastroesophageal reflux disease, diverticulitis, Graves Disease in left eye, full hysterectomy, high bp, high cholesterol, depression, hypothyroidism, Gastric bypass and heart ablation. Concomitant medications included an unspecified 5 different medications and daily vitamins. Historical vaccine includes first dose of BNT162B2 (Pfizer Covid-19 vaccine, lot number EN6203, expiry date: unknown) via an unspecified route of administration at left arm at a single dose on 25FEB2021 06:00 PM, for covid-19 immunization. She did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, she was not diagnosed with COVID-19. Neither was she tested for it since the vaccination. On 24Mar2021 19.00, she experienced severe lower right sided pain, felt like burning and stabbing, thought her appendix was rupturing. On an unknown date, she went to an emergency room (ER), had a computerized tomography scan that showed constipation. Her pain was at a level 9, was doubled over for 6 hours while seeking care. She had complete sudden onset of pain, with no warning. She was treated with Fentanyl shot that took almost an hour to provide minimal pain relief. Had continuing pain for three days after the initial onset. No real treatment other than pain medication were given at ER. She was told to get collace and mirilax. The outcome of the events of severe lower right sided pain, felt like burning and stabbing, thought her appendix was rupturing was recovering. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224412	4/18/2021	NY	37	F	3/21/2021	3/22/2021	Dizziness; blurred vision; joint aches; extreme pain; difficulty breathing; fever; chills; sweats; large rash; This is a spontaneous report from a contactable consumer. A non-pregnant 37-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), dose 2 via an unspecified route of administration, administered in the left arm on 21Mar2021 at 15:30 (Batch/Lot Number: EN 62v3) at 37-years-old as a single dose for COVID-19 immunization. The patient did not receive any other vaccine within four weeks of the suspect vaccine. The patient's medical history included gluten allergy from an unknown date and unknown if ongoing, COVID-19 prior to vaccination from an unknown date and unknown if ongoing. Concomitant medications were not reported. The patient previously received the first dose of the bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE) for COVID-19 immunization on 28Feb2021 (Lot Number: EN6201, administration time 15:30, location: Left arm, dose number: 1). On 22Mar2021 02:00, the patient experienced: dizziness, blurred vision, joint aches, extreme pain, difficulty breathing, fever, chills, sweats, large rash; all of which required a visit to a doctor or other healthcare professional office/clinic, emergency room/department or urgent care and hospitalization. The patient was hospitalized for all of the events for 1 day. The patient underwent lab tests and procedures which included Nasal Swab: negative on 22Mar2021. Therapeutic measures were taken as a result of the events, which included intravenous (IV) fluids and pain medications. The clinical outcome of the events was recovered with sequelae on an unspecified date. Follow-up attempts have been completed and no further information is expected.
1224239	4/18/2021	GA	39	F	3/10/2021	3/10/2021	Had blood clot in left leg. Blood in eyes. Sinus sore throat short breath congested headache vision problems. Tested positive for strep one month after receiving one vaccine been taking antibiotics for 6 days but I'm getting worse.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224414	4/18/2021	CA	40	F			Children said I would sit up say weird things then faint; dizzy; heavy eyes; heavy head; laid down do not remember anything from the evening; Children said I would sit up say weird things then faint; severe vertigo; confusion; shook uncontrollably for 30 minutes; This is a spontaneous report from a contactable consumer(patient). A 40-year-old non-pregnant female patient received first dose of BNT162B2 (FIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration on an unspecified date at 10 am (Batch/Lot Number: EN 6199) as single dose (at 40-year-old) in arm left for COVID-19 immunization. The patient wasn't pregnant at the time of vaccination. The patient had ongoing allergy to intravenous pethidine hydrochloride (DEMEROL). No other vaccines within 4 weeks prior to the COVID vaccine. Other medications the patient received within 2 weeks of vaccination included amfetamine aspartate/ amfetamine sulfate/ dexamfetamine saccharate/ dexamfetamine sulfate (ADDERALL). Prior to vaccination, it's unknown if the patient was diagnosed with COVID 19. Since the vaccination, the patient hasn't been tested for COVID19. At 7pm the patient became incredibly dizzy, heavy eyes, heavy head, laid down did not remember anything from the evening. Children said she would sit up said weird things then faint. Laughed and shook uncontrollably for 30 minutes. Next morning severe vertigo, confusion. Went away the third day. No seriousness criteria reported. The events resulted in doctor or other healthcare professional office/clinic visit. Treatment received for the events. The outcomes of the events were resolving.
1224209	4/18/2021	FL	24	M	4/6/2021	4/6/2021	I received the J&J COVID-19 vaccine, within minutes, I passed out. While unconscious, I hit my head on the pavement, resulting in a laceration across my right eyebrow requiring 10 stitches.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224167	4/18/2021	OH	39	F	4/16/2021	4/16/2021	I started feeling random sharp "nerve stabs." I was walking and felt a bit odd just because I almost immediately tasted a metal taste in my mouth and commented on it and something seemed "off." As I kept walking it off, the pharmacist came to check up on me but I was still trying to figure out what was wrong. Over the next 15 minutes, I had a "heavy knee" feeling under both knee caps at the same time, tingling on the bottom of both feet at the same time like they were placed against a jet and both jaws tightened in one location...not at the TMJ but lower....like where my jaws misaligned from the accident. And then heavy eye brows would hit. And they wouldn't stay like this. It would come and go. Come and go. Not in seconds but 10 minute intervals or something? But I definitely was starting to feel more "nervy." Not prickly. Not pain. Just random sharp here and there or feeling like I could feel a nerve "wake up" here and there. Also, my hips/pelvis. On both sides at the same time they would not ache but get tight or say HI in a weird way but more towards the glute/pelvis region; it was an odd location. Also. My lower back was tight. It got really tight. That was the most annoying thing. It stayed tight. Also, my right shoulder/neck that had been locked up and inflamed from a flare-up...the pain disappeared just like my head pain. (The nerve issues sometimes felt like when I took rizatriptan the first few times and I could feel the nerve then too. Due to being used to weird nerve issues since the accident, I was concerned but not enough to go to the hospital and just wanted to wait it out. I had plans of going home and working out and doing my therapy and stretches. I got home and within 45 minutes of the vaccine my face was starting to feel cold. I was feeling nervy all over. And then my spinal cord lit up, just once, like electrifying....not painful....but like electricity....like nerve. A large section of it just lit up and then that was it. I didn't have any odd movements with it. It just lit up. Also, my head. There was a spot on the top of my head near the "soft spot" that I kept feeling a nerve burst. Like, as if I could feel the tendrils of the end of a nerve. It would just light up once and stop. Then light up and stop. It had stopped by the time I went to bed. I worked out and had no issues. I haven't had any more spinal cord issues. I went to my scheduled acupuncture appointment today and it settled some of what was still in my hands. I worked all day as well in retail with no

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

issues. I haven't had any more issues with the "heavy feeling" and my lumbar region was fine by bedtime. My feet are fine now. I am having nerve issues now but it's hard to say if it's my normal issues or still aggravated by the vaccine. I'm having zero flu symptoms or anything from the vaccine they reported I may have. My arm at the injection site has no welt, redness, I can't find it, and is sore but it's like being hit by a softball. On the pain scale I'm used to: it's a 1/10. I really do live with horrid chronic pain now.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224113	4/18/2021		61	F	3/11/2021	3/1/2021	My heart flutters; heart spasms; uncalm coming into my dreams viciously, morbidly gross; super watery bowel movement then went into clay like and drier consistency but still dark (I never had stool this dark.); I was dry/ I needed water; room seemed like it was so much further away, my stairs the spindles were larger in size, it was if I was high on something/feeling of peace, calm/high feeling; I was whistling in my breathing/ I had a loud whistle; feeling my eyes and hearing were sharp/ my eyes were changed eventually; had my eyes dilated; felt I like I was getting hemorrhoids/I woke up feeling like I had too much sugar; black stool; constipation; Chills; wanted to vomit; I got shaky; scares; There's a feeling of hardness in my lower abdomen and heart area (Belch); There's a feeling of hardness in my lower abdomen and heart area (Belch); reversed my beta blockers (it keeps it in the 50s) it went to 79; My energy was so much more.; The next day I gained 3.2 pounds then the next day lost 3 pounds; My injection site for the first 2 weeks,I had an itch/ extreme itch; injection site for the first 2 week/there's pain there on touch (no throbbing pain); My tooth broke; movement under my skin/shingles feeling; My skin is extremely dry; This is a spontaneous report from a contactable consumer (patient). A 61-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 11Mar2021 (Batch/Lot number was not reported) as SINGLE DOSE for COVID-19 immunization. It was reported that the patient vision wasn't as good. She also had glasses to read (eyeglass wearer and ongoing) and behind her eyes they were dry one (left) mostly. Concomitant medications included unspecified beta blockers. On 11Mar2021, she got chills on the same day. Right as she got the shot, she wanted to vomit also and got shaky. On 12Mar2021, she woke up with whistling in her breathing for a few minutes then it was done. At the same moment, her eyes were changed eventually. She had mucus in my eyes as her vision wasn't as good and behind her eyes, they were dry one eye (left). So, watching TV wasn't as good and became bothersome. She later noticed, the black in here eye was taken up most of her eye (as if her eyes were dilated). Her eyes and hearing were sharp also now sharp as she was reading better (without my read glasses) and had to turn down the volume in her TV. She also felt like she

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

was getting hemorrhoids for a few days but then it went away. She also had black stool, then constipation (harder stool) eventually went the day right after the shot (12Mar2021). Then around 5pm, she had feeling like she had too much sugar and was dry which she needed water. Once she sat down, her living room door seemed like it was so much further away, stairs the spindles were larger in size, it was if she was high on something. It was different nothing but this injection. She was also experiencing a feeling of peace and calm. As if nothing was wrong, no stress (stressing about something) she couldn't even think of- everything was gone, a calming effect. It was high feeling. The next day (13Mar2021), she had a super watery bowel movement then went into clay like and drier consistency but still dark (she never had stool this dark). In Mar2021, she also stated that there was a movement under her skin like a pre-herpes or a pre-shingles. She mentioned that she knew herpes and the movement under her skin was shingles feeling. Her skin was also extremely dry. On 17Mar2021 (a week after the injection), she woke up to my heart spasm. It was beating real fast (beating like right under her skin), no pain and heart attack but more than a heart flutter. She didn't know whether it was going to beat or stop. She also woke up with a loud whistle (louder than before) out of a dream. She stated that during the day she doesn't get the stressed, but in her dream, it was magnified and woke up in a violent vicious fury. She had 3 nights of this (uncalm coming into my dreams viciously, morbidly gross) started on 14Mar2021. The heart spasms come as a few seconds and goes away but that's happened twice which it scares her. She also stated that there was feeling of hardness in her lower abdomen and heart area (belch) in Mar2021. The injection almost reversed her beta blockers (which keep it in the 50s) it went to 79 (same as it was before she started taking beta blockers) but her blood pressure was normal 121/something (that was a good thing). She also mentioned that her energy was so much more while other people woke up early, cleaning up -would get sleepy and a little tired. But this (injection) gave her energy. Her injection site for the first 2 weeks also had an itch, that would come up (not constant) almost like a yeast infection which had an extreme itch. There's pain was there on touch (no throbbing pain) it took over a week before it was gone.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

She also mentioned that the chills were off and on for 4 days. The vaccine also did something to her weight as she was expecting to lose weight, but she didn't. One day, she gained 3.2 pounds then the next day lost 3 pounds. Her tooth also broke (but no pain in her tooth) even she had a sensation of her teeth being weak which she could feel it. Her tooth broke eating a tortilla chip and that's weird. She wanted to know if other people had called in with the symptoms that she had experienced. The patient recovered from breath sounds abnormal and constipation on 12Mar2021; cardiospasm, chills and vaccination site pain in Mar2021 while the remaining events were unknown. No follow-up attempts are possible. Information on the lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224105	4/18/2021	NY	55	F	3/25/2021	3/25/2021	visual hallucinations; psychosis; derealization/ depersonalization; fuzzy brain, brain fog, brain feels as though it is stuffed with cotton; severe dizziness; disorientation; This is a spontaneous report from a contactable other health professional (patient). A 55-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), intramuscularly on 25Mar2021 at 10:45 (at the age of 55 years) at a single dose in the right arm for COVID-19 immunization. Medical history included depression and post-traumatic stress disorder (PTSD). Concomitant medications included paliperidone palmitate (INVEGA SUSTENNA); vortioxetine hydrobromide (TRINTELLIX); cariprazine hydrochloride (VRAYLAR); levothyroxine sodium (SYNTHROID); clonazepam (KLONOPIN); amphetamine aspartate, amphetamine sulfate, dexamphetamine saccharate, dexamphetamine sulfate (ADDERALL); methylphenidate hydrochloride (RITALIN). The patient previously took NSAID, MAOI'S and synthetic progesterone and experienced allergy; and first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), intramuscularly, on 04Mar2021 at 01:45 pm in the right arm for COVID-19 immunization. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was not diagnosed with COVID-19 prior to vaccination. The patient was not pregnant at the time of vaccination. On 25Mar2021 at 18:30, the patient experienced visual hallucinations, psychosis, derealization/ depersonalization, fuzzy brain, brain fog, brain feels as though it is stuffed with cotton, severe dizziness, and disorientation. The patient did not receive any treatment for the events. Since the vaccination, the patient has not been tested for COVID-19. The outcome of the events was not recovered. Follow-up attempts are completed. No further information is expected.; Sender's Comments: based on the information available, the contributory role of the suspect BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), to reported events is possible.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224094	4/18/2021	WI	28	F	3/26/2021	3/26/2021	Swelling my eyes significantly; Having my tongue go somewhat numb; Difficult to swallow; Feeling worse; Some feverish feelings; Hives all over my body, especially on my face; Chills; Couldn't stop shaking; This is a spontaneous report from a contactable consumer (patient, self-reported). A 28-year-old female patient (who was not pregnant at the time of vaccination), received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, lot number: ER8732 and expiry date was not provided), via an unspecified route of administration, in arm left, on 26Mar2021, at 14:00 as single dose for COVID-19 immunisation. Patient medical history was not reported. She did not have any known allergies. Concomitant medications included estradiol valerate, progesterone and cyanocobalamin (VITAMIN B12). Patient stated that she first experienced some feverish feelings, chills and hives 30 minutes following her vaccination. She drove home from the hospital and was feeling a bit off, but mostly okay. By the time she got back, she was feeling worse, around 4 PM. By 5 PM she had broken out in hives all over her body, especially on her face, swelling her eyes significantly and having her tongue go somewhat numb, starting to make it difficult to swallow. She also had significant chills, and couldn't stop shaking, and ended up being admitted to the ER. After being given antihistamines, the swelling went down and eventually the chills stopped after monitoring in the hospital. The patient was hospitalized for the events on an unknown date in Mar2021. Treatment received for the events. The patient was not diagnosed with COVID prior vaccination. The patient had not been tested for COVID post vaccination. The patient did not receive any other vaccine in four weeks of vaccination. Outcome of the events was recovered on an unknown date in Mar2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224077	4/18/2021	LA	57	F	3/26/2021	3/27/2021	fever, chills, headache, eyes hurt, location of dental implant hurt, body hurts; fever, chills, headache, eyes hurt, location of dental implant hurt, body hurts; fever, chills, headache, eyes hurt, location of dental implant hurt, body hurts; fever, chills, headache, eyes hurt, location of dental implant hurt, body hurts; fever, chills, headache, eyes hurt, location of dental implant hurt, body hurts; fever, chills, headache, eyes hurt, location of dental implant hurt, body hurts; This is a spontaneous report from a contactable consumer. A 57-years-old non pregnant female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), dose 2 via an unspecified route of administration, administered in Arm Right on 26Mar2021 18:30 (Batch/Lot Number: ER8732) as single dose for covid-19 immunisation. Medical history included, Biaxin allergies. Concomitant medication(s) included vitamin d3 (VITAMIN D3). The patient previously took bnt162b2(PFIZER-BIONTECH COVID-19 VACCINE; Solution for injection; Batch/Lot Number: EN6199), dose 1 via an unspecified route of administration, administered in Arm Right on 26Mar2021 18:30 as single dose for COVID-19 immunization. The patient experienced fever, chills, headache, eyes hurt, location of dental implant hurt, body hurts 27Mar2021 10:15. The patient did not received any other vaccines within 4 weeks prior to the COVID vaccine. No treatment was received for the events. The outcome of the events was recovering. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224055	4/18/2021	FL		F	4/7/2021		<p>TUNNEL VISION; CHEST PAIN/PRESSURE; WEIRD TASTE IN MOUTH; DRUNK FEELLING; CRAZY DREAMS; DIZZINESS; NAUSEA; SHOOTING INJECTION SITE PAIN; MUSCLE ACHE; HEADACHE;</p> <p>This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received Covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, and batch number: 041A21A expiry: UNKNOWN) 1 total, dose was not reported, administered on 07-APR-2021 on left arm for prophylactic vaccination. No concomitant medications were reported. On 07-APR-2021, after vaccination the patient immediately felt dizzy and nausea. Later, she developed tunnel vision, chest pain/pressure, shooting pain in arm of injection up into jaw (left side) and weird taste in mouth for 6-7 hours. She felt drunk and developed muscle aches. She had crazy dreams and headache. She took Tylenol (paracetamol) about 3-4 hours after vaccination. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from chest pain/pressure, chemical taste in mouth, and shooting injection site pain on 07-APR-2021, tunnel vision, drunk feeling, nausea, and muscle ache on 08-APR-2021, and headache, was recovering from dizziness, and had not recovered from crazy dreams. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210416274-Covid-19 vaccine ad26.cov2.s-TUNNEL VISION . This event is considered unassessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1225669	4/18/2021	CT	64	F	3/6/2021	3/7/2021	Started morning after with terrible headache, pain in the eyes, nausea and sore arm. Few days later felt tightness in the chest, shortness of breath and a cough started. Feeling unwell. Continued and went to urgent care. Covid 19 test negative. continued to feel the worse and went back again to urgent care. Same symptoms with nausea and headache on and off. another covid test negative and chest xray. looked ok. Continued with the same symptoms and went to Primary Care Cough worse and pain in chest. Blood work done. Looked ok. Woke up with terrible headache at 3am. Went to the ER. IV ,Blood work ,ct scan, ekg. No real answersBP elevated. Still struggling but cough improving.
1225382	4/18/2021	NY	30	M	4/16/2021	4/16/2021	At approximately 4:30pm, on the day I got the vaccine, I began to feel the effects of Encephalopathy and Encephalitis, in which I began to feel pressure in my skull, and felt confusional thinking. It became hard to discern my thoughts. I also, began to experience a difficult time with my vision not being able to control what my vision was focusing on, as well as seeing a blue tint in my vision. I am also experiencing mild pressure and aches on the right side of my back and left side of my chest. These effects have been continuous for the last 4 days. To treat these symptoms I have been using natural remedies, and have maintained a stable condition due to that.
1224256	4/18/2021	CA	48	F	4/6/2021	4/8/2021	Persistent headache for days, lightheadedness, blurred vision, heavy, almost vertigo-like. Fog

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224588	4/18/2021	NY		M	3/26/2021	3/1/2021	His entire left arm was completely numb; His mouth went completely numb; His tongue is having a tingling sensation; He has headache; His vision was blurred seeing very weird things; This is a spontaneous report from a Pfizer-sponsored program. A contactable male consumer (patient). A male patient of an unknown age received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Solution for injection, Lot number and expiration dates were not reported), via unspecified route of administration on 26Mar2021 in the left arm at single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. It reported that, patient received the 1st dose of vaccine on 26Mar2021 and due to take his 2nd shot on 16Apr2021. The patient stated on an unspecified date in Mar2021 last night his entire left arm was completely numb to touch down to his fingers and he couldn't feel the things that he is touching, his mouth went completely numb and his tongue was having a tingling sensation, headache and his vision was blurred seeing very weird things. The patient wanted to know if there was a report regarding this side effects after taking the vaccine. The outcome of the patient's events was unknown. No follow-up attempts are needed; information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224670	4/18/2021	IN	54	M	3/18/2021	3/1/2021	<p>This is a spontaneous report received from a contactable consumer (patient). A 54-year-old male patient (height: 193cm, weight: 99.79kg) received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, batch/lot number: EN6207) via an unspecified route of administration at right upper arm on 18Mar2021 18:00 (54-year-old at time of vaccination), at single dose, for COVID-19 immunization. The patient's medical history included blood pressure, teeth cleaned (Shortly before the shot, went to the dentist to have teeth cleaned. Directly from Dentist went to pharmacy. Went to pharmacy's Drive Thru to pick up a little antibiotic from the dentist. It was 4 capsules of Amoxicillin. He was supposed to take the Amoxicillin before the dentist office visit, but he forgot to do that. Therefore, soon as he left the dentist office he went to pharmacy to pick it up so he could take it. While he was there, was offered the COVID 19 vaccine and that it was the last shot). Concomitant medications included atenolol tablet from 2016 (been taking for 5 years) and ongoing for blood pressure, and ascorbic acid/ cyanocobalamin/ ergocalciferol/ nicotinamide/ pyridoxine hydrochloride/ retinol/ riboflavin/ thiamine mononitrate (ONE-A-DAY). No additional vaccines administered on same date. No history of all previously immunizations. No prior vaccinations within 4 weeks. He got the shot Thursday and by Sunday, many different side effects were coming in. He has had side effects from the COVID VACCINE, but initially he does not want to file report, just thinks that everyone needs to get the shot. He does not have complaints. He is wondering how long the side effects will last, and when they go away. States that he is being treated as he has gone to the doctor's. Also states that he made an appointment with the doctor and almost went to the emergency room a couple of times. Right after the shot, he was getting in the car and his right leg started hurting (on 18Mar2021). It didn't go away for a couple of days. It went away but then noticed his shoes started feeling funny. He wasn't looking at his feet, put his shoes on they felt tight. Then he started to look at feet more. Below his knees, his legs are swollen. Swelling started within 2 to 3 days after the vaccine. The swelling is really severe when standing. Everybody at work has seen how sick he is and his legs. Swelling in the legs has him concerned, thinking maybe it's a blood clot. He was given medicine and</p>



VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

would like to see it go away. He keeps his legs up. He has other side effects (all in Mar2021) and is having flu like symptoms. He basically has the flu. He has never had the flu shot. This is the first flu shot (He referred to the COVID vaccine as the flu shot as documented. However, confirmed suspect product as Pfizer covid vaccine) he has had that he knows of. He is questioning if he should get the second shot. He feels a little dizzy. Quick questions get him confused and that it comes and goes. Lungs felt full, gasping for air: not now but, since the doctor gave him antibiotics (unspecified injections, he was given 2 shots at the doctor's office, one in each arm), his lungs felt full. At times he was gasping for air. It went away but thought he was going to die. Now when he gets winded, it feels like he has a dry cough. Gets winded easily. The doctor ordered him an inhaler, Symbicort, but it was very expensive, so he did not get it at that time. He never picked it up because it was too much money. The fluid is not there anymore and he does not feel like he needs this as does not feel like it needs to be cleared. He is having wheezing. He can now take deeper breaths. Fatigue: initially, that he was feeling tired within 1 or 2 days, but he did not recall the next day feeling that way (later stated it was within 2-3 days he started to feel tired). He is still tired. Unable to clarify time frame of fatigue further. He feels bloated and full. Hasn't really eaten but feels real full and bloated. Hot and cold flashes started occurring about the same time as the other symptoms. He had these last evening. He does not get the flu very often and doesn't take the Flu shot. This is the closest thing he can remember having a pretty good episode with the flu. He was also given prescriptions for 2 new medications: Triamterene 37.5mg daily, for leg swelling; Clindamycin, 300mg, twice a day, an antibiotic. The odd thing is that it seems like his eyes are big, like really, really big, like they are really open. It is like big eye balls. States that he is just sick and his body is reacting to getting better. He has not been to work in the last 3 days. States that he is fine, just worried about work. Patient asked for personal advice about going back to work. The outcome of "his right leg started hurting" was recovered; outcome of "below his knees, his legs are swollen/ swelling in the legs/ put his shoes on they felt tight" and Fatigue/feeling tired was not recovered; outcome of other events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224663	4/18/2021	NY	38	M	3/4/2021		<p>tested positive for covid19; tested positive for covid19; his heart, if he walks faster or does stairs he feels his breathing is more short and it takes more time than it usually does to recover from walking the stairs.; roof of mouth is itchy; caller is more tired; had pain in his shoulder; First dose: 15 Feb 2021/Second dose: 04MAR2021; throat becomes a little swollen; Palpitations; congested; burning sensation when he breathed/nose is burning when he breathes; cough; lost smell yesterday morning/laundry to smell something strong and there was no smell; he was "feeling like shit"; he had pressure behind his eyes, 3 out of 10; could not work or do anything; not sleeping well/cannot sleep for the last couple of days; This is a spontaneous report from a contactable consumer (Patient). This 38-year-old male patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (Lot number: EN6205), via an unspecified route of administration arm (Left shoulder) at single dose on 04Mar2021 and first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (Lot number: EL9267), via an unspecified route of administration Arm (left shoulder ) at single dose on 15Feb2021 for Covid-19 immunisation. The patient medical history included allergies depends on what kind of grass he is around. The concomitant medication included multivitamin daily and lists the brand. The event was described as follows: On an unspecified date patient tested positive for Covid19, roof of his mouth is itchy, foggy, tired, at night he was kind of tired, pain in his shoulder, throat becomes a little swollen it does not hurt at all but it is a little bit tight. On 31Mar2021 patient tested positive for covid, palpitations, congested, had a burning sensation when he breathed, he had a little cough, lost smell, "feeling like shit", cannot sleep for the last couple of days", pressure behind his eyes, 3 out of 10, and could not work or do anything had an apple cider vinegar gummy and it had no taste so he went to the laundry to smell something strong and there was no smell, nose is burning when he breathes, if he walks faster or does stairs he feels his breathing is more short, it takes more time than it usually does to recover from walking the stairs, could not work or do anything COVID 19 test 05Apr2021 positive, On Saturday he was not sleeping well which is a big issue, he slept 4 hours and heart now is ok but when he goes downstairs and up he</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

is jogging a little, run the stairs and it is harder to recover and breathe and that started at the beginning. Patient had no meat or fish for 2 weeks to detox his body and he is starting to eat meat slowly. States he tested positive for COVID-19 5 weeks after his 2nd dose. Treatment received for adverse event 500 mg Tylenol, Mucinex, Tylenol, and vitamins B and C, Mucinex a nose wash with salty spray. The patient underwent lab tests and procedures which included S1-RBDIGG antibody (positive) on 02Apr2021, Blood Test (IgM and IgG together), COVID-19 test (tested negative 30Mar2021 and tested positive 31Mar2021), covid19 PCR test (one was negative and one was positive), SPO2 is 98. The outcome of the event was Unknown. Follow-up attempts are completed. No further information is expected.; Sender's Comments: Based on the temporal relationship, A possible contributory role of the suspect product to the development of Dyspnoea, Oral Pruritus, Pharyngeal Edema, Palpitations, Nasal congestion, Burning sensation, Cough, increased intraocular pressure and sleep difficulty cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224648	4/18/2021	TX	22	F	3/30/2021	3/31/2021	I looked in the mirror & saw my bottom right eye orbit swelled.; I had fatigue & chills the following day after i got my vaccine.; I had fatigue & chills the following day after i got my vaccine.; I took ibuprofen for the pain in my back & arm; I took ibuprofen for the pain in my back & arm; When I stared to rest, I felt pressure when opening & closing them; This is a spontaneous report from a contactable other hcp (Patient). A 22-years-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, lot number: ER8737) via an unspecified route of administration at arm left on 30Mar2021 16:45 as single dose for COVID-19 immunization. The patient was not diagnosed with COVID-19 prior to vaccination. The patient medical history was not reported. Concomitant medication included vitamin d nos (VITAMIN D NOS). On 31Mar2021 The patient experienced and had fatigue and chills the following day after she got vaccine and took ibuprofen for the pain in my back & arm and when stared to rest she felt pressure when opening & closing them and looked in the mirror & saw her bottom right eye orbit was swollen and was conserved if she was having a reaction to the vaccine and called a nurse & tell a doc. They advised me to do cold compressions & take benadryl. Therapeutic measures were taken. The outcome of the events was recovered.; Sender's Comments: The causal association between the event bottom right eye orbit was swollen and the usage of the vaccine BNT162B2 cannot be excluded based on strong temporal association. As there is limited information in the case provided, the case will be reassessed once new information is available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224638	4/18/2021	CA	85	F	3/24/2021	3/28/2021	drooping of her face; swelling on her face; under her eyes it was sticky and hot/some areas on her face feel hot; under her eyes it was sticky and hot/some areas on her face feel hot; This is a spontaneous report from a non-contactable consumer. An 85-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/Lot Number: ER8727), dose 2 via an unspecified route of administration, administered in Arm Left on 24Mar2021 14:15 (at the age of 85years) as single dose for Covid-19 immunization. The patient received the first dose of BNT162B2 on 03Mar2021 in the left arm (unspecified route) for Covid-19 immunization. The patient's medical history was reported as none. Concomitant medications were not reported. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. It was reported that the patient had the second dose on Wednesday (24Mar2021) and four days later (as reported) (on 28Mar2021) she has swelling on her face and drooping of her face on the left side. It was further reported that it seems to be getting better today (31Mar2021); the drooping is almost all gone but some areas on her face feel hot; under her eyes it was sticky and hot. The reported asked if it was normal, or should the patient see the doctor. The patient was given Tylenol and she seems better. The outcome of events was recovering. Follow-up attempts are completed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224634	4/18/2021	KY	64	F	3/16/2021	3/1/2021	Lymph nodes hurting a lot; Hypersensitive to light; A lot of dizziness; Nausea; Headaches; affecting all organs; Chest pain; Felt like the Covid-19 vaccine was hydrating eyes/Film on eyes; Losing vision; This is a spontaneous report from a contactable consumer (patient). A 64-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Lot Number: EN6208), first dose via an unspecified route of administration on 16Mar2021 10:30 (at the age of 64 years old), single dose for covid-19 immunisation. Medical history included ongoing thyroid (disorder) (Unspecified thyroid condition). It is the vaccines with aluminum and bovine extract that she knows that she can't handle. Caller reported that she got a flu vaccine at work and that she definitely got the flu within a few minutes of receiving the flu vaccine. Caller reported that another time after receiving the flu vaccine, she definitely got the flu but she was unsure of the time frame. Caller reported that she did have the flu vaccine several times but that two times, the flu vaccine definitely gave her the flu. She has 3 brothers and that one of her brothers that she is a caregiver for has Type 1 Diabetes. Her brother just felt like he had to have 2 vaccines several years ago and that he received the pneumonia and flu vaccines. Her brother was hospitalized within days of receiving the flu and pneumonia vaccines. Her brother was placed in the ICU for heart patients and the medical staff at the hospital was not sure if her brother was going to live. She couldn't remember how long her brother was hospitalized for, caller stated she thinks maybe around 10 days. She knows what she knows, her 2 other brothers were also hospitalized as children. She didn't know if her brothers had vaccines before they were hospitalized but that she would bet money that vaccines they had received are what resulted in hospitalization. When hospitalized, her second brother was not expected to live. At the time of the event, her brother was only 1 or 2 years old. Her brother's infection was so bad that the hospital sent blood to the CDC and that the CDC couldn't figure out what was wrong with her brother. The hospital kept giving IV antibiotics to her brother and he lived. Her third brother hospitalized around 5 years old with pneumonia during the summer. She didn't know if her brother had received any vaccinations at that time. She just thinks the vaccines did that to them but she doesn't know that.

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

Someone gave her first brother the information on the pneumonia and flu vaccines he received prior to his hospitalization. She didn't have information regarding the details of the vaccines that her brother received. The facility where her first brother was vaccinated with flu and pneumonia vaccines would not give her the information on the vaccines that her brother received. Caller reported that it was a really hard time to fight the facility for that information and she was shocked the facility wouldn't give her the requested information. Caller reported that they wouldn't give her any medication records or anything. Caller reported that it was a bad time for her to fight it, and that she will eventually go back and tell them they have to give her the information. Her brother that she is a caregiver for and that was hospitalized after receiving the flu and pneumonia vaccines also had the Covid-19 vaccine on 16Mar2021. Caller reported that she had been more concerned about her brother having a reaction as he has serious health issues, including Type 1 Diabetes and a heart condition. Caller reported that her brother stated that he's fine and to the caller, her brother seems fine. Concomitant medication included levothyroxine. Patient has experienced that the Pfizer Covid-19 vaccine made her hypersensitive to light on 20Mar2021. She is losing vision on Mar2021 because of the hypersensitivity to light. On 20Mar2021, patient had a lot of dizziness and nausea. It is affecting all of her organs. She has had headaches, chest pain. The Covid-19 vaccine is affecting all of her organs. Yesterday, 30Mar2021, her lymph nodes were hurting a lot, at least she thinks it was her lymph nodes. All of her organs that have been affected by the Covid-19 vaccine and that it seems like it moves day to day. She is mostly sensitive to UV light but is also sensitive to artificial light. She thinks that the hypersensitivity to light has improved a little bit but it's still a problem. The hypersensitivity to light was the absolute worst on 20Mar2021. She doesn't know how much she is still dizzy when asked if it was still ongoing. She added she has been taking Benadryl and ginger for the dizziness and nausea and it helps a lot. She has been taking ginger for the nausea, and if she still has a little, it's not as much. Today is an overcast day and that it's an easy day for her. Caller reported that bright, sunny days are the worst. She was unsure of when the vision loss occurred

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

but stated that she knew by 20Mar2021 that she had lost vision. She didn't know if she was continuing to lose vision but she can tell she lost vision. She did have a headache in the evening on 16Mar2021 after receiving the Covid-19 vaccine. She thinks the headache occurred in the evening on 16Mar2021. She may have had some headaches between 16Mar2021 and 20Mar2021, but that the headache she had on 20Mar2021 was a horrible headache. She is still getting headaches. She would say the headaches are a little better but she is still having them. She is having headaches that she doesn't think she would normally have. She wasn't having headaches before receiving the Covid-19 vaccine. She thinks she did have headaches between 16Mar2021 and 20Mar2021, but 20Mar2021 is when the headaches really hit her. The chest pain is intermittent and that the chest pain coincides with when the light is affecting her. When it's UV light, more so in the afternoon on sunny days, but technically the artificial light in the evening some days bothers her too. She doesn't think her lymph nodes were bothering her before 29Mar2021. Her lymph nodes are ok this morning, 31Mar2021. Different organs have hurt at different times. The effect on organs started within minutes of getting the Covid-19 vaccine. She could feel her eyes and that her eyes felt different within minutes of getting the Covid-19 vaccine. It felt like the Covid-19 vaccine was hydrating her eyes on 16Mar2021 but at the time it felt good. Afterward she was freaking out because she was concerned about her eyes. In the evening of 16Mar2021, it seemed like there was a film on her eyes and she had a headache. On 17Mar2021, 18Mar2021, and 19Mar 2021 she had headaches that she wouldn't have normally had. On 20Mar2021 different organs started hurting. Her biggest concern was the chest pain. After looking back on it, the chest pain may have started between 17Mar2021 and 19Mar2021 also. The effect on her organs from the Covid-19 vaccine occurs on different organs at different times on different days. The effect today isn't bad because it overcast outside and that her organs are really affected when she is exposed to a lot of light. She had 2 blood tests yesterday at her primary care doctor. The doctor ordered labs for VEGF and Leptin. She doesn't get vaccines. No Prior Vaccinations (within 4 weeks). The outcome of the event Photophobia, Nausea, Headache, Lymph node disorder was recovering; other



*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

events was unknown. Follow-up attempts are completed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224608	4/18/2021	ME	57	F	3/31/2021	4/1/2021	tip of left ring finger turned white and numb/finger was completely white and the rest of her hands were blue and red and white and yellow; tip of left ring finger turned white and numb; her finger felt funny; Reynauds phenomenon; sore arm; fever; chills; headache; swollen lymph node in the armpit of the arm she got her Covid 19 vaccine in; swollen lymph node started with a sharp pain and it's very sore; left foot, it was pulsing and throbbing all night; feet were modeled red, blue; feet were modeled red, blue; very sick; needed her glasses trying to give her primary care doctor's phone number; has something like gout in her foot; The swollen lymph node started with a sharp pain and could be a blood clot as far as she knows; This is a spontaneous report from a contactable consumer (patient) via the medical information team. A 57-year-old female patient received first dose bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot: EW0150; expiry: 31Jul2021), via an unspecified route of administration in left arm on 31Mar2021 01:30 as single dose for covid-19 immunisation. The vaccination facility type was a warehouse. The vaccine was not administered at a military facility. No previous immunization with the Pfizer vaccine considered as suspect. No vaccines administered on same date with the Pfizer vaccine considered as suspect. No prior vaccinations (within 4 weeks) and no following prior vaccinations. Medical history included covid-19 in Nov2020. The patient had no concomitant medications. The patient had the first dose of bnt162b2 on 31Mar2021 and 12 hours later (on 01Apr2021), sore arm, fever, chills and headache. Got a swollen lymph node in armpit, same arm as injection left side, today tip of left ring finger turned white and numb. She thinks it was Reynauds phenomenon. The patient called and told nurse in her doctor's office and they said if it was painful, it could be a pain clot. It was painful at first, that lymph node started 24 hours later with a sharp pain, and then she just assumed it could be a lymph node. Swollen lymph node started with a sharp pain and it was very sore. The nurse told the patient to call Pfizer. The patient was fine until the tip of her finger happened. The patient said If it was painful it could be a blood clot, would need an x ray and asked if did the shot cause this. The complete ring finger left hand, the patient looked it up and it said it could happen to her feet and she looked,

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

and her feet were modeled red, blue it was bizarre. Never happened before. The patient was not happy about getting the vaccine, she already had covid in November of last year (2020). The patient wouldn't have called if it wasn't for her finger. Not just her feet, her hands got like this too. The patient didn't want to get the second shot. The patient asked if there was any information or mandate on timing information for the second dose, should she needed to postpone it. The patient asked if what was the efficacy after first dose as she felt like she was immune because she had the virus and now the vaccine. She was very hesitant to get the Covid 19 vaccine. She thinks her body created Covid 19 antibodies. A couple days ago she was very sick. The swollen lymph node started with a sharp pain and could be a blood clot as far as she knows (in 2021). Even putting on deodorant she can tell it's there, it was very sore and there's a lump. Today (on 01Apr2021), she noticed the tip of her finger got white it was numb. She looked it up online and she thinks it was Reynaud's phenomenon. She has a picture if Pfizer needed it. The finger was on the same arm that she received her vaccine in. It was the ring finger on left hand. Once it started happening her finger felt funny and felt numb. She put her finger under warm water. She reported that the white color was maybe a third of the way down towards her knuckle. She was asking if this was normal or has this been reported. She had called her doctor today and spoke with the nurse who told her to call the CDC and report her symptoms. She needed her glasses trying to give her primary care doctor's phone number. The patient wanted to add that she has something like gout in her foot and on that side too, the left foot, it was pulsing and throbbing all night. She's had this pain in her left foot, she thinks its gout because it was all the symptoms of gout and she had it for a while, it hurts off and on but that night it was hurting and throbbing. She has not been diagnosed with gout in that left foot. She still has a headache but today she felt good except for her finger turning white and going numb. The lymph node in her armpit hurts. Her doctor's nurse told her if its painful to the touch it could be a blood clot so she was nervous about that. The tip of her finger was completely white and the rest of her hands were blue and red and white and yellow. She reported that her finger was back

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

to normal now. She didn't want to get too inoculated since she also had the Covid 19 virus. The events did not require visit to emergency room nor physician office. The outcome of the events was unknown for thrombosis, Raynaud's phenomenon, erythema, cyanosis, illness, visual impairment, and gout while for the remaining events was recovering.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224599	4/18/2021	CO		F	3/20/2021		breathing/unresponsive; seizures; blood sugar was 35/Blood sugar dropped into the 60's again; This is a spontaneous report from a contactable reporter. A 75-year-old female patient (reporter's mother) received second dose of bnt162b2 (BNT162B2, PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration on 20Mar2021 at single dose for covid-19 immunisation. Medical history included parkinson's disease from 2018 to an unknown date, the progressive type, covid-19 from Nov2020 to an unknown date (She had mild case of covid in November), she was not symptomatic, rheumatoid arthritis from 2018 to an unknown date, Heart failure from 2018 to an unknown date(which she was diagnosed in 2018 with and was being managed appropriately), spinal operation from an unknown date and unknown if ongoing PRESS (Posterior reversible encephalopathy syndrome) Complication, posterior reversible encephalopathy syndrome from an unknown date and unknown if ongoing (Complication after Back surgery). The patient's concomitant medications were not reported. The patient had the first dose of dose of bnt162b2 (BNT162B2, PFIZER-BIONTECH COVID-19 VACCINE) on 27Feb2021 for covid-19 immunisation. The patient experienced breathing/unresponsive but breathing on her bi-pap (hospitalization) on an unspecified date with outcome of unknown, seizures (hospitalization) on an unspecified date with outcome of recovered, blood sugar was 35/blood sugar dropped into the 60's again, blood sugar low (hospitalization) on an unspecified date with outcome of unknown. The patient underwent lab tests and procedures which included lumbar puncture: proteins and white blood cells on unknown date, Presence of proteins and white blood cells, magnetic resonance imaging(MRI): something that happened with brain on unknown date, assault from something that happened with brain, white blood cell count: nothing crazy on unknown date. Therapeutic measures were taken as a result of seizures, blood sugar was 35/blood sugar dropped into the 60's again. The clinical course was reported as follows: She states, "Her mother was in a rehab facility up until the 26Mar2021, the CNA came in at noon and her mom wanted to keep sleeping. Thursday afternoon was the last time she got to talk to her. PT/OT came in at noon on Friday - found to be breathing/unresponsive. blood sugar

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

was 35, gave her glucose, came up to 111. Still not responsive but breathing. Sent her to ER, she was breathing but still not responsive, then started she started having seizures. Blood sugar dropped into the 60's again, having seizures from Friday until Monday. managed it with Keppra and another seizure medicine and now she is in ICU. Her mother is 75 years old with degenerative Parkinson's Disease, wheelchair bound, and a history of PRES (Posterior reversible encephalopathy syndrome). She was about to be discharged but then all of this happened. The only thing that was really different is the vaccine that she received. She had mild case of covid in November, she was not symptomatic. Waited 3 months to get the covid vaccine after she had covid. The caller states that her mother received the first dose of the Pfizer COVID-19 vaccine on 27Feb2021 and the second dose on 20Mar2021. The caller would like to know if there have been any reports of low blood sugar associated with receiving the Pfizer COVID-19 vaccine. The caller wants to know if anyone has reported seizures as a side effect from receiving the Pfizer COVID-19 vaccine. Responded per page 23 of the attached EUA Prescribing Information LAB-1457-6.0 Revised: 25Feb2021: "Throughout the safety follow-up period to date, Bell's palsy (facial paralysis) was reported by four participants in the Pfizer-BioNTech COVID-19 Vaccine group. Onset of facial paralysis was Day 37 after Dose 1 (participant did not receive Dose 2) and Days 3, 9, and 48 after Dose 2. No cases of Bell's palsy were reported in the placebo group. Currently available information is insufficient to determine a causal relationship with the vaccine. There were no other notable patterns or numerical imbalances between treatment groups for specific categories of non-serious adverse events (including other neurologic or neuroinflammatory, and thrombotic events) that would suggest a causal relationship to Pfizer-BioNTech COVID-19 Vaccine. 6.2 Post Authorization Experience: The following adverse reactions have been identified during post authorization use of Pfizer-BioNTech COVID-19 Vaccine. Because these reactions are reported voluntarily, it is not always possible to reliably estimate their frequency or establish a causal relationship to vaccine exposure. Immune System Disorders: severe allergic reactions, including anaphylaxis, and other hypersensitivity reactions (e.g., rash, pruritus, urticaria,

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

angioedema)". The caller has her best friend on the line with her in case the caller forgets something. The caller's is calling on behalf of her mother who had both doses of the covid vaccine. The patient is currently in the Intensive Care Unit. The patient was supposed to go home from a rehabilitation facility on 27Mar2021 and staff found the patient on 26Feb2021 unresponsive but breathing on her bi-pap. Prior to the patient being found like this she was tired at noon and asked the staff to hold her lunch for her because she was tired and wanted to lay down because she had been up late the previous night. When physical therapy and occupational therapy came in a couple of hours later to do therapy they found the patient unresponsive and the patient's blood sugar was 35 so they gave her glucose and the blood sugar came up to 111. Emergency medical services came and took the patient to the emergency room and then she was put in the Intensive Care Unit, this was all within 30 minutes. The glucose dropped one more time and she started having seizures. The medical staff stabilized the patient with Keppra and another seizure medicine that starts with a V on a drip. The patient has been off her sedatives since Tuesday and she has eye movement under the eyes, she withdraws from pain, and when (name withheld) was talking to the patient on speakerphone the patient moved her head towards the phone. The caller mentions that the patient was not protecting her airway when the emergency medical service showed up and so the staff placed a king airway and then the patient moved to a normal ventilator. Wednesday the patient was being weaned on the ventilator and was able to breathe on her own for 7 hours. The caller was only able to breathe on her own on the ventilator for 2 hours yesterday, split up into 2 different trials. The medical team is pressuring the caller talking about tracheostomy and peg tubes and the medical staff wants to talk about that next week if the patient is not coming around. Investigations: MRI showed basically an assault from something that happened with the brain from having a low blood sugar. The patient has no history with diabetes or low blood sugars. Maybe the patient had a seizure prior? The patient had signs of infections, her white blood cell count is nothing crazy. The patient's lumbar puncture showed proteins and white blood cells present. The caller is trying to figure out what may have caused this incident. The patient had 4 strokes

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

1224597	4/18/2021						
---------	-----------	--	--	--	--	--	--

1224597	4/18/2021			F			
---------	-----------	--	--	---	--	--	--

on her left side and has come back from that and has been driving and fine after. The patient's outpatient neuro person said it is from the seizures. The caller is trying to rule out if there is anything weird with this vaccine that may have caused this or been reported? PRESS is a rare complication after back surgery and the patient had that. If something is super weird and rare then the patient usually has it, she usually gets weird things. Is this related to the vaccine? The caller knows it may not be likely but it was the only thing she hadn't looked into yet. Information on the lot/batch number has been requested.

blood in her eye, like it busted; This is a spontaneous report from a non-contactable consumer reported for herself. A 56-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration on an unspecified date (Batch/Lot number was not reported) as single dose for covid-19 immunisation. The patient medical history was not reported. The patient's concomitant medications were not reported. The patient got her first Pfizer covid vaccine this morning she was doing fine but when she came home and looked in the mirror, it looks like there is blood in her eye, like it busted. It doesn't hurt or anything on unknown date with outcome of unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224396	4/18/2021	NY	72	F	3/29/2021	3/1/2021	<p>hoped she wasn't having a heart attack; Elevated Pulse/high pulse/pulse was 165 beats per minute/climbed up to 195; Drenched in sweat/sweating/sweating like a dog in the middle of the night; Wasn't feeling well; Tightness in chest; Cough; Sinuses congested; Sore; Puffy, bubbled up arms, inflamed; Puffy, bubbled up arms, inflamed; Feverish/felt hotter than usual; Really, really tired/wiped out tired; so sleepy; Sore Arm/her arm started to hurt; Nauseous; Sore Throat/throat hurts; eyes half closed/eyes closing; Puffy Face; blood clot; This is a spontaneous report from a contactable consumer (patient). A 72-year-old female patient received the first dose BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number ER8733, expiry date: unknown), via an unspecified route of administration, on 29Mar2021 11:45, as single dose, for COVID-19 immunisation. Medical history included ongoing latex allergy (developed welts where the straps met the skin) diagnosed 20-30 years ago; ongoing dye allergy (developed warm soreness to leg, tightness in the chest, could not breathe) diagnosed many years ago; sulphite allergy (diagnosed about 1975-1980; cannot eat processed foods, bleached foods, frozen pre-made foods; tries to eat only single item foods; last anaphylactic reaction after eating olive oil at a restaurant because it had sulphites in it; Mother was possibly allergic to sulphites; Son also allergic to sulphites); and blood pressure that runs low. The patient previously took epinephrine and experienced epinephrine allergy; ciprofloxacin (CIPRO) and experienced Cipro Allergy (eyes closed, got puffy, couldn't breathe); amoxicillin for abscessed tooth and had a reaction because of the sulphites in it; epinephrine (EPIPEN) and experienced epinephrine allergy (does not use it anymore); plantago ovata (METAMUCIL) which she then found out the orange one had sulphites. Historical vaccine included flu shot for immunization and she experienced 104-degree temperature and was sick as a dog and she went to the emergency room (she had flu shot maybe 3 times). Ongoing concomitant medication included multivitamins. The patient got her first dose of BNT162B2 on 29Mar2021 at 11:45. On the same day, once she got home, she became really, really tired/wiped out tired; was so sleepy; experienced sore arm/her arm started to hurt; was nauseous; had sore throat/throat hurt; eyes half</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

closed/eyes closing and puffy face. On 30Mar2021, the patient experienced elevated pulse/her pulse got too high/pulse was 165 beats per minute/climbed up to 195. Her heart rate was 194 at some point for a couple of minutes then stayed at 165 for a long time. She hoped she wasn't having a heart attack. She had tightness in her chest, wasn't feeling good and was coughing. She stayed in her bed to wait out her symptoms. These lasted for 10 minutes (as reported). She started meditating hoping her heart rate would decrease and it did after about 15-20 minutes. The patient also felt feverish/felt hotter than usual. Before she took the vaccine on 29Mar2021, her temperature was at 96. She stated that her temperature usually runs low as 95-06 degrees. She also felt like her sinuses were congested; was sore; had puffy, bubbled up arms, inflamed. The patient hoped it was not a blood clot she developed. At the time of the report, the patient stated that her heart rate was 61 beats per minute, earlier it was in the 70s; and her temperature was at 96.3. Her second dose is scheduled on 19Apr2021 and mentioned that if these were her reactions with the first dose, she is questioning getting the second dose. The outcome of "blood clot", "hoped she wasn't having a heart attack", "Wasn't feeling well", "Tightness in chest", cough, and sinuses congested was unknown. The patient recovered from "Drenched in sweat/sweating/sweating like a dog in the middle of the night", and "Elevated Pulse/high pulse/pulse was 165 beats per minute/climbed up to 195" on 30Mar2021; and was recovering from "Sore Arm/her arm started to hurt", and "eyes half closed/eyes closing". The outcome of the remaining events was not recovered. Information on the lot/batch number has been obtained. Additional information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224590	4/18/2021	OH	74	M	3/4/2021	3/24/2021	Possible TIA; He woke up with black clouds in both eyes surrounded by red; This is a spontaneous report from a contactable consumer (patient's son/daughter). A 75-year-old male patient received 1st dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, LOT number: EN6202, expiration date unknown) via unspecified route of administration at arm left on 04Mar2021 at 11:30 AM at age of 74-year-old at single dose for COVID-19 immunisation. Medical history included traumatic brain injury (TBI) 1.5 years ago due to a horse accident. There was no known allergies. Concomitant medication was reported as none. There was no other vaccine in four weeks and no other medications in two weeks. Patient woke up with black clouds in both eyes surrounded by red. He went to an eye doctor the next day that told him not to get the next dose and to go see a doctor immediately. He did, he has still not received any real answers. The eye doctor was afraid it was a possible transient ischaemic attack (TIA). Onset date of events was 24Mar2021 at 03:30 AM. Outcome of events was not recovered. No treatment received for the events. Events resulted in doctor or other healthcare professional office/clinic visit. There was no Covid prior vaccination. Covid was not tested post vaccination.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224690	4/18/2021	NE	64	M	2/3/2021	3/27/2021	not sleeping on that shoulder; Sinus infection/Head Congestion; Bronchitis; Positive Covid Test; Positive Covid Test; This is a spontaneous report from a contactable consumer. A 65-years-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration, administered in left arm on 03Feb2021 (Batch/Lot Number: EL9262) as single dose for covid-19 immunisation. Medical history included raynaud's phenomenon from 1992 and ongoing, chronic obstructive pulmonary disease from 1998 and ongoing, anaemia from 1986 and ongoing, renal transplant from 2014 to an unknown date, stated it started during chemo in 1986 and comes and goes but he never gets better than borderline; states since his kidney transplant it happens less, lymphoedema from 2010 and ongoing, hypertension from 2000 and ongoing, ongoing dry mouth, stated he has had his whole life because of Sjogren's, mycobacterium chelonae infection from 2014 to an unknown date, stated it was a cousin to Leprosy and a type of TB. Stated the infectious disease doctors presented his case to the CDC and he was on antibiotics for 2 months to get rid of that, one cost \$5000/day. States he was getting cellulitis in both legs every week until they took care of that, sleep apnoea syndrome from 1998 and ongoing, ongoing peripheral venous disease, blood clot in lung and DVT in leg, stated he has thrown blood clots that lodged in his lung and had a DVT in his right leg--during chemotherapy, gout from 2005 and ongoing, advanced neuropathy and ongoing, advanced neuropathy all over his body for 25 years. Stated he has had finger nails torn out and it doesn't hurt. Leg ulcer from: 1987 and ongoing, reoccurring leg ulcers mainly around his ankles. Stated his skin was so thin that it breaks open and forms ulcers. States he got out of the hospital in Nov 1986 and they showed up next summer 1987. States he has been wearing compression support hose since 1988 all the time, ongoing Sjogren's syndrome, Sjogren's Syndrome which is a lesser degree of Lupus. States he has had it for 6 years. States the clinic missed it on him. States he was diagnosed in the air force and it has advanced now to the point that they are calling it Lupus like. State he is a 100% disabled. Caller states he had a kidney transplant in 2014 and he has been on immunosuppressant drugs for 18 years.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

Mainly Prednisone, CellCept and Tacrolimus. Historical vaccine included BNT162B2, Lot: EK4176, on 13Jan2021 for COVID-19 immunization. Concomitant medication(s) included prednisone taken for transplant suppression and sjogren's from 1998 and ongoing; allopurinol taken for gout and ongoing; amlodipine taken for raynaud's phenomenon; bisacodyl (DULCOLAX [BISACODYL]) taken for an unspecified indication and ongoing; hydrofluoric acid (HYDROFLUORIC ACID) taken for moisturizing legs for skin and ongoing; losartan taken for hypertension and ongoing; magnesium oxide taken for supplement magnesium levels are low and ongoing; mycophenolate mofetil (CELLCEPT [MYCOPHENOLATE MOFETIL]) taken for Kidney Transplant Suppression and Sjogren's for 18-20 years and ongoing; rosuvastatin taken for blood cholesterol abnormal and ongoing; tacrolimus taken for kidney suppression anti rejection and ongoing; tiotropium bromide (SPIRIVA) taken for lung problems copd; states he has had 8 pneumonias and bronchitis and ongoing; valaciclovir (VALACICLOVIR) taken for outbreaks of shingles in mouth herpes simplex and ongoing; vitamin d ongoing; vitamin b12 taken for supplementation, ongoing. The patient experienced positive covid test on 27Mar2021 11:00 with outcome of recovering, not sleeping on that shoulder on an unspecified date with outcome of unknown , head congestion on an unspecified date with outcome of unknown, sinus infection on an unspecified date with outcome of recovered, bronchitis on an unspecified date with outcome of unknown. Stated he had his second shot on 3Feb2021 and on 27Mar2021, he was diagnosed with Covid. Caller stated on Saturday 27Mar2021, when they found out, the emergency room was really startled [that he tested positive for Covid after being fully vaccinated] and the hospital is a good size. Stated he was the first person that has been fully vaccinated that has caught Covid at the hospital. States he may have caught the virus earlier. States it started with head congestion that lead to a sinus infection and he was put on a Z-pack. States the sinus infection went away but he started having lung trouble so he went back and they said he had bronchitis, his lungs looked fine, and they put him on a different antibiotic. States they said lets do a Covid swab to make sure but they really doubt he would have it

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

and the Covid test came back positive and boy were they surprised. Clarifies the antibiotic didn't work on the Covid. States it was Levofloxacin, dosage unknown. States the Hospital is normally good about putting the dose on there but they didn't put the dosage and they kept the bottle at the emergency room on Saturday. Caller states that he is also on these other medications; however he doesn't think they were taken within the 2 weeks before the vaccines. Acetaminophen as needed, albuterol as needed, Refresh Eye Drops as needed, Guaifenesin as needed uses when he gets a chest cold and gets them fairly often, and Sudafed as needed. States a surgeon once told him he had the worst bronchitis that he has seen in his career. States he has had a collapsed lung. States during therapy they were putting in a subclavian line and nicked his lung. States boy does that hurt getting a line put in. Caller states he had a kidney transplant in 2014 and he has been on immunosuppressant drugs for 18 years. Mainly Prednisone, CellCept and Tacrolimus. Treatment was giving him a boost of dexamethasone, simply relying on the vaccine to help him get better. States he had no adverse reactions, other than not sleeping on that shoulder, that is all he had. Emergency Room visited on Saturday 27Mar2021 and 23Mar2021. States they did X-rays and blood tests and that is when they told him on 23MAR2021 that he had Bronchitis and sent him home on the antibiotic. The patient underwent lab tests and procedures which included blood test: unknown result on 23Mar2021, sars-cov-2 test: positive, x-ray: unknown result on 23Mar2021. Therapeutic measures were taken as a result of positive covid test, sinus infection, bronchitis.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224558	4/18/2021	AR		F	3/13/2021	3/1/2021	allergies due to the wind blowing outside; started having runny nose; sneezing; itchy eyes; This is a spontaneous report from Pfizer sponsored program and medical information team. A contactable consumer (patient herself) reported that a female patient of an unspecified age received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Formulation: Solution for injection), via an unspecified route of administration on 13Mar2021 as a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. It was reported that, caller (name) reported that she received the 1st dose of the vaccine last 13Mar2021 and she was scheduled on Saturday for her second dose which was 03Apr2021. She was having allergies due to the wind blowing outside and started having runny nose, sneezing and itchy eyes on an unspecified date in Mar2021. She was consulting if she could take the second dose or if she needs to wait for a while. Also, wanted to know if a person would be hurt if they take a vaccine without knowing that they got the COVID-19. The outcome of the events was unknown. No follow-up attempts are possible. Information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224548	4/18/2021	MA	67	M	2/25/2021	3/15/2021	found down unconscious; unwitnessed fall; oxygen was in the 60s; submassive bilateral pulmonary emboli; right femoral vein emboli/ occlusive thrombus visualized in the right proximal femoral vein; some degree of right heart dysfunction; blood sugar very high; A1C elevated; Haptoglobin elevated; elevated troponin; This is a spontaneous report from a contactable nurse. A 67-year-old male patient received second dose BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection; Lot number was not reported) via an unspecified route of administration, at the age of 67-year-old, on 25Feb2021, as SINGLE DOSE for covid-19 immunisation. Medical history included Traumatic brain injury at the age of 29 which resulted in a CVA (right sided stroke)because the hospital did not know how to give Mannitol, behavioral problems in 2008, run over by a train in 2008, wears two AFOs (one on the left leg from having a right sided stroke, he also wears one on his left leg from having a stroke with right sided weakness, the right AFO was worn since he was 29, and then the other one he started wearing in 2008 when he was run over by a train and almost had his leg severed and he wears a left AFO), dementia diagnosed 4-5 years ago, head surgeries, depression, affective disorder, anxiety. The patient had multiple hospitalizations, and he has hyper reflexivity like all brain patients have. The patient has no history of blood clots or emboli. Concomitant medications included olanzapine (ZYPREXA) taken for depression and oxcarbazepine (TRILEPTAL) taken for affective disorder and anxiety. The patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection; lot number not reported) single dose for covid-19 immunisation, pneumonia and flu vaccine in 2008 for immunization and has no reaction. The patient received his second dose of the vaccine on 25Feb2021 and two weeks later he was found down/ was found down unconscious at the nursing home and his oxygen was in the 60's on 15Mar2021. The nursing home did not know if her brother hit his head because it was unwitnessed. The patient was found down, not responsive, and it was an unwitnessed fall. The patient was treated as a trauma patient and that this occurred around 10 oclock on 15Mar2021. At that time, he was transferred to a local hospital to the emergency room and put on oxygen. They transferred him within 4 hours



VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

because they did not know what to do. Caller adds that the hospital thought that he had a subdural hematoma but the hospital does not have a neuro radiologist, so the hospital transferred to the other hospital that somebody with head knowledge can look at his CAT scan. The patient was misdiagnosed with a subdural hematoma because there were changes in his CT scan from his 3 previous brain surgeries. The patient had a traumatic brain injury when he was 29, and experienced changes. The patient was found to have submassive bilateral pulmonary emboli on 15Mar2021 described as central lobar sub segmental PEs in both lungs, PE was within the distal right main artery, pulmonary artery distal left main, left middle lobe, middle right lobe / upper right lower lobe and middle lobar, segmental and sub segmental pulmonary arteries. The patient also had pulmonary emboli in the distal left main pulmonary artery of left middle lobe and left lower lobe, pulmonary arteries. There was also some degree of right heart dysfunction which was diagnosed by contrast. On 15Mar2021, the patient also had right femoral vein emboli/ occlusive thrombus visualized in the right proximal femoral vein. The patient is in a nursing home, the doctor did not want to listen to the reporter because her brother is a nursing home patient and they just assume he is immobile but he is not. The patient underwent lab test and procedures which included Blood sugar very high (they think it was because of heart strain and acute injury because then it came down down down), A1C elevated, Haptoglobin elevated, elevated troponin. These results were all elevated and from acute injury. At the time of the report, the patient is feeling better and needs less oxygen. The events found down unconscious, unwitnessed fall and oxygen saturation low, pulmonary embolism, right femoral vein emboli/ occlusive thrombus visualized in the right proximal femoral vein, and some degree of right heart dysfunction caused hospitalization from 15Mar2021 to 18Mar2021. The reporter absolutely does believe the events and the suspect drug are correlated. Outcome of found down unconscious, unwitnessed fall and oxygen saturation low, pulmonary embolism was recovered on 18Mar2021 while it was unknown for the other events.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224538	4/18/2021	WY	59	M	3/11/2021	3/18/2021	<p>Bell's palsy; eye sight in that eye is getting worse every day; right eyelid was sticking on his eye and wouldn't shut; he couldn't move his face on the left side and he can't control it at all; blood got really thin and wouldn't clot; left hand got really swollen; entire arm bruised; edema in his hand; edema in his hand got to the point where his skin was cracking; blood got really thin and wouldn't clot; face went numb; This is a spontaneous report from a contactable consumer (patient). A 59-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; lot number: EN6207, Expiration Date: Jul2021), via an unspecified route of administration, administered in Arm Right on 11Mar2021 (at the age of 59 years old) as single dose for covid-19 immunisation. Medical history included lupus from 2020 and ongoing, ongoing High Blood Pressure, Spinal Surgeries from 1999, Chronic Pain, Retention water, blood clot issue. The patient previously had tetanus shot. Concomitant medications included losartan potassium; allopurinol; hydroxychloroquine; methocarbamol; morphine sulfate (MS CONTIN); oxycodone; furosemide. Caller states he is calling about the Pfizer Covid 19 Vaccine. Seven days later the dose of vaccine (18Mar2021), patient developed Bell's Palsy which he has never had before and has never had any other problem with. He has seen an ENT, his pain doctor, and his medical doctor and they all say the Covid vaccine has caused the problem he is having. He was told by his ENT this is very possibly permanent. Emergency Doctors are who he went to because he thought he was having a stroke, because half of his face went numb. He has been to the doctor 10 times in the last 7 days, it has not been fun at all. He didn't put it together until he saw the ENT, who said Bell's Palsy is caused from a virus. States he had no idea until he said that, that it could possibly be from the injection. States he has never had Bells Palsy before and it started 8 days after the initial shot. His right eyelid was sticking on his eye and wouldn't shut and he couldn't move his face on the left side and he can't control it at all. Clarifies he couldn't shut his right eye all of the way. Since then they have told him he needs to tape his eye shut for 12 hours a day to keep from going blind. The thing that bothers him is his eye sight in that eye is getting worse every day even though he uses the cream and tapes it shut. His wife told him even with both</p>

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

eyes shut, it will not completely shut because his lower eyelid is hanging down too far. The ENT told him he needs a hearing test today at 2:00p.m. to see if this is going to be a permanent problem. He is getting ready to go to the ear doctor to find out more. At the same time he developed the Bells Palsy, his blood got really thin and wouldn't clot which seems really weird. Also on 18MAR2021, his left hand got really swollen and the entire arm bruised and they said the edema in his hand got to the point where his skin was cracking because his blood got so thin that it couldn't clot at all. He had a blood clot issue in the past. States his arm and hand have improved, he can move his hand again finally. The ENT said that since he has been on Prednisone, for recovery for Bells Palsy, for over a week and gotten worse instead of better, it may be permanent. Prednisone is not working, it has actually gotten worse. Prednisone 10mg for 7 days and to decrease by one tablet every day until gone but states he has gotten worse. Treatments (assessed as for all events): Prednisone. States that it has been two weeks since this happened and the doctor told him the only other option is skull surgery. The bones in his head would be drilled out to make room for the nerves in hopes he would be able to work his mouth again, so not a good thing. Eye cream. He is on disability and his house payment is 3/4 of what he makes, so he can't take care of the medical bills himself otherwise he wouldn't worry about it. It is very depressing. His medical doctor said he hadn't seen any cases of Bell's Palsy for 2 years, and he has seen 4 in the last week so that doesn't give him a lot of confidence even though he is still encouraging people to get the vaccine because it is safer than not. He has multiple visits to the ER 3 times between 18MAR2021 and 19MAR2021 within 24 hours; states he was in the ER for hours and hours but no admission. States they did a CT Scan, MRI, CT with contrast and then after that ended up 22 saw ENT who confirmed the fact that Covid Vaccine that gave Bells Palsy and on 22-23 saw his GM again. Prior Vaccinations (within 4 weeks): None within 4 weeks; states 9 months ago he had a Tetanus Shot. No AE(s) following prior vaccinations. The outcome of the event Bell's palsy, Visual acuity decreased, Eyelid disorder, Orofacial dyskinesia, numbness in face was not recovered; other events was recovering. All events happened on

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

18Mar2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224529	4/18/2021	CA	77	F	2/22/2021		<p>joints were sore; This is a spontaneous report from a contactable consumer (patient). A 77-year-old female patient received second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; Batch/Lot Number: EN9581), via an unspecified route of administration, administered in Arm Left on 22Feb2021 09:15 (at 77-year-old) as single dose for COVID-19 immunization. Medical history included ongoing AFib (She has had this condition for a about 6 years), ongoing getting anemic real easy (She says she has had this for the last 20 years), Glaucoma from 1998 (She says that in 1998 she had both eyes operated on and in 2016 she was operated on again), Cataracts from 2018, Pacemaker insertion (cardiac) (She states she has a pacemaker that controls her heart so the pulse does not drop below 65. She says that pacemaker was implanted, she thinks, 2014 maybe), Concomitant medications included metoprolol tartrate (METOPROLOL TARTRAS) taken for atrial fibrillation, blood pressure measurement from an unspecified start date and ongoing; warfarin (WARFARIN) taken for prophylaxis from an unspecified start date and ongoing; duloxetine (DULOXETINE) taken for anxiety from an unspecified start date and ongoing; montelukast (MONTELUKAST) taken for asthma from an unspecified start date and ongoing; folic acid (FOLIC ACID) taken for prophylaxis from 2015 and ongoing; ferrous sulfate (FERROUS SULFATE) taken for anaemia from an unspecified start date and ongoing; furosemide (FUROSEMIDE) taken for diuretic therapy from an unspecified start date and ongoing; baclofen (BACLOFEN) taken for muscle spasms from an unspecified start date and ongoing; hydrocodone bitartrate, paracetamol (NORCO) taken for arthritis from an unspecified start date and ongoing; calcium (CALCIUM) taken for arthritis from an unspecified start date and ongoing; ergocalciferol (VITAMIN D) taken for anaemia from an unspecified start date and ongoing; ongoing adult vitamins since her body doesn't absorb what she eats. The patient previously took BNT162B2 (Batch/lot number EL3246, Dosage text left arm) first dose on 04Feb2021 for COVID-19 immunization and experienced heart attack; must have passed out; the muscle that goes around her heart, it was having like a charley horse; heart rate, 102, 103, it went up to 200 in the ambulance; chest pain; Nausea; hard to breath; she</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

didn't remember all the tests; sharp pain underneath her left rib cage/pain was number10/still had pain off and on, periodically; broke out in sweat, real bad, number 10, she broke out in a clammy sweat. The patient said she has to leave in 20 minutes to a doctor's appointment. She says her second shot was on 22Feb2021 and the only reaction was it felt like a truck hit her, all her joints were sore (unspecified date), it lasted 2 days then went away, she feels good. Patient was hospitalized. She says she got the second dose to make sure she gets all the doses so she doesn't get sick. The outcome of the event was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224525	4/18/2021	CA	77	F	2/4/2021	2/6/2021	she and they thought she was having a heart attack; she must have passed out because she didn't remember all the tests; she got a sharp pain underneath her left rib cage/pain was number10/still had pain off and on, periodically; broke out in sweat, real bad, number 10, she broke out in a clammy sweat; hard to breath, she got a sharp pain underneath her left rib cage; the muscle that goes around her heart, it was having like a charley horse; heart rate, She says 102, 103, it went up to 200 in the ambulance.; chest pain; Nausea; hard to breath, she got a sharp pain underneath her left rib cage; This is a spontaneous report from a contactable consumer (patient). A 77-year-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number EL3246), via an unspecified route of administration, administered in left arm on 04Feb2021 09:00 as single dose for COVID-19 immunization. Medical history included ongoing atrial fibrillation for a about 6 years , ongoing anemic for the last 20 years, glaucoma from 1998, had both eyes operated on and in 2016 she was operated on again, cataract had this 4 years ago in she says, in 1918, 1919, she clarifies 2018, Cardiac pacemaker insertion which pacemaker that controls her heart so the pulse does not drop below 65. She says that pacemaker was implanted, she thinks, 2014 maybe, blood pressure, arthritis throughout her body and had 30 operations, body doesn't absorb what she eats, anxiety, asthma, muscle spasms; she reported she has had a lot of surgeries, both of her ankles have had triple fusions, these were in 2005, 2010, 2014, 2018, both her ankles were fused, she had 5 surgeries on her feet; she has had both of her knees replaced because of arthritis, 2012 and 2015 she believes, had numerous other surgeries and she doesn't want to go through all of them, a right shoulder reverse rotator cuff repair, she had a rotator cuff put in, she doesn't have a rotator cuff, this happened in 2019, her left shoulder, because of an automobile accident, rotator cuff was so damaged that they couldn't repair it, she has minimum use of her left arm and has had operations on her left shoulder in 2005; had a pacemaker put in about 6 years ago, the next morning they kept her overnight, they came in, they took an Xray, she had to go back 2 days later because the lead had come of the heart, they had to go back in an reattach the lead to the heart; 2 years ago her

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

pacemaker was going all over her chest, the doctor did not believe her and it landed under her armpit, it was the size of an orange, the doctor thought it was a lump, she went to the hospital, her pacemaker started falling apart, they took it out and put a new one in, it was about 4 years ago; a lump in her breast, she has been put under 30 times, they were all necessary, nothing for glamorizing; had surgeries in her left arm and some fingers than were numb. There was no prior vaccinations within 4 weeks, no events prior vaccinations and no family history. Ongoing concomitant medication included baclofen taken for muscle spasms for about 2 years, calcium for arthritis and her bones degenerate for 30 years, ergocalciferol (CALCIFEROL VIT D) taken for gets anemic real easy for 20 years, duloxetine taken for anxiety, taking this about 3 years ago; ferrous sulfate taken for anemic real easy for about 20 years; folic acid taken to rebuild cells taking this she thinks in 2015, furosemide taken for a diuretic to get rid of fluid for 2 years, metoprolol tartrate taken for atrial fibrillation, and blood pressure, taking this since she had her pacemaker put in; montelukast for asthma for 20 years; hydrocodone bitartrate, paracetamol (NORCO) taken for arthritis for 20 years, and warfarin taken for blood thinner/thin the blood out so she doesn't get blood clots; and adults vitamins for bone supplement and metabolism for 20 years as her body doesn't absorb what she eats. She says she takes a lot of medications and when she does blood bloodwork she was low so they make her take them. The patient previously took rivaroxaban (XARELTO). On 06Feb2021, the patient experienced she thought she was having a heart attack. The patient reported that she had to call an ambulance at 11:30 at night, she thought she had a massive heart attack. She had chest pain, nausea, it was hard to breath, she got a sharp pain underneath her left rib cage. She stated that when the ambulance got here they thought she was having a heart attack, they did nitroglycerin, when they got to the house, when in the ambulance on the way to the hospital they did another pill of nitroglycerin when they got to the hospital. The pain was a number 10. She stated she broke out in sweat, once they got her all hooked up they got to the hospital 6 miles away to the hospital. She was there for 2 full days, they did Xrays, dye in her, checked her hears, and did bloodwork. When she had chest pain, she reported they



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							gave the morphine, it lasted about 6 hours; she still had problems breathing, they took her, she must have passed out because she didn't remember all the tests, she was in and out of it, the severe pain stopped after 6 hours, still had pain off and on, periodically. When she got pain in the ambulance then the nausea went away. After the hospital nitro and another shot for the pain, the nausea stopped. After the hospital after this they gave morphine and the pain subsided a little but didn't totally go away until 6 o'clock in the evening, she still had problems breathing because every time she breathed she got pain under her left rib cage. She says the sweat was at home, real bad, number 10, she broke out in a clammy sweat, on the 6th when she was having pain. She says that after the hospital, a couple days after that, she saw her cardiologists, he told her what happened, it was related to vaccine, it was the muscle that goes around her heart, it was having like a charley horse, he says it felt like you're having a heart attack, her tests said her heart was good. She talks about her blood pressure and heart rate, and says 102, 103, it went up to 200 in the ambulance. She says they thought it was a heart attack, her blood pressure was usually low blood pressure and all the symptoms she was having was because of her muscle having a charley horse that felt like it was coming from the heart, if they had contacted him, he said she would have just needed a massive amount of anti-inflammatory and it would have stopped the pain. The events required an emergency room visit. She wanted to know if anybody else has been hospitalized for massive heart attacks and says that's what she was having. The patient had her second shot on 22Feb2021. Outcome of event nausea was recovered on an unspecified date; and outcome of the rest of events was unknown.
1224511	4/18/2021	IN	21	F	4/15/2021	4/17/2021	Day after vaccine normal chills and fatigue. Sore eyes and sore arm where vaccine was administered. Subsequent day woke up with extremely itchy eye (right only) and growing lump in eye which grew throughout day. Called health facility for university and on-call nurse said to go to ER. ER said some allergic reaction possibly due to season (patient has not experienced any allergic reactions to her knowledge prior).

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224495	4/18/2021	NJ	37	F	3/31/2021	3/31/2021	anaphylactic shock; chest pains; tingling in extremities; shortness of breath/couldn't breath; wheezing; Throat closed; chest tightened; burning in arms that traveled down my arms then into my torso and legs/Scalp and ears also burning/still feeling the burning; Scalp and ears also burning; ears also burning; Itchy throat all days; couldn't breath or talk; This is a spontaneous report from contactable consumers. A 37-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), dose 1 via an unspecified route of administration, administered in Arm Left on 31Mar2021 13:30 (Lot Number: EW0151) as SINGLE DOSE for COVID-19 immunisation. The patient was not pregnant at time of vaccination. Medical history included fish, tree nuts, peanuts allergy, in-door & outdoor environmental allergies, pet dander allergy, rheumatoid arthritis, asthma, GERD, chronic dry eye and ADHD; all from an unknown date and unknown if ongoing. Concomitant medications included albuterol, lifitegrast (XIIDRA), amfetamine aspartate, amfetamine sulfate, dexamfetamine saccharate, dexamfetamine sulfate (ADDERALL), prednisone, cetirizine hydrochloride (ZYRTEC) and etanercept (ENBREL); all taken for an unspecified indication, start and stop date were not reported. The facility where the most recent COVID-19 vaccine was administered was in the hospital. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. On 31Mar2021 13:45, the patient began with chest pains, then tingling in extremities, then shortness of breath & wheezing. Suddenly, was in anaphylactic shock. The patient experienced throat closed, chest tightened, couldn't breath or talk. Same symptoms came back on 01Apr2021. The patient went to emergency room/department or urgent care. The patient stated, "I went into anaphylactic shock again and back to hospital. The following day, anaphylaxis re-turned, but no anaphylactic shock. Shortness of breath, burning in arms that traveled down my arms then into my torso and legs. Itchy throat all days. Scalp and ears also burning. Today, on day 4, still feeling the burning and trouble breathing. Every time the Benadryl wears off, it feels like it's still attacking my body". Treatment for the events was

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

received such as 3 epi-pen injections, EKG, IV of Benadryl and IV of steroids. The outcome of the event "burning in arms that traveled down my arms then into my torso and legs/Scalp and ears also burning/still feeling the burning" was unknown and the outcome of the rest of the events was not recovered. The patient was hospitalized due to event anaphylactic shock that was also reported as life threatening.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224494	4/18/2021	NV	62	F	3/26/2021	3/26/2021	<p>eyes rolled back/passed out; my throat area under my jaw line started to hurt; my left leg was achy and tingly; my left leg was achy and tingly; headache; nauseated; weak; fever; just didn't feel good; sick; became rigid; This is a spontaneous report received from a contactable consumer (patient). A 62-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (brand=Pfizer-BioNTech, lot unknown=true, lot unknown reason=unable to locate or read the details) via an unspecified route of administration in right arm on 26Mar2021 11:45 (62-year-old at vaccination date) at a single dose for COVID-19 immunization. Medical history included hypertrophic cardiomyopathy (HCM), a bruit, ventricularomegaly, gastrointestinal (GI) issues, many female issues (before she got a hysterectomy), cancer activity, hepatitis C (Hep C), COVID-19 since 18Mar2021 (diagnosed as extremely positive, remained sick until 25Mar2021), and allergies to medications, food, or other products included Motion sickness meds. The patient was not pregnant at the time of vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Other medications the patient received within 2 weeks of vaccination was reported as yes but unspecified. About 25 minutes after the vaccine, her throat area under her jaw line started to hurt, her left leg was achy and tingly, and she was started to get a bad headache. She became nauseated and weak. She made it home, took paracetamol (TYLENOL), and got in bed. Saturday her headache was on steroids, she had fever, and just didn't feel good. Later that day, she was so sick she went to the bathroom and she guessed she passed out. Basically, her husband said he found her on the floor after he heard a thump. He asked me what was his name. He said she responded correctly, but then her eyes rolled back, she became rigid, and he called 911. she knew 2 sets of paramedics arrived w/ambulances. They monitored her vitals and stayed until she was normal. They were willing to take her to the hospital, but offered other options for her husband and she to consider. They suggested she see her Primary care doctor (she did on 29Mar2021). Her doctor believed she should not take the 2nd dose of the vaccine. Adverse event start date was 26Mar2021 at 12:30 pm. AE resulted in doctor or other healthcare professional office/clinic visit. It was reported no</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224483	4/18/2021	IN	21	F	1/18/2021	1/31/2021	<p>treatment received for the adverse event. The outcome of event was resolving. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. Information on the lot/batch number has been requested.</p> <p>Left retrobulbar optic neuritis of the left eye post vaccination 10 days -2 weeks; Vision loss is reported as sudden in onset and constant in the left eye per patient; This is a spontaneous report from a contactable physician. A 22 years old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/Lot Number: EL1284) at the age of 21 years via intramuscular, administered in arm left on 18Jan2021 08:45 as single dose for covid-19 immunisation. Medical history included heart murmur, history of COVID-19 in Oct2020. Patient is not pregnant at the time of vaccination. The patient's concomitant medications were not reported. Patient previously received first dose of BNT162B2 (Lot number: ek5730) at the age of 21 years via intramuscular, administered in arm left on 28Dec2020 as single dose for covid-19 immunisation. Patient has not received any other vaccines within 4 weeks prior to the COVID vaccine, nor received any medications within 2 weeks of vaccination. Left retrobulbar optic neuritis of the left eye post vaccination 10 days -2 weeks since 31Jan2021 08:00 AM. Patient had IV steroid infusions for 5 days, oral steroids to follow. Tapered down from 75mg prednisone. Patient had to have MRI. Vision loss was reported as sudden in onset and constant in the left eye per patient. Patient visited doctor office/clinic or emergency room and requiring urgent care. Treatment included infusions, prednisone, MRI. Patient has not tested COVID post vaccination. Outcome of the events was recovering.; Sender's Comments: A possible contributory effect of suspect BNT162B2 on reported events cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224596	4/18/2021	OH	68	F	3/17/2021		<p>her MS symptoms exploded; head became foggy; blurred eyes; slight headache; This is a spontaneous report by contactable consumer(patient) from Pfizer Sponsored program. A 68-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) first dose on 17Mar2021 at single dose for COVID-19 immunization. Medical history included Multiple Sclerosis (MS) for 20 years and autoimmune disease. Concomitant medications included interferon beta-1a (AVONEX) for MS. The patient previously took Avelox for MS. Caller also states she would like to report that she has a history of Multiple Sclerosis (MS) and she goes to the clinic. Caller states since no studies were done on people with MS, she would like to report her experience. Caller states she received her first dose of the vaccine on 17Mar2021 and hours afterwards her MS symptoms exploded. Caller states she has had MS for 20 years and she doesn't even realize she has it because she is able to walk the dogs at the pound and she does 3600 steps a day and it doesn't keep her from doing anything. Caller states after the shot she has torn meniscus in her knees and her knees were so tight and she has heel spurs, and they were burning and hurt. Caller states she hurt her hand previously and her hand was tight, and it felt like it was going to explode. Caller states every injury she has ever had it felt like it was exacerbated and got worse. Caller states she was instructed by the Clinic to take Tylenol every 6 hours and these symptoms lasted for 12 days. Caller states she takes a medication called Avelox for MS once a week and she didn't take it after the shot because it is known to cause flu like symptoms, but she is back taking it now. Caller states she was working on the computer and her head became foggy and this lasted for six or seven days. The caller has MS and is on Avonex, it's a beta 1 interferon injectable that she has been taking for over 20 years. The caller's doctors told her it was okay to get the shot. Because of the caller's autoimmune disease, the caller's doctors don't know how effective the shot will be with an autoimmune disease. The caller has done well with Multiple Sclerosis; her Multiple Sclerosis was really good she was walking 3600 steps a day. The vaccine seems to have flared up everywhere the caller has been hurt. It made those spots worse. The caller had a torn meniscus and it felt like her knee was stiff like a board. The caller had a bone spur in</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							her foot that it began to hurt where that was removed. The caller broke her left hand and then it felt like it was going to explode. The caller also had head fog and blurred eyes. It took 6-7 days for head fog to get better. The other symptoms it was 12-13 days to get better. The caller also had a slight headache. The clinic said there were no studies in someone with MS who took the covid vaccine, they only reported to them about the autoimmune disease. Someone on the thing said the second dose was 10 times worse than the first one. Then the caller was told if she gets those symptoms with the first shot then the second one will be better because your body is used to it and knows what to do. It is kind of like a trial by fire and no one knows what to expect. The caller wants to know if Pfizer had any information on Avonex interfering with MS. The outcome of the events was unknown. Information on the lot/batch number has been requested.
1226747	4/18/2021	CA	61	F	3/11/2021	3/12/2021	Patient had prior positive test for Covid-19 September 1st, 2020 Headaches & Fatigue for 3 months Dose #1: Patient self reports: Mild Sore arm at site, Nausea & Headache - 1st night Mild Sore arm at site, nausea, headache, joint aches, fatigue, shortness of breath, chills - Day 2 Moderate Sore arm at site, nausea, headache, joint aches, fatigue, chills, fever, depression - Day 3 Moderate Fatigue, Depression, Irritability, right eye pain & redness - Day 4 Moderate Fatigue, Irritability, right eye pain & redness - Day 5 Moderate Fatigue, Irritability, right eye pain & redness - Day 6 to Day 14 Mild Fatigue, Irritability, right eye redness persists (only eye pain subsided day 20, (+L-Lysine supplement) Item #22
1227019	4/18/2021	FL	28	M	4/18/2021	4/18/2021	4/18/2021 , 11:15 - Upon getting his First dose of Pfizer Vaccine, Patient seen in his chair having generalized jerking movements, arms and legs were extended, both eyes were rolling. 911 called and EMS came. Patient refused to be taken to the hospital.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1227004	4/18/2021	CT	27	F	4/7/2021	4/7/2021	I received my J&J COVID-19 vaccine at around 1:45 p.m. on April 7, 2021. The shot itself was hardly painful, and I felt fine in the wake of the vaccine. That same evening, I had a fever of around 100 degrees , along with chills and fatigue. My most notable symptom was a severe, pounding headache throughout my forehead. It seemed to be localized above my eyes, in the front of my head. This was surprising to me, as I never get headaches. I took some acetaminophen and went to sleep, and the next day the headache had subsided slightly. The headache did not subside completely until 3 days after the vaccine and even now, nearly two weeks after the vaccine, I still get a slight headache in the same location (above my eyes, across my forehead) unexpectedly. Again, I never got headaches until receiving this vaccine.
1226961	4/18/2021	WA	24	F	4/17/2021	4/17/2021	High grade fever, diarrhea, vomit, nausea, splitting headache, chills, loss of appetite, muscle aches, jaw pain, lethargy, blurred vision.
1226921	4/18/2021	MN	28	F	4/18/2021	4/18/2021	After receiving my second dose, about ten minutes after, I began to feel dizzy and very warm. I fainted and it lasted 5-7 seconds. During this time my arms seized up and my leg was twitching. I bit my tongue and my eyes were super dilated when I woke up (according to the attending nurse). I was very sweaty and had to wait and sit there for about a half hour. Then when I returned home I felt so sick and ended up vomiting. It was horrible. Now I have a slight headache, a sore arm, and am super tired.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1226904	4/18/2021	TX	59	F		3/8/2021	ITCHY EYES; ITCHY NOSE; ITCHY LIPS; SLIGHT NUMB FEELING IN LIPS; This spontaneous report received from a patient concerned a 59 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included allergy to penicillin, allergy to sulpha drugs, and sensitive to blood pressure medications. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 1805025, and batch number: 1805025 expiry: UNKNOWN) .5 ml, administered on 08-MAR-2021 16:30 to Left Arm for prophylactic vaccination. No concomitant medications were reported. On 08-MAR-2021, treatment medications included: diphenhydramine hydrochloride. On 08-MAR-2021 16:55, the subject experienced itchy eyes. On 08-MAR-2021 16:55, the subject experienced itchy nose. On 08-MAR-2021 16:55, the subject experienced itchy lips. On 08-MAR-2021 16:55, the subject experienced slight numb feeling in lips. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the itchy eyes, itchy nose, itchy lips and slight numb feeling in lips was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1226843	4/18/2021		55	F	3/9/2021	11/1/2020	<p>Injections burn like crazy/ injection is extremely painful; Rash at the injection site; Experiencing flares; Blurry vision / blurriness; This is a solicited report received from a contactable consumer based on information received by Pfizer. This solicited report (USASL2020210290) was reported to Amgen on 23/DEC/2020 by a consumer from a commercial program (PSP00086) and involves a 55 years old, female patient whose injections burn like crazy [PT: injection site pain] and blurry vision/blurriness [PT: vision blurred] while receiving Enbrel with Single Dose Prefilled Autoinjector. No historical medical condition was reported. The patient's current medical condition included rheumatoid arthritis. No concomitant medications were provided. No co-suspect medications were reported. The patient began Enbrel with Single Dose Prefilled Autoinjector on an unknown date. On an unknown date, the patient's injections burn like crazy. For past three and a half to four weeks in Nov2020, the patient has had blurry vision. The patient saw an Ophthalmologist who stated everything looked fine with her eyes but blurriness persists. No treatment information was received. The outcome of the event vision blurred was reported as not recovered/not resolved. The outcome of the event injection site pain was reported as unknown. Action taken with Enbrel and Single Dose Prefilled Autoinjector was reported as unknown for the events injection site pain and vision blurred. The causal relationship between the events injection site pain, vision blurred and Enbrel with Single Dose Prefilled Autoinjector was not provided by the consumer. The reporter declined consent for follow up. No follow up attempts are possible. No further information is expected. ADDITIONAL INFORMATION RECIEVED ON 02Apr2021: This case is upgraded to serious. In this follow up, the patient was experiencing flares [PT: rheumatoid arthritis], injection is extremely painful [PT: injection site pain], rash at the injection site [PT: injection site rash] while receiving Enbrel, Single Dose Prefilled Autoinjector. The patient's co-suspect medications included covid-19 vaccine. On an unknown date, the patient reported that each injection was extremely painful and she gets a rash at the injection site with almost every dose. On 09Mar2021, she has been experiencing flares since having a COVID vaccine on 09Mar2021. She was not home to provide lot. No treatment information was received. The outcome of the</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

events injection site pain, injection site rash were reported as not recovered/not resolved. The outcome of the event rheumatoid arthritis was reported as unknown. Action taken with Enbrel, Single Dose Prefilled Autoinjector was reported as unknown for the events injection site rash and rheumatoid arthritis. The causal relationship between the events injection site rash, rheumatoid arthritis and Enbrel, Single Dose Prefilled Autoinjector was not provided by the consumer. The reporter declined consent for follow up. No follow up attempts were possible. No further information was expected. Amgen's causality assessment: events injection site pain and injection site rash were related to etanercept, while events blurry vision and rheumatoid arthritis flare up were unrelated to etanercept. The reporter's assessment of the causal relationship of the events with the suspect product was not provided at the time of this report. Since no determination has been received, the case is managed based on the company causality assessment. Amgen Comment: This individual case report does not change the safety profile of the product.; Sender's Comments: Based on information provided, the time association and vaccine's safety profile, the possible contribution of suspect BNT162B2 to the events rheumatoid arthritis flare up ,injection site pain and injection site rash cannot be excluded. The event blurry vision occurred prior to the administration of vaccine BNT162B2, considered unrelated to vaccine injection. The causal relationship of the drug etanercept to the events injection site pain and injection site rash is possible given the implied time association, while the events blurry vision and rheumatoid arthritis flare up were assessed as unrelated to etanercept. The rheumatoid arthritis would involve in eye's disorder when the rheumatoid arthritis is in active status. The clinical course of rheumatoid arthritis would be helpful for further assessment. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1226771	4/18/2021	TX	41	M	4/16/2021	4/16/2021	Anaphylaxis treated with EpiPen, Steroids & Benadryl. It began as a hives on 04/16 around 8 PM, the morning of 04/17 I had swelling in my eyes, lips and tongue, Along with difficulty swallowing. I was treated with epinephrine on 04/17 around 1 pm and then again on 0/18 around 11 am.
1226763	4/18/2021	CA	26	M	4/18/2021	4/18/2021	Patient received vaccine at 1440. Patient eyes were opened but claimed to black out and was not responsive to his name. Nurse assessed and patient was clammy and pale. Patient was alert after 1 minute and stated he was dizzy. Medics were called on scene and patients blood pressure was 84/65, heart rate was 45. Medics started an IV with normal saline. Blood pressure 96/64. Patient was transported to hospital.
1226427	4/18/2021	MO	49	M	12/23/2020	3/20/2021	Petechiae to arms, chest, abdomen, and back. Fever of 104 on 1/11/21. Elevated creatnine. Admitted to Emergency room for dehydration and diagnosed with covid 19. On 3/20/21 lost vision to left eye. Saw the doctor and diagnosed with optic neuritis. On 4/11/21 lost vision to right eye. Went to emergency room, at the local medical center emergency room and the doctor also diagnosed with optic neuritis.
1226750	4/18/2021	MA	39	F	4/16/2021	4/17/2021	Had second vaccination on 4/16/2021- on 4/17/2021, she woke up with her right ear swollen, itchy, and now has crusting. She also reports swelling of her left eyelid, itchy red rash on nose, left arm, and right upper back.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1227125	4/18/2021	WA		M		3/14/2021	<p>WAS UNCONSCIOUS FOR A COUPLE MINUTES; SLUMPED IN HIS CHAIR/FELL ON THE FLOOR; HIT HIS HEAD; EYES ROLLED TO THE BACK OF HIS HEAD; This spontaneous report received from a parent concerned a 27 year old male. The patient's weight, height, and medical history were not reported. The patient received Covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin, and batch number were not reported) dose was not reported, administered on 14-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 14-MAR-2021, in afternoon and within 3 minutes after vaccination the patient experienced slumped in his chair/fell on the floor, eyes rolled to the back of his head, hit his head, and was unconscious for a couple minutes. The clinicians observed the patient for about 15 additional minutes and sent the patient on his way. The action taken with COVID-19 VACCINE AD26.COV2.S was not applicable. The outcome of the hit his head, eyes rolled to the back of his head, was unconscious for a couple minutes and slumped in his chair/fell on the floor was not reported. The reporter causality between COVID-19 VACCINE AD26.COV2.S and slumped in his chair/fell on the floor, eyes rolled to the back of his head, hit his head and was unconscious for a couple minutes was possible. The company causality between COVID-19 VACCINE AD26.COV2.S and slumped in his chair/fell on the floor, eyes rolled to the back of his head, hit his head and was unconscious for a couple minutes was possible. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210327022-unconscious for couple minutes. This event is considered unassessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event.</p>
1226742	4/18/2021	CT		37 F	3/29/2021	4/16/2021	Sudden loss of eyelashes unilateral

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1226740	4/18/2021	PA	59	F	4/16/2021	4/18/2021	I wasn't very concerned about having fatigue, body aches, slight fever, headache, chills, starting a few hours after this 2nd dose of Moderna, just took tylenol and drank about double the amount of water I normally drink, the water just stayed for a long time (?) It took a long time until I had to urinate. The worst of that was the day after, but the next day, left arm felt itchy, saw a large red splotch BELOW where the needle went in my left arm. I felt it and it felt like a swollen, raised area and felt hard. I had mild pain at the injection site since I got the 2nd dose Friday, but when it started to get itchy and a rash was there, I got concerned because I've had many severe and sometimes anaphylactic reactions to a red food dye called carmine, which often starts out with an itchy rash. Doesn't seem to be getting much worse though, like the severe allergic reactions I've had to carmine where I would get hives all over my body, eyes swell shut, lips swell up a lot, everything swells up, sometimes my airway, skin all red and itchy, have to use epi-pen and go to ER. But haven't heard of this kind of reaction to the vaccine from anyone I talked to.
1226698	4/18/2021	MN	37	F	4/18/2021	4/18/2021	Moderna COVID-19 Vaccine EUA * Significant blind spot in center of field of vision *Difficulty focusing vision * Significant dizziness (likely due to blind spot)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1226492	4/18/2021	MI	28	F	4/9/2021	4/9/2021	<p>Got J&amp;J vaccine on Friday at 3pm (April 9) and felt Body aches, Muscles hurt, Stomach hurt, Dizzy, Nauseous , Heart rate fast, Clammy Chills, Didnt sleep, Chest tightness, Upset stomach, Fever, Head hurt, Arm hurts and chest tightness feels in-line with where I got the shot, by Sunday (April 11) Flu like symptoms went away, but still have chest tightness uncomfortable and Feels like i have to cough When I take a deep breathe it it feels tight. Have diarrhea everyday since vaccine Still feel weak and dizzy Most of the flu like symptoms have gone away but chest tightness still concerning When I bend over or lay on my right side feels constricted and tight and uncomfortable. Bilirueben associated with liver is elevated and white blood cell count is low. On Wednesday, April 14th I started to get super congestion, runny nose and sneezing and Eyes a little red. Rashes and Hives that were red, blotchy and bumpy started Wednesday April 14 at 6pm and worse at 9pm. Continues to get worse and hurt throughout Wednesday and Thursday night. Developed all over body, legs felt hot. The hives and blotches would disappear and would then reappear at different areas of my body. Called Nurse Triage line and suggested I treat at home with Benadryl since hospitals had 6 hour wait and were full of COVID positive patients. Unable to sleep Wednesday and Thursday due to hives, very comfortable feeling. Diarrhea on Thursday morning , cough and felt shakey. Noticed on Thursday April 15th, some skin on right foot looked like it was peeling. Thursday night noticed some blotching and hives but not as bad as they were the night before. Friday April 16, No redness on legs at 1130am, but Lips feel dried out and Feel a little dehydrated . Bilirueben associated with liver is elevated still and will need to follow up with Doctore in two weeks. However, when laying on right side or bending down feels like something is stuck un chest and need to cough still, with chest tightness. Still had diarrhea until Saturday, April 17th. Chest is still tight and feels like something is stuck. Sunday, April 18th, went for short walk and felt uncomfortable breathing and not normal. This has not resolved still and does not feel breathing is normal.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1226491	4/18/2021	CA	51	F	4/2/2021	4/2/2021	PATIENT CONTACTED OUR OFFICE ON 4/14/2021 BASED ON THE RECOMMENDATION OF HER PRIMARY CARE PHYSICIAN. SHE REPORTED, THAT SHORTLY AFTER THE FIRST MODERNA VACCINATION ON 4/2/21 SHE HAD A DROP IN BLOOD PRESSURE, AND HOURS LATER ON THE SAME DAY SHE NOTED A CENTRAL BLURRED VISION IN HER RIGHT EYE LASTING FOR 4-5 DAYS, THEN GETTING BETTER. AFTER ADVISING HER ON 4/14/2021 OVER THE PHONE THAT SHE NEEDS TO BE SEEN, SHE CAME TO OUR CLINIC FOR EVALUATION. OUR EXAMINATION ON 4/14/2021 REVEALED THE FOLLOWING. SHE HAS FLUID UNDER HER RETINA OF HER RIGHT EYE. THIS WAS DETERMINED VIA OCT (OPTICAL COHERENCE TOMOGRAPHY). THE DIAGNOSIS WAS DETERMINED TO BE CENTRAL SEROUS RETINOPATHY (H35.711).
1226472	4/18/2021	OH	34	F	4/11/2021	4/18/2021	I don't know if this is related or not, but it's better to be safe than sorry, right? I've never had any kind of problems with my eyes before, and today while I was at work my left eye started swelling, and now I have this weird bump or bubble that looks like a blister on my eye. I have no idea what it is or where it came from.
1226450	4/18/2021	VA	18	M	4/18/2021	4/18/2021	black out vision for 5-10 mins ,lot of sweating and dizziness
1226444	4/18/2021	FL	34	M	4/16/2021	4/16/2021	20mins after the shot. I rapidly developed a fever and had trouble seeing. Felt like fainting. Really nauseous stomach and diarrhea. Chills but with a high fever. Threw up 25mins after shot. Immediately after that felt really nauseous and couldn't see straight. Vision was black and I was seeing stars. Felt like hallucinating really bad. Couldn't focus my vision. Got home and showered with a really hot shower and immediately started feeling better. 45mins to 1 hour after shot started feeling way better! Just sluggish the rest of the night. For some reason was fighting going to sleep and fell asleep sitting up. Next day much better!



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1226753	4/18/2021	IN	48	F	4/14/2021	4/15/2021	Sore arm morning after the injection at the site up to the shoulder and underneath side of the arm. Stuffy nose, and swollen eyes the morning after the injection. On 4/18/21 the left arm had a red ring from middle of left bicep up to shoulder. Sore and warm to touch.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1227220	4/18/2021	GA	67	F	3/11/2021	3/11/2021	<p>Blurred vision; Headaches; Chills; Itching rash on arms, back, neck and chest; Fainted at home, fell, and busted her lip/ she dropped to the floor and everything was turning black; Fainted at home, fell, and busted her lip/ she dropped to the floor and everything was turning black; busted her lip and it was bleeding real bad; Weakness/ feeling weak; Feel weak in her arms and legs; Sweating profusely; Aching of joints and muscles kind of like flu symptoms in shoulders and arms; Aching of joints and muscles kind of like flu symptoms in shoulders and arms; Aching of joints and muscles kind of like flu symptoms in shoulders and arms; Foggy Brain; This is a spontaneous report received from a contactable consumer (patient). A 67-year-old female patient received (PFIZER-BIONTECH COVID-19 VACCINE; Dose 1) intramuscularly, administered in the left arm on 11Mar2021 (batch/lot number: EN6205) at 67 years old as a SINGLE DOSE for COVID-19 immunization. The vaccine was administered at a Pharmacy/ drugstore. The patient's medical history included compromised immune status; respiratory illness, genetic /chromosomal abnormalities; endocrine abnormalities (including diabetes) and obesity; asthma diagnosed since childhood; diagnosed allergies, allergies (seasonal and food); food allergies included gluten, dairy, artificial sweeteners including Sorbitol and Xylitol, broccoli, cauliflower, cabbage, brussel sprouts, asparagus, all "percifirous"/ cruciferous vegetables; she also has allergies to cats, pollen, trees, grass, ragweed, mold, mildew, and dust; and allergies to Codeine, Penicillin, Sulfa, Iodine, Epinephrine, Morphine, and Clindamycin (patient does not have a manufacturer, lot or expiration to any of these medications). The patient had no family medical history. Concomitant medications included unspecified prescription medications for years which she did not feel they were relevant. On 11Mar2021, the patient experienced "weakness/ feeling weak" (weakness), "feel weak in her arms and legs" (weakness of limbs), "fainted at home, fell, and busted her lip/ she dropped to the floor and everything was turning black" (faint), "fainted at home, fell, and busted her lip/ she dropped to the floor and everything was turning black" (fall), "busted her lip and it was bleeding real bad" (bleeding lips), sweating profusely (excess sweating), "aching of joints and muscles kind of like flu symptoms in</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

shoulders and arms" (Flu-like symptoms), "aching of joints and muscles kind of like flu symptoms in shoulders and arms" (Joint pain), "aching of joints and muscles kind of like flu symptoms in shoulders and arms" (muscle pain), and foggy brain (foggy feeling in head). On 12Mar2021, the patient experienced headaches, chills, itching rash on arms, back, neck and chest (itchy rash). On 13Mar2021, the patient experienced blurred vision. It was reported that after the first shot, on 11Mar2021, patient experienced weakness, then she got home and she fainted, fell, and busted her lip and it was bleeding real bad. Then she began sweating profusely. She started feeling weak 30 minutes after getting the shot. Someone took her there because she would not have been able to drive. They brought her home and she was in the kitchen. While over the sink, she started to feel weak in her arms and legs. Before she could tell her husband that she was feeling weak, she dropped to the floor and everything was turning black. She fell face first and busted her lip and it was bleeding real bad. The weakness gradually started getting a little better on 30Mar2021. She is having to walk with a cane now because of the weakness. She was not using a cane before. Two days later on 13Mar2021, she was in the kitchen again and she felt that feeling coming and her husband was able to grab her and sit her down and she did not faint but she could tell it was coming. Patient also reported that from 12Mar2021, she is getting headaches every day off and on and in different spots of the head. Sometimes it is in the forehead, top, side and back. For about a good week, she had chills and it tapered off after the first dose. Also, on 12Mar2021, she experienced itching rash on arms, back, neck and chest. They were fine bumps and they just itch. The patient was recovering from the events faint, fall, bleeding lips, excess sweating, and itchy rash; and has not recovered from the events weakness, weakness of limbs, flu-like symptoms, joint pain, muscle pain, foggy feeling in head, headache, chills, and blurred vision. Follow-up attempts are completed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1225366	4/18/2021	PA	70	F	4/9/2021	4/14/2021	4/14/2021 woke up with leg tingling and warm sensation and tightness .in right calf not painful but annoying next day both legs from knees down friday called pcp didnt think it was anything to worry about just keeps an eye on it watch for swelling and redness saturday it was much better. Sometimes it happen in my left arm. today brothering me again
1225674	4/18/2021	NY	19	F	4/8/2021	4/8/2021	A few minutes after getting the vaccine she started getting light-headed, nauseous, sweats, and blurred vision prior to getting up and informing the pharmacy staff. Pharmacist gave water. She had turned a yellow color. Mother gave liquid Benadryl - adult dose. Epi was offered - but not use. Decided to see if Benadryl got her back to normal. After the sweat she got chilled. Waited at the pharmacy for about an hour as her color came back to normal. Had pharmacists take her blood pressure prior to leaving. It was 106/70. Which would be close to her normal range. Pharmacist initially had trouble getting pulse and blood pressure but was also using the same arm the vaccination was put into. Pharmacist got that blood pressure off the alternate arm. She went to lunch with Mother afterwards. Mother stayed with her until around 4:00 p.m. Shot was around 12:30 p.m. She went to sleep when she got back to her dorm and missed evening class. She has not noted any other side effects other than the tiredness, but she is a college student that's known to have low iron, was on her period, that just went through a trauma event that probably would have jumped her adrenaline, and she was giving some liquid Benadryl. I'm sure any one of those could keep the fatigue. There was a call put into the doctor but she's procrastinating on getting back to them. No rash or difficulty breathing was noticed.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1227387	4/18/2021	NM	44	M	4/16/2021	4/16/2021	Approx 15mins after having the shot administered I sat in my car and felt the medication coming on by it clouding my vision then causing me to faint (and by description from my fiancé) I had what appeared to be a mild seizure. I was out for a minute or two and when I was conscious again my vision was blurry and I felt very drunk for the next 45mins - hour. I also felt like I could taste the chemicals from the vaccine when I became conscious again. The drunk/vertigo feeling subsided slowly over time but I was given a Benadryl from the pharmacist so I'm not sure when the dizziness stopped but I definitely could not drive home. My fainting was not due to any anxiety due to having a shot or anything, I was perfectly fine for approx 10-15 mins after the vaccine then I felt a cold feeling coming on from my right shoulder then up my neck then I got foggy and dizzy and passed out
1227376	4/18/2021	TN	46	F	3/15/2021	3/25/2021	Shortness of breath, nausea, headache, incident of blurred vision in one eye. Had visit with PCP on March 26th with follow-up testing on March 30th and 31st. Condition worsened and went to emergency room on April 4th and was admitted to ICU. EKOS procedure performed on April 5th. Discharge diagnosis on April 7th: 1) Acute bilateral PE (Pulmonary Embolisms/Blood Clots) with significant right heart strain status EKOS cath directed thrombolytics on April 5th. 2) Extensive bilateral deep vein thrombosis. 3) Significant right heart strain confirmed on the echo 4) Mild anemia 5) Metabolic acidosis with mild hyponatremia 6) Hypercoagulable workup, most results pending at discharge 7) Acute hypoxic respiratory failure
1227366	4/18/2021	TN	29	M	4/18/2021	4/18/2021	Patient received shot and told us about 2 minutes later that he did not feel good. His eyes rolled back into his head and he lost consciousness. He started convulsing and seizing for about 20 seconds.
1227361	4/18/2021	CO	36	F	2/22/2021	2/23/2021	I have had repeated migraines and an increase in disrupted sleep to the point that this last migraine I cannot see straight or clearly my vision is really bad and I feel dizzy.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1227308	4/18/2021	MD	61	M	4/1/2021	4/8/2021	About 8 days after vaccination noticed rash on underside of right forearm and rash on left side of body. Rash does not cross midline of stomach. Also smaller rash above right eye. Rash also under left eye near midpoint of nose. Applied Calamine and hydrocortisone ointments. Took over the counter Benadryl but rash has not healed. Concerned as I may be scheduled for 2nd shot between Wed. April 21 and April 29th according to vaccine appointment card.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1227269	4/18/2021	MI	64	F	3/19/2021	3/1/2021	possible pinched nerve; TIA; heart rate is low anyways from the medications but it dropped to 35 when she was in the hospital/heart rate dropped; her right arm, the right side of her face, and her right knee were numb/ she has numbness in her right finger and right thumb; face feels like its burning; her vision was kind of blurry; sensational loss in her right hand; caller's sclera looked like her eye was bleeding and her pupil started turning a different color.; caller's sclera looked like her eye was bleeding and her pupil started turning a different color.; eye was super red; rupture of a blood vessel in her eye; blood clot in eye; This is a spontaneous report from a contactable nurse (reported for herself). A 64-years-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Solution for injection, Lot Number: ER2613, expiry date not reported), via an unspecified route of administration, administered in left arm on 19Mar2021 09:00 at a single dose for covid-19 immunisation. Medical history included ongoing hypertension from 1900 wherein blood pressure was high prior to her atrial fibrillation medications; A fib (atrial fibrillation) from 2016 and ongoing; and ongoing heartrate low. As a child the caller had the vaccine in the sugar cube (unspecified) and her mouth was swelling from it; and stated that patient's sister was hospitalized after receiving the same vaccine. Family medical history included mom has hypertension. Concomitant medications included apixaban (ELIQUIS) taken for A fib (atrial fibrillation) from an unspecified start date and ongoing at 5 mg twice a day; sotalol taken for A fib (atrial fibrillation) from an unspecified start date and ongoing at 80 mg, twice a day; and diltiazem taken for A fib (atrial fibrillation) from an unspecified start date and ongoing at 180 mg, once a day. The patient was a healthcare worker and she has had friends who have died from covid. The patient had no previous immunization with the Pfizer vaccine considered as suspect and no additional vaccines administered on same date of the Pfizer suspect. Patient had no prior vaccinations (within 4 weeks). The patient stated she had the first dose of the vaccine and had a TIA (Apr2021) and rupture of a blood vessel in her eye 20Mar2021. The TIA was on Monday (Apr2021) and she was supposed to have her second dose tomorrow (09Apr2021). She stated she may get it but she is not taking it tomorrow because she is still

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

having residual symptoms. She asked what the length of time she can wait to get it before she has to restart. Patient reported that after she got her first vaccine she had a ruptured blood vessel in her eye the next day (20Mar2021). She put warm and cool compresses on her eye then the ruptured blood vessel subsided. The ruptured blood vessel came back again a few days later and this time it was the entire sclera. She developed blood clots in her eye and the doctor said it probably wasn't from the vaccine (Mar2021). She was supposed to get her second dose of the vaccine tomorrow 09Apr2021 but she was going to hold off for now. She then had a TIA (Mar2021) and became hospitalized because of it from 06Apr2021 to 07Apr2021. The patient has ongoing atrial fibrillation but has been taking her medication religiously. She believed that the TIA was from the vaccine as there was no explanation as to why it happened. Her heart rate was low anyways from the medications (dates unspecified) but it dropped to 35 when she was in the hospital (Apr2021). The patient's primary care provide was not the attending in the hospital when the caller was hospitalized. Furthermore, it was reported that on 21Mar2021, patient's eye was super red but only on one side of her left eye. On Tuesday, 22Mar2021, caller went to see her primary care provider and they told the patient to put a warm compress and no eye drops in her eye, that helped. Then that Friday, 25Mar2021, the patient's sclera looked like her eye was bleeding and her pupil started turning a different color. Then last Monday (Apr2021), the patient woke up and her right arm, the right side of her face, and her right knee were numb she got up and went to see if she had a facial droop and did not. The patient thought it was from her sleeping wrong, but these symptoms did not go away. The patient went to the Emergency Room where they did a CT of her head and neck, with and without contrast which was negative. The patient was admitted on 06Apr2021 to the observation unit where they did an MRI and ECHO, which were both negative and she was diagnosed with a TIA and possible pinched nerve (Apr2021). The patient denied any heavy lifting prior to this event other than normal day to day things. The patient was discharged on Wednesday 07Apr2021. The patient's face felt like its burning, she has numbness in her right finger and right thumb. Physical therapy and occupational therapy said



VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

the patient should be okay but to be careful with things that were hot because she was at risk of burning herself. The second time the patient's eye became red, her vision was kind of blurry (Apr2021) and she didn't know if the blood was in her pupil. The only deficit that the patient has now is sensational loss in her right hand (Apr2021) and that should improve per the occupational therapist at the hospital. The caller was supposed to get the second dose of the vaccine on 09Apr2021 but she doesn't want to take it while she is having these symptoms. Results of tests and procedures for investigation of the patient included: head ct with and without contrast: negative on 06Apr2021; MRI brain: negative on 06Apr2021; Echocardiogram: negative on 07Apr2021; speech evaluation: passed on 07Apr2021. The patient asked what the efficacy is after one dose and if a booster will be needed since she is only protected for 6 months. Patient asked if she needed to restart the series of vaccinations if she doesn't get the second vaccine tomorrow 09Apr2021. The events ruptured blood vessel in eye, blood clot in eye, sclera looked like her eye was bleeding, eye was super red were reported as serious medically significant, and heart rate dropped as life-threatening. As reported, the events required emergency room and physician's office visit. Therapeutic measures were taken as a result of the events rupture of a blood vessel in her eye, and eye was super red. The outcome of the events reported was unknown. As per reporter, the events ruptured blood vessel in eye, blood clot in eye, and heart rate dropped were related to the covid BioNTech vaccine.; Sender's Comments: Based on the temporal relationship, the association between the reported events with BNT162b2 use can not be fully excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1227047	4/18/2021			U		3/7/2021	SLEEP DEPRAVED; DRY EYES; ACHE BEHIND THE EYES; CHILLS; SEVERE HEADACHE; MUSCLE ACHE; FATIGUE; This spontaneous report received from a patient concerned a 65 year old of unspecified sex. The patient's weight, height, and medical history were not reported .The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: UNKNOWN) .5 ml, administered on 06-MAR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 07-MAR-2021, the subject experienced sleep depraved. On 07-MAR-2021, the subject experienced dry eyes. On 07-MAR-2021, the subject experienced ache behind the eyes. On 07-MAR-2021, the subject experienced chills. On 07-MAR-2021, the subject experienced severe headache. On 07-MAR-2021, the subject experienced muscle ache. On 07-MAR-2021, the subject experienced fatigue. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the chills, severe headache, muscle ache, fatigue, sleep depraved, dry eyes and ache behind the eyes was not reported. This report was non-serious.
1227249	4/18/2021	NY	40	M	3/25/2021	4/7/2021	I was working at and, around 5:30 am when I felt some strong pain both side of my chest. Sonner I felt a slight headache and from time to time it intensified to become unsupportable. At that time though about a lack of oxygenation, because I wore mask for the whole time I was working. About 9:am when I drove to home, I saw everything foggy in front of me. When I get home I took some paracetamol and another painkiller, because at that time my entire body was so warm, and the headache was very bad. I slept for 5 hours, when I woke up I went to the mechanic to fix my car. While I got back during the time I saw the same foggy vision.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1227106	4/18/2021	IL	77	F	3/9/2021		SWELLING OF BOTH EYELIDS- UPPER AND CORNER; SWELLING OF LEFT SIDE OF FACE; HEADACHE BEHIND EYES; DIZZINESS; This spontaneous report received from a patient concerned a 77 year old female. The patient's height, and weight were not reported. The patient's past medical history included hysterectomy, and concurrent conditions included dust allergy, allergy to cats, antibiotic allergy (hives), diverticulitis, alcohol intolerance, and drug intolerance. The patient was previously treated with calcium for hives. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 1802025, and batch number: 1802025 expiry: 25-MAY-2021) .5 ml, administered on 08-MAR-2021 09:30 to Left Arm for prophylactic vaccination. No concomitant medications were reported. On 09-MAR-2021, the subject experienced swelling of both eyelids- upper and corner. On 09-MAR-2021, the subject experienced swelling of left side of face. On 09-MAR-2021, the subject experienced headache behind eyes. On 09-MAR-2021, the subject experienced dizziness. Treatment medications included: achillea millefolium/aconitum napellus/arnica montana root/atropa belladonna/baptisia tinctoria/bellis perennis/calendula officinalis/echinacea spp./hamamelis virginiana/hypericum perforatum/matricaria recutita/ruta graveolens/symphytum officinale. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from dizziness on 09-MAR-2021, was recovering from swelling of both eyelids- upper and corner, and headache behind eyes, and had not recovered from swelling of left side of face. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1227216	4/18/2021	CA	33	M	4/10/2021	4/10/2021	I received the vaccine Saturday 4/10/21 at 9 am. By 8 pm of the same day I had fever, chills, headache and body aches. For about 30 minutes I saw a white spot on the peripheral view of my left eye. By Monday, I felt dizzy and bottom right part of my chest hurt when taking deep breaths. The dizziness and chest pain lasted all week, still feel it today 4-18. My doctors office told me vertigo was a common side effect. On Thursday 4-15 every time I bent down and tried to get up, my right leg hurt as if I had exercised. At the moment I haven't gone into work since Monday 4/12 since my job requires a lot of physical work. I have mostly been home resting but don't feel ready to go back to work. If someone calls can it be a Spanish speaking person please.
1227198	4/18/2021	MI	37	F	4/13/2021	4/13/2021	Symptoms: Sore throat Swollen eyes Feverish/chills Headache Burning eyes High heart rate Labored breathing when moving Dizzy/blurred vision Sore arm
1227183	4/18/2021	TN	32	F	4/2/2021	4/5/2021	On 4/5/21, 3 days after the vaccine, I developed a piercing headache behind my right eye. Shortly after the vision in the left eye started going in and out for a brief time. About 30 minutes later my left arm went completely numb, including my hand. This resolved after about 10 minutes, but then was intermittent for the next 2 hours. During this time, I also started having some mild and intermittent lower lip numbness. Speech felt different but was overall normal. The neurological symptoms were resolved by 11/12 that afternoon but headache lasted 48 hours. At the time I was 17 weeks pregnant, due approx. September 11. 1 precious history without any complications.
1227170	4/18/2021	MD	47	F	4/16/2021	4/16/2021	During observation period member had what appeared to be a seizure lasting less than 1 minute - head fell back, rolled eyes, trembling. Confused when episode ended for about 15-20 seconds then became oriented and answering questions appropriately. Patient vomited face became very pale, complained of feeling hot and "not right" transported to ER via EMS

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1227167	4/18/2021	TX	27	F	4/1/2021	4/6/2021	Pt developed sudden left eye partial vision loss on 4/6/2021, 5 days after 2nd dose of COVID vaccine. Saw Dr on 4/7/2021 and diagnosed with left branch retinal artery occlusion, admitted to the hospital on 2nd day of symptoms. No treatment indicated. Evaluation undergoing. Imaging negative for acute stroke. Pt continues to have visual field deficit on 4/15/2021 when she was seen for follow up in PCP office.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1227156	4/18/2021	MD	28	M	4/2/2021	4/2/2021	<p>Blurred vision; Face and skin are red; Lips tingling; feeling slightly itchy at the injection site after the vaccine/Itching all over his head, scalp, arms and hands, everything; Hives; Tongue and lip swelling/Tongue was starting to swell; Tongue and lip swelling; Shortness of breath; Tachycardia; Anaphylactic shock/anaphylactic reaction; Still has a rash and is itchy/break out rash and get itchy again; Not really wanting to eat dinner; I got home my arm had swollen/Whole arm and hand were swollen; I started feeling slightly itchy at the injection site after the vaccine; Nausea; This is a spontaneous report received from a contactable consumers and other Health Professional. This is a report combining information from duplicate reports 2021372891 and 2021368246. The current and all subsequent information will be reported under manufacturer report number 2021368246. A 28-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection; lot number : EP7533), dose 1 intramuscular, administered in Arm Left on 02Apr2021 11:30 (Batch/Lot Number: EP7533) as SINGLE DOSE for covid-19 immunisation. Medical history included Sleep Apnea ongoing; idiopathic hypersomnia ongoing; High blood pressure (They want to treat her husband for high blood pressure but they don't want to do that until after these reactions. She clarifies he was having issues with high blood pressure prior to getting the vaccine); Little overweight. Concomitant medication included amfetamine aspartate, amfetamine sulfate, dexamfetamine saccharate, dexamfetamine sulfate (ADDERALL) from 2020 and ongoing 20 mg, 1x/day; modafinil from 2019 ongoing 200 mg, 1x/day for Idiopathic hyposomnia for Sleep apnea. patient got the first dose of the vaccine on Friday and within 30 minutes, went into anaphylactic shock and was taken to the local emergency room after being administered Benadryl and an EpiPen without any kind of changes. He was discharged and then on Sunday night, he went into anaphylactic shock again and was taken back to the ER after once again being administered Benadryl and an EpiPen. Now, he was kind of starting to break out in a rash again. This has thrown them for a loop because most of the time they had heard that more severe reactions come with the second dose. She confirms this was her husband first dose. Her husband had sat at</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

Pharmacy for the required 15 minutes and he was feeling a little itchy around the vaccine site. It was just around the site, so they left. In the 10 minutes to get home, he started itching all over his head, scalp, arms and hands, everything (02Apr2021). they looked at his site and his entire arm was starting to swell and there was a rash that had gone all the way down his arm. her husband whole arm and hand were swollen and his tongue was starting to swell. He was administered liquid Benadryl and the Epi shot, He was brought to the emergency room at the hospital. He went home after going to the ER. Her husband had another anaphylactic reaction last night. He hasn't had any new foods or exposure to anything. states that they did say it was possible to have a relapse but that it was rare. He had presented slightly differently but kind of similar. It started with him feeling nauseated and not really wanting to eat dinner. He went upstairs to shower and he started to get itchy again. So, she administered 50ml of liquid Benadryl to just get it into his system and then about 10 minutes later, it was not really having any effect and his tongue and stuff started tingling. She looked at his tongue and his tongue was starting to swell again. So, that's when she administered the EpiPen and 911 was called. Her husband was brought to the Emergency room again and was discharged a few hours later. They didn't keep him overnight for observation or anything. states he is still experiencing blurred vision, red skin, and chest is still red a little bit at the top, and his face is red. His lips are started to tingle but was not interfering with his breathing yet, shortness of breath, tachycardia 02Apr2021. Caller states that about 1 hour ago, patient took one tablet of Benadryl and was given 20ml liquid Benadryl 15 minutes ago. Tests: X-ray was clear (Negative), blood work came back normal. She just feels like its getting to the point where everything is just being prolonged. When they went to the ER, he was been on Benadryl, EpiPens, they provided him steroids, Oxygen, Prednisone, Pepcid to try and prolong the effects of the Benadryl and it doesn't seem like anything is working. patient started feeling slightly itchy at the injection site after the vaccine. I waited the 15 minutes after the injection without having any serious side effects. By the time I got home, my arm had swollen and developed hives 02Apr2021. received Benadryl and an Epi pen. By that time, the rash and

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

---

hives had spread throughout my body, and my arm, hand, and tongue had swollen. was having trouble breathing and was taken to the ER. On Sunday evening, had a relapse and it started with nausea. Within 30 minutes, was itchy and my tongue started swelling. Patient had Blurred vision; Face and skin are red; Lips tingling; Not really wanting to eat dinner on 05Apr2021; the patient not receive any other vaccines within 4 weeks prior to the COVID vaccine; List of any other medications the patient received within 2 weeks of vaccination: Adderall; Prior to vaccination, the patient diagnosed with COVID-19 was Unknown; Since the vaccination, the patient not tested for COVID19, The patient received treatment for all events except events blurred vision; face and skin are red; tingling lips; appetite lost. The outcome of the events blurred vision; face and skin are red; tingling lips; appetite lost was unknown; rest of the events was not recovered.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1227139	4/18/2021	OK	70	F	3/26/2021	3/27/2021	Shingles right eye; Shingles right side of face; swelling left side of face; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of OPTHALMIC HERPES ZOSTER (Shingles right eye) and HERPES ZOSTER (Shingles right side of face) in a 70-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 031A29A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Stroke. On 26-Mar-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 27-Mar-2021, the patient experienced OPTHALMIC HERPES ZOSTER (Shingles right eye) (seriousness criterion medically significant), HERPES ZOSTER (Shingles right side of face) (seriousness criterion intervention required) and SWELLING FACE (swelling left side of face). At the time of the report, OPTHALMIC HERPES ZOSTER (Shingles right eye), HERPES ZOSTER (Shingles right side of face) and SWELLING FACE (swelling left side of face) outcome was unknown. No concomitant medication were reported. On 27 Mar 2021, the patient reported "face blew up". The patient also mentioned that she had no other adverse reactions. The patient went to see the ophthalmologist and dermatologist on 06-Apr-2021 and was prescribed valaciclovir (Valtrex). On 07-Apr-2021, the patient saw another eye specialist and was prescribed prednisone. Treatment included for the events were valaciclovir and prednisone. Company comment: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. This case was linked to MOD-2021-073451 (Patient Link).; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1227131	4/18/2021			F		4/14/2021	<p>ARACHNOID GRANULATION; This spontaneous report was originally received from the patient's husband and concerned a 45-year-old female patient. Initial information was received and processed with additional information received in discussion with treating physician on 15-APR-2021. The patient's weight 69 kg and height 178 cm. Patient's medical history included smoking for 10 years and quit 10 years ago. Subject's concurrent conditions included insomnia. The patient was reported to be in good health, Body Mass Index (BMI) reported as 21.7. The patient had no family history of blood clots. On 08-APR-2021, the patient received vaccination with Janssen COVID-19 vaccine Ad26.CoV2.S (suspension for injection, route of administration not reported; batch number not reported and requested), dose unspecified, for COVID-19 vaccination. Batch number was not reported, will be requested. Non-company suspect drug included unspecified contraceptive pill (unknown, oral) for unspecified indication. Concomitant medications included cannabis sativa for insomnia. On an unspecified date 'just following' vaccination, the patient had influenza-like symptoms. On 10-APR-2021, patient started experiencing headaches. On 14-APR-2021 (6th day post-vaccination), the patient presented to Emergency Room (ER) with four days of worsening headache and diagnosed with suspected right transverse sinus thrombosis (later ruled out.) The patient was transferred to a second hospital's intensive care unit (ICU) on an unspecified date. On 15-APR-2021 (7th day post-vaccination), a magnetic resonance imaging (MRI) scan of the brain showed suspected cerebral venous sinus thrombosis (CVST). No other symptoms or neurologic deficits reported, and her platelet count was reported as normal at 268,000 on admission (units and normal range not reported). The admitting physician initiated argatroban whilst closely following the patient's platelet count. Testing for a panel for heparin-induced thrombocytopenia including anti-platelet factor 4 (anti-PF4) antibodies and other unspecified workup were also planned. On an unspecified date, MRV of brain showed an absence of flow in right transverse sinus highly suggestive of thrombosis, sluggish flow in sigmoid sinus and superior IJ. MRA showed non-visualized of A1 segment of right ACA, more distal segment supplied by Left ACA, this is a normal anatomic variant. Also non</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

visualization of R vertebral artery which is felt to be a normal anatomic variant as well. This read was reviewed on 15-APR with neuro-interventionalist physician and 3 radiologist who were all in agreement that this was instead a normal variant (arachnoid granulation.) Report was addended to clarify that there was never any thrombosis. Patient's blood pressure was 120/86 and heart rate 88. Patient was fully anticoagulated with argatroban. No heparin was received. Heparin induced thrombocytopenia (HIT) panel was sent and lab was requested to urgently process. Platelet count remained normal from 268 to 227 on 15-APR-2021. On 15-APR-2021, a CT venogram was performed which again confirmed no thrombosis; rather there was arachnoid granulation (normal variant). All imaging was confirmed with neuro-interventionalist physician and 3 radiologist who were all in agreement. Treatment with agratroban was discontinued on 15-APR-2021. As of 15-APR-2021, patient was clinically improving. Headache was resolved and neurologically intact. Patient was eating and was planned to discharge home later in the day. The action taken with COVID-19 vaccine Ad26.CoV2.S was not applicable. Action taken with contraceptive pill was unknown. The event arachnoid granulation was recovering This report was serious (hospitalization/prolonged hospitalization).; Sender's Comments: V0: A 45-year-old female experienced headache 2 days after vaccine and was hospitalized for suspected transverse venous sinus thrombosis (which was ruled out) 6 days after vaccine. There was no secondary hemorrhage, and after the imaging was reviewed with a neuroradiologist, it was determined that there was no thrombosis at all, but rather an arachnoid granulation (normal anatomic variant.) This was confirmed on follow up CT venogram the following day. Relevant concomitant medications included oral contraceptives. Platelet count was normal (268,000) on admission. No heparin was received, but a panel for heparin-induced thrombocytopenia, including ELISA for anti-PF4 antibodies is pending. The patient was initially anticoagulated on argatroban and symptoms improved one day after admission; the headache is resolved, she is neurologically in tact, and discharge is planned to home. Although the use of oral contraceptives is a risk factor for thrombosis, there was no thrombosis in this

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1227238	4/18/2021	VA	56	M	4/17/2021	4/17/2021	<p>case.</p> <p>Inflammation and pain on left side of the body, beginning in the arm/shoulder and spreading to neck and left tonsil. Tonsil swelling was quite pronounced by 2am (nearly twelve hours after the injection) and blocked the airway when head was turned to the left, necessitating a makeshift pillow brace to keep head turned to the right overnight. Tonsil swelling began to diminish by about 6am and only slight enlargement remains thirty hours after injection. Additionally, a low-grade fever began at about 10 pm (~7 hours after injection) and reached a maximum of 100.5 degrees F approximately twenty-four hours after the injection. By twenty-eight hours, temperature was within normal limits (though still nearly a degree higher than typical for this patient). As of this writing, some thirty hours after the injection, headache, neck ache, and eye-ache persist, but none is severe. Symptoms appear to be continuing their improvement. I (the patient/recipient) hope the second installment of the vaccine is no worse than this one. The only truly alarming symptom was the swollen tonsil and some thought was given to seeking medical attention, but the pillow brace seemed to do the trick for keeping the airway open, so no assistance was sought. I have no doubt that these short-lived symptoms are much better than actual disease and I will not hesitate to follow up with the second vaccine installment?but I will monitor the tonsil situation very carefully.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1227258	4/18/2021	CA	86	M	2/8/2021	2/8/2021	possible heart attack; High pain in left arm; This is a spontaneous report from a contactable consumer (patient). An 86-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), first dose via intramuscular, administered in left arm on 08Feb2021 13:00 (Batch/Lot Number: EL9264) as SINGLE DOSE for covid-19 immunisation. Medical history included atrial fibrillation from 2010 to an unknown date, hypertension from 1971 to an unknown date, both knees replace from May2011 to an unknown date, left shoulder replaced from Nov2011 to an unknown date, left eye cataract removal from Jun2013 to an unknown date, right eye cataract removal from Oct2013 to an unknown date, L4 & L5 disc repair from Aug2014 to an unknown date, Gall bladder removed from Sep2014 to an unknown date, Right shoulder, Kidney disorder, cramps, Virus fighter, Heart disorder, eye disorder, General Health, Blood thinner, R. shoulder pain, sleep disorder, constipation, Clear vessels. No any other vaccinations within four weeks prior to the first administration date of the suspect vaccine. The patient's concomitant medications were not reported. The patient experienced possible heart attack on 08Feb2021 with outcome of not recovered, high pain in left arm on 08Feb2021 with outcome of not recovered. High pain in left arm-possible heart attack on 08Feb2021. Reported it was not caused by shot, but result is possible pitched nerve- X-ray and CT scan Being done. AE required Scheduled X-Ray and then CT scan on neck. Treatment included the event did require the initiation of new medication/other treatment/procedure. Seriousness criteria reported as not serious. COVID-19 testing had not been conducted.; Sender's Comments: A contributory role of the vaccine BNT162B2 to the event possible heart attack cannot be fully excluded based on the temporal relationship. Patient's advanced age, underlying hypertension, atrial fibrillation, kidney disorder and other comorbidities provide alternate explanation for the event. Case will be reassessed if additional information is received. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.,Linked Report(s) : US-PFIZER INC-2021277193 same patient, same product (second dose), similar events.
1225874	4/18/2021	CT	60	F	3/8/2021	3/8/2021	I woke up on March 9th, 2021, and my left eye was swollen shut and my right eye was partially swollen. I am not an alarmist and I thought I was having an allergy reaction to food or the environment. It occurred to me that this may be a response to the Moderna vaccination. I did some research and discovered an adverse response is facial swelling and there was a photo of my exact adverse response. It has not gone away is today it has gotten worse. I went to the Clinic this morning. I did call Moderna and report this the last week in March. My second shot was scheduled for Monday, April 5th and I was hesitant to take the shot when I was still exhibiting an adverse response. I am starting to really be concerned as this has now started to go down into my entire face. It is extremely uncomfortable and very itchy. Never mind it is very unattractive -my swollen, red, and itchy eyes and now entire face. At this time it is impossible to know if this is a permanent condition. It has been 6 weeks and starting the 7th week with worsening condition.
1225969	4/18/2021	WI	85	F	4/16/2021	4/17/2021	Patient developed stroke-like symptoms (right flashing light/temporary vision loss, word-finding difficulty) 24 hours after completion of Moderna COVID vaccination requiring hospitalization for stroke workup.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1225964	4/18/2021	CA	60	F	4/17/2021	4/17/2021	A 60 yo female was in the observation area following a 1st dose Pfizer (Lot# EW0171, expiration: 08/30/2021) that she received at 1215. At 1248 she flagged the Medic with a complaint of feeling lightheaded and a non-radiating headache rated 1/10 on pain scale. Client denied blurry vision, shortness of breath, nausea, vomiting, or chest pain. Client stated she has an allergy to aspirin and morphine sulfate, denied any past medical history and medications. Client states symptoms started 15 minutes post vaccine. At 1250 the medic took baseline vitals with client sitting: Blood pressure (BP): 110/80, Respiration rate (RR): 12, Heart rate (HR): 75, client was alert and oriented to time, space, situation and person (CAOx4) and skin was normal for ethnicity, warm and dry, pupils were equal, reactive to light and accommodating (PEARL). Client stated headache increased to 3/10 and continued to deny any other symptoms. Client stated last oral intake was at 0900 and claimed minimal fluid intake. Client was offered a bottle of water. At 1301 second set of vitals taken with client standing: BP 112/80, HR 72, RR, 12, CAOx4, negative for orthostatic pressures. Client stated the lightheadedness was gone and headache remained at a 3/10, client attributed headache to lack of fluid intake. At 1315 client released from observation area. Client was able to stand and walk without assistance and left the observation site with a steady gait.
1225962	4/18/2021	CA	58	F	3/25/2021	4/12/2021	Itchy rash around eyes occurred 17 days after first vaccine.
1225933	4/18/2021	NY	74	F	2/13/2021	2/25/2021	On 12th day after vaccine, I began to have bizarre, frightening and persistent mental images about harm to my body. Not visual or auditory hallucinations. Not images that directed my behavior. Experience was unique in my life. After 10 days of symptoms I contacted a mental health professional with whom I had worked 15 months previous as a grief counselor. We spent 5 sessions exploring possible reasons for the problem and decided it might be a side effect of the vaccine because it did not seem to be related to any previous life experiences. Symptoms have lessened significantly but persist. 2nd dose of vaccine did not increase symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1225931	4/18/2021	PA	28	F	4/18/2021	4/18/2021	2 MIN AFTER VACCINATION PT BECAME DIZZY AND REPORTS EXPERIENCING TUNNEL VISION. PT ASSISTED TO FLOOR BY STAFF. TRANSPORTED TO MED OBS AT 1348 VIA STRETCHER. PT PLACED IN TRENDELENBURG POSITION. VSS. PT STATES SHE IS FEELING BETTER. PT SLOWLY TRANSITIONED TO A FLAT, SITTING AND THEN STANDING POSITION WITH NO ISSUES. ALL SYMPTOMS RESOLVED. PT RELEASED BY SELF AT 1421. PT ESCORTED TO EXIT BY STAFF WITH NO FURTHER ISSUES. VITAL SIGNS AS FOLLOWS: 1400 BP 127/80 HR 61 SPO2 98 1406 BP 131/81 HR 61 SPO2 98 1410 BP 124/66 HR 62 SPO2 98 1415 SITTING BP 124/75 HR 71 SPO2 99 1419 STANDING BP 117/80 HR 75 SPO2 99
1225918	4/18/2021	CT	64	F	4/1/2021	4/13/2021	Pain in left side of neck 04/09/20121. Signs of Bell's Palsy 4/13/2021/ Seen at Local ER 4/14/2021. CT scan of head done. Stroke ruled out. Diagnosed with Bell's Palsy. Left side of face droopy. Eyelid not closing completely. Difficulty eating.
1225895	4/18/2021	NJ	61	M	4/18/2021	4/18/2021	Patient received vaccine was sitting for 15 minutes and got up in the middle of his 15 minutes to approach the pharmacist and the pharmacist sat him down again and he passed out onto the floor hitting his head with a cut on his eyebrow and nosebleed. Ems arrived and got patient back into chair and he again passed out and began seizing. He again regained consciousness and was taken away in a stretcher.
1225881	4/18/2021	AZ	46	F	3/26/2021	3/31/2021	6 days after receiving vaccine, I experienced an episode where I got extremely hot, sweaty in neck and chest area, dizzy, loss of balance, blurred vision and blacked out for a few seconds. The episode lasted approx. 4-5 mins. I laid down and fell asleep for about 20 mins afterward and woke up to moderate headache and slight blurry vision still on left side. I saw my primary dr the next morning on 4/1/21 and reported issue.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1226010	4/18/2021	WI	46	F	3/13/2021	3/13/2021	The first side effect was an extremely sore arm (not only at injection site, but a DEEP ache lasting three days--difficult to dress)--a few hours after the injection. Then, about 10 hours after, I began to feel run down and through the night, I felt feverish, and it was hard to sleep. I never had a fever through the entire length of my side effects. I also had a headache behind my eyes that was exacerbated upon moving my eyes. By day three, I had gastrointestinal symptoms and slight feeling of cough by day two. As the week progressed, I felt more and more fatigued and then I felt some mild shortness of breath. In total, the side effects lasted seven full days. I was sent for a COVID test by day six. I was negative. A few days later, I developed a mild rash (light-pink blotches on my torso--not itchy). I was prescribed a fluticasone cream to apply and they went away after about a week of application twice per day. I also took 12.5 mg of Benadryl for three nights during that time.
1225877	4/18/2021	PA	17	F	4/18/2021	4/18/2021	AFTER VACCINE, PATIENT HAD TUNNEL VISION, FELT LIKE SHE WAS GOING TO PASS OUT (BUT DID NOT), MOM WITH PATIENT AND STAFF ASSISTED TO FLOOR, LEGS ON CHAIR UNTIL ASSISTED TO W.C. AND TAKEN TO OBS. TRENDLENBERG ON STRETCHER, STATES RELIEF. SAT UP FOR SNACK/WATER. S/S RESOLVED AND ESCORTED TO EXIT WITH NO ISSUES AT 1210. 1145 INITIAL BP 117/72 HR 73 RR 18 SATS 98% ON RA 12P STANDING BP 118/75 HR 79 RR 18 SATS 98% ON RA
1225806	4/18/2021	NJ	55	M	4/14/2021	4/15/2021	Bell's Palsy - face drooped, couldn't keep eye open, left nostril ran only
1225830	4/18/2021		55	F	4/18/2021	4/18/2021	lightheaded/dizziness, nausea, blurred vision, EMT evaluated, pt. refused transport.
1225801	4/18/2021	TN	57	F	4/18/2021	4/18/2021	Patient received her vaccine and during the 15 minute observation period, her husband called us over. She was extremely sweaty, had clammy hands, eyes were fading in and out, and appeared as if she was about to pass out twice. No reports of trouble breathing. Called 911, stayed with patient until the paramedics came who then escorted her.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1225716	4/18/2021	IN	74	M	2/24/2021	3/30/2021	Blindness/stroke in left eye. Treatment-Hospital admission-no treatment able to be provided. Outcome: permanent blindness in left eye
1225756	4/18/2021	FL	48	F	4/18/2021	4/18/2021	A few minutes after administering the vaccine the patient complained of light headedness, vision became spotty, and she felt like she was going to pass out. She also felt tingling fingers and nausea. After a few minutes her blood pressure was checked and it was normal. The light headedness and nausea subsided. The tingling fingers continued for several minutes but later became normal. She drank some water and we provided a fan to help cool her down.
1225747	4/18/2021	CA	57	F	3/24/2021	4/1/2021	April 1: loss of small patch of corneal epithelium in left eye, upper temporal region. Eye pain. Prophylactically treated with Ofloxacin 3x/day for 2 days, and recovered. Resumed contact lens use 24 hr later. April 9 eye pain left eye again, seen by optometric April 10, loss of corneal epithelium upper nasal eye region, start Ofloxacin again. Monday 4/12 pain, light sensitivity, saw optometrist again, now has turned into a corneal ulcer, switched to Moxifloxacin 3x/day. Tuesday 4/13 pain, light sensitivity and vision blurred, increase Moxifloxacin to 4x daily. Thursday 4/15, corneal ulcer still painful but changed in appearance saw ophthalmologist, increase Moxifloxacin to once per hour. Fri 4/16 extreme dizziness, imbalance soon after getting out of bed and fell down. mild dizziness continues next 2 days. Not sure if any of these related to the vaccine but since they started soon after the vaccine thought I should mention it.
1225737	4/18/2021	VA	32	F	4/17/2021	4/17/2021	Patient began to slump in her chair and had problems opening her eyes. She complained of being hot and having heart palpitations. I unable to get a good pulse because it was very weak. After a few more minutes patient complained of tingling in her hand and feet as well as cramping in neck but was not affecting her breathing so EpiPen was not administered but 911 was called. Volunteer Rescue Squad arrived and overtook care. Patient began to feel better after about 10 minutes and refuse to go to hospital but remained under my observation for another 20 minutes until her sister came and followed her home.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1226419	4/18/2021	NJ	40	M	4/16/2021	4/17/2021	Patient reports facial drooping with onset approximately 36 hours after vaccination with the first dosage of the Moderna COVID-19 vaccine. Reports difficulty closing the left eye and drooping of the left corner of the mouth. Denies left eye pain and dryness. Denies hyperacusis. Denies fever. Physical examination shows left-sided flattening of the nasolabial fold and forehead. Bell's sign positive in the left eye. Reduced facial movements on the left side. Provisional diagnosis is Bell Palsy. Patient was prescribed prednisone taper and referred to neurology and PCP.
1227251	4/18/2021	IN	58	F	3/26/2021	4/9/2021	April 9, lethargic in afternoon, seeing flashing light in left eyesight. Lasted 2-3 days. Lymph node in rt groin swollen and sore. Persisting still. April 17, feverish, 101.5 F, chills, no appetite. Still persists. Difficulty breathing, slight, comes and goes.
1225687	4/18/2021	AZ	42	F	12/23/2020	1/21/2021	Hospitalized for what was determined with Guillain Barre - Miller Fischer Syndrome. Symptoms slowly started a couple weeks after the vaccine and eventually worsened to the point of not being able to open my mouth. Symptoms included facial paralysis, Muscle weakness, fatigue, vision issues, Neuropathy issues. I was transfused with multiple doses of Immunoglobulin and IV steroids. Still currently in Physical therapy I have lost 3 months of not being able to work. Also had a blood clot
1225880	4/18/2021	FL	23	F	4/17/2021	4/17/2021	Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild, Additional Details: EMS WERE CALLED. PATIENT WAS GIVEN CLARTIN 10MG AS SHE REFUSED DOSE OF BENADRYL
1226281	4/18/2021		42	F	4/18/2021	4/18/2021	lump in throat/numbness to tongue, redness to face, dry mouth, pressure under eyes, evaluated by EMS, symptoms improved, pt. refused transport.
1226407	4/18/2021	WI	57	M	4/14/2021	4/16/2021	I have severe Hives, swelling and itching across my entire body. My legs, arms, back, chest, belly, butt, feet, face. I also have swelling of my face around the eyes and cheeks, swelling on my hands and wrists. I reached 103 degree temperature then it broke and became normal this was in association with the Hives.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1226384	4/18/2021	TX	47	F	3/10/2021	3/12/2021	Blurry near and far vision. This was still occurring when I received my second dose on 03/31/2021 at same location. (Lot EP 6955) I continue to have issues with blurry vision. I did not have this issue prior to the vaccination.
1225788	4/18/2021	PA	50	F	3/22/2021	3/22/2021	About 1.5-2 hours after receiving vaccine #1 patient felt light-headed. She noticed that skin on her arms, upper chest, face and eyelids turned red. She felt a tingling sensation over her skin as if she was going to get hives. She took diphenhydramine 25mg and Zyrtec 10mg PO and drank lots of fluids. She also had a low grade fever upto 100F for a few days after the vaccine. She did not develop any hives or itching. The skin redness was gone the next day (3/23/21).
1226044	4/18/2021	NY	29	F	4/9/2021	4/9/2021	About 20 minutes: Heart beating faster or louder. I Felt like I got paralysis on my middle finger. Feeling numb. 20 - 30mins: Felt a little drowsy, dizzy? Heart beating faster or louder. 1hour: Tiredness and drowsy. 1st day - 2nd~3rd day: Muscle pain (pretty bad on the arm) and all over the body. Middle finger feeling numb. Evening, April 13th - 16th: Slight shortness of breath. It got much better, but I still feel very very minor shortness of breath. Evening, April 15 - April 17th (until 6am): Hives on neck, under eyes(Right side), Between front of my left eye and nose, near mouth, Forehead. Very itchy. Hives keep appearing and disappearing. It gets better and then all the sudden gets bad. April 17th evening (8:00pm): Face and neck itchy. I had 1 pill of Benadryl after seeing a doctor. I had fever and chills. April 18th: Nose bleeding. Having a little chest pain.
1226324	4/18/2021	PA	25	F	4/18/2021	4/18/2021	2 MINUTES POST VACCINATION PT BECAME SWEATY, ANXIOUS, DIZZY AND DEVELOPED TUNNEL VISION. PT TRANSPORTED TO OBS VIA WC. VSS. HUSBAND AT BEDSIDE. PT SLOWLY TRANSITIONED FROM LYING, TO SITTING AND THEN STANDING. ALL SYMPTOMS RESOLVED. PT RELEASED AT 1700. PT AND HUSBAND ESCORTED TO EXIT WITH NO FURTHER ISSUES. VITALS AS FOLLOWS: 1643 BP 138/85 HR 68 RR 20 SPO2 99 1649 BP 138/87 HR 77 RR 20 SPO2 100 1656 SITTING BP 133/88 HR 78 SPO2 98 1659 STANDING BP 130/66 HR 100 SPO2 98

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1226255	4/18/2021	SC	68	F	3/31/2021	4/11/2021	Patient present to Roper Hospital ER on the morning of 04/11/2021 complaint of skin rash and swollen right eye. Patient reported to Dialysis RN was informed by ER physician Covid-19 vaccine caused her to develop Shingles. Patient treated with a prescription for Valacyclovir.
1226242	4/18/2021	NC	59	F	4/2/2021	4/10/2021	Eight days after receiving the vaccine, my wife developed shortness of breath, headache, fatigue, and unusual vision problems. She was taken to the emergency room on 4/15 where she underwent a battery of tests (see details below). She was admitted to the hospital (where she currently is) and was diagnosed with blood clots in the lungs and two strokes in the area of the brain that affects vision. She then underwent ultrasound tests of her legs and carotid artery, which were negative for signs of blood clots. Although my wife's symptoms are different than the symptoms of others that led to the vaccine pause, her doctors strongly encouraged us to report it to the VAERS. My wife had no underlying or pre existing conditions that would lead to blood clots in her lungs, and stroke. After extensive testing there is no evidence that the blood clots in her lungs as well as the clot/clots that went to her brain initiated in her legs. They believe that some sort of "event" would have had to happen to cause these blood clots, and the only unusual thing in the time frame of this condition is the vaccine. As I mentioned earlier, my wife is still hospitalized.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1226241	4/18/2021	CT	26	M	4/18/2021	4/18/2021	Patient received dose 1 of Moderna COVID-19 vaccine. Approximately 5-10 minutes after administration, the patient's mother alerted me that the patient was feeling faint and sweaty. I came to check on the patient. He appeared pale and diaphoretic. Patient said his vision was narrowing and he subsequently lost consciousness for approximately 10-20 seconds. I checked the patient's blood pressure and initial result was 88/64. Upon regaining consciousness, patient reported immediately feeling better. His blood pressure was still low at 94/70. He remained seated and drank some cold water and a cool compress was applied to his forehead. I questioned the patient to determine if he was experiencing any other symptoms that may indicate anaphylaxis (skin itchiness, tight throat, stomach upset) and he denied any other symptoms. I continued to monitor the patient for approximately 30 minutes. During monitoring, the patient told me he is nervous of needles, and has fainted trying to give blood in the past. After 30 minutes of monitoring, diaphoresis had resolved, color returned to patient's face, blood pressure recheck was 116/84, and patient self-reported feeling fine. He was escorted home by his mother.
1226412	4/18/2021	CA	35	F	4/16/2021	4/16/2021	Severe headache at the top of the skull and behind the eyes, especially the right eye. Pressure sensation in sinuses and behind eyes - "like eyes were being pushed out of my head". Headache lasted 36-38 hours after the injection. Chills, night sweats, fever of 100F, aching muscles, restlessness, trouble sleeping due to physical discomfort - symptoms lasted nearly 12 hours overnight and into the next morning approximately 24-26 hours after the injection. Severe muscle pain in arm of injection site within 24 hours of injection. Pain has diminished within 48 hours but is still residual.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1226210	4/18/2021	CO	64	F	4/14/2021	4/14/2021	About 1 1/2 hours after my second injection, I had a severe, total body hot flash, nausea and blurred vision. Unfortunately, I was driving at the time so I pulled over to wait until my vision improved enough to continue home. I was light headed and pulled over one more time before I was able to get home. I immediately went to bed with chills and continued nausea for several hours. I was finally able to eat something probably 6 hours after the event then went to sleep. The following day I was tired and had body aches. No medical attention sought. Totally for the two days after the vaccine.
1226152	4/18/2021	MD	64	M	4/13/2021	4/14/2021	Patient woke up the day after his second Pfizer covid vaccine dose with an isolated right eye ptosis. No other signs of stroke or cranial nerve dysfunction.
1226146	4/18/2021	FL	61	F	3/22/2021	3/22/2021	Aprox 8 minuted after receiving the vaccine, I noticed prickling (pins and needles) starting to occur on my forehead, then including the nose as well. I felt numbness at the tip of my nose. I took my glasses off and my vision was blurry. I felt weak (almost faint), I felt a chill running through my arms and lightheaded. I was able to get the attention of the person monitoring us in the 15 minute wait area and she took me to the side to a nurse and EMS person was stated. I felt almost that feeling when they start an IV up (that weakness). My blood pressure remained relatively constant the times they checked it though I did feel a racing heart at moments. In about 30 minutes the obvious pins and needles was starting
1226354	4/18/2021	IN	64	M	4/17/2021	4/17/2021	Tested Positive on January 6th, 2021 Bad headache, I hurt all over just like when I had the Covid Virus, Joints were the most painful, My body had hives on all places I was able to see, Eyes were very red with red rings around the outside of my eyes and eye lids, Nausea, my skin had a red look and there were red lines on my arms and legs, Every vein on my limbs were very pronounced, I had a "restless" arm and leg" vibrations and I had to get up and walk to make the feelings stop. I fought against the symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1226140	4/18/2021	CA	34	M	4/18/2021	4/18/2021	At 1140, RRT was activated for a 34 y/o M that passed out for a few seconds. He stated, "I felt like I was in a dream." His eyes rolled back before passing out. When he was alert after his fainting episode, he stated that his right arm was numb and had c/o nausea, weakness, a brief moment of blurry vision, and "feeling hot". Head-to-toe assessment completed. Client was diaphoretic and pale. Client also reported that he was feeling hot and then feeling cold all of a sudden and this was ongoing. Client vaccinated on the R arm at 1130. NKA, no past medical hx. Does not take any medications but smoked marijuana just prior to his appointment. Vitals ? BP: 138/98, RR: 20, HR: 65, 0/0 pain. EMS called. Client's condition improved during monitoring period but as EMS arrived, client began to feel same symptoms again but did not pass out. EMS arrived at 1149. Vitals when they arrived were: BP: 142/77, HR: 48. Client's condition did not improve significantly but did not get worse. Client opted to have ambulance transport to Community ER to be further evaluated and treated. Client left vaccination clinic via Representative, accompanied by Fire Engine and unit @ 1200. Girlfriend, who came with client, followed client to hospital. Client left in stable condition, AA0x4, breathing even and unlabored, in no acute distress.
1226092	4/18/2021		20	M	4/9/2021	4/10/2021	symptoms fever, chills, and fatigue first occurred 4/9 shortly after receiving shot, and lasted until 4/13 on 4/10 vomiting and temporary blindness after exercise occurred. the blindness episode did not last longer than 2-3min, but was described as complete vision loss and occurred 1-2min after intercourse. on 4/14 an incident of "blacking out" occurred during prolonged intense exercise
1226084	4/18/2021	NY	39	M	4/12/2021	4/18/2021	Initial reaction was achiness in arm for about 24 hours. No troubles since. However, today, 6 days later, in the morning, both eyes felt "heavy," swollen and puffy. I took a nap for about an hour around 11 am, and right eye significantly improved. Left eye remains the same: heavy, puffy, and swollen. I took a pill of Benadryl, and applied ice.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1226161	4/18/2021	WI	18	M	4/10/2021	4/18/2021	Red, swollen, warm to touch, and itchy at site of injection. About 1.5" X 3" area. One tablet of Benadryl taken. Red and itchiness went away. Still swollen and warm to touch. Also, eyes were dry and nose was runny.
1226175	4/18/2021	OR	63	F	4/2/2021	4/4/2021	Spasm in my left eyelid since vaccine. Warm compresses with no change in spasms.
1226176	4/18/2021	IN	63	F	3/11/2021	3/11/2021	Lyme symptom flare up including, fever, swollen throat/lymph glands/parotid glands, headache, eye ache, joint inflammation, nausea, malaise, dizzy, lightheaded, shortness of breath. Came on within the first two days, left me bedridden for 5 days. Ran low grade fever off and on and symptom flare ups for the next 20 some days until I began to feel better. Went in to get scheduled 2nd vaccine and was turned away. Asked to return with epi pen in hand and feeling strong.
1226182	4/18/2021	VA	66	M	3/5/2021	3/6/2021	03/07-27 Progressive left and right hip pain 03/13-03/14 and 03/20 Significant hip pain after yard work 03/07-03/27 Progressive left and right groin pain 03/13-03/14 and 03/20 Significant groin pain after yard work 03/07-03/27 Progressive outside lower right calf pain (sporadic) 03/13-03/14 and 03/20 Significant lower right calf pain after yard work 03/28 Unusual reaction at night following second vaccine - flushed 03/28 - 04/01 Progressively acutely severe both hip, groin, and lower outside calf pain 04/02-05 start of indigestion, heartburn, brain fog, fatigue, leg tremors - leg pain less with Tylenol 04/05 Significant chest pain - went to ER - EKG, blood work, chest x-rays checked OK, given GI cocktail 04/05 - 04/18 Leg/hip/groin pain (joint and muscle) - not as severe as first 5 days after 2nd shot), some heart burn, indigestion , cotton mouth, periodic tremors, periodic fatigue, feeling of thickening throat, slight eye burn, easily chilled o Each episode is preceded with an allergic reaction type feel o Each episode is near end of 8 hr Tylenol duration although seems worse at night

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1226203	4/18/2021	OH	20	F	4/18/2021	4/18/2021	IN THE WAITING AREA SHORTLY AFTER VACCINATION, PATIENT'S FACE WAS FLUSHING (WARM, RED). SHE ALSO HAD BLURRED VISION. ACCORDING TO HER, EVERYTHING LOOKED WHITE. HELPED CHECK HER BLOOD PRESSURE, IT WAS NORMAL. WE PUT ICE ON HER NECK, GAVE HER ORANGE JUICE, LIFTED HER LEGS ON A CHAIR . MEDIC CAME IN ABOUT 15 MINUTES AND CHECKED ON HER. SHE GOT BETTER, DIDN'T NEED TO BE TRANSPORTED TO NEARBY ER/HOSPITAL

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1226843	4/18/2021		55	F	3/9/2021	11/1/2020	<p>Injections burn like crazy/ injection is extremely painful; Rash at the injection site; Experiencing flares; Blurry vision / blurriness; This is a solicited report received from a contactable consumer based on information received by Pfizer. This solicited report (USASL2020210290) was reported to Amgen on 23/DEC/2020 by a consumer from a commercial program (PSP00086) and involves a 55 years old, female patient whose injections burn like crazy [PT: injection site pain] and blurry vision/blurriness [PT: vision blurred] while receiving Enbrel with Single Dose Prefilled Autoinjector. No historical medical condition was reported. The patient's current medical condition included rheumatoid arthritis. No concomitant medications were provided. No co-suspect medications were reported. The patient began Enbrel with Single Dose Prefilled Autoinjector on an unknown date. On an unknown date, the patient's injections burn like crazy. For past three and a half to four weeks in Nov2020, the patient has had blurry vision. The patient saw an Ophthalmologist who stated everything looked fine with her eyes but blurriness persists. No treatment information was received. The outcome of the event vision blurred was reported as not recovered/not resolved. The outcome of the event injection site pain was reported as unknown. Action taken with Enbrel and Single Dose Prefilled Autoinjector was reported as unknown for the events injection site pain and vision blurred. The causal relationship between the events injection site pain, vision blurred and Enbrel with Single Dose Prefilled Autoinjector was not provided by the consumer. The reporter declined consent for follow up. No follow up attempts are possible. No further information is expected. ADDITIONAL INFORMATION RECIEVED ON 02Apr2021: This case is upgraded to serious. In this follow up, the patient was experiencing flares [PT: rheumatoid arthritis], injection is extremely painful [PT: injection site pain], rash at the injection site [PT: injection site rash] while receiving Enbrel, Single Dose Prefilled Autoinjector. The patient's co-suspect medications included covid-19 vaccine. On an unknown date, the patient reported that each injection was extremely painful and she gets a rash at the injection site with almost every dose. On 09Mar2021, she has been experiencing flares since having a COVID vaccine on 09Mar2021. She was not home to provide lot. No treatment information was received. The outcome of the</p>

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

events injection site pain, injection site rash were reported as not recovered/not resolved. The outcome of the event rheumatoid arthritis was reported as unknown. Action taken with Enbrel, Single Dose Prefilled Autoinjector was reported as unknown for the events injection site rash and rheumatoid arthritis. The causal relationship between the events injection site rash, rheumatoid arthritis and Enbrel, Single Dose Prefilled Autoinjector was not provided by the consumer. The reporter declined consent for follow up. No follow up attempts were possible. No further information was expected. Amgen's causality assessment: events injection site pain and injection site rash were related to etanercept, while events blurry vision and rheumatoid arthritis flare up were unrelated to etanercept. The reporter's assessment of the causal relationship of the events with the suspect product was not provided at the time of this report. Since no determination has been received, the case is managed based on the company causality assessment. Amgen Comment: This individual case report does not change the safety profile of the product.; Sender's Comments: Based on information provided, the time association and vaccine's safety profile, the possible contribution of suspect BNT162B2 to the events rheumatoid arthritis flare up ,injection site pain and injection site rash cannot be excluded. The event blurry vision occurred prior to the administration of vaccine BNT162B2, considered unrelated to vaccine injection. The causal relationship of the drug etanercept to the events injection site pain and injection site rash is possible given the implied time association, while the events blurry vision and rheumatoid arthritis flare up were assessed as unrelated to etanercept. The rheumatoid arthritis would involve in eye's disorder when the rheumatoid arthritis is in active status. The clinical course of rheumatoid arthritis would be helpful for further assessment. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1222306	4/17/2021	NY	62	F	4/17/2021	4/17/2021	Immediately following administration (approx 3:15pm) patient mentioned having a "funny taste in her mouth". She described it as a metallic taste. This persisted for about 7 or 8 minutes. At that time, she stated that the taste went away and she had a headache just over her left eye. At about 15 minutes post-vaccination, the patient said the headache was "mostly better" and that she was ready to leave. I did advise her to take Tylenol to treat the headache if needed.
1222491	4/17/2021	AR	55	F	4/16/2021	4/16/2021	Pain in the arm from chest to hand, pain and tenderness of the lymph node in the arm of the injection, started near 7:00 pm. Became very sleepy + blur vision. Near 9:00 pm fever started. All night have troubles with sleeping: nightmares and waking up many times. In the morning: feel seek ( sensitive lymph nodes behind the ears, headache).
1222451	4/17/2021	TX	48	M	4/12/2021	4/14/2021	Swollen face, and eyes lids.
1222448	4/17/2021	VA	53	M	4/16/2021	4/17/2021	A fairly aggressive visual migraine, Episode lasted 15-30 minutes almost exactly 24 hours after injection. It would seem there was no mention of migraines as a side affect. So figured it best to report just in case it was a sign of something more. The floaters and flashes were similar to those I have gotten prior to migraine headaches. This was unusual as normally they normally do not interrupt my vision greatly and are simply in my vision and usually only in one eye. In this case it wasn't limited to one eye or one spot.. there were multiple and made it hard to focus and see. Usually when I get visual migraines, a headache comes shortly after. So far as of this writing, I only feel a tinge of a migraine coming on, but it is seeming to fade already. Should note, I do not get migraines often (maybe once every other year or so.. ) and when I do it is usually after extended exposure to the sun and not on a chilly morning when I first wake up. Thus this report.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1222447	4/17/2021	PA	79	F	4/16/2021	4/16/2021	Within five minutes of receiving the first vaccine, my mom had body aches, and her hands became sweaty. Within a couple of hours, she developed a fever that lasted 24 hours. The body aches remained, and her knees swelled seven days after the vaccine. Yesterday, she received the second vaccine, my mom's pain throughout her body is worse. She also has pain in her jaw and her left eye.
1222446	4/17/2021	IN	50	F	2/12/2021	2/12/2021	Syncope, collapse, seizure, amnesia, brain fog, migraine, nausea, vomiting, double vision; all ongoing since time of second dose administration
1222452	4/17/2021	IL	69	F	3/14/2021	3/20/2021	Severe headache (short-lived), vision issues, trouble breathing for about 10 hours, March 20-21st
1222401	4/17/2021	MD	24	F	4/16/2021	4/16/2021	The patient received the Pfizer vaccine, given by HCP. After the vaccine, the patient felt a little anxious with increased heart rate so she asked HCP for a bottle of water. HCP went to get the water and informed the pharmacist on duty. Both pharmacist and HCP came back to the patient. She got the bottle and was about to open the bottle, but closed her eyes and started shaking like having a seizure and passed out. She came back right after passing out but didn't know what happened. She then started shaking again for a few seconds but didn't pass out. Everything happened so quickly when she remained sitting on the chair. We called 911 and paramedics came. She mentioned that the seizure happened to her before, maybe once or twice a year. When paramedics came, they checked her blood pressure and it was ok. We asked her and she wanted to come to the hospital to check out to make sure that she is ok.
1222342	4/17/2021	CA	59	F	4/9/2021	4/16/2021	Initially I had a sever sore arm that advanced into my neck muscles. I had a severe headache and blurred vision. Six days later I developed small joint pain in both thumbs. I then developed abdominal pain and diarrhea on day 7.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1222237	4/17/2021	MI	59	F	4/6/2021	4/15/2021	On 4.15.2021 I began to have a congestion ( phlegm) , a scratchy throat , swollen around the eyes and a sweaty cols clammy feeling. I took a Excedrin PM and Allergy Tab ( antihistamine) to re leave the symptoms .. 4.16.2021 and 4.17.2021 it seem better with just runny nose and swollen around the eyes persisting. I am guessing by reading forms on the Vaccine this is a reaction to the Vaccine working ? as a note I have not had allergy's in the past of this .. I also do not have heath insurance As I can not afford it .. this was a free Vaccination..
1222288	4/17/2021	IN	20	F	4/15/2021	4/15/2021	Within the first 20 minutes her arm was heavy. By 9:30 pm extreme arm soreness, chills, swollen and burning throat. That night intense fatigue but couldn't sleep because of nausea and vomiting. By morning a cough developed, sneezing and clogged and mucus dripping from nose. By 1:00 pm 4/17/2021 fever of 99.9. By 3:20 pm it is 101 degrees with a headache, body aches and straining eyes.
1222276	4/17/2021	TN	27	F	4/15/2021	4/16/2021	Severe swelling in dermal fillers placed below left and right eyes
1222534	4/17/2021	KY	61	F	3/10/2021	3/18/2021	Presented as a TIA (mini stroke) Had vision issues, difficulty speaking, vertigo, could not walk, passed out and taken to hospital by ambulance . Began at around 10am. Felt like I was dying. Placed on Stroke Unit. Scans and tests all negative for stroke and Drs. thought could be panic attack or TIA. Since then my lingering effects point to TIA, Seemed to clear up around 2pm with gradual improvement through the day. Still experiencing some side effects including tinnitus, memory and word retrieval issues, fatigue, anxiety. DO NOT HAVE PANIC ATTACKS. The only time I have had a panic attack was at 26 after the death of my mother.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1222716	4/17/2021	FL	35	F	4/7/2021	4/9/2021	arm pain for first two days at injection site; a mild to moderate fever ranging from 99 - 101.7 degrees for over a week that continues to this day; a bout of bacterial vaginosis (bv) treated by boric acid suppositories lasting approximately 6 days; a 6 day long migraine with aura, distorted vision and imbalance (the severity and length of this migraine was atypical of my chronic experience) treated with range of otc painkillers: excedrin, aleve, and nyquil; excessive fatigue, deep ache in the neck and shoulder opposite the injection site (aches in the right neck/shoulder region); extremely atypical brain fog lasting for approximately a week and a half.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1222267	4/17/2021	KS	49	F	4/13/2021	4/13/2021	<p>Patient received a Covid-19 vaccination manufacturer Pfizer. The patient experienced symptoms of nausea and patient felt throat swelling. These symptoms were Mild and were treated with diphenhydramine, supportive care and glass of water. The patient was discharged to Rapid Response Team to the Emergency room after close observation for 20 minutes in stable condition. In ED patient further treated - Review of Systems Constitutional: Negative. HENT: Negative. Negative for drooling, facial swelling, trouble swallowing and voice change. Eyes: Negative. Respiratory: Negative. Negative for cough, chest tightness, shortness of breath, wheezing and stridor. Cardiovascular: Negative. Negative for chest pain. Gastrointestinal: Positive for nausea. Negative for abdominal pain and vomiting. Genitourinary: Negative. Musculoskeletal: Negative. Negative for myalgias. Skin: Positive for itching. Negative for rash and wound. Neurological: Positive for dizziness. Negative for seizures, syncope, light-headedness and headaches. Psychiatric/Behavioral: Negative for confusion. All other systems reviewed and are negative. Medications given in ED: diphenhydrAMINE (BENADRYL) injection 25 mg (25 mg Intravenous Not Given 4/13/21 1508) ondansetron (ZOFTRAN) 4 mg/2 mL injection (has no administration in time range) sodium chloride 0.9% (NS) IV Bolus (0 mL Intravenous Stopped 4/13/21 1540) methylPREDNISolone sod suc(PF) (Solu-MEDROL) injection 125 mg (125 mg Intravenous Given 4/13/21 1507) famotidine (PEPCID) injection 20 mg (20 mg Intravenous Given 4/13/21 1508) sodium chloride 0.9% (NS) IV Bolus (0 mL Intravenous Stopped 4/13/21 1700) Symptoms resolved discharged to home</p>
1222362	4/17/2021	NY	29	F	4/9/2021	4/9/2021	<p>6 hours after J&amp;J shot, began shivering uncontrollably and immediately went to bed. Was in bed with flu-like symptoms for 24 hours. Took Advil Day 2 and 3 after shot, had a mild headache. Took ibuprofen Day 4 to present, noticed a red, raised, somewhat itchy ?bubble? patch of skin on the side of my nose, which my mom said looks like Hives. I also have red patches of slightly itchy skin under my eyes. Took Benadryl but doesn't seem to be helping</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1222712	4/17/2021	MI	60	F	3/23/2021	3/31/2021	I don't know for sure this was from vaccine but thought I should report. Eight days after vaccine my left arm went totally numb, then my right hand and my right foot. My family checked me for a stroke. I was speaking clearly, no blurred vision. could smile and lift both hands evenly. A nurse friend checked my vitals, pulses in arms and feet and circulation. All ok. That has never happened before or since which made me question if it was vaccine related. It lasted about an hour and went away
1222787	4/17/2021	KS	35	F	4/12/2021	4/13/2021	swelling to upper left eye lid.
1222786	4/17/2021	TN	30	F	4/16/2021	4/17/2021	Near-syncope Symptoms started as an intense wave of nausea. I sat down. Within 30 seconds to one minute, I become very hot and diaphoretic. Then, black spots appeared in my vision, and I heard ringing in my right ear. I felt like I might lose consciousness, so I laid down on the ground. Within another minute, the symptoms started to pass. I never lost consciousness. This event only occurred one time.
1221815	4/17/2021			F	3/12/2021	3/15/2021	eyelids are all puffy, red and sore; eyelids are all puffy, red and sore; eyelids are all puffy, red and sore; This is a spontaneous report received from a non-contactable consumer, the patient. This female patient of an unspecified age received BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: UNKNOWN), via an unspecified route of administration on 12Mar2021 as single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. On the morning of 15Mar2021, the patient experienced her eyelids are all puffy, red and sore. The clinical outcome of the "eyelids are all puffy, red and sore" was unknown. The lot number for the vaccine, BNT162b2, was not provided and will be requested during follow-up.
1222755	4/17/2021	MI	38	F	4/15/2021	4/15/2021	Swollen, red, itching, burning skin around eyes. Broken blood vessels on upper and lower eye lids. Symptoms started around 4pm day of vaccine. Woke up on AM of 4/17/2021 with severe swelling around eyes and increased redness. Took Benadryl and applied hydrocortisone cream and received small amounts of relief.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1222738	4/17/2021	PR	53	F	4/12/2021	4/12/2021	We received a call at the pharmacy at 4:30 pm on April 17. During the call, patient reports that the same day she was vaccinated she had inflammation and redness of the eyes, for which she took Zyrtec 10 mg. These symptoms were alleviated with the medication. The next day and for the past 5 days she has experienced pain in the left arm and leg, tingling in all extremities and pain at the back of the neck that radiates to the head. The symptoms interfere with her daily activities and they are very annoying according to patient.
1222737	4/17/2021	CA	57	F	4/17/2021	4/17/2021	Violent itching, injection site side and face. Extreme eyes watering, nose running excessively. Face beet red. BP 140/80 Sent home told to take Benadryl. Glands swollen and sore scratchy throat at home. Took Benadryl. Slept. Now 6 hours later glands swelling and extreme itchiness returning. Watery eyes
1222673	4/17/2021	GA	75	F	3/9/2021	3/12/2021	Red rash and swelling around eyes, red rash on arms and chest
1222729	4/17/2021	CA	38	M	4/17/2021	4/17/2021	5 minutes post 2nd vaccination, patient sitting in chair felt funny, thought it was anxiety, remembers waking up on the ground. patient was transferred from ground to stretcher and brought to pod b first aid. MD assessed patient in triage, pt had history of syncope in high school. 1 cm laceration identified to patient left eye, below eyebrow and small abrasion below left nare. MD determined patient needed sutures for laceration in ED.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1222561	4/17/2021	TN	46	M	4/6/2021	4/9/2021	He presented with worsening redness and swelling to his left eyelids. States he received second dose of his COVID vaccine on 4/6 and a rash developed on 4/9, then worsening redness and swelling to the area after taking amoxicillin which was prescribed by an urgent care provider. Therefore, he was advised to come to the ER for further evaluation. He denies any fever or chills. Denies any visual disturbances. He is afebrile. White count is 4000, hemoglobin 13, hematocrit 41. He has been started on intravenous antibiotics, Rocephin and vancomycin. He had a CT of his facial bones, which confirmed left preseptal cellulitis without fluid collection or abscess. Blood cultures are currently pending. Preseptal cellulitis of the left eye. No abscess noted on CT. He received COVID-19 vaccine 4/6. He noticed a rash to his left eye on 4/9, then developed redness and swelling. Denies trauma or insect bites. Questionable if this is related as possible delayed reaction to his vaccine. Brand of Covid-19 vaccine is UNKNOWN.
1222671	4/17/2021	PA	25	M	4/17/2021	4/17/2021	2 MIN POST VACCINE PT BECAME CLAMMY, LIGHTHEADED AND DEVELOPED TUNNEL VISION. PT ASSISTED TO FLOOR BY STAFF. VISION RETURNED AND SYMPTOMS IMPROVED. PT TRANSPORTED TO MED OBS VIA WC AT 1710. PT PLACED IN REVERSE TRENDLENBURG POSITION. VITALS OBTAINED AND MONITORED. VSS. WATER AND SNACKS GIVEN. PT SLOWLY TRANSITIONED TO SITTING AND THEN STANDING POSITION. SYMPTOMS RESOLVED. PT RELEASED TO HOME WITH WIFE DRIVING AT 1730. PT ESCORTED TO EXIT BY STAFF WITH NO FURTHER ISSUES. VITALS AS FOLLOWS: 1711 BP 153/82 HR 86 SPO2 99 1716 BP 152/84 HR 81 SPO2 100 1721 BP 163/89 HR 71 SPO2 100 1728 SITTING BP 146/88 HR 71 SPO2 100 1729 STANDING BP 137/95 HR 80 SPO2 98

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1222635	4/17/2021	FL	50	F	4/14/2021	4/14/2021	0.5 -1.5 hour after 2nd dose/shot in the left arm, numbness on the top of left hand, numbness in the face around mouth, numbness in the top of head, slight difficulty speaking. These symptoms disappeared within 1.5 h after shot. Chills, weakness cold sweats , near passing out at 1 am that night, feeling like about to throw out but unable, pressure in the top of head and left temple region. Shooting pain in the left side of scalp/brain, temple region. Blurred vision in the left eye. The majority of symptoms are gone by now except for the ones associated with the head. ( shooting pain and pressure in the top of head).Yesterday extremely hot top of the head with a huge pressure building up. Planning to see a doctor on Monday.
1222621	4/17/2021	NY	41	F	4/16/2021	4/17/2021	Soreness in arm, back pain and fever of 100.4 as of 5:25 pm in 4-17/21. Extreme fatigue, body aches and my eyes are feeling dry as well.
1222616	4/17/2021	VA	49	F	4/6/2021	4/7/2021	Eye bulging, face swelling, tachycardia. ER visit to stabilize, Opthomologist for eye bulge, Primary care doctor for further testing, blood labs, endocrinologist visit and additional labs. Vision care for vision loss.
1222605	4/17/2021	NC	26	F	4/9/2021	4/12/2021	Ocular migraine on 12APR21 at 8pm symptoms passed quickly; symptoms included sensitivity to bright lights Ocular migraine experienced at 11AM on 13APR21 while driving. Lost peripheral eyesight in left eye and had sensitivity to bright lights. Migraine developed after ocular symptoms dissipated. Ocular migraine experienced at 1250PM on 15APR21; symptoms included blurry vision and jagged pulsing shapes. Migraine proceeded afterwards and was the highest intensity one experienced out of series since they began. Experienced intense head pain, nauseous-ness, and balance issues. Ocular migraine experienced 17APR21 at 11AM; symptoms included jagged pulsing shape that moved towards the edge of vision field over a course of 20 minutes. Migraine proceeded afterwards and symptoms included head pain and nauseous-ness.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1222586	4/17/2021	CA	32	F	4/16/2021	4/17/2021	Woke up almost every hour, arm pain began around midnight. 6:45 am lower back pain, general grogginess, not able to lift arm, lump where shot was given. Began having chills and back of knee pain, around 10am, took temperature at 11 and had a low fever of 100.9. 1:30, random shooting pain from injection site to back of shoulder Tired all day, generally sore, headache from one temple, across the eyes, and to the other temple.
1222730	4/17/2021	OR	36	F	4/7/2021	4/7/2021	Flare up of uveitis. Multiple, large new floaters in right eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1221644	4/17/2021	AZ	38	F	1/26/2021	1/27/2021	my daughter and I had itchy eyes; This is a spontaneous report from a contactable physician. This physician reported for two patients. This is 2 of 2 report. A 38-years-old female patient received bnt162b2 (BNT162B2), dose 1 intramuscular, administered in Arm Left on 26Jan2021 09:00 (Batch/Lot Number: EL9263) as SINGLE DOSE for covid-19 immunization. The patient is small, not overweight, a little on the skinny side. Patient medical history was none. Family medical history was none. There were no concomitant medications. The patient did not receive any prior vaccinations within 4 weeks. AEs follow prior vaccinations was none. Additional vaccines administered on same date of pfizer suspect was none. History of all previous immunizations was not provided. It was reported that caller, her daughter, and her husband, all received the first dose of the Pfizer COVID vaccine on 26Jan2021. Caller and her daughter experienced very itchy eyes on 27Jan2021-28Jan2021. It then subsided. Asked if this is an allergic reaction and would it interfere with getting the second dose. If it is an allergic reaction, would there be a worse allergic reaction to the second dose, which is scheduled for 26Feb2021. Has the same question for her daughter too. The reporter was concerned if it plays an relevance to the second COVID shot. The patient frequently takes care of the caller, who is 79, and caller's husband, who is 84. On that basis was offered the COVID Vaccine. The AEs did not require visit. Relevant tests was none. Investigation Assessment was none. The event was assessed as insignificant. Relatedness assessment of drug to event by unspecified company was unknown. Outcome of the event was recovered on 28Jan2021.; Sender's Comments: Linked Report(s) : US-PFIZER INC-2021116744 same reporter/drug/AE, different patient.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1221930	4/17/2021	IL	42	F	3/10/2021		dizziness; brain fog; vision issues; balance issues; This is a spontaneous report from a contactable consumer, the patient. A 42-years-old female patient received the second dose of BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: UNKNOWN), via an unspecified route of administration on 10Mar2021 (at the age of 42-years-old) as a single dose for COVID-19 immunisation. The patient was not pregnant at the time of vaccination. Medical history included migraine from an unknown date and unknown if ongoing, kidney stones from an unknown date and unknown if ongoing. The patient did not have allergies to medications, food, or other products. Prior to the vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. Concomitant medications included tizanidine hydrochloride (ZANAFLEX); amitriptilina [amitriptyline] (AMITRIPTILINA); and topiramate (TOPAMAX), all taken for an unspecified indication, start and stop date were not reported. Tizanidine, amitriptyline, and topiramate were taken within 2 weeks of vaccination. The patient did not receive any other vaccines within four weeks prior to the vaccination. The patient previously received the first dose of BNT162b2 on 10Feb2021 at 12:00 (at the age of 42-years-old) for COVID-19 immunisation. On an unknown date after the second vaccination, the patient experienced dizziness, brain fog, vision issues, balance issues. Therapeutic measures were taken as a result of dizziness, brain fog, vision issues, balance issues included anti-inflammatory steroid. Clinical outcome of the events dizziness, brain fog, vision issues, balance issues was not recovered. Follow-up attempts are completed. No further information is expected.; Sender's Comments: Linked Report(s) : US-PFIZER INC-2021284020 same reporter/ patient, different drug dose/ AE.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1221795	4/17/2021	FL	61	F	3/12/2021	3/13/2021	Loss of breath. Very hard to breathe; Vision degrade; Heart rate increase over 100 BPM; This is a spontaneous report from a contactable consumer, the patient. This 61-year-old non-pregnant female patient received the first dose of BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: EN6206) via an unspecified route of administration in the left arm on 12Mar2021 12:30 (at the age of 61-year-old) as a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient did not have any allergies to medications, food, or other products. The patient did not receive any other vaccines within four weeks prior to the vaccination. Prior to the vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. The patient had not had symptoms associated with COVID-19 and was not enrolled in the clinical trial. On 13Mar2021 00:45, the patient experienced heart rate increased over 100 BPM, vision degraded, loss of breath and very hard to breath. As a result of the events, a visit was made to the doctor or other healthcare professional office/clinic with the patient's heart rate, blood pressure and oxygen (level) were checked. As of 14Mar2021, the clinical outcomes of the heart rate increased over 100 BPM, vision degraded, loss of breath and very hard to breath were resolved on an unspecified date in Mar2021. The expiration date of the lot number for the vaccine, BNT162b2, was not provided and will be requested during follow-up.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1221774	4/17/2021			M	2/4/2021	2/15/2021	This is a spontaneous report from a contactable nurse (patient's wife) via Medical Information Team. A 71-year-old male patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration on 04Feb2021 13:15 as SINGLE DOSE for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. Historical vaccine includes first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE) on 14Jan2021 at 13:15 for COVID-19 immunization. The patient experienced soreness in his neck and shoulders on an unspecified date and after the 11th day after the vaccine, the patient experienced double vision in one eye on 15Feb2021. On 18Feb2021, the patient recovered from double vision in one eye while outcome of soreness in his neck and shoulders was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1221767	4/17/2021	IL		F			<p>tested positive for COVID; Severe pain; Problems with her eyes; pain in back; Nosebleed; pain in eyes; pain in neck; This is a spontaneous report from a contactable consumer. This consumer reported for a female patient of an unspecified age received bnt162b2 (BNT162B2, Solution for injection), dose 1 via an unspecified route of administration on an unspecified date (Batch/Lot number was not reported) as SINGLE DOSE for covid-19 immunisation. The patient medical history and concomitant medications were not reported. On an unspecified date the patient experienced tested positive for covid (sars-cov-2 test positive), severe pain, problems with her eyes, pain in back, nosebleed, pain in eyes, pain in neck. The patient underwent lab tests and procedures which included sars-cov-2 test: positive. She stated she is having severe pain in her eyes. The pain is also in her neck and back. She is also having nose bleeds. She further mentioned after the first dose she had a few pains in her eye and nose bleeds. However, this time after the second dose the nose bleeding is more and severe in her eye and neck. She also tested positive for COVID after getting the first dose of the vaccine. While providing details about herself, at the end of the call, caller stated she is not the only one with these problems. Another lady had the same problems she had. She further explained after the COVID Vaccine she took the last one and she had problems with her eyes and severe pain. She also had pain in right shoulder up to her back and neck. The action taken in response to the events for bnt162b2 was not applicable. The outcome of the events was reported as unknown. No follow-up attempts are needed; information about lot/batch number cannot be obtained.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1221766	4/17/2021	IL	67	F	2/5/2021	2/1/2021	Tested positive for COVID; Nosebleed after the first dose; Severe pain in eyes, back, and neck; Severe pain in eyes, back, and neck; Severe pain in eyes, back, and neck; This is a spontaneous report from a contactable consumer (patient). A 67-years-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, lot no: EL8299, Expiration date: 31Aug2021 or 31May2021), via an unspecified route of administration in left arm, on 05Feb2021 at 12:05 as single dose for COVID-19 immunization. Medical history included Hypertension, Nosebleed, Cardiac failure, Diabetes mellitus, Obesity, Heart trouble, Asthma, Cholesterol, Diabetes, places under tongue for heart and Blood pressure. Historical Vaccine included flu shot either 1994 or 1999, she cannot remember. Concomitant medication included Metoprolol for blood pressure, Isosorbide, Nitroglycerin for places under tongue for heart, Aspirin for Cholesterol, Metformin for diabetes. Prior to the vaccination, the patient was not diagnosed with COVID-19. No covid test post vaccination. No other vaccine in four weeks. The patient didn't receive other medication in two weeks. On 05Feb2021, the patient experienced nosebleed. On 15Feb2021, the patient tested positive for Covid-19. In Feb2021, the patient experienced severe pain in eyes, back, and neck. The events did not result in a visit to emergency room. The outcome of the events COVID-19 and nosebleed was unknown whereas of other events it was not recovered. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1221740	4/17/2021		29	F	4/9/2021	4/9/2021	About 20 minutes: Heart beating faster or louder. I Felt like I got paralysis on my middle finger. Feeling numb. 20 - 30mins: Felt a little drowsy, dizzy? Heart beating faster or louder. 1hour: Tiredness and drowsy. 1st day - 2nd~3rd day: Muscle pain (pretty bad on the arm) and all over the body. Middle finger feeling numb. Evening, April 13th - 16th: Slight shortness of breath. It got much better, but I still feel very very minor shortness of breath. Evening, April 15 - till now: Hives on neck, under eyes(Right side), Between front of my left eye and nose, near mouth, Forehead. Very itchy. Hives keep appearing and disappearing. It gets better and then all the sudden gets bad. I am planning to call the place where I got the vaccine today and visit the pharmacy.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1221949	4/17/2021	CA	81	F	3/9/2021	3/11/2021	double vision; This is a spontaneous report from a contactable consumer (patient's daughter). An 81-year-old female patient received BNT162B2(Pfizer-BioNTech COVID-19 mRNA vaccine), dose 2 via an unspecified route of administration, at age 81 years, administered in the arm on 09Mar2021 16:00 (Batch/Lot Number: EP6955) as single dose for COVID-19 immunization. Medical history included ongoing chronic obstructive pulmonary disease (COPD) diagnosed from an unspecified date about 2 years ago but reporter was sure she had it before that. Patient did not have prior vaccinations within 4 weeks. There were no concomitant medications. Patient historically took the first dose of BNT162B2 (Lot: EL3302) on 09Feb2021 at around 12:00, at age 81 years on the arm for COVID-19 immunisation. Patient had a reaction to Pfizer's COVID vaccine where double vision happened 2- 3 days after her second vaccination, but clarified that it was on 11Mar2021. The patient did not initially mentioned double vision to reporter herself, patient told her daughter last Saturday that she had been having double vision but reporter did not find out about it until later. The reporter took her to the doctor regarding the double vision and the doctor sent the patient to the hospital emergency room for double vision on 15Mar2021. Patient was not admitted to the hospital, was kept under observation in the emergency room where she had testing performed. While in the emergency room the patient had a CAT scan, and MRI and bloodwork and all of those tests results came back clear on 15Mar2021. The patient was released home from the emergency room after probably about 5-6 hours. The reporter just thought the double vision seems to be a little suspect being that she had had the Pfizer-BioNTech COVID-19 Vaccines and they have nothing else to attribute the event to. The vaccine was not administered at military facility. Outcome was not recovered at the time of reporting. Case was reported as non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1221710	4/17/2021	MA	47	F	4/9/2021	4/10/2021	At 6 A.M on 4/10/2021 (the day after the vaccine) I woke up with a pounding headache. Similar to a hangover. I had chills, muscle aches up and down my legs, fever, extreme fatigue and hot flashes. Site of injection was not sore at this point. Throughout the day I felt weak and could not keep my eyes open for longer than 20 minutes. I fell in and out of sleep and took two aspirins every six hours. The headache went from very bad to a dull constant headache that lasted for three days. When the muscle aches in my legs subsided on 4/10 they then moved to my buttocks muscles. I could not keep my eyes open but kept waking up with chills, headaches, body aches, hot flashes and fever. On 4/11/2021 I woke up feeling better but still had a headache. I felt weak and tired. Symptoms eventually got better throughout the day. I did not feel any soreness in my arm until day three and four. Headaches subsided on day three.
1221954	4/17/2021	FL	63	M	3/13/2021	3/15/2021	Double vision; This is a spontaneous report from a contactable consumer (patient). A 63-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: was not reported), via an unspecified route of administration, administered in arm left on 13Mar2021 15:30 as a single dose (at the age of 63-years-old) for covid-19 immunisation. The patient had known allergies with shellfish and ragweed both from an unknown date. Concomitant medications included ibuprofen taken for an unspecified indication, start and stop date were not reported. On 15Mar2021 10:00, the patient experienced double vision 2 days after vaccine. The patient was seeing 2nd image vertically located from both eyes. Ongoing for 3 days. No treatment was received for the event. The outcome of the event was not recovered. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1221598	4/17/2021	NV	24	F	4/11/2021	4/14/2021	Received second dose of vaccine on 4/11/2021 and felt fine after. On 4/12/2021, I had a headache and felt tired which I heard is common. What's uncommon is that on 4/14/2021, I began to get hives on my stomach and I've never had a hives break-out before receiving my second vaccine dose. On 4/15/2021, I wake up with hives all over my back, butt, stomach, shoulders and arms. My daily routine hasn't changed except for getting my second vaccine dose. On 4/16/2021, I wake up at 1am with hives all over my body in the same places as 4/15/2021 but now my face was slightly swollen especially around my under eye area. Throughout each day, the hives would go away but they would come back at night.
1221566	4/17/2021	MO	60	F	3/19/2021	3/29/2021	Noted blurriness/change in vision starting 3/29/21, became so prevalent could not read print by 4/5/21. Saw Retinal Specialist on 4/6/21, diagnosed with posterior uveitis in both eyes. Ran full blood and x-ray panel to rule out immuno compromise. All tests normal/unremarkable. Follow up visit on 4/15/21 showed clearing in right eye, doctor inserted corticosteroid injection in posterior of left eye.
1221551	4/17/2021	WA	23	M	4/12/2021	4/13/2021	Starting about 10 hours after receiving the second Modern vaccination I experienced a minor headache and drowsiness, which continued until about 30 hours after the vaccination. These symptoms resolved without treatment. Around 20 hours after the vaccination an itchy rash developed on the lower lip, around the left eye, and in the genital area (including: penis, testicles, and upper inner thigh). Rash continued to get worse until about 4 days after the vaccination. At this point I sought treatment at a local urgent care. The urgent care personnel said they believed the rash symptoms were caused by the Modern COVID-19 vaccination, did not identify any other possible causes, and encouraged me to report it to the VAERS system. The treatment followed was topical 1% hydrocortisone cream applied to the affected areas, and 12.5 mg of diphenhydramine taken orally before bed. The rash symptoms improved with treatment but have not fully resolved at 5 days after the vaccination.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1221481	4/17/2021	FL	74	M	2/11/2021	2/12/2021	Red Eyes; feels like grit in eyes; This is a spontaneous report from a contactable consumer (patient). A 74-year-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Solution for injection; lot: EL9262), via an unspecified route of administration, administered in left arm on 11Feb2021 at 09:30 (at the age of 74 years-of-old) at single dose for COVID-19 immunisation. The Patient Medical history were none. The concomitant medications were not reported. The patient had no known allergies. The patient did not receive any other vaccine in 4 weeks. The patient did not have COVID-19 prior or post vaccination. On 12Feb2021 at 08:00 AM, patient experienced red eyes and felt like grit in eyes. The events resulted in emergency room/department or urgent care. It is unknown if the treatment was given. Patient took other unspecified medications in two weeks. The patient did not take any other vaccine in four weeks. The patient not had COVID prior vaccination and not tested for COVID post vaccination. The outcome of the events was not recovered.
1222788	4/17/2021	OR	41	F	3/22/2021	3/23/2021	Migraines resistant to OTC NSAIDs. I woke up with the migraine on 23 March. Pain phases lasted multiple days, with multiple nausea, visual disturbance, aphasia, and facial neuropathy phases. These have been common for me in the past, but have only rarely occurred the last few years. Migraines would fade after 3-4 days, then come back 1-2 days later for the 3 weeks following the injection.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1223298	4/17/2021	NE	55	F	3/24/2021	4/9/2021	I had severe dizziness/vertigo and lightheadedness on the afternoon of April 9th, 16 days after my 1st dose of Moderna Covid vaccine. The room appeared to be spinning very fast. I was either standing or walking when it started. I made my way to bed and tried sitting and lying down for a few minutes. That didn't help so I finally laid down, closed my eyes, and took a nap for about an hour. When I woke up my symptoms were gone. I don't know how long it took because I fell asleep. I have NEVER felt like this before. I really hope this doesn't happen again, or worse, after/if I get my second Moderna shot in a few days. I was so unnerved by this that I did some online research afterward and found a forum with a lot of people reporting that it is much worse after the second shot (lasts longer, vertigo is worse, hasn't gone away after weeks).
1221734	4/17/2021	CA	45	F	3/29/2021	3/29/2021	9:20 shot 9:30 tingling in fingers on left hand 10:30 tingling, swollen tongue; tingling in chest and right arm 11:00 tingling in head, thirsty 17:00 arm and joints pain chemical odor in urine 3/30 next day: 0700 mild fatigue, thirsty 1300 itchy under skin 1700 upset stomach 3/31 dark circles under eyes; dry cough, hoarse voice, red eyes, sinus congestion, headache shooting from sinuses around the right to back of head 4/3-4/4 migraine, night sweats, periodic hot flashes itching under skin for a few days after shot
1222081	4/17/2021		29	F	4/9/2021	4/13/2021	About four days after I received my 2nd Pfizer vaccine shot, I developed severe dark, red, puffy under eyes. There was a stinging sensation and I experienced great discomfort. I am on day four and the swelling/redness has gone down, but my under eyes are still very dry and raw.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1222196	4/17/2021	NC	19	F	4/16/2021	4/16/2021	Face felt numb at 12pm Lips started feeling weird which they turned out to be swollen 12:37 Mouth started twitching into a smile 12:45pm Face started swelling 1pm Face started becoming red 1:50pm Went to doctor at 1:54pm Low grade fever at 2:10pm Hives started forming on eyes 2:30pm Face still twitching and mouth still stuck unable to open mouth 2:35pm Zertec provided by doctor and swelling went down and was able to open mouth but the involuntary twitch still occurring 2:40pm Mouth has involuntary twitching since April 16 and currently the same as yesterday it?s April 17th
1222194	4/17/2021	WI	21	M	4/16/2021	4/16/2021	Systemic: Fainting / Unresponsive-Severe, Additional Details: Patient fainted, body stiffened, eyes rolled back. Epi-pen was administered and patient regained consciousness. 911 was called after epi-pen was administered. Paramedics arrived and assesed patient. He decided to go home with parents and not be trasported to the hospital.
1222191	4/17/2021	NV	59	F	4/16/2021	4/16/2021	Systemic: Allergic: Anaphylaxis-Medium, Systemic: Allergic: Difficulty Breathing-Medium, Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Severe, Systemic: Allergic: Itch (specify: facial area, extremeties)-Medium, Systemic: Allergic: Itch Generalized-Medium, Systemic: Allergic: Rash (specify: facial area, extremeties)-Medium, Systemic: Allergic: Rash Generalized-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Systemic: Abdominal Pain-Mild, Systemic: Confusion-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Hyperventilation-Severe, Systemic: Shakiness-Severe, Systemic: Tingling (specify: facial area, extemities)-Medium, Systemic: Weakness-Medium, Additional Details: Patient waited in the observation area after getting vaccinated for 15 minutes, went home and started feeling anaphylactic symptoms around 30 minutes after and drove back to the pharmacy to seek medical attention. She was panicked and hyperventilating upon arrival and I had the patient sit down and to take deep breaths. I was about to give her benadryl but she complained of swollen throat and having a hard time breathing. I injected her with epi-pen and within 5 minutes she was better.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1222175	4/17/2021	NJ	17	F	4/16/2021	4/16/2021	Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Visual Changes/Disturbances-Mild, Systemic: Vomiting-Mild, Additional Details: pt stated visual disturbance. having trouble seeing. lightheadedness, vomited once. called ems monitored pt and mom refused to go to the hospital. pt stated feeling better when she left. called at end of shift no answer laeft message
1222171	4/17/2021	IA	32	F	4/14/2021	4/14/2021	Site: Itching at Injection Site-Mild, Site: Redness at Injection Site-Mild, Systemic: Allergic: Difficulty Breathing-Mild, Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Mild, Systemic: Allergic: Itch (specify: facial area, extremities)-Mild, Systemic: Allergic: Rash (specify: facial area, extremities)-Mild, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild, Additional Details: rash on extremities
1222154	4/17/2021	GA	18	M	4/16/2021	4/16/2021	Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Severe, Systemic: Nausea-Medium, Additional Details: Pt mother stated pt was nauseous and then that he was passing out. RN ran over to check on pt as pt eye rolled back and pt limbs fell limp. Pt moved to the floor by RN, rolled to the side by RN. Pt regained consciousness almost immediately and was laid on his back with feet elevated. Pt stated he felt fine, did not recall exactly what happened. Pt helped up into chair, given water and crackers. Pt stated he felt fine, observed by medical personnel for 30 min and pt was able to ambulate off site.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1221951	4/17/2021	OH	61	M	3/16/2021	3/17/2021	blurred/double vision; blurred/double vision; This is a spontaneous report from a contactable consumer (patient). A 61-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/Lot Number: EN6207), via an unspecified route of administration, administered in arm left on 16Mar2021 at 08:30 (at the age of 61-years-old) as a single dose for COVID-19 immunisation. Medical history included penicillin (reported as "pennacillin") allergy from an unknown date and unknown if ongoing. The patient's concomitant medications were not reported. The patient previously took procaine (NOVOCAINE) and experienced allergies. Approximately 28 hours after vaccination, on 17Mar2021 at 12:00, the patient developed blurred/double vision. There was no treatment received for the events. The outcome of the events was not recovered. No follow up attempts are needed. No further information is expected.
1222087	4/17/2021	NJ	67	M	1/15/2021	1/21/2021	Headaches started on 1/21/2021, then loss of vision left eye on 3/4/2021, on 3/14/2021-lost vision in right eye
1221953	4/17/2021	GA	61	F	3/16/2021	3/17/2021	Puffy both eyelids and double vision.; Puffy both eyelids and double vision.; This is a spontaneous report from a contactable consumer (patient). A 61-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID 19, Lot Number: EN6205), via an unspecified route of administration, administered in left arm on 16Mar2021 13:00 (at the age of 61-year-old) as single dose for COVID-19 immunization. The patient is not pregnant. Medical history was none. No known allergies. Concomitant medications included metformin; levothyroxine sodium (SYNTHROID); atorvastatin (LIPITOR) and women one day sl. No other vaccine in four weeks. On 17Mar2021 02:00 AM, the patient experienced puffy both eyelids and double vision. No Covid prior vaccination and not tested with Covid post vaccination. No treatment was received for the events. The outcome of the events was not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1222079	4/17/2021	VA	35	F	4/4/2021	4/9/2021	According to the dr, my nerves are likely inflamed. Symptoms are feeling of numbness but no loss of circulation. Most often feelings of cold in random parts of my body but especially my left leg (same side as injection). Both sensations appear to only be that because to the touch nothing is colder and to the eye nothing appears cold (blue). This started Friday 04/09 and was initially tingling in my left leg and quickly changed to feeling cold. (Interestingly the day I was vaccinated a few hours later I felt what I thought was the vaccine go through this same leg) Since Friday the cold feelings have randomly been in both both legs, both arms and both hands, less often in my face (left side mainly) and the top of my head. It?s not everywhere simultaneously but sometimes different places at one. Sometimes it can actually associated with being a little cold, but other times with no cause. Regardless it?s an exaggerated cold feeling. First it was like ice cold water being poured into whatever spot it was. It?s now less icy but still cold. Very strange

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1222019	4/17/2021	CA	69	M	3/16/2021	3/16/2021	I am experiencing tingling on my scalp, around my eyes, and on my nose; This is a spontaneous report from a contactable consumer (patient). A 69-year-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Solution for injection; Lot number: UNKNOWN), via an unspecified route of administration in left arm on 16Mar2021 16:30 as single dose for COVID-19 immunization. Vaccination facility type: Pharmacy/Drug Store. The patient medical history included myasthenia gravis from an unknown date and unknown if ongoing , autoimmune disorder from an unknown date and unknown if ongoing. The patient concomitant medications included metformin (METFORMIN) taken for an unspecified indication, start and stop date were not reported; lisinopril (LISINOPRIL) taken for an unspecified indication, start and stop date were not reported. The patient received Metformin, Lisinopril, Dietary Sup., Herbal Rem within 2 weeks of vaccination. The patient did not have any allergies to medications, food, or other products. Prior to the vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. The patient did not receive any other vaccine within 4 weeks prior to the COVID vaccine. On 16Mar2021 16:30, the patient experienced: tingling on my scalp, around my eyes, and on my nose (paraesthesia) (non-serious). This events has been ongoing since the date of the vaccination. The patient did not receive any treatment for the events. The outcome of the events was not recovered. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1222007	4/17/2021	ME	51	M	3/27/2021	3/27/2021	Vision impairment after about 60 minutes of receiving the shot that lasted for 6 hours; Blurred vision, unable to read.; soreness; light headedness; I had the expected symptoms of headache; This is a spontaneous report received from a contactable consumer (patient). A 51-years-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Batch/Lot Number: ER8732), at right arm via an unspecified route of administration on 27Mar2021 10:30, as SINGLE DOSE for COVID-19 immunisation. Medical history included low iron and anemia. Concomitant medications included montelukast sodium (SINGULAIR) and omepra-zole (PRILOSEC [OMEPRAZOLE]), patient received these medications within 2 weeks of vaccination. Patient was allergic to IV contrast dye and salicylates. The patient had not received any other vaccines within 4 weeks prior to the COVID vaccine. After about 60minutes of receiving the shot (27Mar2021 11:30) the patient had vision impairment lasted for approximately 6 hours. Patient had blurred vision and unable to read. Patient had the expected symptoms of headache, soreness, light headedness, etc. But was not expecting vision to be decreased. Patient not received treatment for the adverse event. Patient not tested for COVID-19 after the vaccination. The outcome of the event visual impairment was recovered and for the other events its recovering.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1221985	4/17/2021	OH	63	F	3/26/2021	3/27/2021	pink eye; This is a spontaneous report received from a contactable consumer. This 63-year-old female contactable consumer (patient) reported for herself that she received second dose of BNT162B2 (BNT162B2, solution for injection, Lot no: unknown) on 26Mar2021 at 09:30 AM, via an unknown route of administration on left arm as single dose for covid-19 immunization. The patient relevant medical history included Thyroid issues. The patient previously received first dose on 05Mar2021 at 09:45PM on left arm via an unknown route of administration. In Public Health Clinic facility the most recent COVID-19 vaccine was administered. The patient has not received any other vaccines within 4 weeks prior to the COVID vaccine. List of the medications the patient received concomitantly within 2 weeks of vaccination included Amoxicillin, Prilosec. The patient was not diagnosed with COVID-19. Since the vaccination, the patient has been not tested for COVID-19. The patient was unaware of allergies to medications, food, or other products. On 27Mar2021 (14 hours 30 min after the vaccination), the patient experienced pink eye. The treatment for the event included eye drops. The outcome of the event pink eye was not recovered. No follow-up attempts are possible. Information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1221983	4/17/2021	TX	43	M	3/24/2021	3/26/2021	I had a severe anaphylactic reaction; This is a spontaneous report from a contactable consumer, the patient. A 43-years-old male patient received the first dose of BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: UNKNOWN), via an unspecified route of administration, administered in the left arm on 24Mar2021 at 10:30 as a single dose for COVID-19 immunisation. There was no medical history. Prior to the vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. Concomitant medication included ibuprofen taken for an unspecified indication, start and stop date were not reported. The patient did not receive any other vaccines within four weeks prior to the vaccination. On 26Mar2021 at 23:15, the patient experienced a severe anaphylactic reaction, with swallowing difficult, hives, significant swelling of the face, very puffy and watery eyes, and significant swelling in the throat and uvula that made breathing and swallowing difficult. The patient went to the emergency room (ER) and received epinephrine, prednisone, and a large dose of intravenous (IV) diphenhydramine (BENADRYL). Clinical outcome of the event severe anaphylactic reaction was recovering. Information on about lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1221981	4/17/2021	FL	73	F	3/14/2021	3/17/2021	Double vision for 6 hours; This is a spontaneous report from a contactable consumer (patient). A 73-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), via an unspecified route of administration, administered in the right arm on 14Mar2021 at 16:00 (Batch/Lot Number: EN6208) at the age of 73-years-old as single dose for COVID-19 immunization. The vaccine was administered to the patient at a pharmacy/drug store. The patient was not pregnant at the time of vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient's medical history included hiatal hernia. The patient had no allergies to medications, food, or other products. Concomitant medications included calcium and multiple vitamin; both taken for an unspecified indication, start and stop dates were not reported (received within 2 weeks of vaccination). The patient experienced double vision for 6 hours on 17Mar2021 at 10:00 AM. The event resulted in doctor or other healthcare professional office/clinic visit. The patient was not diagnosed with COVID-19 prior to vaccination. The patient has not been tested for COVID-19 since the vaccination. The patient underwent lab tests and procedures which included CT scan: unknown results on 2021. The patient received treatment for the event reported as patient had examination at PCP and ophthalmologist and CT scan. The outcome of the event was recovering.
1222234	4/17/2021	NY	38	M	2/2/2021	3/13/2021	Diagnosed with Bell's Palsy. Drooping right side of face, unable to close right eye. Lasted approximately 3+ weeks
1222113	4/17/2021	OH	55	F	3/23/2021	3/27/2021	I have had symptoms for three weeks and seen Dr. this week. I have made a report about this information. Last night my eye became sore and quickly progressed getting red, swollen, and gunky. It was around midnight so I visited the ER to be sure nothing serious would result. This eye infection caused pain in my eyeball, behind my eye, my headache to worsen, and an earache. I was subscribed an ointment.
1223515	4/17/2021	OH	19	F	4/16/2021	4/16/2021	Stuffy nose, throat irritation, itchy eyes, high temperature, headache, drowsy

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1223339	4/17/2021	PA	27	F	4/17/2021	4/17/2021	FEW MINS AFTER VACCINE, FELT COLD, DIZZY, "UNDER WATER" FEELING, TUNNEL VISION, ASSISTED TO GROUND FEET PLACED UP ON CHAIR. FELT SOME RELIEF. BROUGHT TO OBS VIA WHEELCHAIR, PLACED IN TRENDELENBERG, FELT BETTER. SAT UP FOR SNACK AND WATER, HELPED BUT STATES TOOK BENADRYL PRIOR TO COMING PER PCP INSTRUCTION DUE TO FOOD ALLERGIES, SO GROGGINESS THATS REMAINING PROBABLY RELATED TO THIS. SOME DIZZINESS REMAINS SITTING UP BUT MUCH IMPROVED PER PATIENT. STANDING UP PATIENT STATES STILL FEELS BETTER, JUST GROGGY FROM BENADRYL. ESCORTED WITH SIG OTHER VIA WHEELCHAIR TO EXIT WITH NO FURTHER ISSUES AT 1228. 1155 INITIAL BP 125/86 HR 114 RR 18 SATS 98% RA (SITTING, AND PATIENT STATES HR USUALLY OVER 100 WITH ANXIETY) 1210 BP 130/82 HR 110 RR 20 SATS 99% RA 1225 STANDING BP 145/94 HR 106 RR 20 SATS 99% RA
1223650	4/17/2021	FL	37	F	3/12/2021	3/15/2021	In the evening on March 15th, she began having shortness of breath and chest pain. She asked her boyfriend for her blood pressure cuff so she could take her blood pressure. As he was getting it she told him to call 911 and then her eyes rolled back in her head and she stopped breathing. Paramedics attempted to revive her but were unsuccessful. She was taken to the hospital and pronounced dead. Cause of death listed as heart disease.
1223632	4/17/2021	NY	90	F	4/11/2021	4/16/2021	Subconjunctival hemmorrhages of Right Eye. EWhite area of eye very red
1223626	4/17/2021		36	F	4/15/2021	4/15/2021	Total body Itching/Hives, Flushing/Sweating, Eye irritation. BP 158/93, O2 100%, pt A&Ox5. Pt given IM Benadryl 50mg and transported via w/c to ED.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1223586	4/17/2021	CA	54	F	4/17/2021	4/17/2021	<p>Patient presents following administration of the second dose of Moderna COVID19 vaccine in the left deltoid. Patient stated that 20 minutes following administration of the vaccine, the patient started to experience an itching sensation in her left shoulder, neck, and right shoulder. She denies decrease in muscle strength or difficulty swallowing. She relates that a similar experience also happened following administration of the first dose of Moderna vaccine. She related that it lasted for about 2 hours and went away without intervention. She did not seek medical attention. She denies allergies to medication, vaccines, and food. She denies a past medical history. She does not take medication on a regular basis. She denies chest pain, difficulty breathing, swelling of the face/lips/tongue/throat, skin rash/itching, cramping abdominal pain, nausea, and vomiting. Exam (update as needed): GEN: Alert and oriented x 4, NAD. HEAD: NCAT EYES: PERRL, EOMI ENT: Ears normal, Nose normal, OP normal, no evidence of angioedema NECK: Supple, without LAD. CV: RRR, no m/r/g PULM: Clear to auscultation bilaterally, no accessory muscle use ABD: Soft, no tenderness. SKIN: No rashes, skin warm and dry. No erythema or edema of the injection site. MSK: FROM, MS 5/5 NEURO: Alert and oriented x 4, CN 2-12 grossly intact, no ataxia, gait steady Clinical Impression/Field Tx: Paresthesias related to vaccination. No acute skin manifestations or anaphylactic manifestations that require emergent intervention. Vitals signs stable. Symptoms are stable. Patient was driven to the site by significant other and stated they would take PO Benadryl once they arrive at home. They do not intend to operate heavy machinery for the remainder of the day. Further instructed patient about what vaccine side effects to expect following second dose administration and appropriate interventions/at home care. Instructed patient to consult their PCP regarding the post-vaccination reaction. Patient instructed to go to emergency department should they develop chest pain, difficulty breathing, swelling of the face/lips/mouth/tongue/throat, or cramping abdominal pain with nausea/vomiting, as these are signs of possible anaphylaxis that requires immediate intervention. Medications administered: None Disposition: Home</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1223263	4/17/2021	CA	57	F	4/17/2021	4/17/2021	At 0902, RRT activated when client (57 y/o F) called recovery nurse c/o feeling itchiness all over her body, and she started turning red all throughout her upper extremities including face. Teary eyed and redness in eyes noted. Vaccinated at 0839 on the L arm. Has had severe anaphylaxis in the past for PCN. BP ? 140/80, HR ? 82, RR ? 22, Pain ? 0/0. Head to toe assessment completed. No PMH. Did not take any medications today. During monitoring period, client?s condition improved. Stated ?feeling much better? after 5 minutes, redness and tearing of eyes subsided. At the end of observation period, client was not experiencing what was experienced initially. Client remained in the post-vaccination area an extra 15 minutes per client?s request. She left the vaccination clinic at 0930 ambulatory, in stable condition.
1223723	4/17/2021	TX	28	M	4/16/2021	4/16/2021	Fever (101-101.5 sustained for 18 hours from symptom onset), chills, general pain through body (but especially in joints), severe migraine, blurred vision, metallic taste in mouth, brain fog, confusion, and I had a panic attack during the middle of the night that lasted around 30 minutes (I do not normally have panic attacks)
1222789	4/17/2021	NC	60	M	4/15/2021	4/16/2021	Swelling of left eye and right side of forehead
1223753	4/17/2021	NM	24	M	4/12/2021	4/12/2021	after approximately 10 minutes of receiving Covid-19 vaccine, the patient fell out of chair in which he was seated. patient was unconscious for approximately 1 minute while I rolled him over and checked for pulse. his eyes were wide open and he seemed to have had an absence seizure lasting upto a minute before regaining consciousness. he was quickly cognizant and I asked if he had any history of seizures or if he might be hypoglycemic. He did say that he had not eaten and it was 3:00pm. paramedics soon arrived and removed the patient from the scene. I did text patient the next day and he said only that he had a sore arm and symptoms consistent with having a vaccine administered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1223493	4/17/2021	OR	39	F	2/5/2021	2/20/2021	Urticaria on upper arms and upper thighs and waist started Feb. 20. I took OTC Benaddryl and used hydrocortisone cream with no improvement. On Feb. 25 I saw an urgent care who gave me a course of prednisone with no help. The urticaria continually got worse and lasted all day with new areas effected. On March 8, I woke up to my left eye swollen shut and my whole body covered in hives and on fire and itching. I saw urgent care again who told me to see a dermatologist. March 9 saw dermatologist who gave me a clobetasol cream and hydroxyzine 10mg. I was told to also take claritin 10mg daily. Hives improved less body area and no swelling eye but still severe hives. March 19 my legs were swelling and I increased my dose of hydroxyzine to 20mg and claritin 30mg per my dermatologist orders. March 30 night I woke up to shortness of breath almost went to the ER. My dermatologist ordered me an epi pen. I had a CBC, complement 3 & 4 lab, metabolic panel, ASA, and h.pylori labs done all were within normal limits or negative. I had 2 punch biopsies done one from hives on each arm on March 25- results given April 15 of Urticaria.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1223481	4/17/2021	MI	40	F	4/17/2021	4/17/2021	Called to assist with post vaccine reaction on individual in Observation area at 12:04. Approached patient in chair who had eyes closed and stated she was itching all over and dizzy. No hives. No rash noted except local redness extending about 3-4 inches around injection site. No diaphoresis. Skin without pallor. Alert and oriented x3. Coworker Rn drawing up benadryl 50mg to be given IM by RN at 12:09 in right upper extremity. Vital signs 122/70 , HR 72, RR 16-18. Continued to assess patient at chair side who sipped on water. No nausea. Patient continued to complain of dizziness while itchy sensation diminishing. Vital signs BP 118/70 Hr 78, RR 16. . Color remains pink. No rash. Itching only in upper extremities. Legs elevated on chair. Pt refused to lay on stretcher. Stated she no longer felt dizzy and only left arm itched. Eating protein bar. Vital signs rechecked after standing patient upright. BP 116/78 HR 80 RR 20. Pt wanting to go home. Observed her for 30 minutes post benadryl injection. Ambulated out of observation area symptom free and insisted on driving self home. Warning signs reviewed regarding vaccine reaction and aware to react to the onset of further or worsening adverse vaccine reaction.
1223443	4/17/2021	WA	55	F	4/6/2021	4/9/2021	On April 9th, I developed a headache at 9pm while watching tv. About 15 minutes later I noticed my vision was changing so I called my daughter to come stay with me and took tylenol fast release capsules. I went to bed and woke up the next morning with the same headache so I asked my daughter to take me to urgent care. Upon arrival they did a Covid test. I told them about my previous stroke in July 2020 and that I had a PFO closure done in October and have been on Plavix (clopidogrel) since then so I wasn't worried about stroke. The dr sent me to the ER immediately and they performed an MRI scan and told me I had suffered a new stroke due to blood clot.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1223438	4/17/2021	PA	43	F	4/3/2021	4/4/2021	Swelling under both eyes, first noticed when I woke up the morning after vaccine, gradually decreased over the next few days; swelling left cheek, gradually decreased over the next week; chest tightness, started the day after vaccine, intermittent throughout day, decreased in frequency & severity 8 days post vaccine. Currently 14 days post vaccine and still have mild chest tightness, intermittent throughout day.
1223410	4/17/2021	VT	68	F	3/10/2021	3/10/2021	For 5 weeks , have had frequent and long lasting numbness and tingling across my nose and cheeks, and sometimes around my left eye. and forehead. This sensation can last for hours.
1223340	4/17/2021	VA	40	M	3/3/2021	3/10/2021	Event: 3/10: itching, swelling, soreness, redness on arm ("COVID arm") around injection site. Treatment: Begin taking Zyrtec. 3/12: Itching, scratchy feeling spread to upper back. 3/12-3/15: Itching on back accompanied by tenderness, burning sensation like sunburn that spread to entire back, neck , head, and upper arms. Itching spread to legs, arms, groin, around eyes. Scratching raised occasional welts on legs and arms but didn't on back, just created more intense pruritus. Saw dermatologist 3/19 who recommended upping dose of antihistamine. Saw allergist 3/23 who gave similar direction. Treated with 1 Zyrtec twice a day until 4/12, then ceased because of excessive fatigue, and started treated with hydrocortisone OTC 3x/day. Outcome: Itching, burning, stinging sensation remains, especially on back, but also on neck and arms and legs.
1223551	4/17/2021	AL	34	F	4/8/2021	4/9/2021	First 24 hours, I had the typical fever, chills, nausea, fatigue, headache, blurry vision. By day four, I developed a moderate rash on my abdomen, which I still have. It has not spread beyond my abdomen. I am pregnant and due August 19.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1223928	4/17/2021	MA	32	F	4/16/2021	4/16/2021	Approximately 2 hours after vaccine started to get foggy and dizzy. As time went on around 5 hours after the vaccine I got severely nauseous with a headache and general weakness. Slight blurred vision and general unsteadiness on my feet. Along with aches in neck and shoulders. Currently I have sought no treatment and the symptoms as of 937pm on April 17th have begun to dissipate with the exception of weakness, tiredness, confusion, and a little nausea
1224146	4/17/2021	ID	33	F	4/2/2021	4/2/2021	The left side of my face feels stiff and at times my eye my face below my eye is slightly painful. My lymph nodes down the left side of my body were more painful for a few days afterward and my pain levels on joints that were hurting before increased a few days too. The left side of my face still feel stiff, but how much it bothers me comes and goes. It gets worse when my histamine levels are higher.
1224136	4/17/2021	IL	38	F	3/19/2021	3/19/2021	(Approximate timings) 1 hr. after vaccine: chills; later that evening: intense aches and pains, escalating fever; at night: excruciating (level 8-9) pain in joints and entire body inside and out including skin and behind eyes, first ever sudden onset shooting pain deep in brain going straight down (blood vessel or artery), not alleviated by max. Excedrin migraine extra strength or usual aspirin dose, unable to sleep or get up to go to bathroom; symptoms mostly alleviated 24 hrs. later but mild/moderate headache persisted since then; shooting pain deep in brain returned approx. 2 weeks later and lasted less than 24 hrs. (would have immediately went to hospital if JJ blot clotting concern was reported at the time, esp. considering stent and May Thurner blood clotting concerns); 3.5-4 wks. after vaccine: first ever hay fever/allergies (nonstop runny nose, sneezing, sinus pressure, headaches) - sudden onset, no history of allergies to anything at any time or any level, no family history of allergies.
1224010	4/17/2021		74	F	4/8/2021	4/16/2021	Continuous facial nerve pain on one side. Including eye, cheek, side of nose and gums. Possible Trigeminal Neuralgia

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1224004	4/17/2021	FL	64	F	4/13/2021	4/13/2021	I was ill for 3 days and could not get out of bed. For the first 24 hours after my shot, I was extremely nauseous (I eventually vomited which helped). I was running a temperature. I felt light headed when I tried to get out of bed. For the next 24 hours, I ran a temperature, had an extreme headache, had an ear ache in my right ear and my right sinus hurt. Again, I could not get out of bed. After around 48 hours, the fever broke, but I still felt like I had an extreme migraine, my right sinus hurt and my right ear hurt. Light hurt my eyes. I spent 72 hour sleeping. I drank hot tea and ate a little soup during this time, but that was all. I felt HORRID for three full days. This was MUCH longer than I expected. If you decide we need booster shots, I hope you figure out what was making me feel so horrible. I can't imagine going through this for three days every time I get a booster. Thank you for making the vaccine. I do feel like it will protect me.
1224002	4/17/2021	MD	43	F	4/16/2021	4/17/2021	Standard sore arm started within a few hours; other muscle aches and headache started as the day went on. These were expected. Potentially more unusually, I woke up on 4/17 with a wheal on my face, which could just be my chronic hives acting up independently, but then in the evening of 4/17 I noticed a raised red mark on my arm near the injection site, which also looks like a wheal, as well as a wheal in the shape of the sticky portion of the bandaid used post-vaccination (which I'd removed before bed on 4/16). I'd had a similar wheal on my arm a few days after the first shot (given 3/19), so seeing another one now makes me believe it may be connected to the vaccine. The wheal is below the injection site (about 7 o'clock if you're standing looking at the injection site) and seems to be raised like a bump and is both hot and tender to the touch. It is unlike my normal wheals in location (more commonly I get them on the underside of my forearm), size, and characteristics, and because it is NOT itchy like they usually are. The wheal on my face was darker than usual, more a wine than bright red, and not in a typical location (it was high on the cheekbone just under my right eye; I most often get one on the left cheekbone near my nose). However, it was itchy in the way my wheals usually are. It is faded but still present and no longer itchy as of this submission, which is normal for my facial wheals.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1223994	4/17/2021	CA	29	F	1/5/2021	1/24/2021	Everything started on January 24th at about 7pm exactly 20 days post first Pfizer vaccine. No other changes or vaccines given since October (flu vaccine) was scheduled for 1/25/21 for second Pfizer dose. It all started when I was working at ER when I started to feel cold like it was in an ice bath and numbness in both feet. I went to discharge my patients when I realized ascending numbness and coldness from the feet was traveling upward. Within 5 hours (around midnight) I went to hospital due to having severe weakness to where I couldn't walk and loss of bladder control. I was rushed to MRI of brain, cervical, thoracic, and lumbar. I also had blood work done and a lumbar puncture. I was admitted for a couple days to watching the ascending weakness and loss of feeling. My MRIs came back clear from any diseases such as transverse myelitis, MS, etc. My LP showed mild elevated protein at 54 (normal range 15-45), one tube elevated lymphocytes 100% (range 40-80%) and one tube elevated monocytes 50% (range 15-45%). Also CK-MB w/reflex was 352 (range 26-140). I was discharged on 2/26 at 5:30pm with a diagnosis of bilateral leg weakness and numbness. From this point on I was wheelchair bound at home and being cared for 24/7. After discharge some additional random symptoms started such as chills with no fever to where I slept in sweat pants and sweat shirts, leg spasms/ twitches, leg heaviness, severe lower back and hip pain, a loss of sensation while going pee or poo but not incontinent, and things like drop foot with the severe weakness and numbness . On 2/3/22 I started with double vision, blurry vision and pain behind my right eye. I went to ER and had repeat MRIs of brain, cervical, thoracic and lumbar with and without contrast and basic blood work and was sent home to follow up with Dr. on 2/9 and was discharged home. By 2/8 my strength started to get worse to where I couldn't lift my kids. Finally saw Dr. neurology and MS specialist 2/9, he ran detailed neuro exams from head to toe, looked at both scans from both hospitals, all the blood work and LP results. He reported that I had severe hyper reflexes in both legs and Hoffman's sign in both hands. My feet were completely numb and cold to where I couldn't feel them or walk. Literally felt like everyday I was standing in a ice cold bath with no feeling of touch hot or cold sensation or pin pricks. He realized my loss of sensation was from my bra

VAERS\_ID RECVD STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

line down and included tingling in my hands and weakness in my arms. I was able to get up for the first time with a walker and take a few steps with assistance at this time. He then sent me to ER to be admitted and see their neuromuscular team to get further treatment. Upon arrival via wheelchair I was brought back to see the ER Doctor and re-did a neuro exam, some blood work and contacted the neurology team to come see me. I was then admitted to the hospital step down ICU under Dr with strict monitoring. On 2/10/21 The neuro team ordered another set of MRI of brain, cervical and thoracic with and without contrast due to a change in condition again since my last visit to hospital. They reviewed and compared studies with no changes. They scheduled me for MRI lumbar on 2/11/21 with and without contrast which came back no changes from previous MRI as well as another LP which everything that was off before was now normal. Everyday I would work with PT, OT and speech. I had no changes in speech and slowly got some strength back, and was able walk using a walker. I was then discharged home on 2/13 mid afternoon and was told I would do home health and follow up with their neurologist and Neuromusclar team once everything was resulted back. On 2/19/21 I saw my primary doctors office (nurse practitioner) where she checked up on the status of me, took me officially off work and on state disability, filled out paperwork for work and a handicapped pass. On 2/25/21 followed up with neurology, and discussed all my imaging and blood work. All CSF fluid came back normal, all labs were fine and wanted me to get an EMG to look for nerve damage. She also wanted a follow up with cardiology as my resting heart rate was 110-120 and would spike to 160s. On 3/1/21 Home health was started for physical therapy for strengthening and working on sensation for both legs. At this point I had almost full strength in my arms, still tingling in my hands and constant numbness and cold feeling in both feet and knees with severe sensitivity to cold, wind or touch on my legs. I had Home health twice a week every week for 2-3 weeks then started outpatient physical therapy which has been twice a week for 1.5 hours. On 3/5 I saw cardiology and was placed on a holt monitor for 48 hour monitoring. On 3/9 I had my EMG with Dr. and had a follow up with Dr. for 35 tubes of blood he had drawn for multiple diseases which both blood

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							work and EMG came back negative. On 3/16 symptoms started to change from numbness to severe hypersensitivity to touch, severe shooting nerve pains, burning sensations, non stop tingling in hands, issues with temperatures either hot or cold, and swelling of both legs. On 3/17 I saw rheumatology that looked into everything said it was not lupus related as none of my inflammatory markers or lupus DNA strands were elevated and no lupus symptoms like rashes, ulcers in the mouth or tongue, hair loss or joint pain. He ordered more blood work and confirmed it was not a lupus flare up. He suggested doing a small nerve fiber biopsies. On 3/19/21 saw spinal orthopedics who reassured it has nothing to do with my spine, prescribed gabapentin for all the nerve pain and told me that neurology is who should be following me. On 3/26 I had an echocardiogram done due to the leg swelling and heart rates which came back negative for any heart problems and was told since the tachycardia is getting better to just continue watching it and was prescribed trazodone 25mg to help with sleep due to severe nerve pains, spasms and severe back and hip pains at night. On 4/1/21 was followed up again with neurology. Ordered small nerve fiber biopsy for may 18th, increased the gabapentin to 300 mg- 3 times a day and had me wean off cymbalta. I am still dealing with tingling, burning hot and cold sensitivities in both legs, still tingling in hands all day but strength is back to full. I am scheduled to hopefully return to work 5/30/2021 after being off since 1/24/2021.
1223704	4/17/2021	TX	23	F	3/13/2021	4/14/2021	Throbbing/tension headache around and above eyes level, arms/legs muscle ache last for 2 days that did not go away when taking Tylenol 500mg.
1223939	4/17/2021	CA	16	M	4/17/2021	4/17/2021	Recipient experienced brief loss of consciousness (few seconds per report) / vasovagal syncope from a standing position. He fell and hit his right frontal bone of skull upon fainting. Patient awoke after a few moments per report and was AAOx4 within moments of this reporting clinician's arrival to scene. Vital signs stable. Patient's frontal bone with minor red abrasion / erythema and scant swelling. He did not complain of changes in vision/ nausea / emesis. Neurological and Musculoskeletal exam intact without issues.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1223549	4/17/2021	CA	62	F	4/16/2021	4/16/2021	At 1450 patient approached Paramedic with concern regarding left wrist pain and vein protruding more than right. This occurred approximately 10 minutes into her 15 minute observation period following a 1st dose Pfizer (Lot # EW0162, Exp: 07/31/2021). Client denied any other symptoms. Paramedic noted that client was able to ambulate to chair in observation without assistance and with a steady gait. Client rated the pain as 2/10 on a 0-10 pain scale and was non-radiating. Paramedic observed there was no asymmetry between left and right wrists, there was mild distention of left radial vein, negative for pain on palpation, negative for temperature difference between right and left extremity. At 1502 client began to complain of neck discomfort, then a headache on forehead which she rated a 5/10. Client reported a history of epilepsy and stated she has a headache aura prior to seizures. Paramedic advised client to sit in the zero gravity chair for further assessment and noted client was able to ambulate to chair on her own accord and with a steady gait. Client denied complaints of dizziness, shortness of breath, blurry vision. At 1508 client stated left radial pain was gone, headache was now rated a 3/10. Client was given a bottle of water. At 1510 vitals were taken with client sitting in zero gravity chair: blood pressure 110/80, respiratory rate: 14, heartrate: 78, client was alert and oriented to time, space, situation and person (CAOx4). Client stated symptoms were diminishing. At 1520 a second set of vitals were taken: Blood pressure: 112/82, Respiratory rate: 14, Heartrate: 78, CAOx4. Client stated she had no complaints. Client was advised to stay an additional 15 minutes. At 1540 client released from observation and she left the observation site on her own accord with a steady gait.
1223926	4/17/2021	MO	61	F	4/3/2021	4/16/2021	Bloody eye

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1223884	4/17/2021	TX	63	F	4/11/2021	4/12/2021	Had a sore arm soon after receiving second vaccination and for days afterwards. Woke up early morning following second Covid vaccination feeling nauseous. Nausea passed after a half-hour or so. Second day after vaccination I felt sick, flu-like symptoms: glassy eyes, fatigued, achy. All symptoms went away overnight so I felt way better on the third day following the vaccination. Then my arm started to feel tingly on the fifth day following the vaccination. The tingly sensation went away after a day.
1223869	4/17/2021	IL	32	M	4/1/2021	4/16/2021	headache, chills, blurred vision, muffled hearing, faintness
1223828	4/17/2021	WV	71	M	1/20/2021	2/7/2021	Observed to have an altered level of consciousness. Very difficult to arouse. the resident could barely open eyes w/ drooping to R side of the mouth. Nurse asked resident to smile resident could not smile. Nursed asked the resident to talk, speech came out incoherent. Assessed resident's pupils which were found to be PERRL. LUE found to have weakened grip strength with decreased ability to control. RUE flaccid, unable to respond with this extremity when asked Dr advised educating pt on what it would mean to not go to hospital following what she believed to be a symptom of a stroke. After education resident expressed that he would like to go to the hospital despite DNR/comfort care. We asked him again and eventually, he clearly said "yes" which was witnessed by one other nurse and 2 CNAs. The order was given by previously stated MD to send out the resident.
1223784	4/17/2021	WA	67	F	2/11/2021	2/13/2021	Bilateral Shingles on face and scalp Continued nerve pain after shingle healed On anti virals for 8 weeks Burning on head face and eyes Nerve pain in right eye Steroid eye drops Pain management with Tylenol 3 with codeine Trips to eye doctor No relief in pain
1223759	4/17/2021	MA	41	F	4/11/2021	4/13/2021	rash on inner left wrist sleep induced apraxia of eyelid opening



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1223973	4/17/2021	FL	56	M	4/2/2021	4/14/2021	At work while sitting at my desk I became dizzy, broke out in sweat, disoriented, blurred vision, slurred speech. Called plant nurse. She said my face was drooping, I couldn't smile or stand. She called Ambulance. Ambulance arrived and decided symptoms of stroke and called for helicopter to take me to medical center. When I arrived they did CT and I was later told it showed possible areas of no oxygen to brain. They gave me TPA drug and almost immediately I could see improvement - my headache cleared. Throughout the next couple hours I regained movement on right side and all functionality returned except weakness in right arm. I stayed in ICU for 24 hours as required after receiving TPA and while additional tests were ran then was discharged on Friday, April 16, 2021
1222815	4/17/2021	CA	57	F	4/15/2021	4/15/2021	Moderna COVID?19 Vaccine Body aches, severe headache, couldn't keep my eyes open, vertigo, dry heaves, in ability/no desire to eat for 24 hours, slept for most of 24 hours, the next 12 hours I was awake but more comfortable laying down than sitting or standing, am able to eat again, These are all on the list of possible side effects. But it was more severe than I had anticipated.
1222909	4/17/2021	NC	53	F	4/13/2021	4/13/2021	I had the same reaction to first dose, but more severe with second shot. Rash with first dose did not occur until day 7. Second dose: Within 2 hours: Rash at injection site that continued for 4 days; swollen, painful, fevered injection site for 5 days; Within 12 hours: Stress response from body, headache, neck ache, nausea, Intermittent heart pain, eye pain, unable to sleep, chills
1222908	4/17/2021	MO	59	M	4/9/2021	4/11/2021	Itching on L eyelid and L forehead with red bumps diagnosed as Contact Dermatitis and treated with antiviral for Shingles as well a contact dermatitis.
1222905	4/17/2021	CT	43	F	4/16/2021	4/17/2021	Bruising under right eye by tear duct. Have photos. Happened overnight I believe, as I don't remember it from bedtime on the same day.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1222897	4/17/2021	MD	29	F	4/12/2021	4/15/2021	Got my vaccine on Monday in my right arm. On Thursday morning I had blurry spots in my eyes that lasted a couple of hours. It almost felt like i had something in my eyes. I kept rubbing and checking them. I called my primary care doctor and the office told me he would call me back. An hour later the blurs went away but the right side of my face down my neck had a numbing sensation. My right ear also felt like it need to be ?popped? like when on a plane that wouldn?t go away. Wasn?t completely numb but felt numb. When my doctor called me back i told him my symptoms and he told me to go to the emergency room. They ran blood work and did a CT and saw nothing abnormal beside my iron was a little low but I?m pregnant so that wasn?t surprising. I left not really knowing why I?m feeling this in my face. It still has that numbing feeling. And Friday i had a 10 minute nose bleed on my right side where I?m feeling the numbness.
1222863	4/17/2021	NC	28	F	4/17/2021	4/17/2021	Approximately 4 minutes after vaccination (12:55pm) patient experienced a syncopal episode. Characteristics observed: profuse sweating, clammy extremities, tonic-clonic seizure-like movements, eye rolled toward the back of the head. When the patient regained consciousness water and cold compress was provided. 911 was called (12:57pm); EMS arrived in approximately 3-4 minutes. The responders asked the patient a multitude of questions - she indicated she was fine and needed to lay down. A bench was provided for her to regain composure. The responders also collected her blood pressure reading once she was more comfortable . She refused transportation to the hospital.
1222853	4/17/2021	PA	40	F	2/16/2021	2/16/2021	Within hours following the shot I started convulsing and shaking. I had severe tingles all over my body and weakness. This went on for days. I notified my doctor and she said to monitor for the inability to walk or move my limbs. I never lost complete feeling of my body parts. 2 months later and I still have tingling all over my body. I've had blood work, eye exam and MRI. I've had appointments with doctors-including radiologists and neurologists.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1222925	4/17/2021	NY	50	F	4/8/2021	4/14/2021	04/14/21 8:00 PM; Pain on right side of head with blood inside of right eye. Drove to emergency room. Had pressure and pain 4 more times while waiting in emergency room. Evaluated in Emergency room. Admitted to hospital 04/15/21. Had testing CAT scans and MRI determined minor stroke or Ischemic stroke. Numbness on Right side involving right cheek, weakness in RH leg and arm, speech is a little slow; during hospital stay and continued after into April 17th. Released from hospital at 6PM on April 16. As of April 17 at 10:30 AM Still having issues, difficulty thinking, headache, numbness and slight pain in head and arm. Right leg is weak. Will call doctor on Monday April 19 to set up appointment.
1223273	4/17/2021	CA	45	F	4/14/2021	4/15/2021	Bedridden for 36+ hours. Severe flu like symptoms- fever, chills, weakness, fatigue. Dry mouth. Dry eye. No sense of taste. Still sick as I fill out this report.
1222834	4/17/2021	CO	35	F	4/13/2021	4/14/2021	Extreme fatigue starting at 12pm. Elevated fever reaching 103.2 by 2am, down to 101.4 by 6am, not breaking until 11am on 4-15-21. Bad headache/migraine. Nausea. Right eye became bloodshot. Hallucinations between 5-6am on 4-15-21. Injection site painful with burning sensation when pressure was applied.
1223576	4/17/2021	AL	31	F	4/2/2021	4/2/2021	Rash developed on forehead less than 1 hour after receiving the vaccine. The rash spread across forehead to eyelids, cheeks and lips. The rash is red and mostly fine bumps that make skin feel irritated and occasionally itch. Applying hydrocortisone twice daily gives slight to moderate relief. Rash is still present on cheeks and forehead 14 days after the vaccine. Patient intends to schedule doctor visit to address rash. Menstrual bleeding lasted 13 days, 3 days longer than normal. The bleeding was much heavier than normal and increased menstrual cramps were present for several days. Developed sore throat on day 5 after the vaccine. Developed stomach pain and diarrhea the second day after the vaccine, which was on and off for the next week.
1222806	4/17/2021	GA	54	F	4/16/2021	4/16/2021	causing vertigo, very dizzy, nauseous, severe headache, feel extremely shaky , eyes hurt, directly after getting shot tasting a metal taste and still taste metal today

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1222802	4/17/2021	CO	29	F	3/18/2021	3/19/2021	Left eye started twitching a day or two after the first dose. Seems to correspond with headache, issues thinking, reading, etc. My left eye has been twitching every day since the first dose. I have a headache bad headache every day, and the headache seems to be worse on the left side of my head since the vaccine (although it's all over) Also, I have post covid syndrome, so I have a lot of other symptoms (that I am seeing specialists to diagnose and fix), and the vaccine seemed to make them all much worse after the first dose.
1222800	4/17/2021	CT	55	F	4/13/2021	4/14/2021	Fainting. After the COVID vaccine she was feeling completely normal, however about 23 hours after she woke up lightheaded, nauseous, became dizzy and fainted. (hit her head, elbow, knee, face when she fell) She then was helped up, was confused. When she was being walked to her bed with help she again collapsed in the person's arms. It looked like here eyes were staring, unable to respond, mouth was open, possible facial drooping.
1222795	4/17/2021		16	M	4/16/2021	4/16/2021	Patient fainted in chair and regained consciousness and transferred to med bay. Patient states vision and hearing went fuzzy, nausea, lightheadedness. Pt given juice, decreased ____, A&Ox4. Mild HypoTN and Brady at baseline. BP 103/58, HR 50, RR 16 -- > 114/66,52, 16 Pt able to stand and walk. Released from vaccination site.
1222790	4/17/2021	FL	60	F	4/15/2021	4/15/2021	Patient called Pharmacy to report pain behind eyes, cold symptoms (cough and runny nose), pain in neck and back, chills, gas and burping
1222840	4/17/2021	CO	17	F	4/13/2021	4/14/2021	Eyes dilated and not responding to light. Very blurry vision.
1223204	4/17/2021	IL	43	F	4/15/2021	4/16/2021	Ruptured capillary vein in right eye, maybe central retinal vein.
1222812	4/17/2021	OR	42	F	4/12/2021	4/13/2021	Migraines resistant to OTC NSAIDs. Pain phases lasting multiple days, with multiple nausea, aphasia, visual disturbance, and facial neuropathy phases. Pain phases will break after 3-4 days, followed by extreme tiredness, then onset of a new pain phase 1-2 days later.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1222928	4/17/2021	NY	67	F	4/3/2021	4/3/2021	Fever, chills/tremors, aches, sweats, rash rt ear, swollen eye, blisters left n right eye
1223245	4/17/2021	NC	40	F	4/16/2021	4/16/2021	Asymptomatic until bedtime, 101.9 fever for 6 hours and currently 100.3, but it's fluctuating. Severe shaking chills, and throbbing bone and joint pain. My perineum also oddly feels as though I've been kicked rather hard. Sleepless night until chills subsided. Then experienced mild nausea, and pain in both palms while hand washing. No congestion, but dry inflamed sinuses and eye pain. I developed a headache this morning, but only while standing.
1223217	4/17/2021	MO	16	F	4/17/2021	4/17/2021	She had received COVID testing several times in the past. Each time, she feels tunnel vision, spinning, lightheadedness, and then she loses consciousness. This has happened in the past with each COVID test. When she received her vaccine today, she again had this same episode. She quickly regained consciousness after about 10 seconds. She continued to have lightheadedness afterwards.
1223148	4/17/2021	VA	38	F	4/2/2021	4/2/2021	Headache, muscle joint pain, vertigo, dizziness, near syncope, blurred vision,
1223126	4/17/2021	KS	65	F	4/14/2021	4/14/2021	Slight fever started within 3 hours. 98.4 (97.1 is normal for patient). Next morning(4/15) unable to balance and put on pants without help. left foot caught on steps when walking downstairs. Walked with a slight limp. Later in the day 1PM On 4/15 handwriting started to become sloppy. patient writes with left hand and wasn't able to lift pen off paper when writing. Slight difficulty walking. tendency to stumble over left foot. Saturday morning 4/17 9 AM, numbness in left hand. Unable to hold shoe in hand. Unable to tie shoe laces. Nurse came to home for a neurological test and noted patient is weaker on left side. Occular migraine began.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1223124	4/17/2021	NC	61	F	4/3/2021	4/3/2021	Received shot around 1:10pm, a few hours later around 4pm felt tired. Pain at injection site lasted a few days felt like a bruise. Around 8:30pm lips became bright red, felt like there were sores on the roof of the mouth that were painful and interfered with eating for 3 days after shot ate soft foods, eyes really dry, extremely thirsty for about 2 days after shot. On 4/3/21 around 9pm took a 25mg tablet of Benadryl and that helped a little bit with the symptoms. On 4/13/21, 10 days after the shot, felt extremely fatigued, body and joint aches intense, nauseated, headache lasted a couple of days. By 4/16/21 felt better and was able to go to work in retail.
1222967	4/17/2021	OH	23	F	4/17/2021	4/17/2021	Patient experiences lightheadedness and blurred vision after vaccination, blood pressure taken and was 107/64 which the patient was unaware if it was average for her. Patient remained seated for an additional 15 minutes and felt normal after waiting. Pt was also given water. Patient was called at 10:45 to verify information regarding this report and felt "Perfectly normal.~~
1223104	4/17/2021	MI	56	F	4/2/2021	4/12/2021	Broke out with shingles within 10 days of receiving second dose. Shingles are on my right eye lid, nose, forehead and scalp.
1223097	4/17/2021	IL	78	F	4/15/2021	4/15/2021	Chills, severe aches in eyes, cheek bones, teeth, hands, feet, dizziness, weakness, gas, fatigue
1223086	4/17/2021	WA	39	F	4/15/2021	4/15/2021	I have had severe facial swelling under my eyes, where I had previously received Juvederm Voluma under eye dermal fillers. I have also had chills, body aches, sweaty, feverish, and felt like I have the flu for 2 days.
1223027	4/17/2021	MI	45	F	4/16/2021	4/16/2021	Became very itchy about 45 minutes after vaccine with small bumps around neck and scalp. Took Benadryl immediately. Developed swollen eyes and lips about 4 hours later, took more Benadryl. I still feel itchy today on my face one head but feel much better with no swelling or rash.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1223005	4/17/2021	FL	17	F	4/17/2021	4/17/2021	17 Y/O FEMALE UNRESPONSIVE POST VACCINATION. PT APPEARED COOK, PALE, PUPILS DILATED, NON REACTIVE PT ASSESSED BY EMS PLACE ON STRETCHER IN TRENDELENBURG POSITION. PT C/O VISION LOSS AND UNABLE TO HEAR. O2 SAT UNDETECTED THEN 98%. PT PLACED ON OXYGEN. BOTH PARENTS PRESENT AT TIME OF INCIDENT. PARENTS ALSO STATED PT HAD MENINGITIS VACCINE APPROX 2 WEEKS AGO. NO OTHER HX. PT REGAINED CONCIIOUSNESS, HEARING AND VISION. TRANSPORTATION T(JFRD) ARRIVED. PATIENT DECLINED TRANSPORTATION TO ER. CLEARED BY EMS APPROX 9:50 A.M.
1223121	4/17/2021	CA	61	M	3/23/2021	4/15/2021	Right eye scleritis and iritis diagnosed 2 weeks after the second dose of Covid 19 . No known underlying autoimmune disorders, recent (6 months) blood work normal.
1223229	4/17/2021	AZ	34	M	4/14/2021	4/15/2021	The 1st 24 hours I experienced: chills, intense nausea, muscle aches, headache, restless legs, joint pain and sleeplessness. Most of these effects passed after about 30 hours. I woke up this morning with a headache and my left eye really hurts. I have a subconjunctival hemorrhage in my left eye that fills about 1/3rd of the eye white with blood..... Headache, stiff muscles and overall tiredness are the only other remaining side effects besides a blood-filled eyeball at this point.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1222952	4/17/2021	TX	35	M	4/16/2021	4/16/2021	1527: Patient reports feeling ?hot? and ?heart beating fast"; Dr. responds. Patient received vaccine at 1504. Patient reports ?allergy? to ?perfume smell? and ?smoke?. Reports when he smells perfume and smoke he feels nauseous. Denies anaphylactic reaction. 1529: Dr. and RN assess patient; Initial vitals taken by RN: BP: 150/90, HR: 85, SpO2: 97%RA; Speech is clear and complete, breathing is even and unlabored, skin appears flushed, Patient is not diaphoretic. Patient declines EMS transport at this time. Patient monitored by Dr.1545:RN present. Vitals assessed by RN BP: 125/82, SpO296%RA, HR:74; 1550: Benadryl 25mg IM (left glute) administered by RN from Verbal Order by Dr. read back and confirmed by RN. Patient reports his status remains unchanged. RN, RN and Dr. inform patient that because his status remains unchanged a higher level of care is recommended. EMS called by RN. Vitals assessed by Dr.: BP: 170/100, HR: 74, 96%RA; 1606: Fire Engine responds to EMS (911) call, arrives on scene; 1615: Glucose 160mg/dl; 1617: BP 150/90, HR 76, R:18. EMS assessing patient; 1618: Declined EMS transport; 1623: Patient informed by medical staff it is unsafe for him to drive home after Benadryl 25mg IM injection due to drowsiness, patient agreed, transport will be arranged by Manager. 1632: Patient escorted by RN to bathroom. Ambulatory without assistance, Gait is steady. Patient in NAD during walk to bathroom. Patient denies shortness of Breath or chest pain while walking to and from the bathroom. 1646: In person interpreter present. Patient reports he is feeling dizzy and feeling sleepy but he is better, ok? Denies nausea, denies Chest pain, Denies shortness of breath, Denies blurred vision. Skin color normal for patient. Patient is not diaphoretic at present. Speech is clear and complete. Breathing is even and unlabored, patient is ambulatory without assistance, steady gait. Patient continues to be monitored. 1744: Patient is resting in chair, in no acute distress. Patient has no complaints at this time. 1751: Patient transported home by Employee.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1218523	4/16/2021	FL		F		3/31/2021	FLASHING LIGHT ON RIGHT EYE; DUST PARTICLE/ FLOATERS; PAIN IN RIGHT ARM; This spontaneous report received from a patient concerned a 72 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included degenerative arthritis at right hip, high triglycerides, and pinched nerve on left of the neck above the shoulders, and other pre-existing medical conditions included patient had no known allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805029, and expiry: 25/MAY/2021) dose was not reported, administered on 31-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 31-MAR-2021, the subject experienced pain in right arm. On 10-APR-2021, the subject experienced dust particle/ floaters. On 12-APR-2021, the subject experienced flashing light on right eye. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from pain in right arm on 02-APR-2021, and the outcome of dust particle/ floaters and flashing light on right eye was not reported. This report was non-serious.
1218617	4/16/2021	MN	42	M	4/13/2021	4/14/2021	Extreme soreness and discomfort at base of skull, sinus cavity?s below eyes felt inflamed and dried, unable to sleep or get comfortable, alternated between feeling chills and feeling overheated, vomiting
1218353	4/16/2021	NY	70	F	3/17/2021	3/29/2021	On 3/31/2021 Patient developed blurred vision and excruciating headaches with extreme weakness. Pt went to an urgent care where they found bleeding in brain so they sent her via ambulance to ER at another hospital. She had MRI, CT and blood work. She was admitted into the ICU where she was treated for 3 days and then transferred to telemetry. Pt was discharged to FU w/ Neurologist and Ophthalmologist.
1218364	4/16/2021	FL	72	F	3/11/2021	3/19/2021	Debilitating headaches, nausea,blurred vision, weakness, palpitations, twitching on lower leg.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1218379	4/16/2021	PA	18	F	4/16/2021	4/16/2021	immediately after vaccine pt states feeling sweaty, spots in vision, muffled hearing. brought to OBS via wheelchair by reaction nurse. given water and transferred self to stretcher, placed in tredelenburg, vs monitored as noted. pt feeling better once laying down, pt slowly positioned to sitting up to dangle and then to standing. feeling better with position changes pt states normally has lower BP no further sympoms. ok to discharge home pt ambulated to exit at 0935 vs 0913 bp 97/60 hr 73 rr 18 o2 96, 0919 bp 109/65 hr 77 rr 18 o2 98, 0924 bp 108/76 hr 91, rr 18 o2 97 low fowlers, 0926 bp 98/64 hr 92 rr 18 o2 98 dangle 0932 bp 110/64 hr 86 rr 18 o2 98 0933 bp 111/72 hr 92 rr 20 o2 98 standing
1218413	4/16/2021	MD	56	F	3/1/2021	3/1/2021	Had under eye filler on 2/24/21 at my plastic surgeon's office, as I had done every year for the past 5 years without any adverse reactions. On the night of March 1, after receiving the first dosage of the vaccine, my under eye area began to swell. It got incredibly worse over the course of the next 11 days. I went to another plastic surgeon on 3/12/21 to have the filler dissolved, as my plastic surgeon was unavailable that day to do it himself. Since then, the skin under my eyes is lax and still puffy. Prednisone and antihistamines are not working.
1218347	4/16/2021	FL	28	F	4/14/2021	4/14/2021	Client reported lightheadedness, dizziness, blurry vision and diaphoresis. Visibly pale. V/S checked by onsite EMS. BP 102/65, monitored for 10 minutes. BP reduced, 108/84. Monitored for 30 minutes. Reported, "I feel normal." Encouraged to follow up with emergency services and PCP as needed. Verbalized understanding.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1218466	4/16/2021	SC	64	F	4/6/2021	4/9/2021	Pt is a 64yo F with no known PMH who presented today with Left side facial droop with left side neglect. She reports that around 1230, she felt like her knees became weak and she fell to the ground. She notes that the landlord found her and called EMS. Pt reports that she did not feel any other symptoms such as N/v, CP, dizziness, lightheaded, slurred speech, abd pain, visual changes, seizure like activity, incontinence, sore tongue, or SOB. It was noted by EMS that she had left side facial droop. Pt reports that she felt normal prior to this event and was able to do all ADLs and ambulate without assistance. She does not report any medical hx but admits to not seeing a PCP in years. She denies smoking and excessive etoh use as well as illicit drug use. She notes that she has a family hx of MIs with her brothers and sister all in the ages of 60. Her father had diabetes and HTN for which he passed from "GI blockage" and her mother passed from hemorrhage giving birth. She does not recall a family hx of stroke or abnormal bleeds. In the ED, her vitals were significant for a BP 231/114. She had an NIH of 12 and a HCT was ordered showing right basal ganglia hemorrhage concerning for HTN cause. NSY has been called with patient started on cardene gtt and keppra. CBC significant for hgb 12.6 and CMP with K low at 3.1. EKG was obtained showing LVH with potential ischemia. Cardiology was called and noted that changes were likely in relation to LVH. A troponin was obtained and negative. Lastly, she has had a Head and neck CTA without evidence of Carotid artery blockage but an occlusion present at the distal P2 right PCA.
1218317	4/16/2021	SC	61	F	4/15/2021	4/16/2021	About 9 hours after receiving 2nd dose of vaccine, patient awoke with quite significant itching (vaccine site as well head, neck, scalp, ears, trunk, arms, palms, and legs) , swelling around eyes (almost swollen shut), and tightness in chest. After 1st dose of vaccine, she had mild swelling around eyes and a little tightness in chest that she thought was related to pollen.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1218524	4/16/2021	NV		F		4/2/2021	BRUISE IN LEFT ARM/ ABOVE LEFT EYE; THROAT CONSTRICTION; This spontaneous report received from a patient concerned a 64 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included no alcohol use, non-smoker, penicillin allergy, and allergic to latex, and other pre-existing medical conditions included patient had history of severe allergies. The patient experienced drug allergy when treated with azithromycin, and diphenhydramine hydrochloride. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808978 expiry: UNKNOWN) dose was not reported, administered on 02-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 02-APR-2021, the subject experienced bruise in left arm/ above left eye. On 02-APR-2021, the subject experienced throat constriction. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from throat constriction on 03-APR-2021, and had not recovered from bruise in left arm/ above left eye. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1218533	4/16/2021	IL	31	F	4/1/2021		BODY ACHE; TINGLING SENSATION ON THE RIGHT SIDE OF TONGUE AND LIPS; SLIGHT NUMBNESS ON THE RIGHT SIDE OF TONGUE AND LIPS; ITCHY EYE; HEADACHE; BIG RED CIRCLE ON ARM; This spontaneous report received from a patient concerned a 31 year old. The patient's height, and weight were not reported. The patient's past medical history included bell's palsy. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 201A21A, expiry: UNKNOWN) dose was not reported, administered on 08-APR-2021 17:00 for prophylactic vaccination. No concomitant medications were reported. On APR-2021, the subject experienced big red circle on arm. On 08-APR-2021, the subject experienced tingling sensation on the right side of tongue and lips. On 08-APR-2021, the subject experienced slight numbness on the right side of tongue and lips. On 08-APR-2021, the subject experienced itchy eye. On 08-APR-2021, the subject experienced headache. On 09-APR-2021, the subject experienced body ache. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from tingling sensation on the right side of tongue and lips, slight numbness on the right side of tongue and lips, and itchy eye on 09-APR-2021, and the outcome of headache, body ache and big red circle on arm was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1218537	4/16/2021	NC	58	F	4/13/2021		EYE SWELLING; EYE REDNESS; CHEEKS SWELLING; CHEEKS REDNESS; This spontaneous report received from a patient concerned a 58 year old female. The patient's height, and weight were not reported. The patient's pre-existing medical conditions included the patient was not pregnant at the time of reporting. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 207A21A expiry: UNKNOWN) dose was not reported, administered on 10-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 13-APR-2021, the subject experienced eye swelling. On 13-APR-2021, the subject experienced eye redness. On 13-APR-2021, the subject experienced cheeks swelling. On 13-APR-2021, the subject experienced cheeks redness. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from eye swelling, eye redness, cheeks swelling, and cheeks redness. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1218559	4/16/2021	NJ		F			<p>LEFT EYE SWELLED; LARGE PURPLE VEINS ON TEMPLES; BODY ACHES; CHILLS; TEMPERATURE; SEVERE HEADACHE; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported and batch number: 1808978 expiry: UNKNOWN) dose was not reported, administered on 29-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On an unspecified date, the patient experienced left eye swelled, large purple veins on temples, body aches, chills, severe headache and temperature. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the large purple veins on temples, fever, chills, body aches, severe headache and left eye swelled was not reported. This report was non-serious. This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808978, and batch number: 1808978 expiry: UNKNOWN) dose was not reported, administered on 29-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On an unspecified date, the subject experienced left eye swelled, large purple veins on temples, body aches, chills, temperature, and severe headache. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the large purple veins on temples, temperature, chills, body aches, severe headache and left eye swelled was not reported. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1218581	4/16/2021	MA	48	F	4/13/2021	4/14/2021	approximately 12 hours post vaccine patient experienced swelling of her left eye in conjunction with flu-like symptoms. This eye swelling has persisted and is still present today (04/16/2021). It has not affected her vision, and she reports there has been no drainage. She describes the swelling and discoloration as if she "has a black eye" although she denies any incident that would have caused an injury to the affected eye. She also reports that the edema has been shifting and changing color.
1219108	4/16/2021	FL	77	M	4/2/2021	4/2/2021	recurrence of central vision dark spot after covid vaccine
1218444	4/16/2021	CT	61	F	3/10/2021	3/13/2021	I went to my eye doctor for my annual exam. They noticed I had a blood vessel break in my retina so they sent me to a specialist. I didn't think anything about it until my husband came home from his second shot and his blood vessel had popped in his eye. My husbands you could see right away mine was at the back of my eye and could not be seen. Once I saw his it hit me that it could of been from the shot, too coincidental!
1218229	4/16/2021	VA	36	F	1/13/2021	1/15/2021	swollen eyes & eye discomfort, petechial rashes persistent 3 months after 1st vaccine, L axilla swelling & discomfort
1218056	4/16/2021	AL	44	F	4/15/2021	4/16/2021	She got the vaccine, had arm pain, minor swelling, basic reactions, headaches and took Aleve for it. She then starting late last night she has sharp, stabbing chest pains, as well as swollen right eye. She has not taken anything and does not have a PCP to call.
1218067	4/16/2021	IN	54	F	4/9/2021	4/14/2021	severe headache, dizziness and blurred vision



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1218092	4/16/2021	FL	26	F	4/15/2021	4/15/2021	Patient has history of anemia and vasovagal syncope. She had a witnessed syncopal episode 10 min after vaccine admin. Patient fell from chair to ground. Staff responded immediately. She was positioned supine on the ground. She was pale and diaphoretic. v/s were assessed. She spontaneously regained consciousness and was maintained on the ground. She denies neck pain, back pain, headache, numbness, weakness, tingling, changes in vision and was A&Ox3. No stair stepping palpated on neck no ecchymosis noted eyes PEARL. She was repositioned to trendelenburg and was given a gatorade. When BP was stable she was return to her chair. She was kept for an additional 20 minutes and provided crackers. She stated she felt much better and felt safe to go home with a plan of calling a friend to speak to during the drive. She was advised to call 911 if she has another episode or develops severe headache or changes in vision.
1218110	4/16/2021	TX	71	M	4/1/2021	4/1/2021	patient reported a 104 fever that lasted three hours after the vaccination with nausea. He notes that they he developed a headache that has lasted seven days and a vesicular rash with blurred vision/photophobia that is slowly starting to improve today
1218140	4/16/2021	CO	41	F	3/25/2021	3/25/2021	Developed arm soreness, headache, and right eye swelling with eczema a few hours after 2nd dose. Had whole body aches and chills throughout the night. Woke up with swollen, red, itchy face. Had fatigue and dizziness throughout next day. Side effect subsided within 24 hours. 6 days post 2nd shot, developed face swelling, redness and itch. Woke up the morning of 7 days post 2nd shot with extremely swollen eyes, cheeks and lips that were red and burned. Went to ER and received 3 IV drugs, including Benadryl, took 3d of oral prednisone and also a topical steroid prescribed by dermatologist. Swelling and redness subsided within 48hrs but flared again 14d post 2nd shot. This flare was mild compared to d7, is limited to mild swelling of lips, redness and itch of lips and eyelids and is being treated with topical steroids.
1218351	4/16/2021	TX	64	F	3/11/2021	4/2/2021	One side facial muscle weakness, drooling, unclear speech, eye lid drooping, diagnosed Bell's Palsy.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1218214	4/16/2021	VA	43	F	4/6/2021	4/11/2021	Pt reports shortness of breath at rest and exertion; headache and nausea; reports that she is using her inhaler much more than usual and "I don't feel like myself"; she denied any change in vision or speech; she reports that she has been having issues with her left hand shaking as well as "racing heart" that self terminates
1218628	4/16/2021		23	M	4/8/2021	4/15/2021	Seen Emergency Services on 4/15/21 Dr: Diagnosis with Vaccine reaction, initial encounter, near syncope, frontal headache, evaluated for possible vaccine reaction, received J&J vaccine 6 days ago, now headaches and episodes vision blacks out, pt does not have any thrombocytopenia, D- dimer negative, at this time does not feel needs CT of head, if s/s worsening or changes, return for imaging, supportive care at home, discharged home, tylenol or ibuprofen for headaches as needed, return if changes or worsening.
1218231	4/16/2021	FL	49	F	3/9/2021	3/9/2021	Within 24 hours of the dose, a slight headache arose. Following the headache I experienced bruising on my thighs, tightness in my left arm, bruising oat the injection site for at least one month and a weighted feeling on my chest along with tightness and shortness of breath. Subsequently, I experienced blurred vision and loss of sight one month following injection. The loss of sight lasted close to 10 minutes.
1218262	4/16/2021	WA	56	F	4/6/2021	4/6/2021	Muscle Charlie horses, stomach vomiting, severe head ache (still have) pain in leg and arm, fatigued elephant on chest, drainage in right ear started to get worse 6 days after vaccine and is getting worse each day. Vision is hampered by head ache
1218268	4/16/2021	MN	50	F	4/14/2021	4/14/2021	Felt very tired and achy starting a few hours after vaccine. The next day felt really awful (tired, dizzy, muscle aches) and the second night slept horribly (hot, bad headache) and woke 4/16 am with a rash on chest, back, neck and under right eye.
1218289	4/16/2021	FL	41	F	3/25/2021	4/1/2021	woke up with weakness of eye opening of the right eye, has been occurring every morning, now less frequently in the last few days exam shows a subtle right bell's palsy

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1218295	4/16/2021	AZ	34	F	4/9/2021	4/14/2021	Dizziness, nausea, pinching pain in left thigh, and then I collapsed. I had to go to the hospital and all tests looked normal. Ultrasound for blood clot did not show any clotting. That was two days ago. Today my vision is blurred, body aches and chest pain on the right side (Injection side.)
1218312	4/16/2021	NC	64	F	4/13/2021	4/14/2021	Chill , fever aches,pain,headache,weak joint pain numbness in feet could hold my eyes open and stayed in bed 2 days couldn't do anything except use bathroom taste off 3D day weak but up short periods diarrhea (hope tomorrow better)
1218186	4/16/2021	CO	40	M	4/14/2021	4/15/2021	Woke up with chills and fever of 102. Treated with ibuprofen and acetaminophen. Had fever and muscle aches all day Thursday. Woke up this morning with a strange pain in my left eye socket, felt like a headache but inside my eye ball, it goes away when I sit and lie down and comes back when I stand up. Vision in that eye was blurry, but slowly returning. Continue to have muscle aches and fever, but they are lightening.
1219047	4/16/2021	NM	71	F	3/24/2021	4/8/2021	As I was driving, I noticed that my vision was becoming blurred. I was ready to pull the car over to the side, when it cleared up. Total time of blurred vision was probably one to two minutes.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1218601	4/16/2021	SC	46	M		4/4/2021	<p>a 46-year-old male with no known past medical history who initially presented complaining of headache and neck stiffness with onset the morning of 04/03/2021. The patient states that his headache was initially gradual in onset and eventually decreased in severity on 4/5 however, on 04/06 after a day at the beach the patient developed a severe headache with rapid onset that he described as the worst headache in his life. He did try to medicate himself at home with 600-800 mg of ibuprofen every 6 hr with minimal decrease in his headache pain. As result he presented to urgent care for initial evaluation who sent him to the emergency department for possible brain bleed. On arrival to the emergency department the patient had a head CT which showed trace subarachnoid hemorrhage in the basilar cisterns likely due to ruptured cerebral aneurysm. He was transferred to for continued workup of the subarachnoid hemorrhage with CTA and possible IR intervention. At time my evaluation patient was resting comfortably in the bed. He continued to complain of severe headache and neck stiffness. He additionally notes that light and loud sounds make his headache worse. He denied any focal weakness, paresthesia's, numbness, speech difficulty, visual changes, or any other concerning neuro symptoms. Patient was hypertensive during my evaluation despite being on a Cardene drip. Patient's mother was at bedside and was able to assist with history.</p>
1218992	4/16/2021	WA	68	F	4/2/2021	4/4/2021	<p>Experienced severe migraines on 4/4, 4/6, 4/8. PCP prescribed rizatriptan rapid dissolve 5 mg Tbid. Was able to take this medication on 4/9 when I felt another migraine coming on. It worked. The migraines on 4/4, 4/6, and 4/8 began with an aura which lasted more than an hour. The headaches were so severe that on 4/8 I had my son stay the night. I never experienced such intense pain in the past. I do have a history of migraines, but had not had one since 2016. Typically, I would get the aura, lay down and close my eyes, and then the aura would diminish in 15 - 30 minutes. I never get a headache with the auras.</p>
1219005	4/16/2021	FL	24	F	4/15/2021	4/15/2021	<p>Stated that she "Passed Out." It was reported by observer individual exhibited rolling eyes activity.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1219009	4/16/2021	AZ	31	F	4/10/2021	4/10/2021	Coughing, fatigue, shortness of breath, dizzy, sore arm, next day had no taste, fever, chills, hot flashes, blurry vision
1219015	4/16/2021	FL	23	M	4/16/2021	4/16/2021	Patient (002956225) - received Moderna vaccination (Lot # 0011A21A) on 04/16/2021 at 09:02 in the left arm by RN. 0904 Patient began walking from the Vaccine station towards Observation. After approximately 20? feet, LPN in another vaccine station down the line, noticed the patient stumbling towards the wall. She observed him stumble/fall into the wall, hitting his head, then began falling to the floor. LPN came around her partition, called for help and was immediately assisted by LPN. The two nurses assisted the patient to the floor. They reported his eyes were fully dilated and he began having light, full-body shakes. The two nurses turned the patient on his side and held his head. Waters said the patient was able to answer all questions appropriately. The full body shakes lasted approximately 30 seconds. The Patient did not lose consciousness. 0905 Lead Nurse arrived noting the patient was lying on the floor in the prone position exhibiting mild seizure like activity and his pupils were dilated. Patient was rolled onto his side until the seizure like activity subsided, lasting for approximately 30 seconds. 0905 IC/PSC called 911, PD. The site Medical Protocols plan was activated. 0906 Vital signs were obtained: Blood pressure: 96/80, HR 78, O2 at 91% on room air. A neuro check was performed on the patient and he was noted to be alert and oriented x3. Patient stated he had not eaten anything prior to coming in. Patient was assisted to a seated position while still on the floor. Patient was given water, juice, a banana and other snacks. Nurses in the Observation Station noticed the incident from across the arena and brought the EpiPens, AED, Blood Pressure Cuff and med bag. 0910 Vital signs were obtained: BP 104/47, HR 50, O2 98% on room air and respirations 18. Patient remained fully alert and oriented but noted to have mild tremors of both hands. 0915 TFD, followed shortly by EMS, arrived on scene at and assumed care of the Patient. 0926 Patient decided to be transport to the Hospital and was removed from facility via stretcher.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1218977	4/16/2021	MT	53	F	4/14/2021	4/14/2021	Pt rcvd vaccine about 0855 and was being monitored for a minimum of 30 minutes per protocol. Pt without complaints initially while in 30 minute monitoring area. At approximately 0950 pt c/o feeling lips/eyes were swelling. Pt taken to tent w/ c/o HA. Volunteer MD assisted with monitoring: VS 165/96 HR 78 reg rate/rhythm, O2 sat 98 % on RA, lungs clear, skin warm slight diaphoresis noted. Supine on cot, cold compress provided, ice pack provided/to neck as requested. C/o lips eye are, face feeling swollen, c/o continued HA. Lip/facial swelling not visibly noted. Continued monitoring w/ VS 150/96, HR 74, sats 98% resp regular & lungs clear. Pt reported BP usually 120-125/70 and states she reacts to "a lot of things". Desired Benadryl, Volunteer MD gave pt 50 mg Benadryl. Pt desired sister to be called. Pt continued to c/o HA. BP 160/97 and pt reports taking her BP medications in am as prescribed. EMS called at 0955, EMS arrived, pt transported to ED per her request at 1010 for further monitoring. Reported by nurse, lead Monitoring RN.
1219043	4/16/2021	CA	40	F	4/11/2021	4/14/2021	Swollen, itchy left eye Blurred vision in left eye Itchy left hand Itchy left foot
1218960	4/16/2021	CT	58	M	4/1/2021	4/1/2021	I had only a sore arm with shot 1. The second, caused issues 6 hours later, giving me severe chills and fever. Loss of appetite, Sensitive to bright light, Pain behind eyes, I felt dizzy & felt like I had the flu. Over a 3 day period, it subsided. On the 4th of April I was still dizzy/ lightheaded/ Had vertigo? As of today, 4/16/21 after seeing my GP, I still have this problem along with a very sore stiff neck. The shot and this problem may be unrelated, but it started during the worst of the side effects.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1219050	4/16/2021	PA	61	F	4/16/2021	4/16/2021	after receiving vaccine started to get anxious due to environmental factors was feeling faint and wanted to lay down assisted to stretcher placed in trendelenburg snacks and water and juice provided bp elevated sat up bp cont to be elevated pt states having anxious thoughts about covid vaccine expressed to nurse bp elevated pt agrees to lay down and rest for a few minutes and close eyes deep breathing exercises enc to pt. per pt stress relieved after a few minutes and feeling better and requesting to leave, escorted to exit ambulated without difficulty, spouse awaiting in car and driving pt home. pt left at 1053 vs as noted VS 1015 bp 144/89 hr 72 rr 18 o2 95, 1020 bp 157/91 hr 80 rr 18 o2 98 1025 bp 177/107 hr 81 rr 18 o2 100 1035 bp 162/83, 1041 bp 137/87 1045 bp 155/84 1051 148/89
1219058	4/16/2021	NY	85	F	4/3/2021	4/5/2021	On the 2nd dose, the next day I experienced redness in my left eye. I tried a dry eye lubricant that didn't work. I wen to my optometrist who advised that I had pink eye and gave me an antibiotic
1219061	4/16/2021		35	M	4/13/2021	4/13/2021	Pt c/o redness, itching, mild swelling to left side of eye. Noted redness w/ swelling approximately "10 mL" (per observer). Pt provided w/ Benadryl. Maintaining airway, secretions. No additional swelling or rash. D/c home after additional 15 minute observation
1219083	4/16/2021	FL	18	F	4/16/2021	4/16/2021	Patient was sitting in her chair about 10 minutes after her vaccine was given to her and she was complaining to her mom that she could not see. I checked to make sure she was not having an allergic reaction did not have ay throat swelling or facial swelling. Her eyes were dilated and her skin was pale and clammy. Mom wanted us to call rescue so we did and her blood pressure was low. She did not get transported.
1219098	4/16/2021	PA	30	F	4/16/2021	4/16/2021	about 10 mins after receiving vaccine, started feeling dizzy, and "swimmy" (tunnel vision, auditory fading), assisted to floor by staff, feet placed on chair. assisted to stretcher, placed in Trendelenburg, taken to obs, bp 107/70 hr 58 rr 18 sats 100% on ra. clamminess noted. water and snack provided, feeling better, sitting up vss, bp maintained. standing bp 118/81 15 mins later, other vss. escorted with sig other to exit with no issues after stating fully recovered

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1219105	4/16/2021	OR	24	F	4/13/2021	4/13/2021	She was sitting in the 15 minute observation area when she reported pain in the arm of the vaccine and felt diaphoretic and fainted falling off chair & onto floor. She lost consciousness and both arms and legs trembling appeared like seizure like in nature; Medix ambulance called and assessment BP 94/58 P 74 O2 sat 98% blood sugar 89 L shoulder with approx 4cm red area bruising noted from fall onto floor ; when sitting up pt c/o dizziness and lite headed layed back down and was Alert and Oriented X 3; Medix to transfer to local hospital when transferring pt to gurney she has having tremors in her arms and legs eyes closed and able to answer questions appropriately
1219022	4/16/2021	ME	60	F	4/9/2021	4/10/2021	Extreme full body weakness- Full body soreness Sore throat Headache Blurry vision Fever- lasted for 4 days- treated with lots of fluids Advil Tylenol. Slept as much as possible. 5th and 6th day sore throat bad headache. Missed 4 days of work
1218800	4/16/2021	AR	64	F	4/9/2021	4/9/2021	Patient was waiting the recommended 15 minutes after vaccination. Close to the end of the time period, patient starting have chest pain. Paramedics were contacted and patient was taken to Hospital by ambulance. Patient was discharged 3 days later on Lovenox therapy for blood clotting. Per the patient, ER physician stated that patient's prognosis would have been much worse had she not been under supervision of pharmacy vaccination staff and taken to hospital by ambulance.
1218672	4/16/2021	IL	63	F	4/10/2021	4/14/2021	ON WED APRIL 14 2021 , FELT OFF BALANCE AND DIZZY , NAUSEA , BLURRED VISION, HEADACHE / WENT TO URGENT CARE. BP WAS 180/90, I WAS TOLD TO GO TO HOSPITAL TO GET CHECK FOR SIGNS OF STROKE. WENT TO HOSPITAL , THEY RAN ALOT TEST - BLOOD WORK, CT-MRI TEST. EVERYTHING CAME BACK OK FOR NO SIGN OF STROKE.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1218710	4/16/2021	PA	47	F	4/16/2021	4/16/2021	pt states vision dark and dizzy, feeling racing HR, and feeling warm all over, staff lowered pt to floor pt assisted self to stretcher laying down and taken to OBS. pt given water feeling better once laying down, VS as noted pt evaluated and feeling better pt concerned due to 12 yr old daughter outside in car by herself pt requesting to leave as soon as she can due to feeling better and her daughter in car, pt sitting up and then dangling at side of bed then standing and denies feeling dizzy or other symptoms as previously stated. discharged from OBS area ambulated to car without difficulty at 1011. VS 0959 bp 122/84 hr 66 rr 18 o2 100, 1004 sitting bp 131/83 hr 72 rr 18 o2 100 1007 dangling bp123/84 hr 70 rr 18 o2 100 1010 standing bp 110/89 hr 71 rr 18 o2 100
1218712	4/16/2021	PA	63	F	4/3/2021	4/3/2021	Approximately two hours after receiving vaccine, the tip of my tongue went numb almost if I had eaten something bitter. The numbing sensation never progressed past the tip of my tongue but lasted up until I fell asleep. Next day, I was fine. Then Monday evening , I felt like I had a sty under my left eyelid. Tuesday morning, my daughter noticed my face was drooping a little, on the left side by the afternoon my other daughter called me and picked up on it. Called Drs office and was told to report to the Emergency Room .Arrived around 5:30 pm
1218757	4/16/2021	CT	26	M	4/8/2021	4/8/2021	3-5 minutes after vaccination was given pt began sweating profusely, had tunnel vision, became nauseous and did not feel good. Had patient drink some water and remain seated. Symptoms subsided within 15-20 minutes. Patient refused medical treatment (911)
1218760	4/16/2021	CO	22	F	4/12/2021	4/12/2021	Pt became lightheaded following vaccination, diaphoretic, then unresponsive, she then opened her eyes and began talking

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1218989	4/16/2021	IN	57	F	4/6/2021	4/7/2021	Early morning after second dose: severe pain in left side of neck progressing up to forehead causing severe headache, dry hacking cough, difficulty breathing. Saw PCP, Dr that day and was prescribed steroids to assist with breathing and cough syrup. Next day same side effects but meds helping, nervous energy. Note: had nervous energy after first dose on first few days as well. April 10, 2021, four days after second dose: phlegm building up in head and chest, coughing with little phlegm, so thick it causes choking with eyes and nose running, leading to loss of breath and almost loss of consciousness, severe headaches, continued neck pain with swelling appears to have radiated from left arm injection site, continued difficulty breathing, severe nausea and stomach cramping, body aches especially in legs, hot flashes mixed with chills (back and forth.) No fever, however. Contacted PCP. As of April 16, 2021, side effects continue with weakness in limbs, extreme lethargy and sleepiness, but restless sleep that's interrupted by coughing/choking.
1218789	4/16/2021	PA	63	M	3/29/2021	3/30/2021	Chills then overheating, severe headache on left side of head from scalp line to below the eye. Took about 18 hours to clear. Treated with tylenol

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1218001	4/16/2021	NY	18	F	4/7/2021		<p>HARD TIME CONCENTRATING; SHORTNESS OF BREATH.; SEVERE SHAKING; FATIGUE; HARD TIME MOVING; HEADACHE; EYE PAIN; FACE BRIGHT RED; FEELING LIKE BOTOX ON FACE; SEVERE BODY ACHE; ARM HEAVY; NAUSEA; This spontaneous report received from a parent concerned an 18 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: unknown) dose was not reported, administered on 07-APR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 07-APR-2021, the subject experienced face bright red. On 07-APR-2021, the subject experienced feeling like botox on face. On 07-APR-2021, the subject experienced severe body ache. On 07-APR-2021, the subject experienced eye pain. On 07-APR-2021, the subject experienced arm heavy. On 07-APR-2021, the subject experienced nausea. On 07-APR-2021, the subject experienced headache. On 08-APR-2021, the subject experienced severe shaking. On 08-APR-2021, the subject experienced hard time moving. On 08-APR-2021, the subject experienced fatigue. On 10-APR-2021, the subject experienced shortness of breath. On 12-APR-2021, the subject experienced hard time concentrating. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from face bright red, and feeling like botox on face on 08-APR-2021, and nausea on 09-APR-2021, was recovering from arm heavy, headache, severe body ache, and shortness of breath., and had not recovered from severe shaking, fatigue, eye pain, hard time moving, and hard time concentrating. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1218836	4/16/2021	WI	51	F	4/10/2021	4/10/2021	Patient reports that her symptoms started within 5 minutes of getting the vaccine. Started with facial numbing then followed by a bad headache and joint pain all happening within 15 minutes. Facial numbness was her first symptom that started. In the next hour she had chills, scratchy throat, itchy and dry eyes. Slept the rest of the day. The following day she had headaches, chills terrible body aches. 4/12/21 she developed facial swelling under her chin, lymph nodes inflamed/enlarged, chills, body aches, slight headache, cough. Took IB to help with symptoms. She still continues to have side effects today, (4/16/21) which include body aches, fatigue and still "not feeling right.~~
1218843	4/16/2021	IN	37	F	4/14/2021	4/15/2021	Freezing cold, could not warm up for hours. Very mild fever. Eyes were foggy and dazed. Very little movement could be made. Headache.
1218914	4/16/2021	UT	59	F	3/25/2021	4/4/2021	After taking the first Pfizer shot there was nothing remarkable that followed. Following the 2d dose on 25 Mar, patient was feeling tired, and described mental capacity as being foggy. Lost apatite and wanted to sleep. Described vision as blurry and couldn't focus.
1218921	4/16/2021		37	F	4/13/2021	4/13/2021	Body aches, chills, headache, stinging eyes, nausea, vomiting, loss of appetite, fatigue. Vomiting and stinging eyes ended after first night. Chills ended next day. Body aches ended after 24-48 hours. Fatigue, headache, and loss of appetite lasted into 4/16.
1218922	4/16/2021	GA	50	F	4/10/2021	4/11/2021	I got the vaccine on Saturday and Sunday evening 11pm I started running a fever 104 and I was taking meds to break the fever, and Monday I started getting a rash, started having a rash all over, mouth, throat, hands, arms and eyes. on the 15th I went to the hospital to get it checked out. They did a strep test and it was negative, they gave me a shot of steroids, the prescription for Triamcinolone .1% topical ointment, Magical Mouthwash.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1218935	4/16/2021	CA	76	M	2/17/2021	2/21/2021	on feb 21, 4 days after second dose, developed a chronic persistent headache in setting of no prior history of significant headaches. --headache: no change in vision or blindspots; blurry vision noted (just had an eye exam in early February - slight change in prescription), location frontal top of hairline, continuous - every waking minute since Feb 21, has surges of intensity (never crippling, but always there), seems to be worse in evening, able sleep, appetite has been down -- nothing improves the headache (meds have no effect), no photophobia, no phonophobia, temperature does not impact it
1218770	4/16/2021	IL	34	M	4/1/2021	4/2/2021	dizzy, could not walk, talk, hear anything, popped blood vessel in eye. slurred speech We have ordered blood work and a ct scan.
1216760	4/16/2021	WA	45	M	4/12/2021	4/13/2021	2 hours after 2nd shot I became tired and slept for 24 hours. Had mild fever and itching skin. headache. confusion. 48 hours after 2nd shot random blurred vision and Hives all over but more on the arm I received the shot. Random cough followed by extreme heartburn with a lot of saliva being produced and nasua.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1218041	4/16/2021		44	M	3/19/2021	3/19/2021	Patient reported to medical clinic 24 hours after COVID 19 injection (03/19/2021) with symptoms of visual hallucinations, myalgia, rigors, headache, nausea, vomiting and dehydration. At the time of arrival to the medical clinic, he had refractory nausea and vomiting after receiving Zofran earlier in the day at another clinical site. Medical treatment consisted of IV Fluid bolus with maintenance fluids, IV Phenergan for the nausea and vomiting, and IV Ketorolac for headache pain. His symptoms resolved and he started to feel better so a clinical decision was made to discharge him home in the care of a close friend. He planned to follow-up the next day. The patient returned to medical Clinic on 03/22/2021 with no specific symptoms. Previous symptoms from initial encounter resolved according to medical chart. Patient returned on 03/28/2021 with right upper arm DVT proven on U/S. He was seen at Primary Care Clinic beforehand where diagnosis of DVT was made. He was then started on anticoagulation therapy by MD in clinic after specialist phone consult, and will be closely followed. He was sent to Evacuation to home station due to the complexity of the condition, medications, etc.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1216670	4/16/2021	CA	51	F	1/22/2021	1/22/2021	<p>Pfizer dose #1 EJ1686 1/1/2021 12:30 pm Onset of symptoms 2 pm 1/1/2021, around 1.5 hrs post vaccine: severe headache, stiff neck ache, dizziness, nausea, chills, extreme fatigue, feverish but below 100.4, severe muscle aches, loss of taste and smell. Loose bowels at times, slept all the rest of the day and night, drank lots of fluids and electrolytes (low sugar). Felt more weak and dizzy the next day, and when walking felt veering right more, more issues with extended activity. e next dose on 1/22 onwards, and has never gone away fully. R arm pain and raised, tender area at vaccine site contined to hurt for weeks, even into the next dose on 1/22 onwards, and has never gone away fully. 1/3.2021 woke up 5:30 am sudden onset shortness of breath, deep lung pain in the center of the chest. I felt like my R lung blocked, and started to cough up large amounts of clear mucus, and vomiting mucus due to airway feeling blocked. I did a 4 albuterol puffs to try to open my airway, but I was not wheezing, and did not have any respiratory symptoms or illness at the time before this started. I had been having continued less lung capacity for many months prior due to having been very sick in March 2020 onwards, including loss of sense of smell and taste, shortness of breath, deep lung pain, fever, No wheezing, not sick.</p> <p>Pfizer dose #2 EL9261 1/22/2021 3:50 pm after work. Onset of symptoms by 5:30 pm with headache, dizziness, nausea, extreme fatigue, increased R arm pain at the vaccine site, but it was still hurting at the site from the 1/1/21 shot too, before this dose. Drank fluids and went to bed. Loss of smell and taste returned 1/23/21. Had continued bad headache from 1/22 onwards, with nausea and feeling more dizzy at times, and on 1/26/21 I was at work with increased headache, dizziness and nausea, and went home early from my shift (I am an RN) due to symptoms. Went to bed early, due to continued nausea and headache and dizziness at times. 1/27 continued bad headache, then in the afternoon around 3 pm, GI felt bloated, bad nausea, and then felt shortness of breath around 4 pm and faster heart rate in the upper 80?s lasting for minutes, despite laying down in bed, so I too used my oximeter (I Have photos) and the sats were staying at 88% continuously, and had shortness of breath and return of deep internal mid lung pain, and this lasted for over 10 min. I used a canister of Boost oxygen for 5-6 puffs to try to recover, and the sats</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

raised to 90%. No wheezing. Not sick. I had a bad headache and nausea, and was not feeling good and went to bed. On 1/28/21 I woke up at 5:30 with severe vertigo and dizziness, nausea and a bad headache and could not walk due to the vertigo, and vomited when I was trying to have my head up. I had to crawl to the bathroom on my hands and knees. I called out sick for work due to this and contacted my DR. I was started meclizine 25 mg 3 times a day for vertigo, and was taking Zofran to help. 1/31/21 noted my Re upper eyelid was doing a lot of spastic twitching at times, that would stop and start, but did not think about it much. The vertigo was unrelenting and then I started to have Right arm and hand weakness noted on 2/3/21 and was still very dizzy, nauseated and had a constant headache since I got dose #2 of the COVID vaccine on 1/22. I was using a walking stick for the dizziness to be stable, and also felt weaker on the R side, and drifting to the right when walking. On 2/4/21 I had my first MRI (no contrast, unfortunately) and noticed I could not fully shut my Right eye in the MRI, and by 2/5/21 my face was drooping. I still had the constant headache, nausea and dizziness, and increased R hand, arm and R leg weakness and R hip weakness. I could not lift my R leg up to walk well, cannot grip well with the R hand, and uncoordinated, and cannot walk straight, and am unstable when trying to walk heel to toe, or even stand still with my eyes shut, and have had some double vision with the R eye. I was started on Prednisone and on Klonopin for the vertigo on 2/9 after seeing my neurologist. I took Prednisone for 5 days, from 2/9-2/13 and did not have improvement with the R facial droop or R side weakness and the headaches have persisted, along with some dizziness and nausea. on 2/14-15 I had increased shortness of breath and R lung felt like it was not inflating much, and got an xray, and went onto Zithromax for 5 days, which did help my lungs to improve, and I was able to breathe better, and got my Right lung capacity back. I stopped the Klonopin after a week (2/9-2/16), to manage through the symptoms without it, and have been doing physical therapy and Vestibular therapy. I had another MRI, with contrast on 2/25, after an in-person neurology appointment, and was having some improvement with the vertigo, so I started back to a desk job, not my RN job on 3/4/21, but I was still having the constant headache,



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							nausea, and some dizziness, R face droop, R hand weakness, R leg weakness and walk with a walking stick, and have increased issues with exertion, but have been walking and doing therapies to get stronger.3 I started to have increased R facial droop. EMG done on 3/23 of my R arm. Worse headache, nausea, dizziness at the desk, and fatigue, but R side weakness issues increased, so I started back onto Prednisone on 3/28/21 with 50mg day for 3 days, then 40mg for 3 days, 30mg for 3 days then 230mg for 2 days, but had increasingly bad headache,nausea and increasing R facial droop, and much worse R hand weakness, R arm weakness and pain, and R hip pain and weakness, worse walking, cannot lift my R leg or foot as high as the L, again, and am struggling to walk, and get worse with exertion with R side walking and weakness. I also had shooting pains in my R jaw start on 4/6-7, along with R jaw and face pain and increased numbness, more face droop shooting pains in my R hip, and arm and body pain and a worse headache making it hard to even sleep, and some increased issues with my R eye that I need to have checked. The prednisone last dose was on 4/7, and stopped due to the symptoms I was having, after a video visit with the neurologist. Increased R leg weakness, R weak hip vs left, R foot drag/drop, with increased issues to maintain walking with progressive walking, still using walking stick to try to walk, but now for stability and to keep from drifting, R facial droop increasing and now some R eye blurring 4/9 onwards, that is new.
1216699	4/16/2021	VA	37	F	4/14/2021	4/14/2021	Patient was injected with a new, unfilled/empty syringe. Patient was then injected with a new filled syringe with the appropriate dosage of the Moderna first dose vaccine. Patient was nervous, had blurry eyesight, and felt faint, vitals were checked by staff and by responding EMS. Patient felt better by the time EMS showed up after having some snacks. Patient has reported no adverse reaction other than initial blurriness and faintness as of 4/15/21
1216717	4/16/2021	CA	74	F	4/1/2021	4/2/2021	Strong Fatigue. Chills in fingers and toes, headache in back of neck, muscle pain in arms and shoulder, soreness at injection site, slight vision impairment lasting 24 hours

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1216721	4/16/2021			U		4/6/2021	DARKENED VISION; LIGHT HEADED; COLD SWEATS; JOINT ACHE; CHILLS; MUSCLE ACHE; NAUSEA; HEADACHE; This spontaneous report received from a patient concerned a 21 year old of unspecified sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: not reported) dose was not reported, administered on 06-APR-2021 13:45 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 06-APR-2021 18:45, the subject experienced darkened vision. On 06-APR-2021 18:45, the subject experienced light headed. On 06-APR-2021 18:45, the subject experienced cold sweats. On 06-APR-2021 18:45, the subject experienced joint ache. On 06-APR-2021 18:45, the subject experienced chills. On 06-APR-2021 18:45, the subject experienced muscle ache. On 06-APR-2021 18:45, the subject experienced nausea. On 06-APR-2021 18:45, the subject experienced headache. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from darkened vision, light headed, cold sweats, joint ache, chills, muscle ache, nausea, and headache on 07-APR-2021 13:00. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1216633	4/16/2021	IL	27	F	4/15/2021	4/15/2021	PATIENT COMPLAINED OF DIZZINESS AND BLURRED VISION AFTER 5 MINUTES OF RECEIVING THE VACCINE. AFTER PHARMACIST CONSULTATION, IT WAS DETERMINED THAT THE PATIENT HAS A PREVIOUS HISTORY OF FAINTING WITH NEEDLES UPON BLOODWORK BUT NOT COMMONLY WITH VACCINES. THE PATIENT ALSO RELAYED TO THE PHARMACIST THAT SHE DID NOT EAT ANYTHING SINCE THE MORNING AND ALL SHE HAD TO EAT IN THE MORNING WAS A BANANA. WE GAVE HER WATER AND MOVED HER TO A ROOM IN WHICH SHE WAS ABLE TO REMOVE HER MASK AND BREATHE EASIER. SHE THEN REPORTED OF TINGLING IN HER UPPER LIP. SHE WAS GIVEN A SNACK TO ASSIST WITH SYMPTOMS OF POSSIBLY HYPOGLYCEMIA. WE MONITORED HER FOR ANOTHER 15 MINUTES CONTINUOUSLY CHECKING ON HER AND HER SYMPTOMS ALL STARTED IMPROVING AND RESIDING. AFTER 30 MINUTES OF CLOSE MONITORING THE PATIENT FELT WELL ENOUGH TO GO HOME.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1216731	4/16/2021	ME		F	4/6/2021		NOSE CONGESTION; BLOTCHING THAT STARTED WELTING UP; FEVER; LIP TINGLING; EARLOBE ITCHY; LEG CRAMPS; JOINT PAIN; RASH ON STOMACH; CHILLS; HEADACHE; RAPID PULSE; ELEVATED BLOOD PRESSURE; THROAT IRRITATION AND FULL; UPPER PALATE INFLAMMED; SWALLOWING TIGHT; BURNING IN TONGUE; This spontaneous report received from a patient concerned a 70 year old female. The patient's height, and weight were not reported. The patient's past medical history included sleep apnoea, and concurrent conditions included osteoarthritis, hypothyroidism, asthma, emphysema, and generalized rash, and other pre-existing medical conditions included denies history of seasonal allergy. allergies to Zithromax, avelox, neomycin eye drops, choloanphenocol. generalized rash to each. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 042A21A and expiry: UNKNOWN) dose was not reported, administered on 06-APR-2021 to Left Deltoid for prophylactic vaccination. Concomitant medications included tiotropium bromide for emphysema, and asthma, levothyroxine sodium for hypothyroidism, and diphenhydramine hydrochloride. On AUG-2020, Laboratory data included: COVID-19 virus test negative (NR: not provided) negative. On 06-APR-2021, the subject experienced rapid pulse. On 06-APR-2021, the subject experienced elevated blood pressure. On 06-APR-2021, the subject experienced throat irritation and full. On 06-APR-2021, the subject experienced upper palate inflamed. On 06-APR-2021, the subject experienced swallowing tight. On 06-APR-2021, the subject experienced burning in tongue. On 06-APR-2021, the subject experienced headache. Laboratory data included: Blood pressure (NR: not provided) 154/100 mmHg, and Pulse rapid (NR: not provided) 60 to 100 beats /min. On 07-APR-2021, the subject experienced lip tingling. On 07-APR-2021, the subject experienced earlobe itchy. On 07-APR-2021, the subject experienced leg cramps. On 07-APR-2021, the subject experienced joint pain. On 07-APR-2021, the subject experienced rash on stomach. On 07-APR-2021, the subject experienced chills. Laboratory data included: Body temperature (NR: not provided) 100.2 F. On 07-APR-2021 03:30, the subject experienced fever. On 08-APR-

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							2021, the subject experienced nose congestion. On 08-APR-2021, the subject experienced blotching that started welting up. Laboratory data included: Blood pressure (NR: not provided) 146/86 mmHg, Body temperature (NR: not provided) 98.7 F, and Heart rate abnormal (NR: not provided) 76. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from rapid pulse, leg cramps, and joint pain on 07-APR-2021, was recovering from headache, elevated blood pressure, throat irritation and full, upper palate inflamed, swallowing tight, burning in tongue, lip tingling, earlobe itchy, rash on stomach, and fever, and had not recovered from chills, blotching that started welting up, and nose congestion. This report was non-serious.
1216630	4/16/2021		25	F	4/10/2021	4/14/2021	right-sided HA with pain around rightt eye x 5 days with dizziness and nausea coming on yesterday since receiving J&J vaccine on 10Apr21; denies any vision changes or vomiting; light and noise sensitivity present. 25 yo f c/o ongoing R sided post-orbital/temporal ha w/stated light sensitivity but w/o other visual changes x5d, states got J&J covid19 vaccine 10APR and sx's started 2-3 hrs after that; Pt states ongoing nausea w/o vomiting; Pt states taking multiple doses of OTC ibuprofen w/o sig relief; Pt concerned for relation to J&J vaccine; Pt denies any fevers/ns/chills, neck pain, cp, sob, dyspnea, abd pain, diarrhea, rashes, prior hx of similar ha

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1216843	4/16/2021	WA		M		4/1/2021	<p>SCRATCHING; SCABIES IN ARM, SHOULDER AND LOWER BACK; ITCHINESS; RASH BELOW LEFT ARM; TIREDNESS; This spontaneous report received from a patient concerned a male of unspecified age. The patient's height, and weight were not reported. The patient's concurrent conditions included kidney problems, liver problems, and vision problems. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on 02-APR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On APR-2021, the subject experienced rash below left arm. On APR-2021, the subject experienced tiredness. On 03-APR-2021, the subject experienced scabies in arm, shoulder and lower back. On 03-APR-2021, the subject experienced itchiness. On 04-APR-2021, the subject experienced scratching. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from scabies in arm, shoulder and lower back, and itchiness, and the outcome of rash below left arm, tiredness and scratching was not reported. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1216844	4/16/2021	MD	62	F		4/7/2021	FEELS SPACEY; DIZZINESS; PAIN FROM HEAD TO TOE; NAUSEA; DRY THROAT; EYEBALLS WERE HURTING; FEELING HOT; FELT LIKE RUN OVER BY A MACK TRUCK; CHILLS; HEADACHE; HOT SWEATS; STOMACH ACHE / BELLY MUSCLE ACHE; INCREASED GAS; BURPING; SWOLLEN THROAT; THROAT IRRITATION; This spontaneous report received from a patient concerned a 62 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 207A21A, expiry: UNKNOWN) dose was not reported, administered on 07-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 07-APR-2021, the subject experienced increased gas. On 07-APR-2021, the subject experienced burping. On 07-APR-2021, the subject experienced swollen throat. On 07-APR-2021, the subject experienced throat irritation. On 08-APR-2021, the subject experienced stomach ache / belly muscle ache. On 08-APR-2021, the subject experienced hot sweats. On 08-APR-2021, the subject experienced dry throat. On 08-APR-2021, the subject experienced eyeballs were hurting. On 08-APR-2021, the subject experienced feeling hot. On 08-APR-2021, the subject experienced felt like run over by a mack truck. On 08-APR-2021, the subject experienced chills. On 08-APR-2021, the subject experienced headache. On 08-APR-2021 03:00, the subject experienced dizziness. On 08-APR-2021 03:00, the subject experienced pain from head to toe. On 08-APR-2021 03:00, the subject experienced nausea. On 09-APR-2021, the subject experienced feels spacey. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from stomach ache / belly muscle ache, increased gas, burping, headache, swollen throat, dizziness, nausea, pain from head to toe, chills, hot sweats, feels spacey, throat irritation, dry throat, eyeballs were hurting, feeling hot, and felt like run over by a mack truck. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1216899	4/16/2021	CA	40	F	2/20/2021	2/20/2021	Body aches, chills, fatigue, headache, and eye pain for 24 hours. Arm soreness at the site for 3 days, followed by swelling and itch on entire upper arm where vaccinated. Swelling and itch lasted for 10 days.
1216902	4/16/2021	MO	73	F	3/31/2021	4/14/2021	04/14/2021 Noticed around 1:00 p.m. that my left eyelid was sagging. Concerned it may be a symptom of a stroke, I rushed to the emergency room at Hospital. They admitted me and ran a variety of tests, one of which was an MRI which concluded that I had not had a stroke. The neurologist stated that it appeared to be similar to a wrinkle. Not sure what caused that sudden event. Possibly a side affect of the COVID `19 shot. Therefore the report. I returned home the next day, 04/15/2021.
1216904	4/16/2021	OK	44	F	4/15/2021	4/15/2021	7pm started feeling symptoms of fever, chills, eyes burning, but temp was 98.2. By 9pm severe chills, involuntary shaking, teeth chattering, still 98.2. Unable to relax due to chills & shaking. 1am got up & retook temperature currently 100.2. Eyes hurt & red, freezing, and goosebumps. Achy & uncomfortable. Headache. Still continuing.



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1216909	4/16/2021			M			CANNOT SLEEP; CAN'T STOP SHAKING; EYEBALLS ARE KILLING; EVERYTHING HURTING/RANDOM BODY STABS/BAD BODY ACHES; FOGGY IN THE HEAD/MISERY; JOINT PAIN; CHILLS; HEADACHE; FEVER; This spontaneous report received from a patient concerned a male of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: not reported) dose, start therapy date were not reported for prophylactic vaccination. The batch number was not reported. Per procedure, no follow-up will be requested for this case. No concomitant medications were reported. On an unspecified date, the subject experienced cannot sleep, can't stop shaking, eyeballs are killing, everything hurting/random body stabs/bad body aches, foggy in the head/misery, joint pain, chills, headache, and fever. Laboratory data (dates unspecified) included: Body temperature (NR: not provided) 100 F. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the cannot sleep, can't stop shaking, chills, headache, eyeballs are killing, joint pain, everything hurting/random body stabs/bad body aches, foggy in the head/misery and fever was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1216726	4/16/2021	HI	51	F		4/8/2021	BLURRING EYES IN BOTH EYES BUT WORSE IN THE RIGHT SIDE/ RIGHT EYE BLURRINESS AND NOT ABLE TO SEE FOR 15 MIN; VOMITTED MANY TIMES; BLOOD PRESSURE IS SO HIGH RIGHT NOW 189/98; CHILLS; SEVERE HEADACHE ON THE LEFT SIDE WHEN SHE MOVES; FEELING NAUSEOUS; This spontaneous report received from a consumer concerned a 51 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 043A21A, and batch number: 043A21A expiry: UNKNOWN) dose was not reported, administered on 06-APR-2021 to Right Deltoid for prophylactic vaccination. No concomitant medications were reported. On APR-2021, Laboratory data included: Blood pressure (NR: not provided) 141/90. On 08-APR-2021, the subject experienced blurring eyes in both eyes but worse in the right side/ right eye blurriness and not able to see for 15 min. On 08-APR-2021, the subject experienced vomitted many times. On 08-APR-2021, the subject experienced blood pressure is so high right now 189/98. On 08-APR-2021, the subject experienced chills. On 08-APR-2021, the subject experienced severe headache on the left side when she moves. On 08-APR-2021, the subject experienced feeling nauseous. Laboratory data included: Blood pressure (NR: not provided) 189/98, and Pain scale (NR: not provided) 9/10. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from severe headache on the left side when she moves, blurring eyes in both eyes but worse in the right side/ right eye blurriness and not able to see for 15 min, vomitted many times, feeling nauseous, chills, and blood pressure is so high right now 189/98. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1216588	4/16/2021	WA	62	F	3/23/2021	4/6/2021	On Tuesday, April 6, 2021, about 11:45 am, I felt a sudden sharp pain in the right temple area just above eye level and about 2 inches posterior. I also felt some dizziness and wondered if I was having a stroke or some type of arterial inflammation. At the time I was treating a patient and wondered if I was going to have to leave to go home. I did get through the rest of my workday but had difficulty concentrating. I had recurring waves of pain in the same area several times that day and into the evening, was considering alerting my adult daughter that I might need to go to a hospital. Fortunately, resting and increased fluids seemed to resolve the pain and it was mostly gone by the next day.
1221198	4/16/2021	MI	69	F	4/16/2021	4/16/2021	Aching injection site (expected) Sweating Generalized picky & itchy sensation on skin of arms, legs, trunk, head, face. Itchy eyes Drop in blood pressure Heart pounding Headache Malaise

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1215772	4/16/2021		40	F	3/23/2021		NOT FEELING HUNGRY; FELT SCARED WORSENERD/ANXIOUS WORSENERD; OFF LABEL USE; TEMPERATURE OF 101; FATIGUE; HEADACHE; This spontaneous report received from a patient via a company representative concerned a female of unspecified age. The patient's height, and weight were not reported. The patient's past medical history included felt muscle aches in legs, and concurrent conditions included multiple sclerosis, numbness, tingling, visual disturbances, swollen ankles, trouble sleeping, crohns disease, not able to do things which friends could do, nausea, vomiting, felt anxious/scared, sometimes pain in stomach or abdomen, and eight watery stools/loose stools. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, The batch number was not reported. The company was unable to perform follow up to request batch number. expiry: unknown) dose was not reported, administered on 22-MAR-2021, and dose was not reported, administered on 22-FEB-2021 for prophylactic vaccination. Non-company suspect drugs included: adalimumab (solution for injection in pre-filled pen, subcutaneous, batch number was not reported) dose was not reported, 1 time every 14 days from 22-JAN-2021 to 22-JAN-2021, and dose was not reported, 1 time every 14 days from 05-FEB-2021 to 05-FEB-2021 for crohns disease; and adalimumab (solution for injection in pre-filled pen, subcutaneous, batch number was not reported) dose was not reported, 1 time every 14 days from 19-FEB-2021 to 19-FEB-2021 for crohn's disease. No concomitant medications were reported. On 2021, the subject experienced fatigue. On 2021, the subject experienced headache. On 23-MAR-2021, the subject experienced temperature of 101. Laboratory data included: Body temperature (NR: not provided) 101.01 F. On an unspecified date, the subject experienced not feeling hungry, felt scared worsened/anxious worsened, and off label use. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from fatigue, and headache on 2021, had not recovered from not feeling hungry, and the outcome of temperature of 101, felt scared worsened/anxious worsened and off label use was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1215777	4/16/2021	MO	50	M	4/6/2021		<p>BLACKED OUT; RAPID/STRONG HEARTBEAT; TINGLING ARMS AND LEGS; COUGH; WHITE NOISE IN EARS; HEADACHE; This spontaneous report received from a patient concerned 50 year old male. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of administration not reported, batch number: 042A21A, and expiry: unknown) dose was not reported, administered on 06-APR-2021 at about 8:30 on left deltoid for prophylactic vaccination. No concomitant medications were reported. On 06-APR-2021, after about 5 minutes of vaccination, the patient experienced 'white noise' in ears, vision changes, had a visual aura (a pattern around side of vision and moved to front of vision) and blacked out only for few minutes. He blacked out in the pharmacy but was not sure for how long. On 06-APR-2021, the patient felt a little dizzy, experienced headache, and tingling in arms and legs (reported as "arms and legs felt like they were gone"). On the same day, he also had a rapid/strong heartbeat for a while that made him cough and it went away after about 45 minutes. The strong heart beat had come and gone throughout the day. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from blacked out and cough, and the outcome of white noise in ears, tingling arms and legs, rapid/strong heartbeat, and headache was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210411724 - Covid-19 vaccine ad26.cov2.s- BLACKED OUT. This event is considered unassessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1215791	4/16/2021	CA		F	4/6/2021		<p>DIFFICULTY BREATHING; SWOLLEN NOSE(STUFFY NOSE); THROWING UP/VOMITING; PAIN IN SIDE OF NECK; PAIN IN EYE SOCKET; DIARRHEA; TREMOR; WEAKNESS; BIG HEADACHE; This spontaneous report received from a pharmacist concerned a female patient of unspecified age. The patient's height, and weight were not reported. The patient was not pregnant at the time of reporting and had no known allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 042A21A, expiry: 21-JUN-2021) 0.5 ml, 1 total administered on 05-APR-2021 18:00 to left arm for prophylactic vaccination. Concomitant medications included ascorbic acid, cyanocobalamin, and vitamin b complex. On 06-APR-2021, next morning after vaccination the patient woke up with a big headache, her nose was swollen and stuffy and she had difficulty breathing. On 06-APR-2021 16:00, she threw up/vomited. The patient had difficulty breathing and went to chiropractor who adjusted her pressure points. She still had stuffy nose and headache at the time of this report and difficulty breathing was somewhat better but not completely gone. The patient's nose was blocked and had pain in the left side of neck and eye socket. She also had weakness, diarrhea and tremor after getting the vaccine shot. The nurse came to her house and gave her a bag saline, magnesium and ketorolac each. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from difficulty breathing, and swollen nose, had not recovered from big headache, and the outcome of vomiting/throwing up, pain in side of neck, pain in eye socket, weakness, diarrhea and tremor was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210414709-covid-19 vaccine ad26.cov2.s-difficulty breathing. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1215808	4/16/2021	CO	52	F		4/5/2021	SWOLLEN EYES; HIVES; BURNING SENSATION IN THE ARM; This spontaneous report received from a patient concerned a 52 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included penicillin allergy, cat allergy, and bee sting allergy. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808980, and expiry: UNKNOWN) dose was not reported, administered on 05-APR-2021 to left arm for prophylactic vaccination. No concomitant medications were reported. On 05-APR-2021, the subject experienced burning sensation in the arm. On 06-APR-2021, the subject experienced swollen eyes. On 06-APR-2021, the subject experienced hives. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from hives, swollen eyes, and burning sensation in the arm. This report was non-serious.
1216648	4/16/2021	CA	50	F	4/1/2021	4/2/2021	28 hours after 2nd Pfizer vaccine administered: First symptom was inability to suck from a straw. Lips could not be closed together on left side of mouth. Second symptom noticed was left eye not blinking or closing all the way compared to right eye. Third symptom was drooping smile on left side of face. We did not connect the timing of vaccine to this event until the following morning. It was Saturday morning and the symptoms still existing. We observed and monitored through the weekend and called the Doctor's office on Monday. The Doctor asked us to go to Emergency Room right away for possible stroke.
1216586	4/16/2021	OR	33	M	4/13/2021	4/13/2021	Blurry vision, dizziness, weakness. Has continued and worsened. Can not see to 10 feet, and has worsened to 4 feet. Heart rate 160, unable to function

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1217039	4/16/2021			U	4/7/2021		<p>FEELING AWFUL; TWITCHING EYEBALLS; RANDOM MUSCLE ACHES; DIZZINESS; FELT LIKE THE FLU; COULD NOT WALK; LEG FEELS HEAVY CANNOT LIFT; HANDS, LEGS AND BODY SHAKING; RED FACE; SKIN ON FACE FELT THICK; COULD NOT RAISE EYEBROWS; THROAT HURT; SORE ARM; FELT TIRED; HOT FACE; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: UNKNOWN) dose was not reported, administered on 07-APR-2021 14:42 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 07-APR-2021 15:22, the subject experienced red face. On 07-APR-2021 15:22, the subject experienced skin on face felt thick. On 07-APR-2021 15:22, the subject experienced could not raise eyebrows. On 07-APR-2021 15:22, the subject experienced throat hurt. On 07-APR-2021 15:22, the subject experienced hot face. On 07-APR-2021 15:22, the subject experienced sore arm. On 07-APR-2021 15:22, the subject experienced felt tired. On 08-APR-2021, the subject experienced felt like the flu. On 08-APR-2021, the subject experienced could not walk. On 08-APR-2021, the subject experienced leg feels heavy cannot lift. On 08-APR-2021, the subject experienced hands, legs and body shaking. On 08-APR-2021, the subject experienced dizziness. On 09-APR-2021, the subject experienced random muscle aches. On 10-APR-2021, the subject experienced twitching eyeballs. On 11-APR-2021, the subject experienced feeling awful. Laboratory data included: Heart rate (NR: not provided) Normal, and Oxygen saturation (NR: not provided) Normal. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from felt like the flu on APR-2021, was recovering from dizziness, had not recovered from sore arm, hands, legs and body shaking, feeling awful, and random muscle aches, and the outcome of red face, skin on face felt thick, could not raise eyebrows, throat hurt, felt tired, could not walk, leg feels heavy cannot lift, twitching eyeballs and hot face was not reported. This report was non-serious.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1216591	4/16/2021	GA	48	F	4/8/2021	4/8/2021	About 3 weeks after my first dosis of the Pfizer vaccine, I started having constant numbness in both arms, hands and right legs, dizziness, pins and needles, extreme fatigue, lethargy, feeling the pulse of my heart rate in various part so my body in an oppressive kind of way like in my throat, under my right breast, in my back on the ribs usually. All these symptoms never subsided and became noticeably worse a few days after my second dosis on April 8th. My arms are always numb when I get up and become worse when hanging down, of course, but with different intensity. I am feeling extremely dizzy as I walk around and unstable. Walking feels like the ground is further than it is in a way. I do notice a slight shortness of breath but more of an oppression in the rib cage than panting. I have been avoiding walking far or walking my dogs all together. I am not seeing any improvements even after my visit to the Urgency Care where nothing wrong was found on blood work and EKG. I was told to reduce inflammation with dietary supplement and some vitamins. I cannot work of course and what is a bit frightening now is that I am not improving on day 8 of my second dosis! Same rotation of weird symptoms all day (feeling my blood not circulating normally if that can be described even, numbness, pins and needles in arms, and right leg. Sometimes it affects my right cheek. Dizziness and instability to walk around. Vision is lower as well. Too weak to do anything constructive. My legs feel like they are not reliable (never have had that feeling at my age). It is more than feeling like a zombie, it is feeling too weak to do anything and my head is sometimes spinning. The numbness can be painful as a sudden thrust in an arm ( this does not last more than a few seconds). It has now been going on since week 3 of my first dosis and today is day 7 of my second dosis! I had 0 symptoms on the first 2 weeks of my vaccine, dosis one. Now, I don't see any progress, rather a slight worsening of all the symptoms above. It is freakish not knowing what I have, of course. One can imagine, so stress adds to the mix sometimes during the day. I would not dare to even go walk my dogs now. A short grocery store visit at the most.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1216596	4/16/2021	AZ	48	F	4/8/2021	4/9/2021	Tremors shaking hot cold sweats elevated blood pressure fatigue confusion blurred vision couldn't quench my thirst dry mouth unsteadiness
1216599	4/16/2021	WI		M	4/8/2021	4/10/2021	Extreme fatigue onset after 2-3 days, difficulty staying awake/alert. Blurry vision & twitching eyes. Have difficulty being able to focus vision on close text & objects, and I'm a photographer who works through a camera and views a computer screen every day, so has been affecting my business. Have tried basic eye drops, but that doesn't help. Leg and upper/lower back muscles are extremely sore, even to the touch, especially upper leg muscles (and have not done any strenuous activities in the past week), and it's been painful to stand up or get out of my vehicle most of the time since my 1st shot exactly one week ago. Have also been having very bizarre dreams every night, and trouble sleeping, as well as bouts of hot/cold flashes every day. No cough, runny nose, headache, or other cold symptoms. Have never felt like this before, regret getting this vaccine, and am not sure I'll take the 2nd one, unfortunately. I have two close friends who had the same shot, and whom didn't even feel safe driving for 2+ weeks because of their similar reactions with fatigue and brain fog.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1216609	4/16/2021	AZ	49	F	4/5/2021	4/5/2021	About 3 hours after receiving the , vaccine on April 5 at 3:15 pm, I had uncontrollable shivers and chills, shaking violently through my whole entire body. I was freezing cold to the bone. I felt nauseous and threw up my entire dinner. That didn't make the nausea go away - I continued to throw up that evening 5 or 6 more times. The nausea continued the next day making me throw up 3 more times. And yet the nausea persisted for a whole entire week. I had a horrible headache that night that has stuck with me these last ten days. My muscles ached and shot strange pangs through my body. I was exhausted. I could not stay awake. I was so weak and tired. I had no energy and just laid in bed for a solid four days. My throat hurt, my neck hurt, my head hurt, my arm where the shot went in hurt so bad. Very strangely, my stomach was constantly bloated and hurt inside like a bad stomach ache - even if I hadn't eaten anything it still bloated and hurt. The painful stomach lasted seven or eight days. I had diarrhea for those seven /eight days. I was completely dehydrated. The diarrhea lasted way too long - it was difficult to return to work. The second day after the shot I woke up to my left eye red, like some blood vessels had burst. It took four or five days for my eye to go back to normal. my heart has a stabbing feeling randomly all the time now and it is hard to breathe. I wheeze and cough all the time. It is very uncomfortable. This heart issue has persisted the entire time since getting the vaccine.
1216610	4/16/2021	MN	70	F	3/31/2021	4/1/2021	Day of shot #2 (3/31/21) I experienced nausea in the first 15 minutes and felt confused while driving. Nausea passed in 2-3 hours and I felt fine. The next day I felt tired, foggy brain, and dizzy. Assumed it was from the shot. Side effects continued/worsened. 4/6/21 I saw my Dr. She checked me over, labs. found nothing wrong with me. Likely side effects from Pfizer. Unlikely that they would last two weeks. Rx Meclizine for dizziness, which didn't really help. Now it's Day 15. Tired and brain fog are gone. I don't feel as dizzy. BUT, when I try to drive, I feel QUITE dizzy with blurred vision. This side effect persists and clearly effects my quality of life.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1216616	4/16/2021	CA	23	M	4/15/2021	4/15/2021	About 5 minutes after receiving the shot, patient complained of being light headed, hot, patchy vision, loss of hearing, pale color and almost passed out at the pharmacy counter. He had been helped to have a seat and drink some water, about 5 minutes later he felt much better but only experienced tingling in his fingertips. He stayed for another 20 minutes in pharmacy and mentioned he felt totally alright before leaving the pharmacy area.
1215918	4/16/2021	NJ	34	M		4/7/2021	SLOWING DOWN; ARM WEAKNESS; FEVER; FATIGUE; ARM TINGLING; PALE HANDS; HOT FLASHES; DROOPY EYES; LOW BLOOD PRESSURE; This spontaneous report received from a patient concerned a 34 year old male. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on 07-APR-2021 13:30 on left arm for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 07-APR-2021, the subject experienced arm tingling. On 07-APR-2021, the subject experienced pale hands. On 07-APR-2021, the subject experienced hot flashes. On 07-APR-2021, the subject experienced droopy eyes. On 07-APR-2021, the subject experienced low blood pressure. On 07-APR-2021, the subject experienced arm weakness. On 07-APR-2021, the subject experienced fever. On 07-APR-2021, the subject experienced fatigue. On 07-APR-2021 20:30, the subject experienced slowing down. Laboratory data included: Body temperature (NR: not provided) 103.9 F. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from arm tingling on 07-APR-2021 19:30, and arm weakness, had not recovered from fever, fatigue, hot flashes, and droopy eyes, and the outcome of pale hands, low blood pressure and slowing down was not reported. This report was non-serious.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1217943	4/16/2021		70	F	2/8/2021	2/18/2021	Patient is a 70 year old female with a PMH of TBI with residual memory loss, visual deficits and unsteadiness who was admitted on 2/18/2021 with diarrhea and weakness. Patient tested positive for COVID-19 on 2/18/2021. She was not hypoxic and CRP was mildly elevated. Steroids and remdesivir were not indicated during the admission. Diarrhea improved overnight with IV fluids. Patient was discharged to home on 2/19/2021
1217848	4/16/2021	NH	65	M	3/26/2021	4/7/2021	Sporadic Vertigo when getting out of bed at night or in the AM. Wait a few minutes until it settles down. VERY Mild headache for a few minutes or a few hours like an eyestrain headache after. Doesn't happen every morning.
1217849	4/16/2021	NC	40	F	3/25/2021	3/25/2021	Site: Pain at Injection Site-Medium, Systemic: Visual Changes/Disturbances-Severe, Additional Details: Pt said her arm was sore for two days and also her Left Eye Burned and felt like acid was in her eye for about 90 second time periods about 3 episodes a day for 2 days.
1217877	4/16/2021	MD	26	F	4/15/2021	4/15/2021	APPROXIMATELY 12 MINUTES AFTER THE VACCINE WAS GIVEN THE PATIENT STARTED TO COMPLAIN OF FEELING LIGHTEADED AND HAVING BLURRED VISION ALSO ASSOCIATED NAUSEA. SHE WAS BROUGHT BACK TO A STRETCHER AND VITALS WERE TAKEN AND STABLE. SHE SUBSEQUENTLY STARTED TO HAVE SOME DRY HEAVES AND FEELING OF ITCHING IN THROAT WITH PROGRESSION OF HER SYMPTOMS. HER PULSE OX WAS 93-98%, bp 110/82 AND HR 67. IT WAS DECIDED TO ADMINISTER AN EPIPEN AND SHE HAD AN INCREASE OF HR TO 102; AT THIS POINT EMS WAS CALLED. SHE DID START TO DEVELOP THROAT TIGHTNESS, ITCHING, AND COUGH AT WHICH TIME OXYGEN WAS ADMINISTERED. SHE WAS TRANSFERRED TO ER AT THE MEDICAL CENTER FOR FURTHER EVALUATION. REPORT FROM ER NOTES SHE DID HAVE SEIZURE WHILE ENROUTE WHICH WAS TREATED. THE PATIENT WAS KNOWN TO HAVE UNDERLYING SEIZURE DISORDER.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1217886	4/16/2021	NJ	39	F	4/8/2021	4/9/2021	My eyes were slightly swollen for a week. I had thought it is because of sleep posture. But it's been swollen for a week and started next day after I took the vaccine. Also my left eye (close to left arm where I got the shot) swell more than the right eye.
1217906	4/16/2021	CA	40	F	4/14/2021	4/15/2021	Swelling and puffiness in the face and around the eyes red face and fever. This occurred about 27 hours after the vaccine dosage for the Moderna COVID-19 vaccine.
1216921	4/16/2021			U		4/8/2021	FEVER; HEADACHE; EYES WERE GETTING HOT; CHILLS; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin, and batch number were not reported) dose was not reported, administered on 08-APR-2021 15:00 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 08-APR-2021, the subject experienced eyes were getting hot. On 08-APR-2021, the subject experienced chills. On 08-APR-2021, the subject experienced headache. On 08-APR-2021 10:00, Laboratory data included: Body temperature (NR: not provided) 101.5. On 08-APR-2021 22:00, the subject experienced fever. On 09-APR-2021, treatment medications included: paracetamol. On 09-APR-2021 03:00, Laboratory data included: Fever (NR: not provided) 104.2 T. On 09-APR-2021 11:15, Laboratory data included: Body temperature (NR: not provided) 101.5. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from eyes were getting hot, fever, headache, and chills. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1217925	4/16/2021	IL		U	4/10/2021		EYE ACHING; MORE TIRED; DIZZINESS; SPACEY, FLOATY ODD FEELING; EXTREME VOMITING; BODY SHAKING CHILLS; EXHAUSTION; INTENSE HEADACHE/TEMPLES ARE SORE; HIGH FEVER; SEVERE MUSCLE ACHES FROM NECK TO LOWER BACK; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin, and batch number were not reported) dose was not reported, administered on 10-APR-2021 09:00 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 10-APR-2021, the subject experienced extreme vomiting. On 10-APR-2021, the subject experienced body shaking chills. On 10-APR-2021, the subject experienced exhaustion. On 10-APR-2021, the subject experienced intense headache/temples are sore. On 10-APR-2021, the subject experienced high fever. On 10-APR-2021, the subject experienced severe muscle aches from neck to lower back. On 12-APR-2021, the subject experienced dizziness. On 12-APR-2021, the subject experienced spacey, floaty odd feeling. Treatment medications included: paracetamol. On 13-APR-2021, the subject experienced more tired. On an unspecified date, the subject experienced eye aching. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from eye aching, and severe muscle aches from neck to lower back, had not recovered from intense headache/temples are sore, and the outcome of exhaustion, high fever, body shaking chills, extreme vomiting, dizziness, spacey, floaty odd feeling and more tired was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1217710	4/16/2021			U			<p>DIZZINESS; FACE STARTED SWELLING FROM EYELIDS AND LIPS.; TIREDNESS; HIGH FEVER; NAUSEA; HEADACHE; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: unknown) dose, start therapy date were not reported for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On an unspecified date, the subject experienced dizziness, face started swelling from eyelids and lips., tiredness, high fever, nausea, and headache. Laboratory data (dates unspecified) included: Body temperature (NR: not provided) 103 deg/s. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from dizziness, and nausea, and the outcome of tiredness, high fever, headache and face started swelling from eyelids and lips. was not reported. This report was non-serious.</p>
1217966	4/16/2021	NY		U			<p>SWOLLEN EYES; SWOLLEN MOUTH; SWOLLEN FACE; HIVES; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: UNKNOWN) dose, start therapy date were not reported for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On an unspecified date, the subject experienced swollen eyes, swollen mouth, swollen face, and hives. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from swollen eyes, swollen mouth, swollen face, and hives. This report was non-serious.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1217967	4/16/2021			F		4/10/2021	<p>NUMBNESS ON THE RIGHT SIDE OF THE FACE; LOSS OF TASTE ON THE RIGHT SIDE OF THE TONGUE; TINGLING ON THE RIGHT SIDE OF THE FACE; CRAMPING ON THE RIGHT SIDE OF THE FACE CLOSE TO THE NOSE UNDER THE EYE; This spontaneous report received from a consumer concerned a female of unspecified age. The patient's height, and weight were not reported. The patient's pre-existing medical conditions included the patient had no history of stroke. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on 06-APR-2021 for prophylactic vaccination. The batch number was not reported. The Company is unable to perform follow-up to request batch/lot numbers. No concomitant medications were reported. On 10-APR-2021, the subject experienced numbness on the right side of the face. On 10-APR-2021, the subject experienced loss of taste on the right side of the tongue. On 10-APR-2021, the subject experienced tingling on the right side of the face. On 10-APR-2021, the subject experienced cramping on the right side of the face close to the nose under the eye. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from numbness on the right side of the face, loss of taste on the right side of the tongue, tingling on the right side of the face, and cramping on the right side of the face close to the nose under the eye. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1217974	4/16/2021			F			<p>ACHY; HURT TO MOVE EYES FOR ABOUT 60 HOURS; RUNDOWN; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose, start therapy date were not reported for prophylactic vaccination. The batch number was not reported. Per procedure, no follow-up will be requested for this case. No concomitant medications were reported. On an unspecified date, the subject experienced achy, hurt to move eyes, and rundown. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from achy, hurt to move eyes, and rundown. This report was non-serious.</p>
1217977	4/16/2021			U	4/1/2021		<p>SUNLIGHT SENSITIVITY; EYES BURNING; TIREDNESS; FEVER; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin, and batch number were not reported) dose was not reported, administered on 09-APR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On APR-2021, the subject experienced sunlight sensitivity. On APR-2021, the subject experienced eyes burning. On APR-2021, the subject experienced tiredness. On APR-2021, the subject experienced fever. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from sunlight sensitivity, eyes burning, tiredness, and fever on APR-2021. This report was non-serious.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1217988	4/16/2021	GA		M		3/1/2021	COUGH; BODY ACHE; CRAMPS IN LEG; CHILLS; FEVER; HEADACHE; SHAKING VOILENTLY; EYES HURTING; BREATHING HAVE COMPROMISED; FINGERS HURTING; This spontaneous report received from a parent concerned an 18 year old male. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on 12-MAR-2021 13:00 for prophylactic vaccination. The batch number was not reported. The Company is unable to perform follow-up to request batch/lot numbers. No concomitant medications were reported. On MAR-2021, the subject experienced shaking voiently. On MAR-2021, the subject experienced eyes hurting. On MAR-2021, the subject experienced breathing have compromised. On MAR-2021, the subject experienced fingers hurting. Laboratory data included: Body temperature (NR: not provided) 102. On 13-MAR-2021, the subject experienced cough. On 13-MAR-2021, the subject experienced body ache. On 13-MAR-2021, the subject experienced cramps in leg. On 13-MAR-2021, the subject experienced chills. On 13-MAR-2021, the subject experienced fever. On 13-MAR-2021, the subject experienced headache. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from cough, body ache, cramps in leg, chills, and fever on 14-MAR-2021, and headache on 20-MAR-2021, and the outcome of shaking voiently, eyes hurting, fingers hurting and breathing have compromised was not reported. This report was non-serious.
1218218	4/16/2021	NY	63	F	3/13/2021	3/14/2021	Mild light sensitivity day of vaccine along with other reactions; Extreme headache morning after vaccination that was eased with Tylenol and sleep; since that day CONSTANT eye strain and low level headache that is not eased by medication, rest. Had CT of sinus -- clear; have seen eye doctor, nothing detected but slight prescription change; seen PCP who advised me to take aspirin, ordered CT scan, suggested seeing ENT but have not done so yet

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1217916	4/16/2021	PA	17	F	4/16/2021	4/16/2021	pt states queezy after one min after receiving vaccine, vision went dark while sitting and pt felt ringing in ears and muffled sounds. mother with pt due to being minor, mother helped lower pt to floor pt states never lost consciousness placed feet on chair with knees bent OBS team arrival pt feeling better while laying on ground,. with little assistance stood and pt back to laying on stretcher in trendelenburg position taken to OBS 1, VS as noted pt feeling better while in OBS, given water tolerating well. after a few minutes out of trendelenburg, then high fowlers position, to dangle to standing position change over 20 minutes first time standing pt felt dizzy back to sitting in bed given more water and apple juice then dangle then standing second time. bp stable upon standing second time and pt feeling better feeling okay to go home, pt sent home with mother ambulated to exit per request at 0850. VS 0815 bp 99/61 hr 81 rr 16 o2 100 0820 bp 109/62 hr 74 rr 18 o2 100 out of trendelenburg, 0825 bp 108/66 hr 88 rr 16 o2 100 high fowlers, 0830 bp 102/54 hr 86 rr 16 o2 99 standing,, 0834 bp 109/61 hr 78 rr 16 o2 98 high fowlers, 0836 bp 91/67 hr 71 rr16 o2 100 dangle, 0840 bp 95/66 hr 90 rr 18 o2 99, 0845 bp 104/57 hr 76 rr 18 o2100, 0850 bp110/61 hr 85 rr 18 o2 99 standing

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1217540	4/16/2021	IL		F		4/10/2021	SWELLING IN ARMPIT, CHEST AND ARM; SWELLING IN RIGHT ARM PIT; PAIN IN ARMPIT, CHEST AND ARM; NO SENSATION IN THE LEFT LEG; EYE PAIN; CHILLS; JOINT PAIN; NAUSEA; MUSCLE AND JOINT PAIN; TIREDNESS; FEVER; HEADACHE; This spontaneous report received from a patient concerned a 53 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 201a21a, and expiry: Unknown) dose was not reported, administered on 10-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 10-APR-2021, the subject experienced tiredness. On 10-APR-2021, the subject experienced fever. On 10-APR-2021, the subject experienced headache. On an unspecified date, the subject experienced swelling in armpit, chest and arm, swelling in right arm pit, pain in armpit, chest and arm, no sensation in the left leg, eye pain, chills, joint pain, nausea, and muscle and joint pain. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from no sensation in the left leg, eye pain, chills, joint pain, tiredness, fever, headache, and nausea, had not recovered from pain in armpit, chest and arm, and swelling in armpit, chest and arm, and the outcome of muscle and joint pain and swelling in right arm pit was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1218016	4/16/2021	MA	84	F		4/11/2021	<p>BLURRY VISION; UNCONTROLLABLE SHAKING; JAW PAIN; PAIN ON LEFT SIDE NEAR KIDNEY; FELT BODY HOT/BODY BURNING HOT; DIZZY; PAIN IN BONES ALL OVER BODY; FREEZING COLD; CHILLS; PAIN IN LEFT ARM WHERE INJECTED; HEADACHE; FEVER; This spontaneous report received from a patient concerned an 84 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included type 1 diabetes, and hypothyroidism, and other pre-existing medical conditions included patient had no known allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 043A21A, expiry: UNKNOWN) dose was not reported, administered on 11-APR-2021 12:15 for prophylactic vaccination. Concomitant medications included levothyroxine sodium for hypothyroidism, and insulin for type 1 diabetes. On 11-APR-2021, the subject experienced blurry vision. On 11-APR-2021, the subject experienced uncontrollable shaking. On 11-APR-2021, the subject experienced jaw pain. On 11-APR-2021, the subject experienced pain on left side near kidney. On 11-APR-2021, the subject experienced felt body hot/body burning hot. On 11-APR-2021, the subject experienced dizzy. On 11-APR-2021, the subject experienced pain in bones all over body. On 11-APR-2021, the subject experienced freezing cold. On 11-APR-2021, the subject experienced chills. On 11-APR-2021, the subject experienced pain in left arm where injected. On 11-APR-2021, the subject experienced headache. On 11-APR-2021, the subject experienced fever. Treatment medications (dates unspecified) included: paracetamol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from uncontrollable shaking, and chills on 11-APR-2021, jaw pain on 12-APR-2021, and felt body hot/body burning hot, freezing cold, pain in left arm where injected, headache, and fever on 13-APR-2021, was recovering from blurry vision, and pain on left side near kidney, and the outcome of dizzy and pain in bones all over body was not reported. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1217053	4/16/2021	CA	30	M	4/15/2021	4/15/2021	<p>Client was vaccinated with the Pfizer Covid vaccine with lot #EW0162 at 11:59am on 04/15/2021. EMT observed client standing at the facility exit speaking to the interpreter. EMT noted upon approach client appeared alert, tracking with his eyes, in no apparent distress. Client had a chief complaint of numbness at his injection site. Client stated that he had completed his 15 minutes and had exited the site but began to experience numbness at his injection site while exiting. This was the client's first dose of the Pfizer vaccine. Client states he has a history of a deep vein thrombosis and hypertension. Client is not on any medications and denies any known allergies. Assessment revealed that client's left arm/injection site was clean, dry and bandage remained intact. Client was negative for hives, swelling, severe sweating, shortness of breath or other signs of anaphylaxis. Client was alert and oriented to person, place, date, and event; and airway, breathing and circulation were intact. Client had full range of motion of his arm and denied any tingling. Client denied any pain upon palpation of the injection site and stated that his numbness was strictly localized to injection site and did not spread to rest of arm. Client's vital signs upon entering EMT station for further evaluation revealed: blood pressure 180/140, respirations 18, pulse 68, 98% on room air; lung sounds clear bilaterally, temp 98 degrees F, eyes remained equal, round, and reactive to light at 5 mm. Client stated that he had his blood pressure taken last week and that his systolic was approximately 160. Client agreed to remain for an additional 30 minutes of monitoring per site lead nurse and was stable throughout observation. Vital signs at 1220: blood pressure of 180/140, respiratory rate of 18, heart rate of 68, and oxygen saturation of 98% on room air. Vital signs at 1235: blood pressure of 160/124, respiratory rate of 18, heart rate of 76, and oxygen saturation of 99% on room air. Vital signs at 1250: blood pressure of 158/118, respiratory rate of 18, heart rate of 76, and oxygen saturation of 99% on room air. At the completion of the client's observation, client stated that numbness was "better" and stated that it was "almost gone." Client's blood pressure improved upon reassessments, and all other vitals were remained within normal limits. Client was provided with vaccine information packets and encouraged to seek follow-up</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1217352	4/16/2021	OK	30	F	4/12/2021	4/12/2021	care or emergency care if symptoms become more severe later in the evening. EMS was denied by client, no medication or other interventions were indicated or administered. Client departed facility by ambulation to private care at 1253 in positive disposition. EMT reported to lead nurse about client's status after client left facility already. Lead nurse educated EMT regarding high blood pressure referral to EMS. But EMT stated client denied EMS.
							Almost immediately I felt off after the vaccine I wanted to get it to protect my son since I work in a public place not even an hour after I got it I fell asleep unable to keep my eyes open I thought it was okay but here it is Friday and I'm still having trouble staying awake ill be okay for a few hours at a time then have a uncontrollable need to sleep I never ever nap in the daytime and im a very energetic person but I can seem to wake up for more than a little at a time I have to fight it for work but fined myself dozing off standing up I just wanted to report this for it to be known I hope the feeling goes away I really wanna have high hopes for this vaccine



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1217473	4/16/2021	IL	69	F	4/1/2021		EYES WENT CROSSED; PERSPIREING; FELT LIKE SHE WAS GOING TO PASS OUT; VISION BECAME BLURRY/COULD NOT SEE; STOMACH WAS WOOZY; FELT A LITTLE OFF; This spontaneous report received from a patient concerned a 69 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808609, expiry: UNKNOWN) dose was not reported, administered on 02-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On APR-2021, the subject experienced vision became blurry/could not see. On APR-2021, the subject experienced stomach was woozy. On APR-2021, the subject experienced felt a little off. On APR-2021, the subject experienced felt like she was going to pass out. On 02-APR-2021, the subject experienced eyes went crossed. On 02-APR-2021, the subject experienced perspireing. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from perspireing, and the outcome of eyes went crossed, vision became blurry/could not see, stomach was woozy, felt a little off and felt like she was going to pass out was not reported. This report was non-serious.; Sender's Comments: V0 Medical assessment comment not required as per standard operating procedure as the case assessed as non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1217476	4/16/2021	CA	30	F	3/25/2021		<p>EAR PAIN; EAR SQUEALING; SHARP PAIN ON NOSE; THROBBING PAIN BEHIND EYES; DRY MOUTH; SWOLLEN THROAT; DIZZINESS; BODY ACHES; This spontaneous report received from a patient concerned a 30 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: Unknown) dose was not reported, administered on 25-MAR-2021 for prophylactic vaccination. Batch number was not reported and has been requested. No concomitant medications were reported. On 25-MAR-2021, the subject experienced ear pain. On 25-MAR-2021, the subject experienced ear squealing. On 25-MAR-2021, the subject experienced sharp pain on nose. On 25-MAR-2021, the subject experienced throbbing pain behind eyes. On 25-MAR-2021, the subject experienced dry mouth. On 25-MAR-2021, the subject experienced swollen throat. On 25-MAR-2021, the subject experienced dizziness. On 25-MAR-2021, the subject experienced body aches. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from ear pain, ear squealing, sharp pain on nose, throbbing pain behind eyes, dry mouth, swollen throat, dizziness, and body aches. This report was non-serious.; Sender's Comments: V0:Medical assessment comment not required as per standard procedure as the case assessed as non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1217499	4/16/2021	CA		M		4/1/2021	COULD NOT SLEEP; EYE IRRITATION; PRESSURE BEHIND EYES; MUSCLE ACHES; HEADACHES; FEVER; LEFT ARM SORENESS; TIRED; FEELING VERY WARM; This spontaneous report received from a patient concerned a male of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 042A21A expiry: UNKNOWN) dose was not reported, administered on 08-APR-2021 14:00 for prophylactic vaccination. No concomitant medications were reported. On APR-2021, the subject experienced feeling very warm. On APR-2021, the subject experienced tired. On 08-APR-2021, the subject experienced left arm soreness. On 08-APR-2021, the subject experienced muscle aches. On 08-APR-2021, the subject experienced headaches. On 08-APR-2021, the subject experienced fever. On 09-APR-2021, the subject experienced eye irritation. On 09-APR-2021, the subject experienced pressure behind eyes. Treatment medications included: paracetamol. On 09-APR-2021 02:00, the subject experienced could not sleep. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from fever on 09-APR-2021, had not recovered from eye irritation, tired, muscle aches, headaches, and pressure behind eyes, and the outcome of left arm soreness, feeling very warm and could not sleep was not reported. This report was non-serious. This case, from the same reporter is linked to 20210420006.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1217719	4/16/2021	NY	39	M	4/2/2021		EYES WATERY; BODY ACHES; FEVER/CHILLS; This spontaneous report received from a patient concerned a 39 year old male. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 041A21A, expiry: UNKNOWN) dose was not reported, administered on 02-APR-2021 21:00 for prophylactic vaccination. No concomitant medications were reported. On APR-2021, Laboratory data included: COVID-19 PCR test (NR: not provided) Pending at this time (units unspecified), and COVID-19 antigen test (NR: not provided) Negative (units unspecified). On 02-APR-2021, the subject experienced eyes watery. On 02-APR-2021, the subject experienced body aches. On 02-APR-2021, the subject experienced fever/chills. Laboratory data included: Body temperature (NR: not provided) 99.5 F. On 03-APR-2021, Laboratory data included: Body temperature (NR: not provided) 100.4 F. On 12-APR-2021, Laboratory data included: Body temperature (NR: not provided) 99.4 F. Treatment medications (dates unspecified) included: ibuprofen. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from body aches on 05-APR-2021, and had not recovered from fever/chills, and eyes watery. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1217524	4/16/2021	MD	60	M	4/1/2021		<p>SWEATING REALLY BAD; WHOLE BODY HURTS; LIGHT HURTING EYES; HIGH ANXIETY; HEART RACING; FEELS LIKE SHIT; PAIN AT THE INJECTION SITE; HEAD WAS HURTING REALLY BAD; This spontaneous report received from a patient concerned a 60 year old male. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 205A21A, expiry: 23/JUN/2021) dose was not reported, administered on 08-APR-2021 14:50 for prophylactic vaccination. No concomitant medications were reported. On APR-2021, the subject experienced head was hurting really bad. Treatment medications included: ibuprofen. On 09-APR-2021, the subject experienced sweating really bad. On 09-APR-2021, the subject experienced whole body hurts. On 09-APR-2021, the subject experienced light hurting eyes. On 09-APR-2021, the subject experienced high anxiety. On 09-APR-2021, the subject experienced heart racing. On 09-APR-2021, the subject experienced feels like crap. On 09-APR-2021, the subject experienced pain at the injection site. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from high anxiety, and heart racing, had not recovered from sweating really bad, whole body hurts, light hurting eyes, feels like crap, and pain at the injection site, and the outcome of head was hurting really bad was not reported. This report was non-serious.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1217712	4/16/2021			U		4/9/2021	PINK EYE; HIVES; ITCHED ALL OVER (ON HANDS, BACK AND LEGS); TERRIBLE FEELING; SLIGHTLY INCOHERENT; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported) dose was not reported, administered on 08-APR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 09-APR-2021, the subject experienced terrible feeling. On 09-APR-2021, the subject experienced slightly incoherent. On 11-APR-2021, the subject experienced itched all over (on hands, back and legs). On 11-APR-2021, the subject experienced hives. On 12-APR-2021, the subject experienced pink eye. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from itched all over (on hands, back and legs), and the outcome of terrible feeling, slightly incoherent, hives and pink eye was not reported. This report was non-serious.
1217603	4/16/2021	FL	53	F	4/12/2021	4/12/2021	I got the moderna covid vaccine. About 2 pm the symptoms started with my arm hurting so bad that I couldn't use it. It then progressed very quickly and by the next morning I ached all over, my arm had visable swelling and felt hot to the touch. My eyes hurt and I had a migrane, the next day Wed, I had nausea and the aches continued with extreem fatigue and a general feeling of malaise. The eyes still ached with light sensitivity and nausea. Thursday saw all the same symptoms but to a lesser extent, the ache in the back of my thighs up into my buttock got a bit worse. I also felt dehydrated despite drinking extra fluids in the form of black, green and mint and ginger tea. I couldn't tolerate coffee, most food, and had thrown up on wed after eating some oatmeal. BRAT was all I could eat and the banana wasn't until thursday. Today is friday and I feel a bit better, tolerated coffee this am and have some appetite as well.
1217604	4/16/2021	SC	29	F	4/9/2021	4/13/2021	chest tightening; blurry vision

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1217639	4/16/2021			U	4/8/2021		ACHES; DIDN'T SLEEP; TIRED; CHILLS; FEVER; BAD HEADACHE; EYES FELT HEAVY; HOT AND BURNING MOUTH; HOT AND BURNING IN THROAT; BURNING OF EYES; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's height, and weight were not reported. The patient's concurrent conditions included mild arthritis. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: UNKNOWN) dose was not reported, administered on 08-APR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 08-APR-2021, the subject experienced eyes felt heavy. On 08-APR-2021, the subject experienced hot and burning mouth. On 08-APR-2021, the subject experienced hot and burning in throat. On 08-APR-2021, the subject experienced burning of eyes. On 08-APR-2021, the subject experienced chills. On 08-APR-2021, the subject experienced fever. On 08-APR-2021, the subject experienced bad headache. Laboratory data included: Body temperature (NR: not provided) 98.6 unit not reported, 101.6 F. Treatment medications included: ibuprofen. On 09-APR-2021, the subject experienced aches. On 09-APR-2021, the subject experienced didn't sleep. On 09-APR-2021, the subject experienced tired. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from eyes felt heavy, hot and burning mouth, hot and burning in throat, burning of eyes, didn't sleep, chills, and fever on 10-APR-2021, had not recovered from bad headache, and tired, and the outcome of aches was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1217653	4/16/2021		44	M	3/19/2021	3/19/2021	Patient reported to medical clinic 24 hours after COVID 19 injection (03/19/2021) with symptoms of visual hallucinations, myalgia, rigors, headache, nausea, vomiting and dehydration. At the time of arrival to the medical clinic, he had refractory nausea and vomiting after receiving Zofran earlier in the day at another clinical site. Medical treatment consisted of IV Fluid bolus with maintenance fluids, IV Phenergan for the nausea and vomiting, and IV Ketorolac for headache pain. His symptoms resolved and he started to feel better so a clinical decision was made to discharge him home in the care of a close friend. He declined any other treatment modalities or medications at the time of the discharge. The patient returned on 03/28/2021 with a right arm DVT proven on U/S. He was then started on anticoagulation therapy after specialist phone consult and will be closely followed.
1217690	4/16/2021	NJ	17	M	4/15/2021	4/15/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Visual Changes/Disturbances-Mild, Systemic: Weakness-Mild, Additional Details: After receiving vaccine within 10 minutes, patient complained of feeling light headed, dizzy, appeared pale. Assisted patient to lay down on the floor. Seen by EMS, Temp 98, Pulse 63, 90/70. Patient stated that he had taken medication for anxiety prior to vaccination. Per patients mother, he took \"Hydroxyzine 25 mg Tablet\". 2nd set of vital signs were taken, BP 100/60. Patient assisted back to chair and observed for an additional 10 mins. Refused transfer, patient went home with mother.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1216987	4/16/2021	MA		M		4/1/2021	<p>ACHY JOINTS; FATIGUE; CHILLS; PERIODIC HEADACHE PAIN/PAIN NEAR LEFT EYE AND EAR; SWELLING ON THE LEFT TOP AREA OF SKULL/ FLUID BETWEEN SCALP SKIN AND SKULL BONE; BIT OF TENDERNESS ON THE LEFT TOP AREA OF SKULL; This spontaneous report received from a patient concerned a 61 year old male. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin, and batch number were not reported) dose was not reported, administered on 07-APR-2021 16:00 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On APR-2021, the subject experienced swelling on the left top area of skull/ fluid between scalp skin and skull bone. On APR-2021, the subject experienced bit of tenderness on the left top area of skull. On APR-2021, the subject experienced periodic headache pain/pain near left eye and ear. On 07-APR-2021, the subject experienced chills. On 08-APR-2021, the subject experienced achy joints. On 08-APR-2021, the subject experienced fatigue. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the chills, achy joints, fatigue, periodic headache pain/pain near left eye and ear, swelling on the left top area of skull/ fluid between scalp skin and skull bone and bit of tenderness on the left top area of skull was not reported. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1217503	4/16/2021	NV		F		4/10/2021	PAIN IN NECK; EYE PAIN; STOMACH PAIN; MUSCLE ACHE; HEADACHE; FATIGUE; This spontaneous report received from a patient concerned a female of unspecified age. The patient's height, and weight were not reported. The patient's past medical history included headache. The patient was previously treated with influenza vaccine for prophylactic vaccination. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808982, expiry: UNKNOWN) dose was not reported, administered on 10-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 10-APR-2021, the subject experienced pain in neck. On 10-APR-2021, the subject experienced eye pain. On 10-APR-2021, the subject experienced stomach pain. On 10-APR-2021, the subject experienced muscle ache. On 10-APR-2021, the subject experienced headache. On 10-APR-2021, the subject experienced fatigue. Treatment medications (dates unspecified) included: acetylsalicylic acid, and ibuprofen. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from stomach pain, and was recovering from headache, pain in neck, eye pain, muscle ache, and fatigue. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1220673	4/16/2021	OH	62	F	3/31/2021	4/2/2021	About 12 hours after first dose given on 3/3/2021 I developed tachycardia. Called doc, put me on low dose beta blocker. Stopped the following day. --- Following are reactions from 2nd dose given on 3/31/2021: (1) 2 days after receiving 2nd shot I woke up with extreme pain and swelling in all my joints (no issues/flare) before the vaccine! Extremely cold - NO FEVER - Later that morning I developed the Covid Vaccine Rash on my arm about 2 inches below injection site. Arm was not swollen but it was tender and a bit warm. Took benadryl, went away in two days. For the following 7 - 10 days, I had EXTREME JOINT PAIN, FATIGUE AND MALAISE. Went to my family doc - no fever, no cough, no headache. Doc felt the immune response from the Vaccine may have thrown me into an RA/Fibro Flare. Prescribed mobic and muscle relaxer for joint pain. On Day 10 after the vaccine, I developed a HUGE STYE in my left eye., being treated with antibiotic eye ointment. I am now 16 days out from the 2nd Moderna dose and am finally starting to feel human again. I hope I am on the Upswing now. Fatigue is diminishing along with extreme joint pain.
1220320	4/16/2021	OK	53	F	3/29/2021	3/31/2021	Reports face/neck rash beginning 2 days after 2nd Pfizer vaccine, different from her psoriasis rash. She felt very itchy, with redness of head/neck area with swelling of face and eyes; worst day was 7 days after the 2nd shot. Saw her rheumatologist 2-3 days after shot and received a steroid shot, Pred-pak and is using topical calamine lotion. States rash is improving but still present. Face is now "splotchy" and eyes only swollen in AM.
1220612	4/16/2021	FL	40	F	4/16/2021	4/16/2021	1:33 pm Patient complained of increasing dizziness and blurred vision. Immediate evaluation by onsite EMS and NP. 1:35 vs 148/96; p. 67. R 12. O2 Sate 97% on RA 1:45 vs 148/98; p.69; R 12. Offered water and cereal bar to eat. 1:46 - stated she was no longer dizzy and was discharged home. Felt that all symptoms had resolved

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1220620	4/16/2021	OH	17	M	4/16/2021	4/16/2021	2 minutes after receiving Covid vaccine- patient felt numbness in his left hand. About 1 min later he felt numbness in his right hand. About another minute later- his vision started to darken and he felt like he would faint (he was sitting down during this entire experience) and his face started to tingle. His vision went completely black but he did not lose consciousness. His eyes were very blood shot during this and he was very pale. He recovered from all symptoms after about 10 minutes. He felt very thirsty after this and throat felt dry.
1220641	4/16/2021	CO	52	M	4/9/2021	4/9/2021	Per pt report: Pt started having body aches within a couple hours of vaccine, developed severe 9/10 pain over the next several days. L shoulder pain radiating to ribs and neck w/ muscle spasms, causing HA, R hip and sacral pain, flank pain radiating down R leg. Pt reports that vision in L eye is blurry, R eye vision intact, numbness to L arm and hand, able to move. Pt reports 1in x 0.5 in blood clot when blowing nose Thursday morning, small clot subsequently about 1/2 the size, smaller clots later.
1220660	4/16/2021	IN	44	F	4/14/2021	4/14/2021	Visual floaters, headache, dizziness, and nausea for about a day. Blurred vision for an additional day and a half. Symptoms characteristic of an ocular migraine but affecting both eyes.
1220584	4/16/2021	NC	31	F	4/9/2021	4/9/2021	Burning and itching at injection site; tingling and numbness of entire arms; dizziness; redness and slight swelling around eyes. All symptoms resided within an hour or two then I became very tired for the rest of the day and normal vaccine reactions occurred(low grade fever, chills, body ache, etc).
1220672	4/16/2021	NY	57	U	4/12/2021	4/12/2021	Migraine Numbness in face Tingling in feet Eye twitching Eyes hurt

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1220562	4/16/2021	IL	55	M	4/13/2021	4/14/2021	I received the first Pfizer injection Tuesday, April 13th. I had signed up for the 12:15 slot, but when I arrived it was like a cattle call. I arrived in time for what I thought was a 12:15 appointment but ended up standing in line for an hour before actually getting the shot. I was fine the rest of that day aside from developing soreness in the muscles of my right arm. The following morning, Wednesday, April 14th, I was awakened to very noticeable soreness in both arms and the back of my neck. As the morning progressed, I developed flu-like symptoms, complete body aches, chills, fever, slight nausea, blurred vision, mild diarrhea.
1220680	4/16/2021		41	F	4/15/2021	4/15/2021	symptoms of dizziness, slight "disorientation", shaky, nausea; notes very sensitive to meds. 1340 BP 158/100, pulse 99, p ox 99%. Able to drink water; no issues swallowing, able to breathe without issue. Still nausea, hot, shaky. Continued monitoring. Denies headache or vision changes. 1350 BP 136/100, pulse 99; complaints of heart racing, hot, comes and goes. No issues breathing. Wanting to go to bathroom; feels stable; accompanied by staff. 1400 BP 140/90, pulse 106. 1410 BP 138/90, pulse 95, p ox 99%. Feeling more herself; still some shakiness. Refused ED evaluation; feels comfortable going home. Brother accompanying; will drive. Aware if symptoms worsen/issues breathing, to seek medical attention; agreed.
1220699	4/16/2021	RI	42	F	3/11/2021	3/23/2021	Severe headache, fatigue , twitching eye lid, itchy face, pain in legs , sharp pain in left side of abdomen. Blurred vision (comes & goes). Various muscle spasms, excessive thirst, sores under tongue, ringing in ears.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1220714	4/16/2021	NC	59	F	4/15/2021	4/15/2021	Symptoms within a few minutes of vaccine administration: body aches and headaches (although these two specifically are not uncommon for pt), jaw pain, left arm shaking until bedtime that night, twitching (also not uncommon for pt per seizure disorder). Symptoms resolved by next morning at 7am, but within 2 hours, symptoms returned, including swollen face that is painful to the touch, intense fatigue, burning/throbbing/tingling sensation in arms and legs, worsening of arthritic pain, jaw pain, chills/hot flash-like episodes, decreased appetite, stinging sensation in the eye, home measurement had pulse ox 98% and HR at 93 bpm (pt endorsed). Note that pt was COVID positive on Dec 1st, 2020
1220730	4/16/2021	CA	35	M	4/14/2021	4/14/2021	About ten minutes after vaccine he became diaphoretic, dizzy, had a numb face and blurred vision. His legs were lifted, ice applied to neck. He was at that time taken to treatment and report handed off.
1220735	4/16/2021	CA	17	M	4/16/2021	4/16/2021	On 4/16/2021 at 2:17 PM, 17-Year-old white male received his first dose of Pfizer vaccine lot #ER8729 0.3 ml to his right deltoid. At 2:28 pm while patient in the observation area, patient noted pale in color, he was complaining of dizziness, blurred vision. Patient taken to designated area while provided complete privacy. Vital signs as followed: BP 90/60, respiration 16, pulse 54, o2 sat 97% on room air, patient lowered to the floor with his feet elevated . 2: 33 pm Patient voiced that his feeling better. Patient skin color improved 100/80, respiration 18, o2 sat 98% on room air. Patient endorsed allergy to penicillin which he describes reaction as hives, also as per patient and his mother who currently in vaccine clinic, patient had similar above reaction to flu vaccine a year ago. Patient denies any known past medical history nor currently on medication. 2:38pm Sitting vital sign : BP 110/70, pulse 76, o2 sat 97%, resp 18, Patient denies any further symptoms. 2:43 Pm Standing BP 120/80, pulse 65, o2 sat 97%, resp 18. Patient remained stable, able to ambulate steady gait. No complain voice Patient released thirty minutes post observation accompanied by his mother in stable condition. Writer recommended to patient if symptoms reoccur to seek immediate medical help. Patient and family verbalized understanding.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1220740	4/16/2021	FL	56	F	4/13/2021	4/14/2021	Patient received the vaccine on 4/13/2021 and woke up the morning of 4/14/2021 with her face and eye swollen. She contacted to her Doctor and was instructed to take Benadryl.
1220661	4/16/2021	PA	35	F	4/15/2021	4/16/2021	1. Migraine aura - lasted about ten minutes, no headache just aura; started as shimmering glare in middle of eye and grew to edges and then disappeared. 2. Arm soreness
1220465	4/16/2021	TX	24	F	3/10/2021	3/24/2021	Report hair falling out 2 weeks post vaccination and bruising of the right and left arm -noticed on 4/15/21 1 month and 6 days post vaccination. Report of chest pain 1 month 6 days post vaccination described as a pinch lasting 2 minutes. Denies SOB, leg swelling, headache or blurred vision. Treatment: Instructed to see primary care doctor
1220321	4/16/2021	NY	48	F	4/8/2021	4/13/2021	I am not sure if my event was caused by the vaccine I received on April 8, but I have a very strong feeling it is, as never in my life have I experienced anything like it. My day began normally, and I just had returned home from an appointment. I had some lunch, and a few minutes later as I was standing in my kitchen, I began sweating terribly, heart was racing, and I felt like I was going to pass out. I managed to make it to a large living room chair, and once I lay down and put my head back, I passed out. My daughter witnessed everything and said when I passed out, my arms were trembling and my eyes rolled back. This lasted for about 30 seconds. She was unable to arouse me for a bit, but when I came to my speech was slurred. I did not know what had happened. My daughter called 911. By the time medics arrived, I was feeling much better and aware of everything happening. The checked for signs of stroke, vital signs, blood sugar, and everything was normal. I was transported to the ER, and my work up there was normal, including EKG and blood work. The physician that I saw diagnosed me with vasovagal syncope and did not feel the event was related to the vaccine. I completely recovered, and like I said I?m not sure if it was related to the vaccine I received or not. I just feel that it may be worth noting since I?ve never had an experience like this and I?m pretty healthy with really no medical history.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1220324	4/16/2021		26	M	4/16/2021	4/16/2021	Patient was anxious before vaccine administration and noted he usually faints before a vaccine or blood is taken. I spoke with him during administration and patient was alert and oriented during the vaccination and immediately after. Patient was sitting in the observation area next to his girlfriend about 5 to 10 minutes after administration and then his girlfriend noted his eyes closed while sitting up. Within seconds he reopened his eyes and was speaking. Rushed over and gave the patient a water bottle and loosened tight layered clothing. Advised patient to remain seated for an additional 15 minutes (total time in observation 30 minutes). Repeatedly checked on patient and he stated that he was ok and felt a lot better. Patient stated he was anxious about the vaccine and felt better.
1220349	4/16/2021	TX	48	F	3/29/2021	4/12/2021	My wife was feeling great and then woke up with massive sinus pressure from her face cheek bones and up. Blocked nasal passages. Swollen, aching eyeballs with eye muscle pain. Extremely dark circles below eyes. Headache and nausea. Continued for 36 hours and then went away. We thought we would let you know as there now is a hold on administering this vaccine.
1220351	4/16/2021	CA	62	F	4/16/2021	4/16/2021	Patient was given COVID-19 vaccine and was in 15 mins observation period. Patient complaint of throat numbing, tongue was swelling and left eye was twitching. We called the rapid respond team of our clinic and Dr and his team did assessment. Patient was observed for 30 more minutes. Patient was authorized to go home. It turned out that it was a minor allergic reaction and patient is to report to emergency room if she doesn't get better when she gets home.
1220404	4/16/2021	HI	51	F	3/26/2021	3/26/2021	I was starting to feel a little off in thirty minutes and about 9 PM that night I had body aches. My body and joints hurt and really really tired. Those lasted until Sunday at 09:00. It just abruptly stopped. I woke up with rash all over my face and itchy and swollen eyes on Saturday and I went to the eye doctor on Saturday. I was given eye drops and an anti-histamine; That is helping. I am still a little bit itchy on my face but it's better.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1220585	4/16/2021	RI	20	F	3/20/2021	3/20/2021	Johnson and johnson covid-19 vaccine eau March 20th - allergic reaction to covid vaccine Johnson & Johnson. Allergic reaction started approximately 2 minutes after receiving shot. It started with itching and redness on my arms and upper chest. After approximately 10 minutes, I knew something was wrong and I signaled an attendant. They immediately brought me over to the EMTs on site, where they looks me over and started drawing up IV Benadryl. In the time it took for them to draw up IV Benadryl and insert the IV, the hives on my chest started to turn into burning and ice sensations intermittently. As soon as they administered the IV Benadryl, the itching redness and hives on my arms went away within a couple minutes, and I was left with only redness on my upper chest. They felt comfortable with me getting a ride to the ER from my dad and not getting emergency transport. At the ER, they gave me pepcid and prednisone. About an hour and a half later, I started developing chest tightness and hives and redness on the side of my face. They decided to administer more Benadryl and start epinephrine. I was discharged a couple hours later. March 22nd - I went back to the hospital, with complaints of severe stomach pain. The stomach pain lasted approximately 24 hours. March 20th to march 26th - I experienced extreme fatigue. I was exhausted to the point where on Wednesday I took a ten minute shower and by the end of it I had to lay down again because I was shaking from exhaustion. Symptoms improved slightly until April 5th where it started taking a turn for the worse. April 5th - I started noticing black spots in my vision that wouldn't go away. They didn't move and they stayed in one spot for hours until I fell asleep and then they'd be gone the next morning. They usually started around 8:00 or 9:00 at night. Sometimes a couple hours earlier. They came every day until Friday April 9th when they did not come. April 5th to present - I also started noticing light-headedness, motion sickness when I stood still or sat in a chair, nausea, neck pain, and periods of muscle weakness in the neck. These symptoms have not stopped. Friday April 9th around 6:45 p.m. I started having a bad migraine, I noticed in the bathroom at work my eyes were dilating over and over and over again rapidly. The pain was very high. I ended up leaving work early and going to the emergency room. While at the

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1220454	4/16/2021	CA	29	M	4/14/2021	4/14/2021	<p>emergency room they treated my migraine with a cocktail of Benadryl, toradol, and compazine. It reduced the pain at the time, however it did not take away the migraine. Friday April 9th to present - My migraine has continued from April 9th and is still happening. I have been having severe light sensitivity, sound sensitivity, and trouble reading. The rapid dilation of my eyes stopped April 10th, however my eyes stayed dilated until April 12th. In addition to all of my other symptoms, there are others that I am not as positive are relevant. I have asthma and it has been worse over the past couple of weeks, it is not usually worse this time of year. I've been also been having quite a bit more light bruising than normal over the past two weeks and over the past one and a half weeks I have noticed red spots all over my skin. I was not sure if these red spots were normal or not because I do have them on occasion however these are darker than normal.</p> <p>This patient had received vaccination and was scheduling next appt in observation area. Medical alert called overhead. RN responded to alert. Pt conscious, but per RN, in observation area, she stated he had a loss of consciousness and although she tried to break his fall, he did hit his head on the wall. Pt was sitting in chair, vitals attempted to be assessed, no reading, but patient alert. Before vitals were repeated, 16:18 pt eyes drifted left and closing, another loss of consciousness, followed by convulsions and gasping sounds from the throat. Pt convulsed and left leg /foot turned inward torsion. Pt was removed from chair by 3 RN's to floor safely. approximately 15-30seconds of convulsion. pt regained consciousness AOX4. Pt remained laying, head propped on cushion. vitals taken 16:24 BP 108/69 86bpm, 100%O2Sat. MD assessed and pt stable. MD provided recommendation for pt to be evaluated at ED for further evaluation due to the convulsions. Pt accompanied by friend, friend agreed to drive pt to ED. Blood Glucose 90, which was taken at 1630. Wheelchair was provided for patient, RN rolled pt out to car and friend designated driver.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1220769	4/16/2021	WA	38	F	3/26/2021	4/9/2021	Exactly two weeks after the 2nd covid shot, to the hour, my eyes became puffy and swollen. Eyelids, under eye, between eyes - all was swollen. Also, three small (about 2") rashes: under chin and inside both wrists. Stayed swollen 48 hours before seeking medical care. Could not think of anything I had a reaction to. No new laundry soap, pillow, food, drink, facial product. Only thing done that I'd never done or used or had before was I spent 2 hours on the deck of an indoor swimming pool. 48 hours after onset, I visited virtual care Doctor. Prescribed Zyrtec (once daily) and ophthalmic erythromycin. Started at bedtime, woke up to eyes more swollen than before. Visited walk in clinic and told to stop erythromycin, start famotidine (20 mg twice daily x5 days) and prednisone (50 mg qd x3 days) and continue Zyrtec. Cleared within 2.5 days.
1220469	4/16/2021	MI	37	F	4/8/2021	4/10/2021	High blood pressure, vertigo, lethargy, headache, blurred vision,
1220493	4/16/2021	TN	36	M	4/2/2021	4/13/2021	12 days after the receiving the vaccine I began to have adverse symptoms. Fever of 102.5 that goes away 6 hours or so if I take ibuprofen. I've had the fever for 3 days. Body and joint aches all over. Pressure in my face nice my eyebrows and stiffness of neck. I'm also very tired. I do not have a cough or any congestion.
1220496	4/16/2021	NJ	59	F	3/31/2021	3/31/2021	Started with headache about 20 minutes after shot, then gradually over the next 45 minutes itchy & puffy upper lip, cheeks, eyelids, tightness at back of mouth. all cleared up about 45 minutes after onset so all lasted about 1.5 hours
1220536	4/16/2021	MA	46	F	3/4/2021	4/1/2021	Bad headache, shortness of breath, sweaty clammy , non stop violence vomiting , blood coming through nose while vomiting nausea and stomach , dizzy , vision . Weak . Felt like I was dying
1220548	4/16/2021	CA	27	M	4/10/2021	4/15/2021	NOTE: Taking Tylenol, Ibuprofen, Diphenhydramine HCL, Clear Eyes Eye drops. Have severe bruising of the eyes. Shortness of breath. Muscle Aches. Joint Aches. Congestion. Mucus buildup. Headaches. Brain noble unstable pressure, and heaviness. Unbalanced and unstable proprioception.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1220550	4/16/2021	CA	53	F	4/2/2021	4/2/2021	Muscle contractions mainly back Eye spasms
1220415	4/16/2021	LA	34	M	4/15/2021	4/15/2021	Within an hour of receiving the vaccine, I began to feel "odd" (i.e heart racing, spine tingling, strange sensations in my hands, and dizziness). At the hour mark, while trying to "walk it off" inside my backyard, things escalated quickly. As I came back inside, I suddenly collapsed and and lost consciousness. Luckily my best friend was with me and she described my behavior as a full on seizure (which I am not predisposed to). According to her, I was flopping around, spitting wildly and drooling all over my face, my eyes wide and glazed staring into nothing, lips turning blue. She immediately called 911 and within 5-10 minutes, two EMT's arrived and began to speak to me and take my vitals. For a good 15 minutes I couldn't sit up and had to lay on the ground, still extremely out of it - unable to think, merely in extreme discomfort similar to the most intense flu I've ever experienced. After a half hour or so, I sat up and was able to thank them for helping me and answer some of their questions. Over another 15 or so minutes they said all my vitals were perfect and they were not worried about me - sure I'd make a full recovery, which I hope I did. I am feeling MUCH better today. The reason I felt it so important to submit this report is because I had never heard of anyone experiencing side-effects that severe. Of course I had heard it could wipe you out, give you chills, aches, and exhaustion - but I had never heard that it could lead to a seizure so scary that my best friend thought I might be dying. I truly don't know what might have happened without her. People should know to have someone at home with them after the second dose. I am not over-exaggerating about my symptoms whatsoever. My body still hurts all over and I feel as if I went through some type of gauntlet yesterday. I absolutely do NOT want to discourage anyone from getting the vaccine, but I wish I had some notion that something so severe could happen to me.
1218188	4/16/2021	PA	46	F	4/10/2021	4/14/2021	Large patches of a red rash only on left side of face with significant swelling in left eye. Slight itching, no pain. Swelling of left eye lid much worse 36 hours later.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1221030	4/16/2021	TX		F	2/24/2021	3/26/2021	stroke; double vision; cannot swallow; vertigo; no vision; could not walk; one side body went numb; headache; vomiting; fell down a few times; dizziness, lightheaded; balance issues; weak; tired; This spontaneous case was reported by a patient family member or friend and describes the occurrence of CEREBROVASCULAR ACCIDENT (stroke) and BLINDNESS TRANSIENT (no vision) in a 54-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 046A21A and 012A21A) for COVID-19 immunization. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Fruit allergy (Allergic to Peaches). Concomitant products included MULTIVITAMIN [VITAMINS NOS] and VITAMIN D [VITAMIN D NOS] for an unknown indication. On 24-Feb-2021 at 9:30 AM, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 24-Mar-2021 at 9:30 AM, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 26-Mar-2021, the patient experienced BALANCE DISORDER (balance issues), ASTHENIA (weak) and FATIGUE (tired). On 26-Mar-2021 at 12:00 PM, the patient experienced DIZZINESS (dizziness, lightheaded). On 27-Mar-2021, the patient experienced FALL (fell down a few times). On 28-Mar-2021, the patient experienced BLINDNESS TRANSIENT (no vision) (seriousness criterion medically significant), GAIT DISTURBANCE (could not walk), HYPOAESTHESIA (one side body went numb), HEADACHE (headache) and VOMITING (vomiting). On 28-Mar-2021 at 10:30 AM, the patient experienced CEREBROVASCULAR ACCIDENT (stroke) (seriousness criterion hospitalization) and VERTIGO (vertigo). On 30-Mar-2021, the patient experienced DIPLOPIA (double vision) and DYSPHAGIA (cannot swallow). The patient was hospitalized on 28-Mar-2021 due to CEREBROVASCULAR ACCIDENT. At the time of the report, CEREBROVASCULAR ACCIDENT (stroke), DIPLOPIA (double vision), DYSPHAGIA (cannot swallow), VERTIGO (vertigo), GAIT DISTURBANCE (could not walk), HYPOAESTHESIA (one side body went numb) and HEADACHE (headache) had not resolved, BLINDNESS TRANSIENT (no vision) and FALL (fell down a few times) had resolved and DIZZINESS

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							(dizziness, lightheaded), BALANCE DISORDER (balance issues), ASTHENIA (weak), FATIGUE (tired) and VOMITING (vomiting) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 28-Mar-2021, Blood pressure measurement: 270/150 mmHg. On 30-Mar-2021, Magnetic resonance imaging: abnormal MRI showed stroke in cerebellum- left medulla part of brain.; Sender's Comments: Very limited information regarding these events has been provided at this time. The events are probably related to the patient's comorbidities
1221059	4/16/2021	WA	50	M	4/16/2021	4/16/2021	Patient made an appointment for the COVID-19 vaccine (Pfizer). Patient let us know that he has medical induced anxiety. He has passed out from random medical appointments in the past. Patient was sitting within eye view of the pharmacy. A passing by gentleman said "Dude, are you ok?". I looked over and the gentleman was no longer in his chair. Customer helped gentleman into the chair. The nurse who administered the shot and myself (pharmacist) ran out with the emergency kit. Patient was conscious, but had no color in his face. We gave him water, orange juice, and moist towel for his forehead. Nurse took pulse, it was within normal range. Called 911, EMTs arrived. Patient declined any more help. He walked out of the pharmacy area. Total time of event: 15 minutes.
1221063	4/16/2021	CA	47	F	4/9/2021	4/10/2021	Consistent non stop headache, sinus pain and inner ear ache, primarily on the left side of the body/ head. swollen lymph glands on the left side of the neck. Pain on sinuses and above eye on the left side of the head. Headache and ear pain have been present and consistent for 7 days. Abdominal pain started on day 6 and bloating of the upper abdominal area.
1221066	4/16/2021		30	M	4/14/2021	4/14/2021	Pt complained of numbness at injection site in L arm, radiating down to forearm. BP 151/90, HR89, RR18. No other symptoms or visual changes, self-resolved. Pt discharged in stable condition

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1221098	4/16/2021	PA	25	F	4/10/2021	4/10/2021	Dizziness Lightheaded Nausea Muscle pain Nerve pain Joint pain (especially in my hips, legs, knees, ankles) Possible fever/low grade Felt hot while having chills/shivering uncontrollably Headache Nose, ear, and eye stuffed up/closed on the opposite side of the shot arm. Throat itchy and felt like it was closing up at times. Achey entire body. Keep feeling like i have to pee Peeing alot more than usual in terms of times and amount Stomach ache Spine and lower back pain on the left side Neck pain on the left side Sore throat Left leg pain more than right leg. Numbness and tingling in my hands and arms. More so in the left side than the right. Unable to hold a pen and write at one point *happened on wednesday* During wednesday. Had that weird pain in arm. Started as numbness and tingling then a hot pain ive never felt before when on the very left side of my chest area up/down into my arm and down the one side of the arm and into my ring and pinkie fingers. Felt like i was in a crushing bear hug and couldnt breath Then later the same type of pain entered my left leg. Not as serve pain/feeling in chest during the leg episode Today around 740 had the same pain (none in chest) in my right leg as described above Sudical thoughts/feelings. I know its not a right thought. Feels like when i had a reaction to another medication
1220759	4/16/2021	VA	26	F	4/16/2021	4/16/2021	About 5-10 minutes post vaccination, experienced severe dizziness, impaired vision, and shortness of breath. Experienced sore throat and nausea about 20-30 minutes post vaccination. All of these side effects lasted under 40 minutes. Shortness of breath and dizziness is still prevalent hours post vaccine, but is mild.
1221128	4/16/2021	NC	57	F	4/14/2021	4/15/2021	Symptoms first occurred approximately 26 hours after injection (4:30 pm following day). Initial symptom was mild headache progressively increasing in severity with pain between the eyes and at top of left eyeball. Pain in both shoulder joints, swollen fingers, inability to sleep, dry throat, abdominal pain in liver & spleen, pain in mouth, nausea, vomiting. Symptoms lasted approximately 14 hours until 6 am.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1220992	4/16/2021	NJ	71	F	3/9/2021	4/9/2021	<p>puffy bags under my eyes; itching on my cheeks; throat sore because I'm breathing through my mouth; face was totally swollen/face swollen up like a balloon; started with my right eye itching/both eyes started itching; right eye was shut/both my eyes were completely shut/eyes are shut down for two and half days now; nose is all swollen; nose is so swollen that I can't breath with that; had a slight temperature; started with adverse reaction; This spontaneous case was reported by a consumer and describes the occurrence of SWELLING FACE (face was totally swollen/face swollen up like a balloon), EYE SWELLING (right eye was shut/both my eyes were completely shut/eyes are shut down for two and half days now), PERIORBITAL SWELLING (puffy bags under my eyes) and PRURITUS (itching on my cheeks) in a 71-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (Medical history not provided.). On 09-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 06-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 09-Apr-2021, the patient experienced ADVERSE REACTION (started with adverse reaction). On 10-Apr-2021, the patient experienced SWELLING FACE (face was totally swollen/face swollen up like a balloon) (seriousness criterion medically significant), EYE PRURITUS (started with my right eye itching/both eyes started itching), EYE SWELLING (right eye was shut/both my eyes were completely shut/eyes are shut down for two and half days now) (seriousness criterion intervention required), PRURITUS (itching on my cheeks) (seriousness criterion intervention required), OROPHARYNGEAL PAIN (throat sore because I'm breathing through my mouth), NASAL OEDEMA (nose is all swollen), NASAL CONGESTION (nose is so swollen that I can't breath with that) and PYREXIA (had a slight temperature). On 11-Apr-2021, the patient experienced PERIORBITAL SWELLING (puffy bags under my eyes) (seriousness criterion intervention required). At the time of the report, SWELLING FACE (face was totally swollen/face swollen up like a balloon), EYE PRURITUS</p>



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

(started with my right eye itching/both eyes started itching), EYE SWELLING (right eye was shut/both my eyes were completely shut/eyes are shut down for two and half days now), PERIORBITAL SWELLING (puffy bags under my eyes), PRURITUS (itching on my cheeks), OROPHARYNGEAL PAIN (throat sore because I'm breathing through my mouth), ADVERSE REACTION (started with adverse reaction), NASAL OEDEMA (nose is all swollen), NASAL CONGESTION (nose is so swollen that I can't breath with that) and PYREXIA (had a slight temperature) outcome was unknown. Not Provided Patient reports taking diphenhydramine with no improvement and prednisone with slight improvment. PCP (primary care physician) advised the patient to go to the ER (emergency room); however, no information was provided suggesting the patient adhered to the HCP's recommendation.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1221154	4/16/2021	CA	78	F	1/21/2021	2/19/2021	<p>Bell's Palsy; Enlargement of lymph node; No appetite; High fever; This spontaneous case was reported by a physician (subsequently medically confirmed) and describes the occurrence of FACIAL PARALYSIS (Bell's Palsy) in a 78-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 006M20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Cholesterol (Tressor for cholesterol), Stress (Takes "stress pills") and Drug allergy (azithromycin (Zithromax)). On 21-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 19-Feb-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 19-Feb-2021, the patient experienced LYMPHADENOPATHY (Enlargement of lymph node), DECREASED APPETITE (No appetite) and PYREXIA (High fever). On 10-Apr-2021, the patient experienced FACIAL PARALYSIS (Bell's Palsy) (seriousness criterion medically significant). On 05-Mar-2021, LYMPHADENOPATHY (Enlargement of lymph node), DECREASED APPETITE (No appetite) and PYREXIA (High fever) had resolved. At the time of the report, FACIAL PARALYSIS (Bell's Palsy) outcome was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. On 10-Apr-2021, she experienced right-sided facial paralysis and was unable to keep her eyes closed. Her doctor subsequently diagnosed Bell's Palsy. The patient inquired if there were patients who have experienced the same thing. Action taken with mRNA in respect to the events was not applicable. Concomitant medications included stress pills and tressor for cholesterol. Treatment included prednisone, unspecified antiviral medication and eye drops for the right eye. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1221160	4/16/2021	NJ	51	F	4/14/2021	4/14/2021	Loose BM, pounding headache, body aches, nausea, fatigue, sore arm, chills , eyes hurt-sinus.
1221165	4/16/2021	MD	68	F	4/9/2021	4/9/2021	bleeding in left eye; had little pain in arm; had some chills; This spontaneous case was reported by a consumer and describes the occurrence of EYE HAEMORRHAGE (bleeding in left eye) in a 68-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 025B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No reported medical history.). On 09-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 09-Apr-2021, the patient experienced PAIN IN EXTREMITY (had little pain in arm) and CHILLS (had some chills). On 12-Apr-2021, the patient experienced EYE HAEMORRHAGE (bleeding in left eye) (seriousness criterion medically significant). At the time of the report, EYE HAEMORRHAGE (bleeding in left eye), PAIN IN EXTREMITY (had little pain in arm) and CHILLS (had some chills) outcome was unknown. Not Provided The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Concomitant product use was not provided. Treatment information was not provided. Reportedly, the patient does not know if the event of bleeding in left eye was from vaccine or not. Based on the current available information and temporal association between the use of the product and the onset date of the reported events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the onset date of the reported events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1221170	4/16/2021	NM	60	M	3/24/2021	3/25/2021	stroke; couldn't walk; Breathing was shower; eye sight was been worse; bad headaches; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of CEREBROVASCULAR ACCIDENT (stroke) in a 60-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 245A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Co-suspect product included non-company product AMLODIPINE for an unknown indication. The patient's past medical history included No adverse event (No medical history reported. ). On 24-Mar-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, the patient started AMLODIPINE (unknown route) at an unspecified dose. On 25-Mar-2021, the patient experienced CEREBROVASCULAR ACCIDENT (stroke) (seriousness criterion medically significant), GAIT DISTURBANCE (couldn't walk), RESPIRATORY RATE DECREASED (Breathing was shower), VISUAL IMPAIRMENT (eye sight was been worse) and HEADACHE (bad headaches). At the time of the report, CEREBROVASCULAR ACCIDENT (stroke), GAIT DISTURBANCE (couldn't walk), RESPIRATORY RATE DECREASED (Breathing was shower), VISUAL IMPAIRMENT (eye sight was been worse) and HEADACHE (bad headaches) had not resolved. Not Provided Treatment for the event included clonidine, aspirin (81mg) to try to thin the blood, losartan, atorvastatin and cyclobenzaprine. Action taken with mRNA-1273 in response to the event was not applicable. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1221189	4/16/2021	MN	60	F	1/11/2021	1/20/2021	her eye looks like a bee stung her eyelid, it is swollen; hives on face; rash on her legs and her legs were itching; rash on her legs and her legs were itching; This is a spontaneous report from contactable consumer (patient). A 60-year-old female received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; solution for injection; Batch/lot number: EK9231; Expiration Date 30Apr2021) via unspecified route of administration in right on 11Jan2021 at 16:00 as single dose for COVID-19 immunisation. The patient medical history not reported. historical vaccine included BNT162B2 (First dose: 21Dec2021; Lot number: EL0140; Expiration Date: Mar2021) and concomitant medications were not reported. patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. On 20Jan2021, the patient reported hives on face that were red and bumpy. They are not as bumpy but it is still red like her face looks sunburned red and her eye is swollen, rash on her legs and her legs were itching, on 03Feb2021 her eye looks like a bee stung her eyelid it is swollen. Treatment received for the events with Prednisone. The outcome of the events (Urticaria, rash, pruritus) was unknown, her eye looks like a bee stung her eyelid, it is swollen was not recovered. Description of Product complaint: Caller was calling about the Pfizer COVID vaccine. She says she wanted to report having a reaction. She had hives, like a rash and her eye looks like a bee stung her eyelid, it was swollen. She had a rash on her face and her legs and her legs were itching, it was like hives on her face that were red and bumpy. They are not as bumpy but it was still red. She has been taking Prednisone and she was not sure if that is why its getting a little bit better but it was still really red and itching and the swollen eye was a new thing. Her Prednisone was in an amber color pharmacy bottle and does not see an NDC lot or expiration on there.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1221191	4/16/2021	UT		M	2/6/2021		<p>pulmonary fibrosis; heart hurt; hearing and eyes are no good and he is old; COPD; hearing and eyes are no good and he is old; arm sore; lungs felt funny and airy but could breathe real good; real bad frontal headache and the top of the head that were two real strong headaches that lasted quite a while; change in smell for several days; he is in terrible pain lying in the bed due to dirty things wrong with him; terminally ill; neck pain; This is a spontaneous report from a contactable consumer or other non-health care professional via PPDI. An 80-years-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, Lot number: en5318) via unspecified route of administration on 06Feb2021 as single dose for COVID-19 immunization. Medical history included twelve chronic conditions that he has been treated for, for years. Patient mentioned on an unspecified date, he already died once, clarified, it was very sudden and he had a heart attack in his sleep. He had central sleep apnea and he stopped breathing. He has atherosclerosis, his arteries are clogged and he has chronic inflammation, stated it is a can of worms. He has polycystic kidney disease, stated his kidneys are headed that way. He has chronic insomnia, Cerebrovascular accident from 2008, had mini strokes and had heart surgery for blood clots to his brain in 2008. The patient concomitant medications were not reported. On an unspecified date, the patient experienced pulmonary fibrosis, heart hurt, arm sore, lungs felt funny and airy but could breathe real good, real bad frontal headache and the top of the head that were two real strong headaches that lasted quite a while, change in smell for several days, he is in terrible pain lying in the bed due to dirty things wrong with him, terminally ill, hearing and eyes are no good and he is old, copd, hearing and eyes are no good and he is old and neck pain. AE for second dose transmitted. Patient also stated that after the second shot, his arm was sore at the site, swelling and pain more profound and sooner, knot in the arm, arthritic knees and joints became more painful, illusion of a spider walking on the wall, pain in the left arm bicep, lower left back got painful and went down in to the hip and left thigh muscles and had headaches. Patient mentioned his heart and lungs heart a few days after the second shot and had a strange feeling in his lungs. Patient stated he had night</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							sweats and got drenched but this is a symptom of a heart problem which he has. Patient stated his heart beat was skipping around 68-78 and his oxygen was skipping around. Patient stated that he has PVC. Patient stated he had a headache on the top of his head. Outcome of the events was unknown.
1219130	4/16/2021	FL	80	F	4/2/2021	4/6/2021	high blood pressure , dizziness , blurred vision , nausea saw doctor , was in hospital 4/15-contacted the patient , patient has been feeling much better for some time , no issues now
1220946	4/16/2021	CA	67	U			Scleral hemorrhaging of the right eye; This spontaneous case was reported by a consumer and describes the occurrence of SCLERAL HAEMORRHAGE (Scleral hemorrhaging of the right eye) in a 67-year-old patient of an unknown gender who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The patient's past medical history included No adverse event (No reported medical history). On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, the patient experienced SCLERAL HAEMORRHAGE (Scleral hemorrhaging of the right eye) (seriousness criterion medically significant). At the time of the report, SCLERAL HAEMORRHAGE (Scleral hemorrhaging of the right eye) outcome was unknown. mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosing remained unchanged. This case was linked to MOD-2021-072179 (Patient Link).
1221121	4/16/2021	TX	51	F	3/26/2021	3/29/2021	Bruise approximately 1.5? in diameter at injection site & swelling, very sore shoulder muscle for next 2-3 days; Pulsating tinnitus in right ear started 3/29/21; dizziness started 3/31/21 or 4/1/21; headaches and constriction of facial muscles around right eye began 4-5 days after injection; 4/4/21 dizziness was accompanied by feeling of nausea and loss of appetite Visited ENT on 4/5/21. Audiologist assessed loss of hearing in both ears

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1220785	4/16/2021	NC	60	F	4/8/2021	4/15/2021	Felt some irritation near the upper middle of my back my spouse checked it out and it is hard to see.What I can see and my spouse is a 7x7 inch bumps spread across area.Some pain not much itching .I'm postive it's a reaction to shot first time iv ever had this happen.Im very healthy good skin no new products in used.Im feel like it's a reaction.Keeping Close eye on it.Useing hydrocortisone cream at this time.Thank you .I was asked by My local Health Dept to Contact you.
1220790	4/16/2021	OH	50	M	4/8/2021	4/10/2021	This is a 50-year-old male who got his first Covid vaccine last Thursday, April 8 and then he said on Saturday he began to feel weak and off balance. He also began to feel tremulous. He apparently said that on Saturday his right leg was shaking so bad he could hardly walk. He denies any numbness but again feels off balance. He has fallen down several times since Saturday. He apparently went to urgent care and then was sent to the emergency department for evaluation. His blood pressure was noted to be 194/130 on presentation. He does have an obvious tremor in his left arm. His significant other says that he at times had slurred his words. The patient does not know what type of vaccine he received on April 8. The patient due to these symptoms presents to the emergency department now for evaluation. He apparently drinks about 8 to 10 cans of beer per day and has done so for an extended period. He denies any loss of vision. Patient was not a candidate for alteplase. He was admitted on 4/12 and discharged on 4/14. Discharge medications included aspirin, atorvastatin, clopidogrel, and losartan.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1220814	4/16/2021	NY	58	F	4/10/2021	4/10/2021	Within 7 minutes of receiving shot, my vision was slightly impaired (darkening ) cold sweating, heart racing, head pressure and feeling I was going to faint. Emt?s and nurse assisted me. My blood pressure spiked to 176/100 and my legs and hands were shaking uncontrollably. Someone mentioned a hypertensive crisis and I was getting frightened. I requested an anti anxiety pill from my purse, which they let me have. It didn?t help me at all. I was taken to an ambulance and waited for a relative to come pick up my disabled daughter who was with me getting her covid shot as well. I asked if they were taking me to the hospital, and was told ? you don?t want to go there? after an hour, bp came down to 146/90? ..which is still too high and not typical for me.This was NOT brought on by an anxiety attack.i was not remotely anxious and was simply sitting and speaking with my daughter when I was stricken. The next 3 days my heart was racing. I wear a Fitbit to bed and my heart rate recorded spikes of 116 while I was asleep. Had bouts of bad stomach pain and diarrhea the next two days. Followed up with my GP 4 days later . Still having palpitations and following up with cardiologist.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1220855	4/16/2021	MI		F	3/8/2021	3/9/2021	burning sensation on the left side of face, neck , eye and top of head that increasing at nigh; numbness sensation on the left side of face, neck , eye and top of head that increasing at night.; unable to sleep due to the pain; This spontaneous case was reported by a consumer and describes the occurrence of HYPOAESTHESIA (numbness sensation on the left side of face, neck , eye and top of head that increasing at night.), BURNING SENSATION (burning sensation on the left side of face, neck , eye and top of head that increasing at nigh), and INSOMNIA (unable to sleep due to the pain) in a 79-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 010A21A) for COVID-19 vaccination. No Medical History information was reported. On 08-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) at an unspecified dose. On 09-Mar-2021, the patient experienced HYPOAESTHESIA (numbness sensation on the left side of face, neck , eye and top of head that increasing at night.), BURNING SENSATION (burning sensation on the left side of face, neck , eye and top of head that increasing at night) and INSOMNIA (unable to sleep due to the pain). The patient was treated with GABAPENTIN at an unspecified dose and frequency and a CT scan was performed. At the time of the report, HYPOAESTHESIA (numbness sensation on the left side of face, neck , eye and top of head that increasing at night.), BURNING SENSATION (burning sensation on the left side of face, neck , eye and top of head that increasing at nigh), and INSOMNIA (unable to sleep due to the pain) outcome was unknown. Not Provided The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Reporter did not allow further contact; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1220894	4/16/2021	MA	63	F	3/24/2021	3/24/2021	brief loss of consciousness; low blood pressure; blurry vision; dizziness; shakiness; cold chills; nausea; sore arm; fatigue; This spontaneous case was reported by a consumer and describes the occurrence of LOSS OF CONSCIOUSNESS (brief loss of consciousness) in a 63-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 007B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (Medical history not provided.). On 24-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 24-Mar-2021, the patient experienced LOSS OF CONSCIOUSNESS (brief loss of consciousness) (seriousness criterion medically significant), HYPOTENSION (low blood pressure), VISION BLURRED (blurry vision), DIZZINESS (dizziness), TREMOR (shakiness), CHILLS (cold chills), NAUSEA (nausea), PAIN IN EXTREMITY (sore arm) and FATIGUE (fatigue). On 24-Mar-2021, LOSS OF CONSCIOUSNESS (brief loss of consciousness) had resolved. At the time of the report, HYPOTENSION (low blood pressure), VISION BLURRED (blurry vision), DIZZINESS (dizziness), TREMOR (shakiness), CHILLS (cold chills), NAUSEA (nausea), PAIN IN EXTREMITY (sore arm) and FATIGUE (fatigue) had resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Concomitant product use was not reported. No treatment was taken. Company comment: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded.
1221014	4/16/2021	CA	65	F	4/16/2021	4/16/2021	Client received fist dose of COVID vaccine at approx. 11:20am. At 11:30 am she complained of feeling like her eye was swollen. Client denied shortness of breath, reports she had a broken nose which makes hard to breath sometimes. Vital signs taken once and stable. Client refused further observation, left against advice at 11:40 am with her family, stated she would take Benadryl at home if needed.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1220932	4/16/2021	MS	70	M	1/6/2021		cranial nerve deficit 4, 6,9, 10, 11, 12; tongue deviation to right; double vision; tongue biting; difficulty swallowing; This spontaneous case was reported by a physician (subsequently medically confirmed) and describes the occurrence of CRANIAL NERVE PALSIES MULTIPLE (cranial nerve deficit 4, 6,9, 10, 11, 12) and TONGUE PARALYSIS (tongue deviation to right) in a 70-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 025L20A and 021L20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history was not provided. Concomitant products included ATORVASTATIN CALCIUM (LIPITOR), LISINOPRIL, ALUMINIUM HYDROXIDE GEL, DRIED, MAGNESIUM CARBONATE (PEPCID [ALUMINIUM HYDROXIDE GEL, DRIED;MAGNESIUM CARBONATE]), OMEPRAZOLE, NEBIVOLOL HYDROCHLORIDE (BYSTOLIC) and COENZYME Q10 [UBIDECARENONE] for an unknown indication. On 06-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 03-Feb-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient experienced deficit in the cranial nerves 4, 6, 9, 10, 11,12 after been vaccinated with 1st dose of Moderna Vaccine and difficulty with mouth which resulted in him biting his tongue. The patient's tongue deviates to the right, double vision, difficulty swallowing (swallow test was negative). Physical Exam, CTA to rule dissection (result was negative), Stroke tests were negative. MRI with/without contrast of the brain & upper spinal cord which was conducted twice and the results were normal. the patient is undergoing a neurophysiology count (result is pending) The patient experienced CRANIAL NERVE PALSIES MULTIPLE (cranial nerve deficit 4, 6,9, 10, 11, 12) (seriousness criterion medically significant), TONGUE PARALYSIS (tongue deviation to right) (seriousness criterion medically significant), DIPLOPIA (double vision), TONGUE BITING (tongue biting) and DYSPHAGIA (difficulty swallowing). At the time of the report, CRANIAL NERVE PALSIES MULTIPLE (cranial nerve deficit 4, 6,9, 10, 11, 12), TONGUE PARALYSIS (tongue deviation to right), DIPLOPIA (double vision), TONGUE BITING (tongue biting) and DYSPHAGIA

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							(difficulty swallowing) outcome was unknown. Not Provided DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On an unknown date, Computerised tomogram: negative (Negative) Negative. On an unknown date, Magnetic resonance imaging brain: normal (normal) Normal. On an unknown date, Magnetic resonance imaging spinal: normal (normal) Normal. On an unknown date, Physical examination: negative (Negative) Negative. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Patient had difficulty swallowing (swallow test was negative), stroke tests were negative. His Neuro-physiologist is doing a neurophysiology count (result is pending). No treatment information was provided. Reporter did not allow further contact; Sender's Comments: Based on the information provided, a causal association between the reported event and cranial nerves deficit is assessed as unlikely based on diagnostic test. However, based on temporality, causality with the other reported events of dysphagia, tongue biting and deviation and double vision cannot be excluded.
1220999	4/16/2021	VA	29	F	4/15/2021	4/15/2021	Extremely cold (fingers and toes became numb), aching bones/joints, itchy skin, hives, headache, fever, extreme sweating, sore throat, hoarse voice, sore throat, runny/stuffy nose, eye pain, fatigue, nausea, lack of appetite, confusion, feeling like my body was moving in slow motion

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1220957	4/16/2021	IL		F	3/9/2021		<p>Reactivation Of Epstein Barr Virus; Trouble swallowing; Tongue Painful; Eyes running; Eyes yellow matter; Extremely Fatigue; Low grade Fever; This spontaneous case was reported by a patient family member or friend and describes the occurrence of EPSTEIN-BARR VIRUS INFECTION REACTIVATION (Reactivation Of Epstein Barr Virus) in a 44-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Infectious mononucleosis (has history of Infectious Mononucleosis 2 times). On 09-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, the patient experienced EPSTEIN-BARR VIRUS INFECTION REACTIVATION (Reactivation Of Epstein Barr Virus) (seriousness criterion medically significant), DYSPHAGIA (Trouble swallowing), GLOSSODYNIA (Tongue Painful), LACRIMATION INCREASED (Eyes running), EYE DISCHARGE (Eyes yellow matter), FATIGUE (Extremely Fatigue) and PYREXIA (Low grade Fever). At the time of the report, EPSTEIN-BARR VIRUS INFECTION REACTIVATION (Reactivation Of Epstein Barr Virus), DYSPHAGIA (Trouble swallowing), GLOSSODYNIA (Tongue Painful), LACRIMATION INCREASED (Eyes running), EYE DISCHARGE (Eyes yellow matter), FATIGUE (Extremely Fatigue) and PYREXIA (Low grade Fever) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): In 2021, SARS-CoV-2 test: negative (Negative) negative. In 2021, Streptococcus test: negative (Negative) negative. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Treatment for the events included antibiotics and eye drops. EBV can be reactivated as a result of with weakened immune systems manifesting in patients developing symptoms. Hence, based on the information provided and the onsets of the reported events, a causal association cannot be excluded. Fatigue and fever are consistent with the known safety profile of mRNA-1273; Sender's Comments: EBV can be reactivated as a result of with weakened immune systems manifesting in patients developing symptoms. Hence, based on the information</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

provided and the onsets of the reported events, a causal association cannot be excluded. Fatigue and fever are consistent with the known safety profile of mRNA-1273

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1220960	4/16/2021	NE	40	F	4/6/2021	4/8/2021	unconscious 3 times only for a second, kind of freak out, this is like immediately everything close and her vision turned black; like vision going blurring, blurred vision with spots, very vague even when lying down, had this 25-30 times and 5 time so far; This spontaneous case was reported by a consumer and describes the occurrence of LOSS OF CONSCIOUSNESS (unconscious 3 times only for a second, kind of freak out, this is like immediately everything close and her vision turned black) in a 40-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 026B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No medical history provided). On 06-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 08-Apr-2021, the patient experienced LOSS OF CONSCIOUSNESS (unconscious 3 times only for a second, kind of freak out, this is like immediately everything close and her vision turned black) (seriousness criterion medically significant) and VISION BLURRED (like vision going blurring, blurred vision with spots, very vague even when lying down, had this 25-30 times and 5 time so far). At the time of the report, LOSS OF CONSCIOUSNESS (unconscious 3 times only for a second, kind of freak out, this is like immediately everything close and her vision turned black) and VISION BLURRED (like vision going blurring, blurred vision with spots, very vague even when lying down, had this 25-30 times and 5 time so far) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. No concomitant medication was reported. No treatment information was provided. Based on the current available information which includes a temporal association between the use of the product and onset of the reported events, and excluding other etiologies, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information which includes a temporal association between the use of the product and onset of the reported events, and excluding other etiologies, a causal relationship cannot be excluded.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1220972	4/16/2021	FL		F	2/10/2021	3/6/2021	vomiting; headache; woke up disoriented; unable to complete or understand tasks; confused; Cellulitis; high blood pressure; This spontaneous case was reported by a consumer and describes the occurrence of DISORIENTATION (woke up disoriented), COGNITIVE DISORDER (unable to complete or understand tasks), CONFUSIONAL STATE (confused), CELLULITIS (Cellulitis), VOMITING (vomiting), HEADACHE (headache) and HYPERTENSION (high blood pressure) in a female patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 027A21A and 031620A) for COVID-19 vaccination. Concurrent medical conditions included Hives since 2020 and Acid reflux (esophageal) since 2020. Concomitant products included OMALIZUMAB (XOLAIR) from 03-Mar-2021 to an unknown date for Hives. On 10-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 10-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 06-Mar-2021, the patient experienced VOMITING (vomiting) (seriousness criterion hospitalization) and HEADACHE (headache) (seriousness criterion hospitalization). On 08-Mar-2021, the patient experienced HYPERTENSION (high blood pressure) (seriousness criterion hospitalization prolonged). On 11-Mar-2021, the patient experienced DISORIENTATION (woke up disoriented) (seriousness criterion hospitalization), COGNITIVE DISORDER (unable to complete or understand tasks) (seriousness criterion hospitalization) and CONFUSIONAL STATE (confused) (seriousness criterion hospitalization). On an unknown date, the patient experienced CELLULITIS (Cellulitis) (seriousness criterion medically significant). The patient was hospitalized from 11-Mar-2021 to 12-Mar-2021 due to COGNITIVE DISORDER, CONFUSIONAL STATE and DISORIENTATION. At the time of the report, DISORIENTATION (woke up disoriented), COGNITIVE DISORDER (unable to complete or understand tasks) and CONFUSIONAL STATE (confused) was resolving and CELLULITIS (Cellulitis), VOMITING (vomiting), HEADACHE (headache) and HYPERTENSION (high blood pressure) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available):

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

On 11-Mar-2021, Computerised tomogram: negative Negative. On 11-Mar-2021, Echocardiogram: negative Negative. On 11-Mar-2021, Electrocardiogram: negative Negative. On 11-Mar-2021, Magnetic resonance imaging: negative Negative. Plavix was prescribed on 12Mar2021 in case it was a "vascular event." The patient discontinued Carvedilol 6.25mg (Oct 2020). Feb 22nd: Patient experienced trouble finding words, and lost bladder control. March 6th: Went ER for vomiting, headache. March 8th: In the ER, the patient high blood pressure and was started on Carvedilol at a higher dose 12.5mg 2x/day. Family noticed that she had trouble finding words, highly emotional, blurry vision. An unspecified diagnostic test revealed Carotid arteries smaller on both sides with no blockage, and Cortical atrophy. Based on the current available information and temporal association between the use of the product and the start date of the event (cellulitis, vomiting, high BP, and headache), a causal relationship cannot be excluded. Very limited information regarding the events (Disorientation, cognitive disorder, confusional state) has been provided at this time. Further information has been requested. This case was linked to MOD-2021-040734 (Patient Link).; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event (cellulitis, vomiting, high BP, and headache), a causal relationship cannot be excluded. Very limited information regarding the events (Disorientation, cognitive disorder, confusional state) has been provided at this time. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1220981	4/16/2021	MO	73	F	3/12/2021	3/13/2021	loss of hearing; Body aches; Diarrhea; shortness of breath; Loss of tastes; loss of attention; loss of memory; Breaking of the hair; Blurry vision; Nausea; chills Life Threatening; Fatigue; muscle aches; This spontaneous case was reported by a consumer and describes the occurrence of DEAFNESS (loss of hearing) in a 73-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 011A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No reported medical history). On 12-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 13-Mar-2021, the patient experienced DEAFNESS (loss of hearing) (seriousness criterion medically significant), PAIN (Body aches), DIARRHOEA (Diarrhea), DYSPNOEA (shortness of breath), AGEUSIA (Loss of tastes), DISTURBANCE IN ATTENTION (loss of attention), AMNESIA (loss of memory), TRICHORRHEXIS (Breaking of the hair), VISION BLURRED (Blurry vision), NAUSEA (Nausea), CHILLS (chills Life Threatening), FATIGUE (Fatigue) and MYALGIA (muscle aches). At the time of the report, DEAFNESS (loss of hearing), PAIN (Body aches), DIARRHOEA (Diarrhea), DYSPNOEA (shortness of breath), AGEUSIA (Loss of tastes), DISTURBANCE IN ATTENTION (loss of attention), AMNESIA (loss of memory), TRICHORRHEXIS (Breaking of the hair), NAUSEA (Nausea), CHILLS (chills Life Threatening), FATIGUE (Fatigue) and MYALGIA (muscle aches) had not resolved and VISION BLURRED (Blurry vision) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. No concomitant medications were reported. Treatment included were, acetaminophen (Tylenol) and an inhaler. Company comment:Very limited information regarding these events has been provided at this time. Further information has been requested.; Sender's Comments: Very limited information regarding these events has been provided at this time. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1220988	4/16/2021	AL	63	F	3/1/2021	3/30/2021	paralysis of legs; feeling like tongue, lips, and throat were beginning to swell; feeling like tongue, lips, and throat were beginning to swell; feeling like tongue, lips, and throat were beginning to swell; hot and cold body temperature; burning eyes, eyes on fire as if someone poured acid in them; Red eyes; peppery hot taste in mouth, empty bland taste in her mouth; body aches; lower back pain; itching in upper torso; itching at injection site; fever of 103; throbbing headache; fatigue; body chills; muscle aches / body aches; This spontaneous case was reported by a patient (subsequently medically confirmed) and describes the occurrence of DIPLEGIA (paralysis of legs) in a 63-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 028A21A and 013A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included No adverse drug reaction (No medical history reported.). On 01-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 30-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 30-Mar-2021, the patient experienced DIPLEGIA (paralysis of legs) (seriousness criterion medically significant), PHARYNGEAL SWELLING (feeling like tongue, lips, and throat were beginning to swell), LIP SWELLING (feeling like tongue, lips, and throat were beginning to swell), SWOLLEN TONGUE (feeling like tongue, lips, and throat were beginning to swell), FEELING OF BODY TEMPERATURE CHANGE (hot and cold body temperature), EYE IRRITATION (burning eyes, eyes on fire as if someone poured acid in them), OCULAR HYPERAEMIA (Red eyes), TASTE DISORDER (peppery hot taste in mouth, empty bland taste in her mouth), PAIN (body aches), BACK PAIN (lower back pain), PRURITUS (itching in upper torso), VACCINATION SITE PRURITUS (itching at injection site), PYREXIA (fever of 103), HEADACHE (throbbing headache), FATIGUE (fatigue), CHILLS (body chills) and MYALGIA (muscle aches / body aches). On 04-Apr-2021, DIPLEGIA (paralysis of legs), PHARYNGEAL SWELLING (feeling like tongue, lips, and throat were beginning to swell), LIP SWELLING (feeling like tongue, lips, and throat were beginning to

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							swell), SWOLLEN TONGUE (feeling like tongue, lips, and throat were beginning to swell), FEELING OF BODY TEMPERATURE CHANGE (hot and cold body temperature), PAIN (body aches), BACK PAIN (lower back pain), PYREXIA (fever of 103), FATIGUE (fatigue), CHILLS (body chills) and MYALGIA (muscle aches / body aches) had resolved. At the time of the report, EYE IRRITATION (burning eyes, eyes on fire as if someone poured acid in them), TASTE DISORDER (peppery hot taste in mouth, empty bland taste in her mouth), PRURITUS (itching in upper torso), VACCINATION SITE PRURITUS (itching at injection site) and HEADACHE (throbbing headache) had not resolved and OCULAR HYPERAEMIA (Red eyes) had resolved. Patient had no concomitant medications on file. The patient took acetaminophen as advised by her healthcare provider to help alleviate the symptoms, but the symptoms were not relieved. Company Comment: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. This case was linked to (E2B Linked Report).; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. MOD-2021-073883:Dose 1
1220766	4/16/2021	MO	60	M	4/14/2021	4/15/2021	Have had double vision since the morning after the shot.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1220900	4/16/2021	KY	40	M	3/31/2021	3/31/2021	<p>vision right eye/left eye became little blurry; pain behind the right eye/left eye; losing vision in right eye; hurt behind the eyes; seeing double at a distance; excruciating headache; puking/vomiting; This spontaneous case was reported by a consumer and describes the occurrence of BLINDNESS (losing vision in right eye) and SCLERITIS (hurt behind the eyes) in a 40-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event. Concomitant products included IBUPROFEN for Back pain, ACICLOVIR SODIUM (ACYCLOVIR) for Cold. On 31-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) at an unspecified dose. On 31-Mar-2021, the patient experienced HEADACHE (excruciating headache) and VOMITING (puking/vomiting). On 06-Apr-2021, the patient experienced SCLERITIS (hurt behind the eyes) (seriousness criterion medically significant) and DIPLOPIA (seeing double at a distance). On an unknown date, the patient experienced BLINDNESS (losing vision in right eye) (seriousness criterion medically significant), VISION BLURRED (vision right eye/left eye became little blurry) and EYE PAIN (pain behind the right eye/left eye). At the time of the report, BLINDNESS (losing vision in right eye), SCLERITIS (hurt behind the eyes), EYE PAIN (pain behind the right eye/left eye), DIPLOPIA (seeing double at a distance), HEADACHE (excruciating headache) and VOMITING (puking/vomiting) outcome was unknown and VISION BLURRED (vision right eye/left eye became little blurry) had not resolved. Treatment medication was not reported. Very limited information regarding these events has been provided at this time. Further information has been requested. Most recent FOLLOW-UP information incorporated above includes: On 06-Apr-2021: No specific follow-up information recorded.; Sender's Comments: Very limited information regarding these events has been provided at this time. Further information has been requested.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1219637	4/16/2021	CA	57	M	3/27/2021	4/8/2021	Developed right facial eyebrow sagging, inability to close eye, disappearance nasolabial fold, drooping corner mouth, and decreased tearing; onset 4/8/21; diagnosed with right Bells Palsy
1219519	4/16/2021	CA	39	M	4/14/2021	4/14/2021	Patient received the 1st COVID vaccine (Pfizer, Lot #: EW0162, expiration date: 07/31/2021) at 1500. EMT made contact with the patient standing in the 30 minute observation area at 1507. Patient complained of ?blurry vision, headache, and slight tingling in the throat.? Patient reported the symptoms started ?10 minutes? status post vaccine. Patient denied chest pain, nausea, vomiting, or diarrhea and was presenting conscious, alert, and oriented to person, place, time, and event (AOX4). EMT assisted the patient to the zero- gravity chair for further evaluation. Nurse then responded and attended to the client and EMT. Baseline vitals were obtained by EMT at 1508, while patient was sitting: blood pressure: 150/88, respiratory rate: 14, heart rate: 80, pupils equal and reactive to light. EMT observed the skin to be dry, warm, and normal. Chief complaint was then reassessed and patient claimed his vision had improved and symptoms were subsiding. He stated the onset of symptoms were gradual and lasted less than 5 minutes.? Patient also reported his last oral intake was around 1300 with minimal fluid intake. Patient stated he has a history of headache and denied any past medical history or taking any current medication. Patient has allergies to seafood and shellfish. At 1515, a second set of vitals were obtained by EMT, while patient was standing: blood pressure: 154/90, respiratory rate: 14, heart rate: 85, pupils equal and reactive to light. EMT observed the skin to be dry, warm, and normal. Patient was negative for orthostatic pressures. Patient was advised by the EMTs to stay another 30 minutes in the observation area, totaling 45 minutes. At 1545, patient stated ?all symptoms have subsided.? Patient was released and ambulated on his own, out of the facility, with a steady gate. EMTs encouraged the client to sign up in order to document any additional symptoms.
1219531	4/16/2021	KY	64	F	3/16/2021	3/21/2021	5 DAYS AFTER VACCINE, STARTED DEVELOPING SYMPTOMS INCLUDING HEADACHES, VISION LOSS AND RASH

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1219536	4/16/2021	TX	76	F	4/9/2021	4/9/2021	lost vision in left eye
1219606	4/16/2021	CT	37	F	3/11/2021	4/5/2021	Diagnosed with Optic Neuritis (left eye)
1219612	4/16/2021	CT	23	F	4/14/2021	4/14/2021	Immediately after injection, started getting black spots in vision. I was able to drive through the cones to the waiting area but the black spots were getting worse to the point where I could barely see. My ears also felt numb and I could barely hear anything. I got to the waiting area (drive-thru clinic) and they weren't making people wait the 15 min so I told them I could barely see and couldn't drive. I was attended to by medical personnel. My vision was almost completely full of black spots, slurry speech, I felt very sweaty and very weak. As I was being attended to, the only thing that helped was reclining my seat and closing my eyes with the A/C on. After about 20 min my vision was improving and my friend picked me up from the site. I proceeded to lay down and drink lots of gatorade and felt more normal in a few hours to the point of being able to drive home. I continued to feel weak and fatigued for the rest of the day. The next day I had very bad arm pain, but it seemed normal compared to other vaccines I've received. The third day (today) I have a massive headache all day that is not improving from tylenol and seems very different than the average dehydration headache. Not sure if that's related to the vaccine but seems possible.
1219785	4/16/2021	IL	67	M	2/13/2021	2/15/2021	retinal arterial occlusion infraction - 80%+ loss of vision in right eye



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1219630	4/16/2021	OR	50	F	4/14/2021	4/14/2021	12 hours after I received the vaccination I got fever and chill, and extreme joint pain. 24 hours after the vaccination I began vomiting, had a splitting headache, and then my vision blurring, I called my husband to be near me and completely passed out for about 15 seconds. I woke up with no recall of what happened. I thought I had had a heart attack or stroke. My left side ached where I had the injection. I have NEVER fainted before. We were unsure if I had fainted or had a seizure. Apparently my head was shaking and my hand was also when I unconscious. I stayed in bed with a 101 fever the rest of the day. Today, 2 days from vaccination, I am feeling better. It was terrifying and we were considering going to the ER. I am pro vaccine but was inadequately prepared for what could have been a dangerous reaction. I was sitting when I passed out. I was home. I had someone with me....otherwise it could have been really terrible.
1219491	4/16/2021	WA	48	F	4/14/2021	4/14/2021	Within three minutes of the vaccination I felt a warm rush to my head, followed by another rush from my feet to my head. Tingling sensation on my jaw as well as tightness and numbness on the jaw. There was some tightening of the throat. I had shortness of breath and felt dizzy. After 10 to 15 minutes later I felt a chill at my feet, progressing to my legs. After about 45 minutes the symptoms subsided and I left the facility to go home. I still felt dizziness on and off. The second morning I still felt on and off dizzy and felt like a bad hangover from alcohol. By the evening my right eyelid and cheek had swollen. Today that swelling was worse and somewhat painful.
1219650	4/16/2021	FL	23	F	4/11/2021	4/11/2021	dizziness , loss of vision for 5 minutes after shot urgent care

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1219684	4/16/2021	MN	36	F	4/16/2021	4/16/2021	Patient received vaccine, went to waiting room and sat down. Patient started to get hot, not feel well, and started swearing. EMT staff noticed beads of sweat on upper lip, patient stated her stomach was in knots. EMT gave patient water, placed an ice pack on her back, and had patient do deep breathing. Patient was wheeled to the doorway for cool air. Patient ate before the event. EMT gave patient an orange juice. Patient stated she was dizzy and vision was full of colors. EMT sat with patient. EMT did an eye test by using a test that evaluates a person's level of consciousness- passed. Patient started to feel extremely better = color pinked up. EMT walked patient to car after 15 minute wait.
1219688	4/16/2021	NY	61	F	3/31/2021	4/14/2021	Change in vision.. right eye... pain and white lines.. peripheral.. heaviness over both eyes still present from shot although nothing in comparison to first three days after shot.
1219700	4/16/2021	MO	60	M	4/5/2021	4/6/2021	Patient phoned and reported continued headache since vaccination, SOB, and continuous watering of unilateral eye.
1219708	4/16/2021	ID	56	M	4/16/2021	4/16/2021	Administered the Moderna COVID-19 vaccine today by IM injection to Left delt. Pt became diaphoretic, pale, dilated pupils, nauseated, feeling 'unable to focus' at 10 minutes with VS: BP 90/59, HR 40 bpm, resp 22, SpO2 95%. Cool cloth applied. Pt remained in chair with eyes closed until nausea passed within 2 min. Diaphoresis, palor, pupil dilation passed by 30 min but pt cont to feel 'shakey' so staff member was called to evaluate pt. Pt was advised not to have a second Moderna vaccine and was allowed to leave ambulatory at 35 min with BP of 159/96, HR 59. Pt was asked to call office this afternoon with update.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1219774	4/16/2021	PA	22	F	4/15/2021	4/15/2021	4/15; 11:30AM - Left arm began to have intense pain around the injection site (up to the shoulder and down to the inner elbow). 4/15; 11:30AM-onwards - more frequent urination despite lack of drink intake 4/16; 7:30AM - began to experience severe headache, some nausea, and an increase of pain the left arm 4:16; 8:12AM - headache and nausea intensify, eyes begin to hurt and light and sound sensitivity develop, pain in left arm increases and the inner elbow of the right arm begins to mirror the left arm.
1219621	4/16/2021	PA	51	F	3/18/2021	4/1/2021	Pain in left arm where injection was administered. Pain radiates down entire arm from the underarm to the hand when arm is extended or twisted. Linear bumps appeared visible to the naked eye from the underarm to the elbow.
1219400	4/16/2021	MI	61	M	3/18/2021	4/6/2021	The Jansen vaccine was given on 3/18/21. Patient began to experience symptoms of bells palsy on 4/6/21. Patient noted R hemibody numbness, which began with right-sided facial numbness when brushing teeth. He was evaluated by his PCP (no exam noted) and initiated on Bells Palsy regimen of doxycycline 100mg BID, acyclovir 800mg TID, and prednisone 40mg. On 4/9, a referral to neurology was made after pt returned to clinic w/ burning deep low back pain that radiates up to his shoulder, and his b/l temples. Pt again re-presented to urgent care on 4/12 due to severe burning back pain that resolved w/ activity. At this time again only L sided facial weakness noted (documented as reduced ability to close eyelid, raise eyebrow, weakness puffing out cheek, and reduced smile on L), no other weakness, drift, or sensory findings. Pt was instructed to continue doxycycline 100mg BID 10d course (4/6- 4/15), prednisone 40mg 7d course (4/6- 4/12), acyclovir 800mg TID 7d course(4/6-4/12).
1221132	4/16/2021	MD	42	F	3/31/2021	4/9/2021	I started feeling twinges of pain on my lip inside the roof of my mouth and in the corner of my eye on Friday April 9th. This got progressively worse through weekend and I started having a rash or raised bumps in those areas. On Monday April 12th I saw my dermatologist and was diagnosed with shingles.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1220280	4/16/2021	KY	61	M	3/13/2021	4/12/2021	shingles, started in right eye, then right side of face, up to top of head. intense pain, swollen eye lids, lot of bumps/rash Treating with Valacyclovir and Erythromycin for the eyes started 1 month after 2nd Pfizer vaccination.
1219182	4/16/2021	SC	36	F	4/1/2021	4/14/2021	Basiliar Artery Occulsion
1219210	4/16/2021	IA	60	M	3/25/2021	3/27/2021	Clinic visit 4/7/21: "60 y.o. year-old male who presents for left calf pain, swelling, and bruising that began on 03/27/2021. Patient states that 2 days prior to symptom onset he received the Moderna COVID-19 vaccine. He did have symptoms of fever 102 F for approximately 24 hours. After the resolution of his fever he notice swelling of the leg with tenderness any line of bruising going down the medial aspect of his leg. He noticed more prominence of varicose veins of the left leg and began using a compression stocking. His varicose veins seem to worsen with sitting as well as tenderness, and improves with walking. He notes a tenderness over the upper calf. He denies any history of DVT/PE. He notes that two brothers sustained blood clots, one he believes was in varicose veins which were ultimately stripped and the other he is not sure of the exact nature of the clots. He is unaware of any hereditary clotting disorder in his family. He denies any shortness of breath, difficulties breathing, or chest pains." He was sent home with aspirin 325mg daily. Hospital admission 4/11/21 " 60 year old male with no PMH comes in c/o LLE pain that originally started 2 weeks ago and intermittently getting worse. The pain started around the left calf and has moved its way up to his thigh/groin area. The pain is sharp, 7/10, worse when standing, slight improvement with aspirin. Pt denies tingling, numbness, CP, shob, N/V/D, blurry vision or weakness. Associated symptoms include erythematic rash around left inner thigh, tender to touch, and swelling of calf/thigh. He works with heavy machinery but is always sitting down 1-2 hours at a time. He does have family history of DVT/PE. He is not on any daily NSAIDs or other anticoagulation and denies smoking." he was started on a heparin drip then transitioned to Eliquis and discharged the next day.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1219214	4/16/2021	MI	31	F	4/10/2021	4/10/2021	ABOUT 5 MINUTES AFTER THE INJECTION THE PATIENT BECAME DIZZY AND LIGHTHEADED , ALMOST FAINTED. SHE WAS HELPED TO A IMMUNICATION AREA WHERE SHE STATED THAT HER HEARING AND VISION WERE FADING. AFTER 5-10 MINUTES SHE STARTED TO FEEL BETTER , AND THEN THE SYMPTOMS RETURNED AGAIN FOR ANOTHER 15 MINUTES. THE PATIENT'S TEMP, BLOOD PRESSURE, AND PULSE WERE CHECKED FLUIDS WERE GIVEN AFTER ANOTHER 15-20 MINUTES THE BEGAN TO FEEL BETTER AND CALLED HER HUSBAND TO PICK HER UP
1219335	4/16/2021	GA	71	F	3/30/2021	4/1/2021	TIA, RASH, BLURRED VISION, MOUTH TINGLING, TROUBLE WITH SPEECH

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1219506	4/16/2021	CA	64	F	4/10/2021	4/11/2021	<p>COVID POSITIVE 10/23/2020. MILD SYMPTOMS. TESTED WEEKLY AT WORK. LOSS OF TASTE NEXT DAY WITH EYE IRRITATION. COVID ANTIBODY TESTING ALL NEGATIVE: 4/30/20, 6/17/20, 11/18/2020, 12/22/2020, 4/1/2021 MODERNA VACCINE DOSE NUMBER 1: 3/13/2021 MODERNA VACCINE DOSE NUMBER 2: 4/10/2021 1:15PM 4/10/2021 9PM: INTENSE NAUSEA WITHOUT VOMITING. RIGHT ARM PAIN INCREASING WITH LOWER BACK PAIN. ROPINEROL IN EVENING 0.5MG X 2 4/11/2021 ALL DAY: SLEPT MOST OF DAY, FATIGUE, SOME NAUSEA, LOW BACK PAIN WORSE, OVER ALL FATIGUE. PLACED LIDOCAINE 3% PATCH ON LOWER BACK WHICH HELPED WITH LOW BACK PAIN. CONTINUE TO WITH OTHER BONE PAIN, FATIGUE, RIGHT ARM PAIN. 4/12/2021: SAME AS PREVIOUS DAY. 4/12/2021: 5PM, FATIGUE RESOLVED, BACK PAIN COMPLETELY RESOLVED. TOOK ROPINEROL IN EVENING 1MG 4/12/2021: Monday: I took Ropinerol 0.5mg at 5:30pm. The RLS symptoms were worse, and incredibly intense. This is the worst it has ever been. ----- BODY CHANGES: RLS worsened more than I've ever had experienced. I carry the genetic variables connected to AMLD/RLD. Symptoms usually worsen mildly 30 minutes after taking Ropinerol 0.5mg. I will usually wait for this augmentation, then 2 hours later i will take a second dose or ropinerol. The RLS was in my hips, thighs, legs. (normally they are in the lower extremities). This felt out of control where I wasn't able to sit at all. my lower extremities felt like I was having vascular changes, almost a tingling, decrease blood flow. No pain. I wear compression knee highs while working. The RLS continues through the night until around 11:30pm. First dose aroun 6pm. Second dose usually around 9pm. the RLS got progressively worse with each ropinerol I took. RLS symptoms with decreased sleep have progressively gotten worse with each day. Starts after taking the first ropinirole dose. Then worsens after taking second dose. It makes it nearly impossible to sleep. I have never experienced th worsening of these symptoms of this. a dramatic difference. Ropinerol is now making it worse, but I can't sleep without it.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1219399	4/16/2021	CO	61	F	4/15/2021	4/15/2021	Almost immediately yesterday post inoculation, I experienced shooting pain in my left temple (initially not so severe that I couldn't drive, but the sharp pains still make me wince). It has migrated to include my right side today. Other effects: lower back pain, chills, fatigue, slight breath shortness, neck lymph nodes feel swollen and slightly sore, and my skin and eyes are much more sensitive than normal. Hopefully tomorrow will be a brand new healthy day, and I can run in the morning.
1219505	4/16/2021	IA	87	F	3/3/2021	3/7/2021	STARTING HAVE SEVERE PAIN IN LOWER NECK UP INTO LEFT SIDE OF HEAD SEVERAL DAYS AFTER VACCINE. ER ON 3/15/21 SHOWED ARTHRITIS IN C-3. SENT TO DR FOR FOLLOW UP. 3/17/21 PUT ON ORAL PREDNISONE, PAIN SHOTS X4 IN AREA. 3/19/21 RETURN TO ER, INCREASED PAIN AGAIN, LOSE OF SIGHT IN LEFT EYE, CT SHOWED POSSIBLE VERTEBRAL ARTERIAL OCCLUSION WITH POSSIBLE DISECTION. ADMITTED. ALSO SAW MICRO VASCULAR CHANGES AND ATROPHY. NEURO CONSULT FOR THROMBECTOMY VS MEDICATION MANAGEMENT. PER FAMILY, PAIN MEDS, NO FURTHER MRI OF BRAIN, COMFORT CARES. PT DIED 3/22/21.
1219408	4/16/2021	CA	37	F	4/11/2021	4/11/2021	high fever - over 104 strong headache pain on my legs pain on back low energy blurry vision not able to walk the first day
1219469	4/16/2021	NY	39	F	3/28/2021	3/30/2021	Headache (of head) Stiff muscles and weak muscles Funny nose Cough Sweating Cold sweats Being hot and then cold Hands and feet always cold I am tired all of the time My vision will get blurry all of a sudden and then be fine My right hand will shake randomly Nauseous

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1219482	4/16/2021	PA	63	F	4/16/2021	4/16/2021	I received the vaccine on a Saturday evening and by Sunday morning, I was sick as a dog with flu like symptoms - massive headache, terrible backache (like someone kicked me in the back), chills and fever. Sunday evening in the middle of the night, in bed, I was shaking so badly from chills that I was afraid to get up to get Tylenol. I finally did and I couldn't even focus my eyesight and control my hands as I went to open the bottle of pills that my hands were shaking so badly that I spilled them all over the place. Finally I woke my husband who heated up blankets in the dryer and brought me hot tea. My husband helped me to the bathroom where I vomited. I cannot remember when I was so sick. I missed work that day at my part-time job and the next day at my full time job as a teacher.
1219486	4/16/2021	CA	20	F	4/15/2021	4/16/2021	Awoken the next morning with bilateral eyes edema and right blurred vision. Improved over the course of 90min. Blurred vision resolved within 90 min. Bilateral periorbital edema persists at 11:30AM but improving. Prescribed Medrol dose pack. Suggested cold compress and benadryl.
1219488	4/16/2021	PA	36	M	4/16/2021	4/16/2021	pt felt dizzy a few minutes after receiving vaccine felt lightheaded and feeling vision darkening and developed dry mouth then staff lowered patient to floor pt up and was able to lay down in stretcher taken to OBS dizzy in observation area in tredelenburg given water in OBS aftere adjusted to low fowlers position, feeling better after laying down. DR at bedside assessing patient. vs reviewed by dr. pt enc to breathing techniques given more water and enc to relax. bp elevated pt states no history but does not have a family dr due to recently moving. dr remains at bedside bp cuff changed to left arm and pt sitting dangling at side of bed bp as noted dr called clinic to schedule appointment for patient. pt given information per dr to schedule appointment and given directions to office pt verb understanding. pt feeling better. ambulated to exit at 1330 without diffiucly. vs 1309 bp179/122 hr 115 rr 20 o2 99 1312 bp 174/125 hr 106 rr 20 o2 100 1317 bp 190/110 hr 96 rr 20 o2 99 1322 bp 171/113 hr 99 rr 20 o2 98 1325 bp 155/120 hr 99 rr 20 o2 98



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1219352	4/16/2021	CO	37	F	4/5/2021	4/5/2021	She received J&J COVID vaccine on April 5 around 11:45 AM. That day afternoon she started noticing generalized headache acute onset and was continuously present for following 4 to 5 days. She had 1 day of headache free symptom. And she started noticing fluctuating intermittent headaches since that time until today. She still has headaches ongoing today. A week ago she also started noticing nausea which is been ongoing and blames mostly for headache. It is intermittent and denies any vomiting. No abdominal cramps diarrhea or constipation or blood in stool. She also started noticing dizziness 5 days ago which was more intense and frequent at that time but for the last 2 to 3 days it has become in less frequent. She walked to the clinic today for the fear of driving and dizziness. Denies any blurry vision but does have photophobia. She also complains about loss of appetite but she mentions it is coming back today.
1219356	4/16/2021	CO	32	F	4/15/2021	4/15/2021	Slept poorly, fainted the following morning, sustained a concussion, facial laceration, bruised eye. Admitted to ER, received intravenous fluids, ekg, diagnosed with low blood pressure, mild concussion and received 3 stitches to close laceration above right eye.
1220229	4/16/2021	FL	40	M	4/1/2021	4/2/2021	Diarrhea from the second day after the vaccine until today. Blurred vision. Numbness of the face and arms. Pain in legs and feet. Headache.
1220123	4/16/2021	NY	55	F	4/1/2021	4/1/2021	face red and burning for two days after; eyes burning- these symptoms started ten minutes after received second dose Dr on site advised to wait an extra 30 minutes. That same evening started to have stuffiness and pain to ears, eyes burning; severe muscle aches, both to arm where received shot largely to shoulder area and throughout body (mostly shoulders and back), which has continued for more than a week after; overall feeling like flu and fever. Only had this reaction to second vaccine.
1220129	4/16/2021	PA	63	M	4/6/2021	4/12/2021	PATIENT DEVELOPED BLOOD CLOT IN EYE. WENT TO RETINA SPECIALIST. WENT TO ER. COROTID ARTERY HAS 80% BLOCKAGE

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1220132	4/16/2021	AZ	39	F	4/14/2021	4/14/2021	Feverish (no fever) with hot and cold spells, headache (the kind that makes eyeballs hurt), whole body aches
1220150	4/16/2021		26	M	3/2/2021	3/2/2021	Patient experienced blurred vision during observation period. Onsite provider observed patient and there were no further symptoms. Patient released from observation.
1220154	4/16/2021	CT	22	F	4/12/2021	4/12/2021	Fever of 101F, chills; dizziness, head rush, temporary loss of vision when standing; fatigue
1220094	4/16/2021	NC	28	M	4/16/2021	4/16/2021	patient sitting in post-vaccination area has a witnessed seizure at 1525, patient had twitching, LOC and eye rolling. EMT and RN were there and observed. Patient returned to consciousness, and moved behind curtain. Patient had another witnessed seizure @ 1532 lasting 10 seconds, with LOC, twitching, eyerolling and vomiting. Patient came to and placed on floor, alert and awake, able to answer questions but feeling foggy. EMS was called during 1st seizure. EMS arrived and took patient to hospital @ 1558.
1220213	4/16/2021	OH	31	F	4/10/2021	4/10/2021	1511 Pt c/o feeling like going to pass out, lightheaded, diaphoretic. C/O right eye being blurry vision. OxSat 97%, HR 92, RR 14 easy and un-labored. States this always happens "when I get a flu shot" Oriented x 4. 1515 OxSat 97%, HR 94, Blood sugar 110, Firefighter continued to monitor patient. @1524 states feels a litter better. Right eye is clearing up. States she is diagnosed with syncope. States had tilt table test alone. Continued to monitor pt. Pt states takes 15 mg Clonazepam for anxiety. Pt states mom died one month ago of COVID. @1545 pt states feels better, right eye is no longer blurry. @1557 pt states ready to go home. States does not need anyone to pick her up and she can drive home. RN walked with patient to exit door. RN stated pt had no complaints/issues.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1220230	4/16/2021	IN	22	M	3/24/2021	3/31/2021	On 3/24/21 received vaccine and then on 3/31 began breaking out in hives on face/hands front and back and in between fingers/hives on arms/elbows/legs/knees/feet too and bottom hives also around eyes.Pain really bad in hands and feet. Swelling around eyes/face/hands/some fingers in the joint area. Itching was all over except back and tummy. Priority Care seen by said serum sickness but had never seen from vaccine recommended to follow up with family Dr . I contacted Dr 's office was told no need to see him as Priority care diagnosed and prescribed predisone 10 mg. I still wanted some answers call back next day and we went in 4/12/21 was told need to get with Infectious disease dr at major hospital spoke with his nurse on 4/12/21 and she said I would get call back about a referral appt. I did get call back from Family Dr and they said they spoke with Dr and he said no need to see him it's very common and he can get the 2nd shot. Never saw him or anything. So we are finishing up predisone script on Saturday 4/17/21 and he is also taking benadryl and the hives disappear but come right back and sometimes worse. Please help
1220251	4/16/2021	IN	49	F	3/23/2021	4/11/2021	On April 11th, woke up with a swollen left eye and upper cheek, with redness. On April 12th, woke up with left eye nearly swollen shut, and entire left side of face red and puffy. As the day progressed, blisters appeared and began weeping. Which does sound like it could be a poison weed, right? I had zero contact with any poison ivy, sumac, oak, etc. I had not changed my diet, changed any soaps/detergents, etc. Contacted primary care provider who diagnosed issue as poison ivy and prescribed 40 mg of prednisone for 3 days, 20 mg for 2 days. By Thursday April 14th, issue was not improving and my entire face was swollen, red, hot and itchy. Went to the urgent care clinic who conferred with my primary doctor and they decided to increase my prednisone treatment to 60 mg for 3 days, 20 for 3 days. As of today, April 16th, the prednisone treatment does not appear to be helping, as face is still red, swollen, hot and itchy. This has also spread to my neck area, but not any where else on my body.
1220257	4/16/2021	TX	50	F	4/4/2021	4/5/2021	4/5 - Fever and chills started also severe headache. 4/8 eyes started to burn, blurry vision numbness in extremities.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1219805	4/16/2021	IN	78	M	2/24/2021	3/3/2021	Received his vaccine, he had soreness in the arm, but nothing else. On 3/3/21 he went to hospital ER with diagnosis of kidney stones, had a morphine injection, Flomax and a prescription for Oxycontin and Flomax. At that time he was experiencing also in his right eye swelling and it was reddish, and there was an itching around the eye, and there was a couple blotches on top of his head and his cheek, but did not mention it as he was there for kidney stones. On 3/9/2021 he saw a Urologist, Dr. and that morning he passed a kidney stone. The urologist took an x-ray and did not see any more. The eye then became an issue on 3/9/21 and he made an appointment to see the eye Dr., Dr. at Eye institute on 3/11/21 @ 9:00 AM. The doctor diagnosed shingles on the face and right eye, and she put him on 2 medications (Durezol ophthalmic drops). He is still on that medication still 4/16/21. The other medication that they prescribed for him was Valacyclovir which he took 3 times a day, they reduced it from 1000 mg to 500 mg twice a day. The swelling of the eye itself has gone down a little bit. He is still seeing the eye doctor, and has a FU on 5/5/21 as it is getting better but still has symptoms. He did get a single dose Shingrix shot a couple of years ago.
1219261	4/16/2021	LA	60	M	4/11/2021	4/12/2021	Within 24 hours of injection, fever of 101.0 for over 24 hours, headache, inability to keep awake or keep eyes open, worsened my IBS and my neuropathy to the point of screaming, my body couldn't detect temperature changes even when inside room temp went from 70 to 86 degrees. Three times I fell into semi-conscious state and awoke within minutes not knowing where I was at or what was happening to me. Symptoms went away around 60 hours after injection.
1220277	4/16/2021	CA	40	F	3/29/2021	4/2/2021	Pt reports that she developed circular itchy rash over the back and the front of chest and trunk on 4/2/21 5 days after her vaccination .The rash also spread to the arms and upper leg .Pt also reports mild wrist pain with no swelling. No headache or blurry vision or dizziness or any calf pain or any bruising noted .Vital stable Exam: rash are multiple circular reddish and scaling visible maculopapular lesions and present over the back ,right neck ,front of chest and small spots on the left arm and the upper thigh .No pain or fever .

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1220279	4/16/2021	MI	42	F	4/15/2021	4/15/2021	1 st Vax- within 15min throat lymph nodes hurt/throat hurts, achy, sore sensation & achy chest, not fully chest pains but an ache upper chest. Blood pressure 99/70ish 98%O2 heart beats a bit high. Checked out by nurses at clinic By 3:53pm left clinic in stable condition. Symptoms didn't worsen. A bit of chest tightness and start of coughs. Took benadryl. It helped ease symptoms in about an hr. 4:20pm redness in face hands and chest. Tired feverish muscle aches. Eyes tired By 5pm the chest discomfort disappeared. By 1am April 16th the pain in throat had diminished, but a low ache and a sore sensation still persisted until 9am approx.
1220209	4/16/2021	CA	35	M	4/16/2021	4/16/2021	Patient had a syncopal episode approximately 5 minutes after receiving COVID 19 vaccine. Patient was immediately placed on gurney. Syncopal episode lasted approximately 10 seconds. Patient was under medical supervision the entire time and did not hit his head. Initial vitals signs were: BP 110/70, pulse 55, O2 100%. paramedics did arrive on scene and evaluate the patient. Patient felt much better and refused transport to ER. Patient signed out AMA with paramedics. Note: Patient admitted to history of syncopal episodes in the past during previous blood draws and vaccine administrations.
1219903	4/16/2021	PA	16	M	4/8/2021	4/8/2021	EMS providers approached by 17 y/o M pt complaining of rash local to injection site. Pt stated that he received the first dose of the Pfizer COVID vaccine at 17:21hrs today. Pt denied feeling any itching or pain at the site, and only noticed the rash upon visual inspection of the site. Pt denied chest pain, shortness of breath, nausea, vomiting or diarrhea. Upon inspection, (R) upper arm found to have slight, non-raised rash, warm to the touch. Full assessment performed and vital signs obtained. GCS 15, P 76 regular, RR 18 non-labored, B/P 146/P, PERRL, SpO2 99% RA. No other associated symptoms found. Pt administered Diphenhydramine 25mg IM in RA. Pt monitored and denied any worsening of condition. (See Attached)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1219868	4/16/2021	NC	46	F	3/21/2021	3/21/2021	Slightly blurry vision in 15 minutes. Then at the 31 minute mark, my throat started swelling and my chest was tight, so it was hard to catch my breath. My whole face and ears turned red and i was itchy on my arms. 2 doses of Benadryl made the allergic reaction ease. I was tired for the next two weeks, and then started having heart palpitations regularly. Went to ER was diagnosed with Tachycardia, Hyperkalemia, Hypomagnesemia, and Hypocalcemiaand. Corrected with intravenous drugs and overnight stay in the hospital. Slowing feeling some better, but struggling with inflammation and being exhausted. Felt 100% great before getting this vaccine. Advised by doctors not to get second shot and did not get it.
1219865	4/16/2021	IN	32	M	4/12/2021	4/15/2021	Patient noticed a rash that moved from the injection site down the arm to his fingers over the last 4 days. He is also experiencing numbness and tingling down that arm. The injection site is clearly in the center of the deltoid, and not too high. Today he started experiencing blurred/halo vision, as well as quite a lot of dizziness. He also said he was experiencing tightness in his jaw. We sent him home from work today. He was going to lay down.
1219850	4/16/2021	NH	82	F	3/6/2021	3/6/2021	Nausea, vomiting, body aches, episodic low-grade fevers, frequent chills, mild dyspnea on exertion, and sensation of being slightly short of breath, pain in legs, intermittent blurry vision, feeling jumpy.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1219876	4/16/2021	CA	25	M	4/15/2021	4/15/2021	At 1455 client had a vasovagal syncopal reaction following 1st dose of Pfizer vaccine. Client stated he had a history of syncope and anxiety with injections and blood draws. No injuries were sustained and client regained consciousness with sternal rub and verbal prompts. Client was unconscious for less than 20 seconds. Vital signs were obtained and were within normal limits. Client denied shortness of breath, headache, nausea, vomiting, diarrhea, dizziness or blurry vision. Client's pupils were PERRLA. Client complained of feeling stiffness and cramping in hands and arms. Paramedic was able to flex hands and arms without resistance, capillary refill was less than 2 seconds. Client offered 911 evaluation and declined three times. Client left via wheelchair and released to care of significant other following a 60 minute observation time and stated resolution of symptoms.
1220089	4/16/2021	NJ	53	M	4/15/2021	4/15/2021	Within 5 minutes of vaccine being administered I experienced Dizziness and Headache. Additional symptoms experienced later in the day/overnight included muscle pain, fatigue, headache, chills, nausea, slight fever and slight swelling around /under my eyes
1219823	4/16/2021	NJ	18	M	4/14/2021	4/14/2021	~~At 1400 patient in observation, RN vaccinator, noticed young man's head drooped over. RN went over to the patients and tapped his arm. Did not respond to verbal or physical touch. RN called for help. After a few seconds patient responded and opened his eyes. Patient transferred via wheelchair to private area. BO 76/64, diaphoretic. RR appeared normal. Patient stated he did not eat all day. patient stated his throat hurt and felt tight and he had chest pain. Patient agreed to be transported via on-sight ambulance to Medical Center for assessment with brother.~~
1219869	4/16/2021	NY	42	F	4/9/2021	4/12/2021	Patient with intractable headache not relieved by OTC Tylenol. Presents today with right calf tenderness on palpitation. Headache, visual disturbance.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1219817	4/16/2021	FL	23	F	4/16/2021	4/16/2021	See below Patient is a 23 yof with history of vasovagal syncope c/o syncope secondary to pfizer vaccine dose 1. Witness states she was pacing back and forth in the hallway when she fell from standing position to the ground hitting her head. She was maintained in the supine position and recovered spontaneously shortly after. Appearance was pale and diaphoretic. V/S were assessed. She was provided gatorade and seated in the green chair. She reported a pressure headache in the occipital region. She denies changes in vision, numbness and tingling in hands and feet, pain in her neck or spine, and history of blood thinners. Boyfriend states she was extremely nervous prior to getting the vaccine. Patient reported
1219956	4/16/2021	NJ	52	M	4/12/2021	4/13/2021	Patient presents with "hot" eye. Conjunctiva injected.
1219981	4/16/2021	MO	61	M	4/15/2021	4/15/2021	61-year-old white male received his second Moderna COVID-19 vaccine at 0910 and at 0945 he became slightly vertiginous and noticed poor balance and on both sides of his face and both sides of his upper neck became. He felt like there was some swelling of his lips and tongue and he notes some trouble swallowing and states his throat feels "tight". He denies lateralizing neurological signs, specifically denying tingling or numbness or weakness of extremities. He had no trouble with his vision or cognition. He had no trouble with the previous vaccine. Presently the symptoms are resolving. Feeling better with less sensation of neck and facial swelling and numbness as well as decreased vertigo after 1 dose of Benadryl. Time: 11:23



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1220024	4/16/2021	TX	69	F	3/22/2021	3/24/2021	The day after vaccine administered, I experienced severe fatigue and nausea, which was not unexpected. Two days later, I had a severe headache, especially above my right eye, which was not much reduced with pain reliever (Tylenol). The pain persisted and I saw my long time ophthalmologist on Friday, March 26. He noted that pressure in my right eye was 44 (approximately 3x normal) and that my cornea in that eye was swollen. Pressure and vision test for my left eye were normal. I was already taking Latanoprost eye drops, so I was told to continue that. In addition, he added Brimonidine Tartrate drops and Timolol Maleate drops to my treatment. I seemed to experience some fatigue after starting drops, which improved after a few days. However, because Dr. office did not respond to questions I submitted to office about various issues, I decided to seek a second opinion. I first saw second Dr. (information provided above) on March 31. He agreed with first Dr.'s diagnosis and generally with the treatment, but added a diuretic and substituted Rocklatan for the latanoprost drops I had been on. When I visited Dr., the pressure in my eye had reduced to 34. I continue on the treatment schedule and do feel much improved. I am next scheduled to see Dr. on April 27 for follow-up. Both Drs. do not think the vaccine caused the cornea swelling. Dr. stated that if it were the vaccine, it would have affected both eyes. Nonetheless, I am concerned the trauma in my right eye may not be a coincidence.
1220035	4/16/2021	TX	26	M	4/3/2021	4/3/2021	Patient states that 30 minutes after receiving covid 19 Pfizer vaccine, his eyes started watering and swelling to almost shutting on him. No trouble breathing and he did not have to use EpiPen. On 4/5/21 he was feeling normal.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1220066	4/16/2021	TX	26	F	4/16/2021	4/16/2021	vaccine administered at 3:07 pm, other complains of feeling sweaty tunnel vision, bilateral ringing of ears 1 minute after receiving vaccine, R 18, HR 49, BP 72/45, o2 99%, Temp 96.8 ... secondary vitals 3:20 pm. R 18, HR 62, BP 116/62, O2 99%, Temp 96.0. 3:34 pm lead nurse made aware. 3:38 pm Md on call made aware. Pt states feels much better. Instructed pt to call 911 if symptoms worsen and put will be driven home by significant other, pt under no distress 3rd vitals 3:35pm o2 99%, Hr 67, BP 110/68, Temp 97.4, R 18. 3:43 MD on call states pt is okay to go home. Pt left in no distress.
1220074	4/16/2021	TX	51	F	2/22/2021	2/23/2021	Approximately 10-11 hours after receiving the vaccine, my eyes, lips, throat and tongue began to swell. I immediately took Bendryl 50 mg. I had some labored breathing for about 3 hours after taking the Benadryl, and the swelling completely went away about 6 hours later.
1221296	4/16/2021	HI	47	F	4/16/2021	4/16/2021	Started with tingling of fingers within 15 minutes of vaccination. Another 15 minutes patient developed tightness in throat and whole arm began to tingle. Patient seemed okay and then at 11:26 AM patient felt sick and felt like throwing up and dizzy then patient rolled eyes back into head. She was pale and clammy. Epinephrine was then given at 11:28 AM. Upon administration of epinephrine patient woke up and took a deep breath. She was then picked up by ambulance. Patient was oriented x 3. Vitals were stable (Oxygen 98 %. Heart rate was 68, BP 100/68).
1221258	4/16/2021	CA	41	M	4/15/2021	4/16/2021	Suspected occipital neuralgia on the left side, mid skull starting approximately 12 hours post vaccination and sustaining for approximately 10 hours post onset. Symptoms were a sharp pulsating pain in the back of the skull, left side, approximately every 30 seconds followed by a corresponding twitching sensation in the left eye/jaw. Always possible it?s a coincidence / unlucky timing but woke me up and never experienced something like it - just reporting in case a pattern is later observed. By 10 am (7 hrs post being awoken by it, seemed to subside but was still intense in severity in the early active/awoken hours)
1221256	4/16/2021	CO	53	F	3/6/2021	3/27/2021	Vitreous rupture. Floaters, flashes of light, blood in left eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1221255	4/16/2021	MO	63	M	4/16/2021	4/16/2021	Patient was complaining of being really hot & dizzy. His eyes rolled and he lost consciousness for a few seconds. He was pale and diaphoretic. Made some choking sounds. Denied any swelling of the throat or tongue. He was lowered to the ground and ice packs applied under his arms. 911 was dispatched and the medics came to attend.
1221230	4/16/2021	IL	45	F	4/14/2021	4/15/2021	From ED Physician's Note 4/16/2021: 45 yr female presents to ER complaining of left arm and leg feeling heavy since yesterday (4/15/2021) morning. Patient states she got the Pfizer first vaccine on Wednesday (4/14/2021) morning, felt fine throughout the day, went to bed without any problems or symptoms. Patient states she awoke yesterday morning feeling as if she was "drunk". Patient states she feels like her left arm and leg are heavy and at times is having slurred speech. Patient states she feels like her walking is off and that she is dragging her left leg. Patient denies any numbness and tingling in the upper or lower extremities. Patient denies any headache or dizziness, vision changes, fever, chills, body ache, infectious respiratory symptoms, chest pain or shortness of breath.
1221203	4/16/2021	FL	61	M	3/23/2021	3/23/2021	I had a severe burning of my right eye. Felt like I had severely torn my cornea. Only lasted from about 5pm day of injection through the next day and when I woke the following morning the pain was gone. I also started feeling minor pain throughout my body at first very minor but pain increased over the next 3 weeks to about a 4/5

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1221361	4/16/2021	ME	55	F	1/26/2021	1/27/2021	fatigue from waist to feet posteriorly and bilaterally; gfr 47; headache; nausea; dizziness; facial tingling/bilateral hand and foot tingling; double vision; disorientation; joint pain; orthostatic hypotension; chills; photophobic/photophobia; This is a spontaneous report from a contactable nurse (patient). A 55-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) dose 2 via an unspecified route of administration, administered in left deltoid on 26Jan2021 15:00 (Batch/Lot Number: EL1283) as single dose for covid-19 immunisation. The first dose was received on 05Jan2021 15:00 (lot number: EL1284) on the left arm. Medical history included herpes simplex virus (HSV), Superior Oblique Myokymia, and Lyme Disease; from an unspecified date and unknown if ongoing. Patient was not pregnant. Concomitant medications included calcium citrate, magnesium citrate (CAL/MAG CITRATE), ergocalciferol (VIT D), fish oil (OMEGA 3), and paracetamol (TYLENOL). The patient previously took VICODIN and flu vaccine as a child, and experienced allergies. The patient experienced headache, nausea, dizziness, facial tingling, double vision, disorientation, joint pain, orthostatic hypotension, chills, photophobic from 27Jan2021 05:00. On 02Feb2021, she experienced dizziness, headache, nausea, photophobia, facial tingling, bilateral hand and foot tingling, GFR 47 all other CBC, cmp normal. There was headache, nausea, photophobia, facial tingling on 07Feb2021 and on 10Feb2021, tingling and fatigue from waist to feet posteriorly and bilaterally. She had lab test drawn and blood work done when she was sick and her GFR came back as 47, so everything else was normal, and her GFR was 47 which was out of range. On 03Feb2021 was the first test and it was 2 weeks that she had to repeat test just to make sure it was back in normal range which it was. Thee patient was still experiencing the events but 'not as bad', and stated she can still function. Her side effects were improving but she still have a daily headache and paresthesia. The events resulted in physician/ healthcare professional visit. Patient was recovering from the events. ZOFRAN was given as treatment for the events. Patient stated she takes Tylenol but her doctor want her not to take medication for a while but she had to take Tylenol. Patient had no covid prior to vaccination and has been tested (nasal swab) post

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							vaccination on 29Jan2021 with negative results.
1221536	4/16/2021		26	M	4/13/2021	4/13/2021	Fainted 5 seconds, sweating, loss vision - BP 102/58; HR 68, RR 16 -- > 104/60; HR 89
1221208	4/16/2021	NC	37	M	4/16/2021	4/16/2021	Patient reported complaints of palpitations, dizziness, twitching eye. Also reporting acute onset of tingling in arm of vaccine administration at 30 mins post-vaccination. VITALS: HR 68, RR 14, BP 132/84, O2 94% Patient was supervised for 45 mins and given water and gatorade with resolutions of complaints of palpitations and dizziness. No complaints of progression of issues with twitching eye, soft tissue swelling. Patient denied dermatological changes. No loss of range of motion or function of right arm despite reports of tingling sensation. Symptoms of tingling in arm did resolve prior to leaving site.
1221380	4/16/2021	TN	79	M	2/8/2021	2/9/2021	Long distance vision slightly blurred for 3 days.; Hands were slightly red for two days; This is a spontaneous report from a contactable consumer (patient). A 79-years-old male patient received fist dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Batch/Lot Number: EL9261), via an unspecified route of administration in left arm on 08Feb2021 at 15:45) as single dose for covid-19 immunization. The patient medical history and concomitant medications were not reported. The patient had not received any other vaccines within 4 weeks prior to the COVID vaccine. The patient experienced long distance vision slightly blurred for 3 days on 09Feb2021. Now fine. Hands were slightly red for two days on 09Feb2021. Now fine. Both me and my wife hands were red for the same time. No treatment received for the reported events. The outcome of the events was resolved on an unspecified 2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1221387	4/16/2021	CT	67	F	2/20/2021	3/14/2021	Approximately 3 weeks after 1st vaccine, on March 14, 2021, I developed a film over my right eye and experienced jagged multi colored lines. Experienced this every few days for anywhere from 15 minutes to 1 hour in length. Again 3 weeks after my second vaccine, I woke up with the same eye problem which has been constant now for 1 week. I am unable to see clearly out of my right eye. This is still ongoing and my retinal specialist believes a blood clot may have traveled to my eye and burst causing this problem.
1221399	4/16/2021	CA	40	F	3/5/2021	3/8/2021	My left eye started twitching within two days of getting the first dose. This persisted and accelerated after the second dose. While it has mostly subsided, the twitching does occasionally return.
1221428	4/16/2021	NE	53	F	2/24/2021	2/26/2021	Ended up in healthcare facility on 3-1 dehydrated and released Back to healthcare facility on 3-4 stayed until 3-7 Started hallucinating and given meds. very dehydrated Released and then family came to pick her up. Hallucinating on drive back to where she would be staying. 3-8 back to healthcare facility because she was slurring words ---gave fluids and released 3-9 Unit had to come to get her very weak and fragile. Couldn't move her ourselves. Ended up admitting her until 3-12 At house she was supervised the whole time, weak, needed assistance, slurring words off and on. 3-22 Eye doc appt found blood clot behind eye. Sent her to healthcare facility to be examined by Neugolist. Did CT Scan and MRV/MRI found. They found clots and ended up sending her to healthcare facility. Was in city where they run tons of tests. mini strokes lead to the Thrombosis which caused the blood clots. Released on 4-2 into the care of a home where she started to hallucinate even more. Back to healthcare facility on 4-9 still currently there where they are treating her hallucinations, memory loss and more.
1221432	4/16/2021		28	F	4/8/2021	4/8/2021	My arm was painful horribly Body temperature went up and down Pink eye Periodontal disease

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1221509	4/16/2021	WA	53	M	4/6/2021	4/15/2021	Bad headache in morning. Very unusual for me. In my eyes. Hard to concentrate on work at computer. After an hour took a short nap and completely went away. Several days before had sharp pain in my calf but thought it could be a muscle cramp. That was also very unusual.
1221516	4/16/2021		44	F	4/15/2021	4/15/2021	Soreness at injection site began about 20 minutes after injection Thigh muscles became very sore about 2 hours after injection; this lasted for about 6 hours before subsiding About 4 hours after injection, got a headache above left eye that pulled up over head and into back of neck; this subsided around noon the next day. (No pain medications were taken)
1221532	4/16/2021		25	M	4/13/2021	4/13/2021	Flushing/sweating, dizziness, vision; BP 102/41; HR 63, RR 18, SpO2 100%, T 97.5
1221200	4/16/2021	IN	40	F	3/30/2021	3/31/2021	Pain at injection site and radiating down to fingers Shaking, chills, temperature of 101.1 Body aches( hips, knees, eyes and teeth) Headache Nausea -lasted about 24 hours Enlarged under arm lymph nodes seen in breast MRI
1221527	4/16/2021	WA	47	F	4/3/2021	4/13/2021	I got the vaccine on Saturday, 4 /3/21. Not sure if this is a reaction from the vaccine or just something new I've developed in the last couple days. Tuesday afternoon (4/13/21), I was feeling twitching around the outside corner of my right eye/cheek area. I didn't pay it any attention. Wednesday morning it was happening again. I started paying attention after a couple times. It feel s like someone has a string from the top of my head area that passes down the outside corner of my right eye, down my cheek, to the outside corner of my mouth; then starts tugging on the string. Also, a pain starts in the lower part of my head, behind my right ear. It's happening more often, to where I'm getting annoyed with it. I got an automated call about the vaccine; if having any (insert list of symptoms) please contact your doctor or clinic. I contacted my doctor, she suggested I report as an adverse reaction, just in case, and to get checked out in the ER. I have not yet gone in.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1213235	4/15/2021	NM	78	F	3/6/2021	3/23/2021	Visual field defect and hazy vision. Retinal exam revealed superotemporal branch of retinal artery occlusion in R eye along with posterior vitreous detachment.
1213275	4/15/2021	MD	67	F	4/9/2021	4/9/2021	Mild numbness of the left cheek to the tip of nose and the outer canthus of the left eye. Lasted about 4 hours and felt like novocaine wearing off.
1213332	4/15/2021	OH	53	M	4/11/2021	4/12/2021	After first dose, "normal" side effects of extremely sore arm, headache lasting one day. After second dose, fever to 101.5 at 1:00am after receiving shot at 3:00pm previous day. Extreme arm and shoulder pain. Waking up again at 3:00am experienced FULL BODY paralysis. Estimate fever at 103+ but was unable to move to verify. Eyes were in pain and blurry vision. unable to reach phone to call 911. These symptoms lasted 1 hour and son called to check on me and rushed over. Fever was at 101 but immediate does of motrin and then later tylenol, broke fever. Arm remained immobile for full day. Now it is mobile but still painful to lift overhead. All other symptoms subsided.
1213233	4/15/2021	NY	36	F	4/6/2021	4/14/2021	Blurry vision, dizziness, chills and throwing up, achey joints and overall feeling weak
1213347	4/15/2021	CT	57	M	4/8/2021	4/8/2021	Dizzy, fuzzy feeling starting within about 5 minutes, lasting approx 1 hour. Major headache focused behind the left eye. Starting about 2 hours later, lasting about 2 - 3 hours.
1213369	4/15/2021	PA	82	M	4/7/2021	4/8/2021	very confused and didn't remember the first day, diarrhea, and nausea, couldn't move or walk; this was similar to when he had covid, chills, nausea and fever also. I was so weak I couldn't get into bed. I still have foggy thinking and blurry vision.
1213373	4/15/2021	NJ	48	F	4/9/2021	4/9/2021	Blurry vision onset approximately 4 hours after vaccine administration



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1213407	4/15/2021	MA	18	F	4/12/2021	4/12/2021	AROUND 11PM STARTED GETING THE CHILLS, LEGS SHAKING AND HAD FEVER OF 104. AT 1:30AM, EYES HURT TO THE TOUCH. MOM ENDED TAKING TO ER AROUND 3AM. THEY GAVE HER TYLENOL AND IBUPROFEN. SHE GOT HOME AT 6AM AND SLEPT AND TOOK TYLENOL AND IBUPROFEN ON AND OFF. FEVER FLUCTUATED FROM 101 TO 104 AND BACK, TYLENOL TOOK FEVER DOWN TO 99.7. BUT UPTO TODAY, SHE STILL HAS BODY ACHES.
1213459	4/15/2021	CA	61	M	4/15/2021	4/15/2021	This patient came in to the community center to receive his 2nd dose of his Pfizer vaccine at approx 10:06am. At approx 10 minutes after sitting in the observation area, the patient started to fee hot, dizzy, some tunneled vision and nausea. This attendee did not have any sort of reaction to his first dose. This was brought to the attention of one of the observing staff members. This nurse, was called over to the patient. The attendee was asked to lay down on the cot provided and we elevated his legs. RN, measured his vital signs: bp 110/70, HR: 60, Resp 16, O2 97%. This patient denied any shortness of breath. Lung sounds were clear, and no wheezing or rhonchi were observed. This patient stated he has a history of Asthma and took his asthma medications this morning as normally directed. This patient was directed to lay down for approx 10 minutes, then stated he felt much better and wanted to sit up and take a sip of water. The attendee tolerated the water well. This nurse, advised for this attendee to stay for another 10 minutes until he had no symptoms present. The patient quickly felt better and stated that his wife was out in the car and would be driving him home. This nurse advised for him to go to the Emergency Room if he felt any of these symptoms again.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1213141	4/15/2021	WI	80	F	3/23/2021	3/24/2021	She got her vaccine, and started with her arm hurting that evening. The next morning it was itching, and then blotchy. She then started scratching her arms, shoulders, back, chest, and there were little clusters of measles like areas. She scratched on her wrist that had fluid in it. She had them in both of her eyes, and has been horrid, and they jump all over and now she has clusters of scabs that are itching as well. She went to the doctor and they gave her steroids which did not help much, but was given Benadryl also which has helped some. She also saw her cardiologist who told her she could take up to 4 Benadryl a day. She was fine last night, and this morning she had the itching and scratching again in the same areas as before. No fevers and no other reactions other than the itching rash. She also had swelling of the palms of her hands and itching, which is the reaction she gets when she gets anaphylaxis. She said that they are all over her back, all over her chest. She said that yesterday it seemed to be calming down. She was told not to get her vaccine on the 20th, but to wait until things settled down a bit.
1213468	4/15/2021	WI	60	M	3/31/2021	4/8/2021	Subconjunctival Hemorrhage in left eye. No pain or swelling. dissipating within the week.
1213427	4/15/2021	AZ	33	M	3/25/2021	4/3/2021	While taking a warm Epsom salt bath I started to feel faint. About 1 minute after getting out of the bath my vision became worse and I fainted. I was alone at the time so I dont know if hitting my head on the floor or the fainting caused loss of consciousness. I was out for 20 min to 1 hour. Lost 4-8 oz of blood from bloody nose caused by hitting my head on the floor.
1213108	4/15/2021	WA	29	M	4/9/2021	4/9/2021	Complete body/muscle lock up - Was rendered useless on hallway floor for 15 minutes while my body locked up with muscle spasms Extreme Migraine morning after - Continues to be an issue as the days go on - Not getting worse, but each day is a headache Extreme Muscle pain from left collar bone area to the left ear Minor/Medium pain behind my eyes every so often Shortness of breath at times with no strenuous activity prior

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1213031	4/15/2021	PA	22	F	4/15/2021	4/15/2021	Warmth, dizziness, temporary loss of hearing shortly after vaccination. No nausea, diaphoresis, or tunnel vision. Near syncope prevented by lying down quickly. Typical vasovagal reaction for her. Rapid recovery with all normal vital signs. No orthostasis.
1213035	4/15/2021	NY	76	F	4/7/2021	4/12/2021	MY MOTHER, PATIENT, HAD BEEN MANAGING HYPERTENSION AND DIABETES FOR NEARLY 30 YEARS VERY WELL. SHE RECEIVED THE J&J VACCINE ON 4/7. PEOPLE WHO SAW HER AND SPOKE TO HER DAYS AFTER REPORTED SHE FELT GOOD AND LOOKED GOOD. ON 4/12, 5 DAYS LATER, PATIENT, WAS DEAD. SHE WAS FOUND DECEASED IN HER APARTMENT ON 4/13 SLUMPED IN A CHAIR. SHE HAD EATEN BREAKFAST, GOTTEN DRESSED AND APPEARED TO BE ON HER WAY OUT THE DOOR TO AN EYE DOCTOR APPT WHEN SHE SAT IN A CHAIR TO TAKE A REST. THE MEDICAL EXAMINER'S OFC REFUSED TO DO AN AUTOPSY, STATING HER PRE-EXISTING CONDITIONS, DESPITE HER RECENTLY GETTING THE J&J SHOT.
1213045	4/15/2021	CA	17	F	4/15/2021	4/15/2021	Patient is a 17 year old female who has completed a 30-minute observation period with the following signs and symptoms of an adverse reaction: loss of consciousness. Pfizer-BioNTech COVID-19 vaccine # 1 in series administered. Parents states that patient become pale and dizzy 1 minute after she received covid vaccination , Patient had a syncopal episode in the hallway, unknown if patient hit her head against the floor, no bruises, soreness or redness notice Patient become alert and oriented x 4, pale, diaphoretic, Patient states that she didn't breakfast.Also Patient mentioned that she is afraid to needles. Action(s) taken: Vital sign at 0814: blood pressure ; 75/34, heart rate: 65, respiration ; 16, Spo2: 99 % Repeat Vital sign at 08:28: blood pressure ; 85/44, heart rate: 65, respiration ; 16, Spo2: 99 % Repeat Vital sign at 08:31: blood pressure ; 97/58, heart rate: 66, respiration ; 16, Spo2: 99 % - Patient denies chest pain ,shortness of breath, nausea vomiting, diarrhea, abdominal pain, difficulty swallow, headache, dizziness, or vision changes - Patient was able to tolerated fluids intake well. Action(s) taken: Transferred to higher level of care, ER Patient and parents advised to discuss second dose considerations with a clinician

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1214097	4/15/2021	VT	42	F	4/10/2021	4/12/2021	1. Facial Cellulitis - 2 days after shot. Below right eye on cheekbone. Hard, swollen, tender and a bit purplish. Tele-Health Visited with doctor who prescribed antibiotic & probiotic - however suggested I wait to see what happens the next day after using warm washcloth compress before taking antibiotic. Next day swelling had gone down. Antibiotics were not taken as it cleared up in 2 days. Minor scabbing left by day 5. 2. 5 days after shot - Bright Yellow Runny Diarrhea
1213487	4/15/2021	SC	53	F	4/12/2021	4/13/2021	Patient reports they injected Humira on Sunday 4/11, then they got their J&J COVID vaccine on Monday 4/12. Patient reports they developed a fever of 103°F for 2 days and could not get out of bed the first day. Patient has also had a migraine for 3 days that is improving, and today it comes-and-goes. Patient also takes estrogen, so they are concerned for thrombosis risk. Patient denies blurred vision, fainting or loss of consciousness, or other changes in mental status. Patient also denies swollen or redness in their calves and ankles.
1213168	4/15/2021	GA	29	M	4/6/2021	4/6/2021	12:21pm 115/60 51 16 O2 96%; 12:27pm 124/80 66 16 O2 96%; 12:37pm 118/70 66 18 O2 99%; 12:42pm 124/80 66 18 O2 97%; 12:47pm 110/72 66 18 O2 98%; 12:52pm 114/70 67 18 O2 97% C/O dizziness, blurred vision. 12:52pm Pt. denies any complaints; left with family member.
1213077	4/15/2021	VA	46	F	12/28/2020	12/28/2020	30 minutes after first shot had redness on her face. Patient self-medicated with antihistamine and it improved. I then drove home and on the way home - my face swelled up and my right eye was swollen. I arrived home - took additional antihistamine - H1 and H2 blockers and went to sleep. When I woke up i was fine. Pt took second dose on 1/25 and premedicated for that vaccine and had milder episode of hives. Patient is an allergist.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1213213	4/15/2021	FL		U			Vaccination time : 10:10 am At 10:25 patient c/o headache and blurred vision , Vital signs at that moment : BP 75/43 P44, BS 87, Sat 98%. Patient was placed in observation room where EKG was performed and water and snacks were offered . At 10:31 am the vital signs were rechecked: BP 102/70 , P49 , Patient was encouraged to notify his primary physician about the event ,. At 10:40 am patient was discharge home with no medical complaint VS :127/80 P48
1213116	4/15/2021	CO	30	M	4/12/2021	4/13/2021	First day after vaccine: chills, fever, whole body aches, expected soreness at site of injection Second day after vaccine: tightness in back of throat (maybe even already in chest, hard to pinpoint) that felt a little like choking Third day after vaccine: moderate headache and general head discomfort, particularly behind eyes No treatments for any of the symptoms, I've just been letting them each run their course and they've each only lasted about 24 hours so far.
1213147	4/15/2021	CA	60	F	3/9/2021	3/24/2021	I experienced muscle and joint aches, headache and overall malaise. Approximately 14 days after the first vaccine , started having vision deficits in my left eye out of the blue. I experienced a fuzziness and haziness in the vision of the left eye and pain above the left eye brow. Was seen urgently in the eye clinic on 3/29/21 and had a battery of tests - a swollen and inflamed left optic nerve was observed and some deficits to vision and peripheral vision. Had second vaccine on 3/31/21 and eye seemed to get worse. Seen by Optical Nerve Specialist on 4/5/21 and had battery of tests and optic nerve worse. Dr. diagnosed as ischemic optical neuropathy likely due to giant cell arthritis (GCA). I had urgent/emergent temporal artery biopsy on 4/6/21 to determine if giant cell arthritis. Received results from biopsy on 4/13/21 and negative for GCA. Saw Optical Nerve Specialist on 4/14/21 and diagnosed with ischemic optical neuropathy but cause can not be specified. Optic nerve is still swollen and vision impacted. I am to return to clinic in 8 weeks and see if improvement. I have never had any issue like this in the past.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1213061	4/15/2021	PA	77	M	3/16/2021	3/20/2021	On Tuesday, February 16, I received my 1st Moderna Covid vaccine. On Tuesday, March 16, I received my 2nd Moderna Covid vaccine at 11AM and Eylea shots (one in each eye) at 2PM. I have been receiving Eylea every 3 months for about 3 years in one or both eyes. On Saturday, March 20 at about 11:30AM, while sitting at traffic light, I saw what appeared to be a translucent sheet of plastic cover the left driver's window and the left half of the windshield. This was only visible in the left eye. Twenty seconds later, a yellow opaqueness developed in the left eye, which eventually cleared, but vision was still blurry. When I got home, I called my retinologist. He recommended I go into a dark room and close my eyes. At this time, I had white translucent vision in the lower left quadrant of vision in both eyes. My retinologist sent me to Eye Hospital Emergency Department, which is part of Hospital. After being assess at Eye Emergency Room, I was admitted to Hospital for a right occipital lobe stroke that was confirmed by multiple MRIs of the head. I was told that I was experiencing an ocular migraine (although I had no pain.) I was discharged on Monday, March 22, on Eliquis. As of April 15, all of the yellow opaque and white translucent visions are gone. However my left eye vision remains blurred and hazy. I have since been diagnosed with age-related cataracts in both eyes and a fast-moving cataract in top portion of left lens. I will also report this occurrence to the reporting system.
1213171	4/15/2021	TX	67	F	3/22/2021	3/26/2021	4/15/21 Pt called stating that she has had some of the symptoms that everyone is talking about with the vaccine. She stated that Friday after her shot on Monday she had severe tremors, so bad it shook the car, and she went to the ER. They ordered an MRI without contrast and she is scheduled for an MRI with contrast soon. She cannot remember the date, but she began having blurry vision in her left eye. She went to her eye doctor and he stated she had an "eye stroke". She had injections in her eye today. I asked her to please call her primary physician as well and she agreed. I told her I was going to report her symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1213173	4/15/2021	CO	44	F	4/6/2021	4/7/2021	this reaction was significantly more pronounced than the first. It began with a few bumps on my chest and a feeling of dry eyes. the rash increased covering my upper chest and back, neck face, and head. the skin on my face is beginning to peel.
1213203	4/15/2021	WI	50	F	4/1/2021	4/5/2021	Eyesight has significantly deteriorated after vaccination. First realized on Monday 05Apr2021 as other side affects such as muscle soreness, dizziness, and fevers prevented me from getting up. Eye sight has not deteriorated since Monday.
1213072	4/15/2021	TN	41	F	4/12/2021	4/15/2021	rapid heart beat light headedness blurred vision at times
1214153	4/15/2021	ID	57	F	4/14/2021	4/14/2021	Chills, sweating, shivering, headache, eye pain, severe aching of shoulders/neck/hips/spine/knees, nausea, weakness.
1214345	4/15/2021	CO	20	F	4/10/2021	4/10/2021	Nurse administered vaccine, within 1-2 mins the patient became drowsy, drooping head forward, closing eyes, and slurring speech. Patient lost consciousness and slumped into chair, EMS on site, administered IV fluids and transported to hospital.
1214350	4/15/2021	NC	73	F	2/27/2021	3/1/2021	Not totally clear that adverse reaction was related to the vaccine, but temporally related. Two days after receiving COVID vaccine, pt developed acute loss of vision in right eye. Awoke with vision loss. Seen initially by general ophthalmology and then by retinal specialist. Diagnosed with BRAO (Branch Retinal Artery Occlusion)
1212273	4/15/2021	MD	32	F	4/5/2021	4/5/2021	Allergy reaction, difficulty breathing, throat swelling, eyes and lips swelling, itchy eyes, dizziness/weakness diphenhydramine 50 ml, administered twice prednisone was given once Inhaler was used 8 times when symptoms begins to help with breathing issues Stayed at the hospital for 2 hours, see improvement and was released Continues to take allergy medications for 2 days Allergy on the next day

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1213020	4/15/2021	CA	51	F	3/8/2021	3/17/2021	<p>* MAR 8th = Vaccine shot * MAR 15th = alleged "sore throat" * MAR 19th = watery eyes; dry eyes; tired eyes. Onset of right eye not blinking/closing. * MAR 21st = Emergency Room. Diagnosed w/ BELLS PALSY. [Ruled out stroke] The following week after my vaccination (approximately MAR 15th), I experienced a strange feeling at the back of my throat. It can best described as a "sore throat". I noticed it upon waking up. I could feel it at the back of my throat when swallowing; the act of swallowing would enable me to "feel" the sensation at the back of my throat. This was unusual and not normal for me. I thought I was coming down with a cold virus. I had not been sick for over a year and thought it was a strange feeling. I was concerned. With the recent schools, restaurants, and gyms opening up with less restrictions, I learned from coworkers that there was an increase of illnesses because our immune systems are not as strong and germs are easily transferable during the usual interactions. Therefore, I expected my sore throat to be the start of a harmless cold virus. Then, later in the week (MAR 19th), I noticed my eyes were abnormally dripping tears. It is my experience that I get this effect in the office setting or during winter when my eyes are "dry". However, I was neither in the workplace (office), nor was it winter. I was not sure why my eyes had excessive tears coming out. Finally, on SUN (MAR 21st), an obvious physical symptom finally became apparent to me and my family members. My speech was impaired. I could not chew properly. I could not drink from a cup. I struggled during breakfast. I was not sure if I was having a STROKE. I recited the alphabet to hear for a slurred speech. I looked in the mirror, and my smile was not perfect. I got dressed and went to the Emergency Room. The doctors performed physical PUSH-PULL tests, eye tests, etc. DIAGNOSIS = Bells Palsy. OTHER SYMPTOMS = + shortness of breath. + leg swelling. + headaches. + excruciating pain in the neck, especially during sleep (laying down).</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1214308	4/15/2021	OR	36	F	4/15/2021	4/15/2021	Patient noted beginning to feel a headache, dizziness, itchiness and scratchiness of throat and mild throat tightness at 9:27A. Vital signs were done and a brief history was taken. Patient reported history of tension headaches, and hay fever. Patient reported that she has had mild allergic reactions to soy, bananas, and cantaloupe. Patient reported that she take Claritin, Flonase, and anti-histamine eye drops every morning for allergy management. Patient denies history of diabetes, any cardiac related issues, and any other chronic conditions. Vital signs taken at the 9:31A, 9:46A, and 10:00A. At around 10:05A, Patient was taken to a private room to provide education for epi-pen use. ER precaution reviewed with patient and patient agreed with the plan of care. Patient verbalized understanding to seek care and medical attention should breathing become more difficult, the headache get worse, and if other symptoms worsened. Patient left the clinic to go to the pharmacy at 10:15A. Patient will pick up Epi-pen and then head home.
1214306	4/15/2021	WA	29	F	4/12/2021	4/12/2021	It started slowly with feeling extra tired and light arm soreness. Then rapidly became extreme shivering, a fever, headache and full body muscle aches. In the early morning I also got stomachache cramps and felt hungry, but food didn't help. It actually made me feel nauseous. By 6am the next day I had a serious migraine too - sensitivity to light. My eyes hurt. It actually was so bad I caved and took 2 liquid Advil's to help with the pain. From there I slowly got better over the day but still had the above mentioned symptoms, just less intense. Around 8pm the fever came back and I called it a night. Next morning I felt better, but still tired. Still had a headache but not a migraine. And occasional stomach aches. It's now 2 days later and the head aches, arm soreness and occasional stomach aches have not gone away.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1214293	4/15/2021	FL	70	M	4/5/2021	4/6/2021	He says that he is about 80% better still exhibiting pain in the eyes, H/A, and fatigue. But on the night that he recieved the vaccine, he felt like he had Covid again with chills, fever, and could barely stand. The ambulance was called and they gave him antibiotics and fluids. He has an appt with his doctor Thurs 4/15, I told him that we will follow up on Friday 4/16 to see how his appt went and to check on him. Ambulance called and rushed to the hospital
1214288	4/15/2021		49	F	4/12/2021	4/12/2021	Patient reports tingling and paresthesias and slight pain throughout her left arm , hand, and left side of her face beginning immediately after receiving the vaccine. She has no change in motor ability or vision. This sensation continued Day 1, lessened on Day 2, and worsened on Day 3. She sought ED attention on Day 4 due to concerns for a stroke.
1214287	4/15/2021	NC	71	F	2/11/2021	2/28/2021	pt says she had pain in the left side of her jaw under her ear. she went to her PCP on 3/3/21. She was told she had in fluid in both ears. she was given some medicine but the pain never went away. she went to a friends house and a doctor there told her she had Bells Palsy and told to go back and see her PCP. She went back to her PCP on 3/6 and she was diagnosed w/ Bells Palsy. She was prescribed Valtrex and prednisone. After completing her meds she had a another severe episode on 3/17/21. Her face was messed up more and to wear she cant close her left eye. She went back to PCP and was prescribed more Valtrex and prednisone and scheduled her to see a Neurologist. She went to a Neurology Center. They did blood work and ordered an MRI. She was prescribed her more Valtrex and more prednisone for 21 days. She went back to see neuro doctor after completing this medicine and then prescribed her 120 mg of prednisone and to taper down dose each day. She has trouble eating and drinking because of her mouth drooping and damaging the nerve in her face.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1214237	4/15/2021	NY	32	M	4/14/2021	4/14/2021	10:00 am - received moderna 10:10 am - Reports itchy eyes and mild facial flushing noted. Given 2 PO Benadryl tablets with water. No SOB, HA or dizziness. No angioedema. BP 135/71 P 78 O2 96. Pregnant wife at BS. 10:20 am - Reports eyes are feeling less itchy. Facial flushing decreased. No other sx reported. BP 124/71 P 75 O2 95. 10:45 am - Reports eyes are no longer itching. States he is feeling effects of benedryl. Normal facial appearance. No other sx reported. BP 96/55 P 80 O2 95 10:46 am - Pt discharged with wife in stable condition and without sx.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1214231	4/15/2021	MI	70	F	4/3/2021	4/5/2021	Two days following first dose Moderna Vaccine at Pharmacy, she suffered a cardiac arrest. Below Discharge Summary From 3/26 hospital. Patient PCP Information Provider PCP Type DO General Discharge Summary by DO at 3/26/2021 12:42 PM Author: DO Service: Cardiology Author Type: Resident Filed: 3/26/2021 12:57 PM Date of Service: 3/26/2021 12:42 PM Status: Attested Editor: DO (Resident) Cosigner: MD at 3/26/2021 1:17 PM Resident Attestation: I personally saw and examined the patient on rounds with my cardiology resident team on the day of the resident's note. Management was discussed with the cardiology resident and I supervised the plan of care. I have reviewed and agree with the key parts of the resident evaluation including: Subjective information Objective findings on physical exam Impression and plan Gen: appears comfortable, sitting in bed Resp: clear. no wheezes, rhonchi, rales CV: normal rate, regular, no m/r/g Abd: soft, nt/nd Ext: warm, no edema. Pressure ulcer boots on. Pleasant 70-year-old woman who had a history of PVCs, left bundle branch block, and a mild nonischemic cardiomyopathy, came into the hospital following a VT/VF cardiac arrest. Her echocardiogram done while in the hospital showed a preserved ejection fraction. Her cardiac catheterization showed normal coronary arteries. She had implantation of an ICD. Hospital course has been complicated by watershed cerebral infarcts. In addition, she had an episode of C. difficile colitis. She has gradually improved over the course of the past 3 weeks. From a cardiovascular perspective, she is being discharged on carvedilol 25 mg twice a day, lisinopril 10 mg daily, and her home atorvastatin. With regards to her etiology of cardiac arrest, I would be suspicious about the possibility of sarcoidosis. However, we were not able to get a cardiac MR while she was inpatient due to her strokes and inability to consistently follow commands and hold her breath. Would recommend consideration of an outpatient. She is ready to discharge to subacute rehab today. I have spent greater than 30 minutes in discharge planning. Preferred Name: PATIENT PCP: DO Primary Cardiologist: MD Discharging Cardiologist: MD Admission Date: 3/5/2021 Admission Diagnosis: Cardiac arrest Discharge Date: 03/26/21 Discharge Summary Author: DO Primary Discharge Diagnosis VT/VF cardiac arrest, s/p therapeutic hypothermia S/p AICD placement

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

3/16/2021 Secondary Discharge Diagnoses Anoxic brain injury, recovering, with persistent aphasia and dysphagia C. difficile colitis Non-sustained ventricular tachycardia, resolved DETAILS OF HOSPITAL STAY Presenting Problem/History of Present Illness Patient is a 70 y.o. female, with history of nonischemic cardiomyopathy, admitted on 3/5/2021 after out of hospital VT/VF cardiac arrest. She completed therapeutic hypothermia protocol. Cardiac catheterization did not show any significant obstructive coronary disease. TTE showed LVEF 55%. Patient underwent AICD placement on 3/16/2021. Had some recurrent nonsustained ventricular tachycardia afterward, which resolved after increasing her carvedilol doses. Her course was complicated by a C. difficile infection, treated with PO Vancomycin, with significant improvement in diarrhea. She has had gradual neurologic recovery. Neurology felt she had had several watershed infarcts, but felt that she would continue to have a prolonged recovery over the next few months. Had some recovery of language/cognition prior to discharge. Due to her waxing/waning encephalopathy, she did not qualify for inpatient rehab, but will be discharged to subacute rehab. Discharged with tube feeding continued, though she can begin sips with speech therapy supervision. Patient seen and examined at bedside on the day of discharge. She stated that she had no pain, though HPI/ROS still limited due to aphasia. Discussed above information with patient's husband, who understood and was in agreement with the plan. Problem-Based Hospital Course NEURO Acute metabolic encephalopathy, with gradual recovery -Due to neurologic injury from cardiac arrest. -Neurology consult: concern for anoxic brain injury with watershed infarcts, anticipate very gradual recovery over the coming months. No acute process on imaging. -Patient extubated on 3/11, following some commands. Continuing to regain conversational ability and motor function gradually each day. Has some waxing and waning of mental status, but overall her encephalopathy continues to improve. -Limit centrally acting/sedating medications -Speech following for language/cognition as well as dysphagia requiring tube feeding. Can begin some sips in addition to tube feeds. -Continue tube feeds via tube per instructions provided on after visit summary INFECTIOUS DISEASE C. Difficile Colitis: -C.Diff Positive 3/18. Continue 125 mg

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

PO Vancomycin Q6H for 10 days (3/18 - 3/27), confirmed with infectious disease -Frequency of diarrhea has decreased significantly, was stable after rectal tube removed 2-3 days prior to discharge Pneumonia, likely due to aspiration, resolved -s/p 5 day course ceftriaxone (3/5 - 3/9 ) -CTA on admission showed significant RUL and RLL consolidation with air bronchograms, as well as some patchy airspace disease in LUL -Had copious tan sputum on suctioning 3/7 - respiratory culture negative CARDIOLOGY Out of hospital cardiac arrest, likely VT/VF -Pt's husband initiated chest compressions x 10 minutes, until police/fire dept arrival, when AED showed a shockable rhythm. Likely VT/VF arrest. -S/p therapeutic hypothermia protocol. -Troponin peaked at 1.09 -3/16 Successful single chamber ICD implantation Nonsustained ventricular tachycardia (NSVT), resolved Chronic left bundle branch block -Has had multiple episodes of NSVT noted on telemetry 3/19 - 3/20 -s/p ICD as above -Increased dose of Carvedilol to 25 mg BID with resolution of NSVT History of nonischemic cardiomyopathy, LVEF 55% -Echo in 11/2019 demonstrated EF 42% (nadir). -TTE on admission showed recovered EF to 55%, mild concentric LVH, normal RV systolic function, no valvular abnormalities - Was initially started on aspirin/statin due to high suspicion for CAD, but as cardiac cath 3/15 was unremarkable, these medications were discontinued. - 3/16 Successful single chamber ICD implantation Hypertension -Blood pressure now improved after restarting home lisinopril and initiating carvedilol -HCTZ discontinued as BP now well controlled on above regimen RENAL Oliguria, resolved -Pt initially had low urine output since admission, improved to 0.5 cc/kg/hr on 3/9. Continue fluids with free water flushes through tube feeds -Has had normal electrolytes, renal function, and urine output since initial renal recovery. RESPIRATORY Acute hypoxic respiratory failure secondary to cardiac arrest, s/p mechanical ventilation, extubated 3/11 - Patient successfully extubated 3/11, stable respiratory status. Protecting airway well. -Encourage incentive spirometry HEMATOLOGY Acute normocytic anemia, improving -Pt had Hgb drop from baseline around 13-14 at admission to 10.9, now around 10-11. -Has iron saturation of 11%. Normal LDH/bilirubin, ruling out hemolysis. -Started oral iron supplements -Consider

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							outpatient screening for colon cancer ENDOCRINE Osteoporosis - on alendronate at home Discharge Disposition Discharge to skilled nursing facility Active Issues Requiring Follow-up Cardiology -follow-up for AICD placement PCP -post hospital follow-up Test Results Pending at Discharge -none
1214184	4/15/2021	KY	60	M	4/10/2021	4/12/2021	eyelid twitching
1214056	4/15/2021	MI	71	M	4/8/2021	4/8/2021	got up out of his chair to leave from his 15 minute wait and fell face down on the floor. He did not put his hands out and received a cut on his left cheek below eye from glasses. He was assisted onto his feet and back onto his chair. Vital signs were BP-117/64, Pulse 85, RR 18, O2 sat 98% (WNL). Water provided to patient. Had him take several deep breaths. Band Aid applied to cut on cheek. Patient did not complain of any symptoms. Denies dizziness. Refused to seek further medical attention or go to ER. He was then assisted back to his car by staff after the incident.
1214167	4/15/2021	MA	41	F	4/12/2021	4/12/2021	Monday evening after vaccine - fever over 101, chills with uncontrollable shaking, rapid heartbeat that could be felt within eyes, nausea, muscle aches & pain - including back and left leg Tuesday morning through Thursday - lower fever, pain in leg continued, shortness of breath, fatigue
1213493	4/15/2021	NY	43	M	3/28/2021	3/28/2021	Had COVID on 2/7/21- Feverish feeling x 1 day, fine after. Tested negative 2/17/21. One half hour after receiving the vaccine, onset of hoarseness. Severe hoarseness persists until today. Eyelids pink, swollen slightly, persisted 2 weeks. Did not feel well. 4/15/21 - Hospital Emergency Room. Chest pain. Elevated blood pressure. COVID test positive. Discharged with azithromycin, zinc sulfate 220mg, ProAir. High blood pressure, new onset. On 4/6/21 BP 160/120 both arms. 4/7/21 Hospital ER. MRI, CT brain showed Dural Venous Thrombosis. To ICU for anti coagulation, until 4/14/21. MRV done. Now on floors, started coumadin. 9 days hospitalization so far. CT done again 4/15/
1214086	4/15/2021	CA	41	F	4/13/2021	4/13/2021	Itchy eyes; Swelling around eyes; Face tingling AFTER SECOND DOSE ONLY

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1214049	4/15/2021	FL	61	F	4/2/2021	4/2/2021	Pt with severe headaches for 2 days after vaccination. Also vision changes, bilateral temple pain/tenderness. Improved after from 10/10 to 3/10, but headache continues through today 4/15/21. Workup is ongoing.
1214014	4/15/2021	WA	33	M	4/15/2021	4/15/2021	Patient was in post observation and reported to post observation RN dizziness. While Pt was speaking with RN, he had "full body convulsions/twitching and his eyes rolled back". The post observation RN reported this event happened 2 times and was done in less than 2 min. EMT's called to scene. Pt reported ringing in ears, and was diaphoretic after the event. Pt was immediately able to speak, and drank water. Pt was not postictal. Pt became pale after vaccine administration. No PMH, No Allergies, No meds taken daily or given at site. VSS throughout. EMTs took over care of Pt and stayed with Pt until wife came and picked him up. VS: BP: 118/78 HR: 68 RR:22 O2 sat: 99% on RA
1213999	4/15/2021	NC	50	F	4/11/2021	4/12/2021	Vertigo and Visual Disturbances
1213998	4/15/2021	IA	38	F	4/9/2021	4/9/2021	Within 5 minutes of receiving shot I felt woozy, had mild face and throat swelling, blurry vision, and hives on face. All symptoms except woozy feeling went away within 3 hours. Did not feel fully well until 24 hours later.
1213984	4/15/2021	IN	53	F	4/15/2021	4/15/2021	patient began complaining of signs of double vision, unsteadiness, shortness of breath and tightness of throat. Called 911 still awaiting outcome



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1213944	4/15/2021	CO	29	M	4/12/2021	4/12/2021	Patient was looking pale a minute after the shot, I asked how he was doing, he responded by saying he felt very dizzy. I asked him to take slow deep breaths, gave him some water. About after 1 more minute he passed out (very unresponsive but still breathing, pupils very dilated) pulse was slow but still palpable. Tried ammonium smelling salts, that did not bring patient around. Called 911. Tried patting patient and talking to patient to bring them back to consciousness. After about a minute or two patient was able to respond to me. He knew his name and date of birth and where he was. Asked him to wait for ambulance to check vitals. Patient said he still felt very dizzy. Kept his head down and eyes closed. Once EMS arrived they checked his vitals, determined BP was low (they did not tell me a number). They monitored patient's vitals for 10-15 minutes. BP did not "bounce back" per EMS so they took him to the hospital for IV drip possibly.
1213940	4/15/2021	IL	53	M	4/14/2021	4/14/2021	Face numbness on right side. I started feeling numbness in the right corner of my mouth within minutes of receiving the shot. Within a couple of hours it had spread to a larger area. From just below my eye to my chin including my lips on that side and inside my mouth and cheek. Symptoms were still there the next morning so I contacted my doctor. I was instructed to go to the emergency room. The ER doctor determined that it wasn't a stroke and said it was most likely a reaction to the covid shot. They also said it resembles a minor case of Bell Palsy but was most likely not Bell Palsy. It was probably an inflammation of the nerves in my face due to the shot. I was prescribed a steroid to use if the symptoms did not stop in a couple of days.
1213541	4/15/2021	CO	26	F	4/9/2021	4/10/2021	Extreme headache, lethargy, and fatigue morning after vaccine. Pale clammy skin, cold-sweats, diarrhea, nausea, vertigo, dizziness, fainting, lightheadedness, muffled hearing, and blurred vision, later that afternoon. Pale, clammy skin, cold-sweats, vertigo, fainting, lightheadedness, muffled hearing, and blurred vision spells 1-2x/day since vaccine 1 week ago.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1213520	4/15/2021	PA	17	F	4/15/2021	4/15/2021	Dizziness, mild sweating, and a temporary loss of hearing a few minutes after the shot before brief LOC. Mother reported "eyes rolling up" and a respiratory gasp. Rapid recovery with fully orientation on the floor. VS stable in observation. No nausea or visual changes reported by the patient. No orthostasis.
1213510	4/15/2021			U			Face numbness on right side. I started feeling numbness in the right corner of my mouth within minutes of receiving the shot. Within a couple of hours it had spread to a larger area. From just below my eye to my chin including my lips on that side and inside my mouth and cheek. Symptoms were still there the next morning so I contacted my doctor. I was instructed to go to the emergency room. The ER doctor determined that it wasn't a stroke and said it was most likely a reaction to the covid shot. They also said it resembles a minor case of Bell Palsy but was most likely not Bell Palsy. It was probably an inflammation of the nerves in my face due to the shot. I was prescribed a steroid to use if the symptoms did not stop in a couple of days.
1213506	4/15/2021	VA	57	F	3/17/2021	3/17/2021	received the first Moderna shot on 03/17/2021 @approximately 6pm. waited the required 15 minutes and drove home. on the way home, face started getting numb on the right side. right eyelid, right nostril, right side of lips, right cheek and right ear. this lasted for approximately 2 and a half days. received the second Moderna shot on 04/14/2021 @ approximately 6pm. asked pharmacist about reaction from the first shot. she suggested i wait in the store for 30 minutes. my face started getting numb on the right side before I left the store, but not as much as it did with the first shot. my right outer eyelid, right outer lips, and right cheek felt numb. it is approx 2pm on 04/15/2021 and my face still feels slightly numb. sore arm at the injection sight with both shots but seemingly no other reaction.
1214176	4/15/2021	FL	36	M	4/5/2021	4/6/2021	skin rash started on left arm, arm where dose was received. The rash was itchy and it spread along left arm. The eye sockets became swollen and skin became very dry and wrinkly after swelling reduced.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1211805	4/15/2021	GA	53	F	3/17/2021	4/6/2021	Started having excruciating, painful headaches. On about 4/6/21, headache awoke me from sleep. Pain was through my left eye towards the back of my head down to my neck. Lasted for awhile. Took Tylenol and was able to get rest about an hour later. Woke up that morning pain was still there but it was bearable. Two days later it happened again. Awaken with excruciating pain. Didn't think it was related to shot because it had been almost 3 weeks since I had shot. On 04/15/21, it happened again. Never had any issues with headaches. Not only have I been having headaches, I've been having pain in my legs, feeling lethargic, etc.
1212299	4/15/2021	FL	65	F	4/14/2021	4/14/2021	13:50 Onset of headache and blurred vision. Immediate evaluation by EMS and NP. 13:52 VS: 1:52- 168/93; P 78;R 16- Sat 98% Fingerstick glucose 444. Offered water and cereal bar. 1415- VS 149-98; P 74- R 16. Sat 98%. Headache nearly gone. vision clear. Discharged home at 1420 with granddaughter.
1212286	4/15/2021	VA	40	F	4/12/2021	4/12/2021	Chills, fever up to 102.5, headache, fatigue, mild nausea, muscle aches, joint pain, minor shortness of breath, feeling of lightheadedness/dizziness, feeling like my vision was off/blurry and was... crowded, like the edges of my vision weren't entirely there?

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1212270	4/15/2021	MD	34	F	1/4/2021	1/5/2021	The patient was reportedly in her USOH until she received the first dose of the Pfizer vaccine on 1/4. She woke up the following morning with a terrible headache and photophobia, later in the day developing myalgias and generalized weakness, followed by possible fever (did not take home temp). She describes the headache as a throbbing holocranial ache that is worse if she bends down. She states the headache never really went away fully over the ensuing days, and she did begin to notice blurred vision in her right eye; she eventually presented to Medical Center on 1/9, where she was tested for COVID-19 and found to be negative - her symptoms were attributed to a vaccine reaction and she was sent home. She continued to have a terrible headache and blurred vision, and so returned to Medical Center on 1/12. She then presented to another Hospital she was admitted for frequent falls in the context of elevated blood pressure. Workup there included a head CT, which was unremarkable. She was discharged with home PT. On the day of presentation, she fell at physical therapy. Now with pain from R knee down. No numbness in the leg. States leg twisted when she fell. No head strike or LOC. States pain with attempted ambulation. This resulted in her presentation to the ED at a Medical Center on 1/27/21. On evaluation, she endorsed a headache, holocranial, throbbing, 5-6/10 (has been 10/10). Denies frank positional component. Not worse at any certain time of day. +Blurred vision, worse on the R. +photophobia, not phonophobia. Also complains of pulsatile tinnitus happening almost daily, R-sided, worse when bending down. Denies nausea or vomiting. Denies neck pain or stiffness. Exam was notable for significant peripheral vision loss in R>L eye and bilateral papilledema. She was seen by ophthalmology with documentation of formal visual field testing (reports included). MRV with filling defects in straight, sagittal, and R transverse sinuses; MRI without FLARE changes, reassuring for no obstruction and/or infarct.
1212250	4/15/2021	FL	53	F	4/6/2021	4/6/2021	Dizziness, nausea, blurry vision. 114/70, HR 60, 99%. Exit time 1:25pm.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1212206	4/15/2021	SC	47	M	4/2/2021	4/2/2021	Patient received immunization on Fri and started to experience pain and numbness in the immunized arm that evening around 6pm. The pain and numbness worsened throughout Saturday and Sunday with an increase of right leg pain on Sunday. On Friday, April 9, the patient noticed a numbness and drooping of his face which progressed to his eye not being able to close. Today, April 15, he presented with two prescriptions for prednisone and erythromycin eye ointment.
1212090	4/15/2021	AL	50	M	3/8/2021	3/15/2021	Systemic: Visual Changes/Disturbances-Severe, Additional Details: patients wife called to say that around 1 week after vaccine pt experienced vision issues. dr say he had a blood clot in eye which lead to partial blindness in one eye.
1212062	4/15/2021	MI	38	F	3/25/2021	4/11/2021	On Saturday April 10th I began to experience symptoms of dry eyes, eye twitching and watering and sensitivity to light. It continued to progress, by monday the 12th it led to left side of my face in paralysis. I've never experienced this before or had issues.
1212047	4/15/2021	IA	54	M	3/23/2021	3/25/2021	left eyes painfull and very red...left side of forehead and left top of head very tender to touch and bad headache. since march 25th
1211959	4/15/2021	GA	70	F	4/12/2021	4/12/2021	When mom got home at 7:30 pm on 4/12, her left arm was very sore, extremely dizzy, then diarrhea, nausea, and weakness. On 4/13, she was still very dizzy and weak. On 4/14, she was extremely nauseated and very weak. Other symptoms include a metallic taste, blurred vision, hoarseness, and a dry hacky cough.
1211947	4/15/2021	FL	49	F	4/8/2021	4/8/2021	chills, body ache, left arm/injection site redness, swelling and warm to touch x 4 days; R hip, low back, left thigh posterior area pain; intermittent fever, headache, sore throat, right eye pain, bilat knee pain, nausea, fatigue, nose bleed x 2 (mild). These symptoms lasted x 2 days after vaccine. Persistent fatigue and migraine days 3-4 after vaccine; asthma symptoms starting day 3 post-vaccine, lasted x 3 days.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1211835	4/15/2021	TX	47	M	4/14/2021	4/14/2021	Systemic: Allergic: Anaphylaxis-Medium, Systemic: Allergic: Difficulty Breathing-Medium, Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Medium, Systemic: Allergic: Itch (specify: facial area, extremities)-Mild, Systemic: Allergic: Itch Generalized-Mild, Systemic: Allergic: Rash (specify: facial area, extremities)-Medium, Systemic: Allergic: Rash Generalized-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Systemic: Abdominal Pain-Medium, Systemic: Chest Tightness / Heaviness / Pain-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Headache-Medium, Systemic: Visual Changes/Disturbances-Medium, Additional Details: complained of heart burn and blood pressure rose
1211825	4/15/2021	CA	60	F	4/6/2021	4/8/2021	elevated blood pressure, slurred speech, expressive aphasia, blurred vision,headache,shortness of breath confusion.
1212311	4/15/2021	IN	30	F	4/13/2021	4/13/2021	Within 1-2 minutes of receiving the vaccine, I became tingly all over. I began seeing stars and then completely lost my vision - all I could see was bright white. It was difficult to breath. At the vaccine site, EMS came over to my car and took my blood pressure, which was 70/30. They took my blood pressure again and it was 64/30. They then took me via ambulance to the closest ER. They tested my blood sugar and oxygen levels, which were fine. I started to feel better and gained my vision back after about 15 minutes. Upon arrival to the hospital, my blood pressure had resumed to normal.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1211818	4/15/2021	IN	52	F	4/6/2021	4/7/2021	04.06.21 I received my 1st Pfizer shot at 3pm. At 5pm, I had a headache, my neck was hurting and I began feeling so weak I could barely talk, I couldn't hold my eyes open. I took 3 Aleve. At 8pm, I started with shortness of breath just going downstairs plus my entire body felt like I was hit by a truck. My 3lb. Chihuahua would get on me and it felt like I was hit by a bat with a ripple effect into the surrounding area. I took 2 Tylenol PMs. On 04/07, at 6am, I woke up to my limbs extremely swollen and throbbing, this included both feet and especially both wrists and hands. My hands were worse than my feet. My left wrist/hand also had tingling. I was so weak I could barely get out of bed or talk, this continued through to 5:30pm same day. I called an Urgent Clinic and told her all my symptoms, she said were all "normal" until I got to my wrists/hands and limbs. Urgent Care told me it would be best to be seen in ER and evaluated. I immediately went to ER. This approximate time was 6:30pm on 04/07/21.
1212332	4/15/2021	NC	28	F	4/9/2021	4/9/2021	Friday 4/9/2021- Nausea, Upper Body Pains (arms, chest, upper back, neck, stomach), Dizziness, unable to walk, fatigue, headache. Saturday 4/10- Same symptoms with little to no improvement Sunday 4/11- Same symptoms with minor improvement Monday 4/12- Same symptoms with no improvement, increased pains, dizziness, fatigue with headache and facial pain in eyes, cheeks, jaw, ear, nose, and back of neck, primarily on left side of face. Tuesday 4/13- Same symptoms, No improvements, increased nausea with severe headaches and facial pains Wednesday 4/14- Same symptoms, with diarrhea. Thursday 4/15- Ongoing same symptoms, little improvement with Tylenol. Less upper body pains, and nausea. Off and on facial pain and headaches but with facial numbness when without the pain. Dizziness while standing. Diarrhea has ceased. Still weak/fatigue.
1211735	4/15/2021	MO	61	F	4/12/2021	4/15/2021	sever itchy on palms, fingers, in between fingers, foot, forehead, side of right thigh, right side cheek on face, eye lashes NO RASH, NO REDNESS (other than where i scratched) took benadryl an hour and a half after initial problem with in 30 minutes itchiness subsided but not totally gone

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1211429	4/15/2021		48	F	4/8/2021	4/10/2021	Two days after receiving the Moderna COVID-19 Vaccine EUA, I felt week, light-headed and had swollen eyes. I also started menstrual bleeding despite being in what I thought to be menopause, I had not menstrated for 6 months. Three days after the shot my left lymph node in my armpit began to swell and be painful to the touch. I am now seven days post vaccine and my armpit and lymph node are still very sore and swollen and I do not feel 100%, a general unwell feeling. I am having serious doubts that I will get the second dose.
1211217	4/15/2021	CO	26	M	4/2/2021	4/11/2021	Beginning on morning of 11th symptoms included moderate headache, pain/pressure behind the eyes, sensitivity to sound, pain in ears, nausea, fatigue, drain in thinking. continued, with some variability throughout day but responded to ibuprofen. symptoms continued on the 12th, with enough intensity to cause me to take a sick day from work. pain behind eyes was especially uncomfortable. continued to treat with rest. 13th and 14th symptoms gradually improved. only reporting here for completeness. I also hit my head on the 10th fairly hard. This could certainly have contributed to or caused my symptoms but given recent news about , reporting here to be diligent and contribute to any learnings visa aggregation.
1211201	4/15/2021	WA	49	F	4/10/2021	4/11/2021	Sore and achy body, no energy, slept for two days straight. Also right side of my face swelled up and became super itchy on the day after the vaccine, by the second day it was only my eye (swelled shut and looked like black eye). One day three after swelling down but still looks like black eye. Now on day 4 after- less swollen but still itchy and swollen and black.
1211180	4/15/2021	TX	38	F	4/9/2021	4/9/2021	BURNING EYES APROXIMATELY 15 MINUTES AFTER VACCINATION - RESOLVED @07:55 ACCORDING TO PATIENT -NO BREATHING PROBLEM, NO RASH



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1211014	4/15/2021		51	F	4/5/2021	4/6/2021	c/o persistent headache, abd pain, low appetite, and L leg on/off pain since J&J vaccine on 5 Apr. denies n/v/d/, chest pain or sob. states BP is higher then usual. concerns for blood clot. last Tylenol 1000. 51 yo f c/o MEG pain/'knot' w/ongoing decreased appetite and nausea w/o vomiting x7d w/additional new ha w/o visual changes x2-3d approx 10d s/p J&J covid vaccine; Pt states concerns for ulcer vs. other etiology; Pt denies any fevers/ns/chills, urinary sx's, back pain, vaginal bleeding/discharge, recent hx of trauma/inj distant hx of 1x hysterectomy
1211011	4/15/2021		20	F	4/13/2021	4/14/2021	c/o dizziness, cough, cold/hot, headaches, body sore since J&J vaccine on 13 Apr. denies v/d/, abd pain, chest pain, or sob. last Tylenol 0900. 20 yo f c/o ongoing diffuse nausea, bodyaches, and ha w/o visual changes x24hrs s/p receiving J&J covid vaccine 24hrs pta; Pt denies any sore throat/neck pain, fevers/ns/chills, abd pain, nvd, ear sx's, cp, sob, dyspnea, rashes, prior hx of vaccine rxn
1211006	4/15/2021		26	U	4/13/2021	4/14/2021	Migraine with body aches and CP x 2 days; reports J&J vaccine yesterday; denies any chills or N/T/vision changes at this time; reports feeling feverish and light sensitivity; denies taking any meds
1211000	4/15/2021		24	M	4/13/2021	4/14/2021	HA with light sensitivity and body aches since yesterday after getting J&J vaccine yesterday; Denies taking any meds; denies any noise sensitivity or any vision changes at this time. CC: headache and malaise HPI: 24-year-old active-duty male received Johnson & Johnson COVID vaccine yesterday and is having headache and generalized malaise today. He has no focal subjective neurologic deficits, headache is not first/worst/maximum at onset. He has no fever no other complaints.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1210992	4/15/2021	TX	32	M	3/7/2021	3/10/2021	(URGENT) MULTIPLE - severe, sharp shooting pain up from left side of neck to upper chest. - Lasted 3 weeks and still will come every now and then. - 2 day neck stiffness (normal) - complete immune system break down: Lost partial taste in tongue, developed oral thrush that was resistant to diflucan and nystatin. - 2 day stint with allergies (Sneezing, stuffy nose, no yellow mucus or fever) - Periodic headaches - swelling of tongue - fatigue lasted weeks. - easily bruising or bleeding under skin after getting minor scratches. Never healed properly (As in disappear) -glossy watery, red eyes with swollen nasolacrimal duct (inside pink corner of eye. Puffy and red.)
1215352	4/15/2021	CO	69	F	3/26/2021	3/27/2021	I experienced two days later, nausea and fatigue and headaches in the frontal lobe and around and behind the eyes. On day 3-4; racing pulse ad felt breathless. I also felt fatigued, with shooting pain to my right arm. This pain comes and goes. I also have brain fog. My leg pain comes and goes. I have migraine headaches with fatigue, cough, nausea and sputum. I went to an acupuncturist which has helped a lot and will be going tomorrow for another session.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1214373	4/15/2021	MI	70	F	3/3/2021	3/5/2021	<p>Patient suffered cardiac arrest two days (on 3/5) following first dose Moderna Vaccine at Rite Aid Pharmacy (3/3). The following is the Discharge Summary From 3/26. Resident Attestation: I personally saw and examined the patient on rounds with my cardiology resident team on the day of the resident's note. Management was discussed with the cardiology resident and I supervised the plan of care. I have reviewed and agree with the key parts of the resident evaluation including: Subjective information Objective findings on physical exam Impression and plan Gen: appears comfortable, sitting in bed Resp: clear. no wheezes, rhonchi, rales CV: normal rate, regular, no m/r/g Abd: soft, nt/nd Ext: warm, no edema. Pressure ulcer boots on. Pleasant 70-year-old woman who had a history of PVCs, left bundle branch block, and a mild nonischemic cardiomyopathy, came into the hospital following a VT/VF cardiac arrest. Her echocardiogram done while in the hospital showed a preserved ejection fraction. Her cardiac catheterization showed normal coronary arteries. She had implantation of an ICD. Hospital course has been complicated by watershed cerebral infarcts. In addition, she had an episode of C. difficile colitis. She has gradually improved over the course of the past 3 weeks. From a cardiovascular perspective, she is being discharged on carvedilol 25 mg twice a day, lisinopril 10 mg daily, and her home atorvastatin. With regards to her etiology of cardiac arrest, I would be suspicious about the possibility of sarcoidosis. However, we were not able to get a cardiac MR while she was inpatient due to her strokes and inability to consistently follow commands and hold her breath. Would recommend consideration of an outpatient PET. She is ready to discharge to subacute rehab today. I have spent greater than 30 minutes in discharge planning. Primary Discharge Diagnosis VT/VF cardiac arrest, s/p therapeutic hypothermia S/p AICD placement 3/16/2021 Secondary Discharge Diagnoses Anoxic brain injury, recovering, with persistent aphasia and dysphagia C. difficile colitis Nonsustained ventricular tachycardia, resolved DETAILS OF HOSPITAL STAY Presenting Problem/History of Present Illness 70 y.o. female, with history of nonischemic cardiomyopathy, admitted on 3/5/2021 after out of hospital VT/VF cardiac arrest. She completed therapeutic hypothermia protocol. Cardiac catheterization did not show any significant</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

obstructive coronary disease. TTE showed LVEF 55%. Patient underwent AICD placement on 3/16/2021. Had some recurrent nonsustained ventricular tachycardia afterward, which resolved after increasing her carvedilol doses. Her course was complicated by a C. difficile infection, treated with PO Vancomycin, with significant improvement in diarrhea. She has had gradual neurologic recovery. Neurology felt she had had several watershed infarcts, but felt that she would continue to have a prolonged recovery over the next few months. Had some recovery of language/cognition prior to discharge. Due to her waxing/waning encephalopathy, she did not qualify for inpatient rehab, but will be discharged to subacute rehab. Discharged with tube feeding continued, though she can begin sips with speech therapy supervision. Patient seen and examined at bedside on the day of discharge. She stated that she had no pain, though HPI/ROS still limited due to aphasia. Discussed above information with patient's husband, who understood and was in agreement with the plan. Problem-Based Hospital Course NEURO Acute metabolic encephalopathy, with gradual recovery -Due to neurologic injury from cardiac arrest. -Neurology consult: concern for anoxic brain injury with watershed infarcts, anticipate very gradual recovery over the coming months. No acute process on imaging. -Patient extubated on 3/11, following some commands. Continuing to regain conversational ability and motor function gradually each day. Has some waxing and waning of mental status, but overall her encephalopathy continues to improve. -Limit centrally acting/sedating medications -Speech following for language/cognition as well as dysphagia requiring tube feeding. Can begin some sips in addition to tube feeds. -Continue tube feeds via Dobhoff tube per instructions provided on after visit summary INFECTIOUS DISEASE C. Difficile Colitis: -C.Diff Positive 3/18. Continue 125 mg PO Vancomycin Q6H for 10 days (3/18 - 3/27), confirmed with infectious disease - Frequency of diarrhea has decreased significantly, was stable after rectal tube removed 2-3 days prior to discharge Pneumonia, likely due to aspiration, resolved - s/p 5 day course ceftriaxone (3/5 - 3/9 ) -CTA on admission showed significant RUL and RLL consolidation with air bronchograms, as well as some patchy airspace disease in LUL -Had copious tan sputum on suctioning

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1211819	4/15/2021	GA	40	M	4/14/2021	4/15/2021	<p>3/7 - respiratory culture negative CARDIOLOGY Out of hospital cardiac arrest, likely VT/VF -Pt's husband initiated chest compressions x 10 minutes, until police/fire dept arrival, when AED showed a shockable rhythm. Likely VT/VF arrest. -S/p therapeutic hypothermia protocol. -Troponin peaked at 1.09 -3/16 Successful single chamber ICD implantation Nonsustained ventricular tachycardia (NSVT), resolved Chronic left bundle branch block -Has had multiple episodes of NSVT noted on telemetry 3/19 - 3/20 -s/p ICD as above -Increased dose of Carvedilol to 25 mg BID with resolution of NSVT History of nonischemic cardiomyopathy, LVEF 55% -Echo in 11/2019 demonstrated EF 42% (nadir). -TTE on admission showed recovered EF to 55%, mild concentric LVH, normal RV systolic function, no valvular abnormalities - Was initially started on aspirin/statin due to high suspicion for CAD, but as cardiac cath 3/15 was unremarkable, these medications were discontinued. - 3/16 Successful single chamber ICD implantation Hypertension -Blood pressure now improved after restarting home lisinopril and initiating carvedilol -HCTZ discontinued as BP now well controlled on above regimen RENAL Oliguria, resolved -Pt initially had low urine output since admission, improved to 0.5 cc/kg/hr on 3/9. Continue fluids with free water flushes through tube feeds -Has had normal electrolytes, renal function, and urine output since initial renal recovery. RESPIRATORY Acute hypoxic respiratory failure secondary to cardiac arrest, s/p mechanical ventilation, extubated 3/11 - Patient successfully extubated 3/11, stable respiratory status. Protecting airway well. -Encourage incentive spirometry HEMATOLOGY Acute normocytic anemia, improving -Pt had Hgb drop from baseline around 13-14 at admission to 10.9, now around 10-11. -Has iron saturation of 11%. Normal LDH/bilirubin, ruling out hemolysis. -Started oral iron supplements -Consider outpatient screening for colon cancer ENDOCRINE Osteoporosis - on alendronate at home Discharge Disposition Discharge to skilled nursing facility Active Issues Requiring Follow-up Cardiology -follow-up for AICD placement PCP -post hospital follow-up Test Results Pending at Discharge -none</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1212680	4/15/2021	FL	24	M	4/12/2021	4/12/2021	Dizzy after 5 min vaccine. Eyes rolled back few sec. Father shook him. Took 5 sec. to respond. Drinking water said it helps. Didn't eat breakfast father said. Paramedics took him to Hospital.
1212890	4/15/2021	NC	39	F	4/7/2021	4/7/2021	Extremely high fever which included loss of consciousness. Dizzy, blurred vision, chills, and diarrhea overnight. Began about 9/10 hours after receiving shot. Next more body aches and arm soreness continued for 24 hours. 72 hours arm soreness and fatigue. One week later (now) still feel fatigued, short of breath, and experience moments of weakness. Sleep up to 12 hours (haven't done that in many years) and feel achy in mornings.
1212887	4/15/2021	TN	61	F	3/11/2021	4/8/2021	Nose sores and raw tongue. Fever 101.6 Chills, Swelling, High Blood Sugar 442 constipation, blurred vision, very weak. My husband had to guide me to restroom and back to bed. These were the only times I was up and mobile. Muscle and joint pain
1212826	4/15/2021	IA	65	F	3/5/2021	3/28/2021	3/28/2021 at 6:00 a.m. patient reported chest pain to a family member. He arrived at her home at 6:15 and found her slumped to the right in her chair, unresponsive. Patient was taken to our facility via EMS. On arrival, patient could open her eyes but could not talk or move her extremities. She was treated with alteplase 100 mg and flown to a trauma center. She was released on 4/2 and is currently receiving rehabilitation services in our facility; she is expected to return home in 4-5 days.
1212824	4/15/2021	AL		M	4/7/2021	4/8/2021	Chills/ Shaking 5 minutes mild fever 1 day visual distortion 2 days weakness 2 days
1212815	4/15/2021	NV	48	F	4/2/2021	4/15/2021	8-year-old female presents with right-sided headache onset earlier this morning. Patient states headache has been gradual onset throughout the course of the day. Is in the right frontal right occipital region. Patient does have migraines but this is more severe than usual. No focal neurologic deficits but patient states eye discomfort. Acuity remains intact. Nontoxic-appearing initial and evaluation the emergency room. Patient received her Johnson & Johnson Covid vaccine about 2 weeks ago..

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1212814	4/15/2021	NC	47	F	4/9/2021	4/14/2021	Patient states that she had acute onset of left arm weakness, numbness, difficulty speaking and slurred speech that started at 22:50. Patient was seen as a code stroke, was FANG?D +. Patient underwent MRI and MRA of the brain which showed multifocal small acute infarcts along the right frontal and right parietal lobes, as well as punctate acute infarcts in the right occipital lobe. No evidence of intracranial bleeding. Also noted a filling defect in the right carotid bifurcation causing severe stenosis of the right ECA origin and moderate stenosis of the right ICA origin. Patient was not given TPA, and was started on heparin drip and admitted to the ICU. Patient did receive the Johnson & Johnson Covid?19 vaccine on 4/9. Patient also complained of right ear and right jaw discomfort, pain behind L eye and L aura, as well as burning discomfort of the back of her tongue for the past two days. Started on heparin drip initially and then converted over to argatroban drip based on CDC guidance. No IVIG given as platelets are > 500
1212806	4/15/2021	IN	43	F	4/12/2021	4/15/2021	Migraine with aura without headache (diagnosed by medical professional). Visual disturbance for about 20 minutes. Slightly elevated blood pressure.
1212787	4/15/2021	LA	61	F	3/23/2021	4/10/2021	On April 10, 2021, patient reported losing vision in right eye. Saw primary physician on 4/14/2021 and had ultrasound of the neck done on 4/14/2021. Patient reported per phone on 4/15/2021 that she was told that she had a stroke in her right eye. Was placed on ASA 325mg and Clotidogrel 75mg.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1212767	4/15/2021	PA	40	F	3/30/2021	4/1/2021	Symptoms began about 48 hours after the shot. I had diagnosed Covid in July 2020. I believe I am a long-hauler Covid patient as the symptoms flared consistently from July 2020 until present. They were getting fewer, less intense, and shorter in duration until I received the 1st vaccination. Now the symptoms have returned and seem to have worsened over the 2 weeks since the shot. They include: L eye twitching Blurry eyes Visual Disturbances (silver floaters) Neck/Jaw Pain Sporadic Chest pains, both sides Behind L knee pain Swelling in feet/ankles/legs, sometimes hands/face Trouble focusing/Confusion/Forgetfulness Heart Racing/Palpitations (125BPM Resting) BP Sitting: 143/94 L foot vein pain Toe pain Vertigo/Dizzy/Lightheaded GI issues: diarrhea sporadically, gas, reflux, gastritis, stomach pain Insomnia
1212764	4/15/2021	VA	51	M	3/31/2021	3/31/2021	s/p 15 minutes after vaccination, patient began experiencing blurry vision, seeing "halos", dizziness, bradycardia and diaphoresis. Symptoms worsened when sitting up or standing. BP 110/72 when symptoms first began. Pt placed in supine position with cold compress to back of neck. Given water to drink and stated he ate breakfast prior to his appt. Pt reports no h/o adverse reactions to other vaccines. No improvement in symptoms after 30 minutes, pt reported worsening "halos", so patient taken to ER via EMS.
1212750	4/15/2021	MN	52	F	4/8/2021	4/8/2021	All symptoms last for about 1.5 hours. Lightheaded, foggy vision and weakness in the legs: felt like going to faint.=> washed face and hands with cold water and these feelings disappeared. Then periodic palpitations started, each serious was weaker until they disappeared after about an hour. During the palpitations, felt weakness/ numbness in the low jaw and low lip with difficulties to talk but it lasted only for number of seconds. The last symptom during that 1.5 hour was some warm feeling in the inner part of the leg (thigh and calf) and the outer side of the legs filled just as normal. I did have some tightness in the chest with difficulties to have a deep breath but it wasn't significant while I was driving home
1212748	4/15/2021	MA	69	M	3/16/2021	3/16/2021	Light flashes in right eye



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1212301	4/15/2021	WY	57	F	3/19/2021	3/22/2021	On the fourth day after the injection, I experienced blurry vision that was relatively mild over the course of maybe an hour. The next day, the same thing. The following day, March 25 (vaccine was 3/19) I experienced transitory vision field impairment in the left eye which came in from the left periphery. This came and went over the course of about 1-1/2 hour, including throughout the visit to my doctor. Prior to this, both my 21 year old daughter (who was vaccinated the same time as I was), experienced sudden migraines at the same time. On Saturday 3/27 I began to experience a twitch/pulse which is still happening intermittently in my left cheek. I received the second dose of the vaccine April 9th. The twitching continues. Additionally, I had sharp pain across the length of the sole of my foot that was brief. It recurred three times. I've had a thorough workout which does not indicate the source of the problem. I've begun taking baby aspirin, but experience minor bleeding if I take it more than once weekly.
1212708	4/15/2021	CA	60	F	4/6/2021	4/6/2021	In 15 min I felt my tongue was numb I left and my face on the right side was dripping My eye was cold because the bottom lid was dripping so I held it closed 3 hour later it went back to normal.
1212931	4/15/2021	GA	78	M	4/6/2021	4/7/2021	Stroke caused by blood clot - Vision Impairment and memory impairment
1212646	4/15/2021	CA	46	F	4/7/2021	4/7/2021	Within 6 hours developed sore arm, fever, chills, hot flashes, nausea, stomach pain, headache, brain fog, fatigue, muscle pain. Tinnitus worsened. 8 days post shot, I have brain fog, headache, muscle pain, fatigue, nausea, stomach pain, worsened Tinnitus, sporadic Nystagmus in right eye and vertigo (sporadic & mild. I am in between PCP's & disabled by CPTSD. I contacted a Dr. on Monday about my symptoms & he said he would refer me to an ENT & for lab work. I haven't received confirmation from my insurance

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1212608	4/15/2021	NC	43	F	4/15/2021	4/15/2021	This was my second dosage of the Pfizer vaccine. Upon the first vaccine, I did feel symptoms of throat swelling and difficulty swallowing that subsided without intervention and quickly. For the second vaccine that I received today, I experienced dizziness in the store and began to sweat. I left because the pharmacy staff did not seem to want to be bothered. Upon driving home, within about 15 minutes of getting the vaccine, I began to have nausea to the point that I had to stop and pull over. I vomited a small amount of my breakfast. Continued to feel shaky, dizzy, faint, excessive saliva and tearing of eyes. Upon arriving in my driveway, it was hard to walk up stairs. The nausea continued for about 1.5 hours but the weakness and feelings of faintness continue still after 2 hours after the vaccine. I had some tachycardia. It's hard for my eyes to look up and my eyes hurt when I move them. I had moments of feeling like I had a parietal vice on my head. I called the pharmacy to report all of this and only spoke with a pharmacy assistant. No pharmacist called to check on me. I am an RN so I have the knowledge needed to care for myself and seek medical attention if needed, but I have sympathy for those that are not and have their report of symptoms dismissed just as I did from the vaccine provider.
1212584	4/15/2021	NC	63	F	3/19/2021	4/3/2021	Woke up with black eye that began in corner of left eye and progressed down to middle of lower lid, later that day I had sudden onset of throbbing pain on left side of upper gum and cheek area. The pain in mouth would come and go and responded to heat pack and extra strength Tylenol. I also had a headache on the left side of my head. The black eye went away in about three days. The mouth pain went on off and on for about 7 days gradually subsiding in intensity over that time frame. The headache only lasted for a few days. I also felt some pressure behind my left eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1212582	4/15/2021	MN	36	F	4/7/2021	4/9/2021	I did not receive treatment other than a prescription for a headaches. I ended up having a bad headache after my J&J vaccine. My headache developed at the base of my skull and radiated to the top of my neck. I had another headache above my eye as well. I also had intense joint pain from my upper leg all the way to my right ankle. I also experienced nausea along with my headache. An ultrasound of the right groin was performed to check any clots in my right leg. The doctor who saw me prescribed Emetrex for the headaches and there has been no follow up since then. I still have a headache today but is a lot less in intensity.
1212558	4/15/2021	GA	45	F	4/14/2021	4/14/2021	started on the date of vaccination, face and eyes were itching, throat closed up partially, tongue was prickly, lips were numb. On 4/15/2021, went to urgent care . abdominal and torso areas are itching, face is not and itching, tongues is prickly and lips are numb. No breathing difficult but throat is red and swollen.
1212555	4/15/2021	OK	75	M	2/4/2021	2/1/2021	After the client's second COVID vaccine, sometime in mid February, the client started noticing his eyes itching. His tears started feeling like acid, and will leave a rash where they have been. Client is having a rash on the right side of his head, and on the backs of both of his hands. He went to his PCP who advised to take Benadryl daily. Client reports the symptoms are ongoing and have not resolved.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1212530	4/15/2021	GA	48	F	4/2/2021	4/11/2021	No initial symptoms. Arm did not hurt. Felt fine initially. A week later, my left eye started to water profusely and itch as if I'd gotten something in it. Within the hour, lymph node in front of left ear swelled up to the size of a bean. The next morning, additional nodes swelled up under the ear by the jawline. The eye was no longer watering, but was and continues to experience sharp pain like pins stuck in it, very painful. Some blurring of vision. It is only in one eye still. Eye is not red. Eye is not watering. It shows no signs of visible conjunctivitis, but very irritated. The following day the left side of my face is swollen along with swollen glands. Additionally, a rash has developed along my hairline, on the upper bridge of my nose, and on forehead. The rash on my nose presents like blisters, almost like poison ivy rash. I was not exposed to poison ivy. I do not have acne, so the outbreak on my forehead is unusual. The rash has gotten progressively worse and spread every day since the onset of these symptoms four days ago. I still have no fever. No armpit swelling. Never experienced this before. There was no clear cause of this nor any known infection. Suspect it could be immune response to 1st covid-19 shot. I was very healthy when I took the first shot. Was advised to take a Covid-19 test as the eye hurting is apparently a rare symptom of the virus. Took test yesterday. Awaiting results. But I have no respiratory symptoms. No fever. Do have some mild diarrhea since receiving the vax. Feel fine physically other than these very painful facial symptoms.
1212529	4/15/2021	GA	40	F	3/14/2021	3/15/2021	I went on Sunday March, 14, 2021 to get the Johnson and Johnson shot offered through the school system. I noticed that my blurred vision intensified. I went to the eye doctor 3/16 and that is where they found blood clots behind my right eye close to my center. I was referred to a Retinol specialist 3/26/21 and sent me to get a physical to check for diabetes. It had started to heal a little. There was not clear diagnosis on what could have been causing the blood behind my eye. 4/2/2021 Went for physical at PCP and results of physical was good with no Diabetes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1212509	4/15/2021		35	F	4/7/2021	4/11/2021	Starting Sunday April 11th I began having diarrhea in the afternoon it would need to frequent the restroom roughly every hour or so. As the day progressed The frequency increased and I began having a fever in the afternoon around 4:00 p.m. The fever continue to increase into the night and reached a point around 102°F and was paired with loss of energy/lethargy. Temperature reach just above 103°F over the night but bounced to a low as 98°F but stayed around a 101-102. The night was filled with chills and it was highly challenging to sleep. That Monday 4/11 brought serious headache to the frontal lobe and behind my eyes in a way of not felt before along with severe stomach cramps and frequent needs to go to the restroom due to diarrhea. There was also total loss of appetite. I was bed ridden and slept all day. The combined pain brought me to tears regularly. I went to urgent care that afternoon and also took a covid test. That night the fever broke. Tuesday 4/12 The fever dropped to roughly 99°F In the headache mostly went away But the stomach cramps became more severe . The stomach cramps may have been equally as bad the previous day but I don't recall due to the fever and lethargy. I began tracking the times of each stomach pain and restroom visit and my results show a frequency of stomach pain/craming every 10-15 min. These Pains also brought me to tears and i had no appetite. On Wednesday there were also stomach cramps in the morning through the evening but they were much less frequent going from roughly once an hour to once every few hours
1212413	4/15/2021	IL	38	F	4/6/2021	4/14/2021	Lightheaded, blurry vision off balance

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1212392	4/15/2021	OH	50	F	4/13/2021	4/13/2021	When i took the first does, i passed out the morning after the vaccine and had fever for 2 days. I also had body ache and a light cough. The second dose, i had sever chills starting within 3 hours of the injections. Thru out the night i was freezing but my skin was hot to the touch and i had a fever. The second day i was very sensitive to light and sounds. I couldn't keep my eyes open and had no energy to do anything. I had chills the whole day. I was bundled in 3 blanket and still shivering. The following day i couldn't remember the event of the prior day. It felt as if i was in fog the whole day. Note: I have COVID end of January 2021
1212384	4/15/2021	OK	26	M	4/9/2021	4/9/2021	Patient received Janssen( Johnson and Johnson ) Covid vaccine on Friday 4/9/2021. Patient attended work that evening . Mother reports patient complained of feeling dizzy weak fatigued and generally not well when got home that evening at 10pm . Redness pain and swelling noted ot injection site on left arm noted at that time also. Nausea and vomiting began on saturday 4/10/2021. Nausea vomiting dizziness malaise fatigue continued through Tuesday 4/13/2021. Redness and swelling and pain to injections arm. Consulted verbally with family practice physician on Monday 4/12/2021 Benadryl and anti nausea medications used with some improvement . Injection arm visually inspected non-visit . patient missed work and school Saturday 4/10/2021 through Tuesday 4/13/2021 . report received on Thursday 4/15/2021 that patient's nausea vomiting has resolved but continues with dizziness headache and injection site with redness, swelling . Swelling has not increased but has not decreased

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1212716	4/15/2021	AZ	16	F	4/3/2021	4/9/2021	Admitted to hospital on 4/10 with 2 day history of mydriasis, diplopia with blurry vision, dizziness and balance difficulty. Found to have enhancement of 6th and 3rd CNs on MRI. Patient continued to have blurry and double vision during her stay and mild gait instability. She developed mild frontal headache managed with Tylenol. Her exam was remarkable for mydriasis, mild lateral gaze limitation R>L, mild dysmetria, dizziness and unsteady gait without notable ataxia. No papilledema. Her reflexes were 2+ in her BL UE and LEs. Pediatric Neurology and ophthalmology consulted and followed patient. Eye exam remarkable for bilateral cranial nerve 6 palsy but no other element of CN3 palsy and bilateral dilated but unreactive pupils. Patient treated with IVIG 1mg/kg/day x2 days for likely miller fisher syndrome variant of Guillain-Barre.
1215794	4/15/2021	TX	61	F	3/25/2021	3/25/2021	Broke out in itchy, swollen, red rash. Began as single spot on right eyelid withing 4 hours of receiving vaccine. Spread over first week, across temple and forehead and chin, later on belly (which spread to cover 1/4 torso below waist on front side), between legs on both sides at top of inner thighs, latter on outer thighs of both legs. Felt like needles pricking skin if fabric touched skin. Lasted three weeks. However, at three weeks I am sill not over the rash. I can now function normally, even though the skin is still red and slightly itchy. Oddly, the rash was strong on the right side of my body with a fainter mirror image on the left side. I reported all this on the V-SAFE app.
1215390	4/15/2021	CT	54	U	4/14/2021	4/14/2021	Patient was in observation following vaccination. At 19 minutes, acute changes observed. The patient's eyes rolled,, she became pale and dizzy, with reduced alertness. She was assisted to the floor and stated, "I can't breathe". She appeared to be in acute respiratory distress, labored breathing, wheezes audible without auscultation. Extremities contracted. 911 dispatched. Single epi pen (0.3mg) administered IM to right thigh at approximately 17:30 with good effect. Shortly after, breathing normalized, patient became more alert. She provided her name, place of employment, and stated, "My throat hurt". EMS arrived. Patient taken to ER for further evaluation and diagnosed with clinical syncopal episode.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1215979	4/15/2021	CA	23	F	4/15/2021	4/15/2021	12:30-12:45 Felt fine during 15 minute observation period 12:45-1:15 While driving home, a searing pain happened in the top of my head followed by pins and needles down the left side of my face and arm Vision went blurry for a second 1:15-1:45 Left arm weak, tingling, can?t move left side of face 2:00 -headed to ER 2:30- nurse took my vitals, everything fine. blood pressure 124/80 3:00 doctor saw me, said bell?s palsy 4:45 still cannot move left side of my face but regained feeling in left arm
1215939	4/15/2021	CA		U			Began 16 days after my injection. Hives began on my forearms, moved to my abdomen, chest, upper legs within 12 hours. By day 2 (Wednesday after initial Monday evening presentation) hives were on my face, chest, full abdomen and back swaths, full legs, hands and feet. Tuesday afternoon, I spoke with a Teladoc doctor who prescribed prednisone (40mg daily for 3 days). By Thursday, not much had changed so I went to my local dermatologist. He immediately said I should not get the second dose of the vaccine due to the hives being on my eyelids as well as having an itchy throat. I'm currently waiting for a call back from my primary care physician to balance the tie - even though I am giving the dermatologist's advice a little more weight due to being somewhat more risk averse and his suggestion to have an epipen on hand.
1215935	4/15/2021	NY	42	F	4/10/2021	4/10/2021	Patient said later the day of vaccination her hands, feet, eyes, fingers started swelling --NO issues breathing and NO tongue swelling. Patient took benadryl. Following day patient took benadryl again. When she told pharmacist about it they suggested she been seen at an urgent care or hospital, they may want to prescribe steroid treatment. Patient did go to hospital and reported they did put her on steroids.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1215932	4/15/2021	TX	57	M	4/12/2021	4/14/2021	On Monday night I tossed and turned, and I gradually realized I felt quite ill. By Tuesday morning I had what I understand to be typical reactions to the second dose: soreness at the injection site, fatigue, muscle aches, chills, overheating, loss of taste, and a touch of nausea. My head was swimming, and putting my hands to my forehead made my head feel a bit better. By midday Wednesday I was gradually improving. But Wednesday evening, at my desk, I noticed my vision seemed blurry. On Thursday morning, I verified that my reading vision (with glasses) was (and is) markedly worse. Now I cannot easily read from my smart phone or computer screen. I plan to see an optometrist as soon as possible.
1215931	4/15/2021	DE	58	F	3/23/2021	3/23/2021	hot, darkness in eyesight, passed out, urinated
1215927	4/15/2021		41	F	4/15/2021	4/15/2021	c/O DIZZINESS, HEADACHE AND VERTIGO, LIGHT SENSITIVITY, MILD SOB. DIAGNOSED WITH ASTHMA AND HTN. SKIN PINK WARM AND DRY. NO USE OF ACCESSORY MUSCLES FOR BREATHING, TOOK HER BREZTIE ASTHMA MEDICATION SHE CARRIES WITH HER. COLD COMPRESS TO HEAD AND NECK, LAID DOWN ON COT. 11:30 130/82, 84, 14, 99.1 CHEST CLEAR, ALERT AND ORIENTED. 11:50 140/82, 80, 16, 98.2 CHEST CLEAR, 12:15 138/90, 68, 14 97.5 ALERT AND ORIENTED, FELT BETTER AFTER DRINKING WATER, POWERAIDE AND ATE STARBURST CANDIES. SAT UP IN CHAIR, FELT BETTER, EYES OPENED, CONVERSING, PICKED UP BY DAUGHTER, AMBULATED WITH STAND BY ASSIST TO CAR. INSTRUCTED TO FOLLOW UP WITH PCP OR URGENT CARE IF NEEDED.
1215895	4/15/2021	CA	44	M	4/15/2021	4/15/2021	Patient was injected with his first dose of Moderna and after the needle was retracted some of the vaccine was visualized exiting the injection site and going down his arm. We were unable to quantify the amount of vaccine injected and the amount of vaccine that exited the site and was not absorbed intramuscularly.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1215891	4/15/2021	CA	55	F	1/14/2021	1/14/2021	I need to talk about my pfizer experience. I'm 56. January 15 I received my first dose. I had zero side effects. The night after that initial dose. I began having what I'd term as cognitive issues. Trouble focusing. Blurred vision. Confusion. My synopsis weren't synapping. My brain and mouth didn't work. I felt like inside my body was shaking. But visibly, outside, was nothing. At that time, I was managing diabetes and I figured it was related to victoza being stopped since I'm not a diabetic now. And it continued about 7 days. Then, dwindled for a few, but it returned. I then began getting panicked about it and having panic attacks. I'm afraid of dementia, and remembering was an issue. It continued 4 days off 4 days on. Oddly enough. The 3rd week, it went away about 3 days in. I had about 7 days of bliss, but on the 4th day I got vaccination number 2. At this point, troubleshooting, I quit all my medications. I thought the issue was meditation related. I got shot number two and 3 days later, it hit and stayed again. 4 days on. 4 days off. By this time, I figured it is not my medications. So I went to my Dr. We did an MRI. Carotid workup. We did every test known to man, including heavy metals and found no anomalies except I was dehydrated. So I increased water and raised kidney functions. Weeks went by like this. Off and on. Dr finally told me I had toxic metabolic encephalopathy and I could have died. All testing rules out everything except vaccination reactions. He said my body didn't recognize the vaccine and that my brain attacked the toxins and swellee and caused the TME because of that. I want others to know. TMEs can be deadly. Your brain can swell, and you can die. Fortunately I'm on the upswing. But I still worry about memory. I forget appointments. I still am for the vaccinations. But we never know how our own bodies will react. My physicians diagnosis is a TME caused by Pfizer vaccine. He has ruled everything else out. I advocate this vaccination. Do it. I think what I went through is rare. But interestingly enough, online, it states 23 percent of covid victims get TME. I didn't have Covid. I've tested negative. This is also not dementia or anything of that nature. I've been thoroughly examined.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1215879	4/15/2021	HI	41	F	4/15/2021	4/15/2021	At-10:45 am C/O dizziness, headache, vertigo, eyes closed secondary to sensitivity to light from headache. C/O mild SOB, has diagnosis of asthma. Color pink, skin warm and dry. No use of accessory muscles for breathing, no coughing. Also diagnosed with HTN , takes Cozaar. Has allergy to Ibuprofen, morphine, levaquin and chocolate. 11:30 am- BP 130/82, P 84, R 14 T 99.2 chest clear, alert and oriented x4 11:50 am- BP 140/82, P 80, R 16 T 98.2 chest clear, alert and oriented x4 12:15 pm- BP 138/90, P 68, R 14, T 97.5 chest clear, alert and oriented x 4 Action Taken: Laid down on cot, cold compress to head, drank water, took her Breztei asthma medication one puff for her symptoms which she had not taken this morning as she usually takes it. 12:15 Headache was improving, dizziness gone, appeared better, sitting up in chair. Drank water, poweraide and ate Starburst candy. Eyes opened, conversing. Left with daughter who drove the car home with her.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1215855	4/15/2021	CA	51	F	4/15/2021	4/15/2021	client complained of dizziness after receiving 2nd dose of Pfizer Covid Vaccine. Within 2 mins of receiving vaccine client informed RN she was feeling dizzy. Client able to transfer by herself from chair to wheelchair. RN pushed chair to observation room where EMT assumed care. PHN joined EMT. Client alert and oriented. Per client feeling warmth, dizzy, dry mouth. Vitals at 1434: blood pressure: 110/80, pulse 86, oxygen 98%. Medical history: diabetes, COPD, bipolar depression, glaucoma, and retinopathy. EMT gave client water. Current medications: latuda, metformin, timolol, travatan, eyedrops, novalog, basaglar, and jenuvia. Per client did not have any reaction to first dose. Client informed we would continue observing for 30 mins. 1439 client stated dizziness was improving. 1443 vitals: blood pressure: 130/80, pulse 85, oxygen 99%. Per client dizziness improving. 1448 vitals: blood pressure: 132/82, pulse 85, oxygen 100%. Client stated feeling warm again and clammy. PHN asked client to lower mask and assess skin color. Face flushed, client denies shortness of breath. Per client warmth feeling worsening, PHN offered Benadryl. Client stated not driving, insurance transport would take her home. 50mg Benadryl given orally at 1454. Vitals: blood pressure 126/80, pulse 83, oxygen 98%. Vitals 1500: blood pressure 124/82, pulse 81, oxygen 100%. Client stated feeling better. Still warm feeling, dizziness improving. 1505 vitals: blood pressure: 122/82, pulse 83, oxygen 98%. Per client more improvement, stated starting to "feel sleepy". 1510 vitals: blood pressure 120/78, pulse 87, oxygen 97%. Per client dizziness resolved, skin color back to normal, no flushing noted. ER precautions given. Transport arrived at 1530, unable to get last set of vitals. Per client feeling much better, client asked to be wheeled to transport car due to tired feeling. PHN and EMT accompanied client to bus. Client able to stand up from chair with no complaints. Able to walk into vehicle by herself with steady gait.
1215853	4/15/2021	KY	45	F	4/8/2021	4/8/2021	I immediately had a pain in my chest that went into my stomach and I felt dizzy. My chest felt tight. I had a sun burn rash later that night the next day my eye lid swelled. That night I couldn't lift my arm. My chest pain has been on and off since then. VERY Tired! Pain all over my body. BAD headache.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1216006	4/15/2021	KY	22	F	4/14/2021	4/14/2021	Eyes rolled back in head, arms shook, headache and dizziness.
1215832	4/15/2021	TN	51	F	3/1/2021	3/17/2021	Hives started next day. Progressively got worse until they were on my eyelids. Went to urgent care after 6 days. Given a steroid shot and 5 day oral steroids as well as rx antihistamine. Rash and severe itching continued for 24 days.
1216040	4/15/2021	HI	66	F	4/7/2021	4/10/2021	On Saturday, April 10, I noticed a whitish-yellow spot on the white of my left eye. The next day, I had two whitish-yellow spots on the white of my left eye. The following day, I had four whitish-yellow spots on the white of my left eye and one whitish-yellow spot on the white of my right eye. No treatment has been prescribed and the spots are still present.
1215588	4/15/2021	NE	19	F	4/9/2021	4/9/2021	Patient described feeling light-headed and blurred vision immediately following vaccine administration. POD nurse stated patient appeared pale. Patient was assisted to supine position on floor, did not fall or lose consciousness. Patient was observed by EMS, who continued to monitor vital signs over 35-40min. Patient improved and was released from clinic after 35-40min observation with no treatment warranted.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1215581	4/15/2021	MN	25	F	4/15/2021	4/15/2021	At 2:43pm patient received the vaccine in her arm. At 2:50pm my pharmacy technician witnessed the patient standing up from her chair and walk up to the pharmacy counter then faint into the pharmacy immunization booth. My technician states the patient did not hit her head on a wall. At 2:51pm my pharmacy technician brought the incident to my attention and we both ran to the patient to address the situation. The patient was unresponsive, so I ran and dial 911 then instructed my tech to take the phone. I then ran back to the patient and patted her back, said her name and asked her if she could hear me. It was at that moment the patient's eyes flickered and the patient had what looked to me like a 10 second seizure in the chair inside the pharmacy booth. Once the patient was done what I could only identify as seizing, she came to and I asked her if she new her name and where she was. The patient answered correctly and then asked me "Have you had anyone with a reaction like this before?". I answered that I have not personally witnessed a reaction like this before. My technician had 911 still on the phone and they instructed her to stand out front of the store to await the ambulance. A first responding officer came in and asked about the witnesses to the incident then took over for caring for the patient.
1215552	4/15/2021	CA	18	F	4/15/2021	4/15/2021	Approximately 5 minutes into her observation time: she reported feeling hot, sweaty, decreased hearing and vision; ringing in her ears and nausea; able to follow commands. Transported via wheelchair to exam table; lying flat on back with feet elevated. Vitals 85/44(R), 98% on RA; HR 57bpm-2:18p; 96/53 (R), 98%; 64bpm-2:20p Offered sips water: 108/65(R), 100% on RA; HR 62bpm - 2:45p - patient reporting she was 50-75% feeling better. Sat up with legs dangling: 105/67(R), 100% on RA 68bpm - 3:08 p. Able to stand on own and felt back to her baseline/stable and able to walk out of vaccine clinic area on her own (2-friends with her)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1215531	4/15/2021	PA	40	F	4/15/2021	4/15/2021	Immediately after vaccine pt began feeling lightheaded, shakey legs, chest tightness and warmth. Denies tunnel vision, hearing changes and shortness of breath. Pt transported to obs at 1743 via wc. Around 1749 pt states she feels cold, lightheaded when sitting up and persistent chest tightness. Pt declines call to EMS and EMS transportation. She does agree to drive herself to urgent care for further evaluation. Pt states she feels safe to drive. Pt released by self at 1803. Vitals as follows: 1744 BP 134/90 HR 64 SPO2 100; 1749 BP 135/78 HR 65 SPO2 100; 1756 BP 155/87 HR 74 SPO2 100
1215507	4/15/2021	WA	60	F	3/26/2021	3/26/2021	My vision had 5-7 water bubbles that appeared with blood-stained edges. They would move as I looked at things for about 10 minutes. Was on a walk and went home and sat in a chair. 4 hours after injection my neck and upper back was killing me. I have had a previous injury from a car wreck 40 hears ago. I slept in the chair that night and the next days on a heating pad. My back felt like a horse kicked me. The next day my eyelids were too heavy to lift for about the duration of a movie. I could not fall a sleep, but could not lift my eyelids. I had vaccination on Friday night. I could not stand any sunlight until Sunday. My sinuses were killing me and the back of the head. On Sunday afternoon I could eat chicken broth and drank lots of water. By Sunday night, I felt fine and ran 5 miles on the treadmill. Feel great now.
1215478	4/15/2021	MI	54	F	1/6/2021	1/7/2021	15 hrs later woke up in the middle of the night with severe total body itching, facial, eye and lip edema
1215474	4/15/2021	NM	71	M	4/1/2021	4/10/2021	Headaches ,nausea, diarrhea, dizziness, fatigue, disorientation, blurred vision. 5 days after 2nd shot. 5 days so far of symptoms.
1215471	4/15/2021	CO	30	M	4/15/2021	4/15/2021	blurry/double vision, nausea about 5 mins post injection. Did not vomit. Reported that he did have lunch but did not drink much water today. He sat for about 45mins drank a bottle of water and symptoms resolved.
1215439	4/15/2021	CT	58	F	4/10/2021	4/12/2021	a bruise in the area of the left upper nose and left eyelid between the nose and eye and including half of the eyelid

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1215429	4/15/2021	PA	43	F	4/15/2021	4/15/2021	Patient reported nervousness prior to receiving vaccine. Patient reported blurred vision, possible vertigo, slight nausea. Patient never lost consciousness. Patient was moved to fresh air, given ice pack, bottle of water. Left without issue.
1215427	4/15/2021	WA	49	F	3/31/2021	3/31/2021	My 15 minutes ended at 12:22p. About a couple of minutes I started feeling effect. First I felt dizzy, then like I was going to pass out so I sat down. Afterwards, I went to another office because our lobby was full and I didn't want to draw attention to myself. My coworker was watching me. My head and hands both became clammy. Then my coworker said my eyes were really red. Then she said my face turning red. She grab one of the workers and they took my blood pressure. I had gone to a surgeon the day before and my blood pressure there was 92/68. During 3/31, my blood pressure was like 113/98. Then they took my temperature and I had a fever. I didn't have trouble breathing or chest pain but they brought me to a healthcare facility. There they watched me for about an hour and a half and gave me an EPI pen. My symptoms of headache, nausea, chills, fever, muscle aches, inability to sleep for more than 30 min have continued since 3/31 minus a few hours on 4/7. The most constant symptoms are headache, nausea, chills and then the other symptoms come and go. For example today, I have headache, nausea, chills and then I spiked a fever even though I am taking Advil and Tylenol to help with the headache. Also today, in addition to feeling hot, my palms of my hands are hot. Last Thurs and Sat in addition to the headache, nausea, chills I was fatigued to the point where I slept 14 hours on Thurs and 16 hours on Sat. Another symptom that I have is on my injection arm. Occasionally it will hurt from my middle finger to my collar bone.
1215421	4/15/2021		33	F	4/1/2021	4/2/2021	abdominal pain since vaccine, found to be pregnant. headache 1 week after vaccine. normal exam. no change in vision. no personal or family history of clots. better with reglan



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1215836	4/15/2021	NM	36	F	4/1/2021	4/12/2021	Felt fine at time of shot, a little achy afterwards but nothing concerning. My legs ached some a few days after but got better. About 3 days ago I started getting a major headache on the right side that also arrived with blurry vision, mental fog and mild dizziness. Nausea yesterday and today except the headache was much worse. I cried from the pain and this is when I became more concerned. My eyes, mainly the right side and a pressure in my sinuses were very difficult to bare with, subsided some with multiple doses of ibuprofen and Advil sinus but not by much. The headache is unbearable, painful to stand out bend over or move.
1216400	4/15/2021	CO	27	F	4/7/2021	4/14/2021	Rash on left arm one week after first dose of Moderna. Itchy, irritated eyes 3 days after first dose. Swollen tongue one week after first dose. Taking Benadryl for symptoms.
1215135	4/15/2021	CA	22	M	4/15/2021	4/15/2021	Patient was sitting in chair when he started feeling dizzy and noticed his vision was blurry. Patient fell to floor and hit back of head on the floor. Syncopal episode lasted for 5-10 sec. Patient awakened A/Ox3. Vitals obtained with BP 146/96, HR 75, O2 99%. Given water and cold compress to neck and head. Denies feeling bad at time. Vitals obtained again with BP 136/62, HR 68, O2 99%. Kept patient an additional 15 mins. Patient refused ambulance and EMS service. Patient left after sitting 30 mins total. Mentation still A/Ox3.
1214440	4/15/2021	TX	40	F	3/16/2021	3/22/2021	experienced a sudden pain to the forehead. Pain increased from 0-100 very rapidly, I became very nauseated to the point of having projectile vomit. Experienced blackout segments. Took 1 dose of 100mg Sumatriptan at about 930pm and tried to sleep w/the immense pain. Took 2nd dose at about 12am. Pain did not dissipate but fell asleep. When i woke up pain was gone but felt very sore, dizzy and disoriented. Fast forward to April 9th while laughing uncontrollably the right side of my face spasmed/cramped closing my right eye and contracting my right cheek as if having Bell's Palsy. I have never experienced this before. Face did not continue to droop but has left a tick/twitch sensation under my right eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1216564	4/15/2021	GA	57	F	3/24/2021	3/27/2021	Measles looking spots, Infection in both eyelids, a couple of bruises
1216559	4/15/2021	CA	34	M	4/14/2021	4/14/2021	<p>Main symptom: Around 10 hours after receiving the vaccine, my right ankle felt slightly numb. I also had a sharp, painful shooting pain in the middle of the sole of my foot that lasted less than a second. As the night progressed, the numb area spread slowly to other parts of my foot. When I woke up the following day (today), I was surprised to discover I was not only still numb, but the numbness had spread across the entire outside of my right foot (from my ankle to 3/4 of the distance to my pinky toe). Now, several hours later at 8:30pm, the numbness reaches all the way from near my pinky toe on my right foot up to the bottom of my calf. All of the numbness is isolated to the right side of my right lower extremities and has not crossed over to the middle of any of my extremities yet. I can also feel a slight numb sensation in my left index finger stretching to the base of my left thumb, but it isn't nearly as bad as my right foot. I haven't felt any addition sharp shooting pains.</p> <p>Numbness aside, I had a pretty bad headache from about 4pm to 10pm yesterday, and when I closed my eyes saw what appeared to be mild hallucinations (green and red streaks that disappeared pretty quickly, and were only visible when my eyes were closed). I'm no longer having the visual symptoms, but the numbness is getting worse by the hour. I have NEVER had any of these symptoms before in my life, and did nothing out of the ordinary yesterday or today in terms of food or physical activities. I take no medications.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1216558	4/15/2021	NC	34	F	4/14/2021	4/15/2021	Had chills all throughout the night and suspect a low-grade fever although I did not take my temperature. Woke up the morning after the vaccine around 7 am with a severe migraine and eye pain. I took my temperature and had a low grade fever of 99.8. I took two over the counter Excedrine Migraines. Migraine got better but around 8am I started experiencing neck pain. As the day went on, the neck pain has become so severe that I am planning on seeing a doctor tomorrow if the symptoms don't subside. The neck pain feels like a severe stiff neck, when I turn to the side or look up or down. Even if I am not moving at all, there is a dull pain that is felt all the time. The pain has radiated to my left shoulder blade and jaw. I also feel a dull pain at the base of my skull. When I swallow, I feel the back of neck hurt. I have not taken any other meds and hoping this will subside on its own.
1216545	4/15/2021	WA	42	M	4/12/2021	4/13/2021	About 2-4 hours after shot husband had body aches and was sleepy. 12-14 hours post vaccination husbands vision would go blurry for about 10-20 seconds, happened about a dozen times over the course of the next 5-6 hours then stopped. At 30ish hours post vaccine woke up drenched in sweat, all bedding had to be washed, but said he felt better aside from mild Muscle pain/body aches that remained for about 48 hours from initial time of injection but was about return to work without issue on Wednesday. Still has mild soreness at injection site on Thursday 4/15.
1216537	4/15/2021	MT	19	M	2/3/2021	3/24/2021	Fatigue for 7 days. Fever 1 day. Chills 2 days. Body aches 5 days. Headache 5 days. Blurriness in eyes 1 day. Vomiting 1 day. Bloody nose 2 days. Dehydration 4 days.
1216535	4/15/2021	FL	48	F	3/20/2021	4/3/2021	2 weeks After the vaccination got a Very strong headache and vomit ; the next few days got mild and spacey out ; headaches also feel poor circulation on my right leg. At the beginning though headache were related to vision or the need to change prescription of my glasses until The J&J announce. I called my primary doctor and they say it is normal and gave me an appointment for the end of the month. Till today I still have sporadic mild headaches some of them only on the right side and eulment on my leg

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1216521	4/15/2021	LA	61	F	4/5/2021	4/6/2021	Felt like I had Covid19 all over again. 30 hours of misery! Bad body aches, chills all night, lining of skull and back of neck going into the head felt warm, feverish. Inner ear ached, back of eyeballs ached, joints ached badly. Tylenol lessened the pain somewhat, but didn't get rid of it. Had sharp pain in heart during the night. No position in bed helped, neither did walking around until I went back to bed and laid down on my stomach. Pain then subsided and didn't come back. Was headachy for 3 days after the injection.
1216517	4/15/2021	TX	29	F	3/12/2021	4/4/2021	Moderna COVID-19 Vaccine EUA Face numbness/tingling on right side of face. It started with the lips, spread to cheeks(inside and outside), tongue, inside throat and upward towards eyes and forehead.
1216456	4/15/2021	CA	45	F	4/15/2021	4/15/2021	Numb, tingling face; difficulty breathing; increased heart rate; tunnel vision

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1216453	4/15/2021	CA	35	F	4/12/2021	4/12/2021	Client had a chief complaint of chest pain. Client stated that she began feeling chest pain several minutes after the start of her observation. Client has a history of depression and other unspecified psychiatric illnesses. Client stated that she takes sertraline daily and has a history of taking Risperdal. Client stated that she regularly sees a Psychiatrist. Client denied any allergies or other underlying medical illnesses. Assessment revealed chest pain located in the center of the patient's chest. Client pointed to her sternum to indicate the exact location and stated that her arms felt "heavy." Client's airway, breathing and circulation were intact, however, client complained of shortness of breath. Client was alert and oriented to person, place, date and event while appearing slightly distractible. O2 saturation 100%. Client was negative for redness, swelling, hives, severe sweating or other signs or symptoms of anaphylaxis. Client denied any increase in chest pain or shortness of breath when breathing in or out and did not state any additional pain throughout her body. Client then added that she felt "anxious" after receiving her shot and stated some reluctance with even receiving the shot prior to her arrival. Client's mother was present and stated that client had been reading the Pfizer fact sheet she was given and had been focusing on the side effects portion before signaling for assistance. Client's initial vitals were as follows: Blood pressure:138/88, Pulse 76, Respirations 20, O2 sat 100%, Eyes equal and reactive to light, Lung sounds clear bilaterally. Client initially consented to staying an additional 30 minutes. She began to become anxious and impatient with her additional observation time. After 10 minutes of sitting the client began stating that she was afraid that her "heart would become too fast" when she got home if she "didn't throw it away." After some encouragement, the client was able to clarify "it" as "meth" which she had hidden at home. Client stated some reluctance to go home stating that if she smoked her "meth" that her heart rate would become too "fast." Client then asked EMT if he was willing to come home with her to help her "throw it away." All staff present praised the client for sharing this information and after discussing her concerns further, client became much calmer and stated that she felt much safer and that her chest pain, shortness of breath and anxiety had subsided. Client then stated that she wanted to go home

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							but consented to a second set of vitals before leaving. All of the client's vitals improved: blood pressure 132/88, pulse 68, respirations 16, O2 sat 98%. 1636 - 138/88, 76, 20, 100% 1651 - 132/88, 68, 16, 98%. Client was encouraged to discuss the incident with her psychiatrist and to seek further counseling. Client was also instructed to seek further medical care or the emergency room if symptoms returned. No medications were administered.
1215989	4/15/2021	HI	74	F	4/1/2021	4/2/2021	On Apr. 2, 2021 I awoke about 10:00 with blurred vision and feeling dizzy but since my husband and I had medication pick up, we left home. I made the pick up from pharmacy but, when I arrived back at the car I informed my husband that I felt dizzy that morning. We immediately drove to ER. After reporting symptoms, I was admitted. Receiving physician interviewed me and decided on essential tests (Blood Test, CAT SCAN, MRI, etc.) to be conducted. After each test, indications did not prove a definitive prognosis. After six hours we were finally discharged from ER and were instructed to contact PCP. We emailed PCP, and on Apr. 3, 2021 she called and did an on-phone interview. From tests PCP was privy to she decided to first prescribed another blood test followed by an Apr. 7 visit with ophthalmologist at 1:00 PM. The following day PCP informed us that eye exam showed signs of eye nerve/muscle damage, so, an Esophagogastroduodenoscopy (EGD) and colonoscopy procedure/s will be performed for Apr. 20, 2021, pre-ops to be accomplished before that date.
1216414	4/15/2021	IL	69	F	4/15/2021	4/15/2021	Patient has had anaphylactic reactions in the past and carries and Epi-pen on her person. About 10-15 minutes post vaccination, patient was able to detect swelling around the eyes, lips and tingling in the throat. She proceed to administer her own epi-pen. A second epi-pen was administered by the patient and pharmacy activated EMS with monitoring.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1216164	4/15/2021	MN	52	F	4/14/2021	4/14/2021	Injection was at 12 PM. At 12:15 PM I started to feel a furry throat like I had a hairball in my throat and a tickle. Within a minute or so I got a cough, a dry cough with a high pitch. I could not stop coughing. My face felt hot and was flushed, my lips tingly, and I started to sweat a lot. I was short of breath when I tried to talk. The staff on site put an oximeter on and my oxygen was fine but my pulse rate was around 130. My nose was dripping snot and my eyes were running. We walked over to ER which was just around the corner, And sat in the waiting room for about 10 minutes wondering if the cough and symptoms would update. I Peed my pants a little bit. I started to feel very nauseous and little bit scared, even though this has happened to me before. I was brought to a room and soon given a dose of Epi as well as Pepcid (about 1pm) soon after some Zofran. The epi took care of my symptoms within about five minutes. About 90 mins later symptoms came back full on and I was given another dose of Epi at almost 3pm. And agin at 630pm.
1216367	4/15/2021	SC	82	F	3/12/2021	3/29/2021	Large hemorrhagic stroke with severe headache & throwing up. Not sure when it actually happened but found her on bathroom floor when I woke up. Transported to local hospital & transported to Neuro icu at major hospital. Now in nursing home with rehab. Unable to assist yet with much therapy. Impaired vision, can't feed herself or sit unattended. Very groggy & sleepy. Never lost consciousness.
1216352	4/15/2021	TX	23	F	4/11/2021	4/11/2021	I received my vaccine April 11th at 3 p.m and began to have a fever around 9 p.m. My fever did not go away until the next evening. On April 12th I had a fever and woke up with red little dots around my eyes. At night the fever went away. The following day April 13th I felt my chest tight and had shortness of breath throughout the day. I also had stomach pains at times. April 14th and 15th (today) my chest still feels tight and I get tired very easily. My arm is also still very sore and sensitive, I have a little bump where the vaccine was put in.
1216338	4/15/2021	IL	41	M	1/21/2021	1/29/2021	Developed shingles (herpes zoster); painful rash to nose, lateral to right eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1216278	4/15/2021	PA	53	F	3/27/2021	3/27/2021	I became extremely weak, chills, aches, severe headache, pain behind eyes and extreme fatigue. The extreme fatigue lasted 14 days and I am still not back to normal energy. The headaches lasted 14 days most of the day and the last few days part of day. Ok day 15 I developed a painful rash on my chest.
1216249	4/15/2021	CA	50	M	4/15/2021	4/15/2021	Approx. 30 min after receiving 2nd dose of COVID vaccine pt stated feeling "dizzy and flushed." Pt taken by wheelchair to private observation area and VS assessed by RN. Pt noted to have an elevated BP outside of normal parameters. Pt ax4, denies any pain, SOB, chest pain or difficulty breathing. Pt continued to be monitored and assessed by RN over a period of approx. 30 min. and BP remained elevated outside normal parameters. Pt agreeable to be treated in Emergency Room. Pt taken by wheelchair to ED by charge nurse and another ED staff member. Pt able to follow commands and able to ambulate on his own to wheelchair. Pt denies any dizziness, blurred vision, nausea, SOB, head/chest pain or difficulty breathing.
1216238	4/15/2021		27	M	4/13/2021	4/14/2021	migraine, fevers, body aches x 2 days after receiving J&J vaccine on 13Apr21; states max temp 100 at home; reports taking tylenol at home with minimal relief; last dose yesterday around 1200; denies any vision changes.
1216186	4/15/2021	WA	29	F	4/8/2021	4/8/2021	Started feeling jittery about 4PM, then dizzy around 8PM, by 10PM I had almost a 101.5 fever, chills that were uncontrollable, sweating, my whole body felt sunburnt and was bright red, I was freezing and burning up, and crying, whole body was aching and headache and eye ache that was pounding. Slept four hours and woke up the next day feeling lethargic, sore, achy, bad headache. Then two days later most the symptoms went away but i still got waves of heat flashes



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1216146	4/15/2021	IA	32	F	4/9/2021	4/10/2021	Janssen COVID-19 Vaccine EUA Patient received Janssen vaccine 4/9/2021. Patient presented to ED 4/14/2021. Patient is a very pleasant 32-year-old female, with past medical history significant for taking bromocriptine for prolactin issues as well as metformin for type 2 diabetes, presents to the emergency department for evaluation of continued headache over the last 1 week. Patient also reports chills, sweats, body aches ever since receiving the Johnson and Johnson coronavirus vaccination 1 week ago. The headache started after receiving the vaccination and has been continuing ever since. It does not fluctuate in intensity. It is caused her blurred vision and difficulty focusing. No tinnitus or hearing loss. No slurred speech, vomiting, numbness or weakness or tingling to the extremities or any facial droop. No history of strokes or aneurysms. She is not on blood thinning medication at all. No upper nor lower extremity swelling or redness. No abdominal pain, nausea, vomiting or diarrhea. She reports the continued subtle shortness of breath and body aches since the vaccination as well. No rapid heart rate, long flights, long car rides, surgeries nor oral contraceptive use. Patient started on heparin drip. Neurologist recommended transferring patient to higher level of care. emergency department physician is willing to accept the patient at their facility. Patient transferred to the facility.
1216100	4/15/2021	NC	30	F	4/14/2021	4/14/2021	At approximately 7:30 pm (almost 9 hours after receiving the second Moderna vaccine), I began to have chills and a low grade fever of 100.4. My neck also became extremely stiff. The chills continued to persist and each hour my temperature increased. At 10:00pm my fever was 103 in the ear and I took 1000mg Acetaminophen. The fever went down to 101 overnight and eventually the chills subsided. The morning after the vaccine at 6:20am, I went to take a shower and nearly passed out in the shower - experiencing tunnel vision, ringing in ears, and extreme nausea. The rest of the day, I continued to have a low grade fever between 100.0-100.4, muscle and joint pain, bad neck stiffness, headache, occasional eye pressure, intermittent nausea, and fatigue. The symptoms improved by 8:00 pm (about 33 hours after the vaccine).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1216093	4/15/2021	OH	56	F	4/13/2021	4/13/2021	PT called and reported an itchy, red rash up through her neck - got vaccine ~1030:am, noticed around 1pm (about 2.5 hours post-vaccine) and has persisted since (4/15/21 around 8pm at the time of reporting) - also has little white bumps on the rash itself, and full body itching without visual skin rash elsewhere on body. Pt has had no issues with difficulty breathing. NO reaction at site of injection, only a little sore
1216084	4/15/2021	MN	19	F	4/15/2021	4/15/2021	Within the 7 min of the waiting period the patient felt lightheaded and had some visual disturbances. She came to the pharmacy and sat on the floor and when asked she explained what happened. She was told to lay down with feet elevated and she felt a bit better. She asked for water and she felt better. She laid down for 15 minutes and said she could leave but we asked her to stay seated and see how she feels and then after another 15 minutes she said she is fine and left and after an hour called to let us know she is feeling fine.
1216054	4/15/2021	GA	31	M	4/15/2021	4/15/2021	Today 4/15/21, patient was administered the Moderna COVID-19 vaccine. Prior to the vaccination, his wife mentioned to us that he has a severe phobia of needles and has passed out previously to other shots. He had no other issues on his PQCF preventing him from receiving the vaccine. The PQCF was reviewed with the patient by pharmacist. Tech administered the vaccine under supervision of both pharmacist and other technician due to his phobia. Patient received the vaccine with no issues except obvious nerves and a few minutes later while still in the booth, he reported not feeling well. We got him a bottle of water and he went to the post-vaccination waiting area with his wife. We were monitoring him closely and noted that his head was slumping into his wife's stomach when he was sitting down, and he appeared ill. Immediately, we got patient in supine position on the floor with his feet on a chair elevated. Cold ice packs were put on his head, neck, and wrists. Within 5-10 minutes, he was feeling much better. He sat back up in the chair, still with ice packs, and drank water. Patient was asked to stay for 30 minutes so we could continue to monitor him. After 30 minutes, he left with no issues.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1216423	4/15/2021	FL	64	F	4/13/2021	4/14/2021	Headache,eye discomfort behind eyeballs, generalized muscle and body aches-especially back and knees, chills, fatigue

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1214586	4/15/2021	VA	81	M	2/15/2021	2/21/2021	<p>Patient received his 2nd dose of the Pfizer vaccine at on Monday, February 15. That evening, he experienced visual disturbances with slightly blurred vision. Not thinking anything of it at the time, the vision cleared, and he continued about their evening/week without telling anyone of his visual disturbances. On Sunday, February 21, he experienced additional visual disturbances including double vision and dizziness, and we had him visit a local ER for evaluation. He was discharged with a diagnosis of dehydration and vertigo. No scans were performed. The visual disturbances cleared up the following week and the only persistent symptom was a slight dizziness. An eye exam was performed on Friday, February 26 with no problems found. An MRI was performed on March 3, and he was diagnosed with the below conditions. Impression (3/3/2021) 1. Small acute to subacute infarcts in the left splenium of the corpus callosum and parasagittal left occipital lobe. 2. Trace subarachnoid hemorrhage in the parasagittal left parietal lobe. 3. Mild chronic microvascular ischemic disease. He was admitted to the hospital and remained there until Saturday, March 6. Follow-up scans and testing were performed with no underlying reason for the stroke being determined. Prior to the stroke, he had been a very active individual with osteoarthritis as is only health complaint. He was not on any prescription medication prior to the stroke. While in the hospital, the tests for high blood pressure, high cholesterol (LDL 92 MG/DL), sugar inadequacies (glucose 93 mg/dl, A1C 5.7%), etc. came back without major concerns. His follow-up CT scans also did not reveal the stroke shown on the MRI. No inquiry was made by any of his doctors or hospital staff as to his COVID vaccination status/dates to even consider the connection. Below are the results of the last CT scans: Impression (3/4/2021) 1. Age-related volume loss and white matter disease similar to prior exams. 2. Small infarct seen on MRI are not well seen on CT. 3. No acute intracranial abnormality demonstrated on the CT scan. Impression (3/5/2021) 1. No evidence of acute infarct or intracranial hemorrhage. No significant change. 2. Periventricular white matter disease is likely secondary to chronic small vessel ischemic changes.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1214765	4/15/2021	AZ	63	F	3/17/2021	3/18/2021	My symptoms started 03-18-2021 at 11am where I developed chills, was very sleepy that I slept 15 hours straight. I felt very fatigued and my eyes hurt so much and I could not keep them open. On 04-06-2021 I still was not feeling well. I started to have problems with my right side of my face, eyes and mouth which gradually got worse so I went to the hospital. At the hospital they checked me for stroke, performed lab work, did MRI and CT scans and the the doctors came back and said it was Bell's palsy. I again went to the hospital 04-11-2021 but this time due to GI issues with pain. On 04-14-2021 through 04-15-2021, I started to experience neck pain behind my right ear. At the hospital they had prescribed my prednisone 50mg, so I took half for my pain. I still have trouble sleeping and have lots of pain.
1214756	4/15/2021		33	M	4/14/2021	4/14/2021	Rec'd covid vaccine dose 1 @ 1430. c/o nausea, dizzy, tachy @1440. taken from theater chair to gurney@1443 HR 114 Left BP 134/94 sats 94% on RA. 1446 given apple juice box, fruit snacks and water LEFT BP 136/94 HR 104 sats 94%increased drowsiness, bilateral arm tremor, nauseous, able to answer all questions, aaox3 however drifting to sleep eyes closed often during conversation. pt stated takes depakote, chart review revealed depakote, cogen, plenate with h/o schizophrenia. 1459 BP LEFT while sitting up on gurney 129/94 HR 120 RA 96% no longer dizzy or nauseous. 1502 sitting up, talking, recovered. 1504 LEFT BP 113/100 RA 94% ambulated to parking lot without assistance to depart in handivan.
1214755	4/15/2021	MA	62	M	1/1/2021	2/21/2021	I personally began developing left eye symptoms (eye pain, redness, decreased vision and seeing halos around lights in my left eye only) on February 21 and was subsequently diagnosed with pretty severe, acute left eye anterior uveitis on February 23. (Thankfully, it appears to have fully resolved with a course of ocular steroid eyedrops.) I received my initial Moderna vaccine on January 4, with my second dose on January 27. I have never had anterior uveitis before, and of course I have no idea if it is related to my vaccination. I am at increased risk for anterior uveitis as I have psoriasis and I am HLA B27 positive.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1214740	4/15/2021		18	M	4/7/2021	4/7/2021	Patient received the Pfizer COVID vaccine (Lot EW0150, exp 7/2021) dose 1 at 1400. At 1405, EMT approached patient who appeared pale and diaphoretic with his eyes closed. PHN approached to assess, patient had slow speech and pulse felt thready. Vital signs: O2 99%, pulse 56, respirations 24. Patient had thick sweatshirt on EMT had difficulty obtaining blood pressure. Paramedic approached to assist. At 1410, PHN, EMT, and paramedic transferred patient to zero gravity chair and placed in reclining position. Patient was offered water and he verbalized feeling better. Patient denied allergies, medical conditions, or medications. PHN assisted patient in removing sweatshirt partially to obtain blood pressure. Vital signs: O2 99%, pulse 51, blood pressure 92/60, respirations 24. PHN offered Benadryl but patient declined. PHN advised on when to call 911. At 1422, patient reported light sensitivity and blurry vision. At 1425, vital signs: pulse 52, respirations 18, O2 99%, blood pressure 118/84. At 1535, vital signs: O2 99%, pulse 58, respirations 18, blood pressure 110/66. Patient reported continued improvement in symptoms, only feeling tired. Patient reported working out, only sleeping 2 hours that night, and not eating before coming in. PHN called family member at patient's request to drive patient home. At 1439, patient assisted to seated position in zero-gravity chair by PHN and EMT. Patient reported symptoms had resolved and he felt back to baseline. At 1445, patient stood up, monitored closely by PHN and EMT. At 1449, patient left walking with steady gait to parking lot where family member was waiting to drive patient home.
1214733	4/15/2021	IN	60	F	4/1/2021	4/8/2021	Patient reports that she had pain behind her eye. Went to hospital and was diagnosed with having a stroke. Patient states she lost sight in her left eye and is still blind in her left eye. Optometrist states patient will not regain her vision in her left eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1214723	4/15/2021	AL	38	F	4/7/2021	4/14/2021	Patient presented to my office for a routine visit (as her family doctor) the very next day after she started noticing symptoms. First it started with some numbness of her tongue on the left and accompanying decrease in taste. The next morning (day of my appointment with her) she woke up with left side facial drooping involving the entire left face. I diagnosed her with Bell's Palsy today and discussed the case with a neurologist at the academic center nearby and started treatment of prednisone for 7 days. Also instructed other conservative measures such as eye wetting drops and eye patch.
1214719	4/15/2021	VA	35	F	4/13/2021	4/14/2021	The next evening following the vaccine, my right eye swelled (the white of the eye) and my cheek and above my eyebrow became inflamed on the right side only. I visited the ER the next morning and they told me it looked like an unrelated allergic reaction. She said it looked almost like the pattern of shingles but said that was unlikely. Visited another dr who said it looked like the possible beginnings of shingles based on the affected areas and that I should monitor. Face feels hot, eye swelling went away after Benadryl use the first night but cheek and eyebrow are still inflamed.
1214685	4/15/2021	CA	66	M	4/6/2021	4/9/2021	2 days after shot, fatigued, minor muscle ache, dizziness, blurry weak vision. Some nausea in a.m., then today, 7 a.m. nausea and weakness, chilly and extreme fatigue, in bed all day so far. Feeling like not enough air all week since shot.
1214683	4/15/2021	NV	23	F	4/2/2021	4/5/2021	Stye infection on left eye lasted 5 days. Appeared only 3 days after the vaccine and I had no previous history of Stye infections prior to this. I was vaccinated on my left arm and the Stye appeared on my Left Eyelid.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1214664	4/15/2021	KY	61	F	4/8/2021	4/8/2021	complete numbness of entire right side of my body; same side where I received the vaccine. after 4-6 hours after shot. lasted almost two days. scalp, cheek, eye socket numb and worried. cortisone and zovirax to prevent bell?s palsey. reported to VAERS and no one seems to care. no swelling of lymph nodes yet after almost one week. diarrhea severe. cortisone helped but affects immune response and antibodies so stopped steroid. will not get second. Guillain-Barré syndrome and septic shock, cytokine storm, autoimmunity, run in the family. just want people to be aware and wish they?d tell people. I?m in the medical field and not an anti vaxer. chills, fatigue weakness but I expected that. statistics don?t matter unless it affects you and your family members. I?m doing lymphatic drainage for lymphedema also, like for breast cancer patients.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1214655	4/15/2021		54	F	4/8/2021	4/8/2021	Per RN report: patient received dose 1 of the Moderna COVID vaccine (lot 041B21A, exp 5/6/2021) at 1023. At 1025, EMT shouted across the room to RN "she's going to faint." RN approached patient to assess, the patient was diaphoretic, pale, and not responding to questions or making eye contact. RN squeezed her hand and patient made eye contact and verbalized feeling lightheaded. RN , EMT , and EMT transferred the patient to a zero-gravity chair allowing patient to recline. RN returned from helping outside and approached to assist at RN was taking care of another patient. At 1027, patient reported feeling faint, sweaty, with blurry vision, and ringing in the ears. Vital signs: 94/62, pulse 72, O2 93, respirations 22. Patient denied nausea, reported she had eaten breakfast that morning. Patient reported having a similar reaction when she donated blood previously. Patient denied allergies, medical conditions, or taking any medications. At 1035, vital signs: O2 99%, pulse 68, blood pressure 104/62, respirations 22. PHN offered Benadryl but patient declined. PHN encouraged patient to contact provider and when to call 911. At 1042, vital signs: blood pressure 98/62, O2 99%, pulse 74, respirations 22. Patient reported that she was experiencing numbness in both hands. At 1049, patient reported her symptoms were improving including the numbness in her hands, blurry vision, and lightheadedness. Patient reported feeling cold, weak, and shaky. PHN noted patient's facial color was returning. At 1054, vital signs: blood pressure 100/62, O2 99%, pulse 68, respirations 20. Patient reported her symptoms has resolved at this point. At 1059, vital signs: O2 99%, pulse 69, respirations 18, blood pressure 110/64. PHN and EMT assisted patient to seated position. At 1105, patient stood up with PHN and EMT close by. Patient reported no symptoms and back to her baseline. At 1108, EMT walked patient out. Patient left walking with steady gait.
1214651	4/15/2021	VA	74	M	4/13/2021	4/13/2021	Severe diarrhea, blurry vision, inability to focus, inability to "have a normal conversation" (all started today, per patient report).
1214791	4/15/2021	IA	45	F	4/8/2021	4/9/2021	Headache, nausea, dizziness/lightheadedness, blurred vision, muscle and body aches, fever 102.4, increased heart rate and palpitations, shortness of breath.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1214633	4/15/2021	CA	58	M	4/12/2021	4/12/2021	Anaphylaxis x- scratchy throat at +10 mins x- swollen tonsils at +15 mins x- difficulty swallowing at +20 mins x- voice changed noticeably at +30 mins, subsequently lost x- Some heart palpitations and chest tension at +45 mins x- Angiodema of right eye +90 mins
1214628	4/15/2021	CA	24	F	4/15/2021	4/15/2021	24 year old female who has completed a 90 minutes-minute observation period with the following signs and symptoms of an adverse reaction: other - nausea, vomiting, dizziness, hot flashes, weakness 20 minutes after Pfizer-BioNTech COVID-19 vaccine # 1 in series administered. Action(s) taken: Vital sign at 1135 blood pressure ; 157/84, heart rate: 89, respiration ; 16, Spo2: 100% Repeat Vital sign at 11:47: blood pressure ; 146/95, heart rate: 96, respiration ; 16, Spo2: 100% Vital sign at 12:03: blood pressure ; 134/84, heart rate: 107, respiration ; 16, Spo2: 100 % Vital sign at 1215: blood pressure ; 142/87, heart rate: 97, respiration ; 18, Spo2: 100 % 1147: I called to the Urgent Care, spoke with Dr., recommended benadryl 25 mg po and continue monitor patient in the covid vaccination clinic. If patient symptoms do not improved to transfer patient to the urgent care or to the Emergency Room. - 1150: emesis x 1 no blood on emesis noted - 1205: benadryl 25 mg po given, patient was able to tolerated well. - Patient denies chest pain ,shortness of breath, diarrhea, abdominal pain, difficulty swallow, headache, or vision changes - Patient was able to tolerated small sip of water. - Patient continue complains of dizziness, nausea, and unable to focus. Patient was transfer to ER in no acute distress , report given to triage nurse Patient advised to discuss second dose considerations with a clinician
1214564	4/15/2021	IA	64	F	4/15/2021	4/15/2021	Patient began having nausea, itching and tachycardia approximately 15 min after injection. Symptoms progressed to feeling of tightness of the throat, diaphoresis, swelling of the eyelids and worsening nausea and itching.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1214559	4/15/2021	MD	57	M	3/4/2021	3/5/2021	Janssen Lot # 1850022. On the evening of receiving the SARS coV2 vaccine, was awoken from sleep with a severe headache (complete with visual blurriness and fortification patterns. The headache was non-responsive to caffeine and Tylenol. After several really uncomfortable hours, pt took OTC Naprosen Sodium and the HA abated. No other signs or symptoms
1214553	4/15/2021	OH	79	F	3/10/2021	3/12/2021	2 days after vaccination, patient started having vertigo, nausea and headaches. That day she tried to notify her doctor unsuccessfully. 2 days after that patient's headache became extreme and she lost her vision in one eye. Family doctor prescribed migraine medication and referred her to her eye doctor for the next day. The eye doctor told her he believes she had a stroke after a full exam. Stroke confirmed with MRI per family doctor. The stroke was in the occipital area. Referred to neurologist at present time. Vision loss persists. Patient is starting physical therapy and following up with neurologist, eye doctor and cardiologist.
1214540	4/15/2021	MN	46	F	4/14/2021	4/14/2021	After 20 minutes the following happened... Dizzy, high,, very hot, labored breathing. I then fainted. I then had blurred vision and need to go to bathroom. Made it to bathroom and had loose stools. I later got very. Cold. This entire episode lasted 30 minutes
1214537	4/15/2021	WA	44	F	3/31/2021	4/8/2021	vaccinated 3/31/2021 w/o any problem. on 4/8/2021 about 6 pm she had ?allergic reaction? with sudden severe bilat eyelid swelling and swelling both external ears with "weeping" (transudate) and bilat ear pain. no swelling lips/tongue, no wheeze, no SOB, no hives. Seen at a Urgent care on 4/9/2021 diagnosed with bilat otitis media, bilat otitis externa, started on Augmentin and ciprofolxacin drops. seen by me 4/15/2021 with ear pain, congestion, hearing loss. exam shows bilat suppurative otitis media. I switched her to DS Septra and have asked her to follow up with ENT if not improving. she has never had an ear infection nor allergic reaction like this before.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1214517	4/15/2021	PA	72	F	4/15/2021	4/15/2021	Immediate warmth, dizziness, mild nausea, and progression to tunnel vision after her shot. She had a sensation of rapid heart beat with a normal range pulse here in observation. She was very anxious and hesitant to come for the vaccine. BP was initially high for her, 162/87, with a pulse of 79. Normal O2 sats. BP improved with observation. Classic Anxiety/Panic symptoms with mild vasovagal symptoms. All resolved. patient to exit with wheelchair and staff
1214506	4/15/2021	TN	43	F	3/26/2021	3/26/2021	5 minutes after vaccine patient had mild hives, sensation of throat itching and watering eyes. Given Benadryl 50 mg IM injection. Recovered fully.
1214505	4/15/2021	NJ	63	F	4/1/2021	4/1/2021	Headaches, blurry vision right after she took the vaccine. She has history of migraines but these headaches and blurry vision are more frequently occurring.
1215378	4/15/2021	NY	37	M	4/5/2021	4/7/2021	4/7 - Anxiety, sense of dread, tickling of spine 4/12 - Anxiety, sense of dread, ticking of spine, heavy eyes 4/13 - Anxiety, sense of dread, ticking of spine, coldness of hands/ feet, heavy eyes, itchy skin, mild sweating 4/15 - Tickling of spine, coldness of hands/ feet, numbness of hands/ feet, mild arthritis
1216233	4/15/2021	CA	49	M	4/15/2021	4/15/2021	Patient was in observation for 15 minutes, before releasing patient nurse noticed that patient looked as if they were going to pass out. Nurse pulled patient aside and shortly after patient's eyes began to roll back and started to have muscle spasms an became unresponsive. Nurse layed patient back and gave sternal rub in attempt to awaken the patient. Patient remained unresponsive and nurse administered epi pen 0.3mg to left thigh. Patient awoken after 3 minutes and became alert. EMS arrived and transported patient to emergency room.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1214498	4/15/2021	IL	37	F	4/1/2021	4/9/2021	My first dose of the Moderna vaccine was on 4/1/21. I had an very itchy, red rash at the injection site 8 days after (on 4/9/21). I used hydrocortisone on it for about 5 days. Today, it's almost all gone, but it spread over my entire left deltoid, about 5" vertically by 2" horizontally. Another strange side effect I noticed was on the way home after receiving the vaccine, my vision in my right eye was slightly blurry, but noticeable to the point that I wondered if I needed a new glasses prescription. Thankfully in a couple days, my vision returned to normal.
1214442	4/15/2021	PA	30	F	2/17/2021	4/1/2021	I initially developed a painful injection site, which was to be expected. A few days post injection I then developed a rash directly over the injection site which was roughly 1 inch x 2 inches in diameter. More than a month later, I noticed the return of mild soreness at my injection site. While examining the site, I felt and visualized an obvious depression in my arm, also about 1 in x 2 inches in diameter, which appears to be muscle atrophy.
1214635	4/15/2021	FL	55	F	4/15/2021	4/15/2021	About 25 minutes after injection I felt a pain and then numbness that claimed my neck into my jaw, cheek, nose, eye area, and forehead accompanied by a metal taste in my mouth. All occurred on the left side only. It is now 4:25 and I still have the same numbness. So far, other observations are soreness of muscle in upper left arm and stiffness in left side of neck. My husband was also vaccinated at the same time in a different pharmacy and is experiencing similar side effects with numbness is mouth/jaw and metal taste.
1215084	4/15/2021	CA	62	F	4/2/2021	4/6/2021	Right sided tingling, right sided weakness, flashes of light of the left eye, interrupted sleep, right pinky turned purple.
1210958	4/15/2021	NJ	64	F	3/31/2021	3/31/2021	7 pm feeling of tiredness so I lay on sofa 11 pm when I got up to go to bed, splitting headache, pressure behind both eyes, chills, fever 100.3, delirious dreams at night, not much sleep, fatigue 10 am Thur morning feeling of weakness, could not take a shower, could not concentrate, went to lay on sofa 12 noon made 2 eggs and lost energy again, back on sofa 11 pm went to bed, could not sleep, extreme pain in back (from laying down 28 hours?) walked around, drank water, took 2 tylenol

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1215321	4/15/2021	CA	34	F	4/2/2021	4/2/2021	04/02/2021 @ 7:30pm - chills lasting all night 04/02/2021 @ 9:45pm - fever of 104.3. Fever bounced between 103.1 and 104.3. 04/03/2021 @ 8am - extreme fatigue with my head feeling like it is being pumped and blurry vision with each pump. Lasted 2 days. Fatigue lasted 6 days. Would go away if i layed down. It would start back up when i sat up. Sore arm at injection site for 1 wk. Left leg pain most of the day. 04/04/2021 @ 7am - woke up with hives covering the inside of my mouth. Weakness and head pulsing all day but no vision issues. 04/05/2021 @ 7am - woke up with swollen mouth(gums and lips) Went to urgent care. Swelling was on and off all day including the hives 04/06/2021 @ 1:15pm - headache back of my head.
1214568	4/15/2021	NC	48	F	3/29/2021	3/30/2021	Swelling of the mouth, tongue, throat, eyes and face; chest pains; shortness of breath; body pain; headaches; sore throat; coughing;
1214819	4/15/2021	CA	32	M	4/15/2021	4/15/2021	blurry vision, became dizzy and lay down on the floor.
1215131	4/15/2021	NC	46	M	4/15/2021	4/15/2021	That evening , started getting feverish and had temperature fluctuations, night sweats, body was sore all over. Then the next day noted that my eyesite in my left eye seemed off- noted I had floaters and could not see as well as previously. I assume this is a flare up of Toxoplasmosis as the eye symptoms are the same.
1215125	4/15/2021	NY	27	F	3/17/2021	3/17/2021	Anaphylaxis (nausea, dizziness, lost vision, muffled hearing, difficulty breathing, swollen-feeling throat, blue under fingernails). Nausea began < 5 min after vaccine; everything else began within 10 min of vaccination. Was treated with epinephrine, water, and Benadryl. Most symptoms subsided within a minutes. Breathing ease returned to normal within 5-10(?) minutes. Was only monitored for 30 min or so after epinephrine. No EMS called; was not advised to go to hospital.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1215117	4/15/2021	MI	34	M	4/9/2021	4/9/2021	patient fell over while sitting on chair in observation area. He landed head first with head facing right. He lost consciousness for 5-10 seconds. Client was rolled onto his back when he regained consciousness. Client was appropriate with responding to questions. Vitals taken and assisted back to chair. Reclining. Two abrasions noted on right side of face near eye from glasses. Small amount of blood noted in mouth following incident. small abrasion and bump on head top/right.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1215368	4/15/2021	AZ	65	F	3/31/2021	4/1/2021	<p>Wednesday, March 31, 2021 Moderna vaccine, 2nd shot at 4:00pm. Arm began to feel sore about 10pm. Blood pressure and oximeter reading remained normal throughout. Thursday, April 1, 2021 Insufficient sleep, sudden increase in sinus congestion, muscle soreness and increasingly sore arm upon arising. Fatigue, Imbalance and Brain Fog rapidly increased. Urinary incontinence 3 times - once upon awakening and twice in the afternoon. Temperature began rising and reached 100.2°F by 3:00pm (normal temp 97.5°F). Resting pulse rate 74 at 10pm (normal 54). Headache and weakness in the evening. Friday, April 2, 2021 Insufficient sleep, sore arm, sinus congestion, sneezing, moderate headache, moderate imbalance, muscle soreness, weak, moderate brain fog. Resting pulse rate 64 (normal 54). Temp at 7:30am 99.4°F (normal 97.5°F). NEW today: joint pain in both hips and Tinnitus suddenly spiking high. 10:00pm noticed mood began to change, feelings of irritation then anger for no apparent reason. *Saturday, April 3, 2021 Insufficient sleep. Temperature at 12:30pm 98.1°F then continued to fall until it reached normal range (97.7°F) at 10:00pm. Resting pulse rate 68 (normal 54). Increasingly painful hip joints, sinus congestion still high, sneezing, mild headache, canker sores, tinnitus spiking, brain fog, increased imbalance. *NEW today: 7:30am-10:00am mental confusion, hallucinations, auditory, increased imbalance. Afterwards, feelings of fear, anger and paranoia that persisted through Sunday. Evening: increasing blurred vision and diplopia (both chronic conditions but usually very mild). Injection site suddenly red and more swollen, itching. Still feeling uncharacteristically emotional at bedtime. Sunday, April 4, 2021 Insomnia. Volatile emotions - anger, agitation, crying - kept me awake Saturday night; slept 2:30am-8:30am Sunday morning. Brain fog, imbalance, sinus congestion, sneezing, right arm itching, hip joint pain, canker sores on tongue, spiking tinnitus continue. Temperature normal all day; resting pulse rate still high 64 (normal 54). Monday April 5 through Thursday April 15: Most symptoms continued to gradually subside over the next ten days. Spiking tinnitus, canker sores and injection site itching were the most persistent and lasted until April 15. Imbalance subsided on April 12. NEW Symptoms: Anxiety dreaming began on April 6th. Most nights had insufficient sleep. Concern about the cause of</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							the episode of delirium on April 3rd continues. Good news, no COVID-Arm like I had with the 1st vaccination. General observations: It seems as though my body's response to the 2nd vaccination was to temporarily trigger some of the symptoms of my chronic health conditions like MCAS, Dysautonomia and Diplopia, without causing an actual flareup of those conditions. This was quite unexpected and disconcerting. The episode of delirium was something I've never experienced and hope to never experience again.
1215098	4/15/2021	IA	45	F	4/7/2021	4/8/2021	Approximately 24 hours after receiving the Janssen COVID-19 vaccine, patient experienced central vision loss or "white out" vision as she described it. She could still see things in the periphery, but her central vision went completely blank. This lasted for four to five hours and over time her symptoms gradually improved. She still has some double vision and difficulty focusing. Of note, she saw the eye doctor last month and had her prescription updated but has not picked up her new glasses. She only wears her glasses for driving and occasionally at work. She has chronic headaches and has not had any new/different headaches than before. No weakness, but her right leg did feel heavier than normal after receiving the vaccine.
1215078	4/15/2021	WA	61	M	4/7/2021	4/8/2021	I got really cold, the first day and my eyes hurt pretty badly, Then the 2nd day I woke up from a nap in a puddle of sweat, Then the 3rd morning, I also woke up in a puddle of sweat. I slept a lot and took tylenol.
1215043	4/15/2021	TX	22	F	4/9/2021	4/9/2021	About 7 hours after receiving the vaccine I developed a painful migraine. The pain was very intense behind my left eye like there was a needle being poked in from behind. Some nights the pain is so bad it hurts to lay my head on a pillow or I wake up all through the night because of it. I took tylenol the first 4 days then stopped. I tried to see an urgent care about it but they told me they couldn't help me due to the vaccine type.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1215036	4/15/2021	CA	41	F	3/17/2021	3/18/2021	VERTIGO, VISUAL HALLUCINATIONS, RACING THOUGHTS, INSOMNIA, VISUAL DISTURBANCES (FLASHING LIGHTS, BLACK FLOATERS), SHORT TERM MEMORY LOSS, RINGING IN EARS, LONG LASTING BRAIN FOG NO EFFECTIVE TREATMENT AVAILABLE BRAIN FOG STILL CONTINUING- 4 WEEKS AFTER VACCINE FIRST ADMINISTERED
1215032	4/15/2021	TX	48	F	3/12/2021	3/19/2021	Severe Headache; Backache; Vertigo; Blurred Vision and Leg Swelling
1215031	4/15/2021	TX	47	F	3/7/2021	3/11/2021	About 4 days after I started having abdomen pain, it was like having contractions, then bleeding and spotting, and it was a different type of color instead of a period color, more burgundy. it lasted 26 days, when I'd eat it would start again, I started having headaches, and had vision problems, then SOB started and I used the inhaler to help. I also had a low grade fever of 99.8 - 100 that lasted up until about 5 days ago. I started having bruising and leg pain, the bruising would be if someone helped me get up, I have little bruising dots over my body. I went to the ER 3/16/2021 because the stomach and headache pains, they did a MRI and Ct and said it was acute stomach pain and migraines and told me to see a OBGYN for the bleeding and gave me meds for stomach pains. Bentel for stomach and Floraset for headaches but it never worked. I had a nerve block on my head for the migraines but it didn't work. The GYN gave me something to stop the bleeding and she's wants to do a D&C. I'm waiting to see my PCP on the 19th. I still have the purple dots and headaches, I still get the contractions and the stomach issues have settled some.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1214904	4/15/2021	MT	36	M	4/15/2021	4/15/2021	After patient received his shot, while sitting during the 15 min waiting period. The patient began getting lightheaded and hot, his color went out of him and his eyes began rolling back in his head. His eyelids turned a purple color and he appeared to momentarily stop breathing. Myself and another pharmacist got him on the ground and supported his head with a coat. When he "came to" and was talking to us. He described feeling better on the cold floor and his color began coming back. I was speaking with him the entire time. While we were out with his 9-1-1 was called and paramedics arrived 15 min later. by the time paramedics had arrived the patient had gotten up and back into the chair himself, was lucid and had color back in his face. Paramedics arrived and took over. He was given the green light from them and remained in the pharmacy area for a total of about 30 minutes before heading home. The patient was admittedly nervous for the shot and had not eaten or had anything to drink the whole day to that point. I believe he passed out from a variety of factors not related to the actual ingredients in the vaccine but cannot confirm this.
1214980	4/15/2021	OK	67	F	4/12/2021	4/12/2021	Strange odor a few minutes after injection, followed by bitter taste, then nausea and spaciness. Dizziness, with vision looking 2D and flat by 15 minutes. Told Pharmacist, of spaciness who said stay as long as I wanted. Left at 30 minute point, still spacy and nauseous. Spaciness ended by an hour with nausea off and on. Chest pain - began around 7pm, continued to expand in area of chest, sharp stabbing pain later, pain from just above left elbow to hand and tingling of fingers, pain lower left leg and tingling of left foot. Irregular heart rate at different times. Checked into emergency room at 11:00. IV inserted, placed on continual heart and oxygen monitors, EKGs, chest X-rays (2), blood tests (3). Admitted to hospital sometime during the night. Given IV medications to counteract IV contrast allergy. These medications caused full body shakes, eyesight auras and extreme nausea with gagging. Heart CT taken with IV contrast. Discharged around 3:00 PM.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1214845	4/15/2021	WA	46	M	4/15/2021	4/15/2021	A few minutes after receiving vaccine, L eye had some visual disturbances, guest quoted seeing "wavy lines and mirage". Was assessed by RNs. Guest denied blurry vision, diplopia. Denied any headache or dizziness, Guest reported having experienced visual disturbances previously. The visual changes resolved at 15 minutes.
1214977	4/15/2021	TN	59	F	4/13/2021	4/15/2021	woke up 830am with vision changes could not see extremely blurred vision went away within 4hrs yet came back briefly 3hrs later
1214840	4/15/2021		62	F	3/6/2021	4/10/2021	N17.9 - AKI (acute kidney injury) R19.5 - Occult blood positive stool E87.6 - Hypokalemia R55 - Syncope
1214955	4/15/2021	PA	40	F	4/6/2021	4/6/2021	Tunnel vision, near syncope, rapid heartbeat, rapid increase in blood pressure. Lasted at least 30 minutes while I waited at the clinic. Was given one Benadryl. Symptoms cleared but was still not symptom free when I drove home.
1214943	4/15/2021	TX	35	F	4/15/2021	4/15/2021	Pt had redness to forehead and complained of nausea, shortly after dizziness, sweating, blurred vision with chest pain and all over not feeling well, could not hold head up, EMS called. Pt was given Epi-pen to right thigh and Benadryl 25mg IM to right deltoid approx 7min later. Pt transported by ambulance to hospital.
1214844	4/15/2021	NY	54	F	4/2/2021	4/3/2021	Dehydration Vertigo Headache Weakness Extreme tiredness Loss of appetite Blurry vision Bruise at injection site 2-weeks now Lethargic Stomach pain
1214909	4/15/2021	CO	60	M	4/2/2021	4/7/2021	Central Retinal Vein Occlusion with Macular Edema OD. Risk factors for retinal vein occlusions include HTN, hyperlipidemia, cardiovascular disease, diabetes, obesity, and glaucoma. I have asked the patient to follow with his PCP to ensure the modifiable risk factors are optimized. The vision is still 20/20, but has mild central macular edema. Plan on possible Avastin at next visit. Had Moderna vaccine for COVID and then 5 days later had the CRVO by history. Follow up in 4 weeks with OCT Macula OU, Exam, and possible Avastin.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1214875	4/15/2021	SC	33	F	4/11/2021	4/13/2021	Received vaccination on Sunday, 4/11. Very lethargic and had mild chills on Monday, 4/12. Slight eye pain in right eye when putting in contact lens in morning on Tuesday, 4/13. Seemingly no issues throughout day. On Tuesday evening, eye pain when I would touch my eye or look in different directions, eye was very red. in the middle of the night, my eye pain woke me up. It hurt worse when I was laying on my back. Eye was watery/discharge. When I got up for the day on Wednesday morning 4/14, vision was blurry in right eye, pain, sensitive to light., and red. I was seen by an optometrist that morning who advised that I had uveitis with synechiae forming. I then went to another optometrist that afternoon in hopes to be seen by a specialist within their Clinic. Same diagnosis. I am taking steroid and dilating drops for at least one week. I found a medical article on the relation of vaccines to uveitis: <a href="https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6139748/">https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6139748/</a> I have never had a reaction to prior vaccines and I am up to date on all and almost always receive the flu vaccine. No known autoimmune disorders.
1215116	4/15/2021	NY	65	M	3/3/2021	3/5/2021	Two days after my first Moderna Covid-19 vaccination, on 03/05/2021 8am when I woke up my vision was slightly bleary as the day progressed it got worse at 4pm I had double vision. This lasted 24 hours until the next day.
1214901	4/15/2021	GA	40	F	3/15/2021	3/15/2021	states her vision had been somewhat blurry before the vaccine on 3/15/2021, but became more blurry the day of the vaccine. She states a doctor has stated that she has "blood spots on her retina.~~
1214995	4/15/2021	PA	16	F	4/15/2021	4/15/2021	Pre vaccine anxiety. Post vaccine pt developed some visual changes and then muffled hearing. Pt was assisted to the ground by staff and legs elevated on chair. Transported to obs at 1652 via stretcher and accompanied by mother. Vitals obtained and monitored. No other symptoms developed and previous symptoms resolved. Pt was released to home with mother at 1710. Vitals as follows: 1655 LYING BP 115/82 HR 73 RR 18 SPO2 97 1700 LYING BP 117/76 HR 81 RR 18 SPO2 97 1705 SITTING BP 123/79 HR 66 RR 18 SPO2 98 1708 STANDING BP 105/71 HR 79 RR 16 SPO2 98

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1208266	4/14/2021	OH	17	F	3/28/2021	3/30/2021	She had COVID-19 infection on January 5. She received Pfizer vaccine 3.28.2021 - er8733 lot. she was feeling well prior to the vaccine with no seasonal allergy symptoms. No nasal congestion or itchy eyes. No NSAIDs the day of vaccine. Tired 20 minutes later. She woke up 4 hour later with fever 101. Took Tylenol 5-6 hours later. No ocular swelling at that time. had some nausea that evening and some abdominal pain. No muscle pain. Some chest tightness that evening. The next miring was very hot and nauseated and then vomited. Two days later swelling around eyes, not too itchy. Swelling was more severe in April 4. the swelling is slightly improved over the last week. On April 4, antecubital fossa were itchy and red. lasted 1-2 days. No runny nose, sneezing or itching. Low grade fever lasted 1 hour. fatigue lasted a few days. No muscle or GI symptoms. No NSAIDs, but Tylenol initially. no sore throat. No mucous membrane involvement. No leg swelling. No change in urine output. No joint pain. No headache. No vision change. No bleeding gums. No hives. No enlarged lymph nodes. No SOB. No chest pain. No change in bowel habits. Energy level good. No night sweats. SAR symptoms well controlled. Mild swelling at left arm injection sight that lasted 1 day. swelling is worse in the AM when waking up; both upper and lower eyelids.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1208252	4/14/2021	WA	54	F	4/10/2021	4/10/2021	3:40 4/10/2021 itchy throat, hot tingly feeling and headache... 4pm throat felt tighter .. felt anxious... took benadryl 10ml liquid about 4 30.. was feeling very hot... no fever.. Woke up 4/11 around 3-4 am.. worst headache ever, my ears hurt, teeth like every individual one were infected,freezing, shaking, dizzy, nausated, whole body itching, not able to stand up without help because I couldn't balance.. took pain medication to help take the edge off the pain and bendryl.. couldn't stay awake, next day throat feeling like it was swollen, icy hot feeling similar to contrast put in me, cramping in my lower left leg, monday.. same conditons except not the constant headache, blurred vision better, still dizzy monday at 5 am chest feels slight pressure.. lower back pain like labor pains, sharp pain in stomach like the injection they give you to thin blood before surgery painful sharp pain.. later in day.. headache again, itchy body, throat sore, continual stoache pain, tuesday same.. wed.. my neck slightly swollen and sore
1208267	4/14/2021		16	F	4/13/2021	4/13/2021	Patient received vaccine around 4:30pm. After 10 minutes patient reported that she was having a headache, felt like her breathing was a little bit heavy. Patient was brought to exam room with mother present. BP was 150s/100, O2: 99%, HR: 65, RR 20. No distress noted. Patient was slightly anxious, continued to complain about headache. Denied any blurred vision, changes in vision, nausea, vomiting. Around 4:45, patient was asked to lay down for a while to be observed further and to give her time to relax. Patient was given cold wash cloths for forehead. Patient suddenly became more increasing anxious at 4:49, complained of excruciating headache and bilateral arm pain. Oxygen remained at 100%. 911 called at 4:50pm. Paramedics arrived at 4:55pm. Paramedics checked patient's blood sugar: approximately 345. Patient reported last meal around 12:30pm. Patient was crying and continually stating that her head hurt. She was alert throughout the entire process and able to answer questions. Mother elected to have patient sent to ER for further evaluation. Followed up with family on 04/14/2021. Mother reported that patient was held at hospital for 5 hours, was given norco for headache. Diagnosed with panic attack. Mother reports that patient is doing better today.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1208219	4/14/2021	TX	71	M	4/10/2021	4/10/2021	About 30 minutes after receiving the vaccine the patient started to have tingling and numbness in the left side of his face. He said even his left eyelid was affected. No droopiness or signs of a stroke. It could have felt like a dull headache, but with more of a numb feeling than actual pain. He worked outside in the yard the rest of the afternoon. He said that the feeling continued until Monday, 04/12/21 around the noon time. He has no continued side effects at this time.
1208217	4/14/2021	NH	77	M	4/14/2021	4/14/2021	Began as Dizziness on 3/31, then double vision, vertigo. Adm to The Hospital on 4/1. Diagnosed with TIA. Home next day. Now on hear monitor.
1208191	4/14/2021	GA	67	M	4/6/2021	4/6/2021	He got the vaccine, when she gave him the shot if felt like liquid fire going in, it was then fine. Two hours later the arm started swelling up and got so swollen he could hardly move the shoulder. Then it started moving into the shoulder quadrant, as far as your fingers can spread, all the way back onto the back itself. It then traveled up to the neck, to the spine to the ear in that quadrant and stops at the knot behind the ear. The pain is so bad that you press on the knot behind the ear the headache will go away. The headache is so intense it feels like it's going to blow off and takes migraine headache medicine which does not help it. It now has caused vision issues, he cannot read/blurry vision with large print things close up. He can see fine 5' or further with no problems, but nothing up close and he can't drive due to this or use the computer as he can't see the keyboard to type. The pain has continued even up until today, 4/14/21. The shot area is fine now. Originally when the symptoms started he could not turn his head as it hurt so bad, and has taken all this amount of time to actually turn his head some, but cannot turn it to the left much. He can gently and slowly turn his head but it is painful. He has gone to his doctor and went to the COVID clinic with the first vaccine who want to see him to a neurologist.
1208222	4/14/2021	MI	72	M	3/22/2021	4/12/2021	Per res. being taken to surgery for a perforated diverticulum. ICU, resident had made it through surgery, resident is off the vent, not really responsive at this time and will be keeping a close eye on him.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1208269	4/14/2021		60	F	2/26/2021	3/1/2021	Three days after receiving her first vaccine dose, patient developed a sore throat that felt like she had a foreign body in her throat. Throat began to swell, had trouble breathing. Patient was driven to urgent care where she received a steroid shot and antihistamine. Patient felt better the next day but woke with eyes swollen shut. She took Benadryl and made an emergency appointment with an ophthalmologist. Patient was prescribed prednisone drops.
1208279	4/14/2021	CA	16	F	4/13/2021	4/13/2021	Patient started feeling a numbness/tingling sensation in her right pinky that slowly moved up her arm and to her elbow about 20 minutes after she received the vaccine. Her right eye started to droop as well and her right pupil was slow to react to light upon assessment by EMT. Patient usually feels dizzy at baseline but felt even more dizzy after the vaccine. The numbness and tingling sensation in the right arm started to subside at 1500 and was completely gone by 1520. Vital signs were taken by EMT, BP 110/70, O2 99%, and P 73 which is patient's baseline. Patient's side effects subsided and she was escorted out to the car by her mother and EMT and her mother drove her home. RN and EMT advised patient to call her primary care provider to explain the adverse effects of the vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1208296	4/14/2021	IN	78	M	4/9/2021	4/13/2021	<p>Patient states on Friday, 4/9, he went to the pharmacy to receive his J&amp;J Covid-19 vaccine. He states on Saturday morning, his R nostril began to bleed, and continued to bleed until Monday. He states on Wednesday, 4/7, he noticed oral sores that at first were not painful, but large. He was worried about it interfering with his shot, but because he had waited so long to get it, he decided to proceed anyway. He denies any fever or chills, no frank diarrhea, but occasional loose stools, without blood seen. He denies HA, vision changes, or focal neuro deficits. On Sunday, 4/11, the patient ended up going to ED to evaluate his epistaxis, the MD attributed it to his elevated BP, the patient reports it being 160s/90s. They gave him new BP medications, which he took, but when he saw the Dr., he instructed the patient not to keep taking his BP meds. When asking the patient if anything correlates with foods he eats, the only thing he can pinpoint it to, would be pico de gallo. He states it has irritated his mouth before. He also reports recently taking his wife's supplement (unknown name) but thinks it is for cholesterol. He took that approximately 1 week ago. No new changes in food habits, mouthwash, or toothpaste. He states once his sores began to get a little painful, he went to buy a special mouthwash for oral sores (unsure name). His only reported allergy is to Lisinopril, which his reaction was a whole body rash. He states they did not pack his nose or do anything for his epistaxis at the ER, but eventually he let the nostril clot with blood. Now he feels fullness in the nare, but does not want to disturb the clot in fear that it will re-bleed. His wife also noticed a petechial rash that began on his BLE, he is unsure when that started. He presented to ED on 4/13, due to his PCP instructing him to be evaluated when he had outpatient labs done and revealed a PLT count of 4,000. In the ED, the patient had normal vital signs. He was transfused one unit of PLTs. He also had a negative head CT. He was also started on decadron 40mg PO daily by heme/onc. Patient tells me today his sores are less painful and feel smaller than usual. Heme/onc also ordered 2 IVIG 1,000 mg/kg/day x2 doses.</p>
1208324	4/14/2021	FL	47	M	2/25/2021	3/1/2021	Right eyelid sag,

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1208344	4/14/2021	PA	66	M	4/13/2021	4/13/2021	Patient experienced a 45 minute episode of kaleidoscope vision starting small and growing to 50% of vision before fading away.
1208438	4/14/2021	IN	62	F	3/12/2021	3/13/2021	12-24 hours after the Covid -19 vaccine the patient had a seizure like event: eyes wide open, moaning, unresponsive for 2-3 mins. Patient had reported occurrences of blacking out. These are new events. The patient does not have any history of seizures or seizure like symptoms. Patient was placed in isolation at the hospital for 03/13/2021 thru 03/16/2021
1208432	4/14/2021	CA	84	F	3/1/2021	3/4/2021	Pt presented with acute onset of right vision loss. She was seen by ophthalmology and diagnosed with central retinal artery occlusion. She had to be changed to warfarin as this clot developed while she was already on eliquis. She still has some vision loss.
1207998	4/14/2021	MO	66	F	4/13/2021	4/13/2021	Pt c/o neck pain. VS obtained - BP 154/92 on L arm, HR 52, RR 16, SPO2 98%, Pain 5/10 on neck. Water provided and pt observed. Pt reports pain radiating to L eye. Pt denies blurred vision/other symptoms. VS obtained - BP 156/94 on L arm, HR 51, RR 14, SPO2 96% on RA, pain 5/10 in neck and L eye. Pt monitored and reports no change in symptoms. VS obtained - BP 175/84, HR 52, RR 14, SPO2 96% on RA, pain 5/10 in neck and L eye. All vitals obtained in 10 minute increments. Pt monitored for approximately 35 minutes. Offered continued monitoring or transport to ED. Pt declined both options. Pt A&O with steady gait upon leaving facility.
1208352	4/14/2021	VA	45	F	4/7/2021	4/10/2021	3 days after shot left eyelids started itching and swelling. 4 days after left eyelids and periorbital area very swollen, itchy rash on left cheek, jawline, neck, swollen painful upper lip. 5 days after left eyelids swollen shut, very red, extremely itchy rash on eyelids, left side of face, left ear, neck, jawline, swollen painful upper lip, skin gritty on upper lip. Right eyelids starting to swell. Decided to go to ER. Was given in ER: IV push meds-Solmedrol, Pepcid, Benadryl. Sent home with course of Prednisone and Atarax. I am now on day 7 from the date of the vaccine and the rash continues, still very itchy, left eyelids swollen. Left side of face, left ear, left cheek itchy.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1208378	4/14/2021	CA	30	M	4/12/2021	4/13/2021	Swelling of lips and eyes
1208312	4/14/2021	NC	43	F	3/21/2021	3/26/2021	Costochondritis began March 23. March 26 terrible migraine set in. It was the worst one I've ever had. Head felt like it was being crushed on both sides, extreme nausea, dry heaving, and pain all over head, back of eyes, neck, shoulders, and face. This migraine continued on and off for almost two weeks, required ER visit, Dr visits, IV steroids, IV NSAIDs and injections, and other migraine medications. The headache continued for over 2 weeks, specifically on left side of head and face near temple and side of head and left side of forehead. I've been on prednisone between 30-20mg daily for this. I am 24 days passed receiving first shot and still have mild pain on left side. I am still recovering.
1207924	4/14/2021	KS	45	M	4/12/2021	4/12/2021	few minutes after patient got vaccine, he fainted, he was pale, dizzy. we laid him down on the floor and after 1-2 minutes he open his eyes and start talking. we observed him for 30 more minutes.
1207930	4/14/2021	IN	61	F	3/11/2021	3/11/2021	Numbness and tingling head, face, and neck . Itching inside of nose, eyes. Lasted about 6 hours Took two benadryl and monitored to make sure breathing didn't become impaired.
1207947	4/14/2021	MA	71	F	3/19/2021	3/23/2021	Central Retinal Artery Occlusion, Right Eye Occurred 4 days after vaccination Negative systemic work-up

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1209030	4/14/2021	IN	20	F	4/9/2021	4/9/2021	<p>Started out with a headache and dizziness within a few minutes of the vaccine, along with nausea. I stayed put laying down with a lollipop and water bottle along with ice packs on me for about an hour until I was well enough they thought for me to drive back to my dorm. Once I started driving the headache was back but I was driving so I couldn't do much. Almost pulled over because I was getting over whelmed but ended up making it back to my dorm. Once I got back I changed and laid down in bed hoping to fell better. Things started getting worse from there. Throughout the rest of the day my head ache and dizziness got worse to the point where I was pretty unsteady on my feet. Chills and body aches also started and progressed rapidly despite no fever. My nausea was present in waves but eventually dissipated around 8 PM. I tried to go to bed around 11 hoping to sleep off the symptoms. I began tossing and turning. My chills were really bad and it got to the point where my skin was so sensitive that the clothes I was wearing touching and rubbing against my skin were hurting me. I was so dizzy and light headed to the point where it didn't matter if I was laying down or sitting up, I felt the same, extremely dizzy and lightheaded as if cotton were in my brain or as if it were working too slow. It was like trying to process thoughts through molasses. Then around 1:30 I couldn't take it anymore and thought maybe a quick shower would help me to at least feel better so I could sleep. When I got in the shower I immediately knew things were worse. My vision started going black at the edges and black spots in the middle to the point where at certain moments I couldn't see. I was fighting to stay on my feet and conscious and it was hurting to breathe. I knew I needed to get help so I stumbled to my dorm and collapsed when I got in the doorway to my room. My vision was spotty, my chest was hurting and I could barely breathe. My hands and feet went numb as well, I was shivering, and my body temperature was a little down to about 98.1 degrees Fahrenheit. I was transported to a hospital via ambulance my vitals were normal except elevated heart rate and O2 and was admitted at 2:40 in the morning. I received a chest x ray and my heart rate was better. The dizziness was under control by then. I was discharged at 4:50 in the morning.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1208439	4/14/2021	KS	26	F	4/7/2021	4/7/2021	Patient was very anxious at the visit was talking an then eye rolled and she had difficulty talking patient appeared to vagal, patient was placed on cot and monitored by ems staff, patient refused hosptial visit.
1207961	4/14/2021	UT	62	F	3/5/2021	3/7/2021	She received the Johnson & Johnson COVID Vaccine 3/5/2021 9:30am. 3/6/2021 She reports that she was weak and exhausted and flu like symptoms. Symptoms began on 3/7/21, woke up horizontal binocular diplopia at 8:30am. Has been constant since it started. It is worst when looking to the left and best looking the right. Worse in the distance. No other associated symptoms 3/13/21: Around noon, was just sitting in the chair. She reports that she got a bad headache and then the entire left side of the body from head to toe was numb and burning in the left side face. This lasted all day, but completely resolved by night time. Had never had anything quite like that in the past. She had a headache that started soon before the numbness, that also lasted most of the day. 3/15/21: was seen in ED with reported normal MRI, CT, and EKG MRI brain with a small left pons lesion near the cranial nerve 6 nucleus She was seen by Neuro-ophthalmology Dr. (attending), Dr. (fellow) 3/17/2021 "MRI brain on 3/15/21 did not reveal a structural etiology for diplopia. Differential diagnosis includes microvascular ischemic left 6th nerve palsy versus possibly post-vaccination cranial nerve palsy (received COVID vaccine 2 days prior). Also on the differential diagnosis but less likely, includes myasthenia gravis (she did not have expected abduction saccade slowing of the left eye typical of an ischemic cranial nerve palsy). Thyroid eye disease also would be less likely. We will obtain antibody testing for myasthenia and thyroid eye disease. Today we applied a 10 prism diopter base out prism over her left glasses lens. I instructed her to remove this when appropriate, as I expect her diplopia to gradually improved." 4/7/2021 acetylcholine ab receptor negative, TSI negative, TSH receptor antibody negative, LH/FSH normal,

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1207966	4/14/2021	TN	31	F	3/16/2021	3/19/2021	I received the first Pfizer vaccine on 3/16/21 in the afternoon. I am a young, healthy woman with no pre-existing health conditions: I don't smoke, am under 120 lbs., no allergies, etc. Two days after the vaccine, I started to experience an eye twitch, which progressed into Bells Palsy by the following week: by 3/23/2021. I went to an urgent care clinic and was diagnosed as such, and they contributed to the vaccine and told me not to get the second shot. They also advised I get a CT scan to rule out a stroke, which I did, on 3/24/21. I expect that they also reported this. I have facial paralysis on the left side of my face, and developed an ear infection a week after this...I don't have allergy issues, and have not had an ear infection since I was a small child. This has been traumatic, uncomfortable and very scary because I thought I was having a stroke.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1207977	4/14/2021	KS	55	F	3/3/2021	3/4/2021	<p>3/4/21 - can't stand up, room is spinning. Headache, nausea, sensitive to light and sound, ears ringing.</p> <p>3/4/21 - Visit ER: Sitting up is painful, horizontal is the only ?comfortable? position. IV fluid, blood draw, pain meds, nausea meds. Bloodwork came back normal.</p> <p>?this is a reaction to vaccine. Could last 4-5 days, hydrate, given prescription for anti-nausea meds? 3-8-21(mon) Visit with PCP. He says bad reaction to vaccine. Just need to wait it out. Dizziness will eventually go away. Writes a doctor?s note for missing school. Anticipates unsteadiness lasting a week or so. Prescribes meclizine, 12.5 mg.(I only took this for a few days, was not noticing any improvement) 3-16-21(tues)5:00pm Go to ER. EKG and bloodwork come out fine. Horizontal is only comfortable position, still have headache. See the neurologist, she talks with me and does a few tests. We talk about migraines. Is this a massive migraine? She says I need to see ENT. Prescribes a ?migraine cocktail? ? magnesium, 2 benadryl and Zofran. 3-22-21(mon) 3:30pm ENT, hearing test. No changes since December of 2019 (went in for ringing in ears). Talked mostly with physician assistant, identified that I most likely needed the Epley maneuver on the right side. Audiologist, was not available that day (I was supposed to have appt with her, but they made a change). The earliest she had an opening was 3-24-21. Dr. recommended taking magnesium for head. 3-24-21(wed) 10:30 am appt. She performed the Epley on the right side one time. Said that she wanted my body to calm down. Keep head up for rest of day, sleep on two pillows. Don?t lean over with head down. Next day to walk around and use full range of motion on head so my brain/eyes get back to normal. Scheduled a follow up for afternoon 3-26-21(48 hours) to assess progress. She recommends to take ?preventive migraine? vitamin. Magnesium and riboflavin (I start taking 3/28/21). Able to roll over in bed without room spinning. 3-31-21(wed) 11:00 am. She runs the test where I am in a dark room and she spins my chair around, watching what my eyes do. Apparently I passed that test? Then she tests me to check the inner ear crystals. I am not in need of the Epley. But, I feel terrible. She says, something else is going on. We have gotten the crystals back in place, she has done what she can for me. 1:00 pm appt with Dr. Says chronic</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>migraine. Recommends vestibular therapy. 4-2-21 (fri) 3:00pm appt with PT, DPT, ATC, MS. She identifies that my eyes are not tracking properly, the left one. ?VOR deficit? She says don?t google it b/c I have a mild case. Homework is brain exercises: pencil pushups and seated gaze stabilization with head rotation. We schedule 2 sessions per week for 4 weeks. She is hopeful of full recovery with work. Says I would not recover by sitting in a dark room. We need to retrain the brain and get back to normal. 4-7-21(wed) 10:00am appt for vestibular therapy. Work on brain exercises, she times me. Add some neck exercises to strengthen those muscles. I notice a ?pinching? sensation on left side. When I laid down on the foam roller, I had to put hands down to stabilize myself (room spinning). 2:00pm appt with deep tissue massage therapist. (I have been working with her for over a year) my head is very tender. My neck and shoulders are extremely tight. I have a large knot at the base of my skull on the left side. It took a long time for my body to calm down today. 4-8-21 (th) 2:30pm appt. Not feeling great - suspect that I have ear crystals out of position again. She sees me and says let?s test you. She performs several Epley maneuvers. 3 on right side and one on left side. Left me dizzy, unsteady and lightheaded. I need help walking to car after appt. go home and crawl in bed. Cold, exhausted. Slept for hour or so. 4-9-21(fri) don?t feel great. Still waiting on body to calm down after Epleys. 4-10-21 (sat) still feeling yucky 4-11-21 (sun) Rolling over in bed, room spinning (left side). when I sat up in the morning, my body swayed. Was very dizzy walking to bathroom. Headache. Pressure in head/ears. Those symptoms subsided slightly as the day wore on. Sleeping Sunday night was better. Rolling over was fine. 4-12-21(mon) headache, pressure, ringing in ears. Working on computer is fatiguing. Head feels full/ fluid. Rolling side to side / feel fluid move? / increases dizziness.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1208013	4/14/2021	MD	41	F	3/11/2021	3/28/2021	Two weeks after getting the second dose of the vaccine, I had two episodes of vertigo. I have no history of vertigo. I also developed bouncy vision where it looks like things are bouncing up and down or moving side to side when I walk or turn my head. It has not resolved. I am scheduled with a neurologist on 5/4/21 to determine if I have any vestibular damage. It is possible this is permanent and at this current time it is very disabling. I am not sure if this is related to the vaccine but I thought it best to report it in case other reports of this come up.
1208092	4/14/2021	MA	45	M	4/9/2021	4/13/2021	Woke up with eyes swollen almost shut, red rash all around eyes. Blurry vision, eyes feel like they are on fire. Skin on eye lids are peeling. Fever and chills
1208189	4/14/2021	MD	25	F	3/8/2021	3/15/2021	Reaction began with swelling below the right eye on March 15, 3:45pm. Swelling progressed to below the left eye later that evening around 10:30pm. On March 16th, I woke up around 6 am with moderate to severe swelling of the face, eyes, hands, and feet. My throat was also closing and it was becoming difficult to breathe. I treated with 50mg of Benadryl every 6 hours for the next 3 days. The next day, March 17th, my left eye became red and inflamed. The eye symptoms and face puffiness subsided ~March 19th.
1208095	4/14/2021	GA	35	F	3/10/2021	3/13/2021	Doctors believe my wife has developed Gillian-Barre Syndrome as a result of the covid vaccine. We have visited the ER, 2 different Nuerologist, 2 different Internalist, a eye specialist (optometrist) and today the a spine Center. Healthy 35 year old pre vacine, post-first vaccine shot developed numbness and shooting pain in feet, it has spread to fingers, mouth and rectum. Eye prescriptions have changed drastically in last 3 weeks, extreme weight loss (down 20lbs), insomnia
1208130	4/14/2021	KS	76	F	4/9/2021	4/10/2021	Patient received the vaccine on 4-9-2021, on 4-10-21 patient felt "blah," on 4-11-21 patient got up and around and was ok, on 4-13-21 patient was not feeling real great, but was tolerable, on 4-14-21, patient was feeling worse with blurred vision, throwing up, aches, doesn't want to eat, dizziness. Recommended that patient contact their primary care doctor for further treatment. On 4-13-21 pt went to ER and was admitted for one night, on 4-14-21 pt was dismissed from hospital, and is feeling improved.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1208132	4/14/2021	NC	66	M	4/8/2021	4/8/2021	Patient received 2nd Pfizer Vaccine approximately 11:10 am. Patient reported burning sensation in chest and lightheadedness and feeling warm. Taken to medic room. Initial vitals: BP: 144/94, P: 83, O2: 98%. Approximately 11:43 am: Patient reported left arm numbness and numbness in bilateral legs. Also reported blurry vision. Patient with of CVA, MI, Pulmonary Emboli, Seizure disorder. He did stop Protonix 2 months ago per patient and Keppra discontinued by PCP 2 weeks ago. On exam: grip bilaterally intact, sensation intact, oral mucosa intact, Heart regular rate and rhythm, Lungs CTAB. No rash noted. No oral swelling. Alert and oriented x3. Recheck vitals: 145/97, HR: 80, O2 saturation 97%. Continued numbness on left side and lower extremities. Burning sensation/reflux in chest still ongoing. EMS was called for further evaluation.
1208153	4/14/2021	NE	22	F	4/5/2021	4/5/2021	Right after the nurse administrated the vaccine to my daughter, she complained about having numbness on her feet, flurry eyes, was not able to hear very well, dizziness and fainted for a short time.
1208160	4/14/2021	CT	53	M	3/11/2021	3/12/2021	Developed an eye floater and blurred vision next day
1208172	4/14/2021	SC	18	F	4/14/2021	4/14/2021	Patient received Moderna Covid-19 vaccine. Just a minute after receiving, pt's eyes rolled in the back of her head and she went limp and was unconscious, but still breathing. Patient's mom was yelling her name and holding her up. We brought a mat out and laid pt down. She came to about a minute or two after being laid down. EMS was called. Patient was ok and conscious when they arrived. She said she felt ok. EMS checked her out and said she was ok. Patient left the store with her mother.
1208184	4/14/2021		32	F	4/9/2021	4/9/2021	Received the J&J Shot the morning on 4/9. By dinner time, I was feeling nauseous and my body ached. That night was flu like symptoms (chills, sweating, body aches, food tastes funny, etc.). On 4/12 I got a terrible headache, blurry vision, and stomach pains. On 4/13, started to feel better, but stomach still had pains and food tastes funny. Today is 4/14 and I'm am still more tired than usual and still have some stomach pains.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1208006	4/14/2021	FL	39	F	4/8/2021	4/8/2021	Date and time adverse event started: Patient started to experience symptoms on her drive home after taking the vaccine on 4/8/21 around 12:15pm-12:30pm. Patient stated she started to experience and feel symptoms on her drive home after the vaccine was given. Complains of soreness in arm at injection site, blurry vision, extreme headache and nerve pain, complete numbness in right leg (caused car accident), fever, body aches, chills, sweats increased neuropathy pain, left shoulder pain, n/v, extreme weakness and tiredness. No bowel movement since morning of 4/8/21. Appetite decreased tremendously due to n/v feeling. She has vomited twice on Thursday on 4/8/21 and once on 4/9/21. BP ON 4/8/21 around 4pm it was 178/122 and then at 7pm after taking bp medication it was 176/120. Patient experienced SOB and chest pressure/heaviness not painful on 4/8/21. Didn't take BP on 4/9/21. She took her normal medications for the day before the vaccine. When patient arrived at home she took Oxycodone, Buspar, Potassium tabs and Methocarbamol at 2pm on 4/8/21 (due time for her meds). On 4/8/21 at HS the muscle relaxer and pain killer was taken and it hasn't helped with the pain. As of 4/9/21 @2:19pm her neuropathic pain is 12 (on a scale of 1-10), she is breathing better today but still feels pressure, but still feeling all of the above symptoms. Recommended patient to go to an urgent care or ER, if she can't go then to make her PCP aware of what shes feeling. Advised her to take Tylenol for the fever, body aches, chills, and stay hydrated and eat light. 4/13- patient did not follow up with the ER/primary/urgent care as advised by prior entry. Patient states she has increased neuropathy from her baseline and continued nasal congestion. She took her rx medications but no additional medications for treatment. we will follow up with her next week to see how she is feeling. she is appreciative of the follow up call.
1209059	4/14/2021	MS	53	M	3/10/2021	3/11/2021	Lost vision in left eye on Thursday evening (03/11/2021) around 7:00 pm. My condition was not improved when I awoke the next morning (03/12/2021).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1208866	4/14/2021	WV	65	M	3/19/2021	3/19/2021	Patient stated that they will refuse the second dose of the Pfizer vaccine based on side effects experienced since. Complications include pain that felt like "lightning bolts", temporary loss of vision, and that their "mind went black" which has improved in the past few days. Pt. believes that his recent cognitive decline is directly attributed to receiving the vaccine and expresses concern with whoever else gets it.
1208870	4/14/2021	CA	45	F	3/23/2021	3/31/2021	began to have slight pain to right side of face intermit, then became constant, then 3 days ago noted right eye is more closed and muscles to right side of face are drooping slightly sensation to side of face feels the same as when had onset of Bells Palsy in 2003
1208884	4/14/2021	WV	31	M	1/23/2021	1/31/2021	So I got the vaccine on January 23rd and the Sunday following I started noticing I was getting very dizzy I went to the ear doctor they said it was not my inner ear so I went to a heart doctor and they did a tilt table test and the tilt table suggested orthostatic hypotension. The heart doctor did alot of heart tests and the heart is good. My vision was blurry with constant headaches went to an eye doctor and I have onset strabismus in my right eye and then I went to a neurologist because the tips of my toes were numb . The heart doctor has me on fludrocortisone and metropolol because my heart rate was very high all the time ever since the vaccine it was stuck at 130 to 150 beats per minute no matter if I was resting or sitting. My pupils oscillate and ever since the adverse reaction started I have had pupillary athetosis or hippus. Horrible brain fog can't think clearly or sleep well insomnia came with all of this as well. I go to the mayoclinic, because dysautonomia is expected.
1208924	4/14/2021	NY	33	F	4/12/2021	4/12/2021	Very itchy eyes about 7 hours after vaccine along with one hive on face. Resolved within an hour.
1208931	4/14/2021		73	U	3/8/2021	3/8/2021	Anaphylaxis; Difficulty breathing; Shortness of breath; Swollen lips, tongue, eyes, or face.
1209013	4/14/2021	IL	20	M	4/10/2021	4/11/2021	The most severe headache I had ever experienced, as well as pain when I move my eyes around, lastly pain in the injection site for 4 days since

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1208956	4/14/2021	TN	61	F	4/11/2021	4/12/2021	4/12/21 12:30 pm began to feel fatigued, face felt flushed. No fever. Fatigue increased more in the evening. 4/13/21 2:30 am awoke and found entire face swollen and slight tingle in lips. Took Loratadine, Metoprolol and Triamterene/HCTZ and went back to bed. Awoke at 5 am, swelling better, but not gone. Still very puffy above and below eyes. Felt fatigue, no fever, went to work. Felt better by lunch time, swelling almost gone. 4/14/21 Slight sore throat, slight fatigue, no swelling.
1209054	4/14/2021	TN	59	F	2/11/2021	2/15/2021	received 2nd dose on 2/11/2021. Woke around 4AM on 2/15/2021. Noted blurry vision in left eye. By 8am had progressed to blackness starting at inner visual field and spread to total blindness by 9:30am. Went to urgent visit with optometrist. Appt was made for urgent work in with a Retinal Specialists on 4/16/2021. Diagnosed with left retinal vein thrombosis. Ordered further testing. MRI of brain and orbits, TEE, carotid ultrasound and sent to hematology/oncology for evaluation. Only finding on bloodwork was elevated homocysteine. Being treated for HTN now with Metoprolol, Amlodipine, Losarten/HCTZ, Crestor and BASA, MVI. Vision is unchanged. Blindness remains in left eye. Right eye at this point is unaffected.
1208719	4/14/2021	NJ	55	F	4/3/2021	4/5/2021	red spots under my eyes, it started with only itchiness now I can see the spots and burn a tiny tiny bit. have tried all kinds of creams and my dr told me to talk Benadryl which I have done for 1 day. I have it on both eyes, not a lot but enough that is visible
1209062	4/14/2021	NJ	36	F	4/14/2021	4/14/2021	patient received unconscious, syncope episode noted. Post vaccination stated site felt nauseous , lightheadedness and falling to floor. patient unconscious x 3. Assisted to wheelchair Ax3. At 1108am vitals monitored Pulse 59 BP 77/50 RESP 20. Fluids administered A&O x3. Verbally responsive speech clear. Injury to left eye and head noted. pain 2/10. Ice administered. 1116am Pulse 70 BP 91/67. Patient refused to go to the ER, family notified, patient is released from facility accompanied by sister.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1209097	4/14/2021	FL	63	F	3/29/2021	3/29/2021	After the injection I started to sweat profusely. I could feel the vaccine traveling through my body. I started to get sick to my stomach. I had to regulate my breathing by slowing it down. When I opened my eyes the light was so bright I had to keep them closed. I thought I was going to faint. I finally decided to put my head between my legs and then I started too pullout of it. Very scary feeling. This lasted for 10min.
1209130	4/14/2021	LA	60	F	3/7/2021	4/14/2021	Severe Headache; right sided weakness; confusion; blurred vision; numbness and tingling right leg.
1209176	4/14/2021	CA	49	M	3/14/2021	3/15/2021	>Vaccination given- Janssen 03/14/2021 c/o onset of headache 03/15/2021 lasted 3 wks, resolved and started again 04/13/2021, pain to bilateral temporals radiates to occipital area, current pain 7/10, best pain 5/10, worse 10/10, pain is continuous, improves with Acetaminophen, exacerbated with activity, no Hx of chronic headaches not described as "worse headache of my life" >denies pain, swelling to injection site, fever, chills, fatigue, body aches, abdominal pain, leg pain, hives, trouble breathing, n/v, diarrhea, neurological deficits, change in level of consciousness, seizure activity, visual disturbances
1207919	4/14/2021	FL	37	F	4/8/2021	4/9/2021	Woke up middle of night with mild fever and headache. Continuous headache through to 04/10. On 04/11 - Had a migraine with visual aura. On 04/13 - Had a 2nd migraine with visual aura.
1206558	4/14/2021	ME	37	F	4/11/2021	4/14/2021	Severe vomiting, diarea, and chills. Exhaustion and full body muscle pain persisting for three days. Eyes tearing. Dry sore throat. Headache.
1209177	4/14/2021	AR	22	F	3/25/2021	4/1/2021	PT REPORTED NUMBMESS/TINGLING ON LEFT SIDE 1 WEEK POST VACCINATION. ALSO HAD BLURRED VISION

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1209035	4/14/2021		82	M	2/15/2021	3/18/2021	82YM Admit 3/18/21 to hospital for small bowel obstruction within 1 week of second vaccine dose. PTA bowel obstruction led to a syncopal episode following use of laxative, and several episodes of vomiting in the days prior . Upon admission Patient was receiving conservative therapy for a partial obstruction when he developed increasing shortness of breath. The patient was transferred to the ICU for worsening respiratory status and eventually developed significant hypercapnic and hypoxemic respiratory failure requiring intubation. Neurology was consulted for altered mentation in the setting of respiratory failure. Patient with ascending paralysis. MRI of the head and neck as well as CTA were obtained x2. Patient was ultimately diagnosed with Guillain-Barre, variant and received 5 days of Intravenous Immune Globulin therapy. Patient's small bowel obstruction resolved and ultimately patient required percutaneous tracheostomy tube and gastrostomy tube placement for prolonged respiratory failure and neurologic compromise. The patient had uneventful ventilatory requirements and ultimately was performing intermittent spontaneous breathing trials; however, still had episodes of apnea, but improved. He was tolerating tube feeds at goal with resolution of his small bowel obstruction, which was thought secondary to his Guillain-Barre. The patient did develop abnormal LFTs which were thought secondary to cholecystitis not requiring operative intervention, with improving LFT findings on antibiotics. The patient had a nonobstructive cholecystitis. The patient's mentation was improving to the point where he was able to communicate and open his eyes upon discharge, as well as was working with Physical Therapy for strengthening. He was able to move his upper extremities and followed commands and lower extremities were improving in strength as well. Patient was discharged via private air flight to acute care ICU facility.
1208587	4/14/2021	OH	55	M	3/25/2021	3/25/2021	Extreme chills, nausea, terrible muscle ache, fatigue, diarrhea, intense abdominal pain, blurry vision on March 25th starting 7:30 pm - 8:00 pm for 6 days. Also, aggravated Crohn's disease to severe condition which still continues.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1208453	4/14/2021	TN	23	F	4/14/2021	4/14/2021	Patient started complaining of becoming very hot/over heated and showed slight signs of a mild seizure. Unresponsive for around 10 second and eyes rolled back into her head. Patient came to and then she became unresponsive again and eyes rolled back into her head once again for around 10 seconds. Patient woke back up and then vomited several times. Patient was fine afterwards. EMS was called to check vitals.
1208490	4/14/2021	AZ	28	F	4/5/2021	4/9/2021	The day I received the shot, I started to feel severe fatigue, headache, light-headed, and started running a fever about 6 hours after the shot was administered. The next day (4/6) was worse. Severe fatigue, muscle aches, headache, loss of appetite, fever (101.5 was the highest I notice but seemed to be around 101.1-101.3 all day), and general flu like symptoms. However, I also started experiencing abnormal menstrual bleeding. I am on the Depo shot and have been for some time. Due to this, I do not usually experience any menstrual bleeding so I found this to be a little odd. It was not heavy but it was noticeable and contained quite a few clots. Day 3 (4/7) was about the same except my fever came down and ranged from 99.8-101.1. Abnormal menstrual bleeding continued. New side effect this day included diarrhea. Day 4 (4/8) I started to see improvement. No fever (that I could tell). Remaining side effects included mild headache, fatigue, diarrhea, and abnormal menstrual bleeding. Day 5 (4/9), I had one of the worst nose bleeds I've ever had in my life. I apologize for the graphic description but it lasted about 20 minutes and my bathroom looked like a crime scene after. Blood was pouring out of my left nostril and I threw two large clots that were about the size of slug (or slightly larger than a fun size snickers... I wish I had a better way to describe it). I've had some bad nose bleeds, particularly when I was on Accutane, and this was worse! The rest of the day I felt like I was improving. Energy levels were better. No fever. Menstrual bleeding stopped. Only lingering side effect was mild headache and mild diarrhea. Since then I've continued to feel better and the diarrhea seems like it's improving. Mild headache persists. Only new item is an annoying twitch in my left eye that started on Monday (4/12).

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1208491	4/14/2021	AR	43	F	4/2/2021	4/12/2021	Within 4 hours I experience chills, fatigue and a headache. Within 8 hours I had a fever and slept for the next 24 hours. I broke out in buckets of night sweats. The following 2 days I was generally fatigued and had sniffles. After that I was fine, until Monday night (Day 10). I suddenly experienced a sudden onset of a painful and raised red rash at the base of my spine on my lower back. Within hours it migrated up to my head, face and then to the front of my torso. My eyes and throat closed. I took benadryl with no relief. I called Dr. on Demand and they urged me if the symptoms got worse to head to urgent care/ER. The next day (Tuesday 4.13) I went to the ER where they gave me a steroid shot, and prescribed me predisone and Prilosec to block the histamines. I am still having rash symptoms,itchiness and burning. While I have a history of seasonal allergies they've always been stuffy nose at the most. We had no new dietary introductions or new habits.
1208495	4/14/2021	IL	39	F	4/10/2021	4/11/2021	Woke up with 100 degree fever around 5:00am, 1 day post-vaccination. Fever persisted 24 hours, with intense night sweats. Other flu-like symptoms included headache and eye pain. Eye pain persisting until time of this report. Eye movement is painful, but no blurred vision. Sore arm persists.
1208503	4/14/2021	NY	46	F	4/5/2021	4/5/2021	within minutes, I felt dizzy and my whole body felt heavy, like gravity had increased on me. my skin felt hot and firey for about 1 minutes, and I took off my jacket. my eyesight went a little into tunnel vision - but I did not feel faint... just completely off. i felt like I had to walk it off so I did. I go thome, but had the chills for 2 days. Then the left side of my neck hurt like I had pulled something and my arm selled and was so painful I had to walk with it in a sling and NOTHING could touch it for the next 2-3 days. Now its 9 days later nad I have a 3 in diamter rad spot, its dry and itchy, swollen and hurts again. And I feel tired and crampy again.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1208527	4/14/2021	WA	20	M	4/13/2021	4/13/2021	Patient received his second dose of Pfizer COVID Vaccine on 13 Apr 2021 at about 9:30 AM. That afternoon, he began to experience chills, body aches and back pain. Later that night, unable to sleep, he began to experience visual hallucinations, to include a demon to his immediate left, a candle in his far left periphery, shackles, the room going dark and feeling like he was stuck in a time loop. In addition he experienced auditory hallucinations, to include a demon yelling and people whispering. He took ibuprofen that afternoon for his chills. No known psychiatric history or drug use. He denied suicidal ideation. Has a history of back pain for which he has been seeing physical therapy for several months. Enjoys his job with no identifiable unique stressors. Work up in the Emergency Department included CBC, electrolytes, Urine drug screen, ETOH, procalcitonin and urinalysis. All were normal, with the exception of an elevated neutrophil count and low lymphocyte count. Head CT was normal as well.
1208551	4/14/2021	PA	31	F	4/14/2021	4/14/2021	PATIENT STARTED TO FEEL NUMBNESS IN TOUNGE AND FACE. PATIENT STATED BLURRY VISION WHEN LOOKING AT LIGHTS. PATIENT WAS GIVEN BENADRYL WATER AND PREZTELS. PATIENT STARTED TO FEEL BETTER BUT THEN STARTED TO FEEL NUMBNESS/TINGLING IN LEFT SIDE OF FACE, LEFT FOOT, AND LEFT LEG. PATIENT WAS TAKEN TO EMERGENCY ROOM AFTER SPEAKING WITH HER PRIMARY CARE DOCTOR.
1208802	4/14/2021	TX	17	F	4/9/2021	4/9/2021	Systemic: Allergic: Difficulty Breathing-Medium, Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Systemic: Chest Tightness / Heaviness / Pain-Medium, Systemic: Confusion-Mild, Systemic: Tingling (specify: facial area, extremities)-Medium, Additional Details: symptoms started after they had waited the 15 min in store and were well on their way home. they included: speaking overly slow or oddly, left arm tingling, chest pain/SOB, developed into shooting pain down right leg. pt laid down for nap and awoke with swollen eyelids. pt still experiencing shortness of breath and having to limit activities

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1208557	4/14/2021	CA	49	F	3/27/2021	3/27/2021	Fever ranging from 103.8-106.6 for 3 days, chills, body aches, muscle cramping, nausea, severe headache, low back pain, red swollen painful arm at injection site, dizziness, blurry vision, and a large lump/infection under the arm near the armpit on the injection side with redness that extended about 6 inches.
1208776	4/14/2021	NC	54	F	3/31/2021	3/31/2021	Patient reports dizzy, "sensation in chest", blurry vision, and "feeling drunk" and short of breath occasionally about 20 mins after vaccine. blood glucose level checked -315, patient adjusted own insulin pump. Felt better at 1:06pm.
1208629	4/14/2021	CA	27	F	3/1/2021	3/12/2021	I had sparkles in my vision 5 min. after getting my shot. They went away quickly, so I wasn't concerned. I had a little bit of hotness up my neck and a little itchy, but both also were quick to go away. I went home and went to bed without issue. I woke up at 4am crying and in a lot of pain all over my body. I had a crushing headache, my back, arms and legs ached down to the bone. I had a fever of 100.7, and had to call in sick from work. I took 3 ibuprofen and it didn't help stop the pain or fever. I cried myself back to sleep after wreathing in pain for 3 hours. Woke up again crying again and the pain and fever continued on. I drank 2 beers to see if that would help relax my muscles and back around 3pm and by 4pm I finally felt somewhat better, but still couldn't get up out of bed. I had to call my brother over to help me and considered asking him to take me to the hospital several times because the pain was so intense. The spot where I got my shot wasn't inflamed, or if it was I didn't notice. It did seem a little stiff. I managed to fall back asleep and by the time I woke up again the next day around 5am, I felt completely fine. Fever disappeared and the body pain was gone. It was like nothing had ever happened.
1208644	4/14/2021	CA	35	F	4/10/2021	4/11/2021	Minor blurred vision on the next morning and lasted about 6 hours then vision came back at late evening

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1208658	4/14/2021	FL	32	F	4/9/2021	4/9/2021	Within minutes of receiving the vaccine I had pain and soreness at the injection site. The pain continued for approximately 30hrs. I had a headache, dizziness, and heightened emotional state for approximately 30hrs. I developed a twitch underneath my eyebrow but above the eyelid on the right side of my face, which was constant for 24hrs. following the vaccine, but is still twitching at various moments throughout the days.
1208685	4/14/2021	ME	52	F	4/1/2021	4/1/2021	11 am severe nausea, headache, balance problems. by 1pm Vomiting started, headache got worse by 4 tingling sensation and headache and vomiting continued Around 4am slight fever, vomiting continued Next day vomiting stops mid day, still some balance problems very weak , dizzy ness, balance problems headaches Day 3 still slight headache, light bothering eyes waves of nausea throughout the day extremely tired Day 4 Extremely tired, nausea wave 1 or 2 times but able to eat, slight headache, balance normal Day 5 slight headache , tired
1208691	4/14/2021	NE	26	F	4/1/2021	4/3/2021	On 4/3/21 at roughly 6p.m. the patient stated that she began to experience ear pain. This lasted until 4/11/21 when she woke up in the morning with half of her face feeling numb. She went to the ER and was diagnosed with Bell's Palsy. She was started on a 7 day course of prednisone 60mg daily and Valtrex 1000mg three times daily. She was also given Refresh eye drops. On 4/13/21 she went to her primary doctor who told her to contact the pharmacy.
1208714	4/14/2021	WA	66	M	4/11/2021	4/11/2021	On April 11 at 1AM I noticed the light coming through the window was unusually dim. I glanced at the smoke detector light and noticed it was dim. Normally this light illuminated the nearby wall but I was barely able to see the light. My illuminated clock also was clearly dimmer than usual. It was as if my pupils were not adjusting to the dark. This symptom subsided last night and my night vision is now normal.
1208451	4/14/2021	CA	68	F	3/15/2021	3/16/2021	FEVER OF 102, CHILLS, NAUSEA, LOSS OF APPETITE, DISTORTED VISION, TIRED.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1208552	4/14/2021	TN	65	M	4/13/2021	4/13/2021	Approx 10 minutes after receiving vaccine, pt called out for help from his car in the waiting area. Was monitoring the area and went to assess patient. He stated he felt faint. O2 sat 94%, pt diaphoretic, pale, drooling, tongue protruding from mouth, eyes open, but difficult to arouse, unable to respond. Epi administered and EMS contacted. Pt then lost consciousness. Grossly diaphoretic, clammy to touch, in and out of consciousness, pupils small but reactive, BP 84/48, R16, pulse 68. Unable to obtain O2 sat as monitor wouldn't register values. Lost consciousness again. Not responding to sternal rub. Gave 2nd dose of epi and maintained airway with jaw thrust. Pt regained consciousness
1207171	4/14/2021		51	F	3/29/2021	3/29/2021	Elevated blood pressure and rupture of eye vessel

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1206897	4/14/2021	TX	49	F	3/30/2021	4/2/2021	<p>Arm bleed a lot; Like a big red reaction around it; Redness started spreading covering the top of her arm; Felt of kind of sick; It's still lumping; Got really really red; Her eye (left eye on the same side of the injection) was all red like bloodshot red; This spontaneous case was reported by a consumer and describes the occurrence of VACCINATION SITE HAEMORRHAGE (Arm bleed a lot) in a 49-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 028A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No recorded medical history). Concomitant products included METOPROLOL, HYDROCHLOROTHIAZIDE, VITAMIN C [ASCORBIC ACID], VITAMIN D NOS and ZINC for an unknown indication. On 30-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 02-Apr-2021, the patient experienced OCULAR HYPERAEMIA (Her eye (left eye on the same side of the injection) was all red like bloodshot red). On an unknown date, the patient experienced VACCINATION SITE HAEMORRHAGE (Arm bleed a lot) (seriousness criterion medically significant), HYPERSENSITIVITY (Like a big red reaction around it), ERYTHEMA (Redness started spreading covering the top of her arm), ILLNESS (Felt of kind of sick), INJECTION SITE INDURATION (It's still lumping) and VACCINATION SITE ERYTHEMA (Got really really red). At the time of the report, VACCINATION SITE HAEMORRHAGE (Arm bleed a lot), HYPERSENSITIVITY (Like a big red reaction around it), ERYTHEMA (Redness started spreading covering the top of her arm), OCULAR HYPERAEMIA (Her eye (left eye on the same side of the injection) was all red like bloodshot red), ILLNESS (Felt of kind of sick), INJECTION SITE INDURATION (It's still lumping) and VACCINATION SITE ERYTHEMA (Got really really red) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown. Treatment for the event included paracetamol. Based on the current available information which includes a temporal association between the use of the product and onset of the reported events, a causal relationship cannot be excluded. Vaccination site erythema is consistent with the product known safety</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1206905	4/14/2021	NJ	33	F	1/18/2021	1/24/2021	<p>profile; Sender's Comments: Based on the current available information which includes a temporal association between the use of the product and onset of the reported events, a causal relationship cannot be excluded. Vaccination site erythema is consistent with the product known safety profile</p> <p>Rash on her arm that is 5 to 6 inch lengthy by 3 inch wide; Nodular Scleritis in left eye; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of SCLERITIS ALLERGIC (Nodular Scleritis in left eye) in a 33-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Food allergy (Patient is allergic to shell fish, food color food dye and many artificial products). On 18-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 24-Jan-2021, the patient experienced SCLERITIS ALLERGIC (Nodular Scleritis in left eye) (seriousness criterion medically significant). On an unknown date, the patient experienced RASH (Rash on her arm that is 5 to 6 inch lengthy by 3 inch wide). At the time of the report, SCLERITIS ALLERGIC (Nodular Scleritis in left eye) and RASH (Rash on her arm that is 5 to 6 inch lengthy by 3 inch wide) outcome was unknown. mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosing was interrupted on an unknown date. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Concomitant medication information is not provided. Treatment medication prescribed was an anti-inflammatory and the patient developed a reaction to the anti-inflammatory and then was prescribed a steroid prednisone and that was effective in helping the nodular scleritis. The patient was recommended not to take the second dose of the Moderna covid-19 vaccination.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. No follow up is possible.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1206911	4/14/2021	FL		M	3/25/2021	3/27/2021	Myoclonus seizures; His face went numb and the rest of body went numb/everything feels springing when walking on the inside and the outside of his body because of the numbness; face red swollen and thick tongue swollen; blood pressure lower one was 121 elevated; constant sore throat and throat swelling; deep hoarse sound to his throat which is not how he normally sounds when speaking; spikes of heat within his body, almost neurological and like hot flashes; lost ten pounds of weight; decreased appetite; loud ringing in ears; inside of his mouth described as chewed up, due to loss of sensation due to numbness and swelling; constant sore throat and throat swelling; severe anaphylactic reaction including that he could not breathe; tongue was thick and swollen; swollen glands on both sides of neck; feels like he is almost in a dream state; trouble keeping his balance, described as being still wobbly; Severe anaphylactic reaction including that he could not breathe; left side chest pain; blurry vision; This spontaneous case was reported by an other and describes the occurrence of ANAPHYLACTIC REACTION (Severe anaphylactic reaction including that he could not breathe) and SEIZURE (Myoclonus seizures) in a 56-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 018BZ1A) for COVID-19 immunisation. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Allergy to arthropod sting. Concomitant products included VERAPAMIL, HYDROCHLOROTHIAZIDE and CELECOXIB (CELEXA [CELECOXIB]). On 25-Mar-2021, the patient received dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 27-Mar-2021, the patient experienced VISION BLURRED (blurry vision) and CHEST PAIN (left side chest pain). On 29-Mar-2021, the patient experienced ANAPHYLACTIC REACTION (Severe anaphylactic reaction including that he could not breathe) (seriousness criterion medically significant). On an unknown date, the patient experienced SEIZURE (Myoclonus seizures) (seriousness criterion medically significant), HYPOAESTHESIA (His face went numb and the rest of body went numb/everything feels springing when walking on the inside and the outside of his body because of the numbness), SWELLING (face red swollen and thick tongue swollen), BLOOD PRESSURE

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

INCREASED (blood pressure lower one was 121 elevated), STOMATITIS (constant so sore throat and throat swelling), DYSPHONIA (deep hoarse sound to his throat which is not how he normally sounds when speaking), HOT FLUSH (spikes of heat within his body, almost neurological and like hot flashes), DREAMY STATE (feels like he is almost in a dream state), BALANCE DISORDER (trouble keeping his balance, described as being still wobbly), WEIGHT DECREASED (lost ten pounds of weight), DECREASED APPETITE (decreased appetite), TINNITUS (loud ringing in ears), SENSORY LOSS (inside of his mouth described as chewed up, due to loss of sensation due to numbness and swelling), OROPHARYNGEAL PAIN (constant so sore throat and throat swelling), DYSPNOEA (severe anaphylactic reaction including that he could not breath), TONGUE DISORDER (tongue was thick and swollen) and LYMPHADENOPATHY (swollen glands on both sides of neck). The patient was treated with ACETAMINOPHEN (TYLENOL) on 05-Apr-2021 at an unspecified dose and frequency and DIPHENHYDRAMINE HYDROCHLORIDE (BENADRYL A) on 05-Apr-2021 at a dose of 50 mg. At the time of the report, ANAPHYLACTIC REACTION (Severe anaphylactic reaction including that he could not breath), SEIZURE (Myoclonus seizures), HYPOAESTHESIA (His face went numb and the rest of body went numb/everything feels springing when walking on the inside and the outside of his body because of the numbness), SWELLING (face red swollen and thick tongue swollen), BLOOD PRESSURE INCREASED (blood pressure lower one was 121 elevated), STOMATITIS (constant so sore throat and throat swelling), DYSPHONIA (deep hoarse sound to his throat which is not how he normally sounds when speaking), HOT FLUSH (spikes of heat within his body, almost neurological and like hot flashes), VISION BLURRED (blurry vision), DREAMY STATE (feels like he is almost in a dream state), BALANCE DISORDER (trouble keeping his balance, described as being still wobbly), CHEST PAIN (left side chest pain), WEIGHT DECREASED (lost ten pounds of weight), DECREASED APPETITE (decreased appetite), TINNITUS (loud ringing in ears), SENSORY LOSS (inside of his mouth described as chewed up, due to loss of sensation due to numbness

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

and swelling), OROPHARYNGEAL PAIN (constant so  
sore throat and throat swelling), DYSPNOEA (severe  
anaphylactic reaction including that he could not breath)  
and LYMPHADENOPATHY (swollen glands on both  
sides of neck) was resolving and TONGUE DISORDER  
(tongue was thick and swollen) outcome was  
unknown. The action taken with mRNA-1273  
(Moderna COVID-19 Vaccine) (Unknown) was  
unknown. Based on the current available information  
and the temporal association of the product use and the  
start date of the events a causal relationship cannot be  
excluded.; Sender's Comments: Based on the current  
available information and the temporal association of the  
product use and the start date of the events a causal  
relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1206913	4/14/2021	FL	91	F	4/5/2021	4/5/2021	Balance disorder; Fall; hurt her arm; Bleeding; Blurry vision; This spontaneous case was reported by a consumer and describes the occurrence of HAEMORRHAGE (Bleeding) in a 91-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for an unknown indication. The occurrence of additional non-serious events is detailed below. The patient's past medical history was not reported. On 05-Apr-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) at an unspecified dose. On 05-Apr-2021, the patient experienced blurry vision, lost her balance and fell very hard and was bleeding everywhere and hurt her arm. The patient experienced HAEMORRHAGE (Bleeding) (seriousness criterion medically significant), VISION BLURRED (Blurry vision), FALL (Fall) and PAIN IN EXTREMITY (hurt her arm). On an unknown date, the patient experienced BALANCE DISORDER (Balance disorder). At the time of the report, HAEMORRHAGE (Bleeding), VISION BLURRED (Blurry vision), BALANCE DISORDER (Balance disorder), FALL (Fall) and PAIN IN EXTREMITY (hurt her arm) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown. No concomitant were given No lab details was provided. No treatment information was provided. This case was linked to US-MODERNATX, INC.-MOD-2021-068245 (E2B Linked Report).; Sender's Comments: Based on the current available information which includes a strong temporal association between the use of the product and onset of the reported events, and excluding other etiologies, a causal relationship cannot be excluded. US-MODERNATX, INC.-MOD-2021-068245:Husband case
1207048	4/14/2021	IN	81	F	4/12/2021	4/13/2021	Entire clothes were drenched. Face was red. Very weak. Her left eye was closed. No appetite. Slept all day. Body was hot to touch. Lasted for 24 hours.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1207051	4/14/2021	PA	59	F	3/14/2021	3/14/2021	Fever, chills, severe headache and fatigue. It was exhausting opening my eyes. Even after two weeks I would try to convince myself to pull over in my truck and take a nap! I am still extremely tired. My Heart was pounding, throbbing in my ears?. I could hear it so loudly . 2weeks of brain fog ? could not stay on task (due to dehydration?) I still can't drink enough water and Gatorade to satisfy my thirst. Extreme Weakness, Nausea , especially when I would try to eat . Increased thirst/ urination . My ankles and feet swelled . My friend who is a pharmacist instructed me to take a Tylenol but I couldn't even get out of bed to get one to take. ? any movement made my head swim and I felt like I would throw up. I slept most of that day and also the next day
1207316	4/14/2021	WI	57	F	4/6/2021	4/7/2021	had the vaccine on the 6th and started the effects on the 7th. Had a bright red rash from top of head to toes, itchy red blotches, swollen shut and red left eye, vomiting, slept non stop could not get out of bed. Went to the doctor on the 9th, saw health care provider, got meds from her for the vomiting and the rash. This lasted for about until the 13th. of April. I still have a sore arm where the injection was. I still find myself being very tired.
1207132	4/14/2021		54	F	4/13/2021	4/13/2021	Patient reported chest pressure/pain rated 8/10 and dizziness at 14:07. Patient was breathing and talking. Patient stated her vision was going in and out. Patient offered EMS. EMS activated. Vitals assessed: BP 126/80 mmHg, HR 50 bpm, 94% SpO2. Patient stated she wanted water. Patient given water. EMS arrived and assumed care at approximately 14:15. Patient transported via ambulance. Patient left facility at approximately 14:25.
1206564	4/14/2021	TX	45	M	4/7/2021	4/7/2021	I started shivering uncontrollably in the evening. I could not warm up, and my body was shivering. I wasn't sure if I had a fever, but I did not feel well. My wife was trying to warm me up and she thought I was having a seizure because she had never felt someone shiver so violently. My eyes were watering abnormally as well. The shivering subsided after about 30 minutes. I was soar and weak over the couple of days, but I believe those are normal symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1207190	4/14/2021	NY	45	F	4/1/2021	4/7/2021	Severe headaches, nausea, dizziness, overheating, tired for several days. Eyesight seems strange too.
1207194	4/14/2021	OH	68	F	3/27/2021	3/28/2021	double vision became so bad with the 2nd shot that I had to wear an eye patch all the time in order to see normally. I tried taking Mestinon but it gave me really bad abdominal cramps. Went to neuro ophthalmologist. Lots of tests including an MRI with and without contrast. Showed no abnormalities. Am now starting a course of prednisone and am hoping my eyes will get back to normal someday.
1207201	4/14/2021		59	F	4/5/2021	4/7/2021	CRVO per ophthalmology note: States that she developed a headache on the right temple and right eye approximately 1 week ago. This resolved. This last Sunday 4/11/21 and later that day her vision in the left eye became suddenly dark and is what prompted her to be seen by an ophthalmologist. She was seen by Dr yesterday and was referred to Dr for further evaluation. Patient states that her right eye vision has been seeing "diamond" shapes that she noticed yesterday. She currently has an intense headache that is all over her head and eyes. She reports nausea since 4/11/21. States that she had floaters and flashes of light in the left eye on Sunday 4/11/21. She is worried about the vein in the back of her right eye as well, Dr told her it looked constricted. She felt that her jaw was strained and tight yesterday. States that she received her COVID Vaccine last week and she wonders if this caused her blood clot.
1207241	4/14/2021	MA	17	F	3/20/2021	4/13/2021	Swollen lip and eye
1207249	4/14/2021	PA	23	M	4/14/2021	4/14/2021	shortly after vaccination pt. became dizzy, tunnel vision, muffled and layed on floor with legs in air and sent to observation with no injury. Vitals: B/P 119/76 P, 85, resp. 18, O2 @08:30 a.m At 08:40 vitals were b/p 108/73, pulse 73, resp..18. Pt. reported feeling ok, discharged in wheelchair at 08:50.
1207294	4/14/2021	MD	46	M	4/8/2021	4/13/2021	Red spot on my right eye. Eye doctor said "subconjunctival hemorrhage". Very red on 1st day. Lessening on the second day (currently).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1206593	4/14/2021	CT		F		4/6/2021	<p>PAIN IN TEETH TOWARDS THE HEAD; PAIN IN GUMS TOWARDS THE HEAD; PAIN IN CHEEKBONE TOWARDS THE HEAD; EYES ACHE; UNCONTROLLABLE SHAKING; MUSCLE PAIN AT INJECTION SITE; CHILLS; DULL HEADACHE; FEELING WASHED OUT / TIREDNESS; This spontaneous report received from a patient concerned an 81 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808609, and expiry: UNKNOWN) dose was not reported, administered on 06-APR-2021 15:00 for prophylactic vaccination. No concomitant medications were reported. On 06-APR-2021, the subject experienced pain in teeth towards the head. On 06-APR-2021, the subject experienced pain in gums towards the head. On 06-APR-2021, the subject experienced pain in cheekbone towards the head. On 06-APR-2021, the subject experienced eyes ached. On 06-APR-2021, the subject experienced uncontrollable shaking. On 06-APR-2021, the subject experienced muscle pain at injection site. On 06-APR-2021, the subject experienced chills. On 06-APR-2021, the subject experienced dull headache. On 06-APR-2021, the subject experienced feeling washed out. On 06-APR-2021, the subject experienced tired. Treatment medications (dates unspecified) included: acetylsalicylic acid. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from pain in teeth towards the head, pain in gums towards the head, pain in cheekbone towards the head, eyes ached, dull headache, feeling washed out, and tired on 07-APR-2021, uncontrollable shaking, and chills on 06-APR-2021 22:35:00, and muscle pain at injection site on 06-APR-2021. This report was non-serious.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1207108	4/14/2021	FL	36	F	3/1/2021	3/2/2021	My exclusively breast fed son started showing signs of atopic dermatitis on his right cheek and legs approximately 24-36 hours after I received my second COVID-19 vaccine. His skin got progressively worse over the next 4 - 5 weeks--both cheeks were affected, his neck, his trunk and back, and his arms. His legs were least affected. We saw the pediatrician on 4/9/2021 because his rash/skin reaction was bright red and "streaky" on his arms. His face also looked a little puffy to me under his left eye. Due to the timeline of the events and the fact that his reaction progressed over the course of a couple of weeks, it seems likely that this could be a reaction from my breastmilk that contains antibodies. There is some primary literature available that describes IgA and IgE levels in breast milk over time after COVID-19 vaccination. One such research letter was recently published online on April 12, 2021: SARS-CoV-2?Specific Antibodies in Breast Milk After COVID-19 Vaccination of Breastfeeding Women.
1206408	4/14/2021	FL	53	F	4/8/2021	4/8/2021	Brought on an attack of MS. RBN Right eye.
1209198	4/14/2021	IN	61	F	4/12/2021	4/1/2021	PATIENT STATES SHE WAS VERY HOT LAST NIGHT, AND WOKE UP TO A KNOT THE SIZE OF A PEA ABOUT 2-3 INCHES FROM THE SITE OF ADMINISTRATION. SHE RUBBED THE SITE, AND THEN THE KNOT BEGAN TO GET BIGGER. PATIENT ALSO NOTICED A LINE OF KNOTS DOWN HER ARM, AND THAT AREA IS RED. PATIENT STATED HER EYES ARE RED, SHE IS FEELING VERY RUN DOWN AS WELL.
1206296	4/14/2021	NY	53	F	4/8/2021	4/10/2021	very high fever next day after vaccine, 102.2, body chills and aches, following day sore muscles, then in the evening started seeing floaters and flashes from the corner of the right eye. Never had any issues with eyes prior to vaccine. went to Optomentrist on Monday April 12th, did scan of eyes. Doctor did not see anything wrong. Yet I still see floaters and flashes from the corner of my right eye.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1206318	4/14/2021	AZ	70	F	4/3/2021	4/3/2021	About an hour after vaccine my eyes started hurting....got worse....felt like they were on fire; eyes were swollen and bloodshot within 1-1/2 hrs of vaccine; vision blurry. I applied cool/cold compresses rest of day and throughout night; took Tylenol . By next morning eyes were better but still a little bloodshot. And also had an ache behind the eyeball area. Took more Tylenol and eyes continue to improve that day.
1206325	4/14/2021	CA	52	F	3/15/2021	4/5/2021	days after vaccination, puffiness, redness, itching, eczema around my eyes started and it has now progressed to an eye infection that feels like pink-eye- dry, itching, tearing, red, stinging
1206328	4/14/2021	WA	42	M	4/12/2021	4/13/2021	About 18 hours after my second covid vaccination I became quite ill. I requested from my boss that I be allowed to leave as I was not feeling well. I was ache all over, skin sensitivity, light sensitivity, feeling feverish and suddenly exhausted. Very tired. Just wanted to close my eyes. I went home and went to bed where for the next 5 hours I was in and out of poor dream disturbed sleep. Waking up moaning and very uncomfortable. Constant headache. Mild blurry vision. Very sore arm at injection site.
1206357	4/14/2021	WA	77	F	4/2/2021	4/4/2021	headache, abdominal pain, severely swollen right ankle and severe lower right leg pain, swollen left ankle and left lower leg pain, eyesight also was affected
1206360	4/14/2021	WA	33	F	3/31/2021	3/31/2021	Left eye and eyelid twitching for 4 days after

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1206893	4/14/2021	CA	52	M	3/31/2021	3/31/2021	<p>Transient ischemic Attack; Double vision; Sore injection site; Red injection site; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of TRANSIENT ISCHAEMIC ATTACK (Transient ischemic Attack) and DIPLOPIA (Double vision) in a 52-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 018B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No reported medical history). On 31-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 31-Mar-2021, the patient experienced VACCINATION SITE PAIN (Sore injection site) and VACCINATION SITE ERYTHEMA (Red injection site). On 02-Apr-2021, the patient experienced DIPLOPIA (Double vision) (seriousness criterion medically significant). On an unknown date, the patient experienced TRANSIENT ISCHAEMIC ATTACK (Transient ischemic Attack) (seriousness criterion medically significant). On 01-Apr-2021, VACCINATION SITE PAIN (Sore injection site) and VACCINATION SITE ERYTHEMA (Red injection site) had resolved. At the time of the report, TRANSIENT ISCHAEMIC ATTACK (Transient ischemic Attack) and DIPLOPIA (Double vision) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. No concomitant medications reported by investigator. Treatment of these events included aspirin, Lipitor and Plavix. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1206394	4/14/2021	CA	50	F	4/13/2021	4/13/2021	The night of the vaccination (3/8), my body felt very hot (not fever) like it was going to catch on fire. I took Tylenol to be safe and went to bed taking it as a sign that the vaccine was working. I thought I was mostly over the next day, but four days later on 3/12, I started bleeding only two weeks after my last period, and the it was quite different than usual - very fresh blood and lots of it. This continued for 15 days at time with very heavy flow - I bleed non-stop, and I worried that I was going to bleed to death. The worst adverse effect happened 10 days after the vaccination on 3/18. Out of blue without anything unusual, I started feeling very dizzy, nausea, and vomiting. After much vomiting, nausea stopped, but the dizziness just got so bad, I couldn't move or even keep my eyes open (things were spinning even with my eyes closed). I couldn't even stand up by myself. This most horrible severe vertigo lasted two and got gradually better. It took about 5 days before I felt safe enough to be alone by myself. During this time, I had a excruciating headache on my left side. It was so bad, I quickly took some painkillers which knock me out for a day. The important thing is that I don't ever get headaches; this is the first one I had aside from one I had when going through IVF more than a decade ago.
1206594	4/14/2021	WI	32	F		4/8/2021	SLIGHT SWELLING AROUND BOTH EYES; TEMPERATURE OF 100 DEGREES; This spontaneous report received from a consumer concerned a 32 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: UNKNOWN) dose was not reported, administered on 08-APR-2021 for prophylactic vaccination. The batch number was not reported. The Company is unable to perform follow-up to request batch/lot numbers. No concomitant medications were reported. On 08-APR-2021, the patient experienced slight swelling around both eyes. On 08-APR-2021, the patient experienced temperature of 100 degrees. Laboratory data included: Body temperature (NR: not provided) 100 F. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from temperature of 100 degrees, and slight swelling around both eyes. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1206409	4/14/2021	CA	33	F	4/9/2021	4/12/2021	4/12 episode of loss of vision as a blindspot or aura and scintillating scotoma. 30 minutes of vision issues followed by headache. (tunnel vision/dizziness/weakness/vomiting/stomach cramps after initial injection)
1206432	4/14/2021	TN	67	M	3/25/2021	4/4/2021	I got an Embolic stroke on 4/4/2021- 9 days after I got the vaccines from Hospital. On 4/3/2021 afternoon, I suddenly couldn't see well, felt dizziness. At 3 AM on 4/4/2021, called 911 because I couldn't feel my left side. I couldn't see well on my left eyes, couldn't feel left hand, left leg, left face, and the rest of my left side are numbed and I am not able to move after I was brought to the hospital. I am now at rehab Center.
1206433	4/14/2021	TN	66	F	3/5/2021	3/5/2021	Immediately felt a pain travel from my injection site across both shoulders and then up my neck from the base of the skull forward to between my eyes. Settled into an excruciating headache. Nausea, Felt woozy 30 minutes after the shot the lower part of the right arm, below the elbow began to hurt and I lost the feeling in my fingers for several hours. I ended up having the headache for 3 days. I had a neck ache for 2 days. The nausea only lasted about 30 minutes. I was very, very tired and then started having muscle aches in my back and legs. Then had a fever and chills for about a day and a half. Fully recovered. My 2nd vaccine just resulted in fatigue and a very sore arm.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1206448	4/14/2021	FL	56	F	3/14/2021		<p>FELT NAUSEOUS THROUGH OUT NIGHT; HEADACHE WITHIN 6 HOURS OF VACCINATION; SHIVERS WITHIN 6 HOURS OF VACCINATION; FATIGUE; CHILLS WITHIN 6 HOURS OF VACCINATION; WITHIN 6 HOURS OF VACCINATION EXPERIENCED FEVER; This spontaneous report received from a patient concerned a 56 year old female. The patient's weight was 62.14 kilograms, and height was 167.64 centimeters. The patient's concurrent conditions included rheumatoid arthritis, penicillin allergy, codeine allergy, alcohol user, and non smoker. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805029, and expiry: UNKNOWN) dose was not reported, administered on 14-MAR-2021 13:00 for prophylactic vaccination. Concomitant medications included famotidine for acid reflux, valaciclovir for cold sores, ciclosporin for dry eyes, cyanocobalamin for for good health, and lysine for good health. On 14-MAR-2021, the subject experienced within 6 hours of vaccination experienced fever. Laboratory data included: Body temperature (NR: not provided) 101.9 F, 101.6 F. On 14-MAR-2021 18:30, the subject experienced chills within 6 hours of vaccination. On 14-MAR-2021 19:30, the subject experienced fatigue. On 14-MAR-2021 20:00, the subject experienced shivers within 6 hours of vaccination. On 15-MAR-2021 22:15, the subject experienced headache within 6 hours of vaccination. On an unspecified date, the subject experienced felt nauseous through out night. Treatment medications (dates unspecified) included: calcium chloride/glucose/magnesium chloride/potassium chloride/sodium chloride/sodium lactate, and ibuprofen. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from shivers within 6 hours of vaccination, chills within 6 hours of vaccination, within 6 hours of vaccination experienced fever, fatigue, and felt nauseous through out night on 15-MAR-2021, and had not recovered from headache within 6 hours of vaccination. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1206502	4/14/2021	FL		F		4/7/2021	<p>FEVER/FELT FEVERISH; FATIGUE; INJECTION SITE SORENESS; GENERALIZED BODY ACHES; TASTE IN THROAT; NAUSEA; This spontaneous report received from a patient concerned a 49 year old female. The patient's height, and weight were not reported. The patient's past medical history included fell on hips, and concurrent conditions included did not consume alcohol, and did not smoke, and other pre-existing medical conditions included there was no any drug abuse or illicit drug usage. The patient experienced eye allergy when treated with azelastine for eye allergy, and transient ischaemic attack when treated with acetylsalicylic acid for transient ischaemic attack. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808980, and expiry: UNKNOWN) dose was not reported, administered on 07-APR-2021 on left arm for prophylactic vaccination. No concomitant medications were reported. On 07-APR-2021, the subject experienced generalized body aches. On 07-APR-2021, the subject experienced taste in throat. On 07-APR-2021, the subject experienced nausea. On 07-APR-2021, the subject experienced fatigue. On 07-APR-2021, the subject experienced injection site soreness. On 08-APR-2021, the subject experienced fever/felt feverish. Laboratory data (dates unspecified) included: Body temperature (NR: not provided) 97.9 F. Treatment medications (dates unspecified) included: paracetamol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from fever/felt feverish, was recovering from nausea, generalized body aches, and taste in throat, and had not recovered from fatigue, and injection site soreness. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1206553	4/14/2021	MD	70	F	3/17/2021	3/20/2021	<p>Had history of delayed reactions to allergy shots in past and staff administering vaccinations were concerned about whether that might possibly occur with the COVID vaccination. Many of the delay had been 48 to 72 hours. I didn't feel like going to the Farmer's Market and by 2 pm started getting a migraine headache which had be concerned. I had not had any fever but had had arm pain that I had used a heating pad for. I ate Saturday. I started noticing neck stiffness and some difficulty moving my head right and left. I had migraine headaches from age 13 - 50 with an increase during pregnancy so I knew what they were and what I had started to experience as the night went on into Sunday was more than I had ever experienced in my life. Flat on my back, ice, no intake, tylenol/codeine, nothing did anything and and the intensity kept coming. I vomited some Sunday evening which usually helps release the pressure, but nothing helped. I continued to have more difficulty turning my neck from side to side, visual difficulties and excruciating pain. I had a virtual appointment with my endocrinologist and she was concerned about what was going on and gave me some guidelines lines about managing my blood sugars and suggesting that I be on the Farxiga if I went in the hospital. I made it through another virtual meeting basically holding my head in my hands. I canceled all my dental and doctor appointments because of the unrelenting pain and my concern for my driving. I began having some spastic jerking of the head and neck, which with the mask on forced my teeth into my front gums and lacerated the wholes front inside of my mouth. On 3/23 my husband died unexpectedly, I canceled Wednesday's Funeral Home visit because of my concern regarding driving and the extreme degree of pain. I could barely move my neck past center. I was also having mobility issues and my right side was working as well as it should. Typing and writing were difficult. My pain level was off the chart. I had spoken with the doctor and once I did the required things at the funeral home, I took myself to the emergency room. My pain was coming off the right lower part of my neck, affecting my vision, my appetite, my balance--basically neurologically going downhill on a fast slide since Saturday night. I told the nurse that my pain level was 20+. The Spinal Tap in the ER was negative across the board and the fluid was clear. IV's were hung to help with hydration. Solumedrol</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							and methacarbamol were given IV to deal with the inflammation around the vertebrae and the pain muscle spasms. Ice packs were applied to the front and back of the neck to not only help with swelling, but with to relieve pain and help with neck alignment. Blood sugars were a real struggle with all the prednisone on board but were helped some with the arrival of my Frixiga from home. It was the new Neurologist in the practice that looked at my posture, listened to my history and said, I am going to get some X-rays which took all day to do. The X-rays showed that there had been swelling and shifting to make C1 and C2 put pressure on the nerve. There was also a problem with L3. A second neurologist added a morning dose of Topomax (50mg) which began to show some effect on Tuesday after being in the hospital for 5 days. These 2 neurologist, along with the one in the ER could not rule out that what I experienced was a delayed reaction to the Moderna Vaccination, particularly as I have had delayed reactions to allergy shots in the past. It was suggested by the radiologist that a MRI be done for a more definitive brain study as well as a spine study but the doctor on originally was doing much and didn't pick up on that. I have had to wean off of the prednisone at home which has meant wonderful monitoring of blood sugars. I have had to continue to wear the neck collar and slowly ween out of it. I have been exhausted--the doctors think some of that may be from the muscle spasms and the fact that it took 4 days before there was a significant decrease in the intensity in the headache. I still have to focus on posture and my right hand gets very tired of the board. Signatures are still not as neat as they were but better than they were when I was admitted.
1207322	4/14/2021	NV	26	F	4/13/2021	4/13/2021	I got completely numb on the right side of my face. I called a hotline nurse and she told me it could be bells palsy. My eye started to droop. Got worse and then got better. Face still a little numb
1206369	4/14/2021	TN	54	M	3/13/2021	3/14/2021	Fever 102.4 day after vaccine. Joint and muscle aches, headache, fatigue and brain fog day after vaccine and continues. Vaccination site pain for 4 days after vaccine. Eyes burning, painful, sensitive to light, floaters and occasional blurriness from 3rd day after injection and continues; being treated for mild uveitis with Pred Forte 1% eye drops. Slight onset of palmo-plantar psoriasis.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1207748	4/14/2021	MD	47	F	4/7/2021	4/7/2021	24 hrs of fever, aches and pains, chills. could not get out of bed. Day 3 fever blister occurs. Day 7 still feel very tired, headache, heavy arms/ legs. I just do not feel like myself. Slightly blurred vision and brain fog.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1207624	4/14/2021	FL	53	M	4/7/2021	4/7/2021	<p>Lost his vaccine card would not give him a new one. He got his vaccine, had burning sensation immediately after the needle was pulled out. About 5-10 minutes later he started sweating, and seemed to have calmed down and felt OK. He was observed for 30 minutes there and went for observation for another 30 minutes. He went to another doctors office and at about 15:00 started feeling light headed and weak. He drove back home, picked up some stuff at a grocery store, and outside the grocery store in 80 degree heat he felt the need to put on a jacket as he had the chills. he went home, went to bed feeling bad, his shoulder was still burning where he got hte vaccine. He had a little bit of site pain, applied topical and the pain went away. He woke up the next morning feeling really bad, felt like a major flu, his head felt like it was going to explode, but no problem with sinuses, no cough, no sneezing. His eyes were watering from the pain, and chills on and off. He had to change his sheets a couple of times due to sweating. He then developed a fever of 99 degrees at about 18:00 that night, and about 19:00 he went to 102 when he checked it. After that it went to 103, and about 15 minutes after that it was 104, and then higher at 104.+ He took some vodka, honey and lemon juice and took an alcohol bath and the fever had not broken yet. He called the clinic and they told him to call 9-1- 1 and to go to the ER. He went to the ER at about 10:00, gave him fluids, did a chest x-ray and released him about midnight. He apparently disoriented and tried to walk off and didn't remember this. They took him back to the gate and called his son. He went home, took another bath and woke up in sweat and was in bed for the entire weekend. He got up Monday morning, 4/13/21 feeling a little bit better and went to see his doctor, who does not believe he was having any side effects and that the information that is being reported is true. He is still feeling a little weak and still fatigued and on bedrest. He was taking Advil besides his regular medicines every 6 hours with 500 mg of Tylenol for the intense pain as every joint in his body ached, and the worst headache he had ever had, as well as the high fevers. His fever subsided on Saturday morning, and still had some sweats following that. Did have hot/cold flashes on Saturday and Sunday. He was given a COVID test in the ER and he was negative, but did not give him any other information regarding his lab work.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1207650	4/14/2021	NY	63	F	3/20/2021	4/4/2021	On 04/04/2021 after having memory issues I went to the emergency room and was diagnosed as having 3 strokes. I woke up with a throbbing headache and then had difficulty remembering simple things like using the remote control for TV. My vision was also somewhat blurry. I then went to drive and my focus was off making driving difficult so I then went to the emergency room
1207653	4/14/2021	SC	35	M	3/30/2021	3/31/2021	One day after receiving my second vaccine, I started to get a tingling feeling on my nose and left cheek, near my sinuses. It would occasionally lightly burn. This persisted for a couple of days, then slightly improved. It never completely went away, and in the past day I have noticed it moving more to my head where I am having migraine like headaches behind my left eye.
1207679	4/14/2021	OH	67	M	4/5/2021	4/6/2021	26 hrs after 2nd shot vision became blurry in right eye (pain behind eye) and left and right could not focus together. Created an unsteady feeling and had to lie down.
1207692	4/14/2021		71	M	2/3/2021	2/4/2021	Dizziness and blurry vision occurring 1 day post- second dose of Pfizer COVID-19 vaccine, similar to autonomic dysfunction episode that patient experienced in 2016. Patient states that this feels like a recurrence of the autonomic dysfunction
1207702	4/14/2021	KS	58	F	3/18/2021	3/22/2021	Day 4 woke up with bone, and muscle pain. . Left leg edema started on 3-23-2021 and still has pitting edema present today and The Medical Doctor is aware of this. Feels Pressure on Left side of the head and pain in left eye cheek bone > Had nose bleed on March 27th and March 23, 2021. . Some dizziness noted 4-13-2021 and 4-14-2021.
1207297	4/14/2021	TN	67	F	4/6/2021	4/9/2021	posterior synechia in right eye, iris stuck to lens behind the iris, treatment: Prednisone eye drops & Atropine Sulfate drops, Outcome: not yet resolved, still stuck, blurry vision in right eye

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1207744	4/14/2021	CA	21	F	4/10/2021	4/12/2021	Had all the regular symptoms the day after the second dose such as headache, nausea, bodyache, fever, etc. Two days after vaccine I woke up with hives on both forearms and a little puffiness under my right eye. Three days after I woke up and my right eye and cheek were super puffy and I had a rash on my face that was red and blotchy and itchy. It is now four days later and hives and face rash still persist but due to medications don't seem to be getting worse.
1207599	4/14/2021	CA	49	M	3/27/2021	4/5/2021	Pain started in buttocks; then numbness in legs, then progressed up back to mid back pain, then to neck fullness and tightness, pain on both sides of neck, jaw and chin, feeling of something popping in neck and then Bell's Palsy of right side of face, difficulty speaking, eating, numbness of tongue; right eyelid unable to close, more pain on both sides of neck and back of head; cold and hot sensations on limbs today and no improvement of facial paralysis; hearing cricket noises in right ear at times, burning pain in patches of face.
1207758	4/14/2021	RI	24	F	4/10/2021	4/10/2021	Patient fainted shortly after vaccination and hit head causing a lesion on eyebrow. Patient regained consciousness shortly after and appeared very pale and disoriented. Doctor and EMTs on site immediately responded instructing patient to remain on the ground for about 30 mins and monitored her pulse and blood pressure. Patient reported feeling well enough to sit up on the floor after about 30 minutes after which she remained sitting for several more minutes before finally standing up and being picked up by relative to drive back home.
1207767	4/14/2021	NY	44	M	4/6/2021	4/7/2021	12 hours after receiving injection, I began to feel aches and chills. Went to bed. After sleeping, woke up (about 24 hours after receiving the vaccine) feeling nausea and my head was aching. After several hours of feeling nausea, I began to vomit. I had only drank liquids since dinner the night before. Several days after the vaccine, I had a headache for 24 hours, with pain focused above my right eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1207779	4/14/2021	IL	26	F	4/13/2021	4/13/2021	Vasovagal syncope after three minutes of receiving first vaccine dose. Paleness, nausea, sweating, dizziness, and vision blackout. Treated by lying down, applying ice packs, and hydrating with water. Symptoms subsided within five minutes.
1207837	4/14/2021	OH	91	M	2/25/2021	2/28/2021	Two days after receiving second dose of the Pfizer COVID 19 vaccine, I began having blurred vision with irritation and inflammation in both left and right eyes, with the left eye being worse. These symptoms get worse as the day progresses.
1207854	4/14/2021	MD	60	F	4/11/2021	4/12/2021	Started on Monday morning at 8:30 am started feeling cold chills. Took 800mg of Ibuprofen and after an hour felt better. When going to bed around 9:00pm I noticed that my skin was soaking wet and that I had a hot feeling. When I woke up in the morning (tuesday April 13, 2021) around 7am I could not fully open my eyes. I looked in the mirror and noticed that my entire face was swollen and was red in different areas. I took some benadryl as I thought this was an allergic reaction and went back to bed. A litter later I started getting cold chills and then hot flashes. Around noon time I took another benadryl. By 2:30 I was not feeling any better and I also had body aches and pains and called my doctor. I was able to get in to the office. I was told that I was having a reaction to the shot and that I was boarder line for the hospital. They gave me a shot steriod shot and prescribed Metheylprednisolon tablets (24) to be taken as directed and to continue to take benadryl. It's now Wednesday morning April 14, 2020 and the swelling has gone down but not fully gone and I have stated on the prescription. I now have redness in my chest area. I still have a some chills and hot flashes.
1207872	4/14/2021	TX	55	F	2/26/2021	3/4/2021	1-WEEK AFTER RECEIVING THE VACCINE I DEVELOPED SPOTS AND LIGHT FLASHES IN MY RIGHT EYE. I WENT TO THE HOSPITAL AND HAD A ULTRASOUND OF THE EYE TO CHECK FOR HEMORAGE BEHIND EYE. IT WAS CLEAR. FOLLOWED UP WITH EYE SPECIALIST THE NEXT DAY AND WAS DIAGNOISED WITH Posterior Vitreous Detachment. I HAVE NOW SEVERAL LARGE FLOATERS IN THE EYE.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1207877	4/14/2021	IA	38	F	1/1/2021	3/1/2021	I all of a sudden have now broke into whole body hives, face, lips, eye swelling. I now carry an epi pen
1207726	4/14/2021	CA	26	F	4/9/2021	4/13/2021	Had typical post vaccine symptoms right after - nausea, muscle aches, chills, fatigue. 5 days after vaccine those appeared to have dissipated. Went for a light walk in the morning. Completely lost vision in both eyes extremely blurry. Stumbled my way home running into trees, cars. Vision came back, thought it was migraine (had them before but nowhere NEAR as bad, never had vision completely blocked) Excrutating headache behind eyes and nausea, feels like pressure in head. Worst headache of my life, went to ER. Gave morphine (did not help pain at all which was horrifying) got a head CT scan which came out clear and discharged because clotting ruled out. It is now day 6 and my headache is persistent and still excruciatingly painful. I?m also extremely nauseous. I?m terrified because I know something is very wrong. ER doc said might be lingering side effect from vaccine but those effects felt very different.
1207439	4/14/2021	TN	38	F	4/7/2021	4/12/2021	On day 6 after the second shot , the right side of head (face and scalp) became uncontrollably itchy and burning. Only the right side of my face including right ride of the nose and chin and right eye, cheek and ear.
1207334	4/14/2021	PA	65	M	4/2/2021	4/9/2021	week after second dose patient skin became pink, eyes swelled almost shut, feeling of picky feeling inside Patient currently taking Xyzal
1207339	4/14/2021	IN	54	F	4/1/2021	4/1/2021	Hives on face, neck and chest. Itching all over. Eyes swollen. No swelling of tongue or throat.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1207347	4/14/2021	IN	31	F	3/7/2021	3/7/2021	I developed blepharitis of my left upper eyelid with tenderness and swelling. Symptom onset 8-10 hours afterward, peaked 48 hours later. This eventually led to 2 chalazions in that eyelid. I have never had one before in my life. I may have been predisposed somehow and the inflammatory response to the vaccine triggered the blepharitis. I looked like cartoon character. The blepharitis was gone within 10 days but despite intervention, the chalazions did not clear up. (I'd prefer to call this a side effect rather than an adverse effect, but I'm filling this out to provide more complete data as I know several people who have had inflammatory problems with the vaccine.)
1207352	4/14/2021	OR	34	U	4/14/2021	4/14/2021	DVT developed four days after vaccine administration. Patient seen in primary care office 4/13/2021 for palpable mass in the femoral artery, size approximately 4-5 mm per surface palpation. Patient denies dyspnea, chest pain, severe headache, and vision changes. Exam otherwise WNL. No previous DVT history. STAT labs ordered and aspirin initiated at discharge, treatment changed to Eliquis 10 mg PO BID x 7 days upon return of labs. Ultrasound pending.
1207359	4/14/2021	PR	35	F	3/31/2021	4/10/2021	I've been vaccinated 14 days ago and I believe I had some mild symptoms... 4 days ago I woke up with a headache that extend from my right eyebrow all the way down through my neck.. i had also gotten my period so I took two Panadols as I was not feeling well; but it didn't really do the job the next day I Figured it was congestion so I took an Allegra and that actually helped. The next morning I felt much better but still off so I took another Allegra. Finally yesterday I didn't feel anything abnormal, and didn't take an Allegra. but then the news came out... I took one.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1207361	4/14/2021	FL	39	F	4/9/2021	4/9/2021	Felt cold wave on whole left side of body starting at the head and very quickly going down all the ways to toes. It happened as I was still in the car about 5 minutes after receiving shot. Immediately after felt numbness in left side of the face, left arm, and left leg (all mild). Numbness on the arm and leg stayed for about 4 hours, and numbness on the left side of the face stayed until the next morning. The numbness on the face was similar to when anesthetized by a dentist and also the tip of my tongue was numb. I could smile and close my eyes without a problem, and both right and left sides looked the same when doing so.
1207393	4/14/2021	PR	49	F	3/31/2021	4/9/2021	On April 9 in the afternoon, a severe headache began, which I had never experienced. This led me to vomit and even then the pain was unbearable. The pain persisted despite taking an analgesic and the next day still felt throbbing that was reflected in the head in general and in the eye area.
1207613	4/14/2021	IL	32	M	4/11/2021	4/11/2021	Was sitting in chair, fell over. Hit head on cement floor. Seized for 35 seconds. Eyes rolled in to back of head and foaming at the mouth. Awakened suddenly to confusion. Escorted off floor to wheelchair. Reoriented.
1207415	4/14/2021	MO	36	M	3/11/2021	3/12/2021	Experienced chest pain, neck pain, general muscle pain, joint pain, some abdominal pain, headaches, fatigue, some shortness of breath, lightheadedness, some vision change in left eye, severe heartburn flare up, nausea, digestive issues (urgent, but small stools), increased heartrate, irregular tachycardia responses and heart palpitations. The pain and heartburn were treated with over the counter medications - ibuprophen, Tylenol, Pepcid and Prilosec at advice of my primary care doctor. Most all of the symptoms resolved after about two weeks past vaccine except my heartrate/palpitations and heartburn. My primary care doctor prescribed Protonix to help with the heartburn. Three and half weeks past vaccine I visited the ER thinking I was having a heart attack.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1207610	4/14/2021	PA	40	F	4/8/2021	4/10/2021	On Friday after the shot, I felt ok, but my left arm was swollen to the point of taking off my wedding rings because they hurt. The leg pain started on Friday night. Saturday woke up with a groggy head and tired. Sunday I had leg pain, headache, and foggy brain. Saturday into Monday I had night sweats (pouring in sweat) fever, headache, body aches, tired (could not keep my eyes open) I slept all day and could barely move comfortably. Tuesday I was extremely exhausted, leg pain continuing, headache, and weird feeling. The swollen arm is back. Today is Wednesday, almost a week after with leg pain, headache, swollen arm, and weird feeling.
1207487	4/14/2021	ID	71	M	3/30/2021	4/2/2021	4/ 2 left eye irritation , rash on forehead, . Eye bloodshot with more extensive rash by Monday. Primary care gave drops for bacterial infection. Returned 3 days later as rash spread. Diagnosed as Shingles around eye , perscription given. Optometrist consulted - confirmed shingles around eye. Drops perscribed . Vision in left eye impaired - looking through fog.
1207515	4/14/2021	FL	70	F	2/4/2021	2/6/2021	Within 2 days, hives broken out on body that have continued to get worse. This is still persistent till present time,, 2 months, 1 week later. I have seen primary doctor, my allergist regarding this. Obid has run multiple labs showing all mostly normal except for allergic reaction and large increase in cholesterol form last July. Cholesterol has run almost same (normal)my entire life and now at 249. I am now in 4 (24 hour tabs Allegra) QID, Pepcid 40 BID, Vanicream, Triamcinolone 0.5% cream, and Tylenol for pain. The hives continue to run rampant most days, calm a few days. They burn like an iron burn on your skin, itch madly, and swell. At times, there is so much fluid retention from them that I am totally miserable and depressed. I was also put on Doxepin (for itching side use but unable to tolerate due to blurred vision. Treatment is not in control of hives, but does help somewhat. I always have quite a lot and much extreme discomfort. Unknown if this will be permanent or how long it will last.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1207545	4/14/2021	NJ	50	F	3/31/2021	4/1/2021	Second shot was given at 4:45pm; slight headache and sore arm around 8pm. Around midnight i was awoken with my face twitching. More on my right side. This continued till about 4am. But I also felt pins and needles throughout my entire face. Around 3pm, i had swelling in my face to the point my eyes were close. Swelling got a tad better around 5am. Pins and needles continued till about 11am on 4/1/2021. I emailed primary doctor with a picture of my face. The nurse called me about 8am, and I told them that the swelling was going down. I was extremely tired since i was up all night....i went back to sleep and called the nurse office around 10am and said i was getting better.
1207567	4/14/2021	FL	61	F	3/16/2021	4/6/2021	On 4/6/21 morning, standing helping sick Dad to shower, I experienced dizzy spell and felt like I was leaning to the left side. Slow to regain balance. Lightheaded after for an hour or so. On 4/9/21 evening, while sitting, I felt my head fog up, my left eye spinning in the bottom, my left arm went numb and fingers tingled, left leg numb (1st episode). Lasted several minutes. Shortly after, I experienced another like the first, Tried to walk to the other room, felt like I was dragging my left leg and left arm. Lasted several minutes. Took baby aspirin, Within the hour I had 2 more milder episodes. Reported to my doctor on Sunday. She is scheduling tests for me today.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1207592	4/14/2021	NY	27	F	4/14/2021	4/14/2021	9:20 Pt reported to individual not feeling well. FNP and EMS to pt--pale, diaphoretic and sitting in chair. Unresponsive-breathing without difficulty. Pt aroused in appx 10 sec and assisted to WC and wheeled to medical eval tent. Pt A&O, no SOB/CP. Pt reports she "does this (syncope) once in awhile-the doctors don't know why" The pt also reports she has " done this" (syncope) in the Dr.s office before as well. They just laid my down". Denies no treatment or dx given for episodes. EMS evaluated with VS-Stable. Pt drinking water bottle without complications. Pt declined to be transported to hospital for further evaluation.9:50 apprx pt independently amb to OBS area with supervision. escorted pt husband to her in. After a few minutes-pt reported doing well when asked. Color evaluated and WNL-no paleness and/or sweating noted. Discussed with pt and husband at next appt for vaccine: 1-eat something prior-pt reported she did not eat today 2-let someone at medical area of today's episode and to lay down prior to vaccination 3-Husband may come with pt at next appt 4-next appt is location change and will be at Pt also instructed to contact her PCP and report today incident. Both individuals verbalized understanding and ambulated independently to exit steady and without difficulties.
1207596	4/14/2021	IN	31	M	4/12/2021	4/13/2021	Extremely bad headache/migraine that caused blurred vision.
1207898	4/14/2021	IL	56	F	4/7/2021	4/7/2021	Left arm and left neck/face tingling, decreased sensation with subsequent Bell's palsy like facial asymmetry on the left side, brain fog, dizziness with position changes, pressure in head when bending over behind the left eye, aching pain in left arm, fullness in the anterior lower right neck, episode of visual stars, food and drink dripping/falling out of left side of mouth, Pain in left rib cage/chest into the left back causing her to breath shallower. ER evaluation confirmed CT finding of right superficial vein thrombosis just above the sternoclavicular joint - see imaging report info.
1207411	4/14/2021	NM	63	M	4/8/2021	4/8/2021	5 hours after had mild stroke like effects to include blurred vision followed by headache. 5 days after had muscle and joint aches in the night which are continuing.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1210462	4/14/2021	CA	38	F	4/4/2021	4/5/2021	Within 5 minutes of receiving the injection, my vision started going blurry for things up close. Then it was restored after a few minutes. The next morning, I was unable to read on a device (eg phone or laptop) and I was unable to read my books between 1? and about 3? from me. I could read items farther away but not up close. My blurry vision went in and out for several days (until Thursday afternoon) when I went to acupuncture and it was restored by that treatment. My vision has been clear ever since then. I even took 24 hours off of all technology between Tuesday afternoon and Wednesday afternoon and my vision was still blurry Wednesday when I went back to reading from my phone.
1210300	4/14/2021	CA	56	F	3/13/2021	3/22/2021	Severe Headaches Blurry Vision Fatigue/Weak
1210314	4/14/2021	TX	45	F	3/29/2021	3/31/2021	The day of vaccination: Chills, temperature and severe headache. The next day: Blurred vision and dizziness for a few seconds. At 11 days: Blurred vision and dizziness for a few seconds

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1210345	4/14/2021	CA	63	F	4/12/2021	4/12/2021	Client was complaining of a tingling sensation on the same side as her vaccine administration. Client stated that she began experiencing the tingling sensation several minutes after beginning her observation. Client denied any major medical history, past allergies or history of any previous vaccinations. Assessment revealed no bleeding, bruising, swelling or other signs of trauma on her left side vaccine site. Bandage was clean dry and intact. Client complained of tingling sensation that began behind her neck that was painless. Clients airway, breathing and circulation were intact. She was alert and oriented to person, place, time and event. Client was negative for hives, redness, severe sweating, shortness of breath or other signs of anaphylaxis. : Blood pressure 150/78, Pulse 66, O2 sat 100% room air, respirations were 16 and regular, eyes equal and reactive to light, Temperature 97.8° f and lung sounds clear bilaterally. She was given Oral Benadryl 50mg, water and observed for an additional 30mins.Vitals were taken every 5mins. After 30mins of observation client stated that her tingling sensation was improving but still remained. She was offered to be transported to the hospital via ambulance for further observation or go home and continue observation and contact her primary Dr for further evaluation. She decided to go home to continue observation. She was recommended to make a follow up appointment with Dr. or seek emergency care if needed. She verbalized understanding. Left with husband.
1210357	4/14/2021	CA	44	F	4/14/2021	4/14/2021	a 44 year old female who has completed a 15-minute observation period with the following signs and symptoms of an adverse reaction: other - dry throat, coughing, vomited x 1. Endorsed that she is very nervous with the vaccine, started having dry throat and coughing with watery eyes. Then vomited x 1 with partial digested emesis. no hematemesis per patient. pt kept on coughing and anxious. Otherwise vital signs stable, physical exam unremarkable. Given cetirizine and albuterol inhaler 2 puffs. Improved post medications. Referred to allergy clinic and
1210368	4/14/2021	MA	40	M	4/9/2021	4/9/2021	Headache, dry throat, dry eyes, fever, chills, achy joints, upset stomach, dizziness, tired, nauseous.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1210387	4/14/2021	FL	45	M	4/14/2021	4/14/2021	Patient had gotten COVID-19 vaccine (Pfizer) and he had finished his 15 minutes waiting time. We was leaving when his wife and his mother mentioned he had swollen eyes. Pt said he was feeling well and that his eyes were fine. However, family member insisted he had an allergic reaction to the vaccine and he mentioned he started to feel lightheaded and nervous afterwards. His BP was 107/81 mmHg and pulse 100 bpm and he mentioned he wanted to take something for allergies, so patient was given 50 mg Benadryl after confirming his weight (80 kg). After 15 minutes waiting, patient mentioned he was feeling fine, and he wanted to leave. BP was taken again and it was 125/76 mmHg and pulse was 89 bpm. Pt refused calling 911 because he was feeling ok and he did not feel his eyes swollen.
1210599	4/14/2021	NC	40	F	4/13/2021	4/14/2021	Rash on left side of face and left eye.
1210443	4/14/2021		62	M	3/30/2021	3/30/2021	Patient received his second dose of the moderna vaccine 3/30, and then at 5:30 pm the same day suffered vision loss in left eye. 62YM with history of carotid art stenosis who reports he was at a bar drinking beer with some friends, when he noted decreased vision in his left eye, like a graying out of his vision. It was painless. Went home and it did not improve so he came to the ER. Loss of vision occurred around 5:30 PM 3/30. He was evaluated in the ER by ophthalmology, who performed a dilated eye exam and diagnosed the patient with an acute central retinal artery occlusion, and performed an anterior chamber paracentesis to relieve pressure. Patient had improvement in his vision over the next 24-48 hours, but has remaining deficits.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1210281	4/14/2021	MO	51	F	4/2/2021	4/6/2021	sudden feeling of dizziness. started by feeling wobbly, just something that felt "off". within an hour i felt like my balance was off. standing and sitting didn't feel quite enough, started to feel that hotness and start of naseau, but laying down to left side and then sitting up seemed like a head rush. then within maybe another 20 min, definite dizziness. when looking up to the ceiling, visibly looked like world spinning. but not as visible looking down. no change in vision though. felt okay to lie down and sleep. pretty intense for a couple of hours. but better by morning. worked from home as usual. felt mildly wobbly when moving around fast or animated. all gone by 6pm/supper. ate fine all day. drank fine.
1210463	4/14/2021	OH	67	F	3/8/2021	4/9/2021	March 8th: After inj., floaters in eyes, slight dizziness, felt warm. Water given, observation by staff approx 30min. Nurse escorted me out of building for extra precautions. April 9th: Stomach cramping, headache left side. 400mg IBU taken. April 10th bi-lateral edema , lower legs, right sided headache. 400mg IBU taken and elevated legs. April 11th: slight stomach cramping returned, with excessive flatulence. April 12th: Tingling in lower legs, edema diminished.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1210472	4/14/2021	CO	31	F	3/26/2021	4/10/2021	I experienced stroke like symptoms on Saturday, April 10th, 15 days after receiving my first dose of the Pfizer vaccine. I experienced these symptoms starting around 1:30pm. First, my eyesight had been affected, I was seeing a black straight line aura in both of my eyes, I could not focus on any objects or people. I walked around my house and splashed some water on my face because I was feeling faint, I walked into the kitchen and said I'm going to pass out, I need to sit down, I sat on the floor... my partner was cooking me food and I asked him to get me water, but what came out was ?get me watermelon? from that point on, several of my sentences were not making sense and I was experiencing aphasia. I was starting to freak out and my right thumb began to tingle and feel numb. My partner gave me .05 mg of Xanax because I was shaking uncontrollably. I became very cold. It took about 20-25 minutes to calm down. In that time, I tried to read words off of his phone and I could not verbalize out loud what specific words actually said, it made sense in my mind, but when I would try to read it out loud, it was wrong. My episode ended in about 25 minutes, while I was eating and then I went to the urgent care.
1210507	4/14/2021	OK	23	F	4/14/2021	4/14/2021	Flush red rash on face and neck, Hot to touch on face, itchy throat and mouth, Slight shortness of breath, and itchy face/skin and eyes started around 1830 hours and is still active at time of filing at 2032 hours
1210512	4/14/2021		43	F	4/8/2021	4/10/2021	Began face numbness across cheek bones, eye pressure, dizziness when stood. Went to ER , everything in normal limits, CT clear. 3 days later blacked out driving, husband in car took me back to er labs still normal values had PVCs. Now wearing cardiac monitor waiting for cardiac consultation. No previous cardiac issues nor cardiac family hx.
1210529	4/14/2021	MD	48	M	4/2/2021	4/14/2021	I woke up this morning with a broken blood vessel in my left eye (a subconjunctival hemorrhage). I would never have thought of reporting this, but a friend who lives a mile away also got the same thing in his eye and he also got the J&J vaccination. (He already submitted a VAERS report). I understand that this could be a coincidence but thought I would still submit this report just in case.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1210558	4/14/2021	NV	44	M	4/9/2021	4/10/2021	PATIENT RECEIVED VACCINE FRIDAY 4/9/21 AROUND 4 PM. PATIENT STATES WHEN HE WOKE UP SATURDAY 4/10/21 HIS RIGHT EYE WAS RED AND HURT. PATIENT STATED PAIN WAS RESOLVED BUT THE REDNESS REMAINED. PATIENT DID NOT SEEK MEDICAL TREATMENT.
1210039	4/14/2021	NE	53	F	4/1/2021	4/1/2021	Headache blurred vision fatigue
1210406	4/14/2021	MA	49	F	3/22/2021	3/22/2021	I waited in the pharmacy for 15 minutes; soon after I got in my car to drive home and felt a strange sensation on the left side of my face. While driving, my entire left side went numb. I kept checking my face in the rear-view mirror to see if it was drooping. It was not. My upper lip appeared and felt swollen. Six days later, on March 28th, I came down with a really bad migraine. It started in my left eye and then was a really bad headache. I called the eye doctor the following day because the pain was not subsiding. The migraine lasted from Sunday, March 28th to Wednesday, March 31st. Following the migraine, I have been getting headaches (not as severe, but still painful) almost daily. The headache is not over my eyes or in the temple. Instead the headaches are on the top of my head and towards the back. Today is three weeks and two days after my vaccine, and I am still having headaches on the top of my head.
1210140	4/14/2021	GA	58	M	4/12/2021	4/13/2021	Moderna COVID?19 Vaccine EUA, Approx 18 hours after the shot I experienced intense chills, overall fatigue, fever, burning eyes and joint pain for the next 18 hours. I took no pain relievers and awoke on the second day with no ill effects.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1210043	4/14/2021	CA	64	M	4/9/2021	4/9/2021	Medical Summary - Friday, April 9, 2021 Patient received 2nd Moderna vaccination at Care Center. (1st Vaccination at Care Center unremarkable.) Approximately five minutes after vaccination, seated in Observation area patient leaned forward with elbows on knees, when asked stated he felt light-headed, put his head between his knees, wanted to lie down. He lowered himself to floor, with help transferred to different chair, sipped water, given lollipop, suddenly unresponsive, eyes glazed and rolled back, teeth clenched on lollipop stick, leaning to left side, incontinent of urine, no abnormal arm or leg movements, duration ~ or under 1 minute. Lollipop removed by staff, vitals: BP 1 Additional information for Item 18: Lollipop removed by staff, vitals: BP 117/72, P68, SpO2 Room Air 96%: now alert and oriented x4, no shortness of breath, no chest discomfort, able to sit in chair without support, was surprised by incontinence. Stated he felt sleepy, tired, and with staff assistance walked to next room for observation where he laid down on carpeted floor. He had no further episode of LOC, remained alert and oriented but continued to feel "tired". No complaints of chest discomfort or shortness of breath. ~ One hour post-incident BP 94/58 with repeat BP 120/82. ~ Two hours post-incident BP 118/80 (his usual he said) sipped water and electrolytes solution. Patient verbalized several times this event much different from previous events associated with blood draws which he described like typical vasovagal reactions with recovery within ~ 15 minutes. Drs. spoke with patient via telephone: PLAN o Can go home today o Do not drive today o Son will pick him up and stay with him for about 24 hours until wife returns from out of town o Appointment scheduled with PA at PMD office for Monday April 12 @ 8:00am – Patient called the office and I listened via speaker, his PMD is out-of-office till later in month, this is first available at the practice o Dr. recommend PMD work-up to also include EEG and CT Scan o R/O vasovagal event v. seizure v. other etiology o Dr. will contact him by phone later today PA-C MD
1210044	4/14/2021	NY	56	F	4/7/2021	4/13/2021	Blurred vision all of a sudden. Headache, Dizziness when bending down. All of a sudden loss of balance. Soreness at the injection site.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1210049	4/14/2021	FL	43	M	4/13/2021	4/14/2021	PFIZER-BIONTECH COVID-19 Vaccine EUA PFizer 2nd dose taken on 4/13 12:30 PM 4/14 around 11 AM had shortness of breath / cough for 5-10 minutes 4/14 around 11:30 AM started seeing swelling on both left /right top Eye lids like a big sty.
1210054	4/14/2021	FL	73	F	3/10/2021	3/15/2021	Eye hemorrhage left eye 3-15-21 Eye hemorrhage right eye 3-27-21 Right eye much worst then left eye. Pressure on eye and itching. Still dealing with issue on right eye.
1210071	4/14/2021	SC	60	F	4/13/2021	4/13/2021	Immediate trigeminal nerves triggered, mouth tingled, slightly dizzy, blurred vision. 1/2 hr later felt like skin burning on face and arms looking like a sunburn, small fiber neuropathy kicked up throughout body. Next morning slight headache and slight dizziness, slight sweating. Subnormal temp all day. Burning feeling, sunburned skin continues as it comes and occasionally lessens.
1210075	4/14/2021	KS	32	F	4/10/2021	4/10/2021	Pt reports having R upper eyelid swelling, itching, redness by that same eve after 2nd dose, and then had HA ride side from shoulder to around R ear, then nausea, felt clammy/hot, and by 4/13/21 dev'd R eyelid rash, drooping, and R upper lip drooping, worse as day progressed, cont'd HA pain and eye felt gritty. Pt reports previous shingles to R thorax and severe chicken pox illness as child.
1210085	4/14/2021	IN	40	F	4/12/2021	4/12/2021	I have been very dizzy, blurry vision, black out and vomited this evening around 6pm. 4/14/21
1210291	4/14/2021	GA	49	F	4/6/2021	4/8/2021	Horrible Pain in left breast. First occurred at 2 am 4/8. Loss of vision occurred at 3:05. Fell backwards onto floor 3:05 am. Diarrhea, nausea, labored breathing and sweating profusely. Unable to walk. 3:05 am. Thought was having stroke.
1210137	4/14/2021	GA	62	M	4/7/2021	4/8/2021	First 72 hrs....Extreme joint stiffness, cramping, lower extremities ( both legs to feet) felt extremely hot, chills, , disoriented, weakness in legs while standing, and extreme fatigue. The fatigue and weakness has continued and now experiencing headaches and blurred vision with brain fog since the vaccine.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1210290	4/14/2021	NM	36	F	4/8/2021	4/8/2021	<p>Covid-19 Vaccine Clinic I was notified by EMT that they had given Benadryl IM to this patient. I went to evaluate patient who was sitting in a quiet corner attended by EMT and her husband. BP 150s/104, O2 100% RA Patient reported that about 5 mins after 2nd MODOerna vaccine today, she felt itchy eyes and noticed that her eyes were swollen and she notified EMT on site. They had given her Benadryl IM. She reports that she has h/o Anaphylaxis reaction to PCN. 3/12/21 Moderna 1st vaccine- given, patient noted getting tongue swelling and onsite EMT at BTR gave her Benadryl IM. Pt observed 30mins, Doctors note stated pt did not have throat/tongue swelling lung exams clear. He observed her during the episode and checked on her 3hrs later and pt noted to be felt fine. She reports that a week later, she had tongue swelling, went to ER where she was given Epi pen and admitted to ICU for 2 days. No intubation. Sent home on Prednisone taper- dosage unknown but she reports she is still taking 2 tabs daily. She reports she was told by her Hospitalist that she could go ahead for her 2nd Moderna vaccine dose. Gen: watery eyes, eyelids slightly swollen, very obese Throat: no tongue swelling, tonsils enlarged touching her palate Mallampati- Class III Pulm ctab no c,w,r Breathing comfortable, speech coherent, normal CV rrr About 10 mins of observation by this MD, I had consulted with our other on-site providers and we all agreed to give her Epi injection due to her prior history and current eye swelling immediately after vaccine was administered from EMS. Patient noted she felt shaky but denies sob/chest pain/throat pain/tongue swelling. She was not coughing. I accompanied patient to womens restroom for patient to void. EMS officer called EMS who came to pickup patient. Patient requested to be taken to Hospital ER. During the entire stay, patient denied feeling short of breath/chest pain/throat swelling. Treated in ER: IV Decadron/Benadryl/Famotidine and discharged in few hrs with discharge meds: Prednisone taper, Famotidine and Epi pen prescription 4/14/21 Called to check on patient and she reports took 2 days to settle down to feel normal but no throat swelling or any allergic reactions. States she is feeling well now. She followed up with her PCP (who is not from our facility).</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1210170	4/14/2021	IL	56	F	3/16/2021	3/16/2021	Dose 1 Extreme pain and swelling at injection site and then moving down arm and underneath arm down right side of body. Right leg hot an painful in front thigh area. This whole effect lasted 10 days Fever up to 101 approximately 3 hours later lasting 2 days (up and down fever) Chills lasting 2 days starting late the night of injection Migraine headache - Debilitating for 3 days and still have daily migraines. Painful lower neck that has not gone away Shoulders and legs hot and feel numb at times - Leggs lasting approximately 14 days; arms still feel this way Blurry vision off an on for 13 days Dose 2 So far same as above although legnth unknow as I just recieved the shot on 4/13/2021
1210172	4/14/2021	AZ	48	F	4/14/2021	4/14/2021	1425-vaccine administered. Client and husband were requested to stay on site for observation for 30 minutes due to history of anaphylaxis and car was moved close to staff tent. 1445-check in by vaccinator, client denied any problems. 1455-vaccinator went to check on client prior to discharge to home. Vaccinator noted flushing of the right side of the client's face. Call for help placed. 1457-BP 140/80, HR regular, lungs clear to auscultation bilaterally. Right-sided facial edema and erythema noted, along with right neck and shoulder hives. Client denied itching of the throat, difficulty breathing, or any other problems. Oropharynx was visualized, skin was pink and intact, with no hives or edema noted. Close and constant observation provided. 1502-client reported feeling like her throat was itchy and it was more difficult to get air in. Is scratching here and there to the right face and shoulder. Close and constant observation provided, emergency medication prepared. Epinephrine auto-injector given to right lateral thigh due to continued report of itchy throat and difficulty breathing. EMS was called. 1507-BP 150/90, HR regular. Client reports she is throat itching has improved, it is easier to breathe. 1508-facial flushing and hives are clearing and facial edema is less. 1515-EMS on site, they took over care, then client was transported to the hospital with husband following in the car.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1210215	4/14/2021	MD	19	F	4/8/2021	4/8/2021	A few hours after I got home from getting the shot, my lower body started to ache super bad. My skin started to hurt like I had rug burn, but I wasn't surprised because that happens to me when I get the flu. My legs and groin region started to hurt more and more and I got the chills. It was extremely bad and I was sort of writhing but I told myself I was overreacting. At around 8 or 9, I decided I would sleep it off and went to bed. At 1:00 am, I got up to use the bathroom and I began feeling lightheaded. I thought I had just stood up to fast so I continued. As I walked, i got more and more dizzy and I couldn't hear well. When I sat on the toilet, I realized I wasn't going to be able to get back up, so I sat and waited. I started to get super hot so I took my shirt off. I finally was able to get up and walked towards the sink but I collapsed before I got there. I started drinking the sink water and ran my shirt under the water and put it on my head to cool off. This really helped so I went back to my room to call my mom. I have never fainted before or come this close to fainting. For the rest of the night I had the worst migraine of my life that gave me aura in my left eye and made my left arm and left side of my face go numb, as well as pulsing in my head. The pain on my skin, and in my legs and head was still there for two days after but it was manageable enough for me to go about my day. I tried to exercize to ease the muscle pain but this did not work.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1210256	4/14/2021	CA	43	F	4/5/2021	4/5/2021	Day 1 - Immediate small hives all over body for 1 hour, flush, fever, shaking, nausea, then hives lef. Day 1 evening - Fever 103, blurry eyes, severe headache, swollen tongue, severe pain all over, all major surgery sites spasming, vomit and diarrhea , hard to breath and blackout. Day 2 - Fever, eyes blurry, Blood pressure spike, headache severe, tongue swollen, severe hives, vomit, and diarrhea, cannot move body, pain increased tenfold Day 3 - Worse than day 2, hives are severe and can barely move body, Blood pressure spike, off to the ER. They admitted me and gave me different combos of steroids, pain killer, lorazepam, etc. to figure out the right combination to keep me steady. Day 4 - evening I was able to go on home care with the correct combination of medication. If my numbers don't stay steady I would have had to go back. During the rest of this time - Severe pain throughout body, fever, shortness of breath. The hives are now just my my skin flushing. Heat flashes. My fever has just gone down to normal degrees today. My Blood Pressure has gone from 175/111 back and forth to normal. My headache is still there and body pain. Hives are now just flushed skin. Swollen Lymph nodes in throat. No more vomit or diarrhea.
1210272	4/14/2021	OH	43	F	4/11/2021	4/13/2021	Shingles in the eye around 42 hours after 2nd shot
1210275	4/14/2021	WI	38	F	4/8/2021	4/11/2021	Puffy eyes, lips, itching on body, closing of throat. (Anaphylactic type symptoms. ) Swelling at injection site. Extreme fatigue and aches over 6 days later.
1210604	4/14/2021	OH	28	F	4/2/2021	4/11/2021	On Sunday, 4/11 my eyelids were tingling, it then went to my forehead, entire face and both of my arms. My muscles stiffened and my hands/thumbs were cramping inward. My hands were also red and blotchy during this time. My face was tight and hard to move or talk. This entire incident lasted in total around 20 minutes or so. I seem to be okay since that incident, I have had a headache off and on. Not sure if it's related to the vaccine but I haven't experienced anything like this before.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1210117	4/14/2021	CA	50	F	3/13/2021	3/14/2021	The night after the night of my vaccine I had a tightening of my whole left side, from my eye, down my neck, into my shoulder and chest and down left arm. Then I started to get shooting pain all around my shoulder blades. I brushed it off thinking that most people had complaints of feeling pain or sick the few days after their vaccines and then they said it went away. Mine never went away. After about 5 days it really started to worry me. The pain was very intense- unbearable even- and i couldnt move my left arm or lie back in any way without incredible pain. I called urgent care and they told me I could come in if the pain was bad but that maybe I wanted to see my regular physician to see what was going on. I made an appointment with my doctor but it wasn't until the end of the next week. After 8 days, I couldn't take it anymore. I went to urgent care- they did an EKG and a chest xray and said all was normal. They gave me an anti-inflammatory (naproxen) and a muscle relaxer. They took blood and the only thing they noted to me was that I should have my doctor check my platelette count. They told me they thought it must be muscular. I went home. Neither of those medications seemed to help. The pain was less in the day when I was moving around, but towards the end of the day it was getting so bad (still is) that I can't sleep or get comfortable. My doctor did blood work and couldn't seem to find the source of what was going on with me either. She prescribed me a new anti-inflammatory (meloxicam), a new muscle relaxer (cyclobenzaprine) and a pain killer (hydrocodone acetamin). Sometimes those medications help- they knock me out- but when I wake up I feel the same. I can't take them in the day because they make me too loopy and tired. I don't know what is wrong. I can't seem to get answers and nobody can figure it out. It is definitely my left side. I feel it in ky head, my chest, my shoulder and down my left arm and it has been almost 5 weeks. It seems to be getting worse not better. Looking for help or direction please



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1211271	4/14/2021	MI	54	M	4/10/2021	4/10/2021	Roughly six (6) hours after I received my second dose I became extremely agitated and angered what I would call a homicidal rage that lasted for about an hour which then morphed into a visual hallucinations those lasted for about an hour and those turned into racing heart with heart palpitations and bilateral involuntary hand movements tremors
1211079	4/14/2021	TX	40	F	3/6/2021	4/14/2021	Consistent headaches above the left eye and on the left side of the head.
1211082	4/14/2021	VA	53	M	3/13/2021	3/14/2021	Pt states he woke up early and couldn't stand due to head spinning, but was okay laying flat. Lasted 20 seconds then able to stand slowly. Reports continues to have <5-10 second vertigo episodes 3-4 times a day ever since. Describes vertigo as if riding on a roller coaster and feels room spin in back of head by his neck area behind ears bilaterally. No issues with eyes or ears. Quick position changes or moving from flat to sitting/standing or turn head quickly side to side triggers sensation. No neck pain.
1211126	4/14/2021	TX	61	F	3/24/2021	3/26/2021	Patient is describing right eye swelling 1-2 days after receiving vaccine. Some loss of vision as well as headaches. Patient states that she has never had these symptoms prior to vaccination.
1211136	4/14/2021	WI	33	F	4/6/2021	4/6/2021	Client started out with anxiety following IM injection. Indicated that she had some tingling in her hands and feet. Visually upset. Within the course of staff evaluating client, client indicated that numbness and tingling spread to both hands and feet (worse on left side) and left side of face. Client with significant left sided weakness and favoring that side of body. Evaluation by Fire Department and onsite nurse showed no sign of anaphylaxis or stroke. B/P elevated to 148/96 at 18:03, 152/100 at 18:13, and 138/103 at 18:17. SpO2 remained at 100%. PR 94, 105, and 103 at respective times. Staff convinced client to go in for evaluation. Client was evaluated at Hospital in and diagnosed with idiosyncratic reaction to the vaccine. EKG was mildly abnormal but not out of concern. Potassium was low which physician attributed to the hyperventilation and panic attack. CT an all other lab work unremarkable.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1211139	4/14/2021	CA	63	F	3/12/2021	3/17/2021	Experienced extreme vertigo with nausea & vomiting, brain fog, headaches, sweats, eye twitching, pressure my head, questionable vision changes
1211152	4/14/2021	FL	63	F	2/18/2021	2/18/2021	2/18 Severe pain & tingling left big toe, 2/18 dizzy lightheaded , nausea, fatigue, swollen lymph node left under arm, pain/swelling/redness at site, decreased near vision(2days), mild temp increase 99.6, chills, muscle/joint pain, Starting 2/21 large/red/swollen/w warm/ severely itchy rash from shoulder to elbow of left arm (lasted approximately 3 week? s& occas. Itchy now), large/swollen lymph nodes under chin on vaccine side
1210576	4/14/2021	NM	36	F	3/12/2021	3/13/2021	Headaches, buried vision, abdominal pains
1211259	4/14/2021	MI	58	M	3/16/2021	3/20/2021	Pfizer-BioNTech COVID-19 Vaccine EUA Intense pain behind left eye then left side of head while running/exercising. Went to emergency room within an hour had CT scan verifying acute subarachnoid hemorrhage. MRI, Angiogram and Ultrasounds of the head and neck were also performed.
1211053	4/14/2021	CA	53	F	2/8/2021	2/9/2021	Tuesday Feb 9, 102 Fever, sweats , Migraine headache, Chills, Same symptom's 10th 11th 12 Nausea, Vomiting Diarrhea , Went to ER. Symptoms continued for another week. Went to ER again Feb 20, same got worse returned to ER, they performed MRI, found liver & spleen enlarged on February 23rd, was admitted for 5 days of fluids. Was advised that something had triggered CMV in my body. After eye exam they found CMV Retina, I am still being treated for this condition currently with Valganciclovir. Per Dr. I may have to take meds for 6 months. I was released from Hospital on Feb 27th, I still had fevers over 100 and could not take tylenol or advil, I had to ice down my body for over a week fevers continued. They finally went away and I was able to return to work on March 5th with restrictions as I was not fully recovered
1211294	4/14/2021	FL	41	M	1/27/2021	3/16/2021	I suffered a stroke on March 19, 2021 that effected my Occipital and Temporal Lobes on the right side of my brain. The primary symptom was almost total and complete blindness. Taken to emergency room, made a stroke alert, tPA cleared clot, spent 5 days at the hospital.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1211301	4/14/2021	MI	38	F	4/13/2021	4/13/2021	<p>Patient was in observation area after receiving first dose of Moderna COVID19 Vaccine. Patient was asked to wait 30 minutes in observation following vaccine administration due to history of severe allergy to Codeine. During observation wait time, patient notified writer (observation nurse) that she was "not feeling well," and decided to lay on the floor. Writer assessed patient's vital signs and the vital signs were within normal limits. At 1310 VS were: BP 110/70, HR 85bpm, O2 95%, and RR: 20 bpm. Patient told writer that she does have a history of "blank seizures" during high stress situations. Soon after stating this, patient stopped responding to questions, and her eyes were noted to be "blank," and were staring off to the right side. No tonic/clonic activity noted. This seizure like activity was noted to last about 1 minute. Patient began answering questions again and was AOx4. Vital Signs remained stable during this seizure like activity. After a few minutes of talking with patient about her health history, writer noted patient having another "blank seizure," episode. Again, patient was not responding to questions and her eyes were noted to be "blank," and were staring off to the right side. No tonic/clonic like activity noted during this episode. Writer noted this episode to last about 2 minutes. Patient began answering questions again and was AOx4. Vital Signs remained stable during this seizure like activity. During this time, hives started to appear on patients left side of her face and front side of her chest and when patient began answering questions again after this seizure like activity, she started itching at the hives. 50mg Benadryl was given IM in her Right arm. EMS was called to site to assess patient and patient care was handed off to EMS staff.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1211359	4/14/2021	NV	39	F	4/6/2021	4/6/2021	Immediately at 15 minutes: blurry vision; felt off and felt loopy (out of it); I was dropping food on myself as I was eating. My pupils were really small. I felt out of it. Finally I got home (son drove me). I had mild chest pains and heart racing (had this initially, too). And the chest pains and heart racing kept happening off and on through the night. I had headaches that night and I felt nauseated. Next day, I had to wear sunglasses inside my house as I was light sensitive and my pupils remained small. I still felt body aches and nausea but the eyes were the biggest concern...shining light by my eyes didn't make my pupils bigger. The light that came off my phone aggravated my eyes and my head. Thursday, I still had nausea but headache wasn't bad with Tylenol. Those full two days all I did was sleep. Friday, I felt like things were mild and Tylenol was helping. I called heathline for my eyes. As those still weren't improving. I got into my eye doctor for an exam (4/9). There was no inflammation and he decided to dilate my eyes. Of course, my eyes were blurry and my eyes responded to that dilation. I napped after returning home. My pupils after the nap were finally responding. I still had a little light sensitivity in my eyes but not as much as I had had and pupils were doing what they should with light. So this was 3 1/2 days later. I still do get mild headache and mild chest pain - it comes and it goes. I have a doctor appt - general check up - that was already scheduled for tomorrow and he will examine for chest pain.
1211372	4/14/2021	WI	63	F	4/14/2021	4/14/2021	After patient received vaccine she was accompanied by RN to observation area. In observation area patient was sitting in the chair with her head against the wall. RN asked patient if she was alright, patient stated, "she was not well". She was noted to be pale, glassy eyed. RN called for immediate assisatance. Pt was transferred with assitance to recliner. Patit responded to verbal commands, leaned back with feet elevated. Within Vitals 4 minutes were B/P 118/82, HR 99, Spo2 99% on room air, patient noted to be responsive. Patient stated she thinks she was having a panic attack. Vitals were taken B/P 56/40, unable to get reading for heart rate or pulse ox. Code called, Pt was transferred to ED, patient responsive.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1211380	4/14/2021	NM	64	M	3/23/2021	3/24/2021	Dizziness, double vision, Rt mid brain stroke, third nerve palsy, begin shortly vaccine, hospitalization began 04/03/2021
1209211	4/14/2021	NY	60	F	3/22/2021	3/25/2021	Irritated bloodshot right eye
1211374	4/14/2021	MA	72	F	3/8/2021	3/9/2021	since being vaccinated for 4-5 weeks pt experienced on and off headaches, nausea, fogginess and fatigue. Denies any peripheral edema, bruising, petechiae, SOB, chest pain, vision changes, or abd pain.
1211229	4/14/2021	FL	28	F	4/10/2021	4/10/2021	I was fine for the most part after the vaccine. The only thing that hurt was my arm at the injection site. I started feeling nauseous about an hour later. Then at about 9:00 pm, I started to feel really sick. I felt very tired and my whole body hurt. I had a low body temperature, 95 degrees. Chills, fever, shaking, nausea. Very SEVERE symptoms. Felt very disoriented. I thought I was going to pass out and faint. Vision blurry and seen white. Pounding headache. Ears ringing. I could hardly walk that night, I was crawling on the floor. I felt out of breath. My heart was beating very fast. My left side of my chest hurt by my ribs. When I did wake up from sleep, I woke up with blood in my mouth and dried blood on my lips.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1210760	4/14/2021	MI	38	F	4/10/2021	4/10/2021	* Arm was very sore for about the first 10 minutes. Moving it reduced it pretty quickly and was no worse than a minor ache for most of the next day or so. * Had a mild headache before the shot (believe due to not having had caffeine that day yet) * At about 6 pm on 4/10, lost appetite due to mild nausea (just enough to not want to eat but not enough to vomit) * At about this time I noticed I also started to feel a little winded, akin to walking just briskly enough that you have to breath harder than if you're just sitting / resting. It did not get any worse than this however, so I opted to keep a close eye and see if it eased (which it would by end of Sunday, 4/11) * At about 8:30 pm on 4/10, noticed I felt warm, had a fever between 100.4 to 100.8 * Also around 8:30 pm I noticed that pain I normally feel from my herniated discs and pinched nerves (L4/L5 L5/S1) just ACHED and was more painful than normal. * Started feeling tired (I'm usually up until around 1-2 am, and I was ready to go to bed by 9pm on 4/10) Also felt a little forgetful / hard to concentrate on anything * When I went to bed, I noticed that my eyes were very sensitive to the white light from my monitor. This is usually a sign of a painless migraine with auras that essentially blind me for about a half hour. I did not have auras, though my headache was steadily getting worse to the point I suspect it might have actually been a migraine) * At about 12:30 am on 4/11, the headache got to the point where I could no longer ignore it (best I can describe is it felt like someone was trying to peel my skull of like you would an orange) so I took 200 mg of Ibuprofen. I also by this point had a fever of 102, though it would drop to 100.5 or so within a few minutes of taking the Ibuprofen. * At about this point the arm starting aching a lot more, I assume because I wasn't using it while sleeping. It felt like someone had punched me multiple times hard in the same spot. * I felt much better on the morning of 4/11. However as the day continued I felt more and more tired. My temperature was higher than normal but very mild; it stayed around 99.8 for most of the day that I took it. By Monday, 4/12 I felt mostly fine aside from my arm aching worse than it did when I first got the shot. Now on 4/14 its pretty much no longer achy.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1210633	4/14/2021	CA	46	F	2/8/2021	2/19/2021	She got the vaccine, she had no reactions at all and then approximately 11 days later she had a severe rash and swelling on her face, around her eye and around her mouth stemming from what she has concluded to be consuming wheat or yeast since the vaccine with no previous allergic reactions to these items. She has been to the hospital and they told her it was an allergic reaction. The rash is itchy and reoccurs when she eats those few things. She has been watching what she eats and then had something yesterday that had a tiny bit of wheat in it and broke out in hives again. She has been taking Claritin for this, which has pretty much no affect on reducing the reactions. The reaction is not sustained, it lasts for 4-5 days and then dissipates slowly as she treats with ointments, (Aquaphor). She has been in contact with dermatology center but was not breaking out at that time and is going to contact them when she is having an issue.
1210636	4/14/2021	NY	44	F	3/25/2021	3/25/2021	Immediate dizziness and nausea. Became tachycardic within an hour. This is still an issue 3 weeks out. Day after vaccine I felt mild flu symptoms all day and was struck with a severe chest pain and intense nausea in the afternoon. I went to the hospital emergency room and had multiple tests run. No cause was found for the chest pain. It began in the center of my chest and moved to the right side of my back. I have been dizzy, nauseous and extremely fatigued as well as a headache for the last three weeks. The doctor didn't know what caused the pain. He checked me for a pulmonary embolism because my clotting factors were slightly elevated. They have not been rechecked, though I requested my doctor have them and my platelets rechecked. I still do not feel well. My brain is foggy, my vision gets blurry at times, and I still have the dizziness, fatigue and nausea. I am no longer achy and I have not had another chest pain like the one I had on the 26th.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1210669	4/14/2021	CO	19	F	4/13/2021	4/14/2021	I woke up the day after my second shot completely weak and felt very feverish. I got out of bed and tried to eat yogurt, but felt nauseous and got lightheaded so I had to sit down. I drank some tea and water and went back to bed for 4 hours. I woke up again and still felt terrible and could not even walk short distances without getting very pale, sweaty, and my vision having spots. I feel chills, a headache, and have been lying down all day. I am most concerned about passing out and becoming unconscious. I called the Wellness Center and they said to just lie down and stay hydrated
1210693	4/14/2021	FL	26	M	4/7/2021	4/7/2021	Arm pain immediately after the shot. 3:45 PM. Headache, eye soreness, sinus pain - 11:30 PM. Chills and shakes - 2:30 AM. Sweats - 4 AM. Continued tiredness throughout the day.
1210694	4/14/2021		32	F	3/30/2021	4/7/2021	Fatigue for 2 days after shot. Headache starting 8 days post vaccination. Lasted 2-3 days (4/7-4/9/21) Dizziness, blurred vision, almost fainted on 4/9/21
1210700	4/14/2021	CO	21	M	4/5/2021	4/6/2021	The adverse events that occurred after this vaccination include the following: Severe headache, vision issues (i.e., loss of clarity, focus), muscle aches/cramps, chills, stomach/abdominal discomfort, upset stomach, loss of taste, loss of smell, sore throat, swelling of lymph nodes (underarms, groin region, and behind the ears), tiredness / loss of energy, and nasal congestion. The most adverse event, a headache, led to some dizziness, loss of clarity/focus (vision), and pain behind the eyes. The only treatment taken to lessen the severity of these events were acetaminophen and ibuprofen. The adverse events still occurring today are (as of now 04/14) include: stomach discomfort, muscle aches/pains, and discomfort under the arms (armpit area) near lymph nodes.
1210705	4/14/2021	CA	65	F	3/27/2021	3/27/2021	Had a very bad headache, right side of my brain felt frozen, then my right eyelid started twitching, eyesight becomes blurred until it stops, and the twitching has not stopped. The twitching starts and stops throughout the day. Always an on and off headache at the top and middle of my head.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1211075	4/14/2021	MD	43	F	4/10/2021	4/10/2021	Immediately after the shot, I started to have blurry vision, dizziness, rapid heart beat and sweating, almost collapsed in the arms of the nurse although I was seated. Could not stand or walk. The nurses attended to me, by giving me water and sugar and calming my breathing. After a few minutes one of the nurses took me for a walk around the facility and recommended I take Benadryl. They kept an eye on me for about 1h and a half until I was in some shape to drive back home. Driving was very difficult, as I was still fairly dizzy and weak. During the day I would get bursts of dizziness, tingling in the face and unusual heart palpitations. In the evening I got shivers and dizziness. I was fine the next day.
1210751	4/14/2021	AZ	21	M	4/8/2021	4/9/2021	Eye Muscle strain when moving eyes to look in any direction (up/down, left/right). No strain when looking straight. Lasted for roughly 4-5 days from day after injection, worst on first 3 days
1211074	4/14/2021	IN	37	F	4/9/2021	4/12/2021	Migraine with visual aura
1210802	4/14/2021	TX	54	F	3/23/2021	3/23/2021	1. Hazy/blurred vision about 30 mins after vaccine- has improved, but not back to normal yet. 2. Sore arm/neck/back- 8 hrs after vaccine- recovered within 3 days. 3. Bad dry mouth, some swelling in tongue & throat- 16 hrs after vaccine- recovered within 10-15 mins.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1210848	4/14/2021	ME	52	F	4/3/2021	4/4/2021	1) Immediately after receiving the shot, during the "waiting period" before being allowed to leave the clinic, I experienced slight light-headedness and then a feeling of great hunger pains in stomach ... 2) Woke up at approximately 1:00am on Sunday, 4/4/21 with a very hot sweaty clammy feeling, had a headache, body aches, temperature was 99.9 - symptoms then proceeded to worsen with a heavy headache (light over the whole head, with a slight sinus headache feeling & increased pain on Left side of sinus, eye, forehead, ear, behind ear, down back of skull), this headache 'pulsed' mostly on the Left side of head; felt nauseous, runny nose, sore throat (felt strep-like), fatigued (slept alot), body/muscle aches, strange dull aching in Left leg which seemed to move around the leg at different times (had to keep moving positions of Left leg when sitting or laying down). These symptoms lasted without break for approximately 4 days/nights at which it tapered off. Also, on the morning of Sunday 4/11/21 I noticed a vein that seemed to 'inflate' on my Left upper forehead and pulsed for a few minutes and then subsided with the feeling of a slight headache mostly on the Left side.
1210863	4/14/2021	PA	18	F	4/14/2021	4/14/2021	unexpected swollen near my right eyebrow,
1210882	4/14/2021	WA	39	F	4/1/2021	4/13/2021	Weird headache, body aches, hot and cold flashes, really tired, extremely dry mouth, nose and eyes, ear ache, morning congestion and sore throat.
1210922	4/14/2021	TX	58	M	3/25/2021	4/5/2021	I lost vision in my right eye for no reason, I went to the ER. They did a CAT scan ran blood test etc. searching for the reason i lost vision in my right eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1210950	4/14/2021	TX	62	F	3/23/2021	3/28/2021	I got this information from a phone call with her today. This was five days after the injection and three days after starting a supplement African Mango. She was at work and felt cold all day and was drinking coffee all day Yes body aches and chills, "stomach was like a rock" and " whole body was hard like a rock" It felt as if she had had a really hard workout. No ER, swelling of tongues, lips, eyes or trouble breathing. Never had this before. She was seen in the clinic by and had advice from two providers including her "niece" ALLERGIES - tramadol causes nausea and shakiness. No food allergies or allergies to insects. When she took her bra off and her " breasts were standing up like rocks" and her stomach was very hard and lumps over the back of her neck. Legs were the last muscle to relax. These symptoms dissipated after three days. She did not check her vitals. She was taking tylenol and drinking lots of water. She reports her hands and feet were swollen and itchy. I asked her to sign up the vsafe.cdc.gov. I will contact the CDC to report.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1210759	4/14/2021	MO	62	M	4/9/2021	4/13/2021	Patient woke up the morning of 04/13/21 and explained to his wife that he felt "foggy" mentally. He went about his morning chores on the farm. He came inside to sit in his recliner with his feet elevated for almost an hour. At approximately 9:40 am, his wife observed that patient suddenly stiffened without warning and cried out. His arms stretched over his head in the chair and his legs stiffened like a board. His body was visibly contracted. He continued to cry out. His eyes were closed, he was salivating, and his forehead was sweating. His wife watched him move his arms suddenly to his lap, however, his fists were clenched tight. She tried to get his attention by calling to him. She noticed his lips were turning blue. She continued shaking him, shouting and then slapped him. Patient did not respond. She called 911. After 7 minutes, he finally relaxed some and started snoring loudly in the chair. He continued sleeping soundly for about 10 minutes while she waited for EMS to arrive. The wife did elevate his head, as she was told by 911 to do so. She was not able to wake him up during this time period. When the EMS arrived, he was just starting to move. They got him up to stand and he was able to verbalize his need to go to the restroom. They arrived at the hospital at approximately 10:25 am and was released after testing at approximately 2:30 pm.
1210748	4/14/2021	MI	57	F	3/29/2021	4/10/2021	On April 10th, 12 days after vaccination, at approximately 6pm, patient started having explosive diarrhea and uncontrollable gas. This subsided by the morning of the 11th. On the 11th, patient experienced extreme fatigue, sensitivity to light and sound, and nausea. Monday the 12th, at 3am, patient was woken up to severe migraines (patient has no prior history of migraines or headaches). She described her pain as radiating-- like a bright, light house was being shined directly into her eyes in her sleep. This was combined with a pounding, pulsating feeling in the frontal lobe. Patient reported hypertension, nausea, and tingles in the tips of her fingers. These symptoms persisted throughout the day. On Tuesday the 13th, the same symptoms persisted. Patient heard the new CDC warnings about the Janssen vaccine, and concerned for her well-being, called her physician. Her physician directed her to go to the emergency room as soon as possible.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1209526	4/14/2021	NV	55	F	4/7/2021	4/8/2021	I developed a rash on my face (both cheeks and under my eyes) from the vaccine as well as fever of 102, nausea, vomiting, chills, sore arm, etc. I went to the doctor because I was concerned that I had a rash on my face. I did not have a rash on my arm which is where most people get the rash. The doctor told me that the rash would fade in a few days and it did. It is gone now.
1209382	4/14/2021	MS	69	F	4/9/2021	4/9/2021	All of the virus symptoms with the exception of blurred vision n couldn't see for about ten to fifteen minutes. Temp. 100. Headache
1209421	4/14/2021	FL	52	F	4/10/2021	4/10/2021	Headache, nausea, fever, fatigue, neck stiffness, eye soreness, racing heart, dry mouth, sore arm Tylenol
1209434	4/14/2021	MI	47	F	3/1/2021	4/5/2021	After shot, extreme fatigue and dizziness for 24 hours and sore arm. After the 2nd shot I experienced a slight headache for 1 week. On April 4, I experienced an occular migraine for about 30 minutes.
1209471	4/14/2021	MI	54	M	3/29/2021	3/30/2021	Right eyelid twitches daily (approximately 12-14 times/day at random)
1209473	4/14/2021	AZ	50	F	1/29/2021	2/17/2021	I did not know this could possibly be a side effect of the vaccine until my school nurse alerted me to the possibility and advised me to report my reaction. I developed sinus congestion that I did not think was serious in the weeks after the vaccine. I had headaches and nasal congestion. many weeks after the vaccine, I sniffled and a large mass went down my throat, again I thought nothing of it. Last weekend, I got a very painful headache behind my other eye. I massaged my brown-bone and a large walnut sized and shaped mass, brown and red in color, shaped exactly like a shelled walnut with lobes came out of my nose. My school nurse told me this sounds like it was a sinus blood clot and to alert the clinic. The clinic in town where I got my vaccine said because I am not ethnicity, I had to report it myself on VAERS.
1209494	4/14/2021	NY	37	F	3/27/2021	3/27/2021	dizziness strange visual sensation

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1209580	4/14/2021	IN	51	F	4/9/2021	4/9/2021	- within the first 30-40 minutes: I could feel numbness creep up my arm on the side of the injection. It traveled as high as my eyebrow. It felt much like an injection would if you were getting a filling at the dentist. I couldn't see any swelling or puffiness but definitely numb. This passed within the first few hours. - first two days - I was very sore and achy in my muscles all over my body, but on the third day it was centralized to just the muscles on my upper arm and under the arm kinda into the "peck" area I believe it would be called. - day 6 - today I have mild diarrhea and a slight upset stomach.
1209514	4/14/2021	IL	51	M	4/12/2021	4/12/2021	This nurse noticed that the patient was coughing and clearing his throat around 11:10 am. This nurse asked if he needed some water and the patient replied he thought he may be having an allergic reaction to the shot. This nurse went to get a bottle of water and gave two Benadryl capsules at 11:15 am. 911 was called. This nurse notice the patient's eyes were looking swollen and red and that his face and neck were turning red around 11:20 am/ 11:25 am. Patient also stated his throat felt like it was getting tighter. This nurse then gave 0.3 mL of Epinephrine in right thigh at 11:30am. Almost immediately patient stated he was starting to feel better. EMS arrived, checked him over, asked questions, and offered to transport to the hospital. Patient refused the hospital and signed their paperwork. This nurse asked patient to stay an additional 30 minutes and patient complied. No other complications occurred. Patient's eyes still looked slightly red, but was no longer swollen. Stated he felt a little jittery. Gave patient a snack. Patient left around 12 noon/ 12:15pm. Patient drove self and walked without assist.
1209357	4/14/2021	IN	28	M	4/14/2021	4/14/2021	Patient received first dose of Moderna, within 3 minutes while sitting for post-observation. Patient's head went back as if he was falling asleep, but he began making gurgling noises and his eyes rolled to the back of his head. Helped him slide him down out of the chair, so he would not hit his head or fall. Once on the floor the patient began seizing. After a sternum rub, the patient raised up and was helped back into the chair. He was sweating and flushed. He was able to answer questions as we awaited the EMT to arrive.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1209529	4/14/2021	IL	42	F	4/8/2021	4/8/2021	15 minutes after injection: out of nowhere became extremely dizzy, nauseous, and fainted. stayed on floor, drank water, juice, crackers, tried to get up but was too weak and almost fainted again. sweating profusely and cloudy vision so lied back down. After 1+ hour felt mostly better so left . 30 minutes into my drive home felt sudden onset of nausea, left fingers tingling & numbing with save wave of extreme dizziness. Pulled onto median and called 911. My face started stiffening into a pucker like position and my muscles all through my body stiffened, but weakened with sharp tingling. I couldn't stand so they carried me out of car and took me to Hospital. The rooms were full so I was in wheelchair waiting for room, shaking profusely, blue fingers, nauseous, dizzy and couldn't stand on my own. I was able to go to restroom w/assistance but My muscles were stiffened for 1 hour+ and over and i felt awful. over the course of 5 hours I gained strength back and started to feel better with just mild headache and nausea. They did EKG, blood panel and chest xray which looked ok. Diagnoses as allergic reaction and told me to come back if more issues. The day after shot and every day since have had a headache at base of neck and pressure in cheek/forehead + nauseau + dizziness and extreme tired. Today is 14th and no headache today.
1209530	4/14/2021	PA	16	F	4/14/2021	4/14/2021	Immediately following injection, patient notes "clogged feeling" in right ear, along with blurry vision. Arrived to observation unit at 4:48pm. Blurry vision resolved. EOMI. No nystagmus. Hears snapping in ears bilaterally upon testing. 4:57, denies all symptoms. Lungs CTA bilaterally. Negative romberg.
1209532	4/14/2021	ID	61	M	4/9/2021	4/12/2021	PATIENT COMPLAINED OF DOUBLE VISION FOR 1 HOUR ON MONDAY. EPISODE RESOLVED AND NO FURTHER ISSUES REPORTED

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1209544	4/14/2021	OR	66	F	3/18/2021	3/19/2021	The patient is a 66 y.o. female with past history of diabetes, GERD and HTN who presents to the Emergency Department with visual changes of the right eye and associated pain to the face and neck. Per interpretor, patient woke up feeling at baseline yesterday morning, when she had her COVID-19 vaccine. Yesterday around dinner time, she began having issues with vision in her right eye, causing her visual field in that eye to appear dark to her entire right eye. She told her husband that she thought she might have a hair or eyelash in her right eye and that she had an irritating pain radiating from her right eye to the right side of her face. Even after washing her eye with cold water, the sensation did not subside. At approximately 3-4 AM this morning, she also began to experience pain to the back of her head and neck bilaterally. This morning, the visual impairment improved from the entire visual field to now only just the inferior aspect of the right eye. However, she denies weakness to any of her extremities. Patient also denies chest pain, numbness, abdominal pain or nausea. She was seen at ophthalmology, at which Dr. diagnosed her with a right retinal branch arterial occlusion and decided to send her to SHE to be evaluated for the possibility of a CVA. She denies being on blood thinners or taking Aspirin. She denies any previous diagnosis of a CVA or TIA.
1209549	4/14/2021	TX	51	M	3/9/2021	3/13/2021	I started with rashes (red) on both ankles. then near arm pits. They I started with very itchy eyes which turned to Pink Eye. Additionally I got very congested, trouble breathing, phelm production. Tired or fatigued. Got back enough and went to the doctor and receive a steroid shot, and eye drops. I am still have issues still.
1209566	4/14/2021	MD	56	M	4/8/2021	4/9/2021	Since my vaccination, I've been experiencing itchiness all over my body. The most troubling adverse reactions have appeared in the last two days, five days after receiving the vaccination. Those reactions include the following: vertigo, general feeling of unsteadiness, nausea, visual focusing issues, mental focusing issues, and weakness that is mainly in my arms and legs.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1209577	4/14/2021	IN	63	F	4/3/2021	4/5/2021	BLURRED VISION, HEADACHE, CHILLES, SEVERE PAIN IN RIGHT ARM, SHOULDER AND BACK FOR DAYS. STILL HAVING BLURRED VISION AND LITTLE HEADACHES
1209506	4/14/2021	NM	40	F	3/15/2021	3/15/2021	Pain in right arm immediately after the injection, couldn't move it for 30 minutes, blurred vision, heart palpitations (first 30 minutes), throughout the day I felt foggy and strange, by 6pm I had a fever, horrible muscles aches and headache, became extremely nauseous all night and my muscles and joints hurt so bad I was crying (and I've had five kids with a high pain tolerance), fever, and at 6am my fever broke with a sweat. I felt clear headed but exhausted for the rest of the day. My chest has been tight and congested since then. Hard to breath and my voice is rough and raspy. This is ongoing and I still have chest tightness and a raspy voice. On 4/12/21 I started having horrible joint and muscle aches again throughout my body and felt so tired. Horrible headache and stomach pain, bloating and nausea.
1209258	4/14/2021	CA	92	F	3/24/2021	3/26/2021	on the third day began to feel headache, body aches, and extreme fatigue. On day 9 I saw that my face was drooping and mouth was crooked, my L eye did not close, L ear pain, L buzzing in ear. I was taken to emergency room and admitted to the hospital on 4/5/21. Was diagnosed with Bell's Palsy. Was discharged back home on 4/8/21
1209217	4/14/2021	CA	61	F	4/9/2021	4/9/2021	4/9/21-30 minutes to 1 hour after receiving 2nd dose of vaccine patient had bloody nose, clots, with bleeding sores on tongue and side of mouth. Began to have bruises on arms, feet and legs. Blood in urine and bruises on back. Presented to emergency department on 4/11/21. CT brain revealed a right sided posterior temporal hemorrhage. Patient was emergently treated with platelets, DDAVP, factor VII, Decadron, IVIG. 4/12/21, patient denies headache, changes in vision, double vision, change in sensation, including burning, pinprick, numbness, no focal or motor weakness. No change in bowel or bladder control. No sensory changes. Patient states she is now back to her normal state of health, save for the bruising described.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1209239	4/14/2021	SC	43	F	4/8/2021	4/8/2021	This nurse was called to the monitoring area to assist a patient that was passing out. Patient called out she felt dizzy at which time her eyes rolled back and she started to go limp. EMS was called immediately. Patient was assisted to the floor by multiple staff. Patient lost consciousness for 15-20 seconds. Patient regained consciousness spontaneously. Pupils were enlarged. BP 110/70, HR 65, Pulse ox 99%. Patient was s/p covid vaccine # 1 (Lot ER8727, exp. 7/31/21). Ice pack applied to patient's neck. Patient laid on floor and remained awake, alert, and oriented. Patient stated she felt better. She was sat upright and given water. Patient stated she has not had anything to eat or drink since last night. Patient was assisted to chair slowly. EMS arrived @ 12:24. Patient then had a second episode where she felt dizzy and started to pass out. She was again lowered to the floor. Patient was placed on a monitor by EMS, BP 74/44. EMS inserted IV line into her Left AC and started fluids. BS via fingerstick was 104. Patient was transported to ED without further incident.
1210782	4/14/2021	CA	43	M	3/27/2021	3/30/2021	Twitching up and down my left arm, where the shot occurred, and sometimes my eyes. I'm not sure about the eyes since that's happened before, but the left arm is consistent, visible, and once every few seconds.
1210035	4/14/2021	FL	58	M	3/13/2021	4/12/2021	Approximately a week after vaccine administration a rash developed on torso. Then on April 12, 2021 after working throughout the morning sitting in front of my computer, I took a lunch break. While preparing a meal, I felt discomfort in the left eye and it became very uncomfortable. When I checked in the mirror, I discovered my left eye was filling with blood. Upon seeing an eye doctor that same afternoon, the doctor explained that my left eye had ruptured a large vessel and hemorrhaged. However, the reason for the hemorrhage could not be determined because I was not under stress, had not lifted anything heavy, was not on blood thinner medication, was not constipated and have no underlying health condition.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1209241	4/14/2021	NC	55	F	3/10/2021	3/25/2021	next day extreme fatigue, fever lethargy. Got better but never got energy back and had some body aches and trouble sleeping. On Wed. March 25th an EXTREME headache began and I could find no relief with High doses of Tylenol or Ibuprophen or a mixture of both. It was my whole head. Stayed on the couch all day Saturday and Sunday 27th and 28th unable to move because of the pain and extreme fatigue. Monday the 29th made myself go to work but was not able to function or get much relief. On Tuesday the 30th went to see physician who said he thought it was Occipital Neuralgia and gave me prednisone and said use hot compresses. Told him I thought it was more due to other symptoms like hallucinations (shadows I would see) Mind not clear and made me worry about driving. Asked if the shot could be a possibility. He just said he couldn't rule it out. The doctor also mentioned I felt very hot but never took my temperature. I Took the prednisone. Headache did start to clear on Wed the 31st in the evening but my neck seized up where I could no longer turn it to the left and was very painful. Also felt like my lymphnodes were swollen. I called on call doctor and they prescribed a muscle relaxer. I did not start to get better until Sunday April 11th. Experience a couple occular migranes as well during this, Still experiencing some fatigue and almost to a fainting point in the mornings

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1209245	4/14/2021	IA	66	F	3/12/2021	3/13/2021	6 hours after the injection I had a very sore arm at the injection site, body and joint aches, and a slight temperature. The next morning, 21 hours after injection, I got very lightheaded, faint, tinnitus, and nausea. All of these side effects subsided 30 hours after injection. The following day I had lightheadedness, tinnitus, and nausea, which has persisted for 4 1/2 weeks. 18 hours after the injection I woke up in the night with a strange sensation of movement when I closed my eyes. On the fifth day after injection I had an intense spell of lightheadedness, tinnitus, nausea, shaky arms and legs, and localized right side head pain, so I went to see a nurse practitioner. All of my vital signs, blood work, and urine sample were normal. I was advised to stay hydrated and get plenty of rest. After 4 1/2 weeks the nausea is almost gone, however, I still have times of lightheadedness and tinnitus. I have had some sort of "spell" on 19 of 29 days since the injection. The side effects seem to be getting less intense and less frequent. I have not had issues with any of this in the past.
1209247	4/14/2021	TX	24	F	3/3/2021	3/12/2021	Severe Vascular Thrombosis (vomit, loss of balance, numbness in arms and legs, lost of speech, impaired vision) had to be hospitalized for 4 days, and had some brain damage from the thrombosis.
1209374	4/14/2021	IL	58	F	12/23/2020	1/12/2021	Experienced a Left Basal Ganglia cerebrovascular stroke on 1/12/21. Onset approximately 1805 with numbness and tingling in right forearm. This went away and at approximately 1900 symptoms returned with addition of right lower extremity numbness and tingling and inability to write. There were no cognitive or speech deficits. Presented to ED approximately 1930, evaluation with CT and CT Angio leading to initiation of TPA at 2029. Admitted to hospital with stay until 1/15/21 and then admitted to Rehab 1/15/21 with discharge 1/27/21. Outpatient PT/OT continued until 3/31/21. Returned to work on 3/5/21 with time limitations and continue this way due to additional post-stroke symptoms (intermittent dizziness and double vision).
1209254	4/14/2021	TX	47	F	4/14/2021	4/14/2021	Lip numbness and blurred vision. BP: 142/90 HR: 94 SpO2: 98%

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1209362	4/14/2021	PA	38	F	4/14/2021	4/14/2021	At 3:11pm, 5 minutes post injection, patient began to feel anxious with dizziness and blurred vision. Moved to lie down on floor. Patient states she has not eaten today. Brought by litter to observation area at 3:45pm. Patient laid down, vitals taken. Given water. Patient notes mild nausea. 4:08pm, patient reports normal vision. Denies nausea. Given crackers to eat. Moved to edge of bed, vitals rechecked. Feeling well. Patient released by wheelchair.
1209289	4/14/2021	CO	73	M	2/10/2021	2/26/2021	On 26 Feb R eye became clouded. By the 28th, I had lost all sight in R eye. Suspected I had a torn retina, as I had in L eye several years earlier, I made an appointment on the 26th to see my optometrist. I saw him on 3 March where he diagnosed that I had a more serious problem. At that time some of my R eye sight had returned but I could only see the top line in the chart. He made an appointment that day for me to see an ophthalmologist. She checked me out. I had a severely inflamed optic nerve in the R eye and my L eye optic nerve was inflamed but not to the extent of the Right one. I was sent to get an echo cardiogram and a carotid artery ultrasound. I was referred to a neurologist ophthalmologist but couldn't get in until March 12. On March 10th I was told to go to the ER room for a workup prior to my 12 March appointment. I got an MRI CAT scan, lots of blood work, etc. I'm running out of time to finish this.
1209293	4/14/2021	AZ	17	F	4/9/2021	4/9/2021	The shot was given on Friday around 1 pm. Blurry Vision immediately after vaccination, then felt fine until 7 pm. At 7 pm she fainted at Lacrosse practice. The following day, Saturday, she fainted at work and was sent home. Sunday, she slept most of the day. Monday, she fainted at school and was sent home. Symptoms have been feeling of her heart racing, blurry vision, fainting, weakness, and major fatigue. No fever.
1209300	4/14/2021	CA	52	F	4/6/2021	4/6/2021	Headache, nausea, blurred vision, dizziness, right leg pain, tiredness.
1209312	4/14/2021	TX	57	F	4/8/2021	4/9/2021	Severe Headache 10/10 started 1 day after injection Swelling and pain of 1 eye leg cramps

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1209330	4/14/2021	MN	70	F	4/7/2021	4/14/2021	Abdominal pain starting midafternoon day of vaccine. Followed by nausea that become extreme in to the evening, overnight and the into the all of next day & evening. Fatigue starting in evening of vaccination and continued for 36 hrs. Pulsating headache starting day following vaccine and continued for 3 days following vaccine. 48 hrs after vaccine a silent migraine occurred influencing my vision lasted only 2 hrs. Day 4 after vaccine all symptoms had disappeared.
1209350	4/14/2021	MD	79	M	3/25/2021	4/8/2021	Patient woke up on 4/8/2021 around 0700 with complaints of double vision. The double vision is ongoing. On 4/9/2021 patient still had double vision and then stroke like symptoms at 0700. Patient had slurred speech and right arm weakness. As of 4/14/21 patient still has double vision but weakness and slurred speech has resolved. Patient is a DNR so he did not seek medical care.
1209338	4/14/2021	CA	49	F	3/15/2021	3/18/2021	Vaccination given- Janssen, 03/15/2021, right deltoid c/o fever day of vaccine, subjective lasted 3 days 03/18/21, onset of upper abdominal pain, left arm pain, left foot swelling, ankle to toes, currently swelling to foot has resolved, continues to have left arm pain, tingling sensation to left arm and abdominal pain with intermittent SOB "It is not related to my asthma" abdominal pain is intermittent, happens at random times, currently abdominal pain 4//10, best 0/10, worse 9/10, Acetaminophen relieves the symtoms, not sure what is exacerbating the pain >denies pain, swelling to injection site, fever, chills, fatigue, bodyaches, leg pain, hives, n/v, diarrhea, neurological deficits, change in level of consciousness, seizure activity, visual disturbances

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1209253	4/14/2021	CA	35	M	4/12/2021	4/12/2021	From 12:30PM to 8:30PM i felt okay. From 9PM, I started feeling cold, got headache, felt weak and eyes started getting heavy at 3AM - I woke up because of severe headache. I also felt cold, and believe I had fever. at 6AM onwards - I felt very weak that I could barely get up in bed. Headache was severe. Still got fever. I lost my sense of smell and taste. 1:30PM - I took ibuprofen. 5PM - Fever was gone, but there was headache and weakness. No sense of smell and taste. 7PM - Felt better, headache was less. little sense of smell and taste. still felt weak and dizzy. 7AM - Felt weak, dizzy. not much headache. 11:45AM - still feeling weak and dizzy.
1209925	4/14/2021		82	F	4/14/2021	4/14/2021	Called in to assess patient. Per daughter, " she was feeling jittery and had blurred vision earlier but she said she's feeling better now ". Patient denied dizziness/ headaches/ shortness of breath. BP noted to be elevated at 230/93, HR = 100, SaO2 = 98%. Rechecked after a few minutes still elevated. BP = 223/105, HR = 93. Seen by nurse practitioner on duty with instructions to take patient to urgent care if BP is still above 180 systolic. Patient taken to the urgent care reception accompanied by daughter. Warm hand off to RN on duty. Last V/S prior to transfer - BP = 230/80, HR = 81. No distress or discomfort.
1209778	4/14/2021	NY	87	F	3/12/2021	3/26/2021	Patient was admitted to the hospital 12 days (3/24/21) after vaccine dose administration (3/12/21) sent in for refractory abdominal pain, nausea and vomiting. On admission, a CT Abdomen/Pelvis with contrast was largely unremarkable including reported demonstration of patent portal vein. During the course of the hospitalization the patient developed a portal vein thrombosis visualized on 3/26 by ultrasound. She also received Heparin SQ from 3/27/21 through 4/2/21 but not sent home on anticoagulation. Her course was also complicated by a seizure and Bacteroides bacteremia. MR Brain did not demonstrate thrombosis

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1209779	4/14/2021	NC	19	M	4/1/2021	4/12/2021	Developed "moderna arm" (raised inflammation with itching 1.5-2 inches long and 0.5-1 inches across) 7 days post vaccination from injection 1. Developed somewhat severe tension headache on day 1 post vaccination from injection 2 (all further events listed below are from injection 2). Headache responded to ibuprofen. On day 4 post vaccination, began experiencing minor and infrequent migraine-like headaches that lasted for a few seconds to a minute. Moderate pain and localized. Pain site changed but was generally on left side. Experienced 0-2 a day until day 12. On day 11 post vaccination, began experiencing full, moderate tension headache. In addition, had more frequent migraine-like headaches. Did not respond to 400mg ibuprofen or 10mg Claritin. On day 12 post vaccination, began experiencing photophobia. Mentioned to general practitioner out of an abundance of caution who recommended Excedrin. Took two Excedrin extra strength (total dosage: Acetomenaphin 500mg, Aspirin 500 mg, Caffeine 130 mg). Tension headache ended and most (but not all) migraine-like pain subsided. Some occasional pain ranging from 1-2 out of 10. On day 13 out of an abundance of caution following reports of other events I went to the ER. The doctor there examined for any cognitive symptoms (asked me to follow her finger with my eyes, squeeze fingers, checked ability to move extremities, etc) and concluded no risk of CVST. Determined that vaccine likely lowered my threshold for headaches and migraines (I have had very infrequent cluster headaches lasting for a few seconds in the past, never for this duration). Final diagnosis was migraines. Doctor prescribed Fioricet and gave me a long-acting steroid. Some pain is still there, but symptoms have mostly stopped. Waves of quick bursts of pain on localized areas on the left side of my head are still occurring.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1209788	4/14/2021	CA	46	F	3/30/2021	3/30/2021	I experienced a headache and my left arm was sore after my Moderna second dose vaccine. When I woke up the following day, I was puffy above my right eye then it went to my left eye. In two days my eyes were swelled up and I was very unhappy. My eyes were also very itchy. A doctor in an urgent care, said it was a rash due to inflammation and they prescribed Prednisone x5 days and an antibiotic x 7 days. I feel better today but have not recovered completely.
1209807	4/14/2021	IL	48	F	4/9/2021	4/13/2021	Both of my eyelids are swollen and sore from the lash lines to midway up the lids.
1209845	4/14/2021	MN	46	F	3/12/2021	3/13/2021	Left eye swelling
1209865	4/14/2021	AR	64	F	4/9/2021	4/12/2021	Fatigue 2 days (Saturday and Sunday following vaccine on Friday) but Monday had feelings described as "wierd", blurry vision, brain fog, eyes seemed to wander, super tired, eyes seemed to move back and forth, felt strange, disconnected, just not right. These symptoms are continuing through today 4/14/21 - 5 days later. When asked if better than yesterday she stated "Maybe a little~~
1209873	4/14/2021	TN	55	F	3/15/2021	3/31/2021	The day after receiving the first dose of the Pfizer vaccine, she developed a headache behind her right eye that never went away. Then on Wednesday morning, March 31st (two weeks after receiving the first dose), she was found in bed by my mother, unable to walk or talk, her face was drooping, she was very sweaty, and had defecated on herself. My mother called the ambulance. She was transported to Hospital where it was determined she had suffered a massive hemorrhagic stroke. She was immediately transported by ambulance to another Hospital. She spent one day in ICU and then was put on palliative care. She died around 12/N on Friday, April 2nd, two days after the stroke.
1209770	4/14/2021	PA	22	M	4/14/2021	4/14/2021	Patient noted blurry vision, tingling hands and anxiety immediately following injection at 548pm. Brought to observation by wheelchair at 600pm, sweaty with dry mouth. Examined by Dr.. Vitals WNL. Pt given and consumed 1 bottle water, began to feel better immediately. Sweating resolved and vision WNL by 610pm. Observed until 620pm. No symptoms. Released.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1209915	4/14/2021	AZ	42	F	3/31/2021	3/31/2021	2 hrs, onset fever lasting 9 days average temp 99.9 Headache, fatigue, 4/3-4/4 Brady cardia 60 bpm, 4/5 tachycardia 136bpm, increased arrhythmia activity 3/31 to present, leg pain 4/9 to present, nerve pain, swollen lymph nodes, increased headaches 3/31-4/14, blurred vision, intense fatigue w/extreme exhaustion after moderate activity like walking around grocery store
1209869	4/14/2021	CA	52	F	4/14/2021	4/14/2021	C/o dizziness, nausea, warm to touch, visual disturbances feels like "stomach is turning.~~
1209930	4/14/2021	TN	34	M	4/14/2021	4/14/2021	Patient was given a timer and asked to stay in the area. He felt fine, so he walked to the bakery area and spoke with another pt, at the muffins display. He said his arm felt "weird" and said that happened to her, too. He said he started feeling lightheaded and was leaning against the case. He said, " I blinked, fell to the ground and next he saw people standing around him." He said, no nausea, just lightheaded and he hit the side of his head lightly. Staff helped him into a wheelchair and took him to the office. I spoke with him in the office and asked him if he wanted to go to the hospital. I received this information from the patient when I asked him if he could tell me what happened. He was sweating and pale, but no nausea, no disturbance in his vision and his blood pressure wasn't elevated. He told me again that he took no regular medication, but a couple of years ago he had been dizzy after a tetanus shot. I asked again if he had any discomfort or pain anywhere and he said only his arm felt sore near the shot. I asked again if he felt like he would like to go to the hospital and he said no. His family came and picked him up.
1209945	4/14/2021	CA	39	F	4/5/2021	4/5/2021	The minute after the vaccination I had fainted, vision went, low blood pressure, after laying down became better. Rested almost an hour in order to be able to walk. next day, I had severe headache, with nausea, and a day later I had bleeding. Bleeding became severe, I had miscarriage. I was 7 weeks pregnant.
1209585	4/14/2021	PA	65	F	4/7/2021	4/13/2021	Injection site itching Lump at injection site Chills Runny nose Light hurts eyes

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1209319	4/14/2021	CA	46	F	4/14/2021	4/14/2021	<p>HPI: Patient reports mild substernal nonradiating, non-positional chest discomfort/pain and dizziness that started 10 minutes after receiving 2nd dose of Pfizer (at 11:30 AM). Denies worsening of pain with upper extremity movement or when presses on it. Reports she has never had these symptoms before and did fine with first dose. Pt denies swelling of the face, throat tightness, difficulty swallowing, itching of the skin, SOB, or CP. Pt denies n/v, HA, changes in vision, slurred speech, n/t/weakness in extremities. Patient reports h/o hypothyroidism, depression, migraines, and duodenitis. She takes Synthroid QD, Effexor QD, Sumatriptan PRN, and unspecified antacid or PPI PRN (no flares &gt; 6 months). H/o facial/body swelling w/ PCN and Vancomycin (last reaction 11/2018 during labor). Denies h/o COVID-19 infection. Exam: GEN: Alert and oriented x 4, in NAD HEAD: NCAT EYES: PERRL, EOMI ENT: Ears normal, Nose normal, OP normal, no evidence of angioedema NECK: Supple, without LAD. CV: RRR, no m/r/g PULM: Clear to auscultation bilaterally, no accessory muscle use ABD: deferred SKIN: vaccine site at left deltoid without edema, erythema, bleeding, or discharge. No rashes, skin warm and dry MSK: FROM, MS 5/5 NEURO: Alert and oriented x 4, CN 2-12 grossly intact, no facial droop, normal speech, NVID, strength 5/5 in bilateral UE, no ataxia, gait steady Clinical Impression/Field Tx: Suspicion for anaphylaxis low due to no face/lips/eye swelling, no SOB or difficulty swallowing, and no rash/itching of the skin. No hemodynamic instability seen as patient?s vital signs were WNL. Patient given water and grape Jolly Rancher sucker at and felt 40-50% better (in regards to chest pain and dizziness) at 12:15 PM. EMS called due to concerns about chest pain and arrived at 12:16 PM. Medications administered: None Disposition: Following over 30 minutes of observation, patient?s symptoms improved. Patient evaluated by EMS in ambulance - EKG and further exam normal. Per EMS, patient left AMA - husband drove her home in their car. Pt was advised to drink plenty of water, eat a substantial meal, and take it easy for the rest of the day. She was also instructed to visit the ER if she felt SOB, swelling of the face/lips/eyes, throat tightness, difficulty swallowing, itching of the skin, vision changes, onset of severe headache, or any other concerning symptoms. Pt indicated understanding of</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							instructions.
1209969	4/14/2021	NM	41	M	4/14/2021	4/14/2021	10 minutes or so after injection, patient reported that he felt itchy all over his left arm and spine. His eye felt weird, and he was dry heaving. I gave him a chair to sit in since he looked unsteady, had him sit on the chair, gave him 10 mL of children's Benadryl (dye free). He threw up in a trash can and sat for 10 more minutes, and felt fine and left the pharmacy.
1210016	4/14/2021	TX	65	F	4/1/2021	4/1/2021	Rash, hives: legs, back, belly, arms, face, eyelids, around mouth, neck, genital area. I had 3 episodes of hives/rash. one daily after day of vaccination. I had to go to ER the day I received vaccine. (I received the vaccine at the Hospital where I work (in the Lab), went that same night to the ER where I also work in the Lab. I was given i.v. benadryl and 2 other medications. Later I was given a prescription for Prednisone 5 days and Atarax after being released. The second day I got worse. Third day symptoms subsided. Now it is 8 days after, I have only a small rash in my leg.
1210021	4/14/2021	WI	31	F	4/2/2021	4/9/2021	Swollen and painful neck nodes. Then itchy scalp (only on left side of head) rash on forehead. Again, only on the left side. The scalp then turned into more painful/tender/red and the rash on face itchy and also painful. Being treated for shingles as it is on my face and on the left side near eye. Causing me to wake up at night. Painful nodes in neck and in front of ear on the left side.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1210025	4/14/2021	MI	17	F	4/14/2021	4/14/2021	Patient arrived with mom for Covid vaccine at 12:48 pm. Mom reports a history of fainting so nurse decided to administer vaccine with client lying down. Vaccine was administered and client immediately stiffened arms and appeared to seize while her eyes rolled back. Nurse reported she turned the client onto her side and she "came to within 20-30 seconds." She reported blurry vision but could read when asked to do so. She quickly became alert and oriented. Her mother reported that she had a previous episode one time in the past year with painful menses. Her vitals remained stable but each time she attempted to stand up, she reported feeling "sick." She developed a headache within minutes of the vaccine and took 2 Tylenol while still there. Client left with parent to follow up at hospital.
1209671	4/14/2021	VA	60	F	4/6/2021	4/7/2021	All over rash and hives and itching on body including face around eyes and mouth, scalp itching and tongue feeling funny at times but no swelling as far as I can tell. As of 04/09/2021 I have started taken Benadryl in hopes that would help. A little headache here and there. Have taken Tylenol for that.
1209595	4/14/2021	OR	41	F	4/14/2021	4/14/2021	blurred vision (mild?)
1209607	4/14/2021	AL	33	F	4/12/2021	4/12/2021	Patient came to Urgent Care around 1800 4/12/2021 and reported that she got the first Moderna Vaccine that day at 3:22 pm, tried to go back to work, felt dizzy, short of breath, and her vision was hazy. Checked her blood pressure and it was elevated around 150/100. Reported still having chest tightness, SOB, and hazy vision at the time of visit. VS 97.7 temp, pulse 87, BP 143/98, resp 16, O2 98%. Physical exam unremarkable. EKG showed small negative T in aVF, negative T in III, slight inferior repolarization disturbance, consider ischemia, LV overload or aspecific change. Due to symptoms and abnormal EKG pt was sent to the ER for further evaluation.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1209905	4/14/2021	IL	19	F	4/14/2021	4/14/2021	Patient was walking to observation room when she began to feel dizziness, vision changes and tinnitus resulting in syncope 1-2 minutes. Patient was on floor in sitting position supported by staff member. Diaphoretic. Pale. Unresponsive <1 minute. No head or face injury noted. No bleeding, swelling or ecchymosis noted. Full ROM to neck, LE and UE. Denies pain, CP, SOB, HA, palpitation or vision changes. BP 94/53 HR 99 O2 99% Patient was assisted to chair. A&O x 4. Reports that she was fasting x 1 month, reports eating small amount of granola bar and small amount of water. Patient was observed for 30 minutes. d/c home in stable condition w/ dad. ED warning s/s discussed. Patient and father repeated instructions w/ good understanding.
1209746	4/14/2021		55	M	4/14/2021	4/14/2021	Guest complained of feeling dizzy, lightheaded, and blurred vision about 10 minutes after receiving the vaccine. Patient was given juice and water by clinical staff. EMS was called to see patient. Medics checked the patient. Vital signs were taken; patient observed by EMS. About 6 minutes after EMS arrived, they cleared the patient to be "safe" to go home with his friend who was driving. At this time, patient reported that he felt good and back to "normal". Denied dizziness or blurred vision.
1209631	4/14/2021	PA	54	M	4/10/2021	4/13/2021	Sore to touch left eyeball and eye lid.
1209604	4/14/2021	TX	33	F	3/11/2021	3/29/2021	Severe headache and nausea lasting 4 hrs. In the beginning of this severe headache I experienced Vision obscuration lasting 20min. Numbness in right hand lasting 5 min. Numbness in center of face lasting 20 seconds. Cognition problems recalling and writing words lasting for 30 min. All symptoms stopped after 4 hrs. Occurred at 10:30 am March 29. PCP visit on March 30. Recommended brain MRI. MRI showed no problems/anomalies. Reason for condition is currently unknown.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1209642	4/14/2021	MN	61	F	3/9/2021	3/18/2021	severe eye pain left eye 9 days after the vaccine then periorbital swelling and increased intraocular eye pressures and thrombocytopenia platelets 63,000. Saw ophthalmologist who diagnosed idiopathic periorbital inflammation; no fistula or infection seen by mri/mra and carotid angiogram. Patient was treated with prednisone and platelets came up to 130,000 and improvement in pain and swelling and intraocular pressure dropped from 50 to 14.
1209611	4/14/2021	CA	53	M	3/22/2021	4/6/2021	Day 15 after covid vaccine I woke up at 12:30am with extreme vertigo and nausea. It woke me up with violent spinning. I could not focus my eyes at all. I felt very ill. I almost threw up multiple times during the day and could not move my head up or down and to the left without spinning out of control. I saw the ENT later that day and he performed the Epley Maneuver on me. I followed his directions for home care but am currently still experiencing vertigo. The doctor told me it should dissipate within one week. It has not. I have never had vertigo in the past.
1209674	4/14/2021	OK	32	M	4/7/2021	4/7/2021	Immediate loss of consciousness. I lost color in my face (pale white) I experienced chills and cold. My hands were shaking for about 4 hours following. From the fall, I developed right shoulder pain, right hip pain, jaw pain, right eye pain, right chest pain, right back pain, and a black eye. All symptoms have lasted a week.A I also had fever for about a day, along with generally feeling weak/unwell.A I
1209735	4/14/2021	CA	40	F	3/20/2021	3/21/2021	A day after the injection, almost 24 hours later I started to feel like I was getting sick. I was expecting it since that was the known symptoms and that it would go away 1-2 days later. well for me, it didn't go away. Few days later, the mild aches and pain on the body went away but the headaches did not. Instead, it progressed day after each day with more headaches, which felt like migraines plus dizziness. On March 31, I woke up and opened my eyes my whole room was spinning. I started to take Advil here and there to ease the discomfort. Apr 16 would be the day I come back for my 2nd shot but I am so scared of the increased migraines and dizziness I might not come back.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1209695	4/14/2021	TX	23	F	4/11/2021	4/12/2021	Fever, body pains, shivers, nose bleed, burning sensation of eyes
1209697	4/14/2021	VA	61	M	3/15/2021	3/27/2021	For the first time ever, I had what I determined (based on internet searching) to be an ocular migraine. My vision was distorted in both eyes, although the distortion was stronger when looking to the left. There was a circular area that was fuzzy and a bit wavy like looking through water. The circular distortion area seemed to be outlined by a ring of brighter light. No flashes or floaters. I did not have a migraine headache then or afterwards; I've never had a migraine headache. I followed the on-line advise and laid down and did try to use my eyes for about an hours. The distortion faded within an hour or two; it has not recurred. I did not connect it to the vaccine as a potential source at that time.
1209586	4/14/2021	MD	33	M	4/10/2021	4/13/2021	As soon as I woke up, I read the Janssen pause news from my bed. I got up to go to the bathroom and upon finishing, I felt my heart rate skyrocket and felt faint. I immediately went back to the bed where I lost consciousness. My wife said my eyes were open and my body was rigid. I came too within a minute of that and was breathing heavy and sweating and very fatigued. My wife had called 911 as I was coming back to consciousness. The EMTs checked my vitals and all was normal. They asked if I wanted to go to the hospital, and I said no. My back was extremely sore all day, and I developed small red spots around my eyes. I went to my doctor later that day and told them about it. They took my blood for tests, which I have not heard back about, and they did not conclude anything, but did set me up with an appointment for an MRI of my head, given my past history.
1209720	4/14/2021	CA	70	M	2/22/2021	2/26/2021	Sick for 4 Days with fever, chills, body ache, severe headache. After that developed rash on torso. Looked like chicken pox. Still have marks on torso. Also noticed that my eyesight seems altered. Nothing is clear and crisp as it was before. Wear bifocal lenses, and both near and distant affected.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1209707	4/14/2021	CA	24	F	2/25/2021	2/27/2021	central retinal vein occlusion, presented with left eye pain several days following vaccination dose #2 with Pfizer. Also had headache, fatigue that resolved. CRVO treated with intra-vitreous avastin Persistent L eye floater
1209710	4/14/2021	OH	65	M	3/17/2021	3/17/2021	Reported that 4-5 hours post vaccine he became very dizzy and unable to walk. His eyes at that time became sensitive to light; to this day he is still experiencing tenderness in his vision. His mind is foggy and feels anxious that he is not feeling better as of 04/14/2021. He went to his PCP on 04/13/2021 who referred him to a neurologist.
1209634	4/14/2021	KY	38	F	4/1/2021	4/1/2021	Day 1 just normal effects as far as I know heavy eyes, super tired. Day 2 a fever and soreness Every day since then fatigue and shortness of breath when over exerted. Arms and legs feeling heavy. Eyes get really heavy, double and foggy vision comes and goes. Sunday April 11 right arm muscles locked up, tense and tight. Monday April 12 legs feel really heavy, feels like something pulling behind my knee caps.
1202414	4/13/2021	CA	53	F	4/2/2021	4/2/2021	The patient was vaccinated with the Janssen COVID-19 vaccine on 4/2/21 around 1:30pm. She reported experiencing fatigue and chills like the flu about 6 hours after vaccination, and the same night she experienced a broken blood vessel in her right eye. Her chills and fatigue resolved on Monday, 4/5/21. The residual blood in her eye resolved on Monday, 4/13/21. She notes she has experienced a broken blood vessel in her eye before, possibly caused by wiping off her makeup.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1202490	4/13/2021	NH	47	F	4/7/2021	4/11/2021	CHIEF COMPLAINT: R facial droop, numbness, dysarthria HISTORY OF PRESENT ILLNESS: 47 yo F with PMH of insulin-dependent diabetes, hypertension, hyperlipidemia presents with right facial droop numbness and dysarthria for the last 2 hours. Last known normal was 2 hours prior to arrival. Patient recently received COVID-19 vaccine 4 days ago. This morning while driving she noted facial droop dysarthria and numbness of the face. She has also noticed decreased sensation of the right arm and subjective weakness of the right arm. Denies chest pain, shortness of breath, fevers chills, dysuria, hematuria, nausea vomiting diarrhea, abdominal pain. ASSESSMENT/PLAN: Consulted Teleneuro, thought symptoms most consistent with Bell's palsy with involvement of the forehead and R eye Patient has subjective symptoms of R arm weakness that is not appreciable on exam Not tPA candidate as this is not likely a stroke, though given subjective R arm complaints will admit for obs and MRI brain in the AM DIAGNOSIS: Bell's Palsy, possible CVA DISPOSITION: admitted CONDITION: improved
1202472	4/13/2021	UT	39	F	4/9/2021	4/9/2021	sudden sharp pain on left side, severe body pain especially in neck and shoulders, hot/cold flashes, migraine, headache, severe fatigue, blurry vision, skin sensitivity to touch, body aches, back pain so bad couldn't stand straight, jaw pain. currently on day 5 of symptoms. called doctor they advise to just watch symptoms
1202464	4/13/2021	OH	71	F	4/11/2021	4/11/2021	Taste in mouth. Could feel in lungs. Eyes watering. Teeth chattering. Could not walk at first. When could walk needed help of two person to sit in observation area. After about 40 minuets was able to walk. Felt like my heart was bouncing at times. Legs were very weak. Headache the next day and nausea. My legs and balance are still off but I?m much better. Notified md office on April 12, and 13th by phone and was told if not better by next Monday to call back then by the nurse that I did not need to be seen at this time.
1202461	4/13/2021	MI	34	F	4/9/2021	4/11/2021	Vision impairment two days after shot. Wavy, blurry light at edges of vision, like a kaleidoscope. Neck pain, headache. Not yet treated, seeing doctor tomorrow.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1202382	4/13/2021	GA	24	F	3/30/2021	3/30/2021	Syncope while waiting in the waiting period for the 15 minutes. I felt weird and nauseous and started having tunnel vision.
1202406	4/13/2021	KY	44	F	4/7/2021	4/7/2021	Patient resting in car.....she was not making eye contact and short with answers to questions. Patient was unresponsive, breathing and head movement with eye abnormal movement, attempted to wake patient but unable to , remained unresponsive but breathing. EMS called 10:55 Patient continued to be unresponsive SPO2 98+, HR 78 patient pale and diaphoretic. 10:56 Patient was unresponsive ammonia activated and attempted X3 patient continues to be noncoherent and nonverbal. 10:57 Patient with altered mental status and began vomiting, pt aware of name and location. 11:01 B/P 105/76 vomiting continuing with continued altered mental status 11:03 Vomiting and incoherent 11:06 Ems arrived and patient was transported to the local hospital. Patient awake and state she had a bowel movement on self. Assisted patient to Cot for EMS.
1202389	4/13/2021	CA	41	F	3/11/2021	3/12/2021	I developed what appears to be contact dermatitis around both eyes. Treated with oral steroids, prednisone eye drops, antihistamine pills and drops. Once I stop treatment it comes back
1202364	4/13/2021	WY	39	M	4/1/2021	4/5/2021	Suspected Transient Ischemic Attack four days after receiving second dose of Pfizer Covid vaccine, with symptoms including sudden onset, inability to focus eyes, facial numbness on left side, headache, numbness moved around, involved left leg, left arm, left side of face, left side of lips and tongue. Numbness symptoms resolved after approximately thirty minutes; headache remained for approximately 6 hours; fatigue lasted until the following day. No medical care was sought at the time or subsequently.
1202354	4/13/2021	WI	55	M	4/1/2021	4/6/2021	On 4/8/21 patient reported increased difficulty speaking, increased dizziness, and vision changes. Reports new headache rated 8/10 that started at 11am 4/8. Hx of stroke 2018 with residual right side symptoms. BP 162/104, HR 80, O2 sat 97% room air at 1740. Sent to a Medical Center ER and admitted with stroke symptoms and new onset diabetes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1202509	4/13/2021	MA	34	F	4/10/2021	4/11/2021	Intermittent chest pain and shortness of breath, headache with blurred vision
1202518	4/13/2021	IA	29	F	3/8/2021	3/11/2021	3/9/21: fever/chills/body aches/headache. lasted 30 hrs 3/10/21: little red bumps appeared on left arm at the bend of elbow(size of pin head-about 50 of them) lasted for 3 days 3/10/21: swollen eyelid (right eye) that lasted 3 days 3/18/21: bloody nose (I've never gotten a bloody nose before). Only happened that day.
1202538	4/13/2021	OK	61	F	2/22/2021	2/24/2021	Horrible headache and eye pain 1 day after second vaccine. On second day, Shingles developed on left forehead and scalp, and in left eye. 14 days PO Valtrex, zirgan opthalmic ointment 12 days, Lyrica, nortriptyline, Tylenol, Tramadol on-going. Still have slight rash with few new blisters everyday, burning/itching/tingling and fatigue.
1202543	4/13/2021	NY	22	M	4/13/2021	4/13/2021	Pt fell and hit his head, An eyewitness said pt was having a seizure, but pt said he does not have seizure disorder. Ambulance was called. Pt was alert and oriented. Patients dad was going to take him to the hospital.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1202572	4/13/2021	CA	63	M	3/13/2021	3/13/2021	63 year old male with progressive weakness at bilateral faces and extremities, LEs > UEs, absent DTRs throughout x 2 weeks. Received J&J vaccine at 3 weeks ago. His current neurological examination and clinical history is suggestive of GBS NEUROLOGICAL EXAM: MSE: A+Ox 3 Language: no aphasia CRANIAL NERVES: 2nd CN: bilateral pupils are equal round and reaction to light, visual field-full 3rd,4th and 6th CN: EOM- I 5th CN: no sensory deficite 7th CN: face: symmetric, not able to smile or blowing air or holding water 8th CN: hearing loss: no 9, 10th CN: no dysarthria, palate movement:normal 11th CN: no neck weakness 12th CN: tongue: middle, no atrophy MOTOR EXAM: Tone: normal Strength: 4+/5 at bilateral UEs, 4 Pt symptoms started very early. Narrative from family below: "Day 1 (The day he took the vaccine): My father was complaining of very heavy chest pressure (said he felt like his chest was being pushed down with force.) He felt really tired and had a nasty headache. Day 2 He began to feel tingles in his legs and arms. Said he felt sore and had mild pain around his back, feet, legs, hands, and arms. The headache came in and out. Day 3 He began feeling more severe pains in both legs + headache. More tingling around his face, lips, and jaw. Day 4 Severe pain continued around his entire body. Had an episode where he lost vision from 1 eye (he described it as blurry vision) felt like he was going blind from one eye. Day 5 Could barely stand on his two feet and could no longer go to work. He stayed in bed and then hospital visits began. My mom took him to emergency for the first time. I was able to get details of the location where he was vaccinated and onsite contact information. The info is below:
1202588	4/13/2021	TN	57	M	3/11/2021	3/13/2021	Adverse event #1: Flu-like symptoms, severe headache, vision blurriness, lasting roughly 10 days. Adverse event #2: Deep Vein Thrombosis in the left Popliteal vein with moderate associated edema and pain. Required Emergency Room visit, diagnosis, and treatment with Eliquis. This event prevented normal daily work activities for 5 days, after which edema and pain has mostly subsided.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1202604	4/13/2021	KS	30	F	3/22/2021	3/22/2021	Very strong headaches causing nausea for 14 days. No over the counter pain relievers helped. I tried ibuprofen, acetaminophen, and Excedrin Migraine. The headache was usually also accompanied by pain behind my eye.
1202611	4/13/2021	MI	43	F	4/9/2021	4/10/2021	Headache Nauseous Vomiting Shaking Eyes shaking
1202639	4/13/2021	NY	50	F	4/1/2021	4/9/2021	Develop a blood clot lost vision in left eye due to stroke. I'm still in the hospital. I am 50 and had a stroke a week at getting that vaccine TPA shot. Given. Clot buster
1202053	4/13/2021	WA	49	F	4/1/2021	4/2/2021	Received vaccine 4/1 at 7pm; woke up 4/2 at 6am with a sore back and shoulders. 11am: Severe nausea and excessive drooling, eyes watering. 11:30am: Extreme nausea with vomiting, eyes continued to water and drooling. Took Zofran for nausea, headache and severe body aches, joint pain in hips, feet and knees lasted for approx. 5 hours. Temp 100.2 and body aches throughout the night x 8-10 hours.
1202636	4/13/2021	CA	36	F	3/28/2021	4/7/2021	headache, weakness in arms and legs, double vision. patient was contacted via phone for a phone appointment and directed to go immediately to the ER for further evaluation.
1202615	4/13/2021	OH	56	F	4/8/2021	4/10/2021	After receiving the vaccine on 4/8/21 patient experienced nausea, staff took her blood pressure and she was hypertensive. Paramedics was called and reports her blood pressure as 300/160. She denied blurred vision, headache and chest pain at this time . She was then admitted to the hospital. Two days later while hospitalized (4/10/21) around 12:30pm a stroke alert was called on the patient. Patient reported to having blurry vision and slurred speech. Her systolic blood pressure at the time of the event was around 170. CT scan was unremarkable, MRI of the brain showed an acute infarct in the right occipital lobe.
1202626	4/13/2021	IN	42	F	3/16/2021	4/11/2021	I woke up the morning of April 11, 2021 with complete loss of use of the right side of my face. I can not move my mouth, eye or nose. I have numbness in my tongue as well. I was given the diagnosis of Bells Palsy.
1202571	4/13/2021	MI	64	F	4/1/2021	4/1/2021	eyes turned blood shot red for at least 5 days, and a severe headache that put me to bed for 4 days

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1202137	4/13/2021	MI	64	F	4/6/2021	4/10/2021	Severe headache over right eye/temple. Sudden and most painful headache ever- in my 64 years. Used ice to no avail, and then took three . Advil tablets. After about two hours, it was under control.
1201978	4/13/2021	MT	67	F	3/23/2021	4/7/2021	About one week after my injection, I had severe cramping in left leg. On April 5th started with a couple of days with severe pain in tendons of right shoulder. The pain referred into the right neck and base of occiput. On April 7, 2021, I felt off then developed a severe, stabbing headache over my right eye referring back into the occiput. Was not steady on my feet. Did not eat dinner, went to bed. Felt tingling around my mouth, and my neck and shoulders were very tight. I debated about going to the hospital, but decided against it. Still have tightness on the right side of my neck into the occiput and right shoulder.
1201979	4/13/2021	PA	16	M	4/8/2021	4/8/2021	EMS providers approached by 17 y/o pt complaining of rash local to injection site. Pt stated that he received the first dose of the Pfizer COVID vaccine at 17:21hrs today. Pt denied feeling any itching or pain at the site, and only noticed the rash upon visual inspection of the site. Pt denied chest pain, shortness of breath, nausea, vomiting or diarrhea. Upon inspection, (R) upper arm found to have slight, non-raised rash, warm to the touch. Full assessment performed and vital signs obtained. GCS 15, P 76 regular, RR 18 non-labored, B/P 146/P, PERRL, SpO2 99% RA. No other associated symptoms found. Pt administered Diphenhydramine 25mg IM in RA. Pt monitored and denied any worsening of condition. (See Attached)
1203511	4/13/2021	CA	61	M	3/16/2021	3/17/2021	Stroke twice Acute idiopathic spontaneous intraparenchymal intracerebral hemorrhage (CMS-HCC) Loss of vision in lower left quadrant
1202643	4/13/2021		25	M	4/13/2021	4/13/2021	Lightheaded, blurred vision. BP 127/83 Seen and cleared by EMS

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1201983	4/13/2021	TX	26	F	4/5/2021	4/5/2021	noticed 99F Fever started at about 5pm day of dose (day 1); fever rose to 103F by 7pm, 101F with 500mg acetaminophen lasting until next morning (day 1-2); chills started at about 1pm and went away with fever (day 1,2); pain during injection (day 1); injection site soreness day of and on (day 1+); headache (pain moving eyes, pain during coughing/sneezing) started a few hours after vaccine, worsened with fever (day 1-3); next day slight raised tender bump at injection site (day 2); quarter-sized raised bump with hardness and tenderness surrounding the raised bump at injection site, minimal redness if at all, slightly warm to touch (day 3,7)* bump is half-dollar size and itchy (day 4-6); pain moving eyes side-to-side and background headache that is obvious when moving quickly (day 1-8); slight dizziness (day 1-4) afterimages (day 3-4) *the pharmacist administering the vaccine was not wearing gloves and did not clean my arm with alcohol prior to vaccination.
1201985	4/13/2021	NY	70	F	4/5/2021	4/6/2021	Next day I woke up with Oral shingles; headache; aches along jawbone to lower ear, gums and teeth hurt. Shingles eventually erupted on face, nose lips, heading toward eye. All on the right side of body/mouth
1202017	4/13/2021	AL	57	M	3/9/2021	3/16/2021	Received vaccine on 3/9/21. Started experiencing facial numbness , difficulty with speech and swallowing on 3/16/21 around 11pm. Had facial drooping of the mouth and eye on my left side of face. Went to Hospital ER around 5:30 am on 3/17/21 as symptoms did not subside. I was later placed in stroke observation unit. I had 2 MRI's, CT scan and Echo tests ran. i was diagnosed with TIA. All test were negative for a cause. I sent a total of about 26 hours hospitalized.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1202027	4/13/2021	MN	48	F	4/6/2021	4/6/2021	Typical symptoms started about 12 hours after the injection. Very bad body aches, severe headache, eye ball pain (weird), chills. About 2 days after the vaccination, all of my previous respiratory symptoms that I have had well managed and under control have returned. I am wheezing, congested, ringing in my ears, coughing, chills, and anytime I eat, all the symptoms are exacerbated, which means I am having some sort of histamine or cytokine response/reaction. I can't eat normally, otherwise I feel really sick again: body aches, wheezing increases, feel like a fever is coming (it doesn't), very exhausted. These are all symptoms I dealt with about 3-4 years ago, though all of this was under control with my current med/supplement regimen. Have to say I am very very upset about all of this. I have no idea when or if these will subside but they don't seem to be going away.
1202037	4/13/2021	NC	20	M	3/10/2021	3/10/2021	Patient experienced vaso-vagal response immediately following injection. Eyes rolled back and he slumped over in chair. Made snorting sounds. Some tremors. Sweating. Legs elevated. Chair reclined. Aroused after about 45-60 seconds. Alert and appropriate responses to questions. Acknowledged that he had not had anything to eat recently, nor had he had fluids. Ice chips offered. Assisted to wheelchair and transported to Obs for VS. Ice water and coke offered.
1202115	4/13/2021	PA	41	F	4/10/2021	4/11/2021	Severe headache (stabbing pain right temple) caused body to sweat from pain night sweats severe joint aches and pain brain fog memory loss dizzy weak vision impairment tiredness fatigue nausea severe rib pain (left side) - hard to breath with it
1202127	4/13/2021		33	F	4/13/2021	4/13/2021	Dizziness - no focal weakness, numbness, headache, visual changes, chest pain, SOB, rash or pruritus. No abdominal pain History of asthma denies taking any medications. Reports she did not eat today VS: 120/79, HR 77 bpm, O2 Sat 95%, PERRL, heart and lungs clear to auscultation. Oropharyngeal clear with no swelling Pt resolved completely with rest and leg elevation. Pt was advised to seek immediate re-evaluation if symptoms return

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1202338	4/13/2021	WI	76	F	4/13/2021	4/13/2021	<p>Patient is here today for her second Pfizer vaccination. She reports that after the first vaccine, she felt very cold and had a sore arm for about 4 days. States that she took a 3-4 hour nap after she got home and the chills improved/resolved. Reports that she received the vaccine at around 10:00 AM. Was in the waiting area and was having some blurring of vision that was "coming in and out" and dizziness. She was taken to the personal observation area to lie down at 10:36 AM. Vital signs monitored. Blood pressure elevated, even though symptoms of blurring vision resolved. At around 10:55 AM, patient sat up on edge of cot. Continues to reports symptoms have resolved. No return of symptoms with standing. Patient walked well without the need of assistance. Husband accompanied her out of facility. Advised that, should blurring of vision reoccur, she should be seen in ED. Advised to schedule a blood pressure recheck with her PCP before the weekend. Patient acknowledged understanding of above information.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1202220	4/13/2021	TX	50	F	4/3/2021	4/5/2021	On 4/5/21, two days after my second injection, I was sitting at my desk working (at home) when I noticed my vision wasn't clear even with my glasses on. I had been feeling nauseous for a few hours and then my eyes started bouncing back and forth uncontrollably. I was unable to see correctly or move from my chair. Once my eyes stopped moving my vision became tunnel vision and everything around it became foggy. I felt weak and dizzy. I started getting a headache. I didn't think I could even call out for help as I was unsure my voice would work. Once it all calmed down I figured it must be part of a migraine, even though nothing this extreme had ever happened before. I moved to my bed as I was suddenly completely exhausted, and immediately fell asleep for almost 3 hours. Once I got up I was still very groggy and had to force myself my. I stayed up for about 3 hours and went back to bed for the night. The next morning I woke and was feeling better so I figured it must have been a migraine. However a few hours later the same problems started back up again. I was having a hard time seeing my computer screen, I had a foggy head and was finding it hard to concentrate and do work. My headache started again and my vision started as foggy and became tunnel vision again. This time my eyes did not bounce, but my lips started tingling. This lasted for about 1 minute. This time with everything I was making sure to take a mental note of everything going on because I was scared I was going to have to call 911. Because I was home alone I opened my phone to dial if it got any worse. The event backed off enough that I took myself to the ER. By the time I was in the waiting room my head felt like a balloon and my whole body just felt "off." I can't explain how it felt, it just didn't feel normal. My headache never got overly severe like it does with a migraine, but I was worried about a stroke. The ER did a CT scan and did rule out a stroke, but was unsure of what it exactly what it was, but guessed it was an abnormal migraine attack and told me to follow up with my PCM in a couple of days and to keep my appointment with my neurologist on April 15th. The symptoms lasted a full week off and on every day, with a tapering down of severity of symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1202255	4/13/2021	NY	60	F	4/1/2021	4/10/2021	sore arm starting 4/10/21 - at injection site about 50 cent piece size - only when moving arm or brushing up against something, states that feels like immediately after injection but didn't start until 10 days later, nothing visually wrong
1202281	4/13/2021	TN	41	F	3/31/2021	3/31/2021	within 4 hours - pain at the injection site, tired, full body chills with uncontrollable teeth chattering, headache, entire body aches of the joints, eye pain. Effects lasted 36 hours then acutely dissipated.
1202284	4/13/2021		53	F	3/9/2021	3/10/2021	-Patient reports SOB/dyspnea with some mild chest pain beginning 1 day after vaccine that persisted for 4 to 5 days. After that time, symptoms began to resolve. -3 to 4 weeks after vaccination, symptoms recurred in addition to having soreness in arm at injection site. Symptoms resolved again. -4/11/21 - patient didn't have any significant SOB but did have temporary visual field loss in right eye which resolved. -4/12/21 - patient reported some SOB during the night while trying to sleep - 4/13/21 - patient contacted the hospital for follow up on symptoms. patient advised to come to ED for workup of symptoms. awaiting results and follow through at the time of this report.
1202291	4/13/2021	ID	72	F	3/9/2021	3/16/2021	Central retinal artery occlusion of right eye resulting in blindness of the right eye.
1202292	4/13/2021	TX	45	F	4/8/2021	4/8/2021	Posterior leg bilateral pain (at knees) , sweats, dizziness, sleepiness, lethargic, was unable to go to work, lobe, headache pain in center of head cramps to frontal , vision distortion, anxiety attack, body aches, pain/burning to to appendix area, right leg pain., constipation -loose burning diarrhea (4/13/21) reddish light brown in color, joint pain arm pain collar bone/shoulder, mucous, drink cool water pain to the chest-Owall noted, air bubbles coming up in throat , upper neck, back spasms
1202299	4/13/2021	MN	62	F	4/8/2021	4/1/2021	BAD Dizziness, Rash & Bruising at injection site, (hot to the touch & Burning sensation :) Headache, spots in left eye, I fell due to dizziness ..

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1202318	4/13/2021	KS	34	F	3/15/2021	4/5/2021	04/05/2021- Headaches and neck pain 04/08/2021- Bilateral vision issues with near complete blindness in R eye Unbale to enter hospitalization days. Patient is planned to be admissted for 5 days total.
1202322	4/13/2021	WV	31	F	4/10/2021	4/11/2021	4/11/2021 Had sore arm and headache that did not last entire day. 4/12/2021 Woke up with a sore left eye that is swollen at the bottom of the lid, partial redness. No drainage, slight sensitivity to light. Denies vision trouble. Headache resolved. Encouraged cool or warm compresses for comfort and to seek medical attention through her eye doctor.
1202335	4/13/2021	MO	31	F	4/13/2021	4/13/2021	Within five minutes was feeling dizzy, hot, vision started to tunnel. Suddenly broke into a sweat and then lost consciousness in a seated position. Nurses came over, laid me on my side, took blood pressure and pulse, and loosened flannel shirt/jacket. After about 10 minutes started to regain mental clarity. After 30 minutes was driven home by husband.
1202062	4/13/2021	IL	45	F	4/1/2021	4/1/2021	By 10 pm Saturday- severe joint/body aches, chills, headache ,exhaustion , pounding headache. Sleepy from 4pm Sat til 11:30 sun am Showered on Mon evening, Notice rash on injected arm Tues woke 630am feeling bit better then got exteremely dizzy 830am to the point I was stumbling cause it affected my vision. Became nauseous and had a severe headache Called doctor
1203665	4/13/2021	TX	40	F	4/9/2021	4/10/2021	dose received at 2 pm on 4/9 - Woke up 4/10 - 9 am with eyes swollen shut, temperature 99.7 F, body aches, headache. During the day woke up with dried blood in nose (no history of nose bleeds) Nose bleed resolved by 9 pm 4/11 work up with temp of 99 F, chills, less body aches, nose bleed resolved. 4/13 all symptoms resolved

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1203488	4/13/2021	NY	77	F	4/13/2021	4/13/2021	1325 Pt sitting in chair in OBS. Pt appeared slightly vague and hands shaking. Pt did grasp bottle of water when given. Pt unable to open water bottle and increase hand trembling noted. Pt began leaning forward. Pt did not respond when asked name or if she needed help opening water bottle. Pt became unresponsive and slouched forward with left UE contracted and gerbilled words unable to identify. EMS activated. Pt eased to floor without complications with EMS asst. Pt aroused after appx 10-15 sec with verbal cuing. Pt alert and oriented, unable to remember all details, diaphoretic. Pt asst to med eval room via WC. Within 2 minutes of obtaining pt demo and info, pt displayed another episode as previous: unresponsive, left UE contracted and diaphoretic. EMS assessed eyes/pupils-fixed and non-reactive. Pt arouse again with vague and confusion. Pt denies hx of SZ or TIA. No loss of bowel or bladder. Reports dizzy and confused. IV started to left posterior wrist by EMS and EKG complete-SR. TC to pt daughter information given. Pt to be transferred to medical center. Pt A&O. Pt transferred to stretcher with asst. and HOB elevated. Pt with personal belongings and reassured to return in 3 weeks for 2nd dose of vaccine.
1203311	4/13/2021	GA	85	M	4/8/2021	4/9/2021	Care taker of pt. called the nurse on 04/09/2021 at 5:51PM and reported that the pt. was experiencing facial edema on right side involving the back jaw, ear and cheek. The caretaker denied that pt. was experiencing hearing issues, throat /ss, visual distrubances or difficulty breathing. Caretaker of pt reported giving pt. a benedryl before calling the line. Nurse instructed caller to take Patient to ER. Upon follow up with Patient on 04/13/2021, he reported that he did take Patient to ER on 04/09/2021 where Patient received steriod injection as a precaution. ER doctor told patient and caretaker that it was
1203319	4/13/2021	WV	64	M	3/8/2021	3/9/2021	Vacinated on March 8th. Sent home from wsork next day at noon with feaver and fatigue. Next 4 days with fever, fatigue, headache, and muscle pain. Fever broke Friday night. Saturday noticed vision loss. Macula neuroretinopathy worsens each day. Disabled. Treating with 60 mg/day prednisone starting 4-13-2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1203341	4/13/2021	CA	48	F	1/11/2021	3/30/2021	Person received #2 dose Pfizer COVID-19 vaccination January 11, 2021. Approximately March 15, 2021 experienced eye twitching on occasion. Approximately two weeks later she experienced ear pain. She went to Urgent care and seen by the attending physician. It was later, at a meeting with a colleague that it was noticed that her lip was drooping. She contacted a primary care physician who ordered an MRI stat to R/O stroke. MRI performed on 4/9/21 and resulted negative. She contacted her PCP who has scheduled an appointment for her to be seen this Friday 4/16/21. He has in the meantime ordered steroids for her to take based on her reported symptoms and unconfirmed diagnosis of Bells Palsey.
1203411	4/13/2021	NJ	52	F	4/7/2021	4/7/2021	Pt stated she was shaking, sharp abdominal pain, eyes burning, temperature of 100.4 F, nauseous, weak, near fainting, difficulty breathing, and burning knees.
1203417	4/13/2021	ID	18	M	4/6/2021	4/6/2021	Hot, vision decreases Vital Signs: BP 108/58 HR 68 Resp 18 O2Sat 98 Skin Signs: Diaphoretic Circulation: Cap refill <2sec Initial Treatment: Supportive and observation 1:02 PM Vital Signs: BP 128/68 HR 70 Resp 16 O2Sat 99 Skin Signs: Warm and dry Circulation: Cap refill <2sec Respiratory: Breath sound clear bilaterally 1:17 PM Vital Signs: BP 132/72 HR 74 Resp 16 O2Sat 99 Follow up Treatment: Hydration and supportive Notes: Complete recovery reported by patient. Discharged to self. Continued to inform medical personal of this episode.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1203426	4/13/2021	NY	41	F	4/10/2021	4/10/2021	Vaccine was administered and two minutes later patient reported to feel "weird." She kneeled over and started to breathe heavy. Pharmacist was asking if the patient is okay and the patient stopped responding so the pharmacist kneeled over to pick up the patients head and she looked flushed, her eyes were bulging and she began to sweat. The pharmacist asked the technician to call 911, asked the patient if she could breathe and the patient said yes but said she is not feeling well. She kneeled back over and the pharmacist was holding her hand telling her to continue breathing. The patient was very sweaty continued to breathe heavily. About two minutes passed and the patient was expressing she was feeling better and better as the pharmacist was speaking to her. The EMTs arrived 7 minutes after the call the patient had sat up already and was speaking and feeling alert. She expressed that she felt like she was underwater and the pharmacists voice was fading during the minutes after the shot and she felt like her heart was racing. She explained that she suffers from anxiety. The EMTs took her blood pressure when the patient was sitting and standing up, blood pressure was in normal range and also checked her blood glucose with a finger stick which was also in normal range. The patient had mentioned previously that she biked to the pharmacy. Later on the pharmacist called to check on the patient she said that she is feeling well and biked back home.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1203451	4/13/2021	WI	58	F	4/13/2021	4/13/2021	Client received the Moderna COVID-19 Vaccine at the mass clinic site for The Health Department. After approx. 5 mins, client approached writer with complaints of HA, nausea and dizziness. Client was assisted into wheelchair, then assisted onto cot. Client moaning with complaints of severe HA, body aches and nausea and experienced dry heaves. Client is pale. Client's position hindered obtaining a blood pressure. Client became more pale, weaker and not responding to verbal command/questions from the nurses. The nurses directed someone to call 911 at 10:07am. Nurses attempted to rouse client to get her to talk. She then stated "oh my head" "oh, my neck hurts", still not opening her eyes or aware of RN speaking to her. She then drooped on the bed with head into chin. At this point the team decided to administer Epi Pen 0.3 mg/0.3mL. It was visually inspected as clear and date checked. Epi Pen administered at 10:08am by RN. BP at 10:09am 102/80, pulse 88. Client then yelled and became responsive, eyes opened and asking for water. Client positioned on her side due to nausea. 10:11am p80. Client responds when roused. Nausea and severe HA continues. Color improved. Client reports taking medication for hypertension and high cholesterol. 10:14am BP 144/80, p76. Client rubbing thigh where Epi Pen was administered. States her "body burns". AT 10:18a, Fire Emergency Responders arrived and assumed care of client. Client transported to ER by emergency responders at 10:25am. Client was accompanied by her husband, who was being driven by son. He will meet client at ER.
1203491	4/13/2021	MN	56	F	3/10/2021	3/12/2021	Pt reported to the ER two days after vaccination on 03/12/21 with complaints of visual difficulties and gaze abnormalities. Stroke code was activated at 1445. After CT, pt was flown to Hospital for work up by neurology. Underwent CTA, thrombus in right PCA. Underwent thrombectomy. Complications from stroke and difficult airway led to intubation and mechanical intervention, extubated the next day. Pt discharged from hospital 03/17 on Eliquis.
1203305	4/13/2021	CA	49	F	3/26/2021	4/7/2021	headache, nausea shooting pain from back through neck up through back of my head, blurred vision, lightheaded and dizziness

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1203644	4/13/2021	CT	24	F	4/7/2021	4/7/2021	Trouble breathing as the shot was administered. Vision began to black out after 3 minutes. Urge to vomit, extreme nausea. Passed out, unconscious within 5 minutes of receiving the shot. Could not sit up/dizzy for 30 minutes. Nausea, weakness, dizzy, poor mental acuity/memory. Later that night, and through the night for 10 hours, severe back pain. Nausea, severe weakness, dizzy, poor mental acuity and memory, sweats and chills. The next day (day immediately after receiving vaccine) symptoms continued but lessened by 5 pm. Each day since then, the symptoms have ALL remained in a more mild form. Today is day 6 and I still have moderate back pain and occasional sweats, weakness and fatigue.
1203279	4/13/2021	AL	41	M	4/9/2021	4/10/2021	Bilateral Conjunctivitis with sensation of heavy eye lids, photophobia, and increased lacrimation started as mild symptoms day after vaccine then became more noticeable over the next few days. patient states that his symptoms seem to be better in dimly lit environment
1203667	4/13/2021	MI	25	F	2/18/2021	2/19/2021	Vomiting, hives, swelling of face lips throat and closing of airways. Causing anaphylaxis shock, was in hospital 6 different times. Still having severe reactions 3 months after. Still causing airways to close and swelling of lips throat eyes and neck was admitted to hospital and then not being able to stop the reaction after 4 shots of epi april 11 2021 I was admitted
1203692	4/13/2021	TN	40	F	4/9/2021	4/9/2021	Seizure-like incident while at a restaurant. Eyes rolled back in to my head, according to my friend who was with me. My vision got blurry, I started feeling nauseous, shivers, cold sweats, body felt shaky, and at first I thought I had been drugged. This "attack" lasted for a couple of minutes. After being able to get home I was in bed until 4 pm the next day. At first I had several hours where I was freezing despite being in bed fully dressed with the heat blasting, the following hours, I was sweating. I had a headache, felt nauseous, and uncomfortable all day Saturday. My reaction to the vaccine was much worse than having Covid-19. Missed work due to the symptoms from getting the vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1203713	4/13/2021		70	M	3/2/2021	3/3/2021	Patient presented to ER on 03/03/2021 with right arm numbness and weakness. He was initially evaluated for stroke. On CT of neck, an aortic dissection was partially visualized. A CT of his chest was done and aortic dissection was diagnosed. He was transferred to IMC for surgery. At surgery, it was discovered that the dissection had been chronic. He struggled during recovery and was eventually discharged to a SNF. Unfortunately, he developed a stroke in the SNF and was brought back to the ER on 03/17/2021. His prognosis is poor and on 03/22/2021 he was discharged home on hospice.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1203716	4/13/2021	MA	38	F	4/7/2021	4/8/2021	<p>Situation Patient called the COVID-19 Nurse Hotline with post-dose vaccine related symptoms/guidance. Pt called PCP office after hearing several news regarding J &amp; J Vaccine/side effects. Pt was advised to call Nurse Hotline. Noted from pt's PCP notes from today 4/13/21: "has some anxiety at baseline." Background Patient received her J &amp; J on 3/7/21 on the left arm. Number of days post vaccine (today's date minus vaccine date): 6 Initial reaction was noted on : 1 day post vaccine: 3/8/21 around 8 or 9 am. Symptom Screening c/o Bilateral leg "achiness." Pt rated pain 5 out of 10 on the pain scale. Pt denies any hives, itchiness, wheezing, swollen lips, tongue, eyes, difficulty breathing. Chest tightness/pain. Denies any swelling, redness, or itchiness to the both injection sites and to BLE. Pt denies numbness and tingling on the bilateral toes. Pt denies bilateral calf pain. Pt was able to ambulate without any difficulties. Medication: Pt took one dose of OTC Aleve at 5pm at 3/8 with a good effect. Pt back to baseline until today. Pt denies any unusual changes. No distress noted. ALLERGIC Reaction Did potential immediate allergic reaction (less than 4 hours after receiving vaccine) or anaphylaxis to first dose of the COVID vaccine occur? No Within 24 hours of vaccine administration, did patient experience symptoms of a severe allergic reaction? No Assessment/Action Patient experienced a MOD reaction to the vaccine. Symptom relieved with over the counter medications. Patient answered NO to any of the Allergic Reaction questions. Patient referred to allergy:Yes Placed a referral for now for the further evaluation if needed VAERS Complete: Yes Patient experiencing any COVID-19 Symptoms AND &gt;3 days post vaccine? No Response/Recommendation . Teaching -Provided education to patients as appropriate to the patient's clinical presentation. -Provided home remedies/OTC medication use. -Educated the reasons to call the Nurse hotline, PCP office and the reasons go to the nearest ED if symptoms change or worsen. - Informed to make sure to call in advance if seeking medical care so sites can be prepared to receive the case. Good verbal return and agreed with the plan.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1203724	4/13/2021	FL	36	F	4/6/2021	4/6/2021	High fever (103.2 highest), blood shot eyes, severe headache (not making sense for 24 hours), ear aches, nausea, sensitive eyes to light/sound, body aches, chills that caused shivering and shaking of the entire body that lasted a few hours, weakness, fatigue, back ache, arm and shoulder pain, chapped lips, gas, cold sore, night sweats, day sweats, leg spasms and pain, shortness of breath and chest pressure and high blood pressure.
1203784	4/13/2021		49	M	4/13/2021	4/13/2021	10:40 to cot room, reported a headache and that eyes ache after vaccine. 10:45 reports better Pulse 68 PSo2 98% V- safe information given and was informed to seek medical attention with any other problems. 10:48 better and left clinic.
1203799	4/13/2021	CA	75	F	4/2/2021	4/3/2021	Patient developed chills and fatigue Saturday and Sunday (April 3rd and April 4th) . Patient developed diarrhea and lack of appetite Monday, April 5th. Patient was reported to be bedridden Wednesday, April 7th. Patients husband stated hat patients eyes were halfway closed, experiencing shallow breathing, and had a soft pulse. Husband call 911 while instructed to do chest compressions until EMTs arrived on site. First responder were reported to perform resuscitation efforts on the patient for 35 minutes until transporting the patient to the hospital.
1203806	4/13/2021	PA	43	M	4/13/2021	4/13/2021	without warning and approximatly 5 minutes after patient recieved vaccine patient passed out and fell face first onto floor. patient was approached lying face down on floor bleeding and sounds of gurgling coming from patient patient was unresponsive. When patient was brought around and returned to conciousness patient did not know where he was or what had happened. Patients pulse was very low at 58 and dropping to as low as 39. Patient pulse did not stabilize the entire time patient was under our care. Patient had about a inch and a half laceration about eye and possible facial fracture. It was noticed that patients face was swollen when leaving with ambulance to be transported to er.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1201970	4/13/2021	FL	51	F	4/8/2021	4/8/2021	Day 1 (within 30 minutes of vaccine): Tingling and prickling on left fingers and left toes; general malaise; fatigue; difficulty concentrating; Day 2: General malaise, fatigue; difficulty concentrating; headache; lower back pain Day 3: Fatigue; runny nose, sneezing, cough, aches all over the body; headache; a red, itchy blotch on the right index finger; lower and upper back pain Day 4: Same as above, but vision problems right before bedtime; Day 5: Severe headache, lightheadedness, difficulty talking, numb left side of the face, left hand, left arm, left foot. Went to ER and still in the hospital in observation (Day 6)
1200488	4/13/2021	IL	25	M	4/12/2021	4/12/2021	Systemic: Allergic: Anaphylaxis-Medium, Systemic: Allergic: Difficulty Breathing-Medium, Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Medium, Systemic: Allergic: Itch Generalized-Mild, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild, Systemic: Chest Tightness / Heaviness / Pain-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Tachycardia-Medium, Additional Details: Patient reported a shell fish allergy that produces similar reactions. Patient has not taken Benadryl before and dose not own an Epi-pen.
1203533	4/13/2021	NY	30	M	4/3/2021	4/6/2021	So my right eye was swollen and had hives under my eyebrow and inside of my nose on both sides and on my mustache above my mouth. I had a headache. My throat was hurting.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1203087	4/13/2021			F		4/7/2021	IMMENSE PAIN; ABDOMINAL PAIN; UNCOMFORTABLE TO TOUCH BODY; PAIN IN EYEBALLS; FEELS HOT AND COLD ON AND OFF; CHATTERING OF THE TEETH AND JAW; PAIN IN BACK MUSCLES; FEVER; This spontaneous report received from a consumer concerned an 18 year old female. The patient's weight was 155 pounds, and height was not reported. No past medical history or concurrent conditions were reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 043A21A, expiry: UNKNOWN) dose was not reported, administered on 07-APR-2021 11:50 in left arm for prophylactic vaccination. No concomitant medications were reported. On 07-APR-2021, the subject experienced fever. Laboratory data included: Body temperature (NR: not provided) 101.5 F. On an unspecified date, the subject experienced immense pain, abdominal pain, uncomfortable to touch body, pain in eyeballs, feels hot and cold on and off, chattering of the teeth and jaw, and pain in back muscles. Treatment medications (dates unspecified) included: metoclopramide hydrochloride, and ibuprofen. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from fever, immense pain, abdominal pain, uncomfortable to touch body, pain in eyeballs, pain in back muscles, chattering of the teeth and jaw, and feels hot and cold on and off. This report was non-serious.
1202656	4/13/2021	KY	48	F	4/3/2021	4/4/2021	Tired,body felt as though it weighed 500#,vertigo,muscle pain on off,restless legs, visual disturbances
1202735	4/13/2021	IN	50	F	4/3/2021	4/4/2021	It has been 10 days since I had the vaccine. I felt sick within about 24 hours, aches, chills, skin hurt, tired. That subsided within a day and then joint pain, muscle pain in legs, hips and rear end, shoulders and pain behind eyes started and lasted for about a week. I have had a steady headache for probably the past 6 days or so. No fevers, just significant muscle pain and headache, low energy and difficulty sleeping.
1202740	4/13/2021	MI	54	F	4/8/2021	4/9/2021	Right became pink initially the next day, the on 3rd day eye sight was compromised by film over eye and throbbing pain behind the eye. Sight was almost completely impaired.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1202762	4/13/2021	PA	47	F	4/8/2021	4/8/2021	Nearly immediate extreme dizziness, blurred vision like going to faint, rapid heart, profusely sweating
1202767	4/13/2021	MD	63	M	3/26/2021	3/27/2021	I was fatigued badly the two days following the shot. Then after about 10 days, I got cloudy vision.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1202788	4/13/2021		37	F	4/10/2021	4/13/2021	<p>4/10 - vaccine administered 4/12 - Per patient, "I started the amlodipine and my legs and feet got so swollen and painful." changed from amlodipine to hydrochlorothiazide 4/13: Per patient, "Hi, I had my covid vaccine on 4/10/21 I had the Johnson &amp; Johnson (Janssen) Lot# 201A21A Exp date: 6/23/21. If it could be added to my immunization list. Also I had terrible side effects including high fever which finally subsided yesterday, however my stomach feels like it is being twisted in knots. I'm having terrible cramping pains since Saturday and continues. I have been taking Motrin and Tylenol since Saturday for fever but the stomach pains are unbearable. 4/13 - Presented to ER: 37-year-old female presents emergency department for complaints of right lower leg pain and severe abdominal pain. Reported the patient had her Johnson &amp; Johnson vaccine on Saturday a.m. several hours afterwards developed severe abdominal pain and tenderness with nausea. Denies any other specific reason for why this would have occurred. The patient states that the pain has been increasing since its onset and she is try to tough it at home taking Tylenol. Patient denies difficulty moving her bowel or bladder. Patient states in addition to this she developed right lower calf pain and tenderness and is concerned about a DVT. Patient denies any history of DVT. Patient otherwise denies any chest pain or shortness of breath. The patient relates that she has had a fever that was noted on Saturday as well and believes it was just sensitivity to the vaccine. She states she last noted the fever yesterday with T-max of 101. Review of Systems Constitutional: Positive for fatigue and fever. Respiratory: Negative for cough and shortness of breath. Gastrointestinal: Positive for abdominal pain and nausea. Negative for constipation and diarrhea. Genitourinary: Negative for difficulty urinating, flank pain and frequency. Psychiatric/Behavioral: The patient is nervous/anxious. All other systems reviewed and are negative. Physical Exam BP 132/82   Pulse 86   Temp (Src) 97.9 (Oral)   Resp 18   Ht 5' 7" (1.70m)   Wt 210 lb (95.3kg)   SpO2 100%   LMP 01/25/2021   BMI 32.88 kg/(m^2). O2 Therapy: Room Air Physical Exam Vitals and nursing note reviewed. Constitutional: Appearance: Normal appearance. HENT: Head: Normocephalic and atraumatic. Eyes: General: No scleral icterus. Pupils: Pupils are equal, round, and</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

reactive to light. Cardiovascular: Rate and Rhythm:  
Normal rate and regular rhythm. Pulses: Normal  
pulses. Heart sounds: Normal heart sounds.  
Pulmonary: Effort: Pulmonary effort is normal.  
Breath sounds: Normal breath sounds. Abdominal:  
General: There is no distension. Palpations: There is  
no mass. Tenderness: There is abdominal tenderness.  
There is no guarding or rebound. Hernia: No hernia is  
present. Musculoskeletal: General: Tenderness  
present. Right lower leg: No edema. Left lower leg:  
No edema. Comments: Right calf pain Skin:  
General: Skin is warm and dry. Capillary Refill:  
Capillary refill takes less than 2 seconds.  
Neurological: General: No focal deficit present.  
Mental Status: She is alert and oriented to person, place,  
and time. Mental status is at baseline. Psychiatric:  
Mood and Affect: Mood normal. Thought Content:  
Thought content normal.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1202979	4/13/2021	DC	63	F	4/3/2021		<p>BAD PAIN ON RIGHT SIDE (TOWARDS THE BACK); SWOLLEN NOSTRILS (INSIDE); Shaking; HARD TO WALK; Fever; Nausea; Chills; JOINT PAIN (KNEES, ELBOWS, SHOULDERS, HIPS, FINGERS, ANKLES); HEADACHE THAT FELT LIKE A SLEDGE HAMMER; SORENESS AT INJECTION SITE; EXTREME THIRST; Loss of taste; LOSS OF APPETITE; SWOLLEN HANDS; Runny nose; EYES CRUST AROUND THE EDGES; This spontaneous report received from a patient concerned a 63 year old female. The patient's height, and weight were not reported. The patient's past medical history included covid-19 infection. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 042A21A and expiry: UNKNOWN) dose was not reported, administered on 03-APR-2021 09:00 for prophylactic vaccination. No concomitant medications were reported. On 03-APR-2021, the subject experienced extreme thirst. On 03-APR-2021, the subject experienced loss of taste. On 03-APR-2021, the subject experienced loss of appetite. On 03-APR-2021, the subject experienced swollen hands. On 03-APR-2021, the subject experienced runny nose. On 03-APR-2021, the subject experienced eyes crust around the edges. On 03-APR-2021, the subject experienced joint pain (knees, elbows, shoulders, hips, fingers, ankles). On 03-APR-2021, the subject experienced headache that felt like a sledge hammer. On 03-APR-2021, the subject experienced soreness at injection site. On 03-APR-2021 22:00, the subject experienced shaking. On 03-APR-2021 22:00, the subject experienced hard to walk. On 03-APR-2021 22:00, the subject experienced chills. On 03-APR-2021 22:00, the subject experienced fever. On 03-APR-2021 22:00, the subject experienced nausea. On 05-APR-2021, the subject experienced swollen nostrils (inside). On 05-APR-2021 14:00, the subject experienced bad pain on right side (towards the back). The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from runny nose on 05-APR-2021, and bad pain on right side (towards the back) on 05-APR-2021 21:00, was recovering from hard to walk, joint pain (knees, elbows, shoulders, hips, fingers, ankles), and swollen hands, had not recovered from swollen nostrils (inside), and the outcome of shaking, chills, fever, nausea, extreme thirst, loss of taste, loss of appetite,</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1202984	4/13/2021	NC	42	M		4/6/2021	<p>headache that felt like a sledge hammer, soreness at injection site and eyes crust around the edges was not reported. This report was non-serious.</p> <p>NIGHT SWEATS; PAIN IN ARM; EYES PAIN; EYES SENSITIVE TO LIGHT; FELT LIKE FLU; FEELING BAD; This spontaneous report received from a patient concerned a 42 year old male. The patient's height, and weight were not reported. The patient's concurrent conditions included no alcohol use, and non smoker, and other pre-existing medical conditions included the patient had no known allergies and no history of drug abuse or illicit drug use. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 043A21A, expiry: 21-JUN-2021) dose was not reported, administered on 05-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 06-APR-2021, the subject experienced eyes pain. On 06-APR-2021, the subject experienced eyes sensitive to light. On 06-APR-2021, the subject experienced felt like flu. On 06-APR-2021, the subject experienced feeling bad. On 06-APR-2021, the subject experienced pain in arm. Laboratory data included: Body temperature (NR: not provided) 100.1 F. On 07-APR-2021, the subject experienced night sweats. Treatment medications (dates unspecified) included: paracetamol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from eyes pain, and eyes sensitive to light on 06-APR-2021, felt like flu, and feeling bad on APR-2021, and pain in arm on 07-APR-2021, and had not recovered from night sweats. This report was non-serious.; Sender's Comments: V1: Medical Assessment comment was not required as per standard procedure as the case assessed as non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1203006	4/13/2021	MI	58	F		4/1/2021	WHOLE FACE FEELS ITCHY; ITCHY EYES; ITCHY NOSE; VERY RUNNY NOSE; WATERING EYES; This spontaneous report received from a patient concerned a 58 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1802070 expiry: UNKNOWN) dose was not reported, around 8 to 10 am administered to left arm on 30-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 01-APR-2021, the subject experienced itchy eyes. On 01-APR-2021, the subject experienced nasal itching. On 01-APR-2021, the subject experienced very runny nose. On 01-APR-2021, the subject experienced watering eyes. On 05-APR-2021, the subject experienced whole face feels itchy. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from itchy eyes, nasal itching, very runny nose, watering eyes, and whole face feels itchy. This report was non-serious.
1203310	4/13/2021		35	M	4/13/2021	4/13/2021	LIGHTEADED, EARS BUZZING, VISION SPOTS, FATIGUE, GAVE JUICE AND RESTED, SYMPTOMS IMPROVED

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1203018	4/13/2021	OH		F		4/4/2021	This spontaneous report received from a patient concerned a 70 year old female. The patient's weight was 250 pounds, and height was not reported. The patient's concurrent conditions included sinus problem: seem to have a lot since covid discovered and need to stay in, sulfa, and levaquin, and other pre-existing medical conditions included the patient had allergies to things outside (different trees, shrubs, and plants.). The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported and batch number: 1808980 expiry: UNKNOWN) dose was not reported, administered on 03-APR-2021 17:15 on Right arm for prophylactic vaccination. No concomitant medications were reported. On 04-APR-2021, the subject experienced worse sinus headache. On 05-APR-2021 01:00, the subject experienced dizziness. On 06-APR-2021, the subject experienced something black spot left eye. On 06-APR-2021, the subject experienced white spot corner of left eye. Treatment medications (dates unspecified) included: paracetamol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from something black spot left eye on 06-APR-2021, was recovering from dizziness, and the outcome of worse sinus headache and white spot corner of left eye was not reported. This report was non-serious.
1202644	4/13/2021	FL	71	F	4/8/2021	4/8/2021	A few hours after the Moderna COVID-19 Vaccine EUA, I began to get a severe headache. It got worse and worse, and the pain was felt behind my eyes, in my cheeks, teeth, jaw, temples, skull. I thought it was a migraine and it lasted the entire next day. I felt felt nauseated. All in all the very severe pain lasted about 28-30 hours. I had had a mile headache and soreness at the injection sight after my first injection.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1203097	4/13/2021	WI	47	M		4/7/2021	EYES HURT; DIZZINESS; FATIGUE; HEADACHE; ARM SORENESS; SEVERE CHILLS; This spontaneous report received from a patient concerned a 47 year old male. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808980, expiry: UNKNOWN) dose was not reported, administered on 07-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 07-APR-2021, the subject experienced arm soreness. On 07-APR-2021, the subject experienced severe chills. On 07-APR-2021, the subject experienced headache. On 08-APR-2021, the subject experienced eyes hurt. On 08-APR-2021, the subject experienced dizziness. On 08-APR-2021, the subject experienced fatigue. Treatment medications (dates unspecified) included: paracetamol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from arm soreness, and dizziness, and had not recovered from severe chills, headache, eyes hurt, and fatigue. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1203119	4/13/2021	TN	52	M	4/6/2021	4/6/2021	<p>BODY ACHES; SORE THROAT; RUNNING NOSE; COUGH; VOMITING; WATERY EYES; ITCHY EYES; BURNING EYES; CHILLS; NAUSEA; SEVERE HEADACHE; This spontaneous report received from a health care professional concerned a 52 year old male. The patient's height, and weight were not reported. The patient's concurrent conditions included hypothyroidism, diabetes, hypertension, gastroesophageal reflux diseases, hyperlipidemia, seasonal allergies, and bph, and other pre-existing medical conditions included the patient had no known drug allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 041A21A, expiry: UNKNOWN) dose was not reported, 1 total, administered on 06-APR-2021 08:15 to left arm for prophylactic vaccination. Concomitant medications included atorvastatin, carvedilol, fluticasone, levothyroxine, losartan, metformin, and omeprazole. On 06-APR-2021, the subject experienced body aches. On 06-APR-2021, the subject experienced sore throat. On 06-APR-2021, the subject experienced running nose. On 06-APR-2021, the subject experienced cough. On 06-APR-2021, the subject experienced vomiting. On 06-APR-2021, the subject experienced watery eyes. On 06-APR-2021, the subject experienced itchy eyes. On 06-APR-2021, the subject experienced burning eyes. On 06-APR-2021, the subject experienced chills. On 06-APR-2021, the subject experienced nausea. On 06-APR-2021, the subject experienced severe headache. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from severe headache, chills, body aches, sore throat, running nose, cough, nausea, vomiting, watery eyes, itchy eyes, and burning eyes. This report was non-serious.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1203129	4/13/2021	KY	43	M	1/8/2021	1/8/2021	left arm started to hurt pretty bad; patient felt flushed and hot; skin was red; shivering and shaking on left side of their body; left side numb, kind of Bells Palsy syndrome; feel cold in their shoulder; cold behind left eye then from wrist to behind both eyes; left side of the body was swollen, like swollen pecks, back and chest, like they had been stung; This spontaneous case was reported by a consumer and describes the occurrence of FACIAL PARALYSIS (left side numb, kind of Bells Palsy syndrome) in a 43-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 039K20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No reported medical event). On 08-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 08-Jan-2021, the patient experienced PERIPHERAL COLDNESS (feel cold in their shoulder), ABNORMAL SENSATION IN EYE (cold behind left eye then from wrist to behind both eyes) and SWELLING (left side of the body was swollen, like swollen pecks, back and chest, like they had been stung). On 09-Jan-2021, the patient experienced FACIAL PARALYSIS (left side numb, kind of Bells Palsy syndrome) (seriousness criterion medically significant) and CHILLS (shivering and shaking on left side of their body). On 10-Jan-2021, the patient experienced PAIN IN EXTREMITY (left arm started to hurt pretty bad), HOT FLUSH (patient felt flushed and hot) and ERYTHEMA (skin was red). At the time of the report, FACIAL PARALYSIS (left side numb, kind of Bells Palsy syndrome), PERIPHERAL COLDNESS (feel cold in their shoulder), ABNORMAL SENSATION IN EYE (cold behind left eye then from wrist to behind both eyes), PAIN IN EXTREMITY (left arm started to hurt pretty bad), SWELLING (left side of the body was swollen, like swollen pecks, back and chest, like they had been stung), CHILLS (shivering and shaking on left side of their body), HOT FLUSH (patient felt flushed and hot) and ERYTHEMA (skin was red) had resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Reporter did not allow further contact; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

date of the events, a causal relationship cannot be excluded. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1203133	4/13/2021	FL	55	F	1/22/2021	1/1/2021	face has blisters; cheeks were swollen; could not move her hands; did not feel good; peeling all over her body; terrible pain/in a lot of pain; her whole face is burnt red/cheeks burn and are red.; back hurt; Face was burning; red down the neck/her whole throat on both sides and under her chin is burnt red; headache; Her knees-she can't walk like she used to/her knees do not work anymore/could not move her hands; hives about the size of a quarter; very bad face and eyelid swelling; Sensitive to sunburn and cannot put any sunscreen or cream on because it burns the skin; Right eye is blood shot; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of ANGIOEDEMA (hives about the size of a quarter) in a 55-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. D30120A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Surgery (Knees and back surgery). Previously administered products included for an unreported indication: CORTICOSTEROID NOS (Corticosteroid injections therapy 2 years ago). Concurrent medical conditions included Diabetes. On 22-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. In January 2021, the patient experienced OCULAR HYPERAEMIA (Right eye is blood shot). On 23-Jan-2021, the patient experienced ANGIOEDEMA (hives about the size of a quarter) (seriousness criterion medically significant), SWELLING OF EYELID (very bad face and eyelid swelling), BACK PAIN (back hurt), BURNING SENSATION (Face was burning), SKIN BURNING SENSATION (Sensitive to sunburn and cannot put any sunscreen or cream on because it burns the skin), ERYTHEMA (red down the neck/her whole throat on both sides and under her chin is burnt red), HEADACHE (headache) and ARTHRALGIA (Her knees-she can't walk like she used to/her knees do not work anymore/could not move her hands). On 07-Apr-2021, the patient experienced ERYTHEMA (her whole face is burnt red/cheeks burn and are red.). On an unknown date, the patient experienced BLISTER (face has blisters), SWELLING (cheeks were swollen), HYPOKINESIA (could not move her hands), FEELING

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

ABNORMAL (did not feel good), SKIN EXFOLIATION (peeling all over her body) and PAIN (terrible pain/in a lot of pain). On 23-Jan-2021, HEADACHE (headache) had resolved. At the time of the report, ANGIOEDEMA (hives about the size of a quarter), SWELLING OF EYELID (very bad face and eyelid swelling), BLISTER (face has blisters), SWELLING (cheeks were swollen), ERYTHEMA (her whole face is burnt red/cheeks burn and are red.), BACK PAIN (back hurt), BURNING SENSATION (Face was burning), HYPOKINESIA (could not move her hands), FEELING ABNORMAL (did not feel good), SKIN EXFOLIATION (peeling all over her body), OCULAR HYPERAEMIA (Right eye is blood shot), SKIN BURNING SENSATION (Sensitive to sunburn and cannot put any sunscreen or cream on because it burns the skin), PAIN (terrible pain/in a lot of pain), ERYTHEMA (red down the neck/her whole throat on both sides and under her chin is burnt red) and ARTHRALGIA (Her knees-she can't walk like she used to/her knees do not work anymore/could not move her hands) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. After 3 days, she decided to go to the ER by ambulance because the events did not improve. Received a Benadryl injection in the ER and was better until the next day when the problem started all over again. This day her cheeks burn and are red and sensitive to sunburn and cannot put any sunscreen or cream on because it burns the skin. Around the eyes she has large dark circles. Relevant concomitant medications were not reported. Treatment information were included diphenhydramine (for oral) and diphenhydramine injection. Based on the current available information and the temporal relationship between the product use and the start date of the events a causal relationship cannot be excluded. Most recent FOLLOW-UP information incorporated above includes: On 07-Apr-2021: Follow-up included reporter's contact details, patient's age, medical history, prior drug therapy, suspect drug batch number, route of administration, events, events onset date and treatments.; Sender's Comments: Based on the current available information and the temporal relationship between the product use and the start date of the events a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1203134	4/13/2021	MD		F	2/3/2021	2/3/2021	<p>diagnosed her with shingles; rash on the evening on both of the eye lid; right hand middle finger is feeling like shooting pain almost like nerve pain; knee pain; left hand was having tingling like vibrating pain; numbness that stayed about 3-4 minutes maybe longer; body ache; neck pain; ear pain; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of EYELID RASH (rash on the evening on both of the eye lid) and HERPES ZOSTER (diagnosed her with shingles) in a 50-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 013L20A) for an unknown indication. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No medical reported history). On 03-Feb-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 03-Feb-2021, the patient experienced MYALGIA (body ache), NECK PAIN (neck pain) and EAR PAIN (ear pain). On 05-Feb-2021, the patient experienced EYELID RASH (rash on the evening on both of the eye lid) (seriousness criterion hospitalization). On 06-Feb-2021, the patient experienced HERPES ZOSTER (diagnosed her with shingles) (seriousness criterion hospitalization). On 21-Feb-2021, the patient experienced PARAESTHESIA (left hand was having tingling like vibrating pain) and HYPOAESTHESIA (numbness that stayed about 3-4 minutes maybe longer). On an unknown date, the patient experienced NEURALGIA (right hand middle finger is feeling like shooting pain almost like nerve pain) and ARTHRALGIA (knee pain). On 21-Feb-2021, PARAESTHESIA (left hand was having tingling like vibrating pain) and HYPOAESTHESIA (numbness that stayed about 3-4 minutes maybe longer) had resolved. At the time of the report, EYELID RASH (rash on the evening on both of the eye lid), HERPES ZOSTER (diagnosed her with shingles), MYALGIA (body ache), NECK PAIN (neck pain), EAR PAIN (ear pain), NEURALGIA (right hand middle finger is feeling like shooting pain almost like nerve pain) and ARTHRALGIA (knee pain) outcome was unknown. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.;</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

1203171 4/13/2021 CO

43 F

4/12/2021

4/12/2021

After the vaccine: 10 minutes - small headache started 30 minutes - swollen throat, pale color 40 minutes - shaky legs was administred two pills of benadryl following day, 9h30am - area around right eye swollen and rugged (consistent with previous allergy case - 10 years ago) toke 1 pill of Cetirizine Hydrochloride 10mg

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1203206	4/13/2021	AZ	82	F	1/18/2021	1/1/2021	Sight has gotten worse; Hearing is worse; Taste is weird; Normal cough; Tested positive for COVID a few days after vaccination; Felt so sick; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of COVID-19 (Tested positive for COVID a few days after vaccination), MALAISE (Felt so sick), COUGH (Normal cough), VISUAL IMPAIRMENT (Sight has gotten worse), HYPOACUSIS (Hearing is worse) and TASTE DISORDER (Taste is weird) in an 82-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 037K20A) for COVID-19 vaccination. The patient's past medical history included No adverse event (No medical history reported). On 18-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. In January 2021, the patient experienced COVID-19 (Tested positive for COVID a few days after vaccination) (seriousness criterion hospitalization). On 18-Jan-2021, the patient experienced MALAISE (Felt so sick) (seriousness criterion hospitalization) and COUGH (Normal cough) (seriousness criterion hospitalization). In February 2021, the patient experienced VISUAL IMPAIRMENT (Sight has gotten worse) (seriousness criterion hospitalization), HYPOACUSIS (Hearing is worse) (seriousness criterion hospitalization) and TASTE DISORDER (Taste is weird) (seriousness criterion hospitalization). The patient was hospitalized from 18-Jan-2021 to 01-Feb-2021 due to MALAISE. At the time of the report, COVID-19 (Tested positive for COVID a few days after vaccination), MALAISE (Felt so sick), COUGH (Normal cough), VISUAL IMPAIRMENT (Sight has gotten worse), HYPOACUSIS (Hearing is worse) and TASTE DISORDER (Taste is weird) outcome was unknown. mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was withdrawn on an unknown date. Treatment information was not provided. Very limited information regarding the events has been provided at this time. Further information has been requested. This case was linked to US-MODERNATX, INC.-MOD-2021-064065 (Linked Report).; Sender's Comments: Very limited information regarding the events has been provided at this time. Further information has been requested. US-MODERNATX, INC.-MOD-2021-

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							064065:serious_case
1203236	4/13/2021	CT	20	M	4/13/2021	4/13/2021	Site: Pain at Injection Site-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Hypotension-Mild, Additional Details: pt experienced lightheadedness and blurry vision x 10 min after covid inj which resolved without any intervention
1203258	4/13/2021	CA	65	M	3/19/2021	4/5/2021	Starting on or about 4/5/21 severe headache that I treated as a sinus infection from seasonal allergies. Stayed inside. stopped smoking (marijuana), nasal mist. Very dry sinuses and eyes especially the left eye. The pain proceeded to worsen and I rinsed my sinuses with nasal mist which eventually relieved the pain. At one point during the rinsing I had a short flow of blood from my sinuses. I used eye drops for the dryness in my eyes. I had occasional pain in my legs during the week of the 5th followed by extreme back and leg pain on the 11th. This pain and spasms mainly effected regions where I have had long term weakness. I still have minor pain as is typical.
1203270	4/13/2021	UT	57	M	4/8/2021	4/9/2021	Fainted twice, some body shakes when waking up, glazed over eyes



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1203008	4/13/2021			F		4/1/2021	BODY ACHES; ITCHINESS; BUMP ON FACE UNDER LOWER LINE OF THE EYE/BUMP ON THE RIGHT SIDE OF THE CHEEK/RASH; FATIGUE; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unk) dose was not reported, administered to left arm, on 06-APR-2021 for prophylactic vaccination. The batch number was not reported. The Company is unable to perform follow-up to request batch/lot numbers. Concomitant medications included paracetamol. On APR-2021, the subject experienced body aches. On APR-2021, the subject experienced itchiness. On APR-2021, the subject experienced bump on face under lower line of the eye/bump on the right side of the cheek/rash. On APR-2021, the subject experienced fatigue. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the fatigue, body aches, itchiness and bump on face under lower line of the eye/bump on the right side of the cheek/rash was not reported. This report was non-serious.
1200896	4/13/2021		34	F	4/12/2021	4/12/2021	Feeling of mild swelling of her tongue and eyes, associated with mild itching in her throat. No SOB, No chest tightness, no pain/discomfort with swallowing, no hives, itching. History of allergic reaction to mushroom (anaphylaxis), PCN & shellfish (Hives). Pt stated benadryl usually helps with her allergies. Benadryl administered and pt observed. Time extended for close monitoring. V/S 120/93, Pulse 64, Sat 99% No hoarseness, redness/swelling of the tongue noted. Pt was re-assed and stated "I feel fine now. I think I can drive home now, I live about 5-10 minutes from here". Patient WAS ADVISED TO GO TO THE NEAREST ER OR CALL HER PCP IF SYMPTOMS PERIST OR GET WORSE
1200510	4/13/2021	TX	34	M	3/20/2021	3/31/2021	Blurred visions, headaches and confusion
1200667	4/13/2021	GA	43	M	4/10/2021	4/12/2021	Face swell and eyes swell shut. Huge bumps all over body and face. I took pics. Throat was also feeling numb

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1200669	4/13/2021	PA	22	F	4/9/2021	4/9/2021	103.5F fever, severe chills/sweats, joint pain, myalgia, eye pain, neck pain, headache, injection site pain, weakness, light headedness, axillary lymph node swelling and pain. still experiencing eye pain and lymph node pain
1200693	4/13/2021	ME	34	F	4/7/2021	4/8/2021	The patient reported a pounding headache the morning after vaccination, localized to her right side above her eyebrow. She reported muscle weakness and general fatigue, an inability to focus and described feeling like she was "drunk." She began to have vision changes that affected just her right eye on 4/12/21 at 2:00 PM. She described it as blurriness and like looking through a kaleidoscope. The vision disturbances resolved 2 hours later after resting, but the headache remained. The only symptom that remains is the headache and it is improving and described as mild.
1200710	4/13/2021	VA	49	F	4/10/2021	4/12/2021	I felt body aches all over, my skin hurt to the touch , the rim of my eyes feels burning . bottom of my feet hurts. I felt like the core of my body hurts. I felt like dying . even my hair hurts. I took Tylenol around 8 pm. by 12 all the aches were gone , I felt better.
1200715	4/13/2021	NJ	56	F	4/6/2021	4/8/2021	weakness numbness on right side of face, numbness in tongue, gums, cheek, and eye, mild dropping watering of eye. 2 days after vaccine, increasing over following days. Diagnosis-bell's palsey treatment prednisone
1200718	4/13/2021	NC	47	F	4/8/2021	4/8/2021	Later that day of the vaccine I woke up about 11pm with a fever, all joints hurting, my eyes were hurting and flu like symptoms which continued throughout the night. I was extremely thirsty which caused me to consume over 60 ounces of water overnight. Woke up about 7am and went to prepare coffee and blacked out. When I woke up I was on the floor and had a bursted nose and EMT was called. I was transported to the ER where I was administered IV fluids, EKG and CBC were done but clear and I was diagnosed as severely dehydrated. I was released about 5hrs later but the consistant feeling of constant thirst has remained even still today. I have also had a lingering headache also.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1200865	4/13/2021	IN	50	F	4/10/2021	4/10/2021	Headache, all over body aches. Tired. Dizziness. Stuffy nose. Vision issues, I have to change between old glasses or take glasses off completely, takes longer to focus.
1200881	4/13/2021	OK	22	M	4/9/2021	4/9/2021	Patient reports history of passing out with lab draws and one other time with injection. Within 30 seconds of vaccine, patient reported dizziness, narrowed vision, and diaphoresis; he also appeared very pale. As we attempted to assist him to the floor, his eyes rolled back and he lost consciousness. Patient became alert within 10 seconds of losing consciousness. When safe, he was assisted to WC and taken to clinic where he was observed for a few hours. Patient discharged home with his mother when he was feeling better.
1200536	4/13/2021	AZ	56	F	4/11/2021	4/11/2021	at 6:00 pm. i started with light headedness and eyes blurred. by 830pm,started get cold and hot sweats together. i felt like my bones were going to break especially in toes. i was afraid to stand up, also it felt like my breathing was effected if i laid down, id cough and than get a sharp headache pain, so around 1230am, with still freezing and sweating started with sharp pains in left lower stomach and top left chest stabbing pains, felt like i have to vomit and go to the bathroom. ended up just vial vomit .this lasted until 0700am took a hour nap woke up sweating was drenched, continuing day on with left side stomach and chest pains and back shoulder pain. with nervousness. on 4-13-21 woke up to diarrhea and shaking still
1200894	4/13/2021	FL	25	F	4/12/2021	4/12/2021	Around 6pm I started to get a really bad headache and all I wanted to do was lay down because I was getting very tired. About an hour later my entire body was aching and I couldn't stop shaking with chills. I couldn't move or turn in my bed without my entire body just hurting. Even the blankets and clothes I had on were hurting my body. I tossed and turned throughout the night. At midnight I woke up to use the bathroom and my face and eyes were hurting. Once I got into my bathroom and looked in the mirror, my face was a little swollen and my eyes were a little puffy. My forehead and cheeks were a little red so I took my temperature and I was running a fever of 102.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1200506	4/13/2021	WI		F	4/9/2021	4/10/2021	Janssen COVID-19 Vaccine EUA Extreme pain in injection site. Immobilizing muscle pain. Headache/migraine that has effected eye sight. Fever. Chills. Nausea
1200922	4/13/2021	VA	28	F	4/9/2021	4/11/2021	REDNESS, SWELLING AND PAIN IN THE RIGHT EYE
1200928	4/13/2021	MA	56	F	4/6/2021	4/6/2021	a few hours after the shot developed a severe headache. The worst headache I've ever had. The kind where you can't open your eyes. It lasted about 12 hours and then eventually subsided the next day.
1200948	4/13/2021	MA	27	F	4/10/2021	4/11/2021	blurred vision with pressure/pain behind both eyes, intermittent episodes lasting minutes
1200967	4/13/2021	MO	58	F	3/14/2021	3/28/2021	Body swelling, particularly legs, exhaustion, nausea, blurred vision, sore feet, muscle aches.
1201000	4/13/2021	SC	43	F	4/5/2021	4/8/2021	Sudden multiple occurrences of ocular and retinal migraines - visual aura, have had 6 episodes since the first vaccine (2 after the first dose) and already 4 after the 2nd dose. I haven't had ocular migraines since 2010 associated with mold exposure and when I moved, they went away. Now, suddenly, with no other changes except for receiving the vaccine, I am getting them more than 1x/week.
1201020	4/13/2021	TN	32	F	4/10/2021	4/11/2021	36 hours later swelling began under one eye. At 48 hours both eyes swollen almost shut and half of lip swollen. Symptoms have not resolved on 4th day. Given steroids by general doctor after seeing him during 3rd day after vaccine.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1201021	4/13/2021			U			I received the vaccine at 11:05AM on April 9. That night, I felt some fatigue and a slight headache but I increased my water intake and woke up feeling OK. On April 10, around 7pm, I felt an intense pain located on a tiny area in the middle of the arch of my inner right foot. It felt like a charley horse inside of a blood vessel, which I visually saw swell up to the size of an M&M. It hurt for about 3-4 minutes. Finally, it flattened and the pain subsided, and right away a bruise about 1inch x 2 inch in area appeared where the lump was. I had never had that happen to me before. On Monday, April 12, I woke up and saw two M&M-sized circular bruises over the knuckle joint of two of my right fingers, and the skin on top of those bruises were dry and scaly. Also never experienced that before. Other random bruises that have appeared in the past are smooth on the skin. The evening of April 12, I started some vaginal spotting, which is also unusual because I just finished my cycle <2 weeks ago and not scheduled to start again until first week of May.
1201060	4/13/2021	IL	35	F	4/9/2021	4/10/2021	Woke up at 3am with the worst nausea and stomachache of my life. tried to get to the bathroom. all of a sudden had massive ear ringing in my left ear and then everything just went out. my hearing. my vision started to blur, saw black spots. Couldn't speak. felt cold all over and then started pouring sweat from my forehead. Ripped off my sweatshirt and laid in bed until it passed about 20 minutes later.
1201063	4/13/2021	OH	75	M	3/11/2021	3/13/2021	Extreme vertigo, weakness, unable to walk, extremely unbalanced when attempting to stand up, severe Headaches, blurred vision.. Also with sinus type drainage. Extreme nausea and fatigue. Literally couldnt even hold his head up. All syptoms started within 48 hours of injection and came on with a vengeance. He was so unsteady and unstable he fell with attempts to get up. Prior to the vaccine he was great! Strong and healthy for all of his underlying medical conditons. Completely Independant, driving , working around the house ect. Unfortunaley this is still going on. He is very weak, and still unsteady when he is up. Nausea continues. He is doing Vestibular therapy for the balance issues. Took a round of seroids.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1201113	4/13/2021	KY	52	F	4/9/2021	4/10/2021	I EXPERIENCED "SPLOTCHY VISION" LASTING A FEW MINUTES, FELT ODD (ALMOST LIKE A BRAIN FOG), AROUND 1/2 HOUR LATER I LOST THE ABILITY TO SPEAK. I COULD THINK BUT I COULDN'T SPEAK. I WAS TRYING TO SAY THE WORD "WATER". INSTEAD I WOULD SAY "WA" "CHHH". I WAS CONCENTRATING REALLY HARD TO TRY TO SAY THE WORD CORRECTLY BUT I COULDN'T. IN A FEW MINUTES THE EPISODE WAS OVER AND I COULD SPEAK NORMALLY. NO LASTING EFFECTS OTHER THAN FATIGUE.
1200889	4/13/2021	IL	36	M	3/31/2021	4/11/2021	While exercising on the morning of 4/11, received a sudden, severe headache on the left side of my head. It started in my neck, moved up through my skull, and ended above my left eye. The feeling gradually improved with time, stretching, and acetaminophen. For more than 24 hours, a mild feeling persisted. On 4/13, the left side of my neck is still stiff and my left eye has a light throbbing.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1199758	4/13/2021	MD	38	M	4/8/2021	4/8/2021	<p>Hi I was vaccinated Thursday April 8th 2021 at approximately 9:15am. I kept a log so I could share my experience with my friends and family. After vaccination I was fine for a few hours but I randomly got a case of watery eyes that would last about 15 minutes and then clear up. This happened 4 times over a 9 hour period. Around 9 hours after vaccination I started to feel like I had a cold and my skin all over my body ached to touch and my heart started racing. I felt sunburned and nauseous and went to bed. 13 hours exactly after vaccination I was hit hard with intense chills to the point of teeth chattering and full body shivering. 15 hours after injection I woke up intensely hot and I had a massive headache, full body pain, a tickle deep in my lungs that made me cough, nausea, and a fever of 101. I also was having extreme heart palpitations. I have a laser thermometer and I discovered my fever was 101.5 at my forehead but my neck and chest were 103. I took ibuprofen and kept patting myself with cold wet wash cloths to combat the fever. At this point I debated going to the hospital. I had intense fatigue and I was too weak to move but too sick to sleep. This level of fever and symptoms went on for about a day and a half. Since my vaccination I am still fatigued, I get winded very easily, something small like feeding my dog makes me break out in a sweat, and I need to lay down. I am still weak and fatigued but not to the same level as before and it changes every day. I have a sore throat, headaches, occasionally my body will twitch in random places, fever will pop up and go away, I cough gag and get very weak under any physical stress. I did not have injection site pain out of the ordinary until 48 hours after injection and it felt like a shotgun blast to the arm.. I did have very unusual joint pain from the start. I was injected in my upper left arm, but my lower right ankle was painful and my left wrist... I am a 38 year old male with treated hypertension, obesity and sleep apnea. My mother who is 65 was vaccinated at the same time as myself and her symptoms were slow onset and much milder than mine but she too has headaches, upset stomach, fatigue, watery eyes, fever, chills, twitches, injection pain, etc.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1203833	4/13/2021	IL	60	M	3/30/2021	3/30/2021	The patient reported severe pain in the arm of injection that started between 1-2 hours post vaccination. The following day he noticed floaters in his vision. He made an appointment with a regular eye dr (4/4/21) who referred him to a Retina specialist. At the appointment with the retina specialist they noticed holes in the patients retina. They dr had to preform freezing and gas treatment to prevent the retina from detaching. The doctor wants the patient to recheck in 3 months.
1202251	4/13/2021	WA	50	F	4/10/2021	4/10/2021	There were no side effects with the 1st dose. The 2nd dose resulted in the following: 4 hrs in: 2 hives on thigh 12 hrs in: More hives/welts on torso, feet, knees, elbows, hands, face, thighs 24 hrs in: fever, chills, body aches (expected) and extensive amount of welts, hives all over the body and swollen hands/feet, wrists/ankles to include itching and pain. The 2nd dose has triggered my Chronic Urticaria, which I first got in 2019 from what I believe was an ingredient in sunscreen (octinoxate). At that time it took me 1 long year to completely get rid of those hives and that was successful by using a series of prednisone (which was damaging to my system and hard to get off of) and then finally Xolair. I have not been off of the Xolair for even a year at this point and now, I am back to where I started. I believe that the PEGs in the Pfizer vaccine has activated my urticaria. I am now suffering with severe welts/hives and swollen hands. Prednisone is not an option due to it mixing with the vaccine and I managed to get a low dose of Xolair yesterday (4/12/21) but that shot is slow-absorbing and I might not see relief for 7-8 days. Additionally, my blood pressure was 160/100, which is consistent with presence of these welts/hives. This includes a rapid heart beat as well. Had I known this was a even a remote possibility, I would not have received the Pfizer vaccine. Chronic Hives is a life-altering issue as I have used a lot of sick time and missed events due to discomfort and swollen eyelids.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1199627	4/13/2021	CA	63	M	4/8/2021	4/9/2021	I received the shot around 9am, That evening my left arm was a bit sore as well as my neck muscles. The next day I had several of my old Shingles symptoms return, weird feeling in my left eye, itchy eyebrow muscle, itchy skin on left side. (I had the shingles about 15 years ago, LEFT side, not too bad, mostly itchy, with recurring odd things just mentioned maybe once a year) The the 2nd day I got a weird tingling, buzzing feeling in my left upper back above shoulder blade, like those TENS device electric muscle stimulators. This is similar to my shingles twitches, but different and NEW. Maybe I should have taken the shot in my right arm? I may take the second shot in my right arm.
1199634	4/13/2021	PR	42	M	4/1/2021	4/10/2021	Adverse effects 12 hours after 2nd dose: Body pain Fever Skin Rash Eyes irritation Joints pain Headache Arrhythmia These Symptoms lasted for 12 hours
1199665	4/13/2021	NY	57	M	3/31/2021	4/3/2021	Shingles on head and left eye
1199668	4/13/2021	CA	56	F	4/8/2021	4/9/2021	Fever of 102 for 2 days, intense joint and muscle pain, on 2nd day after shot woke up with right eye swollen. Was unable to do anything but lay in bed for 2 days. This is day 4 after shot and finally can move around better. Just a little soreness in joints and muscles but not to bad. Eye is still swollen. No pain in it though. Took tylenol for first couple of days, then also tried benadryl on 3 day to see if that would help with the eye swelling. It had not effect on it.
1199680	4/13/2021		20	F	4/8/2021	4/8/2021	Vaccine side effects. Pt c/o muscle spasms and pain in lower back and abd x4 hours. Pt recieved J&J vaccine at 0845, began having discomfort at 0930, fell asleep until 1500 and symptoms began around 1600. Pt is dry heaving and has not been able to eat or drink since AM. Pt notes "fuzzy" vision.Re-Assessment@ 2330: pt calm and feeling much better. no abdominal pain per pt; abdomen soft, NT, w/o guarding. no neuro deficit and able to ambulate in ER. no source of focal infection identified and symptoms likely due to J&J vaccine. will d/c with mother.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1199682	4/13/2021	AZ	52	F	4/3/2021	4/4/2021	starting morning after vaccine: extreme fatigue chills / hot flashes (temp was up .7 degrees from normal) sore arm starting 24 hours after vaccine: - bad diarrhea - urination interruptions, taking a long time to vacate - cognitive numbness / severe brain fog / disinterest - loss of appetite - swollen sinuses all of this was very bad for 4 days, improved a bit each day since but the cognitive stuff and loss of appetite still not fully resolved starting second night, sleep effects: 1) hallucinations upon awaking from sleep periodically through the night - example: seeing dotted lines moving on the back of my eyelids 2) extremely disturbing nightmares 3) both arms falling dead asleep from shoulder to hands during sleep 4) very shallow rapid breathing also all very bad for 4 days and mostly resolved now except the breathing at night is still shallow and rapid but not as bad as first 4 days
1199704	4/13/2021	NC	19	F	4/8/2021	4/9/2021	Dizziness, Headache, Blurry Vision, Fever, Body/ muscle aches, joint pain, unable to drive/ function , and golf ball sized welt at sight of injection
1200640	4/13/2021	FL	51	F	4/11/2021	4/11/2021	Janssen COVID-19 Vaccine EUA: shot at 1:30pm by 9pm fever/headache eyes watering. by 11pm: Freezing /chills, headache still and feeling like sinus-nose stuffy. So very cold... had to put on sweat pants to sleep in took an Aleve at 2 am and again the next day at 8 am and 2pm and more more at 6 pm. ran a low 100 degree fever all day the next day. 6 am day two: Seems to be back to normal. Don't know about anything internally. I did feel the shot injected into my arm and it stung and I could feel it "run down" in the arm. Outside the arm, the injection site seems to just be a tiny sore... nothing that is detracting for me.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1199716	4/13/2021	NV	63	M	4/2/2021	4/5/2021	Nasal congestion, sneezing, Itchy/red eyes, progressed into bronchitis which included significant unproductive cough. Used generic "Claratin" at first. 6 days after injection, began prescribed NEO-POLY-DEX eye drops, Fluticasone Prop 50 mcg nose spray, Albuterol inhalations. 8 days after injection got an Albuterol breathing treatment and began prescribed 5-day Prednisone 20 mg treatment. Using over the counter DM cough suppressant since 6 days after injection. As of 10 days after injection, expect to start prescribed antibiotic (type yet unknown) and Tessalon Perles for cough. Note that I have "Hay Fever", but this event was notably more severe than have experienced in years. Also tend toward bronchitis annually.
1201144	4/13/2021	PA	33	M	4/12/2021	4/12/2021	Patient received first dose of COVID vaccine at 1:10pm without issue. During his 15 minute waiting period post vaccination, at approx 1:15pm, patient experienced a syncopal event, + for striking his head. He never lost vitals, and promptly woke up. at 1:22pm, his vitals were initially BP 90/42, HR 45, pulse ox 100% on room air, and RR 16. He complained of dizziness and blurred vision, but was AOX3 with all cranial nerves intact. 911 was called for patient to be assessed. Vitals were then checked again at 1:29 pm, BP 110/62, HR 62, pulse ox 100%, RR 16. At this time, all of patient's symptoms had resolved. EMS arrived at 1:39pm and checked his BS which was 114. At this point patient no longer wanted to go to ER. EMS spoke with on call provider who gave verbal okay for patient to not go to the ER, but gave strict ER precautions such as headaches, vomiting, vision changes, etc. Patient was able to teach back. Patient reports that this (passing out) frequently occurs to him anytime he has to get shots or blood work done and he has sought medical attention afterwards before with no resolution. Patient left at 1:46pm. He walked home.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1199988	4/13/2021	CA	35	F	4/10/2021	4/10/2021	One day before the vaccine, my daughter come home with a runny nose and watery eyes; the next day, I had a vaccine appointment, and a few hours later vaccinated; my body feels chills and got a runny nose and nasty sore throat. My throat was hurting so bad, and my body feels so weak and chills. I was unable to sleep until 6 am and took Nyquil. After drinking Nyquil, I feel better, but the next day, my body feel weak, chilling, and unable to leave the bed. I took the second round of Nyquil, and on the third day, I feel normal and recovered. My arm got mark on vaccinated area and it pain so much.
1200212	4/13/2021	MA	19	M	4/12/2021	4/12/2021	Systemic: Allergic: Difficulty Breathing-Medium, Systemic: Chills-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Visual Changes/Disturbances-Medium
1200241	4/13/2021	NC	24	F	3/18/2021	3/20/2021	I was running on the treadmill and all of the sudden my feet started tingling. I got off the treadmill to try to massage my feet. Then, I felt nauseous and vomited. After vomiting I could not move and I had very hard time walking. I noticed that my face had swollen, my throat was closing, and my vision was blurry. I also broke out in hives. Once I could get mobile (about two hours after the adverse reaction started) I took a Benadryl and that helped ease the swelling.
1200260	4/13/2021	NJ	66	F	2/16/2021	3/1/2021	Hypothyroid turned into hyperthyroid. Racing heart, weight loss, gritty eyes, double vision, tremor, nightmares. All began after January 25. Although TSH level was high, endocrinologist cut back synthroid because of symptoms. Now, 4 weeks later, I feel better, but labs are still strange.
1200311	4/13/2021	FL	45	M	4/2/2021	4/2/2021	Swollen & irritated eyelids. Prescribed erythromicine and caladryl
1200331	4/13/2021	NY	29	M	4/9/2021	4/9/2021	After approximately 12 hours of receiving the vaccine shot my entire body ached. Every muscle in my body was tight, making it difficult to move. I also experienced a strong headache behind the eyes, and difficulty urinating.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1200341	4/13/2021	VA	56	M	4/1/2021	4/2/2021	Vision blurriness and shimmering. Usually a precursor to migraine headaches. Issue is not constant, it comes in waves. Sometimes triggered by bright flashes of light. These symptoms have not occurred before the vaccine.
1200469	4/13/2021	MD	29	F	4/8/2021	4/8/2021	Pt complained of burning when vaccine injected. Within 2 minutes pt put her head down; stated she was dizzy and then her eyes rolled back and she started to slump over in her chair and then fainted. Moved pt to the floor. She was unconscious for only 1 minute. Vitals: BP: 110/62, Pulse 48, R: 12, T: 98.1, Pulse ox: 99%, Finger stick for blood sugar: 92. Pt had not eaten for almost 24 hours and has a fear of needles. Within 10 minutes vitals improved: BP: 125/90, P: 67, R: 18, Pulse ox: 99%. Pt is a smoker and had worked all night.
1200470	4/13/2021	MI	49	F	4/12/2021	4/12/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Tachycardia-Medium, Systemic: Visual Changes/Disturbances-Medium, Additional Details: EMS was called due to the patient feeling faint and tachycardia
1200482	4/13/2021	CT	55	F	3/8/2021	3/13/2021	I woke up on Saturday 3/13 and noticed that my vision on my left eye was very fuzzy and stayed that way for a few days. I made an appointment to see my optometrist on Wednesday 3/18 and he referred me to a retina specialist Dr. I saw Dr on Friday 3/19. He ran tests and diagnosed me with branch retinal vein occlusion in my left eye. This is typically caused by a blood clot in the eye. The occlusion caused swelling in my retina and macula which caused my vision loss. I was treated with an injection of Eylea (anti-VEGF) to reduce the swelling on my retina/macula. I will need to have these injections every 4 weeks to maintain my sight.
1199706	4/13/2021	NV	42	F	4/6/2021	4/7/2021	Blurred vision - I could see up close with my glasses off, but my vision blurred with them on.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1201830	4/13/2021	MN	25	M	4/9/2021	4/9/2021	In the span of about 40 minutes following the shot, I had severe reactions. I initially felt really warm in my arm and my heart started to race for a bit. That subsided pretty quickly. Then I got really dizzy, lightheaded and warm and sweaty while waiting the 15 minutes. Then my vision started to blur and I felt tingly in both of my hands and both of my legs. According to others with me, I also went grey. I was given a cool cloth and fanned which helped with a lot of the issues. I also had my legs elevated and was given some slightly sugary food and drink to help the vaccine disperse better. Paramedics and ambulance arrived to assess me. I was improving by the time they arrived and was deemed stable, so I did not go to the hospital for this incident
1201583	4/13/2021	NY	33	F	4/7/2021	4/8/2021	~~Janssen COVID-19 Vaccine EUA" This writer was having a session with a client and her mother at the playground on 4/8/2021 and writer felt weak towards the end of session. Per mother's report, writer's eyes rolled back into her head and writer was about to fall backwards off the picnic table, but the mother caught writer. This writer was unconscious and then came back alert, but could not see for two minutes. This writer experienced severe abdominal pain and needed to use the restroom right after and had a bowel movement. dehydration (J & J vaccine night before at 7pm) headache, difficulty breathing and blurred vision and a fever of 99.4 the next day. This writer was taken to immediate care and an EKG and Urine test was done. This writer was diagnosed with Syncopal Episode and dehydration.
1201609	4/13/2021	NY	32	M	4/6/2021	4/8/2021	Swelling in the neck started a few days after receiving the first dose of the Covid vaccine. Its not known if the swelling is related to the vaccine. Medical exam by primary said my thyroid is a bit full. Some post nasal drip as well. Discomfort from the swelling became gradually more significant over several days. Some tightness when swallowing food. At this time of year I typically get allergy symptoms of hay fever (sneezing, itch/watery eyes, etc.) but neck swelling has never been a symptom for me. Started taking Claritin once a day as I usually do this time of year as well.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1201619	4/13/2021	WA	46	F	3/17/2021	4/3/2021	Initial stomach discomfort beginning minutes after injection. 2-3 days of digestive issues most severely blood in stool that cleared up after a few days. Beginning around 4/3/21 began to have a sore between two toes along with redness and swelling and other redness in hands/wrists and around one eye. Doctor prescribed Antibiotic and antihistamine via tele-med video visit.
1201645	4/13/2021	AR	69	M	3/9/2021	4/2/2021	PATIENT SUFFERED AN ISCHEMIC OCCIPITAL LOBE STROKE, CONFIRMED BY CT SCAN, ON 4/2/2021. PATIENT WAS TRANSFERRED TO AND ADMITTED TO HOSPITAL. PATIENT WAS NOT ADMITTED TO THE ICU PER HIS WIFE. PATIENT WAS RECENTLY TRANSFERRED TO REHAB WHERE IS HE IS CURRENTLY AS OF 4/13/2021. PATIENT LOST VISION IN LEFT EYE AS WELL AS FUNCTION IN HIS LEFT ARM PER THE PATIENTS WIFE. PATIENT IS REGAINING SIGHT AND STRENGTH IN BOTH HIS LEFT EYE AND ARM BUT PROGRESS IS SLOW, PER HIS WIFE.
1201648	4/13/2021	NJ	52	F	4/7/2021	4/7/2021	I felt violently ill. I felt sicker than I ever have with any flu or other illness. My symptoms included the following: Extreme weakness, could barely walk across the room. (12 hours) Very high fever (12 hours) Body aches (severe for 12 hours, consistently up to 6 days later) Extreme nausea and dry heaves (5+ days) Tear constantly pouring from eyes (few hours) Vibrations in leg (few hours) Very fast heartbeat (few hours) Severe headache with pain behind eyes and pressure in skull (2 days) Extreme tiredness and fatigue (5+ days) Tightness in calf muscle
1201704	4/13/2021	NY	50	M	4/9/2021	4/10/2021	Vomiting, nausea, numbness in the arm of the injection, severe headache, blurry vision.
1201706	4/13/2021	CA	32	F	3/14/2021	3/19/2021	7:00 pm Friday started getting left arm: numbness on whole left side of body, left side of face swelling and droopy. Felt a sharp pain in left arm near basilic vein and started swelling like a ball. Felt shortness of breath and dizzy with blurry vision. Almost passed out when stood up. Was rushed to the ER. Had Sharp pains shooting through left leg.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1201734	4/13/2021	NY	22	F	2/25/2021	2/25/2021	-3 hours after my first shot I felt very disoriented and nauseated. I immediately fainted and I lost consciousness for 5 minutes, while unconscious I also was incontinent and peed myself. When I came to, I was disoriented for about 2 minutes and very cold. -For a week after I fainted I was very weak and couldn't stand up without feeling that I was going to faint. -The second week after my shot I also felt pressure on my chest for 5 days that has since then gone away. -Since I fainted 3 hours after my shot I have experienced constant ringing in both ears that have not stopped for the past 30 days since I got the vaccine. I also experience blurry vision and vertigo that hasn't gone away. -I have also developed headaches and recently I have an itchy rash on my neck. -Since then it has been hard for me to focus and sometimes I feel like the world is in slow motion.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1201778	4/13/2021	WA	39	F	4/6/2021	4/6/2021	About 2:30pm on 4/6/2021, same day as vaccine, began to have saline/metallic taste in mouth, about 1 hour later started to get cotton mouth and began getting tired; by 5pm same day I was fatigued and had a hard time keeping my eyes open, started getting chills about 7:30pm and took 2 ibuprofen and fell asleep, woke up some time before midnight because my heart was pounding in my chest, was so tired that I'm not sure if I passed out or just fell back asleep but woke up around 3:00am on 4/7/2021 with a fever and headache. The cotton mouth, fatigue, headache and fever of 99.9 to 101 lasted until about 8:00am on 4/8/2021., where I had a second set of chills and the fever broke. On 4/9/2021 I still had fatigue and had to leave work early as I couldn't multi-task and had a hard time staying focused. The inability to focus and fatigue lasted 4/10/2021 and 4/11/2021, just walking up and down my stairs at home exhausted me. On 4/12/2021 I went back to work, my focus is better but still not back to where it should be, I still get exhausted easily and everything is a bit too bright. On 4/12/2021 about 7:30am, I had a bloody nose that took a while to stop (about 30 minutes), that is not normal as I rarely have a bloody nose; I was late to work due to it and had another one while at work around 11:40am; it was not as bad as the first and stopped after approximately 10 minutes. Today is 4/13/2021- Things are still a little too bright and my energy level is not quite back to normal, I also have a slight headache.
1201122	4/13/2021	NJ	66	M	4/11/2021	4/11/2021	Brief episode of vision corruption.. perceived colors changed. White toilet bowl appeared pale blue. Preceded by strong headache behind eyes.
1201827	4/13/2021	NJ	47	F	4/8/2021	4/8/2021	headache, body aches, fatigue, nausea, blurred vision, short of breath, dizziness
1201560	4/13/2021	IN	23	F	4/11/2021	4/11/2021	Cold sweats, vomiting, tingling and numbness in arms and legs, inability to breathe, clouded vision, difficulty hearing (this lasted approximately 5-10 minutes and was roughly 10 minutes after receiving my first dose of the vaccine)
1201837	4/13/2021	MI	67	F	4/12/2021	4/12/2021	Chest pain, hot flashes, swallowing legs, feet and eyes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1201853	4/13/2021	MI	70	F	2/13/2021	4/9/2021	Distension, abdominal tenderness Medial visual field loss in left eye. Covid pneumonia, TIA suspected from Covid
1201861	4/13/2021	MD	26	M	3/25/2021	3/25/2021	Soon after receiving the vaccine, heart rate increased, and sweating began. Vision then began to fade to white and ears ringing. This persisted for about 15 minutes, improvement began after 5 minutes. After vaccination, patient was very tired. Sore arm for 5 days. Hot/cold flashes days 3-5. Consistent tiredness 5 days. Muscle aches and cramps days 3-5. After 5 days side effects ceased. Concerns about initial effects
1201862	4/13/2021	NJ	49	F	4/8/2021	4/8/2021	Headache after 3 hours of vaccination; headache with visual symptoms (aura) and pressure on the tight temporal vein on 4/11/21 and again on 4/12/21; and still having mild headache at this time ; relieved by taking Tylenol and caffeine
1201877	4/13/2021	WA	36	F	4/10/2021	4/13/2021	got second vaccine 3 days ago. Second night I had fever, extreme sweating and nightmares. Woke at 5am today and had what I can only describe as vertigo? Could not balance, did not have control of my legs which were wobbly tensed and shaking. Vision is off room spinning and hallucinating. My dogs shoulders were made of wood boards my partners eyes were black marbles and the room I was in I did not trust to be real or even existing (I was in my bedroom in my apartment I've lived in for over a year). It's now 9am and still difficulty walking with wobbly tensed legs, dizzy, heavy eyes, and one nausea and cotton mouth. This is terrifying
1201879	4/13/2021	TX	60	F	4/1/2021	4/3/2021	Fever, Headache, Rashes, Extreme Fatigue and Extreme low blood pressure. 77/44. Heart palpitations, coughing, Purple eyes, Swollen eyes, throat and lymph nodes. Sore throat. My HRT pellets migrated around my body that were inserted in my buns.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1201896	4/13/2021	MO	30	F	4/9/2021	4/9/2021	<p>This is a 30-year-old female with no significant past medical history who presents to RMC ED with complaints of acute onset headache and left-sided weakness shortly after receiving her first Pfizer COVID-19 vaccine today. Patient states that after the injection she immediately had a headache and several minutes later she developed left-sided numbness tingling and subsequent weakness. She was activated as a code stroke. CT head, CTA head and neck were unremarkable. Patient was evaluated neurology was thought that her symptoms are likely related to vaccine reaction as opposed to acute CVA she is not given TPA. Upon my assessment patient states that she continues to have left-sided weakness both her arm and her leg. She has decreased sensation on her left side. She is able to move her left extremities however she states that they feel heavy and weak. Patient was given Benadryl IV as well as famotidine in the ED. She will be given Solu-Medrol as well. Patient denies any history of any vaccine reactions in the past, to penicillin and seasonal allergies otherwise denies any sensitivities. Denies any history of autoimmune diseases. Patient denies any HA, dizziness, vision changes, chest pain, shortness of breath, abdominal pain, nausea, vomiting, diarrhea, fevers chills, dysuria.</p> <p>This is a 30-year-old female with no significant past medical history who presents to RMC ED with complaints of acute onset headache and left-sided weakness shortly after receiving her first Pfizer COVID-19 vaccine 4/9/21. Patient states that after the injection she immediately had a headache and several minutes later she developed left-sided numbness tingling and subsequent weakness. She was activated as a code stroke. CT head, CTA head and neck were unremarkable. Patient was evaluated neurology was thought that her symptoms are likely related to vaccine reaction as opposed to acute CVA she is not given TPA. Admitting physician felt she has decreased sensation on her left side. She is able to move her left extremities however she states that they feel heavy and weak. Patient was given Benadryl IV as well as famotidine in the ED. She will be given Solu-Medrol as well. Patient denies any history of any vaccine reactions in the past, to penicillin and seasonal allergies otherwise denies any sensitivities. Denies any history of autoimmune diseases. Pt has improved. She is able to move her LUE and LLE now. " Does not feel like</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							moving bricks " Her tingling has decreased and she is able to feel things again with her left hand and leg. Pt had c/o chest pain 4/11/21. Her trop have been neg. EKG neg. D-dimer within normal limits. Will give dose of mobic 7.5 mg. Will try lidoderm patches for pain. Pt will follow up with pcp in 1-2 weeks.
1201909	4/13/2021	UT	33	M	4/9/2021	4/10/2021	Saturday, 10 Apr 2021, 01:00AM MT: Woke up with substantial upper back pain and slight nausea. Took Alieve + hot 30min shower with water directed at upper back. Went to sleep at 04:00AM MT same morning. Sunday, 11 Apr 2021: Woke up with some degree of conjunctivitis (pink eye) in right eye. Eye was red and experienced pain due to sensitivity to light. No water or other discharge. Additionally, upper back discomfort still experienced. However, such went away with Tylenol. Monday, 12 Apr 2021: Some form of conjunctivitis continued in right eye. However, light sensitivity lessened greatly; eye minority affected by sunlight and no longer affected by indoor bright house lights. No water or other discharge. No back pain. Tuesday, 13 Apr 2021: Right eye is getting better. Eye is still somewhat red. No more pain due to light sensitivity. No water or other discharge. No back pain.
1201941	4/13/2021		50	F	3/30/2021	3/31/2021	After receiving the second dose of the Modernal vaccination I started experiencing severe headaches. These headaches continue 3 weeks later. Headaches described as sharp stabbing pain on the left side of my head with intermittent pressure above my eyes. I have been taking ibuprofen 800 mg every day since 3/31/2021. At times of headaches I experience dizziness, lightheadedness and at times feeling confused?

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1201951	4/13/2021	TX	70	F	4/7/2021	4/7/2021	She got the vaccine, and where she got the shot it turned red, about the size of two silver dollars, very sore. Right above that a very big red spot popped up. She had itching and bumps on her feet and then over her whole body. she had red spots and a rash on her stomach, and a big rash on her back and all over her face. She had diarrhea, headache, flu symptoms with aches all over her body. The aches went away except in her feet and her toes, it hurt to walk due to the toe pain. She still has the bumps and the itching, but took the Benadryl, but cannot take that as it gives her restless leg syndrome, and is now takin Claritin. She now has itching in her lips, has allergies in her eyes, She has not call her doctor. She talked to the person who gave her the shot and also Wal-Mart pharmacist who told her to take the Claritin. These symptoms have continued.
1201822	4/13/2021	UT	21	F	4/9/2021	4/10/2021	I had the typical soreness about 12 hours after the injection. No worries there. The next morning, on the 10th, around 11:40 AM, I started feeling extremely dizzy. The room started spinning. I was standing at the time, and I kept standing, but other than that, I had no control. My hearing starting going fuzzy, starting with ringing in my ears until it sounded like I was underwater. My vision started blurring, as well, eventually going completely black. For a solid 5-10 seconds, I could neither hear clearly nor see at all. I was conscious, because I could think relatively clearly, and I could feel my eyes blinking and could wiggle my fingers, but that was it. Once the episode passed, I immediately sat down. About a minute later, I started having excruciating abdominal pain. The pain was wracking my whole body, causing me to go pale (as I later saw once I could hobble to the bathroom) and making me sweat. After about twenty minutes, the whole thing passed and I was left with minor dizziness and slight nausea. Now, three days later, I still have some of the dizziness, but none of the blindness, deafness, or pain has returned. All other side effects, such as soreness, have completely left.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1201364	4/13/2021	GA	26	F	3/10/2021	3/10/2021	*Fever above 102 degrees and as high as 103.2 - utilized acetaminophen, ice packs and could get it down to 100 degrees *Sweating *Intense spells of extreme cold with shivers *Extreme fatigue *Sleepiness *Muscle aches *Generalized pain *Vomiting TREATMENT: Acetaminophen; Heating pad for aches and to warm self up; cold cloth for sweating; ice pack for fever; Slept alot; had mother (nurse) taking care of me - pushing fluids, BRAT diet and constant supervision for need to go to ER or PCP. Since mother is a RN we handled my symptoms at home. Symptoms continued for 3 days (I missed 2 days of work). Fever subsided on Day 3; other symptoms were milder day 4-10.
1201967	4/13/2021	TX	36	F	3/25/2021	4/9/2021	36 y.o. female referred for the above chief complaint. She has no significant medical history and presented with a headache that became severe 3 days ago. She received the Johnson and Johnson COVID vaccine on March 25th and had a mild headache following that which she attributed to the vaccine. 3 days ago the pain became excruciating and was associated with vomiting. This prompted presentation to the ED where she was treated with Dilaudid. She was discharged home and has been using her mom's headache cocktail with some transient relief. She presented back to the ED today with continued symptoms. MRV revealed a venous sinus thrombosis and neurology was therefore consulted. She has no history of clots personally or in the family. Her dad did have a stroke in his 50s. Patient otherwise denies any other associated speech change, vision change, extremity numbness, extremity weakness, coordination difficulty, or dizziness. Patient admitted to the neurology ICU and started on anticoagulation.
1201175	4/13/2021	VA	47	F	4/10/2021	4/10/2021	Janssen COVID-19 Vaccine EUA. I had a red spot appear in my left eye on 4/10. On 4/11 my fever increased to 101 and it felt as if I had a severe case of the flu. On 4/12 I felt fatigued, no fever. No appetite each day. 4/13 the injection site is still sore, red, and swollen.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1201211	4/13/2021	WI	60	M	4/9/2021	4/9/2021	Patient received Janssen COVID vaccine 4/9/21 around 9 am. Patient reported to emergency department around 10 pm that day (4/9)- says tongue began swelling since 7pm, he took a benadryl at 8pm with no improvement. Per ED physician, patient had "tremendous amount of tongue swelling, I am not even able to visualize the palate he has fullness to his left neck as well". Patient intubated in emergency room to protect airway. Patient admitted to ICU where he is still today (4/13). Per chart, the edema subsided on 4/12 and patient was extubated today (4/13). Patient received IV steroids from 4/9- 4/13 (discontinued this morning). Of note: patient does take lisinopril 20mg daily (start date July 2020). There is concern the angioedema was caused by this medication. Patient received tranexamic acid and Berinert in the emergency department to assist in treating this potential etiology.
1201212	4/13/2021	WA	52	F	3/14/2021	3/24/2021	on 3/24 I had a TIA with an intense heat pressure behind the right temple which resulted in complete numbness, heaviness, and tingling on my entire right side of the my body. I was transported by ambulance to the hospital. A CT and MRI was done, no signs of blood clots or stroke. I am still experiencing numbness and tingling in the right arm. Follow up appointments with the eye doctor indicate additional vision loss in the right eye with pressure behind the eye. I have a follow up appointment today with the neurologist for a brain scan and tomorrow for an eeg. My PCP, eye doctor, and neurologist believe it may be a blood flow issue. I have not had this type of event before.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1201255	4/13/2021	NJ	31	F	3/18/2021	3/19/2021	Pain in site of injection from the moment of injection. Pain/soreness in arm decreased with time, but was still able to feel a small amount of soreness up until 2-3 weeks. Vaccine was taken at 6:15pm, later that night after I had gone to bed I woke up with chills. In the morning, I tried to eat breakfast but immediately felt nauseous and began feeling really hot. I stood up to change into cooler clothes but the heat/nausea got worse and I began to lose my vision. I was about to faint, but felt immediately better once I lay down and elevated my legs. I had a temperature of 99F. Fever lasted a few hours (I took ibuprofen). I got a headache at around 11AM, but slept it off with a nap. By the end of the afternoon I was feeling much better, with the arm pain/soreness as my only remaining symptom.
1201293	4/13/2021	IN	65	F	3/16/2021	3/20/2021	03/16/21 - 1st Pfizer Vaccine 03/20/21 - Trouble with floaters in left eye 03/22/21 - Appointment with Optometrist - Floaters in both eyes & lens implant in right eye had slipped. Scheduled appointment with Dr. (Ophthalmologist) 03/29/21 - Appointment with Dr. - Confirmed floaters in both eyes and the lens in the right eye had slipped. Scheduled surgery for right eye on 04/20/21. 04/06/21 - 2nd COVID vaccination 04/10/21 - When I woke up, the floaters in my left eye were worse - eyesight in left eye was very poor 04/12/21 - Called Dr. office to report, but have not received a call back. 04/12/21 - Early evening, there was only a bit of light getting through to my left eye, so I went to bed. Ultimately, I am unable to see at all out of left eye.
1201298	4/13/2021	TN	19	F	4/8/2021	4/8/2021	Fever, chills, severe headache (between eyes). Severe pain with moving eyes. Symptoms lasted approximately 8 hours. Symptoms returned 10 hours after they diminished for another 8 hours.
1201312	4/13/2021	MO	32	F	3/11/2021	3/14/2021	Within 24 hours extreme fatigue, joint pain, overall body weakness. On the date of the adverse reaction noted, ice pick headaches in left eye. Multiple times a day for one week, and sporadic thereafter.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1201320	4/13/2021	IN	34	F	4/2/2021	4/2/2021	I received the vaccination 4/2/21 at 11am and at about 6pm the same day - I felt a sudden flush and felt like I was going to faint in the middle of Grocery store. Got very clammy and sweaty and weak - immediately left the store and started projectile vomiting outside the store and all night the first night. Had extremely joint/bone pain throughout my entire body for 4 days straight in bed, very weak, chills and night sweats, day 2 I had a little energy and drove about an hour and immediately started vomiting again for day 2-day 5. Day 5 I woke up with swollen eye lids and hands and thought it was an allergic reaction to something in my house so took benedryl, but didn't help. The swelling went down on day 6. I've had no energy and very foggy brain and been very down. My chest has felt like an anxiety attack 24/7 all week. I am on day 10 since the vaccination and my chest pain has increased. I still have foggy brain and been very out of it and weak still. I vomited day 1-day 5. Really bad pain in my hips and arm where I received the shot.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1201333	4/13/2021	MT	29	F	4/8/2021	4/9/2021	Headache (turned into a migraine), extremely drained of energy, lack of appetite, and felt off all day (4/9/21). The next morning (4/10/21) felt the same as the day before, however, had several episodes where I would get really light headed, dizzy, and nauseous. Went to Home Depot at 2:15pm (4/10) and while there my vision blurred and started to fade, I had ringing in my ears and couldn't hear out of the right and barely was able to hear out of the left. I got very nauseous and I couldn't breathe. I managed to sit on something and put my head between my legs that helped. Fortunately my step- dad was with me and helped me outside while I could barely see and hear and he stated I was very pale. I was having a hard time talking or being coherent. Once outside the symptoms slowly cleared over about the next 6-7 hours. At 4:45pm my mom decided to take me to the doctor but the walk in had just closed and I went to the ER. They stated I had elevated d-dimer and did a chest CT scan to check for blood clots around 7:30pm (I believe not sure exact time) doctor stated they came back clear but when asked if he suspected that the episode and symptoms were due to a dissipated blood clot he would not directly answer it. I overheard him dictating his notes and he stated he believed as such. I have never experienced anything like this before. I still felt drained, headache (migraine), occasionally dizzy, and lack of appetite (4/11/21, 4/12/21) and still currently feel the same drained, migraine, lack of appetite, and occasionally dizzy.
1201566	4/13/2021	OH	40	F	4/7/2021	4/8/2021	left shoulder was the injection site- very swollen, red, the size of a fist, hot to the touch, very sore- a lot of pain. Hot, cold, chills, extreme body aches, blinding head ache, loss of clear site in left eye, vomit, nausea, tired, loss of taste, sores on the inside of mouth.
1201351	4/13/2021	CA	26	F	4/7/2021	4/9/2021	20 mins after injection felt dizzy and face numbness. 12 hours after injection felt nausea, chills, fever, fatigue. Fatigue persisted for 36 hours. 48 hours after injection, face numbness returned and persisted for about 3 hours. Localization around the eyes and nose.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1201562	4/13/2021	NY	26	F	4/11/2021	4/11/2021	Vomiting, Blurred Vision, Hard time catching my breath, numbness in arms, chest pressure, ear pain, headache, muscle aches, fever, dizziness for about 3 hours starting at 11:00 p.m. Ambulance was called around 2:00 a.m. taken to Hospital Seen by MD tests: Imaging XR CHEST AP PORTABLE MD Apr 12, 2021 The result is abnormalLab CBC WITH PLATELET AND DIFFERENTIAL MD Apr 12, 2021 The result is abnormalLab COMPREHENSIVE METABOLIC PANEL MD Apr 12, 2021 Lab PT-PTT MD Apr 12, 2021 Lab TROPONIN MD Apr 12, 2021 Lab CKMB W/TOTAL CPK MD Apr 12, 2021 Lab P-NATRIURETIC PEPTIDE, MD Apr 12, 2021 The result is abnormalLab MAGNESIUM MD Apr 12, 2021 Lab ESTIMATED GLOMERULAR FILTRATION RA MD Apr 12, 2021 Lab SARS-CoV-2 RNA RT-HDA MD Apr 12, 2021 Lab POCT PERFORM URINE PREGNANCY MD Apr 12, 2021 Pt seen and examined. Workup ordered. IVB, zofran, pepcid, toradol 15mg iv ordered. Reassess. Magnesium 1.4. repletion ordered. covid19 -ve. Upon reevaluation, pt feels better. VSS. Pt is clinically stable for d/c from ER. D/c to home per d/c instructions Strict d/c instructions and parameters when to RTER d/w pt, all of which pt verbalized understanding and agreement.
1201402	4/13/2021		82	F	3/6/2021	3/20/2021	Patient received J and J vaccine . 2 weeks later had vision loss in both eyes. No light perception in the right and counting fingers in the left. Diagnosis is central retinal artery occlusion in both eyes. Work up for other causes are negative
1201442	4/13/2021	KY	42	U		4/3/2021	Blood clot in eye 4/3, did not seek medical attention for this.
1201448	4/13/2021	SC	23	M	4/5/2021	4/5/2021	Pt was noted to be sliding/falling out of chair to his right side. Patient appeared unresponsive. Pt was hoisted down to the floor (by this RN) and placed in Trendelenburg position. Pt's eyes were noted to be open with some snoring respiration sounds. Pt's facemask was removed. Pt then became arousable, confused about circumstances, and what had happened. Pt reports he believe he fell asleep in the chair. Pt was able to ambulate out of the facility without assistance after an appropriate amount of time. Patients vital signs were recorded during the event.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1201469	4/13/2021	NY	53	F	3/29/2021	3/29/2021	Started to have tremors within minutes of shot; observer made me go to EM as said I did;t look good/was very pale and noted shaking. EMT took BP which was high (I'm typically on lower end of average). Observed me for 45 minutes as BP came down to normal range and asked if wanted to go to hospital. Declined as had appointment later that day with my electrophysiologist at Hospital. As day went on, became increasingly tired and had bouts of uncontrollable shaking. Thought it would wear off so just went home to rest. On 3/31/21, BP was high again, tremors were getting worse, had leg weakness, double vision, brain fog, dropping things, loose stools, felt off. Went to Hospital and was admitted for 3 days. Neurologst, Dr., said it was due to Covid vaccine and NOT to get the second shot, and the hospital internist agreed (MRI of brain and cervical spine showed no new lesions). Wanted todo heart procedure but they are not my private cardio group so checked myself out and went to Hospital the next day (admitted 4/3-4/5/21)
1201512	4/13/2021	WY	28	F	3/27/2021	3/31/2021	The day of the injection I felt tired and a little sick but nothing major. The next two days I felt totally normal. On the 4th day after my injection (Wednesday, March 31st) I was lying down at 2PM because I was feeling strange. All of a sudden my feet and hands only got super cold, then cold and sweaty. I was lying with a heating pad and sat up to drink some water. I got super dizzy, couldn?t catch my vision. I tried to get up and walk to the door for some fresh air. Standing and walking felt like I was super drunk... couldn?t get my balance. That happened for about 30-45 minutes. I was super nervous as well with adrenaline pumping. I went to urgent care after about an hour and a half when I felt it was safe to drive. They didn?t know why that happened or what it was.
1201514	4/13/2021	MN	27	F	4/8/2021	4/8/2021	Eyes swelled shut with light sensitivity

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1201544	4/13/2021	VA	47	F	4/8/2021	4/8/2021	Woke next morning with swollen eyelids, pink skin, itchy/tingling sensation on left side of face, pain left arm/ache, pinching sensation in left side/middle of neck, fatigue. Eye swelling gone by end of day after taking shot. Have had continued lowered blood pressure, low pulse pressure, increased blood pooling in hands and feet, left leg pain (no swelling) behind the calf and upper inner thigh, left arm numbness that comes and goes particularly at inside wrist and top of shoulder front near armpit since the shot.
1201549	4/13/2021	TX	20	F	4/7/2021	4/7/2021	Patient has history of being scared of shots. She received shot and was fine so nurse turned and gave shot to mother. When she turned back around to check daughter her eyes fluttered and she slumped over in chair. She became diaphoretic and pale. Moved her to floor and called me to come help. Checked respirations and heart rate which were good. Applied cool cloth and ice pack. She stabilized quickly. Patient was given something to drink and remained in waiting area 15 minutes and then took her to her car and asked her to wait another 15minutes. Mom was driving. Patient may have reported also.
1201558	4/13/2021	OH	52	F	3/21/2021	3/21/2021	Headaches, joint pain, fever , vomiting, Chills, Shortness of breath, muscle pain, vision can't focus
1201143	4/13/2021	NY	45	F	4/9/2021	4/11/2021	This vaccine caused me to have a pretty bad hashimoto flare up. Severe tiredness. Achy all over and even tho I took eye drops as directed they were dry and Sandy feeling for a couple of days. I never stopped my meds prior to vaccine. My immunodeficiency did not require me to as it may in some other cases. Even today my left shoulder still has pain at site of injection.
1201350	4/13/2021	TX	40	F	1/8/2021	2/5/2021	Moderna COVID-19 vaccine EVA extremes migraines, Right side occipital cortex infraction, vision loss
1205541	4/13/2021	NY	31	F	3/31/2021	3/31/2021	Fever, chills, muscle aches - first 2 days Fatigue - first 3 days EYE PAIN - beginning about 3 days after vaccine and lasted 3-4 days. The last day of eye pain, it was more severe

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205131	4/13/2021	PA	70	F	3/22/2021	3/22/2021	distance vision loss began happening four days after being vaccinated; salivatory glands in mouth dried up, felt like sucking on lemons, nostrils became stuffed up. This was with in about ten minutes after vaccination was given.; salivatory glands in mouth dried up, felt like sucking on lemons, nostrils became stuffed up. This was with in about ten minutes after vaccination was given.; The initial spontaneous report information received from a contactable consumer (patient) on 23Mar2021 safety information received was reporting only non-serious adverse drug reactions. Upon receipt of follow-up information on 28Mar2021, this case now contains serious adverse reactions. A 70-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, formulation solution for injection and lot number: EP7534) via an unspecified route of administration to right arm on 22Mar2021 15:00 at single dose for COVID-19 immunization. Patient medical history included high blood pressure, lymes disease, dengue fever, artheritis, known allergies: bees, known allergies: mold, botox and known allergies: some meds. Concomitant medications included lisinopril, vitamins nos and ascorbic acid, thiamine hydrochloride (VITAMIN B AND C COMPLEX). On 22Mar2021 patient reported with salivatory glands in mouth dried up, felt like sucking on lemons, nostrils became stuffed up. This was within about ten minutes after vaccination was given. Patient took benadryl and was observed for 30 min for the events. On 26Mar2021 20:00 patient experienced with distance vision loss began happening four days after being vaccinated patient did not received any treatment for this event. Outcome of event Vision loss was not recovered and Recovered with sequel for other events. No further information is expected.
1205351	4/13/2021	FL	83	F	2/18/2021	2/18/2021	partial loss of vision , starting 7 p.m. vaccine admin 10:45 am , 2 hours loss on vision and ongoing distorted vision ,blurriness, heart palpitations
1205362	4/13/2021	IN	24	M	4/12/2021	4/13/2021	Headache, tiredness, sinus, body aches, eyes burning, sore

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205386	4/13/2021	IN	38	F	4/7/2021	4/8/2021	I have been having dizzy spells where I feel very off balance. I am not dizzy to the point where I can't walk straight but I am dizzy where my head feels like it is in a fog. It is hard to explain, the only ways I have been able to explain it are my head is in a fog, or if you put your contacts in the wrong eyes and how things are blurry and off center. I have also described it as feeling like the items like people in front of me seem closer to me and the background is further away, almost like they are obviously separate from each other. Another way I have described it feels like I am standing in the room but not really there, it is a very weird feeling and it comes and goes. Sometimes it will last a few seconds other times a few minutes and one time longer than ten minutes. The light makes it worse and loud noises and lots of commotion make it worse as well.
1205388	4/13/2021	NY	40	F	4/8/2021	4/8/2021	Pt states she recieved the Johnson and Johnson vaccine on 4/8 and started have L sided pain from her shoulder to her foot, nubness in her L hand, vision is blurry, and "feels like her blood isn't circultaing correctly". pt states she tried to take bayer aspirin today and felt some tingling in her L hand.
1205389	4/13/2021	FL	51	M	3/20/2021	3/21/2021	Severe Nausea, burning eyes, dizziness, headache, body ache, diarrhea, fatigue. I took my husband to ER on day 5. He was given nausea meds, eye drops and anti-diarrhea meds. I also treated him with an Aleve/Tylenol regimen.
1205458	4/13/2021	AL	32	F	4/12/2021	4/12/2021	Hours after getting the vaccination she started feeling lethargic. Her symptoms increased over time, she developed a headache that became more severe. She had blurred vision which made her walk into a wall

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205463	4/13/2021	CA	37	M	4/13/2021	4/13/2021	client complained of dizziness after receiving 1st Pfizer Covid Vaccine (lot#EW0161 Exp. 4/17/21). Client alerted EMT he was feeling dizzy, nauseous, and sweaty. PHN and PHN joined EMT. Upon arrival client was sitting on chair, pale, diaphoretic, holding emesis bag. Alert and oriented. Client stated had been sitting approximately 13 mins when he started feeling tingling sensation to both arms below elbow, dizziness, nausea, and chills. Client denied chest pain, shortness of breath, headache or blurry vision. Vitals 1515: blood pressure: 132/90, pulse 60. Client transferred to gravity chair and given water. 1521 client stated tingling sensation was improving, chills were improving, and nausea had resolved. Medical history: sleep apnea. Medications: for gastritis, name not available, per client has not taken in a couple weeks. Vitals 1523: blood pressure: 130/84, pulse 68. Skin color improving, per client dizziness, chills, nausea all resolved. 1530 client stated tingling sensation had resolved. PHN slowly began to reposition client back to a straight chair position. Vitals 1532: blood pressure 132/85, pulse 60. No complaints, everything resolved. Client back in straight sitting position without complaints. Client advised to speak to provider prior to second dose. Last vitals at 1543: blood pressure 130/84, pulse 60. Per client feeling fine, ready to leave. Able to stand up with no dizziness. ER precautions given. Client left facility with steady gait at 1546.
1205502	4/13/2021	CO	33	F	4/8/2021	4/8/2021	Head aches, chills, joint pain in neck and hip, blurred vision, change in taste and smell



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205333	4/13/2021	HI	42	M	4/13/2021	4/13/2021	Participant fell off chair on his right side at 11:04 AM. He hit his right temple area. He fainted without warning. He has an abrasion on his right temple and left knee. Syncope episode lasted between 15 seconds. He responded to voice. Vital signs were taken immediately and were stable 118/60 pulse 80 respirations 18 chest clear temperature 97, O2 sat was 98% at 11:04 AM. Participant was accompanied by his partner. He denies blurry vision headache or nausea vomiting his skin was clammy and cool pale in color he has a history of fainting. He denied other health conditions. His blood pressure at 11:24 was 120/90 pulse 71 respirations 16 breath sounds clear temperature 97.3 and O2 sat was 99% His vital signs at 11:39 were 119/75 pulse 72 respirations 16 breath sounds clear 97.5 temperature. he was alert and oriented once he recovered from his fainting. We placed a participant flat on the ground allowed him to rest until he felt able to sit up. We dressed his abrasions in right temple and left knee, monitored his vital signs which were stable. participant drank water and Powerade. he declined a snack he rested in cot when able to be moved. we informed to notify his primary care doctor of the fall and inform to tell vaccinator he has a history of fainting when he comes back for vaccine number two. he was accompanied By his partner off the premises once he felt better was able to ambulate safely his partner will drive him home his vital signs were stable
1205535	4/13/2021	CA	59	F	3/18/2021	3/20/2021	Dizziness lasting 4 weeks (and still ongoing). Visual tracking connected to dizziness. Lightheaded. Pain in neck (on side of injection) lasting 4 weeks past injection.
1205324	4/13/2021	MN	27	M	4/1/2021	4/13/2021	Chills, sweats, eye puffy, headache, sore, fatigue, foggy headed
1205574	4/13/2021	NM	40	M	4/6/2021	4/6/2021	Rash, headache, body ache, fever, sweats, diarrhea, dizziness, blurred vision

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1205589	4/13/2021	NY	20	M	4/9/2021	4/11/2021	Fri 4/9/2021- Immediately upon receipt of vaccine, reported prickliness of soft palate and ?heaviness in throat?. Was observed for ~ one hour due to these symptoms q 10 assessments of vital signs, all of which remained normal at each measurement (100/60, o2 sat 97-99%, RR 12/min, HR 66). Provided with water to drink. Later that day (fri 4/9) ? c/o of headache, tiredness, chills, low gr temp (100.5). No resp c/o. no body aches. Sat- 4/10- slept most of day. Drank fluids (water, soup), nml urine. Began advil 400 mg bid-tid. When awake, c/o Persistent headache, Sun 4/11- c/o persistent headache, now with pain behind his eyes, and photophobia. No blurred vision. Denied sinus pain, nasal d/c or any visual changes. Applied cold spoons to his eyes with minimal relief. No sinus, nasal, or visual c/o. Continued motrin 200 mg po bid-tid. Mon 4/12- vaccine symptoms abating, eating normally, still tired and with HA (unchanged) and eye pain (unchanged). Noted eye worse when looking t upper and lower extreme corners of visual fields. No sinus, nasal, or visual c/o, EOM intact but w/ pain when looking at superior and lateral fields (r&L). (said this optic complaint was true all along, but only at this point was able to describe it). Tues 4/13- Because of the unusualness of complaint and the "J&J Pause", patient given given 1 adult aspirin & evaluated by (optometrist). Exam (including dilation) Nml optometric exam ( normal visual fields, visual acuity, color vision, eye pressures (14 bilateral); normal range of extra ocular movements, though pain reproduced at the extreme corners of the visual field; normal vessels and discs; NO evidence of optic neuritis)
1205613	4/13/2021	OH	23	F	4/11/2021	4/13/2021	The patient called today complaining of visual disturbances two days after receiving the Janssen COVID-19 vaccine. She did not have headache or other symptoms corresponding with the visual disturbances. I advised her to contact her primary care dr to assess the need for further evaluation or to go to the urgent care/ER if her symptoms worsened.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205617	4/13/2021	FL	32	M	4/13/2021	4/13/2021	Patient received Pfizer vaccine at 1445, patient walked over to the observation area at 1450 and stated he was not feeling well. Nurse noticed the patient was staring off and stopped responding to verbal cues. Patient placed in chair and blood pressure taken, 142/79. Sternal rub performed, no reaction from patient. Palpable pulse felt bilaterally. After 10-12 seconds patient opened his eyes and stated he felt weird. RN asked patient his name and date of birth, both questions were answered appropriately. RN noticed the patient clinched his eyes shut and stopped talking, after about 10-12 more seconds patient opened his eyes and stated he was still feeling weird. Patient placed in wheelchair and taken to infirmary with Sheriff Officer.
1205626	4/13/2021	NJ	28	F	4/5/2021	4/5/2021	After the vaccination was given the patient started to wait her 15 minutes. After 5 minutes of waiting the patient slumped over and passed out onto the floor. Her color was very pale and her eyes were rolling in the back of her head. She regained consciousness but her color was still poor and we called and ambulance because she was still feeling faint. The EMT's immediately took her blood pressure and it was extremely low. She acknowledged that she did not eat or drink anything at all that morning. The EMT's recommended she go to the hospital but she refused. After 30 minutes with emergency personnel she felt better and well enough to leave with her family member who was with her.
1205627	4/13/2021	NJ	63	M	3/12/2021	3/25/2021	Janssen shot on Mar 12, 2021. On Mar 25,2021 at 10 AM, I woke up with a headache, sore joints, nausea. Also blurry vision and inability to read words on a page. Sensing something wrong, my sister drove me to emergency room at Hospital where I was admitted. I was later told I suffered a stroke. I was in the hospital for 5 days, receiving various tests. (Hospital has all info on record). I am awaiting surgery to remove blockage from carotid artery. Doctor has all my information and should be reporting the event also to VAERS.
1205631	4/13/2021	NJ	45	F	4/2/2021	4/5/2021	Right lower eye lid twitching. Non stop for 2 weeks now.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205639	4/13/2021	UT	62	F	3/5/2021	3/7/2021	3-7-2021 woke up with double vision. Possible stroke 3-13-21 headache, nausea, left side numbness and tingling. 3-17-2021 ER visit to Hospital ER. Bloodwork, ekg, chest xray, ct scan, MRI w/contrast. All test negative. Saw Dr. at Eye Center 3-17-2021. After examination determined estropia in both eyes w/ mild CNVI of left eye. No specialty send to Dr. Neuro-Opt 4-7-21. After examination determine stroke in CNVI (crainal nerve 6 attaching to the brain in region 8 on left side) Possible 3 months improvement and hopefully gone in 6 months and if not will not go away and further testing at that time.
1205648	4/13/2021	TX	45	F	4/13/2021	4/13/2021	as soon as patient began to walk to the observation area immediately after vaccine administration, she says she felt a heat rush to her head (especially the back of her head)and felt dizzy as if the room were spinning and had blurry vision. she stated that her father had recently passed away and she was anxious, depressed and very nervous and trembled a lot when she cried. she said her left arm had been trembling so we decided to inject on the right arm. we did place a cool pack in the back of her neck and we monitored her for an hour. when she felt better, i walked a distance with her to see if she was alright and she said she felt better. her daughters were with her and left with her. i told her to go to ER if she got worse during the night (she does not have a primary care dr).
1205652	4/13/2021	CA	32	F	4/13/2021	4/13/2021	During vaccine observation period, patient reports "heaviness of legs" and vision difficulties RN. RN instructed to put patients seat back to rest and removed patient's seatbelt. Patient began to convulse and was unresponsive to verbal stimuli for <1 min. EMS was immediately called and arrived shortly after. EMS assessed the patient who was AO x 4 after encounter with EMS. EMS plan of care is have her take uber/lyft home. Arrangements are made to pick car up next day at vaccination site. Patient left without further incident.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205525	4/13/2021	VA	27	M	4/13/2021	4/13/2021	Patient walked to waiting area and when he sat down he fainted, hit his head, and started having seizure-like activity (jerky, twitchy). Patient was down about 15 seconds and when he sat back down his blood pressure was 74/48 and his vision was black. Called EMT, patient refused to go with EMT, because he felt better after 30 minutes of sitting
1205199	4/13/2021	CA	73	F	3/28/2021	3/29/2021	ischemic stroke; vision changes; When looking up her vision was blurry & unclear; fuzzy; This is a spontaneous report from a contactable consumer (Patient) reporting on herself. A 73-year-old female patient received BNT162B2 (Pfizer BioNTech Covid 19 vaccine, Solution for injection, Lot no: ER0734) on unspecified route of administration on right arm (at the age of 73-year-old) as SINGLE DOSE on 28Mar2021 (between 14:30-15:00) for covid-19 immunization. There were no prior vaccinations within 4 weeks reported. The patient's relevant medical history included ischemic stroke, breast cancer, lymphedema in left arm and tendonitis in her right arm. The patient's concomitant medications were not reported. On 29Mar2021, the patient experienced vision changes. Upon follow-up (30Mar2021); When looking up her vision was blurry & unclear and the symptoms lasted for around one-two hours. On 29Mar2021, the patient looked at the clock on top (about 10' away), all the numbers were fuzzy. The patient said the numbers on the clock were 1 in height & she couldn't read them & her vision was very fuzzy. The fuzzy vision lasted approximately between 1-1/2 to 2 hours. It was reported that the patient vision recovered completely 1-1/2 to 2 hours afterwards. On an unknown date, the patient had ischemic stroke. The outcome of the events ischemic stroke, vision changes and vision blurred was unknown Follow up was needed, further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205132	4/13/2021	NJ	44	M	3/3/2021	3/4/2021	Intermittent facial palsy on left cheek, about one inch below the eye; This is a spontaneous report received from a contactable consumer (patient). A 44-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot number EN6205), via an unspecified route of administration in the left arm on 03Mar2021 16:00 (at the age of 44-years-old) at single dose and second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot number EB8727), via an unknown route, in the left arm on 25Mar2021 08:00 (at the age of 44-years-old) at single dose for COVID-19 immunization. Medical history included Slight gluten interance. Concomitant medications were not reported. The patient experienced Intermittent facial palsy on left cheek, about one inch below the eye on 04Mar2021 and intensified after second dose. Therapeutic measures were taken as a result of event are not reported. Treatment received was reported as no. The outcome of the event was not recovered.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205134	4/13/2021		61	M	3/22/2021	3/1/2021	<p>Bell's palsy/eyes droopy; annoying headache 3-4 days; This is a spontaneous report from a contactable consumer (patient, self-reported). A 61-year-old male patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, formulation: Solution for injection, lot number and expiry dates were not provided) via unknown route, on 22Mar2021 (last Monday) as a single dose for COVID-19 immunisation. Patient's medical history included Bell's palsy. Concomitant medications were not reported. Historical vaccine included first dose of BNT162B2 (PFIZER-BIONTEC COVID-19 mRNA VACCINE, Lot number and expiry dates were not reported) for COVID-19 immunisation. Patient stated that patient received COVID-19 Vaccine second dose last Monday, (22Mar2021). He had started with annoying headaches for 3-4 days. On Friday (26Mar2021), had lost control with talking, eyes were droopy etc. Patient mentioned that he had Bells palsy once before, and that now got it again. Patient asked if it would be possible that the vaccine caused the disease?. He mentioned that the hospital gave him Prednisone and Valtrex. Seriousness of the events was considered as hospitalization. Outcome of the events was unknown. Information on about lot/batch number has been requested. Follow-up attempts are completed. No further information is expected.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205164	4/13/2021	VA	63	M	3/27/2021	3/29/2021	<p>Within about 12 hours after taking the vaccine a capillary in the white part of my eye burst and the left side of my left eye was/is bloody; It's been about 2 days and for the first day and a half I experienced the normal flu like symptoms.; dazed; when I leaned back to put eye drops in eye I lost my balance a little which does not normally happen; This is a spontaneous report from a contactable consumer (patient). A 63-year-old male patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number: EP7534), via an unspecified route of administration, administered in left arm on 27Mar2021 14:30 at single dose for COVID-19 immunisation. The patient's medical history included asthma, prediabetic, low thyroid, overweight but not obese, and capillary in the white part of his eye burst (right eye) about 4 months ago. The patient's concomitant medications included alprazolam (XANAX), colecalciferol (VITAMIN D), montelukast sodium (SINGULAIR), and levothyroxine sodium (SYNTHROID). The patient previously took cryproheptadine hydrochloride (CYPRO) and had known allergies. The patient also previously took the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on an unspecified date for COVID-19 immunisation. The patient had no COVID prior to vaccination and has not been tested for COVID post-vaccination. The vaccine facility type was Public Health Department. The patient has no other vaccine in four weeks. On 29Mar2021 at 14:00, it's been about 2 days and for the first day and a half, the patient experienced the normal flu like symptoms. Now after about two days (29Mar2021 at 14:00), he feel just a little out of it, dazed. Also when he leaned back to put eye drops in his eye, he lost his balance a little which does not normally happen. Also within about 12 hours after taking the vaccine, a capillary in the white part of his eye burst and the left side of his left eye was bloody. No treatment was received for the events. The outcome of the events were not recovered.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205165	4/13/2021	PA	55	F	3/27/2021	3/28/2021	When she was able to fall asleep she woke biting my tongue like a seizure; Severe left arm and shoulder pain; Severe left arm and shoulder pain; Fever that gradually went higher to 103.7; Severe headache; Jaw pain; Blurred vision; Tired; Sweaty; This is a spontaneous report from a contactable consumer. A 55-year-old female patient received her second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot Number: EP6955), via an unspecified route of administration, administered in Arm Left on 27Mar2021 15:00 as SINGLE DOSE for covid-19 immunisation. Medical history included Known allergies: Sulfa's and sulfurs, Unknown blood clotting disorder, Arnold chiari malformation syndrome, sinusitis. Concomitant medication included apixaban (ELIQUIS) taken for Unknown blood clotting disorder. The patient received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot Number: EP6199) on 06Mar2021, 04:00AM on left arm for covid-19 immunisation (55 years old). On 28Mar2021, 04:00, the patient stated that she had severe left arm and shoulder pain, fever that gradually went higher to 103.7 then a day later the fever went down. Severe headache with jaw pain, blurred vision. When she was able to fall asleep she woke biting my tongue like a seizure. Currently she is tired and sweaty, fever has gone, arm pain gone within a day and a half. Therapeutic measures were taken as a result of all the events included At home pain and fever medicine. The patient was not pregnant. Outcome of the events pain in arm and fever was recovered on an unspecified date while outcome of the remaining events was recovering.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205167	4/13/2021	CA	68	M	2/13/2021	3/20/2021	Bell's Palsy; This is a spontaneous report from a contactable consumer (patient). A 68-year-old male patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EM9809), via an unspecified route of administration in the left arm, on 13Feb2021 15:00, as single dose, for COVID-19 immunisation. Medical history included asthma. The patient was not diagnosed with COVID-19 prior to vaccination. Concomitant medications included formoterol fumarate, mometasone furoate (DULERA); and morniflumate (FLOMAX), both taken for unspecified indications, start and stop dates were not reported. Historical vaccine included the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL9262) received at age 68 years, via an unspecified route of administration in the left arm, on 23Jan2021, for COVID-19 immunisation. The patient received other vaccines (unspecified) within 4 weeks prior to BNT162B2. On 20Mar2021 at 09:00, the patient developed compromised taste sensations, could not form a tight seal around mouth, was spilling fluids from right side, and could not close right eye. He was diagnosed with Bell's Palsy. The event resulted to physician office visit. Treatment for the event included unspecified anti-viral tablets (as reported). Laboratory test include COVID-19 PCR test which was negative on 23Feb2021. The outcome of the event was not recovered. No follow up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205179	4/13/2021	OH	78	F	3/17/2021	3/1/2021	<p>passed out for a very short period of time; was awakened by total body shaking and it was not just shivers but was uncontrollable shaking; her body felt warm but then she was freezing; her body felt warm but then she was freezing; was sick and was different and very weak; muscles were sore; This is a spontaneous report from a contactable consumer. A 78-year-old female patient received the second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE)), via an unspecified route of administration, administered in the left arm on 17Mar2021 12:10 (Batch/Lot Number: EN6207; Expiration Date: 31May2021) as a single dose for covid-19 immunization. The patient's medical history was not reported. There were no concomitant medications. The patient received her first dose of the Pfizer BioNTech COVID19 vaccine on 23Feb2021 (lot number: EN6198 with expiry date 31May2021) for Covid-19 immunization. The patient experienced passed out for a very short period of time and awakened by total body shaking and it was not just shivers but was uncontrollable shaking on 18Mar2021; her body felt warm but then she was freezing, she was sick and was different and very weak, and muscles were sore in Mar2021. It was further reported that the patient got the 2nd dose of the Pfizer BioNTech vaccine that day on 17Mar2021 and about 12:45am or 1:30am the next morning she was awakened by total body shaking and it was not just shivers but was uncontrollable shaking; the shaking has resolved completely but she is not sure when it resolved but she was shaking for a good while because she can remember being so uncomfortable with her body moving so much which went on for maybe 20 minutes or so when her husband woke up. Patient's husband then woke up and got Ibuprofen and gave it to her and that stopped the shaking which surprised her and she did not know the Ibuprofen would work to stop the shaking that well and the Ibuprofen did work in stopping the shaking. The Ibuprofen stopped the shaking and she can remember to touch her body felt warm but then she was freezing and she does not know what this means but this was not ongoing and resolved when her husband gave her the ibuprofen and she stopped shaking right away which always amazed her that the Ibuprofen worked. She stated fortunately the Ibuprofen stopped her from shaking and she was able to sleep until early morning when she</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

woke up and knew she was sick and was different and very weak; states the weakness was not ongoing and the approximate time the weakness resolved was unknown but she was down the rest of the day and after that she passed out for a very short period of time and held her head up and stood up and thought wow something was going on and asked where was this coming from and it was not nausea but she was just weak. She has not passed out for a huge amount of time but fortunately she had some towels laying close by and was able to use a towel; states after that she stopped for the rest of the day and only got up to go to the potty and was just so weak and heard that from many people that they just slept afterwards. Caller states her muscles were sore and she realized that was just normal and after the 2nd dose of the vaccine she knew her muscles would probably be sore and this was resolved. She came downstairs and was sitting on a chair and then stood and no longer sat in the chair and her husband knew things were not right with her and her eyes looked funny and she passed out and that never happened to her before and she was passed out for a few moments. Other than the Ibuprofen she did not have treatment and did not go to the emergency room or the HCP office. Patient only took one Ibuprofen and she has a very small body and her husband sometimes takes 2-3 Ibuprofen and she thinks wow that is so many but she herself does not have any medication and she just took one Ibuprofen and it worked; She took the Ibuprofen on 18Mar2021 in the early morning. Fortunately she was in good health. Outcome of the event passed out for a very short period of time, was awakened by total body shaking and it was not just shivers but was uncontrollable shaking and muscles were sore was recovered in Mar2021, and unknown outcome for the remaining events.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205181	4/13/2021	IL	48	F	3/23/2021	3/24/2021	mini stroke; having vision issues; having vision issues, she could not focus and started seeing flashing that was moving from right to left in both eyes; having vision issues, she could not focus and started seeing flashing that was moving from right to left in both eyes; This is a spontaneous report from a contactable consumer (patient). This 48-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration, administered in arm left on 23Mar2021 (Batch/Lot number was not reported) as a single dose for COVID-19 immunization. The patient received the first dose on 02Mar2021 12:15 on the left arm. The patient medical history was not reported. Concomitant medication included ethinylestradiol, etonogestrel (NUVARING) for birth control. The patient previously took erythromycin and experienced allergies. Patient is not pregnant at the time of vaccination. Patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was not diagnosed with COVID-19 prior to vaccination. Patient has not been tested for COVID-19 since the vaccination. On 24Mar2021 8:15, patient started having vision issues, she could not focus and started seeing flashing that was moving from right to left in both eyes, this lasted for about 45 min. Her doctor had the patient go to the ER where they did a CT scan thinking of possible mini stroke, no signs of that scan came back clear. AE resulted in emergency room/department or urgent care. No treatment received for the adverse events. Patient recovered from the events on 24Mar2021 09:00. No follow-up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205182	4/13/2021	WI	68	F	1/12/2021	1/12/2021	full-blown narrow angle glaucoma/ she had narrow angle glaucoma before/had not had any attacks and was not on any medication for it previously; full-blown narrow angle glaucoma/ she had narrow angle glaucoma before/had not had any attacks and was not on any medication for it previously; Hands and wrist got red and itchy; Hands and wrist got red and itchy/ Back of right leg was itchy; Back of right leg was itchy and had a couple of bumps; This is a spontaneous from a contactable nurse (patient). A 68-year-old female patient received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL3248) at the age of 68-years-old, intramuscular in left arm on 12Jan2021 at 08:40 at single dose for COVID-19 immunization and paracetamol (ARTHRITIS PAIN RELIEVER ACETAMINOPHEN, lot number: 9ER0473, expiration date: Mar2021), via an unspecified route of administration from an unspecified date at an unspecified dose and frequency for an unspecified indication. Medical history included narrow-angle glaucoma; arthritis probably on 2000 in which she had both knees replaced in 2016, she has had different issues with arthritis since then; and hypertension. The patient has no known allergies. Concomitant medications included lisinopril for hypertension and naproxen sodium (ALEVE). No additional vaccines were administered on the same date as BNT162B2. The patient received a flu shot on Dec2020. She experienced worst arm pain from the newer pneumonia shot. She thought it was the Pevnar. The older one she did not have. On 12Jan2021 at 18:00, about 8 hours after vaccination (as reported) which was administered in a hospital, the patient experienced a full-blown narrow angle glaucoma. She was told that she had narrow angle glaucoma before. She saw a doctor prior to this though, back in Nov2020, for a routine visit and everything was normal. She had not had any attacks and was not on any medication for it previously. That night of the vaccine, she had rainbow colored halos around both eyes. She called her ophthalmologist and spoke to the doctor who was on call that night. He wanted to see her the next morning. Her pressures were a little high and they started her on drops. She then saw her regular ophthalmologist that afternoon. She had been seeing him every 4 months for the narrow angle glaucoma previously and had been fine since her last visit in Nov2020. It seemed like a

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

coincidence. She reported since she knew it would take a while for all of the data to come back and she has not gotten the second one. The specialist said it could be triggered from the vaccine. Name of the drops she put on was Alphagan P. She no longer has it. She believed it was 1%, one drop in each eye, twice daily. She was taking a sample of that and currently, was taking generic Brimonidine 0.2% ophthalmic solution, 5mL, one drop in each eye twice daily. The patient was also on pilocarpine hcl. She went to an institute for a specialist. Nobody saw if there was anything in the literature. She reported to VAERS. She was calling to see if Pfizer has heard if there were any other cases. Someone did call her back and she tried to search the data base. She was not very tech savvy. She has not had any problems. Nothing like that before hand. No problem since then. She has no known allergies. The only other thing was weird was that on 12Jan2021 at 16:00, 6-8 hours later (as reported), both her hands and wrist got red and itchy, to the point she went outside and stuck them in a snow bank. She did not have an anaphylactic reaction. She then said maybe some transient itching in other places and mentioned some bumps on the back of her right leg that were itchy. She did not know if it was worthy of reporting. She used to be 5 feet. She shrunk and it occurred before the vaccine. It was age related. The next dose, she may get the Johnson and Johnson, something that does not have the MRNA in it. She did not have to go to the hospital, but saw 3 different doctors for appointments for glaucoma. She needed significant intervention based on that. It was the beginning of using eye drops, which she never had. When she went to bed, she still had the halo's and when she woke up, they were gone. So, they went away on their own some time during the night. Her pressures were still elevated in her eye though compared to normal. When she went in at 08:00, the visual check was not as good as it normally was. She did not know, but guesses she was 20/40 and normally was about 20/25. It just wasn't as good as it was prior. Now it was back to 20/25. She mentioned that she takes some over the counter stuff and lisinopril for blood pressure. She took ALEVE afterwards but she takes Aleve every day. About 4 pm, she also took TYLENOL. She could not take antihistamines or decongestant because they could trigger. She was looking at the vaccine to see if there

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

was an ingredient that could have caused it and she did not find anything. She wanted to make sure the TYLENOL did not cause it. She was just looking at other variables. That was the one thing that was not normal to her. She was just trying to figure it out. She almost never takes TYLENOL and may have gotten rid of it. She then clarified that it was generic, ARTHRITIS PAIN RELIEVER ACETAMINOPHEN. She only took one. Once you think you are itchy, then everything is itchy. She used a mirror to see the back of her leg and was able to see her hands. She did not see any other bumps or redness though. She did not do anything about itchiness or redness. It got her attention, but she did not talk to any doctor about it. It went away. When it happened, she was concerned. She did not know how to characterize it. Somewhere between not serious and medically significant. She did not seek treatment for it. She was unable to confirm seriousness of bumps on her leg as well but mentioned that it went away. She was unable to determine if it was going to get worse. She could not take BENADRYL because of her eyes. She could not even treat it and take an antihistamine. The action taken in response to the events for paracetamol was unknown. The outcome of the events was recovered on an unspecified date in 2021. The events "angle full-blown narrow angle glaucoma/ she had narrow angle glaucoma before/had not had any attacks and was not on any medication for it previously", "Hands and wrist got red and itchy", and "Hands and wrist got red and itchy/ Back of right leg was itchy" were assessed as serious medically significant.; Sender's Comments: Based on the close temporal relationship, the association between the events "angle closure glaucoma aggravation, erythema, and pruritus" with BNT162b2 can not be fully excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205183	4/13/2021	MI	53	U	3/1/2021	3/23/2021	Bells Palsy; This is a spontaneous report from a contactable consumer (patient). A 53-years-old patient of an unspecified gender received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), dose 1 via an unspecified route of administration, administered in Arm Left in Mar2021 (Lot Number: EN6205; expiration date unknown), age at vaccination of 53-years-old, as single dose for covid-19 immunisation. The patient medical history and concomitant medications were not reported. On 23Mar2021, the patient experienced tingling on right side, drooping on right side, unable to blink right eye, bells palsy was diagnosed. Events resulted in Emergency room/department or urgent care. Therapeutic measures were taken as a result of the events and included administration of antibiotics. Facility type Vaccine: Public Health Clinic/Veterans; no other vaccine in four weeks, no other medications in two weeks; no Covid prior vaccination and patient was not Covid tested post vaccination. The patient had not recovered from the events.
1205337	4/13/2021	CO	63	F	3/24/2021	3/27/2021	real bad headaches at front of head and shooting pain in to eyes and back of head and neck area .They started 2 days after getting the first shot.Now I have them every day and they linger all day long.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205195	4/13/2021	MA	51	F	3/29/2021	3/29/2021	I was brought to the hospital by the ambulance because my throat swelled up.; eyes are tired; My body is itchy and feel like crap; My body is itchy and feel like crap; she's allergic to the Covid 19 vaccine; I was wheezing within 10 minutes after receiving the first dose of the vaccine.; This is a spontaneous report from a contactable consumer (patient). This 51-year-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, Lot/Batch number: ER8732 and expiry date: 31Jul2021) via an unspecified route of administration in left arm on 29Mar2021 at single dose for covid-19 immunisation. Medical history included Multiple sclerosis (from 1996 to ongoing), 2006-2007, it was because of an MS drug (Interferon (receiving 3 times a week)), it gave her mild cardiomyopathy. She just stopped taking another treatment for multiple sclerosis called Mavenclad. Mavenclad is a chemotherapy drug. She received her first dose in Oct2020, she took Mavenclad for 5 days. Then in Nov2020 she started taking the Mavenclad again for 5 days. She doesn't restart the Mavenclad again until Oct2021. She reports the Mavenclad takes the B and T cells out of her bone marrow. When she has the next dose of Mavenclad, the B and T cells will be depleted again and when the B and T cells come back they are "tricked" so they won't attack her body. Her hair fell out in clumps with the Mavenclad and her throat swelled too. She would really like a haircut to fix her hair. She premedicated prior to receiving the Mavenclad. She reports she was premedicated for 3 days prior and the day she received the Mavenclad, with Benadryl. Within 15 to 20 minutes of taking the Mavenclad she had a reaction. Concomitant medications included vitamin b12 (about a year) for vitamin b12 deficiency and vitamin d (10-15 years) with calcium for Vitamin D deficiency. On 29Mar2021 within 10 minutes after receiving first dose her throat swelled up. The next thing she knows is people are all around her, she's on a gurney and she's going to the hospital in an ambulance. She would say she's allergic to the Covid 19 vaccine. In the emergency department she had to have an IV with all kinds of medications. Yesterday in the emergency department the doctor wanted to give her an epi pen. She told the doctor she didn't want to have the epi pen. In her IV in the emergency department she received Solu-Medrol,

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

Benadryl (as needed), and Famotidine (20mg twice a day 10 days). She was prescribed Prednisone 20mg tablets, take 3 tablets orally every day for 5 days. She also reports she is allergic to egg whites, not deathly allergic. She can eat a hardboiled egg but she has to take Benadryl because her throat will start to close up. She can eat scrambled eggs just fine because the eggs are cooked different. The emergency room was watching her because if she didn't improve, they were going to give her the epinephrine. She started to improve, and she was thankful. She was afraid something else could have happened to her and her husband was in the parking lot and wouldn't have known. She's not sure how many hours she spent in the emergency room. She was not admitted to the hospital; she was discharged from the emergency room. Now she's taking medication for the next 5-10 days. She's not shocked, with her history and her reactions to medications. She didn't really think an allergic reaction was going to happen because the Covid 19 vaccine is not a live vaccine or anything like that. She's not going to look online for allergic reaction information because her eyes are tired. She's been up since 1:30 AM because of all the steroids she's on. On 30Mar2021, her whole body is itchy. She's taking Benadryl and the Benadryl has helped. The itchy feeling is moving on to different parts of her body. She had the swine flu when it came out and it was hellacious. She feels like Covid is much worse and she she believes in science. She knows Covid 19 isn't made up. She's all for the Covid 19 vaccine. Give her the Covid 19 vaccine so she can move on. She reports everyone in her family got the vaccine, and they were all fine besides aches and pains. When probing for specific information regarding the caller's family members, she reports her daughter, who is in nursing school had the Covid 19 vaccine. After her daughter's first Covid 19 vaccine, she had a sore arm that night and she was really tired. The next day her daughter felt a little lightheaded and she felt like she had flu symptoms. She had some body aches. Then under her daughter's armpit where her lymph nodes are were swollen. By the third day her daughter felt better. She was totally fine. She thinks her daughter may have reported her experience online. The outcome of event eyes are tired and I was wheezing within 10 minutes after receiving the first dose of the vaccine was unknown, the

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							outcome of event My body is itchy and feel like crap, My body is itchy and feel like crap and she's allergic to the Covid 19 vaccine was not recovered where the patient recovering from the event I was brought to the hospital by the ambulance because my throat swelled up.
1205672	4/13/2021		63	M	4/1/2021	4/4/2021	Left side of face became numb, almost like a Bell's Palsy, or like having a novocaine shot at the dentist's office. I was however able to close my eyes properly, wiggle eyebrows, blink, mouth was not drooped.
1205214	4/13/2021	MD	53	M	3/3/2021	3/18/2021	developped a right eye bleed, 75% of my eye was covered with blood; developed a yellow cloud/ area on my right eye; This is a spontaneous report from a contactable consumer. A 53-year-old male consumer reported that he received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Lot number 59267-1000-1), into the right arm on 03Mar2021 at 12:45 AM at single dose for COVID-19 immunization. The patient had known allergies to Bactrim/Sulfa. Concomitant drugs in two weeks were none. On 18Mar2021 at 06:00 AM the patient developed a yellow cloud/ area on his right eye , developped a right eye bleed on 18Mar2021 which lasted on off untill 27Mar2021. 75% of his eye was covered with blood. The blood was clearing but the cloud remained. The patient underwent eye exam and received eye drops/tears. The patient was Covid tested post vaccination with Nasal Swab and antigen with negative result.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205220	4/13/2021	NY	77	M	3/6/2021	2/14/2021	in hot and sweaty; thought a truck hit him and he must've over done it. He said that as the day went one he felt worse.; headaches; he felt so bad; He has not moved around much at all; watery eyes; sneezing; abdominal pain; gas; tender if you touched directly at the injection site; in hot and sweaty; weight loss; Mucousy Mouth; Hoarse voice; low oxygen; weird dreams; can't sleep; blood pressure down; no appetite; breathing is shallow; muscle aches; imbalanced; Weakness; Fever; minimal injection site pain; This is a spontaneous report from a contactable pharmacist (patient). A 77-year-old male patient received second dose of bnt162b2 (BNT162B2, Solution for injection, Lot number: EL9209, Expiration date was not reported), via an unspecified route of administration on 06Mar2021 17:15 as single dose for covid-19 immunisation. Medical history included ongoing high cholesterol. Concomitant medication included levothyroxine, tablet via oral from unknown date 2018 at 100 uCi, once a day for chemical thyroid condition, atorvastatin calcium (LIPITOR, tablet) via oral 10 mg once a day for blood cholesterol increased. Historical vaccine included first dose of BNT162B2 on 13Feb2021 for covid-19 immunisation. The patient experienced mucousy mouth, hoarse voice, weight loss on 27Mar2021, low oxygen, weird dreams, can't sleep, blood pressure down, no appetite, breathing is shallow, muscle aches, imbalanced, Weakness, Fever 26Mar2021, patient hot and sweaty, in hot and sweaty, thought a truck hit him and he must've over done it. He said that as the day went one, he felt worse, headaches, he felt so bad, He has not moved around much at all, watery eyes, sneezing, abdominal pain, gas and tender if you touched directly at the injection site on an unspecified date, minimal injection site pain on 14Feb2021. As per the reporter seriousness criteria reported as medically significant. The patient underwent lab tests and procedures which included blood pressure measurement: 128/68 on 26Mar2021 and 132/76 on 28Mar2021, temperature: 100.8 on an unspecified date and 98.3 on 26Mar2021 and 98.3 on 28Mar2021, Pulse oximetry: 89 % on 26Mar2021, 95-96 % and 96 % on 29Mar2021. The outcome of the event mucousy mouth, hoarse voice, weird dreams, can't sleep, weight loss, no appetite, breathing is shallow, muscle aches, imbalanced, Weakness, fever was not recovered,

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205228	4/13/2021	PA	75	U	2/26/2021	3/12/2021	<p>minimal injection site pain was recovered on 15Feb2021, blood pressure down recovering and unknown for other events.</p> <p>no vision on right eye; Torn retina; Little tired; This is a spontaneous report received from a contactable consumer (patient). A 75-year-old patient of an unspecified gender received bnt162b2 (BNT162B2), dose 2 via an unspecified route of administration at the age of 75-years-old, administered in Arm Left on 26Feb2021 16:55 (Lot Number: EN6200) as a single dose for COVID-19 immunization. The patient medical history was not reported. Concomitant medication included prednisone taken for Ruptured disc from 11Feb2021 to 19Feb2021 and from 07Mar2021 to 17Mar2021. The patient previously received bnt162b2 (BNT162B2), dose 1 via an unspecified route of administration, administered in Arm Left on 05Feb2021 04:55 AM (Lot Number: EL9265) as a single dose for COVID-19 immunization and experienced severe back pain and sore arm. The patient reported, "I chose to not fill this auto entirely with help. I had a sore arm after dose 1, little tired after dose 2. I reported I had a torn retina days after dose 2 but did not think it was due to the vaccine. Just wondered it happened 3-10, still can't see, under doctors care. I don't think the prednisone or the eye issue was caused by the vaccine but reported it." The patient experienced torn retina on 12Mar2021 and little tired on 2021. The patient underwent lab tests and procedures which included eye ultrasound: torn retina, no vision in right eye. Still no vision 22Mar2021 (under doctors care) on 12Mar2021, X-ray: hip degeneration on 10Feb2021. The outcome of the events was unknown. The event torn retina was considered as serious (medically significant). Vaccination facility type was Hospital. No follow-up attempts are needed. No further information is expected.; Sender's Comments: Based on the information provided, the reported torn retina is likely an intercurrent medical condition and unrelated to BNT162B2. The patient's advanced age have been assessed as a risk factor that could have contributed to the event.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205250	4/13/2021	FL		F			<p>swollen eyes; tingling lips; swollen throat; difficulty breathing; chills; involuntary twitching on the right side of her body; This is a spontaneous report from a contactable consumer via a Pfizer-sponsored program. This female patient of unspecified age received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on an unspecified date as single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not provided. The patient spent 4 hours in the hospital experiencing swollen eyes, tingling lips, swollen throat, difficulty breathing, chills, and involuntary twitching on the right side of her body. Treatment measures received including patient was given meds in IV solution and kept for observation. The outcome of the events was unknown. Information on the lot/batch number has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205276	4/13/2021	CA	37	M	4/13/2021	4/13/2021	<p>client complained of dizziness after receiving 1st Pfizer Covid Vaccine (lot#EW0161 Exp. 4/17/21). Client alerted EMT he was feeling dizzy, nauseous, and sweaty. Other medical staff joined EMT. Upon arrival client was sitting on chair, pale, diaphoretic, holding emesis bag. Alert and oriented. Client stated had been sitting approximately 13 mins when he started feeling tingling sensation to both arms below elbow, dizziness, nausea, and chills. Client denied chest pain, shortness of breath, headache or blurry vision. Vitals 1515: blood pressure: 132/90, pulse 60. Client transferred to gravity chair and given water. 1521 client stated tingling sensation was improving, chills were improving, and nausea had resolved. Medical history: sleep apnea. Medications: for gastritis, name not available, per client has not taken in a couple weeks. Vitals 1523: blood pressure: 130/84, pulse 68. Skin color improving, per client dizziness, chills, nausea all resolved. 1530 client stated tingling sensation had resolved. Medical staff slowly began to reposition client back to a straight chair position. Vitals 1532: blood pressure 132/85, pulse 60. No complaints, everything resolved. Client back in straight sitting position without complaints. Client advised to speak to provider prior to second dose. Last vitals at 1543: blood pressure 130/84, pulse 60. Per client feeling fine, ready to leave. Able to stand up with no dizziness. ER precautions given. Client left facility with steady gait at 1546</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205280	4/13/2021	CA	57	F	4/12/2021	4/12/2021	While walking a patient from urgent care to radiology at approximately 1632 on 4/12/21, I witnessed another patient (patient affected by event) fall to the floor by the pharmacy window. I rushed to the patient's side and began an initial assessment of airway, breathing, and circulation. No active bleeding or head injury detected. The patient was lying to her right side and appeared to be unconscious. No response when called or tapped on the shoulder several times. Patient's eyes appeared to be half-open without apparent movement. I asked for assistance from nearby security officer to call an ERT. Approximately 30-45 seconds into event, patient's daughter appeared on scene and attempted to call patient without response. While daughter assisted with supporting the patient's head, the patient suddenly took a deep breath and appeared to blink eyes several times (approx 5 seconds) before returning to previous unconscious state. No response when called by daughter throughout event. Another staff member appeared on scene at this time and recorded the second unconsciousness episode, which lasted for 90 seconds. ERT, urgent care providers, and other staff members were on scene at this time. 911 called. Vital signs taken and further assessments conducted. A pillow was placed under the patient's head and cervical collar applied. Patient appeared to be confused and in and out of consciousness at this moment. Patient was not able to identify name, date of birth, or current location but did state she had pain in her neck when asked in Spanish by another urgent care staff member. 911 staff on site at approximately 1645. Patient left in stable condition via ambulance gurney to higher level of care, accompanied by daughter and paramedics.
1205284	4/13/2021	NM	49	F	3/17/2021	3/24/2021	Extreme breathing difficulty, veey bad cough.m, heavy mucous severe headache, blurred vision. Had to have albuteral treatments in nebulizer every 4 hours, started on Adair inhaler and Augmentin 875 mg 2 times daily.
1205296	4/13/2021	CA	18	F	4/7/2021	4/10/2021	Patient had severe migraine headache on 4/10 (3 days after vaccine) with nausea, visual aura, eye pain and photosensitivity. No prior history of migraine. Had virtual visit today, 4/13 and continues to have bilateral eye pressure, dizziness and intermittent headache with photosensitivity.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205300	4/13/2021	TX	33	F	4/4/2021	4/5/2021	Swelling and itching in eyes for almost 4 days. Swollen and extremely sore and itching on arm for up to 3 days. After swelling in eyes went down I'm still experiencing itching and same in the location of injection. Day 6 injection site was still red swollen and itchy and the site was hot to the touch for almost 7 days. Today, 04-13-21 site is still sore to touch and seems to have a lump. Warm to the touch. Eyelids still irritating.
1205312	4/13/2021	TX	30	M	4/13/2021	4/13/2021	PATIENT STATED DIZZINESS EYES GLAZED OVER PALE AND PASSED OUT FOR 2 SECONDS DID STERNAL RUB DIAPHORETIC BP:83/40 HR:93 (2ND) BP:97/59 HR:71
1205186	4/13/2021	FL	79	F	3/25/2021	3/1/2021	she was bleeding (from the eyebrow, it broke a little bit); been laying in bed, is weak, doesn't want to get up; she does not help herself as if she had no movement in her body; Doesn't want to eat; fell a couple of times from bed and chair; she hit her eyebrow and broke it a little bit; Weakness; This is a spontaneous report from a contactable consumer reported for a patient (his wife). A 79-year-old female patient received second dose BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, Lot Number: EN6200) via an unspecified route of administration on 25Mar2021 10:00 and first dose received on 4Mar2021 ( LOT:EN6201) both as single dose for COVID-19 immunization. Medical history included dementia. The patient's concomitant medications were not reported. Patient received her first dose within 4 weeks prior to vaccination. Patient experienced bleeding (from the eyebrow, it broke a little bit) on 25Mar2021, fell a couple of times and doesn't want to eat. On 26-MAR-2021, Patient been lying in bed, weak, doesn't want to get up, Patient was fell out of bed and she does not help herself as if she had no movement in her body. The outcome of the events she was bleeding (from the eyebrow, it broke a little bit) was unknown and the outcome of the other events was not recovered. Follow-Up (29Mar2021): New information from a contactable consumer followed: Clinical information included new events, outcome details and historical vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1206185	4/13/2021	TX	68	F	3/24/2021	3/24/2021	After 1 dizzy for about 5 minutes, then okay. After 2, dizzy a little after, then about 5 hours chills and low grade fever, then few days have been dizzy and muscle ache in neck, had an regular appointment with dr. on the 7th and told him about the dizziness and put me on medicine for vertigo and today still have it some times really bad, going to eye doctor on 20th as vision is messed up too. Then going from there. Really not good at all. Scared I might pass out.
1206042	4/13/2021	PA	55	F	3/14/2021	3/20/2021	Had migraines (frontal lobe with flashing lights-distorted vision and difficult to hold my eyes open) from 3/20-3/24. (one week after vaccine) I do not get headaches, so this was very strange. On 3/23, I woke up with a bright red Left thumb- it looked and felt like a sunburn. The next day (3/24), it was still bright red (fire engine red), swollen, hot to the touch and had a blister in my webspace. I went to the dr 3/23 pm who was not sure what was going on, but prescribed an antibiotic (Keflex). This reduced my pain and swelling. Today it is still red and is now flaky, but not swollen or hot to the touch. The main thing was the migraines as I do not get headaches. I'm not sure if that or the skin thing is related, but thought I should throw this information your way in case there have been others with similar symptoms.
1206052	4/13/2021	WV	39	F	4/12/2021	4/13/2021	Slight arm pain, headache, right eye pain.
1206080	4/13/2021	NE	42	F	4/12/2021	4/13/2021	4-12-2021 Facial tingling & numbness, tightness/swelling of throat, difficulty swallowing, Given Prednisone 40 mg, 2 Benadryl and 1 Pepcit at ER visit. Prescribed Prednisone 40 mg /5 days, Benadryl & Pepcid for as long as symptoms are present. 4-13-2021 Headache, itchy eyes, sneezing, small red blood blister like areas on arms, chest, back and thighs. When Benadryl wears off throat tightness returns. Visited ER on advice from nurse hotline to check out the red blood blister like marks as she thought it was a new rash type symptom. ER recomended remaining on previously prescribed course of meds and to watch for further symptoms.
1206083	4/13/2021	NY	49	F	3/1/2021	3/1/2021	Severe visual aura/disturbance similar to severe migraine, followed by immediate disappearance of symptoms

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1206086	4/13/2021	AL	45	F	4/1/2021	4/5/2021	Dose 1.- 3/4/2021. Within 5 minutes stiffening of left side of neck and blurred vision on left side only. Only lasted a few minutes. Flu like symptoms developed night of 3/5/2021 through night of 3/8/2021, stayed in bed with body aches, chills, dizziness. Flu like symptoms ended on 3/8/2021 around 8:00pm after profuse sweating. Brain fog and cough remained until 2 days before 2nd dose. Nose bleeds. 2nd Dose 4/1/2021- flu like symptoms, in bed 4/2/2021. Profuse sweating overnight ended flu like symptoms morning of 4/3/2021. Skin rash on back and chest, Dizziness continued. Blood vessel burst in right eye 4/11/2021, ear pain, headache 4/13/2021
1206090	4/13/2021	CA	70	M	2/13/2021	2/20/2021	Lost my vision and felt very weak. Doctor concluded I had a mild stroke(TIA), also they found a DVT in my right leg and DVT in my left leg. My vision returned in about 1 hour. Was given 2 shots a day of Lovonox for 13 days and was immediately put on Warfarin
1206148	4/13/2021	MI	59	F	12/30/2020	12/31/2020	I woke up the morning after dose #1 unable to see out of my right eye. It was tho someone had placed a large amount of vaseline in my right ee. My left eye was blurred and extremely sensitive to light. The right eye began to clear up but took many days. Opthamalogist appoint was made. Now seeing a Retinal specialist. Vitreous Hemmorrhage in the right eye and an Aneurysm sitting on the optic nerve in the left eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1206151	4/13/2021	OK	41	F	4/7/2021	4/13/2021	When I first got the shot I noticed it in my throat. I told the nurses they had me wait 20 minutes before I could leave. I felt dizzy but not dizzy enough to not go home. It felt like it went to my stomach, then my head, and then I could feel it in my joints. I drove home from the city. Two hours pass, I notice a rash but I didn't think anything of it due to indoor allergens, springtime plus it went away within an hour. I started to get chills and fever. I had a lack of sleep due to pain throughout the first night. I was waking up feeling like my head was on fire from my ears to the top of the skull area and in front of my face by my eyes too. My eyes felt like they were going to burst. I layed in bed for 24 hours. Day two: pain, tiredness, headache, and sensitivity to light for the next few days. Symptoms come and go for days then wean off. Next, I had issues with anxiety, sleeping, yet being really tired as well coupled with problems sitting still. These are subsiding but still there. I am still very tired today and a bit anxious on April 13th, 2021. I also notice my typing skills, as well as testing skills, are not as sharp as before the vaccination.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1206163	4/13/2021	WA	23	F	4/6/2021	4/6/2021	I received the shot at 14:30, in which medical staff in the jail's medical center watched me for 20 minutes to ensure there were no immediate reactions. I went about my day afterward with no symptoms. At 21:30 when I went to sleep, I got some aches in my joints and took 1 dose of liquid capsule NyQuil to help with the pain and went to sleep. At 00:30, the 7th, I woke up groaning in my sleep to the extreme pain in my joints and feeling hot internally. I decided to get up and take a warm bath to ease the aches. I went and ran the bath and all of a sudden while it was running, I had a severe need to throw up, but could not naturally. Since this was concerning, I got up and walked out of the bathroom and all of a sudden in the hall I got a feeling of impending doom and that something was not right and I fainted. I laid on the floor for what I would approximate to be 5 minutes going in and out of consciousness waiting for the blood to fully return to the brain. After this, I instantly felt like I needed to survive and that I felt like I could be dying so I slowly crawled down the stairs to get to my military ID so I could call the military's nurse advice line. I had to take a break and lay on the concrete in my garage because I felt so dizzy and so hot and began to feel my vision disappear like I was going to faint again. I waited a few minutes before getting back up the stairs crawling to my phone to call. When I called them 00:58, they told me to call 911 because they believed I would be having a severe reaction, though I noted to them I did not have a rash or hives. I then called 911 at 01:08. They sent EMT's to my home which took my vitals. I had normal blood pressure, SPo2, and temp, but an elevated heart rate of just under 100 and a high respiration rate. EMT's made the decision for me to stay home since the hospital did not seem immediate in their opinion. After this I stayed on the couch for a few minutes and then felt very tired so I walked slowly to my room and fell asleep. I woke up at 06:00 for work, and arrived at 07:00. In the hour after waking up I was achy, sweating, and felt light headed. I got to work and my Sergeant told me to go home and sleep. I slept another 5 hours at 08:00 and when I woke up most of my symptoms went away other than aches and getting flush very easily for 5 days. At this current time all I notice is some random light headedness that quickly resolves and comes a few times a day at random and without cause.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205654	4/13/2021		38	F	4/6/2021	4/7/2021	10-16 hours after (4/7): insomnia, confusion due to all-over body pain (myalgias, arthralgias), occasional stabbing abdominal pain and lung/back pain 16-30 hours after (4/7): increasing fever to 3.5 F over normal temperature with continued all-over severe pain including eye pain about 20 hours after (4/7): diarrhea (same thing happened with shot #1 at same timing) 16-50 hours after (4/7-4/8): loss of appetite 24-40 hours after (4/7-4/8): increasing headache with increasing nausea, borderline migraine 24-30 hours after (4/7): rapid (resting) heart rate days 3-5 (4/9-4/11): fatigue, light-headedness days 2-3: pain around injection site radiating up through neck and jaw day 3 onwards (continuing): axillary lymph nodes around injection site sore/tender The outcome was that I couldn't work for 2 days and couldn't sleep the first night due to all-over pain.
1206177	4/13/2021	PA	72	M	4/7/2021	4/8/2021	Vaccine reactions First dose = first day = slightly sore at injection site. Second day =arm soreness worsened fatigue-set in in the afternoon. Third day =slightly fatigued and injection site only slightly sore but hot to the touch , swelling under the eyes. Second dose =First day= injection site slightly sore. Second day= injection site swollen and much more sore , tiredness and fatigue , shortness of breath and dizziness was experienced later in the day Third day = injection site still sore and hot to the touch tiredness a fatigue , shortness of breath was experienced all day , loss of appetite and nauseous . Had a slight Headache and it hurt to brush my hair. Forth day= slept 10 hours which I never do, had to force myself to get out of bed, experienced extreme fatigue , shortness of breath and dizziness all day . Took blood pressure and found it to be very low 109/68 . I am on meds for hypertension. Injection site sore and warm to the touch. Under eyes very swollen. Fifth day= pretty much back to normal other than slight shortness of breath.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1206019	4/13/2021	PA	33	F	3/9/2021	3/9/2021	<p>Started with chills pretty shortly after the vaccine was injected. After about 6 hours I could tell I was not feeling great. My husband said I looked very pale and out of it all of the sudden. I became extremely tired and disoriented. I don't remember driving myself home that evening after picking up my kids from dance. By the time I was home it was now around 8 pm. I was so cold my entire body was trembling. I kept taking steaming hot showers but I couldn't feel it, I was still freezing and shaking. I was very weak and started having extremely horrible body aches and pains. Specifically my legs were hurting the worst, I remember my hip joints felt like they'd buckle underneath me. I got a headache that was unbearable. It felt worse than a migraine. It hurt to move my head or use my eyes at all. I went to bed and was under several blankets and a heating pad while also running a space heater right next to me. I still could not get warm at all. I hallucinated that I could see each ache and pain on my body and watched them move through me. By 4 am I was now hysterical and crying. I was in so much unbearable pain and so scared. I had to call off of work for this day. I was so out of it I called my daughter off of school but also called for my mom to come get her and take her to school. I kept my youngest home with me. My head was still the absolute worst headache I have ever felt in my life. I couldn't open my eyes and it hurt to move at all. I had to call a friend to come pick up my youngest daughter because I was unable to take care of her, I could barely stay awake and alert. I tried another hot shower and everything still felt cold. I was now nauseous from the head pain. Around noon on this day I finally had the strength to drink some water and was able to take Tylenol. I laid on the couch for hours still shivering and in unbearable pain. I was still very scared that I was having such a bad reaction that I would die. I called my husband to come home from work and be with me because I was scared. I took more Tylenol a couple hours after the first dose. Around 6 pm I started to feel better. I was able to eat again that evening. I had a headache though for about 3 weeks after that gradually weaned away.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1206190	4/13/2021	OR	66	M	3/26/2021	4/11/2021	Suffered stroke like symtens on April 12. Severe headache ,right arm tingly and numb, sissy when I got from chair, vision seem blurry. Took 800mg of ibuproferin and things improved. Right hand Remains slightly numb
1206205	4/13/2021	WA	39	F	4/7/2021	4/10/2021	Experienced temporary blind spots in vision, numbness in fingers and lips followed by difficulty speaking. Had CT and bloodwork done, no significant findings and the symptoms resolved without treatment to this point.
1206206	4/13/2021	CA	87	F	3/28/2021	4/1/2021	Temporary loss of vision in left eye for about 1 min (called Amaurosis Fugax) . Afterwards enhanced dryness of both eyes with feeling of solids at both ends of eye but is getting better with 5 min heat pad over eyes and using eye wetting solutions about 4 times a day. Dryness getting better each day. These effects 4 days after Moderna Vaccine first dose.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1206215	4/13/2021	CO	36	F	4/12/2021	4/12/2021	<p>Once my vaccine was administered I felt tingling on my tongue and bottom lip. I waited the 15 minutes and felt that the tingling was diminishing. I spoke to the tech and felt ok to leave since I was not experiencing loss of breath or swelling. After about 3 hours I noticed the tingling sensation coming back. I immediately called the pharmacist who administered the shot. After explaining the tingling was mostly felt on my lips and tongue but had no swelling and could breath and swallow just fine. I explained that it felt like when you get a shot for Dental work and that every time I touched the area it would tingle more. He told me that was not a normal reaction and would call in a few hours to check in on me. Sometime around 7 we spoke again and I still had no changes with the tingling. Again, he said he would have the pharmacist who was in call again the next day to make sure I was ok. By 11:30pm the aches in my joints started and I had chills. I woke up for work at 3:25am and noticed the tingling sensation wasn't as strong as the day before. Once I ate the tingling became more noticeable and was mostly on the right side of my tongue and throat. I also started experiencing a headache and sinus pressure. After arriving I work by 6am I felt exhausted. As the day went on the exhaustion was becoming so strong I felt that I was fighting to keep my eyes open. The aches in my joints were becoming more intense especially in my hips and hands. At times I felt it hard to hold anything in my hand as closing my fingers became so painful it brought tears to my eyes. I also notice I was sweating profusely but had no fever. Once I was home I took a 2 hour nap. I woke up feeling the same the tingling in my mouth, aches still noticeable and headache still there. I could not stand and even tried to eat but had a loss of appetite. I called the pharmacy and reported the tingling was still noticeable. The pharmacist on duty explained the aches were normal but the tingling was not. I was advised to seek medical attention if I had trouble breathing or had swelling. The pharmacist told me to keep up on rest and fluids and I would recieve another call tomorrow to see how I was feeling. It's now 9:28pm and there are no changes to the tingling sensation in my mouth/throat. I still have aches and pains that are radiating throughout my body. My headache is still there but not as strong as this morning and I now have ringing in my ears. Every once in awhile I get some good</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							stomach pains but they last a minute or two before going away.
1206228	4/13/2021		54	F	3/27/2021	4/7/2021	Stroke, Alteplase, double vision on left eye, ear pain and ringing, left arm mobility compromised, left leg mobility compromised. In at hospital via ER, then ICU, discharged 4/9/2021, occupational and physical therapy. Being performed .
1206233	4/13/2021	AK	64	F	4/2/2021	4/2/2021	20 minutes after injection she started having burning and numbness to the base of her skull which later extended to her face including her nose and below her eye. No facial drooping. She also became flushed and felt that she was about to develop hives. Approximately 6 hours later she developed a headache as well. She did not take Benadryl until approximately 6 hours later, after which her symptoms started to resolve.
1206237	4/13/2021	WA	59	F	4/10/2021	4/10/2021	4/10/21- starting at 8:30 PM, - severe pain in shoulder at injection site and entire joint, from upper neck to front/back of shoulder, couldn't lift arm or even wiggle fingers without extreme pain. Treated with ice pack at night, hot showers in am. - severe headaches, left side of head, from top of head to back of neck causing nausea. Treated with Tylenol with codeine 4/11/21 at about 1 AM. - vomited evening 4/10, am 4/11, evening 4/11, am 4/12 - 4/13/21 - headache still severe, took Sudafed 12 hr (in case sinus headache), drank a little coffee because hadn't had it for 2 days (may have been withdrawal), put contacts back in because hadn't been wearing them for 2 days (might be eye strain) 4/13/21 - headache gone by noon but still slightly nauseous, controlled with crackers
1206250	4/13/2021	MD	21	F	4/12/2021	4/12/2021	Almost immediately following the injection I had vision abnormalities and tingling in the arm, up to my hand, that had received the vaccine. Ten minutes later I had pain and soreness in the same arm. About three hours later I had mild nausea and the next day the pain and soreness in that arm increased at the beginning of the day and began to decrease as the day went on.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1206252	4/13/2021	VA	18	F	4/9/2021	4/10/2021	Adverse event: Day after vaccination, experienced severe dizziness, nausea, and fever. Fell over and experienced loss of vision and loss of control of limbs, difficulty talking. Loss of normal color in skin, instead had greyish/blue tint. Treatment: Cold compress, juice, rest laying down Outcomes: After 10 min of having a cold compress and juice, regained vision and ability to talk. 30 min later, regained ability to move limbs. Still could not stand up without falling over for a couple hours. After 6 hrs, only remaining symptoms were slight fever, fatigue, and some dizziness. After 2 days experiencing fatigue, headache, and dizziness, returned to normal health.
1203840	4/13/2021	ME	62	F	3/9/2021	3/11/2021	Eye twitch - left eye - occurred a few days after the first shot - has not resolved. Occurs approx 20 x per hour
1206174	4/13/2021	NM	30	F	3/25/2021	3/25/2021	Headache for 2-3 days, Red/ hot face & ears, a little blurred vision.
1205912	4/13/2021	TX	30	M	4/13/2021	4/13/2021	Pt. became pale, with eyes glazed over; sweating, dizzy, and lightheaded. Felt like going to pass out. Pt. did not eat anything this morning. BS: 120, BP: 184/46, P:70, O2: 96 2nd BP: 105/71; P:82
1205838	4/13/2021	NY	42	F	3/6/2021	3/6/2021	Received shot at 12pm. Symptoms started at 2pm and progressed rapidly, within an hour. Headache starting on left side of forehead, moved across forehead to above right eye. Right ear then became plugged, and sharp ear pain in right ear when swallowing. Upper and lower teeth on right side of face began to ache. Right side of face became numb. Took Aleve and laid down in bed at 4:30pm, and fell asleep. Woke up at 8:30pm with all symptoms resolved except for the plugged ear (without pain), which was resolved the next morning when I woke up.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205680	4/13/2021	OH	49	F	3/19/2021	3/19/2021	Patient recieved vaccine at 10 AM at a school COVID clinic. She waited 30 minutes and went home. At around 11 AM, she felt pain in her neck and down her arm. She also stated she felt a little swollen in her throat, tongue, eyes, and ears. She said it was not swelling shut, but just an uncomfortable and never felt in danger. Her hands and chest also had a tightness and swelling to them. Later that night she had a headache behind her eyes. By Saturday she was fine with the "swollen" feeling. However, by Monday, she had a rash begin on her hands and stomach. The rash was described as a chicken pox rash. She said this just went away over the last couple of days and did leave very little scarring.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205686	4/13/2021	PA	26	M	4/13/2021	4/13/2021	<p>Patient noted on form that he had a severe reaction to peanuts which causes him to have anaphylaxis. He stated that he does carry an EpiPen and any time anything with peanuts touches his mouth/lips he immediately notices his throat starting to close. He also is allergic to cats. Before administering the vaccine, the patient noted that he does not like needles and was not going to look. I administered the vaccine and the patient and I exited the vaccination room. I explained that he should sit in the waiting area for about 30 minutes due to his severe allergic reaction in the past. By the time that I walked back into the pharmacy, the patient's wife shouted "He's not breathing!". My technicians called 911 while I grabbed an EpiPen and rushed to the patient. I immediately administered a 0.3 mg dose of epinephrine and observed that the patient had passed out, was not breathing, but had a pulse. A few seconds later he regained consciousness and his breathing was erratic. I gave him water and he stated that he felt very lightheaded and dizzy. I instructed him to remain seated. He also noted that his vision was blurry and he saw a black dot. His wife was fanning him to cool him down while I tried to obtain the patient's blood pressure, but could not get a reading. The paramedics came and evaluated him thoroughly. His blood pressure, heart rate, EKG, and blood sugar were all within normal limits. They determined that the syncope was most likely due to the patient not eating during the day and not liking needles. The patient was feeling much better and declined further medical treatment, including going to the hospital. He was instructed to go home and relax.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1205711	4/13/2021	NC	22	M	4/12/2021	4/12/2021	I took a nap after around an hour of receiving my shot at around 1:40pm. Once I awoke at around 6pm, I had irritated eyes, extreme nausea, extreme dizziness, insatiably low body temperature, extreme shivers, migraine because of my head uncontrollably shaking, and dry mouth. I felt like I was in 20 degree weather and nothing I could do would heat my body up. My body grew so tired from the uncontrollable shaking that I could not get out of bed to get my phone to call 911. Every symptom I was experiencing was not mild and was to the level of extreme. This lasted until around 9am. I have been slowly recovering since then (currently almost 9pm) and feel only 70% back to normal.
1205741	4/13/2021	MO	62	M	4/3/2021	4/12/2021	On 04/12/21 I had just eaten and sat down at the computer. I started feeling disoriented, light headed and my vision started to become affected. I could not focus my vision and tried to vomit also but immediately went to bed. Throughout the day/night when i got up I was unable to walk/see as normal and required my hand on the wall for balance. I also felt nauseated and could not eat anything during this time. I was able to sleep mostly and as of this submittal(04/13/21 7:51 pm CT) i have been symptom free for several hours. No medical treatment was sought due to no health insurance. All symptoms indicate stroke .
1205755	4/13/2021	VA	54	F	3/30/2021	3/30/2021	Headache (80 hours), blurred vision (36 hours), brain fog (72 hours), fatigued (72 hours), chills (24 hours).
1205758	4/13/2021	TX	60	F	4/1/2021	4/8/2021	Severe eye pain and light sensitivity
1205797	4/13/2021	NM	58	M	4/7/2021	4/13/2021	Blurred vision, dizziness, nausea and shakes.
1205841	4/13/2021	CA	39	M	4/13/2021	4/13/2021	After 2 hours I took nap around 12:30p. Woke up 1:45p and headache still present. Took Tylenol around 2:15p. Upon driving to work noticed headache worsened and left eye turned red as well as both eyes watering. That was 2:25p. Around 3p nausea began to set in. Called work and told then I could not work shift because of migraine headache, throbbing behind eyes, left being red and both eyes watering. Side effects beginning to lessen now at 6:20p. Headache starting to go away but left eye is still red but both eyes are not watering currently.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205857	4/13/2021	CA	66	M	3/13/2021	3/13/2021	Warm flush in neck and head a few minutes after injection. Six hours after injection, headache with mild fever, chills and joint aches. Nine days after start of symptoms, severe headache with neck pain. Was prescribed antibiotics for sinus infection symptoms and given a chest X-ray. On March 26th was instructed to go to ER by primary but I refused at the time. On 12th day after vaccination vision in left eye became blurry with swelling. Also had numbness in lower back radiating to the front. On 16th day, 03/29/2021, primary care physician again instructed me to go to ER. I was admitted to the hospital. Released 03/31/2021. Was treated for head and neck pain and given several tests.
1206037	4/13/2021	NH	39	F	3/31/2021	3/31/2021	Within half hour, experienced sharp nerve pain and numbness on right side of face, opposite side of injection. Later that evening ~8pm experienced sharp nerve pain at right fingertips and groin, and nausea. Had soreness on left arm (injection site) and nausea that lasted for 3 days. 6 days later, had soreness under left armpit that lasted for 3 days. No noticeable swelling. Next day had severe migraine that caused blurred vision and nausea. Migraines lasted for 3 days, took Ibuprofen (2 - 200mg tabs 2x daily). Next day, had subconjunctival hemorrhages of right eye, 2x. Only other medication I take is birth control pill, Tri-Previfem. Pt is in good health. No history of high blood pressure, blood clots, diabetes, or other known health conditions Pt has routine annual health exams, in good health.
1205886	4/13/2021	NY	32	F	4/7/2021	4/8/2021	Janssen COVID-19 Vaccine EUA Recurring muscle pains, chills, and fatigue in the early morning after injection, gone the following day (within 48 hours). Eye pain (only when moving them) from early morning after injection and lasted for ~48 hours.
1206035	4/13/2021	NY	29	M	4/12/2021	4/13/2021	All times in format HH:MM:SS after injection T+00:05:00: Heaviness, weakness in left arm. Gradually ceased over four hours. T+08:00:00: Interrupted sleep; insomnia lasting four hours; visual disturbances (flashing lights, geometric patterns). Ceased within 2 hours. T+18:00:00: Fever of ~1.5 degree F above normal; injection site reaction (soreness); weakness; fatigue; chills; all symptoms ?flu-like?. Slowly resolved over next 18 hours.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205917	4/13/2021	VA	63	M	3/31/2021	4/1/2021	Had covid systems on Feb. 2nd 2021, Got tested Feb 3rd, Received call Feb 4th positive. Recovered on Feb. 15th. First vaccine shot Mar.31 at 12:30pm. Apr 1st at 4:20am, woke up and felt like sitting in a tub of ice. Severe chills lasted 1 hour, Had terrible aches and chills, that lasted for about 30 hours. Stayed in bed the whole time, only got up to pee & get water hurt so bad to move. Ran a temp about 100. till Fri morn. Fri. morn about 3:00am, woke up and had flashes going off in the eyes, like looking at a strobe light, with eyes closed and open. That stopped after about 20 min. Finally got out of bed Fri. 9:00am. Still felt out of it for a day. This was worse than the whole 13 days of covid. During covid no temperture

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205919	4/13/2021		23	M	1/4/2021	1/12/2021	<p>Approximately 7-10 days or so after receiving the first dose of the pfizer Covid vaccine I started to develop this red, nodule-like, painful "rash" on both of my forearms. Not only the left arm where the vaccine was administered. This did not go away after a couple of days, and I was instructed by a physician to being taking Benadryl. This appeared to alleviate the symptoms (no visible red nodules anymore) 4-5 days prior to my second dose, so I stopped the medication and presumed it was done. Then, within 4-5 hours of receiving my second Pfizer covid vaccine, I broke out into the same red, painful, nodule-like "rash" along both of my forearms. This time was worse than the previous reaction. I was instructed to take Allegra at the time by a physician, which I did for approximately 4 weeks. This seemed to get rid of the symptoms I was experiencing, and I could not visualize the nodules on my forearms anymore. However, after approximately 2 weeks, I noticed a painful and swollen vein in my right forearm, opposite arm to the one I received the vaccine in. I did not think much of it at the time, since I had no other associated symptoms. Then, over the next couple of weeks, it appeared to become more swollen and painful. Also, I saw another swollen vein near my knee. On April 6, I had labs drawn and CBC, CMP, TSH, and ESR came back normal, but the CRP was elevated. Thus, I was instructed to begin aspirin 325mg, which I took for 4 days beginning April 8th and ending April 12th. On April 13th, an official ultrasound confirmed a DVT in my right popliteal vein, a superficial thrombus in my proximal great saphenous vein, and a superficial thrombus in my right forearm where the pain originated from weeks prior. The initial presumption at this time is that the clots are vaccine-related, but could be linked to an underlying blood disorder that was triggered by the vaccine. Blood hyper coagulation labs have not yet come back. I was initiated on Eliquis starting April 12th for the DVT.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205922	4/13/2021	MA	51	F	3/8/2021	3/8/2021	About 10 to minutes after vaccine I had a strange wave warm sensation running through my body and tingling. I got this sensation about 4 times that day. Twice at vaccine facility and 2 more times at home that same day. Then in the past couple of weeks I've had numbness in the right side of my face, arm/hand and leg/foot. Sharp pains in my head, PVC, eye pressure, vision issues, shortness of breath, electric shock sensations through my body, head tingling. Not sure the cause of these symptoms but the only different/new thing was the vaccine.
1205933	4/13/2021	TX	63	M	4/12/2021	4/12/2021	20 minutes after injection shoulder area started to become numb at the injection site. 35 minutes after the injection my neck and face started to become numb. As the numbness traveled from the injection site (left to right) across my neck and face, the numb areas became a "tingling" feeling on face, lips, chin and below the eye. Again traveling from left to right (the injection was in the left arm). Day two the above symptoms have lessened but have not gone away. Starting the same evening of the injection I experienced a progressively worse headache. As of 4/13/2021 I still have some numbness and tingling on the left side of my lower face between my cheek and chin. Headache is going away slowly.
1205939	4/13/2021	CA	55	F	4/3/2021	4/11/2021	All was fine till day 9 evening when my right eye kept watering, and I brushed my teeth water shot out right side. Next day same thing with blurred speech. I went to hospital, had CT n MRI. No blood clot determined its bells palsy. I have been healthy except for mild seasonal allergies

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1205956	4/13/2021	TN	33	F	4/6/2021	4/6/2021	started with watery diarrhea, followed by typical fatigue low grade fever migraine and muscle aches by 8pm 4/6/21. by 2am 4/7/21 felt my eyes roll back, lost 2ish hours of consciousness, checked temperate and was 103.7. i felt paralyzed by 4ish am. could not move lower half before 7am, regaining weak movement in upper body. by 8am could barely move my lower half, using a cane to get to the restroom a few steps away from bed. arm that was injected, throat, nose, eyes were all swollen. primary doctor and pharmacist both said to go to ER. went there once i was able to secure a ride and childcare. ER doctor requested blood work and covid test. covid test was negative, blood work came back normal. had a bloody nose before i came home. diagnosed there with post vaccination reaction. told to take benadryl and ibuprofen/tylenol. each day i woke after vaccination unable to move my neck (including today). it takes me several hours to be able to move my neck muscles. waking up 4/8/21 my right side was temporarily paralyzed but regained slow achy movement throughout the day. each day after vaccination joint pain somewhere in my body takes place and nerve pain is often associated. 4/10/21-4/13/21 i have experienced sciatic nerve pain down both sides all the way down to my toes. my nose and throat are still swollen. i am still having to take benadryl daily due to throat swelling. my throat and neck itch.
1205958	4/13/2021		73	F	4/12/2021	4/12/2021	10 minutes after receiving vaccine, felt fuzzy, lightheaded, dizzy, and fatigued. Rested under supervision, felt nauseous with no vomiting. No LOC, no SOB, no CP. Vitals monitored, requested ambulance transport, taken to ED
1205975	4/13/2021	IN	22	M	4/13/2021	4/13/2021	BLURRED VISION WEAKNESS , BLOOD PRESSURE 110/70 HEAR RATE 84, RESP 18 COLOR PALE , PATEINT WENT BY WHEEL CHARI TO FIRST AID RESTED FOR 1 HOUR BEGAN TO FEEL A LITTLE BETTER DURING THIS TIME DRANK SOME WATER AND WAS BEING PICKED UP BY FRIEND DID NOT DRIVE HOME ADVISED IF HAD INCREASING SYPTOMS OR RESP DISTRESS TO GO TO THE ER , VERBALIZED UNDERSTANDING

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1206005	4/13/2021	PA	24	F	1/25/2021	1/25/2021	24 yo female who presents to the ED for concern for anaphylaxis after receiving her second dose of the COVID-19 vaccine. Patients presents as a rapid response after receiving Epi pen to her thigh at 11:18AM. She reports that after getting the vaccine, she was sitting in the monitoring area. At the 10 min mark she noted that she had a slight cough and some eye tearing. She went to the bathroom and noticed that her eyes were swollen and she could barely open them. Someone told her that her lip looked swollen but she did not look at it in the bathroom. She also felt some throat tightness but no wheezing. She had nausea prior to vaccine, no vomiting. She had no lightheadedness or palpitations and no itching or rash anywhere. She got an Epipen at 11:18AM. A rapid response was called and she was brought to the ED. She has no personal or family history of allergic reactions and no known allergies.
1205669	4/13/2021	CA	55	F	4/9/2021	4/9/2021	Patient experienced a high fever (> 102*f), chills that cause chattering of the teeth, fatigue that has lasted up to 4 days, and pt states there is some blurriness in vision.
1205879	4/13/2021	IA	92	F	2/25/2021	3/3/2021	Had a mild stroke that stopped in her eye and missed her brain.
1204331	4/13/2021	CA	20	M	4/12/2021	4/12/2021	It is now the next day, and I feel significantly better. I have pain at the injection site, some muscle fatigue, a little bit of a depleted appetite, tiredness in my eyes and head (likely due to lack of quality sleep), and a bit of sweating, but my pain has reduced to maybe a 2/10 or 1/10 (i.e., not even uncomfortable). I did end up getting decent sleep between 2 AM and 12 PM with only a few interruptions of family members checking on me. The only notable pain that is worrying me is abnormal soreness in my right wrist that is not the result of overuse, overextension, etc., although I was able to take care of that pain with another 3 Advil pills. I am considering scheduling a doctor's appointment, as I know the J&J vaccine got recalled today for blood clots. My assumption is that because I am a healthy 20-year-old, my immune system overreacted to the vaccine, but I want to check to make sure that it doesn't cause any additional health problems.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1204243	4/13/2021	OH	26	M	4/9/2021	4/9/2021	Janssen COVID-19 Vaccine EUA. When I was going to bed, I had very bad chills, leg cramps, shortness of breath, and a pounding headache. my vision was a little blurry at times too.
1204254	4/13/2021		36	F	4/13/2021	4/13/2021	Client received the COVID vaccine (Pfizer, lot # ER8731, expiration date 7/2021) at 11:15. Client walked up to the EMT desk and reported dizziness and blurry vision, EMT and RN responded at 11:28. The client returned to her seat, ambulating with a steady gait, no visible distress, color normal. Vital signs obtained: blood pressure 122/78, heart rate 88, respiratory rate 12, O2 level 99%. Client stated she experiences these symptoms before she gets a migraine. The client stated that migraines are her only medical condition, she has no prescribed medications and no allergies. The client was alert and oriented and had no difficulty breathing. The client stated she hadn't eaten yet and just had a drink of water at 0740. She refused water and benadryl. At 1133, the client stated that she felt "totally fine" and wanted to leave. Encouraged the client to stay for 30 minutes from her symptom onset but she deferred. Education provided regarding mobile reporting system, emergency management and AMR activation, and primary care follow up. Client denied questions and left at that time, ambulated with a steady gait to her car.
1204258	4/13/2021	NM	65	F	3/27/2021	4/6/2021	I had what my daughter in the medical field called a subconjunctival hemorrhage in my left eye. The eye just suddenly started bothering me like there was something in it. When I looked in the mirror the whole white of my eye looked blood filled. This has never happened to me before. I contacted my daughter to see if I should go to a Dr. and she said I did not need to, that it should clear up on its own. A week later I am starting to get some of the white back in my eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1204265	4/13/2021	NC	35	F	4/12/2021	4/12/2021	At 8pm, about four hours after getting the vaccine I had sudden fever with severe chills and muscle cramps. My hips and lower back muscles cramped so quickly I couldnt walk. Severe headache with eye pain, light sensitivity and nausea. I woke up early the next day to severe nausea and vomiting, migraine, muscle and joint pain. My fever was normal by 4pm, but migraine, muscle and joint pain and nausea still bad. I could not leave bed for entire day.
1204270	4/13/2021	PA	16	M	4/13/2021	4/13/2021	Patient reports feeling "ringing in ears, head spinning, and vision going dark" on vaccine floor. Upon arrival to observation area at 1632, patient appeared pale, alert and oriented. Vitals 1635 HR-65, RR-18, BP- 101/39, Pulse ox- 99%, 1641 HR-72, RR-18, BP- 100/53, Pulse ox- 99%, 1645- HR-65, RR-18, BP- 100/58, Pulse ox-100%, 1648 (while standing)- HR-64, RR-18, BP- 104/51, Pulse ox- 100%. Patient stated he felt better. His mother stated she felt comfortable taking him home. Patient left accompanied by mother.
1204273	4/13/2021	AZ	30	M	2/18/2021	3/3/2021	Visual symptoms and irritation/ pressure in the visual region of the face
1204276	4/13/2021	KY	25	F	4/9/2021	4/9/2021	Client passed out upon reaching vehicle. Her eyes were dilated approx. 1 to 1.5 cm. unresponsive. Was able to get small response out of patient. O2 at 4L placed BP taken 160/98 pulse 66. but was weak and thready. Patient passed out once again and did sternal rub while calling her name. Patient came slowly to and pupils returned to normal. Patient confused on what had happened. States she has passed out before from shots but states this was different. States when she was out she had dreams but couldn't remember them. Patient remained extremely pale but was communicating normally. Stayed with patient another 20 minutes. Paleness getting better. Patient did not want to go to ER. Encouraged her to f/u with PCP ASAP. Ver Patient verbalizes understanding. She was with her parents so did not have to drive. Parents verbalized patient would not be alone. Patient called early evening of that same day. Patient states she is feeling fine denying any left over symptoms. Called patient Sunday 04/11/2021 and she verbalized doing fine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1204296	4/13/2021	GA	58	F	3/19/2021	4/9/2021	04/09/2021 c/o mild headache, then 04/10/2021 severe headaches, sensitivity to light, slept with knit cap over eyes. Pt took Excedrin. 4:00 am and 9 am. Headache last until about 3pm on Saturday. Pt states "I did not feel right until Sunday afternoon, tired and sore from headache and tension." 04/13/2021 started with moderate headache around 3 am this morning, took Excedrin and the headache eased off.
1204311	4/13/2021	NM	61	F	3/8/2021	3/22/2021	Shortness of breath, stomach issues, muscle aches and pain, headaches, rapid heart rate, nausea, vision problems.
1204485	4/13/2021	NY	28	F	4/12/2021	4/12/2021	- visual disturbances (black dot and blurry vision) on drive home from vaccine - Fever (102.5), chills, extreme shaking started at 10:15pm and is still happening (tylenol is helping with the fever) - body aches in all joints - dizziness and lack of coordination / feeling confused - went to pcp and they did a cognitive test and didnt see any reason for concern, although I am a healthcare provider myself (pharmacist) and I know something is very wrong. I might go to the hospital, but dont have great insurance so am uncertain
1204326	4/13/2021	NY	45	M	4/11/2021	4/12/2021	Took the vaccination on Sunday woke up Monday morning with flu like symptoms and a fever of 101, woke up today Tuesday feeling fine until this afternoon with a sudden severe migraine with both eyes going blurry and feeling really weak.
1204192	4/13/2021	CO	26	F	4/2/2021	4/6/2021	Lost vision like 3 mins after vax at the drive through shot center, paramedics were with me for about 20 mins to make sure blood pressure was okay and vision was 100% better. Besides the body aches and diarrhea on 4/3 and 4/4, On 4/6 I had the worst migraine ever where I lost 1/3 of my vision for about an hour and my right side of my body went numb for about 15 mins. I've been having migraines more frequently than I ever have and unsure if it is vaccine related or just extra stress. I have been trying to reduce screen time as much as I can but hard when I work full-time and in grad school and use the computer all the time. I also have been taking motrin/tylenol for the pain and lay down to let the pain pass.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1204334	4/13/2021	TN	56	F	3/31/2021	4/12/2021	Yesterday, approximately two weeks after my vaccination, I had a dozen grilled shrimp for dinner and had a pretty severe allergic reaction. I had itching, hives, swelling around one eye and under my chin. I have never had an allergic reaction to any food before. I took a benadryl immediately at onset of symptoms and a second one before bed. It helped control the itching but now even 24 hours later the swelling is just starting to go down. Obviously I have no idea if this was due to the vaccine or not but it seems very coincidental that this would happen for the first time in my life within two weeks of getting the shot, I still plan to get the second shot but will avoid shellfish for some time.
1204336	4/13/2021	TX	34	F	4/10/2021	4/11/2021	Had seizure symptoms at 2:30 am the following day. Husband woke to our dog whining. I was very disoriented before it happened, I was freezing cold, aching, shooting pains, could hardly move or speak but got out the words, ?im not ok, I?m having a sever reaction? My husband said I then went into what he saw as a seizure. Head throat, neck, back tensed-unconscious, unable to arouse. Lasted about a minute. Where I lied unconscious and he didn?t think I was breathing. 30 seconds later I opened my eyes, but then had a similar but shorter episode 30 seconds and then was able to get me to come to. He called 911, and they took me to hospital. All vitals came back normal. Blood pressure was on the low side. I have no history of seizures.
1204348	4/13/2021	NM	31	F	3/24/2021	3/25/2021	The following day after my vaccination, I had a severe headache all over the top of my head and eventually only the left side of my head and face felt intense pain. It felt kind of like a stabbing or shooting pain down into my head. Then I started feeling a lot if pressure and pain in my left eye, eye brow, and the sinus area. I could hardly open my eyes. My left side of my face also tingled with tiny sharp pains or numbness. This pain intensified for about 5 days so I started taking aspirin. It would feel slightly better but then would feel even worse. I decided to use a netti pot to remove pressure. After about 5 days of using that I started to feel better. I would say I started to feel back to normal two weeks after the shot.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1204371	4/13/2021	PA	81	F	4/9/2021	4/10/2021	Woke up on 4/10 (day after administration) with bone and muscle aches, blurry vision, headache that felt like it was in eyes on both side. Also had hot sweats during the night. Took tylenol and drank a lot of water, as advised, at vaccine facility. Treated with bed rest; All symptoms resolved on Mon 4/12
1204398	4/13/2021	TX	34	F	4/10/2021	4/12/2021	I received the vaccine at noon on Saturday. 12 hours later I experienced severe chills and body aches which lasted 12 hours. Late afternoon on Monday I began experience sharp pains on the left side of my head, in my left inner ear, my left temple, behind my eye and above my eye to the upper part of my left forehead. At one point in the evening, it hurt to move my eye . These pains have persisted. I took 800mg of Ibuprofen on Tuesday morning, which took away the sharp pain but there is still a dull pain/feeling of pressure behind and around my left eye and ear. The eye feels dry and sore when I blink. I called a doctor and they felt it could be a migraine. As someone who suffered from migraines in the past, it doesn't feel like one.
1204434	4/13/2021	KY	47	M	4/12/2021	4/13/2021	Started feeling feverish and achy. Feel pressure in temples and behind eyes
1204447	4/13/2021	NM	54	F	4/6/2021	4/6/2021	Bad Headaches - daily since. Migraine size 1st two days. Still having them Abdominal pain - feels like ovary pain Slight Blurred vision -feels like from headache
1204467	4/13/2021	SC	30	M	4/8/2021	4/8/2021	Fever, migraine, chills, exhaustion, body aches, blurry vision in and off for 2 days
1204473	4/13/2021	NC	55	M	4/6/2021	4/7/2021	The next day woke with worse headache of my life , nausea, pain behind my eyes,confusion, throwing up brown liquid, left work early came home , went to bed , next day still really sick , so missed work again , 3 days total missed , thought it should be know men are having bad reactions too
1204482	4/13/2021	NM	50	F	3/12/2021	4/12/2021	2-3 days After vaccine - patched of taste buds gone, like i burned my tongue. Went away after a week. Vision issues - blurry vision continues Stomach pain on and off - continues
1204314	4/13/2021	NM	62	M	3/25/2021	3/29/2021	Severe headache and blurry vision increased

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1204033	4/13/2021	MA	51	F	4/12/2021	4/12/2021	C/O of weakness and left arm numbness. Skin warm and dry, color good. 9:35 132/75,76,SAO2 100% 9:55, states weakness improving, left arm numbness gone but tingling to face with blurry vision. 121/6,62, SAO@100% Continues to rest on stretcher.10:20 improved, drank ginger ale and water. 111/73, 67, SAO@100%
1205856	4/13/2021	WA	43	F	3/13/1978	4/16/2021	March 13 & 14 - fever, fatigue, headache March 15 -18 headache (migraine like) March 19 - current date 1. severe debilitating headache, non-responsive to: immitrex migraine medication, Vicodin, flexaril, excedrin, or butalbital/acetaminophen/caffeine tablets 2. Blurry vision 3. Extreme light sensitivity April 7 - injection of Toradol (4 hours of relief) April 8 - current (4/13) Toradol every 6 hours with Tylenol supplements as needed between doses
1205123	4/13/2021	AZ	39	F	4/9/2021	4/10/2021	Woke up with closed eye and drooping on left side of face. ER diagnosis of Bells Palsy
1203850	4/13/2021	TX	27	M	4/8/2021	4/9/2021	Loss of vision for approximately 30 minutes & disorientation.
1203855	4/13/2021	AZ	38	F	4/11/2021	4/12/2021	Work up the next day with my left side swollen . My lips and eyes were very very swollen. My throat was swollen and was wheezing . Had a bad cough . Felt like something in my throat .

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1203910	4/13/2021	LA	30	M	4/11/2021	4/11/2021	Patient c/o dizziness, palpitations, SOB. VS within normal limits blood pressure 100/60, pulse 71, 97-99% Oxygen saturation. Diaphoretic, responsive with GCS 15. Denies existing health conditions, medications, or allergies. Given 1 bottle of water. Patient asked to walk with nurse. After walking 15-20 feet, patient said "whoa" and nurse grabbed patient and lowered him to the ground. Patient was placed supine and bag placed behind his head. Nurse unable to palpate carotid pulse and patient completely unresponsive. Nurse instructed to call 911 at this time. Patient positioned for CPR and opened his eyes. Stated "I fell asleep while I was walking." Patient instructed to lie still and informed 911 had been called. At this time, RN positioned patient's legs upward to increase blood flow to chest and head. This nurse repeated blood pressure at this time 96/62. Nurse obtained heartrate 71-75 and oxygen saturation 98%. Denied pain. Stated he used a push mower in his yard this morning. Patient diaphoretic and chilled. Assisted into seated position to drink orange sports drink and a second bottle of water. Upon EMS arrival approximately 4 minutes after call, paramedics examined patient and took over his care. They measured a blood glucose level of 134. Nurses assisted patient into ambulance for paramedics to run an EKG. Patient later returned to his personal vehicle and remained on site for about an hour. He called his brother-in-law to assist him home. Nurses on site checked on patient every 10-15 minutes until his family member arrived.
1203918	4/13/2021	IL	63	M	3/17/2021	3/17/2021	3/17 Vaccination By 6PM, stiff shoulder, stiff neck. Got progressively worse thru night. The diarrhea went away within 24 hours. The floaters in L eye appeared that first night. It started to increase, swatting at 'flies'. 3/18 It got worse; floaters. I made appt with eye doctor. 3/30 Saw Dr. She stated was a lot of floaters in L eye. It is still a few every couple of minutes. Has improved but still ongoing.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1203925	4/13/2021	FL	34	M	3/22/2021	3/22/2021	Patient had syncopal episode 3 minutes after receiving COVID-19 vaccine at local pharmacy. Per ED provider note, pt reported feeling lightheaded and then falling forward. Has felt lightheaded after giving blood in the past. He was transported by EMS to the ED. No nausea, vomiting, or vision changes. Head CT negative during work-up. Patient received his tetanus shot while in ED, along with stitches due to forehead laceration from his fall. No other treatment required.
1203932	4/13/2021	WI	48	F	4/6/2021	4/6/2021	Four hours following the vaccination the patient developed Numbness; Tingling of the back of her neck with extension to the back of her head; Headache; Dizziness; Fatigue; Arm pain; Rash at the injection site; Blurry vision for one day. All symptoms except the rash and the blurry vision were still present after one week when seen in the Medical Centers ER.
1203954	4/13/2021	PA	44	F	3/14/2021	3/15/2021	Fever, joint pain, headache, aches, burning eyes, no taste, lethargy
1203957	4/13/2021	PR	32	F	3/30/2021	3/31/2021	Swollen eyes for 5 days. Extremely swollen.
1204212	4/13/2021	MO	49	F	3/19/2021	3/20/2021	After the first shot, I woke up with a blood red left eye. The eye doctor said it was a burst blood vessel (subconjunctival hemorrhage). We didn't think it was related to the vaccine. However, when I got my second dose, I woke up the next morning, and it happened again in the same eye. The left eye felt dry and heavy. The eye doctor gave me drops, and it improved within 2 weeks after the first vaccine. I have not gone to the eye doctor the second time. I am using eyedrops, and it is improving. I informed my primary care physician as well.
1204018	4/13/2021	NM	20	M	4/12/2021	4/12/2021	Headaches in the back of my head Blurred, spotty vision dizziness
1204201	4/13/2021	FL	46	F	4/8/2021	4/8/2021	headache, pain behind left eye, nausea, Dizziness, fever, chills, migraine, back rash and rash on palms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1204041	4/13/2021	CT	31	F	4/10/2021	4/10/2021	A few minutes after receiving the vaccine, while I was in the 15 minute observation period, I began to feel hot and cold at the same time, began sweating heavily, my limbs started becoming very weak and I started seeing spots. I called over a doctor and explained what was happening. He got a wheelchair and brought me to a room to lie down. During this time, my vision continued to get worse (seeing more spots and less peripheral vision). Upon laying down, the doctor put my feet up and a nurse took my blood pressure. If I remember correctly, it was 90/58. My normal blood pressure is around 112/68. A nurse also put ice under my neck. Immediately upon laying down, I started feeling better. I was observed for a while more and then a nurse took my blood pressure again (both laying down and sitting up). My limbs still felt weak when seated and my blood pressure was better but not normal yet, so I was told to lay down a bit longer. Then, a nurse checked my blood pressure again (laying down, sitting up and standing up). It was back to normal and I was feeling better. I was cleared to leave the vaccine clinic. Since leaving the clinic, I haven't had any abnormal side effects or reactions.
1204044	4/13/2021	PA	72	M	2/5/2021	3/6/2021	Event-Dizzy, unstable, vision blurry, almost lost vision in left eye completely, PTP5 cerebral artery blocked almost 100% when previously was only 50% - 75% blocked Treatment-Changed meds, added Eliquis and Repatha Outcome-Unknown for 3 months when he gets re-checked
1204061	4/13/2021		58	F	12/21/2020	12/21/2020	Immediately afterwards developed tingling to the corner of her left eye. Patient states over the course of the day she developed numbness to the left corner of her lip and ear fullness. Patient states once in a while she will experience tingling to the eminence of her left hand. Symptoms have improved over the course of 24 hours. Patient is in stable condition and offers no additional complaints at this time. Informed patient that tingling has been a reported side effect of the vaccine, but it's unclear whether her symptoms are due to the vaccination. Patient wishes to go home. Discussed with patient diagnostic results and differential diagnosis. Patient advised to return to the ED for new or worsening symptoms. Patient is agreeable with plan for discharge.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1204063	4/13/2021	NY	56	F	4/13/2021	4/13/2021	Patient received her Covid 19 Janssen vaccine at approximately 7:00am. At approximately 8:00am she started experiencing itching in her eyes. As time went on she stated she started to experience itching all over her body and a tickle in throat. She called her doctor and they advised her to take benadryl to manage the adverse reaction.
1204077	4/13/2021	IN	53	M	4/9/2021	4/9/2021	1) severe chills but no accompanying fever; covered with blankets to provide warmth; chills began to subside about 8 am on 4/10 and ended by 5 pm on 4/10 2) headache leading to cluster headache event; no other usual triggers present; symptoms included visual aura/tunnel vision, intense ringing in ears, and pressure/throbbing pain in head; treated with ibuprofen and acetaminophen, rest, fluids; symptoms began about 630pm on 4/9 and finally ended about 7pm on 4/10.
1204079	4/13/2021	AK	64	F	3/13/2021	3/23/2021	Had a normal morning, ate a protein breakfast and went shopping at about 10 am. After entering the grocery store, I had a sudden onset of dizziness and my vision became erratic. I could not focus my eyes properly - it was almost as if one of my contacts was out of the eye but that wasn't the case. Fortunately, I was near the furniture section of the store and found a place to sit. I stayed sitting for several minutes while I fought the dizziness and thankfully my vision came back into focus. Within a couple of hours, I developed a migraine headache that lasted off and on for 5 days. I do have migraines occasionally (the last one was July 2020 - I keep a log), however I have never had this type of precursor or warning sign of a migraine.
1204088	4/13/2021	PA	56	F	4/9/2021	4/9/2021	Hives on face 20 minutes after injection, angioedema follow with swollen face, eyes and itching on face. Within 5 hours all over itching, drainage from eyes throat itching

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1204138	4/13/2021	RI	59	F	4/10/2021	4/11/2021	As described above, about 13 hours after the vaccine I woke up at 3 am with a severe pounding and constant headache. I was also extremely fatigued so much so that I did not get out of bed or do anything all day 4/11 and didn't start feeling better until the following Monday. Then I hear in the news about the 6 adverse reactions and the J&J vaccine shutdown, possibility for blood clots etc. and to keep an eye out for various symptoms over next 2-3 weeks! It was stressful enough registering and not being able to secure the Moderna or Pfizer so I just said ok and got the J&J. Now I have something else to worry about. Heart and blood clot issues are in my family. I do not take any blood thinners and don't plan to. But now am questioning whether I should have gotten the vaccine at all. I have had enough chronic illness in my life. In fact, December 2019 I was in another town taking care of my mother and her subsequent death when I caught someone's cough. Urgent care diagnosed me with pneumonia, fluid in the lungs, put me on course of antibiotics. I couldn't breathe, needed a nebulizer etc. They called me and said it was not pneumonia or flu a or b (I get the shot every year) and to go to the ER if it got worse. I couldn't eat or move much for three weeks and breathing was extremely difficult. I had to get a nebulizer. Eventually went away. Then in March Covid 19 became official. When I tested for Covid 19 here at a state site in 2021, I tested negative.
1204144	4/13/2021	CO	21	F	4/13/2021	4/13/2021	Patient in clinic to receive first dose of COVID-19 Vaccine. Per vaccinator patient oriented/alert, behaving and talking normally prior to vaccine administration. Pfizer dose administered in left deltoid, patient completed 30 minute observation period due to her medical history and previous allergic reactions (swelling after pain medication at dentist, anaphylaxis with carbonated drink and tuna). Per patient's report: was getting in to her vehicle ready to leave and vision in right eye became blurry, came back to clinic. Patient reports this is not the first time the blurred vision has occurred, reports blurry vision to right eye occurs anytime she is stressed or tired and typically lasts about 20 minutes.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1204156	4/13/2021	WA	28	F	4/3/2021	4/3/2021	Within 3 minutes of getting the Janssen shot I started feeling really sick, lost my vision and all feeling in my hands. I sweated through all of the clothes and soaked the chair I was sitting in. That night around 7 pm I got a migraine and felt really fatigued I couldn't stay awake and I was really sore. My chest hurt and so did my head. I was nauseated to no end The next day was worse. All day I couldn't stay awake. I felt so sore and sick to my stomach and I coint move too much because I was super dizzy. The next day I was still sick and dizzy By day four I felt fine just dizzy.
1203971	4/13/2021	CA	74	M	3/24/2021	4/2/2021	Hemorrhagic stroke in temporal lobe resulting in >7cm hematoma. Symptoms starting with painful migraine that started 2 days after the vaccine. On 4/2, migraine was worse and then loss of vision in right eye around 9pm. 4/3 at 6am, became disoriented with weakness on the right side of the body. Vomited. Called 911, paramedics said symptoms were in line with stroke. Took to hospital to ER. Immediately went in for CT scan. Result was large bleeding into the brain, approx 6cm. Transferred to unit to monitor, bleeding increased by 10 to 20%. 4/4 at 10am, left side craniotomy for evacuation of hematoma performed. Patient was in critical care icu. 4/9 patient transferred to inpatient rehabilitation. Patient diagnosed with Wernicke's Aphasia and Level 2 Dysphagia, visual field cut in right eye, and right sided weakness.
1205013	4/13/2021	FL	27	M	4/13/2021	4/13/2021	Patient had vaso-vagal reaction from the vaccine. Within 2 minutes of getting the vaccine the patient became flushed and very pale. He as sweating profusely and had vision loss. He was sitting while this all happened which I think prevented him from fainting. I got him water, an ice pack and called ems. By the time EMS arrived the patient was starting to feel better. EMS did their evaluation on site and the patient was able to go home 20 minutes later.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1204781	4/13/2021	NY	79	F	2/9/2021	3/9/2021	<p>head injury/head trauma; eye infection; syncope/passed out; felling bad; has no balance; felt dizzy; irritated; This spontaneous case was reported by a consumer and describes the occurrence of HEAD INJURY (head injury/head trauma) and SYNCOPES (syncope/passed out) in a 79-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 028L20A and 012M20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Glaucoma. Concomitant products included CLONAZEPAM (KLONOPIN) for Glaucoma. On 09-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 08-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 09-Mar-2021, the patient experienced HEAD INJURY (head injury/head trauma) (seriousness criterion hospitalization), SYNCOPES (syncope/passed out) (seriousness criterion medically significant), FEELING ABNORMAL (felling bad), BALANCE DISORDER (has no balance), DIZZINESS (felt dizzy) and IRRITABILITY (irritated). On 25-Mar-2021, the patient experienced EYE INFECTION (eye infection). The patient was hospitalized from 09-Mar-2021 to 11-Mar-2021 due to HEAD INJURY. At the time of the report, HEAD INJURY (head injury/head trauma), SYNCOPES (syncope/passed out), FEELING ABNORMAL (felling bad), BALANCE DISORDER (has no balance), DIZZINESS (felt dizzy), IRRITABILITY (irritated) and EYE INFECTION (eye infection) outcome was unknown. No treatment medication was included. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. This case was linked to US-MODERNATX, INC.-MOD-2021-071179 (E2B Linked Report). This case was linked to MOD-2021-071179 (Patient Link).; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. US-MODERNATX, INC.-MOD-2021-071179:Case for first dose</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1204830	4/13/2021	VA	67	M	3/15/2021	3/23/2021	Left eye retina detachment; surgery performed on 24 March to successfully re-attach
1204838	4/13/2021	CA	21	M	4/13/2021	4/13/2021	Pfizer-BioNTech COVID-19 Vaccine EUA Heat flash in chest and throat, blurry vision, nausea
1204874	4/13/2021	OH	44	F	3/3/2021	3/5/2021	Starting few days after shot, she started having upper then lower back pain, left > right arm pain, left > right leg pain, severe muscle spasms in left leg, numbness in left leg, weakness in both legs, blurry vision and balance problems. This progressively worsened over 2 weeks then started to improve, overall 75% better by 1 month out from the shot. At that time she presented for elevated blood pressure which was also new onset. Exam findings revealed mild ataxia on heel-to-toe walking, asymmetric lower extremity reflexes, and generalized muscle weakness of both upper and lower extremities. Otherwise neuro exam normal.
1204901	4/13/2021	MD	59	F	4/8/2021	4/8/2021	Eye pressure, blurry vision. Severe muscle aches, joint & body pain. Uncontrollable shaking. Terrible cold chills. Low grade fever. Extremely foggy brain. Extreme weakness. Above symptoms lasted for 36 hours. 5 days post vac still having cold chills fatigue sleeping all the time and brain fog.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1204904	4/13/2021	VA	21	M	3/8/2021	3/8/2021	4/8/21: Vaccine Received - 6:00pm By 9:00pm, patient begins suffering from intense headache, hearing loss in both ears, and blurred vision. For the ears, it was as if someone had taken ear plugs and coated the ear drum with them, making it hard to hear. Headache was treated with an ice pack on the temple for immediate site relief. Began to feel tired and worn out while in bed, loss of vision begins to occur as well. Body aches begin. 4/9/21: Patient is woken up from intense body spasms throughout the entire body. Once awake, the entire body was spasming, causing the patient to be unable to control his body, and all extremities. After sipping some water for about an hour, the spasms subsided in all areas of the body except for the legs and shoulders. 4:00pm patient begins to feel extremely nauseous, begins having increased bowel movements including rapid diarrhea, and extreme stomach cramping. Deep body aches and pain continue. 4/10/21: 10am: patients body begins to become covered in hives all across his skin, inside his mouth, under his feet, and in his hair. Hives continued to grow, with no reddening of the skin however. This was treated with Benadryl for the remainder of the day; hives subsiding around 6:15pm. Dehydration also occurred, and hospital treatment for IV saline bag was soon to be utilized had the patient not been able to rehydrate himself. Body aches continue
1204907	4/13/2021	LA	70	M	2/11/2021	2/21/2021	Drooping of the left side of his mouth making it hard to eat and drink. He also experienced eye irritation. After examining him on 2/22/21 I felt like he probably had Bell's palsy, but did feel that stroke needed to be ruled out.
1204911	4/13/2021	AZ	64	M	4/2/2021	4/9/2021	Didn't feel well when I got up the morning of 4/9, had chest discomfort, fluttering in the heart, numbness in the arms. 5pm same day got to feeling much worse. Felt faint, lose of eye site. called 911 and was transported by ambulance to hospital were I remained for 48 hours diagnosed with a mini stroke. Released from hospital 4/11 @ 3pm. Eyesite has recovered and feeling somewhat normal.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1204946	4/13/2021	CA	35	M	4/13/2021	4/13/2021	Pt to observation after receiving vaccine. Immediately upon entering observation, pt complained of dizziness and feeling as though he was going to pass out. RN to vehicle to assess per request of observation staff. Once RN approached car and began to speak with pt, she noted pt to be very pale, diaphoretic and speaking sluggishly. RN laid pt drivers seat all the way back and elevated his feet, pt wife who also received vaccine was in the passenger seat. After pt laid back his eyes rolled back and he became unresponsive. Medics and MD called to evaluate. After sternal rub pt noted to have eyes open and pupils dilated, still unresponsive. Within the minute the medics arrived and pt began to regain consciousness. Pt states he has had this happen before when he has had blood drawn. After medical evaluation from paramedics and the MD, it was recommended pt be further evaluated at hospital. Pt transported to hospital, wife drove personal vehicle in stable condition.
1204959	4/13/2021	AL	60	F	4/7/2021	4/8/2021	Brain fog and memory loss, since vaccine 1st dose, 04/07/2021 On 04/08/2021 I woke up to find my left eye with filled with blood over most of the sclera. Severe joint pain. Muscle pain, and lethargy. Extremely forgetful with new onset 04/07/2021. Eye pain left eye. L eye hemorrhage is not resolved yet.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1204777	4/13/2021	MI	64	M	3/27/2021	3/28/2021	I developed shingles around the outside of my left eye; painful stiffness in the injection site arm; felt a little tired; joint pain in the injection site arm; This spontaneous case was reported by a consumer and describes the occurrence of OPTHALMIC HERPES ZOSTER (I developed shingles around the outside of my left eye) in a 64-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 038A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Cataract (cataract surgery, left eye) on 26-Mar-2021. Previously administered products included for an unreported indication: SHINGRIX in 2020. On 27-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 28-Mar-2021, the patient experienced MUSCULOSKELETAL STIFFNESS (painful stiffness in the injection site arm), FATIGUE (felt a little tired) and ARTHRALGIA (joint pain in the injection site arm). On 01-Apr-2021, the patient experienced OPTHALMIC HERPES ZOSTER (I developed shingles around the outside of my left eye) (seriousness criterion medically significant). At the time of the report, OPTHALMIC HERPES ZOSTER (I developed shingles around the outside of my left eye) had not resolved and MUSCULOSKELETAL STIFFNESS (painful stiffness in the injection site arm), FATIGUE (felt a little tired) and ARTHRALGIA (joint pain in the injection site arm) had resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown. Treatment for the ophthalmic herpes zoster include sulfamethoxazole 160mg BID and valacyclovir 500mg 2 tablets TID. Company comment: Based on reporter's causality and recent history of cataract surgery the event eye herpes zoster is assessed as unlikely related to mRNA-1273. For the other events the causality cannot be excluded. On 05Apr2021, his eye Dr assessed the area with shingles and thought that the shingles was most likely due to the trauma to the eye from the surgery.
1205000	4/13/2021	CA	77	F	3/8/2021	3/9/2021	Swollen lymph nodes right armpit 03/10/2021, still visible 4/13/2021. Swollen lymph nodes under left eye 03/09/2021 to 3/11/2021 gone.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1206263	4/13/2021	CO	57	F	3/13/2021	4/7/2021	Chills, shaking, headache, flu like symptoms but no fever I also experienced blurred vision, extreme dizziness, nausea and went to urgent care where I was diagnosed with BPPV positional vertigo which I've never had or experienced ever.
1205017	4/13/2021	MA	66	F	2/16/2021	2/21/2021	Momentary near loss of vision for about 5 minutes in right eye
1205041	4/13/2021	CA	57	F	4/8/2021	4/8/2021	Feels "itching" in her body. No distress/SOB. Able to swallow. No visual symptoms of allergic reaction. Pt A&O. Symptoms resolving. Diphenhydramine 50 mg PO administered. Pt observed for 45 mins. All sxs resolved
1205066	4/13/2021	NM	43	M	4/8/2021	4/9/2021	on 4/9/2021 I felt very fatigue and had a headache all day long my eyes where burning of my headache. When I cough it hurts all the way down my right arm.
1205069	4/13/2021	FL	47	F	3/19/2021	3/20/2021	ADE - hives all over my trunk, under my armpits, on my face and neck, in my eyes, and a little bit on my legs. They started on my trunk on Saturday afternoon (shot on a Friday) so I started Benadryl + Xyzol + Pepcid 3x daily. Sunday morning I woke up and they were under on my face and neck so I continued my antihistamines and then had a dose pack called in. Started the dose pack on Monday morning ; when I woke up that morning the hives were then on my eyes. Completed the dose pack and my hives are back; they started yesterday, 12-APR.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205071	4/13/2021	OH	85	U	2/11/2021	2/18/2021	On February 18, 2021 between hours 18:20-18:40 and a week after taking the second shot, patient lost balance (fainting) at home, fell, bruised a rib and fractured skull, causing subdural hematoma (bleeding outside of the brain). Bleeding stopped and several CT scans were performed. Under medical supervision, an anticoagulant medication was stopped to allow for healing. On February 20, 2021, moved from ICU to regular hospital room and on February 23 moved to another hospital for intense rehabilitation. Within days a thrombus developed causing a minor Cerebrovascular Accident, which was immediately identified by a medical doctor and nursing staff. On March 2, 2021 at 10:30 am moved to a Medical Center for further treatment. An endovascular thrombectomy for the removal of a thrombus was performed by a doctor. After recovery in the Neurosciences Critical Care ICU, under amazing care by the doctors, further thrombi developed on patient's lungs and around the bowel. Patient expired at 8:01 on March 4, 2021 due to Ischemic Complications of Thrombi/Thromboemboli.
1205079	4/13/2021	FL	76	F	3/16/2021	4/1/2021	Pt stated that approximately two weeks after vaccination she went to her physician office for an issue with her eye. Her eye was severely red. At the physician's office, the physician told the patient that there was a small blood clot in her eye. The patient stated she didn't think anything of it at the time, but now that the CDC came out with the statement about the Janssen vaccination, she decided to report to the pharmacy.
1204492	4/13/2021	WV	61	M	2/11/2021	2/11/2021	Tinnitus, ringing in ears, sounds like a bunch of rattle snakes in a room next door. Started after first shot. Continues to date. Hoped it would go away, but it hasn't. No symptoms before shot. Keeps me awake at night. Leave the television on all night to cancel out the noise. Like locusts or crickets or rattlesnakes.
1204140	4/13/2021	CA	54	F	4/3/2021	4/10/2021	One week after my vaccine, on Saturday morning 4/10th I woke up and saw red in the outer white part of my left eye. I looked closer and it looked like blood, a burst/popped blood vessel. I felt no pain or irritation in my eye. My eye and surrounding eye area were not swollen or inflamed. There was no fluid or substance leaking from my eye or tear ducts. My eyes were not watery.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205083	4/13/2021	CA	24	M	4/12/2021	4/12/2021	Patient had a brief syncopal episode w/flushing followed by muscle contractions. 911 was called. Blood Pressure 94/43. O2 sat was 98% on room air. Per patient, vision got blurry and then went black. Tingling in bilateral hands. Paramedics arrived and assessed patient. Per paramedics request patient was to wait another 20 minutes before leaving. 10:34am patient is alert & oriented x4. Walking and feeling back to baseline. patient was then walked to his vehicle and was informed that if he began to feel that way again, to call 911 immediately. from time of vaccination to time patient left was a total of 42 minutes.
1205118	4/13/2021	WA	38	F	4/6/2021	4/7/2021	April 7th about 6:30pm: I became very confused, having trouble remembering where I was or answering simple questions. Around that same time my vision became blurry, and my face in and around my mouth became numb, I began to slur as a result. The numbness and slurring increased over the next hour or so. After that hour or so, I realized I was exhausted and my head hurt so I went to sleep. I also had a strange emotional response to all of this, I behaved giddily and as though it were funny. April 8th about 8am: I woke up and the confusion, blurry vision, numbness, and slurring were gone. I had a mild headache, brain fog, and was still more tired than usual. Later that evening the headache developed in to something more like a migraine, intense pain focused behind my right eye and blurred vision. At this time I again decided to go to sleep. It would have been about 8pm. April 9th about 8am: I woke up still feeling a moderate headache focused on the right side, still tired, and brain fog. The symptoms weakened throughout the day and by the evening I was feeling mostly normal again. I have felt healthy and normal since.
1204980	4/13/2021	IN	25	F	4/10/2021	4/10/2021	Allergic reaction, hives on face and neck, eye and face swelling , all beginning the night of 4/10 and continuing

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1204625	4/13/2021	TX	46	F	4/10/2021	4/10/2021	About five minutes after receiving the vaccine I began to feel something was terribly wrong. I then blackout for several minutes. From my son's description I believe I might of had a seizure. He said my eyes were wide open, I was slumped over, and gurgling. I was completely unresponsive to him. He summoned the paramedics who loaded me in an ambulance soon after I came to. They checked my vitals. My heart rate was 47 bpm and blood pressure was 80/40. They also checked my blood sugar. It was 116. They decided I needed to go to the hospital and began giving me iv fluids in route. At the hospital an EKG was taken, which came out normal, they continued iv fluids, and did a urinalysis on me. All test indicated I was healthy. It about three hours before my blood pressure and heart rate stabilized. Just as long for me to feel like I would be ok. They discharged me at this point. Since they I have just been extra tired and have had muscle discomfort.
1202143	4/13/2021	SD	58	M	3/24/2021	4/3/2021	Patient woke up on 4/3/2021 at 7:30am with the symptoms of Light Headedness, Dizziness, and not feeling like himself. He got up and continued with his normal daily routine until around 10:30 when his vision started to double and he was off balance on his feet. He was taken by ambulance to a Hospital at 11:15am upon arrival his vision trippled and his eye right started to veer outward. He was taken in for a CT scan immediatly and then was transfered to another campus to have a MRI scan done. He was then admited to the hospital for evaluation where he stayed overnight and was released the next afternoon (4/4/21)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1204745	4/13/2021	MD	69	F	3/21/2021	3/21/2021	high blood pressure; Arm bothered her; Congested; Right arm started tingling; Not feel well; Eyes are puffy/cannot see out of her eyes; headache/headache got worse; Chills/felt ice cold on one side; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of HYPERTENSION (high blood pressure) in a 69-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Diabetes, Kidney disorder and Blood pressure increased (High Blood Pressure). On 21-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 21-Mar-2021, the patient experienced HYPERTENSION (high blood pressure) (seriousness criterion hospitalization), LIMB DISCOMFORT (Arm bothered her), NASAL CONGESTION (Congested), PARAESTHESIA (Right arm started tingling), MALAISE (Not feel well), EYE SWELLING (Eyes are puffy/cannot see out of her eyes), HEADACHE (headache/headache got worse) and CHILLS (Chills/felt ice cold on one side). At the time of the report, HYPERTENSION (high blood pressure), LIMB DISCOMFORT (Arm bothered her), NASAL CONGESTION (Congested), PARAESTHESIA (Right arm started tingling), MALAISE (Not feel well), EYE SWELLING (Eyes are puffy/cannot see out of her eyes), HEADACHE (headache/headache got worse) and CHILLS (Chills/felt ice cold on one side) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 21-Mar-2021, Blood pressure measurement: high (High) it was 175/80 after 10 minutes of receiving the vaccine. and high (High) It was 195/90 after 15 minutes of first measurement.. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. The patient was hospitalized for 3 days. Treatment given was IV medication to lower blood pressure and Valium.; Sender's Comments: This case concerns a 69-year-old female with a serious unexpected event of hypertension, and nonserious unexpected eye swelling, nasal congestion, paraesthesia, malaise, limb discomfort, and expected headache, chills. Based on current available information and temporal association

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							between the use of the product and the start date of the event, a causal relationship cannot be excluded.
1204545	4/13/2021	VA	63	F	4/10/2021	4/10/2021	Dizziness, weakness, digestive system issues, loose stools, active bowels actively with gas. 5 minutes after injection I noted pain below both of my ears and visual disturbances. Nausea with the taste of bile in my mouth
1204553	4/13/2021	TX	35	F	4/8/2021	4/10/2021	Patient reports that she noticed tenderness to the interior aspect of her thigh and calf on Saturday after receiving Janssen vaccination in clinic 4/8/2021. Per patient areas of tenderness now present as "greenish- colored" bruising of unknown origin. Patient denies fever, chills, abdominal pain, or headaches but did take Ibuprofen on Friday for mild body aches with relief. Vital signs performed: Yes. Patient denies any new headaches, history of migraines which she reported to take Naratriptan as needed. Denies blurry vision. Denies trauma to the affected area. Patient reported cramping left leg Friday night. 2 yellow-green bruises (roughly the size of a quarter) were found. 1 on R. lower leg and 1 located on R. inner thigh. Pt evaluated by MD. Will f/u with patient tomorrow via phone.
1204561	4/13/2021	MN	35	F	4/3/2021	4/6/2021	10 days out from vaccine and still have major dizziness, lightheaded, visual changes, major head aches, and if headaches get bad enough then ringing in ears.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1204564	4/13/2021	CA	39	F	4/13/2021	4/13/2021	Client received the 1st dose of COVID vaccine by Pfizer lot # EW0161 and expiration date: 4/17/2021 at 11:37am. At 11:50am client reported to EMT that she felt dizzy. PHN arrived and noted client had pale lips and eyes closed but able to respond to questions (alert and oriented x 4). Client reports not feeling okay and really dizzy like she is going to faint and hotness on her eyes. PHN offer client water. Client has no medical conditions and takes no medications and has never had a reaction to any vaccine before. Client reports she is not pregnant. Other PHN arrived to assist at 11:52 am able to get oxygen: 100% and pulse: 82. Shortly after client reports she needs to throw up, provided emesis bag and client vomits X 2. Right after client vomited color returned to her lips. At 12PM vitals are pulse: 70, blood pressure: 138/79. At 12:05pm pulse: 64 and blood pressure 120/82, client reports no headache, no blurred vision and no nausea. Nurse went outside to get husband and son of client and walked them over to client. At 12:15pm pulse was 62 and blood pressure 116/78, client reports feeling tired, no pain, no nausea and no headache. At 12:25pm client vitals were pulse: 60, blood pressure 120/80. Client left facility with a steady gait at 12:28pm.
1204523	4/13/2021	CA	41	F	1/21/2021	1/22/2021	Heavy vaginal bleeding with heaving clots since the first dose was administered. Vaginal bleeding continues as of today, April 13, 2021 at 2:36pm 2nd side effect was herpes outbreak on right eyelid, my primary care provider was notified.
1204605	4/13/2021	TN	51	M	4/7/2021	4/8/2021	Experienced same typical symptoms such as fatigue and nausea for two days only after getting the vaccine. But also had an adverse reaction to my left eye for week where it became inflamed and very bloodshot red. Eye continued to swell and drain fluids and was extremely soar and painful with blurred vision. Made appointment at my family physicians office on 4/13/2021 where doctor subscribed drops to be administered 3X daily. This is where I am now.
1204607	4/13/2021	TX	28	F	4/13/2021	4/13/2021	Feeling Warm and blurred vision BP 114/72 HR: 72 Seen and cleared by EMS

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1204541	4/13/2021	OK	41	F	4/1/2021	4/1/2021	<p>P/C from patient. States she took the vaccine on 4/1/21 @ 1:30 PM. When she heard of the issues that were in the news about the vaccine she thought she should call.</p> <p>4/1/21 Thursday: That evening around 6 PM she started to have a rash. It started on her L arm where she got her vaccination traveled up her neck, covered her face and trunk. It started out as an itchy red rash but became raised hives. It resolved on it's own and on Saturday she did not have the rash anymore. Never had any difficulty with breathing. Her left arm where she received her vaccination still has some discoloration. States on Thursday evening she started having a "brain fog".</p> <p>4/2/21 Friday: The next morning she woke up and was unable to finish a sentence, states she was confused, "felt like I was on pain medication, like I was drugged". States she was confused, could not think and could not remember anything. Cried all day over nothing. Would tell her daughter something and then immediately ask what did I just say as she couldn't remember what she said. She was working on the graduation hooding ceremony and scribbled all over her papers like a 3 year old and the papers were strewn all over the floor. She reports that she had a mild headache all over her head dull pain and pressure 4/10. Took tylenol but that didn't help at all. Denies having any visual problems, trouble breathing or chest pain. Did have some abdominal dull cramping with nausea and even though it felt like she was going to have diarrhea there was no diarrhea or vomiting . The abdominal pain went away after friday but the nausea stayed through Sunday. She states she got lightheaded if she stood up too fast or turned her head too fast. This just happened on Friday. Denies having any weakness, lack of coordination, or speech issues. She states she was crying and could not stop all day on Friday. She told her boss she was having a mental breakdown and had to go home.</p> <p>4/3/21 Saturday: Patient states she felt stupid, could not think, could not remember anything she said. States that the horrible headache came on Saturday. It was so bad she had to lay down in a dark room with a wet washcloth over her eyes. The horrible headache lasted about 1 hour at a 10/10 level. Took some more tylenol but does not think it helped. Went to sleep and when she woke up the headache was still there at a rete of 4/10. She was still nauseate but the crying had resolved.</p> <p>4/4/21 Sunday: Again, had a</p>

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

severe migraine when she woke up. 7/10, not as bad as the one on Saturday. It lasted a couple of hours and then went back to the 4/10 headache that has persisted at the 3-4/10 level the entire time since she got her vaccination. The headache never stops hurting and stays 3-4/10. 4/5/21 Monday: Had a regular headache 3-4/10. Still felt "loopy" and with brain fog. Went to work on Monday and told her boss about it and that she still says she can't think straight. Her boss has been very supportive and has helped her to complete her assignments to get them in on time. 4/6/21 Tuesday: Still had a headache, it has been continuous ever since Friday. Still taking Tylenol and it doesn't seem to help. Yesterday she even tried Ibuprofen and it didn't help. 4/13/21 Today is day 13 and she still can't think straight. still has 3-4/10 headache, still all over her head. Feels that she still has brain fog, but not as "loopy". Feels like she can remember what she has said better. She called the nurse line at her husband's work. They told her that it was just a reaction to the vaccine. The patient didn't think to report it to the Health Center. She got the vaccine from the Health Center (she asked if employees could get the vaccine and said she would prefer that) She is not pregnant. She has no chronic health conditions and takes no medications routinely. She denies being allergic to any medications and states she has taken the Flu shot without any reaction in the past. NOTE: Tested positive for COVID on 2/4/21 and was told it was OK to get the vaccine. She lost her taste and smell and said she felt she had a mild flu for a couple of days. Has regained her sense of taste and smell and has had no residual symptoms. Instructed patient to go to the ER for an exam. She needs a full neuro exam and at least a C\_T scan of the head. She would like to contact her Primary Care Provider. States she hasn't seen him for a couple of years but feels like he would want to know. Instructed patient to call me with the outcome of her visit to her PCP or the ER. Patient verbalized understanding of and agreement with plan. Signed by: APRN-CNP on Apr-13-2021 at 04:04 PM Locked by: APRN-CNP on Apr-13-2021 at 04:04 PM

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1204518	4/13/2021	CA	53	F	4/13/2021	4/13/2021	Client received the 1st dose of COVID vaccine by Pfizer lot #EW0161 and expiration 4/14/2021 at 10:58AM. At 11:30AM client reported to EMT that she felt shaky and anxious. Nurse responded and found client sitting upright and talking to EMT. Client has a history of high blood pressure and diabetes and had COVID during Christmas. Client is taking Lisinopril and bulsgar. Client reports no history of anxiety. Provided client with water and repeated sets of vitals. Client alert and oriented x 4. At 11:30 am the first set of vitals were taken: Blood pressure: 120/70, Pulse: 88, Oxygen 95%. At 11:40 am vital signs were: Oxygen 96%, pulse86 and blood pressure: 115/70. Client reports she had a tightness in her chest at 11am but states it rapidly went away. client reports no headache or chest pain at this time. Client reports she has constant dizziness and blurred vision due to her diabetes. Client reports she sees her provider every three months. Provide client with emergency precautions. At 11:49am last set of vitals taken blood pressure: 115/70, oxygen: 95%, pulse:88 and client reports symptoms resolved and does not want to wait. At 11:50am client left facility with a steady gait.
1204567	4/13/2021	OK	67	M	3/8/2021	3/15/2021	1 week after receiving 2nd dose of Moderna Covid 19 vaccine started having increase blood pressures and then pain left temporal head. Reports history of temporal arteritis in past and this was flared due to injection, Mild blurred vision left eye when pain flared. improving after 2-3 weeks.
1204684	4/13/2021	IL	82	F	4/5/2021	4/11/2021	Patient presented to pcp office with c/o visual changes. She stated her vision was blacked out when she woke on 4-11-21 and 4-12-21. She states it was like an ink blot on her eye that lasted for about 10 minutes. Patient denied any other symptoms at the time of visit.
1204726	4/13/2021	NY	64	M	3/7/2021	4/6/2021	Patient vaccinated on 3/7/21, on 4/2 presented pain in left leg and some redness, on 4/3 some dizziness, lightheadedness, difficulty with vision in right eye, some slurred speech; on 4/5 his health agravated and EMS was called and taken to hospital; spouse informed that patient had a blood clot in stem of brain; on 4/6 patient died. No autopsy performed



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1204705	4/13/2021	NY	24	M	4/13/2021	4/13/2021	At 3:15 PM, pt entered observation immediately after receiving his second dose of the Moderna CV 19 vaccine. Pt reported to the RN that he was feeling dizzy (Client reported feeling dizziness after receiving his first dose as well.). Pt also complained of piercing headache above his left eye and pain on the right side of his neck. The pain radiated down his entire left side of his body. The pt also felt tingling in the arm he received the vaccine in. Vitals were initiated and water was provided to the pt. Ice packs were applied to the patients forehead and nape of the neck where he felt the pain. Vitals NOT within normal limits. O2 saturation fluctuating and blood pressure was a bit elevated. Pt reports having a history of hypertension, but could not accurately recall having taken the medication that morning. EMS was activated at 3:35 PM because the pts O2 saturated was fluctuating dangerously and interventions were not successful in relieving the patients symptoms. Vitals were taken approximately 10 minutes apart. Vitals were not WNL. Pt continually reported that the pain was increasing and beginning to feel unbearable. It was noted that the patient had increasingly poor circulation in the arm he received the injection. O2 was taken on the opposite arm and saturation levels appeared normal. EMS at 4 PM. Vitals were taken, all WNL. Patient left with EMS at 4:05 PM and was transported to Hospital.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1204697	4/13/2021	SC	36	F	4/13/2021	4/13/2021	<p>Patient is 36, Female DOB: 08/24/1984; Allergies: Penicillin (rash), Zinc (bloating). Received Moderna Vaccine at 11:45 am Right Deltoid. Observed for 15 mins. At that time, inmate stated she was having blurred vision. Inmate to be observed for 15 mins more, but at 12:07pm, inmate states to have scratchy throat along with blurred vision and now black specs aka floaters. Manual BP: 128/80 HR 88 inmate noted to have a slight tremble and blotchy bilateral upper arms. Inmate was assessed by RN; no resp. distress noted, no hives, lungs clear, bronchial sounds clear, no stridor noted. Inmate was moved to medical room laid in supine position with feet elevated. Manual BP 120/75 HR 108 inmate states to still have scratchy tight throat and blurred vision with floaters. @12:16pm Dr. called, and orders received per standing orders to give the inmate Diphenhydramine and then monitor inmate for 30mins more. @12:30pm manual BP 140/90 HR WNL. @12:34pm 50mg Diphenhydramine IM given to Left Deltoid. @12:50pm BP 143/103 HR 95. @ 1:10pm BP 163/95 HR 92. Inmate states to still have scratchy throat and blurred vision is worse with bigger floaters. @ 1:16pm Dr. called again to update, and orders given to follow through with standing orders and send inmate to the ER via EMS. @1:28p, 911 was called and around @1:50pm EMS arrived and patient was taken to ER for further evaluation. Entire process was explained to patient.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1204693	4/13/2021	OR	49	F	3/12/2021	4/8/2021	<p>presents with progressively worsening dyspnea on exertion for the last few weeks, much worse over the last one day. Patient reports feeling fatigued, having cough, and feeling more short of breath for the last day, and has developed central chest pain which is pleuritic in the emergency department. She reports that the chest pain is 4/10 in severity and does not radiate. Her caregiver at bedside reports that the patient has had worsening dyspnea on exertion for the last 3 or so weeks. Of note, she becomes dyspneic with limited exertion, such as going up a flight of stairs, at baseline. She had a fever of 101.4 °F at home earlier today, but denies chills or diaphoresis. He had 1 episode of nonbloody vomiting earlier today. Denies nausea at this time. She received her second dose of the Moderna COVID vaccine yesterday, 4 weeks after the first. They note that approximately 5 years ago, she had a prolonged admission for which she was transferred to OHSU and was on ECMO for a time before making a nearly full recovery. She has had the baseline dyspnea on exertion since that time. Review of Systems Constitutional: Positive for fever and malaise/fatigue. Negative for chills. HENT: Negative for sore throat. Eyes: Negative for blurred vision. Respiratory: Positive for cough and shortness of breath. Negative for hemoptysis, sputum production and wheezing. Cardiovascular: Positive for chest pain. Gastrointestinal: Negative for abdominal pain, diarrhea and vomiting. Genitourinary: Negative for dysuria and frequency. Musculoskeletal: Negative for back pain. Skin: Negative for rash. Neurological: Positive for weakness. Negative for tingling, sensory change and focal weakness. Endo/Heme/Allergies: Does not bruise/bleed easily. Psychiatric/Behavioral: The patient is nervous/anxious. Past Medical History: Past Medical History: Diagnosis Date ? Developmental delay, moderate since birth Functional equivalent to 10-12 year old, no formal testing done otherwise. ? DVT (deep venous thrombosis) (HCC) 1/2016 while on ECMO ? Personal history of ECMO 1/2016 - ARDS after unknown viral illness Past Surgical History: Procedure Laterality Date ? LUNG BIOPSY Left 1995 Mass noted following an MVA, was benign ? MASS EXCISION Right 2006 Growth removed from right knee ? PROCEDURE N/A 1/20/2021 Procedure: LAPAROSCOPIC CHOLECYSTECTOMY;</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

CHOLANGIOGRAMS; Service: Procedures; Laterality: N/A; POSSIBLE COMMON BILE DUCT ? PROCEDURE N/A 1/20/2021 Procedure: RIGID ESOPHAGOGASTRODUODENOSCOPY; Service: Procedures; Laterality: N/A; Medications administered in the ED: Medications doxycycline (VIBRAMYCIN) 100 mg in sodium chloride 0.9 % (NS) 100 mL IVPB (100 mg Intravenous New Bag 4/9/21 2235) ceftriaxone (ROCEPHIN) 1 g in 50 mL SNAP IVPB (0 g Intravenous Stopped 4/9/21 2234) Physical Examination: GEN: Very pleasant female sitting up in bed in NAD. Slightly anxious appearing. HENT: Moist mucous membranes. No posterior oropharyngeal erythema or exudates. NECK: Supple. No cervical or supraclavicular lymphadenopathy. CARDIOVASCULAR: Tachycardic rate and regular rhythm. No murmurs, rubs, or gallops. No pain with palpation of chest wall. PULM: Normal effort. No use of accessory muscles. Clear to auscultation bilaterally. No wheezes or crackles. ABD: Soft. Non tender. Non distended. EXT: No lower extremity edema. SKIN: No suspicious lesions noted on the exposed skin. EKG: 04/09/21 Rhythm: Sinus tachycardia Rate: 111 Axis: normal Intervals: normal Concern for possible inferior infarct noted, but felt less consistent with true ST depression Recent Imaging: Chest x-ray, 04/09/21: FINDINGS: LUNGS: Slightly low lung volumes. There is hazy reticulonodular interstitial opacity seen within the left mid and both lower lung zones suspicious for interstitial pulmonary edema. CARDIAC: Slightly worsened mild cardiomegaly. MEDIASTINUM: Normal. PLEURA: No pleural effusion or pneumothorax. LINES/TUBES: None. BONES: There is mild rightward convexity curvature of the thoracic spine along with minimal multilevel degenerative change. OTHER: Surgical clips overlie the left lung apex medially and the right upper abdominal quadrant. IMPRESSION: 1. See above. CT angiogram pulmonary: FINDINGS: Motion degrades image quality slightly. No pulmonary arterial filling defects are identified. Mild lower lobe predominant atelectasis and/or scarring. A single small bulla is present in the left lower lobe of the lung. Lungs are otherwise clear. Large airways are patent. Small bilateral dependent pleural effusions which are new relative to the comparison examination. No pneumothorax. Heart is normal in size. Relatively low

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

attenuation pericardial effusion is present which is new relative to the comparison examination. Pericardial fluid measures up to 1.7 cm in thickness. No thoracic aortic aneurysm or dissection. No mediastinal mass or lymphadenopathy. Two small enhancing foci are present in the liver, larger 1.8 in length which are similar to the comparison examination. Interval cholecystectomy. Visualized upper abdominal contents are otherwise without significant abnormality. There has been partial resection of the left 5th rib. Osseous structures are otherwise intact. IMPRESSION: 1. No evidence of pulmonary embolism. 2. Pericardial effusion and small bilateral pleural effusions which are new relative to comparison examination. 3. Two small enhancing liver lesions which are not further characterized by this examination but are similar to comparison examination. These could potentially represent hemangiomas. Assessment / Plan a 49 y.o. female with history of hypertension, developmental delay, DVT x1 not currently on anticoagulation, GERD, and anxiety who is being admitted for acute hypoxic respiratory failure, felt likely secondary to fluid overload from cardiomyopathy from pericarditis with associated pericardial effusion. #Acute hypoxic respiratory failure #Elevated Pro BNP #Cardiomegaly #Dyspnea on exertion #Pleuritic chest pain #Elevated D-Dimer Acute. Hemodynamically stable. On room air at home, and requiring 3 L via NC here. Considerations include new onset CHF, PE, PNA, PTX, pericarditis, pericardial effusion. Presentation most concerning for new onset CHF/cardiomyopathy from pericarditis with associated pericardial effusion, as demonstrated on CT angiogram. She has significantly elevated CRP which further supports pericarditis, and onset of symptoms approximately 7 to 10 days after receiving her first COVID-19 vaccine dose 4 weeks ago, which may be associated. Also possible viral or idiopathic. Mildly elevated BNP and pleural effusions suggesting cardiomyopathy. Patient had a fever to 101.4 °F earlier today, per caregiver at bedside, and has had shortness of breath and cough, and thus pulmonary infectious process strongly considered, though clinically I feel infection less likely. She has a chronic leukocytosis and WBC is 21 today. She received ceftriaxone and doxycycline for pneumonia today in the ED, and may

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
							consider continuing these tomorrow. No evidence to suggest tamponade on bedside POCUS. - Admit to PCU with tele - Echo in AM - Ibuprofen 800 mg 3 times daily and colchicine 0.6 mg daily for treatment of pericarditis - Diuresis: 40 mg IV Lasix given at 0037 - Respiratory support as needed, wean as tolerated - RTDP - Incentive spirometry - Consider continuing antibiotics pending clinical status in AM #Leukocytosis Acute. WBC 21.5 on admit, increased from 15.1 two and a half months ago, but that was at end of admission for cholecystitis. Potentially due to inflammation, possibly infectious process. See discussion above. - Trend with CBC #Hypertension Chronic, presumed well controlled. - Continue home hydrochlorothiazide and losartan #Thrombocytosis Acute. Suspect reactive thrombocytosis due to inflammation from pericarditis. - Daily CBC while inpatient #Elevated AST and ALT Acute, mild. Most likely secondary to congestive hepatopathy. Will trend. - AM CMP #Hypoosmolar hyponatremia Acute, mild. Considerations include beer potomania, hypothyroidism, SIADH, low solute diet ("tea and toast"), increased free water intake, medication induced (SSRIs, thiazides). Suspect low solute diet. SIADH from pulmonary pathology is also possible. - Repeat BMP #Anxiety Chronic, presumed stable. - Continue home sertraline Ppx: Lovenox Central Lines/IVs/Tubes/Drains: PIV CODE: Full Dispo: PCU with tele Active Hospital Problems Diagnosis SNOMED CT(R) Date Noted ? Elevated brain natriuretic peptide (BNP) level HORMONE LEVEL - FINDING 04/09/2021 ? Cardiomegaly CARDIOMEGALY 04/09/2021 ? Leukocytosis LEUKOCYTOSIS 04/09/2021 ? Acute respiratory failure with hypoxia (HCC) ACUTE RESPIRATORY FAILURE 04/09/2021 ? Dyspnea on exertion DYSPNEA ON EXERTION 12/21/2015
1204629	4/13/2021		37	F	3/31/2021	4/1/2021	Blurred vision and eye pain, headaches, mild cough, leg pain, and tiredness
1204683	4/13/2021	CA	64	F	4/13/2021	4/13/2021	pt reports feeling warm sensation on right side of head and right side of eye after receiving first dose of pfizer vaccine at 1:22pm. Pt VS taken BP: 158/84, HR-67, O2-97% RA. Education of symptoms to look out for provided. Pt reports feeling better and go home to rest. Pt escorted out to car with daughter and RN.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1204662	4/13/2021	IA	57	F	4/7/2021	4/8/2021	Patient reports she had "metallic taste" in her mouth for roughly 3 hours post vaccination. Patient reported that on 4/8, she woke at 0100 with "toe cramps", she got out of bed, walked around and took some Tylenol, this resolved. Then on 4/9 around 1400, she had what she described as "the beginning of a migraine" in which she had blurry/wavy vision. She has had migraines in the past, however they are very infrequent. She is not treated for migraines due to their infrequency. In the past, she would take a Tylenol at the first sign of blurry/wavy vision and this would prevent a full blown migraine. On 4/10 at 0530, patient woke from "charlie horse" in left calf. She got up, walked around again and took a Tylenol, this resolved. Later that same day, patient developed the blurry/wavy vision again, took a Tylenol again and this resolved. On 4/11, patient reported soreness in left calf from previous day's cramp and used heating pad. Patient has had 2 more episodes of blurry/wavy vision yesterday 4/12 and today, 4/13, which both resolved with Tylenol. Patient has not yet spoken with PCP. Due to the nature of the events, and the recent update of J&J vaccines,
1204654	4/13/2021	OR	64	M	3/18/2021	3/30/2021	Symptoms: numbness/tingling and cold skin all over body (both sides of body), headache, facial droop, blurry vision. Stoke, CVA.
1204634	4/13/2021	FL	64	M	4/13/2021	4/13/2021	2:15 pm. Complained of dizziness, blurred vision and diaphoresis. Stated he has prior fear of needles. 2:20 VS 95/65; p79; Sat 97. R. 14. Offered water, cereal bar. Stated he felt better. Assessed by NP and onsite EMS. Remained in Observation for 30 minutes. Discharged home 2:50 pm. All symptoms resolved.
1204494	4/13/2021	NM	61	F	3/31/2021	3/31/2021	Blurred vision. Near vision suddenly and drastically became blurred and remains so. The degradation of my vision was so bad that I went from wearing readers that were only a magnification of only a 1.25 to suddenly, readers that are a 2.5 magnification just to be able to read standard font.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1205182	4/13/2021	WI	68	F	1/12/2021	1/12/2021	full-blown narrow angle glaucoma/ she had narrow angle glaucoma before/had not had any attacks and was not on any medication for it previously; full-blown narrow angle glaucoma/ she had narrow angle glaucoma before/had not had any attacks and was not on any medication for it previously; Hands and wrist got red and itchy; Hands and wrist got red and itchy/ Back of right leg was itchy; Back of right leg was itchy and had a couple of bumps; This is a spontaneous from a contactable nurse (patient). A 68-year-old female patient received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL3248) at the age of 68-years-old, intramuscular in left arm on 12Jan2021 at 08:40 at single dose for COVID-19 immunization and paracetamol (ARTHRITIS PAIN RELIEVER ACETAMINOPHEN, lot number: 9ER0473, expiration date: Mar2021), via an unspecified route of administration from an unspecified date at an unspecified dose and frequency for an unspecified indication. Medical history included narrow-angle glaucoma; arthritis probably on 2000 in which she had both knees replaced in 2016, she has had different issues with arthritis since then; and hypertension. The patient has no known allergies. Concomitant medications included lisinopril for hypertension and naproxen sodium (ALEVE). No additional vaccines were administered on the same date as BNT162B2. The patient received a flu shot on Dec2020. She experienced worst arm pain from the newer pneumonia shot. She thought it was the Pevnar. The older one she did not have. On 12Jan2021 at 18:00, about 8 hours after vaccination (as reported) which was administered in a hospital, the patient experienced a full-blown narrow angle glaucoma. She was told that she had narrow angle glaucoma before. She saw a doctor prior to this though, back in Nov2020, for a routine visit and everything was normal. She had not had any attacks and was not on any medication for it previously. That night of the vaccine, she had rainbow colored halos around both eyes. She called her ophthalmologist and spoke to the doctor who was on call that night. He wanted to see her the next morning. Her pressures were a little high and they started her on drops. She then saw her regular ophthalmologist that afternoon. She had been seeing him every 4 months for the narrow angle glaucoma previously and had been fine since her last visit in Nov2020. It seemed like a



VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

coincidence. She reported since she knew it would take a while for all of the data to come back and she has not gotten the second one. The specialist said it could be triggered from the vaccine. Name of the drops she put on was Alphagan P. She no longer has it. She believed it was 1%, one drop in each eye, twice daily. She was taking a sample of that and currently, was taking generic Brimonidine 0.2% ophthalmic solution, 5mL, one drop in each eye twice daily. The patient was also on pilocarpine hcl. She went to an institute for a specialist. Nobody saw if there was anything in the literature. She reported to VAERS. She was calling to see if Pfizer has heard if there were any other cases. Someone did call her back and she tried to search the data base. She was not very tech savvy. She has not had any problems. Nothing like that before hand. No problem since then. She has no known allergies. The only other thing was weird was that on 12Jan2021 at 16:00, 6-8 hours later (as reported), both her hands and wrist got red and itchy, to the point she went outside and stuck them in a snow bank. She did not have an anaphylactic reaction. She then said maybe some transient itching in other places and mentioned some bumps on the back of her right leg that were itchy. She did not know if it was worthy of reporting. She used to be 5 feet. She shrunk and it occurred before the vaccine. It was age related. The next dose, she may get the Johnson and Johnson, something that does not have the MRNA in it. She did not have to go to the hospital, but saw 3 different doctors for appointments for glaucoma. She needed significant intervention based on that. It was the beginning of using eye drops, which she never had. When she went to bed, she still had the halo's and when she woke up, they were gone. So, they went away on their own some time during the night. Her pressures were still elevated in her eye though compared to normal. When she went in at 08:00, the visual check was not as good as it normally was. She did not know, but guesses she was 20/40 and normally was about 20/25. It just wasn't as good as it was prior. Now it was back to 20/25. She mentioned that she takes some over the counter stuff and lisinopril for blood pressure. She took ALEVE afterwards but she takes Aleve every day. About 4 pm, she also took TYLENOL. She could not take antihistamines or decongestant because they could trigger. She was looking at the vaccine to see if there

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

was an ingredient that could have caused it and she did not find anything. She wanted to make sure the TYLENOL did not cause it. She was just looking at other variables. That was the one thing that was not normal to her. She was just trying to figure it out. She almost never takes TYLENOL and may have gotten rid of it. She then clarified that it was generic, ARTHRITIS PAIN RELIEVER ACETAMINOPHEN. She only took one. Once you think you are itchy, then everything is itchy. She used a mirror to see the back of her leg and was able to see her hands. She did not see any other bumps or redness though. She did not do anything about itchiness or redness. It got her attention, but she did not talk to any doctor about it. It went away. When it happened, she was concerned. She did not know how to characterize it. Somewhere between not serious and medically significant. She did not seek treatment for it. She was unable to confirm seriousness of bumps on her leg as well but mentioned that it went away. She was unable to determine if it was going to get worse. She could not take BENADRYL because of her eyes. She could not even treat it and take an antihistamine. The action taken in response to the events for paracetamol was unknown. The outcome of the events was recovered on an unspecified date in 2021. The events "angle full-blown narrow angle glaucoma/ she had narrow angle glaucoma before/had not had any attacks and was not on any medication for it previously", "Hands and wrist got red and itchy", and "Hands and wrist got red and itchy/ Back of right leg was itchy" were assessed as serious medically significant.; Sender's Comments: Based on the close temporal relationship, the association between the events "angle closure glaucoma aggravation, erythema, and pruritus" with BNT162b2 can not be fully excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1202557	4/13/2021	OH	69	M	3/11/2021	4/4/2021	Reaction Report on Covid vaccine: I am a 69 year old male. On 3/11/2021 I received my first Covid-19 vaccine. It was the Pfizer vaccine. For a little more than 3 weeks I was fine, sore arm for a few days but that's all. Then all little more than 3 weeks later, on 4/4/2021, I started to feel chills, very tired and achy all over. I thought I was coming down with a cold but I never developed a cough, teary eyes nor a runny nose. I did have a headache but no sore throat and no cough, just the other symptoms of a cold. Those symptoms started on 4/4/2021 and lasted for about 3/4 days waning every day until 4/11/2021. That was the first day I felt back to normal. I was supposed to get my second shot on 4/8/2021 but canceled and rescheduled it for 4/21/2021. I am very concerned about getting the second shot and have actually considered canceling that shot too. I am very unsure what to do.
1196910	4/12/2021	OH	43	F	4/9/2021	4/9/2021	Patient became lightheaded and queasy. She laid down on the floor and her feet were elevated. She became more comfortable so she returned to a seated position and was given water to drink. After 30 minutes of observation the patient felt comfortable and left under the supervision of her mother (who attended the vaccination clinic with her).
1196867	4/12/2021	AZ	65	F	4/1/2021	4/9/2021	12 hrs later bleeding for nose, coughed up a blood clott, about 8 hrs after that went to the bathroom and had a little blood in toilet. During the next few days sore muscles and pressure in my sinus eye area, and little ache on top of my head.
1196826	4/12/2021	NY	27	M	4/11/2021	4/11/2021	vasovagal episode / syncope with subsequent fall to ground, striking head. lightheaded, clammy, loss of vision prior to episode. Brought to Emergency Department, discharged to home in stable condition within 5 hours.
1196822	4/12/2021	FL	63	F	4/9/2021	4/10/2021	Moderna COVID-19 Vaccine EUA. Aching Joints and Muscles, runny nose and eyes, Chills, Headache, Sweating
1196913	4/12/2021	NV	49	M	4/10/2021	4/12/2021	On Mon. 4/12/21, around 7:00am, in the shower, I discovered Swelling/Edema (equivalent to a jelly filled-doughnut) in my Right Arm Pit, that was tender to the touch and visually noticeable in terms of protrusion size, with slight discoloration.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1196925	4/12/2021	CA	42	F	4/6/2021	4/7/2021	I had a very bad case of Covid in January 2021 and have not regained my taste or smell. I was in bed for 2 weeks and had a prolonged fever up to 105 degrees--so high that I had visual and auditory hallucinations. I had hair loss in the following months and I also continue to be fatigued. I received the vaccination on 4/6/21 around 11am; a slight headache and face flushing occurred about 30 minutes after shot, but generally felt ok. Woke up at 4am on 4/7/21 with chills, extreme joint pain, body aches, migraine headache, and a fever of 101.5 degrees. Took Tylenol around 6am and went back to bed. The migraine headache, chills, body aches, and extreme joint pain continued. I was dizzy and extremely fatigued. Woke up around 9 am and fever was at 102.7 degrees. Joint pain and headache were almost unbearable at this point and I took a hydrocodone. Took temperature around 12 pm and it was 103.5 degrees. Fever continued rising to 104.4 degrees at 2:30 pm. Took another Tylenol and went to sleep. The next day, my fever had fallen back down to 102.5 degrees. I continued with Tylenol to control me fever to around 101 degrees. My fever persisted for 3 days. I still have extreme fatigue, joint pain, burning scalp (which will likely mean more hair loss), zero appetite and weight loss, dizziness, blurred vision, etc. The side effects are exactly how i felt when I got Covid in January.
1196805	4/12/2021	PA	55	M	4/9/2021	4/10/2021	Rash on face and neck and ears. Eyes are blood shot and itch.
1196944	4/12/2021	MA	87	F	2/23/2021	2/23/2021	I'm concerned about COVID vaccine possibly triggering a recurrence of post herpetic neuralgia in my mother, who hadn't had post herpetic neuralgia since 2015 14 hours after dose 2 of COVID vaccine administered on 2/23, patient awoke with sudden onset severe right ear and forehead pain, site of her initial herpes zoster rash in 2004. No visible rash or changes on eye exam (Pt is taking valtrex for eye sequellae of zoster). Other symptoms have included fatigue, bilateral axillary and neck lymph node tenderness, and some breathing discomfort. All symptoms are much improved but persist now (4/12/21).
1196629	4/12/2021	MI	35	M	3/29/2021	3/30/2021	flu like symptoms, aches, sore arm, fever, headache, loss of vision

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1196953	4/12/2021	IN	59	F	4/6/2021	4/6/2021	Deteriorating vision in right eye. Opt. Dr. , has referred to surgeon, Dr. . Appt is Thursday, 4/15/21
1196982	4/12/2021	OH	70	F	4/8/2021	4/8/2021	She got her vaccine, and started out about 45 minutes later felt like she had been stung by a bee. She stayed for 55 minutes, got in the car, took off her mask and her face/chest were bright red, itchy. She started Benadryl and then started getting a headache. During that night started with projectile vomiting that lasted for about 4 times, and then was done. Then she had chills that lasted for 2 days off and on. Her arm was a little sore but that was nothing. She is still having the rash and on Benadryl 2 tablets every 6 hours. Her face, chest, head and the itching is all over her body. She is visually impaired and says that her face and chest are bright red like a sunburn. She cannot drive as she can only see out of one eye. She called her physician who told her to continue with the Benadryl.
1196987	4/12/2021	ME	50	F	4/1/2021	4/1/2021	ITCHY EYE(S), NOSE AND OROPHARYNX WITHOUT REDNESS,SWELLING OR DYSPNEA - ADMINISTERED 25MG DIPHENHYDRAMINE BY IM ROUTE LEFT DELTOID: NEG CHEST PAIN, BLEEDING, RESTRICTIVE BREATING B/P 142/80mmHg, O2 sat 99%, HR 101, RR 18 - resolved in 30 minutes sent home feeling better - and to pretreat 25mg Benadryl/20mg Pepcid 30-45minute before second Covid vaccine and to ask for (Name)
1196991	4/12/2021	GA	60	F	3/14/2021	3/16/2021	facial swelling and eye swelling lasting over 4 weeks,short of breath,
1196937	4/12/2021	MI	53	F	3/15/2021	3/20/2021	Red, tender area on left neck. Erythematous lesion on left side of neck with vertical ?ripples,? dry spot on left side of upper lip, eyes and eyebrow itching
1196777	4/12/2021	LA	35	M	4/8/2021	4/10/2021	Second day after vaccine shot I experienced extreme fatigue and pain. Third day I broke out in hives all over. Today I?m still in hives and have a pink eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1196775	4/12/2021	DC	23	F	4/11/2021	4/11/2021	Painful injection but fine for the majority of the day. Started feeling muscle fatigue around 4pm, with upper body aches, stinging eyes, and nausea by 6pm. Fever of 102, and progression to full body aches and headache by 8pm in addition to the aforementioned symptoms that continued throughout the night. Fever lowered to 99 and only minor body aches by mid morning on the 12th. Headache continued throughout the day with low grade fever. I predict that I will feel 100% better within 48 hours.
1196762	4/12/2021	FL	60	F	4/9/2021	4/9/2021	Headaches, body-aches, intermittent fever, irritated eyes, swollen arm.
1196754	4/12/2021	AL	64	F	4/12/2021	4/12/2021	Patient experienced numbness in peripheral extremities and lips, headache, hypertension, neck stiffness, tremor, and blurred vision
1196733	4/12/2021	FL	66	M	4/9/2021	4/10/2021	Moderna COVID-19 Vaccine EUA. Chills, Fever, Aching Joints, Aching Muscles, Runny Nose & Eyes, Shortness of Breath
1196694	4/12/2021	OH	56	F	4/9/2021	4/11/2021	Friday evening started with a headache and eyes feeling bulging. I went to sleep at 9pm until noon waking occasionally. Saturday I felt great. Sunday started great, but late afternoon i had dihedra, which I had on the first shoot. I laid down afterward and feel asleep on and off for a few hours. After waking, I went back to doing house hold jobs and started having shortness of breath, and some mild coughing for an hour or so., then it passed. A few hours later the berthing issues came back with harder coughs like whooping cough. My oxygen level stayed at 99. I finally feel asleep and Monday morning I am fine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1196689	4/12/2021	MO	52	M	4/8/2021	4/8/2021	Pt arrives at 9:45am for Vaccine. Observed for 15 minutes and returns to car. Enters back into the facility at 10:10am and states, "My face feels numb. The feeling you get when numb at the dentist but in my face. I don't think that's normal." Pt states, "My face is numb, especially up by my eyes. They feel a little swollen too." Patient denies any shortness of breath, chest pain, other numbness or tingling. Pt also denies any feeling of swelling or numbness in mouth or throat. No facial drooping noted and patient able to follow commands, wrinkle nose, smile, stick tongue out. Patient A&Ox3 and able to communicate without difficulty. 10:15 Patient given 25mg IM Benadryl in RT Deltoid. 10:30 patient denies any improvement or worsening of symptoms. EMS called to further evaluate. EMS arrives at 11:00am for further work-up.
1196639	4/12/2021	NY	25	F	4/10/2021	4/10/2021	At approximately 10:00 p.m. on April 10, 2021 (about 10 hours after receiving the vaccine) I experienced chills, a fever of 101.4, severe dizziness, blurred vision, headache, body aches, and fatigue. My fever broke and my dizziness and blurred vision subsided on April 11, 2020 around 12:30 p.m. My headache continued along with severe pain in my neck and down my spinal cord. I also continue to experience extreme fatigue and all I want to do is sleep. These symptoms are still present as of today 04/12/2020.
1196586	4/12/2021	TX	28	F	4/5/2021	4/12/2021	Patient recived Janssen COVID 19 vaccine. After receiving the shot, patient went stiff and fainted with rolling of the eyes. Team member was able to help patient to ground. EMS service was called. EMS checked BP and blood glucose which was in normal range and recommended to have caregiver come pick patient up and rest. Patients fiancé came and took home. Team member escorted patient out

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1196597	4/12/2021	MI	24	F	4/10/2021	4/10/2021	Patient found out that she was pregnant on 4.7.21 - unsure how far along she is due to irregular menses. LMP about 3 months prior. Patient called nurse triage on 4.9.21 - with complain of intermittent sharp/severe right upper abdominal pain x3 days. Went to ED - ED 4/9 note: Given the on visualized pregnancy did order repeat quantitative beta-hCG to be obtaining 48 hours. Also instructed the patient to follow-up closely with her OBGYN for repeat evaluation and possible repeat ultrasound. Also messaged her OBGYN regarding this and the need for close follow-up. I explained the reasons that require a return visit to the emergency department and the patient verbalized understanding. Symptoms: 4 weeks pregnant. Received 1st Moderna vaccine yesterday morning. Body aches, temp of 100.3. Has a slight stomach ache on 4/9/21 and went to ED because of pregnancy. Wondered if abdominal pain could be from vaccine.
1197014	4/12/2021	MO	47	F	4/12/2021	4/12/2021	Became itchy on extremities. Developed rash but chest and throat. Started to have swelling to forehead and eyes. Denies SOA but states chest feels heavy. PT sent tp ED via Ambulance.
1197674	4/12/2021	DE	28	M	4/11/2021	4/12/2021	Patient has felt Extreme nausea, mild to moderate sweating, jittery feeling and blurred vision for about 2-3 minutes.
1196609	4/12/2021	TX	24	F	3/27/2021	3/27/2021	Patient said she is scared of needles and has fainted after injections. Immediately after injection she said she felt dizzy then she slumped in her chair and closed her eyes was unresponsive and pale for about a minute. When she responded she was slightly confused for about 30 minutes sat up drank water and put cold paper on her forehead and her back of her neck. Rested for half an hour. Then walked assessed to observation area.
1196598	4/12/2021	CA	65	F	4/6/2021	4/6/2021	RIGHT AWAY MY NECK STARTED SPASMING, MY EYES STARTED TO TWITCH, MY VISION WAS BLURRED, MY SKULL HAD VERY STRANGE WAVES MOVING THROUGH IT. MY LEFT ARM GOT STIFF, MY LEFT HAND GOT MORE COMPRIMISED.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1196663	4/12/2021	KS	26	M	4/8/2021	4/8/2021	This client received a moderna vaccine from an LPN and walked over to the observation area and then complained of vision changes, sweating, tingling of extremities, vision problems and swelling of the throat. EMS was called. Client was talking and drinking water until EMS arrived (with in 3 minutes) and stated that symptoms were improving.
1197334	4/12/2021	MS	24	F	4/6/2021	4/6/2021	3 hours following vaccine, my face started itching and swelling. My eyes swelled shut and when my lips began to itch I took a Benadryl. Eyes remained swollen for one day after. Slept for 15 hours straight
1197740	4/12/2021	GA	35	F	4/12/2021	4/12/2021	Anaphylactic reaction Swelling in face and throat Passing out feeling Rapid eyelid movement Trouble breathing, trouble swallowing
1197739	4/12/2021	CT	23	F	2/17/2021	3/3/2021	March 3-7: Blurred vision, spots in eyes, ringing in ears, dizziness, headaches March 7-Now: Body tremors, ataxic gait, headaches, ringing in ears, blurred vision
1195757	4/12/2021	OH	62	M	4/10/2021	4/11/2021	0835 Injection, 0930 Blurry Vision driving home / 150-200 feet before I could read road signs. 1000 hours chicken noodle vegetable soup. Lie down / chills them "hot" off and on PM / rest of the day / no discernible fever by forehead touch / mild headache. 0700 4-11-2021 no headache, but brain "felt sore"; best I can describe it. 1030 hours 1000mg Tylenol, repeat at 1900 hours / repeat at 0400 hours 4-12-2021. 0800 hours 4-12-2021 "brain soreness" mostly gone. Many bowls of chicken noodle vegetable soup 4-10 / 11- 2021. Muscle / joint pain 4-10 / 11 / 2021 but I expected that. Some joints surprised me. Blurry Vision / brain soreness was a total surprise.
1196575	4/12/2021	FL	32	F	4/11/2021	4/11/2021	Immediate nausea, left arm pain, tingling in left arm, sweating, loss of vision, loss of hearing, stomach pain, tingling in fingers after approx. 10 minutes.
1197725	4/12/2021	TN	61	F	3/16/2021	3/26/2021	swollen tongue, loss of speech, drooping eye & right side of mouth, drooling, can't swallow good for eating or drinking, basically developed Bell's Palsy consistent burping (air burping)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1197687	4/12/2021	CA	88	M	4/2/2021	4/2/2021	About 15 min after the pt received the 2nd Moderna covid vaccine, he started complaining of dizziness. BP 118/66, HR 64, SpO2 98% RA. About 15 min later he is dizzy, eyes watering, with blurry vision. Pt waited about 30 min more BP 138/82, HR 58, SpO2 99% RA. Pt said vision still blurry but getting better. Dizziness resolved.
1197682	4/12/2021	WI	49	M	4/12/2021	4/12/2021	I counselled the patient prior to giving him the Pfizer Covid19 vaccine. He received the vaccine at 10:10am. During the 15 minute observation period, one of my technicians was standing next to him talking to another patient. She saw some papers slip out of patient's hand and noticed he was unresponsive when she tried to talk to him. She yelled out for help and I ran out and saw his head rolled back, eyes open, and he sounded like he was snoring. He never left the chair--just his head rolled back. We tried to rouse him awake and I had my other technician call 911. I also called for a store manager. The patient came to about 15-30 seconds later. I asked him his name, what day it was, and if he knew where he was. He answered all questions correctly. He told me that he's fainted before after vaccines, however he never disclosed this to me prior to the vaccine and had answered "no" under the question if you've ever had a serious reaction to the vaccine. We gave him some water and a cold paper towel. The paramedics came and evaluated him. He declined to go to the hospital and his wife came and picked him up.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1197645	4/12/2021	CA	25	F	4/10/2021	4/10/2021	<p>HPI: Patient is a * year old * who presents following administration of a single dose of J&amp;J COVID19 vaccine in the left deltoid. Patient states she started to experience ocular burning and tearing about 20 minutes following administration of the vaccine. She denies ocular pain. Patient denies wearing contacts, eye makeup, and face products at this time. She relates that she spent most of her day outside in the sun today but has never experienced these symptoms in the past. She reports an allergy to amoxicillin and numerous food sensitivities. She has never required epinephrine for treatment of aforementioned allergies. She denies a history of seasonal allergies. She relates that she has a past medical history of PCOS. She does not take medication on a daily basis. She denies chest pain, difficulty breathing, swelling of the face/lips/tongue/throat, skin rash/itching, cramping abdominal pain, nausea, and vomiting. Exam (update as needed): GEN: Alert and oriented x 4, NAD. HEAD: NCAT EYES: Conjunctival injection bilaterally. Tearing noted in the bilateral eyes. No purulence noted. No foreign body noted. Surrounding tissue nonedematous. Visual acuity grossly intact. PERRL, EOMI ENT: Ears normal, Nose normal, OP normal, no evidence of angioedema NECK: Supple, without LAD. CV: RRR, no m/r/g PULM: Clear to auscultation bilaterally, no accessory muscle use ABD: Soft, no tenderness. SKIN: No rashes, skin warm and dry. No erythema or edema of the injection site. MSK: FROM, MS 5/5 NEURO: Alert and oriented x 4, CN 2-12 grossly intact, no ataxia, gait steady Clinical Impression/Field Tx: Possible allergic conjunctivitis, bilateral eyes. Patient not displaying active signs or symptoms of anaphylaxis, to include facial edema and patient demonstrated ability to control airway. No foreign body was noted in the orbi to explain symptomst, nor was purulence noted, thus decreasing likelihood of infection origin. Visual acuity was not compromised at the time of exam. Conjunctival injection and epiphora, in addition to consistent sun and wind exposure, makes an allergic conjunctivitis more likely. Instructed patient to consult their PCP or follow up with urgent care regarding the post-vaccination reaction. Also instructed patient to consult an ophthalmologist if they are able to should the eye symptoms not improve. Recommended patient utilize visine or other normal saline eye drops for burning</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							sensation relief, in addition to OTC antihistamine medication per package directions.. Patient instructed to go to emergency department should they develop chest pain, difficulty breathing, swelling of the face/lips/mouth/tongue/throat, or cramping abdominal pain with nausea/vomiting, as these are signs of possible anaphylaxis that requires immediate intervention. Medications administered: None Disposition: Home
1197612	4/12/2021	CA		F		2/26/2021	<p>Collapsed; Lost her vision; Exhausted; This spontaneous case was reported by a consumer and describes the occurrence of SYNCOPe (Collapsed), BLINDNESS (Lost her vision) and FATIGUE (Exhausted) in a female patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. Concurrent medical conditions included Hypertension and Diabetes. On 26-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On an unknown date, the patient experienced SYNCOPe (Collapsed) (seriousness criterion hospitalization), BLINDNESS (Lost her vision) (seriousness criterion hospitalization) and FATIGUE (Exhausted) (seriousness criterion hospitalization). At the time of the report, SYNCOPe (Collapsed) and FATIGUE (Exhausted) outcome was unknown and BLINDNESS (Lost her vision) had not resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown. Concomitant product use was not provided by the reporter. No treatment information was provided. Based on the current available information and temporal association between the use of the product and the events though start date was not provided- reporter indicated event occurred after the first dose), a causal relationship with the events cannot be excluded; Sender's Comments: Based on the current available information and temporal association between the use of the product and the events though start date was not provided- reporter indicated event occurred after the first dose), a causal relationship with the events cannot be excluded</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1197611	4/12/2021	WA		F	2/5/2021	3/1/2021	<p>Massive heart attack; Death; vomiting; Stroke; This spontaneous case was reported by a consumer and describes the occurrence of MYOCARDIAL INFARCTION (Massive heart attack), CEREBROVASCULAR ACCIDENT (Stroke) and DEATH (Death) in a 73-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 011m20a and 013a21a) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event. Concomitant products included LOSARTAN POTASSIUM (COZAAR) for an unknown indication. On 05-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 05-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 11-Mar-2021, the patient experienced DEATH (Death) (seriousness criterion death) and VOMITING (vomiting). In March 2021, the patient experienced MYOCARDIAL INFARCTION (Massive heart attack) (seriousness criteria hospitalization and life threatening) and CEREBROVASCULAR ACCIDENT (Stroke) (seriousness criterion medically significant). On 11-Mar-2021, MYOCARDIAL INFARCTION (Massive heart attack), CEREBROVASCULAR ACCIDENT (Stroke) and VOMITING (vomiting) had resolved. The patient died on 11-Mar-2021. The cause of death was not reported. It is unknown if an autopsy was performed. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 05-Mar-2021, Echocardiogram: unknown (Inconclusive) unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. No concomitant medication information also included inhalers, non specified and eye drops non specified. No treatment information was reported. Based on the current available information and temporal association between the use of the product and the start dates of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start dates of the events, a causal relationship cannot be excluded.; Reported Cause(s) of Death: unknown cause of death</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1197572	4/12/2021	OH		M		4/4/2021	SLEPT A LOT; EYES HURT; DIARRHEA; JOINTS ACHED; FATIGUE; This spontaneous report received from a consumer concerned a male of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on 03-APR-2021 08:15 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 04-APR-2021, the subject experienced slept a lot. On 04-APR-2021, the subject experienced eyes hurt. On 04-APR-2021, the subject experienced diarrhea. On 04-APR-2021, the subject experienced joints ached. On 04-APR-2021, the subject experienced fatigue. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the fatigue, slept a lot, eyes hurt, diarrhea and joints ached was not reported. This report was non-serious.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1197483	4/12/2021	CT	61	F	3/8/2021		<p>CHEST REDNESS; EYE ACHE; ELEVATED PULSE; DIZZINESS; DRY SKIN; EXCESSIVE THIRST; ITCHY RASH; HEADACHE; FACE FLUSH/ FACE WAS RED AND BUMPY; TOO HOT OR COLD/ INTERMITTENT FEELING EXTRA COLD(HEAD FEELS HOT AND REST OF BODY FEELS COLD); TINGLY FINGER; FELT LOUSY; BLOOD PRESSURE FLUCTUATION; This spontaneous report received from a patient concerned a 61 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805022, and batch number: 1805022 expiry: UNKNOWN) dose was not reported, administered on 08-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 08-MAR-2021, the subject experienced blood pressure fluctuation. On 12-MAR-2021, Laboratory data included: Blood pressure (NR: not provided) 150/84 mmHg. On 15-MAR-2021, Laboratory data included: Blood pressure (NR: not provided) 125/85 mmHg. On 16-MAR-2021, Laboratory data included: Blood pressure (NR: not provided) 137/91 mmHg, 156/90 mmHg, 142/92 mmHg. On 17-MAR-2021, Laboratory data included: Blood pressure (NR: not provided) 137/88 mmHg, 140/92 mmHg. On 18-MAR-2021, Laboratory data included: Blood pressure (NR: not provided) 143/89 mmHg. On 23-MAR-2021, the subject experienced felt lousy. On 24-MAR-2021, the subject experienced tingly finger. On 27-MAR-2021, Laboratory data included: Blood pressure (NR: not provided) 156/96 mmHg. On an unspecified date, the subject experienced chest redness, eye ache, elevated pulse, dizziness, dry skin, excessive thirst, itchy rash, headache, face flush/ face was red and bumpy, and too hot or cold/ intermittent feeling extra cold (head feels hot and rest of body feels cold). The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from blood pressure fluctuation, and the outcome of headache, chest redness, eye ache, elevated pulse, dizziness, dry skin, excessive thirst, itchy rash, face flush/ face was red and bumpy, too hot or cold/ intermittent feeling extra cold(head feels hot and rest of body feels cold), felt lousy and tingly finger was not reported. This report was non-serious. This case, from the same reporter is linked to 20210408073.; Sender's Comments: V0: Medical</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

assessment comment is not required as per standard  
procedure as case assessed as non-serious.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1197615	4/12/2021	TX	92	F			<p>Body started to shut down/ Can't open the eyes; Can't do anything, can't feed herself and can't go to bathroom; This spontaneous case was reported by a patient family member or friend (subsequently medically confirmed) and describes the occurrence of ILL-DEFINED DISORDER (Body started to shut down/ Can't open the eyes) and LOSS OF PERSONAL INDEPENDENCE IN DAILY ACTIVITIES (Can't do anything, can't feed herself and can't go to bathroom) in a 92-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The patient's past medical history included No adverse event (No medical history reported. ). On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, the patient experienced ILL-DEFINED DISORDER (Body started to shut down/ Can't open the eyes) (seriousness criteria hospitalization and life threatening) and LOSS OF PERSONAL INDEPENDENCE IN DAILY ACTIVITIES (Can't do anything, can't feed herself and can't go to bathroom) (seriousness criteria hospitalization and life threatening). At the time of the report, ILL-DEFINED DISORDER (Body started to shut down/ Can't open the eyes) and LOSS OF PERSONAL INDEPENDENCE IN DAILY ACTIVITIES (Can't do anything, can't feed herself and can't go to bathroom) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. This case concerns a 92-year-old female hospitalized with serious unexpected events of ill-defined disorder and loss of personal independence in daily activities. Event onset with unknown latency after first dose mRNA-1273. Event outcomes unknown. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. Reporter did not allow further contact; Sender's Comments: This case concerns a 92-year-old female hospitalized with serious unexpected events of ill-defined disorder and loss of personal independence in daily activities. Event onset with unknown latency after first dose mRNA-1273. Event outcomes unknown. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1197350	4/12/2021	ND	36	F	3/30/2021	4/2/2021	Day 2-3 (Friday - Saturday) - <input type="checkbox"/> Random twitching throughout body in muscles? (arm, legs, head once) (feels like something is crawling under my skin) - <input type="checkbox"/> Fatigue - <input type="checkbox"/> Tight muscles Day 4 (scary night time episode) - <input type="checkbox"/> Moderate to severe Muscle spasm with no pain in legs worse in left leg - <input type="checkbox"/> Sweating - <input type="checkbox"/> Heart fluttering - <input type="checkbox"/> Chills with moderate shaking - <input type="checkbox"/> High pulse - <input type="checkbox"/> Tight muscles - <input type="checkbox"/> Continuous twitching through body in muscles? (arm, legs, back, chest, butt, chest) Day 5 (Monday) visited Urgent Care - <input type="checkbox"/> Moderate Muscle spasm with no pain in legs worse in left leg - <input type="checkbox"/> Tight muscles - <input type="checkbox"/> Super weak legs - <input type="checkbox"/> Heart fluttering - <input type="checkbox"/> Fatigue - <input type="checkbox"/> Continuous twitching through body (in muscles? arm, legs, back, chest, butt, chest) Day 6 - <input type="checkbox"/> Tight and sore muscles - <input type="checkbox"/> random to continuous twitching throughout body Day 7 Wednesday - <input type="checkbox"/> random to continuous twitching throughout body (feels like a fast pulse on and off) - <input type="checkbox"/> A few Eye and face twitches - <input type="checkbox"/> Tight and sore muscles - <input type="checkbox"/> Heart fluttering Day 8 -11 - <input type="checkbox"/> random to continuous twitching throughout body (feels like a fast pulse on and off) - <input type="checkbox"/> Eye and face twitches - <input type="checkbox"/> Heart fluttering
1197073	4/12/2021		43	F	4/4/2021	4/5/2021	Felt numbness in face the night after receiving first dose as well as the morning after that. Numbness left and then moved to swelling, particularly above the eyes, which is more subtle now but ongoing as of 4/12/21.
1197330	4/12/2021	NY	47	F	4/2/2021	4/3/2021	Starting on Saturday early morning, had severe chills and was very tired. Had a fever of 101 and slept off an on all day. Could not keep my eyes open and went to bed very early. I woke up the next morning (Sunday) feeling so so even though the day before I drank a bottle of gatorade, a bottle of water and 1/2 of a jug of a 3 gallon water. My legs were sore, like a feeling of being dehydrated, not flu like and my arm swelled up like a balloon, my eyes were very swollen, hands and feet as well. The swelling lasted until this past Saturday, April 10 and had a bunch of water weight on my body (4 extra pounds, which I have shed 2 of). I have a lot of memory loss as well as I ended up with my period, which I have not had in approximately 9 years. I had a headache for the first four days.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1197311	4/12/2021	OR	65	F	4/5/2021	4/5/2021	Within an hour after the injection my throat was scratching, eyes were itchy. At 7-8 pm, the symptoms of a usual shellfish allergic reaction started. My face was swollen, burning sensation, red, itchy. Hives appeared on my face, chest. I was dizzy and had a fast heartbeat. I took an antihistamine and within an hour or so I was better. I did not have an anaphylactic reaction as I normally would have if I ate any shellfish. 4/11/21 at 6:30 pm my face started to itch again, and have a burning sensation, eyelids itchy. I took my daily antihistamine and there was some improvement. I have some of the itch and burning sensation today 4/12 at 10:30 am. But not as bad as before.
1197293	4/12/2021	CA	47	F	4/10/2021	4/11/2021	Had the 2nd dose on april 10th at 130 pm side effects started around 10 pm that night, body aches, chills, sweats, head to use my inhaler 3 times during the night as i felt I wasn't getting enough air. Woke up the next day April 11th less achy, but very tired, around 4 pm on the same day i started noticing swelling under my right eye. April 12th woke up in the morning with more swelling on the right side, under the eye and bottom lip with some numbness around the area. Contacted my doctor following her directions at the moment
1197282	4/12/2021	OK	40	M	3/23/2021	4/6/2021	Blurred vision, sensitivity to light and trouble focusing sight. It began a few weeks. After first dose. I have no prior vision issues.
1197277	4/12/2021	OH	66	F	4/7/2021	4/7/2021	Less than time minutes blurvision,lightheadness,headache,4 hours later nose swollen at bridge with two big hives on both sides.Next morning severe cramp on right leg( Thursday). Friday morning severe pain in upper thigh couldn't work on it,called care source nurse 24/7 number. Called primary Dr. to report what effects I was concerned with. Following Dr.s advice.Today April 12th,2021 pain persists in right thigh
1197248	4/12/2021	WA	66	F	3/29/2021	3/30/2021	Day after 2nd shot: headache, chills, arm pain, swelling, rash on chest One week after 2nd shot: Extremely swollen eyes every morning starting one week after shot and continuing each day Two weeks after shot: Continue to have rash on chest and extremely swollen eyes every morning

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1197228	4/12/2021	CT	30	F	4/8/2021	4/8/2021	30 year old femail received Janssen vaccine Lot# 1808982 exp: 6/23/21 at approximately 3pm in the left deltoid. Immediately after being vaccinated, pt. requested to remain seated. The nurse noted that the pt. was getting pale so she suggested the pt. take off the surgical mask to get some air. Before pt. had a chance to take off the mask she lost consciousness. Together with another nurse patient was lowered onto the floor. Pt. regained consciousness for 30-45 seconds and then began to have seizure like activity. Her eyes rolled back and her body became stiff and began a jerking motion. 911 was called. This seizure like activity lasted 4-6 seconds at which time pt. regained consciousness and immediately sat up. Pt was pale and diaphoretic. BP 98/64, HR 78, Pulse Ox 99%. Pt vomited multiple times. Ice was applied to the posterior neck and a cold compress to the forehead . EMS arrived and took vitals: BP 78/40. Pt. was aware of person, place and situation. Pt. was taken to Hospital accompanied by her husband. Pt was called by me Friday and she was home. All tests showed no sign of having a seizure.
1197200	4/12/2021		17	F	4/12/2021	4/12/2021	At 12:20 p.m, patient began to experience dizziness and the eyes began to roll back into the head. Initial blood pressure reading was 80/160 with a heart rate of 60 and an O2 saturation of 100%. This patient has a history with passing out with shots. Patient was given juice and multiple blood pressure screenings were recorded with results being 100/80, 112/78 and 104/75. At 1300, patient's heart rate was 68 bpm while sitting. Once the patient stood, blood pressure went to 90/60 and heart rate went up to 115 bpm. Patient was pale. Over next 15 minutes blood pressure and heart rate were routinely taken until patient felt better. Patient entered the vehicle safely and left with parents at 1:15
1197152	4/12/2021	GA	63	M	4/12/2021	4/12/2021	about 14 minutes into 15 minute post vaccination wait time, pt stated he was feeling dizzy and having blurred vision. Gave pt water to drink and observed pt for another 15 mins; he said the dizziness got better but still slightly blurry vision. Suggested he follow up with primary MD if that did not resolve.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1197122	4/12/2021	MI	42	M	4/9/2021	4/9/2021	My initial symptoms were light swelling a region around the shoulder of my injection arm and excessive sweating in the armpit on my injection arm side. Following this, symptoms similar to being on a hallucinogenic gradually manifested over the next several hours, including euphoria, a persistent urge to grind teeth, and some mild-to-moderate visual and physical effects. Following the date of the injection, the primary symptom has been a bruise/cramp hybrid pain in the upper arm of the injection site that is gradually receding (but still ongoing), along with random light bouts of nausea and headaches, random light pains throughout my injection arm, and occurrences of coldness in my injection arm (lasts about an hour)
1197115	4/12/2021	SC	38	F	4/8/2021	4/8/2021	About 2 minutes after injection, patient began complaining of being dizzy. She then lost consciousness in what appeared to be a seizure: body stiffness, eyes rolled back, shallow breathing, lock jaw. After 30 seconds, she regained consciousness and function. She was a little light-headed and nauseous. 3 minutes later she vomited and 5 minutes later EMS arrived. After the incident and prior to EMS arrival, spouse stated that the patient had a history of similar incidents with needle exposure. Patient left with husband. We have tried to get in touch with the patient for follow-up and she has yet to return our calls.
1197092	4/12/2021	PA	41	F	4/11/2021	4/11/2021	Patient with self-reported history of anxiety, syncope and near syncope with medical procedures/needles. Complained of feeling anxious, light-headed, jittery after vaccination. Became pale, placed in a supine position, provided oral fluids, including fluids with sugar, VS stable, hypotensive to 77/57, pulse ox 99%, blood glucose 185, NSR on monitor reported by EMT on site. Husband called, patient declined EMS transport, was able to ambulate with supervision to husband's car, husband transport to local ER in private vehicle. Follow up with patient <24 hrs post vaccination: patient reported feeling better. Admitted she was anxious about receiving vaccination since appointment was made one week ago.
1197088	4/12/2021	PR	53	U	3/23/2021	3/23/2021	Hypotension,dizzyness,blurred vision.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1197365	4/12/2021	TN	24	M	4/12/2021	4/12/2021	Patient reports that within 2-3 minutes (10:06 AM) after receiving the vaccine that he felt dizzy and light headed with blurry vision. PT pulse was 50 with BP 90/60. EMS called and evaluated patient. BP was 88/52 when EMS arrived and pulse was 60. Before EMS left BP was 100/74. Patient reported feeling better prior to EMS arriving but was still evaluated by EMS.
1195826	4/12/2021	CT	16	M	4/8/2021	4/8/2021	Patient felt warmth in his arm and became faint. He had his eyes open and remained sitting, but became pale and not responding appropriately. He was reclined with his feet up, cold cloth and returned to normal rather quickly. His vitals were within normal limits, drank water, was observed x 30 minutes. His mother, who was present the entire episode, stated he has had a similar reaction to a previous routine vaccine. Instructed to contact Primary Care MD to discuss further immunizations. Patient walked out with his mother feeling fine.
1196069	4/12/2021	NH	54	F	4/3/2021	4/4/2021	Stopped breathing while sleeping, my husband said I was snoring very loudly (which is not typical) and I just stopped. He tried waking me and I didn't wake right away. He got up, turned on the light, noticed that I had wet the bed and he continued to shake me and called my name several times, then I opened my eyes. My speech was a bit slurred at first, I got out of bed, felt nauseous, and my ears were ringing very loudly. I sat up for a while, then went back to bed. I didn't connect it to the vaccine, but wondered about the connection. Then I heard it happened to someone else, so I thought I should report it. I did not seek medical care.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1196058	4/12/2021	MI	56	F	4/9/2021	4/9/2021	<p>Patient reported side effects - Onset: 45 minutes after getting vaccine; Severity: moderate; Symptoms: Dizziness for 2 hours, can't think clearly. Second Pfizer vaccine -- Got shot at 8:20 AM and started to feel warm at 9 AM, and got dizzy with vertigo. Feels foggy, needs to hold onto furniture to walk. No fever. (With 2nd shingles shot -- next morning achy, exhausted, low grade fever. Only time has ever reacted before). Other symptoms = Ringing ears, fogginess in thought. HISTORY OF PRESENT ILLNESS A 56 y.o. female who presents regarding a potential concern for an adverse reaction to the COVID-19 vaccine. Second Dose in Series: Vaccine was obtained from the following clinic/location: on the date of: 4/9 and approximate time of 8:15 AM Vaccine was administered to patient's: Left Deltoid Vaccine manufacture was: Pfizer Past Reaction to other immunizations- yes: symptoms: second dose of shingles causing flu like symptoms Known COVID Exposure since receiving vaccination?: No Patient notes the following symptoms: dizziness, tight throat, scratchy voice, ringing ears. Modifying Factors or additional details: by the time got home after vaccine today - dizzy, ears ringing and symptoms haven't improved. Denies lightheadedness or feeling like she is going to pass out. Voice sounds scratchy, feeling unbalanced. Denies history of vertigo. Throat feels tighter but denies difficulty breathing. Denies tongue or lip swelling. Did take atarax one hour after without relief. Dramamine as needed - Benadryl at night - may make you sleepy -Daily antihistamine (e.g Claritin) -Increase rest and fluids Signs and symptoms that require an Emergency Room Evaluation-rapid breathing, using accessory muscles to breathe, difficulty breathing, severe wheezing, tongue/lip/airway swelling, altered mental status, weakness, visual changes, lightheadedness, not eating or drinking, severe headache, chest pain, neck pain or stiffness, the development of high fevers/chills/overall feeling unwell despite medications, or any new concerning symptom. -Follow up with PCP if no improvement over the next three days</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1196057	4/12/2021	MN	35	F	3/17/2021	3/18/2021	at 1:30 am I started with the chills and feeling that i was going to vomit when i got up to go to the bathroom i because very dizzy and laid down and passed out this time i am not sure how long i was out for at approitmently 430 am I had the same feeling went to the bathroom and yelled for my husband as i was very dizzy again when he got into the bathroom he said i was passed out and was doing some convulsing I was out for over a minute and he was trying to get me to wake up. Prior to waking i could feel him touching me and i could hear noise but i could not make out the noise or open my eyes and was unaware at that momment what was going on after I woke i threw up and then went back and laid down. then again about 7:30 am I had to use the restroom so walked into the bathroom I went to the bathroom after I felt very dizzy again and laid down on the floor at this point i passed out again and this time i could feel myself shaking see bright light but couldnt stop the shaking or see anything else. I am unsure how long this lasted. After that I went and laid down again and felt better I then was only tired. After resting I felt good and didnt feel i should go in since i was feeling better I did call my dr a few days after and inform her on what happend. ** I had also started my period during this morning.
1196056	4/12/2021	VT	51	M	4/6/2021	4/6/2021	A few minutes after receiving the vaccine he felt like he was going to pass out. He became pale and diaphoretic, c/o having tunnel vision. He did not loose consciousness.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1196032	4/12/2021	MA	57	F	4/8/2021	4/8/2021	Pt after denying any issues with injections appeared to faint in chair. At no time did pt fall forward or to the side. Pt alternating between following commands to open eyes with not responding. Pulse 80 to 100 and reg rhythm throughout, strong in quality. When transferring pt to stretcher legs gave out but when chest thumb thrust applied pt pushed hand away and stood up to allow turn to stretcher. Placed in O2 via nasal cannula at 2lpm. Placed cold pac at base of neck and patient pushed it away also when applying rails pt pushed away from rails but unable to grasp my fingers for strength check. Pupils equal and reacting to light in less than two minutes. Pt began to follow commands and open eyes. Pt insistent upon driving self home "in a few hours." Pt quite upset son agrees with Dr and myself needs ED eval. Pt alternated with being unable to move lower extremities to moving feet on command. Per son this is not unusual for pt to do this. 911 called pt to TOH alert and responding. Oriented times three. Son with pt. ED Dx: vasovagal episode with recurrent conversion disorder. Patient refused admission, discharged home from ED.
1196025	4/12/2021	AL	52	M	4/9/2021	4/10/2021	on april 10 around 0900 started running a fever of 101.7 degrees arm very sore from the shot. Had Nausea around 1200. continued running fever of 101 that afternoon. around 1600 more nausea and then vomiting, slight headache and eyes tearing up constantly for a while. Some time between 3-4 am fever finally broke after sweating profusely. Outcome: no fever or other reactions on April 11, but arm soreness still there.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1196017	4/12/2021	IN	22	M	4/10/2021	4/10/2021	The patient (self) felt a soreness around the site of the injection begin immediately and grow throughout the day. The soreness continued to at least April 12 (at the time of this report). The soreness was immediate unlike a tetanus shot but the pain the following days was 2-3 times less that of a tetanus shot. By 4pm the same day, the patient felt fatigue and tired and had difficulty staying awake. Around 6pm the patient took 200 mg of ibuprofen by mouth because of a strong headache. At 7pm the patient was experiencing the following: headache, warm head to the touch, shivering/shaking, fatigue, mild aching. The patients pulse was consistent 100-104 bpm. The patients temperature at 8:30pm was 100.4 F. The patient then went to bed at 9pm. Patient had trouble falling asleep due to fever, shaking, aching. The patient slept intermittently until midnight. At midnight, the patient noticed the fever and shaking had ceased but the headache and aching were still strong. The aching was all over the body. The patients eyes hurt to move. The aching was constant and at times was throbbing. At 3am the patient could still not sleep well so he took 650 mg of Acetaminophen by mouth. The patient began to notice some relief approximately 30-60 min after. The patient fell asleep after the relief began and slept soundly til 9:15 am, April 11th. The patient awoke feeling much better. All side effects had stopped with the exception of a feeling of weakness and slight dizziness. The patient was able to carry on normally and took no more medications.
1195960	4/12/2021	NE	64	F	4/8/2021	4/8/2021	First my arm started to ache Then pain in lower back Then uncontrollable shivering and freezing - lasted 4 hours Next muscle pain, not just aching, severe pain and hard to move lower body - lasted 4 hours Next shooting joint pain, again not just an ache, severe shooting pains in lower body joints and feet - lasted a couple of hours Next 48 hours I was so tired I couldn't open my eyes Next 24 hours I was able to get up for two hours at a time, then sleep for two hours. Today? I am trying to work a normal day?

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1195948	4/12/2021	OH	71	F	4/2/2021	4/3/2021	Awoke with a fever at 2 am, 15 hours after receiving my second vaccination. Other symptoms were severe headache behind my eyes, weakness, dizziness, diarrhea and lethargy. Temperature was 101.8 F. Slept on and off all day, it seemed, took Advil. When I woke on Saturday around 4 pm, I could tell my fever was gone. Took my temp again and it was down to 97F. Still had headache but it was milder. Stayed home, resting the rest of Saturday and Sunday, even though it was Easter and really wanted to see some family members.
1195923	4/12/2021	IL	25	F	4/11/2021	4/11/2021	Patient was feeling nauseated, tired, shaking, having tingling in extremities, kept trying to close their eyes. Gave some orange juice and crackers and was able to keep them awake.
1195893	4/12/2021	MN	32	F	4/7/2021	4/7/2021	Pt experienced "slight symptoms of allergic reaction, eye itching, dizziness,etc" after receiving her vaccination.
1195854	4/12/2021		31	M	4/12/2021	4/12/2021	Dry mouth, tingling in face, slight blurry vision (anxiety)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1195809	4/12/2021	NC		M	2/19/2021	2/24/2021	<p>Suspected Vaccination failure; Shingles around right eye / despite shingrix jabs x2 in 2018.; This case was reported by a consumer via other manufacturer and described the occurrence of suspected vaccination failure in a 64-year-old male patient who received Herpes zoster (Shingrix) for prophylaxis. Co-suspect products included Herpes zoster (Shingrix) for prophylaxis and COVID 19 VACCINE PFIZER for prophylaxis. The patient's past medical history included essential tremor. Concurrent medical conditions included hypertension, blood cholesterol increased and penicillin allergy. Concomitant products included propranolol (Propanolol), meloxicam, enalapril and atorvastatin. On an unknown date, the patient received the 1st dose of Shingrix and the 2nd dose of Shingrix. On 19th February 2021 15:30, the patient received the 1st dose of COVID 19 VACCINE PFIZER. On 24th February 2021, more than 2 years after receiving Shingrix and Shingrix and an unknown time after starting Valacyclovir, the patient experienced vaccination failure (serious criteria GSK medically significant) and shingles. The patient was treated with valaciclovir hydrochloride (Valacyclovir) and gabapentin. On an unknown date, the outcome of the vaccination failure was unknown and the outcome of the shingles was not recovered/not resolved. It was unknown if the reporter considered the vaccination failure and shingles to be related to Shingrix and Shingrix. Additional details were provided as follows: Age at vaccination was not reported. The patient received 2 shingrix vaccination in 2018. The patient received COVID vaccine in left arm. Despite of shingrix vaccination the patient experienced shingles. It was reported that the patient experienced shingles around right eye. The symptoms started day 4 after COVID-19 jab. It was reported that the patient did not received any other vaccine 4 weeks prior to COVID vaccine. The patient was not diagnosed with COVID-19 and not tested for COVID 19. The reporter consented to follow up. It was unknown if the reporter considered the ophthalmic herpes zoster to be related to COVID-19 vaccine. This case was considered as suspected vaccination failure since the details regarding laboratory confirmation of shingles was not provided.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1195838	4/12/2021	FL	72	M	3/11/2021	3/14/2021	Patient received Moderna vaccination on 3/11 and was starting to lose vision like a curtain coming across his eye. Made appointment with Doctor and he determined it was a detached retina.
1196089	4/12/2021	TX	52	M	4/8/2021	4/10/2021	Swollen left eyelid day 2 after shot have taken benadryl after day 2
1195818	4/12/2021	GA	21	M	4/7/2021	4/7/2021	Systemic: Body Aches Generalized-Severe, Systemic: Confusion-Severe, Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Severe, Systemic: Headache-Severe, Systemic: Hypotension-Severe, Systemic: Visual Changes/Disturbances-Severe, Additional Details: patient experienced temporary blindness, sweating ,syncope- which is ultimately why we call the ambulance
1195771	4/12/2021	MD	62	M	3/11/2021	3/1/2021	Continued soreness in injection arm every day since first injection. Near-continuous cognitive befuddlement / inability to think clearly - only have had this before with severe sinus infection / head cold (I'm a practicing degree'd engineer - very scary to me). Had a bout of "double vision" for approximately a minute - never had this before - another very scary thing. Two days ago experienced "highway hypnosis" - zoned out while driving for 10 minutes - lost time event / can't remember driving the route I did - never had this before - another very scary thing.
1195750	4/12/2021	OH	48	F	4/10/2021	4/10/2021	Saturday April 10 - Immediately after receiving injection in left arm I had great pain and felt the warm sensation moving up my shoulder, I remained at the facility for 15 minutes and took 2 Tylenol before leaving the parking lot and driving the hour back home. At 5:00pm I took two more Tylenol, at 8:00pm the fever began, along with feeling very achy, rapid heartbeat and breathing slightly heavy. The rapid heartbeat lasted for about 11 hours. At one point my heart rate was 102 beats per minute. The fever Sunday April 11 stayed at 101.1-101.4, At times I felt of balance, my throat is very sore and I had a stuffy nose, Could barely keep my eyes open. Monday April 12, fever has broke but now I have a rash on my face and other areas of my body. I did not go to the ER or doctor

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1195734	4/12/2021	CT	19	F	4/11/2021	4/11/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Hypotension-Medium, Systemic: Numbness (specify: facial area, extremities)-Medium, Systemic: Visual Changes/Disturbances-Medium
1195731	4/12/2021	MI	25	F	4/9/2021	4/9/2021	Patient got an ocular migraine almost immediately after the injection. Her mother had to come pick her from work up due to vision being distorted.
1195710	4/12/2021	NY	24	M	4/10/2021	4/10/2021	Systemic: Fainting / Unresponsive-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Hypotension-Medium, Systemic: Tingling (specify: facial area, extremities)-Medium, Systemic: Visual Changes/Disturbances-Medium
1195634	4/12/2021	VA	39	F	4/12/2021	4/12/2021	Approx 1 hour after receiving first dose of Moderna patient reported itching and tingling at neck, scalp, eyebrows, and bilateral forearms. Reports right wrist swelling and and bilateral hand swelling.
1195629	4/12/2021	CA	41	M	4/9/2021	4/9/2021	2nd shot Petechiae sever around both eyes within a few hours of injection, no trauma, coughing, vomiting, vision became slightly cloudy after 48 hours. Vomiting after 24hours briefly. Body aches, dizzy, time perception off, 102 fever 2 days. Weakness and stomach discomfort bloating pain. Severe testicular pain. 1st injection lot 026A21A 106 fever for 3 days, fever 4 days, symtoms 1 week, weakness, cold flashes, hot flashes, tingling, testicular pain, sleep issues, severe time skips and slow downs. Chest ache. Muscle aches. Had covid-19 in July 2020 contracted via facility
1195555	4/12/2021	MS	36	M	4/5/2021	4/5/2021	Extreme headache and high fever, numbness in face, tingling fingers, impaired vision and loss of balance, very confused. Fever and worst of symptoms lasted approximately 6 hours. After major symptoms subsided, nausea, confusion , and generally sick feeling lasted 24 hours additional.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1195551	4/12/2021	OR	49	M	2/26/2021	2/26/2021	Chills and body ache for 18 hours since symptoms started. Low energy and fatigue since the day after the second dose of vaccine. Dizziness, stomach ache 10 days after the vaccine. A month later after the vaccine (3/30) I had headache, body ache and chills for 6 days. COVID test was negative. Palpitations started on 4/4. Dizziness, chills, dry eyes, weakness and fatigue until today.
1197750	4/12/2021	TX	55	M	3/25/2021	3/26/2021	Patient presented to ER on 3/27/2021 with c/o right side numbness and facial paralysis, right side. Dr. attending ER physician, diagnosed him with Bell's palsy. Patient states he received 2nd dose of Covid-19 vaccine (Moderna) on 3-25-21, and woke up the next morning with numbness, weakness of right side of forehead, eye, and mouth. went to ER around 11:00am the next morning (03-27-21). No other significant paralysis or problems with limbs or other mobility problems are noted in ER record. Patient history significant for: Diabetes Mellitus (uncontrolled), and Hypertension (controlled). Was given Clonidine and labs, CT scan was ordered. Labs were significant for elevated blood glucose, 321 and elevated HgA1c (10.5). patient was given insulin in the ER. Results of CT (w/o contrast) scan was negative-"no hemorrhage, no mass-effect, no extra-axial fluid collection." "subtle right-sided basal ganglia calcifications.~~
1197231	4/12/2021		31	M	4/12/2021	4/12/2021	presyncope, nausea, black spots in vision. Evaluated by EMS-Cleared

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1195851	4/12/2021	MD	32	M	4/8/2021	4/9/2021	April 9 Morning: woke up with a mild headache. April 9 Afternoon (12 pm): feeling fatigued and headache grew worse. Plus chills. April 9 (5pm): feeling very cold and tired (worse than noon) April 9 (11:30pm): This time was the most severe for me in respect to side effects. I believe my headache woke me up. The headache was so bad that my eyes hurt as well (swollen almost). I think my fever broke. I felt very ?heavy? all over. The main concern was that around midnight I was having sharp pains on the right side of my body, near where my Liver is located. That was one effect that I did not read about. The sharp pains happened once every few minutes. I considered going to the ER but wasn?t sure. I ended up just changing my shirt, got some water, and went back to bed. April 10: My appetite was not normal, I ate but very little. The sharp pain on my right side went away but I had a minor headache for the rest of the day.
1196347	4/12/2021	WI	55	F	4/9/2021	4/9/2021	Patient passed out immediately following injection of vaccine. Her eyes rolled back and she was not able to speak. The vaccinator got help immediately, and patient's husband was in the room. She remained in a seated position with her husband holding her head up while standing behind her. Her blood pressure dropped to 78/80, heart rate was 45 bpm. She was unconscious for approximately one minute and 30 seconds. 911 was called immediately and she was transported to medical center. When I called the patient today, she did say that she was feeling better. She mostly felt nauseous and dizzy following her vaccination. She reports that her arm still feel itchy and that she has been taking Benedry
1196559	4/12/2021	DC	26	F	4/7/2021	4/8/2021	Fever of 101.1+ lasting 10 hours, on-and-off low-grade fever for 48 hours Headache, including eye and jaw pain, lasting 3+ days Dizziness; inability to stand or walk due to head pain and fear of fainting (dizziness lasted ~24 hours) Nausea and loss of appetite (ongoing) Body aches, including spinal pain and hip pain lasting 48 hours



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1196521	4/12/2021	NY	47	F	4/5/2021	4/5/2021	<p>5 April 2021, at 14:15: Approximately 45 minutes after my initial Moderna vaccine the left side of my face became freezing cold and numb. The progression was instantaneous yet started deep in my inner left ear and around the outside corner of my left eye and instantly moved up to my forehead (crossing the midline), then down the midline of my face encompassing my left eye, the left side of my nose, lips, roof of my mouth, gums, tongue, back over to my left cheek area all the way to my left ear. Simultaneously, I had a surge of metallic-tasting saliva, and I had a tingling vibration (tingling without the pins-and-needles) in both of my hands and on my left shin, just above my ankle to just below my knee. It all happened so fast that I could not talk and verbalize what was happening, I could only hold up my hand in a STOP position. My airway was open and I did not have any respiratory issues. The numbness in my face was about a 9 out of 10. Very numb, very frozen. We went back to the vaccination site and I was put under observation for an additional 15-20 minutes. The observation was 100% hands-off?no BP, no pulse ox, no temperature. I was released with the advice that if I developed any breathing difficulties that I was ?to go to the local emergency room.? 5 April 2021, at 19:00. The numbness receded to about a 5 out of 10. I did not have any respiratory issues, but was able to start noticing other parts of my body that were numb: the entire roof of my mouth; my teeth/gums from the midline-left; when I swallowed I noticed that my throat had no sensation on the left side and felt ?smooth?; both deep, inner ears ached without the any sharp pain. I had a massive headache and took 400mg of ibuprofen and went to bed. 6 April 2021, 09:00. After waking I got out of bed and noticed that my left leg was weak. I thought it was the position that I had been sleeping in, yet it did not?and still has not?gone away. The numbness in my face was still present and that it had extended down onto my lower lips and chin. Most of the left side of my face felt like heavy Silly Puddy, it felt swollen and stiff. The outside corner of my left eye, the left side of my nose, forehead creases and ear were stationary and not moving. My blinking felt off, but didn?t look off. I could now tell that the entire left side of my body was markedly weaker than my right side, my balance was off. I could not feel sensation in my chest/lung cavity as I inhaled and exhaled like I could on</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1196520	4/12/2021	NJ	51	F	3/30/2021	3/31/2021	<p>my right side. I did not have any airway or breathing difficulties. I rested and hydrated. 6 April 2021, 20:00. A rash of itching, burning hives erupted onto my lower left jaw from just outside my lip line and spread along the curve of my lower jaw bone to my hairline. By 22:00 the itch and burning had subsided, but I could feel that it was still there. 7 April 2021, 02:30. I woke up with excruciating, stabbing ear pain in my right inner ear. I took ibuprofen and tried to fall back to sleep. 7 April 2021, 09:00. My face felt increasingly swollen and stiff and the numb/tingling/vibration sensation in my lower left leg began to spread to my inner leg, around to my calf, up and over my knee to my upper thigh; my leg became so weak that it buckled. We spoke to a nurse advice line and she recommended going to the emergency room. 7 April 2021, 15:00. Dr. saw me. I was given to CT Scan to rule out stroke and an ultrasound to rule out blood clot. I was given the diagnosis of Bell's Palsy and was put on antiviral medication; I declined the steroids because they increase my allergic response reactions. 11 April 2021, 18:00. My face started to swell up over my left eye, left cheek, left ear and over to my right cheek. It did not restrict my airway. I went to bed. 12 April 2021, 17:30. My face?midline to left?is still numb; the left side of my body?especially my left leg?is still markedly weaker than my right; I get winded easily; I tire easily; my mouth still tastes metallic; I still have inner earaches on both sides; my eyes are extremely dry. I am also a yoga instructor. I know my body. I was perfectly able-bodied and healthy at 13:20 on 5 April 2021, 45 minutes later my world unraveled and no one knows how long it will last.</p> <p>101 degree fever for 2 days, blurry vision for 3-4 days</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1196497	4/12/2021		41	F	4/9/2021	4/9/2021	Patient was in her 15 minute wait after vaccination, and complained of swelling, itching, tingling, difficulty in breathing, coughing and gagging while in our observation tent. Client was brought inside by wheelchair to our emergency area for further evaluation. Client was answering questions, pulse ox read 100%, pulse 106. Client had increased complains of tightness in throat, was coughing. 4:11 pm- 0.3 Epi pen given in right thigh. Lot # OFM534, exp: 9/20222. Call made to 911. Client then lost consciousness, eyeballs were fluttering underneath lids. Sternal rub- did rouse client, but then she became unconscious again. Daughter then reported a history of allergy to MRI dye, Pulse 110, 2 L O2 started. Client remained unresponsive, but was breathing normally. 415- call to Dr to assess whether Benadryl should be given or not- since client was unconscious. 415 shaking/chills began, and daughter reported history of non-epileptic seizures, but none since 2019. 416pm EMS arrived- IV started and seizure #2 witnessed by EMS. Seizure meds given per EMS- client transported to hospital.
1196485	4/12/2021	OH	26	F	4/11/2021	4/11/2021	Pt. turning in vaccine paper work for monitoring. Pt kneeled on one knee. Nurse went to side. Pt. feel back, eyes rolled back not responding, snorted. Rolled on left side then come back, became aware of person, place and time. EMT reported and observer the patient for 30 more minutes. Vitals: BP 131/72, RR: 20, HR 71, Oxsat 100%.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1196479	4/12/2021	VA	59	F	4/9/2021	4/9/2021	Returned home around 4:30 PM from vaccine and felt a bit tired & not hungry for dinner. Iced my arm and took 2 Tylenol as my head began hurting. I went to bed at 9:00 PM and woke up around 1:00 AM with an excruciating headache and felt nauseous I took 2 more Tylenol, but could not fall back asleep. I felt very nauseous and was unable to go back to sleep. Oddly, I was sitting up wide awake and for a period of about 30 minutes, I began seeing brightly colored images that looked like they were floating in front of me. It was extremely odd as my eyes were open and I was awake. I finally fell back asleep around 5:30 AM and had horrifying vivid nightmares. When I woke up around 8:00 AM my headache was still there and I felt somewhat nauseous but not as bad as during the night. My headache continued through the day on Saturday and I continued to take Tylenol about every 6 hours. I attempted to go to bed around 9 PM when I experienced horrible chest pain that radiated through my chest and into the left side of my throat. This was frightening because the pain did not let up for 7 to 8 hours, even after taking a Tagamet. I've never suffered from heartburn previously other than when I was 8 months pregnant with twins. I was lucky to have any medication at home and that was only because my husband suffered from heartburn frequently. I finally fell asleep around 6:00 am for just a few hours and woke up feeling tired, but no headache or chest pain. Other than feeling tired, the symptoms appeared to all be gone. On a positive note, my arm never became sore!
1196477	4/12/2021		44	M	4/9/2021	4/10/2021	Day 1 after shot: body aches, headache, blurry vision. Day 2 and beyond: excruciating abdominal pains, no appetite, inability to have a bowel movement or even pass gas. Had I known this level of agony would happen, I would have refused the vaccine, and I will NOT take the J&J again.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1196447	4/12/2021	IN	24	F	4/10/2021	4/10/2021	Got the shot at 9:20am on Saturday (April 10th). By the time I sat down to do the 15min waiting period before I could leave. My arm from the back of my shoulder all the way down to around my thumb joint in my hand ached so bad. By around 3pm on the same day, I started to feel really tired and had a pounding migraine. By 4:30p I started to get really cold and everything started to ache. By 6p I was feeling hot but at the same time cold and shivering. My head was pounding. Every muscle ached all over my body, and by every muscle I mean even my eye muscles and pelvic floor muscles. My face had so much sinus pressure that it felt like it could explode. My skin, all over my body, was so sensitive that it hurt to the touch. On top of my skin being sensitive to the touch, off and on my skin would tingle, including the inside of my mouth and tongue. My lymph nodes were swollen enough in my neck that my throat ached. I was mentally confused and shaking. Everything got bad enough I started crying and hyperventilating. I felt sick to my stomach and felt digestive pain. My entire body felt so heavy. By the time it got to around 8p, my mom finally took my temperature, which at that point I had already been taking Tylenol all day and was no longer shivering, and I had a temperature of 101 degrees F. I finally went to bed around 9p. I was thirsty but my stomach felt sick. I still ached and woke up around 10 times throughout the night either feeling too hot or cold or hurting so bad. At 4am I took a Tylenol because it everything hurt bad enough to be able to fall asleep. The next day. I mostly better. I was still tired and a little achy and my lymph nodes under my arm pits were swollen. At this point my lungs felt strange. Harder to breathe than normal. I was starting to cough. The day after that (today) I have felt fairly normal except I'm coughing and my lungs still feel a little strained. No more aches or fever or anything like that though.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1196445	4/12/2021	OK	21	F	4/8/2021	4/8/2021	Immediately (a minute or two) after receiving the vaccine: lightheadedness, nausea, nearly fainted, vision started going blurry/black, sweating for about 5-10 minutes. Stayed seated until it mostly passed, then went outside for fresh air and to cool down. Put a cold rag on forehead/back of neck for half hour following symptoms. Drank water as soon as possible. For the next 36 hours after receiving the vaccine: sensitive skin, muscle weakness, tiredness, headache, body aches (including the sight of injection), chills, hot flashes. Took Advil every few hours to reduce pain, kept lights off, laid in bed to rest.
1196443	4/12/2021	MN	43	F	4/7/2021	4/7/2021	Moderna shot 1, I have been dizzy, blurred vision, headache, dry mouth, weak, tired, heart rate racing, shaking, and just feel sore.
1196393	4/12/2021	MO	51	F	2/8/2021	3/1/2021	Dose #1 blistery rash appeared around and on eyelid of left eye and down left side of face and left side of mouth and throat. Dose #2 blistery rash appeared around and on eyelid of right eye and down right side of face, neck and arm.
1196384	4/12/2021	OH	18	F	4/10/2021	4/10/2021	after vaccination while waiting 15 minutes, patient felt dizzy. mom noted eyes rolled up , head twisted to left side, body stiffened. mom put her to floor and called for help. episode lasted 20 seconds with also shaking of her upper body not sure if lower. taken to er . in er continued to be dizzy. given ivf 1 liter
1196078	4/12/2021	CT	61	F	4/10/2021	4/12/2021	swelling of lips and under eyes 2 days after second covid vaccine. Patient with hx of dermal injection
1196360	4/12/2021	FL	39	F	4/10/2021	4/12/2021	tracers in my peripheral vision vertigo

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1196087	4/12/2021	OH	78	F	3/6/2021	3/6/2021	She got her vaccine, and within a couple of hours had fever, cold chills, achy body, fatigue. The following week she lost her taste, and ever since she has cold chills constantly, is weak, cannot do anything. She is light headed, her vision is sometimes blurred and will not go away. She has been taking Tylenol for fever. She went to the ER because it was so bad, and they did a CT scan, EKG, chest x-ray for pneumonia, and did blood work. They could not find anything wrong with her. She has also been to her doctor who checked her over and could not find anything wrong either.
1196340	4/12/2021	NH	58	M	3/5/2021	3/6/2021	patient had dose #2 of COVID vaccine on 3/5/21 (do not know which manufacturer). The following day, he was watching television when his eyes suddenly started to cross. He was only able to alleviate the eye crossing by tipping his head back and looking directly up at the ceiling. He had to continue looking at the ceiling for several minutes until the symptoms fully resolved. He continues to feel as if the eyes "might cross", but they have not done so.
1196338	4/12/2021	IN	58	F	3/25/2021	3/26/2021	Day 1&2: Aches, slight fever, headache Day 3: breast tenderness, followed by lymph node under right arm swelling/very painful (12 hours after tenderness began) face swelling under eyes, hand swelling and hand joint pain Days 3/4/5: joint pain spreading throughout body. Some sharp pains in various joints Day 5/6: migraine again, not as severe (responded to my medicine better) day 6 migraine better (didn't take medicine)(zolatriptan) Sharp pain in my lower right side (like the ovarian cyst pain I had when I was ovulating)
1196314	4/12/2021	IA	31	F	2/3/2021	2/3/2021	Approximately 30 minutes after vaccination client complained of nausea, dizziness, and shakiness. Client stated later in the evening she began to experience visual hallucinations. Client stated symptoms subsided after about two days. Client stated she visited ith her health provider as a result of her reaction to the vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1196195	4/12/2021	FL	27	M	4/11/2021	4/11/2021	1 pill of acetaminophen was taken around 5 PM for arm and lower back soreness. Shivering, chills, radiating pain behind eyes started around 11 PM. Patient was kept warm and rested. May have developed fever throughout the night. Was given acetaminophen around 3 AM for headache. Adverse symptoms had ceased. Patient is now fatigued.
1196185	4/12/2021	NC	33	M	4/10/2021	4/10/2021	After administration of Janssen vaccine 0.5mL, pt reported arm was hurting and he began moving arm. CMA noticed that continued to shake arm after 5 minutes but patient was alert and oriented x 3. CMA thought the way he was shaking his arm seemed irregular so she advised pt he would be taken to an observation area for further observation. Half way to the observation area, pt reported to CMA that he was seeing spots and felt like he was going to get sick. CMA called for help. Patient experienced a syncopal event just as he made it to the chair. Several staff was helping to support patient. Legs were lifted to another chair. Patient was not responsive for a short time, very diaphoretic, breathing regular and unlabored. Patients eyes then rolled upward toward the ceiling and patient's entire body began shaking uncontrollably while staff managed to keep patient from falling to floor from the chair. Once patient was conscious, he was able to state his name but reported he was very confused and could not think clearly. He was able to sit upright. In the meantime while patient was shaking uncontrollably, staff sought urgent care provider to come and see patient. Patient was then taken over to the urgent care side of the building to evaluate and treat patient.
1196176	4/12/2021	KY	47	M	3/29/2021	4/2/2021	tinnitus, blurred vision
1196155	4/12/2021	KY	34	F	4/11/2021	4/11/2021	Severe bone pain, nausea, vision changes



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1196129	4/12/2021	PA	35	M	4/12/2021	4/12/2021	Pt reports feeling tunnel vision, dizziness, and LOC. Pt briefly lost consciousness and assisted to floor by staff. BLE elevated on chair while pt in supine position on floor PTA of med obs team with stretcher. Pt placed in stretcher, able to stand and ambulate independently without difficulty. Pt given water, refused snack d/t gluten intolerance. VS at 0934: BP 139/79, HR 51, RR 17, O2 sat 100% RA. VS at 0944: BP 124/84, HR 60, RR 16, O2 sat 100% on RA. VS at 0951: BP 119/83, HR 59, RR 17, O2 sat 96% on RA. VSS at time of discharge. Pt escorted to exit via w/c by staff per protocol.
1196118	4/12/2021	MO	85	M	4/1/2021	4/7/2021	4/7/2021: Red arm started at site with ecchymosis, redness extended down the arm. 4/9/2021: Rash with pustules, leak clear fluid, pruritis 4/12/2021: Eye swelling, red arm and rash subsided.
1196112	4/12/2021	MI	65	M	4/1/2021	4/1/2021	blurred vision and sweats within 5 minutes of injection. +throat tightness. stomach cramping started several hours later.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1196111	4/12/2021	DC	28	M	4/7/2021	4/7/2021	I received the first dose of the Moderna vaccine at 2:55pm on 4/7. An hour or two later, I started to get a sore throat. The sore throat was very painful by the early morning of 4/8. On 4/8 I went into a doctor to see if I had strep throat because of the level of pain and since I didn't think I could get a sore throat from the vaccine, but he said it was not strep and that it was likely just a side effect of the vaccine. On 4/8 I also had a fever topping 101.4, fatigue (I slept a lot that day), mental fog, pain at injection site, and all-around body pain. The sore throat lessened greatly by 4/9, so it clearly wasn't a strep infection and seems it was indeed a side effect of the vaccine. From 4/9 through 4/11 I had general "cold" symptoms: runny nose, phlegmy, watery eyes, redness and pain at injection site, muscle aches, elevated temperature (not fever), and general fatigue. By 4/12, these symptoms are nearly completely gone. Some of these symptoms seemed quite strange as side effects from the vaccine, but they started and perfectly paralleled the expected vaccine side-effects, which makes me think they were caused by the vaccine. I have no reason to think I had another illness at the same time as when I was experiencing these side-effects. I had had Covid-19 previously (in December 2020; I tested positive and had mild symptoms). Perhaps having had Covid-19 already provoked these strange side-effects.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1196110	4/12/2021	GA	36	M	4/7/2021	4/7/2021	Patient received first dose at the Vaccine Drive-Through. Patient appeared curious and asked multiple questions regarding the vaccine. However, the decision was made by the patient to proceed to receive the first dose of Pfizer vaccine. Patient received vaccine at approximately 02:00 pm. Shortly after administration of the vaccine and while in the reaction waiting area, he experienced ?dizziness and difficulty breathing? and requested assistance. Onsite medics state patient leaned his head back and his eyes rolled back in his head. No sign of swelling, itchy, or rash. Vital signs were within normal limit. Paramedic was immediately called at 02:08 pm. EMS arrived at 02:15 pm and departed at 02:20 pm. Paramedics transported non-emergent patient to ED. ED DX: vasovagal syncope; no signs of anaphylaxis or severe vaccine reaction. Patient released from emergency department at 03:15 pm with without activity restrictions.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1196569	4/12/2021	IN	22	F	4/10/2021	4/10/2021	7:00pm- start to feel really cold, develop a high fever and chills and eventually go home to lay down. 8:30pm- uncontrollable shaking and high fever maintains and I develop I very bad migraine, I can't feel my arms or legs and everything sounds like my head is underwater (I think this might have been a migraine but I've never had one). When I stand up my vision goes black, and I develop joint pain, muscle aches, and very bad nausea. 9:00pm - I take 500mg of aspirin and all of my syptoms persist for ~30 minutes when suddenly my fever breaks and I'm sweating underneath my 3 blankets and I can think again as long as I don't move my head. Everything still sounds weird and my stomach and joints still hurt but I go to sleep. 4:00am- wake up crying from the headache and with a fever again so I take 500 more mg of aspirin and set an alarm to take more at 10am. 10:00am- I feel exhausted and really weird, I take only 250mg of aspirin and sleep the whole day. 4:00pm - I wake up feeling so much better. Kind of achy and still very nauseous, my ears still ring when I stand up. 4:00pm yesterday - now: I kept movement at a minimum and was still nauseous throughout the day but was able to eat at around 9pm. I think I may have had a low grade fever on and off last night but the headache has thankfully stayed away and other than a little bit of arm soreness and weakness I feel back to normal today.
1196374	4/12/2021	IN	62	F	3/30/2021	4/2/2021	Nausea, Bloating, slight head ache , blurred vision, weakness, no energy.
1198846	4/12/2021	CO	33	M	4/12/2021	4/12/2021	Patient fainted 10 minutes after receiving his first dose of the Covid vaccine. He was sweating profusely and very clammy. We gave him an ice pack and monitored him for 30 minutes after. His blood pressure was 90/60 a few minutes after the episode but then it came up to 124/84 a few minutes later. His eyes were dilated and we were concerned about a possible concussion from the fall so EMS came and evaluated him. They cleared him to go home.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1198690	4/12/2021	RI	19	M	4/10/2021	4/10/2021	Anaphylaxis. Turned gray, diaphoretic, blurred vision, difficulty hearing. Blood pressure quickly dropped to 66/31. Perfusion was 5 seconds. Received EpiPen (0.3mg Epinephrine) x1. BP better but slow to return to baseline. To Emergency Room for 4 hours observation. While in ED, received IV Benadryl and IV Zofran. Condition improved by the end of 4 hour observation so discharged with an EpiPen.
1199056	4/12/2021	MO	47	F	4/12/2021	4/12/2021	Started with skin above eyebrows itching and redness on face behind mask, then chills, then at about 30 minutes post injection increased heart rate and trouble swallowing/ chest tightness Gave dose of Epi and called 911/ As waited for EMS rash showed on arms and she said hard to breath after a few minutes she started breathing easier and rash started going away and she could swallow ok EMS arrived and transported her to hospital for observation
1199054	4/12/2021	MS	48	M	3/31/2021	4/2/2021	48 y/o retired male comes to clinic with complaint of rash that has been present since 02APR2021. States he suspects this may be the effect of second COVID vaccination which was on 31MAR2021, confirms using hydrocortisone cream for symptoms. Denies any SOB, difficulty breathing, swelling of throat, vision changes, abdominal pain, diarrhea, but confirms itching. Confirms hx of similar rash after getting flu shot. PE show erythematous maculopapular rash over bilateral hand/arms/legs, neck and posterior trunk that is itchy.
1199044	4/12/2021	TX	17	M	4/12/2021	4/12/2021	pt experience syncope with normal blood pressure, but low pulse and loss of vision for short eperiod of time. EMS reported normal BP, heart check and pulse and oxygen. vision did return and pt felt better after about 20 minutes
1199021	4/12/2021	OR	43	M	4/10/2021	4/11/2021	Shortness of breath, tight chest, burning sensation in the eyes, significant fatigue, and joint pain in all fingers, hands, knees, toes and neck.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1198964	4/12/2021	NY	23	M	4/12/2021	4/12/2021	23 y/o male with no PMH c/o dizziness ~10 min post pfizer vaccine 1st dose assoc with blurry vision. Pt was assessed by clinical leads/EMS. Pt never LOC, was attached to monitor, VS monitor, placed on stretcher, given H2O x 5 (250mL) + ice packs + cookies. Pt reported complete resolution of symptoms within ~4min. 3 lead showed irregular sinus arrhythmia w/ peaked T waves. Pt was started on 20g IV on left hand 1L NS bolus with no change in EKG. Based on clinical judgement EKG changes dont appear to be a vaccine related adverse RXN, most likely a benign finding or electrolyte abnormality. Pt was advised to go to ER for further evaluation and management, pt agreed to transport to ER. Pt was advised to drink water and ea
1198934	4/12/2021	HI	68	F	4/9/2021	4/9/2021	Pt came in today 4/12/21 and notified us that she had a reaction from the COVID-19 vaccine that was administered on Friday 4/9/21 @1334. Pt stated it happened when she got home after tx. She had chills, itchyness, loss of balance, blurred vision, and high blood pressure. Pt stated is lasted till Saturday and took Tylenol to relieve her sx. Pt is afraid to take the 2nd dose. I notified Dr. about the situation. Dr said to let patient know its ok to take the 2nd dose and to give Benadryl and Tylenol with the 2nd dose. And to reassure pt that the reactions are normal. I notified the patient and is ok with taking the 2nd dose on April 30th.
1198926	4/12/2021	VA	40	F	4/12/2021	4/12/2021	First dose: swelling of glands under armpits (past after a week) Second dose: swelling and redness of my right eye
1198911	4/12/2021	NY	27	F	4/12/2021	4/12/2021	A few minutes after vaccination patient turned pale and eyes started closing. Patient seems to have fainted. Patient was then in and out of consciousness over the next 5 minutes. Patient was given water and was able to drink. 911 was called immediately, and a cop escorted her out of the pharmacy area and to an ambulance outside

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1198900	4/12/2021	CA	50	M	4/12/2021	4/12/2021	50 y/o male PT presented with dizziness and feeling hot after receiving his vaccine. PT was a/o x 4. PT has no allergies, not on any current medications, and has no medical Hx. PT only had coffee while golfing 18 holes prior to receiving vaccine, with no food eaten today. EMT seen patient. PT first set of vitals taken @ 1211 BP 122/85 HR 79 RR 16 spo2 96 on room air pain 0 PT second set @ 1216 standing BP 129/88 HR 90 RR 16 spo2 93 on room air pain 0 PT third set @ 1221 133/91 HR 70 RR 16 spo2 98 on room air pain 0. PT temperature taken @ 1217 = 97.2 PT -EMT Taken into medical area for further evaluation and privacy by EMT. Upon RN arrival patient appeared diaphoretic, sweat on his scalp, no visual signs of distress. Patient speaking clearly. Patient was sitting in chair drinking a bottle of water while EMT took his vital signs. Patient admitted he usually fasts in the mornings and eats ?around this time?12pm, but since he was running late for his vaccine appointment, he decided to skip eating. ?I feel better now that I have had the water?. ? PHN Vital signs looked stable as listed above and patient denied feeling weak, dizzy, or visual changes. Second set of vitals were completed while patient was standing, once again denied feeling dizzy or weak and felt good to walk on his own. Last set of vitals taken while he was sitting and mentioned his son would be driving him home. Patient took a bottle of water to go. EMT verbalized he would escort the patient out of the building. Patient exited building by 12:30pm ? PHN PT felt much better after drinking a bottle of water and vitals taken. PT was escorted to car where his son picked him up w/o incident.EMT
1198889	4/12/2021	MD	79	M	2/17/2021	2/19/2021	Modern a COVID-19 Vaccine EUA was received. Within 2 days my eyes began itching, then sores developed in both upper and lower eyelids. An antibiotic and then an ointment was prescribed. Conditions still persist nearly 2 months after vaccination.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1198861	4/12/2021	VA	65	F	3/18/2021	3/19/2021	3/18 vaccination 3/19 4am woke up I felt sick I had a HA, Nauseas, dizzy, hard to stand, hard to keep eyes open to even go to the bathroom. I tried to go back to sleep. When I woke up, I took it easy. I did get the chills and sweats thru the day; skin turns really red (MCAS). That symptoms still comes and goes. The chills, regulating body temperature, has flared back up after being dormant for years. 3/30 I saw MD. She wanted to defer for 4-6 weeks after vaccination to see if symptoms were still persisting or leveling out. I have since canceled every sort of appt since then as I don't have the energy. *I am on the very tail end of an opioid withdrawal; tramadol. I have taken for 6 years, 400 mg weened down to 100 mg this last year, down to 12.5.
1199083	4/12/2021	NY	32	M	4/11/2021	4/12/2021	Woke up with soreness in muscle where shot was given, felt like was working out all day yesterday. Feeling feverish, very lightheaded and dizzy with headaches behind the eyes. Felt like a bad cold or flu.
1198858	4/12/2021	NE	28	M	4/10/2021	4/10/2021	In case of starting the vaccination at 11:45am it went fine and once again I have have no medicine allergies. My adverse effects were the following throwing up, pain in the upper Portion of my neck and slight pain in my chest , and fever with chills gradually getting worse throughout the day. By 9:00pm - midnight I couldn?t even sleep or close my eyes to sleep because the pain was unbarring that I had to call my family for mental support. I eventually fell asleep because of exhaustion, and Sunday I couldn?t even get out of bed my body was so worn out from the shot and the night. I stayed home all day and slept . I still have pains in my neck and coughing becomes my issue.
1199094	4/12/2021	TX	20	F	4/12/2021	4/12/2021	Patient fainted and had seizure like symptoms with eyes rolling back in head, clamminess, sweating, severe stomach cramps, blurred vision, and temporary loss of hearing



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1198838	4/12/2021	TX	39	M	4/12/2021	4/12/2021	After the 15 minute waiting period was up he was breathing deeply with his eyes closed and didn't respond to his timer going off. When I went out to check on him he said he had a sudden onset of chills and sweating, kind of funny feeling. The sweat was visible on his skin (arms & Face). I told him to sit another 10 minutes while we watched him. He was visibly nervous when he arrived and had told me this was his first vaccination in 20 years. After another 10 minutes he said he was feeling and was ready to leave.
1198815	4/12/2021	MD	70	F	3/16/2021	3/23/2021	Developed shingles 1 week after second vaccination. Erupted in left eye and traveled to area around eye on left side. Had 2 telehealth appts and got 2 prescriptions, one oral and one eye ointment. Lasted about 1 week. Mild case, thankfully.
1198811	4/12/2021	FL	51	M	4/8/2021	4/10/2021	Sudden onset of very intense vertigo with sweating, followed by immediate vomiting. During initial episode, control of eyes was hindered by an involuntary up/down oscillation eye motion, this lasted only approximately two minutes. Vertigo symptoms and vomiting persisted for 3-4 hours with vomiting turned to dry heaves associated with opening of eyes. After symptoms subsided, patient slept an additional 3 hours.
1198791	4/12/2021	TX	31	F	4/5/2021	4/5/2021	Difficulty breathing, chills, cold sweat, hives, swelling of face, severe headache, sensitive skin, eyes burning. Lasting a week. Swelling still occurring in face.
1198772	4/12/2021	WA	30	M	4/10/2021	4/11/2021	swelling and redness of bilateral eyelids

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1198752	4/12/2021	PA	25	F	4/12/2021	4/12/2021	Pt c/o pain at injection site during vaccination administration. Pt became nauseous, blurred vision, LOC x2 episodes, and diaphoresis. Pt repeatedly stated, "I can't see." Pt hyperventilating at time of arrival to med obs. Assisted in slowing breathing with positive effect. Pt assisted to stretcher from w/c and place in position. Pt reports vision back to almost baseline after repositioning. Pt given apple juice and crackers. Prior to d/c to home, pt reported left eye remained slightly burred and requested her father pick her up at staff suggestion for safety. VS at 1702: BP 57/44, recheck 68/44 (placed in trendelenburg position), HR 65, RR 24, O2 sat 100% on RA. VS at 1710: BP 106/82, HR 66, RR 18, O2 sat 100% on RA. VS at 1715: BP 104/73, HR 61, RR 18, O2 sat 99% on RA. VS at 1728: BP 109/80, HR 62, RR 17, O2 sat 99% on RA. VS at 1733: BP 106/80,, HR 68, RR 18, O2 sat 98% on RA. No s/s of distress at time of discharge. Pt escorted to exit via w/c with staff per protocol.
1198749	4/12/2021	IL	44	F	4/8/2021	4/8/2021	Pt states she immediately became dizzy following administration of vaccine. This was communicated when leaving after monitoring period. She stated she felt anxious, and experienced blurred vision but was not sure if this was related to cataracts. She had slight sweating and stated she felt flushed. She was provided water and fruit snacks. She was provided oral Benadryl 50 mg and thought she had some difficulty swallowing. She states she was a diabetic and her bs was 118 at 0630 and she reported having egg, spinach, cheese, banana, and yogurt for breakfast. Her bp was 138/78, 98% Spo2, pulse 73. She then expressed that she was no longer able to read. An ambulance was called and arrived shortly after. She was transported to local ER.
1198733	4/12/2021	VA	28	F	4/8/2021	4/9/2021	Fever, throat closing, red hives all over body, swollen eyes, swollen jaw, swollen cheeks, muscle aches

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1198729	4/12/2021	CT	33	F	4/7/2021	4/7/2021	No symptoms until onset of chills and on/off severe sweating at 10 pm EST. By midnight, I had a fever of 100.2, nausea, intense headache (specifically around the eyes) and overall significant discomfort. The fever lasted overnight. Vomiting occurred on several occasions shortly after midnight for a few hours and again around 6 am. The following day, my fever did go down yet I maintained a headache and some nausea. After 3 days, adverse events were resolved. Treatment consisted of tylenol and fluids. I did not contact my a physician, so no medical tests/lab work was completed. For background, I have never experienced a serious event with a vaccine, besides general fatigue.
1198712	4/12/2021	NC	41	F	4/7/2021	4/7/2021	4/7/21 @ around 2:00 pm - dizziness, headache, "tunnel vision" and felt faint. I drank water, stopped activity (walking) and rested. It passed within about 30 mins. These dizzy spells have reoccured 4 times since then. 4/8/21 @ 2:15 am - fever of 101.8, chills, muscle spasms, extreme muscle aches all over body esp in back and legs, **unable to use my hands freely. My hands became very ridged and I could not open or close them well. I could not hold a glass of water to take a Tylenol. I finally did take a Benedryl and a 500 mg Tylenol. These symptoms lasted until around 5:00 am when I dozed back off. I woke at 7:00 am feeling tired and had a bad headache. My back and legs were still aching but were much better. 4/8/21 all-day - fatigue, bouts of dizziness, and nausea. 4/8/21 @9:00pm - diarrhea for about 4 hours. Stomach pain. 4/9/21 @ around 3:00 dizziness that last about 30 mins 4/10/21 throughout the day - diarrhea and stomach pain 4/11/21 - tired and headache persists. I started to feel more normal. 4/12/21- headache still there. Won't go away. I feel "foggy" and unable to think about things as I normally do. I returned to work today and still feel "yucky". I feel as though I'm recovering from the flu.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1198710	4/12/2021	GA	73	F	1/20/2021	1/21/2021	Approx 18 hours following vaccine, developed headache on left frontal side of my head. During that day also had an earache. The next day my skin in the area became hypersensitive, and prickly. I then developed Shingles in this area, with a few lesions around and above my left eye and in my scalp. My headache lasted about two and a half weeks. I have had shingles many years ago, and I would consider this a light case (I had the shingles vaccine a number of years ago, not the newer one requiring two doses). I plan to have the newer shingles vaccine.
1198705	4/12/2021	CT	49	F	3/27/2021	3/27/2021	My tongue started swelling. It did not get bad but I could feel it. Then my left eyelid felt like it had something in it so I believe it was also slight swelling. I was driving home. Both of these issues went away completely about 2 hours after they received vaccine.
1198697	4/12/2021	FL	18	F	4/6/2021	4/6/2021	She felt totally fine after the shot and many hours after. She felt fine to go to a horseback ride lesson at 4. Half way through the lesson she acutely felt like she was going to faint/nauseous (she had a ton to eat that day, had a bottle of water just before lesson, etc. so she knew it wasn't those kinds of things) and then had a crushing headache with a lot of "pressure behind her eyes", dizziness, and a really "strange" feeling like out of body, bawling crying, and started FREEZING. I got there 15 minutes later and she was under lots of blankets, white as a sheet, freezing, said her spine was sore from the top to bottom... just tons of symptoms. When I got her, she moved to my car and had seat heater on high and I had to put all the clothes from a suitcase I had in my car on top of her bc she was so cold and her skin was burning up. I gave her 3 200 advil and a bottle of water. ½ hour later i had a thermometer and even after that she still had 102.3 fever. She was rambling some nonsense and seemed very disoriented for a while. She went straight to shower and laid on the floor of the shower for ½ hour, took cold medicine, and eventually went to sleep. In the night she was freezing again and the fever had spiked and she took more advil. The next day she felt much better in the morning and fine by lunchtime. She was VERY sick/uncomfortable with basically every symptom under the sun.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1198860	4/12/2021	CO	41	F	4/5/2021	4/5/2021	Reports to virtual urgent care one day after 1st pfizer covid vaccine with pain in left neck , blurry vision, left facial numbness immediately after. The next day face is still numb/tingling/red. No other symptoms. Advised to follow up with PCP or go to ED if symptoms worsen.
1199333	4/12/2021	IN	25	F	4/12/2021	4/12/2021	Johnson and Johnson vaccine given at 1:49 pm. Patient stated they felt really hot, dizzy and was having spotty vision. At 1:57 50mg of generic benadryl was given with water since patient was able to swallow. Pharmacist had patient lie on floor with feet up on chair and cold pack on forehead. After 5 to 10 minutes patient was feeling better. Vision returned to normal. Blood pressure taken was 102/68 pulse of 67, which was near normal per patient. Patient continued to lie on their back until she felt well enough to sit up. Her primary care doc was notified and the nurse there recommended pt go to the emergency room. The patient was going to be with boyfriend rest of the day and evening. They purchased benadryl to take with them.
1197219	4/12/2021	IL	41	F	4/7/2021	4/7/2021	11pm: Fever, chills and muscle aches 3am: Chills and muscle aches worsen 6am: Weak and short of breath 7:30am: Body begins to tingle, cant really feel hands or feet, trouble breathing, shaking, eyesight worsens, chest tightens, headache 7:43am: Call husband for help, begin sweating a lot 8am: Call 911, begin convulsing, trouble talking, cant see well, trouble breathing, urinate on myself Continue to have convulsions. Taken by ambulance to hospital. Continue to have involuntary contractions, tightening of chest, trouble breathing, bad eyesight, headache. etc. Diagnosed with Dystonic Reaction and Neurologic Problem because of a vaccine complication
1197764	4/12/2021	NY	65	F	3/17/2021	3/17/2021	Itchy Eyes, Red Raised Bumps around Eyes, Scratchy Throat & inside ears, wheeze & tightness when breathing , itchy neck red face, started around 1 hour 45 minutes after injection
1199573	4/12/2021	WV	45	F	4/8/2021	4/10/2021	Rash on face, ears, eyelids, neck, chest and back. Sudden dizziness.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1199571	4/12/2021	OK	37	F	3/22/2021	3/23/2021	The following early morning hours, right eye was swollen and throat was incredibly itchy. Took Benadryl throughout day and monitored symptoms while at work and contacted my family doctor to notify. Around 4pm on 3/23/21, the itchy throat sensation had subsided and the right eye was less swollen. By the next day, 3/24/21, my right eye returned to normal.
1199549	4/12/2021	VA	20	F	4/11/2021	4/11/2021	Blurry Vision, tingling hands, Dizziness, Sweating. BP 102/69, Pulse 70. Few mins after lying down patient were in stable condition. gave 500 ml water oral, discharged after the patient was stable and advised to seek medical help if needed.
1199544	4/12/2021	PA	64	M	4/7/2021	4/11/2021	Hypotension, Tachycardia, coughing, tightness in chest, itching eyes, frequent urination.
1199542	4/12/2021	FL	29	F	4/1/2021	4/1/2021	In the 24 hours after getting the first dose of Pfizer I experienced shortness of breath and runny eyes and a scratchy throat
1199541	4/12/2021	VA	30	F	3/28/2021	3/29/2021	- Itchy red spots on chest - Itchy red, scabby spots on the upper back - Very dry, scabby patches around the eyebrows, outside corner of eyes, and one big dry scabby patch on the right cheek about 2 inches long and 1 inch wide
1199520	4/12/2021	IN	19	F	4/8/2021	4/8/2021	The night I got the vaccine I was studying and all of a sudden I couldn't finish my sentence and felt like I was going to pass out. My eyes unfocused, I got slightly nauseous, I went absent, and my heart raced. I couldn't focus the rest of the night I felt very off and strange. It was very sudden and scary. I shook for like 30 minutes after. It has been happening on and off in very short durations for four days now.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1199469	4/12/2021	NY	41	F	4/10/2021	4/11/2021	14-15 hours after the shot received on 4/10 (my second dose), I started experienced severe flu-like symptoms. About 12 hours after the onset of the flu-like symptoms, I took about 87.5mg of trazodone (prescribed to help with sleep) and within 20 minutes I almost blacked out, with my vision becoming very fuzzy. I took my blood pressure and it was very low, about 74/70 with my heart rate in the high 40's. About 10-15 minutes later I vomited, and almost immediately felt my blood pressure return to normal (verified by blood pressure monitor). I have taken trazodone before - even the night before, the same night that I got my shot. I've also taken higher doses before and this has never happened to me. This leads me to believe there is some adverse reaction that happens when trazodone is taken while experiencing the side effects of the shot.
1199418	4/12/2021	CA	53	F	4/7/2021	4/7/2021	starting 30-45 minutes after injection, my right eye started twitching. By evening, I had mild flu symptoms and a sore arm that lasted for 24 hrs. One week later, my eye is still twitching numerous times daily and I am getting off and on headaches.
1199377	4/12/2021	NV	25	F	4/10/2021	4/10/2021	Approximately ten minutes after the vaccination, she passed out for a few seconds and came back. She experienced lightheadedness, loss of vision, nausea, and vomiting. We called 911 and they took her vital. Ten minutes later, she was fine and drove home.
1199059	4/12/2021	CA	31	F	4/10/2021	4/11/2021	swollen and redness in the under eye area for both eyes. I had dermal fillers (hyaluronic acid) in that particular area around two months prior to the vaccine. The symptoms are improving without any treatment.
1199342	4/12/2021	CA	68	F	4/5/2021	4/9/2021	This may NOT even be related to the JJ shot I had, but I got Conjunctivitis (Pink-Eye) 4 days after the shot. Blurred vision and severe itchiness sent me to get relief from Urgent Care

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1199084	4/12/2021	GA	60	M	4/9/2021	4/10/2021	I was extremely tired on Saturday. My shoulder hurt. About 3 pm, while urinating, I felt very light-headed as if I was about to faint. I stopped urinating and went back to bed. That evening, about 8:30, I tried to eat dinner, but after three bites, I felt extremely tired. I leaned back in my chair, and I passed out. My wife woke me, but it took several minutes. She said my eyes rolled back in my head. She splashed water on my face. She said that I stopped breathing. I woke up, then pushed my plate away and put my head on the table. I could not hold it up. I was sweating profusely. After several minutes, I felt that I was about to have diarrhea. My daughter and wife tried to walk me to the bathroom, but I did not have the energy to get there. I collapsed in the hall and hit my head on the door jamb. After several minute of trying , they pulled me up, and I then got the strength to walk the rest of the way. I had diarrhea, not suddenly, but it was as if my GI system emptied. It was soft, not loose, and there was a lot. I went back to bed, and eventually slept. I felt queasy the next day (Sunday), and I felt lightheaded at times, so I just sat or laid down. But I was feeling better. Today (Monday) I feel much better. A little tired, but much better. I went to the Pharmacy this morning, and they referred me to this website. I did not see the doctor.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1199318	4/12/2021	CA	60	F	3/25/2021	3/25/2021	Day 1 40min in... intense, in-tense....fiery, pain radiates from-injection. Up neck, across shoulders and down back. In.tense. Fiery. Pain. Just over 1hr very intense bone ache. Not muscle. Bone. Ache. Stop for lunch and find extreme bone ache across collarbone. Intense pain. Like i thought I broke collarbone. On walking in, to order lunch, dizzy and blurred vision. Had to sit awhile to dissipate. 1.5 hrs in Finish eating and spend time breathing thru pain. Vision clear, on my way back to work. Intense pain continues adding, now, itchy across shoulders. Through afternoon increased fatigue and itch. Little better at 4hrs. Day 2 utter fatigue. Want to. S.l.e.e.p. Pain now replaces the burn. Every. Where; ache. Ache. Ache. Day3 fatigue on waking. Pain is now in all joints. Knees hips excruciating. Manage 3hrs household tasks before the fatigue sets in to stop. Awake but still pain in joints. Not ache; pain. Hard to move. Spend afternoon cooking and resting. Soooo exhausted. Day 4-2wks arm still sore and swollen and warm to touch. cannot bear weight in left arm. Cannot use arm to drive. swelling down day 15 still cannot bear weight in left arm. pain continues along pathway of injected drug. burn sensation. now day 17 still cannot bear weight in left arm. If I do I get sudden weakness in arm and pain in back of shoulder.
1199293	4/12/2021	OH	33	F	4/12/2021	4/12/2021	After taking the shot at 11am, I felt fine, until about 5:00pm. I started feeling cold and nausea. Back of my eyes were heavy and painful. my right pinky started feeling tingly, then both hands became very cold. Very similar symptoms to flu, except I didn't have any throat pain which I usually get when I'm sick. I ate dinner at about 6:30pm and rested on the couch. I started feeling very hot, and was running the fever of 102.2 F. My arm and legs were tingly. I took advil at around 8pm which relieved some headache, but still feeling hot. Took shower and cutrently resting on the couch.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1199286	4/12/2021	TX	28	M	4/2/2021	4/2/2021	Patient in observation and complains of feeling discomfort in his throat. Patients eyes puffy and red. Patients airway stable and no distress noted. Patient given Benadryl 50mg orally. Patient monitored. Vital Signs BP-146/82, HR-78. No distress noted after monitoring. Patients puffy eyes decrease. Patient verbalizes feeling better. Patient stable. Patient educated and advised to call 911 if symptoms worsen. Patients wife drove.
1199246	4/12/2021	CT	45	F	4/10/2021	4/10/2021	Patient received her dose of vaccine and was in the waiting area for 5-10 minutes when she started to feel lightheaded and weak. She moved from her chair to lay down on the floor. I saw her do this and went over to check on her. She reported being able to breathe alright, but saw spots in her vision, very weak and had a full body sweat. After 5-10 minutes laying down she was able to sit up and drink some water and reported feeling tired but getting better. She was fully recovered from the episode after 20-30 minutes. No long term effect reported.
1199234	4/12/2021	TX	37	M	4/2/2021	4/2/2021	Patient is passenger seat. Patient received vaccine in vaccine tent. On the way to the observation parking lot, patient diverted to high risk tent which was the nearest medical profession. Patient received in the passenger seat reclined with eyes closed and unresponsive to the driver, his wife's voice and attempts to arouse. Vital signs checked while still attempting to arouse by calling his name. BP-150/83, HR-31. Sternal rub performed, no response. Patients wife splashed water on patients face while calling his name and rubbing his shoulder. Epinephrine 0.3mg administered in right lateral thigh by RN. Patient immediately aroused. Patient AOX3. EMS arrived to scene. Care transferred to EMS. Patient not transported.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1199225	4/12/2021	MI	59	F	3/23/2021	3/24/2021	<p>Patient reported: Difficulty breathing; severe headaches, vomiting/nauseous for 3 weeks and counting, plus chills. Went to Urgent Care 4.1.21. Back to Urgent Care 4.9.21 - this time with symptoms above plus cough, SOB, N/V. CXR (-) COVID (-). Patient received dose J&amp;J vaccine 3.23.21. HISTORY OF PRESENT ILLNESS: Patient is a 59 y.o. female who presents to the Urgent Care with COVID-19 (sick after receiving COVID vaccine x1week ago. Vomiting, headaches, nausea, chills) HPI: Patient presents today with complaints of nausea, vomiting, headache and chills intermittently over the past 1 week after receiving her 1st COVID 19 vaccination. She states that she got the Johnson Johnson COVID-19 vaccine. She states of then she has had an episode of vomiting daily some nausea. She has also had a headache every single day as well as some constipation. She denies any numbness or tingling, abdominal pain, diarrhea. She states that she has been taking ibuprofen, Pepto-Bismol, and Tylenol for her symptoms with minimal relief. She is drinking a lot of water as well. Medical Decision Making: No concerns for acute abdomen or neurological deficits are noted on exam today. Patient is reporting some symptomatic relief after receiving the Toradol injection today in urgent care. Educated the patient on the following: Zofran for nausea and vomiting. MiraLax and senna for any constipation symptoms. Motrin and Tylenol for pain or fever. Drink plenty of fluids. Follow up with PCP as needed. If symptoms worsen go to the emergency room such as you are not able to keep fluids down while taking the Zofran, if you develop any bloody stools, bloody vomit, or increasing abdominal pain. HISTORY OF PRESENT ILLNESS Patient is a 59 y.o. female who presents to the Urgent Care with COUGH (cough, SOB, congestion, vomiting everyday until about 1PM. headache off and on. x 2 weeks (since covid vaccine)) HPI: Patient is a 59 y.o. female who presents to the urgent care with cough, shortness of breath, congestion, nausea and vomiting and intermittent headaches over the past 2 weeks. Patient states that the symptoms started the day of her COVID vaccine. She states that she receive the Johnson&amp;Johnson 1 time dose. She states later that day after receiving the vaccination she had a significant headache that developed. She states that since then she has had a dry nonproductive cough with intermittent</p>

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

shortness of breath and morning nausea and vomiting that last till about 1:00 p.m.. She states that the headaches have resolved at this time but the cough, intermittent shortness of breath and nausea and vomiting have persisted. She denies any abdominal pain, chest pain, chest pressure or chest tightness. She states that she has not been experiencing any dizziness, vision changes or lightheadedness. She was seen in the urgent care about a week ago and was prescribed Zofran to assist with the nausea. She states that she was taking it twice in the morning and has now been able to only take it once, does feel that the nausea is improving but was out of the medication today, states that she was not able to take anything today and did have an episode of nonbloody nonbilious vomiting. She states that she was having some constipation she feels that this was related to the over-the-counter pain medications that she was taking for the headaches. She states that she was advised to take MiraLax at her last urgent care visit which she has been taking, had a normal bowel movement yesterday. She states that she has had pneumonia in the past, no history of asthma or chronic obstructive pulmonary disease. With the continued symptoms came to the urgent care for evaluation. She states that there have been to other coworkers who have had exposure or have now tested positive for COVID-19. Medical Decision Making: 59-year-old well-appearing female who presents to the urgent care with cough and nausea and vomiting over the past 2 weeks. Reviewed patient's previous urgent care notes as well as immunization record. Her vital signs are stable in the urgent care today and exam is largely benign. Given her history and current complaints did obtain a chest x-ray which appears negative, formal interpretation was pending at time of discharge. She was provided Zofran in the urgent care today which she did state helps with the nausea. Discussed with patient that I do feel that COVID-19 testing should be collected as at the time of her symptoms and given her continued symptoms she has not had full immunity from the vaccination and this could still be a COVID-19 infection. She is in agreeance and COVID testing is pending. Prescribed refill of her Zofran as well as Tessalon for cough relief and advised continued symptomatic measures and close follow-up with PCP for any persistent symptoms. She was

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							provided a work note given her symptoms and COVID-19 testing she was provided the standard COVID-19 work letter. Patient educated on warning signs and symptoms that would prompt immediate reevaluation. They conveyed understanding and were agreeable to this plan of care. All questions addressed at this time. Pt was non toxic appearing and not in any acute distress upon discharge.
1199219	4/12/2021	FL	46	F	4/1/2021	4/12/2021	Patient called pharmacy to report she was having numbness, stiffness, and tingling in her arm that starts and stop but dose not seem to go away. She also reported rash under the left eye, right side of the eye. Patient indicated she was going to see her physician for an evaluation.
1199207	4/12/2021	WA	27	F	4/9/2021	4/9/2021	A few hours after the first dose of the Pfizer shot, I started to have the same reaction (puffy eyes, nose and lips) as I do when I consume dairy (I did not have any dairy products this day). Immediately after, I had terrible abdominal pain and diarrhea. I had bloody stool and still continue to have bloody stools until today (3 days after the first dose).
1199204	4/12/2021	OH	51	M	4/1/2021	4/11/2021	Swollen right eyelid. Soreness

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1199201	4/12/2021	CA	24	M	4/12/2021	4/12/2021	04/12/2021 03:00 pm Responded to a 24-year-old male found sitting on a chair in the 30-minute observation section with c/c anxiety/heart palpitations. Patient was a/o x 3 with GCS 15. As per patient, he had sudden onset heart palpitations and stated that he felt 'anxious.' Patient stated that he felt nervous to for the second vaccination and that he felt 'more nervous when placed in the 30-minute observation section.' Patient was taken into tent for further evaluation by HCP. Patient had history of anxiety. (-) allergies. (-) medications. (-) dizzy. (-) n/v. (-) MLAPSS. All vitals were normal. 13:15 -- 152/86 HR:75 RR:22 SpO2: 98 13:19 -- 138/82 HR:65 RR:20 SpO2: 97 13:24 -- 151/74 HR:66 RR:20 SpO2: 98 Patient was given water and food and stated that symptoms had resolved. Patient was escorted back to seat and left w/o incident. Entered medical area after being notified of patient in medical area by EMT. Upon arrival patient was sitting on cot with BP and Pulse oximeter on. No visual signs of distress. Could see patient pinching inside of upper arm and reported feeling anxious. His vital signs WNL EMT was chatting with the patient and patient was responding to all questions. Informed patient I wanted to check to see how he was feeling then excused myself outside of the area.
1199184	4/12/2021	NC	24	F	4/10/2021	4/11/2021	Lightheaded, nausea, tunnel vision, shortness of breath.
1199154	4/12/2021		50	F	4/9/2021	4/9/2021	near immediate lump in throat that increased to a sensation that I might not be able to swallow within approximately 20 minutes. I maintained the ability to swallow. Shortly after the throat swelling, my eyes began to itch. This was followed by general face itching. I also experienced a metallic taste in my mouth within 15 minutes of the dose. I took a Benadryl at around 8 PM after my throat and the itching had not resolved. The benadryl resolved the itching and ease the swollen throat. My throat remained tight feeling the next day, but was normal feeling by 4/11/21.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1199144	4/12/2021	CO	31	F	4/12/2021	4/12/2021	31 year-old Hispanic female who post vaccination developed urticaria on the neck, face, eyes, chest, arms thighs and legs. 13:45 25 mg oral Benadryl with observation . Signs and symptoms were still progressing so at 1350 additional 25 mg of oral Benadryl was administered. Symptoms were still progressing and patenting starting complaining of shortness of breath and chest tightness so at 13:55 0.3 mg of 1:0000 Epinephrine was administered with improvement of symptoms. At 14::21 the patient started relapsing with SOB, Chest pain and urticaria along with increase in itchiness.. An addition 0.3 mg of Epinephrine was administered. Vitals remained stable throughout event 140/79, Resp Rate 24, pulse rate varies between 100-140 and patient oxygen saturation remained 96-100% FIO2 on room air. Patient was transported to
1199364	4/12/2021	CA	23	F	3/25/2021	3/28/2021	15 minutes after - felt dizzy 2 hours later - massive headache and feeling of tiredness. took a 1 hour nap. Throbbing headache after getting up Next day - soreness in arm. cluster headache felt on left eye brow bone 3 days post vaccine - cluster headache felt on left eye brow bone and left eyelid twitches uncontrollably. Only subsides after taking tylenol Now - upper left eyelid twitches uncontrollably still randomly and muscle spasms.
1197936	4/12/2021	DE	19	F	4/12/2021	4/12/2021	Patient has felt Blurred vision, extreme nausea. Numbness in hands and legs. sweaty and most imp. Felt CHEAST PAIN from it.
1198171	4/12/2021	WI	57	F	4/6/2021	4/7/2021	Rash, vomiting, and eye swelling started the night after vaccine was administered
1197775	4/12/2021	TN	55	M	3/16/2021	3/17/2021	within 24 hours of vaccine, minor swelling of left upper eyelid and upper lip, lasting around 12 hours. Two weeks after vaccine, minor swelling of lower lip, lasting around 12 hours. Just under 4 weeks after vaccine, minor swelling of lower lip, lasting around 12 hours.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1198138	4/12/2021	NJ	45	F	4/10/2021	4/10/2021	Janssen COVID-19 Vaccine EUA: During the post-observation period, vaccine recipient developed pruritus, fine raised rash on face, itchy throat, swollen under left eye. She was treated with diphenhydramine by EMS. She was monitored for additional 45 minutes. Then she continued to have itchy throat and felt that throat was swelling. She was transported to the emergency department.
1198130	4/12/2021	CA	36	M	4/12/2021	4/12/2021	10:30am: Pt was sitting in the vaccine site observation area after receiving vaccine for COVID-19 (Janssen). Pt had been sitting for approximately 15 min when RN noticed pt dropped paperwork and cell phone onto the floor. Pt's head went back, mouth open and eyes closed. Pt visibly pale. RN quickly approached pt while speaking loudly, pt did not respond. Audible "snoring" heard. RN placed pt's torso and head in her arms and moved patient to the floor into a supine position with legs raised onto his chair (pt did not fall to the ground). Once on the floor, pt opened eyes and asked RN, "Did I fall asleep?" RN reassure pt that he may have fainted while sitting in his chair. RN reassured pt and gave pt bottle water to drink. Color returning to patients face. 10:40: Pt reports "I'm feeling much better." Pt sitting upright on the floor. 10:45: Pt sitting up in chair. Alert to person, place, and time. Color WNL, peripheral pulses strong. Pt reports feeling well enough to leave. RN encourage pt to stay a few minutes longer to make sure able to stand/walk to his car. 10:50: Pt left observation area.
1198096	4/12/2021	MN	56	F	4/2/2021	4/9/2021	Itchy, watery eyes, followed by significant edema in eyelids. Took over-the-counter Benadryl (50 mg) 2-3 times per day to manage symptoms. Symptoms still present 3 days later, but much less intense.
1198095	4/12/2021	PR	64	F	4/7/2021	4/11/2021	Very Noticeable Swollen right eye area, cheek, and nose with very itchy eyes. Left side is less puffy.
1199602	4/12/2021		37	F	4/1/2021	4/1/2021	I received my second dose around 11 AM. 12 hours later, I woke up with chills and a fever (101.8). This lasted for 4 hours. Since my second shot, I have felt extreme fatigue abs muscle soreness. I am a healthy, fit, 37 year old woman. I suspected I had covid in December after direct exposure followed days later by loss of taste, flu-like symptoms and pink eye. My test was negative.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1198092	4/12/2021	TX	37	F	3/30/2021	3/30/2021	Sweeping of eyelids and upper lip, stayed swollen for over 24 hours.
1198089	4/12/2021	MI	27	F	4/9/2021	4/9/2021	Vaccine at 12:50 20 minutes after shot: fuzzy, drugged 35 minutes after: face and neck was red and blotchy and itchy. Tongue was itchy. Pain at injection site Drive home was bad. Slurring my words. Eyes were so heavy, hard to keep open. I felt weight on me. Pressure on my chest, heart was tight. Fatigue. Started hysterically crying. Got home, couldn't walk normally. Sweating. Chills started at 8 Body aches at 9 Woke up with TERRIBLE body aches at 11:40. Skin was so hot, I was shivering cold. My legs hurt so bad. My knees mostly. My ankles. My inner thigh muscles. My lower back couldn't handle any pressure. It hurt to lay. My left shoulder blade and upper arm hurt bad. Then my head hurt. My hips couldn't move. My elbow felt weak and painful, like they would break. 12:40 headache got worse. I was shaking. I was nauseous. Chills were awful. Ears were ringing. No appetite for days. Sore joints, muscle pain and fatigue still 4/13
1198082	4/12/2021	FL	47	F	3/9/2021	3/10/2021	I was starting my period (light spotting) and it just stopped after the first dose. That was Mar 9, 2021. I have not gotten my period since. According to the doctors as well as my menstruation cycles prior there were no signs or peri menopause or menopause. Additional symptoms: After the first dose: (lasted for 3 weeks) Extreme fatigue. (Sleeping 20 hours a day) Swollen joints. (Radiating pain from the occipital ridge downward through out the spine & the right knee). Constant pain in my neck, shoulders, hips. Brain fog. Blurry vision/vision changes and things looked like they were vibrating/jumping Numbness in my face Tasted metal in my mouth Nausea Diarrhea Loss of appetite Depression After the second dose (lasted 10 days) Entire left arm was in pain Swollen and stiff from left arm, base of my occipital ridge/top of spinal column , neck shoulders, all the muscles between my shoulder blades the day after. Starting on day 3, all the areas up and down my spinal column felt swollen, stiff and in pain. Dissipated after 10 days. I lost mobility in my hip joints. Swollen right knee ( I am still experiencing these 2 symptoms, 4/12/21). Fatigue Brain fog. Diarrhea. Nausea Loss of appetite

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1198076	4/12/2021	PA	29	M	4/12/2021	4/12/2021	About five minutes after the vaccine patient reported that "he wasn't feeling well.". When I went to evaluate the patient he was very warm and was breaking out in sweats. He said his vision was very blurry. The patient lost consciousness and had convulsions/lower extremity rigidity for about 30 seconds to a minute. Patient regained consciousness and did not have any more convulsions. Patient was drenched in sweat but slowly regained color and he said his vision was returning to normal. Patient did not remember losing consciousness. EMS was called during the episode and patient was taken for further evaluation by EMS.
1198007	4/12/2021	CA	53	F	4/12/2021	4/12/2021	After about 7 minutes of getting the Janssen Covid-19 vaccines, patient husband said patient is not feeling well. I attended to patient immediately. She said she is not feeling well, and her eye was rolling (as if when she tried to look up and couldn't get their eye to remain open) a for about few seconds and then she her eye was open back to normal. She was sweating on both hands and face were cold to the touch. I got the manager from the store to help me lie patient flat on the floor's surface gently to prevent her from falling off the chair. Based on this our adverse event protocol, patient exhibited similar symptoms to Syncope (paleness, sweating, coldness of extremities), so I patient is lying flat on the floor, feet elevated, and cold compression was apply on her arms and face. Unfortunately, patient conditions was not improving as it seem but she was alert and able to breath (fast pace) the whole entire time the incident occurred where she answer all questions when we myself, then the paramedics asked her questions. Paramedic arrived at scene within 10 minutes after individual got off the phone with 911. They took her away around 9 am and said patient probably experience anxiety attack.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1198179	4/12/2021	IN	55	M	3/30/2021	3/30/2021	I was at the Neuroscience center and in the auditorium shortly after. Where I started to sweat, blurred vision, very difficult to breath and losing some motor skills. Luckily I got up in time and went to one of the nurses up front that got me to a waiting area to cool down, some water and to breathe without the mask. Probably stayed about 30 minutes as my vitals were pretty low before returning to normal. I will say it was pretty hot and a little crowded in there and the nurses all said it's been happening a bit with the heat in there. And it was about 11:40am so I only had crackers in the morning.
1197946	4/12/2021	ID	58	F	4/7/2021	4/9/2021	Patient called on 4/12/21 and reported that starting 2 days after her second dose she experienced changes in vision, She said she feels like her distance vision has changed significantly. She was directed to vsafe as we were uncertain whether this was a reported side effect. I told her I would report the issue for documenting purposes.
1198042	4/12/2021	UT	26	M	4/1/2021	4/12/2021	Dizziness lightheaded sweaty blurred vision Pt laid down on bench until he felt better
1197932	4/12/2021	GA	23	F	4/7/2021	4/7/2021	About 5 minutes after vaccine was administered, patient became to appear pale and reported feeling unwell to NP. She commented that her vision was "getting black" NP noted that her pupils were dilated and that her heart rate was 50 beats per minute. She was quite diaphoretic. No loss of consciousness. She noted that she had not eaten for several hours prior to vaccine administration. Patient was given water to drink and a bottle of fruit flavored tea. After consuming fluids, she began to regain her usual skin tone and reported "feeling better, but not quite right". She was observed for an additional 20 minutes and offered crackers to eat. She called a friend to come pick her up and drive her home. She left the clinic ambulatory accompanied by friend.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1197902	4/12/2021	IN	48	F	4/8/2021	4/8/2021	* felt serum enter my arm, painful immediately / * nothing but mild arm pain until about an hour after the shot/ * entire arm ached all the way to my hand / * became extremely tired within an hour of shot / * neckache, throbbing arm pain, over all achy, VERY tired, slightly dizzy on and off, fuzzy thought processes on and off / * felt feverish but no fever / * eyes felt warm when I closed them/ * slight heart racing the first night - all of these symptoms lasted about 2 days. Not severe enough to see my doctor or go to a hospital but felt it was important to report the effects. Even today, 5 days later, my upper arm is still sore and my neck still aches slightly.
1197900	4/12/2021	TX	59	M	4/12/2021	4/12/2021	Slight swelling right eye (left corner) small mole - swelled up no other affects surfaced about 1 hr after vaccine.
1197856	4/12/2021	TX	56	F	4/1/2021	4/8/2021	allergic symptoms - itchy throat, itchy eyes, hives less than an hour after the injection Symptoms lasted the remainder of the day and all through the night. Minimal relief with allergy medication -Claritin
1197848	4/12/2021	FL	23	F	4/11/2021	4/11/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Visual Changes/Disturbances-Mild, Additional Details: did not pass out
1197835	4/12/2021	PA	48	F	3/18/2021	3/18/2021	Patient stated after she waited 30 minutes her face swelled along with her eyes. She went to the physician and was given benadryl and prednisone tablets. Advised patient she should not receive the 2nd dose of Pfizer in the series and if she is requiring a 2nd dose she should investigate receiving Janssen.
1197828	4/12/2021	IN	66	F	3/16/2021	3/16/2021	Experienced severe headache in the afternoon after receiving the COVID19 vaccine (first shot) around noon. Took ibuprofen in the afternoon and in the evening before bedtime. Headache felt better the next day, but within 48 hours, experienced 'floaters' in my right eye. Received second dose of COVID19 vaccine on 04/08/2021. Again experienced headache afterward, but not as bad as the first time.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1197824	4/12/2021	MO	61	F	4/12/2021	4/12/2021	Pt c/o mild blurred vision, "tingly" on head and feeling "jittery." EMS and RN assessed pt. BP was in the 150's/80's. PT states she has a hx of DM, has not eaten yet for the day, has a hx of getting a reaction from Tetanus shot. Blood sugar was 126. Pt was given a snack and water. Reassessed after 10 minutes and pt still "feels the same." After another 15 minutes, Pt and husband decided to leave but recommended to stay and be checked for a few minutes but pt insisted they want to go home. Was advised to go the hospital if symptoms persist. Pt and husband verbalized understanding. Upon leaving, pt had steady gait, denies dizziness and blurred vision at this time.
1197814	4/12/2021	OH	52	F	4/1/2021	4/1/2021	Right after the shot I felt like my throat closed up, but went away. I felt a little dizzy as well. Within an hour the right side of my face and ear started to hurt, almost like it felt burnt, The nerve endings was super sensitive and has still not gone away. That night I didn't feel good, tired and out of it. On the third day I woke up with a rash on various parts of my body and moved to my eye lids as well. I called for a telehealth, and asked for a low dose steroid and he said not because I would "disrupt my immune response". I'm still having issues.
1197791	4/12/2021	IL	40	M	4/10/2021	4/10/2021	warm, dizzy, hot, vision blurred, sweating
1197779	4/12/2021	TX	29	F	4/12/2021	4/12/2021	Patient started experiencing a feeling of warmth about 15 to 20 minutes post injection. Then partial vision loss, chest heaviness, left- side numbness, Jaw tightness. Around 12:40 we called 911 and she was taken by ambulance to Medical center for evaluation. 911 operator instructed us to give 4 Aspirin 81mg.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1198689	4/12/2021	TX	39	M	4/12/2021	4/12/2021	Vaccine administered at 1157. Patient reported symptoms at 1202 of dizziness, weakness, vision and hearing impairment. Initial blood pressure noted 84/42. Lead nurse made aware regarding patient status. Repeat blood pressure 69/48 at 1202. Patient symptoms continue. Bp 98/55 at 1206. 1208 patient complaining of chest pressure. 1211 EMS notified regarding patient status. Patient continues dizzy and faint but remains responsive to verbal stimuli and responsive to name. Awaiting EMS. At 1215 patient states he 'feels better'. At 1223 EMS arrived and patient cleared at 1233. vs at 1239 BP 139/82, pulse 82, 99% oxygen, and 96.8 temp. 1242 medical director made aware and cleared for discharge. Awaiting patient family (father) to arrive for transfer home. At 1251 patient reports 'chest pressure' and 'indigestion' VS 78/68 pulse 42 and 100% oxygen. At 1253 repeat VS 101/70 pulse 81. At 1255 patient continues to refuse transfer to hospital but states feeling better and symptoms have resolved. Father at patient side. At 1259 BP 112/77 pulse 51 and oxygen 99%. Patient escorted via wheelchair by lead nurse accompanied by father. Patient instructed to call 911 if symptoms return and verbalized understanding.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1199109	4/12/2021	CA	35	F	4/12/2021	4/12/2021	client complained of nausea, vomit and headache after receiving 2st dose Moderna Covid Vaccine. (Lot# 042B21A, Exp 5/7/21. Client returned from restroom and approached EMTs to inform them she had vomited twice. EMTs guided client to sit down, gave emesis bag and water. Vitals at 1252: blood pressure 124/70, pulse 71, oxygen 99%. PHN joined EMTs. Client alert and oriented and sitting on chair upon arrival. Per client had been sitting approximately 10 mins prior to feeling nauseous. Per client fist Moderna dose went well, no complaints. Client stated she has been having intermittent nausea, her primary provider is aware and is following up to her appointments. Client stated has not had nausea episode in 2 weeks. Client brought Zofran 4mg oral medication with her today and took one at 1307. Vitals rechecked at 1310: blood pressure 126/72, pulse 76, oxygen 99%. Client reported headache 7/10. Nausea slightly better. Vitals at 1320: blood pressure 130/80, pulse 75, oxygen 98%. Per client nausea had improved, headache still 6/10 pain. Client denied blurry vision, chest pain, shortness of breath. Client wanted to leave, stated she would contact provider today. Client drove herself today, client did not want to call for someone to pick her up. At 1322 client stated she felt okay to drive. Nausea greatly improved, headache the same. ER precautions given. Client left facility with steady gait at 1325.
1197974	4/12/2021	WV	64	F	3/30/2021	4/1/2021	Day 2- fever blister, day 3 right eye, dry, red, swollen, day 3 back pain, right hip pain, right knee pain, burning pain upon urination, and tingling nerve pain all on right side of body per patient.
1198562	4/12/2021	IN	49	M	4/12/2021	4/12/2021	Patient received vaccine at 2:59pm. Within 3-5 minutes, he said he got dizzy. He laid himself on the floor because his vision got blurry . We went over to him right away. His BP was 110/80 and oxygen was 99. He was very sweaty. Patient reports he has a history of issues with needles. He reports he takes no meds and has no medical history. He reports only water today, and he hasn't eaten any food. Within 15 minutes, he sat up and felt okay.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1198420	4/12/2021	FL	21	F	4/1/2021	4/10/2021	VASOVAGAL: The patient stated she wasn't "feeling good," she felt very dizzy and temporarily lost vision, she was sweating as well. I immediately grabbed another chair and raised her feet above her heart level. She immediately stated that she was "feeling better" and started regaining her vision. we then offered her a cold bottle of water. She appeared very stable within a few minutes. We did call 911 as a precaution, they arrived a while later and deemed the patient was stable and their additional services were declined by the patient. I insisted the patient stay and finish the bottle of water. All together I believe the event was about 30 - 35 minutes before leaving. I encouraged the patient to drink plenty of fluids and electrolytes and to take it easy for the rest of the day.
1198429	4/12/2021	NC	38	F	3/5/2021	3/5/2021	She reports she initially felt weird immediately after receipt and noted her heart was racing. She was waiting her 15 minutes, she felt hot, when she noted her face was flushed. She briefly felt dizzy but it passed. She asked staff if the flushing was normal and they got the medics. They noted flushing to her face, neck and chest. (She noted flushing to her legs when she got home). She denies pruritis or urticaria. Her BP and HR were elevated. She felt a little confused: they were asking her if she felt she needed eval, but she felt she had trouble answering. She noted tingling to her left jaw, and tongue. Providers did exam which was normal and gave her benadryl and monitored her for an hour. She felt better and was released. The flushing continued intermittently for brief periods (minutes) to sites such as her neck and face. She continued benadryl 50 mgs at bedtime. She routinely takes Claritin this time of year and had that morning. Symptoms resolved and have not returned. She denies pruritis, oral/face/throat/tongue swelling, globus sensation, red watery eyes, rhinorrhea, dyspnea, wheezing, CP, cough, n/v/d.



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1198436	4/12/2021	WI	17	F	4/12/2021	4/12/2021	Patient and Father were at desk to schedule follow-up vaccination when patient fell to the ground. Writer and additional clinic manager responded to event. Patient was rigid, eyes rolled back and not responding. Writer and manager attempted to arouse patient, with no response. Per father, patient has passed out in the past with blood draws. Feet were elevated and ice pack applied behind neck. Patient's fists were clenched, teeth clenched, back arched and appeared to have urinary incontinence. Episode lasted approximately 1-2 minutes. ED responded. Patient regained consciousness and was able to interact with writer appropriately. Bp 124/78, pulse 80 bpm, oxygen saturation 100%. Patient assisted to stretcher and transported to ED
1198441	4/12/2021	NM	31	F	3/25/2021	3/25/2021	Sore arm the whole arm was bruised and hurt to even touch this lasted a week and a half. My face around my eyes were swollen and red and puffy and sore that lasted a week and a half. My throat was tight and a little hard to breathe lasted a day or two. Has servers body aches and the pain in my shoulder still persist to this day. Fever 100.3 two-3 days.
1198453	4/12/2021	OH	18	M	4/10/2021	4/11/2021	My son developed a rash on his bottom, upper legs and forearms. His eyes became puffy. He took OTC allergy medicine and it cleared the symptoms quickly.
1198477	4/12/2021	CA	66	F	1/22/2021	1/22/2021	None at the Hospital. The adverse problem I had was with my eyes that began hours later.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1198406	4/12/2021	WI	59	F	1/25/2021	1/26/2021	<p>Patient was previously healthy and got her second injection in the right arm on 1/25/2021. She had severe weakness of the right arm starting the day after the immunization, headaches across the whole head, severe fatigue, confusion (brain fog), worsening depression, body aches, and these all progressed and got worse for at least 14 days. She was unable to work any of those days due to weakness, confusion, and body aches. She saw me in the clinic on March 2 as she was still feeling weak, tired, confused. The clinic notes that day record: "On the next day, the 26th, she had severe pain and couldn't do much. Then she got super depressed and could not get out of bed for 2 weeks, had a lot of fatigue, body aches, and felt down. She tried going to the store one day and by the time she got done she could not get into her truck because she was in so much pain. That would have been about 2 weeks ago. She went back to work last week and was at work the whole week. She was told she does have leave time and that it did not cover the absence of work. She now needs new leave time forms completed. Currently she is in a lot of pain. She has her endocrine appointment on March 15th. The pain is getting worse. The cold is really hard on her. She is barely able to move her right arm at the end of the day, and that is the arm where she had the COVID shot. She is having a lot more weakness. She can not even take one flight of stairs now because everything hurts her. This is a huge difference than before. She used to be able to do several flights, and she can't do that anymore. She has also had vision changes. She has floaters but she is having a harder time focusing. She feels like no one would believe her, but she feels like this is all part of the reaction to COVID. She has a hard time focusing. She feels like she is going insane.~~</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1198527	4/12/2021	MO	58	F	3/25/2021	3/26/2021	<p>2 Events: Evening following 2nd injection, I went from having no dental issues to having severe tooth pain on lower left jaw, roughly 4-5 teeth in from back molar. Swelling began within hours accompanied by intense pain and sensitivity. By that Sunday evening, swelling had extended up to left eye, over to bottom of ear, and down neck to baseline and half way to center jaw line. Bruising present. Throbbing was constant. Made emergency dental appointment for Monday, but by that Sunday night, I could not stand it any longer and was afraid the swelling would extend to my throat. Went to ER, who diagnosed an abscess under the tooth root. Prescribed pain pills and antibiotics. Saw dentist Monday, who scheduled me for an emergency root canal on Tuesday. Got root canal on a tooth I never had problems with before, although there certainly could have been an issue brewing but not yet pronounced. Anyway, he also drained what he called an unbelievable amount of infection fluid (pus) after making an incision in my gum line and basically squeezing my face to get as much out as he could. Said he never saw anything like it. And for me to go from 0 to that in a matter of days was incredible. I thought perhaps it was an immune response? At the same time that I was experiencing the dental issue, I started to develop a strong dry cough. I have a light former smokers cough, and have had pneumonia many times, but this cough was different. Every day it has gotten strongly, but is very much intermittent. I now go into fits of coughing that last one to two minutes and so strong and to the point where I have either fractured my rib directly beneath my right breast, or something else is going on. These fits can last minutes, but never result in expulsion of phlegm. The coughing fits also occur if I take a deeper breath, walk too far, laugh, or talk too long. Very strange. I am very fatigued and have been since the onset of the dental issue reported above. While the dental issue is gone since the abscess was drained, the cough is still present, and wakes me up every single night too with coughing fits. The cough has loosened up a bit. I would go to the doctor, but I am in the middle of a move from MO to AZ, and just arrived in AZ after a 3 day drive. So, first off, I am reporting this issue. And next, I will seek a new doctor in Arizona if this cough continues.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1198650	4/12/2021	FL	25	M	4/1/2021	4/10/2021	VASOVAGAL: The patient stated he wasn't "feeling good;" he felt very dizzy and his vision was blurry, he was sweating as well. I immediately grabbed another chair and raised his feet above his heart level. He immediately stated that he was "feeling better" and his vision was improving. I then offered him a cold bottle of water. He appeared very stable within a few minutes. We did call 911 as a precaution, they arrived a while later and deemed the patient was stable and their additional services were declined by the patient. I insisted the patient stay and finish the bottle of water. All together I believe the event was about 30 - 35 minutes before leaving. I encouraged the patient to drink plenty of fluids and electrolytes and to take it easy for the rest of the day.
1198567	4/12/2021	OH	26	F	4/11/2021	4/11/2021	Left eye twitching uncontrollably. No treatment, waiting and hoping it will go away.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1198614	4/12/2021	VT	40	F	4/10/2021	4/11/2021	Had a sore arm within hour of shot (got it at 7:30pm). Felt a little yucky before going to bed. I made sure to hydrate significantly before the shot and after. I woke up at 3am with chills and had them for about an hour. Woke up the next morning at 9am with with medium neck and head pain and feeling a little chilly and out of it. Mild ache in joints and body overall. At 10am I took one ibuprofen, but at 11am (200mg), kept pushing fluids. 11am headache got worse temp 98.7 (slightly high for me, I am usually about 97). Started having some gastrointestinal issues around noon. Felt nausea and sweaty palms loss of appetite. Had a bowel movement (normal in appearance). That all seemed to pass and I felt better, still tired, for most of the afternoon. Arm was sore to the touch and when moving. I managed to eat a few small meals, kept up hydration, and took a nap late in the day. I woke up at 5pm with headache and body aches all over. No appetite again. Had very little to eat, kept hydrating, At 7pm my vision got a little blurry and I had a minor vasovagal episode. Center of vision blurred, got chills and sweaty, nausea, and I had to poop (it was less formed). I rested, cool compress, and raised my feet. It all passed in about 20 minutes. I had major loss of appetite rest of the night (couldn't eat anything), kept hydrating, and went to bed. Slept through the night with no incidents. Woke up at 9am second day and had a small breakfast, though my appetite is still not back. Generally feeling exhausted, but no headache or aches in the body anymore. My arm is still sore. Had some more GI distress (another less formed poop around 11am). My appetite returned by early afternoon on the 2nd day post-vaccine. Still tired and generally feeling "off," especially mentally. Had brain fog all afternoon and my ears felt plugged today. Hard to concentrate on a task.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1198190	4/12/2021	IL	31	M	4/12/2021	4/12/2021	pt c/o lightheadedness and vision turning white; pt able to ambulate with 2 guards at his side to private obs room; wife present; pt placed on exam table and HOB put flat and legs elevated; eyelids fluttering, pt warm and diaphoretic; remained responsive and answering questions; pt states that he has fainted in the past, also has "sensitivity" to certain anesthetics; initial VS at 1013:cuff not registering BP, HR 38/dinamap,RR 18,Sao2 100%. Switched to smaller BP cuff and Vs at 1015: BP 78/43,HR 40,RR 18, Sao2 100%. Pt c/o nausea. VS at 1020: 98/51, HR 58, RR 18, SaO2 100%. Pt states that he is feeling better except still nauseous. VS at 1025: BP 112/59, HR 68, RR 16, SaO2 100%. HOB raised to 45 degrees, no c/o. Pt given cold pak and drink of water. 1030:pt states less nauseous, still "cloudy". 10:45:HOB placed at 90 degrees, BP 114/67, HR 66, RR 16, SaO2 98%. 10:50:pt states that he is feeling much better, talkative, ambulated WNL in room. 1055: BP 112/72, HR 56, RR 16, Sao2 100%. Pt states that he feels a "little tired" but fine to leave. Wife will drive pt home. 1100 Pt leaves clinc; no c/o.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1198671	4/12/2021	CA	34	F	4/8/2021	4/9/2021	4/8/21: I receive the injection at 1:50pm on my left arm. 8pm: I begin experiencing normal side effects: soreness, body aches, and headache. 9pm: In addition to the soreness, body aches, and headache, I start having chills, which last on and off throughout the night. 4/9/21: 7am: I feel fatigued, with headache and body aches throughout the morning and afternoon. 3pm: I begin to have some itchiness on my forehead and both ears. My right knee cap feels hot and bruised, but there is no mark. 5pm: Visible hives appear on my forehead and right knee cap, and my ears are red. All of these spots are very itchy and uncomfortable. 9pm: The hives begin to be much more noticeable and itchier. I take one Benadryl before going to bed which helps the itchiness somewhat. 4/10/21 3:30am: I am woken up by pain in my ears and they have gotten incredible swollen, red, and hot. They are very tender to the touch. I take another tablet of Benadryl. 7am: There are more hives on my forehead and cheeks, as well as my knee and now on two of my fingers. A few spots also appear on my feet and on one toe. My ears are less swollen but still not back to normal, and they are still red, hot and tender. 9am: I have a video call with a Physician's Assistant who determines it is most likely not an anaphylactic reaction (no swelling in my throat or eyes or any of the other red flag symptoms. I also take my blood pressure with a home monitor and it is normal). He prescribes me a steroid pack. 12pm: The hives begin to be less and less itchy and red. 8pm: The hives are almost completely gone, save for a few spots on my feet. As I am breastfeeding my 14-month-old daughter, I had waited to begin the steroid pack until after our last nursing session of the day (around 7:30pm). As the hives seemed to be going away on their own, I decide to not take the medication. I do take one dose of Zyrtec. 4/11/21: 7am: the hives are completely gone
1197999	4/12/2021	IL	23	F	4/7/2021	4/7/2021	Swelling around eyes and itching . Second dose full body rash Both lasted 5-7 days
1198683	4/12/2021		39	F	4/12/2021	4/12/2021	Chest Pain, Headache, Dizziness, Blurry Vision; BP 124/65; HR 90, RR 32, O2 100%; Fingerstick 83. Pt observed for ~20 minutes, as per patient symptoms persisit.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1198497	4/12/2021	NM	74	M	3/30/2021	4/1/2021	blurred vision, hallucinations, rash around his eyes, HA, running nose, off balance patient refused going to emergency room, is waiting to consult with provider
1198219	4/12/2021		57	F	4/6/2021	4/7/2021	rash, vomiting, and eye swelling the night after vaccination
1198672	4/12/2021	AZ	41	M	3/22/2021	3/22/2021	Extreme Nausea and runner vision within 30 seconds of vaccine administration. Symptoms went away on their own
1198202	4/12/2021		47	F	4/12/2021	4/12/2021	Patient received her second Pfizer Covid vaccine 4/12/2021 at 3:24 pm as noted in medical record. At approx. 3: 25 PM pt c/o dizziness, headache, severe nausea and blurred vision. She had beads of perspiration on forehead, and a cool cloth was applied to back of neck. Water was also given. B/P was 210/140 Left arm. Pt states she takes B/P medication but did not take it today. She states she last ate at 11 AM. Pt states she did not have any SOB or difficult breathing. Respirations slightly shallow. She states she did not have any untoward response to first vaccine. She also denies any numbness or tingling of lips, difficulty breathing or thickness of tongue, itching or double vision. She states she did have blurred vision initially but denies any at present. At 3:40 PM transported Pt to Emergency Department via wheelchair for further observation and care. Pt verbalized agreement and notified her spouse via cell phone.
1198246	4/12/2021	UT	55	F	4/9/2021	4/11/2021	Upper eyelids slightly swollen and intensely burning beginning around 5pm 4/11. Morning of 4/12, burning continuing and eyelids are a little more swollen. Bruises appeared under eyes. I have not had a fever at all, but have had intense fatigue each morning and evening since the vaccine on 4/9. I tried hydrocortisone on my eyelids, but it didn't help. Tylenol and ibuprofen help relieve the burning sensation a little.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1198259	4/12/2021	NC	56	F	4/8/2021	4/8/2021	Became Lightheaded within 5 min of injection, progressed to severe dizziness, black spots in my eyes, could hardly lift my arms, progressed further to nausea, was given zofran on tongue by EMS, progressed to severe vomiting. EMS took blood pressure it was 93/50 hear rate was very low. Called ambulance and advised I go to hospital immediately. Blood pressured jumped to 150 then dropped again. Once in ambulance they put IV in and gave Zofran through IV, I don't know if they put anything else in there. Blood pressure stabilized around 110 which is normal for me, I normally have low blood pressure and heart rate. Nausea and dizziness dissipated by the time I got to hospital. They put EKG on also while I was in ambulance and said I was having PVC's advised dr to do another EKG once I got to hospital. Felt better by about 5:00 PM. Overnight I had slight fever and body aches, took Advil and symptoms subsided. Slight soreness in arm and armpit, but not major. Have been feeling fine now other than being traumatized by the whole event.
1198279	4/12/2021	OR	63	M	4/12/2021	4/12/2021	within 20 minutes after shot the left side of my face felt light the dentist shot me with a light does of novocaine . the left eye feels tired, tongue and lips feel slightly numb, left side of face feels strange along with a headache
1198289	4/12/2021	NC	30	M	4/12/2021	4/12/2021	30 yo M with h/o vasovagal events with lab draws was vaccinated with his first Pfizer Covid-19 vaccine (Lot# ER8729) in the left deltoid at 1202 4/12. Prior to vaccination, patient had had nothing to eat or drink. Pt became syncopal when moving from the vaccination chair to the observation area. When he fell, he hit his head. After the fall, pt remained on the floor and was placed in Trendelenburg position. BP - 105/63; P-40 to 51. Patient reports having a low heartrate. Patient 15 minutes patient attempted to sit up but was dizzy and laid back down. After 5 to 10 minutes, patient was able to sit up and eat some crackers and drink juice and water. After 15 minutes, pt was moved to recliner. Provider noted a bruise above his right eye. About 15 minutes later the pt vomited and started coughing. Provider called EMS and patient was transferred to ED. During ED visit, reaction assessed and thought to be vasovagal reaction.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1198339	4/12/2021	WI	37	F	3/25/2021	3/25/2021	While administering the 1st dose of the Moderna vaccine in pt's right deltoid, the syringe detached from the needle. An unknown amount of vaccine was administered to patient and an unknown amount of vaccine was sprayed in my eyes.
1198354	4/12/2021	PA	48	F	1/25/2021	1/27/2021	Left side supraclavicular lymph node swelling and tenderness. The swelling was visually evident over my clavicle. The pain and visual swelling resolved within about two days. The lymph node persists to this day. It is pea sized, non-tender, superficial, moveable.
1198360	4/12/2021	IL	71	M	3/4/2021	3/15/2021	1. 10 Days after the second dose experienced itching on the back. Noticed red spots on both the armpits. ( around 14th March) 2. After about another 10 days, itching continued and rashes red spots spread over the back and noticed similar patches in the groin area as well. ( around 24th March) 3. Have not taken Aligra medication for five days. Also applied HydrocortisoneCream with Aloe for five days. 4. Even after further 15 days, no significant change observed. Additionally noticed a red patch with itching on the face under and on the side of the right eye. (around 8th April)
1198379	4/12/2021	TX	41	F	3/26/2021	3/26/2021	Acute Reaction: Burning pain upon injection, feeling like they're going to faint. Chronic Reaction over the course of the last two weeks: Burning pain, radiating down the arm and up to neck; Numbness down left arm, up to eye and into spine. Treatment with Ibuprofen thus far unsuccessful.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1198388	4/12/2021	NC	37	F	3/26/2021	3/26/2021	About 20 minutes after receipt. She reports feeling throat tightness. She wasn't SOB. She was assessed by staff, Only VS was oximetry which was in the 90s and stayed stable. They treated her with Benadryl 50 mgs po. She swallowed it, but felt like it got stuck. She started to experience choking and coughing. She was able to swallow water. She thinks the tablet wasn't actually stuck, but she was instead feeling worsening of symptoms. She denies urticaria or pruritis, oral/face/lip/tongue swelling, red watery eyes, rhinorrhea or wheezing. She denies n/v/d at the event. She states she recalls a hot burning sensation to her chest, radiating from her midsternum. About 15 minutes after oral benadryl, she reports symptoms abated. She was observed and released in about an hour. She drove home and slept (attributes sleepiness to Benadryl). She reports diarrhea episodes that evening. She denies other symptom recurrence.
1198321	4/12/2021	IL	66	F	4/11/2021	4/11/2021	About 30 minutes after the vaccination (on the way home), I felt very faint and almost passed out. At the same time, my injection arm started burning. Also, I started experience a mild headache while on the way home which became VERY bad about an hour after the vaccination (at home). My head, neck and shoulders hurt so badly that I could not move and my vision was blurry; it was a searing type of pain. Then, I developed a fever which, at its highest temperature, was 101.6° along with overall achiness, malaise and severe fatigue,
1193446	4/11/2021	CA	26	F	4/6/2021	4/6/2021	Day 1. No pain at site Day 2. No pain. Day 3. A large red painful spot surrounding the vaccine site on my left arm accidentally touched it, saw black spots in my eyes, and felt immediately nauseated. I had to sit for over 10 minutes to attempt not to faint. Pain on my arm continued throughout the day. Day 4. I woke up with a "hangover-like" feeling, I could not get out of bed for 4 hours after waking up initially. Pounding headaches continued until mid-day. Day 5. I feel better, the arm is barely sore. Day 6. I feel no symptoms whatsoever.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1193660	4/11/2021	CA	58	F	4/1/2021	4/3/2021	I was the first J&J vaccine patient on April 1 @1pm at the pharmacy. I developed a bruise around the injection site (like a bull's eye) afterwards and I still have it on my arm though slightly lighter but still visible. I wonder if it is related to blood clotting that's been reported in the news lately. I thought I'd report it just in case. I also had a small itchy rash of tiny red dots for about 3 days which started about 4 days post injection. I have no previous issues with vaccinations or any bleeding concerns. This is odd. I developed alternating low grade fever ~99.1 F and chills with fatigue for 2 days after the jab too but that's not unusual for me after the seasonal flu vaccines.
1193635	4/11/2021	NH	64	F	4/10/2021	4/10/2021	Low Grade Fever (100.4), Burning Eyes, Headache, Body Aches, Lack of Energy
1193629	4/11/2021	MI	24	F	4/11/2021	4/11/2021	Almost immediately after COVID 19 vaccine administration, patient began experiencing warmth ,dizziness and faint, variable breathing shallow, deep etc. Cool compress applied to patient. Patient began to slump, tremors, and appeared to be passing out, eyes began to roll back. EPIPEN was administered and 911 was called. The 911 medics arrived and patient was transported to emergency room .
1193548	4/11/2021	WA	64	F	3/20/2021	3/23/2021	I first noticed an increase in mucus in my lungs, causing me to cough up phlegm. The vision issues have increased the MS Optic Niritis problems, losing vision in right eye! But its the headaches I can't stand. They come and go, and sometimes its sooo bad that I can't move my head and body. Sitting in the dark helps. Thus having MS and lowered immune system has the headaches causing me to be immobile during episodes, sometimes lasting only an hour, sometimes all day! And chills, but not as bad as the headaches. I don't want to lose my vision again due to having to do these vaccines every year with these side affects.
1193532	4/11/2021	MA	54	F	4/9/2021	4/10/2021	Right eye swollen shut/ taking prednisone

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1193512	4/11/2021	CT	26	F	4/10/2021	4/10/2021	Had no side effects whatsoever for many hours. Felt completely fine until about 7:30 pm, while I was making my plate of dinner. Felt lightheaded, dizzy, and hot. I began to black out, so I sat down, which helped for a few moments to subside lightheadedness. I was still feeling hot, so I walked a few feet to my back door and sat down on the steps outside to cool off. Within minutes, my vision blurred completely, I saw stars, and completely blacked out. My mother, who was nearby, heard me fall on the steps. She said my eyes rolled back, my body was completely limp, I was not breathing but rather making gurgling noises from my throat. She propped my head up, which allowed me to breathe properly, and I came to. If my mother had not been nearby, I am convinced I would be dead right now. I saw the light, saw the other side, saw my relatives. I have had a near death experience once before, and this was exactly like that.
1193474	4/11/2021		19	F	3/31/2021	3/31/2021	19-year-old with no significant past medical history presenting to ED after experiencing lightheadedness, vomiting, vision changes after receiving her first dose of Pfizer Covid vaccine. History is consistent with vasovagal syncopal episode given resolution of symptoms in a quick period of time. Must also consider anaphylactic reaction to vaccine given patient had vomiting and low blood pressures following vaccine administration. However, this is less likely given that patient returned to baseline blood pressures without any additional interventions and has had no additional episodes of vomiting since presenting to the emergency department. Must also consider pregnancy given vomiting and recent Plan B usage

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1193435	4/11/2021	CO	65	F	4/10/2021	4/10/2021	Reaction to Moderna vaccine #2 April 10, 2021. I had no reaction to #1 on March 11, 2021 11:00 a.m. I received my vaccine. I felt fine until about 4:00 p.m. 4:00 p.m. my arm was stiff and sore even though I had been massaging it and using it. I also was getting sleepy. I had a dull headache in my rt. Eye socket area. 8:30 p.m. my arm was very sore. 10:30 p.m. I fell asleep. 11:30 p.m. I woke up and felt feverish; I was hot but had chills, my body ached, my headache had worsened and spread to a larger area of my head, my skin hurt. 12:30 a.m. my reaction remained the same but more intense. This lasted until about 6:00 a.m. where it seemed to lessen. 10:00a.m. I was less achy and no chills. I still had a headache
1193460	4/11/2021	FL	28	F	4/11/2021	4/11/2021	0920: Patient noted to be slumping in chair- pale and diaphoretic. Assisted to floor. EMS and NP in attendance along with other RN staff. Completely unresponsive and not breathing. Airway opened (triple jaw maneuver) and turned on side. She started breathing spontaneously and opened her eyes. Initially confused but became OX3. Pt. taken to private observation area. VS: 0925: 125/81- HR 48 (double checked); R 12. Sat's 98% on RA. EKG shows sinus bradycardia. Pt later assisted to seated position on stretcher and vomited x2 undigested food. VS#2 @0940: 127/80; HR 52- Sat 94, R 14. Felt better after 2nd set of VS. Sent home w family member @10:00am. Teaching: recommended she inform vaccinator prior to #2 shot she faints easily after injections and perhaps have the injection performed while patient is lying on EMS stretcher. Patient agree to this - brother will follow up with her.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1193665	4/11/2021	IL	39	F	3/9/2021	3/19/2021	On March 10 (the day after my vaccine) I felt the normal body aches and had a pretty bad headache. That all went away in the evening on March 10. Since that day I have had off and on dizziness/lightheadedness. On March 19 I fainted in my kitchen. I hit my kitchen table and had a huge knot on my head and bruises all down my left side of my body. My left shoulder still hurts from the fall and I still have a small knot on my head (left side just above my left eye on my forehead). I went to my primary care doctor on March 24 and reported the event. I asked if it could be related to the COVID vaccine and she said she wasn't sure since the Jansen one was so new, but that she had seen these effects from the other two vaccines. At the doctor's office my blood pressure was on the lower end (110/60). My normal blood pressure runs about 118/70. They ran some blood work and that all came back normal. They did an EKG in the office, but my blood pressure stayed pretty close to the same as it was the first reading. They then sent me to get a CT scan on my head, which also came back normal. She did diagnose me with a concussion. I was out of work the entire week (March 22-March 26) due to this. She also ordered me to have an echo done. While at the office for the echo, my blood pressure ran 99/46 (this was on March 31). The results of the echo came back normal. I also got a monitor to wear for 72 hours on March 31. I took that to the doctor on April 5 and I am still waiting on results from that. Since the event on March 19, I have had headaches and body aches. I have also had slight lightheadedness off and on.
1193394	4/11/2021	TX	36	F	4/1/2021	4/1/2021	Soreness in arm almost immediately after second dose, fever and whole body soreness night of. Face swelling, face hot to touch, rosecaea really bad. Next day had right eye swollen and very painful, vision compromised in that eye. Day 3 had large internal sty in that eye. Never in my life had this happened. Day 4 back inflamed to where I can barely walk. Tired and weak for the next few days. On day 9 I woke up with a very sore throat and open sores in my mouth. I can barely chew anything this morning. In extreme pain, feel like my body is just swollen. I have been using ice, eyedrops, anvil, ibuprofen, heat for back, and mouthwash and saltwater for mouth. No insurance so I have not seen a doctor.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1194027	4/11/2021	FL	58	F	3/28/2021		PUFFY EYES; BODY ACHES; WEAK; SINUS DRAINAGE; WIPED OUT; HORRIBLE SLEEP; BAD TASTE IN MOUTH; SMELL SOMETHING FUNNY IN NOSE; FEVER; VIOLENT SHIVERING; This spontaneous report received from a patient concerned a 58 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808609, expiry: UNKNOWN) dose was not reported, administered on 28-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 28-MAR-2021, the subject experienced horrible sleep. On 28-MAR-2021, the subject experienced bad taste in mouth. On 28-MAR-2021, the subject experienced smell something funny in nose. On 28-MAR-2021, the subject experienced violent shivering. On 28-MAR-2021, the subject experienced fever. On 29-MAR-2021, the subject experienced sinus drainage. On 29-MAR-2021, the subject experienced body aches. On 29-MAR-2021, the subject experienced weak. On 29-MAR-2021, the subject experienced wiped out. On 02-APR-2021, the subject experienced puffy eyes. Treatment medications (dates unspecified) included: paracetamol, and ibuprofen. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from horrible sleep, and violent shivering on 29-MAR-2021, had not recovered from fever, weak, body aches, sinus drainage, wiped out, and puffy eyes, and the outcome of bad taste in mouth and smell something funny in nose was not reported. This report was non-serious.; Sender's Comments: V0: Medical assessment comment not required as per standard procedure as case assessed as non-serious.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1193422	4/11/2021	CO	37	F	4/7/2021	4/7/2021	Out for a run that evening (8 hours after shot) after about 12-15 minutes of running I stopped to walk and started sneezing a lot, about 8 - 10 times. Then my nose started to run, eyes started to water a little followed by tingling & itching on the back of my tongue and throat, then swelling on the back of my tongue. I felt a little light headed a few minutes later, I slowed to an even slower walking pace. The swelling did not get worse. Blood pressure was fine when checked at home about 30 minutes after the start of the episode, a little high for me if anything, but normal. My nose become fully congested which was the only side effect that lasted for a couple of hours. Yes, it is spring here but I do not have allergic reactions beyond a few sneezes and slight runny nose to spring pollen. This was much more intense and I have never experienced tongue and throat swelling.
1193463	4/11/2021	IL	30	F	1/21/2021	1/28/2021	Eyelid swelling that has occurred about 4-5 times. Initial event was the following week after the second dose; bilateral eyelid swelling (one upper lid, other lower lid). Subsequent episodes are unilateral with left side occurring greater than right. Usually resolves in about 5 hours. Most recent episode was the largest it has been and it has persisted beyond 12 hours. No other associated swelling, no eye pain, no itching or irritation.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1194045	4/11/2021	OH	56	F		4/3/2021	<p>PAIN WENT AWAY FROM LEGS/PAIN AWAY FROM LEFT ARM; CLEAR FILM OVER EYES; DIZZINESS; This spontaneous report received from a patient concerned a 56 year old female. The patient's height, and weight were not reported. The patient's past medical history included her legs have been hurting for a long time due to fractured back that healed crooked, and concurrent conditions included allergy to cat. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808980, expiry: 20-JUN-2021) dose was not reported, administered on 03-APR-2021 to right arm for prophylactic vaccination. No concomitant medications were reported. On 03-APR-2021, the subject experienced clear film over eyes. On 03-APR-2021, the subject experienced dizziness. On an unspecified date, the subject experienced pain went away from legs/pain away from left arm. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from dizziness on APR-2021, had not recovered from clear film over eyes, and the outcome of pain went away from legs/pain away from left arm was not reported. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1192778	4/11/2021	GA		U		3/11/2021	BLURRED VISION; DIZZINESS; DRY MOUTH; CHILLS; HEADACHE; FEVER; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805031, expiry: unknown) dose was not reported, frequency once total, administered on 11-MAR-2021 at left arm for prophylactic vaccination. No concomitant medications were reported. On 11-MAR-2021, the subject experienced blurred vision. On 11-MAR-2021, the subject experienced dizziness. On 11-MAR-2021, the subject experienced dry mouth. On 11-MAR-2021, the subject experienced chills. On 11-MAR-2021, the subject experienced headache. On 11-MAR-2021, the subject experienced fever. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from dizziness on 11-MAR-2021, and chills, and fever on MAR-2021, and had not recovered from dry mouth, headache, and blurred vision. This report was non-serious; Sender's Comments: V0: Medical Assessment comment not required as per standard procedure as the case assessed as non-serious.
1194229	4/11/2021	WA	57	M	4/2/2021	4/3/2021	Headache, chills, muscle aches, dehydration, loss of appetite, blurred vision, loss of taste, and loss of smell.
1194211	4/11/2021	TN	44	F	4/10/2021	4/11/2021	Convulsion type chills at night Skin and organs hurt Eyes hurt Headache Tires
1194234	4/11/2021	MI	64	F	4/1/2021	4/10/2021	Headache, eye movement, chills, sweats, body aches, joint and muscle aches, tiredness, overall just feeling lousy

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1194133	4/11/2021	NJ	41	F	1/26/2021	2/21/2021	<p>Patient took second dose 22 days after the first dose; felt like everything was pushing downward on her face; face felt frozen and could not move her face; Ptosis of her left eye; Dull and severe headache; This spontaneous case was reported by a physician (subsequently medically confirmed) and describes the occurrence of FACIAL PARALYSIS (felt like everything was pushing downward on her face) in a 41-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 001A21A and 0077M20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Migraine. On 26-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 23-Feb-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 21-Feb-2021, the patient experienced FACIAL PARALYSIS (felt like everything was pushing downward on her face) (seriousness criterion medically significant), HYPOAESTHESIA (face felt frozen and could not move her face), EYELID PTOSIS (Ptosis of her left eye) and HEADACHE (Dull and severe headache). On 23-Feb-2021, the patient experienced INAPPROPRIATE SCHEDULE OF PRODUCT ADMINISTRATION (Patient took second dose 22 days after the first dose). On 23-Feb-2021, INAPPROPRIATE SCHEDULE OF PRODUCT ADMINISTRATION (Patient took second dose 22 days after the first dose) had resolved. At the time of the report, FACIAL PARALYSIS (felt like everything was pushing downward on her face), HYPOAESTHESIA (face felt frozen and could not move her face) and HEADACHE (Dull and severe headache) outcome was unknown and EYELID PTOSIS (Ptosis of her left eye) had not resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. No concomitant product use was reported. She consulted neurologist who prescribed apraclonidine 0.5 percent. This case was linked to MOD-2021-066385 (Patient Link).; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							causal relationship cannot be excluded. However, this is also a case of Inappropriate schedule of product administration of mRNA-1273 lot #(001A21A) with associated AE"s of facial paralysis, hypoesthesia, headache and ptosis. Further information is requested.
1193741	4/11/2021	MN	45	F	4/10/2021	4/10/2021	Fever of 101.5 deg, chills, severe headache in base of skull & behind the eyes, fatigue, injection site pain,
1194080	4/11/2021	MA	58	F		4/1/2021	POOR SLEEP; SENSATION OF SMELLING ROAST BEEF; CHILLS; HEADACHE FOCUSED AROUND EYES ,FORHEAD AND SINUS; MUSCLE ACHE; INTERMITTENT FEVERS; SINUS CONGESTION; This spontaneous report received from a patient concerned a 58 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 0U3A21A, and expiry: UNKNOWN) dose was not reported, administered on 05-APR-2021 for prophylactic vaccination on left arm. No concomitant medications were reported. On APR-2021, the subject experienced sinus congestion. On 05-APR-2021, the subject experienced poor sleep. On 05-APR-2021, the subject experienced sensation of smelling roast beef. On 05-APR-2021, the subject experienced chills. On 05-APR-2021, the subject experienced headache focused around eyes, forehead and sinus. On 05-APR-2021, the subject experienced muscle ache. On 05-APR-2021, the subject experienced intermittent fevers. On 06-APR-2021, Laboratory data included: Body temperature (NR: not provided) 99 F. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the headache focused around eyes ,forehead and sinus, muscle ache, chills, intermittent fevers, poor sleep, sensation of smelling roast beef and sinus congestion was not reported. This report was non-serious.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1193684	4/11/2021	NY	20	F	4/11/2021	4/11/2021	Otherwise healthy 20 yo female presented to observation area after her first vaccine dose. Within first 5 mins while seated, talking on phone to Mom he then fainted, falling on floor. Fall witnessed, witnesses deny patient hitting head. Patient immediately regained consciousness, and appeared to be shaking. Placed in WC, while in med eval tent vitals: P 88, R16, BP 120/75, Glucose via fingerstick glucometer is 98. Patient alert, oriented. drinking apple juice. Patient admits to history of fainting after procedures such as injections. Advised her to inform healthcare personnel before vaccines or blood draws. Denies Chest pain, SOB, nausea, or pain anywhere. Denies visual changes. Patient felt well enough at 12:45, stood and walked without difficulty. Departed with friend without incident, who drove her back to dorm.
1193383	4/11/2021	PA	33	M	4/2/2021	4/5/2021	Began to develop a slight brain fog one hour upon dose administration. Otherwise mild. Went to bed at 11:00 pm and woke up at 2 am with heart thumping with pulse beating around 70 beats per minute. Became highly attuned to it and experienced tachycardia at 118 (generally resting heart rate is extremely low). Seemed to return to 70 with some breathing exercises and returned to sleep. Woke up the next morning with flu symptoms and the works - felt worse than original Covid in October. Flu like symptoms seemed to pass by Monday. However, pulse remained elevated through the week by about ten points and noticed hypertension. BP 150/95 Wednesday and 160/100 on Friday. Went to ER Friday night with BP 188/117 and tachycardia. Vitals and blood work all normal however confusion as to why BP remains elevated despite Thursday before vaccine being 132/82. Left hospital with BP 154/95. Palpatations and thumping chest have continued throughout the week. As well as general fatigue and fog behind the eyes.
1193774	4/11/2021	OH	29	F	4/8/2021	4/8/2021	Fever and body aches beginning around 5pm, 7 hours after the vaccine. Nausea hit at 10pm and lasted until the next morning. I threw up 4 times throughout the night. I have red splotches all over my face from broken blood vessels I think. They are all around my eyes, but also on the rest of my face and neck. Fever of 100.4. Had a headache and was shaky all night. The next two days I have been fatigued.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1193727	4/11/2021	PA	52	F	3/23/2021	3/27/2021	stye in right eye
1193715	4/11/2021	IL	45	F	4/7/2021	4/9/2021	Please see below for the worst symptoms that started on 4/9, but in chronological order here it is: 12 hours after receiving the vaccination: chills, body aches, headache and feeling of drunkenness, pressure in eyes, painful gums in mouth. On Thursday 4/8: muscle aches, chills, tiredness, pressure in head with drunkenness feeling again. On Friday 4/9 at ~ 2:30pm I got a sudden feeling of coldness and started shaking and teeth were chattering uncontrollably, my lips turned blue, this lasted for about 20 to 30 minutes. Headache and body aches continued. Measured fever of 100.5 degF. On Saturday 4/10: pressure in head intensified, feeling as if someone squeezing on head. Saturday night/early Sunday morning burning feeling in legs. sudden sweats. On Sunday 4/11 at time of writing, still feeling pressure in head, body aches, and chills.
1193701	4/11/2021	ME	32	M	4/11/2021	4/11/2021	About 10 minutes after the immunization patient started feeling light headed and his facial complexion was pasty white. Talked with the patient and he was not very responsive then went unconscious where he was kept him from hitting the ground. I grabbed the patient to prevent them from falling, his eyes appeared to roll slightly and his leg twitched. He was unconscious and unresponsive for approximately 10 seconds or less while making some grunts/groans. He came to consciousness and sat upright and began drinking water. He says he remembers immediately before but couldn't remember the exact event. The ambulance was called at initial event and arrived and took him at that point to continue checking on him. Blood pressure was approximately 117/76 with a pulse of 55 form blood pressure cuff over his shirt.
1193685	4/11/2021	IN	40	F	3/30/2021	4/7/2021	Red raised areas that start at left eyebrow and go into hairline. Red raised bumps throughout scalp on the left side. Left swollen lymph node behind ear that is continuing to swell. Pressure from lymph node swelling now felt near left eye. All bumps can be itchy at times.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1194116	4/11/2021	FL	69	M	3/24/2021	3/25/2021	double vision; drooping eyelid; left eye turns inwards; This spontaneous case was reported by a consumer and describes the occurrence of DIPLOPIA (double vision), EYELID PTOSIS (drooping eyelid) and STRABISMUS (left eye turns inwards) in a 69-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 003B21A) for COVID-19 vaccination. The patient's past medical history included No adverse event (No reported medical history. ). Concomitant products included LEVOTHYROXINE and TAMSULOSIN for an unknown indication. On 24-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 25-Mar-2021, the patient experienced DIPLOPIA (double vision) (seriousness criterion hospitalization prolonged), EYELID PTOSIS (drooping eyelid) (seriousness criterion hospitalization prolonged) and STRABISMUS (left eye turns inwards) (seriousness criterion hospitalization prolonged). At the time of the report, DIPLOPIA (double vision), EYELID PTOSIS (drooping eyelid) and STRABISMUS (left eye turns inwards) had not resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown), the reporter did not provide any causality assessments. Treatment for the events included initially 2 aspirins. Based on the current available information and the temporal association between the use of the product and the start date of the event a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and the temporal association between the use of the product and the start date of the event a causal relationship cannot be excluded.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1192835	4/11/2021	CT	68	F	2/26/2021	2/26/2021	Minimum soreness at injection site; however, sometime during that night I awoke with pain down my left side, particularly in the hip, thigh, and calf -- painful enough to take ibuprofen for relief. The pain came back for several subsequent nights before gradually occurring about once a week at this point. Also, two or three days after the vaccination, my left eye developed an irritation that resulted in a crustiness and dryness around the eyelid, the latter which persist. Then, about two weeks following the shot, my left hand, near the thumb and wrist, developed a weakness and extreme pain that came for around 24 hours, departed, and came back a few days later. I had four episodes of this, though that also has not made an appearance since the last week of March.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1192794	4/11/2021	CO	59	F	3/11/2021	3/11/2021	nerve problems behind left eye; nerve problems in face; lips had nerve problems; tongue was numb; throat felt swollen; Bell's palsy; lightheaded and dizzy; This is a spontaneous report received from a contactable consumer (who is also the patient). A 59-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EN6207), via an unspecified route of administration in the left arm, on 11Mar2021 15:30, as single dose, for covid-19 immunisation. Medical history included known allergies to antihistamine (unspecified) and sulfur drugs. The patient was not pregnant at the time of vaccination. The patient did not have COVID-19 prior the vaccination and was not tested for COVID-19 post vaccination. Concomitant medications included levothyroxine sodium (SYNTHROID); omeprazole; and anastrozole, all taken for unspecified indications, start and stop dates were not reported. Historical vaccine included the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EN6200) received at age 59 years, via an unspecified route of administration in the left arm, on 18Feb2021 15:45, for COVID-19 immunization. The patient did not receive other vaccines in four weeks. On 11Mar2021 at 15:45, 15 minutes after the second dose, the patient got lightheaded and dizzy. On the same day at 16:15, 45 minutes after the second dose, the patient experienced nerve problems behind left eye, then nerve problems in face, then lips had nerve problems, then tongue was numb, and throat felt swollen. The patient reported the side effects on the hotline, and she was transferred to a nurse who told her to go to the emergency room immediately as she could be getting Bell's palsy from the vaccine. The events resulted to emergency room visit and hospitalization (unspecified date in Mar2021). Treatment for the events included unspecified IV. The patient was hooked up to an EKG and her blood was drawn for checking in Mar2021 (results were unknown). The patient was recovering from the events. Follow-up attempts are completed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1192972	4/11/2021	IL	28	M	4/10/2021	4/10/2021	Systemic: Chills-Mild, Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Fever-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Hypotension-Mild, Systemic: Nausea-Mild, Systemic: Visual Changes/Disturbances-Mild
1192947	4/11/2021	CA	30	M	4/10/2021	4/10/2021	Systemic: Allergic: Difficulty Breathing-Medium, Systemic: Chills-Medium, Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: Exhaustion / Lethargy-Medium, Systemic: Fever-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Headache-Medium, Systemic: Hypotension-Severe, Systemic: Nausea-Severe, Systemic: Shakiness-Medium, Systemic: Visual Changes/Disturbances-Medium, Systemic: Weakness-Medium, Additional Details: pt's blood pressure 77/43, threw up
1192919	4/11/2021	MA	38	F	4/9/2021	4/10/2021	Around 8:30 pm on April 9th I started to feel tired and my muscles were starting to hurt so i went to bed at 9:00 pm. i woke up several times with muscle aches, head ache, chills and sweating. I got up at 1:30 am to go to the bathroom. I then went down stairs to take my temperature. I took it 2 times. It was 99.9 and 100.00. I went to the kitchen to get a drink because I was going to take some Tylenol. When I opened the refrigerator, I got lightheaded and my vision started to change. Within 2 seconds, I put the Lemonade on the counter and I got tunnel vision and i started to sweat. The next thing I remember was being on the floor. I could hear my husband calling my name but he sounded very far away. I felt like I couldn't respond to him. It took me about 30 seconds to become conscious but I didn't know where I was at first. I fell straight on my face and was bleeding from lacerations to my nose and forehead. My neck, which I already have an injury to was re-injured. I was taken to the Emergency Room. My lacerations were glued and was in concussion protocol
1192912	4/11/2021	FL	72	M	3/26/2021	3/28/2021	Swollen right eye, Blurred impaired vision. Pressure behind the eye. Headaches

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1192899	4/11/2021	CA	58	F	4/10/2021	4/10/2021	Systemic: Allergic: Itch (specify: facial area, extremities)-Mild, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild, Systemic: Exhaustion / Lethargy-Mild, Systemic: Hypertension-Mild, Additional Details: pt states heart rate increased, inside of lips swell, exhausted, tip of tongue tingling, taste of chemicals in mouth. it is subsiding now. we were monitoring her for 30 minutes. may need follow up
1192978	4/11/2021	MN	17	M	4/10/2021	4/10/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Vomiting-Mild, Additional Details: Received dose. Felt a little lightheaded, then vomited. Provided cold pack for forehead, and cold bottle of water. Patient waited until better, with parent/guardian. Related sometimes has problems with shots. Then when feeling better, left under own power, with accompanying adult supervision.
1192840	4/11/2021	OK	57	F	3/21/2021	3/22/2021	Soreness at site X 3 days persistently and then continues off and on when body aches are present, prolonged severe fatigue and body aches persistently (still present as of today's date), severe and persistent headache, blurred vision
1193006	4/11/2021	CA	64	M	4/9/2021	4/11/2021	At 5:05 am on April 11, approx. 37 hours after I received the shot, I awakened to a rapid muscle convulsion in my left shoulder muscle, at the approximate location of the injection. I counted between 2 to 6 contractions per second (yes, it was a very quick twitch that involved my whole upper arm). It went on for at least 10 minutes, then paused for less than a minute and then resumed. This was a pronounced muscle spasm which I cannot remember having before. I have had twitching eyelids or facial muscle that would twitch for a few minutes in the past, but this went on for over 30 minutes, and I am not sure it is done. Also, this was much more intense than the above-referenced twitches. The location and time relative to my shot makes me fairly certain that this is an effect of the vaccine. I have not exercised or done anything to cause this to my knowledge. Of course, this seems like a harmless side effect, but my concern is that my heart muscle reacting to this in a similar fashion could be more serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1192796	4/11/2021	CO		M	2/1/2021	2/1/2021	patient got nerve problems in his face, lips, tongue and then his eye and started drooping/talking like his face was paralyzed; This is a spontaneous report from a contactable consumer. A male patient (reporter's brother) of an unspecified age received second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number and expiry date not reported), via an unspecified route of administration, administered in the left arm on Feb2021 as single dose for COVID-19 immunization. Medical history and concomitant medications were not reported. Historical vaccine included first dose of bnt162b2 on an unspecified date at single dose for COVID-19 immunization. On Feb2021, the patient got nerve problems in his face, lips, tongue and then his eye and started drooping and stayed like that as of today and was talking like his face was paralyzed. Clinical outcome of the event was unknown. Information on lot/batch number has been requested.
1192780	4/11/2021	CA	58	F		4/1/2021	WHOLE BODY SORE; SORE JOINTS; HEADACHE (FRONT, EYES, BEHIND THE EYES, AND MIDDLE OF THE HEAD); TIREDNESS; This spontaneous report received from a patient concerned a 58 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, and batch number: 1808980 expiry: UNKNOWN) dose was not reported, administered on 02-APR-2021 on left arm for prophylactic vaccination. No concomitant medications were reported. On APR-2021, the subject experienced whole body sore. On APR-2021, the subject experienced sore joints. On APR-2021, the subject experienced headache (front, eyes, behind the eyes, and middle of the head). On APR-2021, the subject experienced tiredness. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from whole body sore, and sore joints on APR-2021, and had not recovered from headache (front, eyes, behind the eyes, and middle of the head), and tiredness. This report was non-serious.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1192673	4/11/2021	MI	61	F	4/9/2021	4/10/2021	Noticed lips, chin and inside of mouth beginning to swell, all on left side of face. Swelling later went to eye, also on the left side, and swelled shut. Skin was red and puffy both around my mouth and eye. Took Allegra and went to local urgent care. Facility was so full of COVID patients that we felt uneasy there and left to come back home, as swelling was resolving itself after about two hours near my mouth. Eye is still somewhat swollen. Clearly an allergic reaction of some sort. I felt a lighter version of the same thing, also on the left side of my face after the first vaccine, but convinced myself that it was nerves and so I didn't mention it to the nurse before getting the 2nd vaccine. Clearly, I should have, as it was probably the same problem I experienced today.
1192649	4/11/2021	WA	40	F	4/7/2021	4/7/2021	Hello, Wednesday afternoon april 7th at 1630 I took the first dose of the moderna vaccine. A few hours later I felt like my eyeballs were "swimming" inside of my head, and I felt really dizzy and spacey with the colors on the tv screen seeming blurry. The following day I woke up and my fingers and toes were numb, headache, chills, dizzy, and felt forgetful, fatigue, and "out of it." I felt nauseous, like there were vomit chunks in the back of my throat. Friday I woke up, went to work and had to come home early because I could barely hold a conversation still like the day before, screen was blurry, felt nauseous, and fingers and toes are numb. I still have taste and smell. Saturday april 10th, i have a little bit more energy but still feel weak, dizzy, headache and fatigued. I am allergic to amoxicillan...does this tie in? My second dose is set for May 5th. Primary doctor received email from me tonight
1194243	4/11/2021	NC	59	F	3/27/2021	3/27/2021	Day1: Arm hurt and red and swelling at site if injection general sore muscles and body tired and sleepy. No fever. Day 2 Cheeks red, swollen, and itchy, ,light headache,, body sore, fatigued. Began taking 30 mg. of benedryl 2x/d. Day 3-22 2021 :Light headache, (no medications) Cheeks and around eyes swollon , red, and very itchy.. BP normally 130/80 rose to 160/102 156/100 140/96, 134/90, 106/84 Pulse was elevated to 98-108. nausea
1194337	4/11/2021	MO	50	F	3/4/2021	4/11/2021	eye twitching

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1192896	4/11/2021	FL	42	F	4/10/2021	4/10/2021	Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Mild, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild, Systemic: bilateral lower leg edema-Mild, Additional Details: Hx of asthma, previously diagnosed with COVID > 2 weeks ago, pt complained of bilateral lower leg edema 12 minutes after vaccine was given, pt given benadryl, 3 minutes later complained of throat tightening and tongue swelling, pharmacist administered epinephrine and called 911, EMS evaluated but pt refused transport
1193206	4/11/2021	OH	22	F	4/7/2021	4/10/2021	Three days after receiving the first dose of the vaccine, I woke up with a hives-like rash. This was specifically concentrated at both my elbows and both my knees. Here there were red, itchy, risen bumps about 1 cm in diameter. As you moved along the limb away from the concentrated regions, there were similar bumps smaller in size, about 1/4 cm in diameter. I also have a few bumps on my lips. The edges of my ears are also red and itchy. It has been one day since these appeared and I have taken one allergy pill, one Benadryl, and have applied hydrocortisone twice. The rash/hives have not improved or worsened as they appear visually.
1193372	4/11/2021		22	F	4/11/2021	4/11/2021	Vision changes

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1193343	4/11/2021		60	M	4/7/2021	4/7/2021	Overview of symptoms in order of occurrence: Pain in the arm; Dry eyes; Fatigue; Nausea; Headache; Chills; Joint pain; Muscle aches; Dizziness; Measured Fever; and Arm rash. Symptoms of greatest concern: Nausea, Headache, Chills for 1-2 days; and the ongoing Fatigue is now in its 4th day. Details of symptoms with time of onset, duration and severity are provided below (Note: Injection with 2nd dose of Moderna vaccine took place at 9:24AM on 07APR21): 07APR21, 10:30AM ? Arm Pain: Onset of mild pain in arm that was noticed when not touching the arm; Level of pain was a ?1? out of 10). An annoying level of pain where the pain ramped up to 3 or 4 on a scale of 10 when the arm was moved about began at 7:00PM on 07APR21 and lasted 12 hours until 7:00AM on 08APR21. The pain diminished to a mild ache for another 33 hours until it became insignificant by 4:00PM on 09APR21. 07APR21, 1:00PM ? Dry Eyes: Onset of an intermittent feeling of very dry eyes that lasted approximately 1-2 hours at a time and continued over a period of 9 hours until 10PM on 07APR21. 07APR21, 3:30PM - Fatigue: Onset of mild fatigue that steadily increased until bedtime at 10:00PM on 07APR21; and was significantly more pronounced at 1:00AM on 08APR21 (was difficult to stand and walk 20? to closet to obtain a thermometer; could not walk straight and bumped into hallway on left 4-5 times). Fatigue was rather frightening and severe from 3:00AM to 3:30AM on 08APR21 when I crawled to the bathroom, but could not get off my knees and collapsed on the floor until I could return to bed by crawling on the floor. Was able to stand again at 7:00AM on 08APR21 and walked (slowly) 30? to a sofa. Slept from 10PM on 07APR21 to 1:00AM on 08APR21; 4:00-7:30AM on 08APR21; 8:30-10:30AM on 08APR21; 11:00AM to 3:00PM on 08APR21; 7:00PM on 08APR21 to 3:00AM on 09APR21; 3:30AM to 7:30AM on 09APR21; 9:30PM on 09APR21 to 9:15AM on 10APR21; 6:40PM on 10APR21 to 7:00AM on 11APR21. Ongoing weariness continues as I write this at 11:00AM on 11APR21. 07APR21, 7:10PM - Nausea: Onset of continuous nausea that lasted 13 hours and 20 minutes until 08APR21, 8:30AM. Nausea was particularly bad with intermittent dry heaves for the 7.5 hours lasting from 1:00AM to 8:30AM on 08APR21; Nausea then came in waves for 23 more hours until 09Apr21, 7:30AM when it was finally gone. 07APR21, 7:10PM - Headache: Onset



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1193312	4/11/2021	FL	61	F	4/5/2021	4/6/2021	<p>of headache that has lasted 4 days (as of 11APR21, 10:30AM). Finally gave in and took one extended release tablet of 650mg Acetaminophen tablet about 25 hours after the vaccination (i.e., took painkiller at 10:30AM on 08APR21). Took two Ibuprofen at 9:00AM on 11APR21. 07APR21, 7:15PM ? Chills: Onset of chills that increased to intermittent shivering by bedtime at 10PM on 07APR21. Awoke at 1:00AM on 08APR21 and could not get warm. Two hours later, at 3:00AM, I felt completely opposite and could not feel cool. These symptoms gradually subsided and were gone by 7:30AM on 09Apr21. 07APR21, 7:15PM ? Joint Pain and Muscle Aches: Onset of joint pain and muscle aches that occasionally became annoying with twinges of pain. These symptoms subsided by 7:30AM on 09Apr21. 07APR21, 7:15PM ? Dizziness: Onset of mild dizziness that lasted 12 hours until 7:15AM on 08APR21. 08APR21, 1:00AM ? Measured Fever: Decided to measure temperature due to significant chills and shivering and found temperature was 101.0 at 1:00AM on 08APR21. At 3:00PM on 08APR21, my temperature was 100.2 (this was 4.5 hours after taking one extended release tablet of 650mg acetaminophen). At 3:00AM on 09APR21, my temperature measured 98.6 degrees and has remained near there ever since. 09APR21, 4:00PM ? Arm Rash: First noticed presence of a rash measuring about 2? x 3? on upper arm near the area that received the injection. Mild itchiness was present about an hour later and a topical 2% diphenhydramine gel was applied. The rash had dissipated by 5PM on 10APR21.</p> <p>Full-blown flu-like symptoms: fever, muscle pain, swollen lymph nodes, chills, tiredness, fatigue, sensitive skin, sensitive eyes, headache started in the evening of the vaccination date; acetaminophen caplets and liquid NyQuill were taken, to alleviate the symptoms; the symptoms took three days to subside On the third-fourth day ?Moderna Arm? appeared: red hot fist-size area on the shoulder of injection; resolved itself in two days On the fifth day severe skin itch all over body (back, legs, arms, scalp); and severe itch in both eyes appeared; Benadryl and cortisone cream were used on skin, which helped slightly;Visine was used in eyes, with no positive effect; The itch on skin and in eyes is still present at the time of filling this form</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1193307	4/11/2021	MI	25	M	4/9/2021	4/9/2021	I experienced all of the listed side effects (except, I didn't have an actual fever, I felt like I had a fever, but my temperature was normal). The chills and muscle pain were extremely intense 6 hours after I received my vaccine. I could not stop shivering, or get warm enough. That would be followed by a feeling that I was too warm and I would begin sweating profusely. I also experienced a few additional side effects I could not find listed: I felt especially sensitive to stimuli as if normal sensations were heightened (e.g. hot water in a shower felt painful, running fingers through my hair felt like I was having my hair pulled, I kept my eyes squinted because the sunlight through the windows felt too bright.) I was extremely irritable and became extremely frustrated easily. I mean frustrated to an embarrassing degree over small things that didn't matter. It was inconsistent with my day-to-day temperament. It felt like an adrenaline rush came in response to the most minor of inconveniences.
1193291	4/11/2021	GA	58	F	4/7/2021	4/9/2021	Hives all over body including abdomen, back, neck, face, eyes, scalp. Symptoms started 4/9, 2 days after vaccination. Took benadryl for itchiness. Symptoms was severe on Saturday 4/10. Benadryl could not control hives. Went to urgent care because hives were so severe and causing body ache.
1193281	4/11/2021	VA	26	F	4/3/2021	4/3/2021	Left arm sore at injection site Left eye and cheek swelling, redness, and heat Fever of 99.6 degrees Started around 9:00pm on 04/03/2021

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1192977	4/11/2021	NY	36	F	3/30/2021	4/7/2021	ON 4/7 AROUND 5 PM, I FELT AN INCREDIBLE ITCH ON MY STOMACH AND LOWER BACK. I LOOKED IN MIRROR AND I HAD A LARGE RED AREA LIKE A RASH THAT COVERED MOST OF MY STOMACH AND BACK WITH WELTS. THERE WERE EVEN RED AREAS NEAR MY EYEBROWS. TIME PASSED AND RASH SPREAD ON BOTH MY ARMS, WRISTS. I APPLIED CALAMINE LOTION, ALOE VERA BUT ITCH CONTINUED. APPROXIMATELY 6 HOURS LATER, I TOOK A BENADRYL AND SYMPTOMS WENT AWAY BY MORNING. REDNESS AND WELTS WERE GONE. 4/8 - I FELT NORMAL THROUGHOUT THE DAY WITH NO ITCH. IN THE EVENING AROUND 7 THE ITCH STARTED AGAIN, I NOTICED WELTS ON THE LOWER HALF OF MY BODY THIS TIME, BEHIND MY THIGHS, SOME OF MY STOMACH, THE TOP OF MY BREASTS AND NECK. I TOOK BENADRYL IMMEDIATELY AND ITCH CONTIN
1193275	4/11/2021	PA	85	M	4/10/2021	4/10/2021	developed stomach pain beginning minuets after the shot administered. Left site 15 minuets after the shot and returned home. Stomach pain increased and in a sitting position vision started to become blurred and I passed out for a very short period of time. After that proceeded to have uncontrolled diaherrea and developed blood in the stool and on the toilet paper. Mild spotting continues the day after the shot. No other adverse symptoms.
1193381	4/11/2021	NJ	40	M	4/10/2021	4/10/2021	Right eye pain within 30 minutes leading to blood in scalers. Sclera appears to have broken blood vessels throughout bottom half of eyeball. Woke up following morning with crust similar to conjunctivitis.
1193172	4/11/2021	OH	38	F	4/8/2021	4/9/2021	Body aches & fever started 10 hours after jassen vaccine. Hives on arm of injection mostly a few on my other arm and on my legs and face swelling itchy burning ears started 21 hours after vaccine. My tounge swelled 45 hours after jassen vaccine causing a trip to the hospital. They have me liquid steroid to drink calming my allergic reaction my hives are still visual as of today 4/11/21. I am still having alot of sweating spells too.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1193142	4/11/2021	NJ	46	M	4/10/2021	4/10/2021	Seizure-like episode. Patient was seated when his body went rigid and he lost postural control and started to slide sideways. His body was shaking slightly and his eyes were open but there was no cognitive awareness. This lasted no more than 90 seconds and then patient came to abruptly and reoriented himself on the chair before I had the opportunity to get him to the floor. Patient then stated that he was lightheaded, warm and sweaty. EMT had been called and upon assessment of the patient transported him to the ER.
1193112	4/11/2021	MI	34	M	3/29/2021	4/7/2021	April 7, woke up with a headache, took ibuprofen. A few hours later, started feeling hazy, lightheaded and had trouble concentrating while working from home. Felt like I was going to pass out. Took a break from computer screen, symptoms appeared to subside. An hour later, same haziness feeling came back. Thought I was going to pass out again. Called 911. ER diagnosed me with near syncope. Told me to keep an eye on symptoms and come back if things worsen. I informed them I had received one dose of vaccine, they didn't seem to think it was related. Symptoms have slightly improved since, but still have bouts of dizziness four days later.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1193096	4/11/2021	GA	23	F	4/7/2021	4/7/2021	Within 30 seconds of the injection of my second dose of Moderna, I experienced extreme nausea unlike any that I have experienced before. Within 1 minute of the injection, my face, arms, chest, and neck flushed and I turned completely red. I felt hot and started to sweat. At the same time, I began having trouble breathing with the sensation that my throat was beginning to close. My eyes filled with tears and I was not able to talk to communicate what was happening. My mom, who was with me at the time of vaccination, asked the administering pharmacist if I could remove my mask because I was having trouble breathing. Throughout this reaction, the pharmacist froze and was visibly in shock of what was happening. Because of this, my mom began asking me questions to figure out what else I was experiencing. Once I was able to remove the mask and breathe deeply, the reaction subsided after two minutes. The pharmacist, after my reaction began to subside, stated that they had an epipen ready to administer if needed. I was never administered the epipen. The pharmacist asked me to wait 30 minutes instead of the general 15 minutes before leaving the site. Because the symptoms went away and did not return within the 30 minutes, I left the site. After the vaccination, I experienced a low-grade fever for 79 hours, chills, a headache, muscle aches, and extreme fatigue. After realizing my reaction was not considered ?normal,? I began to research and realized these symptoms align with anaphylaxis, even though they subsided quickly after experiencing them.
1193079	4/11/2021	PA	19	F	4/10/2021	4/10/2021	Patient began feeling dizzy immediately after administration. She said she could not open her eyes/ see. She became extremely sweating and pale. She never lost consciousness but could not regain her strength/ color.
1193064	4/11/2021		53	F	3/1/2021	3/15/2021	Extreme pain head to toe. Dizziness and I passed out 28 hours after my second shot. I passed out walking to the bathroom when I felt nausea. I have never passed out before. After the second shot in March, I have also experienced slight twitching in my legs and sometimes across my temples and other locations in my head. Not visual twitching but I can feel it. Now more than one month from second Moderna and I still feel it. Will this go away?

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1193277	4/11/2021	DE	56	F	2/15/2021	2/16/2021	I did not give the vaccine in my office, it was given to pt at a public health event. I am pt's PCP and she reported this information to me in April 2021. Her symptoms are : " since second dose has had HA on top of head and feels like nerves are jumping behind both eyes, has never actually seen any twitching, also severe fatigue since the vaccine symptoms started the next day after second dose no other neuro symptoms hx of migraines but they resolved and she hasn't had a HA since being off pain meds so this HA is new no associated visual changes, dizziness, blurry vision, numbness or weakness in arms or legs, slurred speech no sinus symptoms no fevers or chills eating and drinking normally doesn't feel sick
1194961	4/11/2021	PA	60	F	3/19/2021	3/19/2021	Numbness (not pins and needles) developed in left middle finger immediately, then developed on left side of nose, left upper gums, left ear within 30-45 minutes. Tightness in head , sight headache and sticky eyes which dissipated quickly. The numbness subsided in about 2 -3 hrs. Slightly elevated temp in the evening which abated by bedtime. All better next day.
1194829	4/11/2021	OH	19	M	4/5/2021	4/5/2021	Janssen COVID-19 Vaccine, arms and legs were fully numb and cold, chest and back were hot, fever, headache, could not look to the edge of my vision, could not hold down food or water, intense pain in the lower back, bad balance, chills, aches,.
1195065	4/11/2021	WI	81	M	3/27/2021	4/7/2021	Diagnosis - Left forehead shingles with left eye involvement Allodynia of left face and left front scalp about 4/7/21 Left eye soreness and slight redness 4/8/21 Raised red blemishes on left forehead 4/9/21
1195060	4/11/2021	FL	63	F	4/7/2021	4/7/2021	first pain and knot hardness at injection sight on left arm within 3 hours.... swelling and large whelp the size that my right hand couldn't cover.... there was a little dizziness and weird vision" fever for 3 days and I felt just like I did when I had COVID in Dec-Jan ...on the third day the armpit at breast was swollen tylenol and motrin were taken for fever and and ice packs applied for soreness and swelling also lots of fluids I DO NOT want to feel like i have COVID again!!!! this was as rough as when I had it but only lasted 3 1/2 days instead of the 3 weeks when I had it before

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1195058	4/11/2021	NC	61	F	4/6/2021	4/6/2021	mild headache, itchy nose, runny eye, sneezing- nose bleed the next morning headache, sneezing was over by morning
1195042	4/11/2021	MA	56	F	4/11/2021	4/11/2021	Within 10-15 minutes after receiving vaccine I got burning itchy eyes, nausea & metallic taste in mouth

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1195157	4/11/2021		35	M	4/8/2021	4/9/2021	Major symptoms, roughly 20 hours after vaccination, 10-15 minutes after waking, while walking and standing: - Extreme pain in right hip joint. Pain is sharp, stabbing, burning. Pain radiates down leg, and right foot numb and tingly - Overheating - Lightheadedness, blurred vision, confusion - Fainting or loss of consciousness, falling to ground Timeline of events: 2021-04-08 13:00 Injected with Johnson & Johnson 13:00 - 13:15 Very slight nausea 13:15 - 22:00 Very slight nausea and fatigue 22:30 Lymph nodes in neck feel swollen, ears feel slightly clogged (typical early cold symptoms) 23:30 Insomnia and chills 2021-04-09 00:00 - 07:30 Insomnia, poor sleep, and cycles of chills and overheating while trying to sleep or sleeping. Stronger nausea than before 07:30 Wake up, knees feel slightly weak when walking 07:35 - 07:40 While walking inside a market. Right hip joint begins to hurt with sharp, stabbing, hot pain. The pain radiates down right thigh. Right foot begins to feel numb and tingle. This pain increased over 5 minutes, to excruciating levels, with right leg feeling numb, and sharp stabbing tingles in right foot. Difficult to walk normally 07:40 - 07:45 Pain becomes unbearable, and market counter used for support. Begin to feel light headed. Begin to feel hot, and begin to overheat within ~2 minutes. Walk outside market (outside temperature 32 - 40F) to cool down. Lean on car hood for support, and become increasingly lightheaded. Vision becomes blurry. Stumble and fall onto face. Regain consciousness after unknown time, groggy and with blurred vision, lightheaded feeling. Attempt to stand and fall again onto face. Regain consciousness after unknown time. No longer feeling extremely hot. After roughly 1 minute, regain clear vision and lucidity. Pain in hip and leg completely subsided 07:45 - 09:00 Driven to hospital. Treated by hospital staff for laceration in forehead requiring 7 sutures. EKG reports normal. Concussion check negative. 09:00 - 00:00 Occasional nausea, fatigue, weakness (same as weak cold) 2021-04-10 11:00 While walking and standing in line. Right hip joint begins to hurt, with pain radiating down right thigh. Right foot begins to feel numb and tingle. Begin to feel warm. Hip Pain remains at manageable level, and walking normally is easy. Hip pain is roughly 1/3 of pain of 2021-04-09. 2021-04-11 07:30 - 11:00 Occasional slight pain in right hip and left hip joints. Hip pain is sharp and



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							burning, and roughly 1/10 of pain from 2021-04-09.
1194970	4/11/2021	WA	26	M	4/11/2021	4/11/2021	Patient was sitting for his 15 minutes. At about 5 minutes after his vaccine he passed out and fell off his chair to the floor. The Pharmacy intern noticed that the color of his skin was like a purple and he was passed out. When she started to approach him he started slowly moving his head and adjusting his eyes. He said he felt really dizzy and we had him lay down. He was very sweaty and was shaking a little bit. I took his blood pressure at 11:53 and it was approximately 124/93. He was responsive but feeling dizzy and warm and I stayed with him until the paramedics arrived at about 11:54
1195167	4/11/2021	MA	69	F	4/8/2021	4/8/2021	Left eye watering and slight loss of eye sight in left eye. Pains, body aches and upset stomach. The first dosage did not have any of these affects
1194950	4/11/2021	NY	24	M	4/8/2021	4/10/2021	Began feeling delirious around 7:00pm - uneasy and strange. Upon walking to the subway station, I felt overwhelmed with sudden depressive thoughts and anxiety. On the Subway, I had a very severe, and disturbing panic attack. My vision became blurred and distorted, my heart rate spiked, and I became nauseous and extremely frightened. I sat down to try to maintain a sense of calm - but got off the subway after a few stops and met with a friend whom I had texted, to take care of me. From the point on, I was very shaken and agitated, and have been since the event. I have never experienced anxiety, depression, or any such symptoms in my life before, nor was I nervous or anxious about having received the vaccine. The onset of the event was sudden, and seemingly out of nowhere, without real purpose, hence my conviction that it may have been spurred as a side effect from the vaccination. I went to Urgent Care Sunday morning, April 11th, the morning after the event. My resting pulse was 97 BPM (normally 52-54) - and my blood pressure much higher than normal - 175/110. The doctor insisted I go home "and relax". I still feel uneasy and shaken from the event.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1194931	4/11/2021	CA	54	F	4/7/2021	4/7/2021	I am allergic to bananas usually my teeth start to hurt and my gums hurt and then my left eye swells up. I also get pain in my left eye. Approximately 4 hours after the covid-19 vaccination 1st dose I experienced the same allergic reactions except from my left eye swelling up. I felt the same exact symptoms when I eat banana teeth hurt gums hurt and then my left eye started to hurt but my left I did not swell up like it usually does when I eat the banana. The itching and pain in my mouth I completely went away after about 2 hours
1194900	4/11/2021	NJ	34	F	4/7/2021	4/7/2021	Radiating pain on the arm to the face; decrease facial sensation to the left; tongue deviates to the right; numbness on the left side; face, eyebrows, mouth all are drooping; left side weakness
1194898	4/11/2021	UT	58	F	3/12/2021	3/12/2021	When I got to the car my face felt hot and flushed, but went away. then about 45 mins later I felt dizzy and my feet, hands and tongue were tingling . I kept having dizzy feeling and light headed. The next day I felt nauseated and had blurry vision with not tingling in hands or feet. I felt Anxious and my heart was vibrating, I still felt light head and would have dizzy spells. On the 3rd day after the vaccination I felt like I was having a hard time breathing.
1194891	4/11/2021	NC	58	F	4/9/2021	4/9/2021	Vaccinated at 12:00pm Around 6:00pm started to get a really bad headache at the back of my head. This lasted all night, preventing me from sleeping. Finally fell asleep around 5:30am still with a really bad headache. Woke up at 11:00am. Brushed my teeth and started to feel nausea. I went back to my bedroom and I got lightheaded to where my vision was blurred. Layed on the bed and felt really bad with a sweaty face and still nauseas. Had someone bring me grapes and some tea and layed there. I felt bad for about 45 min. then I fell asleep. Got up about 3:30 hours later feeling better, but not 100% Still a bit of a headache but nausea went away. Today I feel back to my normal self. I thought you'd like to know I did experience some of the side effects for your records.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1194834	4/11/2021	NJ	28	F	1/29/2021	1/29/2021	tongue and lip tingling then swelling sweaty palms nausea bladder and fecal incontinence black out/ loss of vision vision coughing labored breathing complete throat swelling burning all over resulted in epi pen usage then admitted to the emergency room

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1195013	4/11/2021	NY	45	F	4/11/2021	4/11/2021	45 y/o F with PMHx of vasovagal with seizure c/o not feeling well around 1:14 pm (which was 14 minutes after receiving her second dose of Pfizer vaccine). She began having a tonic-clonic seizure at 1:15 pm lasting around 90 seconds. Patient was post-ictal for approximately 1-2 minutes. When EMS and Clinical Leads were notified, patient was not actively seizing. Patient was not responsive to verbal stimuli while post-ictal. After ~3min pt was able to respond and follow verbal and tactile commands. Pt was c/o feeling tired / nauseous. Pt was AOx3 and able to follow commands. Patient was assessed by EMS and clin leads, she was placed on a stretcher, attached to monitor, vitals and BGM taken, 18g IV started on right hand and 20g IV access point attained on left hand. 15L NRB O2, 250mL NS bolus, 1L NS bolus Pt remained stable and transport was called, pt was transferred to hospital for further evaluation/workup. Pt's father accompanied pt to vaccination site and followed EMS to the hospital. 15L NRB O2, 250mL NS bolus, 1L NS bolus, 1L NS bolus started via transport Denies HA, numbness, weakness, parathesias, tingling, trauma, hitting her head, erythema/induration at injection site, palpitations, chest pain/tightness/heaviness, SOB, dyspnea, wheezing, facial or peripheral edema, cyanosis, hives, pruritis 2nd Pfizer dose administered @13:00pm, symptoms began @13:14pm, seizing began @13:15pm @1:25pm: HR 80bpm, SpO2: 100% NRB @15L @1:28pm: 3 lead: sinus arrhythmia with notched R waves in leads I, II, III, avR, avL, avF (unspecific QRS abnormality), notched p-waves in all leads, EKG not acutely concerning and patient is not actively infarcting @1:29pm: IV access with 18g @1:30pm: BGM: 99 @1:31pm: 12 lead @1:37pm: BP: 102/70 (manual large cuff on left arm) @1:42pm: BP: 80/50 (automatic large cuff on left arm) Lungs: clear to auscultation b/l, no respiratory distress, no wheezing, no rales cardiac: normal S1S2, rate, rhythm Eyes: PERRLA Throat: airway patent, no trismus Neuro: AOx3, sensation/motor/strength intact in all 4 extremities, Motor 5/5, DP/PT 2+ B/L

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1195385	4/11/2021	IA	48	F	3/19/2021	4/1/2021	My first on 03/19/2021 went smoothly, just sore area of shot. They had me wait 15 minutes after just in case adverse reaction. On 04/09/2021 came back for second round. The nurse gave me my 2nd shot and said they don't make patients wait after injections, I left the facility and by the time I reached my car my tongue had swollen up, went home and later that night my husband and kids asked what was wrong with my eyes - both my eyes were bloodshot red and swollen. On 4/10, my left eye was better but not my right. I have had brain fog, not being able to remember short memories all weekend. I plan to call my doctor in the morning. As a woman, I felt morally obligated to share my side effects.
1194321	4/11/2021	NJ	24	M	4/10/2021	4/10/2021	Worst headache I've ever had (8 out of 10 pain scale), could not sleep due to the headache, very lightheaded, entire body ached (could barely move), eyes hurt, highest fever temp 102.8, nausea (at times I thought that I may have to puke). These symptoms lasted all night, but felt better in the morning. These symptoms were like COVID but x5. When I had the COVID-19 virus, my symptoms were not as bad as yesterday's adverse effects from the vaccine. At 3 AM, I was considering going to the hospital and I have never been hospitalized before. I could barely open my eyes since the headache was so bad.
1194256	4/11/2021		41	M	4/11/2021	4/11/2021	Presyncope (lightheadedness, nausea, blurry vision). Normal vitals. Symptoms improved with supine rest and oral rehydration.
1195497	4/11/2021	GA	46	F	4/8/2021	4/8/2021	in about 5 hours after the shot, I started having very strong chills, body aches, headache, nauseous, eyes hurt, abdomen pain. Symptoms continued for about 20 hours (bed rest, not capable to do anything). horrible headache at night time. No fever. Felt chills and feeling hot sweating during the night. Took Tylenol 2 times. dull pain in the shot area, pain distributed under arms around breasts. tender breast and nipples on 3rd day (Sun) after the shot. Lost appetite for about 2 days (body weight 3 pounds less).

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1195480	4/11/2021	TX	27	F	3/25/2021	3/25/2021	Was administered covid vaccine J&J on left arm felt a burning sensation just after it which i knew it normal you just got a vaccine. Walked to the observatory area where we are supposed to wait 15min until you are released to go. Well less than 10 min in the observation area that?s when i started to feel un well my body started sweating excessively and thats when i felt numbness on my right side of my head with a tingling sensation couldn?t hear with my right ear and i freaked out when i started to get blurred vision thats when i knew something was wrong i got up to ask for water once i got up i felt like i was going to faint and felt really dizzy. Once i got to the lady that was there in the observation area she was shocked at how i looked she told me to go sit down and brought me water as she called the ambulance. Once i was sitting down and was brought water i drank like more than half of the water and the numbness was going down from my right side of my head but still had blurred vision and just felt disoriented and not my self. The ambulance took me to the ER once i got there i felt a little better but still disoriented and dizzy. So disoriented that i left the hospital with me actually realizing i had to stay there to get checked because they kept saying i was fine.
1195425	4/11/2021	NY	38	F	3/31/2021	4/2/2021	Vertigo Started in the morning all day Felt dizzy ,off balance , eyes were heavy Took Tylenol and gravel for motion sickness did not help lasted all day. Later in day I took a THC medicinal gummy helped me feel a lot better. Symptoms went away by night. I was exhausted from the vertigo. Scared me because it affected my eyes.
1195095	4/11/2021	CA	57	F	3/14/2021	4/5/2021	Shingles affecting the left eye and surrounding area. No prior experience with shingles.
1195390	4/11/2021	PA	50	F	4/9/2021	4/9/2021	Janssen CCOVID-19 Vaccine EUA 4/9/21: metallic taste in mouth when eating/drinking; nauseous; mild headache; fatigue; Overnight - leg cramping, coughing, heaviness in chest. 4/10/21: fever (high of 101.5 most of day); chills; mild headache; severe fatigue; muscle cramping; dizziness; difficulty focusing & remembering. 4/11/21: fever (high of 100.3 in am only); severe fatigue; extreme pain in lymph nodes in left armpit (difficulty moving arm); pain behind right eye (began in evening); difficulty focusing & remembering; random short term muscle cramping

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1195431	4/11/2021	FL	57	F	4/11/2021	4/11/2021	6 minutes after administration patient displayed symptoms of labored breathing, pale skin pallor, and was no longer verbally responding. Patient was slumping in their seat and eyes were not focused. One dose of auto-injector epi-pen was administered 1-2 minutes after symptoms presented. 1-2 minutes after epinephrine administration patient's mental status was back to normal. Monitored patient until paramedics arrived. Patient was allowed to go home following paramedics' assessment.
1195307	4/11/2021	MI	21	F	4/8/2021	4/8/2021	Swelling of under eye. Right eye significantly more swollen than left eye. Puffiness and redness. Took a Benadryl and swelling subsided. No itching of eye.
1195295	4/11/2021	VA	55	M	3/8/2021	3/13/2021	Extreme left arm and shoulder neck pain and tightness within a week of shot and has persisted for over a month. Treated with Methocarbamol and Diclofenac Sodium. Within two and a half weeks of the shot, on March 23rd, sudden loss of peripheral vision in right eye. Doctor diagnosed as NAION, non-arthritis anterior ischemic optic neuropathy. Vision loss in one eye is blurred from varying angles and grayed out and is considered permanent. Eye problem caused pain down neck and jaw. Also, a rash developed over chest with symptoms similar to shingles.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1195267	4/11/2021	WA	35	M	4/6/2021	4/6/2021	DURING COVID VACCINATION CLINIC, DIVISION 1 EMPLOYEE ASSISTING WITH POST-VACCINE OBSERVATION REPORTED TO PHARMACIST THAT A PATIENT WAS FEELING LIGHTEADED. SHE IDENTIFIED PATIENT WHO WAS DISTRESSED AND APPEARED UNSTEADY. THE PATIENT REPORTED THAT THEY HAD TUNNEL VISION AND FELT VERY LIGHTEADED. PHARMACIST ASKED THE PATIENT TO REMAIN SEATED AND TRY TO TAKE SEVERAL DEEP BREATHS WHILE THE PHARMACIST HELD THE PATIENT'S LEFT SHOULDER TO ENSURE HE WOULD NOT FALL IF SYNCOPE OCCURRED. THE PATIENT HAD FLUTTERING EYELIDS AND APPEARED LAPHORETIC AT FIRST, BUT AFTER SEVERAL MINUTES RECOVERED SOMEWHAT. THE PATIENT REPORTED THAT HE HAD RARELY HAD SIMILAR EPISODES IN THE PAST DURING SOME MEDICAL PROCEDURES, BUT NEVER ASSOCIATED WITH A VACCINATION. PHARMACY TECHNICIAN HAD A D1 EMPLOYEE RADIO FOR A CODE WHITE AS SHE CONTACTED 911 ON HER CELLULAR PHONE. PARAMEDICS ARRIVED AND ASSESSED THE PATIENT'S HEART RATE, SEATED BLOOD PRESSURE. AND STANDING BLOOD PRESSURE. THE PATIENT REPORTED FEELING SLIGHTLY LIGHTEADED WHEN FIRST STANDING, BUT MUCH IMPROVED OVERALL. THE PARAMEDICS INDICATED THAT THERE DID NOT SEEM TO BE A MEDICAL EMERGENCY BY THIS POINT AND EXPRESSED CONCERN THAT THE PATIENT MAY BE DEHYDRATED BUT THE PATIENT REFUTED THIS POSSIBILITY. HE ALSO STATED THAT HE HAD NOT RECENTLY OVEREXERTED HIMSELF AND HAD EATEN LUNCH EARLIER THAT AFTERNOON. PHARMACIST PROVIDED THE PATIENT WITH GATORADE AND ICE TO IMPROVE BLOOD SUGAR, ELECTROLYTE, AND HYDRATION STATUS AND THE PARAMEDICS DEPARTED. THE PATIENT REMAINED FOR APPROXIMATELY 30 MINUTES UNTIL HE WAS FEELING CLOSE TO BASELINE AND FELT COMFORTABLE LEAVING.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1195181	4/11/2021	FL	52	F	4/8/2021	4/9/2021	Severe lower jaw and eye spasms, fever, body aches treated at hospital. Hyponatremia, tremors of nervous system
1195179	4/11/2021	AZ	50	F	4/10/2021	4/11/2021	The day of vaccination, drove off , I was fine, went to my eye appointment. However the morning after...Initially woke with the sniffles, later within the hour, then my body started to have aches all over, felt enormous amount of fatigue, feeling lethargic, feelings of chills , then feverish, but with no temperature, stayed at 98.1 for the course of the day, my left arm location for vaccination , I have extreme pain I found that Tylenol is slightly a remedy for me
1195176	4/11/2021	WA	41	F	3/26/2021	3/29/2021	Vision loss for 15 minutes. Cause unknown. Diagnosis by exclusion is ocular migraine. Waiting for echocardiogram to rule out possible stroke.
1195423	4/11/2021	TX	27	F	4/5/2021	4/7/2021	For both doses of vaccine. Day 3: fatigue, muscle weakness, blurry vision. Day 5: fever, nerve twitching in left arm, numbness, difficulty breathing. Day 6: Nerve twitching, some prickling, though not as severe as before. First dose also lead to migraine with aura but at the end of the second week; there were outside stressors also so not sure if it'll happen again.
1194416	4/11/2021	TX	46	F	4/8/2021	4/8/2021	Entire ride side from head to toe began swelling about 2 hours later. 24 hours later there was some swelling on the left side of the body. 48 hours later a rash apperead mostly on the right side of the body. 72 hours later there is a red band around my arm where the injection site is. Have had a really nad headache since the night of the shot. Throat has also been hurting. Right arm feels like it's going to pop. Right eye and nose are swollen. Having trouble breathing through my right nostril. Right neck has been stiff since the night of the injection..
1194517	4/11/2021	TX	51	F	1/12/2021	1/13/2021	Severe headache, vision changes, unable to concentrate or think clearly.
1194490	4/11/2021	GA	37	F	4/9/2021	4/9/2021	8:50am Swelling of face, eyes, tongue, lips. 9:00 tingling in lips and tongue.. 9:05 numbness in lips and tongue. Then difficulty swallowing. Benadryl 9:05am 11:00am Benadryl. Epipen on standby. Numbness in top lip and slight swelling lasted until 4/10/2021 around 2:00pm

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1194489	4/11/2021	NH	34	M	4/11/2021	4/11/2021	Patient felt fine after vaccine until seated in observation area. Became very dizzy, vision became blurry, and patient started sweating. Laid patient on floor and elevated legs and feet. After about 10 minutes patient stated symptoms had resolved.
1194464	4/11/2021	MN	25	M	4/11/2021	4/11/2021	Approximately 2 minutes after COVID-19 Moderna vaccination 0.5ml injected, patient fainted in the chair located in our 15 minute waiting area. RPh was called to respond. Patient was unresponsive upon arrival. Pulse present and strong, breathing appeared normal. Patient was aroused by touch and voice. Upon arousal patient was lethargic but could indicate name and DOB. Patient verbalized feeling warm, faint, and nauseated. Care was administered by visual monitor, cold compress to neck and forehead, water, and fan placed near patient. Patient's girlfriend was present and was a diabetic and took patient's BS reading with her own glucometer. BS was 98. Patient vomited x 1. Took approximately 50 minutes for patient to be fully awake and ready to try standing. Upon standing patient was steady on the feet. Patient was advised to discuss reaction with primary care provider and was assisted, when ready, to the door.
1194352	4/11/2021	FL	45	F	4/11/2021	4/11/2021	described pre-seizure aura and described as having eyes rolling back in head
1194529	4/11/2021	MA	24	F	4/7/2021	4/7/2021	Within a minute of receiving the vaccine, I got extremely light-headed, vision went almost totally black, body drenched in sweat. This passed after about 5 minutes. 30 minutes after receiving the vaccine, my throat and tongue started to swell. Went to the ER after benadryl wore off and the swelling returned. Am still managing the swelling of the throat and tongue 4 days later.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1194819	4/11/2021	NY	55	F	4/11/2021	4/11/2021	The patient is a 55 yo female who presented to the site for her second dose, after waiting for 15 mins on general observation while on her way to the parking lot w/ her husband she experienced what she described as a sensation of feeling dizzy and lightheaded, she returned to the floor and was evaluated by me and EMS. On Exam patient alert and oriented X 3 able to follow command, mood normal, talkative, Eyes: EOMI, PERRLA, lungs clear, heart RRR, S1 and S2 normal, no murmurs. BP; 122/87 Po2 99, HR 82. She denied having taking her medications and didn't hydrate or had breakfast prior. Denied nausea, and vomiting. Patient was closely monitored for 30 minutes and was given water for hydration.
1194457	4/11/2021	NY	19	M	4/11/2021	4/11/2021	Patient experienced fainting spell. He complained of visual disturbance, blurry, twice within 5 minutes. His parents gave him a piece candy and drank some warm water. He was resting on a chair crouching over for about 5 minutes and feeling ok. I was going to call 911 for an ambulance and he refused. He was totally fine after 15 minutes of rest.
1194415	4/11/2021		57	F	2/25/2021	3/4/2021	Unilateral anterior uveitis, left eye. Rapidly resolved with topical corticosteroids, with no sequelae.
1194370	4/11/2021	NC	55	F	4/10/2021	4/11/2021	The first shot I experienced a swollen upper lip and numb nose, cheeks, and lips some six days after injection. This time my inner right eye has swollen up 17 hours after the second injection. Both times I have also experienced a scratchy scalp like hives. After this second shot I have had a fever and chills which seems to be the norm. I have no Botox or any such injections in my face or body so I wanted my allergic reaction to at least be recorded.
1194361	4/11/2021	NC	27	M	4/10/2021	4/11/2021	Fever, intense migraines, dizziness, extreme fatigue, pain, nausea, eye pain
1194319	4/11/2021	FL	73	M	4/8/2021	4/10/2021	Swollen, tenderness, discoloration around eyes. I applied ice, but did not help.
1194328	4/11/2021	MO	18	M	3/4/2021	4/1/2021	eye twitching

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1195489	4/11/2021	CA	19	F	4/11/2021	4/11/2021	While in observation area, patient started to feel dizzy/lightheaded, sweaty/numbness to hands/feet, "static" vision. BP after laying supine: 107/68, Pulse 58, repeat BP 10 minutes later after rest/hydration/snack: 120/83, Pulse 84. last meal/snack/drink: 2.5 hours prior to vaccine- fruit smoothie Prior history of syncope from tooth extraction/flu illness Patient gradually recovered after rest/hydration/food.
1194419	4/11/2021	AL	58	M	3/23/2021	4/5/2021	Headache, muscle aches, rash on legs and arms, fever 103, nausea, vomiting, delirium, eye ache, breathing difficulty, chills.
1194774	4/11/2021	FL	51	F	3/31/2021	4/10/2021	I had s these symptoms after both shots:fever, headache, flu symptoms, swelling all over including eyelids, joint pain. On 4/11, 11 days after second shot I developed burning/stinging nerve pain throughout body. Went to ER. All tests normal except my abdominal lymph nodes are swollen. Only mild pain relief with morphine. Being referred to a neurologist. Have never experienced this before. Only history of nerve damage is an injury in right foot. In extreme pain with no explanation yet.
1194802	4/11/2021	MI	27	M	4/11/2021	4/11/2021	Dizziness, Sweating, Visual disturbance, Heavy arm, Pale, Hearing disturbance (hearing voices), Nauseated

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1194417	4/11/2021	FL	57	F	4/11/2021	4/11/2021	<p>Patient received vaccine at 1153am in Left Deltoid, walked 20feet to observation area to wait 15 minutes in an armchair with arms under observation of staff. Was alert until 1156am when husband alerted staff that she was feeling very light-headed and nauseated. Pharmacist rushed over with hand-fan, but noticed Patient had started to become unresponsive. 911 Emergency response activated, ambulance on route. Pharmacist noted open eyes, glassy, there was no response to voice. She was sitting stable in chair husband and pharmacist at side. Pharmacist noted normal breathing and pulse. She was warm and sweaty to the touch. We kept talking to her, keeping the fan on her to keep her cool. Purse strap was removed from around her shoulders. Pulse and breathing still normal. She then came out of the syncope episode at 1159am. She was alert and oriented to time/place/person/self. Color returned to normal. Emergency services arrived approximately 3-4 minutes later. She was advised that it was a syncope episode that should be followed up at hospital/urgent care. She signed AMA with emergency ambulance services. She stayed in pharmacy under care of pharmacy support and store staff with water/fan staying seated whole time for additional 30 or so minutes until she and husband elected to leave the store.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1194797	4/11/2021		19	F	4/11/2021	4/11/2021	<p>Pt was observed post Covid-19 immunization for 15 minutes . During the observation period, she experienced an adverse reaction with the following symptoms: dizziness, weakness and jittery, loss of vision. Assessment : Time of assessment ** 415pm*. Alert and oriented and Pallor. Actions taken: Vs taken at 510pm BP- 69/45, P-59, O2- 100%, juice, water, cookies and potato chips given, patient is consuming, feet elevated in chair, recheck of VS at 525pm- BP- 89/57. P- 58, O2-100%, she is alert , answering questions appropriately, continues to drink and eat, recheck of VS at 540pm, BP- 104/72, P- 57, final BP at 543pm 101/67. Medications administered: No medication administered. Disposition: Reports no further symptoms of adverse reaction after observation for 30 minutes. Discharged home. The Patient was provided with Vaccine Information Sheet and instruction to access the system. Patient left with friend.</p> <p>Immunizations Administered Name Date Dose VIS  Date Route Pfizer COVID-19 Vaccine 4/11/2021 5:06 PM 0.3 mL 12/11/2020 Intramuscular Manufacturer: Pfizer, Inc Lot: EP7533 NDC: 59267-1000-2  Electronically signed by RN at 4/11/2021 5:58 PM  Immunization on 4/11/2021 Detailed Report Note shared with patient</p>
1194546	4/11/2021	MA	24	F	4/7/2021	4/7/2021	<p>Within a minute of receiving the vaccine, I got very light headed and dizzy, vision went almost black, body drenched in sweat. This passed after about 5 minutes. 30 minutes after receiving the vaccine, my throat and tongue began to swell. Went to the ER, am still managing this reaction today (4 days later).</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1194766	4/11/2021	CA	62	F	2/11/2021	2/11/2021	As I was driving away from vac site, I became increasingly disoriented and could not navigate a very easy route home which should take about 40minutes. Suddenly unable to read freeway signs or judge distances, or speed on the freeway. Light began to hurt my eyes, headache pounded & became extremely nauseous and tired. Got off fwy, because I didn't feel safe, planned to take surface streets, but became so disoriented (on a route I know well) it took about 1 1/2 hours to get to a familiar location that should have taken 20 mins. Kept making wrong turns even when using maps. Finally, had to call my husband to pick me up. Couldn't make it home & I use this route often and have been for over 20 years. Once home, extremely tired for about 3 days. As the weeks went by my disorientation did not completely go back to normal. I still am impaired (compared to my normal functioning). Unable to juggle a few items in my head as I normally do. My brain feels foggy & I am having memory issues with things that are routine. When I went to have my hair colored on 2/26/21 my hair looked the same as always afterward, but when I returned 4/1/21, I had lost about 1/3 of my hair -- it began falling out each time I brushed it or washed. It seems to have stopped falling out for now.
1194744	4/11/2021	NY	64	M	4/6/2021	4/9/2021	Partial facial Paralysis--eye wont close; eyebrow unaligned with other, eye tearing; side of mouth distorted, cant smile, drooling from side of mouth
1194694	4/11/2021	VA	26	F	4/11/2021	4/11/2021	Patient walked to her seat in the observation ear and sat down. Within 1 minute she jerked back and fell to her right side hitting her head and face on the glasses display and landing sprawled out on the floor. She had her eyes wide open. She was not aware she fainted and was completely conscious. Her blood pressure was 123/70. 911 was immediately called. The EMTs took her to the ambulance due to low heart rate when they arrived. She ended up leaving on her own accord
1194676	4/11/2021	OH	33	F	4/10/2021	4/11/2021	I woke up at around 3:30 in the morning to get some water and take Advil. While walking to the couch, my husband stated I dropped the water, basically blacked out, and he said I was unconscious, eyes opened and kept walking until I ran into the wall/tv and fell to the ground when I became conscious again.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1194662	4/11/2021	NY	55	F	4/11/2021	4/11/2021	The patient is a 55 yo female who presented to the site for her second dose, after waiting for 15 mins on general observation while on her way to the parking lot w/ her husband she experienced what she described as a sensation of feeling dizzy and lightheaded, she returned to the floor and was evaluated by me and EMS. On Exam patient alert and oriented X 3 able to follow command, mood normal, talkative, Eyes: EOMI, PERRLA, lungs clear, heart RRR, S1 and S2 normal, no murmurs. BP; 122/87 Po2 99, HR 82. She denied having taking her medications and didn't hydrate or had breakfast prior. Denied nausea, and vomiting. Patient was closely monitored for 30 minutes and was given water for hydration. Denied transport to hospital. Dispatched home with her husband.
1194651	4/11/2021	GA	60	F	4/7/2021	4/7/2021	Chills, nausea, vomiting, diarrhea - Wednesday night 04/07/21 Very severe heartburn, body aches, headaches, pain behind eyes - Thursday all day 04/08/21 Headaches - back of neck, pain behind the eyes, side of face - Friday and Saturday all day 04/09/21 and 04/09/21
1194589	4/11/2021	MI	66	M	3/25/2021	3/28/2021	Covid symptoms. Fever of 102 for 3 days. Cough ( still occuring) sweating. Generally feeling unwell as well as runny nose. Headache. Pressure around eyes. Sensitive to bright light.
1194587	4/11/2021	NY	24	M	4/11/2021	4/11/2021	Pt walked over and sat down in waiting area. Within 2 minutes he lost consciousness, fell out of his chair, hit his head on the floor. this lead to bleeding/ bump on left eyebrow. Pt was hot, sweaty, clammy, and pale. he laid on floor with feet raised for a few minutes. He felt better in about 15 minutes, parents arrived to drive him home.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1194578	4/11/2021	CO	63	F	3/24/2021	4/1/2021	Severe shaking of body, mainly arms and legs on 4/1/2021. Lasted on and off for 2 hours. Feeling very dizzy, slightly nauseous and my skin was crawling. Felt intoxicated. Tried to stay calm. Had taken Advil pm and went to sleep. Woke up the next morning feeling shaky, difficulty walking. Slight headache on top of head. Blurred vision would come and go. Took 1/2 Prednisone 20 mg (which I take when migraine severe). Felt better early afternoon. Again shaking while sitting down late afternoon 4/2/2021. Feeling weird. Slept through night. Next day only one episode of shaking. During 10 days afterwards still periods of getting dizzy, feeling my heart beat in my ears, at times feeling confused, when typing my left hand sometimes fails to respond.
1194558	4/11/2021	NJ	58	F	3/11/2021	3/11/2021	About 6 hours after the vaccine, I experienced lip, eyelid and tongue swelling, numbness of lips. Immediately took Benadryl 50 mg. Improved after the Benadryl but did not resolve for 2.5 days. Retook Benadryl a few times in that period. Resolved completely after that.
1194690	4/11/2021	NJ	49	F	4/11/2021	4/11/2021	Patient was observed for 15 minutes; complained lips felt swollen had patient take off mask lips appeared normal, Patient was a bit pale and said she might faint. Rushed to her and held her avoiding fall. Patient closed he eyes for 1 to 2 seconds and responded to taps on the chest and calling her name. Opened her eyes, patient had pulse and was coherent.Called 911, police arrived within 10 minutes. In the mean time store management was alerted and BP was taken 157/121. EMS came and patient stated she was better they checked her BP 121/70. Patient refused to go to the hospital. EMS walked her out to her husband waiting in the car.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1190419	4/10/2021	CA	32	M	4/10/2021	4/10/2021	Approximately 2 minutes after the patient received the vaccine, the patient had other questions and while talking about the vaccine, the patient's eyes rolled back and he experienced a vasovagal reaction (syncope). Although he was sitting in a chair, his head fell to the left and his forehead bumped the table. The patient's legs were elevated and his upper body was laid back. Ammonia inhalant was crushed and immediately placed under the patient's nose. The patient came back to consciousness approximately 30 seconds after passing out. Patient was asked what symptoms he felt leading up to passing out. He said that he suddenly felt dizzy and does not remember much after. Patient states that he did not eat breakfast prior to receiving the vaccine and has a history of not doing well with needles or vaccines. He states that he now feels completely fine, however, the patient was advised to stay 30 minutes for monitoring, and once he felt comfortable standing up, a nurse walked with him to the observation area. Patient was provided an ice pack for his forehead. Observation nurse was notified of the adverse event and is now monitoring the patient.
1190299	4/10/2021	GA	43	M	4/9/2021	4/9/2021	Pt had 1st dose of Moderna vaccine yesterday 4/9. Less than 5 min after vaccination pt had some jerking of limbs lasting about a minute per nurse & wife account. No LOC, no foaming at mouth, no incontinence. Did have eye deviation upwards & was groggy for about a minute but quickly was alert & able to answer questions & had a normal MSE. Vitals stable. Pt reports he is afraid of needles/blood. No hx of seizures & not on any meds. He also reported he felt faint after receiving vaccine. He was sent to ER by ambulance for further evaluation of possible seizure. Spoke to pt at home today 4/10, had ER evaluation - lab tests and heart studies; no radiological studies. All results normal. Pt reports he is feeling fine and has had no further symptoms or side effects. Recommended pt to discuss with PCP whether to take 2nd dose Moderna.
1190303	4/10/2021	IN	62	F	4/6/2021	4/6/2021	fever, head ache, eyes hurting, stomach upset, very tired, sleepy, arm extremely sore, entire body ache.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1190306	4/10/2021	FL	35	M	4/9/2021	4/10/2021	Severe joint stiffness and pain, mild relief with Aleve. Severe Headache/ Migraine, so far with Aleve, Tylenol and Hydrocodene, no relief. Cold compress over the eyes seems to help with comfort but pain remains. Considering ER visit.
1190325	4/10/2021	IA	62	F	4/9/2021	4/9/2021	After the shot i had slight swelling in my neck glands, not too bothersome. Severe insomnia up from 10 pm to 5 am , really bad headache, pain pressure in my ears, { Couldl feel my heart beating in my ears } Took acetamiphen and cold compress to the head and eyes, seemed to help. Awake at 10 with no further symtoms so far.
1190348	4/10/2021	IL	49	F	3/31/2021	4/8/2021	8 Days after first injection almost fainted while driving. Heart raced and felt hot/clammy/dizzy/blurred vision. Lasted for 20 minutes. Continue to feel light headed, occasionally dizzy, and brain fog since then..
1190368	4/10/2021	IN	42	F	4/8/2021	4/8/2021	-Recieved shot about 3pm -During the 15 min waiting period my eyes felt kind of dry and "weird". I honestly didn't even consider it could be a reaction, I thought the way I was breathing through my mask must have been drying my eyes out. -Left clinic after 15 mins, only symptom at this point was dry eyes -about 5 mins in to our drive home my face was feeling very funny and kind of numb. I was feeling worse and worse. -looked in mirror and noticed face was bright red and swelling up. Also my throat was fire red. -it was getting worse and worse, also was starting to get itchy. -My entire face was bright red -Stopped at Sister-in-law's house (cause it was on the way home and she is a nurse) and took two benadryl. Was observed for another 20 mins there and the reaction started to calm down. The redness was still there, but the swelling seemed to have stopped. -went home and kept a close eye on it the rest of the night. - became itchy, but no rash. The bright redness went away after about 20 mins, but my face stayed red (like a sunburn) most of the evening. Throat was red as well. - felt fine when waking up on 4/9 and no other instances of these symptoms -sore arm 4/8-4/10

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1190454	4/10/2021	TN	54	F	4/7/2021	4/8/2021	The afternoon following my shot I crashed. Fatigue, body aches, could barely lift the arm I got the shot in. Sudden head ache, sore throat, burning eyes, fever of 100.3, runny nose. Felt like I had the regular flu. I took Advil about five hours in to these symptoms, it helped, continued with the Advil every four hours. Was better the next day but no energy. About the same time (3:00) on Friday, felt the same fatigue, little head ache but not fever. It is now Saturday and I still have no energy.
1190376	4/10/2021	MN	56	F	4/7/2021	4/7/2021	Eye pain, fatigue, arm pain migraine light sensitivity sore throat left arm and hand numbness
1190451	4/10/2021	OR	50	F	4/7/2021	4/7/2021	headache, body aches, extreme fatigue, pain at injection site, fever under 100 degrees, itchy Eyes , sore throat
1190455	4/10/2021		64	F	4/10/2021	4/10/2021	tingling on left side of face, numbness in left arm, blurry vision. Evaluated by EMS-Refusal to transport.
1190374	4/10/2021	CO	58	M	3/30/2021	4/1/2021	I hadn't been feeling well. Called my Doctor the day after receiving the shot and made an appointment for the first available time (Friday April 2). On Thursday morning I was having vision problems, high blood pressure, weakness on left side. I was rushed to the hospital administered tPA and was diagnosed with a stroke.
1190172	4/10/2021	NY	60	F	4/5/2021	4/7/2021	I woke up Wednesday morning extremely dizzy and nauseous. I was unable to open my eyes because of how dizzy I was. I violently threw up for 2 hours . I was carried back to my bed by my husband. When I tried to roll over onto my side, I threw up again. I was unable to move on Wednesday. I actually thought that dying was easier. This sickness last 24 hrs. The next day I got out of bed around 11am and still suffered mild nausea. I am still a bit light headed today even when I woke up.
1189990	4/10/2021	IN	57	M	3/18/2021	3/20/2021	Patient reports: 3/20/21 began experiencing tingling feeling in all four limbs at different times 3/28/21 experienced slurred speech 3/30 experienced what he describes as near blindness-was driving down road and all of a sudden most of visual field went black and could only see the white line of the road. Was close to hospital and was able to see enough to get himself to the hospital. Patient reports he was hospitalized at Hospital from 3/30/21-4/1/21 and was diagnosed as having a stroke

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1190639	4/10/2021	TN	61	M	4/7/2021	4/9/2021	Morning of 4/9/2021, mild headache. Also cough that lasted about 10 minutes. That night, headache become more severe, swelling, inflammation in right eye. Also burning in right eye, similar to peeling onions. Damp clothe to eye provided relief. Acetaminophen relieved pain.
1189999	4/10/2021	GA	27	F	2/2/2021	2/1/2021	I contracted pink eye and was treated with steroid drops around the same time as my shot. I believe it was 02/10 when my first pink eye symptoms appeared. My mother and son also had it a week prior so I was not alarmed. However, since then, I've been diagnosed with uveitis after the pink eye infection cleared, and have had continuous issues with extreme dry eye and vision changes. My eye doctor is thinking potentially an autoimmune issue, I'm seeing the diagnostic clinic to hopefully uncover this, but I've never had such eye issues before. I've had some eye fatigue that affected my vision in college due to sleep deprivation, but nothing like this. The chronic pain I'm dealing with has been worsened. This could be autoimmune and a random event, or it could be autoimmune undiagnosed that was trigger by the vaccine, or it could be just the vaccine. But since I believe in medicine and vaccines, I believe it is my duty to report the potential issue so that others and research could benefit from my experience should this be related.
1190501	4/10/2021		69	F	4/8/2021	4/9/2021	24 hours after the 2nd shot I got tired, dull headache, low grade fever, and neck & shoulders were achy. Eyes felt like I was sick. I rested all afternoon and evening and was fine the next morning. None of the reaction was severe just uncomfortable. It was worth it if the shot works.
1190061	4/10/2021	CA	16	F	4/9/2021	4/9/2021	vomited w/ tunnel vision- temporary hearing loss
1190052	4/10/2021	IN	61	F	4/2/2021	4/3/2021	Headache, Blurry vision, nausea, vertigo, light headed, fatigue

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1190132	4/10/2021	CO	36	F	4/6/2021	4/6/2021	Fever of 4+ degrees F, body aches, 10lbs+ water weight gained in one day, severe left arm pain to the point of tears if arm needed to be moved (carried in a sling for 24 hours). Extreme fatigue, unable to attempt normal ADLs, dizziness, brain fog, joint pain (worst in wrists, ankles, knees, hips and neck). 2nd shot was more severe, hit harder and more quickly, was unable to do anything by lie still with eyes closed for nearly 24 hours. 2 hours of sleep, woke up covered in sweat, mild shaking, dizziness, nausea, difficulty eating, migraine headache (with light/smell/sound sensitivity, but no aura). Symptoms lasted for 48 hours round two.
1190254	4/10/2021	FL	75	F	2/4/2021	2/11/2021	Double vision of left eye. Totally exhausted, no energy. SOB, anxious & crying. Hoarseness, no appetite, hot flashes & nite sweats. Bloodwork, ultrasound of thyroid, diagnosis: Hyperthyroidism, Graves Disease. No family history of thyroid disease. Presently under care of an endocrinologist.
1190179	4/10/2021		50	F	4/9/2021	4/9/2021	Chills for 3 hours, followed by high fever. Low fever next morning and splitting headache and pain behind eyes.
1190210	4/10/2021	CT	59	M	4/7/2021	4/7/2021	Chills, Aches, Fever, light headed, headaches, Eyes being very tired and sore ( I could feel this behind my eyes in the sockets).
1190211	4/10/2021	UT	34	M	3/11/2021	4/3/2021	About 3 weeks post vaccination first dose, I was diagnosed with shingles. The rash is on my face and head affecting my eye. Face is the left side of body. Shingles rash is still present. Eye is swollen shut. Following routine visits with eye specialist.
1190226	4/10/2021	TX	51	F	4/9/2021	4/10/2021	Red rash extending vertically from injection site Pain in arm Swollen eyes Headache and body aches
1190227	4/10/2021	FL	26	F	2/5/2021	3/29/2021	For the past few weeks I have started with horrible headaches which turned into migraines and vertigo. Also since the second vaccine I have having side effects with my facial muscles. Muscles twitching, eye pulsating.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1190245	4/10/2021	GA	55	F	4/7/2021	4/7/2021	Three waves of discomfort... felt like ice water was poured inside of my body. Extreme weaknesses of arms/legs. Visual issues. First wave within 60 seconds of shot (ended up on floor - embarrassing!). Second, and most severe, wave about 10 minutes later while sitting in chair. Apparently, I passed out with my eyes open. Hubby got nurse. They said I was unresponsive. Nurse checked blood pressure and heart rate after second wave - both normal. Third wave, much less severe, hit after 10 more minutes. Ice water/weakness feeling in arms and legs and not so much in chest area. Nurse speculated it could be low blood sugar (based on medications). Have never had low blood sugar event previously AND had eaten about an hour prior to vaccination. However, drank 4 ounces of orange juice, just in case. Went home about 20 minutes later... no other significant side effects. No swelling/redness at injection site. No other illnesses, etc.
1190107	4/10/2021	GA	40	F	4/8/2021	4/8/2021	2 hours after injection I had blurred vision, which led to a migraine. Prior to the vaccine, I haven't had a migraine in over 10 years. While having blurred vision, sat down with tea and lost my sense of taste and could not taste anything until my vision got back to normal. (approximately an hour later.) I took Ibuprofen as soon as blurred vision started. Next morning I woke up to mouth sores all over the inside of my mouth.
1190642	4/10/2021	MN	19	F	4/9/2021	4/10/2021	I woke up with a headache at 7:30 am and a dry mouth. I got out of bed to get my water bottle, which exacerbated the headache. I tried to go back to sleep but kept waking up to drink water every half hour or so, until 10:18 am. I got out of bed to fill my now-empty waterbottle. The headache rotated and became more intense as I got up. I could only walk very slowly and tried to keep my eyes closed. Around 12:00 pm I took one tylenol. The headache is still present. It is not located in any specific part of the brain but moves around depending on if I'm sitting, standing, or laying down. During that time I also felt nauseous, but I no longer do.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1189456	4/10/2021	PA		F		4/1/2021	HAND PAIN (RHEUMATOID ARTHRITIS); LETHARGIC; BODY ACHES; EYE PAIN; CHILLS; FEVER; This spontaneous report received from a patient concerned a female of unspecified age. The patient's height, and weight were not reported. The patient's concurrent conditions included high blood pressure. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown, expiry: unknown) dose was not reported, frequency once total, administered on 26-MAR-2021 at left arm for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. It was reported that the patient did not feel any symptoms until 01-APR-2021. On 01-APR-2021, the patient experienced hand pain described as rheumatoid arthritis, lethargy, body aches, eye pain/ocular pressure, chills and fever. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from lethargic, body aches, fever, chills, eye pain, and rheumatoid arthritis. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210409942-Covid-19 vaccine ad26.cov2.s-Hand pain (Rheumatoid arthritis). This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).
1189980	4/10/2021	VA	33	M	4/9/2021	4/9/2021	Injection +8 hours: strong headache, full body sensitivity, body fatigue, flush neck and face, full body chills, full body shivering. +9 hours: hands pale, thumb capillary refill L: no refill, R: 6 seconds. HR98 +10 hours: Temp: 101.4, thumb capillary refill L:2 R:2. Eyes bloodshot, headache over eyes/temples +11 hours: Temp 102.5, HR 109, SpO2 95 +12 hours: full body chills transition to full body slight flush/damp. Headache pulsing behind/above eyes and temples. +18 hours: Temp 100.2, HR 87, SpO2 99, headache continues.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1190944	4/10/2021	NJ	75	M	2/3/2021	2/19/2021	Two weeks after the first dose he was hospitalized with Covid 19; Two weeks after the first dose he was hospitalized with Covid 19; The only thing that got worse was the kidney problems after he came out of the hospital; The only thing that got worse was the kidney problems after he came out of the hospital; He cannot see too good (visual impairment); lost weight (weight decreased); This is a spontaneous report from a non-contactable consumer. A 75-year-old male patient received bnt162b2 (BNT162B2, Lot Number: EL3302), dose 1 intramuscular, administered in Arm Left on 03Feb2021 (at the age of 72-years-old) as SINGLE DOSE for covid-19 immunisation. Medical history included blood cholesterol, blood pressure measurement, cardiac disorder (He was taking medications for cholesterol, blood pressure and his heart) and glaucoma (They were started prior to the vaccine and he did not think they were relevant. He has issues with Glaucoma), diabetes mellitus (He checks his sugar and is diabetic), renal disorder and prostatic disorder (He has issues with Glaucoma, Prostate and Kidney). The patient's concomitant medications were not reported. The patient experienced two weeks after the first dose he was hospitalized with covid 19 (drug ineffective), (covid-19) (hospitalization, medically significant), He cannot see too good (visual impairment), lost weight (weight decreased) on an unspecified date. It was reported that his father received first one the beginning of Feb2021. By the second week in Feb2021, he got sick with COVID and was in the hospital for almost a month. He missed the second dose. He would like to know where can he get second dose. When can he get second dose and how long does he have to wait before getting after having COVID. He also wanted to know if it will still be effective after waiting this long. He is out of the hospital after going in. His father's name is (Name) He lost weight while in the hospital after he got the first COVID vaccine. After he got the first COVID vaccine, he ended up in the hospital with COVID virus. There was no prescriber. Where he lives, it is a senior housing center, and they were giving it out there. He could have been sick a week before, but when he came to see him, he immediately called the ambulance and they took him in. Since he has ben out of the hospital for a few weeks, he cannot see too good. It started a couple of days before he got out and since then

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

he cannot see that well. Reporter has to drive him around. He was taking medications for cholesterol, blood pressure and his heart. They were started prior to the vaccine and he did not think they were relevant. He has issues with Glaucoma, Prostate and Kidney. He had all prior. The only thing that got worse was the kidney problems after he came out of the hospital. When he came out of the hospital, they said he needs to see a kidney doctor. He has blood test results and would not be able to understand them to provide at this time. He had all prior. Vaccine supplemental form. Outcome of the events Covid19 (drug ineffective) was recovered with sequel. Outcome of the other events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1190943	4/10/2021	MO	60	F	3/22/2021	3/23/2021	vomiting; diarrhea/Lingering diarrhea into second day; ringing in my left ear. LOUD!; excessive urination; eyes feeling like they were popping out; tunnel vision; 104 fever; severe chills and quaking; severe chills and quaking; the worst headache in my life/slight headache on the back of my head, and continued into today; felt like broken shins; hip joints on fire; This is a spontaneous report from a contactable consumer herself (patient). A 60-years-old female patient received second dose bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Solution for injection), via an unspecified route of administration, administered in Arm Left on 22Mar2021 (Batch/Lot Number: EN6204) Solution for injection as Single Dose for covid-19 immunisation. Medical history included asthma, mild HP (Hypersensitivity pneumonitis) and I am fat. Concomitant medications included lovastatin, eszopiclone (LUNESTA), lisinopril and gabapentin. The patient previously took first dose of BNT162B2 (EN6198), on Left arm on 27Feb2021 for Covid-19 immunization. On 23Mar2021 02:00 patient experienced 104 fever, severe chills and quaking, the worst headache in my life, what felt like broken shins another friend said she had this as well, hip joints on fire, eyes feeling like they were popping out, vomiting after hours 26, tunnel vision, excessive urination, diarrhea started at hour 28. Lingering diarrhea into second day, slight headache on the back of her head, and continued into today, ringing in her left ear. The patient underwent lab tests and procedures which included body temperature: 104 on 23Mar2021. Patient did not test covid post vaccination. Patient did not have covid prior vaccination. The outcome of all events was recovered with sequelae.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1190941	4/10/2021	AZ	79	F	2/11/2021	2/1/2021	<p>couldn't walk straight; use a cane; Guillain-Barre syndrome; left knee and left hip were so painful; equilibrium was totally off; tired; pink blotches and a red rash on her legs; pink blotches and a red rash on her legs; didn't feel good; her legs started burning; her eyes were bloodshot with dark circles; This is a spontaneous report received from a contactable female consumer (patient). A 79-years-old female patient received bnt162b2 (PFIZER-BIONTECH mRNA COVID-19 VACCINE, Solution for injection), dose 1 via an unspecified route of administration, administered in Arm Right on 11Feb2021 09:45 (Batch/Lot Number: EL1283) as SINGLE DOSE for covid-19 immunisation. The patient did not have any allergies to medications, food or other products. The patient did not have any relevant medical history. Concomitant medications includes: Plavix (CLOPIDOGREL BISULFATE) 75mg, once a day, Oral, Losartan 100mg, 1/day, Oral for blood pressure high, toprol XL (METOPROLOL SUCCINATE) 50mg, 1/day, Oral for Blood pressure high, ezetimibe (ZETIA) 10mg, once a day for , Oral for High cholesterol. Vitamin C (ASCORBIC ACID) 1000mg, 1/day, Oral. Omega 3 1000mg, 1/day, Oral, taking for 2 years. Vitamin D 1000IU, 1/day, Oral, taking for 6 months. Multivitamin dose unknown, 1/day, Oral. Aspirin (ACETYLSALICYLIC ACID) 81mg, 1/day, Oral. All the Concomitant medications started dates was unspecified. It was reported that Consumer states she got the first dose 11Feb2021 of the Pfizer COVID 19 vaccine at 0945AM in the right arm. Adds she had no reaction the first day. Then about three days later (14Feb2021), she noticed pink blotches and a red rash on her legs; and she didn't feel good. About five days later she called the doctor who did a blood test. No results known. The doctor put her on Prednisone and she took three doses and on Feb2021 her legs started burning so she stopped. Adds she doesn't think it had anything to dowith the Prednisone; it was the vaccine. Reports she started to have balance and coordination problems, on 25Feb2021 her left knee and left hip were so painful that she had to use a cane and could not walk straight and her equilibrium was totally off so that she was she was walking into the wall. Mentions that on 17Feb2021 she was tired, on Feb2021 other eyes were bloodshot with dark circles. Mentions she did lots of research on her phone and decided that</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

all of her symptoms seem to relate to GBS, Guillain-Barre syndrome. Clarifies she does not know if she has GBS. She has been to the doctor again and they are telling her not to get the second dose of the shot. Mentions that pretty much everything cleared up by 1Mar2021. Additional information includes plavix was used for head and neck blockage, taking for 10 years, Losartan patient took off the water pill portion HTZ part of months ago, toprol XL taking for 13 years. Zetia taking for 8 years. Vitamin C patient taking for her immune system, taking for 3 years. Omega 3 taking for 2 years. Vitamin D was taking for 6 months. Multivitamin. Aspirin patient taking for taking for keep blood flowing since 14 years. Outcome of the events didn't feel good, couldn't walk straight and use a cane and Guillain-Barre syndrome was unknown. Outcome of the events left knee and left hip were so painful, equilibrium was totally off and recovered on 01Mar2021. Outcome of the event her legs started burning was recovered on Feb2021. Outcome of the events her eyes were bloodshot with dark circles on 04Mar2021. Additional Information has been requested/ Additional information on lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1190888	4/10/2021	VA	76	F	3/19/2021	3/19/2021	Right side of face swollen so the eye was almost invisible; rash on face, neck and hands, some on the upper right back; This is a spontaneous report from a contactable consumer (patient). A 76-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EP6955, expiry date: unknown), via an unspecified route of administration in the right arm, on 19Mar2021 08:30, as single dose, for COVID-19 immunisation. Medical history included Alpha gal (allergic to all mammal protein). The patient was not diagnosed with COVID-19 prior to vaccination and has not been tested for COVID-19 since the vaccination. Concomitant medications included hydrochlorothiazide; pravastatin sodium (PRAVASTINE); famotidine (PEPCID AC); and loratadine, all taken for unspecified indications, start and stop dates were not reported. Historical vaccine included the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: En6200, expiry date: unknown), via an unspecified route of administration in the left arm, on 22Feb2021 08:45, as single dose, for COVID-19 immunisation. The patient did not receive any other vaccines within 4 weeks prior to the BNT162B2 vaccine. On 19Mar2021 at 12:30, the patient experienced right side of face swollen so the eye was almost invisible, rash on face, neck and hands, some on the upper right back. The events resulted to emergency room visit. Treatment included prednisone and Benadryl. The patient was recovering from the events.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1190885	4/10/2021			F	3/19/2021	3/1/2021	eyes feel hot/burning and also states she sees 'sparklers'; eyes feel hot/burning and also states she sees 'sparklers'; developed red eyes with red veins in her eyes; This is a spontaneous report from a contactable consumer (patient). A female patient of an unspecified age received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiry date not reported), via an unspecified route of administration on 19Mar2021 as single dose for COVID-19 immunization. Medical history and concomitant medications were not reported. On an unspecified date in Mar2021, the patient developed red eyes with red veins in her eyes; eyes feel hot/burning and also stated she sees 'sparklers'. It was unclear from the patient when she developed these side effects. She was wanting to know if these have been reported and if so how long will it last. Clinical outcome of the events was unknown. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1190859	4/10/2021	CA		F	2/24/2021	2/25/2021	runny nose; Chills; fatigue; weakness; sore arm; slept for 14 hrs/slept a lot; Headache; Body ache; Injection site pain; This is a spontaneous report from a contactable nurse (patient). This 77-year-old female patient received dose 2 of BNT162B2 (PFIZER BIONTECH COVID-19 MRNA VACCINE; lot number EN6201) intramuscularly on 24Feb2021 at 13:00 (at the age of 77-years-old) as a single dose in the left deltoid for COVID-19 immunization. Medical history included type 2 diabetes mellitus (DM II), hypothyroid for over 20 years, glaucoma in right (R) eye, and hypertension (HTN), all ongoing. The patient was not pregnant at the time of vaccination. Concomitant medications included metformin; levothyroxine sodium (SYNTHROID); lisinopril; atorvastatin; amlodipine; "HOPZ 25 mg;" multiminerals, multivitamins (CENTRUM SILVER); brimonidine tartrate (BRIMOT); and dorzolamide, timolol (COSOPT) from unspecified dates for unspecified indications. The patient previously received acetaminophen (TYLENOL EXTRA STRENGTH) from 04Feb2021 to 09Feb2021 for pain (severe headache). The patient previously received dose 1 of BNT162B2 (lot number EL9261) intramuscularly on 03Feb2021 as a single dose in the left deltoid for COVID-19 immunization and experienced pain, unable to think clearly, headache, aching body, and feeling out of sorts. On 25Feb2021 after dose 2 of BNT162B2, the patient experienced chills, fatigue, weakness, sore arm, slept for 14 hours, headache, injection site pain, body ache. On an unspecified date the patient experienced runny nose. The patient was treated with acetaminophen (TYLENOL) at "3 per day" from 24Feb2021 to 27Feb2021. The outcomes of chills, fatigue, weakness, sore arm, slept for 14 hours, headache, injection site pain, and body ache were recovered on 27Feb2021. The outcome of runny nose was unknown. No follow-up attempts are needed. No further information is expected.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1190796	4/10/2021	MI	56	F	1/27/2021	1/27/2021	<p>she had COVID and also had COVID like symptoms after receiving the first dose.; tingling sensation on the mouth/ sensation of tingling around her lips; skin very tight/ face very very tight/face got very tight around her nose, cheeks, and under her eyes; first half of her tongue started feeling thick; This is a spontaneous report from a contactable consumer (patient) via Pfizer sponsored program. A 56-years-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, Lot number: EL9261), dose 1 via an unspecified route of administration on 27Jan2021 as single dose for COVID-19 immunisation. Medical history included COVID-19 (in fall) and allergic to Penicillin (a very long time ago as child and she got a fat upper lip from it). There were no concomitant medications. She had her first dose 27Jan which was 90 days after she had COVID. On 27Jan2021, 30 minutes after the vaccine, the patient experienced she had COVID and also had COVID like symptoms after receiving the first dose, tingling sensation on the mouth/ sensation of tingling around her lips, skin very tight/ face very very tight/face got very tight around her nose, cheeks, and under her eyes and first half of her tongue started feeling thick. The physical assistant examined her and said it didn't not look swollen. She asked her doctor about this and she was given 50 mg of Benadryl at the vaccine site, approximately 1 hour say after the shot or either 1 hour after her symptoms but it was approximately during that time period. She was wondering if she can take the second dose. The patient did not used any other product. The episode lasted about 3 hours she would say. She is not one to have a lot of allergies. She is in good health. She does not have any issues or diabetes or any type of medical condition. She says it has recovered completely. The patient asked whether to take this vaccine every year and wanted to know if she absolutely needs to take the second shot for full protection. According to her she had COVID and also had COVID like symptoms after receiving the first dose. Would she have developed enough antibodies to protect herself that the first dose would be considered like a second shot. She heard people generally have COVID like symptoms after receiving the second shot. She is just trying to understand if she need to take a second dose or one dose is enough. She has been reading what the</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

1190763	4/10/2021	MN					
---------	-----------	----	--	--	--	--	--

				F			
--	--	--	--	---	--	--	--

CDC guidelines are about, but she is looking into it further to see what Pfizer's guide lines are on whether or not she should still get the second vaccine. The patient's husband mentioned Benadryl was given as precaution and believe the physical assistant was a student and didn't have much medical knowledge. The patient underwent lab tests and procedures which included sars-cov-2 test: COVID in fall. The outcome of COVID and also had COVID like symptoms after receiving the first dose was unknown. The outcome of tingling sensation on the mouth/ sensation of tingling around her lips, skin very tight/ face very very tight/face got very tight around her nose, cheeks, and under her eyes and first half of her tongue started feeling thick was recovered. Follow-up attempts are completed. No further information is expected.

had hives, like a rash/a rash on her face and her legs/hives on her face that were red and bumpy; her eye looks like a bee stung her eyelid, it is swollen; her legs were itching; This is a spontaneous report from a contactable consumer. A female patient of an unspecified age received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, lot number and expiry date not reported), via an unspecified route of administration on an unspecified date as single dose for COVID-19 immunisation. The patient 's medical history and concomitant medications were not reported. It was reported that patient had hives, like a rash and today, eye looks like a bee stung her eyelid, swollen. Rash on her face and her legs and her legs were itching, it was like hives on her face that were red and bumpy. They are not as bumpy but it is still red. Patient was taking Prednisone but not sure if that is why its getting a little bit better but it is still really red and itching and the swollen eye. Outcome of events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1190734	4/10/2021	OH	58	M	3/20/2021	3/29/2021	palsy bell; This spontaneous case was reported by a consumer and describes the occurrence of FACIAL PARALYSIS (palsy bell) in a 58-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 006B21A) for COVID-19 vaccination. The patient's past medical history included No adverse event (No Medical History was reported). On 20-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intra-arterial) at an unspecified dose. On 29-Mar-2021, the patient experienced FACIAL PARALYSIS (palsy bell) (seriousness criteria hospitalization and medically significant). The patient was hospitalized on 29-Mar-2021 due to FACIAL PARALYSIS. At the time of the report, FACIAL PARALYSIS (palsy bell) had not resolved. Not Provided For mRNA-1273 (Moderna COVID-19 Vaccine) (Intra-arterial), the reporter did not provide any causality assessments. The patient went to the ER on 29MAR2021 because he had facial paralysis, trouble talking, couldn't shut his eye or smile. Patient was diagnosed with bells palsy (ongoing) tx: prednisone, antiviral for a wk - bells palsy, facial issues tylenol 500 mg for headache
1190628	4/10/2021	WA	50	F	4/8/2021	4/10/2021	I woke to my eyes looking weird. The whites of both eyes are not white as they normally are. It appears that all the small blood vessels in both my eyes are bloodshot. No pain or itching so I'm reporting as a side effect of the vaccine. I was very fatigued and achy post injection so remained inside and resting until this morning. I am currently more fatigued than normal but not enough to cause concern. I checked my body and there is no bruising or unusual discoloration to my skin. I have no ?hot spots? or irregular limb swelling. My temperature is normal for me at 97.54. Post injection, yesterday, I was very achy, headache and back of neck pain lasting 24 hours and a slight fever. I did not take any medication.
1190643	4/10/2021	TX	52	F	4/9/2021	4/10/2021	Subconjunctival hemorrhage, left eye

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1190505	4/10/2021	CO	48	F	3/25/2021	3/25/2021	3 minutes - racing heart, then dry mouth 7 minutes dizziness and legs weak with low BP, 15 minutes headache and photophobia, 12 hours worsening weakness moving into arms, following day diarrhea, blurred vision, by the 2nd day constipation dysuria, worsening ataxia by day 3, 1 week after unable to move R leg, admitted to hospital 4/1 and discharged next day. Readmitted 4/6 unable to move arms and move bowels/urine.
1190637	4/10/2021	VA	58	M	3/27/2021	3/28/2021	On the morning after the second vaccine, I awoke with a bad headache. I was expecting something like this so I didn't worry about it. Within a couple of hours, however, the headache began to include migraine-like visual disturbances primarily in the left eye field of vision. The pain got worse. I took Tylenol as I was advised not to take ibuprofen. The headaches and visual disturbances continued intermittently for a couple of weeks. (The headaches are still here at a low level. The visual disturbances/flashes disappeared after 12 days.) While I was having the migraine-like symptoms, after about two or three days, I developed additional visual problems in my left eye. There was like a gray nebula of strands in my visual field. I went to the ophthalmologist on 4/6/21, 10 days after the shot. She diagnosed Posterior Vitreous Detachment (PVD). While she knew of no mechanism for the vaccine to cause this, I am reporting this as the headaches, visual disturbances/flashes, and the PVD developed immediately after the second Pfizer shot, headache rolling into flashes rolling into PVD nebula. The doc said this may or may not go away after a while. We shall see.
1190620	4/10/2021	ME	37	M	4/10/2021	4/10/2021	Patient was administered the COVID vaccine and felt fine. He relocated to our pharmacy waiting area for observation. Once there he started to read the provided material (EUA, V-Safe) and started to feel anxious. He said the next thing he knew he was sweating and had tunnel vision. He wasn't 100% sure he passed out. A fellow associate helped him to the ground and elevated his feet. We got ice for behind his neck, and a cold cloth for his forehead. We took his blood pressure and it started to come back up. He waited for about 30 minutes before leaving. His color had returned and he stated he felt fine.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1190618	4/10/2021	NY	26	F	3/20/2021	3/20/2021	About 12 hours after injection, I started feeling achey 13 hours later, I had a spell where I could not hear anything and felt as if I wasn't in control of my body- in talking to medical personnel they say what I'm describing is what happens right before one passes out. I came out of it within 10 minutes. 16 hours later I had a 102 fever. Took Tylenol Felt fine 24 hours later 32 hours later I started to get a headache and light sensitivity. Fever back to over 99- low grade for me. 35 hours later I had such a bad headache and light sensitivity. I couldn't watch tv, be on my phone, or look at a computer screen. I also started to get bouts of nausea. 38 hours later, I vomited for the first time. Same symptoms as what I described last. 42 hours later, I vomited again. 48 hours later - 5 days later, light sensitivity and migraine symptoms continued , but improved slowly each day. 6 days later, all previous symptoms were gone. I woke up with a bump in my inner eye. Slowly went away throughout the day, then developed a itchy, red bump in between my lips and nose, that progressively got bigger throughout the day and made my lip swell. Bump was about 2 inches in diameter at its biggest. Took Claritin, cleaned face with alcohol, and by 24 hours later it was not noticeable. 8 days later, the bump appeared again in between lip and nose on the opposite side of my face. Took Benadryl, bump slowly went down throughout the day. By 24 hours later it was gone
1190600	4/10/2021	VA	62	F	4/8/2021	4/9/2021	8April 10:00AM-11:00AM prickly warm sensation on shoulder, face, near injection site also arms and hands 11:15AM-1:00PM Itchy bumps on both forearms, heart jumps, headache, metallic taste 1:10PM sudden fatigue, sleeping and drinking water for the next 40hours through to 7:00am 9April 3AM severe headache wakes me, I have a fever. 99.1 fever continue to rise throughout all of 9April and head ache does not lessen until after 7am 10 April 4:15AM vomiting 4:49AM HeadAches in every brain cell and in eyes, Temp 99.7 8:20 am temp 99.8 12:00pm temp 99.9 7:00pm temp 100.8 took 2 tylenol 8:40pm temp 100.0 10April 1:11AM temp 97.4 headache persists 7:00am Headache starts to lessen, fatigues persists 1:00pm fatigues abates

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1190595	4/10/2021	PA	48	M	4/10/2021	4/10/2021	Patient stated he was sitting in the chair and he started feeling clammy tunnel vision and blacked out. he doesnt remember being brought over to the observation room. He was encouraged to drink fluids, patient stated he was feeling better and reported no further tunnel vision, he was escorted out with his son accompanying him. vital signs @ 1024 HR 62, BO 98/60 RR 18, pulse ox 96%, at 1027, HR 81, BO 111/65, RR 18 and pulse ox 95% on RA, at 1044 HR 62, BP 111/ 69, RR 18 and Pox 97%. He was released at 1045 by himself to the exit of the facility.
1190585	4/10/2021	KY	42	M	4/9/2021	4/10/2021	Dizziness, bad headaches, severe soreness in arm, blurred vision, drowsiness.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1190573	4/10/2021	CA	22	F	4/10/2021	4/10/2021	<p>HPI: Patient is a * year old * who presents following administration of a single dose of J&amp;J COVID19 vaccine in the left deltoid. About 20 minutes following administration of the vaccine, the patient started to experience numbness in the left shoulder to the left neck and post auricular region. Patient denies allergies to medication, food, and other vaccines. She states she has never had a similar experience. She declares a past medical history of asthma that is controlled with rescue inhaler and oral medication. She has not taken the medication for the past week and uses her rescue inhaler 2-3 times per week, particularly when she exercises or coughs too much. She affirms numbness of the left neck, left shoulder, She denies chest pain, difficulty breathing, swelling of the face/lips/tongue/throat, skin rash/itching, cramping abdominal pain, nausea, and vomiting.</p> <p>Exam (update as needed): GEN: Alert and oriented x 4, NAD. HEAD: NCAT EYES: PERRL, EOMI ENT: Decreased touch sensation in the left post auricular region and left posterior neck region. Normal ROM and 5/5 strength of the neck. Right ear normal, Nose normal, OP normal, no evidence of angioedema NECK: Supple, without LAD. CV: RRR, no m/r/g PULM: Clear to auscultation bilaterally, no accessory muscle use ABD: Soft, no tenderness. SKIN: No rashes, skin warm and dry. No erythema or edema of the injection site. MSK: FROM of the bilateral upper extremities and neck, MS 5/5 bilaterally NEURO: Alert and oriented x 4, CN 2-12 grossly intact, no ataxia, gait steady. Decreased sensation of the left post auricular region, left posterior neck region, left shoulder, left bicep compared to the contralateral side. Clinical Impression/Field Tx: Possible peripheral nerve injury secondary to vaccine administration. Patient not displaying active signs and symptoms of anaphylaxis. Patient demonstrated ability to adequately control airway and secretions. The patient was experiencing decreased sensation on the ipsilateral side of the vaccine site compared to the contralateral side. Muscle strength was 5/5 bilaterally. CN II-XII were grossly intact. Patient offered further evaluation by EMS, however, patient declined as she has an appointment with her PCP on Monday and would prefer to address it there. Instructed patient to consult their PCP regarding the post-vaccination reaction. Patient states she has an appointment on Monday. Patient instructed to go to</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							emergency department should the area of decreased sensation increase in size or if they develop chest pain, difficulty breathing, difficulty swallowing, swelling of the face/lips/mouth/tongue/throat, or cramping abdominal pain with nausea/vomiting, as these are signs of possible anaphylaxis that requires immediate intervention. Medications administered: None Disposition: Home
1190551	4/10/2021	IL	18	M	4/8/2021	4/8/2021	Patient had the injection, reported that is wasn't bad and then within a few minutes when in the waiting area, he reported feeling very light headed, nauseous, and lost his vision and hearing was fuzzy. He was cold and clammy. He never lost consciousness. It took him a couple minutes to "come back" to alertness and feel better. Severe headache, chills starting and began asthma symptoms (wheezing) at 11:30pm the night of the injection.. 2 extra strength Tylenol did not help. He was very cold and the headache did not let up after several hours. Eventually he had a bout of sweats and he reports he was soaked. In the morning, at 8 am the headache was still severe...was sensitive to noise, light and touch. He was given 2 extra strength Tylenol at 8 and then 2 Advil at 10am, which finally began to reduce symptoms. He was not hungry, felt weak, and finally by late night he was feeling better. In the morning on Saturday he awoke with a swollen left eye and blood shot in that eye.
1190532	4/10/2021	CA	27	M	4/10/2021	4/10/2021	This vaccine is extremely illegal. Terroristic. I have been having such an extreme headache. Blurnyness, to the point where I have blindnesss. I am unable to think. My speech is completely off. I try to say something, but what I say is not what I was thinking. Don't you dare say I have something wrong with me, in regards to unable to articulate what I want to say, and what is actually being said. I understand what is happening to me with this reality. Which is why this vaccine is terroristic. Im going to make it my life endeavored goal to resolve this in legal entities. For that. This is not helping anyone. Causing more pain. And. Allowing the government to lie even more. I hate this Country!



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1190527	4/10/2021	GA	44	F	4/9/2021	4/9/2021	We had a member come back for her second dose of the Moderna vaccine. It was administered and she was given a timer to wait her 15 minutes. She turned in her timer at the end of the 15 minutes and told us she was leaving. A few minutes later she came back and stated that she was not feeling well. I told her to have a seat and went to check on her. She stated that she was having pain down her arm where she was given the vaccine and down her left side. Then she stated she was itching. I could see her starting to turn red with hives/rash on her left arm where we administered the vaccine. stayed with the patient in front of the pharmacy while I ran into the pharmacy and got the blood pressure machine, Benadryl, EpiPen, adverse reaction chart, and cold pack. I asked to grab pen and paper and take notes as we ran back out. Her itching was becoming more severe, and she stated she was feeling lightheaded. We immediately began checking her blood pressure (which was extremely high at 187/120) and administered 50 mg of Benadryl. We applied a cold pack to her neck as it appeared she was sweating and then applied a cold pack to the injection site. She continued to progress with the itching moving to other sites on her body. I asked one of the technicians to get the other pharmacist to call 911 and a code white was called. She was in a chair without arms, and I needed to have her lay down. I also had five more people waiting for vaccine administration, so we moved her to the break room. We continued to monitor her blood pressure, which was dropping, and watch for signs of anaphylaxis. She stated she was feeling really tired and began closing her eyes. We continued to have her talk with us and not go to sleep. We had EpiPen's ready for administration if needed. The EMS arrived as we were checking her BP once again and they took over. She was placed on a stretcher and taken into the ambulance. Assistant had a curbside delivery a little while after the incident, at this point the EMS decided that her blood pressure had normalized, and the Benadryl was enough to control her allergic reaction and she was released to go home.
1190524	4/10/2021	OH	36	F	2/2/2021	2/2/2021	Dizziness, shakes, blurred vision, heart palpitations, high blood pressure, fatigue, nausea, headaches

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1190510	4/10/2021	MI	36	M	4/10/2021	4/10/2021	About a minute after the injection patient rolled his eyes up and fainted, woke him up after 30 seconds and stayed with him until emergency crew came and took him to hospital. according to emergency crew his Blood Pressure was very low.
1190654	4/10/2021	CA	35	M	4/10/2021	4/10/2021	Pt reports feeling dizzy & a "rush of heat", & sweating 1 minute after vaccination. Also reports tunnel vision, but resolved w/in 2 minutes after receiving vaccine. Pt reports similar experiences w/ injuries. Pt remained on site for 30 minutes after vaccine with no worsening symptoms. Pt left the vaccine clinic LOC X4.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1188469	4/10/2021	AZ	61	M	3/19/2021	3/26/2021	<p>March 26, 2021: One week to the day after receiving my second dose of the Pfizer COVID19 vaccine, my right eye suddenly had double vision and facial pain behind the right eye and all around the right eye (forehead, right temple, around to under the right eye on the cheek). The right eye would not move correctly. March 27, 2021: I went to see Optometrist. He performed an eye exam with dilation and stated that the right eye was slow to track, and that the nerve behind the right eye was inflamed. He recommended blood work, CT scan, and an MRI. March 27, 2021 ? March 28, 2021: We went to ER at 9:00pm. After waiting six hours, I finally was able to see an ER doctor. No medical history was taken. No bloodwork was done. ER Dr performed a CT scan as Dr requested. CT scan w/o contrast showed no masses or hemorrhages. ER suggested to follow-up with Nuerology. March 29, 2021: Went to Neurologist and he examined me. He called in another Dr for a second opinion. They stated that it may be a possible cranial nerve palsy and ordered multiple MRIs. March 29, 2021: The earliest MRI appointment available was April 7, 2021. Scheduled the MRI. April 1, 2021: Had blood drawn at lab as Dr requested. April 2, 2021: Two weeks from the day of COVID19 vaccine #2, my right eyelid would not open at all and the pain was getting worse. April 5, 2021: Went to ER at 4:30am. Triage nurse sent me straight to an ER room and within minutes an ER doctor was there. Within 15 minutes after seeing the ER doctor, a Neurologist was examining me. The nuero doctor was very thorough. While waiting for the MRI, other neurologists and residents also examined me. MRI scans with and without contrast were performed. MRI images were clear ? no tumors, no aneurisms, and no stroke. They concluded that it was a micro-vascular injury to cranial nerve #3. (Similar to the Bells Palsy that I had in 2015.) They prescribed gabapentin to help calm the nerve pain. Follow-up will be with nuero-ophthalmologist.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1189492	4/10/2021	OH		F		4/5/2021	DIARRHEA 3 DAYS POST IMMUNIZATION; RUNNY EYES; This spontaneous report received from a patient concerned a 75 year old female. The patient's height, and weight were not reported. The patient's past medical history included breast cancer, and tonsillectomy, and concurrent conditions included erythromycin allergy, and other pre-existing medical conditions included patient had no known allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 1808980, expiry: UNKNOWN) dose was not reported, administered on 02-APR-2021 at left arm for prophylactic vaccination. No concomitant medications were reported. On JAN-2021, Laboratory data included: Chemotherapy (NR: not provided) unknown. On FEB-2021, Laboratory data included: Surgery (NR: not provided) unknown. On APR-2021, Laboratory data included: Radiation therapy (NR: not provided) unknown. On 05-APR-2021, the subject experienced diarrhea 3 days post immunization. On 05-APR-2021, the subject experienced runny eyes. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from diarrhea 3 days post immunization, and the outcome of runny eyes was not reported. This report was non-serious.
1189465	4/10/2021	NY	47	F		4/6/2021	SWOLLEN ALMOND SHAPE SPOT UNDER RIGHT EYE; INJECTION SITE PAIN; This spontaneous report received from a patient concerned a 47 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included allergy to contrast dye. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 041A21A, expiry: UNKNOWN) dose was not reported, administered on 06-APR-2021 to left arm for prophylactic vaccination. No concomitant medications were reported. On 06-APR-2021, the subject experienced swollen almond shape spot under right eye. On 06-APR-2021, the subject experienced injection site pain. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from injection site pain, and had not recovered from swollen almond shape spot under right eye. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1189446	4/10/2021			U			FLASHING LIGHTS IN LEFT EYE; BODY ACHES; CHILLS; FEVER; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: UNKNOWN, expiry: UNKNOWN) dose was not reported, administered on 2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 2021, the subject experienced flashing lights in left eye. On 2021, the subject experienced body aches. On 2021, the subject experienced chills. On 2021, the subject experienced fever. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from flashing lights in left eye, and the outcome of chills, fever and body aches was not reported. This report was non-serious.
1189443	4/10/2021	CA		50 M		4/1/2021	SWOLLEN EYES; RED EYES; RASH AROUND BOTH EYES; This spontaneous report received from a patient concerned a 50 year old male. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 042A21A, expiry: UNKNOWN) dose was not reported, administered on 31-MAR-2021 to left arm for prophylactic vaccination. No concomitant medications were reported. On APR-2021, the subject experienced swollen eyes. On APR-2021, the subject experienced red eyes. On APR-2021, the subject experienced rash around both eyes. Treatment medications included: diphenhydramine hydrochloride. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the rash around both eyes, swollen eyes and red eyes was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1189396	4/10/2021			F	3/1/2021		<p>VISUAL AND AUDITORY HALLUCINATIONS; HYPERACTIVITY; FLIGHT OF IDEAS; EMOTIONAL LABILITY; CIRCUMSTANTIAL SPEECH; TIME SEQUENCING; HYPERSENSITIVITY TO SMELLS; ALTERED MENTAL STATUS; HYPERSENSITIVITY TO SOUND; HYPERSENSITIVITY TO TASTE; HYPERSENSITIVITY TO VISUAL DISPLAYS; CHILLS; FEVER; FATIGUE; This spontaneous report received from a consumer concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805022, expiry: UNKNOWN) dose was not reported, administered on 19-MAR-2021 approximately at 10:30 am for prophylactic vaccination. No concomitant medications were reported. On 19-MAR-2021, within 6 hours from vaccination, the patient developed fever, chills, fatigue, which she treated with rest and acetaminophen. At 24 hours post vaccine, on 20-MAR-2021, patient experienced hyperactivity, flight of ideas, emotional lability, and visual and auditory hallucinations. At approximately 50 hours post vaccination, the symptoms worsened and patient was brought to the emergency room on 21-Mar-2021. Hospital Providers found lab work: CBC (complete blood count), BGM (Blood glucose meter), metabolic panel, urine analysis, EKG (electrocardiogram), chest x-ray, CT (computerized tomography) of the head all to be within normal limits. Patient was admitted to the hospital for altered mental status. On 22-Mar-2021, providers ordered EEG (electroencephalogram) showing irregularity in the temporal lobe, MRI (Magnetic resonance imaging) of the brain within normal limits, Lumbar puncture negative for bacteria, HSV, normal glucose/protein. ANA blood test positive. Due to persistent psychological symptoms and all medical tests coming back essentially normal, on the 4th day of her hospital stay, patient was admitted to the psychiatric unit for question delirium vs. late onset bipolar disorder. The environment on the psychiatric floor was worsening her symptoms, and family and hospital providers agreed that she would do better in her home environment and she was discharged on 30-Mar-2021. The patient was hospitalized for 9 days. Initial symptoms greatly improved by 2-Apr-2021, but circumstantial speech (coded as</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

circumstantiality), time sequencing (coded as temporal disorientation), hypersensitivity to smells, hypersensitivity to sounds, hypersensitivity to visual displays (coded as light sensitivity to eye), hypersensitivity to taste was persistent. The reporter was following up outpatient with psychiatry and was in pursuit of a primary care physician. Laboratory data included: Blood glucose (NR: not provided) within normal limits, CBC (NR: not provided) within normal limits, Chest X-ray (NR: not provided) within normal limits, Computerized tomogram head (NR: not provided) within normal limits, EKG (NR: not provided) within normal limits, Metabolic function test (NR: not provided) within normal limits, and Urine analysis (NR: not provided) within normal limits. On 22-MAR-2021, Laboratory data included: Antinuclear antibody positive (NR: not provided) positive, Blood glucose normal (NR: not provided) normal, EEG (NR: not provided) irregularity in the temporal lobe, Herpes simplex (NR: not provided) unknown, Lumbar puncture (NR: not provided) negative for bacteria, MRI brain (NR: not provided) within normal limits, and Protein NOS normal (NR: not provided) normal. Treatment medications (dates unspecified) included: paracetamol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the fever, chills, fatigue, hyperactivity, flight of ideas, emotional lability, visual and auditory hallucinations, circumstantial speech, time sequencing, hypersensitivity to smells, altered mental status, hypersensitivity to sound, hypersensitivity to visual displays and hypersensitivity to taste was not reported. This report was serious (Hospitalization Caused / Prolonged).; Sender's Comments: V0: 20210407369-covid-19 vaccine ad26.cov2.s-Visual and auditory hallucinations, Hyperactivity, flight of ideas, emotional lability, circumstantial speech, time sequencing, hypersensitivity to smell, altered mental status, hypersensitivity to sound, hypersensitivity to taste, hypersensitivity to visual display. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1189388	4/10/2021	OH		F	3/1/2021		<p>ACHY FLU-LIKE PAIN; JOINT PAIN; NO ENERGY; KNEE PAIN/ ARTHRITIC TYPE ACHE; WEAKNESS; HEADACHE; EXHAUSTION; NERVE PAIN ON HEAD; RIGHT SIDE EYE INFLAMMATION; SLEEP MORE THAN NORMAL-HAVE A HARD TIME GETTING UP; PAIN IN MY BODY; PAIN IN LOWER BACK; This spontaneous report received from a patient via a company representative concerned a 62 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included torn meniscus of the left knee, minor brain blockage, fibromyalgia, cervical spinal stenosis, degenerative disk disease, disabled, overweight, mild egg allergy, alcohol user, and non-smoker, and other pre-existing medical conditions included the patient did not have any history of drug abuse or illicit drug use. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, and batch number: 1802068 expiry: not reported) dose was not reported, administered on 08-MAR-2021 to left deltoid for prophylactic vaccination. Concomitant medications included acetylsalicylic acid for minor brain blockage. On 2021, treatment medications included: cannabidiol. On MAR-2021, the subject experienced sleep more than normal-have a hard time getting up. On MAR-2021, the subject experienced pain in my body. On MAR-2021, the subject experienced pain in lower back. On MAR-2021, the subject experienced nerve pain on head. On MAR-2021, the subject experienced right side eye inflammation. On MAR-2021, the subject experienced weakness. On MAR-2021, the subject experienced headache. On MAR-2021, the subject experienced exhaustion. On 11-MAR-2021, the subject experienced knee pain/ arthritic type ache. On 08-APR-2021, the subject experienced achy flu-like pain. On 08-APR-2021, the subject experienced joint pain. On 08-APR-2021, the subject experienced no energy. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from pain in lower back on 2021, and right side eye inflammation, had not recovered from knee pain/ arthritic type ache, and the outcome of headache, pain in my body, weakness, sleep more than normal-have a hard time getting up, exhaustion, achy flu-like pain, nerve pain on head, joint pain and no energy was not reported. This report was non-serious.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1189344	4/10/2021	AL	47	M	4/9/2021	4/9/2021	Systemic: Chest Tightness / Heaviness / Pain-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: Vision changes-Severe, Systemic: Flushed / Sweating-Severe, Systemic: Nausea-Medium, Systemic: Visual Changes/Disturbances-Severe, Additional Details: Patient presented with sweating, and pale face. Chest pressure/pain and left arm pain. Face was pale. Pt reported nausea and vision blurring in and out. Reported unable to stand and verbalized the desire to call an ambulance to evaluate. 911 was called and all advice followed until EMS arrived. Rph remained with patient until EMS arrival. Pt had NO swelling of lips/eyes or difficulty breathing. No hives. Unable to reach patient to assess curent status
1189323	4/10/2021	NY	35	F	4/6/2021	4/7/2021	24 hours after the injection I got swollen eyes. This is exactly what happens to me when I use a product (lotion, soap, etc.) so I?m assuming it?s my immune response. The swelling mostly went away 24 hours after onset (48 hours after shot).
1189188	4/10/2021	IA	57	F	4/9/2021	4/10/2021	Sore throat, dry eyes, mild stomach upset, head ache, muscle and joint pain/aches

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1188859	4/10/2021	FL	66	F	3/19/2021	3/20/2021	stroke; light headed; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of CEREBROVASCULAR ACCIDENT (stroke) in a 66-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 048A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included CML (CML Leukemia though she's in remission now) in 1999 and Surgery (Open eye surgery (2 & half year ago)). Concurrent medical conditions included Prediabetes, Blood pressure (Taking medication for blood pressure) and Renal disorder NOS (Taking medication for her kidneys). Concomitant products included METOPROLOL for BP, ATORVASTATIN for Cholesterol, ACETYLSALICYLIC ACID (ASPIRIN (E.C.)). On 19-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 20-Mar-2021, the patient experienced CEREBROVASCULAR ACCIDENT (stroke) (seriousness criteria hospitalization and life threatening). On 05-Apr-2021, the patient experienced DIZZINESS (light headed). The patient was hospitalized from 20-Mar-2021 to 23-Mar-2021 due to CEREBROVASCULAR ACCIDENT. At the time of the report, CEREBROVASCULAR ACCIDENT (stroke) had resolved and DIZZINESS (light headed) outcome was unknown. Not Provided The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Treatment of these events were not provided. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. However, patient's past medical history of CML, hypertension, Hyperlipidemia may contribute to this event. Further information is requested.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. However, patient's past medical history of CML, hypertension, Hyperlipidemia may contribute to this event. Further information is requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1188855	4/10/2021	TX	21	M	4/2/2021	4/2/2021	tunnel vision for a bit which then went away; felt like fainting; tingling in his toes and left arm and fingers.; This spontaneous case was reported by a consumer and describes the occurrence of TUNNEL VISION (tunnel vision for a bit which then went away) in a 21-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 031A217) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No reported medical history). On 02-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 02-Apr-2021, the patient experienced TUNNEL VISION (tunnel vision for a bit which then went away) (seriousness criterion medically significant), PRESYNCOPE (felt like fainting) and PARAESTHESIA (tingling in his toes and left arm and fingers.). At the time of the report, TUNNEL VISION (tunnel vision for a bit which then went away), PRESYNCOPE (felt like fainting) and PARAESTHESIA (tingling in his toes and left arm and fingers.) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. No concomitant medications were provided. Treatment information were not reported.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1189470	4/10/2021	CA		U			AFFECTED VISION; FELT SICK FOR 5 DAYS; This spontaneous report received from a consumer concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of administration not reported, batch number: Unknown) dose, start therapy date were not reported for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On an unspecified date, the patient experienced affected vision and felt sick for 5 days. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the felt sick for 5 days and affected vision was not reported. This report was non-serious.
1188832	4/10/2021	CA	35	M	3/16/2021	3/16/2021	4 hours after the vaccine shot on my left arm, my left eye started twitching. It happened a lot at first, and happened multiple times a day for 10-20 minutes at a time. After a couple weeks it slowed down to the point where it only happens every couple days. This absolutely did not happen before that exact day so I am relatively sure it was caused by the vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1189532	4/10/2021	CA	65	F	2/22/2021	2/22/2021	the rash is mostly on her right forearm; her eyes and the line of the eyelash are black and little pink; really bothering me : body aches, and the allergy reactions; really bothering me : body aches, and the allergy reactions; shaking; felt flu like symptoms; slept 36 hours straight; had a lot of nightmares; it was really strange , like i was not fully awake, like an alternate state; She knew she had to wake up and do some things like call a person but she could not actually; 3 hours after the shot, patient started to feel, extreme fatigue; Needed to stop walking because she had difficulty breathing; body pain; swollen face since she got the vaccine; face swollen and also the glands under her chin , her hands are swollen up; her throat is swollen and has a whizzing when breathing; Rash on her body; problems regulating her body temperature, she was extremely hot or extremely cold; lost her ability to walk, with no balance; had difficult to get her legs into her car, could not lift the legs; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of HALLUCINATION (She knew she had to wake up and do some things like call a person but she could not actually) in a 65-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 013M20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Allergic reaction (allergic reaction around 10 years ago with a flu shot). Concomitant products included VITAMIN D3, ZINC and MONTELUKAST for an unknown indication. On 22-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) .5 ml. On 22-Feb-2021, the patient experienced FATIGUE (3 hours after the shot, patient started to feel, extreme fatigue), DYSPNOEA (Needed to stop walking because she had difficulty breathing), MYALGIA (body pain), FACE OEDEMA (swollen face since she got the vaccine), SWELLING (face swollen and also the glands under her chin , her hands are swollen up), LYMPHADENOPATHY (her throat is swollen and has a whizzing when breathing), RASH (Rash on her body), BODY TEMPERATURE FLUCTUATION (problems regulating her body temperature, she was extremely hot or extremely cold), BALANCE DISORDER (lost her ability to walk, with no balance) and GAIT

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

DISTURBANCE (had difficult to get her legs into her car, could not lift the legs). On 26-Feb-2021, the patient experienced HALLUCINATION (She knew she had to wake up and do some things like call a person but she could not actually) (seriousness criterion medically significant), TREMOR (shaking), INFLUENZA LIKE ILLNESS (felt flu like symptoms), HYPERSOMNIA (slept 36 hours straight), NIGHTMARE (had a lot of nightmares) and FEELING ABNORMAL (it was really strange , like i was not fully awake, like an alternate state). On 12-Mar-2021, the patient experienced RASH (the rash is mostly on her right forearm), EYE COLOUR CHANGE (her eyes and the line of the eyelash are black and little pink), PAIN (really bothering me : body aches, and the allergy reactions) and TYPE IV HYPERSENSITIVITY REACTION (really bothering me : body aches, and the allergy reactions). On 24-Feb-2021, BODY TEMPERATURE FLUCTUATION (problems regulating her body temperature, she was extremely hot or extremely cold) had resolved. At the time of the report, HALLUCINATION (She knew she had to wake up and do some things like call a person but she could not actually), FATIGUE (3 hours after the shot, patient started to feel, extreme fatigue), DYSPNOEA (Needed to stop walking because she had difficulty breathing), MYALGIA (body pain), FACE OEDEMA (swollen face since she got the vaccine), SWELLING (face swollen and also the glands under her chin , her hands are swollen up), LYMPHADENOPATHY (her throat is swollen and has a whizzing when breathing), RASH (Rash on her body), RASH (the rash is mostly on her right forearm), EYE COLOUR CHANGE (her eyes and the line of the eyelash are black and little pink), TREMOR (shaking), INFLUENZA LIKE ILLNESS (felt flu like symptoms), HYPERSOMNIA (slept 36 hours straight), NIGHTMARE (had a lot of nightmares), FEELING ABNORMAL (it was really strange , like i was not fully awake, like an alternate state), PAIN (really bothering me : body aches, and the allergy reactions), TYPE IV HYPERSENSITIVITY REACTION (really bothering me : body aches, and the allergy reactions), BALANCE DISORDER (lost her ability to walk, with no balance) and GAIT DISTURBANCE (had difficult to get her legs into her car, could not lift the legs) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Concomitant medications also included supplements (not specified). Montelukast, ibuprofen 800mg daily since the 1st dose was administered. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1188812	4/10/2021	NJ	21	F	3/3/2021	3/3/2021	serious allergic reaction; breathing was labored; red scratch marks all over her upper body; heart beat was getting very rapid; vision was wonky; right eye was swollen; face was beet red; nauseous; A spontaneous report was received from a consumer's mother who state's a 21 year female experienced a serious allergic reaction(hypersensitivity) to the vaccine. The patient's medical history was not provided. Concomitant product use was not provided by the reporter. On 03-MAR-2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Batch number: unknown) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 03-MAR-2021 around 15:00, she received the Moderna COVID-19 vaccine in her left deltoid muscle at Shop Rite Pharmacy. 6 hours later she noticed red scratch marks all over her upper body, her heart beat was getting very rapid, her breathing was labored, her vision was wonky, her right eye was swollen and her face was beat red. 911 was called, upon arrival the EMT administered IV diphenhydramine (Benadryl) 50 mg and at the emergency room they gave her famotidine (Pepcid) and a steroid drip (methylprednisolone). After receiving treatment, the reporter states the patient felt great and was discharged. The doctor prescribed her methylprednisolone. Additionally she states the patient was also nauseous last night which went away around 2:00am. They told her to consult her primary care provider about the second Moderna COVID-19 vaccination. Action taken with mRNA-1273 in response to the event(s) was not provided/unknown. The outcome of the event, serious allergic reaction is unknown.; Reporter's Comments: This case concerns a 21 Y/O F with serious unexpected events of hypersensitivity, dyspnea, and nonserious unexpected heart rate increased, vision blurred, eye swelling, erythema, scratches and expected nausea. Event onset on Day 1 after first dose mRNA-1273. Treated with diphenhydramine and methylprednisolone. Hypersensitivity resolved. Based on current available information and temporal association between use of the product and start date of the event, a causal relationship cannot be excluded.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1192540	4/10/2021	TX	55	F	4/7/2021	4/7/2021	The day of the shot I started having some pain behing my eyes (8 pm). I went to bed at about 11 pm and could not sleep so I took a sleeping pill (Zolpidem 10 mg) but could not sleep all night feeling very exited and restlees. At about 8 am next day (april 8) I started feeling nausea, headache and an overall sick feeling in my body. The nausea went on until about 2 pm, On april 9 I had head ache again at around 2 pm. On april 10 I had a ligh headache at around 1 pm that continued until night (around midnight).
1188798	4/10/2021	IL	37	M		4/2/2021	BACK PAIN; FATIGUE; TENSION HEADACHE; NASAL CONGESTION; SPASMS NEAR EYES; This spontaneous report received from a patient concerned a 37 year old male. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808980 expiry: UNKNOWN) dose was not reported, administered on 31-MAR-2021 vaccinated on left arm for prophylactic vaccination. No concomitant medications were reported. On 02-APR-2021, the subject experienced nasal congestion. On 02-APR-2021, the subject experienced spasms near eyes. On 02-APR-2021, the subject experienced tension headache. On 03-APR-2021, the subject experienced back pain. On 03-APR-2021, the subject experienced fatigue. The action taken with Covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from back pain, and tension headache on 04-APR-2021, and had not recovered from nasal congestion, fatigue, and spasms near eyes. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1188758	4/10/2021	NY	48	M		4/3/2021	BODY ACHE/PAIN; ITCHY EYES; SKIN SENSITIVE TO TOUCH; FLU LIKE SYMPTOMS; CHILLS; GENERAL JOINT PAIN; MILD HEADACHE; FEELING TIRED; This spontaneous report received from a patient concerned a 48 year old male. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 01808978, expiry: UNKNOWN) dose was not reported, administered on 02-APR-2021 14:00 to left deltoid for prophylactic vaccination. No concomitant medications were reported. On 03-APR-2021, the subject experienced body ache/pain. On 03-APR-2021, the subject experienced itchy eyes. On 03-APR-2021, the subject experienced skin sensitive to touch. On 03-APR-2021, the subject experienced mild headache. On 03-APR-2021, the subject experienced chills. On 03-APR-2021, the subject experienced feeling tired. On 03-APR-2021, the subject experienced flu like symptoms. On 03-APR-2021, the subject experienced general joint pain. Treatment medications (dates unspecified) included: diphenhydramine hydrochloride. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from body ache/pain, itchy eyes, skin sensitive to touch, mild headache, chills, flu like symptoms, and general joint pain, and was recovering from feeling tired. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1188724	4/10/2021	NV	46	F	3/25/2021		LEFT EYE SWELLING; LEFT EYE REDNESS; BODY ACHES; CHILLS; FEVER; This spontaneous report received from a consumer concerned a 46 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on 25-MAR-2021 to left arm for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 25-MAR-2021, the subject experienced left eye swelling. On 25-MAR-2021, the subject experienced left eye redness. On 25-MAR-2021, the subject experienced body aches. On 25-MAR-2021, the subject experienced chills. On 25-MAR-2021, the subject experienced fever. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from left eye swelling, left eye redness, body aches, chills, and fever on 01-APR-2021. This report was non-serious.
1188705	4/10/2021	ME	22	M	4/1/2021		RED RASH UNDER BOTH EYES; CHILLS; FATIGUE; This spontaneous report received from a patient concerned a 22 year old male. The patient's height, and weight were not reported. The patient's concurrent conditions included alcohol use, and non smoker, and other pre-existing medical conditions included the patient had no known drug allergies. the patient had no drug abuse or illicit drug usage. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808980, expiry: 20-JUN-2021) dose was not reported, administered on 31-MAR-2021 on Left Arm for prophylactic vaccination. No concomitant medications were reported On 01-APR-2021, the subject experienced chills. On 01-APR-2021, the subject experienced fatigue. On 02-APR-2021, the subject experienced red rash under both eyes. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from chills, and fatigue on 02-APR-2021, and had not recovered from red rash under both eyes. This report was non-serious.; Sender's Comments: V0: Medical assessment comment not required as per standard procedure as case assessed as non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1188630	4/10/2021	NC		U		3/1/2021	CHILLS; FEVER; PATIENT FAINTED IN BATHROOM; FAINTING RESULTED IN BLACK EYE; This spontaneous report received from a patient via a company representative concerned a patient of unknown sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin, and batch number were not reported) dose was not reported, administered on 05-MAR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On the night of vaccination, 05-MAR-2021, the patient had chills and fever. The following day, the patient fainted in the bathroom which resulted in a black eye. At the time of this report, there were no reports of the previously mentioned adverse events. The patient would get a head x-ray to make sure everything was okay. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from patient fainted in bathroom, chills, and fever on MAR-2021, and the outcome of fainting resulted in black eye was not reported. The reporter causality between covid-19 vaccine ad26.cov2.s and chills, fever, patient fainted in bathroom was related. The reporter causality between covid-19 vaccine ad26.cov2.s and fainting resulted in black eye was possible. Company causality between covid-19 vaccine ad26.cov2.s and chills, fever, patient fainted in bathroom, fainting resulted in black eye was possible. This report was serious (Other Medically Important Condition).; Sender's Comments: V0 20210318094-covid-19 vaccine ad26.cov2-fainting. This event is considered unassessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event.
1188535	4/10/2021	IL	46	F	4/7/2021	4/8/2021	Dizzy, Pain in joints, smell changed, taste, headache, pain in eyebrow, hallucinations, flushed

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1188512	4/10/2021	CA	65	F	4/9/2021	4/9/2021	event: Patient complained of experience throat swelling and difficulty swallowing within 15 mins of administration treatment: 1 EpiPen was administered into thigh followed by 1 Benadryl 50mg capsule. RPH offered to contact paramedic for patient or have patient go to ER, but patient refused both. outcome: patient reported feeling better within 30 minutes of treatment and no more symptoms originally report. Patient was advised to still seek medical attention due possible symptoms returning but refused. Patient said she will have a friend pick her up and stay with to make sure she has supervision at all time.
1188487	4/10/2021	CA	33	F	4/9/2021	4/9/2021	Janssen COVID-19 Vaccine EUA About five minutes after receiving the shot I suddenly got tunnel vision, started sweating and felt like I was passing out. I laid down and vitals showed that my blood pressure went down to the 50s. I recovered after around 20 minutes of monitoring and rest
1188478	4/10/2021	PA	58	F	4/2/2021	4/3/2021	On Saturday04/03/21 the lymph node on the right low jaw was painful & swollen. On Sunday 04/04/21 my eyebrows, around my mouth, my chin & under my neck were excessively itching. To the point I felt like I had two chins. On Monday 04/05/21 my body began feeling itchy and during the evening I began seeing scanty rashes. By Tuesday 04/06/21 it was unbearable. I could not sit still. Different areas would feel funny like a burning sensation, then wherever I feel the burning rashes would break out with severe itching. My body itched beyond relief. I sought medical treatment at Urgent Care Facility. I was given predisone40 mg daily & Benadryl for 5 days. Only today 04/09/21 I finally got relief. My breast & abdomen still very tender, I took Photos of my rashed arm.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1190947	4/10/2021	CA	28	F	3/25/2021	3/25/2021	felt very faint; lost visual clarity; profuse sweating; ears ringing; severe dizziness; heart palpitations; tension in my throat; severe nausea; This is a spontaneous report from a contactable consumer (patient) who reported for herself A 28-year-old female patient (not pregnant) received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot EN5318), in left arm on 25Mar2021 at 14:30 (at 28 years) as single dose for covid-19 immunisation. The patient medical history and concomitant medications were not reported. On 25Mar2021 at 14:30 (as reported) the patient felt very faint, lost visual clarity, had profuse sweating, ears ringing, severe dizziness, heart palpitations, tension in her throat and severe nausea. Events were also described as follows: about 2 mins after (as reported) felt very faint, lost visual clarity, profuse sweating, ears ringing, severe dizziness, heart palpitations, tension in throat. Remained for about 5-10mins. Then severe nausea. No treatment given for the events. The final outcome for all the events was reported as recovering.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1188845	4/10/2021	TX	46	F	3/29/2021	3/29/2021	Allergic reaction; Eyeballs were itching; Lump about the size of an egg at injection site; Whole body was red; This spontaneous case was reported by a consumer and describes the occurrence of HYPERSENSITIVITY (Allergic reaction) in a 46-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 045A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event. On 29-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 29-Mar-2021, the patient experienced HYPERSENSITIVITY (Allergic reaction) (seriousness criterion medically significant) and EYE PRURITUS (Eyeballs were itching). 29-Mar-2021, the patient experienced VACCINATION SITE SWELLING (Lump about the size of an egg at injection site) and ERYTHEMA (Whole body was red). On 31-Mar-2021, EYE PRURITUS (Eyeballs were itching) had resolved. On 01-Apr-2021, HYPERSENSITIVITY (Allergic reaction) had resolved. At the time of the report, VACCINATION SITE SWELLING (Lump about the size of an egg at injection site) had resolved and ERYTHEMA (Whole body was red) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Concomitant product use was not provided by the reporter. Treatment information included patient was seen in emergency room and was given diphenhydramine and a steroid. She was released the same day. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.
1189742	4/10/2021	FL	42	M	4/9/2021	4/9/2021	syncope loss of vision and dizzy
1189951	4/10/2021	PA	39	M	4/5/2021	4/5/2021	Chest pain, fever, body aches, headaches, blurry vision. All seemed to last about 5 days. Pain at injection is still sore. Wife had same exact adverse effects.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1189945	4/10/2021		35	F	4/8/2021	4/8/2021	First day 4/8/21 pain at site, extreme headache, extreme body aches, chills and low grade fever. 4/9/21 substantial swelling under right eye.
1189925	4/10/2021	PA	42	F	4/5/2021	4/5/2021	About 3 hours after the vaccine was given, I had chest pains and started running a fever. I had acute lower back pain and felt overall very lethargic. The fever continued through the night and broke around 3am. The next morning I felt okay but by 10am started to run a fever again for the remainder of the day and chest pains and headache/body aches were now VERY present. It is now 5 days after the shot and I'm just starting to feel like myself again. The headaches and overall body aches lasted for days. I also had blurry vision on and off during this time. My husband and I workout every day and eat very well. We're not overweight and don't smoke. The injection site is still sore 5 days later. I will complete another form for my husband but he experienced the EXACT SAME reactions....every one of them.
1189896	4/10/2021	TX	46	F	4/8/2021	4/8/2021	Dizziness, nausea, uncontrollable shaking lasting for 4 hours, chills, lethargy, barely able to walk, feeling of being on fire, feeling of being unable to catch a breath, dry eyes and mouth, severe sweating, not being able to control leg movements, unusual thoughts, confusion, stabbing pains in different parts of the body, all over aching in joints and muscles, rapid heartbeat.
1189889	4/10/2021	TX	39	F	4/8/2021	4/8/2021	Very bad chills, puking, nausea, migraine, body aches, very sore left arm. At time of injection of vaccine it hurt and my arm started hurting. About 20 mins after vaccine I was slightly dizzy and vision a little blurry. I sat down a few more minutes. About 3 hours later that even is when the chills, body aches, migraine started. All thru that night I was in pain. Next day still felt like my head was in a vice with a migraine. The chills had gone away. still had body aches just not as severe. Day 3 after vaccine. SLight headache (nothing like the vice headache) , arm is still very sore. body aches have subsided considerably. I treated with taking Tylenol and using a heating pad on my arm and back to help with body aches and pain,.
1189881	4/10/2021	VA	27	F	4/9/2021	4/10/2021	Body Aches, Fever, Head Ache, Eye Pain, Injection Site Pain, Chills



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1189847	4/10/2021	CT	26	F	4/7/2021	4/7/2021	Janssen COVID-19 Vaccine EUA Initial pain in injected arm (left) that dissipated after 20 min. Roughly 5hrs. after vaccination: -Fever of 102.5 degrees F, nausea, eye sockets sore, intense throbbing headache, chills, felt like skin was over heating, dizziness, disorientation, intense body aches all over (arms, legs and back felt too sore to move) -Fever broke roughly 24 hours after injection - Treatment involved drinking lots of water, ice compress on forehead, and 1 Tylenol pill
1189834	4/10/2021	VA	66	F	3/19/2021	3/28/2021	Shingles - Herpes Zoster rash affecting forehead, scalp and left eye Tx: Valcyclovir, Gabapentin, Tramadol
1189815	4/10/2021	CT	63	F	4/9/2021	4/10/2021	woken up by a severe pain in my heart area. Bad Headache shortly after receiving the shot. My Left eye won't stop twitching. Rash on upper chest, nausea, upper chest/lungs area feel like they have a slight burning feeling. Chills, Fever. muscle pain my body feels like a truck hit it.
1189799	4/10/2021	MI	54	F	4/7/2021	4/7/2021	Slightly blurred vision after the 2nd dose. It is Saturday April 10 now and my right eyelid is a bit red and puffy. I've taken Allegra each day since the 7th and using a cold compress now and it seems to help
1189770	4/10/2021	OH	81	M	4/10/2021	4/10/2021	Pt here for covid vaccine. Received Pfizer at 800am. Was in observation area and RN noticed that pt was experiencing SOB at approx 811am . Upon questioning Pt stated this was his normal breathing and needed to use inhaler. Pt stated he has been experiencing this SOB for several weeks. Used inhaler was stated was feeling better. RN went to get grandson from parking lot, he stated that pt was SOB this AM when he picked him up. Pt was being questioned by RN when he became diaphoretic and less responsive. 911 called at 819am. VS attempted difficult to get BP via dianamap. Pulse was present. 4L O2 placed on pt . Pox per dianamap was in the 60's. Paramedics arrived at approx 823 am and left at approx 826am . Pt opened eyes and responded to name on way out to ambulance.
1189768	4/10/2021	FL	67	F	4/6/2021	4/8/2021	pain in mucous membrane of face, possible recurrence of eye pain in right eye, floaters in visual field

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1189493	4/10/2021	OK		F		4/6/2021	BODY ACHES; WATERY EYES; CHILLS; HEADACHES; FEVER; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 042A21A expiry: UNKNOWN) dose was not reported, administered on 06-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 06-APR-2021, the subject experienced body aches. On 06-APR-2021, the subject experienced watery eyes. On 06-APR-2021, the subject experienced chills. On 06-APR-2021, the subject experienced headaches. On 06-APR-2021, the subject experienced fever. Laboratory data included: Body temperature (NR: not provided) 100.7 F. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from chills, fever, body aches, watery eyes, and headaches. This report was non-serious.
1189744	4/10/2021	MT	79	F	3/30/2021	3/30/2021	Out-of-sorts feeling, lethargic, achy, tired, sore arm, itchy eyes This continued for 4-5 days but the out-of-sorts, zoomed out feeling returned yesterday. The itchy, runny eyes has been constant
1189499	4/10/2021	NY	95	F		4/1/2021	This spontaneous report received from a patient concerned a 95 year old Asian female. The patient's height, and weight were not reported. The patient's concurrent conditions included macular degeneration. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808978, expiry: UNKNOWN) dose was not reported, administered on 01-APR-2021 to left deltoid for prophylactic vaccination. No concomitant medications were reported. On APR-2021, the patient experienced tiredness. On 01-APR-2021, the patient experienced blurry vision. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from blurry vision, and the outcome of tiredness was not reported. This report was non-serious.
1189730	4/10/2021	FL	18	M	4/9/2021	4/9/2021	tunnel vision, feeling faint, loss of hearing

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1189716	4/10/2021	IL	45	F	3/4/2021	4/1/2021	My eyes and lips has swollen up. I broke out with weaps/ marks on my body I had to take Benadryl sue to my throat started to close
1189714	4/10/2021	IL	50	F	1/15/2021	1/15/2021	Nausea within an hour of shot. Body aches, Headache, arm pain and 3 days after shot hives on arm/ looking like mosquito bites all over that arm. took Benadryl and used benadryl cream for the itching, it was gone in about 24 hours after use of benadryl. After second vaccine ~ no reactions except headache. but I am having allergic reactions to all kinds of antibiotics that I have NEVER been allergic to before. Red face and eyes, Peeling and blistering skin, lips and face, major itching, rashes (on face).
1189707	4/10/2021	DE	26	F	4/2/2021	4/3/2021	12 hours after vaccine around 3:30am on Saturday I woke up with sever chills, shaking uncontrollably for an hour or 2. I fell back to sleep and woke up about an hour later burning up and sore head to toe. I threw up and had a migraine that lasted the rest of the day. I was able to fall asleep around 6:30am and when I woke up around 9 I was just exhausted, sore all over, nauseous, with a headache. This lasted about a day. On sunday afternoon my toddler lightly hit my right arm where the vaccine was and it became sore, red, and swollen. By the late evening that day the soreness and redness increased. Monday-Thursday the redness and swelling increased to about 2 inches round and felt very tight with a lump in the swelling and it was warm to the touch. By friday the redness and swelling reduced to about an inch, but there is still an inch small lump at the injection site and hurts when anything touches it. The redness has faded and there is no visual bruising.
1189658	4/10/2021	GA	26	F	4/9/2021	4/9/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Tinnitus-Mild, Systemic: Visual Changes/Disturbances-Mild, Additional Details: Patient stated she felt ringing in the ear and darkening of vision within 5 minutes of vaccine administration. Patient felt better after drinking orange juice, and water. Patient was observed for total 30 minutes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1189654	4/10/2021	NY	16	F	4/9/2021	4/9/2021	Site: Pain at Injection Site-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Nausea-Mild, Systemic: Visual Changes/Disturbances-Mild, Systemic: Vomiting-Mild, Additional Details: Patient started feeling dizzy within 5 minutes after vaccine administration. Patient vomitted once during observation period. Patient also stated feeling ringing in ears and vision darkening right before throwing up. Patient felt better after throwing up. Patient was observed for total 30 minutes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1189650	4/10/2021	IL	40	F	1/29/2021	1/31/2021	<p>slept over 20 hours day 4, plus 12 day 5; Joint and muscle pain; Joint and muscle pain; extreme fatigue/exhausted; Congested with runny nose; Congested with runny nose; itchy eyes; generally feeling ill; This is a spontaneous report from a contactable other healthcare professional reported for herself. A 40-year-old female patient (patient was not pregnant at the time of vaccination) received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot number: EL3247, Expiry date: unknown) intramuscular, administered in Arm Left on 29Jan2021 09:45 am (at the age of 40-years-old) at a single dose for covid-19 immunisation. Medical history included sinus tachycardia, panic disorder, depression, chronic fatigue syndrome, PCOS. Allergies to medications, food, or other products was Penicillin. Concomitant medication patient received within 2 weeks of vaccination included Metformin 500mg, Metoprolol 50 mg, Paroxetine 50 mg and vitamin D. The patient previously took first dose of BNT162B2 (lot number: EL0140) on 08Jan2021 on right arm at a single dose for covid-19 immunisation and 2 weeks or so after first shot, noticed severe itching on my left upper thigh with bumps and after this shot, itching has spread to face and arms. The patient experienced joint and muscle pain, extreme fatigue/exhausted on 31Jan2021, slept over 20 hours day 4, plus 12 day 5 on 01Feb2021 and congested with runny nose, itchy eyes, generally feeling ill in 2021. The event was considered as non-serious. Facility where the most recent COVID-19 vaccine was administered was Nursing Home/Senior Living Facility. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has been tested for COVID-19. No treatment was received for the adverse event. The patient underwent lab tests and procedures which included Oropharyngeal: negative on 01Feb2021. The outcome of all the events was not recovered.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1189629	4/10/2021	NY		F	3/1/2021		<p>Blood clot on her eye after vaccination; Her HCP told her that she could wait even 3 months to get the 2nd dose; This spontaneous case was reported by a patient (subsequently medically confirmed) and describes the occurrence of THROMBOSIS (Blood clot on her eye after vaccination) in a female patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Enucleation of eyeball. In March 2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, the patient experienced THROMBOSIS (Blood clot on her eye after vaccination) (seriousness criterion hospitalization) and OFF LABEL USE (Her HCP told her that she could wait even 3 months to get the 2nd dose). At the time of the report, THROMBOSIS (Blood clot on her eye after vaccination) and OFF LABEL USE (Her HCP told her that she could wait even 3 months to get the 2nd dose) outcome was unknown. Not Provided The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Concomitant product use was unknown. Treatment information not provided. Her HCP told her that she could wait even 3 months to get the 2nd dose Patient decided not to give more information as she believed it wouldn't help her. Reporter did not allow further contact; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1189626	4/10/2021	OH	70	F	2/10/2021	3/10/2021	<p>Diverticulitis acted up; bumps breaking out all over her body; itched; welts; fever of 100 degrees Fahrenheit; achiness; pain in toe nails and finger nails; This spontaneous case was reported by a consumer and describes the occurrence of DIVERTICULITIS (Diverticulitis acted up) in a 70-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Diverticulitis. Concomitant products included DULAGLUTIDE (TRULICITY), SIMVASTATIN, LOSARTAN, ESCITALOPRAM, ROPINIROLE HYDROCHLORIDE (REQUIP), GABAPENTIN, MELOXICAM, LEVOTHYROXINE, CANAGLIFLOZIN HEMIHYDRATE, METFORMIN HYDROCHLORIDE (INVOKANA DUO), METFORMIN, ESOMEPRAZOLE MAGNESIUM (NEXIUM 24HR), CALCIUM CITRATE, COLECALCIFEROL (CITRACAL + D3), CENTRUM SILVER +50, ASCORBIC ACID, BETACAROTENE, CUPRIC OXIDE, TOCOPHERYL ACETATE, ZINC OXIDE (PRESERVISION) and TRAMADOL for an unknown indication. On 10-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 10-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 10-Mar-2021, the patient experienced PAIN (achiness), ONYCHALGIA (pain in toe nails and finger nails) and PYREXIA (fever of 100 degrees Fahrenheit). On 20-Mar-2021, the patient experienced SKIN MASS (bumps breaking out all over her body), PRURITUS (itched) and URTICARIA (welts). On 21-Mar-2021, the patient experienced DIVERTICULITIS (Diverticulitis acted up) (seriousness criterion medically significant). On 23-Mar-2021, DIVERTICULITIS (Diverticulitis acted up), SKIN MASS (bumps breaking out all over her body), PRURITUS (itched) and URTICARIA (welts) outcome was unknown. At the time of the report, PAIN (achiness), ONYCHALGIA (pain in toe nails and finger nails) and PYREXIA (fever of 100 degrees Fahrenheit) outcome was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Treatment medication included prednisone and benadryl.; Sender's Comments: Based</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1189616	4/10/2021	IL	60	M	3/30/2021	3/30/2021	<p>on the current available information which includes a temporal association between the use of the product and onset of the events, a causal relationship cannot be excluded. Fever is consistent with the known safety profile of mRNA-1273</p> <p>loss of sight in his eyes; Soreness around the injection site; This spontaneous case was reported by a consumer and describes the occurrence of BLINDNESS (loss of sight in his eyes) in a 60-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 028A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No reported medical history). On 30-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 30-Mar-2021, the patient experienced VACCINATION SITE PAIN (Soreness around the injection site). On 31-Mar-2021, the patient experienced BLINDNESS (loss of sight in his eyes) (seriousness criterion medically significant). At the time of the report, BLINDNESS (loss of sight in his eyes) and VACCINATION SITE PAIN (Soreness around the injection site) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Reporter did not allow further contact; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event of vaccination site pain, a causal relationship cannot be excluded. However,very limited information regarding the event of Blindness has been provided at this time. Further information has been requested.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1189613	4/10/2021	TX	91	F	3/9/2021	3/9/2021	<p>Lethargic/ felt extremely weak lethargic/m body shut down; sleepy; lost appetite; couldn't use bathroom, open her eyes, or eat; This spontaneous case was reported by a consumer and describes the occurrence of FATIGUE (Lethargic/ felt extremely weak lethargic/m body shut down), SOMNOLENCE (sleepy), DECREASED APPETITE (lost appetite) and FEELING ABNORMAL (couldn't use bathroom, open her eyes, or eat) in a 91-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The patient's past medical history included No adverse event (No relevant medical history provided). On 09-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 09-Mar-2021, the patient experienced FATIGUE (Lethargic/ felt extremely weak lethargic/m body shut down) (seriousness criteria hospitalization, disability and medically significant), SOMNOLENCE (sleepy) (seriousness criterion hospitalization), DECREASED APPETITE (lost appetite) (seriousness criterion hospitalization) and FEELING ABNORMAL (couldn't use bathroom, open her eyes, or eat) (seriousness criterion hospitalization). The patient was hospitalized on 09-Mar-2021 due to DECREASED APPETITE, FATIGUE, FEELING ABNORMAL and SOMNOLENCE. At the time of the report, FATIGUE (Lethargic/ felt extremely weak lethargic/m body shut down), SOMNOLENCE (sleepy), DECREASED APPETITE (lost appetite) and FEELING ABNORMAL (couldn't use bathroom, open her eyes, or eat) outcome was unknown. Not Provided The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Concomitant product use was not provided by the reporter. No treatment information was provided. Reporter did not allow further contact; Sender's Comments: This case concerns a 91-year-old female hospitalized with serious unexpected events of fatigue, somnolence, decrease appetite, and feeling abnormal. Event onset Day 1 after first dose mRNA-1273. Event outcomes unknown. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1189961	4/10/2021	NM	63	F	4/7/2021	4/7/2021	Dizzy ,nausea ,complete loss of consciousness, catatonic, eyes rolled back , rigid total body ,extreme low blood pressure for over 1/2 hour Immediately at vaccine time ... 24 hours later chills , bad headache, nausea vomiting
1189757	4/10/2021	NY	72	F	2/8/2021	2/8/2021	developed swelling in the cheek and under the eye; developed swelling in the cheek and under the eye; rash; Little lightheaded; This is a spontaneous report received from a contactable consumer (reporting on herself). A 72-years-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, Lot Number: EM9810; Expiration Date: Jun2021) via an unspecified route of administration in Arm Left on 08Feb2021 09:30 as single dose for COVID-19 immunization. Medical history included food allergy, arthropod sting, drug hypersensitivity, hypersensitivity. There were no concomitant medications. On 08Feb2021 at 09:30 patient got her first dose of BNT162B2 at one of their sites. About an hour or two ago, she noticed swelling in the cheek and under the eye and a rash. It was nothing severe. She has a history of a similar allergic reaction. She has an allergy to eggs and a bee sting and also a few drugs that she was sensitive to. She spoke with her physician at NYU and made them aware of all of these before she got it and she felt fine. She stayed 30 minutes. She was a little lightheaded, but she had not eaten or drank anything. She went home, made lunch, and now she sees a little swelling in her cheek and some redness. She still has to get the second shot. She would like to know if she should be concerned about this. The outcome of the events swelling in the cheek and under the eye, swelling in the cheek and under the eye and rash was not recovered and for event little lightheaded was recovering.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1191997	4/10/2021	AL	35	F	4/9/2021	4/9/2021	I had absolutely no symptoms prior to receiving the vaccination. After receiving the injection, I was directed to an extended 30 minute waiting area due to existing health conditions (MCAS). Within the first five minutes I began to feel strange pvc-like cardiac sensations in my chest (which I have not had for almost a year until now). Additionally, I began to feel quite dizzy, like I might pass out, and had immediate brain fog. I told the attending nurse that came to check on me and she called the on-site physician over to do a check up. I was told I seemed flushed on my chest and neck but I couldn't feel much at the time, so we weren't sure if it was related. I was given a snack and water after the clinician asked if I may need to eat. I also took my afternoon beta-blocker a little early as a preventative measure. I began to feel quite hot and symptoms continued until the 30 minute window was up. My pulse was stable, however I was repeatedly asked if I wanted to call EMS services to the center (there weren't any on site due to time of day). Since my symptoms weren't seeming to get any worse and I didn't want to go to the hospital, I decided to carefully drive myself home. After leaving the clinic, my cheeks began to flush a very bright red, along with both ears, which were a dark reddish-purple. I began to experience a headache but no other symptoms. Later that night I began to feel very tired and generally unwell. I experienced increased muscle pain and fatigue along with multiple strange, vivid dreams. This morning (the following day), I have felt extremely fatigued. I've experienced headache, tinnitus, dizziness, as well as a disturbing feeling of pressure from my chest down to my lower abdomen, and blurry vision (that began in the afternoon). I have had several episodes of severe brain fog and hot flashes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1191786	4/10/2021	AK	39	F	3/26/2021	3/26/2021	decreased hearing; Allergic reaction which included hives; Mild vasovagal reaction; itchy throat; Allergic reaction which included hives, itchy throat, eyes, nose, and ears, and hives; fast heart rate; flushing; lightheaded; itchy throat, eyes, nose, and ears; itchy throat, eyes, nose, and ears; itchy throat, eyes, nose, and ears; This is a spontaneous report from a contactable other HCP (patient). A 39-year-old non-pregnant female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), at the age of 39-year-old via an unspecified route of administration, administered in Arm Left on 26Mar2021 17:00 (Batch/Lot number was not reported) as single dose for covid-19 immunisation. Medical history included asthma, allergies, inflammatory bowel disease. There was no COVID prior vaccination, no other vaccine within 4 weeks prior to the COVID vaccine, and no COVID tested post vaccination. Concomitant medications included fexofenadine hydrochloride (ALLEGRA); lisdexamphetamine mesilate (VYVANSE); breo all within 2 weeks of vaccination. The patient experienced allergic reaction which included hives, itchy throat, eyes, nose, and ears; mild vasovagal reaction which included flushing, fast heart rate, lightheaded, and decreased hearing all on 26Mar2021 17:15 and resulted in Doctor or other healthcare professional office/clinic visit. Treatments included antihistamines and steroids. The events outcome was recovering. Information on the lot/batch number has been requested.; Sender's Comments: Based on temporal association and profile of the product BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), the contributory role of the suspect product is possible.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1192128	4/10/2021	NC	37	F	4/10/2021	4/10/2021	Upon administering Janssen COVID19 vaccine, patient experienced vasovagal syncope approximately 5 seconds after administration. This occurred at approximately 11:15 am on 4/10/21. After approximately 5 to 10 seconds, patient opened eyes, became alert and was assisted to a sitting position where she was observed for approximately 30 minutes. Patient left pharmacy and was contacted at 1:10 pm to check up on condition. Patient said she was feeling fine and was thankful for pharmacy's concern. Patient instructed to contact pharmacy with any questions or change in status.
1192108	4/10/2021		36	F	3/25/2021	3/25/2021	One hour after the shot, I felt a choking sensation at the top of my throat/back of my mouth. This happened right after I drank water for the first time after the shot. My father looked in my throat and said it was my uvula, which was enlarged and swollen. I also had a lot of red streaks and veins on my uvula and throat, similar to what it looks like in your eye when you have conjunctivitis. I could swallow, talk, and eat, so we did not go to the ER. However, this choking sensation and swelling did not dissipate at all for 13 days. I could technically eat, but I often didn't because it was painful. I also had a tight heavy chest and was exhausted after small movements. After a week, a nurse suggested taking Benadryl and Pepcid for two days. I didn't feel any difference, so I went to urgent care. A covid test was negative. The doctor there said to consult UAB and the CDC before getting the second shot because he was not sure if it was an allergic reaction. I have not been able to get in contact with anyone from either place. My symptoms sometimes go away and I get some relief now, but it hasn't gone away completely. I would really appreciate some help in making the decision to take the second shot. It is scheduled for April 15 and I have been desperately asking for someone to call me. I've left a message on the CDC's phone line. The UAB hospital just tells me to call the CDC. The state health dept said I should have the second shot administered inside a hospital instead of the drive-thru but did not help me get this arrangement. I am on my own with no advocate and I am disabled. The process of getting the first shot also contributed to what seemed to be an increase in sensory processing difficulties that are part of ASD.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1192101	4/10/2021	CA	53	M	4/9/2021	4/9/2021	Light-headed, blurry vision, heart rate dropped from 80 to 50. Walked around to raise heart rate.
1192096	4/10/2021	NY	23	M	4/8/2021	4/8/2021	Pt is 23 YOM at vaccination site, status post Johnson and Johnson vaccination, pt states he has a hx of fear of needles where he has ?passed out in past? from other medical procedures, pt states he returned to chair after receiving vaccine and began to feel light headed and dizzy, where he then fell to ground off chair, pt believes he may have syncope however is unsure because he ?woke up right away?. Pt skin initially pale and clammy, but quickly had color return to face and extremities. Pt can recall events in entirety, is alert and oriented x4 and states negative head/neck/back pain, negative blurred vision, negative vomiting but + nausea/dizziness, which resolved after approx 3 minutes, initial systolic BP in 90?s but improved to 130 once seated, pt states eating full breakfast, with BGL of 106 mg/dL, pt initially denied transport to hospital but after brief period of time began to feel dizzy again and agreed to transport, due to reoccurrence of SBP in 90?s, IV placed in RAC 1:1 with NSL given KVO, pt 3 lead sinus rhythm without ectopy, upon arrival of ambulance full report given to EMT who assumed care of patient

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1192061	4/10/2021	RI	47	F	4/10/2021	4/10/2021	EMS was summoned to a 47 year old female patient for an elevated heart rate. On arrival at patients side. EMS found a 47 year old female patient AOx4, skin warm, pink and dry. Patient was complaining of feeling light headed, and feels anxious. On assessment patient looks fatigued and diaphoretic. Patient was asked if she would like to be further evaluated out of the public eye. Patient was escorted where EMS did a thorough evaluation. Patient complains of feeling anxious and says she has history of anxiety attacks and arrhythmia that she says is prolonged QT Interval. Patient normally takes Klonopin for anxiety but did not take it today because she did not feel comfortable with how it would interact with her Moderna Vaccination. Patient is not complaining of any chest pain, no shortness of breath, no uticaria or decreased blood pressure. Patients vital signs were stable BP: 124/84 Pulse: 84 Irregular, Oxygen saturation 97% and RR: 16. Patient was observed for a total time of 40 minutes. Patient said she feels a lot better after she was able to sit and relax. Patient was asked if she would like to be transported to the hospital. Patient is refusing to be transported at this time. When patient left the care EMS patients diaphoresis was gone, she said her anxiety has subsided and feels much better. Patient was left in her own care and left with her husband.
1192059	4/10/2021	FL	60	F	3/21/2021	3/22/2021	extreme fatigue mild headache muscle pains nausea and vomiting chills taste confusion loss of appetite eye focus issues dizziness brain fog low grade fever sores on tongue lip blisters (Important to note: still experiencing severe blisters on my lips) low energy and fatigue continues day to day
1192057	4/10/2021		23	F	4/10/2021	4/10/2021	Patient sitting in chair, father holding her up and her head was back with eyes open rolled back. Pt became alert and oriented and was placed on cot for safety. No injury to patient. No head injury. Paramedics responded. Vitals stable. Blood sugar 94mg/dL

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1192055	4/10/2021	GA	62	F	3/8/2021	3/8/2021	03/08/2021 (Symptoms began 45 minutes after shot): sore arm down to fingers, stuffy nose, watery eyes, headache, light headed, slight balance issues, malaise, no appetite, slight nausea, tight chest, arm soreness down to fingers became worst & was accompanied by arm swelling which included the fingers, 2 hives, tingle around mouth & nose, asthma feeling progressed to shortness of breath upon exertion, slight face swelling, Temp 102, chills. 03/09/2021 same symptoms as 03/08/2021 but minus the hives & the addition of the following symptoms: Temp 101, shaking so bad from chills couldn't hold anything, runny nose & eyes, extreme fatigue, small chest pain, skin cold like had been in freezer, lips & fingers slightly purple. 03/10/2021 same symptoms as 03/08/2021 & 03/09/2021 but minus the hives, slight face swelling, servere chills, lips & fingers barely purple & the addition of the following symptoms: Temp 100. 03/11/2021 symptoms include: Temp 99.7, sore arm down to fingers, stuffy nose, watery eyes, headache, slight balance issues, malaise, no appetite, slight nausea, tight chest, shortness of breath upon exertion, runny nose & eyes, extreme fatigue, & small chest pain. 03/12/2021 symptoms include: Temp 98.7, sore arm down to fingers, slight headache, slight balance issues, malaise, no appetite, slight nausea, slight tight chest, shortness of breath upon exertion, runny nose & eyes, extreme fatigue. 03/13/2021 symptoms include: Temp 97.7 (my normal), sore arm down to fingers, malaise, no appetite, slight nausea, slight tight chest, slight shortness of breath upon exertion, runny nose & eyes, extreme fatigue. 03/14/2021 symptoms include: Temp 97.7 (my normal), sore arm down to fingers, malaise, slight appetite, slight nausea, slight tight chest, slight runny nose & eyes, extreme fatigue. 03/15/2021 symptoms include: Temp 97.7 (my normal), sore arm down to fingers, malaise, slight tight chest, slight runny nose & eyes, extreme fatigue. 03/15/2021- 04/10/2021 symptoms include: Temp 97.7 (my normal), fatigue & slight malaise at times.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1192052	4/10/2021	IA	63	F	4/10/2021	4/10/2021	Patient complained of lightheadedness, blurry vision approximately 15 minutes post vaccination. VS: BP=130/82 , Pulse=72, O2 sat=99. Drank two bottles during recovery, but refused fruit snacks or granola bar due to brittle diabetes and afraid of elevated blood sugar. VS rechecked at 0958: BP=110/78, Pulse=68, and O2 sat=99%. Released to go home. Card with contact information given to call if further sx's occur. Denied any other vaccines 1 month prior to first injection.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1192048	4/10/2021	MA	58	F	4/9/2021	4/9/2021	<p>Prior to receiving her COVID-19 vaccine, the patient was already having symptoms from anxiety/nervousness about the vaccine. Patient was given her injection and within 1-2 minutes, she began feeling dizzy and lightheaded. The vaccine administrator came to me (pharmacist on duty) to notify me that she was not feeling well. I went to go check on her and she stated that she felt as though she was going to faint. I advised her to stay seated, asked if she would like an ice pack and water, and stepped out to get those for her while remaining vigilant (because I wanted to be in the same room as her for observation/safety). I brought her the ice pack, she held it on her chest and head and said it felt nice. After about a minute I stepped out again to ask a technician to get a water for her. When I came back, the patient was still seated but had a blank stare and her mouth was slightly open. I repeated her name out loud and nudged her shoulder several times, however the patient was unresponsive completely. I immediately looked for the red emergency kit in the consultation room but did not see one (I later found out that there was an EpiPen on the table in the room, but I did not see it at the time due to the urgency of the situation). I rushed back into the pharmacy, told the technicians to call 911, and took an EpiPen off the shelf in the pharmacy. I ran back into the room and the patient's face was very red, her eyes were bulging slightly, and it looked like she was trying to reach her hand up or move it, but was unable to. I injected her with the EpiPen immediately, and within roughly 5 seconds she came back to consciousness and looked at me and said "I'm sorry". EMS arrived extremely fast and was there a few minutes after using the EpiPen. She was then taken by ambulance to the hospital. Patient had a friend, with her at the store who was scheduled to receive the vaccine as well, but after the incident she decided otherwise. Later that evening I gave patient's friend a phone call to check and see how patient was doing, and to also let her know that patient's vaccination card was at the pharmacy if she wanted to pick it up. That evening around 6:30-7pm, patient's husband came to the pharmacy to get her card, he updated us that she was being discharged from the hospital and that she was okay.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1192161	4/10/2021	MN	52	F	3/30/2021	3/30/2021	Immediate dry mouth (under 1 minute). Watery eyes/pupils dilated (under 1 minute). Dizziness, light-headed (within 3 minutes). Hot flashes, severe sudden perspiration head/upper torso (within 10 mins). Severe sudden nausea, light-headed, muscle aches-- 5 hrs later. Fever, muscle/joint aches, sore throat-- 6 hrs later. Took 2 acetaminophen. Sore throat, muscle/joint aches next morning, continued throughout first 36 hrs. These symptoms returned every other day for first week, then a rash presented on Day 7 on chest and upper abdomen. Doctor visit on Day 7 (Mon, 5 April 2021). Shingles on scalp presented on Day 9 (7 April 2021). Virtual Doctor visit on 8 April. Rx for 7-day course of Valtrex. Referral to Dermatology. Day 12--Crippling body aches on right side. Can hardly walk or move around the house. Severe muscle aches.
1192006	4/10/2021		18	F	4/8/2021	4/8/2021	Patient had blank stares, nonverbal, loss of vision, cold/clammy hands, stomach tightness, and headache. BP fell to 55/26, 83/48, and 79/42, HR 57 and 62. Patient stabilized and released with father, advised to follow up with provider
1192179	4/10/2021		61	F	4/10/2020	4/10/2021	Dizziness and blurred vision occurred about 5 minutes after administration. Blurred vision subsided 7-10 min later. Dizziness subsided about 20 minutes later.
1191996	4/10/2021	CA	54	M	3/17/2021	3/27/2021	Rapid onset severe Vertigo upon waking in middle of night 10 days following 1st dose. No history of chronic Vestibular disease , however do have history of period right "swimmers ear" Severe balance issues standing/walking and clockwise rotational vision upon initial presentation to 24 hours. Condition improved to moderate balance issues and moderate clockwise rotation vision issues at 48 hours. Symptoms subsided over the course of first week to no vision issues, but slight balance issues. Symptoms have improved at Day 14 to very low level of slight imbalance. Freeway driving uncomfortable. Kaiser nurse consult at 10 hours, physician phone consult at 80 hours after presentation, diagnosed Vertigo.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1191978	4/10/2021	CO	38	F	4/2/2021	4/2/2021	headache; blurred vision; couldn't stand without assistance; a band of numbness and tightness in my right arm that migrated down my arm from the site of the vaccination all the way to my wrist; a band of numbness and tightness in my right arm that migrated down my arm from the site of the vaccination all the way to my wrist; The site of injection also became very sore; a band of vice-like grip appeared around the lower part of my head, near my jaw, and it migrated up my head until it settled around my temples and eyes; faintness; strong vasovagal response; narrowing field of vision; rushing sound in ears; dizziness/severe dizziness; nausea; This is a spontaneous report from a contactable consumer (patient) reported for self. A 38-year-old female patient (not pregnant at time of vaccination) received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 02Apr2021 at 16:30 (Lot number: EP7533) on the right arm at single dose for COVID-19 immunization. Medical history included chronic lyme disease, hypothyroidism, allergies to cephalosporin antibiotics. Concomitant medications included levothyroxine, metronidazole, sertraline, clonazepam (KLONOPIN); that all received within 2 weeks of vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient did not diagnosis with covid-19 and patient had not been tested for covid-19 since the vaccination. Patient experienced a strong vasovagal response within 30 seconds of receiving the dose with narrowing field of vision, rushing sound in ears, faintness, dizziness, nausea; all of these symptoms improved after lying on the floor for 15 minutes. 2 hours later, a band of vice-like grip appeared around the lower part of patient head, near patient jaw, and it migrated up patient head until it settled around patient temples and eyes. The patient developed a headache, blurred vision and severe dizziness such that he couldn't stand without assistance. Patient also felt a band of numbness and tightness in his right arm that migrated down his arm from the site of the vaccination all the way to his wrist. The site of injection also became very sore. There was no treatment received for the adverse events. The outcome of events was recovering.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1191965	4/10/2021	CA	45	F	4/1/2021	4/2/2021	Watery eyes (3days straight), fatigue (1 week) sore throat/headaches (1 week), sore injection site (1 week)
1191964	4/10/2021	FL	60	F	4/10/2021	4/10/2021	Pt reported feeling dizzy, blurry vision, chest pain directly after vaccine administration, while sitting in chair, 911 called, , ambulance arrived, pt refused ER transfer. Pt reported feeling better and went home with husband.
1191945	4/10/2021	VA	21	F	4/10/2021	4/10/2021	Immediately after receiving the Moderna COVID-19 vaccine the patient began to feel nauseous, hot and her arm was hurting. I kept her in the immunization booth and monitored her. Within a minute of her initial feeling she stated that she was having trouble seeing and was "going to black out". She immediately lost consciousness, her eyes rolled back, and her head went limp and fell back. She then began a twitching movement, made a snorting noise and then all of her limbs went rigid and extended straight out. At the first sign of her reaction we paged management and then as soon as she had loss of consciousness we contacted 911. She regained consciousness and was able to start answering my questions within 30 seconds to 1 minute. We did get the patient water and began to fan her to help cool her off. She was able to tell me who she was, where she was and why she was here. We also gave her some chips and had her eat slowly and drink small sips. She had stated that she was very nervous at the beginning of our pre immunization questions. She told us after that she had not eaten a lot before coming for the shot, but did eat more than normal because she knew she was coming in. She contacted her parents to inform them of the situation. She was able to recount everything prior to her loss of consciousness. When EMS arrived she was able to answer their questions. They took her vitals and all were in normal range, BP=119/66, pulse=98. They asked her to stand and she was able to stand and maintain balance on her own, but stated her legs felt a little "shaky". She refused transport to the hospital by EMS, but did call her roommate to come pick her up. I had her wait in the COVID waiting area until her roommate arrived. I called her around 4pm (same day) to check on her and she said she is feeling much better. Her mom (a nurse) also came down to stay with her and was with her when I called.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1191926	4/10/2021			F			<p>glaucoma; stool turned black; constipation; clay like stool; heart spasm; chest and abdomen feels hard; movement under skin; euphoria; Looking at things looked so far away. Had no thought in her head.; dryness behind her eyeballs; sensitive to light; teeth felt weak; vivid dreams; heart beating on top of chest; Feels movement under skin, like getting shingles or herpes in different places, face, arms, right side of chest; Feels movement under skin, like getting shingles or herpes in different places, face, arms, right side of chest; felt like getting hemorrhoids; high blood pressure; pupils are very large; horrid dreams; whistling in her chest; chest and abdomen feels hard; This is a spontaneous report from a non-contactable consumer (patient) from a Pfizer-sponsored program. A female patient of an unspecified age received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on an unspecified date (Batch/Lot number was not reported) as single dose for covid-19 immunisation. The patient's medical history and concomitant medications were not reported. The patient had the first dose of vaccine. Side effects reported included stool turned black, constipation, clay like stool, heart spasm, heart beating on top of chest, chest and abdomen feels hard, feels movement under skin, like getting shingles or herpes in different places, face, arms, right side of chest and felt like getting hemorrhoids. Next day, the patient has feeling of euphoria, like on drugs; looking at things looked so far away and had no thought in her head, like taken Vallum but she never took vallum but that's what she thinks it would be. The patient has high blood pressure and takes beta blocker. On the day of vaccine, pulse went to 79, like it reversed medication. The patient has glaucoma, felt dryness behind her eyeballs, the socket, pupils are very large and sensitive to light. Her teeth felt weak, 1 tooth broke from tortilla chip. In sleep, she had horrid and vivid dreams. All stress went into her dreams. 3 days she had no thoughts or stress but would have in dreams. Also, when waking up she had whistling in her chest and feeling like having heart spasm. The outcome of the events was unknown. No follow-up attempts are possible, information about lot number cannot be obtained. No further information is expected.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1191905	4/10/2021	TX		F	3/25/2021	3/25/2021	experiencing itchy throat, eyes and tongue; experiencing itchy throat, eyes and tongue; experiencing itchy throat, eyes and tongue; throat feels very tight; she feels itchiness in different parts of her body; This is a spontaneous report from a Pfizer sponsored program . A contactable consumer (Patient herself) reported that a female of an unspecified age received first dose of BNT162B2 (Covid shot, PFIZER-BIONTECH COVID-19 VAC-CINE, Solution for injection, Lot number: Unknown, Expiry date: Unknown) via an unspecified route of administration on 25Mar2021 as single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. On 25Mar2021, the patient experienced throat feels very tight, experiencing itchy throat, eyes and tongue, she feels itchiness in different parts of her body. She stated received her first dose today and she is experiencing itchy throat, eyes and tongue. She said that her throat feels very tight and she feels itchiness in different parts of her body. She was asking if she can take Benadryl. The outcome of events was unknown. No follow-up attempts are possible. Information related to batch/Lot number could not be requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1191843	4/10/2021	NJ	62	F	3/18/2021	3/18/2021	fever; feeling out of body experience; diarrhea; in tears from intensity of the sensation; visual pictures that were kind of ridiculous and seeing things; Severe headaches; Heard a lot of noises in head; body hurting severely where she couldn't walk; body hurting severely where she couldn't walk; no appetite; nauseas; This is a spontaneous report from a contactable healthcare professional (patient). A 62-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection; Lot Number: EN6205) via an unspecified route of administration, administered in Arm Left, at the age of 62-year-old, on 18Mar2021, as SINGLE DOSE for covid-19 immunisation. Medical history included covid-19 from Oct2020. The patient's concomitant medications were not reported. The patient previously received flu shot as immunization and did not get any reactions and first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot EN6205) on 28Feb2021, single dose for covid-19 immunisation and experienced very achy, some fever, some diarrhea, one episode and a big headache, difficulty Sleeping, and intense sensations. The patient experienced severe side effects/ bad reactions three weeks after receiving the second dose of vaccine. The patient experienced visual pictures that were kind of ridiculous and seeing things (medically significant) on 19Mar2021 with outcome of recovered on 21Mar2021, severe headaches (non-serious) on 19Mar2021 with outcome of recovered on 21Mar2021, heard a lot of noises in head (non-serious) on 19Mar2021 with outcome of recovered on 21Mar2021, body hurting severely where she couldn't walk (non-serious) on 18Mar2021 with outcome of recovered on 21Mar2021, fever (non-serious) on an unspecified date with outcome of recovered on 21Mar2021, diarrhea (non-serious) on 19Mar2021 with outcome of recovered on 21Mar2021, in tears from intensity of the sensation second half of the day after receiving Pfizer Covid Vaccine (non-serious) on 19Mar2021 with outcome of recovered on 21Mar2021, no appetite (non-serious) on 18Mar2021 with outcome of unknown, nauseas (non-serious) on 18Mar2021 with outcome of unknown, feeling out of body experience (non-serious) on an unspecified date with outcome of unknown. The diarrhea was reported as much more intense. The patient doesn't know how else to describe it,



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							except it was very intense and severe. No appetite and nauseas which lasted 2-3 days, it's almost like feeling out of body experience. The events did not require a visit to Emergency room or Physician office. The patient did not receive vaccination within 4 weeks prior vaccination. No relevant tests performed.; Sender's Comments: Based on the close temporal relationship, the association between the event "seeing things" with BNT162b2 can not be completely excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.
1191840	4/10/2021		51	F	3/2/2021	3/11/2021	Conjunctive hemorrhage followed by eye pressure and extensive puss; Conjunctive hemorrhage followed by eye pressure and extensive puss; This is a spontaneous report from a contactable consumer (reporting for herself). A 51-year-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in Arm Right on 02Mar2021 at 17:15 (Batch/Lot Number: EN6198) as single dose for COVID-19 immunization. Medical history included bee stings. The patient's concomitant medications were not reported. On 11Mar2021 at 15:00, the patient experienced conjunctive hemorrhage followed by eye pressure and extensive puss treated with antibiotic and anti-inflammatory. The outcome of the events was recovered on an unspecified date. The patient did not had COVID prior to vaccination and did not tested post vaccination.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1191837	4/10/2021	CO	38	M	3/24/2021	3/25/2021	<p>The symptoms were moving from my jaw to my cheek and impacting my vision; feeling feverish accompanied with body aches; feeling feverish accompanied with body aches; Moderate (level 3) case of Bell's Palsy/I began to feel more intense symptoms in my face, losing the ability to move/control muscles in the right side of my face; Fatigue; a stiff jaw/slight discomfort in my jaw; This is a spontaneous report from a contactable consumer (patient). A 38-year-old male patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), via an unspecified route of administration, administered in left arm on 24Mar2021 09:45 (Batch/Lot Number: EP6955) as single dose for COVID-19 immunization. Medical history included high blood pressure from an unknown date. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. Concomitant medications included indapamide, and fexofenadine hydrochloride (ALLEGRA) taken for an unspecified indication. The patient previously received the first dose of BNT162B2 (Lot number: EL3248) on 04Mar2021 11:45 AM on left arm for COVID-19 immunization. The patient reported that on 24Mar2021 he received his 2nd dose of COVID 19 vaccine. On 25Mar2021 he woke up at 6:30am with fatigue and a stiff jaw. At around 2pm he began feeling feverish accompanied with body aches and it continued until 3:30am of 26Mar2021. During that time, he did not notice any face or jaw discomfort. On 26Mar2021 and 27Mar2021 he had little to no symptoms other than slight discomfort in his jaw. On 28Mar2021 he began to feel more intense symptoms in his face, losing the ability to move/control muscles in the right side of face. The symptoms were moving from his jaw to my cheek and impacting his vision. He reported that this was out of the norm, and it prompted him to contact his healthcare provider. On 29Mar2021 at 1:40, he sought care from his healthcare provider. After a full examination he determined that he had a moderate (level 3) case of Bell's Palsy (reported started on 25Mar2021 07:00). Bell's palsy resulted in Doctor or other healthcare professional office/clinic visit. He was prescribed 80 MG/day of Prednisone for 7 days. The patient has not recovered from the events at time of report. No follow-</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

up attempts are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1191824	4/10/2021	MI	78	F	3/11/2021	3/12/2021	<p>it began working up her arm with arm pain and chest pain which persisted and she went to the hospital and was admitted for 23 hours; it began working up her arm with arm pain and chest pain which persisted and she went to the hospital and was admitted for 23 hours; blood pressure went up to 198/203; still has tiredness; difficulty swallowing like her throat is still tight; difficulty swallowing like her throat is still tight; short of breath; This is a spontaneous report received from a contactable consumer (patient). A 78-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Lot Number: EN6205), first dose via an unspecified route of administration, administered in Arm Right on 11Mar2021 11:00, single dose for covid-19 immunisation. Medical history included silent heart attack, ongoing Barrett's oesophagus from 2008, fall she had over two months (2021), eye surgery on an unknown date. She does not get any shots and can't have shots even for the flu shot because she had problems with two flu shots she had; states she had a problem with each one of the flu shots and does not know the names of the flu shots and has no lot numbers to provide for them; states she had the flu shots in the early 1990's and worked in healthcare and had to have them and they told her back then if she wanted to work she had to have the flu shots and then she got sick with both of the flu shots and they said they guessed they would not force her to have the flu shots. The patient's concomitant medications were not reported. Patient had the first dose administered and then about 14 hours after (12Mar2021) that she had no problems until it began working up her arm with arm pain and chest pain which persisted and she went to the hospital and was admitted for 23 hours. She does not know what to do about getting the 2nd dose of the vaccine and was at her cardiologist's this week and he said he is not familiar with the Pfizer vaccine causing chest pain; caller states she has a history of silent heart attacks. She still has tiredness and difficulty swallowing like her throat is still tight and they told her to mention if she does go for the second dose of the vaccine to mention that she had this situation. The chest pain and arm pain began 12Mar2021 and the arm pain is in her right arm where the vaccine was administered and the arm pain and chest pain have resolved; states the arm pain and chest pain stopped and she thinks that lasted</p>

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

about an hour and a half and she called a family member to take her to the hospital; states about 2:30am that same day she was admitted the morning of 12Mar2021 and was discharged on 13Mar2021. They ran every test known to the patient and for a while her blood pressure went up to 198/203 in the emergency room (12Mar2021) and she is not on any medication; caller states she does have Crestor but has not started on it and has not taken it yet. The tiredness and difficulty swallowing like her throat is still tight began the same time she was having the chest pain and she is not having any chest pain or anything like that right now but the tiredness and difficulty swallowing like her throat is still tight is still ongoing; states she did go get cardiac clearance to make sure which was this past week and she does not feel well and like for her the tiredness is bugging her. The tiredness and difficulty swallowing are better but she knows they are there and she tries to swallow something and is like boy her throat is still tight. They did an ultrasound in her left leg because she was limping from a fall she had over two months ago but still has a sore ankle from that and they sent her down for the ultrasound and a CT looking for blood clots in her lungs because she was short of breath (12Mar2021); caller states she thinks they were running everything they could to rule out things; states everything was negative for the CT and ultrasound and she believes the CT and ultrasound were done on 12Mar2021. She has no idea when she was diagnosed with silent heart attacks but they kept asking her about this when she went in for eye surgery and asked her when she had a heart attack and she said she had never had one and they said yes she had and she never knew. She just set up a HCP appointment after the reported events with a gastroenterologist because she has Barrett's and because of the esophagus she did not know if it flared up by the Pfizer vaccine and that caused the pain because the two pains of the heart and esophagus mimic each other with pain going up into the jaw so they were ruling out which one it was; states she went out as an atypical chest pain and called the cardiologist and went in and went over her records from the hospital with the cardiologist. She does not know what caused what in terms of the pain. The outcome of the event blood pressure increased was unknown, chest pain and pain in arm was recovered, other events was recovering.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1191795	4/10/2021	TX	43	F	3/24/2021	3/25/2021	eye had a hemorrhage - it got worse the next day; I feel light headed; head/face is tingly/cold; head/face is tingly/cold; eye had a hemorrhage - it got worse the next day; This is a spontaneous report from a contactable consumer (patient). A 43-year-old female non-pregnant patient received the second dose bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in Arm Left on 24Mar2021 at 08:30 AM (Batch/Lot number was not reported) as single dose for covid-19 immunisation. Medical history included gastric bypass from Jul2018, high blood pressure prior to gastric bypass but has had regular BP (blood pressure) since then, and allergy to penicillin. The patient's concomitant medications were not reported. The patient previously received the first dose of the same vaccine in left arm on 03Mar2021 at 08:30 AM for covid-19 immunization. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. On 25Mar2021 at 05:00 PM, a day after she received the Pfizer vaccine (2nd dose), her eye had a hemorrhage - it got worse the next day (26Mar2021). She felt light headed and head/face was tingly/cold. Took her blood pressure and it's in a normal range (109/77 111/77). She spoke with a relative that was a nurse practitioner and was advised hemorrhage could be related to vaccine. The events resulted in doctor or other healthcare professional office/clinic visit. No treatment received for the events. The outcome of the events was not resolved. The patient was not diagnosed with COVID-19 prior to vaccination, and the patient has not been tested for COVID-19 since the vaccination. Information about batch/Lot number has been requested.
1192029	4/10/2021	CA	46	M	4/10/2021	4/10/2021	PATIENT REPORTED VISUAL DISTURBANCES (DARKENING OF VISUAL FIELD), SWEATING, AND WEAKNESS ABOUT 5 MINUTES AFTER VACCINE WAS GIVEN.
1192441	4/10/2021	TN	22	F	4/8/2021	4/8/2021	chills, uncontrollable shaking, fever, fever dreams, headache, dizziness, nausea, loss of vision (momentarily), loss of hearing (upon waking up)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1190956	4/10/2021	NY		M	3/22/2021	3/23/2021	Alternating fever/Chills, temperature spikes from my norm of 97F to 101F; problems with eyes being able to focus; nausea; Injection site pain; This is a spontaneous report from a contactable consumer (patient). A 56-years-old male patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), via an unspecified route of administration, administered in right arm on 22Mar2021 14:15 (Batch/Lot Number: EN6207) (Age at vaccination: 56-years-old) as single dose for covid-19 immunisation. Medical history included allergy to erythromycin, high blood pressure, lung issues from 2004, obesity and depression. The patient previously received first single dose of BNT162B2 via an unspecified route of administration, administered in left arm on 01Mar2021 16.00 (Batch/Lot Number: EN6202) for Covid-19 immunization. The patient previously received second single dose of Shingrix on 12Feb2021 on left arm for unknown indication. Concomitant medications included vilazodone hydrochloride (VIIBRYD) taken for an unspecified indication. On 23Mar2021 14:30 the patient experienced alternating fever/chills, temperature spikes from my norm of 97f to 101f, problems with eyes being able to focus, nausea and injection site pain. The patient did not receive the treatment (as reported). The outcome of the events was recovering (as reported). The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient is not been tested for COVID-19.It was reported that he took 1000mg of Tylenol and drank Gatorade. At 36 hours fever broke, temp, vision, & appetite returned to normal. Injection site pain ended at 72hrs. Follow up attempts needed. Further information is expected.; Sender's Comments: ~~~
1192473	4/10/2021	FL	45	M	4/3/2021	4/3/2021	Patient had generalized weakness, dizziness, fatigue, confusion, blurry vision, lethargy, neck pain 5 minutes after the first dose of Pfizer coronavirus disease vaccine. MRI C spine negative for COVID related transverse myelitis. CT head negative. His glucose was also low that was treated. He felt better the next day and was discharged.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1192621	4/10/2021	IN		U			Thursday night chills and achy, Friday beyond exhausted couldn't keep eyes open, Friday night spiked a fever of 101.8, fine on Saturday. Red, itchy spot on arm with a knot. Still have small area of red as of 4/10
1192620	4/10/2021	TN	23	F	4/8/2021	4/9/2021	Janssen COVID-19 Vaccine EUA. About 1am I woke up short of breath. I sat up in bed to catch my breath and immediately felt nauseous. I went to the bathroom because I thought I was going to throw up but only ended up dry heaving. After sitting for a minute to catch my breath again I started shaking really bad and couldn't stand up without having blacked out vision. Luckily I grabbed my phone when I went to the bathroom so my mom could come home to help me. Until about 5 am I was shaking going between being extremely hot and extremely cold. After that my body SEVERELY ached all day with off and on sweats and headaches. I took Tylenol all day. I started feeling better with just some fatigue around 6pm.
1192615	4/10/2021	NY	51	F	4/10/2021	4/10/2021	Fever (102), Chills, Dizziness, blurred vision, body pain, hearing issues, severe headache
1192605	4/10/2021	DC	37	F	3/31/2021	4/9/2021	Rash on the arm of injection; become noticeable nine days after the injection; slightly itchy; no treatment (keeping an eye on it)
1192571	4/10/2021	MI	27	F	3/31/2021	4/1/2021	Body aches, fatigue, brain fog, severe rash on face especially around eyes and cheeks. Lasted more than a week and only got better with topical steroids
1192570	4/10/2021	FL	57	F	4/9/2021	4/9/2021	Within 15 min of receiving vaccine, patient reported watery eyes and slight SOB. Patient was still able to talk and was given 50mg of diphenhydramine. After approx 20 min. patient reported being better and left pharmacy
1192559	4/10/2021		40	F	4/7/2021	4/10/2021	Fatigue on-going. Retinal/ocular migraine - left eye sight blurry, flashing, spinning zig zag lights without bad headache. Never experienced the vision issue before.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1192555	4/10/2021	IL	49	F	4/9/2021	4/9/2021	I got the 2nd dose about 2pm. I stayed for over the 15 min because I was talking with a friend and we were there closer to 20 min. I had a headache right after the shot was administered and my arm hurt. I was fine earlier that day. By about 2:25 I was heading home and wanted to get some McDonald's because I had an hour drive. I noticed in the drive through that my eyes felt they were being sunken in. My right eye and side of nose started to tingle. It started spreading on my right side down to my lips and up to my scalp. Then down my arm to my fingers and down my right leg. I was dizzy and nauseous and confused. I managed to call my boss at triton who said to come back to the office. The nurse met me in the office where I had laid on the floor to try and help the pressure. By then I was numb on my whole face. Teeth and tongue but was able to swallow and talk. They called an ambulance to have me checked out. My blood pressure was high while there. They asked if I had been anxious or having a panic attack. I was neither. I just felt dizzy and numb.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1192549	4/10/2021	IN	23	F	4/7/2021	4/7/2021	1.RASH AND ITCHING ON UPPER EYELIDS 12:30 PM 2. ONGOING FRONTAL HEADACHE PAIN RADIATES TO BASE OF NECK AND SKULL AT PAIN LEVEL 10+ /GREATER @ 4PM, ONGOING BODY RASH WITH ITCHING, AND REDNESS UPPER EYELIDS, FACE, CHIN, CHEEKS, LOWER FOREARM, BACK, AND ENTIRE BODY. 3. THROAT FEELING THICK AND ABNORMAL 4.FACIAL SWELLING NECK AREA UNDER CHIN, BACK OF NECK, UPPER ARMS AND LOWER ARMS, UPPER BACK ACROSS SHOULDERS, AND ENTIRE BODY TENDER TOUCH. 5. BILATERAL SWELLING OF THIGHS AND LOWER LEGS CALF AND ANKLES 6. BREATHING FELT LIKE RECOVERING FROM AN ASTHMA ATTACK 7. BLURRED VISION, VISION FELT WEAK 8. FATIGUE TREATMENT OF CARE: WENT TO URGENT CARE FACILITY LOCATED IN ON . RECEIVED IM INJECTIONS OF BENADRYL 50MG IN BUTTOCK AND SOLUMEDROL (STERIOD) INJECTION IN OPPOSITE BUTTOCKS. ON 08APRIL21: PT RECEIVED ZYRTEC PO, BENADRYL 50MG AT BEDTIME FOR ITCHING AND RASH, PREDNISOID 08APRIL202: PATIENT EXPERIENCED NAUSEA AND VOMITING AT 8PM, ON 09APRIL2021 PT C/O ZONING OUT MEMORY FOGGY AND FEELS LIKE SHE IS NOT WITH IT. 10APRIL: RASH CONTINUES TO SPREAD ON FACE, CHIN, UNDER CHIN AND NECK. FRONTAL HEADACHE CONTINUES, NECK SWOLLEN AND SHARP PAIN ON RIGHT SIDE OF NECK AND LOWER JAW. LYMPH GLAND FEELS SWOLLEN ON RIGHT SIDE OF NE

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1192137	4/10/2021	MA	39	F	4/10/2021	4/10/2021	The shot was administered by a young woman at pharmacy, who I later learned was an intern. She injected the shot less than two fingers down from my shoulder bone, much higher than I have ever had an injection given before. I immediately felt intense pain, and the intern had trouble pushing the syringe down fully. She said ?I need help!?, and her male manager ran over, and quickly jabbed the syringe further into my arm, and pressed extremely hard down on the syringe, forcing the remaining contents into my arm. I immediately felt a shooting, searing pain down my entire arm, into my wrist, and my arm went numb, felt heavy, and tingly by my hand. The manager pulled the needle out of my arm, and said ?you must have hit bone, the needle is bent?. I then felt extremely nauseous and woozy, and my vision started going in and out. I fanned myself and after about five minutes my vision stabilized, and I felt less nauseous. It is now 9 hours later and I have intense shoulder and neck pain, and limited range of motion of my shoulder.
1192450	4/10/2021	WI	30	M	3/15/2021	3/18/2021	As a person who has never had any kind of allergies--including seasonal allergies--as of the week I received the vaccine, I appear to have developed a new allergy to dust mites. When resting my head against a pillow (especially near the open end of the pillow case), I develop sneezing, complete sinus congestion (to the point I am not able to breathe from either nostril), runny eyes, and similar histamine responses. The symptoms have responded well to diphenhydramine and loratadine, as well as use of allergen-resistant pillowcases, but they have reduced my sleep quality in the weeks since they developed, and I feel this new allergy has negatively impacted my quality of life.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1192173	4/10/2021	IA	24	F	4/10/2021	4/10/2021	Requested by PH administrator to look in on Down's Syndrome client post covid vaccination as thought her behaviors indicated she was having a reaction. Upon first assessment, saw patient with eyes open but then her head would bob like she passed out or fell asleep. Her father accompanied her to clinic and reported that this is normal for her as she is being worked up for sleep apnea but does not have the machine as yet. He wanted to show me how she walked but seemed unsteady upon first standing and encouraged dad to place her back in the wheelchair that she came in. Her father also stated that her gait is circular normally. She is limited in hearing and signs. VSS at 1050: BP: 102/70, 71 pulse, 97% ox reading. pulse ox reading, skin pink. Developmentally stunted. Assisted into the truck and no falls, abnormal gait noted getting from wheelchair to the truck. Contact information given to father in case something happens at home or on the way home. Offered water but father refused due to autism and obsessive compulsive behaviors and that he did not have a straw.
1192418	4/10/2021		19	M	4/9/2021	4/9/2021	Dizziness, nervous, hypotension, loss of vision/hearing, pale. BP 97/41, HR64, RR16. Symptoms improved, drank orange juice, BP improved. Patient generally historically hypotensive. Stable and released from vaccination site.
1192416	4/10/2021	OR	63	F	3/29/2021	3/29/2021	within an hour of receiving the moderna covid shot started to have blurry vision, strobe light effect vision. puked the next day rushed to the emergency room on apr 9
1192378	4/10/2021	OK	62	F	3/9/2021	3/21/2021	The evening of 03/20/2021 the left side of my mouth began feeling numb and my left eye was drooping slightly. The morning of 03/21/2021 I could not close my left eye or the left side of my mouth. I went to the ER that morning and was diagnosed with Bells Palsy. I was given Prednisone and Acyclovir tablets. As of today, 04/10/2021 I still have very slight paralysis on the left side of my face.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1192362	4/10/2021	VA	20	F	4/1/2021	4/1/2021	While the vaccine was going in my arm it was stinging and burning. I fainted about 30 seconds after the injection. I waited at my vaccination site for about 30 minutes after that. My vision was blurring and turning black and white and my hearing went out. I felt lightheaded and fainted for a few seconds. Afterwards, I was lightheaded for quite some time and my blood pressure was a bit low.
1192350	4/10/2021	CA	28	F	4/10/2021	4/10/2021	HPI: PT 28 y/o F feeling light headed after J&J vaccination. PT with her mother, became light-headed and dizzy while walking from vaccination site back to vehicle for 15 minute wait. PT became unresponsive with mother and fainted. Parking staff alerted rapid response team, PT regained responsiveness and was given chair to sit on, water to drink. Rapid response team arrived to a responsive, A&Ox4, pale female who was still feeling weak and light-headed. PT was transferred to a cot (in the shade) where she was placed in supine position with legs elevated on a chair. Pt was given water and hard candy to suck on while vitals were taken,, Airway, breathing and circulation were all WNL. PT states she presently has a strep infection (throat area) and has been afebrile, and is to begin oral antibiotics once she picks RX up from pharmacy. PT began feeling significantly better over 10-15 minutes of laying down in the shade. EMS LAFD was called and transfer of care to EMS Station 93 for further work-up was instituted. PT felt much better and was able to stand and ambulate from cot to EMS vehicle without issue. PT chose to go home with her mother instead of being transported by EMS to medical facility. Exam (update as needed): GEN: Alert and oriented x 4, relaxed in appearance. HEAD: WNL EYES: PERRL, EOMI ENT: Ears normal, Nose normal, OP normal, no evidence of angioedema, no cyanosis NECK: Supple, without LAD. CV: RRR, no m/r/g
1192341	4/10/2021	NY	28	M	3/16/2021	3/18/2021	First day I only had a sore arm Second day, typical malaise, flu-like symptoms Third day I saw improvement but still malaise. I tried a 500mg tumeric curcumin supplement which was new for me ~5 hours later I noticed brain fog and my vision was not as clear. Over the next 3-4 days my brain stem/back brain started to throb/vibrate occasionally, and I got very bad tinnitus.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1192315	4/10/2021	NY	22	F	4/10/2021	4/10/2021	<p>Patient was sitting in observation area 5 minutes post vaccination, scheduled to be observed for 30 minutes total due to history of anaphylaxis. She was seated in the recliner. She reported to have itchy watery eyes, chest tightness. Breath sounds were clear, with good air movement bilaterally, no wheezing or crackles, no accessory muscle use, normal speech. Patient's boyfriend noted her tongue and eyelids to appear slightly swollen compared to baseline. Patient denied dizziness, chest pain, shortness of breath, body rash or itching. Patient maintained normal speech and normal unlabored respirations. BP was checked and noted to be normal. O2 sat 99%. Patient received benadryl 50mg PO. She was observed for about 10 minutes before her tongue appeared more swollen and she complained of difficulty breathing. At this point, the patient appeared pale, 911 was activated. EPI-pen was administered via autoinjector in the left lateral thigh. O2 sat was 99%. Patient has increased chest tightness and new onset shortness of breath for which she was given an Albuterol nebulizer. Breath sounds were clear, no wheezing. O2 sat reassessed which decreased to 73%, she had bilateral cramping of hands and digits. Non-rebreather was applied, oxygen saturation improved and hand cramps resolved. 911 was called for a second time to report rapid desaturation. Patient's O2 saturation and HR fluctuated, BP remained stable throughout. EMS arrived. A right AC IV was placed, Solumedrol 125mg IVP was administered by EMS. Patient was transferred onto EMS stretcher, still requiring nonrebreather. Patient was escorted to ED for further management of anaphylaxis post Moderna vaccine.</p>
1192293	4/10/2021	CO	28	F	4/10/2021	4/10/2021	<p>Pt stated she had blurry vision in her right eye shortly after the vaccine. She was visibly shaken and had elevated blood pressure for her (140/85, 154/95 after first and second readings). Pt came in off wait list and was excited to receive vaccine, stated did not have any known medical conditions, after waiting her 15 minutes she came to the counter and said her right eye was blurry. We gave her cold water, placed her in the clinical services room with dimmed lights for 15-20 minutes. Her sight wasn't returning, she did not want us to call any additional help. We walked her to her car and will follow up with her at 9:30am 04/11/2021.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1192239	4/10/2021	IL	26	F	4/8/2021	4/8/2021	26-year-old female with past medical history of asthma and anxiety, and syncopal episode after her first Covid vaccination, presents to the emergency department after syncopal episode after her second Covid vaccination. Patient states she received her shot, and about 45 seconds later started feeling similar to the way she felt during the first syncopal episode. She started having tunnel vision, and her mom who is with her this time, notes that she was getting more pale. Mom notes that patient was talking about what she was feeling and was slowing down, until she passed out for about 30 seconds. During her LOC, she was shrugging her shoulders repeatedly, and after she awoke, she returned to her baseline mental status after about a minute or 2. As she was returning to her baseline mental status, she was talking about how she was feeling and it was appropriate. No urinary incontinence or tongue biting. Denies any recent chest pain, shortness of breath, other episodes of lightheadedness or syncope. She is not had syncopal episodes after shots before. After her last injection, she had a syncopal episode and fell flat on her face, thus had a CT head. At the time her CT head is negative, she had a D-dimer that was also negative. Her labs at the time were notable for hypokalemia 3.3, and in preparation for that she states she has been eating a lot of bananas this week. At this time she does not want any lab work, and feels as if this was a similar vasovagal episode similar to last time. syncopal episode right after a COVID vax. Same thing happened with the first dose. Prior to passing out felt sweaty, lightheaded, body tingling then passed out. Didn't fall this time as she was expecting it. Never had fear of needles before. No abd pain, back pain, chest pain. No h/o PE, DVT, OCPs, calf pain, SOB. No cough, SOB, palpit, diaph, chest pain/pressure, headache. No abd pain, no back pain, no vomit, no diar. No urinary complaints. No rash. No numb/weakness. No URI Sx. Mom noted a few shoulder twitches but not GTC type symptoms. rapid response called, pt went to emergency department

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1192210	4/10/2021	MD	32	F	4/8/2021	4/9/2021	<p>Around 3:00am-4:00am I woke up with extreme chills. And it felt as if my blood flowing was cold. I had a fever of 100.8 F .... My migraine came a few hours later after I slept for another two hours so around 630am and I was told not to take ibuprofen or aspirin. I used a cool rag to cover my eyes and that helped my head pounding as well as helped lower my fever a little bit it was 100 F around 8am .... Through out the day Friday it was as if my symptoms spiked and got worst before they got better. Lymph nodes on side of the injection site were very swollen and tender. My muscles and body was aching pretty badly. I felt very weak and extremely tired. I slept almost all of Friday away, it was hard to get out of bed and bc I was so weak and tired and slept so so long, I was not keeping myself hydrated and that def made it worse. My fever has remained between 100-102(at it's highest) ... Today is Saturday and around 3-4am on Sunday will make 48 hours since the symptoms began. The time is 7:45pm right now and again most of today I spent in bed. I do feel the symptoms are beginning to slowly diminish. Even the fact I am up and able to report all this is proof I am getting better bc just this morning I still could hardly get up from bed. I have showered and ate some soup and made myself drink plenty of water all of which helped me have relief from my symptoms. In conclusion the worst of it all I believe is over but it took me by surprise just how bad it has been. My advice would be plan at least a day or two to possibly have any symptoms or reactions and rest, and hydrate as much as anyone can, bc it seemed to work for me.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1192209	4/10/2021	MI	20	M	4/10/2021	4/10/2021	<p>Patient was administered Janssen COVID vaccine. Patient was fine immediately post administration in the IMZ room but witness stated he fell sideways (within a few minutes of receiving the vaccine) out of post-administration observation chair (which is in front of the pharmacy). Technician called code white and patient was immediately met with management and the pharmacy team. Patient was laying on his stomach on the floor, supporting himself upward with both hands/forearms. Patient had blood dripping from forehead and nose. Gauze was applied to laceration on forehead to help with bleeding and once patient was able to roll over on his back, an ice pack was applied to his forehead/nose area. Patient said he felt "pain" after the injection and then he felt light-headed. He remembered blacking out for a few seconds. Patient stated he felt "ok", then later stated he felt better but just had a bad headache. Patient stated he felt "it starting to hurt" and that it triggered his anxiety. Dad was in the store and arrived a few minutes later; dad said son/patient has a "fear of needles" and "he hasn't had anything to eat today in quite awhile". EMS arrived to examine patient and asked him if he needed to go to the ER; dad felt going to the ER was for the best since they had a 3 hour car ride home. Paramedics then transported patient to the ER and said he would likely need a stitch for the cut above his eyebrow.</p>
1192202	4/10/2021	MO	77	F	3/22/2021	3/23/2021	<p>Following the vaccine, my day progressed normally. Started feeling a bit tired and dizzy in the evening. Next morning, upon rising became very dizzy. Sat in my chair and promptly passed out. Eyes rolled to back of head. Husband could not rouse me for several minutes. Following that experience, became very tired. Returned to bed. Was dizzy, fever of 100.2, headache for a few days. Minor arm pain.</p>
1192495	4/10/2021	IL	18	F	4/10/2021	4/10/2021	<p>Initially: Severe arm pain at the site immediately and then within minutes of vaccine: hearing loss and then tunnel vision to vision loss to feeling that could pass out: Hearing and vision came back in about 5-10 min and with taking off sweatshirt at that time 12 hours later: 101 fever and chills</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1191140	4/10/2021	MO	84	F	4/10/2021	4/10/2021	Pt experienced vasovagal syncope after 2nd dose of moderna vaccine today. After administration, pt was able to walk and sit in chair in waiting area to begin 15 min waiting period. After 1 minute I overhear pt tell husband she is getting dizzy. I go over and talk to pt and she states she is getting very dizzy, but states no issues breathing. Pt closes eyes and begins to mutter responses. I lay her down on the floor and have someone call 911 and code white at the store. I raise the patients legs while pt lays flat on the floor, pt begins to be responsive and regains full consciousness. She sits up and begins sipping on a bottle of water. Paramedics show up and evaluate her vitals. Her daughter is called and pt is able to leave with daughter and husband to return home.
1191400	4/10/2021		35	F	3/29/2021	3/30/2021	The patient began to feel badly and have a headache the day after the vaccine was given. This seemed to be normal but then the patient began experiencing blurry vision that lasted around a week. The patient seems to be feeling much better now.
1191358	4/10/2021	OH	67	F	4/1/2021	4/9/2021	My adverse reaction began 1 hr post vaccine with sharp chest pain, dizziness, then headache, blurry vision, and hypertension. Was 165/107 at highest. Pulse reg 66-88. As RN I managed these symptoms with my heart meds(prn too), ASA 1 tab in eve and one in AM, Tylenol ES at night for headahe, I used complimentary health measures: Frequency Specific Microcurrent a lot and Emotional Freedom Techniques....helped alot. 24 hours after shot still hypertensive but mild 139/96. Angina stopped around mid day 4-10-21.All symptoms were moderate-severe for 20 hrs. Cont page not working. .Meds: Estradiol, Progesterone,, Valacycolvir prn., Supplements taken: Quercetin/Bromelain, Biotin, Mg, K,
1191357	4/10/2021	OR	57	F	2/25/2021	3/18/2021	Iritis type reaction in left eye. Posterior synechiae. (iris is adhering to the lens of my eye)

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1191337	4/10/2021	TN	54	F	2/26/2021	3/5/2021	Neuroretinitis, right eye, with symptoms noticed 1 week after vaccination. Vision OD decreased to 20/200 associated with optic nerve head edema and macular star exudates. No afferent pupillary defect. OS normal exam. Empirically Rx'd 3/31/2021 with azithromycin 500mg once, then 250mg for 4 days. Vision improved to 20/50 by 4/9/2021 with decreased optic nerve edema, but persistent macular star. Patient declined 2nd dose of COVID vaccine. 2nd blood draw for cat scratch serology drawn 4/9/2021 with result pending.
1191326	4/10/2021	PA	76	M	4/2/2021	4/3/2021	4/3 = SATURDAY - 12:30 AM , USED 2 ACETAMINOPHEN PM ( This what i use nightly ) 6:30 AM , CHILLS (FEVER) LASTED COUPLE OF HOURS TIRED NO ENERGY , NO FOOD UNTILL DINNER TIME , WAS TOLD I LOOKED PALE , ** THAT SATURDAY AFTERNOON I WAS SMELLING AN ODOR LIKE GARBAGE, WIFE SAID SHE DIDN'T SMELL ANYTHING, LASTED FOR A FEW HOURS.??? 4/4 = SUNDAY - STILL LOW ENERGY. EVERY MORNING FOR PAST 20 YEARS I RINSE EYES WITH SALINE SOLUTION. I SKIPPED SATURDAY, TRIED SUNDAY & MY EYES STARTED BURNING, TRIED A DIFFERENT BOTTLE STILL BURNING, HAD TO STOP. 4/5 = MONDAY - FEELING BETTER & EYES RINSED WITH NO PROBLEM .???
1191303	4/10/2021	CA	31	F	3/3/2021	3/18/2021	Had swollen lymph node under left armpit (1st dose) for 3-4 weeks. Had a small swollen lymph node on right armpit after second dose. About 10 days after second vaccine, I had an ear ache. The next day the left side of my neck was swollen and the left side of my forehead and eye tingled and hurt. I took ibuprofen for 2 days and the lymph nodes started swelling. The 3rd day I woke up with rashes. I went to the doctor and I had shingles in eye. I had blurry vision by the time I got the doctor.
1191278	4/10/2021	AR	24	M	4/10/2021	4/10/2021	pt received vaccine LA IM by certified administering pharmacy tech under supervision of pharmacist. About 10 min post IMZ pt started having trouble breathing, became clammy and unresponsive. PCSM was in the observation area at the time and administered one dose of EpiPen. Pt became responsive and EMS arrived. He refused to go to the hospital with EMS

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1191277	4/10/2021	NY	33	F	4/10/2021	4/10/2021	Patient had a moderately severe syncope reaction. Patient had trouble communicating, reported loss of vision and hearing, light headedness, dizziness, semi consciousness. Patient was seated when the episode began. By the time staff were notified, patient was barely conscious, and could not be safely told to put their head between their legs for fear of falling. Patient came out of the episode within 10 minutes before emergency services could arrive.
1191260	4/10/2021	CA	66	F	4/10/2021	4/10/2021	Pt reported Pressure in eye, tongue felt numb and some trouble swallowing. Speaking in full and complete sentences. Able to swallow water. Pt given Benadryl 25mg PO and stated 5 minutes after symptoms resolved. Pt educated on the importance of calling 9-1-1 is symptoms worsen at home. Pt monitored for an additional 20 minutes.
1191251	4/10/2021	CA	49	F	3/12/2021	3/12/2021	Approximated 12-13 minutes after receiving the shot; my respiration increased, heart rate, and my vision became blurred. I reported the blurred vision to the Pharmacist and she said they have not heard reports forth this symptom. Based upon events following the injection relative to my blood pressure; it is likely that my blood pressure became elevated following the injection, resulting in blurred vision. My blurred vision resolved several minutes later. However, my heart rate increased later that evening to the point I slept upright in my recliner that evening. During sleep, I awoke from my sleep gasping because my heart felt like it was beating too slowly. It has not been several weeks since receiving the injection, and during this time period, my Blood Pressure (BP) has been fluctuating from "very high" to normal. Yesterday, I presented to the ER due to High Blood Pressure (145/100), by the recommendation of a NP. I have NEVER had any history of high BP prior to the injection.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1190958	4/10/2021	CA	78	M	3/22/2021	3/23/2021	<p>eye blurriness; gate affected; auto immune system deterioration; practitioner shook bottle and Injected discolored (brown) vaccine right arm (# 2 injection March 22, 2021 - 2pm); practitioner shook bottle and Injected discolored (brown) vaccine right arm (# 2 injection March 22, 2021 - 2pm); practitioner shook bottle and Injected discolored (brown) vaccine right arm (# 2 injection March 22, 2021 - 2pm); heart/organ issues; heart/organ issues; brain fog; joint and muscle stiffness/joint stiffness; joint and muscle stiffness; blood; limb numbness/toe numbness; neurological deficit; soreness injection site; mild right temporal headache; This is a spontaneous report from a contactable consumer (patient). A 78-year-old male patient received second dose of bnt162b2 (BNT162B2, formulation: solution for injection)Batch/Lot # EP7534, via an unspecified route of administration in the right arm on 22Mar2021 14:00 (at the age of 78-years-old) as SINGLE DOSE for COVID-19 immunization. Medical history included heart dysfunction, heart surgery, kidney function abnormal and neural dysfunction. Concomitant medication included silodosin (RAPAFLO) at 8 mg daily. The patient previously took bnt162b2 (administration date=03/03/2021, administration time=02:15 PM, vaccine location=Left arm, dose number=1). On 23Mar2021 05:45, the patient experienced auto immune system deterioration, practitioner shook bottle and injected discolored (brown) vaccine right arm (# 2 injection march 22, 2021 - 2pm), heart/organ issues (cardiac disorder), brain fog, joint and muscle stiffness/joint stiffness, joint and muscle stiffness, limb numbness/toe numbness, neurological deficit, soreness injection site, mild right temporal headache. On 24Mar2021, the patient experienced eye blurriness, gate affected. Practitioner shook bottle and Injected discolored (brown) vaccine right arm (# 2 injection 22Mar2021 - 2pm). The patient was concerned about current and future adverse effects as it relates to auto immune system deterioration, heart/organ issues, brain fog, joint and muscle stiffness, blood, limb numbness, neurological deficit and whether such existing health issues have been exacerbated by vaccine injection : currently soreness injection site, mild right temporal headache, toe numbness, joint stiffness, 24Mar early morning eye blurriness, gate affected. The patient did not receive any treatment for the events. The outcome of the events was</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							unknown. Follow-up (25Mar2021) and (31Mar2021): This is a follow-up spontaneous report from a contactable consumer. New information included: Lot/Batch number of the second dose, medical history updates.
1191405	4/10/2021		57	F	4/10/2021	4/10/2021	Extreme fatigue, itchy eyes, headache
1191154	4/10/2021	RI	36	F	4/10/2021	4/10/2021	Complained of headache and nausea about 10 minutes after vaccination. BP in right arm 211/132, left arm 197/138. She denied history of high blood pressure but did not know all her meds and is a poor historian. BG-344, had burrito earlier in day with meat and cheese. Denies changes in vision. Outcome- sent out to local hospital for evaluation of hypertensive urgency
1191231	4/10/2021	MI	17	F	4/7/2021	4/7/2021	Patient had anxiety prior to receiving vaccine and after. She said she felt very nauseas and wanted to puke. Was having trouble breathing. Patient did end up puking a few times. She was sweating and overheating, her tongue was starting to go numb, but she said her throat was not closing up. Her lips started to become white and she said she was having trouble seeing. her vision came and went at different times. EMS arrived and did diagnose her with an allergic reaction, gave her benadryl, and an ice pack. And sent her home.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1191126	4/10/2021	NJ	45	M	4/8/2021	4/10/2021	Approximately 15 minutes after receiving the vaccination, my throat became dry and my eyes began watering. It was hard to tell but my throat felt slightly swollen also. I drank some water and a few minutes later things seemed to clear up. Randomly throughout the afternoon I had similar dry/itchy/tingling in my throat but not as strong as the time right after the vaccination. I didn't suspect this was directly related to the virus since I have allergies to grasses, trees, pollen, etc. and take over the counter allergy medicine as needed. At 3:30am today (4/10/21) I woke up having to use the restroom and when standing up out of bed I was extremely dizzy. After laying down in bed the dizziness disappeared. When waking up later in the morning the dizziness/light headed feeling was still present when standing. I also have noticed random strange pinching pain in my legs that only last for 1-2 seconds and sends a quick short pain sensation throughout my body. I have no clue if any of this is related to the vaccination received, but after noticing news articles with issues in a few folks receiving the Janssen vaccine, I decided I would pass this info along just in case.
1191125	4/10/2021	TN	29	F	4/10/2021	4/10/2021	Patient reports vision became blurry about 5 to 10 minutes after vaccine. Husband reports "she was talking, then she was out". On arrival to car, patient was pale, awake, a little confused. Cool air, cool compress, and reclined seat applied. Color returned. VSS. Patient reported feeling better though with nausea. Gradually improved. Able to take Gatorade. Observed for 30 min. Vss throughout. D/c home in care of husband.
1191115	4/10/2021	OH	42	F	4/8/2021	4/8/2021	By 8 pm Thursday I had chills and a fever. Poured sweat the whole night. Nauseous most of that day and the next. Very low energy and spent quickly the whole day on Friday. I've been shakey. Vision blurred at times. Body aches constantly

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1191109	4/10/2021	PA	40	M	4/10/2021	4/10/2021	patient stated he was feeling cold and a tingling in his throat and started to have tunnel vision with a weird feeling. patient was assessed for vitals times 3 every 10minutes patient later after third set of vitals stated he was feeling back to normal patient was escorted back out to the exit of the building with his son also accompany him. patient was encouraged to encourage fluids, and to make sure to rest. patient vitals were as follows 9:19a b/p 135/92 p 93 r 18 o2 99% 9:25a b/p 134/84 p 83 r 18 o2 99% 9:30ab/p121/87 p86 r18 o2 98% patient was released and escorted to the car.
1191089	4/10/2021	NC	34	F	4/9/2021	4/9/2021	Around 5.5 hours after I got the shot my blood sugar bottomed out. I had a hot flash, started sweating and my vision went blurry. I couldn't walk 3 feet without having to sit with my head between my knees. I passed out in a 5 foot walk but luckily i sat down on my couch as it was happening. I'm not diabetic, haven't ever been hypoglycemic. Ibuprofen and food after about 2 or 3 hours is a must.
1191068	4/10/2021	ME	20	M	4/10/2021	4/10/2021	Patient became lightheaded with blurred vision, pale, and nauseous within 5 minutes of administration of the vaccine. Called ambulance, EMT's performed vitals. Patient was given water to drink and refused transport to the hospital. Symptoms resolved between 30-45 minutes post vaccination.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1191037	4/10/2021	NC	32	F	4/10/2021	4/10/2021	Patient arrived at pharmacy to receive her vaccine. Patient seemed nervous. Pharmacist asked if she has any questions and whether she's eaten or drank anything today. Patient states that she's had a little something. Pharmacist engaged patient in conversation during vaccination. Patient was able to raise her arm and walk to waiting area after vaccination to wait her required 15 minutes waiting time. After around 5 minutes, pharmacist went to check on patients at the waiting area, and patient got up and mentioned that she's not feeling too well. In the next second, she had fainted on the floor. Associates in the store called 911 while pharmacist and pharmacy tech stayed beside the patient to monitor breathing and heart rate. Pulse was faint but breathing was steady. Patient was completely unconscious for a good 3-5 minutes, but she started opening her eyes when EMS arrived. After EMS took over, patient was able to sit up with assistance, talk, and respond. Patient was taken out of the store on a stretcher. EMS recorded that patient's BP was 132/82.
1191023	4/10/2021		24	M	4/10/2021	4/10/2021	At 10:12am client received the Janssen COVID-19 vaccine and at 10:14am client the stood up and walked to the front of table waiting for his vaccination card. His eyes then rolled to the back and he fell backwards on the floor hitting his head. Onsite MD was called out to the floor for triaging. Client stated he did not have anything yo eat or drin today. Client was put in a wheelchair, paramedic arrived at 10:30am and client refused to go to the hospital. Client mother was present with him today and she drove client home.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1190985	4/10/2021	TX	77	M	3/24/2021	3/24/2021	PT devolved occlusive DVT to left femoral vein; This is a spontaneous report received from a contactable physician. A 77-year-old male patient received second dose of BNT162B2 (Batch/Lot number and expiry date was not reported), via an unspecified route of administration on 24Mar2021 at single dose in the left arm for COVID-19 immunisation. The patient's medical history was not reported. Concomitant medication(s) included azithromycin (Z-PAK) taken for an unspecified indication, start and stop date were not reported. The patient experienced "devolved occlusive DVT to left femoral vein" on 24Mar2021 with outcome of unknown. The adverse event resulted in Doctor or other healthcare professional office/clinic visit and Emergency room/department or urgent care. Therapeutic measures were taken as a result of occlusive dtv to left femoral vein which included apixaban (ELIQUIS). The patient did not receive any other vaccines within four weeks prior to the vaccination. Prior to the vaccination, the patient was diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. Information on the lot/batch number has been requested.; Sender's Comments: Based on the close temporal relationship, the association between the event "occlusive DVT to left femoral pain" with BNT162b2 can not be fully excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1191782	4/10/2021	OR	40	F	3/24/2021	3/24/2021	Seizure like events; Began sputtering; My shoulder and neck seized up; Eyes rolled back in her head and she had no control over it; Did not remember some of it; Confused; Unable to focus with her eyes; Extreme fatigue; Walking is unsteady; This is a spontaneous report from a contactable consumer (the patient). A 40-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Lot Number: 59267-1000-03), via an unspecified route of administration, administered in left arm on 24Mar2021 16:45 as single dose for COVID-19 immunization. Medical history included asthma, bronchitis, anxiety, allergy to Aspirin, NSAIDs, agave, soy, and dairy. The patient has no history of COVID prior vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was not COVID tested post vaccination. Concomitant medications included venlafaxine and progesterone taken for an unspecified indication. On 24Mar2021, 19:30, the patient experienced seizure like events. She began sputtering, her shoulder and neck seized up, eyes rolled back in her head and she had no control over it and did not remember some of it. It happened twice in a row. She had been confused, unable to focus with her eyes, extreme fatigue, and her walking was unsteady. The adverse event resulted in Emergency room/department or urgent care. The patient received treatment for the events. The patient was requested for testing and referral for neurologist for MRI. The patient has not recovered from the events. Follow up attempts are possible. Further information is expected.
1192186	4/10/2021	ID	21	M	4/10/2021	4/10/2021	APPROXIMATELY 10 MINUTES AFTER RECEIVING THE MODERNA COVID-19 VACCINE PT COMPLAINED OF NAUSEA, BLURRED VISION, LIGHTHEADEDNESS. SYMPTOMS PERSISTED FOR 2 HOURS.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1190957	4/10/2021	NY	58	F	3/4/2021	3/1/2021	<p>developed acute delirium; redness in arm; Right arm swelling; After that very wild, I was screaming. Very scary. My memory was gone; she passed out at home; she is very depressed has anxiety; she is very depressed has anxiety; panic attack; gained 16 pounds; vomited; loss of appetite; body ache/pain; This is a spontaneous report from a contactable Other HCP (patient). A 58-years-old female patient received first dose BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Solution for injection, Lot number: NN6206 and expiration date: Not available), via an unspecified route of administration in the right arm on 04Mar2021 12:00 as a single dose for COVID-19 immunisation. Medical history included removed brain tumor, she has sciatic nerve damage on left arm and left leg and is paralyzed, coma, chronic body aches, seizures, bad vision, high blood pressure and three brain surgery, short term memory. The patients historical vaccine included Flu vaccine injection in right arm deltoid muscle. The patient's concomitant medications included Oxycodone (5mg three times a day tablet) been taking for 3 years since she has brain tumor removed and for chronic body aches and Lyrica. On an unknown date, the patient gained 16 pounds. In Mar2021, the patient experienced she passed out at home and she was very depressed, anxiety, panic attack, body ache/pain, vomited and loss of appetite. On 04Mar2021, the patient experienced right arm swelling, screaming, scary, memory was gone. On an unknown date, she experienced developed acute delirium. On 06Mar2021, the patient had redness in arm. The patient was in the hospital for 4 days and was admitted on 14Mar2021. Her memory came back little by little and side effect of vaccine it says that if she had side effects from first one do not take second dose because it is worse and she is scared to be admitted to the hospital and does not want to experience that again. She was taking pain medication and did not tell her she cannot take Tylenol of course with body aches they did not tell her. It was not specific acute delirium it is a psychiatric disorder and she was wild and has never been like that before, she was tied up to the bed. The reporter states that she is disabled. She has bad vision and she is by herself at home. She is 5 1/2 already going down. She is not going to get the second one until get report results because it is ridiculous, and she is very nervous as she</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

was admitted at night to the hospital. Body ache happened 24 to 36 hours after vaccine not that severely unusual as it went away, and she has a chronic illness and is in a wheelchair from chronic pain. Reporter stated she could not swallow liquid or eat food and she was scheduled for a cat scan, but she could not go since she has been on the phone with Pfizer to get truth and fairness. Reporter stated yesterday this started getting better. Reporter stated was discharged from hospital last Tuesday but had pain at home. Developed acute delirium: stated when she woke up in the ER the next day in few hours she was admitted and in the ER she was crazy and tried running even though she cannot run because she is paralyzed and she did not remember nothing. Reporter stated no she did not get it that when she was discharged, it had been 48 hours. Pain started 48 hours after the vaccine. She has chronic pain the pain is not that excruciating, and it has stopped. She could not remember what happened but just knew it was redness and hurt a lot. Her memory and everything came back. States she had MMR (as provided by Reporter ) done, because of pain in her whole body and everything came back negative. She had terrible pain, she asked to be given pain medication, and was given pain medication. Reporter stated it disappeared about one week now it disappeared and has recovered completely. Reporter stated black and blue inflammation and it does not hurt and the pain it went away. She was discharged from the hospital and discharge paper said second vaccine on 26Mar2021. She has been taking Oxycodone pain medication, reporter thinks she even got a higher dose since the pain was excruciating. The patient did not take any vaccines with 4 weeks. No Relevant Tests were performed. While providing an AE for the COVID vaccine she took Tylenol and Motrin as treatment, on top of it, but the pain didn't go away. She has been taking Oxycodone pain medication, reporter thinks she even got a higher dose since the pain was excruciating. The clinical outcome of events gained 16 pounds, passed out at home, depressed, anxiety, panic attack, body ache/pain, vomited and loss of appetite, right arm swelling, screaming, scary, developed acute delirium, redness in arm was unknown whereas of memory gone it was recovering/resolving.; Sender's Comments: Based on known drug safety profile, there is reasonable possibility

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							of causal association between the events peripheral swelling, amnesia, delirium, loss of consciousness, depression, anxiety, panic attack, and erythema and the suspect drug. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.
1191227	4/10/2021	IN	22	F	3/21/2021	3/22/2021	My left eye swelled shut exactly 24 hours following the shot in my left arm. It didn't completely resolve until 48 hours after onset
1191658	4/10/2021	KS	51	F	4/8/2021	4/9/2021	L arm hurt within a few hours. By midnight felt like I had 10 tetanus shots. At that time could not get warm but didn't have chills yet. By 2 am had chills and all bones and joints hurt head to toe so I took acetaminophen. Was able to get a little bit of sleep but pain and malaise increased overnight. By 10 am chills and low grade fever (101.8). By 12:30 pm, nausea and higher fever (102.7). Pain became excruciating so I took one 200 mg advil around 2 pm (>24 h post vaccination; figured immune response already had ample time to kick in). Within an hour fever reduced back to around 101. Felt some reprieve by 4 pm, enough to get out of bed but still pain, malaise, low fever. Return of symptoms/signs by 9 pm (low grade fever, more malaise and body/joint pain, piercing headache - new symptom: seeing some blurry spots in field of vision). Took one more advil (200 mg) some time before bed (before 11) so I could sleep. On 4/10 - random body pains and soreness. Teeth sensitivity and pain. Either rash or beginning of pitting edema on L arm near injection site. Very drained and tired physically but functional mentally.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1191780	4/10/2021	AZ	38	F	3/18/2021	3/18/2021	<p>Blurred vision/focus issues/can't focus visually/couldn't see right; floaters; left arm and leg went numb; Both arms and legs tingly; felt disoriented; cold chills; Legs and arm felt heavy; my eyes are now having esophoria convergence Excess or vergance dysfunction; my eyes are now having esophoria convergence Excess or vergance dysfunction; my eyes are now having esophoria convergence Excess or vergance dysfunction; This is a spontaneous report from a contactable consumer (patient). A 38-years-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration in Left arm on 18Mar2021 11:45 (Lot Number: EP7534) as single dose for covid-19 immunisation. Medical history included allergies to Penicillin and no other medical history. The patient had no COVID prior vaccination. The patient was no pregnant. Concomitant medications included levothyroxine sodium (SYNTHROID); cetirizine hydrochloride (ALLERTEC); amfetamine aspartate, amfetamine sulfate, dexamfetamine saccharate, dexamfetamine sulfate (ADDERALL); ascorbic acid (VITAMIN C); ergocalciferol (VITAMIN D). There was no vaccine in four weeks. The patient stated that right after she drove off, Blurred vision/floaters, left arm and leg went numb. Both arms and legs tingly, felt disoriented, cold chills, had to pull the car over because she couldn't see right. Legs and arm felt heavy. Blurred vision &amp; focus issues had continued and the eye doctor said her eyes were now having esophoria convergence Excess or vergance dysfunction. She still can't focus visually since she drove off from the vaccine. She had to go to the doctor today &amp; they were going to schedule a neurologist appointment to make sure she didn't have a mini stroke. It had been extremely scary since she received it. All events occurred on 18Mar2021 12:00 AM. The events resulted in doctor or other healthcare professional office/clinic visit, disability or permanent damage. Treatment received for the events and she needed glasses with a prism and neurologist appointment. The patient had no COVID tested post vaccination. The outcome of the events was not recovered.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1191773	4/10/2021	AZ	57	F	3/6/2021	3/6/2021	<p>my gums were slightly inflamed or puffy, particularly the upper gums; Left side of face slightly swollen/left side of face was slightly puffy; full muscular control of my face; Polyneuropathy symptoms were stirred up; Throat felt slightly itchy; Left upper forearm pain; Pain upper arm; This was a spontaneous report from a contactable consumer, the patient. A 57-year-old female received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, formulation: Solution for injection, Lot number: EN6205), via an unspecified route of administration in left arm on 06Mar2021 at 08:11 (at the age of 57-years-old) as a single dose for COVID-19 immunisation. Medical history included ongoing seasonal allergy, asthma (very mild), polyneuropathy from Aug2020 and ongoing, anxiety, and sinusitis. Patient was tested positive for Covid in Jan, she tested positive on 14Jan2021. This was a mild case and antibodies were confirmed afterwards. It was 7 weeks after she tested positive that there were confirmed positive antibodies. Concomitant medications included bupropion (MANUFACTURER UNKNOWN); gabapentin (MANUFACTURER UNKNOWN), guaifenesin, pseudoephedrine hydrochloride (SUDAFED) (MANUFACTURER UNKNOWN) and Wilson's Wash (MANUFACTURER UNKNOWN). The patient previously took theophylline for asthma and experienced swelling face and pharyngeal swelling. On 06Mar2021, the patient experienced throat felt slightly itchy, left upper forearm pain, pain upper arm. On 09Mar2021, the patient experienced polyneuropathy symptoms were stirred up. On 12Mar2021, the patient experienced full muscular control of my face, at 05:30 she experienced left side of face slightly swollen/left side of face was slightly puffy. On 14Mar202, the patient experienced my gums were slightly inflamed or puffy, particularly the upper gums. It was reported that patient received the 1st dose on 06Mar2021 and Friday on 12Mar2021, when woke up, the left side of face was slightly puffy, face looked normal and had full muscular control of face, but it just went from the jaw all the way to the eyelid only on the left side. On 14Mar2021, gums were slightly inflamed or puffy, particularly the upper gums. Patient called neurologist the next day, 15Mar2021, went to see him on Thursday to have him take a look. He confirmed there was no muscular damage, but the left side of my face when poked was</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1191194	4/10/2021	IN	21	F	4/10/2021	4/10/2021	<p>duller than the right side. It started 2 weeks ago today, it hasn't gotten worse and hasn't gotten better. Patient was scheduled to get 2nd dose this Sunday but going to hold off because she was concerned about this side effect. Patient tried using Claritin and Benadryl to see if that might make it go away, but it didn't. Her face does not look disfigured in any way. It's not getting worse or better. Just staying the same. She also has polyneuropathy. She got it in Aug2020 from a needle biopsy of the lymph node in her left breast. It was supposed to decrease over time over one or two years. Prior to having Covid she didn't think about it most days. When she got Covid it stirred up the symptoms. When she got the vaccine it also stirred up the polyneuropathy symptoms. She started to notice it being stirred up 09Mar2021. Her neurologist said it was her immune system working and it was aggravating it. On 12Mar2021, she had the left face thing, which was completely new, she never had symptoms like that. It has been 2 weeks and hasn't gotten worse, hasn't gotten better. She was super healthy. She doesn't drink, doesn't smoke, and exercises every day. On the needle biopsy last year by the radiologist in Aug2020. She got small fiber polyneuropathy, which causes tingling prickly sensations in different parts of the body. It was acute form and will go away in a year or two. By Jan it had minimized, but Covid stirred up the symptoms. The neurologist said any illness can cause polyneuropathy symptoms to increase. Then they started to subside. When she got the vaccine, by that Tuesday the polyneuropathy symptoms were greatly aggravated, by the 09. She was confident that they would resolve and have lessen in severity. The clinical outcomes of the left side of face slightly swollen, throat felt slightly itchy was not resolved, for the throat felt slightly itchy, left upper forearm pain was resolved on 06Mar2021, for the pain upper arm was resolved on 07Mar2021 and for event Polyneuropathy symptoms were stirred outcome was resolving. No follow-up attempts are possible. No further information was expected.</p> <p>Throat swelling, itchy tounge and lips, difficulty breathing, dizziness, full body hives, vision difficulty, hospital visit</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1191407	4/10/2021	MI	25	M	4/8/2021	4/9/2021	Thursday 4/8: 3:20pm: COVID injection given in right arm Friday 4/9: ~1:00 am: woke up shaking with chills and severely cold; had slight headache. Had insomnia all night. 6:00 am: woke up with bad headache, slight fever. 7:00 am: got out of bed and had vertigo and was running into walls trying to walk to my living room, along with the worst migraine I've ever had. Also had dizziness, nausea, chills, 100+degree fever, aches, skin sensitive to touch, and severe tinnitus. All of the veins were visibly popping out of my head. As the day went on, everything got worse. Any time I moved, my head would throb so bad that I thought I was going to have to go to the hospital. 3:45 pm: the headache started to finally go away. It would only hurt if I moved fast. At this point my fever was only slightly high, about 99 degrees. I was still unstable when I walked and dizzy. I went from being super cold, to being super hot and sweaty. And I was alternating between cold & hot and sweaty for the rest of the night. Was also having some memory issues, repeating things when I was having a conversation with someone over the phone. I was sweating all night when I was sleeping. Saturday 4/10: 7:00am: woke up with a slight headache; still out of it and dizzy. 8:00am: after being awake for about an hour or so, I looked in the mirror and my whole face (around the lips, cheeks, and jawline, and under the eyes) was really swollen and puffy. My face was even mis-colored. Under my eyes was purple and yellow, and my cheeks were white. Some confusion persisted throughout the day as well as dizziness.
1191770	4/10/2021	AL	64	F	4/7/2021	4/7/2021	Nausea, Headache, Weakness, Dizziness, Sweating, chills, skin sensitivity, sound sensitivity, smell sensitivity, hypotension, reduced appetite, nose bleed, pain in right eye, difficulty speaking, sore arm.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1191767	4/10/2021	OR	36	F	4/8/2021	4/8/2021	At 15 mins I was released. As I drove away from the clinic, 20 mins, I was flooded but a wave. My heart started pounding, my throat and mouth were tingling and tightening, my face and ears turned red and flushed. At about 45 mins, I became extremely dizzy like I was intoxicated. My mouth and throat kept tightening and tingling in waves. My skin was itchy and red in patches. I felt like I was having a stroke on the right side of my face. My right eye and face felt odd. Over the night and next days, my chest was tight on the left side and pain in my left arm and sharp stabbing pain in my left back and side. The next day I had heavy chest and shortness of breath and remained dizzy.
1191752	4/10/2021	FL	28	F	4/1/2021	4/9/2021	Migraine headache beginning 4/09/2021. Extreme light sensitivity, pain around and behind eyes, nausea, extreme fatigue, increasingly worsening tinnitus particularly in right ear since 4/09 continuing through 4/10 so far.
1191741	4/10/2021	OR	65	F	2/25/2021	2/25/2021	Fever, severe fatigue, nausea, facial swelling around right eye and visual impairment in right eye, (flashing white light) Severe fatigue and aching-had to have friends take dog out, unable to walk any distance. I am very healthy with no health issues, so for me this was very unusual. I did not seek any medical assistance, I was too sick to even consider.
1191738	4/10/2021	PA	25	F	4/10/2021	4/10/2021	During observation of patient after receiving vaccination, she became quiet, stopped talking, her eyes were open, crossed, then closed. I assisted patient who was seated in a chair, I continued to speak to her, calling her name. Her Mom was present, and came into room to assist. We were able to help patient to lie down on the floor. Ice packs were used, and when patient was alert and conscious, she was given a popsicle at her Mom's request. Patient did experience, she had her own zofran odt tablet, which she did take. Episode did last about 20 minutes. Pt. did recover, was able to walk to her car, her Mom drove them home. Patient did express she has experienced this before while receiving shots or giving blood.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1191664	4/10/2021	VA	33	F	4/10/2021	4/10/2021	About 15 to 20 mins after receiving shot, patient experienced difficulty breathing, brief blurry vision and difficulty hearing. Was given some water to drink, and EMT was called. After drinking some water patient felt better. Blood pressure and pulse were checked - both were within normal limits. Patient mentioned not having drank or eaten anything prior to appt. She felt better at the time when EMT arrived about 10 minutes later. EPIPEN administration was not necessary. Mother was present and helped patient home. Advised patient to get something to eat.
1191772	4/10/2021	AR	66	F	3/5/2021	3/5/2021	After getting vaccine, I walked to the waiting area and sat down. After a few minutes my vision started getting strange and got worse for several minutes. In my peripheral vision I could see colors and patterns seeming to move and melt. Psychedelic. Very bad in my right eye, but also could see it in my left eye. Didn't check them by closing one, I was just trying to figure out what was happening to me. I could still read straight ahead. I stayed 10 minutes past my 15 min waiting period & felt well enough to leave. It probably took 1-2 hrs total before my vision seemed back to normal. No other symptoms after that. Researching on the internet I found kaleidoscope vision which seemed to describe it perfectly. Second dose did not produce any problems.
1191620	4/10/2021	NC	37	F	4/10/2021	4/10/2021	As the vaccine was being administered into my left deltoid, the vaccine hurt at the injection site and I immediately felt very strange and felt a rushing sensation to my head and throughout my body, with a concentration in my upper body. It felt like an out of body experience: I fainted, hitting my head on the adjacent wall and fell to the ground, where the impact caused a bruise to my shoulder and back. It was reported to me that I lost consciousness for about 10 seconds. I felt disoriented, but lucid when I came to. I was not exactly sure what happened, but I could feel that I hit my head on the right side and asked if I fainted since I was disoriented and on the floor. With assistance, I was able to sit back on the bench, but felt extremely dizzy, light headed, fuzzy/strange type of blurry vision, and intense sweating. I did not feel well and knew I would have an unsteady gait if I attempted to stand. After about 15 minutes, I felt well enough to return home.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1191614	4/10/2021	IN	49	F	4/9/2021	4/9/2021	30 min after shot my lips and fingers began to tingle. After 5-10 min there was a bitter taste in my mouth. Lips and mouth then felt numb and I had difficulty swallowing. At 10 hours post shot body aches, EXTREME headache, ringing in ears, blurred vision, dizziness, heart beat seemed fast and some times irregular, chills then sweating. 24 hours after shot the headache and body aches are mild. I am fatigued.
1191613	4/10/2021	NC	51	M	4/8/2021	4/8/2021	Numbness in right side of face. Watery right eye.
1191498	4/10/2021	MI	21	M	4/10/2021	4/10/2021	Minutes after receiving the vaccine, the patient started feeling dizzy and had blurred vision. He also started vomiting after drinking water. The patient recovered quickly after the arrival of the EMS and didn't require any medical assistance.
1191441	4/10/2021	IN	92	F	3/31/2021	4/8/2021	Onset of shingles rash and pain on the chin and peri-articula area on the right side also red right eye
1191685	4/10/2021	CA	21	F	4/10/2021	4/10/2021	Patient stated feeling blurred vision, throat tightness, anxiety, shortness of breath, patient appeared pale Patient provided water and seen by medical team Patients blood pressure was 86/59 and heart rate 97, patient provided with water Patient advised to be seen in hospital, patient refused medical transport and signed AMA form Patient agreed to go to hospital , driven by boyfriend
1191594	4/10/2021	NC	51	M	3/11/2021	3/11/2021	Numbness in right side of face. Right eye waters more than normal.
1191480	4/10/2021	FL	55	F	4/1/2021	4/2/2021	Blood blisters on arm that was given the vaccine, dizzy/double vision, fatigue, fever, swelling in face and legs, raspy throat, felt weak, vomiting.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1191495	4/10/2021	FL	19	F	4/10/2021	4/10/2021	After receiving her vaccine, patient moved into our waiting/observation area at my request to wait for 15 minutes of observation. Within a few minutes I heard the patient's mom calling out for help. I quickly ran over to help. I observed the patient who was now sitting on the floor. Her eyes were wide and she looked shocked. I helped her mother to calm patient and asked her to remain seated. I asked her mom what happened and she stated patient twitched a couple of times and began to fall off of her chair at which point mom caught her. Mom had blood on her arm and I noticed it had come from patient's ear where a couple of earrings were pulled as she fell. I asked if she wanted water and quickly provided her a bottle of water. Mom stated that patient had fainted from vaccine(s) in the past, but mom stated that this appeared to look like a seizure. Mom went to get a chocolate bar since patient had had nothing to eat and they were worried about low blood sugar. After patient looked like she was back to normal I left to administer another vaccine but asked mom to remain until she felt necessary. Mom and patient advised my tech that they were ok and they left the store.
1191447	4/10/2021	FL	69	F	3/12/2021	3/12/2021	Day 0: hot left arm, blood to surface of skin on inner arm, two inches below injection site, size of dime (resolved Day 3); Day 0: Pain at injection site (resolved Day 3); Diarrhea (resolved Day 3); Fatigue (resolved Day 12); Dizzy (resolved 90% by Day 29). Day 1: Insomnia (resolved Day 17), nerve pain on left eye, ear, leg, and foot, and headache (resolved Day 6); Tinnitus (not resolved); hypervigilance, feel like I am speeding, high anxiety during normal routines (resolved Day 17) Day 8: Brain fog, unable to concentrate, immediate memory impaired, feel like I am getting dementia (like covid patients say (resolved 80% by day 29)
1191527	4/10/2021	PA	68	F	4/7/2021	4/7/2021	fatigue/ sever headaches / upset stomach / heavy feeling in my chest/ fast heart beat/ cough/ sinuse congestion/ swelling of eyes and draining/ blood shot eyes/ joints sore/ ears closed

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1191530	4/10/2021	MI	18	M	4/10/2021	4/10/2021	The patient started feeling very dizzy and losing his vision within minutes of receiving the vaccine. The patient was conscious and slowly responded to questions. Memory intact. Patient recovered quickly after EMS arrived and didn't require any medical assistance.
1191533	4/10/2021	TX	52	F	4/8/2021	4/9/2021	0900, 8 Apr: Vaccine administered. 2100, 8 Apr: Muscle aches and pains. "Pinprick" sensations on body. 2230, 8 Apr: Went to bed. Exceptionally poor night's sleep, with constant wakefulness (confirmed by FitBit). 0816, 9 Apr: Got out of bed. Went downstairs. Began washing dishes and making breakfast. 0820, 9 Apr: Felt light-headed. Sat down in a chair. 0825, 9 Apr: Husband reports finding me with muscles constricted, eyes wide open, and pupils fully dilated. I did not respond to his touches or yells to get my attention. 0916, 9 Apr: Ambulance arrives at Hospital Emergency Room. Attending physician examines me and blood samples are taken. 1207, 9 Apr: Discharged with diagnosis of vasovagal syncope. Instructed to follow up with primary care manager and cardiologist on 12 Apr for further evaluation.
1191542	4/10/2021		37	F	4/10/2021	4/10/2021	fainting, loss of vision
1191557	4/10/2021		23	F	3/30/2021	3/30/2021	The patient received the Covid-19 Vaccine on 03/30/21. The patient started experiencing blurry vision that evening. The blurry vision was the worst on Day 3 but cleared up after 4 days. The patient is completely fine now and vision is back to normal.
1191567	4/10/2021	NY	56	F	3/29/2021	4/9/2021	12 days after I noticed one eye was blood red in portion (half) of my eye

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1191493	4/10/2021	MD	17	M	4/9/2021	4/9/2021	The individual starts to show signs of anaphylaxis reaction some minutes after vaccination by the nurse. Said "I am not feeling good." Upon assessment, the individual is leaning his head backwards, unable to read how many fingers I held up; complained "can't see"; slow in responding. The individual appears to be losing consciousness; eyes closed. Color of face pale. HR: 47; Pulse Ox 95%. RR:16. BP 112/64. EpiPen 1 dose administered L leg IM. 911 was called. Continue to monitor and check vital signs. BP 143/75, HR: 54 and pulse ox: 94%. At 0850:EMS arrived. VS remain stable. HR: 62; Pulse Ox 94%. The individual starts to open up his eyes and responding. Parents at his side. He is taken to the ER. Followed up with the patient's parent, mom and is stable and doing better.
1185233	4/9/2021	CO	54	F	4/8/2021	4/8/2021	Experienced very itchy eyes approximately 25 minutes after the injection which lasted for about 3 hours.
1185263	4/9/2021	CA	34	M	4/8/2021	4/8/2021	Patient given COVID J&J vaccine and within a minute complained of being dizzy/faint. While seated, patient fainted, eyes rolled, arms and hands clonic/tonic activity which caused him to fall from chair. Doctor was able to hold on to upper back of patient as both fell to the floor. Patient hit head on carpet with not traumatic injury. 911 was called and by time of paramedic arrival the patient was alert and oriented. Patient was assisted to wheelchair and taken to ED for evaluation.
1185241	4/9/2021	NC	51	F	1/23/2021	1/24/2021	I got the shot on Saturday and then that evening, my arm was sore as expected. I had a little something under my eye. Looked like a little bite. On Sunday, on my face I had what looked like sunburn under each of my eyes and on the side of both of my face. It felt tingly. The redness was there day into Sunday night. I took some Benedryl. On Monday, the red was gone but my eyes were puffy and had some swelling to my face and still had tingling in my face. I called my PCP and she asked that I come in and see her. On Monday, I had a visit with my PCP, there was still some swelling around my eyes. She was going to report it and would let me know if I could take DOSE 2. I was advised to not take DOSE 2. It was all better by Wednesday.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1185217	4/9/2021	IN	52	M	4/5/2021	4/6/2021	14 hrs. after: extreme chills lasted 4 hrs, 14 hrs. after. extreme joint pain in every joint lasted 24 hrs plus, 20 hrs. after very extreme sweating, left side eye pressure? lasted 48 hrs and on
1185249	4/9/2021	CA	35	F	4/7/2021	4/7/2021	Taste of medicine in mouth/throat - 1:30pm Swelling and numbing of right side of face begins - 2:30pm Benadryl taken - 2:53pm Numbing spread to both sides of throat, difficulty swallowing - 3:15pm 24/7 Nurse Hotline at Medical Center called - 3:16pm Nurse hotline advised to call 911 immediately Paramedics arrive - 3:23pm Bell?s palsy symptoms begin - 3:25pm Transported via ambulance to Emergency Room - 3:26pm Bell?s palsy worsens, facial contractions continue Prednisone given in emergency room Prescription of Methylprednisolone Tablets, USP is prescribed for 6 days, 21 pills, 4mg each Continue use of 25mg of Benadryl as needed Follow up with neurologist recommended and scheduled for 04/09/2021 Day 2, 04/08/2021 - slept off and on, felt terrible, facial twitching, forehead pain from twitching, right eye uncomfortable. Day 3, current day, waiting to see neurologist, right eye pain increasing and blurriness of vision in that eye.
1185262	4/9/2021	MD	60	F	3/30/2021	4/9/2021	Injection site developed red bull's eye type rash, minor muscular pain in arm similar to after the vaccine, skin is warm to the touch.
1185269	4/9/2021	CO	36	F	4/7/2021	4/7/2021	I experience Vasovagal syncope within 2 min of the J&J Jansen injection. The nurses were very nice and explain to me what it was. I got hot and sweaty and horrible tunnel vision, I almost fainted. I laid down on one of their medical beds to recover while the sweet nurse fanned me. I was observed over 30 min before leaving. I woke up yesterday and felt weird along with bodyaches, chills, joint pains, random stinging sensations throughout my body (almost like a pen prick), sporadic short headaches and muscle cramps. I left work yesterday and didn?t even go in today.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1185419	4/9/2021	DE	27	F	4/8/2021	4/8/2021	10:12 am. Almost immediately post vaccine administration, reported back of tongue was tingling. With in 10 minutes, reported back of tongue was itchy. Visual of tongue, no edema. No history of asthma, or reactive air way disease. No dyspnea reported. VS BP 122/76, P 80, Resp 16. Denies medication allergies. Reported was sick with the Covid Virus 2/17/2021. It took until March 16, 2021 to finally test negative to Covid Virus. Reports not have the sense of taste or smell remains. Second set VS BP 120/78 P 80 Resp 16. After few more minutes, Pt reported less symptoms as "symptoms were dulling.". Pt then reported no symptoms at all. Symptoms resolved after 30 minutes. Pt remained in observation station with no further problems. Reports tongue is normal.
1185295	4/9/2021	CA	30	M	4/8/2021	4/8/2021	Just after receiving vaccine, subject fainted for approximately 30-40 seconds. Describes feeling light headed with tunnel vision. Eye open entire time, rolled back.
1185351	4/9/2021	NY	46	F	2/25/2021	2/27/2021	About I experienced headaches and no fever in 24 hours following my first dose of the Moderna COVID19 vaccine, but about 48 hours later I experienced pain and itchiness with no rash on the soles of both feet and the palms of both hands. This pain and itchiness did lessen in intensity over time, but it has never gone away. I am also experiencing itchiness without a rash all over the skin of my body, including my vagina. When I scratch, red marks rise up on the skin and remain far longer than what is typical for my body. Areas of my body that itch include scalp, inside eyelids, lips, inside ears, outside ears, neck, between breasts, back, stomach, buttocks, thighs, legs, and especially my ankles and the tops of my feet. The itchiness travels and I have learned to resist the urge to scratch. I went to see my physician for the first time yesterday since the sensation has not abated. I did take my second vaccine on schedule on March 26th (Moderna COVID-19 vaccine, Lot Number 038A21A.). I experienced headaches and a fever of 101F starting about 12 hours after the shot that lasted for 24 hours. The itchiness did not intensify, but it has also not abated.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1185382	4/9/2021	TX	54	M	3/27/2021	3/27/2021	Patient stated feeling little light headed, strange, weakness, feeling warm, sweaty, without visual problems wanted to lay down. Patient awake and alert without anxious. Does not like needles/shots. Felt better after 15 minutes. Patient better after 15 minutes. Patient did not have SOB without swelling without rash. Breathing ok without nausea. 11:45 am- 126/90 HR 59

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1185216	4/9/2021	NY	50	F	4/5/2021	4/6/2021	<p>4 am: 2 hours of chills and violent trembling. My teeth were clenched so tight for so long, my jaw ached. 6 am: I couldn't lift a glass of water. Someone brought my cup and straw, which I nestled between my face and pillow. I sipped what I could. 6:30: Sleep 8:am: Woke up thinking it was 6pm. I couldn't roll over. Dizzy and weak, I collapsed back into bed from trying to stand. Someone walked me to the bathroom. Once there, I wheezed and gasped for air. Then I got scared and cried, which made it even harder to breathe. It felt like my body wasn't absorbing the oxygen it took in. 8:05: Sleep 9 am: Woke up hoping the day was almost over and I slept through it. The cruelest part is sleeping what felt like the deepest sleep only to wake up an hour later ? over and over again. My spine and neck ached, which made my head hurt ? or my head hurt all on its own. 12 pm: Sharp abdominal pains with any movement. If I did move, I had fits of gasping for air. Had to ask Someone for the phone sitting just a foot away. I couldn't look at the screen. My eyeballs were too sore, head too achy, and brain too fogged. The phone was only to ask for help while someone worked in the other room. 12:30: Abdomen sore to touch. Hard to talk. My bowels became so shut down it hurt(s) to move straight water through them. The rest is kind of a blur. Lots of sleep. In the afternoon, someone walked me to the bathroom. Back in bed, I had another breathing fit. My abdominal pain felt inescapable. Through was happy for his company, I think I fell asleep during our conversation. At some point, someone brought me broth but I didn't get much down. By evening, I could walk to the bathroom alone, albeit hunched like a 120 year old in need of a walker. My guts just hurt too much to stand upright. Day 2: I still suffer from abdominal pain, a headache and muscle aches, but I CAN roll over, lift a glass of water, and focus on a screen for short stints. (I documented this in stages.) I can walk slowly but still painfully to the bathroom without help, but I get winded beyond that. I'm afraid to eat with my digestive tract so inflamed, but I have far more energy today, 32 hours after my last meal, than I did yesterday. I've also lost 6 pounds. Day. 3: 10 pounds down, still with diarrhea, but eating again. Restless sleep. Significantlt winded and dizzy after mild activity, like walking from one side of the house to the other.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1185391	4/9/2021	KS	27	M	4/8/2021	4/9/2021	PATIENT AWOKE THE DAY AFTER RECEIVING VACCINE, WITH NAUSEA, WORSENING OF RINGING IN THE EAR, VISUAL CHANGES AND A COLD SWEAT. HE ATTEMPTED TO GET OUT OF BED AND FELT LIKE HE WAS LOSING CONSCIOUSNESS AND MUSCLE COORDINATION. HE REPORTED CALLING A FRIEND TO COME OVER TO HELP HIM. HE CALLED THE LOCAL MINOR EMERGENCY CENTER AND WAS REFFERED BACK TO WHERE HE WAS VACCINATED. I ASKED HIM TO PLEASE REPORT TO THE ER TO BE CHECKED BY A PHYSICIAN DUE TO PATIENT NOT HAVING A PRIMARY CARE DR. I REQUESTED THE PATIENT TO PLEASE REPORT BACK TO OUR PHARMACY AFTER BEING EVALUATED BY A DR.
1185417	4/9/2021	MN	86	F	4/1/2021	4/1/2021	Patient received 2nd Pfizer vaccine. 5 minutes after injection patient had complaints of feeling pressure behind her eyes and feeling "fuzzy". Patient was accompanied by her daughter who came to the nurse at the end of the 15 minutes wait time to report the symptoms. When nurse talked to patient she states that the "fuzziness" went away but still had some pressure behind her eyes. Nurse had patient stay an additional 10 minutes. When patient left clinic she was feeling better.
1185201	4/9/2021	NY	22	M	4/7/2021	4/8/2021	blepharitis to left eyelid

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1185197	4/9/2021	NY	25	F	3/29/2021	4/7/2021	I'd had Bell's Palsy (BP) twice in my life (once in 2013 and once in 2015). I have not had it since 2015 until I got vaccinated on 3/29/21 and began to develop BP symptoms on the evening of 4/6/21 (headache on right side of my head/temple, odd sensation on right side of my tongue, almost like I burned it on a hot beverage) but I didn't think anything of it. I went to sleep and then, on the morning of 4/7/21, I woke up feeling extremely fatigued, brain fogged, and weak. I didn't notice any of the BP symptoms until I went to brush my teeth and realized I had lost motor function in the right side of my mouth. I immediately made a telehealth appointment with an Urgent Care doctor in order to get an Rx of Prednisone. I began taking the Prednisone around 3pm on Wednesday, 4/7/21. I also have been taking vitamin B-12 and a Women's Multivitamin to help regenerate nerve function. However, since starting the prednisone, my symptoms have continued to develop. Symptoms currently include: right side of my face is extremely swollen; I have lost mobility on the right side of my face, the right side of my tongue still feels numb; right eye tearing non-stop; some mild ear pain in right inner ear; slight pins-and-needles sensation in my fingers on my right hand; difficulty eating and drinking; still feeling fatigued. I have recovered from BP twice before so I am not too worried about having it again. I just think the FDA needs to put out a warning to the public that there may be a correlation between the COVID-19 mRNA vaccines and Bell's Palsy recurrences. I know this is not a coincidence, and my BP relapse was a result of my body experiencing an immune reaction from the vaccine.
1185178	4/9/2021	MA	26	F	4/9/2021	4/9/2021	Pt experienced the sensation of having a "lump" in her throat, symptoms resolved on their own without treatment shortly after the symptoms developed. The patient denied difficulty breathing, wheezing, chest pain/tightness. Pt denied any swelling to the throat, tongues, eyes, lips or difficulty breathing.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1185177	4/9/2021	NC	49	M	1/20/2021	2/11/2021	ADVERSE EVENT BEGIN WITH PAIN AND STIFFNESS IN NECK, THEN PAIN AND STIFFNESS PLUS ERYTHEMA AND EDEMA IN ARMS, FOREARMS, THORAX ANT AND POST, THIGHS, LEGS, ANKLES AND FEET. THIS WAS FOLLOWED BY THE DEVELOPMENT OF BULLOUS LESIONS ON PINNAE, ARMS, HANDS, LEGS AND FEET. HIS FACE WAS SPARED. HE HAD NO FEVER. HE DEVELOPED MARKED EDEMA IN ALL AREAS, SO SEVERE SHOES COULD NOT BE DONNED. HE SOUGHT TREATMENT FROM PCP AND DERMATOLOGIST, HAD 4 (FOUR) SKIN BIOPSIES, LAST FROM RIGHT LATERAL KNEE SKIN WAS POSITIVE FOR BULLOUS PEMPHIGOID. HE WAS TREATED WITH TRIAMCINOLONE TOPICALLY, PREDNISONE ORALLY, CLOBETASOL TOPICALLY, DOXYCYCLINE PO, NIACINAMIDE PO. AS HE IMPROVED HE DESQUAMATED DIFFUSELY AND BULLOUS LESIONS ARE HEALING. HE HAD NO EYE, MUCOSAL, GI OR GENITAL INVOLVEMENT. HE WAS ABLE TO RETURN TO WORK SEVEN WEEKS AFTER THIS ILLNESS BEGAN.
1185171	4/9/2021	FL	58	M	4/7/2021	4/7/2021	Tiredness that night, blurry sensation esp behind eyes. Following day continual headache and a fever . Woke up the following morning with no fever or headache but a battered body. Ive had Covid .. very similar to when I was ill only hopefully short lived . Cincerned about Vaccine 2 in a month which allegedly has stronger reactions.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1185168	4/9/2021	SC	45	F	4/1/2021	4/7/2021	Visited ER as I thought I was having an allergic reaction. Treated with Pepcid, prescribed prednisone and streeted. Visited personal allergy physician 4/9/21. per MD Allergist/Immunologist DXd = systemic immunological vasculitis. Most probably a delayed hyper immune response to my vaccine. Legs, arms and sides covered in innumerable petechial eruptions beginning 6 days post vaccination and 3 days post vaccination side effects (chills, headache nausea) subsided. Eruptions spread consistently for 36 hours and are constant not intermittent. They are hot, painful to the touch, and do not blanch. I'm on 60mgs of prednisone for 5 days (the highest dose given outside a hospital) and then 40 for 5 days and then 20 for 4 days. If I get any mouth nose or eye or interior genital irritation I have to go to the hospital and be admitted for higher dose steroids and constant monitoring. Dr advised this will take weeks to resolve and the eruptions will likely fade slowly and possibly peel.
1185160	4/9/2021	IN	22	F	4/7/2021	4/7/2021	At 15 min mark after receiving vaccine: sudden loss of hearing (extremely muffled, underwater sounding), profuse sweating, and then lost vision and passed out entirely when attempted to stand up for help. After laying down, quickly regained consciousness and felt better. After effects and soreness have been minimal. Have not fainted during/after vaccine before.
1185114	4/9/2021	NY	42	F	4/8/2021	4/8/2021	heart rate was noted to be high in the 146-150 range. The patient was able to talk and respond to questions but kept her eyes closed and was crying. She started heaving but was not vomiting. Benadryl and Solumedrol IM he was alert and coherent but kept her eyes closed and said "she could not open them?". She started to have rigors at 2:40pm, her pulse ox dropped to 89%, heart rate again climbed to the 150's. Taken to the ED
1185058	4/9/2021	WA	62	F	3/30/2021	3/30/2021	pt developed symptoms of: weakness (to the point of difficulty walking), pounding headache with vision changes, shortness of breath with exertion, upper abdominal pain, nausea, vomiting, rash on her legs, back and arms, heart pounding



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1185040	4/9/2021		61	F	4/9/2021	4/9/2021	Called to car approx 10 min post vaccination where PT reported "my nose and mouth are itchy" "my throat and eye feel itchy". VSS. Offered benadryl po 25mg. PT accepted. 15 min later, pt reported "my throat is tight" "some trouble breathing ". Breath sounds clear bilat. Sao2 = 96 - 99. As precaution, EMS on site consulted. Advised pt that "she looked stable" and gave her options for further obs or d/c home, calling 911 if there was further distress. PT reported feeling better and opted for d/c home. Vital signs stable throughout.
1184935	4/9/2021	AZ	55	F	4/1/2021	4/10/2021	sagging, flacid left eye and cheek. slight paralysis in left leg about an hour then symptoms went away
1185436	4/9/2021	OH	16	M	4/9/2021	4/9/2021	11:15 Patient fell out of chair and hit his head on the gym floor, he lost conscientiousness, after he work up, he stated " I have a headache." Blood pressure elevated, sweating, kicking, confused initially but quickly able provide his name, birthdate, and current location. B/P 147/85 HR: 100 Oxygen Sat: 100% 11:20 am B/P 153/78 HR: 99 Oxygen Sat: 99% 11:40 Patient states " I'm not feeling alright but I think I'm going", patient was talking on the phone to his dad, unable to complete his sentence and began to fall out of his chair, patient eye's began to twitch, legs kicking, but patient was able to state his name. Patient was sent to the Emergency Room via ambulance. Father of the child will meet them at the hospital for further evaluation.
1184931	4/9/2021	NH	60	F	4/9/2021	4/9/2021	Patient complained of feeling a dry mouth and blurry vision. She felt that this was a sign of an allergic reaction. EPI pen was administered and patient was brought to the emergency room.
1184897	4/9/2021		32	M	4/9/2021	4/9/2021	Pt pale, diaphoretic shortly after injection. Reports "felt nausea then blurry vision ". Reclined in seat, cool compresses, cool air and cool drink applied. Color returned. Pt reported - "back to normal". Vital signs stable throughout. D/C'd home after 30 min additional obs.
1185022	4/9/2021	MA	34	F	4/8/2021	4/8/2021	My eyes started swelling last night with discomfort behind my eyes, today I am getting discoloration on the lids of my eyes. My eyes are noticeably puffy.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1186074	4/9/2021	TX	45	F	4/6/2021	4/6/2021	Initially started as nausea and dizziness within 20 minutes of the shot. I started running a fever that reached 100.4 that night. The fever continued the next day and stayed around 100.3 and went down to 99.4. Today (4/9) my fever has subsided. In addition to the what is listed I had, and continue, to have muscle soreness and pain in my stomach. I also have pain in my joints. I have also noticed that my vision is not clear is blurred and that continues. My stomach pain and pain in my legs continue at this moment and I am very tired.
1183751	4/9/2021		55	U			SMALL COLD SORE ON CENTER OF TOP LIP; SWELLING ON LIP; NERVE PAIN ON LEFT SIDE OF FACE AND UP AROUND EYE; TINGLING; This spontaneous report received from a patient concerned a 55 year old of unspecified sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin, and batch number were not reported) dose was not reported, administered on 31-MAR-2021 for prophylactic vaccination. The batch number was not reported. The Company is unable to perform follow-up to request batch/lot numbers. No concomitant medications were reported. On an unspecified date, the subject experienced small cold sore on center of top lip, swelling on lip, nerve pain on left side of face and up around eye, and tingling. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the small cold sore on center of top lip, swelling on lip, nerve pain on left side of face and up around eye and tingling was not reported. This report was non-serious.
1184871	4/9/2021	IA	41	F	3/24/2021	3/27/2021	a couple days after receiving the 1st dose - woke up with rash around eyes, mouth, nose and neck. it went away with some benadryl. 1 week later it returned. started to become worse on face, burning feeling and making her nauseous. consulted with doctor. was started on prednisone & benadryl. instructed not to receive 2nd dose

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1186389	4/9/2021	NC	22	F	4/8/2021	4/8/2021	20 YO FEMALE CONSCIOUS AND ALERT WITH A GCS OF 15 COMPLAINING OF HAVING ITCHING AND HIVES TO THE LEFT FOREARM. PT WAS JUST GIVEN HER COVID 19 SHOT. PT DENIED CHEST PAIN, N/V/D, SHORTNESS OF BREATH, BLURRED VISION, DIZZINESS. PT HAD A PATENT AIRWAY WITH EQUAL CHEST RISE AND FALL. PT HAD SOME HIVES TO THE LEFT FOREARM. PT HAD NO DIFFICULTY BREATHING OR RASH ANY WHERE ELSE. PT HAD NO OTHER DCAPBTLS, HEENT WAS UNREMARKABLE. PT VITALS WERE TAKEN AND RECORDED. PT WAS GIVEN 50 MG OF BENEDRYL PO BY EMT. PT WAS OFFERED TRANSPORT TO THE LOCAL HOSPITAL FOR FURTHER EVALUATION. PT REFUSED
1186361	4/9/2021	NC	34	M	4/8/2021	4/8/2021	34 YO MALE WAS COMPLAINING OF HIS LEFT ARM AND SIDE OF HIS FACE STARTED TO FEEL NUMB AFTER GETTING HIS COVID 19 VACCINATION. PT DENIED CHEST PAIN, SOB, N/V/D, HEAD NECK AND BACK PAIN, BLURRED VISION, DIZZINESS. PT HAD A PATENT AIRWAY WITH EQUAL CHEST RISE AND FALL. PT HAD NO NOTED SWELLING TO THE LEFT SIDE OF HIS FACE AND HAD FULL PMS AND ROM TO THE LEFT ARM. PT HAD NO OTHER NOTED DCAPBTLS, HEENT WAS UNREMARKABLE. PT VIATLS WERE TAKEN AND RECORDED. PT OFFERED TRANSPORT TO THE LOCAL HOSPITAL FOR FUTURE EVALUATION. PT REFUSED
1186328	4/9/2021	NC	41	F	4/8/2021	4/8/2021	41 YO FEMALE CONSCIOUS AND ALERT WITH A GCS OF 15 COMPLAINING OF HER THROAT FEELING LIKE IT WAS CLOSING UP. PT JUST RECIEVED HER COVID 19 VACCINATION. PT DENIED CHEST PAIN, SOB, N/V/D, HEAD NECK AND BACK PAIN, BLURRED VISION, DIZZINESS. PT HAD A PATENT AIRWAY WITH EQUAL CHEST RISE AND FALL. PT HAD NO NOTED HIVES OR RASH, PT WAS EXCHANGING AIR AT 98% SATURATION. PT HAD NO OTHER NOTED DCAPBTLS, HEENT WAS UNREMARKABLE. PT VITALS WERE TAKEN AND RECORDED. PT WAS GIVEN 50 MG OF BENEDRYL PO BY PARAMEDIC. PT WAS OFFERED TRANSPORT TO THE LOCAL HOSPITAL FOR FURTHER EVALUATION. PT REFUSED

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1186298	4/9/2021	NC	42	F	4/8/2021	4/8/2021	Upon arrival subject is CAOx4. Subject is found sitting in her car, after receive her COVID vaccine. Subject stated that she would like to be checked out. Subject stated that she does not having any symptoms, but would like to double check everything is okay. Subject's skin warm/dry, respiratory rate/ effort normal, pulse rate fast/regular, mucous membrane pink/dry. EMS note subject's Spo2 is in the upper 90's, subject is noted to be tachycardic. Subject stated that she normally has a fast heart rate when she is getting an examination done. Rhythm showed Sinus Tachycardia with no significant ST elevation. Subject stated that she feels fine. Subject denied any shortness of breath, chest pain, blurry vision, headache, N/V/D. EMS monitored the subject for a moment to see if heart rate would come down. After approximately 10 minutes EMS not that subject's heart started to come down. EMS offer transport to the hospital to the subject. Subject stated that she feels okay and does not wish to go to the hospital. EMS explains the risk of not being further evaluated. Subject stated that she understands and does not wish to go to the hospital.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1186296	4/9/2021	MN	52	M	4/7/2021	4/7/2021	Patient did say before vaccine that he has fainted in the past from previous vaccines. I had a Representative administer vaccine while i stood next to patient and talked with him as a distraction from the shot. After Representative gave the vaccine patient asked "did you give vaccine?", he then immediately started to sweat very hard and said he was light headed (he was sitting down), then his eyes rolled back and he slouched down in chair, at which point I held him so he did not fall on floor. He started to jerk and twitch, perhaps was having a seizure, and was sweating very hard. I held him in chair so he would not hit his head or get hurt. After about 30 seconds he regained consciousness and asked how long he was out. His T-shirt was soaked in sweat and he said he felt very dizzy. The Representative got him an ice pack and placed at base of neck, which he said helped alot. I sat with him for 10-15 minutes until he said he felt fine. I asked if he needed medical care and he said he did not, just needed to sit for awhile, and said this has happened before. I gave him a chair to sit in after he was fully alert and he sat for close to half an hour, at which point he said he was back to himself and felt fine. I did offer he could stay as long as needed and I could call anyone if he needed me too, he insisted he was fine and after about 45 minutes he left. I did call him the next day to check on him and he said he was fine.
1186271	4/9/2021	CA	20	M	4/9/2021	4/9/2021	Pt sitting upright in chair in recovery. A/Ox3. Fell from sitting position to floor on left side. Once on floor pt started jerking movement which lasted less than 1 minute. Head held until jerking stopped. Pt opened eyes per verbal and tactile stimuli. V/S obtained w/b/p 134/64 HR 58 O2 99%. No acute distress noted at the time. Pt refused EMS at this time. Girlfriend contacted per pt request of pt. Assisted to sitting position in chair. A/Ox3. Held an extra 30 minutes. After 30 minutes pt was able to leave with girlfriend. V/S obtained with b/p 126/56 HR 64 O2 99%. Ambulated with a steady gait out of building.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1186226	4/9/2021		35	F	4/9/2021	4/9/2021	Patient at Vaccine Clinic on 4/9/2021. Patient had received her second dose of COVID-19 vaccine (Pfizer). She noted dizziness. She was able to walk to the Adverse Reaction Area and noted headache and sensitivity to light. Disposable pillow case was given to the patient to cover her eyes. Vital signs: 11:42 am: Blood pressure 231/141, heart rate 99, while sitting We asked the patient to lay down on the gurney. 11:55 am: Blood pressure 210/132, heart rate 94 11:56 am: Blood pressure 208/140, heart rate is 95 Patient felt slightly better and looked better, but the recommendation was for her to go to the ER as her blood pressure was significantly high. We discussed the risks of stroke and/or heart attack. Patient declined ambulance transport, and she and her husband agreed to go to the ER. Her husband agreed to drive her to the ER. I called ER triage desk and alerted them that the patient would be going to the ER. The patient and her husband understand this. All questions were answered.
1186210	4/9/2021	ME	29	F	4/9/2021	4/9/2021	Patient was sitting down and started to feel dizzy and her vision was starting to become blurry. She got up to let us know that she was having a reaction and fainted. She was awake immediately after she fell and said that she was experiencing the blurred vision still, extremely sweaty/hot flashes, and ringing in her ears. She drank some water and sat down for a little bit and started to feel better.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1186197	4/9/2021	OR	71	F	3/1/2021	3/2/2021	second vaccine was at 10:30AM on 3/29/21. I experienced increased frequency of ocular migraines (Kaleidoscopic irregular frame in field of vision that starts small and increases in size till it disappears over 15-30 minutes. That is followed by a mild headache and mild disorientation. This has been the usual symptom of an ocular migraine for me. Difference was a big increase in frequency.) Ocular migraines occurred in PM of 3/2/21, AM on 3/3/21, AM and PM on 3/5/21, PM 3/6/21, PM 3/7/21, AM 3/11/21, PM 3/15/21, PM 3/19/21, and AM 3/20/21. I had one instance on an ocular migraine after the second Moderna dose on 4/1/21. I contacted both my PCP and Opthamologist on 3/8/21. Doctor followed up with me to find out whether the migraines were always occurring in the same field of my vision from instance to instance later in the week as well. I told him they seemed to be occurring in different spots including a perceived difference in which eye. Only treatment was to watch and see if it stayed as frequent or subsided in frequency. It seems to have resolved itself by today 4/9/21.
1186174	4/9/2021	MO	38	F	4/7/2021	4/7/2021	Vaccine administered in left arm. Pain spread down left arm into middle 3 fingers at 10 minutes. Pain spreading up to left shoulder at 10 minutes. Told I could leave facility at 15 minutes. Tingling and facial tingling starting at left jaw line and spreading up to left sinus cavity then around left eye and back to left ear at 30 minutes. Tightness, tingling and discomfort described above lasted 48 hours. Tightness and Tingling turned into swelling, numbness and drooping all on the left side of the face and left side of tongue at 48 hours post dose. Medical attention sought at advice of PCP at Urgent Care at 50 hours post dose. Diagnosos: Bell's Palsey Treatment: Steroid and antiviral, plus home care. Return or go to ER if symptoms worsen. Referral to neurologist, if needed.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1186149	4/9/2021	VA	55	F	4/1/2021	4/1/2021	Client received Johnson & Johnson vaccine and during the 15 minute post vaccination waiting period she had diaphoresis, lightheadedness, shortness of breath, tears in her eyes. She stated that she has had vasovagal reactions in the past. Vital signs : BP 78/58 p 87. Client is on doxycycline for Lupus, client was placed laying down on a cot. 911 was called, They arrived and performed an EKG and evaluated the client. Client sat up at 11:17 am and stated that "I'm starting to feel better." At 11:27 am client was feeling much better, client and EMT personnel determined that she did not needed to be transported to the hospital.
1186343	4/9/2021		17	M	4/9/2021	4/9/2021	Pt was given Pfizer first dose at 930. Walked to monitoring area. Sat down and c/o of visual disturbances light/blurry, ears sounding like drums. Bilateral hands shaking and holding parent's hands. Sweat running down face. Color draining from lips/face and began c/o trouble breathing. 9:31 epi given in right thigh. Began feeling better and breathing regular. 9:34 Benadryl given. Moved to exam room for monitoring. VS and monitoring continued for 4 hours. Pt released with epi rx and f/u instructions.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1185954	4/9/2021	FL	54	F	4/7/2021	4/7/2021	Around 10pm on 4/7 I felt a sudden onset of body aches. I had similar symptoms after the first vaccine so I knew this was an expected side effect and decided to take two Tylenol 500mg and go to bed. I had a restless night with pain on the injection site, chills, and severe body aches. At 8:30am on 4/8, I got out of bed and still feeling sick, thought of taking Tylenol again. I didn't want to take medication on an empty stomach so I took two sips of milk and coffee and two bites of a cookie, when I started feeling severe nausea. It was a very strong nauseous sensation. I started sweating. I stood up from the table to take the cup to the sink and my vision turned partially black. I thought I had stood up too quickly, so I sat down again. I walked back to the table and sat down. I felt I was losing control of my body. I stood up again with the intention of going back to bed, and started walking towards my bedroom. I told my husband that I was seeing all black. I don't recall what happened next. My husband says that he was asking me if I was alright but didn't answer. He walked towards me and I fainted against the pantry door and he was able to hold me. I lost consciousness for a few seconds. Paramedics came and took me to emergency room. I was released 2 hours later. Had a fever of 100.4C in the afternoon with chills and body aches.
1185461	4/9/2021	FL	57	F	4/7/2021	4/8/2021	All over body soreness and fever one day after (Thursday) 2 days after (today) severe swelling under my eyes where I had juvederm cheek filler injected over 2 years prior (2019)
1185496	4/9/2021	AZ	53	F	4/8/2021	4/8/2021	Hives from scalp to bottom of feet, eyes itched nonstop for hours. Took (2) antihistamine tablets, Eyes still itched the next day until noon.
1185507	4/9/2021	FL	34	M	4/8/2021	4/8/2021	Two min. post vaccine given client became pale, sweaty with eyes looking dazed. Vaccination nurse attended to client stated he was feeling dizzy for a minute. Client was escorted to DOH observation site for further observation by paramedics on standby.
1185509	4/9/2021	NY	95	F	3/25/2021	4/4/2021	Resident has developed new episodes of confusion, behavioral changes, and visual hallucinations as of 4/4/21

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1185888	4/9/2021	NY	16	M	4/9/2021	4/9/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Headache-Medium, Systemic: Visual Changes/Disturbances-Medium, Systemic: Weakness-Medium, Additional Details: Patient was felling hot and had anxiety before getting the shot. He said he had breakfast at 7am and recieved the shot around 11:30 am.
1186136	4/9/2021	VA	60	F	4/6/2021	4/7/2021	All over rash and hives and itching on body including face around eyes and mouth, scalp itching and tongue feeling funny at times but no swelling as far as I can tell. As of 04/09/2021 I have started taken Benadryl in hopes that would help. A little headache here and there. Have taken Tylenol for that.
1185908	4/9/2021	NC	42	F	4/9/2021	4/9/2021	Patient complained of left arm heaviness at 12:44pm. BP was 158/98 Pulse was 101 and O2 saturation was 99. No other complaints at that time. After observation period patient went to the bathroom around 1:00pm and vomited in the restroom. She returned to post vac area where BP was checked (208/124) Pulse (107), O2 saturation (98), and respirations were at 28. No blurred vision, shortness of breath, or dizziness. Due to elevated BP we elected to call EMS for further evaluation. While waiting for EMS BP was taken again at 1:30 pm and it was 170/92 and pulse and apical HR were at 96, respirations at 24, O2 Sat at 97% and pt. reported arm was less heavy but she felt a tingling sensation from her arm to her wrist. EMS arrived at 1:35 and BP was 220/120 and temp was at 97 degrees.
1186123	4/9/2021	AZ	50	F	4/7/2021	4/8/2021	Pain and rash/heat at injection site. Aching Joints, Low fever, Nausea, Double vision. 24 hours after shot, better by 48 hours.
1185955	4/9/2021	NM	68	F	4/1/2021	4/1/2021	Extremely tired, slept 4/01-4/03 most those days, and slowly increased energy following days, but still required more rest than normal; pounding headache; sores on legs that itched, kind of like bumps that seeped if scratched too hard. Couldn't watch TV. Eyes had trouble focusing. Eight days after vaccine I got a few new itchy bumps, and still low on energy, and have a headache that isn't as bad. Still having trouble thinking, brain isn't working as sharply.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1186017	4/9/2021	CA	56	M	4/7/2021	4/9/2021	Swollen lower eyelids x 2 days after vaccine administration. Pt treated at home with 25mg Benadryl and Advil x 2, monitoring for worsened or additional symptoms, given ER precautions.
1186023	4/9/2021	TN	44	M	4/9/2021	4/9/2021	Five minutes after shot started losing consciousness, sweating, hot flashes, trouble breathing, numbness on tongue, seizure ( several minutes) came in and out of consciousness during it, eyes rolled back in head. Arms flailing.
1186046	4/9/2021		19	M	4/9/2021	4/9/2021	Pt sat for 15 mins, got up started to walk felt dizzy and fell down, hit head on wall. bruise on head above left eye 1" x1/4" Pt stated this is a typical reaction to blood draw
1186070	4/9/2021	IN	70	F	3/3/2021	3/3/2021	13 mins after injection. Felt like a rubber band snapped my forehead. Eyes lids instantly became extremely heavy and blurred followed by some dizziness. Did not mention this to anyone at the time. Drove home. Experienced headache, extreme fatigue , chills, and extreme lethargy. This lasted for a few days but at least a week or so before all symptoms abated.
1185448	4/9/2021	OH	38	F	3/19/2021	3/20/2021	Left eye pain and entire sclera blood red. No discharge
1185891	4/9/2021	IN	28	F	4/7/2021	4/7/2021	Full body pain, migraine, dizziness, severe fatigue, low grade fever, blurry vision for 24+ hours
1184028	4/9/2021	IN	21	F	4/8/2021	4/8/2021	Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: Shakiness-Medium, Systemic: Visual Changes/Disturbances-Medium, Additional Details: patient was taken by ambulance to ER
1184240	4/9/2021	IL	49	F	4/5/2021	4/7/2021	Left Eye has blurred vision

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1184219	4/9/2021	FL	62	F	3/25/2021	4/1/2021	On the 7th day after receiving the vaccination I experienced a sudden onset of severe Vertigo. I could not walk or open my eyes due to the sensation of the room tilting and moving which resulted in severe uncontrollable vomiting. The severe vertigo lasted 24 hours. However, I continue to have intermittent bouts of dizziness, nausea and loss of hearing that occurs 10-15 times a day lasting 5-10 minutes. Although I am able to walk about now, I still can not drive due to safety concerns. My biggest fear, of course being if this is going to be permanent or if it will resolve. Item 21 can not be addressed at this time as it is still unresolved.
1184213	4/9/2021	NC	28	M	4/7/2021	4/7/2021	On 04/07/21, 28 yo presented to clinic for immunization. Pt's documented allergies include codeine (rxn: rash; severity: low) since 02/06/2018. Pt had no previously documented encounters. Pt was seen at another institution on 02/06/18 for Generalized Anxiety Disorder and was prescribed sertraline 25 mg PO daily. Unknown if pt continues on this medication. On 04/07/21 at 1141, pt was administered COVID-19 J&J (Janssen) Vaccine 0.5 mL in left deltoid (Lot #043A21A; Exp: 6/21/2021; NDC #59676-580-15). Immediately after injection, pt became lightheaded, dizzy, diaphoretic and "felt like his vision was closing in". Vitals assessed at 1145 were BP: 94/55, P: 42, O2 sats: 98%. Pt placed in Trendelenburg position with vitals BP: 116/75, HR: 43, O2 sats: 98%. Pt denied any chest pain, shortness of breath, throat swelling, skin itching or hives. Pt reported no previous reactions to vaccines and no h/o anaphylaxis. Pt did report a similar event during a previous blood draw. Pt remained in Trendelenburg x 10 minutes. At 1159, pt was repositioned to sitting with BP: 120/80, HR: 48. Pt reported a low baseline HR. After a total observation of ~20 minutes, pt was reassessed by MD and permitted to leave. Event noted as "Symptoms are most consistent with a vasovagal reaction after J&J Covid vaccine.~~

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1184205	4/9/2021		38	M	4/8/2021	4/8/2021	Complaints of spotty vision and tingling in hands. Approximately 5 mins after receiving Janssen vaccine. Suddenly patient became pale but did not have loss of consciousness. During evaluation tingling sensation included abdomen and chest area. Denied facial swelling, throat/lip swelling, difficulty breathing, shortness of breath or difficulty swallowing. Able to take water at 4:38 pm. Tingling in abdomen or chest resolved at 4:45 pm. Tingling in hands resolved at 4:50 pm 1630: BP 131/78, Pulse 108, RR 12 O2 Sat 98% 1650: BP 134/86, Pulse 108, RR 12, O2 Sat 97% Medical history of anxiety/depression, has fainted with needles in the past
1184204	4/9/2021	ME	66	F	3/29/2021	3/29/2021	Started about 12 hrs after injection: unable to sleep but sleepy, nauseas, migraine right eye affected, body ake, dizziness, and itchy in the morning my throat started hurting and tongue swelling, gums and teeth hurt, right fingers swelled, under right arm lymph nodes hurt, painful to touch, liver tender and bladder gave way- (urgency without notice) first time peeing in pants! Took blood pressure and very low reading . Started to feel like a human being again on April 2nd.
1184165	4/9/2021	NC	66	F	4/7/2021	4/7/2021	Diarrhea, chills, swollen lymphoma node, chills, body aches fever, eyeballs hurt when moving them, tiredness, muscle and joint pain, sweating, weakness and confusion.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1184108	4/9/2021	AZ	64	M	2/27/2021	3/22/2021	Bells Palsy; This is a spontaneous report. A contactable consumer (patient) reported that a 64-year-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, lot number unknown, expiration date unknown), via an unspecified route of administration, administered in right arm on 27Feb2021 at 10:45 AM at the age of 64 years old at a single dose for COVID-19 immunisation. Medical history included diabetes, prior heart attack and allergies: codeine, penicillin. Concomitant medications included metoprolol, pravastatin, metformin, valsartan and clofarabine. Patient didnot receive any other vaccines within 4 weeks prior to the COVID vaccine. On 22Mar2021 at 09:30 AM, the patient experienced bells palsy. Adverse event resulted in doctor or other healthcare professional office/clinic visit, emergency room/department or urgent care. Adverse event treatment: CT scan, neuro evaluation, eye exam and steroids. Prior to vaccination, patient was not diagnosed with COVID-19. Since the vaccination, patient had not been tested for COVID-19. The patient had not yet recovered from the event. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1184107	4/9/2021	PA	56	F	3/17/2021	3/18/2021	<p>Angioedema; swelling face, eyes, lips and throat; swelling face, eyes, lips and throat; swelling face, eyes, lips and throat; swelling face, eyes, lips and throat; This is a spontaneous report from a contactable nurse (patient herself). A 56-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot Number: EP7534) via an unspecified route of administration on 17Mar2021 06:00 PM as single dose in right arm for COVID-19 immunisation at Pharmacy or Drug Store. The patient's medical history included idiopathic angioedema and no chronic health conditions. Patient had allergies to medications, food, or other products included Zithromax - anaphylactic, several other antibiotic - rash, hornet and wasp sting allergies. Patient was not pregnant at the time of vaccination. Concomitant medications were not reported. The patient did not receive any other vaccines within four weeks prior to the vaccination. The patient did not receive any other medications within two weeks of vaccination. On 18Mar2021 at 10:00 AM, the patient experienced angioedema - swelling face, eyes, lips and throat which occurred 16 hours after injection. Event resolved with use of Benadryl. Prior history of angioedema. Since symptoms resolved with Benadryl, I did not seek further medical care. The patient had no COVID prior vaccination and was not tested COVID post vaccination. The clinical outcome of the events were recovered in 2021. No follow-up attempts are possible. No further information is expected.; Sender's Comments: Based on the information available, a possible contributory role of the suspect BNT162B2 cannot be excluded for the reported events occurred in a plausible temporal relationship. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1184098	4/9/2021	NC	45	F	3/17/2021	3/18/2021	On Thursday 3/18 around 5:00 I started feeling tired, went to bed early woke up Friday with my eyes burning, the skin around my eyes was red, creapy, and was burning and itching. It was mainly my eyes, but my face felt puffy. My torso felt hot from inside. My throat felt swollen towards the top. By Friday night it was getting worse so I took Benadryl and sat with ice packs on my eyes, and put hydrocortisone around my eyes and eyelids. I continued that til Tuesday when it finally subsided. I did take pictures of my face, and I contacted my doctor to ask about the second shot. They advised against it, so I've cancelled my appointment. I might try the J & J shot in a few months.
1184084	4/9/2021	VA	71	F	4/3/2021	4/3/2021	Site: Pain at Injection Site-Medium, Site: Redness at Injection Site-Severe, Site: Swelling at Injection Site-Severe, Systemic: Allergic: Itch (specify: facial area, extremities)-Severe, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Severe, Additional Details: Upper arm extremely swolloen and inflamed , lower neck area hurts, left eye inflames, red,swollen, area around too!
1184073	4/9/2021	FL	39	F	4/8/2021	4/8/2021	At bedtime I noticed a slight queasiness. Just enough to make me close my eyes to go to sleep. I also felt 'off'. About 30 mins to an hour later I notice that every move I make, the joints I'm moving hurt. Like EVERY joint is now sore when I move. (With the exception of fingers/toes) I tossed and turned all night and got a headache. The queasiness was very mild, but happened any time I moved. This morning now my joints no longer hurt, but I still have the headache.
1184042	4/9/2021	MA	50	M	4/8/2021	4/8/2021	Site: Swelling at Injection Site-Mild, Systemic: Chills-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Nausea-Mild, Systemic: Shakiness-Mild, Systemic: Tingling (specify: facial area, extremities)-Mild, Systemic: Visual Changes/Disturbances-Mild, Additional Details: patient described as an almost panic attatck reaction - shakiness, dizziness, blurry vision, nausea. Blood pressure and heart rate not elevated. SAT for 20 minutes and started feeling better then got the chills and more shakiness



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1183783	4/9/2021	TX		F		4/1/2021	NECK SWELLING; ITCHING; REDNESS; FACIAL SWELLING (CHEEKS, FOREHEAD, AROUND EYES); RASH; FACE IS HOT; COLD COMPRESS FOR 30 MINUTES, RESOLVED BUT RETURN IN A COUPLE OF HOUR; This spontaneous report received from a patient concerned a 68 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included rheumatoid arthritis. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on 01-APR-2021 13:30 to right deltoid for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On APR-2021, the subject experienced face is hot. On APR-2021, the subject experienced cold compress for 30 minutes, resolved but return in a couple of hour. On 01-APR-2021 18:00, the subject experienced neck swelling. On 01-APR-2021 18:00, the subject experienced itching. On 01-APR-2021 18:00, the subject experienced redness. On 01-APR-2021 18:00, the subject experienced facial swelling (cheeks, forehead, around eyes). On 01-APR-2021 18:00, the subject experienced rash. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from neck swelling, itching, redness, rash, facial swelling (cheeks, forehead, around eyes), face is hot, and cold compress for 30 minutes, resolved but return in a couple of hour. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1184031	4/9/2021	GA	30	M	4/8/2021	4/8/2021	Systemic: Fainting / Unresponsive-Medium, Systemic: Seizure-Medium, Additional Details: THE PATIENT FELL FROM A CHAIR IN THE POST-VACCINATION AREA AND WAS FACE-DOWN, NOT RESPONSIVE. THE PATIENT WAS TURNED ON HIS BACK WHEN HE BEGAN TO SEIZE, SO HE WAS PLACED ON HIS SIDE. HE RECOVERED AND OPENED HIS EYES SHORTLY THEREAFTER. HIS BP WAS 120/59 MMHG, AND HE WAS PROVIDED CRACKERS AND WATER. THIS PATIENT DENIED ANY EPISODES LIKE THIS IN THE PAST BUT ALSO DENIED HAVING BREAKFAST THIS MORNING. THE PHARMACIST RECOMMEND FOLLOWING UP WITH HIS PCP, AND A RELATIVE PICKED HIM UP FROM THE CLINIC.
1184306	4/9/2021	GA	25	F	4/7/2021	4/7/2021	After vaccination, patient complained of dizziness and loss of vision. Patient?s eyes rolled back and patient had brief seizure activity with jerking motions lasting a few seconds.
1184010	4/9/2021	MA	60	M	4/7/2021	4/7/2021	Received shot at 11am. Around 9:30pm that evening started having the chills and a slight headache. Around 1:30am woke up with severe chills and a very bad headache where even my eyes were hurting. Also my arm was hurting from my upper shoulder down to my elbow and was warm. Around 2:00 am I started to throw up and had dry heaves for about 30 minutes. Once that stopped I took 2 Tylenol and fell back to sleep about an hour later. Woke up around 6am with a slight headache, took 2 more Tylenol and by noon time I felt completely fine and not even tired

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1183985	4/9/2021	NY		M	9/18/2020	9/19/2020	Fluid in his bottom right lobe of his lung where the cancer is; Inflammation in the bottom of his lung; in lower right lobe of lung; Blood pressure isn't stable; going up and down; Blood pressure issues; Exhausted; fatigue; Trying to control his blood pressure and his pulse issues, pulse incomplete; Muscle weakness was severely progressing; Bad reaction to the Covid vaccine; Blood clot on his lung; Raspy voice; the patient had been sick; Moderate headaches; Passed away; This is a spontaneous report from a contactable consumer (patient) based on the information received by Pfizer from Pharmaceuticals (Manufacturer control number 2020CAT00505). A 74-years-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on an unspecified date at single dose for COVID-19 immunisation. Co-suspect drug included amifampridine phosphate (FIRDAPSE) orally, from 18Sep2020 to an unspecified date at 10 mg thrice daily, from 02Oct2020 to an unspecified date at 20 mg thrice daily, for Lambert-Eaton myasthenic syndrome. Medical history included Lambert-Eaton myasthenic syndrome (he could not walk without FIRDAPSE), migraine ever since he was a kid, small cell lung cancer (in liver and lymph nodes; brain metastases), metastases to liver, metastases to lymph nodes, radiotherapy of his head and lung for his cancer, gait disturbance from an unknown date and unknown if ongoing, muscular weakness from an unknown date and unknown if ongoing. Concomitant medications included pantoprazole, acetylsalicylic acid (ASPIRIN (E.C.)), furosemide. The patient experienced blood clot on his lung in Jan2021 with outcome of unknown, fluid in his bottom right lobe of his lung where the cancer was on an unspecified date with outcome of not recovered, inflammation in the bottom of his lung; in lower right lobe of lung on an unspecified date with outcome of not recovered, raspy voice in 2021 with outcome of recovered, blood pressure not stable; going up and down; blood pressure issues on an unspecified date with outcome of not recovered, exhausted; fatigue on an unspecified date with outcome of not recovered, sick in 2021 with outcome of unknown, trying to control his blood pressure and his pulse issues, pulse incomplete on an unspecified date with outcome of unknown, moderate headaches from 19Sep2020 with outcome of recovered, muscle weakness severely progressing on an

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

unspecified date with outcome of unknown, 10 mg 3 times a day wasn't enough (therapeutic product effect incomplete), on an unspecified date with outcome of unknown, he'd switch and do a couple doses of 15 mg and it was better but not enough (intentional product use issue) on an unspecified date with outcome of unknown, after he received the COVID vaccine, he experienced a bad reaction (unspecified) on an unspecified date with outcome of unknown. The events were reported as serious as involved hospitalization. The patient passed away on an unspecified date in Feb2021. It was not reported if an autopsy was performed. The clinical course of the events included the following information. On 21Sep2020, a spontaneous report was received from a consumer, via a company representative, regarding a 74-year-old male who was being treated with FIRDAPSE 10 MG (amifampridine). On 22Sep2020, additional information was received from a consumer. On 02Oct2020, additional information was received from a consumer and chemotherapy was added as a co-suspect. On 01Feb2021, additional information was received from a consumer via a company representative. On 09Feb2021, additional information was received from a consumer, and this case was determined to be the master case for cases 2021CAT00039 and 2021CAT00052 (both invalid, duplicate cases) and the information was merged into this case (2020CAT00505). This case was re-assessed as serious/unexpected, and COVID vaccine was added as co-suspect. On 18Feb2021, additional information was received from a consumer via a company representative. On 19Feb2021, additional information was received from a patient ambassador via a company representative. Medical history included LEMS (Lambert-Eaton myasthenic syndrome) and migraines. Concomitant products included: an unknown statin, pantoprazole, and acetylsalicylic acid (ASPIRIN) 81 mg. On 18Sep2020, the patient started treatment with FIRDAPSE 10 mg at 10 mg, 3x/day orally for LEMS. On 19Sep2020 and 20Sep2020, after starting the product, the patient experienced moderate headaches. On 21Sep2020, the patient did not experience a headache. On 22Sep2020, the patient experienced a headache that was "4/10." He had taken acetaminophen; aspirin; caffeine (EXCEDRIN) and ibuprofen as treatment and it "helped." The patient

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

had not spoken to his HCP (health care provider) about the event but was going to call his HCP and ask to increase his dose of FIRDAPSE. The product was working and he was walking better, but he had heard people taking up to 80 mg a day. As of 22Sep2020, product use was ongoing and headaches were improved. On 02Oct2020, it was learned that his medical history included being prone to headaches (also reported as migraines ever since he was a kid) and "chemo" for small cell lung cancer stage 4 which was in his liver and lymph nodes. Concomitant products included furosemide. It was noted that the patient had been on the product for 4 to 5 days when he experienced his moderate headaches. He had the headaches for just a couple days, but he wasn't sure if it was due to the FIRDAPSE or it was the chemo. He took "a couple" of ibuprofen and he was "alright." On an unspecified date, the patient was in contact with his HCP and he was told to "keep an eye on it" (presumed headaches) and see if it got worse. They agreed that it could have been the chemo or a "fluke" thing. He also spoke to his HCP about his FIRDAPSE dose of 10 mg, 3x/day not being enough. He would switch and do a couple doses of 15 mg and it was better, but not enough. His HCP thought he should be taking 20 mg 3x/day, so he was working with the patient's insurance and pharmacy to get it changed. As of 02Oct2020, FIRDAPSE and chemo treatment were ongoing and moderate headaches were resolved (reported as he'd been good for a few days). On 01Feb2021 and 09Feb2021, it was learned that on 02Oct2020, the patient's FIRDAPSE dose increased to 20 mg, 3x/day. On an unspecified date, the patient received the COVID vaccine at an unreported dose, route, and frequency of administration for an unreported indication. After the patient received the COVID vaccine, he experienced a bad reaction (unspecified). Since 27Jan2021 (reported as since Wednesday, relative to 01Feb2021), the patient had been sick. On 31Jan2021, the patient went to the emergency room, and they thought he had a blood clot on his lung. Subsequently, he was admitted to the hospital. Initially, when the patient was in the hospital, they took all his medications away, including his FIRDAPSE, as the pharmacy was managing his medication. The patient wife was able to get the doctors to let the patient keep his FIRDAPSE in his room with

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

him before he missed any doses because he could not walk without his FIRDAPSE. On an unspecified date in 2021, the patient had radiation of his head and lung for his cancer (previously reported medical history), and "they" (presumed his medical provider) said he could have a raspy voice and headache, which he did experience but then resolved. While in the hospital, the patient's blood pressure was not stable. It went "up and down, up and down." He had fluid in the bottom right lobe of his lung, where the cancer was, and they could not "tap it" due to the blood pressure issues. They were trying to get the fluid out every other way they could. The doctors said he had inflammation in the bottom of his lung. He was given a "good dose" of prednisone, but he was just exhausted. They were trying to control his blood pressure and his pulse. When they got one of them "up," the other went "down." The doctors said that the patient's LEMS had nothing to do with why he was in the hospital. His wife expressed her gratitude for the FIRDAPSE and how it had helped him. As of 09Feb2021, treatment with FIRDAPSE was ongoing. The patient was still in the hospital and not doing well, also reported that he was still the same, he had not improved but he had not worsened. The blood clot on his lung, blood pressure fluctuation and pulse issues, fluid in the bottom right lobe of his lung, inflammation in the bottom of his lung, and exhaustion were not resolved. The status of the bad reaction to the COVID vaccine was not reported. No additional information was provided. On 18Feb2021 and 19Feb2021, it was learned that the patient's medical history included: muscle weakness and lung cancer with brain metastases. On unspecified dates, after starting FIRDAPSE, the patient's muscle weakness began severely progressing, and he experienced fatigue. The weakness was worsening significantly, even after being on the medication (presumed FIRDAPSE). On 14Feb2021 or 15Feb2021, the patient was discharged from the hospital. On 18Feb2021, the patient took his last dose of FIRDAPSE. On 18Feb2021 or 19Feb2021 (reported as last night, relative to 19Feb2021; yet also reported as either 18Feb2021 or 19Feb2021), the patient passed away. The cause of death was unknown. A 74-year-old male, with a history of migraines and chemotherapy for metastatic small cell lung cancer, was taking an unknown statin, furosemide, pantoprazole, and

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

Aspirin. He added FIRDAPSE for LEMS on 18Sep2020 and experienced headaches for a couple days, but he wasn't sure if it was due to the FIRDAPSE or chemo. After COVID vaccine, he experienced a bad reaction (unspecified). Since 27Jan2021, he was hospitalized with a blood clot on his lung. He had brain and lung radiation for cancer. While in the hospital, he had fluid and inflammation in the bottom right lobe of his lung, where the cancer was, which could not be drained due to labile blood pressure. His muscle weakness began progressing and he experienced fatigue. In Feb2021, he was discharged on FIRDAPSE. A few days post-discharge, he died. Based on the information provided, the events were assessed as unrelated. Information on the batch/lot number has been requested.; Reported Cause(s) of Death: Passed away

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1183940	4/9/2021	NY	39	F	3/20/2021	3/21/2021	severe seasonal allergy symptoms; Headache; Extended migraine. severe intermittent aural effects (loss of vision, shots of light, looks snow on a TV); tingling in limbs-hands, toes, left side of face; This is a spontaneous report received from a contactable consumer (patient). This 39-year-old female patient (no pregnant ) received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration, administered in left arm on 20Mar2021 14:00 (Lot Number: ER8727) at single dose for COVID-19 immunization. Medical history included allergy: allergies to medications, food, or other products was not known. Concomitant medications included ascorbic acid, cobalt sulfate, copper sulfate, ergocalciferol, ferrous fumarate, magnesium sulfate, manganese sulfate, nicotinamide, potassium iodide, pyridoxine hydrochloride, retinol, riboflavin, thiamine hydrochloride, tocopherol, vitamin b12 nos, zinc gluconate (MULTIVITAMIN (16)); oenothera biennis oil (EVENING PRIMROSE); cetirizine for allergy. The patient experienced severe seasonal allergy symptoms, headache, extended migraine with severe intermittent aural effects (loss of vision, shots of light, looks snow on a TV) tingling in limbs, hands, toes, and left side of face on 21Mar2021 at 23:45. Symptoms had come and go 10 and more times a day, but seemed to be decrease in frequency and severity lessening. The patient was not received any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was no diagnosed with COVID-19. Since the vaccination, the patient not been tested for COVID-19. Seriousness criteria: results in death, life threatening, caused/prolonged hospitalization, disabling/incapacitating, congenital anomaly/birth defect was no. Treatment received for the adverse events included Tylenol. The outcome of the events was recovering.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1183893	4/9/2021	CA	27	M	3/30/2021	3/30/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Hypotension-Mild, Systemic: Visual Changes/Disturbances-Mild, Additional Details: pt fainted while sitting down 10 mintues after vaccine and hit his head. RN assessed-weak pulse, blurred vision. BP was stabalized at 110/797, hr 72, o2 sat 98%. 911 was notified because he hit his head. Pt was suggested for CT for head injury but signed himself AMA from the paramedics. Pt's said friend would take him to ER. Followed up next day- CT scan clear. Pt is fine.
1183836	4/9/2021	CA	68	F	2/11/2021	2/11/2021	my blood pressure was 199/91; little Dizzy; eyesight blurry; This is a spontaneous report from a contactable consumer or other non hcp. A 68-years-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), via an unspecified route of administration, administered in Arm Left on 11Feb2021 13:00 (Batch/Lot Number: EN6201) as single dose for covid-19 immunisation. Medical history included blood pressure, cholesterol, arthritis, glaucoma, non-allergic rhinitis. Concomitant medications included lisinopril at 40 mg, atorvastatin calcium at 20mg, paracetamol (TYLENOL) at 500 mg all taken for unspecified indication. It was reported that 10 minutes after the shot patient got a little dizzy, eyesight blurry, the nurse put me on a bed and my blood pressure was 199/91. Patient stayed in bed 20-30 minutes till blood pressure went down to 136/75. Case consider as serious with seriousness criteria as medically significant. Outcome of the events was recovered on unspecified date in 2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1183801	4/9/2021	CA	42	F	2/27/2021	3/28/2021	right eye had blinding white aura for 15 minutes that seems like migraine lost vision; right eye had blinding white aura for 15 minutes that seems like migraine lost vision; felt like a flu; body ache; chills; headache; felt tired; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of BLINDNESS TRANSIENT (right eye had blinding white aura for 15 minutes that seems like migraine lost vision) in a 42-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 016B21A and 001A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Migraine. Concomitant products included ESZOPICLONE (LUNESTA) for an unknown indication. On 27-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 27-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 28-Mar-2021, the patient experienced INFLUENZA LIKE ILLNESS (felt like a flu), PAIN (body ache), CHILLS (chills), HEADACHE (headache) and FATIGUE (felt tired). On 29-Mar-2021, the patient experienced BLINDNESS TRANSIENT (right eye had blinding white aura for 15 minutes that seems like migraine lost vision) (seriousness criterion medically significant) and MIGRAINE WITH AURA (right eye had blinding white aura for 15 minutes that seems like migraine lost vision). On 29-Mar-2021, BLINDNESS TRANSIENT (right eye had blinding white aura for 15 minutes that seems like migraine lost vision), MIGRAINE WITH AURA (right eye had blinding white aura for 15 minutes that seems like migraine lost vision), INFLUENZA LIKE ILLNESS (felt like a flu), PAIN (body ache), CHILLS (chills), HEADACHE (headache) and FATIGUE (felt tired) had resolved. Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded. This case was linked to US-MODERNATX, INC.-MOD-2021-061174 (Linked Report).; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be

*VAERS\_ID RECVDATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

excluded. US-MODERNATX, INC.-MOD-2021-  
061174:Dose 1

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1183795	4/9/2021	NC	80	F	2/1/2021		<p>Low temperature; Fatigue; Headache; Joint pain; nausea; Body aches; R arm of injection rash of 6-7 inches from high arm down to elbow; R arm of injection soreness; This spontaneous case was reported by a consumer and describes the occurrence of HYPOTHERMIA (Low temperature) in an 80-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. unknown) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Chronic bronchitis since 2020 and Allergy. Concomitant products included MONTELUKAST, CETIRIZINE HYDROCHLORIDE (ZYRTEC [CETIRIZINE HYDROCHLORIDE]), VITAMIN C [ASCORBIC ACID], OMEPRAZOLE, MULTIVITAMIN [VITAMINS NOS], ATORVASTATIN, ATORVASTATIN CALCIUM (LIPITOR), FISH OIL (OMEGA 3 [FISH OIL]), CALCIUM, COLECALCIFEROL (CALCIUM+VITAMIN D), COLECALCIFEROL (VITAMIN D [COLECALCIFEROL]) and POTASSIUM for an unknown indication. On 01-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 04-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient experienced HYPOTHERMIA (Low temperature) (seriousness criterion medically significant), FATIGUE (Fatigue), HEADACHE (Headache), ARTHRALGIA (Joint pain), NAUSEA (nausea), MYALGIA (Body aches), VACCINATION SITE RASH (R arm of injection rash of 6-7 inches from high arm down to elbow) and VACCINATION SITE PAIN (R arm of injection soreness). At the time of the report, HYPOTHERMIA (Low temperature), FATIGUE (Fatigue), HEADACHE (Headache), ARTHRALGIA (Joint pain), NAUSEA (nausea), MYALGIA (Body aches), VACCINATION SITE RASH (R arm of injection rash of 6-7 inches from high arm down to elbow) and VACCINATION SITE PAIN (R arm of injection soreness) outcome was unknown. Concomitant medication includes joint pain medicine and eye medicine. The patient has allergies. The patient rubbed cream on knees and muscle left hand to relief. Based on the current available information and temporal association between the use of the product and the start date of the events, a</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.
1183769	4/9/2021	VA	31	F	2/6/2021	4/7/2021	Covid-19 Infection. Symptoms included nasal congestion, headache, fatigue, and burning of eyes for 3 days. Treatment included symptomatic relief with Paracetamol 500mg thrice daily, Leveoceterizine and Vitamin C supplements.
1186392	4/9/2021	MA	43	M	4/9/2021	4/9/2021	4/9/21 Vaccination Center At approximately 1115 while observing people post vaccination I was summoned by companion to assist pt who was ?feeling faint?. On arrival person was conscious and responsive, pale, diaphoretic, with eyes closed, verbalizing he felt like he was going to faint. BP measured at 77/41, HR via O2 Sat device 39-44. Person coached to take deep breaths, able to transfer with assist of one to wheelchair, transported to observation room, self transferred to stretcher and placed in supine position with HOB approximately 20 degrees. BP 91/54, HR 51. Person verbalized immediate relief when positioned on stretcher. Monitored for 20 minutes, BP 133/61, HR 64. Assisted to sitting position on stretcher, tolerated cranberry juice and graham cracker. Self transferred to wheelchair where he was transported to main waiting room, observed for 20 minutes. Person reported return to baseline, ambulated independently out of vaccination center. Person remained conscious throughout.
1183644	4/9/2021	LA	67	F	3/19/2021	3/19/2021	Shortness of breath, hypertension, hypoxia, tachycardia, lips and fingers turn blue, high fever, rash, hives, joint pain, whole body aches, left lower leg burning, artery blockages, infection, weakness, dizziness, tunnel vision, sweating, headache, new onset atrial fibrillation with rvr All of the above symptoms first occurred 30 minutes after injection of vaccine The atrial fibrillation occurred 6 days after injection Left lower leg started burning 15 days after injection The artial blockages and thrombus 18 days after injection by medical diagnosis due to instantaneous shut off of blood to left leg

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1183570	4/9/2021		43	M	4/8/2021	4/8/2021	Client received the COVID vaccine (Moderna, 1st dose, lot #041AB21A, exp. 5/6/2021) at 1527. EMT observed the client to be pale and diaphoretic; he and RN responded at 1532. The client complained of dizziness, feeling clammy, and ringing in his ears, as well as spotty vision. His vital signs were as follows: blood pressure 96/78, heart rate 50, respiratory rate 20, and O2 99%. The client stated that he has hypertension and he takes losartan. He takes no other medications, has no other medical conditions, and has no allergies that he is aware of. The client was alert and oriented, and his pupils were equal and reactive to light. He stated that he ate breakfast and a snack at 11 am, but nothing for lunch. The client was offered water. At 1536, the client complained of tingling in his arms and numbness in his tongue. His color had returned to normal. No difficulty breathing, no swelling observed around his mouth or tongue, no complaint of metallic taste. Repeat vital signs were as follows: blood pressure 110/80, heart rate 87, O2 99%. He refused benadryl. At 1541, the client stated that his tongue was no longer numb but his arms were still tingling. He was less diaphoretic. His vital signs were as follows: blood pressure of 116/82, heart rate of 92, respiratory rate 14, and O2 97%. At 1545, the client stated he was no longer dizzy and his symptoms had resolved. Education provided regarding, emergency response and AMR activation, and primary care follow up. At 1550, the client was able to stand up and walk without any dizziness or feeling lightheaded. At 1558, the client's repeat vital signs were as follows: blood pressure 140/99, heart rate 99, respiratory rate 16, and O2 97%. The client was escorted outside by the EMT, and stated he was walking across the parking lot to get some food to eat before returning home. The client left the facility ambulating with a steady gait.
1183564	4/9/2021	MN	28	F	4/7/2021	4/7/2021	Dizzy, light headed, blurred vision, weakness, difficulty breathing: these lasted more severely about 2 hours after the vaccination and then got worse again the next day which is when I ended up going to the emergency room. I was given benadryl a steroid and a antihistamine there.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1183558	4/9/2021	CA	58	F	1/14/2021	1/14/2021	First started with headache, nausea, then had chills, shakiness swollen tongue, metallic taste, numb lips, tongue felt as if it had been burned, blurred vision, SOB, fatigue.
1184034	4/9/2021	MI	76	F	1/21/2021	4/9/2021	After first Moderna vaccine had several migraines with the Z's but they were unusual. Usually I have a path of Z's going left to right and then at my age I had a very slight headache. These looked different with broken up lights. and I woke up with them. Then on Feb 24 :1t 1:15 I had my second. The next morning I woke up with a hazy eyesight but I thought it might be a migraine. I somehow knew it wasn't but didn't go to a doctor. The next morning definitely knew. Saw 2 doctors one in emergency situation he placed me on steroids but I had lost part of my eye sight.
1184525	4/9/2021	MI	56	F	4/4/2021	4/6/2021	On 4/6/2021 pt started having a severe stomach pains, fatigue, fever, chills, loss of appetite, and vomiting. She has a stabbing pain in the back, body aches and pains. She has a rash on her face and around eyes. She says she no longer has fever but now has diarrhea.
1184836	4/9/2021	FL	20	M	4/8/2021	4/8/2021	Starting about 6 hours after the shot: lower back pain, headache, shaking 7 hours: additional pain in legs and upper back 8 hours: shortness of breath, dizziness became extreme 9 hours: extreme shortness of breath, vision going dark, continued dizziness and pain, feverish 10 hours: violently shaking, extreme back pain, continued worsening shortness of breath and dizziness 11 hours: extreme headache, anxiety worsened 12 hours: extreme dizziness causing inability to walk, extreme headache, extreme back pain 13 hours-on: pain calming a bit, headache continues, slight dizziness, continues feeling feverish

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1184833	4/9/2021	OH	36	F	3/31/2021	3/31/2021	After about 5 hours of injection, started feeling like in a different world and developed a severe headache, later a slight fever and muscle pain. Took tylenol every 6-12 hours for two days. After about 30 hours symptoms went away but had a headache frequently. Last night I got a poor eye sight and my right arm was numb and had a pain on left side of head including ear. I went to the emergency room. Some of tests were done and they came up normal. I was prescribed butalbital-acetaminophen-caff for migraine. I am not sure whether this is related or not. But, I have my second dose scheduled to 22 nd of April and I am concerned about the side effects.
1184829	4/9/2021		53	M	4/7/2021	4/7/2021	At 12:45pm, patient began to have headache. No blurry vision. No N/V/SOB. 7/10 in pain, known to have headaches in medical history. Vitals stable 117/52, HR 74, O2 97%, FS 100
1184823	4/9/2021	TX	25	F	4/7/2021	4/7/2021	- got my phizer vaccine in my left arm - walks to 10-15 min waiting room - sits down and is looking at my phone for 3-5 mins - slight nausea hits and I start feeling dizzy - my eyes start going black and I feel really hot - I tell the lady watching everyone that I don't feel good. A nurse and another woman come and put me in a wheelchair so I don't fall out of a chair if I faint - my eyes are going more black and I'm profusely sweating all over my body - I faint and convulse for 5 seconds - I wake up from passing out and my hands and feet are extremely tingly and feel like they have a million pins in them - my hands started cramping really bad and I can almost not open them for 5 minutes - over the next 15 mins the tingleynes and hand cramps completely fade away and I feel normal
1184818	4/9/2021	WI	34	F	3/31/2021	3/31/2021	within 10 minutes of the injection, my vision blurred and I felt like I was going to faint. the next day, I had severe anxiety attacks due to the overwhelming sensation of fainting. I never lost consciousness or fainted, but I feel that I was very close to it.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1184817	4/9/2021	NY	37	F	4/7/2021	4/7/2021	within minutes felt an intense systemic response. broke out in a sweat clammy sweat above upper lip tingle/prickly feeling over body in fingers and toes dizzy heart palps gummy/jelly like limbs face muscles around mouth affected eye floaters splitting headache that started at base of skull and wrapped around to top of head and temples As response progressed extremities started to tremble teeth chattered fatigue nausea 4-8 in the evening (over 24 hrs later) intense sweating difficulty swallowing brain fog
1184815	4/9/2021	NC	43	F	4/9/2021	4/9/2021	Ichy, felt hot all of sudden, eyes watery and blurry, side of neck (injection side) felt thick/hot.
1184810	4/9/2021	NY	50	M	4/7/2021	4/7/2021	Due to pt's PCN allergy, pt monitored for 30 minutes after receiving the 1st dose of the Covid vaccine. 15 minutes into monitoring, pt developed a throbbing HA and described feeling like his lower extremities had weights tied to them. Pt's BP 140/90. Pt denied any cardiac or neuro. EMS called for further evaluation. While waiting for EMS, pt developed tingling sensation in both hands and had vision changes. Pt transported to hospital upon EMS arrival. Called pt to f/u 4/9. Stated that he was monitored at Hospital ER for several hours. Was given Fioricet for HA and Reglan for stomach. No scans done. Stated that he was feeling much better and was released from the ER the same day. Has a f/u appointment with PCP, on 4/15.
1184805	4/9/2021	TX	49	F	4/7/2021	4/8/2021	Exactly 12 hours after vaccination I had the following reactions at 3:00am the following morning: Fever in excess of 102.5, muscle spasms, jaw clamped tight, extreme chills, shortness of breath, could not breathe lying down (felt like diaphragm was suppressed), and broken blood vessels in right eye. Had to sleep sitting up for fear of not being able to breathe. Lasted a couple hours. Now I just have a lingering low grade fever.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1184672	4/9/2021	NC	47	M	4/8/2021	4/8/2021	PATIENT LOOKED AT WIFE AND SAID I DON'T FEEL RIGHT, AS I WAS CALLED BACK TO THE CAR HIS HEAD BEGAN TO ROLE FORWARDS, THEN IN A CIRCULAR MOTION. HIS EYES ROLLED BACK IN HIS HEAD AND HE MADE A GASP FOR BREATH THEN PASSED OUT. EPI PEN WAS IMMEDIATELY ADMINISTERED. PATIENT BECAME MORE RESPONSIVE, LAID SEAT BACK IN CAR. PATIENT SWEATING , COULD NOW SPEAK TO ME BUT STILL SOMEWHAT DISORIENTED. VERY FAINT PULSE. 911 WAS CALLED AND COOL WET PAPER TOWEL PLACED ON HIS NECK AND OBSERVED UNTIL 911 ARRIVED WITHIN 5-10 MINUTES. PATIENT TRANSPORTED TO ER DUE TO VERY LOW PULSE EVEN AFTER EPI ADMINISTRATION. PATIENT REMAINED AT ER UNTIL 1:30 PM FOR MONITORING. THEY TRULY FELT IS WAS A VASOVAGUL REACTION. PATIENT WAS OUTSIDE WORKING IN YARD AT 6:30PM WHEN I CALLED TO CHECK ON HIM, HAS NO RECOLLECTION OF RECEIVING SHOT OR EPI PEN, JUST SAID HE REMEMBERS MEDICINE FEELING "HOT" GOING DOWN HIS ARM.
1184643	4/9/2021	OR	64	F	4/3/2021	4/3/2021	Headache and fever started about 1/2 hour after injection. It has been 7 days and I still have a very bad headache and sometimes fever up to 99.9. I do get some relief if I take Tylenol every 6 hours but at night when I try to sleep is the worst. My head pounds so hard it keeps me up. I also can see a pulse when I close my eyes. I have never had a headache that lasts this long or this intense. I stayed home in bed for the first 5 days but had to return to work on 4-8-21. I cannot take much more of this headache, it is wearing me down.
1184626	4/9/2021	SD	64	F	12/30/2020	12/30/2020	Itchy eyes after an hour of receiving dose. Progressed to red and itchy hands. Progressed further to hives on back of neck and wrists.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1184610	4/9/2021	CO	31	F	4/7/2021	4/7/2021	Within about 30 mins of the shot I became extremely lethargic. Hard to keep my eyes open. The injection site was extremely hot to touch and very sore. While the rest of my body was of normal temperature. Shortly after, I'd say about 45 minutes after injection, came the cold chills. I was freezing cold and shaking followed by a fever. I became very foggy. It was hard to keep a conversation and had extreme waves of nausea. My mouth would salivate like the vomit was coming. I never actually vomited. But that continued for the next 36 hours. I had to call out of work yesterday. Starting 24hrs after injection. I could not get out of bed. My body was very weak. Aches everywhere, I was freezing cold shaking with chills yet waking up in my bed covered in sweat. I was extremely restless and kept waking up to put a cold towel on my head to try to break my fever. At this point my headache was so severe. Any movement felt like my head would explode. It's now 48 hours after the injection my head is still pounding and my body still full of aches. Left arm is still really sore. I truly regret taking the vaccine. And would recommend others to not take it until further testing goes into this product.
1184249	4/9/2021	MA	82	F	3/26/2021	3/30/2021	Symptoms started around 3/30/21, after her second COVID vaccine. Presented to ED with evidence zoster in the V1 distribution of the ophthalmic nerve. Rash on the face was classic for zoster and involved swelling of her eyelids. Started patient on treatment for zoster infection. On acyclovir 10mg/kg q8h.
1184445	4/9/2021	NY	59	F	4/8/2021	4/8/2021	Pt. received her 2nd dose of the vaccine and while waiting in the pod she complained the left side of her tongue was tingling. She was given some water to sip. Then stated that she felt her left cheek droop and her left eye is not focusing as well as before. Stated she did not have a reaction after her first dose. A droop was not noted on her face. Pt. initially refused (thought it would take too long) but then agreed to be taken to the E.D. and ambulated instead of using a w/c. Upon arrival, she stated that her tingling seemed to have worsened and it was now on her buttocks, she reported to an RN who came to triage her.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1184852	4/9/2021	UT	73	M	2/9/2021	2/12/2021	Clouding in left eye severe. Some noted in right eye. Ophthalmology indicated small cataracts and that sometimes the administration of vaccines cause the clouding to occur. I am now scheduled for cataract surgery. This occurred starting 3- 4 days after the 1st vaccine and worsened over a two week period.
1184322	4/9/2021	MA	61	F	3/25/2021	3/27/2021	About 36 hours after my first dose, I woke up very thirsty and with "gummy," sticky eyes. My moisture-producing glands, particularly my salivary glands were significantly affected and I had, in effect, (drug-induced?) Sjogrens Syndrome. My salivary glands felt uncomfortable, perhaps because they were swollen. The symptoms have diminished somewhat in the past two weeks, but have not resolved. I visited my PCP on 04/02/2021 and she advised to see her again if the symptoms did not continue to resolve on their own. Note that in 2014, I had a similar, but more severe reaction to a single dose of Nitrofurantoin and regained nearly complete salivary gland function after 9-12 months.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1184384	4/9/2021	GA	34	M	4/7/2021	4/7/2021	After vaccination, patient appeared to be slouched over in chair in observation area. Two bystanders approached him and held him to prevent him from falling from his chair. Patient was diaphoretic and eyes half-closed. Attempt was made to arouse patient by talking to him and rubbing chest. His head and body moved erratically for approx. 3 seconds. Patient was lowered to the floor. Nurse continued speaking to patient and rubbing his chest. He then opened his eyes and was startled. Patient abruptly sat up and said, "what happened and where is my phone?" The nurse reassured him he was being taken care of and she asked if he knew where he was? Patient replied, "I have no idea." A paramedic approached and asked the patient if he knew his name. The patient correctly replied. The patient had no recollection of what had taken place, but did know where he was. Patient was then evaluated by the paramedics. All tests performed were normal and patient refused to be transported to hospital. Patient was driven home by his wife. Follow up phone call to patient yesterday evening with no answer. Follow up phone call to wife (listed as emergency contact), 4/7 at approx. 6 pm. Per wife, patient experiencing fatigue and still very pale. She said he just wasn't himself. Patient was concerned that they did not know what to expect a week or two from now. I advised patient that if she had concerns, she needed to have patient evaluated in ER.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1184397	4/9/2021	OH	29	F	3/31/2021	3/31/2021	Vaccine was administered at 4:50pm and at approximately 5pm, the patient came to the pharmacy technician's station at the Drop Off Window stating she "didn't feel good." She stated she was feeling light headed and experiencing "tunnel vision and hearing." The pharmacy technician and a customer standing behind her noticed that patient was beginning to faint and the customer grabbed her. The pharmacy technician grabbed a chair from the Waiting Area and the two helped patient to the chair. The patient was given a bottle of orange juice and stated she felt better. The pharmacist asked the patient whether she was diabetic and if she was anxious prior to the vaccine. The patient stated she wasn't diabetic but hadn't eaten that day and that she has an anxiety disorder and occasionally feels lightheaded after vaccines. Patient sat for 30 minutes before going home on her own.
1184398	4/9/2021	NC	55	F	4/7/2021	4/7/2021	Pt is a 55 yo F with no previously documented encounters. On 04/07/21, pt presented to clinic for immunization. At 0819, pt was administered COVID-19 J&J (Janssen) Vaccine 0.5 mL in left deltoid (Lot #043A21A; exp: 6/21/2021; NDC #59676-580-15). After injection, pt became lightheaded and reported throat soreness and a "feeling like her vision was closing in." Vitals assessed with BP: 61/39. Pt was placed in reclined position and feet were elevated. On exam, pt denied any itching or hives, denied any previous allergic reactions or anaphylactic reactions, but reported having lightheadedness after a prior injection. Pt reported feeling well prior to arrival, but acknowledged not eating much and anxiety about injection. Pt was monitored for 45 minutes with BP recovering to 124/82. Pt was discharged in stable condition and escorted to her vehicle by staff.
1184538	4/9/2021	FL	58	F	3/29/2021	4/4/2021	My right eye has a drooping eyelid

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1184431	4/9/2021	WI	55	F	1/20/2021	1/20/2021	1/20 vaccination 30 Minutes later, my tongue started to go numb. Within 15 min, from eyebrow down to my neck was completely numb on L side. Lasted for 2 weeks. I called back to facility and they said they had never heard about it. Then thru the weekend, I recorded everything on an app and did telehealth with PCM. By 3-4 days later before 2nd vaccination, it got better. 2nd vaccination, little numbness, fatigue, tightness across chest. No course of treatment advised by PCM but faired better with second vaccination; 2/10/2021.
1184531	4/9/2021	WV	61	F	3/12/2021	3/14/2021	Weakness Confusion Falling down Vision impairment Legs really weak All of the above symptoms started on March 14, 2021 On March 18,2021 she was not out of bed except for just a few minutes. On March 19, 2021 she was on the floor laying beside of the bed and my father noticed blood looking stuff on her shirt and bed covers. She was really confused and lethargic. She was really weak and could not stand. She was extremely fatigued. At around 10:30 she fell again on the floor and my father and sister in law was able to get her back up and put her in a chair and she went to sleep. At 12:55 my father noticed she was not breathing and called 911. When they did CPR blood was coming from her mouth and nose. When the ambulance arrived they immediately took her to the hospital where she was pronounced dead at around 3:30 pm.
1184446	4/9/2021	NC	58	F	4/7/2021	4/7/2021	Bones ache eyes out of focus extremely Dizzy nausea cannot keep any food or water down cannot focus or remember very foggy cannot walk forward in a straight line have to hold onto the walls and doors or crawl head aches right kidney aches knees don?t work
1184456	4/9/2021	MI	44	M	4/7/2021	4/7/2021	Patient was given 2nd dose, however he had a severe delayed reaction after 1st dose. Eyes swelling 12 hrs past dose epipen. Doctor okied 2nd dose. He took allegra BID since Monday. Wife to monitor at home.
1184474	4/9/2021	FL	26	M	4/8/2021	4/8/2021	Client reported sweating and blurry vision 3-4 minutes after vaccination. Client visibly pale. BP 92/60. On site EMS provided care, fluids. Monitored for 25 minutes. BP received 108/64. Client stated "I feel better, it happens every time I get a shot.~~

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1184485	4/9/2021	NJ	54	F	4/8/2021	4/8/2021	About six minutes after shot, I experienced a sudden drop in blood pressure and heart rate, became dizzy, faint, and disoriented and experienced a period of complete blindness for 1-2 minutes. Paramedics were sent to my vehicle, they laid me back, took vitals and assured me that eyesight would return, which it did. They monitored me for 30 minutes and gave me a granola bar which I ate. When I was stable, I drove home.
1184498	4/9/2021	FL	56	M	3/22/2021	3/24/2021	Patient stated 2 days after she received the vaccine she started c/o hives, very itchy all over the body, left eye swollen shut, no fever/body aches or chills, no n/v or sob, very fatigue and tired. As of 4/6/21 the patient is feeling better and the hives and itching are subsiding and getting better everyday. Patient went to ER on Thursday 3/25/21. ER MD gave an rx for Prednisone 20mg but stated to not use if she doesn't need it but to continue taking the Benadryl. Patient is also using the Benadryl cream and Hydrocortisone spray (both are helpful). MD ER called the CDC and he as informed by the CDC that the patient shouldn't receive the 2nd dose of Pfizer and it was recommended to get the JJ vaccine.
1184273	4/9/2021	LA	23	F	4/7/2021	4/7/2021	Received Janssen COVID-19 Vaccine EUA. Had blurred vision, nausea, red rash on arms ,neck and face. I took hydroxyzine 25mg
1184426	4/9/2021	PA	38	M	3/14/2021	3/28/2021	3/28/21 started to have jaw pain. 4/2/21 a lump started to form in neck. 4/3/21 lump in the neck and evening broke out with lesions on the left side of forehead, nose and temple. Went to ER for evaluation, CT scan with contrast. CT confirmed lump was swelling of lymphoid. ER thought maybe shingles, but it crosses over slightly over to the right with lesions.They determined maybe a virus and follow up with a dermatologist. 4/4/21 lesions now on left eye lid. ER visit again to ensure eye is ok, the ER dr. believes its shingles. 4/5/21 visit to dermatology and swab of lesions on face taken (still waiting on results). Dermatology believes some kind of herpes, but not sure. Went to Eye specialist to ensure eye does not have virus on same day. Eye dr believes shingles. Virus is not in the eye, but on left eyelid.
1187745	4/9/2021	TX	23	M	4/9/2021	4/9/2021	Patient felt dizzy accompanied by blurred vision that lasted 4 Minutes. Gave Patient cold water



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1187887	4/9/2021	OR	55	F	4/7/2021	4/7/2021	1.5 hrs after 1st dose of covid19 pfizer vaccine, pt developed pruritic rash on neck and upper back, swelling beneath eyes bilaterally and SOB noticed as increased use of rescue inhaler. States is "not having that hard a time of breathing".
1187880	4/9/2021	CA	56	F	4/7/2021	4/8/2021	Body aches, chills, joint pain, fever between 100.4 and 101.8; headache, fatigue, eye burning/watering; stayed home in bed, hydrating, still not feeling well today; fever down to 99.8
1187860	4/9/2021	FL	65	F	2/9/2021	2/17/2021	2/9 vaccine; 2/17-erythema,edema ,and hard welts at injection site to elbow and including inner arm area accompanied by intense itching. Treated with hydrocortisone cream, benedryl cream and OTC diphenhydramine 25 mg tab q 6 hrs. 2/23- resolved. 2/26- developed floater in right eye; 2/28- developed edema, erythema with burning, itching rash on upper chest, anterior neck and bilateral lateral face. Treated as above for arm, 3/4- resolved. 3/9- 2nd dose followed by mild rash at injection site, severe chills, headache and left arm pain from evening until morning followed by fatigue until following day when it resolved. 3/24 developed erythema, edema, burning, itching, painful to touch rash on entire face, neck and upper chest more intense than previous instance worsening over next several days to include very edematous eyes and bruising of right eyelids and painful rash continued. Treated as above but self treated with additional 5 day course of prednisone 10 mg already on hand as well as oral diphenhydramine tabs due to severity of symptoms. 3/30-Resolved.. Concern whether to accept booster or additional future vaccines.
1187859	4/9/2021	NY	37	F	4/8/2021	4/9/2021	Left eye is swollen. Puffiness is around the whole eye socket, but more so below the eye. No pain, but it feels as swollen as it looks. I've taken one Aleve, two allergy pills (the Walgreens version of Allegra) , and used a cold eye compress. It is still swollen as of 7:47 pm ET. It has not improved that much, but it has not gotten worse. I don't know if this swelling is due to the vaccine, as my arm feels sore but okay, or possibly a poorly timed mosquito bite in the middle of the night (as there was one in my room last night).

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1187853	4/9/2021	CA	35	M	4/9/2021	4/9/2021	Patient had presyncopal episode after vaccination, patient stated he felt dizzy, eyes blacked out Patient seen by medical team and vitals were stable Patient has history of syncopal episodes Patient stated symptoms improved and refused medical transport and signed AMA form Friend will be driving patient home
1187852	4/9/2021	TX	48	F	4/9/2021	4/9/2021	PATIENT PASSED OUT AND WAS SHAKY. HER EYES ROLLED BACK FOR 2 SECONDS THEN UNRESPONSIVE FOR 10 SECONDS WHILE RUBBING CHEST COMPLAINED OF LEFT SIDE NUMBNESS AND TINGLING. PUT COLD WHATER ON PATIENTS HEAD AND HAD HER DRINK COLD WATER. TRANSPORTED TO ER.
1187849	4/9/2021	CA	29	F	4/9/2021	4/9/2021	Client reported sudden onset of headache, pressure behind eyes, and nausea around 1142a and itching reported at 1210p. MD recommendation to monitor apply ice and assess vitals and zofran ordered by MD and administered by cal med. Client refused hospital transport and signed AMA.
1187837	4/9/2021	IL	29	F	4/7/2021	4/8/2021	Moderna COVID-19 Vaccine EUA Lip Swelling Started on April 8th 2021 at 9 PM. Itchy and swollen lips. Visited urgent care based on recommendation from primary care doctor. On medication right now for 5 days. Other symptoms: Headache chills Sore arm Heavy eyes

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1187834	4/9/2021	OH	69	M	3/30/2021	3/30/2021	At ~ 5:30 pm, while driving my vision suddenly went, for lack of a better term, haywire. Perhaps ?Vertigo?. Vision was such that I had to pull over so as not to cause an accident. It was as if each eye was looking at the same view differently and all jumbles. Perhaps like looking through a prism and seeing multiple views of the same image , Able to stabilize it by covering one eye and viewing with the other, and vice versa. Was able to drive again approximately 2-3 minutes away by keeping left eye closed; and able to see ok with one eye. When stopped and opened other eye the incident stabilized and went away. Was able to get out of vehicle and walk ok. The following day, experienced feverish symptoms throughout the day and had 101 degree fever by 9:30 pm. Temperature settled down to 99 by 11 pm after resting. That is the extent of the symptoms other than a slightly sore arm at the injection site which was fine by the next day.
1187832	4/9/2021	FL	48	F	4/5/2021	4/5/2021	Within 7 minutes she started feeling a very warm sensation in her neck moving upwards which slowed down her breathing. She checked her pulse and it was low. She experienced blurry vision and extreme fatigue for 3 days.
1187811	4/9/2021	CA	21	F	4/3/2021	4/3/2021	Numbness in Left Side of face, so far has persisted for 6 days after the vaccine. Included Left side of mouth, left cheek/cheekbone area, and left eyebrow to midline. Felt like there was lidocaine in my face. Dizziness: still getting bouts of dizziness while sitting down and walking, world feels like its spinning Brain Fog: struggling to maintain train of thought, memory problems Fatigued Feels like there is a knot at the base of my throat, feel it when I swallow liquids, does not inhibit swallowing but is a nuisance Fever- lasted for 3 days Chills- lasted for about 24 hours Muscle pain and aching, soreness at injection site, intense shoulder and neck tension is still present but decreasing Headache- 4 days Ventolin Inhaler needed to be taken twice during the worst of the effects, asthma symptoms, specifically coughing and wheezing, have been continuing but decreasing Felt like vaccine exacerbated asthma symptoms Chest tightness, as though someone is sitting on my chest(not one of my usual asthma symptoms)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1187799	4/9/2021	CO	57	F	4/8/2021	4/8/2021	Extreme fatigue joint pain watery eyes nasal congestion dizziness when I stand up a little difficulty breathing. No fever took a day off from work all I wanted to do was sleep on Friday today
1187318	4/9/2021	TX	38	F	4/5/2021	4/7/2021	Had vaccine Monday, Woke up Wednesday with left side of my face swollen and a couple of bumps around my knee. Swelling was minimal by bedtime. Took two doses of Benadryl once in the AM once before bed. Woke up Thursday with facial swelling predominately on the right side and it was about 4 times it's usual size, lip was majorly swollen, had a rash all over the back of my legs around my knees shoulder, lower back onto butt. Went to urgent care Thursday morning at 8, rash had subsided on it's on for the most part. She gave me a steroid, took the steroid 2 times Thursday. Woke up Friday morning with a little swelling still under my right eye and cheek. No rash
1187780	4/9/2021	CA	57	F	4/9/2021	4/9/2021	Client received first dose @12:18 pm, felt flushed with tunnel vision @12:54 pm. Client's vital signs stable, no symptoms by 1:04 pm. Able to go home by 1:14 pm.
1187903	4/9/2021	IN	32	F	4/9/2021	4/9/2021	About one minute after the woman sat down from getting her COVID shot she told our cashier she was feeling ill and was going to the bathroom. I went in the bathroom and found her sitting on the floor with her head between her legs. She said she started feeling ill and hot and sweaty. Her palms were sweaty as well. She was dizzy and she was starting to black out and then got tunnel vision. I tried twice to take her blood pressure and could not get a reading from the machine. We got her a glass of water that she wanted. She said she did not eat that morning. During our conversation she started feeling worse and laid down. She felt that 911 did not need to be called. After a few minutes she started feeling better and was able to stand. She said she has previously passed out after getting a shot. She answered no on the questionnaire and to the direct question of have you ever fainted after getting a vaccine before the shot. She went back out to sit in the waiting room for 15 more minutes. Before she left she came to me and said she felt better. We went to the HIGI machine to get her BP. It was 116/79

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1187526	4/9/2021	AL	42	F	4/9/2021	4/9/2021	PATIENT'S HUSBAND SAID SHE WAS FEELING REALLY SLEEPY. I ASKED IF SHE WAS NERVOUS BECAUSE SHE JUST SAW ANOTHER PATIENT FAINT AND SHE SAID YES. SHE FAINTED JUST AFTER THAT AND HER HUSBAND HELPED ME MOVE HER TO THE FLOOR. SHE WAS STILL BREATHING BUT SHE WAS IN AND OUT OF CONSCIOUSNESS SO WE CALLED 911. PATIENT WAS RESPONDING TO CONVERSATION BUT WOULD SLUR SOMETIMES AND EYES WOULD ROLL BACK AS SHE LOST CONSCIOUSNESS AGAIN. PLACED COLD COMPRESS ON FOREHEAD AND BACK OF NECK. PATIENT'S HEART RATE WFLUCTUATED THE WHOLE TIME. PARAMEDICS CAME TO ASSESS HER, BLOOD PRESSURE WAS HIGH 180 SYSTOLIC (DIASTOLIC WOULDN'T READ), AND SUGAR WAS 401. PATIENT DECIDED TO GO TO ER VIA AMBULANCE AFTER SHE ALMOST FAINTED AFTER STANDING.
1187493	4/9/2021	FL	57	F	3/24/2021	4/7/2021	The adverse reaction did not occur until two weeks after my Moderna vaccine. The night before, I noticed hives on my throat and swollen lymph nodes in the neck. Throughout the night, I felt burning and scratching on neck and face. Next morning, when I woke face was swollen up like a balloon so that I could not open my eyes, I did manage to see out of a slit in my right eye. (I do not get reactions like this). Lymph nodes in neck were visibly sticking out. Later on, my throat was somewhat closed (this was not recorded, it happened during the day after my appointment).
1187463	4/9/2021	ID	25	F	4/9/2021	4/9/2021	About 5-10 minutes after vaccination, patient felt suddenly "dizzy like the room was spinning and felt lightheaded." Shortly after right eye started itching and was red. Then at 20 minutes after, patient started sneezing and reported itchy nose. At 30 minutes, she reported genralized itching on face, arms, and chest. No chest pain, shortness of breath, rashes or tongue swelling. Benedryl 50 mg IM was given at 30 minutes post vaccination. Vital signs normal throughout entire episode. Patient reported resolution of symptoms and was released to go home.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1187462	4/9/2021	IA	67	M	3/29/2021	3/31/2021	Patient started to get a twitching of the eye and some mouth tightening and loosening two days after vaccine. He went in and was seen by the physician twice. The first time was for a CT and other blood tests to ensure he didn't have a stroke. The second appointment was to tell him that it wasn't a stroke and nothing else was wrong, so they assumed it was the vaccine. He also went to the eye doctor during this time to ensure that it wasn't going to affect his stigmatism due to the fact that he couldn't wear his contacts only his glasses and his stigmatism is so bad he has to wear hard contacts. Due to the twitching he couldn't wear the contacts. It was reported to us on 04/08/2021 and he was still have some eye twitching, but not bad and his mouth symptoms had pretty much resolved. The physician said that it should go away in 1-2 weeks and if not he was suppose to see her one more time.
1187453	4/9/2021	CA	54	M	4/7/2021	4/7/2021	Left vaccination facility at 1:10PM, March 7th, 2021. About 2 hours later, hives and rash appeared on my upper torso and top of both thighs. When I woke up the next day, the hives and rash covered everywhere except my head. I took a shower and it became hard to breath, my eyes were very light sensitive, nauseous, and very dizzy. I tried to make it back to my bed, but fell twice. The second time I fell I stayed on the ground for about 5 minutes. When I got up, everything was back to normal. I left soon after to the Hospital emergency room to get checked.
1187425	4/9/2021	MN	26	M	4/9/2021	4/9/2021	WHILE PATIENT WAS WAITING 15 MINUTES, HE STARTED LOSING FEELING IN HIS ARMS AND LEGS, NEXT HE LOST ALL STRENGTH IN ALL EXTREMITIES, STATED PAIN IN ARM AND SIDE OF RIB CAGE, STARTED LOSING VISION TO TUNNEL VISION AND BLURINESS. LIPS APPEARED SWELLING. WRITER CALLED 911 AND GAVE PATIENT EPI SHOT. EMT TOOK TO HOSPITAL

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1187412	4/9/2021	CA	21	F	4/9/2021	4/9/2021	10:30 am - Writer/Nurse responding to code blue in Front room. Crash Cart brought to location. Provider, MA, and Vaccine nurse present on seen. Pt sitting on chair verbally reporting all needs. Visible signs of pallor to face, lips and hands. Initial VS obtained by MA with Vitals Machine. Pt reports having Hx of feeling light-headed, blurry vision, and nauseous after getting injections or blood draws. VS: BP- 57/27, P ? 30, RR ? 18, SpO2- 99% @ RA, T ? 96.8 otic temp Administer O2 2 L/m via NC per Provider verbal order EMS called per Provider order BS obtain by MA per Provider verbal order, 100 mg/dl 10:40 am ? Vaccination nurse manual BP ? 82/60. VS: P- 51, RR ? 16, SpO2 ? 99% @ 2 L/m via NC No visible signs of pallor to Pt?s face, lips, and hands. Pt communicating all needs, no s/s or c/o physical distress. Pt reports feeling better, no c/o blurry vision or light-headedness. Vaccination nurse reports Pt denied any issues with vaccination when initially asked. Pt agrees with vaccination nurse in failure to report history when asked by Vaccination nurse. Pt states she will remember to report Hx next time she is asked. 10:45 am EMS arrived on seen, report given by Vaccination nurse, Eval/assessment concluding with EMS Writer/nurse return to Nurse station, crash cart returned to station

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1187395	4/9/2021	CA	25	F	4/9/2021	4/9/2021	11:15am patient is a 25 year old female who has completed a 15-minute observation period with the following signs and symptoms of an adverse reaction: other - diffused pruritis . Pfizer-BioNTech COVID-19 vaccine # 1 in series administered. Patient states 15 minutes after she received the vaccine, she started feeling itchy on her right arm where the vaccine was given. Then itchiness has gradually moved to her left arm and now her face. Concerned that she has facial itching as this is new to her. She reports no difficulty breathing, shortness of breath, chest pain, dizziness, headache. States she does have a hx of mild seafood allergy, has never needed to use an epi pen. BP 114/76   Pulse 97   Resp 16   SpO2 96% General: alert, well appearing, no acute distress Eyes: no erythema or discharge Mouth/Throat: no erythema or lesions, no signs of angioedema Neck: supple, no significant adenopathy Lungs: clear to auscultation, no wheezes CV: normal, regular rate and rhythm, regular rhythm, no murmur Skin: no hives, + generalized Eczematous patches throughout both arms 11:45am Spoke with MD from Urgent Care - agree to monitor for 30-45 minutes with administering benadryl po. If Patient symptoms worsen, will transfer to EMERGENCY DEPARTMENT for observation. Action(s) taken: Another drug administered - Benadryl 50 mg Allergy to COVID-19 vaccine documented in Allergies activity: No, Referred to Advice MD Allergy 12:25 PM Patient states pruritis has improved and ready to go home. Patient is alert , awake and oriented. She is no distress, no angioedema, no visible rash or hives. Vitals within normal limits. I discussed the possible sedative effects of benadryl- states she is not drowsy and able to drive herself home. EMERGENCY DEPARTMENT precautions discussed- if symptoms worsen, call 911 or EMERGENCY DEPARTMENT.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1187350	4/9/2021	NV	50	M	4/7/2021	4/8/2021	2nd phizer vaccine- normal side effects started around 9-10 am but progressively got worse during day and into evening. Aches, chills, fever, headache- around 5:30 pm had an issue with blurred vision in my left eye for approx 15 mins, similar to a migraine apparently (never had one before)- blood pressure spiked to 164/104 and resting heart rate was between 90-104, normally 52-60. Headache persisted for nearly 9-10 hours and all symptoms improved dramatically after two Tylenol
1187349	4/9/2021	AZ	58	F	4/8/2021	4/9/2021	immediate sinus nose and rear eye pain, immediate slight breathing problem, all subsiding within 15 minutes. Next morning - slept over 10 hours, after 9:15 am experienced chills, nausea, headache, joint and muscle pain, severe injection site pain, lightheadedness with swaying when walking, lethargic, sneezing, slight lower lung heaviness. Some symptoms went away by 3:00pm. Still subsiding now at 3:32pm.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1187344	4/9/2021	FL	36	F	4/9/2021	4/9/2021	<p>Patient presented at Hospital for COVID19 Vaccine administration on 04/09/2021 at 1:21 pm. Upon checking in for her appointment, she was provided with COVID19 vaccine screening and consent form in which she denied the following: ? Having allergies and reactions to any medication, foods, vaccines, or latex. ? Carrying an Epi-pen for emergency treatment of anaphylaxis. ? Having had a severe reaction to previous dose of this vaccine or to any of the ingredients of this vaccine. After the vaccine administration, Patient was guided to the observation area for a 15-minute observatory period. At approximately 2:00 pm- while in the observation area, approximately 15 minutes from vaccine administration, Patient, began to feel faint after family member was being treated by our medical alert team and sat down while hyper ventilating triggering a panic attack. At this time husband, also in the observation area, was asked by our medical team if patient had a history of panic attacks where he preceded to confirm that patient indeed has a history of panic attacks. Vitals were taken while patient was sitting in the presence of a nurse. 2:02 pm Vitals ? Blood pressure 130/80 ? Oxygen saturation level 98% ? Pulse 83 2:04 pm-Paramedics were called by Lead Medical Assistant 2:14 pm -Paramedics arrived. While the paramedic team assessed patient, EKG normal, vital signs normal. Patient was hyperventilating, became rigid, unable to open eyes with a locked jaw while grinding her teeth. Patient never lost consciousness. At this time, patient?s husband and paramedic began speaking to her, comforting her, and assisting her with breathing exercises. Patient?s husband confirmed that was she was experiencing was one of her usual panic attacks that usually can last 30-45 minutes. As a precaution, paramedics offered to transport patient to the nearest hospital to which the patient refused. 2:30 pm- patient was fully recovered and deemed stable by the paramedics? team. At 5:00 pm- Center Administration called patient, she stated that she felt fine. No other symptoms reported.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1187329	4/9/2021	CA	43	F	4/9/2021	4/9/2021	At 1403, RRT was activated for a 43 y/o F with c/o feeling dizzy, ringing in the ear, vision spots, and stating, "I'm about to pass out." Very diaphoretic. Vaccinated at 1355 on the L arm. Vitals: BP ? 112/68, HR ? 72, RR ? 18, O2 100% pain. Head-to-toe assessment completed. No PMH, NKA, and did not take any medications today. During monitoring period, client's condition improved. At the end of observation period, client did not experience what she was experiencing initially and felt much better. Client left vaccination clinic at 1432 ambulatory, in stable condition, accompanied by her family (Husband and daughter).
1187322	4/9/2021	CO	43	F	4/9/2021	4/9/2021	Shortness of breath, difficulty swallowing, blurred vision. 11:35am
1187785	4/9/2021	IL	29	F	4/1/2021	4/1/2021	Patient states she went to a mass vaccination clinic site. Reports after getting the first dose of the Moderna vaccine she developed full body diaphoresis, flushing, blurry vision, and LOC within ~30min. Furthermore, when she regained consciousness in the ambulance she developed rigors, hives, and angioedema. She was taken to a local ER and stabilized at the site. She was discharged same day in stable condition with prescriptions to fill for an EPI-Pen, OTC Tylenol, OTC Benadryl.
1188227	4/9/2021	MA	68	F	3/29/2021	3/30/2021	Day 2: series of 3 ocular migraines Day 3: another ocular migraines, intense heat ran down body followed immediately with vertigo which increased during the night Day 4: Debilitating vertigo, could not move without nausea - persisted until 8PM - called 911, Double vision Day 5: Head CTs, Head MRI, Eco ... tests came back negative, but vision issues persisted ... Meclizine helped vertigo and nausea Day 6: Weak, shaky, Eye issues but was discharged Day 7: Discharged with follow up appointment with ENT for persisting eye issues No history of any of these symptoms previously

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1188405	4/9/2021	CA	65	F	4/8/2021	4/8/2021	^ hours after injection my arm was aching. Then Head ache set in by 7pm. pain with neck and head and fever progressed quickly. by 9pm it was 103.7 By 11:00pm my fever was 105.4. By midnight it was 105.9 I took Vicks NyQuil because it was the only pain med that had Tylenol in it. Fever reduced to 105.4 by 2:30 am fever was at 104.5 and I felt safe to try and sleep and not die. A nurse friend was telling me to go to the emergency room. I applied and Ice pack to my splitting headache and eyeballs felt like they were going to pop out. also Icepack to neck. ate a popsicle. I hydrated emencely before the shot and All day with the shot. I kept moving my arm and it was fine after a few hours. THE FEVER SITUATION WAS QUITE FEARFUL AND STRESSFULL. My throat felt a "little" tightening. I swallowed every few minutes to make sure it did not progress. I had Benadryl on hand just in case. I slept from 3:00am until 9:30 am. My morning fever was between 103.7 and 104.5 It was 102.4 at 3:00pm it is 8:45 pm and my temp is 102.2 now. head ache is at 50% of yesterday.
1186384	4/9/2021	PA	41	F	4/6/2021	4/6/2021	Pfizer-BioNTech COVID-19 Vaccine EUA first dose administered approximately 2:52pm. Reaction started approximately 2:57pm after seated in observation area; sense of feeling "not right" then heart started racing, chest felt tight, vision got strange and I couldn't really move. Once this episode passed I got up and told a volunteer I thought I was having a reaction. Moved to secondary observation area, hooked up to machine that tracked heart rate and blood pressure. Next episode occurred at approximately 3:10pm; heart rate shot up to 160 (unsure of BP), same feelings of immobility accompanied with urge to pee/poop. These episodes continued for 4-5 rounds until approximately 4pm and lasted multiple minutes each time.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1188359	4/9/2021	TX	58	F	3/25/2021	3/25/2021	Onset of malaise approximately 4 hours after vaccination. Attended dialysis next day at 2 pm, but had to cut treatment short by an hour because of not feeling well. Loss consciousness while driving home from dialysis center and was involved in a car accident. The loss of consciousness was sudden. when I revived seconds later, vision was in black and white and was unable to determine the color of traffic light. Blood pressure improved over the next thirty minutes while I was providing report to police officer about the accident.
1186400	4/9/2021	TX	27	F	4/7/2021	4/7/2021	Almost fainting, dizziness, dilated pupils, black vision, could not speak, unable to move which occurred minutes after receiving the J&J vaccine. Side effects dissipated within five minutes after onset. Normal BP recorded
1188342	4/9/2021	MI	33	M	4/8/2021	4/8/2021	It was a drive thru shot facility. They gave me a shot in my left arm and asked me to pull around to park. I parked my vehicle and didn't feel well so I switched seats with my girl friend. As soon as I got into the passenger seat I was out. She said My eyes rolled back in my head and I started shaking and eyes at this point she said where going up down and side to side . She ran for help and after about 1-2 minutes I woke up. I thought I passed out so I instantly put my feet on the dash of my car and the pharmacist gave me water and chocolate milk. He then checked my heart rate it seemed good and after 20 minutes he let us go home.
1188333	4/9/2021	CO	64	F	4/7/2021	4/7/2021	High fever, chills, shaking and cold feet for 2 days. Eyelashes started falling out and developed some bumps on inside of right bottom eyelid

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1188329	4/9/2021	CO	37	M	4/9/2021	4/9/2021	Patient was waiting in designated waiting area following vaccine administration. About 5 minutes after vaccine I heard wife calling for help. When I went out to assess patient I found him laying back in chair with his head back, shaking, eyes open, and making fists with his hands. I asked him if he wanted me to call 911. He was able to respond through clenched teeth that he felt very strange and to call 911. He remained conscious and knew his name. We contacted 911 and I supported pt from opposite side of wife. After a few minutes he calmed down and asked for water, he appeared to be sweating around head area. He took a few sips of water until operator on phone asked us to withhold further liquid until EMTS arrived. He was completely back to normal status within 5 minutes, EMTS came and assessed pt and allowed him to leave of his own accord. After the incident her relayed that similar reactions including full fainting spells have occurred to him in the past when receiving vaccines. this was not indicated on his intake form
1188324	4/9/2021	WV	30	M	4/8/2021	4/9/2021	I had received the Janessen vaccine around 3:30pm. Around 1 am I woke up to shivering and chills. My head felt extremely pressurized inside. My eyes felt like they were being pushed out of their sockets. My body hurt. It hurt to move. My neck, knees, ankles and back were in shooting dull pain. It took everything I had to stand up. I couldn't get to sleep. I had a fever. I started to shiver. My thought raced. It began to hurt to breath. My lower chest is sore on the inside where the lungs meets the rib cage. I could not go to class or do any work. Was easily one of the worst nights of my life.
1188290	4/9/2021		34	F	3/1/2021	3/7/2021	Outbreak of urticaria approximately 5-7 days post injection #1. Had several months of no hives prior to shot but presented with a significant amount urticaria afterwards and through second shot. Weals on legs (primarily) but also trunk, lower arms, back of neck, cheek/face. Minimal angioedema in eye areas but only occasionally on random days. Symptoms (urticaria) present past four days post shot #2 but easing in severity, amount, and duration

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1188271	4/9/2021	WA	66	M	2/26/2021	3/8/2021	Symptoms: headache, loss of vision in left eye, vertigo. Stroke took time to diagnos, I thought it was a vision problem. Long time delays occurred while scheduling further testing (CT and MRI). Summary from MRI: "Study Result Impression: There is diffusion restriction along the left thalamus consistent with subacute ischemia, greater than 6 hours in etiology but less than 2 weeks." Outcome: Vision is slowly improving, headache is mostly gone, vertigo & mental status slowly improving.
1188270	4/9/2021	OR	39	F	4/9/2021	4/9/2021	Flushed face, itchy lips, tounge, roof of mouth, and head. EMT checked and advised Benadryl. Took benadryl at 10:54am symptoms continued to progress itchy eyes, began to feel tightness in throat and chest but benadryl began working. Still was itchy and flushed but not as bad. Around 4pm began to feel lightheaded and dizzy, eyes and face itchy. Felt like throat was blocked and like i was going to faint. Took more benadryl and went to er because I was having problems breathing. Was given steroids and pepsid. Placed on a course of benadryl, pepsid and steroids for the next 5 days instructed to follow up with PCP in 2 days.
1188265	4/9/2021	PA	28	F	3/26/2021	4/3/2021	8 days after getting the Pfizer COVID-19 vaccine i got a tingling headache on the right side of my head near my temple and the next day it spread to my whole right side of my head, creating a painful bed-ridden migraine. The next morning after that, the 3rd of April it turned into a rash that eventually turned into blisters and went down to the tip of my nose, down my forehead and near my eye, to which it swelled. I went to the doctor to get help and was diagnosed with shingles a day afterwards. I have gotten medication and am still on it to this day (currently 4/9/2021)

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1188263	4/9/2021	WA	21	M	4/9/2021	4/9/2021	About 10 min following vaccination, patient's father yelled for help. Patient was sitting on a chair and pale looking. He said his vision turned black, felt dizzy. His breathing was normal, but blood pressure dropped. During the 2 min observation time, his breathing was fast at some point. He said he wasn't nauseous. He asked for water. I gave him some warm water. He finished the whole cup of 6 oz of water. We continued to monitor his blood pressure every 2-3 min. His blood pressure was going up every time we checked. He continued to ask for water, and he drank another cup of warm water. After about 10 min, he felt better and able to walk without dizziness.
1187899	4/9/2021	NY	31	M	4/5/2021	4/5/2021	Fever greater than 103 Dry heaving Diarrhea Extreme headache Chills Sweats Extreme fatigue Dizziness Blurred vision Lethargic
1188141	4/9/2021	FL	21	M	4/9/2021	4/9/2021	Dizzy, sweating, chest tightness, impaired vision/hearing, SOB, pale, Syncope
1188358	4/9/2021	ME	66	F	4/3/2021	4/3/2021	Extreme tired, ringing in ears, sick to stomach, congestion, extreme headache, eyes aching and swollen, swollen knees, sore hips and ankles. Lasted until day 5
1187932	4/9/2021	NM	18	M	4/2/2021	4/2/2021	Patient with generalized urticarial rash and eye swelling, no respiratory distress, no other systems involved besides skin, no mucous membrane involvement, taken to ER, treated with prednisone and benadryl, improved, sent home with benadryl, rash resolved in 48 hours
1187982	4/9/2021	MO	53	F	1/28/2021	1/28/2021	site of injection, LUA, muscle soreness and unable to life L arm. Still unable to life left arm completely without pain. I'm a nurse, so doing my own physical therapy. BUT, main issue has been daily headaches. I've had more headaches in the last 3 months since vaccine, then I have had in my entire life. no treatment except Tylenol or ibuprofen. Although, the other day I had a severe headache, with visual disturbance, vertigo with dizziness and nausea. Was treated at local ER for possibly stroke. MRI showed no issues. I am now diagnosed with migraines.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1188011	4/9/2021	NY	36	F	4/7/2021	4/7/2021	I received my vaccine at 10am and by 5 pm I was feeling extremely tired couldn't keep my eyes open. For the rest of the night I had a fever of around 102 and chills and stomach pain and nausea. These symptoms lasted the entire next day along with extreme fatigue and dizziness that also has lasted up until and ongoing on 04/09/2021 at 8pm fever is on and off at about 101.
1188103	4/9/2021	CA	53	M	4/8/2021	4/8/2021	Patient was scheduled for an appointment for a Johnson & Johnson covid-19 vaccine through a drive thru Thursday April 8, 2021 @12:45pm. We arrived early and he received the vaccine at 12:15pm, waited 30 minutes for reaction and he was feeling fine. Later that same evening, the patient was driving to work on the freeway when he felt a dry throat so he coughed hard, at that cough he felt a massive pain in his head, like his "head was going to explode." He immediately had tunnel vision closing in on him, so he pulled over and later woke up in our parked car with flashing emergency lights on, parked on the shoulder of the freeway. Disoriented and confused why he was there, he looked at his watch and saw he lost 15 minutes when he had passed out. MY HUSBAND COULD HAVE BEEN SERIOUSLY INJURED OR KILLED IF HE HAD NOT PULLED HIMSELF OVER WHEN PASSING OUT. Today we reported this to our doctors office and to you!
1188249	4/9/2021	NJ	39	F	2/12/2021	2/14/2021	Scleritis of the left eye which lasted approximately three weeks

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1188127	4/9/2021	CA	30	F	4/9/2021	4/9/2021	PT c/o dizziness/lightheaded at 12:44 & taken to room to lie down. Note by MD: Notified by Nurse that the patient had just received COVID 19 vaccine and is feeling dizzy and not feeling well. Patient was already brought to exam room 1 for further monitoring and assessment. In the exam room, patient is sitting up talking to MA . reports that patient's O2 Saturation is 98%. While I was talking to the patient, patient states the lips and face are having symptoms of tingling and with sensation of swelling. Patient also states feeling dizzy, sleepy, nausea, and lethargic. I asked patient to lay down on exam table instead of sitting up. I immediately place patient's legs up with the help of patient's friend. On exam, patient is becoming more pale. No diaphoresis. Patient has sign of becoming less arousable. Patient states vision becoming more blurred and patient was near passing out. Due to above progressing and escalating symptoms, possible anaphylactic reaction to COVID 19 vaccine is considered. I immediately call for assistance from nursing staff to bring EpiPen. Dr.arrived with EpiPen in the exam room. Patient continues to have progressing symptom of difficulty with arousal in a near syncopal state. Patient is becoming less alert. Decision is to give EpiPen injection to reverse potential progressive and impending anaphylactic reaction with sign of progressive hypotension. Blood pressure was not able to be taken before the EpiPen was given due to patient's rapid progressing symptoms. EpiPen injection to right thigh done by Dr.. After the injection of EpiPen patient had nausea with dry heave. No vomiting. BP taken in right arm in supine position. BP is 110/70. Pulse Oximeter: Pulse 93. O2 Saturation 96%. Heart exam: RRR no murmur. Lungs: no rales. no wheeze. breath sound equal and bilateral. Few minutes after the injection of EpiPen, patient states is having improvement of blurred vision and blurred vision has gradually resolved. Patient is also more arousable and alert. Patient still has nausea. Patient reports feeling improvement. Paramedic arrived and evaluated the patient. Patient transported to ER by paramedic around 1:22 pm. At time of transport, patient is in stable condition. Patient is awake, alert and answer all questions appropriately. Per patient's friend, patient had symptom of tingling sensation of the lips and face and also urticaria 3 hours after

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							receiving 1st dose of Moderna COVID 19 vaccine which was 1 month ago. Patient's friend learned about this 1 day after the patient had the vaccine. Unclear if patient received any treatment for such. Patient states never had other vaccine reaction in the past.
1188228	4/9/2021	PR	58	F	4/8/2021	4/8/2021	patient indicates she is starting to feel hot in neck area up to her arm. She had watery eyes. Pharmacist assisted her and asked if she has any condition in her eyes : she said no. She said she felt weird and drowsy. Pharmacist asked if she was allergic to something and she said yes. Pharmacist administered 50mg of Benadryl IM on arm. She started to feel better.
1188151	4/9/2021	MA	49	M	4/2/2021	4/2/2021	I went with my wife, whom we were more concerned about possible reactions to the vaccine given her history of anaphylaxis reactions to bee and wasp stings, has had to carry a Epi-pen always, so we stayed an additional 15 minutes for 30 minutes total before we left. She was completely fine throughout, I however as we were walking out I began to feel a little ?Off?, not necessarily nauseous or dizzy, just a bit Off. Told my wife that and that I wasn?t sure I should drive us home (I drove us there), so she drove. About 15-20 minutes into the drive, it got worse and I passed out. My wife says my eyes rolled in the back of my head with my eyes open but no responsive. She says she kept hitting my chest but I didn?t respond. I came to about 2 minutes after passing out. She asked me if I felt like I needed to goto the hospital, I told her I needed to eat, that I felt like what I needed was food, then we go from there. I did eat breakfast, an English muffin at about 8am that morning, it was almost 12:30 by that point. When I finally got food in me I felt much better and have had no adverse reactions since.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1188158	4/9/2021	VA	35	F	3/25/2021	3/25/2021	Conjunctivitis formed in my left eye suddenly (same side of the body where I got the shot). I only noticed when I got out of the shower and looked in the mirror. After that I noticed my eye was tearing and goopy. It was very red for an hour or two and then it started to improve. The redness went down considerably by 10:30pm, but my eye remained slightly goopy and irritated for 2 days. I was able to continue wearing the same pair of contacts. It just went away on its own. I wore my contacts as a test to see if it were truly a bacterial or viral conjunctivitis I contracted by coincidence, but I knew it was not. I don't go anywhere. The fact that it went away on its own so quickly was confirmation that it was a side effect. It is worth saying that I have also experienced pink eye from a virus in the past. Maybe my body is more susceptible.
1188198	4/9/2021	NJ	51	M	4/7/2021	4/8/2021	I received the vaccine at 12:15 PM. I was a little tired but generally fine the rest of the day. I woke up at 2:30 and didn't feel well. I got up to go to the bathroom. I started getting the chills and feeling dizzy. I passed out. My wife found me passed out on the ground and bleeding. I needed six stitches in my head and have a black eye as well as other facial lacerations. I have no recollection of anything until my wife woke me. I have never passed out in my life prior to this.
1188207	4/9/2021	FL	33	M	4/5/2021	4/5/2021	Major headache, pain around eye, dizziness and nausea.
1188209	4/9/2021	CA	64	M	4/8/2021	4/9/2021	I was driving a car and suddenly I experienced extreme blurred vision and disorientation. the event lasted for about 2 minutes. It then cleared up with no lingering ill effects.
1187900	4/9/2021		81	M	4/7/2021	4/7/2021	pt discovered blurry vision/vision loss 1 hour after getting the immunization. Has not resolved as of 04-9-21
1188120	4/9/2021	IN	59	F	3/26/2021	3/26/2021	Extreme itching all over my body, watery eyes, constant sneezing

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1186522	4/9/2021	CA	71	F	4/7/2021	4/8/2021	Noon the day after the vaccine I was suddenly overcome with nausea, and dizziness that sent me stumbling to bed and vomiting into a bucket next to me. Vomiting lasted for one session, but dizziness and nausea stayed for about 3 hours, and then nausea, fatigue and general sick feeling kept me in bed until the next day. April 9 I woke up still feeling out of sorts, but not as bad. Note: 28 minutes after having the vaccine, once I started driving home, the vision in my left eye suddenly went blurry, and I nearly lost vision in that eye. I tried to find a safe place to pull over but couldn't. After 5-8 minutes the vision came back but stayed a bit blurry for a couple hours. Never had any such thing happen before.
1186759	4/9/2021	SC	21	M	4/6/2021	4/6/2021	1. Vasovagal syncope almost immediately after vaccination, little to no warning of oncoming syncope 2. Extremely fast acting fever (temperature went from 98.6 to 100.5 in roughly 30 minutes) followed by nausea, pounding headache, and body aches/chills. Remedied by alternating very high doses of ibuprofen (800mg) and acetaminophen (1000mg or 1g) every two to three hours. This did not ever bring down the fever below 100 degrees. 3. Blurred vision around 29 hours after vaccine - advised to go to ER by triage nurse. ER doctor determined not to worry about, likely due to headache but not 100% sure.
1186749	4/9/2021	OH	22	F	4/8/2021	4/8/2021	~3PM Immediately after injection - intense pain at site of injection. Several minutes after injection - lightheadedness. ~10PM - sudden overwhelming full body symptoms. Started with lightheadedness, fever, headache, and nausea. After laying in bed, the headache became extremely painful/throbbing. Full body aches (back, neck, legs) began. Ears got sensitive to sound, eyes got sensitive to light. Stayed in bed experiencing pain until ~1 pm the next day. After taking aleve around 11 am, the headache and fever subsided, but the remainder of symptoms still persist.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1186730	4/9/2021	OR	67	F	3/1/2021	3/15/2021	About an hour after having the shot, I was nauseous, dizzy and light headed, I thought I was going to pass out. I had to lay down. My eyes swelled and they started to tear up, I felt weak all day and into the evening. I never had a bad reaction to a vaccine before, so this was surprising. I contacted the health department as they came to my house and gave me the shot, but I could not get through to anyone. I had to leave a message. After I was contacted back, I was told that someone would contact me that very same day, but no one ever did that day or any other day. .Because of that, I thought it must not have been a big deal, but after reading today that people in a specific had some of the same reactions I did, I thought I should report it.
1186724	4/9/2021		24	F	4/9/2021	4/9/2021	nausea, spotty vision, feels "hot". Evaluated by EMS-Cleared
1186723	4/9/2021	MD	51	F	4/7/2021	4/8/2021	I had eye strain all day April 8, 2021 - the day after I received my first dose of the Pfizer COVID-19 vaccine. My vision wasn't blurry, but my eyes definitely had to work harder to focus and by the end of the day were sore and tired. I'm filing this report on April 9th and the eye strain seems to have diminished considerably. It is almost 5pm and I'm noticing now that my eyes are a bit tired and very slightly sore.
1186719	4/9/2021		23	M	4/9/2021	4/9/2021	Patient felt light headed and blurry vision
1186716	4/9/2021	IL	25	M	4/9/2021	4/9/2021	Lightheadedness and vision went black, sweating, lowered HR
1186701	4/9/2021	TN	91	M	3/2/2021	3/5/2021	Face turned extremely red. Right eye almost swelled shut, nose, lips, ear swelled and very red on Friday, March 5, 2021. Swelling began to subside somewhat on Monday, March 6 after taking Benadryl.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1186664	4/9/2021	OH	52	F	4/8/2021	4/8/2021	Patient was in monitoring area and became dizzy and was given apple juice and removed mask. Pt began to feel better, but few minutes later became dizzy again and looked pale. Patient's eye began to flicker with a strong, regular pulse and felt slightly cool. Patient was then moved by wheelchair to lie down on a cot. Patient's neck became red, and EMS was called after patient began to feel better, but then when sitting up again felt dizzy and lightheaded, pale and c/o difficulty breathing O2 was placed on patient and cold pack applied. Patient was alert and oriented to time place and situation. Patient was put on 12 lead heart monitor with Sinus Rhythm and VS are as follows every 5 mins. 158/82, 71 99% 22 162/86 79, 99% 22, 156/79 77 100% 20. patient was taken to ER via ambulance. Patient stated on 04/09/2021 on follow up call that she was told she had an allergic response given fluids, labs were normal and went home after a few hours. No other meds were given to patient and no other symptoms occurred after she left.
1186663	4/9/2021	NY	27	M	4/9/2021	4/9/2021	Vasovagal event with lightheadedness, diaphoresis, blurry vision. No CP, SOB, palp. No s/sx anaphylaxis: no hives/rash, wheezing, stridor, throat closing, tongue swelling/itching, N/V/D. VS: BP 95/50s, HR 50s, SaO2 99% RA, afebrile. Pt clammy, bradycardic. Lung clear, abd soft, no edema. No focal neuro deficits, A&Ox3. Pt laid down on the floor with legs elevated with improvement in symptoms, and BP up to 120s/70s, HR 70s. After ten minutes, felt well enough to sit up, repeat BP while sitting 120/70s, HR 70s. Given water/juice and a snack. After another ten minutes, felt well enough to stand, repeat BP unchanged. Pt monitored for another 30 minute without recurrence of sxs. Pt went home without issue.
1186652	4/9/2021	MI	32	M	4/9/2021	4/9/2021	Patient started fainting a few minutes after the Janssen vaccine was injected. Patient started fainting in while he was seated. He wasn't very responsive but his eyes were open. Patient stated that he has a panic attack to the injection of the needle and has had similar reactions in the past from other injections.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1186651	4/9/2021	FL	68	F	1/12/2021	1/19/2021	woke up feeling very groggy, double vision, woozy, weak. Tried to fill coffee pot but no strength, went to sit at kitchen table. Tried to stand and collapsed on floor. Husband called 911. Took blood pressure, glucose reading and EKG. All were OK. Told me to advise my doctor. Went to him next day and he said based on symptoms it sounded like severe dehydration. He was not sure if it was attributed to the vaccine.
1186628	4/9/2021	MD	44	F	4/7/2021	4/7/2021	Three to four minutes after vaccination, patient alerted me that she was not feeling well. Symptoms included rapid heartbeat and "full body sweat." Patient became unresponsive with eyes open, at which point I retrieved an EpiPen and instructed my technician to call 911. Patient became responsive within 20 seconds. Patient remained seated over course of following hour, at which point she reported feeling like her normal self.
1186762	4/9/2021		20	M	4/9/2021	4/9/2021	dizzy, lightheaded, blurry vision, diaphoretic. Evaluated by EMS-Cleared
1186488	4/9/2021	NJ	22	F	3/13/2021	4/5/2021	Shingles around the left eye and forehead area, as well as scalp. Itchiness, rash and pain, pain associated with the left eye as well Rash began 4/5/2021 Pain began 4/6/2021
1188377	4/9/2021	CA	18	M	4/8/2021	4/8/2021	Perfectly healthy, fit, thin 18 year old young man with no allergies and no previous reactions to vaccines or medications... immediately upon receiving J&J injection his eyes rolled back into his head and he was unconscious for two to three minutes, then in and out of consciousness for another eight to ten minutes. He convulsed for around ten seconds after about two minutes of being unconscious. Four to five healthcare workers attended to him, asking him to "stay with us." They called an ambulance, and the medics monitored him for awhile. Heart rate dropped to 34 bpm, clothing drenched with perspiration. Blood sugar was slightly low, although he had eaten a late brunch of two fried eggs, sourdough toast and fruit salad. The last thing he remembers is a cold sensation shooting down his arm and into his left hand. He tried to talk to say he wasn't feeling well, but he couldn't form the words, so he raised his arm and then fainted. He felt generally unwell the rest of the day, and today he is still not fully recovered.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1187314	4/9/2021	CT	24	F	4/7/2021	4/7/2021	Syncopal episode a few minutes after injection, nausea dizziness sweating blurred vision
1186418	4/9/2021	NE	54	F	4/9/2021	4/9/2021	After waiting the required 15 minutes after vaccine administration, patient states she felt nauseous and light headed. She was placed in chair, blood pressure taken and questions answered regarding food/drink consumed today, medical history, etc. Co-workers notified, one of which was a nurse. Patient was advised to rest in her office w/supervision and at any time if she felt she needed to leave work, she was free to do so or assistance would be provided if needed. She voiced understanding and agreed. Later, hospital staff was notified that patient had arranged for a family member to pick her up and take her home for the remainder of her work day, as the symptoms had not yet resolved. Follow up call made at 1444. Patient reports mild nausea and fatigue. She was advised to continue to rest and hydrate. If symptoms worsen, chest pain develops, etc., she is to report to ED for eval.
1186425	4/9/2021	TX	30	M	4/9/2021	4/9/2021	LIGHTHEADNESS, DIZZINESS, TUNNEL VISION. MONITORED FOR 30 MINUTES RECOVERED WITHOUT INCIDENT.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1186428	4/9/2021	TN	49	F	4/8/2021	4/8/2021	1:50pm Pt walked from parking lot to vaccine tent to report she felt strange. Complaining of a sensation that started in her vaccination arm site and seem to spread over her upper body and described it as swimmy eyes and chest tightness. Patient placed in a chair, VS obtained: BP 150/90 in RUE, HR 60/normal, RR 20/normal. Otherwise the patient was calm in appearance in A&O x3. Patient states she hadn't eaten much that day. Provided a bottle of water and a Chewy snack bar. 2:05pm Patient reports symptoms are no worse or better; Nursing Supervisor notified. 2:07pm Medical Director, Doctor notified of patient and subjective/objective data. Order for Benadryl 50mg IM obtained. Along with instructions not to drive post administration of the Benadryl and to call EMS or report to the nearest ED if reported symptoms related to chest tightness did not improve. 2:08pm Benadryl 50mg IM given in right upper extremity. Patients husband has arrived and is standing next to her. Patient remains calm and in no apparent distress other than the symptoms previously reported. 2:18pm Patient states she feels woozy from the Benadryl, but no worse or better than previous. Offered to call EMS, patient and husband declined. 2:30pm Nursing Supervisor onsite. Patient re-evaluated by asking questions related to current symptoms. Patient states chest tightness had resolved. 2:40p Patient reports feeling better. Patient instructed not to drive due to the potential for drowsiness related to the Benadryl administration. 2:45p Patient and husband left the vaccination area together.
1186624	4/9/2021	NC	60	U	4/2/2021	4/3/2021	Shingles on head and eye

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1186456	4/9/2021	NC	19	F	4/8/2021	4/8/2021	Janssen COVID-19 Vaccine EUA Immediately after getting the vaccine, I experienced severe nausea for 10-20 minutes. I experienced no symptoms for 3-4 hours afterward, but then began to develop a low-grade fever, muscle aches, a headache, and became nauseous again. Around 12 hours after getting the vaccine, I developed a fever of 102 F, I began to experience severe muscle aches and cramps in my calves and abdomen. I also began to develop a much worse headache and lost partial vision in my right eye for a few hours. This is when I became violently nauseous, but I was unable to throw up, or defecate. I was unable to sleep during this time, and at 2 am, my nausea peaked, and I threw up incredibly violently and incredibly suddenly. It was so violent, it caused me to pop a blood vessel in my eye, and gave me a sore throat. However, after throwing up, most of nausea subsided. At this point, the vision began to return to my eye. 20-40 minutes after throwing up, I began to experience chills that lasted for up to an hour. Eventually, I slept at 4 am, but slept fitfully, and woke every 40 minutes to 2 hours. At 7 am on the 9th, the nausea was completely gone the day after my vaccination, but the muscle aches and headaches were back. My fever was down to 101, and I took some Tylenol and slept fitfully until 2 pm when I woke up feeling significantly better.
1186575	4/9/2021	AL	71	F	4/8/2021	4/9/2021	She got her vaccine yesterday, no problems initially, then today 4/9/21 started having chills, loss of appetite, fever, headaches and eyes hurting as well, and aching joints. Chills to the point that she has turned her heater on but it's in the 80s outside. She has not taken anything for her symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1186501	4/9/2021	CA	71	F	4/7/2021	4/8/2021	Noon the day after the vaccine I was suddenly overcome with nausea, and dizziness that sent me stumbling to bed and vomiting into a bucket next to me. Vomiting lasted for one session, but dizziness and nausea stayed for about 3 hours, and then nausea, fatigue and general sick feeling kept me in bed until the next day. April 9 I woke up still feeling out of sorts, but not as bad. Note: 28 minutes after having the vaccine, once I started driving home, the vision in my left eye suddenly went blurry, and I nearly lost vision in that eye. I tried to find a safe place to pull over but couldn't. After 5-8 minutes the vision came back but stayed a bit blurry for a couple hours. Never had any such thing happen before.
1186504	4/9/2021	NM	51	F	3/30/2021	4/1/2021	Swelling of lymph nodes both right and left sides cervical, axillary and pectoral with mild discomfort. Most notably on the left side there are 3 supraclavicular lymph nodes that are so swollen they are visible to the naked eye and are painful to touch/pressure (ex. seat belt strap).
1186511	4/9/2021	VA	23	F	4/1/2021	4/2/2021	Low grade temp 101.2 on 4-2-2021 elevate pulse and resp gave tylenol soreness of injection site right arm . Saturday 4 am didn't sleep at all continue with heart rate temp and pulse, 102.8 temp chills given in left thigh tylenol given labor breathing rdness in face no hives. as of 7am 4-3-2021 symptoms same temp 101.1 heart and resp rate lower.will continue to access vital signs and given tylenol if symptoms get worse will contact pcip. Sunday 4-4-2021 appear to feel better 100.8 heart rate 100 eyes red
1186517	4/9/2021	AR	52	F	4/3/2021	4/3/2021	Chills, vomiting, nausea, dehydration, swollen face, bruised face, eyes swollen shut, diarrhea, loss of appetite, extreme pain, extreme exhaustion, unclear thoughts, confusion, heart racing

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1186519	4/9/2021	CA	21	M	4/9/2021	4/9/2021	Patient passed out roughly 5-10 minutes following vaccine while seated on a planter; witnessed by store employee. Hit his head causing a small laceration above the right eyebrow which was cleaned with alcohol and bandaged prior to EMS arrival. The patient experienced dizziness and numbness/tingling in both hands/arms. He was able to tell RPh his name, the year, and knew where he was. Paramedics were called to assess his condition. Per patient and mother, only underlying condition is anxiety and only medication is zoloft.
1186424	4/9/2021	MN	49	F	3/19/2021	3/19/2021	Shortly after the patient received the vaccine and left the pharmacy, she started experiencing severe headache and radiating left-sided neck pain. The pain continued throughout the day and morphed into head, neck, and sinus pressure. The next morning, the patient noticed a ruptured blood vessel in her left eye, causing redness. Symptoms lasted for approximately 1 week.
1186441	4/9/2021	NC	47	M	4/8/2021	4/8/2021	47 YO MALE CONSCIOUS AND ALERT WITH A GCS OF 15 COMPLAINING OF FEELING NAUSEAUS. PT JUST RECIEVED HIS COVID 19 VACINATION. PT DENIED CHEST PAIN, SOB, V/D, HEAD NECK AND BACK PAIN, BLURRED VISION, DIZZINESS. PT HAD A PATENT AIRWAY WITH EQUAL CHEST RISE AND FALL. PT HAD NO NOTED DCAPBTLS, HEENT WAS UNREMARKABLE. PT VITALS WERE TAKEN AND RECORDED. PT WAS OFFERED TRANSPORT TO THE LOCAL HOSPITAL FOR FURTHER EVALUATION. PT REFUSED
1187044	4/9/2021	CA	28	M	4/9/2021	4/9/2021	Patient vaccinated by nurse and nurse reported patients eyes rolled back, patient appeared diaphoretic and pale Patient seen by medical team, vitals were stable, patient provided water and stated symptoms resolved Patient refused medical transport and signed AMA form
1187299	4/9/2021	NJ	47	M	4/7/2021	4/8/2021	My Eyelids have painfully swollen and my ears have become sensitive

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1187284	4/9/2021	KS	23	M	4/9/2021	4/9/2021	pt started feeling nauseous/hot/sweaty in the after in waiting area and signaled, bench pharmacist made it to chair and guided him to floor, pt was alert and did not hit head. may have lost consciousness for a few seconds while on the floor. elevated his feet with chair. pt opened eyes and we chatted and did breathing exercises. pt states history of fainting w/ IVs and IMZs in the past. declined offer to call someone for him, stated his people were too far away. called emergency medical and they responded, and checked him over. did not check back in with pharmacy, but emergency medical released him and walked out with him.
1187255	4/9/2021	IA	18	M	4/9/2021	4/9/2021	Client was encouraged to drink a full bottle of water as he came to the dispenser table. "I do this every time I get a shot or when my cast was taken off." He proceeded to lay on the floor and closed eyes. Noted bluish tint around his eyes L>R eye. VS at 0920: 98/40 BP-52 HR-12-96% on the oximeter. He was talking to his mother on the phone. Legs elevated on chair to increase BP. At 0928 am BP was 128/58 and starting to feel better. At 0933 am, BP: 126/60-64-14 and 98%. At 0938 am, BP was 126/80-77-98% on oximeter. BP 126/80-96%- 77 HR and regular. Patient released from observation at 0951 am.
1187122	4/9/2021	CA	28	F	4/6/2021	4/6/2021	Day of Vaccine: Slightly blurry distance vision, mild fever, chills, mild headache, injection site pain/soreness, One day after Vaccine: Mild fever, chills, injection site pain/soreness, red/raw tongue. Two days after Vaccine: Mild injection site soreness, red/raw tongue.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1187115	4/9/2021	CA	63	F	4/7/2021	4/7/2021	AFTER ADMINISTRATION OF THE FIRST DOSE OF THE PFIZER COVID-19 VACCINE, THE PATIENT RESPONDED THAT THEY FELT FINE BUT THEN STARTED TO SWAY IN THE ADMINISTRATION CHAIR. THE PHARMACIST TAPPED ON THE SHOULDER TO CHECK IF THEY WERE OK, AND THE PATIENT RESPONDED BEFORE TILTING THEIR HEAD BACK AND CLOSING THEIR EYES. THE PHARMACIST CALLED FOR HELP AND CHECKED IF THE PATIENT WAS RESPONSIVE. THE PATIENT STARTED TO RESPOND, BUT FELT DIZZY, COLD AND CLAMMY. ANOTHER PHARMACIST ASSISTED IN ADJUSTING THE PATIENT IN THE CHAIR TO ALLOW HER TO PUT HER HEAD BETWEEN HER LEGS. SHE GRADUALLY STARTED TO BECOME EVEN MORE RESPONSIVE AFTER 2 TO 3 MINUTES BUT CONTINUED TO FEEL COLD AND CLAMMY. ANOTHER ASSOCIATE BROUGHT IN A BOTTLE OF WATER AND LARGE TOWELS DURING THIS TIME. WHEN THE PATIENT WAS READY (10-15 MINUTES LATER), SHE WAS MOVED TO THE FLOOR TO LAY DOWN WITH ONE TOWEL COVERING HER AND THE OTHERS UNDER HER. HER FEET WERE THEN ELEVATED. A PHARMACIST CHECKED HER BLOOD PRESSURE AND IT WAS SLIGHTLY ELEVATED 156/84 WITH A HEART RATE OF 73. SHE STAYED UNDER SUPERVISION WITH AN ASSOCIATE FOR ANOTHER 30 MINUTES, AND WAS ABLE TO SIT UP, STAND, AND DRINK WATER BEFORE BEING ESCORTED TO HER VEHICLE. A PHARMACIST CALLED HER LATER THAT AFTER NOON AND SHE DID NOT REPORT ANY FURTHER LIGHTHEADEDNESS, BUT SHE DID HAVE SOME ARM SORENESS.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1187113	4/9/2021	CO	47	M	4/9/2021	4/9/2021	Patient was coherent during initial injection, as I removed my gloves and asked he remain in the waiting area for 15 minutes his chin fell to his chest and he began to breath heavily. I spoke to him and there was no response. He then began making snoring type noises and lifted his head but again was unresponsive. Patient then slumped sideways in the chair. I made one last attempt to arouse him with firm strikes to the chest and calling his name. I retrieved the EpiPen from the e-kit and as I removed it from the box he became conscious. He opened his eyes and gasped and tremored slightly. He was not immediately responsive verbally. I observed him carefully to evaluate if he was going to have a seizure, but he then became coherent. He was alert and oriented to time and place but did ask how long it had been since the vaccine. He admitted to having a problem with needles and stated that was the root of the reaction. He does not remember any reactions to previous vaccines but also could not recall his last vaccination. We brought the patient water and offered snacks while he recovered in the patient care area. Approximately 20-30 minutes after the initial event the patient began vomiting. After a few minutes of vomiting he said he felt a little better and wanted to go to his car to lay down. Multiple times we asked if we could call someone to come pick him up and offered to have him seen by paramedics that happened to be shopping in store. He declined both offers and stated he would lie down in his car and call someone if he did not feel well after awhile. Staff checked on him in his car and he was instructed to call in before leaving. Upon trying to check on him again it was noted his car was gone. I called the patient and he assured me he was ok and he was now at home.
1186777	4/9/2021		24	F	4/9/2021	4/9/2021	VISION-TUNNLING, SHAKY, WEAK. EVALUATED BY EMS-CLEARED



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1187061	4/9/2021	CA	35	M	4/9/2021	4/9/2021	<p>HPI: Patient is a 35 year old male who presents following administration of a single dose of J&amp;J COVID19 vaccine in the left deltoid. Patient started to feel light headed and nauseous while walking to his car. About 20 minutes following vaccination, a vaccinator had walked passed his vehicle and noted that he was unconscious. Patient was still unconscious upon medical response team arrival and unresponsive to stimuli. Once the patient awoke about 30 seconds later, he continued to state that he was nauseated and "did not feel good." Patient was unaware that he had lost consciousness. He further disclosed that he had been working in the sun planting trees all day and had not consumed any food or beverage. He denied allergies to medication, food, and other vaccines. He relayed that he had passed out from vaccinations in the past as a child. He affirms lightheadedness and nausea. He denies chest pain, difficulty breathing, swelling of the face/lips/tongue/throat, skin rash/itching, cramping abdominal pain, and vomiting. Exam (update as needed): GEN: Upon arrival, patient unconscious and not responsive to stimuli HEAD: NCAT EYES: pupils unreactive and mydriatic ENT: Ears normal, Nose normal, OP normal, no evidence of angioedema NECK: Supple, without LAD. CV: RRR, no m/r/g, palpable strong radial pulse PULM: Clear to auscultation bilaterally, no accessory muscle use ABD: Soft, no tenderness. SKIN: Skin pale, cool, and clammy. No rashes. No erythema or edema of the injection site. MSK: FROM, MS 5/5 NEURO: Patient unconscious upon arrival. CN 2-12 grossly intact, no ataxia, gait steady Clinical Impression/Field Tx: Vasovagal syncope. EMS called immediately to respond to the site for further evaluation. Patient placed into a reclined position. Patient not displaying active signs or symptoms of anaphylaxis. Upon regaining consciousness, patient was alert and oriented x4. Once the patient demonstrated ability to control airway, he was given candy and water. EMS arrived and an EKG and BGL were performed, both of which were normal. Vital signs were stable. Instructed patient to consult their PCP regarding the post-vaccination reaction. Patient instructed to go to emergency department should they develop chest pain, difficulty breathing, swelling of the face/lips/mouth/tongue/throat, or cramping abdominal pain with nausea/vomiting, as these are signs of possible</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							anaphylaxis that requires immediate intervention. Medications administered: None Disposition: FD EMS called to the scene for further evaluation. Patient elected to go home after evaluation by EMS.
1187267	4/9/2021	TN	67	F	3/3/2021	3/30/2021	3-30-21 tingling in right side of lips, could see nothing wrong in mirror, progressed up right cheek, right eye began swelling then swelled shut, Nurse at Medical center at this point. BP was 200/100 at Nurse office. Initial feeling from Nurse was stroke. Started Nurse on lisinopril 10 mg daily that day and prednisone 20mg qd for 1 week beginning next day. With her recent Covid vaccine Nurse then thought Bells Palsey. As of today, her left eye is tearing, cannot smile, cannot raise eyebrows, difficulty chewing. No labs were performed per patient.
1187042	4/9/2021	AK	70	F	2/8/2021	2/10/2021	8 HOURS AFTER VACCINE, DEVELOPED FEVER TO 101, HEADACHE, FATIGUE. THIS LASTED ABOUT 12-18 HRS. 2 DOSES ACETAMINOPHEN 325 MG TAKEN EVERY 4-6 HRS. THEN FATIGUE CONTINUED ABOUT 2-3 WEEKS. TWO DAYS AFTER IMMUNIZATION, NOTICED LEFT UPPER LIP TWITCHING INTERMITTENTLY. THIS CONTINUED FOR ABOUT 1-2 WEEKS, THEN R UPPER EYELID STARTED TO TWITCH INTERMITTENTLY , ALONG WITH THE LEFT UPPER LIP CONTINUING TO TWITCH. WENT TO MY PHYSICIAN 6 WEEKS AFTER THE INTERMITTENT TWITCHING OF BOTH LIP AND EYE CONTINUED. I WAS EXAMINED, AND LABS DRAWN. ONLY CONCERNING NEW LAB WAS VITAMIN D LEVEL 22. INCREASED VITAMIN D SUPPLEMENT FROM 1000 IU DAILY OR EVERY OTHER DAY TO 6,000 IU DAILY. NOW , 2 WEEKS AFTER INCREASING VITAMIN D DOSE, TWITCHING HAS LESSENER. I DO NOT KNOW IF VACCINE CAUSED THE TWITCHING, BUT WANTED TO REPORT, SINCE HAVE NEVER NOTICED TWITCHING LIKE THIS BEFORE.
1187029	4/9/2021	GA	38	M	4/9/2021	4/9/2021	Patient felt groggy, little visual disturbances, shortness of breath--when placed in supine position and elevate feet felt better. Feet became numb but vitals were normal--pulse and O2 stats withing range.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1187026	4/9/2021	CA	27	M	3/25/2021	4/9/2021	frequent sneezing, runny nose, watery eyes, muscle pains, neck pains, joint pains, dizziness, partial blindness, severe and chronic joint spinal pops, lack of sleep, high stress, fatigue,

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1187025	4/9/2021	CA	53	F	4/9/2021	4/9/2021	<p>Patient received first dose of Pfizer at 12:50 pm on left deltoid, lot # ER8731, expiration date on 07/2021. Patient has a history of rheumatoid arthritis and asthma, both of which are controlled with medication. Patient waited in outdoor EMT waiting area for approximately 20 minutes. At 12:09 pm, patient entered indoor EMT waiting area and asked the lead nurse, if she could check her blood pressure. Upon assessment, patient was alert, oriented X4, clear speech. The patient's primary complaint was "feeling tired". The patient sat down in a chair in the observation area while RN took her blood pressure. At 12:09 pm, the patient's BP 156/102 sitting, HR 68, SpO2 97% RA, RR 17 res/min unlabored. Patient denies tightness in chest or throat, difficulty breathing, or trouble swallowing. Patient states she did not drink water today. RN gave patient a water. Patient consumed 16 oz of water at 1:13pm. Patient reports she is "feeling better" at 1:13 pm. At 1:16 pm, the patient's BP 156/102 sitting, HR 75, RR 18 res/min unlabored. Patient states her blood pressure "is usually low" because she runs daily, but she "can't remember" her usual range. At 1:20 pm, BP 150/100 sitting, HR 66, RR 18 res/min unlabored. Patient states she is "feeling tired and cold". Patient was transferred to anti-gravity chair at 1:25 pm with assistance from EMT. At 1:25 pm, patient's BP 167/115, RR 20 res/min, HR 64. At 1:32 pm, patient called her brother to come pick her up. Patient was provided with education related to signs and symptoms of allergic reaction, such as tightness in throat, tingling of tongue, and shortness of breath. Patient denies experiencing such symptoms. At 1:32 pm, BP 150/90, HR 70, Spo2 at 99%, RR 20 res/min. Patient states "I felt like something bad was going to happen" after receiving her vaccine. EMT talked with patient calmly and encouraged deep breathing. At 1:39 pm, BP 164/88, HR 84, Spo2 at 98%, RR 20 res/min. At 1:42, the patient requested to leave. Lead RN, advised patient to stay laying down and deep breath to help her blood pressure go down. Patient states "I want to leave". Patient was provided with education about normal blood pressure ranges. Patient verbalizes understanding and states she is aware she needs to call her doctor if she is experiencing headaches, vision changes, and/or chest pain. At 1:45 pm, patient got up out of chair and followed by EMT to car. Patient's gait was steady and balanced. Patient states she is "okay to</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1186956	4/9/2021	NY	49	F	3/20/2021	3/21/2021	drive". Patient declined having more vitals taken. Patient left with brother in passenger seat of car at 1:47 pm.  (Pharmacy was the pharmacy that provided the Vaccination.) I had fever, headache and body aches that started 24 hours after and they lasted about 36 hours. OTC cold and pain medication was taken for those. I had significant swelling under my left arm in the armpit. That lasted for about a week. At the same time as the fever, headache and body aches started, I had swelling under the eyes that started in the upper eyelids for about a week and that went down to the lower lids about a week post vaccination and since then it has been upper and lower eyelids - significant swelling and on March 30th (started me on the Prednisone on this date) - it initially helped and then it went back to worse than it was before. and on April 7th Benadryl and Neomycin- a topical steroid I've been applying under the eyes for that. The swelling was significant until this last Wednesday when I got on these two meds. Today I had a phone call visit with my doctor as a follow up to how the meds were doing. Recovery is progressing at this time.
1186802	4/9/2021	FL	19	M	4/9/2021	4/9/2021	PATIENT BECAME DIZZY AND FAINTED BRIEFLY(SECONDS). PATIENT DID NOT LIKE SHOTS. HELD HIM AT PHARMACY FOR 30 MINUTES UNDER SUPERVISION. GAVE WATER. CONFIRMED HE HAD A RIDE HOME AND FELT 100%
1187063	4/9/2021	MN	52	F	4/7/2021	4/7/2021	Covid shots administered at airport for employees. I received shot, and within a minute or two- my lips and tongue started to tingle, swell and go numb. My throat started to swell too. Had a hard time starting to breathe and took my xopenex inhaler. I had taken a benadryl beforehand, and ended up taking two more as EMT came over to help me there at the site. She kept an eye on me. My A Fib was speeding up and getting irregular too. After about half an hour, it stopped getting worse and seemed to level off. They offered to take me to ER, and had me promise to call 911 if it got bad again. Still felt bad the rest of the day. Felt a little better later the next day, and a little better (today is day 3), but still not 100%. I did contact my doctor to check in

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1186784	4/9/2021	TX	32	F	4/9/2021	4/9/2021	patient complained about " not feeling well", 5 minutes after vaccination. pharmacist and technician assisted in caring for patient. patient then closed their eyes and slumped to the side. 1 minute later, patient became aware and answered questions correctly about who and where she was. ems were called and appeared shortly thereafter. patient was transported out of pharmacy via stretcher by ems.
1186953	4/9/2021	CA	17	F	4/9/2021	4/9/2021	The patient experienced the following reaction(s) during the immediate of observation: 1240- pt received first dose of Prizer vaccine at 1220. Pt was ready to leave and had a syncopal episode in her chair. Pt was lowered to the ground and was not alert or oriented. Mother was at the patient side. Pt was able to open her eyes and state her name. At this time the patient was placed into a wheelchair and during movement to post vac area, pt lost consciousness and had generalized muscle twitching resembling seizure like activity. At no time did patient have airway compromise. Pt was placed on the floor with feet up on the wheelchair. Vitals are as follows BP: 92/52 P: 72 R:18 99% spO2. Pt continued to answer questions appropriately with mother at her side. 1246: repeat vital signs BP: 118/64 P: 85 R:18 98% spO2 on RA Pt A&Ox4. Mother stated pt had same type episode 4 years ago while they were out of the country. EMS Was called to assess pt with possible transport to a higher level of care. 1259: BP: 110/72 P: 83 R:18 99% SpO2 Fire Department on scene speaking with mother and pt. All pt care given released at this time to FD. Mother spoke with FD and decided against transport to the hospital. Pt was observed 10 minutes longer and final set of vital signs done prior to pt leaving the facility. BP: 102/82 P: 75 R: 18 99% SpO2. Pt A&O x4, placed in a wheelchair and helped to vehicle. All questions answered prior to leaving the facility.
1186812	4/9/2021	MS	44	F	2/5/2021	2/5/2021	Dizziness Vision loss Fainting Came to, drank water, ate banana, cold rags on face

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1186863	4/9/2021	CO	36	F	4/7/2021	4/7/2021	Beginning approximately 2 minutes after receiving shot, experienced the following in sequential order: - Mild but Sharp pain (2-3 on pain scale) in my right elbow (same side as injection) - Slight lightheadedness - Sweating Profusely - Extremely blurred vision - Muffled hearing/Deafness I recovered within 10-15 minutes and was sent on my way by the paramedics. Was not particularly nervous about getting the shot, and I don't have any history of fainting. Felt perfectly fine the rest of the evening.
1186871	4/9/2021	VA	44	F	4/9/2021	4/9/2021	Approximately 3 to 4 hour after the vaccine my left eye started to hurt and feel like there was something in it and it swelled up.
1186876	4/9/2021	MA	41	M	4/9/2021	4/9/2021	I got the vaccine at about 12:55pm. About ten minutes after getting the vaccine, while sitting in a chair, I began to get tunnel vision and felt extremely tired. I broke out in a cold sweat all over my body. I began to lose my vision like I was fainting and I momentarily blacked out or dozed off, then came back awake. I started to get tunnel vision again for a minute, then it faded away. Then I continued sweating for a minute and then it faded away. After a couple minutes I felt fine again. I sat for another several minutes then left at 1:15 feeling ok with just a sore shoulder.
1186887	4/9/2021	TX	65	F	4/2/2021	4/5/2021	Monday 4/5/21 about 8am I woke up eyes Buffy Didn't think anything of it As the week progressed I noticed my face itching and little fine rash starting. Still not thinking about the shot at that time By Tuesday and Wednesday I had to take Benadryl Because the rash was itching and beginning to spread and I startled sneezing and feeling like I was having Allergies from being outside Like high pollen count or something. I really noticed the rash spreading in my face Around the eyes and everything prominently by Thursday. I itch a little bit under my breast and chest but no rash It really feels like allergies which I'm used to except the rash I only get this creepy itchy rash when I have eaten something I'm allergic to like anything citrus. I am taking Benadryl and if it persist over the weekend. I'll make an appointment to see my doctor on Monday 4/12/21

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1186906	4/9/2021	FL	44	M	4/6/2021	4/6/2021	pt complaints of eye feeling dry to the right corner of eye, onset after observation, started feeling dry when he got in car, no visual disturbances, changes or swelling, pt requested to have reported "just in case~~
1186920	4/9/2021	VA	53	M	4/2/2021	4/2/2021	Started with Headache at 10pm (Right between eyes) Pain started spreading through entire body. 1020pm Hands itchy and swelling, chest tight 1020pm Took 2 Tylenol and two benadryl 1030pm Itchy hands and tight chest subsided by 1130pm Headache and severe body aches throughout entire body continued through and did not get better until 04/08/21. Bed ridden for duration. No fever.
1186921	4/9/2021	TN	23	F	4/9/2021	4/9/2021	Patient had first COVID19 vaccine administered at pharmacy. She has anxiety regarding needles and vaccines. I administered the vaccine in the counseling room and requested she remain in the room until she felt ok. Patient said she felt fine after about a minute, and she moved to the pharmacy waiting area. The patient called out that something was wrong from the waiting area after about 5 minutes. Pharmacist and technicians went over and patient reported loss of vision and hearing. She said she could not see anything and that her hearing wasn't right. The nurse practitioner on duty provided a cool compress for the head and neck, as well as juice. Patient remained in the waiting area for about 10 minutes and then was moved to the little clinic room to lay down. She remained in the clinic room for another 10 minutes until she felt better. Patient did not lose consciousness, was able to walk out of clinic to her car.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1186923	4/9/2021	NH	32	M	4/9/2021	4/9/2021	Approx 5 minutes post-immunization patient reported momentarily blacking out and dizziness. Patient was instructed to sit back down and was given a cold compress to apply to back of neck. Patient reported visual disturbances and shortness of breath. Patient was instructed to lay down with his feet elevated. Patient reported some numbness in left arm and hand (arm that vaccine was received in). Patient remained laying down with feet elevated for approx 10 minutes until he began to feel better. Patient then moved to sitting position on chair, with feet resting on second chair, where he remained until he began to feel back to normal. Patient was monitored for additional 15 minutes before patient left. Patient was feeling normal when he left the pharmacy area.
1186950	4/9/2021	PA	31	M	4/9/2021	4/9/2021	directly after injection, patient felt like he was going to pass out, tunnel vision, assisted to floor by staff, feet placed up on chair. arrived to obs, admits to needle phobia/anxiety. clammy, diaphoretic and pale. bp 110/72 hr 55 rr 18 sats 99% on ra. placed in tredelenberg, states relief, color returned and sweating ceased. water and apple juice provided. 5 mins later bp 117/78 hr 59 rr 18 sats 100%. patient sitting up on side of bed 5 mins later bp 127/89 hr 65, then standing bp 118/65 hr 55. states he feels back to baseline and escorted to vehicle with no issues.
1186883	4/9/2021	MA	38	F	4/9/2021	4/9/2021	Right side of face tingly and numb around mouth and eye. General numbness in right arm and in fingers.
1180538	4/8/2021	WY	84	F	3/26/2021	3/27/2021	stomach cramps, vomiting, lower abd pain, extreme body temp changes, vision changes, was "seeing things, squirrels and mice to be specific", INR was "out of whack", blood was too thin, numerous bruising. Was seeing and hearing things no one else was
1180425	4/8/2021	TX	30	F	4/7/2021	4/8/2021	12 hours after injection I was shivering freezing using multiple blankets. When I tried to walk I was very dizzy with blurred vision. I had body aches and a severe headache. My temperature was 104.7 with the thermometer. My breathing was as if I worked out but was just sleeping. I called an ambulance and was taken to health center where doctor took over care.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1182439	4/8/2021	CT		F	2/11/2021	2/11/2021	<p>similar to bell's palsy; 30 mins later, the shoulder, lower jaw and upper right eye became numb; shoulder was numb for 40 minutes; right eye and jaw were numb all day Thursday and Friday; right eye and jaw were numb all day Thursday and Friday; right eye and jaw were numb all day Thursday and Friday; A spontaneous report was received from a reporter like consumer concerning a 46yr old female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced events 30 mins later, the shoulder, lower jaw and upper right eye became numb, shoulder was numb for 40 minutes, right eye and jaw were numb all day Thursday and Friday. The patient's medication history was not provided. Concomitant medications reported include 5mg Levocetirizine daily. On 11th Feb 2021, prior to the onset of the events, the patient received the first of the two planned doses of mRNA-1273 (lot/batch 016M20A) in the anatomical location on the right arm for prophylaxis of COVID-19 infection. On 11th Feb 2021, 30 minutes after vaccine administration the patient experienced events like the shoulder, lower jaw and upper right eye became numb, shoulder was numb for 40 minutes, right eye and jaw were numb all day, Thursday and Friday. Event similar to bell's palsy was considered medically significant. Laboratory details were not provided. No treatment information was provided. Action taken with mRNA-1273 in response to the events were not reported. On an unknown date, the outcome of the events, 30 mins later, the shoulder, lower jaw and upper right eye became numb was resolved. On 11 Feb 2021, the outcome of the event, shoulder was numb for 40 minutes was resolved. On 13 Feb 2021, the outcome of the event, right eye and jaw were numb all day Thursday and Friday was resolved. On an unknown date, the outcome of the event, similar to bell's palsy was unknown.; Reporter's Comments: This case concerns a 46 Y/O F with a serious unexpected event of facial paralysis, and nonserious unexpected hypoaesthesia, hypoaesthesia eye, sensory loss. Event onset 30 minutes after first dose mRNA-1273. Event outcomes unknown. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1180440	4/8/2021	IL	42	F	4/6/2021	4/8/2021	I had swelling of my arms, legs, feet, face, eyes and throat. I was dizzy and my heart was racing. I had hives all over my body for many hours. I have taken 2 rounds of Benadryl and it starting to go away.
1180461	4/8/2021	NY	26	M	4/3/2021	4/4/2021	Loss of taste on left side of the tongue started on Sunday 04/04. This was followed by slight muscle spasms on the left side of the face (cheek and eyelid) on 04/05. On 04/06, loss of control of left side of the face started. I cannot blink fully with the left eye, and I cannot contract my left cheek fully. My smile is asymmetric and I cannot fully lift my left eyebrow. The loss of taste on left side of the tongue persists as of today 04/08. I was prescribed prednisone 20mg twice daily by my primary physician, which I started yesterday, 04/07. No alleviation of symptoms so far.
1180483	4/8/2021	TN	58	F	4/6/2021	4/6/2021	Dizziness 04/07/2021 & 04/08/2021 Tired 04/08/2021 Muscle Weakness 04/07/2021 & 04/08/2021 Muscle Cramps 04/07/2021 Lower Back Pain and Sides 04/07/2021 & 4/08/2021 Headache by Right eye 04/07/2021 Burning in left shoulder to the side of my neck 04/06/2021
1180508	4/8/2021	OH	76	F	3/24/2021	3/24/2021	Total fatigue and lack of energy; pretty motionless, could take a shower & read but that was about it; sleeplessness; headache; recurring chills; all over muscle & joint pains, nausea, appetite loss -- lost 6 lbs. in 6 days; blurred vision, dizziness. On the 5th day was able to eat cheese sandwich; only chicken noodle soup & crackers & tea & toast prior to that. Finally on the 8th day began to feel normal.
1180512	4/8/2021	MI	70	M	3/18/2021	3/22/2021	Patient had swelling of face/puffy eyes, came to ER and admitted, and was treated as facial cellulitis -- but there could be an element of angioedema

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1180604	4/8/2021	NC	30	M	4/6/2021	4/6/2021	The patient was fine directly after administration and for the first few minutes. He started feeling lightheaded and then experienced a syncopal episode. Patients eyes were open wide and was not responding. Checked for pulse which was present. Called EMS. He start responding after 2-3 minutes and was unaware of what happened. A few minutes later he started feeling better. EMS checked patient and he was fine. He was not taken to the hospital.
1180520	4/8/2021	NC	51	M	3/31/2021	3/31/2021	headache and body aches night of shot. Took one acetaminophen before bed at 10:00pm. Bad night of sleep. Woke up next day with headache, body ache and blurry peripheral vision issue with right eye. Took another acetaminophen and slept more. By the 8pm on Thursday the headache and body aches were gone. Eye issue continued. Applied saline drops to the eyes over the weekend. No change. Monday morning placed a call to Ophthalmology. Dr. saw me that day. He said the eyes looked healthy. Thought it could be inflammation in the eye muscles. Suggest taking Aleve for 2 days and come back on Wednesday (4/7/21). No change in blurred vision. Suggested I get in touch with my primary doctors office. Saw the NP today. He is prescribing a steroid.
1180596	4/8/2021	MA	63	F	3/24/2021	3/24/2021	Immediately after receiving the 1st dose I had a bad reaction, I started getting dizzy and weak, sweating, shaking, blurred vision and low blood pressure, and I fainted. I never had that before and it took me an hour before I could get up and walk.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1180614	4/8/2021	IN	18	F	4/6/2021	4/6/2021	Initially she passed out following the vaccine - within 90 seconds- she has a history of passing out with injections and blood draws. Around noon she had a seizure. She describes a feeling of darkness and dread closing in on her and she was unable to speak or move. She was on the stairs at the time. I witnessed her stiffen, then go limp and fall between the electric stair hair and the wall. She hit the hardwood floor face first then she began to shake/twitch. She was unconscious. She awoke screaming, incoherent speech, and flailing limbs. It took about 5 minutes to calm her and be able to understand her speech. She only remembers the darkness and waking up scared and feeling awful. She was put supine on the floor with feet elevated, blood pressure monitored, given juice to drink, and vitals checked routinely. After about an hour supine and conscious, she felt good enough to sit up. She sat up for 15 minutes before she was able to stand with assistance. Family physician was notified immediately and we are still waiting for a response. She has a goose egg sized knot on her forehead, a bruise on the side of her face and a black eye from hitting the floor. She has a huge bruise on her outer thigh and lower leg where she hit the stair chair and then seized and it it repeatedly on the metal. She has underarm pain from where her armpit hit the edge of the stairs when she fell and seized. She has no history of any types of seizures.
1180516	4/8/2021	WI	62	F	4/5/2021	4/5/2021	chills, extreme headache, dizziness, nausea, chest pain, racing heart beats, racing thoughts, can't sleep, left inner ear pain, blurred vision, pain in left elbow, numbness in left hand for 12 hours, shortness of breath, general weakness - adverse events have lasted over 48 hours - Advil taken with minimal reduction in symptoms

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1180419	4/8/2021	WA	35	F	3/18/2021	3/22/2021	I noticed I had a small rash - it was irregular circular shape. It was on my right side - non local to the injection site. Underneath my armpit slightly to the back (six inches below armpit). It was a little red; slightly bumpy; it felt tight. Overall, it was very mild discomfort. I don't usually get rashes like that. It was itching. My husband a primary care doctor and he looked at it. He said it looked unusual - not a usual rash. I gave it 24 hours and it did start receding a bit - it was still a bit itchy and tight the second day and it kind of faded away. It wasn't visual 3 days after the first onset of symptoms - it wasn't bumpy - I couldn't feel it. It is my first pregnancy. Estimated birth date - 9/10/2021
1180343	4/8/2021	WI	20	F	4/7/2021	4/7/2021	Recipient stood up after vaccination. After 120 seconds noted that her vision was impaired but felt normal and was responsive. Both pupils were dilated. Sat her down. Offered water. Assessed breathing. Continued to talk and converse with her throughout episode. Symptoms lasted about 30 seconds. Same symptoms were reported as repeated in the middle of the night. Lasting about the same amount of time but were less severe.
1180327	4/8/2021	MD	20	F	4/7/2021	4/7/2021	uncontrollable laughing and crying, nausea and vomiting especially when standing, feeling of going to pass out and lightheadedness, very red, swollen, and flushed face and ears, eyes were droopy, barely had feeling in face and had a hard time moving jaw. Extreme back pain and facial pain, feeling of shakiness, face turned white like was going to vomit or pass out. Very cold feeling all over but was drenched in sweat. Very tired.
1180324	4/8/2021	IA	55	M	4/6/2021	4/6/2021	4 hours after shot: Sore shoulder at site of injection 8-9 hours after shot: blurry eye vision, malaise (lasted about 1 hour, went away as sun went down??) Next Day: No issues.
1180260	4/8/2021	NH	61	F	4/7/2021	4/8/2021	Woke up the next morning with dry blood all around right eye. (Have pictures)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1180197	4/8/2021	PA	39	F	4/7/2021	4/7/2021	I felt fine initially and felt good enough to leave 10 min after the shot. I decided to get some food to make sure I wasn't hungry on the hour and thirty min drive home. Unfortunately about 40minutes after receiving the second vaccination I started to get severe nausea, my tongue started to tingle and I felt a strange metallic taste in my mouth. I then started to get a severe headache and began vomiting profusely while driving home. My eye became extremely light sensitive and I was not even able to keep water down. I became so extremely tire that I had to pull over. I then called my husband to help talk to me over the speaker phone so that I could get out home as soon as possible. It was awful. I was vomiting while talking to him, and had to pull over again. I was so tired and in pain the entire drive home. When I got home I was so tired I just fell asleep on the couch and couldn't stay awake or eat/drink anything. I started to feel better around 7pm, and then I felt fine. Today I'm just a little tired and my arm hurts and has a bump, but other than that I feel fine.
1180172	4/8/2021	WI	42	F	4/7/2021	4/7/2021	Patient rec'd Janssen COVID-19 vaccine at 0912. Immediately started vomiting. Stated "arm burned all the way to her hand with injection". Reported felt dizzy, lightheaded, hot". BP 98/62. Assisted to cot and side-lying position. Continued to vomit/dry heave. At 0921, pt stated she was "really tired" and couldn't keep her eyes open. Able to answer questions, but not always able to finish sentence. EMS called. BP returned to normal limits within about 5-10 minutes. Patient contiued to dry heave and c/o feeling cold and nauseous, as well as "really tired" until EMS transported her. 4/8/2021: Nurse called patient. Patient stated she "feels foggy today". States her arm is "extremely sore".
1180171	4/8/2021	GA	25	F	4/7/2021	4/7/2021	Pt complained of dizziness and loss of vision. Then eyes rolled back and she began having jerking motions lasting a few seconds. She remained at the vaccination location for approx one hour to be monitored before leaving on her own.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1180170	4/8/2021	CA	56	M	4/8/2021	4/8/2021	Patient stated feeling dizzy, diaphoretic, blurry vision Patient vomited and had syncopal episode EMS called and evaluated patient Patient refused medical transport and signed AMA form Patient stated symptoms resolved and will be going home with son
1180165	4/8/2021	FL	28	F	4/8/2021	4/8/2021	10:39 am. Sudden onset of dizziness, diaphoresis and blurred vision. Immediate evaluation by onsite EMS and NP. BO 110/64;HR 49; Provided water, snack - symptoms improved. She stated she had waited in line > 1 hr outside. VS@10:46: 132/73;HR 64. Feels much better. Discharged to home @ 10:50.
1180151	4/8/2021	DE	69	F	2/13/2021	2/20/2021	One week to the hour, I experienced a 5 hour episode of double vision. Admitted to hospital for overnight stay, to rule out stroke
1180136	4/8/2021	WV	62	F	4/8/2021	4/8/2021	C/O itching around mouth after receiving vaccine. No swelling, dysphagia, SOB or other symptoms noted. No rash visualized. Gave Benadryl 25mg IM per RN, and patient improved shortly after. Continued monitoring and patient discharged home with husband as driver with precautions and close monitoring. Given epi-pen in case other symptoms develop at home.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1181471	4/8/2021	MI	30	F	4/6/2021	4/6/2021	<p>April 6th, 2021 Today at about 2:43pm, one of our technicians came to me and stated that a customer (employee too) had just got her second COVID-19 shot (Moderna), and she was at her car and not feeling well. The patient's co-worker had told us that her finger tips were numb and that she had a headache. The technician asked the customer to come back in, which she did and sat down in a chair immediately in front of me. I went directly to talk to her, as another technician was helping in the clinical services room, drawing up more shots. I asked the patient how she was feeling, and what she was feeling. She said she did not feel well, that her finger tips were numb, and she had this incredible pounding in the back of her head, and she ran her hand over the lower back part of her head and neck. She looked down and I asked her again how she was doing, she said not well, that she was beginning to get light headed and was looking a little pale. I called to the pharmacy team for help, to clear out the clinical services room and asked the technician to help me slowly walk her to the room. As we got her in the room I asked her if she would be ok to lay down on the floor and put her feet up in a chair, briefly explaining that this would help with the dizziness and keep her safe should she faint, because she would already be on the floor. another technician popped in and asked her if she could get her a cold cloth for her forehead, Patient said yes and the technician did so. an employee was working at the computer and just quietly stayed working (for another store). I moved around him and got the Blood Pressure Machine. I asked the patient if it would be ok if I monitored her blood pressure, she said yes. Patient was always 100% coherent and helped move her arm for me. I asked the employee for a piece of paper to document the reading, but the technician ran and got me one. Her first set of vitals were high. I marked them down and the employee told me the time. I just sat on my knees next to the patient for a while and tried to comfort her. I asked her a couple of times if she felt any change, and she said yes, Shot given 2:40pm 2:45pm BP 149/99 Pulse 71 SX: fingers numb, pounding in the back of her head cool cloth placed on forehead calmed area down &amp; quietly talked to the patient to determine how she was doing  ***** (Patient volunteered that she had just gotten tested for COVID-19</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

and that she tested negative.) I asked patient how she was feeling and she said that she was feeling a little worse. She said she was starting to get the shakes. I asked her if she had gotten anything to eat on her lunch and she said no. I asked her if she felt like it and if her BP was good, how would she like a sip of juice.

\*\*\*\*\* I asked the patient how she was feeling and she stated that her tight felt ever so slightly tight, but she said "I am asthmatic, and it did not feel any different than what she had experienced before. I took her BP/P again... 2:55pm BP 157/105 Pulse 68 I looked at the employee and he looked at me, and I told the patient that I would be right back. I quickly went and consulted with the technician and we decided that we should call 911 due to the increased in BP, pulse lower and the change in symptoms. The technician called 611 and talked to an employee and I called 911 and explained what was going on and what our need was. (The technician and I quickly discussed that neither of us felt that she was having an allergic reaction, just an adverse reaction, Epi was not called for. ) Employee stated that the clinic recommended we give her Benadryl. I did a fast check w/ the technician, it was not on our standing order/ protocol. Antihistamines can exacerbate asthma.) Then I went back to the patient. By the time I had gotten off the phone with 911, 2 more employees were in the room, and the patient was just getting off the phone with her father. Once I got positioned in the room, one employee left, I asked one employee sit down in a chair and the other employee was by the door leading to the pharmacy. I told the patient that we had called for an ambulance. I briefly explained due to her BP/P and her symptoms changing. I asked her if she wanted another cool cloth and she said yes. I asked an employee to get one for her from the sink in the pharmacy. I was again kneeling at her side. I saw her eyes well up with tears and a few tears were running down her face. I asked another employee to get me a paper towel, which he did, and I handed it to the patient. I tried to reassure her that things would be ok and this was just to ensure that she was safe. She stated that she felt a little nauseated. I then took her BP/P again. 3:05PM BP 146/99 P 66 2 employees and I remained with the patient, all calm and I made sure she knew we were there for her. I am not

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							sure the time the EMTs arrived, but another employee let us know and we opened the door to let them in. They asked the patient a lot of questions and I gave them my sheet of what I had recorded for her blood pressure and pulse (BP/P). They asked the patient if they would help her into a sitting position, she said yes, but it was an awkward position, so I asked the patient if it would be ok if I helped support her back, she said yes, and I did just that. I stayed with the patient until they got her situated on the gurney and I helped cover up her legs. I went back to work when the EMT's wheeled the patient away. The BP/P is the best of my recollection, as the EMT's took my sheet of paper. At no time did the patient ever exhibit difficulty breathing, labored breathing or any change in her breathing. She was calm and her chief complaint was the numbness in her fingers and the pounding headache at the back of her head.
1180112	4/8/2021	NV	62	M	3/19/2021	3/20/2021	A day after the vaccine subject started experiencing blisters all over head and eyes and then spread to arms and legs. Subject went to urgent care on March 21 and was prescribed a medication for itching. On March 22nd subject had no relief so he went to ER because he wasn't getting any relief. Doctor stated he wanted to keep the subject for observation but subject did not want to stay. Subject states the progression stopped about day 7 but still has scabs and wounds that are healing.
1180138	4/8/2021	TX	55	M	3/31/2021	3/31/2021	Patient's mother stated: patient was fine until about 10 minutes post-dose, she stated he was slightly shaking, his eyes were rolling around and he was drooling and had nasal discharge. The mother stated he has never done this before and the 1st COVID vaccine dose went good. I was made aware ~30 minutes post-dose and went outside to check on the patient, he seemed to be doing fine at that point.
1181462	4/8/2021	KY	53	M	4/5/2021	4/8/2021	Patient reported severe headache and eye ache on left side, normal blood pressure, left arm okay with no swelling

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1179449	4/8/2021	MA	41	F	4/5/2021	4/5/2021	Systemic: Allergic: Anaphylaxis-Mild, Systemic: Allergic: Difficulty Breathing-Mild, Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Mild, Systemic: Allergic: Itch (specify: facial area, extremities)-Mild, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Tachycardia-Mild
1180108	4/8/2021	IN	45	M	4/5/2021	4/5/2021	Extreme chills/shaking Extreme sweating: Facial sweating had a weird consistency that was more viscus than normal sweat. Extreme back pain Skin felt like it was boiling, like needles were pushing out of my skin Extreme arm pain at injection point that ran down the arm Pressure in eyes, and increased redness in one eye, almost like vessels had broken Muscle pain and cramps Runny nose Sore throat/massive increase in acid reflux Diarrhea
1181704	4/8/2021	NY	56	F	4/8/2021	4/8/2021	Left cheek, eye socket and nose felt numbness and tingling and slight swelling of left side of face. It started around 10:30 am and most of the numbness and tingling eased up by 3:30 pm, except for numbness in eye socket and tingling in nose. Pain in left arm and woozy feeling most of the day, pain in left collar bone and down left shoulder blade and left breast. The pain has been consistent but not extreme. I have used Tylenol so the pain is bearable.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1181703	4/8/2021	WI	54	F	3/15/2021	3/26/2021	Pt received J&J covid vaccine on 3/15/21 in. presented to the ED on 3/29 for few days of progressive weakness and urinary difficulty. Recently took a trip and returned Thursday evening. That night, she noticed mild sensitivity to her left forearm. On Friday she developed an achy feeling under both arms and across her breasts. Her eyes felt painful as well. Overnight Friday into Saturday her feet began feeling cold and numb and she developed a generalized sensitivity over her entire body that she describes almost as a burning sensation. Also had trouble urinating -. presented with pain, paresthesias and weakness below mid-chest level and urinary retention. MRI brain, C and T spi ~C and T spine c/w demyelination. Neuro consulted and impression = acute demyelinating disease, unclear etiology but may be acute disseminated encephalomyelitis (ADEM) 2/2 COVID vaccine vs. 1st presentation of multiple sclerosis. Sx gradually improved s/p solumedrol IV bid x 5d in hospital -- > transitioned to PO prednisone taper per neuro (60 mg x2 days then go down by 10 mg every 2 days until off) for discharge. Pt to f/u with neuro post discharge. For neurogenic bladder PT had temporary foley, removed 4/2 and will require CIC QID (teaching done prior to discharge) at home. Outpt f/u Urology.
1181676	4/8/2021	MS	36	F	3/26/2021	3/26/2021	Patient developed blurred vision in the right eye shortly after receiving vaccination. Patient was evaluated by medic and a health care provider. Symptoms resolved spontaneously without treatment.
1181669	4/8/2021	NY	21	M	4/6/2021	4/6/2021	Patient became dizzy and lightheaded with blurred vision after receiving first dose of Pfizer vaccine. Patient stated he had a history of dizziness and fainting from shots. He also stated he had not eaten that morning. Patient laid down for 15 minutes. Vitals were monitored and improved. He refused transport and left clinic on his own.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1181635	4/8/2021	HI	26	M	4/7/2021	4/7/2021	Written by Doctor: April 7, 2021 2:09 p.m. DOB 2/07/1995, male, received his second dose of Moderna Vaccine (Lot 019B21A) at 1:13 p.m. He stood up and walked to the usher's table to have his vaccine card completed. Approximately one minute after receiving his vaccine, he had a syncopal episode falling directly backwards striking his head on the floor. I, MD did not directly witness the fall, but everyone who witnessed the fall said that he fell completely unimpeded to the floor. I was notified and immediately assisted the patient who was with his girlfriend. Patient initially appeared ?out?, but almost immediately opened his eyes and asked what happened. His skin was cool and clammy. A pulse oximeter was placed on his finger registering 98% o2 and a pulse of 53. I kept him lying on the floor until he was completely awake and aware of his surroundings. At the time he said his neck was not sore, but his head was sore. Approximately 2-3 minutes later, we were able to assist him in standing to immediately sit down in a wheelchair. He was taken to the cot in the hallway just outside the Medical Observation where I was able to help him to stand and then lie down. An icepack was provided to put on the back of his head, he was provided water, Gatorade, and two cookies. Patient said that he hadn't eaten all day and had been feeling slightly hungry prior to his vaccination. I had patient move all extremities and asked his questions to verify that he was full awake and oriented to person, place, and time. Patient girlfriend stayed with patient while he ate his cookies. I addressed my concerns about patient striking his head on the floor and the possibility of a closed head injury. Girlfriend felt that patient was now completely back to his normal state of mind. I had patient remain lying down for 20 minutes. When I returned to check on him, he was sitting up and wanted to leave. I told him that he needed to be able to walk up and down the hallway before I would feel comfortable letting him leave. He stood up and walked halfway down the hallway before saying he was lightheaded. I immediately went to him to lead him back to the cot, but he insisted that he needed to use the bathroom to urinate. Both girlfriend and I stood in the doorway to assist patient if he needed, but he was able to finish urinating, then returned and sat in the wheelchair. I spoke to both Doctors via a phone call and had spoken to someone earlier. After letting them know that patient

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>did not want an ambulance called, but I was going to strongly recommend he go to the nearest ER before returning home, I returned to the patient. Vital signs at 1:53 were Pulse Ox of 98%, pulse 78, and blood pressure sitting of 140/75. Again, I strongly recommended that girlfriend drive him to an ED for an evaluation and possible cat scan. Patient also now had some paracervical neck pain which I also said should be evaluated. Patient and girlfriend both insisted they didn't want an ambulance called and girlfriend felt comfortable taking patient out of the clinic. Patient said he was hungry, and they were going to get food first. Girlfriend gave me her phone number (xxx)xxx-xxxx and I gave her my phone number (xxx-xxx-xxxx). I told her I was going to call her every hour to check on patient and told her to call me at any time. I recommended acetaminophen for the headache and other vaccine symptoms but no ibuprofen because of the possible head injury. I recommended to immediately call an ambulance or go to an ED for nausea, worsening headache, confusion, or drowsiness. Girlfriend is not to let patient sleep longer than 30 minutes at a time. Patient was able to walk out of the clinic easily under his own power without any assistance. He stated he was feeling much better.</p>
1181615	4/8/2021	MN	62	F	4/7/2021	4/7/2021	pt developed bad headache and eye socket pain 1 hour after 2nd moderna -- a few hours later felt weak and diff walking / slower walking - woke next AM and could not stand or walk without assistance
1181600	4/8/2021	IL	50	F	3/11/2021	3/14/2021	3-14-21 case began experiencing some feels of being unwell. One week after immunization, case has tinnitus to right side and headache from left to right temple Five days after headache, case experienced loss of feeling on right side of face and eye drop. Case diagnosed with Bell's Palsy

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1181593	4/8/2021	CO	55	F	3/27/2021	4/4/2021	Swelling and redness below right eye, dermatology consult suspected cellulitis and sent me to ER, ER doctor entertained cellulitis or shingles and prescribed antibiotics and antivirals, following day I saw Ophthalmologist, who concluded it was an allergic reaction from Moderna vaccine to leftover from injectable filler (Juvaderm/volume) from august 2015. Doctor who performed the filler injection in 2015 also said she had a reaction from first Moderna vaccine in the lip area. Treatment consisted from antihistamine, cold compresses and finishing antibiotics (just in case). Lasted about 4 days.
1181588	4/8/2021	OH	20	M	4/8/2021	4/8/2021	No symptoms from first dose. Immediately after second dose, injected arm felt numb/tingly. When seated at observation area, began to feel nauseous, dizzy, and began sweating. Rose to ask site staff for help, felt very uneven. Taken to back observation room and laid down on a cot. Blood pressure observed at 85/30, significantly lower than normal. Rested for approximately 15 minutes, then sat up. Nausea and blurry vision returned. No change in blood pressure. Blood was drawn, sugar and other indicators normal. Sat up again, feelings returned. Drank two water bottles and began to feel better, blood pressure returned to low end of normal after around 15 minutes. General weakness persisted throughout day, along with mild pain at injection site and in neck.
1181574	4/8/2021	WI	37	F	4/6/2021	4/6/2021	Blurred vision after 20 minutes, lasted 10 minutes and resolved. Coughing and slightly swollen throat after 30 minutes, lasted 15 minutes and resolved. Bloody spit after coughing but resolved after an hour. Fatigue after 2 hours, extreme headache and nausea began after 4 hours. All were reduced after 12 hours, but none have resolved yet 48 hours later.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1181417	4/8/2021	WV	18	F	4/8/2021	4/8/2021	Patient approached this RN stating that she felt lightheaded and nauseous. Assisted patient to floor, lying flat with feet elevated. Pt began complaining of "dark vision," swelling sensation and tingling in tongue, numbness and tingling in bilateral upper extremities and heart racing. Alerted physician. EMS notified for transport. Vitals obtained 1212- BP 90/48; HR 139; o2 98%; RR 22. Epipen 0.3mg LOT 0FM400 EXP 12/31/21 administered to R thigh at 1215 per physician order. 20g IV inserted into R-AC. 125mg Solumedrol LOT DA6800 EXP 6/2022 (administered 1217) and 25mg Diphenhydramine LOT 049343 EXP 4/2021 (administered 1220) administered IV push per order. Vitals obtained 1220- BP 122/50; HR 123; o2 99%. EMS arrived at 1225 to transport patient to ED.
1181488	4/8/2021	MN	57	M	4/6/2021	4/6/2021	all body tingling, foggy mind, unable to fully focus eyes, SOB and pain in lungs. Gave benadryl 25mg. and monitored. Resolved 70 minutes following start.
1180676	4/8/2021	CA	47	F	4/5/2021	4/5/2021	First night at home work up with chills and had trouble getting to sleep had bad tummy pains and had some diarrhea. Woke up next day feeling cold, lethargic, chills, and lack of appetite. Second day still the same. Noticed I was breathing harder after completing anything. Third day just feel hot behind the eyes, lethargic, very congested.
1181709	4/8/2021	IN	64	F	4/6/2021	4/6/2021	ITCHY RED RASH ON LEFT SIDE OF FACE. STARTED ABOVE MY EYE THEN TO CHEEK AND NOW A BIT ON MY CHIN. NOT PAINFUL JUST ITCHY AND ALMOST GONE BUT FOR A LITTLE ON CHIN NOW.
1181409	4/8/2021	TN	36	M	4/6/2021		The patient received his Janssen Covid 19 vaccine, and sat down in the waiting room for about 2 minutes. He started feeling sick and got up to go to the restroom. On his way to the restroom, he passed out and fell in the hallway. We then got him to a seat and gave him some water and orange juice. The patient was adamant that we not call an ambulance for him, so we made the patient stay seating under our direct supervision. He sat in the waiting room for about an hour until someone could come to pick him up. By the time someone arrived to take him home, he seemed to be doing much better.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1181385	4/8/2021	WA	55	M	1/19/2021	1/19/2021	I received the vaccine about two - three inches from the center of the muscle and in back of center - it was more in back of deltoid than the front of my deltoid. When I first got the shot, I had a burning sensation from the site of needle to back of neck to behind my ear area. It felt like a burning aching feeling. My ear felt like it was clogged up and aching. I told the medical site about it and the doctor on site said that more likely they hit a nerve. My blood pressure was very elevated. They had me stay to be observed for 45 minutes. I went back to work. I still felt it at night. The next day, I started feeling up my neck and my collarbone and my left side of my face and my head - my face felt tight and my lip felt numb on the left side and I had a slight confusion too. I went to Emergency room. They did CAT Scan and exam. After that, I noticed it was going all the way down my arm, all the left side of my body to toes. It felt like numbness - like neuropathy type feeling. It felt like constant pain. I went to the Urgent Care and they gave me Prednisone steroid (5 days of it) 5 mg to help with inflammation. I took that for the five days. I started noticing a little black bruising on my body. After that, I went to the Urgent Care again and they gave me Naproxen and Dr gave me more Naproxen to take. He took bloodwork, too. I went to the ER and I was still feeling sick and hot. They said it was anxiety. I am still going through it - I feel it on the spot where I got the shot - and on my neck and on my head and on my left eye and down on my legs a lot - some days are worse than others but not as bad as when I had the first symptoms.
1181380	4/8/2021	TX	28	M	4/7/2021	4/7/2021	?Janssen COVID-19 Vaccine EUA" About 3 minutes after administration was experiencing lightheadedness, dizziness, and blurred vision. Turned very pale and heart rate dropped to 47. About 8 hours after administration body aches and body temperature began to rise.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1181335	4/8/2021	PA	44	M	3/31/2021	3/31/2021	Blurred vision, "heavy" feeling in the throat, nose became mostly numb, lips had some numbness, extreme paleness. No issues with breathing (even while wearing a mask). Reaction started with blurred vision while reading (during the waiting period at the vaccination clinic). Started within 10 minutes of receiving vaccine. Then the throat heaviness started, nose became numb, and lips were somewhat numb. It occurred in waves, with a few minutes of symptoms, then a mild relief of symptoms (but not total relief), then symptoms returned. This continued for 30-45 minutes. Received water and 2 Benadryl at the vaccination clinic from RN. Benadryl didn't seem to have any impact on symptoms.
1181303	4/8/2021	FL	56	F	3/2/2021	3/27/2021	I woke up on Saturday after feeling fine the night before. I could not see and my eyes darted to the right. I could not make my eyes focus. I was extremely dizzy and nauseous. I tried to go back to sleep to see if improved. I woke up again with same issues but now having numbness and tingling to arms and legs. It felt like my nerves were on fire. I am a nurse and was worried i was having a stroke. My husband rushed me to the hospital as now my face was numb also. I was throwing up and still unable to open my eyes. I had IV and fluids with meds for nausea and dizziness. I had a cat scan of head and MRI which are normal. My blood work was reportedly normal also. I was discharged to home. I have very little memory of Sunday, Monday or Tuesday. I was very foggy in my thinking but the nausea and dizziness was resolved. My gait is still off and I walk with an unsteady gait. I had a very sore arm after my first injection only. I did feel for two weeks or so that my nerves were on fire. Just keyed up over nothing and very irritable. I had told my husband my right eye had bothered me for a week. pain in the outer corner. I had done lots of yard work and thought possibly got something in my eye. I had also had a tic attached to my left arm. I told all this to my doctors. I am just not sure any of this is related to the extreme vertigo I was diagnosed with. I am very nervous to take the second vaccine.
1181270	4/8/2021	PA	92	F	3/13/2021	3/13/2021	Patient stated that after her first vaccine she has had some vision loss and does not want the second dose.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1181262	4/8/2021	CA	34	F	4/7/2021	4/7/2021	Systemic: Abdominal Pain-Mild, Systemic: Chills-Medium, Systemic: Dizziness / Lightheadness-Severe, Systemic: Exhaustion / Lethargy-Severe, Systemic: Hypotension-Severe, Systemic: Nausea-Medium, Systemic: Shakiness-Severe, Systemic: Tingling (specify: facial area, extremities)-Medium, Systemic: Visual Changes/Disturbances-Severe, Systemic: Weakness-Severe, Additional Details: Patient states her vision went \"dark\" and felt \"like she was going pass out\". However, she was still responsive by nodding her head or providing one-syllable answers. She was hypotensive, lightheaded and dizzy, broke out in cold sweat, nauseous, felt tingling sensations in her extremities, and had slight abdominal pain. She began to feel better after laying her down and propping her feet up while waiting for paramedics to arrive.
1180856	4/8/2021	NV	50	F	4/7/2021	4/8/2021	Was fine all day after the 10a vaccine . Woke 3am trembling and fever of 101.5F Spouse says was moaning in my sleep and restless for about an hour prior to this. Took tylenol. Fever only reduced to 99F. Still 99F at 10a after taking second dose of tylenol. Face red. Circles/bags under eyes and whole body aches. Arm injection site pain.
1180841	4/8/2021	CA	37	F	4/8/2021	4/8/2021	Patient notified staff at 0955 she had developed sore throat. she did not have prior to vaccine. right eyelid swelling appeared at 1000. facial swelling at 1005.
1180797	4/8/2021	IL	46	F	2/22/2021	2/23/2021	Immediately after the first Moderna shot my eyes turned red, I was in th eye doctor on March 12th because they were not getting any better. It was listed as a cornea ulcers infection, along with COVID arm and other mild side effects. Second injection, side effects, fever, chills, headaches, COVID Arm, I was down for two days. Eyes seemed fine but again a week later and I am back at the eye doctor with ulcers and a major infection. My eyes are/were very healthy until the vaccine, I change my contacts out daily so there is not other explanation.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1180679	4/8/2021	NY	63	M	2/25/2021	3/5/2021	Seven-eight days following vaccine I experienced ptosis in my right eye. It has been diagnosed as either Ocular Myasthenia or Myasthenia Gravis. First, I was examined by an ophthalmologist. He referred me for CT scans of the head and neck. They were negative. Second, I was examined by a neuro ophthalmologist. He prescribed a blood test which was positive for Myasthenia Gravis. Third, I was examined by a neurologist. We will follow up in two months to note progress of the disease. I am currently scheduled for a chest CT scan to rule out thymoma.
1181529	4/8/2021		71	F	3/7/2021	3/7/2021	Patient reported slight lightheadedness, blurred vision and SOB. Patient had low HR of 45, but states she usually runs low. Patient was monitored and placed on O2, and later discharged as she reported improvement in symptoms.
1179345	4/8/2021	FL	39	M	4/7/2021	4/7/2021	Sweating Blurry vision
1179435	4/8/2021	TX	46	M	4/7/2021	4/7/2021	Blurred vision, sore body, stiff neck and swollen glands, size of a lemon. Flu like systems but no fever.
1179434	4/8/2021	NM	70	F	3/1/2021	3/30/2021	She felt. Ad the evening of her 2nd vaccine. The morning after she felt worse. Nauseous, pale, achy. She said she had not ever felt that bad. I read possible side effects. It said flu like symptoms, so we thought it would pass. Then around 4 she called for me & when I got there she had an event that caused her to be unable to speak & her eyes widened & pupils were dilated. I called 911. They got here quick. She had at least three of those stiffening wide eyed events. The emt said they thought it was her blood sugar. When checked it was 350 even though she had taken her insulin that day. They said she had a massive heart attack on the way to the hospital.
1179419	4/8/2021	NY	26	M	4/7/2021	4/7/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Flushed / Sweating-Medium, Systemic: Nausea-Mild, Systemic: Tingling (specify: facial area, extremities)-Mild, Systemic: Visual Changes/Disturbances-Mild, Additional Details: Patient felt lighthead and almost passed out. Sweating was profuse but no fever.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1179413	4/8/2021	CA	24	M	4/7/2021	4/7/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Shakiness-Mild, Additional Details: patient has no medical condition and is not on medication. he had anxiety attack in the past. He passed out after covid administration and recovered a minute after. He did not have any other symptoms (i.e., shortness of breath, vomiting, swelling, vision changes, or so.) We gave him a 25 mg benadryl. We called 911 and his vital signs were normal when 911 checked. They admitted him to the hospital for monitoring the symptoms.
1179411	4/8/2021	NY	35	F	4/5/2021	4/5/2021	Flu like body aches, chills, difficulty concentrating starting 8 hours after vaccine, lasting 24 hours. 20 hours later development of but blood vessels on lips and eyes.
1179401	4/8/2021	VA	51	F	4/3/2021	4/3/2021	Site: Bruising at Injection Site-Medium, Site: Itching at Injection Site-Medium, Site: Pain at Injection Site-Medium, Site: Redness at Injection Site-Medium, Site: Swelling at Injection Site-Medium, Systemic: Allergic: Difficulty Breathing-Medium, Systemic: Allergic: Itch Generalized-Medium, Systemic: Allergic: Rash (specify: facial area, extremities)-Mild, Systemic: Allergic: Rash Generalized-Mild, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Systemic: Body Aches Generalized-Severe, Systemic: Chills-Severe, Systemic: Dizziness / Lightheadness-Mild, Systemic: Exhaustion / Lethargy-Severe, Systemic: Fever-Severe, Systemic: PAIN LEVEL HIGH GENERAL; SWEATING PROFUSELY; TEETH CHATTERING; SWOLLEN/PAIN/UNABLE TO MOVE KNUCKLES; SWOLLEN LYMPH NODES; BURNING ARMS, HANDS-Severe, Systemic: Flushed / Sweating-Severe, Systemic: Headache-Severe, Systemic: Lymph Node Swelling-Severe, Systemic: Weakness-Severe

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1179394	4/8/2021	CT	33	M	4/6/2021	4/6/2021	Systemic: Seizure-Mild, Additional Details: Patient sitting after vac. was administered. Patient was about to stand up but fainted while on floor he had a seizure for about 3 secs. After the event he was alert & oriented, but did not remember the episode. BP #1 was 98/70 . Client was provided water and stayed in lying position for 40min with the supervision of the nurse. He wanted to drive himself to work but was told he should have someone pick him up however client refused stating his job was only \"5 min away\".BP before leaving 110/70.
1179387	4/8/2021	TX	35	F	3/6/2021	3/7/2021	Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild, Systemic: swelling of eye occurred a day after vaccine given. patient took benadryl and adverse event resolved in a couple days -Mild
1179381	4/8/2021	CA	53	F	3/14/2021	4/1/2021	Systemic: Bell's Palsy-Severe, Systemic: Tingling (specify: facial area, extremities)-Mild, Systemic: Tinnitus-Severe, Systemic: Unable to Sleep-Severe, Systemic: Visual Changes/Disturbances-Severe, Additional Details: Patients' entire right face is drooping, with lack of mobility. Patient cannot blink which is causing additional issues, such as the visual changes. As of this morning patient has experienced some tingling to her face but she states it has not state consistent. She has difficulty eating and sleeping. Patient is also experiencing moderate to severe anxiety about the entire ordeal. Ringing in ear is constant and has not subsided since thursday (4/1). still experiencing symptoms since last week
1179380	4/8/2021	IN	59	F	4/6/2021	4/6/2021	Blurred vision, fever, chills
1179361	4/8/2021	GA	21	M	4/7/2021	4/7/2021	Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Mild, Systemic: Dizziness / Lightheadness-Medium, Systemic: Exhaustion / Lethargy-Medium, Systemic: Fainting / Unresponsive-Medium, Additional Details: Syncope, light head, blurry vision.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1179527	4/8/2021	FL	60	F	3/17/2021	3/31/2021	Patient reported that she had pain and soreness to the left arm that evening of rcvding her 1st dose on 3/17/2021. On the next day, the left arm was sore to the touch. The pain and soreness went away on the 3rd day. Patient also reported that approx. on Wed (3/31/2021) or Thur (4/1/2021) she noticed her left arm have a patchy red appearance and it was itchy. She also stated that 4/3/2021 that area got really red, and it is still red this morning with her skin on the upper left arm area appears to be swollen/puffy. Patient reported she cleaned her upper left arm area with witch hazel and applied cortisone cream in the morning and evening. This helped with the itchiness, but not with the redness. Recommend patient to keep her eyes on that area, and if her symptoms is getting worse or not better to call her health care provider, urgent care or emergency room per based on what she report she may be asked to seek medical care. Also recommend that she can take Benadryl if needed before bed to lessen the feeling of drowsiness, and for any pain or soreness she can take Tylenol. Also advised that based on the reactions she described, this is not a contraindication from getting the 2nd dose which she is scheduled for on 4/16/2021. If she is concerned about rcvding the 2nd dose recommend that she contact her PCP to discuss further. Please follow up with patient after 2pm 4/5/2021 per she stated she will contact her PCP tomorrow.
1179350	4/8/2021	CO	32	F	4/7/2021	4/7/2021	Systemic: Allergic: Anaphylaxis-Mild, Systemic: Allergic: Difficulty Breathing-Mild, Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Severe, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Severe
1179560	4/8/2021	PA	31	F	3/9/2021	3/9/2021	Throat became dry and scratchy during 30 minute wait period in clinic. Patient was kept for an additional 15 minutes, throat felt liek it was closing. The next day, patient had angioedema surrounding bilateral eyes, with more swelling in the Left upper eyelid



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1179338	4/8/2021	GA	23	F	4/7/2021	4/7/2021	About 5 minutes after vaccine was administered, patient became to appear pale and reported feeling unwell to me. She commented that her vision was "getting black" I noted that her pupils were dilated and that her heart rate was 50 beats per minute. She was quite diaphoretic. No loss of consciousness. She noted that she had not eaten for several hours prior to vaccine administration. Patient was given water to drink and a bottle of fruit flavored tea. After consuming fluids, she began to regain her usual skin tone and reported "feeling better, but not quite right". She was observed for an additional 20 minutes and offered crackers to eat. She called a friend to come pick her up and drive her home. She left the clinic ambulatory accompanied by friend.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1179306	4/8/2021	WI	65	F	2/15/2021	2/16/2021	anaphylactic; reactions are allergic; Terrible airway swelling, it felt like breathing through a straw, narrowing airway; Sensation of throat closure/narrowing of airway; significant shortness of breath/difficult to breath like through a straw; Pain in both lymph nodes, under both the armpit; Pain in both breasts; Dry cough; Itching, airway/trachea itchy; Hoarseness; Dizziness; This is a spontaneous report from a contactable nurse (patient). A 65-years-old female patient received the first dose of BNT162B2 (Pfizer-BioNTech COVID-19 vaccine, lot number: EL3248), via an unspecified route of administration, administered in the left deltoid on 15Feb2021 at 15:30 as a single dose for protection against Covid. Medical history included ongoing obesity as she gains and loses it, ongoing hypertension, ongoing asthma (at 59 she was bumped up to moderate degree asthma), ongoing significant food allergies, was born with and had ongoing eczema so she was allergic to milk (was given soy milk since she could not tolerate milk, when she drank milk, it produced phlegm/caused increase in mucus, ongoing significant environmental allergies wherein she would have allergies in the fall, from August through September and would have sneezing, congestion and itchy watery eyes. The patient also had a history of getting bronchitis but has not had it for a long time. The patient got stung by a bee when she was 40ish and her upper thigh got red, itchy and it lasted for 10 days and she and no other symptoms and was now careful around bees. The patient reacts to the smoky matches that blow out and make smoke, from the sulfa in the matches, fireplaces, wood burning and firepits. Concomitant medications included cetirizine hydrochloride (ZYRTEC) taken for an unspecified indication, start and stop date were not reported; montelukast sodium (SINGULAIR) taken for an unspecified indication, start and stop date were not reported; fluticasone propionate, salmeterol xinafoate (ADVAIR) taken for asthma, start and stop date were not reported and fluticasone (manufacturer unknown) taken for asthma and allergies, start and stop date were not reported. The patient was on significant medications for her asthma, allergies and blood pressure. The patient previously got a flu shot at the end of Oct2020. The patient also previously took Aleve in her early 40's and was taking them for a neck injury for 2-3 months and at

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

the end of the treatment she broke out in a rash. The patient also previously took aspirin 3 years ago and broke out in a rash. The patient also has an albuterol inhaler but has not taken it for years. The patient was careful, handwashing normally, wipes the shopping carts as they are germ. The patient stated that after receiving the vaccine, one main event was terrible airway swelling, itching and it was difficult to breathe. The terrible airway swelling felt like breathing through a straw and narrowing airway. She stated that it started 18.5 hours after the vaccine, on 16Feb2021 at 10 am and lasted for 4 hours between 10 to 2 pm. The patient also had itching wherein her airway and trachea were itchy which also started on 16Feb2021 at 10 am to 2 pm. The patient experienced narrowing of airway and sensation of throat closure also between 10 am to 2 pm. The patient also experienced that it was difficult to breathe but she did not feel like she needed to go to the hospital. If it got any worse she would have went to the emergency department. She stated that she was sitting up, walking around and she would have had a significant shortness of breath and she was trying to wait it out. It was difficult to breathe like through a straw which also started from 10 am to 2pm. She did not feel like she wanted to walk or do daily activities. She was on the phone with her mother and her mother could hear her difficulty in talking and her heavy breathing. The patient also experienced pain in both lymph nodes, under both armpits and pain in both breasts which started also on 16Feb2021 at 10 am and lasted for 24 hours the 10 am the next day. The patient had dizziness which started about noon and when she woke up the next day it was gone which she considered as medically significant since she is never dizzy and it was not due to her blood pressure and she has been on pills for a long time. The patient had dry cough and hoarseness also on 16Feb2021 from 10 am to 2 pm. The patient was afraid to take the second vaccine and she spoke to her pulmonologist who knows her history and was told that she would benefit. She thought that if she felt bad, she would go to the emergency room if it got worse but it did not. The patient stated that she thinks these reactions are allergic, the itching and narrowing of throat can be anaphylactic. The patient did not require any medical intervention and was not seen in the emergency department and was not hospitalized. The

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

events lasted for 4 hours and stayed at that level. The patient did not get any treatment and it went away. The outcome of the events terrible airway swelling, it felt like breathing through a straw, narrowing airway, Dry cough, Itching, airway/trachea itchy, Hoarseness, Sensation of throat closure/narrowing of airway, reactions are allergic and anaphylactic was recovered on 16Feb2021 at 14:00. The outcome of dizziness was recovered on 17Feb2021 and the outcome of pain in both lymph nodes, under both the armpit and pain in both breasts on 17Feb2021 at 10:00. The patient reported that the events were considered as medically significant. The relatedness of the drug to the reactions from primary source reporter (method of assessment: Global Introspection) for the events was related.; Sender's Comments: A contributory role of vaccine BNT162B2 to reported events cannot be fully excluded since it is part of the product safety profile. Potential contributors include patient's advanced age, as well as underlying obesity, hypertension, asthma, eczema, multiple allergies and other co-morbidities. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1179304	4/8/2021	NY	33	M	3/21/2021	3/21/2021	facial paralysis/facial drooping/facial palsy/eyes started drooping and then mouth started drooping; strange feelings in face; This is a spontaneous report received from a Pfizer sponsored program.This contactable consumer patient himself and a contactable physician psychologist, (parent of patient reported) that a 33-year-old male patient received BNT162B2 (Pfizer-BioNTech COVID-19 mRNA vaccine), dose 1 via an unspecified route of administration, administered in left arm on 21Mar2021 16:15 (Batch/Lot number was not reported) as single dose for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. Patient had no known allergies. Prior to vaccination, the patient was not diagnosed with COVID-19. Patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Patient did not receive any other medications within 2 weeks of vaccination. On 21Mar2021 at 07:30 PM, after receiving his first dose, he began noticing facial drooping, which began to intensify, on the right side. He was advised by a medical professional to immediately call an ambulance and he was then taken to an emergency room where received a CT scan and full bloodwork on Mar2021. Luckily, the facial palsy began to subside and he was able to return home after the test results came back and a stroke was ruled out - it was stated that this was some kind of immuno-reaction to the vaccine. He still felt as though his face was still not 100% back to normal and still felt a bit droopy (noticeable in the mirror) yet it does feel better than on 21Mar2021 evening. Patient had a nasal swab on 22Mar2021 with negative result. One of the reporters is a psychologist and reported that her son received Pfizer-BioNTech COVID-19 Vaccine. Psychologist asking about risk of Bell's palsy, incidence, and outcomes and if these patients received their second dose of the Pfizer-BioNTech COVID-19 Vaccine. She read about 7 cases of Bell's palsy in a Dec2020 article in the [Redacted], 4 of them on the Pfizer vaccine. The reporter further clarified and described that at 6pm (2 hours after dose), patient reported he felt fine and was happy he got the vaccine; but then sometime after that, he reported "strange feelings in face" and then eyes started drooping and then mouth started drooping, all on right side of face. They called the university clinic and was instructed to go to ER. Brain scans and blood work were done; they ruled out

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							stroke and said it was a possible reaction to the vaccine. He was discharged at midnight and by then, paralysis was 80-85% resolved. He is an otherwise very healthy young man. The psychologist wanted to know the efficacy after just one dose and stated that a friend suggested to perhaps not get second dose and consider getting a dose of the non mRNA vaccine like Johnson and Johnson. The outcome of the event was recovering. Information on Lot/Batch number has been requested.
1179261	4/8/2021	CA	39	F	4/6/2021	4/6/2021	fever, chills, fatigue, blurry vision (onset evening of vaccine), L arm/hand numbness
1179233	4/8/2021	AZ	69	F	2/18/2021	2/18/2021	Skin redness; moderate itching; Eyes red and itching; dull headache; Mild throat tightness; This is a spontaneous report from a contactable 69-year-old female consumer reported for herself that she received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, Batch/lot number: EL9267), via an unspecified route of administration on 18Feb2021 at 16:00 as single dose in left arm for covid-19 immunization. The patient's medical history included known allergies: penicillin, baking powder and pecans. The patient's concomitant medications included Spironolactone. On 18Feb2021 at 16:15, the patient experienced skin redness, moderate itching, eyes red and itching, dull headache, and mild throat tightness. The patient took 1 benedryl as treatment for the events. The outcome of the events was recovering.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1179196	4/8/2021	PA	74	F	3/25/2021	3/26/2021	Blood pressure over 200; Could not see very clearly; This spontaneous case was reported by a consumer and describes the occurrence of HYPERTENSION (Blood pressure over 200) in a 74-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 018B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event. On 25-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 26-Mar-2021, the patient experienced HYPERTENSION (Blood pressure over 200) (seriousness criterion hospitalization) and VISUAL IMPAIRMENT (Could not see very clearly). In March 2021, VISUAL IMPAIRMENT (Could not see very clearly) had resolved. At the time of the report, HYPERTENSION (Blood pressure over 200) was resolving. Not Provided The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Concomitant product use was not provided by the reporter. No treatment information was provided.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.
1179037	4/8/2021		20	F	4/7/2021	4/7/2021	Felt pain in left arm immediately followed by difficulty breathing, sweating, nausea, loss of hearing and vision. No treatment given. Suddenly felt ok after a few moments. Went home, got full body aches, chills, tiredness, inability to sleep, and diarrhea
1179024	4/8/2021	CA	42	F	4/5/2021	4/5/2021	Chills, feverish, rash, spasms in arm, hand trembling. possible diarrheas, headache, fatigue, blurred vision, loss of focus, general malaise and body pain.
1178998	4/8/2021	NC	41	M	4/6/2021	4/7/2021	Style/ eye infection of right eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1178984	4/8/2021		30	M	3/31/2021	3/31/2021	Joints began feeling achy and body felt tired within a few hours of vaccination. About 10 hours later body began to feel warm and then within an hour began uncontrollable shivers and aching in testicles followed shortly after by a throbbing headache and pain behind eyeballs. I put on extra clothing and jumped into bed as symptoms persisted. Later in the night I began sweating profusely and removed the clothing. The headache and pain behind the eyes persisted. I also began feeling nauseous and almost vomited when I went to the bathroom. My body was so tired and achy I could barely move. I tried to wake up for work but my headache and pain behind the eyes was so bad I went back to bed for another four hours. I did not have any appetite for the rest of the day. My headache subsided that afternoon and I went for a walk that night and my body still felt incredibly tired and achy. The pain behind my eyes persisted. The following day I felt somewhat better and could work. That night I went for a jog and my body felt extremely heavy, my joints ached, and I could not catch my breath. My symptoms continued to improve but I have had no sex drive for a week.
1178980	4/8/2021		32	M	4/7/2021	4/8/2021	allergic reaction. Patient reports blurry eyesight, headache, fever, feels like he cant think clearly, patient reports balance has been off, and back pain x 6 hours. Received J&J vaccine at 1800 last night. Denies vomiting and diarrhea.History: pt had J&J COVID-19 vaccine yesterday evening and here with headache, lack of balance (but able to walk), blurry vision with loss of peripheral vision, fever, back pain, some nausea, here for eval. Says he was in his usual state of health before vaccination and no recent sick contact or COVID-19 hotspot visit. No prior co-morbidities and denies recent illness/injury, use of any meds.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1181714	4/8/2021	GA	53	M	3/18/2021	3/18/2021	Adverse reaction to vaccine: Pt received his first dose of the COVID-19 vaccine on 3/18/21. He stayed in the pharmacy for 15 minutes before walking out to his car, where he began to experience visual loss. He describes how "everything turned white and I couldn't see anything". He laid his seat back and symptoms resolved within 5 minutes. Pt checked his blood pressure when he got home and says it was 120/70. That was kind of low for him. Sounds like a vaso-vagal episode. Of note, he had not eaten yet that day.
1179359	4/8/2021	CA	62	F	4/7/2021	4/7/2021	Systemic: Chills-Medium, Systemic: Hypotension-Medium, Systemic: Visual Changes/Disturbances-Medium, Additional Details: During observation period, patient reported visual changes (seeing spots) and light headness. she temporary loss consciousness, therefore 911 was activated. While waiting for EMS to arrived, immunization pharmacist & technician checked patient's pulse and temperature. When EMS arrived, patient was coherent and EMS continued to provided care. I called patient earlier (around 8:15pm) to check on her status, patient reported feeling better. She received fluid & discharged from the hospital at 6pm
1179824	4/8/2021	IN	23	F	4/6/2021	4/6/2021	-Severe headache, that caused blurred and blacked out vision whenever head was moved. Also included stabbing pain in ears as well as behind eyes. -severe diarrhea and nausea. Diarrhea and stomach cramps occured after anything was eaten or drunk (besides water) for 48 hours -fever between 101 and 102.3 for nearly 48 hours after vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1180103	4/8/2021	IL	36	M	3/23/2021	3/23/2021	Within one minute of receiving the shot I felt disoriented and had trouble determining if I had buttoned my shirt correctly. For the next two and half hours I had trouble recalling basic things that I should have been observing such as which highway my driver had taken me home on although I knew where I was at. I also experienced irregular breathing. To be specific, I would take a very large breath, a very short breath, or miss a breath. This started as a series of one to three irregular breaths every five minutes or so. My breaths became more irregular in the next hour. While driving to my employers office about fifteen or twenty minutes after my shot, my right eye closed and I could not open it for about seven seconds. My breathing also became deep and the pace was not under my control. Once at the office I sat in my manager's office to be observed. I experienced more intense episodes of the above listed symptoms such as both eyes closing and the left one watering. The watering continued into the next day periodically. At least two times while my eyes closed I had to put my elbow on the desk and my hand on my head to make sure I didn't fall out of the chair. I also felt very uncomfortable causing me to moan. This happened one time. After this my manager called my parents and they came to take me home. It took them one hour to get there. While waiting I felt light headed and the breathing irregularities became less intense. When they got there I mainly felt disoriented. The disorientation could be best described as slightly impaired or slowed decision making. I would also like to know if I should receive the second vaccination.
1180032	4/8/2021	NM	39	F	2/1/2021	2/12/2021	In addition to the known side effects of fever, chills, body aches, headaches, and brain fog, my menstrual cycle occurred about 10 days post what it should have started in February. In March menstrual cycled started about 5 days later than in February. On April 3, 2021 started to have eye pain, was diagnosed with a chalazion cyst on April 7. Cyst is on the eyelid of left eye. I have never had issues with cysts or swelling of any kind.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1180026	4/8/2021	CA	45	F	1/21/2021	1/21/2021	Within 5 minutes I lost hearing (right eye) felt as if full of water in my canal. One of my colleagues checked my ear for fluids on Thursday and prescribed me antibiotics by 1/26 it was gone. I exp nausea next day vomiting 6 times and also felt burning sensation in throat. I had no arm pain and no fatigue.
1179999	4/8/2021	NJ	18	F	4/7/2021	4/7/2021	Patient with known allergies to PEG. Had a slight reaction of hives following 1st dose. Patient consulted with her PCP and oncologist and her oncologist was adamant that she was to receive her 2nd dose, not an option to not receive despite documented PEG allergy. After receiving 2nd dose approx 5-10 min later in monitoring area reported to EMS RN feeling dizzy, flush, and eye flutter. EMS evaluated, vitals HR 104, RR 21, BP 137/98, PulseOx 97%. RN noted patient was very anxious and this contributed to the patients symptoms. However, the patient did begin developing mild flushing and small red patches on arms, legs, trunk. Hives and flushing resolved within 30 minutes. Approx 45 minutes post reaction symptoms, patient reports feeling better, flushing resolved. Denied wanted further workup or transfer to ER and left with her mother.
1179995	4/8/2021	MD	27	M	4/8/2021	4/8/2021	Patient reports a pressure behind his eyes bilaterally. No further complaints. Reports this feels similar to a symptom he had when he had COVID previously.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1179948	4/8/2021	PA	37	F	4/7/2021	4/7/2021	Shot given at 3:47- approximately 3-5 minutes later started to experience blurred vision, rapid heart rate, difficulty breathing, and dizziness. Blood pressure was taken and was low 86/52. Pulse rate was 110. Became increasingly dizzy, stabbing chest pain, and lethargic. Was transferred to an ambulance with great assistance, because when I stood up I became so dizzy I couldn't stand. In the ambulance the chest pain/ stabbing became unbearable. I was started on IV fluids, and also had an EKG done, and was put on oxygen. While en route to the hospital I had a horrible feeling of nausea and dry heaving. Upon arriving at the hospital I was worked up for cardiac issues and everything came back normal. I was also given benadryl. Nothing helped the dizziness or nausea and I still felt short of breath when I was discharged. I was able to get some interrupted sleep. This morning I am still feeling very dizzy and light headed. I'm extremely cold and have the worst headache I have ever had. I feel foggy and I am having trouble concentrating. I have been drinking a lot of fluids and also been taking tylenol.
1179930	4/8/2021	ND	36	F	3/29/2021	4/2/2021	Itching and hives started at 8am on 4/1/21. Both eyelids swelled. Hives on face, neck, chest, arm, stomach and legs. Took 2 Benadryl. Next morning, symptoms were gone.
1179911	4/8/2021	WI	36	F	4/7/2021	4/7/2021	Patient received Janssen COVID-19 vaccine and presented to observation area. After a few minutes, complained that "her heart felt like it was racing". BP checked: 128/72, P 72 and regular. HRR. Stated she was nervous and maybe she felt like her heart was racing r/t anxiety. Sat uneventful for rest of observation period. Stated she "felt fine" after her 30 minute wait time was over. Ambulated to the parking lot. Clinic staff noticed she did not get in her car, but had her husband pick her up. Staff called patient after clinic and patient stated that "when leaving her eyes felt dizzy and she felt like she couldn't keep conscious".
1179907	4/8/2021	MA	53	F	2/3/2021	2/4/2021	High fever 102.2 Chills, body aches, total body pain and weakness headache burning eyes pain in arm at site of injection with numbness and tingling down arm post vaccination

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1179864	4/8/2021	LA	51	F	3/25/2021	3/25/2021	Headache. Began with pains at my temple near my eyes, night of the vaccination. Had a headache that night, overnight. Have had a combination of sporadic pains near my temples, and a headache that feels like a band around my head, particularly around both temples. Mostly okay upon waking, pains start after a couple of hours, then actual headache is present from about 1-2 p.m. until I go to sleep. This description applies to second vaccine, administered 3/25/21. For the first vaccine, administered 3/4/21, I had pains by my temples that early evening, then a headache that night until bedtime. I think that headache only lasted one day. I had fatigue for a day following each dose.
1179863	4/8/2021	FL	60	F	4/7/2021	4/7/2021	1358 60 y/o female received 1st Covid vaccine and was sitting in observation room for 30 minutes. At the 30 minute mark pt stated that she felt dizzy when she tried to stand up. Brought Pt to backroom for evaluation she stated that her tongue felt thick and her lips felt numb. Vitals BP 136/75 P 74 Temp 99.3 . Pt was evaluated by Dr and he determined that she needed to be observed. 1412 Asked pt how she was feeling "Right eye feels funny like pressure and her throat was tight. At this time Dr determined that pt needed Epi Pen. 1413 Epi Pen administered to right thigh EMS was called. Vitals BP 174/86 P 75 R 22. Denied difficulty breathing. Pt became very emotional and stated she was scared. Reassured pt she was going to be fine and provided additional blankets for her chills. 1419 EMS took over her care

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1179857	4/8/2021	AZ	48	F	4/6/2021	4/6/2021	Burning feeling at injection site immediately. Spread to fingers within one minute and lasted over 24 hours. Within two hours, burning sensation also felt in feet, calves, and knees, lasting at least 12 hours. Weakness in legs. Faint feeling. Increasing body aches over 12 hour period and still on-going 48 hours after injection. Within 12 hours, nausea, diarrhea, stomach cramps and on-going 48 hours after injection. 12 hours after injection, developed runny nose, sore throat, slight cough, watery eyes, headache. Runny nose, watery eyes on-going 48 hours after injection. Severe pain at injection site. Tenderness and redness continues 48 hours after injection. Within 6 hours of injection developed traveling itchiness starting at feet but moving to shoulders, scalp, hips, and hands.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1179483	4/8/2021	MI	40	F	4/6/2021	4/6/2021	My vaccine was administered at 12:30pm. I waited until 12:55 at CVS after the vaccine to make sure there were no reactions. I also move my arm around a lot after the injection to keep it from hurting. I drove home, at lunch and about 2:45 was hit with a very noticeable headache. I never get headaches and eat healthy and consume about a gallon of water a day. I knew it wasn't from dehydration or being hungry. Headache was in the temple area and made my eyes hurt in the same way they would if you had cried for an extended period of time or were overtired. At 3pm a wave of exhaustion hit me. I was sitting working trying to combat the headache and felt almost wiped out. I got through the rest of my work day (4:30) and went to lay down immediately. I passed out almost instantly until 7 pm. I work up and showered, ate dinner and started to feel a little warm. It should be noted it was an unseasonably warm day and got up to 77, so it was a tiny bit warm in my home. I put on loose fitting clothes and slayed on the couch still with the bad headache and the injection site started to throb so I placed and ice pack on for 20 minutes. I could only stay awake until 8:45 and got in bed. I could not get comfortable for several hours feeling very warm. I tried a fan on high and drinking more water but i felt very warm like how you feel with the flu. I took my temp at 1130pm it was normal. I continued to toss and turn and feel very warm and slightly dizzy, in the sense that I hadn't been able to sleep and with the headache my body was just exhausted. Around 2 am i woke up for more water and got in the shower because I had sweated so much my sheets were wet and my clothes. I got out of the shower around 10 minutes later, changed and got new sheets and got back in bed. Around 330 I felt very hot again and opened the windows and got another ice pack for my arm which was throbbing again. I finally fell asleep after 3:45am. I got up for work at 6am. I felt slightly foggy, and very hot. But no fever. My temp is normally around 97.4-97.9 and it was 98.4. Still normal but I was running warmer than usual. It took a long time to get ready and despite hot water in the shower I was freezing. i got dress and debated going to work. Got in the car at 6:45 and my drive to work is 30 minutes. 1/2 way into my drive I got very sweaty again and went home to change my clothes because they were too warm. Got to work around 7:20 and still felt warm but they take our temps at the door and

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							min was still okay, no fever. I drank a lot of water and ate, and at 8:30 am all of a sudden the exhaustion was gone and I felt normal. I got home from work at 5:30p and took a 3 hour nap and felt normal again.
1179831	4/8/2021	CA	34	F	4/6/2021	4/7/2021	Significant lip swelling more than 24 hours after injection. Also itchy, swollen eye.
1179537	4/8/2021	MD	68	F	3/31/2021	3/31/2021	pt stated she felt nauseas after taking the vax. Later that day she developed a headache, diarrhea, hives, her throat and face were swelling. Her breathing was compromised, vision was off, and she was itching. Today 4/8/2021 she still has headaches, nausea and hives. She says the swelling in her face is going down and breathing better. Pt had a televisit w/ her PCP and she was instructed to take Benadryl. Pt took her flonase, albuterol and levocetirizine 5mg for her symptoms.
1179823	4/8/2021	CA	46	F	3/31/2021	3/31/2021	Headache - feels like my brain is swollen and ready to blow up, stiff neck, collar bone pain, hands and veins feel swollen, feet feel swollen, feel hot inside, sweaty at night, cold when I uncover, cold with no socks, dizzy, threw up, stomach feels gassy and swollen, back hurts, painful to inhale, out of breath, weak, tired, can't sleep, dry phlemy cough, watery nose, watery sticky eyes....my brain feels like it's gonna blow up.... did I say MY BRAIN FEELS LIKE IT'S GONNA BLOW UP!!!!!!
1179819	4/8/2021	OH	37	M	4/3/2021	4/3/2021	Loss of consciousness about 5 minutes following vaccine administration. Muscles contracted with arching. As patient regained consciousness he still had vision loss. Complained of nausea for about 24 hours but no vomiting. Dizziness and headache persistent for about 36 hours. Patient with severe fatigue for about 24 hours and gradually improving over next 48 hours.
1179796	4/8/2021	MA	42	F	2/3/2021	2/3/2021	After shot was given I felt like hot flash and then an hour later could not hold head up need to be sitting next to AC/Fan. I got a headache and the next 2 days had a migraine could barely open eyes.
1179759	4/8/2021	NY	27	M	4/6/2021	4/7/2021	Muscle Aches, Fever of 102.4F, cold sweats, eye pain, extreme fatigue



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1179745	4/8/2021	TX	34	F	4/6/2021	4/7/2021	She got the vaccine, did had a little sore arm, but nothing else. She went to bed and when she woke up that her eye was watering and bump like under it, and when she wiped her eye she noticed it. It is still there, and it's only at the corner of the right eye. Every once in a while it starts to water and drain. She has to be careful to wipe he eye as when she touched it it hurts. She does not think that it's the eye, and has never had watery eyes. No other reactions other than the eye and the soreness of the arm. She has not taken anything or put anything in her eye.
1179730	4/8/2021	PA	36	F	4/5/2021	4/5/2021	Vitreous hemorrhage in left eye, ongoing vision disruption.
1179688	4/8/2021	IL	51	M	3/1/2021	4/1/2021	pt states on 4/1/2021 when he woke up his mouth was crooked and face was dropping. He thought he was having a stroke Pt went to Hospital ER. They gave him a CT, Blood test, X-RAYS. pt was transported to another hospital to have the MRI which showed no sign of stroke. He was brought back to hospital where he was admitted for observation. He was released after 3 days. His DX was Bells Palsy. He was prescribed valacyclovir 1mg bds and prednisone. He has to wear a patch of his left since he cant close it and he has no control of the tear ducts in this eye. The left side of this face is still drooping and he cant use the left side of his mouth and he bites his tongue when he is eating. He wishes he had not taken the shot.
1179660	4/8/2021	PA	47	M	4/6/2021	4/6/2021	Approx 10 minutes after patient received vaccine, he began to complain of chest pains, dizziness, and blurry vision. His vitals were stable at BP 133/95, HR 90, Pulse ox 97% on room air. His symptoms persisted so 911 was promptly called. Dr. came and assessed patient and he was found to have clear lungs with no abnormal heart sounds. When EMS arrived, his vitals were very similar and still stable. Patient was taken to Hospital. I spoke with him the following day, 4/7/21, and he reported that his labs were all unremarkable and they treated him for a panic attack and he was feeling well by the time he got home.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1179659	4/8/2021	MA	48	M	4/6/2021	4/6/2021	He got the vaccine, started to get the headache within 45 minutes, ran some errands and after a couple of hours he felt like something was burning on his buttock, and noticed a really bad red rash on the left side on the left cheek from the crack outward. It was extremely hot to the touch and very sore, kind of throbbing and swollen and progressively got worse. He was just not feeling well, nauseous and dizzy and went to sleep but when he woke up it had spread to the other cheek. It looks like he got burned or scalded red/purple in color. He has no reaction on the arm itself, but only on the buttock and a blister, blood red, leathery feeling rash/blotch on his entire buttock to both hips on both sides. It is difficult for him to sit. He also had headache, the muscle pain, joint pain, chills, nausea. He did not vomit but had not eaten anything. He has had a high fever up to 103 until this morning 4/8/21 which is about 99-100. He woke up soaking wet today. He has not been able to turn his neck, and not able to lift his arm above his waist level since the vaccine, and not able to turn his neck to the left at all. He can turn it 5-10 degrees, but right is okay. He took some Benadryl over the last 2 days for the reaction but it has not. He also has taken aspirin/Aleve for the fever. He was so sick and had no energy and could not sleep but could not keep his eyes open either, was not able to open them. He did write his doctor when the rash was only on one side, which they did not give him any advice as he was not feeling any worse at that time. He was at 101 fever throughout the day and then at night went to 102. He was hoping that the rash would be better, but actually worse as described above. He has not had any appetite, trying to drink fluids but made him nauseous, and he normally drinks water all day long. His normal temp is 97.7. He has been taking showers to try and keep his fevers down and the water hitting the rash feels like somebody is pouring scolding water on it. He did call Moderna on 4/6/21 asking if this was a reaction that anybody has reported, and he is waiting for somebody to call him back.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1179624	4/8/2021	TX	59	M	4/7/2021	4/7/2021	Patient experienced a vasovagal response and was presyncopal; felt lightheaded, then developed a brief headache, stated his vision was "fading." He was pale and diaphoretic. Developed nausea. Found to be bradycardic but otherwise normal vitals (131/73, HR 48, T 97.5, O2 98%; HR later increased to mid 50s). Patient was moved from chair to exam table and laid supine then later elevated his head. Cool cloth was applied. Emesis bag and water were provided. Snack was offered and declined. Patient kept in exam room with spouse and frequent checks by staff for ~30 minutes then moved to the waiting room when symptoms had significantly improved where he waited another 30-40 minutes. His spouse was instructed to drive home and patient was instructed to rest the remainder of the day with ER precautions given. Patient was called at ~7 pm and stated he felt much better with resolution of his symptoms.
1179564	4/8/2021	NY	65	F	3/29/2021	4/2/2021	red rash on face that is tingly, scally, darker red rash on left side of neck that hurts when touched (but getting better at times) puffy eyes. all in all very uncomfortable
1180105	4/8/2021	KY	31	F	4/4/2021	4/6/2021	Day after: nausea, fever (99.5 F), rash at injection site, lower back pain, muscle aches, skin sensitivity (lower back, legs, arms), headache 2 days after: eye infection, rash remains
1179844	4/8/2021	MA	24	M	4/1/2021	4/1/2021	pt had a sore achy arm all of the way to his hand immediately after getting the vax. Later that day he became fatigued, extremely nauseated, had body aches, chills, profuse sweating, and headache. He took Tylenol 1000mg that night, the next morning and again twice the next day. The next day his eyes hurt, had headache, loss of appetite, fatigued with body aches and pain. On 4/3/2021 he still had a headache but the other symptoms were better and disappeared by the end of this day.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1182834	4/8/2021	TX	41	M	1/4/2021	1/9/2021	The night of January 9th around 2330 I noticed that the left side of my face was acting a little funny. As the night progressed into the morning I noticed that it was starting to get worse and my face was drooping. By the evening of January 10th the left side of my face was really droopy. I had heard that a small percentage of the new COVID-19 vaccines had caused Bell's Palsy in a small percentage of the clinical trial patients. I did some research on Bell's Palsy and found what to do in the event of an onset. I took Advil 2 to 3 times a day for about a week and kept a close eye on it to make sure that it wasn't getting any worse. After about 2.5 to 3 weeks the symptoms of the Bell's Palsy went away on its own. I did not see any physicians for treatment.
1182627	4/8/2021	MD	58	F	1/4/2021	1/17/2021	Uveitis/endophthalmitis/vascular following vitrectomy 10 days post-vaccination, resulting in vision loss
1183055	4/8/2021		29	M	4/8/2021	4/8/2021	pt. c/o light headache after 2nd dose - bright vision he said. we can't see - nausea, BP very low. VS was done and transfer care to the paramedics. They call the ambulance they came and stabilize him. He refuses to go to the ER.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1183030	4/8/2021	CA	53	F	4/6/2021	4/6/2021	Tuesday 6 go the first Pfizer Covid vaccine at the race track. In the past I have had angioedema and breathing issues but never severe enough to warrant going to hospital with several injections and from over the counter meds and prescription meds. So I was wary but decided to risk a jab. Straight up got tingling tongue and lips but after 15 min was just dizzy and roughly the same feeling. I am a slow up taker and excreter though. By the time I got home, about 20 min after the 15 min wait my neck on the injection side and swelled so much I no longer had a jaw and my eyes and cheeks were pretty puffy. Then the breathing issue started. I called the gp who said Tylenol, benedryl. Usually have them made because I have problems with additives but i don?t have any right now. So I used two ea kids chewable which allow me to have a dosage that works for me as I am sensitive to larger doses which can cause pvcs. Things were better but not good enough so took Zyrtec 10 ml/24 hr. If I had not had a similar experience with other injections this would have completely freaked me out. Thank goodness my quick treatment worked well enough that I felt confident worse was unlikely to happen, though the gp and allergist both wanted me to go to the er. Yesterday I did a repeat of Tylenol and benedryl in the morning and Zyrtec in the afternoon at two pm then Tylenol and benedryl again in the evening as I still had angioedema and felt tight in breathing. Repeat benedryl and Tylenol today but no Zyrtec as felt good enough to ride stationary bike a very slow Five miles. As to fever and other typical symptoms it has been hard to tell what is reaction and what is simply the vaccine doing its job. I did not take my temperature but have felt hot no general malaise. I recognize my symptoms are unusual but felt you should have them.
1183029	4/8/2021		29	M	4/8/2021	4/8/2021	c/o of blurred vision; blackout, SOB, handover pt. to the paramedics.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1183023	4/8/2021	OR	25	M	4/7/2021	4/7/2021	Patient sat down to wait 15 minutes after the vaccination. other patients observed that he appeared to fall asleep then his eyes rolled back in his head and he went rigid and his body flexed straight out. another patient prevented him from falling out of the chair. i went out immediately to check on him and he came out of it. it lasted about 30-45 seconds. his color was not good so i instructed my technician to call 911. he was taken to the store directors office and the paramedics examined him and said everything appeared normal. he suffered no more reactions.
1182979	4/8/2021	TN	67	F	4/5/2021	4/5/2021	Second dose was on 4/5/2021. Had blurriness in eyes. Eyes have bothered me some each day and today they were burning and sore to touch.
1182908	4/8/2021	GA	61	F	4/3/2021	4/3/2021	severe arm pain 3 days, dizziness, nausea, irritated urination, severe stomach pain, pinching in bladder, double vision, chills
1182893	4/8/2021	IL	38	M	4/5/2021	4/7/2021	Numbness in left side of face, unable to close left eye completely, numbness in left side of mouth. He went to the ER and the Doctor diagnosed as Bells Palsy and prescribed medicine. He was put on Prednisone, Valacyclovir, and Genteal Tears.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1182867	4/8/2021	CA	20	M	4/8/2021	4/8/2021	On 4/08/21 at 3:08 pm, 20 years old Asian male received first dose of Moderna Vaccine lot #026B21A, 0.5 ml to his left deltoid. At 3:24 pm Patient sitting in the observation area, he was complaining of blurred vision, feeling dizzy, diaphoretic, at 3:25 BP 120/80, pulse 72, O2 sat 98%. As per patient mother who currently in facility, four years ago after received his MMR and VRA vaccine: he had a seizure. Patient was placed on low dose of Keppra for the seizure. However, patient has been off the Keppra for five years as instructed by his neurologist. Past medical history as followed: Seizure, HTN, Acne, Rhinitis, Sinus Brady Cardia. Patient currently on Acne medication: Tretinoin and Clindamycin cream. PO fluid given as per patient request, he stated "I am feeling much better?" 3:31pm rechecked Vital signs BP 128/78, pulse 88, resp 18, O2 sat 97% on room air. Denies any further symptom at present. Patient observed for 30 minutes. Patient AAOx4, Ambulate independently, patient released accompanied his mother and father in stable condition.
1182865	4/8/2021	CA	29	F	4/7/2021	4/8/2021	Dermal fillers located in my right eye swelled, became black and blue and sore on top of flu like symptoms
1182845	4/8/2021	NY	23	M	4/8/2021	4/8/2021	Patient had red, flat rash on forearm and bicep of the vaccinated arm. Monitored patient for a half hour. The patient had no rash on trunk, difficulty breathing, or tingling in mouth or throat. Rash started to lighten and patient reports to feel fine. Advised patient to keep an eye on rash and to take Benadryl if it worsened and seek immediate medical attention if he had difficulty breathing. Followed up with patient and per sister the rash has resolved.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1183092	4/8/2021	WI	49	F	4/8/2021	4/8/2021	The patient received a Janssen COVID vaccine on 4/8/21 at around 5:00 pm. The patient was nervous during the administration and reported never receiving a flu vaccine in the past. The common side and serious side effects were discussed with the patient. The vaccine was administered to the patient without issue. The patient and husband instructed to wait 15 minutes after the administration of the vaccine as is the recommendation per the CDC. About 5 minutes after the administration of the vaccine, the patient's husband notified the pharmacy staff that his wife was not feeling well. Pharmacist responded to the patient. The patient reported shortness of breath and feeling hot and stated she was about to pass out. Pharmacist was instructed to retrieve the Epi-Pen from the immunization cart and assist. Code White was called and Division 1 staff responded and assisted. The patient was lowered to the ground and her feet were elevated. It was at this point that it was determined that the patient was not experiencing anaphylaxis based on the symptoms she was reporting and exhibiting. The patient was instructed to remove mask to help obtain better breaths and remove the patient from hyperventilation. An icepack was obtained and placed on the patients neck once she was able to sit up. The patient's symptoms improved to the point of moving to a chair. The patient sipped water and continued deep breathing. The patient's symptoms continued to improve and she was able to leave.
1182839	4/8/2021	WA	31	F	4/5/2021	4/5/2021	Felt faint 5 minutes after vaccination. Profusely sweating, ears ringing, blurred vision. Needed to lay on the ground immediately for fear of fainting. Ice pack and water was given to me
1183097	4/8/2021		39	M	4/5/2021	4/6/2021	Swelling of eyes and mouth; high fever; aches; chills; elevated blood sugars



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1182813	4/8/2021	TX	51	F	3/22/2021	3/22/2021	Pain at the injection site shortly after the injection. Pain and tenderness in bicep began generally later the first day and lasted 2 weeks; I still have some bicep stiffness and tenderness today on Day 18. I had tenderness under the right armpit for about a week (assumed swollen lymph nodes).I had redness on the bicep below the injection site on Days 5-7. I also was tired on Day 2, 3, and 16 and took short naps. I experienced some muscle twitching in the bicep on Day 1, which still continues. On Day 6, I woke up with muscle twitching all over my body, randomly and intermittently. I was able to go about my day normally, but every few minutes something would twitch for a few seconds (my right arm, my left arm, my left knee, my right hip, my lower back, my left pointer finger, my left eyebrow, my diaphragm, etc). I drank a lot of fluids and took magnesium, zinc, D, B, C, omegas, turmeric, a multivitamin, and ate a banana for potassium on Day 6 and 7. Day 7 and 8, I only had muscle twitching in the right bicep again. Starting on Day 9 and continuing through the present, I continue to have intermittent twitches lasting a few seconds all over my body again. It is less frequent than on Day 6, but continues.
1182812	4/8/2021	OK	45	F	4/6/2021	4/6/2021	Severe nausea, cold sweats, and severe dizziness which caused inability to comprehend or understand what was going on around me and almost loss of consciousness. I was laid on the pharmacy floor immediately after reactions with a cold pack under my neck and my feet elevated. Within 5 minutes I was able to open my eyes and able to stand. I left with some dizziness and a headache that remained for a few days. I also had severe body aches for a couple of days and fatigue. Only thing is the arm pain and a little tiredness today.
1182790	4/8/2021		23	F	4/8/2021	4/8/2021	Pt became light-headed with blurred vision while walking to her car. Pt stated has history of syncope post injection or blood draw. Pt vitals were evaluated. Pt declined transport to ED.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1182772	4/8/2021			M	3/13/2021	3/15/2021	facial drooping/ Right Sided Bell's Palsy/ All the right side of his face is not moving; swollen face; his tongue feeling fat; sore and swollen area behind his left ear on his neck; This is a spontaneous report from a contactable consumer (patient's wife). A male patient of an unspecified age received first dose of the Pfizer Covid19 Vaccine, (Formulation: Solution for injection, Batch/Lot number were UNKNOWN) via an unspecified route of administration on 13Mar2021 as a single a dose for covid-19 vaccination. Patient medical history included, Right Sided Bell's Palsy. Concomitant medications were unknown. On 15Mar2021, the patient was sent to the ER. Monday morning after experiencing symptoms the night before and the morning of such as his tongue feeling fat. He was tested for Lyme's disease which came back negative and was diagnosed with Right Sided Bell's Palsy. The patient was discharged that day after 3 hours and was prescribed with prescribed with Prednisone and Valtrex. Up until now, the patient still has symptoms such as numbness, tingling, blurry vision, on and off headaches, a swollen face, facial drooping, his tongue feeling fat, difficulty in swallowing and talking, drooling, and a sore and swollen area behind his left ear on his neck. All the right side of his face was not moving. The patient received physical therapy 3 times as of calling. He was supposed to receive his second dose this Saturday and is contemplating as their doctors have not given them a straight answer. The outcome of the events were unknown. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1182756	4/8/2021	CA	50	F	3/8/2021	3/1/2021	She experienced Bell's Palsy; dizzy; bleeding out of my nose; earache; eyes are kinda blurry; My face went numb; This is a spontaneous report received from a Pfizer Sponsored Program. A contactable consumer, the patient reported for herself that a 50-year-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), via an unspecified route of administration on 08Mar2021 (at the age of 50-years-old) as single dose for COVID-19 immunization. The patient medical history was not reported. Concomitant medications included prednisone (MANUFACTURER UNKNOWN); valaciclovir hydrochloride (VALTREX) (MANUFACTURER UNKNOWN). On an unknown date, the patient experienced bell's palsy but upon contacting her physician she was prescribed an immunosuppressant which is Prednisone. She was asking if she can take the second dose. Patient stated, after about a week of first dose on an unspecified date in Mar2021, she got dizzy and started bleeding out of nose. On an unpecified date in Mar2021, 2 weeks in, she thought she had an earache. It started on Sunday, Monday and Tuesday. On an unspecified date in Mar2021 (Wednesday), the first thing she noticed while driving was eyes were kinda blurry and her face went numb and she couldn't close eye. Within 2 hours of numbness she saw the doctor who put her on Valtrex and later her doctor put her on prednisone. She has the 2nd dose scheduled for Monday 05Apr2021 and she is worried about taking it. The clinical outcomes of the she experienced bell's palsy, dizzy, bleeding out of my nose, earache, eyes are kinda blurry, my face went numb were unknown. Information about lot number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1182753	4/8/2021	NC	66	F	3/10/2021	3/1/2021	anterior uveitis / can't see well enough; it was getting better, but it was not happy; This is a spontaneous report from a contactable physician reported for herself. A 66-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), dose 1 via an unspecified route of administration, deltoid right on 10Mar2021 (batch/lot number EN6208 and expiry date not reported) at 66 years of age as single dose for covid-19 immunization. The patient's medical history was not reported. Concomitant medications included some over the counter B12 (unspecified). The patient informed that she developed an anterior uveitis which started 2 days post her COVID injection (12Mar2021). The patient informed that she will be reporting online but she can't see well enough (Mar2021) to report online. The patient informed that "it was getting better, but it was not happy". The patient informed that in response to the vaccine she was on Prednisolone 1 percent ophthalmic eye drops. The patient confirmed that she was taking Prednisolone as a treatment (for the events) and was still on it. The outcome of the event anterior uveitis was not recovered, while unknown for the other event. The physician informed that causality was "yes";. Sender's Comments: Based on temporal association, the causal relationship between bnt162b2 and the event iridocyclitis cannot be excluded. This case will be reassessed once additional information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees, and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1182734	4/8/2021	NY	81	F	3/9/2021	3/9/2021	break in rash/rash in mouth and throat; sore throat; dizzy; weak; felt like sleeping all the time; pain in her arm; blood clot in right leg; couldn't walk; veins are swollen; right knee got swollen; ear ache; felt like burning/ sore in her mouth like she was burned; sore in her mouth like she was burned; nausea; headache; slight fever; This is a spontaneous report from a contactable consumer (patient). An 81-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration in right arm on 09Mar2021 (Lot Number: EL9266) at single dose for covid-19 immunization. Medical history included arthritis, respiratory issues, allergies, Eczema of the nipples and breast, arthroscopic surgeries, she lost her voice. Caller stated she exercised everyday, she did yoga. Caller reported the last 2 years she hadn't been able to climb the mountain on the stairs. Caller states she didn't catch a cold, she was fine, she was very active. She was good except arthritic conditions, she has had arthroscopic surgeries, that was a side effect of that. Caller reporting she was a first responder and had some respiratory issues. Caller stated she had some allergies, if with dust or smoke, her throat constricts, it was just small, like her throat. She cannot be around that. She got once in a while, when she got in a rush. Caller stated before the vaccine, she had eczema in her nipples, on her breast. Caller stated she never got sick, besides the rash she got once in a while. Caller states but she was very healthy otherwise, no medication, no smoking, no drinking. Caller stated she was from 9/11, this was what happened with her voice once in a while, she lost her voice. Caller stated she had had some respiratory issues and allergies and so on. Caller stated she was here for 56 years and her mother died of old age so she was not sure. There were no concomitant medications. The patient previously took advil. Caller stated she used to take Advil when she went to the gym and had problems but she hasn't taken Advil for a while. She didn't take meds. Caller stated she didn't drink or smoke because what it did was it gave you a release. Caller stated she was not taking none, she was pushing through and hoping it will heal itself. The patient experienced blood clot in right leg on 26Mar2021, break in rash on an unspecified date, headache on 09Mar2021, slight fever on 09Mar2021, veins are swollen on 12Mar2021, right

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

knee got swollen on 12Mar2021, sore throat on an unspecified date, ear ache on 10Mar2021, nausea on 09Mar2021, rash in mouth and throat on an unspecified date, felt like burning/ sore in her mouth like she was burned on 10Mar2021, sore in her mouth like she was burned on 10Mar2021, dizzy on an unspecified date, weak on an unspecified date, felt like sleeping all the time on an unspecified date, couldn't walk on 12Mar2021, pain in her arm on an unspecified date. Was a first responder, sometimes break in rash once in a while. Got Pfizer 1st vaccine 09Mar, was scared to have difficulty breathing however had headache, slight fever, right knee and veins were swollen, sore throat, ear ache, nausea, rash in mouth and throat also felt like burning also was dizzy and weak and felt like sleeping all the time. Caller stated she was told by her doctor to take the shot on 09Mar2021. Caller stated she had headache, slight fever, then her head was ok the fever was gone but the headache persisted as of today. Caller stated she still had headache and ear ache and her knee got swollen, her right knee. Caller stated for a few days she couldn't walk. Caller reported she has arthritic conditions in knees, she exercises everyday and no problem, but she couldn't walk for a few days. Caller states now she is able to walk on something, but the veins in the knee were still there and she didn't know. Caller stated she was due for second next on Tuesday and she was wondering what to do. Caller stated she was honestly worried about this reaction after the first shot. Caller stated she was told the 2nd had a worse reaction, so she was really weary and worried. Caller stated she only slept 5 hours at night, but now she wanted to sleep all the time. Caller stated she had such a headache and earache. Caller stated it made her nauseous, like in a sea or something. She stated she didn't know how to explain. She didn't vomit like when you were nauseous, it wasn't that feeling. Caller stated it was just lingering like when you were in the ocean. Caller reported headache has gotten better. It has gotten worse and then gotten better. Caller stated the earache was so painful and was still there. Caller reported she got it during the day and when she lied down, but the severity had subsided. Caller stated she didn't measure fever. She wanted to say after that, her mouth was sore after fever from the heat or from the vaccination. Caller stated her mouth was still today, still sensitive. Caller reported it

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

was like her throat and her mouth was so sore like a burn. Caller reported her headache was mostly on the left side, but went to the right side too. Caller reported she could feel it in her eye, it hurt and her ear hurt. Caller reported her sore throat, the upper part, was still sensitive. Caller stated she couldn't swallow, but it was clear, her mouth was clear, only the upper top she would say. Caller stated it's 99% gone, its healing. Nauseous, like in a sea, its not like she has it all day long- nauseous- maybe once a day, nothing severely like what she had for a few things. The patient had a pain in her arm and she had that symptom one night and the following day she had nothing. Her arm was cooperative. Since she had been diagnosed with a blood clot. She saw her doctor on Friday and was recommended that she took some medications. She continued to have headache which she reported, though not as bad. She also reported that she had a sore mouth and earache. She was still fighting symptoms and didn't know what to do with the blood clot. She was scared to take the blood thinner Eliquis and that she will have side effects that it will do her harm she felt Eliquis will do her harm if she received the second dose of the vaccine or takes Eliquis. She was supposed to 20mg daily which she felt will kill her given her body was not healed from receiving the first dose of the Covid-19 vaccine. There was no prior vaccinations within 4 weeks. She was prescribed Eliquis Film-coated tablet (Lot Number: ABN4449S, Expiry date: Feb2023) 20mg daily for blood clot but had not started because she felt it will kill her was scared to take the second dose of the vaccine. The patient underwent lab tests and procedures which included Sonogram: blood clot in right on 26Mar2021. Therapeutic measures were taken as a result of blood clot in right leg. There was Physician Office Visit for all events. The outcome of the event blood clot in right leg, veins are swollen, right knee got swollen, couldn't walk was not recovered, of event slight fever was recovered on 10Mar2021, pain in her arm was recovered, of event ear ache, nausea, felt like burning/ sore in her mouth like she was burned, sore in her mouth like she was burned was recovering, of other events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1182720	4/8/2021		63	F	4/8/2021	4/8/2021	Pt reports difficulty swallowing, numbness to lips and mouth area, sensation of eye swelling. Pt appears anxious. Medics on site for evaluation; VSS. Pt left AMA.
1182717	4/8/2021		23	F	4/6/2021	4/6/2021	Client received the COVID vaccine (Janssen, Lot# 1808980) complained of feeling dizzy at 1424, EMT and RN responded. The client was sitting in a chair with her head in her hands, stated that she felt dizzy and was having a "hot flash." The client stated that she is anxious around needles and has a history of syncope after blood draws. She also complained of experiencing tunnel vision and hearing. The client's vital signs were a temperature of 96.7, blood pressure of 122/82, heart rate of 92, and O2 of 99%. The client stated she did eat that morning, and refused a set of repeat vitals, but agreed to wait 30 minutes for observation after her symptom onset. Per the client, she has no allergies or medical conditions, and takes no medications. At 1435, the client accepted some water to drink. At 1440, the client stated that she no longer felt dizzy. The client's color had returned and she was no longer dizzy. She agreed to have repeat vital signs at this time: blood pressure of 118/82, heart rate of 90, respiratory rate of 16, and O2 99%. The client refused benadryl at this time. At 1454, the client's vital signs were as follows: blood pressure of 116/82, heart rate of 90, respiratory rate of 12, and O2 of 99%. The client stated that she felt "back to normal" and called her sister to drive her home. She was escorted to her car by the EMT, she ambulated with a steady gait. Education provided regarding emergency response, V-safe, and the importance of following up with a primary care provider.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1182699	4/8/2021	WI	32	M	4/8/2021	4/8/2021	Patient had an episode of fainting about 10 mins after vaccine administration. after regaining consciousness he had rolling eyes and seizure and 2nd episode of fainting. The fainting episodes were for few seconds (30-45 sec). Patients feet were elevated and paramedics were called. while waiting for the paramedics we had patient drink water and orange juice as he was on diet and had taken only 300 calories per patient. Used cold compress on his face and neck, patient was comprehending well afterwards. paramedics arrived and examined the patients vital and asked if he would like to go to the hospital even though patient seemed fine. Patient denied going to the hospital and paramedics left afterwards. patient waited for 30 minutes afterwards and then left. we called the patient later and he was doing fine.
1182678	4/8/2021	MI	20	M	4/8/2021	4/8/2021	Dizziness upon standing and walking, nausea, clammy and warm skin, sweaty, pale, tunnel vision, loss of acute memory, vision, and hearing. Patient was watched from 3pm (right after dose) to 3:30pm. He was feeling these symptoms from 3pm to about 3:15pm. He was given water after 5 minutes and cold wash rags to put on his forehead and neck. He was also told to breath deep breaths slowly. He said his throat felt sore and was provided with a throat lozenge. Color in his face returned after roughly 10 to 15 minutes and he verbally said he was feeling much better. Pharmacy associates watched him for another 15 minutes to make sure he was okay.
1182632	4/8/2021	PA	19	F	4/7/2021	4/7/2021	Within the hour after receiving shot, migraine formed along with fatigue. Both progressively got worse through out that day(4/7/21). On 4/8/21 I woke up many times through out the night with a migraine that felt as though my brain was burning and sinus pressure, causing immense eye sensitivity. Throughout the night I became increasingly more sweaty, but didn?t have the proper thermometer to take my temperature. I took ibuprofen (at 6:45 AM on 4/8/21) which helped those two side effects subside (around 8 AM). Fatigue has been constant throughout both days. Around 5:00 PM on 4/8/21 I ate broccoli and rice for dinner, small amounts, and encountered bad diarrhea. It lasted for about half an hour. Migraine is reduced significantly (at 6:41 PM), but there is slight nausea, weakness, and fatigue.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1182840	4/8/2021	NY	20	F	4/1/2021	4/2/2021	Severe headache starting around 2 am that only got worse as the day went on and ending around 6 pm. When I woke up at 7 am I became very faint about 10 minutes after getting up and walking around; it sounded like I was underwater, I had tunnel vision, I could not speak coherently, and I was sweating. This subsided about 15 minutes after laying on the cold floor with a cold towel. The faintness completely disappeared after an hour
1183241	4/8/2021	AR	33	F	4/7/2021	4/7/2021	Fever, Body Ache, Intense right leg pain, walking difficulty, tingling and numbness on left hand which was vaccinated. heavy head, severe headache, eye pain, sore throat, walking difficulty, nausea, diarrhea
1181735	4/8/2021	RI	53	F	4/8/2021	4/8/2021	Observer noticed patient eyes glazed , Call pharmacist over - pharmacist spoke with patient, he noticed eyes rolling up and yelled to call 911 -then asked patient her name And where she was - did Not answer - pharmacist administered epi pen. Paramedics arrived

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1183470	4/8/2021		28	M	4/8/2021	4/8/2021	Client received the COVID vaccine (Moderna, lot # 041AB21A) at 1005. Client reported dizziness, and EMT, Nurse and Physician all responded at 1010. The client was sitting in his chair, head back with his eyes closed. The client stated that he was going to pass out and he appeared very pale and diaphoretic. The client was transferred to the reclining chair. At 1015, the client's vital signs were as follows: blood pressure of 110/68, heart rate of 78, respiratory rate of 16, and O2 99%. At 1020, the client stated he was "starting to feel better" and his vital signs were as follows: O2 99%, heart rate 59, and respiratory rate of 16. His color had improved to normal. The client refused benadryl. At 1025, the client's heart rate was 58, respiratory rate was 18, and O2 was 98. He stated he had no medical history, takes no medications, and has no allergies. At 1030, the client's blood pressure was 114/74. He was given a water which he started to drink. At 1040, the client's blood pressure was 112/70, with a heart rate of 57 abd O2 of 98%. The client stated his symptoms were completely resolved and he was able to stand without any return of dizziness. Education was provided regarding V-safe, emergency measure and activation, and primary care follow up. The client has no PCP so information was provided regarding. The client was escorted out to his car, ambulating with a steady gait, and he drove himself home.
1183393	4/8/2021	IL	26	F	4/8/2021	4/8/2021	Pt received vaccine and then became anxious, dizzy, and stated she had visual changes. Pt was laid down and then observed. Symptoms resolved 45 minutes after they started.
1183376	4/8/2021	WI	33	F	4/6/2021	4/6/2021	At 20mins after vaccine felt like the floor was coming up with out seeing it that way. About 40mins after vaccine left side of my face went numb. Into my lips, my entire cheek, up side of my eye. This was the same side as my vaccine. Lasted badly for almost 2 hours and started to fade. At 1.5 days these areas still feel odd/full//like a bandage is on them.
1183351	4/8/2021	CA	40	F	4/7/2021	4/8/2021	Extremely Swollen eye on right side of Body. Pain on right buttocks and back of leg. All over achy. Stuffy and flu like symptoms

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1183342	4/8/2021	FL	55	M	4/8/2021	4/8/2021	Patient could not breathe, was very stiff, sweating, salivating from the mouth, his eyes were rolling in the back of his head, he was incoherent and he could not sit up on his own. I administered an Epi-pen injection and called an ambulance. He was taken to the hospital.
1183302	4/8/2021	CO	28	F	4/8/2021	4/8/2021	Difficulty breathing, sweats, feeling dizzy and like I was going to pass out (vision went dark a few times), nausea. Oral liquid antihistamine administered. Recovered within 20 minutes.
1183297	4/8/2021	TX	26	F	3/31/2021	3/31/2021	Less than five minutes of receiving vaccine: Eyes rolling back, feeling of fainting, tinnitus, blue lips, blue fingers, really hot. Thirty minutes after receiving the vaccine: bad chills/shakes/shivers/teeth chattering, diarrhea, confusion
1183286	4/8/2021	SC	34	F	4/8/2021	4/8/2021	Pt felt very anxious but thought she was ok after receiving the shot. When she stood (approx. 2 minutes after receiving shot), she immediately felt light headed and her throat felt tingly, but pt continued to talk without any issues and sat back down. She became flushed and had facial swelling within 10 minutes. Pharmacist administered diphenhydramine liquid (25mg dose) at this point and patient wanted to wait to see if that helped before taking the second recommended dose to equal 50mg. Patient continued being able to talk and facial swelling improved within 10 additional minutes. Patient remained under pharmacist supervision and walked a few aisles to ensure she felt normal before walking patient to her car where her husband was waiting (at 10:30am). Patient reported she was very anxious and has had panic attacks in the past, but never to a vaccination. Patient appeared to have returned to her normal state before pharmacist left. Facial swelling was resolved but patient still reported mild throat tingles. Pharmacist followed up with patient at 3:15pm and she reported she was feeling much better and experienced no additional adverse events nor required additional interventions.
1183275	4/8/2021	WA	38	F	3/20/2021	3/21/2021	Tinnitus (high-pitched ringing in the ears) starting after vaccination. Doctor's visual inspection of eardrum indicates everything looks normal. Wait and see if tinnitus gets better/worse/same. Recommended to contribute with second vaccination dose.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1183269	4/8/2021	IL	21	M	4/8/2021	4/8/2021	5 minutes post vaccination client had vision changes, lightheadedness, mild nausea, sweating. Symptoms resolved after 10 minutes. Client's treatment was elevating legs, applying cold packs to neck and staying close to client and not allowing client to leave until he was 100% normal per client's report of normal.
1183057	4/8/2021	NM	29	M	4/8/2021	4/8/2021	gave patient vaccination in designated vaccine area after going over possible side effects. vaccine was given in left arm. I asked patient if he felt ok to move to observation area. patient said yes and stood up and walked to observation area. he sat down and I told him I would be right back. I turned around and was walking back into the pharmacy when I heard a loud crash. I turned around and patient was slumped side ways about to fall out of chair. He had fainted or had a seizure (he was very stiff, redness to face, eyes open and fixed). I ran over to him and a pharm tech and I got him to the floor immediately. He regained consciousness within 5-10 seconds after placing him on floor. he asked how long was he out. he stated he had this seizure happen before but never after a vaccine. he said he has had multiple vaccines like hepatitis b and this never happened. he states it happens when he has something done to him that causes intense pain. he said it happened after hurting his ankle or when he hit his hand in a fan. checked his BP-172/100 pulse-65. paramedics came to check him out. BP still elevated. he walked out with paramedics.
1183255	4/8/2021	SD	55	M	3/31/2021	4/4/2021	Second shot Wed. Awoke Sunday to aches and pains, extremely dry and itchy eyes, runny nose, dry cough, slight fever. Finally today, Thurs., the symptoms are subsiding. Have used otc meds including cold and flu syrup, tablets, and allergy relief. Writing as I am finding comfort from FEXOFENADINE WHEN OTHERS DID LITTLE other than make me totally useless from extreme drowsiness; and because these symptoms are not the typical reported issues that come and go within a day or two of injection. Specifically, the store brand product is apparently highly effective and without the drowsiness issues.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1183387	4/8/2021	AZ	16	F	4/8/2021	4/8/2021	Patient showing symptoms (closing/opening of eyes. fall back on chair. pale face) of fainting tendency within 5 minutes of vaccines. Pharmacist instructed patients to take slow, deep breaths and try to open eyes. Patients was able to stabilized.
1183232	4/8/2021	CA	59	F	4/1/2021	4/6/2021	Hard red bump, itchy, uncomfortable, appearing around 5 days after the vaccination and seemingly worse 7 days after (today reporting) Itchy & irritated eyes - recent floaters seem worse. Scary! Will the second dose make these side effects worse?
1183185	4/8/2021	NY	33	M	4/6/2021	4/8/2021	Puffy, itchy and swollen eye lid.
1183160	4/8/2021	CA	60	M	4/8/2021	4/8/2021	Patient is a 60 year old male who has completed a 45-minute observation period with the following signs and symptoms of an adverse reaction: tingling and numbness around lips area, left arm and bilateral lower extremities 30 minutes after Janssen/J&J COVID-19 vaccine# 1 in series administered. Action(s) taken: Vital sign at 1626 blood pressure ; 153/95, heart rate: 70, respiration ; 16, Spo2: 98 % Repeat Vital sign at 1635: blood pressure ;148/101, heart rate:69, respiration ; 16, Spo2: 98 % - Patient denies chest pain ,shortness of breath, nausea vomiting, diarrhea, abdominal pain, difficulty swallow, headache, dizziness, or vision changes. Action(s) taken: Transferred to higher level of care/urgent care, report given to doctor. Doctor states that he is going to prescribed benadryl and will observed for 30 minutes. Patient advised to follow up with Primary Care Physician
1183151	4/8/2021	OH	42	F	4/7/2021	4/8/2021	pt stated minor redness/ hives reaction and puffy eyes when she got home but subsided with benadryl . woke up at 130 am on 4/8 with fever of 104 f . fever broke and pt sweated profusely-- had headache and run down feeling most of 4/8. fever is down but still feeling tired
1183141	4/8/2021	IL	46	F	4/7/2021	4/8/2021	Patient complains of hallucinations a few times throughout the day on the day after receiving vaccine. On the evening she received the vaccine, she experienced arm and shoulder pain and severe headache/pain above the eyes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1183136	4/8/2021	MA	67	M	4/1/2021	4/1/2021	04/01/2021 (Same day as vaccination): fatigue 04/02/2021: fatigue, insomnia, muscle aches, joint aches, headache, fever, congestion, shortness of breath, gastrointestinal pain/aches, vertigo, blurry vision, chills, overheating, excessive sweating, slowed thinking, lack of appetite 04/03/2021: same as previous day, but a little less severe 04/04/2021 ~ 04/08/2021 (less severe than previous days): fatigue, muscle aches, headache, congestion, shortness of breath, vertigo, blurry vision, slowed thinking I believe that either the vaccination exacerbated the symptoms of my Lyme disease, or the Lyme disease exacerbated the side effects of the vaccination.
1183131	4/8/2021	NY	42	M	4/7/2021	4/7/2021	Dizziness, heart rate up and down between 62-118 while doing nothing physical. Had to sit down numerous times because I almost passed out. Heart rate would rave then drop and I'd break out in cold clammy sweat. Did not seek treatment tried to rest and had friends and kids keep an eye on me. Day 2 better but still times heart would race.
1183128	4/8/2021	VA	62	F	3/30/2021	3/30/2021	Within five minutes, the muscle spasms began in my neck and left upper trap. It spread over the day to both sides of my neck, arms, upper and lower traps, thighs. I have had continuous fatigue. The swelling of arms, hands, legs, abdominal cramps, nausea, diarrhea, bone on bone joint tightness and clicking in my fingers, was all worst the first 4-5 days. In the second 4-5 days, my face and tongue started swelling more. The swelling had gone down in my legs and arms, but it seems to be coming back. The elevated temperature (over 99 daily since April 3rd), blurry vision, and migraines kicked in. The fatigue is persistent. A mild headache is persistent, if I don't have a migraine. I am still sick.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1183127	4/8/2021	OK	32	M	4/8/2021	4/8/2021	Patient recieved dose at 3:32pm and went to sit out front for the 15 minutes at 3:36pm another patient that was waiting thier 15min came to get us because he noticed he was turning white. I went to check on him and he was yellowish in color and barely able to speak to me. I asked another pharmacist to get me a cold pack and water. By the time we got the cold pack and water, he was not speaking, but eyes were open. I called 911 and the other pharmacist fanned him and placed the cold pack on his head and neck. He started talking within minutes and we waited for ambulance to come just to check him out. He was ablet to verify his name and where he was and EMSA came at 3:50pm. He left to their truck and said he was okay just felt shaky and clammy, but he could hear everyone talking to him.
1183117	4/8/2021	UT	56	M	3/23/2021	3/23/2021	Hairy throat, swollen tongue, ichy eye on the inside, throat close off, Given 50 mg Benedryl with water before it got worse. Epi pen was opened and prepared for use. Not needed Occurred 10 minutes after injection. Held at pharmacy for 2.5 hours for reduced symptoms before being allowed to leave. Took 50 mg Benedryl 4 hours later and at 6:00 am next day. Primary care physician notified and he prescribed Epi pen for relapse or further need.
1183116	4/8/2021	IL	40	M	4/6/2021	4/7/2021	Whole body Numbness and tingling, loss of feeling of lower right arm and lower right leg. Loss of control of lower right arm. Extreme fatigue unable to get up and move at times. Very light headed and on the verge of blacking out.. possibly Loss of consciousness. Extreme tightness in chest. Increase work of breathing. Confusion. Unable to keep eyes open and maintain alertness. Extremely tired Symptoms have gotten a little better throughout the day of april 8th with lots of rest and very little physical activity. I still have slight tightness in chest. Increase work of breathing. Still have tingling throughout body and am lightheaded. When doing any physical activity I become fatigued and lightheaded very fast and must stop after 5-10 minutes. Tongue is still tingling and metallic taste in moutg



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1183098	4/8/2021	WA	42	F	4/7/2021	4/7/2021	After receiving the vaccine yesterday, I started feeling amped up like I took a bunch of caffeine pills but I also had heavy eyes. Very dry mouth. Today I'm in pain from my neck to my hand. My entire arm feels swollen and burning. My hand is swollen and my finger tips are tingly. The severity of this pain started about 4 hours ago.
1183259	4/8/2021	WV	53	F	4/8/2021	4/8/2021	Pt went to stand up right after receiving the vaccine and immediately passed out on the floor. Upon examining the pt, pt stated she was dizzy after receiving the vaccine and we thought she just stood up too fast. Observed pt for several minutes, pt vomited shortly after and remained dizzy and sweaty. After about 30 minutes, pt stated she felt better and wanted to go on to work. While walking down the hallway to leave, pt passed out again. Contacted 911, pt had blurred vision, dizziness, slurred speech. Ambulance arrived, BP and HR were normal, but pt couldn't stand up unassisted. Pt was taken to the ER by ambulance.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1181931	4/8/2021	NJ	18	F	4/8/2021	4/8/2021	<p>Patient is an 18 year old female with no PMHx that presented with lightheadedness and three subsequent episodes of syncope approximately 3-10 minutes post-vaccination. Patient was found to have an abrasion to the outer corner of her right eyebrow following an unwitnessed. It was unknown if patient was seated or standing at the time. The nurse first on scene states the patient lost consciousness briefly again and experienced approximately 10 seconds of upper extremity muscle contractions (described as convulsions). Patient experienced a loss of bladder control upon loss of consciousness. Patient was lowered to the ground to be in a supine position by healthcare staff. At this time, patient was alert and oriented without agitation or confusion. Patient denies memory of the event. She states she had prior episodes of fainting after blood draw. Patient has no allergies to medication or food. No past surgical history. No prior hospitalizations. Denies personal and family history seizure disorders, cardiac disturbances, and hypoglycemic or hyperglycemic events. Patient was hooked up to cardiac monitor and found to be in normal sinus rhythm with a heart rate of 64bpm. Vitals Orthostatic BP measurements Lying supine - 110/72 Seated - 124/76 Standing - 128/72 HR: 64 bpm RR: 16 breaths/min without distress SO2: 99% On examination, patient was A&amp;Ox3 without lethargy, agitation, or confusion. Patient has an abrasion to the superior aspect of the right orbit (outer eyebrow) without laceration or bleeding. Patient was diaphoretic and pale following event. Normal cardiac rate and rhythm. Radial pulses intact, strong and equal bilaterally. No obvious nystagmus. Upon standing, patient steady on her feet without abnormal gait.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1182149	4/8/2021	WI	67	F	3/18/2021	3/18/2021	3/18/21 1:30 pm left arm pain, wrist joint pain. 8:00pm chills, warm, muscle and joint pain to both arms. Woke up 3 times during night to urinate, stomach ache. 5:00am 3/19/21 moderate severe eye/face headache, had to take tylenol. woke up weak and diaphoretic. tired during morning , had to nap from 1-3pm. joint pain/headache returned at 8 pm requiring tylenol. 3/20/21 work up fine, no symptoms. then at 3 pm shakiness but only lasted few minutes. 3/21/21 work up 2am very anxious, read for an hour. work up at 630 feeling weird, very imbalance, had to hold onto furniture, increased with head movement, no pain. lasted about 2 hours. Insomnia has been continous since vaccine, 6-7 hours with interruptions. 4/5/21 bitter taste, foods taste different. eye pain intermittent since vaccine. finger joint pain (present prior to vaccine) seems to be worsening.
1182146	4/8/2021	FL	19	M	4/8/2021	4/8/2021	Patient about 3 minutes after receiving vaccine felt light headed, vision blurred, and felt like he was going to black out. Pharmacist had patient get down on floor to bend knees and get them above heart level and he started feeling relief. Patient quickly recovered.
1182133	4/8/2021	TN	28	U	3/19/2021	3/25/2021	She received the J and J vaccine on 3/19/21 at STM. She presented to Med center with a "viral syndrome" including fevers, rigors, muscle pain and SOB. She received a Z pack. Fever persisted for 1 day after ER visit but she continued to feel badly. The following day, 3/27 she was awakened with severe R>L jaw pain, post HA with standing, pain in the cartilage on the tip of her nose and SOB. SOB resolved by 3/31. HAS persisted as did jaw pain and pain behind her eyes. ON 3/30 she noted increasing bruising and periorbital petechiae which continued through 4/5 when she sought help from Dr , her PcP. When she saw DR she was noted to have bilateral leg swelling R>>L . She had labs and a Doppler US which we are trying to locate. She had a syncopal spell on 4/6 and was brought to ER at STM where she was diagnosed with sagittal vein thrombosis, RLE DVT and thrombocytopenia.
1182131	4/8/2021	AZ	57	F	3/25/2021	3/25/2021	Continuing rash at injection site Extreme vertigo Right eye numb and blurry

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1182093	4/8/2021	CA	23	F	4/8/2021	4/8/2021	At 1158, RRT was initiated for a 23 y/o F with c/o of feeling to pass-out, had burry vision, and was diaphoretic. Vitals: BP ? 110/72, HR ? 96, RR ? 14. Vaccinated on the L arm at 1150. Has anxiety, NKA, and did not take any medications today. Head-to-toe assessment completed. During monitoring period, client?s condition improved. By the end of monitoring period, client was in stable condition. Client left vaccination clinic at 1210 in stable condition, ambulatory, breathing even and unlabored, accompanied by her boyfriend. Boyfriend drove client home. Client was not diaphoretic anymore and her vision was normal and clear.
1182083	4/8/2021	MD	63	F	3/27/2021	4/3/2021	On the 7th day after receiving the Moderna shot (dose #1) at approximately 11:00 pm while watching television, I suddenly started hearing loud cricket sounds that I thought were coming from outside. Initially, I turned off the television then after a short period of time, I walked around the house, basement, and garage to see where the noise was coming from. After returning to bed, I turned off the television again, then realized the noise was coming from my ears! Initially, I was startled because there was nothing I could do and I could not fall to sleep. In the morning, after thinking what had been different in my life, I remembered the vaccine. I then researched and found that there had been others with the same or similar experience. Diagnosis: Tinnitus On April 9th, I have an appointment with my Primary Care Manager, to discuss the situation. I have a serious concern about taking the 2nd dose scheduled for Saturday, April 22. Following my doctor's appointment, I will request an appointment with an Otolaryngologist.
1182069	4/8/2021	MI	25	M	4/8/2021	4/8/2021	Patient passed out and hit his head on the floor cause a laceration above left eyebrow which needed medical attention at local hospital. Also may have needed a concussion test done.
1182068	4/8/2021	PA	45	F	4/8/2021	4/8/2021	Approximately two hours after receiving Janssen Covid19 vaccine, patient experienced swollen hands, tingly lips, eyes, face. Patient feel better after administer liquid benadryl

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1182052	4/8/2021	LA	50	M	4/8/2021	4/8/2021	The patient came in for J&J vaccine. He said he had no history of severe allergic reaction to anything, including meds, food, vaccines or any injections. He said that he did not receive any other vaccine in the past 14 days. According to the patient, he did not have test positive for Covid or was in contact with anyone with Covid for the past 2 weeks. He appeared perfectly fine prior to receiving the vaccine. Once the vaccine was given, within about 5 seconds, he said that he was seeing spots, he closed his eyes and made sounds that were similar to snoring. His neck was completely down on his right side and he almost fell off his chair. I held him so he would not fall off the chair and called for help. A few of the co-workers came to hold him. He was non responsive and my co-workers helped to put his legs on the chair. At point, I gave him an epipen. Once the epipen was given, he opened his eyes in about few seconds and became responsive. The nurses came and took over at this point. I stayed with him and the nurses for a few minutes. The patient was fully responsive and talking by the time I left the nurses and the patient. 911 was activated after the first epipen was given. The patient was then evaluated by EMS and the onsite nurses. The patient was AOx4 with stable vital signs. The patient had orthostatic vital signs taken and were within normal limits. The patient demonstrated that he was able to ambulate with no assistance. The patient signed a refusal for transport to the hospital and was driven home by a colleague. The patient remains in care of that colleague for monitoring. The patient was instructed that if he were to begin feeling the previous symptoms that he is to activate 911 and be seen in a hospital. Patient understood the instructions and went back to his residence.
1182045	4/8/2021	NY	47	F	4/8/2021	4/8/2021	Patient had rash on arm, chest, and under eyes, she self administered liquid benadryl 50 mg, and 911 was called, EMS took patient to hospital, patient never had trouble breathing or speaking

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1182040	4/8/2021	CO	60	F	4/6/2021	4/7/2021	Moderately sore arm following injection. About 14 hours after vaccination, began to experience flu-like symptoms: severe back pain, moderate pain in all joints from head to toe, chills surging through my body every time I moved, severe headache, aching back of neck, nausea, debilitating weakness, fatigue to the point I could not get out of bed. Headache was so bad I could not read, wear glasses, or even keep my eyes open for very long. I felt VERY ill, the worst I have ever felt in my entire life. Flu-like symptoms lasted almost exactly 24 hours. Low-level fatigue persisted past 24 hours. Regardless of this bad experience, I am happy to have been vaccinated and suffer through a short bout of side-effects rather than come down with COVID-19. I would certainly make the same choice again.
1181964	4/8/2021	OH	68	M	3/18/2021	3/22/2021	Shingles on left side of head, exterior layer and around eye, face to nose. Intense headaches began on morning of 4 th day after 2 nd vaccine dose, leading to intense stabbing headaches 3 minutes apart on 8th day after dose...initially misdiagnosed/ treated as cluster headache. Shingles Rash presented 9 th day after dose. This has involved 1 Visit to urgent care; 3 ER visits and repeated ophthalmologic care. Still not resolved, with ongoing eye and nerve pain
1182189	4/8/2021	KS	35	F	4/7/2021	4/7/2021	Intense dizziness. Racing heart, blurred vision, tunnel vision.
1181934	4/8/2021	SC	24	M	4/8/2021	4/8/2021	THE PATIENT PASSED OUT AND HIT HIS NOSE ON THE FLOOR FOLLOWING ADMINISTRATION OF THE VACCINE. HE CUT HIS NOSE AND HIS EYEBROW. THE EMS CAME AND HE REFUSED TO GO TO THE HOSPITAL. HE LATER WENT TO THE EMERGENCY ROOM WITH HIS FAMILY AND HE WAS RELEASED. HE IS RESTING COMFORTABLY AT HOME. HIS FAMILY SAYS HE DOES NOT HAVE A PRIMARY CARE PHYSICIAN TO REPORT THIS TO

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1181775	4/8/2021	NY	30	F	4/7/2021	4/7/2021	A few minutes after receiving the shot I began to feel nauseous, almost like being car sick while looking at my phone. I also began to feel tightness in my chest. After my 15 minutes were up I asked the administrator of my shot if it was normal that I felt dizzy/chest tightness. They said it was probably fine and just to monitor my symptoms. I went and sat in my car a few min and I began to feel very strange, it seemed very bright out, I felt weak, and my eyes felt very heavy. I wanted to get home so I started driving but on the highway, my heart beat was very fast and I began to feel like I couldn't swallow. At one point felt as though I might be about to choke so I pulled over because I thought I was going to have to dial 911 as my throat was feeling like it was closing up. I tried swallowing a few times with great effort and after a few minutes the sensation started to lessen. My throat hadn't closed up completely, however it did feel like it had swelled up.
1181915	4/8/2021		55	F	4/6/2021	4/6/2021	Pt received Janssen vaccine at approx 1040. Within five minutes she began to experience a racing pulse, and c/o a "hot neck." She was taken to a treatment room and a provider was notified. 1049 diphenhydramine 50mg IM given 1053 c/o swollen lips, dry mouth, blurred vision, possible swollen tongue 1109 epinephrine 0.3mg IM given 1111 c/o throat dry, difficulty swallowing 1116 NS 0.9% bolus started 1121 pt reports feeling "much better. Denies swollen lips/tongue, denies difficulty swallowing, states her vision is clearer 1202 c/o "hot neck and face," dry mouth and difficulty swallowing 1208 epinephrine 0.5mg IM given 1211 diphenhydramine 12.5mg IVP given 1212 c/o chest pain 1225 EKG done 1239 taken via stretcher to ED

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1181871	4/8/2021	KS	55	M	4/7/2021	4/7/2021	After vaccination patient ambulated with steady gait to waiting area to sit recommended 15 min, after sitting in chair in waiting area (1310) reports feeling "hot & dizzy", skin became pale and diaphoretic, eyes rolled back and didn't respond for a few seconds then was able to answer questions, kept complaining of feeling hot & dizzy, and yawning. EMS was called at 1:12 pm and arrived on scene at 1:18 pm. Patient was responsive, sitting BP 58/22, SaO2 96% on room air. Denies shortness of breath or chest pain/discomfort. 1:23 pm BP 98/60, 1:30 pm BP 108/75, 1:26 pm BP= 116/74; alert and oriented x3, speech clear and appropriate, ambulates 50 feet with steady gait/balance. Refused medical care and treatment. Signed refusal form for EMS. Patient's wife, son and parents present with him. Wife reports that he gets worked up about needles especially with blood draws. Patient leaves ambulatory with steady gait in stable condition accompanied by his wife, son and parents. Followed up via phone on 4/8/21 at 12:30 pm, patient reported he is feeling fine with no problems at present time. Reported that approximately 10 min after leaving he had another feeling of being hot for a few seconds then went away after drinking some water then had no other episodes.
1181863	4/8/2021	CA	64	F	4/8/2021	4/8/2021	Eleven mins after shot, pt notified me that she was feeling dizzy and c/o burning to bilateral eyes. Escorted pt to lie down on gurney. Three minutes later, observed bilateral eye swelling. Pt was hypertensive 221/105. Pt also had headache. Pt then c/o Left throat soreness then abdominal pain. Pt had chills, temp was normal. EMS called, pt transferred to nearest emergency department.
1181862	4/8/2021	MS	53	M	3/18/2021	4/1/2021	Major glaucoma event in one eye pressure over 55
1181846	4/8/2021	VA	48	F	4/2/2021	4/2/2021	Regular adverse events - bedridden from Friday night until Sunday afternoon - chills, joint pain, muscle weakness, chest pain, lung tightness, shortness of breath, hip trying to pop out of socket due to joint weakness - all experienced with covid in January 2021; Irregular adverse event: two seizures at approx. 11:30 p.m. uncontrollable body stiff, shaking, eyes roll back in head, moaning



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1181838	4/8/2021	CT	33	F	4/8/2021	4/8/2021	On 4/8/21 Physician was administering Covid-19 vaccines at our clinic in the lawn and garden center. She had a patient who was there to receive her first dose of the vaccine. After the vaccine was administered, she was okay and went to sit in the waiting area. Shortly later she came back up to the pharmacist table and reported feeling dizzy, lightheaded and nauseous. Physician then told the patient to sit right by her so she could keep a better eye on her. The patient said she was okay and then suddenly she passed out. Physician was able to catch her as she was falling out of the chair and was able to lay her down on the floor. She may have bumped her head slightly on the ground during this process. Physician then reports that the patient's breathing sounded labored, and the patient was not conscious. At that point Emergency department was called. Physician removed the patients mask and was preparing to administer an EpiPen due to the labored breathing but then the patient regained consciousness. The Emergency operator advised her to keep the patient on the ground until EMS arrived on scene. Patient was conscious and okay on the ground. EMS then came and took care of the patient. It was deemed that the patient gets lightheaded when she gets bloodwork done usually and believes this may have been an anxiety event. She did not want to go to the hospital. She felt a bit dizzy once she was sitting back upright and EMS approved the patient drinking some water. This seemed to help, and the patients color came back. The patient sat with Physician for a while and then felt back to normal and left on her own accord.
1181830	4/8/2021	CA	19	F	4/8/2021	4/8/2021	Patient was ambulating to waiting area chair and became weak. Patient was assisted to floor with nurses help. Eyes closed and was responsive with sternal rub to upper chest wall. Respiratory rate even, unlabored. Patient opened eyes and started talking. Alert and oriented x 3. Skin color grayish white with lips white. Water was given. Vitals obtained with BP 92/58, HR 64, 100% O2 on RA. Placed in wheelchair and pushed to private area. Patient refused for EMS to assist. Denies pain. No acute distress noted. Patient left vaccine site with no further incident.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1181791	4/8/2021	CT	29	M	4/8/2021	4/8/2021	once the person recieved the vaccine within a minute he felt dizzy, dry mouth, blurred vision, kept sweating he asked for water but he lost control of his muscle and the water spilled on his pants. We called 911, then after about 6 minutes he felt ok even before 911 arrived.
1181773	4/8/2021	MA	38	M	4/8/2021	4/8/2021	Pt presented for covid vax #2 Pt reported puritis at RLQ of abdomen post vaccine administration in the left deltoid This RN assessed pt: RLQ of abdomen was pink in color, round, 2 inches, no welts, hives, open areas/wounds noted at site Pt denied: nausea, sweating, difficulty swallowing, SOB, facial swelling or generalized itching This RN alerted MD Pt observed by this RN, offered pt water MD assessed pt, see MD note Itching and redness self resolved, per MD: ok for pt to leave vaccine clinic Pt asking for a BP check- denies HA, visual changes MD parameters: alert with BP >140/90 BP obtained with small cuff: 142/86, RA, sitting Repeat BP obtained with large cuff: 132/78, RA, sitting Pt denied hx of HTN or s/s of HTN Pt denies issues and left ambulatory from vaccine clinic
1181754	4/8/2021	TX	19	F	3/27/2021	3/27/2021	Patient stated he felt light headed with blurred vision. 1:50 pm BP 140/96 pulse 86 1:56 pm 98/69 pulse 86 2:24 pm 93/73 Pulse 81, alert 0x3 with NAD ( No Apparent Distress) color pink No SOB, No rash ER instructions are given. Left at 2:28 pm went home in NAD.
1182615	4/8/2021	CA	18	M	4/8/2021	4/8/2021	Patient at Vaccination table, just received dose of vaccine when patient's arm went limp. Also developed generalized weakness. Mother stood in front of him and held his head with both hands. Patient then passed out with eyes rolling in back of head. Also had convulsions for a few seconds that mimicked seizure. Patient soon became alert. Vitals obtained with BP 92/52, HR 34, O2 96% on RA. Patient also diaphoretic to touch. EMS activated and arrived at 1:30pm. Placed in reclining wheelchair and taken to private area. Started to feel better after given cold water. Suggested ER due to having seizure first time. Declined ambulance but mother will take to ER in private car. Patient and mother left with no further incident.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1183451	4/8/2021	AZ	21	M	4/7/2021	4/8/2021	At 2 am 4/8/2021 started with mild headache, went to bed. At 3 am headache was migraine strength and was having full body aches (except for arms), extreme lower back and lower abdominal pain (he said it must be like what women experience in labor or during their menstrual cycle). He got up and took temperature (normal) and blood ox (100 %SpO2 on two fingers). He got a wet rag for eyes and tried to fall asleep. He said he felt hot with cover on and cold with cover off. At 5:50 am his father gave him two Motrin (400mg total), applesauce and a ice pack for his head and back. I checked on him thru-out day and he seemed restless. He woke up at 3 pm on 4/8/2021 said headache and major back pain/abdominal pains were gone. He still feels slightly achy, but fine otherwise. as of 8:24 pm.
1181946	4/8/2021	TX	39	M	4/8/2021	4/8/2021	heavy arm sensation then tunnel vision, then pt passed. MONITORED FOR 30 MINUTES NO TREATMENT.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1182571	4/8/2021	PA	34	F	3/19/2021	3/20/2021	headache; swollen lymphnodes in both armpits; woke up with mastitis in left breast; chills; 102 fever; Migraine ocular headache (seeing zig zag lines in vision); trouble breathing--one dry cough after breathing deeply; fast heartbeat; developed a sore left arm; body aches; This is a spontaneous report from a contactable consumer (patient). A 34-year-old female patient (not pregnant) received second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Lot number: EN6204), via an unspecified route of administration in left arm on 19Mar2021 at 16:30 (age at vaccination 34- year-old) at single dose for COVID-19 immunization. Medical history included drug hypersensitivity to penicillin, sulfa drugs, levoquin, some fish oil supplement. The patient's concomitant medications were not reported. Vaccination history included: first dose of bnt162b2 for covid-19 immunization on 26Feb2021 at 16.30 (lot: EN6202) in right arm. On 20Mar2021, patient experienced woke up with sore left arm and body aches. Patient took ibuprofen and felt better. On 21Mar2021, patient woke up with mastitis in left breast, chills, and 102 fever, migraine ocular headache (seeing zig zag lines in vision), trouble breathing--one dry cough after breathing deeply and fast heartbeat. On 22Mar2021, patient had still a headache. She went to doctor for mastitis. A mammogram and ultrasound showed swollen lymphnodes in both armpits (first shot was on right arm). On 23Mar2021, patient had still headache. Patient received antibiotics as treatment for adverse events. Outcome of events was recovering. Additional information has been requested.
1182583	4/8/2021	MO	18	F	4/8/2021	4/8/2021	The patient reports experiencing blurred vision, vertigo, throbbing unilateral headache upon arrival to her seat. The medical team assessed her and found her HR to be 76 bpm, BP 142/80, BG of 72, and her oxygen saturation was 99%. She reported that she had not eaten all day and had not had a lot of water during work. She reported that she typically gets migraine headaches lasting for several hours. She was given some water and her symptoms started to resolve. She asked if she was able to go home.
1182205	4/8/2021	MD	28	M	2/13/2021	2/13/2021	Hives, neurological symptoms, tingling and burning in legs and feet, vision issues in one eye and trouble walking.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1182608	4/8/2021	PA	74	F	3/8/2021	3/8/2021	Eye swelling; This is a spontaneous report from a contactable nurse. A 74-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in arm left on 08Mar2021 (at age of 74-year-old)(Lot Number: EN6206; Expiration Date: 30Jun2021) as single dose for COVID-19 immunization. Medical history included detached retina, cataract, eye surgery on 12Feb2021, and hit the head on the freezer door. Concomitant medications included hydrochlorothiazide (HTZ) taken for an unspecified indication, start and stop date were not reported; potassium chloride taken for an unspecified indication, start and stop date were not reported; vitamins NOS (MULTIVITAMINS) taken for an unspecified indication, start and stop date were not reported. There was no History of all previous immunization with the Pfizer vaccine considered as suspect or additional vaccines administered on same date of the Pfizer Suspect. There was no prior vaccinations (within 4 weeks). The patient experienced eye swelling on 08Mar2021. The reported seriousness criteria was medically significant. The events did not result in emergency room visit or physician office visit. Time the Vaccination Was Given: 2:15-3:00 pm. The patient had the vaccine then she went to her retina specialist right after, she had a detached retina prior to receiving the vaccine. At the retina appointment before the vaccine she didn't have edema within her eye, at this appointment she had new onset edema inside of her eye. The edema was on the right, the vaccine was on the left. The patient knows there are lymph nodes around the eye and she has a weird body. The patient wants to know if other people have experienced this. There is edema inside the eye. The patient wonders if the vaccine interacted with the oil given during the retina exam. The patient had cataract surgery done and then had a hole in her retina following the surgery. The hole got worse and she had to go for surgery on 12Feb2021, then she had 3 month appointments. The patient didn't not know if she still has the eye swelling, she went back to her retina doctor on 19Apr2021. The retina doctor put her on eye drops after they found the eye swelling. The patient mentioned that she stopped the eye drops that she was taking after her surgery a week before she received the

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

vaccine. The patient hit her head on the freezer door right before her retina detached, the doctors said that it did not cause the retina to detach but she thought it was related because she hit her head really hard. Therapeutic measures were taken as a result of eye swelling (eye swelling). The outcome of event was unknown. The patient thought this eye swelling may be related to the vaccine but she is unsure.; Sender's Comments: Based on the available information, the company considers that a causal relationship between eye swelling and BNT162B2 vaccine cannot be excluded due to plausible temporal association. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1182572	4/8/2021	NY	73	M	3/9/2021	3/10/2021	Paralysis of right upper eyelid impaired motility of right eye and eye pain.; Paralysis of right upper eyelid impaired motility of right eye and eye pain.; Paralysis of right upper eyelid impaired motility of right eye and eye pain.; This is a spontaneous report from a contactable physician. A 73-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Lot Number: EN6207), first dose intramuscular, administered in Arm Right on 09Mar2021, single dose for covid-19 immunisation. Patient had no relevant medical history. Concomitant medicine included an unspecified vitamin. On 10Mar2021, patient experienced, paralysis of right upper eyelid impaired motility of right eye and eye pain. It was unknown if treatment was given for all adverse events. The outcome of the events was unknown. The events was assessed as serious, disability criteria. No other vaccine given in four weeks. No Covid prior vaccination. Not Covid tested post vaccination. No known allergies.; Sender's Comments: Considering the plausible temporal association and lacking any reported alternative explanation, a causative role of BNT162B2 vaccine for the reported paralysis of right upper eyelid, impaired motility of right eye, and eye pain cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.
1182559	4/8/2021	IL	18	F	4/8/2021	4/8/2021	Immediate ringing and loss of hearing in ears, blurred/starry vision, excessive sweating, nausea, and faintness.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1182552	4/8/2021	CA	28	F	4/8/2021	4/8/2021	After receiving the shot, I was required to sit down for 15 minutes. About 5 minutes in, I started to become dizzy, my vision started blacking out, my hearing was muffled, I became clammy, sweaty, and experienced mental disorientation. It became harder for me to breathe, but I never struggled to take a breath. I drank some water and waited for the symptoms to subside. I remained seated and these symptoms went away within 5 minutes. After feeling better for about 5 minutes, I felt cold and was shivering. The woman sitting next to me was completely fine after her shot. I've since felt a slight burning sensation on my skin in areas that I have scratched lightly. I'm also experiencing strange feelings throughout my body- specifically my head, leg, and hand. It feels like I can feel something in each area for a bit and then it subsides after several minutes.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1182524	4/8/2021	CA	40	F	4/8/2021	4/8/2021	<p>Client received the 1st dose of Moderna COVID vaccine lot # 041B21A, expiration date 5/6/21 at 12PM. At 12:03PM, EMTs received a report from client that she was feeling dizzy, mild headache and a little shaky. Vitals were taken-blood pressure:140/90, pulse:91 and oxygen 99%. PHN came to find client sitting upright in chair, alert and oriented x4, able to provide medical history of hypertension. Client reports she has never had any reactions to any vaccine. Client medication is Telmisartan and client reports taking her medication this morning and that her blood pressure is usually 120/80 when taking medication. Client reports to PHN that she is feeling more dizzy, PHN and EMTs transfer client to gravity chair. Offer client water and offer to call 9-1-1, patient declines and calls husband. At 12:09pm client reports feeling cold and shakiness is worse. Cover client with disposable blanket. Another nurse joined to assist. At 12:11PM vitals were taken oxygen 98%, blood pressure: 146/78 and pulse: 85. At 12:16PM client drank half a bottle of water and reports dizziness improving and no shortness of breath. PHN educate client about speaking to provider about reaction and discussion about next dose. Client also reports headache is better and able to have a conversation. At 12:17PM retake vitals blood pressure: 158/100, oxygen:96%, and pulse:83. client reports headache is worse, no chest pain, no blurred vision, no dizziness reported. At 12:23PM vitals taken-blood pressure 160/84, oxygen 98% and pulse 71. Client alert and oriented x 4 and still feeling cold. Client reports feeling chest pain and dizziness, PHN called 911 at 12:26PM. At 12:29PM client reports feeling numbness in both of her legs-pulse, motor, sensation intact in both legs, alert and oriented x 4, client reports no shortness of breath. Fire Department arrived at 12:30PM and assumed care. Client's husband arrived shortly after. Client left facility via stretcher with paramedics at approximately 12:43PM. At 12:59PM security notified PHN that client declined transport via ambulance.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1182517	4/8/2021	IL	35	F	4/7/2021	4/8/2021	The following morning my Entire body aching, muscles and joints very weak hard to walk for hours. Intense headache and eye pain with extreme light sensitivity. Fever of 102.5 for hours. Eventually after about 8 hours my stomach began to hurt nauseous. And fever dropped to 101.
1182506	4/8/2021	TX	53	F	3/24/2021	4/6/2021	4/6/21 I awoke with symptoms of numbness/paralysis on left side of face limited to upper lip and cheek area and both eyes would not stop watering. Movements to drink or make facial expressions were limited due to the numbness. Because I have sensitive skin I thought I may have had some type of reaction to something. So I waited to see if it would clear up through the day. I was not experiencing any other symptoms. By that evening it was apparent that I was not getting better and possibly getting worse because I began to experience some noticeable drooping in my cheek area. I decided to call my doctor in the morning. Because I am currently out of town, my home doctor suggested I see a local ER to rule out a stroke and determine if I was experiencing Bell's Palsy. I went to an ER clinic on 4/7/21
1182493	4/8/2021	PA	21	F	4/8/2021	4/8/2021	Pt became anxious, sweaty and dizzy. Developed tunnel vision and loss of consciousness. Staff with pt at time of syncopal episode and assisted pt to floor. Pt regain consciousness within 1 minute. Pt placed on stretcher and arrived to med obs at 1558. Vitals obtained. At this time pt states she is feeling normal. At 1611 c/o dizziness and nausea. BP rechecked and notably dropped. Pt placed in the trendelenburg position. BP increased. Nausea and dizziness resolved. Snacks and water given. Pt left facility 1712, friend driving. Vitals as follows; 1600 BP 107/74 HR 85 RR 22 spo2 98% 1611 BP 97/68 HR 78 RR 20 spo2 100% 1625 BP 109/76 HR RR 18 spo2 99% 1705 BP 95/66 (standing, asymptomatic)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1182491	4/8/2021	IN	60	M	1/6/2021	1/6/2021	large left horseshoe tear on the retina in the left/tear on the right retina/small tear right eye; detached retina on the left; vision loss/can't see at all/thought he was going blind; streaks of lightening; section of vision lost in the left eye; Posterior Vitreous Detachment; floaters; sick; This is a spontaneous report from a contactable consumer (patient wife). A 60-years-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Solution for injection) dose 1 via an unspecified route of administration on 06Jan2021 (Lot Number: EJ1685, expiry date not reported) as single dose; and dose 2 via an unspecified route of administration on 29Jan2021 (lot Number: EL8982, expiry date not reported) as single dose; for covid-19 immunization. Medical history included eye surgery (he already had surgery once) from an unknown date and unknown if ongoing. The patient's concomitant medications were not reported. Patient received first dose of the Pfizer vaccine on 06Jan2021 then on 29Jan2021 the 2nd dose. He experienced side effects: floaters on 06Jan2021, and streaks of lightening then vision loss on 15Mar2021. There was a large left horseshoe tear on the retina in the left and a detached retina on the left and a tear on the right retina on 19Mar2021. He already had surgery once. He will have 2nd surgery on the other eye. Reporter reported a follow up. He can't see at all. He was recovering and has to lay on face for 2 weeks. Reporter stated she read about retina problems related to the virus but not to the vaccine, could not find information. Patient was a retail pharmacist. He deals with customers and several customers stated they had vision problems with the vaccine: double vision, loss of sight. "There was a problem out there, but maybe they were not reporting it took reporter 2 hours to report so they may not have the time to sit there to report". Reporter knew they can't prove it was the vaccine that caused it. Reporter don't believe in coincidences. It seemed quite obvious to them it's related to the vaccine. Reporter appreciated all the help and stated they didn't have all the answers. Reporter sure it was the vaccine because it was within hours after the first vaccine, but since there was no information regarding the sight problems related to the vaccine patient didn't think about it. Then the floaters got worse and started to block his vision, after the 2nd

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

vaccine it was dramatically; within hours it was worse. He's never been sick in 36 years (2021). Patient hoped no one else has to deal with what he has to deal with. Patient also reported that on 10Feb2021, patient had section of vision lost in the left eye. It was then reported that patient was well versed in the virus and the vaccine. He was unable to speak on the phone at this time as he was recovering from surgery. Patient received the first dose of the Pfizer COVID 19 vaccine on 6Jan2021 and right away began seeing hundreds of floaters. He didn't correlate it to the vaccine but it didn't go away. Then he received the second dose of the vaccine on 29Jan2021 and within hours he thought he was going blind. He went to an optometrist 01Feb2021 who sloughed off the idea of it being related to the vaccine and diagnosed him with Posterior Vitreous Detachment. It was previously reported to Pfizer when he got the diagnosis of the PVD and all the events mentioned were previously reported. Reporter stated that from that day on the floaters got larger; the around 15Mar2021 he noticed every time he bent over he saw streaks of lightning; and he started to have a black hole, a loss of about 20% of his field of vision in the left eye. He went to another local optometrist 19Mar2021, who saw a large horseshoe tear in on left retina; and a detached left retina. The local optometrist sent him to a specialist and who verified the tear and the detachment and said the other retina in the right eye also has a small tear. Patient then had eye surgery, Monday at 0700AM, 22Mar2021 by outpatient surgery, to drain the fluid in his eye; insert a gas bubble and a silicone band to repair the retina; and did laser surgery on the tear. The specialist advised that the surgery damages the lens so he will need the lens replaced in the future. Now her patient has to lay down with his face down for 23 hours a day for two weeks and take 6-8 weeks off work. He had a doctor's visit yesterday and the doctor seemed satisfied with his progress but he can't see out of the eye, everything was cloudy so he doesn't know if the floaters are gone or the eye sight is recovered yet. The doctor was planning to do the right eye tear repair on Thursday 25Mar2021. Reporter had searched online to see if other people have this, but she can't seem to get the stories online about problems with the retina and the vaccine. She wanted this to be known and documented. Reporter was asking if company have information about if other

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1182489	4/8/2021	UT	69	F	3/22/2021	3/22/2021	<p>people have had this. As per reporter, the events were not serious. Therapeutic measures were taken as a result of the events reported. The patient required physician's office visit for the events reported. The patient had not recovered from section of vision lost in the left eye, large left horseshoe tear on the retina in the left/tear on the right retina/small tear right eye, detached retina on the left, and floaters. The outcome of the other events reported was unknown.</p> <p>vision loss; Severe Migraine over her right eye; blurriness, can't see out of right eye, very blurry was reported as worsened; Body Aches; Nausea; Chills; This is a spontaneous report from a contactable consumer (patient herself). A 69-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), batch lot number unknown, on 22Mar2021 at 09:15 (at the age of 69-year old) at single dose for COVID-19 Immunization. Relevant medical history was not reported. The patient received first dose of the same vaccine on 01Mar2021, on the left arm. Caller states that she has usually gotten sick with the flu shot. Concomitant medications were not reported. On 22Mar2021 the patient experienced chills. On 23Mar2021 the patient experienced nausea, body aches and severe migraine over her right eye and vision loss. She stated that when she covered her good eye she could not see the couch due to blurriness in the right eye. The patient was treated with ibuprofen and acetaminophen (TYLENOL), used hot packs, cold packs and a hot water bottle. The patient recovered from chills on 23Mar2021, she was recovering from nausea and body aches but was not recovered from severe migraine over right eye and can't see out of right eye, very blurry (reported as worsened). Information about lot/batch number has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1182451	4/8/2021	NJ	66	F	2/24/2021	3/30/2020	temporary vision loss; Migraine aura/migraine headache; nausea; This spontaneous case was reported by a consumer and describes the occurrence of BLINDNESS TRANSIENT (temporary vision loss) in a 66-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 019B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Migraine headache. On 24-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 27-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 30-Mar-2020, the patient experienced BLINDNESS TRANSIENT (temporary vision loss) (seriousness criterion medically significant), MIGRAINE WITH AURA (Migraine aura/migraine headache) and NAUSEA (nausea). On 30-Mar-2020, BLINDNESS TRANSIENT (temporary vision loss), MIGRAINE WITH AURA (Migraine aura/migraine headache) and NAUSEA (nausea) outcome was unknown. Concomitant product use was not provided by the reporter. No treatment information was provided.; Sender's Comments: Very limited information regarding this event has been provided at this time. Further information has been requested.
1182251	4/8/2021	TX	60	M	4/2/2021	4/3/2021	Swelling on the face ( eyes and mouth) the next morning after getting the injection as well as rash all over the body to combat the reaction the patient took 2 benadryls.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1182450	4/8/2021	NC	44	F	3/12/2021	3/12/2021	she is jerking; her leg was jumping out of control; whiteness in her eyes; shaking; she had fatigue; teeth chattering/body chills; This spontaneous case was reported by a patient (subsequently medically confirmed) and describes the occurrence of LOSS OF CONTROL OF LEGS (her leg was jumping out of control) and DYSKINESIA (she is jerking) in a 44-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 032M20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No reported medical history). Concomitant products included VITAMIN 15 for an unknown indication. On 12-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, the patient experienced LOSS OF CONTROL OF LEGS (her leg was jumping out of control) (seriousness criterion medically significant), DYSKINESIA (she is jerking) (seriousness criterion medically significant), EYE COLOUR CHANGE (whiteness in her eyes), TREMOR (shaking), CHILLS (teeth chattering) and FATIGUE (she had fatigue). At the time of the report, LOSS OF CONTROL OF LEGS (her leg was jumping out of control), DYSKINESIA (she is jerking), EYE COLOUR CHANGE (whiteness in her eyes), TREMOR (shaking), CHILLS (teeth chattering) and FATIGUE (she had fatigue) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. The patient went to emergency room and doctor did not tell her anything. The patient was treated with Tylenol (acetaminophen) and ibuprofen.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1182234	4/8/2021	CO	34	M	4/8/2021	4/8/2021	Moderna COVID-19 Vaccine EUA: patient brought in by ambulance to emergency department (ED) after reporting tongue and lip swelling immediately after vaccination. Epinephrine (EpiPen) administered at vaccine clinic and diphenhydramine administered en route to ED. On arrival to ED patient denies headache, chest pain, blurred vision, shortness of breath, nausea, and vomiting. Initial vital signs within normal ranges except for blood pressure 138/75 mmHg. Physical exam documents no acute distress and no rashes. Patient observed, repeat vital signs all within normal limits, symptoms improved, prescribed EpiPen and diphenhydramine, and discharged home stable with follow-up in place.
1182236	4/8/2021	FL	59	F	3/11/2021	3/22/2021	Blurry vision, light sensitivity, intermittent light headedness starting 3/22/2021, Headache's starting day after vaccine.
1182229	4/8/2021	MD	58	F	4/2/2021	4/5/2021	24 hours after the injection I had a blood shot patch on my left eye which I believe is a subconjunctival hemorrhage. It has gotten smaller but is still visible today on 4/8/21, six days after the vaccine. Additionally, my lymph nodes under my left arm swelled 36 hours after the injection and were swollen for 4 days. I took two 500 mg of tylenol daily for 4 days. I was very fatigued for 48 hours 24 hours after the injection.
1182273	4/8/2021	CA	33	F	4/8/2021	4/8/2021	At 1343, RRT was initiated for a 33 y/o F with c/o dizziness, blurry vision, and was diaphoretic. Vitals: BP ? 98/62, HR ? 52, RR ? 19. Vaccinated on the R arm at 1340. No PMH, has multiple allergies (PCN, wheat, pineapple, dairy products, eggs, quinoa, cranberries, barley, and rye), and did not take any medications today. Head-to-toe assessment completed. During monitoring period, client's condition improved. By the end of monitoring period, client was in stable condition. She was not dizzy anymore, had normal and clear vision, and she was no longer diaphoretic. Client left vaccination clinic at 1425 in stable condition, ambulatory, breathing even and unlabored, accompanied by her husband. Husband drove client home.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1182274	4/8/2021		38	F	4/6/2021	4/6/2021	Pt began c/o blurred vision and sweaty palms. Pt states she did not eat breakfast. Fingertick 110, pt given apple juice and one hard candy. Pt was able to distinguish how many fingers was holding up. BP 125/80, HR 92. Pt AOX3. Pt has bilateral upper & lower extremity strength 5/5. After 30 min of unresolved blurred vision, patient escorted to ER.
1182304	4/8/2021		76	M	4/2/2021	4/2/2021	Vasovagal/pre-syncopal event. Accompanied by paresthesia/ weakness/ blurred vision/ lightheadedness.;a seizure-like episode followed' patient was transported to ER via EMS.
1182305	4/8/2021	CA	41	M	4/8/2021	4/8/2021	client complained of headache after receiving 1st Moderna Covid Vaccine (lot 041B21A Exp. 5/6/21). Client was leaving after completing 20 min observation when he approached PHN and asked if he could leave. When PHN asked how he was feeling, client mentioned headache that begun after receiving vaccine. Client was asked to sit down for further assessment. 1238 vitals: blood pressure/90, pulse 77, oxygen 96%. Medical history: chronic migraines, sleep apnea, chronic back pain, and joint pain. Client unable to provide medication names. Client alert and oriented. Headache feels same as when a migraine is starting. Denied chest pain, blurry vision, no dizziness. Headache pain 1/10, described as "pressure" to back of head. Client wanted to leave, PHN spoke to client regarding high blood pressure, per client it was fine. PHN gave ER precautions and advised to see primary care provider regarding blood pressure. Client left facility at 1248 with steady gait.
1182330	4/8/2021	MN	50	F	4/7/2021	4/7/2021	patient left vaccination site 15 minutes post-vaccination and noticed vision "was different" while driving, then returned to vaccination site. Upon return to vaccination site, reported chest "felt heavy" and left arm felt cold

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1182418	4/8/2021	CT	57	M		3/1/2021	LOW GRADE FEVER; MINOR OR BRIEF HEADACHES; FATIGUED; FLUSHED; HOT FLASHES; PAIN BEHIND HIS EYES; This spontaneous report received from a patient concerned a 57 year old male. The patient's height, and weight were not reported. The patient's concurrent conditions included penicillin allergy, non smoker, and non alcoholic, and other pre-existing medical conditions included the patient had no history of drug abuse or illicit drug use. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on 28-MAR-2021 14:00 for prophylactic vaccination. The batch number was not reported. We are unable to perform follow-up to request batch/lot numbers. No concomitant medications were reported. On 2021, the subject experienced pain behind his eyes. On MAR-2021, the subject experienced flushed. On MAR-2021, the subject experienced hot flashes. On MAR-2021, the subject experienced fatigued. On 29-MAR-2021, the subject experienced low grade fever. On 29-MAR-2021, the subject experienced minor or brief headaches. On 31-MAR-2021, Laboratory data included: Body temperature (NR: not provided) 99.3 F. Laboratory data (dates unspecified) included: Body temperature (NR: not provided) 97.5 F. Treatment medications (dates unspecified) included: paracetamol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from low grade fever, flushed, hot flashes, fatigued, and minor or brief headaches, and the outcome of pain behind his eyes was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1182441	4/8/2021	NY	67	F	2/5/2021	3/5/2021	<p>eyes hurt; Dizzy; feel like in a fog; sore throat; dizzy, balance is gone; head still hurts; most intense pain felt like i was having heart attack; face red; tremendous sinus congestion; head killing me, felt like 100 lbs of weight on head, about to explode; chills; Fever; joint pain; This spontaneous case was reported by a consumer and describes the occurrence of MYOCARDIAL INFARCTION (most intense pain felt like i was having heart attack) in a 68-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No medical history reported.). Concomitant products included ROSUVASTATIN CALCIUM (CRESTOR) for an unknown indication. On 05-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 05-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 05-Mar-2021, the patient experienced MYOCARDIAL INFARCTION (most intense pain felt like i was having heart attack) (seriousness criterion medically significant), ERYTHEMA (face red), SINUS CONGESTION (tremendous sinus congestion), HEAD DISCOMFORT (head killing me, felt like 100 lbs of weight on head, about to explode), CHILLS (chills), PYREXIA (Fever) and ARTHRALGIA (joint pain). On 08-Mar-2021, the patient experienced EYE PAIN (eyes hurt), DIZZINESS (Dizzy), FEELING ABNORMAL (feel like in a fog), OROPHARYNGEAL PAIN (sore throat), BALANCE DISORDER (dizzy, balance is gone) and HEADACHE (head still hurts). At the time of the report, MYOCARDIAL INFARCTION (most intense pain felt like i was having heart attack), SINUS CONGESTION (tremendous sinus congestion), HEAD DISCOMFORT (head killing me, felt like 100 lbs of weight on head, about to explode), EYE PAIN (eyes hurt), DIZZINESS (Dizzy), FEELING ABNORMAL (feel like in a fog), OROPHARYNGEAL PAIN (sore throat), BALANCE DISORDER (dizzy, balance is gone), CHILLS (chills), PYREXIA (Fever), ARTHRALGIA (joint pain) and HEADACHE (head still hurts) outcome was unknown and ERYTHEMA (face red) had not resolved. Treatments to the event include Tylenol. This case concerns a 68-year-old female with</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							serious unexpected events of myocardial infarction, and nonserious unexpected erythema, dizziness, balance disorder, feeling abnormal, oropharyngeal pain, eye pain, head discomfort, sinus congestion and expected fever, chills, headache, arthralgia. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. This case was linked to MOD-2021-034793 (Patient Link).; Sender's Comments: This case concerns a 68-year-old female with serious unexpected events of myocardial infarction, and nonserious unexpected erythema, dizziness, balance disorder, feeling abnormal, oropharyngeal pain, eye pain, head discomfort, sinus congestion and expected fever, chills, headache, arthralgia. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.
1182294	4/8/2021	CO	35	F	4/8/2021	4/8/2021	I really think this was a result of my anxiety regarding needles rather than from the actual vaccine. I have had fainting spells after blood draws. After about 5 or 10 minutes from receiving the shot I started feeling warm and nauseous. The on site nurse came over and I did vomit. I felt better almost instantly. She was wonderful, but had me stay in the supervision area for an additional 20 minutes to make sure I didn't have any more nausea or other symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1182448	4/8/2021	TX	77	F	3/1/2021	3/6/2021	small stroke; heart went to into a-fib; light and dark spots; hurting badly at injection site; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of ATRIAL FIBRILLATION (heart went to into a-fib) and CEREBROVASCULAR ACCIDENT (small stroke) in a 77-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 012A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Atrial fibrillation since an unknown date. Concurrent medical conditions included Drug allergy (Eliquis). Concomitant products included LEVOTHYROXINE SODIUM (SYNTHROID) for an unknown indication. On 01-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 06-Mar-2021, the patient experienced ATRIAL FIBRILLATION (heart went to into a-fib) (seriousness criteria hospitalization and medically significant) and VACCINATION SITE PAIN (hurting badly at injection site). On 07-Mar-2021, the patient experienced CEREBROVASCULAR ACCIDENT (small stroke) (seriousness criteria hospitalization and medically significant) and VISUAL IMPAIRMENT (light and dark spots). The patient was hospitalized for 4 days due to ATRIAL FIBRILLATION and CEREBROVASCULAR ACCIDENT. At the time of the report, ATRIAL FIBRILLATION (heart went to into a-fib) and CEREBROVASCULAR ACCIDENT (small stroke) outcome was unknown, VISUAL IMPAIRMENT (light and dark spots) had resolved and VACCINATION SITE PAIN (hurting badly at injection site) had not resolved. mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was withdrawn on an unknown date. This case was linked to US-MODERNATX, INC.-MOD-2021-060976 (E2B Linked Report).; Sender's Comments: US-MODERNATX, INC.-MOD-2021-060976:MOD-2021-060528 (Wife case)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1176084	4/7/2021	TX	56	F	3/12/2021	3/12/2021	Rash, lips swelling, red eyes treated with Benadryl and hydrocortisone which resolved after several days. New symptoms-nodules on bilateral lower extremities (calves) extremely tender to palpation for a couple weeks, resolving but palpable, no treatment to these, they are improving, will follow up in a week
1175859	4/7/2021	NJ	67	F	2/23/2021	2/25/2021	Vomiting that occurred in the early morning two days following the vaccine injection, severe joint pain in the left foot/ankle area making it painful to stand on that foot or walk, visual disturbance noted bilaterally that has never been experienced before, and severe fatigue for probably a week following the shot. These effects resolved on their own without medical intervention. I should mention that I have been in a flare state (Lupus) before and since the vaccine was administered.
1175864	4/7/2021	MN	75	M	1/7/2021	1/30/2021	On January 30, 2021 I had temporary loss of vision in right eye lasting 4-5 minutes. This was 23 days after first Moderna dose. Second Moderna dose was given on Feb. 4, 2021. On February 23, 2021 at 1 pm CST I had identical temporary loss of vision in right eye lasting 4-5 minutes. This was 19 days after second Moderna dose.
1175876	4/7/2021	PA	17	F	4/6/2021	4/6/2021	Tunnel vision, light-headed D/C 18:04
1175949	4/7/2021	NV	70	M	3/9/2021	3/12/2021	I had the shot on Tuesday and had a headache early Friday morning, when I woke up my wife noticed that my left side of my face looked like it was sagging. By Saturday I was unable to close my eye and my speech began to slur. I began to have a headache and my condition remained the same through Sunday. I went to urgent care on Monday 9/15/2021. I was diagnosed with Bells Palsy and prescribed Prednisone and Valacyclovir. I went to my primary Doctor on 9/16/21. When the medication ran out I continued to have headaches and it was difficult to sleep at night due to the pain. On 9/31/21 got a refill for the prednisone (7 tablets). The headaches continued. I saw my doctor again ON 4/06/21. Prescriptions (x2) refill

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1175961	4/7/2021	IL	28	F	4/6/2021	4/6/2021	Pt found sitting in chair, c/o lightheadedness and faint; in approx 20 seconds, pt fell back in chair, eyes closed, unresponsive; pt placed on floor and within 15 seconds was opening her eyes and following commands; pt diaphoretic, warm; Initial VS w/Dinamap were 148/111, HR 192, SaO2 100, RR 20; auscultated HR was 60 and regular about one minute later; ammonia inhalants used and pt became more awake; second set of VS: 90/49, HR 62, RR 18; pt sleepy, responds appropriately, oriented x3; pt helped into wheelchair and placed on exam table; no changes in status; third set VS 94/53, HR 55; sister with pt in exam room; fourth set of VS at 1825 94/53, HR 61, pt now rubbing her chest and states she is feeling pressure there that started approx 15 mins ago, pt in no distress, states that she is still "feeling out of it"; 911 called at 1828; pt states that she has anxiety and has had panic attacks in the past (last one approx one year ago) and that how she is feeling now reminds her of that; pt taken by FD at 1844, report given.
1175971	4/7/2021	MO	70	M	4/7/2021	4/7/2021	During the 15 minutes waiting after the vaccine was given, patient stated he was extremely dizzy. He just went to the bathroom prior to this. Vitals taken with b/p 146/76, pulse 76 and regular, R16 pulse ox 96%. Patients eyes were dilated. He continued the whole time to be coherent. He was given apple juice but denied wanting to eat anything. EMS was called. He was taken to the bathroom to his request where he then became nauseated and started to vomit several times. Continued to c/o dizziness. The EMS arrived at approximately 11:00. Was evaluated and decided to go to E.R. At the time EMS was here his b/p was 160/90 P-84 and Pulse ox 96%

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1176129	4/7/2021	FL	27	M	4/6/2021	4/6/2021	Patient had no reaction at time of vaccination, got up out of chair and walked approx. 20 feet to sit down in a chair with arms in the vaccine observation area at 1715. At 1722 patient fell out of chair and onto floor. PharmD started emergency chain including 911 call and call to patient's emergency contact. PharmD ran to patient and observed him lying facedown with head facing left. Eyes open but unresponsive, his name was called with no response. Right as he was observed to be breathing normally with a steady pulse, patient had mild seizure with jerking movements. He was turned to his side during seizure event lasting no longer than 2 minutes. Patient then regained consciousness and was kept on his side. Was alert and oriented. He knew where he was, who he was, what day it was. He was able to answer all 911 dispatcher questions relayed to him. Dispatcher advised he could sit up on floor, which he did. PharmD stayed right behind him until paramedics arrived. He was kept talking to stay alert. It was unknown if he hit his head on the initial fall. Paramedics arrived and checked BP/Pulse/EKG. Pt then had a gasp/shake attack that paramedic notated as a panic induced episode. He calmed and was transferred to ER
1176078	4/7/2021	CA	65	F	3/17/2021	3/17/2021	after short period of tiredness, i started wheezing, then having some difficulty breathing, then my lips turned white and my cheeks/ upper neck started swelling, i was shaking and having vision problems as if i was going to pass out. the episode seemed to pass after an hour. there were minor recurrences over the next 3 days. i was about to go to the ER waiting for a ride and decided that it wasn't getting worse so i didn't go in. Called my doctor who said that i should not have the second vaccination.
1175676	4/7/2021	WA	34	F	4/6/2021	4/7/2021	Woke up with tchy swollen eyes, puffed up



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1176139	4/7/2021	IA	49	F	12/18/2020	12/18/2020	approximately 8-10 minutes after first dose-experienced flushing through head, down throat some sensation in throat, had to take deep breath, went down arms, felt very heavy, improved after about 15 minutes then very mild recurrence about 35-40 minutes after dose Because of throat symptoms took benadryl and pepcid 30 minutes prior to 2nd vaccine. 1hr 40minutes after 2nd, difficulty swallowing water, flowing/flushing sensation then my lips were tingly and eyes itchy briefly. My HR was 90's which is high, my resting is 40's-50's. Arms would feel heavy with this. This happened later in the day again, Very unsettling, was in contact via text with cardiologist I work with ( I am an ARNP) and my Dr that is listed on this form. They told me I could keep taking Benadryl and Pepcid q 6-8hrs. I was also given prescription for prednisone if needed. Following day went about 8 hrs between doses, same symptoms took Prednisone that eve, I believe 10mg this was in addition to Benadryl and Pepcid. These episodes kept happening for about 5-6 days. On Friday, 3 days after 2nd dose, I tried to space out meds. then in afternoon about 4:40 was actually short of breath and felt tight with breathing. So took meds and actually considered using my son's old inhaler. Symptoms resided in about half hour after meds. Last dose of meds was Sunday 8 PM after 2nd vaccine. Ran in morning and HR would not come down, stayed in 110's very unusual for me, I felt SOB. Had EKG when I went to office but just prior to EKG symptoms resolved and I was SR in 70's Had BMP and Mg these were NL. I run daily and had noted increased SOB and HR after first vaccine this continued until just a few weeks ago. We feel this was some type of allergic reaction with possible mast cell activation. I had internal "tightness" no appetite and felt like constant state of adrenaline for about 1-2 weeks. Concerned if booster needed and for my son who is 18 that has some allergies
1176070	4/7/2021	AL	45	F	2/18/2021	3/15/2021	Frequent, persistent eyelid spasms to left eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1175746	4/7/2021	TX	30	M	3/11/2021	3/11/2021	03/11/2021 3:05 pm Patient observed in chair pale with stiffened body and eyes rolling on back of head. Patient initially unresponsive V/S 97.2 20,71, 96/50, O2 sat@ 98% on room air. Blood glucose monitored @ 105 mg 1d1. 911 called patient responsive to verbal and tactile stimulation. Legs elevate, patient stated that he only ate breakfast for the day water and snacks offered and consumed. BP rechecked 80/50 Legs remains elevated. Awaiting for 911 to arrive close monitored is in progress. 3:20 pm The Fire Department arrives and assesses the patient. 3:30 pm BP 110/70 Patient awake and verbally responsive. Patient lift facility with rescue via stretcher en route to the hospital.
1175734	4/7/2021	NY	47	F	3/29/2021	4/1/2021	Approximately 72 hours after receiving vaccine shot, I developed a spontaneous subconjunctival hemorrhage in my right eye. I have never had this event happen before, and there was nothing else that would have caused it (i.e. normal causes did not apply or happen). I am now on day 6 and it is not yet healing.
1175720	4/7/2021	FL	21	M	4/6/2021	4/6/2021	After receiving the vaccine while in the observation area patient's vision started getting blurry and he started feeling dizzy. (about 10 minutes after vaccine) He walked back to talk to us, while pharmacist was asking him questions he swayed and fainted. Pharmacist caught him and lowered him to the floor. Called 911 and paged MIC. Pharmacist stayed with the patient who gained back consciousness and placed him in recovery position until paramedics arrived.
1175701	4/7/2021	VA	23	F	4/5/2021	4/6/2021	Delayed side effects- started about 24 hours after Low grade fever (100), my temp usually runs around 97.5. This was high for me. Itching, swelling, redness around vaccine site Watery eyes Stuffy nose Headache Nausea Muscle aches Lethargy

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1175610	4/7/2021	MS	58	F	4/2/2021	4/2/2021	It started in the right side of my neck/throat tightness and swelling it moved up into jaw, mouth, cheek,nose, eye, ear. very slight swelling , was numb. The swelling in my throat did cause some breathing problems , but, I had read this was a possible normal reaction so I did not notify people there. I also have had antifilactic reactions in the past and knew this one was not life threatening. I took three beneydryl once I got home and after about three hours the progression subsided. Numbness and swelling was gone in 24 hours, but, I am still having nausea, body pain and headaches, fatigue.
1175682	4/7/2021		52	F	3/13/2021	3/15/2021	fever, body aches on day of vaccine, then 3/15 came to clinic for chemo, post chemo symptoms included heavy tongue, tight throat, fingers twitching, eye twitch,
1175662	4/7/2021	IA	87	F	3/25/2021	3/26/2021	*Orthostatic hypotension [I95.1] Yes ? Generalized weakness [R53.1] Yes ? Chronic diastolic heart failure (HCC) [I50.32] Yes ? Sleep apnea in adult [G47.30] Yes ? Type 2 diabetes mellitus with both eyes affected by mild nonproliferative retinopathy without macular edema, without long-term current use of insulin (HCC) [E11.3293] Yes ? Essential hypertension, benign [I10] Yes Patient woke in middle of the nigh with confusion and tripped over furniture. Was having orthstatic S/S. Went to hospital for evaluation.
1175650	4/7/2021	IL	37	F	1/19/2021	1/20/2021	After the first Dose I exp tingling on right side of my face. I woke up next day exp headache and fatigue realized right eye lid wasn't closing same time as left eyelid. I went to walk in clinic next morning confirmed Bell's Palsy started Prednisone. I do have a genetic blood clotting disorder for 18 years.Since the vaccine on 3/31 I woke up with pain in my foot on lower right leg applied ice and took Tylenol. I scheduled a doppler at the Imaging center on 2/7 confirmed blood clots and prescribed Xarelto.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1175625	4/7/2021		22	M	4/7/2021	4/7/2021	Patient experienced nausea without vomiting several minutes after receiving first dose of COVID-19 Pfizer vaccination. VS remained wnl during observation period. No associated weakness, paresthesias, abdominal pain, vision changes, SOB, wheezing, swelling, or hives. Patient reports not having eaten today. Suspect secondary to vagal response. Patient given Zofran ODT with improvement of symptoms. Tolerated Capri-Sun pouch. Patient cleared to discharge from clinic and provided SIQ for today.
1175611	4/7/2021	MA	27	M	4/4/2021	4/5/2021	After 14 hours of receiving the vaccine, I woke up shivering with chills around 2:30AM. Fell back asleep and woke up with a horrible headache and migraine (primarily behind my eyes). Entire body ached and had a fever of 100.5. This lasted the entire next day after receiving the vaccine. The second day, the headache subsided but my neck and lymph nodes were swollen and very sore.
1176684	4/7/2021	MN	17	F	4/2/2021	4/2/2021	Patient passed out, fell out of her chair and hit her head hard after receiving her shot. Once she went down, two nurses ran to her assistance where they propped the patient's feet up on a chair and got her some water. Patient reported blurred vision, had a goose egg on the back of her head but did not appear to be mentally foggy.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1175599	4/7/2021	MO	41	F	2/1/2021	3/4/2021	<p>On 2/25/21 I received my first Moderna vaccine. Later that day, I started to experience some brain fog and fatigue. this resolved itself after approximately 4 hours. On 3/3/21 I took my dose of Humira that I use for Crohn's Disease and about 3 hours later experienced extreme fatigue. I have been on Humira for 3.5 years and I have never experienced a reaction to the Humira like this. On 3/4/21, the next day after taking my Humira, I once again experienced extreme fatigue, a very bad headache and horrible brain fog to the point where the things I was reading on my computer and things people were saying to me was not making sense. I was also very nauseated and had severe diarrhea. I was tested for Covid just to be sure and I was negative. I went home and fell asleep and slept for 6 hours. I did feel better upon waking up. Approximately one week later I experienced a sever migraine with visual disturbances. On 3/15/21 I began having a Crohn's flare. I had been in remission for 3.5 years with my last colonoscopy in October of 2019 showing this and that my Crohn's ulcers had improved. I went to the ER on 3/16/21 in severe pain, was found to be in a flare with inflammation and swelling in my small intestine and a partial blockage. I was admitted to the hospital for 2 days where I received IV steroids and fluids. I was sent home on oral prednisone and now have to add additional medication to my Humira regimen for my Crohn's. I am sure that some will say that none of this is related to the Moderna vaccine I received, but I have had no issues with my Crohn's in 3.5 years until I had this vaccine. All of my issues this past month coincide with receiving the vaccine and I have never had any side effects whatsoever from the Humira. In fact, it's always made me feel better when I've been due to take it, so I know that my symptoms are not from the Humira. I cannot say for sure if the vaccine caused my issues, however, it's pretty coincidental that I was feeling good and otherwise healthy until I had this vaccine.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1175593	4/7/2021	CO	31	F	3/6/2021	4/4/2021	On Sunday, April 4, 2021, I began to experience a numbness of my tongue. Hours later, I began to have tingling in the left side of my face. By Monday, April 5, 2021, I began to experience a slur in my speech along with the aforementioned symptoms from the day before. By Tuesday, April 6, 2021, I experienced what feels like a facial paralysis on the left side of my face. This includes not being able to smile, blink, shut my eye, or raise my eyebrow on the left side of my face.
1175693	4/7/2021	FL	79	M	2/22/2021	3/3/2021	Spots in left eye Feb 23, normal headache cleared Feb 25. March 2 bad headache returned, March 3 about noon I notice tightness in lower throat. Progressed into lung area around 2:00. It became difficult to breathe. I went to the emergency clinic about 5:00. They did an EKG found no serious problems and suggested I head to the hospital. I arrived there about 6:15 the breathing was exceeding difficult. I could not lay on my back. My lungs on both sides felt like they were on fire when I tried to inhale

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1176656	4/7/2021	NJ		F		3/27/2021	FELT PRESSURE IN BOTH EYES / PRESSURE IN BACK OF EYES; LYMPH NODE SLIGHTLY RAISED; HEADACHE; This spontaneous report received from a patient concerned a 62 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included high cholesterol, platelet low, and white cell count low. The patient had no known drug allergy. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805018, expiry: UNKNOWN) dose was not reported, administered on 26-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 27-MAR-2021, the subject experienced felt pressure in both eyes / pressure in back of eyes. On 27-MAR-2021, the subject experienced lymph node slightly raised. On 27-MAR-2021, the subject experienced headache. Laboratory data (dates unspecified) included: Platelet count (NR: not provided) 100000, and White blood cell count (NR: not provided) Low (units unspecified). The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from headache on 27-MAR-2021, and was recovering from felt pressure in both eyes / pressure in back of eyes, and lymph node slightly raised. This report was non-serious.
1176946	4/7/2021	WI	37	M	4/5/2021	4/5/2021	Patient received the first dose and then felt light headed shortly after while watching his girl friend receive the shot. We had him sit down and then he passed out. A few moments later the eyes rolled to the back of his head, and then began shaking for 10 to 20 seconds, after which he immediately woke up and was aware he passed out. EMT services were called while this was happening.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1175004	4/7/2021	PA	73	F	2/16/2021	2/16/2021	Got her eye bulging; Woke up with bells palsy in lips, nose, eye on the left side; Headache; A spontaneous report was received from a consumer concerning a 73 year old female patient, who experienced eye bulging (exophthalmos), bells palsy in lips, nose, eye on the left side (facial paralysis), and headache. The patient's medical history was not provided by the reporter. Concomitant medications were also not reported. On 16 Feb 2021 at 13:30, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Lot number: 023M20A) for prophylaxis of COVID-19 infection. On 16 Feb 2021 at 16:00, after receiving mRNA-1273, the patient experienced eye bulging and a headache (intermittent). The headache lasted 3 days until she took a Tylenol. The patient reported that she woke up with bells palsy in lips, nose, eye on the left side. The treatment details for the event of headache included Tylenol (paracetamol). Action taken with mRNA-1273 in response to the events was unknown. The outcome for the events of eye bulging (exophthalmos) and bells palsy in lips, nose, eye on the left side (facial paralysis) was considered as unknown. The event of headache recovered on 18 Feb 2021.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.
1175587	4/7/2021	AR	61	F	3/4/2021	3/6/2021	Eyes swollen and red since vaccine. Swollen on second day after vaccine and went to DR thought it was pink eye. They did Covid test and I was negative but been putting drops in eyes and still red. One week after that I started having ringing in the ears. Went to my primary health care provider but never thought about it being because of the vaccine. Said that if it continued would need to see ENT. Constant ringing and am seeing ENT today.
1176883	4/7/2021		37	F	3/20/2021	3/20/2021	persistent fever despite Tylenol, started a few hours after vaccination, "blood shot" eyes, admitted to hospital



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1176824	4/7/2021	IA	33	F	4/7/2021	4/7/2021	Shortly after receiving the vaccine, patient complained of coughing, shortness of breath, neck pain. HR=119 and unable to auscultate blood pressure. C/o warmth and feeling of throat swelling, burning in throat after coughing. Patient was placed on floor initially supine and then onto right side. Bluish discoloration around eyes and lips, and encouraged patient to use her inhaler. O <sub>2</sub> reading 98% after a few minutes. EMTs present and took blood sugar, 87 and given dextrose orally followed by water. Patient stated that she had a donut and waffle for breakfast. Encouraged to eat lunch with some protein. Relayed that she had an ablation and tubes tied last week. Received allergy shot recently but not new formulatin. She also mentioned that she received a steroid injection for her migraines.
1176805	4/7/2021	OR	42	M	3/31/2021	3/31/2021	10:45am patient became unconscious and was laid on the floor with legs elevated. Heartrate 50 BP 76/60 10:50am BP systolic 90 HR 60 weakly responsive 10:52am BP systolic 92 10:55am More responsive, eyes open, speaking, HR 64, BP systolic 100. 10:58am EMS arrived, patient declined transport.
1176775	4/7/2021	MN	66	M	4/2/2021	4/2/2021	patient started experiencing blurry vision, black spots, and next day loss of vision in that eye
1176738	4/7/2021	MA	63	F	3/30/2021	4/1/2021	Two days after receiving my shot, I began to experience mild dizziness. Four days after my vaccine, the dizziness began to intensify to the point where on day 5 (Sunday), I could not get out of bed. I attempted to go to an urgent care facility, but none where open. I called my PCP and talked to the covering doctor. I was told that it might be BPPV and was given a prescription for meclazine. On day 6, I was a little better and tried to make an appointment with my PCP (I was unable to get one until this coming Friday), so I went to an urgent care. They seemed to agree with the BPPV diagnosis and told me to look on T.V. for how to do the Epley maneuver. It has now been 8 days since my vaccine and I am still experiencing dizziness, but am able to function with some limits (I haven't driven my car as of yet). The Epley maneuver did not seem to help. Besides the dizziness, my ears feel full and especially in the morning, I have a bit of a problem with my eyes focusing correctly.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1176737	4/7/2021	MD		M	3/27/2021	3/28/2021	VOICE SOUNDED LITTLE FUNNY; BODY NOT MOVING (BARELY ABLE TO STAND-UP); WHOLE BODY PAIN, BODY HURTING; DIZZINESS; DOUBLE VISION; COUGH; FELLING HORRIBLE; FEVER (100.7F); BAD HEADACHE; NAUSEA-FELT LIKE VOMITING; This spontaneous report received from a parent concerned a 25 year old male. The patient's height, and weight were not reported. The patient's concurrent conditions included asthma, and acute infectious colitis, and other pre-existing medical conditions included patient had no known drug allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, and batch number: 1808609 expiry: UNKNOWN) dose was not reported, administered on 27-MAR-2021 for prophylactic vaccination. Concomitant medications included for acute infectious colitis. On 28-MAR-2021, the subject experienced dizziness. On 28-MAR-2021, the subject experienced double vision. On 28-MAR-2021, the subject experienced cough. On 28-MAR-2021, the subject experienced felling horrible. On 28-MAR-2021, the subject experienced fever (100.7f). On 28-MAR-2021, the subject experienced bad headache. On 28-MAR-2021, the subject experienced nausea-felt like vomiting. On 28-MAR-2021 04:00, the subject experienced body not moving (barely able to stand-up). On 28-MAR-2021 04:00, the subject experienced whole body pain, body hurting. On 29-MAR-2021, the subject experienced voice sounded little funny. Laboratory data (dates unspecified) included: Body temperature (NR: not provided) 100.7 F. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from whole body pain, body hurting, body not moving (barely able to stand-up), fever (100.7f), dizziness, bad headache, double vision, nausea-felt like vomiting, cough, and felling horrible, and had not recovered from voice sounded little funny. This report was non-serious.
1176734	4/7/2021	PA	41	M	4/6/2021	4/7/2021	12 hours after vaccine, woke to high fever and muscle cramps, violent shivering, splitting headache, spotty vision
1176719	4/7/2021	MI	60	F	3/30/2021	3/30/2021	hive on face under left eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1176568	4/7/2021	TX		F		3/1/2021	<p>FEVER; CHILLS; HEADACHE; NASAL DRAINAGE; DECREASED HEARING; BLURRED VISION; LIGHT HEADED; This spontaneous report received from a parent concerned a female of unspecified age. The patient's height, and weight were not reported. The patient's concurrent conditions included non-smoker, and non-alcoholic, and other pre-existing medical conditions included patient have no known allergies and there was no drug abuse or illicit drug usage. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805031 expiry: UNKNOWN) dose was not reported, administered on 26-MAR-2021 at right arm for prophylactic vaccination. No concomitant medications were reported. On MAR-2021, the subject experienced nasal drainage. On MAR-2021, the subject experienced decreased hearing. On MAR-2021, the subject experienced blurred vision. On MAR-2021, the subject experienced light headed. On MAR-2021, the subject experienced chills. On MAR-2021, the subject experienced headache. On 26-MAR-2021, the subject experienced fever. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from chills, light headed, blurred vision, and decreased hearing, and had not recovered from fever, headache, and nasal drainage. This report was non-serious.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1176688	4/7/2021	PA		F		3/1/2021	WHOLE FACE NUMBNESS; SPEECH ISSUE; EYE LIDS SAGGY; VISUAL DISTORTION; ALL LIMBS WEAKNESS; FEVER; HEADACHE; DRAGGING FEET WHEN WALKING; This spontaneous report received from a patient concerned a 48 year old female. The patient's weight was 155 pounds, and height was 158 inches. The patient's concurrent conditions included TODD syndrome -alice in wonderland syndrome, and allergic to clarithromycin. The patient had no history of drug abuse or illicit drug use. The patient was not pregnant at the time of reporting. The patient was non-smoker and non-alcohol user. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805022, expiry: UNKNOWN) dose was not reported, administered on 15-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On MAR-2021, the subject experienced dragging feet when walking. On 16-MAR-2021, the subject experienced headache. On 17-MAR-2021, the subject experienced visual distortion. On 17-MAR-2021, the subject experienced all limbs weakness. On 17-MAR-2021, the subject experienced fever. On 23-MAR-2021, the subject experienced eye lids saggy. On 26-MAR-2021, the subject experienced whole face numbness. On 26-MAR-2021, the subject experienced speech issue. Treatment medications (dates unspecified) included: naproxen, and ibuprofen. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from fever on MAR-2021, had not recovered from whole face numbness, and the outcome of headache, all limbs weakness, eye lids saggy, speech issue, visual distortion and dragging feet when walking was not reported. This report was non-serious.
1176154	4/7/2021	NY	63	F	4/3/2021	4/4/2021	Woke up next AM, face was swollen, had low grade fever, face was red and hot. Pt took Benadryl and it didn't get better, it got worse. Woke up 2nd day and swelling got much worse, and eyes were swollen shut. Went to walk in clinic and got prescribed 50mg prednisone a day. Pt feeling better after 3 days of steroid treatment

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1176909	4/7/2021	GA	59	F	4/7/2021	4/7/2021	10-15 minutes after the vaccine was administered that patient c/o "feeling dizzy and eyes were swirling" Some mild shortness of breath and patient was sweating. Rapid response was called and responded. Pt was taking to Urgent care In facility for further evaluation.
1176529	4/7/2021	CA		F			SWELLING OF EYEBROWS; CHILLS; FEVER; FATIGUE; NAUSEA; This spontaneous report received from a consumer concerned a female of unspecified age. The patient's height, and weight were not reported. The patient's concurrent conditions included blood disorder called mus.The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unk) dose, start therapy date were not reported for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On an unspecified date, the subject experienced swelling of eyebrows, chills, fever, fatigue, and nausea. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the swelling of eyebrows, fever, chills, fatigue and nausea was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1176525	4/7/2021	NY		F	3/25/2021		ALMOST PASSED OUT; LOW BLOOD SUGAR; A LOT OF GAS; VOMITED; PEED ON HERSELF; NAUSEATED; HALLUCINATION; FEVER; FELT COLD AND SAID SHE WAS FREEZING; PAIN IN LEFT KNEE; VERY WEAK, COULD HARDLY GET TO BED; EYES HURT WHEN TOUCHED; FELT MEDICATION GOING IN; SHALLOW BREATHING; HEADACHE; SHAKINESS; This spontaneous report received from a patient concerned a 51 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included diabetes and depression, and other pre-existing medical conditions included patient had no known allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805022, and batch number: 1805022 expiry: UNKNOWN) dose was not reported, administered on 25-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On MAR-2021, Laboratory data included: Body temperature (NR: not provided) 101.7 Degree. On 25-MAR-2021, the subject experienced shallow breathing. On 25-MAR-2021, the subject experienced eyes hurt when touched. On 25-MAR-2021, the subject experienced felt medication going in. On 25-MAR-2021, the subject experienced shakiness. On 25-MAR-2021, the subject experienced very weak, could hardly get to bed. On 25-MAR-2021, the subject experienced headache. On 25-MAR-2021 18:30, the subject experienced pain in left knee. On 25-MAR-2021 19:30, the subject experienced felt cold and said she was freezing. On 26-MAR-2021, the subject experienced hallucination. On 26-MAR-2021, the subject experienced low blood sugar. On 26-MAR-2021, the subject experienced vomited. On 26-MAR-2021, the subject experienced peed on herself. On 26-MAR-2021, the subject experienced a lot of gas. On 26-MAR-2021, the subject experienced nauseated. On 26-MAR-2021, the subject experienced fever. On 26-MAR-2021 01:00, the subject experienced almost passed out. Treatment medications (dates unspecified) included: paracetamol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from felt medication going in, peed on herself, shakiness, a lot of gas, pain in left knee, and nauseated on 26-MAR-2021, was recovering from felt cold and said she was freezing,

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

1176469	4/7/2021			U			
---------	----------	--	--	---	--	--	--

3/25/2021	LOSS OF HEARING FOR A BIT; DIZZINESS, COULD NOT HOLD HEAD UP; VISUAL DISTURBANCE; SWEAT; SORE ARM; NAUSEA; This spontaneous report received from a patient via a company representative concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on 25-MAR-2021 for prophylactic vaccination. The batch number was not reported. We are unable to perform follow-up to request batch/lot numbers. No concomitant medications were reported. On 25-MAR-2021, the subject experienced loss of hearing for a bit. On 25-MAR-2021, the subject experienced dizziness, could not hold head up. On 25-MAR-2021, the subject experienced visual disturbance. On 25-MAR-2021, the subject experienced sweat. On 25-MAR-2021, the subject experienced sore arm. On 25-MAR-2021, the subject experienced nausea. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from loss of hearing for a bit, dizziness, could not hold head up, visual disturbance, sweat, and nausea on 25-MAR-2021, and had not recovered from sore arm. This report was non-serious.; Sender's Comments: V0: Medical Assessment comment not required as per standard procedure as the case assessed as non-serious.
-----------	--

very weak, could hardly get to bed, almost passed out, and fever, had not recovered from headache, and eyes hurt when touched, and the outcome of vomited, shallow breathing, hallucination and low blood sugar was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210354256-JANSSEN COVID-19 VACCINE Ad26.COV2. S- Hallucination. This event is considered not related. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There are other factors more likely to be associated with the event than the drug. Specifically: Medical History of Depression.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1176357	4/7/2021	CA	37	F	2/24/2021	2/24/2021	Muscle Spasms, Nerve Pain, Pain and weakness in left side of face, pain around my eyes, Pain at the base of the skull, face twitching, confusion, dizziness, memory loss, mixing up letters and numbers, slurred speech, brain fog, extreme fatigue, nausea. This was very very intense for about 4 weeks. (At 3.5 weeks started taking 40 milligrams of loratadine daily). I am still experiencing symptoms but less intense than the first month. I am very concerned about my health and well-being. Scared and deeply saddened.
1176287	4/7/2021	WI	57	F	4/7/2021	4/7/2021	1100 vaccine was given 1125: Patient feels headache, metal taste in her mouth. She feels some dizziness, vision feels blurred. She is breathing with her mouth open and feels out of sorts. After 15 minutes she had a "funny feeling in her throat" Transferred to the ED at 1140, first responder team was called
1176267	4/7/2021	TN	31	M	4/7/2021	4/7/2021	Following vaccination patient reported feeling dizzy, lightheaded ,visual changes. Paramedic and writer evaluated patient. Patient is alert and oriented. Able to verbally respond to questions. VS = 138/68, 73, 17, 98% RA. Patient states he has a history of anxiety and low BP untreated. Patient states he believes this is an anxiety related event. Declined further medical evaluation offered by writer. Patient waited in monitoring area another 15 minutes with Paramedics on standby. Left vaccination site with friend.
1176213	4/7/2021	WI	41	F	3/26/2021	3/26/2021	I experienced slight nausea, awake all night, felt like a stimulant to me, fever, chills, sweating, migraines. I felt super tired but my body would not let me sleep. I also had muscle aches and cramps with lower back and leg with a throbbing sensation. This was within 12 hours. About 5 days later, my eye started to hurt, went to see my eye doctor and they found out I have ocular herpes. I am on now on some antiviral eye medication. I could tell after the vaccine I had a viral type infection. I still have not recovered and I will see my eye doctor tomorrow.
1176204	4/7/2021	CA	49	F	2/4/2021	3/4/2021	SEVERE MIGRAINE HEADACHE OVER RIGHT EYE WITH DOUBLE VISION



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1176181	4/7/2021	FL	49	F	3/22/2021	3/31/2021	Shingles Pain in upper back radiating around torso evening of 3/31/2021 Doctor office visit in person 4/01/2021 for visual assessment Beginnings of rash visible 4/02/2021 Spreading of rash and blisters evening of Saturday 4/03/2021 2nd Doctor?s office visit in person for visual assessment Monday 4/05/2021 Diagnosis: Shingles / Herpes Zoster Treatment: Acyclovir & Horizant
1176163	4/7/2021	CA	53	F	4/6/2021	4/6/2021	Severe shaking due to chills while feeling very warm?? Head and eyelids felt very hot yet had extreme chills for about 4 hours but no fever. Used cold wash cloth for head and eyes. Slight nausea and Strong body aches. Took Motrin for body ache but didn?t help much. Following day still had body aches and chills but not as bad. Still no fever. Had to remain home from work. Took more Motrin to help with aches. Also woke up with headache which subsided after a couple of hours. * Also, after first vaccine, I was only tired for a few weeks but developed a floater in my left eye. Hope not related to vaccine as a few weeks before I had just had my yearly eye dr. Appt. and all was fine.
1176694	4/7/2021		73	F	4/6/2021	4/7/2021	BLURRY VISION, DIFFICULTY FOCUSING.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1174294	4/7/2021	AZ	62	M	3/19/2021	3/19/2021	'blood pressure had been up to 180/increase in blood pressure'; he was freezing; he was cold; "he is usually up at work every day and he hasn't been able to work the last few days"; feels like he can't think", "tired; "he may be getting in for breathing treatments today"; so sick; feels like he can't think", "tired; Feeling lousy; Lethargic; Running temperature; Chills; Hives; Anaphylaxis; fell asleep for 16 hours. Caller reported that he doesn't normally sleep for 16 hours; Throat scratching; Eye itching; Bags under eyes; This is a spontaneous report received from a contactable consumer (patient). A 62-year-old male received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Solution for injection, Batch/Lot number: EN6207), via unspecified route of administration on right arm on 19Mar2021 13:09 as a single dose, for COVID-19 immunization. The patient medical history included Ongoing COPD (about 5 years ago), high blood pressure (about 10 years ago and still ongoing) extensive allergies to food and insect bites. The patient was diagnosed with the allergies when he was a little kid, allergic to penicillin ongoing. Concomitant medications included lisinopril at 20 mg once daily in the morning for high blood pressure and albuterol at 2 pumps in AM and 2 in PM before going to bed for COPD (Chronic obstructive pulmonary disease). The patient previously took historical vaccine ampicillin for infection. On 19Mar2021, the patient experienced, ended up feeling really sick right after the shot. He has a lot of allergies and he was advised to take his Epi-Pen kit and stay an additional 30 minutes past the recommended waiting time after receiving his vaccine. His throat began scratching after getting the shot and lasted for about 3 to 4 hours for which the patient received Benadryl and resolved completely. His eyes were itching and lasted for 24 hours, and bags started to form under his eyes like anaphylactic shock. It was reported that the bags under his eyes would normally stay after anaphylaxis for a day or two. His eyes were still a little puffy at the bottom. He did not see a rash but started to get hives, the paramedics were called and monitored him for another 30 minutes. The paramedics administered a shot of Benadryl. After the Benadryl was administered, his body and blood pressure started to come down. The paramedics reported that his blood pressure had been up to 180. It was reported that on 19Mar2021, afternoon,

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

when the patient got home, he was sick, laid down and fell asleep for 16 hours. He does not normally sleep for 16 hours. He was unsure if his eyes were itchy in his sleep. Later in the call it was clarified that this might have only lasted 3-4 hours, he was so tired he just went to sleep. It was reported that he was not a sleeper, that he was usually up at work every day and he had not been able to work the last few days. It was reported that he started feeling the side effects of the Covid-19 vaccine at 13:20 on 19Mar2021. On 20Mar2021, he felt lousy ever since he received the COVID-19 vaccine. On the same day, his wife took his temperature, and his temperature was hovering around 100-100.9. He felt lethargic, running a temperature between 100.5 and 100.9 pretty consistent every day. On an unspecified date, his wife took his temperature, and it was 99.9. He felt like his mind was in a fog, intoxicated and he had not felt good since receiving the first dose of the Covid-19 vaccine. It was reported that the mental fog made him felt like he cannot think. The paramedics gave him a test and asked him to add 5+7. The patient answered 14, even though he knew that the answer is 12because he could not think, and he felt punch drunk. He reported that he can concentrate a little more, but he still felt drunk, this was hanging around the same now. It was reported that the paramedics were asking him questions and gave him things to do, addition and subtraction formulas, to keep his mind. He could not finish those formulas and that he told the paramedics that he felt foggy or punch drunk. He spoke with his health care provider at the VA and the provider advised him not to get the second dose of the Covid-19 vaccine. It was reported that the patient was inquired if he had any immunity to Covid-19 without taking the second shot and if he was protected with just the one dose of the Covid-19 vaccine. It was also reported that, the reporter also looked through the list of side effects for Covid-19 vaccine and it was like patient had all of them. The patient experienced chills, he was freezing, and he was cold. The patient had the whole list of them. It reported that he had doctor appointment on Monday, 29Mar2021, and that he may be getting in for breathing treatments today. He was waiting for his insurance to finalize the approval for the breathing treatments in the evening. The outcome of the events throat scratching and eye itching was recovered on

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							19Mar2021, Outcome of the events bags under eyes and blood pressure had been up to 180/increase in blood pressure were recovering. The outcome of the events feeling lousy, lethargic, running temperature and chills were not recovered. Outcome of the other events was unknown. Information on the lot/batch number has been requested. Information on the lot/batch number has been requested.
1175017	4/7/2021		71	F	3/12/2021	3/12/2021	Lost vision on her right eye; Numbness in Right side of Face; Numbness in lip/Numbness in tongue; This spontaneous case was reported by a physician (subsequently medically confirmed) and describes the occurrence of BLINDNESS (Lost vision on her right eye) in a 71-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. O32M209) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Hypertension. Concomitant products included ATENOLOL (TENORMIN) for Hypertension, HYDROCHLOROTHIAZIDE for an unknown indication. On 12-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 12-Mar-2021, the patient experienced BLINDNESS (Lost vision on her right eye) (seriousness criterion medically significant), HYPOAESTHESIA (Numbness in Right side of Face) and HYPOAESTHESIA ORAL (Numbness in lip/Numbness in tongue). On 12-Mar-2021, BLINDNESS (Lost vision on her right eye) had resolved. At the time of the report, HYPOAESTHESIA (Numbness in Right side of Face) outcome was unknown and HYPOAESTHESIA ORAL (Numbness in lip/Numbness in tongue) had not resolved. Not Provided The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown), the reporter did not provide any causality assessments. Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1174975	4/7/2021	NH	65	M	3/20/2021	3/22/2021	Approximately 12 hrs after the vaccine injection I experiences mild flu like symptoms. The flu like symptoms went away around 24 hrs after the injection. The following morning around 3:00 AM I woke up with severe lateral movement. I was not able to walk, experienced severe vertigo and nausea. These symptoms began to reduce 24 hrs later. At this point double vertical vision began and lasted for approximately one week. Currently I have mild vertigo 18 days after the injection. I am able to drive safely and the vertigo symptoms are reducing day by day.
1174974	4/7/2021	CT	29	F	4/6/2021	4/6/2021	Systemic: Confusion-Medium, Systemic: Flushed / Sweating-Mild, Systemic: Visual Changes/Disturbances-Medium, Additional Details: Pt recieved Pfizer vaccine. Pt sat in waiting area afterwards. Pt passed out and experienced sweating and vision impairment. Within 5-10 minutes pt able to respond in usual manner and vision clear again. Pt reports having similar incidents in the past with blood draw.
1174967	4/7/2021	AR	38	F	3/25/2021	3/26/2021	Had a stye that was almost healed at time of vaccine. After getting the vaccine my eyelid swelled and presented with intense itching with numerous small painful bumps. At 1.5 weeks post vaccine has not healed and has gotten worse.
1174953	4/7/2021	NJ	69	F	3/23/2021	3/25/2021	Site: Bruising at Injection Site-Severe, Site: Pain at Injection Site-Severe, Site: Swelling at Injection Site-Severe, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Severe, Systemic: Lymph Node Swelling-Severe, Systemic: Nausea-Severe, Systemic: Numbness (specify: facial area, extremities)-Severe
1174888	4/7/2021	FL	48	M	4/6/2021	4/6/2021	Anxiety, Panic, Weakness, unable to stand, generalized weakness. 98/60 68. Pt. observed with generalized weakness. unable to keep eye open. Emergency personnel notified and pt. was transported to Hospital for further evaluation.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1174883	4/7/2021	CA	58	F	3/25/2021	3/26/2021	Patient felt fatigue day one, then fever day two, then developed weakness and blurred vision, went to see eye doctor a few days later, was recommended to come to pcp due to eye findings, pt went home and checked sugar which glucometer read HI, which prompted her to go to er because this has never happened to her before
1174878	4/7/2021	TN	52	M	4/6/2021	4/6/2021	Patient complaining of severe headache, chills, body aches, sore throat, running nose, cough, nausea and vomiting and watery, itchy, burning eyes
1174400	4/7/2021	LA	44	M	4/6/2021	4/6/2021	Fever, chills, muscle aches, joint pain, burning eyes
1174395	4/7/2021	NY	56	F	4/3/2021	4/5/2021	patient came into the ed for bilateral eye swelling that started Monday night two days after vaccination - treated for allergic rxn Benadryl solumedrol Pepcid
1174380	4/7/2021	AZ	28	F	4/3/2021	4/4/2021	Headache Sore neck Sore arm Sore armpit Sore throat Right eye swelling and pain

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1175008	4/7/2021	IN	73	F	2/6/2021	2/6/2021	Will not be getting the second dose; She felt like someone stab her in the heart; Dizzy, Light Headed; Could not see, looks fuzzy; This spontaneous case was reported by a consumer and describes the occurrence of ANGINA PECTORIS (She felt like someone stab her in the heart) in a 73-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 013M20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Heart disorder and Heart rate increased (She has a history of rapid heart beat.). Previously administered products included for Flu vaccination: flu (She had an allergic reaction to the flu vaccine in October 2020.) in October 2020. Past adverse reactions to the above products included Allergic reaction with flu. Concurrent medical conditions included Multiple allergies (stated "she is allergic to everything"). On 06-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 06-Feb-2021, the patient experienced ANGINA PECTORIS (She felt like someone stab her in the heart) (seriousness criterion medically significant), DIZZINESS (Dizzy, Light Headed) and VISUAL IMPAIRMENT (Could not see, looks fuzzy). On an unknown date, the patient experienced TREATMENT NONCOMPLIANCE (Will not be getting the second dose). At the time of the report, ANGINA PECTORIS (She felt like someone stab her in the heart), DIZZINESS (Dizzy, Light Headed), VISUAL IMPAIRMENT (Could not see, looks fuzzy) and TREATMENT NONCOMPLIANCE (Will not be getting the second dose) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown.; Sender's Comments: This report refers to a case of Therapy cessation for mRNA-1273 (Batch no. 013M20A) by the patient's healthcare provider. Based on the current available information and temporal association between the use of the product and the start date of the remaining events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1174321	4/7/2021	MO		U			the soreness in the arm was less the second time than the first; This is a spontaneous report received from a sponsored program. A con-tactable consumer reported that a patient of unspecified age and gender received bnt162b2 (BNT162B2), dose 1 via an unspecified route of administration on an unspecified date (Batch/Lot number was not reported) as single dose for covid-19 immunization.The patients medical history was unknown. The patients concomitant medication included estrogens conjugated (PREMARIN) taken for an unspecified indication, start and stop date were not reported.The patient stated that she had problems with her eyes. she stated that after she had her second COVID vaccine shot, not only did it not have any after effects, but the soreness in the arm was less the second time than the first. The outcome of the events was unknown. Information on lot number/batch number was requested.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1175018	4/7/2021	FL	72	F	1/4/2021	3/7/2021	<p>Paralysis of right eye; Double vision; cataract in right eye; Walking difficulty; eye pain; This spontaneous case was reported by a physician and describes the occurrence of OPTHALMOPLÉGIA (Paralysis of right eye), DIPLOPIA (Double vision) and CATARACT (cataract in right eye) in a 72-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Glaucoma and Cataract (left) in 2019. Concurrent medical conditions included Cataract (right). Concomitant products included LOSARTAN, METOPROLOL, AMLODIPINE, HYDROCHLOROTHIAZIDE, ACETYLSALICYLIC ACID (ASPIRIN (E.C.)), MULTIVITAMIN [VITAMINS NOS], VITAMIN D NOS and ATORVASTATIN CALCIUM (STATIN [ATORVASTATIN CALCIUM]) for an unknown indication. On 04-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 28-Jan-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 07-Mar-2021, the patient experienced EYE PAIN (eye pain). On 09-Mar-2021, the patient experienced OPTHALMOPLÉGIA (Paralysis of right eye) (seriousness criteria hospitalization, disability and medically significant) and DIPLOPIA (Double vision) (seriousness criterion hospitalization). On an unknown date, the patient experienced CATARACT (cataract in right eye) (seriousness criterion medically significant) and GAIT DISTURBANCE (Walking difficulty). The patient was hospitalized from 09-Mar-2021 to 13-Mar-2021 due to DIPLOPIA and OPTHALMOPLÉGIA. At the time of the report, OPTHALMOPLÉGIA (Paralysis of right eye), DIPLOPIA (Double vision), CATARACT (cataract in right eye), EYE PAIN (eye pain) and GAIT DISTURBANCE (Walking difficulty) outcome was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. No treatment information was reported. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							the use of the product and the start date of the events, a causal relationship cannot be excluded.
1174271	4/7/2021	NM	75	F	3/30/2021	3/30/2021	3/30/21 Extreme backache, knee pain; 3/31/21 headache, aching behind eyes, and temperature 100 deg., tiny bit of left arm soreness, tiredness; 4/1/21 RIGHT arm soreness (the LEFT arm had been injected), headache, aching behind eyes, tiredness; 4/2/21 BAD left jaw pain, headache, tiredness; 4/3/21 headache, tiredness, general muscle pain; 4/4/21 tiredness, general muscle pain, fever blister on lip, canker sore in mouth (both at same time and had not experienced in several years); 4/5/21 very sore throat, fever blister and canker sore; 4/6/21 headache, fever blister, canker sore, sore throat; 4/7/21 (tomorrow) I still expect to have a headache and pain from the mouth sores. NOTE: only previous extreme backache and knee ache was experienced at age 16 before diagnosis with rheumatic fever; have experienced fever blisters and canker sores most of my life, except for last 10 years, these have been an unusual occurrence, nothing I did precipitated it.; left jaw ache experienced 20 years ago before diagnosis of Temporo-Mandibular Joint Dysfunction, this was also an unusual occurrence; I haven't had a sore throat in over 35 years. I FEEL THESE REACTIONS MANIFESTED MOSTLY FROM OLD MEDICAL EXPERIENCES. But the adverse effects just keep continuing. I am still suffering side effects almost a week after the second shot. It has been a VERY DEPRESSING experience.
1174260	4/7/2021	OR	23	M	4/6/2021	4/6/2021	Patient immediately started sweating, turned pale, complaining of dizziness and blurred vision. We observed him for approximately 30 minutes. Sweating stopped; coloring became better and normal vitals were seen before he left.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1174257	4/7/2021	CA	29	F	4/5/2021	4/5/2021	Facial tingling around 1:00 PM followed by drowsiness. Around 6:30 PM chills started followed by a headache. Drowsiness continued and then fever of 102 throughout the night. Headache at temples, in between eyes and eyes continued to get worse along with pressure in those areas. Full body aches also developed. Nausea also occurred along with grassiness. Around 9 AM the next day the fever broke but headache continued. Aches subsided but persisted in neck, shoulders and most notably middle to lower back along with stomach aches. Weakness in the arms and hands still noticeable. Dull headache still exists, aches, and weakness as of 9:00 PM.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1174206	4/7/2021	TN	24	F	3/23/2021	3/23/2021	dizzy; nauseated; my vision was a bit fuzzy; my ears started ringing very loud; I was twitching and that I wasn't very coherent; color was coming back to my face; Felt tired; a sore arm; muscle spasms; This is a spontaneous case received from a contactable consumer(patient). A 23-year-old female non-pregnant patient of an unspecified age received bnt162b2 (BNT162B2, Solution for injection), dose 1 via an unspecified route of administration, administered in Arm Right on 23Mar2021 19:00 as SINGLE DOSE for covid-19 immunisation. The patient's medical history and concomitant medications were not reported. On 23Mar2021, 10-15 minutes after getting the shot she felt very dizzy and nauseated. As she was leaving the pharmacy to go to car her vision was a bit fuzzy. When she sat back down she had to close her eyes because she was so dizzy and her ears started ringing very loud. Her roommate said that she was twitching and that she wasn't very coherent. She went back to get the pharmacist who brought Wal-Dryl and a sprite. After sitting and drinking for another 10-15 minutes she felt slightly better and color was coming back to her face. Felt tired and dizzy the rest of the night. Felt fine the next day just a sore arm. She had a few muscle spasms since getting vaccinated. The patient lab tests included sars-cov-2 test negative: negative on 09Feb2021 type: Nasal swab, sars-cov-2 test negative: negative on 15Mar2021 type: Nasal swab. The action taken in response to the events for bnt162b2 was not applicable. Outcome of the events was Recovered on an unspecified date. Follow-up attempts are needed. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1174088	4/7/2021			F			administering a vaccine into a very muscular arm and the needle and syringe come apart and the majority of the vaccine come out and splashed in her eye; She does have some eye irritation; This is a spontaneous case received from a contactable physician. A female nurse (patient) of unspecified age was exposed to BNT162B2 (PFIZER BIONTECH COVID-19 MRNA VACCINE) on an unspecified date. The patient's medical history and concomitant medications were not reported. On an unspecified date, the nurse (patient) was administering BNT162B2 into a very muscular arm and the needle and syringe came apart. The majority of the vaccine came out and splashed into her eye. She did have some eye irritation. The events were reported as non-serious. The outcomes of splashed into her eye and eye irritation were unknown. The lot number for the vaccine, BNT162B2, was not provided and will be requested during follow-up.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1173972	4/7/2021	OH	70	F	2/27/2021	2/27/2021	Tiredness; Headaches; Chills; Fever; Nauseated; Dizziness; Weakness; felt sick; can't see as good, her eyes are weak; Difficulty breathing; thought she was having a heart attack; dehydrated; fast heart beat that felt like her chest was full; fast heart beat that felt like her chest was full; Injection Site Pain; blood pressure fluctuated; This is a spontaneous report from a contactable consumer (patient). A 70-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), dose 1 via an unspecified route of administration, administered in left arm on 27Feb2021 12:00 (lot number: EN6202; expiration date: 30Jun2021) as single dose for COVID-19 immunisation. Medical history included ongoing high blood pressure and stroke from 2012 to an unknown date. Concomitant medications included aspirin [acetylsalicylic acid] (ASPIRIN) taken for stroke from 2012 and ongoing; clopidogrel bisulfate (CLOPIDA) and simvastatin both taken for high blood pressure from 2012 and ongoing; ongoing amlodipine, lisinopril, and metoprolol all taken for high blood pressure. On 27Feb2021, she took the first vaccine. From that day, for 2 days, she had injection site pain. On 07Mar2021, she started having tiredness, headaches, chills, fever, felt nauseated, had a fast heart beat that felt like her chest was full and thought she was having a heart attack, dizziness, weakness, felt sick, and difficulty breathing. The patient added that she can't see as good, her eyes are weak. She was going to make an appointment to get her eyes checked. For dizziness event, she has to sit on the side of her bed for 10 minutes and she was still dizzy. She has to hold on to something because she feels like she is going to fall. She was given meclizine three times a day for this event. For tiredness event, she stated that it fluctuates during day. After she takes a paracetamol (EXTRA STRENGTH TYLENOL) and lays down for a while, she feels ok and then she feels tired again. For fast heart beat that felt like her chest was full and thought she was having a heart attack event, it comes and goes, she had it yesterday (21Mar2021) but hasn't had it today (22Mar2021) but she doesn't know if it is gone. Her symptoms were usually in the morning when she first gets up. She has been to the emergency room (ER) on 07Mar2021 and on 13Mar2021 and they say that nothing is wrong. On 07Mar2021, they gave her an IV because

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

they thought she was dehydrated. On 13Mar2021, she went back to another hospital ER. She felt worse and her son came and got her and took her to the ER. They did a whole workup MRI of her head, x rays, blood work and everything. They didn't know what was causing it because it had it been over a week since her vaccine and they sent her home. She has been laying down and staying hydrated. She couldn't hardly get up and they asked her what has she done different and the only thing different was the vaccine. Everything listed on the risk factors [side effects] is how she is feeling. She was not hospitalized, they gave her medicine and told her to stay hydrated and sent her home and was told to follow up with her physician. She finally got an appointment for tomorrow (23Mar2021) with her physician. She can't drive because of the dizziness. All of her tests came back normal. They said her blood pressure fluctuated on 2021 but that is normal. Outcome of the injection site pain was recovered on 01Mar2021, of the difficulty breathing was recovering, of the headache, chills, fever, dizziness, weakness, and felt sick was not recovered, while of the remaining events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1173911	4/7/2021	MA	33	F	3/13/2021	3/14/2021	the back (mostly left side) of her head gets so tight and sore; felt like the back of her skull was fractured/the back (mostly left side) of her head gets so tight and sore; all color drained from her face; tunnel hearing; tunnel vision; felt the worst feeling about to faint; felt a "static" feeling all over her body; throwing up; fever; migraine; aches; Chills; hot sweats; This is a spontaneous report from a contactable consumer (the patient). A 33-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, lot number EN6207), via an unspecified route of administration in the left arm on 13Mar2021 12:00 (at the age of 33-years-old) as a single dose for COVID-19 immunization. The patient's medical history included: asthma and lactose Intolerance- not allergy though (as reported). Prior to vaccination, the patient was not diagnosed with COVID-19. The patient was not pregnant at the time of vaccination. Concomitant medications included: fluticasone propionate/ salmeterol xinafoate (ADVAIR), loratadine, bupropion hydrochloride (WELLBUTRIN), and vitamins (as reported), all taken for an unspecified indication, start and stop date were not reported. The patient previously received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, lot number EN6200), via an unspecified route of administration in the left arm on 20Feb2021 12:00 (at the age of 33-years-old) as a single dose for COVID-19 immunization. The patient stated that 24 hours after her second dose (14Mar2021 12:00), she felt the worst feeling about to faint, all color drained from her face. She got tunnel vision/hearing and felt a "static" feeling all over her body. Then started throwing up. She took a nap and woke up an hour later with 101.2 (degree) fever (14Mar2021) and fought that, along with migraine, aches, chills, hot sweats (14Mar2021). About 8 hours after initial fever (14Mar2021), it spiked to 102.4 (degree) for two hours. It came down quick. The next day, 15Mar2021, it felt like the back of her skull was fractured. And since then (unspecified date), the back (mostly left side) of her head gets so tight and sore especially when laying down. She has been sleeping on heating pad for 10 days now, and it got a little better but still super sore (head). The events involved a doctor or other healthcare professional office/clinic visit. Treatment was received for the back (mostly left side) of her head gets so tight and sore.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1173889	4/7/2021	UT	58	M	3/3/2021	3/7/2021	<p>There was no treatment for the other events. The outcome of the events was recovered with sequelae. It was also reported that since the vaccination, the patient had not been tested for COVID-19.</p> <p>Lost hearing in my right ear; lost most of vision in right eye; This is a spontaneous report from a contactable consumer (patient). A 58-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration at the age of 58-years-old on 03Mar2021 12:00 (Lot number was not reported) as a single dose for COVID-19 immunization. Medical history included failed back surgery, heart disease, and known allergies. Concomitant medications included losartan potassium (LOSARTIN), carvedilol, levothyroxine sodium, atorvastatin calcium (ATORVASTIN), and "subu"; all taken for an unspecified indication, start and stop date were not reported. The patient reported, "Lost hearing in my right ear and lost most of vision in right eye" on 07Mar2021 06:30. Therapeutic measures were taken as a result of the events, which included Steroid shot through ear drum and oral steroids. The outcome of the events was not recovered. Adverse events resulted in Doctor or other healthcare professional office/clinic visit, Disability or permanent damage. Facility type Vaccine was Public Health Clinic/Veterans Administration facility. No other vaccine in four weeks. Not diagnosed with COVID prior vaccination. Not tested for COVID post vaccination. The patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2, on an unspecified date in left arm at a single dose for COVID-19 immunization. Information on lot/batch number has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1173680	4/7/2021	NY	64	M	2/2/2021	2/4/2021	This is a spontaneous report from a contactable consumer. A 64-year-old male patient received the second dose of the BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Lot Number unknown, Expiration Date: unknown), via an unspecified route of administration on Arm Right On 02Feb2021 01:00 at single dose for COVID-19 immunization. The patient historic vaccine include second dose BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Lot Number unknown, Expiration Date: unknown), via an unspecified route of administration, On Jan2021 at single dose for COVID-19 immunization. concomitant medication was not reported. On 04Feb2021 patient experienced swelling under armpit a little larger than an egg, fluid went into his chest and back, red blotches on chest and back, event recovered on 06Feb2021. On 07Feb2021 patient experienced swelling in face primarily around the eyes(ongoing), face was as red as a beet as if he had a sunburn (ongoing). Patient took treatment Benadryl. The first dose was 21 days exactly prior to the second Vaccination. Vaccination Facility Type at Hospital. The outcome of swelling under armpit a little larger than an egg, fluid went into his chest and back, red blotches on chest and back, event was recovered on 06Feb2021 and red as a beet as if he had a sunburn, event eye swelling, erythema Recovering. Information on the lot/batch number has been requested.
1176961	4/7/2021	FL	30	F	4/6/2021	4/6/2021	Within minutes of receiving the injection I began to feel dizzy. My heart rate quickly began to drop according to my Fitbit. My heart rate is normally around 68. When the dizziness began I noted my heart rate dropped to 57 then 52 within seconds. The dizziness continued to get worse over the next minute or so until I completely lost my vision. One of the workers brought me water and within a minute of drinking my vision began to come back slowly. After sitting for another 10-15 after regaining my vision I felt better. I am concerned about getting my second dose of vaccine after this first experience. Please advise.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1175419	4/7/2021	VA	31	F	4/3/2021	4/7/2021	Loss of balance 6:50a when heading to the shower. Sat down on the toilet, room spinning. Laid back in bed and everything still spinning. The worst of it lasted about 30-45min. Currently laying in bed and eyes are heavy. Have a headache and fatigued. Dizziness comes and goes but not nearly as bad as this morning. It is currently 10:19am.
1174322	4/7/2021	MO		U			The soreness in the arm was less the second time than the first.; This is a spontaneous report received from a sponsored program. This is a spontaneous report from a contactable consumer (patient). A patient of unspecified age and gender received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), via an unspecified route of administration on an unspecified date (Batch/Lot number was not reported) as single dose for covid-19 immunisation, estrogens conjugated (PREMARIN), via route of administration on an unspecified date (batch/lot number and dose were not reported) for an unspecified indication. Medical history included eye disorder. During the call, the patient stated I have problems with my eyes. The patient previously received first single dose of BNT162B2 on unknown date for Covid-19 immunization. The patient's concomitant medications were not reported. It was reported by patient that I had my second COVID vaccine shot and I had Pfizer and not only did it not have any after effects, the soreness in the arm was less the second time than the first. The outcome of event was unknown. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1175194	4/7/2021	WA	27	F	3/10/2021	3/10/2021	<p>anxiety attack/she did get pretty anxious easily and that probably exacerbated it; Chest pain; Chest heaviness; Abdominal pain; eyelid got puffy/puffiness mostly on her upper eyelid of her left eye; had eye puffiness in her left eye; This is a spontaneous report received from a contactable nurse (patient). This 27-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration on 10Mar2021 10:15 (Batch/Lot number was not reported, reported as "one number on there is EN and then she does not know if it is a G or 6 and then 204") as a single dose for COVID-19 immunization. Medical history included ongoing anxiety from 2020, ongoing acid problems from 2020, high cholesterol levels from 2020 (she was not prescribed any medication and the advice given was just for diet and exercise), and ongoing gallbladder problem for years. There were no concomitant medications. Patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. No additional vaccines administered on same date of the Pfizer suspect. On 10Mar2021, patient had eye puffiness in her left eye. Patient asked if it is safe to take the second dose. Her eyelid got puffy which began 30 minutes after having the Pfizer COVID Vaccine and it is not ongoing but resolved completely after a few minutes. She did not require treatment for the eye puffiness and the puffiness was mostly on her upper eyelid of her left eye. Patient stated that she does not know in terms of causality if the Pfizer COVID vaccine is related to the reported events and was worried because a week after she got the vaccine, she had other symptoms and was not sure if they are connected with the vaccine. She also reported that she does not think the eye puffiness itself is that serious but it is medically significant and the other symptoms she had were chest pain, chest heaviness, and abdominal pain. These symptoms are not ongoing anymore and began around Friday, 19Mar2021 and resolved after a couple of hours of when they began. For the chest pain, chest heaviness and abdominal pain, she just took an antacid Prilosec for treatment. She thought about going to the emergency room but also thought she was having an anxiety attack and was close to having to go to the emergency room that night. She did get pretty anxious easily and that probably exacerbated it. AEs did not require a visit to</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							emergency room or physician office. Outcome of the events had eye puffiness in her left eye and eyelid got puffy/puffiness mostly on her upper eyelid of her left eye was recovered on 10Mar2021, of the event "anxiety attack/she did get pretty anxious easily and that probably exacerbated it" was unknown, and of the other events was recovered in Mar2021. Information on the lot/batch number has been requested.; Sender's Comments: Based on the information provided, the contributory role of the suspect bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE) to reported events is possible.
1175557	4/7/2021	OH	51	F	4/1/2021	4/1/2021	Hot flashes, began within 10min of injection?resolved after 2hours Dizziness, began within 40min of injection?resolved after 3hours Hallucinations, began approx 45min post injection?resolved after 3hours Wild mood swings, laughing then crying, began approx 45min post injection?resolved after 2hours Vision improved, began approximately 12hours post injection?continues, previously -4.25 now approx -2
1175546	4/7/2021	IL	60	F	3/21/2021	3/22/2021	On 3/22 started exp swelling on eyelashes left eye. I woke up on 3/23 entire left eye was red, swollen and pain. I called went into see Opthamologist said it was cellulitis referred me to ER. I went to ER had CT scan done ruled out cellulitis stated it was upper eyelid swelling sent home do hot compresses. On 3/24 seen, said it was sty and discharge apply heat, prescribe Tobramycin to eye rest of the week. I seen my Opthamologist on 3/29 said it was sty continue hot compresses wear no makeup. I called back on 3/30 symptoms worsened my eye appeared droopy. The work I do selling jewelry on live caused me to exp issues on the computer. I started seeing flashes causing me to get off computer. As of 4/7 still exp droopy on left eye and got darker tint added to my shades so people wouldn't notice.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1175523	4/7/2021	AL	31	M	4/6/2021	4/6/2021	At approximately 9:00 PM (roughly 11.5 hours after vaccination) I became extremely light headed with slurred speech. I experienced tunnel vision and dizziness. My face turned white, and my lips were a blue color. I sat down immediately, which improved my condition temporarily. But, within 2 minutes I began experiencing tunnel vision and dizziness again while sitting upright. I laid down on my back and elevated my legs. My vision returned and but I remained dizzy and pale. I experienced some numbness and tingling in my extremities. My wife attached a fingertip pulse oximeter to my finger at this time (we did not have a tool to check blood pressure on hand). My blood %SpO2 read between 95 and 98% and pulse ranged from 95 to 101 bpm. I did NOT experience: difficulty breathing, swelling of the airway, nor itching. Since I was not having difficulty breathing, and my symptoms seemed to indicate low blood pressure or potentially low blood sugar I decided to wait it out and see if my symptoms worsened. While laying on the floor, I consumed a glass of milk and a few oreo cookies, hoping to counter hypoglycemia (if that's what was going on). After approximately 15 minutes my condition began to improve - I could sit up slightly with only mild dizziness and color began returning to my face. After approximately 30 minutes, I was able to stand and walk to my couch and lay down. After around an hour, I was feeling almost back to normal with only a slight dizziness and tiredness remaining. 12 hours after the adverse event (24 hours post vaccination) I feel okay, slightly lightheaded but generally fine. I intend to call a doctor and discuss if any further tests are necessary.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1175510	4/7/2021	NY	16	F	4/7/2021	4/7/2021	<p>Patient presented for her first COVID-19 vaccine. Approximately a minute after vaccine was given, she was noted to be seated upright in the passenger seat of her car, with head bent forward and eyes open. She was unresponsive, stiff posture, and was placed into a reclined position. She then had some posturing with head turned to the left, no eye deviation or nystagmus, no tonic-clonic movement. Radial pulse was thready, bradycardia was noted, with normal respirations. She was noted to become diaphoretic and pale/ashen color noted to the face and arms. She became responsive within a few minutes, however initially was not able to answer questions clearly. She had no loss of bowel or bladder function. EMS assisted with evaluation. Initial blood pressure 78/31, HR 54, SpO2 100%. EMS then transferred her to the stretcher and she was transitioned from her car to the ambulance. She continued to improve spontaneously with BP 94/61 then 103/60 and HR 86 then 74. SpO2 remained stable at 100%. Skin color improved. She had normal responses to questions, no complaints of headache, dizziness, chest tightness, shortness of breath, numbness or tingling. She had some shaking/voluntary movement of the limbs and body noted, but she could control and stop this voluntarily, no myoclonic or tonic-clonic jerking noted. After syncopal event occurred, mom reported that the patient has a history of syncope routinely with blood draws and vaccines in the past, however this episode was slightly more prolonged and seizure-like activity was different. She has had some jerking movement previously with syncope which lasts 20-30 seconds, different from today's response. No known history of seizure disorder.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1175509	4/7/2021	TX	50	F	3/3/2021	3/3/2021	Both my ears began ringing during my 5-10 minute drive home after leaving the vaccination center with a simultaneous, difficult to explain, "stuffed-up" feeling (almost like when changing elevations, yet not exactly the same as that). They rang loudly for hours that day and have never fully stopped since that day. They wax and wane in intensity and duration but there is always a low-level ringing audible bilaterally. When they surge from soft to loud, it then becomes difficult to hear conversation, television, etc over it. After 30 minutes to two hours, it usually slowly fades back down to a soft background ringing once again. Previously in my life, never experienced this problem. No other new or recent medication changes for me at that time.
1175398	4/7/2021	TX	59	F	1/20/2021	1/23/2021	Left arm cellulitis x 2 weeks spreading to neck, scapula, and breast. Treated with Doxycycline x 2 weeks. Already reported. Drooping of right upper outer eyelid with visual changes. 4 days after vaccine. Recently diagnosed with Posterior Vitreous Detachment, no retinal detachment, tears, or holes. Could not explain the drooping.
1175365	4/7/2021	CA	50	F	4/5/2021	4/6/2021	On 4/5/21 I got nausea and chills for about an hour. I woke up on 4/6/21 and my right eye and all bone structure on the left side were very painful. It did get worse throughout the day. I woke up on 4/7/21 and the same symptoms with my face and eye but appear to be lessened. But as I am trying to fill out the form it is starting to hurt a little more. Slight swelling in the left eye.
1175348	4/7/2021	FL	73	F	3/24/2021	3/24/2021	Massive headache and blurry vision. Slight body aches and mild tiredness. I stayed in bed, drank water for 2 days starting at onset. No food until nearly 24 hours had passed. Headache remained but I had a slice of bread with peanut butter. I did not take Tylenol because I had read mixed messages that it would reduce the efficacy of the vaccine. Some messages said do not take Tylenol before vaccine and other messages said not to take Tylenol after vaccine. After 2 days, headache was more tolerable but it was not fully gone until after 4 days.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1175281	4/7/2021	GA	57	F	4/1/2021	4/2/2021	Difficulty taking deep breaths, dizziness that felt more like vertigo (the floor and ceiling spinning whenever I stood or sat up), exhausted to the point that I could not sit up without falling asleep. I slept 14hrs straight for two days after the shot. Tired after walking down the driveway and back. Entire body aching with excruciating pain but not the left arm where the shot was taken. Headaches were bad as well. No appetite. The 3rd day afterwards I felt better but still very tired. The 4th day still tired but better. Tylenol, caffeinated coffee and lots of water seem to help me get through this. The fifth day afterward, I am almost 100% but dealing with running nose and eyes which may not be related to the shot.
1175261	4/7/2021	MI	81	M	3/10/2021	3/17/2021	About one week after first vaccine shot, blood test showed very high level of inflammation (Crp) that led to Double Vision. I was put on Prednisone (60 mg/day) . In the past few weeks, I've had several more blood tests, a brain MRI, surgery to perform biopsies on both eyes (biopsies tested positive for both eyes), and a current plan to involve a Rheumatologist.
1175243	4/7/2021	MA	19	F	4/5/2021	4/6/2021	Cranial nerve VI partial palsy, blurred vision/eye pain, blurred vision within 24 hours after vaccination time
1174978	4/7/2021	NJ	24	F	4/6/2021	4/6/2021	Systemic: Confusion-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Visual Changes/Disturbances-Medium, Additional Details: Pt arrived to receive Pfizer vaccine. Pt reported that they experience fainting with vaccines and blood draws. Vaccine given. Mother of pt present. Pt passed out and was not responding to name. Pt regained clear vision and was able to respond normally within 5 minutes. Pt stayed and left with mother after 30 minutes.
1175210	4/7/2021	FL	18	M	4/6/2021	4/6/2021	Client stated he experienced blurred vision following vaccine administration. Fire Rescue evaluated patient. Patient's symptoms subsided. Per Fire Rescue, no further evaluation needed. Client left at 1:22pm.
1175581	4/7/2021	PA	18	M	4/6/2021	4/6/2021	Dizziness, tunnel vision, pectoral numbness

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1175189	4/7/2021	GA	62	M	3/23/2021	3/23/2021	bulging eyes; Mild allergic reaction; metallic taste in mouth; pounding headache; red ears; face/neck rash; fatigue; dizzy.; Sore arm; This is a spontaneous report from a contactable consumer (patient). A 62-year-old male patient received bnt162b2 (BNT162B2), dose 1 via an unspecified route of administration, administered in Left Arm on 23Mar2021 12:00 (Batch/Lot number was not reported), at the age of 62-years at vaccination, as SINGLE DOSE for COVID-19 immunization. Medical history included enlarged aorta, high blood pressure, asthma, eggs and corn allergy. Concomitant medication included lisinopril taken for an unspecified indication, start and stop date were not reported; losartan taken for an unspecified indication, start and stop date were not reported; amlodipine taken for an unspecified indication, start and stop date were not reported; budesonide (PULMICORT) taken for an unspecified indication, start and stop date were not reported; cyanocobalamin, ferrous sulfate, folic acid, serine (RESCUE) taken for an unspecified indication, start and stop date were not reported. On 23Mar2021 12:00, the patient experienced mild allergic reaction, started with metallic taste in mouth and pounding headache before leaving (pharmacy name withheld) after 15 min wait period, red ears, face/neck rash, "bulging eyes". No respiratory issues. Subsided after <1 hour but still feeling fatigue and dizzy. The patient also had sore arm. Still thrilled to get it. The outcome of the events was recovering. No treatment was received for the events. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1175169	4/7/2021	ME	70	F	3/5/2021	3/6/2021	fatigue; mild diarrhea; abdominal pain; gas; runny nose; diarrhea with blood; Sneezing; watery eyes; orange bowel movement; near syncope; lightheaded/lightheadness; chills; body aches; decreased appetite/poor appetite; This is a spontaneous report from a contactable Other-HCP (healthcare professional) in response to HCP letter sent in cross reference case. A 70-year-old female patient received the second dose of BNT162B2 (COVID-19 MRNA VACCINE BIONTECH; Lot Number: EN6201) intramuscularly on 05Mar2021 (at the age of 70-years-old) as a single dose in the deltoid left for COVID-19 immunisation. Medical history included ongoing HTN (hypertension; onset date: years ago; pertinent details: well controlled) from an unspecified date and menopause from an unspecified date and unspecified if ongoing. Concomitant medications included ongoing hydrochlorothiazide orally taken for HTN from an unspecified date, ongoing estradiol benzoate (ESTRADIOL) vaginal taken for menopause from an unspecified date and ongoing multivitamin orally taken for health maintenance from an unspecified date. The patient previously received the first dose of BNT162B2 (COVID-19 MRNA VACCINE BIONTECH; Lot Number: EL9261) intramuscularly on 12Feb2021 as a single dose in the deltoid left for COVID-19 immunisation and experienced sore arms and should injury. Prior vaccinations were reported as none. On 07Mar2021 the patient experienced diarrhea with blood (medically significant), sneezing, watery eyes, orange bowel movement, on 06Mar2021 the patient experienced near syncope, lightheaded/lightheadness, chills, body aches and decreased appetite/poor appetite, on 08Mar2021 the patient experienced fatigue, mild diarrhea, abdominal pain, gas and runny nose. It was reported that the event near syncope was non-serious, did not require treatment. It was also reported that the events near syncope and diarrhea with blood required a visit to the emergency room. The clinical course was reported as follows: "05Mar2021 Vax. 06Mar2021- Lightheadedness onset day after COVID vax #2. Lightheaded, chills, body aches, decreased appetite. 07Mar2021- Sneezing, watery eyes, orange bowel movement, poor appetite, diarrhea with blood. To ER. 08Mar2021- Fatigue, poor appetite, mild diarrhea, abdominal pain and gas, sneezing, runny nose. 09Mar2021- Improved." The patient underwent lab tests

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

and procedures on 07Mar2021 that included: EKG, CBC and comprehensive metabolic panel which were all normal. The clinical outcome of the event near syncope was recovered/resolved on an unspecified date while the clinical outcomes of the events diarrhea with blood, lightheaded/lightheadness, chills, body aches, decreased appetite/poor appetite, sneezing, watery eyes, orange bowel movement, fatigue, mild diarrhea, abdominal pain, gas and runny nose were all unknown.; Sender's Comments: Based on the current available information and the plausible drug-event temporal association, a possible contributory role of the suspect product BNT162B2 to the development of event Diarrhea bloody cannot be excluded. The case will be reassessed if additional information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

1175163 4/7/2021 CA

73 F

3/9/2021

3/10/2021

Neuropathy; Shortness of breath; chest tightness; ringing in ears; fatigue; brain fog; dizziness; vomiting; vision changes; This is a spontaneous report from a contactable consumer. A 73-years-old female patient received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE Lot Number: EN6205), via an unspecified route of administration, administered in Arm Right on 09Mar2021 15:00 as SINGLE DOSE for covid-19 immunisation. Medical history included asthma, glaucoma, Manages cholesterol, controlled high BP and iodine contrast. The patient's concomitant medications were not reported. The patient experienced neuropathy, shortness of breath, chest tightness , ringing in ears, fatigue, brain fog, dizziness, vomiting and vision changes on 10Mar2021 03:00. The patient was hospitalized for all of the events for 2 days on an unspecified date. The patient underwent lab tests and procedures which included Nasal Swab: negative on 13Mar2021. The patient was not pregnant. Outcome of the events was not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1175162	4/7/2021	NC	69	F	3/20/2021	3/21/2021	Vertigo; nausea; vomiting; diarrhea; loss of consciousness; inability to control limbs; unable to open eyes and focus; unable to open eyes and focus; This is a spontaneous report from a contactable consumer (patient). A 69-year-old female patient received BNT162B2 (BNT162B2, Solution for injection, lot number: EN6204), via an unspecified route of administration in the Left Arm on 20Mar2021 09:30 AM (received at the age of 69-years-old) at a single dose for COVID-19 immunization. The vaccine was administered at a Pharmacy or Drug Store. The patient did not receive any other vaccine within four weeks prior to receiving BNT162B2. The patient was not pregnant at the time of vaccination. Medical history included diabetes mellitus. She had no known allergies. The patient had no prior history of COVID-19. Concomitant medications included dulaglutide (TRULICITY), insulin degludec (TRESIBA), atorvastatin calcium trihydrate (ATORVASTATIN [ATORVASTATIN CALCIUM TRIHYDRATE]), hydrochlorothiazide (HYDROCHLOROTHIAZIDE), and losartan potassium (LOSARTIN). On 21Mar2021 07:30 AM, the patient experienced vertigo, nausea, vomiting, diarrhea, loss of consciousness, inability to control limbs, unable to open eyes and focus. The reported adverse events resulted in emergency room/department or urgent care and hospitalization. The patient was hospitalized for one day. Therapeutic measures were received as a result of reported adverse events; Medicine for nausea, CT scan, IV. Outcome of the events was recovering. The patient was tested for COVID post vaccination on 21Mar2021 through nasal swab with result of negative.
1175143	4/7/2021	FL	18	M	4/6/2021	4/6/2021	Client stated he experienced blurred vision following vaccine administration. Fire Rescue evaluated patient. Patient's symptoms subsided. Per Fire Rescue, no further evaluation needed. Client left at 1:22 pm.
1175139	4/7/2021	OH	47	F	3/31/2021	4/7/2021	One week after receiving vaccination patient woke up with swollen red eyes/puffy. No pain or itching. No other subsequent swelling at time of assessment over the phone. No other explanation to symptoms besides vaccine per patient. Patient referred to doctor for follow up and instructed to call 911 if a medical emergency.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1175125	4/7/2021	MI	65	M	4/6/2021	4/6/2021	About an hour after injection, began to notice slight irritation in my right eye. A bit of redness in the corner and a bit of tearing up. Not bad enough to keep me from going about my daily routine.
1175096	4/7/2021	NY	30	M	4/6/2021	4/6/2021	Patient became dizzy, diaphoretic, blurred vision and hypotensive within minutes of vaccine.
1175057	4/7/2021	MD	42	F	3/10/2021	3/10/2021	Visual aura 3 hours later, headache for 2 days, then at 3 days sudden onset nausea, vomiting, emotional upset then sleepiness, pupils to me seemed very constricted on that day, stiffness of neck for several days and right sided head/ face pain for 5 days difficulty concentrating/ reading. I took ibuprofen for 5 days which helped symptoms
1175042	4/7/2021	MI	31	F	4/1/2021	4/5/2021	Day 1- soreness in arm Day 2- super sore and stiff Day 3- slightly sore Day 4 at 830pm- bloodshot eyes, burning sensation throughout my whole body. My feet felt like they were on fire. I felt discombobulated, cloudy and weak. I went to the ER, that will be listed in ite. 19. Day 5- super weak and still out of it but the burning sensation is gone.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1175021	4/7/2021	CA	52	F	3/6/2021	3/11/2021	cheek drooping, face hanging, lip pulling and eye won't close, lip twitch, headache; Nausea; rash chest, neck, full body; This spontaneous case was reported by a consumer and describes the occurrence of FACIAL PARALYSIS (cheek drooping, face hanging, lip pulling and eye won't close, lip twitch, headache) in a 52-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. unknown) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No medical history reported). On 06-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 11-Mar-2021, the patient experienced RASH (rash chest, neck, full body). On 21-Mar-2021, the patient experienced NAUSEA (Nausea). On 25-Mar-2021, the patient experienced FACIAL PARALYSIS (cheek drooping, face hanging, lip pulling and eye won't close, lip twitch, headache) (seriousness criteria disability and medically significant). On 18-Mar-2021, RASH (rash chest, neck, full body) had resolved. On 27-Mar-2021, NAUSEA (Nausea) had resolved. At the time of the report, FACIAL PARALYSIS (cheek drooping, face hanging, lip pulling and eye won't close, lip twitch, headache) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1175225	4/7/2021	MA	47	F	3/24/2021	3/29/2021	24hrs after - tired and minimal tenderness where shot was administered. 4 days after - woke at 1am with itchy scalp, swollen ears and hives mostly upper body. Called Dr. and sent pictures and was told to take Benadryl. 5th day - woke to swollen eyes, upper lip and full body hives. Went to ER and was given IV, Benadryl and steroid and continued to take Benadryl and Prednisone for 5 day. Day 3 of Prednisone, hives had subsided.
1178103	4/7/2021	NY	43	F	3/28/2021	3/29/2021	At time of shot, felt stinging pain in the elbow and wrist of left arm, later 5 mins. At some point the next day, I developed Spinal pain. Pain in SI joins, several distinct spots along the spine and the base of my skull, spinal stiffness, difficulty touching knees or putting chin to chest. Lasted 2 days. Night of 3/29/2021, I woke up with tooth pain in multiple teeth on both upper and lower and right and left sides of mouth. Pain great enough to wake me up and caused difficulty returning to sleep, after 600 mg ibuprofen, able to get to sleep and completely gone in the am. Starting 3/30, pain along nerve paths in upper right side back around scapula, felt like burning, intermittent. Now resolved to tingling / numb feeling and some tingling / decreased sensation in upper lip left side and under eye left side
1177972	4/7/2021	NE	73	M	4/1/2021	4/4/2021	On late afternoon of 4/4/2021 spouse noticed slight paralysis on the right side of face (mouth) and sagging of check/neck. No other symptom was felt. On 4/5/2021 paralysis was still obvious and right eye was tearing. Still no other issues. On 4/6/2021 paralysis seems to interrupt chewing on right side. Went to emergency thinking maybe it was a slight stroke. Diagnosis was Bell palsy.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1178243	4/7/2021	CA	71	F	3/25/2021	3/25/2021	<p>Little out of it in her head, very quick surge of pain on her left leg which is repeating; Left nose congestion; Left side of the face being numb; Eyebrows were kind of very heavy; Muscle aches; Temperature little high, heat was radiating to back of her head; A spontaneous report was received from a consumer concerning a 71-year-old, female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced left nose congestion/ nose congestion, left side of the face being numb/ Hypoesthesia, eyebrows were kind of very heavy/asthenopia , little out of it in her head/adverse reaction, muscle aches/ myalgia, temperature little high,heat was radiating to back of her head/ pyrexia. The patient's medical history was not provided by the reporter. Concomitant product use was not provided by the reporter. On 25 Mar 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Batch number:016B21A ) intramuscularly in the right arm for prophylaxis of COVID-19 infection. On unknown date, prior to receiving mRNA-1273, the patient felt left nose congestion, left side of the face being numb, eyebrows were kind of very heavy, little out of it in her head, heat was radiating to back of her head, muscle aches, temperature little high. Treatment for events included diphenhydramine HCl, acetylsalicylic acid. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the events, left nose congestion, left side of the face being numb, eyebrows were kind of very heavy, little out of it in her head, heat was radiating to back of her head, muscle aches, temperature little high were considered unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1178231	4/7/2021	IL	54	F	3/20/2021	3/20/2021	Within minutes of getting the shot I got a metal taste in my mouth and my mouth/lips/cheeks ON THE LEFT SIDE ONLY started getting numb. Paramedics took my blood pressure (usually normal) and it was very high (around 150/105). Paramedics monitored my blood pressure until it went back to normal (30-40 minutes), then I went home. The numbness got worse for 2-3 hours (eventually the area of my face around my left eye also got numb). Then the numbness started to slowly fade and it was totally gone in 48 hours.
1178229	4/7/2021	MN	32	M	4/7/2021	4/7/2021	Vasovagal syncope - occurred about 3-5 minutes after administration. Patient slouched in chair, eyes rolled back slightly and patient was snoring. Patient was guided to the floor by pharmacist and significant other and regained consciousness after just a few moments. Patient was unaware of what happened. Patient was given water and remained lying on the floor for a few minutes and then was able to sit up and recover.
1178219	4/7/2021	CO	67	F	4/2/2021	4/3/2021	At 1 AM on 4/3/21, I got up to take some Tylenol since I woke up feeling like I had a temperature. I walked to the kitchen (which isn't very far) and had an extreme feeling of overwhelming weakness and fainted. (only fainted one other time in my life). I hit my head and eye and now have bruising from my hairline and down my cheek on my right side. My eye and eye lid are black and blue. I had 101 temp and chills and body aches. Immediately starting vomiting and had diarrhea for 6 hours. Had a temp of 100 the whole day of 4/3/21. Then 99.5 on 4/4 and 4/5/21 and still tired and achy. By 4/6, I felt better. Although my symptoms were just a few days, I would have never taken the second Moderna shot, in hindsight. In fact, lots of people I know have had strong reactions to the second Moderna vaccine. I have to say I have never gotten so sick so fast in my life. No way to fight it - I felt took weak and vulnerable.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1178213	4/7/2021	TN	64	F	2/23/2021	2/23/2021	Within 45 secs to 2 mins of receiving the Pfizer vaccine #1, patient (myself) experienced tingling in Lt. eye then swelling in Lt. eye lids, lt. cheek, lt. corner mouth which progressed. This was witnessed by the team giving vaccine and later on by EMT on the scene. Post feeling dizzy along with swelling the EMT person had me leave my car & placed me on litter in ambulance waiting in parking lot. Within 5 -6 mins. of the shot, I then felt severe HA, and swelling in my throat. EMT immediately started IV - gave IV Benadryl, then gave 1 shot of Epinephrine. Called EMT which took me via ambulance to hospital. There EM MD assess then gave me Solumedrol IV push & admitted me to ED OBS formally. Felt better but then few hours later all symptoms returned along with severe pain in hand with red palms & cyanotic finger tips. ED MD treated me again with higher dose of Benadryl & add Prilosec for potentiation of Benadryl and observed me. Felt better after several more hours. Was discharged on 50 mg Prednisone X 5 days & prescription for Epinephrine pen. Followed up w/PCP couple days later.
1178202	4/7/2021		33	F	4/7/2021	4/7/2021	Female patient received her covid-19 Janssen and approximately less than 10 minutes after, she had a panic episode. She fell off of her chair onto her left shoulder. Pharmacist was there immediately trying to assist her. Her eyes were open but patient was unresponsive. Approximately, 10-15 seconds later she came back to it and tried to get up. I asked her to stay down and relax. patient was asked if she was aware of where she was and time and she responded properly. Then she mentioned she has had panic attacks previously. Emergency services was notified immediately and Market director. Patients vitals were taken and her blood pressure started at 135/95 mmHg 85 hr. 5 minutes later her vitals were done to 127/87 mmHg 82 hr. By the time, emergency services arrived she was sitting done on her chair and feeling much better. She refused Emergency services. She sat in the observation room for 20 minutes after and was checked on by the pharmacist. She was stable and in good spirit when she left.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1178186	4/7/2021	NJ	21	F	4/7/2021	4/7/2021	Pt completed her 15 minute wait time without complaints (at 1601). She exited the building with her brother into the parking lot. It was reported that she "slumped to the ground" and appeared to have had a seizure. I arrived at her side (at 1603) with EMS checking vital signs. Pt was able to whisper and acknowledge me. She was oriented to person and place. Her pupils were constricted, but was lying in the sunshine. EMS had already called for ambulance. I talked with Pt to obtain any medications, history and allergies - to which she denied all. She then began to tremor with her eyes rolling into her head, unresponsive during this episode. After about 20 seconds, she focused on me and was able to respond to some direction. By that time ambulance was present. She was lifted by 6 people and placed onto stretcher. Stretcher placed into ambulance and went to hospital
1178164	4/7/2021	NY	19	F	4/7/2021	4/7/2021	SYNCOPE EPISODE ~2 MINUTES POST INJECTION, TEMPORARY LOSS OF VISION, HEARING VITALS: SP02: 97% PULSE: 90 BP: 122/58 GCS: 15
1178162	4/7/2021	NC	31	F	3/29/2021	3/29/2021	Vision disturbances beginning about 20 minutes after shot. The rest of the day was followed by extreme light sensitivity, without pain, which resolved the next day. Visual disturbances (vision sometimes blurry, shaky, or glitchy) continued for about 8 days, especially when looking at screens or the lights of traffic. This became accompanied by a jumpy feeling, feeling of fear that I may trigger a seizure, and extreme sensitivity to smells and nausea, strange body sensations. General hard-to-describe feeling of something being off, not painful but scary at times.
1178143	4/7/2021	MN	29	F	4/5/2021	4/6/2021	Fever for 24 hours, headache for more than 24 hours, nausea, soreness of eyes

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1178304	4/7/2021	IL	70	F	3/6/2021	3/6/2021	died/cancer; collapsed on the floor; eyes rolled back; stopped breathing for a very short.; This is a spontaneous report from a contactable consumer. A 70-years-old non-pregnant female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Solution for injection, Lot Number: en6100, expiry date not reported), via an unspecified route of administration, administered in right arm Right on 06Mar2021 11:00 at a single dose for covid-19 immunization.Medical history included stage 4 esophagus cancer and mushroom allergies (known allergies to mushrooms). The patient had no covid prior vaccination; not diagnosed with COVID-19. The patient had other medications (unspecified) that the patient received within 2 weeks of vaccination. The most COVID-19 vaccine was administered in hospital. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient previously received first dose of bnt162b2 (lot number: el9267) for covid-19 immunisation in the right arm on 13Feb2021. The patient was not tested for covid post vaccination. Since the vaccination, the patient has not been tested for COVID-19. On the afternoon of 06Mar2021 (16:00), patient collapsed on the floor, eyes rolled back, stopped breathing for a very short. The patient was revived and carried to bed. She died at 4 am on the 13Mar2021. She told the reporter she did not want to go to the hospital and she said she wanted to die at home. The reporter stated that the cause of death was cancer since an unknown date. The events were reported as serious resulting in death. No treatment received for the adverse events reported. The patient died on 13Mar2021. The causes of death were cancer, collapsed on the floor, eyes rolled back, and stopped breathing for a very short. An autopsy was not performed.; Reported Cause(s) of Death: collapsed on the floor; eyes rolled back; stopped breathing for a very short; died/cancer

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1178107	4/7/2021	TX	28	M	4/7/2021	4/7/2021	Employee came at 1:30 to get vaccinated. Three to five minutes after administering the Johnson & Johnson vaccine, I asked the patient if he is feeling ok because he seemed nervous and sweaty. He responnded "yes, but I have a mental anxiety from vaccines, needles, doctors". one minute later he started complaining of pain in his left arm and feeling weak. . He then asked to sit on the floor and said that he can hardly breath, and lost vision. I administered Epipen injection to his left thigh while the store director was calling 911. He then complained about not being able to move his hand fingers. The ambulance came and took him to the ER. later in the day, his manager said that he spoke to hid family and they told him that he has been having anxiety from doctors, needles, and shots ever since he was little. He is feeling better now and the hospital will keep him for tomorrow.
1178306	4/7/2021	ID	59	M	3/24/2021	3/25/2021	6th cranes nerve palsy; This is a spontaneous report received from a contactable consumer (patient). A 59-years-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in upper arm on 24Mar2021 03:45 as single dose for covid-19 immunisation. Medical history included high blood pressure and cardiomegalia. Known allergies was none. None other medications in two weeks. No other vaccine in four weeks. Patient experienced 6th cranes nerve palsy. Unable to look laterally with the right eye two days following vaccine administration on 25Mar2021. Double vision on the day immediately following the covid 19 vaccine on 25Mar2021. CT scan and blood work are normal ruling out possible stroke or brain tumors. AE resulted in doctor or other healthcare professional office/clinic visit and emergency room/department or urgent care. No Covid prior vaccination. No Covid tested post vaccination. Treatment were taken as a result of 6th cranes nerve palsy and double vision including steroid (prednisone). The event outcome for event was not recovered. Information about lot and batch number was requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1178082	4/7/2021	IL	47	M	4/6/2021	4/6/2021	Approx 5-10 minutes after receiving vaccine, Medical Member was called over to patient in chair who was found to be verbally unresponsive with eyes closed. Noxious stimuli applied without response. Eyes closed, when manually opened, noted to have dysconjugate gaze with 5mm sluggish pupils. Patient then exhibited upper/lower extremity tonic/clonic movements <10 seconds. After, patient spontaneously opened eyes, became verbal and answered all questions appropriately with clear speech. Moved all extremities spontaneously without focal deficit. BP: 98/61 HR 41 RR 16 EMS call to evaluate patient. Patient left building with EMS.
1178080	4/7/2021	MO	34	M	4/7/2021	4/7/2021	The patient developed a sensation of seeing bright sparkly spots in his vision that lasted a brief moment. He said that this typically happens after he gets a shot or is exposed to needles. He then asked if he could lay himself down because he says that is what usually helps him feel better. His SBP was measured to be in the 80s initially with a heart rate in the low 50s. His oxygen saturation was normal. He was given some water to drink. After a few minutes, his heart rate and blood pressure returned to normal. We discussed having him go to the hospital. After our evaluation, the patient preferred to go home. We asked that he go to the hospital if his symptoms returned.
1178077	4/7/2021		62	F	4/7/2021	4/7/2021	Migraine headache at front of head and around eyes and upper jaws.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1178045	4/7/2021	MN	24	F	4/7/2021	4/7/2021	Patient received her Janssen COVID vaccine and was sitting in a chair in the conference room when she slumped over in her chair and became unresponsive. Patient had just received her one dose Janssen vaccine and was sitting in a chair approximately 3-5 minutes after receiving the vaccine. She began to slump over in her chair and was unresponsive. Two RNs responded to assess the patient. Patients feet were elevated and ice packs applied to her neck and axillary areas. Patient was breathing and had a pulse. Patient responded to her name once and then passed out again. Patient was unable to respond after this. Her eyes were open. Patient was lifted into a wheelchair by three nurses and brought to a private area. Patient was warm and sweat was running down her face. Her sweater was removed and ice packs again were applied to her neck and axillary area. Patient continued to have a pulse and was breathing. EMS was called. Patient slowly began to come around and could answer questions after about 5 minutes of being unresponsive. She was confused and had no memory of what had occurred. She reported feeling light headed and seeing spots in her vision. She continued to feel light headed. EMS assessed patient. Vitals were stable and blood sugar was WDL. Patient reported feeling much better. She denied feeling light headed or dizzy any longer. She was able to answer all questions asked. Patient did not want to go to the hospital and refused transport to the hospital via ambulance. She was observed for an additional 20-30 minutes at which time her boss arrived to pick her up. She was educated on calling 911 if she began to feel light headed or dizzy again. Patient verbalized understanding. She was walked to the car by an RN.
1178038	4/7/2021	TX	43	F	3/5/2021	3/6/2021	Left eye began feeling odd the next morning, face pins and needles, eye feeling weird
1178027	4/7/2021	CA	68	F	3/26/2021	3/28/2021	Eye and face Shingles
1178915	4/7/2021	CA	37	M	4/2/2021	4/7/2021	Severe eye irritation, swollen face, bell's palsy, and hives.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1178026	4/7/2021	WI	52	F	3/17/2021	3/17/2021	Patient developed a headache over the frontal region, above left eye and back of head at 4 PM following the vaccination. The headache was followed by nausea and fatigue the following morning and left her in bed through Saturday (day 3 following vaccination). She was seen by ER on Saturday morning and was given lorazepam, ondansetron, scopolamine and IV fluids. She was diagnosed with vertigo and the scopolamine continued in place through Tuesday. Symptoms resolved following the Emergency Room visit and she remains asymptomatic today (21 days later).
1178022	4/7/2021	FL	47	F	4/3/2021	4/3/2021	Slight loss of hearing, vision completely whited out, blood pressure dropped to 60/40. I felt very sleepy. This started about 2 or 3 minutes after the vaccine was injected. Medics started me on oxygen and elevated my feet. Attempted to start an IV (not successful because I have hard to find veins), checked blood sugar (normal) and did EKG (normal). After about 15 minutes my blood pressure returned to normal and I felt fine except for a headache. They wanted to send me to the hospital but I refused. My primary care physician advises me to not take the second dose of this vaccine.
1178007	4/7/2021	GA	20	M	4/7/2021	4/7/2021	After the patient received the immunization for Moderna, he sat in the waiting area for about 5 minutes and started to sweat profusely and have blurry vision. that eventually resolved after 15-20 minutes of rest, cold compress, and drinking water.
1178001	4/7/2021	TN	36	M	4/6/2021	4/6/2021	I had a seizure around 5 minutes after the shot. I was feeling sweat and my vision started to fade...I can explain further on a call or email.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1178138	4/7/2021	TN	74	F	4/6/2021	4/6/2021	Instructed patient to wait 30 minutes due to previous history of allergic reaction of penicillin. Patient waited 30 min period with no apparent symptoms. Pt was asked if she was ok, pt stated she was. Patient was then instructed she could leave. Pt then returned in approximately 15 minutes and stated that when she removed her mask she noticed that her nose and around here eyes were red and possibly swollen. She removed her mask for immunizer and it was noticed that her cheeks nose and lips did appear to be red and possibly swollen. She stated that her nose felt tingly and her mouth and lips felt tight, but did not complain of a swollen tongue. Immunizer administered 50mg of liquid diphenhydramine . Pt also given one dose of Famotidine 40mg. Took blood pressure and found it to be elevated to around 200/90 with pulse rate of 65 bpm. Instructed the patient that we would need to call medics to come check her out. She begged immunizer not to call due to the anxiety it would cause her husband who has , possibly, some issues understanding. Pt was monitored for approximately with epipen on standby for approximately two hours by pharmacist immunizer. Patient began to feel better redness and and puffiness subsided patient went home. Pt returned on 4/7/21 with normal blood pressure and no issues. Pt state BP was high due to fear of going to hospital.
1178671	4/7/2021	MS	40	M	3/13/2021	3/17/2021	Onset of all symptoms began on March 17, 2021. Symptom (1) Dry mouth: symptoms are still active; (2) Extreme thirst: symptoms are still active; At the minimum, I consume 366 fluid ounces (2.859 gallons) of water per day. (3) Blurry vision: symptoms are still active; (4) Dizzy/lightheadedness: symptoms ongoing; (5) fatigued/tired/muscle fatigue: symptoms ongoing; (6) fever/chills: symptoms no longer present as of April 6, 2021. (7) Extreme weight loss (30 lbs/13.64 kgs); (8) Neuropathy of both left and right hands: symptoms still ongoing; (9) Mental fatigue: symptoms still ongoing.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1175368	4/7/2021	TN	83	F	1/18/2021	1/24/2021	Moderna vaccine #1 administered on 1/18/21 Adverse event observed 1/24/21 @ 1am: soft tissue swelling eyelids, cheeks, lips. No swelling of gums, tongue or throat. Severity: Moderate. No airway obstruction. Severe itching of eyelids, face. Interference with speech due to swelling. treated with OTC diphenhydramine 25 mg oral every 6 hours. Adverse event lasted 72 hours. Moderna vaccine #2 administered 2/22/21 Adverse event observed 3/2/21 @ 1am: severe edema peri-orbital tissue, intense redness peri-orbital tissue; intense itching of eyelids. Skin changes over few days to "lizard skin". Chronic redness, itching, swelling, texture changes; Scheduled for dermatologist tomorrow, 4/7/21. Approximate length of time adverse reaction has existed > 30 days.
1176986	4/7/2021	PA	30	M	4/7/2021	4/7/2021	Patient arrives to observation at 14:15 following feeling lightheaded, having tunnel vision, feeling tingly, and sweaty after receiving the vaccination. BP 111/64 HR 61 oxygen sat 99% on room air. She was given some graham crackers and water. 14:25 BP 127/73 HR 75 Pulse oxygen 97% on room air. patient stated he feels better and was escorted to the exit in a wheelchair
1178912	4/7/2021	WA	53	F	4/4/2021	4/5/2021	Woken up in the middle of the night with a pounding fast heart beat aprox 14 hrs after injection. Other symptoms that were not as serious for the next day were a left side armpit lymph node with swelling and pain, soreness at injection site, chills, head swimming, eye puss , and intermittent nausea.
1178888	4/7/2021	CA	34	F	4/7/2021	4/7/2021	About 25 minutes after receiving the shot, I suddenly felt weak and dizzy. My vision started to go dark. I broke out into a cold sweat all over my body and could barely see anything or move my body and I felt very nauseous. I was nearly unconscious and barely able to talk. This lasted for about 20 minutes and then slowly started to recede after that. I felt able to stand after about 40 minutes, and was eventually able to walk out of the store and be driven home. I am very very healthy and have no major medical conditions.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1178884	4/7/2021	MI	37	F	3/25/2021	3/26/2021	Woke up at 2am and felt dizzy, passed out, when I came to I was dizzy every time I opened my eyes I was spinning counter clockwise for the next 6hrs. Now (2 weeks later) I get dizzy every time I move too fast and I have a constant ringing in my ears.
1178882	4/7/2021	NY	46	F	3/1/2021	3/17/2021	About 2 weeks after the second dose, i started to get hives and swollen areas. They come out almost every day still. I went maybe 4 days without this happening in the last 3 weeks otherwise it's like every day. My eyes, bottom lip and side of mouth have swollen like a was having a bad allergic reaction to a bee sting. No itching. And my arms legs and breasts have all gotten very itchy hives multiple times.
1178867	4/7/2021	CA	49	F	3/27/2021	3/28/2021	Rash along jawline on face. Rash above left eye, rash on upper back
1178866	4/7/2021	CA	63	F	4/2/2021	4/4/2021	I had a horrible, lengthy Charley Horse cramp (on my right leg), followed by stomach pains, dizziness, diarrhea, fever, sweats, blurry vision, nausea, then I fainted/collapsed. When I came to, I was disoriented, had more diarrhea, chills, followed by my second Charley Horse cramp, this time on my left leg. When I woke after a few hours of sleep, I was tired, weak and had a slight headache but generally felt ok. By Tuesday, other than little/mild muscle aches, I'm back to normal.
1178853	4/7/2021	MN	40	M	4/7/2021	4/7/2021	Approximately seven minutes after the patient received the Janssen COVID vaccine, he had called out to his wife/pharmacy technician at the pharmacy stating he did not feel well. His head had fallen back and his eyes were starting to roll back into his head. Patient had saliva starting to foam at the corner of his mouth and it appeared to be the onset of a mild seizure (per wife, patient has had seizure once before after a head injury) and he was turning very pale. Patient seemed to be unresponsive at that time - not answering to questions. At this point, one of the pharmacists ran to the clinic to get help and the other pharmacist administered an Epi-pen to patient's thigh. Patient immediately came around after the injection, looked up and began talking. Staff called 911 and patient was monitored by pharmacy and clinic staff. When the paramedics arrived, the patient was doing better and was able to ride home with his wife.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1178845	4/7/2021	FL	37	F	4/2/2021	4/2/2021	Received 2nd dose on 4/2/21 at 12:15 pm. By 6 pm, I was absolutely exhausted. Woke up next day (Saturday at NOON, which is not like me after having very vivid dreams is someone in my past. Felt like I had been run over by a semi truck. Had body coaches and couldn't stop sweating. Finally took Motrin around 2 or 3 pm. An hour later my temperature was 99.3 F. By 7pm I had to take more Motrin because my temperature was 99.3 again. By 8 pm, I almost fell over walking to the kitchen to warm up soup. Sunday, did not trust myself to drive to my mothers for breakfast. Freezing cold all day. No shiver just cold. Temperature was 97.3 all day. Monday and Tuesday, 4/5 and 4/6 I had a splitting migraine which felt like I had alternating pouring from a hammer or an axe. Tuesday woke up with what felt like my head was split open. Severe pain behind my eyes and the entire head. Stiffness in my neck, especially left side and down the left shoulder. Slight lingering headache on Wednesday 4/7
1178812	4/7/2021	NY	62	F	3/11/2021	3/11/2021	Stroke symptoms, double vision, numbness of lips, tongue , mouth and gums. General weakness, shaking and confusion. Symptoms began receding after 20 minutes. As EMS arrived

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1178279	4/7/2021	NC	49	F	3/18/2021	3/18/2021	face felt like plastic; Acute pain in base/spine of neck; dizziness; difficulty breathing & swallowing; difficulty breathing & swallowing; nausea; metallic taste in mouth; double vision; This is a spontaneous report from a contactable consumer. A 49-years-old non-pregnant female patient received bnt162b2 (BNT162B2), dose 2 via an unspecified route of administration, administered in left arm on 18Mar2021 at 08:15 (Batch/Lot Number: EP7534) as a single dose at the age of 49, for Covid-19 immunisation. Medical history included juvenile- als, and a sulfa allergy. The patient had not received any other vaccines within 4 weeks prior to the COVID vaccine. Concomitant medications were not reported. On 18Mar2021, after use of product patient developed Acute pain in base/spine of neck, dizziness, difficulty breathing & swallowing, nausea, metallic taste in mouth, face felt like plastic, double vision. The patient was not hospitalized nor was treatment received for the events. The outcome of the events was recovered. Prior to vaccination, the patient was not diagnosed with COVID 19. Since the vaccination, the patient has not been tested for COVID 19. Additional Information has been requested.
1178744	4/7/2021	FL	84	F	2/24/2021	2/25/2021	Patient reports experiencing the muscle soreness in the L deltoid muscle along with some general fatigue. She also informs you that she had ?loss of vision in her right eye? that developed 1-2 days after she received the injection, but her vision returned to normal in about 24 hours

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1178580	4/7/2021	IN	25	M	4/7/2021	4/7/2021	Patient stated they didn't feel well at all and was sweating. I told him I should give him an Epi Pen, but he preferred receiving generic Benadryl. At approximately 12:50pm he was given 50mg of diphenhydramine since he wasn't having any swelling to inhibit swallowing. He drank half the bottle of water. He stated his vision was spotty, but getting better. I told him we should give him the epi pen and call 911. He asked us to call girlfriend to let her know he wasn't feeling well. After another few minutes he stated his vision was getting better and feeling much better. At 1:12 we took his blood pressure 102/67 pulse of 47. He stated the pressure and pulse were normal for him since he is a runner. (He had run a marathon the previous weekend). He was monitored for 30 minutes. After the 30 minutes, he felt fairly normal and was going to be with someone the rest of the day working at home. He was given more benadryl and advised to seek emergency medical attention if symptoms returned and were worse. Around 7:30pm I called to check on him. He had taken another dose of benadryl 50mg. He still felt comfortable not seeking er attention since he was going to be with friends the rest of the evening and night.
1178643	4/7/2021	CA	66	M	4/7/2021	4/7/2021	3 min after vaccination, pt complained of blurry vision. endorsed tingling down his back and arms. felt he was getting very hot. itching down back of his head into his arms. reported pain in his throat, difficulty swallowing, felt like something was stuck in his throat. felt he had an upset stomach but did not think he was going to vomit. denied trouble breathing in his chest. no lip swelling, no eyelid swelling, no hives. pulse regular. 74. BP 150/70. O2 sat 98%. 0.3mg Epi given to right thigh at 1432. pt complained he still had globus, still had blurry vision, itchiness and was feeling even hotter. BP 180/90 at 1435. reported "hammer to his head" headache at 1437. cotnined blurry vision and globus. BP 172/94 at 1438. 0.3mg Epi given to left thigh at 1438. 1440 pt getting very shaky, handoff given to ambulance.
1178627	4/7/2021	NY	16	M	4/4/2021	4/4/2021	About 5 minutes after shot he said arm is tingling then fell off chair and hit the floor. He passed out for a couple of minutes and then opened eyes and said my throat is closing up. The EMS gave Benadryl and used the Epi Pen. He was transported by ambulance to the hospital.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1178594	4/7/2021	CO	18	F	4/7/2021	4/7/2021	Local injection site pain and soreness immediately after. Starting about 6 hours later, started feeling nausea, shivers, whole body aches. About half an hour after that, had a bout of vomiting, loss of vision for about 10 seconds after standing up from bed (possibly associated with undiagnosed iron deficiency), and paleness of skin and mucous membranes.
1178560	4/7/2021	TN	71	F	3/1/2021	3/18/2021	Sudden double vision
1178533	4/7/2021	CA	66	F	3/17/2021	3/20/2021	pt reports an uncomfortable coin-shaped rash developing on face, first along left jaw, and then new lesions appearing on her forehead and scalp. Areas became increasingly irritated, blistered and then became raw and open over 1 week period of time before clearing. Rash recurred along neck, chest wall and torso, following the same pattern with blistering followed by healing. Patient now reports rash on bilateral knees. Using cortisone to treat. No fevers, no mucosal lesions of oral or eye areas. +brain fog, malaise and fatigue
1178504	4/7/2021	GA	19	F	4/7/2021	4/7/2021	Patient was standing in line and started to feel light-headed and fainted. Patient fell to the ground that caused a cut above her eye. Patient was still conscious and aware. Ambulance was called for assistance. Patient received stitches and taken by ambulance to hospital.
1178486	4/7/2021		33	F	3/22/2021	3/22/2021	Patient developed cough, chills, upper back pain, left eye blurring vision, and diffuse myalgias and paresthesias. She described tingling on her fingers of both hands, on toes of right foot, and abdominal region. Patient was admitted to the hospital for evaluation and was diagnosed with Guillain-Barré syndrome and possible acute disseminated encephalomyelitis. Patient is being treated with IVIG for 5 days and methylprednisolone, with improvement in symptoms.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1178448	4/7/2021	MO	77	F	4/7/2021	4/7/2021	Patient fainted after the covid shot, she was feeling hot and fell off the chair onto the floor. She hit her left eye and left temple resulting in a bump and a bruise. Patient opened her eyes when I called her name and she was not aware of where she was. Her blood pressure was 95/64 65 bpm laying down and 70/54 114 bpm when sitting. We laid her back down because she was feeling dizzy and the Ambulance arrives 45 mins after called. Because of her bump and her low BP she was taken to the hospital.
1178413	4/7/2021	CA	32	F	3/20/2021	3/20/2021	Patient was vaccinated at 1125 on 03/20/2021, in the left bicep. Presented to the observation area at 1135 with progressively worsening throat and ear discomfort described as "itching." EMTs immediately placed patient on the monitor and collected a set of vital signs. Patient denies having LOC, syncopal episode, confusion, visual changes, generalized weakness, n/v, lightheadedness, dizziness, changes in vision, respiratory distress, sob, abdominal pain, n/v/d, swelling to the tongue or throat, feeling clammy or other associated symptoms at this time. Patient reported history of IV benadryl anaphylaxis. Provider administered 50 mg of Benadryl, by mouth, with water, at 1148. Patient tolerated medication well. Sister at bedside. Paramedics notified at 1145 and arrived at patient's bedside at 1158. Patient left at 1215 on stretcher with all personal belongings.
1178397	4/7/2021	CA	45	F	3/20/2021	3/20/2021	Pt requested medical consultation and I and paramedics arrived to assess. Pt has hx mast cell activation, in consultation with allergist took Benadryl, cromolyn sodium and Pepcid 1 hour prior to vaccination. 20 minutes after vaccination had pink puffiness of lower eyelids bilat and had GI bloating, no SOB/wheeze/tongue or throat swelling but elected to self-administer own Epi-Pen to prevent progression to anaphylaxis that has started with similar sx's in past. Exam: CV RRR no M slight tachycardia, bp 150/73 HR 107 RR 99. Pt observed for 10 minutes with no progression of sx's and advised to wait additional 15 minutes to ensure she was feeling well enough to drive home.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1178349	4/7/2021	SC	22	M	4/7/2021	4/7/2021	Patient immediately felt light headed and notified immunizer. He then quickly fainted. Pharmacist and technician carefully lowered him from the chair to the floor and laid him on his back. Pharmacist quickly checked for a pulse and removed his mask. Patient came to within 10 seconds and pharmacist then elevated his legs using a chair. Patient remained laying on the floor for 10 minutes and then felt ready to sit up. After sitting up, patient was given a cold water to drink and a snack, and remained under pharmacist's supervision for 30 minutes. Patient then felt back to his normal self and felt confident he could safely leave the pharmacy.
1178786	4/7/2021	AZ	30	F	4/6/2021	4/7/2021	Moderate to severe headache, neck pain, chills, painful eyes, nausea, fever of 101.5-102.0 for first 24 hours.
1177217	4/7/2021		38	F	4/6/2021	4/6/2021	2 hours after: right eye watering, nose running. 8 hours after: right eye red, swollen, very difficult to open, blurred vision, burning sensation, sensation of a foreign object. Went to ER. Could not read any letters on the vision chart out of right eye. Given numbing eye drops and antibacterial eye drops. 12 hours after vaccination: right eye still swollen and painful, but slightly less inflamed.
1177464	4/7/2021	FL	67	F	3/25/2021	3/25/2021	Dizziness and feeling faint, nausea, fever, chills, tingling in my arms and hands, tingling in my tongue, extreme weakness. Every time I opened my eyes, the room would spin. All occurred for the full night starting around 10:30 pm the evening of the vaccine and ending by 8:00 am the next morning. The following day I still had a fever, had a headache, fatigue, and felt like I'd been hit by a bus. From the third day on, just some tiredness and a sore arm. It's been thirteen days since my vaccine and my arm is still sore but all other symptoms have gone.
1177460	4/7/2021	FL	86	F	2/24/2021	2/25/2021	Patient reports mild soreness in her left arm after receiving the vaccine. Reports mild fatigue but this was expected due to pharmacy consultation prior to administration. She states she experienced vision loss in her right eye that developed a day or two after receiving the shot. Vision returned in about 24 hours.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1177451	4/7/2021		52	F	4/6/2021	4/6/2021	Moderna #1 given at 0815 and by 0835 was complaining of tingling and heavy eyelids, mouth felt "funny", no swelling, no SOB, sick to stomach, no N/V, later c/o itchy eyelids but never observed scratching. Sent to the ER after an hour of monitoring and symptoms did not worsen but they also did not subside.
1177413	4/7/2021	CA	89	F	4/7/2021	4/7/2021	Pt developed extreme fatigue. Felt tired and sleepy. BP 170/72, HR 67, O2sat 97% RA. Reported having double vision. Denied chest pain, SOB, palpitations, headache, dizziness. Sent to ER via w/c.
1177412	4/7/2021	NJ	53	F	3/13/2021	3/13/2021	reported feeling lightheaded immediately after 2nd dose of Moderna vaccine administration, also reports feeling lightheaded after 1st dose. Initial bp- 159/87 HR- 88, SpO2- 95%. Repeat bp 147/62, HR 81, denies feeling lightheaded. Repeat bp-128/70, HR-98 at 230pm. Pt denies dizziness, blurry vision, chest pain, SOB. Pt escorted to parking lot and denies any symptoms of adverse reaction.
1177408	4/7/2021	GA	36	F	3/23/2021	4/5/2021	Numb extremities, Very nauseous, could not eat or properly hydrate for a day. Foggy mind. Deep and painful body aches, mainly in the lower back - kept me from sleeping, Anxiety, shaky. Pressure behind my eye. Exhaustion. Sleep the whole next day when pain subsided.
1177382	4/7/2021	CA	57	F	4/6/2021	4/6/2021	Patient had onset of chills, flushing, tearing of eyes, runny nose and fatigue
1177373	4/7/2021	CA	76	M	2/18/2021	2/21/2021	Onset of ocular flashes in both eyes, mostly noticeable at night. On 2/22/2022 had an abrupt onset of floaters in both eyes, this occurring at the same time. This prompted an ER visit suggested by my PCP and subsequent visits to an ophthalmologist. Diagnosed as vitreal detachment.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1177366	4/7/2021	CA	45	F	4/7/2021	4/7/2021	At 0911 on April 7, 2021, Pt received her 2nd dose in the Pfizer series. At about 0920, she noticed itchiness around her arms and eyes. I (the charge nurse ) was called over to assess patient at 0940. Patient complained of difficulty swallowing, itchiness at face, eyes, arms and hands. Patient was given 50mg of Benadryl. Her pulse was 70 and respirations were 16-18. Patient could talk with any noticeable labor and could drink water. At 0951, patient stated things were the same, but had not gotten worse. During this time of observation, patient was concentrating on keeping a cool can of soda on her eyes as that was helping with the itchiness. At 0956, pulse was still 70. Patient stated she was feeling better, but still itchy. The redness in her face had decreased quite a bit. At 1015, she stated she felt better with mild symptoms of throat and eye itchiness. They opted to go home. Husband was driving. At 1018, she left to go home. She was advised that if she had any difficulty breathing or symptoms worsened, to call 911 or head to ED.
1177361	4/7/2021	PA	39	F	4/7/2021	4/7/2021	ROUGHLY 5 SECONDS AFTER VACCINE ADMINISTRATION, PT STARTED SHAKING AND THEN BLACKED OUT. PT EYES ROLLED IN BACK OF HEAD, PT NEVER STOPPED BREATHING OR LOST PULSE. AFTER 30 SECONDS PATIENT REGAINED CONSCIOUSNESS BUT WAS CONFUSED. PARAMEDICS WERE CALLED AND PT WAS CHECKED BY EMT'S BEFORE BEING CLEARED TO DRIVE HOME.
1177352	4/7/2021	WI	25	M	4/7/2021	4/7/2021	patient walked to the observation room independently and about 5 mins after arrival to the observation room, he become very pale, eyes rolled back, and appeared to have a seizure type of activity. Patient was transferred to a cart with assistance, was able to respond to commands, and was transported to the Emergency department.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1177471	4/7/2021	NY	30	M	4/7/2021	4/7/2021	Patient felt dizzy and lightheaded, had slight blurred vision and was seeing spotty. He was given water/snacks/candy. We had him lie down and complete a couple of breathing exercises for about 15-20 minutes. Was complaining of dizziness intermittently in between lying down and sitting up. Vitals were checked by nurse, pulse ox and heart rate were normal. Patient felt better after about 30 minutes, EMTs were called and checked vitals - completely fine. Patient did not feel the need to go to the hospital.
1177261	4/7/2021	VA	45	F	4/6/2021	4/7/2021	About 18 hours after the vaccine, my vision became blurred and then doubled.
1177253	4/7/2021	IN	59	F	4/5/2021	4/5/2021	30 min out my pointer finger and thumb became numb. It then moved to the left side of my face (corner of left eye around my cheek bone into the bridge of nose), and the left side of my tongue. It was a tingly sensation (similar to your face/lip waking up after being given Novocaine). It remained all evening on 4/5 and has continued to be intermittent in my cheek.
1177189	4/7/2021	NJ	48	M	4/7/2021	4/7/2021	48 year old man recieved pfizer vaccine at 9:45am and began experiencing symptoms at 9:48am. Pt presented diaphoretic with drool dribbling from his mouth with eyes rolling back, staring straight up with beats of horizontal nystagmus slumping in his chair. Pt did not respond to verbal or tactile stimuli. This episode lasted ~20 seconds. After this episode pt was AOx3 with eyes open. Pulse remained regular throughout the entire encounter. Denies: SOB, CP / dyspnea, HA, N/V, trauma, numbness, tingling, erythema. EMS was called to monitor vitals. Pt was transported via EMS to hospital (as per patients request), pt agreed to be transported. EKG was unable to be obtained due to chest hair. PMH: HTN, hyperlipidemia PMH: HTN, hyperlipidemia, Anxiety Meds: amlodipine, metoprolol, simvastatin, remapril, pepcid, lexapro Allergies: Penicillin (rash) Patient was advised for second dose of Pfizer to request to be laying down while getting the vaccine in case of a repeat episode or vasovagal risk.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1177178	4/7/2021	TX	77	F	3/30/2021	4/1/2021	I started feeling weird in my head, terrible ringing in my ears like 10x's worse than normal, spaced out that I can hardly function, dizziness, misplacing things, disoriented, left eye twitching, vision is more blurry than normal. (patient stated she didn't know if she can live like this because it makes her want to take her life)
1177147	4/7/2021	ID	75	F	3/1/2021	3/16/2021	Rosacea became violent since 2nd vaccine. Heat, pain, covering forehead, nose and cheeks with blisters. Spreading to side of face and close to eyes.
1177143	4/7/2021	RI	68	M	2/19/2021	3/31/2021	About a month after my second Pfizer inoculation I awoke one morning with almost no vision in my right eye. I was diagnosed April 1 with a blood clot in my retina that has changed my vision from 20/30 in that eye to 20/125. My left eye remains 20/20. I'm in excellent health and never had any kind of clot or eye issue. The traditional causes of Retinal Vein Occlusion don't pertain to me - no heart trouble, high blood pressure or diabetes. I'm thin and physically active, never smoked, drank or used drugs.
1177111	4/7/2021	PA	40	M	4/7/2021	4/7/2021	Patient was witnessed on the ground following his vaccination. He has a loss of consciousness for about 30 seconds. we arrived to find the patient pale diaphoretic with abrasions on his left side of his face and his eye glasses broken. he was placed on the back board and taken to observation area two. He is currently alert and oriented and by 3. BP 133/90, HR 85, Resp 20, oxygen sat 100 on room air. once in the observation area patient removed from the backboard. he is sitting up on the bed and calling his significant other. He was given apple juice and crackers. he states he his feeling better. The medical team at this time is encouraging the patient to be seen in the emergency department due to the the unwitnessed fall from seating position and the fact that he had a positive loss of consciousness. Pt is not wanting to go to the ED due to the fact that he has bad insurance and currently unemployed. 12:50 Bp 138/86 HR 87 Resp18 Oxygen sat 100: on room air patient is feeling better however we are concerned about his LOC and wanting him to be evaluated. His partner arrived BP 133/87 pulse oxygen 100 HR 76. Once he was here he convinced pt to go to the ED. EMS was called and arrived to take patient to the ED at 1343

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1177084	4/7/2021	ME	67	F	4/7/2021	4/7/2021	Immediate itchy eyes, tearing, and generalized pruritus. No injection, rash or any other symptoms.
1177043	4/7/2021	CA	34	M	4/5/2021	4/6/2021	Sore left arm, muscle soreness, fatigue waking up the next day. Around 24 hrs after vaccination, headache started, and lasted for ~8 hours. I took some advil around an hour before the headache stopped (really wish I'd taken it when I first felt the headache). I could feel the muscle soreness go away before the headache did. The headache felt like it moved from behind my eyes to the back of my head. I decided to only eat bits and pieces of stuff when I was feeling my worst because I was concerned that would make me feel nauseated (never did feel that way, so no idea if that made a difference). I drank probably 200oz of liquid throughout the day, but still felt dehydrated, even though I wasn't sweating. Did pee a lot though. Generally it was what I expected, but a friend who works at a hospital said I should report the info.
1177013	4/7/2021	MA	47	F	3/30/2021	3/31/2021	Swollen arm, red arm, headaches, nausea, chills, fever all within 24 hours. Two days later heliotrope rash around eyes, lesion on left hard palate in mouth, additional rash on face and neck, continued nausea and chills. Heliotrope rash lasted one day. Overall, sick for 7 days.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1177951	4/7/2021	IL	55	M		3/28/2021	DIARRHEA; NAUSEA; This spontaneous report received from a patient concerned a 55 year old male. The patient's weight was 390 pounds, and height was 68 inches. The patient's past medical history included benign cranial pherengioma, legally blind, history of multiple shunt revision., sigmoid colostomy, rectal fissure, and neoplasm of unspecified nature of brain, and concurrent conditions included latex allergy, allergy to strawberry, non alcohol user, non smoker, and non drug user. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular) dose, start therapy date were not reported for prophylactic vaccination at right deltoid on approximately 26/Mar/2021. The batch number was not reported and has been requested. Concomitant medications included phenoxymethylpenicillin potassium. On 28-MAR-2021, the subject experienced diarrhea. On 28-MAR-2021, the subject experienced nausea. Laboratory data included: Blood test (NR: not provided) Negative for C-Diff, and Stool culture (NR: not provided) Negative for C-Diff. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from diarrhea, and nausea on 29-MAR-2021. This report was non-serious.; Sender's Comments: V0: Medical assessment comment not required as per standard procedure, since case assessed as non serious
1178604	4/7/2021	CT	55	M	3/22/2021	3/22/2021	About 30 seconds after receiving my injection I started to feel dizzy, nauseous, blurry vision and a few minutes later my lips and fingertips became tingly and numb. My cousin let an attendant know and they sent a Paramedic over to our vehicle. The Paramedic took my vitals (which I believe were all normal) and gave me a bag in case I needed to vomit. I started to feel a little better about 20 minutes after the injection and chose to go home and rest rather than go to the hospital. The 2nd day my arm hurt where to injection was given, I had a headache and was still a bit nauseous although I never did vomit. I still did not feel 100% on the 3rd and 4th day and better on the 5th day.
1177030	4/7/2021	DE	59	F	4/3/2021	4/6/2021	Extremely sore arm. Tuesday 3:00AM woke up with diarrhea, chills then sweats feeling like I was going to throw up. Slept the whole next day and night, couldn't keep my eyes open.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1177295	4/7/2021	CA	56	F	4/2/2021	4/2/2021	Received first dose Pfizer (LOT# EW0150) on 4/02/21. Pt raised hand and stated to EMT that she had pain in her chest, shoulders, back/neck and down both of her arms 4-5/10 on pain scale. Pt stated that she started feeling dizzy with blurry vision and a tight feeling in her head. EMT moved pt to gravity chair. Pt progressively got weaker and more drowsy. PHN offered pt EMS. Pt declined EMS. PHN recommended EMS to be called. Pt agreed for EMS to be called. EMT took pt vital signs at 1317. BP: 124/76, HR: 78. EMS arrived on scene at 1325 and took over. Pt left vaccination site via gurney with paramedic. Pt was transported and left in ambulance at 1335.
1177746	4/7/2021		29	F	4/7/2021	4/7/2021	patient felt her heart race. she has no past medical history. states back in december 2020 she had covid-19 and did experience rapid heart rate at that time. since then, however, she has not had any issues with heart rate. she denies chest pain, lightheadedness, SOB. no nausea or vomiting. no headache, no blurred vision.
1177946	4/7/2021			U			FLOATERS IN EYE; This spontaneous report received from a health care professional concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unk) dose, start therapy date were not reported for prophylactic vaccination. The batch number was not reported. The Company is unable to perform follow-up to request batch/lot numbers. No concomitant medications were reported. On an unspecified date, the subject experienced floaters in eye. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of floaters in eye was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1177890	4/7/2021	AZ	60	U	3/13/2021		<p>SLEPT FOR 10 HOURS; FELT REALLY BAD; SOME SKIN DISCOLORATION; FELT LIKE THE FLU; REALLY RED RASH WHICH HAD MOVED ON NECK TO EAR AND DOWN TO THE CREASE OF BREAST AND ON THE RIGHT SIDE NEAR EAR AND SOME RED SPOTS ON BOTH SIDES OF BOTTOM FACE; CHILLS; REALLY BAD HEADACHE ABOVE THE EYE; LOW GRADE FEVER; TIRED; This spontaneous report received from a patient concerned a 60 year old of unspecified sex. The patient's height, and weight were not reported. The patient's concurrent conditions included skin disorder. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805025 NDC 59676-0580-15 expiry: UNKNOWN) dose was not reported, administered in the left arm on 13-MAR-2021 07:00 for prophylactic vaccination.. No concomitant medications were reported. On 13-MAR-2021 08:15, the subject experienced slept for 10 hours. On 13-MAR-2021 08:15, the subject experienced felt really bad. On 13-MAR-2021 08:15, the subject experienced some skin discoloration. On 13-MAR-2021 08:15, the subject experienced felt like the flu. On 13-MAR-2021 08:15, the subject experienced really red rash which had moved on neck to ear and down to the crease of breast and on the right side near ear and some red spots on both sides of bottom face. On 13-MAR-2021 08:15, the subject experienced chills. On 13-MAR-2021 08:15, the subject experienced really bad headache above the eye. On 13-MAR-2021 08:15, the subject experienced low grade fever. On 13-MAR-2021 08:15, the subject experienced tired. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from slept for 10 hours, felt really bad, felt like the flu, chills, really bad headache above the eye, low grade fever, and tired on 14-MAR-2021, had not recovered from really red rash which had moved on neck to ear and down to the crease of breast and on the right side near ear and some red spots on both sides of bottom face, and the outcome of some skin discoloration was not reported. This report was non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1177884	4/7/2021			U	3/26/2021		SKIN LESION; SKIN IS EXTRA DRY; HURTING ARMPIT; ITCHING EYES; BURNING EYES; INJECTION SITE TENDERNESS; FLU LIKE SYMPTOMS; SPENT ALL DAY SATURDAY IN BED, DROWSY; SEVERE UPPER BACK PAIN; SEVERE NECK PAIN; ON AND OFF CHILLS; MILD HEADACHE; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: UNKNOWN) dose was not reported, administered on 26-MAR-2021 around 10:00 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 26-MAR-2021, the subject experienced severe upper back pain. On 26-MAR-2021, the subject experienced severe neck pain. On 26-MAR-2021, the subject experienced on and off chills. On 26-MAR-2021, the subject experienced mild headache. On 27-MAR-2021, the subject experienced spent all day saturday in bed, drowsy. On 28-MAR-2021, the subject experienced flu like symptoms. On 29-MAR-2021, the subject experienced hurting armpit. On 29-MAR-2021, the subject experienced itching eyes. On 29-MAR-2021, the subject experienced burning eyes. On 29-MAR-2021, the subject experienced injection site tenderness. On 30-MAR-2021, the subject experienced skin lesion. On 30-MAR-2021, the subject experienced skin is extra dry. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from severe upper back pain, severe neck pain, spent all day saturday in bed, drowsy, flu like symptoms, on and off chills and mild headache on 29-MAR-2021, had not recovered from itching eyes, and burning eyes, and the outcome of hurting armpit, injection site tenderness, skin lesion and skin is extra dry was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1177848	4/7/2021	GA		F		3/27/2021	<p>STICKY AND OOZY EYES; HER EYES BECAME BLOOD SHOT; HER EYES BECAME RED; WHITE PATCHES IN MOUTH; VERY SENSITIVE TONGUE/TONGUE WAS VERY SENSITIVE; RUNNING NOSE WITH A CONSTANT NASAL DRIP; FATIGUE; HER EYES BECAME OOZY; SLEPT ALL DAY; This spontaneous report received from a patient concerned a 60 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included Sjogren's disease, rheumatoid arthritis, odours,environmental allergies, and had problems with eyes. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805031, and expiry: UNKNOWN) dose was not reported, administered on 27-MAR-2021 10:30 for prophylactic vaccination. No concomitant medications were reported. On 27-MAR-2021, the subject experienced her eyes became oozy. On 27-MAR-2021, the subject experienced slept all day. On 27-MAR-2021, the subject experienced fatigue. On 27-MAR-2021 17:30, the subject experienced running nose with a constant nasal drip. On 29-MAR-2021, the subject experienced very sensitive tongue/tongue was very sensitive. On 30-MAR-2021, the subject experienced white patches in mouth. On an unspecified date, the subject experienced her eyes became blood shot, her eyes became red, and sticky and oozy eyes. Treatment medications (dates unspecified) included: allergy medication. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from her eyes became blood shot, sticky and oozy eyes, her eyes became oozy, and her eyes became red, had not recovered from running nose with a constant nasal drip, fatigue, and white patches in mouth, and the outcome of very sensitive tongue/tongue was very sensitive and slept all day was not reported. This report was non-serious.; Sender's Comments: V0: Medical Assessment comment not required as per standard procedure as the case assessed as non-serious</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1177192	4/7/2021	NJ	59	F	3/16/2021	3/17/2021	Bell's Palsy on left side of face: eyebrow, eye lid, nostril, cheek, and mouth droop; can not blink eyelid; eye and mouth do not close all the way; numbness in mouth, tongue, cheek, and forehead; pain behind left ear; dry eye, and mouth; and fatigue. It all started when I awoke on Wednesday, March 17, 2021 at 9:27 am.
1177508	4/7/2021	TX	53	F	3/30/2021	3/30/2021	Patient stated she received the second dose of the Moderna vaccine on 03/30/2021. Stated later in the day, she noted that her right eye was watery. Also stated that the right side of her mouth was drooping. The following day, noted some heaviness and swelling in the right eye and could not lift the eyebrow. Patient was seen at the ER on 03/31/2021. Patient was diagnosed with Bell's Palsy and prescribed steroids. Patient was referred to follow up with PCP.
1177798	4/7/2021	PA	46	F	4/7/2021	4/7/2021	towards end of monitoring time post vaccine, c/o feeling shaky, having visual disturbances, nausea, and headache. brought back to obs 1722, 1724 bp 134/78 hr 71 rr 18 sao2 99% on ra. patient laying on stretcher, feeling relief of headache, flushing, and lightheadedness, but headache remains, though improved. 1730 bp 120/81 hr 73 rr 18 sao2 99% on ra, s/s improved, head pressure relieving, and visual disturbances improved. patient sitting up on side of bed at 1745 bp 124/75 hr 75 rr 20 sao2 99% on ra, denies increased s/s with standing. agrees stable to be escorted to personal vehicle, no further issues
1177791	4/7/2021	NH	55	F	3/24/2021	4/2/2021	Vision in right eye was markedly blurry for about 60 hours. Was most noticeable at mid to long distance. It cleared up on its own.
1177759	4/7/2021	CA	27	M	4/5/2021	4/7/2021	After 40 hours after having normal Mild symptoms from the vaccine. Such as a headache, fatigue and mild fever. My left eye started to lose vision. It's hard to focus, and feels like I have astigmatism and myopia. Took Tylenol to reduce the headache and fever, but nothing has fixed my vision
1177739	4/7/2021	NY	49	F	3/27/2021	3/27/2021	First 32 hours: Swollen tongue, hives around left eye, fever, joint pain At the 6th day: SHINGLES, joint pain, fever

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1177718	4/7/2021	TX	63	F	3/22/2021	3/22/2021	Approximately 30 minutes after injection, while driving to work. My vision became blurry and felt extremely weak. I arrived at my office very pale, weak, and very blurry vision, develop fever of 100.1. Symptoms lasted 12-18 hours
1177701	4/7/2021	MN	30	F	4/4/2021	4/5/2021	Arm hurt very badly immediately during and after vaccine in similar sensation to ulnar nerve being struck in arm, bled only a little but caused swelling and then a large bruise developed over the evening of 4/4/2021 and is still dark today (4/7/2021). Concerned my bone was hit with a too long vaccine needle. Had chills/fever evening of 4/4/2021 into morning of 4/6/2021?had to take off work. Have had neurological symptoms ongoing with ?brain fogginess? since 4/5/2021. On 4/6/2021, began to see flashes/spots of light in vision of left eye, which worsened through today. Took off afternoon from work and went to an eye clinic to have eye dilated and looked at, but the spots in vision continue through reporting time (4/7/2021, 5pm CT).
1177699	4/7/2021	CA	70	F	4/7/2021	4/7/2021	Patient received a dose of Pfizer vaccine today. 10 minutes into her observation period, developed itchy rash over her chest, mild headache with pressure sensation behind her eyes with swelling of her face, shortness of breath and cough, mild chest tightness, nausea without vomiting. No lip swelling.
1177540	4/7/2021	FL	86	F	2/24/2021	2/25/2021	Patient reports mild soreness in her left arm after she received the vaccine. She reports mild fatigue but this was expected due to pharmacy consultation prior to vaccine administration. Reports experiencing vision loss 1-2 days after getting the shot. Vision returned to normal after 1 day.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1177572	4/7/2021	NY	84	F	1/23/2021	1/23/2021	Patient's provider states patient experienced after her first Moderna vaccine, fever, her oxygen levels went down, she sweated profusely, her eyes were rolling out, she was also congested and had gurgling sounds and started foaming at the mouth. Hospice care and Medical workers came through to help. X-rays were performed along CT scans of the brain and lungs at Hospital. X-rays of the chest showed ammonia and with lab work performed showed she also had an UTI infection. A Covid test was done which was negative. She was given Tylenol at Hospice Care. After her second dose she also went through the same symptoms but overall is doing well now and is stabilized.
1177768	4/7/2021	MI	22	M	4/7/2021	4/7/2021	The patient became pale and light headed within minutes of his vaccination. He also reported his vision dimmed. He reported he has a history of this reaction with any injection. We gave him water and took his blood pressure, it was initially 69/58 with a pulse of 46. Five minutes later it was 164/93 with a pulse rate of 41. Five minutes later it was back down to 82/50 with a pulse of 87. Five minutes later he was feeling better, his color and site normalized and his blood pressure was 117/70 with a pulse rate of 69. We let him sit for a while longer and when he was comfortable he got up, walked around, and left.
1177672	4/7/2021	TX	27	M	2/27/2021	2/27/2021	16:30 Problem : dizziness loss of hearing and vision, clammy & sweaty skin, SOB, unsteady gait, feeling very hot. 27 year old male received first Moderna vaccine, Moderna lot# 012a21a, Exp. 08/17/21, to left deltoid. 16:32 patient began experiencing dizziness, loss of hearing and vision, clammy and sweaty skin, SOB, unsteady gait. 16:37 patients hearing and vision returned. VS: 77-100/60, O2 sats 99% room air. Encouraged deep breathing for SOB. Applied cool cloth to back of patient's neck. Ice chips given. Offered bottle water and snack 16:45 staff assisted patient to observation table. Patient ambulated without any issues. 16:50 asked patient how was he feeling, patient states, ?he is feeling better and he is no longer experiencing any symptoms. Observed patient for an additional minute. Reassessed vitals: VS: 86- 106/62, O2 sats 97%, room air. 17:10 Patient left facility. No other complaints voiced.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1177559	4/7/2021	PA	59	F	1/23/2021	1/23/2021	**I filed a VAERS report on 1/23/21 VAERS # 968393** I'm still having Vision issues. I saw a Retina specialist and said my Retina looked fine. I saw another eye Dr. that said the same thing, they couldn't determine what was causing it. I'm still having these issues.
1177579	4/7/2021	WA	48	F	3/26/2021	3/26/2021	Eyes, throat, and tongue swelling. Itching, lips turned blue. Treatment: Epipen, ambulance (more epi), ER, (for at least 4 hours) steroids/benedryl/pepcid plus Zofran. Home steroids and benedryl. Prescription for Epipen. Recovered at home.
1177569	4/7/2021	MD	65	F	3/25/2021	3/25/2021	In the evening of Day 1, the patient experienced tachycardia which she described as heart racing. In the afternoon of day 2, she experienced a brief episode of blurred vision and a sharp shooting pain in her arm that lasted about 2 minutes. Later that evening she began to experience severe chills and a fever of 101.6. She was also awakened in the middle of the night by a shooting pain that originated in her left leg and radiated to her back and then back down again. She also developed a 4 inch red rash on her left arm, noticeable swelling (2 inch) around the injection site, and shooting pain from the shoulder, through the elbow and down to the wrist. Additional rashes developed on the inner arm near the elbow and two patches developed on her neck. The neck rashes became dry the next day and she experiencing skin peeling and she still has residual redness with these rashes. She is still experiencing mild pain in her left arm and weakness with her wrist and upper hand that makes it difficult to lift anything with her left hand.
1177608	4/7/2021	UT	19	M	4/7/2021	4/7/2021	Pfizer shot given. Patient felt ok immediately after shot, but approximately 5 minutes later told his mom he felt weird. He passed out and was helped to a sitting position. When I was called out to the lobby patient was still feeling a little lightheaded but he was conscious and breathing normally. He sustained a small cut on his hand which we cleaned up promptly. Patient told mom he felt like his vision was blurry. Mom wanted him checked out so I called emergency help.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1177610	4/7/2021	IN	20	F	4/2/2021	4/2/2021	Within 5-6 minutes after receiving vaccine profuse sweating was noted, loss of hearing and impaired vision. Also felt extremely nauseous
1177538	4/7/2021	VT	51	F	4/3/2021	4/3/2021	I fainted while on the toilet. Woke up on the bathroom floor with a smashed, bleeding nose. I also bit my tongue, split my lip and banged up my knee and hand. As a result I now have two black eyes.
1177526	4/7/2021	PA	76	F	3/3/2021	3/24/2021	Pain in left side of Neck and Ear and both eyes ,Then on the second night the pain moved to the right side of Neck and ear and both eyes,The third day I noticed that the lip is shifted to the right
1177612	4/7/2021	CA	30	F	4/7/2021	4/7/2021	felt fatigue , eye rolled back, nausea.
1177638	4/7/2021		67	M	3/21/2021	3/21/2021	right vision described as "more cloudy", endorses left blindness, discharged home from vaccine clinic after observation
1171638	4/6/2021	GA	54	F	4/3/2021	4/4/2021	Symptoms: swollen face, lips, eyes, lymph nodes, rash on face, bad itching on face, extremely dry face and lips Treatment: steroid shot and steroid pack and Benadryl tabs as needed for itchy
1171816	4/6/2021	CA	27	F	4/2/2021	4/3/2021	About 4 hours after getting the first shot, I experienced itching on my lower back and continued to get rashes all over my body for the next few days and still am now. Very small part of my lip swelled and watery eyes.
1171841	4/6/2021	ME	41	F	4/6/2021	4/6/2021	Pt felt dizzy, sweating, ears were ringing, spots before her eyes. Gave pt water, had her elevate her legs and recline, started to feel better after about 5 minutes.
1171783	4/6/2021	MI	38	F	12/31/2020	1/5/2021	I noticed swelling upper right eye lid initially then little whitish bumps (2 small) on the lower eye lid.My doctor thought it was a growth gave me a antibiotic. I exp some drainage from eye and bumps lasted 3 weeks.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1171849	4/6/2021	ME	34	F	3/8/2021	3/28/2021	3/28/21 STARTED WITH HEADACHE - INCREASING IN SEVERITY ON 3/29/21, WITH PAIN BEHIND THE LEFT EYE. WENT TO ED ON 3/30/21 FOR BLURRED VISION IN LEFT EYE. TREATED FOR MIGRAINE, DISCHARGED. WENT TO HER OPHTHALMOLOGIST, DIAGNOSED WITH LEFT OPTIC NEURITIS. RETURNED TO ED FOR MRI OF BRAIN AND OPTIC NERVES, DIAGNOSIS CONFIRMED. TREATED WITH IV SOLUMEDROL AND ORAL MEDROL. PATIENT'S 7 MONTH OLD DAUGHTER AT SAME TIME DIAGNOSED WITH CROUP (VIRAL ETIOLOGY NOT IDENTIFIED). PATIENT IMPROVING POST STEROIDS.
1171776	4/6/2021	NY	16	F	4/6/2021	4/6/2021	Patient is a 16yo seen for her first dose of the COVID-19 vaccine. She was seated in the back seat of the car. Shortly after receiving her vaccine (within a few minutes), she chose to move to the front passenger seat of the car, and after sitting in the passenger seat she became lightheaded and lost consciousness. Syncopal event was witnessed and lasted a few seconds. She spontaneously regained consciousness, and complained of some lightheadedness and tunnel vision. No significant confusion was noted, her responses to questions were appropriate. Initial pulse was thready and heart rate initially difficult to auscultate. Pale color noted on the face. Initial pulse approximately 50bpm. Breath sounds clear with good air exchange. Patient was placed in a reclined position with feet on the dash. She quickly recovered and repeat heart rate was auscultated at approximately 70bpm, stronger pulse noted. She was noted to have improvement and she was then driven out of the vaccine site after obtaining consent from her mother (who was the driver) and parked beside EMS. BP was 100/50 and HR 68-72, SaO2 97%. Lightheadedness resolved and she was feeling well, at her baseline. She was monitored for 30 min then allowed to leave with her mother, she was at her baseline at last evaluation. Per history review with her mother, she has had 2 prior episodes of syncope with pin removal from hand after surgery and IV placement.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1171793	4/6/2021	IA	39	F	4/5/2021	4/5/2021	Light headed, runny nose, sore throat, tiredness, watery eyes. Started to get a sore throat about 11 pm on 4/5 and by the time I woke up at about 6:30 am on 4/6 turned into "cold-like" symptoms. Seems to be getting worse throughout the day.
1171725	4/6/2021	CA	66	F	2/12/2021	2/12/2021	I had the same arm issues, along with an unusual feeling in my head. My BP was higher than it's ever been at 184/88. I started seeing a gray area in the eye where I had my surgery and the doctor discovered that my retina was detached. I also had a red, blotchy area on my face. He said the increased BP could've caused it. I had to undergo surgery twice after that. They reattached it, but I had scar tissue so it became detached again. They're waiting for it to stop creating scar tissue before they try again.
1171692	4/6/2021	CT	58	F	3/20/2021	3/21/2021	Received the vaccine in Left Arm on Saturday, March 20, 2021 at Mall . Slight medicinal taste after receiving shot. No pain at injection site. Sunday, March 21, 2021 woke with a feeling of numbness in lower lip on left side only and a feeling of numbness (or heaviness) in the left eye. Later in the day fever. Overnight - fever accompanied by joint pain. Monday morning (03/22/21) all symptoms subsided except for the numbness in left lower lip and left eye. Tuesday, 03/23/21, Red "Covid Arm" rash on Left upper arm around injection site. (NO PAIN or ITCHING). To date (04/06/21) I am still experiencing numbness in my left lower lip and a "heaviness/numbness" in my left eye. I am scheduled to see a GENERAL PRACTITIONER I have a NEW PATIENT appointment on Thursday, April 22nd @ 9:30. I am concerned about having the 2nd shot on Saturday, April 17.
1171604	4/6/2021	IL	26	F	3/10/2021	3/26/2021	Increased reactions to existing allergies. The skin around my eyes became very inflamed and my skin has been non-stop itchy for 24 hrs. all over my body. My skin gets hives as well. I have never had allergic reactions like this in the past to any of my allergens. Normally, I would take Allegra and this would help my allergies (I have done this for years). Now even Allegra doesn't help anymore all of a sudden. My allergist told me to increase my dosage of Allegra and start taking Pepcid to help control the itching.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1171572	4/6/2021	AZ	46	F	1/7/2021	1/7/2021	With first shot. Extreme pain on arm of immunized arm. Swelling and decreased mobility. same day of injection 01/07/21 around 6pm. Next day Friday January 08 2021 missed work due to mild body aches, head ache, severe pain on arm, decreased mobility. Under arm pain and swelling on arm of vaccine given. Temp of 99.5-99.9 Had symptoms for 2 full days. 2nd shot. Same day of immunization of 02/04/21 right arm mildly ached. Later on that day around 7-8 pm still had mild pain on arm . Moderate body aches, headache, nausea. The next day 02/05/21 Extreme body aches, horrible headache concentrated on eyes. 100.1 -100.5 temp for 2 days. Symptoms of dizziness and extreme body aches lasted for 4 days and then slowly left.
1171869	4/6/2021	TX	63	F	3/10/2021	3/12/2021	Strong Chemical Taste and body*** Headache*** Body Aches Eyeball pain *** Muscle pain Chills Fever 101-102 Nausea Diarrhea Symptoms lasted till 3/16 PM
1172338	4/6/2021	GA	38	F	4/6/2021	4/6/2021	Patient stated she was extremely nervous prior to getting her vaccine. She grabbed her husband's arm to ensure he was close by. She was fine while the vaccine was being administered at approximately 1:00pm. A few minutes later, approximately 1:03pm, she appeared to pass out. Her husband stated this reaction is normal. He then mentioned that she has a history of passing out and tends to drift off for 15-30 minutes. She would come and go saying she was tired and that she wanted to go to sleep. I repeatedly asked her to open her eyes and tell me her name. The patient did not respond. I checked her breathing which was normal, she was not having any difficulty breathing. I looked for other symptoms of allergic reaction but couldn't find any. This continued for about 20-30 minutes and then the husband stated she has never been in this state for this long. I reached out to my store manager to ask him to call the paramedics. The patient opened her eyes for a few minutes but then would return to her unresponsive state. After the paramedics arrived, she vomited a small amount of liquid into a trash can. She ultimately was taken out of the store on a stretcher with the paramedics by her side.
1171486	4/6/2021		30	F	4/3/2021	4/3/2021	Uncontrollable facial twitching around lips and eyes for approximately 45 minutes. Inability to smile or move mouth easily.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1171533	4/6/2021	TX	20	F	3/8/2021	3/8/2021	03/08/2021 Patient stated her vision was blurred after receiving Janssen vaccine. BP 135/42, HR 59, RR 20. Patient stated feeling anxious whenever she is receiving a vaccine. Patient states that she ate breakfast. Patient allowed to rest. Breathing exercises encouraged. Patient stated her vision returned to normal. Patient rested for another 15 minutes. Patient stated feeling better. BP 109/62, HR 63, RR 18. Patient left in stable condition with mother.
1171527	4/6/2021	FL	44	M	4/5/2021	4/5/2021	I had Eye allergies issues with gritty feeling in the eyes, swelling, burning sensation, and watery eyes. Also had sour throat and cold symptoms after the vaccine with headache and drowsiness
1171512	4/6/2021	FL	66	F	4/5/2021	4/5/2021	Painful joint in recently operated on right hip. Surgery was extensive full hip revision. Soreness started around 7 hours after dose was received and I'm still experiencing it after 24 hours. Additionally, I also have normal side effects reported (soreness at injection site, fatigue).
1171704	4/6/2021	CO	41	F	4/5/2021	4/5/2021	during injection she had pain in left side of neck. about 1 hours after, she developed blurry vision in left eye and numbness to left jaw and cheek area. took 50mg benadryl and used ice pack. in the morning she noticed swollen left side of face and continued numbness, tingling, which includes some near her eye. some flushed skin to area. Denies facial paralysis or weakness. Her eye no longer has blurry vision.
1172326	4/6/2021	UT	23	M	4/6/2021	4/6/2021	Patient passed out shortly after receiving the vaccine. He lost consciousness for a minute and seemed to be twitching in his eyes and his mouth. He regained consciousness after a few minutes and we monitored him for 30+ minutes. We referred him to urgent care to be monitored further.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1172448	4/6/2021	FL	67	F	3/25/2021	3/25/2021	Within 1/2 hour of shot breasts got sore and glands hurt. I took 1 Tylenol 3/25 and 1 on 3/26. One week later 4/1/2021 I had a visual migraine in my left eye while looking at computer screen very intense at near 2pm , 4/2 visual migraine (lighter shorter duration), 4/3 visual migraine 11 am with 10 minute duration field much smaller. Visual migraine was followed by a mild headache.
1172439	4/6/2021	ND	72	M	3/31/2021	3/31/2021	Within a couple a hours after receiving vaccination left eye became blurred and had double vision. Has not been relieved at this time.
1170876	4/6/2021	IN	25	M	4/5/2021	4/5/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: blacked out immediately post vaccine administration (1-2 min)-Severe, Systemic: Numbness (specify: facial area, extremities)-Medium, Systemic: Shakiness-Medium, Systemic: Tingling (specify: facial area, extremities)-Medium, Systemic: Visual Changes/Disturbances-Medium, Additional Details: PT stated passing out post vaccine is normal / occurs (why he used nasal flu shot in 2020 and not injection). blacked out post vaccination, RPh held patient at head and shoulders in chair to prevent fall from chair or injury to neck when as when he blacked out he fell back in his chair. post black out we provided water and monitoring. PT stated during recovery light headed, tingling in fingers / numbness. vision impaired (like post concussion when hit in head/face).
1171456	4/6/2021	AZ	16	M	4/5/2021	4/6/2021	Woke in the night (@ 1:30 am) with stomach pain, dehydration and blurred vision. Vomited several times through the night. Also had severe diarrhea.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1172508	4/6/2021	CA	62	F	4/6/2021	4/6/2021	A 62 year old female who has completed a 30-minute observation period with the following signs and symptoms of an adverse reaction: swollen and tingling lips area after . Pfizer-BioNTech COVID-19 vaccine # 1 in series administered. Vital sign at 10:40 blood pressure ; 190/120, heart rate: 94, respiration ; 18, Spo2: 99% Repeat Vital sign at 11:02: blood pressure ; 189/102, heart rate: 89, respiration ; 16, Spo2: 99% - patient denies chest pain ,shortness of breath, nausea vomiting, diarrhea, abdominal pain, difficulty swallow, headache, dizziness, or vision changes Action(s) taken: Transferred to higher level of care Patient advised to discuss second dose considerations with a clinician
1172407	4/6/2021	NC	40	M	3/31/2021	3/31/2021	Patient received first dose Pfizer COVID vaccine and was sitting in observation area. Nurse came to get me and patient was found lying on the floor. Patient was cool, clammy, eyes closed but easy to arouse. Patient's friend states he sometimes has a seizure associated with feeling like this. Patient alert and oriented, able to converse, and states he did not fall but sat down in floor prior to lying down. 1119 VS: 98% RA, pulse 69 and regular, b/p 118/72. Ice pack applied to patient along with fanning of patient. Patient states feeling better and brought to sitting position without difficulty. Patient offered juice which he was able to drink without difficulty. Patient assisted into wheelchair and brought back to observation area. 1128 VS: 98% RA, pulse 79 and regular, b/p 122/72. Patient no longer clammy, able to converse and follow directions without difficulty. Patient states he is feeling much better, able to stand without feeling dizzy or lightheaded. Friends present with patient and will drive patient home. Patient transported to car via wheelchair. Able to transfer into car independently.
1172402	4/6/2021	NY	53	F	3/23/2021	3/26/2021	First Night - vision was distorted Sleeping - pain of the entire left arm Next Morning - unable to stand, unable to "walk" straight, feeling nauseous, hurt all over, strong body shaking chills Thursday/Friday - short of breath for seven days with left side chest pain, continued chills Had EKG, Cat-scan, follow-up bloodwork Currently prescribed High Doses of Steroids for approx. 10 days
1172321	4/6/2021	CA	55	F	4/1/2021	4/1/2021	Scratchy throat and eyes pulsating

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1172364	4/6/2021	KY	55	F	4/1/2021	4/1/2021	~~watery eyes, racing heart beat, shaky~~
1171870	4/6/2021	NY	57	F	3/12/2021	3/25/2021	On 3/25/2021, started seeing rash, hive and feeling itchy, got worse thru the night when it started throughout my body and feeling throat stuck, chest pain. Next day, allergic reaction started spread to my face, ear and eyelids. Went to urgent care immediately. The doctor immediately gave me steroid, Zyrtec, Benadryl tablets to calm down the allergic reaction and instructed that I continue to take them for 5 days. After 5 days, I still experiencing lingering and minor rash, itchy sporadically on my body mainly hands, arms, ankle and bottom of feet. Consulted gastroenterologist and allergist, inconclusive of the root cause. Was on prescribed Omeprazole 40mg, Vitamine De+K2, Probiotics prior the vaccination. Also took half of Advil tablet for 3 days to relieve tooth ache prior to the allergic event. Have stopped since then.
1172316	4/6/2021	CA	24	F	4/6/2021	4/6/2021	Patient given educational material regarding vaccine and advised to continue to self-monitor per the CDC guidance. PT. was given her first dose of Moderna Vaccine in R deltoid at 1012 on 4-6-2021. Pt. began to have an adverse event at 1015. Pt. began to have LOC, then began to fall out of the chair face forward. Pt. had LOC approx.. 5-7 secs. PT. was assisted back to chair where she regained alertness. She was then transferred to W/C and moved to corner for privacy. She then began to have another episode and displaying seizure-like movements. Pt. was transferred out the chair onto the floor. She regained consciousness after approx. 7 seconds. She was A&Ox4 after episode, able to answer all questions, no respiratory distress observed. Face was assessed after falling face forwards, there was no signs of bleeding. Approx 1037 pt. felt vision going dark again, pulse dropped to 42 BPM, LOC 15 secs, assisted back to floor, no trauma observed. arrived on scene approx at 1057, pt. refused further medical care, verbalized boyfriend is coming to take patient home. 1018 VS: 112/82 P 63, RR 20, 98% 1023 VS: 108/70 P 62 RR 19, 99% 1038 VS: 88/50 P 70, RR 20, 98% (Pt. awake, verbalized tingling in hands and feet) 1048 VS: 104/68 P 62, RR 20, 100%



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1172306	4/6/2021	MO	24	M	4/6/2021	4/6/2021	PATIENT FELT DIZZY AND NAUSOUS AFTER VACCINATION. PATIENT SAID HE LOST COLOR IN HIS VISION. PATIENT'S HEAD ROLLED AND THEN HIS WHOLE BODY BECAME STIFF BEFORE COMING BACK TO CONCIOUSNESS. PATIENT SAYS THIS HAPPENS WITH ALL VACCINATIONS AND DRAWING BLOOD.
1172268	4/6/2021	AL	26	M	4/5/2021	4/5/2021	Temporary blindness for about 5-10 minutes. I was unable to see but was conscious and eyes were completely dilated. As a result of the inability to see, I felt panicky and my fingers and face were tingly.
1172251	4/6/2021	OR	46	F	4/1/2021	4/2/2021	5 days after dizziness, headache, nausea, fever , body aches, pain in eyes.
1171893	4/6/2021	MA	62	F	4/1/2021	4/2/2021	Severe headache with eye pain arm of injection and so painful I could not hold a paperback book
1171886	4/6/2021	OH	77	F	3/22/2021	4/2/2021	Per individual, she stated she woke up a last week and her eye was swollen "almost shut", red, itchy and had "a scaly crust" She stated she went to the local ER and was prescribed an antibiotic, steroid and antihistamine. She stated she is not sure why it would do this, but wanted to report it.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1171871	4/6/2021	TX	50	F	2/5/2021	2/7/2021	Starting about 2 1/2 days after the first dose I had aches, significant fatigue, nausea, some subjective fever and slight chills. All of this last 12 days. About 1 week into symptoms also noted some mild shortness of breath and cough. All eventually resolved after 12 days with the nausea being the last symptom to resolve. With the second dose, I felt fine aside from a large red, tender knot on my arm. About 4 weeks later started developing several sizeable pink, indurated areas which did not hurt or itch. the first 3 happened to be in surgical scars- one on right calf, one on left anterior thigh and largest one on right wrist which was 3-4 inches long and felt maybe 1/2-1 inch deep. Then developed similar on right lower eyelid. I did not have a previous scar here. Last to develop was on left upper eyelid and felt shaped more like a BB. At this point, I asked opinion of one of my partners (we are family medicine physicians) and he agreed that it seemed like a reaction to something. I started taking some ibuprofen for anti-inflammatory symptoms and then took prednisone 20 mg daily for 5 days which did seem to help them resolve, however I still have small palpable areas on right leg and wrist. I have never had an adverse reaction to another medication or vaccine. My vaccines are all current and the last time I was sick enough to miss work was 2004, so I didn't have any other obvious explanation for this.
1172390	4/6/2021		64	F	3/23/2021	3/30/2021	One week subsequent to vaccine, eye stye in left eye. On 13th day, eye stye in right eye. Blurred vision in both eyes, itchy eyes. Watery nose- need to blow nose regularly.
1170824	4/6/2021	MA	35	M	4/5/2021	4/5/2021	Systemic: Fainting / Unresponsive-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Hypotension-Medium, Additional Details: approximately 10 minutes after dose patient blood pressure dropped, eyes dilated, clammy. sweating. First responders came, pt did not leave with them but was going to hospital to "get checked out".
1170929	4/6/2021	MD	56	F	4/3/2021	4/5/2021	Diarrhea, Both Eyes Itchy & the Eyelids a Bit Swollen

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1171022	4/6/2021	VA	19	F	4/3/2021	4/3/2021	Following the injection, I made my way to the observation room to wait for 10 minutes. After about two, my left arm began to get extremely hot and I called the nurse in the room over. I began to ask her if it was a normal side effect and began to lose my vision and hearing while talking. I passed out and was wheeling to the side of the room where the doctor was. Upon waking up (after 2/3 minutes) I threw up. The doctor took vitals and such and said everything looked okay. After about 15 minutes I was able to stand and head home.
1170967	4/6/2021	FL	48	M	4/1/2021	4/3/2021	Blurry / Cloudy Vision, Occasional spots.
1170961	4/6/2021	MI	66	M	4/1/2021	4/2/2021	Doctor diagnosed that I had an outbreak of shingles over my left eye and forehead following my vaccination of the Janssen Covid-19 vaccine EUA. Doctor is currently treating me for this condition with valacyclovir HCL, prednisone and acyclovir.
1170907	4/6/2021	OH	57	F	3/27/2021	3/27/2021	After the first vaccine, I experienced swollen right lymph node. After the second dose, I see severe flashing of lights and floaters in the right eye. It happened 3 hours after the 2nd vaccine.. I went to see a retina ophthalmologist. He has referred me to a neuroophthalmologist. He thinks the optic nerve is inflamed. This is a reaction to the vaccine. I can barely see out of the right eye and I have 20/20 vision.
1170863	4/6/2021	NJ	59	F	3/30/2021	3/31/2021	Burning Eyes, Achy joint and severe sweats throughout the night
1170858	4/6/2021	CA	30	M	4/5/2021	4/5/2021	Systemic: Chills-Severe, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fever-Severe, Systemic: Hypertension-Medium, Systemic: Hypotension-Severe, Systemic: Shakiness-Severe, Systemic: Visual Changes/Disturbances-Medium, Systemic: Weakness-Medium
1171035	4/6/2021	PA	55	F	2/11/2021	2/13/2021	I was diagnosed with episcleritis of right eye. treated with steroid drops for almost 2 months and I still have it. Very red & irritable and blurry vision at times in that eye. Unfortunately, it got a little better with the drops but will not go away. I stopped taking the drops about a week ago and my eye is terrible. I have never had this before in my life so this is a first!

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1170840	4/6/2021	HI	21	F	4/5/2021	4/5/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Additional Details: patient fainted after standing up to move to the observation area, she opened her eyes almost immediately after falling to the ground and was responsive, ems was alerted to check and make sure she did not hit her head. ems assessed and patient was stable, refused medical care or transport to the hospital. left with boyfriend (she was not driving herself).
1171138	4/6/2021	OH	25	F	3/10/2021	3/11/2021	PATIENT ERRONEOUSLY RECEIVED THE JOHNSON & JOHNSON INSTEAD OF THE SECOND DOSE OF MODERNA VACCINE. ABOUT 8PM THAT SAME DAY PATIENT BEGAN FEELING SIDE EFFECTS OF HEADACHE, FEVER, CHILLS AND BODY ACHES FOR 4 TO 5 DAYS . PATIENT STATES SHE STILL GET HEADACHES AND BODY ACHES.CONTINUOUSLY TIRED AND HAVING PROBLEM WITH BLURRY VISION IN RIGHT EYE.
1170807	4/6/2021	NH	40	F	1/21/2021	2/18/2021	Rash on the face around both eyes, mouth and preauricular area that looks like eczema. Feels like a burn and its red. I have never had any rash or allergic reaction, and this continues to occur without cause after my immunization

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1170798	4/6/2021	VA	40	F	4/5/2021	4/5/2021	pt was fine until 15 minutes into her waiting time at which she stated she felt faint and light headed. Continued to worsen based on dialogue with patient. Tried to take blood pressure manually as well as with automated cuff but too low to detect. Pt stated she felt tingly all over, hot , clammy, dizzy and was made worse by opening her eyes. Put ice packs on neck and forehead as well as wet cloth. Pt requested water but we declined as to not knowing severity or extent of reaction yet. Based upon pt not improving and lack of palpable pulse decision to involve EMS was made. Upon ems arrival 10 min later pt was taken to their transport vehicle for further evaluation. At that time they observed vitals to be normal, monitored for additional 10-15 minutes and determined pt had adverse reaction, not allergic reaction. Pts caregiver called us to let us know she was fine on drive home and improved rapidly en route. Noted pt drove 2-3 hours for appointment, in convertible with temps in mid -upper 70's and noted she was possibly hot upon arrival and this could have precipitated reaction to injection.
1170721	4/6/2021	CA	63	F	4/5/2021	4/5/2021	Red Eye. Seeping discharges, itchy
1170610	4/6/2021	CA	30	M	4/5/2021	4/5/2021	Convulsion- eyes rolled back, involuntary contraction of muscles, unresponsive, lasted 10 seconds other symptoms: chills, nausea, sweating
1170597	4/6/2021	MN	34	M	12/23/2020	12/24/2020	Since I received my first dose of the vaccine I have had occasional instances where my vision gets really weird. It's like the room is spinning. I have told 2 doctors about this and they don't seem to think anything about it.
1172521	4/6/2021	AZ	23	F	1/22/2021	1/23/2021	I had an allergic reaction the day after the vaccine. I started to get a headache and my eyes became very dry and itchy. They were swollen red and irritated. I consulted a doctor and they prescribed a Z Pack and Covid-19 tested me and told me to take Benadryl. My eyes became better by the fifth day after the shot. I got the second dose and I had no reaction to that.
1172712	4/6/2021	KY	19	F	3/22/2021	3/22/2021	syncope, eye twitching
1170558	4/6/2021	DC	37	F	3/17/2021	3/17/2021	- I had a severe headache within 4 hours of receiving the vaccine. Behind my eyes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1170853	4/6/2021	RI	46	F	3/8/2021	3/8/2021	Systemic: Allergic: Itch (specify: facial area, extremities)-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: Numbness (specify: facial area, extremities)-Medium
1171254	4/6/2021	OH	90	M	2/12/2021	3/5/2021	3/5 Patient presented to ED after being found on floor at home and complaining of neck pain. primary care giver noted that patient had had several recent falls, increasing weakness and decreased appetite for several days prior to presentation. Pt was found to have UE weakness in ED and cervical spine CT showed C2 fx and cord hematoma resulting in severe cervical stenosis. Screening nasal swab for admission was positive of SARS-CoV-2. Pt had no hypoxemia. 3/6 pt was intubated for acute hypoxic hypercapnia secondary to hypoventilation from medication. The was then found to have MRSA pneumonia. He was treated with both dexamethasone and IV vancomycin. 3/8 had C2-C6 laminectomy Progressed slowly and was extubated and worked with PT/OT/ST. Found to have occult sacral fx. Was eventually discharged to SNF on 3/17/21
1171390	4/6/2021	NY	73	F	3/19/2021	3/19/2021	Patient reports strange pressure in the head and headache starting 3 days after vaccination - fairly constant and hasn't resolved yet. Also stated being irritable when she never was before, high pitches in music bother her, and reading is difficult for her. She had an eye exam and they told her the pressure wasn't related to the eye.
1171366	4/6/2021	KY	44	F	4/6/2021	4/6/2021	Treatment: Benadryl IM 25mg, Decadron 8mg IM Patient started feeling tingling in face about 40 minutes after injection, throat was scratchy and felt like closing off air. Tongue felt thick, eyes felt like they were swelling .
1171358	4/6/2021	MT	42	M	3/3/2021	4/2/2021	Started on April 2nd, 2021, noticed that his left eye was drooping. He did a stroke test as he is a EMT, then 20 minutes later when he went to take a drink of something he noticed his facial droop on the left side. Saturday he went to the ER and was put on PRednisone, and Valcyclovir. Had follow up today with a provider and the medication has not improved anything.
1171336	4/6/2021	NJ	41	F	3/30/2021	3/31/2021	fever 103. everyday. Nausea. double vision

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1171313	4/6/2021	IL	45	F	4/6/2021	4/6/2021	Severe Itching, rash, blurry vision. Benadryl, monitoring
1171298	4/6/2021	NY	44	F	3/31/2021	4/1/2021	Shingles in my eye and in my face , body aches, enlarged lymph nodes, tiredness
1171290	4/6/2021	TX	39	F	2/2/2021	2/2/2021	received her second dose of Moderna by LPN. She received her vaccination at 0857. Patient complains of facial tingling on left side of left side of face, under her eye. Blood pressure taken at 0900 146/93, HR 68. At 0914 Pt stated that it has went down to 20%. At 0936, Pt BP 139/90. Pt states she feels fine. Pt left at 0939.
1171029	4/6/2021	WI	22	F	3/9/2021	3/9/2021	I received the first dose of the Pfizer vaccine at 9:15 AM on March 9, 2021. I then returned to work. At about 4:30 PM on that same day, I started feeling dizzy. I felt like I was going to faint at work. Every time I would stand up, I would feel like I was going to pass out. I had someone drive me home because I felt that I was too dizzy to drive. I arrived home at 6:00 PM and began to vomit profusely. I threw up all night and had the chills. In the morning, I felt better but still had a dizzy feeling. The dizziness and vomiting completely subsided by March 11, 2021. On March 12, 2021, I noticed that I had floating black spots in my left eye accompanied by a painful migraine. I have never had eye floaters or migraines previous to this vaccine. My migraine lasted for 5 days straight and I had to be off work to go to the emergency room because I started to loose vision in my left eye. They were unsure of the cause because I did not have any pre-existing health conditions. The migraine finally subsided after the 7th day. I have had eye floaters every since I got the vaccine. I?ve been to an eye doctor and my primary and they all have told me that it could be from this vaccine because I have never had the problem until I received it.
1171267	4/6/2021		21	M	4/5/2021	4/5/2021	headaches that have stayed for more than 12 hours, fainted at pharmacy minutes after receiving vaccine, blurry vision for around 8 minutes, dehydrated before fainting, a little difficulty breathing

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1171455	4/6/2021	NC	55	M	3/11/2021	4/2/2021	Bell's Palsy was diagnosed at ER on 4/2/2021. was put on medium dose of prednisone - 20 mg 2 tablets per day for 6 days. Symptoms are left side of face is drooping , taste changes, trouble talking and eating. watering eye on left side. Inability to close my left eye. was given erythromycin to add to eye and was told to tape it shut when sleeping.
1171234	4/6/2021	IL	40	F	4/2/2021	4/2/2021	About 90 minutes after the shot, my face swelled up and had hives. My left eye would not open all the way. I had hives on my back, chest and both arms. I got the symptoms under control after 9 Benadryl pills. 2 days after the shot - my lymph nodes swelled up in my neck and on my left clavicle. I did not treat these. 3 days after the shot, out of nowhere, my left cheek swelled up and there were hives and my eye was half swollen shut. Symptoms were under control after 2 Benadryl pills. My lymph nodes remain slightly swollen, but not as severe as on Day 2.
1171231	4/6/2021	CA	52	F	3/1/2021	3/26/2021	Vaccine 2 Sore arm quickly Headache Done at 3:11 (could go home) Ear pain then gone Neck pain then gone Right breast hurts outside side then gone Headache again then gone Headache again 449 97.9 temp Eyes sore 5:25 98 temp 7pm two Tylenol Feeling heavy head and arm and shoulder sore. Little congestion Ears popped Dizzy Went to sleep at 8pm Swollen tongue and throat 10pm Left arm sore forearm Broken toe kinda burns a little Sat was miserable ?kept falling asleep Sunday was a little better but still all the same issues Digestive issues as well? Did not go away until around noon Tuesday the 30th Finally worked and went to gym on Wed but still sore eyes and throat slight soreness. Like having mono. Super crusty eyes each morning and using saline solution since we started distance learning Worked in person TH and F and went to gym Th and Sat. Woke up with super pain in sinuses Sunday Bleb in right eye Sinus pressure that usually indicates an infection? Went to Dr Monday for pressure and eye Bleb and got prednisone and an an allergy eye drop. Sinus pressure is a little less as I started prednisone this morning.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1171204	4/6/2021	IN	61	M	3/24/2021	3/26/2021	Patient fell while on the job on Friday March 26th, slurred talking. Later slumped over in the car while driving and had to be taken to the Emergency room where he later passed away. Cause of death on the death certificate per the coroner is Pulmonary Embolus. Patient was just seen by his family physician in January and was in good health no medications taken other than eye drops.
1171185	4/6/2021	CA	45	M	4/2/2021	4/3/2021	Swelling in body. Particular face and eye. One eye is completely shut. Lots of discomfort and inability to work. Can send a picture. It has not started healing yet. Swelling is still very high.
1171183	4/6/2021	IL	41	F	2/24/2021	2/27/2021	3-4 days after the first vaccine I had itchy neck and slight redness. Also, under the eyes I had small red patches that were mildly itchy. It went away after about a week. 4 days after the 2nd vaccine, in those same spots I experienced swelling, redness, itch. 6 days after the 2nd vaccine shot, my primary physician prescribed 3 doses of prednisone and Benadryl to alleviate the itch. Swelling and redness subsided but very mild itch was still there. On 04.05.21 (18 days after the 2nd shot) my face and neck swell up and are red and itchy. I also feel itchy on my legs and back. Benadryl did not help.
1171153	4/6/2021	TX	36	M	3/10/2021	3/10/2021	Date: 3/22/2021 Problem: Notes: Time: 0930 a.m.. Patient observed in chair with head tilted, eyes closed, sweaty, clammy and making snoring noises. Patient able to arouse. VS 97.4,20,44,99/54. 98% on Room air. Patient verbally responsive and stated that he did not eat breakfast but drank two cups of coffee. Snacks and water offered and consumed. Legs elevated. patient is currently resting. Will continue to monitor. Time: Vitals rechecked @ 97.7,51,18,104/75. Patient resting in chair AAOx3. Patient called and notified wife. Patient stated that he feels better. close monitoring continues. Time: VS O2 99% on Room Air, 97.7,18,69,104/64. patient left facility in stable condition.
1171146	4/6/2021	IL	34	F	4/5/2021	4/5/2021	Headache radiating to left eye. refused transport. Observation complete, will take Tylenol for pain.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1171145	4/6/2021	MI	63	M	3/9/2021	3/20/2021	<p>DETAILS OF HOSPITAL STAY: PRESENTING PROBLEM: Stroke-like symptoms [R29.90] HOSPITAL COURSE: A 63 y.o. male who presented with chief complaint of left facial droop, left forehead droop and slurred speech. Patient reports his symptoms started on Saturday and failed to improve. He contacted his PCP and he was recommended to go to the ER for evaluation. Patient had his COVID-19 vaccine-1st dose 2 weeks prior and was concerned that he might be having 1 of the rare side effects from the vaccine. On admission patient had normal vitals. His labs were within normal limits. Patient's presentation was discussed with Neurology who recommended admission for stroke workup given his comorbidities-hypertension, hyperlipidemia, diabetes and obesity. Patient received 1 dose of prednisone 80 mg in the emergency department for treatment of Bell's palsy (patient's symptoms more consistent with Bell's palsy presentation). Patient was admitted to medicine service for workup of stroke with MRI brain without contrast and monitoring for any worsening of neurological symptoms. Patient's CT head on admission was negative for any acute abnormality. CTA head and neck showed near occlusion of intracranial left vertebral artery. MRI brain without contrast was negative for acute infarct. Patient's facial paralysis slightly improved with 1 dose of 80 mg prednisone. Patient's presentation was consistent with Bell's palsy. Patient worked with PT OT and speech therapy and was recommended outpatient physical therapy and speech therapy. He was discharged home in stable condition on oral prednisone 80 mg daily for 7 days and valacyclovir 1000 mg 3 times a day for 7 days. Patient was recommended to follow-up with Ophthalmology as outpatient for possible left eye patch if his symptoms fail to improve. Patient's Lipitor dose was increased to 40 mg daily from 10 mg daily due to finding of atherosclerotic changes on CT head and neck. Active Issues Requiring Follow-up Issue: Bell's palsy and abnormal finding on CT head and neck. Recommended follow-up provider/specialty: PCP What is needed: 1. Referral to Ophthalmology for an eye patch if symptoms fail to improve. 2. Referral to neurovascular surgery for CT head and neck findings. 63-year-old male with history of hypertension, hyperlipidemia and diabetes mellitus admitted for workup of stroke-like</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							<p>symptoms. * Stroke-like symptoms Assessment &amp; Plan Patient presented with left-sided facial droop, left forehead droop and slurred speech. - CT head on admission showed no acute intracranial process. - CTA head and Neck shows near occlusion of intracranial left vertebral artery. Patient reports his symptoms started 3 days ago. Patient's presentation appears similar to Bell's palsy. He received 80 mg of prednisone in the emergency department. Patient's symptoms were discussed with stroke Neurology who recommended MRI brain without contrast to rule out possible stroke given his underlying comorbidities-hypertension, hyperlipidemia and obesity. Plan: - will obtain MRI brain w/o contrast. - Check A1c and Lipid profile - continue Aspirin and statin. - monitor on tele - Neurochecks q4h Bell's palsy Assessment &amp; Plan Patient has loss of left forehead wrinkles, left eyelid droop, droop of his left corner of the mouth. Patient's presentation more consistent with Bell's palsy. Patient reports that he had COVID 19 vaccine 2 weeks prior to developing symptoms and read it as one of the rare side effects online. Patient received one dose of Prednisone 80 mg in the ED. Will continue with Prednisone taper until MRI results are back. SLP ordered. Patient advised on following with ophthalmology for eye patch.</p>
1171281	4/6/2021	TN	56	F	3/25/2021	4/3/2021	<p>Day 1: injection was in right arm immediate strong taste of metal in mouth after injection right side of face had tingling all symptoms were greatly lessened by the end of the 20 minute wait Day 2: major injection site soreness/no other symptoms Day 9: right side of face severely numb middle tip of eyelid had constant twitch tightness in right cheek and side of face, up into the eye socket severe tingling, like after a dental appt with too much Novocain slight metal taste no drooping/drooling/sagging of face vision seemed fine/motor skills fine Day 10: same symptoms as day 9 with added right arm pain bicep in right arm, wrist and fingers numb Day 11: Drs appt 9:20am same numb/Novocain feeling in face more heav</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1173727	4/6/2021	NY	43	M	4/6/2021	4/6/2021	Patient felt dizzy after receiving vaccine. Pharmacist went over to assess patient and patient hands began shaking and eyes were moving erratically. Patient would not respond to verbal commands so called 911. The patient came responsive about 1 minute later and had no recollection of the event. Pharmacist checked blood pressure and it was low (97/46 ) and upon recheck in 3 minutes it was high (199/90). Paramedics arrived and patient said he felt fine at that point but he would still go to hospital to get checked out.
1173308	4/6/2021	GA	29	F	4/6/2021	4/6/2021	Patient began to feel lightheaded and proceeded to lie on the ground immediately after I gave her the vaccination. Her mother was present and stated that her daughter has vasovagal syncope and that this always occurs whenever her daughter gets nervous about something (even at the eye doctor when receiving eye drops). The patient's eyes rolled into the back of her and began to shake uncontrollably and lost control of her bladder. The patient came to about a minute or so later and drank some orange juice. She was monitored for an additional 30 minutes. The mother told me not to call 911 since this has happened to her daughter before.
1173850	4/6/2021	MD	62	F	3/27/2021	3/30/2021	headaches for two day. Blood in the white of the eye on the right side. I was scared of seeing that much blood. This has never happened before. I called my ophthalmologist and visiting him as soon as I found out. He said it should be OK and it will go away gradually.
1173830	4/6/2021	WA	53	F	4/3/2021	4/6/2021	A bit of soreness below the site of injection. Discomfort in right eye disturbing sleep which started around midnight and lasted until the next morning around 10am
1173814	4/6/2021	NY	56	F	3/31/2021	3/31/2021	while receiving the shot, I had a sudden metallic taste in my mouth that took hours to go away. 10 minutes after the shot, I started to have blurry vision, which lasted for the next 28 hours and then went away on its own. Beginning 2 hours after the shot, I began to have vertigo when standing. The vertigo, accompanied by nausea lasted for approximately 8 hours.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1173782	4/6/2021	IN	28	F	4/1/2021	4/2/2021	I awoke at 6:45 a.m. feeling a bit sore in my arm, but relatively okay. I was up for approximately ten minutes and then extended my arms over my head to stretch out some of the achiness and immediately regretted the action. I began to feel dizzy and nauseous and saw black spots encroaching on my peripheral vision. I washed my face to relieve some discomfort with no change. I walked toward the bedroom to grab my glass of water when the black spots increased, clouded my entire vision, and I collapsed on the bed. I then began to hyper-salivate and after waking my husband and catching my breath, I returned to bathroom, experienced diarrhea, and simultaneously vomited into the trash can. The vomit tasted chemical and extremely acidic. My body was also shaking uncontrollably during this time and I kept switching between chills and being too hot. After I felt comfortable leaving the bathroom, I crawled back in bed but was shaking so much that I couldn't stop my teeth from chattering and could not get warm no matter that my husband placed an extra blanket over me. I had taken my temperature before while I was in the bathroom and it read 94.6 degrees Fahrenheit. I took it again in bed about twenty minutes later and it read 99.4 degrees Fahrenheit. My head was splitting and my arm ached, but I was eventually able to go back to sleep. I felt better after sleeping for a few hours and drinking more fluids.
1173776	4/6/2021		53	M	4/2/2021	4/2/2021	numbness to the left side of the face / tongue. pt denies any difficulty swallowing / breathing &/or other s/s. No visual swelling to the tongue. Medics present. pt. waiting another 30 mins to be monitored.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1173773	4/6/2021	ME	63	F	4/4/2021	4/5/2021	<p>March 4 - J&amp;J Covid Vaccination March 5 - Woke up feeling terribly under the weather; sinus inflammation/chills/fatigue/pressure in ears/pain in teeth (upper back molars), swollen glands - just plain "ill" Week of March 8 - See above, the same March 9 - Appointment at Primary Care Clinic due to March 5th symptoms and a 1-day bout of diarrhea Diagnosis ?cold, sinus issues? - try Mucinex/Tylenol / Covid Test = Negative Mid-March: fever blister appears for a few days and ringing in my ears (noise) increases. Fever blister lasts about 4 days. Week of March 15 - Same Symptoms as March 5 plus another 1-day bout of diarrhea Sunday, March 21 - stomach cramps / diarrhea - chills/overwhelming fatigue - same sinus issues as March 5 Week of March 22nd - equilibrium is off and starts to become an issue - 3 nights of vertigo but not severe during that week. Last vertigo attack was in 2018. March 28th - sinus situation the same, diarrhea again, start Pepto Bismol regime based on past microscopic colitis issues Mucus is thin and clear, just started to discharge. March 31st - Schedule another appt at Primary Care Clinic due to ?status quo? - this doctor thinks inflammation and prescribes prednisone (2) 20 mg for 5 days - Covid Test / Strep Test / Influenza Tests = Negative March 31 - April 4 / Prednisone: Visibly more stuffed up. Tooth/nerve pain increased from a 3 to a 7; didn't take the final days dose. After stopping my head felt numb. Vertigo stopped; equilibrium still off. Increased tinnitus and increased pressure/burning under my eyes and around my cheekbones. April 5 - 6 - New symptom appeared approximately a week ago; tightness in throat, difficulty swallowing. Still experiencing tooth nerve pain (sinus cavities). Woke up soaked the last 2 nights. Noticed increased difficulty concentrating "brain fog".</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1173943	4/6/2021	TX	25	F	3/8/2021	3/9/2021	The morning after I got the vaccine, I felt very tired. Within two hours of waking up, I felt body aches all over. After another hour or two, I felt a massive headache behind my eyes and around my head. It felt like I was hit with a brick. I also felt nauseous on and off. On March 10th, two days after the shot, I woke up around 6am soaking wet in sweat. My hair, clothes and blankets were drenched in sweat. The bodyaches and nausea were gone by this date. The headache lasted a whole week.
1173752	4/6/2021	NC	22	F	4/6/2021	4/6/2021	Patient received Covid 19 Janssen vaccine, about 10 minutes after administration patient started to get really hot. We applied cold clothes to the neck and head and patient felt like she was going to vomit so we also gave her a bag just in case she got sick. She started looking very pale so we layed patient on floor. She started to panic that she wasn't going to go to work and eyes were rolling in the back of head. Called 911 for patient and I stayed with patient, I took her blood pressure which was normal. Patient became fully alert again and stated she was feeling a little better. The ems checked her blood pressure and blood sugar and released the patient.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1173998	4/6/2021	CA	46	F	4/6/2021	4/6/2021	Client received 2nd Moderna COVID vaccine (lot # 026B21A and expiration date 4/29/21) at 9:37AM. Nurse administered vaccine and after she walked client over to observation station and gave report to EMTs. PHN asked RN after she returned why client was walked over and RN informed lead of history of reaction to first moderna. PHN went to observation room, EMT had taken baseline vitals when she arrived at 942: blood pressure 126/82, pulse 84, oxygen 94%. PHN spoke with client who stated at this time feeling well. Per client first dose was given at location, client stated headache , throat itchiness, metal taste, flushing, blurry vision, and high blood pressure. That time she was given Benadryl and stayed 2hrs post vaccine for monitoring. Per client had spoken with primary doctor who recommended she still receive second dose. EMTs stayed with client. At 1002 client informed EMTs of flushed feeling and metallic taste. PHN informed and joined EMTs. Vitals: blood pressure 116/70, pulse 85, oxygen 97%. Client stated same symptoms as last time returning. Alert and oriented. Client denied shortness of breath. Face and hands flushed. PHN offered client Benadryl and client accepted, wanted PO only. Benadryl 50mg given PO. Client's sister was present, client was not driving. Allergies to Vit B. Medical history of hypertension, client did not take medication this morning. Vitals 1016: blood pressure 124/88, pulse 92, oxygen 98%. Client stated headache to frontal are, metallic taste, flushing in face and hands. 1021 vitals: blood pressure: 120/78, pulse 85, oxygen 98%. Client stated symptoms improving. Face flushing improving. Client alert and oriented. At 1026 client stated feeling hands were swelling, specifically right index finger. Client able to move hands, denied pain or tingling. Vitals: blood pressure: 116/78, pulse 85, oxygen 98%. At 1030 client wanted to use restroom, sister and EMT accompanied client. Client walked with steady gait there are back. After sitting down client stated feeling dizzy again. Vitals 1034: blood pressure: 126/82, pulse 80, oxygen 97%. No headache, no metallic taste, right index finger swollen and palms flushed. Client stated feeling tired. 1039 vitals: blood pressure: 120/80, pulse 79, oxygen 98%. 1044 vitals: blood pressure 122/80, pulse 81, oxygen 98%. Symptoms improved, swelling of right had same. Vitals 1053: blood pressure 124/82, pulse 82, oxygen 98%. Vitals 1109: blood



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							pressure 126/100, pulse 85, oxygen 97%. Alert and oriented, per client feeling better. No headache, metallic taste, shortness of breath, headache, or flushed face. Swelling improved. Per client blood pressure higher since she did not take blood pressure medication this morning. Denied chest pain, blurry vision, or dizziness. 1114 vitals: blood pressure 118/90, pulse 84, oxygen 99%. Client stated all symptoms had resolved. ER precautions given to client. Last vitals at 1130: blood pressure 136/94, pulse 84, oxygen 98%. Client aware blood pressure diastolic high, still wanted to leave. Able to stand from chair with no dizziness. Client left facility with steady gait at 1131.
1173721	4/6/2021	WI	22	F	4/6/2021	4/6/2021	Pt received covid shot. Co immediate nausea, blurred vision, dizziness and feeling cold and sweaty. Skin warm and very diaphoretic. BP 102/73, 101. Pt given water to drink. States all she has ate today is fruit. Resting in chair. Recheck 15 min later and BP 123/84, 64. Drank 16 oz of water and states she feels much better. No medical care required. Advised to contact dr if symptoms return.
1173672	4/6/2021	MD	67	F	3/30/2021	3/30/2021	1 hour after vaccine, developed facial swelling. went to ER. Given Benadryl 50 mg. Next day better. Continued to take Benadryl and zyrtec for 3 days, controlled. 2 days after stopping, began to have facial swelling around the eyes. No oral swelling, shortness of breath, or hives.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1173606	4/6/2021	TX	55	M	3/26/2021	3/26/2021	tunnel vision; wobbly legs; dizziness (had to sit down then lie down); sore arm; Foggy; burning on injection; fatigue; some chills; nausea; This spontaneous case was reported by a consumer and describes the occurrence of TUNNEL VISION (tunnel vision) in a 55-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 025B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No relevant medical history provided). Concomitant products included PARACETAMOL (TYLENOL) for an unknown indication. On 26-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 26-Mar-2021, the patient experienced TUNNEL VISION (tunnel vision) (seriousness criterion medically significant), RESTLESS LEGS SYNDROME (wobbly legs), DIZZINESS (dizziness (had to sit down then lie down)), PAIN IN EXTREMITY (sore arm), FEELING ABNORMAL (Foggy), VACCINATION SITE PAIN (burning on injection), FATIGUE (fatigue), CHILLS (some chills) and NAUSEA (nausea). On 26-Mar-2021, TUNNEL VISION (tunnel vision), RESTLESS LEGS SYNDROME (wobbly legs), FEELING ABNORMAL (Foggy), CHILLS (some chills) and NAUSEA (nausea) had resolved, DIZZINESS (dizziness (had to sit down then lie down)) and VACCINATION SITE PAIN (burning on injection) outcome was unknown. At the time of the report, PAIN IN EXTREMITY (sore arm) and FATIGUE (fatigue) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown. Treatment medication included paracetamol.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1173601	4/6/2021	NY	64	M	3/4/2021	3/8/2021	diagnosed with Bell's palsy; severe watering of left eye; tingling around mouth area; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of FACIAL PARALYSIS (diagnosed with Bell's palsy) in a 64-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 362A1A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Stent insertion NOS in 2008. Concurrent medical conditions included Lyme disease since 09-Mar-2021 and Bell's palsy since 09-Mar-2021. On 04-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 08-Mar-2021, the patient experienced FACIAL PARALYSIS (diagnosed with Bell's palsy) (seriousness criterion medically significant), LACRIMATION INCREASED (severe watering of left eye) and PARAESTHESIA (tingling around mouth area). At the time of the report, FACIAL PARALYSIS (diagnosed with Bell's palsy), LACRIMATION INCREASED (severe watering of left eye) and PARAESTHESIA (tingling around mouth area) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship with the events cannot be excluded. Of note, patient has a history of Lyme disease, Bell's palsy.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1173587	4/6/2021	NC	73	F	2/22/2021	2/23/2021	<p>Muscle ache; eye infection; Chills; Nausea; swollen and closed eye; eye that was numb; itching in the eye; eye painful; Loss of appetite; Headache; Pain in the right shoulder; swelling in the right arm that was similar like a baseball; pain in right arm; weakness in right arm; A spontaneous/solicited report was received from a consumer who is 74 year female who experienced a weakness in right arm, pain in right arm, swelling in the right arm that likened to a baseball, pain in right shoulder, and a swollen eye which resulted in an eye infection. The patient's medical history was not provided.</p> <p>Concomitant product use provided was Lamotrigine 100 mg, On 22-FEB-2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Batch number: unknown) intramuscularly in the right arm for prophylaxis of COVID-19 infection. On 23-FEB-2021, the patient states she started experiencing weakness in right arm, pain in right arm, swelling in the right arm that likened to a baseball, and pain in the right shoulder. On 24-FEB-2021, she woke up with swollen and closed eye that was numb, itching and painful. Additionally she was experiencing nausea, loss of appetite, headache, chills. Patient states that she made an appointment with eye Dr to get her eye checked up. The eye Dr ended up diagnosed her with an eye infection and prescribed an eye drop called Erythromycin. Patient said her symptoms continue on and on Friday she had muscle ache, muscle pain, pain went from right side to left side. On Saturday, the pain was left arm and going back forth between left and right arm, itching, and chills. On Sunday and Monday, experienced the same symptoms until Monday afternoon or evening started felling better. Action taken with mRNA-1273 in response to the event(s) was not provided/unknown. The outcome of the events, weakness in right arm, pain in right arm, swelling in the right arm that likened to a baseball, pain in right shoulder, and a swollen eye which resulted in an eye infection is unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events and a causal relationship cannot be excluded. Very limited information regarding the event (Eye infection bacterial, hypoaesthesia eye, eye pruritus, and eye pain,) has been provided at this time. Further information has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1173581	4/6/2021	NC	69	F	1/31/2021	1/31/2021	Lost sight in left eye for 30-45 sec; A spontaneous report was received from a consumer concerning a 69-years-old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced lost sight in her left eye for 30-45 sec/ blindness transient. The patient's medical history was not provided. Concomitant product use was not provided by the reporter. On 31 Jan 2021, prior to the onset of the symptoms, the patient received their first of two planned doses of mRNA-1273 (Batch number: 012M20A) in the left arm for prophylaxis of COVID-19 infection. On 31 Jan 2021, around 8 pm, the patient experienced a medically significant event lost sight in her left eye for 30-45 sec when she got home. On 01 Feb 2021, twice the patient lost sight again. Treatment information was not provided. Action taken with mRNA-1273 in response to the event was not provided. The outcome of the event, lost sight in her left eye for 30-45 sec was not reported.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. Further information has been requested.
1173352	4/6/2021	PA	43	F	4/6/2021	4/6/2021	Numbness in eyes and throat. Tightness in throat

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1173769	4/6/2021	CA	24	F	4/6/2021	4/6/2021	Client complained of complained of flushed face, swelling to hands, headache, vision changes and dizziness after receiving Janssen Covid vaccine (lot 1808980 exp 6/20/21). Client was walking out of waiting room and approached the PHN to inform she was not feeling well. Client assisted to closest chair, EMT joined in and started vitals as PHN did assessment. Per client started feeling mild symptoms after 5mins and by 15 mins symptoms had progressed. Client did not alert anyone until her time was done and she began to walk at 1125. Client alert and oriented, flushed face, mild diaphoresis, per client spots in vision, swelling to hands, left hand more, and headache. Client denied shortness of breath, chest pain. History of allergy to penicillin. No other pertinent medical history. Vitals 1125: blood pressure 140/98, pulse 99, oxygen 100%. Client transfered to gravity chair and given water. Client wanted to call husband to come pick her up. 1134: pulse 97, oxygen 98%. Client stated pressure behind eyes. PHN offered client benadryl, flushed face continued, headache, swelling to hands. Client accepted as husband was on his way. Benadryl 50mg PO given at 1137. Vitals 1139: blood pressure 150/90, pulse 95, oxygen 98%. Per client dizzy, felt warm across face, headache, pressure around eyes, swelling on hands and flushed face. Client denied shortness of breath. Client asked if she wanted 911 to be called for further assessment, client denied, she stated she would continue waiting. Vitals 1144: blood pressure 130/90, pulse 97, oxygen 90. Per client headache gone, no flushing, felt tired. 1148 swelling on hands was improving. Vitals 1152: blood pressure 110/80, pulse 89, oxygen 96%. No headache, just pressure on forehead, no flushing, blurry vision improving. Vitals 1157: blood pressure 126/90, pulse 90, oxygen 97%. Per client all symptoms improving. Wanted to sit straight on chair. Client stated felt well enough to go home. Pressure on head was only symptom at this time. Client given ER precautions. Husband was going to driver her home. Last vitals at 1205: blood pressure 120/90, pulse 86, oxygen 97%. Alert and oriented, stood up with no complaints of dizziness. Client walked out of facility with steady gait

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1174096	4/6/2021	FL	59	F	3/5/2021	3/6/2021	Chills, fever body aches lasting about 48 hrs. Severe vivid recurring nightmares from 3/6/2021 to present. On 3/31/2021 I had a severe nightmare which caused me to jump out of bed and run. I ran smack into side of door and received injury resulting in fractured optical bone, black eye, swollen left side of face and numbness on left side and across upper lip which continues still today. Dr cannot say if nerve damage and numbness will be permanent or not. I am terrified I will not get feeling back. Effects my sleep, my eating and my everyday activity. I was scheduled to receive second dose of Moderna on 4/2/2021. I refuse to to severity of nightmares and injury.
1172679	4/6/2021	CA	61	M	3/30/2021	3/30/2021	member recieved the first covid vaccine dose at 9:20 am . At 9:29 am member complained of feeling dizzy and sweating. Member was still being observed . at 0929 am Overhead page for MD assistance to evaluate member. Found member sitting in chair in covid vaccine area. Member able to answer questions, member oriented times 4 , respirations even and unlabored. his eyes closed and head tilted forward , skin pale and wet . Pt c/o dizziness.First BP reading 59/32 p42 , O2 saturation 100% on room air . This RN rechecked BP 68/33 and pulse 32 via machine ,this RN checked radial pulse 40. At 0933 this RN gave epi auto injector to left thigh . At 0935 911 called and Dr. and this RN assisted member to floor and elevated legs , applied O2 2l n.c. repeat BP 88/47 p-42 lying , then second lying BP 98/56 P 51 . Machine read 156. Member stated he was feeling better, less dizzy and was answering all questions and speaking in full clear sentences. Skin pale and wet. 911 arrived at 0942.
1172529	4/6/2021	IN	77	F	3/4/2021	4/3/2021	Blood clot that caused total vision loss in right eye. It occurred on 04/03/2021. Was treated by ophthalmologist at eye Center, and at Hospital,
1174193	4/6/2021	NV	46	M	4/2/2021	4/4/2021	2 days after this vaccine, Pt had paralysis of left cheek and lower part of right cheek (closer to jawline), and paralysis and drooping of left eye, unable to fully close Left eye. Patient came to see me 4 days after the vaccination about this condition, and i suggested that he sees his medical provider.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1174158	4/6/2021	MD	59	F	4/5/2021	4/5/2021	5 min- blurred/wavy vision 10 min- lightheaded 15min - body shakes, stiffened and painful spine. Over next hour, went through 10 min waves of feeling hot and cold. 30 min- given 25mg Benadryl; no effect At 45 min- Pharmacy called 911. Taken to hospital/ER.
1174153	4/6/2021	PA	59	F	4/5/2021	4/5/2021	Injection at 9:55 am. Itchy eyes and root of mouth started 15 minutes after injection. I waited for an additional 15 minutes at facility and the symptoms went away on their own. At 12 noon at home malaise set in. I rested off and on for the remainder of the day. At 4 pm, pain and swelling in right arm. No treatment. Also, at the same time pain in vaginal area started. Pain remained for remainder of the evening and night. The next morning the pain had lessened some, however not totally. I can not think of any cause for the vaginal pain, just that it started several hours after vaccine was administered.
1174135	4/6/2021	PA	38	F	3/11/2021	3/11/2021	Pt came to my office (urgent care-type setting) 4/6/21 for possible adverse event following COVID vaccine. No active symptoms at time of exam. She wanted guidance regarding whether she should receive her second COVID vaccine scheduled in 2 days. She reports she received her 1st Moderna COVID-19 vaccine on 3/11/21. about 2 hours later felt like right side of face was puffy/droopy but was not visibly droopy. She did not report this symptom to any healthcare provider or VAERS at the time and did not seek any treatment. Symptoms went away 2 weeks later. This past week felt it again but went away. Last week left eye felt like it was moving and caused transient visual disturbance. Did not have a headache at that time. Shut eye and went back to normal. Sees a neurologist for migraines but states symptoms were not similar to her migraines Cannot see her neurologist until June. Never had Bell's Palsy in past. No known tick bites, rash or recent viral illness. Denies difficulty closing or opening her eye, mouth asymmetry or slurred speech. Symptoms described may be Bell's Palsy. no treatment initiated since Greater than 3 week since onset and symptoms resolved currently



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1174115	4/6/2021	IN	24	M	4/6/2021	4/6/2021	Patient began sweating, having blurry vision, feeling lightheaded and dizzy about 15 minutes after vaccine was administered. I walked by patient and patient was very pale, was staring straight forward, and was sweating profusely. Blood pressure was taken, a cool compress applied to neck and forehead, gave patient water to drink, and legs elevated on chair. This episode lasted about 5 minutes from onset was realized until resolution.
1173856	4/6/2021	WI	19	M	4/6/2021	4/6/2021	Almost immediately after Johnson & Johnson Covid Vaccine was injected into patient, he passed out. He was in chair and his head went backwards with his eyes rolling back. called for help and I responded. Patient was coming to but proceeded to pass out 2 more times. Epi Pen was ready to inject if needed, but did not appear to be an allergic reaction. 911 and a code white were called. Blood pressure was taken and was low. Patient was warm and clammy. Ice was placed on his neck. Paramedics arrived and checked his vitals. Blood pressure had come back up. Pulse ox 99. blood sugar was normal. Paramedics told patient to hydrate and eat. Water was given to patient after paramedics cleared it. Patient eating in store and then checking in with Pharmacist. Patient will be called tonight at closing time.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1174101	4/6/2021		21	M	4/5/2021	4/5/2021	bodyache,fever,chills. PT states getting J/J vaccine this am with fever, chills, and body ache starting afterwards. HISTORY OF PRESENT ILLNESS: 21 yo M p/w fatigue, body aches, subjective fever, nausea after receiving J&J COVAX earlier today. Acute onset of symptoms, constant, mild muscle aches. Nausea without vomiting. Denies recent illness, headache, vision changes, chest pain, dyspnea, weakness/numbness. MDM: 21 yo M presents with vaccine reaction. Stable on arrival, afebrile with reassuring vitals. Patient well-appearing on exam with no respiratory difficulty or other exam abnormalities. Given tylenol/toradol/zofran/IV fluids with improvement of symptoms. Plan for discharge with tylenol/motrin/zofran, and primary care follow-up in 7-10 days. Discussed findings with patient/caregiver. Plan for discharge as above. Patient/caregiver verbalized understanding and agreement with plan. All questions were answered to satisfaction of patient/caregiver. Written and verbal discharge instructions were given to the patient, including strict ER return precautions. Patient was discharged in stable condition

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1173925	4/6/2021	IL	72	F	3/4/2021	4/4/2021	<p>Shortness of breath, cough onset Sunday April 4th. DATE OF SERVICE: 04.06.2021 CT ANGIOGRAPHY, CHEST (CPT=71275); PULMONARY EMBOLUS PROTOCOL; 3-D RECONSTRUCTION CLINICAL INDICATION: SOB (shortness of breath) COMPARISON STUDY: 10/9/2020 TECHNIQUE: Axial images of the chest were performed during dynamic contrast enhancement for the optimization of the opacification of the pulmonary arteries, following IV administration of 80 mL of Isovue 370. Three-dimensional reformation into the coronal plane was performed. Automated exposure control and ALARA manual techniques for patient specific dose reduction were followed while maintaining the necessary diagnostic image quality. ADVERSE REACTION: None FINDINGS: PULMONARY ARTERIES: There is a large filling defect within the right interlobar artery, extending into the lobar, segmental, and subsegmental branches of the right lower lobe. There is expansion of the right interlobar artery by this thrombus. Small filling defect is noted within the distal left main pulmonary artery, with some extension to the left upper lobe and left lower lobe lobar segments. HEART AND VASCULATURE: The heart is normal size. No pericardial effusion. There is no evidence of right heart strain. MEDIASTINUM AND HILA: There is no mediastinal or hilar lymphadenopathy. LUNGS AND AIRWAYS: Heterogeneous densities are seen in the right lower lobe, new since the prior exam. Scarring is noted in the superior segment of the right lower lobe as well as in the anterior left lower lobe.. PLEURA: Small right pleural effusion. CHEST WALL, LOWER NECK, AND AXILLA: Grossly unremarkable. UPPER ABDOMEN: Grossly unremarkable. OSSEOUS STRUCTURES: Degenerative changes are seen within the visualized spine. IMPRESSION 1. Bilateral PE, with extensive thrombus on the right and minimal thrombus on the left as detailed above. 2. Small right pleural effusion and heterogeneous right lower lobe consolidation, likely reflecting pulmonary infarction.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1174078	4/6/2021	NY	26	F	3/18/2021	3/18/2021	I got my first r my first dose of the pfizer vaccine dose at 9 am that morning and around 10 hours later around 8 pm I got hives on the left side of face and hives/ swelling around left eye and my nose was literally dripping mucous like a faucet onto the floor and I started getting a super itchy and tight through. Obviously an allergic reaction, I took two benedryls fell asleep and woke up fine. I am not sure if I should get my second dose tomorrow.
1174077	4/6/2021	CA	75	F	4/6/2021	4/6/2021	Client received the Janssen dose lot # 1808980 and expiration date 6/20/21 at 11:01AM. At 11:16AM client had already waited their 15 minutes and reported to EMT that she was having shortness of breath and anxiety. Vitals were taken : Oxygen: 97%, Blood Pressure: 130/80, pulse=75. Client reports to EMT s that she has a history of bradycardia and anxiety. Client reports medications are amlodipine 5 mg, Irbesartan 50 mg, Aspirin 81 mg PO, inhaler for asthma. Client also reports that on January 8th of 2021 she tested positive for COVID-19. PHN was notified at 11:28AM of client's symptoms. PHN arrived to find client sitting upright and alert and oriented x 4. Since client had shortness of breath reported PHN offered 9-1-1 but client declined, stating she was already feeling better. PHN advised client to stay an extra 30 minutes since she had a reaction. Client reports she thinks it is because she forgot to take her inhaler dose this morning. Vitals were taken: respiration rate=20, Blood pressure 130/70 and oxygen 96% and pulse 55. Client then reports she also has a history of high blood pressure. Client reports that earlier she felt a little lightheaded but did not report to EMTs. At 11:31AM vitals were blood pressure: 146/80, oxygen:97%, pulse: 65 client reports she no longer had shortness of breath, no dizziness no headache, no blurred vision and no chest pain. Gave client water bottle. At 11:41AM vitals were pulse:70, blood pressure: 130/80, oxygen: 97%- client reports no shortness of breath and "feels great." PHN advised client of emergency precautions and to follow up with provider. At 11:46AM: blood pressure: 132/90, oxygen: 98%, pulse: 68. At 11:50AM client left facility with steady gait.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1174049	4/6/2021	IL	59	F	3/9/2021	3/10/2021	All covid symptoms as illness but much more intense then experienced with actual Covid 19 illness. Headache exploding out of top of head plus out of eyeballs. Nausea, chills, exhaustion, sore neck, painful arm , confusion- couldn't concentrate or keep numbers straight (work =accounting & payroll) , wearing mask is almost suffocating now. Indigestion, burping.
1174048	4/6/2021	WI	19	F	4/5/2021	4/6/2021	I've been fevering and shaking since 4am on 04/6/2021 and it is now 8:51 on 04/6/2021. I have dizzy spells, a runny nose, aching joints, a pounding headache, my eyes ache and burn, I constantly feel like throwing up, and I haven't been able to sleep at all.
1174037	4/6/2021	OR	21	M	4/6/2021	4/6/2021	Within a minute of receiving the vaccine, patient slumped back in the chair, head back, eyes open. He was unresponsive and shaking in the chair. After about 20 seconds he came to and leaned forward but wasn't oriented to time and place. As I was talking to him, trying to assess his breathing, he slumped back in the chair and began shaking much more violently. I asked the store director to call EMS at that point, I took his mask off at that point to better assess his breathing. After about 15 seconds, he came to again. At that point, I had him lean forward with his elbows on his knees, and he didn't lose consciousness after that. I took his blood pressure (70/22) and pulse (52, light and hard to find). EMS arrived soon after and at that point patient felt much better. EMS decided not to transport the patient to the ER. They instructed patient to follow up with his provider. Patient left the vaccine area under his own power about half an hour later.
1174025	4/6/2021	FL	48	F	4/6/2021	4/6/2021	she became weak and pale. She was very diaphoretic and kept saying she could not see. Gave her water to drink and wanted to call911. She declined. She sipped water and said was feeling better. She was still pale and we gave her crackers to eat. She said her vision was back and wanted to sit awhile. We kept checking on her and then she said she was able to leave on her own. We called her later to check on her and she said she felt better and was going to discuss with her physician.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1174014	4/6/2021	FL	57	F	3/31/2021	4/1/2021	low grade fever, fatigue, injection site, soreness, significant broken blood vessels in right eye
1174104	4/6/2021		21	M	4/5/2021	4/5/2021	bodyache,headache,sore throat. PT states getting the J/J vaccine at 1300 yesterday with body ache, fever, sore throat, and headache starting at 1900, states taking tylenol (500mg) at 1900 with no relief. HISTORY OF PRESENT ILLNESS: 21 yo M p/w fatigue, body aches, subjective fever, sore throat, headache nausea after receiving J&J COVAX yesterday at 1300. Acute onset of symptoms, constant, mild muscle aches. Nausea without vomiting. Denies recent illness, cough, vision changes, chest pain, dyspnea, weakness/numbness.
1172601	4/6/2021	CA	54	F	3/18/2021	3/18/2021	Within 5 minutes of injection, seated for 15 minute watch period, I felt nauseous, followed by lightheadedness, racing heart, felt like I couldn't get enough air, and slight tightness in my chest, and was concerned I was going to pass out / fall off of my chair. I was double masked, and removed one mask to get more air. No medications were administered to treat the adverse event. After about 7 minutes, symptoms started to subside. Within 20 minutes was mostly back to normal, but was nauseous the remainder of the day. Stayed for a 30 minute watch period. Upon returning home, within 1 hour of receiving vaccine, first I felt like I was getting the flu, and took a Sudafed. Then I was exhausted and could not keep my eyes open, and slept for 3 hours. No recurring symptoms that evening or the following day. Injection site became very sore about 24 hours after injection, with minimal heat emanating from skin. Soreness changed to tenderness in 2-3 days, and completely subsided within 4-5 days. Took Tylenol and Alleve for soreness.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1172803	4/6/2021	WA	78	F	2/1/2021	2/2/2021	**Please note that this form continues the story of diarrhea after my first Covid shot (1/11/2021). See earlier VAERS form for the first incidence.** I had my second Covid-19 shot on 2/1/2021. The following morning, I awoke with diarrhea, and this continued for nearly three months, with a brief gap from 2/11 to 2/14. At first, my stool was lumpy, with mucus, but it gradually turned quite watery. It was also clear by eye that I was having trouble digesting higher fiber foods (salads, fruit & vegetable skins, et al.), so I worked to keep to a lower fiber, bland diet. Episodes of diarrhea varied with the day, but they usually occurred first thing in the morning, with some additional episodes during the day or in the middle of the night. By the end of this period, I had lost about eight pounds.
1172788	4/6/2021	ME	70	M	3/31/2021	4/4/2021	We had a call today to the clinic to report a potential adverse reaction. received his first vaccine on 3/3 and his second on 3/31 (Moderna). On Easter 4/4 he reported that he had a change in his vision and yesterday he went to the eye doctor and he suffered an issue with a blood vessel in his eye. It is unknown if this is relating to the vaccine but they wanted to report it.
1172784	4/6/2021	NC	63	F	4/2/2021	4/2/2021	Symptoms very like a bad flu began that early evening and lasted approximately 36 hours. My normal body temperature is about 96.5. During the early morning hours of Saturday, April 3, my temp was 100.7. Headache, chills, body aches, painfully sensitive skin; upset stomach, painful vision and hearing. Bad pain in the entire right arm, into which the injection was made. Even today, 4 days after the injection, I'm chilly (though it is 75 outside), tissues in my mouth/gums are painful, I had stomach cramps, diarrhea and a bloody stool. I'm much better, but not quite back to normal. I think it may be significant that I am 5 foot 2 inches tall and weigh 110 pounds. I wonder if the doses should be matched to body weight, and if that would cut down on side effects. This was pretty brutal.
1172718	4/6/2021	CA	35	M	4/5/2021	4/5/2021	Syncope, dizziness, BP 130/90 (pulse 61), O2 sat 99%. Hit left forehead, 1.5 inch gash along eyebrow. Sent to ED.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1172701	4/6/2021	GA	20	M	3/30/2021	3/31/2021	Patient called into Services on April 6 to report a suspected "allergic reaction related to his Covid19 Vaccine received March 30. He said that beginning 24-48 hours after his vaccine he began to experience "a sore throat, swollen lips, conjunctivitis in both eyes, pain and muscle aches, and hives/boils all over his body. He asked if he should go to an urgent care center. His mother had suggested an urgent care. He wanted us to complete the form and was going to the Urgent Care. Couldn't find his vaccine card, so called him with Lot # and expiration of dose. Advised to call us back after being seen to update his condition.
1172671	4/6/2021	TX	30	M	3/23/2021	3/31/2021	Rash. It started on my right hand, then appeared on my neck. It next appeared on both arms, the left side of my chest, on my right hip, then on my forehead and eyelid. I went to Dr. and he told me that it looks like Sweet's Syndrome. He took a biopsy to confirm and put me on Prednisone
1172553	4/6/2021	TX	27	F	2/4/2021	2/8/2021	Fever the day following injection, sore arm, recovered. Woke up 3-4 days later (2/8/21) with left eye vision loss, pain with eye movements - 2/10/21 diagnosed retrobulbar optic neuritis on with vision 20/50. Vision continued to worsen to 20/150 over the next few days. After 6-8 weeks, vision recovered without intervention to 20/25 and with optic atrophy.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1172810	4/6/2021	FL	20	F	4/5/2021	4/5/2021	<p>On 3-15-21 patient received 1st dose Pfizer vaccine on L deltoid, states that 2 days after the jab she developed a pruriginous rash on ventral aspect of L forearm above wrist area. Rash faded away on its own. Denied SOB, wheezing, cough, facial swelling. denied any rashes on other areas of her body. she did not disclose that rash to us at the clinic. On 04/05/21 she came to the clinic for 2nd jab, on screening and immunization documentation she mark no on "like to speak with health care provider" but prior to HS providing 2nd jab she brought to her attention the previous symptoms. I intervene and discuss with the patient and asked the nature of the previous symptoms. Due to a miscommunication and misunderstanding, on my part, I thought that her rash was initially on site of injection and that it spread distally, discuss with her Covid arm for about 10-15 minutes with patient as I thought initially that it was a COVID arm and proceed to allow 2nd jab and order to keep her in observation for 30'. 2nd jab administered on R arm this time. About 3 minutes after jab, she developed three lesions on forearm, 2 bumps approximately .2 cm diameter, with mild hyperemia on dorsal aspect of proximal forearm which states were itching. Stated one hyperemic non raised lesion on proximal ventral forearm (that latest lesion was not visualized by me). I extended the observation period and at 45' the lesions started to fade away and the "bumps" got smaller. I did a full evaluation of the patient and there was no other skin lesions on rest of her body. she was breathing normally, no wheezings, no laryngeal stridor, no facial/neck/lips/tongue swelling, no complaints of tingling on lips or tongue. She was not on distress. No treatment provided to patient. Patient was discharge home with specific instructions to call 911, go to neares ER, or call the Duty HS if at any point she develops any new symptoms, breathing problems. Around 6:15 i call patient and told me she was doing good, no new skin lesion, no laboured breathing, wheezing, swelling, problems with swallow and that the lesions were gone. Today 4/6/21 I call patient to come to the clinic for re-assessment and there was no skin rashes, no swelling, her exam was completely normal. she complained of tender arm and that previous night she had some mild headache, took tylenol and better. There was no redness around injection site. Patient was discharged with same</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							recommendations provided previously, to call 911, go to nearest ER, or call Duty HS if any new skin lesions, SOB, wheezing, difficulty swallowing or talking. Just spoke with patient via phone today at 4:25 PM and states she is doing well, no rash, no SOB, completely asymptomatic. I understand the magnitude of these events and I have to say the the misunderstanding was all on me and I take responsibility. Here in our clinic we have immunized over 600 patients and no major issues prior to this. I am available to discuss at any time. Thanks,
1172624	4/6/2021	GA	34	F	4/6/2021	4/6/2021	Patient mom reports patients eyes rolled back into head and she slumped in her seat for 20 seconds during her first 15 minutes of observation. Mom brought patient to me for assessment. When patient presented to me, patient was alert and vitals were normal. I asked patient to remain seated for 15 more minutes of observation. Mom did say patient exhibited this behavior once before at the eye doctor. I informed mom to please check with patients doctor for follow up. Patient exhibited some mental disability and thats is why the mother is involved. I dont believe patient is capable of taking care of herself.
1172639	4/6/2021	CA	75	F	4/6/2021	4/6/2021	within 3 minutes of injection within 3 minutes had a seizure with (per nurses) generalized increased tone, gasping and unresponsive. Patient with multiple medical problems including sz disorder (off meds past 6 months), copd, anxiety, glaucoma, pacer When I got there patient breathing well, slumped back in wheelchair, not gasping and not seizing. VSS (110-120/54-68, pulse 70s, RR 18-20, O2 sat initially 95% on room air, put on oxygen while watching her), skin color pink. Initially unresponsive but when I was discussing with husband that we were going to call 911 and have her taken to ER, she opened her eyes and responded. Both patient and husband refused 911/ER saying that patient with sz disorder (also dissociative convulsions) and that she has a seizure at least daily, sometimes due to stressful situations, and that afterwards sometimes awakens quickly and sometimes takes longer. Usually sleeps for a few hours afterwards. As patient and husband refused transfer and VSS, patient was monitored for about 45 mins and released.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1172599	4/6/2021	PA	31	F	3/12/2021	3/12/2021	Within 2 hours I was dizzy, nausea an light headed. Within 4 hours I had a fever (uncontrollable), I laid down. I wasn't able to get up and my arm swelled up really bad. I was having streak in my vison and really bad dey eyes and mouth. I had a fever on going for about 3 weeks straight. I called my Doctor the following day and she said it was a normal reaction, if it get's worse to call her again. I called her again because it got worse, my neck got swollen. left arm was trembling, lymph nodes were swollen, leg leg was pulsating. I started having chills and hot flashes ( I still have some till this day). My Doctor recommended seeing a specialist- Neurologist, Infectious Disease Dr. The Neurologist said he can see where I get the trembles but does not want to put me on medication and see if it goes away on it's own. I have a follow up with him regarding trembles, headache, flashing in my eyes. The Infectious Disease Dr. I'm following up her her again regarding my arm swelling, they prescribed me steroids but had not gone down. Since all of this I have been very fatigue, this is everyday.
1172597	4/6/2021	IN	45	F	4/5/2021	4/5/2021	I had burning with the actual injection. It burned as it went in and went down a small ways into my left arm. The rest of the day I had the normal symptoms- Pounding headache, nausea, horrible body aches (couldn't lay down or stand to be comfortable). That night around 11:45pm I got up to let my dog in and I started seeing small black dots- blurry vision. I felt nauseas. I ended up falling on the floor. I was able to get up. I then ended up waking up in the bathroom on the floor and had no idea how I had gotten there. My hands were vibrating. I called my husband from work to come help me up. I was able to sleep and didn't seek medical attention. I am not sure if it was low blood pressure or what could have happened I have never experienced that before. I did contact my doctor?s office this afternoon via (online) but haven?t had a response yet. I have been in bed all day today. - Body aches, nausea, pounding headache

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1172584	4/6/2021	MS	18	F	4/6/2021	4/6/2021	Within 5-10 minutes after receiving vaccine, patient began to become very pale. Her symptoms included dizziness, syncope, stomach ache, foaming at the mouth, vision disturbances. 911 was called and paramedics arrived.. Her vital signs were all normal. Patient did not wish to go to hospital, and her mother took her home. Other pertinent information is that patient has a history of seizures and had been off of her seizure medication for 4 weeks. I believe that I understood her mother to say that her neurologist knew she was getting the vaccine today. Patient reported no allergies to any other vaccine, medication, or other.
1172576	4/6/2021	MA	70	F	4/3/2021	4/4/2021	On second night following the second dose, I experienced racing thoughts and images (not hallucinations) while awakened from sleep. I could not control the thoughts and it felt like what I imagine a bad recreational drug experience would be like. It was frightening because I never experienced anything like it. It was as if my mind was trying to solve visual word and number problems in flashes. I was drowsy but not asleep. I was sweating but did not have a fever. I had some nausea but did not vomit. Over the course of the night, it gradually resolved and felt like a "fever" had broken, even though it was not a fever. I wanted to report it because I have not heard of such cognitive symptoms and there is no other explanation I know of. Prior to this episode after the second shot, I had a variety of minor headaches, body aches, and chills but nothing significant. I had no symptoms after the first shot. I woke up exhausted the following day and am still tired but almost back to normal (third 24 hour period after shot). Thank you for your consideration.
1172566	4/6/2021		23	M	4/6/2021	4/6/2021	After receiving the vaccine he developed lightheadedness, and blurred vision. He also felt as if he was going to faint. He denies chest pain or shortness of breath. Denied loss of vision. He did not have a weakness. Blood pressure 106 / 68, 78, oxygen saturation 98% on room air on April 6th 2021 at 2:25 p.m. In general patient is without distress oh, but he does look anxious Heart: rate and Rhythm, as one has to, no Gallup or murmurs or rubs Lungs: CTA bilaterally neuro: 5 / 5 bilateral upper and lower extremity strength, cranial nerves 2-12 intact No gait dysfunction

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1173306	4/6/2021	CA	50	M	4/6/2021	4/6/2021	Gave patient vaccination, patient rolled eyes back and then started having seizing activity. This happened at around 10:30 AM, held patient head to make sure he did not hit his head, patient was not responsive for about 1-2 minutes, 911 was called, EMT came.
1173955	4/6/2021	FL	40	M	4/6/2021	4/6/2021	PATIENT PASSED OUT AND APPEARED TO BE HAVING A SIEZURE WITH EYES ROLLING BACK IN HEAD. HE WAS SLUMPED IN CHAIR. NON-RESPONSIVE. WAS ABOUT TO ADMINISTER EPINEPHRINE , WHEN HE CAME TO. HIS VOICE WAS WEAK AND SAID NO TO EPI. HE WAS DIAPHORETIC AND VERY PALE. EMS CAME ONTO SCENE AND TOOK OVER. BLOOD PRESSURE WAS 80/53 PER EMS. HE REFUSED FOR THEM TO TAKE HIM. WIFE WAS CALLED AND CAME TO GET HIM BUT HE HAD TROUBLE STANDING AND HAD TO SIT AWAHILE. IT WAS ABOUT 45MINUTES BEFORE HE EXITED WITH ASSISTANCE. ATTEMPTED TO CONTACT HIM LATER AND HAD TO LEAVE MESSAGE
1172530	4/6/2021	PA	38	F	3/29/2021	4/1/2021	Two episodes of sudden dizziness, blurred vision, collapsing, unable to stand first on 4/1 and second on 4/2. No history of dizziness or fainting. Not dehydrated at the time. Duration of event was approximately 30-60 seconds with trouble speaking thereafter for 10 minutes. Resumed normal activities thereafter. Made a doctor's appointment.
1172626	4/6/2021	FL	72	F	4/5/2021	4/5/2021	During 15 minute observation period patient stated that she had itchy throat and was not feeling good, she felt lightheaded. She was given Benadryl and had a cold drink. She stated that she felt a migraine coming on. She had "kaliedescope eye" and sensed migraine aura. She waited an additional 15 minutes and started to feel a little better, and had a friend pick her up and drive her home.
1173111	4/6/2021	MA	29	M	3/26/2021	3/26/2021	Developed facial swelling, sneezing, throat irritation possibly throat closing, itchy eyes; reaction started 3hrs later. Took non-drowsy claritin. Reaction resolved after 3 days decreased incrementally. Had idiopathic anaphylactic reaction in the past 6-7 yrs ago.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1173280	4/6/2021	FL	62	F	4/5/2021	4/5/2021	I became itchy, especially in my face. My eyelids got swollen and my eyes were very sore. This continues today, the day after, although the eyelid swelling has gone down a little. My eyes look hooded. I was very restless at night due to the itchiness.
1172625	4/6/2021	IN	59	F	3/25/2021	3/26/2021	Malaise with some chills and low grade fever. Not sure if this is related but on Monday, morning, March 29 I woke up to burst blood vessel in left eye.
1173279	4/6/2021	NH	69	F	4/3/2021	4/4/2021	RECEIVE SHOT SECOND DOSE 4/3/21..AT AROUND 8 AM..AROUND 1 PM FELT TIRED AROUND 1 PM. RESTED FOR 15 MINUTES. WAS OK TILL 8:15 PM WENT RIGHT TO BED..TOOK TWO TYLENOLS AND ZYQUILL...WAS FRIGIDLY COLD, SHAKING...WOKE AT 12 AM...SWEATING PROFUSELY FOR TWO TO THREE HOURS..DRANK WATER THROUGHOUT..BECAME VERY NAUSEOUS. SLEPT HARDLY THAT NIGHT.. SUNDAY MORNING SHOWERED, WANTED TO GO TO EASTER MORNING MASS..WAS VERY TIRED..MASS AT 8:30..BY NINE I ASKED MY HUSBAND SEVERAL QUESTIONS WHEN THEY WOULD DO THIS AND THAT..HE SAID THEY HAD..AFTERWARDS HE TOLD ME HE LOOKED OVER AT ME...AND MY EYES WERE GLAZED OVER... I REMEMBER GOING TO COMMUNION. DID NOT KNOW HOW TO PUT HOST INTO MY MOUTH...DID SO ACKWARDLY. CAME HOME WENT TO BED SLEPT OFF AND ON...SUNDAY NIGHT I TOOK ZYQUILL TO SLEEP...DID NOT SLEEP ALL EVENING NAUSEOUS ALL EVENING..NOW I HAVE NO APPETITE, DRINK ALOT OF WATER...EAT VERY LITTLE, BUT FOOD I WOULD NOT NORMALLY EAT. RETURN TO WORK ON MONDAY..STILL IN A FOG...I FIND I SAY STUPID THINGS TO PEOPLE I WOULD NOT NORMALLY DO..DAY 3... ALITTLE MORE ENERGY, BUT STILL VERY TIRED..STILL NO APPETITE...STILL NAUSEAOUS .DO NOT LIKE. LOST OF MEMORY...OR THINGS BEING SAID THAT I WOULD NOT SAY..
1173066	4/6/2021	VA	46	M	4/5/2021	4/6/2021	Janssen COVID-19 Vaccine EUA Visual aura Chills

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1173046	4/6/2021	CA	36	F	4/5/2021	4/5/2021	Nausea, headache, sinus pain, extreme fatigue, dizziness, disorientation, brain fog, blurred vision and chills. Symptoms started 5 minutes after injection and were in full effect within 30 minutes. 29 hours later they are still continuing. Unable to function and no idea how long symptoms will last.
1173033	4/6/2021	MI	40	U	4/5/2021	4/5/2021	Runny nose. Runny watery eyes, metallic taste in mouth, sore upper arm muscles on both arms, nausea, chills, fever, body aches , headache
1173028	4/6/2021	IL	76	F	1/20/2021	1/20/2021	Pfizer-BioN Tech COVID-19 Vaccine EUA: Swelling in mouth/lips, severe itching (all over, especially legs, thighs, back, arms, scalp, eyebrows and in nostrils, sensitivity to sound, elevated blood pressure, swelling in ankles, nausea
1173013	4/6/2021	TX	54	M	3/5/2021	3/22/2021	Left-sided Bell's Palsy, facial droop, headache syndrome, neck and jaw pain, facial paralysis and numbness, left eye dryness (does not close) Treatment: ketorolac (TORADOL), followed by 10 days predniSONE 20 mg and 5 days valACYclovir 1gram 2 weeks later, still have all symptoms... some improvement with facial droop. Numbness remains, headache neck and jaw pain remain fairly constant... Ibuprofen and Naproxen used for treatment.
1173007	4/6/2021	UT	26	M	4/1/2021	4/6/2021	patient presented with Covid vaccination related complications. Onset sx around 2-3 pm yesterday after J&J strain given. One dose. Pt noticeably very nervous, admits blurred vision and lower lumbar/spine feelin on "fire".
1173003	4/6/2021	NJ	47	M	3/31/2021	3/31/2021	Pfizer-BioNTech COVID- 19 Vaccine EUA: Paramedic noticed vaccine recipient's eyes roll back, and mild brief tonic (arms) preceding syncopal x1 activity, patient was pale, clammy. Paramedic held patient up in chair to avoid fall. Patient taken to OBS medic tent for observation for syncopal event. Observed, water offered, orthostatic positioning, rest. Patient walked out after recovery.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1172864	4/6/2021	SD	35	F	4/1/2021	4/2/2021	Right eye mattering, redness, and blurred vision. Bilateral rash on cheeks. Ocular symptom onset the morning after vaccination. Patient was sent with prescription for tobramycin 0.3% eye drops, to reserve for treatment if over-the-counter antihistamine and antihistamine eye drops were ineffective.
1172846	4/6/2021	KS	22	M	4/6/2021	4/6/2021	Two minutes after the vaccination, PT walked up to the counter and said he feels dizzy. I asked him to sit down and started walking around the counter to check on him and check his blood pressure. At that moment he fainted and lost consciousness. Another patient caught his head and he did not hit his head. He remained unconscious for 30 seconds and we were preparing to start CPR breaths as he had a pulse but was not breathing. His eyelids were fluttering. He regained consciousness at that time and we waited with him until EMS arrived. His blood sugar was very low when EMS arrived.
1172915	4/6/2021	TX	18	F	4/6/2021	4/6/2021	Patient had seizure-like activity about 10 minutes after receiving the Johnson & Johnson Covid Vaccine. Nurse saw her eyes rolling back and struggling to breath. She was placed on her side until wheelchair was brought to her side and then transferred to wheelchair and taken to the ER. While in transit she regained consciousness and was lethargic but was responding appropriately to questions. Patient was checked by Dr. and his review was tachycardic and mild dyspnea. Skin was pink and warm. She was taken to the ER for further evaluation.
1172954	4/6/2021	IL	18	F	4/6/2021	4/6/2021	patient stated she began to develop blurry vision as well as arm soreness. began to breathe heavily due to panic and stated there was numbness going down her left leg. 911 was called and symptoms began to resolve as ambulance arrived.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1172969	4/6/2021	IA	72	F	3/17/2021	4/2/2021	04-05-21. Client reported had first vaccine on 02-17-21 with only sore arm at injection site/Left deltoid. Had 2nd vaccine on 03-17-21 and the 2nd day had feeling in top of head/scalp feeling full, tight, and swollen with a "flu-like" taste in mouth. Reported this went away, but then on 04-02-21 she experienced Bell's Palsy on the left side of face and top of her head felt full, tight, and swollen again. Client reported she went to her local physician and was dx with Bell's Palsy . The physician felt this was related to the COVID injection. Physician prescribed prednisone and meloxicam for inflammation, to get rest, and do gentle massage to face. Client reports her left eye burns, is using eye drops, wearing sunglasses and a patch over her left eye. Physician reported this may resolve in 1 to 5 weeks.
1172992	4/6/2021	MO	35	M	3/29/2021	4/2/2021	Headache, dehydration very thirsty all the time, eye pain, dizziness
1173000	4/6/2021		40	F	1/22/2021	1/24/2021	On the 1/24/2021 I woke up 10pm and I noticed my left side of my face was swollen as well my eye lid and a couple of hours after my left side of my neck was swollen as well. On 1/25/2021 I went to see my doctor and he gave me antihistamine. He said to take it until I get my 2nd dose. I also took Benadryl. By 1/25/2021 evening it had resolved.
1173002	4/6/2021	CA	77	F	1/21/2021	3/4/2021	possible Type 3 hypersensitivity (immune complex mediated) to Pfizer - facial swelling, peeling erythematous rash, eye swelling 2-3 weeks after vaccinations (twice).
1168581	4/5/2021	MD	63	F	3/18/2021	3/25/2021	Hives on right thigh, left side of middle belly, left armpit about 7 days after vaccine. Hives resolved after about one day. Left armpit remains discolored. as of today. Numbness, swelling, and itching on bottom right lower lip 14 days after injection. Hives on right and left side of middle back, right shoulder, and upper belly 16 days after vaccine. Hives on left eyelid, numbness, swelling and itching on outside and inside bottom left lower lip, joining right side 16 days after injection.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1168669	4/5/2021	TX	40	F	3/23/2021	3/23/2021	Pt received shot at 1145. At 1220, pt reported sx fo puffy eye lids (no puffiness visible outwardly), ears ringing, blurry vision, feeling hot, weakness in muscles. VS: BP 126/68, P85, RR18, O2 99% RA, T98.6F. Pt takes benadryl 25mg po bid. Last dose 0400 today. Pt reports multiple previous hospitalizations for congestive heart failure, tachycardia, and bradycardia. She takes ?1500 of Levothyronine? and ?Mididrine four times a day to raise my blood pressure.? She does not want more benadryl at this time. She is calm outwardly. No signs of distress noted outwardly. Diminished lung sounds in bilat lower lobes. Pt smokes cigarettes. Dr consulted. Pt advised to wait in high risk obs for another 30 min to see if symptoms resolve. After about 5 minutes, pt requested EMS. No worsening conditions noted or reported. EMS called and came to assess pt. Pt left via EMS to go to hospital at approximately 12:15pm. Pt notified to follow up with her PCP prior to second dose of vaccine.
1168732	4/5/2021	FL	44	F	2/2/2021	2/8/2021	Visible tremors in extremities, difficulty walking, blurred vision, headaches
1168728	4/5/2021	IN	53	M	4/3/2021	4/3/2021	General body aches, mild headache, mild pain behind eyes.
1168717	4/5/2021	CA	22	M	4/3/2021	4/3/2021	nausea, shortness of breath light headedness loss of vision loss of hearing tingly fingers to right hand.
1168712	4/5/2021	TX	22	F	4/5/2021	4/5/2021	She took a dose of aripiprazole 5mg immediately before receiving the vaccine. It caused her to have face tingle, which feels kind of heavy. She was able to drive home safely but feels extemely tired. I, the pharmacist, counseled her to skip her next dose and report to her psychiatrist immediately. Also recommended some bed rest for the next 24 to 48 hours with close supervision and to seek medical attention if any other symptoms appear.
1168706	4/5/2021	PA	74	F	3/18/2021	3/19/2021	Patient describes waking 15 hours after vaccine with sharp pain right side of chest lasting 1 - 2 minutes; sharp pain in foot lasting one minute and eye pain lasting one minute. Patient was fine the entire day of vaccine. Symptoms occurred through the night.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1168679	4/5/2021	CA	51	M	3/24/2021	3/30/2021	Double/blurred vision, left eye limited motion. Ophthalmologist diagnosis: left sixth cranial nerve palsy, cause unknown. No treatment available, 1 - 2 months required to recover nerve function.
1168744	4/5/2021	KS	55	M	4/1/2021	4/2/2021	AS SOON AS THE VACCINE WAS ADMINISTERED I WAS WINDED AND FELT TINGLING AROUND MY MOUTH. ON FRIDAY NIGHT I HAD A RACING HEART, WAS HAVING TROUBLE CATCHING MY BREATH AND BLURRY VISION. THAT SETTLED DOWN AFTER 3 HOURS. I WENT TO BED. SATURDAY MORNING AFTER BEING UP FOR ABOUT 1 1/2 HOURS MY HEART STARTED RACING, SHORTNESS OF BREATH AND BLURRY VISION STARTED AGAIN. I WENT TO THE ER. I WAS GIVEN INTRAVENOUS DRUGS TO HELP WITH THE ANXIETY. WAS EXHAUSTED BUT OK FOR SATURDAY AFTERNOON AND EVENING. I DIDN'T TAKE ANY cold medicine OR STEROID MEDICATION ON SATURDAY. SUNDAY MORNING AFTER BEING UP FOR 1 1/2 HOURS IT ALL STARTED AGAIN AND I WENT BACK TO THE ER FOR MORE INTRAVENOUS DRUGS FOR ANXIETY. I WAS GIVEN AN EKG ON BOTH SATURDAY AND SUNDAY TO MAKE SURE I WASN'T HAVING A HEART ATTACK. ON SUNDAY I WAS ALSO GIVEN A CHEST XRAY. SUNDAY I WAS SENT HOME WITH A PRESCRIPTION FOR VALIUM.
1168653	4/5/2021	UT	43	F	3/8/2021	4/1/2021	I developed facial swelling approximately 3.5 weeks after the first injection. My eyelids swelled, and my cheeks and under eye area as well.
1168608	4/5/2021	AZ	60	F	4/3/2021	4/4/2021	My symptoms were - Chills, achey, sore all over, tired, could not keep my eyes open & spent most of the day in bed. I also had a fever of 101.3.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1168605	4/5/2021	IN	46	F	3/31/2021	4/1/2021	The day after the vaccination, at 10:00am, I began feeling poorly. I was fatigued, developed a fever, had chills, cough, runny nose, watery eyes, body aches, shortness of breath, headaches, loss of appetite, brain fog.. Slept 16 hours that night through the following day. Still felt bad, but could eat. Symptoms were still present but decreased in severity. Maintained a headache for four days. Arm at injection site is still hurting (tender to the touch) and swollen. Symptom free by 4/5/2021 except for arm being sore and tender. Previously had virus in July 2020. Felt like all the same symptoms including a few new ones. Did not go to doctor.
1168553	4/5/2021	CA	27	F	4/4/2021	4/4/2021	Headache & difficulty moving my eyes without pain (felt like migraine), injection site pain, pain in lower and upper back (very sensitive to touch too), extreme shivers and skin cold and hot to the touch, dizziness Drank water, used a lot of pain medication, heat pad for lower back
1168597	4/5/2021	TX	55	F	4/5/2021	4/5/2021	Patient complained of throat closing, shortness of breath, blurred vision, and palpitations.
1168777	4/5/2021	CA	52	F	4/5/2021	4/5/2021	At 0931 client received her second vaccine of Moderna. At 9044 client complained of feeling light headache, blurred vision, dizziness and nausea. At 0945 BP was 180/112, HR 131, RR 23, O2 sat 99% on RA. Client denies eating breakfast or anything. At 0953 BP still 180/104 HR 93, RR 20, O2 sat 98% on RA still having light headache, blurred vision, nausea and dizziness. At 1002 client denies nausea, but still having headache and dizziness. At 1004 BP was 160/90 HR 88, O2 sat 97% on RA. client verbalized having BP issues but not on any medication. All symptoms resolve in 31 min. Client left at 1011. Client will be driving self home. No further treatment needed at this time.
1168560	4/5/2021	FL	65	F	2/11/2021	2/13/2021	After Dose 2 got my monthly nuala injection on 2/15 I started getting muscle spasm/ cramping in left foot was painful and very high anxiety. I started exp cramping in my lower arms I have been to ER, PCP, Ophthalmologist and Neurologist. I'm having terrible headaches as well. The Ophthamologist applied eye drops that cause me to go to ER on 4/2 had blood work, checked pressures in eyes, prescribed medications nausea/dizziness, pain in my head and IV for low sodium.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1168482	4/5/2021	TX	22	F	3/22/2021	3/22/2021	Diaphoretic, lightheadedness, blurred vision, pallor. H2O, snack, cool rag on neck. Date: 3/22/2021 Problem: J&J Post-Vac Notes: Time: 1555 Pt. Diaphoretic, light headedness, blurred-vision, and pallor. BP 193/89 HR 49, temp 97.0, RR 26. Gave pt H2O, a small snack, and a cool rag for back of patients neck. Monitored pt. No s/s of acute distress. Time: 1629 Pt reported clear vision and "feeling much better. " Pt teaching on s/s of allergic reaction. BP 179/66, HR 60, temp 97.6 F, SpO2 985. Pt ambulated out of facility building independently. No s/s of distress.
1168402	4/5/2021	VT	56	F	3/16/2021	3/27/2021	I woke up in the morning on 03-27-2021 and my whole face was swollen especially from my nose up. My eyes I could barely open and it looked like I just won a boxing championship since my eyes and around my eyes were extremely swollen.
1168600	4/5/2021	MN	48	M	3/11/2021	3/12/2021	1 day after (3/12) - general body ache until 10am. 2 day after (3/13) - same as my Covid experience - bad sinus pressure behind eyes/pain behind eyes/eyes burned/fatigue. 3 day after (3/14) - same as 3/13, but slightly less/fatigue. 3/15 thru 3/29 - slight pressure behind eyes and went away on 3/29.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1168992	4/5/2021	WY	18	F	1/29/2021	1/29/2021	Right eye twitching; lightheadedness; rash on hands; Nausea; DOB; This case was received via an unknown source (no reference has been entered for a health authority or license partner) on 10-Feb-2021 and was forwarded to Moderna on 11-Feb-2021. This spontaneous case was reported by a nurse (subsequently medically confirmed) and describes the occurrence of BLEPHAROSPASM (Right eye twitching), DIZZINESS (lightheadedness), RASH (rash on hands), NAUSEA (Nausea) and DYSPNOEA (DOB) in an 18-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 037K20A) for COVID-19 vaccination. Concurrent medical conditions included Penicillin allergy since January 2021. On 29-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 29-Jan-2021, the patient experienced BLEPHAROSPASM (Right eye twitching) (seriousness criterion hospitalization), DIZZINESS (lightheadedness) (seriousness criterion hospitalization), RASH (rash on hands) (seriousness criterion hospitalization), NAUSEA (Nausea) (seriousness criterion hospitalization) and DYSPNOEA (DOB) (seriousness criterion hospitalization). At the time of the report, BLEPHAROSPASM (Right eye twitching), DIZZINESS (lightheadedness), RASH (rash on hands), NAUSEA (Nausea) and DYSPNOEA (DOB) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Treatment for the events include 0.5ml Epinephrine on the left thigh This case concerns an 18 Y/O F hospitalized with serious unexpected events of blepharospasm, dizziness, rash, nausea, dyspnea. Event outcomes unknown. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. Reporter did not allow further contact; Sender's Comments: This case concerns an 18 Y/O F hospitalized with serious unexpected events of blepharospasm, dizziness, rash, nausea, dyspnea. Event outcomes unknown. Based on current available information and temporal association between the use of the product and the start date of the event, a causal

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							relationship cannot be excluded.
1169561	4/5/2021	NJ	54	F	2/20/2021	3/10/2021	2 1/2 weeks after shot lost vision in right eye and had extreme spike in BP resulting a 10 hospitalization. Neurologist recommended submitting this form b
1168377	4/5/2021	NJ	50	F	4/2/2021	4/3/2021	My left eye was swollen shut the morning after the vaccine. The swelling has gone down to droopy eyelid as of now, 3 days after the vaccine. But is still not back to normal.
1169117	4/5/2021	FL	59	M	3/26/2021	4/2/2021	Severe vertigo; nausea and vomiting; eye pressure; fatigue. Began 4/2 and on-going. No resolution of symptoms. Slightly ameliorated by taking Meclizine
1169083	4/5/2021			U			Fevers, chills, general malaise and body aches since Thursday (April 1) at 3am. One incident of vaginal spotting. Photosensitivity and constant dull eye pain. Extreme fatigue. Heaviness in the chest/lungs.
1169066	4/5/2021	KS	19	F	4/5/2021	4/5/2021	Patient became dizzy and lightheaded shortly following vaccination. Other symptoms included paleness, partial loss of consciousness, momentary loss of vision, diaphoresis and slurred speech. Patient was given a cold compress for the back of her neck, some peanut butter crackers to eat and water to drink. She had not eaten anything today with the exception of candy and coffee. Feet and legs were elevated and patient began to regain some color in her face and started feeling better after a few minutes.
1169042	4/5/2021	NY	26	F	3/26/2021	3/26/2021	Client reported difficulty breathing, in distress/anxious. VSS. Relaxed on cot under EMS supervision for 10 minutes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1169013	4/5/2021	OH	67	F	3/26/2021	3/26/2021	A broken blood vessel on my left eye.; A spontaneous report was received from a consumer concerning a 67-year-old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and developed a broken blood vessel on her left eye. The patient's medical history was not provided. Products known to have been used by the patient, within two weeks prior to the event, included valproate semisodium, amlodipine, clopidogrel bisulfate, bupropion hydrochloride, iron polysaccharide complex, multivitamins, potassium, acetylsalicylic acid, sodium bicarbonate and humira. On 26-MAR-2021, prior to the onset of the symptoms, the patient received their second of two planned doses of mRNA-1273 (Batch number: 046A21A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 26-MAR- 2021, she noticed a broken blood vessel on her left eye which doesn't really bother her. Treatment information was not provided. The patient received both scheduled doses of mRNA-1273 prior to the events; therefore, action taken with the drug in response to the events is not applicable. The outcome of the events was not reported.; Reporter's Comments: Very limited information regarding this event has been provided at this time. Further information has been requested.
1169084	4/5/2021	IN	43	M	3/30/2021	3/30/2021	Severe joint pain, fever sustained near 103, dry eyes throat, back pain.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1169000	4/5/2021	OH		F	3/20/2021	3/20/2021	<p>Patient stated that she felt like she was going to die; Pain that goes from under her eyes to her abdomen; Pain that goes from under her eyes to her abdomen; Small rash the size of a quarter around injection site; Diarrhea along with nausea &amp; vomiting; Diarrhea along with nausea &amp; vomiting.; Diarrhea and stomach cramps; Diarrhea and stomach cramps; Heart racing; Dizzy upon standing up; Shortness of breath; Kept waking up all night; A spontaneous report was received from a consumer concerning of an unknown age, female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced Patient stated that she felt like she was going to die (Loss of consciousness), Diarrhea and stomach cramps (Diarrhoea), Diarrhea and stomach cramps (Abdominal pain upper), Heart racing(Palpitations), Dizzy upon standing up (Dizziness postural), Shortness of breath (Dyspnoea), Kept waking up all night (Sleep disorder), Pain that goes from under her eyes to her abdomen (Eyelid pain), Pain that goes from under her eyes to her abdomen (Abdominal pain), Small rash the size of a quarter around injection site (Vaccination site rash), Diarrhea along with nausea &amp; vomiting (Nausea) and Diarrhea along with nausea &amp; vomiting (Vomiting). The patient's medical history was not provided.No relevant concomitant medications were reported. On 20-Mar-2021,prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (lot/batch unknown) intramuscularly for prophylaxis of COVID-19 infection. On 20 Mar 2021, about 30 minutes after the shot,the patient experienced diarrhea and stomach cramps.Later that evening, the patient still had diarrhea along with nausea &amp; vomiting. Patient tried to sleep but could feel her heart racing and was dizzy upon standing up, and shortness of breath.Kept waking up all night. Has pain that goes from under her eyes to her abdomen and small rash the size of a quarter around injection site. On 22 Mar 2021, patient still has all the symptoms, only they seem to have intensified. Patient stated that she felt like she was going to die. The event Loss of consciousness, was medically significant. Treatment details were not reported. No laboratory data was provided.Treatment information was not provided. Action taken with mRNA-1273 in response to the events was unknown. The outcome of the events diarrhea,abdominal pain</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

							upper,palpitations,Dizziness postural ,dyspnea,sleep disorder,Eyelid pain, Abdominal pain, Loss of consciousness, nausea,vomiting and vaccination site rash was not resolved at the time of the report.; Reporter's Comments: This case concerns a female patient with serious unexpected loss of consciousness and nonserious unexpected abdominal pain, abdominal pain upper, diarrhea, palpitations, dyspnea, dizziness postural, eyelid pain, sleep disorder and expected vaccination site rash, nausea, vomiting. Event onset 30 minutes after first dose mRNA-1273. Based on current available information and temporal association between use of the product and the start date of the event, a causal relationship cannot be excluded.
--	--	--	--	--	--	--	---

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1168886	4/5/2021	NY		F		3/1/2021	<p>BLURRY EYE; DIZZY; PAIN IN HEAD; NAUSEA; VOMITING; BURNING UP; NERVE PAIN; ABOUT TO PASS OUT; PINS STICKING IN HER EYES; BLOOD/TISSUE IN URINE; This spontaneous report received from a patient concerned a female of unspecified age. The patient's height, and weight were not reported. The patient's past medical history included covid 19, and concurrent conditions included copd, neuropathy in feet, diabetes, and heart problem. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805022, expiry: 25-MAY-2021) dose was not reported, administered on 08-MAR-2021 to left arm for prophylactic vaccination. No concomitant medications were reported. On MAR-2021, the subject experienced blood/tissue in urine. Laboratory data included: Urine analysis (NR: not provided) Blood/tissue in urine. On 09-MAR-2021, the subject experienced vomiting. On 09-MAR-2021, the subject experienced burning up. On 09-MAR-2021, the subject experienced nerve pain. On 09-MAR-2021, the subject experienced about to pass out. On 09-MAR-2021, the subject experienced pins sticking in her eyes. On 09-MAR-2021, the subject experienced dizzy. On 09-MAR-2021, the subject experienced pain in head. On 09-MAR-2021, the subject experienced nausea. On 11-MAR-2021, the subject experienced blurry eye. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from nausea, vomiting, pain in head, blurry eye, burning up, about to pass out, and blood/tissue in urine, and the outcome of nerve pain, pins sticking in her eyes and dizzy was not reported. This report was non-serious. Version created to amend previously reported information on 11-Mar-2021. Upon review, the following information was amended: Medical history hear problem updated to heart problem.; Sender's Comments: V0 Medical assessment comment not required as per standard operating procedure as the case assessed as non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1168974	4/5/2021	TX	70	F	2/6/2021	2/6/2021	Vaccine more of a brownish color/discoloration/Brownish yellow honey colored; Wasn't that much in the syringe; Injection site feels "warm to touch"; Got feverish like a normal shot would do; A spontaneous report was received from a consumer, who was also a 70-year-old female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and reported that the vaccine was not white or clear, more of a brownish yellow/honey colored /product color issue, she got feverish/pyrexia, there wasn't that much in the syringe/accidental underdose and injection site feels warm to touch/vaccination site warmth. The patient's medical history was not provided. She had no allergies. No relevant concomitant medications were reported. On 06 Feb 2021 at 8:30 am, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (batch number: 013M2014) intramuscularly in the right upper arm for prophylaxis of COVID-19 infection. The patient reported that the vaccine administered was not white or clear, but more of a brownish yellow (also reported as honey colored). There was a discoloration but had already been administered. When the patient looked at the syringe on television, it was clear. She stated that the website said it should be white, but this was more of a yellowish brown. The patient also reported that there wasn't much in the syringe but knew it was supposed to be the 0.5 ml. The patient also reported that she didn't even feel the shot being given when it was administered. As the day went on, the patient got feverish like a normal shot would do, which she said lasted a couple of days and through this week. She did not contact her primary care physician about her concerns because she doesn't really go to the doctor. The patient felt comfortable that the vaccine was administered the right way, intramuscularly. She was not sure if the vaccine was spoiled at that color. In addition, the patient reported that the injection site felt warm to touch. No treatment was provided for the events. Action taken with mRNA-1273 in response to the events was not reported. The events, vaccine was not white or clear, more of a brownish yellow/honey colored and wasn't that much in the syringe were considered resolved on 06 Feb 2021. The event, got feverish, was considered resolved on an unknown day in February 2021. At the time of this report, the outcome of the event, injection site feels warm

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1168972	4/5/2021		33	F	1/4/2021	1/5/2021	<p>to touch, was unknown. Follow-up received on 24 Mar 2021 included vaccination date details and events.; Sender's Comments: This report refers to a case of (Product discoloration issue and accidental underdose for mRNA-1273, lot # 013M2014 with associated AEs vaccination site warmth and pyrexia. Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. US-MODERNATX, INC.-MOD-2021-012063:</p> <p>Injection site warmth; Pain in other arm; Injection site pruritus; Injection site swelling; 2-3 eye blood capillaries exploded; A spontaneous report was received from a health care professional concerning a 33-years-old female patient who received Moderna's Covid-19 Vaccine (mRNA-1273) and experienced 2 or 3 eye blood capillaries had exploded, itchy in the site of injection, injection site swelling and felt pain in the other arm(not in the one were got the vaccine). The patient's medical history includes hypothyroidism. Products known to have been used by patient, within two weeks prior to the event, included methimazole, propanolol, citalopram. On 04-Jan-2021, approximately one day prior to the events the patient received their first of two planned doses of mRNA-1273 (Batch number: 026L20A) intramuscularly into the left arm for prophylaxis of COVID-19 infection. On 05-Jan-2021, patient experienced 2 or 3 eye blood capillaries exploded, also experienced symptoms including itchy in the site of injection, swelling and warmth in the site of injection and pain in the other arm. Treatment for symptoms included paracetamol. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the event 2 or 3 eye blood capillaries exploded was considered resolved on an unknown date. The outcome of an events itchy in the site of injection, swelling and warmth in the site of injection and felt pain in the other arm was considered unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1168959	4/5/2021	MO	66	F	3/24/2021		<p>BOTH EYES WERE IRRITATED; BOTH EYES WERE RED; DIZZINESS; FELL AGAINST SINK; FEELING VERY BAD; HEADACHE RADIATING TO SHOULDER AND NECK; TEMPERATURE 101.4 F; MUSCLE ACHES TO BILATERAL BUTTOCKS AND BILATERAL THIGHS; LEFT ARM PAIN ALL THE WAY TO THE BACK OF THE SHOULDER; VERY BAD HEADACHE; NOSE SWELLING; LIP SWELLING; LEFT EYE SWELLING; FEELS NASAL PASSAGE CLOSED; LEFT EYE NOT OPENING COMPLETELY; LEFT EYE TEARING; This spontaneous report received from a patient concerned a 66 year old female. The patient's weight was 218 pounds, and height was 62 inches. The patient's past medical history included anaphylaxis (closed throat) to sulfa, and concurrent conditions included asthma, sulfa allergy, corn allergy, non-alcoholic, smoker, hypothyroidism, seasonal allergies, and allergy to pcn, and other pre-existing medical conditions included the patient have allergy to caines. the patient did not have any drug abuse/illicit drug use. The patient was previously treated with epinephrine for anaphylaxis (closed throat) to sulfa. The patient received covid-19 vaccine (suspension for injection, route of admin not reported, batch number: 1805018 and expiry: unknown) dose was not reported, administered on left arm on 24-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 24-MAR-2021, the subject experienced left arm pain all the way to the back of the shoulder. On 24-MAR-2021, the subject experienced very bad headache. On 24-MAR-2021, the subject experienced nose swelling. On 24-MAR-2021, the subject experienced lip swelling. On 24-MAR-2021, the subject experienced left eye swelling. On 24-MAR-2021, the subject experienced left eye not opening completely. On 24-MAR-2021, the subject experienced left eye tearing. On 24-MAR-2021, the subject experienced feels nasal passage closed. On 25-MAR-2021, the subject experienced both eyes were irritated. On 25-MAR-2021, the subject experienced both eyes were red. On 25-MAR-2021, the subject experienced dizziness. On 25-MAR-2021, the subject experienced feeling very bad. On 25-MAR-2021, the subject experienced temperature 101.4 f. On 25-MAR-2021, the subject experienced muscle aches to bilateral buttocks and bilateral thighs. On 25-MAR-2021, the subject</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

experienced fell against sink. On 25-MAR-2021, the subject experienced headache radiating to shoulder and neck. Laboratory data included: Body temperature (NR: not provided) 101.4 F. The action taken with covid-19 vaccine was not applicable. The patient was recovering from dizziness, had not recovered from nose swelling, lip swelling, temperature 101.4 f, left arm pain all the way to the back of the shoulder, very bad headache, left eye swelling, both eyes were irritated, left eye tearing, muscle aches to bilateral buttocks and bilateral thighs, both eyes were red, and left eye not opening completely, and the outcome of feeling very bad, feels nasal passage closed, fell against sink and headache radiating to shoulder and neck was not reported. This report was non-serious.; Sender's Comments: V0: Medical Assessment comment was not required as per standard procedure as the case assessed as non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1168953	4/5/2021	NC		F	3/17/2021		<p>CONFIRMED COVID-19 INFECTION; THOUGHT WAS GOING TO DIE; SWOLLEN LEFT EYE; TWITCHING; This spontaneous report received from a patient concerned a 58 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included asthma, high blood pressure, and non-smoker. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported and batch number: 1802070 expiry: UNKNOWN) dose was not reported, administered on 17-MAR-2021 on left arm for prophylactic vaccination. No concomitant medications were reported. On 17-MAR-2021, the subject experienced swollen left eye. On 17-MAR-2021, the subject experienced twitching. On 18-MAR-2021, the subject experienced thought was going to die. On 19-MAR-2021, Laboratory data included: Body temperature (NR: not provided) 102 F. On 20-MAR-2021, the subject experienced confirmed covid-19 infection. Laboratory data included: COVID-19 PCR test (NR: not provided) Positive for COVID, and COVID-19 antigen test (NR: not provided) Positive for Covid. Treatment medications (dates unspecified) included: fexofenadine hydrochloride/pseudoephedrine hydrochloride, zinc, ascorbic acid, and ergocalciferol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from swollen left eye, and twitching on 18-MAR-2021, had not recovered from confirmed covid-19 infection, and the outcome of thought was going to die was not reported. This report was non-serious.; Sender's Comments: V0: Medical assessment comment not required as per standard procedure as case assessed as non-serious.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1168951	4/5/2021	NY		U		3/13/2021	MUSCLE TIGHTNESS IN FOREARMS; FATIGUE; INVOLUNTARY TWITCHING IN CALVES AND IT MOVED TO THIGHS AND GOT WORSE AND TWITCHING OF THE EYELIDS; SINUSITIS; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's height, and weight were not reported. The patient's concurrent conditions included immune suppressed. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805022, expiry: UNKNOWN) dose was not reported, administered on 10-MAR-2021 on left deltoid for prophylactic vaccination. No concomitant medications were reported. On 13-MAR-2021, the subject experienced involuntary twitching in calves and it moved to thighs and got worse and twitching of the eyelids. On 13-MAR-2021, the subject experienced sinusitis. On 24-MAR-2021, the subject experienced muscle tightness in forearms. On 24-MAR-2021, the subject experienced fatigue. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from sinusitis on 15-MAR-2021, had not recovered from involuntary twitching in calves and it moved to thighs and got worse and twitching of the eyelids, and fatigue, and the outcome of muscle tightness in forearms was not reported. This report was non-serious.; Sender's Comments: V0: Medical Assessment comment not required as per standard procedure as the case assessed as non-serious

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1168925	4/5/2021	OR		M		3/15/2021	SKIN ITCHINESS OF FACE, SCALP, EYES; VERY SLIGHT PUFFINESS OF UPPER CHEEKS AT BOTH SIDES OF NOSE; This spontaneous report received from a patient concerned a 66 year old male. The patient's weight was not reported and height was 185.42 centimeters. The patient's concurrent conditions included HIV, alcoholic, and non-smoker, and other pre-existing medical conditions included patient had no known allergies and no known history of drug abuse. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 1805018, and expiry: UNKNOWN) dose was not reported, administered on 13-MAR-2021 at left arm for prophylactic vaccination. Concomitant medications included bictegravir sodium/emtricitabine/tenofovir alafenamide fumarate for HIV. On 15-MAR-2021, the subject experienced skin itchiness of face, scalp, eyes. On 15-MAR-2021, the subject experienced very slight puffiness of upper cheeks at both sides of nose. The patient was treated with antihistamines for itching. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from skin itchiness of face, scalp, eyes, and very slight puffiness of upper cheeks at both sides of nose. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1168918	4/5/2021	WI	70	M	3/20/2021	3/20/2021	SHORT LASTING PAIN IN RIGHT EYE; SHARP SHORT LASTING PAIN IN LEFT EAR; This spontaneous report received from a patient concerned a 70 year old male. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808609, expiry: UNKNOWN) dose was not reported, administered on 20-MAR-2021 on left deltoid for prophylactic vaccination. Concomitant medications included aflibercept. On 20-MAR-2021, the subject experienced sharp short lasting pain in left ear. On 23-MAR-2021, the subject experienced short lasting pain in right eye. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from short lasting pain in right eye, and sharp short lasting pain in left ear. This report was non-serious. This report was associated with a product quality complaint: 90000174005. The suspected product quality complaint has been confirmed to be voided (did not meet PQC criteria) based on the PQC evaluation/investigation performed.; Sender's Comments: V0: Medical Assessment comment not required as per standard procedure as the case assessed as non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1168899	4/5/2021	GA		F	3/16/2021		LEFT EYE ITCHING; HAND ITCHING; SWELLING; FINGERTIPS HARD AND RED IN COLOR; This spontaneous report received from a patient concerned a female of unspecified age. The patient's height, and weight were not reported. The patient's pre-existing medical conditions included no known allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805031, and expiry: UNKNOWN) dose was not reported, administered on left deltoid on 12-MAR-2021 approximately at 14:00 for prophylactic vaccination. No concomitant medications were reported. On 16-MAR-2021, the subject experienced hand itching. On 16-MAR-2021, the subject experienced swelling. On 16-MAR-2021, the subject experienced fingertips hard and red in color. On an unspecified date, the subject experienced left eye itching. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from hand itching, and swelling, and the outcome of fingertips hard and red in color and left eye itching was not reported. This report was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1169012	4/5/2021	TX	55	M	2/19/2021	3/19/2021	<p>ears were popping like as if being on an airplane and they were constantly ringing; vision was blurry like there was a film over it and as if things were grayed out; felt the room spinning; closed his eyes and fell asleep and woke up much later in the evening feeling a little bit better.; felt very dizzy again and was back to his original symptoms; This spontaneous case was reported by a consumer and describes the occurrence of DIZZINESS (felt very dizzy again and was back to his original symptoms) in a 55-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 002B21A and 011M20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Fracture. Concomitant products included DOLUTEGRAVIR SODIUM, LAMIVUDINE (DOVATO), PREGABALIN and MODAFINIL for an unknown indication. On 19-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 18-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 19-Mar-2021, the patient experienced DIZZINESS (felt very dizzy again and was back to his original symptoms) (seriousness criterion disability). On 20-Mar-2021, the patient experienced TINNITUS (ears were popping like as if being on an airplane and they were constantly ringing), VISION BLURRED (vision was blurry like there was a film over it and as if things were grayed out), VERTIGO (felt the room spinning) and SOMNOLENCE (closed his eyes and fell asleep and woke up much later in the evening feeling a little bit better.). At the time of the report, DIZZINESS (felt very dizzy again and was back to his original symptoms), TINNITUS (ears were popping like as if being on an airplane and they were constantly ringing), VISION BLURRED (vision was blurry like there was a film over it and as if things were grayed out), VERTIGO (felt the room spinning) and SOMNOLENCE (closed his eyes and fell asleep and woke up much later in the evening feeling a little bit better.) outcome was unknown. No treatment information was provided. This case concerns a 55 Y/O M with a serious unexpected event of dizziness and nonserious unexpected vertigo, tinnitus, blurred vision and somnolence. Event onset on day 2 after second dose</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							mRNA-1273. Event outcomes unknown. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. This case was linked to US-MODERNATX, INC.-MOD-2021-057827 (Linked Report).; Sender's Comments: This case concerns a 55 Y/O M with a serious unexpected event of dizziness and nonserious unexpected vertigo, tinnitus, blurred vision and somnolence. Event onset on day 2 after second dose mRNA-1273. Event outcomes unknown. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. US-MODERNATX, INC.-MOD-2021-057827:First Dose Case
1167722	4/5/2021	IL	57	F	3/8/2021	3/10/2021	FACIAL TIC, RAPID TWITCHING BELOW EYE, LEFT SIDE OF FACE NUMB FROM TOP OF CHEEK TO CHIN AND BOTTOM LIP.
1167482	4/5/2021	NJ	23	F	4/3/2021	4/3/2021	Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1167870	4/5/2021	MA	24	F	4/3/2021	4/3/2021	At approximately 0945 this nurse witnessed patient sitting in the observation area with her head tilted to the left side and her body leaning to the left. The medical assistant was with her holding her body up. Her eyes were closed and she had no color to her face and lips. She was not able to respond to questions being asked. As her head was shaking she was making grunting noises. She was diaphoretic and tremulous. This episode lasted for approximately 60 seconds. Pt then opened her eyes and was able to respond to questions asked but with a delayed response. Pt was moved to the stretcher to lay down. Her color came back to her lips and her blood pressure improved. She was responding to questions appropriately. Pt was diaphoretic for approximately 10 minutes. Ice packs and water were provided. Pt was observed by the medical assistant for 30 minutes. Her HOB was elevated gradually until she was able to dangle her feet and sit on the side of the stretcher. Pt stated that she was feeling better and was ready to go be with her roommate. Vital signs were taken and BP 91/54, HR 70, O2 97%. At 0952 HR was 62. 1005 BP 102/67, HR 57 O2 99%.
1167824	4/5/2021	MI	42	M	4/2/2021	4/2/2021	Patient suddenly became diaphoretic eyes rolled back in head, almost passed out . Onsite EMS was called vitals HR 42 BP 95/59 98% O2 refused glucose check. Patient felt better and reluctantly was transported to local hospital. No reaction to 1st vaccine on 3/12/21

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1167811	4/5/2021	PA	25	F	4/1/2021	4/1/2021	At about 5 pm same day I started getting fever it was 101. I decided to drink some orange juice and when I went to sit back down I started feeling extremely dizzy, I got a very bitter taste in my mouth, my whole body started tingling and my lips and tongue and hands especially started feeling numb.I managed to get to bathroom floor where I grabbed some water and wiped it over my neck but I continued to feel worse where I couldn?t even control what my body was doing and I had diarrhea. The ?snow? in front of my eyes got worse too where I couldn?t almost see anything for over probably 3 minutes and I broke in cold sweat.After the diarrhea I had a very sharp pain in my lower abdomen. That all lasted a few minutes and I didn?t have phone on me and I was alone so I helplessly sat on the floor through it all til I started feeling bit by bit better.The fever continued for 48 hours as well as extreme arm pain for 3 days where I got my vaccine.
1167794	4/5/2021	NM	25	M	4/2/2021	4/2/2021	Member presented with profuse sweating and said he did not feel well at all. Because I do not have aassigned to the clinic, I went to ask an to do a physical examination on the member. The went retrieved water for the member to help him cool down and another patient was in need of my assistance. As I returned I saw the conducting his physical examination of the patient where he started to examine the member where the member did not present with any hives on his body but his tongue was slightly larger than normal and he started to clinch his stomach and he could not physically drink the water and he then fell over gasping for air and eyes bulging(you could hear him



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1167780	4/5/2021	KS	65	M	3/29/2021	3/29/2021	<p>Immunization 3/29/2021 COVID Vaccine Clinic Need for vaccination +1 more Dx Referred by MD Reason for Visit Progress Notes APRN (Nurse Practitioner) ? ? Family Medicine Cosigned by: MD at 3/30/2021 8:12 AM Expand AllCollapse All COVID VACCINE CLINIC 3/29/2021 Patient: (name) DOB: (date) Date: 3/29/2021</p> <p>MRN: (number) Subjective Patient is a 65 y.o. male who was seen at the COVID Vaccine Clinic today for his second dose of the COVID 19 vaccination. He was given the Pfizer vaccination in the left deltoid muscle. During his 15 minute waiting period after the injection, the patient began to experience shortness of breath as he was walking out to the front. He reports no issues with the vaccine as he was waiting. He denied rash, hives, welts, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and he was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , chest pain, rapid progression of symptoms and respiratory distress. Pmh: hx of iron deficient anemia. He just stopped taking his iron supplements on Saturday after being on it for 10 days. He also was taking Diflucan and had some "adverse reaction" of nausea and sleeping issues. Denies hx of heart or lung disease, not on any inhalers or medications for these. Past Medical History: Diagnosis Date ? Fatigue, unspecified type 2/7/2017 ? Impotence of organic origin Impotence, Organic; NG PMH ? Obstructive sleep apnea ? Osteoarthritis ? Unspecified essential hypertension Hypertension; NG PMH ALLERGY REVIEW OF SYSTEMS: Patient complains of shortness of breath Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, eyes watering, eyes itching, cough, chest tightness, wheezing, rash, hives, itching of skin, vomiting, abdominal pain, muscle aches, joint pain, dizziness and headaches Previous Reactions: none Objective Vitals Vitals: 03/29/21 1035 BP: 138/58 Pulse: (!) 102 SpO2: 92% Physical Exam Vitals reviewed. Constitutional:</p>

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

General: He is not in acute distress. Appearance: He is not ill-appearing or diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Regular rhythm. Tachycardia present. Heart sounds: Normal heart sounds. Comments: HR improved with rest down to 90. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Normal breath sounds and air entry. Comments: Speaking full sentences. Skin: General: Skin is warm. Coloration: Skin is not pale. Findings: No rash. Neurological: General: No focal deficit present. Mental Status: He is alert and oriented to person, place, and time. Psychiatric: Mood and Affect: Mood normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: no therapy Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Systemic reaction (headache, itching, tachycardia, hypoglycemia, hypotension, generalized rash) Pt with improvement/resolution of sob with rest. I suspect sob related to iron deficiency. Recommend that he monitor breathing at home. If symptoms return or worsen, seek care in ED. Certainly to follow up with pcpr accordingly for management of his iron levels. Pt voiced appreciation and denies any other questions or concerns. (name), APRN Electronically Signed 3/29/2021 10:42 AM

1167773	4/5/2021 TX	60 F	3/23/2021	4/4/2021	Redness, heat, swelling, itching rash down length of vaccine arm, hand and same side leg. Numbness in shin and ankle same side leg. Redness and itching around same side eye. Heart pain 5 times in succession. Pain and stiffness in same side neck and shoulder. Facial and head itching. Temperature dropped to 95. Severe chills.
1167889	4/5/2021 IN	49 F	4/3/2021	4/3/2021	1st Nausea than severe cold chills, fever and the whites of my eyes turned red. I also felt a burning sensation in the veins in my hands and feet.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1167736	4/5/2021	GA	65	M	3/27/2021	3/27/2021	Patient c/o dizziness, blurred vision. Skin hot to touch. Vital signs: 11:25am 130/76 81 18; 11:26am 120/82 80 18; 11:31am 130/79 75 18 O2 96% Temp. 97.2 11:41am 127/72 69 18 O2 97%; 11:48AM 130/90; 11:55am 132/84 70 18 O2 98%

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1167905	4/5/2021	KS	68	F	4/1/2021	4/1/2021	<p>Pfizer COVID 19 Vaccine reaction- First vaccination administered 3/11/2021 at 11:20 AM. Waited 15 minutes at the clinic. Only side effect was slightly sore arm.</p> <p>Thursday, Apr 1, 2021 11:20 AM Second/Booster Vaccine administered. Waited 15 minutes at the clinic as requested. No adverse reaction other than mild sting at injection site. 11:00 PM Awakened with waves of full body, convulsive chills, heart palpitations, shallow breathing, visual disturbances. Got up to go to the bathroom and was very unsteady. Took 500 mg acetaminophen. Friday, April 2, 5:00AM Chills ceased and nausea set in. My shoulder was swollen, hard, hot and bright red at injection site. Inflamed spot was the diameter of a tennis ball. I could not even drink sips of water without vomiting. Sternum aches, shallow breath. Noon: Took 500 mg acetaminophen. it came up a few minutes later. 4:00 PM Temp 100.6 5:00 PM vomited at least 3 times over the past several hours. Can't keep fluids down. became concerned about dehydration. After two calls to nurse practitioner, decided it was best to go to ER for rehydration. 8:00pm released from ER after 2 liters of saline and Zophran Saturday, April 3, 3AM Woke up with completely soaked pjs. Stayed in bed most of the day, though got up periodically to sit in a chair. I showered, nibbled on some dry toast, sugar free jelly, and soda. Was able to tolerate, but little appetite. Still very unsteady. Upper arm is now very inflamed from the shoulder almost to the elbow, half-way around. Hot and very tender. Sore to move it. Heart palpitations continue. By afternoon, I was able to drink more fluids and eat a few bites of a peanut butter and honey sandwich. 4:00 PM Temp 100.1 Sunday, April 4 6 AM Feeling better. Made a breakfast of scrambled eggs and tortillas, and tolerated that very well. No more nausea and feeling stronger, but still moving very slowly. If I move to fast I get dizzy. 2PM Red area on upper arm is starting to raise like hives. Sternum is still sore, likely from vomiting and dry heaves. Took a Zyrtec and 500mg of acetaminophen to counter. 5PM Arm not improved with meds taken at 2pm. Still moving slowly. Just moving from kitchen to living room is tiring. 6pm applied hydrocortisone cream to my arm to see if that would diminish the hive-like redness. Monday, April 5 6:00 AM Upper arm still tender and sore, but redness is somewhat diminished.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1167715	4/5/2021	NY	59	F	4/2/2021	4/2/2021	Rec'd the shot at 2:45 on 4/2. By 5:00 PM, my left arm was swelling with pain. By 7:00 PM, the pain had spread to my left lymph node, shoulder, left breast, left torso, left hip, left buttock and left outer thigh. I became fatigued and tried to sleep. The pain in those areas intensified to a 10 (on a scale from 1-10) making it impossible to sleep or even move correctly. I was nauseous from the pain which was worse than any pain I have ever felt in my entire life. I developed a severe headache and dry heaves. I could not eat. The next day (4/3) I was able to sleep and I slept all day, rising only to use the toilet and sip water. I had a fever of 100.7. I continued sleeping the rest of the day. The pain continued but was more like aches. Severe headache remained until 3:00 on 4/4. When I awakened on 4/4, I noticed a light rash on my left side, mainly on my neck and chest. My left eye was bloodshot. The headache remained, but I was able to rise and function with minor pain and joint aches. 4/5 I am better.
1167676	4/5/2021	TX	22	M	4/1/2021	4/1/2021	I got the injection then went and sat down in a chair at the back of the room and started getting light-headed about 3 minutes after I sat down, so I called a nurse over. Then the inside of my chest started getting really hot and my vision started going white in both of my eyes, it took about 10 seconds for me to completely lose vision. Then I passed out, I have no idea how long I was out for but when I came too I had a sort of epileptic-type seizure but I do not know how long it lasted. I woke up completely disoriented, had no idea where I was at and had a severe cognitive dysfunction. I still have moments where I just can't follow or complete a thought or just kind of go blank.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1167648	4/5/2021	FL	38	F	4/1/2021	4/3/2021	On April 3rd at 6:00 am I awoke with difficulty breathing and intense abdominal pain. Took my eye medicine (Cyproheptadine 4mg) in the morning, difficulty breathing subsided, but abdominal pain remained. Became lethargic, noticed a fever around 9:00 am. Fever was 100 degrees Fahrenheit. Chills, muscle pains all over body, nausea, inability to eat, acid reflux, temporary loss of feeling in right toes. Around noon my fever was 102, and my walking heart rate was 146 bpm (according to fitbit sense watch). I took two Tylenol tablets (recommended dose 2 for adults according to bottle). Went to urgent care. Fever subsided, and bpm returned to mostly normal. Blood draw revealed thrombocytopenia. Platelets were at 72 (units of measurement), normal range is 150-450 (units of measurement). I was told recommended hospitalization occurs at 50 (units of measurement). April 4th. Painful abdomen, lack of appetite, nausea, headache. Took 1 Tylenol. Lethargic. Slept most of the day. Pain behind my eyes. Headache located in front behind both eyes. Dry throat. Constantly drinking water and Gatorade, Thirsty. April 5th. Headache remains. Pain behind eyes remain. Lack of appetite. Planning for second blood draw on April 7th to check Platelets.
1167551	4/5/2021	VA	64	F	4/1/2021	4/2/2021	Patients husband phoned in and verbalized patient woke up with swollen eyes that were red the following morning on 4/2/21 after receiving the vaccine on 4/1/21.
1167548	4/5/2021	IL	32	M	4/2/2021	4/2/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Medium, Systemic: Tinnitus-Medium, Systemic: Visual Changes/Disturbances-Severe
1167526	4/5/2021	CA	38	F	4/4/2021	4/4/2021	Site: Pain at Injection Site-Medium, Systemic: Allergic: Itch (specify: facial area, extremities)-Medium, Systemic: Allergic: Itch Generalized-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Systemic: Flushed / Sweating-Medium

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1167385	4/5/2021	CA	59	M	4/2/2021	4/2/2021	Severe headache on first night, with chills and sweats. On first morning after inoculation, rashes covered genitalia, spreading to several places (silver-dollar-sized rashes elsewhere). On evening of day after inoculation, facial swelling, including eyes and lips. At no time was there any problem with swallowing or breathing. On advice of physician, began 50mg of antihistamine Benadryl at night, with daytime antihistamine during day.
1169127	4/5/2021	CA	58	F	3/30/2021	3/30/2021	Bruising at the injection site that is growing larger each day, with a small red halo around the actual injection. No visit to the doctor, just keeping an eye on it. Have applied arnica cream.
1167740	4/5/2021	NC	42	F	3/25/2021	3/25/2021	Day 1 (4:30 pm vaccination day). Clammy hands and metal taste for 15 minutes, dizzy feeling for 1 minute. Later that day, overall feeling of unwell, short lived muscle weakness, tired, sore arm, anxiety, loss of appetite, odd, bubbling sensation in left leg, slight itchy skin mostly in legs and at injection site. Day two. Unwell, nausea, loose stool in morning, anxiety, tired, slight sore arm, odd bubbling sensation in left leg, slight itchy skin, loss of appetite, red eyes, red itchy chin, slight itchy skin in legs and at injection site. Day three. Unwell, nausea, very slight sore arm, loose stool in morning, panic, tired, itchy red eyes, nausea, red itchy chin, slight itchy skin mostly in legs and at injection site, no appetite. Day 4. Loose stool in morning, more energy but still tired, itching continue slightly on chin and injection site and legs, appetite returning, slightly tired, very slight sore arm. Day 5. Woke up with indigestion, feeling unwell and tired, laid in bed and felt a jolt by means of noise in my head which only happened once and was quickly over, very slight sore arm, itchy at injection site, weird metal taste, upset stomach, leg and arm vein fullness. Day 6. Woke up tired with overall feeling of slight unwell but gained a good bit of energy as the day progressed, leg and arm vein fullness. Day 7:. Leg and arm vein fullness. Day 8:. Non localized Itchy skin Side note:. I'm beyond worried to get the second vaccination.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1168085	4/5/2021	RI	25	M	4/5/2021	4/5/2021	15 (09:50) minutes post vaccination, pt approached healthcare staff and indicated eye itchiness and thickening in throat. Per pt, facial swelling was not present. Pt was observed closely x 3 minutes, during which time pt indicated throat swelling was progressing. Diphenhydramine, 25 mg PO administered at 09:55. At 10:10 pt stated eye itchiness was worsening, and he was unable to swallow, could breathe comfortably thru his nose. At this time RN and MD decided to call for emergency support, and they arrived at approx 10:15. After initial assessment they determined the best course of action was to transfer to ER should airway management be needed. Pt and EMS left facility at 10:25.
1168361	4/5/2021	WI	40	F	3/1/2021	3/1/2021	4am the day after my first shot I woke up to swollen, blood shot eyes which were irritated and itchy. After an hour and a half the symptoms were not getting better so I decided to take claritin since it was similar to the allergic reaction I have to mold. An hour later my eyes were better but still sore around them. The next day they were completely better. Also, since taking the vaccine I seem to forget things easily, things that I put in the microwave are sitting there the next morning which is very unusual for me to be so forgetful so many times and even at work my focus was scattered and things that were routine were becoming challenging to remember to complete. After 2 weeks it seems to have faded, although once I became aware of what was happening I have made a conscious effort to remember things. I realize that these may seem like small events, but I feel that it is something that should be looked into as it was/is rather concerning since this was only my first shot and the second is supposed to react worse. I am still contemplating whether getting a second shot is wise for me.
1168359	4/5/2021	AR	38	F	2/23/2021	3/16/2021	Twisted mouth, one nostril was drooping left nostril, left eye running & can't blink eye.
1168312	4/5/2021	OH	68	M	3/26/2021	3/27/2021	Shingles on forehead and eye the next morning.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1168265	4/5/2021	MI	59	F	3/29/2021	3/29/2021	<p>25 minutes Post injection: Left eye issues. Itchy, swollen behind the eye and feeling like something was in it or irritating it. It kept driving me to check if something was in it. I put in renu eye drops and did not think any more of it.</p> <p>40 minutes post injection: both feet red and swollen left foot about half of the top, the whole right foot looked like a giant hive or welted area across the whole top of foot. The injection site began being quite sore, and it also looked welted and felt hot to the touch. I kept checking my left rib cage and my left thumb as I was sure there was going to be hives, because I could not stop rubbing or scratching them as they itched so badly. I continued itching and feeling weird tingly sensations and either rubbed or scratched these areas to no avail. Even my head itched terribly by the second day.</p> <p>45 minutes post injection: Tightness and scratchiness in throat appeared and my throat was sore, my voice began going out and my voice got hoarse. There was about a two inch area of my throat in which I felt I needed to keep trying to clear something that was stuck. (This made no sense to me as I was able to drink water without any issues.) I had a slight cough every time I stopped drinking, so I continually drank water while I was not trying to sleep. My chest was tight, but because I have asthma I took albuterol and thought nothing of it. (This really did not help, but I did not get worse either.) About an hour after the shot, I constantly felt on the verge of shaking, much like when you have a fever, but I did not think to check my temperature until the following morning when I was extremely tired, felt like I had a sinus headache and possibly did have a fever. My temperature was 99.4 degrees farenheight. At this point, I felt very flu-ish and achy. My armpit area hurt a lot and I chewed two aspirin. I experienced wheeziness, chest tightness, and hoarseness the second and third day as well. I had the morning congestion and stuffiness as well as the need to keep clearing my voice still as of this morning but to much less degree as the initial onset. The skin itchiness is still ongoing, but to a much lesser degree than previously had.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1168233	4/5/2021	OK	34	F	3/25/2021	3/31/2021	Fever 103 3/27, stomach pain, vomiting, diarrhea, headache, chest pain, SOB Hospital 3/29, critically low potassium, D-Dimer elevated, chest CT clear, admitted 3/30 HIDA scan, gallbladder removed 3/31 woke with vision issues, seeing multiples of things, slanted hallways, can't stay awake 4/1 CT and MRI of brain show venous blood clot Started on blood thinners, stopped birth control (had only been on birth control about 5-6 months)
1168191	4/5/2021	SC	19	M	4/5/2021	4/5/2021	Patient complained of dizziness immediately after walking to checkout station. We sat him down and he said he was only seeing black and he was got and his neck hurt. We called EMS to check him out also. His BP was 140/90 and his vision started to come back after a couple of minutes as blurry. Once EMS arrived, he was much improved and vitals were all good. He refused to go to the ER, but his roommate assured us that he would watch him today. Patient waited 30 minutes and said he felt totally fine when he left.
1168154	4/5/2021	NJ	50	F	3/27/2021	3/27/2021	After administration of the first dose 0.5 ml Moderna vaccine patient complaint of feeling dizzy. Was offered orange juice and agreed to have it. When in about 10 sec brought orange juice to her she was unresponsive, with eyes rolled, did not respond to her name, appeared diaphoretic. Ammonia salts were administered right away, 911 called. Patient regained consciousness after 5 seconds ammonia was administered. She was alert and oriented X4 but still weak and pale. Patient was assessed by EMS. She refused to go to ER and decided to drive home by herself.
1167887	4/5/2021	MI	33	M	3/17/2021	3/29/2021	Partial 6th cranial nerve palsy, causes double vision. No prior history of eye issues in 33 years.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1168133	4/5/2021	FL	69	F	4/2/2021	4/2/2021	Around 8:00 AM she had the vaccine, felt fine. Then after dinner around 8:00 PM she had overall body aches, fever, shaking all over, left shin bone on the leg throbbled and ached on Friday and Saturday. Her nose is also itching badly. She was sneezing the entire time. She took Tylenol and aspirin on Saturday/Sunday, nothing today. She also took Benadryl for her itchy nose. Her eyes were also itching and also on fire. She is feeling much better. She had the feeling of getting hot and cold on Saturday.
1168367	4/5/2021		46	F	3/31/2021	3/31/2021	injection was administered at about 7:00pm; symptoms began during the night... started feeling uncomfortable aches and pains, by early morning symptoms of fever, muscle aches, joint aches, overall pain and hypersensitivity, nausea. Treatment - sleep; slept and drank fluids for about 24 hours. Fever reached about 102.2 on 4/2 at around 3:00am and broke shortly after that. Continued sleep and fluids until about 10:30 on 4/2. Slowly regained energy and able to stay awake as usual from about noon on 4/2 onward. Slight weakness until 4/3. Strong headaches and aching eyes on 4/3 and 4/4. 4/5 - back to mostly normal.
1168066	4/5/2021	FL	56	F	3/12/2021	3/12/2021	Leg cramps started about 1 hour after the vaccine was administered. About 6 hours after vaccine, debilitating headache. Numbing of hands and feet along with headache. On the next day: diarrhea, joint pain, burning sensation in hands and feet, nausea, mild rash on both arms, increased heart rate, eye twitching.
1168045	4/5/2021	NJ	31	F	3/22/2021	3/22/2021	Right at time of vaccination being administered, intense pain radiated from the injection site down through the wrist. Soreness throughout the first day, followed by intense soreness for 3-4 days afterward. Painful enough that arm hurt to use, and woke during sleep at night. Pain seemed to lessen after 6-7 days, but on 4/1 woke up unable to lift arm and in intense pain. Saw PCP 4/1 and was diagnosed with capsulitis in L arm based on visual exam, and practitioner seeing this in other vaccine patients. Discussed with practitioner and it is believed that person giving vaccine administered it too high on the arm.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1168017	4/5/2021	AL	58	F	3/29/2021	3/29/2021	11:05 - rushing sensation down right arm (lasted about 10 seconds) 11:06 - face flushing (lasted a few minutes), heartbeat accelerating (lasted at least 15 minutes) 11:10 - weird feeling in my head (not painful, just strange) 11:10 - hands trembling, weakness in legs 11:15 - scratch throat (lasted a few minutes), eyes felt a little swelled (confirmed by looking in mirror, lasted the rest of the day) 11:35 - left store still feeling "not right" 4:00pm - headache all evening. next day - still weird feeling in head (not painful), but other symptoms resolved. Head feeling normal by 2pm. Wednesday - felt back to normal, only sore arm.
1168005	4/5/2021	CA	52	M	3/30/2021	3/30/2021	I developed cipro toxicity in 2017 due to a dose of cipro combined with steroids. Symptoms include neuropathy, tendon damage, vision and hearing issues, muscle aches and burning sensations throughout the body. These symptoms flare. I have been pain free for four months before getting the Pfizer vaccine. All of my symptoms came back 2 hours after the shot.
1167983	4/5/2021	GA	33	F	3/16/2021	3/17/2021	I had what seemed like an allergic reaction - swollen and sore arm, swollen face, profusely watering eyes, aggressive sneezing attacks, dry cough, fatigue. I took a Benadryl and slept for several hours and woke up feeling much better. By the next day, all symptoms were gone.
1167935	4/5/2021	IA	28	M	4/2/2021	4/4/2021	Mother called to report information for son. All information documented was information obtained. Luanne counseled to have son contact PCP for further recommendation. 04/02/2021, symptom of nausea, headache and feeling flushed instantly after receiving the vaccine. Client did not report symptoms or wait 15 minutes prior to leaving mass clinic. Symptoms on 04/02/2021 were resolved by morning of 04/03/2021. On 04/04/2021, client woke with swollen eyes and red blotches to face. Client took 50mg of Benadryl, 3 times on 04/04/2021. Symptoms improved over the day, but did not resolve.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1167933	4/5/2021	IN	21	F	4/2/2021	4/2/2021	6 hours after vaccine: intense chills, 102° fever for 6 hours, muscle soreness, nausea Day after vaccine 4/3/21: nausea, loss of appetite, muscle soreness, blurry vision, headache 2 days after vaccine 4/4/21: headache, soreness- especially at injection site, loss of appetite 3 days after vaccine 4/5/22: nasal congestion, runny nose, headache, fatigue, dizziness
1167923	4/5/2021	PA	32	F	2/19/2021	3/7/2021	2 weeks after second COVID vaccine, immediately after taking polyethylene glycol (Miralax) had severe pruritis of bilateral hands and feet with redness of the skin. Followed shortly by nausea and 1 episode of vomiting, hypotension (70s/50s), and chills. This passed over the subsequent couple hours then about 6 hours later developed sudden onset severe bilateral conjunctivitis which was so painful I couldn't open my eyes or see very well and ended up going to the ED. Seen by ophthalmology there and told it was likely viral conjunctivitis. Over the next couple hours this passed but then started to develop severe diffuse arthralgias which lasted about 1 day. This then passed and I felt completely fine. About 2 weeks later I tried taking Miralax again and about 6 hours after taking the Miralax developed the same severe diffuse arthralgias as the prior episode, which again passed in about 1 day. I had taken Miralax several times before getting vaccinated without any issue.
1168150	4/5/2021	CA	37	F	4/2/2021	4/3/2021	Right eye, redness and swelling of eyelid. Discomfort when blinking.
1170125	4/5/2021	TX	16	F	4/5/2021	4/5/2021	Patient became unresponsive within 15 minutes of getting vaccine. Her eyes were wide open, lips were turning blue, and had appeared to stop breathing.
1170256	4/5/2021	SC	75	M	2/16/2021	2/22/2021	On Monday, 2/22/2021, six days after receiving my first Moderna vaccine, I woke up with double vision. I have had it ever since (6 weeks today). I received my second Moderna shot at the same place on Tuesday, 3/16/2021 at 10:15 AM at the same location, and on Monday, 3/23/2021, I started having droopy eyelids. This has occurred every day since.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1170234	4/5/2021	SC	32	M	3/11/2021	3/11/2021	Roughly 6 hours after initial vaccination muscle spasms in right eye lid began. These have occurred throughout the day, though not non-stop, every day since the first dose of the moderna covid vaccine
1170224	4/5/2021	NY	36	F	4/5/2021	4/5/2021	A few minutes after vaccination the pt had what appeared to be a seizure with momentary loss of consciousness. Profuse sweating, tunnel vision and syncope also present. EMS was called and patient was transported to hospital directly from the pharmacy.
1170201	4/5/2021	NY	34	M	4/1/2021	4/4/2021	Bells Palsy. On April 4, I started feeling my mouth move funny while talking. By the next day, the right side of my face is largely unresponsive. When I raise my eyebrows, the right barely moves. When I try to smile wide and show all my teeth, the right side misty closed.
1170191	4/5/2021	VA	30	M	3/19/2021	3/20/2021	Immune reaction diary: Vaccinated at 2:58 PM, 3/19/21 Started feeling sleepy after I got home around 5 PM, T+2 hours, as I expect with a flu shot. I took a melatonin to boost this effect, and was cozily asleep by 6 PM, T+3. 5:00 AM, T+14: woke up chilly and overall mildly sore. Normal temperature. Very mild headache behind the eyes. No Tylenol yet for anything. Chills compounded by the fact I was wearing the same T-shirt from the day. I changed into a long-sleeve pajama turtleneck, pull-over sweater, and put on socks, and went back to sleep. 7 AM, T+16: Soreness and chills fading. Arm still a bit sore but less than shot #1. 8 AM, T+17: Headache and soreness comparable to a rough hangover. Moving slow today. No Tylenol needed yet. 11:30 AM: Mild fever of 100.7. Headache and soreness have remained mild. 2:30 PM (T+23.5): Fever of 101.0 (peak) 6:30 PM (T+27.5): Fever reduced to 99.5. 8:00 PM (T+29): Finally took some Tylenol with dinner for bedtime. 8:30 PM: temperature back to my normal baseline. 11:00 PM (T+32): Feeling back to normal, though worn out from the day.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1170169	4/5/2021	AZ	29	F	4/2/2021	4/2/2021	Hand got tingly right away then went away after a minute. As I was leaving the site my face got tingly from my eyes down to my chin about 12-15 minutes after the injection and then went numb for about 20-30 minutes. The following day I was very tired and felt slightly nauseous for most of the day. After about 30 hours after the vaccine I was feeling better.
1170150	4/5/2021	OH	17	F	4/5/2021	4/5/2021	Pt had reaction in the waiting room. Pt became pale, diaphoretic, passed out and had brief seizure x 3-5 seconds. She suddenly became aware again with no recollection of what happened. She continued to be pale and diaphoretic and c/o confusion and blurry vision. Pulse ox 98-100, HR dropped to 40's and BP 90/60. Squad was called, they assumed care and transported pt to ER with her mother present.
1170041	4/5/2021	CA	62	M	3/26/2021	3/26/2021	About 10 minutes after I received the shot I was sitting in a chair and I started getting very hot, sweaty, and found like I was going to throw up. Started seeing stars, vision narrowing. I laid down on the floor, and it seemed like I was having a hard time breathing. The pharmacist came out and started talking to me. My wife happened to be there and was trying to calm me down. I felt like I was passing out. The pharmacist checked my BP and it was like 80 something. He felt I was having an allergic reaction so gave me a shot with an Eppy pen. They called paramedics. I started feeling better but paramedics said I should still go to ER so ambulance took me to ER. They ran blood tests, EKG, and chest Xray. After a few hours they released me. They basically said that it was ok for me to get second shot, but obviously I am now extremely concerned about getting it
1170130	4/5/2021	WA		U			Nausea, vomiting, constipation, abdominal pain, body aches, heart hurts, fever, chills, rash, feeling faint, headache, eyes hurt, extreme fatigue.
1170322	4/5/2021	UT	25	F	4/5/2021	4/5/2021	Itchy eyes within 15 min Mild hives 3 hours after injection

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1170099	4/5/2021	AZ	35	F	3/25/2021	3/26/2021	I received the vaccination on 3/25. On 3/26 and 3/27 I experienced vaccination site soreness, which began to dissipate on 3/28. On 3/29 and 3/30 I experienced a persistent headache and also newly appearing red splotches at the injection site that went away within 48 hours. Then, on 3/30 I also began to experience extreme fatigue and felt "foggy," which persisted on 3/31. During the night of 3/31-morning of 4/1, I woke up multiple times during the night alternating between hot flashes and cold sweats and feeling slightly short of breath, and my eyes were very bloodshot upon fully awakening. I recorded a temperature of 99.9 degrees F the morning of 4/1 and still felt fatigued, so I called off of work and slept most of the day. By the evening of 4/1 I felt entirely better, as if nothing had happened. I want to note that I was diagnosed with a mild case of COVID-19 during early December 2020, so I wanted to submit my vaccination experience in case you are disaggregating side effect data by whether or not patients have previously had COVID-19. Of course I cannot be sure that my symptoms were definitively related to the vaccine, but if they were then the duration of symptoms seems quite lengthy.
1170091	4/5/2021	WA	50	M	3/24/2021	3/24/2021	Patient received first Johnson and Johnson, 2 minutes into a 30 min observation, patient began to have seizure like activity. Patient's eyes rolled back and he started to quickly shake for about 1 minute. Patient came to and was responsive. Provider arrived, vitals and physical exam were within normal limits. Patient was recommended to schedule an appointment with PCP and ask for a referral to Neurology, since patient had seizure like activity with a Tdap a few years ago.
1170089	4/5/2021	AZ	35	F	3/25/2021	3/25/2021	Facial swelling (Eye, cheek, lip and tongue) and facial numbness on side of injection (right side). - Eye swollen 4 hours afterwards. (Thought it was allergies). Woke to my full face swelling and numb in the morning following the injection. About 14 hours later. Took Benadryl immediately. Did not take the swelling down. Took a second Benadryl 2 hours later. Swelling started to go down then. Injection site discoloration (red) for about two weeks. As of last week, I think I could still feel tingling in my face on the right side. Not sure if that's normal?



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1170082	4/5/2021	MS	30	F	1/12/2021	1/13/2021	I woke up the next day and I felt fine. I went to work. At about lunchtime, I started getting a headache and it started at the front of my head but then by the end of the day it was my whole entire head. I still could work. It was there and throbbing. I took Tylenol - every four to six hours. That didn't really help. From that point forward, it slowly got worse to the point where it hurt to open my eyes, I didn't like the light, and I was in tears. I couldn't see straight every day and every day it was worse. I finally went to the doctor on Saturday. 23rd. She gave me a Toradol shot. I went to sleep after I got home and when I woke up the headache was finally gone.
1170068	4/5/2021	WI	31	F	4/2/2021	4/2/2021	Fever, fully body aches, headache, sinus pressure and pain, blackout vision, dizziness, weakness, fatigue, cough to inability to breathe, shortness of breathe, chest pressure and pain, mild left side facial swelling and numbness. Scared to contact emergency services due to cost. Took otc ibuprofen and suffered through night and next day. Slept on and off many hours over weekend. Some improvement but most symptoms still linger.
1170065	4/5/2021	WV	78	F	4/5/2021	4/5/2021	Pt stated she was unable to walk and had dizziness. She had to be assisted to chair. BP was 170/60 and a pulse was 60 bpm. Pt stated that she was breathing but felt unable to take a deep breath. Pt stated that she had problems opening eyes and leaving them open. also reported headache . Pt reported chilling and was having tremors possibly related to being cold.
1170060	4/5/2021	NV	38	U	4/3/2021	4/4/2021	Swelling in the left eye increased over 48 hours swelling in upper left lip
1170141	4/5/2021	NY	71	M	4/4/2021	4/4/2021	Began complaining of blurry vision in BOTH eyes that has progressive gotten worse beginning 3 hours after examination

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1170363	4/5/2021	HI	34	M	1/20/2021	2/16/2021	On 01/26/21, developed visual disturbance to lateral part of left eye with focal blurriness and red color around objects that lasted approximately 1 hour. On 02/16/21, developed severe neck pain and lightheadedness. Symptoms of lightheadedness, left arm pain, left shoulder pain, neck pain, and numbness/tingling in left hand continue to present. On 03/31/21, visual disturbance returned to lateral part of left eye with zigzagging patterns and blurriness. Treatment initiated on 04/01/21 with cyclobenzaprine 10mg oral daily. Prednisone initiated on 04/05/21 with 40mg oral daily x 3 days and 20mg oral daily x 3 days.
1169137	4/5/2021	CO	45	F	4/3/2021	4/4/2021	Pain in left eye
1170524	4/5/2021	TX	46	M	3/1/2021	4/3/2021	Inflamed, tender, painful lymph nodes on right side of body, facial drooping, constant eye watering, difficult to close mouth and to speak clearly, challenging to shut eye.
1170511	4/5/2021	TX	35	M	3/29/2021	4/4/2021	I was working on a fence about 5-5:30 pm and suddenly developed blurry vision. I continued working for another 5-10 minutes, then I went inside for dinner with my wife kids and in-laws. I complained I couldn't see in my peripheral to my wife and mother n law. I ate dinner, salad and spaghetti. While eating my brother in law asked if I got a new car and that he hadn't see the white one before. I tried to tell him what happened to my old car but got caught and couldn't think clearly about the old car, the problems it had and the story. After dinner I want out to help on the fence again and my son was handing my brother in law boards and I tried to tell him the board wasn't cut with a bevel yet. But couldn't come up with any words to describe the board. I went to my wife explained my that my brain wasn't working right and I clearly had a problem. I developed some tingling in my right hand. She took me to local ER referenced. My symptoms subsided on their own and they weren't able to see anything on a cat scan. As I felt better I didn't take the next step to the larger ER with and MRI.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1170474	4/5/2021	CA	55	F	12/30/2020	3/3/2021	3 episodes of abrupt and transient hypertension (max measured 218/113) with fever (38.1 C), marked headache and dyspnea on March 3, 4 and 7, requiring visits at Emergency Department (ED) on March 4 and 7. Episode on March 3 and 4 lasted few hours and self-resolved (2 liters iv saline on 3/4 at ED). Episode on March 7 required use of iv Atenolol at ED and oral Atenolol for the next 5 days. Starting March 5, flashes and floaters (?oily? spot in the right eye). All symptoms disappeared after March 12, except for the floaters in the right eye.
1170473	4/5/2021	NY	61	F	3/13/2021	3/14/2021	26 HOURS AFTER RECEIVING THE VACCINE, MY VISION WITH THE LEFT EYE STARTED TO DETERIORATE. THE DOCTOR ON CALL SUSPECTED RETINA DETACHEMENT AND ARRANGED FOR A RETINA SPECIALIST VISIT NEXT MORNING. THE RETINA SPECIALIST DOCTOR CONFIRMED THE RETINA DETACHEMENT AND PERFORMED SURGERY TO REPAIR IT THE SAME EVENING. EMERGENCY SURGERY WAS PERFORMED. I AM STILL RECOVERING (RECOVERY IS ESTIMATED TO TAKE 6 MONTHS), WITH DISTORTED IMAGING FROM LEFT EYE AND DOUBLE VISION.
1170459	4/5/2021	CA	49	F	3/30/2021	4/1/2021	Woke up before 6am on 4/1 to severe itching from what felt like a hundred bug bites, it was a systemic allergic reaction beginning from my scalp to my feet. These continued to grow into massive, red, itchy welts that covered most of my body all over. Throat became restricted, felt harder to swallow but not impossible. Chest pains started evening of 4/1 with every swallow. Took two Benadryl and slept on 4/1. Woke up on 4/2 with left eye swollen shut, lip swollen, and hives had settled into large, flat welts all over but less itchy. Went to Emergency Dept around 7:50am on 4/2 where I was given prednisone (60mg?) and Zyrtec. Observed for about 1 hr, 45 mins, and released feeling okay but still swollen with a few welts left. Have taken Benadryl every evening through tonight, 4/5. Welts disappeared on 4/4 and itchiness stopped then, too.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1170448	4/5/2021	FL	67	M	3/2/2021	4/5/2021	After the first dose, within a couple of days, purple patches started appearing randomly in my upper thorax, along my arms, across my chest,. I thought this was a typical "rash", but they are not. They are not antihistamine responsive, have developed a scaly crust-like surface, resembling psoriasis. On my face, I developed dry, scaling skin beneath both eyes and on the bridge of my nose. None of these symptoms have diminished. I had shot number 1 on March 2, and shot number 2 on March 23. The purple splotches are as large as 1.25 inches in diameter, but most are smaller than that. I am a registered pharmacist, and have never seen, nor experienced, anything like this. They itch, they are rough, like mild sandpaper, and they persist, now going on for about a month. I am hoping they resolve soon.
1170262	4/5/2021	AL	48	F	4/5/2021	4/5/2021	Patient was given dose in right arm; patient bled and stated that she normally doesn't bleed at all; held cotton ball in place for 30 seconds then applied bandaid when bleeding stopped; patient went to stand up and immediately felt dizzy and light headed and said this was abnormal. Pharmacist was called into the room to examine patient. ~1 minute later, eyes rolled back in patient's head and she was no longer verbally responsive. EpiPen was immediately administered and 911 was called. Pulse was faint but present, breathing was labored, and patient began sweating, Around 1 minute after giving epi, patient was responsive enough to give name, dob, time, etc. She could open her eyes, but was still very dizzy. EMT recommended to go ahead with Benadryl oral dose.. Patient was able to swallow 1 25 mg tablet. EMTs arrived within 5 minutes and took over care; her blood pressure was 80/65 and had improved to 108/80 right before she left. The patient told us that she could hear us talking to her the entire time. However, she did not feel the EpiPen injection or realize that she had loss responsiveness. She did agree to go with the EMTs to Medical Center.
1170405	4/5/2021	NY	36	F	4/5/2021	4/5/2021	102 fever, full, body aches, chills, headache, sore eyes, nausea
1170302	4/5/2021	IN	49	M	4/3/2021	4/4/2021	Burning eyes, cold sweats, headache, extreme fatigued

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1170359	4/5/2021	OH	50	F	4/3/2021	4/3/2021	Pt got her vaccine @ 0823, at end of 15 min monitoring, pt c/o headache. @ 0842 BP 140/90, HR 70 & regular. Denied visual disturbances or dizziness. @ 0852 BP taken again and remains same. Pt reported she also has allergies. Last dosage of BP meds last evening. Then stated she was fine, declined further monitoring.
1170345	4/5/2021	TN	36	F	4/3/2021	4/4/2021	Cough, Congestion, Achy, Tired, watery eyes

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1170339	4/5/2021	OH	57	F	3/29/2021	3/31/2021	On Mon 3/29/21, received first dose of vaccine. No adverse side effects. On Tue 3/30/21, upper left arm very sore at sight of injection. On Wed 3/31/21 am, arm no longer sore. Around 2pm, noticed ears were red, swollen and itching (3 out of 10). Took 25mg Benedryl. Didn't observe improvement in symptoms. Around 8pm, observed single dime- and quarter-sized hives at random parts of body (e.g. right front neck, right elbow, behind left knee). Took 25mg Benedryl and applied cold packs to help with itching. Cold packs temporarily helped with itching but there was no change to swelling or redness. By 11pm, eyebrows, eyelids, and under eyes starting to swell and itch. Took another 25mg Benedryl. At 3:30am, took 50mg Benedryl. On Thu 4/1/21 am, eyelids very swollen, ears still swollen, red and itchy, and now had red rash from head to toe. Went to urgent care. Dr. prescribed 20mg Prednisone (1/day), 20mg Famotidine (1/day), and 50mg Benedryl every 4-6 hours. Redness and swelling decreased throughout the day. During evening, itching increased; applied cold packs. During the middle of the night, intense itching (8 out of 10) and burning started on palms of hands and on tops and bottoms of feet. On Fri 4/2/21, eyes and ears less swollen and red rash mostly gone. Nose and lips were now swollen and red. Large groups of hives on neck, shoulder blades, buttocks, outer upper thighs, above both knees, palms of hands, and tops and bottoms of feet. Itching started at 8 out of 10 but improved after taking Prednisone, Famotidine, and Benedryl. Itching picked up in evening but not as bad (4 out of 10). On Sat 4/3/21, hands and feet still itchy. Took Prednisone, Famotidine, and Benedryl. Symptoms improved during day. Didn't need to take Benedryl every 4 hours; took 50mg at bedtime. On Sun 4/4/21, only minor itching on legs. Took Famotidine and Benedryl only in am and pm. On Mon 4/5/21, symptoms almost completely gone. Took Famotidine and Benedryl only in am and pm.
1170334	4/5/2021	CA	59	M	4/2/2021	4/2/2021	Received vaccine on 4/2/2021 at 4pm. Red/itchy face and neck at 5:30pm (hour and a half after vaccine). Facial swelling : eyes, face, cheeks at 1am on 4/3/2021 (9 hours after vaccine). No difficulty breathing, swallowing.
1170329	4/5/2021	NE	39	F	4/1/2021	4/4/2021	Swollen eyes, nose, lips, fingers, feet, hives all over the body

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1170326	4/5/2021	NJ	34	F	4/3/2021	4/5/2021	Pressure on back of eyes
1170325	4/5/2021	FL	48	M	4/2/2021	4/3/2021	Ice pick headache behind eye on same side as shot (left) - persistent for 3 days Chills / sweats - persistent for 2 days Slight fever - persistent for 2 days teeth ache on left side (same side as shot) - persistent for 2 days
1170296	4/5/2021	CA	21	F	4/5/2021	4/5/2021	after about 10 seconds of getting vaccinated, the patient kind of rolled her eye a little bit and lips became pale and vomited later too.
1170420	4/5/2021		73	F	3/12/2021	3/19/2021	Itchy rash, eventually spreading to most of the body (all except hand,feet,stomach,lower back.) Began on upper chest and upper back, spreading to neck, face, forehead. LIDEX(fluocinonide) used sparingly. Rash totally covered these areas and lasted approximately 10days-2 weeks, leaving scaly skin. Dry eyes, very dry mouth. Rash spread to upper arms, thighs (both were less dense than other areas, less itching) Finally spread to lower arms and lower legs. All rashes and itchiness cleared approximately 4 weeks after first rash appeared (or 5 weeks anfter 2nd dose) Size and color or hands differed after 2nd dose (uncertain dates for this obser For approximately 2 weeks, left hand noticably fuller and redder than right.
1169489	4/5/2021	NC	62	F	4/1/2021	4/1/2021	patient reports itching on scalp, moved down to upper face and ears, tongue felt numb, puffiness around eyes, then reported chest itching. Epi Pen and Benadryl given.
1169612	4/5/2021	PA	71	F	3/11/2021	3/11/2021	Felt in my head within seconds. My body was overheated to the point nurse applied ice on my back, neck, head. sweating. I was shaking. Felt like I was going to pass out. Felt dizzy which I an still experiencing. Vision was blurred, still experiencing. Was having sob.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1169585	4/5/2021	SC	40	F	3/31/2021	4/2/2021	Beginning Friday morning April 2, 2021 both of my eyes began watering and would not stop. They watered uncontrollably for 2 days and were red and puffy around the eye area. I flushed with eye drops, also tried taking claritin and nothing helped. I've never had itchy, watery eyes before. The symptoms stopped when I woke up on Sunday, April 4th and I haven't had any issues since. I'm not sure that it was vaccine related but I've never had issues like that before and it started less than 48 hrs after my second COVID vaccine. The symptoms ended just as abruptly as they began after about 48 hrs.
1169577	4/5/2021	AR	52	F	4/1/2021	4/3/2021	Swollen eyes Swollen face Eyes swollen shut Red spots on face and neck Severe dehydration Hours of vomiting Extreme stomach pain Extreme chills



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1169563	4/5/2021	CA	39	F	4/2/2021	4/2/2021	Patient received First Dose Moderna lot #030B21A Patient vaccinated without incident and sent to observation lot., RN in the observation lot greeted patient on arrival. Patient stated she was feeling "weird and a little dizzy" Jonetta had her recline her seat and open her window for air. She reported worsening dizziness and called APP (who happened to be very close). APP arrived to car and asked for observation / emergency supply cart. Found patient reclined in passenger seat c/o feeling weird and dizzy. APP noted increased respiratory rate and patient said she felt faint. She then slumped in seat and appeared to lose consciousness for a few seconds. She was breathing although breathing appeared mildly labored. She opened her eyes after a few seconds and began to shiver significantly. Pre-epinephrine assessment by APP: BP WNL, tachycardia and elevated respiratory rate. Skin cold. No wheezes. APP administered 0.3mg of epinephrine IM at 1237 to right thigh through jeans. Patient tolerated well. Vital signs post epinephrine showed an initially high BP and heart rate and then returned to within normal limits 5-10 minutes later. Patient feeling much better after epinephrine. I was assigned clinical site lead, I arrived on scene 3-4 minutes after APP. I called 911 and ambulance arrived within 3-4 minutes. Patient did not want to go to hospital but agreed to get in ambulance for 12 lead EKG and vital signs, all of which were stable. Patient refused hospital. Husband drove her home at approximately 1:30pm. APP called MD on call, they called patient at approximately 2:30pm and reported to APP that she was at home with no further symptoms
1169551	4/5/2021	PA	18	M	3/13/2021	3/13/2021	One hour after injection, felt his eyes swell and a tightening feeling in his throat. He went to the Emergency Room and was treated and released. They gave him oral Benadryl pills and observed him for approximately 2 hours. He stated that he felt better.
1169557	4/5/2021	TX	54	M	3/31/2021	4/3/2021	Muscle twitching began under left eye on March 3rd at 11am. Control of left eyelid was lost by March 3rd at 6pm Left side smile and chewing were adversely affected by March 3rd at 6pm. Symptoms continue to persist Note: I haven't suffered from any headaches or dizziness or trouble thinking. Everything below the mouth is fine. My balance is fine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1170534	4/5/2021	NM	54	F	3/16/2021	3/16/2021	After vaccine had dizziness at 15 min, itchy throat at 20 min - no treatment at site, did not improve with Benadryl - developed soreness, fatigue in evening, insomnia due to R with sometimes left facial tingling, sometimes with wrists, back, feet - no SOB/weakness/double vision/speech issues - now at day 21 milder but continuing with now L>R facial tingling
1169541	4/5/2021	PA	43	M	4/2/2021	4/3/2021	Pain in lower part of eye/eyelid
1169635	4/5/2021	WI	17	M	4/5/2021	4/5/2021	Patient passed out, complained of being lightheaded and having loss of vision post 2nd COVID-109 vaccine. EMS was called. EMS evaluated patient and recommended going to the hospital for observation. Patient's father denied transfer to hospital and patient left with father to go home.
1169503	4/5/2021	WA	41	M	3/26/2021	3/26/2021	From the evening of the day I received the vaccine I had migraine, muscle pain, joint pain, hot flashes, insomnia, dehydration, fatigue, and my eye sight was getting bad. All resolved by 4pm Wednesday March 31st but my eyesight is getting progressively worse. I cant read anything on the TV. Normally with my contacts I have 20/10 vision but now with my contacts in I still cannot see anything clearly.
1169204	4/5/2021	CA	57	F	4/2/2021	4/2/2021	Every gland swelled up in my body! All my joints inflamed! Had viral migraines so bad put cold pack on my arm,back of head and neck! Had a cold pack on my forehead! Took doses of Benadryl and tylenol! Feel like I got ran over and poisoned! Next day cold chills! Sores in my mouth throat red! Eyes glassy! Upset stomach inflamed anus! Fatigued legs are weak dizzy!
1169487	4/5/2021	FL	44	F	4/3/2021	4/4/2021	First vaccine. Aches, pins and needles in both hands and feet, vomiting, headaches, blurred vision, lightheaded, feeling spaced out, exhaustion

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1169466	4/5/2021	PA	46	F	3/27/2021	3/27/2021	I received the vaccine on March 27, 2021. Seconds after the injection was completed my vision went blurry, but it only lasted a few seconds. On March 28, 2021 I felt like my body was going to explode. My blood in the back of my head was thumping. I tried to take a nap to calm my body down but my body felt complete unrest and thumping. My urine made the whole inside of the toilet water look like a white thick cloud. I have never seen my urine look like that in my life. I used my husbands blood pressure monitor and my blood pressure was 152/104! I arrived at urgent care about 5:30 PM. They gave me a blood pressure pill. I have never had a blood pressure pill my entire life. They also took a urine sample since I told them about the my very strange looking urine. They found protein and blood in my urine. The culture days later showed no infection. I am still having issues with the high blood pressure.
1169457	4/5/2021	NY	72	F	2/12/2021	3/22/2021	Moderna COVID-19 Vaccine EUA Swelling, rash, welts, pink, every couple of days, then gone within 24 hours, with no treatment, starting with upper lip 3/22, right eye 3/28, upper right chest 3/31, stomach 4/4, right and left hip 4/5
1169450	4/5/2021	CA	67	M	1/30/2021	1/31/2021	Scleral hemorrhage of the Right eye, covering about 1/3 of visible sclera. Vision was not impaired. No bleeding outside of scleral tissues. No pain associated.
1169292	4/5/2021	SC	35	F	3/24/2021	3/24/2021	Less than 2 hours after receiving the vaccine I began feeling completely exhausted, could barely keep my eyes open, this continued through the evening until about 10 PM. The next morning I felt extremely achy and had chills. Those symptoms continued through the next two full days before they subsided. I took over the counter medications to manage the symptoms and visited a doctor early the next week. Doctor tested for Strep, negative, no other tests run.
1170007	4/5/2021	NH	29	M	4/5/2021	4/5/2021	Patient became very pale, reported feeling dizzy and having blurry vision after immunization, patient was given a cold pack to apply to neck and gradually felt better, patient remained at pharmacy for 30 minutes for monitoring

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1169157	4/5/2021	AZ	53	F	1/14/2021	1/14/2021	After my first dose Pfizer vaccine, I felt light headed and developed slight pain to the left side of my neck. I had slight headaches and felt fatigued. For several days I had headaches and the left side of my neck was sore and I felt very fatigued. I also had an episode of shortness of breath with dizziness. I went to play top golf with my kids and after playing I felt very fatigued, tired and this went on for about one week. I missed three days of work. I also then developed a migraine headaches to the point that i vomited profusely. I took headache medication which temporarily relieved my pain. I also started to have blurry vision, vertigo and I spent two days in bed. I had no fever. Of and on, I keep getting SOB upon light exertion. On the past Wednesday and Thursday I experienced dizziness and I had to stay in bed because I felt sick to my stomach and I continue with the pain to the my left side of my neck. I still have not gotten my second dose Pfizer vaccine.
1170312	4/5/2021	FL	55	M	4/1/2021	4/3/2021	I had a sharp pain in my chest and told my wife something was wrong.. I sat down and started sweating, after that my wife said she was asking me if I was ok and she said I was staring straight ahead and moaning then my eyes rolled back in my head and I was unconscious. My wife called 911 and was trying to get me to respond but no response. While she was yelling get an ambulance I came to and I asked my wife who are you calling. She told me I was unconscious for several minutes. I went to the ER via ambulance due to the symptoms. The paramedics thought I had a blood clot or heart attack.
1169540	4/5/2021	CA	67	M	2/28/2021	3/1/2021	Scleral hemorrhaging of the right eye. Bleeding covered about 1/3 of visible sclera. This occurred after the first Moderna vaccination as well as the 2nd.
1169921	4/5/2021	IN	45	F	3/26/2021	3/26/2021	Severe pain in entire left side of body, headache, passing out, fever, nausea, vomiting, blurry vision, sweating, weakness that night. Next day, 3/27/2021 same side effects. 4/5/2021 still having tingling, trouble with general movement in the left arm, muscle weakness

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1169924	4/5/2021	WA	47	M	4/5/2021	4/5/2021	After injection - experienced lightheadedness/dizziness/blurry vision. Patient was hypotensive -and once supine for a few minutes and his blood pressure returned to normal levels.
1169903	4/5/2021	CA	22	F	4/5/2021	4/5/2021	Patient received the vaccine and felt fine, and then walked out to the observation tent. As soon as she sat down in the observation tent she started to feel dizzy and after 30 seconds her vision started to go black. Patient then fell out of the chair, and regained consciousness after 5 seconds. Patient was then helped into a wheel chair and taken to a cot and waited 30 minutes before leaving and is having a friend pick her up.
1169898	4/5/2021	CO	16	M	3/11/2021	3/12/2021	Mother of patient describes chills, fatigue, and kidney pain. Is being exclusively managed by PCP who has seen him multiple times. Given Jannsen at mass vaccination clinic by student nurse under preceptor supervision. Error not brought to attention of until 4/2/2021.
1169894	4/5/2021	NY	34	F	4/5/2021	4/5/2021	Sudden pixilated/blurred vision, primarily right eye peripherally. After 20-30 minutes of obstructed vision, onset of headache. Sharp pain in temples, and strain/tension in neck. No soreness/tenderness at injection site. Eyesight restored around 6:00pm, headache continued. I took 3 ibuprofen, drank 4oz of gatorade, at two clementines, and 5 ride crackers.
1169881	4/5/2021	GA	16	F	4/1/2021	4/1/2021	patient said she started losing vision in one eye for few minutes, and started having numbness or tightness in arms. Paramedics were called and she felt fine after first few minutes
1169868	4/5/2021	TX	29	F	3/23/2021	3/23/2021	Patient stated feeling dizzy 1minute after sitting down in Post Vaccination. Pt felt sleepy, body felt heavy and she was about to fall. Pt did not fall but staff member stated her eyes rolled back. @ 2:20pm Pt is fully awake and feel back to normal now. Currently sitting in Post Vac eating and talking while being monitored by healthcare staff. Bp 122/76 Hr 66 O2 98 Patient stated that every time she gets vaccines and blood draws she feels this way related to anxiety of getting a vaccine. Patient is stable

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1169848	4/5/2021	OH	31	F	2/20/2021	2/22/2021	2 Days after receiving my 2nd Pfizer shot, I began to have blurred vision in only my right eye. For the first week, it began to get worse a little bit each day making it difficult for me to see out of my right eye. By the end of the first week (February 22 - February 28), my eye sight had gotten so blurred/darkened with my vision in my right eye that I was uncomfortable operating a vehicle. During the week of March 1 - March 7, I did not drive and went to the Eye Institute on March 1st assuming it was a retinal tear or something more serious due to the lack of vision in one eye. There was blurred vision with a darkness that covered the center part of my eyesight. It was very difficult to see if it was bright outside and there were little floaters here and there. I explained this to the urgent care doctor at Eye Institute and they completed retinal scans and various other tests/scans. The doctor did not see anything physically wrong with the eye. For that next week (March 1 - March 7), my vision continued to remain exactly the same where there was a large, dark spot constantly when I looked out of my right eye. As I stated above, it was also very sensitive to light. I went on Monday, March 8th to get a second opinion, but they also could not tell me what was wrong. Exactly 2 weeks after the vision issue started, my vision began to return normally. During the week of March 8th, my right eye regain its vision back to its normal eyesight. By the end of the week (March 13th-ish), I would say my vision was at least 75% back to normal. It is 100% back to normal now and has been for a few weeks now.
1169833	4/5/2021	OH	46	F	3/27/2021	3/27/2021	Patient had peripheral vision problems and some anxiety. The worst side effect is the severe migraine headache she has had for 8 days and counting since she got the vaccine. She has a history of migraines but this one was untreatable and extended into her optic nerve. It was also on both sides of her head rather than just one (which is how it normally is). She went to the emergency room where they can usually treat it. However, this time, their treatment did not work. She said she also has a hard time finding words and is feeling more fearful when she rides her motorcycle. She does not want to ride her motorcycle right now, due to these vision problems and anxiety.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1169830	4/5/2021	OH	45	M	3/11/2021	3/11/2021	Injection was inserted very high in the shoulder. I think the injection may have gone into the bursa. The injection was quite painful. Significant pain within 2 to 3 hours post injection. I could barely move the arm for about 5 days due to overwhelming pain. There were no visual symptoms from this injury. It began resolving after about 5 days and has mostly resolved but I still have some discomfort in the shoulder joint after more than 3 weeks.
1169810	4/5/2021	MA	45	M	3/26/2021	3/27/2021	Moderna COVID-19 Vaccine EUA first dose given at 6pm. Mild pain at injection site within a few hours. 3am (9 hours after injection) I went to the bathroom, and while standing got dizzy and lightheaded tried to sit down. Collapsed while trying to sit down and hit head on bathroom floor. Cut right eyebrow on floor. Tried to get back to bed and was in and out of consciousness for 30-60 seconds per spouse. Vasovagal response symptoms. Cold sweats. I was very thirsty and drank a tall glass of water. 5 minutes later I stood up and went back to bed feeling fine. I slept the rest of the night and felt fine the next day, and for the rest of the weekend with no other symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1169787	4/5/2021	OH	82	F	2/23/2021	3/18/2021	<p>The patient received her FIRST dose of Moderna COVID vaccine on 1/26/21 and SECOND dose on 2/23/21. On 3/8, she first started to experience shortness of breath, which was attributable to cardiac etiology and diastolic heart failure at the time, but which in retrospect may have been her earliest symptom of new onset myasthenia gravis, which is the AE I am wanting to report. She was hospitalized from 3/8-3/13, and underwent extensive cardiac workup that was negative. She again developed shortness of breath on 3/17/21 and was re-admitted to the hospital on 3/18/21 for diuresis for presumed diastolic heart failure exacerbation, received diuresis from 3/18-3/22/21 but then developed new onset diplopia, at which point I evaluated her in neurological consultation on 3/22. Her brain MRI disclosed an UNrelated incidental small left cerebellar infract, but her neurological exam showed a new R lateral rectus palsy and new moderate to severe left eyelid ptosis, suspicious for myasthenia gravis. Anti-acetylcholinesterase antibodies--- binding, blocking, and modulating, were all sent off and came back all strongly positive on 3/26-27/21. The patient then called stating she had developed recurrent shortness of breath, new onset dysphagia, and worsening double vision. I urgently re-evaluated her in outpatient follow-up in my office on 4/2/21 and sent her immediately to the hospital to be readmitted, where she remains as of this reporting date and she has been receiving IVIG with improvement in her symptoms. She did NOT have any previous known history of eyelid ptosis, dysphagia, diplopia, or muscle weakness. In retrospect, the patient states that her current symptomatology began around 3/7/21 with the benefit of hindsight. I am reporting this event because it is very unusual for an 82 year old WOMAN to develop new onset of myasthenia gravis, and it is a known autoimmune disease, and a vaccine would be a plausible trigger for its development, or trigger for its first symptomatic manifestation. I was also especially concerned because my fellow neurologist, ALSO had a patient develop myasthenia gravis about 2 weeks or so following their second dose of the Pfizer COVID vaccine. It would be an EXTRAORDINARY coincidence for two instances of new onset myasthenia gravis to occur 2 weeks post- vaccination at essentially the same time in an institution of our size, so we both felt obliged to report both cases ASAP to the VAERS. I was not able to reach</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1169739	4/5/2021	NY	67	F	3/26/2021	3/30/2021	<p>the patient in her hospital room today to get additional specifics about where she got the vaccine, its lot number etc., however she is a retired and has indicated her willingness to provide you with any and all additional information you need, and I am also personally very willing to provide any additional information about her eventual outcome.</p> <p>Patient is a 67 yo F with PMH of HTN, HLD, depression/anxiety who presents with subjective fever &amp; chills, bifrontal non-radiating HA, myalgias, non-productive cough, diarrhea since 2nd covid vaccine (03/26/21) x 4 days. Patient also endorsing SOB, chest pain only when coughing. No sudden vision changes, focal extremity weakness/numbness, syncope, palpitations, N/V, abd pain. No known prior DVT/PE, recent long distance travel/immobilization/hospitalization. +covid exposure (patient has had 23 family members die of covid). Patient endorses active suicidal ideation. Patient tested positive for covid after two doses of vaccine. Upon arrival to the hospital, patient was febrile to 38.1, hemodynamically stable, but hypoxic and placed on supplemental O2. Patient continued to require oxygen throughout hospitalization, administered remdesivir, anticoagulation and steroids. Patient discharge planning occurring. Patient will require oxygen upon discharge. O2 sat on room air at rest is 88%. Psych following patient.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1169729	4/5/2021	IA	35	F	1/20/2021	1/20/2021	I had an instant reaction. Within mins of sitting after vaccine. I started feeling hot, and very itchy on my right arm (site). I then noticed I was very red, and itching more and more, around the same time. The nurse had looked over at me that gave vaccine and said you look very red and "are those hives" I had hives on my chest, arms, back, butt, and you could see the red rash/hives visually spreading. Roof of mouth also was itchy. They gave me 2 benadryl and water, asked me to stay and be observed for a half hour or so. I started feeling relief soon after benadryl. But, not full relief until much later that night. I also Had very painful and swollen lymph nodes at injection site, through my right breast and neck. for 3 wks or more. they might still be slightly swollen, but no more pain. Very scary. I had Covid back in November, I had symptoms of not being able to control my body temp since./ After I received vaccine, I also developed covid toes for a few wks and now my feet get very cold and purple almost black from just the slightest cold.
1169722	4/5/2021	MO	52	F	3/17/2021	3/17/2021	Moderna COVID-19 Vaccine EUA - Dose 2 Beginning 8 hours after shot (adverse reaction to first dose began 12 hours after shot), headache, fever, chills, fatigue, terrible all-over body aches, joint pain. Within 24 hours, developed rash on arm near injection site, with blisters and itching, followed by all-over body itching - but no rash other than on arm. This made me and my doctor consider that the first dose likely had a lingering similar effect, because from the time of the first dose I had unexplainable body itching with no rash, moving from place to place, in strange places like mons pubis, elbow pits, breasts, palms of hands/feet, scalp, leg creases, ears, eyeballs, neck...for the entire month. It was just resolving when I got the second vaccine, and the itching flared again...again with no rash EXCEPT at vaccine site. We believe I am having not only an immune response to the vaccine but also some kind of allergic reaction.
1169703	4/5/2021	CO	28	F	4/2/2021	4/2/2021	Headache initiated on day of injection remained dull for 36 hours then exacerbated to migraine type headache with photophobia, Left ocular area pain, x 24 hours persisting at time of visit
1169682	4/5/2021	NJ	37	M	4/3/2021	4/4/2021	Headache, eye discomfort, muscle pain

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1169973	4/5/2021	PA	17	F	4/5/2021	4/5/2021	Following the vaccine admin patient felt a wave coming over her and passed out she experienced tunnel vision and was clammy. She was placed on the floor and was then placed on a back board and taken to medical observation, patient wears a continuous glucose monitor and her mom reported that her bld glucose was 129, patients vital signs upon arrival was 120/65, P 71, Ox 98% on room air @ 10:35, at 10:40 her blood pressure was 120/78. she was then placed in a sitting position and bp was 119/79 and then standing after 1 minute was 121/74- patient was released from observation via wheelchair she was taken to the exit with her mom and she exited the building.
1169828	4/5/2021		19	F	3/31/2021	3/31/2021	~~ Called to vaccine table for pt feeling faint. Pt reports similar response to vaccinations in the past. No hx of allergies. Patient presents to the peds ED after experiencing dizziness, vomiting, and vision changes after receiving her first dose of the COVID vaccine (pfizer). Pt states she normally gets lightheaded with needles, but never to this extent in the past. Pt states that immediately after receiving her COVID vaccine, she became lightheaded, had tunnel vision, and vomited. Pt states that she was taken to another room where she vomited. In that room, she was noted to be cold and clammy. EMS notes pt's systolic BP was in the 80's, but improved to a high of 116/69. Pt noted vomiting x3. Pt notes she did take plan B on 3/21 and LMP was about 5 days ago. Pt denies any PMHx, medications, allergies, family history, or surgeries. In the ED, pt noted that she was feeling a lot better and was no longer dizzy/lightheaded. Reports Nausea, dizziness and weakness. Pt transferred to triage area. Pt had uncontrolled vomiting. Transferred care to onsite EMS for transport to local ED.~~

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1165848	4/4/2021	LA	60	F	3/12/2021	3/1/2021	<p>my body is killing me; body pains; fever/Had a 101 fever at night; experienced ulcer on the side of her tongue; eye stye/I started with some kind of infection like stye something; felt terrible/ I am just feeling bad/Started freaking out; Swollen eyes/more puffy; irritable; stressed/Shot stressed my body; headache; Drug sensitivity/Reaction to medicine; I didn't have a taste; my 'eye' also started getting kind of sore; And then 3 days later, it started with an ulcer in eye; This is a spontaneous report from a contactable consumer, the patient. A 60-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Formulation: Solution for injection, Lot number: EN6204; Expiration Date: 30Jun2021), via an unspecified route of administration, in the left arm on 12Mar2021 around 1:15- 01:20 PM (at the age of 60-years-old) as 0.3 mL, single for covid-19 immunisation. Medical history included arthritis, anxiety and I had the virus in November. Concomitant medications included meloxicam (MOBIC) taken for arthritis as needed; alprazolam (XANAX) at 1 mg daily for anxiety. On an unspecified date in Mar2021, the patient had body pains, had a 101 fever at night, headache, ulcer on tongue, swollen eyes, stye in eye, felt terrible/started freaking out, irritable, drug sensitivity/reaction to medicine, shot stressed my body. Consumer stated, I had gotten the vaccine the other day, Friday. You don't know me but if you know me, I am going to have the side effects and it's going to happen, and it happened. From the next day my body is killing me. I had a 101 fever at night, felt terrible. Anyway, the next day, I felt better, whatever. And then yesterday, I felt pretty good except I started with all of a sudden, I got ulcer on my tongue. Now, I have got like, I don't know a stye happening on my eye and I know, it's all due to that vaccine because I have reactions to the medicines. I got to watch what I do. And I was scared to get this thing anyway, I already didn't want to get the shot and I did it. But anyway, right now, I am just feeling bad because of my tongue and I kind of looked up that and it did say that it can be caused from like a drug sensitivity. I do know it's all because of that." Consumer further stated, "Like 3 days later, I started with some kind of infection like stye something on my eye. Yesterday it started, and also, I have an ulcer on my tongue now. But I guess what I am afraid of, in less than 3 weeks, I have</p>

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

got to take this vaccine again. The patient had the virus in November, and I did test positive at some point for the antibodies and when I looked up something, as I was running a high fever. I started looking up stuff and it said if you already have a pre-existing immunity which I did due to the antibodies. I believe it's still there because it has been 4 months, but you might get. It says you will get side effects worse; you will get side effects. People that have never got exposed and have antibodies, don't get the side effects but I got them. So, I guess what I am afraid of because now I am like, I know it's a reaction to the medicine. And now I got ulcers on my tongue. And my eye, yesterday it started with the sty thing, and I never get them, it was swollen. I know this was a reaction from that vaccine, I know it was. I don't have fever and none of that no more, the body aches have left me. It was pretty bad, but it left me. But I am scared to get that next vaccine. Consumer stated, my 'eye' also started getting kind of sore and now it's swollen and I know this was a reaction to that because my body did not like that's all I can tell you. I am afraid if I get the next vaccine which was on 02Apr2021 (later confirmed), am I going to get, I am scared that something worse is going to happen to me. Because everybody knows if you had the vaccine, any of them, nobody and they say with the first vaccine usually you don't get anything, it's the second one. Well, I know, it was going to happen to me, and it did happen to me. So, I am scared what's going to happen with the second one. If my body still has antibodies from the virus, it did say or I read, maybe it's not true but what I read, it said 89 or 87% people that have already been having pre-existing immunity which would be me because I had the antibodies, you won't get the side effects more than people that never had the antibodies or had the virus. I didn't have a taste because I was having a high fever initially when I had the virus. It was weird. I cannot explain the feeling. I was laying down that night, that Saturday night, I thought let me check my temperature and it was like 99.5 and then maybe an hour later 100 and at 1:30 in the morning, it was 101 and then a couple of hours later, I checked it and it was like down to 100.5. I was calling a Pharmacist when I started freaking out on that. And they said no, nothing was going to happen. On Sunday morning, it was 99.5 and then when I checked it yesterday, I had nothing, no more fever. But then I

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

started with ulcer and I looked it online and it said that it could be due to the stress and I was very stressed out because of getting a shot. I didn't want to do it and I did it but one of the things, it said a sensitivity to foods and drugs can cause ulcers in the mouth and I know it was that and then my eye, I don't know about the eye, it's swollen underneath. I know this was a reaction, I know it was. Eye was a little worse. I guarantee you, it's due to the shot. Shot stressed my body. That was just my reaction to that shot because it started all the side effects. And then 3 days later, it started with an ulcer in eye. And I guess that it's just too coincidental. It just stressed my body bottom line. The eye was a little bit worse today. The ulcer was going to go away, but it is at its peak right now. I am worried about the eye. It started sore yesterday and then today it is more puffy and I kind of put my contact lenses on it. It's not in the eye. It's on the tissue of bottom lid near the edge of the eye. The patient underwent lab tests and procedures which included blood test which showed okay, everything was okay. Therapeutic measures were taken as a result of ulcer on the tongue included had a mouth wash that she used and had done great to my teeth. The ulcers are going to go away, but the eye was. I am just kind of watching it if it gets like whatever tomorrow. I might go to emergency room. It's not in the eye. It's in the lower lid. It's very tender and close to eye." Consumer further stated, "I want to know an answer. This is really important to me because this time, I have to take a nerve because as soon as they put the needle in me, my nerves, I just had a panic attack. I was scared. I need to know do I need to afraid to get next vaccine because I won't do it if I knew something worse going to happen, I won't do it. I already have the reaction, but I don't want to risk our lives again. I got the side effects. Consumer stated, I'm a little sensitive to the medicines. I keep a check on what do I take. The outcome of the events body pains and fever recovered on Mar2021, ulcer on the side of her tongue, felt terrible/ I am just feeling bad/started freaking out was recovering, swollen eyes/more puffy; eye stye/I started with some kind of infection like stye something; my 'eye' also started getting kind of sore; And then 3 days later, it started with an ulcer in eye was not recovered and other events was unknown. Causality assessment for events had a 101 fever at night, ulcer on

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

tongue, swollen eyes with BNT162B2 was related per reporter.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1165904	4/4/2021	NM	89	M	3/19/2021	3/20/2021	The way he is acting is more like he had a stroke; eyes glazed over; disoriented; felt funny; very weak; can barely stand and barely walk without human assistance and his walker; can barely stand and barely walk without human assistance and his walker; This is a spontaneous report from a contactable consumer. An 89-year-old male patient received bnt162b2 (Pfizer-BioNTech COVID 19), dose 2 via an unspecified route of administration, administered in left arm on 19Mar2021 12:15 (Batch/Lot Number: EN6208) as single dose for COVID-19 immunisation. Medical history included vascular dementia; hypertension; hypothyroidism; malignant melanoma of back (resected/in remission); bladder cancer (surgery in Nov2018/in remission); prediabetic; chronic kidney disease stage 3 due to hypertension; and sleep related hypoxia. No known allergies. Concomitant medications included donepezil taken for an unspecified indication, start and stop date were not reported; memantine taken for an unspecified indication, start and stop date were not reported; levothyroxine taken for an unspecified indication, start and stop date were not reported; lisinopril taken for an unspecified indication, start and stop date were not reported; lovastatin taken for an unspecified indication, start and stop date were not reported; fluoxetine taken for an unspecified indication, start and stop date were not reported; cyanocobalamin (VITAMIN B-12) taken for an unspecified indication, start and stop date were not reported; aspirin [acetylsalicylic acid] taken for an unspecified indication, start and stop date were not reported; and unspecified multivitamin tablet. The patient previously received 1st dose of bnt162b2 (Pfizer-BioNTech COVID 19) on 26Feb2021 07:45 PM in the left arm for Covid-19 immunization. The patient has not received other vaccine in four weeks. The first day after the shot, there were not any adverse reactions. The next morning at approximately 11:00 am, the reporter found patient laying on the floor next to his bed, eyes glazed over, disoriented, and he said "he felt funny". The reporter got him sitting up leaning on the side of the bed and called. The EMT's came and checked his vitals. Within half an hour from finding the patient laying on the floor, he seemed almost back to normal. However, since he is 89 years old, the patient was transported by ambulance. Blood was drawn, a urine sample was taken, a chest Xray, and a CT scan of his head and his spine



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1165892	4/4/2021			U		3/17/2021	<p>were the labs that were run. All the labs came back normal. However, once patient got home after being in the ER for 5 hours, he is very weak, can barely stand and barely walk without human assistance and his walker. The way he is acting is more like he had a stroke. Onset of the events reported as 20Mar2021 11:15 AM. The events resulted in emergency room/department or urgent care. Outcome of the events was not recovered. The patient used walker due to can barely stand and barely walk; for other events, there was no treatment given. The patient was not diagnosed of Covid prior vaccination and has not been tested for Covid post vaccination.</p> <p>anaphylactic reaction; Had heartburn; significant rash; facial swelling; This is a spontaneous report from a contactable physician. A 58-year-old patient of an unspecified gender received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number and expiry date: unknown), via an unspecified route of administration on 17Mar2021 as single dose for COVID-19 immunization. The patient medical history and concomitant medications were not reported. It was reported that the patient got the Pfizer covid vaccine 2 days ago. Patient had heartburn then significant rash then facial swelling. Gave her Benadryl and ice and keeping an eye on it, did not give prednisone yet. They were asking for recommendation on how to manage anaphylactic reaction and the time course. The outcome of the events was unknown. Information on the lot/batch number has been requested.; Sender's Comments: Considering the plausible drug-event temporal association and known safety profile, a contributory role of the suspect product bnt162b2 to the reported Anaphylactic reaction cannot be excluded. Case will be reassessed upon receipt of additional information.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1165867	4/4/2021	NC	80	M	2/17/2021	2/19/2021	<p>rash all over his body; This is a spontaneous report from a contactable nurse (patient's spouse). An 80-year-old male patient received bnt162b2 (BNT162B2), dose 2 intramuscular at the age of 80-years-old, administered in Arm Left on 17Feb2021 13:30 (Lot Number: EN6201) as a single dose for COVID-19 immunization. Medical history included recently, the patient had retinal detachment and had surgery for that on 18Jan2021, then he had to go back 26Feb2021 to have surgery on the same eye, he has a pacemaker. Concomitant medication included unspecified eye drop. The patient previously received bnt162b2 (BNT162B2), dose 1 intramuscular at the of 80-years-old, administered in Arm Left on 29Jan2021 11:00 (Lot Number: EL9263) as a single dose for COVID-19 immunization. The patient experienced rash all over his body on 19Feb2021. Reporter's husband (patient) has a rash all over his body. The rash has not bothered him. Reporter noticed the rash 3 days after he received the second dose, clarified as she noticed the rash 2 days after he received the second dose. Reporter just happened to walk into the room while patient's shirt was off. She was like "Oh my goodness, what is that." She has looked a couple of more times at patient's rash. After patient first gets out of the shower, his rash is more pronounced. She is not sure if it is because of the warm water or washing up that makes it more pronounced. She can run her hand over the rash and still feel it. The rash had gotten slightly better. Reporter stated that the rash has not concerned her until it has not gone away. Reporter is trying to decide whether or not to take patient to the doctors office since the rash has not went away. The outcome of the event rash was unknown. The event was considered as serious (medically significant).;</p> <p>Sender's Comments: Based on available information, a possible contributory role of subject product, BNT162B2 vaccine cannot be excluded for the reported event of rash, based on temporal relationship and the known product safety profile. There is very limited information provided in this report. This case will be reassessed upon receipt of follow-up information. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1165866	4/4/2021	NJ	69	M	3/12/2021	3/1/2021	Eyes began to water and itch; Eyes began to water and itch; Slightly blurred vision; Discharge in both eyes; Sensitive to light; Substantial Fatigue; eye irritation; Involuntary squint; This is a spontaneous report from a contactable consumer, the patient. A 69-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: EN6206 and Expiration date: 30Jun2021), via an unspecified route of administration, in the left arm on 12Mar2021 10:45 (at the age of 69-years-old) as 0.3 mL, single dose for covid-19 immunisation. Medical history included high blood pressure, seasonal allergies (He controlled them with Zyrtec), hypertension-mild and pollen and grass allergies. The patient had no allergies to medications, food, or other products. Concomitant medications included amlodipine/losartan (MANUFACTURER UNKNOWN) taken for high blood pressure. The patient did not receive any other vaccines within four weeks prior to the vaccination. Prior to the vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. On 12Mar2021, 13:15 the patient eyes began to water and itch, slightly blurred vision, discharge in both eyes, sensitive to light, substantial fatigue. The patient had 2 major side effects. Both occurred about 2 hours after getting the vaccination. Both worsened as the day went on. The patient had involuntary squint because of itchy and watering eyes, dried discharge closing eyes in morning upon rising. They got significantly worse the following day. His eyes began to water and itch, and vision got slightly blurry. He attributed that to his eyes watering constantly. He does not wear glasses and has close to 20/20 even though he was old. He looks at computer and reads a lot. It got worse until Monday, then it abated slightly. It was still substantial. The right eye was worse than left. Two hours after watery and itching, he did not notice any blurry vision. That was later in the afternoon. As he was writing documents on computer and reading printed material was when he noticed it. There was enough discharge from the watering and tearing that when you wake up, you feel your eyes are glued closed. It has improved slightly in one eye. But it was the same or worse in right eye. Sensitivity to light began around 2 hours after the vaccination while he was in the car driving. Substantial fatigue got worse that night

VAERS\_ID RECVDDATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

and was moderately bad Saturday, Sunday and Monday. It had abated moderately yesterday and then was worse yesterday and today, but better than the weekend. IT comes and goes and is not continuous. He has never had malaria but thinks it was the same feeling of overwhelming fatigue. He does not have any previous pre-existing conditions. It began with the vaccination. He was not a person of hypochondria and was not particularly worried about this. He was not worried about dying. They are simple side effects with any vaccine. The patient was disturbed when he looked it up. He did not see any symptoms being advertised about eye problems and he was very educated about it. Then when he looked it up, he saw others that had the same thing if not worse. He does not have any information for people that experienced the same thing that he read about online on the internet. Many symptoms that people were reporting were much more severe such as: eyes puffy, face swelling and eyes itchy and crusty. He must have seen 30-35 on two websites that reported and many more on websites on the internet. He then said it could have been 35-40 that he read carefully. Everyone in his family had the vaccine. His son had first dose and experienced no real symptoms. His wife who is a nurse had it 3 weeks ago and only a mild twinge in her arm. She experienced some fatigue yesterday for second dose. It was not really important and nothing that has not been reported. He did not wish to complete report. He was the healthiest person in the family, and he was surprised that he got these side effects. After he got the eye issues, he took Visine. Visine Advanced only clears were up for 10 minutes and then it comes right back. He only used it a few times because it was useless. If the vaccine had not blinded him, he could see the lot number easier. Lot is JJB0300 with expiration Sep2021. It was a total size of 0.284 ounces or 8ml. Visine Advanced gets rid of bloodshot eyes like for drunks. He does not drink though. He would not be willing to send a sample and it was sealed and intact. The patient uses the cetirizine (tablet, 10mg, Lot: 0EE27118 and Expiration date: Jan2022) oral from 13Mar2021 at 10mg twice a day taken for eye problems related to vaccine. The patient has been using and thought it might help with eye irritation. The patient took antihistamine as treatment for the events. The outcome of the event sensitive to light was recovering, eye

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1165859	4/4/2021	NY	52	M	3/10/2021	3/16/2021	<p>irritation was unknown and other events were not recovered.</p> <p>pressure behind my eyes; tested positive for Covid-19; He had tested positive for COVID using rapid test 16Mar2021; This is a spontaneous report from a contactable Consumer. A 52-years-old male patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), via an unspecified route of administration, administered in Arm Left on 10Mar2021 (Batch/Lot Number: EN6207) at single dose for covid-19 immunisation. Medical history included Deficiency of Vitamin D. Concomitant medication included colecalciferol (VITAMIN D [COLECALCIFEROL]) at 2000 iU, once a day taken for hypovitaminosis. The patient experienced tested positive for covid-19 and drug ineffective (medically significant) on 16Mar2021. It was reported that patient had the 1st dose of the Pfizer-Biontech Covid-19 Vaccine last 10Mar2021 - 2 days after (12Mar2021) he experienced sinusitis then few days later he developed cough on 16Mar2021. He had tested positive for COVID using rapid test 16Mar2021. He was asking if he was still eligible to get the 2nd dose of the vaccine which is scheduled on 31Mar2021. Consumer also stated that he had symptoms on Friday which were sinus and then Saturday he was not that bad but on Sunday he had sinus, pressure behind his eyes and then slight headache and then his cough, he developed a cough once in a while, then on Monday he had the same symptom it felt like, he was really fatigue, he got tired very easily and then on Tuesday he woke up and it felt better so he work and then he still feel pressure, the slight of pressure and the cough and then he start to get tired again, so he went for the test that night, so yesterday he had and that was how he tested positive. Outcome of the event pressure behind my eyes was not recovered and outcome of other events was unknown.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1165927	4/4/2021	CA	32	M	4/3/2021	4/3/2021	Systemic: Flushed / Sweating-Severe, Systemic: Hypotension-Severe, Systemic: Seizure-Severe, Additional Details: Patient expressed that he didn't like needles. Patient stated that he has gotten flu shots in the past. Immediately after administering the vaccine, patient stopped responding, his eyes bulged, and his arms tensed and both arms went up to his chest. I was calling his name and asking if he was doing okay, he kept staring straight ahead and wasn't responding. Patient eventually came to after a minute. Measured blood pressure twice &, average ~90/55. Offered patient ambulance, patient declined.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1165852	4/4/2021		59	F	3/15/2021	3/15/2021	<p>eyes were itchy; hard to breath; lips felt like they were getting puffy and they were bright red; lips felt like they were getting puffy and they were bright red; tongue tingled but didn't swell; heartrate was 112 / heartrate was high; dizzy / lightheaded; vertigo; brain fog; trouble focusing; right arm was itchy and hot where she got the injection; right arm was itchy and hot where she got the injection; had a hard time forming sentences; really tired and sleepy; really tired and sleepy; chills; headache/I felt like my head was kind of throbbing; where the patient's thyroid is was swollen; couldn't really walk; had no balance; ringing in my ears; lost my voice.; This is a spontaneous report received from a contactable consumer, the patient. A 59-year-old-female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration on 15Mar2021 (at the age of 59-years-old) as a single dose for COVID-19 immunization. Medical history included allergic to a lot of medications/ antihistamines. Concomitant medications were not reported. The patient previously took diphenhydramine (BENADRYL) and was allergic. On 15Mar2021, within 2-3 minutes of vaccination, the patient's heartrate was 112, she started getting dizzy, lightheaded, and had vertigo. Her oxygen level was okay. On 15Mar2021, the patient also had some brain fog and trouble focusing, the right arm was itchy and hot where she got the injection, her eyes were itchy. The patient was then taken back to lie down. It was hard to breathe and she had to take large deep breaths. Her lips felt like they were getting puffy and they were bright red, she had a hard time forming sentences, was really tired and sleepy, had chills and a headache (felt like her head was kind of throbbing). Also, on 15Mar2021, where the patient's thyroid is was swollen, the patient couldn't really walk and had no balance, had ringing in her ears, her tongue tingled but didn't swell, the walls started moving and she lost her voice. The patient was kept for 2 hours and was almost sent to the ER. The patient brought an epinephrine (EPIPEN) but there was concern administering it because her heartrate was high. The patient questioned whether she should receive the second dose as she almost went into anaphylactic shock after the first dose. The clinical outcome of "right arm was itchy and hot where she got the injection" was resolved</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							on 16Mar2021, of eyes were itchy, hard to breath, lips felt like they were getting puffy and they were bright red, tongue tingled but didn't swell, heartrate was 112 / heartrate was high, dizzy / lightheaded, vertigo, brain fog, trouble focusing, had a hard time forming sentences, really tired and sleepy, chills, headache/I felt like my head was kind of throbbing, where the patient's thyroid is was swollen, couldn't really walk, had no balance, ringing in my ears, lost my voice was unknown. Information on the lot/batch number has been requested.
1166172	4/4/2021	IL	74	M	2/19/2021	2/22/2021	Diagnosed with Right PCA Infarct. Sudden vision issue in left visual area of each eye.
1165854	4/4/2021	PA	33	M	2/23/2021	2/27/2021	lower eye area has been swollen; This is a spontaneous report from a contactable consumer (patient). A 33-year-old male patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, lot number: EN6202, expiry date: unknown), via an unspecified route of administration in the right arm, on 23Feb2021 15:30, as single dose, for covid-19 immunization, at a hospital. The patient's medical history and concomitant medications were not reported. The patient had no known allergies. The patient did not have COVID-19 prior to vaccination and was not tested for COVID-19 post vaccination. Historical vaccine included the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, lot number: EL8982, expiry date: unknown) received at 33 years of age, via an unspecified route of administration in the left arm, on 01Feb2021 13:00, as single dose, for COVID-19 immunization. It was reported that the patient's lower eye has been swollen since 27Feb2021. This event resulted to physician office and emergency room visits. Treatment included warm compress twice a day. The outcome of the event was not recovered.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1165975	4/4/2021			F	3/22/2021		her bottom lip went numb.; right eye twitched for about 0.5 minute; This is a spontaneous report from a non-contactable consumer (patient herself) of 53-years-old female received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, solution for Injection, Batch/Lot number were not reported, Expiration date: unknown) via an unspecified route of administration on 22Mar2021 as single dose for covid-19 immunization. The patient medical history and concomitant medications were not reported. About 11.5 hours after vaccination the patient experienced right eye twitched for about 0.5 minute and her bottom lip went numb. She reported her lip continues to remain numb on 23Mar2021. The outcome of events was unknown.
1166020	4/4/2021	KY		F	3/22/2021		experiencing sneezing; runny eyes; stuffy nose; This is a spontaneous report from a contactable consumer(patient) via Sponsored Program. A female patient of an unspecified age received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number and expiration date were not reported), via an unspecified route of administration on an unspecified date at a single dose for COVID-19 immunization. The patient medical history and concomitant medications were not reported. The patient experienced sneezing, runny eyes, stuffy nose on 22Mar2021. She reported that the second vaccination should take place on 25Mar2021 and wondering whether she should still receive the second dose. The outcome of the events was unknown. Information on the lot/batch number has been requested.
1166075	4/4/2021		50	M	4/2/2021	4/3/2021	Dizziness, vomiting, blurred vision, fever, chills, sweats. Lasted about 5 hours.
1166161	4/4/2021	IL	67	F	3/29/2021	3/30/2021	4:30AM (the overnight period after the shot the morning prior) both arms from elbows to fingers, and both legs from knees to toes became very cold. Next morning a very very bad headache - hurt to hold head up or focus eyes and teeth hurt. Also had 100.9 fever. On advice from a nurse friend, took alternating 1000mg Tylenol/800mg ibuprofen every 4 hrs. Headache lasted the entire day. Slept perfectly fine overnight and by next morning I felt 100% fine. This was Pfizer shot #1. I did have COVID (positive test) the end of November 2020.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1166181	4/4/2021	FL	54	F	4/1/2021	4/2/2021	Initially rapid heart rate for 15 min then back to normal. later was tired, went to bed early woke up at 2 am and had swelling in face, throat and swollen eyes. Took Pepcid for itchy eyes. In the morning took Benadryl and slept on April 2. Hours later, most of the swelling was gone. Felt like a cold was coming on, running eyes, running nose, sneezing and loss of taste. 48 hours later, cold symptoms linger feeling tired. Still feel some swelling in the glands on neck .
1166226	4/4/2021	MA	47	F	4/2/2021	4/3/2021	Blurred vision. Headache. Extreme fatigue.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1165834	4/4/2021	NY	58	F	2/24/2021	2/24/2021	allergic reaction; Face went numb; Hard to swallow; Voice got hoarse; Inside of her ears got very itchy; Scalp also got itchy; This is a spontaneous report from a contactable consumer, the patient. A 58-years-old female patient received the second dose of BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), via an unspecified route of administration, administered in the left arm on 24Feb2021 (Batch/Lot Number: EM9809) (at the age of 58-years-old) as a single dose for COVID-19 immunisation. Medical history included asthma since many years ago, but it was under control and fibromyalgia since many years ago. Concomitant medications included pregabalin at 250mg daily (100 mg once a day and 150 mg second part of the day) for fibromyalgia, budesonide, formoterol fumarate (SYMBICORT) inhalation powder, at 2 inhalations twice a day for asthma, escitalopram at 20mg tablet once a day for asthma, rosuvastatin calcium at 5mg tablet once a day for an unspecified indication, venlafaxine hcl at 50mg tablet twice a day for an unspecified indication, montelukast sodium at 10mg once a day for an unspecified indication and ciclosporin (RESTASIS) eye drops at one drop in each eye, twice a day for an unspecified indication. The patient was previously received the first dose of BNT162b2 (Lot number: EL9262), via an unspecified route of administration on the left arm on 03Feb2021 15:59 (at the age of 58-years-old) as a single dose for COVID-19 immunization and experienced tip of her tongue, lips, and part of cheek close to her mouth went numb on 03Feb2021, 45-60 minutes after the shot and the patient was recovered from the events on 03Feb2021 as they went away. Within 5 minutes after getting the vaccine shot on 24Feb2021, the patient had a much bigger allergic reaction and she experienced face went numb, it was hard to swallow, her voice got hoarse, the inside of her ears got very itchy and her scalp also got itchy. The patient was treated with diphenhydramine (BENADRYL) at 25mg tablet that night. The outcome of events, allergic reaction, face went numb, hard to swallow, voice got hoarse, inside of her ears got very itchy and scalp also got itchy was recovered on an unspecified date.; Sender's Comments: Linked Report(s) : US-PFIZER INC-2021122392 first dose

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1166229	4/4/2021	MA	66	F	4/2/2021	4/3/2021	Chills, fever, headache, nausea, muscle aches, joint pain, HOT RED SPLOTCHES ON SKIN (back, back of neck, under eye).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1165633	4/4/2021	LA	89	F	1/28/2021		nose ran all day and night too of a clear liquid; sore throat; had a temperature at '98.3, which is a fever for [her]' because 'at 97 that's [her] normal; dry cough; feels a little tired; had some congestions; trouble sometimes with nausea; scratchy throat and the sinuses came; scratchy throat and the sinuses came; she thinks her allergies are acting up again; a little headache; This is a spontaneous report from a contactable consumer or other non hcp. A 89-years-old female patient received bnt162b2 (BNT162B2), dose 1 via an unspecified route of administration, administered in Arm Right on 28Jan2021 (Batch/Lot Number: EL9265) as SINGLE DOSE for covid-19 immunisation. Medical history included A Fib, the patient had a light stroke in Apr a year ago, and she was put on another medication that did not agree with her. But caller has been on Eliquis for over a year now. Her eyes are so bad that she does not read a lot. She has allergies, and the 1 degree fever is normal with her allergies. Concomitant medication(s) included apixaban (ELIQUIS) taken for blood disorder from an unspecified start date and ongoing; metoprolol (METOPROLOL) taken for atrial fibrillation from an unspecified start date and ongoing; losartan potassium (LOSARTAN POTASSIUM) taken for blood pressure abnormal from an unspecified start date and ongoing; acetylsalicylic acid (BABY ASPIRIN) taken for an unspecified indication, start and stop date were not reported. The patient had been on this product for years, more than two years for her heart, for the A Fib. She has been on Losartan potassium for years. The patient stated she is 89 years old, received the first dose of the COVID-19 vaccine on 28Jan2021. She said she didn't read the Fact Sheet until last night and went through the list of side effects of the vaccine. She explained that on Friday and Saturday, her 'nose ran all day and night too' of a 'clear liquid'. She added she had a sore throat. She said she had no fever or chills but had a temperature at '98.3', which is a fever for [her]' because 'at 97 that's [her] normal'. She added she 'developed a dry cough, not an allergy cough like having mucus in [her] throat'. She pursued saying she 'doesn't know about the shortness of breath' and sometimes she 'feels a little tired' but isn't sure if it's related to the vaccine, due to her age. She said regarding headaches, she thinks it was 'not a bad headache' because '[she] remembers putting something

VAERS\_ID RECVDDATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

on her head'. She added she 'had some congestions so [she] took an allergy pill'. She lastly described she had 'trouble sometimes with nausea' but did 'not vomit' and had no 'diarrhea'. She then said she is concerned with her 'clear runny nose' and her 'dry cough', which she also qualified as 'out of the ordinary'. She then mentioned that last night, her room was 'too cold' and therefore she had a 'scratchy throat and the sinuses came'; she said she took a sinus pill. She asked if it is normal to experience a 'clear runny nose' and 'dry cough' after the receipt of the COVID-19 vaccine. Caller asked if she should receive the second dose of the COVID-19 vaccine after her reaction to the first dose. Caller explained that while having her symptoms she was exposed to her son who will get married "on the 28th". She expressed her concern on potentially being infected with COVID and its impact on her son. She asked if you can get COVID from the COVID-19 vaccine. She also asked if she should get tested for COVID given her experience. Caller had her first dose of the COVID vaccine on 28Jan2021. By Friday night, caller had a dry cough, was tired, had a little headache, and a runny nose. Caller is wondering if she had a light case of COVID but caller is hesitant to leave her home to go to the doctor's office for a test because of the cold weather. Caller had her first COVID vaccine on 28Jan2021 at pharmacy and caller stated that the Pharmacist said that she might gets chills and kind of like a fever, but caller did not get that. But, caller states that a couple of days after receiving the vaccine, caller looked at the facts sheet that had been given to her. Caller states that she didn't previously read the facts sheet, until last night, as her eyes are so bad that she does not read a lot. Caller states that she has had a 1 degree fever, but she has allergies, and the 1 degree fever is normal with her allergies. Caller states that her fever is 98.3, so it is not considered a fever really, but she normally runs 97 degrees. Then caller states that few nights ago, Friday night maybe, she got a dry cough, no mucus, just a dry cough, and she coughed for a couple hours but she was in bed, as it was nighttime. Caller states that she was also tired for a few days, as she is 89 years old. But caller states that she is in reasonably good health, and she lives alone and takes care of herself. So caller just had the tiredness and had a little headache, but she did not lose her taste or smell. Caller states that she had a

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

sore throat, and some congestion, and her nose ran for two days. Caller states that her nose was running like clear water for two days, and then it just stopped. Caller states that it is cold and the weather is bad where she is, so she thinks her allergies are acting up again. Caller states that she is wondering if she had a light case of the virus and overcame it, or she is seeking advice about if it would be necessary for her to go out and get tested. Caller states that she can't tell if she got the virus or not, and she does not want to drive and go out in the cold to see her doctor. Caller states that a telehealth appointment is not possible because she got a new laptop but she does not like it, so the laptop is all wrapped up and set aside ready to be returned to (courier name). Caller states that she has two sons who could come over to help her with a telehealth appointment but she does not want them to get COVID, if that is what she has. Caller states that she is also concerned because her granddaughter is getting married on the 26th, and she does not want to give anyone COVID. Caller states that the symptom that really got her was that she had clear water running from her nose for two day and then just stopped, as the caller does not get this symptom with her allergies. Caller also has the sore throat. Caller is wondering if these could have been a side effect from the vaccine. But to be honest, caller thinks that what she has now, she is pretty sure is just her usual allergies. Caller states that she has just been staying home so that she would not get the virus, and so far so good. Caller just keeps herself busy around the house. Caller had no other vaccines on the same day as the COVID vaccine. Caller states that she has A Fib, but she has not been to her doctor in over a year because of the Virus she has not gone out. But caller states that she has not felt bad or anything, she just has not kept up with her yearly visit. No Investigation Assessment. Outcome of the event nose ran all day and night too of a clear liquid was recovered and outcome of all other events was unknown.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1166087	4/4/2021	NH	56	F	3/31/2021	3/31/2021	within a few minutes I started getting very hot and then I got very sweaty. I removed my coat and put on the air conditioner. Next I started seeing blue colors before my eyes and at that time honked my horn for help. My blood pressure tanked, my heart rate increased. I was given 2 does of EpiPen, and Benadryl. I then was brought to the hospital and was given oxygen en route. At the hospital, I was monitored and given 10mg of Decadron
1165650	4/4/2021	MI	71	F	1/29/2021	1/29/2021	2 hours after shot started major eye twitching with visual shaking; 2 hours after shot started major eye twitching with visual shaking; Migraine the following morning Eye twitching has not resolved; This is a spontaneous report from a contactable 71-year-old nonpregnant female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, formulation: Solution for injection) via an unspecified route of administration on 29Jan2021 15:00 as single dose in arm right for covid-19 immunization. Medical history included pancreatic cancer from 26Nov2018 and small unruptured brain aneurysm. Concomitant medication included fluticasone propionate (FLONASE). The patient previously took clindamycin and experienced allergy. On 29Jan2021 at 17:00, 2 hours after shot the patient had started major eye twitching with visual shaking and migraine the following morning eye twitching has not resolved. The outcome of the events was not recovered.
1166243	4/4/2021	PA	66	F	3/30/2021	3/30/2021	Started with profuse eye tearing. Woke up with extreme headache, teeth aching, non stop runny nose, it felt like aching golf balls in my left breast, armpit and upper back. (lymph nodes) Extreme fatigue, could not eat for 23 hrs. As of 5 days later I still am having pain and swelling in my armpit. Dizziness.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1165176	4/4/2021	HI	71	F	3/13/2021	3/13/2021	On the night of the vaccination: 102 degree fever, chills, palpitations, headache, nausea. Fever and chills continued for two days. On 3rd day following vaccination, developed pain on entire inner surface of left arm and trouble focusing eyes including double vision. Arm pain increased on subsequent days. Arm started to swell on 7th day. Woke up on morning of 9th day with entire arm and hand swollen. Range of motion (both flexing and extending arm) became limited due to pain. It is now 21st day. Swelling is decreasing. Still unable to fully flex or extend arm. Vision problems continued.
1165207	4/4/2021	CA	31	F	3/31/2021	4/1/2021	within 24 hours of receiving my 2nd dose, I first experienced common side effects: fever, chills, headache, muscle pain, nerve pain, severe fatigue, etc. However, around 8:00 PM 27 hours after vaccination, I began experiencing strange and severe pain/pressure around my eyes - especially above my eye below the brow bone. It has now been three days since vaccination and the pain has not subsided. It has possibly increased. It hurts to look side to side and up and down. My eyes refuse to water naturally and seem to be swollen. Lubricant drops provide little relief. This side effect is in both eyes but slightly worse in the left eye.
1165223	4/4/2021	TX	33	M	4/3/2021	4/3/2021	Developed skin rash on arms, neck, face, and torso. Developed hives on eyelids. Fatigue, and fever accompanied. Symptoms were noticeable around 5 hours after administration of 1st dose of Pfizer vaccine.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1165569	4/4/2021	MI		F	3/7/2021		<p>UNABLE TO SLEEP; HEADACHE; TIRED; ATRIAL FIBRILLATION/HEARTRATE FAST; HARD COUGHING; ACHES ALL OVER; HIPS HURT; HANDS HURT; CHILLS; FEVER OF 100.6; This spontaneous report received from a patient concerned a 64 year old White, Not Hispanic or Latino female. The patient's weight was 172 pounds, and height was 177.8 centimeters The patient's concurrent conditions included rheumatoid arthritis, pink eye, no alcohol use, non smoker, osteopenia, and allergy to eye drops, and other pre-existing medical conditions included the patient was allergic to eye drop for pink eye allergic reaction, no history of drug abuse and patient was not pregnant at the time of vaccination. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 1802068, expiry: /5/2021) 0.5 ml, administered on left deltoid on 07-MAR-2021 15:50 for prophylactic vaccination. Concomitant medications included alendronate sodium for osteopenia, folic acid for rheumatoid arthritis, methotrexate for rheumatoid arthritis, and prednisolone for rheumatoid arthritis. On MAR-2021, Laboratory data included: Body temperature (NR: not provided) 100.6 (unit unspecified). On 07-MAR-2021, the patient experienced atrial fibrillation/heartrate fast, hard coughing, aches all over, hips hurt, fever of 100.6, hands hurt, chills and tired. On 08-MAR-2021, the subject experienced unable to sleep and headache. On 10-MAR-2021, Laboratory data included: EKG (NR: not provided) Atrial Fibrillation. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from hips hurt, and hands hurt on MAR-2021, was recovering from aches all over, fever of 100.6, hard coughing, chills, headache, tired, unable to sleep and the outcome of atrial fibrillation/heartrate fast was not reported . This report was serious (Other Medically Important Condition). Additional information was received from patient on 01 - APR-2021. The following information was updated and incorporated in to the case narrative: person tab (patient middle name, two new reporters, patient email ID), Patient demographic details( height, weight, date of birth, pregnancy information), concurrent conditions (rheumatoid arthritis, pink eye, no alcohol use, non smoker, osteopenia, and allergy to eye drops), Concomitant medications (alendronate sodium, folic acid,</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

methotrexate and prednisolone, lab data (EKG), added adverse event (atrial fibrillation/heart rate fast), updated the event verbatim coughing till heart beating fast to hard coughing, updated onset dates of fever, chills tired and hard coughing).; Sender's Comments: V1.Follow up information received regarding Patient demographic details, concurrent conditions, Concomitant medications, updated the event verbatim, updated onset dates of events. Case has been assessed as serious in the current version with addition of serious event Atrial fibrillation. 20210316350-Covid-19 vaccine ad26.cov2.s-Atrial fibrillation. Follow-up received regarding Clinical Details. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1165606	4/4/2021	LA	76	F	1/16/2021	1/17/2021	headache; This is a spontaneous report from a contactable consumer (patient). This 76-year-old female consumer (patient herself) reported that she received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, Lot number: EL3246) via an unspecified route in Left arm on 16Jan2021 being 02:34 PM (at the age of 76-years-old) as single dose for COVID-19 immunisation. Relevant medical history and concurrent conditions included Blood pressure high started on 2009, Glaucoma, she had a car accident in 2009 where she got hit from behind that caused issues with her neck and she has this in her right eye, and her doctor put her on a new eyedrop in November, but other than that her meds stayed the same. Concomitant medications were not reported. Patient stated that her husband and her took the first dose of the vaccine on Saturday 16Jan2021. She says she was fine Saturday, then she woke up on Sunday morning with a headache behind her eyes that was not bad but she noticed it most of the day and then at night it was behind her eyes, the top of her head, and behind her head on 17Mar2021 at 07:00. She says she has had headaches all last week, and she took Advil and Tylenol which sometimes helped. She says she finally saw her doctor last Friday on the 22nd because she felt that was a long time for her to have headaches as a result of a vaccine and her doctor had her do a CAT scan to be sure, since she is 76, to check if she might be having a stroke or something. She says she has continued to have headaches, though not as bad as last week, and she was reading the material they got at the hospital because they are supposed to have the second shot 06Feb2021. She says she would like to know, have they had people report having headaches that long. She says she took both Tylenol, clarified to being Equate brand Acetaminophen, and Advil. Equate brand Ibuprofen 200mg: She says she normally doesn't take Advil. Equate brand Acetaminophen: She says she has two bottles one of which she keeps in the bedroom, so she doesn't know which bottle her doses came from. She says both of the Equate brand Acetaminophen bottles are extra strength, 500mg. She says when she took these two medications she was careful not to overtake or take too much, but she can't really tell how much she took. She says she thinks she first took one Tylenol and one Advil, then later that

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

night when it really bothered her, she thinks she took maybe two Advil's and one Tylenol, but she didn't write it down. She says now her headache is not nearly like it was last week. She says that she spoke to her doctor on Friday because she was starting to get concerned about it, but it was not unbearable all day long, she would wake up with it then take something, and during the day it was better, then at night it would be worse. She says this week it mainly bothered her that it was at the back of her head and neck area, since she does have problems sometimes with headaches at the back of her head after she had a car accident in 2009 where she got hit from behind that caused issues with her neck. She says she doesn't have sinus issues, so the headache behind her eyes was odd, and since the information said side effect, it is too big of a coincidence that she got the shot Saturday and she had a headache on Sunday. probably in 2009, and she started taking Amlodipine 5mg then, and then after she retired from teaching her doctor decided she didn't need it and she stopped taking it. She says she has been taking again since about a year and a half ago, in 2018 at the end of the year. Amlodipine NDC/LOT/EXP: Unknown, it was dispensed in a pharmacy bottle, it says use before 14Nov2021. Laboratory tests included CT scan resulted negative on 22Jan2021. The outcome of the event was recovering.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1165619	4/4/2021	OH	58	M	1/21/2021		<p>rash, very mild just itching a little bit on right arm just inside the elbow/rash on both arms; took some Benadryl, it helped him sleep; Swelling in eyes; Eyes watering a lot; eyes red, itchy, and swollen/he deduced that he was having an allergic reaction; eyes red, itchy, and swollen/he deduced that he was having an allergic reaction; eyes red, itchy, and swollen/he deduced that he was having an allergic reaction; This is a spontaneous report from a contactable consumer (patient). A 58-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration, administered in arm left on 21Jan2021 (Batch/Lot Number: EL9262) as a single dose for COVID-19 immunization. Medical history included cannot see well out of right eye. There were no concomitant medications. Patient had a rash that appeared a couple days after, very mild just itching a little bit on his right arm just inside the elbow. Patient received the vaccine in the opposite arm in the left arm. Patient is going back on 11Feb2021 for the second dose. It was reported that it is better than being on a ventilator. Patient ruled out everything else the rash could have come from, he didn't change his laundry soap, or anything else. He haven't changed anything since he took the vaccine. He didn't speak to his MD about the rash, because he didn't think about it. He is going to be talking to his Doctor on Monday (unspecified date). He is going to get some calamine lotion but he took some Benadryl, it helped him sleep. It was also reported that the patient had a rash on both arms and swelling in his eyes and he went to the eye doctor who has prescribed him some medication and cream from family doctor. He noticed the rash a couple days after the vaccine and the issues with his eyes too, they were also watering a lot, can hardly see out of the right eye, he had this problem prior to vaccination. The cornea specialist prescribed him some drops, that his eyes were red, itchy, and swollen, he deduced that he was having an allergic reaction. Outcome of the event "took some Benadryl, it helped him sleep" was recovering and of the other events was not recovered. Follow-up attempts are completed. No further information is expected.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1165628	4/4/2021	NC	68	M	1/31/2021	1/31/2021	still felt bad along with shortness of breath; received his first vaccine dose yesterday and began feeling unwell; This is a spontaneous report from a contactable consumer. A 68-year-old male patient received first dose BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, Batch/Lot number and Expiration Date were not reported) via intramuscular route of administration as a single dose in Arm Right on 31Jan2021 13:00 for covid-19 immunization. Medical history included Allergies to medications: Ace inhibitors, HHT(Hereditary hemorrhagic telangiectasia )/High Blood Pressure, Eye conditions, Parkinson's Disease. No other vaccines received within 4 weeks prior to the COVID. Prior to vaccination, patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. Other medications the patient received within 2 weeks of vaccination: Men's Multivitamins, Amlodipine, Tamsulosin, ferosul Iron, Ropinirole, Stool Softener. On 31-JAN-2021 21:00 the patient began feeling unwell. On 01-FEB-2021 08:00 still felt bad along with shortness of breath. No treatment received for the adverse event. Outcome of events at the time of last observation was not recovered/not resolved. Information on the Lot/Batch number has been requested.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1165654	4/4/2021	GA	62	M	1/26/2021	1/27/2021	<p>This is a spontaneous report from a contactable consumer. A 62-year-old male consumer (patient) received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, Batch/lot number: EL3302, Expiration date: unknown) via an unspecified route of administration in left arm on 26Jan2021 at 14:30 at single dose for COVID-19 Immunization. The patient medical history and family history were none. No prior vaccinations within 4 Weeks. Current condition included, hypochondriac. History Of All Previous Immunizations was Not provided. Additional Vaccines Administered On Same Date Of Pfizer Suspect was reported as no. Concomitant conditions were not reported. On 27Jan2021 patient experienced sore arm, "more pronounced than normal flu shot" On 28Jan2021 patient experienced the events, "nose starting dripping/running", "eyes dry", "dry hacking cough". "sinuses swollen a little bit" the patient said that symptoms were similar to "cold symptoms" and still experiencing nasal drainage and "tickle in throat", "eyes dried out", Paranasal sinus discomfort. Nose dripping stopped after about a week and turned more into sinus pressure. Patient underwent lab test Swab COVID test on 01feb2021, results negative on 02Feb2021. No other testing since the COVID-19 Vaccine. His eyes are dried out and it feels like a cold that progresses into different stages. Arm soreness: lasted two day. More pronounced than flu shots he's received. Lasted through 28Jan2021. Tickle in throat with cough: Has a little tiny bit of irritation still. Not a constant cough. Is talking now and feels like he wants to cough, but doesn't. Nose is not dripping as much. Never been totally stopped up. Feels pressure underneath eyes. Adverse Events did not require Require A Visit To: no, it is just mild, but weird. Relevant Tests included Swab COVID test on 01Feb2021. Negative results came back on 02Feb2021. No other testing since the COVID-19 Vaccine. The patient did not received any treatment for these symptoms. Product Complaint was Yes. Not provided, if a sample of the product available to be returned. No information provided whether product Packaging sealed and intact. Outcome for all events were reported as unknown. No follow-up attempts are possible. No further information is expected.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1166610	4/4/2021	WA	76	M	3/11/2021	3/12/2021	7-8 hours after injection slight soreness at shot location; 20 hours after injection sudden wave nausea & possible need to vomit, defecate, urinate, & dizziness; sat on toilet & collapsed forward onto floor into stack of towels remaining semi-conscious for a several minutes trying to determine location; worked way upright, got to bedroom, and tried to sleep but severe chills; chills subsided and slept 6 hours; felt feverish and in period of 2 hours had temperatures of: 99.6; 100; 100.4; 101.5; 101.8; 98.8 & went back to bed for night; awoke feeling relatively normal 03/13/2021; thereafter to the present time of 04/04/2021 days of feeling relatively normal, but often waves of feeling light-headed; blood pressure my blood pressure taken at home on Omron wrist device has been highly variable from 136/74/58 down to 101/64/72 with prior normal being about 115/65 to 130/70 at home and as taken at the eye doctor's office on 03/01/2021 the week prior to cataract surgery on 03/08/2021 it was 128/70, but is commonly higher at doctors office exams likely due to stress of driving to the doctor's office and on day of surgery was up to 158/80; on those days of being light-headed the blood pressure was commonly in the 101/64/72 to 114/65/61 range; my body temperatures remained in normal ranges of 97-98; beginning on 03/30/2021 there was some feeling of some throat or esophagus constriction and harder to swallow; this has continued & included acid reflux on 04/03/2021 and feeling very tired and went to bed about 05:00pm & slept to 08:00pm followed by going to bed at 11:00pm and unable to sleep the rest of night due to acid reflux in throat all night; but better on awakening this morning; it remains that there is the feeling of being light headed; a few times during this period after getting the Moderna vaccination the area of the injection has had a minor soreness, and/or itchiness. I have not yet seen a doctor about this reaction, but I did indicate to my eye doctor prior to the cataract surgery on 03/08/2021 that I would be getting my second Moderna vaccination 3 days after. He felt it should be okay. Similarly at the time of my first Moderna vaccination, I told the nurse practitioner that I would be having cataract surgery 3 days prior to the scheduled second vaccination. She also felt it should be okay, as well as having had a reaction to Amoxicillin for the first time about 11 months earlier. That reaction was hives all over the body that kept recurring for 3 weeks

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

and thereafter at places on the body for another month. I am otherwise in excellent health for my age and the only medication taken is Timolol for glaucoma. I am active and frequently walk several or more miles several days per week. My reaction seems unusual. I have only now ceased taking the last of the cataract surgery eye medications, that being Prednisolone eye drops. If the symptoms persist after seeing my eye doctor tomorrow, and after elimination of the eye drop medication as of today, I will be scheduling an appointment with my regular doctor for a checkup.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1165811	4/4/2021	SC	74	M	3/8/2021	3/8/2021	This is a spontaneous report from a contactable consumer, the patient. A 74-years-old male patient received the first dose of BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), via an unspecified route of administration, administered in right arm on 08Mar2021 at 14:15 (Batch/Lot Number: EN6204) (at the age of 74-years-old) as a single dose for COVID-19 immunization; donepezil hcl (DONEPEZIL HCL), 10mg tablet, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 10 mg, 1x/day for an unspecified indication; clonazepam (CLONAZEPAM), 2mg tablet, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 2 mg for an unspecified indication; pioglitazone (PIOGLITAZONE), 45mg tablet, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 45 mg for an unspecified indication; lisinopril (LISINOPRIL), 10mg tablet, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 10 mg for an unspecified indication; vitamin d3 (VITAMIN D3), via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 2000 iU for an unspecified indication; multivitamin, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at an unspecified dose for an unspecified indication. Medical history included Parkinson's, diabetes type 2, hypertension and rapid eye movement (REM) sleep disorder, all from an unknown date and unknown if ongoing. The patient had no known allergies. Concomitant medications included carbidopa, levodopa (CARBIDOPA LEVODOPA), at 25-100 mg, taken for an unspecified indication, start and stop date were not reported; lovastatin (LOVASTATIN), 20mg tablet, at 20mg taken for an unspecified indication, start and stop date were not reported. The patient did not receive any other vaccines within four weeks prior to BNT162b2. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. The patient experienced rashes on different parts of the body, whole

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							left arm, upper back, both hands, trunk on 08Mar2021 at 14:30. No treatment was received for the event, rashes on different parts of the body, whole left arm, upper back, both hands, trunk. The action taken in response to the event for donepezil hcl, clonazepam, pioglitazone, lisinopril, vitamin D3 and multivitamin was unknown. The outcome of event, rashes on different parts of the body, whole left arm, upper back, both hands, trunk was not recovered.
1165169	4/4/2021	AZ	63	F	3/31/2021	4/1/2021	1st shot was similar, it felt like something popped and my sinuses got crazy, my eyes got watery and swollen, my throat was like a stiff neck, my head hurt so bad i was taking tylenol every 4 hours, at night i got a fever and my husband said i was crying for a blanket, I think I might have gone back to when i was at the hospital, I don't know, we both couldn't walk or move everything hurt so bad. The second shot was worse than the first.
1165685	4/4/2021	WI	55	F	2/2/2021	2/2/2021	temperature 100.5; She has body aches all over including her hips and joints; eyes burning; Headache; Chills; This is a spontaneous report from a contactable consumer (patient himself) A 55-year-old female consumer patient received the second dose of BNT162B2 (Solution for injection, lot number: EL3249, Expiration date; unknown), in Left arm on 02Feb2021, 9:30 AM at single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient historical vaccine included first dose BNT162B2 (lot number: EL1283) left arm on 12Jan2021, at single Covid-19 immunization. The patient experienced Last night the caller started having chills on 02Feb2021 and end of reaction/event on 03Feb2021, the outcome of event of chill was recovered. Patient having temperature of 100.5, body aches to a bad toothache all over body including her hips and joints, eyes were burning might be from the temperature and headache on 03Feb2021. The outcome of the events was not recovered. Follow-up activities have been completed and no further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1165725	4/4/2021	MA	76	F	2/11/2021	2/12/2021	Itching mostly on face and scalp.; This is as spontaneous report received from a contactable consumer, the patient. A 76-year-old non-pregnant female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot number: EL9264) via unspecified route of administration in the right arm on 11Feb2021 at 01:00 PM (at the age of 76-years-old) as a single dose for COVID-19 immunization. Patient's medical history included glaucoma, dry eye and allergy to tetracyclin. Prior to the vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. Concomitant medications included hydrochlorothiazide, omeprazole, alendronate and latanoprost. The patient did not receive any other vaccines within four weeks prior to the vaccination. The patient previously took Restasis, dorzolamide thymol, PredMild, Rhopressa, Latanoprost, Artificialtears, Night gel, Biaxin and expereinced allergy. On 12Feb2021 the patient had itching mostly on face and scalp. No teatment was given to the event. Outcome of event was resolving.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1165739	4/4/2021	ME	51	F	1/20/2021		Memory loss, memory issues; Blurred vision; Severe headache down to her neck; still little bit stumbling/stumbling like couldnot keep her balance like tripping; Hard to get her words out; very lost and confused; very lost and confused; cognitive issues; This is a spontaneous report from a contactable consumer (patient). A 51-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Formulation: Solution for injection, Lot Number: EL3247), via an unspecified route of administration on 20Jan2021 (at the age of 51-years-old) as single dose for COVID-19 immunisation. The patient medical history and concomitant medications were not reported. Consumer stated, "she guess this was the number her doctor told her she needed to call to report side effects from vaccine. She got it on 20Jan2021, first Pfizer vaccine and then two weeks later, she started experiencing memory loss, memory issues, blurred vision and severe headache down to her neck, hard to get her words out, very lost and confused, stumbling like couldnot keep her balance like tripping/ still little bit stumbling, that was after her first vaccine and they sent her to the emergency room, she got an MRI and 'CAT' (not clarified) scan to see as she was having symptoms."Consumer further stated, " she have more information, two weeks after the first dose was when the cognitive issues started and then, a week to the day later, she started feeling herself again maybe 90 percent. Then this afternoon, she got the second vaccine dose and next day she was feeling okay and day and a half later, it all started all over again, headache, back of the head pain, memory loss, blurred vision, all started again. She got an MRI this time and the other day, since then she have severe headache all day, every day, pain down my neck and still little bit stumbling. She went to her neurologist and he said all of her symptoms were symptoms that someone would have with the concussion but she never felt like, she don't have a concussion (hence, concussion not captured as event as consumer was not sure). So, she wanted her to call this number as she said that she believed that memory cognitive issues were all from the vaccine and she guess it was needed to be reported."Outcome of the events were unknow.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1165742	4/4/2021	MA	42	F	4/3/2021	4/3/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Flushed / Sweating-Medium, Systemic: Nausea-Severe, Systemic: Tingling (specify: facial area, extremities)-Medium, Systemic: Visual Changes/Disturbances-Medium, Systemic: Weakness-Medium, Additional Details: Spoke with pt around 6:50pm (4/3/2021). she stated she was currently home and feeling a lot better. she denied anymore dizziness, flushing or feeling lightheaded. she is considering coming in with her husband when she comes for the second dose just in case she feels the same way
1165752	4/4/2021	PA	64	M	2/17/2021	2/17/2021	Developed sroeness at injection site; nocturnal nasal congestion; This is a spontaneous report from a contactable pharmacist. A 64-year-old male patient received bnt162b2 (BNT162B2, solution for injection, Lot #:EL3247), dose 1 via an unspecified route of administration, administered in Arm Right on 17Feb2021 11:45 as SINGLE DOSE for covid-19 immunisation. Medical history included blood cholesterol increased from an unknown date and unknown if ongoing, vasomotor rhinitis from an unknown date and unknown if ongoing, benign prostatic hyperplasia from an unknown date and unknown if ongoing, dry eye from an unknown date and unknown if ongoing. The patient's concomitant medications were not reported. On 17Feb2021 18:30, the patient experienced developed sroeness at injection site, nocturnal nasal congestion. The action taken in response to the event for bnt162b2 was not applicable. Therapeutic measures were taken as a result of developed sroeness at injection site (vaccination site pain), nocturnal nasal congestion (nasal congestion). The outcome of the event was recovering.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1165805	4/4/2021	PA		U	2/16/2021		sore injection site; fatigue; flashing irregular light; This is a spontaneous report from a contactable consumer (patient). A patient of unspecified age and gender received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection) via an unspecified route of administration on 16Feb2021 at single dose for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. The patient experienced sore injection site, fatigue and flashing irregular light. Patient reported just received my first dose of your covid vaccine on the 16Feb. Patient had typical side effects of sore injection site and fatigue the day after. The unusual affect was what appeared to be flashing irregular light in the lateral aspect of patient's right eye. This symptom was new to patient. Track if others have had similar experiences. It subsided on the 2nd day after the vaccine. The patient underwent lab tests and procedures which included blood pressure measurement was 136/64. The outcome of event was unknown and for event flashing irregular light was recovered. Information on the Lot/Batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1165809	4/4/2021	MO	63	F	1/23/2021	2/1/2021	<p>This is a spontaneous report from a contactable consumer (patient) and also received via Pfizer-sponsored program. A 63-year-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE) on 23Jan2021 14:30 (Batch/Lot Number: EL3247) and second dose on 13Feb2021 14:30 (Batch/Lot Number: EL9264; Expiration Date: 31May2021) both doses given at the age of 63-year-old via unspecified route of administration administered on arm Left as SINGLE DOSE for COVID-19 immunization at the hospital (auditorium attached to a building at a hospital). Medical history included asthma. Concomitant medications included benralizumab (FASENRA) and budesonide, formoterol fumarate (SYMBICORT) both taken for asthma since unknown dates. The patient mentioned that she got both doses- first dose given 23Jan2021 and 2nd dose on 13Feb2021 2nd dose on 13Feb2021 and she was tested positive for COVID infection on 03Mar2021 (Wednesday). She narrated that she went to the doctor's office because she was having wet sneezes, coughing, tired, loss of taste and smell, and fatigue. The sneezing started either Friday or Saturday evening (26Feb or 27Feb2021). She noticed a little coughing started last week, but it was nothing drastic. The coughing would come and pas through. At times, a cough may take her into a deeper version. Then it would go away. Sometimes she would cough a few times back to back, but it was not constant. From when she first experienced the events, they continued to get worse, like the fatigue (felt more fatigued) and realized something was wrong. At She provided these symptoms to the doctor and the doctor informed her even though she had the vaccine still need to get tested for COVID. She did and she was positive for COVID on 03Mar2021 and started isolation. She does not have not fever (only 96 or 97) and she felt she should have had fever, but never did and her lungs were clear. She was given an antibiotic for my nasal passage. She was also given fluids, hydrate, and rest (would lay in bed). Outcome of the events were unknown. Investigation results were also received on 10Mar2021 for PFIZER-BIONTECH COVID-19 VACCINE INJECTABLE Lack Of Effect. Summary of Investigation: The initial scope of the investigation was limited to the reported finished goods lot. The final scope was expanded to include the reported finished goods lot</p>

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

EL9264, fill lot EL9255, and the formulated drug product lot EL9246. Manufacturing and packaging batch records were reviewed for the reported complaint lot. (Site Name) QO did not receive photographs or a complaint sample for examination. The complaint was not confirmed. There were no planned or unplanned deviations recorded during the manufacture of the complaint lot and associated manufacturing lots that may have caused a complaint of this nature. A review of the manufacturing records confirmed processing steps were performed within pre-established parameters. During formulation of PBS Buffer, there was an undercharge of disodium hydrogen phosphate dihydrate, but this was found to have no impact on product quality. All other raw materials used in the complaint batch were of the correct weight and identity. The drug product is stored at controlled refrigeration throughout the manufacturing process and a log is maintained documenting the elapsed time out of refrigeration. A review of the logs confirmed that all times were within allowable limits. The product also requires storage in ultra-low temperature freezers following the packaging of the product. A review of the freezer temperature log for the reported batch confirmed that all freezer temperatures were within allowable limits. The results of all analytical tests performed at the time of lot release confirmed that the batch meets potency specifications. Not process/vendor related. Final Confirmation Status: Not Confirmed. Batch record review included the reported finished goods lot EL9264, fill lot EL9255, and the bulk formulated drug product EL9246. Acceptable review of related documentation, including manufacturing and packaging batch records and review of release test results at the time of lot release confirmed that there were no issues which may have resulted in a complaint of this nature. Visual examination of a reserve sample would not be expected to indicate the potency of the drug product. A reserve sample was not sent to the QC-lab to determine the amount of active ingredient since the complaint was received within six months of the release date of the involved batch. The results of all analytical tests performed at the time of lot release were confirmed to be within registered specifications. All available stability results for this product were within registered specification and stability studies (including accelerated studies) are ongoing for this product. No lot

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

trend or other trend identified. As of 10Mar2021, a total of three complaints have been received for this lot and classification. No lot specific trend was identified that would require additional investigation. Conclusion: The complaint for lack of effect of the PFIZER-BIONTECH COVID-19 VACCINE lot EL9264 was investigated. The investigation included a review of manufacturing and packaging batch records, deviation investigations, and an analysis of complaint history for the reported lot and product type. The final scope included the reported finished goods lot EL9264, fill lot EL9255, and the formulated drug product lot EL9246. A complaint sample was not returned. No related quality issues were identified during the investigation. There is no impact on product quality. No root cause or CAPA were identified as the complaint was not confirmed. All release testing performed prior to the release of the reported batch was within specifications.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1165632	4/4/2021	FL	90	F	1/28/2021	1/28/2021	itching between elbow and shoulder, near the injection site and all around that area/had Itching and bothered where the needle went in and now is red and irritated; had Itching and bothered where the needle went in and now is red and irritated; a little red rash from where it was injected; where the needle went in it was irritated/had Itching and bothered where the needle went in and now is red and irritated; This is a spontaneous report from a contactable female consumer (patient herself) of 90-years-old received second dose of bnt162b2 (BNT162B2 Pfizer-Biontech covid-19 vaccine, Formulation: Solution for injection, Lot number and Expiry date were not reported) via an unspecified route of administration on 28Jan2021 Thursday in right arm and first dose (Lot number: Either EX3246 or EL3246) via an unspecified route of administration in left arm on 07Jan2021 around 13:30 to 14:00 both as single dose for covid-19 immunisation. Medical history includes glaucoma in her eyes, has drip down her nose, sinus, flu shot and includes she got irritated in the area for a day or two whenever the flu shot taken. No family history was reported. The patient's concomitant medications were not reported. Prior to the vaccination, the patient had not received any other vaccine within 4 weeks. On 28Jan2021, the patient experienced irritation and had itching, redness and rash where the needle went in. And later itches between elbow and shoulder in the area where the vaccine went in and around back and front. Patient's lab tests were not reported. No therapeutic measures were taken. The caller asked if the itching was normal and asked what to. The outcome of the events was unknown. Information about Batch/Lot number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1167062	4/4/2021	TX	49	F	12/29/2020	1/15/2021	2 days after receiving the 1st dose, I woke up with palpitations. I noticed also that I've been burping too much and have frequent indigestion as if the food stays in my chest area or my upper stomach area. Not comfortable. 5 days after I felt weird so I checked my BP and it's high which goes up to 180's/98. I don't have headaches nor chest pain. When I told my husband he told me our BP machine is broken. So I just diverted my attention to something else. 2 weeks after at around 12:30pm-1:30 pm I was working that time at the hospital, I felt my left eye felt weird so I ask my co worker to look in my eye. I had a bloodshot. My charge nurse told me to check my BP and it was 158/85. I called my doctor and spoke to the office clerk. I went to eat lunch and at around 3:30-4pm, I rechecked my BP it was around 173/95. I called my doctor and was prescribed with clonidine. My husband picked up from pharmacy and I took it.
1166798	4/4/2021	IN	23	M	4/2/2021	4/3/2021	Chills, fever, body aches, joint pain, headache, blurry vision
1166810	4/4/2021	PA	50	F	4/4/2021	4/4/2021	PT FELT FAINT, DIZZY, VISUAL DISTURBANCES, RINGING IN EAR
1166831	4/4/2021	AZ	19	F	4/3/2021	4/4/2021	Eyes: Discharge, redness/ irritation, pain Other: Diarrhea
1166850	4/4/2021	UT	59	F	3/30/2021	4/3/2021	Right eye significant swelling and itching. After the first shot, swelling occurred within 4 hours of injection and took about 2 weeks to subside. After the second shot, swelling did not occur until 5 days after the injection, but the swelling is more dramatic.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1166871	4/4/2021	MD	60	F	3/27/2021	3/27/2021	Day 1 - within 5 minutes I felt extremely sleepy and my eyelids were heavy 15 - 20 minutes of receiving the vaccine, I was experiencing itchiness - like hives or from allergic reaction (I had them previously from allergy test reactions and allergic reactions). It was generally all over, but then I started itching under my arms. At that point, we informed the medical person who was monitoring our waiting section. He asked if I had any Benadryl, and I responded that I did. I took 12 ml (?) of Benadryl liquid and the effects subsided somewhat. I slept and when I woke up, I was itchy again and my stomach was cramping. I took more Benadryl and over the next 5 days got better.
1166881	4/4/2021	CO	19	M	4/4/2021	4/4/2021	About 5 minutes after receiving the Moderna COVID vaccine, patient stood up to ask the pharmacy for a cup of water. His eyes rolled back and he gently fell to the ground. Opened his eyes almost immediately after, had a strong pulse and no shortness of breath. Patient states it was just nerves. 911 and store management was called just incase. The paramedics check patient out and released him. Patient's mom came to pick him up.
1166895	4/4/2021	IL	41	U	4/3/2021	4/3/2021	lightheaded, body hot, eyes tight. denies trouble breathing. no vision change
1166917	4/4/2021	CA	51	M	3/30/2021	4/1/2021	I got the vaccine on Tuesday morning. On Thursday morning when I woke up, the skin around my left eye was red (like in a rash) and the eye was swollen. By Friday morning, my other eye was swollen as well and I developed a rash on my upper right chest (very close to the collar bone). By Saturday morning, my symptoms had worsened slightly. I went to urgent care to see a doctor at 1 PM. They were not sure if this was a reaction to the vaccine. They asked me if I had exposure to poison oak, I didn't (although I do have severe allergy to poison oak). They recommended taking Allegra 180mg twice a day. Doctor recommended taking the second dose of the vaccine per plan on 4/20 but starting Allegra 1 day before that and continue to take it until 3 days later. I have occasional itching but no pain.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1166781	4/4/2021	OH	42	F	4/2/2021	4/2/2021	First day nothing really happened just I developed a Bad headache that I needed to sleep a little bit. Was a little bit weak. Did not take anything but felt hot but no fever. Second day I had to work so I woke up very early in the morning tried to go down to pick up some thing and I passed out. I waited 15 minutes and I tried to wake up back again wash my face and I close my eyes and your eyes and my blood pressure played around again and ran to the bed and went back to sleep. All through the day It was impossible for me to get up because of my blood pressure. I stayed sleeping all day almost was watching TV. I canceled school or work you can call it. Every time I would be watching TV I would be sleeping without knowing. So basically all throughout the day I fell asleep. I felt very weak And could not walk at all. The headache would not go away. I felt like I had a cold I felt hot but no fever at all throughout the whole day. My shoulder pain got really bad and my neck but then at the end of the night all that subsided and I got better that was way at night at 8 PM. I then went back to sleep Took a muscle relaxer to make sure that I would sleep throughout the whole night I woke up the third day and I still feel not myself but much way better. When I first got up it was very hard to walk but then I kept going and I survived lol. Just thought to share my story because my first vaccine was not like this at all actually the first date was the hardest for me for my first vaccine this time it was my second day for my second vaccine
1167048	4/4/2021	FL	48	F	4/2/2021	4/2/2021	Severe burning in back, toes and eyes. Severe body pain. Vomiting
1166948	4/4/2021	NY	49	F	3/27/2021	3/28/2021	Chill, fever, headache, eye pain and pressure, extremely nauseous feeling of vomit, not able to eat or walk, nor concentrate, extreme fatigue, pain all over , insomnia if pain, fear of dying , fear of overdose, 3 days later still the same, but weaker . Additionally: snuffle, light coughing, light headed , dizzy



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1167077	4/4/2021	ID	29	M	4/4/2021	4/4/2021	Patient received vaccine at 2:20 PM and showed no symptoms initially. His wife was having syncopal symptoms and he helped care for her while paramedics were on their way. After they arrived he experienced lightheadedness and blurry vision. He was evaluated by they team and they determined the cause to be vasovagal syncope. He recovered and declined transport. He left on his own accord after 40 minutes feeling back to normal.
1167135	4/4/2021	NC	55	M	3/24/2021	3/30/2021	6 days after injection I experienced an increase in fluid in my right eye, similar to central serous retinopathy events I had many years before. This resulted in a gray circular disc in my field of vision and distortion in vision that remains to this day. I followed up with my retina specialist, in office images show an increase in fluid from images taken two months prior.
1167147	4/4/2021	ID	64	F	3/31/2021	4/1/2021	Headache, bone chilling chills, nauseas, fever, muscle joint pain, including eyesockets jaw and cheek bones. Skin on body sensitive to touch in places. Nerves in left leg firing sharp pains. Arm injection site bruised and painful.
1167182	4/4/2021	MA	49	F	4/3/2021	4/4/2021	Visual migraine, strong headache, nausea
1167236	4/4/2021	FL	56	M	3/30/2021	3/30/2021	At 8:35pm on 3/30, sudden onset severe vertigo while lying down - lasting only a minute - followed by severe nausea and cold sweat. Couldn't open eyes or move head for fear of repeating episode. A few hours later, a repeat episode lasted a few minutes and triggered vomiting. Around 7am the next morning, a third episode violent enough to trigger vomiting again. The severe nausea and headache lasted around 12 hours, but the mild nausea and severe headache lasted 48 hours. At 5 days after vaccination, still feel lightly dizzy with a sense of confusion or foginess.
1167299	4/4/2021	FL	34	F	3/14/2021	3/14/2021	Headache, nausea within 15 minutes... was observed for 1 hour....also it is important to note that substantial less amount of caffeine on this day... possible withdrawals After leaving observation and exiting building... noticed light sensitivity while driving home. Eye pain that evening and next day... prickly pain like when you are over tired.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1166268	4/4/2021	ND	34	F	3/25/2021	3/25/2021	I had restylane dermal filler injected in my facial tear troughs on 3/23/21 and was told to expect bruising, swelling, and tenderness for a few days/up to a week. It's now 4/4/21 and I still have fairly significant bruising, swelling, and inflamed nodules at the injection site under my eyes.
1166590	4/4/2021		32	M	3/22/2021	4/1/2021	Patient endorsed unilateral eye twitching with subsequent development of generalized unilateral facial droop. Seen by provider the evening of 1April2021 where he was diagnosed with Bells Palsy.
1166930	4/4/2021	CA	48	F	2/24/2021	2/25/2021	Onset of symptoms was 24 hrs after vaccine. First symptoms were fatigue, abdominal discomfort, loss of appetite, mild dizziness, swollen injection site, arm soreness. Starting 48 hours after the vaccine: jaundice symptoms, including: itchiness on the feet and palms, large patchy bruises on the legs, clay-colored stools, extreme fatigue, yellowing of the eyes, dark-colored urine. Later, small, round, skin lesions emerged and spread , starting around March 11, 2021. By the 23, red, itchy, patches had expanded over the chest, abdomen and groin areas.
1166466	4/4/2021	MA	76	F	2/3/2021	2/3/2021	DIARRHEA 3 TIMES IN 5 HOURS AND NAUSEA, EYES BURNING, HEADACHE, TIREDNESS, VACCINATION SITE VERY SORE WHICH LASTED 2-3 DAYS. THE TIREDNESS AND GENERAL NOT FEELING WELL RETURNED SEVERAL TIMES DURING THE NEXT 3 WEEKS. AFTER THE SECOND SHOT ON 3/31/21 AT A VACCINATION SITE. THE SIDE EFFECTS STARTED AFTER 20 HOURS AS FOLLOWS: ACHY ALL OVER, HEADACHE, CHILLS, BURNING EYES, HOT FLASHES, TIREDNESS WHICH HAS BEEN HAPPENING OFF AND ON SINCE 3/31/21. FEEL I MAY NEED BLOOD WORK TO SEE WHAT IS GOING ON. I HAVE HAD EPSTEIN BARR VIRUS AND WONDER IF THIS HAS BEEN REACTIVATED.
1166355	4/4/2021	CO	55	F	4/2/2021	4/2/2021	Swollen eyelids all the way from eyebrow to eyelashes, also swelling on side of nose.
1167057	4/4/2021	PA	46	M	3/19/2021	3/20/2021	Pain at injection site, woke up next morning with double vision. With both eyes open, dizziness, loss of depth perception

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1166779	4/4/2021	MD	49	F	3/30/2021	4/3/2021	I am having extremely watery and itchy eyes. Watery eyes is so that water is coming down my face and interfering with my vision a little. I am trying not to scratch my eyes so much. I am using my Olopatadine HCl solution 0.2% and Visine Red Eye Total Comfort Multi-symptom everyday since Saturday April 3, 2021. It is beginning to get very irritating.
1166383	4/4/2021	CT	36	F	4/3/2021	4/3/2021	It started with a sore arm. My left eye hurt to close and skin felt like pins and needles Then headache. Chills, fever, then got really hot. Throwing up body aches. I currently have a pounding head ache stomach hurts and my neck and head hurt.
1166402	4/4/2021	IN	44	F	4/2/2021	4/3/2021	Headache - started just after midnight ~8 hours after injection Muscle Aches - severe on left side Joint pain - severe on left side/elbow Fever - 102 degrees at 4am Took 2 extra strength Tylenol Headache, aches, pains continued not quite as bad Nausea started around 9 am Vomiting & diarrhea about 10 am Nausea continued most of day until 8 pm or so but no more vomiting. Aches, pains, headache continued all day and into the evening. Fever fluctuated between 98.4 and 102.5. Stayed in bed all day with no appetite, kept eyes mostly closed, but couldn't sleep more than ~30 minutes at a time. 9pm finally able to eat a little apple and took 2 more extra strength Tylenol. Still headache, Fever, aches, pains when I went to sleep for night but was able to sleep 2-4 hour increments. 4/4/21 morning ~8 am (about 40 hours post injection) muscle aches and pain improved a lot. Left arm & joint still a little sore. Fever and headache improved. Very weak and tired and no appetite after a day in bed with yesterday's symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1166406	4/4/2021	CA	53	M	4/2/2021	4/2/2021	<p>Patient is a * year old * who received a single dose of the J&amp;J COVID19 vaccine in the left deltoid. He states that about 20 minutes following administration of the vaccine, he started to feel numbness and tingling the left side of his face, specifically in the left cheek. He has a shellfish allergy of which he gets a similar reaction if consumed. He relates that he usually takes Benadryl and the symptoms subside. He denies history of anaphylaxis requiring epinephrine. He denies a medical history. He affirms decreased sensation in the left cheek. He denies swelling and decreased movement of the left cheek. He denies chest pain/tightness, shortness of breath, difficulty breathing, swelling of the face/lips/tongue/throat, skin rash/itching, cramping abdominal pain, nausea, and vomiting. GEN: Alert and oriented x 4, in NAD HEAD: NCAT EYES: PERRL, EOMI, no lid ptosis noted ENT: Ears normal, Nose normal, OP normal, no evidence of angioedema NECK: Supple, without LAD. CV: RRR, no m/r/g PULM: Clear to auscultation bilaterally, no accessory muscle use ABD: Soft, no tenderness. SKIN: No rashes, skin warm and dry MSK: FROM, MS 5/5 NEURO: Diminished light touch sensation in the left CN 5 distribution. Motor function intact. Alert and oriented x 4, CN 2-4 and 6-12 grossly intact, no ataxia, gait steady Clinical Impression/Field Tx: Facial Numbness, r/o Bell's Palsy. Patient was observed for 20 minutes following his 30 minute wait period. Patient was offered EMS services, but patient did not feel as if it was necessary. Patient was re-evaluated and did not display signs/symptoms of anaphylaxis. Facial sensation symptoms had stabilized by the time patient asked to leave with his wife, who would be driving their vehicle home. Vital signs stable. Patient asked to follow up with PCP and to inform them of the post-vaccination reaction. Patient instructed to go to the emergency department should he develop chest pain, shortness of breath, and swelling of the face/lips/mouth/tongue/throat, as these could be possible signs of anaphylaxis that require immediate attention. Medications administered: None. Patient self administered OTC Benadryl. Disposition: Home</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1166444	4/4/2021	CA	55	F	4/2/2021	4/2/2021	<p>HPI: Patient is a * year old * who received a single dose of J&amp;J COVID19 vaccine in the left deltoid. About 5 minutes following administration of the vaccine, patient started to develop a red and pruritic rash on the left forearm and left hand. Patient related that she has an alcohol sensitivity where she develops red and itchy skin following consumption of alcoholic beverages. She relates she also experiences cold urticaria where she develops a red, itchy rash following submersion in cold water. When this occurs, she typically takes Benadryl or Zyrtec/Claritin (depending on the time of day), of which resolves the itching and the rash subsides. She has an allergy to Bactrim. She relates a past medical history of asthma, which she takes a daily inhaler, as well as uses her rescue inhaler twice a week. She has not seen her PCP in about 1 year. She denies chest pain/tightness, shortness of breath, difficulty breathing, swelling of the face/lips/tongue/throat, skin rash/itching, cramping abdominal pain, nausea, and vomiting. Exam (update as needed): GEN: Alert and oriented x 4, in NAD HEAD: NCAT EYES: PERRL, EOMI ENT: Ears normal, Nose normal, OP normal, no evidence of angioedema NECK: Supple, without LAD. CV: RRR, no m/r/g PULM: Clear to auscultation bilaterally, no accessory muscle use ABD: Soft, no tenderness. SKIN: Erythematous, coalescing raised papules in the distribution of the left forearm and left dorsal hand. Small, erythematous wheal on the dorsum of the left shoulder. No erythema or edema of the injection site. Skin warm and dry MSK: FROM, MS 5/5 NEURO: Alert and oriented x 4, CN 2-12 grossly intact, no ataxia, gait steady Clinical Impression/Field Tx: Urticarial rash. Patient was observed for 15 minutes following 30 minute observation period. During that time, the skin manifestations stabilized. Patient did not display signs/symptoms of anaphylaxis. Vital signs were stable. Patient offered evaluation by EMS, however, patient denied evaluation and preferred to go home. Patient was driven to site by significant other and self-administered OTC Benadryl. Patient asked to follow up with PCP/allergist and to inform them of the post-vaccination reaction, as well as to further discuss asthma/urticaria management. Patient instructed to go to the emergency department should she develop chest pain, shortness of breath, and swelling of the face/lips/mouth/tongue/throat, as these could be possible signs of anaphylaxis that</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							require immediate attention. Medications administered: None. Patient self-administered OTC benadryl Disposition: Home
1166368	4/4/2021	GA	54	F	3/18/2021	3/18/2021	Patient says 45 minutes after receiving the vaccine her eyes and lips started swelling, she was burning from head to toe and had localized reaction at the injection site. She had an Epi-Pen on hand due to the previous reaction she had to Shingrix (which again we were not aware of). She used the Epi-Pen, took steroids, and Benadryl.
1166474	4/4/2021	CT	27	F	4/1/2021	4/1/2021	Immediately after receiving the vaccine i began experiencing dizziness, blurry vision, and numbness and tingling in my hands and feet. At the vaccination center they monitored my vitals and made me lie down for 30-40 mins after which i felt much better. Then I took the train home. After getting to my apartment I lay down for a while and when i tried to get up i was very disoriented. I felt extremely dizzy, numbness and tingling was in my whole arms and legs and even my back. it felt like my skin was burning from the inside. Around 4 i began calling the university health center and covid hotlines because i wasn't feeling well at all. During this time i also experienced twitching of my face, hands and feet and a period of confusion - i wasn't able to keep the conversation with my nurse and tell her what my symptoms were. I also had trouble verbalizing. I was told to take Tylenol and ibuprofen. i took them but the fever came back. Severe Stomach pain and nausea I had fever till 4/2 - the highest temperature was 102.4 late in the night on 4/1. on 4/2 i ended up having to call the healthcare again, they thought i should go to the ER, Then i went to urgent who sent me to ER. At the ER i was told this was an extreme reaction due to the vaccine. They monitored me for a few hours and gave me Tylenol and anti-nausea medication and doctors note to rest till 4/5.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1166488	4/4/2021	TX	28	M	4/4/2021	4/4/2021	The patient passed out after receiving the vaccine. The patient received one dose of ammonium as the second time he passed out his eyes rolled back in his head. He has a history of fainting with vaccines. An ambulance was declined by the patient and the female who came with him. He was instructed to wait for 30 minutes at the pharmacy . A phone number was obtained to check on him later on.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1166645	4/4/2021	NJ	32	M	4/3/2021	4/3/2021	<p>Felt a bit odd on the couch, little shiver and what felt like adrenaline. I got up and went into the bathroom where the incident occurred. I used to be on 10mg of Ramipril years ago and moved to 5 due to light headedness when standing up. Yellow tinted vision, bright and sparkly. Getting up too fast with heart pressure meds prescribed for albumin /T1D and not for heart pressure. The secondary use of Ramipril is normal for type 1 diabetes after 20+ years. So I went to 5mg and haven't had that issue since. I should also mention that when this used to happen to me I would lay down and recover with no problem. Back to the incident it felt exactly like that but on steroids. I was in the bathroom looking for Tylenol and I got light headed, yellow tinted vision, bright and sparkly, ringing in the ears, dizzy, and confused. I remember thinking I should probably get down on the tile floor and lay down like I'm used to from the episodes years ago with 10mg Ramipril causing the same symptoms but never anything so extreme. Next thing I know I'm on the ground waking up where I fainted and hit my head pretty hard on the way down. I probably have a minor concussion. Iced my head in the back where I hit it last night and this morning. Surprisingly 0 bumps, etc other than a little bit sore. Trying to remember going down is impossible. There is a strange, I guess it's not strange as I fainted, but to me being 1 moment thinking what I should do then the next moment still thinking that same exact thing but coming to on the bathroom floor with parents yelling over top of me as I was at their house is strange. I recall what almost felt like a dream while I was out but I was wondering why everyone was asking if I was ok, of course I'm ok I thought. Then I realized what happened and crawled around on the floor the rest of the night if I needed anything and was checked every hour through the night which was horrible but necessary. Also my blood glucose was a 220 at the time of the incident according to my CGM so it didn't have to do with low blood sugar. In any case I feel better today but in a fog with a slight headache.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1166716	4/4/2021	VA	53	F	3/19/2021	3/19/2021	Day of vaccine I got a bad headache. I suffer migraines and it was not a migraine, it was my whole head. I had nausea and vomiting that evening and the next day. Headache persisted the next day also. Got chills. Knees hurt. On 3rd day, was better. then got congestion in nose and eyes, similar to allergic reaction to when I'm near a cat. Lasted two days. Knee still hurts and have been flushing for two weeks.
1166703	4/4/2021	IN	27	M	4/2/2021	4/2/2021	Chest pains and shortness of breath started within an hour from vaccination. 3 hours after shot dizziness and chills began. The following day symptoms progressed and lasted all day. Severe dizziness, blurred vision, muscle aches, headaches, chills, shortness of breath, chest pains, sore throat, cough, fatigue, fever(up to 102.5).
1166441	4/4/2021	PA	63	F	4/1/2021	4/1/2021	It was the pfizer vaccine, got a little tingly and light headed which I am accustomed to. I got very tired but I was able to drive home. At home I fell asleep for an hour or two, swelling started in my legs mostly but also arms and all over. They were swollen like balloons and it was difficult to bend the knee. Swelling was visible, white, no redness. Next day my face was swollen and dark bags under my eyes. I have had this swelling before and another bad episode was after surgery with anesthesia. It is still very tight and sore mostly in my knees. Not sure if it is autoimmune reaction or allergy.
1166652	4/4/2021	DC	43	F	3/31/2021	3/31/2021	Lip began tingling at 1PM. By 8PM that night, it was extremely enlarged. Face was swollen next day. Eyes and throat began swelling. Doctor told me to use the epipen on myself since I was salivating a lot. Called the ambulance and was taken to Hospital. Doctor told me that they thought the Lisinopril allergic reaction was activated. It is now Sunday (four days later) and I am experiencing muscle aches in my right arm and nerve pain in my right hand/fingertips. On Saturday, my right arm was twitching and cramping. Felt chills on Friday.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1166595	4/4/2021	FL	44	F	1/22/2021	3/1/2021	intermittent paresthesias and/or numbness of the extremities, varies in degree, location, and duration. The entire hand, arm, foot or leg could have the sensation, just patches and pieces. Initially started as a patch on the left arm but has progressed to the alternating areas and extent as mentioned above. Occasionally into the trunk region and scalp. Intermittent changes in vision/blurring of vision- so much that an eye doctor was seen. New contacts were prescribed, but still having intermittent visual changes where focus is not accurate
1166569	4/4/2021	TX	61	F	3/20/2021	3/31/2021	I developed an itchy red rash on my upper chest area. I took a dose of Allegra to alleviate the symptoms. Two days later I developed an itchy swollen patch on my left upper cheek around my eye and again took a dose of Allegra. Today, 04/04/21, after running 8 miles I developed raised itchy patches on my lower neck and upper chest once again, a raised, red bump on each cheek, as well as raised red itchy patches in three places on my left arm, including near the original vaccination site. Once again I have taken Allegra to alleviate the symptoms.
1166515	4/4/2021		25	F	4/3/2021	4/3/2021	Sweatiness and shortness of breath immediately after vaccination, stood up to go get snack & walked a short distance before getting blurred vision/ringing in ears and then fainted
1166493	4/4/2021	CT	27	F	4/1/2021	4/4/2021	Immediately after - dizziness, headache, blurry vision, numbness and tingling in hands and feet at 4pm - very dizzy and disoriented, tingling in entire arms and legs and lower back, felt like skin was burning (rubbing the area helped) twitching of hands, face and feet confusion and problems verbalizing - i was unable to explain my symptoms to the nurse fever - 100.2 at the time (it increased to 102.3 later in the night) Severe nausea and stomach pain loss of taste scratchy throat pain in lymph nodes severe pain in injection site joints and full body pain - severe

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1165811	4/4/2021	SC	74	M	3/8/2021	3/8/2021	This is a spontaneous report from a contactable consumer, the patient. A 74-years-old male patient received the first dose of BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), via an unspecified route of administration, administered in right arm on 08Mar2021 at 14:15 (Batch/Lot Number: EN6204) (at the age of 74-years-old) as a single dose for COVID-19 immunization; donepezil hcl (DONEPEZIL HCL), 10mg tablet, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 10 mg, 1x/day for an unspecified indication; clonazepam (CLONAZEPAM), 2mg tablet, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 2 mg for an unspecified indication; pioglitazone (PIOGLITAZONE), 45mg tablet, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 45 mg for an unspecified indication; lisinopril (LISINOPRIL), 10mg tablet, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 10 mg for an unspecified indication; vitamin d3 (VITAMIN D3), via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 2000 iU for an unspecified indication; multivitamin, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at an unspecified dose for an unspecified indication. Medical history included Parkinson's, diabetes type 2, hypertension and rapid eye movement (REM) sleep disorder, all from an unknown date and unknown if ongoing. The patient had no known allergies. Concomitant medications included carbidopa, levodopa (CARBIDOPA LEVODOPA), at 25-100 mg, taken for an unspecified indication, start and stop date were not reported; lovastatin (LOVASTATIN), 20mg tablet, at 20mg taken for an unspecified indication, start and stop date were not reported. The patient did not receive any other vaccines within four weeks prior to BNT162b2. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. The patient experienced rashes on different parts of the body, whole

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

							left arm, upper back, both hands, trunk on 08Mar2021 at 14:30. No treatment was received for the event, rashes on different parts of the body, whole left arm, upper back, both hands, trunk. The action taken in response to the event for donepezil hcl, clonazepam, pioglitazone, lisinopril, vitamin D3 and multivitamin was unknown. The outcome of event, rashes on different parts of the body, whole left arm, upper back, both hands, trunk was not recovered.
--	--	--	--	--	--	--	---

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1165811	4/4/2021	SC	74	M	3/8/2021	3/8/2021	This is a spontaneous report from a contactable consumer, the patient. A 74-years-old male patient received the first dose of BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), via an unspecified route of administration, administered in right arm on 08Mar2021 at 14:15 (Batch/Lot Number: EN6204) (at the age of 74-years-old) as a single dose for COVID-19 immunization; donepezil hcl (DONEPEZIL HCL), 10mg tablet, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 10 mg, 1x/day for an unspecified indication; clonazepam (CLONAZEPAM), 2mg tablet, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 2 mg for an unspecified indication; pioglitazone (PIOGLITAZONE), 45mg tablet, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 45 mg for an unspecified indication; lisinopril (LISINOPRIL), 10mg tablet, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 10 mg for an unspecified indication; vitamin d3 (VITAMIN D3), via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 2000 iU for an unspecified indication; multivitamin, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at an unspecified dose for an unspecified indication. Medical history included Parkinson's, diabetes type 2, hypertension and rapid eye movement (REM) sleep disorder, all from an unknown date and unknown if ongoing. The patient had no known allergies. Concomitant medications included carbidopa, levodopa (CARBIDOPA LEVODOPA), at 25-100 mg, taken for an unspecified indication, start and stop date were not reported; lovastatin (LOVASTATIN), 20mg tablet, at 20mg taken for an unspecified indication, start and stop date were not reported. The patient did not receive any other vaccines within four weeks prior to BNT162b2. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. The patient experienced rashes on different parts of the body, whole

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

							left arm, upper back, both hands, trunk on 08Mar2021 at 14:30. No treatment was received for the event, rashes on different parts of the body, whole left arm, upper back, both hands, trunk. The action taken in response to the event for donepezil hcl, clonazepam, pioglitazone, lisinopril, vitamin D3 and multivitamin was unknown. The outcome of event, rashes on different parts of the body, whole left arm, upper back, both hands, trunk was not recovered.
--	--	--	--	--	--	--	---

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1165811	4/4/2021	SC	74	M	3/8/2021	3/8/2021	This is a spontaneous report from a contactable consumer, the patient. A 74-years-old male patient received the first dose of BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), via an unspecified route of administration, administered in right arm on 08Mar2021 at 14:15 (Batch/Lot Number: EN6204) (at the age of 74-years-old) as a single dose for COVID-19 immunization; donepezil hcl (DONEPEZIL HCL), 10mg tablet, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 10 mg, 1x/day for an unspecified indication; clonazepam (CLONAZEPAM), 2mg tablet, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 2 mg for an unspecified indication; pioglitazone (PIOGLITAZONE), 45mg tablet, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 45 mg for an unspecified indication; lisinopril (LISINOPRIL), 10mg tablet, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 10 mg for an unspecified indication; vitamin d3 (VITAMIN D3), via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 2000 iU for an unspecified indication; multivitamin, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at an unspecified dose for an unspecified indication. Medical history included Parkinson's, diabetes type 2, hypertension and rapid eye movement (REM) sleep disorder, all from an unknown date and unknown if ongoing. The patient had no known allergies. Concomitant medications included carbidopa, levodopa (CARBIDOPA LEVODOPA), at 25-100 mg, taken for an unspecified indication, start and stop date were not reported; lovastatin (LOVASTATIN), 20mg tablet, at 20mg taken for an unspecified indication, start and stop date were not reported. The patient did not receive any other vaccines within four weeks prior to BNT162b2. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. The patient experienced rashes on different parts of the body, whole

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

							left arm, upper back, both hands, trunk on 08Mar2021 at 14:30. No treatment was received for the event, rashes on different parts of the body, whole left arm, upper back, both hands, trunk. The action taken in response to the event for donepezil hcl, clonazepam, pioglitazone, lisinopril, vitamin D3 and multivitamin was unknown. The outcome of event, rashes on different parts of the body, whole left arm, upper back, both hands, trunk was not recovered.
--	--	--	--	--	--	--	---



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1165811	4/4/2021	SC	74	M	3/8/2021	3/8/2021	This is a spontaneous report from a contactable consumer, the patient. A 74-years-old male patient received the first dose of BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), via an unspecified route of administration, administered in right arm on 08Mar2021 at 14:15 (Batch/Lot Number: EN6204) (at the age of 74-years-old) as a single dose for COVID-19 immunization; donepezil hcl (DONEPEZIL HCL), 10mg tablet, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 10 mg, 1x/day for an unspecified indication; clonazepam (CLONAZEPAM), 2mg tablet, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 2 mg for an unspecified indication; pioglitazone (PIOGLITAZONE), 45mg tablet, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 45 mg for an unspecified indication; lisinopril (LISINOPRIL), 10mg tablet, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 10 mg for an unspecified indication; vitamin d3 (VITAMIN D3), via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 2000 iU for an unspecified indication; multivitamin, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at an unspecified dose for an unspecified indication. Medical history included Parkinson's, diabetes type 2, hypertension and rapid eye movement (REM) sleep disorder, all from an unknown date and unknown if ongoing. The patient had no known allergies. Concomitant medications included carbidopa, levodopa (CARBIDOPA LEVODOPA), at 25-100 mg, taken for an unspecified indication, start and stop date were not reported; lovastatin (LOVASTATIN), 20mg tablet, at 20mg taken for an unspecified indication, start and stop date were not reported. The patient did not receive any other vaccines within four weeks prior to BNT162b2. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. The patient experienced rashes on different parts of the body, whole

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

							left arm, upper back, both hands, trunk on 08Mar2021 at 14:30. No treatment was received for the event, rashes on different parts of the body, whole left arm, upper back, both hands, trunk. The action taken in response to the event for donepezil hcl, clonazepam, pioglitazone, lisinopril, vitamin D3 and multivitamin was unknown. The outcome of event, rashes on different parts of the body, whole left arm, upper back, both hands, trunk was not recovered.
--	--	--	--	--	--	--	---

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1165811	4/4/2021	SC	74	M	3/8/2021	3/8/2021	This is a spontaneous report from a contactable consumer, the patient. A 74-years-old male patient received the first dose of BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), via an unspecified route of administration, administered in right arm on 08Mar2021 at 14:15 (Batch/Lot Number: EN6204) (at the age of 74-years-old) as a single dose for COVID-19 immunization; donepezil hcl (DONEPEZIL HCL), 10mg tablet, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 10 mg, 1x/day for an unspecified indication; clonazepam (CLONAZEPAM), 2mg tablet, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 2 mg for an unspecified indication; pioglitazone (PIOGLITAZONE), 45mg tablet, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 45 mg for an unspecified indication; lisinopril (LISINOPRIL), 10mg tablet, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 10 mg for an unspecified indication; vitamin d3 (VITAMIN D3), via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 2000 iU for an unspecified indication; multivitamin, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at an unspecified dose for an unspecified indication. Medical history included Parkinson's, diabetes type 2, hypertension and rapid eye movement (REM) sleep disorder, all from an unknown date and unknown if ongoing. The patient had no known allergies. Concomitant medications included carbidopa, levodopa (CARBIDOPA LEVODOPA), at 25-100 mg, taken for an unspecified indication, start and stop date were not reported; lovastatin (LOVASTATIN), 20mg tablet, at 20mg taken for an unspecified indication, start and stop date were not reported. The patient did not receive any other vaccines within four weeks prior to BNT162b2. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. The patient experienced rashes on different parts of the body, whole

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							left arm, upper back, both hands, trunk on 08Mar2021 at 14:30. No treatment was received for the event, rashes on different parts of the body, whole left arm, upper back, both hands, trunk. The action taken in response to the event for donepezil hcl, clonazepam, pioglitazone, lisinopril, vitamin D3 and multivitamin was unknown. The outcome of event, rashes on different parts of the body, whole left arm, upper back, both hands, trunk was not recovered.
1163642	4/3/2021	NY	72	M	3/23/2021	3/27/2021	vision has decreased. Started within a week of the 2nd shot. Actually had an eye exam 2/22/21 and received a new prescription and new glasses. First it was distance but it starting to effect close up.
1163427	4/3/2021	IN	41	F	3/27/2021	3/28/2021	Work up with fever over 104°, hallucinations and talking out of my head, right eye swollen shut, headaches, body aches, chest pain, cough
1163406	4/3/2021	WI	34	F	3/15/2021	3/29/2021	Swelling in the left bottom eyelid and surrounding 3 inches for the past week.
1163462	4/3/2021	OH	35	M	3/11/2021	3/11/2021	Elevated blood sugars, sore arm, tired, tunnel vision.
1163463	4/3/2021	FL	58	F	3/27/2021	3/28/2021	Pfizer-BioNTech COVID-19 Vaccine EUA Swollen eyes 24 hours after vaccination. Diagnosed with conjunctivitis 4 days after vaccination. RX TobraDex ST - 1 drop each eye 4 times daily until 4/15/21 or until systems are gone. Was given a RX
1163572	4/3/2021	OH	23	F	4/2/2021	4/2/2021	Got the Moderna COVID 19 vaccine Fatigue, crusty eyes, sore throat, stuffy/runny nose, feeling really hot/cold. Started feeling fatigue at 9:00pm (04/02) stuffy/runny nose at 10:00pm (04/02) crusty eyes and feeling hot/cold at 9:30am (04/03)
1163596	4/3/2021	TX	77	F	3/8/2021	4/3/2021	worsened tinnitus, drooping left eyelid, dizziness

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1163599	4/3/2021	IL	81	F	3/10/2021	4/2/2021	4/2/2021 - pain in right arm starting at injection site. Over next 18 hours pain ran along arm to shoulder to upper back. Pain starts as sharp, then burning. Patient had difficulty sleeping. Started on ibuprofen (1000mg) at 8am on 4/3/2021 and heating pad. Pain dulled a bit. Additional info: on 3/27/2021 Patient woke up with a droopy eyelid that was diagnosed as Horner's Syndrome on 3/31/2021. Sent to ER at Hospital for MRI/MRA/CT, scans showed nothing conclusive - no evidence of stroke, aneurysm, clot, cancer, or anything pressing on optical nerve. Have followup with Dr at Hospital Neurology. Blood work ordered to check for evidence of other conditions that could deteriorate the myelin sheath.
1163612	4/3/2021		23	M	4/1/2021	4/2/2021	A small growth appeared on the inside of my right eyelid. It felt like a piece of sand was stuck in there. This happened the day after my first vaccination and the day after the second dose. By one day after the occurrence (for both) the growth was gone and I felt normal. The growth did not hurt, but it was very noticeable.
1163618	4/3/2021	SC	49	F	4/1/2021	4/1/2021	Overall body pain, extreme weakness, extremely lethargic, excessive sleeping, nausea, vomiting, fever, eye socket pain,
1163626	4/3/2021	TX	44	F	4/1/2021	4/2/2021	On 4/2/21, arm pain, body aches, bad headache, chills, fatigue, redness at injection site. At about 7:30 pm, I started feeling bruising under my right eye. At about 9:30 pm, I had a small bump under my left eye. On 4/3/21, I woke up with facial swelling. I was swollen underneath my eyes, cheeks were swollen, and lip was swollen. Headache, slight back ache, redness at injection site and sore injection area continue. Took 2 Benadryl at 9:00 am to reduce swelling.
1163499	4/3/2021	NY	73	F	3/31/2021	4/1/2021	On 04/01/2021, at 3:00 pm, experienced severe stomach pains; joint pains; muscle aches; headache; back pains; tingling of tongue and mouth; swollen eyes and face; chills.
1163680	4/3/2021	IL	57	M	4/2/2021	4/2/2021	Facial numbness and tingling in addition to lip and tongue swelling. Left eyelid became droopy. Swelling did not obstruct airway.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1163686	4/3/2021	IN	35	M	4/1/2021	4/1/2021	Terrible body aches starting at 8pm on April 1st. Then had the chills. Was able to take ibuprofen and slept for a bit. Next morning April 2, got a migraine where it hurt to open my eyes. Had that for about 2 hours then got better. Also, I had trouble eating. I would take a small bite of crackers and feel like I was going to throw up. Took me a long time to eat a package of crackers and to drink 1 whole bottle of gatorade. I took more ibuprofen through the day and that helped. Around 5pm that night I was able to eat a little more and drink some with out feeling sick to my body. Around 9pm that night headache came back and I went to bed for the night. Today April 3 I feel a lot better. Body still aches a bit and feels like I've been sick for 2 days so will probably take today and tomorrow to fully recoup. No headache today. Just small aches and tired.
1163703	4/3/2021	CA	48	F	3/30/2021	3/30/2021	Flushing, LE weakness, heavy eyes, nausea. Water given.
1163717	4/3/2021	IN	20	F	4/1/2021	4/2/2021	Patient experienced swelling of the face, eyes, and lips, and a burning sensation in her throat and chest. We called 9-1-1 to check vitals and they recommended going to her doctor or the hospital in case of additional swelling. We called the doctor and they told us to try Benadryl. This worked a little bit, but she is still in a lot of discomfort today (Saturday after Thursday shot).
1163727	4/3/2021	CT	59	F	3/10/2021	3/15/2021	Pain and swelling in lower legs (anterior compartment syndrome) which began on 3/15/21, 5 days after vaccination. Pain and swelling continue without abating after 2 weeks of rest, compression, ice, elevation. Styte in left eye - possibly due to inflammation in eyes. Treating with moist heat.
1163730	4/3/2021	MO	67	F	4/1/2021	4/3/2021	I awakened this morning with significantly compromised vision in my right eye. It has improved slightly since awakening, but only slightly in the approximately 4 hours.
1163731	4/3/2021	IL	49	F	3/27/2021	3/31/2021	Burning in left eye when sleeping at night Pressure in left eye during the day Constant cigarette smoke smell all the time

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1163831	4/3/2021	TX	21	M	4/3/2021	4/3/2021	21 YO M C/O CONSTANT, NON-THROBBING, PRESSURE TO TO LEFT TEMPORAL LOBE. PT STATES THE PRESSURE STARTED OFF AS A GENERAL HEAVY FEELING BEFORE LOCALIZING TO THE LEFT TEMPORAL LOBE. PT DENIES ANY NUMBNESS, TINGLING, ACUTE PAIN, OR VISION DISTURBANCE.
1163385	4/3/2021	OK	69	F	4/1/2021	4/2/2021	Fever of 99-9 to 100.9, lethargic, went to bed a 5pm day of shot and was there over 24 hours. Could not keep my eyes open, pain in my entire body, red rash on upper body under my arms and across my chest
1162362	4/3/2021	TN	59	F	3/10/2021	3/11/2021	Broken blood vessels all over white of left eye; Fatigue; A spontaneous report was received from a 59-year-old female patient , who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced fatigue and broken blood vessels all over white of left eye/eye haemorrhage. The patient's medical history was not provided. Products known to have been used by the patient, within two weeks prior to the event, included atorvastatin and acetylsalicylic acid (low dose). On 10 Mar 2021, prior to the onset of events, the patient received their first of two planned doses of mRNA-1273(Batch number: 010a21a) on left arm for prophylaxis of COVID-19 infection. On 11 Mar 2021, after receiving mRNA-127, the patient experienced fatigue which lasted for 6 hours. On 12 Mar 2021, the patient experienced broken blood vessels all over white of left eye. Treatment information was not provided. Action taken with mRNA-1273 in response to the events was unknown. The outcome of the event, fatigue was considered as resolved on 11 Mar 2021. The outcome of event broken blood vessels all over white of left eye was unknown.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.
1163876	4/3/2021	MA	61	F	3/26/2021	3/26/2021	Day 8, sore eyes, chills, debilitating fatigue, nausea, dizzy, fever, unable to function for 8 days
1163850	4/3/2021	PA	67	F	3/12/2021	3/13/2021	Fever and aches March 13 Blurry and Double Vision March 14

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1163814	4/3/2021	IN	40	M	4/1/2021	4/1/2021	Time-line: - Started with achiness in both legs - Chills onset about 30 minutes after achiness - Chills briefly (1-2 minutes) were so severe I was shaking (convulsion like), only time this happened - Chills persisted for over 2 hours, covered up and took a nap - Upon waking, entire body had a hot/searing sensation (under skin), but no elevation in temperature - Eyes were extremely dry - Body aches continued into the next morning, hot/searing sensation had stopped - Was fairly fatigued the entire next day, dry eye issue persisted - After more rest than normal, I seem to be back to normal, no body aches, fatigue, or dry eye issues.
1163132	4/3/2021	OR	57	F	2/1/2021	2/4/2021	I woke up at approx. 2:30 am the next morning with my mouth (tongue and lips), eyes, and inside of nose on fire, as if dipped in hot sauce. Anywhere I touched burned. It felt like it was coming out of my pores, and I jumped into the shower to rinse off, spreading "it" everywhere. The redness and blisters would migrate every hour or so. One minute it was my tongue, then it would show up on my chest. I called the advice nurse who instructed me to take a Benedryl. My tongue and throat were tingling. The Benedryl helped, and I was able to go back to bed but woke up four hours later worse than before. I called again and my PCP was alerted. via email. She prescribed a run of Prednisone and that stopped it, however after the run was over, it started again. A second run of Prednisone was taken. Upon completion, my throat started to tingle again, then stopped. I have pictures of the hives, swelling, and blisters on my tongue, lips, eye, and chest, I cannot take the second dose, per PCP.
1163893	4/3/2021	AZ	46	F	4/3/2021	4/3/2021	About between 30-60 minutes after the vaccination, I began feeling mild pressure in my left eye, and it felt as if my eyes weren't properly matching up? in my glasses, like the prescription in one eye wasn't correct. It wasn't bad enough for me to stop driving home, but it was definitely noticeable and odd. I will keep an eye on it and phone my physician if it worsens.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1164929	4/3/2021	MD	20	F	3/15/2021	3/15/2021	It started with my teeth chattering and chills, but no fever yet. All of the muscles in my body had a severe tremor, and I had trouble with simple tasks like filling my nasal rinse bottle, because the tremor was so bad. My jaw was smacking the entire time, so hard that the headboard smacked against the blinds. Then I checked my temperature and it had gone from 97.5 to about 99.5. The symptoms got worse, and added in excessive thirst, pain at the base of my head where it meets my neck, pressure under and behind the eyes, severe lower back pain, muscle pain escalating on the right side of my body only, nausea, pain across the top of my forehead, and a weird heat sensation under my fingernails? Maybe an hour or so passed, and my fever rose to above 101, and I tried to go back to sleep. By this point the tremors were over, but slight chills and every other symptoms remained. I took my temp later and it was 102.7, and I again had all symptoms except the initial tremors. I also had tachycardia (super rapid heartbeat) and got dizzy for a second and have a little trouble focusing my vision when I sat up in bed.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1162355	4/3/2021	TX	26	F	12/24/2020	12/24/2020	Felt like she was going to pass out; Dizziness; She couldn't function properly; Felt cross eyed; Dull headache; Shoulder pain at injection site; Chills; Fever; A spontaneous report was received from a customer concerning a 26-year old female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced vaccination site pain, chills, fever, dizziness, dull headache, feeling cross eyed, inability to function properly, and feeling like she was going to pass out. The patient's past medical history included migraine and gastritis. Concomitant medication included migraine medication: imitrex, sumatriptan and meclavine. On 24-DEC-2020, prior to the onset of the events, the patient received a dose mRNA-1273 (lot/batch or dose number not reported) intramuscularly on the right arm for prophylaxis of COVID-19 infection. On 24-DEC-2020, the patient experienced shoulder pain at injection site, chills and fever that evening. On 25-DEC-2020, the right arm was still hurting. On 26-DEC-2020, she had dizziness, a dull headache felt cross eyed and felt that she couldn't function properly. The headache increased intensity making her to go to the hospital on 01-JAN-2021. She felt like she was going to pass out. Information about whether or not she was admitted was not provided. Laboratory reports were not provided. Treatment information included taking her migraine medications and going to the hospital. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the events was unknown.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1162361	4/3/2021	KS	57	M	2/9/2021	3/1/2021	His left face is drooping; Numbness to right face; Numbness to right eye; Headache pain behind his left ear; This spontaneous case was reported by a nurse and describes the occurrence of FACIAL PARALYSIS (His left face is drooping) in a 57-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 016M20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No reported medical history). On 09-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 01-Mar-2021, the patient experienced HYPOAESTHESIA (Numbness to right face), EYELID SENSORY DISORDER (Numbness to right eye) and HEADACHE (Headache pain behind his left ear). On 07-Mar-2021, the patient experienced FACIAL PARALYSIS (His left face is drooping) (seriousness criterion medically significant). At the time of the report, FACIAL PARALYSIS (His left face is drooping), HYPOAESTHESIA (Numbness to right face), EYELID SENSORY DISORDER (Numbness to right eye) and HEADACHE (Headache pain behind his left ear) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On an unknown date, SARS-CoV-2 test positive: positive (Positive) Positive. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1162365	4/3/2021	NC	30	F	3/18/2021	3/18/2021	<p>Looked awful; Almost passed out; Vision was gone; Ringing in the ears; Clammy; Dizziness; Severe fatigue; Low grade fever; A spontaneous report was received from a consumer concerning for herself, a 30-year-old, female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced almost passed out/ Loss of consciousness, low grade fever/ Pyrexia, severe fatigue, dizziness, vision was gone/ Visual impairment, ringing in ears/ Tinnitus, clammy/Cold sweat, Looked awful/ Feeling abnormal. The patient's medical history included she had undergone 2 open heart surgery and was on blood thinners. Concomitant medications include blood thinners. On 18Mar2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Batch/Lot number: 037A21B) via an unknown route for prophylaxis of COVID-19 infection. On 18Mar2021, patient felt low grade fever. On 19Mar2021, patient had severe fatigue, dizziness and both were ongoing. On 20Mar2021 the patient stated that she almost passed out, my vision was gone, ringing in the ears and clammy (lasted 20 mins). On 22MAR2021 the patient was sent home from work because she looked awful. The event almost passed out was considered as medically significant. Treatment for the events was unknown. Action taken with mRNA-1273 in response to the events was Unknown. The outcome of the event low grade fever was resolved on 18Mar2021. The outcome of the events, almost passed out, vision was gone, ringing in ears and clammy, were resolved on 20Mar2021. The outcome of events severe fatigue, dizziness was not recovered. The outcome of the event Looked awful was unknown, at the time of this report.; Reporter's Comments: This case concerns a 30 Y/O F with PMH cardiac surgery, had a serious unexpected event of loss of consciousness and nonserious unexpected dizziness, feeling abnormal, tinnitus, cold sweat, visual impairment and expected pyrexia and fatigue. Event onset Day 5 after first dose mRNA-1273. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1162374	4/3/2021	IL	31	F	2/5/2021	2/5/2021	vertigo; dizziness; blurred vision; This is a follow up spontaneous report from a contactable consumer (Patient). A 31-years-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE: Solution for injection), dose 1 via an unspecified route of administration, administered in Arm Left on 05Feb2021 (Batch/Lot Number: EM9810) as single dose for covid-19 immunisation. Medical history included none. No concomitant drugs were reported. On 05Feb2021 16:35, The patient experienced vertigo, dizziness and blurred vision on unspecified time. Consumer says she just had her first dose of the Pfizer COVID-19 vaccine around 03:00-03:15PM today, and then about 20 minutes ago she had vertigo, or a dizzy spell then bad blurred vision. She says she feels normal or feels ok now, but it took like 5 minutes to get better, maybe 10-15 minutes. Consumer says she would like to know if this is normal, or if she should seek medical attention. she has had no recent vaccinations and is on two meds but they are not new, she has taken them 6 months already. The action taken in response to the events for BNT162B2 was not applicable. The outcome of event was recovered.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1162446	4/3/2021		56	F			chest tightness/ chest tightness worsening slightly; lightheaded; vaccine-related anxiety; chest pain; shortness of breath; nausea; vomiting; diarrhea; This is a spontaneous report from a non-contactable health care practitioner (other HCP). A 56-year-old female patient received the first dose of BNT162B2(PFIZER-BIONTECH COVID-19 VACCINE solution for injection; Batch/Lot Number: EN6205; Expiry date was not reported) via an unspecified route of administration on an unspecified date (at the age of 56-years-old) at a single dose for covid-19 immunization. Medical history included chronic pain from an unknown date and ongoing. Concomitant medications included glipizide and lisinopril 10mg (taken at night) which were taken for an unspecified indication; and morphine taken two times a day for chronic pain. The start and stop dates of these medications were not reported. The patient previously took pioglitazone hydrochloride (ACTOS) and was taken off in the last couple of weeks and switched over to Glipizide. On an unspecified date during the patient's 15-minute waiting period after the vaccination, the patient began to experience chest tightness. The patient was transported to emergency department (ED). The patient also experienced lightheadedness and chest tightness worsening slightly while she was being monitored after the treatment was given. The events were reported as non-serious. Differential Diagnosis: Vaccine- Related Anxiety (include misc mental health, unspecified) and Red flag symptoms (CP (Chest pain), SOB (Shortness of breath), NVD (Nausea, vomiting, diarrhea), and unspecified Visual/Neuro concerns. Treatment included antihistamine, Cetirizine (Zyrtec), and water for the event chest tightness. The outcome of event chest tightness was not recovered (reported as worsening); while other events was unknown. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1162487	4/3/2021	FL	42	F	3/15/2021	3/1/2021	like blurry vision and then she lost her senses/loss of consciousness (fainting)/passed out; like blurry vision and then she lost her senses/loss of consciousness (fainting); tachycardia; mental confusion; loss of sphincter control (urinary incontinence)/pissed on herself; diarrhea; This is a spontaneous report from a contactable consumer (patient). A 42-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration administered on arm left on 15Mar2021 13:15 (Batch/Lot number was not reported) as SINGLE DOSE for COVID-19 immunization at the pharmacy. Medical history was not reported. There were no concomitant medications. The patient was not pregnant (including at the time of vaccination). On 16Mar2021 13:15, she came around to feeling really something bad in her body. She described this as she had loss of consciousness (fainting) which started to feel like blurry vision and then she lost her senses. She then passed out for 5-8 minutes and she had loss of sphincter control (urinary incontinence) as she pissed on herself. She also had tachycardia and mental confusion by that time. They called an ambulance and she was brought to the emergency or urgency department/room. The events [loss of consciousness (fainting), loss of sphincter control (urinary incontinence), tachycardia and mental confusion] were considered as serious (medically significant). She also had several diarrhea (noted in 2021) episodes during one week. She had no COVID prior vaccination and not tested post vaccination. She would like to know if the reaction that she had with first dose vaccination was normal as she was afraid of the second one. The patient did not receive any treatment for the events of loss of consciousness (fainting), loss of sphincter control (urinary incontinence), tachycardia and mental confusion. Outcome of the event of diarrhea was unknown while recovering for the remaining events. Information on the lot/ batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1163024	4/3/2021	WA	25	F	3/31/2021	3/31/2021	?Janssen COVID-19 Vaccine? Approximately 5 hours after receiving the vaccine I started feeling extremely tired and cold despite the climate being warmer than usual. I went to sleep and woke up shivering, i was cold but my body was burning to the touch. My body ached and I had a headache and nausea. My eyes hurt whenever I moved them. These symptoms persisted until 9:18, I took 2 tylenol pills and started feeling better. Today is my third day, my eye pain has not gone and I still feel tired but what is bothering the most is the eye pain whenever I look anywhere or move my head.
1163036	4/3/2021	CT	66	F	2/17/2021	2/19/2021	I had minor headaches 5 out of 8 days. At first I thought it was just a headache but after repeat headaches , which would be unusual for me, I realized it was probably the shot. Not major pounding headaches, more like eye strain annoying type headaches. Aspirin didn't provide much relief. Motrin was better.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1162369	4/3/2021	CA	66	F	1/29/2021	1/29/2021	There's a tiny bit of irritation in the outside corner of my left eye; eyelid is swollen; This is a spontaneous report from a contactable consumer (patient). A 66-year-old non-pregnant female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), first dose via an unspecified route of administration, administered in the left arm on 29Jan2021 10:00 (lot number: EL9261) as single dose (at the age of 66-years-old) for covid-19 immunization, administered in public health department. Medical history included seasonal allergies. Concomitant medications included varicella zoster vaccine rge (cho) (SHINGRIX, GlaxoSmithKline) on 08Jan2021, lot number: GM2Y4, second dose in the left arm taken for immunization; rhodiola rosea (RHODIOLA) taken for an unspecified indication, start and stop date were not reported; loratadine (LORATADINE) taken for an unspecified indication, start and stop date were not reported; montelukast (MONTELUKAST) taken for an unspecified indication, start and stop date were not reported; fluticasone (FLUTICASONE) taken for an unspecified indication, start and stop date were not reported. The patient previously took lanolin and experienced rash. The patient was not diagnosed with COVID-19 prior to vaccination. On 29Jan2021 at 22:00, the patient experienced a "tiny bit of irritation in the outside corner of my left eye and the eyelid was swollen". The patient has seasonal allergies, so this could be related to that. Although, the patient has never had swollen eyelid issue before. The patient has not been tested for COVID-19 since the vaccination. The events were considered non-serious by the reporter. The event did not result in death, not life-threatening, did not require hospitalization, was not disabling and did not contribute to a congenital anomaly/birth defect. No treatment was received for the events. The patient has not recovered from the events. Follow-up attempts are completed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1163115	4/3/2021	NY	65	F	4/1/2021	4/1/2021	Within 10 minutes, nausea. Faded, Returned once home, treated with ginger ale. Through course of event drank water and gingerale. 17 hours after injection (2:00 a.m.), awoke with very sore arm, aches, and fever of 98.6 (normal temp in 97.5 range). 20 through 28 hours after injection, aches increased, dry cough, very significant headache (right side into right eye and front center), deep heavy pain in between shoulder blades, upper back both sides (kidney area) and left side under lower ribs, deep dull pain in diaphragm, up into chest. Temp increased to 101.8. Ice cold hands. 30 hours after injection, cognitive issues: started a load of bedding in wash, then later found the laundry washed and dried and on the bed. Had no memory of doing it. Husband reports I kept repeating myself. Remember having problems focusing. 35 hours after injection, temperature drop to 99.9. Diarrhea. Ate small dinner but don't remember doing so. 42 hours after injection, temperature at 97.6. Body aches gone. Toes hurt. Pain left side under lower ribs. NO vomiting or chills during event.
1163383	4/3/2021		74	M	3/31/2021	4/1/2021	Loss of equilibrium, nausea, blurred vision and chills lasting about 6 hours.
1163137	4/3/2021	TX	54	F	3/31/2021	4/1/2021	Runny nose, watery eyes, liquid in right ear,
1163189	4/3/2021	NY	50	F	4/2/2021	4/2/2021	Systemic: Chills-Medium, Systemic: Dizziness / Lightheadness-Severe, Systemic: Headache-Medium, Systemic: Hypertension-Medium, Additional Details: Patient received vaccine and reported feeling dizzy upon standing after the 15 minute observation period. Pt complained of dizziness, headache, double vision, and feeling a cold sensation in her body. After the patient started feeling symptoms, the family reported that she is menstruating, fasting, and has not eaten since 2 am. EMS was called and patient was taken to the ER.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1163192	4/3/2021	MA	47	F	4/2/2021	4/2/2021	Systemic: Allergic: Difficulty Breathing-Severe, Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Severe, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Severe, Additional Details: Patient has allergy history to Taxol - she felt allergic reaction almost immediately upon administration of dose 2 of Moderna COVID vaccine. RN administered EPIPen immediately and patient felt effects were resolving her reaction. 911 called. EMT arrived and transported patient to hospital. Called patient for update on how she was doing - she was still in hospital for monitoring purposes about 3 hours later and would be discharged home soon.
1163221	4/3/2021	OH	17	M	3/29/2021	3/31/2021	At 9:15 am on 3/31/21, patient experienced a seizure characterized by unconsciousness and full-body rigidity. He had never previously experienced a seizure. The episode lasted for approximately 5-8 minutes; the patient gradually regained consciousness, but was confused and complained of a headache, eye pain, and nausea for some time afterward. He does not remember the event or what preceded it. He visited the ER that morning. He received an injection of lorazepam and ondansetron. He was held for observation for about 4 hours. He was prescribed a 3 day supply of lorazepam 0.5 mg (taken every 12 hours) upon discharge.
1163235	4/3/2021	PA	19	F	4/2/2021	4/2/2021	Systemic: Abdominal Pain-Medium, Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Severe, Systemic: Nausea-Severe, Systemic: Visual Changes/Disturbances-Severe, Systemic: Vomiting-Severe
1163242	4/3/2021	PA	58	M	4/2/2021	4/2/2021	Systemic: Chills-Mild, Systemic: Confusion-Severe, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Severe, Systemic: Hypertension-Severe, Systemic: Hypotension-Severe, Systemic: Nausea-Mild, Systemic: Shakiness-Medium, Systemic: Visual Changes/Disturbances-Severe, Systemic: Weakness-Mild

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1163326	4/3/2021	NJ	24	F	3/10/2021	3/15/2021	Vaginal ulcer. 1/4 inch diameter, flat, round, white, visually similar to canker sore. Painful when I?m contact with other surface. Visited gynecologist office and they suspected it was a STI, however I tested negative for everything (blood and swab tests). They told me I had low lactobacillus bacteria, but I am severely lactose intolerant with other sensitivities so that was not shocking/new information. While waiting for results, I soaked in a sitz bath which soothed the pain, and it went away within a few days.
1163338	4/3/2021	CT	22	F	4/1/2021	4/1/2021	Initial arm pain in injection spot for about 10 minutes. About 5 hours after vaccine, developed headache. About 7 hours after vaccine, developed convulsing chills. Throughout the first night after vaccine alternated between chills and hot flashes. About 15 hours after vaccine, still had headache and sore/tired eyes. Headache lasted for about 48 hours in all. Arm with injection site sore for 48 hours. Ibuprofen did not help with headache or arm pain.
1163339	4/3/2021		69	F	3/1/2021	3/10/2021	Sweating, chills, low grade fever, redness on skin especially sides and legs (very sensitive to touch), dry cough, stuffy nose, sore throat, achy all over body, eyes very sensitive, and dry mouth.
1163357	4/3/2021		69	F	4/1/2021	4/1/2021	Body Aches, headache, cough, tiredness, low grade fever (101), stuffy nose, eyes sensitive.
1163057	4/3/2021	UT	25	F	4/2/2021	4/2/2021	Intermittent numbness/tingling in extremities and face, started about 1.5hrs after vaccination and had initial reaction within minutes of vaccine (shaking, shooting pain in L shoulder to head, dizzy, blurred vision, thought was going to pass out; these symptoms resolved within 45 minutes). Symptoms last about 5 min at a time. Is still happening.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1164947	4/3/2021	CA	73	M	3/9/2021	4/1/2021	<p>Patient woke up around 3:30am feeling extremely nauseous, shaking, drenched in sweat but with a normal temperature (97.6, which is normal for him), and feeling overall terrible. Food had tasted weird to him the day before, but he still ate. At 3:30am, he felt like he was having a major allergy attack - lots of phlegm, runny nose and eyes. He spit up a lot of thick phlegm (which can be normal for him, due to IBM). After 15 mins, the sweat and shaking died down, and he felt better enough to think about going to sleep. But 5 minutes later, the nausea returned, and he threw up about 25 mL of black "coffee grounds-like" fluid. (The smell was HORRIBLE). After getting through with that (about 15 minutes), he wretched up more thick mucus with a few flecks of black cells in it. After awhile, he felt okay enough to go back to sleep. Around 6am, he had another major allergy-like attack, but did not vomit. Around 8am, after being awake for awhile, he vomited again with more black liquid, about 50mL this time. He felt weak and horrible and was shaking. At the recommendation of the advice nurse, he was taken to the ER by ambulance. Upon arriving, he waited around an hour for an ER bed. They put him on an IV, did a physical inspection and did blood work. His sodium was a bit low, but in normal range. Potassium levels were fine. He was mentally clear the whole time, but physically very weak. He was kept overnight after a hemochrit test in the afternoon showed low levels of hemoglobin. He was stabilized in the morning, but was barely able to eat anything the whole time. He was meant to get an endoscopy, but they decided to allow him to eat and sent him home after noon bc they hadn't yet been able to schedule him for it and he was in pain and massively hungry. When he got home, he still barely ate, and still isn't eating almost anything a day later. His stool was incredibly black and thick and SMELLY immediately upon arriving home (he had not defecated for 48 hours at that point), and he has not been able to defecate since, which is extremely abnormal (he usually goes each day in the morning upon waking). They believe that he may have bleeding in his stomach or upper GI or esophagus, but we are waiting for an endoscopy later this week. He is still very weak and frail and fatigued.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1164603	4/3/2021	CA	20	F	4/3/2021	4/3/2021	20 y/o female, s/p 1st vaccine. C/o blurred vision, pale, diaphoretic. Code green called by clinic staff, med consult, and medic with patient, laid down onto cot. Cold water bottle applied to neck, ice to head by staff. Speech clear, he of allergies to MMR per mother. Symptoms resolving, pt signed out AMA with medic. Cleared by med consult Dr to go home. Requested pt to remain on site for additional 15 minutes. Head of cot raised, eating Cliff Bar and drinking Gatorade. C/o feeling tired. Escorted to car via wheelchair with mother. Denies any symptoms.
1164613	4/3/2021	WA	65	F	3/13/2021	3/13/2021	On Sat. 3-13-2021 at 11:53am, Janssen covid shot was administered in left arm. Approximately 3 hours later, at about 3:10pm, I started seeing bright flashing arcs of light in my upper left vision. I wondered if these were precursors of a migraine coming, but mine normally are crackles of primary colors in the center of my vision. I remembered the vitreous detachment in my right eye 5 years ago. This seemed similar, but not very similar. Around 6pm I noticed a largish donut in my left eye vision, which I've never seen before. About 7:30pm I called the consulting nurse, who told me to go to Urgent Care. Got there about 8pm. The MD thought it was a vitreous detachment, but wanted to get an OD on the phone. Additional floaters appeared in my left eye vision while I waited. OD via phone thought it was a vitreous detachment and set up an appointment to see me on Mon. 3-15-2021. Flashing arcs/donut/floaters continued through the next day. Last flashing arcs were about noon on Mon. 3-15-2021. In total the flashing arcs lasted about 45 hours. 5 years ago, in the right eye, flashing lights lasted only 5-10 minutes. On Mon. 3-15-2021 had eye exam. OD said posterior vitreous detachment (PVD). Wanted second opinion about my retina. Second OD performed exam, agreed on PVD and that my retina looked okay. On Fri. 4-2-2021 had follow-up exam with same OD. Retina looked good. Floaters are diminishing. What terrible timing if this was a coincidence. It made everything post-covid-shot very confusing.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1164628	4/3/2021	TX	62	M	3/24/2021	3/24/2021	9-10 minutes after the injection the mucous membranes in my mouth (including tongue and lips) went totally dry and tongue and lips started tingling/buzzing and went numb. No production of saliva was happening making swallowing difficult. Additionally eyes felt dry/itchy. Tongue and lips also felt swollen but didn't appear swollen. I was able to work up a slight amount of saliva after few minutes and swallow with moderate difficulty. Purchased a bottle of water and had no difficulty swallowing that. Did not seek assistance as my heart rate was normal, no difficulty breathing, no outbreak of hives or swollen face/extremities. Departed store at 25 min. as symptoms get worse. Symptoms gradually abated by 12 hour mark.
1164770	4/3/2021	CA	65	F	4/2/2021	4/2/2021	Patient received Janssen vaccine @ 11:44 am, while in the recovery area @ 12:01 pm, c/o numbness in the left neck area, blurry vision> VS 136/80, 63,20, Sats 99% on RA. 12:05, patient stated numbness was no longer present, VS @ that time: 140/92, 55, 24 Sats remained unchanged. Continued to monitor, final VS check @ 12:10 pm, 152/96, 54, 22 Sats remain unchanged, no further c/o of discomfort of any kind. DC from recovery @ 12:25, all symptoms resolved, gait steady accompanied by Sister (who was present for vaccine as well).
1164771	4/3/2021	OR	53	F	4/2/2021	4/2/2021	PUFFY/SWOLLEN AND IRRITATED EYES; SWOLLEN FACE; SNEEZING, CONGESTION, DIZZY, LETHARGY TINITUS.
1164791	4/3/2021	CA	19	F	4/3/2021	4/3/2021	Pt states felt vision get dark and hard to hear and slumped over in chair slowly going down to floor. Partner said she hit her head at temple on left side. Pt taken to triage to be assessed by MDs and EMTs. Pt reports she has not eaten or had anything to drink today. Provided PO hydration. Pt DC home at 1300 in stable condition and has recovered.
1164877	4/3/2021	MD	54	F	3/29/2021	3/29/2021	Reaction started ~25mins after shot with itchy and swelling eyes. Progressed to anaphylactic reaction requiring Ambulance to ER, admission, four day stay.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1164890	4/3/2021	TX	22	M	4/3/2021	4/3/2021	* not sure directly related to vaccine but was to vaccination?? Pt did not disclose any seizure disorders and when asked if pt had had prior adverse events from vaccines it was stated that sometime he got nervous, nauseous and would vomit. immediately after injecting the vaccine the patient seemed fine, but was getting over excited having been given the vaccine (anxious) pt then went stiff and eye rolled back, I believe seizure. The father wasn't surprised and said that it has occurred before with other injections/ blood draws. pt recovered within a minute or two and was lucid and reported that he was fine. I monitored the patient for 30 minutes and recommended to the father that the patient be seen regarding the event, and that subsequent vaccinations be given at the doctors office.
1164896	4/3/2021	OH	53	F	3/31/2021	4/1/2021	swollen, red, itchy eyes. Rash on back of neck appeared on day 2 after injection. Rash spread to upper chest, arms and hands by third day. 4/3 purchased over the counter Benedryl to counter act allergic reaction. Also too Tylenol 3/31, 4/1 and morning of 4/2
1164527	4/3/2021	NJ	31	F	4/2/2021	4/2/2021	Soon after receiving the vaccine, once I was seated for the observation period, I noticed my eyesight was strained. It was hard to focus to see what was in front of me. At the time I was trying to watch a slideshow on the TV in the room with vaccine facts. This subsided, but came back the next day in the evening (around 5pm). I noticed this at 5pm while trying to work on my computer.
1164921	4/3/2021	VA	62	M	3/30/2021	3/31/2021	Fever 102.3, muscle pains, and blurred vision for 3 days, which has not been reported among side effects of this vaccine by CDC



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1165024	4/3/2021	CA	28	F	4/3/2021	4/3/2021	Waited for the 15 minute observation period and felt fine, but while driving home (approximately 20 minutes after injection) I caught a glimpse of my face in the rearview mirror and noticed that it was swollen, specifically in the cheeks and under eye regions. When I got home 5 minutes later, it was more swollen and my throat was feeling tight, though not obstructing my breathing. I monitored the reaction and did not take any medications. About 30 minutes after the reaction began (50 minutes after injection), the facial swelling began to diminish and both the facial swelling and throat swelling went away within about an hour from the onset of the reaction, I was very tired and had a headache the rest of the day, which I understood to be more typical symptoms.
1164964	4/3/2021	MA	75	F	3/13/2021	3/14/2021	Rash started on legs, then moved up my back, up neck and right side of face to my eye. Then it moved down my legs and last places affected were lower legs, ankles and feet. Worst rash I have ever had. Very itchy, mass of red on my middle back and neck and ears. I tried Benadryl and Cortizone cream. Had no effect. Had tele-appointment with PA at my PCP's office and was prescribed Hydroxyzine and a steroid topical cream. Hydroxyzine knocked me out, but neither that nor the cream stopped the itch. Finally resorted to Domeboro solution as I remembered I had tablets. Created a solution and put on with washcloth. Only thing that stopped the itch. Rash stopped itching on March 23rd. Happened to have appointment for annual skin scan with dermatologist on 3/25. She saw remnants of rash and said inflammatory response was so great that my blood pooled at the surface of my legs and ankles. She said she had been seeing patients who had hypersensitivity responses after 2nd shot of a Covid vaccine. Not sure if was Moderna, Pfizer or both.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1164986	4/3/2021	AL	39	F	3/22/2021	3/23/2021	Moderna COVID?19 Vaccine EUA Received the 2nd dose Mon 3/22 at 1:25pm 3pm: Normal of sore arm/swollen/bruised injection site. 7pm: Normal chills, body aches, fever began, little faster heartbeat 9pm: began menstruating 1am: fever climbed to 101°, did not rest well, faster heartbeat *****Next morning: Tues 7am: felt strange when I woke up. Tried to make coffee/breakfast/get ready, but kept almost blacking out when I would stand more than a few minutes. Vision started blacking out, had a hard time breathing, weak, felt like I was about to faint, nauseated, felt like heart was trying to stop. Would lay down every time this would happen, then ears would ring and would have a headache. Finally was able to eat a banana after a couple of hours of almost blacking out multiple times and the banana seemed to help. 5pm: feel much better. Wed 3/24: dizzy Thurs/Fri 3/25-26: dizzy and wee bit faint feeling. Didn?t feel right 4/03/21: still a little dizzy/vertigo Could you shed light if this was an allergic reaction hours later, please? I need to know so I can figure out what I am allergic to so this doesn?t happen again.
1164994	4/3/2021	OH	69	F	3/3/2021	3/3/2021	Blurred vision . Lightheadedness. Soreness and tightness at site. Slight nausea. Weakness and sluggishness, symptoms began to subside on 2nd evening. ( Identical with subsequent injection)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1165001	4/3/2021	IN	47	F	4/1/2021	4/1/2021	Within the first hour, developed headache and neck ache (back of neck where neck meets head) and arm ache all on right side of body, same side as injection. Also developed a slightly chemical taste in my mouth, which lasted 36 hours. Within 5 hours, headache, neck ache, arm ache significantly painful; applied gel ice packs to head and right arm; went to bed early. Awoke at midnight with entire right arm, down to hand, feeling like it was in a steel-toothed trap; pain was excruciating, and while I was able to rotate arm and flex hand, pain level was very high. At same time, neck ache was very high, felt like a boulder was sitting on it. At same time, had blistering migraine with runny nose and eye. Called family doctor's office at 8am next day to ask whether I could take migraine medication (elatriptan or sumatriptan) after vaccine; office closed but nurse in call center told me to go to ER; I suggested the side effects were very painful but listed as possible, and didn't know that they warranted ER, and just wanted to know whether I could take triptan for agonizing migraine; nurse didn't really know how to respond. I went back to bed with ice. A few hours later, a family member called their doctor's office and was told yes, I could safely take triptan. Took sumatriptan at 1pm and it cut the migraine way back, to a manageable level. Over the course of the first 24 hours after vaccine, also felt lightheaded, woozy, nauseous, hot, cold sweats, digestive upset and loose stool, diminished appetite. Checked temperature a few times, but it was normal. At 5pm of second day, took 2 Tylenol, which helped pain. Waited 24 hours before taking 2 more Tylenol. By end of second full day after vaccine, feeling better, but like I had a bad head cold with mild headache.
1165013	4/3/2021	NM	70	F	3/18/2021	4/1/2021	Received Janssen vaccine 3/18/21 - on 4/1/21 (14 days later) woke up with numbness to left side of face (can't close L eye, can't raise L eyebrow, left mouth crooked with smiling, watery left eye), and possibly droopy R eye. No diplopia, no weakness limbs (gait ok), no pain - went urgent care - transported to ER due to concerns of TIA/CVA

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1165061	4/3/2021	CA	33	F	4/3/2021	4/3/2021	Client complained of tightness in the throat region, eye puffiness and transient right arm urticaria. On site MD recommended Benadryl but client declined. Client held for observation and symptoms resolved. Client released by MD in stable condition.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1165101	4/3/2021	WY	29	F	2/23/2021	2/27/2021	<p>Patient is a 29 year old female patient who went to County Health ER on 3-1-2021 at 02:52AM with possible complex migraine, vision blurring, and transient aphasia. CT was (-), she needs an MRI and referral to neurology. 1) paresthesia of skin, 2) other migraine not intractable, without status migrainosus, 3) (receptive) aphasia Saturday night(2-27-21) laying in bed looking at her phone and all of a sudden experienced a headache, vision went blurry, thought her eyes were tired and she tried to go to sleep. Headache was in the front of her head. Went to sleep then woke up at midnight, 2 hours later, breathing was off, head was hurting and felt anxious, felt like she needed to pace. Her husband was asking her what she was doing but she could not understand what he was asking. Couldn't figure out what to tell him or how to tell him, she could only say "what?" She then lay down, shaking, hand and tongue went numb. Went to ER, by that point the numbness was gone and she could understand what they were saying. The ER doctor Gave her Cogentin that helped to calm her down. Her head was not hurting all of the time. Gets headaches but not usually migraines. Patient has not had COVID that she knows of, son was negative for COVID in November 2020, but he had COVID-like symptoms. No recent sickness, travelled the first week of February 2020. Denies any weight loss, night sweats, no falls, no rashes, no tripping over her feet, no urinary retention. Yesterday felt light headed and dizzy, felt that she had to focus her eyes a little longer. PE abnormalities on office exam 3-2-2020: Right side smile is more droopy than left. Right side, pt is unable to puff cheeks due to right facial muscles with decreased strength/tone. Right foot has decreased vibratory sense compared to left foot. Left foot slightly decreased vibratory sense, but very slight, right is much worse. Monofilament testing is good/normal in the hands and feet bilaterally. Point to point discrimination testing: 2 mm left hand 3 mm right hand Right foot 11 mm on bottom, 10 mm on top (abnormal) Left foot 12 mm on bottom, 11 mm on top(abnormal) strength 5/5 and reflexes normal 2+ in bilateral UEs and LEs. Mental status is normal. MRI and MRA of brain is advised. EEG study with Dr., neurology, referral made. Check tick borne illness panel, vitamin B, folate, thiamine. (ER labs were unrevealing.)</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1165138	4/3/2021	CA	30	F	4/3/2021	4/3/2021	Patient 30 y/o Female, received her first dose of Pfizer COVID-19 vaccination (Lot #ER8729, exp. 07/31/21) on 4/3/21 around 11:10am. While in the post-vaccination observation area, notified EMTs around 11:15am that she felt lightheaded, sweaty, nauseous, dizzy, had ringing in her ears, fainting, and was experiencing "tunnel-vision." EMT and responded to . had a BP of 108/60 at 11:15am. Co-lead , RN attended to after being notified. Upon assessment, is arousable, alert and oriented x 4, verbally responsive but sluggish to respond. No signs or symptoms of respiratory distress. Medical history of asthma, phobia of needles, not currently taking any meds. 911 was called. 911 instructed RN to not give any food or drink to . stated she was feeling a "little better" around 11:22am; appeared sweaty and reported mild dizziness and lightheadedness. At 11:25am, had a HR of 68 and a RR of 18 and O2 SAT OF 97%. At 11:28am reported mild lightheadedness; her symptoms of sweatiness and dizziness had resolved. At 11:30am the AMR Paramedics arrived, as well as the Fire Dept. refused to be taken by ambulance to the ER. Paramedics monitored at the site for the next 30 mins. in the post-vaccination observation area. Provided education to to notify next time during vaccination that she has a history of fainting from vaccinating. left the site on her own will; accompanied by her spouse, unassisted, no complaint of nausea, fatigue, and ambulates with steady gait. VAERS report submitted. Confirmation #
1163954	4/3/2021	PA	65	F	3/1/2021	3/20/2021	Onset from administration of Pfizer-BioNTech COVID 19 Vaccine EUA. Body aches, eye soreness, fatigue, headache, dry cough off and on. Onset was the first night that I received the vaccine, continued on and off the first week for a few days and then occurred and stayed continually most of the second week.
1164919	4/3/2021	CO	61	M	3/23/2021	3/27/2021	severe vertigo, double vision
1164914	4/3/2021	HI	62	F	3/30/2021	3/31/2021	Started to feel itchy next day followed by swollen around eyes/ cheeks and upper face. History of dermal fillers in the face. Inflammatory response limited to face.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1164212	4/3/2021	IN	50	M	4/1/2021	4/1/2021	April 1, same day as shot, around 10pm my nose experienced intense pain to the point of drawing tears along with blurry vision. Pain would be rated a 9 on a 10 scale. This was not caused by any impact to my nose. I was sitting in my chair and watching TV. This lasted 5 minutes and then "went away". April 3, two days after shot, left index finger and left middle finger are shaking (still shaking and has been for last 6 hours). This was noticed upon waking up and is still occurring. I am fatigued.
1163991	4/3/2021	TX	40	F	4/1/2021	4/2/2021	Had left eye pain and skin sensitivity 20 minutes after the vaccine. Around hour 12, started with body aches and intense headache. Between hour 12 - 36, I had fevers up to 101.1, body aches, nausea, and headaches. All resolved by hour 36.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1164051	4/3/2021	VA	47	F	1/27/2021	1/29/2021	A mild rash developed on chin Within a week, the rash spread to neck, upper lip, nose, and eyebrows. By two weeks, the rash worsened.; By two weeks, the rash worsened and developed red bumps and blisters with intense itching and burning 24 hours/day; By two weeks, the rash worsened and developed red bumps and blisters with intense itching and burning 24 hours/day; By two weeks, the rash worsened and developed red bumps and blisters with intense itching and burning 24 hours/day; This is a spontaneous report from a contactable Consumer (patient). A 47-year-old non pregnant female patient received first dose of bnt162b2 (BNT162B2, Solution for injection, Lot number: EL9264, Expiration date was not reported), via an unspecified route of administration, in right arm on 27Jan2021 15:30 as single dose for covid-19 immunisation. Relevant medical history reported as none. Concomitant medication included metronidazole (FLAGYL), levocetirizine dihydrochloride (XYZAL) and melatonin all are taken for an unspecified indication, start and stop date were not reported. It was reported that a mild rash developed on chin within 48 hours. Within a week, the rash spread to neck, upper lip, nose, and eyebrows. By two weeks, the rash worsened and developed red bumps and blisters with intense itching and burning 24 hours/day on 29Jan2021 05:00 PM. No changes in diet, facial products, cleaning/detergent products and have been wearing a mask since August with no issues. Patient did not have covid prior vaccination. Patient did not test for covid post vaccination. Patient received the treatment of adverse event was Prescribed Elidel, Montelukast, Allegra, Doxepin. The outcome of the events was not recovered.
1165076	4/3/2021	VA	60	F	3/30/2021	3/31/2021	24 hours after the vaccine (Wed around 1), I was feeling weak and could barely keep my eyes open. I ran a fever as high as 102 and stayed around 100 for at least the next 18 few hours. All I wanted to do was sleep and my head hurt . It felt like I had COVID all over again. (I was tested for COVID 1/16/21 and confirmed on 1/19/21). By Friday morning, I was feeling much better. I know have a strange metallic taste in my mouth.)



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1164525	4/3/2021	PA	24	F	4/3/2021	4/3/2021	Shortly after receiving vaccine patient started to pass out she did loose consciousness and was lowered to the floor she was out for approximately 30 seconds, ammonia was used on patient and she responded. She was placed on a back board and brought back to the medical observation area, on arrival she stated that she started to get blurry vision and remembers waking up on the floor. Her blood pressure on arrival was @ 1153 110/75 HR 78 and pulse ox 100% on oxygen. She was continued to be monitored and her blood pressure at 1200 was 105/72 HR 81. At 1215 her bp was 118/77 patient was given 8 ounces of water. She was placed in a sitting position and her blood pressure was 110/75, Heart rate 79 and pulse ox 100%. She was then placed in a standing position at 1251 and she was positive for orthostasis bp 94/63 heart rate 78 and she quickly became symptomatic she was laid back down again. she was given another 8 ounces of water. ortho bps were attempted again at 1259 and her bp was 103/69 heart rate 80, and then at 1:06 she was 105/70 and heart rate 78 patient was still symptomatic but did not exhibit the bp drop as she did previously. She was continued to be monitored and due to her continued sympoms with position changes we had recommended that she go tot he ER to be evaluated. She declined and called a friend to pick her up. She was released in a wheelchair rom the site
1164160	4/3/2021	NY	35	F	3/12/2021	3/18/2021	Bells Palsy on left side of face. First started with numb feeling on eye on Thursday and by Friday evening had lost muscle control on left eye and left side of mouth with numbness on left cheek. Urgent care doctor prescribed 6 doses of Predisone and ordered a Lyme disease test, which was negative.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1164187	4/3/2021	IN	59	F	4/3/2021	4/3/2021	A patient received her first dose of the Moderna-Covid 19 vaccination. Several minutes later, I checked on her. She mentioned her eyes were doing something funny. She reported feeling dizzy and seeing black dots. I took her blood pressure, and it was 98/71. The patient reported having a blood pressure that normally runs high. I gave her some water and an ice pack. A Code white was called. I waited 5 minutes and attempted to check her BP on the alternate arm, but the machine would not read. This happened 3 more times even with alternating arms. The patient continued to report feeling faint and began to be lethargic and only mildly responsive. EMS was called and came on the scene several minutes later. The patient did not exhibit issues breathing at any time. The patient left with EMS.
1164213	4/3/2021	MI	21	F	4/3/2021	4/3/2021	Patient stated she was dizzy, blurred vision, ears were clouded after about 10 minutes after the Covid-19 Janssen vaccine.
1164256	4/3/2021	IA	72	F	3/9/2021	3/9/2021	I fell asleep for a full 24 hours after vaccine. I was too tired to stay up past 8:30 pm and woke up the next evening at 8:00pm. I lost a whole day! I continued to be unable to stay awake longer than 12 hours a day; always sleepy. Several days after vaccination itchy, red, swollen eyelids began and continue. They do not look infected as in conjunctivitis, just red, swollen and itchy with no discharge. I do not know if the itchy eyes are from the COVID vaccine, but assumed the extreme sleepiness was from the injection.
1164298	4/3/2021	TN	52	F	3/31/2021	4/1/2021	Rigors at hour 16, lasting approx. 2 hours; hives on day 2, currently ongoing (day 3). NO FEVER. Headaches, nausea and fatigue throughout. Blurred vision day starting day 2 and ongoing.
1164322	4/3/2021	IN	69	M	3/29/2021	3/31/2021	Visual and aural hallucinations

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1164338	4/3/2021	MN	25	F	4/3/2021	4/3/2021	After vaccine patient went to the observation area. After a minute she began to feel lightheaded and waved to alert us. I went out to check on her and she began unresponsive and limp. I helped her to the floor and began check for a pulse, at which point she opened her eyes and began talking. EMS was already on the way so came and check her vitals. Patient had no other issues and was allowed to leave
1164347	4/3/2021	IN	20	F	4/2/2021	4/2/2021	Headache, vision related pain, muscle aches, light sensitivity
1164430	4/3/2021	AZ	58	F	4/3/2021	4/3/2021	Pt received Janssen COVID vaccine. 4/2/21 at 12:20PM After the injection pt was seated in a chair for observation. Pt began feeling light headed and passed out. Her eyes never closed and she did not fall from sitting in the chair. She looked out of it for a brief period, 1-2 minutes. Afterwards, pt stated she had a burning sensation and she felt weak. We gave the pt water and she agreed to stay in waiting area for 30 minutes. Pt husband and daughter were with her while she was in waiting area. 911 was not called as pt was responding and began to feel better. Pt observed for 30 minutes. She stated she felt fine when she left the pharmacy with her husband and daughter. Told pt to seek medical attention is symptoms persist or come back.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1164484	4/3/2021	WY	68	F	2/26/2021	2/28/2021	<p>Tested positive for COVID-19 January 11th 2021. Feb 26th 2021 went in to get the first COVID vaccine around 1130 with Public Health. COVID vaccine manufacturer was Moderna. Given in the left deltoid, IM. Patient did stay an extra 30 minutes post vaccine b/c she has lots of allergies. About an hour After the vaccine she experienced pain in her left arm and up into her neck on the left side. Symptoms are very simular to something that she ingested and had an allergic reaction to in the past. Felt okay the first day, second day (2-27-2021) she had chills, fatigue, aches and pains. Started to feel like she was improving on Monday around the 28th of February 2021. Fever was down. Still felt fatigued. Nose felt like it was runnng, itching. Experienced dry eyes, started using the eye drops more frequently. Ear canals were itching. She noticed a tickle in her throat later. Not conscious of everything all the same time, she just didn't feel well overall. Vagina and anus were itching. Started to use the estradiol compound daily hoping that might help. Itchy all over and then realized that the reaction was sort of the same reaction she had in the past with the statin medication. Few days after that had abdominal bloating and cramping, also loose stool and finally diarrhea. Around that same time she reports that she was very dizzy and saw stars, had to sit down, did not actually faint. Denies any fainting episodes, but felt faint. Resolved after 5-10 minutes of sitting down, did not feel clear headed after that for several days. Did do her daily walk, starting on 2-28-2021, felt like she had less stamina. Feels more tired in general still now. Does regret getting the COVID vaccine now. Took some benadryl at the time of the reaction and at hs PRN, benadryl makes her feel drowsy. Takes zyrtec, flonase daily and singulair. Pt's husband is a physician, and he prescribed a Medrol dose-pak, which did not seem to help. At the time was taking all of her prescribed medications amlodipine, benazepril. Has taken pepcid for heart burn in the past, was not taking it as the time. Taking prn omeprazole. Denies experiencing any wheezing. Experienced Generalized swelling of eyelids, face, hands, feet. Tongue is kind of swollen today, and she feels like it has been swollen on and off since the vaccine. Prior to the vaccine she felt pretty good overall. Went out for a few days and went skiing with her family. Has a place out of town that she deep cleaned, felt like</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							maybe she over did it, but she recovered after she rested briefly. Was due for the second vaccine last week. She held off until she could discuss with her doctor, and they discussed that she should not have any further doses. Physically she felt that she should not receive the 2nd vaccine. Continued symptoms include itchy throat (tickle), vaginal and anal itching all day every day. Itching has become a little more like soreness of the tissues. No bruising. Patient has not had the shingles vaccine (Shingrix), thinks she should not get it now. She has pretty much avoided getting vaccines throughout her life b/c she has had poor reactions to flu shots in the past as well. One year, we tried a "half-dose" regimen of the flu shot, giving 0.5ml IM , waiting one month and repeating 0.5ml IM. She did tolerate this well with no reported adverse outcome and did not get influenza that year though it was very active in the community. Since the Moderna vaccine, pt describes Abd distention, bloating of small intestine, "I look 6 months pregnant." pt states her stomach has been like this since the COVID vaccine reaction.
1164352	4/3/2021	MN	51	F	3/26/2021	3/26/2021	1. Mild allergic response: lip and eyelid swelling, itchy throat, scratchy/itchy feeling 2. 1.5 inch diameter bruise at injection site 3. Mild arm pain 4. Intermittent fever?99.1, 99.6, 100.1, 102.1, 99.3 5 Two days after horrible headache with halos and occasional double vision 6. Brain fog and tiredness

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1164359	4/3/2021	CA	19	F	4/3/2021	4/3/2021	At 0830, RRT was called for a 19 y/o F with c/o dizziness, lightheadedness, pain in neck area, and difficulty with vision. At initial meeting, client was pale and stated she had difficulty breathing and had blurry vision, per client, like in "hyperspace?". Head-to-toe assessment completed. Client was diaphoretic and cool and clammy. Pulse was thready. AA0x4 and tachypneic but has clear breath sounds. PERRLA. Vitals: BP: 100/60, HR: 55, O2: 95% on RA. Mother and father present during this time. No PMH, NKA. Did not take any medications today, only ate a small breakfast. Not pregnant. Client states she had a similar reaction like this with the HPV vaccine 1 year ago. During monitoring/observation time, client's status improved. Client insisted for EMT/ambulance assistance. 911 called. EMT arrived at 0845. During EMT evaluation, client vomited about 70 ml of clearish/yellow emesis. After paramedic explained options of going home or transportation to the hospital, client opted to be transported to the hospital. Client left facility with paramedics (AMR 332), accompanied by mother and father. Patient transported to Hospital via ambulance.
1164365	4/3/2021	VA	31	F	4/3/2021	4/3/2021	Spots in vision and double visions for about 40-45 minutes afterwards. About 1-1.5 hours afterwards tingling and numbness in both hands and mouth started and lasted for about 30 minutes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1164379	4/3/2021	VA	44	F	3/23/2021	4/1/2021	Started with normal sore arm and headaches transitioned to diarrhea and fever. Tinnitus set in on Thursday morning and has continued since then. Friday night I experienced a loud pop on the left side of my head - pressure released on the left ear slightly followed by numbness and tingling in face along with blurred vision, dizziness and weakness in left leg. Blurred Vision lasted maybe 1-2 minutes, numbness and weakness/dizziness resolved on ride to ER so maybe 10 minutes as we live near the hospital. ER evaluated me for potential stroke. Cat scan and labs done. Nothing odd was noted. Doc decided it was paresthesia of left leg and nonintractable episodic headache event. Blood pressure was elevated which is unusual for me along with a high White blood cell count- Doc said this is normal with just having received a vaccine recently. No concerns with platelets or enzymes and electrolytes. Doc does think it could be vaccine related as that is the only thing new this week. Due to earlier in the week side effects, my PCM did COVID test me just incase since the side effects were hanging around longer than the normal window of time and nasal swab PCR came back negative.
1164400	4/3/2021	DE	65	F	2/26/2021	2/26/2021	About 20-25 minutes after receiving the shot, my left cheek began to tingle. In the days that followed, the left side of my face, especially my cheek felt like I had razor burn. My left eye became dry, but that went away, as did scalp itching. I began to produce more saliva on the left side of mouth. My face felt heavy, my upper jaw at times aching, but mostly my lower jaw. The inside of my left ear hurt occasionally along with upper jaw pain. My left lymph node became swollen, as did the left side of my face. My doctor on Zoom said these were symptoms of Bell's Palsy, though I did not have the characteristic drooping eye or mouth of Bell's Palsy. My symptoms have abated, but persist five weeks after administration of the shot.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1164480	4/3/2021	CA	62	F	4/3/2021	4/3/2021	The Pt presents with swelling of her lips 20 minutes following injection of 1 dose Janssen vaccine to the left deltoid. The Pt states that she has had anaphylaxis in the past to Macrobid, Sulfa, Amoxicillin. She has an Epipen at home but states that she has never had to use it because her symptoms develop slowly. In the past she has driven herself to the ER where she has received breathing treatments and observation. Pt denies swelling of the eyes, tongue, throat tightness, difficulty swallowing, itching of the skin, SOB, CP, nausea or vomiting. She also denies dizziness, lightheadedness, or vision changes. The Pt also has a Hx of meningioma and SVT s/p ablation. Suspicion for anaphylaxis high due to lip swelling, wheezing, and previous episodes of delayed onset anaphylaxis. Pt drove herself today so IM injection of diphenhydramine was delayed. Upon recheck Pt's wheezing was unchanged and lip swelling had not progressed further. Due to past episodes of SVT and no progression of current symptoms, epinephrine was on stand by but not administered. Care was transferred to EMS. Care was transferred to EMS and Pt was transported to the hospital.
1164433	4/3/2021	WV	51	F	4/1/2021	4/1/2021	Constant headache since 4 hrs after shot. Had rainbow colors appear for an hour in my eyes evening of april 2nd. Blood pressure at drs was very low. Dizzy weak feeling. Body aches on April 2nd. Headache as of april 3rd has still not went away.
1164442	4/3/2021	TX	61	M	3/29/2021	3/31/2021	swelling around eyes and face. rash on both arms. Cold helps the swelling a little.
1164437	4/3/2021	MI	59	F	4/2/2021	4/2/2021	fatigue body ache headache chills nightsweats hands ache eyes ache
1164348	4/3/2021	FL	77	F	2/1/2021	2/2/2021	Began having ever increasing visual /ocular migraines with very slight headache after first injection on February 1, 2021. After second injection, March 1, 2021 began having very frequent visual migraines and light headaches and went to emergency room. 7 days later I had an occipital stroke and was hospitalized for several days. I am slowly recovering. Symptoms were only visual but quite severe for a short time.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1159718	4/2/2021	FL	42	F		3/31/2021	Very sore left arm, chills, runny nose, cold like symptoms, sore throat, body ache, eyes are watering profusely
1159756	4/2/2021	IN	36	M	4/1/2021	4/1/2021	Pt received his vaccine and then went to the observation area. While he was there he started feeling lightheaded and unwell. 5 minutes after vaccination, pt was hot, diaphoretic, and went very pale. His eyes started rolling into the back of his head and he was exhibiting shallow breaths. His pupils dilated and he started foaming at the mouth. Pt was lowered to the ground and a full dose of adult epi pen (Lot#0FM406 Exp FEB 2022) was given to the left lateral thigh at 1725. 911 was also called. Pt came to almost immediately. His pupils and breathing returned to baseline. He stayed lying down but was A & O x4. He confirmed that he does not have any allergies, however he has passed out after a vaccine before. Paramedics arrived on scene and took over the encounter. Pt felt much better, however still went with the Paramedics to the ER. Also advised pt to follow up with his PCP in regards to receiving the second vaccine.
1159787	4/2/2021	GA	64	F	2/16/2021	2/16/2021	Headache, wavy eyesight, hearing like through a tube, some loss of equilibrium. Visual and auditory reaction lasted 7 hours. Equilibrium reaction lasted 1-1/2 days. This was followed by left ear tinnitus.
1159791	4/2/2021	SC	66	F	3/20/2021	3/20/2021	Stated with sore arm n slight aching. 2 days later 100:00 am with vertigo , nausea . Constant. Vertigo with eye movements-not head. Hah same type vertigo with Covid but was sporadic and very short in duration. After second vaccine was constant until yesterday april 1. This am first am without meclizine (have only taken it for 5 days) with docs order. Still having sporadic short duration episodes but not bad.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1159793	4/2/2021	KS	53	F	3/31/2021	3/31/2021	Approximately 4 to 4 1/2 hours after vaccine notice cheeks getting red, feeling flushed. Got more and more warm to touch. No fever. Gradually moved to high on cheekbone. Took Tylenol and went to bed for night. At 24 hours after vaccine still continued redness, a bit of swelling under eyes and high on cheekbone. took tylenol. At 5:30pm took Benedryl. At 8:00pm noticed and felt swelling in bottom lip. Went to ER. Now 48 hours after Vaccine and two 60 mg. of Prednisone still very red, hot flushed cheeks. No more swollen lip. Taking Pepcid, Zyretec, and Benedryl. Prescription is to taper down on Prednisone 2X60, 2X50 and so on.
1159857	4/2/2021	OH	32	F	3/31/2021	4/1/2021	High fever (103.1) + Fever reducing medicine (Acetaminophen) Chills, Lethargy, Severe Headache (treated with Ibuprofen), Blurred vision, loss of appetite on Day 2, increased thirst, sore throat, minimal pain to injection site
1159662	4/2/2021	CT	51	F	3/25/2021	3/27/2021	very puffy and swollen face around eyes. Left eye mostly affected. Red and dry skin around eyes. Very irritated and painful. Healing, but still evident today.
1159868	4/2/2021			F	4/2/2021	4/2/2021	One hive over left eye. denies swelling, SOB, tingling, and itching. benadryl given, symptoms improved
1159834	4/2/2021	VA	61	F	3/15/2021	3/16/2021	pt states her arm felt like it was on fire as the vaccine was being administered. She became very dizzy and had a headache. On 3/16/21 her arm was sore at the injection site. Her throat hurt and when she swallowed she would have a sharp pain right between her eyes. Her left arm became very painful and every time she tried to move it would cause pain in her chest. She had diarrhea, sweating and had 101 fever. On 3/17/21 she had to have someone help her out of bed on this day. She felt like she was going to pass out. She had this feeling on at least 3 occasions. Pt had pain when opening her eyes, trouble breathing and having heart palpitations. She called her cardiologist with her symptoms and was told it was related to taking the vax. She had a televisit w/ PCP and she was sent to have a Covid test which was negative. She was told to drink plenty of fluids and rest. By 3/20/221 pt started feeling better at this time.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1159716	4/2/2021	IN	41	F	4/1/2021	4/2/2021	None the day of vaccine, awoke the next day (4/2/21) at 05:45 AM with right eyelid swollen and left side of mouth swollen, and felt lethargic all morning though took Benadryl. Denies any previous problem with swelling and denies any difficulty breathing, swallowing or rashes.
1159624	4/2/2021	FL	64	F	3/31/2021	3/31/2021	Moderna COVID-19 Vaccine EUA. I experienced a fever of 101 degrees over 36 hour period, chills, nausea, body aches, and severe headache that affected vision.
1159698	4/2/2021	DE	22	M	4/1/2021	4/1/2021	Around 11:30pm I started to get chills and my teeth started to chatter. At the same time my body was shaking slightly. I was laying on the couch during the start of it for the above events, this lasted for about 20+ minutes. Then I tried to get up to go to bed. I was shaking very badly at this point, teeth chattering a lot and I was very cold. I tried to use the bathroom and I couldn't even stand still to use the bathroom. My chest was also tightening and it was hard to breathe. I went to bed to lay down and I was practically hyperventilating for about 15 minutes at a time and I would stop for a minute then it would start up again. I tried to go to sleep but I couldn't because I couldn't breathe and my chest was closing in, it felt like. I called my parents in and they sat with me and gave me ibuprofen and benedryl. I started to feel better after about an hour. During that time, though, my body was extremely hot (but no fever) but I was still cold and had the chills. My head also was hurting like a headache and my eyes were really hot too. It was hard to get air and if I sat up I would get dizzy.
1159650	4/2/2021	KY	28	F	3/18/2021	3/20/2021	Flu like symptoms 4 days. Those disappeared. On day 2 after injection my elect eye became itchy, very painful, and red. It never got better. Then on day 12 I lost vision in that eye. Still painful. I continue to have half tunnel vision and pain.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1159649	4/2/2021	AR	23	M	3/30/2021	4/1/2021	The patient experienced body aches and headache within the first 24-48 hours of receiving the vaccine. On 4/1/2021, the patient had swelling around his eyes at around noon. He stated that he feels that the swelling worsened that night but this morning (4/2/21) the swelling has improved. He came to the clinic this morning to check in regarding his symptoms. I called in PA to assess the patient. She assessed the patient and he stated that he had some SOB yesterday but denied any SOB today. The patient's O2 sat was 99% and HR was 98 bpm. She recommended that the patient take Claritin BID and return for follow up on 4/5/21 to see her in clinic. She advised him to go to the ER if he experiences any SOB, increased swelling, or difficulty breathing and he verbalized understanding. The patient has a hx of HTN and takes Lisinopril 10 mg daily. He did take his medication this morning. The patient denied taking any new medications. He also denied any previous vaccine, drug or food allergies.
1159630	4/2/2021	SC	17	M	3/27/2021	3/27/2021	During monitoring, patient c/o nausea, dizziness and became pale. Vitals: systolic BP 52; pulse ox 88%. Patient lost vision and pupils slow to react. Called EMS and gave 2L supplemental O2 via rebreather. Patient moved to hospital bed and had legs elevated. Upon recheck blood pressure improved and patient responsive to questions (suspected vasovagal response). After EMS arrived, patient's family declined to send patient to hospital via EMS, and ultimately left the clinic with his family.
1159886	4/2/2021	IL	37	M	4/2/2021	4/2/2021	Vaccine was administered at 10:25am. Patient walked over to the waiting area and as he was walking he passed out and fell to the ground. Vitals were taken at about 10:28am: B/P 132/74 HR 70 RR 18, glucose 120. Patient was able to state his name and where he was located, but kept his eyes closed and kept stated he felt "confused and dizzy" and was apologetic. EMS was called at 10:30AM and when EMS was here pt was noted to have another syncopal episode. Patient was transported to Hospital via ambulance.
1160215	4/2/2021	FL	58	M	3/26/2021	3/28/2021	Red l eyes. An herpes close to mouth and head ache

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1159603	4/2/2021	DE	60	F	3/23/2021	3/24/2021	Morning after the vaccine, I woke up with Itchy eyes, runny nose and sneezing. Tried over the counter products (Eye drops: Systane, Allergy Pills: Zyrtec and Xyzal) for two days (3/24/21& 3/25/21) with no relief. Had a teleconference 3/26/21 with Physicians Assistant. Medicine prescribed: Montelukast - 10mg and Azelastine - eye drops) After 5 days on the medication (3/31/21) - called the Doctor to report that Montelukast was not effectively keeping me from having a runny nose and sneezing. Prescribed addition RX of Mometasone Furate Nasal Spray - 50mg. As of 4/2/21, all symptoms have subsided enough for me to resume all activities without discomfort.
1159440	4/2/2021		29	F	3/31/2021	3/31/2021	1516: 10 minutes after vaccine administration pt reported blurred vision, dizziness, anxiety. Had eaten lunch several hours previously. No difficulty breathing, swelling, itching, rash, nausea, or any other symptoms. No history allergies drug/food/environmental. Has not previously had similar feeling.
1159465	4/2/2021	TN	30	F	3/26/2021	3/30/2021	Rapid back and forth eye movements causing vertigo like symptoms. Feeling unbalanced and dizzy at times. I feel better when I lay down. I am not sure if it is caused by the vaccine, but it is the only change in my life currently.
1159708	4/2/2021	AZ	65	M	3/31/2021	4/1/2021	Sore injection site, 102° fever, eyes hurting, sensitive to light, elbow, knee & ankle joint pain. Lasted about 10 hrs, 10 AM to 8 PM. Took 2 tylenol at 730 PM.
1160243	4/2/2021	NY	66	F	3/23/2021	3/23/2021	about 2 hours later I started having allergic reactions similar to ones I have had in the past with food allergies. My bottom lip started swelling, my tounge swelled, I took Benedryl which reduced the swelling but I was very tired, lightheaded, blurry vision, Brain fog could not perform normal duties, rested most of the rest of the day. The next day I still was not comfortable driving as I was still feeling lightheaded. I have Vasovagal syncope where my blood pressure drops, even 7 days later I still felt lightheaded and in the mornings my calfs burn. 7 days later blood pressure was low 94/61 and 97/59. Its now 10 days later and I still do not feel 100%. my Cardiologist recommended extra salt intake and not to take 2

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1160345	4/2/2021	CA	46	F	3/18/2021	3/18/2021	Excessive yawning and watering eyes started immediately, but otherwise fine. 30 mins after vaccine started with ?tickle in throat? and coughing. Within minutes wheezing and immediately left for urgent care. Wheezing was increasingly pronounced and couldn't breathe. Itchy ears and throat, swelling of mouth/lips and felt throat closing. Husband pulled over to administer epi shot (used inhaler multiple times prior with no relief). At urgent care received steroids and benedryl through IV and oxygen. Rushed immediately to hospital by ambulance where I received additional meds and albuterol breathing treatment
1160315	4/2/2021	NY	61	F	3/29/2021	3/30/2021	Left hand very stiff and left arm had golf ball on injection site followed by extreme sore thigh muscles (both legs) and lower back pain, knee pain, 101 fever, bone chills, diarrhea, major headache where I thought my eyes and my teeth on upper jaw were going to pop out. Tylenol every 4-6 hours. Didn't help. Symptoms Start: 4/30/21 at 6am and finished 4/2/21 at 10am (approx).
1158693	4/2/2021	CA	42	F	2/26/2021	3/11/2021	blood in my eye;This is a spontaneous report from a contactable consumer (patient). A 42-year-old female patient received the second dose of BNT162B2 (BNT162B2, Lot number and expiry date were not reported), via an unspecified route of administration, administered in left arm on 26Feb2021 13:00 (at the age of 42-year-old) at single dose for COVID-19 immunization. The patient is not pregnant. Medical history included a leiden factor a blood disorder. The patient had no known allergies. Concomitant medications included ibuprofen (MOTRIN); ashwagandha; ascorbic acid (VITAMIN C); and an unspecified Pfizer vaccine on 12Mar2021 administered in the left arm. The patient previously received the first dose of BNT162B2 on unspecified date for COVID-19 immunization. On 11Mar2021 12:00 AM, the patient experienced blood in her eye. There was no treatment for the event. No COVID prior vaccination and was not tested with COVID post vaccination. The outcome of the event was recovering. Information about lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1159414	4/2/2021	KY	34	F	4/1/2021	4/1/2021	Pt rec'd Covid 19 vaccine. Reported to RN about 10 min post vaccine that she felt like she was "going to have a seizure". Pt has aunt accompanying patient and pt was A&Ox3. Pt reports hx of "pseudoseizures x 5 years". RN then noted pt eyes roll back in head. Pt unconscious and assisted to floor and turned on Left Side. Head protected by staff member. AED placed on patient. Seizure approx lasted about 1 min. Pt awoke and alert and arouseable to staff. Pt then began with another seizure lasting approx the same amount of time. Pt awoke non post ictal. She was alert & oriented. Refusing 911 call or go to ED as she reports "I've been checked out many times before, I do this". Bp 140/80's, HR stable and palpable. Pt then underwent 2 more seizures lasting approx same amt of time. 911 called at beginning of 2nd seizure. Upon arrival of EMS pt was still unarouseable and taken by EMS to ED. RN, BSN, CCM Nurse Navigator NMG
1160308	4/2/2021	AZ	77	F	3/11/2021	3/15/2021	As I was driving at 70 mph along the highway 4 days after I had my second dose of the COVID-19 vaccine, suddenly I went blind in my right eye. I was blind in that eye for about 10 minutes. We drove right away to my eye doctor, who sent me to the ER. The hospital is Stroke Certified. They admitted me and did a stroke workup. I was in the hospital for 1 day (24 hours) which included overnight. The treating HCP concluded that I had experienced an ocular stroke. Since it was exactly 4 days after my second dose of the Moderna COVID-19 vaccine, it most likely was caused by that vaccine.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1160307	4/2/2021	CA	66	F	3/11/2021	3/11/2021	8 hours after injection developed a fever and went to bed. Slept on an off for 30 hours with fever up to 104F. When I got out of bed, the effort to walk 10 steps to the bathroom caused vomiting due to exertion. Head ache was severe. Saw blinding white light at corners of my vision when I closed my eyes. Had vision problems and eye swelling. Could not get to Tylenol in upper bathroom (too many steps) for 30 hours. Drank 8 bottles of water during this time. Spent next 30 hours on couch taking Tylenol for 48 hours as often as possible, with the fever under control, maxing out at 100F. . Fever ended by day 4. Bone marrow pain at hips, ankles and back. By day 5 I could do light activity for up to 10 minutes and I was able to eat something other than water. All energy went to immunological response, could not even drink chicken broth for 5+ days. Arm had a lemon sized bulge at injection site and heat locally. Back on my feet by day 7.
1160294	4/2/2021	ID	86	M	3/5/2021	3/6/2021	S/S began Saturday, 3/6/21. Patient was unable to walk or stand. He had to crawl. He also lost his vision, and was only able to see frame of television. He couldn't see anything else in the room. Approximately, 2200 or 2300, his vision returned. He also was able to get up out of chair. He did not seek medical care or report to a health professional until the following Monday, 3/8/21. He saw a urologist (didn't remember name) who instructed him not to get the second dose. He is now reporting the episode to the Pharmacy today.
1160292	4/2/2021	TX	42	F	1/23/2021	1/23/2021	Waited 30 minutes & had not reaction. Then after 45 minutes past I had to pull over to side of road due to sudden onset blurred vision for 10-15 minutes. Regular muscle soreness at injection site & some fatigue for 2 days.
1160183	4/2/2021	CA	59	M	3/31/2021	4/1/2021	I had the vaccine on my left arm. I was advise of being thirsty symptom the next day as a side effect. I got up as usual. I did my daily physical exercise routine as usual ( lift weight 80 lbs), Went to clean my face and look the mirror, and I notice I have my LEFT EYE bloody AND RED. Second day is more. I am using eye drops to remove this problem. Never had this situation happened before and I have never had any shot for 55 years.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1160276	4/2/2021	FL	64	F	1/9/2021	1/10/2021	The day after the vaccination I had spasms in my left eye which continued every day for two weeks. They came and went several times a day. The diminished over the course of the two weeks. I also had some paralysis in my left eye. I was given some Vitamin B12 and the symptoms resolved. I got the second dose of the vaccine and did not have any problems with side effects.
1159980	4/2/2021	NY	43	F	4/1/2021	4/1/2021	Patient received Janssen vaccine and immediately reported feeling dizzy and blurry vision. Vital signs were monitored and were stable. Patient taken to private area to rest. Given juice and after 30 minutes reported symptoms were resolved.
1160214	4/2/2021	MI	84	F	3/25/2021	3/25/2021	Patient received Moderna COVID vaccine at a health dept clinic in February and experienced blurred vision and 3 weeks of fever afterward. CDC consulted and the recommendation was to use Janssen COVID vaccine as second dose with monitoring for 30 minutes. Allergist agreed. After Janssen vaccine, patient was fine for first 28 minutes, then experienced blurred vision, light-headedness. At 10:10 patient became palor and lost consciousness. EpiPen given and patient immediately responded. EMS called and 50 mg IM diphenhydramine given. No SOB, wheezing, or CP. Positive for palpitations

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1160173	4/2/2021	TX	57	F	3/30/2021	3/30/2021	ASSESSMENT: 57 y.o. female with PMHx of HTN who presented today to the Vaccine site for her second COVID vaccine. She c/o only a sore arm for 1-2 days after her first vaccine but otherwise tolerated it well. NKDA. She states that about 5-10 min after the vaccine she developed rhinorrhea so she went to the bathroom and blew her nose and it improved some but did not resolve. She did not inform us of this until her 15 min timer went off so I completed an evaluation. I am the physician assistant on site at the vaccine clinic who monitors the patients and is there for emergencies. If a patient feels they are having a reaction I complete an exam on the patient. She states the rhinorrhea was still there but was better than it was. Associated with a sensation of "oil in my throat, like eating some butter" but denies throat itching or tightness. Associated with intermittent dry cough and throat clearing. Denies difficulty breathing, wheezing, tongue/lip swelling, mucosal or skin itching, hives, palpitations, lightheadedness, dizziness, SOB, headache, nausea, vomiting, diarrhea, abdominal pain. She has experienced similar rhinorrhea and dry cough in the past with certain medical masks like the one we provided her today. She also experiences this with her seasonal allergies. Her allergies have not been flaring up the last 2 weeks or so but they were before that. She states she has dry mouth and has to drink a lot of water or she will develop a dry cough and throat clearing like she has today. Reports she has never had an allergy to any vaccine or injectable medication in the past. ROS: Constitutional: Negative for chills, fatigue, fever, diaphoresis and weakness. Eyes: Negative for blurred vision, photophobia, vision loss and visual disturbance. E/N/T: Positive for rhinorrhea. Negative for hearing loss, ENT Pain, ear pain, nasal pain, sore throat and hoarseness. Cardiovascular: Negative for chest pain, palpitations, tachycardia, edema, dyspnea on exertion, irregular heartbeat and near-syncope. Respiratory: Positive for cough (dry, intermittent, associated with PND). Negative for shortness of breath, wheezing and sputum production. Gastrointestinal: Negative for abdominal pain, diarrhea, stool changes, nausea and vomiting. Musculoskeletal: Negative for myalgias. Integumentary: Negative for pruritus, rashes, color change and flushing. Neurological: Negative for

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

dizziness, headaches, paresthesias, weakness, difficulty with concentration, disturbances in coordination, focal weakness, light-headedness, loss of balance and vertigo. Allergic/Immunologic: Positive for allergies and environmental allergies. Negative for frequent illnesses, urticaria, hives and persistent infections. Psychiatric/Behavioral: Negative for anxiety and depression. OBJECTIVE: Vitals: 15 min after vaccination B/P: 140/88 Pulse: 70 Temp: 98.2 Resp: 12 SpO2: 99% Vitals: 25 min after vaccination B/P: 148/90 Pulse: 68 Resp: 14 SpO2: 98% Vitals: 40 min after vaccination B/P: 150/92 Pulse: 67 Resp: 12 SpO2: 99% Vitals: 70 min after vaccination B/P: 142/82 Pulse: 70 Resp: 12 SpO2: 99% PHYSICAL EXAM CONSTITUTIONAL Vitals reviewed. GENERAL APPEARANCE: Well-developed. GROOMING: Well groomed. LEVEL OF DISTRESS: The patient is not distressed, nervous/anxious, diaphoretic or tearful. She appears to be well. The patient is not lethargic or toxic. The patient does not appear tired. EYES: LIDS/CONJUNCTIVA: Lids and conjunctiva are normal. PUPILS/IRIS: extraocular movement intact. ENT EXTERNAL EARS/NOSE: External ears and nose are normal. SEPTUM/MUCOSA: Negative for sinus tenderness. LIPS/TEETH/GUMS: Normal lips, teeth and gums. No lip edema. OROPHARYNX:Mucosa: Mucosa appears normal. No edema of lips, face, tongue, oropharynx or posterior pharynx NECK: Neck normal. RESPIRATORY EFFORT AND PATTERN: Effort normal. No tachypnea, intercostal retractions, accessory muscle usage, hypopnea and irregular rate. AUSCULTATION: Normal breath sounds with no rales, rhonchi, wheezes or rubs. No coarse breath sounds or decreased breath sounds. CARDIOVASCULAR AUSCULTATION: Rate: Is normal. Rhythm: regular. Heart sounds: S1 is normal. S2 is normal. S3/S4 not present. With no murmurs heard. EDEMA/VARICOSITIES: No edema or varicosities. RADIAL: radial pulses normal bilaterally PEDAL PULSE: Normal bilateral posterior tibial pulses. LYMPHATIC OTHER NODES: No neck adenopathy. MUSCULOSKELETAL STABILITY: Normal stability. INTEGUMENTARY SKIN INSPECTION: Normal. PALPATION: Normal. No diaphoresis, no flushing, no urticaria Injection site is unremarkable, no swelling or erythema NEUROLOGICAL GAIT, COORDINATION,

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

REFLEXES Gait: normal PSYCHIATRIC  
 ORIENTATION: She is alert and oriented to person,  
 place and time. MOOD/AFFECT: Normal mood and  
 affect. INSIGHT/JUDGEMENT: Normal  
 insight/judgement. The patient has good insight with  
 good judgment. ASSESSMENT/PLAN:  
 Rhinorrhea - Airway remained clear, breathing was  
 normal, circulation was good and mentation was good. -  
 She was monitored for 60 min after the rhinorrhea began,  
 vitals remained stable and WNL (despite slightly elevated  
 BP). She drank 1.5 bottles of water which improved her  
 dry cough. She stated she was feeling back to normal  
 before she left the clinic. - Warned her that she likely  
 was having a mild allergic reaction to the vaccine and  
 warned that it is possible for allergic reactions to worsen.  
 Reviewed signs and symptoms of anaphylaxis in detail  
 and gave strict ER warnings if any develop, especially  
 difficulty breathing, throat/facial swelling or any  
 worsening symptoms occur. Warned her while driving to  
 work (15 min drive) she keep an eye on her symptoms  
 and pull over and call 911 if any signs or symptoms of  
 anaphylaxis develop. - Advised she take a non-sedating  
 antihistamine like Claritin on her way to work. I advised  
 she let her colleagues at work now to keep a close eye  
 on her at work. - She expressed understanding and  
 stated she was feeling well and wanted to go to work - All  
 questions were answered. I informed her PCP and sent  
 them my note. I called 4 hours after the vaccine to follow  
 up but had to leave a voicemail,. I spoke with her the  
 following day on 3/31/21 and she stated she felt great  
 besides localized soreness at the injection site.  
 Otherwise she felt well. The rhinorrhea, cough and throat  
 clearing had completely resolved after taking 1 claritin.  
 Denied shortness of breath, difficulty breathing,  
 wheezing, fever, chills, n/v/d, chest pain, hives, itching,  
 palpitations, dizziness, syncope, near syncope or  
 headache. She did not require any further treatment and  
 did not need to have a visit with her PCP and did not  
 need to go to the ER or hospital.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1160155	4/2/2021	IL	73	M	4/2/2021	4/2/2021	Pt reports phone size and font size on phone appeared smaller after receiving vaccine. Denies blurry vision, dizziness, HA. Declines to have font size checked on settings on phone. All other items: wallet, room, signages, appearing "normal" size to pt. Assessed by EMS. Refuses further eval/transport to ER. Wife will drive him home. Advised to seek further medical eval and report to his PCP.
1160153	4/2/2021	NM	56	F	1/28/2021	1/29/2021	I experienced blurry vision. I was experiencing the other common effects as well, but the blurry vision came towards the end of the time I was experiencing the other effects and continued until the all of the other side effects were over. I did not seek any treatment.
1160149	4/2/2021	CA	58	M	3/11/2021	3/26/2021	Bells Palsy - Paralysis Right Face - Right Eye will not shut completely and dries out quickly. I have little control of my right eye. Hard to breathe through right nostril.
1160107	4/2/2021	FL	53	F	2/9/2021	2/12/2021	I have had Herpes Zoster in the past. After receiving the Moderna shot my Herpes Zoster got activated again in my left eye. I received Acyclovir and other medications for treatment and I recovered quickly. My symptoms with the vaccine were on the severe side based on research that I did on the internet. I also experienced slight pain on areas of the left side of my face and still have tender lymphatic nodes under the left arm where I received the vaccine. I also experienced some kind of tenderness and slight pain of my teeth.
1160057	4/2/2021	AZ	35	F	3/31/2021	4/1/2021	Headache, eye pain, chills, joint pain, high fever (103.2 ° F), tooth pain, nausea, raised and itchy tattoos.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1160011	4/2/2021	CA	77	F	2/18/2021	2/19/2021	I am submitting this report not based upon adverse events I experienced after both vaccinations including headache, eye pain, somnolence, dizziness, joint and muscle pain, low-grade fever, loss of appetite. These symptoms resolved two days after first vaccination and four days after second vaccination. No medical advice was sought and acetaminophen was taken on an as-needed basis. What I found to be unusual after both vaccinations was profound changes to the color of my urine two days after the vaccinations. I use the PureWick external catheter and urine collection system due to my NMO-related incapacitation. This system facilitates the assessment of urine output and characteristics. After my first
1159996	4/2/2021	HI	48	F	1/8/2021	1/15/2021	My arm started aching initially. Throughout the day, it started to swell and get itchy. The area of the injection site started turning red. I called Friday - and advice nurse said to take Ibuprofen and do ice pack and Benadryl. The redness started moving down my arm and I went to Urgent Care on Saturday 16th. Dr looked at it and said to keep an eye on it. He suggested the same treatment as the advice nurse had advised. The treatments for it helped with the symptoms. The swelling took about a week to go down and the itching stopped after two weeks.
1160286	4/2/2021	TX	68	F	4/1/2021	4/1/2021	rash swelling on face and neck, itching around eye and eyelids
1158322	4/2/2021	PR	53	M	3/31/2021	3/31/2021	Blurred vision in the left eye as in the form of two dots as if they were mosquitoes. If it were a clock, one pointing at noon and the other at 7:00 pm, 2 to 3 inches apart. Next day April 1 there are already 3 points, several lines as if they were hairs lengthwise and many black dots.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1158700	4/2/2021	WI	64	F	3/18/2021	3/18/2021	<p>She said that she has a pretty swollen black eye that is really red too; She said that she has a pretty swollen black eye that is really red too; She said that she has a pretty swollen black eye that is really red too; Blacked out; severe stomach cramps; Nausea; Diarrhea; Vomiting; This is a spontaneous report from a contactable consumer (patient). A 64-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration in left arm on 18Mar2021 at 09:55 (Lot Number: ER2613, unknown expiration) as a single dose for COVID-19 vaccination. Medical history and concomitant medications reported as none. The patient received the first shot of COVID-19 vaccine in the morning of 18Mar2021, and after supper, she experienced severe stomach cramps, nausea, diarrhea, vomiting, and stated that she blacked out. She mentioned that she is just taking it slow and eating broth. She confirmed that blacking out has only happened to her 2 other times in her life. She said that it usually happens with the cramping and the vomiting in this same kind of situation. She plans to follow up with the physician. She said that she has a pretty swollen black eye that is really red too (unspecified date). She is putting ice on it. It did not seem like she ate anything that would cause this reaction. She has no other reason to think her reaction could have been caused by anything else. She called the pharmacist and they told her to report it to Pfizer. No additional vaccines administered on the same date of COVID-19 vaccine. No prior vaccinations within 4 weeks. The patient recovered from events blacked out, severe stomach cramps, diarrhea, and vomiting on 18Mar2021; recovering from nausea; while unknown outcome for the remaining events. No follow-up attempts are possible. No further information is expected.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1158692	4/2/2021	TN	79	F	2/28/2021	3/12/2021	prothrombin time was 16.2 seconds (standard: 11.9-14.5 seconds); Pfizer vaccine caused the bleeding around the eye/bleeding under her eye; Black eye/left eye was black. It is a purple eggplant in color.; This is a spontaneous report received from a contactable consumer (patient). A 79-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EN6200, expiry date: 30Jun2021), via an unspecified route of administration in the right arm, on 28Feb2021 10:20, as single dose, for Covid protection, at the hospital. Medical history included atrial fibrillation and ablation. Concomitant medication included apixaban (ELIQUIS) taken for atrial fibrillation and to prevent stroke from 2019. The patient did not have prior vaccinations within 4 weeks. It was reported that the patient received the first dose of COVID-19 vaccine on 28Feb2021 and was scheduled to get the second dose on 21Mar2021 (Sunday). On 12Mar2021, her left eye was black, it was a purple eggplant in color. She wondered if she needed to tell the doctor and remembered her mother had blood vessel that burst. The patient clarified that it was to the side of her eye and not in her eye. It was bleeding under her eye. The nurse wanted the patient to stay so she could do some research. The nurse told her that the Pfizer vaccine caused the bleeding around the eye. The patient didn't want to have the second dose of the vaccine. She was told that she needed to report it. The nurse also told her that she needed to have her blood levels checked and that she does not need to take the second dose until she gets her blood levels checked. She went to her doctor's office but her primary care doctor and the other doctor were on vacation. She was seen by the nurse practitioner. The nurse practitioner told her that she had to take the second shot and she might have to come off the blood thinner. She underwent blood work on an unspecified date with unknown results. She was told that the nurse practitioner has to study up on this and might have to come off of the blood thinner in order to get the second dose. She has been on blood thinner since 2019 after having an ablation. She has done wonderful. She is on this to prevent a stroke. She is on Eliquis. She is thankful for it. She has gone in and out of atrial fibrillation while taking Eliquis. The patient didn't want to take a chance on the second dose of the vaccine in case of hemorrhaging and was scared to take the



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

second dose. Her blood clotting time was checked on 17Mar2021 and her prothrombin time was 16.2 seconds (standard: 11.9-14.5 seconds). She was hoping that Pfizer could advise her on taking the second dose. She thinks she will cancel her appointment for 21Mar2021. She is afraid to have the vaccine. The outcome of the events "Pfizer vaccine caused the bleeding around the eye/bleeding under her eye" and "Black eye/left eye was black. It is a purple eggplant in color" was not recovered; and "prothrombin time was 16.2 seconds (standard: 11.9-14.5 seconds)" was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1158690	4/2/2021	PA	63	F	3/11/2021	3/11/2021	rash that was all over her body; Extremely red sunburn rash- really bad sunburn, most of it on torso, had it on legs/face was so red like the rough sunburn feeling; Eyelids red, itchy, and swollen; Eyelids red, itchy, and swollen; Eyelids red, itchy, and swollen; Felt dizzy and weak/had less energy today; Dizziness and lightheadedness /felt dizzy and weak; Worst and really sharp Charlie horse between ankle and calf- took forever to walk; Extremely dehydrated, kidneys were showing some damage, creatinine level was really off.; Extremely dehydrated, kidneys were showing some damage, creatinine level was really off.; Extremely dehydrated, kidneys were showing some damage, creatinine level was really off.; Anaphylaxis due to vaccination; Vomited; Major diarrhea; She was so cold that her toes were purple; Blood Pressure so low: 58, couldn't find a bottom number at first but then at the hospital it was 58/38; Face was extremely pale; could not function- she was beyond cold; felt like she was in a bad dream and couldn't wake up, couldn't walk. Feeling like she was getting the flu; could not function- she was beyond cold; felt like she was in a bad dream and couldn't wake up, couldn't walk. Feeling like she was getting the flu; could not function- she was beyond cold; felt like she was in a bad dream and couldn't wake up, couldn't walk. Feeling like she was getting the flu; Too cold to function or do anything; Nauseated- almost like morning sickness/Extremely nauseated/queasy feeling; Nauseated- almost like morning sickness; very extremely tired; creatinine /it was still high; sick; body temperature was low; She thought she was going to die because of the purple toes; but it seems like her nose won't stop running ever since she got it, sore from blowing- looks like Rudolph.; but it seems like her nose won't stop running ever since she got it, sore from blowing- looks like Rudolph.; her body catching up on sleep or she's just tired; This is a spontaneous report from a contactable consumer (patient herself). A 63-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot Number: EN6206), via an unspecified route of administration, on 11Mar2021 as single dose in left arm for COVID-19 immunisation. Medical history included ongoing High Blood Pressure (It's under control now, fairly healthy; diagnosed probably when she started menopause in early 50s), ongoing

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

Anxiety (Diagnosed probably when she started menopause in early 50s), ongoing Sinus headache (Worst sinuses; Takes Excedrin because Tylenol does not have an effect on her), ongoing smoker (Pack a day, but smoking about only about half of it each time. started when she was a teenager. She was without a cigarette for 3 days in the hospital, but when she came home she had to start again), menopause (in early 50s), shoulder-torn rotator cuff-operated in 2018. Family history included cardiac and heart disease, Parkinson's and Frontal lobe dementia (husband). Concomitant medication included colecalciferol (VITAMIN D3) 1000 IU, once a day, by mouth (Taken these for as long as she can remember, they kept advising it, husband takes it for Parkinson's so she just throws one in for her), calcium ascorbate (VITAMIN C) 1000 IU, once a day, by mouth (Started at least 2 years ago, doesn't drink enough orange juice, doesn't do fruits, doesn't get enough Vitamin C), linum usitatissimum seed oil (FLAXSEED OIL) 1000 IU, once a day, by mouth (Started at least 2 years ago, family history of cardiac and heart disease, takes as preventative) for cardiac and heart disease, takes as preventative, fish oil 1000 IU, once a day, by mouth (Started at least 2 years ago, family history of cardiac and heart disease, takes as preventative) for family history of cardiac and heart disease, takes as preventative, hydrochlorothiazide, lisinopril 20/12.5 mg, once a day, by mouth (She has been taking this medication for years, under control with this medication) for High Blood Pressure, lansoprazole from 2020 30 mg, once a day, by mouth (Started years ago) for Stomach pill for acid reflux, duloxetine hydrochloride 60 mg, once at bedtime, by mouth (Started forever ago) for just being achy and anxiety, lorazepam .05 mg, 1 tablet 3 times a day, takes one tablet a day at bedtime, by mouth for Anxiety (Started this a while back-with the heart disease and everything else, gave this to help with menopause symptoms too), meloxicam 15 mg, at bedtime as needed from 2017 for back issues- really sore at times, takes if really stressed or she overdoes it. Patient previously took Tylenol for sinus headache and does not have an effect on her. After the first dose of the vaccine the patient reported that she was extremely tired on 11Mar2021. She was completely nauseated most of the day on the second day. On Saturday, she was extremely nauseated (12Mar2021) with vomiting and

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

major diarrhea on 13Mar2021. By 4 PM that afternoon (12Mar2021), she could not function because she was so cold; she felt like she was in a really bad dream and couldn't wake up. She called on 13Mar2021, her blood pressure was so low-they got 58 for the top number, they were unable to pull up bottom number at that point. patient reported that when the ambulance arrived, they described her face as extremely pale on 13Mar2021; her major complaint was that she was so cold- she has never been that cold in her life. When she got to the ER- they had to use the old blood pressure cuff to get her blood pressure because it wasn't coming up on the machine- the kind where you pump it up and watch the needle, they said it was 58/38. patient states that they asked her about the rash that was all over her body in 2021; caller reports that she did not have a rash when she called at 4 PM. patient describes the rash as an extremely red sunburn rash- like you got really bad sunburn, most of it was on her torso, she also had it on legs on 13Mar2021. patient mentioned she remembers them taking off sock and her toes were purple on 13Mar2021. She also had a red on her eyelids- she described as itchy and swollen on 13Mar2021. patient mentions that unbelievably as sick as she was in 2021, she could understand everything that they were telling her. Treatment was given as they prescribed her Prednisone and Benadryl; she was also hooked up to an IV, and they were trying to warm up her body because body temperature was low in 2021. Discharge paper reads as anaphylaxis due to vaccination on 13Mar2021. patient states that she came home from hospital on Monday, 15Mar2021. patient reports she started a diet. 2nd day (12Mar2021)- From the time she got up, she was too cold to do anything; she couldn't walk and she was feeling like she was getting the flu. Saturday (13Mar2021)- She woke up and had the worst Charlie horse between ankle and calf- took forever to walk Charlie horse off. Really sharp Charlie horse. Even had less energy today. Really nauseated. patient reports that yesterday and today, she is just tired. She doesn't know if it's just her body catching up on sleep or she's just tired; she will find out today when she goes to doctor. Caller mentions that she is normally more active than she feels right now. patient reports her eyes have been itchy and she has a rash on her eyelids. patient doesn't know if it's from the shot; patient mentions that she decided on

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

01Mar2021 she would start a diet, get healthy, and see a nutritionist. patient reports that initially she didn't think her symptoms were from the vaccine and thought it was that she wasn't eating enough food on Friday. She got in touch with the dietitian. patient reiterated she did not attribute this to shot right away. patient reports that she was wondering if she had asymptomatic covid, and it would have been within a 3-month period that she reacted to the shot. She was not sick if she did have asymptomatic covid. There still trying to figure out why her body had this reaction. patient states that every now and then she was still cold, but she doesn't know if its her imagination and plus it is cold outside where she is. She is still on the cuff on that one. patient describes the nausea she first felt as almost felt like morning sickness on 12Mar2021-that's why she attributed it to her diet. patient mentions that the day she started feeling better, late Sunday afternoon, she wanted salty foods. Anything salty, chips, she just really wanted salty stuff. She was not normally a salt person, but the saltier it was, the better it was. patient reports that when she was vomiting with diarrhea and laying down, she would be throwing up in a towel because she couldn't make it to the bathroom when she was laying, it would just gush. patient describes it felt like her body was going to be locked into the position it was in, she doesn't know how to describe it. patient states that she had vomit on her clothes when she called. patient reports the nausea stopped late Monday and the queasy feeling went away. patient reports she stopped vomiting when they gave her Zofran- they had to give her a couple because she didn't stop throwing up right away. patient reports she was extremely dehydrated and her kidneys were showing some damage; her creatinine level was really off on 13Mar2021. The diarrhea was gone, but now she has a mixture of soft stools and semi formed. It is trying to improve but hasn't yet. patient states that because of her creatinine level, they did want her to drink and she might have soft stools because she was drinking so much. patient reports she knows when her husband put the shirt on her she did not have the rash, but when the ambulance arrived, they said she had the rash. Upon discharge, they told her not to receive any further covid vaccines- she cannot get her second one which was scheduled for 01Apr2021. She started experiencing the

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

really cold feeling on 12Mar2021 after receiving the vaccine. She went to bed at 7, that's not like her, she was usually up all hours of the night. symptoms she was experiencing were beyond typical. patient reports she also felt dizzy and weak on 13Mar2021. She thought she was going to die because of the purple toes in 2021- she knew that was a sign of her body shutting down and she got the most scared. patient mentions she is experiencing a residual side effect from the covid and influenza tests-both were negative on 13Mar2021, but it seems like her nose won't stop running ever since she got it, sore from blowing- looks like Rudolph in 2021. patient reports she feels human today, but she is still sleepy in 2021. She thinks she would feel a whole lot better if her nose stopped running. The tiredness might be from nose blowing and stuff. patient remembers the nurse was thrilled that her toes weren't purple anymore. It started going away when her blood pressure and everything came back up. patient states that she was so scared that she was dying so she remembers everything that happened. patient remembers she was in the ER still when her blood pressure improved. Treatment for her face was so red like the rough sunburn feeling and putting moisturizer on the dried cheeks. patient reports that she doesn't see any patches of red on her. Part of her has a fear that the stuff is not totally out of her system and it will happen again. patient mentions she has heard comments that this was not a typical reaction from the first one and wants to know if it is typical to be that sick from the first dose. patient reports that now her eyes just feel like she's allergic to something. She doesn't know if the redness is from crying now- it was improving, but was still there. Husband has Parkinson's and Frontal lobe dementia and she is his caregiver, she cannot afford to get Covid, she wants to get back to normal. patient reports that she did not take any of her prescriptions the day of the vaccine, she did not want to get a reaction. patient reports she had her shoulder- torn rotator cuff- operated on in 2018. If nose is really stuffed up or allergies, or Fluticasone nasal spray- she can take it 2 times a day, 2 squirts in each nostril, take it as needed. patient reports that she has the worst sinuses- when it gets too bad, she'll go to the doctor and she'll prescribe Flonase, take Metamucil or whatever she thinks will help with sinuses. she still wants to get the second vaccine.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

patient reports her creatinine came down well enough that she could come home from the hospital, it was still high on 15Mar2021 so they told her to drink lots of water so she does not get dehydrated. Patient was hospitalized from 13Mar2021 to 15Mar2021 for Anaphylaxis, Tiredness, Nauseated, Morning sickness, Vomited, Activities of daily living impaired, Walking difficulty, Flu like symptoms, Pale, Photosensitive rash, Asthenia, Dizziness, Charley horse, Dehydration, Renal disorder, Creatinine low, Cold, Diarrhea, Purple toes syndrome, Blood pressure low, Redness of eyelid, Eyelids itchy sensation of, Swollen eyelid. For rash also patient was hospitalised. The outcome of Vomited, Pale, Photosensitive rash, Dizziness, Asthenia recovered on 13Mar2021, Nauseated, Morning sickness recovered on 15Mar2021, Activities of daily living impaired, Walking difficulty, Flu like symptoms recovered on 17Mar2021, Diarrhea, Cold, Blood pressure low, Purple toes syndrome, Redness of eyelid, Eyelids itchy sensation of, Swollen eyelid were recovering, Tiredness and Creatinine high were not recovered, while remaining events were unknown. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1158684	4/2/2021	OH	73	F	3/1/2021	3/2/2021	<p>Bell's Palsy partial facial paralysis on both sides; Eyesight is dimmed; throbbing pain mostly in right eye/ Occasional shooting pain in eye; Eyes watering; Groggy; Dizzy; Extreme fatigue; Brain foggy; Forgetful; Sleep cycle distorted; Essential tremors in hands; Dull pain in back of head near neck; slightly garbled/ voice difficult to understand; Sensitive to loud noises; This is a spontaneous report from a contactable Other-HCP (patient). A 73-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), at same age, via an unspecified route of administration, administered in arm left on 01Mar2021 16:30 (Batch/Lot Number: en6198; Expiration Date: 01Mar2021) as single dose for covid-19 immunisation. Medical history included COPD. Concomitant medication included salbutamol (VENTOLIN [SALBUTAMOL]);and fluticasone propionate/ salmeterol xinafoate (ADVAIR). The patient previously took first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: em9809) on 07Feb2021 04:00 PM, in left arm for covid-19 immunisation at age of 73 years old. The patient experienced eyesight was dimmed, even when she can manage to open her eyelids, occasional shooting pain in eye, eyes watering, throbbing pain mostly in right eye, Bell's Palsy partial facial paralysis on both sides: can't smile, voice difficult to understand, slightly garbled, groggy, dizzy, brain foggy, forgetful, extreme fatigue, sensitive to loud noises like dog's bark, sleep cycle distorted, essential tremors in hands are greater than usual, and dull pain in back of head near neck and all on 02Mar2021 05:00 PM. AE resulted in Doctor or other healthcare professional office/clinic visit. Patient is not pregnant. The treatment was received. No covid prior vaccination and no covid tested post vaccination. The patient underwent lab tests and procedures which included MRI (magnetic resonance imaging): unknown result on unspecified date. The outcomes of events were recovering.; Sender's Comments: Based on a plausible temporal association, the company cannot completely rule out a causative role of BNT162B2 to the onset of facial paralysis. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this</p>



*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1158675	4/2/2021	NJ	45	F	3/6/2021	3/1/2021	<p>it was worse; I had to take Benadryl to sleep; eye lid tingling; Also reports pain on the top of her head and last night aching on left side of her head; Eyelids with poking sensation; lip is jerking, jerking of eyes; pain on left side of her neck; I feel my gland is swollen with a lump on left side; I have had tingling and a needle pain sensation all over my body./Tingling needle like sensation like someone poking needles, eyelids, arms, legs, back, face, belly, all over body, tips of fingers, bottom of feet, top of head; Has to work through the pain/Pain ran down along left side of neck a couple of nights ago also;; Left top of head aching sensation; It is effecting her work and daily life.; This is a spontaneous report from a contactable pharmacist. A 45-years-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot Number: EN6205, Expiration date: not reported via an unspecified route of administration, administered in Arm Left on 06Mar2021 at 14:25 (at the age of 45-years-old) as single dose for COVID-19 immunization. Medical history included ongoing hepatitis B, Kidney stone from 2019 and ongoing. Concomitant medication(s) included tenofovir disoproxil fumarate (Dosage text : 300mg Tablet once daily at night) taken for hepatitis b. The patient's father has high blood pressure and heart problems and mother is fine as stated. The patient experienced tingling and a needle pain sensation all over my body/tingling needle like sensation like someone poking needles, eyelids, arms, legs, back, face, belly, all over body, tips of fingers, bottom of feet, top of head on 07Mar2021, had to take benadryl to sleep on an unspecified date with, eye lid tingling on an, on 16Mar2021 lip is jerking, pain on left side of her neck, feel the gland is swollen with a lump on left side, also reports pain on the top of her head and last night aching on left side of her head, eyelids with poking sensation, jerking of eyes, left top of head aching sensation, it is effecting her work and daily life, has to work through the pain/pain ran down along left side of neck a couple of nights ago. Therapeutic measures were taken as a result of insomnia. The outcome of event Tingling needle like sensation like someone poking needles, eyelids, arms, legs, back, face, belly, all over body, tips of fingers, bottom of feet, top of head, Lips Jerk, Jerking of Eyes, Left side of neck lump like a swollen lymph is Not Recovered, Left top of head aching</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1158553	4/2/2021	CA	34	M	3/31/2021	4/1/2021	<p>sensation, Pain ran along left side of neck is Recovered. Follow up (17Mar2021): New information included clinical information and description of product complaint: Is there a Product Complaint: Taking benadryl last two nights to sleep, did not help last night. Product strength and count size dispensed: 25mg. Additional lot numbers: P117225. Is a sample of the product available to be returned, if requested: No No follow-up attempts are possible. No further information is expected.; Sender's Comments: Considering a plausible temporal association, a causal relation between the reported events and the suspect drug BNT162B2 cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.</p> <p>Swelling or welt under both eyes. Blister-like bumps on swelling when I 1st noticed it, but they have lessened. But the welt is still there, and I feel the swelling more so now than I did last night. It's now been about 38 hours since receiving vaccine. It doesn't seem to be getting worse, aside from now being able to feel the swelling. Also, like I said, the blister-like bumps, on the welt/swelled area, have dissipated, so that got better. My face is also breaking out with acne since the shot. I do occasionally get acne break outs tho.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1158366	4/2/2021	CA	38	F	4/1/2021	4/1/2021	<p>On Thursday, 4/1/2021, client received her first dose of Pfizer COVID vaccine (LOT # EW0150, EXP 7/2021) at approximately 10:07 am by vaccinator RN. RN instructed client to self-monitored at the observation area. EMT found this 38 years old female in an observation chair sitting upright and requesting assistance. Due to the client needing translator, site manager present provided translation. lead RN came to assist EMT as needed. EMT reported client had a chief complaint of lightheadedness. Client stated that she felt like her head was "big" but that she did not feel like fainting. Client stated she had a history of high blood pressure and diabetes type 2 but did not take diabetes medication. Instead, she stated that she managed it strictly with her diet. Client had no known allergies. Assessment revealed no redness, hives, swelling, shortness of breath, chest pain or other signs of anaphylaxis throughout her body. Client denied having a headache but stated that she felt "hot" and that the heat was rising to her head. Client denied having a meal before her vaccination. Initial vitals were as follows: Alert and oriented x 4, Eyes were PERL (Pupils Equal and Reactive to Light) at 4 mm, pulse - 74, regular and strong at radial, O2 - 99%, blood pressure 160/98, Temperature 97 F, Respirations 20 and regular. Skins were warm and mildly sweaty. Client consented to staying present for an extra 30 minutes after incident onset. Staff present verified that client had no food allergies and was provided food to eat while under observation. Client's vitals were monitored at 5 minutes intervals after the onset of the incident as follow: 10:18 am: 160/98 (Blood Pressure), 74 (Heart Rate), 99% (Oxygen), 20 (Respiration), 97 F (Temperature); 10:23 am: 162/98, 68, 99%, 18; 1028 : 162/98, 68, 99%, 18; 1033 : 162/98, 72, 99%, 18; 10:38 am: 162/98, 72, 99%, 18, 98 F; 10:48 am: 162/98, 72, 99%, 18. Client reported at the end of her observation that she no longer felt hot and her head sensation was gone. Client's temperature improved from 97 degrees Fahrenheit to 98 degrees Fahrenheit and she ceased sweating at the end of her observation period. Client's husband was present and both were provided a Pfizer vaccine fact sheet and instructed to seek out medical advice or emergency care if a severe allergic reaction occurs later in the evening. Client left with husband in no apparent distress at 10:48 am with husband stating he would drive them home.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1158361	4/2/2021	OR	33	M	3/29/2021	3/29/2021	Approximately 12 hours later i developed a rash under my bottom lip, The following day approximately 24 hours later I developed more rashes on my left cheek, right cheek and under my right eye. Approximately 33 hours after vaccination i developed another rash just to the right of the corner of my mouth. The rash is itchy and is slowly getting worse.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1158701	4/2/2021	WV	51	M	3/9/2021	3/12/2021	Myasthenia gravis; double vision, cannot focus; left eye droop/right eye droop; Bell's Palsy came back with left eye droop/right eye droop; Bell's Palsy came back with left eye droop/right eye droop; This is a spontaneous report from a contactable consumer (patient). A 51-year-old male patient received the first dose of bnt162b2 (BNT162B2 reported as PFIZER COVID-19 VACCINE), via an unspecified route of administration in the left arm on 09Mar2021 08:48 am (lot number: EN6199) as a single dose for covid-19 immunisation. Medical history included facial paralysis from 20Jan2021 to an unknown date diagnosed initially as bell's palsy but now is diagnosed as myasthenia gravis and gastric reflux. Concomitant medication included unspecified gastric reflux medication and unspecified vitamins. The patient did not receive other vaccines within 4 weeks prior and did not receive other vaccine on the same day. The patient previously he was put on prednisone 60 mg tablets by mouth times 7 days, then 10 mg tablets for an additional 7 days. The patient mentioned he received the vaccine in a vaccination center. The patient reported that prior to his first shot towards the end of Jan2021, his doctor thought he had Bell's Palsy. On 20Jan2021, he stated that he was put on a high dose of steroids to clear it up. He stated that on 09Mar2021, he had his first Covid vaccine with no issues. On 12Mar2021 between 5-6 pm, he mentioned that it came back (the Bell's Palsy) with a vengeance, near his eye and with eye droop. He specifies left eye droop. He added that the Monday after (15Mar2021) over the weekend, it got worse. He mentioned that he talked with his neurologist who told him to speak with his ophthalmologist who the patient spoke to on Tuesday. The patient mentioned that both doctors came up with the diagnosis of Myasthenia Gravis. He inquired since one of his doctor's is concerned about him taking the second vaccine and the other doctor was ok with it. He mentioned that one doctor had a feeling of some bias, and the other doctor. He did some research in an association with people diagnosed with it. One of his doctors said that he is immunocompromised, so he looked at autoimmune information, and the information says it is ok. He reached out to the local medical center that is doing the vaccination and they are unwilling to talk with him over the phone. He has read on the association site and they

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

seem to recommend to take it. He did not want to rebel against his doctor, so he wants to be sure. He inquired if it was safe for him to take his second dose and wanted to get good factual information that can give him a good starting point that is related. He mentioned that his second dose schedule was on 30Mar2021. He also stated that initial onset of Bell's Palsy with left eye droop, he was on a high dose steroid regimen and that seem to help which he finished up early Feb2021. It was mentioned that the event initial onset was not after the vaccine. The Ophthalmologist checked him on Tuesday and his left eye which he could barely open, and his doctor also noticed right eye droop. He stated without medication, it is worsening but with his medication, it is definitely helping to transmit between nerves. He stated before the medication this time of day he could not lift his left eye longer throughout the day, the more difficult it is for the muscles as they become weaker. There was noticeably drooping of the right eye. The ophthalmologist exam on his right eye was drooping which was ongoing. It is still there, his wife and he were comparing their eyes and how much he could open it, and it surprised them how little he could open it. It was different and strange. The time reported for the drooping of the right eye was 2:30 pm and persisting but the left eye was worse. He hasn't noticed a difference about the same, medication has been helping. It was also mentioned that myasthenia gravis reported that it started on the 16Mar2021 2:30 pm (talked to the Neurologist to compare notes, so maybe 3:30 - 4:00) when they made the initial diagnosis and started testing the next day. He is waiting for blood work to come back, but all the tests have pointed in that direction. Myasthenia gravis was ongoing, but the condition has worsened and the medications at a therapeutic level, it keeps it at bay. He further added that his eye became so hard to see, so he pyridostigmine bromide on 17Mar2021 since he couldn't open or focus, he thought he would give it a try. It works when he can't focus and if he doesn't take, it he will go back to where he was before. He will not be able to open his eye and the double vision will come back. The events required physician's office visit but did not require emergency room visit. He mentioned that there were 3 test and one more scheduled. The first one was a common test; the first initial test diagnose Myasthenia gravis. The second

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1158265	4/2/2021	NV	44	F	3/16/2021	3/21/2021	test was the ice test since they went on the assumption in their initial thinking it was Bell's Palsy and in his, doctor's, opinion it didn't look right. The test sounds goofy and it is one of the tests, they did to predict how it was going to go. He reported that they placed an ice cube in a cloth on the eye and let cool for 2-3 minutes. The eye lid is raised more than it was before the test and it went back down. This test was done on 16Mar2021. He reported that the did a chest x-ray on 17Mar2021 and looked for enlarge thalamus, he states it was normal. He has a CT scheduled next Wednesday (24Mar2021) to check his thalamus and lungs. The patient underwent lab tests and procedures which included blood test with unknown results on 17Mar2021, he reported that he is waiting for the results to look for antibodies for Myasthenia gravis; chest x-ray was normal on 17Mar2021, he reported that they did a chest x-ray and looked for enlarge thalamus, he states it was normal; endoscopy with results of no finding on Mar2021, his GI doctor wanted to do an upper and lower endoscopy, so 2 weeks prior to the vaccine he had an upper and lower endoscopy with no finding; and ice test with results of bell's palsy on 16Mar2021 and in his doctor's opinion, it didn't look right. The outcome of the events was not recovered.
							Dizziness, blurred vision, dropping things for 6 days. Could not see up close and then away. motion sickness



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1158793	4/2/2021	MO	67	F	3/3/2021	3/19/2021	Bell's Palsy; This is a spontaneous report from a contactable consumer (patient). A 67-year-old female patient received bnt162b2 (BNT162B2), dose 1 intramuscular, administered in Arm Left on 03Mar2021 15:00 (at the age of 67years) as single dose for Covid-19 immunization. Medical history included hypertension, type 2 diabetes mellitus, kidney disease, and known allergies to Penicillin and Sulfa drugs. Concomitant medications included amlodipine besylate (AMLODIPINE BESYLATE) and dulaglutide (TRULICITY); both taken for an unspecified indication, start and stop date were not reported. The patient is not pregnant at the time of vaccination. The patient was not diagnosed with COVID-19 prior to vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. On 19Mar2021 (13:00 Friday), the patient experience left side of face became numb and droopy with droopy eye lid and numb lips. The patient sought medical care; stroke was ruled out. The diagnosis was Bell's Palsy. Valacyclovir hcl 1-gram tab was prescribed. The adverse event resulted in Doctor or other healthcare professional office/clinic visit, Emergency room/department or urgent care. The patient has not been tested for COVID-19 since the vaccination. The outcome of event was recovering. The event was considered serious (seriousness criteria: important medical event). Information about lot and batch number was requested.
1158295	4/2/2021	NJ	29	F	3/11/2021	3/11/2021	Swelling of face and tongue and hives. DAY 2 SEVERE itching around 3lbows and hands that traveled through both arms, swelling in face again and neck, swollen under eye, the next 2 days are variations of the above except for the swollen eye
1158290	4/2/2021		53	F	3/31/2021	3/31/2021	visual hallucinations from high fever. Patient had fever T-max 103.0 °F after vaccination. Fever started 6 hours after second vaccine. History of visual hallucinations with high fever in the past both as a child and an adult (with influenza B). Visual hallucinations resolve with control of fever with antipyretics.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1158288	4/2/2021	HI	67	F	3/25/2021	3/25/2021	Heart rate increased within 5 minutes of having the shot, went from 72 to 114. My heart rate stayed at 109 or more until 10 PM the next night when its slowly went down to a normal heart rate. At 3 am (12 hours after the shot) i had a blinding debilitating headache that lasted until 9pm the next night. It also affected my vision. The headache was so bad i could not concentrate on the simplest task. I was unsure of what i could take for the headache. So, I did not take anything. When i woke up i was very tired and this lasted until the following day. 6am i had a fever of 102.3 this went down to 100.4 at 9:15 pm that night. I also had chills for several hours. 9:20 AM the nausea started followed by vomiting and dizziness. This only lasted for a few hours. I experienced very vivid dreams the night of the shot. I only drank some coconut water all day and could not eat any food. The next day Saturday March 27 i felt better but the fatigue did not go away until late in the evening. Sleeping seemed to help but i could only sleep for 2- 3 hours at the most.
1158286	4/2/2021	WI	61	F	3/30/2021	3/30/2021	dizziness, blurred vision, ear ringing, ear pressure, fatigue/malaise, mild headache, sluggishness, brain fog, difficulty speaking, joint pain, symptoms from 8 hours after vaccination until 48 hours after vaccination
1158279	4/2/2021	IL	26	F	3/25/2021	3/26/2021	Morning after shot had a pretty bad headache, ate breakfast and almost immediately had to lay down. Could barely keep my eyes open I was so tired. Slept all day, headache did not subside, tried to shower but was too tired to stand for even a few minutes and started to feel nauseous. I felt like I was on a high dose of Vicodin. Was hard to even keep my eyes open long enough to eat. Wasn?t until about 8 pm that I was able to sit up, alert, for an extended period of time. Arm was sore throughout all this but not as bad as the first shot (also it is not my dominant arm). My headache continued for about her 3-4 days.
1158269	4/2/2021	WI	55	M	3/22/2021	3/26/2021	4 days after vaccination, suffered diplopia that resolved, recurred again 7 days after vaccination, lasted 20 minutes and then recurred 8 days after vaccination with associated headache. Patient to emergency department and noted to have orbitopathy with asymmetric swelling of rectus muscles of left eye.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1162853	4/2/2021	AZ	63	F	3/24/2021	3/24/2021	Severe itching on vaccinated are, chest , stomach and back. Rashes and hives, Burning skin, Sneezing, over active sinuses, Nausea, swelling in neck glands and ear glands, facial swelling at mouth and eyes, tightness in chest and difficulty breathing. The symptoms got worse each day and I went to Urgent Care on the 6 th day when the swelling started. I was given a Steroid shot and a prescription for Predizone for 10 days. The shot helped within a hour or two but the symptoms are still there but not as severe. All these symptoms have happened to me before when I have accidentally injected Gluten or Wheat. Is there Wheat in the fillers? I am very nervous about having the 2nd shot !!!!!
1160353	4/2/2021	TX	43	F	2/26/2021	2/26/2021	Sore arm at injection site, extreme fatigue, sudden onset uncontrollable menstrual bleeding & blood clots, felt faint & had some blurred vision. Heavy bleeding & heavy clotting continued until next morning (I have not had any issues with my cycle since my surgery last year so this was not normal). Woke up with fever of 100.7 Saturday morning at 4:57am; fever did not go away until Saturday 8:45pm. Had flu-like symptoms, fatigue, fever, chills, intense all over muscle soreness. Felt better & symptoms were gone by Tuesday 03/02/2021. Menstrual cycles went back to normal following month after 2nd vaccine.
1158357	4/2/2021	CA	54	F	3/30/2021	3/31/2021	swelling of eyelids, burning sensation of face (feeling like sunburn), flushed skin on face, and swelling, warmth, and redness below the injection site-about 2.5 inches in diameter
1159087	4/2/2021	NJ	52	F	3/17/2021	3/17/2021	Adrenaline rush or rapid heart rate sensation (immediate). Stomach upset (within 1/2 hour). Excessive/sudden sneezing (within 1/2 hour, lasting a day or two). Itchy/watery eyes (within 1/2 hour to an hour). Mental/emotional changes within hours (irrational fear).
1159382	4/2/2021	CA	36	F	3/31/2021	4/2/2021	Conjunctivitis in my left eye, noticed first thing this morning when I woke up, however, I started feeling soreness in my eye last night (approximately 9pm), but no redness until this morning. Yesterday, the first day after the vaccine, I had extreme nausea and diarrhea, though that seemed normal so I didn't report it.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1159310	4/2/2021	AL	69	F	3/8/2021	3/11/2021	Patient started having dizziness, light-headedness and headache 3 days after receiving the second dose of Moderna COVID-19 vaccine. She thought it was vertigo and self medicated with meclizine which did not help. She presented to my office 3 weeks (3/29/2021) later because the dizziness was not improving and she also reported other symptoms that had been occurring including nausea, blurred vision, one episode of double vision, pressure in her ears and headache. An MRI of the brain was ordered which revealed a subacute infarction in the right frontopерiventricular white matter.
1159306	4/2/2021	MS	39	F	3/30/2021	3/31/2021	Approximately 10 hours after receiving the vaccine, severe aches and pains and headache occurred to the point of it hurting to touch skin, from head to toe. Eyelids hurt, soles of feet hurt. This lasted about 36 hours. Could not move without severe pain.
1159291	4/2/2021	SC	57	F	4/1/2021	4/1/2021	Shortly after receiving the shot,I obtained a floater in my left eye,my I can see 2 things, a floater and a halo when looking to the left,looking down, I only see the floater,when looking to the left, I see both
1159285	4/2/2021	VA	34	F	1/8/2021	1/16/2021	My eye began to swell, and after about 36 hours my eyes began to swell shut and I was barely able to open them. I had a telehealth appointment in which they prescribed steroids to stop the swelling and with no other known causes said it may be a ?localized allergic reaction?. After my second shot I had swelling as well, but not as severe. My eyelids still are itchy and slightly swell. I?ve never had any reaction like this, and cannot confirm this was the vaccine but there?s no other changes in my life.
1159215	4/2/2021	NC	60	M	3/30/2021	4/1/2021	Severe bloodshot left eye -- I do have a picture if helpful to you Minor nasal congestion Slight headache 1 day prior to the bloodshot eye - relieved by Tylenol

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1159196	4/2/2021	NC	66	F	2/19/2021	2/19/2021	Starting at 10 pm day of vaccine #2: sleepy, muscle soreness, By 2am I had a fever 102 degrees which lasted until 3pm the next day. Then tapered to 101 by the next night and continued until 48 hours after the vaccine. At 3am I was UNABLE to MOVE MY RIGHT KEG IR ARM OFF THE BED ( same side I had polio when I was infant). I was unable to walk to bathroom and husband had to help me. All I could do was shuffle my feet forward once he got me standing. By 4am I COUKD NOT RAISE MY ARMS OR LEGS OFF THE BED, EVEN AN INCH HIGH. and had a VERY hard time breathing. The only relief I had to help me breathe was lying on my stomach. I was seeing streaks of light across my vision for the next few hours. By 11 am I still had a fever 102 but I was able to start breathing easier and I could start moving my arms . It wasn?t until 48 hours after the vaccine that I could move my arms and legs without assistance. I had a slight fever of 100 all day Sunday and slight muscle soreness.
1159155	4/2/2021	CT	44	F	3/31/2021	4/1/2021	While sleeping the night of my 2nd injection, I had a headache develop and chills. My rapid beating heart woke me up at 5:00 AM the next morning. I had a Fit Bit watch on and my heart rate was 108. This was my heart rate just laying in bed and not getting up at all. My normal resting heart rate is 65. My heart rate ranged from 89 to 108 all morning laying in bed. I had a severe headache, muscle pain, and was nauseous. My rapid heart rate lasted most of the day. My head hurt so bad I could barely open my eyes. I had hot flashes and chills. I took 2 Advil around 10:00 AM on an empty stomach because I was so nauseous I couldn't eat anything. I finally was feeling well enough to get out of bed at 12:30 PM and took a shower. I had 2 pieces of toast and that was all I ate all day. I was up and about for 3 hours and then back on the couch at 4:00 PM. From there I developed chills again and had on 5 blankets trying to stay warm. At 9:00 PM, things reversed and I got hot flashes. I had hot flashes/sweats through the night where I had to change my nightgown. I still had a slight headache and hot flashes the next morning. That is where I am at right now. This is day 2 after my vaccination.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1158731	4/2/2021	CA	43	M	4/1/2021	4/1/2021	Upon presentation to Tent 4, participant identified himself as being, "a big baby when it comes to needles". Received vaccine to LUE and was waiting in Obs area with son (who reported only being seated for approx 5 mins.). A loud noise was heard and participant was observed laying out prone on the floor. Clinicians assisted him to roll over where his eyes were red, wide-open gaze, and diaphoretic but was not responding to commands. After turning him to his Rgt side he began to sit up and became slightly combative and was able to be calmed down. Moved to Tent 6 to cot via wheelchair where is RUE BP was 180/100 at 11:09, and Lft radial pulse taken by MD was "60 and weak", Resp 16 and unlabored so no oxygen in use but nearby. Upon further assessment, participant repeatedly stated that, "he just did not feel well" and when probed, c/o frontal headache, nauseated (but did not vomit), and weak. Offered water to sip and by now lip no longer bleeding. When asked, "what did you feel prior to falling out of your seat?", he stated, "I just remember that you all were around me asking me questions...hence could not recall moments leading up to being found on the floor and no type of aura was identified as well. Reported a h/o HTN but did not take his medication today...other history is unremarkable. Ambulance arrival approx 11:13, VS taken, assessed and transported to nearest facility. Family returned and later reported that he sustained only a large "goose-egg" on the forehead and fat lip but otherwise was treated and released.
1159104	4/2/2021	FL	56	F	3/27/2021	3/27/2021	nausea, headache, fever & fatigue beginning on 3/27/2021, mostly resolved as of today. Caller woke up today with facial swelling under left eye and cheek. No swelling of tongue or mouth, no swelling in neck or of any lymph nodes. Denies chest pain, shortness of breath or difficulty breathing. Took ibuprofen & claritin this morning before work, unsure if medications are helping. Advised to contact PCP or urgent care if she feels that facial swelling is getting worse.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1158776	4/2/2021	NY	51	F	4/1/2021	4/1/2021	Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Medium, Systemic: Allergic: Itch (specify: facial area, extremities)-Medium, Systemic: Allergic: Rash (specify: facial area, extremities)-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Systemic: Tingling (specify: facial area, extremities)-Medium, Additional Details: ems took pt to hosp er. pt was released with an rx for epipen
1159057	4/2/2021	WI	43	M	3/31/2021	4/1/2021	Swollen right eye, and pain in eye.
1159031	4/2/2021	MA	72	M	3/31/2021	4/1/2021	pt states when he went to bed on 4/1/2021 he had a headache, fever and a sore right arm. He woke up w/ headache, body aches, face is swollen. His right eye is almost completely swollen shut and the left eye is swollen. He states it looks like he has angioedema. He is not taking any medication for his symptoms at this time.
1159026	4/2/2021	TX	54	F	3/12/2021	3/14/2021	Red raised rash on face, small clear pimples on fingers, eye irritation,,inflamed throat
1158985	4/2/2021	SC	27	M	3/19/2021	3/19/2021	Patient had received Covid vaccination and was seated in monitoring area. Patient was being monitored by nurse. She states patient complained of feeling lightheaded. Took off coat and drank some water. She checked his pulse at that time, and reports 60. She reported to other staff in area. Patient explained that he has done this in the past with injections, but not always. He was sipping water, diaphoretic. At 0918 patient became was extremely diaphoretic, lips blue, eyes rolled back, and patient was unconscious, No pulse detected. I lowered him to floor from chair. EMT checked again for carotid pulse and I placed hands in position to start compressions. Faint pulse noted, and did not begin compressions. Nurse practitioner came over assisted by raising lower extremities onto chair. 0919 patient oxygen sats 91-93 percent. Ambulance en route. Patient color improving, responding appropriately, alert and oriented. heart rate 51. blood pressure 112/59. 0921. EMS on site, patient still pale, and slightly diaphoretic, much improved though, b/p 119/62. hr 61 pulse ox 91 percent. EMS assumed care.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1158957	4/2/2021	PA	51	F	3/19/2021	3/20/2021	I had the first shot on March 1st. My arm was a little swollen and sore for two days, and I was extremely tired, but other than that no adverse reaction. I received my second shot on March 19th, my arm again swollen and sore, and I could barely keep my eyes open the rest of the day. On 3/20/21, I woke at 8:30, feeling like I had hardly slept at all even though I had slept for 9 hours. I woke up wheezing, which led to me coughing and chills but no fever. The exhaustion I had felt after the first shot, was nothing compared to this. I thought it would go away, but it didn't. I also noticed a lot for fluid retention in my lower legs and stomach area. When I got on the scale, in the 20 days from the 1st shot til the day after the second shot I had gained 20 pounds of fluid. I was stunned. I could barely do a simple task, then I would have to sit down to rest for a minute, and would immediately fall asleep for 2 to 3 hours. I went to my doctor's on 3/22/21. They did a covid test, it was negative. The doctor said I was definitely wheezing and gave me the only sample inhaler that they had in stock Anorro to try to open up my airways. After a week, I was still having the issues, went back to doctor on 3/29/21 This time they perscribed 12 days of taper steroids. I am on day 4. I also received a referral to see a pulmonary specialist. I am still dealing with the exhaustion, wheezing and cough.
1158855	4/2/2021	IN	68	F	3/31/2021	3/31/2021	12 hours after injection I developed several muscle aches. Extreme shivers and chilling. Fever. Headache unmanageable. Teeth, neck, jaws, eyes, shoulders all throbbed with extreme pain. Frontal lobe irritation! Loss of appetite. Sought Drs. Care after 12 hours. Meds for pain given. In bed and immobilized. Meds did help headache pain.. Injection of toradol then APAP/butalbital/cafeine every 4 hours. Head pain was a 10 of 10! Down to 5/10 with meds. I'm at the 48 hour mark with no let up in sight.
1158821	4/2/2021		35	F	3/31/2021	4/1/2021	Dizziness, ears ringing, tunnel vision, body aches, nausea



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1158818	4/2/2021	MD	47	F	4/1/2021	4/1/2021	Patient received the covid-19 vaccine, about 5 minutes after the patient starting having blurred vision, at this point the pharmacy staff was alerted and the emergency kit was taken to the patient. The patient then started flushing and began swelling. Patient's vitals were normal but she continued to swell showing significant signs of allergic reaction. Patient was transported by ambulance to Hospital ER
1159390	4/2/2021	OH	20	F	3/31/2021	3/31/2021	At 4:00pm I got lightheaded, dizzy, and achy. The lightheadedness was such that my heart was pounding, vision was lost for a second (similar to the effect when you stand up too fast), and the sound went out for a second. Around 7:00 I got chills, a 101 degree F fever, and headache. The chills, fever, and headache lasted throughout the night, but they were gone in the morning. The entire day after getting the vaccine, 4/1/2021, I had a metallic taste in my mouth. By the morning of 4/2/2021 the metallic taste was gone.
1159149	4/2/2021	OH	28	F	3/5/2021	3/6/2021	I received the second dose of the Pfizer vaccine on Friday, March 5th at around 10:00AM. On Saturday March 6th around 9:00PM, I started experiencing a tingling sensation in my eyelid that spread to the left side of my head, arm, fingers, and toes. The tingling sensation spread to the right side of my body by the following Friday, one week after the shot. I had high blood pressure, rapid heart rate, head and ear pressure. It is now April 2nd, four week after the second Pfizer dose, and the tingling sensation continues to come and go. I have had a left side headache off and on most days since the second dose.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1161947	4/2/2021			F		3/1/2021	STROKE; BLINDNESS; This spontaneous report received from a consumer via a company representative concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unk) dose, start therapy date were not reported for prophylactic vaccination. No concomitant medications were reported. The batch number was not reported and has been requested On MAR-2021, the subject experienced stroke. On MAR-2021, the subject experienced blindness. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the stroke and blindness was not reported. The reporter did not report causality between covid-19 vaccine ad26.cov2.s and stroke ,blindness .Company causality between covid-19 vaccine ad26.cov2.s and stroke and blindness was possible. This report was serious (Other Medically Important Condition).; Sender's Comments: 20210331088-Covid-19 vaccine ad26.cov2.s-Stroke , Blindness. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).
1162075	4/2/2021	NJ	25	M	3/19/2021	3/19/2021	tunnel vision; Drop in blood pressure and heart rate; Drop in blood pressure and heart rate; dizzy; nauseous; This is a spontaneous report from a contactable consumer (patient). A 25-year-old male patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration administered in arm left on 19Mar2021 12:45 (Batch/Lot Number: Ep6955) as SINGLE DOSE for COVID-19 immunization. The patient had no medical history and no known allergies. Concomitant medications were not reported. He had no COVID prior vaccination and not tested post vaccination. On 19Mar2021, the patient had drop in blood pressure and heart rate, tunnel vision, dizzy, and nauseous. The patient did not receive any treatment for the events. The patient recovered from the events in Mar2021. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1162071	4/2/2021	MI		F			thyroid eye disease; This is a spontaneous report from a contactable consumer (patient) via Medical information team. A female patient of an unspecified age (Age: 68; Unit: Unknown) received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), dose 1 via an unspecified route of administration on an unspecified date (Batch/Lot number was not reported) as SINGLE DOSE for COVID-19 immunization. Medical history included thyroid problems and was autoimmune; both from an unknown date and unknown if ongoing. The patient's concomitant medications were not reported. The patient received her second dose of BNT162B2 on Tuesday 16Mar2021 and the patient needs to start the steroids due to she was diagnosed with thyroid eye disease on unspecified date after the first dose of BNT162B2. The patient had some thyroid problems before the BNT162B2 but was diagnosed after her first dose. The patient wanted to know when can she start taking her steroids and asked of any effects on the efficacy of the BNT162B2. The patient did not take any steroids in between doses. The outcome of the event was unknown. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1162062	4/2/2021	MN	32	F	3/13/2021	3/13/2021	left eye and left side of mouth was not working/Bell's palsy.; left ear was hurting all day; drainage in patient left ear; neck down to elbow was sore; neck down to elbow was sore/soreness on arm; neck down to elbow was sore; This is a spontaneous report from a contactable consumer. This 32-year-old female consumer (non-pregnant) reported for herself that she received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration, administered in arm left on 13Mar2021 10:00 (Batch/Lot Number: EN6208) as single dose for covid-19 immunisation. Medical history was none. Concomitant medications included metformin and prenatal vitamin. Patient didn't receive any other vaccines within 4 weeks prior to the COVID vaccine. About 30 mins after the shot patient neck down to elbow was sore. On 14Mar2021 the soreness on arm went away but patient neck was still sore. 14Mar2021 night there was drainage in patient left ear. On 15Mar2021 patient left ear was hurting all day. 16Mar2021 morning (07: 45 am) patient woke up with no more pain in left ear, but left eye and left side of mouth was not working. Patient went to ER and they said patient have Bell's palsy. Patient had no control of the left side of face by 18Mar2021. The patient was not diagnosed with COVID-19 prior to vaccination. Since the vaccination, patient had not been tested for COVID-19. Event Bell's palsy resulted in emergency room/department or urgent care, disability or permanent damage, and patient received unspecified medications as treatment for the event. Outcome of events pain in arm/elbow was recovered on 14Mar2021, outcome of event left ear was hurting was recovered on 16Mar2021, outcome of events Bell's palsy and neck pain was not recovered, and outcome of event drainage in patient left ear was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1162058	4/2/2021	NY	51	M	1/29/2021	1/30/2021	has a constant severe headache; tinnitus in right ear/Tinnitus continues to persist/Right Ear ringing; stomach pain; high BP; sore arm; tingling in in throat and right side of face.; irritated right eye; Right Ear ringing worsened culminated in 8 days of insomnia from severe ringing; mesenteric inflammation; This is a spontaneous report from a contactable nurse (patient) and a consumer. A 51-year-old male patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), via an unspecified route of administration, administered in arm left on 29Jan2021 (Batch/Lot Number: EL3247) at single dose for COVID-19 immunization. Medical history included sciatica (resolved), and the patient took the first dose of BNT162B2 (lot/batch number: EL0142) at 15:00 on 29Dec2020 administered in arm right for COVID-19 immunization and developed paresthesias in right arm, into axilla, nex and right side of face and burning irritation of right eye, both on 24Jan2021. The patient's concomitant medications were not reported. Clinical course: 3 days after vaccination, patient developed sore arm, tingling in in throat and right side of face, irritated right eye. 6 days after vaccination, patient woke up with tinnitus in right ear, stomach pain and high BP. On 30Jan2021 (as reported), patient went to Emergency Room. CT scan showed mesenteric inflammation. Right Ear ringing worsened which culminated in 8 days of insomnia from severe ringing. Tinnitus continues to persist. He also had a constant severe headache. All events were reported as serious and seriousness criteria were disability. No allergies to medications, food, or other products. The adverse event result in Doctor or other healthcare professional office/clinic visit. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. The outcome of events was not recovered.; Sender's Comments: Based on the information provided, known drug safety profile and plausible temporal association, the causality between BNT162B2 and the events cannot be completely excluded. The impact of this report on the benefit-risk profile of the Pfizer product and on the conduct of the study is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, ethics committees, and investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1162057	4/2/2021	PA	55	F	3/3/2021	3/4/2021	<p>her stomach was bothering her; her daughter told her the right side of her tongue looked swollen; allergic reaction to the COVID-19 Vaccine; heaviness with her headache; stroke; Facial droop; Numbness / left half of her face was numb / numbness in her left hand/numbness and tingling all over her body; Tingling; Tiredness; Pain; Headache; This is a spontaneous report received from a contactable consumer, the patient. A 55-year-old adult female received the first dose of BNT162b2 (solution for injection; Lot EN6202 and expiry information not provided) via unspecified route in the left arm on 03Mar2021 between 17:10 and 17:30 (at 55-years-old) for COVID-19 immunisation. Relevant medical history included Frozen shoulder (2020-2020), and severe migraines (especially in the past ten years). The patient further stated that she has always had migraines. She said sometimes when her migraines escalate, her blood pressure goes up, and her left side tingles. She said several times in the past, she thought her migraine symptoms may have been a stroke. She said she her doctor is checking her for any kind of things like rheumatoid arthritis, mast cells, constant (chronic) fatigue, and fibromyalgia. She said right before the COVID-19 Virus pandemic she had passed out unexpectedly. She said she doesn't know what caused her to pass out. She said she needs another neurological test done. She said she had a neurological test that maybe showed that veins were dying in her brain, but she wasn't sure. She said her doctor had been doing heart tests too, but because of the pandemic, it was taking longer to have the tests done. The patient also mentioned that her last blood work was probably in/around Nov2020. There were no concomitant medications or past drug history reported. The patient denied receiving any other vaccination within the four weeks prior to the vaccination. The patient also denied receiving any other vaccination on the same date as the vaccination. The patient reported that on 04Mar2021, approximately seventeen hours after she received the COVID-19 vaccine, she had what she thought was a kind of severe reaction. She said she had an inside numbness and tingling all over her body. She said the left side of her body, especially, had a very strong numbness and tingling, like a stroke. She said the numbness was in her left hand, and outside left shoulder. She said the left half</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

of her face was numb. She said at the time she felt weird. She said she was speaking to her friend on a video call and did not want her friend to think she was a cry baby. She said then her friend told her there was something happening with her face. She said the right side of her face had dropped. She said her right eye and the right side of her mouth were drooping. She said she told her friend she thought she had an allergic reaction to the COVID-19 Vaccine. She said it took about three hours for her symptoms to pass. She said afterward she was so tired, had pain, and a headache. She said it was strange for her to have a headache because she was used to migraines. She said she still had a headache today (08Mar2021). She said she had a heaviness with her headache. She said if she had a migraine, she would not be able to do anything, but with the headache she had, she was able to go about her everyday things. She said her stomach was bothering her too, but she was not worried about how her stomach felt. The events did not require any visits to a physician's office nor the emergency room. Treatment for the events included drinking a lot of water and moving around. The outcome of the events, inside numbness and tingling all over her body, very strong numbness and tingling, like a stroke, numbness was in her left hand, and outside left shoulder, half of her face was numb, right side of her face had dropped, and tongue looked swollen, and allergic reaction to the COVID-19 Vaccine was recovered on 04Mar2021 after about three hours duration. The outcome of the events so tired, and pain was recovered on an unspecified date in Mar2021. The outcome of the events, headache, and heaviness with her headache was not recovered.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1162045	4/2/2021			F	1/28/2021	2/1/2021	unconscious; unable to talk; unable to move her body; Optical injury; This is a spontaneous report from a contactable consumer. A female patient of an unspecified age received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration on 28Jan2021 (Batch/Lot number was not reported) as single dose for Covid-19 immunization. The patient received the first dose of BNT162B2 on an unspecified date for Covid-19 immunization and experienced changes in her speech and cognition and legs, after the first shot. Medical history included multiple sclerosis for about 26 years, Covid-19 from Nov2020, and diabetic. It was unknown if the patient was pregnant at the time of vaccination. The patient's concomitant medications were not reported. It was reported that the patient has been recently in a nursing home. She had Covid end of Nov2020. Once the patient recovered, the reporter (patient's daughter) was urged to get the patient vaccinated for Covid. She stated that she reluctantly agreed and wish she had not agreed. They noticed changes in the patient's speech and cognition and legs, after the first shot, but did not put two and two together, until after the second shot. In under 24 hours of receiving the second shot on 28Feb2021 at approximately 3pm, the patient could barely hold her head up and she could only move her lips, making a mumbling sound at best. She suffered optical injury, and as the hours passed unable to talk, unconscious, unable to move her body, etc. She had to receive a tracheostomy and food peg and is in a long-term acute hospital. She has since become more alert (awake versus sleeping and not responding), tracks people with her eyes, fairly consistently. As of 27Feb2021, she is tracking better but not following commands and the biggest thing is she can turn her head a little, left to right. Today, the reporter saw the patient swallow, twice (she still has a tracheostomy). They told her that the patent can only come out if she can follow commands, this do some therapy with the respiratory therapist. It was further reported that the patient received the Pfizer gene therapy shot. The patient is currently at an acute care facility. The outcome of events was unknown. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1162044	4/2/2021	MA	88	F	2/8/2021	2/23/2021	<p>She needs to get her magnifying glass, she states she's going blind/macular degeneration; She needs to get her magnifying glass, she states she's going blind/macular degeneration; temperature 99.2; vomiting; very tired; arm was sore, couldn't lay on it; This is a spontaneous report from a contactable consumer (patient). An 88-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, lot number: EM9809) intramuscularly, administered in left arm on 23Feb2021 at 10:30 (at age of 88 years old) at a single dose for COVID-19 immunization; gabapentin, via an unspecified route of administration from 08Feb2021 to 15Feb2021 at 100 mg, daily, then via an unspecified route of administration from 15Feb2021 (Batch/Lot number was not reported; Expiration Date: 08Feb2022) to an unspecified date, at 200 mg, daily for feet burn. Medical history included hiatus hernia surgery from Nov2019, surgery from an unknown date, vomited after surgery for three nights/days, gastroesophageal reflux disease (GERD), cancer, feet burning, feet red, asthma and thyroid. Concomitant medication included paracetamol (TYLENOL EXTRA STRENGTH), fluticasone propionate, salmeterol xinafoate (ADVAIR) taken for asthma, montelukast sodium (SINGULAIR), fluid pill, vitamin D, vitamin C, potassium, acid reflux pill before nighttime before supper, thyroid pill, singulair pill. The patient previously took Codeine and percocet [oxycodone hydrochloride;oxycodone terephthalate;paracetamol] and experienced allergies. Two years before in Nov2019 she had hiatus hernia surgery. Her stomach went into her chest. She was in rehab. She had to have the surgery done twice. She went from one hospital and then she went to another and it was taken care of there. When she went to rehab after her surgery, all she did was vomit day in and day out. Her current vomiting reminds her of this experience. They finally did take care of it. She came out of the hospital and was vomiting. She clarifies she had problems with vomiting for the last 6 months before this current experience. She doesn't know what she's eating. They say it's acid and she has Gerd. She does try to get her exercises in. When she was in the hospital, they found she had cancer, which they are just watching for now. When querying what kind of cancer she has, the caller explains she didn't have them do a biopsy. She</p>

VAERS\_ID RECVDDATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

didn't want to go that far into it. She didn't want any extensive treatment. At first, they were keeping check of the cancer every 3 months. Now, she is going ever year. She last went in November. The patient experienced macular degeneration on an unspecified date, vomiting on 23Feb2021 at 17:30, temperature 99.2 on 25Feb2021 at 10:00, very tired on 23Feb2021, arm was sore couldn't lay on it on 23Feb2021. Patient had the first Covid vaccine Tuesday morning, clarified to 23Feb2021 at 10:30AM and around 5:30PM that night she started vomiting. She vomited all night long and all day Wednesday and Wednesday night, and this morning. So far, it had stopped. She was trying to hold water down, but she couldn't keep water down, the water would come up. She clarifies further she tried to take a sip but it kept coming up. She called her doctor who was a practitioner and she told her to drink ginger ale and maybe crackers. She told the doctor that her daughter sent her electrolytes and she was told that was fine to take. She tried toast this morning and she couldn't hold it down. She's been eating very slow, taking little bites at time and she had been holding it down. She did have temperature of 99.2 on 25Feb2021, but half hour or so before it was down to 96 now. She couldn't take medicine that she normally takes because she'll throw it up anyway. She tried to take a few of her pills but it didn't stay down, she threw them up. Around 9am, she took her thyroid and that stayed down. So far, that's doing good. She takes Advair for asthma and she took that, that's okay. She took her singulair pill. So far, the three of these medications have stayed down, and she took 2 Tylenol. Patient took Tylenol twice. She knows it was Extra strength, took 2 pills Tuesday night but it didn't stay down. She Took 4 Tylenol today, 2 pills this morning and 2 right before her CNA left at around 3pm. Caller mentions she can't see the dosage on her Tylenol bottle. She doesn't see the dose. She mentions she will get her magnifying glass to check it out. She's afraid because she had surgery a couple years before and she vomited after surgery for three nights/days, or whatever. Today (25Feb2021), when she spoke to her doctor she was advised to call Pfizer to let them know how the vaccine is affecting her. Right now, she feels pretty good, but she was very, very tired. She's going to lay down when she gets off the phone. She had a CNA with her today and

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

she also spoke to the nurse practitioner. The last time she vomited was around 10am. When the CNA came in, she told the caller to call the doctor but she told the CNA she'd be fine. However, the CNA urged the caller to call her doctor and let them know what was going on. Her second dose was scheduled for 16Mar2021. Her doctor told her don't drink the water, drink the ginger ale and don't drink it too fast, and try crackers and toast. The patient took her temperature last night (24Feb2021) but couldn't read it that great, she thought it was 98. When the CNA came this morning (25Feb2021), she took it around 10:00AM and it was 99.2. She told the CNA to take another temperature because she didn't think she had a fever. When the CNA left, she had to leave at 3:00PM, her temperature was normal, it was 96. She thinks maybe her temperature went to 99.2 because she was drinking her tea. However, she wasn't drinking it right away, because she threw up on it. She stopped drinking an hour before her temperature was taken. She clarifies wasn't drinking the tea when the CNA came. She also mentions she broke up her the toast into little tiny pieces and felt like she was eating like a bird, but it didn't stay down so she stopped. The CNA came around 9am, maybe 8am, and clarifies it was maybe around 1030AM when she took the temperature. When the CNA left her temperature was at 96. The patient was very tired the same day she received the vaccine. She remembers went to bed with clothes on. Last night, she wanted to go to bed again with her clothes on but she couldn't stand it and she changed into her pajamas. Then, she went to the bathroom and vomited, she has a bucket by the side of her bed. It wasn't the dry heaves, stuff was coming up. She was still very tired currently. She makes the comment "I forget things and then I remember afterwards". She had to get under the light to see the Covid card, it's small, it is handwritten. Caller mentions she sees the month on it. Caller reports her arm bothered her for quite a while. Last night, she went to sleep on her left side and her arm was feeling better which gave her some hope. Her arm started hurting her the day she got the vaccine, but her arm wasn't red or anything. Her arm was feeling better this morning. She thinks if she can sleep on it and didn't hurt, it's getting better. The last pills she took were Gabapentin she has been on for about 2 weeks. She explains her feet burn during the night and

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

the doctor recommended the Gabapentin for now. However, she has had too much time trying to stop the vomiting that that took over her feet burning, so her feet didn't bother her as much. She was initially prescribed 1 pill at night before going to bed at 10pm, then when the 1 pill didn't work for a week, the doctor increased it to 2 pills at bed time at 10pm because it takes an hour to work. She stated that she was going to take the Gabapentin on Tuesday night, which was a mistake because she threw it right up and it tasted awful. Caller makes the comment she has not given the doctor the report of how that reacted yet. When probed for an NDC, Lot number or expiry date for the Gabapentin, the caller explains she can't see writing, it's in small print. She does see the Discard After: 08Feb2022. She needs to get her magnifying glass, she states she's going blind. She's been told she had macular degeneration. She doesn't think the Gabapentin is agreeing with her. She reads that it "May cause drowsiness, operating vehicle which she doesn't drive, may cause dizziness, may cause vision. Call if you experience mood changes, sadness, depression.." She started out taking one pill of the Gabapentin every night from Monday to Monday. The second Monday, 15 Feb2021, she started taking 2 pills at night for a total of 200mg. She took it this past Monday night until she had the vaccine and then she took it again, and now she was not taking it anymore. Her burning feet wake her up during the night, it starts at her ankles and goes halfway up her leg. She had to put her feet on a cold floor. Normally, she feels good and she usually doesn't get pain so whatever little bit of pain she has, that's the pain she gets. Her feet were burning like that for month before she called the doctor. she didn't know. Her feet were red before they started to burn, this is the latest thing. During the day, she is fine, only a nighttime her feet burn. The patient underwent lab tests and procedures which included body temperature: 98 on 24Feb2021; 99.2 on 25Feb2021; 96 on 25Feb2021. Therapeutic measures were taken as a result of vomiting. She was going in for a test, clarified as an MRI on the 3rd of March for her eyesight. The action taken in response to the event for gabapentin was permanently withdrawn on an unspecified date. The outcome of the event "Pain in arm" was recovering, the outcome of the event fatigue was not recovered, the outcome of the events

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1162014	4/2/2021	TN	81	F	1/5/2021	2/4/2021	<p>"temperature 99.2" and "Vomiting" was recovered, and outcome of other events was unknown.</p> <p>A spontaneous report was received from a 81-year-old, female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and did not receive 2nd dose within recommended time frame/product dose omission issue and experienced 2 busted blood vessel in left eye/eye hemorrhage, throat burning sensation/throat irritation, nasal irritation/nasal discomfort, breast burning/breast pain and red spots on face and face turned bright red randomly/erythema. The patient's medical history included cataract surgery. Products known to have been used by the patient, within two weeks prior to the event, include Loteprednol etabonate, Bromfenac Sodium, and Gentamicin Sulfate. On 05Jan2021, prior to the onset of events, the patient received their first of two planned doses of mRNA-1273 (batch: 041120A) intramuscularly for prophylaxis of COVID-19 infection. On an unspecified date, the patient did not receive 2nd dose within recommended time frame. On 02 Feb 2021, patient had red spots on face and on 04 Feb 2021, her face turned bright red randomly, throat, nose and breast were burning and on 10 Feb 2021, she had 2 busted blood vessel in left eye. The event 2 busted blood vessel in left eye was considered as medically significant. Treatment medication for the event included Diphenhydramine, unspecified steroid and Cortisone cream. Action taken with mRNA-1273 in response to the events was not reported. The outcome of event did not receive 2nd dose within recommended time frame was resolved on an unspecified date, throat, nose, breast burning was resolved on 11 Feb 2021, 2 busted blood vessel in left eye was resolved on 15 Feb 2021 and red spots on face and face turned bright red randomly was not resolved at the time of this report. Reporter's Comments: Based on the HCP reporter's assessment the events are assessed as unlikely related to mRNA-1273. The patient had eye surgery and was on medications causing the reported events as side effects.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1161162	4/2/2021	WA	82	M	2/5/2021	3/1/2021	82 year old male with history of hypertension, hyperlipidemia, mild dementia presented with progressive worsening weakness over the past 2-3 weeks. Patient reported that he has noticed whole body weakness that has progressively worsened over the past few days. Reported that he has noticed feeling weak, fatigue and requiring more energy to do his daily activities over the past few weeks. He went to his PCP's office yesterday and had laboratory tests for further evaluation. Initially his PCP thought he might have PMR since he had bilateral UE soreness. However, the labs returned reassuring and does not seem to suggest the diagnosis of PMR. Since yesterday, he has noticed worsening of his weakness. Reported that last week, he was still able to play golf. Today, he was unable to get out of his car or get up from a sitting position without help. Associated with unsteady and poor gait. And reported that he has numbness in both hands and feels like his grip is weak. Denied fever, chills, nausea, vomiting, diarrhea, constipation, chest pain, shortness of breath, headache, vision changes, no urinary/fecal retention or urinary/fecal incontinence. Primary Discharge Diagnoses 1. Guillain Barr syndrome., 03/16/2021 Secondary Diagnoses: Guillain Barre Syndrome (AIDP) Hypofibrinogenemia Thrombocytopenia and Anemia, have been fairly stable for more than a week Hypokalemia Hyperlipidemia Hypertension, BPs controlled Mild dementia

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1161974	4/2/2021	FL	65	M	1/4/2021	1/21/2021	<p>Left eye was not closing; Left face drooping; Extreme pain behind his left ear; Can't blink; A spontaneous report was received from a consumer concerning a 65-years-old male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced events left side of his face was drooping/facial paralysis, extreme pain behind his left ear/ear pain, can't blink/corneal reflex decreased, and his left eye was not closing/eye movement disorder. The patient's medical history included COPD, congestive heart disease and chronic problems with his back. No relevant concomitant medications were reported. On 4 Jan 2021, 17 days prior to the onset of the events the patient received their first of two planned doses of mRNA-1273 (lot batch: 026L20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 21 Jan 2021 the patient had an unexpected reaction. He got up that morning and felt fine, but as the day went on, he noticed that when he spoke, the left side of his mouth was not moving, then he noticed his left eye was not closing and that side of his face was drooping. He was not in any pain at that point. He made an appointment to see his general doctor the next day, 22 Jan 2021, after the exam he was diagnosed him with Bell's Palsy (BP) and referred him to a neurologist and ophthalmologist. The earliest he could see the ophthalmologist back was next week and he could not get the neuro to call him back. His doctor prescribed him prednisone which he completed after 7 days but said the BP symptoms have not improved. Then on Saturday, 30 Jan 2021, he started feeling extreme pain behind his left ear. Everyday the pain got worse. His pain medications were not helping the pain behind his left ear. He could not see out of his left eye and he could not blink. The event left side of his face was drooping was considered as medically significant. Action taken with mRNA-1273 in response to the events left side of his face was drooping, extreme pain behind his left ear, can't blink, and his left eye was not closing was not provided. The events left side of his face was drooping, extreme pain behind his left ear, can't blink, and his left eye was not closing was not reported.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Further information has been requested.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1162092	4/2/2021	MD	30	F	3/19/2021	3/19/2021	<p>However at 2pm symptoms came back as before along with chest tightness and hives.; However at 2pm symptoms came back as before along with chest tightness and hives.; after 5 mins felt tightness in my throat; felt skin tightness; followed by itchy face, eyes and stomach; developed a cough; This is a spontaneous report from a contactable consumer. A 30-years-old female patient received bnt162b2 (BNT162B2), dose 1 via an unspecified route of administration, administered in Arm Left on 19Mar2021 11:30 (Batch/Lot Number: ER8727) as single dose for covid-19 immunisation. Medical history included arthritis reactive from Aug2020 , thyroid cancer from Aug2020. Concomitant medications included lansoprazole (LANSOPRAZOLE) taken for an unspecified indication, start and stop date were not reported; etodolac (ETODOLAC) taken for an unspecified indication, start and stop date were not reported; celecoxib (CELECOXIB) taken for an unspecified indication, start and stop date were not reported. The patient after 5 mins felt tightness in her throat, felt skin tightness, followed by itchy face, eyes and stomach, developed a cough on 19Mar2021 with outcome of recovering , however at 2pm symptoms came back as before along with chest tightness and hives on 19Mar2021 14:00 with outcome of recovering. All the reported events were considered serious because Impotant Medical Events. Course of the event. Adverse event: after 5 mins felt tightness in the throat, then felt skin tightness, followed by itchy face, eyes and stomach, and developed a cough. At 1200 the patient was given 25mg of Benadryl, and then another dose at 12:30. This improved symptoms and the patient was starting to consider going home. However at 2pm symptoms came back as before along with chest tightness and hives. she was given another 25mg of Beandryl and an ambulance was called. In the hospital they gave epinephrine, famotidine and methylprednisolone, which helped almost immediately. After a few hours she was discharged home. Follow up information has been requested. Lot number already obtained.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1161937	4/2/2021	NV		F		3/1/2021	SEIZURE; FLU LIKE SYMPTOMS (CHILLS, HIGH TEMPERATURE, FEELS HOT,STUFFY NOSE); This spontaneous report received from a consumer concerned a 67 year old female. The patient's height, and weight were not reported. The patient's pre-existing medical conditions included unknown. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unk) dose was not reported, administered on MAR-2021 for prophylactic vaccination. Batch number was not reported has been requested No concomitant medications were reported. No concomitant medications were reported. On MAR-2021,On an unspecified date, the patient experienced seizure, shaking, chills, high temperature, feels hot, and stuffy nose. patient daughter report she was suffering from seizure symptoms include extremely stiff ,extreme dizziness, shaking, and eyes rolling in back of head, also reported her mother did not lost consciousness and has been coherent .Daughter stated symptoms seem almost like a stroke ,upon follow call she clarify about seizure which is subsided. seizure occurred 3 times over past 5 days prior to call (first night of vaccine, next morning, and reporting day.) Daughter also reported mother had flu-like symptoms for the first 3 days after vaccine, including chills, high temperature, feels hot, and stuffy nose, but these have resolved. Daughter reports mother has not had symptoms like these prior to vaccine. she also report pharmacist who gave vaccine is aware of symptoms. patient body temperature was high, patient not performed covid 19 test. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from flu-like symptoms ( chills, high temperature, feels hot ,stuffy nose.), and the outcome of seizure was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: v0: 20210322863-Covid-19 Vaccine Ad26.Cov2.S-Seizure. This event is considered Unassessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1161921	4/2/2021	TN		F	3/1/2018		<p>her heart went back into afib one; feeling tired; numbness in her hands and fingers; tingling in her hands and fingers; lower back pain on the right side/lower back starts to hurt sometimes; weakness in legs/legs are weak; shortness of breath; feeling off; black eye; This is an initial solicited report from a non-Pfizer sponsored program, from a contactable consumer, based on information received by Pfizer. This 79-year-old female patient was involved in a patient support program. The patient received apixaban. The report describes a case of fatigue (feeling tired), hypoaesthesia (numbness in her hands and fingers), paraesthesia (tingling in her hands and fingers), back pain (lower back pain on the right side/lower back starts to hurt sometimes) and muscular weakness (weakness in legs/legs are weak). The occurrence of additional non-serious events is detailed below. The patient's past medical history included High frequency ablation and Hospitalisation. In March 2018, the patient started apixaban (Oral), (unspecified dose, twice a day). On an unknown date, the patient experienced fatigue (feeling tired), hypoaesthesia (numbness in her hands and fingers), paraesthesia (tingling in her hands and fingers), back pain (lower back pain on the right side/lower back starts to hurt sometimes), muscular weakness (weakness in legs/legs are weak), dyspnoea (shortness of breath) and feeling abnormal (feeling off). The action taken with apixaban (Oral) was unknown. At the time of the report, fatigue, hypoaesthesia, paraesthesia, back pain, muscular weakness, dyspnoea and feeling abnormal outcome was unknown. For apixaban (Oral), the reporter did not provide any causality assessments. Patient received apixaban for the indication of Atrial fibrillation. The consumer reported that in Mar-2018 during a trip with her daughter, she began feeling tired and her legs hurt. When she returned home, she was hospitalized and diagnosed with Atrial Fibrillation. Follow-up (18Mar2021): This is a follow-up solicited report from a non-Pfizer sponsored program, from a contactable consumer, based on information received by Pfizer license party for apixaban. This 79-year-old female patient was involved in a patient support program. The patient received APIXABAN. The report describes a case of ATRIAL FIBRILLATION (her heart went back into afib one). The occurrence of additional non-serious events is</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

detailed below Co-suspect products included Covid-19 Vaccine. The patient's past medical history included High frequency ablation and Hospitalization. Concurrent medical conditions included AFib. In March 2018, the patient started APIXABAN (Oral), (unspecified dose, twice a day). On an unknown date, the patient experienced ATRIAL FIBRILLATION (seriousness criterion medically significant), FATIGUE (feeling tired), HYPOAESTHESIA (numbness in her hands and fingers), PARAESTHESIA (tingling in her hands and fingers), BACK PAIN (lower back pain on the right side/lower back starts to hurt sometimes), MUSCULAR WEAKNESS (weakness in legs/legs are weak), DYSPNOEA (shortness of breath), FEELING ABNORMAL (feeling off) and EYE CONTUSION (black eye). The patient was treated with Surgery (heart monitor) for Atrial fibrillation. The action taken with APIXABAN(Oral) was unknown. At the time of the report, ATRIAL FIBRILLATION, FATIGUE, HYPOAESTHESIA, PARAESTHESIA, BACK PAIN, MUSCULAR WEAKNESS, DYSPNOEA, FEELING ABNORMAL and EYE CONTUSION outcome was unknown. The patient stated that she had the coronavirus Pfizer vaccine and a few days later she had a black eye. The patient was concerned about this because she takes Eliquis so she asked a healthcare professional for advice they then informed her that the vaccine had caused her black eye. She was told that she cannot miss her second vaccine and that she might have to stop Eliquis. Patient was concerned about having to stop and had some questions. The patient reported that, she had been on Eliquis for a while and she had been doing just fine. She recently took the Pfizer Covid vaccine and a week or two later she developed a "black eye". She described the color around her eye as eggplant purple. She remembered her mother would have blood vessels burst around her eye, so at first, she thought nothing of it. She said the day before yesterday she went with her daughter while she got the Moderna Covid vaccine. She asked the nurse administering her daughters Moderna Covid vaccine if the Pfizer vaccine could cause black eyes. The patient said the nurse did some research and told her the the Pfizer vaccine was known to cause hemorrhaging, and that the vaccine caused the black eye. The nurse told the patient she should go to her HCP as soon as possible and get blood work done. The patient did not

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

say anything else was abnormal about her blood work. She told the HCP what happened to her eye after she was given the Pfizer Covid vaccine. The HCP told her that no matter what the patient should get the second Pfizer vaccine, even if she had to stop the Eliquis for a few days. The patient said she did not want to stop the Eliquis because she has been doing wonderful on the medication and did not think the Eliquis was the cause of the black eye. She said she will have a talk with her normal primary care doctor as well as her cardiologist. The patient said she rather not get the second covid then stop the Eliquis. The patient started Eliquis two years ago after her heart went into "full afib" she had an ablation procedure and they shocked her heart three times to get it back into rhythm. Since starting the Eliquis the patient said her heart went back into afib one time. She wore a heart monitor and her heart went back into sinus rhythm on its own. She also mentioned that her HCP prescribed her a diuretic but she said she has a terrible reaction to it. She was prescribed the diuretic to help with the swelling around her ankles. She said the diuretic was also to help "keep congestion from her heart". The diuretic makes her feel "terrible" so her HCP allows her to cut the pill in half or quarters and take as needed to keep swelling down. She said the diuretic makes her feel faint and she even passed out one time while walking in the mall. She said she has not taken it in a while. The patient said she had a lot of allergies to medications, to many to list.

DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 17-Mar-2021, Prothrombin time: 16.2 seconds. For APIXABAN(Oral), the reporter did not provide any causality assessments. Patient received apixaban for the indication of Atrial fibrillation. The consumer reported that in Mar-2018 during a trip with her daughter, she began feeling tired and her legs hurt. When she returned home, she was hospitalized and diagnosed with Atrial Fibrillation. The strength of Eliquis was 5 mg. Most recent follow up information received on 18-Mar-2021 from Non-Health Professional incorporated above includes : New events added, lad data, concomitant drugs and narrative updated.; Sender's Comments: BMS Medical Evaluation Comment: This 79-year-old patient had atrial fibrillation after therapy with apixaban. Elderly age and underlying atrial fibrillation can be associated with increased risk of arrhythmias and

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							based on the absence of etiological plausibility; the reported event is considered not related to apixaban.
1161201	4/2/2021	OR	44	F	4/2/2021	4/2/2021	10:20a - Vaccine given 10:25a - 5 minutes after vaccine given c/o lip and tongue "tingling". Felt lips were "swollen", no visual lip size change noted. 10:28a - 8 minutes after vaccine given, Benadryl 50 mg orally given 10:35a - Patient stated lip & tongue "tingling" resolved. Observed until 11am and instructed Adult Caregivers to cont. to observe. 1:30p - Follow up call with the Adult Care Home caregivers, No further symptoms verbalized by patient
1161199	4/2/2021	TX	61	F	4/2/2021	4/1/2021	Patient complained of blurry vision, left felt heavy, right eye was throbbing , numbness in the mouth, face felt swollen. Even though NP checked and face was not swollen.
1161198	4/2/2021		38	F	4/2/2021		Tingling/ numbness in left side of face; felt like tingling was spreading across face under eye for 15-20 minutes; felt acute pressure in left ear; jaw popped also on that side
1161187	4/2/2021	AZ	29	F	3/30/2021	3/30/2021	Fever, dry cough, diarrhea, nausea, vomiting, no appetite, eyes hurt, joint pain. Took Tylenol PM so far for 3 nights. No appetite so have not eaten. If I eat, I have nausea and vomiting. This has been constant for approximately 70 hours now. Fever at second night was 102.8. Fever at third night was 101.9. Might have been higher as nights progressed, was too sick/weak to care about taking temp again. Fever today, the third day, has been off and on but temperature earlier today was 100.5.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1161180	4/2/2021	CA	61	F	3/3/2021	3/3/2021	Initially I reported a definite numbness/ tingling lips & in left side of brain/head immediately following vaccine, plus sharp pains in my body, numbness in my left leg/foot, and a very sharp pain in left big toe that later showed purple under toenail. Then 3/7 I experienced a start of numbness on left side of full face additionally present until today, varying in intensity. It can be intermittent. Now, I wish to also report, I experienced uncontrolled repeated darting eyes, as I would look from one activity to another when focused on a project, and it occurred primarily in evenings. Then eyes would settle on object I was trying to look toward. This has resolved now. I can still feel a slight numbness in left side of face and in brain/head, and lips, and pain in left toe which is still purple under nail. I read online it is recommended to take B12 liquid for cranial nerve inflammation due to Pfizer vaccine. Plus I took Orange Juice with Mango, and Organic Milk to attempt to provide a way to rid body of toxins from vaccine, plus hot baths.
1161169	4/2/2021	PA	81	F	3/11/2021	3/11/2021	Got the vaccine and about an hour later started losing vision in the left eye. Everything appeared blurry and had to stop wearing contacts and switch to glasses.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1162003	4/2/2021	AL	73	F	1/25/2021	2/22/2021	corneal ulcer outbreak/two ulcers on her eye; A spontaneous report was received from a consumer concerning a 73-year-old female patient of who received Moderna's COVID-19 Vaccine (mRNA-1273) and experienced corneal ulcer outbreak/two ulcers on her eye. The patient's medical history was not provided. Products known to have been used by the patient, within two weeks prior to the event, included aciclovir sodium, atenolol, and lisinopril. The patient received the first of two planned doses of mRNA-1273 (batch number: 030L20A) on 25 Jan 2021. On 22 Feb 2021, 3 hours prior to the onset of events, the patient received the first of two planned doses of mRNA-1273 (batch number: 030L20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 22 Feb 2021, 3 hours after administration of the second dose, the patient had a corneal ulcer outbreak which she explained as two ulcers on her eye. The event corneal ulcer outbreak/two ulcers on her eye was assessed as medically significant. Treatment for the event included, acyclovir, 5 times a day and ganciclovir (zirgan) ointment. The patient received both scheduled doses of mRNA-1273 prior to the event; therefore, action taken with the drug in response to the event is not applicable. The outcome of event, corneal ulcer outbreak/two ulcers on her eye was considered as unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.
1162749	4/2/2021	CA	41	F	4/2/2021	4/2/2021	22 mins post vaccination at 10:50, pt c/o swelling on eyes, face and tongue. On site MD and ALS ambulance reported and assisted patient, BP 124/86, pulse 99, BS 108 and EKG normal; no meds given, transported to the nearest hospital by ambulance due to continued altered mental status possible stroke.
1162832	4/2/2021	TX	68	M	3/5/2021	3/14/2021	Diagnosed with Bell's Palsy on 03/14/2021 left side of face, could not close left eye, left side mouth would not move, could not wrinkle left forehead..
1160386	4/2/2021	WA	49	F	3/30/2021	3/30/2021	Left eye swollen and puffy. Slightly sore arm at area of shot given.
1162975	4/2/2021	KY	77	M	3/10/2021	3/11/2021	Partial vision loss in right eye. Still unresolved.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1162959	4/2/2021	OH	48	F	3/31/2021	4/2/2021	48 hours after the 1st COVID vaccine I woke up this morning to severe ringing in my ears (tinnitus). I had no clue this was a side affect, but I googled it and it appears others have had it. It's been happening since 8 am today, all day long. When the ringing begins, I have been automatically shaking my head and at the same time I feel light headed and dizzy. I have been sitting down closing my eyes waiting for the ringing to stop. It has been happening all day today.
1162929	4/2/2021	MI	60	F	3/3/2021	3/5/2021	Shot 3/3/2021 9:05am, headache started around 7:00pm, overnight also had fever and chills. 3/4-Headache and fever continued, also had nausea and vomiting. On 3/5/2021, other symptoms resolved, but woke with double vision due to 6th cranial nerve palsy. This is the fourth acute occurrence of the nerve palsy. As of today, 4/2/2021, the double vision is still acutely present.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1162919	4/2/2021	CA	24	M	4/2/2021	4/2/2021	On Friday, April 4, 2021 client (DOB 5/3/1996) received his first dose of Pfizer COVID vaccine (LOT # EW0150, EXP 7/2021) at approximately 12:56pm. Per EMT report: at 1:06pm, client fell out of chair, landed on his left knee and regained consciousness immediately. Upon assessment, client stated his left knee pain was a 3 out of 10 scale. At 1:07pm, client was sat in the zero-gravity chair in supine position and given a bottle of water. Client stated he "felt pressure in ears-mainly right ear." EMT & 2nd EMT coached client to breathe normally. At 1:09pm vitals were taken: BP: 120/70, HR: 52, RR: 10, O2 sat: 95%, skin: pale, moist, cool, eyes: PERRLA, LOC: A&O x4. Lead RN was notified and advised vitals be taken every 5 minutes for an additional 30 minutes. At 1:13pm vitals were retaken: BP: 120/70, HR: 69, RR: 12, O2 sat: 94%, eyes: PERRLA, skin, pale, moist, cool, LOC: A&O x4. On assessment, client stated he has no history of fainting, no allergies, and not taking any medication. Client stated he had a small amount of food and water intake and was not currently experiencing nausea. At 1:20pm, client stated the pressure in his ear subsided and was experiencing no headache, light-headedness or dizziness. At 1:25pm vitals were retaken: BP: 120/70, HR: 69, O2: 98%, skin: warm, pink, dry, LOC: A&Ox4. At 1:35pm, vitals: BP: 120/78, HR: 72, RR: 12, O2: 96%. Client was lowered to sitting position in gravity chair. No changes in vital signs were assessed by EMTs. At 1:40pm one final set of vitals were taken: BP: 120/76, HR: 66, RR: 13, O2 sat: 97%, eyes: PERRLA, A&O x4, skin: pink, warm & dry. At 2:15pm, client was able to safely stand up. No further interventions indicated. Client was educated by Lead RN & EMT on signs and symptoms of adverse reactions and when to go to the ED/call MD. Client was also encouraged to sign-up. Client left vaccination site at approximately 2:15pm with a steady gait. A family member was able to pick him up and drive him home.
1162903	4/2/2021	FL	57	M	3/31/2021	4/2/2021	High Fever, fast hart rate, shills and disturbed vision (vision got double)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1162869	4/2/2021	CA	37	F	4/2/2021	4/2/2021	04/02/21 12:45 pm ? At approximately 12:45 pm I was called to vaccine tent #1 after reports from staff that a patient was feeling sick after receiving her Janssen injection. I discovered the patient slumped in her chair, head back with eyes closed, skin clammy and cool. Alert and oriented x3, speaking slowly but clearly. Per vaccine nurse, she administered the Janssen injection to patient at 12:41 pm (Lot 1805020, exp 5/25/2021, Left Deltoid) and a few minutes later the patient started to close her eyes and leaned back in chair requiring assistance to sit up. Nurse was able to stabilize patient in chair and then called for help and that is when I came to assist. Patient remained in this state for several more minutes. Activated EMS for further evaluation as patient did not stabilize immediately. Measured vital signs ? Blood Pressure 98/62, O2SAT 97, Pulse 68. I continued to monitor the patient until EMS arrived. EMS evaluated patient and cleared but advised to continue to monitor for an additional 15 minutes before leaving the site. Patient verbalized understanding and agreed with plan. Patient remained in observation for an additional 15 minutes with no incident.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1162085	4/2/2021	AZ	66	F	2/26/2021	2/26/2021	short of breath; fear and anxiety or from the vaccine; fever blisters; fear and anxiety or from the vaccine; like bells palsy; numbness of the right side of her face from her jaw to her ear and up to her right eye; This is a spontaneous report from a contactable consumer (patient). A 66-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, lot number: EL9267), via an unspecified route of administration, on 26Feb2021 (received at the age of 66-years-old), at a single dose for COVID-19 immunization. Medical history included cold sores, 2 knee surgeries, and ADD (Attention deficit hyperactivity disorder) from an unspecified date and ongoing (diagnosed at 30-years-old). Concomitant medications included methylphenidate hydrochloride (RITALIN), amphetamine aspartate, amphetamine sulfate, dexamphetamine saccharate, dexamphetamine sulfate (ADDERALL) and other regular medication. The patient received first dose of Pfizer BioNTech vaccine and developed numbness of the right side of her face from her jaw to her ear and up to her right eye on 26Feb2021. It felt like she had received a lidocaine injection. Her doctor said this can happen with RNA vaccines, affect the 7th cranial nerve and develop Bell's Palsy. She was prescribed Valacyclovir 1mg and has taken it for 3 days. She wants to know what the other Bell's Palsy cases were like. She wants to know what their treatments were. Her doctor said it was okay to receive her second dose at 8am on 20Mar2021 but she wants to do her due diligence and see if there is a case report or study on these patients that developed this side effect. The patient further explained that she had her first dose on 26Feb2021 and was there for the 15 minutes for observation. On her way home, the right side of her mouth and the right side of her nostril were numb like Novocaine that you get at the dentist. She said that the numbness traveled up the right side of her jaw to her ear and then over to her right eye. When she got home, she told her daughter and she said that she thought it was because she volunteered all day and was worn out and anxious (26Feb2021). She said that she slammed water and ate crackers and after about a 1.5 hours she started to feel better. She said that she then she called her physician and the doctor told her that it was flaring the nerve root like bells palsy and that it is a RNA Virus. She

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

said that she was placed on some medication for it, but was wondering if she should get the second dose of the vaccine. She said that the doctor asked her if she had previously had cold sores and she said yes. The caller said that her doctor said that it is exactly what that is. The patient stated that she was also short of breath on an unspecified date, but thought it was from fear and anxiousness. She does not know if it was from fear and anxiety or from the vaccine. She said that the doctor told her to take the medication 3 days before and 3 days after her second dose. She clarified that the doctor put her on Valacyclovir HCl 1Gm tablets 1 a day. She said that she broke out with fever blisters on 02Mar2021. She really did not think anything of it until speaking with friends in the medical field and they told her to follow up with this. She added that the fever blisters are healing and only a tiny bit left. It is at the scab and end of healing. Outcome of numbness of the right side of her face from her jaw to her ear and up to her right eye was recovered on 26Feb2021. Outcome of fever blisters was recovering. Outcome of other events was unknown.

1162822 4/2/2021 TX

60 F

3/6/2021

3/10/2021

I felt OK for the first 3 days and then I started having worse symptoms of my MCAS and POTS condition. Note, I had NOT had POTS symptoms for 7 years. I was originally diagnosed with POTS in 2010 but slowly got better over 3 -4 years time and have not had issues with POTS since until after the 1st dose of the Covid 19 vaccine. Once my mast cell issues seemed to improve after the first week or so then the POTS symptoms kept getting worse. I am now one month out from the first shot and my heart rate and blood pressure are so bad I'm mostly couch ridden. I'm seeing a cardiologist on Monday. Heart rate even when sleeping at night is shooting up to 125-136 without exertion, just sleeping or standing. I have almost passed out while driving 5 times. Until I improve I won't be driving on major freeways. My vision has also been severely effected. Very blurry and one time all I could see were prisms blinding my view of almost everything. Also very weak all of the time and a lot of pressure in my head, it feels like someone is pushing my head forward. Some ringing of the ears as well.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1162087	4/2/2021	MI	69	F	3/15/2021	3/1/2021	Left side of neck, site of injection, elbow, joints and muscles down left side; Left side headache continuing to spread; Left jaw, cheek, nasal area swelling; left eye sagging/ occasional eye droop; Tired; general aches mostly on left side; wobbly; hives; skin itching; This is a spontaneous report from a contactable consumer (patient). A 69-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EP7534 and expiration date not provided) via an unspecified route of administration, administered in left arm on 15Mar2021 15:45 as a single dose for COVID-19 immunisation. Medical history included hypertension, chronic dry eye, Bells Palsy, arthritis, allergies to penicillin, injected iodine and food sensitivities. The patient is not pregnant. Prior to the vaccination, the patient was not diagnosed with COVID-19. Concomitant medications included losartan, multivitamin and ciclosporin (CEQUA). On 15Mar2021 15: 45, the patient experienced left side headache continuing to spread. Left jaw, cheek, nasal area swelling and left eye sagging (previous site of Bells Palsy attack)- Left side of neck, site of injection, elbow, joints and muscles down left side. She was tired and progressed to general aches mostly on left side and was somewhat "wobbly" on 15Mar2021 15:45. She later had hives and skin itching on an unspecified date in Mar2021 which lasted a couple of days. Tiredness continues and swelling in face and occasional eye droop at 4 days out. No treatment was given in response to the events. The outcome of the event fatigue was not recovered while the outcome of the rest of the events was recovered on an unspecified date in Mar2021. The patient has not been tested for COVID-19 post vaccination.
1162698	4/2/2021	NV	46	F	3/10/2021	3/10/2021	Swollen lips, tongue and gums an hour after the 1st dose, then swollen left eye lid and rashes on legs 4 hours after vaccination, Benadryl every 4 hours Swelling slowly subsided in 24 hours, rashes disappeared after 2 days

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1162692	4/2/2021	TX	35	M	4/2/2021	4/2/2021	Gave patient shot. He left the vaccination room. A few minutes later he tells me he is dizzy and his vision is blurry so I bring him back into the vaccination room, give him some water and tell him to relax. 10 minutes later I check his BP which is elevated along with his pulse. I check again another 10 minutes later and it has lowered (pulse 80). BP still elevated so I mentioned it could be due to the nervousness to the reaction or just that he has hypertension and he should get it checked out. After a while his spouse came into the vaccination room and he said he was better and they left.
1162688	4/2/2021		60	F	4/2/2021	4/2/2021	30 minutes after receiving COVID 19 vaccine, patient began to experience blurry/double vision, hypertension and a tingling sensation to her tongue and lips.
1162661	4/2/2021	CA	40	F	4/2/2021	4/2/2021	15:21-REceived vaccine injection L deltoid. 15:30-Arrived in observation area, reported onset of H/A, LUE pain and warmness, numbness of left UE and LE and dry eyes.Dr. present. 16:09-VS: 175/69; HR 80; SpO2 98%. 16:14-Epinephrine 0.3mg L lat thigh per Dr. 16:19-VS: 184/91; HR 74; SpO2 98% 16:40-VS stable, pt W/O discomfort. Released home per Dr.
1162652	4/2/2021		54	F	3/13/2021	3/13/2021	Immediate reaction - asthma attack. Pt also endorsed "I couldn't see" - had spots in her vision/blurry vision lasting for a few minutes.
1162631	4/2/2021	CA	32	F	3/31/2021	3/31/2021	101.5 fever for 48 hours, but it is the third day after the vaccine, and I still experience : Sore arm, tiredness, weakness, inability to focus, forgetfulness, blurred vision, Exhaustion. I took Tylenol, Advil, did cold showers, and iced my arm

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1162555	4/2/2021	OR	41	F	3/19/2021	3/20/2021	Started with a headache the next morning around 10:00am then progressed throughout the day to a horrendous migraine similar to the effects of when I took immitrex and had the worst migraine in my life. All day on the 20th, I felt lethargic and dizzy and would start blacking out when doing even light activity. In the evening, I got chills even being under the blankets and having the thermostat in my room up to 75F. I had a low grade fever at 100F, super fatigued, shortness of breath. Sunday the 21st I was fatigued so much that with activity such as walking to my garden shed and getting chairs cause me to start blacking out. I had to sit for a moment to regain eyesight and even out to walk. This lasted through the 23rd of March, I had fatigue, brain fog, and shortness of breath. On the 24th and 25th I still felt fatigued but less brain fog. By the 26th of March I was feeling more myself. I am worried what the 2nd shot will do.
1162117	4/2/2021	IL		F	2/27/2021	3/1/2021	experiencing profuse nose bleeding; not feeling well; had some issues like sinus in her eyes; lot of pain; This is a spontaneous report from a contactable consumer via Pfizer-sponsored program. A female patient of an unspecified age received bnt162b2 (BNT162B2), dose 1 via an unspecified route of administration on 27Feb2021 (Batch/Lot number was not reported) as SINGLE DOSE for covid-19 immunisation. Medical history included diabetic. The patient's concomitant medications were not reported. The reporter was calling for a reschedule on behalf of her sister, who was supposed to be due for her second dose of the vaccine today, 20Mar2021 but cannot make it since the patient is not feeling well. According to the reporter, the patient is experiencing profuse nose bleeding. The patient is not feeling well today and she doesn't have Covid or anything but she just had some issues like sinus in her eyes. She is in lot of pain and so she was wondering if she cancel her Covid appointment, can she get another one or you have to have it that is 3 weeks after they did the first shot. The outcome of the events was unknown. Information about lot/batch number has been requested.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1162127	4/2/2021		61	F	2/26/2021		<p>rheumatoid arthritis which has flared up following vaccination.; This is a spontaneous report received from a contactable nurse (patient). A 61-year-old female patient received BNT162B2 (Pfizer BioNTech COVID-19 vaccine, Formulation: Solution for injection (batch/Lot number: unknown), via an unspecified route of administration on 26Feb2021 at single dose for COVID-19 immunization. Medical history included blindness. Concomitant medications was not reported. Her next dose was in 2 days. The patient reported that she was ok the first few days after vaccination then experienced side effects including joint pains, the patient had numerous autoimmune diseases, specifying one of the as rheumatoid arthritis which has flared up following vaccination. The outcome of the event was unknown. Information on the lot/batch number has been requested.; Sender's Comments: Based on available information, a possible contributory role of the subject product, BNT162B2 vaccine, cannot be excluded for the reported event of RA flare due to temporal relationship. However, the reported event may possibly represent intercurrent medical condition in this patient. There is limited information provided in this report. This case will be reassessed once additional information is available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.</p>
1162839	4/2/2021	NY	60	F	3/10/2021	3/14/2021	3 days after 1st moderna vaccine. Got rash on forehead eye. Went to dermatologist and was diagnosed with shingles on right side of face
1160608	4/2/2021	CO	53	F	3/30/2021	3/31/2021	Overall RIGHT side face swelling especially in the cheek, eye, both upper and lower lid and side of nose and mouth. Coincidentally, shingle sores showed up around the eye, lip, side of the nose. Being treated with Valtrex

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1160819	4/2/2021	MI	17	F	4/1/2021	4/1/2021	Eyes started itching about 12 minutes after injection. Started getting very dry mouth and throat 15 minutes after shot. Felt lump in throat and throat tight about 17 minutes afterwards
1160805	4/2/2021	NJ	24	F	3/31/2021	3/31/2021	Within 5 min of vaccine administration customer close her eye and she passed out. Mother started talking to her and try to wake her up. blow air with papers on her face gave cold water to drink. In few min Customer opened her eye and started talking had some water . Mother wanted to call emergency, customer was constantly refusing to call . ED. After five min customer closed her eye again for few min and open her eyes and started talking. EMS people came and took over. Customer indicated that she has phobia and allergic reaction to the needle. Customer came prepared with her mother.
1160758	4/2/2021	CA	24	M	3/31/2021	4/1/2021	Pfizer-BioNTech COVID-19 Vaccine EUA Full-body muscle tightness, Extreme Full-body pain, delirium, violent shaking, fever of 105 F, Extreme shortness of breath, vision impairment. All adverse effects lasted for approximately four hours Ambulance would have been called but inability to move/speak prevented call for help
1160740	4/2/2021	TX	20	M	4/2/2021	4/2/2021	Pt. states that he became hot and dizzy while experiencing tunnel vision. A friend with the pt. stated that he fell out of the chair he was sitting in but did not hit his head on the floor. EMS and an on-scene Dr. made immediate pt. contact. It was determined that the pt. experienced a syncopal episode. He was already regaining consciousness upon arriving at his side. Vitals were taken and pt. recovered over time. Pt. signed an AMA and was taken home by a friend.
1160704	4/2/2021	GA	28	M	3/11/2021	3/14/2021	I initially got a bad migraine three days after the first vaccine. Since then I've experienced dizziness, anxiety, blurred vision, headache, and constant tinnitus. I decided to have my second shot which I had today.
1160696	4/2/2021	CA	31	F	4/1/2021	4/1/2021	Tasted metal 15 minutes after injection, 25 minutes after injection left eyelid felt heavy and appeared droopy, could not lift my left eyebrow, forehead and check feel tight. 22hrs later my forehead and left check feel tight and eye still droopy. Eyebrow can move more normally

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1160683	4/2/2021	FL	65	M	2/28/2021	3/3/2021	65yo male presented to ED with left eyelid droop, blurred vision, and headache. Pt reported that HA began 3 days after COVID-19 vaccination (Pfizer); pt presented to ED 10 days after dose #1. Unknown where patient received vaccine, but able to pull lot #, etc. from Shots Registry. Pt discharged from ED, but then returned 3 days later with worsening HA. At this time, he was admitted for 4 days for extensive work-up. Of note, pt with hx of R-sided Bell's palsy in the past. Per discharge summary from Neurology: "Despite extensive work-up, pt ultimately deemed to have a pupil-sparing CN III palsy likely related to either recent COVID vaccination or his history of DM.~~
1160668	4/2/2021	WV	42	F	3/12/2021	3/22/2021	Ten days after the vaccine was administered I woke up feeling like something was wrong. I just didn't feel right. I tried to lay down to see if I could feel better but this did not help. Even while in a relaxed state my blood pressure was up to 170/97 and heart rate of 220. I was very dizzy and felt like fainting but did not lose consciousness. I had a terrible pressure in my chest, in the left side of my neck and along the inside of my left arm. Also notable my vision was blurred. Called 911 ambulance took me to the Hospital ER and the ekg they performed was abnormal and also notable when they drew my blood my sodium level was below the normal threshold. I had taken 3 nitroglycerin tablets and my symptoms subsided enough for them to let me go home. Since coming home my bp has remained elevated much higher than normal at around 135/85. I continue to feel not quite normal and have the pressure in my left side of neck, chest and left arm. I feel very certain this is all due to the covid vaccine I received.
1160833	4/2/2021	TX	38	M	3/29/2021	3/29/2021	Patient called and stated feeling some tingling on spots around my face. Nothing serious. Just like random small areas. Pt can still smile, talk and stick my tongue out normally. Pt states he had a red itchy spot over his eyebrow dime size but gone now, skin under his lower lip felt itchy and numb. He denies any chest pain pressure, SOB, wheezing, throat/tongue itching/swelling, diff swallowing, edema, GI sx. No hx of GB or Bells. He is able to move and talk, blink, stick tongue out w/o issues.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1160611	4/2/2021	PA	40	M	3/17/2021	3/25/2021	Experienced moderate debilitating flu symptoms day after vaccination and recovered the following day. Over one week later (3/25) developed skin sensitivity on the neck which later spread to back, torso, and legs. Skin sensitivity persists still one week after onset, is a severe chafing feeling when skin comes into contact with clothing. No rash or any visual signs. Along with the skin sensitivity, mild to moderate chills from day to day as well as muscle fatigue and upper/lower back pain. Symptoms varied in severity day to day; used ibuprofen and it seemed to offer limited, temporary relief. Concurrent with second onset of symptoms, noticed gradual abdominal inflammation and developed sensation similar to UTI but urine dip and lab test results were all normal. Doctor concluded immune reaction to vaccine as no other allergies or changes in routine as well as no prior medical history of any of these symptoms. Prescribed daily prednisone for three days to calm immune response; after one day symptoms were greatly improved. Abdominal inflammation has improved and UTI sensation improved. Still experiencing slight chills and skin sensitivity unchanged.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1160643	4/2/2021	CA	24	M	4/2/2021	4/2/2021	24-year-old white male visited the vaccine clinic this morning. At 09:36 Am patient received the first dose 0.3ml of Pfizer vaccine lot #ER8734 to his left Deltoid . At 09:46 AM While patient in the observation area, he complained of feeling light headed and not feeling to well. While assessing the patient, he had a syncopal episode with eyes fixed, jerking body movement for 5-10 seconds. Patient immediately assisted the floor , all safety measure provided. Oxygen applied. VS: BP 100/60, o2 sat 98% . Pulse 78, resp 18. Patient denies any medical condition. However, he sated" I usually pass out when I take shots" . 10:00 Am sitting Blood pressure 110/72. Patient condition improved, and assisted back to chair. At 10:05AM still complaining of light headedness and requested to lay back to floor. Blood Pressure supinely 100/80. Patient stated " i feel much better when I am laying down. Water provided as requested. Pos t po fluid patient voiced feel much better. Sitting blood pressure rechecked at 10:14 am BP 110/80. Patient assisted back to chair. Closed observation maintained. 10:29 am Patient stated " I am feeling 100% of myself now, standing blood pressure 130/80. Patient denies any further light headed. Patient instructed to follow with his Primary Physician also his was referred for his second dose of vaccine . Patient left clinic in stable condition.
1160605	4/2/2021	MN	53	F	4/2/2021	4/2/2021	Numbness on the roof of my mouth, near my throat. Hot flashes, sweating, high blood pressure, the feeling of passing out, super hot throughout my body. Numbness in left cheek and upper lip. Swelling in left cheek and left eye. Dizzy.
1160475	4/2/2021	MA	70	M	4/2/2021	4/2/2021	Patient received vaccine dose 2. Waited 15 minutes in observation area. Upon leaving observation area, patient passed out. Hit eyebrow and had laceration. Patient recently dx with Shingles 3 days ago and on valcyclovir for treatment. Patient also stated he did not eat at all today. Blood Glucose was 135.
1160452	4/2/2021	NY	79	M	3/24/2021	3/25/2021	Swelling of cheek and eye area. No hives or difficulty breathing. Patient stated it lasted about 3 days then stopped.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1160438	4/2/2021	PA	64	F	3/19/2021	3/19/2021	My immediate reaction was blurred vision, then pain down my right arm. Next my pulse rapidly increased, and my breathing was labored. My finger tips of both hands felt almost numb, and my hands turned red. I became very lethargic, and both legs became very weak. I remained in the facility for 1.5 hours under the care of a RN. I went home and it took approximately 4 hours for me to recover. 3 days later I woke up with a metallic taste in my mouth that lasted 2 days.
1161142	4/2/2021	NY	58	F	1/11/2021	1/11/2021	About 35-40 minutes after injection started feeling like had to clear throat. Went back into Urgent Care and was told to keep an eye on it. Went home and within another 20 minutes had completely lost voice. Went back to Urgent Care. Was told again to keep an eye on it or go to ER. They didn't even look at me. My own Doctor was down the street so I went right to her office. My doctor was not in, so another doctor came right out to look at me. She checked my breathing and it was okay but I could not speak at all. She put me on prednisone and Benadryl for several days. Eventually felt better after meds. Made appointment with allergist, for follow-up. He said it was an anaphylaxis reaction. Was told to not get second dose of Moderna shot. I have since had the J&J vaccine on 3/30/2021 with no immediate adverse reaction, just side effects (chills, severe headache, fatigue, sore arm).
1162626	4/2/2021	MI	33	F	3/30/2021	3/30/2021	Fever Extreme tinnitus Vomiting Diarrhea Loss of appetite Stomachache Fuzzy vision Brain fog
1160432	4/2/2021	RI	60	F	3/31/2021	3/31/2021	pt says the vax was not given in the top of the left arm but down lower in the arm. She developed a hot, swollen, and hard spot at the injection site. On the second day she has a white circle around the red circle around the injection site that resembles a bull eye. Pt has not had any medication for her symptoms at this time.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1160397	4/2/2021	IA	84	F	3/24/2021	3/25/2021	3/25 temp 99.1, change in condition form sent to dr. 3/26 Res continues to be lethargic this AM shift. Res does nothing to participate with cares, transfers or eating. Denies any pain or SOB when asked. Difficult to have res to keep eyes open. Appetite very poor, even with full assist provided- sent to ER- admitted to hospital dx of UTI/hyponatremia 3/29 retn to nursing home and 3/30 admit to hospice
1160633	4/2/2021	FL	78	F	1/22/2021	2/11/2021	Two weeks and six days after the first shot, my left arm became swollen, as if it was lymphedema, something I don't get, or perhaps gout. After the second shot, the arm swelled more, with the hand looking like a balloon and a few days of tiredness. I put on a few pounds. Dr wanted to rule out a recurrence of breast cancer so she sent me for ultrasound, mammograms, and CT scans, with a week gap to take antibiotics for a UTI. At a coincidental checkup with my glaucoma doctor, he said the intraocular pressure had shot up and added 0.5% Timolol eyedrops, a beta blocker. In a few days, the swelling is less and the extra weight gone.
1160939	4/2/2021	TX	21	M	4/2/2021	4/2/2021	Patient received vaccine, then immediately described that he had trouble seeing and felt faint. EMS was immediately called. He had difficulty sitting up and kept his eyes closed. He had no reports of difficulty breathing. His body had started to get warmer within 5 minutes. Patient felt better around 10 minutes later when EMS arrived.
1161128	4/2/2021	CA	20	F	4/2/2021	4/2/2021	patient c/o "feeling dizzy, has not eaten yet today." offered water at 108pm, additional 15 minutes in observation. Reassessed at 113pm per patient "feel a little better." Continue to observed. at 120pm fell off of chair and hit right side of head on the floor with eyes closed. vitals taken at 120pm: BP 109/72, P 78, SAT 97% RA, patient woke up patient responsive to questions. Called 911 at 123pm. Per EMS EKG normal, blood sugar 74 patient was given instant glucose tube by EMS. Guardian was notified. Per EMS recommend patient to eat and guardian to pick patient up. Reassessed at 1400 patient alert and oriented x 4, states "feels better~~

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1161028	4/2/2021	CA	52	F	4/1/2021	4/1/2021	In the evening of 4/1 around 7:30pm or so, I felt the left half of face becoming kind of numb/tingling and feels not normal. It felt like after the dental work when you get pain killer shot in cheek/mouth. The condition improved with time but did not go away fully. In the morning of 4/2, it felt better but still there somewhat and I felt the left eyelid droopy. The left eye wept some in the morning. My husband thought my left cheek felt a lot softer than right side.
1161026	4/2/2021	MN	72	M	3/3/2021	3/3/2021	4/1/2021-CLIENT CALLED TO REPORT ADVERSE SYMTPOMS THE DAY OF HIS VACCINE INCLUDING, PAIN, PRESSURE AND SMALL PRINT VISION LOSS IN BOTH EYES, PAIN AND TREMOR IN LEFT THUMB AND PAINFUL KNEE JOINTS. CONTACTED DR., WHO RECOMMENDED FOLLOW UP, BUT CLIENT DECIDED TO WAIT AS IMPROVEMENT. 4/1/2021-OPHTHOMOLOGY APPOINTMENT. PAIN, PRESSURE AND VISION CONTINUES TO IMPROVED. CAN READ SMALL PRINT AGAIN, BUT NOT AS CLEAR. LEFT THUMB CONTINUES TO TREMOR, KNEE JOINTS IMPROVED.
1161020	4/2/2021	TX	69	M	2/27/2021	2/28/2021	I seem to have thrown a clot that blocked Right Optic Nerve Artery. Immediate blindness in Right Eye.
1160619	4/2/2021	ID	22	M	3/31/2021	3/31/2021	Dizziness - Denies chest discomfort Hx of anxiety with needles Vital Signs: BP 100/68 HR 60 Resp 16 O2sat 94 Skin Signs: Diaphoretic Circulation: Cap refill <2 sec Respiratory: Breath sound clear bilaterally Initial Treatment: Full set of vitals. Gave bottled water and snacks while observing x15 min 10:30 AM Vital Signs: BP 98/72 HR 60 O2sat 95 10:45 AM Vital Signs: BP 110/72 HR 82 Resp 12 O2sat 94 Follow up Treatment: Moved from triage to observation area under supervision of MD. Vitals stable. Denies dizziness or chest discomfort. Accompanied Disposition: Home with father at 11 AM



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1160842	4/2/2021	CT	59	F	3/30/2021	3/30/2021	within 3 hours of received vaccine did not feel well, eyes burning, felt off, went home from work. ~1:00PM experienced chills went to bed, was achy. ~5:00 PM was very hot, had chills, achy. ~7:00PM temperature was taken and it was 105 F. Took tylenol, placed ice packs on back of neck and under arms, drank juice. Temp dropped to ~103 within a couple of hours. Continued with tylenol, juice, and rest; continued to have high fever. This persisted through the night of 1 April - temps above 100F, chills (although less frequent). Morning of 2 April woke up with temps consistently below 100.
1160982	4/2/2021	WI	65	F	3/24/2021	3/24/2021	3/24/2021 11:20am Was administered my 2nd dose of COVID vaccine. 3/24/2021 10:00pm Lightheaded, dizzy, fever, chills, severe stomachache, severe lower backache, severe head and neck pain, severe nausea, vomiting, dry heaves, chest pain, rib pain, heartburn, rash on stomach and sides, sore throat, earache, eyes aching, physical distress and agitation X 72 hours. 3/28/2021 - 3/31/2021 All of the above symptoms continue but symptoms are moderate instead of severe. 4/1/2021 All of the above symptoms are minor.
1160977	4/2/2021	PA	22	F	4/1/2021	4/2/2021	within seconds of vaccine administered patient began vigorously itching, visually seeing red hives, swelling around neck area coughing, chest pain, SOB. Within 3 minutes epinephrine was administered and patient was put on oxygen. Medic called for transport and patient became irritated and angry refusing all treatment and ripping off oxygen, pulse ox, BP cuff, ect? At approximately 1409 patient was doing better, hives still visible but walked out of facility.
1160950	4/2/2021	OK	57	M	3/16/2021	3/22/2021	blood shot eyes periodic muscle aches especially when still for long period, sitting, bed. It's day 17 since my first shot.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1160927	4/2/2021	IL	33	F	2/2/2021	2/4/2021	I ultimately suffered from Acute Disseminated Encephalomyelitis and was hospitalized for 5 days due to brain and spine inflammation. I had numbness in my feet 2 days after my vaccine, then suffered from dizziness and nausea 3 days after my vaccine, and had face paralysis 4 days after my vaccine. I went to the ER 4 days after the vaccine and was told I have Bell's Palsy and Vertigo. I was prescribed oral steroids and anti-nausea medicine. In the following weeks, I had more tingleness/numbness of the legs, brain fog and confusion, blurred vision, unsteady gait, loss of balance, blurred vision and leg muscle weakness, increased anxiety, hearing sensitivity, lethargy, sleeplessness, 6th cranial nerve palsy, tingles in the face, and headaches. I finally got an MRI and when doctor's saw the MRI results 3 days later, I was told to go to the ER immediately because I had brain and spine inflammation that needed treatment, and was diagnosed with ADEM. I then spent 5 days in the hospital to receive intravenous steroids and monitoring. During this stay, I had more MRIs and a lumbar puncture. I was released on oral steroids for 25 days, as well as follow up appointments and monitoring progress in recovery. Inflammation has decreased. I continue to have tingleness in lower extremities, headaches, pain in legs, and sensitive hearing.
1160917	4/2/2021	NJ	28	M	3/5/2021	3/8/2021	Constant twitching in right eye, and above left ear.
1160876	4/2/2021	FL	48	M	4/2/2021	4/2/2021	Within 2 minutes of patient receiving shot his eyes started to cross and his hands formed a fist and he tensed up and brought them towards his chest. His head rolled back and his eyes started to rolled back. His wife was next to him and held his neck. the pharmacist administered an Epi-pen into his left thigh and 911 was called. He became conscious within seconds of receiving the Epi-pen. He was able to verbally communicate and was able to tell us his age. He was very thirsty & became very sweaty in the minutes after he came to. He said he's never had a severe reaction after vaccines, never gets the flu shot and doesn't have history of seizures. Paramedics came immediately and took him to the Hospital.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1160916	4/2/2021	CA	58	M	3/31/2021	3/31/2021	<p>Evaluated patient in Covid vaccine clinic after alerted that patient developed severe occipital headache about 10 minutes after his 2nd dose of Moderna Covid vaccine. He denies any history of headaches. He denies any other symptoms. No nausea, no vision changes, no numbness or weakness. No swelling, itching, rash, no shortness of breath, dizziness, or abdominal symptoms. He denies side effects from his 1st Covid vaccine. He denies a history of significant health problems and states he takes no medications. Exam revealed a middle aged male sitting comfortably in NAD. Alert and oriented x3. PERRL, no photophobia, EOMI, CNs grossly intact. RRR without murmur. Neuro exam without focal deficits. Normal gait. Patient was monitored for about 20 min at which time he felt he could safely drive himself home - 4 blocks down the road. He was instructed to take some Tylenol when he gets home and rest. Call 911 in the event of numbness, weakness, vision changes, dizziness, slurred speech or other severe symptoms. He is supposed to work and plans to call in sick so he can rest. I did mention his elevated BP which is probably isolated but he should make an appt with his PCP for a recheck of his blood pressure. Vitals BP=157/94; Sitting Temp=97.1 F Oral; Pulse=76; Resp=20; Vitals Comment: SaO2 96% 3/31/2021 2:20 PM by MD</p>
1160914	4/2/2021		19	F	4/2/2021	4/2/2021	<p>Patient received first dose of COVID-19 vaccine. Within a few minutes after vaccination, patient reported feeling lightheaded with blurred vision and rapid heart rate. Patient drank some juice and sat for an additional 10 minutes; patient reported she felt better and opted to leave. Suspected vasovagal reaction.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1160844	4/2/2021	AZ	48	F	3/29/2021	3/29/2021	I started with a very itchy scalp as I was driving to the office after my shot. Shot was at 9:45, I arrived at the office around 10:23 and felt very itchy. I took two Tylenol when I arrived as advices for soreness. I felt hives/rash on the back of my neck around 12:15 or so. Then in my underarm, back of my knee and inner elbow area. I started feel nausea. I drank plenty of water and had a few bites to eat. My hives/rash were popping up and I was using topical Benadryl. Soon after, I took on 25 mg Benadryl. I called my doctor?s office for guidance around 4: 10 pm and then started throwing up. I had someone drive me home. No fever. I developed red hives around my hairline and around eyes. Felt very tired. Next day, I stayed off work and drank plenty of water and slept a lot. Rash had cleared but the red hives around my hair line and eyes were visible. Called doctors office and was told to continue Benadryl.
1160908	4/2/2021	TX	49	F	4/1/2021	4/1/2021	swollen left eye, red puffy face
1160900	4/2/2021	NC	52	M	3/19/2021	3/21/2021	Cloudy/Foggy vision in right eye started on 3/21/21, two days after receiving 1st dose of Moderna vaccine on 3/19/21. Went to See Ophthalmologist on 3/25/21. Diagnosed w/ Optic Disc Edema. Given referral to Neuro Ophthalmologist. Vision got worse so I went to ER on 3/26/21. Opthamologists in ER conducted in depth eye tests. MRI, Lumbar Puncture, and blood work were performed. Diagnosed with Optic Nerve Edema. Discharged with a prescription for Prednisone. Follow up appointment w/ Neuro Ophthalmologist, Dr on 4/9/21.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1160891	4/2/2021	WI	32	M	3/26/2021	3/26/2021	Pfizer-BioNTech COVID-19 Vaccine EUA 32-year-old male with history of anxiety and hypertension presents with possible reaction to the COVID vaccine. He was in his usual state of health and doing well until he received his first dose of the Pfizer vaccine around 0740 this morning. Around 10 minutes following the vaccine, patient became short of breath, lightheaded and had his vision gray out before losing consciousness for few seconds. Patient was sitting in a chair at that time and did not fall or hit his head. He was then given juice and was able to ambulate and felt better. Patient was directed to the emergency department for evaluation. He states that he now feels back to his baseline with no lightheadedness or difficulty breathing. Patient states that he has passed out following blood draws in the past and usually lies down afterward. Patient's presentation is overall most consistent with vasovagal syncope, especially given his history of similar events following blood draws. Patient was observed in the emergency department for nearly an hour and remained asymptomatic so he was discharged home with return precautions
1160860	4/2/2021	CA	39	F	4/1/2021	4/1/2021	Received first shot of COVID 19. Felt fine until 4 hours after. Migraine like symptoms with chills and shaking and nausea. Driving home and had photophobia and aura like vision. Took Tylenol and tried to sleep. Woke up today and felt ok.
1160974	4/2/2021	OK	22	F	4/2/2021	4/2/2021	I stayed for 30 mins because after my first shot my arm ended up VERY swollen and I had a rash. So I was okay after the 30 minutes but when I started driving I felt like I was high on strong drugs. Like as if I'd taken an extremely strong marijuana edible and it just hit me. I had to pull over because my eyes wouldn't stay open, my whole body was feeling very heavy and I was extremely tired and out of it. I didn't have another way to get home (I had traveled about an hour) so I just kept driving and taking 15 min rests along the way. When I got home I fell asleep as soon as I sat down and slept for about four hours. I feel better now that I'm awake, still light headed but not near as bad.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1160862	4/2/2021	UT	25	F	4/2/2021	4/2/2021	Client described electric pain in her arm which traveled up her arm to her neck and head, feeling like a migraine for a moment and then disappearing. Her vision blurred; she felt dizzy; she had a hard time hearing herself, although she could hear me fine; and she felt faint. We had her sit back down and got her some water, checking on her every 5 minutes or so. She was still dizzy, but not as faint. She also reported a cold sweat. We got her some orange juice and continued checking on her. She called her husband to come and get her. She was able to get up and walk out of her own accord with her husband. We will follow up with her tonight to see how she is doing.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1158675	4/2/2021	NJ	45	F	3/6/2021	3/1/2021	<p>it was worse; I had to take Benadryl to sleep; eye lid tingling; Also reports pain on the top of her head and last night aching on left side of her head; Eyelids with poking sensation; lip is jerking, jerking of eyes; pain on left side of her neck; I feel my gland is swollen with a lump on left side; I have had tingling and a needle pain sensation all over my body./Tingling needle like sensation like someone poking needles, eyelids, arms, legs, back, face, belly, all over body, tips of fingers, bottom of feet, top of head; Has to work through the pain/Pain ran down along left side of neck a couple of nights ago also;; Left top of head aching sensation; It is effecting her work and daily life.; This is a spontaneous report from a contactable pharmacist. A 45-years-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot Number: EN6205, Expiration date: not reported via an unspecified route of administration, administered in Arm Left on 06Mar2021 at 14:25 (at the age of 45-years-old) as single dose for COVID-19 immunization. Medical history included ongoing hepatitis B, Kidney stone from 2019 and ongoing. Concomitant medication(s) included tenofovir disoproxil fumarate (Dosage text : 300mg Tablet once daily at night) taken for hepatitis b. The patient's father has high blood pressure and heart problems and mother is fine as stated. The patient experienced tingling and a needle pain sensation all over my body/tingling needle like sensation like someone poking needles, eyelids, arms, legs, back, face, belly, all over body, tips of fingers, bottom of feet, top of head on 07Mar2021, had to take benadryl to sleep on an unspecified date with, eye lid tingling on an, on 16Mar2021 lip is jerking, pain on left side of her neck, feel the gland is swollen with a lump on left side, also reports pain on the top of her head and last night aching on left side of her head, eyelids with poking sensation, jerking of eyes, left top of head aching sensation, it is effecting her work and daily life, has to work through the pain/pain ran down along left side of neck a couple of nights ago. Therapeutic measures were taken as a result of insomnia. The outcome of event Tingling needle like sensation like someone poking needles, eyelids, arms, legs, back, face, belly, all over body, tips of fingers, bottom of feet, top of head, Lips Jerk, Jerking of Eyes, Left side of neck lump like a swollen lymph is Not Recovered, Left top of head aching</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

sensation, Pain ran along left side of neck is Recovered. Follow up (17Mar2021): New information included clinical information and description of product complaint: Is there a Product Complaint: Taking benadryl last two nights to sleep, did not help last night. Product strength and count size dispensed: 25mg. Additional lot numbers: P117225. Is a sample of the product available to be returned, if requested: No No follow-up attempts are possible. No further information is expected.; Sender's Comments: Considering a plausible temporal association, a causal relation between the reported events and the suspect drug BNT162B2 cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1162044	4/2/2021	MA	88	F	2/8/2021	2/23/2021	She needs to get her magnifying glass, she states she's going blind/macular degeneration; She needs to get her magnifying glass, she states she's going blind/macular degeneration; temperature 99.2; vomiting; very tired; arm was sore, couldn't lay on it; This is a spontaneous report from a contactable consumer (patient). An 88-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, lot number: EM9809) intramuscularly, administered in left arm on 23Feb2021 at 10:30 (at age of 88 years old) at a single dose for COVID-19 immunization; gabapentin, via an unspecified route of administration from 08Feb2021 to 15Feb2021 at 100 mg, daily, then via an unspecified route of administration from 15Feb2021 (Batch/Lot number was not reported; Expiration Date: 08Feb2022) to an unspecified date, at 200 mg, daily for feet burn. Medical history included hiatus hernia surgery from Nov2019, surgery from an unknown date, vomited after surgery for three nights/days, gastroesophageal reflux disease (GERD), cancer, feet burning, feet red, asthma and thyroid. Concomitant medication included paracetamol (TYLENOL EXTRA STRENGTH), fluticasone propionate, salmeterol xinafoate (ADVAIR) taken for asthma, montelukast sodium (SINGULAIR), fluid pill, vitamin D, vitamin C, potassium, acid reflux pill before nighttime before supper, thyroid pill, singulair pill. The patient previously took Codeine and percocet [oxycodone hydrochloride;oxycodone terephthalate;paracetamol] and experienced allergies. Two years before in Nov2019 she had hiatus hernia surgery. Her stomach went into her chest. She was in rehab. She had to have the surgery done twice. She went from one hospital and then she went to another and it was taken care of there. When she went to rehab after her surgery, all she did was vomit day in and day out. Her current vomiting reminds her of this experience. They finally did take care of it. She came out of the hospital and was vomiting. She clarifies she had problems with vomiting for the last 6 months before this current experience. She doesn't know what she's eating. They say it's acid and she has Gerd. She does try to get her exercises in. When she was in the hospital, they found she had cancer, which they are just watching for now. When querying what kind of cancer she has, the caller explains she didn't have them do a biopsy. She

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

didn't want to go that far into it. She didn't want any extensive treatment. At first, they were keeping check of the cancer every 3 months. Now, she is going ever year. She last went in November. The patient experienced macular degeneration on an unspecified date, vomiting on 23Feb2021 at 17:30, temperature 99.2 on 25Feb2021 at 10:00, very tired on 23Feb2021, arm was sore couldn't lay on it on 23Feb2021. Patient had the first Covid vaccine Tuesday morning, clarified to 23Feb2021 at 10:30AM and around 5:30PM that night she started vomiting. She vomited all night long and all day Wednesday and Wednesday night, and this morning. So far, it had stopped. She was trying to hold water down, but she couldn't keep water down, the water would come up. She clarifies further she tried to take a sip but it kept coming up. She called her doctor who was a practitioner and she told her to drink ginger ale and maybe crackers. She told the doctor that her daughter sent her electrolytes and she was told that was fine to take. She tried toast this morning and she couldn't hold it down. She's been eating very slow, taking little bites at time and she had been holding it down. She did have temperature of 99.2 on 25Feb2021, but half hour or so before it was down to 96 now. She couldn't take medicine that she normally takes because she'll throw it up anyway. She tried to take a few of her pills but it didn't stay down, she threw them up. Around 9am, she took her thyroid and that stayed down. So far, that's doing good. She takes Advair for asthma and she took that, that's okay. She took her singulair pill. So far, the three of these medications have stayed down, and she took 2 Tylenol. Patient took Tylenol twice. She knows it was Extra strength, took 2 pills Tuesday night but it didn't stay down. She Took 4 Tylenol today, 2 pills this morning and 2 right before her CNA left at around 3pm. Caller mentions she can't see the dosage on her Tylenol bottle. She doesn't see the dose. She mentions she will get her magnifying glass to check it out. She's afraid because she had surgery a couple years before and she vomited after surgery for three nights/days, or whatever. Today (25Feb2021), when she spoke to her doctor she was advised to call Pfizer to let them know how the vaccine is affecting her. Right now, she feels pretty good, but she was very, very tired. She's going to lay down when she gets off the phone. She had a CNA with her today and

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

she also spoke to the nurse practitioner. The last time she vomited was around 10am. When the CNA came in, she told the caller to call the doctor but she told the CNA she'd be fine. However, the CNA urged the caller to call her doctor and let them know what was going on. Her second dose was scheduled for 16Mar2021. Her doctor told her don't drink the water, drink the ginger ale and don't drink it too fast, and try crackers and toast. The patient took her temperature last night (24Feb2021) but couldn't read it that great, she thought it was 98. When the CNA came this morning (25Feb2021), she took it around 10:00AM and it was 99.2. She told the CNA to take another temperature because she didn't think she had a fever. When the CNA left, she had to leave at 3:00PM, her temperature was normal, it was 96. She thinks maybe her temperature went to 99.2 because she was drinking her tea. However, she wasn't drinking it right away, because she threw up on it. She stopped drinking an hour before her temperature was taken. She clarifies wasn't drinking the tea when the CNA came. She also mentions she broke up her the toast into little tiny pieces and felt like she was eating like a bird, but it didn't stay down so she stopped. The CNA came around 9am, maybe 8am, and clarifies it was maybe around 1030AM when she took the temperature. When the CNA left her temperature was at 96. The patient was very tired the same day she received the vaccine. She remembers went to bed with clothes on. Last night, she wanted to go to bed again with her clothes on but she couldn't stand it and she changed into her pajamas. Then, she went to the bathroom and vomited, she has a bucket by the side of her bed. It wasn't the dry heaves, stuff was coming up. She was still very tired currently. She makes the comment "I forget things and then I remember afterwards". She had to get under the light to see the Covid card, it's small, it is handwritten. Caller mentions she sees the month on it. Caller reports her arm bothered her for quite a while. Last night, she went to sleep on her left side and her arm was feeling better which gave her some hope. Her arm started hurting her the day she got the vaccine, but her arm wasn't red or anything. Her arm was feeling better this morning. She thinks if she can sleep on it and didn't hurt, it's getting better. The last pills she took were Gabapentin she has been on for about 2 weeks. She explains her feet burn during the night and

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

the doctor recommended the Gabapentin for now. However, she has had too much time trying to stop the vomiting that that took over her feet burning, so her feet didn't bother her as much. She was initially prescribed 1 pill at night before going to bed at 10pm, then when the 1 pill didn't work for a week, the doctor increased it to 2 pills at bed time at 10pm because it takes an hour to work. She stated that she was going to take the Gabapentin on Tuesday night, which was a mistake because she threw it right up and it tasted awful. Caller makes the comment she has not given the doctor the report of how that reacted yet. When probed for an NDC, Lot number or expiry date for the Gabapentin, the caller explains she can't see writing, it's in small print. She does see the Discard After: 08Feb2022. She needs to get her magnifying glass, she states she's going blind. She's been told she had macular degeneration. She doesn't think the Gabapentin is agreeing with her. She reads that it "May cause drowsiness, operating vehicle which she doesn't drive, may cause dizziness, may cause vision. Call if you experience mood changes, sadness, depression.." She started out taking one pill of the Gabapentin every night from Monday to Monday. The second Monday, 15 Feb2021, she started taking 2 pills at night for a total of 200mg. She took it this past Monday night until she had the vaccine and then she took it again, and now she was not taking it anymore. Her burning feet wake her up during the night, it starts at her ankles and goes halfway up her leg. She had to put her feet on a cold floor. Normally, she feels good and she usually doesn't get pain so whatever little bit of pain she has, that's the pain she gets. Her feet were burning like that for month before she called the doctor. she didn't know. Her feet were red before they started to burn, this is the latest thing. During the day, she is fine, only a nighttime her feet burn. The patient underwent lab tests and procedures which included body temperature: 98 on 24Feb2021; 99.2 on 25Feb2021; 96 on 25Feb2021. Therapeutic measures were taken as a result of vomiting. She was going in for a test, clarified as an MRI on the 3rd of March for her eyesight. The action taken in response to the event for gabapentin was permanently withdrawn on an unspecified date. The outcome of the event "Pain in arm" was recovering, the outcome of the event fatigue was not recovered, the outcome of the events

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							"temperature 99.2" and "Vomiting" was recovered, and outcome of other events was unknown.
1155474	4/1/2021	MS	48	F	3/31/2021	4/1/2021	Less than 24 hours after the shot, I have severe body aches to the point I'm stiff. My entire left side is in a tremendous amount of pain. I have a severe headache and my eyes are hurting. The body chills are almost unbearable.
1155491	4/1/2021	NJ	55	F	3/27/2021	3/30/2021	Bells Palsy Blurry sight-3/30/2021 Couldn't move mouth-3/31/2021 Couldn't close right eye- 4-1/2021
1155496	4/1/2021		69	F	3/20/2021	3/20/2021	double vision (cleared in ~10 minutes); numbness in left arm, left hand, left side of face; extreme sleepiness (made it home then slept for ~ 14 hours - still sleepy the next day; diarrhea; rash on face and hands appeared (still clearing); pain at injection site only lasted 2 days and it wasn't all that bad (did NOT take any over the counter drugs until March 31, 2021)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1155550	4/1/2021	SC	41	F	3/25/2021	3/26/2021	She got the vaccine she was fine, had a mild cramping in her stomach. She wakes up at 5:00 AM in the morning for work and on Friday she could not put her feet on the ground for pain in her legs. She also had a bad headache on the left side and took Advil for that, and then the headache switched to the right side. She then took another Advil, and that was all she took that day and was that way the whole weekend. She had pain all weekend and could not touch herself as the pain was so bad. She also had chills, nauseated, her vision was going in and out as if she was at the eye doctors office. Her uncle brought her mother over to her as she could not take care of herself or drive to take care of her cousin who she takes care of. She went to go work on Monday 3/26/21 then she started having difficulty breathing and her employer called the EMT's, they checked her heart rate which was high and did her oxygen level which was fine, and were afraid she may have gone into cardiac arrest, and told her to rest. She called her doctor who told her that it was a bad reaction to the vaccine. She is still having difficulty breathing after walking so far, she weighs 115# and has always been a small person. She was not given any medications by her doctor and told her to rest and if it worsened to call her back. She had been seen two weeks prior by her doctor for a sinus infection and was given an allergy shot and some other injection of which she does not know what it was, possibly a steroid.
1155518	4/1/2021	OK	20	F	3/16/2021	3/17/2021	MODERNA EUA--The patient complained of having a rash on her face the day after receiving her first Moderna dose on 031621. She denied any fever, itching, shortness of breath or wheezing. She was also noted to have some bruising under her left eye. The initial encounter with the healthcare provider occurred two days post-vaccination via virtual visit on 031321. She was followed up in person on 031921 at which time her rash was improved after taking Benadryl. She reported some pain of her lower left eyelid that continued but no vision changes. Another virtual visit was conducted on 032621 at which time all symptoms had resolved without further sequelae.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1155519	4/1/2021	VA	51	F	3/25/2021	3/25/2021	Several hours after receiving the 1st vaccine, began to feel very dizzy. Checked blood sugar and it had spiked to 319, which is highly unusual for me. I kept an eye on it to ensure it did not increase further. Within a few hours it did go back down so medical treatment was not necessary. I just wanted to report this so people with diabetes can be informed that this might happen.
1155538	4/1/2021	MO	42	F	3/18/2021	3/18/2021	skin under my mask turned red, splotchy, got very hot and slightly swollen. Eye sockets slightly swollen. Left side of face more severe in reaction than the right side. Throat slightly swollen. Left ear became plugged feeling. Scalp slightly numb, again more intense on the left side of head than right side. Even after I took my mask off symptoms continued and got slightly worse, not life threatening, but surprising. Pharmacist gave me 2 benadryl pills which I took with a 12 oz of water and symptoms began to lessen within a few hours. Came back the next day with moderate exercise. They were not nearly as pronounced but my face did turn red, get hot and my ear plugged up again. No medicine needed, I just rested and it went away. Same thing happened the third day but even less severe reaction and went away quickly when I stopped walking around and just rested. The shot was injected at the very top of my shoulder near the clavicle bone, it should have been administered lower in the deltoid and I think I might not have had such severe reactions. Perhaps nerves were interfered with due to the proximity of the injection.
1155525	4/1/2021	CA	55	M	3/24/2021	3/25/2021	I was woken up at about 1:15AM with major night sweats and vividly scary dreams of scary faces . I opened my eyes and I was still seeing the scary faces that were scaring me and causing me to yell and move around in bed while asleep. I girlfriend said I was yelling and moving around a lot prior to waking up. Once awake, I was still seeing the visions for about 2 minutes until I turned on the light and my eyes adjusted to the brightness. When I turned the light off and tried to go back to sleep, the faces appeared again. I was not able to go back to sleep and ended up getting out of bed and going out on the couch to watch TV to avoid being in the darkness and closing my eyes. I'm not one to dream very often and this was certainly and vividly scary night.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1155451	4/1/2021	WI	26	M	3/27/2021	4/1/2021	I woke up with hives over my arms and chest. My left eye was nearly swollen shut and my hands were swollen and in a lot of pain. Whole body is very itchy and sensitive to touch. I took sudafed because it is all I had available at the time.
1155302	4/1/2021	NJ	38	F	1/14/2021	1/21/2021	A week after getting the shot the left side of my body went numb/tingling. My left foot felt like I was stepping in a puddle of water. Left facial cheek went numb, left side of my neck hurt, left eye went blurry, left ear pain and sore throat. Went to ER to rule out a stroke. They did blood work, CT scan and EKG. Since then I have seen a neurologist, ENT, Cardiologist and my primary doctor. I have had multiple MRI's and blood work done. I still am having chest pains, sore throat, ear pain, tingling in my left arm, and blurred vision.
1155527	4/1/2021	WI	16	F	3/31/2021	3/31/2021	They made initial contact with young lady when she entered the holding area (as they do with every car). Their second contact came when the mother showed up on scene. At that time the patient reported that at one point her vision began to get dark on the peripherals and she may have passed out. She stated she turned on her hazard lights (four-way flashers) at that point. Our personnel never noticed a vehicle not progressing forward at any point. Our personnel then removed her from the line for evaluation: She no longer had any complaints, vitals: BP 106/57 P-64 and regular SPO2-99% and did not want transport to the hospital. The patient and mother were given instruction of things to watch for and what warranted calling 911. They report the mother and patient had no concerns upon their departure. Further, there were 4-6 personnel in the 15-minute holding area yesterday. They are constantly on foot moving between all the cars.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1155543	4/1/2021	GA	62	M	3/19/2021	3/19/2021	Shortly after receiving vaccine, participant's wife summoned nurse, found him sitting in car with eyes open, but unresponsive. After approx. 30 sec. he was responding to questions; c/o feeling light headed, nauseated and had 'limited' vision. B/P 110/74, O2 sat 87%, HR 51. EMS arrived and assessed participant. Repeat B/P 160/102 and BG 118. Due to cardiac hx., participant agreed to be transported to E.D. On 4/1/21 made a f/u phone call to participant and he stated that lab work in the E.D. indicated that he was anemic.
1155440	4/1/2021	MI	36	M	3/11/2021	3/12/2021	Day 1: Common symptoms: Fatigue, chills, headache. Day 2-Day14: Began experience upper gastrointestinal symptoms. Pain, Bloating, Feeling of extreme fullness, Nausea, constant gurgling of the stomach. This lasted for approximately ~ 2 weeks. These symptoms have not fully resolved but have improved 85-90%. Day 3-current: Twitching and muscle spasms began in the arm that I got the shot in. Shoulder, bicep, and into the forearm were CONTINUOUSLY twitching all day long. Sleep became difficult for a period of a few days due to this. This muscle twitching then began to occur in all other parts of the body. Eye lids, arms, legs, torso. Everywhere. The rate of the twitches at worst was approximately 30 twitches per minute bouncing around from one area of the body to another. I am currently 3 weeks post vaccination and although I have seen significant improvement in the twitching, I am still currently experience this symptom.
1155400	4/1/2021	PA	71	F	4/1/2021	4/1/2021	Dizziness & shakiness after the vaccination. No diaphoresis, nausea, tunnel vision, SOB, CP. Initial BP was 162/76, Pulse 66, O2 sat 98%. BP progressively improved to 149/81. Pulse & O2 sat remained normal. No orthostasis. Symptoms resolved completely on their own with 20 minute observation.
1155363	4/1/2021	CA	22	F	3/31/2021	3/31/2021	Patient complains of dizziness, headache, and nausea 5 minutes after receiving vaccine. Denied difficulty with breathing, blurry vision or weakness. BP 106/62, HR 72, O2 Sat 97%. Symptoms resolved with rest.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1155333	4/1/2021	UT	47	M	3/5/2021	3/6/2021	<p>Day 1: Saturday morning March 6 at 5:00am I was shaken out of my sleep with a nasty migraine, sour stomach, intense body aches, stuffy nose, fever (102f). Classic flu like symptoms. I was extremely sick all day Saturday (level of sick: 8/10). Day 2: Sunday morning March 7 I awoke again extremely sick, just as sick as Saturday. All same symptoms (level of sick: 7/10). Sunday night I was incredibly miserable, all flu symptoms, I did not sleep Sunday night, up all night and up all day the next day Monday. Day 3: Monday I continued to be sick, all same symptoms, all day long. This time the blood shot eyes &amp; bloody nose came on, fever was steady at 101f (level of sick: 6/10). Day 4: Tuesday woke up still sick, same flu like symptoms. I feel the headache has gotten worse, in fact way worse. Fever steady at 101f all day. Overall I'm not as sick except the headache and fever (level of sick: 6/10). Day 5: Wednesday I was really hoping I'd make a full recovery but still still sick, fever dropped for a few hours then came back, fever peaks and bounces around at 101f. Headache is absolutely nasty, I feel intense pain in the back of my neck and head, hard to sleep or lay down. (level of sick: 5/10). Day 6: Thursday I feel like I'm just about kick this sickness, feeling way better. I dont have a fever today but I still have an incredibly nasty headache, really intense, my eyes hurt, back of my neck hurts. (level of sick: 3/10). Day 7: Friday, no flu symptoms, finally!! But the headache continues, really bad. It sort of disables my ability to function with the headache. Back of my neck and back of head hurts, inside my brain hurts. Ugh! Day 8: Saturday, no flu, no fever, although still bad headache. I've been taking Advil all week to help reduce the headache. It helps, but after about 6 hours later the headache returns. Late in the evening Saturday my head was pounding. Day 9: Sunday headache not that bad, mild headache lingered throughout the day, tolerable. Day 10: Monday no headache!! Today was the first full day of full happiness!! *NOTE*: In July 2020 I got COVID extremely bad, spent 4 days in the ICU, couldnt breathe!! I had a fever of 103 for 6 days straight before calling 911 to come and get me. I was in bad shape, lost 30 lbs, had respiratory breathing issue for about 2 months after hospital stay. Most sick I've ever been, total game changer, I will never be the same. To this day I feel my respiratory is at 90%, fatigue still comes around every so</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							often.
1155332	4/1/2021	PA	44	F	4/1/2021	4/1/2021	Patient complaint of nausea after vaccination. No vomiting, diaphoresis, color change, or tunnel vision. Vital signs stable throughout evaluation on - BP, pulse rate, and O2 saturation were all normal. Initial BP - 136/92 Pulse - 90 O2 sat 98%. Symptoms were all self-resolving with time - 30 minute observation. No orthostasis at discharge. This was clinically a mild vaso-vagal reaction.
1155321	4/1/2021	IA	30	F	3/26/2021	3/28/2021	Most likely toxin-mediated focal intertriginous bullous impetigo given stratum corneum on jelly roll procedure in a young otherwise healthy patient with normal renal function. Given the patient is afebrile and does not have diffuse erythroderma at this time, the likelihood of staph scalded skin syndrome is exceedingly low. Also considered Stevens-Johnson Syndrome, which is also low on the differential given no observable mucosal involvement (assessment by ophthalmology and OB/GYN also showed no ocular or vaginal mucosal involvement).
1155308	4/1/2021	CA	32	M	3/17/2021	3/21/2021	My vision has been affected. Starting 4 days after the shot, I had discomfort while driving. I was wearing contacts and had my prescription renewed 2 days before my vaccination so I don't think my contacts are the issue. I The discomfort feels like my eyes are having trouble focusing even though I can see fine. It's as if my eye muscles are strained. It also feels like I've been trying to look at something very close to my eyes for a long time even though I haven't. I'm not certain, but I think the discomfort is on top or behind my eyeballs. My optometrist told me to stop wearing contacts for 2 weeks and that's helped but I still have slight discomfort still, especially when driving or having to focus on near and far objects.
1155269	4/1/2021	ME	62	M	4/1/2021	4/1/2021	Left arm, left eye/face numbness (front teeth and cheek numb) and some lightheadedness. Vitals: O2 sat 98% on RA, BP 122/70, HR 60. No rash, itchiness or wheezing. Throat/neck/thorax clear. Patient given 25 mg PO Benadryl and 20 mg PO famotidine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1155566	4/1/2021	CA	50	F	4/1/2021	4/1/2021	Patient with onset of tickle in throat, cough, sweats, hoarse voice, and headache s/p 2nd dose COVID vaccine Brought to observation area for assessment, water bottle given Consulted with Dr - MD evaluated pt's throat, visualized with otoscope, and no swelling seen Able to talk with scratchy voice, feels better sipping water Episode of dry heaves with no emesis Cetirizine 10 mg PO given, pt able to tolerate after dry heaves resolved Monitored for 30 minutes post admin of Cetirizine with improvement of symptoms, pt reports tickle in throat and cough resolved, overall feeling better, no further dry heaves. Advised to go to ED if any symptoms return or any new symptoms, pt verbalized understanding
1155938	4/1/2021		25	F	4/1/2021	4/1/2021	chest pain, 4/10, eyes tingling. Evaluated by EMS- Cleared

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1155255	4/1/2021	NM	60	F	3/23/2021	3/23/2021	She got her vaccine and within 15 minutes she was having a hard time breathing. She told her husband that she needed to go to the bathroom and see if she could get the feeling to stop. She went into the bathroom and she was gasping and choking for breathe. They got her into the ambulance and her BP was extremely high 128/90 and her BP normally is 98/60. They started an IV, breathing treatments and oxygen. She was gagging up saliva and having a hard time breathing. They got her to where she was calm. Her body when it is under extreme amounts of stress goes into seizures, which it did. She then was transferred to in for observation. By the time she arrived her BP had come down and was starting to stabilize. She was given steroids, discharged home. She has had problems breathing, extreme/sharp pain on the left side of her head behind the eye, which has been going on for over a week. By the end of the day she is exhausted. She has never had a hard time breathing at high altitudes and now she can walk up the stairs and be winded. This has all happened since receiving the vaccine. She sent a message to her doctor who did seem concerned. The pharmacist at the facility at the time said that she was fine, to leave her alone. The EMT's said that there was something wrong with her and took her to the hospital. The hospital did not give her any long-term medications to take. She does have a routine APT with her PCP on 4/6/21. On Thursday she woke up and asked her husband if her face was swollen, and he asked why, she stated that her face was numb, and some spots so sensitive that she could not brush her hair. This was on the left side. The sensitivity is still there, but not as intense.
1155205	4/1/2021	NC	37	F	3/30/2021	4/1/2021	Rash all over torso; eyelids and under eyes are swollen and puffy
1155315	4/1/2021	AZ	19	M	3/31/2021	3/31/2021	Blurred vision, dizziness, fever & nausea

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1155832	4/1/2021	OH	25	M	3/30/2021	3/30/2021	<p>Patient reported to clinic for Pfizer Covid-19 vaccination. Patient did not indicate on questionnaire that he had experienced fainting or severe reactions from receiving vaccinations before. About 5 seconds after receiving vaccination patient said he would like to sit for just a minute. The clinic had a designated waiting area about 25 feet away where patients sit for 15 minutes after receiving vaccination. My technician and I agreed that patient should stay seated in the same chair he was receiving the vaccination in so we would be right next to him. After 2-3 minutes I noticed the patient had his eyes closed and then his head began to nod and he started to slump down in the chair. As I went to patient's side to stabilize him he pushed his chair backwards away from me about 5 feet which caused him to roll to the right side of the chair and fall off hitting his head on the floor. My technician immediately called 911 and EMTs arrived in about 5 minutes. A bystander who was a nurse helped me roll him onto his back and we propped his legs up with 2 cushions. We took his blood pressure and pulse. Patient regained consciousness in about 30 seconds and the EMTs cleared him to stand up after about 15 minutes. After patient had recovered, patient's mother who was there with patient and other siblings stated that the whole family has fainting episodes when receiving vaccinations. I informed patient's mother and patient to please inform any future vaccinators of these fainting episodes so they can be prepared.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1153942	4/1/2021	FL		F		2/27/2021	little ache; popped eye; swollen eye; A spontaneous report was received from a consumer, who is a 64-year-old female patient that received Moderna's COVID-19 vaccine (mRNA-1273) and experienced swollen and popped eyes. The patient's medical history was not provided. Concomitant product use was not provided by the reporter. On an unspecified date, prior to the onset of events, the patient received their first of two planned doses of mRNA-1273 (lot number unknown) via unknown route for COVID-19 infection prophylaxis. On 27-FEB-2021, prior to the onset of events, the patient received their second of two planned doses of mRNA-1273 (lot number 0252A21A) via unknown route for COVID-19 infection prophylaxis. On 27-FEB-2021, after second dose of vaccine, the patient experienced eyes swollen and popped which she doesn't experienced after the first dose which she only had a little ache. No treatment medication was reported. The patient received both scheduled doses of mRNA-1273 prior to the events; therefore, action taken with the drug in response to the event is not applicable. The outcome of the events was unknown.; Reporter's Comments: Very limited information regarding these events has been provided at this time. Further information has been requested.
1155203	4/1/2021	OH	29	M	4/1/2021	4/1/2021	One minute after getting his vaccination, he felt lightheadedness, and had blurry vision. He was taken to a private section of the arena and monitored.
1156042	4/1/2021	NY	68	M	3/5/2021	3/5/2021	Pfizer-BioNTECH Covid 19 vaccine EUA , side effect was a stroke affecting loss of vision in both eyes
1156021	4/1/2021	UT	21	F	1/28/2021	1/29/2021	The first dose my arm got red and swollen for about three weeks. It has a big bump in the center that was hot to the touch. I got it checked out by a covid reaction physician who said it was a mild allergic reaction. The second dose my left eye swelled shut and both lips swelled up about 24 hours after administration. My throat started to close and I couldn't breathe. I ended up having to go to the emergency room where they were able to control the allergic reaction. They said it was an allergic reaction to the vaccine and have recommended not getting any more covid vaccines in the future if there were more produced.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1155999	4/1/2021	CA	40	F	3/24/2021	3/24/2021	Body aches, chills, mild swelling of eyes
1155998	4/1/2021	MN	60	F	3/26/2021	3/26/2021	Concern - left side facial paralysis Onset: 3/26/21 - pt received first COVID vaccine (moderna) into the left arm; pt is concerned about bell's palsy Description: left side facial paralysis/pain, left ear pain - pt says things sound different/louder Intensity: mild Progression of Symptoms: worsening Accompanying Signs & Symptoms: trouble talking, minor trouble swallowing/eating Previous history of similar problem: none Precipitating factors: Worsened by: lying down on left side Alleviating factors: Improved by: none Therapies tried and outcome: aspirin, heat packs - not helpful This previously healthy 60-year-old female presents to the clinic to be evaluated for left facial drooping and numbness sensation that started after she received her first Covid vaccine on 3/26/2021. She denies any weakness in her upper or lower extremities. She is not feeling ill or having fevers. She is unable to blink the left eye and the left side of her mouth droops downward. Symptoms are consistent with left sided Bell's palsy. There are some reports of this occurring after the Moderna Covid vaccine, but not clear causal evidence at this time. She was given a prescription for prednisone and I am contacting MDH to file a report. I recommended against starting an antiviral
1155931	4/1/2021	CA	59	M	3/26/2021	3/30/2021	3/26/21 11:00 a.m. - 3/28/21 9:00 a.m.: soreness and tenderness at the injection site - RESOLVED 3/30/21 queasiness 3/31/21 3:30 p.m. - 7:30 p.m. severe headache over right eye (ameliorated with tylenol) 3/31/21 to present: moderate to mild nausea 4/1/21 8:30 a.m. to present: intermittent diarrhea
1155902	4/1/2021	CA	35	F	3/31/2021	3/31/2021	Patient received 2nd dose on 3/31 and immediately reported feeling pain and itchiness in her throat and ears. Patient also reported headache, dry throat, and blurry vision. Clinic MD assessed patient and observed patient for extended observation. Per client, client vision became better after 15 minutes passed- patient reported eye pain on movement and continued dry throat. Patient was told to see HCP if further issues.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1155894	4/1/2021	FL	57	F	1/11/2021	2/25/2021	1ST VACCINE- 1/11/2021 VERY SORE ARM, SAME DAY AS VACCINE . 1ST VACCINE. SECOND VACCINE WAS GIVEN ON 2/01/2021 AND ARM WAS ALSO SORE SAME DAY, DAY TWO, HORRIBLE HEADACHE BEHIND MY RIGHT EYE, NAUSEA, WEAKNESS IN LIMBS. ON 2/25/2021 HAD HORRIBLE STOMACH PAINS, THE NEXT MORING WENT TO ER. HAD ACCUTE APPENDICITIS. HAD APPENDIX REMOVED THE EVENING OF 2/26/2021. I NOW HAVE SOMETHING WRONG WITH MY LUNGS OR HEART. I AM CURRENTLY SEEKING TREATMENT AT CARDIOLOGY.
1155851	4/1/2021	TX	53	F	3/30/2021	3/30/2021	Onset of right temple pain and right eye water approximately 3 hours after 2nd dose moderna vaccine. Progressed to right facial paralysis, increased eye watering, unable to completely close right eye or raise right side of face, drooling with drinking liquids. Called primary care physician 4/1/2021, referred to ED. Evaluated by ER provider, FNP on 4/1/2021, exam findings consistent with Bell's Palsy with no other neurological deficits noted. Nursing staff assisted pt with completing report, pt listed as reporter for follow-up.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1155919	4/1/2021	PA	28	M	4/1/2021	4/1/2021	Patient has a history of syncope after vaccinations (last occurred with a vaccination 10 years ago) but did not state this prior to receiving his first COVID-19 vaccine. About 1 minute after sitting down in the observation area, he fell to the ground and briefly lost consciousness. Multiple staff members came immediately to assess, rolled him over, and he immediately came to and was alert and oriented. He was taken to a medical area and laid down on a cot. He had unremarkable vitals and was breathing normally. He initially endorsed feeling lightheaded, but denied any other symptoms. He was given crackers and water given that he had not had much to eat or drink before the vaccination. He had a normal neurological exam. He was noted to have a superficial abrasion above and below the left eye (lower forehead and upper cheek), and a small Bandaid was placed on the forehead. Fire rescue on site called EMS, who assessed him. There were no immediate concerns and he refused transportation to a hospital for further assessment. After 1 hour had passed, the patient confirmed that he was feeling normal and he was allowed to leave. He was able to walk out of the facility of his own volition and did not have further symptoms when standing. His wife verified that she would drive him home. Prior to leaving, he was given strict instructions of reasons to seek immediate medical care should he have any new or worsening symptoms. The patient indicated understanding. Communication was performed via a Language Line medical interpreter.
1155841	4/1/2021	PA	56	F	3/15/2021	3/30/2021	Initial headache then sharp/shooting pains in ears/neck. Dizziness and vision changes. possible trigeminal neuralgia
1155574	4/1/2021	MT	60	F	3/30/2021	3/30/2021	Splitting headache, swollen eyes and lymph nodes in neck, felt beat with a bat (hurt to be touched), injection site 3" in diameter and swollen and red, brain fog, could not lift head or arms for 24 hours, high temperature 102, extreme joint pain.
1155827	4/1/2021	FL	40	F	12/22/2020	12/22/2020	FLUSHING, TINGLING OF BODY, BLURRY VISION HEADACHE, CHEST TIGHTNESS + PRESSURE. TOOK BENADRYL 20MG INITIALLY AT 4. MEDROL DOSE PACK STARTED IN A.M. AFTER SWELLING TO FACE, EYES, MOUTH (FACIAL EDEMA)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1155756	4/1/2021	CA	55	F	4/1/2021	4/1/2021	At 8:54 client complained of feeling dizzy, spotted vision, client looked pale, diaphoretic while sitting. BP at 8:55 was 80/61, HR 76, RR 18, O2 sat 96% on RA. Client was then put on transdelenburg position immediately at 8:56 with vital signs taken BP 118/70, HR 75, RR 20, O2 sat 96% on RA. Back on sitting position at 8:59 BP 120/76, HR 83, RR 20, O2 sat 98% on RA. Client denies any dizziness or spotty vision at this time. No further treatment was necessary. Advice to call 911 client refused. husband will drive client home. leaving at 9:20. Total observation time is 41 min.
1155743	4/1/2021	WA	57	F	3/26/2021	3/28/2021	Noticed a stinging, burning rash on face under left eye, on the side of my nose, and on upper lip on 03/28/2021 at 11:00 AM. 03/31/2021 Was seen by Dr. . He diagnosed the rash as shingles. Prescribed Valacyclovir 500mg tabs. 2 tabs 3 times daily for 7 days.
1155691	4/1/2021	CA	51	F	3/24/2021	3/24/2021	1st Dose - effects surfaced aprpx 5 days later - painful swollen lymph nodes 2nd Dose - effects surfaced within hrs. Massive headache - affected peripheral vision, nausea, body aches, hot, and chills, mild dry heaves, vomitted once, weak & slightly faint, dizzy , sharp painful lymph nodes (left collar bone, Left underarm area, side of left breast, slight burning sensation, Thursday woke up with pain in back of knees, back, neck and head, in bed Wed evening through Friday, touch of diarrhea, bowel movement seemed to slightly alleviate headache, touch of stomach gas, back to work Monday, Tuesday woke up with massive headache again unable to lift head from bed, nausea, & chills unable to go to work. Wednesday back to work - got home felt fatigued slept from 5pm to 6:45 am.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1155668	4/1/2021	TX	63	F	3/31/2021	3/31/2021	Approximately 5 minutes after vaccination, the patient c/o "swelling in my mouth". She was reclined and vital signs taken: BP 180/120, P 97, R 18, O2 Sat: 97%. She also c/o blurry vision. EMS was called and 50 mg Benadryl was given IM in the Right Deltoid. She was able to swallow small sips of water. Approx. 5 minutes later, she stated that she could feel the swelling receding in her mouth. EMS arrived and she was feeling better, but her BP remained elevated at 180/120 and she was transported to Medical Center via EMS for elevated BP. The patient called us this morning 4/1/2021 to report that she is home. She was treated at the hospital for elevated BP and sent home when BP returned to normal.
1155650	4/1/2021	SC	65	F	1/21/2021	1/21/2021	About 8 minutes into the 15 min time, I felt a wave go across my stomach and about 2 min later, I felt another wave go across my stomach. When my 15 min was up, I told the RN I didn't feel good. I told her I felt like I was going to pass out and I needed to use the bathroom. She pushed me forward and back. I pulled myself back to try and keep from passing out. The RN was taking my pulse, said it was Bradicardic. Then they got more people, I saw them running in and I remember hearing a CODE going over the speaker. I remember them saying check my blood sugar and keep the pulse ox on my finger if I didn't have oxgen on. When I came to, my vision was blurry and kinda in a fog. I remember saying I took a nap. When they put me on the stretcher, I had riggers and remember thinking, " put a coat on me!" After some tests, I was discharged.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1155648	4/1/2021	NY	32	F	4/1/2021	4/1/2021	lightheadedness immediately after vaccine administration for Pfizer today Has hx allergies including tylenol Followed by allergist; prior testing w/ tylenol with delayed reaction about 60 minutes later involving eyelid swelling Pt also noted flushing, feeling of anxiousness, intermittent nausea, metallic taste in mouth, throat itching Had episode of diarrhea (once, small volume) ~ 20 minutes after vaccine Has warmth sensation mostly in toes Panic attacks in past responsive to meditation and deep breathing Vitals notable HR 100-109, BP > 150/90, o2 sat ~ 98% No visible hives No angioedema notable Cn 2-12 grossly intact Distressed non toxic appearance No flushing Lungs ctab no wheeze evident Bowel sounds present A/p Given hx severe allergies and clinical presentation, discussed w/ patient safest to monitor for anaphylactic reaction in ER in context of prior delayed reaction - 25mg PO benadryl x 1 - monitor vitals - EMS notified
1155621	4/1/2021	PA	36	F	4/1/2021	4/1/2021	C/o of dizziness and tunnel vision right after receiving vaccine. Able to move to the bed on own. Initial BP 116/70, HR 66, O2 sat 99%. Does have history of HIV infection for which she take PO meds "for a long time". Vital signs remained stable throughout her stay. Able to dangle and ambulate without dizziness. Drinking water. Symptoms resolved on their own. Discharged feeling much improved.
1155614	4/1/2021	IL	51	M	3/29/2021	3/29/2021	I suffer from Tinnitus, and my tinnitus has doubled in severity since receiving the vaccine; I also experienced a number of non-headache migraine symptoms, including aura, eye strain, head, neck and eye strain, scalp sensitivity, light sensitivity, spotty and blurry vision, difficulty focusing and brain fog
1155582	4/1/2021	AR	73	M	3/3/2021	3/5/2021	Pain in right side of face and head started 2 days after vaccination. Right eye lid became droopy and continued to worsen for 2 more days until he was no longer able to open his right eye. He is still experiencing pain and is unable to open his eye. He states that his vision is slightly blurred in right eye but is able to see.
1155576	4/1/2021	FL	45	F	3/31/2021	3/31/2021	ongoing dull headache, eye/sinus pain, light headedness, and nausea approximately 5 minutes following 1st dose and ongoing 24 hours post dose.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1155844	4/1/2021	OH	18	F	3/30/2021	3/31/2021	Pain and soreness in vaccination arm was immediate for the rest of the day. Started feeling achey and feverish at the end of the day towards nighttime and bedtime. Took a Tylenol before going to bed. Woke up at 6:00a.m. feeling achey and feverish again, more severe this time. Attempted to walk to get another Tylenol and take my temperature, vision blurred and was extremely cold, immediate nausea, felt like I was going to pass out. Shaking and chills. After drinking Gatorade, ginger ale and water and eating peanut butter toast, nausea settled. After a bit, experienced severe stomach cramps. Drank more ginger ale and Gatorade and took a Tylenol to relieve pain. After 30-45 minutes, pain relieved and I was able to go back to bed. Rest of the day experienced pounding headache and feverish and achey body. Experienced fever highest at 99.8 during the day. After 24 hours passed, feel 100% better and all symptoms and side effects relieved. Only thing sustaining is a little bit of pain and soreness in the arm.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153967	4/1/2021	FL	66	M	3/18/2021	3/19/2021	ended up passing out, seemed to black out; couldn't respond/ not responding to his name; falling; achy; very shaky; eyes were glassed over; couldn't hold his head up straight; breathing was labored; soaking with sweat; slight temperature of 99.5-100.9F; A spontaneous report was received from a spouse concerning a 65-year old, male patient who received Moderna's COVID-19 vaccine(mRNA1273) experienced ended up passing out, seemed to black out/ loss of consciousness, couldn't respond, not responding to his name/ unresponsive to stimuli, fall, achy/ pain, shaky/ tremor, eyes were glassed over/ glassy eyes, couldn't hold his head up straight/ balance disorder, labored breathing/ dyspnea, soaking with sweat/ hyperhidrosis, and slight temperature of 99.5-100.9f/ pyrexia. The patient's medical history was not provided. Concomitant medications included medicine for chlolesterol and blood pressure. On 18 Mar 2021, prior to the onset of the events, the patient received second of two planned doses of mRNA-1273 (lot/batch:047A21A) intramuscularly on left arm for prophylaxis of COVID-19 infection. 19 Mar 2021, the patient complained of being achy and had a slight temperature of 99.5 F that went up to 100.9 F. The patient was very shaky, and ending up passing out, and falling. The patient seemed to black out, his eyes were open and glassed over, but he couldn't respond or hold his head up straight. He did not respond to his name and his breathing was labored. The patient was also sweating. Treatment for the events included aspirin and rest. The patient received both scheduled doses of mRNA-1273; therefore, action taken with the drug in response to the events is not applicable. The outcome of the events was unknown.; Reporter's Comments: Based on the current available information which includes a temporal association between the use of the product and the start date of the reported event, and excluding any other etiology, a causal relationship with the event cannot be excluded.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153955	4/1/2021			F		2/27/2021	<p>eye condition broken blood vessel in the eye; A spontaneous report was received from a consumer concerning herself, a female patient of unknown age who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced eye condition broken blood vessel in the eye/ Eye haemorrhage. The patient's medical history was not provided. Concomitant product use was not provided by the reporter. On 27Feb2021, prior to the onset of the event the patient received the first of two planned doses of mRNA-1273 (lot/batch: Unknown) via Intramuscular route for prophylaxis of COVID-19 infection. On an unknown date, patient experienced eye condition broken blood vessel in the eye and was considered as medically significant. Action taken with mRNA-1273 in response to the event was Unknown. The outcome of event eye condition broken blood vessel in the eye was unknown, at the time of this report.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1154090	4/1/2021	MD	66	F	3/3/2021	3/4/2021	<p>Bell's palsy; Sore Arm; This is a spontaneous report from contactable consumers (one is the patient). A 66-year-old female patient received bnt162b2 (Pfizer-Biontech Covid-19 Vaccine) first dose, via an unspecified route of administration, administered in Arm Right on 03Mar2021 11:40 am (Batch/Lot Number: EM9810) as SINGLE DOSE for covid-19 immunisation. The patient was vaccinated at a hospital. Medical history included Type 2 diabetes mellitus: Diagnosed one year ago; Gastroesophageal reflux disease (GERD) Diagnosed 2 years ago; Hashimoto's disease Diagnosed 5 or more years ago; High cholesterol and blood pressure abnormal (reported as Blood pressure); all from an unknown date and unknown if ongoing. No history of all previous immunization with the Pfizer vaccine considered as suspect. No additional vaccines administered on same date of the Pfizer Suspect. No prior vaccinations within 4 weeks, also no Family Medical History Relevant to the adverse events. Concomitant medications included metformin 500 mg once a day by mouth taken for diabetes (reputed Has been taking that about a year); pravastatin sodium (PRAVACOL) 40 mg once a day by mouth taken for High cholesterol; levothyroxine sodium (SYNTHROID) 50 mcg once daily by mouth taken for an unspecified indication; omeprazole 20 mg once a day by mouth taken for an unspecified indication; and losartan 50 mg once a day by mouth taken for blood pressure; all start and stop date were not reported. It was reported that the patient is calling about the COVID Pfizer vaccine shot. The patient took the first dose of the shot on Wednesday 03Mar2021. The patient now has been diagnosed with Bell's Palsy and she believes that it is from the shot. The patient's speech is impaired because of the bells palsy. The only thing the patient had was a sore right arm on 04Mar2021. Then on 10Mar2021 the left side of her neck started to really hurt and behind her ear, it was severe pain, frequently she would get a jolt of pain on top of the existing pain. The patient had this pain 10Mar2021, 11Mar2021, 12Mar2021, and by Saturday 13Mar2021 her face started to distort, now she couldn't close her eye, her lips were numb, and her speech was interfered. Monday (15Mar2021) morning the patient was seen by her primary care provider and her doctor told her it was Bell's Palsy. Blood was drawn at that time, but the patient doesn't have the results yet. The patient was</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

given prednisone and an anti-viral which after she took them it helped with the pain significantly. The patient's face still has the paralysis on the left side of her face. No other parts of her body were affected other than a sore arm at the site on the right side, which was not a big deal. It was reported that the patient is taking COVID vaccine as she heard she should get it and her husband had the shots and was fine. The patient mentions that her husband had one bad day after the vaccines but he was fine, so she decided to get it. The patient wanted to know, she is going to follow up with her primary care provider on 22Mar2021 but she was scheduled for her second Pfizer shot on 24Mar2021, should she get the second dose. The patient read that 40,0000 people were given the vaccine and 4 people had bell's palsy and because of that they discounted it as a side effect, and the placebo group did not develop this. It was noted that the patient did not required emergency room visit but to the Physician's office (Primary Care Provider). The patient does not have the results of her blood work back yet. The outcome of the event a sore right arm was recovered on 06Mar2021; for the other event was not recovered. The relatedness of drug to reaction(s)/event(s) for the event Bell's palsy was reported to be related.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1154078	4/1/2021	MA	74	F	3/12/2021	3/13/2021	<p>it takes her a while to get the body parts moving; She does not feel like eating; headache; her stomach is pretty upset; her neck is kind of stiff/Aches were Neck/back of head is kind of stiff; pain around the arm/her arm was hurt/upper left arm to bottom of arm was sore; This is a spontaneous report from a contactable consumer (patient) reported that: A 74-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; Solution for injection), dose 1 via an unspecified route of administration, administered in Arm Left on Friday, 12Mar2021 in the early morning probably about 08:30 AM as single dose for covid-19 immunisation. She was 5'4, but thinks she shrunk a little bit and is now 5 feet 3 inch. Initially stated no medical history, but then reported she gets migraines. Caller reported she does not get them on a regular basis; had more in her younger years, migraines are hormone driven and once she went through menopause, she stopped having them regular; she maybe gets them 5 or 6 times a year now. The patient's concomitant medications were not reported. No additional vaccines administered on same date of the Pfizer Suspect. The patient really did not have a reaction on the day of the vaccine, no swelling or soreness. The next day, Saturday, 13Mar2021, and Sunday, 14Mar2021, she noticed her arm was hurt, she wants to know if that could be a reaction. The patient stated that, at the time, she just dismissed it. It stopped hurting on Sunday. Today, 16Mar2021, on Day 4, she woke up with a headache and her stomach is pretty upset. She heard people say right after they got the shot that they had side effects, the same thing she is having, so she doesn't know if this is random and doesn't know if it's connected to the vaccine or not. She is concerned and wants to know if she should get the next dose of the vaccine. Clarified the pain was not at the injection site; her upper arm and maybe to her elbow was just sore, no swelling or redness, just sore arm. This lasted through the next couple of days after the shot. Patient mentioned that she absolutely did not have much of a reaction; she has had issues with bee stings in the past, described as big, huge swelling and redness, no breathing associated with it. Patient stated she has been told that is a reaction. She clarified she did not have anything like that on the day of the injection itself. She is in between doctors right now; she doesn't have PCP.</p>

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

She hears from friends that the PCPs do a lot of diagnosing and treatment over the phone. She doesn't know if it's a state thing because she's been to dermatologist, eye doctor, had her teeth cleaned twice at the dentist during this pandemic. It feels like maybe she has some aches; her neck is kind of stiff, maybe because she has been in bed all day, because of her age, she can feel aches and pains more often. Patient also mentioned that in the morning, it takes her a while to get the body parts moving. She has not been up and has been in bed. She is laying back down again because her neck or back of her head felt kind of stiff. No treatment was taken. She did not take or eat anything today yet because her stomach has been upset. It has been 4 days since she received the vaccine, and she would assume she would've gotten the side effects closer to the day of injection. She is scheduled for the second dose on 29Mar2021, and she has questions about that: if this means anything, is this connected to the injection. Headache started at about 6 AM when she woke up this morning. She has been holding off on taking Aleve or Excedrin because of the upset stomach waiting for that to calm down because she does not want to throw up. She does not feel like eating. She has not eaten yet, but she knows she needs to. She doesn't know if it's her neck or the back of her head, but it is kind of painful when she stands up. Her stomach might feel a little better, not that she's hungry, but she's thinking more that she needs to eat whereas this morning she was not going to do it and didn't care. She has basically been in bed all day; she spent more than an hour on hold. Clarified that she was not sleeping, but in bed. When she got up, she noticed pain in her neck or back of head. She had not been up long enough to tell if it's still going on, she just got up once or twice for a quick bathroom break. She does not know when the pain started, she could've had the pain before, but she just noticed it. Patient mentioned that while she is laying down, it doesn't hurt. Aches were Neck/back of head is kind of stiff; kind of painful when she stands up exact time unknown but hurts when she gets up. She had nothing on the day of; she was bragging to everyone it didn't hurt. Caller clarified the upper left arm to bottom of arm was sore. She asked one of her friends if she had a sore arm after the shot and she said no. No additional information provided. she just went

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

back to bed and figured she'd sleep it off. Relevant Tests: Antibody in Early Feb2021 and Covid test- She does not know the exact date of the Covid Test, but she would guess 16Feb2021 or 17Feb2021. She thinks it was the rapid test: Both were negative. Outcome of the events were upper left arm to bottom of arm was recovered on 14Mar2021. Headache was not recovered; stomach is pretty upset was not recovered. Aches- Neck/back of head is kind of stiff; kind of painful when she stands up, it takes her a while to get the body parts moving, She does not feel like eating,her arm was hurt, upper left arm to bottom of arm was sore were unknown. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1154073	4/1/2021	TX	59	M	3/6/2021	3/6/2021	<p>He will keep him up until 3 in the morning and he stays awake; headache; it is really frustrating; pain in his joints and his bones and it was getting worse; pain in his joints and his bones and it was getting worse; pain all over; Any place in his body, his muscles, joints, and bones have had pain previously/ pain in his joints and his bones and it was getting worse/ pain all over on the day after his COVID vaccine; body is so weak/ doesn't have any energy to move; tired; a little bit of small itching, not much, just a little bit that made him feel not comfortable with it; a little bit of small itching, not much, just a little bit that made him feel not comfortable with it; ribs moving quicker; This is a spontaneous report from a contactable consumer (patient). A 59-year-old male patient received first dose of BNT162B2, via an unspecified route of administration (left arm) on 06Mar2021 at a single dose for COVID-19 immunisation. Medical history included pain, high cholesterol, and testosterone low, joint pain, bone pain, muscle pain, any place in his body had pain, and doesn't have good memory, all ongoing.</p> <p>Concomitant medications included ongoing hydrocodone for pain, ongoing atorvastatin for high cholesterol, ongoing clomiphene citrate for testosterone medication because it was low because of his age, ongoing colecalciferol (Vitamin D), ongoing ascorbic acid (Vitamin C), ongoing oxycodone for pain, and unspecified eye medication. He had many different medications that he was taking. Historical vaccines included chicken pox vaccine for immunization and shingles vaccine in Jan2020 for immunization and experienced pain all over. The patient stated that he was a torture survivor and he has been taking pain medication because of him being tortured previously. He was taking medications for the pain, clarified to be hydrocodone and oxycodone. These medications kept his body stable. He was able to sleep and relax. One day after he received his Pfizer COVID vaccine (07Mar2021), he started feeling the pain in his joints and his bones and it was getting worse but the pain used to be stable with the way he was using his medicines. But now his body was not stable. Any place in his body, his muscles, joints, and bones have had pain previously because of the damage of torture but now it all came up after the COVID vaccine. Every piece of his body hurt even if he takes his medications. He still had the pain and his body was so weak for about 4 to 5</p>

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

hours. He used to be able to do his business all day but now after about 3 to 4 hours on his feet he got so tired and he needed to sit. He didn't know why this happened. He has talked to others that have received COVID vaccines and none have had this kind of reaction like him. He has asked them about it. It was very frustrating to him on an unspecified date. Every month he sees a physician. He would like for Pfizer to contact him with further questions, he can't understand the pain. This was really killing him especially when the pain goes to his bones. He will keep him up until 3 in the morning and he stays awake on an unspecified date. He then took medicine and he had to wait for 30 minutes for it to start working and then he will be able to sleep. But other than that, the pain jumped. He has had the chicken pox and the shingles vaccines and none did like that. The pain was not going away in his muscles or joints. And now he was getting a headache on an unspecified date, it was really frustrating. He didn't have good memory from the torture. This morning, when he woke up, he had the pain in his joints and his bones. He didn't like to use too much medication. He liked to use it only as he needs it. Pain medications are strong. But this COVID vaccine somehow made him need to use more medication and then that caused him to have a headache. His pain should get better with his medications but today, he had pain all over him and he didn't have any energy to move. He didn't know how to explain it. The COVID vaccine had really kind of made him weak. Sometimes he drinks a lot of cranberry juice to try and take the vaccine out of his system and it was frustrating because he hasn't ever been like this. When he had pain like this it reminded him of his torturing and what had happened to him. When the pain came on strong was when it reminded him of that. The medications he was taking were supposed to kill the pain. That was the reason he got so pissed and was trying to ask what was going on. This COVID vaccine is not safe he believed because it has been almost 10 days and it was not helping him. He was still not good. After he got his COVID vaccine on 06Mar2021, he had a little bit of small itching, not much, just a little bit that made him feel not comfortable with it. That was why they kept him for 20 minutes after his vaccine. When he got back home, he was okay, it was nothing serious. But then the day after his COVID vaccine on 07Mar2021, his joints,

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

his muscles and his bones had pain. On 06Mar2021 the itching lasted about 20 minutes. He felt like he was chewing his lip, he was a little uncomfortable and he felt his ribs moving quicker. Nothing happened but he could feel it. He tried to chew his lips a couple of times, but not that much. But after that, he had pain all over on the day after his COVID vaccine, 07Mar2021. By the time this vaccine started getting into his body, it was really hurting and getting worse. He had the shingles vaccine and for 1 1/2 to 2 days, he had pain all over and then 2 days after it was all gone, he was back to normal life. The pain was gone. With this COVID vaccine he thought that maybe it was going to be the same but it was not the same and it was hurting. The shingles vaccine was last year in 2020, 3 months before people knew about the coronavirus that was when he got the vaccine for shingles, so maybe Jan2020 was when he had the shingles vaccine. He had no medical conditions or heart and chest problems. No other vaccine he has taken has ever had this type of side effect to him. He took his shingles vaccine in his right arm and the COVID vaccine was in his left. With both he had the same start of having the bad pain. This COVID vaccine goes deeply to the body. The vaccines job is to wake the body. The vaccine's job is to wake up the body for the virus. The body has to make some kind of soldiers to stand up on the virus and this COVID vaccine had actually made his body weak. After the vaccine is supposed to wake the body, little by little the side effects are supposed to go away. His body was not learning this vaccine. It kept fighting to learn whatever was in this COVID vaccine, his body can't learn it and fight it. That was the reason his body got weak and the pain has not gone away. His body is still in alert and that's why the pain was still there. His body was still fighting. Somehow it didn't match the inside of the body. Maybe for some people that this will happen to, they will be okay but for some they will not be okay. It is not because some people have nothing wrong with them. The patient recovered from itching and discomfort on 06Mar2021; not recovered from any place in his body, his muscles, joints, and bones have had pain previously/ pain in his joints and his bones and it was getting worse/ pain all over on the day after his COVID vaccine; while outcome of other events was unknown. Information about lot/batch number has been requested.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1154057	4/1/2021			F	2/22/2021	2/22/2021	Left eye became blood shot and smaller and shrunk; Left eye became blood shot and smaller and shrunk; This is a spontaneous report from contactable consumer(patient) reported for herself. An unknown age female patient received 1st dose of BNT162B2 (Pfizer COVID-19 Vaccine) on 22Feb2021 at single dose for COVID-19 immunization. Medical history and concomitant drug were not reported. She got the first vaccine on 22Feb2021 and shortly after that her left eye became blood shot and smaller and shrunk and it has not changed since then. And she was due for the second dose on 15Mar2021 and she was wondering if she should take it. Outcome was the event was not recovered. Information on lot/batch number has been requested.
1154051	4/1/2021	NY	75	F	3/3/2021	3/3/2021	Angioedema (Face); Hives (between the eyes & forehead); Extreme Fatigue; This is a spontaneous report from a non-contactable consumer (patient). A 75-year-old female consumer received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 03Mar2021 at 15:30 at single dose in left arm for COVID-19 immunisation at the age of 75-year-old. Lot number was EM9810. Medical history included possible atrial fibrillation, allergy to sulfa. Past drug history included allergy to antibiotic drugs, Betoptic, Motrin, Iodine, Nickel, Latex, Ragweed, Mold, Grass, Cat, Bee. The patient was not pregnant. On 03Mar2021 at 18:00 approximately, the patient experienced angioedema (Face), Hives (between the eyes and forehead), Extreme Fatigue. The patient was not treated for the events. The patient was recovering from the events. In 2017, IgG Anti-IgE resulted elevated. It was unknown if the patient had Covid before vaccination. The patient was not tested for Covid after vaccination. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1154048	4/1/2021	CA	39	F	3/5/2021	3/5/2021	Anaphylaxis; swelling of face, eyes, mouth, tongue.; swelling of face, eyes, mouth, tongue.; swelling of face, eyes, mouth, tongue.; This is a spontaneous report from a contactable consumer (patient). A 39-year-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot: EN6205), via an unspecified route of administration on 05Mar2021 08:45 (at the age of 39-years-old) as single dose for covid-19 immunisation. The patient was not pregnant at the time of vaccination. Medical history included possible Covid one year ago (in 2020) and known allergies: mild shellfish allergy. Concomitant medication included ibuprofen in two weeks. On 05Mar2021 at 16:00, the patient experienced anaphylaxis, swelling of face, eyes, mouth, tongue that resulted in emergency room/department or urgent care. Treatment included epinephrine, steroids and diphenhydramine hydrochloride (BENADRYL). It was unknown if with covid prior vaccination. Not covid tested post vaccination. The patient had no other vaccine in four weeks. The outcome of the events was recovered in Mar2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1154038	4/1/2021	TX	52	F	3/4/2021	3/4/2021	<p>left hand was cold in the pinky and into half of her palm; left arm feels a little heavy; prickly feeling around her right eye; prickly feeling around her right eye and then she started feeling it in her left cheek on her face. She said that it then went to her left arm; prickly feeling in her lips. Then it went to right nostril and then to the roof of her mouth; numbing feeling in her palm and pinky in her left arm/ numbness in her left arm; difficulty swallowing; This is a spontaneous report from a contactable consumer (patient). A 52-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration at the age of 52-years-old, administered in Arm Right on 04Mar2021 17:15 (Lot Number: EN6206) as single dose for COVID-19 immunization. Medical history included, rotator tear, surgery, nerve block, muscle relaxant therapy, sciatica, neuropathy, numb in her leg in her thigh and from the knee down. She had a reaction to muscle relaxers that she was taking for sciatica and stated that it caused her to go numb in her leg in her thigh and from the knee down and it took 3 months for it to go away, but she still has neuropathy in that leg since then. There were no concomitant medications. The patient previously received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration at the age of 52-years-old, administered in Arm Left on 11Feb2021 (Lot Number: EL9269) as single dose for COVID-19 immunization. Patient is a schoolteacher that was calling about the Covid-19 vaccine and reported that within 10 minutes (04Mar2021) she felt a prickly feeling around her right eye and then she started feeling it in her left cheek on her face. She said that it then went to her left arm and then she got a numbing feeling in her palm and pinky in her left arm. She had no difficulty breathing. The paramedic came and looked at her and asked her to drink the rest of her water. She waited another 30 minutes before leaving and she said that she was fine. She said that when she was leaving she felt the prickly feeling in her lips. Then it went to right nostril and then to the roof of her mouth. She still has the numbness in her left arm, palm, and pinky. She said that she took some Benadryl and it helped. At one point she did have difficulty swallowing and that is what is what prompted her to take the Benadryl. She said that she stopped and</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

got coffee and she felt like her throat was getting hard and she had difficulty swallowing and it lasted about 2 minutes and she took Benadryl to treat it at the time. She said that the Covid-19 Vaccine gave her that same sensation as the muscle relaxer and she did not like that feeling. The numbness and prickly feeling is the same on her left arm. She said that it was on her right arm and hands, but it is not there or on her face anymore. She said that her left hand was cold in the pinky and into half of her palm (unspecified date). She said that her left arm feels a little heavy (unspecified date). She feels like it is heavy and she is trying to wake it up. That left side she had a rotator tear and she had surgery and had a nerve block. She said that it was a couple of years ago. She said that it felt like Deja Vu. Patient wanted to know if this is something that is involving her nerves? She is going to make an appointment with her physician. Therapeutic measures were taken as a result of "prickly feeling around her right eye", "prickly feeling around her right eye and then she started feeling it in her left cheek on her face. She said that it then went to her left arm", "prickly feeling in her lips. Then it went to right nostril and then to the roof of her mouth", "numbing feeling in her palm and pinky in her left arm/ numbness in her left arm", difficulty swallowing. The outcome of the event paraesthesia, hypoaesthesia was not recovered, of dysphagia was recovered on 04Mar2021, while for the other events was unknown. No Prior Vaccinations (within 4 weeks). No Family Medical History Relevant to adverse events. No Relevant Tests.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1154026	4/1/2021	NC	41	F	2/25/2021	2/25/2021	Anaphylactic reaction; Tachycardia/she felt her heart going fast; her throat starting to close/ Sensation of throat closure; Upper airway swelling/Increased use of accessory respiratory muscles; she could not breath/Difficulty breathing (without wheeze or stridor); Respiratory distress; her lips and tongue were big and it was getting worse; her lips and tongue were big and it was getting worse; Hoarse voice; Shock; Decreased level of consciousness; Generalized prickle sensation; Red and itchy eyes; Red and itchy eyes; Abdominal pain; The initial case was missing the following minimum criteria: adverse event (unspecified). Upon receipt of follow-up information on (17Mar2021), this case now contains all required information to be considered valid. This is a spontaneous report from a contactable consumer (patient). A 41-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration administered on arm right on 25Feb2021 08:15 (Batch/Lot Number: EN6203) as SINGLE DOSE for COVID-19 immunization at the hospital. Medical history included asthma. It was reported that the patient was allergic to NSAID, paracetamol (TYLENOL), pollen, cats and dogs; and insect bite/sting. She also had environmental allergies. It was also reported that her sister had breast cancer. Ongoing concomitant medications included spironolactone (SPIRONOLACTONE), vitamin C, cyanocobalamin (VITAMIN B12), calcium (CALCIUM), magnesium (MAGNESIUM), iron (IRON) and zinc (ZINC) all taken for unknown indications since unknown date. She had no other vaccines received around the time of COVID-19 vaccine vaccination. The patient was not pregnant (including at the time of vaccination). The patient received the first dose of PFIZER-BIONTECH COVID-19 VACCINE on 25Feb2021 at 08:15 AM. Thirty minutes after the vaccination (at 08:45), she had an anaphylactic reaction as she felt her heart going fast and was noted to have tachycardia (as an organ involvement), had sensation of throat closure her throat starting to close. She had upper airway swelling with increased use of accessory respiratory muscles, respiratory distress as she could not breath (without wheeze or stridor). Her lips and tongue were big and it was getting worse. She also had the following organ involvements manifested by

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

hoarse voice, shock, decreased level of consciousness, generalized prickle sensation, red and itchy eyes, and abdominal pain. She was administered with diphenhydramine (BENADRYL) IV. She was taken to ER and was also administered with famotidine 20 mg. The events were considered life threatening. The patient recovered from the events on unknown date in 2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153986	4/1/2021	FL	73	F	2/19/2021	2/19/2021	infection was still there and not cleared up; felt unwell and experienced fatigue, tiredness, and joint aches in her toes and fingers.; Hives; joint aches in her toes and fingers; felt unwell and experienced fatigue, tiredness, and joint aches in her toes and fingers.; Hot Sensation; leg became red, swollen, and hot to the touch.; leg became red, swollen, and hot to the touch.; Cellulitis; Leg Pain; A spontaneous report was received from a consumer concerning a 73-year-old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced leg pain/pain in extremity, cellulitis, leg became red/erythema, swollen/peripheral swelling, and hot to the touch/feeling hot, felt unwell/malaise and experienced fatigue, tiredness, and joint aches in her toes and fingers/arthritis, hives all over her body/urticaria, infection was still there and not cleared up/infection. The patient's medical history included thyroid disorder, cellulitis, and glaucoma. Concomitant medications included levothyroxine, statin, eye drops, and acetylsalicylic acid. on 19 Feb 2021, the patient received their first of two planned doses of mRNA-1273 intramuscularly in the left upper arm for prophylaxis of COVID-19 infection. On 19-FEB-2021, the patient noticed her leg hurt. She did not think too much of it and went to a clinic and received her first dose of the vaccine in her left arm that day. Later that evening, her leg became red, swollen, and hot to the touch. She stated that leg just blew up later that day. She was diagnosed with cellulitis and started to take Bactrim for the infection. On 25-Feb-2021, she felt unwell and experienced fatigue, tiredness, and joint aches in her toes and fingers. She woke up that night with hives all over her body that lasted for three days. However, she had no breathing issues. Her symptoms ultimately resolved on their own. This day was also her last dose of the Bactrim. On 01-Mar-2021, the infection was still there and not cleared up. She started to take a 10 day course of Doxycycline. On 11-Mar-2021, her leg infection was still not better and she started to take a 5 day course of Ciprofloxacin. On 19-Mar-2021, she cancelled her scheduled appointment to receive her second dose of the vaccine because she is not sure whether all the symptoms she experienced were from the antibiotics or the Moderna vaccine. She is afraid to get the second dose in fear that she will have a worse allergic reaction the second time around. Action taken

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

with mRNA-1273 in response to the event(s) was not provided. The events fatigue, tiredness, and joint aches in toes and fingers, and hives all over body were resolved on an unknown date. The outcome of events leg pain, cellulitis, leg pain became red, swollen, and hot to the touch, hives leg just blew up later that day, cellulitis, felt unwell infection was still there and not cleared up, not sure whether all the symptoms she experienced were from the antibiotics or the moderna vaccine, were not reported.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Noting the history of cellulitis may remain as risk factors. There are no contact details, so no further information has been requested.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1154121	4/1/2021	TN	48	F	12/28/2020	12/28/2020	<p>started swelling in face ,hands, eyes; started swelling in face ,hands, eyes; started swelling in face ,hands, eyes; having arrhythmias and blood pressure issues; having arrhythmias and blood pressure issues; have continued to have. Cardiac issues; This is a spontaneous report from a contactable nurse (patient) reported for herself. A 48-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL0140), on 28Dec2020 06:30 PM into right arm at single dose for COVID-19 immunization in Hospital. Medical history included Migraines, high blood pressure that was controlled. Patient was not Pregnant at the time of vaccination. the patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. No allergies to medications, food, or other products. Concomitant medication (medications the patient received within 2 weeks of vaccination) included hydrochlorothiazide and furosemide (LASIX [FUROSEMIDE]). patient took injection and started swelling in face, hands, eyes. Then started having arrhythmias and blood pressure issues. She has continued to have. Cardiac issues as well as blood pressure problems. ill was hospitalized. Duration of hospitalization was 2 days. blood pressure and arrhythmias. Patient was currently seeing cardiologist on April 14th to see what can be done. events start date and time was 28Dec2020 06:45 PM. It was unknown if the adverse event result in doctor or other healthcare professional office/clinic visit or Emergency room/department or urgent care. "Location of injection information is available for all vaccines received on the same date". Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has been tested for COVID-19. Lab test included Nasal Swab on 23Jan2021 with negative result. Treatment for the events included medication, in process of seeing a Cardiologist. Outcome of the events was not recovered. Serious criteria is hospitalized and life threatening. Information on the lot/batch number has been requested.; Sender's Comments: Based on the temporal association, a possible contributory role of BNT162B2 to the development of swelling in face, hands, eyes, arrhythmias, cardiac issue and blood pressure issues cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

---

as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153976	4/1/2021	CO	39	M	3/11/2021	3/11/2021	<p>Extreme itchiness; Numbness of lips; Closing of throat; Extremely high blood pressure 180/111mmHg; Anaphylaxis; Numbness; Numbness of tongue; Shortness of Breath; The patient's O2 sat would drop as well, O2 levels were reported to be 88%; 135bmp resting heart rate; Tachycardia; Sleepiness; Swollen eyes; A Spontaneous report was received from a Healthcare professional , concerning a male patient of 39 age , who received Moderna's COVID-19 vaccine experienced Anaphylactic reaction/Anaphylaxis, Hypoaesthesia/Numbness, Eye swelling/Swollen eyes, Hypoaesthesia oral/ Numbness of tongue, Hypoaesthesia oral/ Numbness of lips, Oropharyngeal discomfort/ Closing of throat, Blood pressure increased/Extremely high blood pressure 180/111mmHg, Somnolence/Sleepiness, Pruritus/ Extreme itchiness, Heart rate increased / 35bmp resting heart rate, Dyspnoea/Shortness of Breath, the patient's O2 sat would drop as well, O2 levels were reported to be 88%/and Tachycardia /Tachycardia. The patient had a medical history of celiac disease and is a kidney patient (other kidney surgically removed). The reporter states that Patient's concomitant medications are gabapentin and duloxetine hydrochloride for chronic back pain. On 11 Mar 2021, prior to the onset of events, the patient received his first of two planned doses of mRNA-1273 (unknown lot number) via intramuscular route on left arm for COVID-19 infection prophylaxis. On 11 Mar 2021, anaphylaxis 3 minutes post receiving the first dose of vaccine the patient developed numbness and his eyes became swollen, then numbness of the tongue, lips and closing of the throat, which all happened at the vaccination site. The attending EMT provided 3 pills of oral 50mg Benadryl (diphenhydramine) and did not apply an EpiPen. Patient's blood pressure went extremely high (180/111mmHg) instead of dropping. At that moment, it was decided to contact 911. The paramedics placed the patient on a stretcher and loaded him onto the emergency vehicle to be rushed to the hospital. On the way, the patient was given an EpiPen. While in the hospital, the patient was given more diphenhydramine and injected with methylprednisolone. Patient was in observation for 4 hours and then released with a prescription of an EpiPen. It was reported that the patient was extremely sleepy due to the medications given.</p>

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

When the patient arrived home, he went straight to bed. The patient was hospitalized on 11 Mar 2021 for Anaphylactic reaction, Hypoaesthesia, Eye swelling, Hypoaesthesia oral, Hypoaesthesia oral, Oropharyngeal discomfort, Blood pressure increased, Pruritus and released on same day after 4 hours. The next day, Friday (12 Mar 2021) the patient got up around 10:00am. Then at 10:05am, the symptoms began to reoccur with numbness of the lips, tongue, closing of throat and extreme itchiness. As soon as patient's husband noticed, he did not apply EpiPen and drove the patient to the emergency room. The emergency room followed the same protocol with methylprednisolone steroid, EpiPen and diphenhydramine. On Saturday (13 Mar 2021) and Sunday (14 Mar 2021), the doctor was seen and the patient was advised to take diphenhydramine every 4 hours. Then this past Monday (15 Mar 2021), patient started developing shortness of breath and a resting heart rate of 135bpm. That day, the patient was taken to urgent care. There he was administered diphenhydramine and the patient's heart was checked. Urgent care agreed that his heart was acting up and his blood pressure was acting up for an unknown reason. Reporter states that the patient had been developing tachycardia for no reason for a week now. Since the tachycardia had occurred, reporter would check patient's oxygen (O2) levels. When the tachycardia had started, the patient's oxygen saturation (O2 sat ) would drop as well. O2 levels were reported to be 88% and resting heart rate of 103bpm. The reporter would let 5 minutes pass, recheck, and everything would return to normal. On Monday (22 Mar 2021), patient is scheduled to see a cardiologist who will place the patient on a machine to check his heart rate for 3 days to see what is going on. Follow-up with various health care providers was scheduled for the rest of the week. Nephrologist will be seen on Monday, Neurologist will be seen on Tuesday, and Kaiser will be visited on Wednesday. Reporter stated that even though asked to run bloodwork and images, the emergency room did not do it. Lab work was performed on Monday (15 Mar 2021) which came back normal. A check for blockage of the heart, also had looked fine. Action taken with mRNA-1273 in response to the event Anaphylactic reaction, Hypoaesthesia, Eye swelling, Hypoaesthesia oral, Hypoaesthesia oral,

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

Oropharyngeal discomfort, Blood pressure increased, Somnolence, Pruritus, Hypoaesthesia oral, Oropharyngeal discomfort, Blood pressure increased, Somnolence, Pruritus, Tachycardia, Heart rate increased, and Dyspnoea was unknown. The outcome of the event Anaphylactic reaction, Hypoaesthesia, Eye swelling, Hypoaesthesia oral, Hypoaesthesia oral, Oropharyngeal discomfort, Blood pressure increased, Somnolence, Pruritus, Hypoaesthesia oral, Oropharyngeal discomfort, Blood pressure increased, Somnolence, Pruritus, Tachycardia, Heart rate increased, Dyspnoea, and the patient's O2 sat would drop as well, O2 levels were reported to be 88% was considered to be unknown at the time of this report. The treatment medications diphenhydramine, EpiPen injection x 2, and Methylprednisolone steroid injection x 2 was reported to be taken by the patient. The events Anaphylactic reaction, Anaphylactic reaction/Anaphylaxis, Hypoaesthesia/Numbness, Eye swelling/Swollen eyes, Hypoaesthesia oral/ Numbness of tongue, Hypoaesthesia oral/ Numbness of lips, Oropharyngeal discomfort/ Closing of throat, Blood pressure increased/Extremely high blood pressure 180/111mmHg, Pruritus/ Extreme itchiness were considered meet seriousness criteria of hospitalization, life threatening, and medically important.. The events Somnolence/Sleepiness, Pruritus/ Extreme itchiness, Heart rate increased / 35bpm resting heart rate, Dyspnoea/Shortness of Breath, and Tachycardia /Tachycardia were considered medically important. The causality per reporter was not provided.; Reporter's Comments: This case concerns a 39 Y/O M hospitalized with a serious expected anaphylactic reaction and unexpected BP increased, oropharyngeal discomfort, eye swelling, hypoaesthesia, pruritus, and NS unexpected somnolence, tachycardia, heart rate increased, and dyspnea with O2 saturation decreased. Event onset 3 minutes after first dose mRNA-1273. Based on current available information and temporal association between use of the product and start date of the event, a causal relationship cannot be excluded

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1154165	4/1/2021	MA	42	F	1/28/2021	1/29/2021	I was dizzy, extreme fatigue, body aches, right eye lid was swollen and my left arm was itchy and had a rash at the injection site. I went to see my PCP and was given allergy medication. I went to the eye doctor to make sure there wasn't anything blocked in my eye. There was no blockage.
1153960	4/1/2021	PA	78	F	3/9/2021	3/10/2021	Told her not get the second dose of the vaccine; Doctor told her she had a bad reaction to the first dose; Partially paralyzed for about 4/5 hours on her bottom half; Little bit itchy – hair, ears, and eyes; A spontaneous report was received from a consumer concerning a 78-year-old, female patient, who experienced partial paralysis on her bottom half/paralysis, bad reaction to the first dose/vaccine complication, not to take second dose/ intentional dose omission, itchy- hair, ears, and eyes/pruritus. The patient's medical history included COVID-19 in Dec 2020 and high blood pressure. Products known to have been used by the patient, within two weeks prior to the event included high blood pressure pills. On 09 Mar 2021, the patient received their first of two planned doses of mRNA-1273 (Lot number: 036A21A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 10 Mar 2021, the patient was partially paralyzed for 4-5hrs on her bottom half. The patient had same symptoms when prior exposed to COVID-19 in Dec 2020 and experienced little itchy- hair, ears and eyes. Brain scan, lungs, heart, blood tests and neurological functions were tested when patient consulted a health care provider (HCP) hence was advised not to take second dose. Treatment for the event included Benadryl. Action taken with mRNA-1273 in response to the events was not provided. The outcome of the event, partial Paralysis on her bottom half/Paralysis was recovered. The outcome of the events,bad reaction to the first dose/vaccine complication, not to take second dose/ intentional dose omission, itchy- hair, ears, and eyes/pruritus were considered unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153956	4/1/2021			F	3/10/2021	3/13/2021	<p>Bell's Palsy, left side began drooping/complete drooping of left side, unable to close eye; taste as being off; numbness; soreness, achiness; bad headache; A spontaneous report was received from a Health Care Professional, concerning a female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and developed bell's palsy, bad headache, taste as being off, soreness, achiness, numbness. The patient had no history of bell's palsy. Concomitant product use was not provided by the reporter. On 10 Mar 2021, patient received her second of two planned doses of mRNA-1273 vaccine. (Batch number:027A21A) intramuscularly for prophylaxis of COVID-19 infection. On Saturday 13 Mar 2021, patient had bad headache and on 16 Mar 2021, patient reported taste being off, soreness, achiness, numbness and left side began drooping. On 17 Mar 2021, patient went to emergency room due to complete drooping of left side and unable to close eye. Treatment for the event included IV methylprednisolone sodium succinate and patient was sent home with prednisone pack and valacyclovir (1g/5 days). The patient received both scheduled doses of mRNA-1273 prior to the events; the action taken with respect to the drug in response to the events is not applicable. The outcome of the events, bell's palsy, bad headache, taste as being off, soreness, achiness/pain, left side began drooping/complete drooping of left side, numbness and unable to close eye were considered as unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153948	4/1/2021	PA	77	F	2/3/2021		High blood pressure spike 186/81; Rapid heart rate; Difficulty breathing; I had a visual aura I saw a big red ball with my eyes closed; Arm soreness; trembly; dry mouth; weak; A spontaneous report was received from a consumer concerning a 77-years-old female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced events high blood pressure spike 186 81, rapid heart rate, difficulty breathing, a visual aura i saw a big red ball with my eyes closed, arm soreness, weak, trembly, dry mouth. The patient's medical history was not provided. Concomitant medications reported were Lotrel 5/10mg for drug use for unknown indication. On 3 Feb 2021, prior to the onset of the events the patient received first of two planned doses of mRNA-1273 (lot/batch: unknown) intramuscularly for prophylaxis of COVID-19 infection. On an unknown date, the patient experienced the event(s) high blood pressure spike 186 81, rapid heart rate, difficulty breathing, a visual aura I saw a big red ball with my eyes closed, arm soreness, weak, trembly, dry mouth. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not reported. The outcome of event(s), high blood pressure spike 186 81, rapid heart rate, difficulty breathing, i had a visual aura i saw a big red ball with my eyes closed, arm soreness, weak, trembly, dry mouth was unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded.



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153931	4/1/2021		31	M		2/23/2021	<p>Suspected Bell's palsy; Facial drooping right/upper chin; Mild swelling to right eye and chin; Abnormal feelings on lateral right upper ileus and the region of his chin; Tangling; A spontaneous report was received from a healthcare professional concerning a 31-years-old, male patient who developed suspected Bell's palsy/facial paralysis, facial drooping right/upper chin/facial paresis, mild swelling to right eye and chin/swelling face, abnormal feelings on lateral right upper ileus and the region of his chin/feeling abnormal, tangling/paraesthesia. The patient's medical history was not provided. Concomitant product use was not provided by the reporter. On 23 Feb 2021, prior to the onset of the symptoms, the patient received the first of two planned doses of mRNA-1273 (lot number 022M20A) intramuscularly for prophylaxis of COVID-19 infection. On unknown date, the patient developed abnormal feelings on his lateral right upper ileus, his chin bone, tangling, facial drooping right upper chin, mild swelling to his right eye and chin. He can't open his right eye. Treatment information was not provided. Action taken with mRNA-1273 in response to the events was not provided. The outcome of the events, suspected Bell's palsy/facial paralysis, facial drooping right/upper chin/facial paresis, mild swelling to right eye and chin/swelling face, abnormal feelings on lateral right upper ileus and the region of his chin/feeling abnormal, tangling/paraesthesia, were unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153919	4/1/2021	MN		F	2/14/2021	2/15/2021	Diagnosed with Bell's Palsy; Stomach pain; Blurred vision; Severe headache; Slight fever; A spontaneous case was received from a 70 -year-old, female consumer, who experienced stomach pain, severe headache, slight fever, blurred vision and was diagnosed with bell's palsy. The patient medical history was not provided. Concomitant medications were include metformin, gabapentin, lisinopril, celecoxib, atorvastatin, and glipizide. On 14-JAN-2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Batch no; 022M20A), intramuscularly in the upper right arm for prophylaxis of COVID-19 infection. On 15-FEB-2021 , the patient experienced stomach pain, severe headache, slight fever, blurred vision. On 23-FEB-2021 she was diagnosed with bell's palsy. She had taken prednisolone and valacyclovir to treat bells palsy. Action taken with mRNA-1273 in response to the events was not applicable. The outcome of the events were not recovered/not resolved.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153912	4/1/2021	KY		F	12/30/2020		<p>You have both of your eyes are drooping, but significantly more drooping on the right side; couldn't sit up, couldn't turn over, couldn't walk without assistance; voice got weaker; shortness of breath; severe muscle weakness ,pain; SORE ARM; excruciating headache; fever 102.1 F; CHILLS; injection site soreness; injection site swelling; rash; fatigue; joint pain; A spontaneous report was received from a nurse concerning a female patient who experienced arthralgia, fatigue, aphonia, muscle weakness, headache, pyrexia, chills, asthma, dyspnoea, injection site pain, injection site swelling, rash, gaze palsy, and gait disturbance. The patient's medical history included asthma, two cataract surgeries in ??-DEC-2020, and Laryngoscopy in ??-DEC-2021. Concomitant product use was not provided/unknown by the reporter. The patient received their first of two planned doses of mRNA-1273 (Batch number:025J20A) on 20-DEC-2020 intramuscularly in the left deltoid for prophylaxis of COVID-19 infection. The patient received their second of the two planned doses of mRNA-1273 (Batch number: 030L20A) on 29-JAN-2021 intramuscularly in the left deltoid for prophylaxis of COVID-19 infection. The patient received the second dose of Moderna vaccine at 9:30 AM on Friday 29-Jan-2021. At 3:00 PM, she had arm soreness, fatigue, voice got weaker too, The patient had history of right vocal cord issues as it does not open clearly (history of 3years, had surgery two years ago but did not go well). At 6:00 PM, she had severe muscle weakness, pain. At 8:00 PM at night, she had excruciating headache, chills and fever, At 10:00 PM, she had chills, fever 102.1 F, headache, muscle pain, joint pain. The patient had history of asthma and her oxygen was 92-95, little shortness of breath from Friday to Sunday night and everything lasted 36 hours. On Sunday morning, she had headache and mild soreness at injection site, but muscle pain was still pronounced. On 01-Feb-2021, the patient had mild headache, but extreme fatigue, no pain and no fever. She also had injection site reaction, swollen at site of injection, rash until that morning started on day of injection. The patient took Tylenol every 6 hours starting from 3:00 PM on day of injection. The patient reported to her Doctor and he said it was all injection reaction happening to her. The patient reported muscle weakness that lasted until 07-FEB-2021. She could not sit up,</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

couldn't turn over, couldn't walk without assistance. She had a fever of 103, really bad headache, and just hasn't felt good since she got the vaccine, easily fatigued. On 08-FEB-2021, the patient saw her ophthalmologist who noticed right away that both of her eyes were drooping, but significantly more on the right side. Treatment for the events included acetaminophen. The patient received both scheduled doses of mRNA-1273 prior to the event(s); therefore, action taken with the drug in response to the event(s) is not applicable. The events, arthralgia, fatigue, aphonia, muscle weakness, headache, pyrexia, chills, asthma, dyspnoea, injection site pain, injection site swelling, rash, gaze palsy, and gait disturbance, were considered unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153910	4/1/2021	MN	39	M	1/27/2021	1/27/2021	<p>A spontaneous report (United States) was received from a consumer concerning a 39-year-old male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced metallic taste, eyes burning, dizzy spells, heart rate dropped, sharp stabbing pain abdomen, sharp stabbing pain chest, vaccination site swelling, and vaccination site tenderness. The patient's medical history was not provided. No relevant concomitant medications were reported. On 27-JAN-2021, the patient received first of two planned dose of Moderna vaccine and after one minute of dose he experienced the event(s) metallic taste, eyes burning, he waited in the nursing area for one hour. While he was driving home, he experienced a dizzy spell for a couple of minutes and then his heart rate dropped to 40 beats per minute coming back to normal after. On 28-JAN-2021, for a period of three to four hours, the patient experienced localized sharp stabbing pain at upper left abdominal and lower chest areas and then it stopped. All side effects have stopped except for swelling and tenderness at vaccine location. No treatment information was provided. No laboratory tests were reported. Action taken with mRNA-1273 in response to the events was not reported. The outcome for the events, metallic taste, eyes burning, dizzy spells, heart rate dropped, sharp stabbing pain abdomen, and sharp stabbing pain chest, was resolved on 28-JAN-2021. The outcome of events, vaccination site swelling and vaccination site tenderness, was unknown.;</p> <p>Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153908	4/1/2021	GA	76	F	1/13/2021	1/24/2021	Sore arm; Transient ischemic attack, symptoms of tia; A spontaneous report was received from a consumer concerning a 76-year-old, female patient, who received Moderna's COVID-19 Vaccine (mRNA-1273) and experienced symptoms of transient ischaemic attack (TIA), transient ischemic attack/transient ischaemic attack and sore arm/pain in extremity. The patient's medical history was not provided. Concomitant product use was not provided by the reporter. On 13 Jan 2021, prior to the onset of the symptoms, the patient received their first of two planned doses of mRNA-1273 (Batch number 028L20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On an unspecified date patient had sore arm like from a flu vaccine. On 24 Jan 2021, the patient went to emergency room thinking patient had a TIA (transient ischemic attack). TIA was not detected at that time but found one later which is considered as medically significant event. Patient had all the symptoms of TIA to the point where patient could not talk, right leg was numb, and eyes went grey. It is unknown whether the patient had history of TIA. The patient had a brain scan, heart tests, and an MRI whose results were not provided. Treatment information was not provided. Action taken with mRNA-1273 in response to the events was not provided. The outcome of the events was not reported.; Reporter's Comments: Very limited information regarding the events has been provided at this time. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153900	4/1/2021	OH		F		3/1/2021	<p>SHORTNESS OF BREATH WHEN SITTING; HEART RACING; BLURRY VISION; DIFFICULTY SLEEPY; BODY ACHES; FELT LIKE FEVER BUT WASN'T; TIRED; SWEATING; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1802068, and batch number: 1802068 expiry: unknown) dose was not reported, administered on 17-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On MAR-2021, the patient experienced heart racing, blurry vision, difficulty sleepy, body aches, felt like fever but was not, tired, sweating. Laboratory data included: Heart rate abnormal (NR: not provided) 130. On 18-MAR-2021, the patient experienced shortness of breath when sitting. It was reported that around 03:00 am heart racing, shortness of breath, body aches, tried to take blood pressure unable to obtain reading, reported that when able to take blood pressure, pulse around 130, being sweaty, thought had a fever but did not after checking her temperature felt like she was going into a-fib, reported blurry vision reports still having some of that but a little better. It was reported that her heart was not racing as much. At the time of reporting patient had slight shortness of breath and given herself a breathing treatment and doing breathing exercises felt better but when sitting or walking around and not doing treatments the shortness of breath returned. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the difficulty sleepy, shortness of breath when sitting, tired, heart racing, body aches, felt like fever but was not, blurry vision and sweating was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0 20210340845-Covid-19 vaccine ad26.cov2.s-Shortness of breath. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153882	4/1/2021	MO	87	F		3/11/2021	HEARING LOSS; CHILLS; VISION LOSS TO BOTH EYES; This spontaneous report received from a patient concerned an 87 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included polyethylene glycol (peg) allergy, and propylene glycol allergy. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805018, expiry: UNKNOWN) dose was not reported, 1 total, administered on 11-MAR-2021 for prophylactic vaccination on left arm. No concomitant medications were reported. On 11-MAR-2021, patient experienced vision loss that lasted for an hour. Subject attributed it to the PEG and propylene glycol allergy. Later on the same day, she experienced chills that lasted until 14-MAR-2021. The subject also began having some hearing loss and further probing reveals she was referring to her ears feeling "stopped up" and it "sounded like she was in a deep well". She had not sought medical care at this time. Subject was encouraged to seek medical treatment for issues that won't resolve, would seem serious, or, would be bothersome. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from vision loss to both eyes on 11-MAR-2021, and chills on 14-MAR-2021, and the outcome of hearing loss was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210328836-Covid-19 vaccine ad26.cov2.s-Vision loss to both eyes, Hearing loss. This events is considered unassessable. The events has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the events.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1157598	4/1/2021	SC	69	F	2/15/2021	3/15/2021	migraine headache with vision interruption; migraine headache with vision interruption; extreme sleepiness; calls it narcolepsy; A spontaneous report was received from a consumer concerning a 69 years old, female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced events narcolepsy, migraine headache with vision interruption/migraine, vision blurred. The patient's medical history includes excruciating pain in the back that went down to her left leg. She is able to put a little bit of weight on her leg; barely able to get water from fridge and barely able walk to go to the bathroom: Walking difficulty, She is not able to sleep through the pain. The concomitant medications on use were also not provided. On 15 Feb 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA (Lot number: 011M20A) through unknown route of administration in the right arm for prophylaxis of COVID-19 infection. On 15 Mar 2021, at 11:45am, prior to the onset of the events, the patient received their second of two planned doses of mRNA (Lot number: 002B21A) through unknown route of administration in the right arm for prophylaxis of COVID-19 infection. On 15 Mar 2021, from 2pm on wards patient experienced events extreme sleepiness. On 16 Mar 2021, around 8pm patient experienced migraine headache with vision interruption. Self treating with paracetamol and ice packs. The patient received both scheduled doses of mRNA-1273 prior to the events, therefore action taken with the drug in response to the events was not applicable. The events were reported as resolved.; Reporter's Comments: Very limited information regarding this event/s has been provided at this time. Further information has been requested.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1153978	4/1/2021	CA	77	M	2/2/2021	2/17/2021	Infarct; Double vision; Dizziness; A spontaneous report (United States) was received from a consumer concerning a 77-years-old, patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and developed an infarct that effected the left thalamus of his brain (Thalamic infarction), double vision (Diplopia) and dizziness (Dizziness). The patient's medical history was not provided. Concomitant medication included amlodipine for unknown indication. On 02 Feb 2021, prior to the onset of the symptoms, the patient received their first of two planned doses of mRNA-1273 (Lot number 004M20A) intramuscularly in the left (non-dominant) arm and on 02 Mar 2021, the patient received their second of two planned doses of mRNA-1273 (Lot number- 001A21A) intramuscularly on the left (non-dominant) arm for prophylaxis of COVID-19 infection. On 17Feb2021, patient states that he had an infarct that effected the left thalamus of his brain. On the same day around 8pm he was driving not far from his house and developed double vision and dizziness. Once reached home he went to bed, upon waking up in the morning symptoms were still present, at this time he went to the emergency room. Patient was hospitalized for 2 nights and 2 days. While hospitalized he had several blood test done and a CAT scan done and also had an MRI on 24Feb2021, report details were not reported. Treatment for the event included are plavix, Catapres, rosuvastatin and doxazosin. The patient received both scheduled doses of mRNA-1273 prior to the events; therefore, action taken with the drug in response to the events is not applicable. The events double vision and dizziness were as recovered on 19-feb-2021. The outcome of the event, Infarct was unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded.
1154523	4/1/2021	OH	29	F	3/30/2021	3/31/2021	Fever 101F. Waves of nausea upon moving left arm. Burning eyes. Headache Whole body aches especially my lower back/kidneys
1155174	4/1/2021	CA	38	F	3/3/2021	3/4/2021	Woke up next morning with both eyes swollen. Happened again, only left eye, with second dose I received yesterday. Lot# 1805018

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1155159	4/1/2021	NJ	46	F	3/21/2021	3/28/2021	day 2 post vaccine ear fullness started and continues, day 7 post vaccine tinnitus in both ears along with facial tingling on right side and around eye. the tinnitus is still 11 days post vaccine along with ear fullness.
1155125	4/1/2021	MA	42	F	12/31/2020	1/2/2021	My eye lid over my right eye was swollen, my left arm was swollen, itchy and had a rash at the injection site. I was treated with antibiotics.
1155100	4/1/2021	IN	45	F	3/29/2021	3/29/2021	Starting in the late evening of the first day and extending to the second-day chills, fatigue, and fever. Today, the fourth day, my face is hot to the touch and skin is blotchy with eyes burning.
1155089	4/1/2021	NY	38	M	3/30/2021	3/30/2021	Within an hour or so of receiving the COVID-19 Pfizer first dose I got very noticeably dry eyes and a somewhat dry throat. I was presenting in a meeting at work and felt this come on; even blinking or swallowing didn't moisten my eyes or throat. I was hydrated but felt a strong need for eye drops (which I didn't take). This persisted into the evening and I woke up the next morning with very dry eyes; I used eye drops at that point. 2 days later and it's mostly subsided. Some history: PRK Eye Surgery in 2005 while serving in the . I do wear a single contact lens in my left eye (very low prescription) but had not worn one that day or for 2days prior. Haven't worn a contact lens since the vaccination.
1155041	4/1/2021	OH	63	F	3/31/2021	3/31/2021	about half an hour after injection flushed blurry vision racing heart gasping for breath felt like I needed to crawl out of my body twitches went to urgent care received a shot of Benadryl and stayed under observation and sent home Dystonic reaction
1155005	4/1/2021	CA	20	F	3/31/2021	3/31/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Additional Details: Patient fainted while walking in store. She was found on the floor but she was still conscious. She described her symptoms are blurry vision and head spinning. She noted that she was afraid of needles and was very nervous for the appointment. She was given gatorade to hydrate and was under watch for around 20 min. She felt better and left the pharmacy on her own.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1154966	4/1/2021	NY	44	F	3/31/2021	4/1/2021	Arm pain at first but then Got up to go to bathroom, suddenly felt nausea and then numbness on left side of body, vision became blurry and I passed out. Hit head when fell. Couldn?t regain consciousness for 10-20 minutes. Couldn?t move, get off floor. Husband had to come carry me back to bed. Felt tingling in arms, legs on both sides. After an hour, had water, iced arm (extreme arm pain), and felt better but stayed in bed.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1154953	4/1/2021	CA	28	F	3/31/2021	3/31/2021	On Wednesday, March 31, 2021 client (DOB 4/30/1992) received her first dose of Pfizer COVID vaccine (LOT # EW0150, EXP 7/2021) at approximately 11:50 am by vaccinator RN. RN instructed client to self-monitored at the observation area. EMTs found a 28 years old female sitting up while leaning forward and waving for assistance in an observation chair. Client had a chief complaint of dizziness. Client reported dizziness and fatigue to EMTs present after having sat in the observation area for approximately 10 minutes. Client had no known allergies or major medical history. Client denied pregnancy. Client agreed to be assisted walking up to the front EMT station so that she may be assessed more closely and with greater privacy. While walking over to the EMT station, the client experienced sudden loss in weight bearing and was prevented from falling by EMT present. EMT promptly came over to assist with transferring the patient to a chair for safety. Client was kept safe in her chair by EMT. It was at this point client experienced syncope. Client was then transferred to the gravity bed and laid supine until she became more alert. Client was then transferred to sitting semi-fowlers at 45 degrees once she was alert and tracking. lead RN came to assist EMTs as needed. Assessment revealed no hives, swelling, redness, difficulty breathing, wheezing or pain throughout her body. Client's skin was free of any signs of anaphylaxis throughout her body. Client's first set of vitals at 11:50 am was as follows: blood pressure 100 / 64, O2 - 99% on room air, pulse was 64 and regular at radial, respirations was 20 and regular. Client was fully alert and oriented x 4 (person, place, time, situation) and eyes were equal and reactive to light. Client stated that she had breakfast and denied any pain throughout her body. Client agreed to stay in the observation area for another 30 minutes after the onset of the incident per lead nurse's instruction to EMT. Client's vitals were reassessed at 5 minutes intervals as follows: 11:50 am- 110/64 (BP), 20 (respirations), 64 (pulse), 99% (O2); 11:55 am- 102/64, 18, 64, 99%; 12:00 pm - 104/ 68, 72, 18, 99%; 12:05 pm - 118/ 72, 72, 16, 100%; 12:10 pm - 118/ 78, 99%, 16, 78; 12:15 pm - 118/ 78, 100%, 16, 78; 12:20 pm - 118/80, 100%, 16, 78. After approximately 10 minutes, the client was asked to sit up so that her orthostatic vitals could be reassessed. Throughout her observation, client's vitals slowly returning to normal with

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1154919	4/1/2021	CA	26	M	3/27/2021	3/28/2021	<p>a blood pressure - 118/ 80, pulse 78, respirations 16 and 02 100% on room air. Client was provided with a fact sheet and pertinent areas of interest were highlighted for convenience. Client stated that she felt safe going home and ordered a ride sharing service. Client was encouraged to follow up with her primary and to seek medical care or the emergency room if a severe incident occurs. At 12:35 pm, the client departed the facility in a ride sharing service in no apparent distress and with all relevant information in her purse.</p> <p>Initial symptoms of visual impairment, later diagnosed as visual snow, occurred on Sunday 3/28 along with a headache. Assumed it was a migraine, but after it continued on Monday 3/29 I called advise nurse and scheduled exams for my eyes. The eye doctor confirmed it seems to be experiencing symptoms of visual snow. My vision is currently still looks like static. It has not gone away. Google search showed potential side effect of astrazeca vaccine in their report so am assuming it is also a side effect of the Johnson and Johnson vaccine as this occurred as a result of receiving it. I never had this before.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1154092	4/1/2021	OH	51	F	3/12/2021	3/18/2021	hard of hearing; Bell's palsy; Left eye felt weird/weird feeling like when went to the dentist and get the Novocain shot; Left side of mouth muscle not holding water while brushing teeth; Cannot close left eye/eye wasn't moving; Left eye burning during shower; sick; cannot move that part of your mouth; Sore Arm over Weekend; This is a spontaneous report from a contactable consumer (patient). This 51-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration in left arm on 12Mar2021 08:15 (Lot Number: EN6204) at single dose for covid-19 immunization. Medical history was none. Concomitant medication included diphenhydramine hydrochloride (BENADRYL Tablet). The patient previously received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot Number: EN6200) on 19Feb2021 and experienced felt really tired, and received flu shot. The patient experienced bell's palsy on 18Mar2021, sore arm over weekend on an unspecified date in 2021, Left eye felt weird/weird feeling like when went to the dentist and get the Novocain shot on 18Mar2021, left side of mouth muscle not holding water while brushing teeth on 18Mar2021, cannot close left eye/eye wasn't moving on 18Mar2021, left eye burning during shower on 18Mar2021, sick in 2021, cannot move that part of your mouth in 2021, hard of hearing on an unspecified date. She felt great over the weekend other than a sore arm. Morning on 18Mar2021 when she woke up her left eye felt weird. When brushing her teeth she noticed the left side of her mouth muscle was not holding water to spit out. Looked in the mirror and noticed when she smiled her left eye wasn't moving. Went to the emergency room and the doctor told her she has Bell's Palsy. Explained that was why she cannot close her left eye. Was given two medications to take; one a steroid and one a antiviral. Left eye has been feeling weird, like when you look away from your cell phone and one eye hasn't dilated or adjusted to the darkness yet. Stated she took a sick day from work today. Mentioned again her left eye burning in the shower and that she has to sleep with an eye patch. She was hard of hearing. Stated she had hearing aids and can currently hear call handler fine. Had a CAT scan and everything at the emergency room this morning. Her grandmother and aunt died from a stroke

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

and she was concerned that she had one. She cannot close her left eye completely. Stated was a weird feeling like when went to the dentist and get the Novocain shot and cannot move that part of your mouth. The doctor told her he thought it will last for 2 weeks. Stated that it could've started overnight but she was uncertain as she was sleeping and didn't notice it until this morning. Mentioned her husband was at the hospital all day yesterday for procedures. After receiving her second dose of the vaccine she thought she didn't feel too bad at all, not tired like with the first one; until she woke up with this today. Stated no for medications but mentions that on 11Mar2021 she had bad allergies and was like a water faucet. She took Children's Benadryl 12.5mg 2 tablets and some eye drops. Stated that it helped. Thought she was allergic to something in the building. Stated was given Prednisone, as she was reading the label she notices she was supposed to take two a day and had only taken 1 this morning. Prednisone is prescribed as 20mg 2 tablets by mouth every day for 7 days. Spelt out name of antiviral medication as IC Valacyclov. Prescribed as 500mg 2 tablets by mouth three times a day. Also has eye drops to keep eye moist. Has eye patch for bedtime. Was instructed to manually close left eye and cover with eye patch at night. Mentioned that she had a flu shot in October no issues voiced. Nephew with Covid, Niece that had Covid. Stated she was not around them. There was no physician office visit reported. The patient underwent lab tests and procedures which included blood sugar: normal, blood pressure: normal, CAT scan: normal on 18Mar2021. There was treatment and emergency room visit except event hard of hearing. The outcome of the events was unknown.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1154887	4/1/2021	IL	37	M	3/31/2021	3/31/2021	Patient noted he had no adverse reactions with his first dose of the Covid vaccine or other vaccines he has had in the past. He was informed that there are more chances of side effects experienced with the second dose ( such as headaches, flu like symptoms, nausea). He was directed to stay in the store for at least 15 minutes and to inform the pharmacy immediately if he felt anything out of the ordinary. He said he walked down several aisles then started feeling light headed and having tunnel vision. He was on his way back to the pharmacy when he ended up on the ground. He does not remember how he ended up laying on the ground. He said his head did not hurt but does not know if he hit it. When started regaining conscience, his right arm and leg jerked somewhat then calmed down. When he came to, he said he didn't feel dizzy when he tried to sit up. The ambulance was called so he was instructed to remain laying on the floor. The EMT personnel asked him his name, the date, and where he was while he was laying down and after sitting up on the floor. He answered correctly both times. He was then asked to sit down on a chair to take his blood pressure. The EMT personnel were having trouble getting a good reading so he was transported to Hospital.
1155192	4/1/2021	KY	48	M	3/29/2021	3/31/2021	Pt is a 48 yr/o male who presents with transient episode of lightheadedness and feeling like he was going to pass out with blurry vision which started while he was driving to work today. Symptoms have resolved upon arrival to the ED. He had no other associated symptoms. Denies headache, numbness tingling weakness, chest pain, palpitations, shortness of breath. He ate a ham sandwich and drank plenty of water prior to leaving the house. He states he is often "dehydrated "because he works in a hot warehouse and sweats a lot on the job but had not begun working yet this evening. He tries to drink lots of water and electrolyte drinks such as Pedialyte when he is at work. Of note, he states his doctor was concerned recently because of some abnormal liver enzymes and mildly elevated blood glucose readings on routine lab work.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1154509	4/1/2021	FL	68	M	3/9/2021	3/17/2021	Developed an absolutely maddening case of tinnitus, not normal ringing but excruciatingly loud clicking recurring usually every 2 minutes. (quite unbearable) (on same side as vaccination) 2 days later my same side eye became quite bloodshot. later the other eye also became bloodshot.
1154495	4/1/2021	TX	74	M	3/5/2021	3/6/2021	New onset of right sided headache. Pain initially described as sharp, and throbbing starting on top of right side of head and radiating down. Intensity increases as it moves down and peaks at 3-4 hrs before it starts to ease. Pain starts late afternoons and worse in the evening. It is not associated with position changes. Pain initially rated a 10/10. Had little relief with acetaminophen or ibuprofen, and heat or cold packs. He denies n/v, vision changes, light sensitivity, rashes, neck stiffness, or neuro deficits. He does not report tenderness but stated he can sometime feel a pulsation if he presses near his ear. Does have a hx of sinus headaches but never had a headache like this before. He is unable to identify any triggers. He did see his PCM and was told it may be a migraine and was prescribed Sumatriptan 50 mg. He was reluctant to take at first but has taken two with improvemen
1154491	4/1/2021	FL	27	F	3/4/2021	3/4/2021	Immediate onset facial warmth/flushing. "Brain disconnect" she says she felt like her brain wasn't telling her to breath but she put her hand on her chest and felt herself breathing. Also reports blurry vision. Denies feeling dizzy or faint. Medic assessed her in her seat and she reported all symptoms resolved after 2.5 minutes. She did fine the rest of the day but then in the next couple weeks developed a facial rash that lasted 2 weeks and resolved after a high-dose steroid burst.
1154484	4/1/2021	IN	56	F	3/30/2021	3/30/2021	Watery eyes, rhinitis, headache, feeling feverish, fatigue,

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1154457	4/1/2021	GA	38	F	3/31/2021	3/31/2021	Allergic reaction within 1-2 minutes. My eyelid and upper lip started to swell and my face and lips became numb and tingly. I have had hives in the past and this is how it always starts. They were accompanied by the sensation of heat in my face as well. I drove myself to an urgent care and my BP was extremely elevated. I believe the highest was 190/114. The staff at Urgent Care waited to medicate me, perhaps due to my elevated BP. My forearms became very flushed, almost a purple hue, but no hives developed. My throat started to swell and they called an ambulance to take me to the hospital. In the minutes before the ambulance arrived, I was given epinephrine and Benadryl via injection in my right arm. I wish they had given me that more quickly. I started to feel better very quickly. By the time I was hooked up to monitors at the hospital, right across the parking lot, my BP had gone down to 123/71. There was never any sign of swelling of the tongue, but my throat felt tight the remainder of the evening and I had difficulty swallowing. I am still itchy in my legs today and my cheeks and eyebrows still feel numb. I am currently taking Prednisone for the next few days and was given an Epi Pen prescription. I was given the vaccine at 12, arrived at Urgent Care about 1:00 and was transported to the hospital around 2:30. I was discharged around 5:00.
1154437	4/1/2021		78	F	4/1/2021	4/1/2021	Pt has allergic reaction w/ her 1st dose. She was in the middle of her graded COVID-19 Challenge (dose 2) under a physician's supervision. Pt just received 0.03ml (10% ) of full dose. Pt then started experiencing increased mucus in her throat, clearing of throat, and states that her ears feel weird about 11 minutes later. Her Vitals at this time were 168/78, 85 HR, 14Resp, 100% Spo2. 5 minutes later another set of vital signs were taken at 152/84, 86 HR, 16 resp, 95% Spo2. Epi 0.3 mg was administered immediately. Pt states that her throat feels better about 3 minutes later, but her chest still feels irritated. Her Spo2 was up to 100% at this time. Pt then stated that she is starting to feel shortness breath after using the bathroom. Pt is then transferred directly to the ER .

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1154434	4/1/2021	MI	40	F	3/23/2021	3/24/2021	Day +1 after vaccine, approx 20 hours after shot: immediate onset of intense migraine, nausea, light and sound sensitivity, and trouble focusing eyes. lasted until bedtime at approximately 9:30pm. Day +8 after vaccine: raised red lump at vaccine site, scaly skin, itches and aches. started as 3cm, increased to 5cm.
1154419	4/1/2021	IN	67	M	2/25/2021	2/25/2021	Headache, eyes hurt, ears ringing, body aches, cold shivering and night sweats and night. Couldn't sleep at all first night. Symptoms lasted four days.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153878	4/1/2021	OH	63	F		3/6/2021	LOSS OF CONSCIOUSNESS, FAINTED; HEART WAS RACING; DIZZY; VOMITING; CANKER SORE UNDER TONGUE; HEADACHE; NAUSEA; FATIGUE; INFLAMMATION ON LEFT EYE; FALL ON BED; SMALL HIVES UNDER EYE; This spontaneous report received from a patient concerned a 63 year old female. The patient's weight, height, and medical history were not reported. The patient's concurrent conditions included seasonal allergies, and codeine allergy. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1802068, expiry: UNKNOWN) dose was not reported, administered on 05-MAR-2021 to left arm as prophylactic vaccination. No concomitant medications were reported. On 06-MAR-2021, after vaccination, she felt fine all day and night. The next morning she woke up and felt sick. She had nausea, headache, hive under eye. She laid back down and tried to sleep. A few hours later, she woke up to use the bathroom. She was very nauseous and dizzy. She lost consciousness and fell trying to get to the bathroom. She fell on her bed and was uninjured. The paramedics took her to the hospital. She was given medication for nausea, headache, and IV fluids. She gave blood for lab tests and they came back normal. No COVID test was administered. When she felt better, she was released. A few days later, she discovered her tongue was sore and red. She called her primary care physician (PCP). PCP said the red and sore tongue was probably related to allergies. Two weeks later, her tongue was not sore, but still red. They advised her to get a second opinion with another HCP. She was going to visit her allergy specialist.. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from loss of consciousness, fainted, heart was racing, dizzy, headache, nausea, fatigue, inflammation on left eye, and small hives under eye on MAR-2021, and vomiting on 07-MAR-2021, and had not recovered from canker sore under tongue, and the outcome of fall on bed was not reported. This report was serious (Hospitalization Caused / Prolonged). Additional information was received from the patient on 23-Mar-2021. The following information was updated and incorporated into case narrative: Patient's medical history added as seasonal allergies and codeine allergy, Vaccination site as left arm added; Additional events as small hives under eye, fall

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							on bed; lab test of blood work added; Event outcome of loss of consciousness, fainted, heart was racing, dizzy, headache, nausea, and fatigue was updated to recovered/resolved.; Sender's Comments: v1: Follow up information received updates patient's medical history (seasonal allergies and codeine allergy), Vaccination site as left arm; Additional events (small hives under eye and fall on bed), laboratory test (Blood Work); Event outcome (loss of consciousness, fainted, heart was racing, dizzy, headache, nausea and fatigue was updated to recovered/resolved). This updated information does not alter prior causality assessment of reported events 20210323730-COVID-19 VACCINE AD26.COV2.S-headache, nausea and fatigue. These events are labeled and are therefore considered potentially related. 20210323730-COVID-19 VACCINE AD26.COV2.S-loss of consciousness, fainted, heart racing, dizzy, vomiting, canker sore under tongue. These events are considered unassessable. The events have a compatible/suggestive temporal relationship, are unlabeled, and have unknown scientific plausibility. There are no information on any other factors potentially associated with the events.
1154172	4/1/2021	IN	60	M	3/30/2021	3/31/2021	3/30/21 - Vaccination administered 0645, minor soreness at injection site. 3/31/21 - Upon awakening at 0600, minor soreness at injection site with additional minor pain in right trapezius muscle. Later, 400 p.m. feeling of minor weakness, 900 p.m. more noticeable pain (muscle soreness) in right trapezius. 4/1//2 - Awaken at 3:00 a.m. by more severe pain in right trapezius. Upon getting out of bed at 6:00 a.m. found pain expanded to full right trapezius, partial extension to middle of right pectoral, fully up right side of neck, and partially in right armpit. Right side of face experiencing numbness along right cheek bone and right side of right eye. Experiencing increased pain when raise right arm elbow above shoulder. Typing this is difficult.
1156049	4/1/2021	IL	22	F	4/1/2021	4/1/2021	Blurred Vision. Hx of Fainting when she sees needles84/56 54 18 O2 sat 100% . Refused Transport

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1154889	4/1/2021	CA	34	F	3/31/2021	3/31/2021	On Wednesday, March 31, 2021 client received her second dose of COVID vaccine at approximately 3:15pm. While in Observation Area, patient reported to EMTs on site she felt a sensation of "dizziness and some blurry vision" at 3:35pm and vitals were taken by EMT. Vitals at 3:35pm: BP: 124/82, HR: 72bpm, O2 sat: 98%. Lead PHN was alerted and client stated she experienced the same sensation of "dizziness and some blurry vision" with her first dose. Vitals were taken again at 3:47pm. Vitals: BP: 120/82, HR 90, O2 sat: 96%. Client was seated on the anti-gravity chair and given a bottle of water. Client was observed for an additional 30 minutes. At approximately 4:15pm client stated she felt "slightly better and not so dizzy." Reassessment of vitals were offered by EMT but were refused by client. Patient was alert and oriented x4 during entire interaction. No further interventions indicated. Client was educated by Lead RN & EMT on signs and symptoms of adverse reactions and when to go to the ED/call MD. Client was also encouraged to sign-up on v-safe. Client left vaccination site at approximately 4:22pm with a steady gait.
1157231	4/1/2021	MO	67	M	4/1/2021	4/1/2021	After patient was vaccinated, it was discovered that there was approx 1.4 mL of vaccine left in the vial of Moderna vaccine. Eye-witness accounts from fellow staff members report that patient may not have received a full dose of the vaccine. Guidance was sought and it was recommended by CDC that this dose needs to be repeated. Pt was called and dose was repeated same day at approx 17:30.
1157644	4/1/2021	CA	80	M	3/5/2021	3/29/2021	Sudden vision loss Saw retinologist, not an eye problem Saw PC doctor who ordered mri (scheduled) Have appt scheduled with cardiologist

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1157591	4/1/2021	FL	65	F	3/4/2021	3/4/2021	feeling tired; cant open her eyes for few minutes, it's like eyelids are paralyzed; her eyelids dropped; Achy; fever; nausea; headache; A spontaneous report was received from consumer, concerning herself, a 65-year-old patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced a cant open her eyes for few minutes, it's like eyelids were paralyzed/ophthalmoplegia, her eyelids dropped/eyelid ptosis, achy/pain, fever/pyrexia, nausea, headache, feeling tired/fatigue. The patient's medical procedure included corneal transplant and cataract surgery, historical condition included adverse reaction to a historical vaccine Hepatitis B vaccine. Concomitant medication was not reported. On 04 March 2021, prior to onset of events, the patient received their first planned doses of mRNA-1273 intramuscularly for prophylaxis of COVID-19 infection. On 04 March 2021, soon after taking mRNA-1273 vaccine, patient was achy, fever, nausea, headache and feeling tired for 3 to 4 days. On 08 Mar 2021, patient's eyelids dropped, couldn't open her eyes for few minutes, it's like eyelids were paralyzed. The event eyelids were paralyzed was assessed as serious as per IME. This came on and off for 4 days. Treatment information was not provided. Action taken with mRNA-1273 in response to the event was not reported. The events patient's eyelids dropped, couldn't open her eyes for few minutes, it's like eyelids were paralyzed were resolved on 12-Mar-2021. The outcome of events achy, fever, nausea, headache and feeling tired was resolved on an unknown date.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1157578	4/1/2021	FL	69	M	1/13/2021	2/1/2021	<p>Bells palsy on same side as vaccine; A spontaneous report was received from a consumer concerning 69-year-old, male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced facial palsy. The patient's medical history was not provided. Concomitant product use was not provided by the reporter. On 13 Jan 2021, the patient received his first of the two planned vaccine doses of mRNA-1273 (Batch number: 039K20A). On 10 Feb 2021, approximately 28 days after the first vaccine dose, prior to the onset of the symptoms, the patient received his second of the two planned vaccine doses of mRNA-1273 (Batch number: 028L20A), intramuscularly, in the left arm, for prophylaxis of COVID-19 infection. On an unknown date, after 2.5 weeks of the second dose of vaccination, the patient experienced bell's palsy on the same side he received the vaccine and was reported as ongoing at the time of report. Treatment for the event included steroid, antiviral and eyedrops. The patient received both scheduled doses of mRNA-1273 prior to the events; therefore, action taken with the drug in response to the events was not applicable. The outcome of the events, facial paralysis and cerebrovascular accident, were considered not resolved at the time of report.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1157565	4/1/2021	CA		F	2/16/2021		Bleeding from stitches; Pressure behind eyes along stitches; Soreness in arm; A spontaneous report was received from a consumer who was a 63-year old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced post procedural hemorrhage, vaccination site pain, and ocular discomfort. The patient's medical history was not provided. No relevant concomitant medications were reported. On 16-FEB-2021 or 17-FEB-2021, prior to the onset of the symptoms, the patient received the second of two planned doses of mRNA-1273 (Batch number not provided) intramuscularly in the arm for prophylaxis of COVID-19 infection. The patient had eye surgery 1 week before the 2nd dose of vaccine. She experienced pressure behind where stitches were done and a little bleeding from stitches. The patient also experienced soreness in her arm. Treatment information was not provided. The patient received both scheduled doses of mRNA-1273; therefore, action taken with the drug in response to the events is not applicable. The outcomes of the events were unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1157556	4/1/2021	IN	63	M	2/25/2021	2/25/2021	Numbness on the Left Side of Body; left side of head from eye to temple to jaw hurting; A Spontaneous report was received from a 63-year-old male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced numbness on the left side of body and left side of head from eye to temple to jaw hurting. The patient medical history was not provided. The patient's current conditions included blood pressure abnormal and reaction non-specific. Concomitant product use included blood pressure medications and reaction medications. On 25 Feb 2021, the patient received their first of two planned doses of mRNA-1273 (Lot number: 007M20A) intramuscularly in right upper arm for prophylaxis of COVID-19 infection. On 25 Feb 2021, the patient experienced numbness on the left side of the body, left eye, left side roof of mouth and head. The patient also stated that left side of her head from eye to temple to jaw hurt for 2 and half days. The seriousness criteria for the event numbness on the left side of body was medically significant. No treatment details were reported. Action taken with mRNA-1273 in response to events was unknown. The outcome of the event numbness on the left side of body was unknown and the outcome for the event left side of head from eye to temple to jaw hurting was resolved.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events a causal relationship cannot be excluded. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1157512	4/1/2021	TN		F		3/24/2021	LOSS OF VISION; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported and batch number: 1805020 expiry: UNKNOWN) dose was not reported, administered on 20-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 24-MAR-2021, the patient had symptoms of loosing vision. and at 19:30, she experienced loss of vision. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from loss of vision. This report was serious (Other Medically Important Condition).; Sender's Comments: V0:20210349284-COVID-19 VACCINE AD26.CO2.s-loss of vision. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1157508	4/1/2021	MA	68	F	3/1/2021		HYPOCHROMIA; HIGH WHITE BLOOD CELLS; DVT WITH INFLAMMATION AND SWELLING OF RIGHT LOWER LEG; RUNNY NOSE; BILATERAL WATERY EYES; LEFT ARM TENDERNESS POST IMMUNIZATION; URINARY TRACT INFECTION; LOWER BACK PAIN; This spontaneous report received from a patient concerned a 68-year-old female. The patient's height, and weight were not reported. The patient's concurrent conditions included baker's cyst, and reflux sympathetic dystrophy. The patient experienced drug allergy when treated with gabapentin, and prednisone, drug intolerance when treated with codeine, and ibuprofen. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: 1805031, expiry: UNKNOWN) once a total dose was not reported, administered on 10-MAR-2021 at right arm for prophylactic vaccination. No concomitant medications were reported. On MAR-2021, the subject experienced urinary tract infection. On MAR-2021, the subject experienced lower back pain. On 10-MAR-2021, the subject experienced left arm tenderness post immunization. On 11-MAR-2021, the subject experienced runny nose. On 11-MAR-2021, the subject experienced bilateral watery eyes. On 14-MAR-2021, the subject experienced deep vein thrombosis with inflammation and swelling of right lower leg. On 23-MAR-2021, Laboratory data included: Diagnostic ultrasound (NR: not provided) confirmed DVT right lower leg, Urinalysis (NR: not provided) Unknown, and White blood cell count high (NR: not provided) 10.35 increased and was previously 9.23 not reported. Treatment medications included: ciprofloxacin for urinary tract infection. On 24-MAR-2021, the subject experienced hypochromia. On 24-MAR-2021, the subject experienced high white blood cells. Additional treatment medications (dates unspecified) included: rivaroxaban for deep vein thrombosis. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from runny nose, and bilateral watery eyes on 12-MAR-2021, and left arm tenderness post immunization on 11-MAR-2021, had not recovered from deep vein thrombosis with inflammation and swelling of right lower leg, high white blood cells, and hypochromia, and the outcome of urinary tract infection and lower back pain was not reported. This report was serious (Other Medically Important Condition).; Sender's

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							Comments: V0 20210348648-Covid-19 vaccine ad26.cov2.s-Deep vein thrombosis. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).
1157280	4/1/2021		56	F	3/29/2021	3/30/2021	Moderna COVID-19 Vaccine EUA Patient presented with swollen eye lids, painful eyes, itchy eyes morning after vaccine administration. 2 days later patient complained of redness(blood shot) eyes. 3 days after vaccine administration patient called pharmacy complaining of blurred vision. Patient was instructed to seek medical care. Patient was seen by ophthalmologist who prescribed prednisolone and cyclopentolate eye drops and will continue to follow until improved.
1157267	4/1/2021	IL	34	F	4/1/2021	4/1/2021	Overall weakness and dizziness within minutes of the shot, had to sit down for a while/close eyes, legs tingling, hands shaking, had almost no energy in limbs or to stand, etc extreme sweating/hot then chills later, nausea, muscle pain upper neck/back/shoulders, and some symptoms continued an hour later including diarrhea. Some symptoms were better in 30 minutes or so as I stayed at Walgreens until I felt better, and hours later much better but still mild symptoms.
1157264	4/1/2021	OK	44	M	2/26/2021	3/27/2021	Day after vaccine I developed sever jaundice including yellowing eyes. One week after vaccine I had blood work done and my liver enzymes and bilirubin levels were. On 3/23 I admitted myself to ER with jaundice and vomiting. My liver levels were normal but bilirubin was still high. At this point I had lost 30 pounds since my shot. I was in the hospital for 5 days where the ran UT, CT, and MRI on my abdomen with none showing issues. Jaundice and itchiness/jaundice got progressively worse. The hospital ran multitude of blood tests to pin point the issue and even did a liver biopsy. No tests showed anything abnormal but biopsy isn't back yet. At this point 4/1/21, I am still jaundiced, extremely itchiness, lethargy and a total of 33 pounds weigh loss.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1156997	4/1/2021	TX	51	F	3/29/2021	3/29/2021	Slight headache overnight after 1st dose on 3/8. Adverse reaction after 2nd dose on 3/29 at 3:30 that afternoon. I started seeing ?floaters? in my right eye only. Floating dark strings, dots, squiggles in my peripheral vision. Took my blood pressure and it was elevated at 168/93. I immediately took an additional 25 mg of losartin and called my eye doctor and was told to come in the next morning for an eye exam. My blood pressure lowered to normal over the next few hours. I felt tired and restless overnight. The next evening 3/30 after my eye dr appt, I developed a very severe headache, first in the front area of my head, then finally on the left side of my head. Overnight the pain in the left side of my head increases and I experienced nausea, body aches and fatigue. The floaters in my right eye remained the same. No floaters or problems with my right eye.
1157235	4/1/2021	CT	63	F	3/13/2021	3/14/2021	Eyes red and itchy, face blotchy and swollen. Scalp itchy and bumpy. Rash across stomach. Chills. Took Benadryl for 3 days.
1157670	4/1/2021	NC	44	M	3/19/2021	3/20/2021	I had shingles. Starting next date I had a poking feeling in my forehead, and head heck for couple days guess 3rd day started seeing pimples in forehead and it started developing on my left forehead and until my left eye.
1157210	4/1/2021	MO	64	M	4/1/2021	4/1/2021	After patient was vaccinated, it was discovered that there was approx 1.4 mL of vaccine left in the vial of Moderna vaccine. Eye-witness accounts from fellow staff members report that patient may not have received a full dose of the vaccine. Guidance was sought and it was recommended by CDC that this dose needs to be repeated. Pt was called and dose was repeated same day at approx 17:30.
1157192	4/1/2021	PA	60	M	3/30/2021	3/31/2021	fever of 101.8, aches from tips of right fingers to tips of left fingers and down my back to my buttocks, headache, blurry vision,extreme fatigue. all lasted about 28hours. now just pain at the injection site.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1157191	4/1/2021	CA	36	F	3/28/2021	3/28/2021	Vaccine on 3/28. 45 min after vaccine felt cold sweats, nausea. 3/29 ongoing cold sweats, nausea, fatigue, mild body aches. Went to work, symptoms worsened and developed severe body aches, headache, photophobia, gasping for air (but could breathe ok). Got up from a chair and syncopized, unknown amount of time unconscious. Taken to ED, normal exam, diagnosed with vasovagal syncope, went home to rest remainder of day. 3/30 still fatigued, tried drinking coffee and it spilled out right side of mouth. Looked in mirror and thought right eye and lip were drooping. Touched face and could not feel anything on right side. Also noticed splotchy red rash bilateral cheeks and left arm (same as injection) that was itchy. Saw PCP (via tele) who documented decreased right smile, forehead elevation, cheek puff and decreased sensation on face. Prescribed 7 day course of Valtrex TID and Prednisone 60mg daily which she began on 3/31. Seen by neurology (via tele) 4/1, patient indicating 50% improvement in symptoms but states she cannot feel entire right side of face or ear. When talking appears to only be talking out of left side of mouth but no flattening of right nasolabial fold, normal smile, cheek puff, questionable asymmetry of right forehead elevation but symmetric eyebrow furrow. Unable to assess forced eye closure. States she cannot feel pinch or nail on right side of face.
1157183	4/1/2021	CA	68	F	4/1/2021	4/1/2021	Pt developed blurry vision and burning to eyes several minutes after vaccination. lasted for about 20 minutes. sx somewhat similar to hyperglycemia symptoms. Felt better after observation period as above. Well for dc home.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1157172	4/1/2021	CA	18	F	3/19/2021	3/19/2021	On Friday 3-19 she had a swollen lip. It went down and she had her first dose of COVID vaccine. Saturday she was well and had a fever on Sunday. Fever went away and she felt better until Tuesday when she had a high fever on Tuesday night. Wednesday she had swollen puffy eyes but they were never red in her conjunctivae. Thursday seen by Dr. Labs showed mild increase in LFTs and Cr. She had lymphocytosis and atypical lymphs consistent with a viral infection. She was negative for EBV and had a negative COVID swab. She does not have history of exposure to COVID a month ago. She is careful at school. They are tested frequently and no one has been sick, however one of her roommates had mono. Friday and Saturday fevers continued. Saturday repeat labs showed higher LFTs and negative CMV. ESR and CRP and ferritin are elevated. She has no rashes, cough or congestion. She is mentally clear and not light headed. She has a headache when her fever is high but otherwise is okay. No conjunctivitis, No sores in mouth or lips, and no swollen LNs.
1157143	4/1/2021	OH	42	M	3/12/2021	3/30/2021	On March 30th I lost taste on half of my mouth. When I woke up March 31 my entire right side of my face was dropping and was not responsive to facial motion. Went to the ER to get checked out. They did testing to make sure to rule out a stroke. And found it to be Bell's Palsy. I was given a prescription of steroids, antibiotic, and eye ointment. I was told to go for a follow up with my Family doctor. I have that scheduled for April 5th at 3:15pm with Dr.. I have had to miss two days of work so far due to this adverse side effect.
1157108	4/1/2021	AZ	67	F	3/15/2021	3/15/2021	Pressure Headache that lasted 12 days, right facial tingling around day 5, visual disturbances on day 2, foggy thinking 10-12 days, fever 100.6 after 30 hours, body aches lasted 48+ hours, irritability for 7+days, neck pain lasting 7-10 days with thoracic pain lasting 12-14 days, left arm soreness lasted 4-5 days, loss of appetite lasted 2 days
1157107	4/1/2021	OK	55	M	3/31/2021	3/31/2021	Several hours after injection, the patient began shaking with chills, burning eyes and a fever of 101. This continued most of the night and subsided by 9 AM on 4.1.21. Since then he has continued with regular activities with minor discomfort.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1157078	4/1/2021	WV	53	F	4/1/2021	4/1/2021	Roughly 5 minutes after vaccine administration, patient experienced dizziness while waiting in the store for monitoring. The patient stated she had a headache, fuzzy headed, weird taste, dry mouth, tingly head, felt like she was going to pass out, blurred vision, and all around felt strange. Emergency services were called and took over care once arrived.
1157047	4/1/2021	NY	39	F	3/8/2021	3/8/2021	Extreme fatigue. Feel asleep within 5 minutes. It came on so fast...,like I hit a wall. Chills. 99.9 temperature. Couldn?t open eyes or move fingers. Light headed...blacking out when I got up to go the bathroom. Couldn?t have any sounds (like tv) on. Just needed to lay still and sleep. The above lasted 19 hours. Then my temperature ended. I had trouble walking and standing for another 20 hours. No stamina. I went to work near the end of this and noticed I had trouble looking at my paperwork and figuring what to do for my job. Not sure if this was still the fatigue just in a different way. Then it disappeared.
1157247	4/1/2021	OH	38	F	3/30/2021	3/31/2021	It started with my nerves being hyper sensitive, where anything brushed against my arm needle like pain would shoot through my arm. Also whenever I turned my head I got dizzy. That lasted about an hour and half, then turned to full body aches and a slight headache. Over the next few hours the headache grew worse and worse. Then about noon I got the chills and my face became super flush and my eye lids felt like they were on fire. When I arrived home from work at 1pm I took a warm/hot bath to try help with my body aches. Then I went to bed to help my body fight it. I was also drinking lots and lots of water and a few gatorades throughout the whole day. When I woke up at 11pm all of my symptoms were gone.
1158038	4/1/2021	PR	48	F	3/30/2021	3/30/2021	Face numbness (left side, same side of vaccine administration), starting 5-7 minutes after injection. Lasted for about 10 minutes. Mild contraction of periorcular muscles (right eye) started about 1 hour after shot and have lasted for at least 48 hours after dose.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1157579	4/1/2021	CA	29	F	2/24/2021	2/25/2021	MRI showed acute injury to brain; Had double vision; paraesthesia on one side of the body/tingling on one side of body; A spontaneous report was received from a physician concerning a 29-year-old, female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced paresthesia on one side of body/tingling on one side of body /hemiparaesthesia, had double vision and MRI showed acute brain injury. The patient's medical history, as provided by the reporter, included some neurological issues but all the tests were reported as normal prior to vaccine administration. Concomitant medications were not provided. On 24 Feb 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Lot number: unknown)intramuscularly for prophylaxis of COVID-19 infection. On 25 Feb 2021, the patient experienced tingling and paraesthesia on one side of body. After a few days on an unknown date the patient had double vision and magnetic resonance imaging was done which showed acute brain injury. Treatment information was not provided. Action taken with mRNA-1273 in response to the events was not reported. The outcome of event(s), paresthesia on one side of body/tingling on one side of body /hemiparaesthesia, had double vision and MRI showed acute brain injurywas unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.
1156058	4/1/2021	MD	76	F	3/12/2021	3/16/2021	3/16/21/1am woke with swelling & itchy eyes. lessened but continued 3/16/21 1pm saw orthopedist for injection right knee 3/17/21 1am swelling & itching increased to mouth, ears, tongue . 2 Benadryl 25 mg each taken dozed 15 min coughing , voice changed hoarse breathing seemed different, visual disturbances . right very bloodshot red spots seem 2a to ER 200/90. Immediately administered IV Epinephrine, Solumaedral, Pepsid Dozed off feeling better 6am discharged home 156/70 pulse 70 3/24 saw allergist all tests for foods were negative.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1158239	4/1/2021	CA	49	M	3/19/2021	3/19/2021	Severe nausea and vomiting, headache, ear/neck pain, ear infection, eye infection, blisters in and around nose, eye, face, scalp, vision loss, inability to read/work 2+ days.
1158169	4/1/2021	AK	67	M	3/31/2021	4/1/2021	Woke up this morning feeling achy took some reg strength tylenol which seemed to help temp was 97.3 later after an eye doctor appointment i was starting to get achy again and had the chills. When I got home I took my temp about 3 hours after my eye appointment and it has been consistently 100 now. I have taken 2 more tylenol just now and temp is 99.7 at this time
1158151	4/1/2021	WA	55	F	3/30/2021	3/30/2021	Worse headache ever..felt like head was going to explode..light sensitive...blurred vision...horrible muscle cramps all over body...swollen legs arms face eye area...freezing cold for 24 hours straight - had on 2 sweatshirts, 2 shirts, 3 blankets and heater at 75 with no relief...could barely get out of bed to use bathroom - had to crawl...horrible arm pain, couldn't move arm at all, hot to the touch, extremely sore..that was all in the first 24 hours...
1158145	4/1/2021	IN	34	M	3/30/2021	3/30/2021	Tremendous pain in the left arms where the vaccine injection was given. Terrible (unbearable) headache with a high fever. Burning sensation on eyes. So, I require immediate medical assistance for my health.
1158143	4/1/2021		61	F	3/19/2021	3/23/2021	03/23/2021 - large red patch at injection site;; 03/27/2021 - extreme under eye inflammation (have photos)
1158128	4/1/2021	NV	66	F	3/26/2021	3/26/2021	Sore left arm, chills, sore joints, cough, 102F fever, stomach, diarrhea, lost of appetite, needed to stay in bed for 3 days. Sore left eye. Symptoms subside by the 3rd day. Currently I only have sore left eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1158076	4/1/2021	TX	27	F	3/29/2021	3/29/2021	Started feeling nauseous and woozy around 10PM so I went to bed. I woke up shortly after midnight to back pain and severe chest pressure, a migraine, and tingling and numbness all over my upper bod. My face was swollen and I could hardly open my eyes. I couldn't move my left arm (the arm I got the shot in) and within 20 min I couldn't really move much at all. I called 911 at 12:38am and they instructed me to use my EpiPen. I felt like I was going to pass out any second. My swelling went down and I was able to breathe much better after that, but was still unable to really move. I began shaking involuntarily, which the 911 operator told me was normal following the use of an EpiPen. I was able to slowly crawl to the front door. The paramedics checked my vitals but I don't really remember much after that. I think they lifted me onto a stretcher. The next thing I remember is being at the hospital. They did an EKG because I was still having heart pain (they said it was from the epi pen and would subside after 10 min but it just got worse). They also did some blood tests and an x-ray of my lungs. Everything looked good at that point. When they told me the results it was probably about 2AM. The doctor concluded that it was some sort of allergic reaction, although they emphasized that vaccine reactions usually occur close to the time of the shot.
1158073	4/1/2021	CA	23	F	4/1/2021	4/1/2021	Patient received vaccine at 6:03 pm, patient was in recovery area and experienced syncope at 6:07 pm, patient fell to the group face down, nurses responded turned patient on left side, patient had 5-10 second seizure with full body seizing and eyes rolled backed. EMS called. Right frontal area hematoma due to hitting head on floor. Patient confused at first, BP 98/64, HR 80 at 6:10, patient diaphoretic, reassessed BP 105/60 HR 82, EMS assessed, patient LOC returning A&Ox4, able to remember she does have seizures and takes seizure medications but cannot remember medication name. Nurses advised patient to be transported by EMS, patient refused, patient boyfriend and mom also refused and stated they would take her themselves. Boyfriend to drive patient to ER for follow up per patient and family.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1157645	4/1/2021	MO	52	M	4/1/2021	4/1/2021	After patient was vaccinated, it was discovered that there was approx 1.4 mL of vaccine left in the vial of Moderna vaccine. Eye-witness accounts from fellow staff members report that patient may not have received a full dose of the vaccine. Guidance was sought and it was recommended by CDC that this dose needs to be repeated. Pt was called and dose was repeated same day at approx 17:30.
1158061	4/1/2021	GA	30	F	3/31/2021	3/31/2021	Patient came in this evening from visit with her doctor with a prednisone dospak, 6 day... loratadine tabs and a albuterol inhaler. Stated her right side of her face went numb and her right eye began to swell. also stated her skin was blotchy all over and later in the evening (3/31) had very labored breathing.
1157652	4/1/2021	PA	27	F	3/30/2021	3/30/2021	After 1st dose of vaccine experienced headache and extreme fatigue. Began about 2 hours post-injection. Headache lasted 8 hours. After 24 hours the fatigue was moderate and persisted a total of 36 hours. Blurred vision occurred 8 hours post-vaccine and has persisted +72hours. Twitch in right eye-lid persistent with blurred vision from squinting.
1158001	4/1/2021	HI	70	M	3/30/2021	3/30/2021	SCH (subconjunctival hemorrhage) starting within 2 hrs - left eye (no previous history) - ongoing after 52 hours. 100.5 deg temp after 18 hours. Took 2 Tylenol. Normal temp after 30 hours.
1157975	4/1/2021	CA	76	F	1/30/2021	2/1/2021	Giant cell arteritis. Symptoms started 2 days after COVID with upper back and neck pain, lymph node enlargement and tenderness, TMJ pain/trimus. After second dose of Moderna vaccine, worsening symptoms with intermittent sharp lancing pain behind right ear, right >left frontal headache, lancing pain on forehead that radiated to back of head, scalp tenderness, no vision changes or temporal artery tenderness. Labs, exams, CT head and MRI/MRA head done. Video, telephone, office visit, ER visits. Prednisone started. Temporal artery ultrasound negative. Temporal artery biopsy consistent with temporal arteritis. Symptoms improved with prednisone.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1157926	4/1/2021	AZ	65	F	3/29/2021	3/30/2021	numbness of upper left side including left eye. Difficulty walking, moving, getting out of bed due to scarce muscle strength. swelling of the site (COVID ARM) 4" in diameter, hard, rash, itchy, sore + pain if touched. No overall swelling warmth at the injection site Fatigue - Slept for the majority of 36 hours. Woke only to eat a little & attend to pets Headache - began shortly after the vac but grew & continued despite taking meds. mental fog Back and forth mild fever switching to chills
1157917	4/1/2021	FL	68	F	3/30/2021	3/31/2021	Fever from midnight to 9 am when I took a Tylenol. Fever was 100.4 degrees & subsided. During the afternoon I experienced 2 falls. My vision became blurry and I collapsed. I don't know how it happened - it seemed that my legs just stopped working. I was not dizzy. I had a feeling of nausea several times, but it subsided. I stayed in bed most of the rest of the day. I am fine today - April 1, 2021. I just thought people should be aware that this could happen. I could easily have hurt myself, but did not.
1157906	4/1/2021	NY	37	F	3/23/2021	3/24/2021	Muscle aches, fatigue, low-grade fever all lasted about 24 hours. Headache and eye pain were severe and lasted 72 hours before subsiding. I'm still managing a headache but believe it may now be from allergies/stress.
1157898	4/1/2021	OK	19	F	4/1/2021	4/1/2021	feeling hot, sweating, dizziness, blurred vision, paleness, darkening of vision, nausea. Patient was given cold compress on back of neck. symptoms began improving. Patient leaned forward to put head in friends lap. She communicated her symptoms clearly the entire time. Patient fully recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1157850	4/1/2021	TX	57	F	4/1/2021	4/1/2021	Client was vaccinated at 1611 on 4/1/21. Nurses were notified of client itching around 1645. Client was still onsite doing 30 minute wait time. Upon examination, client stated her face was itching around her eyes. Her tongue also felt thick and throat felt dry. Began slurring her words due to thickness of tongue. Also began having hives on arms. EMS called at 1649. VS at 1649: 142/92, 98%, 85 BPM. 0.5mg epi given at 1650 in R arm IM. VS at 1653: 140/90, 97%, 77 BPM. 50mg Benadryl given IM in L arm at 1658. 98% and 75 BPM at 1658. Client stated her tongue felt a little better and hives started to resolve. EMS arrived at 1700. Client transported via EMS to hospital at 1704.
1157831	4/1/2021	WA	52	F	3/31/2021	3/31/2021	Blurred vision, twitching of eyes, vomiting, numb lips, fever 102, pain in nose, ears and throat, pain in hands and feet, severe headache, tinnitus, fatigue, chills, skin crawling, rash and swelling and pain and skin peeling at injection site.
1157712	4/1/2021		51	F	4/1/2021	4/1/2021	Tingling, vision blurry, flushing, slight feeling of wooziness, felt disconnected.
1157673	4/1/2021	AZ	63	F	3/29/2021	3/29/2021	Less than two minutes after J & J vaccine I was unconscious and unable to move my entire body. I could not move my eyelids, mouth, arms, legs...entire body. Upon becoming mentally alert it was more than two hours until I could move all of my body. I was taken by ambulance to an emergency room. IV fluids, potassium, and released 3 hours later.
1157706	4/1/2021	OR	40	M	4/1/2021	4/1/2021	10 seconds of tonic clonic seizure like activity 6 minutes after administration of the Moderna COVID-19 vaccine with associated hypotension, bradycardia, diaphoresis, and visual disturbance (spots in his vision) that self-resolved after being shaken.
1158067	4/1/2021	OH	37	F	4/1/2021	4/1/2021	Swollen right eye with blood spot, itchy blotchy red patches on skin.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1156171	4/1/2021	MN	24	F	3/30/2021	3/31/2021	About 20 hours after the injection, my right eye started twitching, and within 5 seconds, the bottom half of my face (from my cheekbones down) went numb, and my mouth drooped open on both sides. The muscles in my lips were not working, and I had a hard time speaking. I could force a smile if I tried really hard, but if I was relaxed, the corners of my mouth were low on my face, and my mouth hung open. It lasted about 5 minutes and over a minute faded back to normal. I went to urgent care after speaking with a triage nurse.
1156369	4/1/2021	CA	51	F	3/26/2021	3/26/2021	swelling of throat feeling, throbbing lips, tongue, gums, and mucus membranes of the nose. I took a dose of Benadryl when it started (about 40 minutes after getting the vaccine) and I took another dose of Benadryl before going to bed that night. I had slightly swollen eyes and lips the next morning, and it subsided thereafter. Question: Can I get the second vaccine? Is there any special protocol I should follow?
1156355	4/1/2021	CA	59	F	4/1/2021	4/1/2021	59 y/o female, c/o headache, mild nose bleed, blurry vision on both eyes and left eye redness. Pt. Stated her blood sugar this am was 200?s, did not take am meds and insulin, stated ?because I am scared I will be taking the vaccine.? last insulin taken evening of 3/31/21 Lantus 50units. Paramedics came to check VSS, blood sugar above 400?s. Advised further eval, sent to Hospital via ambulance.
1156338	4/1/2021	CA	55	F	4/1/2021	4/1/2021	After vaccination, while waiting the recommended 15 minutes post vaccination, around 10 minutes, patient fainted and eyes rolled back, patient was limb and could not stand. Patient was breathing and talking, however was disoriented, did not know where she was.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1156298	4/1/2021	GA	24	F	4/1/2021	4/1/2021	Pt received vaccine and was waiting in a chair for the required 15 minutes with her dad. after 10 minutes, she told her dad she was feeling dizzy and wanted a water. He left to get water. Another RPH saw pt. falling over in her chair. Patient's eye were open and tears were coming down but she could not speak. Her eyes began to close and she kept trying to pass out. We took pts mask off and fanned her and kept talking to her. After about 3 minutes, she was able to focus her eyes and could say her name. After about 3 more minutes, she was able to count to 10 backwards. Her dad returned. She drank water and was feeling much better after about 20 more minutes.
1156282	4/1/2021	CT	90	F	3/4/2021	3/25/2021	experienced dizziness for 4 days following the shot then on day 7 following the vaccine, she developed an eye hemorrhage.
1156277	4/1/2021	NY	63	F	3/11/2021	3/13/2021	Severe post-nasal drip followed by nausea and itching of mouth and throat. Next day symptoms were improved but experienced flushing of face and swelling of eyes. Also had rash around eyes. Took Benadryl and relieved symptoms. Also had low-grade fever. Felt exceptionally ill on the Wednesday following vaccination and had rash on upper thighs which disappeared after approximately 6 hours. Other than ongoing nausea, no further symptoms.
1156272	4/1/2021	VA	58	F	3/19/2021	3/20/2021	After both Covid vaccines (first one on Feb 17, 2021) I got a pressure-headache that was present all the first and second day after and then subsided to intermittent every few days for about a week. After the second vaccine, I've also had daily occular-migraines and/or light-sensitivity/auras for week2-post-vaccine (from about Mar 25 to Apr 1). In my younger years, I experienced occular migraines from time to time but usually for not more than one day, and only one or two per year. After going through menopause 8 years ago, such migraines ceased, until this recent round post-vaccine and persisting daily.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1156260	4/1/2021	TN	65	F	3/31/2021	3/31/2021	at 10:33 chest feeling full like could stop breathing any second along with a weird headache, then dizzy head through chest, down arms, legs and toes. at 10:40 Hard pain started in a wide band from right side of back and went to left . at 11:10 Tongue and tip of tongue went numb and metal taste. then upper lip went numb. 11:20 Outer upper mouth numb and still weird taste, but now strange smell. 11:29 Nose now numb and upper chest feels icy cold and numb inside. 11:36 Now cheeks numb and chin. Still weird feeling in chest and down arms. some nausea now. 12:31 Really bad left eye pain for about 10 seconds. 1:30 Now only tongue and upper lip still numb. 1:35 heart pounding in chest and head . pounding stopped at 1:55. At 2:15 All started going away, face turned bright red with heat. at 4:00 still have left eye pain and headache, other all gone
1156243	4/1/2021	GA	37	M	4/1/2021	4/1/2021	Pt was waiting required 15 minutes in a chair. About 8 minutes after receiving the vaccine, his girlfriend yelled "help". I ran over to pt and he was losing consciousness. His eyes rolled back in his head and he began to fall to the ground. Pt lost consciousness. 911 was called. Pharmacist administered EPIPEN immediately in thigh. He responded immediately and regained consciousness. Within a few minutes, he was able to say his name and respond to questions etc. 911 arrived and assessed pt. He did not go to ER and stayed another 20 minutes until he felt okay to leave with his girlfriend.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1156231	4/1/2021	AR	26	M	4/1/2021	4/1/2021	Patient received vaccine and had immediate adverse reaction. His eyes rolled to the back of his head and he had complete loss of consciousness that lasted around 2-3 minutes. Assessed patient for heart rate (there) and breathing (unsure if lost breath at first, could not determine with mask on, and when I pulled off it took me a few moments to get his mouth open to hear breathing occur). Elevated legs. Patient lost color and became sweaty and cold in his hands. His wife was in the room with me. I had 911 called, and they arrived within 10 minutes of incident. Patient awoke and was responsive around the 3 m it took me a few moments to get his mouth open to hear breathing occur). Elevated legs. Patient lost color and became sweaty and cold in his hands. His wife was in the room with me. I had 911 called, and they arrived within 10 minutes of incident. Patient awoke and was responsive around the 3 minute mark, and he slowly came to, not remembering incident. Had him wait around 45 minutes to ensure okay before he declined transfer to emergency care and left with his wife. inute mark, and he slowly came to, not remembering incident. Had him wait around 45 minutes to ensure okay before he declined transfer to emergency care and left with his wife.
1156388	4/1/2021	OH	61	F	1/16/2021	1/20/2021	Felt a nodule in my supraclavicular lymph node on my left side 5 days after receiving my 1st vaccine. Made an appointment with my physician and had an office visit on the 6th day after vaccine. Physician explained he felt like it was a side effect of the Moderna vaccine that I had received and told me to keep an eye on it.
1156173	4/1/2021	CA	69	M	3/24/2021	3/24/2021	6 hrs post 2nd vaccine, fever, chills, head ache came on, over next 6 hrs got progressively worse, some delirium, weakness, fatigue, balance issues, pressure behind eyes, loss of appetite , very sore arm, lack of ability to process thoughts. Today is day 9 with continued symptoms but not as severe as yesterday. Note: After first vaccine, had worst flu symptoms ever experiences and the arm stayed sore a full week.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1156179	4/1/2021	MD	48	F	3/31/2021	3/31/2021	~~Pt complained of blurry vision. VS obtained. BP 167/112; HR 76; O2 Sats 98% on RA; Temp 98.0; pt noted hx of hypertension, has not taken medication since 2019. Visual field test. On site MD notified, pt transferred to ER for further evaluation. ED summary: symptoms resolved and pt discharged home. Pt was primary nervous! Upon arrival at ED, BP 141/103; HR 71; blurred vision persists ~~
1156164	4/1/2021	VA	58	F	4/1/2021	4/1/2021	Patient received dose at noon and was counselled to stay in waiting area for 15 minutes to monitor for symptoms. Shortly after, within 5 minutes) patient began feeling "it in her stomach" and it began rising up. Patient began turning red in face, sweating, felt as if her throat was closing, tachycardic (upon pharmacist palpitation, but HR was coming down) and vision became spotty and blurry. Immediately gave patient first two liquid caps of benadryl and had epi-pen on hand while technicians called EMS.
1156155	4/1/2021	KY	55	F	4/1/2021	4/1/2021	Patient presented at Altec for her first covid vaccine shot. Patient stated she has had a reaction to a previous immunization. Patient was counseled about possible side effects and reactions and was counseled to stay in observation area for a minimum of 30 minutes. Vaccine given at 1008. At 1019 patient appeared to be anxious and stated that she felt her heart was racing, eyes started watering and a tightness in her neck. C/O headache. 25mg PO Benadryl given. Pulse 80 BPM. Patient continued to appear anxious and redness noted on neck like hives. 911 called to evaluate patient. Patient declined the need to go to the emergency room. Patient was reported by human resources at Altec that she was able to return to work and they have been keeping a close eye on her.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1156149	4/1/2021	KS	36	F	3/26/2021	3/26/2021	Immunization 3/26/2021 COVID Vaccine Clinic Need for vaccination +1 more Pt. who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 originally but ended up for 30 due to how she was feeling waiting period after the injection, the patient began to experience lightheadedness and nausea with brief "funny taste in mouth". She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality and rapid progression of symptoms. ALLERGY REVIEW OF SYSTEMS: Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, eyes watering, eyes itching, cough, chest tightness, shortness of breath, wheezing, rash, hives, itching of skin, vomiting, abdominal pain, muscle aches, joint pain, dizziness and headaches + nausea: + lightheaded: Previous Reactions: none Objective Vitals Vitals: 03/26/21 1230 03/26/21 1330 BP: (!) 138/92 108/68 Pulse: 92 SpO2: 98% Physical Exam Constitutional: Appearance: She is not diaphoretic. Comments: Flushed. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Regular rhythm. Tachycardia present. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Gait: Gait normal. Psychiatric: Mood and Affect: Mood is anxious. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Pt with int waves of nausea. Treated with pepcid and zofran x 1 with temporary relief. 1250

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							pt with emesis in bay, good amount 1252: pt given zofran and more ice packs. 1300: pepcid given again 1310: pt with emesis again. Assessment/Plan Treatment included: water and pepcid, zofran Follow up response to treatment Patient discharge: Transported to ED by ambulance. Differential Diagnosis: Red flag symptoms (CP, SOB, NVD, Visual/Neuro concerns) Pt unable to tolerate po fluids. Emesis frequency not changed. Discussed with patient about options, she wishes to be taken to ED via EMS Husband and daughter will meet her there. ED manager updated.
1156143	4/1/2021	ND	27	F	3/1/2021	3/9/2021	Patient returns for second Moderna vaccination. Reports that she had severe lymphadenopathy and eye swelling about 7 days after her first shot which she sought out medical care. She was prescribed a steroid of some sort. She reports a few days later while picking up a child at work her shoulder was injured. She has sought out PT for shoulder injury.
1156101	4/1/2021	CT	33	F	3/2/2021	3/15/2021	13 days after the vaccine I began having symptoms of blurred vision, brain fog, migraines, and intense vertigo. The symptoms persist, especially the dizziness, at the time of this report.
1156077	4/1/2021	IN	56	M	3/30/2021	3/31/2021	Symptoms starting coming on about 20 Hours after the shot. Severe Chills and shaking for about 2 hours. Top of head numb and tingling . Severe Fatigue. Sore across the shoulders. Slight Blurred Vision. Fever of 100.5 Usually run around 97.1 on a normal day. Body ache to the point walk very slowly. Lose of appetite and only had about 10 oz of water during the adverse event time. With Tylenol and resting through the evening by 5:00 AM the next morning I was close to full recovery. Top of Head was still slightly numb. 24 hours after the onset of the event I am back to normal.
1156074	4/1/2021	TX	52	F	3/5/2021	3/5/2021	Itching eyes, inner nose, scalp, top of hands and top of thighs. Itch was mild but treated with over the counter benadryl
1156059	4/1/2021	GA	34	M	4/1/2021	4/1/2021	Itching and hives developed on the left side of my face near my eye. My left leg became itchy in my inner thigh.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1156996	4/1/2021	MI	25	F	3/31/2021	3/31/2021	Within seconds after the shot I experienced a sensation where I had trouble breathing and it felt like my throat was constricting. It felt like my heart was beating irregular, vision went blurry, full body flush, skin was hot, my chest was heavy and I had shortness of breath. I told the staff that I was having a reaction so they had me sit in a private room and watched me. After sitting for a few minutes the feeling went away. I have not had any side effects since.
1157721	4/1/2021	WY	63	F	4/1/2021	4/1/2021	Arm felt itchy after the injection. Notably, it was not itchy at the injection site. Instead, it was itchy on the shoulder. The itching spread down to the inside of the arm, avoiding the injection site. About 10 minutes after the shot, the other arm started itching. We checked in with the pharmacist at the 15 minute mark and got the go-ahead to go home, since it was only itching. On the drive home, about 20 minutes after the shot, the face and lips started itching. After arriving home, about 25 minutes after the shot, we noticed a small rash forming on the face. She took a benadryl and retired for the day, to be safe. The itching was still spreading about half an hour after the benadryl (60 minutes after the injection), reaching the back of her neck. However, the rash has improved since taking the benadryl and the face is less itchy. (She describes the itchy patches as moving to different parts of her body.) It's currently only 65 minutes after the vaccine, so we're still keeping an eye on things! We wanted to report symptoms while they're fresh in mind.
1156178	4/1/2021	GA	24	F	3/31/2021	3/31/2021	Pt was waiting required 15 minutes in a chair. After about 8 minutes from receiving vaccine- Pt began to pass out and lose consciousness. Pt could not speak and her eyes began to roll back in her head and her body began to convulse slightly. Administered Epipen to pt in left thigh and she responded immediately. She came to and within a few minutes was able to say her name and count backwards from 10. 911 had been called. paramedics assessed pt. They asked her if she wanted to go to ER and she said yes.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1156697	4/1/2021	TX	58	F	3/26/2021	3/27/2021	Moderna vaccine. Work up the next morning a left side of face, eye, upper jaw was extremely swollen. Shot was in the right arm. Went to emergency clinic and skin cellulitis was diagnosed. I was given antibiotics to take. I had a root canal 7 days prior to the shoot. Went to dental surgeon the next Monday and he said the swelling was not related to the tooth. No fever.
1156980	4/1/2021	WI	71	M	3/26/2021	3/28/2021	Pink eye (conjunctivitis). Continuing currently
1156958	4/1/2021	TX	44	F	3/25/2021	3/25/2021	5:15pm Pt c/o itching on face secondary to injection of first dose of Covid-19 vaccine. Before alerting staff, pt. self-treated with Benadryl 25mg. p.o. EMT on scene found BP 138/90, lungs clear bilaterally. This nurse called to assess pt. 3 minutes into 30 minute observation. Pt reports?, throat swelling? and history of anaphylaxis?. 5:18pm Epinephrine 0.3mg IM administered per protocol in Right anterolateral thigh. BP 130/90 p. 85, visual inspection with light shows airway appears open. Pt. alert and oriented. Skin warm and dry. 5:30pm Paramedics arrived and assume responsibility for follow-thru with patient. At that time patient reported feeling better. Declined transport to hospital and was driven home by husband.
1156176	4/1/2021	NH	38	F	3/8/2021	3/8/2021	-About 3 minutes after receiving the shot mouth and throat felt itchy. The itchiness lasted until the following day. -Later that day in the afternoon around 3pm I had heavy breakthrough bleeding like I got my period which lasted for several days. I finished my birth control pill pack the following weekend and got my normal period. - In the afternoon of the 7th day after the shot my mouth was itchy again. Later that night my arm was sore, hot to the touch and had a rash. The next day the rash had spread down my arm. My throat, tongue and eyes were itchy. I called my PCP and spoke to a friend is an a doctor. I took Advil and Benadryl which helped. The rash and itchiness persisted from Mon - Thurs. - 15 days after the shot I got a bloody nose that lasted for about 45 minutes. I have not had a bloody nose since I was a child so thought this was worth mentioning. - Around the same time I had headaches in the back of my head that felt like burning.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1156421	4/1/2021	MI	75	F	3/18/2021	3/21/2021	Following first dose, only experienced fatigue and slight headache for one and a half days. Following second dose I experienced painful injection site for 2 days along with fatigue and generalized "out of sorts" for 2 days then felt quite well enough to resume normal activities and even took a 40 minute walk. That night (3/20) I had serious night sweats (fever?) and the following morning my arm at the injection site was hot and swollen and splotchy red, my face was swollen on the left side (side of injection, and my left temple was extremely painful to touch. I had a slight fever (100.5) and experienced a period of horrible chills. Later in the day my left eye became swollen and the area above my ear and eye and about one third of my forehead were bright angry red although the sensitivity of the temple had lessened. It was a Sunday and there was no walk-in clinic available so I contacted a Zoom style doctor through insurance. She advised she believed it to be an allergic reaction and that I should go to an emergency room. I wasn't experiencing any breathing issues and was no longer feeling feverish and chills so decided to wait and see what the morning would bring. Monday am the redness and swelling had spread to the right side of my face and the areas behind both ears and down my neck so decided I should be seen. I had already come to believe these were swollen lymph nodes and the Physicians Assistant I was able to see diagnosed as lymphadenopathy. The swellings and pain receded over the next few days. I still (4/1) have some stiffness in my left jaw and slight redness around my right eye above my ear.
1156886	4/1/2021	MD	49	M	3/9/2021	3/29/2021	Numbness on left side of face similar to receiving Novacaine...continuing eye issues
1156783	4/1/2021	WA	48	F	3/26/2021	3/27/2021	Mild headache; Sensation of random but frequent, almost rapid, fluctuating air pressure in left ear causing left eye to water and want to close with fluctuation, and psychologically distressing. Some intermittent ringing in left ear. Intensity decreased over the course of about two hours to the point I could go to bed and just fall to sleep, hoping it would be gone by morning, which it was. My "awake" experience lasted about 2.5 hours.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1156772	4/1/2021	NY	66	F	3/27/2021	3/31/2021	Began with tinnitus at both ears on the morning of March 31, 2021. On the morning of April 1, the left ear lost hearing and tinnitus appeared to better. In the afternoon around 12 noon felt nauseated, dizzy. At about 4:00p.m. vomited and felt the sky spinning with eyes open.
1156759	4/1/2021	NE		U			Fever, almost fainted, really dizzy, my vision went black, got very weak, heart very accelerated
1156703	4/1/2021	AL	80	F	1/22/2021	2/13/2021	On Saturday, February 13, I began to experience severe headaches for a week, and then excruciating pain in my temples and under my chin when biting into a sandwich and chewing food. On February 23, I visited my Dr. and he said he could not give me anything for the pain because it would affect the antibodies. On March 2, I visited my internist, Dr. He did a SED test and found excessive inflammation. On Saturday, March 6, I woke up with lost vision. Was sent for an MRI at the Hospital. Entered the Hospital that night and was given 1 gram of IV solumedrol for 4 days. Biopsy was positive for GCA. I am on 100 mg of Prednisone daily and have been referred to a neuroophthalmologist.
1156900	4/1/2021	FL	54	F	4/1/2021	4/1/2021	10:15 - patient complained she was feeling dizzy, had the chills, and blurry vision. 10:16 - vital signs taken BP 158/104, P 108, T 98.0, O2 98% R 16. Charge nurse informed. Patient was advised to sit in the front of observation for monitoring. 10:30 - Patient complained her vision was getting worse. Vital signs taken BP 149/100, P 104, T 98.0, O2 99%, R 16. Patient was given 50mg Benadryl orally as advised by the charge nurse. Monitoring continued 10:38 -Nurse asked the patient if she had eaten anything, patient was given gatorade. 11:15 - Vital signs retaken BP 138/80, P 80, T 98.0, R 16,, O2 98%. Patient without any signs of distress. States she feels better and ready to go. Patient educated about the side effects of the vaccine and what to do. Patient checked out and left in stable condition.
1156666	4/1/2021	CT	61	F	3/17/2021	3/19/2021	Ptosis of the left eyelid started on 3/19. Seen by specialist on 3/20 at Hospital. MRI showed inflammation of the left eye socket. No treatment at this time until second vaccine has been administered and two weeks have passed.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1156644	4/1/2021	VA	67	F	3/13/2021	3/22/2021	Patient had developed a sever case of shingles. She has had them before but never this bad. It appears on the same side (left) as she got the shot in. It has even affected her eye. Now she is hesitant to get the second shot next Saturday and likely will not be able to due to this illness. If she takes it it will probably be at the end of the maximum allowable time, which is 60 days I believe. Have researched this on line and there do appear to be some related cases of shingles associated with COVID 19 and the vaccine
1156624	4/1/2021		40	F	3/31/2021	3/31/2021	burning eyes within a few minutes of vaccination, no swelling, no SOB, no tingling
1156528	4/1/2021	NJ	54	M	3/29/2021	3/30/2021	101.5 fever for 28 hours, chills, headaches and eye strain, and fatigue and joint pain over a 28 hour time period.
1156456	4/1/2021	CO	69	F	3/27/2021	3/27/2021	Got the shot at 12:30 pm Saturday 3/27. Around 6 hours post-shot, soreness spread from the injection site across my back, into my neck, created a low headache, then went into my right arm and down both arms. Around 7 hours extreme fatigue set in. Chills hit at 9 hours. The headache became more generalized, extreme thirst, aches, shivering, and fatigue went on for exactly 24 hours. No appetite, rolling nausea (no vomiting), mental anxiety, cognitive fuzziness, sleepiness. Unable to read (short term memory and cognition), low attention for television. I never checked for fever. Around 6:30 the next evening (Sunday, 3/28), the symptoms retreated except for the fatigue and headache. Still a bit anorexic, but did eat lightly around 8 pm. Read, watched TV, and slept better. Monday, March 29: I felt very fatigued and fuzzy-brained, but otherwise normal in the morning; the afternoon brought more energy, less headache. Tuesday, March 30: Everything back to normal. Energy and clear thinking returned last.
1156729	4/1/2021	GA	24	M	3/30/2021	3/30/2021	PATIENT WAS VACCINATED WITH SECOND DOSE OF MODERNA COVID VACCINE AND THAT NIGHT EXPERIENCED ITCHING OF THE EYES, FEVER, AND BODY ACHES. NEXT MORNING PATIENT WOKE UP WITH RASH AROUND EYES. PATIENT SEEKING CARE AT CVS MINUTE CLINIC.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1156439	4/1/2021	MD	37	F	2/25/2021	2/25/2021	Within the 15 minute wait period, tingling and itching occurred in left eye, back and side of tongue and lips. Also, sweating and flush feeling.
1156513	4/1/2021	CO	52	F	3/26/2021	3/26/2021	Presents to virtual urgent care with a complaint of she received her 1st COVID 19 vaccine on Friday, she states since then, she has felt dizziness, nausea, and feeling a bit disoriented. She had an episode of seeing bright lights, she feels she can't see correctly. She states it feels like she felt when she had west Nile virus. She denies any fever or chills, no pain. Advised pt she will need an in person exam and possible some lab work. Patient opted to go to PCP instead of in person urgent care. Referred to eye center and MRI and diagnosed with vaccine related symptom triggered migraine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1156487	4/1/2021	CA	31	M	3/27/2021	3/27/2021	a 31 year old man who received the COVID-19 vaccine on March 27, 2021 in the Public Health Department parking lot. Upon arrival and check in, the patient declined any comorbidities and health history but did state that he was nervous. After administration of the vaccine by NP, the patient lowered himself to the ground, from a sitting position, and had a 60 second tonic clonic seizure. Seizure precautions such as turning the patient on his side, supporting his head, and calling EMS were taken during the seizure. After 60 seconds, the patient came to and asked what happened. PPHD staff oriented the patient to what had happened, to which he proceeded to say "oh that is normal for me when I get anxious." With the help of PPHD staff and his wife, the patient was brought to a sitting position and given a granola bar and water to his request. According to clinic lead RN, "his skin was normal in appearance for race, ethnicity, and age. He was mildly diaphoretic. He verbalized feelings of anxiety and worry surrounding the vaccine." As EMS arrived on the scene and began assessing vital signs the patient's anxiety appeared to increase; he became less verbal, closed his eyes, and his breathing pattern became shallow. The patient then had a second seizure at this time lasting approximately 25 seconds. When the patient came to he immediately verbalized, "I'm good, I'm good, I'm fine?". He was slow to respond to verbal cues, but persistently refused transport to the local acute care hospital for further evaluation. He rested on the ground in supine position for approximately 25 minutes, with his partner and EMS at his side. Upon further evaluation of the patient and his wife, it was determined that the patient has a history of seizure activities when he is nervous and that he was "expecting" this to happen. The patient continued to decline medical care and transportation to the hospital. The patient left in medically stable condition with his wife operating the vehicle.
1156536	4/1/2021	CA	64	F	3/31/2021	3/31/2021	Swelling in left lower eye and cheek within minutes of the injection. Has not resolved itself as of this reporting.
1156547	4/1/2021	NJ	75	F	3/30/2021	3/31/2021	After approximately 24 hours after 2nd dose of Moderna, ppt noted left eyelid was starting to droop. She was seen by PCP (4/1/2021) and determined to have Bell's Palsy. She was started on Prednisone 60mg daily x 7 days.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1156548	4/1/2021	NC	63	F	3/22/2021	3/22/2021	Headache, chills, joint pain, over-all aches, eye sensitivity, local pain at injection site, thirst, fever of 101.9, slept for 18 hours after onset of symptoms. The fever broke within 24 of onset. Headache remained and felt tired and somewhat confused for most of the next day. Then third day I was much better. On 4th day I had very bad diarrhea.
1156561	4/1/2021		68	F	4/1/2021	4/1/2021	high blood pressure, headache, blurred vision
1156603	4/1/2021	MN	54	F	3/31/2021	3/31/2021	Vaccine was administered at 1:10pm on 3/31/21. PT stayed in monitoring area for 30 minutes and then went out to the parking lot and states that is when she noticed that she had double vision. At 1:55pm she came back to clinic area and was evaluated by PHN. Vital signs: P-78, R-18, BP-110/70. PT was talking and conversing appropriately, in good spirits, no other s/s other than pain in back of head she states. Laid down for 15 minutes with cold wet cloths on forehead and wrists and then re-evaluated. Continued to have double vision and pain in back of head, she also was talking on phone and sent a text during this time. Reevaluated at 2:30pm after another 15 minutes of laying on the cot.
1156493	4/1/2021	NH	34	M	4/1/2021	4/1/2021	Patient in recovery for approximately 3 minutes. Patient suddenly slumped over and unresponsive. Patient did not respond to painful stimuli immediately. After approximately 20 seconds patient inhaled deeply, opened eyes and was confused as to where he was. VSS. Rapid response called and patient transported to emergency department as per protocol.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1150791	3/31/2021	LA	27	F	1/18/2021	1/20/2021	swelling under both eyes and pain; swelling under both eyes and pain; This is spontaneous report based on the information received by. Galderma Reference Number: GL-012221-1879. A contactable Physician reported for a 27-year-old female patient that she received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration from 18Jan2021 to 18Jan2021 at single dose for covid-19 immunization. Patient's medical history included recently testing positive for COVID-19 (date unknown). Past drug included Restylane from Jun2020 to an unspecified date for tear troughs. Concomitant medications were not reported. Patient injected with Restylane to tear troughs in Jun2020. The patient received the first dose of the COVID (Pfizer) Vaccine on 18Jan2021. Reported swelling under both eyes and pain on 20Jan2021. Swelling resolved without treatment by 21Jan2021. The outcome of events was recovered.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1150798	3/31/2021	IL	59	F	2/5/2021	2/6/2021	sore right eyelid; eyelid more swollen/right eyelid is much more swollen, red, and droopy; right eyelid is much more swollen, red, and droopy; right eyelid is much more swollen, red, and droopy; This is a spontaneous report received from a contactable consumer (patient herself). A 59-year-old female patient (not pregnant at the time of vaccination) received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Solution for injection; Lot Number: EL9265), via an unspecified route of administration on arm Left on 05Feb2021 15:15 at single dose for COVID-19 immunisation at workplace clinic. Medical history included Chronic reactivated Epstein Barr Virus and Cytomegalovirus. The patient's concomitant medications were not reported. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. It was reported that, the patient woke up Saturday on 06Feb2021 with sore right eyelid. Looked for evidence of stye but could not identify. Sunday, on 07Feb2021 eyelid more swollen, still no evidence of stye. Monday, on 08Feb2021, right eyelid was much more swollen, red, and droopy. Cannot locate a stye. Patient was treating with hot compresses. All the events were occurred on 06Feb2021 at 07:00 AM. The patient not diagnosed with COVID-19 prior to vaccination. The patient has not been tested for COVID-19 since the vaccination. The events were assessed as non-serious by the reporter. The outcome of the events was reported as not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1150800	3/31/2021	FL	73	F	2/6/2021	2/6/2021	roof of mouth felt numb; heart raced, then felt palpitations; strong headache; face flushed; exhaustion for 36 hours; This is a spontaneous report from a contactable consumer (patient reported herself). A 73-year-old non-pregnant female patient received BNT162B2 (COVID 19, Formulation: Solution for injection, Lot number: EL9269) via an unspecified route of administration on 06Feb2021 11:00 AM at single dose for Covid-19 immunization. The patient's medical history included coronary artery disease (CAD), arthritis and known allergies/allergies. Concomitant medications were not reported. Other medications in two weeks: Yes. Facility type vaccine: facility. On 06Feb2021 11:00 AM, the patient experienced roof of mouth felt numb, heart raced, then felt palpitations, strong headache across eyes and forehead, face flushed and exhaustion for 36 hours. Covid was not tested prior or post vaccination. The patient did not receive any treatment for the events. Outcome of the events was recovered on an unspecified date.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1150818	3/31/2021	TN	86	F	1/19/2021	1/21/2021	After vaccination began to experience itching and swelling of hands, arms, chest, back, and face which continued for almost two weeks; After vaccination began to experience itching and swelling of hands, arms, chest, back, and face which continued for almost two weeks; After vaccination began to experience itching and swelling of hands, arms, chest, back, and face which continued for almost two weeks; The symptoms progressed to redness swelling of the face, including swelling around the eyes; After vaccination began to experience itching and swelling of hands, arms, chest, back, and face which continued for almost two weeks; The symptoms progressed to redness swelling of the face, including swelling around the eyes; slight dehydration.; This is a spontaneous report from a contactable 86-year-old female non-pregnant patient (nurse) received first dose BNT162B2 (Solution for injection, lot number: EL3247, COVID 19, brand: Pfizer) on 19Jan2021 12:30 PM on Arm Left for COVID-19 Immunization. Patient medical history included Hypertension, mitral valve prolapse, cornea transplants both eyes, Allergies: sulfa. Concomitant medications included metoprolol, furosemide (LASIX), KCL, losartan, apixaban (ELIQUIS), cefalexin (KEFLEX). The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. After vaccination began to experience itching and swelling of hands, arms, chest, back, and face which continued for almost two weeks even after taking an antihistamine, Allegra after the 3rd day of onset of symptoms on 21Jan2021. The symptoms progressed to redness swelling of the face, including swelling around the eyes on 21Jan2021. No shortness of breath. Went to physician on 05Feb2021 who prescribed lab work and chest X-ray to rule out SVC syndrome; chest X-ray was normal. Lab work was normal. With exception of slight dehydration on 21Jan2021. He gave her a shot of steroids and a prednisone dosing pack as well as ointment for the arms and hands which were still red and itching on that day. Redness of face was much improved within 24 hours and most facial swelling resolved by 08Feb2021. The physician did advise her not to take the second COVID shot. He do have photographs of the reaction on her face, arms and hands. No Seriousness criteria reported. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

patient has not been tested for COVID-19. Outcome of events was recovering.; Sender's Comments: Based on available information, a possible contributory role of the subject product, BNT162B2 vaccine, cannot be excluded for the reported events due to temporal relationship. Clinical presentation is suggestive of allergic reaction. There is limited information provided in this report. This case will be reassessed upon receipt of follow-up information. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1150774	3/31/2021	NY	83	M	1/26/2021		<p>Itchy hands, legs, head, top of head and his face is itchy; achy and hurts where got the vaccine; he also has itching also on arm where vaccine given; scratching eyes; This is a spontaneous report from a contactable Consumer.</p> <p>An 83-year-old male patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Lot number: EL9Z6Z) via an unspecified route of administration in the left arm on 26Jan2021 (at the age of 83-year-old) as a single dose for COVID-19 immunisation. The patient medical history included parkinson's (ongoing) diagnosed 3-4 years ago, 2 stents placed in heart on an unknown date in2009, high cholesterol and high blood pressure diagnosed about 20 years ago (ongoing), right total knee replacement on 08Dec2020, prostate enlargement surgery on an unknown date in 2019 (2 years ago). The family medical history was none. The patient did not receive any other vaccine within 4 weeks prior to the vaccine and did not had history of previous immunization with the Pfizer vaccine considered as suspect. The patient did not receive any additional vaccines on same date of the Pfizer vaccination. The concomitant medication included 15 to 20 different tablets a day (not specified). It was reported that patient experienced itching on an unknown date in 2021. The reporter thought that itching was caused due to detergent and washed everything without detergent thinking maybe he was allergic. The patient had itchy hands, legs, head, top of head and his face was itchy on an unknown date in 2021. It was reported that patient was scratching his eyes, hands and head using nails like an animal. Patient added that he also has itching also on arm where vaccine given, still achy and hurts where got the vaccine on an unknown date in 2021. The patient visited a primary doctor since he was due for a visit (right knee replaced 2 months ago). The patient complained about itching to doctor and doctor said it might be due to dryness. The patient had made appointment for 2nd vaccine. The patient states he has done nothing special or specific besides washing hands every time. The patient did not receive any treatment for the events. The outcome of the events Itchy hands, legs, head, top of head and his face is itchy, achy and hurts where got the vaccine and scratching eyes was not recovered while for other event was unknown.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1150831	3/31/2021	NY	81	F	2/7/2021	2/8/2021	she had a rash on her abs. At first it was not that red and it was on left side and a little on the right. Now it is red.; This is a spontaneous report from a contactable consumer (patient herself). An 81-year-old female patient received first dose of bnt162b2 ((PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, Lot number: EM9809, Expiration date: Jun2021), via an unspecified route of administration in left arm at the age of 81-years, on 07Feb2021 at a single dose for doesn't want to get the virus. The patient's medical history included heart attack in Feb2018, and cholesterol. Concomitant medications included eicosapentaenoic acid ethyl ester (VASCEPA) for cholesterol, ciclosporin (RESTASIS) for eyes, losartan for heart, acetylsalicylic acid (BABY ASPIRIN), biotin, and colexcalciferol (VITAMIN D [COLECALCIFEROL]). The patient previously took an injectable cholesterol medication alirocumab (PRALUENT) at a dose of 75 mg, every 2 weeks (injecting it into the thigh) and experienced reaction. Prior Vaccinations (within 4 weeks) was reported as none. The patient reported that she noticed the rash on her abs when she woke up at 7:30 AM on 08Feb2021. At first it was not that red, and it was on left side and a little on the right. Now it is red. She is using bacitracin, neomycin, and polymyxin (NEOSPORIN). The rash burns. She thought today it was a little better. It is still bright red. She is using Neosporin twice a day. Started Neosporin today, 09Feb2021. The outcome of the event was recovering.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1150833	3/31/2021	MA	26	F	2/4/2021	2/5/2021	Migraine; headache; visual impairments; pain at injection site; This is a spontaneous report from a contactable Other HCP (Patient). A 26-yearfemale patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, Batch/Lot Number: EM9809) dose 1 administered in Arm Right on 04Feb2021 17:30 as single dose for covid-19 immunisation. Patient medical history contains allergies to Oats, sulfa containing antibiotics. Concomitant medications were not reported. It was reported that on 05Feb2021 12:30 PM patient experienced migraine and headache for 7 days (still ongoing) visual impairments and pain at injection site. The patient had taken migraine medication. On 08Feb2021 Patient undergone PCR test Covid test post vaccination through Nasal Swab shown a Negative Covid test result negative. On 11Feb2021 Patient undergone PCR test Covid test type post vaccination nasal Swab shown a negative Covid test result. The outcome of the event pain at injection site resolved in 1 day remaining events with outcome of not recovered. The initial safety information received was reporting only non-serious adverse drug reaction(s), Upon receipt of follow-up information on [24Mar2021], this case now contains serious adverse reaction(s). Information processed together.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1150858	3/31/2021	CO	96	F	2/2/2021	2/3/2021	her legs were red, the back of neck, stomach and arms; a little swelling under eyes and middle of back; rash all over the body; This is a spontaneous report from a contactable consumer. A 96-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection; Lot number: EL9264), via an unspecified route of administration on 02Feb2021, 6PM as single dose at left arm for covid-19 immunisation. The patient medical history included scoliosis, skin problems off and on prior to the vaccine and have dermatitis and other skin issues which had been diagnosed for years. the patient concomitant medication was not reported. on her legs were red, the back of neck, stomach and arms and a little swelling under eyes and middle of back and chest had some rash, states it is a dry rash. States that on Monday prior to the vaccine, one of her cheeks was red, that by yesterday she had a rash all over. the patient was is shrinking from scoliosis. On 03Feb2021, the patient had a rash come over her body . the outcome of event rash was not recovered. outcome of events her legs were red, the back of neck, stomach and arms and a little swelling under eyes and middle of back was unknown. No follow up attempts are possible. No further information is expected.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1150860	3/31/2021	WI		F	2/4/2021	2/5/2021	Headache; vision was unclear; blood pressure was 190/104; This is a spontaneous report from a contactable nurse (patient). A female patient of unspecified age received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), via an unspecified route of administration on 04Feb2021 at single dose for covid-19 immunisation. Medical history included History of High blood pressure. The patient's concomitant medications were not reported. The patient reported that she had the vaccine last Thursday, and Friday she woke up with a horrendous headache she also reported that her vision was unclear when she was trying to read. She said that she has a history of high blood pressure, it was well controlled and has been fine and said that her headache lasted all day and she took Motrin and nothing touched it. She took her blood pressure at 15:00 and it was 190/104, which is really high for her. It scared her. Being a cardiac nurse, she knew to take her blood pressure medication early, and she took additional amounts that she knew was safe. She said that within 1.5 hours her headache was gone. That night her blood pressure was back down. She is really concerned about getting the second vaccine. She said that her blood pressure is fine and has been fine since. The seriousness was reported as non-serious. The outcome of the events was resolved. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1150917	3/31/2021	OH	52	F	3/8/2021	3/1/2021	high level of shortness of breath; Diarrhea; spinal column hurt the worst (the spine from the top of her neck to her butt); butt muscles hurt really bad; caller's spinal column hurt the worst, the front of her calves and hip joints; spinal column hurt the worst, the very edges of her back, the side of her back was excruciating; Dizziness; Vomiting; not feeling well enough; shaking; shivering/ chills; pulse ox and it dropped down to 93; Excruciating body pain; Headache; sore arm / front of her calves, front of her thighs, left arm, 3 left fingers; Exhaustion; no appetite at all; This is a spontaneous report from a contactable consumer, the patient. A 52-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot number: unknown), via an unspecified route of administration in the left arm on 08Mar2021 at 10:15 (at the age of 52-years-old) as a single dose for COVID-19 immunization. Medical history included ongoing epilepsy since Oct2015 (officially diagnosed in Oct2015, but the doctors believed it was in her early 20s but she was misdiagnosed for decades), post-traumatic stress disorder (PTSD) from 2020 (diagnosed a year ago), sleep apnea since 2016 (patient thought she was diagnosed in 2016), COVID-19 in Nov2020 from which the patient almost died, memory loss (left over COVID symptom) for which the patient was in speech therapy, intermittent body pain (aftereffects of COVID-19), relapse in seizures due to COVID-19, her eyesight was terrible, epilepsy migraines. Concomitant medications included unspecified epilepsy medications. There was no other vaccine given on the same day, or 4 weeks prior to the vaccination. The patient previously received a flu shot and fainted, on an unspecified date. On 08Mar2021 at 11:15, the patient experienced sore arm (pain 2/10). On 08Mar2021 at 22:00, the patient had headache which got progressively worse, then it got so bad she wanted to pop her head off at midnight. On 09Mar2021 at 00:00, the patient had shaking and shivering where it looked like she was convulsing (she had history of epilepsy and knew what a seizure felt like, her husband may have thought she was having a seizure). The patient had chills to the point where she had multiple blankets and could not stop shaking, took her pulse ox and it dropped down to 93. The caller's baseline temperature was 97.1 and her daughter took her temperature and it was 98.9, most people wouldn't

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

consider that a temperature, but it was a temperature for her. The caller kept shaking like that for hours. On 09Mar2021 between 21:00-23:00, the patient had chills again. On 09Mar2021, the patient experienced excruciating body pain (pain 9/10) in very specific parts of her body. On 09Mar2021 by 12:00, the caller's spinal column hurt the worst, the front of her calves and hip joints, the very edges of her back, the spine from the top of her neck to her butt and then next to it was not so bad but the side of her back was excruciating, the butt muscles hurt really bad, the front of her thighs, left arm, 3 left fingers, but not the other 2 fingers. Oddly enough, she was considered a long hauler, it was the places that her occupational therapist and physical therapists were working on. On 09Mar2021 at 00:00, the patient experienced dizziness (that was on and off all day until bedtime last night on 09Mar2021) and vomiting (she couldn't hold down water). On 09Mar2021, the patient was not feeling well enough. On 10Mar2021 at 08:00, the patient experienced diarrhea (she's only gone to the bathroom twice). On Mar2021, the patient experienced exhaustion and no appetite at all. On an unspecified date, the patient experienced a high level of shortness of breath (patient was unsure if this was due to COVID-19). The patient underwent laboratory tests and procedures which included an echocardiogram on an unspecified date: her left atrium was enlarged and her cardiac numbers were high, they were going to monitor her heart and the doctors didn't know if it was because she had COVID-19 or if it was that the doctors got lucky and found it, they had nothing to compare it to because she only had this one echocardiogram. The patient had history of epilepsy migraines (can pinpoint the spot where it hurts), she thought she would try sumatriptan succinate (IMITREX) for this headache (her whole head hurt), as it didn't interact with her other medications. The patient also took acetaminophen/diphenhydramine (TYLENOL PM; Lot: GF6062, Expiry: Jun2022), ibuprofen (patient thinks the Lot is QWE2546A, but is unsure) for the headache. The patient took ondansetron (ZOFTRAN) which she had from a previous prescription and that made the vomiting stop. The events did not require an emergency room or physician office visit. The patient did not think that the reactions were due to her epilepsy medication. The clinical outcome of excruciating body

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

pain was resolved on 09Mar2021 (it's hard for the caller to say if she has recovered because she had COVID-19 aftereffects and had body pains that come back intermittently), sore arm / front of her calves, front of her thighs, left arm, 3 left fingers, shaking, shivering/chills, pulse ox and it dropped down to 93, spinal column hurt the worst (the spine from the top of her neck to her butt), butt muscles hurt really bad, caller's spinal column hurt the worst, the front of her calves and hip joints, spinal column hurt the worst, the very edges of her back, the side of her back was excruciating, dizziness, vomiting, not feeling well enough, no appetite at all was resolved on 09Mar2021; headache was not resolved (unless the caller was asleep, she felt the headache); exhaustion was not resolved; diarrhea and high level of shortness of breath was unknown. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1150953	3/31/2021			F	3/10/2021	3/1/2021	<p>Eye pain; headache; nausea; some weakness later; dehydrated; watery eyes; felt horrible; eyes got to burning; This is a spontaneous report from a contactable patient (nursing aid). A 70-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), via an unspecified route of administration on 10Mar2021 as single dose for covid-19 immunisation. The patient medical history included Potassium high, she was already sick and she had a sinus infection and was on an antibiotic when she took the first COVID-19 Vaccine shot. The patient concomitant medications were not reported. The patient experienced headache, nausea &amp; some weakness later that day after the vaccine. The following day experienced pain &amp; watery eyes. The patient got her first COVID-19 Vaccine shot on 10Mar2021 shot and had a reaction in her eyes. She said she was on a sinus pill and steroids at the time she received her first COVID-19 Vaccine. She said her doctor told her it was ok for her to take the COVID-19 vaccine. She said her eyes got to burning and running after she got the COVID-19 Vaccine. She said she was dehydrated at the time too. She said she was feeling better. She said she was taking an antibiotic and prednisone to build her body up. She said she was already sick anyway, saying she had high potassium. She said she felt horrible, and her eyes got to running, so her doctor called an antibiotic in and everything for her. She stated her eye doctor told her she was having an adverse effect to the COVID-19 Vaccine shot. She said the person who administered her first COVID-19 Vaccine shot told her she would be sick for 48 hours. She said she felt a little better now, but her eyes were bad. She said she was scheduled to get her second COVID-19 Vaccine on 05Apr2021 and was scared to take the second COVID-19 Vaccine. She said her eyes were runny, burning and painful after she got the first COVID-19 Vaccine shot. The outcome of event headache, nausea, some weakness later, Eye pain, watery eyes, dehydrated, felt horrible, eyes got to burning was recovering. No follow-up attempts are possible. No further information is expected.; Sender's Comments: There is not a reasonable possibility that event dehydration is related to BNT162B2. It's most likely intercurrent medical condition. The impact of this report on the benefit/risk profile of the Pfizer product is</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.
1150726	3/31/2021	NY	31	M	3/31/2021	3/31/2021	Fainting, dizziness, blurred vision, sweating, feeling clammy, blood pressure dropping and sugar dropping.
1150893	3/31/2021	AL	49	F	3/6/2021	3/6/2021	Anaphylactic reaction: other; This is a spontaneous report received from a contactable consumer (patient). A 49-year-old female patient (not pregnant) received BNT162B2 (lot number: EN6205) second dose on 06Mar2021 11:00 on Right arm at single dose for COVID-19 immunization. Medical history included Asthma, allergies to Sulfa, CT dye, Reglan, Morphine, and Gastrointestinal issues. Concomitant medications within 2 weeks of vaccination included Omeprazole, metformin, fluticasone propionate, salmeterol xinafoate (ADVAIR), cetirizine hydrochloride (ZYRTEC), galcanezumab (EMGALITY). No other vaccines within 4 weeks prior to the COVID vaccine. The patient previously took BNT162B2 first dose on 13Feb2021 13:00 (age at vaccination was 49-year-old) on Right arm for COVID-19 immunization. Patient had Adverse events: Anaphylactic reaction: rash, itching, cough, throat swelling and closing, difficulty breathing, rapid heart rate, face swelling, eye problems, dizziness, nausea, headache on 06Mar2021 11:15. The events resulted in Doctor or other healthcare professional office/clinic visit and Emergency room/department or urgent care. Patient received treatment included Epinephrine, Benadryl injections, O2, Breathing Tx. Prior to vaccination, was the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. The outcome of the events was Recovered with lasting effects.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1150958	3/31/2021			F			lost vision in one eye; had eye pain and was diagnosed with optic neuritis; burning, tingling in both legs; burning, tingling in both legs; general muscle weakness; This is a spontaneous report received from a contactable pharmacist. A 42-year-old female patient received the second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration on an unspecified date in 2021 at a single dose for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. HCP calling regarding a patient, who reached out to the Pharmacist inquiring about treatment recommendations and any information regarding her diagnosis, that received her 2nd Pfizer Vaccine dose 2 weeks ago and started with reactions after 2 days. The patient reported burning, tingling in both legs and general muscle weakness. She also had eye pain and she was diagnosed with optic neuritis and had lost vision in one eye as a result. Reporter was asking if there have been any reports of this. The outcome of the events was unknown. HCP was asking if any "post market research" has shown any reports of "multi system inflammatory syndrome as seen in children post Covid 19 illness." HCP also inquiring about Guillain-Barre syndrome reports in post EUA reports.; Sender's Comments: Based on the information provided, and on plausible temporal association, the Company assessed that a reasonable possibility could not be completely excluded that the reported events optic neuritis and lost vision were related to the PFIZER-BIONTECH COVID-19 VACCINE.
1150723	3/31/2021	IL	58	M	3/27/2021	3/28/2021	3 days ago received Moderna vaccine L arm, the following day L eye swelled shut and was painful. Gradually better each day, but still a little swollen. Vision fine. Has been placing hot compresses L upper lid margin-mildly edematous and erythematous with tiny punctate white lesion on underside of lid

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1150707	3/31/2021	ME	71	F	3/26/2021	3/27/2021	pt experienced "she was driving in the car and she suddenly has a feeling of something in the center of her chest that shot up into her eyes and she had blurred vision. Pt stated also that was associated with a warm feeling, this lasted less than 5 minutes". No soreness or redness at injection site. Today pt reports no chest pain, shortness of breath, palpitations, or any issues with her visions since Saturday.
1150703	3/31/2021	CT	51	F	3/31/2021	3/31/2021	Patient received intramuscular vaccine at approximately 10:40am on 3/31/2021 and at approximately 10:45am she began experiencing the following symptoms: headache, dizziness, weakness, blurred vision. Her blood pressure was 192/100, her heart rate was 66, and her pulse ox was 98% at room air. By 11:05am, she sat down on a more comfortable chair, she stated that she began feeling better, her case manager arrived, and her blood pressure came down to 155/98. She stated that she had not eaten breakfast, she had an onset of chest tightness with pain radiating to her back. At 11:25am, she became short of breath and began to cough. Wheezing was also noted. She self-administered 2 puffs of her Albuterol inhaler. She was 99% on room air. EMS arrived at 11:32am, she had difficulty speaking on EMS arrival. Chest tightness had improved and her lung was all cleared. She was transported via ambulance to emergency department.
1150688	3/31/2021	NY	36	F	3/25/2021	3/28/2021	Syncopal episode after getting up from toilet. Hit head as a result of falling. Found face down, turning purple, jerky movements. Nausea and vomiting after regaining consciousness. Had not eaten anything yet that day. Have a history of vasovagal syncope episodes, but usually can feel them coming on and lie down. This episode struck suddenly without warning. The previous night was very fatigued presumably from vaccine. No headache, no neck pain, no vision issues, no weakness, no chest pain, no shortness of breath. Menstruating.
1150684	3/31/2021	NV	63	F	3/27/2021	3/27/2021	eyes became swollen Benadryl 50 mg given IM with quick results
1150665	3/31/2021		49	M	3/30/2021	3/30/2021	pt. c/o of pain in the chest. heavy chest like someone is standing on my chest- pt. said. Lt. hand cold and numbness dizziness, blur vision. His leg numbness.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1150664	3/31/2021	MI	65	F	3/30/2021	3/30/2021	Patient was joking and laughing and able to communicate. Immediately after shot, patient heaved or turned away, eyes watering and then could only answer in single word answers. Massive change in "affect". Onsite EMS was called vitals BP 146/84 HR 98 Patient passed out 4 times with eyes rolling back. Ems took patient to the hospital.
1150647	3/31/2021	NY	73	F	1/30/2021	1/30/2021	sore arm; Left arm achiness; a little light headedness/slight lightheadedness; slight blurred vision/slight blurry/ fuzzy vision; slight headache; This is a spontaneous report from a contactable Consumer. A 73 year old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection; Lot number: UNKNOWN, expiry date: 31May2021), via an unspecified route of administration on 30Jan2021 as single dose for covid-19 immunisation. The patient medical history included ongoing Lymphocytosis and the patient is allergic to eggplant, Aspirin and penicillin. The patients concomitant medications were unknown. On 30Jan2021, the patient received the 1st dose of the vaccine and experienced nothing major but a sore arm that resolved, a little light headedness and ever so slight blurred vision that resolved on the night of the shot. she had her first Pfizer shot and she had the usual side effects that evening of a slight headache and feeling achy afterwards. She says after the shot she was fine, but a little bit of lightheadedness and a little bit of fuzzy vision but it was minimal. She says it's like if you're looking in the distance at a stop sign, it was a little fuzzy. These happened last Saturday. These two symptoms were very slight, the lightheadedness was nowhere near passing out and the little bit of blurry vision was ever so slight and gone several hours later. Outcome of event sore arm; Left arm achiness, a little light headedness/slight lightheadedness, slight blurred vision/slight blurry/ fuzzy vision and slight headache was recovered. No follow up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1150615	3/31/2021	CA	56	F	3/25/2021	3/25/2021	About 30 minutes after injection had swelling and tingling of lips. Had itching and tingling of hands about an hour later. Eyes with itching and mild wheezing began 2 hours after injection. Symptoms came and went for next 6 hours. Day after injection had light rash and itching over arms and legs that lasted for 24 hours. On second day after injection only itching of skin. Did not take any medications to stop symptoms. I am a physician and felt comfortable self monitoring.
1150537	3/31/2021	IN	93	M	1/12/2021	1/13/2021	Decrease of vision in left eye/decreased vision in his right eye; This is a spontaneous report from a contactable consumer or other non hcp from a sponsored program. A 93-years-old male patient received first dose of BNT162B2(PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot number and Expiration number were not reported), via an unspecified route of administration, administered in right arm on 12Jan2021 at 16:30 (at the age of 93-years) as single dose fore COVID-19 immunization. Medical history included ongoing renal disorder , hypertension and macular degeneration. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccination. The patient was not diagnosed with COVID-19 infection prior to vaccination and has not been tested for the infection since the vaccination.On 13Jan2021 at 05:30, the patient experienced decrease of vision in the left and right eye. The outcome of event was recovering. Follow-up (01Feb2021): New information included clinical course. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1150962	3/31/2021	CA	70	F	3/11/2021	3/11/2021	Three hours post vaccination, I experienced for 30 minutes visual hallucinations left eye, the lower half the visual field (as though I had rubbed my eye hard.; I had photophobia as well; I also had left sided facial numbness that lasted 30minutes.; My tinnitus became much louder and that is continuing.; felt confused; This is a spontaneous report from a contactable consumer (patient). A 70-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (Lot Number: EP6955), via an unspecified route of administration, administered in Arm Left on 11Mar2021 12:00 as SINGLE DOSE for covid-19 immunisation. Patient was not pregnant. Facility type vaccine was clinic. Medical history included fibromyalgia, chronic fatigue syndrome, non-specific autoimmune disorder, allergies to Sulfa, Penicillin-light rash each. Concomitant medications included fenofibrate and tizanidine, both taken for an unspecified indication, start and stop date were not reported. There was no other vaccine in four weeks. Three hours post vaccination, patient experienced for 30 minutes visual hallucinations left eye, the lower half the visual field as though she had rubbed eye hard. Patient had photophobia as well. She also had left sided facial numbness that lasted 30 minutes. She noticed no drooping of eye lid or mouth. Her tinnitus became much louder and that is continuing. She felt confused for the rest of the day of vaccination. The events onset date were reported as 11Mar2021 03:00 PM. The adverse events (AE) resulted in doctor or other healthcare professional office/clinic visit. Patient didn't received treatment for the events. The outcome of events was recovering. Patient have no Covid prior vaccination nor tested Covid post vaccination.
1151523	3/31/2021	WI	37	F	3/24/2021	3/24/2021	30 minutes after vaccination, had a prickly/burning sensation in the neck and ears. Face and tongue began to swell. Had some swelling of the eyelids

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1150483	3/31/2021	ID	66	F	2/24/2021	2/25/2021	bell's palsy; wrinkles in right eye was very smooth; patient nerves felt like little electricity lines zapping through constantly/still feels like cranial 7 nerves are on fire; most severe ice pick headache/headaches happened in bed while laying down/headaches feel dangerous; heart muscle is a little sore; felt like the biggest wasp in the world stung her head; painful cranial nerve felt like it was on fire (5minutes)/still throbbed a little/hot lava runnign through that nerve for 20 minutes/still nerve pain; afraid to go to sleep; sore arm; A spontaneous report was received from a consumer concerning a 66 year-old female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced sore arm, severe ice pick headache, felt like the biggest wasp in the world stung her head, nerve pain, afraid to go to sleep, most severe ice pick headache/headaches happened in bed while laying down/headaches feel dangerous, patient nerves felt like little electricity lines zapping through constantly/still feels like cranial 7 nerves are on fire, bell's palsy, wrinkles in right eye was very smooth, patient feels pressure in her brain/scared there may be swelling in her brain and heart muscle is a little sore. The patient's medical history included COVID-19 and concomitant medication included Vitamin B12. On 24-FEB-2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Lot number: 011A21A) intramuscularly on left deltoid for prophylaxis of COVID-19 infection. On 25-FEB-2021, one day after receiving mRNA-1273, patient started to experience sore arm. On 26-FEB-2021 patient had severe severe ice pick headache, it felt like the biggest wasp in the world stung her head. She states that it was so painful, and it scarred her. Patient claims she searched it up and it was the cranial 7 nerve from her temple to the back of her head that was on fire which lasted for 5 minutes. The next day 27-FEB-2021 patient states the headache was gone however the nerve still throbbed a little and she was afraid to go to sleep that night. She then woke up that same night with severe ice pick headaches that were slamming into her head. On 28-FEB-2021 the patient took protective measures and got up early and did not experience anything on that day. On 1-MAR-2021, she accidentally touched her husband's forehead with her head lightly and had the most severe ice pick headache

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

(like hot lava running through that nerve for 20 minutes). It alleviated when she took two Advil's. The next morning 2-MAR-2021 the patient nerves felt like little electricity lines zapping through constantly. Patient had looked up Bell's Palsy within our clinical trials and when she went to the doctors on 3-MAR-2021, they said the wrinkles in the right eye was very smooth compared to the left but her eyes were not drooping), doctors believed it to be Bell's palsy and prescribed her Gabapentin, and Zovirax. Since then her ice picks have left but there is still nerve pain. She feels like the cranial 7 nerves are still on fire. All her headaches happened in bed while laying down. Patient states that the headaches feel dangerous and feel like they will cause her permanent damage. Patient still feels pressure in her brain and is scared there may be swelling in her brain. Treatment medications included Advil, Gabapentin, and Zovirax. Seriousness criteria included medically significant events. Action taken with mRNA-1273 in response to the events was not reported. Outcome of the event sore arm, severe ice pick headache, felt like the biggest wasp in the world stung her head, nerve pain, afraid to go to sleep, most severe ice pick headache/headaches happened in bed while laying down/headaches feel dangerous, patient nerves felt like little electricity lines zapping through constantly/still feels like cranial 7 nerves are on fire were considered recovered but bell's palsy, wrinkles in right eye was very smooth, patient feels pressure in her brain/scared there may be swelling in her brain and heart muscle is a little sore were considered unknown.; Reporter's Comments: Based on the current available information which shows a temporal association between the use of the mRNA-1273 and the reported events and excluding all other etiology, a causal relationship cannot be excluded. Headache is consistent with the known safety profile of he vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1150391	3/31/2021	NJ	65	F	3/9/2021	3/1/2021	<p>Seeing double; eye are puffy; high neutrophils; high sugar; Dizziness; Nausea; Dry heaves; The ER told them she had an allergic reaction; This is a spontaneous report from a contactable consumer (patient's husband). This 65-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number EN6206), via intramuscular in the right arm, on 09Mar2021 (at 14:00) as single dose for COVID-19 immunisation. Historical vaccine includes the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number EL9266) administered in the left arm on 15Feb2021 (at 14:00) for COVID-19 immunisation. Relevant medical history included psoriatic arthritis, chronic obstructive pulmonary disease (COPD), emphysema, blood pressure abnormal, blood cholesterol abnormal, blood potassium abnormal, sleep apnea (she used C-Pap machine). Past drug history included allergy to penicillin. Relevant concomitant medications included hydroxychloroquine sulfate (PLAQUENIL SULFATE) for psoriatic arthropathy, ixekizumab (TALTZ) for psoriatic arthropathy, levothyroxine sodium (SYNTHROID), rosuvastatin for blood cholesterol abnormal, ranolazine (RANEXA), losartan for blood pressure abnormal, carvedilol (COREG), clopidogrel bisulfate (PLAVIX), potassium chloride (KLOR-CON) for blood potassium abnormal, escitalopram oxalate (LEXAPRO) for blood pressure abnormal, furosemide, tiotropium bromide (SPIRIVA) for COPD, fluticasone propionate, salmeterol xinafoate (ADVAIR) for COPD, acetylsalicylic acid (ASPIRIN (E.C.)), salbutamol (ALBUTEROL HFA) for emphysema and COPD and oxygen. On 11Mar2021, the patient became dizzy and nauseous and it just got worse and worse. She had also dry heaves. On 12Mar2021, she took meclizine hydrochloride (ANTIVERT, NDC 65162 0441 10) and ondansetron hydrochloride (ZOFTRAN, NDC 65862 0187 30). Finally, on 13Mar2021 she had dry heaves and felt like she was going to pass out so they took her to the emergency room (ER). At ER, a computerized tomogram (CT) of head was done and resulted negative and blood work was normal except for high neutrophils and high sugar due to her drinking ginger ale for the nausea. The ER treated her with a shot of ANTIVERT and ZOFTRAN and then lorazepam (ATIVAN). ATIVAN helped her so they sent her home with a prescription for ATIVAN. On 15Mar2021 (on</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1150569	3/31/2021	OH	34	F	3/23/2021	3/24/2021	Monday), she was no better. She was still dizzy and nauseous although the nausea was getting better as she could keep food down; she couldn't get off the couch without getting dizzy; under her eyes are so puffy and she was seeing double this morning when she woke up. The ER told them she had an allergic reaction. She was not sick at all when she got the shots; she was perfect. She used a C-Pap machine for sleep apnea and had oxygen that she used as needed. The patient had recovered from dry heaves on 14Mar2021, from seeing double on 15Mar2021; the patient had not recovered from dizziness and eye are puffy. The patient was recovering from nausea while the outcome of the remaining events was unknown.  Left eye twitching, lymph nodes very very swollen on left side of neck/collar bone, shoulder painful to the touch

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1151398	3/31/2021	PA	64	F	3/5/2021	3/5/2021	head and ears were itchy; but she has gastrointestinal issues; A little bit of erythema; diarrhea; On her neck she had hives up to her face and down her chest a little bit/urticaria eye lid; rash on neck up to her face; rash on shoulder that she had injection in; This is a spontaneous report from a contactable other hcp (nurse). A 64-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Formulation: Solution for injection, Lot Number: EN6206), via intramuscular route of administration, in the right arm on 05Mar2021 09:30 (at the age of 64-years-old) as single dose for covid-19 immunisation. Medical history included ongoing rheumatoid arthritis, anaemia, cardiac disorder, rash (She has had a reaction to IVP dye. She has to pre-medicate with benadryl and a steroid 10 hours before, then 8 hours before, then 1 hour before procedure prior to receiving IVP dye. When querying NDC/Lot/Expiry for IVP dye, caller states she does not have that information, it happened years ago. She always pre-medicates when she has to have x-rays with the dye). The patient did not have history of all previous immunization with the BNT162B2 vaccine considered as suspect (or patient age at first and subsequent immunizations if dates of birth or immunizations are not available). Concomitant medications included tofacitinib citrate (XELJANZ XR) via oral route of administration from an unspecified date (been on for 2 years) and ongoing at a dose of 11 mg daily for rheumatoid arthritis; ergocalciferol (VITAMIN D [ERGOCALCIFEROL]) for an unspecified indication; tramadol (TRAMADOL) via unspecified route of administration from an unspecified date and ongoing at a dose of 50 mg daily (in morning) for rheumatoid arthritis; gabapentin (NEURONTIN) via unspecified route of administration from an unspecified date and ongoing at a dose of 300 mg twice daily for rheumatoid arthritis and Multivitamin for an unspecified indication. The patient previously took buprenex and experienced drug hypersensitivity, buprenex and experienced nausea and vomiting, avelox and experienced angioedema. The patient did not underwent any Lab tests.The patient did not receive any recent vaccines for any other conditions prior to the event being reported. The patient did not receive any recent vaccines for SARS-CoV2 other than BNT162B2 Vaccine prior to the event being reported.The patient did not received any



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

other vaccines around the time of BNT162B2 vaccination. She was calling about the Covid vaccine. She had her first dose this past Friday, clarified 05Mar2021. It's been a week. On the evening about 8 hours after the Covid 19 injection she got a rash on her shoulder that she had the shot in. The rash went across her chest to the other shoulder. On her neck she had hives up to her face and down her chest a little bit. She has been taking Benadryl for the past 6 days. She is very concerned what is going to happen with the next dose. She contacted her primary health care provider and it was recommended that the caller pre-medicate. The caller states it says not to pre-medicate. She has her next Covid 19 vaccine in 2 weeks and she was nervous. She did file a report with the government. It was in the information she received from the hospital where she got her Covid 19 injection. Every day at 2:00PM she gets a text message. They monitor her for up to a year. Every day she checks in and says how she feels, is she having trouble completing daily activities, did you have to call your doctor. They gave her a paper at the hospital where she had it done. When querying if this government program had given her a report number she states she doesn't have a report number, she deletes the text messages every day. She is due for the second Covid vaccine on 26Mar2021. It was reported that several hours after the injection in the evening, maybe 8 hours after she had the injection is when her symptoms began. She does feel like she is improving. Today was the first morning that she didn't take the Benadryl. She had no respiratory problems. But she was very concerned because the hives were pretty prevalent. It was very uncomfortable. She was taking 50mg of Benadryl for 5 days. When she went to the pharmacy to pick up a cream too, the pharmacist thought that a steroid would be good. She was concerned. She emailed her primary care doctor with pictures. When querying seriousness of events, caller states it was bad enough that she went to the pharmacy and called her primary care doctor and sent her pictures. If she had developed any respiratory issues she would have gone to the emergency room. If she was non medical she would have gone to the emergency room but because she's a nurse she thought she would ride it out. When querying information for the Pfizer Covid 19 Vaccine data capture aid, the caller

VAERS\_ID RECVDDATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

reports the hives were 48 hours later. She also reports urticaria, her head and ears were itchy. She is using steroid cream on it. It is driving her crazy today. Still going to be using the cream. A little bit of erythema, worst part was her neck. When querying red and itchy eyes, she reports only the eyelid. When querying gastrointestinal issues, she reports she has diarrhea, but she has gastrointestinal issues. The diarrhea is nothing worse than what she normally has. She doesn't think this has anything to do with the vaccine. The patient did not visited to emergency room and physician office. The patient was not hospitalized or admitted to an intensive care unit. Therapeutic measure were taken with Benadryl 25-50mg (Lot Number:P134952, Expiration date: Sep2021) and Hydrocortisone cream 1% maximum strength for the events. It was reported that Benadryl makes her hyper and her heart racey.The outcome of the event diarrhea, gastrointestinal issues were repoorted as unknown, event head and ears were itchy was not recovered and recovering for other events. The events rash on shoulder that she had injection in, hives on neck, rash on neck up to her face were assessed as serious (medically Significant) by the reporter. The causality of the events rash on shoulder that she had injection, hives on neck, rash on neck up to her face were reported as related to vaccine.; Sender's Comments: Based on the current available information and the plausible drug-event temporal association, a possible contributory role of the suspect product BNT162B2 to the development of serious events cannot be excluded. The case will be reassessed if additional information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1148776	3/31/2021	KY	68	F	3/2/2021	3/3/2021	MS/Optic Neuritis; MS/Optic Neuritis; sore arm; fatigue; overslept; Color fading/washed out symptoms left eye/decrease color discernment; poor vision left eye/vision from 20/30 to 20/60 corrected in left eye/decreased vision; This is a spontaneous report from a contactable physician. A 68-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Lot Number: EN6198) intramuscularly administered in the right arm on 02Mar2021 08:00 as single dose for COVID-19 immunisation. Medical history included addison's disease, hypertension and optic neuritis from Aug2020 to Aug2020. Patient was not pregnant. Concomitant medications included hydrocortisone (HYDROCORTISONE), metoprolol (METOPROLOL), fludrocortisone (FLUDROCORTISONE), amlodipine (AMLODIPINE), estradiol (ESTRADIOL) and olmesartan (OLMESARTAN). Historical vaccine includes first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Lot Number: EL9265) intramuscularly administered in the right arm on 09Feb2021 02:00 PM as single dose for COVID-19 immunisation. On 03Mar2021 07:00, patient had multiple sclerosis (MS), optic neuritis, sore arm, overslept and fatigue. It was also reported that when the patient woke up on 03Mar2021 07:00, she had poor vision in the left eye and experienced color fading; further reported as washed out symptoms in the left eye. She went to the ophthalmologist and saw that she had decreased vision, further reported as from 20/30 to 20/60 corrected in left eye and decrease color discernment. Patient was treated with Methylprednisolone 250mg intravenous (IV) every 6 hours x 12 doses for the events multiple sclerosis (MS) and optic neuritis. The events resulted in physician office visit. The patient underwent lab tests and procedures which included CT angiogram: negative for arteritis on an unspecified date, fundoscopy: normal on an unspecified date, intraocular pressure (IOP): normal on an unspecified date, lumbar puncture: increased protein 79 ms panel pending on an unspecified date. Outcome of events was recovering.; Sender's Comments: The events most likely intercurrent conditions and unlikely related to suspect BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Lot Number: EN6198). This case will be reassessed when follow-up information is received.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1150381	3/31/2021	PA	72	M	3/10/2021	3/11/2021	Suspect 6th Nerve Palsy; Double Vision; This is a spontaneous report from a contactable consumer (patient). A 72-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), second dose via an unspecified route of administration, administered in Arm Left on 10Mar2021 10:30 AM (Batch/Lot Number: EN6208) as SINGLE DOSE for covid-19 immunization. Medical history included High Blood Pressure (controlled by medication) from an unknown date and unknown if ongoing. The patient had no known allergies. The patient has no COVID prior to vaccination, and not COVID tested post vaccination. No other vaccine in four weeks. Other medication in two weeks was noted (reported as yes) but it was unspecified. The patient previously vaccinated of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE) first dose, lot number: EN6200 on 17Feb2021 12:30 PM at the left arm single dose for COVID-19 immunization. It was reported that the patient experienced Double Vision and Suspect 6th Nerve Palsy on 11Mar2021 at 08:00 AM. The outcome of the events was recovering. There was no treatment for the event.
1151569	3/31/2021	GA	33	F	3/24/2021	3/24/2021	The patient is a healthy 33 yo female who reports AE after receipt of COVID vaccine Pfizer BioNTech (ER8730) 24 MAR 2021 and about 10 minutes after receipt experienced lightheadedness, cold sweats and felt unsteady. Staff checked HR and she recalls being told it was OK. She was briefly monitored and in about 10 minutes symptoms were resolved. She denies pruritis, urticaria, oral/face/throat/tongue swelling, red watery eyes, rhinorrhea, SOB, wheezing, cough, CP, n/v/d. She reports a history of lightheadedness after blood draws. She states she has had them drawn lying down which has resolved the problem.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1151554	3/31/2021	PA	25	M	3/30/2021	3/30/2021	Patient was given the vaccine and within 2 minutes patient felt dizzy and diaphoretic, impaired vision " saw snow" patient initially put supine, patient had low blood pressure systolic int he 60 patient was taken to observation and bp on arrival was 140/77, HR was 72 and oxygen was 100% on room air. Patient was put into trendelenberg, he c/o tingling in fingers of his left hand respiration rate was 24, he was pale, approx 10 minutes later his bp was 134/81, pulse 66, o2 sat 100%. He c/o weakness, he was given water and crackers he was still pale. Patient was released from the observation area, his girlfriend picked him up and he left the vaccine site . Patient stated that he does get anxious prior to blood draws and injections
1151510	3/31/2021		64	M	3/30/2021	3/30/2021	LEFT SWELLING AND REDNESS, ALTERED VISION TO AFFECTED EYE
1151494	3/31/2021	MO	22	M	3/31/2021	3/31/2021	1124 End of 15 minute observation period. Per witness, attempted to stand and fell forward onto floor. Seizure noted for one minute, responded to name and answered questions appropriately. Stated he "felt dizzy". Vital signs 118/60, 99%, 54. Blood glucose 97. Physician Assistant, present. Questions answered. 1131 Attempted to stand patient up again with assistance/supported X2. Stated he "felt dizzy again and blurry vision". Fainted while supported X2. Positioned on left side and immediately responded. Positioned supine. 1133 Vital signs 110/60, 96%, 72. 1142 Sitting up awaiting EMS, answers questions appropriately.. EMS present 1145 Vital signs 128/76, 100%, 72.
1151479	3/31/2021			F	3/19/2021	3/1/2021	redness and swelling of eyes; redness and swelling of eyes; Bottom lip is swollen; This is a spontaneous report from a contactable consumer (patient) via medical information team. A 60-year-old female patient received the first dose of the BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 19Mar2021 at single dose for Covid-19 immunization. The patient Medical history was not reported. Concomitant medications included Botox, 2 days prior to the vaccination. The patient experienced redness and swelling of eyes, Bottom lip is swollen. The outcome of the events was unknown. Information on the lot/batch number has been requested.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1151467	3/31/2021	WA	88	M	1/23/2021	1/25/2021	Soresness beginning in arm and soreness in muscle on site on injection; This is a spontaneous report received from a contactable consumer. This consumer reported for the 88 years old male patient in response to the non-HCP letter who received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), dose 1 via an unspecified route of administration, administered in Arm Left on 23Jan2021 at 13:00 (Batch/Lot Number: EN6201; Expiration Date: Jun2021) as single dose covid-19 immunisation . Patient's Medical History (including any illness at time of vaccination): Asthma Onset Date: 2010 Stop Date: ongoing (Pertinent Details: Cumulative, resulting in a 6.5 hour nasal cavity remaining & removal of polyp in 2013), Aspergillus fumigatus and Cardiac disease Onset Date: 2014 Stop Date: ongoing (Pertinent Details: heart valve replacement), Surgery history: In 1965 bi-lateral carpal tunnel relief, 06Jul77 bi-lateral foot reconstruction, 26Nov80 vasectomy, 1980 bi-lateral epididectomy, 04Jun82 Reattach first joint rt. Index finger, 1983 Groin hernia repair, 1984 Rt. shoulder rotator cuff, 24Aug1987 Rt Knee arthroscopic, 09Sep1991 Left knee hemi-replacement, 1993 Tibia and ankle reconstruction (no bone union, redone 3/94 , union finally achieved & cast off in 7/94), 18Feb1994, 15Mar1994 and 22Apr1995 Rt leg alignment surgery, 04Dec1995 Rt. Elbow, 22Jan1997 Rt. Elbow, ulnar revision, 26Jun1997 Left total shoulder replacement, 24Jul1997 Rt. Elbow screw remove & Left Shoulder prosthesis revision, 11Nov1998 Left shoulder revision, Rotator cuff, 09Mar1998 Appendectomy, 29Oct1999 Rt. Elbow, 12Sep1999 and 12Sep2001 Rt. Foot, 31Mar2002 Rt. Elbow, 22Jan2003 Left foot, 01Dec2004 Rt leg BK amputation, 29Dec2004 Stump revision, 05Apr2005 Arm Surgery, 09Apr2005 post-surgical hematoma at surgery site, 03Jul2006 Dupatron left ring finger, 21May2007 Rt. Knee partial, left knee total replace, 21Sep2007 Knee Surgery, 10Mar2008 Rt. Elbow (revise ulnae nerve), 10Jun2010 Nasal polyp removal, 06Oct2010 Prostate TERP, 15Apr2011 Pacemaker installed, 16Mar2012 Broken right arm repaired, 30Apr2012 Left Ankle Replacement, 26Jul2013 Sinus Polyp removal (extensive 6-hour surgery), 28Aug2013 Revision: another total L ankle replacement (for failed 4/30/12 replacement), 26Nov2014 Heart: TAVR operation, 2015 Left leg BK amputation, 03Feb2017 Heart: WATCHMAN (LAAC)

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

closure surgery and 15Jul2020 Reverse total shoulder (replacement of original replacement) Left shoulder); Hospitalization other than the above: 1934 (age 2): Popcorn grain on lung, 1960: Malaria, 1962: Viper snake bite, 2011: erratic heartbeat , 11Mar2012: Scooter Accident (11 broken ribs, punctured lung, right thigh hematoma, left arm nerve damage). Concomitant medication(s) included omalizumab (XOLAIR) taken for an unspecified indication from 15Jan2021 and ongoing. The Patient received first covid vaccination on 23Jan2021. Soreness developed 2 days later on 25Jan2021 and increased in intensity until use of arm was severely limited because of muscle soreness on day 5 (28Jan2021). It was reported that the patient was hospitalized on unknown date for the event. Soreness persisted with such intensity that his second covid shot had to be delayed (as per order of his primary care physician) until 17Feb2021. At this writing on 08Mar2021, patient arm is still very sore upon waking but is slowly improving. The patient will be 89 in May and considering several co-morbidities, has done well, despite the muscle soreness. The outcome of the event was not recovered. The patient underwent relevant tests included blood tests, urine culture, diagnostic imaging (chest x-ray and MRI) on unknown date with unknown results.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1151458	3/31/2021	PA	60	M	3/16/2021	3/16/2021	stroke of the 4th cranial nerve; Dizziness; double vision; This is a spontaneous report from a contactable nurse. A 60-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EP7534), intramuscular, in the left arm on 16Mar2021 at a single dose (at the age of 60-years-old) for Covid-19 Immunization; vaccinated in the hospital. Medical history included hypertension and allergies to sulfa. Concomitant medications were not reported. No other vaccine in four weeks. The patient had no COVID prior to the vaccination. On 16Mar2021, the patient experienced dizziness and double vision. He saw the eye doctor who stated that he had a stroke of the 4th cranial nerve. No treatment was given. The patient was not COVID tested post vaccination. The nurse assessed the events as non-serious. The patient was recovering from the events.; Sender's Comments: A contributory role of BNT162B2 to event a stroke of the 4th cranial nerve cannot be excluded based on limit information. Case will be reassessed when further information is available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1151451	3/31/2021			F	3/5/2021	3/1/2021	if it was a lung issue or blood issue, such as blood clots; nervous system was affected; weakness on her leg; had very tight calf muscles; eye pain; have difficulty breathing; she was dragging her feet, could not take the next step.; had "such a tight feeling" of the calf, and a little bit of pain to it; nauseous; if it was a lung issue or blood issue, such as blood clots; whether the injection was done in the wrong location; her arm was very itchy and a red papule-like round rash developed, it was pigmented.; her arm was very itchy and a red papule-like round rash developed, it was pigmented.; her arm was very itchy and a red papule-like round rash developed, it was pigmented.; it was "highlighted" and "dot-like"; had a sharp pain, and tingling or pain-like sensation at the fingertips/she was going "through a world of pain", and from the arm down to the side of body.; had a sharp pain, and tingling or pain-like sensation at the fingertips; a fever too, 99.4°F at one time and over 100°F for a day or so; This is a spontaneous report from a contactable consumer. This consumer (patient) reported for self that the female patient of an unspecified age received second dose of bnt162b2 (BNT162B2, PFIZER-BIONTECH COVID-19 VACCINE, Lot Number: EN6200, Expiration Date: 30Jun2021) via an unspecified route of administration on 05Mar2021 at single dose for covid-19 immunisation. The patient medical history was not reported. The patient's concomitant medications were not reported. The patient previously took first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot#: EL9262, expiration date: 31May2021) for covid-19 immunization for covid-19 immunization, rabies vaccine and experienced pain. The patient experienced if it was a lung issue or blood issue, such as blood clots on Mar2021 with outcome of unknown, nervous system was affected on Mar2021 with outcome of unknown, weakness on her leg on Mar2021 with outcome of unknown, had very tight calf muscles on Mar2021 with outcome of unknown, eye pain on Mar2021 with outcome of unknown, have difficulty breathing on Mar2021 with outcome of unknown, she was dragging her feet, could not take the next step on Mar2021 with outcome of unknown, had "such a tight feeling" of the calf, and a little bit of pain to it on Mar2021 with outcome of unknown, nauseous on Mar2021 with outcome of unknown, if it was a lung issue or blood issue, such as

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

blood clots on Mar2021 with outcome of unknown, whether the injection was done in the wrong location on Mar2021 with outcome of unknown, her arm was very itchy and a red papule-like round rash developed, it was pigmented on Mar2021 with outcome of unknown, her arm was very itchy and a red papule-like round rash developed, it was pigmented on Mar2021 with outcome of unknown, her arm was very itchy and a red papule-like round rash developed, it was pigmented on Mar2021 with outcome of unknown, it was "highlighted" and "dot-like" on Mar2021 with outcome of unknown, had a sharp pain, and tingling or pain-like sensation at the fingertips/she was going "through a world of pain", and from the arm down to the side of body on Mar2021 with outcome of unknown, had a sharp pain, and tingling or pain-like sensation at the fingertips on Mar2021 with outcome of unknown. The patient underwent lab tests and procedures which included body temperature: 99.4 fahrenheit on Mar2021, body temperature: 100 fahrenheit on Mar2021. The consumer reported that "Who makes the vial label? What syringe did they use to give her the vaccine? How big was it? Where is the vaccine administered? Did we make a second batch with "much less" side effects? She thought there was an earlier version which should have more side effects. Did she have to share a vial with other people? Is it multiple doses? How much is the dose of a vaccine?" Consumer stated the lot number was a "so vague looking thing" to come with the Pfizer vial. Upon clarification, said she did not see the lot number on the vial, but on the vaccination card, where the lot number was very small. She would include 5 labels with lot numbers to split to each person who gets the dose from the same vial. The clinical course was reported as follows: She got the second dose of Pfizer's COVID-19 vaccine on 05Mar2021 and has developed side effects. Her nervous system was affected, she has weakness on her leg, had very tight calf muscles, eye pain. When she was working, she started to have difficulty breathing, she was dragging her feet, could not take the next step. This was 2 weeks ago and went away for a while. Today she had "such a tight feeling" of the calf, and a little bit of pain to it, she was nauseous. She was wondering if it was a lung issue or blood issue, such as blood clots. She had a fever too, 99.4°F at one time and over 100°F for a day or so. The

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

first dose didn't give her any side effects. She was also concerned about whether the injection was done in the wrong location, she thought it was in the deltoid, but 10 days later her arm was very itchy and a red papule-like round rash developed, it was pigmented, she wondered if it was a hair, it was "highlighted" and "dot-like". It was located in the 2/3 lower to the elbow from the shoulder, she thought it was "really low" and they missed the deltoid muscle, she had no idea if the nurse didn't know the exact location and putting it "in the skin" was the cause of her symptoms. Stated they put a bandage in the wrong location, there was nothing there. She additionally had a sharp pain, and tingling or pain-like sensation at the fingertips, yesterday she was going "through a world of pain", and from the arm down to the side of body. With the first dose she didn't have any pain, but it was "very weird", afterwards she had some "sharp pain" under the scapula and didn't know why. She thought it was "echo" through the nervous system. Stated when she got the vaccine, she saw 3 dark marks on the syringe and two thirds were filled with the liquid. She wanted to know if this dosage was correct. Mentioned a lot of people had side effects, a lot of times they are given in the wrong location, in an entirely different place. She thought there was an earlier version of the vaccine which should have more side effects. She had a "very bad bad" experience 4 years ago when she got a rabies vaccine, it was given at 45°, the nurse gave the injection "cutaneously", after 5 min she was "so in pain".

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1151435	3/31/2021			F	2/26/2021		losing her sight; headache; blood pressure started fluctuating up and down; heart palpitations; atypical migraines; felt terrible; This is a spontaneous report from a contactable consumer (patient). An 83-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Lot Number: EN6205; Expiration Date: Jun2021), second dose via an unspecified route of administration on 26Feb2021, single dose for covid-19 immunisation. The patient's medical history and concomitant medications were not reported. The patient had the first dose of received bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Lot Number: EN6201; Expiration Date: Jun2021) on an unspecified date for covid-19 immunisation. Historical vaccines include flu shot and got the flu, shingle vaccine and got shingles. Patient does not remember when she got the first vaccine but about 3 days after the second one (2021), she started getting headaches. She has atypical migraines where she just gets the eye symptoms but never gets headaches. She had some of the atypical migraines as well. Her blood pressure started fluctuating up and down and she had heart palpitations. She saw her doctor who did an EKG which didn't show any heart attack. She just felt terrible. The symptoms lasted about a week or a little over a week and it has now all gone away and she feels like herself. When trying to read lot numbers, caller said she is losing her sight. The outcome of the event vision loss was unknown, other events was recovered on 2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1151420	3/31/2021	MN	67	F	2/12/2021	2/15/2021	blurry vision- right eye; BRVO; A localized clot (thrombus) development in a branch retinal vein.; This is a spontaneous report from a contactable consumer (patient). This 67-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL9266) on 12Feb2021 02:15 PM in left arm at single dose for COVID-19 immunisation. Medical history included slight asthma, known allergies: sulfa, penicillin. No COVID prior vaccination. Concomitant medications included Vitamins (over-the-counter, other medications in two weeks). No other vaccine in four weeks. The patient previously received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL9262) on 22Jan2021 03:30 PM in left arm at single dose for COVID-19 immunisation at the age of 67-year-old. The patient was not pregnant, was not pregnant at time of vaccination. No COVID tested post vaccination. On 15Feb2021, within a few days of receiving second dose of vaccine, the patient developed blurry vision of right eye. After seeing a retina specialist, patient was diagnosed with BRVO (retinal vein branch occlusion). The cause of BRVO is a localized clot (thrombus) development in a branch retinal vein. The events resulted in disability or permanent damage. The patient received treatment as anti-VEGF drug - Avastin for the events. Outcome of the events was not recovered.
1151506	3/31/2021	NY	48	F	3/31/2021	3/31/2021	after receiving vaccine, she slumped in the chair, pupils were fixed eyes became red and tearing, she had a change in mental status was slow to respond to questions, body was shaking, it was difficult to keep her awake, focused, and talking

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1151399	3/31/2021	NY	67	M	3/3/2021	3/1/2021	his blood pressure reading that was taken in the ambulance on his way to the hospital Emergency Room was 190/114; Sweating; he woke up in the morning, and the room was spinning / Vertigo symptoms; dizzy/extreme dizziness; he felt lightheaded, and was afraid he might fall; things were a little fuzzy in his head, and he couldn't remember exactly when he had gone to the Emergency Room; things were a little fuzzy in his head, and he couldn't remember exactly when he had gone to the Emergency Room; he was only nauseous when he was dizzy; Reported he eyes were not that good while he was reading the paperwork from the Emergency Room; he thought he had a heart attack; This is a spontaneous report from a contactable consumer (patient) A 67-year-old male patient received the first dose of the bnt162b2( PFIZER-BIONTECH COVID-19 VACCINE, Lot Number:EN6198, Expiration Date: Unknown), via an unspecified route of administration, left arm at single dose for Covid-19 immunization On 03-MAR-2021 (between 11:30-12:00). Additional vaccines administered on Same Date of the Pfizer Suspect was none. The patient medical history included depression reported he was diagnosed with depression years ago and has been on Wellbutrin for a while. No further details provided, Tinnitus he self-diagnosed himself a hissing sound mostly in his right ear for less than a year. He said he looked up his symptom on the internet and found someone else who had the same symptom as him, and that person said it was Tinnitus, Seizure he had a seizure about a year ago. Reported he had a seizure about a year ago. He said he had a brain scan afterward, and the doctor didn't find anything wrong. No further details provided. Concomitant medications were not reported. On 03Mar2021 Patient received his first Pfizer COVID-19 Vaccine (on) and was fine. He said about a week after getting his first COVID-19 Vaccine, he woke up in the morning, and was sweating, and the room was spinning, and he was dizzy. Little fuzzy in his head, and he couldn't remember exactly when he had gone to the Emergency Room: He said the room spinning and him being dizzy had been continuing to go on. He said he thought he had a heart attack, and went to the hospital (Emergency Room). He said his blood pressure was high. He said he was nauseous too. He said his dizziness hadn't stopped. He said the dizziness gets so bad, he can't get around, if

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

he lowered his head below his shoulders, the dizziness gets really bad. the dizziness won't go away. the Emergency Room doctor thought his dizziness may be due to his inner ear. The Emergency Room doctor told him he should see an ear doctor about his dizziness. He said the his dizziness happened directly after he got his first COVID-19 Vaccine. Reported he went on the internet, and read that other people who got the COVID-19 Vaccine were experiencing same thing he was. No further details provided. It was Reported patient blood pressure was very high. He clarified his blood pressure reading that was taken in the ambulance on his way to the hospital Emergency Room was 190/114. He said he believed his blood pressure was taken again, and his blood pressure was a little bit better. He said his dizziness hadn't stopped. He said the dizziness gets so bad, he can't get around. He said if he lowered his head below his shoulders, the dizziness gets really bad. He said the dizziness won't go away. He said he was nauseous too, but only when he was dizzy. He said his dizziness was fine last night, but then he got up this morning and the room started spinning out of control. He said he felt lightheaded, and was afraid he might fall. He said if he tried to pick up something off the ground, his dizziness really comes on. He said the Emergency Room doctor thought his dizziness may be due to his inner ear. He said the Emergency Room doctor told him he should see an ear doctor about his dizziness. He had an EKG done in the Emergency Room, and since the doctor didn't say anything about his EKG, he assumed there was nothing wrong with the EKG results. He stated that he went to hospital as he was fearful he was having a heart attack; it was determined that he was not. However, he was advised him to consult a specialist as he may be suffering from vertigo. Treatment was given a low dose of oral Lorazepam 0.3mg to calm him down. He stated he did not have the Lorazepam 0.3mg NDC. He said his paperwork from the Emergency Room listed his diagnosis as Vertigo symptoms, and it was recommended he go for a hearing test because his dizziness maybe caused by his inner ear. The outcome of event was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1150963	3/31/2021	TX		F	3/4/2021	3/1/2021	nausea; chills; headache; low grade fever; muscle aches; could not eat; but still very tired; dizzy when standing; blurred vision; It is now the 8th day since shot and still weak not quite well, but better; It is now the 8th day since shot and still weak not quite well, but better; Was ill for 6 days; This is a spontaneous report received from Pfizer sponsored program "Pfizer.com - General Company Information". A contactable consumer (patient reported for herself) reported that a 75-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), dose 1 via an unspecified route of administration on 04Mar2021 (Batch/Lot number was not reported) as single dose for covid-19 immunisation. Medical history included tested positive for covid from 30Dec2020; obese. The patient's concomitant medications were not reported. Customer reported was tested positive for covid on 30Dec2020. She had a very mild case. First Pfizer shot, 04Mar2021. In Mar2021, the patient was ill for 6 days. In bed first 3, with nausea, chills, low grade fever, headache, muscle aches, could not eat in Mar2021. 4th day better, but still very tired and dizzy when standing, blurred vision in Mar2021. It was now the 8th day since shot and still weak, not quite well, but better in Mar2021. The patient did not want second dose. Terrible reaction to the first injection. The outcome of Weakness and Feeling unwell was recovering, of the other events was unknown. Information about batch/lot number has been requested.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1151384	3/31/2021	NC	55	F	2/19/2021	2/19/2021	hands got very swollen and rash and itchy beyond itch; hands got very swollen and rash and itchy beyond itch; Anaphylaxis; Double vision; Right eye is going cross eyed/Left eye is dropping; Right wrist pain increased dramatically after the vaccine; Throat starting to close/Throat started tightening; severe rash- latus stranding, purple dots, and hives from face all the way down to toes; severe rash- latus stranding, purple dots, and hives from face all the way down to toes; This is a spontaneous report from a contactable consumer (the patient). A 55-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 intramuscular, administered in arm left on 19Feb2021 10:00 (Batch/Lot Number: EN6201), at the age of 55 years, as single dose for covid-19 immunisation. Medical history included ongoing asthma diagnosed 3 years ago, ongoing gastroesophageal reflux disease diagnosed 4 years ago, ongoing hypertension diagnosed 4 years ago, ongoing food allergy: allergic to eggs, shellfish, dairy/lactose intolerant, ongoing allergies to environmental: standard- hay fever, dust, mold, ongoing allergies to dogs and cats, contrast media reaction (IV contrast CT scan dye- respiratory distress, throat tightens), urticaria, pruritus. She had Covid on 18Dec2020 and "Covid rash it attached her muscular system. She had muscular pain in the wrist and hip on the right side and mild double vision." The patient previously took vitamin k 2 and experienced anaphylactic reaction, Toradol and experienced urticaria, influenza vaccine and experienced rash at the injection site, at the age of 34 years (because she's allergic to eggs). The patient received the first dose of bnt162b2 on 29Jan2021 Lot: EL3247; 9:30 AM; Right arm for covid-19 immunisation and she did not have any symptoms whatsoever with the first shot. The patient did not receive any recent vaccines for any other conditions prior to the event being reported. Vaccination Facility Type: Hospital. Concomitant medications included omeprazole taken for gastroesophageal reflux disease; lisinopril taken for hypertension; montelukast sodium (SINGULAIR) taken for asthma; salbutamol sulfate (INHALERIN) taken for asthma; start and stop date were not reported for all. The patient experienced anaphylaxis on 26Feb2021 with outcome of unknown, throat starting to close/throat started tightening on 19Feb2021 with outcome of

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

recovered, severe rash- latus stranding, purple dots, and hives from face all the way down to toes on 19Feb2021 with outcome of not recovered, double vision on 20Feb2021 with outcome of not recovered, right eye is going cross eyed/left eye is dropping on 20Feb2021 with outcome of not recovered, right wrist pain increased dramatically after the vaccine on 20Feb2021 with outcome of not recovered, hands got very swollen and rash and itchy beyond itch on an unspecified date with outcome of unknown for Hand swelling and recovered for Localised itching. Therapeutic measures were taken as a result of the events: Benadryl, Zyrtec, Pepcid, New glasses for double vision, Prednisone 7 day ween. The patient underwent lab tests which included Hematology test on unknown date with unknown results; Immune markers on 11Mar2021 with unknown results. Clinical course: The patient received the vaccine on 19Feb2021at 10:00 AM and five minutes after, her throat started tightening and they put her in observation for another hour and then her throat felt fine and they let her go. Caller confirmed she was not referring to this occurrence as anaphylaxis. The anaphylactic reaction occurred days later. She mentioned from 19Feb2021- 26Feb2021, her symptoms were progressing and then on 26Feb2021, it was full blown out; the actual anaphylaxis was 26Feb2021. Between this, she had severe double vision, severe rash from face all the way down to toes, one eye going cross eyed (right eye), left eye is still drooping. On 20Feb2021, she started having double vision that started with the sunlight and fluorescent lights and the next day she couldn't see anything without double vision, and her eye started going cross eyed. She still cannot see normally now. She is under eye doctor care for that too. The patient was treated with Epi-Pen into leg and then into the Emergency Room. She received 50 mgs of Benadryl and 125 mg of Solu-Medrol IM injection, but still have to give Epi because her throat was still closing. Her airway was intact and no nebulizer treatment needed. The patient reported also that her hands got very swollen and rash and itchy beyond itch. The patient reported that her weight at that point was 204, the she had been on Prednisone for a week, and her weight has gone up to 210 now. After her throat closed on the 26Feb2021, caller reports she gained 7 pounds while on it for one week. Caller stated she was

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

also put on prednisone when she got diagnosed with asthma, reactive airway. She confirmed her throat stop closing immediately after the Epi. The patient was also treated with 25 mgs of Benadryl, Zyrtec, and Pepcid a day. Outcome for throat closing was improved with medication. Outcome for rash was not improved and she is taking medicine to counteract it; itch went away when she took the Zyrtec. Regarding right wrist pain, it increased dramatically after the vaccine. Caller reports it felt like a spiral fracture down the ulna and it started to ache on 20Feb2021, by the next day it hurt a 5 out of 10. By 22Feb2021, she was wearing a splint, it was 8 out of 10, and she felt like she fractured it and it was swollen on the ulnar side. Regarding eye disorder, she is now under the care of an eye doctor for her severe double vision, eye crossing, and eye drooping. The blurred eyes give bad balance and that kind of stuff. The cross eyedness gives her poor peripheral vision and also her depth perception has now been compromised. They say the glasses will fix it. As of 22Feb2021, a new pair of special lenses with prisms were ordered for her. The patient was not hospitalized.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1151373	3/31/2021	MA	32	F	3/9/2021	3/9/2021	Blurry vision almost black out when walking.; Blurry vision almost black out when walking.; Muscle ache; fever; Fatigue; This 32- year-old female patient contactable healthcare professional received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE lot EN6203), via an unspecified route of administration, on 09Mar2021 at 09:00am (at the age of 32-years-old) as a single dose for COVID-19 immunization, in left arm. Patient is not pregnant. She has had no other vaccines on the same day or in the past 4 weeks. The patient did not have COVID-19 prior to the vaccine. Historical vaccine included first dose of BNT162B2 for COVID-19 immunization, on 16Feb2021, (Lot EN6200), in left arm. Relevant medical history included birth control use. Concomitant medications included: Junel birth control. On 09Mar2021 at 10:00 pm, the patient experienced Muscle ache, fever, fatigue, blurry vision - almost black out when walking. The patient received treatment of ibuprofen for the events. The clinical outcome of the events Muscle ache, fever, fatigue, blurry vision - almost black out when walking was recovered. It was reported that since the vaccination, the patient had not been tested for COVID-19. Information about lot/ batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1151281	3/31/2021	SC	67	F	1/25/2021	1/26/2021	fatigued/ extremely tired; nauseated; severe headache behind my eyes; This is a spontaneous report received from a contactable consumer (patient). A 67-Year-old female non-pregnant patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Solution for injection; Lot number: EK9231), via an unspecified route of administration on right arm on 25Jan2021 13:15 at single dose for COVID-19 immunisation in hospital. The patient medical history included chronic migraine and brain aneurysm (surgery 2016). Concomitant medications included unspecified Multivitamins (Vitamins NOS) within two weeks of vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. On 26Jan2021, the patient experienced somewhat fatigued the first day after the vaccine, but the second day It was extremely nauseated, had a severe headache behind her eyes, and was so exhausted that she could barely get out of bed to use the bathroom. she felt better the following day but have since had some days when she is extremely tired. No treatment was received for the events. The patient was not diagnosed with COVID-19 Prior to vaccination. The patient has not been tested for COVID-19 Since the vaccination. The outcome of the events was reported as unknown.
1151273	3/31/2021	NY	37	F	3/21/2021	3/22/2021	Dizziness, blurred vision, extreme aches, joint aches, difficulty walking, nausea, fever, chills, throw up, rash all over body, difficulty breathing, migraine
1151262	3/31/2021	NY	74	F	3/3/2021	3/4/2021	Patient stated that she lost vision in her right eye approximately 36 hours after receiving Dose 1 Moderna information. Adverse reaction was reported on 3/31.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1151244	3/31/2021	WI	61	F	3/24/2021	3/25/2021	<p>On Wednesday, March 24th my husband and I got our 1st Moderna vaccine at 8:30 am. Felt good the rest of the day. On Thursday, March 25th I woke up and the bag under my right eye was really swollen and I felt like I had a big cold sore coming out on the top right side of my lip. My arm was swollen like a 2x2 area and tender but other than that I felt good. At 9:30 am that same day I started getting a headache and my stomach felt really upset. I didn't throw up but felt like I was going to. About 10:00 am I really felt sick to my stomach and extremely tired. My headache was more intense and mostly on my right side (same side as my eye and cold sore). By noon I had the chills and was running a temperature over 100. At 3:00 when I got done with work I slept. I was only awake for a total of 1 hour and went to bed for the night at 8:15 pm. I still had a bad headache, upset stomach and chills and my arm was swelling bigger but I slept all night. On Friday, March 26th I woke up and my face looked worse. The cold sore was getting bigger and the bag under my eye was huge making my eye almost shut. I still had a bad headache and the injection site was getting bigger and stuck out far. It was hot to the touch. It was bright red and bumpy and hurt to touch it. I no longer was sick to my stomach and I had no fever. My face was still looking awful and about 2:00 pm I started running a fever again. I still had a headache. I still felt tired. On Saturday March 27th, my bag under my eye looked a little better but the cold sore was getting worse. I had a slight headache, no fever and not sick to my stomach. However, the lump at the injection site got huge. It was the size of the palm of my hand and stuck up about an inch. It was hot to the touch and red. By 9:00 pm my eye and face were worse and the right side of my face was drooping. On Sunday March 28th 8:00 am my face was worse and itchy. The cold sore was spreading up the right side of my drooping face and my eye was almost shut. I called the Teledoc and had a video call. She said that the vaccine triggered a virus in my system. She called in a prescription for Valacyclovir 1GM 4 pills. Took 2 pills at noon and then the last 2 that night before bed. She said to give it 2-3 days and it should clear up. On Monday, March 29th 6:30 am the lump in my arm is a little smaller but my eye is worse. I looked horrible. On Tuesday, March 30th I still had a low grade headache and my lip and right side of my face is kinda numb. I called my doctor and made an</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>appointment for Wednesday, March 31st. On Wednesday, March 31, 2021, I woke up and now had a canker sore inside my top lip on the right side of my face in addition to looking like a monster. I went to the doctor's office at 7:30 am and she said that I definitely have a virus going on and now I have Bell's Palsy as a result. The doctor gave me a prescription for Valacyclovir 1GM tablets to take 3 times a day for 7 days. She also prescribed Prednisone 20 MG to take 3 tablets for 7 days to relief the itching and irritability of my face.</p>
1151226	3/31/2021	WA	82	M	3/17/2021	3/17/2021	<p>Approximately four hours after administration of Moderna vaccine the patient had a sudden syncopal event without warning. He suffered a scalp contusion. His equilibrium, hearing and vision were diminished for 7-10 days thereafter, gradually returning to normal.</p>
1151181	3/31/2021	TX	23	F	3/16/2021	3/29/2021	<p>The night of my vaccine, I had a 100 degree fever, body aches, and chills. That was resolved by the next day. On 3/29, I woke up with itchiness behind my right ear. around 4:30pm on the same day, I had broken out into hives on my face and arms. By 5:30 they had become itchy and had spread to my neck and chest area. I had also developed swelling around my eyes, above and below them. I woke up at 1:30am on 3/30 with itching and burning and more swelling around my eyes. At 7:30am on 3/30, my eyes were almost swollen shut and I sought medical attention. I had itching and burning on my entire body, swollen eyes, full body aches, and joint pain. I was prescribed steroids and began that course around 1:30pm. I was also prescribed two epi pens. Around 6:30pm that night, I had a 100.7 degree fever. It dropped without the use of a fever reducer within the next two hours. The swelling reduced around my face by 8pm. This morning, I had almost no swelling, but still a full body rash. I am treating it with benadryl, zyrtec and maximum strength pepcid, steroids, and calamine lotion.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1151168	3/31/2021	DC	69	F	1/21/2021	1/29/2021	Sick, minor cold; sick, minor cold; Watery eyes; headache; This is a spontaneous report from a contactable consumer received from a Pfizer Sponsored Program Pfizer First Connect. A 69-years-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE: Solution for injection, Batch/Lot Number: EL3302), intramuscular, administered in Arm Left on 21Jan2021 13:00 as single dose for covid-19 immunisation at Hospital. The patient medical history and concomitant medications were not reported. On 29Jan2021, The patient experienced sick, minor cold, watery eyes, headache. Patient has already got her first dose of the Covid vaccine on 21Jan2021. She took 600mg Ibuprofen two hours before getting the vaccine. She was reading that taking ibuprofen prior to getting the vaccine could have been a problem as far as the efficacy. on 29Jan2021, she started to get sick, she does not think it is related. She has a little cold. She wondered what she should do. She is scheduled for the second dose. HCP stated She will have the first consult with hcp on Monday. She does not have a hcp right now. no email When querying outcome of her cold, states it is different, on the night of the 29th she had watery eyes and a tiny headache. She sneezed twice maybe the next day. She is slightly nasally and now it has gone to her throat and down to her chest. It is like a typical cold. She does not think she had a fever, but she did not take her temperature. She did not take ibuprofen. She normally would take ibuprofen if she does not feel good. She knows she has a cold, she did not have a sore throat. Normally when she get sick she gets a sore throat and that nose like feeling, but with this cold her symptoms are super slight. Reports she has had some doozy colds in the past. She wanted to mention that Friday night she was in a car with a driver running errands, and she thinks she may have picked up a cold from the driver that was nasally and blew his nose. States when she gets a cold, she really gets a cold and this cold is minor compared to colds she has had prior. When she got the first shingrix shot, she developed a large red, swollen, elliptical circle thing that took up half of her arm from elbow to the top of the arm. She had two doses of the shingrix. When she took Benadryl and ibuprofen before getting the second dose of shingrix, she did not have a reaction. Patient took 1st dose of Covid vaccine and developed a cold about 8



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							days later. Patient also took 600mg of pain reliever and is now hearing that it can decrease the efficacy of the Covid vaccine. The action taken in response to the event for BNT162B2 was not applicable. The outcome of events was unknown.
1151107	3/31/2021	FL	71	M	2/4/2021	2/16/2021	Inability to swallow, numb lips, slurred speech, double vision possible stroke or Myasthenia Gravas
1151091	3/31/2021	IN	72	F	3/27/2021	3/27/2021	flushing in face, body hot, light headed, dizziness, vision blurred, throat tightened, numbness lips, hand tingling, chills
1151082	3/31/2021	MO	70	F	3/13/2021	3/15/2021	On 3/15/2021 pt was trying to use her computer when she started having problems with her vision. She noticed her left hand was clumsy and awkward. Her left leg would not operate properly. She could not swallow pills with water and her speech was slowed and slurred. She went to the Hospital ER. They did MRI, CT, blood test that showed she had a small stroke. She was released to go home to do physical therapy and speech therapies. She has both of these scheduled and will follow up w/ PCP on 4/23/2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1151064	3/31/2021	FL	73	F	2/19/2021	2/19/2021	Cellulitis in leg; A spontaneous report was received from a consumer concerning 73-year-old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced cellulitis in leg/cellulitis. The patient's medical history was not provided. Products known to have been used by the patient, within two weeks prior to the event, included Levothyroxine for thyroid medication, eye drops for glaucoma and baby aspirin for general health. On 19 Feb 2021, prior to the onset of the symptoms, the patient received their first of two planned doses of mRNA-1273 (Batch number: unknown) intramuscularly in the left upper arm for prophylaxis of COVID-19 infection. On 19 Feb 2021, after first dose of vaccination, the patient experienced leg pain and a hot sensation in the leg. The patient reported that she went to an Urgent Care and was diagnosed with developing cellulitis in leg. Treatment for the event included Bactrim, Doxycycline and Cipro. Action taken with mRNA-1273 in response to the events was unknown. The outcome of the event, cellulitis in leg, was unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the onset date of the reported event of leg cellulitis, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1151402	3/31/2021	CO	56	M	3/3/2021	3/3/2021	The headache in the right eye was most troublesome; Nausea; Diarrhea; Achy; severe exhaustion; This is a spontaneous report received from a contactable consumer. This consumer reported for a 56-year-old male patient received first dose of BNT162B2 (Batch/Lot Number: EN6203), via an unspecified route of administration, administered in Left Arm on 03Mar2021 11:00 am as SINGLE DOSE for covid-19 immunisation. The patient medical history was not reported. The patient's concomitant medications were not reported. Prior to vaccination, was the patient diagnosed with COVID-19: No. Since the vaccination, has the patient been tested for COVID-19: No. Allergies to medications, food, or other products: no. Facility where the most recent COVID-19 vaccine was administered: Doctor's office/urgent care. Patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. List of any other medications the patient received within 2 weeks of vaccination: Not sure. The patient experienced the headache in the right eye was most troublesome (non-serious), nausea (non-serious), diarrhea (non-serious), achy (non-serious), severe exhaustion (non-serious); all on 03Mar2021 12:00 pm. Treatment was not received for the adverse event.Headache on right side, nausea, diarrhea, achy, severe exhaustion. The headache in the right eye was most troublesome. The outcome of all events was recovering.
1149358	3/31/2021	MA	52	M	2/27/2021	3/5/2021	In the 1-2 weeks after vaccination pt reports generalized weakness, polyuria, polydipsia, weight loss, vision changes. Presented to ED on 3/30/2021 and found to have DM2 with A1c of 12.4. Previously had well controlled DM2 on metformin 500mg. Most recent prior A1c was 7.0 on 11/12/2020

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1149500	3/31/2021	DC	39	F	3/13/2021	3/13/2021	Pain in the opposite arm at the time the shot was administered Nausea, heat, chills, dizziness, pain in both arms while in the waiting room Flu-like symptoms for the next 5 days, which included extreme fatigue, overall muscle pain weakness, coldness in my extremities , hip pain, lack of appetite, radiating joint pain, dry eyes, dry mouth, neuropathy, etc. Activating of an autoimmune disease flare, which still exist over 2 weeks after the original shot and includes weight loss, radiating joint pain, severe stomach pain, dry eyes, muscle weakness, extreme coldness in my extremities especially my fingers and toes, hip pain, numbness in my fingers, lower back pain, difficulty waking up, inability to do daily tasks, lethargy, soreness in the morning, etc. Additional symptoms that persist include hair loss, pruney fingers that are extremely painful, and fatigue, continued pain in the left arm where the shot was given and the opposite arm, shakey hands, etc. I have contacted my rheumatologist who has advised me to take ibuprofen and wait a few more weeks to see if symptoms persist for an appointment.
1149496	3/31/2021	IN	64	F	3/29/2021	3/29/2021	Extreme chills and shaking Headache Major legs cramps Nausea Burning eyes
1149490	3/31/2021	MA	59	F	12/30/2020	2/26/2021	I NOTICED THAT ALL OF A SUDDEN MY LEFT EYE BECAME VERY BLURRY AND IT JUST GOT WORSE. I MADE AN APPOINTMENT FOR MY YEARLY EYE EXAM AND EXPLAINED MY ISSUE WITH MY LEFT EYE. AFTER THE EXAM AND DILATION IT WAS DIAGNOSED AS A CATARACT. I HAVE SINCE MADE AN APPOINTMENT WITH A SURGEON TO HAVE THIS OPERATED ON. I AM CONCERNED WITH HOW FAST THIS OCCURED AS I THOUGHT CATARACTS STARTED AND PROGRESSED SLOWLY, THIS JUST SEEMS TO BE GETTING WORSE BY THE DAY.
1149469	3/31/2021	OH	30	F	3/31/2021	3/31/2021	Vision darkening Hearing diminished Bradycardia Diaphoresis Junctional arrythmia

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1149452	3/31/2021	NC	58	F	3/26/2021	3/27/2021	Extreme pain in left side of back below ribs, prescribed a pain medication Myalgia swelling in feet and legs bleeding in left eye conjunctiva hemorrhage I was tested by blood urine and CT of Aorta and nothing was found to be the cause of the pain or bleeding except the blood pressure was elevated. I told Doctor I had the covid shot and began experiencing the symptoms the next day. I took all my medications and did not have a problem with the pressure. She could find no physical outside of covid cause and sent me home the next morning.Symptoms began 3/27/21 and I was in the ER by 6pm on 3/29/21 and stayed until 3/30/21.
1149433	3/31/2021	SC	28	M	3/29/2021	3/29/2021	Systemic: Abdominal Pain-Medium, Systemic: Chills-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: symptoms occurred 30-45 minutes after vaccination -Medium, Systemic: Visual Changes/Disturbances-Medium, Systemic: Weakness-Medium, Additional Details: Said he felt dizzy when he got up (about 10 minutes post) to go to restroom. He said he sat for an additional 30 minutes then left. While driving he felt lightheaded and pulled over. He also reported stomach cramps at that time. He felt better and drove back to the store. NP looked at him and checked bp and O2 sat level. Bp was little low. Advised have someone pick him up and he felt any worse to go to urgent care. After 15 minutes pt said he felt much better and left. Unable to reach f/u.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1149432	3/31/2021	OH	60	F	3/27/2021	3/27/2021	Patient was 10 minutes post vaccine sitting in observation area. She was talking to her friend and suddenly asked to be taken to her office. She said that she was seeing 3 of him. The friend went to the EMS personnel who were staffing the event for assistance. 10:15-BP was 176/112 R arm, 10:20-167/114. Double and triple vision continued. She was put on a stretcher by EMTs. Head was elevated 45 degrees. 10:25-153/101, HR 88, still seeing "double". Began to chill and entire body was shaking profusely. Blankets were given. 10:30 AM-154/81, SaO2-99%, P-87. Husband, a retired paramedic, who had been notified, arrived. 10:35 AM-154/95, P-91 10:40 AM-156/94, 10:45 AM-158. Paramedics and nursing staff advised for patient to go to the ER or Urgent Care but she refused. 10:50-BP was 166/138, P-91. Husband insisted that he would monitor her at home. Taken to car by stretcher to go home. 9 PM, I called patient to follow up. She said that her double vision lasted for hours but finally subsided and that she had a "wicked headache". She said she did not feel like herself.
1149427	3/31/2021	MA	19	F	3/30/2021	3/30/2021	Systemic: Confusion-Severe, Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Blue lips, white face, blurry vision-Severe, Systemic: Hypotension-Severe
1149426	3/31/2021	WA	22	F	3/18/2021	3/30/2021	Yesterday (March 30th 2021) I noticed that I have developed a rash on my left arm where I got my Covid Shot. It is bright red and itchy. Will be keeping an eye on it and if it gets worse I will go to my local urgent care. I will try to treat it with hydrocortisone cream and see if it gets better.
1149425	3/31/2021	CA	25	F	3/29/2021	3/29/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Additional Details: .closed eyes when dizzy about 6 to 7min after injection. leaned on wall while sitting then went to floor. does not remember getting to floor. nurses and pharmacist came to comfort as she came too. pt was passed out for just a brief couple seconds from when she got to floor. blood pressure was checked was high. then as she recovered pressure started to return to normal. also used ice pack on neck and head to feel better.** pt has history of passing out from needle. got ears pierced at age 14.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1149422	3/31/2021	CA	32	F	3/30/2021	3/30/2021	Site: Itching at Injection Site-Mild, Additional Details: Patient felt slight itchy feeling around injection, (no redness or other visual changes) resolved within few min, patient observed for 30 min, followed up again with patient 3 hours after at home, patient indicated no symptoms of itchy or any other sensation, safe at home without complications
1149402	3/31/2021	TN	53	F	3/26/2021	3/26/2021	Pt reported she started itching and became nauseous about 10 minutes after injection. Nurse visualized pt scratching around neck. Pt denied any shortness of breath. Itching became worse and pt reported jaw felt tight. 0.3mg EPI administered by autoinjector, followed by 100 mg of Benadryl. EMS notified and arrived on scene. Pt transported to Hospital.
1149287	3/31/2021	MO	46	M	3/26/2021	3/26/2021	About 30 min after Moderna vaccine dose #1, the patient complained of nausea and pounding pressure above his left eye. He had not taken his 3 HTN meds that day. Prior history of EMS transport to ER due to severe high BP. Initial BP at time of symptoms was 250/140 left arm. EMS called. Patient advised to relax. No other treatment at vaccine clinic. At time of transport, BP 190/140.
1149373	3/31/2021	UT	70	M	3/15/2021	3/20/2021	Hospitalized with STROKE to Right side of brain, loss of grip & sensation to left hand/fingers, headache, visual changes, double vision, bizarre "floaters" as signs/symptoms. TX: DC Eliquist, Discharged to Home with Enoxaprin Sodium Injectable 100mg BID x5 weeks, Heart Monitor, follow up ultrasound to Left leg, follow up visit to PCP Patient slowly recovering gross & fine motor movement to Left hand/fingers, Additional blood test results awaited.
1149677	3/31/2021	LA	60	M	2/5/2021	2/5/2021	Nurse was notified by Staff that patient stated he was jittery. Checked on patient and he stated that he just felt jittery. Denied any problems breathing or SOB. Eyes were red and appeared irritated. Stated that he had had angiogram before and had reaction to dye. Waited additional 15 minutes. Dismissed at 0943 since s/s resolved, but referred to ER if he had return of s/s.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1149327	3/31/2021	CA	25	M	2/10/2021	2/11/2021	I had some type of allergic reaction in my eyes that caused them to burn, be sensitive to light, and felt grainy. This happened the days after getting both of my vaccines. The only thing that helped was resting my eyes but laying down caused them to burn more than compared to laying down. I could only keep my eyes open for a couple of seconds at a time but then they would start to burn. After those symptoms started to wear off, my eyes were sensitive to sunlight for more than a week.
1149314	3/31/2021	MO	28	M	3/26/2021	3/26/2021	Patient reported "blurry vision" during his observation period following COVID vaccine #1 Moderna. BP found to be elevated at 178/120. No prior history of high blood pressure was reported. His blood pressure came down to 130/100. Patient advised to be checked at a nearby urgent care center. No further information available.
1149291	3/31/2021		35	F	3/26/2021	3/28/2021	Severe period cramps which I haven't had in months since I've gotten COVID-19 back on Jan 29th. I believe I got it then bc I wrote on Feb 14 exactly 2 weeks after seeing our factory partners. My head felt shaken like astigmatism in my brain. So haven't had a real period for a year and then after the vaccine worst cramps in my life. Then I have stomach hurting and GI issues every hour or so. Lastly my eyes have been red at night a lot and I would keep getting headaches from time to time for no reason and I'm not a headache person.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1151616	3/31/2021	KY	32	F	3/12/2021	3/15/2021	I didn't have many side effects in my arm right after the shot other than it being really sore for about 20 min after leaving while I was on the way home. Other than that, it just felt like I had a bruise at the injection sight. I ran a slight fever of 99.4 on and off for the first few days but felt okay. No longer have a fever (but hard to tell because I'm taking Tylenol around the clock) but symptoms have progressed since the first few days and not getting better. Now for the bad... I've experienced tightness in the middle of my chest randomly, extreme fatigue, feet turning more blue/purple than the usual, sleeplessness, and headaches that are in the middle front part of my head (don't experience these types of headaches. Usually I get more of a pressure headache to the left side of my head). I'm having random shooting pain under my eyes where the eye socket/cheekbones are (not usually correlating with my headaches). Started with the left side and now both get random shooting pains. I've never felt the pain under my eyes before until I got the vaccine. Random falling/rising stars (usually falling stars indicates a migraine) just happening more often than normal. My lymph nodes in my neck where my throat is, have been swollen on both sides worse on my left side (similar to how they react with strep). My joints and muscles have been worse than ever and swollen all over. Already had issues with my knees but now can hardly walk up and down stairs. I've also had ringing in my ears that can sometimes be intense. Vertigo and randomly feel like falling over. Collapsed on stairs a week after vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1148777	3/31/2021	SC	70	M	1/21/2021	1/24/2021	Experienced blindness after first shot in right eye after first shot; TIA; headaches; This is a spontaneous report from a contactable consumer. A 70-year-old male patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in the left arm on 21Jan2021, 13:00 (Batch/Lot Number: EL 3249) as a single dose for covid-19 immunization. The patient's medical history included diabetes from an unknown date and unknown if ongoing. The patient was generally in good health. Concomitant medications included apixaban (ELIQUIS); pravastatin (PRAVASTATIN); and vitamin d [vitamin d nos] (VITAMIN D [VITAMIN D NOS]) all taken for an unspecified indication, start and stop date were not reported. The patient previously took morphine and ceclor and experienced allergies. On 24Jan2021 at 13:00, the patient experienced blindness after first shot in right eye after first shot for about 20 minutes (Most likely a transient ischemic attack (TIA)). Have had headaches every day since the first shot. The patient underwent lab tests and procedures which included negative test for Covid-19 on 11Feb2021 (via nasal swab). The outcome of the event was not recovered.
1152064	3/31/2021	NY	22	F	3/30/2021	3/30/2021	Nausea, blurred vision, loss of vision, loss of hearing, out of it, heart racing, body became hot, ice packs were placed all over my body, in a couple minutes my vision came back and my heart rate started to slow

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1148774	3/31/2021	AZ	60	M	3/9/2021	3/1/2021	I don't know if I hallucinated that or not; I feel like I am on drugs like I on 'some acid'; my vision is blurry and it's kind of hard to concentrate on television; hard to concentrate; This is a spontaneous report from a contactable consumer (patient). A 60-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiry date were not reported)\ via an unspecified route of administration on 09Mar2021 (Batch/Lot number was not reported) as a single dose for COVID-19 immunisation. Medical history included mental issues since 1988. The patient stated "I am calling about an adverse reaction to the second Pfizer shot. If you guys have anybody called in and find out if anybody is having the same. After the second shot, about a day after the shot, it was terrible. I got the shot last Tuesday and I feel like I am on drugs like I on 'some acid' (not clarified). But I am not hallucinating, I am not seeing things, I am not hearing things, I just physically feel that way. Everything is kind of blurry, my vision is blurry and it's kind of hard to concentrate on television and stuff like that. It seems like some people are playing mind games with it but I don't think they have (further clarification unknown, hence not captured as event). I don't know if I hallucinated that or not (consumer was not sure). That's pretty much here I feel like I am on drugs constantly and it is just kind of scary. I have mental issues since 1988, I take psych meds but it seems whenever I take my psych meds (unspecified medications) I feel worst for couple of hours." Outcome of events was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1148729	3/31/2021	NC	49	F	2/28/2021	3/2/2021	Major outpatient eye surgery which called for a bubble in eye; Detached retina; Arm was hard and rashy; Felt weak; Achy; A spontaneous report was received from a consumer concerning herself a 49 year old female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced weakness/asthenia, achy/pain, arm was hard and rashy/vaccination site rash, detached retina, major outpatient eye surgery which called for a bubble in eye/eye abnormality NOS. The patient's medical history was not provided. Concomitant product use was not provided by the reporter. On 28Feb2021, prior to the onset of events the patient received first dose of the two planned doses of mRNA-1273 (Batch/Lot No: 014M20A) for prophylaxis of COVID-19 infection. On 02Mar2021, patient experienced felt weak and achy. On 05Mar2021 she reported that her arm was hard and rashy. On 8Mar2021, she had a detached retina and on 09Mar2021, the patient had major outpatient eye surgery which called for a bubble in eye which was still there. The event Retinal Detachment was considered as medically significant. Treatment information included Prednisone and Atrione for events Detached retina and Major outpatient eye surgery which called for a bubble in eye. Action taken with mRNA-1273 in response to the events was unknown. The outcome of the events, Felt weak, achy, arm was hard and rashy was unknown at the time of this report. The outcome of the events Arm was hard and rashy was recovered on an unknown date, Major outpatient eye surgery which called for a bubble in eye and Detached retina were recovered on 09Mar2021 at the time of this report.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1148722	3/31/2021	VA		M		1/21/2021	Rectal bleeding; Severe stomach pain; Nerve pain in his eyes; Feel like something is crawling inside his eyes; Headaches; A spontaneous report from was received from a Healthcare professional, concerning a male patient of unknown age , who received Moderna's COVID-19 vaccine and experienced Rectal haemorrhage/rectal bleeding, Abdominal pain upper/ severe stomach pain, Headache, Eye pain/nerve pain in his eyes, Ocular discomfort/feel like something is crawling inside his eyes. History of the patient was not provided. Concomitant product use was not provided by the reporter. On 21-Mar-2021, prior to the onset of events, the patient received his first of two planned doses of mRNA-1273 (lot no. unknown) via unknown route on his arm for COVID-19 infection prophylaxis. 8 weeks after first dose of vaccine, the patient suffered rectal bleeding, severe stomach pain, headaches, nerve pain in his eyes that feel like something is crawling inside his eyes. He is now afraid to get the second dose. Action taken with mRNA-1273 in response to the event was unknown. The outcome of the event Rectal haemorrhage was considered to be medically significant. The outcome of the event Abdominal pain upper, Headache, Eye pain, Ocular discomfort was considered to be unknown at the time of this report. No treatment medication was reported.; Reporter's Comments: Very limited information regarding this event/s has been provided at this time. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1148720	3/31/2021	CA	69	F	1/21/2021	3/9/2021	<p>Skin was dry and peeling; Serious Swelling of the face; Itching of the face; Redness of her face; Face was hot; Swelling of eye; Her second shot was delayed. The second dose was supposed to be 25FEB2021. The first dose was received on 21JAN2021, and didn't receive the second dose until 09MAR2021.; A spontaneous report was received from a consumer concerning a 69-year-old, female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced swelling of eyelid, Serious Swelling of the face/swelling of face, itching/pruritus, erythema/redness of face, feeling hot/hot feeling generalized, inappropriate scheduling of vaccine, generalized, and skin damage/skin injury. The patient's medical history was reported as she had facial fillers. Products known to have been used by the patient, within two weeks prior to the event, included metoprolol, lisinopril, celecoxib, losartan, citalopram and spironolactone. On 21 Jan 2021,the patient received their first of two planned doses of mRNA-1273 (Lot number: unknown) for prophylaxis of COVID-19 infection. On 09 Mar 2021 ,the patient received their second of two planned doses of mRNA (Lot number: unknown) intramuscularly for the prophylaxis of COVID-19 infection. The first dose was received on 21 Jan 2021, and did not receive the second dose until 09 Mar 2021. The patient was delayed because of the weather, and also received a Tetanus shot, which all contributed to delay. On 10 Mar 2021, approximately after one day patient developed swelling around her eyes. On Thursday 18 Mar 2021 the patient's face was swollen, flushed, red,itchy and was hot. The patient also experienced dry and peeling skin. The event serious swelling of the face was considered as medically significant. The treatment medications used were diphenhydramine. The patient received both scheduled doses of mRNA-1273 prior to the events; therefore, action taken with the drug in response to the events is not applicable. The events swelling around eyes, flushed, red, itchy, hot were considered as resolved on 19 Mar 2021. The outcome of the events dry and peeling skin were considered as unknown.; Reporter's Comments: This report refers to a case of 69-year-old, female patient who experienced non-serious unexpected event of second dose delayed (inappropriate scheduling of vaccine,) for mRNA-1273, lot # unknown, and</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

experienced swelling of the eyelid and face, redness of the face, feeling hot and skin injury after the second dose. Based on a temporal association between the events and use of the mRNA-1273 , a causal relationship with the events cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1148718	3/31/2021		86	F	3/12/2021	3/15/2021	<p>Left eye was red/ Subconjunctival hemorrhage; A spontaneous report was received from a physician, concerning a 86-years-old female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced Left eye was red/ Subconjunctival hemorrhage (Subconjunctival Hemorrhage). The patient's medical history was not provided by the reporter. Concomitant medications reported included, baby aspirin every day, high blood pressure medication, amlodipine, tamsulosin, vitamin C, atorvastatin calcium, metoprolol, vitamin D, multivitamin, zinc, alendronate, and docusate sodium. A spontaneous report was received from a consumer concerning a 86-years-old female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced events left eye was red, subconjunctival hemorrhage. The patient's medical history was not provided. Concomitant medications reported were baby aspirin every day, high blood pressure medication, amlodipine, Tamsulosin, Vitamin C, Lipitor, metoprolol, Vitamin D, multivitamin, zinc, alendronate, Colace for drug use for unknown indication. On 12 Mar 2021, prior to the onset of the events the patient received first of two planned doses of mRNA-1273 (lot/batch: 032M20A) via unknown route in the left arm for prophylaxis of COVID-19 infection. On 15 Mar 2021, the patient experienced the event(s) left eye was red, subconjunctival hemorrhage. Treatment details included none. Action taken with mRNA-1273 in response to the events was not reported. On 18 Mar 2021 the outcome of event(s), left eye was red, subconjunctival hemorrhage was resolved. On 12 Mar 2021, prior to the onset of the event the patient received first of two planned doses of mRNA-1273 (lot/batch: 032M20A) by unspecified route on her left arm for prophylaxis of COVID-19 infection. On 15 Mar 2021, 3 days post vaccination, patient's left eye was red, later the healthcare professional diagnosed it as "Subconjunctival Hemorrhage". Subconjunctival hemorrhage, was the medically significant event. Treatment details were not reported. Action taken with mRNA-1273 in response to the event was not reported. On 18 Mar 2021, the event, Subconjunctival Hemorrhage was resolved.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							cannot be excluded.
1148707	3/31/2021	IL	66	M	1/14/2021	1/21/2021	Tested positive COVID-19; Detached retina; A spontaneous report was received from a consumer concerning a 66-year-old, male patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and developed Detached retina (Retinal detachment) and Tested positive COVID-19 (SARS-CoV-2 test positive). The patient's medical history was not reported. The patient's concomitant product was not reported. On 14 Jan 2021, prior to the onset of the events, the patient received the first of two planned doses of mRNA-1273 (Lot number: 012L20A) via unknown route in the left arm for prophylaxis of COVID-19 infection. On 21 Jan 2021, the patient's retina got detached. The event detached retina was assessed as medically significant. On 24 Jan 2021, the patient tested positive for COVID-19. Treatment details included eye vitamins and surgery. The action taken with mRNA-1273 in response to the events detached retina and tested positive COVID-19 was unknown. The outcome of the events, detached retina and tested positive COVID-19 were unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.
1149391	3/31/2021	TX	20	F	3/30/2021	3/30/2021	Systemic: Allergic: Difficulty Breathing-Severe, Systemic: Dizziness / Lightheadness-Severe, Systemic: Exhaustion / Lethargy-Mild, Systemic: WAS CLOSE TO FAINTING BUT DID NOT.-Mild, Systemic: Hypotension-Severe, Systemic: Shakiness-Severe, Additional Details: COMPLAINED OF DIZZINESS, VISION DISTURBANCES. STORE CALLED EMS BUT BY THE TIME THEY GOT TO STORE THE PATIENT WAS ALERT AND RESPONSIVE. PATIENT ALSO COMPLAINED OF THURST AND WE GAVE HER WATER TO DRINK. THEY DID A FULL WORKUP ON HER BUT DID NOT TRANSPORT HER TO HOSPITAL. SHE LEFT WITH HER MOTHER , EVENT LASTED ABOUT 45 MINUTES .

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1150044	3/31/2021	OH	19	F	3/31/2021	3/31/2021	I got my shot, sat down, and was reading through the information that the clinic provided me. A few minutes after, I noticed my right arm was getting warm, but I thought I was being paranoid (placebo effect). I began to feel nauseated. About another 5 minutes after feeling warm and nauseous, my ears began to ring and my vision went white. I was cold but sweating. I have passed out a handful of times before for various reasons, so I knew what was happening. I tried to signal to a volunteer from my seat that I needed help, but I ended up laying on the ground by my chair before someone came over. Once I laid down, the attention of the volunteers and nurses was on me. Three came over to assist me. They held my legs up, kept a hand on my wrist for a pulse, and fetched water. I talked myself through the dizziness and ringing in my ears. They put a cold rag on my forehead and had smelling salts on hand. Once I began to feel better, they helped me slowly sit up, and eventually helped me stand up and get into a chair. They kept a close eye on me for the next 30 minutes to make sure I didn't have any other reactions.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1150374	3/31/2021	NJ	60	M	3/10/2021	3/12/2021	loss of taste; possible allergic reaction to the drug; Can't pronounce words right; can't close right eye; eyes started to tear a lot; can't smile; right side of his face started drooping like that of a stroke; right side of his face started drooping like that of a stroke; headache at the back of his head; mouth started to feel numb; mouth started to feel numb; This is a spontaneous report from a contactable consumer (patient) via Medical information team. A 61 year old male patient received first dose BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE) at the age of 60 years old, via an unspecified route of administration, administered in Arm Left on 10Mar2021 (Lot Number: EL6205) as SINGLE DOSE for COVID-19 immunization. Medical history included high blood pressure, mouth started to feel numb and allergies to tree pollen; and family history of diabetic and heart disease (father); all from an unknown date and unknown if ongoing. Concomitant medication included losartan potassium (TEMISARTAN), gabapentin, escitalopram oxalate (LEXAPRO), furosemide, potassium, valproate semisodium (DIVALPROEX) and tizanidine; all taken for an unspecified indication from an unspecified start date and ongoing. The patient received the first dose of BNT162B2. The next day, he said his mouth started to feel numb, and he had a loss of taste. Then on Saturday, his eyes started to tear a lot, and the right side of his face started drooping like that of a stroke. He also said he had headache on the back of his head, and his eyes do not. The patient wanted to know if he should go to the emergency room or if this is a normal reaction to the vaccine. The patient did have a sensation starting on Thursday of numbness in his mouth. The patient describes it as a feeling like when he was younger and would use chloraseptic spray, it feels like same numbness. He states that on Saturday his eyes started tearing up, and he does have allergies to tree pollen. The right side of his face feels and looks like he had a stroke, it is droopy on right side. The patient can't pronounce words right, can't smile, and can't close his right eye. The patient was checked with heart rate and EKG with his little machine and his temperature, and they all seem fine. The patient was also getting headaches at the back of his head. The patient took Advil for headaches, but it is not improving. The patient ran out of the Advil and doesn't have the bottle anymore. The patient took allergy

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1150372	3/31/2021	TN	59	F	3/13/2021	3/14/2021	<p>pills, a knock off Benadryl, because he thought his eye tearing was possibly from allergies to tree pollen allergy or possible allergic reaction to the drug. The patient underwent lab tests and procedures which included body temperature: fine, CAT: not reported, EKG: fine, complete blood work: not reported and heart rate: fine; all on 15Mar2021. The outcome of loss of taste was unknown. The outcome of the rest of the events was not recovered. Information on the lot/batch number has been requested.</p> <p>When she passed out; feeling real dizzy; since her leg and knee feel bruised; right eye was swollen; felt unwell; weak; This is a spontaneous report from a contactable consumer (patient) reported that a 59-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 13Mar2021 as a single dose (at the age of 59-years-old) for covid-19 immunisation. The patient's medical history and concomitant medications were not reported. It was reported that the patient got the Pfizer-BioNTech COVID-19 Vaccine first dose on Saturday, 13Mar2021, and was fine after the shot but had a reaction on Sunday, 14Mar2021. On 14Mar2021, she got up to make breakfast and started feeling real dizzy and the next thing she knew, she was on the floor; this happened twice. When she passed out, she must have hit something on her right side, since her leg and knee feel bruised and right eye was swollen. She felt unwell, dizzy and weak; no dizziness today (15Mar2021). She planned to discuss further with her physician. The outcome of the event dizziness was recovered on 15Mar2021 and unknown for the rest of the events. Information on the lot/batch number has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1150359	3/31/2021	NC	61	F	3/3/2021	3/3/2021	Left side got tight including brain/ brain was not cooperating with the eyes/ Brain shaking; Profuse sweating; Never had low blood sugar before/Blood sugar crashed; Left side got tight; This is a spontaneous report from a contactable other hcp (patient). A 61-years-old female patient received bnt162b2 (BNT162B2), dose 1 via an unspecified route of administration, administered in Arm Left on 03Mar2021 08:45 am (Batch/Lot Number: EN6203) at age of 61-years-old as SINGLE DOSE for covid-19 immunisation. Medical history included diabetes. No pregnant. No Covid prior vaccination. No Covid tested post vaccination. No Known allergies. No other vaccine in four weeks. Concomitant medication included semaglutide (OZEMPIC), metformin (METFORMIN), lisinopril (LISINOPRIL), all empagliflozin, linagliptin (GLYXAMBI) taken for an unspecified indication, start and stop date were not reported. The patient experienced left side got tight including brain/ brain was not cooperating with the eyes/ brain shaking, profuse sweating, never had low blood sugar before/ blood sugar crashed on 03Mar2021 09:30. Adverse event: Left side got tight including brain. After maybe 20 minutes while she was driving back. Blood sugar crashed and brain was not cooperating with the eyes. Brain shaking. Profuse sweating. Ate something when she got to work and started improving. Never had low blood sugar before. No treatment for events. The patient underwent lab tests and procedures which included blood glucose: low/crashed on 03Mar2021 09:30. The event outcome recovered in Mar2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1150339	3/31/2021	MN	67	M	1/30/2021	2/2/2021	Swelling /inflammation of face on left cheek near nose; periorbital swelling around eye; This is a spontaneous report from a contactable consumer (patient). A 67-year-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Batch/Lot number was not reported), via an unspecified route of administration, in Arm Left on 30Jan2021 17:00 as single dose for covid-19 immunisation (age at vaccination 67 years) at Clinic. Medical history included sulfa drugs allergy, asthma, GERD (gastrooesophageal reflux disease), glaucoma, high BP (Blood pressure), hypothyroidism, depression. Concomitant medications the patient received within 2 weeks of vaccination included acetaminophen; albuterol sulfate; brimonidine tartrate. The patient didn't received any other vaccines within 4 weeks prior to the COVID vaccine. On 02Feb2021 at 01:00 A.M, the patient experienced swelling /inflammation of face on left cheek near nose and another site as periorbital swelling around eye; both occurring on left side of face only. Patient spoke with triage nurse who indicated to use ice. Prior to vaccination, the patient wasn't diagnosed with COVID-19. Since the vaccination, the patient hasn't been tested for COVID-19. Case was reported as non-serious. Outcome of events was not recovered. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1150333	3/31/2021	IL	40	F	1/30/2021	1/30/2021	sore arm where shot was given; nauseous; shortness of breath; tongue tingly; right Eye bothersome; metallic taste; elevated heart rate; headache; This is a spontaneous report from a contactable consumer (patient). A 40-year-old non-pregnant female patient received first dose of bnt162b2 (COMIRNATY, Solution for injection, Lot number: EL 3257, Expiration date: unknown) via unspecified route on 30Jan2021 01:30 PM, in the left arm, deltoid at a single dose for COVID-19 immunization. The patient's relevant medical history included asthma and seasonal allergies. Concomitant medications included Nortriptyline, oxcarbazepin, montelukast. It was reported that the patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. It was reported that the patient did not have COVID-19 prior to vaccination or tested since the vaccination. On 30Jan2021 at 02:00 PM the patient experienced very sore arm where shot was given, nauseous, shortness of breath, tongue tingly, right eye bothersome, metallic taste, elevated heart rate and headache. It was unknown if the patient had received any treatment for the events. Outcome of events was not resolved.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1150321	3/31/2021	MD	78	F	1/19/2021		Swelling on her right ear; Symptoms of the flu/side effects like the flu; Diarrhea/bad diarrhea; Urinating like crazy/had to urinate non-stop; Sick; Swelling on her right eyelid; Pain down her neck; Everything was swollen, her one eyelid and the outside of her ear then down her neck on the right side; This is a spontaneous report from a contactable consumer (patient). A 78-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot number: EL1283, Expiry date: unknown) via an unspecified route of administration, administered in Right Arm on 19Jan2021 (at the age of 78-years-old) at a single dose for covid-19 immunisation. Medical history included mastectomy (she had a mastectomy before, so she has no lymph nodes, she doesn't let them touch her left arm. She says this was done 26 years ago when she was 52), arthritis (she has bad arthritis in her back), Blood pressure high (she takes a high blood pressure medication), High cholesterol (she takes a high cholesterol medication) and eye surgeries (she has had all kinds of eye surgeries before this). The patient's concomitant medications were not reported. The patient experienced swelling on her right ear, symptoms of the flu/side effects like the flu, diarrhea/bad diarrhea, urinating like crazy/had to urinate non-stop, sick, swelling on her right eyelid, pain down her neck, everything was swollen, her one eyelid and the outside of her ear then down her neck on the right side on an unspecified date in 2021. The patient stated that she had a lot of side effects and she talked to her doctor who said to go ahead and get the second dose. She says she had no fever, but had all the rest of the side effects, such as swelling of her neck, ear, and eye, which all went away fast. She says she was sick almost 4 days, and her doctor said side effects shouldn't last that long, so she called to get advice about whether to get second shot or not. She says her appointment for her second shot is the 09Feb2021, she would like to know if it is safe for her to get. She says her side effects started in the evening, the swelling of her right ear didn't last, it went away. She says during the night she woke up and had to urinate non-stop that started that night a day later. She says that lasted the next day, then the day after, until Saturday she felt better. She says she had all side effects like the flu, then later bad diarrhea too. She says she finally took something for



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							diarrhea (no further information provided about this) and took Tylenol. she doesn't see the expiration on that bottle, she thinks it is good for 2021. She says that she doesn't see too good. She clarifies that they Tylenol she had took before, with no issues, and her not seeing too good had nothing do with the vaccine, she has had all kinds of eye surgeries before this. She says her right ear was swollen, everything was swollen, her one eyelid and the outside of her ear then down her neck on the right side. She says that the pain started about a day later Pfizer COVID-19 vaccine. Caller says that she called her doctor today, that was the first time she did that, she was trying to wait and see, and her doctor said normally side effects don't last that long, so he has her worried. She says if she does not take the vaccine she will not be protected, but if she does, she may have worse side effects. Therapeutic measures were taken as a result of diarrhea/bad diarrhea. The patient recovered from the event swelling on her right ear on an unspecified date in 2021, outcome of the event Urinating like crazy/had to urinate non-stop was recovering, while outcome of other events was unknown.
1150232	3/31/2021	NE	63	F	3/24/2021	3/25/2021	within 24 hours had unusual tongue sensation, then left side of face numbness, eyelid swelling, left sided facial droop. Diagnosed with Bell's Palsy at office visit 3/31/21
1150222	3/31/2021	OH	51	F	2/26/2021	3/1/2021	Both times my face developed blisters on the Monday following the vaccine. The first time I even had them in the corner of my right eye along the lash line and eyebrow. 2nd time I have developed them on my right cheek and they are starting on my lips. 1st time I tried to report to my Dr., asking if the vaccine could cause it they kept brushing over my question and simply told me to take Benadryl before. This time they saw me and gave me a steroid shot and steroid pack.
1150179	3/31/2021	TX	22	F	3/31/2021	3/31/2021	Burning sensation on the injection site, dizzy and mild blurry vision. BP 130/84, HR - 84

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1150156	3/31/2021	UT	59	M	3/12/2021	3/23/2021	I'm not sure if this related to the vaccine, but I suspect it is. Starting about 10-14 days after receiving the vaccine (IM into my deltoid), I have been experiencing a regional (almost dermatomal) distribution itchiness and hypersensitivity in my left infrascapular and upper lateral back region. It's a superficial (dermal/epidermal) discomfort, not deep. I have observed NO associated rash or hives; nothing is visually evident. I am still experiencing this at day 19 post vaccine. I've not taken any medication, have not applied any topicals, etc.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1150147	3/31/2021	KS	43	F	3/24/2021	3/24/2021	<p>Progress Notes Expand AllCollapse All</p> <p>Patient:                      DOB:    Date:</p> <p>3/24/2021</p> <p>MRN:    Subjective Patient is a 43 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience difficulty speaking. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , rapid progression of symptoms, respiratory distress and tongue swelling.</p> <p>Past Medical History: Diagnosis Date ? Addison's disease (HCC) ? Asthma ? Depression ? Hypothyroidism ? Pulmonary HTN (HCC) ? Restless legs ? Rheumatoid arthritis(714.0) ? Sjogren's disease (HCC)    PT on home O2. Followed by medical center. Pt also reports hx of serotonin syndrome.    ALLERGY</p> <p>REVIEW OF SYSTEMS: Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, eyes watering, eyes itching, cough, chest tightness, shortness of breath, wheezing, rash, hives, itching of skin, vomiting, abdominal pain, muscle aches, joint pain, dizziness and headaches    + aphasia:</p> <p>Previous Reactions: none    Objective    Vitals Vitals:</p> <p>03/24/21 1510 03/24/21 1513 BP: 105/74 123/69 Pulse: 98 96 SpO2: 97% 95%                      Physical Exam</p> <p>Constitutional:    General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not diaphoretic.    Interventions: Nasal cannula in place.    Comments: Personal O2 via NC    HENT:</p> <p>Head:    Jaw: Trismus present. No tenderness, swelling or pain on movement.    Comments: aphasia</p> <p>Mouth/Throat:    Mouth: Mucous membranes are moist. No angioedema.    Pharynx: Oropharynx is clear. Uvula midline. No pharyngeal swelling, posterior oropharyngeal erythema or uvula swelling. Eyes:    Extraocular</p> <p>Movements: Extraocular movements intact.</p>

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light.  
 Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Gait: Gait normal. Comments: +5/5 strength to upper and lower extremities. No facial drooping. No tongue/throat swelling. Pt points to jaw line and TMJ as the muscles are affected. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Behavior is cooperative. Thought Content: Thought content normal. Judgment: Judgment normal.  
 Assessment/Plan Treatment included: no therapy Follow up response to treatment: no change. Patient discharge: Transported to ED by ambulance. Differential Diagnosis: Systemic reaction (hypoglycemia, hypotension, generalized rash) and Red flag symptoms (CP, SOB, NVD, Visual/Neuro concerns) Pt with no other neuro deficits but aphasia is clearly present. Medical team called to have pt brought to ED for further evaluation. Husband will meet her there.

1150069      3/31/2021   OH

61   F

3/16/2021

3/17/2021 I had my Pfizer vaccine on March 16, 2021. On March 17th I had a headache, body aches and fatigue which I expected since I had Covid in November 2020. Most of these symptoms only lasted 3 days. After the 3 days I had a continuing headache and started having jaw pain. On March 22nd I started having dizziness and a severe headache with jaw pain, fatigue and nausea. On March 23rd I got up abruptly and felt extremely dizzy and almost passed out. I am having continued sporadic headaches, nausea, dizziness behind my eyes with fatigue and a metal taste in my mouth especially when my mouth is dry. As of March 30th, only side effects lingering are dizziness behind my eyes and nausea

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1149521	3/31/2021	FL	62	F	3/16/2021	3/16/2021	3/16/21-Obtained vaccine at 0800. At 1pm same day, began with cough then an asthma attack, chest tightts, couldn't catch breath. Required rescue inhaler and Advair inhalers. by 3pm same day, fever 100.3 po, severe body aches, horrible neck pain, extreme fatigue, ringing in ears, 'brain fog'. Went to bed 5pm- slept 7 hours. Woke up midnight, fever broke, still horrible aches and extreme fatigue. Slept another 7 hours. 0730 on 3/17 woke up face was "red" like a sunburn- no fever, very weak, no appetite. called primary, told to rest, tylenol, fluids and go to ED if worse symptoms. revisit in person 4/19. From 3/17-3/26 fatigue, brain fog- had eye exam for employment on 3/26 and vision in left eye had changed- could not see the chart. By today 3/31, still poor vision right eye- will see physician 4/2- less fatigue and improving brain fog, occasional tinnitus. This was my 1ST in the series of Moderna vaccines. Concern- should I get the 2nd on 4/13?
1150049	3/31/2021	MA	43	F	3/20/2021	3/20/2021	30 min post-injection the following anaphylactic reactions occurred; swelling of tongue, difficulty swallowing, swelling in face focused under my eyes. No medication was taken for these symptoms. Around 3 hours post-injection the reactions began to dissipate with full resolution by 4 hours post-injection.
1149528	3/31/2021	VA	18	M	3/30/2021	3/30/2021	Dizziness, vision blurred,dry mouth, BP 108/67,HR 80, O2 sat. 97%,Resp 18 Monitor, go home

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1149907	3/31/2021	NY		M	3/16/2021	3/17/2021	his body is fainted; weakness; his eyes are burning; swollen arm; accelerated heart; nose congestion; fatigue; his body feels hot; chills; A spontaneous report was received from a consumer (reporting on self), concerning male patient (age unspecified) who received Moderna's COVID-19 Vaccine (mRNA-1273) and fainted along with chills, fatigue, hot, burning eyes, weakness, swollen arm, accelerated heart and nose congestion. The patient's medical history was not provided. Concomitant medications included metoprolol and acetylsalicylic acid. On 16 Mar 2021, prior to the onset of the event, the patient received their first of two planned doses of mRNA-1273 (Lot unknown) intramuscularly for prophylaxis of COVID-19 infection. On 17 Mar 2021, the patient developed chills, fatigue, hot, burning eyes, weakness, swollen arm, accelerated heart and nose congestion and eventually fainted, details were not provided. Treatment included Tylenol (paracetamol). The adverse event of his body is fainted was assessed as medically significant. Action taken with mRNA-1273 in response to the events was not reported. Outcome of the events was unknown.; Reporter's Comments: Very limited information regarding this event/s has been provided at this time. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1149906	3/31/2021			M	3/2/2021	2/3/2021	was black in front of the eyes; feeling weak; Pulse around 15:50 instead of 15:70 as normal; fever; don't feel well; dizziness when standing up; circulatory disturbance; tired; A spontaneous report was received from a Consumer concerning himself, 78 Years old male patient who received second dose of Moderna's COVID-19 vaccine (mRNA-1273) and experienced, fever, Feeling unwell/ Malaise, dizziness when standing up, circulatory disturbance, was black in front of the eyes/ Eye disorder, feeling weak/ Asthenia, Pulse irregular. The patient's medical history was not provided. The relevant concomitant medications are amiodarone hydrochloride half a tablet a day, cholesterol against sugar. On 03 Feb 2021, the patient received their first of two planned doses of mRNA-1273 (lot/batch: unknown) intramuscularly in the upper arm for prophylaxis of COVID-19 infection. On 02 Mar 2021, approximately one day prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (lot/batch: unknown) via unknown route for prophylaxis of COVID-19 infection. On 03 Mar 2021, with onset latency of two days, the patient experienced fever, did not feel well and felt dizzy on standing and had circulatory disturbance. Next day, the patient reported that it was black in front of his eyes. After checking his pulse, the patient called up emergency and was hospitalized. The patient was still feeling very weak and was still in care. No Laboratory investigations were provided. No Treatment information was provided. The patient received both scheduled doses of mRNA-1273 prior to the events, therefore action taken with the drug in response to the events was not applicable. At the time of this report, the outcome of the events were unknown and for weakness was not recovered.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.; Sender's Comments: US-MODERNATX, INC.-MOD-2021-047206:case for first dose events.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1149904	3/31/2021	OH	41	F	1/22/2021	1/23/2021	<p>Never seen anyone bleed this much; Numbness in her fingertips and toes; Tingling in fingertips and toes; Throat closed up; Eyes swollen; Swollen itchy hives; Felt a little dizzy; Discoloration in her skin pattern; Full body rash head to toes; Rash; Swollen itchy hives; Ungodly itch open sores; Hives so large and severe; Low grade fever; Headache; Vomiting; Diarrhea; They were able to stop her from going into anaphylactic shock; A spontaneous report was received from a consumer concerning 41-year old, female patient who received Moderna's covid-19 vaccine (mRNA-1273) and developed felt a little dizzy, diarrhoea, vomiting, headache, low grade fever, full body rash head to toes, hives so large and severe, throat closed up, eyes swollen, discoloration in her skin pattern, numbness in her fingertips and toes, tingling in fingertips and toes, swollen itchy hives, ungodly itch open sores, rash and never seen anyone bleed this much, they were able to stop her going into anaphylactic shock. The patient's medical history was not provided. Products known to have been used by the patient, within two weeks prior to the event, included tumeric, multivitamin, vitamin d, lexapro and adderall. On 22 Jan 2021, approximately 1 day prior to the onset of the symptoms, the patient received their first of two planned doses of mrna-1273 (batch number: 039k20a) intramuscularly in the left deltoid for prophylaxis of covid-19 infection. On 23 Jan 2021 the patient had experienced felt a little dizzy, diarrhoea, vomiting, headache, low grade fever, full body rash head to toes, hives so large and severe, throat closed up, eyes swollen, discoloration in her skin pattern, numbness in her fingertips and toes, tingling in fingertips and toes, swollen itchy hives, swollen itchy hives, ungodly itch open sores, rash and never seen anyone bleed this much and they were able to stop her going into anaphylactic shock. Treatment for the event included was given steroids, benadryl, and prescription antihistamine. Action taken with mrna-1273 in response to the events was not provided. The outcome of the events were not reported.; Reporter's Comments: This case concerns a 41 Y/O F with serious unexpected dizziness, urticaria, diarrhea, vomiting, pharyngitis, eye swelling, skin discoloration, hypoesthesia, paresthesia, pruritus, swelling, rash, hemorrhage, pyrexia, headache. Event onset Day 2 after first dose mRNA-1273.</p>



*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

Treatment prevented anaphylactic shock. Event outcomes unknown. Based on current available information and temporal association between use of the product and start date of the event, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1149902	3/31/2021	CA	82	F	1/22/2021	1/22/2021	Broken of the right eye vein that led to bleeding; excruciating pain (like a labor pain); Diarrhea; vaginal bleeding; Dizziness; Stomach Cramping; A spontaneous report was received from a consumer who was also a 82-years-old, female patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and who experienced: excruciating pain - like a labor pain (pain), stomach cramping (abdominal pain upper), diarrhea, vaginal bleeding (vaginal haemorrhage), dizziness and broken of the right eye vein that led to bleeding (eye haemorrhage). The patient's medical history was not provided. Products known to have been used by the patient, within two weeks prior to the event, included: methotrexate. On 22Jan2021, the patient received their first of two planned doses of Moderna's COVID-19 Vaccine (mRNA-1273, lot number: not provided) intramuscularly for prophylaxis of COVID-19 infection. Later on 22Jan2021, the patient began to develop: excruciating pain - like a labor pain (pain), diarrhea, vaginal bleeding (vaginal haemorrhage), dizziness and broken of the right eye vein that led to bleeding (eye haemorrhage). She reports these events lasted for 1 day and then stopped. The patient states she still experiences stomach cramping (abdominal pain upper), The patient confirmed she consulted with her physician and blood work was done. The results of the blood work were not provided. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not reported. Patient is wondering if these events are normal and if she should receive her second dose. The outcome of the events: excruciating pain - like a labor pain (pain), diarrhea, vaginal bleeding (vaginal haemorrhage), dizziness and broken of the right eye vein that led to bleeding (eye haemorrhage) is considered to be resolved based on patient reported duration of 1 day. The outcome of event: stomach cramping (abdominal pain upper) is considered not recovered/not resolved per patient report.; Reporter's Comments: This case concerns a 82-years-old, female patient who experienced: excruciating pain- like a labor pain, abdominal pain upper, diarrhea, vaginal bleeding, dizziness and eye haemorrhage. Very limited information regarding this events has been provided at this time. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1149823	3/31/2021	NY	33	F	3/20/2021	3/20/2021	Reported substantial swelling where she has filler in her lips, cheeks, under eye, chin.
1149805	3/31/2021		46	F	3/30/2021	3/30/2021	Within 10 min, mild headache. Around 2 hrs, eyes slightly swollen, dizzy. Next morning, noticed 2 itchy hives 1.5" from injection site.
1149790	3/31/2021	IA	36	F	3/30/2021	3/30/2021	The pharmacist administered the Pfizer vaccine to a patient using an Easypoint needle. After administering the vaccine the safety mechanism was activated. As the needle was retracting into the syringe, some liquid splashed into the pharmacist's eye.
1149783	3/31/2021	OH	43	F	3/23/2021	3/23/2021	30 minutes After receiving the vaccination, pt. right eye started to swell and pt c/o headache and tiredness, States swelling lasted about 2 days as well as the HA. Pt. took Benadryl and Tylenol both days.
1149761	3/31/2021	NJ	58	F	3/30/2021	3/30/2021	Headache, whole body ache, nausea, pain behind eyes, chills, injection site pain, whole body stiffness
1149750	3/31/2021	PA	67	F	3/23/2021	3/24/2021	Events: itching over the entire body, a rash, not raised, shingles came out after 2-3 days. Vision is blurring Treatment : went to PCP, could not take anything because she has had reactions to vaccines in the past, did take antihistamine for itching, which helped. She still has some itching, but it does not seem to be getting worst.
1149693	3/31/2021	TN	39	F	3/29/2021	3/29/2021	Day of Shot #1: PM: Started to feel extremely dizzy then got really tired. I could not keep my eyes open at this point. Came on really strong; was feeling fine one minute to the next minute not. Next Day of Shot #1: Extremely tired and sleepy - had a hard time staying awake. Pain in arm where injection was administered, and underneath in armpit area. Pain also rode all the way down arm and into hand. Arm felt heavy to move and just hurt. Afternoon of next day after shot I started to get a really bad headache. Felt like sinus but not. Not really a headache I've had before. PM of next day after shot: Really tired still lingered and I just felt sick at that point. Like a was coming down with something or my body was fighting was felt similar to the flu. Day #2 after shot: Woke up feeling ok (not as much pain in arm) and not nearly as tired or sleepy. Still have headache lingering.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1149684	3/31/2021	WI	56	M	3/17/2021	3/18/2021	Pain in upper and lower left arm, lasting three days. Headaches, eye irritation bilateral, burning, dry. Eye migraine four days after vaccination lasting two hours. Fatigue lasting 10 days.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1150380	3/31/2021	FL	82	F	3/1/2021	3/8/2021	overwhelming feeling of dizziness/she felt the sudden urge to faint and then became so dizzy that she had to lie down on the couch; very weak; very tired; she has slept a lot; she felt the sudden urge to faint; unable to visually focus, if she closed her eyes and she opened one eye it would be blurry and the people on TV were sliding off the screen and everything was sliding away; pain behind her left eye into her head; she tried to get up to go to the bathroom the room was spinning; an inner ear problem or problems with the "crystals in her ear"; When she got up, she couldn't put her two feet on the floor out of bed without leaning towards the left; This is a spontaneous report from a contactable consumer (patient). An 82-years-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Lot Number: EN6200) via an unspecified route of administration, administered in Arm Left on 01Mar2021 11:00 as SINGLE DOSE for covid-19 immunisation, at 82 years old. Medical history included history of a stroke from an unknown date (previous history of a stroke 19 months ago). There were no concomitant medications. The patient previously received BNT162B2(Lot# EW5318) on 07Feb2021, at 82 years old for COVID-19 immunization and experienced no adverse event (no reaction). Other historical vaccine included Flu shot (influenza vaccine) on an unspecified date and experienced almost killed her. The patient reported no reaction and no problems (no pain, no nausea, no anything) from the second dose until the evening of 08Mar2021 when she was in her kitchen cooking and chopping vegetables, she felt the sudden urge to faint and then became so dizzy that she had to lie down on the couch. She had an overwhelming feeling of dizziness. A feeling like she wanted to faint, and she never faints. Her daughter got her to the sofa. She couldn't get off the couch. The room spun unbelievably. Everything spun. She went to bed and when she woke up, she felt worse. She states that the dizziness was worse, she was unable to visually focus, if she closed her eyes and she opened one eye it would be blurry and the people on TV were sliding off the screen and everything was sliding away, and she had pain behind her left eye into her head. When she tried to get up to go to the bathroom the room was spinning. It lasted through the next day (09Mar2021). When she got up, she couldn't put

VAERS\_ID RECVD STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

her two feet on the floor out of bed without leaning towards the left. She didn't fall. It was so bad she had to grab onto things to walk. During that day they brought her downstairs and she stayed on the sofa and it just got worse. Her daughter had her call her primary care doctor and he said that if her neurologist had heard any of what had happened, then go to the emergency room, to which is where she was 19 months ago with her stroke. She spent the 11Mar2021 and 12Mar2021 in hospital (due to dizziness). They couldn't find anything. She had not had a new stroke. She had every test known to man. They did a full neurological work up including an MRI, CT Scan, carotid artery studies and checked everything and could not find the cause of her extreme dizziness. They did confirm that she did not have a stroke. The told her that she could potentially have an inner ear problem or problems with the "crystals in her ear" which could be causing her dizziness, however, they could not positively identify the cause of her problem. They found evidence of her previous stroke. When they were sending her home, it says on her discharge paperwork, they were going to put her in a vestibular clinic. It has to do with crystals in her ear. She was still dizzy and still walking with a walker which she hasn't had to use in 19 months since her stroke. And she has slept a lot, the night she was discharged on 12Mar2021 and the following day. On 14Mar2021 she woke up a little bit. But on 15Mar2021, she is very tired and very weak and still very dizzy. The dizziness is not the room revolving kind. She is taking an anti dizzy pill. She has to see her doctor tomorrow morning, her neurologist at hospital. The dizziness is still persisting but not as bad and she can jump up and walk and do things with the walker. Regarding tests done at the hospital, she came out with shining colors apparently. All tests came through fine. There was no evidence of stroke, her blood pressure, triglycerides, fluids or liquids, everything tested perfect. When querying if she had gone to her physician's office, she reported she had a morning call with her doctor on a phone appointment and he sent her straight to the hospital. She is still dizzy and walking with a walker which she has not had to use in 19 months. She states that doing a lot of hand-eye coordination exercises at home. She has the television on to check her vision which seems to be returning to normal. She stated, "I just don't know where

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							to go from here." She stated that she has a follow up appointment the following day with her neurologist. She wanted to know if this side effect has been reported and how long she can expect to feel this way. The patient underwent lab tests and procedures on Mar2021 which included blood pressure, triglyceride, fluids or liquids: tested perfect; and CAT scan, EKG had unknown results. On 11Mar2021, CT Scan: unknown results (could not find the cause of her extreme dizziness. They did confirm that she did not have a stroke/they could not positively identify the cause of her problem); MRI: unknown results (could not find the cause of her extreme dizziness. They did confirm that she did not have a stroke/they could not positively identify the cause of her problem). Therapeutic measures were taken as a result of overwhelming feeling of dizziness and unable to visually focus. Outcome of the event dizziness was not recovered; outcome of the event unable to visually focus (visual disturbance) was recovered on an unspecified date in Mar2021; while room was spinning (spinning sensation) was recovered on 09Mar2021, while unknown for the other events.
1150056	3/31/2021	ME	53	F	1/27/2021	1/28/2021	2 days after first injection developed rash on face, over eyes and nose. After 2 injection developed rash on face near nose, and top lip swollen couple hours after injection. Also developed rash in left armpit and what looks like pimples under armpit and on my side, almost 2weeks later. Still have that rash as of today.
1153416	3/31/2021	AZ	38	F	3/29/2021	3/29/2021	My arm felt as if I could feel the vaccine moving down it, then began to tingle. My vision went weird for a few minutes and I felt light headed and as if my whole body was vibrating/buzzing a bit. It's hard to describe, but I knew something wasn't right. I spoke with a nurse on site who suspected I had a vasovagal reaction to the vaccine. I had to wait 40 minutes before I felt okay enough to leave the site. I continued to feel off for the rest of the night, along with extreme fatigue and soreness in my arm, neck and back. The day after the vaccine I still had extreme fatigue, muscle soreness, was nauseous, with hot flashes and chills throughout the day. Currently on day 2 past the vaccine and still have fatigue and muscle soreness. The other symptoms seem to have improved some. I have not been able to sleep much that last 2 nights either.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153220	3/31/2021	AL	70	M	2/9/2021		Medical history included High blood pressure/ blood pressure was 170/ 110; This is a spontaneous report from a contactable consumer. A 70-year-old male patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, on 09Feb2021 (Batch/Lot number was not reported) as SINGLE DOSE for covid-19 immunisation. Medical history included High blood pressure (indication of concomitant medications, defcort and "blood pressure pill") and 'degenerative' arthritis. Concomitant medications included deflazacort (DEFECORT) taken for high blood pressure, start and stop date were not reported; and piroxicam (FELDENE) taken for 'degenerative' arthritis, start and stop date were not reported. The patient previously took lotrel [amlodipine besilate;benazepril hydrochloride] (has been on Lotrel for 24 years). The patient's doctor changed his blood pressure pill (Unspecified Medication) on Monday and he was supposed to keep an eye on it. Patient lost his sister-in-law's husband Tuesday afternoon so, he didn't think about taking the blood pressure pill on Friday night (Clarification unknown), he got up in midnight and blood pressure was 170/ 110 and it's been running high ever since and he was wondering if this could have anything to do with vaccine. Information on lot/batch number has been requested.
1154313	3/31/2021	CA	48	F	3/31/2021	3/31/2021	drive through monitoring area. Nurse practitioner approached the client in her car she was here for 15 minute post vaccination injection. When I asked her how she was doing, she said she was feeling numbness and tingling in her fingers and seeing white spots in her eyes. She was sitting in the car in the sun for the past five minutes or so I got her a bottle of water and moved car into the shade I asked her if I needed to call the paramedics. We initiated the code green and turned over care to the paramedics. Evaluated by paramedics and released. Patient's husband drove the patient



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1154308	3/31/2021	MT	62	F	3/4/2021	3/4/2021	Shot @ 250pm; couldn't even Tell she'd poked me! Mentioned Dr reiterating advice re tylenol and ibuprofen; that I take Both, ibuprofen due @ 3pm. 2 nurses said should be okay since I'm used to it. Advice is re prophylactic use against side effects. ~ Left @ 305p (15min watch for allergic reaction) Left grocery @ 345pm, headed north to pick up dinner Almost immediately, it felt like I'd been hit in the left eye with a baseball bat (cheekbone & eye socket); REALLY Intense 'migraine', left side only. Took back road to dinner, finally subsided to an odd ache. Called clinic as soon as I parked. Checked w nurse - it IS a side effect. "Don't take any ibuprofen." I'd taken mine @ 305pm with my Gaba. Don't take any more. Tylenol is okay. Recording this, it is now 5:55pm, and ache has migrated to center forehead; also experiencing facial numbness, left side & lips. ARGH! 607pm, now into the right side of forehead, somewhat into the temple. Oh! At the left lower back of the skull, near lymph node. Man! This thing just keeps bouncing around! 620pm back at the left cheekbone & eye socket Oh! I Did take my temp shortly after getting home, 97.6° - my norm ?? Slept well, thru the night. Left arm pain when I rolled, so Nope. Called clinic to ask about advil, Can resume taking as usual. Per nurse. Fri evening, sat w chin in hand; pain in left jawbone along the bottom. That passed/eased at least. Then, have 'pain to touch' at base of skull. (Was rubbing neck) ~ as of Wed 3.31, haven't experienced any more 'vac migraines' for a while. Did have some (approx 5) intermittently for abt two weeks after. ~ also experienced extreme fatigue/exhaustion 1st 60 - 72 hours before back to my norm.
1154289	3/31/2021	FL	71	M	3/30/2021	3/31/2021	High fever 103.5 Bad aches/pains in joints Elevated B/P 176/98 Weakness in legs Loss of focus in Rt eye Self treating with Acetomenaphin. As of 7 pm 3/31 able to get temp down to 102.5. Taking 1000mg@5 hrs. I called doctor but no call back. Will continue treatment and hope to get better.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153555	3/31/2021			F	3/23/2021	3/1/2021	<p>something like a stroke; her hands and feet got really cold; went numb on the injection side from her neck to her hands; went numb on the injection side from her neck to her hands/the side of her face went numb/numbness on the left hand in two fingers; the inside of her mouth and tongue went numb; tingling in her hands and feet; got tired; stomach felt weird; her vision is weird/one of her eyes is dilating and constricting back and forth, hard to see, sensitive to light and pupils are still different sizes; her vision is weird/one of her eyes is dilating and constricting back and forth, hard to see, sensitive to light and pupils are still different sizes; her vision is weird/one of her eyes is dilating and constricting back and forth, hard to see, sensitive to light and pupils are still different sizes; This is a spontaneous report from a contactable consumer (patient) via Medical information team. A 37-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, lot number and expiration date were not reported) via unspecified route on 23Mar2021 as single dose for covid-19 immunisation. Medical history included reaction to pertussis as a baby. The patient's concomitant medications were not reported. Patient stated that she reported the side effects that patient had from the first dose of the Pfizer covid 19 vaccine yesterday on 23Mar2021. patient stated that not all of the symptoms have worn off and wanted to know if she should worry, see a neurologist or is it something like a stroke on an unspecified date in Mar2021. patient stated right after the vaccine her hands and feet got really cold, went numb on the injection side from her neck to her hands and the side of her face went numb on Mar2021. Patient reported that the inside of her mouth and tongue went numb. Patient stated she had tingling in her hands and feet, got tired, stomach felt weird and today her vision is weird and one of her eyes is dilating and constricting back and forth, hard to see, sensitive to light and pupils are still different sizes on Mar2021, and patient still has a little tingling in her hands and feet and still has numbness on the left hand in two fingers but most has gone away. patient wanted to know if these are reported side effects. The outcome of the events was unknown. Information on the lot number and batch number has been requested.</p>

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153515	3/31/2021		86	F		2/1/2021	<p>had worsening vision loss in her eye; had worsening vision loss in her eye; This is a spontaneous report from a contactable consumer (patient) based on the information received by Pfizer. An 86-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number unknown) dose 2 via an unspecified route of administration on an unspecified date (Batch/Lot number was not reported) as single dose for covid-19 immunisation; pyrimethamine (Tablet, Lot Number: AM0737A; Expiration Date: 31Jul2022) via an unspecified route of administration from an unspecified date and ongoing at 25 mg once daily for toxoplasmosis retinitis. Medical history included toxoplasmosis retinitis (eye infection toxoplasma), vision loss (Blindness), and an allergy to sulfa medications. Concomitant products were not reported. On an unspecified date, the patient had a second dose of the Covid vaccine. On an unspecified date in Feb2021 (over the last month of 01Mar2021), after starting the products, the patient had worsening vision loss (visual impairment) in her eye within one month of receipt of the second dose of the COVID-19 vaccine. The patient felt the only thing that was new was she had just received the second dose of the Covid vaccine. As of 01Mar2021, the statuses of treatment with pyrimethamine and the worsening of vision loss in her eye were ongoing. An association with pyrimethamine cannot be ruled out. However, the event is confounded by toxoplasmosis retinitis, vision loss, and receipt of the COVID-19 vaccine, which the reporter notes was the only new occurrence. The action taken in response to the events for pyrimethamine was dose not changed. Therapeutic measures were taken as a result of had worsening vision loss in her eye. The outcome of the events was unknown. The reported was considered as other serious (important medical events). No follow-up attempts are needed; information about lot/batch number cannot be obtained.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153507	3/31/2021	IL	61	M	3/14/2021	3/1/2021	Blood Vessels in Right Eye; Eye is extremely red/eye is blood red; had a little soreness to injection site; This is a spontaneous report from a contactable consumer. A 61-years-old male patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in Arm Left on 14Mar2021 09:40 (Batch/Lot Number: EN6206; Expiration Date: 30Jun2021) as single dose for covid-19 immunisation. Medical history included ongoing hypertension. Concomitant medications included amlodipine besylate taken for hypertension from an unspecified start date (Started years ago) and ongoing. Patient states he took his Pfizer covid19 vaccine on Sunday morning. When he woke up on Monday morning there were some blood vessels in his right eye and his eye was extremely red. States that while he is uncertain of the exact time that this happened to his eye as he was sleeping; he noticed it Monday morning around 0700 when he woke up and looked in the mirror. States he had a little soreness to injection site, but nothing serious. Outcome of event eye red was not recovered, of others was unknown.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1153505	3/31/2021	OK	67	F	2/4/2021	2/4/2021	<p>passing out; she was 155 lbs before when she was in the hospital - and now 160 lbs; States that she was dehydrated in hospital and did not eat a thing; stayed dizzy; confused; She had felt disoriented; foggy; it was like the flu shot; sleeping a lot; her vision would get very narrow; thumb pink; erratic body temperature; horrible headache; bodyaches; dry heaves; slight fever/ body temperature 104.4; injection site sore; lymph nodes swollen; This is a spontaneous report from a contactable consumer (patient). The 67-years-old female patient received bnt162b2 (BNT162B2), dose 2 intramuscular, administered in Arm Right on 04Feb2021 (Batch/Lot Number: EN5318) as SINGLE DOSE for covid-19 immunisation. Medical history included breast cancer - stage 2 from Jan2008; 29Jan2008 surgery, breast cancer. First surgery for breast cancer removal and lymph node removal, then the cancer went around the first and second lymph nodes so they had to go back in because they had to take out a bunch more and she had to give them permission to take out more lymph nodes. Concomitant medication(s) included ongoing simvastatin for High cholesterol; ongoing bifidobacterium bifidum, bifidobacterium longum, lactobacillus gasseri (PHILLIPS COLON HEALTH) she has high pain tolerance, had stomach cramp did not know what it was and one a day vitamin. The patient previously took bnt162b2 (BNT162B2), dose 1 intramuscular administered in Arm Right on 14Jan2021 (Batch/Lot Number: EL8982) as SINGLE DOSE for covid-19 immunization and experienced Injection site sore. The patient experienced passing out on 28Feb2021, injection site sore, lymph nodes swollen on 04Feb2021, thumb pink on 26Feb2021, erratic body temperature, horrible headache, bodyaches, dry heaves on 05Feb2021, she was 155 lbs before when she was in the hospital - and now 160 lbs on an unspecified date. The patient was hospitalized for passing out from 01Mar2021 to 02Mar2021. The event passing out lead to emergency room visit. The patient lab tests and procedures which included cat scan/ cat scan groin area with contrast: normal; EKG: normal; blood workup: normal; Blood culture:normal, all on 01Mar2021; cat scan head and neck with contrast: normal and cat scan head and neck without contrast:normal on 02Mar2021. The outcome of the event thumb pink was recovering, erratic body temperature was not recovered,</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

horrible headache, bodyaches, dry heaves recovered on 26Feb2021, and was unknown for the rest events. Reported as: Caller states that on 04Feb2021 she received her 2nd vaccine at around 3:30 pm, and then around 10 pm she had injection site soreness. The morning after the second injection around 4 am, she had site on her arm soreness, erratic body temperature with slight fever, horrible headache, bodyaches, and dry heaves. Her lymph nodes also swelled up again. Caller clarifies that this also happened after her first injection of the Pfizer Covid19 vaccine and on a similar timeline. Caller clarifies that 2 weeks later on 26Feb2021 she had ended up with horrible headache, dry heaves, headache, body temperature 104.4. She states that this lasted Friday night and Saturday night and Sunday she was feeling better. Clarifies that was the week of 26Feb2021. Caller states that her events were on a similar timeline and that her first vaccine was 14Jan2021 at 3:30 pm on Thursday. States that by 10 o'clock that night, injection site was sore. At 4 am, injection site was very sore. A couple of days later, her lymph nodes were swollen in her left leg, groin area, right arm under armpit. Adds that area under armpit was the size of her thumb. Also, on the left underneath her chest wall. She states that she has had breast cancer in that left breast. She states that the swelling went away completely, but that the groin area swelling took 2 weeks to go away. Unable to verbalize exact dates. Confirms that this was after the first vaccine and also occurred after the second vaccine. Caller then adds that she was feeling better Sunday, 28Feb2021 but that her husband then found her on the floor Sunday night at 8:45 pm. She states that she passed out. Monday she passed out again and was taken to the hospital where she stayed until 02MAR2021. Healthcare Provider also provides information that her son ran her to emergency room, and she is not familiar with the doctors there. Also, a doctor that she does not remember the third physician but it was a neurologist. Caller states that she was 155 lbs before when she was in the hospital - and now 160 lbs. States that she was dehydrated in hospital and did not eat a thing. Normally she runs around 160 lbs. States she had breast cancer so left arm cannot be used, so they used her right arm for both vaccines. caller adds that she had a cruise she was going to go on but refused to go on in 2020. States that

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

she heard you will need to have a vaccination passport to travel in the future so she wanted to get vaccine. States she did not want to get covid. States that so many people have died. Caller clarifies that she was admitted to (Hospital Name) on 01Mar2021. Caller adds that she went to the hospital 2 weeks after the second dose. She states that is what makes them wonder if it is from the Covid vaccine. Adds that she is not saying that is what caused all of this, but that it is just a coincidence that it was exactly 2 weeks after the vaccine, exactly 2 weeks out when this happened. She states that she has been thinking if she should be wasting Pfizers time reporting this but it could be a coincidence or maybe a reaction. Caller adds maybe it is because she had 34 radiations, 8 chemo treatments, 1 year of Herceptine, and breast cancer. States that maybe she can save somebody else, or if a possibility, people can be prepared two weeks early. She adds that she is lucky she did not break an arm, leg, or bone. States that she doesn't know if maybe she can save some other person by sharing this information. Injection site sore: States that this was after both first and second vaccine. It stayed sore for about a week, and was just tender after that. If she touched it, she noticed, but it didn't hurt her from doing anything. With the first vaccine, injection site soreness started 14Jan2021 around 10 pm and completely resolved after about a week. She adds that with the second vaccine she also noticed injection site soreness that same day on 04Feb2021 around 10 pm also. She adds that it lasted about six days or seven days or so. It was the same way, tender the first day and then at 4 am was when it got really bad. That Friday 05Feb2021 was when it hurt worse. Adds that she went into hospital on 01Mar2021 on Monday. States she was feeling okay, stayed dizzy and confused and thought she was getting Alzheimer's or dementia but it cleared. At 11 pm on Sunday felt completely different, like the old her. States she was fine yesterday 15Mar2021. She had felt disoriented but is now feeling better and back to normal. Erratic Body Temperature: States that she started watching and recording her body temperature on 09Mar2021. She states that it was 104.5 on Friday, and Saturday and Sunday night she used a wet washcloth to her forehead. States that her body temperature initially was variable starting on 26Feb2021. She adds that it continued until

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

Sunday 28Feb2021. On 26Feb2021, her body temperature was 104.5. She states that it was then low on Sunday 28Feb2021 and was 98 or 99. Adds that it had been erratic but that once the fever broke it has been between her normal which is 98.6 to 98.7. Adds that her and her husband know for sure that when she passed out the three times, her temperature was 94.4. States that her husband gave her aspirin for the temperature. Adds that her temperature has been between 97.9 to 94.9 and dropped to its lowest on Saturday 13Mar2021 at 10:35 am. She states that it is still doing this erratic behavior and that this morning it was 96 at 1 am and then 96.8 at 8 am. While on phone today, it is 97.1. Lymph nodes swollen: States noticed swelling at 4 AM 16Jan2021. States this occurred 4 am after both first and second injection. Occurred to groin area, right arm, and left arm. It was there for a couple of days and then it would just remind her it was there. The arm lymph node swelling went away after a few days, maybe before a week or so. The one in the groin was there for about two weeks. On a scale of 1 to 10, it was a 1.5 and was not something that people need to take an Advil or something for. Clarifies it was in the armpit except in the left side because they took those lymph nodes out during surgery in 2008. Also, she noticed lymph node swelling in the chest area. Lymph Nodes at second vaccine she also noticed them starting at about 4 am after the vaccine and it started hurting again. Caller reiterates both shots were given at 3:30 pm and then at 10 pm injection site gets sore. Then 4 am injection site gets more sore. She's been telling everybody to get the vaccine in the morning. Her symptoms lasted two weeks and then she was fine. Caller adds that her husband never felt a thing from receiving the vaccine. She states that the injection site was tender on her husband but gone the next day. Investigations: stated they looked at her in the hospital and said she was fine. The girl came back up and did more cultures and nothing grew. They were confused and so was she and she has been debating whether to call and waste time reporting but thinks that Pfizer needs to know what happened to her. Simvastatin: Adds that asked doctor if this caused her symptoms and he said no. Phillips colon: doctor 6 to 9 months later did scan, the next day was in emergency surgery and it was her appendix. It enlarged and had grown into the other



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

organs. Doctor said it was a mess and it was ready to rupture as a precaution they wanted to remove it. Bayer product Code above expiration date states 0C09C and expiration is Mar2023. Thumb pink: thumb nail to finger print past where you bend it was where she noticed it was pink. States it is now 98% better. Friday 26Feb2021 afternoon at 1 pm, right thumb turned pink. She took a pen and marked where it was vertical and horizontally pink to scarlet in color. She put herself on antibiotics. She was not sure if maybe she cutting chicken and cut it, or closed finger in drawer. It swelled up twice the size, turned purple. Went all around the finger and it was hot. She thought it was going to pop off. She kept wondering what she was going to do to her thumb. She did jam it and cut herself 2 months ago. Clarifies it was right hand thumb. Treatment: took antibiotics, which she states they kept her on in the hospital in IV form. She started the antibiotics on Friday 26Feb2021. Took it Friday afternoon, Friday night, and Saturday and Sunday. She thought it was doing better Sunday night before she passed out. Clarifies Cephalexin, 500 mg daily (Keppra) three times a day and by mouth. Adds that she keeps this medication on her because she travels the world and it is good to have on hand since it is broad-spectrum. Passing out: 28Feb2021 Sunday night noticed the volume on television was driving her crazy and it was irritating. Around a quarter to 9 she got up to brush her teeth and go to the bathroom. She went pee and then fell off toilet. She got really really dizzy, and her husband was standing over her yelling asking what happened. She saw the wall and she did not know what happened. States she was out cold and he was calling her name but she did not hear him. She heard him asking what happened but it was in the distance. He got her to bed and about 20 minutes later (husband reports 30 minutes later) she was so dizzy and passed out again. She adds that this may have happened Saturday also because she was sleeping a lot and it was like she was seeing words repeat themselves over and over again and her vision would get very narrow. Her husband was not sure if she passed out on Saturday also, but said both times Sunday she was out cold. Monday 01Mar2021 she called her husband's office and woke up to the nurse on the other line screaming. She dropped the phone and heard her name being screamed over and over on the phone and

VAERS\_ID RECVDDATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

when she picked it up the nurse said that she must have passed out even though she thought she was sleeping. The nurse got ahold of her husband in his office. She believes she passed out again Monday morning and was then in the hospital Monday and Tuesday.

Hospitalization: On 01Mar2021, her husband is a physician and suggested she go to the hospital. She was trying to get ahold of her son and daughter in law. She sent them a text and called and they did not answer. Her sons phone was charging and when he looked at it he was on his way to her. She states that when she came to all three times, she was extremely dizzy foggy and confused. Adds that the nurse at her husband's office alerted her husband and he told her to stay in bed and her son came to help her and then drove her to ER. States she was there Monday 01Mar2021, and discharged Tuesday night 02Mar2021 about 4:30 to 6 pm. Caller does not want to file a report for her husband regarding the injection site soreness. She states it was like the flu shot. She clarifies that it was not his arm, it was the injection side. She states that these people who are going on and on about their arm hurting, it is the injection site. She states it is the injection site and will not be the arm. States that it is like the flu shot. States she does not want to file a report regarding her husband because it was injection site soreness and went away. Provides no additional information. Adds that this is a new drug and new disease and we do not know what the future holds Caller adds that she keeps a diary and started a diary so that she has everything recorded in terms of medical history. States that it is important that everybody do so. Family Medical History Relevant to AE(s): callers dad passed out at age 85. He found out he was diabetic and had heart issues. Also had a stroke at age 87 and passed away. Adds that between ages 85 and 87 he passed out every few months, he would do one of his passing out things. Caller also had a brother who passed out sitting at table and went forward into table. She states at that time her brother didn't realize he had stage 4 lung cancer, and her brother passed away 1 and a half years later. Caller adds that he smoked from ages 15 to 64, and quit at age 63 because the doctor told him to. No follow-up attempts possible. No further information expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153492	3/31/2021	MI	73	M	3/3/2021	3/6/2021	body heated up from stomach to brain, vision went gray, and legs gave out; body heated up from stomach to brain, vision went gray, and legs gave out; body heated up from stomach to brain, vision went gray, and legs gave out; thighs ached; This is a spontaneous report from a contactable consumer (patient). A 73-year-old male patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot and expiry were not reported), via an unspecified route of administration in left arm on 03Mar2021 14:55 (at the age of 73 -years-old) as single dose for covid-19 immunisation. The vaccination facility type was a clinic and the vaccine was not administered at a military facility. There were no vaccines administered on same date of the Pfizer suspect. The patient had no medical history, no family history and no concomitant medications. The patient got the first dose of the Pfizer vaccine on 03Mar2021, states it went well for a couple of days and on the 3rd day (06Mar2021) his thighs really ached really bad, that lasted 2 days and cleared up. On Saturday night (13Mar2021) he went to his grandsons soccer game, all of a sudden it was like his body heated up, from stomach to brain and could not see anything, vision was gray and black, and then legs started to give out. The episode lasted about 15 minutes, he did not pass out, the same thing happened again yesterday. The patient talked to the family physician and heart doctor office, they told him to call and report the event. The events did not require emergency room visit. The outcome was recovered on 08Mar2021 for pain in extremity and on 14Mar2021 for diplegia, body temperature increased and chromatopsia. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153488	3/31/2021	KS		F	2/25/2021		having a stroke; headache; eye's vision were blurred; shaking violently; blood pressure went high for 300/150/hypertension; This is a spontaneous report from a contactable consumer reported for herself. This female patient of unspecified age received the 1st dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration on 25Feb2021 at single dose for COVID-19 immunisation. Medical history and concomitant medications were unknown. The patient received the 1st dose on 25Feb2021. 4 days later she was hospitalized for three days from 01Mar2021 to 04Mar2021, she said she experienced a headache, her eye's vision were blurred, she said she was shaking violently at the emergency room and her blood pressure went high for 300/150. The patient said the hospital thought she was having a stroke later on, her test results came and it was hypertension she stated the doctor's couldn't tell if it was related with the Covid-19 vaccine. She mentioned her 2nd dose appointment is on 19Mar. (Scheduled more than 21 days). Outcome of all events was unknown. Information on batch/lot number was requested.
1153484	3/31/2021		55	F	3/31/2021	3/31/2021	Patient felt dizzy, nauseated, ringing in ear, headache, blurred vision after getting vaccinated. Patient stated laying down made her feel worse. Pt sat up and vomit. Paramedics arrived. Vital signs stable. Pt still feel dizzy, stopped vomiting. Pt able to talk in sentences without resp distress. Pt stable. No transportation needed to hospital. Blood sugar 165 mg/dL. Allergic to penicillin.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153479	3/31/2021	CA	70	F	3/10/2021		<p>This is a spontaneous report from a contactable consumer (patient) received from a Pfizer-sponsored program. A 70-years-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE: Solution for injection, Batch/Lot Number: EN6204), via an unspecified route of administration, administered in Arm Left on 10Mar2021 as single dose for COVID-19 immunization. Medical history included blood pressure abnormal from an unknown date and unknown if ongoing, surgery from 22Sep2020 to an unknown date (I had surgery on 22Sep), ongoing deafness (so actually loss of hearing 2 days before I got my second vaccine/five days later she woke up in the night and could not hear). Historical vaccine included at the age of 70 years patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE: Solution for injection, Batch/Lot Number: unknown), via an unspecified route of administration, on 17Feb2021 as single dose for COVID-19 immunization cause severe sores in my mouth, possibly have shingles or shingles in my mouth and it appears to be canker sore and shingles vaccine. Concomitant medication included Irbesartan 75 mg, orally for blood pressure abnormal. On an unspecified date, the patient reported I had loss of hearing in my ear, in my right ear, sores in her mouth. Reporter stated, I am, I have called because I got my COVID-19 Vaccine just last Wednesday, my second one and I had loss of hearing in my ear, in my right ear and then middle of night it just went away and went to my doctor and she sent to me eye, nose and throat doctor and Friday after the vaccine, I had to be put on Prednisone and that lower your immune system, so when I talk with the Pharmacist I asked her is that would appear with the shot, I had on Wednesday and she was unable to tell me because she said it was so new, so I was just wondering is that going to affect me on my immunity of the second vaccine, that I had start taking prednisone on Friday after day after I got the vaccine. When paraphrased the above concern, Patient stated, I actually I had my first vaccine on 17Feb and then 5 days after that I got severe sores in my mouth and then I went to my doctor, they call it I could possibly have shingles or shingles in my mouth it appears to be canker sore but I had the shingles vaccine then after I got back 5 days later that's when I woke up, so actually loss of hearing 2</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>days before I got my second vaccine and I talk to my doctor and she said, she thought I still go ahead and have the second vaccine but she said she didn't want to put me on the Prednisone because she said that will weaken my immunity but then it didn't get better and she sent me to Ear, Nose and throat he told my if I have any hope to getting my hearing back I had to start this medicine but that's what I am concerned about, so I took it but I was wondering if it interfere all with the second dose of giving me protection. The mouth sore that is improved, the hearing I still dealing with it, like I said I have been taking the medicine the Friday and then this Thursday the doctor said to come in and he is going to do some testing on my ear but it just come on, so it just middle of the midnight, persisting. patient stated, For my ear its like Prednisone. For the first 2 week I am taking 60 mg and then after 3 weeks, I take 2 tablets 40 mg and then the next week I take 10 mg for 2 days. Reporter stated that five days after she got mouth sores diagnosed as oral shingles after the first dose and then five days later she woke up in the night and could not hear. She thinks she has another reaction. This reaction occurred between the first and second dose of the vaccine. Reporter reported that she lost hearing in one ear. Reporter had the second vaccination on Wednesday and put on prednisone on Friday. Reporter was concerned about not having immunity because of taking prednisone so soon after her second dose. The patient underwent lab tests and procedures which included laboratory test: unknown results on Sep2020. Therapeutic measures were taken as a result of i had loss of hearing in my ear, in my right ear. The outcome of event i had loss of hearing in my ear, in my right ear was not recovered while for sores in her mouth was recovering.</p>
1154373	3/31/2021	AR	30	M	3/29/2021	3/30/2021	<p>PT RAN 101 FEVER AND LOST SIGHT IN EYES DAY AFTER VACCINE AND HAD TO LEAVE WORK--WIFE CALLED TODAY (NEXT DAY) AND COMPLAINED ABOUT PROBLEM--PT IS FEELING BETTER AND EYE SIGHT IS BETTER BUT NOT RESOLVED</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153440	3/31/2021	SC		F	11/12/1982	3/30/2021	Large, hard knot in injection arm - c. 3" x 1.5" (full shoulder), very restricted movement - can not raise. Throbbing preventing sleep. Ongoing, have used Advil and ice with no improvement. Chills & Fever - starting c. 26 hours after injection, continuing to increase (now 30 hours post vaccine) Headache - onset c. 18 hours post injection General - Tired / achy. Back pain. Burning eyes. All ongoing and worsening.
1154393	3/31/2021	WV	66	F	2/14/2021	2/14/2021	blurred vision left eye
1153377	3/31/2021	TX	43	F	3/25/2021	3/29/2021	Quickly progressing facial paralysis after extreme ear pain on same side of face. Diagnosed as Bell's Palsy. Extreme case per doctor. Some loss of taste. Persistent extreme pain in and around ear and traveling down neck; all same side. Eye won't close. Difficulty drinking, and difficulty eating without choking. Numbness on entire right side of face with full paralysis. Treatment is Valacyclovir, Gabapentin, Prednisone, Tramadol. And keeping eye covered at all times.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153343	3/31/2021	MI	71	F	2/5/2021	2/19/2021	<p>Eye floaters/ doesn't have eye floaters before but now she does/ now she sees it more and it is pretty much every day; Eye floaters/ doesn't have eye floaters before but now she does/ now she sees it more and it is pretty much every day; did the CRP and it was elevated. C reactive protein- elevated; small bruises; Itching; Difficulty chewing; Joint pain; having difficulty walking; Dry skin; This is a spontaneous report from a contactable physician. A 71-year-old female patient received second dose of bnt162b2 (BNT162B2; batch/Lot Number: EN5318; expiration date not provided), intramuscular on 05Feb2021 as SINGLE DOSE for COVID-19 immunisation. Patient's medical history included ongoing 'Diabetes/High sugar/ Diabetes', lymphoma (reported as in remission now) from 2010 and ongoing, 'General wellbeing' from an unspecified date and unknown if ongoing; eye floaters from an unspecified date and ongoing. Concomitant medications included glipizide from Jan2021 and ongoing for 'High sugar'; metformin from an unspecified date (taking for a long time) and ongoing for 'High sugar/ Diabetes', colecalciferol (VITAMIN D [COLECALCIFEROL]) from an unspecified date (taking for a long time) and ongoing; calcium from an unspecified date (taking for a long time) and ongoing; and cyanocobalamin (VITAMIN B12 [CYANOCOBALAMIN]) from an unspecified date (taking for a long time) and ongoing for 'General wellbeing'. Patient previously took bnt162b2 (BNT162B2; batch/Lot Number: EL1283; expiration date not provided) on 17Jan2021 for COVID-19 immunisation. The patient experienced joint pain and 'having difficulty walking' (both serious, disabling) and dry skin (medically significant) on 19Feb2021; itching, difficulty chewing, and small bruises (all serious, medically significant) on Mar2021; eye floaters on an unspecified date; and 'did the CRP and it was elevated/C reactive protein- elevated' (non-serious) on 08Mar2021. Patient's clinical course is as follows: a physician reporting on behalf of his wife (patient). It was reported that patient received both doses of the COVID-19 vaccine. Reporter stated that they have side effects to report and wanted to find out how common these side effects are and how long they are going to last. Patient received first dose on 17Jan2021 and second on 05Feb2021. It was reported that the patient has been having joint pain starting from 19Feb2021 and it</p>



VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

fluctuates from one joint to another so if the patient's shoulder is affected, the joint pain goes to the other side and then to a different joint such as her knee joint. The pain was continuous, and it doesn't disappear. Reporter mentioned that it gets better with medication but it's still not going away. Regarding patient's treatment, it was reported that in the beginning, patient was taking ibuprofen but now the doctor switched it to naproxen (ALEVE) and also added hydrocodone bitartrate and acetaminophen (NORCO). Reporter mentioned that sometimes not only the patient's joints gets affected, patient also experienced difficulty chewing, but it goes away and then comes back. Patient also had dry skin, itching, and sees eye floaters sometimes. Initially, reporter mentioned that patient doesn't have eye floaters before but now she does, then clarified she has seen it before the vaccine, but now she sees it more and it is pretty much every day. Patient also had small bruises. Reporter just wanted to know if someone can tell him if it's related to vaccine and how long this might last. Seriousness criteria for joint was reported that this is disabling as the patient was having difficulty walking, getting up from the bed from the chair, patient has to use a walker to walk and needs help going to bathroom and taking a shower. It was reported that joint pain has definitely affected patient's normal walking. Reporter also mentioned that he was not exactly sure when the dry skin started but it was around the time the joint pain started. Seriousness criteria for dry skin and itching was reported as medically significant because it does bother the patient. Patient was scratching even in her sleep, even though they use the moisturizer and cream. Reporter clarified it was not debilitating but it does bother the patient. Reporter mentioned that difficulty chewing started over the last few days, on Friday or Saturday. It comes and goes, one day patient might have it in the afternoon, but it goes away in the evening. Reporter added that the eye floaters started more in the last one week. They do not know why this is happening, if it was vaccine related or not. The medicines the patient takes shouldn't be causing these, but they don't know if it was the medicine causing it or if it's the vaccine. Causality for was reported as 'didn't have these issues before, thinks it's related, this is for all the events'. It was further reported that the doctor did the CRP and it was elevated

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

also reported as C reactive protein- elevated on Monday 08Mar2021. Outcome of the events 'small bruises' and 'did the CRP and it was elevated. C reactive protein- elevated' was unknown; outcome of the remaining events was not recovered.; Sender's Comments: Based on temporal association and known drug profile, a contributory role of bnt162b2 to the reported events cannot be totally excluded. Case will be reassessed if additional information is received. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

1153342	3/31/2021		36	F	3/26/2021	3/29/2021	I had the usual symptoms of a vaccine reaction like extreme muscle pain in my upper back/neck, chills, and fatigue. But then on Monday I noticed a very tender left armpit, and I also have very itchy eyes, something I never have. I also developed a small purple patch on my leg, and a little skin sore on my left arm. It looks like more may be developing.
1153334	3/31/2021	MS	60	F	3/26/2021	3/26/2021	Within 5 minutes, patient began to have blurry vision, chest pounding, and trouble breathing. Epinephrine (patient thinks 2 doses) and Benadryl administered in the field. Patient brought to hospital by ambulance where she received IV SoluMedrol, Pepcid, Benadryl, and fluids scheduled throughout hospitalization. Patient improved and was discharged the following day (3/27/21).
1153328	3/31/2021	NJ	64	F	3/24/2021	3/28/2021	1 day after, low grade fever/unsettled stomach/chills/dazed/fatigue 4 days after dizzy enough to hold onto walls/headache/red & sore eyes watery/debilitating 5-7 days dizziness has decreased, not debilitating but still there when bending over, looking up, moving fast, unsettled stomach decreased but comes in waves still happening

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153319	3/31/2021	CA	70	M	3/11/2021	3/1/2021	blood clot formation that went to my brain; stroke; numbness; paralyzed; vision is messed up; trouble concentrating; This is a spontaneous report from a contactable consumer (patient) . This 70-year-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Formulation: Solution for injection, Lot number: unknown, may be EN8199 or EN6199), via an unspecified route of administration on 11Mar2021 at single dose in right arm about 16:00 for COVID-19 immunisation. Medical history included ongoing probably overweight and blood clot about 20 years ago. The patient's concomitant medications were not reported. It was reported that, the patient who was administered the first dose of Pfizer-BioNTech COVID-19 Vaccine on 11Mar2021. He reported on 14Mar2021 he got a blood clot and had a stroke. He asked if he should or should not still get the second dose of the Pfizer-BioNTech COVID-19 Vaccine related to these events. He had in the hospital from 14Mar2021 to 15Mar2021. He was supposed to have an appointment with his Family Care Physician, Doctor next Monday or Tuesday. He had to go to the emergency room because of these events where he was admitted to the hospital from 14Mar2021-15Mar2021 when he was discharged home under family care. They let him go so soon on 15Mar2021 because he insisted on it, if he was just going to be laying in the hospital he could be laying at home. There was not much they could do in the hospital except observe him, monitoring symptoms of when his numbness and the being paralyzed like in the face for improvement, then they figured the clots were clearing up. They put him on an Aspirin and other unknown things to keep events from reoccurring soon after these events. He was still does not feel 100%, his vision was messed up, he has trouble concentrating, vision was blurred sometimes; that was what happened, he knew he had a stroke when his vision went south on him on 14Mar2021. While in the hospital they did everything except no x-rays; he had CT scan, lots of bloodwork and stuff like that. He does not have further information on those tests or results. The seriousness of the events blood clot formation that went to my brain, stroke, numbness and paralysed was reported as serious (hospitalized). The outcome of events was reported as unknown. Information about lot/batch number has been

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153300	3/31/2021	MN	67	F	3/9/2021	3/13/2021	<p>also had a headache; her eyes have been really sore, red and she has several broken blood vessels in her eyes; her platelet levels dropped; having muscle pain or some kind of pain, maybe joint pain that is in her hips; has had nausea and she has generally felt unwell; muscle pain; she slept for almost two days; felt unwell; diarrhea; abdominal pain; her eyes have been really sore, red and she has several broken blood vessels in her eyes; her eyes have been really sore, red and she has several broken blood vessels in her eyes; tiredness; eyes were yellow when she woke up that morning; This is a spontaneous report from a contactable consumer (patient). A 67-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Lot Number: EN6200), first dose via an unspecified route of administration, administered in Arm Left on 09Mar2021 11:45, single dose as SINGLE DOSE for covid-19 immunisation. Medical history included lung transplant from May2011, immunodeficiency from May2011 and ongoing, strokes. The patient had dtap vaccine before Jan2021. Concomitant medications included acetylsalicylic acid (BABY ASPIRIN); prednisone acetate (PREDNISONE); tacrolimus monohydrate (TACROLIMUS). Patient reported that it has been about a week and a half of maybe more since her first COVID vaccine and she gets new symptoms almost everyday. Most of the symptoms aren't like put-you-down sick, horrible symptoms, they can be dealt with, but she has had a lot of them. She never got injection site pain and her arm never got sore. She had tiredness on the second day after her COVID vaccine, she slept for almost two days. She has a headache almost constantly. She is having muscle pain or some kind of pain, maybe joint pain that is in her hips. She doesn't have chills, a fever, injection site swelling or redness. She has had nausea and she has generally felt unwell all the time for a week and a half now. She is immunocompromised because she has had a lung transplant, that is the one thing that probably sets her apart is that she is immunosuppressed. She had the lung transplant almost 10 years ago now and she has been doing well. She is not on blood thinner medicine but she does take a baby aspirin everyday. Those are the only two things that she can think about. She doesn't know if all of that would make the symptoms from the COVID vaccine different for her. Most people</p>

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

she knows who have received the COVID vaccine have only had a couple days of tiredness and a sore arm. But she has a headache, been achy, and she just doesn't feel good. She also had a headache then and slept a lot, she was really tired. Later in the report caller clarified the first dose was actually 09Mar2021. She is not tired right now but she does still have a headache today, it is a pretty good headache. Her tiredness was Sunday and Monday of this week, confirmed to be 14Mar2021 and 15Mar2021. She says that she has recovered completely from the tiredness even though she feels like she could nap right now but she can't since she has a blood draw later. It is like she wakes up and every day she gets new symptoms. She had two symptoms that are not on the sheet of symptoms. The two she experienced are weird. On Saturday, a week and a day after her vaccine, her eyes were yellow when she woke up that morning. Confirmed date to be 13Mar2021. It was only that one day. She thinks that she has recovered completely. Also, her eyes have been really sore, red and she has several broken blood vessels in her eyes. Some of this is normal in the winter for her, but the yellow isn't normal for her. Normally, when she does get the blood vessels in her eyes they will heal in a day or so but the ones now have lasted much longer. They have been much slower to go away. It is not like there is a red spot, but it looks kind of red and kind of weird. The other symptom that is strange is that her platelet levels dropped. She was at 49 before her COVID vaccine and now her platelet level is down to 29. She does have normally very low levels for platelets but they are usually around 50. They have dropped substantially since her COVID vaccine. They dropped from 50 to 33 and then 5 days later her level went to 29. She is getting another platelet level drawn today, confirmed to be 16Mar2021. Her eyes being sore, red, and having broken blood vessels occurred probably a couple of days after she received the COVID vaccine. Specifically, her left eye felt like it had something in but she doesn't believe that it did. She used eye drops. Her eye just felt gritty. This is not like she had pink eye and she didn't wake up with this eye shut. It wasn't pink eye she knows what that is like. Her eyes had broken blood vessels and then they turned yellow then they turned red and have remained red. They are not sore today and she doesn't feel like she has gravel in her eye but the whites

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

of her eyes don't really look clear. She says so far it has improved some but she will see since she wakes up every day and something new has happened, or something different or something has come back again. The good news is that she doesn't have all of these symptoms at the same time. She can't the remember the day pain in hips began but it is ongoing. She noticed this morning that the pain in her hip was not as bad when she had gotten out of bed. That pain has lessened there but the pain went to her head. Nausea and generally not feeling well: Probed for when this began and caller says that it has occurred for several days after she eats dinner, her stomach will be growling loud and that comes along with abdominal pain which doesn't really fit in with muscle or joint pain, she has no muscle there unfortunately she jokingly says. Sometimes this is all accompanied with diarrhea. It is not ongoing as of now, no date provided. She noticed that it comes and goes and sometimes she can eat and she is fine and sometimes she gets really sick feeling. It seems like if she doesn't eat then she doesn't get the symptoms but she knows that she needs to eat. Investigations: Her doctor has been having her do platelet blood tests about every 5 days since she took the COVID vaccine. She does not remember the dates of these tests off of the top of her head. She had a blood draw at the clinic the day before her COVID vaccine and her platelet count was 49 on 08Mar2021. For the result of 29 that was either last Thursday or last Friday, 11Mar2021 or 12Mar2021. Te outcome of the event scleral discoloration was recovered on 13Mar2021, tiredness was recovered on 15Mar2021, headache was not recovered, pain in hip was recovering, other events was unknown.; Sender's Comments: Linked Report(s) : US-PFIZER INC-2021299104 similar report from same reporter

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153298	3/31/2021	FL	43	F	3/11/2021	3/11/2021	back of head and neck hurts, felt like whiplash; back of head and neck hurts, felt like whiplash; Headache/ back of head and neck hurts/ walking too much and looking up/down and left/right causes headache; Dizziness; blurry vision; sensation of eyes wanting to cross; This is a spontaneous report from a contactable consumer (patient). A 43-year-old female patient received the first dose of the BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; batch/lot number and expiry date were unknown), via an unspecified route of administration in the left arm on 11Mar2021 13:00 (at 43 years old) at a SINGLE DOSE for COVID-19 immunization. The patient's medical history included glaucoma, asthma, and allergies to topical iodine, penicillin, and latex, all from an unknown date and unknown if ongoing. The patient was not pregnant. Concomitant medications included brimonidine tartrate (ALPHAGAN), brinzolamide (AZOPT), latanoprost (XALATAN) and an unspecified Inhaler; therapy dates and indications were unknown for all. The patient took these medications within two weeks before the event onset. The patient did not receive other vaccination within 4 weeks prior to the BNT162B2. The patient was not diagnosed with COVID-19 prior to vaccination. The patient has not been tested for COVID-19 since the vaccination. It was reported that on day 1 (11Mar2021), the patient experienced dizziness, blurry vision, and sensation of eyes wanting to cross. On day 2 (12Mar2021), the patient experienced headache, blurry vision, and sensation of eyes wanting to cross. On day 3 (13Mar2021), patient experienced back of head and neck hurts, felt like whiplash; walking too much and looking up/down and left/right causes headache. On day 4, the symptoms from day 3 continued. No treatment was received in response to the events. The adverse events involved hospitalization. The outcome of the events was not recovered. Information on batch/lot number has been requested.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153294	3/31/2021	NY		F	3/9/2021	3/1/2021	blurred vision; This is a spontaneous report from a contactable consumer (husband) from a Pfizer sponsored program. A 74-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration, on 09Mar2021 at a single dose for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. The patient experienced blurred vision in Mar2021. The clinical outcome of blurred vision was unknown. The batch/lot number for the vaccine, BNT162B2, was not provided and will be requested during follow up.
1153270	3/31/2021			F	3/5/2021	3/1/2021	very ill/sick; fever ran between 101 and 102.5; in bed for two days; Severe headache; Eye pain; Chills; Feeling bad; do not feel strong enough to deal with the side effects; This is a spontaneous report from a contactable consumer (patient). This consumer reported similar events for two patients (herself and her husband). This is the first of two reports. A female patient of an unspecified age received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration, on 05Mar2021 as a single dose for COVID-19 immunisation. Medical history included COVID-19 from Oct2020 (very end of Oct). The patient's concomitant medications were not reported. The patient experienced feeling very ill/sick, fever ran between 101 and 102.5, in bed for two days, severe headache, eye pain, chills, feeling bad, and do not feel strong enough to deal with the side effects in Mar2021. The clinical course was reported as follows: the patient ran a 100.5 fever and high fever (between 101 and 102.5) in Mar2021 and was in bed for two days with severe headache, and eye pain. The patient stated it was like having COVID-19 all over again. The clinical outcome of all of the events was unknown. The batch/lot number for the vaccine, BNT162B2, was not provided and will be requested during follow up.; Sender's Comments: Linked Report(s) : US-PFIZER INC-2021290577 same reporter/drug, different patient, similar events

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153258	3/31/2021	FL	63	F	3/5/2021	3/5/2021	really bad headache, excruciating headache; nauseous, nausea/queasy; blurred vision; holes in her vision; not right; like an allergic reaction; She had soreness in the arm; This is a spontaneous report from a contactable consumer (patient). A 63-year-old female patient received the first dose of bnt162b2, via an unspecified route of administration, administered in Arm Left on 05Mar2021 16:32 (Lot Number: EN6198; Expiration Date: 30Jun2021) as single dose for covid-19 immunisation. Medical history included allergies to Sulfa drugs, Penicillin, and believes she has allergies to Ploymers (She cannot wear polyester and she has to wear 100% cotton). The patient's concomitant medications were not reported. The patient (at the age of 62-year-old) previously received the second dose of Shingles Vaccine in Jan2021 for immunization. The patient experienced really bad headache, excruciating headache on 09Mar2021 21:00, nauseous, nausea/queasy on 09Mar2021, she had soreness in the arm on 05Mar2021, blurred vision on 09Mar2021, holes in her vision on 09Mar2021, not right on 09Mar2021, like an allergic reaction on 09Mar2021. She developed a "really bad headache" around 9pm on Tuesday 09Mar2021, that caused holes in her vision and pain "straight across my forehead". She did treat with Tylenol and was able to finally sleep around 5am. She states that the headache has persisted, and she's felt "nauseous, queasy, and not right" since the headache started. She is hesitant to get the second dose. She was experiencing headache following. She mentioned she is allergic to sulfa drugs, penicillin, and polymers, and thought maybe the headache was a result of an allergy to the vaccine? Ingredients don't appear to have any of her reported allergens. She had soreness in the arm the first 48 hours, which was to be expected and no big deal for her. However, starting on Tuesday, she had an excruciating headache. She normally does not typically get headaches. She believes in vaccinations and as a teacher the minute she could sign up to get one she did. Now she is terrified to get the second one. When this excruciating headache began she woke her husband up to tell what happened. She thought she was going to die, that is how bad it was and she wanted him to be aware and prepared if anything should happen. The excruciating headache started at 9PM. It was

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

excruciating all night. The headache made her queasy because she hurt so bad. It continued into Wednesday. Today and today the pain is duller in her head, much duller than it was. However, she still feels queasy/nauseous. The headache also started with blurred vision. The blurred vision has gone away. It was like there were holes in the TV. She was thinking it was interesting and did not think much of it at first. She thought one of her contacts had a hole in it, but she did not even have any on. The blurred vision lasted 24 hours. The soreness in arm lasted until Sunday or Monday. She confirmed the pain in arm is gone and was gone by Monday. She initially could not wait to get her shot. Now she is terrified to get the second one. She took Tylenol in the middle of the night on Tuesday and Wednesday for the headache. Has allergies to Sulfa drugs, Penicillin, and believes she has allergies to Polymers. She cannot wear polyester. She has to wear 100% cotton. She is questioning if the vaccine has polymers in it. From what she heard it does and is wondering if this caused her to have like an allergic reaction. The outcome of the event vaccination site pain was recovered in Mar2021, the events Nauseous and headache was not recovered, other events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153248	3/31/2021	TX	72	F	3/1/2021	3/2/2021	feeling dizzy like going to pass out; feeling dizzy like going to pass out; like I'm going crazy, like I'm losing my mind; it is hard for her to sleep; severe headaches; ringing and "thump thump thump" in her head comes back; blood pressure goes up; chilly; had some sniffles; vision and her blood pressure and everything went up; This is a spontaneous report from a contactable consumer, reporting for herself. A 72-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number: EN6200) via an unspecified route of administration, administered in the left arm on 01Mar2021 (at the age of 72 years old) at a single dose for COVID-19 immunization. Vaccination was done in a baseball stadium. Vaccine was administered not administered military facility but firefighters and military were the ones giving the vaccine. Medical history included headaches from an unknown date and unknown if ongoing, ongoing cholesterol, ongoing seasonal allergies, ongoing sinus gets stopped up and high blood pressure and severe migraines (gets a shot every three months both from an unknown date and unknown if ongoing. Concomitant medications included cetirizine hydrochloride (ZYRTEC) taken for seasonal allergy and sinus gets stopped up/helps sinuses from Feb2021 and ongoing; lisinopril taken for high blood pressure and atorvastatin taken for cholesterol, both from an unspecified start date and ongoing. It was reported that the patient started taking lisinopril and atorvastatin years ago in her 50s. The patient experienced severe headaches, ringing and "thump thump thump" in her head comes back, blood pressure goes up, chilly, had some sniffles and vision and her blood pressure and everything went up on 02Mar2021, and feeling dizzy like going to pass out, like I'm going crazy, like I'm losing my mind and it is hard for her to sleep on an unspecified date. It was reported that the patient experienced severe headaches she's having was normal after receiving the Pfizer BioNTech COVID-19 vaccine on 01Mar2021 at around 13:00 or 14:00, appointment was between 13:00 and 15:00. She has had these headaches before but these were different since she had her vaccine. The patient stated severely when asked if she still has headaches. She sometimes takes a break from having the headaches, and she writes down medications she takes. Then, headaches will come back.

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

It was not a long break, stated that the ringing and "thump thump thump" in her head comes back. She received her first dose and felt fine afterwards, had no side effects; and waited at the facility for 15 minutes. She left and got something to eat and came home after 4-5 hours. However, on the following Tuesday and Wednesday, the headaches started rolling in and have not stopped since. When she takes something for the headaches, her blood pressure goes up. She was feeling dizzy like she was going to pass out and like she was going crazy, like she was losing her mind. She has tried taking Tylenol and Ibuprofen but it seemed to aggravate it and says everything she takes make it worse. It was also reported that it was hard for her to sleep. She was concerned if she was in any kind of danger with these headaches and would like to know if there was any other medications she can take for it. It was also reported that on the second day, she was kind of chilly and had some sniffles and took a Zyrtec and said that her vision and her blood pressure and everything went up. She said that it seemed like if she takes a Tylenol or anything her blood pressure goes up. Her blood pressure only goes up if she takes something, she gets rush so bad and that blood pressure goes so high. When she feels this, she takes her blood pressure medication. She said that she thought maybe her headache would go away but has not gone away and she had another bad attack of a headache today and she took one of her medicines for headache, Butal-acet-caff 50-325-40 mg which did not make it worse. Also, tried Tylenol and Ibuprofen. She was trying everything all week but scared to take anything else because it brings a rush and feels like she's going to have a blackout. Took Tylenol at 10 o'clock last night, it seemed like she went crazy and it drove her nuts so she went and got high blood pressure medication so she could lay down. Took three Tylenol. She stated that somebody told her to take three, and that it was the worst mistake she made. Stated extra strength Tylenol. She wanted to know what advise she can get, with the virus going on she did not want to go to the emergency room. She also would like to know if it was recommended that she take the second dose of BNT162B2 vaccine following these severe headaches that she was experiencing after receiving her first dose. The patient underwent lab tests and procedures which included

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							blood pressure: up on an unspecified date 2021 and magnetic resonance imaging: no brain damage or anything on 2020. The patient clarified the MRI was last year at some point before receiving vaccine. The outcome of the event severe headaches was not recovered while the outcome of all other events was unknown.
1153239	3/31/2021	NJ	25	F	3/7/2021	3/7/2021	high fever; chest tightness; Vicious vomiting; left eye swelling; restlessness; body aches; headache; difficulty breathing; difficulty speaking; shortness of breath; This is a spontaneous report from a contactable consumer (patient). This 25-year-old non-pregnant female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (Lot Number: EN7206) at the age of 25 years, via an unspecified route of administration at single dose in the left arm on 07Mar2021 10:00 AM for COVID-19 immunisation. Medical history included asthma. Concomitant medications included salbutamol (ALBUTEROL HFA), lansoprazole (PREVACID), both taken for an unspecified indication. Previously the patient received the first dose of BNT162B2 (Lot Number: EL9266) at the age of 25 years on 13Feb2021 10:00 AM in the left arm for COVID-19 immunisation. On 07Mar2021 23:00, the patient experienced high fever, chest tightness, vicious vomiting, left eye swelling, restlessness, body aches, headache, difficulty breathing, difficulty speaking, shortness of breath. No treatment required. The events required a visit to the physician's office. The outcome of the events was not recovered. The vaccine was administered at a Clinic. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was not diagnosed with COVID-19 prior to vaccination. The patient had not been tested for COVID-19 since the vaccination.
1153478	3/31/2021	CA	35	M	3/29/2021	3/30/2021	acute aphthous ulcers of tongue, Right eye conjunctivitis

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1154665	3/31/2021	IN	31	M	3/31/2021	3/31/2021	I gave him his shot and he was a bit nervous about it. He went directly to the waiting room afterwards. About a minute later he started hollering for us. We went over to him and he said he was dizzy and his eyes were blacking out. I took his BP. It was 88/64. He said he had not eaten so we got him some fruit juice and crackers. He said he was feeling better so I took his BP again. It was 130/94. He waited a few more minutes and then went home. This happened over a period of 15 min.
1154857	3/31/2021	CA	23	F	3/29/2021	3/29/2021	One hour after administration, body aches, fever, eye irritation, felt anxious, 5 hours later fatigue; presents to ER 2 days later due to eye irritation
1154834	3/31/2021	WI	21	F	3/22/2021	3/23/2021	Extreme blurred vision, light sensitivity, and eye pain the next day. Eye muscles were inflamed and pupils had delay in reaction to light. Have to wear sunglasses even inside due to light sensitivity, otherwise I get very nauseous. Has lasted over a week and have had to see ophthalmologist twice. Got steroid eye drops to take 4 times a day for 2 weeks.
1154821	3/31/2021	CA	21	F	3/31/2021	3/31/2021	C/O body aches, dizziness, palpitations, dizziness, nausea, chills, blurred vision, & SOB. Up in chair with legs elevated. BP 129/90, pulse 71, & O2 sat is 97% on RA. Stayed for additional Observation & consumed water. Symptoms subsided prior to discharge, Awake, Alert, & oriented. Encouraged to go to ER, Urgent Care, or F/U with primary physician. Verbalized understanding.
1154811	3/31/2021	UT	41	F	3/31/2021	3/31/2021	Upon injection it felt like heat entering my body. No less than 10 seconds after the shot my chest started to feel hot and my heart started to flutter before beating very rapidly. I was breathing very rapidly in response. People nearby were telling me that my face was very flushed and bright red. All of this subsided after a few minutes but the experience of this reaction felt significant. It felt like my heart was going to seize. During the reaction the pharmacists looked at me for an allergic reaction, checked my blood pressure, and oxygen level. Blood pressure was elevated but normal. Oxygen was normal and they could visually see any signs of an allergic reaction. They had me wait at the pharmacy for 30 mins for monitoring before I went home. I felt okay when I left the pharmacy.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1154807	3/31/2021	NY	53	F	3/2/2021	4/1/2021	10:days after first vaccine eyes were swollen. Saw eye doctor, he did not know direct cause. Exactly 1 week after 2 nd vaccine eyes were significantly more swollen. Primarily, upper lid and under eye Right eye on both occasions was significantly worse but both l pacted
1154790	3/31/2021	MI	39	M	3/30/2021	3/30/2021	The patient fell down on the floor about less than 5 min after vaccinated (while waiting for the 15min observation period), hit his head on the shelf. After turned him over, his eyes were half closed, unconscious, non-responsive and were not breathing properly. Administered an epi-pen 0.3mg, the patient woke up immediately. Also called 911, EMS came and he was able to get up and walk.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1154778	3/31/2021	MI	50	M	2/15/2021	2/25/2021	<p>HISTORY OF PRESENT ILLNESS: HPI Patient is a male presenting to the emergency department with concerns regarding left-sided facial droop. The patient tells me that he received a COVID-19 vaccine (1st dose) 10 days ago. Patient states that he went to sleep around 23:00 last night. He woke up this morning with left-sided facial droop and inability to close his eye completely on the left. Patient presented to the emergency department for evaluation. He denies any symptoms otherwise. He denies any facial numbness, but states that her rather feels like it is ?paralyzed.? Patient denies any numbness or tingling in his arms or legs. He denies any unilateral arm or leg weakness. He denies any visual changes. No blurry or double vision. He denies any difficulty with speech or finding words. He denies any headache or dizziness. No chest or abdominal pain. No nausea or vomiting. No fevers or chills. No flu-like symptoms. He denies any loss of taste. He denies any numbness or tingling in his tongue or lips. He has no symptoms otherwise. There is no problem list on file for this patient. No past medical history on file. Reviewed and negative. He denies any personal medical history. Denies any family history of strokes or personal history of strokes. Vital signs reviewed. Patient evaluated. Based on exam and history, it is consistent with left-sided Bell's palsy. He has no other neurological symptoms and his neurological exam aside from the facial droop is otherwise unremarkable. I have low concern for stroke based on evaluation today. He has involvement of the forehead muscles. At this point, I did discuss with him that this is Bell's palsy and he will be treated with prednisone and valacyclovir . I do not feel additional workup indicated. He was agreeable. He was given an eye shield that he was given eye lubricant to help avoid dry eye. I did discuss with him that this also may be related to the vaccine given recent administration. I discussed that he should talk to his doctor about this prior to his 2nd dose. Patient instructed to monitor symptoms and all questions were addressed. He was discharged in stable condition Follow-up Information No Results Physician, MD. BLOOD PRESSURE SCREENING: HTN (&gt;=140/90), recommend follow up with PCP within 1 month. Orders Placed This Encounter Medications ? hypromellose (GENTEAL) 0.3 % GEL ophthalmic gel Sig: Apply 1</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							<p>Application to left eye if needed for Dry Eyes.  Dispense: 10 g    Refill: 0 ? valACYclovir (VALTREX)  500 MG tablet    Sig: Take 2 tablets by mouth 2 times  daily for 7 days.    Dispense: 28 tablet    Refill: 0 ?  predniSONE (DELTASONE) 20 MG tablet    Sig: Take 3  tablets by mouth daily for 7 days.    Dispense: 21  tablet    Refill: 0 ? predniSONE (DELTASONE) tablet 60  mg ? valACYclovir (VALTREX) tablet 1,000 mg</p>
1154766	3/31/2021	IN	55	F	3/31/2021	3/31/2021	a little dizziness, at 5:30pm, strong dizziness, hands were shaking, increased heart rate, palpitation eyes (both), temperature- 99.2F; constant headache, right eye started to close, feels heavy like I was punched.
1154749	3/31/2021	AL	60	F	3/10/2021	3/14/2021	Shingles on right side of upper face; nose, forehead, eyelid, and scalp. I went to Urgent Care and received medication for Shingles and was referred to my Optometrist for eye exam and eye medications. This was on March 15, 2021. I returned to my eye doctor for follow-up on Tuesday, March 23, 2021.
1154740	3/31/2021	FL	37	F	3/1/2021	3/21/2021	Within 9 hours I had fever, chills, fatigue. When I woke up the next morning both of my eyes were swollen. I took ceterizine and Benadryl with no relief. I missed the following Monday of work due to my eyes still be swollen. My lips started swelling by Wednesday. Only one side of my upper lip would swell at a time or one side of my lower lip. By they following Saturday my lips were still swelling at any given time. Monday March 29 my bottom lip started swelling at 1:45 pm and by 2:30 pm both eyes were swollen. I had tremendous pain behind my left eye which caused me to go to the Emergency room. I was given IV meds and had prescriptions ons waiting for me at the pharmacy the next day. My eyes were still swollen the following Tuesday the 30th. I am on a steroid and to antihistamines to help prevent this from happening again along with Benadryl, ibuprofen for pain.
1154723	3/31/2021	MN	39	F	1/30/2021	1/30/2021	First dose 1/30/2021 within one hour became extremely fatigued, lasting 12-16 hours. Fatigue in weeks to follow. Second dose 02/20/2021, 12 hours to follow, extreme muscle pain all over body, seeing flashing lights in eyes and headache. Major body chills and fatigue. Difficulty walking without holding on to wall or doors. Extreme fatigue to follow, on and off, current fatigue.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1154716	3/31/2021	SC	62	M	3/30/2021	3/31/2021	Swelling of the mouth and eye about 24 hours after the injection.
1154365	3/31/2021	VA	49	F	3/26/2021	3/26/2021	A headache developed around 2:30 the afternoon of the vaccine. The headache started across my general forehead. Within an hour or two, it migrated and focused on the right side of my head, specifically behind my right eye and in the area behind my right ear - above the nape of my neck. These are the spots where my chronic migraines tend to originate. At 4pm, the headache started to feel like a migraine, so I took 10 mg of Rizatriptan. The medication didn't help initially, so I took another 10 mg before going to bed. I slept fitfully and work up with a full blown migraine with nausea. I couldn't eat or drink anything and slept off and on most of Saturday. I also vomited in the morning; in the afternoon and again around 7:30 pm. When I vomited at 7:30, there was blood so we went to the ER for treatment.
1154683	3/31/2021	FL	50	F	3/29/2021	3/31/2021	left eye and cheek swollen, left arm red and swollen at injection site
1154575	3/31/2021	VA	20	F	3/21/2021	3/28/2021	Moderna COVID-19 Vaccine EUA bad rash all over body (hives) sore throat fatigue swollen fingers, wrists, eyes, ankles
1154660	3/31/2021	MO	32	F	3/29/2021	3/29/2021	Disorientation, lightheadedness, dilated pupils, slurred speech starting around 3 hours after vaccine dose. Felt like I had been heavily drinking, but I had no alcohol or drugs in my system and hadn't for several days. Lasted through when I went to bed around 10:30 p.m. (about 7 hours after vaccine dose). Felt mostly normal when I woke up the following morning (around 6 a.m.) except for eyes ached. Felt completely normal by noon the next day.
1154651	3/31/2021	CO	31	F	3/30/2021	3/30/2021	Patient called the pharmacy 2 hours after vaccination and reported hives over large areas of the body. No swelling of lips, tongue or throat or difficulty breathing. Instructed patient to take benadryl 50mg QID. Checked with patient 3/31/21 and she was doing better. Hives had diminished, but still there. Told her to continue Benadryl for 1 day after hives resolved. Told her to contact her dpctor to follow-up, and to get dose 2 under medical supervision.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1154646	3/31/2021	VA	52	M	3/1/2021	3/1/2021	Involuntary eye twitch for about 1 week
1154644	3/31/2021	IA	62	F	3/29/2021	3/29/2021	Pain in my right shoulder going up the right side of my neck into my right jaw and right eye on my drive home. Came home and ate lunch. Sat in my recliner, put feet up. Fell asleep and woke up itching all over. Had itching in my tongue and the back of my throat. Took antacids and Benadryl before I went to bed. Next day woke up feeling better.
1154631	3/31/2021	UT	30	F	3/30/2021	3/31/2021	Woke up the morning following dose 1 of Moderna with swollen eyelids along with red and itchy rashes on my upper eyelids. It has been 12 hours since then and the swelling and rashes have decreased but are still there. I took an oral antihistamine and it helped a little bit.
1152020	3/31/2021	WI	69	M	3/31/2021	3/31/2021	Individual became flushed, vision blurred shortly after receiving vaccine. Face red. Stated he was dizzy and lights made vision blurred. Onsite EMS attended to patient, vitals obtained. B/P taken several times and manual remained consistent at 176/104. After resting for short time, B/P remained high along with blurred vision and flushed face. Wife was onsite with husband. Decision was made to sent patient to Hospital for further evaluation. IV was placed by onsite EMS crew prior to Fire Dept arrival. Patient was stable, talking and alert x4 at time of Fire dept transfer. Was able to ambulate self to cot with min assist by crew for safety. Was transferred from Vaccine clinic to Hospital by Fire Dept. Wife meeting patient at hospital, was provided directions to hospital as well.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1154608	3/31/2021	CA	59	F	3/29/2021	3/29/2021	After 10mins of vaccine shot, her vision was getting slightly blurred and her head started to throb a little around the temple. After 30mins her she felt a little better and stepped outside for fresh air. Symptoms did not fully go away so the nurse on site took her blood pressure reading 195/100. Nurse on sight assumed that it was due to anxiety of the shot and her progress was getting better and blood pressure was slowly dropping. Nurse said it was ok to go home and rest. 4 hours later, blood pressure was measure at home with a machine and it read 135/85. Next day(3/30/2021) around 12PM, 1 hour after taking her blood pressure medication, her blood pressure jumped to 190/100. The blood pressure medication is a daily routine and have been taking it since January 2021. Blood pressure then dropped back down to 135/85. Then it went up to around 190/100 again. She was taken to hospital Emergency room where they monitored her for 5 hours. Was given medication to help her blood pressure go down. After it stabilized, she was discharged and was prescribed 5mg of Amlodiphine Besylate. During her time in the ER she was given a CT scan and blood work. Results came out negative 3/31/2021 currently have no issues with blood pressure. Still monitoring closely at home.
1151662	3/31/2021	PA	59	F	3/31/2021	3/31/2021	Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Additional Details: swelling in mouth - tongue/throat. white spots on lip/mouth. vaccine given 11:07, sx started ~11:17, benadryl given 11:20, EMS arrived 11:34. Patient was fine and stable, left with husband a few minutes later. counseled on what to do if symptoms reemerge.
1154543	3/31/2021	MI	71	M	3/24/2021	3/25/2021	(My husba.nd is non verbal) Very weak when I woke him up in the am. Could barely walk. Got him up to go to the bathroom and he fell to the ground. He had no muscle strengle to get up. I had to call a neighbor to help. I called my dr office and they said to keep him hydrated and keep an eye on him. That's all My son came and stayed with us on Thursday, the two of us got him into bed. He slept the night and when he woke in the morning he had his strength back. I had him rest for the rest of the week. So very scary.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1154531	3/31/2021	WV	66	M	2/14/2021	2/1/2021	blurred vision left eye.... resolved
1154530	3/31/2021	FL	47	F	3/27/2021	3/31/2021	Fatigue, headache, fever, chills and blur vision left eye.
1154528	3/31/2021	PA	23	F	1/7/2021	1/7/2021	5 minutes after injection I experienced light headedness. An hour after it turned into a brain fogginess feeling where I feel like I am high constantly. It feels like I am not as alert, pressure on forehead, unbalanced/dizziness, slight headache, major fatigue, eyes feel strained, etc.
1154416	3/31/2021	MI	41	F	3/27/2021	3/30/2021	3/30/21 11pm- intense itchiness on legs, left leg had a rash, veins were raised and made skin bumpy, hands red, left wrist swollen. 3/31/21 8:30 am- woke up with itchy face, eyes itchy, nasal congestion. 9:30 am- throat was tightening. Took 2 benadryl. Slept from 10-12:30. When I woke, I had no symptoms. 3:30- itchiness around eyes returned, slight tingling lips. 4:00- contacted healthcare provider. Urgent care was recommended. 6:00- received a steroid. Symptoms went away after about 45 minutes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1154699	3/31/2021	CA	70	F	3/18/2021	3/18/2021	First when leaving site after 15 min. I felt weird (only way to explain it). Once I arrived home I started having a sever headache as the light on my eyes hurt. I was very sick to my tummy, felt hot/then cold. I felt after a couple hours I should try to walk it off - but could only walk to end of block. sat down for a while and the sounds and light were making me sicker. I got up from neighbors house as she felt I should go lay down This is now 4 hours after shot. I got up and was very dizzy. walked back to house and laid down. very dizzy, I tried hard to relax, but decided I should eat a little something even though tummy was sick. I had a little bite to eat and laid back down. I finally took my heat rate, now about 5 hours after shot and AT REST IT WAS 90. my normal rate is 57-63 at rest. I drank water and stayed in bed the rest of the day,, although I did not sleep all night. Next day go up and felt the same. but my heart rate was lower at rest to 63. I was hot/cold all day, felt sick and very very tired. I rested that day as well and rested for 3 days. I made myself walk my dog, but no energy. I made myself eat, but not really hungry, food tasted different. and to this day still does. I am still feeling very tired and get hot/cold, but after almost two weeks feeling better. I don't take flu shots because I get sick, I got very sick on this shot. too bad you don't tell these stories on the news. I am healthy don't take drugs, hardly take a aspirin.! I am in good health but now feel my chest is heavy and still tired.
1152044	3/31/2021	TX	46	F	3/10/2021	3/10/2021	Within 3-5 minutes after my injection, my heart rate increased and my blood pressure increased. I became very dizzy and my hands were tingling. I felt like I had tunnel vision, couldn't catch my breath. The nurse monitored my heart rate and then notified the rapid response team. While monitoring my blood pressure, they made the call to get ENT's to get me to the ER. I was in the ER for 5 hours for monitoring, iv fluids and testing.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1152529	3/31/2021	CA	17	F	3/30/2021	3/30/2021	Patient had initial dizziness and syncopal episode. Patient reported "vision went dark and felt heavy". Patient vomited x1. Patient given cold pack and water. After 10 minutes patient denies headache, dizziness, double vision, or ringing in ears. No report of difficulty breathing, SOB, numbness or tingling in extremities. Patient successfully discharged from observation at 4:05 pm.
1152520	3/31/2021	WI	29	M	3/24/2021	3/28/2021	03/24/2021 - Mild sore throat in the evening. 03/25/2021 - Moderate sore throat, moderate fatigue and muscular pain. 03/26/2021 - Mild sore throat and mild fatigue. 03/27/2021 - Moderate sore throat, moderate fatigue and muscular pain. Low grade fever of 99.1F. 03/28/2021 - Moderate sore throat, mild ear pain, eye pain/pressure. Fever spiked to 102.4F during the night. 03/29/2021 - Severe inflammation of the right side tonsils, severe ear pain, severe eye pain/pressure, fever of 101.9F. Consulted a doctor on MD Live who felt it might still be a reaction to the vaccine and prescribed Ibuprofen 600mg to manage symptoms. 03/30/2021 - Extremely severe inflammation of the right side tonsils, severe ear pain, severe eye pain/pressure, low grade fever of 99.5F. 03/31/2021 - Symptoms same as 03/30/2021. Consulted a doctor at the local Urgent care clinic. Prescribed amoxicillin-clavulanate and predniSONE.
1152499	3/31/2021	CA	46	M	3/31/2021	3/31/2021	Client received 1st Pfizer dose and approx. 7 minutes later c/o being "light-headed", having "tunnel vision" and was observed to be diaphoretic and pallor. He was led to a zero gravity chair by EMT and experienced syncope for several seconds. When he regained consciousness, V/S were taken every 5 mins, all WNL. At 9:50am, he reported feeling a little better but a light headed. At 10am, he was observed to have normal skin tone, no diaphoresis, and walked away unassisted with a friend who came to pick him up. He reported "feeling better." Client reported to RN that he has a history of "passing out when giving blood." No medication was given.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1152492	3/31/2021		36	F	3/31/2021	3/31/2021	1:50 waiting in observation area, became dizzy and lightheaded. Shaking, states very cold. Extremities cold. Color pale, nail beds cyanotic. Lips gray. Patient crying. States she experienced a pain in her right arm down the arm after the injection. BP 110/84 HR 63. O2 sat 100% on room air. Hasn't eaten, had a protein drink for breakfast. States she had to stop taking the phentermine suddenly due to supply issue at pharmacy. Has been taking it for weight loss for over a year. States having blurred vision. EMT present. 2:00 Glucose 56 gave patient juice and teddy grahams. Patient drank juice, nibbled on crackers. 2:10 - Glucose recheck 62. Ate two teddy graham crackers. Encouraged to eat more and drink water, declined. Color remains pale, nailbeds still blueish. HR 60 slow and regular per auscultation. Patient still cold and shaking, has sweater on. Still having blurred vision. States she can't think clearly. Patient drove self. Instructed that she shouldn't drive home and recommended transport to hospital. 2:12 EMS activated 2:34 EMS arrived. EKG done. 2:37 BP 104/67 HR 59 2:47 BP manual per EMT was 110/70 2:50 Glucose 110 recheck per EMT 3:00 EMT states that they completed orthostatic BP checks and her BP remained stable. Patient's color improving. Patient declined transport per EMS. States that she will contact her co-worker to come pick her up at vaccine site. 3:10 patient ambulated (accompanied by nurse to door) to her own car, states she will wait inside for friend and not drive herself. Signed refusal for transport.
1152487	3/31/2021	NY	65	M	3/30/2021	3/30/2021	injection site pain, headache, left ear ache, sore left eye. Ongoing on second day. Took 1 aspirin. Still have swollen lymph gland from first shot 3 weeks ago.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1152470	3/31/2021	VA	70	F	3/31/2021	3/31/2021	<p>Patient presented healthy and in good spirits at the time of administration. Was counseled on typical side effects of the vaccine and that the second dose can have more pronounced side effects because we already have built up an initial defense against the first exposure. Patient was understanding and aware of what to look for as well as courses of symptom management. Immediately after administration, the patient reports feeling hot and "funny." Upon visual examination she appeared flush with no visible signs of sweating. After monitoring her for 10 minutes she reported feeling better but still funny and hot. During this time we learned that she has a history of hypertension and was treating with daily verapamil and Telmisartan, and assures us that she hasn't missed any recent doses. At this point, her blood pressure was taken and noticeable sweat stains were evident around her axilla. Her first blood pressure reading, using an automated electronic sphygmomanometer, came up 249/119 with a heart rate of 138bpm. A second reading was taken after more than 5 minutes had elapsed and the patient was given water for complaints of dry mouth; this came up 245/110 130bpm. At this time we asked the patient if she wanted us to call for EMS to be transported to the hospital. She declined stating she was feeling a bit better, but now she was feeling congested and chilly. We continued to monitor her and build rapport to ensure she was keeping alert and responsive. Around 14:40 after speaking with her for several minutes, we found that she may have been hesitant to seek medical attention because she didn't want to be the first patient needing to be taken by EMS, and we were able to explain that even if she was experiencing the same symptoms prior to vaccination, we would have recommended EMS assistance because she was experiencing a hypertensive emergency. she accepted since she was experiencing a hypertensive emergency. She then requested that we call for EMS and a call was placed at 14:45. By 15:00 EMS arrived and took her to the nearest facility.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1152456	3/31/2021	OH	19	F	3/31/2021	3/31/2021	A few minutes after the vaccine was administered, the patient appeared to have a seizure for a few seconds. Her eyes rolled back, stiff arm, and she urinated herself. Her mom was holding her hand and after a few seconds, she was able to talk and said that she thought that she fell asleep for a few seconds. We called an ambulance and they are taking her to the hospital for a CT scan.
1152432	3/31/2021	MA	42	F	3/31/2021	3/31/2021	42 yo female with c/o itching to neck/throat, sensation of throat swelling/SOB, dizziness ~1:43 pm. She has prior h/o anaphylaxis to IV contrast and appeared to be very anxious. Pt was given Benadryl 25 mg PO, water, and rested in a recliner. BP 140/80, HR 88, o2 sat 100%. 911 was called as pt's symptoms were not improving and she had travelled to vaccination clinic alone by bus. She remained A&Ox3, was speaking in full sentences, and no swelling or erythema to throat visualized.
1152375	3/31/2021	LA	54	F	3/24/2021	3/29/2021	WE WERE REPORTED THE FOLLOWING INFO BY HER FRIEND BEGINNING 3/29/21: Monday Patient collapsed at work and was taken to hospital. She was intubated and sedated. They did a CAT scan and labs and ruled out heart attack and stroke. Her blood sugar was also fine. Doctors did not know what caused this and started to lean towards stroke again and scheduled a MRI for Tuesday. Tuesday She was taken off sedation but has not regained consciousness and she is breathing 70% on her own w 30% oxygen supplement. MRI was done and again ruled out stroke. Lumbar puncture was done and came back clear for meningitis and West Nile viruses. EEG was done and waiting on results. They did a reflex test and she responded well. She does have random eye opening and hand movements just not on command. Wednesday She ran fever during the night and they were able to control it. Waiting on EEG results. Dr is going to repeat all tests especially for stroke, said her heart is weak but it's functioning.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1152363	3/31/2021	GA	44	F	3/25/2021	3/25/2021	First headache, lightheadedness, nausea, then rapid onset of red eye/pink eye symptoms with bleeding starting within right eye. Severe head pressure and very blurry eyesight,. One instance of double vision. Lots of goop coming out of eyes and worsening. Some throat soreness, tightness. Eyes and vision were clear before vaccination.
1152225	3/31/2021	IL	36	F	3/29/2021	3/30/2021	I have been somewhat achy and fatigued. Soreness in right arm. The morning after the vaccine my eyes were puffy when I woke up. The left eye is more puffy and sore. They are still puffy two days later, and the left eye is still sore. I have used warm compresses but I'm not sure they are helping.
1152160	3/31/2021	NC	75	F	1/13/2021	1/14/2021	The 14 I woke up with my eyes swollen my lower lip swollen and face was distorted, the next day I noticed the artery around my temple were popping out into my forehead, severe headache behind my eye, I sent my dr a picture of my face and she had me get a CT scan of my head on Saturday as well as a covid test which was negative, all test results were good, headache increased and an emergency MRI on that following monday 20th of march and labs had been going up and inflammation hospital, hospital is where I was hospitalized between 21th -24th, they did biopsy of temporal artery and were positive for temporal arteritis, I have since been on high doses of prednisone, trazidone to sleep Dr advised me not to get the second vaccine
1152576	3/31/2021	GA	64	F	3/21/2021	3/22/2021	Headache everyday, Floaters in left eye everyday.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1152093	3/31/2021	VA	50	F	3/21/2021	3/21/2021	I did not follow-up with the doctor as I slept for two days with difficulty. Severe allergic reaction. My right side lymph node became severely swollen disrupting my ability to breath and very itchy. This lymph node on the front side of the neck was protruding making it difficult to swallow. Used breathing inhalers. Immediately leaving the vaccination site my temperature went high and I had to take off my shirt while I began to sweat profusely. When I arrive home I checked my temperature it would fluctuate between 98.6 and 101. My vision became extremely blurred for two days. I could barely see so I had to lay down and close my eyes and rest as I thought I was losing my vision. These symptoms were adverse while standing. General feeling of be unwell.
1151993	3/31/2021	OH	50	F	3/30/2021	3/30/2021	Under my eyes swelled up on both eyes. My face was red....it felt sunburned. I had welts on my inner thighs and private area. Normal symptoms were sore arm and ache body. Bad headache
1151991	3/31/2021	MA	68	F	3/23/2021	3/24/2021	Burst blood vessel in left eye
1151953	3/31/2021	MA	68	F	2/23/2021	2/24/2021	Burst blood vessel in left eye.
1151943	3/31/2021	OR	55	F	3/28/2021	3/28/2021	sweating started almost immediately and subsided after 15 minutes, then a few hours later, immense frontal lobe headache, chills, nasea and all over body aches. i used ibuprofen and that helped. today, I all symptoms are still present with the addition of hemoragging in left eye.
1151942	3/31/2021	CO	57	F	3/20/2021	3/24/2021	Pfizer-BioNTech COVID-19 Vaccine EUA Lot# EN6204 Fatigue, nausea, vomiting, aches from 3/24/21 to present. Can't eat due to nausea. Diabetes blood sugars went way up during 3/24/21 to 3/26/21, but returned to normal to low range thereafter. Still nausea and occasional vomiting today, 3/31/21. Can only keep crackers and water down, but physician office says that's ok, just to keep an eye on my blood sugars. Still fatigued as well, more than usual.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1151935	3/31/2021	KS	51	F	3/29/2021	3/29/2021	Patient is a 51-year-old female presenting today for concern about COVID vaccine Monday, Moderna. Fever that night 101.5 with headache that resolved. She was fatigued and slept a lot. Rash started this AM and is very itchy on her legs and trunk. Right eye some swelling as well. Cold compress last night. Called Monday night to ER and took Tylenol and ibuprofen. Benadryl this AM around 8:30AM.
1151933	3/31/2021	CA	51	F	3/12/2021	3/14/2021	Patient came in the office with facial drooping of the left eye and left upper and lower lip. Differential diagnosis of bells palsy. patient was treated with Prednisone 50 mg orally x 1 week, then prednisone 10 mg orally x 2 weeks, valacyclovir 1 gm orally TID x 7 days. Condition has finally resolved 3/31/21, improvement noted. Patient was placed on temporary disability for two weeks, deemed safe to return to work.
1151907	3/31/2021	GA	27	F	2/24/2021	3/11/2021	A couple weeks after receiving my second dose of the vaccine, I started noticing that my perfume, food, and other things smelled rotten or different. My bowel movements (to me) smell like something has died... However, I embarrassingly asked my mother if it smelled like that to her and she said no. I noticed the same has happened with my taste. Certain food like lettuce, black eyed peas, green peas, etc. taste like an onion-y/rotten taste.
1151893	3/31/2021	IL	27	M	3/31/2021	3/31/2021	Lightheadedness , dizziness , sweating 10 mins after vaccine was given, . Denies SOB, Dyspnea, chest pain, or blurred vision. Alert and Oriented x4. Drank water and felt better , symps resolved. Pulse 64, BP 100/69 O2 100% on RA. Refused Transport
1151677	3/31/2021	IL	58	F	3/31/2021	3/31/2021	Vomiting 10 mins after vaccine. Hx of Migraine , vomited this am at home, said this is typical of her . Denies blurred vision, SOB CP lightheadness, dizziness , No rash noted. She was observed for 30 mins.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153210	3/31/2021	WI	71	F	2/9/2021	2/9/2021	Within 1st 8 minutes my vision became very blurry, i could not focus.; lightheaded; BP was low end 95/54; This is a spontaneous report from a contactable 71-year-old non-pregnant female consumer reported for herself that she started to receive first dose of bnt162b2 (Pfizer-BioNTech EUA, Formulation: Solution for injection, Batch/lot number: EN5318), via an unspecified route of administration on 09Feb2021 09:30, at single dose in left arm for covid-19 immunization. The patient's medical history included type 2 diabetes, mild hypertension and known allergies: Compazine, Phenothiazines, Oxycodone, Loratadine. Concomitant medications included dulaglutide (TRULICITY), canagliflozin (INVOKANA), METFORMIN, LISINOPRIL, and PRAVASTATIN. No other vaccine in four weeks. The patient received the vaccine at hospital. On 09Feb2021 09:45, within 1st 8 minutes her vision became very blurry, she could not focus, and she became lightheaded. The nurse checked her vitals, and they were normal (BP was low end 95/54) After nearly an hour her vision cleared and she was able to stand up and walk. The events were resulted in Doctor or other healthcare professional office/clinic visit. The patient did not take any treatment for the events. The outcome if the events was recovered on an unknown date.
1154623	3/31/2021	NJ	61	F	3/31/2021	3/31/2021	covid-19 janssen shot given and seated in observation area. pt in observation area appeared faint and eyes rolled back. RPH, EMT, and store management all called to scene. Pt was monitored and clear to drive home.
1151663	3/31/2021	IN	50	F	3/29/2021	3/29/2021	Eye and face swelling. Sore muscles, fatigue
1152109	3/31/2021	KY	71	M	2/25/2021	2/25/2021	Right around your second vaccine starting having right sided headaches, blurry vision in left eye, extreme fatigue, constant pain in left side of head, short term memory issues

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153126	3/31/2021	FL	42	F	3/5/2021	3/5/2021	Really really dizzy; Weakness; Blurry eyes; Severe headache; Fever; Muscle pain; Bad nausea; not able to work; A spontaneous report , was received from a consumer (patient), concerning a 42 year old female patient, unknown race and ethnicity, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced severe headache (headache), fever (pyrexia), dizziness (dizziness), weakness (asthenia), blurry eyes (vision blurred), muscle pain (myalgia), inability to work, and bad nausea (nausea). The patient's medical history was not provided. No concomitant medications were reported for the patient. On 5 Mar 2021, prior to the onset of the events, the patient received the first of two planned doses of mRNA-1273 (lot/batch: 030A21A), intramuscularly for prophylaxis of COVID-19 infection. On 05 Mar 2021, two hours after the vaccination, the patient experienced severe headache, fever, dizziness, weakness, blurry eyes, muscle pain, inability to work, and bad nausea. On an unspecified date, headache and fever went away. The events muscle pain, dizzy, eyes blurry, and little weak were not recovered/not resolved/ongoing. The patient was not able to work, got dizzy when she tried to get on the computer. Treatment details included taking aspirin for headache. Action taken with second dose of mRNA-1273 in response to the events was not reported. The outcome of events, severe headache and fever was considered recovered. Dizziness, weakness, blurry eyes, and muscle pain were considered not recovered. The event of nausea was unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153174	3/31/2021	VA	71	F	1/14/2021	1/15/2021	Fainted; Vomited; Ringing in ears; Injection site was slightly sore; Sore throat; Hoarseness; Dry eyes; A spontaneous report was received from a consumer, concerning herself a 71 year old female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced events fainted/Syncope, Vomiting, Ringing in ears/, injection site was slightly sore/Vaccination site pain, Sore throat, Hoarseness, Dry eyes. The patient's medical history was not provided, concomitant medication was not provided by reporter. On 14Jan2021, prior to the onset of events patient received her first dose of two planned doses of mRNA-1273 (lot number: 028L20A) via unknown route on right arm for COVID-19 infection prophylaxis. On 15 Jan 2021 she experienced fainted, She was taken to the Emergency Room by ambulance. She was vomiting in route to the hospital. She also complained that she had ringing in her ears, & admits that she still had it. At the hospital, they performed a CAT scan & a MRI of her "stomach." They wanted to admit her, but she was fearful she would contract Covid during her hospital stay. The injection site was slightly sore. She admits she developed a sore throat & hoarseness that day, & has I've had it since then. On 01March 2021, her eye Dr diagnosed her with dry eyes. The seriousness for fainted, Vomiting, Ringing in ears, injection site was slightly sore, Sore throat, Hoarseness considered as hospitalization. Action taken with mRNA-1273 in response to the events was unknown. The outcome of the event, fainted, Vomiting, Ringing in ears, injection site was slightly sore, Sore throat, Hoarseness, Dry eyes was unknown at time of this report.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153139	3/31/2021		65	F	3/13/2021	3/14/2021	Mind wonderings at night, like visions or hallucinations; Misspelling issue; Arm sore; Burning aches, not just joint aches; Chills; Burning aches, not just joint aches; A spontaneous report was received from a consumer concerning a 65-years-old female patient, who received Moderna's COVID-19 vaccine (mRNA -1273) and experienced events, arm sore/pain in extremity, chills, burning aches/pain not just joint aches/arthralgia, Mind wonderings at night, like visions or hallucinations/ hallucinations visual and misspelling issue/aphasia. The patient's medical history provided included allergy to sulfa drugs, shrimps, enthesitis and has non- alcoholic fatty liver and hypertension. Also, her grandmother experienced a condition with platters bleeding without clots. Concomitant medications reported included lutropin alfa, rosuvastatin calcium, bisoprolol HCPC, vitamin D3 and calcium. On an unknown date, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Batch number: unknown) unknown route for prophylaxis of COVID-19 infection. On 13 Mar 2021, prior to the onset of the symptoms, the patient received their second of two planned doses of mRNA-1273 (Batch number: 048A21A) intramuscular in the left arm for prophylaxis of COVID-19 infection. On 14Mar 2021, the patient reported having arm sore, chills, burning aches not just joint aches, mind wonderings at night, like visions or hallucinations. Before falling sleep or waking up, patient had images of black and white live photos. She sees image with one eye, and they are not like a dream. When she opens the eyes, the photos disappear, but when closing again, the shots are in color and like cartoons or childish videogames. patient states that this is like a sleep pattern and that she has never been on drugs. She also has misspelling issues. She reported that while writing things down, she notices that are wrongly written and that letters are not coming easy to her mind. The patient states that she does crosswords all the time, so this was very strange for her. The event hallucinations was considered medically significant. No treatment information was provided. The patient received both scheduled doses of mRNA-1273 prior to the events, therefore action taken with the drug in response to the events is not applicable. At the time of this report, the outcome of the events, arm sore, chills, burning aches not just joint aches, mind wonderings at

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1153135	3/31/2021	CA	81	M	2/5/2021	3/12/2021	<p>night, like visions or hallucinations and misspelling issue were unknown.; Reporter's Comments: This case concerns a 65 Y/O F with a serious unexpected event of visual hallucinations along with nonserious unexpected aphasia, pain, pain in extremity, and expected chills and arthralgia. Event onset with unknown latency after first dose mRNA-1273. Event outcomes unknown. Based on current available information and temporal association between use of the product and the start date of the event, a causal relationship cannot be excluded.</p> <p>Visual hallucinations; A spontaneous report was received from a consumer concerning a 81-year old, male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced visual hallucinations. The consumer's medical history included vision loss in the right eye. Relevant concomitant medications provided as eliquis, latanoprost, azopt, rhopressa, fluticasone, losartan, rosuvastatin, metformin, glimepiride, tylenol, fish oil, cod liver oil, cinnamon, vitamin d3, vitamin b12 and melatonin as needed. The patient received their first of two planned doses of mRNA-1273 (Batch number not provided) on 05 FEB 2021. On 12 Mar 2021, the patient received their second of two planned doses of mRNA-1273 (Batch number: 013M20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 12-MAR-2021, the patient began to see pin point, blood colored dots all over his face and hands. He then noticed the pin point dots all over the walls, desk, books, etc. The patient reported seeing an image and when he would go closer, it wasn't there. He also felt like someone was standing next to him when no one was. The visions would come and go over the weekend. The patient received both scheduled doses of mRNA-1273 prior to the event; therefore, action taken with the drug in response to the event is not applicable. The outcome of the event, visual hallucinations, was considered recovered/resolved on 15 Mar 2021.; Reporter's Comments: Very limited information regarding this event/s has been provided at this time. Further information has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1152577	3/31/2021	CO	87	F	3/16/2021	3/23/2021	Pfizer-BioNTech COVID-19 Vaccine: at annual wellness exam seven days after vaccination patient reports headache, fatigue, vision changes, and seeing people who are not there. Patient attributes symptoms to immunization. Vital signs within normal ranges. No rash, dizziness, lightheadedness. Patient will follow-up with neuro-ophthamology.
1153134	3/31/2021	OR	68	M	3/8/2021	3/8/2021	Bells Palsy; Sore arm; A spontaneous report was received from a consumer concerning her husband a 68-years-old, male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced Bell's palsy / facial paralysis and sore arm / pain in extremity. The patient's medical history was not provided. Concomitant product use was not provided by the reporter. On 08 Mar 2021, prior to the onset of the symptoms, the patient received their first of two planned doses of mRNA-1273 (Batch number: 029A21A) intramuscularly for prophylaxis of COVID-19 infection. On 08 Mar 2021, the patient experienced had a sore arm. On 13 Mar 2021, the patient developed medically significant event of Bell's Palsy. Treatment for the event included prednisone, 'doxixclavir', and eye drops. Action taken with mRNA-1273 in response to the events was not provided. The outcome of the events Bell's palsy and sore arm was not reported.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the onset date of the reported events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153132	3/31/2021	NY		F	3/8/2021	3/14/2021	Violent vertigo attack; Felt like the world was going in one direction and she was going in another; legs felt very heavy; Eyes are burning; Head was heavy; Tired; Head felt like it was splitting; Aches and pains; A spontaneous report was sent by a consumer who is a female patient of unknown age that received Modern's COVID-19 vaccine (mRNA-1273) and experienced vertigo, legs felt heavy/restless legs, fatigue, head was heavy/ tension headache, head felt like it was splitting/headache, and aches and pains/myalgia. The patient's medical history was unknown. Concomitant medication included Nexium. On 08-FEB-2021, the patient received the first dose of mRNA-1273 for prophylaxis of COVID-19 infection. She developed adverse events after this initial dose but these are part of a separate case. On 08-MAR-2021, prior to the onset of the events, the patient received the second dose of mRNA-1273 for prophylaxis of COVID-19 infection. Around 14-MAR-2021, she experienced violent vertigo attack where the world is going in one direction and she was going in another. Her head felt like it was spitting at this time. The patient was admitted to the hospital on 14-MAR-2021 around 12 AM and discharged by 6 AM on the same day and prescribed with Meclizine. The provided treatment made her head heavy and it made her feel tired. Her legs feel very heavy and she has aches and pains. She also described her eyes are burning. The seriousness criteria for the event vertigo were reported as hospitalization and medically significant. The patient received both scheduled doses of mRNA-1273 prior to the events; therefore, action taken with the drug in response to the events is not applicable.. The outcome of the events, vertigo, legs felt heavy/restless legs, fatigue, head was heavy/ tension headache, head felt like it was splitting/headache, and aches and pains/myalgia was unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the vertigo and headache, a causal relationship cannot be excluded. Based on reporter's causality, the head felt heavy, tiredness, and eyes burning is assessed as unlikely related to mRNA-1273 and related to meclizine.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1153130	3/31/2021	CT	61	F	2/17/2021	3/6/2021	Broken blood vessel in her right eye; A spontaneous report was received from a consumer concerning a 61-year-old, adult female patient who received Moderna's COVID-19 vaccine and experienced broken blood vessel in her right eye/eye haemorrhage. The patient's medical history was not provided. Concomitant product use was not provided by the reporter. On 17 Feb 2021, prior to the onset of the event, the patient received their first of two planned doses of mRNA-1273 (lot number 014M20A) intramuscularly in the left non dominant arm for prophylaxis of COVID-19 infection. On 06 Mar 2021, after receiving the first dose, the patient observed broken blood vessel in her right eye. She had no pain and no vision impairment. The event broken blood vessel in her right eye was considered as medically significant. No treatment information was provided for the event. Action taken with mRNA-1273 in response to the event was not provided. The outcome of the event broken blood vessel in her right eye was unknown at the time of this report.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.
1153128	3/31/2021	CT	66	F	2/17/2021	3/7/2021	broken blood vessel in left eye; A spontaneous report was received from a consumer (patient's spouse) concerning 66-years-old female patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and had broken blood vessel in left eye (eye haemorrhage). No medical history was reported. No concomitant medications were provided. On 17 Feb 2021, the patient received the first of two planned doses of mRNA-1273 (Batch number: 014M20A), intramuscularly in left arm for the prophylaxis of COVID-19 infection. On 07 Mar 2021, the patient had a broken blood vessel in left eye (medically significant). The patient did not receive any treatment. Action taken with mRNA-1273 in response to the event was unknown. The outcome of the event of broken blood vessel in left eye was unknown. The reporter did not provide assessment for the event of broken blood vessel in left eye.; Reporter's Comments: Very limited information regarding this event/s has been provided at this time. Further information has been requested

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153118	3/31/2021	AR	76	F	2/2/2021	2/3/2021	Heart fluttering and weakness; Weakness; Eyes glazed over; Her eyes are bothering her, still feel weak; Head in a fog; Light headed; A spontaneous report was received from consumer concerning a 76 years old female who experienced heart fluttering (cardiac flutter) and weakness(asthenia), eyes glazed over (eye disorder), her eyes are bothering her, still feel weak (ocular discomfort), head in a fog (feeling abnormal), and light headed (dizziness). The consumer's medical history was not provided. No relevant concomitant medications were reported. On 02 FEB 2021, prior to the onset of the events, the patient received first of two planned doses of mRNA-1273 (lot/batch: 013m20a) intramuscularly in the left arm for prophylaxis of COVID-19 infection. The patient reported that on 03 FEB 2021 her eyes seemed glazed over, her head felt like it was in fog, and she had feelings of experienced heart fluttering and weakness. She stated that weakness was also associated with the heart fluttering. The symptoms resolved in about a week, other than her eyes which still feel weak, and bothering her enough. Treatment information included Tylenol. Action taken with mRNA-1273 in response to the events was unknown. The outcome for the events of eyes glazed over (eye disorder), her eyes are bothering her, still feel weak (ocular discomfort) was considered as not recovered. The events of heart fluttering (cardiac flutter) and weakness(asthenia), head in a fog (feeling abnormal), and light headed (dizziness) were considered resolved.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events a causal relationship cannot be excluded. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153116	3/31/2021	FL	65	F	2/20/2021	2/20/2021	Still a little blurry; Her eye pressure was still high; Her eye was swollen; So much pain above her eye; Nausea; In the afternoon all of a sudden she lost sight of her left eye; She vomited 10 times; Achy; Soreness in the arm; Chills; Fever; Swollen arm; A spontaneous report was received from a consumer, concerning a female patient of 65 years of age, who received Moderna's COVID-19 vaccine and experienced soreness in the arm (vaccination site pain), swollen arm (vaccination site swelling),c hills, achy (pain), fever (pyrexia), vomiting, all of a sudden lost sight of her left eye (unilateral blindness), swollen eye (eye swelling), so much pain above her eye (eye pain), her eye pressure was still high (intraocular pressure increased), nausea, and still a little blurry (vision blurred) The patient's medical history included asthma. Concomitant product use included Montelukast sodium, fluticasone propionate/salmeterol xinofoate, and salbutamol sulfate. On 20-Feb-2021, prior to the onset of events, the patient received their first of two planned doses of mRNA-1273 (lot number 030L20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 20-Feb-2021 the patient received the first dose of the vaccine and had soreness in the arm, swollen arm, chills, was achy and had a fever. On 21-Feb-2021, she vomited 10 times and in the afternoon all of a sudden she lost sight in her left eye. On 22-Feb-2021 her eye was swollen, hot, and there was so much pain above her eye. The patient went to the emergency room (ER) and received IV (intravenous) fluids and two different eye drops, her eye pressure was still high, and she had nausea. On 23-Feb-2021 she could tolerate light, had no pain but was still not able to see. On 24-Feb-2021 the patient reported they are getting better, but that blurred vision was still persisting. Treatment medication included IV fluids and 2 different eye drops as well as anti-nausea medication. Action taken with mRNA-1273 in response to the event was unknown. The outcome of the events, soreness in arm, swollen arm, chills, achy, and fever, were resolved on 20-Feb-2021. The outcome of the event, vomiting, was resolved on 21-Feb-2021. The outcome of the event, so much pain above her eye, was resolved on 23-Feb-2021. The outcome of the events, all of a sudden lost site in her left eye, swollen eye, eye pressure was still high, nausea, and still a little blurry, were considered not recovered/not resolved.; Reporter's



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Further information has been requested.
1153108	3/31/2021	IA	41	M	12/29/2020	12/29/2020	<p>Blurred vision; Complete loss vision; Hearing impairment Whoosh; spike in blood sugar; Fatigue; A spontaneous report was received from a consumer who was a 41-year-old male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced complete loss of vision (blindness), fatigue, blurred vision, spike in blood sugar (blood sugar increased), and hearing impairment "whoosh" (hearing impaired). The patient's medical history, as provided by the reporter, included diabetes. Concomitant medications were insulin glargine and insulin lispro. The patient said he was compliant with his insulin injections. On 29 Dec 2020 , prior to the onset of events, the patient received their first of two planned doses of mRNA-1273 (Lot number: unknown) intramuscularly for prophylaxis of COVID-19 infection. On 29 Dec 2020, the patient experienced a spike in blood sugar. He tested his blood sugar immediately following the vaccination and it was in the 280-380 range. Prior to the vaccine, it was 100 to 150. On an unspecified date, his hemoglobin A1C was below 7. On 05 Jan 2021, he experienced hearing impairment "whoosh". On 09 Jan 2021, the patient experienced complete vision loss. On 11 Jan 2021, he experienced blurred vision. Action taken with mRNA-1273 in response to the events was not reported. The event of complete vision loss resolved on 11 Jan 2021. The outcomes of the events of fatigue, blurred vision, hearing impairment "whoosh", and blood sugar spike were unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. The patient's medical history of diabetes remains a confounding factor. Further information has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153098	3/31/2021	ME		M		3/10/2021	<p>HEART ATTACK; HIGH FEVER; This spontaneous report received from a patient concerned a male of unspecified age. The patient's height, and weight were not reported. The patient's concurrent conditions included heart disorder ("born-in" heart issues). The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin, and batch number were not reported) dose was not reported, administered on 10-MAR-2021 12:30 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 10-MAR-2021 at 19:30, the patient unexpectedly broke out into a very cold sweat, high fever, extreme stomach nausea, and his heart raced to levels he had never felt. The patient could not walk and could barely respond verbally to his fiancé for help. The patient was admitted to the hospital. The patient was taken on a wheel chair and was attended to immediately because of the severity of his condition. The emergency room doctors and nurses thought the patient was having a heart attack, as did he. The patient informed emergency room doctors and nurses that he had been given covid-19 vaccine ad26.cov2.s earlier in the day. After several hours of testing including electrocardiogram, computerized tomography scans, intravenous and constant blood pressure monitoring, it was determined that the patient should be transported to a hospital that was better equipped to service his apparent condition. The hospital staff was concerned about a possible heart attack and not knowing the patient's history or having the equipment and staff to service this, they decided the patient needed to be taken to a hospital that specializes in heart events. Having had cardiology care in the past for "born-in" heart issues, the patient wanted to be transported to Medical Center where all of his doctors were residences. According to the patient, they had a fabulous team of world renowned cardiology experts from Cardiology. The hospital staff at the Hospital offered to send the patient to Hospital. Both hospitals were about equal distance from the Hospital. The patient obviously wanted to go to where his doctors were and who know him personally for almost his whole life. According to the patient, the staff at the Hospital were fantastic, and as they stated to him verbally, probably saved his life. An Ambulance ride followed at about 3:00 AM on 11-MAR-2021 arrived at</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

approximately 04:30 at medical center. The patient's cardiologist's covering doctors met him on the cardiology floor to immediately begin monitoring and performing every test at their disposal. The patient also informed the cardiology team that he had received the covid-19 vaccine ad26.cov2.s vaccine on 10-MAR-2021 (Wednesday) afternoon. According to the patient, their eyes lit up immediately believing that the vaccine might have caused this. After almost 2 days and countless tests, blood screens, monitoring and consultation, the patient was released late afternoon on 12-MAR-2021 from hospital after being stabilized to a normal level. According to the patient's doctors, the only cause of these events could have been the covid-19 vaccine ad26.cov2.s vaccine. According to the patient, the severity of this events were only curtailed by the excellent care he received from both of his hospital visits and the almost 2 day stays. The patient's doctors had instructed him to stay close to home and continue to monitor his condition in the upcoming weeks because no one knows if these events could happen again. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from high fever, and heart attack on 12-MAR-2021. This report was serious (Hospitalized and Other Medically Important Condition).; Sender's Comments: V0: 20210333833- Covid-19 vaccine ad26.cov2.S- Heart Attack. This event is considered not related. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There are other factors more likely to be associated with the event than the drug. Specifically: MEDICAL HISTORY. 20210333833-covid-19 vaccine ad26.cov2.s- high fever. This event is labeled and is therefore considered potentially related.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153091	3/31/2021	NC		F	3/12/2021		<p>ELEVATED BLOOD PRESSURE; ELEVATED HEART RATE; CHEST TIGHTNESS; COATING OVER EYES; VERTIGO; BLURRY VISION; SEEING DOUBLE; HEADACHE; NAUSEA; SLEEPY; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1802070, expiry: UNKNOWN) dose was not reported, administered on 12-MAR-2021 to Right Deltoid for prophylactic vaccination. No concomitant medications were reported. On MAR-2021, Laboratory data included: Blood pressure (NR: not provided) High Blood pressure. On 12-MAR-2021, the patient experienced elevated blood pressure. On the same day, the patient experienced coating over her eyes, vertigo, elevated blood pressure and heart rate 5 minutes within receiving the vaccine, headache, nausea, and sleepy. The patient felt heart racing fast. Ambulance was called and on the same day, the patient was hospitalized for 8-9 hours until blood pressure stabilized. Laboratory data included: Heart rate (NR: not provided) elevated Heart rate. It was not known if patient was discharged or not. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from blurry vision, and seeing double on MAR-2021, was recovering from coating over eyes, chest tightness, and elevated heart rate, and had not recovered from elevated blood pressure, vertigo, headache, nausea, and sleepy. The reporter and company causality considered between covid-19 vaccine ad26.cov2.s and blurry vision, seeing double, coating over eyes, chest tightness, elevated heart rate, blood pressure, vertigo, headache, nausea, and sleepy as possible. This report was serious (Other Medically Important Condition).;</p> <p>Sender's Comments: V0: 20210332091-Covid-19 vaccine ad26.cov2.s-Elevated blood pressure. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1152753	3/31/2021	NJ	40	F	3/16/2021	3/16/2021	Tightness in the chest, warmth in the chest, blurred vision and sudden drop in blood pressure to the point of almost losing the consciousness, sweat, weak pulse. The symptoms appeared at about 4 mins after the injection in the resting area. The patient was taken on the wheelchair to lay down. The pressure was taken, the EkG. The ambulance cam after 20-30 mins. The patient started recovering but still felt tightness in the chest. The patient was taken to the Medical Center. The patient was given a blood test and urine test. The patient started feeling better and was sent home after about 3-4 hours.
1152601	3/31/2021	CA	50	F	3/30/2021	3/30/2021	Pt received J&J COVID vaccination during down time 3/30 approximately 7 minutes after receiving the vaccination at 1:50pm Patient reported feeling dizzy and having double vision. Pt VS remained stable and instructed Pt to take deep breathes. After a few minutes Pt still was feeling dizzy, instructed patient to lay back and elevate feet while taking deep breathes. Pt still feeling dizzy and faint per protocol administered 15L/min O2. At 2:05 patient started to feel better better and removed O2. Monitored patient for 10 more minutes. Pt stated she felt better and requested to leave. Instructed patient to take deep breaths and report to her doctor if she felt bad again. Patient reported she understood and left with her husband .

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1153129	3/31/2021	FL	65	F	3/4/2021	3/13/2021	2 Hemorrhages - Left Eye; Swollen Lymph Nodes - Left Side of Body; Arm Pain - Near Injection Site; A spontaneous report , was received from a health care professional, concerning a 65-year-old female patient, , who was administered Moderna's COVID-19 vaccine (mRNA-1273) and experienced 2 hemorrhages - left eye/eye hemorrhage , swollen Lymph Nodes - Left Side of Body/lymphadenopathy and arm pain - Near Injection Site/injection site pain. The patient's medical history and concomitant history was not provided by the reporter , no lab data was reported . on 04 MAR 2021 the patient received the first of two planned doses of mRNA-1273 (Lot number: unknown) intramuscularly in left arm for prophylaxis of COVID-19 infection. On 13 MAR 2021, the patient experienced 2 Hemorrhages - Left Eye , Swollen Lymph Nodes - Left Side of Body, Arm Pain - Near Injection Site. The treatment included were acetaminophen and ibuprofen. The Action taken with the first dose of mRNA-1273 in response to the event was not reported. The outcome of the events, 2 hemorrhages - left eye/eye hemorrhage , swollen lymph nodes - left side of body/lymphadenopathy and arm pain - near Injection Site/injection site pain were considered as unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1153081	3/31/2021	AZ		F	3/9/2021		STROKE; ALWAYS RINGING IN THE EARS; This spontaneous report received from a patient concerned an 87 year old female. The patient's weight was 153 pounds, and height was 67 inches. The patient's past medical history included strokes but the last one was a long time ago. The patient was not pregnant at the time of reporting. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unk) dose was not reported, administered on 08-MAR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. The reporter state that, the patient was taking two vaccine shots and was halfway between the two vaccines (2 weeks) second one would be on 29-MAR-2021. On 09-Mar-2021, the patient experienced TIA symptoms (feeling fuzzy, batch of color lights in her left eye, very slurred speech, difficulty understanding and difficulty in communication) and stated she was having a stroke. Patient also informed that she already had this a lot of time before, and her doctor told her to lay down, take an aspirin. Treatment medications (dates unspecified) included: acetylsalicylic acid. On 2021, the subject experienced always ringing in the ears. The reporter stated that, the patient had severe hearing impairment as patient continuously complained that her ears were "always ringing an patient was unable to answer all the questions as she stated that she had to go for some physical therapy exercise and could not continue the discussion. Treatment medications (dates unspecified) included: acetylsalicylic acid. The action taken with covid-19 vaccine ad26.cov2.s was not applicable The patient had not recovered from stroke, and the outcome of always ringing in the ears was not reported. This report was serious (Other Medically Important Condition). Additional information was received on 18-Mar-2021. The following information was updated and incorporated into the narrative: The patient's demographics details (age and age group),event (Always ringing in the ears), reporter address details and other reference number.; Sender's Comments: V1: The following information updates addition of event (always ringing in the ears), patient's demographics details (age and age group), reporter details and other reference number. This updated information does not alter prior

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							causality assessment of reported event. 20210316871-Covid-19 vaccine ad26.cov2.s-Stroke. This event is considered not related. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There are other factors more likely to be associated with the event than the drug. Specifically: MEDICAL HISTORY
1152637	3/31/2021	FL	50	F	3/31/2021	3/31/2021	1:26p c/o dizziness, nausea, blurred vision BP 119/84 P 97, 1:37p repeat VS, BP 104/72 P 92 c/o dizziness, 1:42 ambulated with Staff to car, no c/o upon arrival to car.
1152657	3/31/2021	CA	20	F	3/28/2021	3/30/2021	fever, rash, lip and eye swelling, sore throat and dysphagia
1152602	3/31/2021	PA	45	F	3/30/2021	3/31/2021	Swollen eyes, mouth, hands Labored breathing Kidney pain Elevated HR Treated with benadryl and rescue inhaler
1152688	3/31/2021	TN	42	F	3/22/2021	3/22/2021	Vaccine 3/22/21, started with fatigue/generally feeling unwell 3/25/21, fever. Received Tdap vaccine 3/26/21. Persistent fever, pain around eye, ear and radiating into her head, nausea. Symptoms continued to worsen, developed chest pain and new onset seizure 3/31/21- Sent to ER for evaluation
1152631	3/31/2021	CT	62	M	3/24/2021	3/27/2021	R eye swelling and rash, itching started on 3/27
1152756	3/31/2021	NY	53	F	3/28/2021	3/31/2021	Felt fine this AM then a few hours after awakening started having under eye swelling on the left side of my face which spread to left side of the face swelling. I started to feel a little lightheaded and then my throat started to feel restricted.
1152763	3/31/2021	CA	38	F	1/20/2021	1/21/2021	I got a headache on the right side and shooting pain down my neck and arm. I also got pink eye



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1152583	3/31/2021	WA	55	F	3/29/2021	3/29/2021	I walked away from my shot to the 15-minute resting area, joked with a couple of people, looked at my phone to get a time so I could time my 15-minute wait period...1:04pm. Then...bam...hot feeling in my left chest that travelled to my heart. The my heart started pounding out of my chest. Like immediately. I felt a little light headed and walked a few feet to the helper and said I didn't feel well, That my heart was racing and pounding out of my chest. I sat down near him. He had me take my pulse using my phone's timer. 53 beats in 30 seconds. He went to find a nurse. He came back and we took my pulse again. 55 beats in 30 seconds. My life was flashing before my eyes. Honestly thought I might die. No better after 15 minutes so we decided I needed 30 minutes. He moved me to a couch. A nurse came over. She took my blood pressure which usually ranges lowish, 106/65 (?), and it was 122/88, my heartbeat was beginning to go down. This was about 1:40pm. Still felt on the edge of a precipice. I called my husband to give last words of love. Couldn't get in touch with him. Called my sister to say a goodbye, just in case. NO KIDDING. Pulse now going down to the 70s per minute. She said my oxygen level looked good with the little finger device. Nurse gave me grape juice and water and had me lie down. A piece of candy. She went to see if she should give me Benadryl. Other nurse said no. So I waited it out. Couldn't take a deep breath. I called my husband, and he came to pick me up. Nurse thought I had a vasovagal reaction; I have never had a problem like this before. I get shots and vaccines each year. On the way home about 2:40pm, I suddenly felt very burpy. Had discomfort in my upper abdominal area. Felt "off" until 9pm that night. I called my doctor and the nurse there said vasovagal too. I seriously do not think this is what it is. I mean I felt it traveling to my heart and my heart was THUMPING not slowing.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1152766	3/31/2021	TX	18	M	3/31/2021	3/31/2021	ABOUT 3 MINUTES AFTER RECEIVING COVID-19 MODERNA VACCINE CLIENT EXPERIENCED WHAT IT LOOKED LIKE SEIZURE ACTIVITY. ACCORDING TO MOTHER CLIENT WHO WAS SITTING ON A CHAIR FOR OBSERVATION POST VACCINATION, DROPPED HIS PHONE TO THE FLOOR AND RAISED BOTH OF HIS ARMS UP WITH PALMS OPENED AND STARTED TO SHAKE A LITTLE WITH EYES CLOSED. MOTHER ASKED FOR HELP. WHEN HELP ARRIVED CLIENT WAS CONSCIOUS AND NO SEIZING ACTIVITY WAS WITNESS. CLIENT LOOKED PALE AND SWEATY.
1152779	3/31/2021		57	F	3/30/2021	3/31/2021	Fatigue, short of breath, blurry eyes, achy
1152812	3/31/2021	NY	73	M	3/24/2021	3/25/2021	I have a history of visual floaters. Eight hours after the shot, simultaneous with the initiation of soreness at the vaccination site, these increased, while they are usually minor. Also, i experienced a new phenomenon: a translucent paramecium-shaped image in both eyes: lower left of left eye and lower right of right eye. All these symptoms disappeared after 20 minutes or so and did not recur. Yesterday, I visited my optometrist, who did a dilation to check the retina and found nothing amiss. But she thought my experience should be reported.
1147290	3/30/2021	AZ	54	F	1/4/2021	1/7/2021	I did not have a reaction until I got home on Jan 4th, 2021. I had a headache for a solid 2 weeks. Lost my vision right eye on Feb 1st with extreme vertigo ended up in the hospital. After a few tests they found a heart defect ASD. Never in my life have I been told I have had a heart condition. I am correlating it to the vaccination because for the 4 solid weeks before I ended up in hospital I was so sick.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1147291	3/30/2021	AR	34	F	3/30/2021	3/30/2021	Is 17 weeks pregnant with her first child. I do not know her estimated date of delivery. She fainted approximately 5 minutes after receiving her vaccine and fell from a chair. She landed on her side face down, so we turned her face up so we could see her face. Her eyes were barely open, but she nodded her head the second time we asked if she could hear us. We took her blood pressure, and it was 107/71 with a heart rate of 85. EMS came, and she felt better, so she decided not to go with them. They asked her to stand up to sit back in the chair. When they left, she slowly progressed to walking around while talking on the phone with someone to come pick her up so she didn't have to drive herself. She told us this was the first time she had fainted in 3 years and the first time ever fainting due to a vaccine.
1147260	3/30/2021	NC	35	F	3/3/2021	3/3/2021	35 yo female with a history of heart failure (EF 35%) dx 2020, reports AE after Covid vaccine #1 (3 MAR 2021) at drivethrough event characterized by onset of dizziness and CP 6/10, feeling cold 10 minutes after vaccine receipt. She denies, pruritis, urticaria, oral/face/throat/tongue swelling, flushing, red/watery eyes, cough, wheeze. She was transferred to ER with neg eval and released. She states CP continued until that evening, but was consistent with CP she intermittently experiences baseline. She reports mild dizziness continued for two days. She had mild site pain. She had increased fatigue for a few days and resolved. She reports a history of presyncope after blood draws. She denies previous AE after vaccine. She was treated with IVF, ASA 325, torrodol 30 mgs and zofran 8 mgs. No repeat event with second dose receipt.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1147251	3/30/2021	OH	44	M	3/24/2021	3/24/2021	3:03PM: Patient received Pfizer Covid vaccine and went to waiting room for 15-minute observation period 3:17 PM: Nurse Called to waiting room; patient states of warmness and dizziness, alert with eyes half open 3:17 PM: Non-responsive to name; head back and nonresponsive; Eased to floor; remains non- responsive for approximately 22 seconds. Opens eyes and responds to name. 3:18 PM: NP present. Neuro assessment completed. Pt remains alert and responsive, skin warm and moist. B/P 132/78 3:24 PM: Remains alert and oriented; states of feeling better; assisted to sitting position 3:25 PM: B/P 110/62 Pulse remains strong at 68, denies dizziness; placed in chair with supervised presence in waiting room 3:35 PM: Offered juice and granola bar; eating without discomfort 3:40: B/P 112/62, 68 and regular, skin warm and dry; encouraged to find ride home or back to work 3:50 PM: B/P 118/72, pulse 72 and regular, continues to state of feeling weak, oriented and alert 4:08 PM: Walked around waiting room without dizziness or dyspnea. Pulse 78 and regular; B/P 112/62 4:18PM: walking around room without discomfort or change in consciousness; B/P 116/72, pulse is 72 and regular. 4:30 PM: Remains alert, skin warm and dry, Pulse 74 and regular.
1147299	3/30/2021	CA	43	F	3/28/2021	3/28/2021	Patient arrived stable and afebrile; received first dose of Pfizer/BioNTech COVID19 vaccine, administered by pharmacist. During 15 minute monitoring period, patient and accompanying family reported to pharmacy team that she was feeling unwell and noticed some difficulty breathing. Temperature check revealed patient to still be afebrile. Pharmacist performed pulse check on left wrist - heart rate appeared even and steady; grip strength present. Patient denied any vision changes, but felt dizzy; difficulty in breathing remained stable and constant, not worsening nor improving. Pharmacist administered oral diphenhydramine 50 mg to patient, and technician dialed 911 to reach emergency services. Patient brought to front store with other pharmacist, where vitals taken and additional care provided.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1147237	3/30/2021	CO	89	F	3/8/2021	3/8/2021	Pfizer-BioNTech COVID-19 Vaccine EUA: patient presents to emergency department (ED) reporting unrelenting dizziness after receiving vaccination sixteen days prior. Dizziness is worsened by rising and associated with disequilibrium and vision changes. Vital signs all within normal ranges. Patient denies respiratory, gastrointestinal, and dermatologic symptoms. Physical exam is normal. Patient monitored, symptoms improved with hydration and good oral intake, and patient discharged stable to home with follow-up in place.
1147289	3/30/2021		21	F	3/30/2021	3/30/2021	The patient experienced dizziness and double vision after immunization.
1147204	3/30/2021	KY	32	M	2/10/2021	2/23/2021	My left eyelid twitched for approximately 3-4 weeks, approximately 5-10 times per day.
1147199	3/30/2021	CT	66	F	3/26/2021	3/26/2021	pt states that immediately after getting the vaccine she felt like something was grabbing at her throat. Her body felt itchy and she had dizziness. She had a cool feeling all over her body and was feeling very uncomfortable. She had tingling in the lips with no swelling. These symptoms lasted about forty minutes. About an hour after she had itching on both ears and had swelling in both eyes. She took Zyrtec and about an hour later she was back to normal. She continued to take the Zyrtec and her symptoms did not escalate. Her left arm was tender to touch but no swelling. Pt says these symptoms lasted about 24 hours.
1147184	3/30/2021	NC	80	M	3/11/2021	3/23/2021	subconjunctival hemorrhage in left eye
1147181	3/30/2021	WA	32	M	3/26/2021	3/26/2021	Medic on site working in the observation area witnessed patient in his car, slumped into the seat and not moving forward as expected per protocol of this drive through mass vaccination site. Upon assessment by medics, the patient had very pale skin color, eyes were closed, but he was responsive to questions. Patient was able to state that he had a history of syncope and that this is not an unusual response for him to needles. Patient was able to place his vehicle in park and wait in place for about 15 minutes and until he recovered. When fully recovered, patient traded seats with one of the other passengers in his vehicle and had one of the other passengers drive as they left the vaccination site.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1147150	3/30/2021	OH	73	M	2/5/2021	2/10/2021	After vaccine, headache, sandy eyes, eventually blurred vision, drooping eyelids, eye closed and I was diagnosed with 3rd nerve ocular palsy of my left eye. Referred to Ocular Neurologist.
1147144	3/30/2021	NC	61	F	3/30/2021	3/30/2021	Pt had itchy eyes, coughing and increased dyspnea. She has a hx of allergic reactions and this began much like other reactions she has experienced in the past. She was aware of the change and called for help. She was given benadryl and 125 of solumedrol en route to the ER. Pts SpO2 dropped to 95% and was placed on NC at 4LPM. Pt states her eyes still itch and she feels the need to clear her throat, but no longer feels the shortness of breath.
1147314	3/30/2021		51	F	3/29/2021	3/29/2021	Angioedema, shortness of breath Patient administered 50mg IM Benadryl and 0.3mg Epinephrine IM on site. Ambulance transported stable patient to ED for further evaluation ED Note: 51 y.o. female with past medical history of DM, GERD, TIA, HTN, migraine, PUD, angioedema, and anaphylaxis to multiple agents who presents with complaints of tongue and throat swelling following first Moderna vaccine. Patient already received epinephrine and Benadryl at clinic, is having improvement in her symptoms with only slight voice change now, no residual shortness of breath or visualizable swelling. Patient states she is feeling better. Patient was provided with Pepcid and corticosteroids, was observed in the department for greater than 4 hours. Patient had full resolution of her voice change. Recommended that she follow-up with her primary care doctor, likely should not receive a second Covid shot but she discussed this with them. Did discharge her on Medrol Dosepak. Also recommended to the patient that she carry her EpiPen's at all times.
1147562	3/30/2021	AZ	76	F	3/28/2021	3/29/2021	The next morning, severe headache, vomiting, chills, sweating, passed out hit my head and now have a black eye and cheek bone swallow. extremely tired, light headed nausea .
1147143	3/30/2021	OH	65	F	3/26/2021	3/29/2021	I am allergic to Food dyes, preservatives; Polysorbate and PEG. I came down with Bell's Palsy on the right hand side of my face. Went to Emergency Room for Steroids, Anti-viral medication, eye drops, eye tape.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1147126	3/30/2021	MS		F	3/18/2021	3/1/2021	severe body aches; headaches; running a temperature 101.8F; swelling in her bottom lip and eye area; wasn't feeling well after receiving the second dose; swelling in her bottom lip and eye area; This is a spontaneous case received from a contactable consumer. A 27-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection; Lot number: UNKNOWN), via an unspecified route of administration on 18 Mar 2021 as single dose for covid-19 immunisation. The patient medical history included fibromyalgia. The patient concomitant medications were not reported. The patient was wasn't feeling well after receiving the second dose of Pfizer's COVID vaccine on 18 Mar 2021. She is having severe body aches, headaches (head pressure), and is running a temperature 101.8F, and swelling in her bottom lip and eye area. She was taking children's strength acetaminophen chewable and has taken a few doses today. The outcome of events were unknown. Information on the lot/batch number has been requested.
1147076	3/30/2021	NJ	22	F	3/26/2021	3/26/2021	Adverse event occurred approximately 11-13 hours vaccination. Moderate chills, turned into approximately 100 degree fever (felt like the fever is breaking), sweating, became dizzy, vision was spotty, and then fainted. (Adverse event occurred after both doses. After receiving 1st dose (February 26) and 2nd dose (March 26).
1147177	3/30/2021	NY	34	F	3/16/2021	3/17/2021	Rash under and above both eyes. They are pink, swollen and peeling. The day after the vaccine, there was a pink ring under my eyes which faded the following day. However, it came back again but also had patches above my eyes as well. I thought it was starting to go away but I woke up today, 2 weeks since my vaccine and my eyes are the worse they've ever been. They are darker and more swollen than ever before and they itch so bad.
1147496	3/30/2021	OH	57	F	3/25/2021	3/25/2021	About 20 minutes after receiving the vaccination, my left side became numb, especially my face and head. And my left eye was watering.
1147655	3/30/2021	NY	58	F	3/3/2021	3/3/2021	hives around mouth and neck, swelling of left eye

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1146240	3/30/2021	NJ	54	M	3/28/2021	3/28/2021	Came home after the vax...all was well until a wave of overwhelming weariness came over me...i sat on the couch to close my eyes and slept 5 hours. Moved into bed around 8pm and slept til 4am on the 29th...was up for a matter of hours then slept for maybe 15 hours total...morning of the 30th i am feeling much better. This was not sleep...more like passing out.
1147060	3/30/2021	NY	30	F	1/14/2021	1/20/2021	1/14 vaccination About 5 days later, I noticed swelling on my eyes, mild. 6 days later, I woke up, my whole face was swollen. No other symptoms, just swelling of face to include lips, eyes, cheeks. I went to the ER that Thursday. Friday I saw the allergist via telehealth. Didn't know if due to vaccine. Benadryl was not helping. Dr. put me on oral steroids for 7 day taper. It cleared up the swelling.
1147600	3/30/2021	OH	56	F	3/16/2021	3/16/2021	The vaccine site was Community Center being done by Paramedics and Fire Fighters. I received the vaccine and sat down in the chairs to wait the required 15 minutes. Within 2-3 minutes my face got very hot. I could feel the heat under my mask. Another minute or two, just below my knees to my toes started tingling. Another two minutes or so, I felt like my eyes were swelling. I took my glasses off and looked at my husband and asked if my eyes are swelling, he said, they sure are and called over one of the paramedics that were there. They directed me to a more private are and put me on a monitor and monitored my vital signs. My blood pressure which is well controlled on my meds (which I did take that morning) climbed and climbed to 200s/100s. My chest was tight and uncomfortable and getting more difficult to breath. They put and O2 mask on and gave me Benadryl IM. By that time the squad was there and took me to the local hospital ER. In the squad my tongue started to swell. At the hospital they gave me Solumedrol IV which took care of it all. The swelling quickly went away in my tongue and face, the chest pressure went away, and all the other little annoyances like the tingling. The hospital did a chest x-ray and bloodwork. I went home after 3-4 hours with a prescription for Prednisone 50 mg daily for 5 days. No further reactions after that.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1147592	3/30/2021		29	M	3/29/2021	3/30/2021	Pt received moderna immunization yesterday (10:29 am), and called today (at about noon) to report side effects. He states he was fine yesterday, but this morning has noticed body aches (not unusual with an immunization) and also labored breathing, vision changes, and a rapid heartrate (which could be related to allergy). He states this has been going on intermittently this morning, and I recommended either getting in to his doctor, or discussing with a nurse. I did let him know that Benadryl may help as well. I called to notify his doctor.
1147570	3/30/2021	NY	54	F	3/28/2021	3/29/2021	Right side of face is red and small blisters formed. Right eye feels droopy and slight headache. Also red and swollen in left are where I received the injection.
1147555	3/30/2021	NJ	76	F	3/30/2021	3/30/2021	Patient received the first moderna vaccine. She was waiting the 15 minutes after the vaccine, at about 8 minutes I checked up on her again and asked if she was doing okay. her eyes were open but she was not responding. I ran over there and tried to get her to respond to my touch and voice. She was breathing but was non responsive. She also had incontinence and when she came to she stated that she was asleep. We called 911 at this time and the paramedics came and took all her vitals, all of which were within range. The paramedics came within 10 minutes and at this time she was already responsive. She kept stating she was just asleep and told us she does sometimes have incontinence and has to wear pads. She refused further medical care and I contacted her when she was at home, where she stated that she would rest up but overall feels fine.
1147539	3/30/2021	UT	56	F	2/25/2021	3/2/2021	Patient had swelling of her face five days after the vaccine and fluid accumulated under her eyes. This lasted for 3 days and she took Benadryl to make the symptoms bearable.
1147537	3/30/2021	CA	74	F	2/13/2021	2/13/2021	As soon as I got the 2 nd vaccine zi got sharp pain in my left eye and it turned all bloody. I was able to see. It took a full week for the eye to be back to normal
1147319	3/30/2021	TN	59	F	2/27/2021	3/1/2021	Ringin in ears, headache behind eyes, weak.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1147494	3/30/2021	KS	30	F	3/30/2021	3/30/2021	Patient called back about an hour later having blurred vision, followed up a couple hours after and was not longer having.
1147471	3/30/2021	FL	49	F	3/11/2021	3/11/2021	day 1; Soreness in injection site. Slight dizziness at 3:00pm; chills and headache at 8:00 with night sweats all night long. day 2; chills and headache all day. Right hip and back pain started at 5:00pm. Noticed bruise in injection site at about 4:00pm. day 3: nausea at 8:00am and 11:15 am; knee and back pain + fatigue started at 11:00 am. Left eye pain at 11:08. Chills all day. Symptoms resolved completely on day 4 at 3:00pm. Soreness in injection site with bruise lasted 8 days.
1147403	3/30/2021	OK	52	F	3/24/2021	3/27/2021	3/25 - Did not feel well, tired, eyes hurt 3/26 - Felt better during the day. Took a Benedril when I went to bed (10:00pm) 3/27 - 03:00am - woke up, couldn't swallow, throat on fire, got glass of water was able to take a few drinks. Looked at throat, tonsils and uvula very swollen almost one in back of throat. Felt like throat was closing. Kept drinking water and hot tea to try to keep swallowing. Was a little better in AM. 3/27 - 09:00AM - went to Urgent Care. Saw Nurse Practitioner. She did strep test which was negative and said no bacterial infection. Did nothing else. 3/27 - I took Benedril every 6 hours throughout day. Throat sore and red, but better. 3/28 - Throat better - still a little red and swollen 3/19 - felt fine.
1147374	3/30/2021	ME	62	F	3/29/2021	3/30/2021	I had my 2nd Pfizer vaccine at 8:15am yesterday....felt fine all day...toward the end of the day the right upper arm was sore, but had no other symptoms. I woke suddenly at 12:45am....the middle of the night....feeling ill....slightly nauseous and as if I needed to get to the bathroom and my chest hurt on the left side....immediately I felt that my hands and feet had no feeling....told my husband I needed some help....and lost consciousness. He said my eyes rolled back in my head and my throat made gurgling noises. He talked to me until I came to....according to him. Then we put a cold damp cloth of my neck and forehead. No fever or other symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1147373	3/30/2021	TX	56	F	3/25/2021	3/25/2021	rt eye irritation, infection that showed up as white spot on cornea...sensitive to sun, mouth and eyes swelling
1147371	3/30/2021	MA	71	F	3/19/2021	3/21/2021	Pt had acute vision loss on right ey
1147328	3/30/2021	AR	23	M	3/30/2021	3/30/2021	Pt recived first shot of Covid Vaccine at 10:17 around 5 mins after pt started feeling dizzy, Diaphoretic, blurred vision. pt fell from the chair in the observation area, pt was immediately transported to ER .
1147615	3/30/2021	IL	71	F	3/27/2021	3/28/2021	- Large swelling at injection site. 1-1/2 inches high, 4-5" long and wide within 12 hours -Swollen and black and blue eye lid that hung down over eye within 12 hours - Flushing and red patchiness on both arms and hands from shoulder through tip of fingers with 24 hour with above symptoms. They put me on a steroid -Severe flushing on face and eye lids 2 days injection and continuing now into day three after injection along with high blood pressure up to 203/114
1146204	3/30/2021	IL	70	F	2/10/2021	2/12/2021	Two days later got a spider like figure in eye and would not go away.
1146279	3/30/2021	NY	57	F	3/29/2021	3/29/2021	Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Mild, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Exhaustion / Lethargy-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Numbness (specify: facial area, extremities)-Mild, Additional Details: Lip numbness
1146353	3/30/2021	GA	51	F	3/2/2021	3/2/2021	I remained in vaccination site for 15 minutes. Upon leaving and walking to vehicle I felt itchiness and tingling in throat. Upon visual inspection there was a quarter inch red ring around throat. I did not experience any shortness of breath or chest pain or difficulty speaking. I drove down the street to Pharmacy and bought Benadryl and took 50mg PO. There were no further side effects other than a normal expected sore arm.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1146344	3/30/2021	FL	57	F	3/23/2021	3/24/2021	3/26-rash on body, puffy eyes 3/27-Pt has hives all over her body. She called her md on Friday and they were closing. She has been taking Benadryl. Getting worse. Recommend f/u with md. Urgent care or ed. She had her shot on Monday and noticed it and it has gotten worse. Recommend that you go in and be seen as the sx are worsening. 3/28-caller stated rash has not improved after taking benadryl. recommended zyrectec or claritin and to see her pcp for prescription meds if symptoms are not resolving. informed her to go to an ED if any swelling of the throat, difficulty breathing, etc. caller verbalized understanding.
1146333	3/30/2021	PA	75	F	3/26/2021	3/26/2021	After finishing her 15 minute monitoring period she was in car when her throat began to feel tight and eyes began to swell. Returned into clinic- administered epinephrine 0.3mg and diphenhydramine 50mg IM with symptom improvement, called 911, taken via ambulance to ER.
1146317	3/30/2021	MO	25	F	3/29/2021	3/29/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Nausea-Medium, Systemic: Visual Changes/Disturbances-Medium, Systemic: Vomiting-Medium, Additional Details: After receiving first dose of the Pfizer COVID-19 vaccine, the patient approached the pharmacy consultation window saying she was going to vomit. She did vomit and complained that she was lightheaded and her vision was blurry/it was difficult to see. We sat her down in a chair, gave her water, and had her rest. After checking on her multiple times over the course of 30 minutes, she stated she was starting to feel better. After the waiting period was over, she left with her husband.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1146288	3/30/2021	MI	82	F	3/24/2021	3/24/2021	Vaccine administered at 1816. Patient walked to the observation area and while in the observation area, got up to use the restroom. Patient exited the restroom and said she needed assistance. She indicated to the observation nurse that "this ain't good" or "this ain't right". Patient reported seeing spots and having chest pain. The time was approximately 1830. She was assisted to the floor. Help was summoned and 911 called at approximately 1834. Upon being lowered to the floor patient was breathing, she was not cyanotic, her eyes were open and she was not responsive. The patient had a pulse. Sometime after 1830, but before 1835, the patient was observed to have seizure like activity as bilateral
1146270	3/30/2021	MA	28	M	3/29/2021	3/29/2021	Systemic: Fainting / Unresponsive-Severe, Systemic: Seizure-Severe, Additional Details: Patient fell out of chair. Regain consciousness, fluttering eyes. Heart rate 35 , O2 was 98. Heart rate went up to 51 once paramedics arrived. O2 remained 95-98. Patient was brought to hospital by EMS.
1146392	3/30/2021	FL	31	F	3/25/2021	3/29/2021	On March 29, 2021, severe vertigo and fatigue began. I woke up at 7am feeling as if I was slammed with fatigue after about roughly seven hours of sleep. I stood up to walk my dog, and a simple chore like that felt undoable. Everything felt unbalanced and I felt and still feel as if I am weak and about to pass out doing simple things like even taking a shower. My left eye feels very heavy and my head just feels like it's swaying on a cruise ship.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1146219	3/30/2021	VT	41	F	3/24/2021	3/25/2021	1. First: Rash between breasts appears that evening. It is very very itchy and red. There are five raised hives which are white and dime-sized. They appear almost to have a pinhead sized pus in them. At the 36 hr mark, it remains the same in discomfort, but there are more hives and it has spread out by three inches across the chest and is halfway up to the neck. The rash does not improve or spread further and remains the same at the 4.5 day mark today. 2. Around day 1.5 or 2, a mucousy film fills throat making it necessary to constantly clear my throat in an almost violent way order to feel comfortable. It feels like there is lots of post nasal drip in my throat, however, I have completely clear sinuses. Sometimes this means coughing though I would not say I have a cough. 3. I need to use my inhaler in my car on Sunday, day 3.5 to breathe deeply. This is very unusual. I have shortness of breath and deep wheezing more than usual. 4. Day 3, I realize I am very very tired, which I had though was just because I have been busy, but with alight myalgias starting, now recognize that the fatigue is abnormal. I feel like if I let my eyes close at 3pm, which they feel like doing, I would fall asleep. This continues day 4. Ironically, I have trouble sleeping. ... 5. Day 4.5, Myalgias, see above. And skin also feels fender in spots. ... 6. Today started a general unease, day 4,. I had this with Covid. It is hard to explain. The feeling of just "bad" -- an experience I have only ever had with Covid. Like a dread mixed with a fear with a stomach bug. Maybe that helps. 7. Day 2 on -- Headache off and on. A tension headache. Could be from not getting enough sleep but it was persistent throughout the day yesterday and today.
1146424	3/30/2021	IN	66	F	3/26/2021	3/28/2021	Sunday afternoon had vision problems with my left eye. the left peripheral vision was wave like heat waves. for about 20 minuets. After that, it felt like a headache in the eye. Lasted the rest of the day. Monday to now if feels like the eye has been numbed or dilated.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1146198	3/30/2021	IL	22	M	3/29/2021	3/29/2021	Pt received the first of the two-series COVID vaccination at 1512. Once in observation area, pt became unresponsive shortly after sitting down. This provider was called over by staff to pt, which was noted to have become unresponsive while sitting in the chair. Pt remained in the chair, did not fall or injure self. Upon arrival to patient, he was noted to have severe diaphoresis, prominent pallor, with shallow, slow breathing, no cyanosis noted. His head initially fell back and head was aligned/adjusted to maintain an open airway. This provider was speaking to the pt and performed a sternal rub to elicit a response, pt remained unresponsive and with eyes closed. Pt remained in this state for approximately 10 seconds. Pt noted to suddenly have some muscular rigidity to arms and torso and in order to prevent injury upon possible onset of seizure activity, pt was lowered to the floor by this provider and RN . Once on the ground the pt was relaxed and opened his eyes. Pt was immediately verbally responsive and asked if he passed out. Pt was able to sit up and was assisted into the wheelchair. Pt moved to treatment area where vitals and blood glucose were obtained. (@1525 BG- 104 mg/dL, VS BP 116/72, HR bradycardic @51 bpm, O2 sat 95%). Patient responses/speech was clear and pt was oriented to self, place, time and situation. Pt stated that he felt nauseated upon sitting in the observation area and admitted that he only had a coffee today, nothing to eat all day and attributed this as the cause of his reaction. Pt verbalized that he would not respond to the hospital with the paramedics and was encouraged to at least call someone to take him to the hospital. This provider spoke with the patient's mother and explained the events. The patient's mother stated that the patient had febrile seizures when approximately 4 years old, associated with asthma exacerbations; but pt was evaluated with a neurologist and there were no abnormal findings. Pt admitted that he has a similar syncopal episode after washing a laceration and seeing his finger bleeding. Pt states this was a few years ago and witnessed by his father that told the patient he initially fainted and then became momentarily rigid before responding appropriately (similar to today's events). Ambulance - arrival @1536 report given and pt stated he was feeling better and declined further evaluation in truck and also declined transport to ED ( departed at 1545).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							Pt's overall condition, appearance, including color was much improved. Pt denied any allergies or medication history. Past medical hx of febrile seizures at approximately age three and four, childhood asthma and one syncopal episode as an adult. Pt girlfriend arrival and she agreed to drive patient from the vaccine clinic. Pt and girlfriend were both provided with an explanation of the many concerning causes of syncope and the necessity for further evaluation in the Emergency department to rule out any underlying conditions. Both patient and girlfriend verbalized understanding and although they still declined to respond to ED directly from the clinic, both did agree to respond to ED if any changes in mental status occurred. Pt lives alone, but agreed to stay with parents and family in order to have others watch him for any changes. Pt was advised to followup with PCP and made aware that an provider would contact him tomorrow to check on his status, understanding verbalized and agreed with plan of care. Pt in no acute distress, awake, alert and oriented. Color within normal limits for and departed facility with girlfriend at 15:56, steady gait noted. Patient's appointment for second dose was cancelled and will need to obtain clearance prior to second vaccine dose.
1146192	3/30/2021	CA	45	F	3/27/2021	3/29/2021	Pain in shoulder, neck and wrist. Swelling of face under eyes and cheeks. Swelling in hands and feet.
1146151	3/30/2021	CA	41	F	3/27/2021	3/27/2021	Swelling of lips, outer eye, took 25 mg Benadryl. BPs 140/90 (pulse 64); 122/70 (pulse 65).



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1145732	3/30/2021	OK		F	3/11/2021	3/11/2021	VISUAL AND AUDITORY HALLUCINATION (Audio and visual hallucinations, Hallucinations, mixed) BODY ACHES (General body pain, Pain) HEADACHES (Headache, Headache) This spontaneous report received from the patient and concerned a female of unspecified age The patient's weight, height, and medical history were not reported .The patient received covid-19 vaccine ad.26.cov2.s (suspension for injection, intramuscular, batch number: 1805018, and expiry: UNKNOWN) administered on 11-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 11-MAR-2021, the patient experienced visual and auditory hallucination, body ache. On 12-MAR, the patient experienced headaches. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from headaches, and body ache, and the outcome of visual and auditory hallucination was not reported. The reporter provided no causality assessment. Company causality between AD26.cov2.s and visual and auditory hallucination, body ache and headache and company causality was possible. This report was serious (Other Medically Important Condition).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1145711	3/30/2021	PA	40	F	2/26/2021	2/26/2021	Left Eye swelling; Severe Itching all over; Severe Headache; Stiff neck; This is a spontaneous report from a contactable consumer, the patient. A 40-year-old non-pregnant female patient she received her first dose of BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Lot Number: EN6198) via an unspecified route of administration in the left arm on 26Feb2021 at 16:30 (at the age of 40-years-old) as a single dose for COVID-19 immunization. Medical history included variable immune deficiency, asthma, and eosinophilic esophagitis (EOE). Allergies to medications included amoxicillin, erythromycin, clindamycin, ciprofloxacin (CIPRO), sulfamethoxazole/ trimethoprim (BACTRIM), and oxycodone/ paracetamol (PERCOCET). Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Concomitant medications were not reported. On 26Feb2021 at 17:15, the patient experienced left eye swelling, severe itching all over, severe headache, and stiff neck. The patient was not treated for left eye swelling, severe itching all over, severe headache, and stiff neck. The clinical outcome of left eye swelling, severe itching all over, severe headache, and stiff neck was not recovered.
1147668	3/30/2021	KS	30	F	3/26/2021	3/27/2021	7 am on 3/27 had fever, chills, muscle aches. Around 1 pm checked temperature at home, was 100.0. At 3 pm temperature was 102.4. On 3/28 started having blurry vision and pain in right eye. 3/29 continued to have right eye pain and loss of vision. Went to eye doctor appointment and eye symptoms was diagnosed as shingles infection in eye.
1146371	3/30/2021	WI	43	M	3/24/2021	3/27/2021	redness and swelling around both eyes. the swelling became visually evident 3 days after the vaccine was administered and has gotten progressively worse since then.
1146233	3/30/2021	TX	39	F	3/27/2021	3/27/2021	Within approximately 20 minutes of receiving shot, my eyelids began to swell (mildly) as well as my cheeks. I also immediately was overcome with fatigue and brain fog. This lasted approximately 45 minutes. I have no history of using facial fillers.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1146733	3/30/2021		31	F	3/16/2021	3/26/2021	Received vaccine on 3/16. Arm became incredibly sore/unusable for 2 days, followed by one day (3/18) of flu-like symptoms. I then started to experience occasional, mild tinnitus, which is still persisting. On 3/22 I woke up with significant pain in my armpit that extended from my left breast through my elbow. This pain is still persisting, though less severe. On 3/26 I experienced an extreme episode of vertigo, lasting about 30 minutes, followed by an hour of vomiting. I have never had vertigo before. I continued to experience dizziness and nausea for the next 48 hours, and I'm still experiencing issues with blurred vision. On the afternoon of 3/26, I had a televisit with a primary care physician to discuss the vertigo episode. She advised I take meclizine for the nausea and said she could not diagnose anything conclusively unless another episode occurs.
1147032	3/30/2021	VA	19	M	3/25/2021	3/28/2021	Pt reports generalized body aches, fatigue, fever 3/26, one day after receiving vaccine. Evaluated at ED 3/28, received Ketorolac and was discharged. While in parking lot, patient experienced blurring of vision, lightheadedness, nausea, SOB, and left-sided chest pain with return for re-evaluation. Pt treated for possible allergic reaction and concurrent EKG and blood work showed elevated troponin and transient ST elevation. Cardiology consulted and evaluated patient to have severe acute onset systolic heart failure, cardiogenic shock with pulmonary edema, Idiopathic fulminant myocarditis with myonecrosis, and hypoxic respiratory failure. Placed on furosemide, supplemental oxygen, and pending MRI.
1147015	3/30/2021	FL	73	F	3/11/2021	3/11/2021	tinnitus, weak fatigue, brain fog, eyes blur, NV and diarrhea at the start, arm sore and rash over a week

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1147010	3/30/2021	FL	54	F	3/13/2021	3/14/2021	Very high fever ranging from 102-106 for about 48 hours, followed by fever ranging from 99.5-102.5 for another 48 hours. Alternated Tylenol and Advil at appropriate max doses, placed iced towels on head and under armpits. Severe headache that could not be relieved for about 60 hours. Had to keep eyes closed a lot of the time. Chills and shivering during times of high fever Severe muscle and joint aches and sensitivity to touch Extreme fatigue These are the same exact side effects I had when I had covid the end of October 2020, but then I had these symptoms for 12 days versus 4 days. I had an appointment to receive the second dose on April 6 2021, but after consulting g with my healthcare provider, she recommended that I wait until June and test my antibody levels first, due to the severe side effects from when I had covid and the the first dose of the Vaccine.
1146977	3/30/2021	SC	48	F	2/2/2021	3/13/2021	Initial-arm soreness at injection site followed by lymph node in same arm swelling-duration 2 weeks. 2weeks after 1st dose tension headaches began moderate to severe, began menstrual cycle 2 weeks early along with other pms symptoms (fatigue, headaches, breast swollen and tender, fluid retention. Have continued on menstrual cycle for about 2 weeks, bleeding has lessened and headache still present. After 2nd dose, arm began slight swelling and tender, 2 hours after 2nd dose brief double vision, the night of 2nd dose fever, chills, body aches, nausea lasting 24 hours, now at 48 hour and slight chills, some body aches, no fever, arm tender, mild headache, extreme fatigue
1146972	3/30/2021	CA	38	F	2/11/2021	2/11/2021	Brain fog, severe headache, blurred vision, constant urination, fatigue , leg cramps, trouble breathing and irregular heart beat. that have lasted since day of vaccine. Still suffering from some symptoms

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1146970	3/30/2021	MO	64	F	3/29/2021	3/29/2021	at 142pm reports moderate dizziness, left arm numbness and headache. BP=125/82, P=96, o2 sat = 98% water and cookie given at 1;50pm BS=112, . reports that she hasn't' eaten since 0700and got tired out from standing in line. Denies left arm numbness. reports that the headache is gone, the dizziness is decreased and that she has bilateral le weakness. 205pmunsteady on feet, swaying back and forth and closing eyes when standing Instructed patient to try to keep her eyes open when she is standing. Reports moderate dizziness. At 230pm standing BP 139/86 p=96, T=98.2, 240pm remains unsteady on feet and states that her legs are weak bilaterally. reports that her left arm numbness has returned. Lives with handicapped son who is not able to help if needed. Instructed patient on the need to try to get a family member to drive her home. frequently seen holding her head in her hands. reiterated with the patient on the need to keep her eyes open when standing. reports that she has a hart time drinking any fluids. instructed patient on the need to push fluids and to discuss her dizzy spells with her MD, discharged to the care of her son.
1146960	3/30/2021	NY	32	F	3/25/2021	3/27/2021	Facial dermal fillers (Allergan Voluma and Volbella) in cheeks and under eye area performed in August 2020 (Voluma in cheeks) and December 2018 (Volbella in under eyes) became swollen and tender to touch the morning of 3/27/21 36-48 hours after receiving 2nd Pfizer Covid vaccine. I took Prednisone 20 mg, one dose of Xyzal, and Benadryl 50 mg and swelling stayed stable (did not worsen but did not improve much) and tenderness persistent over the day. There was no redness or sign of infection to the area and no other symptoms associated. The next morning, 3/28/21, tenderness resolved completely and very minimal swelling was present which resolved over the day. By 3/29/21 there was no sign of any swelling.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1145679	3/30/2021			U			<p>PROJECTILE BLEEDING FROM EYEBALLS; GRIZZLY SKELETONS PEER BACK; HEART MUSTERS A FAINT BEAT; SALIVA TASTES LIKE SOAPY PENNIES; FEELS LIKE SOMEONE WAS USING A DRILL BIT ON 3 SECTIONS OF THE SPINE.; VOMITED UP SPLEEN; SENDING MY MUSCLES INTO A VIOLENT SPAS; MY BONES FEEL LIKE A THOUSAND SMASHED BOTTLE SHARDS GRINDING AGAINST MY TISSUES, TEARING APART MY INARDS BEFORE LOCKING IN PLACE; TALCUM MERCURY COARSING THROUGH MY VEINS EVERY 2-3 SEC; This spontaneous report received from a patient via a company representative concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose,1 total, start therapy date were not reported for prophylactic vaccination. The batch number was not reported. The Company is unable to perform follow-up to request batch/lot numbers. No concomitant medications were reported. On an unspecified date, the subject experienced projectile bleeding from eyeballs, grizzly skeletons peer back, saliva tastes like soapy pennies, feels like someone was using a drill bit on 3 sections of the spine., vomited up spleen, heart musters a faint beat, sending my muscles into a violent spas, my bones feel like a thousand smashed bottle shards grinding against my tissues, tearing apart my inards before locking in place, and talcum mercury coarsing through my veins every 2-3 sec. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the projectile bleeding from eyeballs, saliva tastes like soapy pennies, feels like someone was using a drill bit on 3 sections of the spine., vomited up spleen, heart musters a faint beat, sending my muscles into a violent spas, grizzly skeletons peer back, my bones feel like a thousand smashed bottle shards grinding against my tissues, tearing apart my inards before locking in place and talcum mercury coarsing through my veins every 2-3 sec was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: 20210329150-covid-19 vaccine ad26.cov2.s-projectile bleeding from eyeballs, grizzly skeletons peer bac. This event(s) is considered unassessable. The event(s) has a</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).
1146742	3/30/2021	PA	67	M	3/12/2021	3/21/2021	I was very tired the night of 2nd vaccine, aside from that absolutely no side effects, hardly any arm pain, so all well. I actually felt great for about 9 days. Then on 3/22/21 I was suddenly awoken by an intense, and peculiar, bout of vertigo. I am familiar with vertigo from ear infections in the past (last one about 15 years ago and the one prior about 22 years ago). For me vertigo is a generally mild sensation that stays with me until it clears up. This was, and is, much different, it ebbs and increases during the day, if I concentrate on a physical task it sort of diminishes, then comes back, at times it goes away completely for an hour or two then comes back strong. At same time that this started my thoughts and mental acuity started to suffer kind of a "brain fog" is the best explanation I can give. I also have a slight headache at the back of my head wrapping around to the temples, I don't know if I can link the headache to the brain fog since my neck often gives me trouble. I have ruled out ear infection by purposefully spinning myself around to see if I would lose balance, did not affect my balance. I can also walk a relatively straight line of about 20' with my eyes closed without stumbling. It feels like a kind of vertigo, but much different than any I have experienced in past and much longer lasting.
1147036	3/30/2021	TX	34	F	3/29/2021	3/30/2021	Vaccine was given in my left arm and I woke up in the morning with blurred vision in left eye. Could not read text, except for when I closed the left eye. However, the symptoms resolved after 3 hours

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1146732	3/30/2021	CA	42	F	3/4/2021	3/4/2021	extreme pain in left side of neck with difficulty moving; fainted; dizziness; Extreme pain in left side of neck with difficulty moving; gout-like reaction in feet; arm pain; fatigue; weakness; body aches; left hand knuckles swelled turned red stiff and painful; left hand knuckles swelled turned red stiff and painful; left hand knuckles swelled turned red stiff and painful; headache; vision disturbances; shakiness; This is a spontaneous report from a contactable other health care professional (patient). A 42-year-old female patient (non-pregnant) received first dose BNT162B2 (Solution for injection, COVID 19, Pfizer, lot number: EN6198) via Intramuscular in Left arm on 04Mar2021 at 10: 45 at single dose for COVID-19 immunisation. Patient medical history included Gluten allergy. Concomitant medications included Phentermine, hydrochlorothiazide, ibuprofen. On 04Mar2021 at 16:00, patient had extreme pain in left side of neck with difficulty moving, gout-like reaction in feet, arm pain, fatigue, weakness, body aches, left hand knuckles swelled turned red stiff and painful, fainted, headache, vision disturbances, shakiness, dizziness. Adverse events was not resulted in Emergency room/department or urgent care. treatment was not given. No covid prior vaccination and no covid tested post vaccination. Outcome of events were not recovered.; Sender's Comments: Based on temporal association, the causal relationship between BNT162B2 and the serious event, syncope cannot be completely ruled out. The impact of this report on benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1146715	3/30/2021	WI	26	M	2/26/2021	3/1/2021	For BOTH initial (022621) and booster (032621) of Moderna, pt had moderate/severe eye reaction. Overnight about 3 days after first injection and 4 days after second injection. Initial injection: pt went to bed on the 3rd night after vaccine having taken no medications and noted mild eye irritation. He woke up a few hours later (~midnight) to severe eye watering and blurriness which required him to keep his eyes closed with mild sinus congestion. No difficulty breathing noted. Pt had trouble getting it to stop despite taking loratadine 10mg and rinsing eyes with water. Pt seriously considered going to ER due to risk of blindness. Pt eventually fell asleep a few hours later and woke up with very sensitive eyes (irritated, very red) that took about 36h to fully recover. Second injection: pt was on scheduled loratadine 10mg daily. Noted a similar eye irritation (this time four days after injection not three) when going to bed and took 50mg diphenhydramine (about 14h after loratadine dose). Woke up a few hours later to more minor but still debilitating eye watering with proportionally more sinus involvement. No difficulty breathing noted. Pt took an extended release pseudoephedrine, rinsed eyes with water and waited for it to resolve about an hour or two later. Pt awoke the next morning to much less sensitive eyes than first time. Note: due to first experience. From time of administration of second dose, pt was on scheduled naproxen (440mg loading dose followed by 220mg q12h), loratadine 10mg q24h, and pseudoephedrine (120mg ER q24h). Pt took these scheduled days 1-3 and at time of second eye episode was only on scheduled loratadine still. Pt also had 50mg diphenhydramine on hand in case of episode.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1146642	3/30/2021	RI	41	F	3/26/2021	3/26/2021	Driving home from the vaccine I had double vision and a feeling like I was going up and down in an elevator. The next day I had the sore arm, aches and headache as expected. Sunday, started with carpal tunnel pain that extended from my left shoulder through my fingers as well as some vision issues where my eyes sort of had double vision again but I couldn't blink it away for a minute. Monday morning I felt my right eye suddenly change vision where the one eye suddenly saw at a 45 degree angle. My husband said my eye looked ok but I could clearly see 2 of him and couldn't blink it away for a solid minute or so. Today my eyes are blurry and I'm dizzy. I reported this to my doctor yesterday to see if what was happening was vaccine related and she asked me to report it here.
1146609	3/30/2021	NY	55	M	2/10/2021	2/17/2021	Sudden onset at rest of blurry vision and tingling paresthesias of trunk and limbs bilaterally.
1146466	3/30/2021	NC	53	F	2/28/2021	3/8/2021	With the first vaccine, I had mild symptoms (sore arm, body aches, and headache. However, 8 days later, I had a large red welt on my arm at the vaccine site. It was warm to the touch and a little itchy. After several days, that was gone and I was left with a small black and blue mark which lasted for a few days. After that, I was fine. With the second vaccine, I was fine for several hours but about 6 hours after receiving the vaccine, I started getting a headache, had a site arm, and had body aches/pain across my shoulder, up my neck and down my spine. I woke up in the morning with a 102.3 fever, severe body aches, a headache, and burning eyes. My fever finally broke around 6pm. I woke up the next day with a mildly sore arm and mild body aches. Much better than the day before.
1146451	3/30/2021	OH	58	M	3/20/2021	3/22/2021	3/22/2021 Headache in the back of the head to base of skull. Still on going. 3/29/2021 Facial Droop, Can't shut left eye. Can't smile or puff out cheeks. Can't blink left eye. Top of tongue has a burnt feel. Reduced taste.
1146429	3/30/2021	CA	50	F	3/12/2021	3/12/2021	Facial numbing, itchy ears and eyes for approximately two hours after the shot.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1146947	3/30/2021	NC	69	M	3/25/2021	3/26/2021	In 2006 I had Graves Eye Disease. Have been in remission since treatment. The morning after my second Covid vaccination I started having blurred vision in left eye. Continues to today.
1148598	3/30/2021	MN		F	3/27/2021	3/27/2021	swollen right eye, vision was blurry, lost my voice and had difficulty swallowing: these started about 3 hours in burning/itching across face, neck, head and chest: 10 minutes after injection in the first hour: continued itching, dizziness, limbs were very heavy, dry heaves Benedryl 50 mg when swelling started, 25 mg Benedryl every 4 hours through Sunday 3/28
1148441	3/30/2021	NY	19	M	3/29/2021	3/30/2021	Puffy eyes and face, swollen, but no other symptoms. Vaccinated at 4:45 pm and had mild inflammation 3 hours later, woke up today at 1pm with eyes and face completely swollen
1148903	3/30/2021	FL	21	F	3/30/2021	3/30/2021	Pt complained of itchy eyes with redness on her face. She then started complaining of tightness in her chest and trouble swallowing. We called 911 and rescue came to check her. Upon arrival her BP was elevated and she was lightheaded so they took her to hospital.
1148888	3/30/2021	CA	54	M	3/28/2021	3/28/2021	Pins and needles pain everywhere, even my eyelids
1148847	3/30/2021	WA	28	F	3/1/2021	3/1/2021	Blindness in right eye for several hours after the 1st dose of moderna
1148846	3/30/2021		34	M	3/30/2021	3/30/2021	2200 on 30 MAR 2021 pt had shooting px from injection site to bottom of L foot. Px dissipated around 0200 with oncoming headache pt treated w/ tylenol relieving the headache till 0700. Pt feels fatigue & felt like his blood was on fire ongoing. Eyes started burning @ 2200 and has continued burning. Pt checked Temp. @ home with 101F. In clinic Pt Temp:98.9F BP: 152/95 HR: 120 SPO2: 99%. Pt will be given Ibuprofen and told to rest at home & to return with worsening symptoms.
1148843	3/30/2021	WA	64	F	1/8/2021	1/9/2021	I threw up at 4am and I had chills. my body hurt all over and I couldnt keep any balance. I had extreme fatigue. on the third day my vision started getting blurry. I also had a very bad headache

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1148834	3/30/2021	MN	28	F	3/30/2021	3/30/2021	PT reported feeling normal immediately after vaccine was administered. According to PT, they began feeling extremely lightheaded approximately 5 minutes post-injection. Approximately 8 minutes post-injection, I observed the patient rise from her seat and begin to stumble towards me. The patient was exceptionally pale, and reported to me that she was feeling light headed. I promptly directed the patient to sit down, but before she was able to reach a chair, she collapsed entirely. She fully regained consciousness within a few seconds and was alert to presence, place, and time. PT was able to seat herself at this point. Her blood pressure registered 82/51 mmHg immediately after the episode. PT was visually slowed and confused, but was otherwise fully present. PT was given water and allowed to recover in a seated position. Blood pressure registered at 117/71 mmHg 15 minutes later, and PT reported feeling much better. PT was visually much more alert and cognitively present. After 15 minutes of no change in condition, patient was allowed to leave facility with the accompaniment of her mother. No epinephrine or antihistamines were administered.
1149056	3/30/2021	WA	48	F	3/30/2021	3/30/2021	Wave of what felt like adrenaline. Shaky, dizzy, head pulling to the left and tears coming from eyes (but not crying)
1148809	3/30/2021	WA	56	F	3/29/2021	3/29/2021	20 minutes after vaccine was driving home and noticed face feeling flush. Then itching, tingling on lips eyelids and cheeks along with mild chest tightness. My husband observed that my face was visibly flushed. We drove to Hospital and parked outside the emergency room in case it got worse. I took 20 mg hydrocortisone that I have as an emergency medication for my adrenal insufficiency. We waited until one hour after I'd been vaccinated and agreed my face was less red, the itching had also decreased and decided it was safe to go home. This is the same reaction I have if I eat shrimp, my perception is that it was a mild allergic reaction.
1149060	3/30/2021	IA	55	F	3/25/2021	3/29/2021	Low fever, bad headache, nausea, fatigue, sore eyes

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1148572	3/30/2021	TX	59	F	1/12/2021	1/13/2021	The day after vaccination I felt lousy and the next day, I felt worse on the following day. On day two the doctor gave me antibiotics. On the Third day I also felt some paralysis on the right side of my face. I felt terrible I had the worst headache, body aches and I had a tingling in my head and on the side of my face and I couldn't close my eye. My right ear was swollen and painful. I went to see my doctor and he diagnosed me with shingles specifically Ramsay-Hunt Syndrome with Bells Palsy. As a result of my condition I had to take four weeks of medical leave. I was very fatigued that I was stuck in bed for two weeks. I felt a little better after four weeks my energy level was still very low. I still have residual dizziness. I am working three quarters of my work schedule after eleven weeks. I still have a lot of the paralysis and I can't blink my eye I have to tape it shut. I have trouble eating and My right ear swelling is reduced but it is still itchy. My doctor prescribed Acyclovir for one week and now I am taking Famciclovir. I do not have as much pain as I did.
1148559	3/30/2021	NJ	90	F	2/23/2021	2/27/2021	Within a couple days of second shot, legs became very weak, one was swollen and the other was atrophied. She can barely walk as a result. Can't keep eyes open, can't smile and trouble speaking. Back pain and all over pain.
1148557	3/30/2021	CA	25	F	3/30/2021	3/30/2021	tunnel vision, felt like passing out, diaphoretic, brought to obs, given water, felt better and sent home. VSS

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1148544	3/30/2021	AZ	24	M	3/28/2021	3/29/2021	got up about 5:15AM to use the restroom, parents heard a huge crash and we came running - he had collapsed and fainted in the bathroom, against the toilet, (with shelves and glass crashing down him - he grabbed the shelves and had a few cuts and bruises), was unresponsive, no color in his face, could not stand or move, could barely speak - slumped against the toilet. Parents called 911 and tried to get him to respond, he was listless but opened his eyes - we lifted him and moved him to recliner in living room. Fire Dept./EMT's arrived within a few minutes, blood pressure was 87/43, glucose was normal. EMT's determined it was a reaction to the vaccine and asked if he wanted an ambulance or if parents should drive him for further care - he opted for us to drive him (his Mom called the Dr. on staff first - Dr. said it was a reaction to the vaccine and he should not get a 2nd dose). Patient's Dad took him to Urgent Care - they ran an EKG (normal), and stayed there until his blood pressure showed (although still low) normal/acceptable again. I looked at the CDC website for covid anaphylaxis and it appears it was an allergic reaction (cardiovascular), on the site, he had these symptoms: "Cardiovascular: fainting; hypotension (abnormally low blood pressure); pallor. ... Symptoms of anaphylaxis often occur within 15-30 minutes of vaccination, though it can sometimes take several hours for symptoms to appear.~~
1148534	3/30/2021	PA	60	M	3/25/2021	3/29/2021	Severe hives outbreak all over the body 4 days after second dose of Pfizer vaccine. Hives started in groin and armpit then expanded to forearms, knees, neck, eyes, hips, back, tailbone area, head, and was severe in the hands and wrists. Also -- The evening and through the night after the second dose (given at 8:35 AM) side effects included headache, chills, fever, muscle aches.
1148533	3/30/2021	MD	29	F	3/30/2021	3/30/2021	DURING THE 20 MINUTE WAIT AFTER THE VACCINE, PATIENT REPORTED A TIGHTNESS IN HER CHEST AND WAS HAVING DIFFICULTY BREATHING. WE CALLED 911 AND HAD THE PARAMEDICS CAME OUT. WE KEPT OUR EYES ON HER BUT DID NOT ADMINISTER ANY MEDICATIONS AS SHE WAS TALKING TO US AND STILL ABLE TO BREATH ON HER OWN. PARAMEDICS TOOK HER TO THE HOSPITAL FOR OBSERVATION.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1148497	3/30/2021		63	M	3/30/2021	3/30/2021	Patient reported pain in center of black and vision blurry approximately 10 -15 min. Patient with poor color and sweaty. Patient Pulse OX 77% , HR 50. 1555 - Epinephrine 0.3mg administered IM left thigh. Oxygen (full face mask) applied at 15L. Patient pulse ox 98%. Patient report still feeling poorly. 1402 - Benadryl 100 mg IM Right Deltoid administered. 1406 - B/P - 125/82 Pulse Ox 98% HR - 56. Oxygen slowly decreased to 5 L. EMS transported to ER
1148812	3/30/2021	CA	44	F	3/30/2021	3/30/2021	Pt states her throat and eyes feel itchy, Pt taken to traige 1. 126/81 HR 108, 02 97% RA. 3:30 pt developed blanching rash on chest and left side of neck going under chin. Pt refused Benadryl stating it makes her tired and she has an hour drive home. She received in ER when allergy to unknown antibiotic and went to sleep. pt accepted Zyrtec 15:55: pt states she feels better. Agrees to go to ED if worsens. understands to not take 2nd dose of Pfizer until discussed with PCP.
1149131	3/30/2021	ID	60	F	3/26/2021	3/26/2021	extreme pain 1-10 = 15, hours of tears. Entire body experienced shaking, felt like my body was injected with poison. I was nauseous for over 36 hours, along with above pain and shaking. Headache, blurring vision also present. HOME TREATMENT: Alka Seltzer PM at 2 am calmed me until 5 am. At 8 am another Alka Seltzer pm - this only help with the need to vomit and I could nap for 15 mins or so before the pain just became too much. 2 pm 2 Bayer Asprin...I could only sip water, tea and 4 teaspoons of soup. 8 pm 2 more Bayer Asprin and 2 more at 2 am. Around 6 am the feeling of being full of posion, aches and headache subsided and I was able to sleep. I slept until 5:30 pm that night solid. Today is Monday and I'm a bit tired but feel much better. The churning in my stomach still comes but not often - only once today. Eating normal, just small amount once a day no appetite. I live 45 minutes out of town with 3 feet of snow...had the weather and my location not been an issue I would have gone to the ER...had I received no relief from the OTC I would have gone to hospital.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1146346	3/30/2021	PA	50	F	3/23/2021	3/23/2021	It started with chills then my body got completely stiff and sore I had to get help to the bed when I got in the bed I was there for four days during that. I had extreme body pain from the feet to the top of the head my eyes hurt I started sweating about three days in to the point where I mean my mattress was soaking wet my sweat smelled horrible I started having Hallucinations about two times seeing things that were not there my vision was very very cloudy and blurry I can hardly speak I have cramps in my feet on the fifth day I woke up yeah my body didn't hurts I was no longer sweating but I had a headache. I also did not eat anything and could not eat anything for all those days it wasn't until six days later that I was able to move around And feel somewhat back to normal my vision is still cloudy



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1147679	3/30/2021	FL		F	1/27/2021	2/24/2021	<p>TIA with expressive aphasia; TIA with expressive aphasia; Blood pressure has been all over the place, getting as high as 160/90; Extreme light sensitivity and even closing her eyes in a dark room felt like a spot light was on her; Trouble sleeping; A Spontaneous report was received from a Consumer concerning for herself, a female patient of an unspecified age who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced transient ischemic attack (TIA) with expressive aphasia/Transient ischaemic attack, transient ischemic attack (TIA) with expressive aphasia/Transient ischaemic attack/aphasia, blood pressure has been all over the place, getting as high as 160/90/blood pressure increased, extreme light sensitivity and even closing her eyes in a dark room felt like a spotlight was on her/ Photophobia and trouble sleeping/Insomnia. The patient's medical history was not provided. Concomitant product use was not provided by the reporter. On 27Jan2021, prior to the onset of events, the patient received their first of two planned doses of mRNA-1273 (batch number: unknown) via Intramuscular route for COVID-19 infection prophylaxis. On 24Feb2021, prior to the onset of events, the patient received their second of two planned doses of mRNA-1273 (batch number: unknown) via Intramuscular route for COVID-19 infection prophylaxis. On 24Feb2021, 30 minutes after receiving the vaccine, patient started speaking and gibberish came out. The patient stated that she could not form words. The patient's physician diagnosed it as transient ischemic attack (TIA) with expressive aphasia. The patient had extreme light sensitivity and even closing her eyes in dark room felt like a spotlight was on her therefore, she had trouble sleeping. The patient also stated that her blood pressure had been all over the place, getting up to 160/ 90. The patient was treated with Excedrin (aspirin/paracetamol/cafeine). The seriousness criteria for the event transient ischemic attack (TIA) with expressive aphasia was medically significant. The patient received both scheduled doses of mRNA-1273 prior to the events; therefore, action taken with the drug in response to the events is not applicable. The outcome of the events, transient ischemic attack (TIA) with expressive aphasia, blood pressure has been all over the place, getting as high as 160/90, extreme light sensitivity and even closing her eyes in a dark room felt like a</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							spotlight was on her and trouble sleeping were unknown.; Reporter's Comments: Very limited information regarding these events has been provided at this time. Further details regarding the subject's medical history, investigations and treatment is necessary for assessment. Further information has been requested.
1149276	3/30/2021	HI	24	M	3/10/2021	3/10/2021	immediately started to perspire after the shot. then had behavioral change. usually well behaved at baseline on his medications, but he started acting strangely and even tried to strangle his mother. she notes that his eyes were angry and looked like he wanted to kill her.
1149257	3/30/2021	TX	42	F	3/27/2021	3/27/2021	Blurred vision, sensitivity to light, migraine headache 10 minutes after injection, heart palpitations within 4 hours of injection. Headache and heart palpitations still present now.
1149237	3/30/2021	MO	51	F	3/14/2021	3/14/2021	Extremely lethargic in early evening and for 3 days. Headache 3/14, 3/15, 3/16. Nausea 3/15, 3/16, 3/17. Eyes irritated, red and mild burning 3/17 to present. Wheezing 3/14 to present. Mild cough 3/16 to present. Mild rash on torso from waist to face 3/20 to present.
1149226	3/30/2021	CA	66	F	2/10/2021	2/18/2021	Blurred vision on 2/23/21 blood sugar level 366 High blood sugar on 2/18/21 went up to 335 High blood sugar on 3/02/21 went up to 366 High blood sugar on 3/08/21 went up to 455. Emergency visit to Hospital with tremors Treated with insulin and went back home with 280 sugar level. High blood sugar on 3/10/21 at 345 level. visited doctor High blood sugar on 3/15/21 at 198 level. visited doctor High blood sugar on 3/21/21 at 153 level. Blurred vision High blood sugar on 3/22/21 at 159 level. Blurred vision . Visited eye doctor Right now sugar level went down to 131. Have future doctors' visits

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1149225	3/30/2021	CA	49	F	3/18/2021	3/18/2021	At 10 minutes, tongue irritation. At 25 minutes, hives on palm of hand which resolved after 10 minutes. At 90 minutes, drop in blood pressure, dizziness, weakness, severe stomach cramps, nausea, vomiting, diarrhea, tightness in chest and head. Took Benadryl, Albuterol and Pepcid. One hour later, 103 fever, severe pain in all joints. Stayed on Benadryl for 24 hours. Once Benadryl was stopped, developed hives all over chest, various spots on arms and stomach, continued dizziness, swollen lymph node in arm pit. Eyes were swollen and itchy. and red. Resumed Benadryl x5 days, every time Benadryl stopped, hives resumed. . Periodic hives still surface as of this date but mostly improved. My MD suggested I report event.
1148942	3/30/2021	KS	57	M	3/30/2021	3/30/2021	Vision became blurred. Not able to read for about 45 minutes. Took 50mg of Benadryl and after 15 minutes the blurriness went away. Informed my doctor and they advised to continue taking 50mg of benadryl ever 4 hours for the next 24 hours.
1149172	3/30/2021	TX	37	F	3/26/2021	3/26/2021	Several minute after getting vaccine: -Temporary loss of vision, throat swelling, difficulty breathing,= duration 5-10 min. (Unsure) -drop in blood pressure and pulse. Duration 30 min (unsure, doc was monitoring) -sporadic numbness throughout body including back of head. Duration: 1 hour and then tapered off, but total of several hours. Some sporadic vision issues occurred after the initial burst over the course of an hour as well.
1149235	3/30/2021	NY	46	M	3/25/2021	3/26/2021	Extreme fatigue Nausea Problems with balance, walking Dizziness Blurry vision Slurred speech
1149107	3/30/2021	NY	51	F	3/20/2021	3/21/2021	The day after I received my second dose of Pfizer, I woke up with a swollen face that lasted for 2 days. My eyes, nose, cheek and lips were swollen. I also had, body aches, chill and a headache. I took Motrin, slept most of the day. The following day/day 2 most of the swelling was gone and my flu symptoms were gone. By day three all of the swelling was gone. I did not go to the doctor.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1149100	3/30/2021	IN	54	F	12/14/2020	12/25/2020	Noted haziness in left eye and floater 11 days after shot I wear prescription glasses and I noticed a difference in terms of my vision both near and far. I ignored at first but it got worse. I was due for my annual Ophthalmologist eye exam in mid January and they did the visual exam That looks behind the eyes. it was noted that o had CEBTEAL RETINAL VEIN OCCLUSION . I was emergnetly referred to. a retinal Specialist that same day and he injected my eye with AVASTIN. after one month, another visual exam was done and marked improvement was noted but I still had hazy vision despite corrective lenses and lthat annoying floater seems to be permanent. I will see retinal Specialist again in 2 weeks.
1149096	3/30/2021	WA	49	F	3/29/2021	3/29/2021	40 mins after inoculation, my left arm and hand felt tingly like my arm went to sleep. Lasted for about an hour. Left arm sore at the injection. 4 hours after inoculation, eyes were extremely heavy, felt tired and had a slight headache.
1149091	3/30/2021	TX	45	M	3/25/2021	3/25/2021	Patient stated he experienced lost of taste on the same day that vaccine was administered. The next day, patient was fatigue. Stated speech was sluggish and was not able to consume food due to drooping of the left side of mouth. Also stated that he was not able to close the left eye. Patient was seen at emergency clinic on 3/27/2021. Stated that he was diagnosed with Bell's Palsy. Patient was prescribed steroids and was advised to follow up with primary care physician.
1149083	3/30/2021	VA	30	F	3/24/2021	3/30/2021	Swollen eye and eye lid. Took an Allegra and it appears to go have gone down a bit. Woke up with a swollen eye and it had some mucus. Looked to be pink eye.
1149082	3/30/2021	CT	23	F	3/24/2021	3/26/2021	It started when I woke up and my eyelids were severely swollen. Then throughout the day the swelling started to go down but then my neck began getting red. I then developed a light rash on my neck, chest, and arms. The only part that was slightly itching was my neck. I continued to take Benadryl and used cortisone cream on my neck. I woke up the next day with my eyelids being swollen again. Benadryl helped. The rash is going down and all I have left is a rash on my left wrist which developed on the 4th day after my vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1149066	3/30/2021	NC	31	M	3/30/2021	3/30/2021	Cold sweats, dizziness, nausea, almost fainted (hearing got muffled, vision was fuzzy) All in the first 5 min then about 15 min later another bout of cold sweats and nausea.
1149204	3/30/2021	FL	50	F	3/29/2021	3/29/2021	Headache, chest pain as pins and needles, shortness of breath, swollen throat, tongue, lymphatic nodes, difficulty to breath and to swallow, weakness, disoriented, pain in body, difficulty to urinate, dizziness, blurry vision, nausea, tachardia, pulse rate increase, blood pressure increase, fatigue, body and muscle pain.
1147874	3/30/2021	MO	61	F	3/10/2021	3/10/2021	pain / swollen area where injection given. joint pain in every joint in my body - never had this before vaccine. Facial muscle spasms; both eyes and left side of cheek area. Never had this before.
1147960	3/30/2021	OH	16	F	3/30/2021	3/30/2021	Felt dizzy about a minute after vaccine administration, patient described blurry vision and then she fainted and fell to the floor. Patient described no prior history of reactions to prior vaccinations. After about a minute she regained consciousness and was able to walk, talk, and function normally. Mom did intend to follow up with primary care doctor regarding the fainting episode.
1147955	3/30/2021	SC	50	M	3/29/2021	3/30/2021	headache, body ache, soreness, eyes hurt, respiratory limitations, chill and sweats
1147946	3/30/2021	TN	47	F	3/11/2021	3/18/2021	On 3/18/2021 at 7:00 pm I lost my vision in my right eye I went to the ER where they did blood test and Ct scan to my head and they send me to a different Medical Center because they don't have vision specialists. In the Medical Center they examine my vision and they recommended me to go to see Dr. at his office in the morning. Next day I went to the Dr. , he examined my eye and he told me there is a blood in my back eye and he recommend to see another Dr. I went immediately to the other Dr. and she diagnosed retinal vein occlusion and she gave me a shot in my eye
1147940	3/30/2021		21	F	3/29/2021	3/29/2021	Patient experienced low blood pressure and blurred vision. The patient recovered after 20 minutes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1147936	3/30/2021	SC	64	F	3/26/2021	3/27/2021	Mild discomfort at injection site on day of vaccine. Next morning every muscle, joint, bone and hair hurt. Extreme fatigue. Didn't want to keep eyes open. Proceeded to carry on with daily activities, but after 2.5 hours was so fatigued had to be taken home. Took Tylenol 1000 mg for pain relief. Woke up from sleep in about 2 hours because both thumbs and index fingers were in spasm/cramp like a fist and tingling started in right ring, middle and index fingers and left ring finger only. No loss of sensation or capillary refill. Placed wrist braces (for carpal tunnel) to hold fingers in correct position. No real relief, When removed, symptoms were worse. Tingling eventually spread to whole fingers and thumb pad area. Soaked in warm/hot bath for 20-30 min. Slowly noticed relief of tingling. After bath, went back to bed with hands propped on pillows. Slowly over the next hour the spasm/cramps resolved and as well as all tingling. Note: at no time was the ability to move or control all fingers and hands lost. After eating about 1 cup of food, was fatigued and went to sleep. The next morning fatigue remained, but not as bad. Ate 1/2 of a breakfast at 1030. Went immediately back to bed. Upon waking at 1400 it was noted that I must have sweated, but was never aware that there was a fever. at this time all symptoms were resolved. None have followed.
1147923	3/30/2021	IA	25	M	1/2/2021	3/10/2021	Adverse event started the morning of 3/10/21 around 08:00 am. Symptoms included headache, fatigue, brain fog, memory issues, feeling feverish, and itching on torso, arms, and legs . Symptoms seemed to improve over the next week or two before worsening again on 3/27/21 around 10:00 am. On the day of 3/27 /21 I experienced headaches, fatigue, brain fog, memory issues, muscle aches, diarrhea, and vision problems. Currently on 3/30/21 symptoms have improved but I am still experiencing dull headaches and brain fog, as well as itching on torso, arms and legs and some vision problems. I have not seen a provider for these issues but have an appointment scheduled for 3/31/21. Treatment includes ibuprofen as needed.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1147920	3/30/2021	AL	67	F	3/30/2021	3/30/2021	Received her first dose of Moderna Vaccine 3/30/2021. About 10 minutes post vaccination patient begin to feel dizzy, experienced blurred vision, and cold sweats. Temp 98.6 BP 108/68 Emergency medical response was called. Patient was given a bottle of water and replaced face mask with a face shield. I continued to monitor patient until EMS arrived. Second BP 128/98 About 20 minutes post vaccination patient stated she was no longer having sweats and vision was returning to normal. EMS arrived and triaged patient. Patient was able to stand and take a few steps. Patient decided she was OK to go home. I walked with patient and EMS to the car (her husband was driving). Patient seemed alert, aware and in good spirit.
1147974	3/30/2021	IL	63	F	3/30/2021	3/30/2021	Swelling and tingling to lips and around eyes
1147876	3/30/2021	IL	23	M	3/30/2021	3/30/2021	SOB 3 mins after vaccine Denies chest pain, nausea, swelling , rash, itchy eyes. Patient describes it as if he went for air. Patient given water. v/s 136/76, 72,98% o2 RA, Alert and oriented x4. Patient felt s/s resolve after given water. 126/75
1147795	3/30/2021	WV	30	M	3/30/2021	3/30/2021	Patient received vaccine and reported approximately 5 minutes later that he needed help. Within just a few seconds following him calling for help he was not able to talk and his eyes had rolled into the back of his head. His body was rigid but he did not lose consciousness. A technician called 911. He was sweating profusely so his jacket was removed and a cold rag applied to his head. He finally came to after approximately 1-2 minutes and reported that he was feeling very dizzy. His blood pressure was 118/80 and temperature was 98.5 degrees Fahrenheit. He was examined by an EMT, and they found a very similar blood pressure. Patient reported feeling much better and was fine to go home. Treatment occurred over a 15 minute window.
1147865	3/30/2021	MI	18	F	3/30/2021	3/30/2021	PATIENT FELT DIZZY. EYES CLOSED AND FELL FORWARD FROM HER CHAIR ONTO THE FLOOR. BP MEASURED AT 141/90. EMS WAS CALLED. THE PATIENT DID NOT WANT TO GO TO WITH THEM. EMS CLEARED HER AND THE PATIENT GOT A RIDE HOME

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1147802	3/30/2021	NY	65	F	3/29/2021	3/29/2021	Patient received Moderna vaccine at 11:36am and Sx's began at 7:30pm. Patient reports hives on face and neck as well as swollen lips and eyes. patient also reported erythema over body. She dosed herself with 50 mg diphenhydramine and sx resolved within a half hour. Patient also reports that she had shellfish one hour prior to sx.
1147797	3/30/2021	CA	29	F	3/14/2021	3/16/2021	Blurry left eye from approximately 7AM until 4 or 5PM. No treatment other than eye drops, which did not seem to help. Went away on its own.
1147766	3/30/2021	PA	69	F	2/24/2021	2/24/2021	patient report bloodpressure elevated to 200 immediately after dose and a burst blood vessel in her left eye
1147765	3/30/2021	IN	52	M	3/30/2021	3/30/2021	AFTER RECEIVING THE VACCINATION AND SITTING IN WAITING ROOM FOR 5 MINUTES, PERSON PASSED AND FELL FROM CHAIR, HITTING HIS HEAD ON THE FLOOR. HE WAS HELPED BACK TO HIS CHAIR BY NURSES AND PARAMEDICS, WHO THEN ASSESSED HIS CONDITION. HE STATED HE HAD NOT EATEN ALL DAY. NURSE WHO ASSISTED HIM STATED UN RESPONSIVE TO COMMANDED, DIAPHORETIC PROFUSELY, HOT, HAD VOIDED ON HIMSELF, AND WAS LSLIGHTLY MOANING. HE STATED "MY HANDS FEEL WEIRD," AND THAT HIS VISION WAS BLURRY. PARAMEDICS COMPLETED CHECK UP INCLUDING RUNNING AN EKG ON THE SPOT. PATIENT WAS TAKEN TO THE AMBULANCE ONSITE BUT REFUSED ADDITIONAL TREATMENT.
1147762	3/30/2021	NY	54	F	3/28/2021	3/29/2021	I woke up in the morning and I could not focus my eyes and I was dizzy and I felt like I was going to faint and it lasted for hours I went to the emergency room via ambulance and they gave me anti-vert and Di as a PM. today I still have a headache but no dizziness?



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1148437	3/30/2021	OR	55	F	3/26/2021	3/28/2021	Pt reports symptoms starting roughly 48 hours after administration. Pt states right sided facial abnormalities. Pt states she cannot wink the right eye but can shut the eye when she blinks normally with both eyes together. Pt also states right sided weakness and paralysis of mouth, says she has to drink out of the left side of her mouth only or else she spills on herself. Pt states this started on Sunday morning 03/28/21 and has progressively gotten worse every day since. I advised the pt that this could possibly be Bell's Palsy from the COVID vaccine that I gave her on 03/26/21. I told her to call her rheumatologist but she said she no longer has one. I advised the pt to call her primary care physician and they would be able to advise the best course of treatment.
1149238	3/30/2021	NC	69	F	3/20/2021	3/21/2021	Vertigo, loss of consciousness, vomiting, diarrhea, sweats, inability to control limbs to stand or walk, altered vision (white picasso slides),
1147878	3/30/2021	FL	57	F	3/12/2021	3/12/2021	Eyes dilated, blurring within 5 mins. of vaccine administration. 12:45pm 12:46pm End of 15 min med administration 12:55pm Patient report of feeling better-left site.
1148353	3/30/2021	TX	22	M	3/30/2021	3/30/2021	Per EMS, patient with history of T2 diabetes reporting nausea and blurred vision post second vaccine. He stated he had "swelling" of his hand (vaccine arm) and "felt funny" with the first vaccine but he did not declare that on his screening form today. BP 190/110, HR 95, blood glucose 292, RR 15 PSO2 99%. He did not take his blood sugar this AM, did not take metformin, and did not eat today. He was oriented to time and place, responses were one to two syllable words. Transport at patient's request.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1148436	3/30/2021	ND	23	F	3/26/2021	3/27/2021	Was sitting on couch, and became nauseous around 4:00 pm when significant other was making making. Ate food and nauseous feeling got more overwhelming. About 5 pm I vomited up all my food. I also started having very bad diarrhea. I puked again about 7 pm after eating a few crackers and drinking water. Then puked four more times between 8pm and 11pm with absolutely nothing in my stomach. I continued having bad diarrhea during this same time. I also got cold chills during this time too. I was intensely nauseous and couldn't keep my eyes open. I went to the Emergency room around 11pm and they gave me an IV with Saline and nauseous medicine. I went home around 1 am. On Sunday I proceeded to be slightly nauseous and have had a constant headache from Sunday and still have it today on Tuesday. But I am just starting to more solid foods. Had diarrhea until Monday afternoon. And haven't pooped since.
1148429	3/30/2021	MN	71	F	2/23/2021	3/14/2021	No reaction from first shot. Second shot was at 10_00 am on March 16. On or about March 14 I noticed vision loss in left eye, a spot. On March 17 I made an appointment to be seen on March 23 by optometrist. Was seen and he identified an inflamed optic nerve d rate tests. That night or by the following morning I had lost more vision, in a halo around the first blind spot. Doctors are still trying to determine origin of problem, not tumor and not disease.
1147979	3/30/2021	IL	27	F	3/16/2021	3/16/2021	I lost vision and became dizzy and lightheaded five minutes after shot. I returned to the clinic and sat down. My blood pressure was under 90/60 once I regained stability.
1148400	3/30/2021	NJ	69	F	1/7/2021	1/17/2021	Jan 17 blurriness in left eye... went for eye exam n the 21st, had emergency surgery Jan 22nd for a severely detached retina
1148319	3/30/2021	AL	31	M	3/30/2021	3/30/2021	Patient fell out of chair and was unresponsive about 10 minutes after vaccination. When able to talk complained of itching all over. EpiPen was administered. During fall landed directly on face resulting in laceration to nose and subconjunctival hematoma to left eye. Patient continued to be alert and responsive and itching resolved with EpiPen. He was transported by ambulance to Emergency Department.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1148306	3/30/2021	OK	66	F	3/30/2021	3/30/2021	Thirty minutes after the injection while driving home, my left eye got this weird sensation, maybe light pins and needles, it's hard to describe. Just the skin, not the eyeball. Lasted about 15 seconds. Two hours later my right ear started itching along with the right side of my throat. Lasted 30 minutes. The itching was mild compared to my old food allergies and penicillin reactions. No need for a Benadryl.
1148273	3/30/2021	NJ	32	F	3/9/2021	3/9/2021	I?ve had neurological problems since vaccination 3x weeks ago. I?m suffering from brain fog and dizziness. I have aura (blurred vision). I can feel the vaccine in my spine. I?m having skin sensitivities and muscle aches.
1148229	3/30/2021	OH	47	F	3/30/2021	3/30/2021	About 5-10 minutes after vaccination, patient reported dizziness and blurred vision. Patient then started feeling nauseous and sweating. Patient in and out of consciousness until squad arrived
1148221	3/30/2021	NC	49	F	3/5/2021	3/6/2021	She got the vaccine, had no reactions. On 3/6/21 she had blurred vision and being a little confused. On the 8th when he returned back from work and she took her blood sugar which was 579. So he rushed her immediately to urgent Care, they checked her blood sugar and there was no reading, and they sent her to Hospital. In the ER at the hospital it was 408. They gave her insulin, stabilized her and they told her to check with her doctor. She consulted with her physician the next day and they put her on Metformin, which did not bring the blood sugar down at all. On 3/10/21 he took her back to the ER again and they stabilized her again and did more testing to rule out any stroke or anything else, but also informed her that the vaccine pushed her over the pre-diabetic stage to being a diabetic. She went back to the doctor again who increased her Metformin on 3/16/21, and her levels are still not within acceptable range but better than 300-400, but are in the 200+ ranges. She is very dizzy, weak for the last 3 weeks and her vision is blurry as well, and she is not able to work as a nurse due to these reactions. She does have a doctors note that she can return to work tomorrow without restrictions. Her blood pressure was extremely high as well, and her physician increased her medicine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1148019	3/30/2021	CA	25	M	3/30/2021	3/30/2021	I administered the vaccine to Jake and he sat down. About two minutes later, he slumped in his chair. My manager rushed to catch him from falling and I assisted in steadying him. He was breathing erratically, excessively diaphoretic, and his muscles were twitching frequently. His eyes were dilated and he became unresponsive. Fearing a seizure, we lowered him to the floor and turned him on his side. He became responsive and coherent again approximately one minute later and was speaking to us normally. Paramedics arrived several minutes later and took over care. He was taken to the hospital due to abnormal vital signs.
1148186	3/30/2021	WI	30	M	3/29/2021	3/30/2021	Initial soreness at injection site in right arm, which largely faded within four hours of vaccination; Ongoing as of this writing since 11:30 a.m. on 03/30/2021: mild stomach nausea (started at 11:30 a.m. and still going at 02:00 p.m.; vague chest pain (feels mild and seems like what I would expect from anxiety or drinking too much caffeine-- of which I have not consumed), which started at about 01:15 p.m. and still going at 02:00 p.m.; a brief headache that lasted about 20 minutes from 01:00-01:20 p.m.; and a few times I had trouble mentally and visually focusing on my work (I do not mean my vision was blurry, just that I felt somewhat distracted). No treatment sought at this time.
1148050	3/30/2021	IN	55	F	3/27/2021	3/27/2021	A little over an hour after my shot I got extremely hot and started sweating for about an hour and a half. About four hours after the shot I got an extremely bad headache along with chills and very sore arm. Sometime shortly there after my neck on the left side felt sore and then my face on the left side felt sore. I had shooting pain in the right eye. The only thing that still hurts is my head and left side of my face.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1148079	3/30/2021	MO	45	F	3/29/2021	3/29/2021	PATIENT RECEIVED VACCINE AT 1410. PATIENT STATED THAT SHE FELT DIZZY. PATIENT BEGAN SLURRING HER WORDS AND HER EYES BEGAN FLUTTERING. WHILE NURSE WAS EVALUATING HER SYMPTOMS. EMS WAS CALLED AT 1420 AND PATIENT WAS TRANSFERRED TO HOSPITAL VIA AMBULANCE. RECEIVED A CALL FROM A FAMILY MEMBER TO REPORT THAT SHE WAS EVALUATED IN THE ER. THEY PERFORMED LABS AND A CT. ACCORDING TO THE FAMILY MEMBER, EVERYTHING CAME BACK NORMAL AND THAT SHE HAD A SEIZURE DUE TO HER EPILEPSY. PATIENT WAS RELEASED FROM THE ER TO HER HOME.
1148082	3/30/2021	OH	50	F	3/25/2021	3/28/2021	Severe headache with migraine symptoms - thumping pain, light sensitivity, nausea, diarrhea, loss of appetite, fatigue, sensation of swelling / tenderness around eyes. Treatment - rest, darkness, Equate brand headache relief - acetaminophen, aspirin, and caffeine. 2 tablets , twice over 12 hour duration.
1148092	3/30/2021		42	M	3/30/2021	3/30/2021	Very anxious before vaccine; BP at home 154/90. Felt like "punched in face"/foggy; lightheaded. BP 148/98; pulse 88; p ox 98%; gave water. Continued monitoring; after about 30 minutes, then noted chest "heaviness"; "sore throat"--no tightness, no vision changes. Rapid response evaluated; Patient refused ED; continued monitoring for 10-15. VSS; chest heaviness resolved. Accompanied to hospital entrance; had ride home.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1148013	3/30/2021	MI	68	F	3/24/2021	3/24/2021	<p>3/26/2021 Note Nursing Assessment: Patient called through Office line Reason for Call WHEEZING Onset: 2 days ago Occurrence: acute Anatomical Location : na Severity: moderate Symptoms: Patient concerned about having asthma exacerbation. Started with cough and wheezing 2 days ago. Cough is productive but has not visualized the sputum. No fever. Having intermittent chest achiness in center of chest also. No known covid exposure. Had 2nd covid vaccine 2 days ago and states that 2-3 hours after the vaccine she began to have a "wheezing attack" and then it has continued since. Currently able to talk in full sentences but wheezing and having some breathing difficulty. Has not used Albuterol since last night. Any treatment So Far: Pulmicort, Spriva, and Albuterol Response: Helps for a little bit</p> <p>3/26/2021 ED Visit CHIEF COMPLAINT: RESPIRATORY DISTRESS (began yesterday; says had 2nd covid vaccine weds and believes it "sparked my asthma"; hx of asthma/COPD. associated midsternal chest tightness) DIAGNOSIS at time of disposition: 1. COVID-19 ruled out 2. Bilateral pleural effusion 3. Acute cystitis without hematuria EKG NSR Chest x-ray showed no acute abnormalities showed stable mild cardiomegaly. CT results showed new small bilateral pleural effusions, right greater than left. Minimal bibasilar atelectasis mucus plugging. No airspace consolidation or PE noted. Patient reports that she was recently taken off her Lasix secondary to some weight loss and the fact that she had recently had surgery and oral intake was low. At this time, I do feel some of her symptoms may be related to fluid overload. Discharge 3/26/2021 3:59 PM 3/28 ED follow up. Pos urine cx. ABX started 3/29/2021 Called nurse triage. MODERATE difficulty breathing (e.g., speaks in phrases, SOB even at rest, pulse 100-120) of new onset or worse than normal. Told to go to ED. 3/29/2021 ED to hosp admission 28 hours. The encounter with the patient was in whole, or in part, for the following medical condition, which is the primary reason for home health care shortness of breath, anxiety, UTI, recent surgical intervention for bowel obstruction.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1148100	3/30/2021	NJ	34	F	3/17/2021	3/17/2021	Pain on arm where the vaccine was administered (immediate and ongoing after 11 days) Nausea, headache, tightness in chest, metallic taste in mouth (30 mins after vaccine until 5 hours after) Extreme tiredness, blurry vision, heavy eyelids (30 mins after vaccine and ongoing after 11 days) Cold Sores (3-5 days after vaccine) Warts on fingers (7 days after vaccine) Vaginal Vesicles (5-7 days after vaccine) Oral vesicles and irritated gums (9 days after vaccine and ongoing)
1148177	3/30/2021	TX	29	F	3/15/2021	3/23/2021	My first vaccine was on Monday March 15, 2020. 8 days later, on March 23rd, I woke up with a blotchy, raised, bumpy rash where the vaccine was administered. Through out the day, it got bigger and bigger, itchier and itchier. By nighttime, the blotchy-ness turned into 1 big red/pink rash about 3 by 4 inches. The next day, March 24th, it was even bigger. I started taking benadryl which helped a lot! On this day it stayed around the same, I did draw a pen mark around it and the rash grew a few more centimeters. The third day (March 25th), it was now the biggest it had been but the middle of the rash started to clear up. It looked like there was a red ring/oval around the rash. By Thursday night, the redness has started to clear up. Friday, March 26th, the rash was almost gone, but I had an itchy rash on my face. I am not certain this is a cause from the vaccine, or natural allergens in the air. I typically have allergies through out the year, but have not had a rash like this on my face before. It was very itchy on my forehead and around my eyes. All rashes are clear today (March 30th). My arm does not itch, I can barely see a red hue on my arm from the rash, but it is there. I took pictures of my arm, day by day, if that would be helpful to see.
1144054	3/29/2021	PA	61	F	3/28/2021	3/29/2021	PAIN THROUGHOUT BODY, ESPECIALLY EYES AND HEAD. NO ENERGY, DRY MOUTH
1143855	3/29/2021	KY	61	F	3/27/2021	3/28/2021	24 hours later I developed a "black eye" on the right eye. No swelling. No tenderness. Just a very dark purple black bruise appeared on right eye in the inner corner.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1144014	3/29/2021	OH	73	F	2/24/2021	2/25/2021	She received the Moderna COVID-19 vaccine and was seen in our office on 3/1/2021. It was administered in her right arm. She said later that day she had itching on her arm, tachycardia, short of breath with wheezing, felt like she could pass out, muscles felt like jelly. She had to use her husband's supplemental oxygen. Later that night she felt pressure behind her left eye as if it was ready to explode. She felt dizzy When she would try to walk, she would feel so weak that she felt like she could pass out. She then developed a feeling of pressure like an elephant sitting on her neck and her chest. It was hard for her to take a deep breath. Her pulse would sometimes go up to 114. She had headaches. She has felt like she cannot focus or concentrate. She has been using Benadryl 25mg every 4-6 hours since the reaction started. When she goes about 12 hours without the Benadryl she starts to feel short of breath and the chest heaviness again. She was given Depo-Medrol 80mg injection in the office that day. She will continue taking the Benadryl until she is no longer having a reaction.
1143984	3/29/2021	FL	54	F	3/27/2021	3/28/2021	it took about 24 hours for: oral ulcers /sores, stye in right eye, 3.5 above normal degree fever. It took 36 hours for: diarrhea
1143961	3/29/2021	IA	78	F	3/20/2021	3/21/2021	complaints of generalized weakness. Patient states she was sitting at home when she developed sudden weakness throughout her body. She states she walked to the bathroom and felt as though she was going to fall down. She reports feeling sweaty as if she was having a hot flash. She states her symptoms lasted approximately 45 minutes and resolved after arriving to the ER. She denies feeling dizzy, lightheaded, no visual disturbances, paresthesia or headache. She denies any chest pain or shortness of breath. No recent fever, cough or chills.
1143950	3/29/2021	AZ	59	F	3/28/2021	3/29/2021	Fever, chills, arm soreness, nausea, headache, eyes hurt, back pain, dizziness, feel bad



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1144039	3/29/2021	NY	54	F	3/25/2021	3/26/2021	Vaccine at 6:30pm on Thursday. Arm was very sore. Woke up at 7am, tired, arm still very sore. Took 2 tylenol, went to work, started to get a headache, on top of head, above my eyes. Took 2 more tylenol at about 1pm. Starting to feel worse, finally left work at 3:30pm. Went home, had fever about 100 or so. As the evening went on, I had 102 fever, extreme pains, more so on my legs (especially my bad knee felt even worse), the worse headache I think that I ever had. Even my breasts were sore. it hurt just to lay down. Took 2 more tylenol, felt the same. Woke up the next morning, less pains, but my bad knee still hurted more than usual, 100 fever, tired, headache much less. Basically, had to lay down all day. I had no energy. Arm still very sore. Sunday, felt much better, slightly more energy, arm still very sore. Monday, feeling much better, but my arm is still very sore.
1143946	3/29/2021	TX	59	F	3/12/2021	3/12/2021	Heat through body, Nausea, numbness in left hand, pressure in head, cognitive problems, pressure in head, memory problems, joint pain, right eye not focusing Have seen my primary, rheumatologist- received injection of steroid and put on oral steroids, chiropractor nerve stimulation, adjustment. Waiting to see a neurologist
1143841	3/29/2021	NC	34	M	3/20/2021	3/23/2021	Blurry vision to the point of not being able to focus on a singular item, sweating, and vomiting
1143862	3/29/2021	FL	72	F	3/3/2021	3/3/2021	She had a lower GI procedure done on 3/1/21, 2 days prior to the vaccine. A few hours after being discharged from the lower GI procedure her lower lip began to swell and get large and then fill with pus. She got the shot 2 days later, and started getting blisters all over her body with itching, and so forth. She finally went on 3/19/21 to get some sort of assistance for the reaction, went to UC as she did not have a doctor yet, and Dr. there. He prescribed Fexofenadine HCL 180 mg for the itch, then he gave her 14 tablets of Prednisone 10 mg tablets for the blistering. After depleting both scripts she has a worse situation that ever. The blistering is now in her eyes, ears, nose and the entire body. She is going to go back to the doctor or UC today.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1143845	3/29/2021	FL	50	M	3/24/2021	3/24/2021	-Sore arm: started about 2 hours after injection. By 18 hours after, it felt like I had a really bad bruise there. It was throbbing always, more painful to stretch the deltoid where the shot was given, and sharply painful if I used that muscle to lift my arm. This continued until about 30 hours when it started to reduce in intensity until being gone about 60 hours (2.5 days) after the shot. -General lethargy: started about 6-7 hours after shot. Peaked about 24 hours. Still able to get up and move around but very tired. Gone at about 43 hour mark. -Body aches: timeframes the same as lethargy. Felt at worst like a bad flu. - Headache and lightheadedness: Started about 2 hours after injection. Never got really bad, but was fairly consistently there until about 36 hour mark. - Burning eyes: started about 7 hours after shot, was annoying and lasted until about 33 hour mark. - Coughing: mild but distinct dry cough started about 18 hours after shot and lasted to about 30 hour mark.
1143843	3/29/2021	MI	52	F	3/24/2021	3/24/2021	~~Moderna COVID-19 Vaccine EUA", 8 hours after shot - muscle aches all over body and chills, 24 hours after shot through today - headache, eye pain when moving eyes, chills, cough, head congestion .
1144110	3/29/2021	OR	80	F	1/27/2021	1/30/2021	3 days after receiving 1st shot, I woke up as usual & after putting on coffee I returned to dressing room to put in my eye drops...a morning ritual, and as doing so I completely 'blacked out' & fell against the dressing room counter and floor. I have fainted before and this was nothing like that. I don't think I was 'out' long nut when I cam to I was on the floor afraid I had had a stroke or heart attack..ruling that out I slowly got up and after sitting for a minute, called my neighbor and then she called 91. I was taken to the emergency at Hospital where they ran all kinds of test
1144297	3/29/2021	IL	53	F	3/2/2021	3/3/2021	Extreme lethargy experienced after shot. Localized soreness went away within 2 days. But feeling of fatigue has lasted this entire month since and I go for Shot number 2 tomorrow. I'm scared of what it will do. I pretty much had to sleep 85% of the 2 weekends after injection. Left work early a couple of times as a result because I just could no longer keep my eyes open.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1143835	3/29/2021	CO	65	F	3/12/2021	3/28/2021	I became ill with flu-like symptoms 8 hours after receiving the second vaccination. I had a fever of 101.5, cold chills, body aches, headache, fatigue, and queasy stomach. These symptoms lasted for 48 hours. On March 28 I developed a very sore and swollen lymph gland near my left collarbone. Today is March 29, and the swollen lymph node is visible to the naked eye and is very sore to the touch.
1143820	3/29/2021	FL	58	F	3/24/2021	3/24/2021	Patient is spanish speaker only, 10 minutes post vaccination, lower lip became numb, eyelid and cheeks were swollen, syncope, dysphagia occurred. As of today, only has numbness in lower lip. Recommended for her to see provider right away. Patient says she does not have insurance. Recommended some income based clinics but call was disconnected, called back but no answer.
1143879	3/29/2021	NJ	58	F	3/23/2021	3/23/2021	Pfizer-BioNTech COVID-19 Vaccine EUA No reaction during 30 minutes of wait time after shot 1 hour after shot: blurry vision for about 30 minutes 3 hours after shot: itchiness on left side of neck and around hairline 4 hours after shot: minor outbreak of hives on left side of neck and in/around hairline, slight tingling of tongue. Treated with 2 TBSP of liquid children's Benadryl, no further outbreak of hives and tongue stopped tingling. Had slight scratchy throat for 2-3 days afterwards. No additional liquid Benadryl required.
1144294	3/29/2021	CT	30	F	3/24/2021	3/26/2021	chills, fever day after injections, The following day blurred vision occurred, couldn't see print on the computer screen. Went to eye doctor for treatment. diagnosed with Cystoid Macular Edema. treatment to go to specialist
1144377	3/29/2021	MA	73	F	3/25/2021	3/27/2021	left side of face at area of eyebrow swollen and sore 3/27.....then.....3/28 swollen red areas covering forehead and sore.....made appt with pcp 3/29/2021

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1143061	3/29/2021	NY	30	F	3/26/2021	3/27/2021	Started feeling sick when outside in the sun, then felt nauseaus and needed to sit down, then eyes started rolling to back of head, unable to lift body, alternating between hot and sweaty and cold and shivering while still outside but in shade at this point, face ashen, lips lacked color, unable to respond to partner when he asked if I needed to go to urgent care or 911. I kept saying i needed to go home, so he called an uber to my apartment. Nose was running, blurry vision, unable to walk alone when uber came to pick me and partner up. Kept seeing black and white stars when trying to cross the road to uber. Once I got home, I had watery stool in my underwear and had to stay on toilet for 30 minutes for watery stool to pass. Then kept alternating between feeling cold and hot while under blankets. Slept for 5 hours. Then felt fine. On Sunday, slept for about 15 hours - 18 hours. Throat kept hurting. Today, Monday, feel better but throat feels like there is a lump in it.
1143818	3/29/2021	NC	87	M	2/16/2021	2/25/2021	Pt is an 87 yo M, hypothyroid and peripheral neuropathy who presented to the ED with weakness. Pt reports that he was outside loading a trailer when he suddenly felt lightheaded and like he was going to pass out. Pt also enorses nausea, denies vision changes. Pt lowered himself to the ground and called his son to help him and take him to the hospital to be assessed. Pt reports that he frequently has episodes of lightheadedness in the mornings for the past 5 years, but they have been increasing in frequency and this episode was the worst he has ever had. On arrival to the ED he continues to have generalized weakness and is unable to sit up and feels unsteady on his feet.
1144364	3/29/2021	NJ	36	F	3/2/2021	3/8/2021	pt stated after getting vax she had 3 days of tenderness on the left arm. Ten days later she developed a large red rash w/ hives from her injection site down the entire left arm. The injection site is has a knot the size of a golf ball. Pt saw PCP and was told to take Zyrtec and to keep an eye on it. After taking Zyrtec for 2 days her symptoms were better.
1144359	3/29/2021	TX	58	F	3/26/2021	3/28/2021	I woke up with a red bloody eye., in my right eye. Looks like a blood vessel busted while I was sleeping.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1144337	3/29/2021	NC	64	M	3/22/2021	3/24/2021	Monday 3/22 and had real bad migraine left side headache and I can hardly see because my head hurts bad, the whole left side of my head hurts and the vaccine was given on the right side. My previous medical issues was Six nerve palsy where my left eye pointed to my nose, I had Bells Palsy in the past as well.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1144217	3/29/2021	KS	23	F	3/19/2021	3/19/2021	<p>Progress Notes (Nurse Practitioner) Cosigned by: MD at 3/23/2021 1:26 PM, Expand All Collapse All. COVID VACCINE CLINIC , 3/19/2021, Patient: Date: 3/19/2021, Patient 23 yr. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience anxiety. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality and rapid progression of symptoms. PMH: not significant. ALLERGY REVIEW OF SYSTEMS: Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, eyes watering, eyes itching, cough, chest tightness, shortness of breath, wheezing, rash, hives, itching of skin, vomiting, abdominal pain, muscle aches, joint pain, dizziness and headaches, Previous Reactions: none Objective, Vitals: 03/19/21 1355 03/19/21 1413, BP: 95/62, 92/63, Pulse 99, SpO2: 100%. Physical Exam Constitutional: General: She is not in acute distress, Appearance: Normal appearance. She is well-developed. She is not diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Gait: Gait normal. Psychiatric: Mood and Affect: Mood is anxious. Affect is flat. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. 1415:</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							attempt to stand patient up after she finished eating and drinking. She reports her legs feel weird and felt weak.+ dizziness/lightheadedness when standing. Pt sat back down and laid back in recliner, blanket given. Monitor at this time. 1422: pt bp rechecked with new bp cuff. Still in the 90's systolic. Pt feels okay. Pt sat up in recliner. Plan to recheck bp 1428: pt bp rechecked, still in the 90's systolic. Pt feels tired. No other new symptoms reported. Pt given another snack. 1440: pt reports feeling a little better. Repeat bp still in the 90s systolic. Pt able to stand up w/o dizziness. She was ambulated around the bay w/o assistance. States she feels as well as she did when she first got here. Assessment/Plan Treatment included: water, snacks and blanket, Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc. mental health) and Systemic reaction (hypoglycemia, hypotension, generalized rash) Decreased bp (questionable if this is her baseline), and anxiety. Pt w/o known Hx of what her bp normally runs. Monitored in bay. Improved with water, snack and time. Pt able to leave w carrying her instrument w/o issues and feels well. Walked out accompanied by RN.
1144311	3/29/2021	UT	61	M	2/17/2021	3/17/2021	Third nerve palsy Headache Double vision R eyelid drooping
1144128	3/29/2021	CT	63	F	3/27/2021	3/28/2021	bad headache, high fever, body ache, no energy, slept all day/night Now brain fog , blurred vision low energy
1144371	3/29/2021	OH	26	M	3/29/2021	3/29/2021	Tunnel visioning Limited hearing Sweating Paresthesia of hands Nausea
1144214	3/29/2021	LA	74	F	3/6/2021	3/7/2021	Chills, flu like symptoms. pounding headache, sore eyes, nausea lasting approximately 36 hours. Hydrated, bed rest and slept most of the time.
1144209	3/29/2021	NC	68	M	3/22/2021	3/22/2021	severe pain back of head near head and neck first 24 hours flashing in both eyes like aura migraine still ongoing. Cloudy vision left eye, still ongoing Fatigue, still ongoing

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1144171	3/29/2021	CO	32	F	3/24/2021	3/24/2021	<p>Patient was wheeled in on a rolling chair(no wheelchair available at time) from nurse that administered vaccine because of anxiety and a needle phobia that put the patient into a kind of shocked state. Patient was sweating profusely, white to the face, and not speaking very much but would answer questions correctly. EMT was speaking with the PT before walking away to continue other monitor duties when he turned back to see patient limp in chair, head back, eyes rolled back, and some twitching movements of the body. EMT called for rapid response because first thought of seizure and seizure like activity with the twitching movements. EMT got to patient, supported head up straight, and opened jaw to ensure airway was clear. Patient had no response to EMT trying to communicate. Sternum rub was performed where patient came back conscious nearly instantly. PT was unresponsive for roughly 10-15 seconds. Patient was told of what happened and vitals were taken on her, response team was cancelled with most them already on scene. PT was feeling better, sweating stopped, color to the face returned, and PT was speaking and understanding more clearly than before. PT was given a snack and water and was monitored by EMT for an additional 15mins before patient and staff were confident with her leaving.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1144168	3/29/2021	KS	34	M	3/18/2021	3/18/2021	<p>Subjective Patient is a 34 y.o. male who was seen at Vaccine Clinic today for his first dose of the COVID 19 vaccination. He was given the Pfizer vaccination in the left deltoid muscle. During his 15 minute waiting period after the injection, the patient began to experience difficulty breathing and throat tightness. He denied rash, hives, welts, difficulty swallowing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and he was then assessed in the emergency area. Monitored patient for severe reaction symptoms, including but not limited to abdominal pain, blood pressure abnormality, chest pain, collapse, drooling, hypotension, increased swelling, rapid progression of symptoms, respiratory distress, skin changes, tongue swelling and vomiting. Pt was given a water to drink and he reported the SOB was very mild and the water helped. He does have a history of childhood asthma but does not use an inhaler for years. ALLERGY REVIEW OF SYSTEMS: Patient complains of frequent throat clearing and shortness of breath. CONT negative Eyes negative Skin negative GI negative Musculo negative Neuro negative Previous Reactions: None Objective Vitals Vitals: 03/18/21 1052 03/18/21 1107 03/18/21 1114 BP: 133/86 119/80 129/82 Pulse: 50 53 (!) 49 SpO2: 100% 99% 99% Pt is a runner and states he runs a lower pulse. Physical Exam Constitutional: Appearance: He is well-developed. HENT: Head: Normocephalic and atraumatic. Right Ear: External ear normal. Left Ear: External ear normal. Nose: Nose normal. Eyes: Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Normal breath sounds. Musculoskeletal: General: Normal range of motion. Cervical back: Normal range of motion and neck supple. Skin: General: Skin is warm and dry. Capillary Refill: Capillary refill takes less than 2 seconds. Neurological: Mental Status: He is alert and oriented to person, place, and time. Assessment/Plan Treatment included: water Follow up response to treatment: excellent. Patient discharge: Stable to go</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							home and follow up with PCP. Differential Diagnosis: Local reaction (arm pain, bleeding/bruising, mechanical irritation, localized rash) Pt was dismissed at 11:15 to return to work. No symptoms at time of discharge. He was told to take an antihistamine before his next appointment.
1144138	3/29/2021	DC	40	F	3/20/2021	3/22/2021	starting nearly exactly 48 hours after vaccination: - fever: 99.5 - 101 (~48 hours) - chills (~48 hours) - night sweats (~96 hours) - fatigue (~7 days) - muscle aches (~7 days) - headache (~7 days) - bloodshot & swollen eyes & blurred vision (started 5 days after vaccine, got Rx for bacterial eye infection 9 days after vaccine)
1144336	3/29/2021	TX	21	F	3/29/2021	3/29/2021	Known patient to center here for covid vaccination present with father at 1030 Patient tolerated well vaccine and after waiting 30 minutes started to depart and states felt jittery at 1100. Patient resume in supine position with legs elevated. Patient states had not ate all day was going to lunch after appointment. Patient conversant and BP taken Right arm 132/78 at 1105 VS @ 1110 BP 165/99 100 02 sat and 92 HR. Ice paks applied. VS @ 1115 BP 148/96, 02 sat 99% 91 HR, Rep even 16 encourage deep breathing Patient drank juice x 2 , water and crackers without problems and felt better. Continue to monitor with Dr at bedside Patient HOB elevated in sitting position. Mother at bedside. Patient denies chest pain or difficulty breathing, denies throat swelling or itchy. noted eyelid tremors when shut. Discussion ensued on continued to monitor. Patient states feels better. BP 130/90 manual to right are. 149/101 Pulse 97, Resp 16 and even without problems at 1130. Patient amb in hall with assistance and tolerated well, no complaints. Patient escorted to car with out problems.
1142743	3/29/2021	VA	26	M	3/28/2021	3/28/2021	Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Severe, Systemic: Visual Changes/Disturbances-Medium, Systemic: Weakness-Medium, Additional Details: While sitting in waiting area after vaccine: client became weak, and walked towards assistance saying he did not feel well and could not see well. Responded yes to question about sensation in the lips, tounge or throat so 1 epipen was administered. He reported feeling better within 1-2 mnutes. He sat for observation for 30 more minutes and left asymptomatic.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1143289	3/29/2021	OH	38	F	1/15/2021	1/15/2021	I had shingles 3 to 4 weeks prior to receiving my vaccine. Within 2 to 3 hours after the vaccine, I felt a burning sensation on the left side of my forehead going up into my scalp and then the shingles rash appeared. I was put on antiviral medication. I also had to see an eye doctor because the shingles rash started to both my vision.
1143027	3/29/2021	MD	61	F	3/26/2021	3/29/2021	While she was in her 15 min wait period post injection she complained of palpitations. HR was 82 on Pulse ox and O2 sat was 97%. Listening to her heart with stethoscope she was regular at 82. That night she stated she had hearing and visual disturbances. Saturday morning March 27 2021 she had a severe headache and took tylenol and went back to bed. Sunday still with same complaints.
1142936	3/29/2021	TX	46	F	3/11/2021	3/12/2021	facial drooping/Bells Palsy; This is a spontaneous report from a contactable consumer (patient). A 46-year-old female patient (not pregnant) received dose number 1 of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number EN6206) via an unspecified route of administration, administered in the left arm, on 11Mar2021 08:15 AM at a single dose for COVID-19 immunisation. Medical history included diabetes, thyroid, and hernia. The patient had no known allergies. Concomitant medication(s) included metformin hydrochloride (METFORMIN ER); levothyroxine; and omeprazole. The patient had no other vaccine in four weeks. On 12Mar2021 at 2AM, the patient woke up and had facial drooping; went to the ER and was admitted for possible stroke. It was further clarified that it was not a stroke but she has Bell's palsy. The adverse event (AE) resulted in doctor or other healthcare professional office/clinic visit, emergency room/department or urgent care, and hospitalization (duration for 1 day, from 12Mar2021 to 13Mar2021). AE treatment included medicine, methylprednisolone, valacyclovir, eyedrop. The patient had no COVID prior to vaccination. The patient underwent lab tests which included COVID test type post vaccination (nasal swab, rapid test): negative on 12Mar2021 (COVID tested post vaccination). The outcome of the event was not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1142923	3/29/2021	NY	65	F	3/4/2021	3/4/2021	Dehydration, hospitalized/dehydrated; My fever broke on Monday; Cruel, incapacitating headache/have such a painful headache that I can't eat; Eye pain; Aversion to food/ can't eat; Constant watery diarrhea despite not much food/diarrhea I have so bad; Constant nausea; Utter and complete lassitude/ exhausted; Being in bed, low energy; Stomach upset; Cough; This is a spontaneous report from a contactable consumer (patient). A 65-year-old female consumer patient received her second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiry date were not reported), via an unspecified route of administration in the left arm on 04Mar2021 16:00 as a single dose for COVID-19 immunisation. Medical history included, in the 1990's, was diagnosed with systemic sclerosis (limited, used to be called CREST scleroderma), pretty severe Raynaud's syndrome, telangiectases, fatigue and sometimes joint aches. Patient was healthy despite this. Patient was not pregnant. The patient was not diagnosed with COVID prior vaccination. Concomitant medications in two weeks included amlodipine besylate, escitalopram oxalate (LEXAPRO), and clonazepam (KLONOPIN). The patient previously received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration in left arm on 11Feb2021 04:00 PM and felt unwell but went to work and was fine in 2 days. On 04Mar2021, it was very different, the patient began having symptoms within 4 hours after receiving vaccine at 9 o'clock that night. The patient stated "symptoms worsened and it is one week today and I am still sick. My fever broke on Monday. I still have cruel, incapacitating headache, eye pain, aversion to food (extremely weird for me), constant watery diarrhea despite not much food, constant nausea, utter and complete lassitude, dehydration (hospitalized, 2 liters of fluids), pain meds and anti-nausea meds. I have missed a week of work and this is a serious issue for many. I am OK but using precious sick time." Events resulted in doctor or other healthcare professional office/clinic visit and emergency room/department or urgent care. Patient stated "I missed whole week to work and I'm still sick. I have had so many different symptoms and some have gone away like my fever is gone but I have such a painful headache that I can't eat, nausea and constant diarrhea,

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

you get the idea. I'm not against the vaccine but I think it would be good if people like me, people that have had my experience know, I hope it's within the normal range, I still don't know I would love to talk to somebody and find out if what I am experiencing is in the normal range, but it's not, people saying they experience so far the kind of the level of being in bed, low energy, unable to eat, fever, headache, stomach upset, I didn't have a cold, I had respiratory, I had a cough that has cleared up. I was hospitalized yesterday with fluids to become hydrated. It's important for us, you know, I mean, I leave the work that not good, people need to be prepared, it should be sick time I think it's important there is a follow up, absolutely. I was very happy I got the vaccine but I am so sick and it's been a week today so, that's why I decided to call and I was in the hospital yesterday, getting fluids dehydrated and I was admitted (reason for hospitalization was not clarified). I wasn't admitted, I was in the hospital for the day on IV fluids, anti-nausea medication, pain medication also, 3 things they gave me in an IV. They sent me home but the diarrhea I have so bad, I'm exhausted, but I have to spent all my time in the toilet, I thought today might be, I might wake up it would be healing today but I'm still pretty sick." Outcome of fever and cough was recovered, and of remaining events was not recovered. The patient underwent COVID-19 virus test via nasal swab on 03Mar2021 with negative result. Information about lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1142922	3/29/2021	NY	51	M	12/29/2020	12/29/2020	Developed paresthesias in right arm, into axilla, nex and right side of face; burning irritation of right eye; This is a spontaneous report from a contactable nurse (the patient). A 51-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot#: EL0142), via an unspecified route of administration, in the right arm on 29Dec2020 at 15:00 PM (at the age of 51 years) as a single dose for COVID-19 immunization. Medical history included sciatica. There was no known allergies. There were no concomitant medications. The patient did not receive any other vaccines within four weeks prior to the vaccination. On 29Dec2020, within 4 hours of vaccination, the patient developed paresthesia's in right arm, into axilla, neck and right side of face, burning irritation of right eye. The patient was evaluated by neurologist. No treatment given. Symptoms resolved in 10 days. The clinical outcome of the events paresthesia's in right arm, into axilla, neck and right side of face, burning irritation of right eye was recovered on 08Jan2021. It was also reported that since the vaccination, the patient had not been tested for COVID-19.; Sender's Comments: Based on the current available information and the plausible drug-event temporal association, a possible contributory role of the suspect product BNT162B2 to the development of events cannot be excluded. The case will be reassessed if additional information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1142918	3/29/2021	TX		F	2/28/2021	2/28/2021	<p>It was a feeling of paralyzed type of thing/lip was drooping-eyelid; Feeling that went up to my neck, head, cheek, forehead around my eye; Feeling that went up to my neck; Right face looked funny; Whole right side did not look correct; Blood pressure has gone up\blood pressure was 215 over 90-something; Her right eyelid drooped; A spontaneous report was received from a consumer concerning a 71- years-old female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced a feeling that went back her head, cheek, forehead around her eye/ facial discomfort, feeling that went up to her neck/ musculoskeletal discomfort, It was a feeling of paralyzed type of thing/ facial paralysis, her right face looked funny/ feeling abnormal, lip was drooping/facial paralysis, right eyelid drooped/ eyelid irritation, whole right side did not look correct/ hemiplegia, her blood pressure had gone up/ Hypertension. The patient's medical history as provided by the reporter included hypertension. Concomitant medications reported included atenolol, chlortalidone. On 28 Feb 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (batch: 012A21A) intramuscularly in the right arm for prophylaxis of COVID-19 infection. On 28 Feb 2021, the patient experienced a feeling that went up her neck, head, cheek, forehead around her eye. It was a feeling of paralyzed type of thing. Her right face looked funny, lip was drooping, eyelids, whole right side did not look correct. The patient's blood pressure was 215. Treatment information provided included doctor gave her a little bit more unspecified medication. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the events, a feeling that went back her neck, head, cheek, forehead around her eye, It was a feeling of paralyzed type of thing, her right face looked funny, lip was drooping, right eyelid drooped were resolved. The outcome of events, whole right side did not look correct, her blood pressure had gone up were unknown. Follow-up received on 17 Mar 2021, outcome of events updated.; Reporter's Comments: Based on the current available information which shows a temporal association between the use of the mRNA-1273 and the reported events, a causal relationship with the events cannot be excluded. However, patient is hypertensive and the blood pressure recording was 215. which also</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							stands as a confounder and alternative etiology
1143291	3/29/2021	OK	18	F	3/21/2021	3/21/2021	Documentation per Dr. is as follows: "...mom and pt walked up to me to state she didn't feel well. pt slumped backward and was caught by me and placed in a chair. pt c/o tunnel vision and poor hearing. pt did not eat breakfast , was nervous about shot, and c/o pain with injection. she was nauseated and appeared pale. her outer sweatshirt was removed and she was given cold water. VSS. no prior h/o vaccine reaction. cold pack applied. pt's nausea persisted. 8 mg of zofran was administered after consulting with pt and mother. symptoms resolved except she began to feel tired (expected with zofran). monitored an additional 30 minutes without incident. mom will take her home and monitor her today...~~
1142748	3/29/2021	MO	52	F	3/19/2021	3/21/2021	Started with nausea at 1:30AM on 3/20/2021 and feeling unwell. At 10:00AM ON 3/21/2021 started having pain in/behind left ear. This continued up to the time when on 3/24/2021 at 6:45AM my left eye was blinking slower than the right eye and the left-side of my mouth showed signs of drooping. I was admitted to the ER for possible stroke due to symptoms I was having but test results showed Bell's Palsy. Treatment is acyclovir, ketorolac, prednisone and artificial tears ointment
1143296	3/29/2021	MD	54	F	3/28/2021	3/28/2021	Patient presented at 1436 with tightness in chest and pain above the L eye. Also reported "dots" in vision. MAE, PEARLLA, 0 CP, 0 SOB. drink was provided, patient declined snack. hx sensitivities to wheat and soy. environmental allergies. 0 DM-- B peripheral artery disease. 0 CVA. hx migraines but years ago. tightness and "dot" resolving after drink provided. initial vitals 96% SP02, HR 68, BP 192/97. symptoms had nearly resolved, feeling better. BP 175/90 and HR 86.
1142699	3/29/2021	TX	25	F	3/18/2021	3/25/2021	Petechiae on arms/legs, bruising on legs/arms/back, headache, fatigue, general feeling of malaise, joint pain on first day, yellowing eyes, dark urine



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1142670	3/29/2021	UT	35	F	3/25/2021	3/25/2021	About 9 hours after receiving my vaccine and feeling fine until that point, I became suddenly dizzy, nauseated, pale and clammy, and felt pressure in my head, my vision became tunnel-like, and I nearly fainted in the span of 1 minute. My spouse prevented my fall, helped me sit down and got me water. After about half an hour later I had recovered from almost fainting, but experienced moderate headache, nausea, muscle aches and fatigue for the following 48 hours.
1142666	3/29/2021	CA	51	M	12/20/2020	12/26/2020	ALOPECIA AREATA UNIVERSALIS: I have complete hair loss of my entire body. Head/ scalp, eyebrows, eye lashes, nose hairs, mustache, some armpits, chest hair, pubic/ groin hair, arm/ legs. 1. DEPRESSION/ sadness with no head/ scalp hair, eyebrows, eyelashes. Dramatic change of identity. I am BALD and my family/ friends/ patients think I have cancer b/c I have a CHEMO HEAD/ SCALP. 2. EYES/ NOSE/ THROAT irritation due to NOT having eyelashes or nose hairs. Watery eyes/ eye sensitivity due to dust/ environment, nasal congestion and irritation due to NO nose hairs. Time: 1st injection Dec 20, 2020 noticed some hair loss but after 2nd dose Jan 8, 2021 -> ALL HAIR GONE AFTER 1 WEEK. HAD PRIMARY CARE PHONE CALL JAN 27, 2021 TO REPORT W/ LABS (SEE BELOW) AND EARLIEST APPT WITH DERMATOLOGIST Feb 8, 2021: DX of alopecia areata universalis . TREATMENT AND STILL ON TREATMENT: 1. VITAMIN D2 1250 MCG WEEKLY, 2. 300 MG PREDNISONE PO EVERY 30 DAYS, ALLEGRA 120 MG DAILY, MINOXIDIL 5% TWICE DAILY
1142664	3/29/2021	IL	44	F	3/19/2021	3/20/2021	Symptom progression: Sudden onset of left trapezius tightening w/ radiation to left posterior neck. Progressed to sinus swelling, right eye pain w/ pressure & right anterior headache & nausea. Tachycardia, tachypnea, chest pressure & tightness, air hunger & angioedema. Treatment 03/30/2021: Epinephrine (Adrenalin) @ 0215 Famotidine (Pepcid) @ 0255 Loratadine (Claritin) @ 0255 Lorazepam (Ativan) @ 0220 Magnesium Oxide (Mag-Ox) @ 0540 Methylprednisolone sodium succinate (Solu-Medrol) @ 0210 Ondansetron (Zofran) @ 0210 Potassium Chloride (KLOR-Con) @ 0356

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1144391	3/29/2021	OR	38	M	12/29/2020	12/29/2020	Visual disturbances, flashes in left eye periphery (no impact on right eye), did not worsen after second dose, slow improvement over time but persisting.
1144722	3/29/2021	FL	41	F	3/12/2021	3/12/2021	Presented self with "H/A". no blurred vision or difficulty breathing. Stated she had just a "lil blurred vision". Also stated had not eaten since breakfast. Came directly to get vaccine after work. Husband driving car, advised if HA worsens, pull over and dial 911. Stated feel better. she thinks it was just nervousness. Allowed to leave observation area.
1142775	3/29/2021	NY	64	F	3/26/2021	3/26/2021	I seem to be getting a new addition every day. Day 1 sore arm and chills Day2 neuralgia - on right headache, jaw pain, numbness in eye and ear and face. Heavy,wheezines in right lung. A total of 6 Tylenol eased pain. Day 3. Tremors. Body feels as if it's vibrating inside. Ongoing

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1143479	3/29/2021	AZ	68	F	2/27/2021	3/9/2021	body ache from head to toe; chills; sore throat worsening; sore throat worsening; fever of 101.8F; dry cough; weakness; This is a spontaneous report from a contactable nurse reporting for herself. A 68-year-old female patient received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Lot number reported as "G or E N6202"), intramuscular in left arm on 27Feb2021 (age at vaccination 68-year-old) at 11.30 at single dose for COVID-19 immunization. She is due to take the second dose of the vaccine on 20Mar2021. Medical history included: she has history of AFIB but has been in regular rhythm and has not taken any medications since 3-4 years ago. Her blood pressure is so low and she was falling all the time, was dizzy and bumping into wall. The doctor said it was a good thing she is off. Her blood pressure is still 90's/60/s. She got shingles two shots and she got it last fall. Those were pretty awful. She had a lot of local tenderness, trouble lifting arm up and the next two days, she felt blah and had pain in clavicle and scapula on left side. That pain in the bone lasted about a week afterwards; diagnosed allergies, compromised immune status, respiratory illness, genetic /chromosomal abnormalities, endocrine abnormalities (including diabetes) and obesity, she has had low white cell all of her adult life (she has gone between 3.5 and 4.0). Family medical history: Cardiac history. Concomitant medication included: eye vitamins and that kind of stuff. She did not take Tylenol or aspirin two days prior. On 09Mar2021, 11 days after getting the first dose of the vaccine, she had symptoms namely sore throat, chills, body ache from head to toe, dry cough, fever and weakness. She said that it lasted for 36 hours. She felt so crappy on 09Mar she did not take her temperature. She did not take it until 10Mar2021 when it reached a maximum of 101.8 degrees. Patient said she now feels pretty good except she has no energy at times. She wondered if she had COVID, so she got a test on 10Mar2021 and it was negative. Patient reported that she actually had a sore throat for about a year. That may not have been started with the vaccine, but it may have been exacerbated. She thinks she may have Reflux. She made an appointment with her gastroenterologist. She said her throat was red when she went to Urgent care to get the COVID test. She has had a dry cough for about a

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

1143813	3/29/2021	WI					
---------	-----------	----	--	--	--	--	--

1143813	3/29/2021	WI		F			
---------	-----------	----	--	---	--	--	--

year. That could be related as well to the reflux. That did not seem to increase since the vaccine. Reporter considered events fever, chills and ached from head to toe as medically significant. Outcome of events sore throat worsening, asthenia was not recovered, chills, ached from head to toe, fever was recovering, of event cough was unknown. Information about Batch/Lot number has been requested.; Sender's Comments: Based on the current available information and the plausible drug-event temporal association, a possible contributory role of the suspect product BNT162B2 to the development of serious events Fever, Ache, and Chills cannot be excluded. The case will be reassessed if additional information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

Eye doctor diagnosed vitreous degeneration; This is a spontaneous report from a contactable consumer (patient). A female patient of an unspecified age (Age: 68; Units: Unknown) received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection; Lot number was not reported) via an unspecified route of administration, on an unspecified date, as SINGLE DOSE for covid-19 immunisation. The patient medical history was not reported. The patient's concomitant medications were not reported. On an unspecified date, two days after vaccination, the patient saw laser flashes of light in right eye. The patient continued to see flashes of light in right eye one week since being vaccinated. Eye doctor diagnosed vitreous degeneration. Outcome was unknown. Information on the lot/ batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1143812	3/29/2021	MA	63	M	3/8/2021	3/9/2021	blood filled right eye/My eye was diagnosed with hemorrhaging; sore arm; mild headache; This is a spontaneous report from a contactable consumer (patient). A 63-year-old male patient received his first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EN6199), via an unspecified route of administration at left arm on 08Mar2021 at 15:15 at single dose for COVID-19 immunization. Medical history included acid reflux. The patient has no known allergies and has no COVID prior to vaccination. Concomitant medications included omeprazole, naproxen, and calcium carbonate, magnesium carbonate, magnesium trisilicate (TUMS). The patient has no other vaccine in 4 weeks. The side effects started the day after the shot, on 09Mar2021 at 05:00, the patient reported that his arm was sore, and he was having mild headache that lasted throughout the day. Two days later (as reported), he woke up with headache and blood-filled right eye. After being seen in the ER, at the advice of his primary doctor, they sent him to a retinal and macular surgeon. His eye was diagnosed with hemorrhaging and he was prescribed a medication. The patient has follow-up visits scheduled to check on the progress of his eye. He was not tested for COVID post vaccination. Therapeutic measure was taken as a result of the events and included treatment with prednisone. The outcome of the events was recovering.
1143738	3/29/2021	NC	58	F	3/17/2021	3/17/2021	Left eyelid swollen and twitching, severe headache, body aches, fatigue, fever 101.9, chills, diarrhea and cough all began on 03/17/2021. Severe headache, body aches, fatigue, fever 100.1, chills and cough on 03/18/2021. Severe headache, body aches, fatigue, fever 98.8 and cough 03/19/2021. No symptoms on 03/20/2021. Tested positive for COVID by Rapid Atigen and by PCR COVID Test
1143698	3/29/2021	CA	52	F	3/25/2021	3/27/2021	Both eyelids are swollen. Left eyelid is more swollen than right.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1143695	3/29/2021	TX	21	M	3/18/2021	3/19/2021	Patient states that on day of vaccine, after receiving vaccine he felt tired, didn't feel well. Around 8pm that evening, he began having chills and didn't sleep well. On 19MAR, patient states he felt tired and vision got blurry while driving. Last thing he remembers is EMS personnel in ambulance stating that BP was very low. Patient states that while trying to brake prior to accident, he felt like he couldn't move his foot and stayed on the accelerator because he couldn't move his foot. MVA 19 Mar 2021. States following his COVID vaccination on 18 Mar, he had fevers, chills, and body aches that night and into the next day. While driving to work on 19 Mar at 0900, he struck another vehicle from behind while traveling 40mph. States his vision went blurry and he was unable to move his leg off the accelerator. He was wearing his seatbelt and the airbags deployed. Denies any LOC. He was taken via ambulance to. Imaging performed, as above, unremarkable. SM denies any issues today and feels well, besides neck pain. Unremarkable neurologic exam in clinic, no focal neuro deficits. MACE completed and showed a 2 point improvement from yesterday. Discussed importance of physical and mental rest, limit caffeinated products. Light indoor duty and no PT for next 3 days. Will f/u on Friday, 26 Mar 21.
1143659	3/29/2021	NJ	70	F	2/27/2021	3/12/2021	On the 13th day after receiving first shot at around 230pm I was eating late lunch in restaurant when I felt a flutter on left side of my face, my lips went numb and my taste dissappeared. My left eye began to burn and tear profusely. My mouth felt like it was on the side of my face and I had trouble drinking and chewing. I thought it was an allergic reaction to the food. Three hours later I looked at my face and was alarmed because my entire left side was paralyzed and drooping and my mouth was twisted to the right. I rushed to Hospital in around 6:30 pm. After numerous test (inc brain scan) and consultation with Neurologist I was diagnosed with Bell Palsy.
1143242	3/29/2021	NY	43	F	2/9/2021	2/9/2021	2/9/2021 Almost instantly had nausea, dizziness, blurred vision. Lower extremities hot to touch, almost sweating. Upper extremities cold. R hip pain to the point I almost thought I broke my hip. Urgent care; steroid shot for hearing loss. ENT; stated I have Meniere's disease. Will have the rest of my life. Weeks zero appetite, diarrhea.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1143558	3/29/2021	MD	43	F	3/28/2021	3/28/2021	About 18 minutes after receiving the vaccine, I started to feel a little numb on the right side of my collar bone and then a tingling in my right pinky toe and finally under my right eye. We had already left the vaccine site so I told my daughter who was driving that I felt a little funny and would let her know if she needed to take me to the hospital. I had not eaten yet that day, only coffee in the morning so we ran a couple of errands and then grabbed lunch. Around 3:30pm on the same day (3/28/2021) I started to feel better and the only side effect I currently have is tenderness in my arm where I received the shot. I did not seek medical treatment as it went away within a couple of hours.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1143815	3/29/2021	CA	55	M	3/12/2021	3/12/2021	<p>started to lose his vision; he couldn't see anything; Shot was painful; he started to get hot with the sweats; he started to get hot with the sweats; terrible headache; dizziness; nauseated; This is a spontaneous report from a contactable consumer (patient). A 55-year-old male patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration, administered in left arm on 12Mar2021 00:30 (lot number: ENG6199) (at age 55 years old) as single dose for covid-19 immunization administered in a pharmacy or drug store. The patient had no relevant medical history. No known allergies. The patient had no covid prior to vaccination and was not tested post vaccination. Concomitant medication included tramadol taken for numbing shot for tooth, start and stop date were not reported. No other vaccines received in four weeks. The patient experienced the following with his first dose of the Pfizer vaccine. Shot was painful and in about 15 to 20 minutes later everything felt fine. But by the time he and his wife drove out of town, he started to get HOT with the sweats, terrible headache, dizziness and started to lose his vision. He pulled over to let his wife drive and by the time he got out of the car he could barely navigate to the passenger side. They turned around and headed for the hospital, 8 min away, at this time he couldn't see anything, he was nauseated but knew the hospital was pretty close. During this whole time his heart rate never raced just kept and even beat. His breathing was also just fine. By the time they got into the parking lot his vision was slowly getting better, so they sat in the parking lot for 30 minutes with the air conditioner on as high as it could go. His wife read through the side effects, he was experiencing many on the list. They left without going in. Onset of the events was reported as 12Mar2021 12:45 AM. Treatment was not given for the events. The patient recovered from the event "shot was painful" on 12Mar2021; while recovered from the rest of the events on an unspecified date in Mar2021.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1143478	3/29/2021	NC	29	F	3/11/2021	3/12/2021	tunnel vision; Nausea; dizziness; feeling weak; headache; metallic taste in mouth; left arm/leg pain; left arm/leg pain; This is a spontaneous report from a contactable consumer (patient). A 29-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), first dose via an unspecified route of administration, administered in Arm Left on 11Mar2021 11:45 (Batch/Lot number was not reported) as SINGLE DOSE for covid-19 immunisation. Medical history included premenstrual dysphoric disorder (Pmdd), major depression (mdd), anxiety, high cholesterol and allergies: Penicillin, all from an unknown date and unknown if ongoing. No COVID prior vaccination and not COVID tested post vaccination. The patient is vaccinated at a clinic. No other vaccine in four weeks. Other medications reported was yes, however unspecified. It was reported that the patient experienced Nausea, dizziness, tunnel vision, feeling weak, headache, metallic taste in mouth, left arm/leg pain all on 12Mar2021. The outcome of the events was not recovered. No treatment for the events. Information on the lot/ batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1143477	3/29/2021	FL	74	M	2/8/2021	2/8/2021	lost vision of half of right eye; This is a spontaneous report from a contactable consumer (patient). This consumer reported similar events for 2 patients. This is the 1st of 2 reports. A 74-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/Lot number was not reported), dose 2 via an unspecified route of administration, administered in Arm Right on 08Feb2021 at 10:40 (pending clarification) (at the age of 74years) as single dose for Covid-19 immunization. The patient received the first dose of BNT162B2 intramuscular (left arm) on 18Jan2021 10:00 (at the age of 74years) for Covid-19 immunization. Medical history included high pressure, high sugar, and liver disorder; all from an unknown date and unknown if ongoing; no known allergies. Concomitant medications included nadolol, lisinopril, and metformin; all taken for an unspecified indication, start and stop date were not reported. The patient was not diagnosed with COVID-19 prior to vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. On 08Feb2021 at 11:00am, 20 minutes after getting the shot, the patient experienced "lost vision of half of right eye" that lasted a few minutes. There was no treatment received for the adverse event. The patient was tested for Covid post vaccination (nasal swab) on 02Mar2021 with negative result. The outcome of event was recovered with sequel (also reported as recovered with lasting effects). Information on lot/batch number has been requested.; Sender's Comments: Linked Report(s) : PFIZER INC-2021291774 same reporter, drug and event, different patient
1143421	3/29/2021	ND	33	F	3/26/2021	3/26/2021	I became very itchy, my face reddened, my left ear swelled, and it felt puffy under my left eye. It went away after about 7 hours

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1143387	3/29/2021	MO	49	F	3/25/2021	3/25/2021	muscle soreness at injection site (2 days), comparable to tetanus (proactively iced area, went to vaccination site well hydrated, remained hydrated through the day, used Max Freeze and Arnica proactively joint pain in right thumb for appx 2 hours on day of vaccine, which cleared/migrated to first two fingers of right hand for appx 1 hour before clearing completely chills beginning appx 7:30 pm 3/25/21, lasting 1 hour fever beginning appx 8:30 pm 3/25/21, 101+, lasting until appx 8:00 am Friday, then dropping gradually to 99 by 1:00 pm Friday (at which time I took an ibuprofen) fatigue beginning appx 9:00 pm 3/25/21, persisting through Friday and decreasing through the day Saturday (I went to sleep at 9:00 Thursday night (3/25) slept fitfully, waking every 1.5-2 hours through Thursday night and until 10:00 am Friday, then went back to sleep by 1:00 pm Friday through appx 4:30, took several 30 minute naps that evening and went to sleep for the night by 10:00 pm, slept until 8:30 Saturday morning and took several naps through the day on Saturday totaling another 4-5 hours of sleep.) Frequent, urgent need to urinate (beginning around 10:30 Thursday night (3/25) through 8:00 am Friday morning) - very unusual, low production for urgency. mild headache Friday, persisting until appx 1:30 pm (when I took an ibuprofen) intense sinus pressure over left eye Sunday 3/27, beginning at 9:00 pm and persisting until I took an ibuprofen at appx 11:30 (I had tried to sleep it off but it was interfering with sleep) and continuing in very mild form through current time of 9:00 am Monday 3/29
1143320	3/29/2021	MD	29	M	3/28/2021	3/28/2021	Patient reported at 1210 feeling lightheaded, vision blurred, had syncopal episode and fell from chair hitting L temporal region of head. LOC approx 1 min. VS at 1219 were 134/78 and HR 61, SP02 97%; all while sitting. patient was assessed by nurse and reported a hx of passing out with blood draws. VS at 1225 BP 135/70 and HR 72. Left returned to normal.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1143302	3/29/2021	MI	56	M	3/9/2021	3/23/2021	Injection site became itchy on 3/23/21. When I went to scratch, I noticed the injection site was warm to the touch. When I visually inspected, there was an area approximately 3" x 1" that was bright red. I applied ice 10 minutes on / 10 minutes off for 60 minutes twice per day, Benadryl cream was applied to the area after icing 2x per day. By Sunday 3/28/21 the redness and warmth was gone. Still applying Benadryl 2x per day.
1143567	3/29/2021	MS	54	M	3/25/2021	3/25/2021	MY DISTANCE VISION WAS BLURRED IN BOTH EYES FOR TWO DAYS, STILL HAVE SOME BLURRED VISION.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1145381	3/29/2021	MI	45	F	3/26/2021	3/26/2021	<p>HPI: Patient is a 45-year-old female who presents for evaluation after COVID-19 vaccine reaction. Patient just received 1st vaccine this morning. She was being observed in the vaccine clinic when she started to experience numbness all over her body and hives over the upper chest. She was brought immediately to the emergency department for treatment. Upon assessment, she is lying flat in the bed. States she feels weird. No difficulty swallowing, no difficulty breathing. She is not itching. She has no known allergies. MEDICAL DECISION MAKING Upon arrival to the emergency department patient was immediately assessed at the bedside. She was lying in the bed, eyes closed, appeared somnolent with answering questions. She did have urticaria on the upper chest. She was also tachycardic. IV was established, she was treated with intramuscular epinephrine, IV Benadryl, famotidine, and Solu-Medrol. Patient was observed in our emergency department for 3 hours and had complete resolution in her symptoms. She was reassessed on multiple occasions during her emergency department stay and continued to show signs of improvement. I do feel that she is safe for discharge home. Recommend not getting COVID-19 vaccine in the future given her allergic reaction today. Patient is in agreement with this plan, she was discharged home in improved condition. Medications EPINEPHrine anaphylaxis kit 0.3 mg (0.3 mg Intramuscular Given 3/26/21 0814) methylPREDNISolone sodium succinate (SOLU-Medrol) injection 125 mg (125 mg Intravenous Given 3/26/21 0818) famotidine (PEPCID) injection 20 mg (20 mg Intravenous Given 3/26/21 0818) diphenhydrAMINE (BENADRYL) injection 50 mg (50 mg Intravenous Given 3/26/21 0816) sodium chloride 0.9% bolus injection 1,000 mL (0 mL Intravenous Stopped 3/26/21 0948) broke out in hives, heart started racing, went to ED where they treated her. Patient got home a couple hours ago and back of neck is breaking out again and says throat feels funny.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1145244	3/29/2021	NC	29	F	3/24/2021	3/24/2021	Lip tingling and swelling sensation (similar to dental Novocain abating), dizziness, nausea, and feeling generalized 'hot' about 15 minutes after vaccine receipt. She was treated with oral Benadryl x1, and it took about 45 minutes for her to normalize. She denies pruritis, urticaria, heart racing, red/watery eyes, rhinorrhea, throat/tongue swelling, cough, wheezing, SOB, CP, emesis. She thinks O2 sat may have been low. She reports diarrhea several hours later x1.
1145513	3/29/2021	CA	66	F	3/24/2021	3/24/2021	No issue with the first shot of 3/3/2021, the second shot of 3/24/2021 was a different story. Headache, even my hair hurt. Joint pain, backache, eyes sensitive to light, nauseated spent most of the night throwing up. Dizzy & weak. Arm hurt & swollen as well. It is now 5 days later and I'm still not 100%. I missed 2 days of work and rested as much as possible over the weekend.
1145467	3/29/2021	TN	21	M	3/23/2021	3/23/2021	Burning Throat, numbness in tongue, blurred vision
1145463	3/29/2021	UT	43	F	3/26/2021	3/26/2021	Nausea, chills, light sensitivity, migraine, pain radiating through left arm ( couldn't move arm after several hours), loss of appetite, emotional mood swings, twitching in left hand and eyes, lethargic,
1145462	3/29/2021	FL	50	M	3/29/2021	3/29/2021	Patient felt pressure in the chest, tingling in the right leg and watery eyes after receiving the vaccine. After drinking water the patient felt better. Heart rate and breathing were fine
1145458	3/29/2021	IL	60	F	3/16/2021	3/16/2021	I immediately felt significant tingling, numbness and freezin/burning sensation through my veins, arms, fingers, legs, toes, face, nose and behind eyes. About 3 hours after the shot I had a significant headache (migraine type), chills, nausea, and fatigue which lasted 24 hours. The numbness, tingling/burning sensation in my arms, legs, toes, fingers, face, nose, cheeks continues 2 weeks later and keeps me awake at night. Nothing helps it, it is constant.
1145562	3/29/2021		31	F	3/29/2021	3/29/2021	after 15 minutes post pfizer vaccine dose one, pt stated she felt dizzy and nauseaus, unable to stand, and stated her vision was blurry. PR 160/80, pulse 58. Cold compress given. pt stated symptoms were worsening and pt taken to the ER.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1145413	3/29/2021	AZ	62	M	3/24/2021	3/24/2021	Right at the time of the injection I felt sick ,then muscle spasms started and have not stoped and on day 5 sense injection ,the next morning supper tired and my eyesight was scattered I could not focus on anything ,very agitated ,thought I was going blind ,had inflamed joints bad pain ,had pain in abdomen possibly liver ,by the 3rd day I regret ever allowing this into my body ,I was feeling fine up until this injection ,and Im very reluctant to get the second shot ,Im afraid it will be even worse ,
1145618	3/29/2021		51	M	3/10/2021	3/11/2021	swolling on face. Mild Facial Swelling, decreased sensation and pressure behind eyes x 2 weeks. Pt states he received J&J vaccine on 10MAR21 and developed symptoms next day; swelling has since decreased but decreased sensation and pressure remains. Decreased sensation to bil cheeks; airway intact; Pupils PEERL Bil; NAD; steady and balanced gait.
1145374	3/29/2021	MD	56	F	3/26/2021	3/26/2021	Very slight sore throat around 7:00pm; resolved in a couple of hours. Around 9:00 pm developed deep, intense body chills that lasted at least 3.5 hours. No fever. Once the chills were gone, I got an intense headache around the back of my head and in my forehead between my eyebrows. Difficulty sleeping through these symptoms. Woke up the next day and those symptoms were gone. Fatigued the next day. Took a two-hour nap Saturday afternoon and felt normal afterwards.
1145344	3/29/2021	PA	27	M	3/29/2021	3/29/2021	Immediately after administration of the vaccine, the patient fell onto the ground and experienced tonic clinic seizure activity for approximately one minute and 30 seconds, including eyes rolling to the back of head and jerking motions of all extremities. Patient was taken to hospital via EMS.
1145338	3/29/2021	WV	60	M	3/25/2021	3/26/2021	Red spots on side of head down the neck and red swollen eye. Seen at Med urgent care

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1145310	3/29/2021	KY	63	F	3/27/2021	3/29/2021	Patient is a 63 yr/o female who presents to the emergency department complaining of dizziness since 0400 this morning. She endorses nausea, vomiting, and headache. Her symptoms are worse with position changes. She states that she has a hx of vertigo with her last episode being 11 months ago. She states that she does not normally have a headache with her episodes of vertigo, but today she developed one. Denies chest pain, sore throat, visual disturbance, or diarrhea. She reports chronic shortness of breath. She is a former smoker. Denies alcohol use. No other complaints at this time.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1145290	3/29/2021	WI	73	F	3/9/2021	3/16/2021	<p>Pt seen in ophthalmology clinic 3/16/21 for evaluation of c/o bilateral vision loss and admitted to hospital for further evaluation and management based on their findings. She has known history of cataracts, macular thinning of the left eye and bilateral pseudophakia, but no recent vision issues. Pt states that approximately 3 to 4 days after getting her first COVID-19 vaccination (Pfizer) on 2/16/2021 she noted blurred vision in left eye and over the course of the next several days, started to have worsening blurring as well as darkening of her vision to the point where she was only able to see faint outlines of objects. Did also have some associated visual hallucinations with this. Seen in clinic (exact date unknown but sometime between 2/16/21 and 3/8/21) where a visual acuity exam was done, and no further evaluation was recommended. But pt had ongoing issues and was ultimately seen by ophthalmology on 3/8/21 and was then directed to the ED on 3/8/2021 for possible stroke evaluation. In the ED, CT of the brain was negative for acute stroke. MRI was advised, but patient declined during that ED visit and voiced preference to schedule outpatient, however, she was never able to make that appointment. On 3/9/21, pt received her second COVID-19 vaccine, and 1 to 2 days later, she developed the same symptoms in the right eye, though does not feel that her visual acuity decreased by as much in that eye as it had in the left eye. Pt also has had mild associated frontal headache since her first COVID-19 vaccination, but it responds readily to acetaminophen. Pt seen in ophthalmology clinic again on 3/16/21. At that appointment, she had a funduscopic exam which showed mild temporal pallor and ophthalmology felt that this is likely inflammation of the optic nerve or optic nerve sheath, likely secondary to retrobulbar optic neuritis versus perineuritis possibly triggered by recent vaccination. Request was made for admission to Hospital for further evaluation and management. Hospital Course (admitted 3/16/21 ? 3/22/21): MRI of the brain and orbits revealed optic neuritis. In consultation with neurology and neuro-ophthalmology the pt was started on a 5-day course of methylprednisolone 1 g IV daily. The pt noted improvement in her vision rapidly. Primary diagnosis at discharge was optic neuritis, possibly triggered by covid-19 vaccination.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1145268	3/29/2021	CA	42	F	3/26/2021	3/26/2021	Right after injection my eyes burned an I had a strong metallic taste in my mouth that made my old fillings tingle (similar to metal touching them.) The next day I had a large red rash that was hard and radiated heat at the injection location (size of baseball then enlarge to size of softball next day). I took anti-histamine and alieve and felt better. Large rash still remains on my arm but not hard.
1145425	3/29/2021	MA	64	F	3/26/2021	3/26/2021	3/26/21 4 hours after injection she started feeling sore, took Motrin. The next morning she was unable to lift arm, took Motrin several times over the course of the day and when she couldn't take the pain any longer she decided to go to the ER. 3/27/21 Went to the hospital after she had no relief from the Motrin. . 3/29/21 Went to the ER today, due to cold hands and feet, numbness and tingling, could barely stand, she stated she felt like she was going to die. Examined, states she had no deficits with vision or neurological. It lasted about an hour and then states she was fine. Dr. states she had a vasovagal response.
1145868	3/29/2021	NC	44	F	3/29/2021	3/29/2021	Almost immediately upon injection the patient asked if it was supposed to burn and radiate down her arm. She said her arm was feeling "hot." Then she said she felt "dizzy and light-headed." She said she was having trouble focusing her eyes (vision changes). I had her sit down and she started to sway in a circle. I called her husband into the vaccination room at that point. She started to flush and said she felt hot. She said she wasn't feeling normal. I asked if she wanted me to call 911. She said yes. We called 911. Then she started to slump over and faint. I administered Epipen 0.3mg IM in her left thigh at 4:30pm. She started to have trouble swallowing until 4:32pm. The police arrived and started to talk to the patient. The patient started to respond to the Epipen injection, and soon wasn't having any trouble breathing. She experienced tremors, shakiness, and teeth-chattering until EMS arrived at 4:38pm. She indicated she wanted to go to the hospital for observation. EMS administered IM Diphenhydramine on the scene, and she left with them at 4:52pm.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1146144	3/29/2021	CA	70	F	3/23/2021	3/23/2021	Besides the reported side effects of fatigue, headache, muscle pain, joint pain, chills, nausea and a slight fever she also had severe lower back pain, frequent urination with larger than normal volume of urine, pain on the upper left and right arm, the urge to have a bowel movement and she did have a bowel movement once, and difficulty keeping her eyes open. She took Aleve for the pain. These symptoms started hours after her second Moderna shot on March 23, 2021 at 11:20 am. She started feeling ill at about 4 pm. At around 10 pm she started to feel really sick and these symptoms lasted for about 36 hours but the the worst was the fist 24 hours.
1146124	3/29/2021	AZ	59	F	3/29/2021	3/29/2021	Dry eyes at 3 AM, feeling run down at 10:30 AM, Injection site really sore, stiff neck, headache, eyeballs feel tender and sore, ice cold feet that will not warm up, Skin on torso tender, nose stuffed up, loss of appetite at 1 PM. Try to nap but cold feet can?t wake me up. Took my temperature at 7:45 PM 100.6, Took a Tylenol and back in bed.
1146103	3/29/2021	OR	57	F	3/29/2021	3/29/2021	Patient started experiencing numbness and droopiness from her right cheek upwards towards her eye. No other symptoms or alteration of her vision. Patient was checked for signs of a stroke to which there were none.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1146084	3/29/2021	OR	51	F	3/28/2021	3/28/2021	I had the first dose of the Pfizer vaccine last night (6 p.m.). Within 15 minutes my left hand and left arm started to itch. I saw the medical folks on location but since there were no hives or anaphylaxis, I was told "it must be eczema" (which I do not have. The itching continued to get worse and spread to under my eyelids, inside my ears, and "under" the surface of my skin - mostly on my face, skull, neck, behind my knees. I called the advice nurse at 7:30 but there was still no hives, visible rash, or breathing issues. I started taking 10 ml of Benadryl every four hours but the itching was awful and the Benadryl only "took the edge off" and the itching persists enough I could not sleep last night (3/28). There is still no visible rash or breathing issues but the itch is awful. I reached out to my primary care Dr and I was instructed to take Zyrtec in addition to the Benadryl. It helps but makes it slightly tolerable, it does not stop the itching. As of right now (7:36 p.m. the day after the shot), I am still experiencing itch...but it is less than it was this time last night (however, I am taking both Zyrtec and Benadryl).
1146048	3/29/2021	TX	29	F	3/6/2021	3/8/2021	Blurry vision for 4-5 days along with a headache
1145970	3/29/2021	NY	61	F	3/26/2021	3/26/2021	Minor -pain at injection site, pain in right wrist and vision change which started about 3 hours after injection on Friday. Later in day I noticed a new dark circular floater. Saw retinologist on Monday and learned I had a posterior vitreous detachment and Weiss ring. Seems like more than a coincidence as I had no prior injury, my blood sugar is fairly well controlled, and I was well hydrated.
1145537	3/29/2021	WA	60	F	1/4/2021	1/7/2021	My gums started bleeding and I don't normally have bleeding gums. It continued on for about two weeks - about 10 days into it, I called the dentist. And he took a look and it didn't look like anything was infected. And it did just go away after about two weeks or so. Subjunctoval hematomas - looks like my eye is bleeding - it was my left eye - that symptom started about a week or two weeks ago. That lasted a few days and I haven't gotten anything else since then with my eyes.
1145881	3/29/2021	TX	54	F	3/28/2021	3/29/2021	Sudden onset of red flushed face, burning sensation of face, red bloodshot eyes 30 hours post injection No other body part impacted. No fever, no other symptoms

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1145745	3/29/2021	IN	46	M	3/11/2021	3/16/2021	Redness around left eye developed into severe rash spread all over body. Intense itching and discomfort. All started to occur 3/16 and progressively got worse and continued to spread. 1st dx was shingles (2nd time having it?2018) treated with prednisone and then dx contact dermatitis steroid shot and antihistamines then diflucan and went to Derm gave another steroid shot and antibiotic?all since 3/16 still progressing
1145860	3/29/2021	CA	42	M	3/24/2021	3/25/2021	Moderna COVID?19 Vaccine EUA Apart from the fatigue, sore arm and feverishness I had on the day of the vaccination, I woke the next day with what looked like Subconjunctival hemorrhage in my right eye. It was a bright red spot in my cornea and both my eyes were sore. Since then, the hemorrhage has spread within my right eye. My eyes are still sore and I get a sharp/shooting pain in my right eye intermittently. I also feel some soreness in my right temple and under the ear.
1145827	3/29/2021	AZ	52	F	3/8/2021	3/9/2021	Woke up with right side of mouth, cheek & eyelid swollen the day after receiving the shot. This resolved itself in about 2 days. Two days after the shot, the upper lip was swollen. That resolved about 5 days later.
1144671	3/29/2021	NC	23	M	3/29/2021	3/29/2021	Immediately following administration of Covid 19 vaccine (Pfizer), patient experienced profuse sweating , nausea and blurred vision (described as seeing stars). Medics were called and upon arrival vitals were obtained. Blood pressure was normal. Patient refused transport. Patient remained in pharmacy for about 1 hour for observation. Patient was able to walk out.
1145811	3/29/2021	CA	25	F	3/25/2021	3/26/2021	Pt developed headache with vision loss on the right eye which has since resolved. She had vomiting and bloody nose as well.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1144413	3/29/2021	NJ	53	F	3/26/2021	3/27/2021	* Pain at shot sight, started about 10:00 pm (03/26/2021) continues to-date. * Body aches everywhere, started about 9:00 am (03/27/2021) ended/resolved by 10:00 am (03/28/2021) * Headache (front behind eyes/forehead), started about 11:00 am (03/27/2021) ended/resolved by 12:00 pm (03/29/2021) * Sudden blood pressure drop, causing faintness, started about 11:00 am (03/27/2021) ended/resolved by 10:00 am (03/28/2021) * Chills, started about 2:00 pm (03/27/2021) ended/resolved by 10:00 am (03/28/2021) * Racing thoughts, started about 10:00 am (03/27/2021) ended/resolved by 10:00 am (03/28/2021) * Low-grade fever (99.5 degrees), started about 2:00 pm (03/27/2021) ended/resolved by 10:00 am (03/28/2021) Treatment: Fluids, rest and lots of blankets
1145638	3/29/2021		53	F	3/29/2021	3/29/2021	Patient reported dizziness, itching, blurred vision and nausea 15 minutes after receiving COVID19 vaccination
1145901	3/29/2021		51	M	3/24/2021	3/24/2021	C/O dizzy, blurred vision, SOB, Right arm severe pain and tremors with Rt sided neck pain/spasms. Brought to Medical Tent by W/C. Verbalized had a Rt sides stroke 10 years ago, hx of pain/spasms in Rt arm if irritated. Had not eaten or drank fluids. Given OJ and Gatorade. Ice applied to neck & upper arm. No redness, rash/hives at injection site. Vitals stable. Home with wife after observation of 30 minutes. Advised to f/u with primary care physician if further adverse reactions. Advised not to have vaccinations in Rt arm.
1144470	3/29/2021	VA	68	F	3/13/2021	3/13/2021	Systemic: Allergic: Itch (specify: facial area, extremities)-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Systemic: Numbness (specify: facial area, extremities)-Medium

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1144651	3/29/2021	NY	72	F	3/20/2021	3/27/2021	Presented to the ED with difficulty closing the R eye with notable R-sided facial droop that began on Saturday, March 27th. On physical exam, cranial nerves 2-12 intact, but notable R-sided facial droop and 7th nerve lesion in the peripheral distribution. VFF, PERRLA, 4/4 strength in the biceps/triceps/hand grip/hamstrings/quads/plantar/dorsiflexion. SILT UE/LE. No pronator drift. Normal finger-nose-finger. Normal rapid alternating movements. Reflexes 2+ in the patella bilaterally. Normal gait. BP on the presentation was 226/111, pulse was 78, respiratory rate was 20, oral temperature was 36.8 degrees Celsius, and SpO2 was 99%. Denied COVID-19 symptoms, activity change, chills, fever, congestion or dental problems, discharge or itching of the eye, chest tightness, shortness of breath, stridor, chest pain, leg swelling, abdominal distention or pain, dysuria, frequency, arthralgias, joint swelling, color change or rash, dizziness, syncope, back or neck pain, weakness, N/V, HA, vision changes, confusion, bowel changes, behavioral problems or confusion. Has been taking medications as prescribed, no prior history of CVA. PMH of DM and HTN.
1144647	3/29/2021	NC	41	M	3/25/2021	3/28/2021	Patient received vaccine on Thursday. Did not start experiencing adverse reactions until Sunday morning. Patient had swollen lymph nodes from neck to ear canal with fever and pain. He also had hives above the left eye on the eyelid and eye was red and itchy. He also experienced a headache and low grade fever. These reactions have not resolved (as of Monday), however, they are slightly improving.
1144631	3/29/2021	SD	65	M	3/23/2021	3/29/2021	Facial drooping and eyelid not closing completely. Diagnosed as suspected bell's palsy at local emergency room.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1144623	3/29/2021	FL	18	F	3/29/2021	3/29/2021	At 1428, patient mother alerted medical staff, stating her daughter had a seizure. Upon arrival, daughter was sitting upright in passenger seat, mother holding her, eyes open, appearing pale. No convulsions , incontinence, or other seizure activity noted. EMS notified and arrived within a minute and evaluated patient. No medications or additional treatment given. Patient ambulated to EMS stretcher with one person assistance. Awake and talking. Patient transported via ambulance at 1437.
1144589	3/29/2021	MI	50	F	3/17/2021	3/17/2021	March 17th - The night of injection I felt like a small SUV ran over me. By late night it turned into a MAC truck. I had a massive headache, 101.6 fever, chills, and overall just feeling unwell. I felt "plugged in". I could taste metal taste. March 18th - I just felt flu-ish. March 19th - I started having right ear pain and all my lymph nodes felt heavy. Still tasted metal. March 22nd - I was up all night and mouth pain on both sides. I went to Urgent Care thinking I had an ear infection and/or sinus infection. My sinuses and ear were fine and they believe it was an adverse reaction to the vaccination. I received Prednisone, but that has only made things worse. Today, March 29th - I went to my dentist, still in pain, and wondering if a tooth infection. My teeth were fine and he felt it was neurological, possibly connected to the vaccine. He prescribed me some Norco, told me to go to the hospital tomorrow if I'm still in this much pain. Today - eyes blurry, face hurts to touch, lymph nodes swollen, tongue tastes metallic, ear hurts, head hurts, fatigue.
1144708	3/29/2021	NY	56	M	3/12/2021	3/24/2021	Per MD note: Notably patient received Pfizer COVID 19 vaccine on March 12 th. He was doing well but then 3/24/21 patient noted his right eye was feeling "funny" and the next day or 2 it continued and then was hard to close eye on its own. In the last 1-2 days he is having a right facial droop and cannot hold his mouth closed with puffing out cheeks. Separately he also has tenderness like a bruised area just anterior to the right ear and describes a fullness/swelling of the tissue there and more anteriorly on the cheek. He does not recall similar sensation with his prior Bell's Palsy which was on the left side 2 years ago. He denies other symptoms , with out fever or chills. No other suggestion of sicknesses.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1144480	3/29/2021		66	F	3/24/2021	3/25/2021	bell's palsy - left sided facial droop and cannot close eye completely
1144577	3/29/2021	FL		U			getting the shot lost vision of half of patient right eye.; This is a spontaneous report received from a contactable consumer. This consumer reported similar events for 02 patients. This is the 2nd of 02 reports. An unspecified age and gender patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, formulation solution for injection) via an unspecified route of administration on an unspecified date at single dose for COVID-19 immunization. Patient medical history and concomitant medications were not reported. On an unspecified date a friend of patient was reported as after 20 minutes after getting the shot lost vision of half of patient right eye. That lasted a few minutes. Have a friend who has a friend who suffered the same effect. Outcome of event was unknown. Information on the lot/batch number has been requested.; Sender's Comments: Linked Report(s) : US-PFIZER INC-2021274179 same reporter/drug/AE, different patients.
1144461	3/29/2021	TN	32	M	3/12/2021	3/12/2021	Initial: 12 hours following - fever, chills, nausea, diarrhea, dizziness Following (since vaccination): extreme dizziness, eye pressure and blurry vision, tingling in scalp and face, back pain, hearing loss, and tinnitus
1144454	3/29/2021	CO	32	F	3/27/2021	3/27/2021	Sinus headache/migraine started growing roughly 1hour after shot was administered, dull to sharp ache behind eyes and eyebrows, moderate to severe at moments until about 3pm on 3/27. Reappeared on 3/28 and was worst from 11am-1pm, 3-6pm, and 10pm-12am. Took 2 Tylenol every 6 hours, had no effect on diminishing symptoms. On 3/28 took 50mg of caffeine at 5:30pm in addition and that did reduce the pain for roughly 4hours. When headache was worst felt faintly nauseous. On 3/29 mild headache, took 2 Advil but the headache was still there. 3/27 at 6pm started noticing arm soreness, moderate soreness that evening, no treatment taken other than moving/massaging arm. 3/28 soreness was mild, 3/29 soreness was barely noticeable.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1144446	3/29/2021	WA	79	F	1/26/2021	1/28/2021	Received vaccine on 01/26/2021 and unknowingly experienced event. Early morning of 01/28/2021 had fainting spell and thought it was caused by low blood pressure. Felt fine for remainder of day. On evening of 01/29/2021 I started having strange symptoms. Could not concentrate, vision impaired and couldn't figure out what evening meds I needed to take. Decided to go? to hospital on 01/30/2021. Getting ready, I passed out and husband called emergency services. Husband learned later in the day that I had a stroke. Doctors informed that had blood clots in heart and lungs. Doctors advised not to get second vaccine shot.
1145177	3/29/2021	CA	54	F	3/27/2021	3/27/2021	Patient received her second dose of the covid-19 Moderna Vaccine today at Vaccination site. Pt began feeling ill about 10 minutes after receiving the shot. Assistant came to inform me as the RN on site. She assisted with translation as Pt is a native Spanish speaker. Pt stated that she felt numbness and tingling in her Left leg, numbness and scratchiness in her throat, and nausea. Pt was noted to be visibly diaphoretic. Pt denied any trouble swallowing, speaking, or trouble breathing. Pt denied any chest pain or pain anywhere. Pt received shot in her Left arm and denied any pain or tingling in her Left arm. Pt did not have any facial droop, slurring of speech, changes in vision and was able to demonstrate ability to lift both arms equivocally. Pt A&O x 4. I decided that calling the paramedics was best practice as Pt was borderline appropriate for administration of Epinephrine. Paramedics arrived on scene within 5 minutes of 911 call and assessed Pt. Paramedics stated that they did not feel that Pt necessitated taking to the hospital at this time and that it was good judgement on holding giving Epinephrine at this time. Pt son was brought in to speak with paramedics who informed him to monitor patient for the rest of the day and that if anything changed with her symptoms or became worse- that he needed to either call 911 or take her straight to the ED. Pt was released by paramedics and her son took her with him.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1145823	3/29/2021	NV	67	F	3/24/2021	3/24/2021	BECAUSE OF A MINOR ALLERGIC REACTION ON MY FIRST SHOT, I TOOK A BENADRYL A FEW HOURS PRIOR TO SECOND SHOT. I SHARED INFORMATION WITH REGISTRATION AND NURSE WHO GAVE SHOT. WITHIN A FEW MINUTES MY THROAT WAS SWELLING AND EMT NOTED I WAS FLUSH(RED)IN FACE, NECK AND CHEST. HE NOTED MY EYES SWOLLEN AS WELL. EMT RESPONDED BY GIVING ME A 50 MG SHOT OF BENADRYL, MONITORED MY VITALS AND CONVINCED ME TO GO TO HOSPITAL TO BE WATCHED FURTHER IN CASE REACTION GOT WORSE. THEY TOOK ME IN AMBULANCE. HOSPITAL MONITORED ME FOR 1.5 - 2.0 HOURS AND RELEASED ME. THE NEXT DAY, MARCH 25, 2021 I AWOKE WITH A 100.1 FEVER AND IT ROSE TO 102.9...MIGRAINE HEADACHE, CHILLS AND BODY PAIN(QUITE INTENSE), FATIGUE, COUGH AND SOME SHORTNESS OF BREATH. RESTED AND CARED FOR MYSELF WITH TYLENOL AND FLUIDS. MARCH 26, 2021 AWOKE WITH NO FEVER, BUT INTENSE HEADACHE AND FATIGUE FOR NEXT TWO DAYS. STARTING TO RECOVER AS OF MARCH 29, 2021
1144423	3/29/2021	GA	58	F	3/29/2021	3/29/2021	After vaccination during the initial monitoring phase for adverse reactions, the patient reported numbness in her face around her eyebrows. This occurred about 10 minutes after administration. After another 10 minutes she said the numbness had moved to the left side of her face. She said it did not seem to affect her breathing or anything else, but the numbness was apparent. I recommended patient go to either a doctor or emergency room.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1144585	3/29/2021	TX	43	M	3/13/2021	3/13/2021	3/13/21 - 3:00 PM. LEFT EAR ACHE 5:00 PM. ARM HURT WHERE I GOT THE SHOT. TOOK 2 ADVIL 9:00 PM. HEAD AND THROAT ACHE 10:00 PM. CHILLS AND SWEATS 12:00 PM. EYES WATERING 3/14/21 THROUGHOUT THE DAY. SWEATS AND CHILLS, WATERING EYES, HEADACHE, FATIGUE TOOK 2 TYLENOL EVERY 4 HOURS 3/15/21 8:00 AM - SLIGHT WATERY EYES. 9:00 AM - UPPER LIP BEGAN TO SWELL, TOOK TWO ALEVE 10:00 AM. UPPER LIP COMPLETELY SWOLLEN AND ON FIRE. TOOK 2 BENADRYL 11:00 AM. FATIGUE 12:00 PM. CHEST BEGAN TO TIGHTEN AND SHORTNESS OF BREATHE, TOOK 2 BENADRYL 4:00 PM. TIGHTNESS OF CHEST AND BREATHING WORSENER 4:30 PM. WENT TO EMERGENCY ROOM. 3/16/21 - 3/20/21. FATIGUE, SWELLING OF UPPER LIP, TIGHTNESS OF CHEST, SHORTNESS OF BREATHE 3/22/21 - PRESENT. TIGHTNESS OF CHEST, SHORNESS OF BREATHE
1144906	3/29/2021	TX	35	F	3/8/2021	3/9/2021	My allergies flared the next day by way of discharge from one eye that was swollen by the evening. I had evening headaches. I was able to get that eye discharge and swelling under control and then that weekend (5 days later I had nonstop headaches and was beginning to have sinus congestion. On Sunday (day 6) I had lost my sense of smell but had a very runny nose. On Monday I lost my sense of taste. I slowly started to improve over then next few days after taking mucinex and Flonase.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1145115	3/29/2021	CA	38	F	3/28/2021	3/28/2021	At 12:20 patient began to feel dizzy and began closing her eyes. She stated that everything went black around that time. She was minimally following commands, but unable to do so reliably. She became diaphoretic and pale, and her pulse was thready and difficult to palpate. Her vitals were taken. Her heart rate was 35 and O2 saturation was 96% (both of these were taken by pulse ox). Her blood pressure was 110/86 taken manually. For about 5 mins, she was having a very difficult time keeping her eyes open, and the EMS was called. After several more minutes, she began feeling much better, color increased, HR increased, and Level of consciousness increased as well. The paramedics evaluated her and suggested she be further evaluated at the hospital but the patient refused. The nursing staff and EMS agreed that it was most likely a vasovagal/syncopal event.
1145063	3/29/2021	WA	47	F	3/8/2021	3/19/2021	LEFT EYE DRY AND RED ON MARCH 19TH; FACE SWOLLEN, NUMB AND DROOPY THE 20TH. PATIENT FOLLOWED UP WITH PROVIDER A WAS DIAGNOSED WITH BELLS PALSY
1144471	3/29/2021	CA	17	F	3/28/2021	3/28/2021	Hives to arms, trunk and face within 8 hours of receiving vaccine. No swelling to lips or eyes, no wheeze. Hives improved with antihistamines.
1144727	3/29/2021	OH	58	F	3/16/2021	3/16/2021	Immediate reaction within 10 minutes. Faint, dizzy, sweating, eyes having trouble focusing. This got better within 15-20 minutes. One hour later a rash appeared on chest and both arms with tingling/numbness in left hand . Face was swollen with a hive on one cheek. Some chills over the first 10 hours. Walmart pharmacy nurse called to check on me and suggested taking Benadryl. The rash disappeared about 3 days later. The swelling did not go away. 5 days later began to have migraines and dizziness. Left hand still had some numbness and facial swelling was still there. Called my health provider - they assumed it was just reaction to the vaccine. Visited a clinic on 3/28. It appears the vaccine triggered 5-year old shingles symptoms (swelling in face, pain and migraines). Am taking Prednisone and Zyrtec and have an upcoming appointment at the clinic with an infectious disease doctor on 4/1. Continuing headaches and swelling.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1145030	3/29/2021	MN	51	M	3/29/2021	3/29/2021	Patient received the 1st dose of Moderna and was observed for 15 minutes after the injection. Patient was released and states on their way home they do not know what happened but the woke up and had hit a tree. The airbags did deploy, patient had a gash around 2 inches on the right eyebrow, vital signs were blood pressure of 79/49, oxygen of 99%, and a heart rate of 49. Patient was promptly evaluated by a physician and determined to be more appropriate for the ER, patient was escorted via wheelchair to the emergency room accompanied by a nurse and the physician whom then gave report to the on call physician at Hospital.
1144978	3/29/2021	MT	68	F	3/18/2021	3/18/2021	Signs/Symptoms: Tingling in lips and legs; Slightly light headed; Blurry vision. Treatment: Benadryl PO at 13:42.
1145155	3/29/2021	OH	64	M	3/28/2021	3/28/2021	Stiffness/sorness all over body stabbing pain thru right eye shortness of breath
1144951	3/29/2021	TX	48	F	3/29/2021	3/29/2021	Subconjunctival hemorrhage, eye
1144902	3/29/2021	WI	38	M	3/16/2021	3/23/2021	Patient describes he started to get a migraine on and off behind left eye and left side of neck starting about 1 week after vaccine received, pain started on 3/23/2021 and has continued since that date, on and off. Taking Tylenol and alternating with ibuprofen to help with the symptoms of pain.
1144800	3/29/2021	NH	57	F	3/27/2021	3/27/2021	Felt shaky after about 5 minutes , not right pain travel from shoulder up back of neck facial numbness almost half way across mouth up to eye area on same side as injection
1144900	3/29/2021	CA	33	M	3/10/2021	3/28/2021	Drooping on Right eyelid

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1144874	3/29/2021	CA	27	M	3/25/2021	3/25/2021	I've been experiencing mild, but consistent adverse side effects to the vaccine. This vaccine. Is completely Terroristic. This vaccine is a biological warfare. I've been very active in obtaining vaccinations. Flu shots, up to date with tetanus, and obtaining a second Immunization for chicken pox because I actually received the chicken, but had no vaccination. And. I need the vaccination record for school. So I had to get the chicken pox vaccine. I've been having mild, but very uncomfortable and consistent headaches. My sinuses all over my face are so filled. My eyes are watery, turn red, and at time so painful that it's difficult to open them. I have muscle weakness. I'm always so thirty all the time. My urine smells like uric acid. Has a rancid toxic smell to it. And. My urine is clear. But smells. My skin feels silky. And. the perspiration from my body, smells like formaldehyde. Smells clean, but smells like toxic formaldehyde and dead sticky body residue. The most uncomfortable is the partial blindness. Headaches. Muscle aches. Joint aches. Neck pains. Eye pains. The consistent thirst. I can't go to the doctor because I don't have insure. But. Most importantly. I don't have employment, because of the Government's illegal employment system that accounts for me. I've been unemployed for 6 years. And. Have a private college degree from one of the top Universities in the USA. Also. I've been very active in producing sputum. Flem. My neck is swollen. And parts of my body are swollen. Not severely. But you can see there is minor swelling. All the symptoms I'm disclosing in this report, are minor. But. When collectively experienced. Is unbarable. Extremely Uncomfortable. And. You're expecting me to get another dosage of this experience. Being. 2 months incapacitated. This is even illegally distributed. What the hell. In God's name. Are you people in there doing. And. Why are you people in the Government even able to get away with this.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1144857	3/29/2021	OH	45	F	3/26/2021	3/26/2021	On my way home from getting the vaccination, the Left side of my face (cheekbone around left eye and above eyebrow) felt like it was on fire, felt swollen but was not visually, and was painful to the touch. After about 3 hours the burning sensation was reduced to an ache but to the touch it felt numb. Almost like I had had novacaine and it was wearing off without the tingling sensation. I called my PCP and left a message. The next day, Saturday, it felt like I had been punched in the face. It was very sore and ached. Sunday was better, with just a slight ache, but not 100%. As I write this, it feels a little off (best way to describe it) but no pain or ache. My PCP has not called me back.
1144844	3/29/2021	WI	37	F	3/29/2021	3/29/2021	FEELING CROSS EYED ANXIOUS SEEING DOUBLE, OBSERVED FOR 20 MORE MIN. HAD HER DRINK WATER, S/S RESOLVED OWN, PATIENT STATED DID NOT EAT WELL, ADVISED TO GO GET SOME FOOD, HAS CELIAC DZ DECLINED CRACKERS. 1314-150/96 98% 24 95 1132 130/86 96% 16 92
1144839	3/29/2021	OH	24	F	3/29/2021	3/29/2021	Patient was vaccinated around 10:55 AM. Within a couple of minutes she started feeling lightheaded, sweaty, and had blurry vision while sitting. She reported no history of blood sugar issues, but she said she only had some donut to eat today. I initially gave her three glucose tablets and a bottle of water, which she sipped. She reported feeling better within a few minutes. I checked her blood pressure at 10:59 AM. It read low at 81/44 with a pulse of 73. But, I checked again since I doubted the accuracy of the reading. The second reading was 101/56, with a pulse of 79. Patient said she was feeling better, but continued to sit. I gave her one more glucose tablet to equal a total of 16 g of carbs given. She sat for at least fifteen minutes until she felt well enough to get up and shop. She checked back after shopping and said she was fine.
1144765	3/29/2021	MD	60	M	3/22/2021	3/25/2021	Right eye lid drooping, could not raise right eye brow, could not blink right eye, could not smile on right side of face, could not eat on right side of mouth, pain behind right ear.



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1141681	3/28/2021	IN	51	M	3/26/2021	3/28/2021	Facial swelling in eye, cheek, lips began on one side of face approximately 36 hours after vaccination and spread to other side of face throughout 2nd day after vaccination.
1141662	3/28/2021	IN	54	F	3/26/2021	3/27/2021	Fever, chills, joint aches, headache, dry mouth, burning eyes, all body aches
1141542	3/28/2021	IL	33	F	3/27/2021	3/27/2021	Lightheaded Blurred vision ALS assessment completed with Sinus on monitor . After sitting in Ambulance , pt states feeling better and denies transport to hospital. Pt signed refusal , left in own care. VS 70/41, 85, 20 O2 sat 99 %, 90/55, 88, 16 O2 sat 99 %, 98/60, 86, 18, O2 sat 99 %.
1141626	3/28/2021	AZ	66	F	3/27/2021	3/27/2021	Swelling of lips, face, eyes. Worse on the left side
1141551	3/28/2021	MD	24	F	3/28/2021	3/28/2021	Blurred vision, list of vision, intense shivering and tingling. Peripheral neuropathic tingling in feet and fingers. Patient reported similar incidents when younger.
1141595	3/28/2021	TX	34	F	3/26/2021	3/26/2021	Extreme lethargy, could not keep eyes open, could not move left eyebrow or top eyelid the next morning, on and off fever and chills, pain at injection site.
1141609	3/28/2021	IN	64	F	3/26/2021	3/27/2021	12:00 noon, began to feel nauseous, achy, scratchy eyes. Afebrile. ?Woozy? feeling increased. Uncomfortable to read, watch TV. Slept x 1-2 hours. Symptoms subsided minimally while lying down. Increased upon standing. Could not eat. 9:00 pm, s/sx started to subside. Was able to eat some soup. By 10:00, felt relatively normal, but symptoms minimally returned upon standing. 8:00 next day, feeling normal

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1141590	3/28/2021	PA	63	F	3/28/2021	3/28/2021	0925 pt reported feeling dizzy and lightheaded with blurry vision while sitting for 15 minute post observation time. transported via wheelchair to observation area and placed on gurney in trendelenburg position. 0930 BP 156/84 P 121 pox 96%. 0945 pt reports feeling "better" BP141/73 P 103 , placed in supine position. 0950 placed HOB at 45 degree angle with pt reports feeling "well". BP 167/83 P 83. 0956 pt report feeling "heavy headed and vaccine arm tingly" . Drank 3 oz water. Pt reports being T2 diabetic on metformin. did not check BS this am, but ate breakfast as routine. Reports not regularly checking BS with breakfast. Primary care provider called and spoke with pt. at clinic. PCP advised pt to return to home and self monitor and contact their office if not feeling well today. Husband present and verbalized understanding along with pt of PCP instruction . PT reports BP is occasionally high when anxious. 1010 Pt sitting in chair and feeling well w/o furthur c/o dizziness or blurry vision or heavy headedness . States "feeling good to leave". BP 165/81 P 85 pox 96%. Pt left on foot with husband.
1141844	3/28/2021	NH	73	F	3/5/2021	3/25/2021	3/25/21. awoke dizzy, unable to walk properly, phantasmic visions, headache, eventually bowel urgency (not exactly diarrhea) violent vomiting (and stress incontinence, very unusual for me), return of rapid strange mental images and rapid eye movements, and five hours completely lost, possibly sleeping, again the headache and neck ache (which might've been positional?) 3/26/21. just able to drive for a COVID test (because I work, I thought I should rule it out), eventually able to tolerate liquids, but other wise in bed all day 3/27/21. in bed all day til 4 pm, still light headed, but able to tolerate food (rice, avocado, tea) after 32-36 hours, went out to practice motion and fighting gravity/blood pressure (because going to work Sunday) 3/28/21. a bit weak still, eating simply, lightly, little - went to work (church organist, Palm Sunday), back in bed saving energy for week-day job (librarian) and planning to be better very soon

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1141625	3/28/2021	GA	74	F	3/5/2021	3/6/2021	By March 6, fever, increased blood pressure and pulse, regular headache, upset stomach -- The fever subsided on March 7 but then came back that night. I also developed ocular migraines (not a regular headache) on March 7 and 8. These include aura and interrupted vision. I do get this kind of migraine from time to time. My temperature is also running a little low.
1141743	3/28/2021	NJ	46	F	3/26/2021	3/27/2021	Develop extreme body aches to the point of crying due to extreme pain all over, fever of 101.5, and hallucinations. Develop strange sensation of internal heat coming out from the eyes, mouth, nose, ears; but also had an external sensation of cold. Extreme shivering. Also had a headache but that was mild. Felt really thirsty but even drinking water was painful. Heard noise in my head and talk gibberish.
1141766	3/28/2021	TX	47	F	3/26/2021	3/26/2021	Nausea severe headache spots in my eyes
1140666	3/28/2021	WA	64	F	3/9/2021	3/10/2021	Meniere flare-up for 24 hours; Blurry vision; This is a spontaneous report from a contactable consumer (patient). A 64-year-old female patient received the first dose of BNT162B2 (Pfizer-Biontech Covid-19 Vaccine) at single dose, in the left arm, on 09Mar2021 at 09:00 AM, for COVID-19 immunisation. The patient had not received any other vaccines within 4 weeks prior to the BNT162B2 vaccine. Relevant medical history included allergy to Brazil nuts, buckwheat and shrimp. The patient had not experienced Covid-19 prior vaccination. Concomitant medications included bupropion hydrochloride (WELLBUTRIN), colecalciferol (D3) and iron, all received from an unspecified date (within 2 weeks), at an unknown dose, for an unspecified indication. On 10Mar2021, the patient experienced blurry vision and Meniere flare-up for 24 hours. No treatment was received. The patient recovered from the events on 11Mar2021. Post the vaccination, the patient has not been tested for COVID-19. The information on the Lot number has been requested.
1141826	3/28/2021	NC	41	F	3/26/2021	3/27/2021	Elevated heart rate in 130's. Burning eyes, red swollen itchy patch on arm of vaccine.
1141831	3/28/2021	FL	82	F	2/1/2021	2/11/2021	Double vision Possible third nerve palsy

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1141846	3/28/2021	MO	44	M	3/19/2021	3/20/2021	36 hours after last dose of maderna vaccine he has the usual aches but swollen puffy eyes which he took benedryll and ibuprofin . that subsided but then until now on and off stomach pains. he is also feeling weak. No fever
1141504	3/28/2021	CT	51	F	3/26/2021	3/27/2021	3/26/2021 received 1st shot in left arm @11:45am -That night sore arm and very sleepy at 8pm. Took Tylenol and went to sleep 3/27/2021 woke about 8am with a massive headache, sensitivity to light and noise, eyes burning, alternating between chills and sweating with low grade fever 96.9 3/28/2021 headache still persistent, burning eyes, upset stomach, alternating between chills and Sweaty.
1141112	3/28/2021	NJ	52	F	12/28/2020	12/29/2020	Lasting Severe Joint pain to date 2 months after. 12 hours after: high fever, eye pain, blurred vision, unable to walk 10 hours, skin sensitivity, bad headache, nausea
1141854	3/28/2021	NJ	55	F	3/14/2021	3/19/2021	Onset of ocular, face, and scalp involved shingles 5 days post vaccine. Started with vomiting, dizziness, and nausea with sharp headache sinus pain on left side for four days. Shingles rash appeared on Tuesday. Emergency care sought Wednesday. Prescribed Vaktrax, steroid and antibiotic eye drops, and antibiotic gel for eye. Seems to be improving slowly. Will continue follow-up treatment to try to avoid eye complications.
1141857	3/28/2021	GA	49	F	3/24/2021	3/24/2021	Minor injection site pain followed by chills, high fever, SOB, dizziness, weakness, blurred vision, severe muscle pain, and large swollen lymph node (size of golf ball under left arm/near injection site) 12 hours after second shot. Adverse events diminished 12 to 48 hours later.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1141830	3/28/2021	OH	32	F	3/22/2021	3/23/2021	The morning after the vaccine, I woke up with a horrific migraine, aches, muscle weakness, and dizziness. The following day, Wednesday, at 5:00 pm I began experiencing Vertigo symptoms that ultimately put me in the ER. after rotating between vomiting and diarrhea every 10 minutes. I was given Zofran 4 MG orally and Meclizine 25 MG to control vertigo. The vertigo was severe and I could not lay down at all and even closing my eyes or changing directions made me nearly fall. It was another 24 hours when vertigo ended and just occasional dizziness remains. Diarrhea lasted until Friday, March 26. I had a CT brain and head scan at 3/25/2021 at 8:42 AM to rule out stroke.
1141319	3/28/2021	FL	56	F	3/23/2021	3/28/2021	I woke up this morning and my right eye is swollen nearly shut.
1141814	3/28/2021	GA	82	F	2/2/2021	2/11/2021	Eye stroke
1141877	3/28/2021	IN	54	F	3/26/2021	3/26/2021	Face, eyelids, tongue went numb / tingled. Six (6) hours to resolve. Monitored at home and gradually began resolving.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1140674	3/28/2021	FL	72	F	3/5/2021	3/6/2021	<p>Bell's Palsy - right side of face is paralyzed, right eye doesn't close fully, teary right eye, blurry right eye, and headache; This is a spontaneous report from a contactable healthcare professional (patient). A 72-year-old female patient received her second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EN6200), via an unspecified route of administration in right arm on 05Mar2021 10:00 as a single dose for COVID-19 immunisation. Medical history included hypertension (HTN), hypothyroid, chronic achilles tendonitis, pre-diabetic. The patient had no known allergies. Concomitant medications included losartan, metoprolol; thyroid (NATURE THROID) reported as 'Zinc Berberine Nature Throid.' The patient was not diagnosed with COVID prior to vaccination. She was not pregnant. No other vaccine was administered in four weeks. The patient previously received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL9262) via unspecified route in right arm on an unspecified date at 12:00PM. On 06Mar2021 12:00PM, the patient experienced Bell's palsy - right side of face was paralyzed, right eye doesn't close fully, teary right eye, blurry right eye, and headache. Events resulted in Doctor or other healthcare professional office/clinic visit, Emergency room/department or urgent care. Treatment received included CT scan of brain, prednisone 60 mg total, and valaciclovir (VALTREX) 1. Outcome of the events was not recovered. The patient had not been covid tested post vaccination.; Sender's Comments: Based on temporal association, the causal relationship between BNT162B2 and the event facial paralysis cannot be excluded. The information available in this report is limited and does not allow a medically meaningful assessment. This case will be reassessed once additional information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees, and Investigators, as appropriate.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1140676	3/28/2021	MA	22	F	3/11/2021	3/11/2021	Brief loss of vision; Faint; Short of breath; Palpitations; This is a spontaneous report from a contactable other health professional. A 22-year-old female patient received the 1st dose of bnt162b2 (BNT162B2, Manufacturer Pfizer-BioNTech), intramuscular in arm left, on 11Mar2021 at 13:00 (Lot Number EN6207), as single dose, for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. Patient did not have COVID-19 prior to vaccination. The patient experienced brief loss of vision (medically significant) on 11Mar2021 at 13:00 with outcome of unknown, faint (medically significant) on 11Mar2021 at 13:00 with outcome of unknown, short of breath (non-serious) on 11Mar2021 at 13:00 with outcome of unknown, palpitations (non-serious) on 11Mar2021 at 13:00 with outcome of unknown. Therapeutic measures were taken as a result of the events. It was reported that the events were evaluated and advanced life support (ALS) transported the patient to the emergency department (ED). It was unknown if patient was tested for COVID-19 post vaccination. Follow-up attempts are completed. No further information is expected.; Sender's Comments: The possibility that suspect drug may have contributed to the reported events cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer drug is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.
1141053	3/28/2021	CA	42	M	3/27/2021	3/27/2021	Pt. passed out for about 2 minutes. Skin and lips were very pale. pt hunched over to the right while in chair. eyes fluttering and very diaphoretic. Pt was helped to lay down on the floor in supine with legs elevated. clothes loosened, applied cold icepacks and deep breaths were encouraged. Pt . gained consciousness and was able to retell what had happened.
1141093	3/28/2021	FL	54	M	3/27/2021	3/28/2021	Red blood shot in left side of left eye

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1141135	3/28/2021	FL	26	F	3/27/2021	3/27/2021	Patient was administered vaccine and told to wait the 15 minute monitoring period. After about 4 minutes, I heard her say "I'm not feeling right." I went to where she was sitting and asked "are you ok?" and had her take some slow, deep breaths. I then saw her eyes roll back and she lost consciousness. Thankfully, I was there and grabbed her as she toppled from the chair. I told the staff to call 911 and supported her neck and body in the chair. I could tell she was breathing and she was sweating profusely. I held her and spoke to her, and after about 15 seconds, she began to come out of it. After about a minute she was alert and orientated again. I had her slowly sip a little water. The EMTs arrived in about 5 minutes and the assessed her vitals. She indicated that this was the first time anything like this had happened to her. They advised that since she had fainted, she should go to the hospital for observation, but she declined, stated that she felt fine at that point. Since she was driving, I insisted that she remain another one-half hour before leaving. During that time she drank more water and alternately sat and walked around the pharmacy. She did indicate that she had drank a protein shake that morning, but not eaten. I advised her to in the future, tell her doctor and/or any immunizer about the event. She left, stating that she was feeling fine, and I called her several hours later to make sure that she had indeed gotten home ok. She again said that she felt fine.
1141169	3/28/2021	NJ	36	M	3/26/2021	3/28/2021	Pfizer-BioNTech COVID-19 Vaccine EUA. Ocular/retinal migraine (kaleidoscope vision) in right eye. Lasted 10 -20 minutes. Went away on its own.
1141212	3/28/2021	MA	61	F	3/27/2021	3/27/2021	Approximately 25 minutes after receiving the vaccine I noticed my eyes were beginning to itch and my throat felt odd and was accompanied by a hoarse voice. I was driving home at that point and considered turning back for medical advice (should have but did not). Over the next few hours itching sensation on my tongue, face including eyes, head and back. Developed just one hive on my eyebrow approx 3 hours after vaccination, and one on my thigh at least six hours after vaccination. The symptoms were not severe but obviously I monitored them. Now 24 hours after the vaccination and still have some itching as described above. Throat is somewhat better. Eyes feel odd more than itchy at this point.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1141156	3/28/2021	VA	25	F	3/26/2021	3/26/2021	Systemic: Allergic: Rash (specify: facial area, extremities)-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Systemic: Shakiness-Medium
1141308	3/28/2021	MD	51	F	3/25/2021	3/26/2021	24 hours after: sudden diarrhea, nausea, headache , fever- 100-101, dizziness, extreme body aches, chills, fatigue. Lasted through the evening but by the following day I was fine. also- I had weird black spots in my vision immediately after the vaccine but they went away within 30 minutes.
1141486	3/28/2021		63	F	1/8/2021	1/23/2021	severe neurological symptoms of limb parasthesias gradually decreased over six weeks , vision loss intermittent left eye for 5 minutes at a time ( 5 events over one month), continued to this day intermittent diplopia vertical , with blurring vision and eye fatigue , general fatigue with ADL ( missed multiple days of work), bouts of tachycardia and palpitations ( slowly abating over 6 weeks ) , original neck pain and headache severe in first 2-3 weeks especially after second vaccine 1/29/21 lot number EL3246. multiple MRI's done brain ( white matter and demyelination dating back to before 2015) and cervical and thoracic spine showing existing disc disease all old , neurology work up was done for MS and it was ruled out. visual disturbances persist and neuro-ophthomologist appointment schedule for mid april .
1141327	3/28/2021	PA	56	F	3/1/2021	3/1/2021	Swollen tongue with lesion, extreme fatigue, muscle aches, vision disturbances, stomach issues, elevated liver enzymes
1141345	3/28/2021	OH	68	F	3/27/2021	3/27/2021	Double vision, droopy eyelids, fatigue, headache, cramps ( all within first 24 hours after shot)
1141353	3/28/2021	NJ	30	M	3/13/2021	3/14/2021	Woke up from sleep to go the bathroom. Felt weak when walking, once in the bathroom my vision went dark not able to see out of the sides of my eye it kind of went dark. My ears started ringing loudly and i felt a bit off balance. The vision came back after ~20 minutes and the ringing took ~2 hours to fully go away.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1141376	3/28/2021	NM	65	F	3/22/2021	3/25/2021	Joint pain on arm where I received the vaccine from the shoulder to the wrist started 2 days after the vaccine. Then 4 days after the vaccine, I had headaches from the back of my head/neck up to my eyes.. Took Ibuprofen for the joint pain and extra strength Tylenol, fir the headaches, which lessened the pain.
1141441	3/28/2021	FL	5	M	3/19/2021	3/25/2021	Approximately 5-6 days after my vaccination I began to experience blurred vision. There was a feeling of pressure coming from my eyes. When both eyes were open I had double vision. If one eye was closed vision was more normal. Overall, vision was blurred and there was pain/discomfort in the eyes. On March 27 I went to the eye doctor After examining me he concluded I had experienced cranial nerve palsy in the sixth abducent nerve. It was my left eye that was affected. In my past, i have had two incidences of bells palsy and one incident of an 'eye stroke'. I am not diabetic. My bp and cholesterol are good. I tested negative for Lymes disease 2 years ago.
1141452	3/28/2021	SC	65	F	3/26/2021	3/27/2021	3/26 - afternoon onwards, mild arm soreness 11p fever 3/27 - 7a 100 degree fever & headache, remained at 99-100 through day 2p onwards blurry vision 7p Tylenol 11p normal temp of 97.6, no headache 3/28 - 7a no fever or headache, feeling normal except blurry vision 11a Tylenol, in hopes it would help blurry vision
1141468	3/28/2021	CA	34	M	3/28/2021	3/28/2021	0730 - itchy lips and eyes 0736 - itchy throat 0734 to 0740 - monitored VS 0744 - administered Benadryl IM 0750 - itchy throat resolved 0815 - top lip and eyes still itchy 0835 - recommended follow-up with PCP and to go to urgent care or emergency department for worsening symptoms or any signs of distress
1141472	3/28/2021	IL	60	M	3/26/2021	3/26/2021	Couldn't see out of right eye. Called eye doctor, sent to retina specialist. Blood and swelling by retina.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1141481	3/28/2021	IL	53	F	3/26/2021	3/26/2021	I had the vaccine at approximately 7:35 AM and by 1:30 PM I was not running a temperature, however, it felt like my insides were going to burn as my core felt like it was on fire. I still feel like more core is on fire, but it has subsided and is less concerning as it was on Friday, 3/26/2021, and Saturday, 3/27/2021. My eyes became sensitive to light on Friday, 3/26/2021 night and my eyes are still sensitive especially to artificial lighting. Natural light hurts as well but is more tolerable. My heart rate definitely increased Friday, 3/26/2021 through Saturday, 3/27/2021 however I did not experience the other symptoms on the critical list (such as inability to breathe) therefore did not go to the hospital. I suffered from muscle weakness on Friday, 3/26/2021, and Saturday, 3/27/2021. The muscle weakness was only in my legs.
1141295	3/28/2021	OH	38	M	3/28/2021	3/28/2021	Syncope Sweating Shaking Tunnel vision
1142467	3/28/2021	IN	50	F	3/25/2021	3/25/2021	Within two hours: slight nausea, some aches and chills. Within 5 hours severe aches, sore and loose joints, headache, eye lashes hurt (weird, I know), low fever, side of lungs felt heavy and had a hard time breathing deeply. Inability to sleep for more than 15-30 minutes because it felt like the blood was congealing in place if I stayed in one position (again, weird and not reality, but that's what it felt like). Above severe symptoms lasted 24 hours. Most of the next day and night I slept. After 48 hours feeling very much improved, but napped multiple times that day. Third day out just fine, only minor aches.
1142274	3/28/2021	AZ	63	F	2/28/2021	3/8/2021	Right Eye Pain for a few days, about a week later glandular right breast pain for a few days. Both mild but never had either at any other time

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1142326	3/28/2021		58	M	2/14/2021	2/22/2021	Got COVID Arm about eight or nine days after first dose. See previous submission on 2-23-21 with the Temporary VAERS #318903. First dose was on Feb. 14th and second dose was on March 14th. It's now been two weeks. Did not have any symptoms in arm this time. Swelling was less after a couple days, did not get "hard" like after first dose. Also, did not get COVID Arm after second dose like I did a week or so later after first dose. Am blood type A. Had only minor side effects after second dose - pressure behind eyes and fatigued, for about 30 hours which began about six hours after second dose. Did not get fever, chills or anything like that.
1142343	3/28/2021	TX	45	M	3/17/2021	3/21/2021	Bells palsy- pain and pressure on rear left side of head and ear. Numbness on the left side of face ,jaw and tongue. Left eye does not blink so constantly tears, slurred speech and no taste. Symptoms started on 3/21/21 and got worse. Meds prescribed acyclovir 800mgs , prednisone 10mg and Diclofenac sod dr 75 mg for pain.
1142363	3/28/2021	IL		F	3/28/2021	3/1/2021	Patient had received her first dose of covid vaccine and was sitting in waiting area and within 5 minutes became pale and was sweating profusely. She then slouched over some and seemed to have loss of consciousness for a few seconds with eyes closing and rolling back. We went to lie the patient down and she became more alert so I put a cold compress on her face and she started feeling better and telling us how she felt. She sat for around 15 more minutes and said she felt fine. Just a slight headache. I called a few hours later to check on her and she was feeling fine per her mother.
1142364	3/28/2021	AZ	71	F	3/24/2021	3/24/2021	Bell's Palsy - pain under left ear, facial drooping on left side, left eye lid swollen, pain in left eye, loss of facial muscle on left side

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1142416	3/28/2021	AZ	23	M	3/24/2021	3/24/2021	After taking the vaccine husband started to feel a bit dizzy then 30 seconds later his whole body when into a shock and no longer control himself and started to shake a little. He had his eyes open but was unconscious for about 1 minute. Then he released his bladder and peed on himself. The pharmacist noticed and came over then he responded and was consious again. Then he began to sweat excessively all over his body. His face turned pale and the pharmacist began taking his blood pressure which dropped very low. He then began to feel nauseated. Then he started to get body chills. We monitored my husband there for another 30min and he slowly was coming back to his normal self. He had a small headache but was fine enough to leave.
1142418	3/28/2021	IN	65	F	3/23/2021	3/24/2021	Had vaccine. Went Home; was okay until that evening. Had slight headache, tired achy so took 1 tylenol pm and went to bed. Woke up to to go bathroom and felt nauseous and light headed. Went to bathroom was washing hands and room was spinning. Called for my husband and he came to help hold me but a passed out, slipped out of his arms and landed on floor. I came to, he took my oxygen which was 77; fever of 100. He put my oxygen on and got me to bed. Woke up next morning, nauseous all day, headache, and have a black eye from fall. Felt tired but felt better the following day.
1142420	3/28/2021	AZ	62	F	3/14/2021	3/14/2021	Very itchy right eye, for 2.5 days, (same length of time as arm soreness), followed by sudden onset, noticeable vision loss with diagnosis of epiretinal membrane and vision loss from BCVA from 20/20 or 20/40
1142439	3/28/2021	IL	60	F	3/25/2021	3/26/2021	First dose I was fine,second dose I had reactions next day with face swelling lip swelling tired next day swelling went down then I have big lymph node knots on both sides of neck with chills and fatigue. I am on third day and still have nodes on neck and tired with chills. My eyes fill little swollen also.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1142270	3/28/2021		22	F	3/28/2021	3/28/2021	About 9 minutes after patient got vaccinated. Pt states having numbness of left hands and left arm , blurred vision and anxiety. Paramedics arrived. Vitals stable. No shortness of breath. Able to squeeze paramedics hands and lift both arms. Allergy to penicillin, peanuts, cooked blueberries, apple cider vinegar, latex, spermicide, macrobid antibiotic. Vital signs stable Monitored pt for another 30 minutes. Did not need to transport to ER.
1142451	3/28/2021	FL	43	F	3/14/2021	3/18/2021	Red rash on both arms, chest, and face. Red eye.
1142596	3/28/2021	KS	55	F	3/25/2021	3/25/2021	First night, hot sweats. follow day very weak, dizzy, nauseated, fatigued, felt feverish, but no fever,. Also, my eyes feel like a sinus cold and my right ear is tender. Two days later still feeling very nauseated, I have GERD, and had a severe GERD attack, very tired. Third day(today) still feeling nauseated, tired, all my senses are heightened, skin tingling, ears and eyes.
1142482	3/28/2021	NY	36	F	3/11/2021	3/11/2021	Puffed/swollen and itchy left eyelid at 11:06pm and swelling of the throat. Symptoms did not get significantly worse by 2am so I went to sleep and did not seek medical attention. Did not take any medication as didn't have any Benadryl or anything available
1142497	3/28/2021	WA	71	F	3/24/2021	3/24/2021	About 13 hours post-vaccination, extreme chills, shivering, body aches and headache commenced. I ran a temperature of 101 degrees for about 24 hours. The headaches/neck aches were so extreme that no food, noise, or light could be tolerated. Hot pads were applied. Only sips of water were tolerated for the first 48 hours. After 24 hours additional pain occurred in lower back and right hand knuckles (sites of previous injuries). Headaches occurred from the sides, radiating up from neck to top of head, and behind eyes at various times, dulled slightly by ibuprofen. On day three small amounts of simple food were tolerated, Ibuprofen was continued. At about 72 hours post-vaccination, all symptoms disappeared, as if there were an "off" switch.
1142500	3/28/2021	MI	54	M	3/27/2021	3/27/2021	Chills, fever, muscle aches all over the body, headache, watery left eye, upset stomach, night sweats
1142507	3/28/2021	LA	57	F	3/26/2021	3/27/2021	FEVER, CHILLS, HEADACHE, MUSCLE ACHES, DENTAL IMPLANT HURTS, EYES HURT

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1142555	3/28/2021	CO	69	F	3/19/2021	3/28/2021	Noticed ten days after receiving second dose: 2" x10" red area, hive-like small bumps, slightly itchy. Entire area NOT raised. May have been occurring regularly since vaccination, but I haven't taken visual notice. Itching noticeable when I get in a hot shower, am in the sun, and when I have hot flashes. Itching does not cause me to lose sleep or scratch with fingernails. After talking with my 24/7 insurance nurse line, I will use hydrocortizone cream and ice. Rejected suggestion of NSAID and antihistamine. Have taken cell phone photo of affected area and traced outline on the skin, per nurse's suggestion.
1142556	3/28/2021	OR	44	M	1/14/2021	1/14/2021	That night, about 5 hours later, my lower eyelids swelled up, starting with the left side. It was controlled with 10 mg Claritin, BID. The symptoms lasted for about 1 week. I saw my physician about day 3. He recommended not getting the 2nd dose of the vaccine. He recommended either the Claritin (that I ended up taking) or prednisone.
1142560	3/28/2021	MO	66	F	3/5/2021	3/20/2021	I developed Iritis in my right eye 15 days after receiving my first dose of the Covid 19 vaccination. My eye is blurry, I also have it on my cornea as well. I still have the Iritis now 8 days later. I am putting dilating drops in 4 times a day and prednisone every 2 hours.
1142564	3/28/2021	NY	68	M	3/26/2021	3/26/2021	Immediate whole body severe sweating, eye pupils extremely dilated, skin color and lips became very pale, dizziness, disorientation, tremor in the hands, thirst, a bit of nausea, fainting . No treatment received except for ice pack. Neither doctor or nurse was present on the site.
1141746	3/28/2021	FL	52	M	3/20/2021	3/20/2021	Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium
1142441	3/28/2021	NC	35	F	3/1/2021	3/26/2021	Increased resting heart rate went up to 130 for 30 mins and my arms and legs, hands and feet were tingling and my mouth and throat went numb, vision changes

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1141994	3/28/2021	SC	54	F	1/9/2021	1/10/2021	I developed palpitations Saturday night after receiving my 2nd vaccine dose at 6pm, January 9th. The palpitations continued through out the day/night on Sunday January 10th. When I went to work on Monday morning, January 11th, I put myself on an EKG monitor and it showed unifocal PVCs. (I made a short video recording.) The PVCs seemed to be gone by Tuesday afternoon. Also, on March 17th, I experienced sudden stabbing/sharp pain above/around my left eye which persisted for about 10 minutes. It was excruciating and I have not had anything like that before in my life. Although the stabbing feeling has not returned, I have a dull pain above that eye now that persists.
1141906	3/28/2021	NJ	29	M	3/24/2021	3/27/2021	Headaches, coughing, pressure behind eyes, fever above 100 degrees, chills, fatigue
1141940	3/28/2021	NC	57	F	2/4/2021	2/11/2021	Stiff neck muscles, especially at base of skull accompanied by pain at the base of skull traveling up both sides of head into temples. Painful temples when touched. Headache was constant throughout the day (1-2) and would flare up 3-4 times a day (6-7). Sometimes relieved by Tylenol. Often caused eye pain when severe.
1141949	3/28/2021	VA	76	F	3/19/2021	3/19/2021	Gradual eruption of hives with worsening itching, almost all on the right side of my body, with eventual swelling of my face, mostly on the right side, to the point of nearly closing my right eye.
1141954	3/28/2021	VA	73	F	3/28/2021	3/28/2021	Eye focus issue heart rate over 120 BP low severe diarrhea head ache shaky



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1142240	3/28/2021	CA	45	F	3/25/2021	3/26/2021	I woke up at approximately 2:30 AM feeling very sore, achy, clammy, and feverish. I felt like I needed to get out of bed because laying there felt very uncomfortable. I got up to go to the bathroom. On my way to the bathroom, I fainted in the hallway and landed flat on my face. My front left tooth was knocked completely out of my mouth, and the two adjacent teeth were knocked loose. I found my tooth on the floor, placed it on a shelf in my bathroom, and then took a shower as I was in shock and felt very sweaty and out of sorts. At 2:41, after the shower, I called 911, but declined an ambulance ride and hung up. I then googled what to do when your tooth is knocked out, and learned that I should put the tooth back in its socket immediately. I put the tooth back in and then at 2:57, I called an emergency dentist dispatch line. The dispatcher told me about a dentist who could make an urgent appointment for me when their office opened at 7 AM. I felt like I needed to be under medical supervision right away, so at 3:37 AM, I took a Lyft to the ER at , where I was observed and given an IV. I was discharged at 6:45 AM, and caught a Lyft home at 6:51 AM. My husband returned from work at 8:15 AM. He took me to my emergency dental appointment at 10 AM, where the dentist gave me multiple novocaine shots, straightened my two loose teeth and wired all my front teeth together to stabilize the front tooth that had been knocked out. It is unclear at this time whether my natural tooth will be able to be saved.
1141992	3/28/2021	MI	58	F	3/26/2021	3/26/2021	Immediately after receiving vaccination my lips went numb. About 20 minutes later my lips were better but my face went numb all below the eye area and nose got cold. Below the eyes is still a tingly numb which is now over 48 hours later.
1141935	3/28/2021	IN	59	F	3/17/2021	3/18/2021	High temp for two days after shot and then low grade temp for three days Headache Nausea Chills Body aches Joints hurt Left eye became bloodshot and hurt Cold sores inside and outside of mout

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1142002	3/28/2021	CA	27	F	3/27/2021	3/27/2021	27 year old female comes in 3/27/21 at 4:15pm to get Pfizer COVID vaccine. She has no family doctor. On her VAR form she states no seizure or history of seizure but does have reaction to HPV vaccine where her throat swelled up and her MD had to give her oxygen year ago. I asked about any other reactions to any other vaccinations and she said no and was willing to get this vaccine. I told her to wait 30 minutes after vaccination to make sure no reaction. At 4:25pm her sister and mom tell us that patient is feeling weak and dizzy and ask for water, I go out and check and she is pale and is ready to faint. Mother asks for orange juice which she takes a sip. I ask her if she has any health conditions like diabetes, seizures and they say no, then patient has what looks like a petit mal (absence) seizure. While sitting in the chair her eyes flutter, roll back she tenses up and her body freezes for about 20-30 seconds. I tell staff to call 911 and her sister says she's having "another" seizure. We don't move her but make sure she doesn't fall, once the seizure passes we move her to the ground to lie down. She regains consciousness and is coherent but confused. I do not give EpiPen because I witnessed a seizure. The fire and ambulance arrive to assist her and then her family mentions she did have seizures years ago. After 20 minutes or around 4:50pm she feels better and does not want to go to the hospital and walks out assisted by fire/ambulance staff. The next day I call her and she says she feels better and just has a sore arm and will find new doctor check her out.
1142006	3/28/2021	MO	69	M	3/1/2021	3/7/2021	3/7/21 Some vision loss noted; 3/13/21 CT due to darkening vision loss to rule out stroke; 3/15 optic nerve images at Optamologist noted swelling. 3/16 optic nerve swelling diagnosed by angiogram with contrast, gradual vision loss (holes in visual field, loss of accuity, periodic darkening of visual field and weaking of colors noted. 3/19-3/20 MRI of head noted optic nerve swelling increased severity, no other neurological signs noted. Lumbar puncture to test spinal fluid, that was normal, fluid sent to healthcare facility for further testing of infection or auto-immune issues. Treated with IV steroids for 3 days course, 1 gram daily following out-patient steroid step down with Prednisone 60 mg day

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1142018	3/28/2021	VA	50	F	2/24/2021	2/25/2021	Soreness at injection site: 2/24, beginning approx. 9:00 PM Soreness at injection site and when lifting left arm: 2/25 - 3/3 Extreme fatigue: Unable to keep eyes open/stay awake - 2/25 Feeling sluggish: Body felt heavy/tired, but able to stay awake - 2/26
1142199	3/28/2021	OH	56	F	3/26/2021	3/26/2021	almost immediate crushing pain in forearm, hand went numb and fingers tingling. sensation of back into neck and head. black out feeling.. headache left temple. flashing orange in eyes. lasted for up to 90 minutes.
1142028	3/28/2021	FL	46	F	3/5/2021	3/5/2021	Patient felt fine during the 15 minute observation period. While driving home from getting the vaccine, she felt flushed on her neck and through her sinuses. After a couple of hours she experienced a tingling sensation on her tongue. She had no swelling of her tongue. The following morning following her vaccination, she felt a burning sensation on her tongue that last the whole day. The following day (day 2 post vaccination), the patient said her burning tongue sensation was gone but her eyes and nose were burning and irritated. On day 4 post vaccination, she also experienced shivering. She recovered from these adverse events on day 5 post vaccination but later got a sinus infection and subsequent yeast infection about 1-2 weeks later after she received her Remicade. She is going to delay her second dose vaccination until she recovers.
1142036	3/28/2021	VA	73	M	3/23/2021	3/24/2021	Bells Palsy drooping of the left eye and mouth, started approximately 23 hour after the shot

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1142077	3/28/2021	CA	26	F	3/28/2021	3/28/2021	Client complained of feeling nauseous and dizzy after receiving 1st Pfizer Covid Vaccine(Lot# ER8734 Exp 3/31/21) at 1020. Client was walking out of restroom when she alerted EMT she was feeling dizzy and nauseous. Mother was present and had accompanied client to restroom. Per client could walk back to waiting room. Client was assisted by mother from restroom to walk to nearest chair. Fst assessment at 10:23: alert and oriented, blood pressure 130/100, pulse 83, oxygen 98. Per client no breakfast did morning and had not hydrated as well. Client given water and instructed to take small sips. Client denied headache, blurry vision, or vomiting in restroom. Client informed she would be observed for an additional 15 mins. Client asked if she could eat a snack as she felt she was feeling this way due to not having breakfast. Client advised to take small bites. Per client no history of allergies or reaction to vaccines and no current medication she takes. Within 5 minutes of sitting client stated symptoms were improving. Vitals at 1036: blood pressure 120/88, pulse 81, oxygen 98, alert and oriented. Client stated previous symptoms had resolved. Client advised to speak with provider prior to second dose. ER precautions given. Mother would drive client home. Client left facility at 1038 with a steady gait.
1142092	3/28/2021	VA	47	M	3/19/2021	3/27/2021	I have recently noticed an unusual bruise above my left eye, in the gap between my upper left eyelid and my left eyebrow. The bruise was dark brown in color, about 2cm x 1cm. This is a hidden area, unless I close my left eye or pull my left eyebrow upward. My son noticed it on March 27th, but it may have been there longer than that. Today I noticed the yellow-greenish color surrounding it today, so it appears to be somewhat new. I have not noticed unusual bruising anywhere else. It is possible that the bruise resulted from a mild physical impact from my son during play, but I do not recall any unusual impacts of note.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1142127	3/28/2021	NJ	58	F	3/26/2021	3/26/2021	Passed out 20 minutes after vaccination; ringing in ears, tingling feeling spreading from injected left arm to chest, black spots in front of eyes prior. Feeling of blacking out occurred several times after initial feeling/fainting. Extreme pallor. Was given place to lie down, given ice pack; given oxygen when I reported my chest felt tight; didn't feel like I was getting air. Slowly (30 minutes) felt better. Paramedic said he had seen fainting before with first Moderna. Declined to go to hospital and symptom did not return. Severe side effects the following day and day after (fever, chills, muscle aches, nausea); pallor is gone.
1142132	3/28/2021	CA	51	M	3/28/2021	3/28/2021	12:56 patient received first dose of pfizer vaccine and was brought to the observation room for a 30 minute observation due to history of medication allergies. 1310 he began to complain of feeling dizzy with blurred vision and some nausea. He denied any shortness of breath or chest pain. Injection site without swelling or irritation. Transported the patient via wheelchair to Med A for further evaluation and reported out to RN who took over care
1142156	3/28/2021	TX	67	M	3/1/2021	3/7/2021	7 days after the vaccine I came down with shingles. Several pain and headache, went to Dr. and was diagnosed with shingles. Was sent to optometrist due to having in the eye as well as left forehead, left side of face and nose.
1142163	3/28/2021	NJ	22	F	3/27/2021	3/27/2021	Onset of symptoms occurred within a minute of having the vaccine administered. Symptoms included heart racing/palpitations, profuse sweating, sudden lack of vision and hearing, on the verge of fainting.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1142019	3/28/2021	IN	62	F	3/26/2021	3/27/2021	1st dose I had soreness in left arm and a stomach nausea the next day. 2nd dose I had at 2:00 p.m. on 3/26/21. Woke up the next morning at 4:00 a.m. with pain in my arm and basically feeling terrible. I had pain in the arm, soreness under arm, achy and severe joint pain all over, headache over my eyes, extreme fatigue, chills on and off, a few instances of sweating, Generally felt really sick. Appetite decreased. The next night woke up in the middle of the night sweating, then later in the night with chills. Aching and pain in joints was miserable. By noon on 3/28/21 was feeling a lot better, still tired and arm just sore. Stomach still a little off.
1141985	3/28/2021	CA	42	M	3/28/2021	3/28/2021	Patient received the vaccination and after he got up from the chair, he passed out and fell to the floor. The intern notified the pharmacist. When I went to see that patient, he was laying on the floor with his eyes rolled in the back of his head and was unresponsive. He was not alert. He started having a mild seizure and I rolled him over on his left side. While I was bracing the patient, pharmacist came in and administered an Epi-pen to his left thigh. Patient stopped seizing so I rolled him back on his back. He became alert and was able to provide me his name, DOB and what he was at the pharmacy for. I rested my hand under his head and monitored his pulse until the paramedics arrived
1142200	3/28/2021	KS	35	M	3/26/2021	3/27/2021	Vaccination at 11:15am. Onset of soreness / flu-like symptoms around 9pm. Patient awoke around 3am to use the bathroom and fainted (lost consciousness and collapsed) on the floor. Patient's wife tried to help patient back into bed, once patient was standing patient lost all muscle control and experienced muscular spasms in legs (possibly arms). Patient's wife laid patient flat on floor; patient's eyes rolled into back of head. Patient was unresponsive for approx 1 minute, by the time wife retrieved phone to call for help, patient was again responsive and displayed extreme flu-like symptoms (severe shaking, sweating, and thirst). Patient remained laying on ground for 10 minutes before being able to sit and return to bed.
1139728	3/27/2021	VA	42	M	3/26/2021	3/27/2021	Slight swelling of area around right eye, vision is not affected. Left eye not affected. Slight headache.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1139726	3/27/2021	AR	45	M	3/8/2021	3/10/2021	Right ear pain started on the Wednesday afternoon, two days after Vaccine shot. By Friday evening the ear pain was intense and it had moved below the ear to lymphnode area. Saturday, his ear was really swollen and red. He went to the Urgent Care and they prescribed an antibiotic Cephalexin thinking it could be some sort of ear infection or insect bite. Sunday morning he woke up with his face droopy. We tried to get an appt. with Urgent Care, but they sent us to the ER. The ER did a physical assessment and concluded he had an ear infection and Bells Palsy. The prescribed another antibiotic Doxycycline, an antiviral Famciclovir and a steroid of prednisone. By Monday he was extremely nauseas and had started having vertigo. We went to Urgent Care and they prescribed him Ondansetron for nausea and made the assessment that he had Shingles in his ear. We saw PCP on Wednesday and he assessed that this was a zoster ear infection causing facial paralysis and vertigo, also known as a rare condition called Ramsay Hunt Syndrome and that it was most likely attributed to his Covid vaccine shot and not to get the second vaccine shot. The Dr. took him off the antibiotics and put him on a higher dose of prednisone, a different antiviral (valacyclovir) and Meclizine for vertigo symptoms. He sent referrals for Neurology, ENT and Eye Dr. He saw the Neurologist that Friday and he concurred Ramsay Hunt Syndrome, most likley from Covid Vaccine and do not get the second vaccine shot. The neurologist referred him to Physical Therapy to treat his vestibular issues. He ordered an MRI and some blood work. We are still waiting for the results. We saw an ENT an he had him have a hearing test which showed moderate high frequency hearing loss. The ENT prescribed Gabapentin for the ear and face pain. He started to see a physical therapist this week, he had his MRI on Wednesday and we see the ENT again on Monday. He has no improvement yet, other than the nausea has subsided.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1139723	3/27/2021	CA	67	F	2/15/2021	3/5/2021	Around March 3rd: -painful sores on tongue (gargled with salt water-no help) -Ear Blocks up/Painful March 8: - Wake up with painful rash across entire left side of face (did not know what was) -slept 1 1/2 days -went to Urgent Care 3/11/2021 -Diaignosed with shingles accompanied by Bells Palsy (left side of face) -Urgent Care refered to eye doctor for exposed left eye-appointment 3/12/2021 - Follow-up eye apponiments 3/19 and 3/26 -Referered to Neuro-Ophthalmology appointment set for 3/31/2021
1139701	3/27/2021	MO	25	F	3/26/2021	3/26/2021	I received the Johnson & Johnson COVID-19 vaccine at 8:30AM on Friday, March 26. The only symptoms I experienced until that evening were mild soreness at the injection site, mild stiffness/soreness in my left arm and my neck, and mild body aches. At 6:00PM that day, I was driving and experienced sudden-onset nausea and dizziness. I experienced tunnel vision and my vision began to black out. I was able to pull off the road and began retching and dry heaving. I also experienced tingling/numbness in my lips and then in my right hand, each of which lasted for about a minute. The nausea lasted for 5-10 minutes, after which it dissipated and I started experiencing chills. After returning home, around 9:30PM I experienced a severe headache and a return of sudden-onset nausea. I also experienced tingling/numbness in my right hand again, which disappeared after about 5 minutes. I retched and dry heaved again, and I took two Advil. The nausea passed and I was able to go back to sleep. The next morning, the nausea had completely disappeared, and the only lingering symptoms were a mild headache and mild stiffness/body aches.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1139694	3/27/2021		54	F	3/27/2021	3/27/2021	3/27/2021 Patient was observed post Covid-19 immunization for 30 minutes based on pre-vaccination screening . During the observation period, she experienced an adverse reaction with the following symptoms: swelling of face and throat. Assessment : Time of assessment 1130am, no visual redness, rash or swelling of face or mouth, tongue Actions taken: *1130am*Alert and oriented. Benadryl 25 mg po x1 given, VS checked with BP- 132/84, P- 84, O2- 98%, 1201pm VS rechecked BP- 119/73, P- 77, O2- 98%, monitored for 30 minutes. There were no vitals filed for this visit. Medications administered: Diphenhydramine (Benadryl) 25 mg capsule, by mouth. Time: 1130. Administered by rn. Disposition: Reports no further symptoms of adverse reaction after observation for 30 minutes. Discharged home. Immunizations Administered Name Date Dose VIS Date Route Moderna COVID-19 Vaccine 3/27/2021 11:03 AM 0.5 mL 12/1/2020 Intramuscular Manufacturer: Moderna
1139687	3/27/2021	IN	46	F	3/25/2021		Blurred vision dizziness nausea headache arm pain Extreme fatigue low-grade fever and chills. Have knot the size of a quarter on my arm at the injection site along with redness and pain. This was the one shot vaccine.
1139644	3/27/2021	TN	52	F	3/22/2021	3/23/2021	Lightheadedness, vertigo, increased tinnitus, imbalance, vertigo, migraine, watery eyes, vertigo upon sudden movement
1139612	3/27/2021	VA	52	M	3/25/2021	3/25/2021	Constant tearing of left eye with painful irritation in upper left corner of eyeball. Itchy tongue and roof of mouth. Duration of about an hour after washing face and flushing eyes with warm tap water. Rinsed mouth with antiseptic and drank plenty of water. Things I know to do when anything I've ingested sparks the warning signs with the tearing up of the left eye. Since I cannot afford Epipens, I wonder if it would have helped if I was not able to breath during this reaction?

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1139643	3/27/2021	NY	63	M	1/16/2021	1/29/2021	DEVELOPED TRANSIENT EAR/JAW (THROAT?) PAIN APPROX 7 DAYS POST VACCINE. DEVELOPED RIGHT SIDE FACIAL WEAKNESS/PARALYSIS ON 1/29/21. SYMPTOMS INCLUDED DIFFICULTY CHEWING FOOD, ASSYMETRIC SMILE (NO MOEUREMENT OF RIGHT SIDE OF MOUTH), SPILLING OF LIQUID FROM RIGHT SIDE OF MOUTH WHEN DRINKING AND ALSO TEARING, WEAKNESSOF RIGHT EYE. SAW MY DOCTOR ON 2/7/21 HIS IMPRESSION WAS OF POSSIBLE BELL'S PALSY (FACIAL PARALYSIS) . STARTED ME ON VALACYCLOVIR 1 GR TID ON 2/8/21 . REFERRED TO NEUROLOGIST WHO I SAW ON 2/9/21 PERFORMED NEURO EXAM AND REFFERED ME FOR MRI OF HEAD TO RULE OUT STROKE, mY SYMPTOMS IMPROVED SOMEWHAT ON 2/10/21 AND CONTINUED TO GET BETTER COMPLETELY BY 2/14/21. MRI DONE ON 2/12/21 INDICATED NO SIGN OF STROKE.
1139741	3/27/2021	MN	24	F	3/24/2021	3/24/2021	Intense chills and low-grade fever onset at 5:20PM, around 5 hours after vaccination. Chills lasted for around 2 hours, then returned on and off the rest of the night. Widespread joint pain all over body began at 6:00PM, with pain most noted at wrists, elbows, and ankles. High levels of joint pain lasted 1 to 2 hours, then became moderate to low joint pain for the rest of the night. Headache behind eyes was present for 24 hours after vaccination.
1139814	3/27/2021	CA	68	F	3/9/2021	3/12/2021	Three days after vaccination my sister, suffered 2 Mini-strokes. She was taken to the hospital and is now in an Acute Rehabilitation Facility for one more week. She is unable to walk without assistance and has some speech and vision problems. Not sure is there is any connection with this and the vaccination, but just wanted to give the information in case.....
1139869	3/27/2021	MO	70	F	3/26/2021	3/26/2021	Head ache, neck ache, eyes ache, lymph nodes hurt. Dizzy, tired, chills, extreme shivering. Unable to prepare meal. Always dress first thing every morning. Today was not able to get dressed until after noon.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1139905	3/27/2021	IN	57	F	3/25/2021	3/25/2021	I have degenerative back disease and my doctor had given me a prednisone dose pack for me to have on hand if the pain got out of hand. When I started having numbness on the right side of my head (especially my eye lid, upper teeth on the right side, right cheek, ear and behind the ear), I first just used prednisone cream, and found it to help, but not fully. After reading that others had bells palsy after having the shot, and my symptoms seemed similar to bells palsy, I looked up the treatment for bells palsy to be prednisone dose pack. Since I had one on hand, and online stated it would be best to start immediately to avoid any long term effects, I took the first dose on Friday, March 26th. Within 20 minutes my tingling started to subside. I still am experiencing numbness on the right side of my face, but it is significantly reduced, I would say approximately 90% better.
1139922	3/27/2021	WA	83	M	3/23/2001	3/25/2001	Dizzy, throwing up, sore arm, chills, sweats, headaches, loss of appetite, could not stand due to dizzy or open eyes, temperature variance from 97 to 100.
1139923	3/27/2021	TN	79	M	3/6/2021	3/18/2021	I am not sure that this is a result of the vaccine but I have been diagnosed with shingles and I did take the shingles vaccine in 2014 and was waiting the required two weeks to take the shingrix vaccine when I started to have issues that made me think I might have shingles. I had cataract surgery on my left eye on March 17 but I don't think that had any bearing on me getting shingles. I have heard that others have developed shingles after being vaccinated for covid-19. That is only hear say and i have no direct information about that, So far my case of shingles is moderate.
1139926	3/27/2021	OR	78	F	3/27/2021	3/27/2021	Low grade fever (100), chills, slight sore throat, mild headache, eyes burning, lassitude, lack of appetite
1139939	3/27/2021	IL	63	F	3/13/2021	3/14/2021	PT CALLED ON 3-27 TO REPORT A BLOOD CLOT IN HER EYE AFTER RECEIVING THE VACCINE ON 3-13, STILL PRESENT

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1139954	3/27/2021	NY	64	F	3/7/2021	3/13/2021	6 days after 1st shot - woke up to severe vertigo (spinning) ,, dizzy,sweating , nauseous, lasted 2 1/2 full days . tingling of hairline and under the eyes, eyes were blurry for two days, starting getting heart palpitations, and blood pressure high and resting heart rate low and other times blood pressure was real low and resting heart rate as high as 125 even at rest not due to exercise... this continued with the heart irregularities for about two weeks. . i experienced unusual forgetfulness and couldnt recall things I knew .. i had mild fatigue... 3 weeks later Im about 90 percent but a little sluggish. finally was able to do yoga(bending over ) weights,,walking,etc.
1139602	3/27/2021	IN	61	F	3/24/2021	3/25/2021	14 hours after receiving vaccine chills for 24 hours, fever low grade 12 hours, eyes burning, horrible headache that just doesn't want to go away not even tylenol helped, nausea, fatigue, arm pain , arm pits swollen and hurt, heart rate elevated for 48 hours. The first shot I had all of this but didn't have headache. This second shot was much worse.
1140014	3/27/2021	NY	55	F	3/24/2021	3/27/2021	blurred vision
1139374	3/27/2021	FL	79	F	1/26/2021	2/10/2021	Double Vision began 2 weeks after 1st injection. However I had a 2nd Shigrex shot 17 days prior to the first Covid shot. I believe the vaccines so close together has caused 6th nerve palsy and that is the reason for my double vision.
1139969	3/27/2021	CA	24	F	3/26/2021	3/26/2021	At approx. 1155, pt reported dizziness and blurry vision. pt assisted into anti-gravity chair. Pt was diaphoretic and nauseous. Pt stated dizziness and nausea "comes in waves". At 1156 vitals assessed. BP 102/60 mmHg, and PR 60 BPM. Pt reported no history of reactions to prior vaccinations. BP reassessed at 1230. BP 108/72 mmHg. Pt refused transportation. At approx. 1231, pt left facility with steady gait and unlabored breathing.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1139453	3/27/2021	NY	44	F	3/11/2021	3/11/2021	3/11/21 Left side of face went numb, jaw pain, felt like electric bolts through head, involuntary muscle contacting in face (both sides), Jittery, Eye twitching, headache. Ear pain. 3/12 -3/13/21 Face numbness got worse, left side started to droop. Muscle soreness in left arm, headache, tired. 3/14/21 ER visit to rule out Stroke. Diagnosed with Bells Palsey. 3/15-3/17/21 Left side of face still numb, pain/muscle spasms come and go. 3/18/21 Woke up with skin hypersensitive- feels like I have a severe sun burn from my neck to waist area, swollen glands, eye twitching, lips, tongue and throat swelled up. Severe jaw and ear pain, trouble breathing. Face still tingly/numb. Legs became extremely sore and heavy feeling, hard to walk. Called Dr- put on Prednisone (60mg and decreasing) and an anti-viral. 3/19/21 Same symptoms as previous day plus stomach area began to hurt/burning sensation- like all my organs were inflamed. Uncomfortable pain in my right side. Took first dose of meds this am. 3/20/21 Extreme jaw/ear pain, clenching feeling, loss of strength on the left side of my face Symptoms tapered off fir a few days, face numbness decreased and swelling seemed to improve. 3/25/21 Woke up with Skin burning again and glands in neck swollen. Called Dr- placed back on a higher dose of Predisone . At night, throat and tongue swelled up 3/26/21 Tongue and throat swelling, still facial tingling and numbness
1139748	3/27/2021	CA	29	F	12/1/2020	3/1/2021	I have been experiencing chronic pain and burning within my sinuses and eyes. Also I have been experiencing bizarre phantom smells. In other words I'm smelling things that aren't really there. All of this started to occur after taking the moderna vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1140020	3/27/2021	SC	37	F	3/25/2021	3/25/2021	Started with lethargy and hot flashes, followed by extreme shortness of breath, difficulty speaking and holding up my head and keeping my eyes open. Then trembling. The local nurse at the vaccination sight reported high blood pressure, rapid pulse and seemingly extremely low blood sugar. I didn't go to the ER because my supervisor agreed to take me home since we were volunteering at the sight prior to me receiving the vaccine. I had to keep eating every hour or so due to blood sugar seeming very low. Shortness of breath continued. Pulse rate still high as I could sleep with my head down due to racing pulse in my head. Later that night I had small bumps on my arms with no itch. Then I had extreme fatigue and muscle fatigue. I kept experiencing extreme episodes of hot flashes. I woke up in the middle of the night with a headache and uncomfortable hot flashes. I drank 100% juice and ate a few goldfish. I had mild nausea and food aversions. The next day the bumps were gone. I went to work but was sent home. I was told I should have gone to the ER but I don't have insurance. Once home, I went through 5 hours of extreme chills unlike anything I have ever experienced. I had to cross my arms over my chest and stack on blankets to regulate. If I moved my arms for more than five minutes or pulled the blanket down, I began uncontrollably trembling. I still had trouble regulating my blood sugar on day two. It's day three and no bumps and no chills. Less muscle fatigue as well. I am still pretty exhausted and tire easy when doing things. I did experience the common soreness in the muscle the vaccination was administered, but I figure that is normal. I am hopeful that I am improving and out of the danger zone. I took Garden of Life Elderberry with added nutrients last night and today I took my normal detox probiotic. I have been pushing fluids and have broken my intermittent fasting to try and keep my blood sugar up. I feel like my system is finally regulating and now I just have lingering exhaustion from the events that took place.
1139190	3/27/2021	AK	36	F	3/20/2021	3/20/2021	Warm sensation all over body, blurred vision in right eye, flushing, hives over chest, neck, and arms, high heart rate and high blood pressure. Happened just minutes after injection. Given 50mg Benadryl and observed by Medics for an hour.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1139201	3/27/2021	CA	61	F	3/25/2021	3/25/2021	Lightheaded, sweating, blurry vision. Vitals wnl. Given juice and water.
1139207	3/27/2021	PA	57	F	3/5/2021	3/5/2021	Immediately headaches, facial pain over nose and right eyes, tearing of eye. Headaches are excruciating.
1139256	3/27/2021	OK	19	M	3/26/2021	3/26/2021	Currently having it. I have a swollen face. Blurry vision. Difficulty standing. Shallow breaths. Headache. Chills. Body aches. 101 fever. Unable to sleep but very tired. Not able to breathe through nose. Sore and numb right arm. Tingling of my limbs. Occasionally sharp pain in muscles. I got the shot at 11 and was just fine but I had work. I drove for a little over an hour and progressively my arm got weaker. I did physical labor until 10 pm and then started some school work, but found my arm almost unable to move and my mood was deteriorating. When I went to bed and lied down, it hit me. It is 4 am and it is still going strong.
1139277	3/27/2021	SC	58	F	3/26/2021	3/26/2021	Site: Itching at Injection Site-Mild, Systemic: Allergic: Itch (specify: facial area, extremities)-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Headache-Mild, Systemic: Vomiting-Mild, Additional Details: Patient complained of itching on arms around 5 minutes post vaccination. She removed jacket and sat down in room. She started feeling dizzy and her eyes were closing. She had some shallow breathing and felt faint. 911 was called, and while EMTs were assessing, she vomited. When she came to, she said she felt that she may have been experiencing a migraine. After EMT assessment, she refused going to ER. Patient went home, I followed up via phone 6 hours later and she felt fine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1139281	3/27/2021	FL	59	F	3/26/2021	3/26/2021	Site: Bruising at Injection Site-Mild, Systemic: Allergic: Anaphylaxis-Mild, Systemic: Allergic: Difficulty Breathing-Mild, Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Medium, Systemic: Allergic: Itch (specify: facial area, extremities)-Medium, Systemic: Allergic: Rash (specify: facial area, extremities)-Mild, Systemic: Allergic: Rash Generalized-Mild, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Systemic: Body Aches Generalized-Mild, Systemic: Chest Tightness / Heaviness / Pain-Mild, Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Severe, Systemic: Exhaustion / Lethargy-Mild, Systemic: Headache-Mild, Systemic: Hypertension-Medium, Systemic: Nausea-Medium, Systemic: Shakiness-Medium, Systemic: Visual Changes/Disturbances-Severe, Systemic: Weakness-Medium, Additional Details: Eye ball rotating
1139290	3/27/2021	NC	36	F	3/25/2021	3/25/2021	Systemic: Chills-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Visual Changes/Disturbances-Mild, Systemic: Weakness-Mild
1139460	3/27/2021	UT	37	M	3/19/2021	3/26/2021	Last night I noticed injection site was raised and swollen about 1-2 inches. This morning it was larger both in diameter and swelling. No pain. A little itchy. I've always had headaches this past week almost daily but could not rule out computer eye strain and not drinking enough water.
1139334	3/27/2021	NJ	44	F	3/17/2021	3/17/2021	As soon as I received the injection in my left arm, I felt a tingling/numbness sensation that started to go down to my fingers. I waited the 15 mins, then started to drive home. Then my heart started to race uncontrollably. The numbness then continued to my neck and travel up to the left side of my face- lips, cheek, eye. Felt like I had dental work done. Called the Dr. the next day. She gave me anti-viral medications and a steroid (but I didn't take the steroid.) Luckily, the symptoms started to subside by Friday, 3/19.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1139601	3/27/2021	OH	49	F	3/24/2021	3/24/2021	Itchiness starting in my shoulders then moving both up my neck and down my back until I was very itchy from head to toe. Fever of 99.5. Felt like an allergy attack with runny watery eyes and itchy ears. Throat felt itchy and dry.
1139473	3/27/2021	MO	58	F	3/20/2021	3/21/2021	Approximately 24 hours after receiving vaccination, patient reported a red, swollen left eyelid and surrounding area. Slightly itchy but not painful, and no affects to vision. Patient remembers having the same effect (but less), when she received the first shot, but at that time she assumed it was a sty or something else, and did not report it.
1139481	3/27/2021	FL	50	M	3/27/2021	3/27/2021	Patient felt dizzy, blurry vision and vomited. Paramedics arrived, and evaluated patient.
1139486	3/27/2021	NC	40	F	3/26/2021	3/26/2021	4 hours after the shot, I noticed that my left eyelid was a bit swollen. No pain or itchiness. Not sure when it began to swell. I didn't think much of it, until about 2 hours as I could feel that it was more swollen. I was with friends, they recommended benedryl. So, went and talked to a pharmacist. On the way there, back began to feel itchy (similar to when I have broken out in hives in the past when an allergic reaction starts). Pharmacist recommended 25 ml of liquid benedryl every 4-6 hours and increase to 30 ml if swelling remains. After 1-2 days, if still present to go to doctor. I already have a doc office visit early Monday morning.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1139493	3/27/2021	CA	52	F	3/13/2021	3/13/2021	Vaccination was 10:30 am. Around 6:30 pm, my right knee started to throb. I took an epsom salt bath, where my upper back started to hurt. I went to sleep around 8:00. I woke up around 10 pm unable to open my eyes all the way. I believe they were swollen nearly shut. I could see a slit of light coming in from outside. I couldn't move my left hand at all (left arm is where I received vaccination). I held it up to the outside light, and it was swollen. The light coming in from outside hurt my eyes. I couldn't see enough to call for help. Around 1:30 a.m., the swelling went down enough for me to open my eyes. I have never seen them look so bloodshot. It was scary. I could move my hand again as well. I spent next day in bed resting. Monday, I noticed a small rash on my right shoulder. I went to work and was there about 20 minutes before I started feeling hot and dizzy. I went home and spent the day in bed. I was able to go to work the next day, Tuesday, without problem. One week after vaccination, the rash on my shoulder went away, but a small rash broke out on my right shin. This one was deeper. One week later, there are just a couple of small scabs left in the spot on my shin. I feel my energy level is close to normal.
1139511	3/27/2021	WI	55	F	3/27/2021	3/27/2021	A few minutes after the injection patient developed left eye itching and throat scratchiness (approximately 0905). Vitals at 0913: 104/74 BP, 74 HR, 98.3 temp, 100 % oxygen saturation. Gave 50 mg oral Benadryl at 0916. Vitals at 0918: 100 % oxygen saturation, 111 HR, 133/71 BP, chest heaviness noted at this time. Vitals as of 0923: 114 HR, 100 % oxygen saturation, 122/83 BP. Patient transported to Emergency Room.
1139522	3/27/2021	IA	66	F	3/26/2021	3/27/2021	Patient complaining of loss of equilibrium, blurred vision, and headache.
1139558	3/27/2021	IL	52	F	3/26/2021	3/26/2021	Patient reports numbness on left arm (injection arm), positive PMS. Visual inspection reveals no significant abnormalities.
1139565	3/27/2021	WI	36	F	3/25/2021	3/25/2021	9:00am - extreme headache 9:15am - high blood pressure 168/92, low heart rate 62 10am - extreme headache, dizzy, blurred vision, high blood pressure 2pm - fever 102.1 9pm- blood pressure normal 112/82

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1139573	3/27/2021	IA	63	F	3/17/2021	3/18/2021	Severe dizziness and nausea. It woke me up at @ 5:30 am. I almost fell and was so sick to my stomach. This lasted for 9 hours!!! I had to hold on the walls when had to go to the bathroom. I was by myself and feared falling. I had to put a bucket next to me because I felt like throwing up. I couldn't move my head, eyes anything with out severe dizziness and nausea. Finally after 9 hours it started to ease off, but took another 15 hours for me not to stumble periodically. I am 10 days out now and still can't turn my head too quickly, or put it too far back when washing my hair, or moving my eyes to fast, I still have a few minutes of dizziness which makes me nauseous for several minutes. Still at night when I lay down, it feels like my head is spinning! I have heard about people with vertigo and how debilitating it is... and I now understand. I fear this dizziness and nausea will not go away!!!! It now feels like I am car sick several times a day.
1139314	3/27/2021	CT	52	M	3/26/2021	3/26/2021	Patient displayed bruise and swelling at injection site immediately after shot. Patient became limp and eyes rolled back and he collapsed to the floor. Epi pen admitted at that time. Patient immediately regained consciousness and said he felt ok. He was sweating heavily. Paramedics arrived and took him to hospital after taking vital signs and interviewing him.
1140883	3/27/2021	WA	68	M	2/26/2021	2/26/2021	Within 48 hours of second Moderna vaccine but after 24 hours from time of shot, while casually sitting and noticing that my body was uniformly extremely cold to the touch, I experienced flashing colored dots in my right eye and for several days after a "floater" in my right eye.
1140437	3/27/2021	WV	27	F	3/10/2021	3/11/2021	Extreme body chills, slight fever, body aches, dry heaving, extreme headache, tired, pain in chest when inhaling. These symptoms lasted 2 days, then I started having vision problems went to eye doctor on 03/26/2021 and got diagnosed with asteroid hyalosis.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1140453	3/27/2021	OH	63	F	3/11/2021	3/11/2021	within a couple hours of the shot I felt a nervous feeling inside. this continued to grow in me a couple of days along with an increasing headache. I started breaking out in a rash mostly on my head, around my right eye, chest and back, on about the third or forth day. I also developed diarrhea. I went to Urgent care on 03/17/21. the doctor there gave me a shot of prednisone and things quickly cleared up.
1140462	3/27/2021	IL	64	F	3/26/2021	3/26/2021	About 45 minutes after receiving vaccine in right arm the right side of my face became tingly and numb. Starting with my chin and going to the forehead and across to the right ear. That feeling started to dissappear around 2 pm and I was left with a headache, mild nausea, and an uncomfortable feeling in my right eye. The next day I had a slight headache and the right eye still feels uncomfortable.
1140474	3/27/2021	VA	67	F	3/19/2021	3/21/2021	my eyes are red and irritated and eye lids are puffy
1140767	3/27/2021	NY	28	F	3/27/2021	3/27/2021	Pt was being obs starting 5:25pm, post J7J vax. After 15 min obs, at 5:40pm, she fell out of her chair and onto floor. Pt's eyes were closed, not responsive, not breathing, and stiff. Immediately 911 initiated, VS initiated, Pt was turned to Right side-lying position. Stimuli initiated (sternal rub, verbal communication). Pt opened eyes after 10 secs and started breathing. at 5:41pm/ Pt was able to answer all questions Alert & Oriented x4. Pt supine, ice packs applied to neck and chest. 5:42pm: 1st VS = BP 110/60, HR 58, RR 18, O2SAT 98%. 5:44pm: Pt vomited into trashcan, yellow emesis. Pt said that last time she ate was 3:30pm. 5:47pm: 2nd set VS = BP 115/60, HR 75, RR 18,, O2SAT 99% 5:50pm: Pt sitting upright position on floor. Pt said she "feels warm" 5:53pm: Fire dept arrived 5:55pm: EMS arrived. 3rd Set VS = BP 118/60, HR 88, RR 18, O2SAT 99%. Pt disclosed that she has "fainted once when I was little at a concert". 5:58p: Pt left ambulatory with EMS & her friend.
1140780	3/27/2021	VA	53	F	3/25/2021	3/27/2021	Left eye swollen and very red in morning. Left side of neck very stiff and painful Injection was in left arm

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1140792	3/27/2021	CA	72	F	3/27/2021	3/27/2021	~~Moderna COVID 19 Vaccine EUA." Pt received second Moderna vaccine and proceeded to Observation. Shortly thereafter, pt summoned EMT and said, through a translator, that her eyes "felt warm". Pt denied any other chief complaint, no respiratory involvement, no redness or swelling. Pt was monitored and pt stated that her "warm eyes" were getting better. No visual problems noted, no swelling or redness to eyes. Pt advised to seek further medical care, but pt refused transport and met AMA criteria. Pt signed AMA, witnessed by friend/translator. Pt advised of signs and symptoms of allergic reaction to look out for and pt went home with friend,
1140810	3/27/2021	NY	53	F	3/23/2021	3/23/2021	03/23/21 Redness of face, neck, anxiety, rapid heart rate. 03/24/21 Vomiting, red dots on my face especially around my eyes and slight swelling of my eyes, weakness.
1140825	3/27/2021	FL	60	F	3/22/2021	3/23/2021	1-After 5 minutes of taking the vaccine I started to sneeze few minutes later it pass. At about 12midnight My arm was sore and in pain and very warm to the touch 2- on Tuesday morning I was very cold and very tired . 3- Around none or so I notice my self cleaning my mouth the left side , it feel like you just where out of the Dentist , like went you anesthesia from the dentist is running out. I have feeling but it almost feel like my drooling like my saliva is out of my mouth and also my left eye felt heavy and at first very watery and the dry . My left side of my mouse feel different and I?m connately cleaning my mouth.
1140424	3/27/2021	CA	52	F	3/15/2021	3/22/2021	rash and swelling around the eyes. itchy burning swollen. has been 10 day now, symptoms flaring up off and on
1140842	3/27/2021	CA	79	M	1/14/2021	1/15/2021	I had several visual hallucinations over the next two months

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1140921	3/27/2021	MO	62	F	3/27/2021	3/27/2021	<p>Patient arrived to clinic for Covid immunization, received vaccine at 9:39 am in right Deltoid. Called to observation area 9:56 am by clinic case manager for patient report of "feeling funny" post immunization. Patient sitting upright with eye closed at table. Responsive to verbal stimuli and oriented to place and time. Patient complained of the following symptoms: trouble swallowing and "head rush" sensation. Patient was assisted back to exam room with bilateral two person support due to unsteady and slow gait. Eyes remained closed and patient required assistance to lay supine on the exam table. Speech slow and reported extreme feeling of fatigued. Vital signs at 9:58 B/P 118/72 left arm laying, HR 80. Blood Glucose 218. Patient is diabetic and reports she did take morning medications: Victoza 1.8mg, Lantus 60 units and Metformin 1 tab. Pulse ox 96%. 10:03 vital sign recheck 120/70 right arm (supine) with regular pulse in the 90's Complaints of feeling a burning sensation in body and reports very dry mouth with and jaw feeling strange (sensation much like before she has a seizure). 10:15 12-Lead EKG completed and reviewed by Dr who was present in room, no acute changes noted. Dr discussed need for patient to be sent to ER via EMS for further evaluation of vaccine reaction. EMS notified. 10:24 resting with eyes closed, reports ongoing fatigue and dry mouth. States that her "kidney's feel warm" and it "feels like my head is on fire", also states that her tongue has a burning sensation. Reports feeling like throat is "thick" 10:25 clear bilateral lung sounds, oral pharynx with no evidence of swelling. 10:32 Mild non-productive cough, remains with clear lung sounds bilaterally throughout, oral pharynx without swelling. 10:37: continues to report "burning sensation to back of head and neck", lips moistened with wash cloth for ongoing complaints of extremely dry mouth. 10:41: Resting with eyes closed, recheck vital signs, 116/72 right arm (supine), HR 95, 96%. EMS arrival, transported to hospital via EMS for further evaluation.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1140901	3/27/2021	NV	42	M	3/26/2021	3/27/2021	Started was a very cramped stomach and then the rest followed. Whole body turned red including eyes. Upset stomach with vomiting and diarrhea. Body was shaking and didn't have a fever. Skin felt like it was burning whole body felt swollen. Started around 2:30am with the cramping. It woke me up. Once I got up everything came so fast. Was rushed to hospital where I was admitted very quickly. I was blacking out on the drive there and blacked out while in their care. This was from one dose of Pfizer vaccine for Covid. I was put on a GI, Allergy, and steroid medications. I was hooked up to an IV and 3 drugs were injected. I passed out numerous times but was discharged at 5am.
1140920	3/27/2021		20	F	3/27/2021	3/27/2021	blurry vision, anxiousness
1140928	3/27/2021	DC	56	M	3/24/2021	3/25/2021	Rapid onset, acute vertigo - unable to stand or walk, opening eyes brought on severe nausea and vomiting, sweating, headache
1140939	3/27/2021	WI	24	M	3/13/2021	3/13/2021	Blurriness in the left eye and muscle fatigue continuing for more than 2 weeks after the vaccine. Reduced muscle recovery after physical activities, even 2 weeks after the vaccine.
1140959	3/27/2021	TX	28	F	3/26/2021	3/26/2021	10 hours after injection I immediately spiked a 101 fever I had chills, joint pain, nausea, vomiting, diarrhea, confusion, dizziness, blurred vision extreme chest pain, difficulty breathing, swollen fingers and toes, headache, loss of taste and smell , itchy throat , a cough and blood in my mucus. These side effects persisted until 7 am the next morning... currently I still have a headache , bodyaches, confusion weakness and extreme sensitivity to light ... unbearable I felt like I was dying... I tried sleeping it off but only laying bed all day drinking water was what I was forced to do as I could not drive myself to a healthcare facility
1140985	3/27/2021	MD	52	M	3/26/2021	3/27/2021	Uveitis/iritis in left eye. Light sensitive Eye pain / inflammation. Watery eye. Sore ankles / knees.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1140986	3/27/2021	IL	31	F	3/23/2021	3/24/2021	At 6:15am, approximately 18 hours after I received the vaccine, I experienced blurred vision that lasted for one hour. I was unable to read (my prescription glasses did not help any), unable to see my own eyes in the mirror, and was told my pupils were very dilated.
1140998	3/27/2021	FL	64	F	3/23/2021	3/23/2021	Onset of weakness, dizziness, blurred vision, sweating, harder to breathe
1140022	3/27/2021	TX	56	F	3/23/2021	3/23/2021	Same day as injection: 4:30 PM: scratchy throat. Stomach Ache Eyes Swollen *One could barely open. High Heart Rate (95) High Blood Pressure (135/90) Chest broken out in welts Sore throat Face Swollen & puffy Diarrhea Couldn't sleep Sore Arm Tired Body felt like freezing at 74 degrees in room. 2 hour after the shot you felt fluid in your throat/nose. *Like congestion. Next day unable to eat up until present day.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1139731	3/27/2021	TX	55	F	2/25/2021	2/25/2021	About 45 minutes after the vaccination I felt like my body was buzzing. This eventually rose upward until the buzzing sensation concentrated on the top of my head, at which point I developed an excruciatingly painful headache. About six hours after the vaccine, I started having a fever that eventually was so intense that I felt like my eyelids were going to peel off. Then I started having chills. I was so cold when I had the chills that I shook like someone having convulsions. When I felt hot, I felt like my eyelids would peel off. I drank some water at one point and felt like I'd vomit. Then, a bit later, I felt like I was going to have diarrhea. About eight-ten hours after the shot, it felt some my tendons were being twisted so that my bones were being ground together at the joints. Then I started having muscle pain. I have a very high pain tolerance. This was ungodly. I felt like I was being tortured. This lasted 36 hours. Then my hair started falling out. The week before the vaccine was the snow storm. I had no power for a couple days and no usable water for about five days. I think that my unfortunate telogen effluvium is the result of extreme stress during the storm followed by extreme stress due to the vaccine. However, given that I had beautiful, long, abundant curly hair, this is obviously not a felicitous event. On 3/11, my levator scapula and rhomboid on the left side (shot side) started feeling hot and very hard. Then my posterior and medial deltoid and triceps muscles started rippling (visibly). Then the injection site swelled up so that it looked like I had a large grain of rice sticking out from my arm. Then the anti tragus of my left ear swelled and turned red. I developed floaters in my left eye. This lasted for about 48 hours. My hair, which had stopped falling out, started shedding again. I have lost about 55% of my hair at this point. My arm never really stopped hurting. I have gotten my second shot (3/25) and am at present working through my adverse events after it, but will wait for a couple weeks before reporting them. I don't know if I'll have "Moderna arm" again, so once the two-week mark passes, I'll report. As best I know, I have never been exposed to COVID19, so the idea that I had such a reaction because of that is not relevant.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1140838	3/27/2021	MA	58	M	2/11/2021	2/18/2021	Approx a week after I got second (final) vaccine my left eye began twitching. I paid no attention to it. On March 5th I woke up with double vision. It went away within an hour and I worked a full 8 hour day. By the time I got home it was full blown double vision. I attended urgent care who diagnosed me "Cranial Nerve 4 palsy." I was recommended to see an ophthalmologist who confirmed this. I wasn't comfortable with this and asked to see a neurologist who also said cranial nerve 4 palsy. I asked for a brain MRI as I felt something more was going on. The MRI shown no abnormal findings (done 3/11/2021). On 3/16/2021 I woke up with a drooping eyelid of left eye. I immediately called ophthalmologist who suggested a diagnosis of Myasthenia Gravis. This was confirmed by neurologist on 3/23/2021. I am now on Prednisone and Mestinon. My next plan is to see a MG Specialist at A referral has been sent to them by my neurologist.
1140113	3/27/2021	CA	27	F	3/27/2021	3/27/2021	Paramedic assessed patient. Pt stated dizzy, lightheaded, blurry vision, flushing-felt hot. BP 135/78, HR 75bpm, respiratory 24. Hx of ABX allergy rocephin. Pt. monitored and was stable to leave upon expired observation time.
1140048	3/27/2021	OH	21	F	3/27/2021	3/27/2021	Pt reported dizziness, nausea, visual disturbances
1140053	3/27/2021	TX	23	F	3/27/2021	3/27/2021	Patient complained about blurred vision, felt like passing out, heaviness in head, and diaphoretic. B/P was taken by EMS, 94/97, HR 71, D2 Sat 100%. Patient refused transport, and call parent to come pick her up.
1140933	3/27/2021	FL	38	M	3/27/2021	3/27/2021	Dizziness, body rash, difficulty breathing, itchy eyes, acid reflux
1140407	3/27/2021	CO	63	M	3/23/2021	3/23/2021	daughter reports a few hours after receiving vaccine eye felt "bubbly" then became cloudy and then developed a black spot. received shot on 3/23/21 and daughter reported to pharmacy on 3/27/21. they were instructed to go to urgent care
1140056	3/27/2021	GA	18	F	3/27/2021	3/27/2021	After getting my second shot, I felt extremely dizzy and disoriented. My vision became blurry and I had trouble breathing. I also threw up several times. I felt lightheaded for a few more minutes and then I was able to stand again.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1140067	3/27/2021		70	F	3/27/2021	3/27/2021	1131 received 2nd dose moderna vaccine 1140 pt noticed 'heaviness' on left side of face especially eye 1155 pt notified nurse of sx 1157 pt brought to the AR triage area. VS: BP 158/93, 98.1F, HR 84, 98%. Left facial droop, left eyelid swelling and decreased sensation. A&Ox4 speaking clearly in full sentences. Husband at the bedside verified left sided facial droop not baseline for patient. 1209 pt assessed by Doctor and EMS called 1225 pt transported to ED via medic
1140071	3/27/2021	OH	20	F	3/27/2021	3/27/2021	Pt reports lightheadedness, dizziness, and ?my vision turned black?. Pt denies LOC or nausea
1140173	3/27/2021	IA	65	M	3/24/2021	3/25/2021	12 hrs after shot around midnight, Dizzy when eyes open, Body ache , Joint pain , Fatigue, Chills, Sinus pressure , Slight Headache and Thirsty, 5 glasses of water in 5 hours, lasted 24 hours. Off work on Thursday 3-25-21. Friday 3-26-21 at 1am syptoms gone except for back pain. Saturday 3-27-21 1am Night sweats x 3 till 5am. Went to work Saturday
1140177	3/27/2021	AZ	72	F	3/18/2021	3/20/2021	Two days after the vaccination, I had a severe headache. The headache has persisted every day. It seems to be centered behind either one of my eyes. It's not excruciating, but it hurts enough to be bothersome. I'm not sure if it is related to the vaccination, but I can't rule it out either.
1140214	3/27/2021	CA	73	F	3/9/2021	3/10/2021	After 12 hrs. neuropathy in feet and torso, shortness of breath, chest tightness continued for 3 days went to urgent care checked out OK but symptoms persist to this day. On 3/13 severe dizziness and vomiting and blacking out and went to ER. Admitted overnight. Pulmonologist prescribed course of Prednisone on 3/15 and ending on 3/25. Some relief for chest tightness Neuropathy has gotten steadily worse with inclusion of face and lower leg. On 4th day began some ringing in ears which is to this day louder. Have fatiugue, sleep issues, trouble focusing my brain and eyes. Everything is worse today. Can't hold my head up. Will someone please help me

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1140315	3/27/2021	SD	64	M	3/26/2021	3/26/2021	On 03/26/21 received my shot and about 20 minutes later i started to have side effects. My lower back started to hurt, a bad taste came into my mouth, I started to feel woozy like i was looking through a glass gallon jar. A PA came in and took my blood pressure which was very high for me. I walked around for awhile and felt a little better. Took a trip to to pick up a Discharged patient but had to stop several times because my heart was racing causing me to start sweating. On 03/27/21 around 02:30 am i woke up to a left arm swollen down to my finger tips. Both of my legs had severe muscle cramps in the upper and lower muscles. It took 2 hours to come out of that. My leg strength was almost gone and now I had a severe pain in the ball of my left foot. The site were I had to shot was burning like it had been branded. I had brain fog couldn't remember what i was doing up. Though I had no breathing problems I was sweating like I had a bad fever. I noticed also that my vision became light sensitive! It was hard to watch the tv with the screen light which looked too bright to me. The site on my left arm were I strained the muscle hauling 70 lb sandbags became a very sensitive area. the swelling on my left hand was so bad I had to put lotion on the creases to relieve the stretching pain I felt. The headaches are a constant now even with my ears starting to ache too. Also the my eyebrow hair was very sensitive to touch. Had to go to the bathroom a couple of times but not as much as i thought I would. Both shoulder blades are constantly aching like my left hand fingers.
1140347	3/27/2021	NM	38	M	3/27/2021	3/27/2021	Patient called me about 4 and a half hours after his immunization. He stated his eyes have become sensitive to light . He also stated that his bottom lip and chin started to tingle about fifteen minutes after the shot and then went away. . I recommended that he immediately take a Benadryl tablet and wait a couple of hours I said he can take Benadryl every six hours if he needs to. If his symptoms don't go away after two doses of Benadryl I recommended he go to the Emergency Room and be checked out. Pre -immunization I counselled him on the normal run of the mill possible side effects and how to treat them.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1140069	3/27/2021	CO	20	F	3/27/2021	3/27/2021	Approx 10 minutes after vaccination, patient in waiting area noted L arm tingling, head feeling "fuzzy" and blurriness to vision L eye only
1140226	3/27/2021	NJ	50	M	3/27/2021	3/27/2021	Patient has a phobia of getting any kind of shots.. he passed out but still had a pulse.. we woke him up by yelling his name and his eyes fluttered and he was then able to talk and wanted water.. EMT came but patient denied services
1140334	3/27/2021	VA	68	M	3/26/2021	3/26/2021	A lot of difficulty breathing, catching breath and getting oxygen; stabbing burning pain all over and joints ache; dizziness with eyes wanting to always close and seeing black spots; severe facial pain around bridge of nose and eyebrows; tremendous fatigue and weakness.
1140356	3/27/2021	UT	29	F	3/27/2021	3/27/2021	Patient Checked back into pharmacy 15 minutes post injection complaining of tingling and numbness in vaccinated arm (Right arm). She was not complaining of SOB or other allergic reaction symptoms. Told patient to keep eye on it and if it worsened to proceed to medical care. I called after 30 minutes and patient said symptoms were about the same. 2 hours post vaccination patient said symptoms were improving but were still present, I referred on to medical care such as an insta-care.
1140323	3/27/2021		45	F	3/27/2021	3/27/2021	After adminstaration of vaccine, patient had sharp pain behind the eyes and patient claim to have swollen eyes lids. Paramedic came and took vitals signs and ekg. Patient symptoms subsided. She state she was fine and she was release by the nurse.
1140381	3/27/2021	OK	46	F	3/25/2021	3/26/2021	On the morning after the second vaccine I woke with swelling of my left eye,face, neck and under arm/breast area on the left side .By the afternoon all swelling was gone except under the arm. It is uncomfortable to put my arm close to my body and to lay on that side today. It is still sore and swollen today.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1140295	3/27/2021	PA	75	F	3/25/2021	3/25/2021	pt states a blister appeared on her lower arm (above elbow) a few hours after receiving the vaccine. The blister is not located around the injection site and is localized to the lower arm. The patient went to her family doctor. He advised to keep an eye on it. Call him if it gets worse. He stated to call the pharmacy and report it to us as an adverse reaction.
1140387	3/27/2021	MI	67	F	3/16/2021	3/19/2021	Started with a runny nose next day, 3rd day had Severe migraine on the right side of the head with blurred vision and eye pain, light sensitivity and swelling of face, the base of the neck and at the site of injection and behind shoulderblade, Numbness of lips and burning mouth, Ongoing nausea, and upset gastrointestinal issues. Low-grade fever and chills, tremors in both arms and hands, upset stomach Still have nausea and headache, body pains,, tremors, and strong fatigue. issues

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1140291	3/27/2021	TX	34	F	3/27/2021	3/27/2021	34 YO FEMAL W/PMHx OF SOCIAL ANXIETY C/O COMPLETE NUMBNESS IN HER FOREARM WHICH ASCENDED UP TO THE LEVEL OF HER ELBOW. SHE STATES THAT IT FEELS AS IF "SHE LEFT A TIGHT HAIR SCRUNCHY ON HER WRIST AND IT CUT OFF HER CIRCULATION OR A PRESSURE FEELING SIMILAR TO THE USE OF A BP CUFF". PT MENTIONED THAT THIS HAS NEVER OCCURRED BEFORE AND SHE HAS NEVER HAD A REACTION TO A VACCINE BEFORE. PT ALSO C/O NAUSEA WITHOUT ACTIVE VOMITTING. PT DENIES HEADACHE, BLURRED VISION, DIFFICULTY SWALLOWING, CHEST PAIN, OR SOB. VS @ 3:54 BP 108/54 HR 88 SpO2 95% ON PHYSICAL EXAMINATION, PT LEFT ARM AND FINGERS ARE MOBILE WITH MODERATE WEAKNESS. THE LEFT FOREARM IS NONERYTHEMATOUS AND NONEDEMATOUS WITHOUT ANY LESIONS. THERE ARE NO RESTRICTIVE BANDS OR JEWELRY PRESENT. PT BREATHING IS NORMAL . PT WAS GIVEN WATER AND INFORMED THAT THE "PRESSURE" SENSATION SHOULD RESOLVE ON ITS OWN AND TO F/U WITH HER PCP IF SYMPTOMS WORSEN. AFTER CLOSE OBSERVATION, HER SYMPTOMS BEGAIN TO RESOLVE AND SHE WAS COMFORTABLE WITH LEAVING THE VACCINATION SITE. PT VERBALIZED UNDERSTANDING OF THE INSTRUCTIONS GIVEN.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1137538	3/26/2021	FL	47	M	12/16/2020	1/6/2021	47 year old Gynecologist with PMH of severe MDD, GERD, asthma, referred to the ED by his PCP, after 5 days of gait instability, and about 4 weeks of altered mental status, confusion, short term memory deficits and malaise. ADEM suspected and extensive infectious, inflammatory and neoplastic workup was initiated. CT brain - reported NAD MRI brain consistent with Acute Diffused Encephalomyelitis and suspected ADEM. MRI cervical spine with evidence of demyelination involving posterior cord. ICU course complicated by new onset of aphasia, partial left frontotemporal seizures, LGIB due to proximal rectal laceration and central diabetes insipidus. Admitted 3/15/21. On 3/17 he developed aphasia with right sided facial droop and stroke alert was called. Later on 3/17 he developed GI bleeding and was taken for emergent colonoscopy, from which no significant conclusions could be made due to lack of preparation and subsequent poor visualization. No foreign body was reported. After he continued to have ongoing bleeding, the patient had a sigmoidoscopy, during which the migrated clip could be removed and two new hemostatic clips were placed. He subsequently developed large volume urine output and nephrology was consulted; the patient was diagnosed with likely diabetes insipidus. On 3/20 acyclovir was discontinued after HSV PCR was negative. High dose solumedrol for ADEM completed 5 day course 3/21. VDRL was non reactive. There were no oligoclonal bands. Solumedrol 1g daily was started 3/24/21: MRI showed L>R patchy enhancement and diffusion abnormalities consistent with ADEM. Repeat MRI showed new restricted diffusion of the left superior cortex, bilateral medial temporal lobes and hippocampi, genu of the corpus collosum, and pericallosal white matter, with ddx including status epilepticus, autoimmune encephalitis and infectious encephalitis including herpes simplex. Completed 5 day course of high dose steroids, 6 days of IVIG and on ongoing PLEX. Neurological improvement noted 3/25



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1137771	3/26/2021	VT	59	F	3/24/2021	3/24/2021	Less than 10 minutes after injection, patient verbalized she did not feel well, then became unresponsive to verbal cues, eyes glazed over, pale face. Clinic was being held outdoors, clinic staff could not get accurate vital signs. Call EMS. Meanwhile, patient began to respond to verbal cues, was able to walk inside, said her stomach hurt. EMS arrived and also had difficulty obtaining vital signs, transported to the local ER. Patient was treated and released from the ER with a diagnosis of dehydration.
1137685	3/26/2021	KY	74	F	3/6/2021	3/7/2021	She got the vaccine, was feeling fine, went to church and did her normal things for the rest of the day, and approximately 24 hours after the vaccine around 12:30 to 1:00 and started getting chills. She wrapped up in a blanket and took a nap. Then approximately 1:30 PM she had blurry vision, couldn't see clear, and she felt very, very faint like she was going to faint and was sitting in a chair and continued to sit there for a few minutes. Then she was weak after that, and then a while later she was okay.
1137610	3/26/2021	PA	33	M	2/4/2021	2/5/2021	Severe headache not responding to treatments lasting 2+ months, blurred vision
1137798	3/26/2021	CO	45	F	3/17/2021	3/19/2021	Really sore arm the day after. Developed a full body rash about 36 hours after the shot. 48 hours later developed a bright red, burning and painful rash on my face. On day 3 I went to work and underneath my right eye started to swell up and a red streak from the inner corner of my eyelid went down my face. On day 4 I woke up with both eyes swollen. I started on benedryl. 2x a day. The redness, welts and hives traveled down my face, onto my neck, then up my forehead and onto my earlobes. On March 22, day 5, I woke with even more swelling on my face and both eyes. The rash was very bad. I called my primary care physician and made an appointment to see him on Tuesday. I went for that appointment and dr. gave me antihistamines, took pictures and reported it to CDC. I started the antihistamines, but on Day 7, I woke up with the worst of it. Hives all down my neck, lips swollen, bruising and swollen eyes and itchy red rash everywhere. I called the dr back and started prednizone steroids. Today, March 26, it is starting to calm down.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1137826	3/26/2021	OH	22	M	3/26/2021	3/26/2021	Patient fainted and fell to the ground from a sitting position. Pharmacist instructed family member to call 911 as patient's eyes were open at time of lost consciousness. After about 10 seconds patient regained full consciousness and was able to sit up and drink water. EMS arrived to assess patient's vital signs and reported no issues except patient had somewhat low blood sugar. EMS instructed patient to stay hydrated, rest, and eat.
1137700	3/26/2021	IL	30	F	1/25/2021	1/26/2021	Eye irritation in both eyes. Eyes became irritated, red, and swollen. Irritation went away 1 week after receiving 1st dose. Eye irritation repeated after 2nd dose and stayed for 1 week. Several weeks later eye irritation still occurs from time to time.
1137571	3/26/2021	CA	40	F	3/25/2021	3/25/2021	About 4 hours after receiving the dose I started experiencing piercing, stabbing headache on the left side of my head. Sitting through my temple, eye, cheek, jaw and even my nose and top of my head. It is now 11am the next morning and still in pain only slightly more dull.
1137558	3/26/2021	NY	37	M	3/7/2021	3/21/2021	Having no prior history, developed Iritis and have vision difficulties as a result.
1137534	3/26/2021	WA	74	F	3/25/2021	3/25/2021	PATIENT HAD CHEST PRESSURE, DIZZINESS, AND DOUBLE -VISION 5 MINUTES AFTER VACCINE ADMINISTRATION. ATIENT TO ED, ADMITTED TO ICU FOR PROBABLE CVA

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1137874	3/26/2021	CA	61	F	3/26/2021	3/26/2021	Pasting clinicians note below: Patient is 61 year old female with hx of anaphylaxis presenting for Covid-19 vaccine, Dose #1. She developed itching in there throat within 30 minute waiting period. She was taken to Rapid Response Room. Symptoms progressed from itchy throat, to congestion in throat/upper chest, clearing her throat, watery eyes. Then dry cough. No nausea, no vomiting, no light headed feeling. No facial swelling No hives. OBJECTIVE: Vitals - 154/97, 105, 100%RA Neck - Supraclavicular mild retractions, end inspiratory stridor CV: tachy, regular, no murmur pulm - diminished breathe sounds throughout, no wheezing. Speaking full sentences. Assessment/ Plan: Anaphylaxis to Covid-19 Vaccine: - emergency responders - epi 0.3 mg IM administered to L mid outer thigh at 9:35 am by me - epi 0.3 mg IM administered to R mid outer thigh at 9:41 am because symptoms not subsiding by me -benadryl 50 mg IM x 1 L deltoid by RN 9:45 am - Itching in throat subsided but still retracting and clearing throat so albuterol 3 puffs given at 9:50 am Vitals stable entire time (see midas report) EMS arrived to transport to local hospital.
1137985	3/26/2021	WI	52	M	3/11/2021	3/15/2021	Patient was diagnosed with Bells Palsy. On 3/15/21, patient noticed loss of taste and a sensation in his tongue. On 3/16/21, patient had right sided facial paralysis with some right ear discomfort, right eyelid drooping, right upper temple headache, sensitivity to sounds, and right eye only able to be open halfway. Patient also states that his right eye was watery. He denies a mouth droop. Patient went to urgent care on 3/16 and he was prescribed Prednisone. On 3/18, patient went to see his primary care physician and was prescribed an antiviral. He has not had any new or worsening symptoms since 3/18 pm, but he has not seen much improvement in symptoms either. He describes a small improvement in taste.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1137525	3/26/2021	AZ	53	F	3/25/2021	3/25/2021	I waited the required 15 minutes for monitoring. (I was a passenger driven to the site by someone else.) Just a few minutes after exiting, my face, back of my head, and top of my head went numb. No other side effects noticed (breathing was fine and no swelling or pain). It was a sensation more severe than when a body part "falls asleep" but less severe than what a novocaine shot feels like. It did not seem like something severe enough to turn around a return to the hospital. My face did not droop like with Bell's Palsy and was not tingly. It was just a numbness across my cheeks, under and above my eyes, across my jaw line into my ears, at the upper back of my head, and the top of my head. Effect lasted about three hours. Morning after still feel very slight effect, like a tightness feeling.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1137514	3/26/2021	MD	73	F	3/9/2021	3/9/2021	Got the vaccine and within 30-an hour she was seated, waiting and she developed a tingling/numbness on her bottom lip to the center of her lip. It spread throughout the entire bottom lip. Then it moved to the left hand corner of her mouth as well, and then moved up to the left side of her face to her eye, and then to the corner of the left hand of her head. This is a tingly pressure, and it then developed into a hard headache concentrated in one spot. She went into heavy sweating. The pharmacist was watching her and came over to her, she was there for about an hour and a half. She had a bottle of water trying to cool off, and her tongue was getting a bad taste in her mouth, and numbness in the back of her tongue. The pharmacist gave her Benadryl to take and she sat there for a while and was starting to feel really shaky, and she thought she would go back to her apartment to get out of being around other people. She was feeling weak to walk, and overwhelmingly tired. Once she did get into her apartment she her taste buds felt dry. After several days of this reaction, little by little it subsided, but the sweating and chills continue even up until today, 3/26/21. She goes to bed dry and wakes up soaked from sweat due to profuse sweating. She has been yawing a lot lately and if she does yawn she immediately has chills. It's been back and forth with the chills/fever. She can be perspiring on one end and the other end cold. She tried to talk to her doctor but told her to seek out UC for her symptoms as he is too busy. There is eye strain that is bothering her which leads her into wanting to sleep and sleeps for extended periods of time and really exhausted. Has also had runny nose, hands and feet swelling. Her right hand is kind of like a tingling/weakness sensation.
1137476	3/26/2021	VA	67	M	2/27/2021	3/19/2021	After 3 weeks on Mar 19th, he was diagnosed with Bell's Palsy. He is currently being treated with Prednisone (course completed) and Valtrex (course to complete this weekend). His left eye is unable to close by itself, his left side of the mouth doesn't fully open.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1137510	3/26/2021	PA	29	F	3/26/2021	3/26/2021	Almost immediately after receiving the vaccine I started feeling numbness in my left arm (injection site), dizzy, nauseous, and experienced tunnel vision. I also started profusely sweating (forehead). I reported my symptoms to the nurse who took my temperature, BP, and heartrate. I had a low grade fever (99 degrees) and slightly elevated BP. I drank water and remained at the site for another 30 minutes and my vitals were checked again before I left.
1137567	3/26/2021	ND	16	M	3/24/2021	3/25/2021	muscle fatigue and stiffness in both shoulders, minor runny nose, dry eyes, minor cough.
1137970	3/26/2021	WA	52	F	3/9/2021	3/15/2021	INTENSE VERTIGO, NAUSEA, DIZZINESS, EYE PAIN, CONSTIPATION, LOSS OF APPETITE, LOSS OF BALANCE, MIGRAINE, SENSITIVITY TO LIGHT, LEFT ARM PAIN WHERE SHOT INJECTED. SOUGHT MEDICAL ATTENTION TWICE AT ER.
1138106	3/26/2021	NY	72	F	2/27/2021	2/27/2021	She got the vaccine, and they asked her to stay for the 15 minutes and she was fine, but when she went out onto the street she started to have a few seconds of feeling faint but did not. That feeling passed and was able to walk home and was getting vertigo. She had a sore arm the next day, very fatigued and exhaustion. Three days later had redness appear on the arm and then had headaches, and insomnia that night. Her eyes were burning as well. A day later had irregular heart beat and then six days later had the red line, raised in a circle that lasted one day. She then continued to have the itching and then became a rash which was traveling under arm and onto her chest. She then went to the city UC and was spreading to her breast, and started to subside. Since then she has been having on and off headaches, on and off itching of both of her arms, as well as her scalp and other parts of her body. As a child had a history of hives. When she went to the UC they did an EKG due to the irregular heart beat and did not want to go to the ER during the pandemic. He gave her one Benadryl and 3 Ibuprofen which she only took one of, as she has a lot of allergies. She has been taking Zyrtec 5 mg for the itching when she has it, which works for her. The symptoms are subsiding, and has transient rashes on the vaccine arm, and on the right arm still have a few areas and still itching on and off.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1138117	3/26/2021	TX	28	M	3/26/2021	3/26/2021	28 YO CAUCASIAN MALE PT C/O R-ARM TINGLING IN A DESCENDING PATTERN ALONG WITH NECK AND TONGUE TINGLING. THIS TINGLING SPREAD TO HIS LEFT DELTOID AND DOWN TOWARDS HIS FOREARM. PT STATES IT FEELS LIKE " CHILLS". PT DENIES BLURRED VISION, CHEST PAIN, AND SOB. PT HAS NEVER EXPERIENCED AN AE TO A VACCINE. W VS @ 9:12 BP 123/74 HR 55 SpO2 90s
1136991	3/26/2021	OK	67	F	3/24/2021	3/24/2021	Within an hour of the shot I felt very tired and took a long nap. Around 5 pm I began to feel a little achy and a slight headache. During the night, I ached all over, had a terrible headache, the muscles in my neck felt like they were drawing up, I had fever, but didn't get up to check it, my joints and bones ached, I had chills and it was a miserable night. The next morning I got up to make my breakfast and I kept trying to pass out and would have to sit down. I was sweating real bad and finally went to lay down. My husband fixed my lunch and I began to feel like my eyes were getting black, and then I slumped over and he said my head was bobbing on his shoulder. I could hear him saying my name, but I couldn't respond. Right after I came to, I began to throw up at the table. He called an ambulance and they came and check me out. My blood pressure, blood sugar, EKG, and pulse ox were all normal. I refused going to the hospital, but I didn't know what the hospital could do for me. I called my family physician's office, but never heard back from them. I hear the second shot is worse than the first, so I am not sure if I should take the second shot. Also, strangely enough, my arm wasn't sore. Every time I have the flu shot I feel bad for a couple of days. I also felt bad after my Shringrix shot and pneumonia shots.
1137460	3/26/2021	IN	31	F	3/16/2021	3/16/2021	Extreme migraine, extreme eye pain, both arms in pain, full body turned blood red, extremely high fever.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1138097	3/26/2021	AZ	84	M	3/22/2021	3/23/2021	Patient apparently was in the bathroom, shaving. Patient's wife was in the kitchen. He does not recall exactly what happened other than he fell backwards. His wife heard a "thud." She went into the bathroom and the patient was not responding. Eyes were open but he was not focusing. He did have generalized shaking of his extremities. Nine-one-one was called at this time. Patient does complain of some mild back pain. He denies any significant headache. There has been no nausea or vomiting. He was diagnosed with syncope event and new onset bells palsy.
1138046	3/26/2021	OH	60	F	3/25/2021	3/26/2021	Patient reported facial swelling to the right cheek area and pain around the left eye socket. These symptoms appeared overnight, and the patient first noticed them upon awakening.
1137968	3/26/2021	CA	20	F	3/25/2021	3/25/2021	At approx. 1238, pt reported feeling lightheaded to vaccinator. Pt was assisted into anti-gravity chair. Pt appeared anxious and reported hx of lightheadedness and fuzzy vision after prior vaccinations. Pt stated "I'm not good with needles". Pt given water and emesis bag. Pt denied needing to vomit. Vital signs assessed at approx. 1240. BP 140/80 mmHg, PR 88 BPM, SpO2 99% RA. Patient advised to wait for 30 mins for further observation. At approx. 1310, vitals reassessed. BP 154/94 mmHg, PR 72 bpm, SpO2 98% RA. Pt advised to sign up with CDC V-safe. Pt left facility at approx. 1314 with steady gait and unlabored breathing..
1138024	3/26/2021	OH	26	M	3/26/2021	3/26/2021	Dizziness Blurry vision Sweating Muffled hearing
1137885	3/26/2021	CA	31	F	1/7/2021	1/14/2021	I had a mild headache for about 6 days. On day 7, I had a temporary vision cut for 43 min and then it returned in full, but I had a severe migraine and nausea. They did CT imaging and labs. Everything was clear. I was medicated with IV pain meds and anti-nausea meds. I continued to have a mild headache for a few days, but it eventually resolved.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1137953	3/26/2021	NC	55	F	3/23/2021	3/23/2021	Within 10 minutes after vaccinated I experienced slow heart beat, unable to move all limbs, unable to talk except "what's happening" 2 hours after vaccinated. Weak, dizzy, blurred vision. This all lasted 2 hours and 15 minutes then I mustered all my energy to drive home then resumed my paralysis.
1137950	3/26/2021	OH	58	M	3/19/2021	3/19/2021	believes blacked out for 5 to 8 minutes; left side of face felt weird; blurry vision in both eyes; slurred speech; metallic taste in mouth; unable to sit up; arm pain near injection site; A spontaneous report was received from a consumer concerning a 58 years old, male patient who received Moderna's COVID-19 Vaccine(mRNA-1273) and experienced a loss of consciousness, facial discomfort, blurred vision, dysarthria, dysgeusia, vaccination complication, vaccination site pain. The patient's medical history was not provided. Concomitant product use was not provided by the reporter. On 19 Mar 2021, the patient received their 0.5 ml of planned dose of mRNA-1273 (Lot number: 046A21A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 19Mar2021, within 15 minutes of receiving the vaccine, the patient experienced face feeling weird, blurry vision in left eye, blurry vision in right eye, speech slurred, inability to sit up, metallic taste in the mouth, loss of consciousness, and some arm pain near injection site. The patient went to the emergency room (ER) and underwent electrocardiogram (EKG), unspecified blood work, neurological tests, and computerized tomography (CT scan). Treatment information was not provided. Action taken with mRNA-1273 in response to the event was unknown. The outcome of the events loss of consciousness and slurred speech was resolved, and the outcome of the other events was not resolved. The reported events are loss of consciousness, facial discomfort, blurred vision, dysarthria, dysgeusia, vaccination complication, vaccination site pain, were considered related to mRNA-1273.; Reporter's Comments: Very limited information regarding this event/s has been provided at this time. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1137939	3/26/2021	MI		F	1/22/2021	1/23/2021	<p>Weird chills; These symptoms include fainting / passed out on the floor, eyes rolled back; Chills were like shakes in my hand; Elevated heart rate (117); Weakness; Sweating profusely; Dizziness; Nausea; A spontaneous report was received from a 73-year-old female consumer who received Moderna's COVID-19 vaccine (mRNA-1273) and developed events, fainting / passed out/syncope, eyes rolled back/syncope, chills were weird/chills, chills were like shakes in my hand/tremor, heart rate was up/heart rate increased, nausea, weakness/asthenia, dizziness and sweating profusely/hyperhidrosis. The patient's medical history included positive COVID-19 test on 11 Dec 2020. No relevant concomitant medications were reported. On 22 Jan 2021, prior to the onset of the events, the patient received the first of two planned doses of mRNA-1273 (Batch number: 029L20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 23 Jan 2021, around 2'O clock in the morning, the patient experienced the symptoms including fainting, eyes rolling back, weird chills like shakes in her hand, sweating profusely, elevated heart rate (117), and other symptoms that occurred when she had COVID such as nausea, weakness, dizziness. Treatment information was not provided. Action taken with mRNA-1273 in response to the event was unknown. The outcome of the events fainting / passed out/syncope, eyes rolled back/syncope, chills were weird/chills, chills were like shakes in my hand/tremor, heart rate was up/heart rate increased, nausea, weakness/asthenia, dizziness and sweating profusely/hyperhidrosis was considered as resolved on 25 Jan 2021.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1137933	3/26/2021	KS	20	F	3/26/2021	3/26/2021	IMMEDIATELY FOLLOWING ADMINISTRATION, PATIENT BECAME FAINT AND LEANED OVER IN CHAIR. HER EYES ROLLED BACK. SHE CONTINUED BREATHING BUT BREATHS WERE SHORT AND HEAVY. SHE WAS FLUSHED. AFTER A MINUTE SHE CAME TO AND WAS RESPONSIVE. PATIENT REMAINED COHERENT AFTER COMING TO BUT WAS NOTICEABLY OUT OF IT. SHE WAS GIVEN A BOTTLE OF WATER AND REMAINED IN OBSERVATION FOR 30 MINUTES. AFTER OBSERVATION SHE CONFIRMED THAT SHE WAS OKAY TO LEAVE.
1137919	3/26/2021	VT	36	F	3/20/2021	3/22/2021	Started having blurry vision/trouble focusing eyes/feeling dizzy on Monday. By Wednesday, this was very difficult to handle and I went to see a practitioner at my primary care office and I could not sleep at all on Wednesday night; went to the ER on Thursday morning out of major concern.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1137917	3/26/2021	CT	83	F	3/1/2021	3/1/2021	<p>felt groggy; sick to the stomach; passed out; felt very weak; cold sweat; shaky; A spontaneous report was received from a consumer who was also an 83-year old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and passed out/loss of consciousness, felt very weak/asthenia, sick to the stomach/ nausea, cold sweat, shaky/ tremor, could not see straight/ blurred vision and felt groggy/ somnolence. The patient's medical history was not provided. Products known to have been used by the patient, within two weeks prior to the event, included levothyroxine sodium, calcium, tramadol and vitamin B complex. The patient received their first of two planned doses of mRNA-1273 (Batch number:02AL20A) on 29 Jan 2021. On 01 Mar 2021, prior to the onset of the symptoms, the patient received their second of two planned doses of mRNA-1273 (Batch number: 003A21A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 01 Mar 2021, 10 hours after getting the 2nd dose, the patient felt very weak, sick to the stomach, cold sweat, shaky, could not see straight and she passed out. On 02 Mar 2021, the patient felt groggy. The patient stated that she did not take any medications for her symptoms. The patient received both scheduled doses of mRNA-1273 prior to the events; therefore, action taken with the drug in response to the events is not applicable. The events, passed out, felt very weak, sick to the stomach, cold sweat, shaky and could not see straight, were considered resolved on 02 Mar 2021. The event felt groggy was considered resolved on 03 Mar 2021.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. Further information has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1137905	3/26/2021	NH	74	F			High white blood cells; Pressure on eyes; A spontaneous report was received from a consumer concerning a 74-years-old female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced events high white blood cells/white blood cell count increased, pressure on eyes/ocular discomfort. The patient's medical history was not provided. No relevant concomitant medications were reported. On unknown date, prior to the onset of the events the patient received first of two planned doses of mRNA-1273 (lot/batch: unknown) via unknown route for prophylaxis of COVID-19 infection. On an unknown date, four weeks after receiving the vaccine dose the patient experienced the event high white blood cells. The patient was hospitalized and was still in the hospital with 3 weeks because of high white blood cells. On unknown date the patient experienced the event pressure on eyes. The patient also had tested negative for COVID on unknown date. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not reported. The outcome of event high white blood cells, pressure on eyes was unknown.; Reporter's Comments: This case concerns a 74-year-old female hospitalized with serious unexpected events of white blood cell count increased and ocular discomfort. SARS-CoV-2 test negative. Event onset occurred 4 weeks after the first dose of mRNA-1273. Treatment not reported. Event outcome resolved. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.
1138043	3/26/2021	OH	26	F	3/26/2021	3/26/2021	Vision change 20-30 seconds Nausea/vomiting Lightheaded Sweaty Warm Paresthesia in hands
1136879	3/26/2021	PA	40	F	3/20/2021	3/1/2021	Day 2 tired, Day 3 and 4 headache, Day 5 and 6 - intermittent eye twitch with ocular migraine symptoms in right eye.
1137065	3/26/2021	PA	74	M	3/12/2021	3/14/2021	The patient woke with visual disturbances on 3/14. He was seen by and eye doctor 3/16 and referred to the ER. MRI in the ER showed right occipital lobe infarct. He was discharged home on 3/17.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1137033	3/26/2021	OK	21	F	2/26/2021	2/26/2021	10 minutes after the vaccine administration I started to feel lightheaded with blurry vision, shortness of breath, and bounding pulse. I self recovered after about 5-10 min. About 20-30 minutes after that my legs started feeling tingling like they were going numb and I was experiencing hot flashes. This self recovered after 5 min. I was admitted to the ER and monitored for another hour but was stable.
1137004	3/26/2021	FL	78	M	2/25/2021	3/9/2021	Pt presented to ED on 3/9 with R eye pain and blurred vision, plus R-sided facial drooping which started that morning. Physical exam positive for facial asymmetry. Per ED provider note: "Pt now with clear R-sided 7th nerve palsy compared to arrival when lower portion was more pronounced.... Labs largely unremarkable.... Overall, exam at this point most consistent with Bell's palsy. Will start on prednisone, acyclovir, eye patch, and artificial tears.~~
1136983	3/26/2021	FL	55	F	3/25/2021	3/25/2021	Client reported a ruptured blood vessel in her right eye following vaccine administration. Client was evaluated by Fire Rescue. Client was released to go home at 3:59pm. Per Fire Rescue patient does not need further onsite eval.
1136959	3/26/2021	TX	62	F	3/10/2021	3/11/2021	BP fell with severe vomiting. Fatigue, and inability to see because of spots in my eyes. Had to crawl to bathroom unable to walk
1136954	3/26/2021	FL	68	F	3/18/2021	3/19/2021	Awoke approx 6AM. Took daily synthroid went back to sleep woke up feeling nauseous and dizzy went to bathroom felt like I needed to sit down next I remember I woke up on the floor with cut over my left eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1137009	3/26/2021	NM	56	F	3/23/2021	3/24/2021	Vaccine was given on Tuesday, on Wednesday evening she developed a red spot on right side of jaw. The next morning on Thursday she had a red streak growing up right side of face, lymph nodes of neck and ear are swollen and painful. She was seen by her physician on Thursday for evaluation, nothing was prescribed. Friday right side of face is red swollen from ear to nose, swollen/painful ear and earlobe, swollen under right eye, swollen lymph nodes worse under jaw and behind ear. She has been using a cold compress and arnica with little relief. She will take a benadryl and has a 1pm appointment with her provider today. She denies shortness of breath, difficulty breathing, swelling of tongue, lips, throat.
1136923	3/26/2021	VA	60	F	3/23/2021	3/25/2021	On March 25 I started noticing a light flare in my eyes, but more in the left eye. Even with eyes shut, it was still present. It started out as a small zigzag pattern in a crescent shape like the letter "C"; mostly white with colorful flares. It took about 45 minutes for the crescent to become wider, until it eventually disappeared. 24 hours later and it has not re-appeared.
1137138	3/26/2021	ID	44	F	3/19/2021	3/20/2021	1. Persistent rash and itchiness at the sight of the injection. Swelling and rash was noticed the afternoon after getting the shot. The itchiness started six days after receiving the shot. It's not horrible or unbearable. 2. Persistent fatigue and sporadic dizziness. This has been the worst side effect. I've felt drained every day and still feel the same, even after getting some sleep. The dizziness is like experiencing tunnel vision without actually seeing tunnel vision. It comes on suddenly and goes away after a few moments. This has not abated; I am still going through this today. 3. Nausea for the first couple of days. This was mild. But there has been a reduction in appetite for the past week.
1136855	3/26/2021	CA	44	F	3/5/2021	3/6/2021	Kidney pain, Fatigue, Swollen eye lids, Severe dry skin, Itchy skin.
1136845	3/26/2021	GA	35	F	3/26/2021	3/26/2021	patient reported blurred vision, and facial redness and swelling around the cheeks. Blood pressure was also found to be elevated.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1136802	3/26/2021	CT	52	F	12/1/2020	12/1/2020	Flash of light and heat from head to toe 10 minutes after 1st dose. Numbness and tingling on face lips and tongue 60 minutes after 1st dose. Premedicated with Pepcid 20 mg and Benadryl 50mg 1 hour prior to 2nd vaccination with no adverse reactions occurring. Presented with popping, in ears, eye blurriness, numbness on face and head, swollen glands on bilateral neck, burning in chest happening in waves 2 -3weeks after 2 nd dose. Normal CPK, CBC and CMP results. 2/4/2021 episodes of heat throughout body, questionable palpitations, headaches, blurry vision, numbness on head and face, feeling faint and unbalanced during episodes. - comes in waves. Electric shocked under skin all over body and once in Bihar eyes. Normal brain MRI and follow up bloodwork. Visits to neurologist, GYN and ophthalmologist.
1136817	3/26/2021	TX	78	F	3/23/2021	3/23/2021	Patient stated her tongue, lips and eye lids were swelling. Patient had children's liquid Benadryl with her and immediate started drinking the Benadryl. Patient was assessed by the NP and also by her PCP while in the office. Patient was advised that she needed to go to the ER via ambulance, she refused. She was observed for an additional 30 min. with no further symptoms. Vitals were taken again before she left the office. Patient was contacted again via phone at 3:00 pm to check on her, she stated she was home and doing well. She contacted the after hours service at 6:37pm stating she was continuing to have swelling when the Benadryl wears off. Patient was advised by the after hours provider to go directly to the ER and explained the risk of airway swelling during the night. Pt. verbalized understanding. Pt. was seen in the ER on 3/26/21 in the ER for allergic reaction was discharged the same day with instructions to follow up with her PCP.
1138127	3/26/2021	CO	45	M	3/25/2021	3/25/2021	Blurred vision began 4 hours after vaccination, lasted throughout evening. Incident gone as of March 26 AM.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1139148	3/26/2021		60	M	3/26/2021	3/26/2021	was observed post Covid-19 immunization for 15 minutes . During the observation period, he experienced an adverse reaction with the following symptoms: Tired feeling, eyes burning, flushed feeling. Assessment : Time of assessment 0912. Actions taken: BP 162/79, P 82, 97% O2 saturation. He was placed in a wheelchair and taken out to the triage area by RC-EMS. Blood sugar 122. 12 Lead EKG done, patient monitored additional 15 minutes and reported feeling better. Last BP 165/82, P 83. He was able to get off the stretcher and ambulate to the door to go home with his wife. Instructed to call 911 if symptoms reappear, she verbalized understanding.
1136946	3/26/2021	SD	32	F	3/25/2021	3/26/2021	numbness to left side, headache and double vision
1137282	3/26/2021	MD	66	M	3/15/2021	3/24/2021	03/24/21: Patient presented and was admitted through emergency department for Altered mental status and Suicidal ideations. PMH Charcot foot requiring multiple surgeries in the past, paroxysmal afib on Eliquis, stage III CKD, type II DM, HTN, HLD, previous stroke, blind in right eye. On admission pertinent objective findings: XR foot - Cortical erosion over the bony prominence of the right medial midfoot concerning for osteomyelitis Hospital diagnosis: Right foot with large open wound, suspected osteomyelitis of right foot. CT scan of his head shows no acute finding. Per the EUA, hospitalizations are to be reported irrespective of attribution to vaccine. Hospital diagnosis:
1137430	3/26/2021	CA	36	F	1/9/2021	1/17/2021	After the first vaccine I had soreness and redness in my arm for two days. Eight days after the Vaccine I had numbness in my lips and muscle weakness on the right side of my face. My eyebrow, eyelids and my lips were falling down. I could not wear my contact lens because of this. I was prescribed Steroids and Antiinfection. I visited the doctor. I was diagnosed with Bells Palsy. I was treated for seven days with slow improvement in my symptoms. The Bells Palsy got suddenly better within three weeks. I still got the second dose of the vaccine.
1137397	3/26/2021	NH	32	F	3/25/2021	3/25/2021	Vasovagal within 2 minutes. Sweats blurred vision almost syncope. Numbness and tingling in arms lasting 10 minutes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1137393	3/26/2021	TX	50	F	3/26/2021	3/26/2021	Patient started to experience adverse reactions of burning and stinging in her face, eyes, and scalp at 8:30am. Patient's vitals were stable at 8:37am and 8:47am. Patient started to fade in and out of consciousness. Ambulance was called and patient was transferred to healthcare facility.
1137390	3/26/2021	MO	20	F	3/26/2021	3/26/2021	Pt received COVID-19 vaccine at 9:57am. Pt went to waiting area in front of pharmacy and sat down. Pt was on her phone when she said she felt like she started dreaming. Her friend said her eyes rolled back and she threw her phone on the floor at 10:02am. When I got to the patient a customer (nurse) was already assisting the patient. EMS and Code White were called at 10:03am. Pt was awake and aware of what was going on. She said she had no history of fainting or seizures. She did say that she normally had a lower blood pressure. Pt was sitting up but laid back down at 10:05am saying that she was having vision issues and feeling dizzy. BP was 112/70 and HR 75 at 10:10am. EMS arrived at 10:12am and took over. BP was still low at that time. Pt denied going to the hospital and EMS left at 10:20am. Pt stayed with friends until 10:40am. Pt left the store with 3 friends who had also received vaccine.
1137361	3/26/2021	IA	63	F	3/25/2021	3/25/2021	I sat in the facility for the 15 minutes or so required, then in about 1/2 hour later I had like a had time breathing, something like labored and my vision was very blurry for about 30 minutes or so, I went back to work and a co worker asked if I was ok, she said my eyes looked weird and within the hour I was seeing fine again, was very tired but that I thought was normal.
1137354	3/26/2021	FL	68	M	3/3/2021	3/3/2021	3 minute span, 7 minutes into 15 minute post vaccine wait... BP dropped to 68/57.. pale, dry, blue lips... visual disturbance... nausea, dry heaves, dizzy, close to fainting... left side of body has more color than right side.... BP returned to 100/71 within 2 minutes... coherent throughout
1137123	3/26/2021	MD	78	U	2/27/2021	3/2/2021	Acute arthritis most joints, myalgia so, exhaustion, major swelling of bursae both knees and hip, face rash, eyes red and swollen, typical but worse autoimmune SLE flare X 1 month. Joints all markedly enlarged. Lost mobility

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1137335	3/26/2021	NY	40	F	3/24/2021	3/25/2021	Modena COVID-19 Vaccine EUA My arm was sore from the moment the shot went in. The soreness continued getting worse. I awoke at 2am with fever and chills and body aches. I tossed and turned the remainder of the night. I got out of bed and couldn't walk, terrible lower back pain. "Bricks" in my neck - stiff. Severe headache. Eyes couldn't focus. These were all the symptoms I had when I had Covid in Sept. 2020. I kept up with fluids and Ibuprofen and rest for the day. Woke up today (3/26) feeling much better, though still a bit tired and 'weary'
1137128	3/26/2021	FL	70	F	2/18/2021	2/18/2021	70 y/o client experienced H/A, bad taste in mouth, malaise, fatigue, and wheezing 24 hours after 2nd Pfizer COVID Vaccination dose. Client stated it seemed as if she had "glaze" over eyes. Client stated she had no adverse reactions from first dose but does have hx of COPD. Client described it as "feeling like she had COVID" AND IS GETTING TESTED FOR covid-19 WITH pcp ON 2/24/2021
1137279	3/26/2021	CO	29	F	3/25/2021	3/25/2021	I took out my contact lenses and my eyes became very itchy around 11:00PM. Around 10 minutes after initial itch, eyes and eyelids began to swell and turn red. Eye balls were bloodshot and difficult to keep open. Redness appeared around the eye area. Placed a cold compress on infected eye area, kept eyes closed as much as possible and took a Benadryl. Went to bed. Next morning at 7:30AM redness has decreased around the eye area. Eye lids are sore and eyes are still slightly bloodshot. I have refrained from inserting my contact lenses and am wearing by glasses.
1137261	3/26/2021	TN	44	F	3/24/2021	3/25/2021	Recipient call the employee health office approximately 24 hours after receiving vaccine stating that they had gone in to an emergency department for evaluation of symptoms. symptoms reported include fever, headache, chills, body aches and blurred vision. Recipient reports that ED physician evaluated her and sent her home with instructions to return in 72 hours if symptoms persist or sooner if symptoms worsen.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1137256	3/26/2021	CA	25	F	3/25/2021	3/26/2021	After getting the 1st dose of Pfizer I was fine the only real side affect I had was that my arm hurt badly. After my second dose my arm initially didn't hurt but started to hurt hours later. I had cough and sore throat but the worse thing was I woke up with super puffy red eyes with green discharge coming out. I was fine until I got the Pfizer vaccine. The morning after I felt terrible. I called my doctor to see what he can do or prescribe for my eyes.
1137216	3/26/2021	CA		F	1/22/2021		Heart Flutters; Eyes puffy; Eyes dry itchy rash; Itchiness; Hives; A spontaneous report from was received from a Consumer concerning a 50 Years-old female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and puffiness and a dry itchy rash around her eyes, itchiness on various parts of her body and only develops hives on area she scratches, heart flutters 3-4 times since the injection that only lasts seconds. The patient's medical history was not provided. No relevant concomitant medications were reported. On 22-Jan-2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 intramuscularly for prophylaxis of COVID-19 infection. On an unknown date Jan-2021, The patient experienced puffiness and a dry itchy rash around her eyes, itchiness on various parts of her body and only develops hives on area she scratches, heart flutters 3-4 times since the injection that only lasts seconds. Laboratory details was not provided. The patient was taking diphenhydramine HCL as treatment medication. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the events puffiness and a dry itchy rash around her eyes, itchiness on various parts of her body and only develops hives on area she scratches, heart flutters 3-4 times since the injection that only lasts seconds was resolved.; Reporter's Comments: Based on the current available information which shows a temporal association between the use of the mRNA-1273 and the start date of the reported events, a causal relationship between the events and mRNA-1273 vaccine cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1137213	3/26/2021	CA	67	M	2/3/2021	2/4/2021	Giant red blister burst in right eye; A spontaneous report was received from a consumer concerning a 67-years-old male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced giant red blister burst in right eye. The patient's medical history was not reported. Concomitant medications of blood pressure medications and thyroid medications. On 03 Feb 2021, approximately two days prior to the onset of the event, the patient received the first of two planned doses of mRNA-1273 (lot/batch number: unknown) for prophylaxis of COVID-19 infection. On 04 Feb 2021, the patient experienced medically significant event of giant red blister that burst in right eye overnight. Vision was okay and patient does not feel pain. The patient was going to see ophthalmologist. No treatment information was provided. Action taken with mRNA-1273 in response to the event was not reported. The outcome of the event giant red blister burst in right eye was not reported.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.
1137148	3/26/2021	OR	60	F	3/24/2021	3/24/2021	Received the vaccine shot in the morning of March 24th, as the day wore on the vision in my right eye changed, becoming cloudy and somewhat obscured, it felt like i had some pressure or the right eyeball was swollen a bit, I had difficulty focusing close up, difficulty reading. When looking at distant objects, such as a street light, the light source looked like a spiky ring of light. The vision in the left eye was a bit cloudy but that was gone by the morning of the 25th. The vision issues in the right eye continued through most of the 25th though the feeling of pressure diminished and the vision issues also lessened. The eye/vision is still not completely back to normal on the 26th but is much better.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1137458	3/26/2021	CA	23	F	3/25/2021	3/25/2021	At approximately 0943 patient reported feeling faint, starting to lose vision, and nausea. Lead nurse was notified and patient was assisted into anti-gravity chair. Patient assessed. Pallor noted and patient reported feeling hot and stated "I'm going to throw up". Patient given emesis bag at approx. 0944. Patient reported feeling better. Patient given water. patient denied rashes, hives, and throat irritation. Patient reported feeling scared of needles and no history of fainting after prior vaccinations. Vitals assessed at 0946: BP 90/75 mmHg, SpO2 99% RA, PR 75 bpm. Pt advised to stay for 30 mins for further observation. Vitals reassessed at 1004: BP 100/80 mmHg, SpO2 99% RA, PR 56 BPM. Vitals reassessed at 1020: BP 80/50 mmHg, SpO2 99% RA, PR 60 BPM. Pt advised to wait 20 mins due to drop in BP. Vitals reassessed at 1040: BP 100/80mmHg, SpO2 99%, PR 65 BPM. Patient denied throat irritation and stated she was feeling better. Patient advised to sign up on CDC- V-safe. Pt left facility at approx. 1045 with steady gait and unlabored breathing.
1137345	3/26/2021	MA	65	F	3/22/2021	3/25/2021	Headache, eyes bright, , sore arm and neck, emptiness in stomach, sleepy did for a few hours, but had a sleepless night, second day: headache, sore throat, emptiness in stomach, sore arm and neck. Took one Tylenol didn't help.
1138783	3/26/2021	AZ	32	M	3/26/2021	3/26/2021	Pt had syncope episode while waiting in observation area. Pt fell out of his chair and hit face on outer corner of right eye causing a skin abrasion. Suffered a small abrasion to outer aspect of his right wrist.
1138904	3/26/2021	NM	67	M	3/23/2021	3/24/2021	vision blurriness somehow makes me a little dizzy
1138901	3/26/2021	OH	32	M	3/26/2021	3/26/2021	A few minutes after the vaccine was administered the patient felt hot, lightheaded, dizzy and had to sit down. While sitting down his eye rolled back and he passed out. His spouse said his body was shaking. She lowered him to the floor and he awoke. Paramedics were called and determined his blood pressure was very low. They tried to stand the patient up to take another blood pressure reading, but the patient had to sit down as he became dizzy and lightheaded again. The paramedics took him to the ER where the doctor said he was fine and discharged him.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1138897	3/26/2021	TX	32	F	3/25/2021	3/26/2021	35 wks pregnant, noticed these symptoms the morning after having the vaccine: right side of the face is slightly paralyzed, when blinking only the left eyes blink and right eye does not fully close, right side of the tongue slightly numb but still able to taste, when smiling or manipulating mouth only the left side is fully engaged, right side if about 70% engaged, feel tightness on the back of right side of the head
1138876	3/26/2021	MA	27	F	3/8/2021	3/8/2021	While in waiting area after being given vaccine, felt tingly in head and over body within 3 minutes. Dizzy. Started getting black spots in vision/tunnel vision. Heart pounding and sweating. On verge of fainting. Drank some water and symptoms disappeared within 10 minutes. Did not lose consciousness
1138863	3/26/2021	NY	54	F	3/25/2021	3/25/2021	Patient received covid vaccine around 4pm and reported feeling like she was having a seizure around 4:10. Her eyes starting rolling backwards and she could not verbally respond. 911 was called and she was sat on the floor and monitored by the pharmacist until paramedics arrived. She was responsive when paramedics arrived and took her to ER
1138856	3/26/2021		33	M	3/26/2021	3/26/2021	PT STATED THAT HE HAD LEFT EYE PAIN AND SUTTLE CHEST PAIN

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1138659	3/26/2021	CA	32	F	3/25/2021	3/25/2021	<p>Patient received the COVID vaccine (Pfizer dose 1, Lot# ER8732, exp 7/31/2021) at 1316. Client reported ?my temperature is going up? at 1327. EMT and RN responded. Client ambulated to the chair next to the EMT station with a steady gait. Client appeared flushed and diaphoretic. No complaints of shortness of breath, dizziness, numbness, or tingling. No appearance of hives or swelling. No loss of consciousness. Client has a history of multiple sclerosis and hypertention. Client was unaware of his baseline blood pressure ranges. Client takes no regular medications. The client has allergies to sulfa and seafood. At 1327, the client?s blood pressure was 140/110, with a pulse of 81, respiration rate of 18, and pulse oximeter reading of 98%. Eyes PERRLA, client was alert and oriented x4. Client was given orange juice and a bottle of water. The client reported not eating any food yet and only drinking some coffee and water before. Vital signs taken again at 1336, with a blood pressure of 150/110, 20 breaths per minute, heart rate 83, pulse oximeter reading 98%. At that time, the client?s color returned to normal and he was no longer diaphoretic. The client stated he felt ?much better.? Repeat blood pressure reading for the client at 1347 was 145/95. Final blood pressure reading for the client was 140/82 at 1352. The client stated he felt ?back to normal.? Education provided regarding emergency management and when to call 911. Client encouraged to follow up with his primary care provider within 24 hours. Client denied any further questions, was escorted to his car by EMT at 1357. The client left the facility with a steady gait and proceeded to drive himself home.</p>
1138790	3/26/2021	WA	67	F	3/24/2021	3/24/2021	<p>Moderna COVID-19 Vaccine EUA. A flash of fuzziness in front of eyes and felt like brain that lasted about 30 seconds (while driving home afterwards), and a burning feeling with tingling and then some numbness in upper lip up to top of nose. The burning felt similar to a rugburn. This lasted two days and is feeling 90% better at this moment.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1138926	3/26/2021	IN	49	F	3/24/2021	3/24/2021	Bitter taste within the hour of vaccine. Lightheaded 3 hours after vaccine with extreme tiredness, blurred vision, nausea, joint and muscle weakness with slight pain. 12 hours after vaccine the above mentioned symptoms continued in conjunction with a headache and increased thirst. 48 hours improvements but the following symptoms were present: slight muscle weakness, off and on blurred vision, headache and sized raised skin on my left shoulder with slight itchiness.
1138739	3/26/2021	PA	70	F	3/22/2021	3/23/2021	The following day after the shot , 3/23/21, I woke up at 7:00 am, itchy all over my body, had fatigue, &. Chills. Took 2 Benadryl tablets every 4-5 hours , a total of 8 pill. Then took 2 more in the night time. Continued doing the same the following 2 days. My husband noticed red spots like hives on my back , stomach, and. arms. On the 3 rd day I woke up with itching on the ears and eyes, as well as the body. Called Dr, and she advised me to be evaluated at the urgent care immediately. Went immediately and was examined by a PA. where she gave me a prescription for Prednisone, 5 mg. Take 1 tablet by mouth once daily for 7 days then take 1/2 tab once daily for 7 days. She also advised if no more itching after 5 pills I could stop.
1138731	3/26/2021	WV	30	F	3/22/2021	3/22/2021	pt had severe anxiety attack after receiving the vaccine. pt was very tense and not breathing with eyes rolled back into her head. mother stated she had had an attack at the hospital giving blood before bc of severe fear of needles. 911 was called and she was taken to the hospital
1138722	3/26/2021	OH	52	F	3/25/2021	3/25/2021	Sore stiff tender left arm. Left neck pain into temple. Right arm stiffness right hand center palm sore. Weak grip. Eye pain sensitivity to sun light. Rt leg numbness felt weak while walking. Generally feel unwell
1138705	3/26/2021	FL	20	F	3/26/2021	3/26/2021	nausea, blurred vision, dizzy, almost fainted. paramedics were called and pt was diagnosed as dehydrated and low blood sugar
1138693	3/26/2021	WI	43	F	3/26/2021	3/26/2021	Extreme allergy reaction, hives in mouth and lips, eyes and nose itchy I want to tear my face off. Lips and lower face are becoming more swollen. I have no access to Health insurance so I will take a shower and some Benadryl, my only attainable recourse at this time.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1139143	3/26/2021	CA	42	F	3/21/2021	3/22/2021	I am 5 days out from the 2nd dose. I had to make an urgent care visit because of shortness of breath, blurred vision, light headedness, brain fog, nausea, fatigue, feeling of fainting and tightness in throat. These symptoms have been present and overwhelming for over 3 days presented themselves after day 2 of vaccine. The original symptoms of headache, body aches and chills subsided by day 3.
1138804	3/26/2021	GA	46	F	3/24/2021	3/26/2021	Awoke in am with a hard swollen area the size of tennis ball reddened. Then at 4 pm tingling and swelling started to the right side of face from jaw line to below left eye. Became foggy headed and felt as though shaking all over. Then around 5 pm lt side of neck from shoulder to ear on left side I took ibuprofen at 8 am and 4 pm. At 6:30 pm a tightness across the top of my chest but no shortness of breath or fever or actual chest pain no difficulty swallowing. At that time I called the pharmacy and spoke with someone (I think that was his name). He advised me to take Benadryl and ibuprofen and to go to er if any shortness of breath and to report to this site.
1139074	3/26/2021	AZ	79	F	2/1/2021	2/15/2021	I detected high blood pressure while at an eye doctor's office--He had me verify it at my primary care physicians office same day. I have never had high blood pressure--always normal or even a little low.
1136799	3/26/2021	OH	43	F	3/23/2021	3/23/2021	Light headed and some blurred vision 20 minutes after shot that lasted just a few minutes then some tingling in left leg and then started to notice hives on my hands and body, also had welts on my stomach after arriving at home. all of these events took place within the first hour. now several days later I still have the hives and non stop itching even in places that I dont have hives. my over all skin on my body just feels itchy
1139147	3/26/2021	WA	68	F	2/27/2021	3/1/2021	I went into DKA, my left eye bled, my left arm has a blood clot I was in hospital 9 days and a rehabilitation place for 11 days.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1139135	3/26/2021	CA	53	F	3/24/2021	3/24/2021	Pfizer-BioNTech COVID-19 Vaccine EUA was administered at 1 pm. Within 10 minutes or less, my vision blurred and the store darkened and felt like it was closing in. I felt dizzy and nausea. I sat down away from people and let someone know. I got a pink in my eyes and some parts of my body. I waited about 45 minutes and my vision cleared and the dizziness faded considerably. The nausea remained and some pinkness remained. Slight headache off and on for two days. Had minor discomfort for two days.
1139134	3/26/2021	ND	62	F	3/24/2021	3/25/2021	On 3/25 I had a sore arm with firmness around the injection site. Today I woke up very early with fever and chills and feeling pretty ill. Urinated and crawled into bed and put electric blanket on high until I felt warm. Got up about 7:00 and took my temperature and it was about 100. Then it varied between 99 and 102.5 all day. Had blurred vision and body aches and bad headache and nausea. Took Tylenol or hydrocodone which helped with keeping temp closer to 100 but I'd fall asleep and forget to take Tylenol and it would go back to 102. I didn't have anyone to drive me that I felt comfortable enough to risk exposure in case it was an actual illness and not the vaccine. I considered calling an ambulance but decided to wait and see if I could get my temp under control. This evening I'm at 100 again (I just took it again) but thought my fever had broken as I didn't feel I was radiating heat like I felt when it was 102. My normal temp is usually around 97. I haven't taken anything Tylenol or hydrocodone since about 3:00 but I will take just plain Tylenol now.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1139132	3/26/2021	NY	36	F	3/24/2021	3/24/2021	Received the vaccine at 10:40am on 3/24/2021 and felt normal. At 1:20pm anaphylaxis set in - experienced tingling then tightness in throat, tongue swelled, swallowing would cause me to choke and tongue would get stuck blocking air passage. Hyperventilating began as I could not get enough air into my lungs. For 15 minutes tried drinking water and laying down to help open airways. Breathing slightly eased for 2-4 minutes and then the anaphylaxis would spike again. This happened 3x getting worse, I called my Primary Care Physician's office and was advised to go to the ER immediately. At 2:15pm I arrived at the ER and at 2:30pm I was given a 1mg shot of EPINEPHrine, and intravenous shots of diphenhydrAMINE, methylPREDNISolone, and famotidine along with oxygen. Anaphylaxis finally dissipated around 3:30pm and by 5pm I was breathing more normally. I was discharged at 7:00pm, and was feeling very energized. I was also given a prescription for an epipen incase I should have any further issues. The next morning, 3/25/2021 I woke up after 5 hours of sleep feeling extremely energized. I had a virtual doctor's appointment with my allergist, Dr. at 12:00pm. My doctor was surprised at how well I seemed to be doing and we made arrangements to do further allergy tests in 2 weeks. We came to the conclusion that I am most likely allergic to POLYETHYLENE GLYCOL. This ingredient is also in a cold medicine that I was taking in January and I was experiencing minor anaphylaxis (which I thought was due to the extreme congestion I was experiencing with the cold). It is also an ingredient (aka PEG) in an eye cream that caused a severe eczema patch under my eye in January. After my appt, at 1:30pm I went into anaphylaxis again. My throat got tingley and began to close, my tongue swelled and again was getting stuck in my throat when I attempted to swallow. I laid down and tried to get in deep breaths. My husband bought children's BENADRYL, which does not have polyethylene glycol in it, and gave me 15ml at 2:15pm. I reached out to my allergist, Dr. and updated him. He advised that I immediately take an additional 5ml of the BENADRYL. Dr. prescribed me 60mg/day Prednisone for 2 days followed by 40mg/day of Prednisone for 4 days, 40mg/day Famotidine for 2 weeks, 10mg/day antihistamine (I chose loratadine) for 2 weeks. Dr. also shared that I should have been prescribed steroids when

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							I was discharged from the hospital, but my energetic state gave the impression I was OK. My manic energy was a result of the epinephrine, which had finally worn off 23 hours later, causing my body to begin the allergic reaction all over again. The evening of 3/25/2021 (after the first dose of 60mg prednisone, 40mg famotidine, and 10mg loratadine) and all three meals on 3/26/2021 I experienced minor anaphylaxis when I began to eat. Tightness in throat throughout the meal and lasting an additional 20 minutes following the meal. My throat has reopened after each incident on 3/26/2021 and I was able to breathe normally again.
1139117	3/26/2021	OK	29	M	3/16/2021	3/18/2021	I felt soreness and pressure build up in my arm starting a few hours after the receiving the dose. The soreness and pressure got progressively worse over the course of two days. It wasn't unbearable, just uncomfortable. The second day after the vaccine I had stretched my arm pretty good for minute, when I released the stretch I felt a rush of something for from my arm into my torso. I got really dizzy and passed out, my wife was in the room at the time and said I never closed my eyes; but I had completely blacked out. My wife had woken me up and I wasn't sure what had happened, it took me about 30 seconds to realize I had passed out after stretching that arm. My arm had felt better after waking up from passing out, and soreness had passed a couple days later. I didn't get checked out, after I woke up I started feeling fine. I'm honestly not sure if it's directly related to the vaccine or not, I just thought I should let someone know just in case.
1138906	3/26/2021	IN	65	M	3/18/2021	3/19/2021	Woke up for work at 3:45 am . Just didn't feel good. Went back to bed and then went down hill. Felt like I got hit by a freight train and a sever headache. Could not open my eyes it hurt so bad. Tried to sleep for the next 12 hours. Headache had let up some body felt sore. Was up for about 2 hours and went back to bed till the next morning. Felt much better but was wore out from the day before. By the 2nd day evening felt back to normal.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1139083	3/26/2021	CT	46	F	3/14/2021	3/14/2021	About 20 min after receiving, eyes were extremely contracted ( total opposite of dilated ) like pencil point small. I then felt like a Novocain type of feeling from head to about mid waste. As if when Novocain starts to wear off. That stayed for about 5-6 days. Day 1-3 I felt like I had to really had to focus extra on focusing, using my jaw to concentrate on words / speaking. Not very bad, but was definitely an effort. Night two spiked fever but that went away. Weirdest part was the numbness feeling. I took it for what it was but then in talking today about it someone said I better report the reaction.,
1138924	3/26/2021	OH	29	F	3/26/2021	3/26/2021	Dizziness, blurred vision
1138995	3/26/2021		45	M	3/26/2021	3/26/2021	The patient reported vision changes and not feeling normal. Patient returned to baseline after 15 minutes.
1138985	3/26/2021	TN	40	M	3/26/2021	3/26/2021	Blurry halo vision of lights at night. Upset stomach.
1138976	3/26/2021	MA	30	F	3/25/2021	3/26/2021	On 1/22/21, I had dermal filler injected into my upper left eyelid. I received the Moderna COVID-19 Vaccine 3/25/21 @8:30am. Around 9:00pm on 3/26/21, I noticed that my upper left eyelid is swollen where the dermal filler was injected.
1138967	3/26/2021	OK	18	F	3/26/2021	3/26/2021	Fever, chills, feeling faint 6 hours after vaccine, blurry vision, trouble standing
1138941	3/26/2021	CA	45	M	3/25/2021	3/25/2021	Headache, runny nose, red, bloodshot and sore eyes
1138935	3/26/2021	OH	43	F	3/25/2021	3/25/2021	Bodyaches, sweats, chills, fast heart rate(130?s) and dizziness, felt like I could faint. Eyes felt like they moved funny and threw off my balance. Had to hold onto wall. Symptoms started about 9 hours after vaccine. Still having weird balance issues when walking and slight bodyaches and I am over 36 hours after vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1138651	3/26/2021		41	F	3/26/2021	3/26/2021	3/26/2021 was observed post Covid-19 immunization for 30 minutes based on pre-vaccination screening . During the observation period, she experienced an adverse reaction with the following symptoms: dizziness.. and tingling of the tongue Assessment : Time of assessment 1810. Alert and oriented.and anxious, no visual swelling, rash, or redness. Actions taken: Water offered and accepted, VS taken at 1810- BP- 160/94, P- 86, O2- 100%, recheck @ 1824 - BP- 149/101 Medications administered: No medication administered. Disposition: Reports no further symptoms of adverse reaction after observation for 30 minutes. Discharged home. she was advise to follow up with PCP regarding BP. Immunizations Administered Name Date Dose VIS Date Route Pfizer COVID-19 Vaccine 3/26/2021 5:52 PM 0.3 mL 12/11/2020 Intramuscular Manufacturer: Pfizer, Inc
1139114	3/26/2021		76	M	1/18/2021	1/25/2021	Non arteritic ischemic optic neuropathy in one eye; swelling/joint inflammation in one hand. Started several days after 2nd Pfizer Covid-19 vaccination.
1138234	3/26/2021	WI	43	F	3/15/2021	3/16/2021	Numbness on the left hand and twitching of left eye and face.
1138312	3/26/2021	TX	49	F	3/26/2021	3/26/2021	diaphoretic, headache, itching arms, swelling of lips and eyes.
1138302	3/26/2021	OH	55	M	3/24/2021	3/24/2021	Janssen COVID-19 Vaccine EUA Fever of 101.3 for over 24 hrs. Only could control with Tylenol. Once I stopped, fever would spike up. Severe joint pain Headache Severe pain at injection site for 48 hours Burning eyes Uncomfortable urination

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1138277	3/26/2021	CA	25	F	1/19/2021	1/19/2021	I felt arm pain in my left arm Around 4:00 pm, I started reaching for my face but I could not feel my face - it felt numb and tingly. That went on for two hours. There was no other droopiness juts facial numbness. My arm pain lasted for a good three weeks. It caused the lymph nodes under my armpit to swell. The pain went from my axilla Lymph nodes down to my left breast. I got a pinkish, reddish, itchy rash at the spot on the injection about a week later. I don't recall the date for the doctor visits - one telehealth and one in person. They wanted me to use Primrose oil to massage the oil. They told me to keep an eye on it. I still continue to get the pain under my arm pit from time to time. I have still been seeing physician about that.
1138275	3/26/2021	GA	60	M	3/24/2021	3/24/2021	08:20 am Received 2nd dose of Moderna. Hx of facial swelling to sulfa, so pt was to remain for observation for 30 minutes. At 08:45 am complained of feeling like her eyes were swelling. Pt's daughter was in the car with her and did not notice patient looking any different. No distress noted nor obvious swelling of face, eyes, lips, etc. O2 sat 98% pulse 72. Administered 25 mg benadryl chewable tablet and observed pt for another 30 minutes. At 9:30 am pt reported feeling better, no other problems noted. Pt was discharged to home and told to take benadryl q 6 hrs for the next day and seek emergency care if condition worsened. Call to pt on 03/26/21 revealed that pt had no further problems.
1138272	3/26/2021	OH	61	F	12/29/2020	12/29/2020	no symptoms after waiting 30 minutes, then mild fatigue 3 hours later then woke from sleep at 11pm with a rapid heart rate about 100/minute, widespread numbness and tingling around mouth, chin, arms and calves. called 911 BP was 135/77 98 pulox 68 pulse. Numerous episodes similar happened since usually at night. PCP advised allergist related to COVID reaction. ECHO,EKG were ok. adjusted meds to see if related and no change. also had very bloodshot eyes ,rash on legs and more need for Xopenex inhaler. Addressed with pulmonologist as well.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1138271	3/26/2021	WA	30	M	3/26/2021	3/26/2021	Patient notified the medical over watch of feeling lightheaded and muscle weakness. Team nurse reports the patient was cool and diaphoretic. Pulse was in the 40s. BP was 106/64. Patient was AAO, however continued to close his eyes. No respiratory symptoms. EMS was called, responded <3min. Patient had improvement of symptoms while EMS was on scene. Patient declined EMS transport and left with co-worker with instructions for returning to ED for medical care. No medication or treatment was given on site.
1138666	3/26/2021	OH	44	F	3/12/2021	3/14/2021	I had headaches at first but then I had heart palpitations that have lasted for 2 weeks. I've had difficulty breathing for 2 weeks. I have had eye twitching in my left eye for 3 days. I have had tightness in my chest and tingling in my chest.
1138265	3/26/2021	OH	23	M	3/26/2021	3/26/2021	Tingling hands Tunnel vision Sweating
1138394	3/26/2021	CO	48	F	3/22/2021	3/25/2021	Blurring in right eye that comes and goes, constant muscle spasms in stomach
1138224	3/26/2021	CA	63	M	3/18/2021	3/19/2021	Pt developed left facial numbness and sensation of heat and numbness in the left arm and numbness into the leg and foot. Symptoms started at 1:36 pm while walking to catch train. Pt noted numbness and felt light headed. Pt had mild headache that he associated with not eating much. Pt returned back to urgent care because of symptoms and RR team called. Pt had given blood for tests (12 vials) and abdominal ultrasound earlier in the morning as work up for his chronic renal insufficiency. Pt drank several cups of water before the ultrasound. Symptoms initially improved but did not resolve, so he was sent to ER for stroke. Pt had 3 more episodes of worsening left sided numbness and lost consciousness on 2 of those occasions per the patient. Neurology evaluated patient and said that they were likely thalamic strokes. Pt was unable to have an MRI because of metal in his eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1138202	3/26/2021	NV	65	M	3/11/2021	3/15/2021	Four days after my vaccine, my eyes were very water with a clear, thick discharge. They were itchy as well. I went to see my optometrist who told me I had some sort of allergic reaction. I do not know if the vaccine caused my allergic reaction. My optometrist prescribed eye drops. I had no soreness or pain to my left arm after my vaccine. Today I still have some clear, thick discharge that is present.
1138182	3/26/2021	IN	39	F	3/24/2021	3/24/2021	Approximately 45 after injection a migraine began with visual disturbance. Wavy lines across field of vision obscuring eyesight. This was accompanied by fatigue. That night racing thoughts throughout the night. I felt as if I was awake all night cataloging my daily life. The following day only sore muscles and muscle weakness in left arm.
1138175	3/26/2021		96	F	2/22/2021	2/24/2021	1. Double vision. Saw ophthalmologist. Diagnosed as Left 6th Nerve Palsy as a result of the vaccine. Started using eye patch. Condition unchanged. 2. Weakness in legs, difficulty controlling movement which started 48 hours after vaccination. Saw neurologist. Diagnosed as Ataxia. Condition worsened daily to a point. Presently neither improving nor worsening. Currently conditions have reached a plateau, neither improving nor worsening.
1138165	3/26/2021	CA	43	M	1/6/2021	1/6/2021	That evening had tachycardia symptoms and trichina symptoms (about 12 hours after vaccine). I had fatigue and headache the following morning. Severe myalgias - in the epigastric cisternal area and in the back of my shoulder blades. 36 hours later - low grade temperature. At 48 hours I felt normal. Eye - 10 days later (vaccine) - I noticed a visual deficit in the left eye along with a line and the following day - on the 17th, I saw my ophthalmologist - left branch retinal vein occlusion. Since then I've had an Forestine Angiogram: and a video of my retina - branch retina arterial occlusion - so they are having trouble telling the difference between the two. I still am being followed for my eye. They did a carotid ultrasound - my carotids are fine. I am due to get an echo cardiogram. I am taking baby aspirin mg for now - not sure if it's helping or not. It takes a year and a half to go away.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1138147	3/26/2021	CA	30	F	3/26/2021	3/26/2021	The Pt is a 30 year old female who presents with urticaria to the right neck 25 minutes following 1st dose Pfizer vaccination to the left deltoid. She has a Hx of seasonal allergies and childhood asthma but currently takes no medications. Pt endorses allergy to penicillin and notes similar skin rash as the reaction. Pt denies any Hx of severe allergic reactions. Currently the Pt denies any swelling of the face/lips/eye, difficulty swallowing, tightness of the throat, or itching of the skin. She also denies dizziness, diaphoresis, or vision changes.
1138269	3/26/2021	WI	56	F	2/1/2021	2/14/2021	About 10 days after first Pfizer shot I developed red, itchy rash on left side of neck (same side as shot). It was improving then 2 weeks after second shot in other (right) arm it flared back up and worsened significantly. Bright red, itchy painful rash all over neck, red swollen eyes, rash patches on face, down arms and hands. Treated with antihistamines and cortisone ointment. Overall rash symptoms lasted about 6 weeks, while worst symptoms lasted several days. While not formally diagnosed with covid, I believe I had it Jan-March 2020 and the final symptom was a very similar rash on my neck. These are the only 2 times I have ever had such a rash. I have photos to share of you want to see them.
1138527	3/26/2021	TX	48	F	3/26/2021	3/26/2021	patient began to experience pressure behind both eyes. Diastolic BP noted to be elevated 120/104 P 97@ 1429. Repeated 1430 137/82 P 105, 1432 129/75 P 96 and 1449 124/74. O2 sats 100%. Symptoms subsided before dismissal home.
1138649	3/26/2021	NY	65	M	3/12/2021	3/14/2021	Fever, runny nose, eye sensitivity, cough, loss of appetite.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1138638	3/26/2021	FL	38	F	3/26/2021	3/26/2021	Patient reported feeling cold sensation on right arm that quickly radiated up to the right side of her face immediately after receiving vaccine injection on right arm, then felt hot suddenly followed by palpitations. She denied any chest pain, difficulty breathing, difficulty swallowing or difficulty speaking, dizziness, headache, numbness or tingling to arm or face, vision changes, weakness, pruritus, or any other symptoms. 2:15 PM BP 159/101, HR 110, SPO2 100% on room air. Patient denied history of anaphylactic reaction or reaction to other vaccines. She reported she developed delayed injection site reaction 8 days after receiving first dose of Moderna given on 2/26/2021 that included large local reaction on vaccine arm with redness, itching and soreness; she did not report symptoms to any provider and treated at home with Benadryl, symptoms resolved. Patient reported history of anxiety and panic attacks, denied feeling anxious prior to receiving vaccine today, but felt anxious after experiencing the symptoms post injection. 2:20 PM BP 148/95, HR 108, temp 98.5 F, SPO2 100% room air, patient denied any new symptoms, reported feeling less anxious. Patient denied history of tachycardia and stated BP within normal for her. 2:23 PM BP 147/93, HR 103. Patient denied any symptoms. Patient agreed to be observed for an additional 30 minutes. 2:36 PM BP 147/95, HR 94, SPO2 100%, patient reported feeling well, asymptomatic. 3 PM patient denied any symptom, vitals stable, patient stated feeling well to be discharged home. Patient discharged home in stable condition.
1138634	3/26/2021	IL	34	M	3/26/2021	3/26/2021	Patient given 2nd CoVid 19 Pfizer vaccine. An hour later developed itching and swelling of eyes and "weird sensation in throat~~
1138625	3/26/2021	TX	77	F	3/26/2021	3/26/2021	nausea blurry vision five minutes after vaccination cleared by NP
1138592	3/26/2021	OH	62	F	3/19/2021	3/19/2021	Tingling in lips and swelling, tingling traveled under both eyes, up into her head, it also traveled down her right arm. She experienced weakness on her right side, She also thought her ears swelled to the point that she had to remove her hearing aids.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1138587	3/26/2021	WA	68	F	3/6/2021	3/6/2021	#Tingling in face - Ongoing intermittently since 6 Mar 2021 - Notes that symptoms started immediately after she received her COVID vaccine and have progressively become more noticeable since then - She did not notify the post-observer that she was experiencing symptoms - Tingling starts in right eye and goes down into right lower lip with occasional twitching - slight facial droop on right lower cheek/mouth - Denies facial pain or eyelid drooping - Denies shortness of breath, chest pain/tightness
1138321	3/26/2021	NC	74	F	3/16/2021	3/17/2021	The day after the shot I began a flare-up of psoriasis, an ongoing condition. By evening it had escalated to the point that my eyes were swollen shut. I had a fierce itching and burning of my face. I asked my husband if he would take me to the emergency room. He then suggested that he remembered having prednisone tablets. Without them I know I would have gotten much worse. I couldn't get in to see my dermatologist until another day later. They gave me a 40ml steroid shot. It called everything down but took another week to subside. I've had a similar reaction to the Fluzone shot back in Sept, 2020.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1138536	3/26/2021	CA	21	F	3/26/2021	3/26/2021	<p>1209 HRS: Pt is a self reported 21 yo female who was found to be pale and diaphoretic in past vaccination recovery area with report of narrowed vision with nausea, noting Pfizer vaccine (Lot #: ER8732) was administered IM to Right deltoid @ 1201 HRs. AAOx4 with stuporous gaze. Instant cold pack applied to back of neck with no improvement of symptoms. 1212 HRS: BP-90/58 (M), HR-62, RR-20, SPO2 @ 99% on RA. 1214: Pt moved from chair to floor w/ legs elevated on chair and ice pack applied to right neck vessels. Pt's skin color improved to pink in hue w/ vision returning to baseline per her report. 1216 HRS: BP-98/68 (M), HR-75, RR-18, SPO2 @ 98% on RA. Pt denies past medical history. Denies currently menstruating or pregnant and currently taking Thiminar birth control. Reports last meal this AM. Pt reports history allergic reaction to penicillin with reported rash when she was 2 ? 3 years of age with unknown treatment provided. Denies prior illness up to 1 month ago, to include no prior COVID-19 diagnosis. 1222 HRS: Pt assisted to sitting position on floor, noting BP-112/82 (M), HR-91, RR-18, SPO2 @ 99% on RA w/ no acute changes noted. Pt reports feeling better with water provided. Transferred to chair w/ stand-by assist x 2 RNs. 1239 HRS: Pt jovial and conversing well and asymptomatic at this time. Pt reports condition at baseline to when she arrived to clinic. 1242 HRS: 1209 HRS: Pt is a self reported 21 yo female who was found to be pale and diaphoretic in past vaccination recovery area with report of narrowed vision with nausea, noting Pfizer vaccine (Lot #: ER8732) was administered IM to Right deltoid @ 1201 HRs. AAOx4 with stuporous gaze. Instant cold pack applied to back of neck with no improvement of symptoms. 1212 HRS: BP-90/58 (M), HR-62, RR-20, SPO2 @ 99% on RA. 1214: Pt moved from chair to floor w/ legs elevated on chair and ice pack applied to right neck vessels. Pt's skin color improved to pink in hue w/ vision returning to baseline per her report. 1216 HRS: BP-98/68 (M), HR-75, RR-18, SPO2 @ 98% on RA. Pt denies past medical history. Denies currently menstruating or pregnant and currently taking Thiminar birth control. Reports last meal this AM. Pt reports history allergic reaction to penicillin with reported rash when she was 2 ? 3 years of age with unknown treatment provided. Denies prior illness up to 1 month ago, to include no prior COVID-19 diagnosis. 1222 HRS:</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							Pt assisted to sitting position on floor, noting BP-112/82 (M), HR-91, RR-18, SPO2 @ 99% on RA w/ no acute changes noted. Pt reports feeling better with water provided. Transferred to chair w/ stand-by assist x 2 RNs. 1239 HRs: Pt jovial and conversing well and asymptomatic at this time. Pt reports condition at baseline to when she arrived to clinic. 1242 HRs: Pt ready for discharge. Pt instructed if symptoms returned to call 911, proceed to ER or call PCP. Informed pt due to response to this vaccine dose, she will need to coordinate with her PCP for follow-up dose in an appropriately equipped facility. Pt verbalized understanding w/ questions answered. Pt signed COVID-19 VAER Form & discharged ambulating to POV where father was awaiting. RN notified. Pt ready for discharge. Pt instructed if symptoms returned to call 911, proceed to ER or call PCP. Informed pt due to response to this vaccine dose, she will need to coordinate with her PCP for follow-up dose in an appropriately equipped facility. Pt verbalized understanding w/ questions answered. Pt signed COVID-19 VAER Form & discharged ambulating to POV where father was awaiting. (Site Nurse Manager) notified.
1138368	3/26/2021	IA	84	M	3/21/2021	3/21/2021	Injection SUNDAY. within 2 hrs of the 2nd injection, he was amazed to no longer feeling the chronic pain throughout his shoulder. MONDAY: The following evening (after supper) he experienced severe light-headedness, followed by violent, prolonged projectile vomiting, during which, his eyes rolled back and he passed out while continuing to vomit. Low BP. transported to hospital; CT scan showed perforated esophagus, air in chest lining. 2nd CT: air and fluid spread to neck area, bowel obstruction/infection. TUESDAY: 5am: Transferred to hospice ward, unresponsive. Tuesday, 2:20pm: died.
1138515	3/26/2021		45	M	3/26/2021	3/26/2021	After vaccine vaccination, patient has vasovagal syncope. Patient states swelling of tongue, blurry vision, nauseous hands tingling, dizzy and lightheaded. Called code green, paramedics arrived. Laid patient down flat down on cot. Patient is stable. BP 106/67 98% o2sat HR 65 RR 16

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1138484	3/26/2021	TX	76	F	12/30/2020	1/8/2021	I had a severe migraine - and I don't have headaches. My whole face hurt. (I have two optic aneurisms and I was afraid they were starting to bleed out.) My eye was running water even more at that point and I also had some mucus in my eye. I went to ER. January 8 and they did a CT scan - and they gave me something IV for pain. They told me to take extra strength Tylenol every four hours and that didn't help. After one hour, I was in severe pain again. At that point, both eyes were tearing. I went to the dentist (Monday) -and they did x-rays - ( to see if I had a tooth issue and I went to my ENT doctor (Tuesday)- and he said it didn't appear that I had a major infection. still in severe pain - she gave me a prescription to get rid of infection in my eyes. She gave me a steroid shot - which stopped the pain. The following week, I had an appt with an ophthalmologist- I was not in pain any more and my eyes had pretty much cleared up. He said I probably had a viral or bacterial infection prior and when I got the vaccine then that was why I got a migraine. 2nd vaccine - 30th of January (8:30) - I slept all that day - I was sleepy the whole day and the Sunday, I had flu like symptoms and after that I was fine. This week, I have the infection in my eyes again. I went back to the Dr yesterday to get an antibiotic because I was having the same kind of infections. This time - infection in my left eye, with tearing and mucus. They had me do the eye drops again and nasal spray I've been using.
1138458	3/26/2021	AZ	45	F	3/24/2021	3/24/2021	Pt complained of itchy eyes
1138425	3/26/2021	PA	73	F	3/10/2021	3/11/2021	Pain in left eye, lasting from March 10, 2021 - March 25, 2021. My neighbor had the exact same reaction, plus headaches
1138416	3/26/2021	NY	41	F	3/7/2021	3/7/2021	Warm and tingly all over and blurry vision
1138395	3/26/2021	OH	31	F	3/26/2021	3/26/2021	Dizziness Tunnel visioning Hearing muffled Clammy



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1138129	3/26/2021	FL	47	F	3/11/2021	3/12/2021	03/11: received Moderna vaccine from the Pharmacy at 5:30 PM. Right upper arm. 03/12 & 13: very sore in the right upper arm and shoulder 03/14-15: shot spot soreness faded, but pain in right side of body worsened. Start to feel pain in right wrist. 03/16-18: Pain flareup, pain level 5-8 constant without any rest. 30+ hr. Cannot use wrist at all. Visited Urgent care and received a trigger point injection. Visited PCP and received Toradol. 03/19-03/23: Pain level 4-6, could use wrist now. Pain from lower back and heel which don't have pain before. Pain worse at night. 03/24: Feel really tired and fatigued, and can hardly keep my eyes open. Never have fatigue in the past. 03/25-26: Still feel tired and fatigued and struggle to keep eyes open.
1138545	3/26/2021	CA	33	F	3/25/2021	3/25/2021	One hour after vaccination my chest tightened and I started losing vision. I was driving and pulled to the side of the road, felt I needed to pay down and opened the car door and passed out on the pavement. After regaining consciousness I got in the car and felt a second wave coming , called 911

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1135735	3/26/2021	NY	76	F	1/28/2021	2/4/2021	<p>my blood was instead 2.5 to 3, it was 4.9/It should be a range just listen to number 2.5 to 3. My report they showed me that I am 4.9, that is big number. It is like 2 margin over/my blood is too thin; my blood was instead 2.5 to 3, it was 4.9/It should be a range just listen to number 2.5 to 3. My report they showed me that I am 4.9, that is big number. It is like 2 margin over/my blood is too thin; When I go to a surgeon tomorrow because I have wound on my foot from surgery that I had and it is not healing, it is just draining /my body me things don't heal the way they supposed to; She feels weird; her eyes are extra dry; Nervous; This is a spontaneous report from a contactable consumer. This 76-year-old female consumer (patient) reported that she received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number; EL8982, expiry date; May2021), NDC number, UPC number; unknown, covid19 vaccine manufacturer; unspecified intramuscular from 28Jan2021 to 28Jan2021 at single dose on deltoid left (left upper shoulder) for COVID-19 immunisation. Patient medical history included ongoing antiphospholipid syndrome, lupus (Patient medical continuing: Yes, diagnosed around 19 years old), surgery on her feet on 04Dec2020, blood thinner. Concomitant medications included Warfarin (tablet), strength; 6 mg orally from an unspecified date to an unspecified date ongoing at 3 mg (6mg 5 days a week and 3mg two days a week) and then at 3 mg (3mg three days a week and 6mg four days a week) for blood thinner. Laboratory test included INR (International normalised ratio) done on 04Feb2021 with result as (4.9; it is very high). Additional Information for concomitant products Warfarin: Her dose varies, new chart as of todays visit states to take 6mg on Sunday, 6mg on Monday 3mg on Tuesday, 6mg on Wednesday, 3mg on Thursday, 6mg on Friday, and 3mg on Saturday. Patient reported that INR should be a range just listen to number 2.5 to 3. My report they showed me that I am 4.9, that is big number. It is like 2 margin over. When I go to a surgeon tomorrow because I have wound on my foot from surgery that I had and it is not healing, it is just draining. I don't know if one has anything to do with other but I am very suspicious about it because my blood is too thin and my body me things don't heal the way they supposed to. Consumer stated, "I have been hold for almost for 2 hours because what happens I left my</p>

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

number as requested for call back. I got a call back in another 2 minutes. When I press to receive a call it disconnected. So I had to start all over again. So it is been like 2 hours adventure. Firstly I need to say that someone I told to call a second number well disconnect me twice but I have something call a report number that the person I think it has same job title of you. I am not certain but her name is (Name) and she gave me report number. She asked me all the questions, I answered all the her questions including my 28Jan2021 Pfizer injection which was my first injection and I have question referring to my taking Warfarin and wanted to if there was interaction because I went to doctor today to see my blood was instead 2.5 to 3, it was 4.9 which is extremely high and the only thing I have taken, I have done differently was to have my Pfizer injection on 28Jan2021. Consumer stated, "It is already in your system because as I said before I have report number. Should I give the report number. The person I spoke a long time ago that with I have been phone said that she information from my card when you they gave that card for you come like second time for the second dose or booster as I told this call." When probed for if the consumer call the Drug safety earlier: Consumer stated, "That thing I am telling I spoke to someone by the name of (Name). She started asking by same question you did. That is why I am trying to tell you that person already asked me everything and give me report number. She wanted to transfer me because she says it is wrong department. I started here same information again. I have been on phone for far too long for this to be evening. The report number is 'number'. Consumer stated, "Concern is that I have Lupus and I take Warfarin. My INR report does part of what to do when you have lupus. You have blood measure monthly or whatever times that necessary. It is very high. It should be a range just listen to number 2.5 to 3. My report they showed me that I am 4.9, that is big number. It is like 2 margin over. I am trying to find out if the injection had interaction with warfarin that is medication I take. Blood thinner I take because I have lupus with antiphospholipid symptoms. I am trying to find out if the injection had any interaction with warfarin the blood thinner. That is the information I am trying to to get. When I go to a surgeon tomorrow because I have wound on my foot from surgery that I had and it is not healing, it

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

is just draining. I don't know if one has anything to do with other but I am very suspicious about it because my blood is too thin and my body me things don't heal the way they supposed to. The consumer has taken the Pfizer Covid Vaccine: Consumer stated, "That is the first thing I said. I told you and then I am telling about warfarin. I said I wanted to know if the Pfizer vaccine which I took on 28Jan2021 as I said that before if it had conflicting reactions with warfarin. I explained to you I have lupus and I also have antiphospholipid syndrome which cause me to take warfarin medication. I want to know if the Pfizer injection had any negative interaction with warfarin the blood thinner." When consumer informed about Medical Information: Consumer stated, "That person transfer to me before. It was drop. So can you connect me to number. She tried to transfer me and I got nowhere to call just died. If I call I am gonna be on waiting for all over again. I already had experience consumer stated, "I have already been answered all of your questions that is why I have a reference report number that I gave you. I have been answered whole time questions. I answered everything. I just wanna be connected to get somebody because I am tired of being on the phone." Is there a product complaint to report was no. Consumer was provided with the number of Medical Information number and was requested to select option 3, timings as and 8 am to 8 pm Monday to Sundays as per (EST). Investigation Assessment: Yes. She had the first dose of the Pfizer covid19 vaccine on 28Jan2021. She is nervous. She lives with lupus and antiphospholipid syndrome, which means her blood is too thick. She is on a blood thinner, she takes warfarin. She is asking if the vaccine could interfere with warfarin. Today she had her INR checked and it was was 4.9. States a stable reading is between 2 and 3. The only different thing she has had in her body is the vaccine. Reports she is nervous and scared. She had surgery on her feet and she has a wound where a thicker scab came off, states it is draining but not drying out. She was thinking maybe this was due to her her INR being high. She will see the surgeon tomorrow. She put a bandaid on her foot where the open wound on her foot is. The next morning she checked her foot and the bandaid was wet. She put some peroxide on it. She read peroxide is not good for open wounds because it kills good bacteria so she used gauze and

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1136791	3/26/2021	PA	73	F	3/20/2021	3/24/2021	<p>placed it over the open wound with tape across it. Last month her warfarin dose was 6 mg 5 days a week and 3mg two days a week. As of today she is to take 3mg three days a week and 6mg four days a week. Warfarin is 6mg tablet that is perforated, clarifies it can be broken in half. She does not think her new regimen that she was given today will bring her INR back in the range between 2 and 3. States her INR has never been that high. She will go back to see the nurse in two weeks to get her INR checked. She sees her patient medical record number listed on the card. She says pardon her grunts and moans because she grunts and moans when she moves since she is 76. She feels weird and her eyes are extra dry in 2021. She is nervous about the area where she had surgery on her feet, she does not want it to get infected. She thinks she had surgery on 04Dec2020 to have arthritis in her toes corrected. Outcome of events was unknown.</p> <p>Initially very mild muscle aches and fatigue. 3 to 4 days later there was weight gain of 3 pounds and edema most obvious to the upper eyelids. This worsened with itching and pain to eyes. Additionally I had difficulty focusing my mind and a general feeling of being ?unwell?. Benadryl 60 mg reduced the eye discomfort. Contacted providers? office, but have not heard back.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1135691	3/26/2021	CA	54	M	1/9/2021	1/11/2021	some lost of eye sight on left side; Headache; Fever; Throwing up; Nausea; A spontaneous report was received from a consumer concerning her husband who is a 54-year-old, male patient, who received Moderna's COVID-19 Vaccine (mRNA-1273) and experienced headache, fever, nausea, and loss of sight on the left side. The patient's medical history cataract surgery in summer 2020, current conditions were reported as high blood pressure and glaucoma. Concomitant medications were reported as benazepril for high blood pressure and unknown eye drops for glaucoma. On 09-JAN-2021, the patient received their first two planned doses of mRNA-1273 (Batch number: unknown) for the prophylaxis of COVID-19 infection. On 11-JAN-2021, the patient experienced headache the worse he ever had on left side, nausea and fever. She stated that he started to lose sight on the left side but can see some light which is assessed as medically significant. Treatment for the events included ibuprofen for headache, Lotensin and eye drops. Action taken with mRNA-1273 in response to the events was not reported. The outcome of events, headache, fever, nausea, loss of sight on the left side, were considered as unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Prior history of glaucoma may be contributory to the occurrence of the headache and unilateral vision lost.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1135733	3/26/2021	NJ	85	M	3/1/2021	3/3/2021	Temporary blindness for 10 minutes in only one eye; A spontaneous report was received from a nurse concerning a 85-year-old, elderly male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced temporary blindness for 10 minutes in only one eye/blindness transient . The patient's medical history was not provided. Concomitant product use was not provided by the reporter. On 01 Mar 2021, approximately 2 days prior to the event, the patient received their first of two planned doses of mRNA-1273 (Batch number: 022M20A) intramuscularly in left non dominant arm for prophylaxis of COVID-19 infection prophylaxis. On 03 Mar 2021, after first dose of vaccine, the patient experienced temporary blindness for 10 minutes in only one eye. The event temporary blindness for 10 minutes in only one eye was considered as medically significant. He visited doctor and after the investigation, it was confirmed that patient was fine. Treatment medication for the event included Clopidogrel bisulfate. Action taken with mRNA-1273 in response to the event was unknown. The outcome of the event, temporary blindness for 10 minutes in only one eye was resolved on 03 Mar 2021.; Reporter's Comments: Very limited information regarding this event/s has been provided at this time. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1135736	3/26/2021	NC	78	F	1/27/2021	1/27/2021	she woke up dizzy; it was like everything was moving or shaking just a little bit, and it would drive someone crazy; her eyes felt like they were burning out of the sockets; she was tired the next morning; she felt like she was floating out of the room, her head tingled, she tingled from the top of her head to the bottom of feet; she was nauseated; temperature of 103; she broke out in a terrible sweat; she was weak as water; light headedness; high blood pressure; This is a spontaneous report from a contactable consumer via Medical information centre. A 78-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot Number: EL8982) via an unspecified route of administration on 27Jan2021 14:00 as single dose for covid-19 immunisation. Medical history and concomitant medications was not reported. On 27Jan2021 20:00 the patient experienced light headedness, she broke out in a terrible sweat, she was weak as water. On 27Jan2021 the patient experienced high blood pressure. On 28Jan2021 her eyes felt like they were burning out of the sockets, she was tired the next morning, she felt like she was floating out of the room, her head tingled, she tingled from the top of her head to the bottom of feet, she was nauseated, temperature of 103 (pyrexia). On 05Feb2021 she woke up dizzy and it was like everything was moving or shaking just a little bit, and it would drive someone crazy. The event high blood pressure was considered as serious (Medical significant). It was reported that she had the Pfizer COVID shot 2 weeks ago today. She had severe reaction to the shot, she didn't have it immediately she got the shot on 27Jan2021 and at 2 pm and at about 8 pm she was sweeping the floor and she broke out in a terrible sweat and after that she was weak as water and then started feeling lightheaded and her blood pressure was going up, she put cold rags on her head. She did not take temperature but she did take her blood pressure and it was like 198/something, she said she noted at 8:30 she took it again and it was 180/98 she started drinking water she thought she might be dehydrated and finally by 9:45 she got it down 148/58, she slept that night felt pretty good but she was tired the next morning, about 4 o'clock that afternoon the second day she felt wonderful she went to sleep at about 10 o'clock, but when the clock was striking midnight it woke her up and she felt like she



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

was floating out of the room, her head tingled, she tingled from the top of her head to the bottom of feet she was lightheaded her eyes felt like they were burning out of the sockets, she was nauseated when she stood up so she took Tums and that took care of the nausea. She came in and took her blood pressure and that is when it was 194/90 the second time, she has a Rely On arm band and it said 205/98 and then she took it again and it said 235/117. She called the medic and he told her he thought she had a false reading but her temperature was 103 and before he left her blood pressure come down 180/70. Her heart rate was 86 the medic got ready to go her temperature came down to 102.2. On 05Feb2021 which was last Friday she woke up dizzy and light headed and but it was like everything was moving or shaking just a little bit, and it would drive someone crazy .On Saturday she took 3 Motrin that morning and Amlodipine 5 mg and 20 gm Omeprazole and she also takes 1 24 HR Allegra with Fexafenadine and her temperature was normal that day, all day it has been normal. On Sunday at lunch time she got light headed and was floating again and she checked her blood pressure and it was 183/77. She stated that her doctor recommended to get the second dose if she have no more side effects She plan on getting the second dose next Wednesday. Therapeutic measures were taken as a result of high blood pressure, she was nauseated and temperature of 103. The outcome of the events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1135747	3/26/2021	AZ	69	M	2/23/2021	2/23/2021	Slight head and eyes pressure; slight head and eyes pressure, light a cloud in his head; This is a spontaneous report from a contactable consumer (patient). A 69-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number unknown) dose 1 via an unspecified route of administration, administered in arm right on 23Feb2021 08:15 as single dose for covid-19 immunisation. Medical history included Heart issues, 10 attacks, 11 stents. The patient's concomitant medications were not reported. No covid prior vaccination. No covid tested post vaccination. The patient previously took metoprolol and experienced allergies. The patient experienced slight head and eyes pressure, light a cloud in his head on 23Feb2021 08:15. No treatment received. Gone by the time he got home 1/2 hour later. The outcome of events was recovered. No follow-up attempts are possible; information about batch/lot number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1135767	3/26/2021	AR	67	F	3/1/2021	3/1/2021	<p>           Couldn't get warm- very cold, her skin was very cold; Nausea; Pretty severe headache; Generalized aching; Fibromyalgia flare up; No energy been very tired; No energy been very tired; Felt like she was going to faint; Dizziness; Vision blurred; Loss of appetite; Flu-like symptoms; Hands feel warm to touch, but she still feels cold; She cannot sit or stand without discomfort in her spine; She cannot sit or stand without discomfort in her spine; Sick; Her bones and muscles hurt; Her bones and muscles hurt; Wheezing; This is a spontaneous report from a contactable Other HCP, the patient. A 67-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Lot Number: EM9809; Expiration Date: 30Jun2021), intramuscularly, on 01Mar2021 at 13:45 (at the age of 67 years old) as a single dose in the left deltoid for COVID-19 immunization. Medical history included having become disabled in 2009, arrhythmia from 2014 and ongoing which was diagnosed after she took a Hep C treatment (Sovaldi, Ribavirin, Olysio). She had to take these medications for five months, where most people have to take it for three, ongoing allergic asthma - allergic to "everything." She has had this her whole life, diagnosed when she was 5. Started treatment with steroids at 16 , Hepatitis C from 1996 to 2014 diagnosed 4 years after blood transfusions Could have already gotten it as a nurse, was much more resistant than the average person 5 weeks to go negative, ongoing hepatic failure from 2013- she went into liver failure from Hep C. An event occurred- exposure of a deadly toxin that came from China, ongoing fibromyalgia from 1992 -Immediately after blood transfusions when her son was born- Gave her the correct blood but her body reacted. Flu shot in Early Oct2020 Fibromyalgia flare up, 4 times the dose (as reported)- Onset Age 66, Seizure disorder which was diagnosed in 2016 after disseminated shingles; after 2.5 months started having black outs where she did things and said things no memory of, the only way she knew it happened is if there were consequences. Doesn't know if she still has those, but she is getting an MRI and EEG. She lost vision in her right eye 2 years ago due to retina surgery macular pucker. She thinks her liver was stealing Vitamin A from her eye. Medical history also includes she ran over herself with her car, blood pressure abnormal, hepatic encephalopathy, autoimmune         </p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

thyroiditis, and anxiety all from unknown dates and unknown if ongoing. The patient has had cataracts since an unknown date prior to the vaccination. The patient was diagnosed with "Rocky Mountain" in 2009. She also mentioned that when she got the vaccine she did not tell them that she was on steroids and an antibiotic. She commented that she was not in good shape when she took the vaccine to begin with. She is immunosuppressed and thinks that she should not have received the vaccination. But she also stated that she took the vaccine because she is a severe asthmatic and does not have a strong immune system so if she got COVID, she would die. Concomitant medication included benazepril (BENAZEPRIL) for blood pressure abnormal from an unspecified start date and ongoing; amlodipine (AMLODIPINE) for arrhythmia from 2014 and ongoing; rifaximin (XIFAXAN) for hepatic encephalopathy from 2014 and ongoing; lactulose (LACTULOSE) for hepatic failure, ammonia abnormal from 2014 and ongoing; levothyroxine sodium (SYNTHROID) for autoimmune thyroiditis from 1984 and ongoing; omeprazole (PRILOSEC [OMEPRAZOLE]) for reflux gastritis, chronic gastritis from an unspecified start date and ongoing; alprazolam (XANAX) for anxiety, post-traumatic stress disorder from 2009 and ongoing; albuterol [salbutamol] (ALBUTEROL [SALBUTAMOL]) for asthma from an unspecified start date and ongoing; ranitidine (RANITIDINE) for an unspecified indication, start and stop date were not reported. The patient previously took flu vaccine vii, olysio for hepatitis c and experienced histamine level increased, lyrica and experienced weight increased. Ten minutes after the vaccine was administered the patient experienced generalized aching on 01Mar2021 at 13:55 with outcome of not recovered. After twenty minutes she developed a pretty severe headache on 01Mar2021 14:05 with outcome of recovering. After 30 minutes she started to feel nausea on 01Mar2021 at 14:15 with outcome of recovered. She stated that when she stood up to leave felt like started to feel dizzy on 01Mar2021 with outcome of unknown, and felt like she was going to faint on 01Mar2021 with outcome of unknown, her vision blurred on 01Mar2021 with outcome of not recovered and she had trouble getting into the elevator. She also experienced a loss of appetite on 01Mar2021 with outcome of recovering. The

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

patient continued to describe her experiences noting that "things changed daily" and mentioning that she experienced fibromyalgia flare up on 01Mar2021 with outcome of not recovered, no energy been very tired on 01Mar2021 with outcome of not recovered, no energy been very tired on 01Mar2021 with outcome of not recovered, couldn't get warm- very cold, her skin was very cold on 02Mar2021 01:30 with outcome of not recovered, flu-like symptoms on 01Mar2021 with outcome of recovering, hands feel warm to touch, but she still feels cold on 01Mar2021 with outcome of unknown, she cannot sit or stand without discomfort in her spine on 01Mar2021 with outcome of unknown, she cannot sit or stand without discomfort in her spine on 01Mar2021 with outcome of unknown, sick in Mar2021 with outcome of unknown, her bones hurt in Mar2021 with outcome of unknown, her muscles hurt in Mar2021 with outcome of unknown, wheezing on an unspecified date in Mar2021 with outcome of unknown. Lab tests and procedures included cardiac output: over 50 percent, echocardiogram: her heart was good and clear, electroencephalogram with unknown results, magnetic resonance imaging with unknown results, all on unknown dates. Therapeutic measures were taken as a result of pretty severe headache; Sender's Comments: Based on the available information, the company considers that a causal relationship between generalized aching, severe headache, feel dizzy, going to faint, vision blurred, no energy been very tired, very cold, her skin was very cold, wheezing and bnt162b2 vaccine cannot be excluded due to plausible temporal association. The Company considers the reported event fibromyalgia flare up is unrelated to bnt162b2 vaccine but more likely due to underlying medical history of ongoing fibromyalgia. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1136304	3/26/2021	AZ	20	M	3/25/2021	3/25/2021	Approximately 10 minutes after receiving the Moderna vaccine, this writer was called to the patient room by other staff. The patient was extremely confused and not speaking to anyone. He was gazing to the left and not making eye contact with this writer, who was loudly talking to the patient. Multiple attempts were made to get the patient's attention with no success. The patient then began to involuntarily raise his bent left arm in front of his face and then back down to his side. In this writer's opinion, the patient was having a silent seizure. This writer sat with the patient, who became aware approximately 15 seconds later. He was able to answer questions and was quickly reoriented. At this point this writer had the staff call 911 for further evaluation. After answering basic questions appropriately., this writer gathered vital signs on the patient . The first set of vitals were: bp 88/48, pulse 60, respirations 14/min, oxygen saturation 93% on room air, temp 98.5. After small conversation with the patient, another set of vitals were taken: bp 94/70, pulse 68, respirations 15/min, oxygen saturation 95% on room air, temp 98.8. We then had the patient drink some water, then had him lie down in the patient room until EMS arrived. By the time they arrived, the patient was completed reoriented and laughing with office staff. EMS evaluated the patient and deemed him safe to go home with his friend driving. This writer walked the patient to the car to assess balance and coordination. This writer informed the patient and his friend to call 911 if symptoms returned. The patient agreed.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1136327	3/26/2021	CA	60	F	3/25/2021	3/25/2021	Initially, mild nausea, immediately (with 15 minutes of administration) . Resolved promptly within 30 minutes of injection. Then, three hours after administration (at approx. 12.30 p.m.), the following symptoms in order of severity: 1. Severe tiredness/fatigue. Lasted 4 hours. Resolved when I took a half hour nap. 2. Sore throat. Still present at 10.30 pm. 3. Swollen lymph nodes (lymphadenopathy). Significant improvement after 4 hours from onset (3 hours after administration). However, still present at 10.30 p.m. 4. Feeling unwell/malaise. Resolved after I took a nap. 5. Dry eyes. I had to remove my contact lenses and put on eyeglasses when I got home at approx. 2pm. 6. Dry mouth. Unresolved, even with drinking a lot of water and tea. Symptoms were fairly severe. I had to leave work and go home to rest. I was unable to drive myself home.
1136339	3/26/2021	CA	42	F	3/12/2021	3/24/2021	Received vaccine on 3.12.2021; began to have tearing of R eye with erythema on 3.24.2021 at approx 20:30; awakened 3.25.2021 with swelling of R eyelid, inability to blink, R side facial numbness, R side tongue numbness; Diagnosis: Bell Palsy; Rx Prednisone taper, Neurontin, Valacyclovir, moisturizing eye drops, eye patch.
1136372	3/26/2021	WY	59	M	3/11/2021	3/18/2021	3/18/2021 I noticed that I could not clear my ear the next morning my eye lid felt like it was dragging across my right eye and I developed Severe pain in and around my left ear running down into my neck. Shortly later I had less and less control of the right side of my head, now I can't move it. I have since discovered that I have Bell's Palsy due to the vaccine. I didn't know what it was until I went to the doctor as this has never happened to me before.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1136402	3/26/2021	VA	34	F	3/15/2021	3/16/2021	Site: Itching at Injection Site-Medium, Site: Pain at Injection Site-Severe, Site: Redness at Injection Site-Severe, Site: Swelling at Injection Site-Severe, Systemic: Abdominal Pain-Medium, Systemic: Body Aches Generalized-Medium, Systemic: Chills-Medium, Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Severe, Systemic: Exhaustion / Lethargy-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Medium, Systemic: Headache-Severe, Systemic: Lymph Node Swelling-Medium, Systemic: Nausea-Medium, Systemic: Unable to Sleep-Medium, Systemic: Visual Changes/Disturbances-Medium, Systemic: Vomiting-Medium, Systemic: Weakness-Medium
1136417	3/26/2021	IL	49	F	3/25/2021	3/25/2021	Site: Itching at Injection Site-Mild, Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Medium, Systemic: Allergic: Itch (specify: facial area, extremities)-Medium, Systemic: Allergic: Rash (specify: facial area, extremities)-Medium, Systemic: Allergic: Rash Generalized-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild, Systemic: Dizziness / Lightheadness-Medium, Systemic: Hypertension-Medium, Additional Details: bp 175/110 hr 76 and bp 15 min later 158/100 hr 72 and on bp meds
1136696	3/26/2021	NC	25	F	3/24/2021	3/24/2021	Moderna COVID-19 Vaccine EUA. Allergic reaction approximately 1-1.5 hours after receiving first dose of Moderna COVID-19 vaccine. Itchy eyes, nose, roof of mouth. Sneezing and congestion. Blotchy/rashy/itchy neck. Took a Benadryl approximately 2 hours after receiving the dose. Fell asleep for approximately 1.5 hours and most symptoms had subsided by the time I woke up.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1135702	3/26/2021	AL		F	2/3/2021	2/3/2021	bacterial eye infection; shingles; pain in injection arm; fever; chills; redness at injection site; A spontaneous report was received from a consumer concerning a unknown age, female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced fever, chills, pain in injection arm, redness at injection site, shingles and bacterial eye infection. The patient's medical history was not provided by the reporter. Concomitant medications included duloxetine hydrochloride and heart medications. On 3 Feb 2021, approximately a few hours after prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Lot number: unknown) for prophylaxis of COVID-19 infection. On 3 Feb 2021, prior to receiving mRNA-1273, the patient felt fever, chills, pain in injection arm, redness at injection site. on 23 Feb 2021, shingles, bacterial eye infection. Treatment for the events included eye medications and antibiotics. The event of bacterial eye infection was considered to be serious with criteria of important medical event. Action taken with mRNA-1273 in response to the events was not reported. The events, fever, chills, pain in injection arm, redness at injection site were considered resolved on 10 Feb 2021. The outcome of events shingles and bacterial eye infection were unknown.; Reporter's Comments: This case concerns a 51-year-old female who had serious unexpected events of eye infection bacterial along with nonserious unexpected herpes zoster, pain in extremity and expected pyrexia, chills, vaccination site erythema. Event onset occurred the same day as the first dose of mRNA-1273. Treatment with antibiotics. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.
1136429	3/26/2021	TX	52	M	3/25/2021	3/25/2021	Systemic: Chills-Mild, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Severe, Systemic: profuse sweating, loss of sight left eye, dizziness, nausea-Severe, Systemic: Nausea-Mild, Systemic: Shakiness-Medium, Systemic: Visual Changes/Disturbances-Severe, Additional Details: Patient began to feel better about 5 minutes after epinephrine was administered. EMS was called but did not transport.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1136790	3/26/2021	CA	65	F	3/24/2021	3/24/2021	Debilitating headache and nausea. In bed, eyes closed, in a dark room for 24 hours.
1136774	3/26/2021		58	F	1/9/2021	1/9/2021	Corneal ulcer in her left eye; A spontaneous report was received from a consumer concerning a 58-year-old, White female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced corneal ulcer in her left eye/ulcerative keratitis. The patient's medical history, as provided by the reporter, included dry eye, kidney stones and osteoporosis. Concomitant medications reported included indapamide, alendronate sodium, ciclosporin. On 9 Jan 2021, prior to the onset of the events, the patient received their dose of mRNA-1273 (Batch Number: 039K20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. Treatment details included erythromycin and desivance eye drops. On 9 Jan 2021, at noon the patient experienced a corneal ulcer in her left eye a medically significant event. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the event corneal ulcer in her left eye was not reported.; Reporter's Comments: This case concerns a 58-year-old, White female patient, who experienced ulcerative keratitis in her left eye, the day the first dose of mRNA-1273 was received. Very limited information regarding this event/s has been provided at this time. Further information has been requested. The patient's medical history of dry eyes remains a confounder.
1136615	3/26/2021	MA	66	M	3/25/2021	3/25/2021	Pt's daughter called to report her father's reactions after dose 1 of pfizer vaccine. about 4 hours after receiving the vaccine, he started to experience a headace, facial swelling, puffy, watery eyes, and nausea. This morning his symptoms have worsened to severe headache, continued facial swelling and double vision. Daughter was advised to bring pt to the ed for evaluation. Allergy consult has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1136600	3/26/2021	NY	64	F	3/11/2021	3/11/2021	Related it to a bells palsy feeling; Numbness in her face; Jaw pain; Eye lid drooping; A spontaneous report (United States) was received from a consumer concerning a 64-year-old, female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced numbness in her face, jaw pain, eye lid drooping, related it to a bells palsy feeling. The patient's medical history was not provided by the reporter. Concomitant medication reported included atorvastatin. On 11 Mar 2021, prior to the onset of the events, the patient received her first of two planned doses of mRNA-1273 (Lot number: 038A21A) for prophylaxis of COVID-19 infection. On 11 Mar 2021, about 15 minutes after the vaccination, the patient experienced numbness in her face, jaw pain, eye lid drooping related it to a bells palsy feeling. These symptoms subsided within the day. Treatment for the events were not reported. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the events experienced numbness in her face, jaw pain, eye lid drooping related it to a bells palsy feeling are reported to be resolved on 11 Mar 2021.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.
1136445	3/26/2021	CA	18	M	3/24/2021	3/24/2021	Systemic: Chills-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Visual Changes/Disturbances-Medium, Additional Details: Patient reported sweating, chills, feeling lightheaded/dizzy with visual disturbance (blurry, narrowed vision) for about 20 minutes post vaccination. Blood pressure taken 15 minutes after vaccination 105/68. Monitored patient for 30 minutes post. Symptoms resolved significantly after drinking some fluids and patient left with Father. Followed up with patient next day and patient reported feeling feverish/chills not taking any medication to manage.
1136438	3/26/2021	WI	28	F	3/25/2021	3/25/2021	Patient stated they were feeling "dizzy" and had some "blurred vision" during the first 15 minutes after the vaccination. Vitals were normal, no transport and walked out of building when recovered shortly afterwards.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1136441	3/26/2021	TN	32	M	3/15/2021	3/25/2021	My vision became burry and I was unable to see what I was looking directly at- similar to if I had been looking directly at a bright light source for several seconds- This lasted for approximately 5 minutes. After 5 minutes this went away, but my left-most vision (extreme left of my field of view) began getting blurry and having the kaleidoscope effect- This lasted for approximately 15 minutes, and then subsided. Since these two vision anomalies, I have intermittently had a dull ache in my right hemisphere of my head. This ache will just come in a flash for a second or two, and then won't happen again for hours.
1136596	3/26/2021	MA	42	M	2/13/2021	2/1/2021	splashing some of the vaccine into his eyes; COVID-19; A spontaneous report was received from a pharmacist concerning himself (male patient of 42 years age) who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced COVID-19 in that week of vaccination and splashed some of the vaccine into his eyes. The patient's medical history was not provided. Concomitant product use was not provided by the reporter. On 13 Feb 2021, prior to the onset of the symptoms, the patient received their first of two planned doses of mRNA-1273 (Batch number not provided) for prophylaxis of COVID-19 infection. The patient was diagnosed with COVID-19 by COVID-19 test performed on an unknown date in Feb 2021 within the week of first dose Covid vaccination. The patient splashed some of the vaccine into his eyes on 13 Feb 2021. Treatment information was not provided. Action taken with mRNA-1273 in response to the event(s) was unknown. The events COVID-19 was recovered on unknown date and outcome of event splashing some of the vaccine into his eyes was unknown.; Reporter's Comments: This report refers to a case of Exposure via eye contact and for mRNA-1273, lot # unknown with Event of COVID-19 positive. Based on mechanism of action of mRNA -1273 vaccine, the event COVID-19 is assessed as unlikely related to mRNA-1273.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1136474	3/26/2021	KY	54	M	3/16/2021	3/23/2021	I experienced slight flu-like symptoms 3 days after the injection: headache, body aches, diarrhea. This lasted a couple of days then went away. I woke up Tues. March 23 at 6:30 am and noticed numbness on the left side of my face and paralysis on the right side. I'd never experienced this before in my lifetime. I contacted my physician and she advised that I go to a healthcare facility to get checked out. Once at the healthcare facility, the attending ER doctor said everything pointed to Bell's Palsy. However, she ordered a series of tests to rule out anything else. All tests came back good. Diagnosis was Bell's Palsy. I was prescribed Prednisone, an Anti-Viral and poly eye drops. When I awoke the next morning 3/24, the numbness on the left side had mostly gone away, but the paralysis on the right side was worse. Today is 3/26 - there has been no change or improvement since.
1136486	3/26/2021	MA	67	F	3/24/2021	3/25/2021	Blood shot rt eye, light sensitivity, rt sinus drainage mucous, head ache over rt eye
1136528	3/26/2021	NJ	53	F	3/23/2021	3/23/2021	Primary issue is tooth pain, not from grinding. Lower teeth, mid molar to eye teeth. Feels like multiple tooth ache vs gum inflammation

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1132745	3/25/2021	IA	30	F	3/12/2021	3/17/2021	<p>Patient states on day of vaccination she took 400 mg of ibuprofen due to the pain in her left shoulder around the injection site. Patient then woke up the next day (03/13/2021) and noticed that all of her fingers were more swollen than normal. Throughout the day, the patient reports that her finger swelling resolved and did have some facial swelling. 4 days later on 03/17/2021 the patient developed 3 pustules on her left shoulder at the injection site and another on her right scapula. The following day (03/18/2021), the patient began to have swelling around her eyes and lips. She saw her PCP that same day and was prescribed prednisone, Zyrtec, and hydroxyzine; however, the patient continued to develop mild pustules throughout her body. She presented to the ED on 3/19/2021 for evaluation. The patient was given 10 mg of dexamethasone and recommended to switch to benadryl. After discharge from ED, patient reports that her rash has continued to worsen as it is spreading diffusely all throughout her body. Patient specifically states that her rash spread from her left arm into her chest, then to her back, groin, face, and lower extremities. On 03/21/2021, patient reports that her pustules advanced into target lesions around her face along with developing some lesions in her mouth, as well. Patient also notes that her skin "burns" whenever she itches it. Patient then went in to be evaluated by a dermatologist and was sent to the ED for admission to the hospital. Patient currently hospitalized and undergoing work-up/treatment. Current treatment includes oral anti-histamine, analgesics, topical steroid, and IV fluids.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1133033	3/25/2021	OH	66	M	3/6/2021	3/6/2021	I have never passed out prior; 1 in. laceration above the right eye along; food is less flavorful and does not excite me; Feeling queasy; bruising to my upper arm, leg and back; don't feel right; About 10 hours after the second injection began to have chills and a low grade fever.; About 10 hours after the second injection began to have chills and a low grade fever.; This is a spontaneous report from a contactable consumer (patient). A 66 -year-old male patient received his second dose of BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, lot number: EN6203), via an unspecified route of administration (on left arm) on 06Mar2021 12:00 (at the age of 66 -years-old), single dose for COVID-19 immunisation. Medical history included Diabetes Type 2 (Doctor stated that I really do not fit either profile. Concomitant medications included pioglitazone, metformin, lisinopril, ascorbic acid, tocopheryl acetate, xantofyl, zeaxanthin, zinc (AREDS). Patient stays away from all Opioids they make him very nauseous. Patient typically gets a low grade fever (100-101) and chills 4 hours after a Flu Vaccine that last almost exactly 24 hours. The patient had the first dose of covid vaccine on 11Feb2021 for covid-19 immunisation and experienced only minor soreness at the injection site with the first dose. Experience only minor soreness at the injection site with the first dose. About 10 hours after the second injection began to have chills and a low grade fever. Sunday morning 07Mar2021 started feeling queasy. Patient thought that if I took a shower that I might feel better. As Patient was getting toward the end of his shower Patient just thought, Patient don't feel right. The next thing Patient remember Patient was picking himself of the floor of the shower. Patient have never passed out prior to this episode. Patient received a 1 in. laceration above the right eye along with bruising to his upper arm, leg and back. Patient basically ate nothing the remainder of Sunday nor Monday. It is as if the food is different. Even though he is a Diabetic and keep his blood sugar under control. Patient knows that this may sound weird, but it is as if the food is less flavorful and does not excite him. As 09Mar2021, he still does not feel together. The outcome of the events was not recovered. No treatment for any adverse event. No Covid prior vaccination, not Covid tested post vaccination.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1133368	3/25/2021	CO	56	M	3/24/2021	3/24/2021	Patient called to say that he had severe insomnia (not due to pain in arm or other side effects from vaccine) and when he woke up this morning his eyes look "glazed over" and has "grey color in center of eye" - no affect on patients vision, but instructed patient to seek care, especially with worsening symptoms.
1133317	3/25/2021	AK	19	F	3/24/2021	3/24/2021	Our patient received her shot and stayed in the pharmacy area for 15 minutes and was released. Fifteen minutes late she returned to the pharmacy says she was dizzy and nauseated. We had her sit in the pharmacy for about 20 minutes at whichn time she said she felt better and was ready to go. We had one of our pharmacists walk her but she became dizzy and nauseated again and had to sit down. At this time she said she was hot and very light headed and her vision was starting to get blurry. A minute or so later that she sat up in her chair and stopped breathing and started to fall off. One of our pharmacists caught her and at point she went into convulsions and started gagging and could not breath. 911 was called at this time and an Epi pen was administered. The convulsions stopped 30 seconds afer the Epi and her breathing eazed. The EmT's arrived with in 10 minutes and took her to local emergency room. Our pharmacist called the emergency room about a hour later and they said that She wwas doing well.
1133203	3/25/2021	WA	91	M	2/19/2021	3/8/2021	Loss of vision approx 2 weeks after 2nd Pfizer Vaccine given
1133198	3/25/2021	AZ	43	F	3/24/2021	3/24/2021	Intense headache behind the eyes that lasted 14 hours
1133194	3/25/2021	CT	75	F	2/19/2021	3/1/2021	Tingling in left cheek from chin to left eye. Numbness in left eye. Cannot wink left eye and no feeling in it. Cannot feel coldness from eyedrops or feel the drop entering my eye. some feeling is returning but not all in the past few days. No facial drooping. This began either end of Feb or beg gining of March. Still have some tingling in cheek also.
1133185	3/25/2021	VA	32	F	3/25/2021	3/25/2021	Approximately 15 minutes after receiving dose of vaccine, employee states that she began to itch all over. Eyelids and periorbital area began to swell. She did not experience any shortness of breath or difficulty swallowing.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1133046	3/25/2021	NY	37	M	3/6/2021	1/15/2021	developed Bells Palsy on the left side of my face; eye irritation; lack of blinking; stiffness in mouth and jaw; This is a spontaneous report from a contactable consumer. . A 37-years-old male patient received first dose bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Formulation: Solution for injection, Lot Number: EN 6205) via an unspecified route of administration in arm left on 06Mar2021 17:15 at single dose for COVID-19 immunisation. The patient medical history was not reported. Concomitant medication included PEPCID [ALUMINIUM HYDROXIDE GEL, DRIED MAGNESIUM CARBONATE]. The patient had no known allergies. The patient was not tested for COVID prior vaccination. The patient experienced facial paralysis, eye irritation, lack of blinking, stiffness in mouth and jaw. The patient underwent lab tests and procedures which included corneal reflex decreased, sars-cov-2 test: negative on 15Mar2021. Therapeutic measures were taken as a result of events with steroids. The outcome of the events was not recovered. Follow-up attempts are completed. No further information is expected.
1133243	3/25/2021	FL	61	F	3/23/2021	3/23/2021	3/23/2021 day of vaccination at about 3 pm -Sudden onset abdominal cramping with diarrhea, 7 PM generalized itching- soles , palms, ears, eye lids, arms, torso. Redness neck, palms, soles. Severity eased after several hours and Benadryl. Dry cough, severe leg cramping. .

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1133027	3/25/2021	TX	60	M	3/3/2021	3/4/2021	ER Doctor said I have Bell's Palsy. Left side facial paralysis.; I started feeling funny; I started feeling funny and weak; Eye is watering, feels like there is grit in there; Eye is watering, feels like there is grit; Uncomfortable.; This is a spontaneous report from a contactable consumer, the patient. A 60-years-old male patient received the second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Batch/Lot Number: EN6202), via an unspecified route of administration, administered in Arm Left on 03Mar2021 at 12:15 (at the age of 60 years old) as SINGLE DOSE for covid-19 immunisation. Historical Vaccine includes BNT162b2 Dose 1, 10Feb2021 at 14:00 , Lot number=EL9263 in Left arm Medical history included diabetes mellitus. There were no concomitant medications. The patient has no known allergies. No other vaccines were given within 4 weeks. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination the patient had not been tested for COVID-19 Facility where the most recent COVID-19 vaccine was administered was a Hospital. On 04Mar2021 at 13:15, The patient experienced Bell's palsy. left side facial paralysis (medically significant), started feeling funny and weak, eye is watering, feels like there is grit and uncomfortable. The adverse events resulted in an Emergency Room Visit. Treatment was given for the events. The clinical course is as follows the day after I went to the (Withheld). Patient started feeling funny and weak. Since he was close to a local Hospital Emergency room. ER Doctor said 'I have Bell's Palsy. Left side facial paralysis'. He prescribed prednisone. Have to wear eye patch on left eye. Eye wont close. Can't eat or drink on left side. I was told by my primary care doctor that this could last up to 6 months. And that 85 percent of cases clear up. Eye is watering, feels like there is grit in there. Uncomfortable. Treatment (Prednisone therapy) was given for the events. The clinical outcome of the events Bell's palsy. left side facial paralysis, started feeling funny and weak, eye is watering, feels like there is grit and uncomfortable was not recovered.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1133023	3/25/2021		76	F	3/2/2021	3/2/2021	<p>Back hurt a tremendous amount; Lower back, hips, knees, neck pain; Lower back, hips, knees, neck pain; When she would go to move her eyes left or right or up or down it seemed like her eye sockets just hurt to move her eyes.; Very sore, uncomfortable stomach; Exhausted; Chills; Felt like she was having a heart attack; a bit congested; Aches; jaw pain; facial pain; Quite a bit of saliva in her mouth, it filled up quite a lot; sore on the injection site; Bit of a sore arm/left arm pain; This is a spontaneous report from a contactable consumer (patient). A 76-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration, administered in Right Arm on 02Mar2021 14:26 (Batch/Lot Number: EN619G) as single dose for vaccination. Medical history included joint replacements (specified as 1 hip done in 2007; right knee done in Jan2013; another knee was done in Feb2017; another knee was done in 1986); and in 2011, neck fracture. There were no concomitant medications. The patient had the 1st dose of the PFIZER-BIONTECH COVID-19 VACCINE and on 02Mar2021, she had sore on the injection site, experienced excess saliva production. On 05Mar2021, she experienced chills, feeling of heart attack: left arm pain, jaw pain, facial pain. She is worried to take the 2nd shot as she might have more symptoms on the 2nd dose. On an unspecified date, the patient had lower back, hips, knees, neck pain, eye socket hurts when rolling her eyes, sore stomach, and exhausted. It was also reported as follows: on 02Mar2021 after she got home from being administered the Pfizer-BioNTech COVID-19 Vaccine she had quite a bit of saliva in her mouth, it filled up quite a lot; and a bit of a sore arm for a couple of days but that was about it at that point. On Friday, 05Mar2021 she started getting chills and aches; and felt like she was having a heart attack: her left arm hurt and her left side of face hurt down in her jaw. She was afraid and considered going to the hospital but thought she was going to wait it out see what it is and it passed. She then once again got a lot of saliva in her mouth again. Over the next few days she developed aches that were primarily located in her joint replacements, it seemed like the aches attacked those areas of joint replacements in her hips, knees and where she had a neck fracture. She had a lot of pain and a lot of</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

chills. She was never bedridden, but would lay down because she was exhausted. Her back hurt a tremendous amount. Another thing that happened is her eyes, when she would go to move her eyes left or right or up or down it seemed like her eye sockets just hurt to move her eyes; she did not have a headache; this whole indentation there with her eyes hurt to move them from one side to another. She also had a very sore, uncomfortable stomach; it was not an upset stomach; just seemed very sore, uncomfortable. At first that first part of 05Mar2021 she seemed a bit congested. She is very worried about second dose of Pfizer-BioNTech COVID-19 Vaccine because of the first dose creating all of these difficulties. She does not know what she should be doing. She is scheduled to get her second dose of the Pfizer-BioNTech COVID-19 Vaccine on 24Mar2021 because she is leaving by plane on 29Mar2021. That only gives her like 4-5 days before she leaves and she knows that the other symptoms after the first dose of the Pfizer-BioNTech COVID-19 Vaccine did not start until 3 days later. She is concerned about that, because she is flying to take care of her sister; she is worried about the second dose because she does not like what she experienced with the first dose because she heard that the second dose will be terrible; she is worried about leaving and experiencing those horrible things. She reported that there are no tests/investigations relative to this report to provide. The only thing recently done was having X-rays of her neck on 24Feb2021 because of her neck issues with the fractured neck she had in 2011. Outcome of the events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1133021	3/25/2021	FL	54	F	2/23/2021	2/23/2021	severe fatigued/fatigue; red eyes; fever; Darkened skin in face; Itchy scalp and subsequent hair; hair loss; headaches; Anaphylaxis; hives; itching breathing, lips, throat impacted; itching breathing, lips, throat impacted; This is a spontaneous report from a contactable consumer (patient). A 54-year-old female patient not pregnant received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration in Left arm on 23Feb2021 at 01:00 PM (at age of 54-year-old) as SINGLE DOSE for covid-19 immunisation, Lot Number: EN6198. First vaccine dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) was administered on 03Feb2021 in Left arm for COVID-19 immunisation, Lot number: EL8982. Medical history was not reported. Patient did not receive any other medications within two weeks prior to the vaccination. Patient did not receive other vaccine in four weeks prior to the COVID vaccine. Patient had no COVID prior vaccination. Patient was not tested for Covid post vaccination. On 23Feb2021 within 20 mins patient experienced anaphylaxis, hives, itching breathing, lips, throat impacted. On 23Feb2021 at 02:00 PM (also reported as over next week) patient experienced severe fatigued; red eyes; fever; darkened skin in face; subsequent results, Itchy scalp and subsequent hair; seeing hair loss continuing and fatigue, headaches ongoing thus far. Events resulted in Doctor or other healthcare professional office/clinic visit, Emergency room/department or urgent care. Treatments received included Anaphylaxis medicine, intravenous (Iv) administration; prescript. Patient had not recovered from the events, at the time of the report.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1133012	3/25/2021			F			<p>muscles on the right side of her face "kind of fall", stating it was in her eye and her cheek was "kind of down"/"dropping face"; felt like she was going to have a stroke; feeling "tingles" and numbness all over her body; feeling "tingles" and numbness all over her body; belly pain; going to throw up; feeling that heaviness; bad feelings; "heavy" headache; This is a spontaneous report from a contactable consumer (patient). A 55-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: not reported), via an unspecified route of administration on an unspecified date as single dose for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. On an unspecified date, the patient would like to know if it is safe for her to receive her second dose following the symptoms she experienced after the first dose. The patient reported that 17 hours after the first dose, she had the muscles on the right side of her face "kind of fall", stating it was in her eye and her cheek was "kind of down"/"dropping face". The patient added that before that she was feeling "tingles" and numbness all over her body, including going to her head and "very strong" in her left side, stating it felt like she was going to have a stroke. The patient also states she experienced these feelings in her hand as well. Caller also reports belly pain, was going to throw up. She states that after 2 hours, the "dropping face" was a lot better and had "bad feelings" but slowly disappeared. She states the only thing she experienced after that was a "heavy" headache, but not constantly. She reports that since an unspecified date she has just been "feeling that heaviness." The outcome of the event feeling "tingles" and numbness all over her body, "bad feelings" was recovered, for the event muscles on the right side of her face "kind of fall", stating it was in her eye and her cheek was "kind of down"/"dropping face" was recovering while for the rest of the events was unknown. Information about lot/batch number has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1132828	3/25/2021	IN	59	F	3/23/2021	3/24/2021	Severe headache horizontal from the end of each eyebrow side to side over eyes, severe neck pain, pain radiating in shoulders up to back of head behind ears, chills, fever, face cheeks are bright red, leg pain in both thighs, hard to walk, injection site pain, nauseated
1132826	3/25/2021	NC	73	M	3/24/2021	3/24/2021	four hours after receiving the shot I experienced severe dizziness mild headache, Blurry eyes, passing out, disoriented, severe pain in the top mussel of my left shoulder that traveled up into my neck on my left side.
1132755	3/25/2021	CA	18	F	3/24/2021	3/25/2021	6:45AM- blurred vision and chills upon getting out of bed followed by loss of consciousness for ~30 seconds. Vomiting upon regaining consciousness. Fever of 38.5C. Took Tylenol, drank water, and slept from 7AM-8AM. At 8AM, chills and blurred vision had resolved. Was able to eat, drink, and take medication without further vomiting. Fever persists. New mild headache starting around 8AM.
1132728	3/25/2021	MI	89	F	3/12/2021	3/12/2021	Patient had a COVID vaccine on 3/12/21, this was her Second dose of Moderna vaccine. She states she had a scrap on her right elbow 4 hours after she states it turned red and swelled up. She then scrapped her left pointer finger and that swelled and turned red and going up just past her wrist. She states these are really improving but the swelling and itching around her left eye is getting worse. She feels her nose feels swollen. She states her eye is matted shut in the AM. She feels fatigued.
1133397	3/25/2021	CT	18	F	3/25/2021	3/25/2021	Received dose #1 of the Moderna COVID19 vaccine. A few minutes later at 10:50 AM while sitting in observation the pt c/o feeling light headed, hot, and nauseous. Pt has a history of anaphylaxis with allergy shots when she was 6yo that required an epi pen. Pt triaged by an RN. Pt was laid on cot. BP 120/80 HR 104 O2sat 99% Repeat BP 118/80 HR 88 O2sat 99% Pt continued to report feeling flushed, light headed, and nauseous even after laying down. EMS was called at 10:58 AM. EMS arrived and evaluated the pt. Pt was still not feeling well and stating she wanted to close her eyes. Pt was transported to Center for evaluated. Pt was A&O x3 when she left. Pt?s mother was present and followed the ambulance. Pt was given high risk HHC clinic information for scheduling of her 2nd vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1133645	3/25/2021	MO	36	F	3/24/2021	3/24/2021	I received my shot at 3:45 p.m. A few hours after receiving my 1st Moderna shot in my right arm, it began throbbing (perhaps around 7 p.m.) At night, the throbbing in my arm was so severe that it woke me up several times (11 p.m., 2 a.m., and 4 a.m., at least) I awoke at 6:20 a.m. and began working; I immediately noticed that I was hot and had a mild fever and my lower back was hurting; arm was still throbbing. Within about 30 minutes of working on my computer, I began feeling nausea, the sweats/chills were more prevalent, and my arm still hurt. I went and laid down in bed and fell asleep around 7:15 a.m. I woke up at 10 a.m. I still had a mild fever with sweats/chills, a headache, body aches (back and neck), and my arm was still sore Around 10:30 a.m. I took 3 Advil and ate, and felt a little better. As of 12:45 p.m. I just went on a sneezing binge and have a runny nose, my neck is still aching, arm is still throbbing, I still have a headache and my eyes feel heavy, and I still am getting chills/sweats. I do not feel great.
1132767	3/25/2021	CT	49	F	3/6/2021	3/6/2021	RECEIVED COVID VACCINE(MODERNA) 5-6 MINUTES AFTER VACCINE WAS ADMINISTERED I HAD RUNNY NOSE, WATERY EYES, FLUSHED, BLANK STARE, THROAT TIGHTENING, SOME DIFFICULTY BREATHING, UNABLE TO SPEAK. BECAUSE I WAS UNABLE TO SPEAK I TAP MY DAUGHTER TO GET MY HELP. SHE GOT EMT ON SITE, RECEIVE EPI, 50 MG BENADRYL-IV. I WAS TRANSPORTED TO BRIDGEPORT HOSPITAL ER VIA AMBULANCE
1133553	3/25/2021	NJ	68	F	3/13/2021	3/14/2021	Nausea, vomiting, bad vertigo, (fell) sweating, chills and freezing, temp 101, headache, eyes blurry and could not focus on anything- trouble standing up and not falling over- started at 6:30 Sunday morning and gone by 1 - except very fatigued, (slept mostly for 3 days) shaky (trembling) , no appetite , headache and chills- lasting thru to Thursday morning. Was very scary!



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1133968	3/25/2021	UT	43	F	3/23/2021	3/24/2021	Rec'd Moderna vaccine on 03/23/2021 approximately 24 hours later noticed lip, cheek swelling as well as under bilateral eyes and bridge of nose. She took Benadryl and Claritin at that time with minor decrease in swelling. Approximately 48 hours after vaccination she saw her PCP a family practice MD who said it was a reaction of the Moderna shot to the Botox shot (Jeuveau) she had gotten 1 week before the Moderna vaccine.
1133953	3/25/2021	CA	19	M	3/25/2021	3/25/2021	Client had a syncopal episode and fell from a sitting position to the floor. Pt was lying with eyes closed and non-verbal for 30 seconds or less. Tactile stimuli and deep sternum rub done to mid chest wall. Pt eyes open. A/O x3. LCTA. Medium size hematoma noted to left side of forehead with small abrasion noted to bridge of nose. Pt denies pain. EMS was notified. Once EMS arrived orthostatic v/s was obtained per EMS with last reading b/p 133/82 HR 72 RR 22 O2 99% RA. Pt refused further tx. Placed in w/c and pushed to lobby with family and RN at side. No acute distress.
1133743	3/25/2021	CA	37	F	3/18/2021	3/19/2021	Site: Itching at Injection Site-Medium, Site: Pain at Injection Site-Medium, Site: Redness at Injection Site-Medium, Systemic: Allergic: Difficulty Breathing-Medium, Systemic: Allergic: Itch Generalized-Medium, Systemic: Allergic: Rash Generalized-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Systemic: Chest Tightness / Heaviness / Pain-Medium, Systemic: Chills-Medium, Systemic: Fever-Medium, Systemic: Headache-Medium, Additional Details: Migraine headache
1133695	3/25/2021	FL	52	F	3/23/2021	3/23/2021	Caller experienced fatigue within 2 hrs of rcvding the vaccine on 3/23/2021, and she experienced mild body achiness within 24 hrs of rcvding the vaccine. The fatigue and mild body achiness has subsided. Upon waking this morning on 3/24/2021, she have the following symptoms in her left eye: redness, runny, burning sensation and blurry vision.
1133688	3/25/2021	MO	71	F	3/18/2021	3/20/2021	severe pain in joints, wrists, elbows, ankles, hips/ ongoing headache behind eyes/nausea-joint pain wakes me from sound sleep, ongoing exhaustion, lack of appetite

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1132111	3/25/2021	VA	47	F	3/12/2021	3/25/2021	I woke up this morning with a headache so bad that I can barely see out of my eyes. It feels like my eyes are going to pop out of their sockets, the headache is that bad.
1133636	3/25/2021	MD	31	F	3/11/2021	3/13/2021	Severe headaches with blurred vision and headaches for several days. No over the counter meds have helped
1132711	3/25/2021	FL	34	F	3/1/2021	3/5/2021	Background 1: Anaphylaxis (previously reported) - within 30m of administration of vaccine I experienced a severe anaphylactic reaction impacting multiple body systems - diagnosed by PCP and allergy specialist Background 2 (not reported previously): Side effects from insert -The day after vaccine I developed a fever (>100f) which persisted for 8 days (>99.5) in addition to substantial mental fog, aches and pain, diarrhea and vomiting, severe nausea, food aversions and altered sense of taste, 5lb weight loss, and general feeling of unwellness. Adverse event (not reported previously): Anemia symptoms became so severe that my physician recommended that I avoid driving and either seek emergency treatment or schedule iron infusion within 3 days. I became extremely dizzy and short of breath with visual disturbances. My doctor hypothesized that my reaction to the vaccine had caused this rapid deterioration in my health.
1133635	3/25/2021	CA	40	M	3/16/2021	3/18/2021	left eye swollen and painful
1133578	3/25/2021	OR	66	F	3/5/2021	3/16/2021	Four days of headaches starting 3/12/2021 (onset 7 days following vaccination) following by rapid onset (~6 hr) nausea, vomiting, and encephalopathy with cortical blindness and altered level of consciousness on 3/15/2021. Found to have diffuse white matter hyperintensities on MRI brain. No spinal cord involvement. CSF analysis with lymphocytic pleocytosis. Negative infectious workup. Started on high dose steroids and plasmapheresis for presumed autoimmune encephalitis. Slow improvement in symptoms for the first 10 days following initiation of steroids (present day).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1133487	3/25/2021	OH	41	F	1/8/2021	1/8/2021	Severe Asthma; pain at injection site; Rash at I she tin site the went down left arm, up shoulder and into neck; SOB; weakness; Coughing with taste of blood; running nose; watery eyes; fever; chills; muscle weakness to the point of falling down and dropping item; pain; numbness and tingling throughout body; numbness and tingling throughout body; flank pain; intermittent urinary inconstance; increased urination at night; nightmares; dizziness; blurred/double vision; ringing in ears; irregular body temperature; anxiety; depression; extreme fatigue; visual disturbance; I have been not been to work since second shot; This is a spontaneous report receive from a contactable consumer (Patient herself). A 41-year-old non-pregnant female patient (patient was not pregnant at the time of vaccination) received first dose BNT162B2 (COMIRNATY, PFIZER-BIONTECH COVID-19 VACCINE, formulation solution for injection with false Lot number: EK5730) via intramuscularly on 18Dec2020 at 08:00 am to right arm (at the age of 41-years-old) and second dose with lot number: EK9231 via intramuscularly on 08Jan2021 at 08:00am to left arm both at single dose for COVID-19 immunization. Medical history included Migraines. Concomitant medications were not reported. On 08Jan2021 at 06:00pm, the patient experienced pain at injection site, rash at injection site went down left arm, up shoulder and into neck, SOB, fatigue, weakness, coughing with taste of blood, running nose, watery eyes, fever, chills Day after and progression: muscle weakness to the point of falling down and dropping item, pain, numbness and tingling throughout body, flank pain, intermittent urinary inconstance, increased urination at night, nightmares, dizziness, blurred/double vision, ringing in ears, irregular body temperature, cough tasting blood, anxiety, depression Today: SOB, couch tasting blood, extreme fatigue, visual disturbance, nightmares, anxiety, depression and she said , that she had not been able to work since her second shot. On 13Jan2021 patient underwent lab test included swab test results as negative. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. On 04Mar21 new onset of severe asthma was diagnosed. Outcome of events was not recovered. Information about report seriousness has been requested; Sender's Comments: Considering the known safety profile of the drug and a plausible temporal association between the reported

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							events and the suspect drug BNT162B2, a causal relationship cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.
1133544	3/25/2021	IN	56	F	3/23/2021	3/24/2021	Severe arm pain all night. Woke up around midnight with my entire left arm and hand numb and tingling like it had fallen asleep but I was not laying on it. I moved it around until it finally stopped. Pain continued all not. On 3/24/21 was very tired and foggy. On 3/25/21 have a headache and slight nausea. I had an ophthalmic event where I saw lighting flashes in my right eye so it could be this causing instead of the vaccine. I am fine just thought I should report these occurred. Thanks!
1133542	3/25/2021	CA	73	F	3/20/1921	3/21/2021	Shortness of breath, severe muscle aches, eyesight impacted, impacted thought processes. This shot is NOT SAFE!!!!

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1133512	3/25/2021	OH	41	F	1/8/2021	1/8/2021	<p>Ringing in ears; Urinary incontinence; Urinary frequency; Flank pain; inability to control temperature; Sweating; she was having hot or cold; Wheezing; falling down stairs; Muscle weakness; Blurred vision; Double vision; Inability to work; Rash; Injection site pain; Runny nose; runny eyes; cough with taste of blood; Shortness of breath; Fatigue; Fever; Chills; Dizziness; This is a spontaneous report from a contactable Nurse. A 41-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Lot Number: EK9231), via an unspecified route of administration in left arm on 08Jan2021 at 08:00 AM (at the age of 41-years-old) at single dose for covid-19 immunisation. The patient received the first dose vaccine BNT162B2 (LOT: EK5730 and EXP: Mar2021) on 18Dec2020. The subject had a history of ongoing Migraine. Relevant concomitant medications were unknown. The patient stated that after her second dose on 08Jan2021, the reaction started at 06:00PM that night. She says she had a rash and injection site pain that went her arm to her shoulder and neck. She says she had a runny nose, runny eyes, cough with taste of blood, shortness of breath, fatigue, fever, chills, and dizziness that night. She says she did not do any treatment that night, she thought the fever would run its course. Caller says that the next day she had severe fatigue, shortness of breath, wheezing, runny nose and eyes, and she also started to fall down stairs and had muscle weakness. She says she had blurred and double vision, and ringing in her ears. She says she progressed from that in a week to having urinary incontinence, intermittent frequency at night, flank pain, and an inability to control her temperature. She says she was having hot or cold sweats and chills which continued quite a while. She also reported that she has gained back muscle control, though she still has days where she is extremely weak, and her dizziness comes and goes. She says that the ear ringing has stayed the same, and her shortness of breath has stayed the same. She says that as of Mar 2nd she has been diagnosed with severe asthma, and she has never had any type of asthma or breathing problems before. The reporter stated that that this was disabling, she hasn't been able to work since 08Jan2021. The reported events were inability to work (impaired work ability) on 08Jan2021, rash on 08Jan2021, injection site pain (vaccination site pain) on</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

08Jan2021, runny nose (rhinorrhea) on 08Jan2021, runny eyes (eye discharge) on 08Jan2021, cough with taste of blood (haemoptysis) on 08Jan2021, shortness of breath (dyspnea) on 08Jan2021, fatigue on 08Jan2021, pyrexia on 08Jan2021, chills on 08Jan2021, dizziness on 08Jan2021, falling down stairs (fall) on 09Jan2021, muscular weakness on 09Jan2021, vision blurred on 09Jan2021, double vision (diplopia) on 09Jan2021, ringing in ears (tinnitus), urinary incontinence, urinary frequency (pollakiuria), flank pain, inability to control temperature (body temperature abnormal), sweating (hyperhidrosis), wheezing on 09Jan2021 and feeling of body temperature change. Clinical outcome of the event inability to work was not recovered, while clinical outcome of all other events was unknown. Laboratory data included pulmonary function test, result: 40%.; Sender's Comments: Based on the current available information, the event Inability to work is most likely related to an intercurrent or underlying condition which is not related to the suspected drug. The case will be reassessed if additional information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1133511	3/25/2021	WI	50	M	1/5/2021	1/6/2021	Severe sweating; fever; weakness; Worst headache of my life/daily headaches; searing eye pain; fatigue; This is a spontaneous report from a contactable physician (patient). A 50-year-old male patient received his second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EI1284), via an unspecified route of administration in left arm on 05Jan2021 16:00 as a single dose for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. The patient previously received his first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: Ek5730) in the right arm on 16Dec2020 12:00 PM. The patient had no other vaccine in four weeks. The patient had not been diagnosed with COVID prior vaccination. The patient experienced severe sweating, fever, weakness, "worst headache of my life," searing eye pain for the last 2 months, daily headaches and fatigue on 06Jan2021 12:00 AM (also reported as first 48 hours). The events resulted in disability or permanent damage. Treatment was administered for the reported events. Outcome of events was unknown. The patient underwent Covid nasal swab test post vaccination on 27Jan2021 with negative result.; Sender's Comments: Based on temporal association and known drug profile a contributory role of BNT162B2 to the reported events cannot be excluded. Case will be reassessed if additional information is received. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.





VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

and 160/97. She has been in and out of the hospital for her high BP. After the hospital, she called (Number) because her BP "was off the chart". Her cardiologist ruled out heart issues. She did an "echo, a stress test and EKG". On 01Feb2021 she was admitted to hospital with 200/103 blood pressure. Ruled out cardiovascular & placed on Amlodipine. Now 37 Days later with many visits to doctors, blood pressure remains high. Cardiologist ran stress test & echo with no heart issues. Placed on many Blood Pressure Medications that also created side-effects (urination, flushing, dizziness, extreme headaches); Amlodipine 5 mg, Metoprolol 25 mg, Alprazolam 0.25 mg as needed, Propranolol 20 mg. Today, picking up yet another (Hydralazine?) as last-ditch effort. BP daily spikes remain high (160/99 and 175/100). Racing Pulse & BP wakes me out of a dead sleep within 1-2 hours. So weak & constant neck pain that feels like someone is placing pressure around my neck. The blood pressure medication received are the following: Amlodipine from 1Feb2021 until 9Feb2021. She explained it work well to manage her BP but she "could not urinate and had red flashes in [her] face"; therefore, it was stopped by her cardiologist. She was off the BP medication from 9Feb2021 until 17Feb2021. Metoprolol from 18Feb2021 until 25Feb2021, but it didn't work. She explained it was stopped by her doctor because of side effects. Propranolol in combination with Alprazolam as needed for anxiety. She explained she "took 3" of the tablets for anxiety. Hydralazine 25mg which she started yesterday, after seeing her cardiologist. She explained she only got 3 hours of sleep last night. She woke up around 1:30am/2am" her heartrate was at "93" and she put heat and cold on her neck to settle the pain. She specified the headache and pain were so bad it lasted for 1.5 hours, and her BP was 150/93 at 3 am .She added she had a "red and flushed face" and therefore took a "Benadryl at 4am". She explained her BP was down to "125/78", after taking the Benadryl, but got up to "147/90" at 7 am when she attempted to call Pfizer. She explained she has "done [her] due diligence: she consulted HCP, did all the test, she attempted to go for walks and do activities she can tolerate, but her symptoms persist. She added she use to golf and cannot anymore. She explained her symptoms are persisting until this day and her body won't handle it

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

further. She mentioned she knows she is COVID-19 free because when helping take care of her quadriplegic son in the summer, she tested negative. Outcome of events was not recovered.; Sender's Comments: Linked Report(s) : PFIZER INC-2021277006 same patient, different vaccine dose/AE.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1133501	3/25/2021	MA	25	F	3/9/2021	3/9/2021	<p>Within minutes I became very dizzy and could not move my head or my eyes without feeling like I would faint or fall over.; blood pressure was checked and found to be 155/110; This is a spontaneous report from a contactable healthcare professional (patient). A 25-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 at the age of 25-year-old, via an unspecified route of administration, administered in left arm on 09Mar2021 15:45 (Lot Number: EN6206) as single dose for COVID-19 immunisation. Medical history included irritable bowel syndrome (IBS), atrial septal defect, obsessive-compulsive disorder (OCD), depression, post-traumatic stress disorder (PTSD), and was normally hypotensive with an average of about 100/50. The patient has no known allergies. No COVID prior vaccination and no COVID test post vaccination. The patient was not pregnant at the time of vaccination. Concomitant medications included fluvoxamine (FLUVOXAMIN), valaciclovir (VALACYCLOVIR), and hydroxyzine; all taken for an unspecified indication, start and stop date were not reported. On 09Mar2021 15:45 (also reported as within minutes), the patient became very dizzy and could not move her head or eyes without feeling like she would faint or fall over. Her blood pressure was checked and found to be 155/110, and she was normally hypotensive with an average of about 100/50. Her blood pressure dropped, and the dizziness went away within 1-2 hours. The patient received EMT treatment/monitoring for the events. The patient recovered from the events on an unspecified date.; Sender's Comments: Based on available information, a possible contributory role of BNT162B2 vaccine can not be excluded for the reported events of dizzy and blood pressure increased due to temporal relationship. Case will be re-assessed upon the additional information provided. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1133496	3/25/2021	MA	45	F	3/3/2021	3/1/2021	<p>Coughing; Dizziness; Vaccine site became red, hot, hard; Vaccine site became red, hot, hard; Vaccine site became red, hot, hard; Fever; Body aches; She felt like she was going to die; feels awful; Constipation; Couldn't keep her eyes open; Chills; Sore arm; Tired; couldn't keep her eyes open; Nauseousness; Lightheaded; it felt like someone was playing with my head and controlling her memories; sugar levels going up; This is a spontaneous report from a contactable consumer (patient). This 45-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) Lot number EN6205 and expiration date 30Jun2021 received on 03Mar2021 as a single dose (at the age of 45 years), unspecified route in left arm for COVID-19 immunisation. History included thyroid removed in 2014 and diabetes in 2019 (diagnosed about a year and a half ago), Cirrhosis liver, fatty liver. Concomitant medications include metformin for diabetes, glyburide for diabetes, levothyroxine sodium (TIROSINT) for thyroid disorder, cetirizine hydrochloride (ZYRTEC), omeprazole, ascorbic acid (VITAMIN C), zinc, ergocalciferol (VITAMIN D), bifidobacterium lactis (PROBIOTIC), fluticasone propionate (FLONASE), albuterol (SALBUTAMOL), and budesonide, formoterol fumarate (SYMBICORT). Following the vaccination on 03Mar2021, she came home at night with sore arm and started getting chills. She felt very nauseous. She could not open her eyes anymore. She went to sleep and woke up in the middle of the night. She felt like someone was controlling her memories. It felt like someone is taking away memories (Mar2021) and she was trying to hold on. Like something was messed up in her head. The next day she woke up with a sore arm and felt fine. She had a little nauseousness but it was controlled. On Friday (04Mar2021), the vaccine site became red, hot, hard, and had a white ring around it. The more red it became the more fever, nauseousness, and constipation she had. She couldn't keep her eyes open. She started coughing. She had to use her inhalers even more. Her inhalers are Albuterol and Symbicort and she doesn't have a lot number to provide for her inhalers. All day she felt that way. She felt like she was going to die, has body aches. It was awful. She also had dizziness at nighttime she took the ice pack and froze her arm because she couldn't take it anymore. Saturday, 05Mar2021 she woke and still</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

had dizziness and couldn't go to the bathroom. She feels nauseous. She can't keep her eyes open. Sunday (06Mar2021) it was better (unspecified events), but she is not herself. Ever since then she feels like she is always tired. Today it has been a week after and she is so tired. She called the number and one of the representatives said she wouldn't do the second dose. The doctor said it is side effect. She also reported that she is lightheaded. She said her sugar numbers have been sky high. She told the nurse that it didn't hurt like the flu shot. She did not have NDC, lot, and expiry to provide for flu shot. Lab information in Mar2021 included Sugar levels were up and weight: 203 to 205 pounds. Outcome of events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1133492	3/25/2021	FL	72	M	2/5/2021	2/5/2021	Passed out; cardiac event; This is a spontaneous report from a contactable consumer from a Pfizer-sponsored program COVAX Support. A 72-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), dose 2 via an unspecified route of administration, administered in left arm on 05Feb2021 15:30 (Batch/Lot Number: EL9269) as a single dose for COVID-19 immunisation. Medical history included defibrillator insertion from 2014 to an unknown date (has never had it go off), blood pressure abnormal, heart disorder, blood cholesterol increased (Lipitor indication: to lower cholesterol), and eye disorder. The patient previously received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Batch/lot number: EL3246), on 15Jan2021, at 15:30 PM in the left arm, for COVID-19 immunization. Concomitant medications included acetylsalicylic acid (ASPIRIN) taken for heart from 2010 and ongoing; carvedilol taken for heart from 2014 and ongoing; ubidecarenone (CO Q 10) helps with the statin for his heart from 2014 and ongoing; atorvastatin (LIPITOR) taken to lower cholesterol from 2014 and ongoing; lisinopril taken for blood pressure from 2014 and ongoing; xantofyl (LUTEIN) taken for eye from an unspecified start date and ongoing; and warfarin taken as blood thinner from 2010 and ongoing. The patient reported that 2 hours and 15 minutes after the second dose on 05Feb2021, he passed out and his defibrillator kicked in and he had a cardiac event but was not sure what kind of cardiac event. He stated it was probably unrelated, but the doctor said to call Pfizer to notify. He said he has had the defibrillator since 2014 and has never had it go off. He is having a stress test to check it all out. He added he felt great by about two hours after the defibrillator kicked in and went golfing. The outcome of the events was recovered on 05Feb2021.
1133631	3/25/2021	NE	64	M	2/5/2021	2/6/2021	Patient described yellowing of skin and eyes. This was not observed by provider. Lab work including bilirubin and LFTs were all normal. Patient then reported on 3-25-21 that since the day after 2nd vaccine, he has had intermittent paresthesia's in left cheek, left arm and left leg. No weakness.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1131753	3/25/2021	AK	34	F	3/24/2021	3/24/2021	Patient reported a metallic taste in mouth right after administration of vaccine. She then reported a funny feeling in her throat. Pharmacist gave her Claritin 10mg (5-7 min post vaccination). She has experienced seizures in the past and felt like one was coming on. She had nausea, light headedness, cooling sensations. She was given some water and then asked for pepto bismol, which we gave her (10-15 min) post vaccination. She then started getting hives on neck and eye. She wanted an ambulance called, we did. She started getting tingles on both arms and neck. Felt a sensation like someone sprayed water near her on her neck. Ambulance arrived and by that time she was feeling better and hives were leaving. Paramedics checked her out and she declined going to hospital. Headache started when paramedics were assessing her. She had a friend come pick her up and take her home, to monitor her.
1131930	3/25/2021	IN	30	F	3/24/2021	3/24/2021	At about 9:30 I was looking at my phone. My vision started going blurry. I started seeing flashing lights and could not be around any light. I went to a dark room and about 30 minutes later it stopped where a wasn't seeing a flashing line. I took melatonin and went to bed figuring I was starting to get tired. I woke up at 638am. Arm super sore, a red spot over the size of a quarter at injection site. Low grade 99.1 and my entire body hurts and a small headache. Called in to work to rest for the day.
1131905	3/25/2021	MA	30	F	3/23/2021	3/24/2021	About 24 hours after vaccine, I experienced blurry vision, headache and confusion. It resolved within about 3 hours.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1131887	3/25/2021	FL	52	F	3/23/2021	3/23/2021	I received the vaccine outdoors in my car at the local fairgrounds. Within 10 minutes of receiving the vaccine, I briefly experienced a rapid heartbeat. I could breathe and swallow fine but for several minutes (maybe 20 or so) my throat felt heavy. My most concerning symptom was blurred vision that would come and go. At times my near sighted vision was completely blurry but far sighted was fine, at times all my vision was so blurry I couldn't see anything and at one point all I saw was a bright white light, I think my vision was trying to adjust to the sunlight when this happened. All of these symptoms cleared shortly before my 30 minute waiting period was over. After that I just experienced symptoms that I have read about that is common for the vaccine.
1131824	3/25/2021	MN	43	F	3/24/2021	3/25/2021	Moderna Covid 19 Vaccine EUA I spiked a fever, felt nauseous and threw up, and I have arm pain as well as swollen lymph nodes. Also, my body feels very sore and weak. I couldn't sleep, and I have a raging headache behind my eyes.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1131812	3/25/2021	CA	27	M	3/25/2021	3/25/2021	The female medical employee, who was administering the vaccination. The Pfizer Vaccination. Opened a shot syringe. That had an empty vile. The syringe did not have the dosage of vaccine. The female medical employee, documented on my immunization card the sticker Lot number #EN6204, but the vaccine Lot Number (the syringe received) was not the Lot Number indicated on the immunization card. Why? The female medical employee, called over the military personnel whom was being the security for the vaccination site. The female military personnel was holding an open unit syringe vile dosage of the vaccine. The female medical employee showed the empty syringe vaccine to the military personnel. She said, "The dosage fell out." The female medical employee, took the open package, of the syringe vile, that contained a measured dose of the vaccine. Which is not considered the full dosage, or considered a safe dosage of the vaccine, because the package was opened. Not in front of the patient. And. Was open, when the military personnel, who was holding this vile, was walking, with the open package, around without proper medical gear. The medical employee. Quickly took out the syringe. Didn't explain which and what that syringe was, and just injected the dosage into my arm. I know, that practice was malpractice. I know I experienced malpractice. And. It's obvious the Government is going to do anything about it. This is not a petty situation. I don't know where that needle from. What has been introduced to that open syringe package. I did experience very bad side affects: headaches, muscle pains, tiredness, fatigue, weakness, low strength, dizziness, partial blindness, overwhelming stress, back pain, joint pain, spinal pain, chills, fever like symptoms, nausea, spontaneous pain, soreness in the arm, swelling throughout my body, difficulty breathing, short breaths.
1131805	3/25/2021	WA	30	F	1/20/2021	1/20/2021	Decerebrate posturing, loss of consciousness for ten seconds, wheezing, atypical seizure, eyes rolled back, EMS called, supplemental oxygen administered Went to ED, given ativan, zofran, 1L LR bolus and neuro assessment by PA-C Severe nausea for 5 days, slept off and on for five days, dizziness for five days, brain fog for 5 days

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1131800	3/25/2021	WA	45	F	3/24/2021	3/24/2021	Guest patient, reported feeling dizzy, complained of being very weak after receiving her first dose of Pfizer Vaccine - (Lot #ER8712), administered in the LD at 14:37 hours. Guest complained of feeling ? the loss of strength?, to the upper part of her body and that she ?just wanted to close her eyes and sleep.? EMS activated to the Observation Area. Vital Signs assessed: B/P-110/60, P-74 (reg), R-18, T-98.5, 100%, and blood glucose reading of 94. EMS completed further evaluation and guest was released at 14:53 hours reporting that she was no longer experiencing the above complaints/or symptoms. She was offered and accepted water and more observation time. Client reported ?I am back to normal.? Client observed sitting talking on a cellphone and appears to be no apparent distress.
1131798	3/25/2021	CA	27	M	3/25/2021	3/25/2021	Headache, swollen muscles, dizziness, blindness, sweating, flushing, feeling dehydrated, weakness, muscle fatigue, eye soreness, sore neck.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1132154	3/25/2021	MN	62	F	3/11/2021	3/14/2021	I was VERY T i ?? ?? ?? ?? ?? ?? ??

SORRY about the above I'm not sure what happen tried to delete it but couldn't! I woke up Sunday 14th at 7:30AM feeling really tired. had coffee & could barely stay awake. by 8:30AM I went back to bed woke up 11AM ish had lunch could hardly keep my eyes open went back to bed & slept the afternoon away. got up 5PM ish had coffee & supper still very tired I went back to bed. woke up around 10AM had something to drink & bathroom then went back to bed & slept to morning. On Monday the 15th. & Tuesday the 16th. was pretty much the same as the 14th. On the 17th. woke up at 8:45AM FEELING GREAT! No other problem but being very tired!

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1131756	3/25/2021	CA	69	F	2/15/2021	2/16/2021	First vaccine on 1/16/2021, I experienced some numbing of my limbs (arms and legs). It was random and typically didn't last too long (except one time in my left arm that was quite dramatic and I took Bayer aspirin immediately) but was definitely not a normal experience in my body. After the second vaccine on 2/15/2021, the next day, I had the expected fever (100.1 to 100.9) throughout the next 2-days, along with no appetite, energy, or strength. I expected it to dissipate but by day 3 & 4, I felt even weaker and more exhausted. As the days turned into weeks (5+ weeks now), I've experienced severe exhaustion needing to sleep most days 9-13 hours, consistent numbness in my arms (con't next page) and some w/legs, blurry vision, and very unbalanced. I went from walking several miles a day to barely being able to walk a few blocks due to unbalance, weakness and being out of breath. This has gone on for over 5-weeks now. It feels like I am a long-hauler but without having had Covid. I've always been sensitive to drugs, expected to have a reaction, but never imagined something like this would go on for so long. During this period, I had two Covid tests on March 1 and March 10. Both were negative. The week of March 8, I came down with a good old fashioned cold. PCP asked for the second Covid test and chest x-ray (all clear) on March 10. PCP did lab work on March 5. Everything showed as "unremarkable".

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1132017	3/25/2021	MA	78	M	2/27/2021	3/8/2021	He received his vaccine, and immediately he could taste it in his mouth. About 5-6 days later his normal routine was to work outside and noticed that he had lost his energy issue, and had this issue in the past when his pacemaker was out of wack. As the month went on it got worse and worse. In March he was out cleaning up the yard and as he worked it got worse and worse. He would have to work for 5 and sit down for a minute. He has hyperventilation syndrome and diagnosed back in 1980 and has been under control, this is one thing that always happens, which seems to be an ongoing problem that he's having. His settings on his pacemaker seem to be OK. He was sitting on his couch and watching a race on 3/8/21 and got a shock coming up from the bottom part of his head, through his chest and out through his right eye, this was less than 2 seconds. This was an event, but not a hard "mule" kick event. He wasn't doing anything to get the shock. The defibrillator is connected to the bottom part of his heart. He has a logic system and had an episode of 190-200 BPM which was at the top part of his heart. He had all of his equipment checked out yesterday, but they could not give him an answer why he got a shock. He now has to set up an appointment with his cardiologist to see tomorrow. He has had the pacemaker for 6-7 years now and the device goes into the device clinic and he gets reports regarding this information. They device people said there was no registration that he had any event.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1131752	3/25/2021	CA	49	F	3/12/2021	3/12/2021	On Friday, March 12, I received the second dose of the Moderna vaccine. I experienced coughing, wheezing and tightness in the chest at 4:00 pm. I treated the symptoms with an inhaler and it went away. At 6:00 pm, I experienced headaches, redness and puffiness in the eyes and eyelids were warm. I began to sneeze and sinus congestion such as seasonal allergies. I also experienced a headache, which I treated with Tylenol. These other side effects lasted until Sunday, March 14 at about 7:00 pm. On Monday, March 15 at 4:45 am, I woke up with swollen fingers on both hands. On Tuesday, March 16 at 3:30 am, I experienced swollen fingers, numbness and tingly in the hand and fingers. On Wednesday, March 17, the symptoms were the same as Tuesday, March 16 in the morning, but numbness and tingly subsided. On Thursday, March 18, the swelling, numbness and tingly in the fingers and hands returned when I woke up at 4:00 am. I was unable to curl my fingers in both hands into a fist and could not use my hands to grip. I realized from trying to hold anything I had a weak grip. My symptoms have not changed throughout the day. On Friday, March 19 after midnight, I went to the emergency room regarding to the pain of swollen fingers and hands (entire palm), numbness and tingly feeling. I was prescribed with 4 mg of methylPrednisolone for 6 days and to taper down. As of today, there is no swelling in the hands and fingers, no numbness; however, there is tingly feeling in the fingertips of my index, middle, and ring finger in both hands.
1131750	3/25/2021	IL	36	M	3/22/2021	3/23/2021	Red, itchy, inflamed, watery eyes bilateral
1131735	3/25/2021	OH	36	F	3/23/2021	3/24/2021	Extreme drowsiness with slight headache 4 hours post shot. Went to bed at 10:30pm and woke up at 8:30am next morning. Injection site was tender and slightly swollen and inflamed. Over a period of 8 hours, the site grew more painful and swollen. Approx 2 in by 2 in, welt formed around injection site. Painful to touch and slight itch, bad headache through entire day, particularly behind right eye. Injection was in tricep area on right side.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1131732	3/25/2021	VA	31	F	3/22/2021	3/22/2021	blackout episode (temporary loss of vision) while attempting to rise Extreme pain and feeling of pressure/bursting all over body; extreme sensitivity when any area of the body was touched (including scalp, legs, etc) Fatigue, weakness and inability to get out of bed or sit without aid for roughly 24 hours O2 dropped to 92 per pulse oximeter at home Swollen, painful lymph node under armpit 2 days after vaccine Gasping for breath (although no coughing or sneezing) Nausea Drinking a lot, extreme thirst but very little urination

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1131267	3/25/2021	IL	71	F	3/5/2021	3/5/2021	<p>Delirium/had taken over her body and was the cause of her illness; Severe weakness (could not walk or get out of a chair); Severe weakness (could not walk or get out of a chair); Nausea; Diarrhea; Mild headache; Blurred vision; Significant swelling at injection site which spread to full upper arm; Significant swelling at injection site which spread to full upper arm; This is a spontaneous report from a contactable consumer (patient). A 71-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), via an unspecified route of administration, administered in left arm on 05Mar2021 08:00 (lot number: EN6199) as single dose for COVID-19 immunisation. Medical history included osteoporosis (not bothersome), known allergies to some antibiotics, and felt dehydrated. The patient was not pregnant at the time of vaccination. The patient was taking other medications like grapefruit juice. The patient previously received first dose of bnt162b2 on 12Feb2021 (dose number 1, lot number: EL9267, administration time: 08:00 AM, vaccine location: left arm). No other vaccines received four weeks prior to COVID vaccination. On 05Mar2021 12:30, the patient experienced severe weakness (could not walk or get out of a chair), delirium (was convinced that (name) had taken over her body and was the cause of her illness), nausea, diarrhea, mild headache, blurred vision, significant swelling at injection site which spread to full upper arm over next three days and remains troublesome. Other symptoms (unspecified) lessened within two to three days and are no longer of concern. The AEs resulted in doctor or other healthcare professional office/clinic visit. Event 'significant swelling at injection site which spread to full upper arm' were treated with application of steroid cream (for arm only). Outcome of the events was unknown. The patient was not diagnosed with COVID-19 prior to vaccination. The patient has not been tested for COVID-19 post vaccination.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1131211	3/25/2021	CA	23	M	3/8/2021	3/8/2021	<p>Passed out /Lost all awareness; Light-headed; Hyperventilating; He caught his breath; Elevated heart rate; Tingling sensation; He was unable to form cohesive sentences; Muscles movements were impeded; This is a spontaneous report from a contactable consumer (patient). A 23-year-old male patient received the first dose of BNT162B2 (Pfizer-Biontech Covid-19 Vaccine, Lot. EN6206) single dose, in the left arm, on 08Mar2021, at 11:45 AM, for COVID-19 immunisation. The patient had not received any other vaccines within 4 weeks prior to the BNT162B2 vaccine. The patient had not received any other medications within 2 weeks. Relevant medical history and concomitant medications were unknown. No known allergies were reported. The patient had not experienced COVID-19 prior vaccination. On 08Mar2021, at 12:00 PM, 5 minutes after vaccination, the patient became very light-headed. In a few seconds his vision went dark and he passed out. After an unknown amount of time, he became semiconscious and was hyperventilating. While hyperventilating, his eyes were open, but he could not see anything. Once he caught his breath, after about 15 seconds, his vision came back and he lost all awareness of where he was. After about 30 seconds, the patient realized he was in the observation area for the facility and alerted the medical professionals near his vehicle he was sitting in. Medical professionals checked his vitals, which were fine other than an elevated heart rate, and he had a tingling sensation over his body for the next two minutes. In this time, he was unable to form cohesive sentences, and his muscles movements were impeded. It took another 40 minutes to return to a relatively normal state. No treatment was received. The patient recovered from the adverse events. Post the vaccination, the patient has not been tested for COVID-19. No follow up attempts are possible. No further information is expected.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1131188	3/25/2021	FL	73	F	1/16/2021	2/8/2021	Diagnosed with Afib; Couldn't breath/Gasping for air; Eyes yellow; Asthma flairup; Couldn't sleep; Shaking; A spontaneous report was received from a consumer concerning a 73-year old female patient, who experienced asthma flair up, couldn't sleep, couldn't breathe, gasping for air, shaking, eyes yellow, admitted to hospital, diagnosed with Afib . The patient's medical history mentions asthmatic since the age of 3 years old and Atrial fibrillation. Concomitant medications provided were steroids NOS and a zpack. On 16 Jan 2021, one month and 6 days prior to the onset of the events, the patient received the first of the two planned doses of mRNA-1273 (Batch number: 0281120A) for prophylaxis of COVID-19 infection. On 08 Feb 2021, patient reported having an asthmatic flair up that was bad. She took medication provided by her hcp and could not sleep, could not breathe, gasping for air, eyes yellow and shaking. She was admitted to the hospital on 11 Feb 2021 and was diagnosed with Atrial fibrillation. She missed her planned dose as she was hospitalized. The event atrial fibrillation was deemed medically significant and the patient was also hospitalized. Treatment information mentions Xanax. Lab tests were not provided. Action taken with respect to mRNA-1273 was not reported. The outcome of the events, atrial fibrillation was unknown. The outcome of the events asthma flair up, couldn't sleep, couldn't breathe, gasping for air, shaking, eyes yellow, admitted to hospital was resolved on 21 Feb 2021.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1131187	3/25/2021	NY	58	F	12/31/2020	12/31/2020	Has not gotten second dose; Got really sick; Violent bed shaking chills; Pain at injection site all the way up the right and left side of neck; Was white; Minor chills; Tunnel vision; Going to pass out; Sweaty; Increased heart rate; Blood sugar dropped; Dizzy; Pain at injection site all the way up the right and left side of neck; A spontaneous report was received from a consumer concerning a 58-years-old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced tunnel vision, felt like going to pass out/ presyncope, was white/ pallor and sweaty/ hyperhidrosis, increased heart rate/ heart rate increased, blood sugar dropped/ blood glucose decreased, minor chills/ chills, dizzy/ dizziness, pain at injection site/ vaccination site pain all the way up the right and left side of neck/ neck pain, got really sick/ illness, had violent bed shaking chills/ chills and has not gotten second dose/ product dose omission issue. The patient's medical history was not provided. No relevant concomitant medications were reported. On 31 Dec 2020, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Batch Number: 039K20A) for prophylaxis of COVID-19 infection. On 31 Dec 2020, immediately after receiving vaccine, the patient felt like she was going to pass out, tunnel vision a medically significant event, was white and sweaty, increased heart rate, blood sugar dropped, minor chills, dizzy, pain at injection site all the way up the right and left side of neck. The patient was monitored at a doctor's office for about 3 hours before she felt good enough to drive home and felt better. Pain injections lasted a week and other symptoms ended on an unspecified date. On 26 Feb 2021, the patient got really sick and had violent bed shaking chills (ended on an unknown date). The patient has not gotten her second dose but did test negative for COVID. Laboratory details included increased heart rate, blood sugar dropped and test negative for COVID. No treatment information was reported. Action taken with mRNA-1273 in response to the events was not reported. The outcome of events, tunnel vision, presyncope, pallor, hyperhidrosis, heart rate increased, blood glucose decreased, chills, dizziness and neck pain, was resolved on 31 Dec 2020. The outcome of events, vaccination site pain, illness and chills, was resolved on an unspecified date.; Reporter's Comments: Based on

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.
1131793	3/25/2021	NH	51	F	2/9/2021	2/23/2021	exacerbation of psoriatic eczema outbreak to include bilateral upper and lower extremities, all of back, abdomen and chest, buttocks, eyebrows, scalp and hair line. Increased itching that is unrelieved by any cream/lotion to include triamcinolone. Hair loss to include large clumps after washing and increased shedding when dry and/or brushing.
1132288	3/25/2021	CT	62	M	3/18/2021	3/21/2021	Severe grade v, Bell?s palsy on left face. Started 3days after second covid-19 vaccine. Patient has history of Bell?s palsy on the same side about 10years ago but had near full resolution with only mild facial asymmetry and eye lid droop prior to this. Patient sought care in our ER 3/24 and I did a video call with him 3/25 confirming severe left facial droop and inability to raise left eye brow or close eye, consistent with house-Brockman v Prednisone/valacyclovir initiated
1132670	3/25/2021	MN	29	F	3/24/2021	3/24/2021	Patient became dizzy and fainted approximately 15 minutes following vaccination. Fell and hit forehead on tile floor in hallway outside clinic room. Brief loss of consciousness. Patient continued to have periods of dizziness, spotted vision and weakness as well as developed nausea. Ambulance was called and patient was transported to the hospital for further evaluation. Patient was given water and a snack, but continued to have symptoms. Later determined patient had not eaten breakfast prior to vaccination.
1132661	3/25/2021	VA	59	F	3/9/2021	3/10/2021	March 10 - onset with dizziness March 11 - 12:45 PM while sitting symptoms progressed to vertigo, tingling throughout body, ear pitching sounds, tunneling vision, total blackout and falling from chair. Upon coming to, symptoms of weakness, in and out of alertness, confusion and diminished responsiveness. Remained on floor for an hour and my symptoms contined for 5 hours until about 6pm. Had severe hypotension: no readings upon reaction, but three hours later they were: 4pm - 84/48, 6pm - 94/54, 7pm - 97/58, 9pm - 100/60. Regular readings are 110/90.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1132653	3/25/2021	PA	40	F	3/25/2021	3/25/2021	Classic vasovagal reaction without syncope Warmth, clamminess, dizziness, partial tunnel vision Self resolving symptoms with BP, pulse, O2 sat all within acceptable ranges with 60 minute observation No orthostasis and comfortable ambulation at discharge from observation unit
1132640	3/25/2021		30	F	1/15/2021	1/16/2021	1/15 vaccination That night I felt tired. Went to bed, woke up with rash on torso, breasts, armpit. It was warm to the touch, it was not hive, raised slightly. I kept eye on it, called dr and monitored size. Within 24 hours it started to fade and slowly went away over the next week. *I took Tylenol the night before the vaccination.
1132484	3/25/2021	NY	35	F	3/6/2021	3/7/2021	Bell's palsy facial paralysis right side of face was droopy with no control on eye, nasal, and mouth; This is a spontaneous report from a contactable consumer. A 35-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), dose 1 via an unspecified route of administration, administered in Left Arm on 06Mar2021 18:15 (Batch/Lot Number: EN6201) as single dose for COVID-19 immunisation. Medical history included COVID from Dec2020 to an unknown date. There were no concomitant medications. The patient previously took cefalexin (KEFLEX) and experienced known allergies to KEFLEX. The patient experienced Bell's palsy facial paralysis right side of face was droopy with no control on eye, nasal, and mouth on 07Mar2021 18:00 with outcome of not recovered. The event resulted in doctor or healthcare professional office/clinic visit. The patient underwent lab tests and procedures which included blood labs: unknown results on an unknown date. Therapeutic measures were taken as a result of the event.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1132480	3/25/2021	FL	70	M	3/1/2021	3/2/2021	symptoms of heart attack; chest pain; hands and fingers tingly; dizzy; blurred vision; Vision decreased; extreme tiredness; lethargic; hurting all over; This is a spontaneous report from a contactable consumer (patient). A 70-year-old male patient received BNT162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot # EN6198) intramuscularly in left arm on 01Mar2021 05:45PM (at the age of 70-year-old) at single dose for COVID-19 immunisation. Relevant medical history included 5 back surgeries, Barrett's esophagus and H. pylori. Known allergies included Eliquis. Concomitant medications included dexlansoprazole (DEXILANT), hydrocodone, atorvastatin (LIPITOR), famotidine and chondroitin sulfate sodium, glucosamine hydrochloride (TAZAN). For 4-5 days after vaccine the patient had extreme tiredness, was lethargic and hurting all over. On day 5 chest pain started, hands and fingers tingly, dizzy, blurred vision both eyes off and in, vision decreased by 50% right eye. He experienced all symptoms of heart attack. Onset date for extreme tiredness, lethargic and hurting all over was 02Mar2021, while all the other events occurred on 06Mar2021. The patient was hospitalized for 1 day. No treatment was received. The patient underwent COVID test post vaccination, nasal swab on 07Mar2021 and it was negative. The events resolved in Mar2021.
1132462	3/25/2021	OK	72	F	2/20/2021	2/21/2021	I woke up the next morning around 4am itching all over and started breaking out in red spots all over my body . This has not lessened, but has become worse over time. My eyes are swollen, I'm still itching all over and breaking out in hives.
1132427	3/25/2021	ID	41	F	3/11/2021	3/11/2021	Exactly an hour after receiving the shot, I started horribly itching from head to toe and had a red rash. I took 2 zyrtec. The allergy meds helped but once they wore off I would start itching. Two days after the shot my face got really puffy especially around the eyes. For six days I took 2 Zyrtec in the morning and 1 benadryl at night. After 6 days of the allergy meds I finally was back to normal.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1131951	3/25/2021	NC	45	F	3/17/2021	3/21/2021	I woke up with cold/flu like symptoms and severe vertigo on Sunday March 21 2021. I could not even walk straight the vertigo was so severe. Monday the cold symptoms were much better mostly fatigue and I still had vertigo but not as bad. To this day I still have the vertigo. When I get up or down from a laying position the room spins. If I lean my head back even when I'm standing the room spins. If I stand too long I get a fuzzy feeling. My vision is also a bit cloudy than before.
1132390	3/25/2021	NC	70	F	3/4/2021	3/4/2021	MODERNA COVID-19 VACCINE EUA 1:45 while playing 9 holes of golf, experienced lightheadedness, dizziness, headache and vision blacked out momentarily. Heart racing tremendously; experienced left arm tingling pain, tightness in chest and then severe jaw pain. Golf partner called EMS, took one tab of Nitroglycerine and 4 81mg of Aspirins. EMS arrived at golf course, heart rate remained high; between 190 to 204. Got me inside of ambulance and issues a heart stopping drug to reset the heart. Admitted to Medical Center within the next 2 hours. Several EKGs, blood work, etc., showing some heart damage. Sent home on 3/5/2021 with diagnosis of SVT (supraventricular tachycardia); monitoring accordingly now. Wore heart monitor for 15 days. Still SOB (short of breath); upper back pains, sharp shooting pains in left upper part of back radiating into the heart area, and other issues; dizziness and malaise (very tired). Before shot was working out, walking, playing golf, dancing. Performing many duties of household experiences with never any issues.
1132003	3/25/2021	FL	70	F	3/11/2021	3/12/2021	Extreme fatigue, N/V, body aches, chills, dry cough, eyeballs hurt...flu like symptoms; She stated that she was very close to going to the ER yesterday but didn't. Getting a covid test.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1134014	3/25/2021	OH	24	F	3/25/2021	3/25/2021	Patient stated she began to have heart palpitations a couple mins after sitting down then followed by vision and hearing by the time nurse arrived. Patient stated feeling like she going to pass out then asked nurse to hold her hand. EMT arrived checked vital signs all within normal limit per patient. Patient then states that everytime she is in a medical setting she pass out or has vision and hearing loss due to panick and anxiety attack. Stated everytime to gives blood she has this is sure. Patient also refused homecare.
1132119	3/25/2021	TX	43	M	3/22/2021	3/22/2021	03/22/2021 - 12:43PM: A 30mcg/0.3mL dose* of COVID-19 Pfizer BionTECH vaccine was drawn up into a 1mL syringe with a 23G 1? needle and prepared for administration in the left deltoid. This was the patient?s second dose of a 2 dose series. [*vaccine lot EN6207] After insertion of the needle into the left deltoid, the nurse was beginning to depress the plunger into the barrel of a needle-syringe combination, (to administer a 0.3mL dose of COVID-19 Pfizer BionTECH vaccine) when the needle and hub broke from the tip of the syringe. The needle hub effectively spooned the vaccine to splash in the reverse direction from that of the needle. The vaccine went into the nurses left eye and surrounding facial area(s). The needle and hub remained in the patient?s arm, but it was removed immediately with no adverse effect, bleeding, or leaking of the vaccine suspension. The nurse apologized to the patient who was to receive the vaccine. She told him that no vaccine was injected. She said she would immediately prepare another 0.3mL dose of COVID-19 Pfizer BionTECH vaccine and **repeat the administration. The man gave no vocal expression of refusal or display of guarding. Following the completed IM injection of a 0.3mL dose of COVID-19 Pfizer BionTECH vaccine, the patient was reported to express his wish that she make ?a note of what happened.? He was escorted to a post-immunization monitoring area for the recommended 15 minutes of observation. During this time he did not report any adverse effects, or other abnormal outcomes possibly associated with the vaccine administration.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1133296	3/25/2021	MA	21	F	3/22/2021	3/25/2021	I started developing local swelling on my lower left arm below my elbow, and rashes on my left eye lid. The symptoms are mild, yet itchy. No pain and no medication was taken after the symptoms developed.
1132100	3/25/2021	NC	53	F	3/24/2021	3/24/2021	Shortly after receiving the vaccine I started noticing a black dot that I thought was a gnat or fly only on one side in front of my eye. I received my shot in the right arm and that is the same side the dot was appearing.
1132097	3/25/2021	FL	56	F	3/24/2021	3/24/2021	Experienced swelling of eyelids (both L/R), intense itching primarily in eyes, some itching on hands and feet, sneezing, runny nose Took 1 25mg Benadryl tablet within 5 minutes of start of symptoms, had to take another 25mg Benadryl tablet approximately 30 minutes later because eyes were continuing to swell and itch Also experienced onset of severe headache about 45 minutes after shot Went to bed and slept for 3 hours after taking the second Benadryl. Felt better after waking, still had slight swelling in eyelids. Experienced minor itching at 10:30 pm, took 2 more Benadryl tablets at 11 pm. Minor eyelid swelling next morning, minimal itching.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1132072	3/25/2021	FL	55	M	3/18/2021	3/18/2021	Within 5-minutes of vaccination, the patient reported weakness and confusion. EMS evaluated the patient on-site. No signs of stroke. EKG demonstrated NSR, rate 77bpm, no ST elevation. FSBG was 290mg/dl. EMS transported the patient to Hospital Emergency Department. Enroute, the patient became increasingly confused, forgetting their birthday and location. Patient was hypertensive (178/104) and reported a "crushing headache". EMS crew became concerned for stroke. In ED, the patient remained hypertensive (178/93). ED Physician had high suspicion of TIA versus acute reaction to COVID-19 vaccine. Administerd 650mg acetaminophen and 1mg Lorazepam. Admitted patient to critical care unit where patient stated they had developed a sudden-onset diffuse banding-like headache with associated nausea, diaphoresis, blurry vision, and confusion. MRI was negative and patient was transferred from ICU to hospital. Hospital physician believed the symptoms were likely a vagal mediated response or reaction to his COVID vaccination. Patient was discharged on 3/20 with diagnoses of TIA, Acute encephalopathy, Insulin-dependent type 2 diabetes, Essential hypertension, CAD, Unspecified mood disorder, Dyslipidemia, Obesity, and Mild neuro cognitive disorder
1132058	3/25/2021	RI	71	F	2/4/2021	3/1/2021	Approx three weeks after vaccine developed eye droop , loss of nasal fold, mouth droop, tingling and pins and needles going into lip and across the top lip into r side of face. All this on my left side, starting at the eye with pain and pain into nose.
1132019	3/25/2021	GA	53	F	3/23/2021	3/23/2021	I have had blurry vision since around 12pm on the 23rd. Today is slightly worse.
1132682	3/25/2021	NJ	78	M	3/14/2021	3/22/2021	8 days after the Covid 19 Moderna Vaccine #1 was received, I started having adverse symptoms: left side of mouth was numb, face got numb and then left eye would not close completely. After Emergency Room visit, I was given a Cat Scan and MRI and the neurologist diagnosed my condition as Bells Palsy.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1132419	3/25/2021	NY	31	F	3/18/2021	3/18/2021	3:40 pm received shot and felt soreness at injection site. 11 pm: started experiencing chills, goose bumps, headache, body aches, 3/25: all symptoms continued and also experienced sensitivity to light. Eyes hurt when moving them around All symptoms diminished 36 hours after shot. Symptoms were gone 48 hours after shot. Only soreness at injection site remained for 2 more days.
1135536	3/25/2021	NY	70	F	3/17/2021	3/18/2021	3/17/21 Chills from 12:30 am until 7:30 am. 7:30 am felt very very ill. had temp of 101.7. All of a sudden I had Urinary incontinence. I started peeing in my bed. Asked my husband to help me to bathroom because I felt so sick. I fainted in his arms Got back into bed and had a horrible migraine. had to have my eyes covered and dark room I felt as though I was going to throw up for hours. Did not eat anything until 8 pm. some toast and tea. 3/18/21 Still sick but not as bad. Stayed in bed for 1/2 day. it was a slow go. 3/19/21 Still not myself. 3/20/21. Felt more myself.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1135309	3/25/2021	AZ		F	2/15/2021		flare up her autoimmune condition; bleeding from the nose; increase heartrate; increase blood pressure; sweating; bleeding from the eye; joint problem; fever; body aches; nausea; chills; A spontaneous report was received from a consumer concerning herself,a female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced fever, chills, body aches, nausea, increased heartrate, increased blood pressure, sweating, flare up of her auto immune condition, bleeding from the eye and nose, and joint problem. The patient's medical history, was not provided.No Concomitant medications were reported . On 15 Feb 2021 prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Lot number: 030M20A) for prophylaxis of COVID-19 infection. On an unknown date , the patient experienced Fever,chills,nausea,pain, increase heartrate, increase blood pressure, hyperhidrosis, flare up of her auto immune condition(Auto immune disorder NOS), eye haemorrhage,epistaxis, and joint problem . No seriousness reported for events. Seriousness of event autoimmune disorder considered to be to medically significant according to IME list. Treatment for the events was unknown. Action taken with mRNA-1273 in response to the events was unknown. The outcome of the events Fever,chills,nausea, pain, increase heartrate, increase blood pressure, hyperhidrosis, flare up her auto immune condition(Auto immune disorder NOS), eye haemorrhage, epistaxis, and joint problem was unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded.
1135864	3/25/2021	FL	64	F	3/18/2021	3/18/2021	Throat closure; loss of feeling in left hand; loss of feeling in right foot; low grade fever; inability to lift arms; All joints were swollen and unbendable; eyes swelled up and were burning unbearably; loss of taste;
1135856	3/25/2021	IL	86	F	3/7/2021	3/8/2021	Woke up with the right eye whiteness covered with blood. 10 days to heal. This occurred the day after receiving the second dose - March 8. On March 24, lost vision in the right eye for about a half an hour.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1135836	3/25/2021	IL	58	F	3/11/2021	3/17/2021	I was hospitalized with visual disturbances which lasted about 30 minutes and transient aphasia that lasted about 1.5 hours and blood pressure of 190/85.
1135810	3/25/2021	WA	45	F	3/22/2021	3/22/2021	At first my eyes , mouth, and throat started to burn, then I started to shake uncontrollably for several hours. I went straight to the ER when it started. Every day since then I have had several shaking episodes lasting in length from 30min to 2 hours. After I get a horrible headache and feel exhausted.
1135800	3/25/2021	OH	33	F	3/25/2021	3/25/2021	Dizziness and blurred vision
1135582	3/25/2021	OK		F	1/26/2021	1/27/2021	I continue to swell daily my eye balls; I was swollen from head/ chest; I continue to swell daily/chest; My arm ached off; My knees and ankles, my feet, my whole body continues to swell.; I was swollen from toes/My knees and ankles, my feet, my whole body continues to swell/ I continue to swell daily/ arms hands; This is a spontaneous report from a contactable consumer. A 68-year-old non-pregnant female patient received the first dose of bnt162b2 (BNT162B2, Batch/Lot Number: #EL9263), via an unspecified route of administration, administered in the right arm on 26Jan2021 14:45 as a single dose for covid-19 immunisation. The patient's medical history included known allergies (not specified). Concomitant medications were not reported. On 27Jan2021 at 06:00, the patient's arm ached off and on during the evening as was expected. When she awoke the next morning, she was swollen from head to toes. She continues to swell daily, her eye balls, her arms hands and chest. Her knees and ankles, feet, and whole body continues to swell. The doctor said to take Benadryl, it would help some, but she would still swell. Now she takes Hydroxyzine because one Tuesday, about two weeks ago, the swelling was terrible. This medicine helps about the same as Benadryl. The outcome of the events was not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1135577	3/25/2021	HI	17	F	3/8/2021	3/16/2021	<p>Began having seizures; Presented to the ER on 17 March 2021 for headache with blurry vision; Presented to the ER on 17 March 2021 for headache with blurry vision; Also had persistent nausea and subsequent vomiting; Also had persistent nausea and subsequent vomiting; Fever X1 to 100.4F on day of presentation/no further sz; This is a spontaneous report from a contactable physician. A 17-year-old female patient (not pregnant) received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) intramuscularly in right arm on 08Mar2021 (lot number: EN6206) at single dose for COVID-19 immunization. Medical history included headache and irregular periods, ongoing hospitalization. No known allergies. Concomitant medications included birth control pills. No other vaccine in four weeks. No COVID prior vaccination. Vaccine received during existing hospitalization. The patient began having seizures (hospitalization prolonged, life threatening) on 16Mar2021 12:00, presented to the ER on 17Mar2021 for headache with blurry vision (hospitalization prolonged, life threatening) on 16Mar2021 12:00, also had persistent nausea and subsequent vomiting (hospitalization prolonged, life threatening) on 16Mar2021 12:00, fever x1 to 100.4F on day of presentation/no further seizure (hospitalization prolonged, life threatening) on 16Mar2021 12:00. Clinical course: Presented to the ER on 17March2021 for headache with blurry vision. Patient reported symptoms for 1 day prior. Also had persistent nausea and subsequent vomiting. Presented to the ED at 23:00. Began having seizures. EEG shows localized to the occipital region. Fever X1 to 100.4F on day of presentation no further sz. LP shows 1 WBC, Gram stain negative. Cultures negative. HSV pending. On ceftriaxone and acyclovir. Continues to have focal sz on EEG now on 3 AEDs. MRI with contrast negative. CBC unremarkable. CRP elevated to 0.8 (normal less than 0.5). Tox screen negative. COVID tested post vaccination: Nasal Swab (SARS-CoV-2 Cepheid) with result of negative on 17Mar2021. Therapeutic measures were taken as a result of all the events which included treatment with IVIG, Antibiotics, Steroids, Antiepileptics. The outcome of the events was not recovered.; Sender's Comments: Based on the information currently available, a possible contributory role of the suspect drug to the</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

reported events cannot be completely excluded based on temporal association and known drug safety profile. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

1135892	3/25/2021	WA	38	F	3/25/2021	3/25/2021	Patient received Moderna vaccine and approximately 30 minutes later she returned to clinic with complaint of left eye swelling that progressed to throat swelling and shortness of breath. She was transferred to emergency room via ambulance.
1135538	3/25/2021	TX	18	M	3/25/2021	3/25/2021	Lethargic, Nausea, Difficulty with hearing, decreased LOC and Blurry vision
1135897	3/25/2021	GA	60	M	2/17/2021	2/19/2021	Hazy/foggy vision, temporary. For about 7 days after both doses, my eyesight got very foggy, severely limiting my ability to get anything done. It took about 2 days to get to its worst, was bad for about three days, then about 2 days to clear up. Vision basically returned to "normal" after each event.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1135521	3/25/2021	WI	72	M	1/29/2021	2/8/2021	Central retinal vein occlusion with macular edema of left; Central retinal vein occlusion with macular edema of left; ophthalmic and retinal artery occlusion left eye; nuclear sclerosis of both eyes; This is a spontaneous report from a contactable consumer (patient). A 72-year-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Formulation: Solution for injection; Lot Number: EL9262) via an unspecified route of administration in the left arm on 29Jan2021 14:45 (at the age of 72-year-old) as a single dose for COVID-19 immunization. Medical history included acid reflux and allergies to mollusks. The patient did not receive other vaccine in four weeks prior to vaccination. Prior to vaccination the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. Concomitant medication included omeprazole (MANUFACTURER UNKNOWN). On 08Feb2021 at 06:00, the patient experienced central retinal vein occlusion with macular edema of left eye; ophthalmic and retinal artery occlusion, left eye and nuclear sclerosis of both eyes. The seriousness criteria were considered as disability. The event resulted in Doctor or other healthcare professional office/clinic visit. Therapeutic measures were taken as a result of events and included treatment with intraocular injection of anti-VEGF. The outcome of the events was unknown.
1135515	3/25/2021	GA	58	M	3/19/2021	3/20/2021	Approximately 12 hours after the vaccine i started to get very bad chills and body aches and also fever that reached 102. Every bone in the body felt like it was cracking. This lasted about 24 hours. I was also sweating a lot. The sweating at night lasted 3 days. I have the dry mouth and tongue with a thick layer of saliva and the mouth is swollen. I also have very dry eyes and nose/throat. These also are the after side effects of covid which i had in mid jan that i was getting better from. After taking the vaccine the symptoms of swollen mouth and thick saliva including dry eyes flared up again. Today is day number 6 after the vaccine and its a little better but not much.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1135512	3/25/2021	CA	37	F	3/25/2021	3/25/2021	On 3/25/21 at 1220 Pt received her first Pfzier vaccine to the left deltoid and was sitting in the post vaccine observation site under 15 min observation. Pt was witnessed slumping down in chair by nurse at 1225 and then became unconscious with eyes gazed and to the right with snoring respirations. Pt was assisted to the floor by two nurses without any trauma lying supine and legs elevated. VS were taken 122/60,59,20 and SPO2 87%. Pt woke while BP was being taken and started talking and was A&OX4. Pt was placed on oxygen at 10LPM with NRB mask. SPO2 increased to 99%, pt's skins were W/D with good color. Pt denied any SOB, itchy throat or difficulty swallowing, rash or hives. Pt was feeling a bit better and oxygen was taken off. Pt was then sat up with legs straight while on the floor to repeat VS at 1231 Pt's BP was 70 systolic, pluse of 58, SPO2 dropped again to 87% and pt became vere dizzy and vision blackening and was layed back down immediately with legs elevated and NRB mask at 10 LPM was placed back on with increased SPO2 of 99%. Pt had positive orthostates. Pt also c/o tingling hands. 911 was contacted at 1234. VS at 1241 were 106/60, 62, 20 and SPO2 of 100%. Pt's husband was at her side. 1247 engine co 54 arrived onscene and report was given to paramedic. AMR unit 460 arrived approx 2 min later. Pt was assessed and transported to closest ER.
1135498	3/25/2021	AZ	26	M	3/4/2021	3/5/2021	Pt. reports drooping of his left eye and left lip, which lasted a few hours, one day after receiving his first dose of the COVID-19 vaccine.
1135417	3/25/2021	OR	40	F	3/24/2021	3/24/2021	2.5 hours after vaccination, I was sitting watching tv when I had a sudden neurological event. It was like a seizure. I was unable to talk, my eyes rolled back, and my right shoulder and arm seized up. I was sputtering and unable to make it stop. Lasted for a minute or two then stopped for a minute and happened again. I felt disoriented, confused, scared. I was unable to walk straight or visually focus on anything. I contacted my primary care doctor and she recommended I be seen immediately but advised I call Providence and speak with a nurse. I did that and the nurse said to come in to the ER immediately. I did.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1135338	3/25/2021	AZ	50	F	3/24/2021	3/24/2021	Chills, fever, dizziness, weakness, jittery, can't sleep, fatigue, swollen, thirsty. Received shot at 8:48am, symptoms began at 12:30pm while on a bike ride. I finished the ride but was too weak to do anything the rest of the day. That night I couldn't stop shaking and lay in bed wide awake until about 2am. I felt dizzy like I was spinning when I closed my eyes. I slept off and on until 6:30am. Today I'm feeling slightly better but still can't sleep. I am drinking an excessive amount of water and herbal tea.
1135336	3/25/2021	MA	40	F	2/6/2021	2/6/2021	dizzy; feeling drugged; numbness; loss of most use in hands; took extreme amount of planning and effort to speak a singular word or move any part of body; nausea; vomiting; Hands/ fingers, legs, eye, all developed tics; Legs were twitching all night; little achey; This is a spontaneous report from a contactable consumer (the patient). A non-pregnant 40-year-old female patient received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot#: UNKNOWN), via an unspecified route of administration in the left arm on 06Feb2021 at 16:30 PM (at the age of 40 years) as a single dose for COVID-19 immunization. The patient medical history was not reported. Prior to the vaccination, the patient was not diagnosed with COVID-19. Concomitant medications taken within two weeks of vaccination included bupropion hydrochloride (WELLBUTRIN), gabapentin, fluvoxamine. The patient did not receive any other vaccines within four weeks prior to the vaccination. The patient previously took cephalexine and experienced drug hypersensitivity. On 06Feb2021 at 17:30 PM, the patient started to get dizzy, feeling "drugged", numbness, then loss of most use in hands (significant weakness- could not hold a cup), took extreme amount of planning and effort to speak a singular word or move any part of body, nausea, vomiting, hands/ fingers, legs, eye, all developed tics, legs were twitching all night, little achy. No treatment was taken for the events. The clinical outcome of the events was recovered. It was also reported that since the vaccination, the patient had been tested for COVID-19 on 18Feb2021, Nasal Swab: Negative. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1135313	3/25/2021	CA		F	1/20/2021	1/20/2021	Coughing; RUNNY NOSE; CONGESTION; SNEEZING; Itching under my tongue; Hard to swallow; lips started puffing up; difficulty breathing; Anaphylactic reaction; Itching on both sides of her jaw; Itching in my eyes; Sore arm; A spontaneous report was received from a consumer, concerning a female patient of 70 years age, who received Moderna's COVID-19 vaccine and experienced itching on both sides of her jaw, but not at her chin, and itching in her eyes.He had sore arm, coughing, runny nose, congestion, sneezing, itching under my tongue, had to swallow, lips started puffing up, anaphylactic reaction. The patient has SIRS(Systemic Inflammatory Response Syndrome) and is being treated for mold toxicity. Patient was receiving an IV treatment for mold toxicity. Patient took Benadryl (diphenhydramine) as a treatment for events such as itching on both sides of her jaw, but not at chin, and itching in eyes and sore arm.Concomitant product use was not provided by the reporter. On 20 Jan 2021 prior to the onset of events, the patient received their first of two planned doses of mRNA-1273 (042L20A) via unknown route for COVID-19 infection prophylaxis. Action taken with mRNA-1273 in response to the event was unknown. The outcome of the events, such as itching on both sides of jaw, itching in eyes, sore arm were considered as resolved and events such as coughing, runny nose, congestion, sneezing, itching under tongue, had to swallow, lips started puffing up, anaphylactic reaction were considered to be not resolved at the time of this report.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1135312	3/25/2021	FL	59	F	3/3/2021	3/6/2021	Colitis; Blood in the diarrhea; Felt so sick; Rash in her stomach; Abdominal pain; Diarrhea; A spontaneous report was received from a consumer concerning herself, a 59 years old female patient who experienced colitis, abdominal pain, diarrhea, blood in diarrhea/hematochezia, sick/malaise and rash in her stomach/rash. The patient's medical history included current conditions such as diabetes, asthma, reflux, dry eyes, osteoporosis. Products known to have been used by the patient, within two weeks prior to the event, included cholesterol medication, blood thinner for heart attacks, asthma medication, medicines for reflux, dry eyes medicines, osteoporosis medicine shot every 6 months and liraglutide. The patient received their first of two planned doses of mRNA-1273 (Batch number: 014M20A) on 03-Mar-2021 intramuscularly in left arm for prophylaxis of COVID-19 infection. On the same day of vaccination, the dose of liraglutide was increased. On Saturday, March 06, patient experienced abdominal pain and diarrhea. On Tuesday 09 Mar 2021, Liraglutide was stopped because patient experienced rashes in the stomach. On Wednesday 10-March 2021, patient experienced blood in diarrhea and was very sick and was hospitalized for one day for Colitis and was given medication. She is feeling better now and has colonoscopy on 09 Mar 2021. Treatment information was unknown. Action taken with mRNA-1273 in response to the events was unknown. The event(s), abdominal pain, diarrhea, blood in diarrhea/hematochezia, sick/malaise, rash in her stomach/rash were considered were unknown. The event colitis was considered recovering.; Reporter's Comments: Very limited information regarding this event/s has been provided at this time. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1135570	3/25/2021	CA	75	F	2/19/2021	2/19/2021	all face including eyes swollen and red; all face including eyes swollen and red; skin got creepy, dry, itchy; injection site pain and was swollen a lot; little dizziness; nausea; Muscle pain more on back side of shoulder towards neck-unbearable pain; headache; neck disfigured; rash; injection site pain; brain fog big time - disorientated, felt like brain getting damage; I'm desperate; This is a spontaneous report from a contactable consumer (patient). A 75-years-old female patient received second dose BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE Formulation: solution for injection, Lot no: EN5318) via intramuscular at left arm on 19Feb2021 at 03:10 (at the age of 75-years-old) at single dose for covid-19 immunisation (at hospital). Patient medical history not reported. Concomitant medications included levothyroxine; 0.075 mg once daily for hypothyroid since 20 years; ongoing and trazodone 100 mg 1 tab daily since 20 years; ongoing. On 19Feb2021 the patient experienced injection site pain and was swollen a lot, little dizziness, nausea, muscle pain more on back side of shoulder towards neck-unbearable pain, headache, all face including eyes swollen and red, all face including eyes swollen and red, skin got creepy, dry, itchy, brain fog big time - disorientated, felt like brain getting damage, she was desperate, skin got creepy, dry and itchy. my face and neck was disfigured that don't want my children and grant children see my face. Rash-swelling, itchy and flaky skin, got a little better on 01Mar, but I still have creepy skin, flackey, itchy around eye and eyelids were swollen and dry and felt like have stones rolling in my eyes and my brain fog was very bad. I want to know if my skin will ever get better. Patient took vit-d and all the vit. Covid. Patient received treatment as OTC, Tylenol, ibuprofen, aleve. No covid prior vaccination. The reporter reported seriousness criteria as non-serious. The outcome of the events was recovering. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1136050	3/25/2021	CA	19	M	3/25/2021	3/25/2021	Patient received Janssen vaccine via IM into left arm at 519PM. This RN was called to patient side at 525PM due to patient feeling faint. RN and RN already at patient side. Patient was noted to be sitting in chair slumped over and diaphoretic. Patient not responding to questions or speaking. EMS called to scene. Cot immediately moved over next to patient and patient picked up via 3 person lift and laid onto cot. Patient eyes open and looking around with symmetrical chest rise and no appearance of difficulty breathing, patient pale and diaphoretic - vital signs at 529PM = manual BP 110/56, HR 48, SpO2 95% on room air. At 1732 patient became more coherent, GCS 15, alert and oriented x 4, patient remained diaphoretic and pink/pallor noted to skin. Vital signs at 1734 = manual BP 108/54, HR 77, and SpO2 99% on room air. EMS arrived on scene at approximately 545PM. EMS evaluated patient who remains alert and oriented x 4, GCS 15, and is now pink warm and dry. EMS allowed patient to go home after signing necessary paperwork on their end. Patient observed self-ambulating out of vaccination site with cousin at side.
1136259	3/25/2021	WA	63	F	3/23/2021	3/23/2021	Extreme thirst, chills, full body muscle aches, dizziness, extreme fatigue (so much so I could barely keep my eyes open when driving after 8 hours of sleep the night before), nausea, stomach upset. Note: I have not had a flu shot for 25 years, nor have I ever had the flu during that time, but the symptoms do seem flu like. It is now end of day 2 following the 2nd dose of vaccine and I still feel incredibly icky.
1136173	3/25/2021	WY	35	F	3/25/2021	3/25/2021	I felt very dizzy and my breathing was tight approximately 2 minutes after receiving the shot. This passed in about 20 minutes and I dismissed it as anxiety. Then, 3 or 4 hours after the shot, my right eye began swelling. The eyelid feels and looks like it is sunburned and the eye swelling is very noticeable. It has been 7.5 hours since the shot and my eyelid is burning. I also have a headache behind my eyes and am very tired, and my arms are itchy.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1136164	3/25/2021	SD	21	F	3/24/2021	3/24/2021	Immediately after injection: dizziness, nausea, light headedness, temporary loss of hearing, blurred vision, abdominal cramps, fever. 1+ Hour after injection: severe abdominal cramps, nausea, severe headache (severe pain behind eyes specially when eyes were open), chest pains, upper back pain, pain in all joints (primarily hips), muscle aches over whole body, fatigue, chills, fever, trouble breathing, light headedness Morning After Injection: full body ache, severe fatigue, trouble sleeping, fever, chills, body sweats, slight chest pains, even more severe headache. 24 -36 hours after Injection: reduced muscled aches, fatigue, headache, pain at the sight of injection.
1136152	3/25/2021	FL	69	M	3/24/2021	3/25/2021	The patient's family member reported that he has been experiencing double vision and trouble seeing far away since 8 a.m. March 25, 2021.
1133230	3/25/2021	OR	43	M	3/22/2021	3/24/2021	Experienced two ocular migraine events in the past 24 hrs: first at 3 days after first dose, and second at 4 days after first dose I've had ocular migraines in the past, but haven't had one in the past 10 years. I've had two in the last 24 hours. Ocular migraine event for me is temporary blindness with floating bright object in line of vision with mild dizziness. Requires about 20 minutes to fully subside.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1136142	3/25/2021	UT	32	F	3/25/2021	3/25/2021	PATIENT REPORTED TO NURSE 15 MINUTES AFTER INJECTION THAT SHE FELT LIGHTEADED AND HAD AN ITCHY THROAT. SHE SAT DOWN ON THE GROUND AND ATE SOME PEANUT BUTTER CRACKERS AND SOME WATER. SHE REPORTED THAT THE ITCHINESS IN HER THROAT PAST, HOWEVER HER DIZZINESS INCREASED. BP 105/60, O2-100, HR- 108, RR- 12. SHE WAS ASKED TO LAY FLAT AND SHE REPORTED SHE HAD DIFFICULTY BREATHING WHEN FLAT. SHE SAT UP AND COMPLAINED OF CHEST TIGHTNESS, AND TUNNEL VISION. PATIENT WAS NOT IMPROVING AND 911 WAS CALLED AT 1827. PATIENT AGREED TO 911 BEING CALLED PLACED INTO A WHEELCHAIR. SHE WAS WEAK UPON STANDING. VITALS BEFORE SHE WAS TRANSPORTED WERE O2- 99-100%, RR- 14, BP 110-62, HR-83. TRANSPORTED VIA AMBULANCE. SHE REPORTED SHE HAS ASTHMA AND DID NOT HAVE HER INHALER. SYMPTOMS WERE "SIMILAR" TO WHEN SHE HAS AN ASTHMA ATTACK.
1134023	3/25/2021	NV	66	F	3/4/2021	3/6/2021	Vaccine 3/4/21. 2nd day extreme tiredness for 2 days; then weak, dizzyish, tremors, blurred vision right eye which is near legally blind, poor concentration, generally poor feeling. These symptoms went on for 2 weeks, until I had to do my routine lithium level on 3/18/21. I was toxic at 1.7. Have been on lithium 40 years and have never been toxic. My doctor sent me to ER, where they gave me fluids and potassium. When checked in ER, my BP was 214/87. I never have high BP - 120/80 is normal. On discharge, my BP was 194/79. Saw my doctor ASAP on advice of ER. My doctor put me on amlodipine for BP which I started today. He said I had essential hypertension and heart rate is irregular.
1136077	3/25/2021	WA	25	M	3/12/2021	3/12/2021	Experienced blurred vision and dizziness. Refused medical care. Medical Device recommended patient go to clinic. Symptoms resolved.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1135881	3/25/2021	TN	34	M	3/20/2021	3/20/2021	Almost immediately after I received my dose, I felt very dizzy and began sweating profusely. My vision became very blurry, and I had trouble breathing. No one came to check and see if I was ok. They just waved me out of the building, being terrified of what was going on and what wanting to leave the facility I drove out into the parking lot for the additional assessment. In the parking lot, I continued panting and sweating, feeling as though I was going to vomit. Again, no one checked on me, and I was too incapacitated to "honk my horn 3 times." After the additional 15 minutes, they waved everyone through to leave, so I left. There was no professional around to speak with at this point anyways. Covered in sweat and dizzy. I drove home to go to bed. When I got home about 10 minutes later, my arm where I received the vaccine was already very sore. I laid in bed and fell asleep and continued sleeping off and on for the rest of the day and night. My shoulder was still sore the following morning when I woke up. As the day progressed my fatigue increased (Sunday was not too bad.) Monday (3.22.21) I felt terrible, (headache, brain-fog, bad back pain, bad knee pain, bad hip pain.) My symptoms have persisted all week. I am unsure as to what to do. I do not have a doctor that I regular see. I am afraid to receive another dose and have even worse reactions/side-effects
1136053	3/25/2021	UT	69	F	3/15/2021	3/16/2021	Fever, muscle and joint aches, eyeball aches, loss of appetite, extreme fatigue. On the first day after the second dose (Tuesday, March 16, 2021), I slept 19 hours, sat up for 1 hour, and went back to bed and slept another 16 hours. Upon waking on the second day after the vaccination (Wednesday, March 17, 2021), the fever had broken and the aches were not as severe but still present. No food or drink were consumed as I slept the entire time. On the third day after the vaccination (Thursday, March 18, 2021), aches were gone, but I was so weak with little energy. In addition, I had lost 3.5 pounds since the day of the vaccination. I could not find a thermometer (as well as was too tired to look), so I cannot tell you what my temperature was, but my face/forehead was hot to the touch.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1136112	3/25/2021	MA	41	F	3/25/2021	3/25/2021	Within 15 minutes: Dizziness, light headed, seeing stars, blurred vision, racing heart rate. I thought at the time I was having a panic attack. I tried to slow my breathing and relax. It did not help any. I monitored my Heart rate on my watch. My EKG said my heart rate was high and marked 138 at one point while at rest when my average resting rate is 52. By the time I walked to my car I felt chest pain and pain in my neck. It was a tightening and burning. In my car, at 1:25 I took antihistamine in a 24 hr dose of Claritin and an inhalation of OTC Flonase. I felt my body calming slightly, but not 100% returning to normal. I alerted my Dr. and she agreed I should not have the second dose without first taking an otc antihistamine and also having an epi pen on hand. I stayed with a friend so I was not alone, and continued to rest. At 6:12 i tried to move around and my hear rate shot back up to 132. I sat back down. At 9:30 I still have pain like I?ve been punched really hard in the chest.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1136040	3/25/2021	CA	30	F	3/25/2021	3/25/2021	<p>Patient presents to the clinic at about 2:20pm for her 2nd dose of COVID vaccination. She was greeted and asked to fill out another consent form for the 2nd dose and was told it will be reviewed after she completes it. She states she has a history of seizure. State had one small seizure episode yesterday. States her doctor is aware and is running more tests and changing her medications around. States her doctor is aware about her COVID vaccination and made no mention that she should not get the vaccine. She states she is comfortable getting it. She states she received the first dose of the COVID vaccine and did ok. The only symptoms she had was fever for about a week. Again she states her doctor is aware and has not told her not to get the second dose of the COVID vaccine. Consent and history were reviewed and COVID vaccination was given at about 14:27 with LVN. She was told because of her medical history, she will need to be monitored for 30minutes instead of the 15 minutes; she agreed. After vaccination was given, patient sat with another co-worker talking and appeared in no distress. Co-worker left shortly after while she was still there for monitoring. At about 2:30ish pm notice that patient was starting to slide down her chair appearing to have a seizure. Immediately rushed over to her, guided her down to the carpet, supported her head, she was lying to her side. She was not conscious, eyes closed, teeth clenched, no foaming of the mouth were noted. +strong radial pulse. Can hear her loudly breathing through her nose. Pulse oxygen on room air, 92% and heart rate was 67. She was not turning blue. Arms and legs were mild jerking. Called out to have staff called 911 simultaneously while supporting and monitoring patient. About 5 minutes into this, patient started to slowing open her eyes, still altered, teeth still clenching and extremities stopped jerking. Slowly, she started to relax, asked her name and where she is at and why she was there, which she was able to answer slowly. Asked her if she wanted us to call her daughter, she said he because she is a minor. Asked her who she is with and she said her husband is outside. Paramedic arrived and took over care and she was told she will be transported to the ER. Her husband, came into the room. After patient's husband spoke to paramedic, I also introduced myself to him. Per her husband, patient has a history of seizure that has not been controlled. Per husband, he states she</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1136038	3/25/2021	FL	50	M	3/23/2021	3/24/2021	<p>had 5 episodes on Sunday, 3/21/2021. Her doctor is aware and is doing more testing and changing her medications around. Per patient's husband, he states she was doing an MRA yesterday to further evaluate the seizure and they were not able to complete it because she had 2 episodes. When asked if her doctor mention anything about getting the COVID vaccine, per patient's husband he states they did not say anything. Per husband, she did ok with the 1st dose of the COVID vaccine and only had fevers. Per patient's husband, there was no change in her underlying medical condition with the seizure with getting the vaccine.</p> <p>First, pain around the injection site; it appeared within a few hours after the injection, but it was bearable. Then, after about 23 hours after the injection, bad headache (especially around the eyes - which also caused light sensitivity) and general malaise. Shortly thereafter, low-grade fever (99.5 F) and significant muscle pain, all over the body. The most worrisome side effect was the last one, which appeared during the second night after the injection (about 32-33 hours after the injection): extremely fast heartbeat / racing heart. I did not use any treatments for these side effects.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1136034	3/25/2021	KY	46	F	3/24/2021	3/24/2021	I immediately felt my right arm getting cold. It then started to feel heavy and weighed down. Soon after, I started getting a mild headache toward the front of my head which intensified towards my temple area. My eyes felt strained ( the back of my eyes ). The feeling was similar to a migraine/sinus pressure. I started getting cold and then my extremities were freezing. I got chills and was shivering ( it was cold in the building, but I wasn't that cold upon entering ). This was all in the first 15 minutes. I was told to stay for 30 minutes in the waiting area because of my allergy to erythromycin, just as a precaution. Around 20 minutes my mouth became very dry. I also had a metallic taste in my mouth. It became hard for me to swallow and I had to think to swallow because it wasn't happening naturally. At that time I alerted someone and asked if these reactions were normal. I was given a 25mg Benadryl and had people continuously check on me. It took some time before I was able to not feel the choking closed feeling from swallowing. Once I was able to swallow it felt as if I had something lodged in the back of my throat. Similar to the feeling of phlegm. I kept having to clear my throat because that phlegm feeling wouldn't wash down?. I felt light headed, but not dizzy. More of a foggy feeling. Once they felt it was safe for me to leave I came home and rested. The headache lessened, I was still cold, but not chilled. Into the evening I was very tired and foggy in thinking.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1135999	3/25/2021		74	M	3/23/2021	3/23/2021	vaccine side effect. Patient reports slurred speech, difficulty forming sentences, SOB, R arm tingling x 3 hours. Patient reports symptoms have improved but not resolved. J&J vaccine today at 1045. Denies chest pain, N/V/D, HA, vision changes. Patient is a 74 year old male who presents to ED following a 10 second episode of right arm tingling followed by a 90 minute episode of difficulty finding words. This happened tonight at 8:30pm after dinner when he was with his wife. His symptoms resolved upon arrival at the ED at 10pm. He denies any weakness, no syncope, no chest pain or shortness of breath, no new visual symptoms. He does have a history of CHF, MI in 2013 s/p stent placement, he takes Plavix. He takes a beta blocker for PVC's. He reports he had a J&J COVID shot this morning at 11am and is wondering if his symptoms are a reaction to the vaccine. He is followed closely at Ajou hospital for all his medical care.
1135992	3/25/2021	AL	59	F	3/25/2021	3/25/2021	Patient lost consciousness while sitting in her chair in the post vaccination waiting area. Her phone fell from her hand/lap, head tilted back, and eyes rolled to the back of her head out of focus. Only last for about 60 seconds. Patient was the conscious and coherent. She did feel clammy to the touch. She said she felt hot and accepted an ice pack and decided to lay down on the cool floor for a few minutes.
1135971	3/25/2021	AK	35	M	3/24/2021	3/24/2021	5 year old male member. He received his first dose of the Moderna vaccine (lot number 003B21A, expiration date 9/9/2021) around noon at the vaccine facility. About 2 1/2 hours later, the patient developed burning and itching of the eyes and rhinorrhea. The patient's co-workers and a medic looked at him and said that his eyes were red and puffy, and told him that he should report to the ER. He also experienced some throat itching, and said that his thinking was "cloudy". The patient said that he had eaten nothing in the previous several hours. He had not taken any medications that day. He is not aware of any known drug or food allergies, and he has not been sick in the past few weeks. He denies having had any vaccinations in the previous 2 weeks.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1135968	3/25/2021		21	M	3/18/2021	3/19/2021	fever,headache. PT got #2 moderna yesterday @ 1200. c/o headache and fever which started this morning. Pain localized around L eye. No dizziness or visual changes. No SOB. History: pt s/p 2nd Moderna COVID-19 vaccine yesterday and felt like having low-grade temp last night and felt like having hard time breathing deep with some itchy sensation in chest with deep breaths and woke up with fever and headache and muscle aches and took some Tylenol just PTA and feels significantly better currently. No rhinorrhea, cough, chest pain, vomit/diarrhea, rash, sick contact, recent COVID-19 hotspot visit, prior co-morbidities or surgeries.
1135954	3/25/2021	CA	51	F	3/25/2021	3/25/2021	Client complained of tingling on left arm after receiving 1st dose Pfizer Covid vaccine (lot# ER8732, exp 3/28/21). Client was sitting in post vaccine waiting area 30 mins when she alerted EMT of tingling of arm. EMT performed first assessment. Vitals 1445: blood pressure 128/92, pulse 81, oxygen 99. PHN joined EMT shortly after. Client stated tingling on left arm that began 5 minutes after receiving vaccine; did not alert EMT until later. Per client no shortness of breath, chest pain, numbness, palpitations, headache, or blurry vision. Client stated this was a new onset that she did not have prior to receiving vaccine. No history of reaction to vaccines in the past. Current medication include daily vitamin and nasal spray. Allergy to antibiotic, but unsure of name. PHN assessed bilateral strength, facial droop, and arm weakness. Per client feeling fine besides the tingling sensation. PHN asked client to stay additional 15 mins for observation. Vitals 1452: blood pressure 132/92, pulse 78, oxygen 100. Alert and oriented. Tingling sensation the same, no changes. Per client history of anxiety and also had caffeine this morning, which she usually does not take. Last vitals at 1515: blood pressure 128/90, pulse 80, oxygen 100. Per client no change in tingling sensation. Was not radiating or worsening. Client advised to follow up with provider prior to receiving second dose. Client instructed to seek medical care if symptom did not improve or worsened. ER precautions given. Client left facility with steady gait at 1517.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1135932	3/25/2021	IL	42	M	3/24/2021	3/24/2021	Approximately 15 minutes after injection, I first felt tightness in my left neck area, followed by a numbness sensation on the left side of my face and abdomen. Sensation has subsided in the abdomen area but remains on the left side of the face. Lower left eyelid twitches on its own throughout the day.
1136054	3/25/2021	TX	70	M	3/24/2021	3/25/2021	Sore arm at injection site. Arm swollen at site. Aches in joints. Blood pressure elevated. Blurred vision. Tired, no energy.
1134206	3/25/2021	MN	73	M	2/11/2021	2/15/2021	Within a few days of 2nd Vaccination patient began having eye irritation and sore and very red eye lids and skin under eye. Patient being treated for Blepharochalasis
1134430	3/25/2021	TX	57	F	3/18/2021	3/20/2021	Pt stated she began getting whelps on her face, neck, mouth, throat, eyes on either 03/20 or 03/21/21. She also had some difficulty breathing. She took benedryl, but did not seek medical attention. She stated she does not have a PCP. She stated she is now beginning to feel somewhat better, but still has some whelps. She was advised to seek medical treatment.
1134427	3/25/2021	KY	39	M	1/12/2021	1/13/2021	I got the vaccine and right after and had a headache for about two weeks. I had brain fog and tingling on the left side of my head. My vision , I had to blink a couple times to get it right. From my pelvis down to my toes is was a warm sensation and felt like it was asleep, I went to the ER They did CT scan and blood work, everything came back fine. My leg took a couple hours to go away, my headache took a while to go away.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1134398	3/25/2021	NE	77	F	2/4/2021	2/5/2021	<p>She had been in her usual state of health until tonight. Assisted living facility staff called. He mentioned that the facility staff had earlier noticed that she was dragging her right foot and and has been needing more assistance with activities. The patient was walking and did not feel well. She was lowered to the ground and had a witnessed cardiac arrest. The ambulance was called and she was reportedly found to have pulseless electrical activity. She was given Epinephrine and Amiodarone with return of pulse. The patient was brought to the Emergency Room and was evaluated by ER physician. EKG showed atrial fibrillation, ventricular rate = 66, RBBB with Brugada pattern. She was emergently brought to the Cath Lab. Cardiac catheterization showed normal coronary arteries but EF 35-40%. Repeat EKG showed atrial fibrillation with rapid ventricular response = 110, RBBB. Therapeutic hypothermia was initiated. The patient was admitted to the ICU on mechanical ventilation with TV 350 RR 14 PEEP 5. She is sedated with Propofol and Fentanyl IV. She is on Levophed IV. ABG showed pH = 7.22, pCO2 = 53, pO2 = 66, O2 sat = 88%. Lactate level = 9.5. WBC 8.8, Hgb 13.4, Hct 46, Platelets 138. Na 138, K 3.2, Cl 102, bicarb 20, BUN 16, Crea 1.19, estimated GFR = 44 mL/minute. Magnesium 2.7. Glucose levels have ranged from 273-312. Pro-Calcitonin = 0.26. Albumin 3.7. SGOT 262, SGPT 294. Troponin elevated at 47. Pro-BNP = 600. Urinalysis showed large blood. Chest x-ray showed vague peripheral pneumonitis. Endotracheal tube is in place. COVID-19 test by PCR is negative (2/5/21). COURSE IN HOSPITAL The patient was admitted to the ICU and was followed by Pulmonary/Critical Care. Patient was maintained on mechanical ventilation, sedated with propofol and fentanyl IV. Vasopressors were administered (Levophed IV). She was managed with therapeutic hypothermia. She was followed by Cardiology. Foley catheter was inserted for close input/output monitoring. Neuro checks, vital signs, daily weights, pulse oximetry, cardiac telemetry and fingersticks were monitored. She was given sodium bicarbonate IV due to metabolic acidosis. She was also given insulin IV drip. Potassium chloride IV was administered due to hypokalemia. The patient was given amiodarone IV. Platelet count was noted to be low but stable. Glucose levels were within acceptable range.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							Metabolic acidosis resolved. Hypokalemia resolved. Hypomagnesemia resolved. There were elevated LFTs which improved. Elevated CPK also improved. She was taken off hypothermia protocol. Sedation was decreased and she was able to open her eyes with verbal stimulus but unable to follow commands. Ammonia level was normal. Neurology evaluated the patient. EEG showed left periodic epileptiform discharges consistent with severe diffuse encephalopathy. Chest x-ray revealed right upper lung and left mid lung increasing opacity for which meropenem IV was started. Levophed was discontinued. Initially she had peripheral cyanosis, but this resolved upon discontinuation of vasopressors. Brain MRI was done demonstrating diffuse bilateral small and moderate-sized ischemic foci throughout the cerebellum and cerebellar region suggestive of embolism. There also was chronic marked atrophy and moderate small-vessel gliosis. CIRCUMSTANCES SURROUNDING DEMISE Based on neurologic evaluation, her prognosis for meaningful neurologic recovery was thought to be extremely poor. The patient was evaluated and followed by Palliative Care. She does not have family members and had designated her neighbor friends as her power of attorney. They have known the patient for a long time and they know that she does not want to live like this. A decision was therefore made for comfort care measures only. Compassionate extubation was performed on February 12, 2021. The patient passed away on February 12, 2021, at 6:39 p.m.
1134397	3/25/2021	NC	72	M	2/11/2021	2/13/2021	Vaccine #1 received on 2/11. On 2/13 experienced polyarthralgias (wrists, shoulders, knees, ankles, hips), headache, scalp tenderness, and swelling and pain of testes. These had resolved by 3/4, after receipt of ceftriaxone, azithromycin, doxycycline, and ibuprofen. But on 3/10 he developed loss of vision in his right eye and new frontal headache and was referred to Ophthalmology on 3/11 where he was diagnosed with Giant Cell arteritis (GCA) and prescribed corticosteroids. Within 1-2 days of receiving the latter, his headaches and vision loss had resolved.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1134388	3/25/2021	MA	69	F	2/6/2021	2/22/2021	Bilateral optic disc edema R>L with vision loss in the right eye Intraretinal fluid on the right side Bilateral optic nerve enhancement on MRI Lymphocytic pleocytosis in cerebrospinal fluid Treated with IV methylprednisolone and acetazolamide
1134374	3/25/2021	WA	76	F	1/31/2021	2/7/2021	I think I am having a bad reaction to my covid shots. The first shot was 1/31; a week later on 2/7 I started having headaches that travel around my head: some are behind my eyes and my teeth ache; some more like migraines that go up the back of my head; some more on the top of my head or on the side. My sense of taste changed. My second shot was 2/27. The day after I slept all day. The headaches continued (I have had a headache of one kind or another since 2/7). I had a tooth that broke off last June and was removed on March 8. I thought the tooth was infected and part of the headache problems, but since then I have been having really bad fibro pain and for the week of 3/8- 12 I ran a fever, had chills and more headaches. I was on amoxicillin from 3/8 to 3/14, but the tooth was not that badly infected and is healing well. The headaches do not seem to relate to the tooth. I have had a headache every day since 2/7 of various intensity and in different areas of my head. I am extremely fatigued and need to nap some days. My fibromyalgia symptoms are worse than they ever have been and some nights keep me awake. I also muscle stiffness and spasms in my neck occasionally. This is not normal for me. I saw a ARNP on 3/16 and she tested me for neurologic symptoms. Here are her notes: NEUROLOGIC: negative findings: speech normal, mental status intact, cranial nerves 2-12 intact, gait, including heel, toe, and tandem walking normal, Romberg negative, muscle tone normal, muscle strength normal, rapid alternating movements normal, finger to nose normal, reflexes normal and symmetric I have a video appointment with my primary care provider 3/26 to discuss this further

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1134322	3/25/2021	MI	73	F	3/17/2021	3/20/2021	Woke up at 3:00 am drenched in cold sweat, unable to focus, loss of equilibrium, nausea. Feeling better by noon. ongoing waves of brain fog, pressure behind my eyes. I seek no treatment, hope it will improve with time. Would like to know if it is advisable to have the second dose. I do not want to repeat the previous experience. Are you able to advise? Thank you
1134318	3/25/2021	OH	43	F	3/10/2021	3/13/2021	Two days after receiving the Johnson & Johnson vaccine in my right arm, I woke up the next morning with a raised bump on my chest and a feeling that something was in my left eye (that could have been my allergies). However, I do still have a raised bump that is slowly going away.
1134474	3/25/2021	ID	84	F		3/25/2021	Morning after 2nd shot felt great deal of fatigue, to the point of returning to bed. Spent rest of day on couch with no strength. Beginning of front of head headache. This headache has continued to this day, also some visual blurring. Fuzzy head thinking feeling. These conditions are on going as of today 03/25/2021.
1134238	3/25/2021	CA	32	F	1/16/2021	1/17/2021	The day after the second dose I felt sweaty hot and nauseous. I was still really sleepy on the third day. My eye started hurting and I could hear a buzzing sound in both ears. It got worse and worse by day six and I was having trouble seeing out of my right eye. It was really painful underneath my eye on the inside corner with swelling on the top lid. The Steroids seemed to help the problem with my eye. The doctor suspected Bells Palsy. On week two I was prescribed steroids from Lymphadenopathy. I still have the ringing in my ears which is increasing after it had subsided for a little time. I also felt pressure in my ears which is very uncomfortable. Whenever I stop taking the Steroids the ringing in my ears returns like Tinnitus. I plan to reach out to a doctor again because the ringing in my ears has returned after it had improved but was still present after 10 weeks. I did not have any of the same symptoms after the same dose. I have seen a lot of professionals.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1134117	3/25/2021	NC	43	M	2/26/2021	2/26/2021	Symptom onset 10 -15 minutes after receipt. Symptoms included pruritis, shortness of breath, perhaps CP. HE does not recall urticaria, oral/facial/throat or tongue swelling, red/watery eyes, wheezing, n/v/d. He was treated with 50 mgs benadryl and observed for one hour. There was no recurrence. Event documentation is very consistent with his report and documents VS R 60-75 SPO2: 98-100 with metal status of A&Ox4.
1134197	3/25/2021	NM	65	F	3/24/2021	3/25/2021	In addition to a very sore arm, experienced chills, body aches, headache, blurred vision, lethargy.
1134172	3/25/2021	CT	43	M	3/23/2021	3/24/2021	Rapid onset of blurred vision and partial blindness, confusion, inability to form complete or coherent thoughts or sentences. Started with blurred vision around 5:45pm. I immediately sat down on the couch, and tried to explain to my wife what was going on. However, I was unable to complete the thoughts I was trying to form. Eventually I began confusing words (such as saying "king" when I wanted to say "kind" or "kite") and was unable to produce more than one word every 1-2 seconds with great difficulty. Then a headache came that was both extremely painful and somehow "painless," as if I was observing myself having the pain as a bystander. All of this happened within one minute of onset. I laid down and after about 10 minutes from onset the difficulty speaking subsided and I could make complete sentences, although with some difficulty. After around 20 minutes from onset my vision had fully returned. I called 911 out of concern for stroke-like symptoms. The dispatcher sent an ambulance, and I was taken to the Hospital Emergency Department for treatment. Around three hours after the onset of the incident I was diagnosed with a complex migraine and discharged.
1134166	3/25/2021	FL	52	F	3/25/2021	3/25/2021	Starting about 5 minutes after the shot, I started getting a little bit lightheaded. I left the pharmacy and went home. I then started to feel numbness all over the right side of my body, blurred vision and dizziness. I decided to rest. It's been 4 hours now since I got the vaccine. I'm still lightheaded and have numbness on my right side, but it is getting better.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1134164	3/25/2021	IL	27	F	3/23/2021	3/23/2021	headaches within 4 hours and took two ibuprofen to help, stomach pain, hives behind ear and neck and she took two benadryl, eyelids were swelling and liquid was dropping, hives and rash behind ear and neck, welts on both arms, large rash on left thigh and buttox - went to the urgent care and they gave her a prescription for 5 days of prednisone and continuing benadryl, also recommended to see an allergist

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1134135	3/25/2021	KS	68	F	3/25/2021	3/25/2021	<p>Progress Notes (Nurse Practitioner) ? ? Hospitalist Expand AllCollapse All</p> <p>Subjective Patient is a 68 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience lightheadedness, . She denied rash. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , chest pain, hypotension, increased swelling, rapid progression of symptoms and respiratory distress. ALLERGY REVIEW OF SYSTEMS: Patient complains of dizziness CONT negative HENT negative Eyes negative Respiratory negative Skin negative GI negative Musculo negative Previous Reactions: None Objective Vitals Vitals: 03/25/21 0852 BP: 132/71 BP Location: Left arm Patient Position: Sitting Pulse: 82 SpO2: 97% Physical Exam Eyes: Extraocular Movements: Extraocular movements intact. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulmonary: Effort: Pulmonary effort is normal. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Gait: Gait normal. Psychiatric: Mood and Affect: Mood normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: had patient remove mask and provide calming measures. Patient replaced mask before exiting clinic. Follow up response to treatment: good. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) Patient responded to removing of facial mask and her lightheadedness resolved. Patient ambulated out of clinic with steady gait.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1134095	3/25/2021	MA	36	F	3/21/2021	3/21/2021	Approximately 4 hours after the shot I had an intense burning sensation in my head. It felt like my brain was on fire. It lasted for about 15-20 minutes. After that I experienced tingling/numbness in the back of my neck. Now 4 days later I still have tingling/numbness in my hands and fingers and a slight twitch in my left eye.
1134048	3/25/2021	CT	56	F	3/18/2021	3/18/2021	Patient states that evening that her tongue and lips felt heavy like after going to the dentist, by morning the right eye and ear were also effected. Has not seen a physician, keeping eye lubricated with drops. Too late at time of reporting to us for steroid treatment.
1135308	3/25/2021	CT	68	F	2/18/2021	3/9/2021	Could not close eye and mouth would not move; A spontaneous report was sent by a consumer who was a 68-year old, female patient who received Modern's COVID-19 vaccine (mRNA-1273) and experienced an episode of "could not close eye and mouth " and was diagnosed with Bell's palsy. The patient's medical history is unknown. Concomitant medication include Metformin 500 twice in a day, Losartan 50 mg, Atorvastatin, valacyclovir 1000 mg thrice in a day, Hydrochloride 12.5 mg, Prednisone. On 18 Feb 2021, the patient received the first of two planned doses of mRNA-1273 (Lot number: 023M20A) intramuscularly for prophylaxis of COVID-19 infection. On 09 Mar 2021, the patient reported she noticed her eye would not close and her mouth would not move. She has no events prior to this date. The patient went to the emergency room and was prescribed valacyclovir 1000 milligrams and prednisone 60 milligrams. At the time of this report, the patient reported she was feeling fine and her speech was improving, but her eye still would not shut. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the event of Bell's palsy, was considered not resolved.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1136145	3/25/2021	NY	39	F	3/24/2021	3/25/2021	The vision in my right was blurred for about 6 hours. When it started to get better it was inconsistent. I would close my left eye and at first my right eye would be blurry for about 2-3 seconds then would be able to focus. As of now 13 hours after first noticing the problem upon waking, my vision is almost 20/20 again from what I can tell not having a doctors visit.
1134285	3/25/2021	CA	31	F	2/23/2021	2/24/2021	Since the vaccine, I have experienced extreme paraesthesia throughout my left head and face. It is chronic and lasts from the moment I wake up to the moment I go to bed. I am also experiencing a watering, itchy left eye and tingling behind the eyeball. Extreme neuropathy in brain, it feels like electric shocks coursing through my head and crabs pinching at the brain tissue. I have also deal with temporarily facial paralysis on the left side of my face, though those symptoms have since abated. I am on Lyrica, prednisone, indomethacin, and xanax in an attempt to get some relief but there are very few doctors who seem to understand what is causing this debilitating adverse reaction.
1134840	3/25/2021	CA	32	F	3/25/2021	3/25/2021	Pt has history of anaphylaxis, carries Epi pen. Complained of feeling odd, similar to how she felt before previous anaphylactic reaction. Place pt on cot, code green called. Paramedics assessed BP 162/102, HR 106, GLUCOSE 114. Attempted to sit pt up had near syncopal episode, rapid eye fluttering BP 172/126. PT was transported to hospital.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1135289	3/25/2021	PA	45	F	1/19/2021	2/3/2021	bull's eye rash on same arm injected; A spontaneous report was received from a 45-years-old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced bull's eye rash on same injected arm/Lyme's disease. The patient's medical history was not provided. No relevant concomitant medications were reported. On 19 Jan 2021, prior to the onset of the events the patient received first of two planned doses of mRNA-1273 (lot/batch: 013L20A) intramuscularly for prophylaxis of COVID-19 infection. On 02 Feb 2021, 16 days after receiving the vaccine, the patient developed a bull's eye rash on same arm of injection. On 03 Feb 2021 the patient was diagnosed with lyme's disease. The patient was prescribed a 21-day regiment of doxycycline. Action taken with mRNA-1273 in response to the events was unknown. The outcome of event(s), Lyme's disease was unknown.; Reporter's Comments: Based on the current available information and the mechanism of action of mRNA-1237 vaccine, the event of Lyme's disease is assessed as unlikely related.
1134089	3/25/2021	MI	59	F	3/24/2021	3/25/2021	I am a nurse field case manager. My first injection on 02/24/2021 Lot number L09L20A I have a sore arm and vomiting. I was nauseated at the smell of some foot. 24 hours later no problem. Second injection on 03/24/2021 Lot 029I20A was worse as expected. First the vomiting started, then the left arm to the fingers from the injection side was in pain. My body started hurting late in the evening. I started keeping liquids down. It is 24 hours later and my arm does not hurt to the fingers just at the injection site. I woke up to a headache which I believe cause my right eye to have blurry vision until the headache was gone. I remain nauseated. I did not have a temperature or signs of COVID.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1134487	3/25/2021	CA	50	F	3/25/2021	3/25/2021	Patient is a 50 yo F with PMH of prior allergies including to sulfa drugs and yellow dye, with prior history of anaphylaxis. Patient here today for 1st dose of COVID-19 vaccine. Received dose 1 of Moderna COVID-19 vaccine at around 8:25a. Approximately 5 minutes later, patient reported eyes closing and difficulty breathing. On exam, patient with moderate respiratory distress, some difficulty speaking, eyes swollen, tachycardia, wheezing bilaterally. Initial vitals hypertensive, O2 >98%, HR 110s. 1st dose of epinephrine 0.3 mg given IM to L thigh about 8:32a with immediate improvement in symptoms. EMS called and arrived shortly afterward. Patient also took 25 mg diphenhydramine chewable tablets. Patient with recurrent symptoms of difficulty breathing in preceding several minutes. 2nd dose of epinephrine 0.3 mg given IM to L thigh about 8:38a with interval improvement of symptoms. Patient maintained adequate oxygenation with O2 > 98%, BP remained hypertensive and HR tachycardic >110. Patient left by ambulance to Medical Center.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1135300	3/25/2021	NY	79	F	2/25/2021		Stroke; Dizziness; Blurred Vision; Slurred speech; Felt numbness; Tiredness; A sponatenous report was received from a consumer concerning a 79 years old female patient who experienced dizziness, tiredness, slurred speech, numbness, blurred vision, stroke, very very lethargic and had tingling in face and fingers, lost speech, lost eyesight. The patient's medical history as reported by the reporter includes hypertensive, diabetic and had circulation problems. Concomitant medications taken by the patient was not provided. On 25 Feb2021, prior to the onset of the event, the patient received their first of two planned doses of mRNA-1273 (Lot number: 025A21A) through intramuscular route at unspecified site for prophylaxis of COVID-19 infection. On an unknown date, patient had dizziness, tiredness (which is very unusual for patient), slurred speech numbness and blurred vision and then patient was taken to the ER and diagnosed with having stroke. She was admitted and discharged when her condition improved. As per the follow up report received, the reporter reported that patient ended up in having a stroke which was a medically significant event and she was very very lethargic and had dizziness, felt numbness and tingling in face and fingers. Patient had also lost speech, lost eyesight which was a medically significant event. Patient went to the hospital where she was diagnosed. Patient was feeling better at the time of reporting and mostly recovered but feeling weak. Patient went to hospital and treatment activities for events was unknown. Action taken with mRNA-1273 in response to the events was unknown. The outcome of events, experienced dizziness, tiredness, slurred speech, numbness, blurred vision, stroke, very very lethargic and had tingling in face and fingers was recovering/resoving and lost speech, lost eyesight was unknown.; Reporter's Comments: There is not enough information to assess the causal association between the reported events and the administration of the mRNA-1273 vaccine. Critical details such as the onset date of the event is lacking. Event is also confounded by the patient's advanced age and underlying medical conditions of hypertensive, diabetic and had circulation problems.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1135283	3/25/2021	FL	72	M	1/15/2021	1/15/2021	saw a ghost while being totally awake; Arm hurt; A spontaneous report was received from a Consumer concerning a 72-years-old male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced events arm hurt, saw a ghost while being totally awake. The patient's medical history was not provided. No relevant concomitant medications were reported. On 15 Jan 2021, prior to the onset of the events the patient received their first of two planned doses of mRNA-1273 (lot batch: 011J20A) intramuscularly for prophylaxis of COVID-19 infection. On 15 Jan 2021, the patient experienced the events arm hurt. on 17 JAN 2021 saw a ghost while being totally awake. The event saw a ghost while being totally awake was considered to be medically significant. Treatment details included For the symptoms: Acetaminophen., Other: drops for his eyes for the glaucoma., FMarasco 03Feb2021 Action taken with mRNA-1273 in response to the events was not reported. On 15 Jan 2021 the outcome of events arm hurt was resolved. On 17 Jan the outcome of events include, saw a ghost while being totally awake was not reported.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events a causal relationship cannot be excluded

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1134824	3/25/2021	AL	60	M	3/25/2021	3/25/2021	<p>Patient received their vaccine and sat in a chair, within approx. two minutes the patient told another patient they felt hot, I was already walking to the patient to check on them,. The patient's eyes were glazed, Almost immediately the patients eyes rolled back in his head. I shook his arm and shouted to him , he was unresponsive with agonal breaths.. I shouted for help from the other nurses. RNs came immediately. We moved him to the floor, called for an epinephrine injection to be prepared, I began to prepare the site for epinephrine injection to his thigh, nurse checked for pulse... at this time the patient was still unresponsive with agonal breaths... no pulse was felt so compressions were commenced by RN. Nurse gave approx. 15 compressions to the patients chest , the patient spontaneously began to recover. Carotid and radial pulses were felt at this time. Breathing returned to normal. While this was occurring, we called a code blue and 911 was activated. By the time 911 responded the patient was fully conscious , alert and responsive. He could tell us his name and how he felt prior to this incident. The patient was transferred via a stretcher by EMS 911 and RN accompanied him to the ER to give a report. The timeframe for being pulseless and having agonal breaths lasted no more than 30-40 seconds. Patient denied any history of a seizure disorder. No epinephrine or IM Benadryl were administered at the incident site by the responding staff due to the spontaneous recovery.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1134816	3/25/2021	TX	39	F	3/2/2021	3/4/2021	To whomsoever it may concern, I am writing to report a reaction to covid-19 Pfizer vaccine second dose. My first dose was administered on feb 10th at the community College at 11:30 AM. My second dose was administered on March 2nd at 11:30 am at the same facility. On March 4th evening a rash started developing near my throat and it became prominent on March 5th. Attached please find the pictures of the day the rash started developing and subsequent days of it getting worse. It has been 20 days and the rash has not subsided despite applying local corticosteroid cream. Furthermore, it has extended to my face (left eye). Additionally, I have not changed my food intake , or used any new facial creams. I also only use hypoallergenic creams. Worried I showed my rash to a doctor who suspects that this could be an allergic reaction to the vaccination and asked me to report it to you as this may be considered important information. Therefore the email. Please let me know if there is anything I can do to be of further help. Sincerely
1134810	3/25/2021	NY	37	M	3/16/2021	3/16/2021	Got the vaccine around 10:30am, felt ok until around 7:30pm, when I started feeling some nausea and dizziness and weakness. Then progressed to severe shaking chills, fevers, headaches, tingling/electric shock feeling in back of head/neck, muscle aches, mild joint pain, eye discomfort associated with the headaches, poor appetite at first, trouble sleeping, and fatigue; all of which required doses of Tylenol and ibuprofen and cold packs. Symptoms lasted all night and fever broke overnight after finally falling asleep. The next day (3/17) took some more Tylenol and ibuprofen, but the fever and chills subsided. The other symptoms mostly resolved except was still quite tired and felt weak. Also, had cold sweats all day on 3/17. By around 3/18 most all of the symptoms resolved. Also, had mild soreness at vaccination site throughout. I'm a physician. If I wasn't a physician I may have sought medical attention.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1134797	3/25/2021	CA	24	M	3/25/2021	3/25/2021	Pt experienced fainting sensation shortly after receiving vaccine. Pt was sweating and reported temporary loss of vision after getting up after the vaccine. Pt informed pharmacist of 2 previous incidents of vasovagal syncope and was instructed to receive the vaccine while sitting on a cot. Pt was instructed to lie down flat on the cot for 30 minutes to be observed by pharmacists. Blood pressure and pulse monitored (normal range 126/66mmHg and 76BPM). Pt fully recovered after 5 minutes. Pt was instructed to seek emergency help if any new symptoms develop or worsen.
1134771	3/25/2021	CA	27	F	3/25/2021	3/25/2021	History of fainting with blood draws. RN helped pt to lie down on cot, pt C/O tunnel vision felt like going to pass out. Code Green called paramedics assessed BP132/88, HR 95, RR 18. Pt felt much better, kept in observation for an additional 30 minutes.
1134536	3/25/2021	IN	61	M	3/16/2021	3/17/2021	Body ache Fatigue Loss of eye sight in right eye All of symptoms continue



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1134685	3/25/2021	CA	63	F	3/25/2021	3/25/2021	Pt presented today for 1st Pfizer mRNA COVID vaccine. She received the vaccine at 11:06am and proceeded to the check out area and scheduled her second appointment and checked out at 11:10am. She was sitting in the secondary seating area, she looked scared, then she indicated to the APP she felt dizzy, eyes fluttered back, and slumped back into the chair and into APP's arms. With the assistance of another RN, we laid her down on the ground and lifted her legs. She was arousable to sternal rub and complained of dizziness. She was able to report her name and that her husband was outside in the car waiting for her, however, she was slow to answer questions and still appeared distressed. We made several attempts to obtain a BP, however, it would not register on machine, O2 sat 100%, HR 42, manual HR 50 at pericordium. Her bilateral upper extremities were cool to touch and appeared mottled. We attempted to give her apple juice just she was only able to take a few sips. We placed her on 100% non-rebreather. Given low HR, unable to obtain BP, and semi-conscious state, we elected to call 911 at 11:30am. Her husband was retrieved and at patient side when EMS responded. He reported that she has fainted in the past with blood draws and has a past medical history of "leaky valve, low platelets" and later it discovered via her medical records that she has a history of seizures and was on vimpat and lisinoril. EMS arrived, assessed the patient, and moved her to stretcher and transported patient at 11:39am.
1134658	3/25/2021	CA	25	M	3/25/2021	3/25/2021	Pt. c/o of feeling lightheaded, full body tingling, vision changes and everything seem to be in slow motion. Pt. also stated he could not think straight. Paramedic and Dr. on scene. Assessed pt. and vital signs obtained. BP 131/79, HR 75, O2 Sat 100% on RA, RR 18. Pt. was advised to go to ED if symptoms worsen. Pt. stated improvement of symptoms after about 20 mins. Family member to pick patient up. Observed for 30 mins.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1134585	3/25/2021	WA	18	F	3/25/2021	3/25/2021	Hx of anxiety with imms but no hx of syncope, has never had any jerking or an anxiety attack before, 15 seconds after imm pt pale and asks if she can sit here for a few minutes, RN asks if feeling lightheaded-no response, then lowers her head and draws up bil arms and begins rhythmic jerking of bil arms and torso, RN calls code blue and second RN responds right away, pt safely lowered to the ground by two RN's-feet elevated, 911 called and VS obtained 110/60 98 16 98% on RA, after 20 seconds jerking self resolves, pt opens her eyes and immediately asks what happened, pupils remain dilated, she remember events up to asking if she can sit here for a minute, denies any tightness to chest or throat, denies difficulty breathing, no wheezing or rash noted by RN, pt laid on ground for about 10 minutes and was then escorted with 2 person assist to the lobby to wait for EMS to arrive, pt remained pale and clammy and light headed, 1305- pt father notified of incident 1320-RN gives report to EMS in lobby, pt still laying on ground with feet elevated but laughing and talking to her friends, BP now 114/64 and color is improved, RN advised her to follow up with her PCP 1330-pt sitting up in chair and BP 110/60
1134561	3/25/2021	WA	27	F	3/23/2021	3/25/2021	arm pain, itchy rash on chin and neck, swollen eye
1134546	3/25/2021	MI	69	M	3/17/2021	3/18/2021	Maximum fever of 103.3. Sweating, shivering chills, profuse watering eyes and nose.
1134490	3/25/2021	MN	65	F	3/24/2021	3/24/2021	(note I had half the dose in each arm because my first shot had caused reactions of rash, lightheadness and swelling tongue). This time I am having more effects. Immediately I had blurred vision in my right eye and facial muscle tightening. Upon arriving home I became severely fatigued and and still am 24 hours later. As of 16 hours later I developed severe pain in the right arm only, body aches, loss of taste and various facial tightening sensations and swelling tongue (I took Zyrtec for the latter and that helps). NO anaphylaxis. These may go away in the next day or so but that is as yet unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1134496	3/25/2021	UT	26	F	3/24/2021	3/24/2021	Stayed 30 minutes after vaccine at vaccination clinic to be safe in case of a reaction. About 5 minutes after leaving 11:30 I could taste the vaccine in my mouth. I immediately felt intense sharp tingling in my lower lip, it felt hot and swollen (upper lip never had a reaction). I instantly felt a lump in my throat and had a hard time swallowing. I started with chest pain that resolved itself in a minute or two. A few minutes later a family member noticed my face was red and flushed and said I looked like I had a sun burn. Swelling in throat resolved within an hour. Lip never visually looked swollen but I could feel the tightness, burning and tingling that resolved within the hour. Redness on face resolved within a couple hours. Had tiny blisters about 3 show up above upper lip I still have them the next day with a couple more but they aren't causing problems. My airway was never blocked I never had a hard time breathing. I did have a sore throat this morning March 25 day after vaccine. All other symptoms seem normal.
1134707	3/25/2021	MN	22	M	3/24/2021	3/24/2021	Symptoms similar to vasovagal reaction. Patient reported feeling dizzy and shut his eyes. He then slumped over in chair and was caught before he fell out of chair. Reported no other symptoms up to 30 minutes after event. When questioned, he said that he had not had anything to eat that day except an orange in the morning. He states he has felt sweating with previous vaccination and has had this reaction with tattooing.
1129727	3/24/2021	CA	39	F	3/3/2021	3/3/2021	Feeling tightness on the face for around 45 min. Blurred vision, very dizzy and unable to have good balance for 6 days.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1129434	3/24/2021		22	F	3/23/2021	3/23/2021	Pt. seated in observation area after receiving first COVID vaccine and informed nurse she was nauseated. Pt. remained seated in chair and became unresponsive with eyes open. There was a thirty second period of time in which pt did not respond to name or questions. Called 911. While on the line with 911, pt was alert and oriented and able to respond to questions being asked by dispatch. BP taken at 1300 was 106/54 seated and 121/81 lying down. At no time did pt experience shortness of breath, difficulty breathing, or hives. EMS/Fire arrived and transported pt to ED for further evaluation. Pt had not eaten at all the day of vaccine. Pt transported to ED, complained of nausea, given Zofran, monitored, then discharged.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1129767	3/24/2021		83	M	2/12/2021	2/15/2021	Stroke; Passed out; Was flailing like a fish; Could not walk; lost motor skills and had to be fed; Could not speak; Did not understand where he was; was in La La land; A spontaneous report was received from a consumer concerning his father a 83- years-old male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced stroke, passed out, was flailing like a fish, was in la la land for many day, could not walk, he lost his motor skills and had to be fed, he could not speak, did not understand where he was and he was wheelchair bound. The patient's medical history, as provided by the reporter, included blindness in one and lost some hearing. Concomitant medications reported included diazepam, bisacodyl and oxycodone. On 12 Feb 2021, approximately three days prior to the onset of the events, the patient received his first of two planned doses of mRNA-1273 (batch 013m20a) via unknown route for prophylaxis of COVID-19 infection. On 15 Feb 2021, the patient experienced stroke, passed out, was flailing like a fish, was in la la land for many days, could not walk, he lost his motor skills and had to be fed, he could not speak, did not understand where he was and he was wheelchair bound. No tests were done, and it was previously agreed that he would not go to the hospital if anything should happen to him. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not reported. The outcome of event, he lost his motor skills and had to be fed, was considered resolving. The outcome of the events, stroke, passed out, was flailing like a fish, was in la la land for many days, could not walk, he could not speak, did not understand where he was and he was wheelchair bound were unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.
1129768	3/24/2021	NC	49	F	3/13/2021	3/13/2021	Symptoms include airway itching and warmth, subjective eyelid closing, eye itching, and localized hives on left thumb within 30 minutes of dose.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1129844	3/24/2021	CA	72	M	3/18/2021	3/21/2021	On march 21, patient noticed weakness and pain with left eye. difficulty eating with left side of face. has left facial droop, left eyebrow weakness, diminished gag reflex, taste left handed, acute onset, age-sent to higher level of care to rule out acute CVA
1129904	3/24/2021	WI	62	F	3/24/2021	3/24/2021	Patient experienced lightheadedness, spots in vision, and shakiness approximately 30 mins after receiving the vaccine. Was monitored for 25 mins with no resolution in symptoms and was sent to the emergency room for additional evaluation.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1129592	3/24/2021	OH	80	F	3/2/2021	3/1/2021	<p>blood pressure went from normal to 190; feeling her chest tight; couldn't breathe; black spot in her eyes; just a tightness in her throat; sugar is very high; This is a spontaneous report from a contactable nurse (patient). An 80-year-old female patient received bnt162b2 (BNT162B2, Solution for injection), via an unspecified route of administration on 02Mar2021 (Batch/Lot Number: EN9809; Expiration Date: 30Jun2021) as a single dose for COVID-19 immunization. Medical history included diabetic, asthma, allergy, sugar, and thyroid (disorder). The patient also stated that she has a lot of allergies. She was allergic to bees and allergic to bunch of things and many more things. She had her thyroid removed. Concomitant medications included levothyroxine (LEVOTHYROXINE, 100 ug) taken for thyroid (disorder), start and stop date were not reported; metformin (METFORMIN, 100 mg) taken for her sugar, start and stop date were not reported; hydrochlorothiazide (HYDROCHLOROTHIAZIDE, 12.5 pill), taken as diuretic, start and stop date were not reported. The patient reported that she had a very bad reaction from the vaccine, which was 20 minutes her blood pressure went from normal to 190 and she started feeling her chest tight and couldn't breathe (all on 02Mar2021). She also had a black spot in her eyes (02Mar2021). The patient reported that the events started the minute after she got the shot. She was sent to the hospital on 02Mar2021. When she was in the hospital, her blood pressure went up to 244, it is the highest. Her chest was going to have an asthma attack but she didn't develop an asthma attack it was just a tightness in her throat (02Mar2021). She was a day and half in the hospital, trying to get her blood pressure down which went down somehow that she still have over 200 blood pressure. When paraphrased the above concern she stated, "Yeah absolutely want to know what kind of result or what kind of the side effect you are going to have." The patient also stated at the time of report, "I still have my blood pressure is still 200 and my sugar is very high too (unspecified date in Mar2021), is that part of the after effect of the vaccine because I didn't have that before." The patient was hospitalized from 02Mar2021 to 04Mar2021. Therapeutic measures were taken as a result of blood pressure went from normal to 190 (hypertension) and couldn't breathe. The patient stated</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

her doctor put her in the double medicine for the blood pressure. When probed for if patient was still experiencing issue, she stated "No, as soon as I came home I took Benadryl". The patient reported that her breathing improved as soon as she took Benadryl and her chest is probably clear now. As treatment, they gave her blood pressure pills. They gave her Pravastatin 20 mg. Outcome of the event blood pressure went from normal to 190 and sugar is very high was not recovered. Outcome of couldn't breathe was recovering. Outcome of the other events was unknown.; Sender's Comments: Based on the available information, the known safety profile and the temporal association of BNT162B2 administration to the events, a possible contribution of the drug to the events cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees, and Investigators, as appropriate and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees, and Investigators, as appropriate.

1129915 3/24/2021 MA

46 F

3/4/2021

3/7/2021 Face swelling mainly around the eyelid/eyes that started 9 days after the vaccine was given to me. I emailed my GP with pictures and took antihistamine and went through it. It lasted ~ 5 days. Important to note that I have had 2 episodes of face swelling in July and August 2020 of unknown cause. Swelling is gone and



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1129854	3/24/2021	VA		F	3/9/2021	3/9/2021	Still feeling weak; Tunneling vision (she lost peripheral vision); She blacked out and fell from the chair; Vertigo; Tingling throughout the body (up and down the spine); Ear pitching sound; Severe hypotension; Dizziness; lightheadedness; Unsteadiness; Back Soreness; Tired; Arm soreness; Unable to walk 4 miles every other day like she normally does; A spontaneous report was received from a consumer concerning about a 59 year old, female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced tunneling vision/tunnel vision, blacked out/loss of consciousness, tired/fatigue, pain in arm/vaccination site pain, back soreness/back pain, dizziness/dizziness, lightheadedness/dizziness, unsteadiness/balance disorder, vertigo/vertigo, tingling/paraesthesia, ear buzzing/tinnitus, hypotension/hypotension, weakness/asthenia and unable to walk/gait inability. The patient's medical history was not reported. Concomitant medications were not reported. On 09 Mar 2021, prior to the onset of the events, the patient received the first of two planned doses of mRNA-1273 (Batch number: 024M20A) intramuscularly in upper left arm for the prophylaxis of COVID-19 infection. On 09 Mar 2021, the patient was tired and her arm and back was sore. On 10 Mar 2021, the patient experienced dizziness, light headness and unsteadiness. On 11 Mar 2021, while sitting in a chair she began to experience vertigo, tingling throughout the body (up and down the spine), ear pitching sound, tunneling vision (she lost peripheral vision). The patient then blacked out and fell from the chair. The patient also reports having severe hypotension. She was unable to perform her normal 4 mile walk due to symptoms. No treatment information was provided. Action taken with mRNA-1273 in response to the events are unknown. The outcome of the events, tunneling vision, blacked out, tired, pain in arm, back soreness, dizziness, lightheadedness, unsteadiness, vertigo, tingling, ear buzzing, hypotension, weakness and unable to walk, was considered recovering/resolving.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1129722	3/24/2021	NY	52	M	3/16/2021	3/16/2021	My right eye felt like there was something in it and it still seems to be twitching
1129560	3/24/2021	TX	57	F	3/3/2021	3/3/2021	numbness on left side of face, watery eyes, could not blink eyes, speech was slurry, Bell's palsy; A spontaneous report was received from a consumer concerning herself, a 57-year-old, female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced Bell's Palsy. The patient's medical history was not provided. No concomitant medications were reported. On 03 Mar 2021 prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Lot number: 029H21A) intramuscularly in the left non dominant deltoid for prophylaxis of COVID-19 infection. On 03 Mar 2021, same day after vaccination, the patient had numbness on the left side of her face, watery eyes, could not blink the eyes, speech was slurry, visited ER where the physician diagnosed it as Bell's palsy and was treated with steroids, Action taken with mRNA-1273 in response to the events was unknown. The outcome of the events was unknown.; Reporter's Comments: Very limited information regarding this event/s has been provided at this time. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1129659	3/24/2021	NC	71	F	2/11/2021	2/28/2021	Fluid on the ear; Bells palsy; Jaw pain; A spontaneous report was received from a consumer who was a 71-years-old, female patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and who experienced: Bells palsy(facial paralysis), jaw pain (pain in jaw), and fluid on ear (middle ear effusion). The patient did not provide any relevant or specific medical history. Concomitant product use was not provided/unknown by the reporter On 11 Feb 2021, the patient received her first of two planned doses of mRNA-1273 (Batch number 013M20A) intramuscularly for prophylaxis of COVID-19 infection. On 28 Feb 2021, the patient started to experience jawpain and went to see her doctor. The date of the doctor visit was not provided/unknown by the reporter. The patient was told by the doctor, "she had fluid on ear." Patient endorses, "she has had fluid on ear before and never had that type of pain." Patient reports she returned for medical care on 06 Mar 2021 and was seen by a nurse practioner. The nurse practioner said she had Bells palsy. Patient indicated "she had all signs on(of) Bells palsy." The patient expressed concern regarding her eyesight as nurse practioner said "she could get dust in eye because of inability to close eye." Patient also wanted a call back on whether or not to take the second dose. Treatment for the events included: "pregnisone" (presumed to be prednisone, reported as pregnisone 500mg/1000mg) and an anti-viral (reported as valacyclovir 1000mg) which was prescribed by the nurse practioner. Action taken with mRNA-1273 in response to the events was not reported. Outcome of the events of Bells palsy, jaw pain and fluid on ear was unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the onset date of the reported events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1129582	3/24/2021	ME	84	F	2/18/2021	2/19/2021	Sore besides my eyebrows; Jaw joints hurts; Swollen red forehead; Swollen red forehead; Itchy; This is a spontaneous report from a contactable consumer (patient). An 84-year-old female patient received the second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE) (lot: EL8982) on 18Feb2021 17:30 at single dose for COVID-19 immunisation. Medical history included diabetes type 2. Concomitant medications were not reported. Historical vaccine included COVID-19 VACCINE. Patient experienced swollen red forehead and itchy on 19Feb2021, sore besides eyebrows and jaw joints hurts on 20Feb2021. Investigation Assessment was no. Patient reported that she has come up with some peculiar reactions to the Covid thing. She has developed swollen red forehead and that is itchy and it looks like a dog bone across of her forehead. She had second shot on Thursday evening at about 5:30. So, this developed the next afternoon, Friday afternoon, during the afternoon it became a little swollen and a little itchy and then last evening so this is another day later she was sore beside eyebrows and her jaw joints hurt. No treatment was received. The outcome of the events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1129569	3/24/2021	WI	97	F	2/18/2021	2/21/2021	cannot focus with her eyes; full body aches and pains; This is a spontaneous report from a contactable consumer. A non-pregnant 97-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; lot number EN6201) via an unspecified route of administration in the right arm on 18Feb2021 at 15:00 (at the age of 97-years-old) as a single dose for COVID-19 immunisation. Medical history included breast cancer survivor from an unknown date and unknown if ongoing. Prior to vaccination the patient was not diagnosed with COVID. It was unknown if the patient had any allergies. Concomitant medications included pilocarpine hydrochloride 1% ophthalmic from an unknown date for an unknown indication and levothyroxine from an unknown date for an unknown indication. The patient had not received other vaccines in four weeks. The reporter stated that her mother said she could not focus with her eyes and had full body aches and pain on 21Feb2021 at 09:00; further reporting she is generally in good health without any complaints. No treatment was provided for the events. The clinical outcomes of cannot focus with her eyes and full body aches and pains were not recovered. It was also reported the patient was not COVID-tested post vaccination.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1129561	3/24/2021	TX	67	M	3/6/2021	3/8/2021	Cannot move his right cheek/Bell's palsy/Right side of his face was paralyzed; A spontaneous report was received from a consumer concerning a 67-year old male patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced Bell's palsy. The patient's medical history was not provided. Concomitant medications were not provided by reporter. On 06 Mar 2021, 2 days prior to the onset of the events, the patient received the first of the two of their planned doses of mRNA-1273 (Lot number: 029A21A) in the left arm for prophylaxis of COVID-19 infection. Patient received the vaccine on 06 Mar 2021. On 07 Mar 2021, the patient called to report biting of teeth and hard to swallow. On 08 Mar 2021 upon waking up he noticed he could not move his right cheek. He went to his doctor and an MRI was done of the brain. Doctors impression was Bell's palsy. On 09 Mar 2021, he noted that the right side of his face was paralyzed. He cannot close his right eye; the right side of his mouth was always downwards and his "eyeballs were not on the same level". The patient was prescribed with prednisone 20mg 3 tabs to be once a day for 7 days, 2 tabs to be taken once a day for 3 days, and 1 tab to be taken once a day for 3 days. Action taken with mRNA-1273 in response to the event was not applicable. The event Bell's palsy was deemed medically significant. The outcome of the events Bell's palsy was not recovered/resolved.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.
1129441	3/24/2021	FL	55	F	3/12/2021	3/12/2021	2:35 pm Client presented self w/ c/o feeling a bit lightheaded. no c/o blurred vision. Respiration even and reg. B/P 190/98, HR 94. Paramedics present. 2:45 pm stated feet better, allowed to leave observation area.
1130101	3/24/2021	AR	80	F	2/23/2021	3/14/2021	No reaction to first shot on January21. After 2nd shot on February 23, had one day of soreness in arm, feeling achy and ill. Then on March14 face started going numb on left side, eye drooping. Went to ER and after tests, diagnosed Bell's Palsey. Was given Valacyclovir Hcl and Prednisone 20 mg. for 5 days. Still experiencing these symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1129482	3/24/2021	CT	60	F	3/19/2021	3/20/2021	Family noted route post vaccination symptoms including fatigue, fever shortly after vaccination and within first 24 hours. >24 hours patient began having increase in activity level, emotional lability, hyperactivity, flight of ideas, auditory and visual hallucinations, etc.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1129691	3/24/2021	NY	72	F	2/26/2021	3/9/2021	<p>Deep Vein Thrombosis in both legs; eye was completely black/veins in the back of eye are completely black; eyes started to go very blurry; scared to sleep at night, scared to move/afraid to live life, petrified with this; arm is sore and puffed up; arm is sore and puffed up; A spontaneous report was received from a consumer, concerning a 72-year old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and developed deep vein thrombosis (DVT) in both legs/deep vein thrombosis, one clot from groin to mid chest and one behind knee to groin, quite large and very risky, extremely large thrombus, scared to sleep at night, scared to move, afraid to live life, petrified with this/ fear, eyes started to go very blurry/ vision blurred, left eye was completely black and veins in the back of eye are completely black/ eye contusion and arm was sore/ pain in extremity and puffed up/ peripheral swelling. The patient's medical history included being a cancer survivor twice. No relevant concomitant medications were reported. On 26 Feb 2021, the patient received their first of two planned doses of mRNA-1273 (Lot number: 014M20A) intramuscularly in left arm for prophylaxis of COVID-19 infection. On 09 Mar 2021, approximately ten days after receiving vaccine, the patient's eyes started to go very blurry, her left eye was completely black and veins in the back of eye were completely black. On 10 Mar 2021, she had one clot from groin to mid chest and one behind knee to groin, quite large and very risky, extremely large. She was afraid to live her life and was petrified. She developed a DVT in both legs and was taken to the emergency room. She was hospitalized on 10 Mar 2021 and had positron emission tomography (PET) scan, doppler, echocardiogram with pictures of face and neck. Her lung was dyed, she had 3 types of dye, had PET scan for brain, chest, blood draws from finger and shots of blood thinner in stomach. She was scared to sleep at night and scared to move. Her arm was sore and puffed up. On 13 Mar 2021, she was discharged from the hospital. Treatment of the events included Eliquis. Action taken with mRNA-1273 in response to the events was unknown. The outcome of the events, deep vein thrombosis, fear, vision blurred, eye contusion, pain in extremity and peripheral swelling were unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							the product and the start date of the events, a causal relationship cannot be excluded.
1130150	3/24/2021	CA	37	M	3/23/2021	3/23/2021	About 15 min after receiving the vaccine, patient started to stand after sitting in a chair for 10 min and fainted, falling with his head hitting the ground. He sustained a laceration above one eyebrow that required stitches to be placed. He was assessed by a medic on site, vitals taken, and oxygen administered. His blood sugar was in the 70s. Patient admitted to fear of needles, not eating much all day, and hx of similar episode after receiving an IM injection of a muscle relaxant about 10 yrs ago.
1130252	3/24/2021	IN	60	F	3/23/2021	3/23/2021	Headache, eyes burned, diarrhea
1130257	3/24/2021	NV	34	F	1/14/2021	1/15/2021	The same night that I got the first dose I had pain in my arm but I also had facial swelling. The swelling was under my eyes and my cheeks. It lasted another whole day. I was prescribed an antihistamine. I had the same facial swelling after the second dose. My face was really puffy after both doses.
1128492	3/24/2021	NY	55	F	3/18/2021	3/18/2021	headache, aches, fever, chills, b/l eye pain last for 3-4 days taken Tylenol for symptom management
1129415	3/24/2021	WI	62	F	3/10/2021	3/10/2021	allergic reaction, immediate report to injector of having "Halo effect". was told to be observed for 30 minutes. Started having itching on her neck before 30 minutes had passed. By the time she got home she had swollen tongue, slight SOB, rash over more of her neck and body. fatigue, swelling near left eye. She called her primary and they started her on steroids.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1130249	3/24/2021	IN	55	M	3/23/2021	3/24/2021	After having slight headaches(normal side effects) with dull eye pain from 11pm thru overnight of March 23, at 10:30 I went out driving in car and my eyes were squinting. with heavy dark clouds(not bright) outside. I looked at my pupils and they were pinpoint to slightly bigger. My glasses are auto tint, but not so much behind car windows. When I got home I sat in a dim room(lights off, but sliding door blinds closed but some light coming in) for an hour eating lunch. I then checked my pupils and they were about a third the size of my iris. Mild headache, dull eye pain and squinting continued. I searched the internet and found no details about eye problems. I called, ask a nurse and was told they found no information about eye problems at CDC or internet related to vaccine, but perhaps it is headache causing eye problems. Seems like this should be listed somewhere! Or do I need to see my ophthalmologist? You should be complete in side effects that eye problems are possible. I had no problems prior to vaccine. Do with this what you will(likely ignore it as you are bidens cdc).
1130243	3/24/2021	KS	23	F	3/12/2021	3/19/2021	Numbness and a tingling sensation to the left side of face. Started to left jaw and moved to left ear and eye. No treatment.
1130229	3/24/2021	NC	71	F	3/16/2021	3/16/2021	Received my 2nd shot at 8:20 a. Around 6:30 pm I started feeling really bad. In my 71 years I have never felt so cold, and the shivers kept coming in waves. I was very feverish and so very cold at the same time. Could not get warm no matter how many blankets I had. Every fiber of my being ached. Felt somewhat nauseous but did not throw up. The next day I was no longer cold, by even my eyelids still hurt and I had no energy at all. Even though it took 36 -48 hours to fully recoup, I would still get the vaccine.
1130064	3/24/2021	OH	45	F	3/8/2021	3/8/2021	I had severe anxiety / panic attacks, high heart rate, severe dehydration (6 pounds lost within 10 hours of the injection), chills, headaches, body aches, dizziness, nausea, extreme fatigue. I developed an eye infection for which I had to go to the doctor. I am currently doing eye drop treatments for this as well as topical lid scrubs. The anxiety / panic continues. I had extreme fatigue for several weeks. Other symptoms lasted 48 hours.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1130197	3/24/2021		28	F	3/12/2021	3/16/2021	Extremely sharp head pains and nausea started Tuesday (4 days after receiving the Vaccine) at 0245 AM. Thursday night around 0930 PM I noticed the swollen lymph nodes in the shower. After further investigation I noticed there were three almond sized swollen nodes (largest and most painful was in the left Clavicle and the other two were in the jugular area. Unfortunately after palpitations the nodes became extremely agitated and pain radiated from the neck down into the fingers in the left arm. On Friday (19 Mar I went to the clinic where I was tested for COVID and was negative) Over the weekend approximately 10-15 more Nodes became enlarged, followed by blurred vision in right eye and more intense headaches. 22 March I was sent to the ER for Lab work (testing white blood cell count) and an ultrasound of the lymph nodes .
1129919	3/24/2021	TX	22	F	3/23/2021	3/24/2021	Pain where they administered the shot and fatigued the rest of the day and the next. At 3am the next day woke up with a fever of 102F, muscle pain, chills and a headache. 30 minutes later I vomited. Took Tylenol. Woke up at 10am with a fever of 100F, muscle pain, chills (not severe as earlier), headache (not as severe) and eye strain very severe. (I wear glasses but I've never had eye strain this severe)
1130104	3/24/2021	FL	70	F	3/10/2021	3/10/2021	Shortly after the first dose of Pfizer vaccine, my upper lip, upper gums ,nose, eyelids got swollen and the back of my tongue felt sore. At 11:00 pm same day , when I went to take my low dose aspirin and vitamin D gel caps with water, I had difficulty swallowing them. The side effects lasted until the following day by early evening. I left several ,messages with VAERS, to report these symptoms and never got a call back.
1130077	3/24/2021	FL	80	M	3/20/2021	3/21/2021	Pt presented to the ED with right-sided facial drooping and was diagnosed with Bell's Palsy. Pt was prescribed prednisone in the ED. Evaluated today at our office and was prescribed valtrex. Currently experiencing right eye dryness and irritation.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1130027	3/24/2021	MT	18	M	2/27/2021	2/28/2021	onset Nausea and vomiting at 3 am the following morning of vaccine. Had about 5 hours of this then fevers, body aches and fatigue. Noted the following day this his eyes looked yellow, more that usual, and came to the clinic on 3/1/21 for evaluation. was feeling better but due to acute jaundice had blood work that indicated markedly elevated bilirubin and low platelets. Further testing for hepatitis was negative. Was sent to the ER the following day as we were unable to get blood drawn and GI consult was desired. There he had a normal abdominal US and bilirubin had dropped and he has since been followed by GI and is currently being evaluated by Hematology for any underlying conditions that may be contributing.
1130013	3/24/2021	UT	31	F	3/5/2021	3/8/2021	1. A very sore feeling inside of my right nostril that developed into an actual wound about two days after the vaccine on 3/5/2021. It has only just started to heal and feel "normal" as of 3/24/2021. A strange cold sensation just to the right, lower side of my right eye. Every time my eyes well up, crying or just tearing up after yawning etc., I have a cold shooting sensation that begins at the corner of my eye and moves down my face about and inch. It's so cold and intense I always reach up to feel if I somehow have a tear on my skin already, but never do. This occurs whether tears actually leave my eye and move down my face, or even if I just tear up. It start occurring roughly two days after my first Covid-19 vaccine on 3/5/2021. My second shot is scheduled for 4/2/2021

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1130004	3/24/2021	AR	42	F	3/20/2021	3/22/2021	I have Moderna arm (starting about 8am on 3/22/2021), and a pinprick sensation on right forearm starting evening of 3/22/2021. It progressed to itchiness in V1 distribution of right-sided scalp. As of 3/24/2021 there is pruritis of V1 distribution of right scalp down to the eye. There is some mild redness to right eye and skin surrounding eye and forehead. Mild enough that I cannot decide if it is from rubbing and scratching it versus being present at baseline. It is helped by a concoction similar to Icy Hot (not applied near eye). I have had chickenpox as a child. There are no vesicles (so far). I am not immuno-compromised. If anything (given my allergy history) I have too robust of an immune response to everything I will definitely follow back up if this develops into shingles. I would be very shocked if it were shingles. I am wondering if the vaccine did not get my immune system so primed that it's attacking anything remotely foreign (varicella zoster dormant in my trigeminal nerve perhaps?) such that I would have itching and burning pain associated with shingles but no actual outbreak of shingles (let's hope there's no outbreak coming later...). Another tidbit of information that suggests robust immune response is that I took my regular allergy shots on Monday, 22 Mar 2021 and the spots (2 shots) whealed up higher than usual. Those went down by morning of 23 Mar 2021 but the Moderna arm has stayed and the V1 burning/itching sensation continues. I am a psychiatrist, so I know my symptoms are not currently worrisome enough to seek medical care. I will if symptoms worsen.
1129986	3/24/2021	GA	26	F	3/12/2021	3/13/2021	received her first dose on 03/12/2021 at 10:30 AM. Later that day, she only mentioned slight soreness at injection site. In the early morning hours on 03/13/2021 she became anxious and having very irrational and disjointed thinking. She got into the pool (unheated) by herself, unbeknownst to any other family members in her athletic clothes she was in and was then found across the street at a neighbors house (she did not know them), standing on their doorstep in wet clothes at 5:45 AM on 03/13/2021. Her confusion, irrational thought, anxiety and paranoia has increased to the point of having audio/visual hallucinations and sleep disturbances. Prior to the vaccination, she did not exhibit any of these behaviors or symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1129954	3/24/2021	KS	65	M	2/23/2021	3/14/2021	Developed bilateral uveitis, confirmed by ophthalmologist. Treated with Durezol (difluprednate) eye drops. Improving
1130226	3/24/2021	AK	62	F	3/16/2021	3/17/2021	Upon waking on 3/17/21 at 6:00 a.m. (the day after my second dose of the Moderna Covid-19 vaccine). I experienced floaters and blurred vision in my left eye. There was one larger black spot in my field of vision larger than the floaters. The large black spot has gone away in my left eye on the same day it occurred. The blurred vision and floaters continue (over a week later) in my left eye.
1128226	3/24/2021	PA	59	F	3/18/2021	3/19/2021	Chills and fever from 9 am to 5:30 pm on 3/18/21 - fever was at 101 degrees for 2 hours before breaking in the late afternoon. A headache was felt all day, becoming increasingly painful as the day continued. It was sharp, intense pain in temples, across the forehead that pounded. Intense pain behind the eyes for 2 hours before the fever broke. I had not taken any pain or fever reliever all day - wanting to let the vaccine run it's course, however at 3:30 I took one acetaminophen tablet. I could not take the headache anymore. By 4:30 the headache had eased up and the fever was at 100. By 5:30 the headache was gone, temperature was at 98. I then slept for the entire night. The next day - no fever or pains/aches, just tired. I felt like myself by the end of the day.
1128384	3/24/2021	NH	61	M	3/23/2021	3/23/2021	pt states that he developed a headache, sore arm, had fatigue along with body aches and pains. He was dizzy and eyes were very droopy. He woke up next day and his arm is very sore, he is very tired and has a flushed face. Pt feels like his symptoms are improving now.
1128372	3/24/2021	NY	53	F	3/17/2021	3/21/2021	4 days later I got shingles on my eye brow and my forehead
1128369	3/24/2021	IL	36	F	2/9/2021	3/17/2021	The vaccine I listed was my second vaccine. However I am sick and tested positive with covid-19 on 3/20/21. Symptoms begin around 3/17 with nasal congestion, sneezing, watery eyes, mild sore throat. Additionally so far headaches, myalgia, cough, chest pain, fatigue, anosmia.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1128361	3/24/2021	OH	68	M	3/9/2021	3/19/2021	Bells Palsy as per ER in Facial numbness and weakness, unable to move eyelid on left side change in food taste per pt
1128338	3/24/2021	FL	53	F	3/15/2021	3/23/2021	lymph node under arm left arm swollen, left side gums inflamed and left eye eyelid inflamed.
1128277	3/24/2021	CA	80	F	3/23/2021	3/23/2021	Systemic: Allergic: Difficulty Breathing-Medium, Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Systemic: Chills-Medium, Systemic: Shakiness-Medium, Additional Details: Patient reported allergy to flu vaccine, asked for reaction and she did not report anaphylactic symptoms. Patient told that we will watch over her after receiving the vaccine. About 5 minutes later, swelling on back of the neck reported and gave Benadryl 25mg. Later reported difficulty swallowing and administered 1 dose of 0.3mg epinephrine. Daughter called 911, after arrival patient reported feeling better but still taken to ER. Daughter said she felt better at ER.
1128268	3/24/2021	WV	55	F	3/21/2021	3/23/2021	Night of injection - fever, chills, aches, pain in joints, sleeplessness Monday - unable to remain awake, difficulty walking, thinking, sitting Tuesday - 95% better, some lingering soreness Tuesday evening - facial virus triggered - cold sore/fever blister on lips, raised soreness inside right nostril, painful right eye with excessive tearing. (Facial virus may be part of Herpes Simplex, triggered once a year or less, infrequently)
1128537	3/24/2021	TX	34	F	3/9/2021	3/9/2021	I passed out about 20 min. after the shot. I felt fine up until then. When I was walking to wash my hands, i felt intense heat, vision blacked out and I passed out for about 30 seconds. I was dizzy with delayed vision for the rest of the day.
1128254	3/24/2021		52	M	3/13/2021	3/23/2021	Swelling under eye on 3/23 and then also very swollen bottom lip on 3/24

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1128556	3/24/2021	IL	64	F	3/22/2021	3/23/2021	Aside from the soreness of the left arm where I was injected, the left side of my neck and esophagus is sore and I have numbness on the left side of my face. The numbness is on the left jaw, the cheek, the eye brow and forehead. It's itchy and tingly. It feels somewhat like when a part of the body is coming out of being asleep and it tingles. This is the second day of the numbness. I did not expect this reaction to this COVID-19 vaccination and I have never had such a reaction to vaccinations in the past. I read on the internet of people getting Bell's palsy from the COVID-19 shot and wondered if this is similar. With this reaction from the first COVID-19 shot, I'm concerned what my reaction might be if/when I have the 2nd vaccination.
1128202	3/24/2021		22	M	3/22/2021	3/23/2021	Patient experienced nausea, vomiting, puffy eyes, itchy eyes, fever, chills, and abdominal pain. Patient was treated with Benadryl and Ondansetron 8mg. Patient symptoms have sense stabilized and progressively resolving.
1128198	3/24/2021	KS	61	F	1/22/2021	3/22/2021	Developed Bell's Palsy to left side of face. Unable to blink left eye, numbness to left side lips/ mouth Being treated with Prednisone and Valacyclovir
1128197	3/24/2021	HI	62	F	3/19/2021	3/20/2021	No serious side effects after first dose. no fever, no tiredness. minimal site pain, very slight bump at injection site. gone within 24 hours. Second dose small side effects; very slight bump at injection site, pain upon firm pressure on 3 inch area surrounding lasting for 38-45 hours . about 21 hours after waking the next morning, had eye pain, dryness, gritty feeling, used eye drops with minimum success on relief. after 25 hours eyes feel hot, apply cool compress to closed eyelids, tried eye drops again, some relief. 27 hours started a small temperature of 99.7 - 100.1 for 2.5-3 hours, laid down to rest, improved although eyes were still a little irritated, dry, gritty, not hot. went to sleep, no further symptoms.
1128175	3/24/2021	NY	44	F	2/24/2021	3/19/2021	Lost control and feeling of my right leg and right arm for approximately three minutes. Started with tingling and then no feeling or control of them. I had blurry vision and was disoriented.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1128167	3/24/2021	NV	64	F	3/3/2021	3/18/2021	Extreme (!), severe pain in LEFT jaw/remple/upper lower molars. Radiating to back of eye, ear/temple area, upper and lower molars. Started on 3/18 lasted 3-4 hours then went away. Another attack on morning of 3/19 - lasted several hours and went away. Another attack afternoon of 3/19 - even more sever. Went to E.R. at the hospital. Thought it was an abscessed tooth at first but later realized that the tooth itself was not really sensitive. Diagnosed as trigeminal neuralgia by a nurse practitioner. Prescribed Baclafen and Pennicillian (in case it was caused by tooth abscess). Baclafen was successful in moderating the pain to tolerable levels. Have had several smaller attacks since when eating (even though I am avoiding chewing on left side). Seems to be set off by hot or cold foods possibly(??). No noticeable swelling . The thing is that I have NEVER had this kind of nerve pain in my jaw or anywhere else at all (save for an attack of Shingles 2 yrs ago) . possibly this is just a coincidence but it seems odd that this occurs two weeks after the injection when my health has been fine thus far.
1130223	3/24/2021	TX	47	F	3/10/2021	3/18/2021	Subconjunctival hemorrhages (right eye), petechiae around eyes and on forehead, increased bruising (shins, thighs, face), nose bleed noted during first week. Sunburn-like rectangular rash and swelling/firmness appeared at injection site on 3/19/21.
1130277	3/24/2021	TX	72	M	1/12/2021	1/15/2021	I developed double vision went to Opthamologist diagnosed with number 6 nerve palsy. On 2/15 got the vaccine the double vision started going away 3/1.
1128261	3/24/2021	ME	89	F	3/17/2021	3/18/2021	Patient woke up more disoriented than usual, dizzy, short of breath, chills, headache, congestion, and blurred vision. She was taken to the ER, but refused a CT scan. She was given a saline bolus. As of 03/19/21 her vision is still blurred and she is more disoriented than her baseline.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1129024	3/24/2021	WA	70	F	1/20/2021	2/7/2021	1st dose -- 1/20/21 Following day experienced very sort Left arm and Left eye sensation of looking through a ring shape (last about 15 seconds) On/about 2/7 noticed onset of tinnitus in Left ear. Saw Dr. on 2/9/21 and began prednisone regiment at 20 mg for 7 days then 10 mg for 3 then back to my 3 mg for PMR. 2nd dose -- 2/24/21 Note --completed the previous prednisone regiment one day prior to this dose. Following day extreme reactions with chills/shaking for several hours, head fullness to feeling of explode, sleeping all day. Within 2 days extreme tinnitus in Left ear. (Note: with menieres disease in right ear and in burn out phase I ONLY have 1 good ear (left) Started another longer regiment of prednisone and taper. Completed the prednisone regiment and the tinnitus in left ear back with a vengeance on 3/20/21. Back on 20 mg prednisone and working with both hearing doctor and my rheumatologist.
1129402	3/24/2021	TX	58	F	3/23/2021	3/23/2021	Started feeling dizzy around 20 minutes after vaccine, when nurses responded she had 3 episodes of LOC, eyes were open but unresponsive, regained consciousness after a few seconds and was able to respond to commands, EMS activated and evaluated then released

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1129252	3/24/2021	WI	68	F	2/26/2021	2/28/2021	<p>vitreous degeneration; laser flashes of light in right eye; This is a spontaneous report from a contactable other healthcare professional (patient). This 68-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration in the left arm on 26Feb2021 at 14:15 (at the age of 68-year-old) (Batch/Lot number was not reported) as single dose for COVID-19 immunisation. The patient was not pregnant. Relevant medical history included long QT syndrome, arthritis, back problems, colon polyp and digestion problems. Concomitant medication included hydrocodone bitartrate/paracetamol (HYDROCODONE/ACETAMINOPHEN) taken for an unspecified indication, start and stop date were not reported. On 28Feb2021, the patient experienced vitreous degeneration and laser flashes of light in right eye, considered serious as medically significant. The patient specified that she continued to see flashes of light in right eye one week since being vaccinated. Eye doctor diagnosed vitreous degeneration. The adverse events resulted in Doctor or other healthcare professional office/clinic visit. Corrective treatments received as a result of the events included "numbed eye and examination". Prior to vaccination, the patient was not diagnosed with COVID-19 and, since the vaccination the patient has not been tested for COVID-19. The outcome of the events was unknown. The information on the batch number has been requested.; Sender's Comments: Based solely on chronological connection to the vaccine a causal relationship between reported events Vitreous degeneration and Flashing vision and BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) cannot be completely excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.</p>

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1129244	3/24/2021		56	F	2/20/2021	2/21/2021	Suffered being tired; Put on my glasses to watch movie and screen looks fuzzy; wondering seems my eyes are little bit weaker; seems like my eyes are little bit weaker; Heart feels like racing; This 56- year-old female consumer (patient) reported for herself, received the second dose BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE lot EN6201 ), via an unspecified route of administration, on 20Feb2021 (at the age of 56-years-old) as a single dose for COVID-19 immunization. Historical Vaccine included first dose of BNT162B2 for COVID-19 immunization. Medical history and concomitant medications were not reported. Patient stated: "I had my second shot of Pfizer vaccine yesterday (20 Feb 2021), today, I suffered being tired. I put on my glasses to watch movie and screen looks fuzzy. It seems like my eyes are little bit weaker or something. My heart feels like racing. I don't think it is racing but it feels like it is. I was wondering if there is any side effects like slightly less accurate vision." The outcome of the events looks tired, fuzzy, eyes weaker, and heart feels racing was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1129233	3/24/2021	AZ	46	F	2/17/2021	2/18/2021	Injection site soreness; fatigue; severe headache; feeling pressure behind my eyes/eye trouble; both eyes are bright red; both eyes are bright red, watering, and aching; both eyes are bright red, watering, and aching; This is a spontaneous report from a contactable consumer (patient). This non-pregnant 46-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; lot number unknown) via an unspecified route of administration in the left arm on 17Feb2021 at 23:30 (at the age of 46-years-old) as a single dose for COVID-19 immunisation. Medical history was not reported. The patient had no concomitant medications. Prior to vaccination the patient was not diagnosed with COVID-19 and did not receive any vaccines within 4 weeks prior to the COVID vaccine. The patient previously received the first dose of BNT162B2 (lot number unknown) on 07Jan2021 at 14:00 (at the age of 46-years-old) in the left arm for COVID-19 immunisation. The patient reported that on 18Feb2021 she experienced injection site soreness, fatigue, severe headache and now (as of 21Feb2021) eye trouble. She had been feeling pressure behind her eyes and now (at of 21Feb2021) both eyes were bright red, watering, and aching. She didn't know if she would need to have her eyes treated. The events were reported as non-serious and did not require hospitalization. It was unknown if treatment was provided for the events. The clinical outcomes of feeling pressure behind her eyes/eye trouble, injection site soreness, fatigue, severe headache, both eyes are bright red, watering and aching were not recovered. It was also reported the patient had not been tested for COVID-19 since vaccination. The lot number for the vaccine, BNT162B2, was not provided and will be requested during follow up.
1129176	3/24/2021	FL	73	M	2/6/2021	2/7/2021	Within 12 hours of receiving the 2nd dose of the Moderna vaccine, I experienced an occipital cerebral infarction in the left occipital lobe. As a result, I have a loss of peripheral vision in the right upper quadrant.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1129130	3/24/2021	TX	56	F	3/13/2021	3/16/2021	I received my J&J vaccine on 03-13-2021. On 03-16-2021 I woke up and the left side of my shoulder, both knees, both legs and both feet are inflamed. I also have cramps to both of my shoulders. On Saturday 03-20-2021 when I woke up my right eye was also inflamed but only lasted one day. I have spasms to my calves with leg cramps. I can not sleep at night due to the inflammation. I went to see my PCP this morning who prescribed a leg cream for the cramps, but I do not know the name. My blood pressure today in the morning was 154/96. My doctor said it was a reaction to the vaccine.
1129097	3/24/2021	IL	21	M	3/23/2021	3/24/2021	tunnel vision after shot 90/50, 54, 14
1128493	3/24/2021	VT	74	F	3/12/2021	3/12/2021	Sore arm, itchy/watery/red/swollen eyes, sneezing
1129067	3/24/2021	PA	68	F	3/19/2021	3/19/2021	Approximately 3 1/2 hrs after receiving my 1st shot, my face turned beet red, was very hot to the touch, burned like a sunburn and both my eyes were very itchy. This lasted approximately 48 hrs. The 24-hr nurse line at my insurance company suggested I see someone at an urgent care facility. On Sunday, I started taking Benadryl, which seemed to help my symptoms.
1128542	3/24/2021	IL	64	M	3/15/2021	3/24/2021	19 hours: left eye went dark, left leg muscle contraction, 21 hrs: major muscles seized for 15 minutes(felt like they were tearing from bone), Fever for next 12 hours
1128999	3/24/2021	IN	19	F	3/23/2021	3/23/2021	Around 7-7:30 PM, I started to feel weird tingly feelings run up and down all of my limbs at the same time but it was over in about 2 minutes. Then I couldn't stop my eyes from continuously rolling back into my head. That happened for about 4 minutes or so sometimes it would happen like 3 or 4 times in a row and sometimes it would be every 20 seconds or so. I was extremely confused and forgetful for the next 40 minutes and then I slowly began to be able to recall stuff.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1128997	3/24/2021		68	M	3/11/2021	3/11/2021	Patient was placed in observation area post Pfizer COVID vac administration. After Approximately 10 minutes, patient Passed out and was found on the floor with wound on (L) side of forehead with bleeding noted. Large knot noted above (L) eyebrow. BP 116/60 Awake, responsive, diaphoretic, bounding pulse, pale. Patient was assisted to stretcher with O2 at 2L NC and ED team transported to ER. Given fluids in ER.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1128863	3/24/2021	OR		F	1/28/2021		<p>feels like the back of brain is swollen, its like the back of her head is heavy and pulsing; Shingles; sharp shooting nerve pain down the right arm, on the right side of head and between breast; had a rash at the injection site which was bubbly, itchy; had a rash at the injection site which was bubbly, itchy; feels like the back of brain is swollen, its like the back of her head is heavy and pulsing; This is a spontaneous report from a contactable consumer. An elderly female patient of an unspecified age received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/Lot number was not reported), via an unspecified route of administration on 28Jan2021 at 11:00 as a single dose for COVID-19 immunisation. Medical history included shingles in eyebrows from an unknown date and unknown if ongoing. The patient's concomitant medications were not reported. The patient stated that her first shot activated a virus. In trying to recall the name of the virus, she stated that she is almost 80 and forgot the word, it's the virus with awful rashes in the body, she has been waiting for a month to report it. It's shingles. She had no symptom in first 4-5 days but then she had sharp shooting nerve pain down the right arm, on the right side of head and between breast. It was sharp pain, like someone poking with a knife every 20 seconds to a minute. It went on for a few days till she took gabapentin which is strong stuff. Then 2.5 weeks later she had a rash at the injection site, which was bubbly, itchy, and then she started getting shingles. She has shingles on 2 sites in the body. She's had no attack in the body, and she is not stressed. She has the shingles in the back and the 2 days ago she experienced shingles in the right eyebrow. She knows the shingles lives in her trigeminal nerve, because this is not the first time, she has had it in her eyebrow. She is pretty sure the shot aggravated the virus. Since then, she wakes up in the night to what feels like the back of brain is swollen, it's like the back of her head is heavy and pulsing. She can't get the second dose, no one is scheduling her. She thinks she is past the time they recommend, but then again, she got the shingles. She is not happy right now. The outcome of the events was unknown. Information on the lot/batch number has been requested.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1128856	3/24/2021	IL	50	F	2/25/2021	2/25/2021	diagnosed acute right eye scleritis; Rash on face, neck, chest, arms, hands; flushed in the face; itchy all over the body; hot all over within 45 minutes of the shot administration; This is a spontaneous report from a contactable consumer reported for herself. A 50-year-old non-pregnant female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), first dose via an unspecified route of administration, administered in left arm on 25Feb2021 13:00 (Lot Number: EL9266, at age of 50-year-old) at single dose for covid-19 immunization. The COVID-19 vaccine was administered at facility of workplace clinic. Medical history included hashimotos thyroiditis, allergies to sulfa, penicillin, latex. The patient is not pregnant at the time of vaccination. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. Concomitant medication with in 2 weeks of vaccination included thyroid (THYROID). The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. On 25Feb2021 at 13:45, the patient experienced rash on face, neck, chest, arms, hands, flushed in the face, itchy all over the body, hot all over within 45 minutes of the shot administration. Diphenhydramine hydrochloride (BENADRYL) was required for 36 hours to mitigate the reaction. Then on 01Mar2021, right eye developed increased pressure, pain, inflamed blood vessels, severe photosensitivity. At emergent eye doctor appointment, the patient was diagnosed acute right eye scleritis. Treatment for the events included diphenhydramine hydrochloride, steroid eye drop, antiinflammation meds. The events were non-serious per reporter. The events result in doctor or other healthcare professional office/clinic visit and emergency room/department or urgent care. The outcome of the events was unknown. Follow up attempts are needed. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1128853	3/24/2021	NY		F			<p>palsy; She was having a lot of congestion; Tingly feeling in the right side of the face/tingling/tingling feeling through her arm; Hypersensitivity in the face; Felt pain rise from the right side of her neck to her head; Blood pressure went up/blood pressure was 153/92/Her blood pressure was checked three times and the lowest was 142/90; Felt dehydrated; She felt hot/feeling extreme heat on her face/burning; Thought she had a little sweat.; Red flushness on her chest; Tingling feeling under her throat; Face swelled up a little bit; Felt numbness across her face; She felt a slight itchiness on the right side of her face; Her face looked very red, specifically her cheeks and forehead; Fatigued, she felt like she was drugged; She couldn't fall asleep; Extreme GERD; Extreme racing heartbeat; This is a spontaneous report from a contactable consumer via Medical Information Team. A 48-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Lot number was not reported), dose 1 via an unspecified route of administration (reported left side) on an unspecified date as single dose for COVID-19 immunization. Medical history included felt a little hot prior to the COVID vaccine from an unknown date, neck pain, extreme GERD, extreme racing heartbeat, right eye proptosis, and immune issues from an unknown date. Concomitant medication(s) included oxymetazoline hydrochloride (CLARITIN ALLERGIC); levothyroxine sodium (SYNTHROID); liothyronine sodium; hydroxychloroquine sulfate (PLAQUENIL S); and famotidine (PEPCID), all taken for an unspecified indication, start and stop date were not reported. The patient previously took diphenhydramine hydrochloride (BENADRYL) and had a side effect. On an unspecified date, the patient reported having these feelings in both arms, more so a tingly feeling in the right side of the face, and hypersensitivity in the face. She had a pain that goes from the right side of the face to the back of the brain. Her blood pressure went up. She also had a lot of liquid, and felt dehydrated almost felt like her right side was going to drool. She wanted to know if this could be palsy or a nerve condition. She stated she's concerned about getting second dose because she was still having these feelings. The patient wanted to know if it would be safe to use the EpiPen her Doctor prescribed to her, since her blood pressure went up high, instead of going down, like</p>

VAERS\_ID RECVDDATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

it usually would happen in the severe cases of allergic reactions; for that and the tingly face, the doctor recommended that she receive the second dose in the hospital. She stated she received her first dose at a convention center and wanted to know if Pfizer could provide her with a letter saying she would need to receive her second dose in a hospital. She was supposed to get the second vaccine on Thursday (unspecified date). She was concerned because of a reaction she immediately had and has had since that timeframe. She felt a little hot prior to the COVID Vaccine. After she got the COVID Vaccine, she felt hot. She was sitting there waiting and felt a little hot on her forehead. She thought she had a little sweat. She also thought she was being crazy because she was hot before she got to the COVID vaccine location. Twenty-nine minutes in she started feeling extreme heat on her face. She was burning and tingling. She felt she was having a lot of congestion. She saw her face turned very red. She had to use a lot of ice because it felt like she was on fire. She was there for two hours being monitored. Her blood pressure was 153/92 when it normally was 100/70. Her blood pressure was checked three times and the lowest was 142/90. She stated she is not allergic to Benadryl, but when she was a little kid she had a side effect so she doesn't use Benadryl. She was given Pepcid immediately after COVID Vaccine. She had red flushness on her chest. She had a tingling feeling under her throat. Her face swelled up a little bit, but enough where she could feel it. She stated she had neck pain prior to the COVID vaccine. Fifteen minutes after the COVID vaccine, she felt pain rise from the right side of her neck to her head. She also felt numbness across her face. It didn't go away. After two and a half hours at the COVID vaccine facility, she was told to go home, and someone would call to check on her. She felt a slight itchiness on the right side of her face. Her face looked very red, specifically her cheeks and forehead. She was so fatigued, she felt like she was drugged. She took Claritin. She couldn't fall asleep. She has extreme GERD and would wake up with an extreme racing heartbeat. She also had this happen prior to the COVID vaccine. She stated she takes Omeprazole, basically the prescription version of Prilosec. She stated her GERD is inflammation-based and the COVID vaccine must have triggered the GERD.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

Eight hours after the COVID vaccine, she fell asleep for five minutes, woke up, looked in the mirror and there was a big, red rash area on the whole right eye area on the right side of her face above her eye, but not to the top of her forehead. She hasn't been diagnosed with the cause of what is going on with her right eye. She does have right eye proptosis prior to vaccine so maybe the whole right side of her face was targeted because she has immune issues on that side prior to vaccine. On the next four days, she got zero sleep and had a hard time sleeping. She went to her primary doctor on Monday (unspecified date) and her blood pressure was 140-something over 80-90. Five days after the COVID vaccine, her blood pressure returned back to normal. This whole time she was taking Claritin. She could feel tingling feeling through her arm. She almost feels like she had been shocked or electrocuted. She had that continually feeling in her face and arm since the COVID vaccine. She did see an allergist who stated caller should have been given an EpiPen immediately. She has never used an EpiPen before. She saw the allergist seven to eight days later. The allergist took blood to see if there was still a histamine response, but her results were normal. She was still feeling those weird feelings of being electrocuted or shocked. The right side of her face is hypersensitive. It comes and goes. She did see her endocrinologist who stated maybe it's a neurological response to the COVID vaccine. She stated the doctor had seen what happened to her before, but it didn't last long. This doctor saw the face would go away after thirty minutes and reporting the ones that come back for the second time, their high blood pressures lasted for twenty-four hours. Her high blood pressure lasted for 5 days. The past couple of days her blood pressure has been very low and then high. It is all over the place, which is not normal for her. The outcome of the event "blood pressure went up/blood pressure was 153/92/her blood pressure was checked three times and the lowest was 142/90" was recovered, and unknown outcome for the remaining events. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1128604	3/24/2021	VA	53	F	1/7/2021	2/14/2021	Continuous right side headache starting February 14, 2021. Right side headache, scalp burning & sensitivity, orbit pain, right temple pain, pain at base of skull, forehead pain & sensitivity. right eye discomfort
1128586	3/24/2021	VA	64	F	3/20/2021	3/24/2021	Swollen left eye and surrounding area. Used cold compresses and took an antihistamine pill. After 3 hours, swelling is slightly less.
1129407	3/24/2021	IL	48	M	2/28/2021	3/8/2021	Partial vision loss in right eye. Eye pain. Diagnosed with optic neuritis.
1129081	3/24/2021	NC	63	M	3/19/2021	3/19/2021	Approximately 5-10 minutes after first covid vaccine, patient was witnessed to become pale, eyes roll in the back of head, become stiff, and fell backwards in chair and onto floor. Patient hit back of head after fall. Patient was laying supine on floor and lost consciousness for approximately 30-60 seconds. He did not respond to name or place when asked. He had a strong pulse and was diaphoretic. After approximately one minute, patient opened eyes and stated his name and where he was. During this event, Code Medic was called by another staff member. Patient continued to talk to writer while waiting for code team to arrive. He stated that he had no pain and was starting to feel better. Report given to code team and care transferred. Patient taken to ED for further evaluation.
1131005	3/24/2021	WA	85	F	3/24/2021	3/24/2021	Loss of vision started approx 2 weeks after 2nd vaccine (Moderna)
1131118	3/24/2021	NJ	63	F	3/23/2021	3/23/2021	Shot was at 12:15 pm. By 7 pm I was having trouble with light sensitivity, pupils were not dilated. By next morning eyes were extremely painful, almost swollen shut, extremely light sensitive. End of the 24th (the next day) eyes still light sensitive, now have a low fever.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1131100	3/24/2021	CA	57	F	3/22/2021	3/22/2021	Within 2 hours of receiving the vaccine injection in my left arm, i began to experience a numbing sensation on my left cheek and within another hour or so the numbing sensation was around my left eye. The next day the numbness was still there on my cheek, however it was no longer around my eye. The second day after the injection the numbness is almost completely gone, but is still slight and only about the size of my finger tip. I had a virtual video conference with my family doctor, and she has stated it appears that it was most likely an adverse side effect from the vaccine. She asked that i report this via the VAERS website.
1131086	3/24/2021	ID	66	F	2/24/2021	2/26/2021	Woke up at 630am on 2/26/21 with severe ice pick headache on right temple. Intense burning pain running along top of right brain lasting a few mins. This happened 3 mornings in a row. On 3/2/21 at 10pm I had a very severe ice pick headache. It felt like hot lava along top of right brain lasting 20 minutes. Took Advil. Called Clinic at 8am the next morning 3/3/21. I was able to get emergency appointment at 11am that day with Dr . He prescribed Gabapentin and Valtrex. Checked for Bells Palsy as right forehead was smooth. Medications helped. No more Ice Pick headaches but I?m still having headaches along the right brain. Pressure and pain behind my right eye. It has been almost a month now. I sadly had to cancel my second vaccine appointment.
1131085	3/24/2021	TX	44	F	3/23/2021	3/23/2021	Got very dizzy and cold sweats a few minutes after vaccine. Then I had a seizure and thankfully my husband was there and called the paramedics because he thought I was having a stroke and when they came I was waking up but I had very blurry vision and I was very very sleepy and my memory wasn't very good. The paramedics came and checked my vitals and my blood pressure was very very low but I got to feeling better and stayed there for more time. I was very very tired and my memory was kind of bad for the rest of the day. My husband said I was twitching and my eyes were rolled back when I was seizing and he was a little over a minute when I was seizing.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1131082	3/24/2021	IN	66	F	2/7/2021	3/24/2021	Today at about 11: 30 AM, I took an Amoxicillin for gingival irritation. I have taken this medicine before , but this was the first time since getting my Covid Vaccine. About one hour later, I began having intense itching of both hands, followed by diffuse flushing and pruritus and slight swelling around my face and eyes and a little feeling of throat irritation, but without SOB, wheezing or tongue swelling. My vital signs stayed stable, including a normal oximeter reading. I took a 180 mg Fexofenidine and used some OTC Hydrocortisone Cream on my hands when the first symptoms started. When the other symptoms progressed , I took 24 mg Methylprednisolone oral tablets and 25 mg liquid Diphenhydramine and my husband drove me to the ER, to be close in case I developed difficulty breathing. After about 30 minutes the symptoms stopped worsening and gradually resolved. I didn't go to ER
1131063	3/24/2021	IL	41	F	3/20/2021	3/22/2021	Very swollen Eyelids 3/22-resolved. Hives on face, neck, ears, elbows, knees, gluteal muscles 3/23-current, worse on right side of body. Antihistamine (azelastine) administered and beneficial. Throbbing, sever intermintant Rt side temporal headache 3/22-current. Slight dizziness
1131044	3/24/2021	TX	52	F	3/19/2021	3/19/2021	Throat tightening; fever; ear, jaw & neck muscle pain & stiffness on right side of body; glassy eyes w/contracted pupils. At 3:22 pm Took BC max strength powder: containing Acetaminophen 500mg Aspirin NSAID 500mg Caffeine 65mg Throat tightness lessened around 3:45pm Fever broke at approximately 6:30pm Neck Jaw Ear pain & stiffness subsided approximately 24 hrs after onset.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1130911	3/24/2021	MO	42	M	3/24/2021	3/24/2021	Description of event: Patient received vaccine in his LUE and was instructed to wait in line to schedule next dose. While standing in line, patient was witnessed falling to the floor. He appeared to land on his hands, denies injury at this time. Patient responded verbally when asked if he was okay. Vitals recorded while patient sitting on floor 1500. Patient stated he was ok to sit in chair. Upon sitting in chair for approximately 30 seconds his head fell forward and he was unresponsive. Patient began agonal breathing, eyes were open with fixed pupils, pulse was weak. Staff assisted patient to floor where he regained consciousness after approximately one minute. Patient appeared diaphoretic and pale, but was responding appropriately. An ambulance was called during this time. The patient was able to give contact information for his wife. The patient personally spoke to her on the phone. Meanwhile patient was resting supine on the floor. Vitals at 1552 146/94 P 70, R 20, 98% RA. Approximately 15 min later patient returned to the chair and has been resting since. BP at 1615 119/65. He refused treatment from EMS and is currently calling his wife to pick him up as staff has advised him not to drive. Patient currently eating a snack and drinking water, states he is feeling better.
1131011	3/24/2021	AZ	62	F	3/23/2021	3/23/2021	30minutes after injection: Swelling lips, eyes, face , throat red face fast heartbeat dizziness fatigue and headache next morning
1131364	3/24/2021	NC	32	M	3/24/2021	3/24/2021	Patient went pale, eyes were dilated, and was unresponsive. Emergency protocol was immediately enacted.
1131002	3/24/2021	MO	61	M	3/23/2021	3/24/2021	Woke up Morning after vaccine with bloodshot eyes



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1130967	3/24/2021	AR	49	F	3/19/2021	3/20/2021	Cold chills Friday afternoon and night(but consider those the mild side effects) Saturday morning noticed: dizziness with movement(like motion sickness); nausea has continued since then(Sat, Sun, Mon, Tues, Wed) Dizziness has been severe and causing nausea with gagging but not vomiting. Feeling off balance, using walls etc in order to walk straight. Blurred vision (comes and goes as dizziness increases/decreases) Difficulty concentrating. Yesterday(Tuesday) pulling sensation down right side of neck, confusion, blurred vision. Slight hesitation to writing with right hand(had to concentrate to sign my name etc)
1130944	3/24/2021	VA	22	F	3/24/2021	3/24/2021	Patient received Covid-19 Vaccine today, 03/24/2021. During the 15 minute post-vaccine observation period, the patient began to feel faint. Her condition worsened to feeling nauseous and blurred vision, so patient asked to lie down. We found a quiet area in the employee break room for the patient to lay down. and provided her a pillow, water, cool compress for her head, and later, orange juice for her comfort. We proceeded to call 911 for medical attention. EMS professionals evaluated patient's vital signs and patient signed waiver refusing to go to hospital, since she was feeling better. Patient left on her own accord with a friend driving her home.
1130932	3/24/2021	IN	69	F	3/11/2021	3/11/2021	Could not control right leg and arm, could not walk w/out help, kaleidoscope vision bursts, fever, chills, extreme fatigue, lethargy, headache, diarrhea.
1130926	3/24/2021	OR	58	F	3/14/2021	3/21/2021	At the injection site - it was a little sore after about three days. A week after vaccine, it hurt to touch my eye - I thought I had pink eye but it wasn't itchy. I treated it with hot compress. I did that at least 3 times a day for two days. It was really swollen - lower eye lid of my left eye - right in the middle of it - on the inside of the eyelid I can see a bump in the middle of it and so I was kind of pushing on my eye a little and it looked like fluid was coming out of my tear duct and so I put a hot compress on it often and it's getting a little better each day. I'm 70% better.
1130921	3/24/2021	WA	68	F	3/8/2021	3/8/2021	Exacerbation of chronic fatigue, "burning" eyes, "brain fog", chills, metallic taste in mouth, mouth sores, decreased appetite.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1130916	3/24/2021	OK	46	F	3/20/2021	3/20/2021	Reports vision has been "different" since day of vaccination. Reports as more difficulty focusing. Does have prescription for glasses that she does not wear. Advised patient to wear glasses and report if symptoms improve.
1131024	3/24/2021	FL	50	F	3/24/2021	3/24/2021	Very sore arm, muscle aches, fatigue, slight off and on headache, dry eyes, slight nausea, tickle in throat with light coughing.
1131456	3/24/2021	NH	64	F	3/24/2021	3/24/2021	Itchy skin - eyes, lips, nose, chest Tingling skin - cheeks Slight swelling - eyes, lips, ears
1130299	3/24/2021	NC	38	F	1/11/2021	3/1/2021	Fatigue, blurred vision, increased thirst, increased urination after receiving second vaccination (Started 2/10/21)
1131692	3/24/2021	IN	60	M	3/22/2021	3/23/2021	I have hives on my wrist, eyebrows and forehead.
1131689	3/24/2021	AL	59	M	3/13/2021	3/15/2021	First thing I noticed was frequent trips to the bathroom. (EVERY TWO HOUR) All LARGE amounts of urine. The Second one is that Eye SITE was made a drastic change to the point I can barely see!
1130178	3/24/2021	NY	62	F	3/17/2021	3/17/2021	I got the chills, layed down and tried to warm up. My left arm is in pain. fell asleep briefly, woke up to extreme stabbing pains in the right temple of my head. I barely could walk to the bathroom and I layed on the floor because of the pain in my head. I can feel the pulse of my heartbeat in my head. I had intense nausea. I managed to get to bed. I drove to work the next day but my boss sent me home because I was the same. My eyes feel like they are flickering and are in pain. I feel like its a nerve in my eyes that are messing with me and are very painful. I am afraid to take the second shot.
1131651	3/24/2021	NV	50	M	3/22/2021	3/23/2021	Skin below eye (near sinuses) was swollen, red, and tender to the touch Tuesday morning. On Wednesday morning it had spread down to his upper lip and across his nose to the right of his face.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1131588	3/24/2021		52	M	3/13/2021	3/15/2021	Patient reported that he was administered the first dose of the Moderna vaccine on 13Mar2021. Patient reported 2-3 after the vaccination he began to experience floaters and flashes before his eyes for 2 days. He then stated that after that he has been seeing a black dot to the right of his lateral periphery. Patient did see the optometrist on the same day. Optometrist noted: No tears or detachments noted today, with extensive (extended) BIO + peripheral 90D. Pt states floater remains since Saturday (though not present per pt during exam) but denies flashes or curtain veiling. Query if complete PVD though difficult to appreciate on exam. Strict RD precautions given, STAT if symptoms arise. Pt expressed understanding. Will repeat DFE at scheduled f/u 5/4/21 @ 13:40, or sooner PRN.
1131572	3/24/2021	WA	66	F	2/26/2021	2/26/2021	Localized headache/eye pain in my right eye. The eye muscle was sore when I moved my eye, especially looking down. Sharp throbbing pain intermittently lasting approx. 2 seconds in right temple. Tylenol eased the pain some. Headache gone the next day but still right eye muscle discomfort the following day and then it was gone.
1131323	3/24/2021	WI	30	F	3/5/2021	3/6/2021	Head and ear pain on left side began on 3/6/2021. I took Tylenol and OTC ear drops but pain continued to get worse. 3/10- pain worsened, ear itched, hyperacusis began. 3/11- 8am Finally made an appointment in clinic due to the worsening ear pain and was prescribed ciprofloxacin/dexamethasone drops and told to contact clinic in 24 hours if symptoms didn't improve. 3/11- 8pm noticed weakness on left side of face (inability to close eye tightly), went to bed. 3/12-6:30am weakness on left side progressed- eye wouldn't blink/close, asymmetric smile...called clinic and was asked to come in. My primary saw me and sent me to the ER. They looked in my ear and Diagnosed me with Ramsay Hunt Syndrome (shingles outbreak in ear/ impacting facial nerves causing acute paralysis) on 3/12/2021 after initial symptoms began on 3/6/2021. I was put on 1000mg of valacyclovir 3x day and 60mg prednisone for 1 week each. Moderately-Severe Paralysis remains as of 3/24/2021.
1131494	3/24/2021	OH	56	F	3/24/2021	3/24/2021	Dizzy. Tired. Sore arm. Ache. Itchy eye watering. Sore bones. Chills.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1131337	3/24/2021	TX	70	F	1/15/2021	1/16/2021	The day after vaccination I had redness and swelling in my right eyelid. My eyelid was very red and almost swollen shut. I was told that the problems I was having had to do with the Vaccine by telehealth. After seven days because of the bruised look I consulted another doctor who told me that it was an infected Sty in my eye. I was prescribed an oral antibiotic Doxycycline. I have never had a Sty in my eye before and it is still a little red spot after two months.
1131449	3/24/2021	SC	68	F	2/23/2021	3/24/2021	fever of 100, eyes ached, fatigued- lasted for about 5 hours

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1131445	3/24/2021	CA	45	F	1/20/2021	2/1/2021	<p>On 2/1 I started to feel rundown. On 2/3 I had no energy. On 2/4 I couldn't think straight. On 2/6 I got a covid test. Results negative. On 2/8 I saw a doctor who tested my electrolytes. Everything was good with labs. I was declining rapidly. I started to become very lightheaded and dizzy. I had blurred vision. I started to get migraines. On 2/11 I saw another doctor who did a bunch of tests like vertigo, said she could not figure it out. The migraines were severe and consistent. On 2/15 I went to the ER. They did a CT scan, EKG, more blood tests. She said she would diagnose me with migraines although I never had an issue with them before, and she was diagnosing me with it as a "diagnosis of exclusion". I was bedridden. I had spots in my vision and couldn't drive. I felt like I was driving drunk although completely sober so I stopped driving. I had severe brain fog. I couldn't remember what happened 2 minutes ago. They prescribed me propranolol and a triptan. I didn't take them because I felt that the diagnosis was wrong. Something was causing migraines, my whole body was experiencing something major. On 2/19 I went to another doctor for another set of eyes. I told him what I was feeling was systemic. I had been out of work for weeks. He tested me for B12 and Magnesium deficiencies. Everything was normal. I googled nonstop. I started feeling zaps like my body needed oxygen. My brain needed oxygen. The brain fog was so severe I felt like I had dementia. I kept googling... I came across iron... I started to take iron on 2/21. I went to the VA for more blood tests. The blood tests had some low markers like eGFR and slightly low MCHC. I was clearly very sick. The same day I could barely breathe well and I went to the ER. The doctor told me he "deals with strokes and heart attacks" and not what was happening to me. I asked him to please check my ferritin. He refused. I kept taking iron. On 2/22 I went to another ER with shortness of breath and all of the other symptoms. I felt like I was going to die. I had never been so sick. I am a very healthy person who eats healthy and exercises daily. This doctor refused to test my ferritin as well. She told me it was stress. I ordered my own labs using walkinlabs.com. I had read that ferritin can be falsely elevated if the body was inflamed and I'm pretty sure that's what happened because at the time my ferritin was normal at 48. I kept taking large doses of iron (within safe limits) because my</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

symptoms matched iron deficiency without anemia and the causes of it fit me. I read many many medical journals regarding our ferritin ranges and how ferritin should be 75+. I had never had an issue with it before. I swore it was iron. Every day 2-3 symptoms would go away. I saw another doctor shortly after who dismissed all of my symptoms again. It was the sickest I had ever been and 4 doctors, 3 ER's all dismissed me. I was beyond frustrated and lost faith in the medical community. Some mentioned it could be the vaccine but they did not question it too much. I went to a naturopathic doctor. She did a thorough test on 3/9. My ferritin came out as a 21 on this date (after 16 days of taking large amounts of iron). She thought maybe I was already iron deficient and that when I got the shot, maybe my immune system couldn't handle both. I left it at that. Meanwhile, another coworker, had also been out 3 weeks. He had deteriorated severely about the same amount of time after the Moderna Vaccine that I did. I didn't think much of it as he had diverticulitis. He is also a healthy eater and exerciser. Today he is still very ill. Today he told me that his Kidney doctor just found out that his Iron was completely depleted! His labs were off the charts low. Coincidence maybe, but too similar to not consider as an adverse reaction to the shot! And how many people may have the same symptoms who don't know? As of today I am still very weak and tired but I am able to work. I don't feel as sharp. Iron did fix a lot of the symptoms but iron deficiency usually comes on slower. In this case it is like I FELL OFF OF A CLIFF. I deteriorated so hard and fast and was terrified. My family was terrified.

1131433 3/24/2021 CA

54 M

3/17/2021

3/17/2021

? 1 15 minutes after vaccination patient was observed getting diaphoretic. Patient then reported getting sleepy and not feeling good. O2 desaturation, 5L o2 administered, o2 saturation checked at 93% with non-rebreather. Patient remained alert and responsive but with eyes closed. EMS called and patient sent to Emergency Department for further evaluation. Patient was sent to ER and was discharged from ER.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1131404	3/24/2021	WI	30	F	3/24/2021	3/24/2021	After the first 10 minutes, vision blurry and anxious, felt like she was going to pass out. Pt unaware if she lost consciousness. then had emesis. Appears pale and dry in oral mucosa. 1910. Now with complaints of stomach cramps. Drinking water. Emergency team called and patient refused transport to ER.
1131399	3/24/2021	ND	84	M	3/12/2021	3/13/2021	Hospital Course: Patient was admitted 2 days after having received his COVID-19 vaccine and had SIRS including hypotension. Was believed to be a possible reaction to the vaccine. He was admitted to the ICU and briefly he needed vasopressors. The hypotension resolved and did not recur. An echocardiogram showed that he had a moderate pericardial effusion, cardiology saw him and does not believe that this contributed to the hypotension. He also thought his stools were dark however he has had quite dark stools for many years he told me, ever since he was started on iron pills. He could not confirm whether or not the stools might be a little darker than usual for him and he also had 1 out of 3 stool occult blood test that were positive. He has chronic anemia with the hemoglobin slightly lower than his baseline, so GI was consulted and an EGD was performed. He does have Barrett's esophagus and GI discussed with him how he will need follow-up EGDs, and I reminded him of that as well. Warning signs and alarm symptoms were discussed. He was placed back on his Eliquis however he will not be taking the Effient medication. This was based on recommendation from cardiology. He will have lab work done and see his primary care provider within several days. He will also have a video capsule test done and pick this up either today or tomorrow and follow-up in several days with GI. Discussed going back on his low-dose Eliquis with GI. Discussed with cardiology and GI and discussed with the patient the risks, benefits and alternatives. He will watch for any signs of bleeding and stick with a low dose of Eliquis.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1131395	3/24/2021	UT	33	M	3/24/2021	3/24/2021	10 to 15 minutes after receiving the vaccination. The patient reported to a pharmacy technician they were feeling unwell. As the patient went to sit down they fainted. Patient was unresponsive for roughly a minute exhibiting tensed arm and neck muscles. Muscles also contracted several times during the episode. Patients eyes were open during the episode but they could not be coaxed to speak signal or blink. Additional patient symptomology as follows: elevated pulse, constricted pupils, flushing/redness in the face & neck. For this reason, medical staff called 911. Patient became responsive and reported losing consciousness and having no recollection of majority of the event. Upon arrival EMT's took over patient care. Patient left with EMT's
1131394	3/24/2021	CA	52	F	3/14/2021	3/19/2021	LIP HERPES, AND EYE LID HERPES, TX. VALACICLOVIR 4 MG X DAY, COLD PACK. VIGINAL DYSPLASIA SECONDARY TO HPV
1131623	3/24/2021	OR	62	F	3/23/2021	3/23/2021	Severe muscle weakness, chills, burning eyes, dark orange urine, kidney pain, migraine headache, nausea, chest heaviness but not short of breathe. 27 hours in bed except to go to the bathroom, weakness so severe it hurt my whole body to turn on my side.
1131541	3/24/2021	MD	89	M	3/24/2021	3/24/2021	At 2:03 p.m, we received information that patient "passed out" in the parking garage. Patient brought back to Vaccine clinical area - unresponsive, cold and clammy. 911 called At 2:06 BP 12/33; HR 45, R 20 and O2 sats 100%, T 97.3. BG 161 Patient then opened eye after sternal rub and responded to name. HR and Pulse continue to decline. 911 arrived and take patien to hospital.
1130429	3/24/2021	VA	56	F	3/4/2021	3/5/2021	Around 2pm (27 hours after vaccine) fever jumped to 103.6. This lasted for three hours. Every bone ached. Eyeballs ached. Couldn't lift my head. SO sleepy. It was awful. Then it was over. I still was uncomfortable for the next 48 hours but not like it was. Temperature was back to normal. But overall felt badly.
1130530	3/24/2021	VA	61	M	3/18/2021	3/22/2021	Grand mal seizure, wife found patient lying on the ground with eyes fixed and loss of urine. Wife called EMS around 2:22 and patient came to about 15 minutes later.



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1130517	3/24/2021	KS	42	F	3/24/2021	3/24/2021	<p>Date: 3/24/2021</p> <p>Subjective Patient is a 42 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience lightheadedness. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality and rapid progression of symptoms. PMH: asthma r/t seasonal allergies ALLERGY REVIEW OF SYSTEMS: Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, eyes watering, eyes itching, cough, chest tightness, shortness of breath, wheezing, rash, hives, itching of skin, vomiting, abdominal pain, muscle aches, joint pain, dizziness and headaches + lightheaded: Previous Reactions: none that she is aware of. Had dizziness/lightheaded with ear piercing. Objective Vitals Vitals: 03/24/21 0951 03/24/21 0955 03/24/21 0959 BP: (!) 166/111 (!) 150/100 (!) 142/72 Pulse: 66 57 63 Resp: 18 14 SpO2: 100% 100% 100% Physical Exam Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Conjunctiva/sclera: Conjunctivae normal. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Comments: Speaking full sentences Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Gait: Gait normal. Psychiatric: Mood and Affect: Mood is anxious (slight). Behavior: Behavior normal. Thought Content: Thought content normal. Judgment:</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							Judgment normal. Improved with rest/reclined. Pt able to sit up and stand w/o dizziness/lightheadedness. Assessment/Plan Treatment included: water and close monitoring Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) and Red flag symptoms (CP, SOB, NVD, Visual/Neuro concerns) Anxiety mixed with pseudo mild vasovagal syndrome. Pt improved and did well. Pt aware of option of getting her vaccine done here in the bay next time if she would like. Recommend 30 minute observation. F/up with pcp otherwise. 3/24/2021 9:48 AM
1130492	3/24/2021	OH	57	F	3/14/2021	3/23/2021	Received injection on Sunday. Monday was nauseated and had chest pressure. Nausea and CP came in waves and occurred about 10 times. Then stopped. Felt "off" for 4 days. Felt fine on Friday and through Wed 3/23/21 until 9:10 PM. Developed visual changes in left peripheral bilat. Appeared like waves in an arc. Then began to not be able to breathe. I had to tell myself to breathe. Called squad, arrived 9:45pm. BP 170/110, HR 118. By 10pm, the visual changes disappeared BUT developed chest pressure in same area as the MONday after the vaccine. Then became extremely nauseated, almost vomiting. Nause came in waves for next 6 hours until it calmed down. Then returned Wed am for several hours, again in waves along with hollow chest feeling and pain. Continued with headache off and on with brain fog the remainder of Wednesday 3/23/21. Discussed with hospitalist at Hospital and was told to report it to the CDC as likely an adverse effect to the vaccine. Was still in the 14 day window. Thank you, RN, PhD, MSN, MS, BSN
1130491	3/24/2021	NC	27	M	3/24/2021	3/24/2021	Strong impact on either severity of ADHD or effectiveness of medication used for treatment. Symptoms include inability to focus, hyperactivity, and severe time blindness.
1130490	3/24/2021	FL	56	F	2/17/2021	3/17/2021	Approximately 5 minutes afterwards I started having a rapid heartbeat. It came in intervals. After the 3rd one I started sweating with blurry vision. I felt my heart racing and palpitations throughout my body

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1130480	3/24/2021	NV	46	F	3/18/2021	3/18/2021	my reaction was my left lower eye swollen, itchy after three hours shot. I had a fever, shivering, headache, body ache especially backache the first night, and then just healed up for my eye today.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1130469	3/24/2021	KS	70	F	3/24/2021	3/24/2021	<p>Progress Notes APRN (Nurse Practitioner) ? ? Family Medicine Cosign Needed Expand AllCollapse All  COVID VACCINE CLINIC 3/24/2021 Date: 3/24/2021</p> <p>Subjective is a 70 y.o. female who was seen at COVID Vaccine Clinic today for her second dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience a change in her cough and felt nauseated. She felt better shortly after 5 minutes but then her husband noted some redness in skin color in her legs and on her abdomen. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , chest pain, collapse, hypotension, rapid progression of symptoms, respiratory distress, skin changes and increased in HR. Upon arrival to bay, HR 180-190. Pt's husband states pt with hx of svt. Usually in high 200's or low 300's if it comes on. Hx of having HR in the 150s at times. Usually resolves on its own with elevation of feet above pt's head per pt's husband. He is not worried about it but wanted to know what her pressures were doing. PT with alz. Pt's husband is main caregiver. ALLERGY REVIEW OF SYSTEMS: Redness went away after sitting down.: CONT negative HENT negative Eyes negative Respiratory negative Skin negative GI negative Neuro negative Previous Reactions: none Objective Vitals Vitals: 03/24/21 1045 03/24/21 1101 03/24/21 1115 BP: (!) 141/86 124/80 124/82 Pulse: (!) 180 (!) 158 (!) 150 SpO2: 100% 100% 100% Physical Exam Constitutional: General: She is not in acute distress. Appearance: She is well-developed. Comments: Flushed appearance upon arrival to bay. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Regular rhythm.</p>

VAERS\_ID RECVD STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

1130531	3/24/2021 AZ	57 F	3/6/2021	3/8/2021	<p>Tachycardia present. Heart sounds: Normal heart sounds. Comments: HR came down to 150-160's after Trendelenburg position. Ice pack placed on chest. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert. Mental status is at baseline. She is disoriented. Gait: Gait normal. Comments: Disoriented at baseline per pt's husband. Pt able to tell me who her husband is and their plans for cruise this summer. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Assessment/Plan Treatment included: water and Trendelenburg position Follow up response to treatment: fair. Patient discharge: AMA. Differential Diagnosis: Red flag symptoms (CP, SOB, NVD, Visual/Neuro concerns) Discussed pt's HR despite of pt being stable here that they ought to seek further medical care in the ED. Pt husband declines as "she's done this before and I'm not worried. We will go to the hospital if she is not getting better. I think when we get home, in her normal environment, she will be fine." He voices appreciation for our evaluation and concerns. She was able to demonstrate assistance to standing position without reports of feeling dizzy or lightheaded. Pt color does look better. Redness is gone and she continues to report to feel well. Pt wheeled out in wheelchair. Husband is aware of our recommendations. APRN Electronically Signed 3/24/2021 10:59 AM Division of Health</p> <p>Vaccine administered on 3/6/2021. On 3/8/21, symptoms of small fiber polyneuropathy greatly amplified and continue to present. On 3/12/2021, woke up with left side of face feeling slightly swollen extending from jaw up through eyelid-appearance unchanged, no loss of facial muscle control; sensation still present-has not improved or worsened. This symptom has not been a symptom previously experienced as part of the small fiber polyneuropathy. On 3/14/2021, woke up with upper and lower gums feeling slightly swollen across entire expanse (left and right); sensation still present-has not improved or worsened. This symptom has not been a symptom previously experienced as part of the small fiber polyneuropathy.</p>
---------	--------------	------	----------	----------	---

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1130435	3/24/2021	KS	60	M	3/24/2021	3/24/2021	<p>Progress Notes APRN (Nurse Practitioner) ? ? Family Medicine Cosign Needed Expand AllCollapse All COVID VACCINE CLINIC 3/24/2021</p> <p>Patient:</p> <p>DOB: Date: 3/24/2021</p> <p>MRN: Subjective Patient is a 60 y.o. male who was seen at COVID Vaccine Clinic today for his first dose of the COVID 19 vaccination. He was given the Pfizer vaccination in the left deltoid muscle. During his 15 minute waiting period after the injection he did fine. However, pt noted to be sitting on side after pushing his sister in wheelchair to take a "break." He was noted to be wheezy and sob along with diaphoresis. Pt states he has hx of asthma and forgot to bring his inhalers. He normally doesn't walk much anyway and today was a long walk. He was offered a wheelchair and brought to the bay for inhaler treatment. . He denied rash, hives, welts, difficulty swallowing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and he was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to rapid progression of symptoms. Active Problem List</p> <p>Diagnosis ? Essential hypertension [I10] ? Long term (current) use of anticoagulants [Z79.01] ? New onset atrial fibrillation (HCC) [I48.91] ? Neuropathy (HCC) [G62.9] ? Hypotonic bladder [N31.2] ? Diverticulosis [K57.90] Per previous hx report, colonoscopy 2004 ? Diabetes mellitus type 2 in obese diagnosed 2014 [E11.69, E66.9] ? Class 3 severe obesity due to excess calories with serious comorbidity and body mass index (BMI) of 45.0 to 49.9 in adult (HCC) [E66.01, Z68.42] ? Unspecified hemorrhoids without mention of complication [K64.9] ? Open wound of other and unspecified parts of trunk, without mention of complication [IMO0002] ? Obstructive sleep apnea (adult) (pediatric) [G47.33] ? Hypertrophy of prostate with urinary obstruction and other lower urinary tract symptoms (LUTS) [N40.1] ? Degeneration of lumbar or lumbosacral intervertebral disc [M51.37] ALLERGY REVIEW OF SYSTEMS: Patient complains of shortness of breath and wheezing Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, eyes</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							<p>watering, eyes itching, cough, chest tightness, rash, hives, itching of skin, vomiting, abdominal pain, muscle aches, joint pain, dizziness and headaches Previous Reactions: none Objective Vitals Vitals: 03/24/21 0825 Pulse: 89 Resp: (!) 24 SpO2: 100% Physical Exam Vitals reviewed. Constitutional: General: He is not in acute distress. Appearance: He is not ill-appearing or diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. Tachypnea present. Breath sounds: Decreased breath sounds and wheezing present. Comments: Albuterol inhaler used. Improved with use. O2 maintains at 100%. Skin: General: Skin is warm. Coloration: Skin is not pale. Findings: No rash. Neurological: General: No focal deficit present. Mental Status: He is alert and oriented to person, place, and time. Psychiatric: Mood and Affect: Mood normal. Thought Content: Thought content normal. Judgment: Judgment normal. Pt with reported improved symptoms and breathing after 2 puffs of albuterol. Pt declined blood pressure check. Heart sounds RRR. Improvement of wheezing and air movement. Eupneic. Skin dry. Assessment/Plan Treatment included: albuterol Follow up response to treatment: good. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Red flag symptoms (CP, SOB, NVD, Visual/Neuro concerns) Asthma exacerbation due to exercise. Recommend keeping albuterol on him at all times if he is out of the home. Continue maintenance. Follow up with pcp accordingly. APRN Electronically Signed 3/24/2021 8:31 AM</p>
1130361	3/24/2021	VT	67	F	3/23/2021	3/23/2021	Extreme redness in right eye, believe broken blood vessels.
1131701	3/24/2021	CA	66	F	3/18/2021	3/18/2021	Chills, headache, nausea, vomiting, phlegm in throat, loose stools, eye sockets hurt, could not keep any liquid/solid in system, lasted 48 hours

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1130372	3/24/2021	AZ	58	F	3/6/2021	3/6/2021	Within 1 minute I felt it run down my arm and my 3 fingers , middle , ring, pinkie finger when tingling , then I felt it run across my chest and my heart or lungs physically hurt then it went to my head and from the moment on if I turned my head in any direction left or right I would be very dizzy. I could keep my head and vision straight ahead and only felt a distance and had to concentrate very hard .
1130318	3/24/2021		70	F	3/20/2021	3/20/2021	1015 Received vaccination 1045 Developed left sided headache, right sided facial droop and perioral paresthesias 1046 Evaluated by medical control; vital signs include BP 160/90, pulse 55, respirs 14/minute, O2 sat 98% RA. With smile right side of mouth lower and asymmetric compared with left, confirmed by husband. Nonfocal neuro exam otherwise with normal neurosensory and eyebrow/forehead motor 1055 Reevaluated with similar findings 1100 Ambulance called 1115 Ambulance arrived for transport
1130356	3/24/2021	CA	22	F	3/23/2021	3/23/2021	Client felt lightheaded when asked how she was feeling. She was immediately advised to put her vehicle in park. Client started seizing and nurse was called over. Her eyes were rolling and her muscles were tightening up. ALS called over. Client regained consciousness but was confused. Fire Dpt. and ambulance was called as well. PT moved to stretcher. While being moved, car seat was noted to be wet. ALS took PT to ambulance, patient transported to local hospital.
1130334	3/24/2021	LA	50	F	3/15/2021	3/17/2021	No adverse event till three days later my face became extremely swollen bright red and fire hot unforgivable itchy dry and urticaria which worsened and my eyes were swollen shut and the skin on my face in the dry areas peeled lasted five Days then slowly subsided also I developed urticaria on my entire chest neck and arm right arm. I have bruising and blotchy redness but no throat tingling or tightness thank God. MISERABLE. I changed detergent and did everything praying it wasn't the vaccine but ice constantly did not help at all. My eyes were weeping water fluid like dyshydrotic eczema



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1130905	3/24/2021	OH	48	F	3/23/2021	3/23/2021	Superficial thrombophlebitis, itching around mouth, eyes, and joints, breathing difficulties - administered cetirizine HCl 10mg antihistamine at onset of symptoms and 2 puffs Albuterol Sulfate HFA Inhalation Aerosol 90mcg per actuation approx 90 minutes after onset to control symptoms until they fully subsided.
1131652	3/24/2021	GA	44	F	3/1/2021	3/24/2021	Redness, pain, swelling and arm. It's also warm in that area. Watery burning eyes. Headache.
1130437	3/24/2021	PA	72	F	3/13/2021	3/13/2021	Got the vaccine, got very dizzy immediately after and kept her for 30 minutes and gave her water. Then driving home she started feeling itchy, and could feel little hives in each ear. She was then very lethargic that night and all the next day Sunday, and then first thing Monday morning was covered with a large hives and a rash. She was covered from one end of her body to the other and into her joints where she was not able to bend her joints. She tried to use cortisone, but that made it worse. Also tried Benadryl lotion and Calamine lotion, which also did not help. She then went to the doctor and he prescribed steroids. She has had pain as if somebody was sticking needles in her. In the past 2 days her lips are numb and swelled, and on the right cheek plus her two eyes there is a big swollen area and her eyes are burning. Now her entire body is peeling as if she had a bad sunburn. Now her blood sugar due to the steroids is from 250-475. The site of the vaccine itself was ok.
1130857	3/24/2021	OK	76	F	3/17/2021	3/18/2021	Pt states that she developed a dozen lumps underneath her right arm the day after her second shot of vaccine. She also developed an eye infection and a sore on her lip the day after as well.
1130900	3/24/2021	CA	33	M	3/12/2021	3/20/2021	1) Loud tinnitus in both ears beginning one week after vaccination, persisting 2) Right-sided headache occurring behind/around eye, beginning one week after vaccination, persisting 3) Blurred vision in right eye, beginning two days after vaccination, persisting
1130336	3/24/2021		78	F	3/24/2021	3/24/2021	After RN administered vaccine, when she removed the "needle retractable safety syringe with needle" the syringe detached from needle leaving needle with hub in arm. RN removed the needle from arm. Patient stated she felt a drop go into her eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1130546	3/24/2021	PR	40	M	3/23/2021	3/24/2021	During the day that I was administered the vaccine I had pain in my arm (area in where I was vaccinated). The next day, I woke up with general pain in the body, pain in the arm where the vaccine was injected and it swelled up a little the skin under the eyes (hives). As the day goes by, the pain in the arm has diminished, as well as the hives in the eyes.
1130901	3/24/2021	WI	68	M	3/22/2021	3/23/2021	Client reported first COVID vaccine on 02/19/21 and second vaccine on 03/22/21, adverse reaction may have slightly started after first vaccine but noticeable on 03/23/21. Client having an unstable equilibrium, dizziness more with standing up, blurred vision with glasses on, and spots in eyes (more in left than right). Client has called PCP, awaiting response. Client has been treating adverse reaction wth taking his prescribed medications and eating meals.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1130875	3/24/2021	ME	83	F	2/24/2021	3/8/2021	83yo F w/ PMH significant for HTN, chronic thrombocythemia, and glaucoma followed by Heme-Onc without treatment who presented to ED 03/15/21 via EMS complaining of generalized weakness. She had felt well and had been in her usual state of health, and was able to cook and enjoy a turkey dinner with 5 individuals on 03/07/21, but on 03/08/21 she began to develop progressive generalized weakness up to the point where she remained in bed for several days. She could not support herself when attempting to rise from bed. She noted poor PO intake with nausea, no vomiting. Loose stools for several days, no noted stool blood. Did endorse waves of lightheadedness and had fallen backwards three times in the prior week, reportedly due to poor balance when standing. She was unable to elaborate regarding the falls but admitted to hitting her head at least once, unable to say if she lost consciousness or if she felt presyncopal symptoms before falling. She had initially presented on 03/12/21 to ED for evaluation, workup negative, labs and imaging normal. CT brain found no acute process. She was sent home with arrangements for home PT. She returned to ED 03/15/21 when symptoms had not improved. In the ED she was found to be afebrile, significantly hypertensive, mildly tachycardic, + orthostatic vital signs. Labs significant for heme occult positive stool, proBNP 397, WBC 10.1, H/H 13.4/39.9, PLT 493, UA neg for infection. COVID neg. CXR found slightly increased interstitial markings. MRI brain found no acute intracranial abnormality. She was evaluated by PT and found to be unsafe to DC home as she could not ambulate without leaning backward and to the right and needed 1-2 assist. She was admitted to HM service for further management. She has remained consistently afebrile. She continues to experience significant gait instability, cognitive slowing, and difficulty with finger-to-nose testing with noted dysmetria, no focal weakness.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1130804	3/24/2021	MA	26	F	3/20/2021	3/20/2021	Saturday night - extreme chills, which cycled with extreme feelings of overheatedness; extreme muscle weakness throughout whole body, could not move in bed; extreme thirst, dry mouth; nausea, no vomiting; exhaustion; diarrhea; sore injection site, tender area; sweats; could not sleep, could not get comfortable but did not have strength to change position Sunday morning and current - extreme thirst; exhaustion; diarrhea; waves of nausea on Sunday and Monday morning; headache which is reduced with medication, but not completely gone; sunlight/lights are painful to eyes Medication: since Monday afternoon, 400mg ibProfin alternating with daytime cold relief (650mg acetaminophen) every 3 hours (so 400 mg ibprofin and 650mg acetaminophen total every 6 hours, taken at 3 hour increments)
1130791	3/24/2021	FL	63	F	3/23/2021	3/24/2021	First noticed 9 am 3/24/21 the pupils of both eyes are constricted, and have remained so to 5 pm. Approaching 24 hrs since dose 1 vaccination, pupils have not changed. Injection site somewhat sore, fuzzy headed feeling seems to be diminishing. No other symptoms at this time.
1130736	3/24/2021	IN	53	F	3/22/2021	3/24/2021	Blood sugars super high Rash on leg was burning now does not hurt Headache neck and body aches blurry vision Extremely tired
1130681	3/24/2021	VA	63	F	3/18/2021	3/20/2021	Saturday morning I woke up feeling fine. About an hour later I had a bad headache and my body started to be achy. That was followed by bilateral eye pain so that the only comfortable thing to do was to put on eye shades. I was exhausted by the afternoon. I had absolutely zero energy to do anything but lie down. By Sunday morning every inch of my skin was sensitive, every joint was sore and every muscle group in my body was painful. The symptoms from the previous day remained; head and eye pain. I used both tylenol and advil a few times but without relief. Monday my body/joints were still achy and I was super tired but not like the previous 2 days. I became very depressed and fearful that it would not let up. Today is Wednesday and its the first day I feel like myself again although I did have to take a nap 3 hours after I woke up today. Body still aches but nothing like it was

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1130599	3/24/2021	IL	41	F	3/23/2021	3/24/2021	Swelling to the entire right side of my face, including eye lid being nearly swollen shut and watering profusely. Swelling subsided around 5 hours later after taking Benadryl
1130555	3/24/2021	IL	62	F	2/25/2021	3/3/2021	HPI: 62 yo with a "bad gallbladder attack" 20 years ago. She was sick for 2 weeks but had no insurance and was treated conservatively. Her pain was principally in the R post. Flank. Since then she's has occasional mild attacks associated with the same flank pain and nausea. Two weeks ago last Friday while working at the post office, she became acutely ill with the same flank pain but this time also with epigastric and chest pain with nausea. She saw Dr. 4 days later and still felt lousy and then followed up on March 13. At that time the patient related the history as "The pain is described as aching, colicky, cramping and pressure-like, and is 5/10 in intensity. Pain is located in the RUQ, epigastric with radiation to right back. Onset was 4 days ago. Symptoms have been gradually worsening since. Aggravating factors: activity and eating. Alleviating factors: none. Associated symptoms: anorexia, belching, flatus and nausea. The patient denies fever, hematochezia, hematuria and melena." Subsequent blood work was normal including CBC, LFTs and lipase. US: A 1.9 cm shadowing gallstone is visualized. It is mobile. There is no gallbladder wall thickening or pericholecystic fluid. Patient reports right upper quadrant pain during the scanning. The common bile duct is normal in caliber measuring 2 mm. She remains fearful of eating. No CBD sx/signs. She's had one of two Covid vaccinations
1130671	3/24/2021	NC	78	M	3/8/2021	3/11/2021	falling, unable to get up, weakness, lack of energy, ghost look in eyes, shaking, no treatment
1130579	3/24/2021	TX	48	F	3/17/2021	3/17/2021	I had chills, fever, headache, extreme tiredness, almost passed out and tingling on right side arm/leg. When I almost passed out felt like tunnel vision.
1130592	3/24/2021	FL	74	M	2/20/2021	3/16/2021	Shingles in left eye, left nose, rash/blisters on left nose/eye/scalp. Left eye droop. Left ear tinnitus.
1130554	3/24/2021	OR	35	F	2/12/2021	3/12/2021	Developed fever, headache around 8:30 pm. Headache worsened and woke up in night with loss of vision and high fever. Also, incontinence and sweating, thirsty.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1130602	3/24/2021	OR	51	F	3/22/2021	3/22/2021	Metallic taste after shot. Pins/Needles on left side of face - continually near eye, every few hours rest of face.
1130628	3/24/2021	NY	20	F	3/22/2021	3/23/2021	temporary loss of vision, seeing black, cold-sweating, vomiting
1130633	3/24/2021	IN	74	F	1/21/2021	3/17/2021	Left eye began to droop on 3-17. By 3/20 the entire left side of my face had started to drop. Went to dr on Monday, 3/23 and was diagnosed with Bell's Palsy
1130659	3/24/2021	TX	68	F	1/13/2021	1/14/2021	Got the vaccine, and about 24 hours later she started to feel an ache in her front left tooth. She was wondering if this was due to the vaccine or not. She was unable to lift her arm as well. In a couple of hours it was real sore and she kept hitting it with her tooth. Her upper gum was then tender and could not touch it. She then could not chew on the front left tooth, and even hurt with touching of her tongue. As the night progressed more teeth were tender, and the lip was also more tender. She started to get a headache and then all of her joints were starting to hurt. The next morning, Friday morning she had no energy at all, just felt terrible. Her face was now swollen, as well as her upper lip. That night it was getting worse and worse and her gums were so itchy and all the teeth on the left side felt loose. It then reached her jaw and then the swelling went to her eye. She called her PCP, and put on antibiotics, to take an antihistamine and a steroid. Told her to go to the ER if it did not get better. It was horrible by Monday morning, she went to UC and had an abscess in her tooth. They put her on penicillin, told her not to take the other antibiotics. By Tuesday morning the swelling had gone down, and the swelling in the gums were also gone, and the teeth were also better. The abscess was also feeling better. She had no issues with her gums and teeth prior to this. By the time she finished the penicillin she was fine. She went to the dentist and they could not find anything wrong with her, and informed her that it was proof that the vaccine was doing it's job.
1126363	3/23/2021	AZ	73	F	3/18/2021	3/19/2021	A little over 24 hours after first vaccination shot suffered a suspected TIA. Symptoms: Shortness of breath, extreme weakness, racing heart, visual disturbance, inability to move. Episode lasted approximately 1 hour. Was unable to call for help or pick up phone to dial 911.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1126556	3/23/2021	CA	60	F	2/14/2021	2/14/2021	Swollen face; Swollen puffy eyelids and below eye; itchy rash on face,neck, and chest; This is a spontaneous report from a contactable consumer (patient). A 60-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiration date were not provided), via an unspecified route of administration in left arm on 14Feb2021 at 12:30 at single dose for COVID-19 immunization. Medical history included allergies to dust mites, dogs, and corn; Hashimoto's thyroid; and high blood pressure. Prior to vaccination, the patient was not diagnosed with COVID-19. She was not pregnant and did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Concomitant medications included fluvoxamine maleate (LUVOX), thyroid (ARMOUR THYROID), and amlodipine. The facility where the most recent COVID-19 vaccine was administered was reported as other. The patient experienced swollen face, swollen puffy eyelids and below the eye, and itchy rash on face, neck, and chest on 14Feb2021 at 17:30. The events resulted in doctor or other healthcare professional office/clinic visit. The patient was told to take ALLEGRA and PEPCID in the morning and CLARITIN AND PEPCID in the evening by the allergist. Since the vaccination, the patient has not been tested for COVID-19. The outcome of the events was not recovered. The events were assessed as non-serious. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1126549	3/23/2021	CT	67	F	3/9/2021	3/9/2021	Under eyes feels like hives; No appetite; Left arm is stiff; Knees, legs and back all hurt; Having some chest pain; Left arm is swollen; Cheeks are puffy; Chills; Head hurts so bad can barley lift it off the pillow; Fainted after vaccine; High blood pressure; A spontaneous report was received from a consumer concerning a 67-year old female patient, who experienced fainting after vaccine (syncope), high blood pressure, head hurts so bad and can barley lift it off the pillow (headache), left arm is swollen (peripheral swelling), cheeks are puffy (swelling face), under eyes feel like hives (urticaria), left arm is stiff (limb discomfort), knees, legs and back hurt (pain), chills, no appetite(decreased appetite), and having some chest pain (chest pain). The patient's medical history included breast cancer, seasonal allergies, and asthma. Products known to have been used by the patient, within two weeks prior to the events, included chemotherapy unspecified (chemo pills for breast cancer). On 09 Mar 2021, prior to the onset of the events, the patient received the first of the two of their planned doses of mRNA-1273 (Lot number: 027A21A) for prophylaxis of COVID-19 infection. On 09 Mar 2021, the patient passed out at the facility right after her shot. The patient also reported that her blood pressure was very high, and she was rushed to the hospital for a few hours where vitals got down to stable, and she was sent home. On 10 Mar 2021, the patient reported that her head hurt so bad and she could barely lift her head off the pillow, her left arm is very swollen, her cheeks are puffy, under her eyes feels like hives, left arm is stiff, knees, legs and back all hurt. The patient also stated having chills, some chest pain, and no appetite. Treatment information for the events was unknown. Action taken with mRNA-1273 in response to the events was not provided. The events, fainting after vaccine (syncope) and high blood pressure were considered as recovered on 09 Mar 2021. The outcomes for the events of head hurts so bad and can barley lift it off the pillow (headache), left arm is swollen (peripheral swelling), cheeks are puffy (swelling face), under eyes feel like hives (urticaria), left arm is stiff (limb discomfort), knees, legs and back hurt (pain), chills, no appetite (decreased appetite), and having some chest pain (chest pain) were considered as not recovered.; Reporter's Comments: Based on the current available information and temporal association between the use of



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							the product and the start date of the events, a causal relationship cannot be excluded.
1126467	3/23/2021	IN	32	F	3/23/2021	3/23/2021	Within several minutes of administration, patient expressed feeling lightheaded/"woozy", vision beginning to close off. Also tightness and tingling between her neck and left shoulder. She was assisted into a prone position with feet elevated. After some questioning, she was given 3 glucose tablets and also some water once she felt certain she was improving and unlikely to lose consciousness. She remained lying down for approximately 25 minutes, at which point she was feeling much better and wanted to try sitting up. She sat on the floor another 10 minutes or so, then moved to a chair where she was monitored approximately 15 more minutes. She stated at that time that she was feeling "fine", "back to normal". She chose to leave at that time, but on request, called the pharmacy within about 35 minutes to report that she arrived safely home and still felt fine. At 2pm, she was contacted to confirm information for this submission and again stated she felt fine.
1126410	3/23/2021	NC	88	F	2/20/2021	3/5/2021	She got the vaccine, everything was fine, they warned her about being sick. She did not have any reaction at all until she woke up 13 days later on 3/5/2021 and her left eye was blind. She had some sort of blob that changes colors and moves around. It sometimes is orange. She knew she did not have macular degeneration as it centers it. Sometimes it sparkles and has grain to it. He said that she had an arterial blood, and that leaked from the carotid artery into the eye has not completely sealed off. She can see out of the right eye perfectly, but she cannot see a little out of the left eye. If she's watching the TV she can see the top of the newscasters hair, but she cannot see anything below that. Her vision is upward either, can see out of either side, but cannot below horizontal down. He told her that it was basically a stroke that didn't reach her brain and went to her eye. He told her to return to see him (ophthalmologist) on 5/18/21 at 10:00 AM. She also is to see her PCP on 5/20/21.
1126569	3/23/2021	WA	67	M	3/11/2021	3/20/2021	redness 4-1/2 inches in diameter surrounding the injection site. Puffiness of the eyes. Both lasting three days.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1126566	3/23/2021	MD	52	F	3/7/2021	3/10/2021	This started a few days after, I had severe chills all throughout my back, shivers, headache (specifically over the top of my right eye). This lasted for about two days, the third day I was able to manage it and by the fourth it was ok. I was having a difficult time moving around but kept moving to keep the circulation going. I spoke with my Physician and they said it was side effects from the vaccine. I spoke to my Pomologists to make sure I was on the correct medication or if it was the vaccine.
1126409	3/23/2021	NJ	20	M	3/23/2021	3/23/2021	1325 -- injection given 1327 -- pt states dizziness, vision blurry, thought he would pass out, sweating 1330 -- pt given water and crackers 1333 -- pt states he felt like he would pass out, extracted from vaccination area to observation 1335 -- BP 124/75 HR 60 SaO2 95% 1340 -- pt states he is feeling better 1345 -- pt standing at the side of the stretcher 1345 -- BP 116/70 HR 57 1348 -- pt walking around observation area without concern, VSS, pt states he feels fine 1353 -- pt requesting to be discharged; discharged to self, escorted to west entrance
1126399	3/23/2021	NC	57	F	3/21/2021	3/22/2021	Large red dot under left eye. Not itchy and not a pimple.
1126272	3/23/2021	MA	63	F	3/18/2021	3/19/2021	vertigo, double vision, headache, inability to stand. Went to ER, given meclizine and lorazepam. Symptoms improved over 6 hours but, other than headache, have never disappeared completely
1126365	3/23/2021		57	F	3/11/2021	3/12/2021	Felt fine, no pain in right arm where vaccine was injected. Next day around 2pm felt muscle pain in lower part of left arm and right leg, thought it was just muscle pain like the flu. My arm and leg started tingling and going numb, would wake me up at night. Had a Dr. appt. on March 18 when I mentioned I had numbness and tingling, but thought it was just side effect from the injection. Saturday, March 20 called 811 and nurse recommended I get it checked out. Monday, March 22 called my Dr. office, but no openings. Started noticed tingling and numbness in left leg as well. March 23 went to ER regarding my concerns. Dr. checked me and said to keep an eye on my symptoms; GBS was brought up and he said it could show in up to six weeks.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1126355	3/23/2021	IN	48	F	3/19/2021	3/19/2021	Vaccine was given and while scheduling second vaccine I noticed my tongue and gums itching then my throat (?? trachea) began to tighten. Not knowing if these symptoms were the vaccine, wearing of a face mask, or just slight anxiety, once I finished scheduling my next vaccine appointment, I took my seat and sat for the 15-minute observation time. The itching and tightness did not seem to get too much worse so when my 15-minute observation time was up, I left the building, called my mom, and headed back to work. Removing the mask and having a drink of water did not alleviate my symptoms, so my mom suggested I go back to the clinic at the fairgrounds and have them assess my symptoms. I was escorted to the back of the building where Dr was. After a brief examination and asking questions, Dr had me lie down on a cot and he monitored my blood pressure and oxygen while continuing to ask questions about how I feel and any new symptoms I may have. He said my oxygen and blood pressure were great. I was shaking/body tremor pretty much the whole time I was lying on the cot. Neither of the original symptoms, tongue and gum itching and tightening of throat, ever really subsided. I was thirsty and I began to feel nauseous, and on a couple of occasions thought I was going to vomit, but only had dry heaving. (Note: I am not aware of the time and how long it was from beginning to end, when I was given something to when ems arrived, to when I arrived at hospital.) Sometime later, my throat was a bit sore and I felt like something was tickling or in the back of my mouth. Dr examined the location, and upon looking, called for a nurse and the next thing I know, I now have a throbbing headache and Dr was administering an EpiPen Injection to my upper thigh. At this point, I was still nauseous, pounding on the right side of my head near eye socket, still having body tremors, and ready to fall asleep. Dr explained that my Uvula and soft palate had double in size and that I was having an allergic reaction and will need to go by ems to the local hospital for observation. I tried to refuse, but was told it was protocol. Several people looked inside my mouth. I was given a pill that dissolved on my tongue. My head stopped pounding and I was no longer nauseous once I was in the ems. I do not remember when the itching and tightness of my throat went away, but it was before I arrived at the hospital. Once I arrived at the hospital,

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							the only thing that hurt was my upper left thigh where Dr administered the EpiPen and I still had small body tremors. Two separate nurses tried to give me an IV, but both were only successful at blowing out my veins. I refused an IV after the second attempt. The nurse gave me, what she said was 3 steroid pills (Decadron??) and ½ of some other pill that will coat my stomach and protect it from steroid pills. They allowed me to walk on my own without observation to and from the bathroom down the hall. Sometime later in the emergency room, the itching of my tongue and gums came back and the tightness in my throat returned. The staff at the hospital did not feel concerned enough to even examine me after I mentioned the return of the symptoms. After about an hour, I was told I could go home, but they later came back and said I had not been there long enough and had to stay. It was around 7:30 pm when I was able to leave and go home. Saturday and Sunday, I was very fatigued. Monday and Tuesday my hips and legs feel very weak and wobbly and I have pain going from my right hip down past my knee on the outside of my leg.
1126325	3/23/2021	AZ	59	F	3/15/2021	3/16/2021	Double vision x 4 days, continued blurred vision
1126733	3/23/2021	CO	55	F	3/20/2021	3/22/2021	face swelling, rash on cheeks, eyes,nose, sore arm,
1126235	3/23/2021	NC	44	F	3/19/2021	3/19/2021	Pfizer-BioNTech COVID-19 Vaccine EUA 1. Left side of face was numb for a few minutes, got better, then got numb again. Numbness went away again. Over the last few days, left side of face has felt weird. Kind of tingly near cheek bone and under eye. 2. Sore shoulder for ~ 36 hrs. 3. Headache for ~ 48 hrs.
1126203	3/23/2021	WA	33	M	3/21/2021	3/21/2021	Felt lightheaded and had tunnel vision that lasted for 2 minutes. Assisted by staff down to ground. Vitals stable. Pt had not eaten any thing before. Back to baseline almost immediately . Pt fiancé picking up patient

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1126376	3/23/2021	WA	71	M	3/9/2021	3/10/2021	Pt reports that he received his first covid vaccine on 3/9/21 and that he had a "bad reaction". Pt reports he developed severe HA, watery eyes, body aches and chills. Symptoms lasted for about 18 hours and then resolved. Pt was reading an article today that said if you have had covid in the past that you are more likely to have potential SE when you do get your first covid vaccine. Pt would like provider to report this to the Vaccine reporting system, since he did have covid in December. Pt did not do any reporting through V-Safe after getting his vaccine.
1126735	3/23/2021	VA	27	F	2/27/2021	2/27/2021	40 minutes post vaccination patient reported rash on cheeks, then became lightheaded, developed itchiness in eyes and forehead and feet swelling and rash on legs. Patient was given Benedryl and released to home.
1126866	3/23/2021	NY	35	F	2/9/2021	3/15/2021	Received positive COVID-19 PCR test result on 3/15/21 after exposure to someone with COVID-19. Symptoms included fatigue, headache, tightness in chest, and eye discomfort sporadically for 4 days.
1125687	3/23/2021	WA	39	F	3/20/2021	3/21/2021	itchy eyes, onset was approximately 10 hours post vaccine, by the next morning my face was dry and peeling
1126190	3/23/2021	IN	58	F	3/14/2021	3/22/2021	On March 22nd (8 days after the vaccination I noticed a red bump on my right eyebrow that itched. At first, I thought it was an insect bite. Today, March 22rd, I noticed a red rash on my face (similar to rosacea). My cheeks and ears feel warm to the touch, and I have a mild itch on the entire area. The rash is more prominent on the right side of the face. This has not happened to me before. I am planning on taking an OTC antiallergic to calm the symptoms.
1126855	3/23/2021	OH	30	M	3/18/2021	3/18/2021	Employee received 1st dose of COVID Pfizer vaccine on 3/18; had a viral eye infection for 2 months. One to two day post vaccination employee developed an immune reaction in his eye. He describes this reaction as pain, redness, swelling, and eye photophobia.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1126819	3/23/2021	OH	71	F	2/23/2021	2/27/2021	Severe headache, earaches, tinnitus, jaw pain, eye pain started 2/27/2021. Started taking 300 ml of ibuprofen & 500 ml acetaminophen 3 times daily. Went to PC doctor, on 3/3/2021 who prescribed antibiotics and later a CT sinus scan. Went to ER on 3/22/2021 where was given CT brain scan, injection of ketorolac and 60 mg prednisone for 6 days. Finished prednisone and symptoms returned. Again taking ibuprofen and acetaminophen for pain. Symptoms are still on a daily basis and did not go to receive the next vaccination. Have follow up with ENT doctor on 3/25/2021 and neurologist on 4/23/2021.
1126811	3/23/2021	NJ	63	F	3/17/2021	3/17/2021	Wednesday night I felt tired and cold. Woke up Thursday morning and couldn't lift up my head. Migraine was in all of top teeth, ears, behind eyes, all over head. Pain was so extreme I fainted in bed. Came to and pain was a bit better but quickly came back full force. Woke up at 1am Friday morning drenched from sweat through to the mattress but migraine was better. Ran fever up to 102 and down and up all day Friday. Saturday fever was only 100 but came back after each sweat. Sunday I had almost no fever and just a regular head ache. Monday exhausted but okay.
1126700	3/23/2021	VA	45	F	3/23/2021	3/23/2021	5 minutes post injection, client c/o of itching every where; redness noted on upper chest, extending to face - just below the eyes and redness noted on upper back. Client denied respiratory symptoms at this time. Epinephrine 1:1000 0.5mg given IM @ 9:55AM. EMS contacted. Client transported to ER.
1126783	3/23/2021	VA	49	M	3/23/2021	3/23/2021	Felt swelling in arm, third fourth and fifth finger on right arm became numb, tiny pinpoint red bumps appeared on arms and legs. Right eyebrow and extending down to the right cheekbone feels "puffy~~
1126582	3/23/2021	CT	72	F	3/18/2021	3/18/2021	For 4 days I had symptoms similar to the symptoms I had 15 years ago with ehrlichiosis. I could not keep my eyes open, slept around the clock, weak, brain fog and loss of appetite. I have what?s called chronic lyme and I am able to manage it with a healthy lifestyle. It seemed to rush back. I am 5 days away from my vaccination and slowly regaining energy.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1126716	3/23/2021	FL	67	F	1/13/2021	1/14/2021	Woke up the day after vaccine with right eye swollen, red, painful and draining Saw eye doctor who prescribed warm soaks to eye and Retaine eye drops 4 times a day Better in 5 days
1126689	3/23/2021	PA	43	F	2/15/2021	2/15/2021	After receiving the first shot, I had a taste of metal in my mouth. I sat down and in the next 30 minutes passed out. For the next three weeks, I had migraines more frequently than my usual migraines and a new pain behind my eye. After receiving my second doses, I felt extremely tired and within 3 hours of receiving got shooting pain on left side of my face. I was diagnosed with Trigeminal Neuralgia by Dr on March 22, 2021. This pain has been constant since receiving the second dose on March 8.
1126676	3/23/2021	TX	48	F	2/11/2021	2/15/2021	After the shot, I had the "typical" reaction - sore arm, a bit of a head ache, but nothing concerning. Then on the 4th night after my shot, I started feeling bad and got in bed. That night I couldn't sleep due to not feeling well. The next morning I was very dizzy, agitated, nauseous and had a weird head ache behind my eyes. I started feeling like I was going to throw up anytime I looked at anything for more than about a minute. (my phone, a book, a puzzle, the tv). I laid by the toilet most of the day with a wash cloth over my eyes. Around 6pm that night I started throwing up a TON, major headache, body aches, shivers, but no fever. These symptoms lasted for the next two days. (as a side note, this was during the freeze, so I was not able to call my doctor, etc...). I started feeling better on day 4 but I had a headache for about two week - that still lingers on most days. (headaches are unusual for me). This was, without a doubt, the sickest I have ever been in my life! I decided not to get the 2nd shot because I was afraid of feeling worse after the 2nd shot.
1126673	3/23/2021		77	F	3/20/2021	3/22/2021	Caller stated she got Moderna vaccine on Saturday and was fine. She stated yesterday she had a few side effects, ie fever, headache, fatigue, which she stated are gone. She stated when she woke up today she was fine but then noticed her eyes were a little bit swollen. She stated she has history of eyes swelling when she eats alot of salt. No Lot number available at the time of this notification.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1126613	3/23/2021	MT	80	F	3/20/2021	3/20/2021	2 pm (1 hr after vaccination...felt strange feeling in the brain ... my son did, too on his shot.) 8 pm Shook so much and teeth chattered; didn't want my teeth to chip. Jumped in a hot shower for 15 minutes and that went away. I thought maybe my blood pressure had dropped too low; had same reaction when first put on too much blood pressure lowering medication. Or sometimes allergy makes the blood pressure drop. For 24 hours after that I was on the couch or in bed lying down; brain hurt(BAD headache), stiff neck, a big effort to lift my head off the pillow so I didn't unless I had to go to the bathroom. I laid back down asap due to slight nausea. No appetite. Whites of eyes were uniformly pink, eyes glassy. 3/23 Sore spot to the touch on left temple just above the eyebrow.
1126587	3/23/2021	CA	44	M	3/21/2021	3/22/2021	Fatigue, weakness, red eye, headache, hot flashes, nausea, stomach pain



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1126789	3/23/2021	KS	23	F	3/19/2021	3/19/2021	<p>Progress Notes APRN (Nurse Practitioner) ? ? Family Medicine Cosigned by: MD at 3/23/2021 1:26 PM Expand AllCollapse All COVID VACCINE CLINIC 3/19/2021 Date: 3/19/2021</p> <p>MRN: 8812976 Subjective Patient is a 23 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience anxiety. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality and rapid progression of symptoms. PMH: not significant. ALLERGY REVIEW OF SYSTEMS: Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, eyes watering, eyes itching, cough, chest tightness, shortness of breath, wheezing, rash, hives, itching of skin, vomiting, abdominal pain, muscle aches, joint pain, dizziness and headaches Previous Reactions: none Objective Vitals Vitals: 03/19/21 1355 03/19/21 1413 BP: 95/62 92/63 Pulse: 99 SpO2: 100% Physical Exam Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Gait: Gait normal. Psychiatric: Mood and Affect: Mood is</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1125357	3/23/2021	MA	55	F	3/16/2021	3/16/2021	<p>anxious. Affect is flat. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. 1415: attempt to stand patient up after she finished eating and drinking. She reports her legs feel weird and felt weak. + dizziness/lightheadedness when standing. Pt sat back down and laid back in recliner, blanket given. Monitor at this time. 1422: pt bp rechecked with new bp cuff. Still in the 90's systolic. Pt feels okay. Pt sat up in recliner. Plan to recheck bp. 1428: pt bp rechecked, still in the 90's systolic. Pt feels tired. No other new symptoms reported. Pt given another snack. 1440: pt reports feeling a little better. Repeat bp still in the 90s systolic. Pt able to stand up w/o dizziness. She was ambulated around the bay w/o assistance. States she feels as well as she did when she first got here. Assessment/Plan Treatment included: water, snacks and blanket Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) and Systemic reaction (hypoglycemia, hypotension, generalized rash) Decreased bp (questionable if this is her baseline), and anxiety. Pt w/o known hx of what her bp normally runs. Monitored in bay. Improved with water, snack and time. Pt able to leave w carrying her instrument w/o issues and feels well. Walked out accompanied by RN. APRN Electronically Signed 3/19/2021 2:03 PM</p> <p>1st vaccine Moderna done on 3/16, sx developed same evening. Sx of sore throat, post-nasal drip (per EE felt like sinus inf.) severe HA, facial swelling. Next day arm soreness. Thursday came into work, more facial swelling L eye involved. Denies respiratory distress. Worked full shift and called out Friday. Saw PCP Friday here at BMC.PCP recommended covid test, result NEG. PCP also recommended tylenol for HA. Today facial and L eye swelling has diminished but still present. Severe HA continues.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1125747	3/23/2021	WA	57	F	3/14/2021	3/15/2021	I got the shot in my left arm and shortly after right above my right eye I could feel a reaction going on. Almost like something effected the muscle, I didn't say anything and went to the wait room I mentioned it before I left and they said it sounded like a migraine and I went home. When I raise my face on the right side of my eyebrow area feels like I have spasms. When I got home it moved to my cheek area as well and felt strange. I got a rash on my right cheek that evening and a super bad headache. I took a Benadryl and went to sleep. I didn't have a fever. By the morning the rash was gone, the only thing that bothered me was my eyebrow area ( muscle area) I went to the Dr the following day and she said it sounded like it was my sinuses. Prior to this I was having allergy / sinus issues.
1125651	3/23/2021	FL	70	F	3/11/2021	3/20/2021	Caller 'felt woozy' after her injection but was unable to quantify, that resolved the day before yesterday, then yesterday noticed her injection site was a bit itchy and she had an odd bull's eye type rash over the area, area is also red/tender, she is finding this quite bothersome. As patient was rather upset about the bull's eye rash and the redness/tenderness advised her to seek tx, not sure if she did actually go.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1125644	3/23/2021		21	F	3/22/2021	3/22/2021	3/22/2021 Patient was observed post Covid-19 immunization for 30 minutes based on pre-vaccination screening . During the observation period, she experienced an adverse reaction with the following symptoms: PATIENT FOUND TO BE PALE, CLAMMY, COOL TO TOUCH., SLOUCHING IN CHAIR WITH EYES CLOSED, SHE IS ALERT TO PERSON, PLACE AND TIME. Assessment : Time of assessment 1855, Alert and oriented FOUND TO BE PALE, CLAMMY AND COOL. . Actions taken: PLACED ON STRETCHER WITH FEET ELEVATED, WATER OFFERED AND DRINKING, vs AT 1855 bp 65/37, p 62. o2- 100%, hob ELEVATED CONTINUES TO DRINK WATER, NOW EATING CRACKERS, vs RECHECKED AT 1859, bp- 77/58, p- 98, O2 100%, VS AT 1900 VS- BP-105/75, P- 97, O2 100%, Medications administered: No medication administered. Disposition: Reports no further symptoms of adverse reaction after observation for 30 minutes. Discharged home. Immunizations Administered Name Date Dose VIS Date Route Pfizer COVID-19 Vaccine 3/22/2021 6:32 PM 0.3 mL 12/11/2020 Intramuscular Manufacturer: Pfizer, Inc

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1125534	3/23/2021	FL	58	F	3/17/2021	3/17/2021	Got the vaccine, on the first day within the first hour she started feeling itchy, tingling sensation above her eyebrow over the left eye. Didn't stay long, but sensation of itching left her. Then noticed a pin dot of a little red spot on the left side of the eye, temple area, itchy and then it went away. That night the soreness started in the arm. The next day the whole arm was sore, but she kept exercising it and moving it. On the third day the arm was clearing up like she didn't get a shot. Then, the left thigh had some achiness. The right ankle was achy as well, didn't stay long. She is still waking up with a rapid heart beat. She has a FU APT for labs and revisit with her PCP in a month. On Saturday, 3/20/17 and woke up with heart palpitations, which they continued until she went to the ER around 4:00 AM. They checked her, did an EKG, ran labs and VS. The labs came back and told her that her potassium was depleted, and gave her something to calm her down. She went to the store on Sunday and got some potassium citrate to maintain herself until she could get to the Doctor on Monday. They did give her potassium while she was in the ER. She went to the doctor on Monday, and he started her on a prescription for potassium. She also made an appointment with her nephrologist to make sure she was okay before she gets the 2nd vaccine since she only has one kidney. She also has had a lot of bruising from the blood draws in the hospital.
1125499	3/23/2021		21	M	3/20/2021	3/20/2021	Following administration of vaccine client complained of blurry vision, a heavy arm and that he felt his heart rate was pounding out of his chest. EMS and Dr on site. Pulse 58, Blood pressure 104/65 and 100% O2 saturation. Client was reclined in his car seat until he started feeling better. He reported reactions to previous vaccines but no elaboration. Released by Dr and advised to seek medical attention later if needed. Client verbalized understanding.
1125443	3/23/2021	MI	62	F	3/13/2021	3/14/2021	The day after injection started to have right eye pain, similar to being bumped in the eye. One week later the eye has a sty. It is red with a bump under the lid. Confirmed diagnosis on 3/22/21 with health care professional: Hordeolum externum of right upper eyelid.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1125702	3/23/2021	ID	43	F	3/17/2021	3/17/2021	Muscle soreness at injection site started @ 5 hours after injection (5pm). A few hours after that (8pm) stomach pains/cramps began. Vomited repeatedly at 10:30pm. The following day I experienced vision blurring, foggy-headedness, fatigue, chills/hot flashes, continued pain at injection site, stomach discomfort, and shakiness from the time I woke up (@ 8am) until around 6pm, then I started to feel better. By the next morning, I felt normal again.
1125387	3/23/2021	NY	53	F	3/20/2021	3/20/2021	Moderna COVID-19 Vaccine EUA- Within 10 min, both ears turned blood red and were hot, neck area was slightly red and lips started to tingle. Doctors on sight kept very close eye on me, the redness went down after about 15min or so, lips still tingled for a bit, stayed at sight for about 45 min, went home and was told to take Benadryl, took the Benadryl once home, within a half hour I had a mild headache. Through the night, my lips still tingled and I began itching, no hives. Next day, I was a little fatigued and had some stomach nausea but felt worn out most of the day, the itching went away. By the next day, I returned to work and felt fine.
1125754	3/23/2021	VA	42	F	3/19/2021	3/19/2021	90 minutes after vaccine administration, patient developed hives over neck and face and severe itching on face, neck, and scalp, as well as a significant lump on the right side of neck; the following morning, severe facial swelling in cheeks and around eyes that made it difficult to open eyes; facial swelling and itching has improved but is still present (as of today, 3/23/21, four days after vaccine); lump on neck is still present but is smaller; patient has been taking Zyrtec, Benadryl, Tylenol, and topical cortisone cream.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1125333	3/23/2021	GA	31	F	3/22/2021	3/22/2021	Patient reported no allergies to medications, never experienced seizures, Guillian-Barre Syndrome or any other neurological disorder, had not received a vaccination within 2 weeks prior to this vaccine. Patient is currently 20 weeks pregnant. Patient received vaccination around 8:00am and was waiting in pharmacy during 15 minute observation period. Patient was seated and after about 10 minutes, patient became unconscious. Eyes rolled back in head, faint pulse, 911 immediately called. As 911 was called, patient was becoming conscious again. Pulse still faint. EMS arrived within 5 minutes of call. EMS reported patient blood pressure very low and took patient to hospital for further observation.
1125325	3/23/2021	PA	62	F	3/17/2021	3/18/2021	Fever 101, body aches, chills, headache, red swollen eyes, arm at site began to swell, turn hot and itch. Rash traveled down and around my arm for about 8 inches. The rash started on 3/21.
1125275	3/23/2021	NY	26	F	3/22/2021	3/22/2021	Systemic: Tingling (specify: facial area, extremities)-Mild, Additional Details: Approximately 4 minutes after receiving the vaccine, patient reported tingling of the left hand (left deltoid is the site of administration), left eye twitched once, left side of neck spasmed once and left hand tingling remained. Patient remained in the pharmacy in store clinic for 20 minutes. Patient was contacted via cell phone to follow up but no answering machine answered phone call.
1125273	3/23/2021	IN	46	F	3/17/2021	3/18/2021	Progressive over 3 days: Throat irritation, throat burning, difficulty breathing, puffy/swollen eye.
1125236	3/23/2021	TX	65	F	3/22/2021	3/22/2021	Systemic: Allergic: Difficulty Breathing-Severe, Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Severe, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Additional Details: Approximately 25 minutes after administration the patient noted swelling around the mouth and tongue. She also noted feeling like her throat was closing up. She explained she had previously allergic reaction to shellfish and this was a similar feeling.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1126913	3/23/2021	NC	36	M	3/20/2021	3/20/2021	2021-03-20 07:30 PM - chills, 11:00 PM - vomited, 11:30 PM- seen in the Emergency Department 2021-03-21 11:30 AM - fatigue, somnolence, nausea 2021-03-22 08:00 AM - nausea, 11:30 AM - altered mental status, vision loss, headache, balance problems, numb left arm and hand, hypoxia (SpO2 < 50%), 01:00 PM - seen in the Emergency Department, 03:00 PM Creatinine > 6.8, eGFR < 10
1125206	3/23/2021	OR	73	F	3/21/2021	3/22/2021	Upper torso swelling, including lips, eyes, face and throat..non life-threatening. Home treated with diphenhydramine HCl 25mg.
1125412	3/23/2021	OH	63	F	3/18/2021	3/21/2021	Pain at injection site (84.1%) no ? Fatigue (62.9%) yes ? Headache (55.1%) yes ? Muscle pain (38.3%) some lower back ? Chills (31.9%) no ? Joint pain (23.6%) neck ? Fever (14.2%) no ? Injection site swelling (10.5%) no ? Injection site redness (9.5%) no ? Nausea (1.1%) no ? Malaise (0.5%) yes ? Lymphadenopathy (0.3%) no Blood pressure high on 4th day with accompanying eye pressure. 155/102
1125978	3/23/2021	NY	32	M	2/25/2021	3/2/2021	Dizziness, Vision got significantly worst out of nowhere, can't focus, Balance issues, Seems like vertigo, room spinning when laying down.
1126186	3/23/2021	MA	73	M	2/25/2021	2/27/2021	FACE, MAINLY FOREHEAD RIGHT SIDE OF EYE, BOTH CHEEKS, LIPS AND CHIN FEEL LIKE A SUNBURN AND TINGLING FOR THE LAST 28 DAYS. WORST SOME TIMES THAN OTHERS. WORST IS AFTER TAKING EVENING PILLS. ENTIRE FACE FEELS LIKE IT IS ON FIRE.
1126140	3/23/2021	TX	40	F	3/3/2021	3/4/2021	Numbness in left cheek, occasionally to left eye lid to upper left lip. Numbness comes and goes. Currently still feel numbin face.
1126138	3/23/2021	NY	40	F	3/7/2021	3/16/2021	I got a broken blood vessel right eye contacted my doctor stated it was (subconjunctival hemorrhage). I'm not certain if this is related to the vaccine however this happens during the timeframe. I still exp redness in my eye.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1126112	3/23/2021	PA	55	F	3/16/2021	3/16/2021	The evening after the shot, I began experienced headache, sore muscles neck and back, fatigue. The next day I had chills clogged sinuses and runny nose, cough, and fatigue , sore muscles and headache continued. These symptoms improved somewhat by Saturday (4 days after) but I am continuing to have a cough and runny nose as well as eye pain when moving eyes.
1126020	3/23/2021	WI	32	M	3/23/2021	3/23/2021	Patient received Pfizer COVID 19 vaccine at 8:42am. This was patient's first dose. He was observed in clinic for 18 minutes afterwards without concern and left approximately 9:00am. Patient returned to clinic at 9:28am with complaints of sweating, nausea and lightheadedness. RN took patient to private observation room and started assessment. VS 9:30am O2 100%, BP 147/78, HR 50. Patient is laid back on bed with head at 45 degrees and legs elevated. Patient was given 6oz of water and neurological assessment completed. Patient alert and oriented without changes. Patient denies SOB, scratchy or tight throat, hoarse voice, trouble swallowing or itching. VS 9:40am O2 100%, BP 151/77, HR 54. Patient given another 6 oz of water and continues to lie back with feet elevated. Patient took clonidine, sertraline, propranolol, Adderall and vraylar this AM. He ate breakfast. Is not a diabetic. Patient states his lightheadedness has subsided, still complains of sweating and nausea but states he is "feeling better and ready to go home". Patient has a ride and is going home to his parent's house where they will both stay with him all day. VS 9:45 O2 100%, BP 143/81, HR 61. Patient appears more comfortable, less anxious and HR has risen. States his nausea is lessening. Patient would like to leave. RN educated patient on emergency signs to seek 911 for and they include SOB, throat swelling, sudden emesis, increased lightheadedness or nausea, fainting, new dizziness or any other sudden change in condition. He voices understanding; plans to go home with parents, have toast for lunch, push fluids and rest. Patient escorted to the door and visualized entering vehicle with family.
1126016	3/23/2021	MA	54	F	3/23/2021	3/23/2021	Dizzy. Mild headache. Intermittent vision distortion

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1125667	3/23/2021	NC	52	M	3/19/2021	3/21/2021	Blurred/dark vision in lower half of right eye.
1125980	3/23/2021	NY	54	F	3/20/2021	3/21/2021	After receiving my second dose, i started to feel very sick, by the second day after the vaccination, I had a severe headache, my eyes couldn't focus i was nauseous and i was vomiting, sever upper body pains, it was the worst headache I have ever had in my life, my husband took me to the emergency room yesterday and i was there all day, I had a neurological exam, blood work and chest x-ray, everything came back negative, i was told my the attending physician that it was the side effects of the second dose of the Pfizer Vaccine. I was given Motrin 600mg and Metoclopramide via intravenous, several hours later, i was feeling a bit better and i was released from the hospital by 4:30pm.
1126189	3/23/2021	AZ	65	M	3/19/2021	3/20/2021	Fever, chills, sweats, Weakness, diarrhea, fatigue, headache, and cloudy vision
1125976	3/23/2021	NE	72	F	3/2/2021	3/3/2021	Headache and body aches were mild. Then, began to have burning in eyelids and down side of nose started and continues until now. It decreased after dermatologist perscribed medication. On 3/13 went to hospital with severe chest pain. They determined it was muscular-skeletal. While in the hospital and to this day has burning in bottoms of feet. Has weakness and numbness in both legs and feet. The weakness decreases ability for activity- very uncomfortable and making her unsteady when up. She also has some weakness in her arms.
1125970	3/23/2021	NJ	73	M	3/5/2021	3/12/2021	Received the vaccine, and had no reactions until Friday 3/12/21 and had blurred vision with a little bit of dizziness that did not last for very long, about 4-5 minutes. He then had some other instances of shortness of breath that happened about 3 times. He has had shortness of breath in the past, but the vaccine seemed to have worsened these and they were more frequent. He has not had any other reactions since 3/12/21.
1125965	3/23/2021	PA	42	F	3/21/2021	3/22/2021	High Fever started at 9am on 3/21/21, got as high as 105 degrees by 3 pm. Chills, severe joint pain, dizziness and blurred vision.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1125946	3/23/2021	MN	32	M	3/10/2021	3/10/2021	Approximately 5 minutes after receiving the injection, I became dizzy and lightheaded. My eyesight became blurry and my hearing very "tinny". I felt nausea and thought I was going to throw up. I sat down in a chair and was given a granola bar and some water. After about 3 or 4 minutes the majority of these seemed to fade, but I still felt slightly "off". Approximately 9pm that evening I felt very fatigued, so I went to bed. At approximately midnight, I woke up shivering, extremely cold, and sweating. Around 2am I had a fever of 102.3. I took some Tylenol to try to bring my fever down, which seemed to help. Around 9am the next morning my fever was gone, though I still felt extremely fatigued. Later that evening, after several naps, I started to feel a little better. Most of these adverse events were resolved by 28 hours after injection. I had arm soreness at the injection sight that felt like having been punched in the arm for about a week after the injection.
1125934	3/23/2021	TX	43	F	3/1/2021	3/10/2021	Severe raised rash on upper chest. Severe rash on left side of face under eye. rash lighted up a bit by day 15. Moderate rash on backs of both arms, both legs. Still have mild rash on upper chest 23 days later. Rash was worse of left side of body in all areas. I did not have any noticeable breathing issues, fever, etc. Arm did hurt within 7 minutes of shot and hurt very badly for 7 days. called my Dr friend and he advised me not to get the second shot. Said I had a reaction.
1125897	3/23/2021	MD	35	M	2/27/2021	2/27/2021	Client received the Pfizer COVID-19 vaccine and during the post-vaccination wait time he complained of itching around the eyes and face, and felt that his face was swollen. He stated that he had an anaphylactic episode in the past involving peanuts and nut trees, and because of that, he carries an epipen. "911" was called and his vital signs were as follows: BP=173/117; Pulse=76. Engine 205 responded to the call and evaluated the client, but was not transported to the hospital. Client did not receive 2nd dose of the Pfizer vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1125841	3/23/2021	MI	58	F	3/5/2021	3/5/2021	faint; blurred vision; vomit; diarrhea; hot sweats; weakness; This is a spontaneous report from a contactable consumer (patient herself). A 58-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection; batch/lot number and expiration date were unknown), via an unspecified route of administration, administered in the left arm on 05Mar2021 at 16:00 as a single dose for COVID-19 immunization. The vaccination facility type was reported as health clinic. Relevant medical history included overweight from an unknown date and unknown if ongoing. The patient had no known allergies. Concomitant medications included fluoxetine hydrochloride (PROZAC) and omeprazole (PRILOSEC); both were taken for an unspecified indication, start and stop date were not reported. The patient had no other vaccine in four weeks. The patient was not pregnant at the time of vaccination. The patient had no COVID prior vaccination. The patient was not tested for COVID post vaccination. On 05Mar2021 at 21:15, the patient experienced faint, blurred vision, vomit, diarrhea, hot sweats, and weakness. The patient did not receive any treatment for the adverse events (AE). The patient was recovering from all the events. Information on the batch/lot number has been requested.
1125989	3/23/2021	TX	30	F	3/7/2021	3/7/2021	03/07/2021 at 13:33 pm Observed patient sitting with tears in her eyes, when asked if she felt ok patient stated she just does not feel well. V/S BP 141/102, HR 90. Advised patient to sit for additional 15 minutes so that I can closely monitor her. Water given to patient and had her sit, 13:45 pm V/S BP 123/90, HR 90. Patient stated at 13:50 pm that she felt much better and good to go.
1127468	3/23/2021	WI	73	F	3/11/2021	3/11/2021	Severe lethargy after receiving the shot. Constant sleepiness and malaise, nausea, confusion, loss of appetite, dizziness, Blood vessels/clots formed in her eyes. Acute renal failure and eventually death on March 18, 2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1127594	3/23/2021	VA	62	F	3/20/2021	3/20/2021	Waited 30 minutes. A little dizzy. Son drove me home. Arrived home 450. 5 pm eyes and cheeks swelling throat felt like olive stuck in it I called Kaiser. Talking to them chest began stinging hurting pressure. Told to call 911. I hung up walked two blocks to urgent care. Chest really hurting feeling dizzy face eyes swelling throat lump getting larger. My breathing rate normal , blood pressure normal , oxygen normal. They took me back gave me epinephrine and depo modral shot in right buttock cheek. After few minutes felt better chest stopped increasing in pain throat started feeling better, face still swollen. Told me good thing I walked instead of waiting for 911. Very scary. Told to remain up for 24-48 hours give epi if needed again. Taking 180-360 mg 24 hr Allegra daily. I stayed up 36 hours drank water . Told can not take second shot. No vaccines until I get tested for what caused allergic reaction. Today March 23 face still off and on swelling and eyes. Seems when I begin to move around swelling starts again.
1127586	3/23/2021	MO	41	F	3/23/2021	3/23/2021	Tingling began on left side of face around 12:45 pm, 15 minutes after shot (in left arm). Tingling spread across forehead and down left side of cheek and jaw. Over the next 5 minutes tingling turned to burning sensation and left eye began to burn. Around 1:00 pm 3/4 of face and both eyes were burning but not painful and cheeks and forehead were slightly numb. Approximately 45 minutes after injection my tongue began to tingle and burn. No swelling. Around 1:45 on my left upper thigh also began tingling and burning. By 3 pm all symptoms were gone.
1127572	3/23/2021	PR	38	F	3/20/2021	3/21/2021	STRONG HEADACHE IRRADIATING TO EARS AND EYES. IT STARTED 24 HOURS AFTER THE INOCULATION AND IT HAS LASTED FOR MORE THAN 2 DAYS. SKIN RASH ON THE HEAD, NECK AND CHEST AREA; IT STARTED 36 HOURS AFTER THE INOCULATION AND IT HAS LASTED FOR MORE THAN 2 DAYS.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1127521	3/23/2021	CA	72	F	3/23/2021	3/23/2021	14:55 patient states she felt eye swelling, trouble swallowing, and numbness in throat. Vitals taken 99% on Room air and lung sounds clear patient heart rate elevated at 107. contacted charge nurse to contact Dr. patient taken to gurney and 2 Liters Nasal Canula applied. Per Dr. order, patient given Claritin 10 mg Tab oral and Benadryl 25 mg Intramuscular. At 15:30 patient states feeling much better. able to drink water, no numbness in throat no tongue or eye swelling. no signs of distress. per Dr. ok for patient to be discharged home. patient able to call son to pick up patient. patient placed in wheelchair. Vitals stable on RA 98% blood pressure 109/80 heart rate 99. No signs of distress. Breathing equal and unlabored. aoxo4. patient able to go home with son.
1127519	3/23/2021	OH	52	F	3/22/2021	3/23/2021	Soreness at injection site, mild fatigue, headache, soreness in eyes
1127502	3/23/2021	OH	45	F	3/23/2021	3/23/2021	5 minutes after vaccine patient felt anxiety attack in chest, bottom of throat/ chest felt tight, heart raced, shaking and sweating, hands trembled, light headed, felt both hot and cold at same time. Patient alerted pharmacist and sat down in chair. 23 minutes after vaccine patient not 100% but better, feel fuzzy in head, shaky and feel sweaty but not sweating, carpet looks weird (patient states has hallucinations from other drugs). 25 minutes after vaccine patient light headed, vision not perfect. 28 minutes after vaccine patient's body feels warmer 32 minutes after vaccine patient feels unbalanced, body warm, legs heavy. 36 minutes after vaccine patient's feet feel heavy, feel more normal, temperature difference, sweating stopped, feel more like herself. 39 minutes after vaccine patient's feet feel smidge heavy, feel like herself. 41 minutes after vaccine patient left observation.
1127331	3/23/2021	IN	56	F	3/23/2021	3/23/2021	Syringe/needle malfunction. The needle tip came detached from the syringe while in the patients arm. The vaccine went on the exterior of the patient and in the vaccinator's eye.
1127491	3/23/2021	GA	60	F	3/21/2021	3/21/2021	Red swollen eyes, runny nose, congestion, fatigue, and small amount of shortness of breath. Lasted about two days

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1127719	3/23/2021		79	F	3/20/2021	3/20/2021	transient pain behind L eye followed by slurred speech x 15-20 minutes about 2 hours after administration of vaccine
1127435	3/23/2021	CA	52	F	3/18/2021	3/20/2021	Earrs: Swollen Eustachian tubes in both ears: distorted hearing, amplified sound, equilibrium off. Eyes: both eyes had irritation, then Left eye pain, inflammation and redness on the outer edge of eyeball.
1127433	3/23/2021	AZ	41	F	3/23/2021	3/23/2021	Lip tingling 15 minutes after vaccine administration, which then led to constant full body itching; worse around lymph nodes (axillary, neck, and inguinal). No rash, fever, shortness of breath, swelling of tongue/throat/lips, eye redness, palpitations, fever. Erythematous skin.
1127432	3/23/2021	CA	55	M	3/22/2021	3/22/2021	Approximately 10 minutes after 1st dose of Pfizer vaccination. Pt. was fanning himself, appeared diaphoretic with mask down. He flagged down nurse and reported feeling hot/lightheaded. NP asked for BP machine, instructed patient to take slow deep breaths. Pt. reported he felt like he may lose consciousness. His eyes rolled and he became white/pale and appeared to stop breathing. Code assist called; didn't respond to sternal rub, but raspy breathing, weak/rapid pulse palpated; immediately transferred to the ground level without falling, 2 person assist. 9-1-1 called, BP machine didn't immediately work. As soon as his head was low, his face became bright red and he regained consciousness. He was disoriented briefly but then able to answer questions/oriented. BP elevated, HR 80s. BS 257. No s/s anaphylaxis. Hx of syncope r/t blood draw. Wife present and report hx of DM, HTN, Palpitations. He denied CP/SOB or palpitations. He had eaten and took regular medicine the morning. Paramedic arrived and patient was transported to the nearest ER. Pt. was later discharged.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1127388	3/23/2021	NY	60	M	3/23/2021	3/23/2021	IMMEDIATELY AFTER DOSE WAS ADMINISTERED PATIENT COMPLAINED OF DIZZINESS WHILE SEATED. IMMUNIZING TECHNICIAN IMMEDIATELY CAME AND NOTIFIED ME, AT WHICH POINT I ENTERED OUR VACCINATION ROOM AND KNELT DOWN NEXT TO SEATED PATIENT. HE CONFIRMED THAT HE FELT REALLY DIZZY AT WHICH POINT I ENCOURAGED HIM TO SIT BACK IN THE SEAT AND RELAX AND I WOULD STAND BY HIM. WITHIN APROX 5 MINUTES OF VACCINATION PATIENT FAINTED IN THE CHAIR AT WHICH POINT EMS WAS CONTACTED. WITHIN APROX 30 SECONDS PATIENT STARTED TO REGAIN CONCIIOUSNESS (NOTED BY EYE, MUSCLE MOVEMENT) OVER THE COURSE OF THE NEXT FEW MINUTES PATIENT SLOWLY BECAME ALERT AND ORIENTED AT WHICH POINT EMS ARRIVED AND TOOK OVER HIS CARE. AFTER APROX 15 MINUTES OF CARE FROM EMS PATIENT OPTED TO GO HOME WITH HIS DRIVER. I CONTACTED THE PATIENT AT APROX 130 TO CHECK IN ON HIM AND HE ADVISED ME HE WAS FEELING NORMAL AND THANKED US FOR HELPING HIM THROUGH HIS FAINTING EPISODE.
1127346	3/23/2021	VA	65	F	2/23/2021	3/14/2021	Got a rash on my right eyebrow, right brow and right side of scalp Monday March 15, 2021. Diagnosed with shingles on Thursday March 18 by Urgent Care. Doc prescribed 500 mg Famciclovir. Monday March 22, 2021 PCP confirmed shingles diagnosis and prescribed Gabapentin 100 mg and Methylprednisolone 4 mg. Applying Calamine lotion to ease itching. Visited ophthalmologist Monday March 22, 2021 to check if shingles has affected my right eye. No effects were found on my eye. Not yet. FYI, I had the Shingles vaccine in 2018.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1127336	3/23/2021	MN	37	F	3/1/2021	3/14/2021	The evening I received my 2nd vaccine, I experienced similar to flu like symptoms that were mild. Fatigued and cold. Slight head ache. I woke at at 4/5 am Sunday morning, and it hurt to open my eyes, head ache, my whole body hurt every where, breathing made my sides hurt. I had a mild fever on and off. I felt better by Monday late afternoon. Monday, my arm where I have the injection started to flare up, it was hot, red, was so itchy that I scabbed up from scratching it. This lasted for two days. The days following that it didn't itch as much, but on occasion the itching would flare up where I felt the need to scratch it intensely. I would say the itching subsided at around 5 days after the shot.
1127499	3/23/2021		52	F	3/23/2021	3/23/2021	After getting COVID vaccine, R eye vision was blurry and felt like she was hearing a loud fan. Denies SOB, chest pain, fever/cold, swelling in face/throat, itchiness. No rash. Sx resolved after 30min after vaccination.
1127824	3/23/2021	CO	59	F	3/11/2021	3/11/2021	15 minutes after vaccine was getting lightheaded and little dizzy. Then 30 minutes after ( now 45 minutes after vaccine) started getting nerve problems behind left eye that was bothering me. Then my face got nerve problems too. Then all my teeth on top and bottom row were hurting. my lips and tongue got numb with nerve problems like I had too much Novocain. Then my throat felt like it was swelling up. I called hot Line of vaccine to report side effects. They transferred me to a Covid 19 nurse that said go to emergency room right away sounds like yur getting Bell?s palsy. FYI my brother who lives in another state did not report his side effects. In February he got the second dose of Pfizer and he said four hours after he got nerve problems in his face and his right side of eye and mouth drooped and he was talking strange like someone with paralysis of mouth . Still has it but never went to doctor and won?t fill out info to report
1126887	3/23/2021	IN	68	M	3/12/2021	3/21/2021	PATIENT CALLED TO INFORM US THAT HIS VISION IS BLURRY AND DOUBLED AS OF 03/21/21. HE IS NOT SURE IF IT HAS ANYTHING TO DO WITH THE VACCINE, AND IS GOING TO FOLLOW UP WITH A DOCTOR, BUT THINKS HIS DOCTOR HAS MOVED AND UNSURE OF WHERE SHE IS BUT WAS INTRUCTED TO MAKE SURE HE GETS INTO A DOCTOR AS SOON AS POSSIBLE.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1126873	3/23/2021	TX	60	U	3/23/2021	3/23/2021	30 min after numbness mouth/lips, tingling feet, chest tight, sinus , ear , eyes felt right hurt . Took Benadryl . Went to bed .
1128092	3/23/2021	IL	52	F	3/11/2021	3/12/2021	Severe Pain in left arm (that actually set in earlier making it difficult to sleep), Upper back tightness and pain, headache (not sure what time those started, but woke with them around 8:00 am), Chills, severe aches on sides, lethargic, fever, burning eyes. Around 8 pm fever broke and started feeling better.
1128085	3/23/2021	WA	49	F	3/15/2021	3/22/2021	3/22 very severe tightening of neck muscles and neck ache 3/23 woke up w very tight neck and head pain. As the day progressed, experienced pain/inflammation in leg muscles and body. Headache worse. Brain fog. Slow to focus eyes.
1127861	3/23/2021	NC	68	F	3/16/2021	3/18/2021	initially post vaccine in 1st 10 min. BP sppiked along with heart rate; vision "off". After that all OK until I got up on the 18th. I had right groin "ache". Checked for enlarged Lymph nodes. Couldn't find. Rt hip has been replaced. I did have crown prepped on the 17th March 23h post covid Pfizer. I took Azathioprine 500mg prior to dental appt. The groin discomfort lasted until 3/22/21 night/none arising 3/23/21. Also had left groin and lower back and rt butt cheek discomfort 3/22/21. Of course with the replacement hip (2010) and dental, I am concerned the discomfort on the RHS is hip replacement related nit Covid but Pharmacist suggested I write it up.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1127856	3/23/2021	UT	46	F	1/12/2021	1/13/2021	Summary: Abdominal pain (similar to that experienced years previously, but not experienced approx. 2 years previous to Pfizer COVID-21 vaccination) recurred after first vaccination, worsened after second vaccination, leading to 2 ER admission and hospital admission. Ultimate cause still not determined or successfully treated; pain continues treated by opioids, gabapentin, anti-nausea medication. Patient has not been able to work since March 4th, 2021 (currently March 23rd, 2021). Details: The day after the first vaccination, abdominal pain similar to that the patient had previously experienced, but which had not presented severely for around a two years, recurred quite severely for 4-5 days. Missed 2 days of work. Pain reduced enough to resume work after 4-5 days. The day after the second vaccine dosage (2 Feb 2021), the abdominal pain worsened again, becoming more severe and more prolonged than after the first dosage. Missed four days of work (not consecutive). Pain worsened. 12 March 2021 visited PCP, who recommended immediate ER/hospital admittance. ER could not any definite cause of pain (though 8cm fibroid present, thought to be causing lower abdominal pain but not upper abdominal) and released patient. Abdominal pain became somewhat better but still continued. March 6th, abdominal pain greatly increased, leading to ER visit and hospital admittance March 6th-March 9th, 2021. CT scan 6 March 2021. Relevant results: Bowel: Multiple dilated loops of distal small bowel with fecalization of small bowel contents and a slow transition to normal caliber at the terminal ileum. The appendix is not visualized. The stomach is unremarkable. The colon is not dilated. Mesentery/Peritoneum: Small indeterminate density fluid adjacent to dilated loops of bowel in the right lower quadrant. Nodes: Scattered small abdominal nodes, none meeting CT criteria for pathologic enlargement. Pelvis: Large uterine leiomyoma. Uterine fibroid identified as probably source of pelvic and lower abdominal pain. Mid and upper abdominal pain thought not to be related, however, and may be related to dilated loops of distal small bowel and adjacent fluid. Pain treated with opioids, gabapentin, anti-nausea drugs, patient released 9 March 2021. Abdominal pain continues, partially controlled with pain medications. Lower pelvic pain has not recurred (birth control pills

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							started at end of hospital visit). Patient has been been able to work since March 4th (currently March 23rd, 2021). Patient is applying for short-term disability due to extended absence from work caused by these issues.
1127635	3/23/2021	OK	25	F	3/23/2021	3/23/2021	Patient felt dizzy, got her water. Become non verbal hands shook eyes focused dilated and non responsive to movement head went back
1127852	3/23/2021	CA	27	F	3/23/2021	3/23/2021	Approximately 1031, client stated feeling light headed with blurred vision and stated her ears felt muffled. Client visibly pale. Client was immediately transferred from the chair down to the floor and her feet were elevated on a chair. Vital sign was taken BP 114/68, Pulse 73, Resp 20, Temp 97.9, SaO2 99%. Client was monitored closely. At 1040, client stated they were no longer feeling dizzy or feeling discomfort with cold compress given. Client was transferred from the floor to sitting on a chair. Client stated she felt better and wanted to leave because her aunt was waiting for her outside. Staff encouraged client to stay longer for observation but client declined. Risk and benefits to waiting longer in observation was explained but patient declined strongly. Vital sign was taken t 1050, BP 113/73, pulse 75, Resp 20, Temp 98.2, SaO2 99%. Patient was discharged and escorted to her car where her aunt was waiting to drive her home.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1127661	3/23/2021	CO	59	F	3/17/2021	3/18/2021	I was fine until 12 hours later when I woke up to use the potty and laid back down to sleep and started shaking uncontrollably. I felt extremely cold and tried to calm my body down. I shook for two hours until I got up the energy to get up and put more clothing on, including a hat to cover my head and eyes, socks sweats and many wool blankets. My head was aching immensely. I probably had a fever, but did not have the energy to check. I took 800 milligrams of IB and 10 milligrams of Diazepam to help me sleep. The next day I slept after every small activity, and felt poorly with headaches and extreme fatigue all day long. I took another 10mg diazepam to sleep that night and woke up feeling much, much better. I am very active and have suffered from fatigue and headaches all week. I do not have my usual energy back, as of yet. Body aches from the first night have continued. I had Covid in early December, and this felt more intense, but for a mere 24 hours. I also feel I have a few lasting effects from Covid in December. Basically fatigue and a bit of focusing problems. Feeling better every day, I hope!!
1127817	3/23/2021	IA	29	F	3/22/2021	3/22/2021	about 1 hour after the vaccine, I noticed my right ear felt full and dry mouth. after 1hr and 45 minute the right side of my mouth felt tight and tingly (kind of like after you get a numbed at the dentist but your not completely numb) my right thumb felt the same way, and as the night went on the tight, tingly, numb feeling grew across the right side of my face from my lips to my ear. the next morning it was still there, and as the day progressed that feeling grew up to my eye. that is when I was seen by a doctor , who confirmed that what I was experiencing was not a muscle reaction, but a nerve reaction. I can still move my lips and eyes, but it just feels very weird and tight, and almost like I have to work hard to make them move.
1127813	3/23/2021	MD	46	F	3/16/2021	3/17/2021	Bell's palsy symptoms. Droopy eye (right) and tingling in the ears.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1127781	3/23/2021		31	F	2/10/2021	2/10/2021	Lightheadedness, flushing, blurry vision, rash ( red blotching on face, neck, chest), and nausea 10 minutes after 2nd vaccination, followed by headache, fatigue, myalgias, and afebrile chills. Developed vertigo, status migrainosus, and diarrhea one week after. Now more than one month out with severe daily headache requiring multiple medication therapies, including injections, and specialist care.
1127757	3/23/2021	WI	28	M	3/20/2021	3/20/2021	Body Ache starting 9 hours after. Main concern, I fainted while walking from the bathroom and split my eyebrow open. Could've been much worse but is a bad side effect. This occurred about 16 hours after vaccine
1127755	3/23/2021	FL	87	M	3/9/2021	3/13/2021	total scalp area, ear to ear became sore to touch. Minor headache was infrequent. Several days later the tender scalp receded to the right side only. Unable to sleep but in one position. The soreness has now traveled to include my right eye socket. Dr unable to determine a fix.
1127747	3/23/2021	WV	65	F	3/1/2021	3/10/2021	I had been doing really well with my irritable bowel and stomach issues for several weeks, but, the rash on my neck was in a flair up. I had some flairing going on with my upper neck and back area and some burning in my upper legs. I had gone to sleep on Wednesday night and around 3 A.M., I was awakened by a horrible burning sensation in my upper stomach, back, face, neck, and arms. They felt like they were on fire inside! My left lower jawbone was hurting up around the front of my ear into my cheekbone underneath my left eye. I took a terribly burning diaherra, chilling, and aching all over. I could hardly stand to set straight up in a chair , let alone lay down. This was terribly bad until around 8 or 9 A.M. It eased up some and I slept for a couple of hours. It came back intermittantly for the next four days and nights..So much worse at night. Even though I have issues with burning sensations and diaherra, etc., I have never experienced anything of this magnitude before! I am afraid whatever was in a flair up within me was magnified times over!

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1127642	3/23/2021	OH	42	F	2/25/2021	2/25/2021	Patient received dose at a clinic provided by store pharmacy at 9:30 AM on 2-25-2021. Patient stated she started to have anaphylactic reaction to the Pfizer - Biotech COVID vaccine around 7:00 PM that same day. Her eyes swelled up and her throat started to feel like it was closes so she went to the ED at Hospital. At the hospital, she received an Epipen and a shot of benadryl. The reaction was taken care of and she was able to return home later that night with no lingering effect of the reaction.
1127853	3/23/2021	OK	41	F	2/26/2021	2/26/2021	About 2 hours after receiving the vaccine, I started to have kinda like tunnel vision, my ears felt cloggd. Tachycardia, palpitations, nausea/vomitting, extreme Fatigue, weakness, headache, dizziness, and loss of memory. I had this type of episode 2-3 times over 5 days, lasting about 20-30 minutes, last one being at work, all of a sudden, same type of episode. Went to ER after Coworkers stated I was " in coherent " or in and out, my BP upon arrival to er was in the 160's/90's. They ran multiple lab tests, CT head, CXR and ECG. By the time I was discharged my BP was normal I believe it was 116/81. Some side effects like nausea lasted a week, I was given an antinuasea prescription
1126963	3/23/2021	FL	61	F	3/18/2021	3/18/2021	Immediately: headache, left eye pain, nausea, cold sensation and felt ?weird? but thought it was normal and thought I might feel flying for a bit but that it would wear off so I did not report feeling anything at the clinic. I left the clinic and got in the car to drive home and felt a weird feeling in my throat reminiscent of my esophageal spasm and then it felt like someone had their hand on my throat squeezing my throat and felt like I needed to take deep breaths to expand my lungs. Within a minute or two at most, my lips, tip of my tongue, tip of my nose and face beside my lips and under my cheeks started to tingle and go numb. My insides felt swollen. I had a doctors appointment and went there after picking my son up at home. I reported my feeling to my doctor who prescribed a steroid for 3 days and told me to also take Benadryl or Claritin, which I did. However, today is day 4 after my vaccine and today is the first day my insides don?t hurt.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1127112	3/23/2021	KS	59	F	3/19/2021	3/19/2021	<p>Progress Notes APRN (Nurse Practitioner) ? ? Family Medicine Cosigned by: MD at 3/23/2021 1:26 PM Expand AllCollapse All COVID VACCINE CLINIC 3/19/2021</p> <p>Patient: DOB: Date: 3/19/2021</p> <p>MRN: Subjective Patient is a 59 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience heart racing. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , chest pain, rapid progression of symptoms and respiratory distress. PMH: insignificant. ALLERGY REVIEW OF SYSTEMS: Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, eyes watering, eyes itching, cough, chest tightness, shortness of breath, wheezing, rash, hives, itching of skin, vomiting, abdominal pain, muscle aches, joint pain, dizziness and headaches Heart racing onset 5 minutes after injection. Briefly lasted. Resolved by the time she arrived to the medical bay. NO other symptoms reported. : She ate lunch today. Previous Reactions: none Objective Vitals Vitals: 03/19/21 1412 03/19/21 1422 BP: 137/80 129/65 BP Location: Right arm Pulse: 92 SpO2: 96% Physical Exam Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort:</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Gait: Gait normal. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: water and close monitoring until end of her observation time. Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) and Red flag symptoms (CP, SOB, NVD, Visual/Neuro concerns) Possible anxiety flare up. Resolution of symptoms by the time of arrival to bay. Pt feels well. She is appreciative of her care today. APRN Electronically Signed 3/19/2021 2:31 PM
1127095	3/23/2021	MA	66	U	3/23/2021	3/23/2021	Approx 5 min after receiving 1st dose of Pfizer vaccine patient was noted to be slumping over in chair. 2 RN's prevented him from falling him. Pt's eye's remained open but he was non responsive. After about 30 seconds patient regained consciousness. He was moved to a wheelchair and then stretcher. BP 135/77, O2:100% pulse 80.
1127093	3/23/2021	GA	37	F	3/17/2021	3/19/2021	Shingles appeared on nose, face, and eyes 48 hours after vaccine. Shingles still remain 1 week after vaccine. Treatment is antibiotics.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1127058	3/23/2021	WA	73	F	3/15/2021	3/16/2021	After Moderna Dose #1 Within one day of vaccination the person experienced extreme fatigue, muscle weakness, joint achiness, headache, and nausea. She felt feverish and chilled but had no fever. She noted nightmares , hard to focus, eye sensitivity, abdominal pain and about 10days after vaccination had an episode of thick saliva and drainage so that she had to sleep upright. These symptoms progressed for about a week and then slowly resolve completely by about 3 weeks post vaccination. After Moderna Dose #2 - RN spoke with client 1 week after dose #2. Within one day of vaccination she experiences intense fatigue, headache on day 2, light sensitivity, body aches in joints and muscles, her arm felt hot, swelling of her breasts, no appetite, and abdominal pain, She did NOT experience any rashes or itching or difficulty breathing. Her symptoms were so incapacitating that she could not do any of her ADL's and could only relieve her pain by lying down in bed all day. As soon as she tried to move around the intense joint pains returned and she had to lie down. Normally she treats her arthritis with Colchicine as needed but received no relief. After a few days she did try one dose of Allegra (antihistamine) with some relief. Resting by lying down in bed for a week has been her only relief. She did not indicate any allergies to PEG.
1127040	3/23/2021	AZ	23	F	3/22/2021	3/22/2021	About 5 minutes after injection, began feeling faint and experienced loss of vision. I had ringing in my ears as well. My brother who received the injection with me experienced the same symptoms at the same time. Due to us being disoriented, we are unsure how long initial symptoms such as the vision loss lasted.
1126927	3/23/2021	PA	33	F	3/14/2021	3/14/2021	headache-especially behind eyes fatigue fever-chills and hot-sweats body aches
1127127	3/23/2021	NM	63	M	3/19/2021	3/20/2021	About 18 hours after my 2nd Covid vaccine I had trouble swallowing, The liquid would come out the left side of my mouth and I couldn't control it. The next day my left eye hurt and would not stop watering. Yesterday it was worse, I had a crooked smile and more severe eye pain and watering, Went to Urgent Care and after ruling out a stroke I was diagnosed with Bell's palsey. I have not been diagnosed with Bell's in the past.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1126992	3/23/2021	IL	61	F	3/23/2021	3/23/2021	Blurry vision, resolved after 10 minutes.
1127027	3/23/2021	PA	69	F	3/1/2021	3/21/2021	Left sided facial weakness and numbness, inability to close left eye onset 3/21/21
1126962	3/23/2021	IN	55	F	3/12/2021	3/13/2021	Facial itching eye swelling wheezing- occurred on two incidences treated with Benadryl and nexium first episode. Second episode was seen by dr - dose pack, famotidine, Benadryl, rescue inhaler were prescribed..
1126950	3/23/2021	OH	46	F	3/23/2021	3/23/2021	Patient experienced vagal response after receiving vaccine. She was unresponsive, non verbal, eyes rolled back. Rapid response paged and EMS services called. Patient was lowered to the ground with legs elevated. She regained consciousness, was alert and speaking. Patient was given 6L oxygen via facemask. EMS arrived and assessed patient.
1126940	3/23/2021	MS	55	F	3/16/2021	3/16/2021	states 8 hours after the shot she developed chills, body aches and a sore arm. 24 hours after the shot she developed itching and hives in hands, face and eyes which is what caused her to come to ED.
1126928	3/23/2021	AZ	69	F	3/14/2021	3/14/2021	Swelling of face, throat, around eyes, hives ,rash on face and neck and some on right arm and itching. Swelling has subsided but redness and some hives and itching continues 7 days post first shot.
1127324	3/23/2021		26	M	3/18/2021	3/18/2021	NAUSEA, BLURRED VISION, SWEATING, FELT LIKE PASSING OUT - SUSPECTED PANIC ATTACK - PATIENT FELT NORMAL AFTER 20-30 MIN

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1127689	3/23/2021	NV	50	F	1/12/2021	1/16/2021	On the 16th, I had the right ear and head pain. That lasted Sat, Sun and Mon. I woke up Tuesday morning (18th), I had a small Shingles lesion along with those symptoms. . I went to the doctor's office and saw the NP, who diagnosed me with an ear infection--right Otis externa. On Wed (19th) my right eye was swollen and my scalp, right forehead and eye were covered in shingles. On the 20th, I was diagnosed with having Ocular Shingles. I was put on steroids and sent to an emergent appointment with ophthalmologist because they were concerned that I would lose my sight. He put me on Acyclovir 800mg, 5 times a day and increased my steroids to: 40mg a day for 2 days, 30mg for 3 days and 20mg for 3 days and 10mg for 4 days. Fortunately the branch that goes into my cornea was not affected. I was in bed the entire time. I still had lesions when I went back to see him, which is why he kept me off work until Feb 1st. I continued to have neuralgia (nerve pain) and then I started itching. I went back to quick care and put on Atarax. I took that every 4 hours for about a week. Then I tapered it down to about twice a day. It eventually got better, but I do itch sometimes. Looking back, I did have a little right ear pain after the 1st dose of the vaccine.
1126902	3/23/2021	CA	48	F	3/21/2021	3/21/2021	Patient experienced anaphylactic reaction which includes fainting, sudden increase in secretions from eyes and nose, weakness, numbness in upper extremity (fingertips) agitation, flushing dizziness, feeling something wrong, and extreme headache. The patient was treated with epipen and pharmacist called 911 and advised patient to go to the hospital. Patient recovered in approximately 30 minutes but refused to go to the hospital and called in a ride by the husband.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1127009	3/23/2021	MI	21	F	3/23/2021	3/23/2021	Patient was nervous before the vaccination. After vaccination she started to feel hot and cold. Her hearing started to fade in and out. She sought help and was directed to lay flat on the floor and breathe. She started feeling light headed and that her vision was tunneling. Her appearance was pale and her hands were clammy. Her blood pressure was taken via wrist and was normal for her (112/72). The medical professional tending to her had her continue talking, asked her to state her DOB, name, age, the date, etc. After about 5 minutes she started to feel better- she sat up and had some water and M&Ms. She then laid back down but continued to converse with us. This took place over about 10 minutes from first symptoms. She remained laying down for about 10 minutes after and then slowly sat up, and when she felt comfortable sitting she tried standing up. She then went home for the day (was an employee of the store).
1127263	3/23/2021	HI	29	M	3/17/2021	3/17/2021	Monitored for 30 minutes after injection, no symptoms, released back to housing (cell). Approximately one hour later, presented to Health Care Unit with c/o itching, nasal congestion, watery eyes, lightheadedness, nausea, "hard time breathing". Very anxious. Administered 50 mg Benadryl IM without any relief. Patient was sent to local emergency department as precaution. Given epi SQ and additional Benadryl in the emergency department
1127307	3/23/2021	CA	40	M	3/22/2021	3/22/2021	Approx 1255: Patient stated he was not feeling well, light-headed. Patient pale, sweating. He asked to lie down. Encouraged to take deep breaths. Patient asked to step outside of room, assisted to hallway chair for air. Wife at side, encouraging to take deep breaths. Patient stated he could not see us and slumped in chair with eyes open and glazed. Shallow breathing, unresponsive to sternal rub. Lips noted to turn purple-blue and then gray. Called for assistance and LVN at patient side obtaining VS, patient took deep breath and started to become responsive. VS at approx. 1303: BP 104/47, HR 57, O2 Sat 95%. Patient talking, continued pale and diaphoretic. 911 called and EMS arrived at approx. 1305 Transferred to hospital.
1127303	3/23/2021	SD	77	F	2/11/2021	2/11/2021	Started with headache and mental confusion within a hour of first injection. Right eye was becoming blurry by day 3 and loss of vision apx 6 days after first injection.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1126997	3/23/2021	MO	31	M	3/23/2021	3/23/2021	pt c/o slight headache, distorted vision, nausea, elevated heart rate, pallor and sweating. symptoms appeared and went away in a duration of about 5 minutes.
1127290	3/23/2021	NY	30	M	3/23/2021	3/23/2021	Within 30 sec of vac pt felt dizzy, nauseated, vomitted x1, greying of vision, became diaphoretic and pale. no LOC . Past hx of vaso-vagal episodes with vac. Moved to recovery area in wheelchair. Improved rapidly once supine. Recovery Nurse placed ice pack to back of neck, VS 112/72, HR 73 reg strong, Resps 12 reg, non labored, SpO2 100%. Left Deltoid site benign, monitored 30 min. pt stated felt much better, color came back to face diaphoresis ceased. sat up edge of cot. no N/V, no dizziness. Encouraged fluids, continued to monitor, walked back to vehicle. no further complications. encouraged to be driven 2nd dose. provided reassurance. ok'd to exit. (Name), RN
1127286	3/23/2021	TX	45	F	3/13/2021	3/13/2021	Within 3 hours of receiving it I suddenly became very dizzy and lightheaded. My vision blurred and I felt like I was hallucinating. My mouth also became severely dry and I felt dehydrated. I have a metallic taste and have pain when I take deep breaths. I blacked out at one point and can't recall anything. My temp was 103 all night Saturday and I never slept. Sunday I woke up Dazed, Confused and dizzy. I was extremely light headed and out of it. I had double vision and was running into everything. My heart has been racing non stop with a feeling of severe anxiety. Tuesday I woke up again with sharp pain in upper left back shoulder/armpit along with severe dry mouth which feels like dehydration. My head still hurts, but somewhat manageable. Fast forward 10 days later and I'm still experiencing dizziness, rapid heart beat, anxiety, dry mouth, feel dehydrated and headache.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1127265	3/23/2021	NY	17	F	3/23/2021	3/23/2021	17 YEAR OLD PATIENT: AFTER RECEIVING VACCINE PATIENT SAT IN OVERVATION AREA, UPON SITTING DOWN EXPERIENCED DIZZINESS, SHORTNESS OF BREATH, FATIGUE. PATIENT DEMONSTRTING RAPID EYE MOVEMENTS, RESPONSIVE TO DIRECET QUESTIONS AND TO PAINFUL STIMULI THOUGH UNABLE TO SPEAK IN FULL SENTENCES. DENIED CHEST PAIN, COUGH NAUSEA, VOMITING. MOTHER STATES SIMILIAR BEHAVIOR WHEN SHE DEVELOPED BLOOD CLOT IN THE PAST. PATIENT THEN STATED FELT LIKE THROAT WAS SCRATCHY.
1127302	3/23/2021	AZ	64	F	3/21/2021	3/21/2021	itchy feet, hands, eyes, voice became hoarse within 15 minutes of shot; took Benadryl immediately (as I do for food allergies); cleared up symptom of voice, but not itchiness; took 3 Benadryl spaced out over 1.5 hours, under care of nurses/EMT at site, but hadn't cleared up symptoms, so nurses directed me, with my accompanying friends, to an ER, where physician gave me Pepcid (rather than a steroid which he said would compromise the effect of the vaccination) and told me to take Benadryl every 8 hours for next 3 days
1127252	3/23/2021	CA	30	F	2/19/2021	2/19/2021	After maybe 16 minutes of getting the vaccin in Northeast valleyclinic, walking to my car in the parking lot my eyes vision was not actually judging the distance between my legs and the floor. Then I started to feel very dizzy and light headed. My body could not hold me up so I fell to the floor. My heart started to palpitate very fast, and I could not catch my breath to try to regulated my self. I was like this for maybe 20 minutes. While this was happening the clinic called 911 for a ambulance. While this was happening I could not talk, my words and my thoughts could not connect for lack of a better world. I was like THIS FOR 4 hours not being able to talk. After this my word get getting confused with other word and switching them around with other words.
1127181	3/23/2021	MI	45	F	3/19/2021	3/20/2021	3 days of fever, headache, body aches On day 4 of headache Diarrhea on day 4 after vaccine On day 4 of blurred vision in right eye as well as muscle pain behind the right eye

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1127217	3/23/2021	OR	66	M	3/13/2021	3/17/2021	Approximately 4-5 days after vaccination, the skin of my face, scalf and around my eyes became itchy. I think there's very minor puffiness of my upper cheeks at either side of my nose. Now, ten days later, the itching persists.
1127210	3/23/2021	SD	56	F	3/23/2021	3/23/2021	Patient is a 56yr old female presented today for her 1st Moderna vaccination. Patient educated on side effects, need and to wait 15 min before she could leave the waiting area. Patient was on her way out the door when she started to feel a "wet sensation on the right side of her face" and pain like a needle in the back of her eye. Dr. came to evaluate her and did not think she was having an allergic reaction. She denied any shortness of breath, swelling of the lips, tongue, throat or eye. Patient felt like the pain was not high enough to warrant even taking tylenol and felt well enough to return to work. She is schedule for a wellness exam with medical provider tomorrow and will follow up with her.
1127209	3/23/2021	WI	41	M	3/18/2021	3/18/2021	Beyond tiredness, weak muscles, mild to painful headache behind both eyes going to the back of the head, still have cramping/stabbing pain in left shoulder.
1127195	3/23/2021	MA	68	F	3/22/2021	3/22/2021	Tingling from site of shot down arm. Tightness around wrist. Tingling and heaviness up left side of neck and face. Abated some but heaviness remains around left eye (especially between brow area and eye) and left side of head. Also feels warm in that area. I am worried some but just keeping an eye on it at home. Called my doctor?s office and nurse said go to pharmacy tomorrow and report it to them. I am concerned about getting the follow up shot.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1127194	3/23/2021	TX	71	M	3/2/2021	3/3/2021	Nothing until approx 11 hours later. Awoke with severe lower abdominal pain. Very weak. Son helped me get up and clear liquid (water?) came out of eyes, nose, and mouth. Passed out. Son helped me to car and I passed out again getting in the car. Son drove me to the emergency room at hospital. In severe pain and very weak. Test done- Fever, Blood, Urine, CT-Scan. After about 4 hours I was given something for pain through IV and felt much better in about 10 minutes but still weak. Outcome- Doctor said it was reaction to vaccine and that I have a gallstone but it was not causing any problems. Referred to a doctor for the gallbladder. Told to take 600mg of ibuprofen three times a day for three days. Was fi
1127274	3/23/2021	WA	29	F	1/28/2021	2/16/2021	Right eye lid/eyeball feels numb and it was slightly lazy (that has resolved). I noticed it first on 2/16/21 and my eye lid still feels "off" and kind of numb. It seems like the right eye lid doesn't open all the way unless I use extra effort.
1127169	3/23/2021	CO	67	M	3/17/2021	3/18/2021	Second dose of Moderna COVID vaccine 3/17/21, onset of swelling of conjunctiva and blurry vision in both eyes on 3/18 with progression of vision loss to no light perception in left eye by 3/19 AM. Sent to ED and admitted to hospital after outpatient ophthalmology exam and started treatment with 1g methylprednisolone IV daily x5 days on 3/20. As of 3/22 eye pain had subsided but no improvement in vision. Has been in hospital 4 days at this point with uncertain discharge date.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1122976	3/22/2021	CA	57	F	3/19/2021	3/19/2021	57y/o female presents with mild throat tightness ~15min after receiving Pfizer vaccine into the left arm. She states that it feels as though something small got stuck in her throat and is causing mild discomfort. She reports associated injection site pain, body cramps, and headache. She denies itching, difficulty breathing, shortness of breath, chest pain, palpitations, blurry vision, presyncope, difficulty swallowing water, or lip/tongue swelling. She reports no change in symptoms after 40min. post-injection. Physical Exam: Heart Rate 66bpm, Blood Pressure 115/74, Repeat Blood Pressure at 40min post-injection 120/80 Cardiac: regular rate and rhythm Lungs: unlabored breathing, clear to auscultation bilaterally Skin: no injection site erythema or swelling. No rash. No lip/tongue swelling or narrowing of oropharynx. Plan: Patient reports that her symptoms have improved at 1hr post-injection and would like to leave. I advised her that she should wait until all of her symptoms have resolved as throat tightness is a concerning adverse reaction. I provided her with options including contacting EMS right now to take her for observation at the hospital, however, the patient declined and said she would not go in the ambulance. She insisted that she wanted to go home and that her husband was driving and would take her to the emergency room if her symptoms worsen. Patient was well-appearing when she left the vaccination site.
1122989	3/22/2021	NV	27	F	3/21/2021	3/21/2021	Headache, muscle pain, pain in the arm of the injection, chills, internal fever, nasal congestion, eyes pain.
1122995	3/22/2021	ID	39	F	3/20/2021	3/21/2021	Approx 12 after shot I woke up feeling very ill and nauseous. As I walked to the restroom to vomit I lost 100% of my vision, I became very disoriented and had the loudest screeching in both ears. I screamed for my husband and I caught me as I was taken to the floor with no mobility. The episode last several minutes before he was able to move me back to bed. I had severe sweating and ear ringing. As I report this I still have a lingering brain fog and ear ringing. I reported it to my physician and told to go to the ER if any reoccurrence of reaction.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1123061	3/22/2021	KS	68	F	3/19/2021	3/21/2021	Sunday morning woke up with swollen cheeks (cheekbone areas) in the same areas as having received Juvaderma Voluma fillers on June 16, 2020. The right cheekbone was more swollen than the left but there was also a pocket of fluid under the right eye. The areas were very tender to the touch. Iced the areas for several minutes and called both Dr.'s office and the pharmacist and both told me to take Benedryl, which I did. Has not helped. Swelling remains as of Monday morning and the fluid under the right eye feels hard like a knot. Seeing Dr. this afternoon.
1123013	3/22/2021	TX	65	F	3/16/2021	3/17/2021	Patient reported that she experienced blurry vision one day after receiving the Janssen COVID-19 vaccine, around 2:00 pm on 3/17/2021. She expressed concern that this might be related to the COVID-19 vaccine. She said it feels like there's something in her eye that's irritating it. I asked if she has seasonal allergies, and she said yes. She does not take anything for allergies. I advised her to try Visine eye drops. After consulting with Dr, I also advised her to take an over the counter antihistamine like Zyrtec, Allegra, or Claritin. Patient is diabetic, so we asked her to check her blood glucose as well. Patient reports that the Visine helped. Her blood sugar was 189. She reported chills and a mild fever. She took Tylenol and it brought her temperature down to of 99.6 F. I advised her to call me if any of her symptoms get worse or do not improve.
1123036	3/22/2021	AZ	40	M	3/19/2021	3/21/2021	Within a day and a half swelling of the face, especially around eyes. Rashes on face at brow and cheeks with flaking skin, in addition to hive on forearms. The following morning, today, it has become much more severe.
1122951	3/22/2021	NH	60	F	3/22/2021	3/22/2021	pain from vaccine site up back of neck, tingling lips and glassy eyes
1123009	3/22/2021	NY	60	F	3/20/2021	3/20/2021	Vaccine 1 - all arm pain for 6 days Vaccine 2 - severe all body pain for 20 hours, fever, headache caused blindness in one eye, dizzy, weak, ringing in ears. 48 hours after vaccine - pain and fever gone but dizziness and ear ringing still ongoing.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1122933	3/22/2021	TX	57	F	3/15/2021	3/20/2021	Started noticing 2 big red dots/bumps on right cheek on Saturday 3/20. Dots/bumps continued to appear - all along hairline by Saturday night - and more on cheeks under eyes & across nose - biggest one is on side next to right eye. Did not change anything this week to include diet, meds, exercise routine - so only connection I can make is the vaccine. This AM 3/22 dots/bumps are very noticeable, all over forehead now and a few more have appeared randomly on face - have not found elsewhere
1122915	3/22/2021		78	F	3/19/2021	3/19/2021	Feeling hot, dizzy, blurred vision
1122909	3/22/2021	CA	33	M	3/17/2021	3/17/2021	33y/o male reports itching on the bottom of both feet at ~17min post-Pfizer vaccination into the left arm on 3/17/21. He states that he has h/o allergic reactions that typically present this way. He reports pain at injection site that he rates as a 3/10. He has associated itching/tingling sensation that he rates as a 2/10. He also feels flushed/heat in his face. He denies throat discomfort/swelling, difficulty breathing, shortness of breath, chest pain, palpitations, blurry vision, dizziness, lip/tongue swelling, or nasal congestion. Patient reports resolved sensations at 35min post-injection. He reports h/o allergic reactions to river water, Chantix, Zyrtec and seasonal allergies. He states that he has never needed epinephrine and his past symptoms resolved without intervention and he was monitored. Physical Exam: BP; 155/110 Cardiac: regular heart rate and rhythm. Radial Pulse 2+ Lungs: Clear to auscultation bilaterally Skin: no rash, erythema, or injection site redness/swelling Plan: Patient reported symptoms resolved at 35min after injection and left clinic. He was advised to call 911 if he develops any allergic reactions or respiratory issues including hives, difficulty breathing, chest pain, or throat/lip/tongue swelling. He was also informed that his blood pressure was high and that he would need to follow up with his PCP. Patient reports that it typically rises when he speaks to providers.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1122719	3/22/2021	AK	35	F	2/13/2021	2/16/2021	I had itching on my neck at the base of my hairline and then behind my ears; hives on torso that spread to my wrist, then inner elbow, inner thigh and eyelids; This is a spontaneous report from a contactable consumer reporting for herself. A 35-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE) (lot number EM9810/expiration date: not provided), via an unspecified route of administration, on 13Feb2021 at 13:00 (at the age of 35 years old) as a single dose in the left arm for COVID-19 IMMUNIZATION. The patient previously received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE) (lot number: FL3246/expiration date: not provided), via an unspecified route of administration, on 23Jan2021 at 13:00 (at the age of 35 years old) as a single dose in the left arm for COVID-19 IMMUNIZATION. Relevant medical history was not reported. It was unknown if the patient had any allergies. The patient was not pregnant at the time of vaccination. Prior to the vaccination, the patient was not diagnosed with COVID-19. Concomitant was reported as none. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. On 16Feb2021 at 12:45, the patient experienced itching and hives. The clinical course was as follows: "I had itching on my neck at the base of my hairline and then behind my ears and then noticed hives on torso that spread to my wrist, then inner elbow, inner thigh and eyelid". It was reported whether treatment was received for the events was unknown. The outcome of the events itching and hives was recovering. Since the vaccination, the patient had not been tested for COVID-19.
1122648	3/22/2021	LA	76	F	2/6/2021	2/9/2021	Took the Pfizer vaccine and within two days, swollen eyes and face. My face has been swollen since then I look like I have chipmunk cheeks, how long will this take before it goes away. It is over a month The eyes are sometimes swollen , but not as much, just bags under my eyes Is there any other suggestions besides ice on face and taking allegra, and benedryl, that will make the swelling go down permantly
1122565	3/22/2021	PR	50	F	3/1/2021	3/20/2021	Headache blurred vision nausea pain body sleepy

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1122504	3/22/2021	NJ	71	F	3/9/2021	3/10/2021	Woke up with my right eye partially closed. Mid afternoon, I had light pain behind right eye which then radiated up into my head. Suddenly, I also felt very tired and achy with chills but no fever. That continued until I went to sleep that night. The next morning my eye was partially closed but much better then the former afternoon and evening. Also, there was no more headache, aches or chills. My right eye seemed to close a little more as the day went on. Better every day and completely open in about a week.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1123110	3/22/2021	CA	26	F	2/19/2021	2/19/2021	tingling in her mouth and lips; lump in throat; dizziness; tunnel vision; shaking; headache; anaphylaxis; A spontaneous report was received from a physician concerning a 26-year-old female patient who received Moderna (mRNA-1273) vaccine and experienced Anaphylactic reaction, having tingling in patient's mouth and lips and a lump in their throat, very bad headache, dizziness, tunnel vision and shakiness. The patient's medical history included: allergy to azithromycin and penicillin. Concomitant product use was not provided by the reporter. On 19 Feb 2021, approximately four minutes prior to the onset of the symptoms, the patient received their second of two planned doses of mRNA-1273 (Batch number: 031L20A) for prophylaxis of COVID-19 infection. On 19 Feb 2021 at 14.09, the patient had tingling in their mouth and lips and a lump in their throat. The patient's heart rate noted was 130s. The patient also reported very bad headache dizziness and tunnel vision. The patient developed shakiness which was noted on exam. The reporter reported for an anaphylaxis reaction. The patient's Blood pressure reported was 156/80. At 14.29, the patient's Blood pressure reported was 176/87. Treatment information provided included EpiPen (0.3mg) given Intramuscularly to right thigh at 14.22 and supplemental O2 provided. The reporter stated ambulance was called, husband of the patient was called. Reports were given to ambulance services. The systolic BP upon transport was 168. Action taken with mRNA-1273 in response to the event(s) was Not applicable. On 19 Feb 2021, the outcome of the events, having tingling in patient's mouth and lips and a lump in their throat, very bad headache, dizziness and tunnel vision were considered resolved and the outcome of the event, shakiness was considered not resolved. On an unknown date, the outcome of the event, Anaphylactic reaction was considered unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the se events, a causal relationship cannot be excluded.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1122556	3/22/2021	WI	76	F	3/9/2021	3/16/2021	Woke up on 03/16/2021 and noticed left eye ,the white area was blood shot. No drainage, no itching, no visual changes from baseline. No swelling noted. She has been using a cold washcloth on eye without any relief. Patient was instructed to contact her eye Dr. that she is going to for treatment of her macular degeneration and discuss this. PHN also noted that if her eye specialist was not in or clinic not open to contact her local primary eye doctor. PHN instructed patient to monitor for drainage, swelling, itching, eye pressure, headache,temperature, vomiting or any changes in vision, to be seen by MD. 03/22/2021 TC to patient who notes that when she woke up on 03/21/21 her symptoms have resolved. She was to eye Dr. locally today 03/22/21 but was told she could cancel if s/s resolved.
1122572	3/22/2021	PA	76	F	3/19/2021	3/19/2021	Patient was in the office on 3/19/21 for her first dose of Moderna COVID vaccine. 15 minutes after administration of vaccine, patient expressed she was feeling hypertensive and her hands were feeling cold. Patient was taken to an exam room for evaluation with assistance of language interpreter and RN. BP of 220/120 with symptoms of headache and blurry vision. No chest pain. No signs of anaphylaxis. Patient stated she was feeling slightly better after 3 minutes. Repeat vitals of BP 180/94, pulse 80, RR 32, O2 sat 98%. Patient did take BP meds as prescribed. Plan to go to the ED was communicated to patient and her brother in law to which they agreed. Patient requested that her brother-in-law drive her to the ED instead of activated EMS. Report was called to the hospital ED recieving provider by myself with diagnosis of hypertensive emergency.
1123245	3/22/2021	MO	79	F	3/11/2021	3/15/2021	Patient states she has had blurry vision and pain in her eyes when she moves her head for approximately a week after receiving the vaccine.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1121588	3/22/2021	NC	36	M	3/7/2021	3/1/2021	partial loss of consciousness approx 10 minutes after vaccination; Dizziness, faintness; General feeling of unwellness; partial loss of vision; This is a spontaneous report from a contactable consumer (patient). A 36-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 07Mar2021 at 10:30 (batch/lot number: unknown) as a single dose for COVID-19 immunisation. Medical history included allergy to penicillin. The patient's concomitant medications were not reported. The patient previously took ofloxacin and experienced allergy. No other vaccine in four weeks. No Covid prior to vaccination and was not Covid tested post vaccination. The patient experienced dizziness, faintness. Partial loss of vision, partial loss of consciousness approx. 10 minutes after vaccination (07Mar2021 10:40). General feeling of unwellness following. The events were reported as started on an unspecified date in Mar2021 11:00. No treatment was received for the events. The outcome of the events was recovering. Information on lot/batch number has been requested.
1122482	3/22/2021	FL	46	M	3/10/2021	3/19/2021	Approx 9-10 days after injection, the injection site became raised, red and itchy. The following morning an extensive rash appeared on both arms, torso, and thighs looking like a severe hives reaction. As of today, day 3 of the rash, there has been some spreading on the torso sides and back. No trouble breathing or swelling of lips, eyes or throat, just very itchy, patchy rash.
1123567	3/22/2021	TN	63	F	3/17/2021	3/19/2021	heart palpitations ,followed by vision problems, followed by headache - total time lapse approximately half hour, then goes away. Happens intermittently throughout day. No occurrences after going to bed
1123535	3/22/2021	IL	53	F	12/17/2020	3/1/2021	1/9/21 after 2nd dose on 1/7/21 I had a moderately severe headache and severe fatigue. By 1/10/21 AM I was fine. 3/1/21 I developed moderately severe dry mouth and dry eyes that haven't resolved.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1123404	3/22/2021	OH	35	F	12/28/2020	1/7/2021	Migraines, dizziness, nausea, blurred vision about 10 days after vaccination. Very unsteady gait, sensitivity to light, numbness and tingling in my face, both sides, some vomiting. Still to this date, I feel numbness on my face, more common on the right side of my face. Arm pain, no swelling.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1123401	3/22/2021	KS	46	F	3/18/2021	3/18/2021	Notes (Nurse Practitioner) ? ? Nurse Practitioner Cosigned by: MD at 3/19/2021 9:22 AM Expand AllCollapse All 3/18/2021 Subjective female who was seen at Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience lightheadedness and dizziness. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to abdominal pain, blood pressure abnormality , chest pain, collapse, drooling, hypotension, increased swelling, rapid progression of symptoms, respiratory distress, skin changes, tongue swelling and vomiting. Pt became hot and light headed after receiving her shot. She was brought by WC to the bay. She was given water and an ice pack was laid on the back of her neck. ALLERGY REVIEW OF SYSTEMS: Patient complains of dizziness Hot and sweaty: CONT negative HENT negative Eyes negative Respiratory negative Skin negative GI negative Musculo negative Previous Reactions: None Objective Vitals Vitals: 03/18/21 1535 03/18/21 1550 BP: 131/67 130/75 Pulse: 84 65 SpO2: 100% 100% Physical Exam Vitals and nursing note reviewed. Constitutional: Appearance: She is well-developed. HENT: Head: Normocephalic and atraumatic. Right Ear: External ear normal. Left Ear: External ear normal. Nose: Nose normal. Eyes: Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Normal breath sounds. Abdominal: General: Bowel sounds are normal. Palpations: Abdomen is soft. Musculoskeletal: General: Normal range of motion. Cervical back: Normal range of motion and neck supple. Skin: General: Skin is warm and dry. Capillary Refill: Capillary refill takes less than 2 seconds. Neurological: Mental Status: She is alert and oriented to person, place, and time.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							Assessment/Plan Treatment included: water and ice pack Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Local reaction (arm pain, bleeding/bruising, mechanical irritation, localized rash) Pt dismissed to go home at 3:57pm with coworker. Electronically Signed 3/18/2021 4:00 PM
1123324	3/22/2021	TX	47	M	3/2/2021	3/9/2021	Right sided mild facial swelling, left side facial droop-eye, corner of mouth, decreased forehead creases, loss of nasolabial fold and impaired speech.Treatment includes Acyclovir 400mg orally five times a day, Prednisone 10mg orally daily, Lacri-lube S.O.P. ophthalmic ointment to left eye at bedtime. Patient was to follow-up in 1 week. At follow-up patient continued to have left sided facial droop, feels like his left nostril is "closed", left ear feels full, swelling to left neck and shoulder. Provider plan to continue current medications and continue facial exercises. Follow-up set for 1 month.
1123524	3/22/2021	OK	23	F	3/17/2021	3/17/2021	client began feeling like tongue was thick, blurry vision, general itching all over body 3 minutes after receiving immunization. 10:05 am: Client was given 0.5 ml of Benadryl IM in the Right deltoid. Vital signs were bp 121/85, respirations @ 20, heart rate 90 bpm. Oxygen sats were 98%. Client was assessed by paramedics. 10:18 am: bp 114/82, Oxygen sats at 100%, heart rate 82. Client reported she felt less urticaria, less tongue thickness, and vision improved. Watched client for the next hour. Last assessment: 11:07 am: blood pressure 110/74, heart rate 80, no tongue thickness, no itching, no blurred vision. Client left on own accord and drove self home from vaccine pod. Recommended client follow up with primary care physician to discuss options for second dose of moderna vaccine.
1123307	3/22/2021	CA	37	F	3/19/2021	3/21/2021	On the second day I started to feel some mild pain in my left eye. By Monday my eye was swollen and painful.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1123112	3/22/2021	NY	72	F	2/18/2021	2/18/2021	<p>loopy; difficult sleeping; achy feeling in both legs and buttocks; ruptured blood vessel in left eye; arm inflamed; arm hot; Arm red; arm itchy; mild headache; queasy GI symptoms; achy pain at injection site; A spontaneous report was received from a consumer concerning a 72-years-old elder female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced events achy pain at injection site, mild headache, queasy gi symptoms, arm itchy, arm inflamed, arm red, arm hot, achy feeling in both legs and buttocks, loopy, difficult sleeping, ruptured blood vessel in left eye. The patient's medical history was not provided. No relevant concomitant medications were reported. On 18 Feb 2021, prior to the onset of the events the patient received their first of two planned doses of mRNA-1273 (lot/batch: 023M20A) intramuscularly in the right arm for prophylaxis of COVID-19 infection. On 18 Feb 2021, the patient experienced the event(s) achy pain at injection site, On 19 Feb 2021, the patient experienced the event(s) mild headache, queasy gi symptoms. On 28 Feb 2021, the patient experienced the event(s) arm itchy, arm inflamed, arm red, arm hot. On an unknown date, the patient experienced the event(s) achy feeling in both legs and buttocks, loopy, difficult sleeping. On 3 Mar 2021, the patient experienced the events ruptured blood vessel in left eye which was considered as seriousness criteria. No treatment information was provided. Action taken with mRNA-1273 in response to the events was unknown. The outcome of event(s), achy pain at injection site, mild headache, queasy gi symptoms, arm itchy, arm inflamed, arm red, arm hot, achy feeling in both legs and buttocks, loopy, difficult sleeping, ruptured blood vessel in left eye was UNKNOWN.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1123239	3/22/2021	OR	77	F	2/15/2021	2/20/2021	The Sat or Sun after I got the vaccine, a quick pain shot around my eyeball in my right eye. It kind of radiated around my eyeball. Then, about a minute later, I experienced a second episode that was less intense. About a week later, I had another quick pain behind my left eye. I had no vision changes or any other symptoms afterwards.
1123213	3/22/2021	PA	41	F	3/21/2021	3/21/2021	Swollen eyes burning skin jittery feeling
1123205	3/22/2021	OH	64	M	3/2/2021	3/9/2021	Iritis blurred vision pain left eye
1123181	3/22/2021	OH	56	M	3/19/2021	3/21/2021	48 hours after vaccination numbness in the facial area... including lips, left ear, forehead and cheek. Not severe and no visual effects to date.
1123142	3/22/2021			M	3/4/2021	3/5/2021	hallucinatory trip; fatigue; It was really weird because I've never had anything like that happen to me before; I felt paranoid; This is a spontaneous report from a contactable consumer. A 74-year-old male patient received the second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, batch/lot and expiration date unknown), via an unspecified route of administration on 04Mar2021 as a single dose for covid-19 immunization. The patient's medical history included visual impairment (reported as visually impaired) from an unknown date and unknown if ongoing. The patient's concomitant medications were not reported. The patient received the first dose of bnt162b2 on an unknown date for Covid-19 immunisation. On 05Mar2021, unusual side effect . He had a hallucinatory trip, He was seeing people in his room and got very concerned because he live alone. He was seeing movement in his room and felt paranoid. It was really weird because He never had anything like that happen to him before. He has not spoken with his primary care provider yet but he plans to call her next. The outcome of the events was unknown. Information about the Lot/Batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1123140	3/22/2021	CO	70	M	2/11/2021	2/1/2021	visual blurriness/visual disturbances; headaches; tiredness; muscle/joint aches; muscle/joint aches; dizziness; panic attacks; depression got worse; nausea; fell once, almost fell at least 5 times; visual hallucination; My blood pressure has been elevated; This is a spontaneous report from a contactable consumer (patient). A 70-year-old male patient received the second dose of BNT162B2 (lot number: EM9810), via an unspecified route of administration, administered in right arm on 11Feb2021 15:00 (at the age of 70-year-old) at single dose for COVID-19 immunization. Medical history included depression, diabetes, arterial sclerosis, panic attacks, high cholesterol/ blood pressure, and enlarged prostate. The patient had no known allergies. Concomitant medications included clopidogrel bisulfate (CLOPIDROGEL SANDOZ); clonazepam; tamsulosin; and ramipril. The patient previously received the first dose of BNT162B2 (lot number: EL3247) via an unspecified route of administration administered in right arm on 21Jan2021 at 4:00 PM (at the age of 70-year-old) at single dose for COVID-19 immunization. The patient had no other vaccine in four weeks. Soon after the 2nd shot in Feb2021, the patient started having headaches, tiredness, muscle/joint aches. Three (3) days after it on unspecified date in Feb2021, he started having dizziness, panic attacks, visual blurriness, and his depression got worse. This last week on unspecified date in Feb2021, the dizziness with nausea, the visual disturbances increased to the point where the patient fell once, almost fell at least 5 times but caught himself, panic attacks increased, and on unspecified date in 2021 (also reported as yesterday) the patient had what was almost like a visual hallucination while riding in the car. Still dizzy today. His blood pressure has been elevated on unspecified date in 2021- most likely due to the worry about all of this. He does not know if these are related to the shot or something different is going on. There was no treatment for the adverse events. The events required physician office visit. No COVID prior vaccination and was not tested with COVID post vaccination. The outcome of the events was not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1123118	3/22/2021	WI	18	F	3/9/2021	3/9/2021	Difficulty swallowing; Shortness of breath; Big rash; A spontaneous report was received from a consumer concerning a 18-year old female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced events shortness of breath, difficulty breathing, tightness on the throat, difficulty swallowing, big rash in forehead and under her eyes. The patient's medical history was not provided. Concomitant medications reported were birth control pill for drug use for unknown indication. On 9 Mar 2021, prior to the onset of the events the patient received their first of two planned doses of mRNA-1273 (lot/batch: unknown) intramuscularly for prophylaxis of COVID-19 infection. On 9 Mar 2021, the patient experienced the event shortness of breath, difficulty breathing, tightness on the throat, difficulty swallowing, big rash in forehead and under her eyes. Treatment details included went to the emergency room (ER), epinephrine, diphenhydramine, and dexamethasone.. Action taken with mRNA-1273 in response to the events was not reported. The outcome of event, shortness of breath, difficulty breathing, tightness on the throat, difficulty swallowing, big rash in forehead and under her eyes was unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.
1123323	3/22/2021	FL	65	F	3/5/2021	3/11/2021	Day 7 post-dose (first Moderna vaccine dose), woke up with swelling of both eyes, more severe around left eye (injection given in left arm), became more severe upper and lower both eyes, with redness and itching. Also some redness and itching both ears and scalp. This progressed to jaw pain on both sides. Had bruise around injection site with a bit of pain, but on Day 10 had grapefruit-sized red swelling distal to injection site. Began taking OTC antihistamine on Day 7 for eye swelling but swelling became more severe so went to Urgent Care center on Day 10. They recommended starting RX Prednisone 40 mg QD and RX Hydroxyzine 25 mg BID, to be started in a.m. on Day 11. Eye swelling improved but is still present, with some itching, as of Day 18. Redness and bruise on arm has resolved.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1121721	3/22/2021	OR	22	M	3/18/2021	3/18/2021	Back was itchy, normal for him, no hives visible. Allergy to grasses, normally itchy with runny nose and eyes. Itchiness deteriorated after sitting. released at 5:05pm
1121947	3/22/2021	MI	72	M	2/23/2021	3/1/2021	The patient is a 72 y male presenting to the ED with complaints of chills, fever, and myalgias since he received the first dose of the vaccine on 02/23/2021. He reports he developed a cough the 2nd or 3rd day following the vaccine, which was productive of a light colored phlegm, but he states this morning he coughed up blood and when he blew his nose blood came out. The patient states he first developed pain at the injection spot which resolved after a couple of days, and then the chills and myalgias onset. He reports loss of taste and eye pain bilaterally. Patient was given bamlanivimab on 3/1/21 in the ED and was discharged home. Returned to ED on 3/3/21 for worsening symptoms and inability to maintain O2 sats above 90%. Admitted to hospital for 6 days.
1121944	3/22/2021	OH	68	F	3/6/2021	3/8/2021	Great fatigue, double vision, droopy eyelids for 2 weeks now and still ongoing.
1121900	3/22/2021	VA	72	F	3/16/2021	3/16/2021	Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild, Systemic: Headache-Medium
1121899	3/22/2021	VA	31	M	2/21/2021	2/21/2021	Systemic: Dizziness / Lightheadness-Medium, Systemic: Syncope-Medium, Additional Details: Patient was in the waiting area after receiving vaccine where he fainted and fell out of his chair. His female friend assisted him and reached out to us. He regained consciousness and was able to speak to us clearly. There was a small cut above the left eye. He expressed that he has a fear of needles and this has happened before to him as well. He had no symptoms of an allergic reaction, no headache or visual disturbances. We monitored him for 30 minutes and did not feel the need to call 911.
1121895	3/22/2021	MA	22	F	3/20/2021	3/20/2021	Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Mild, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild
1121884	3/22/2021	MN	58	M	3/18/2021	3/21/2021	Bell's Palsy - left side of face, right eye very watery.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1121603	3/22/2021			F		2/25/2021	<p>they said was she is COVID positive; could not wake patient up; it is like she is drunk; This is a spontaneous report from a contactable consumer reporting on mother. A 93-year-old female patient received dose 1 of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) Lot number EL9267 via unspecified route on 25Feb2021 as a single dose for COVID-19 immunisation. Reporter stated vaccine was given to her mother last Thursday, a week ago today (7 days ago). Reporter stated that the vaccine card was handwritten, and she doesn't see NDC/EXP on it. Medical history and concomitant medications were not reported. Reporter stated that before she was doing laundry, her mom was alert and was opening and closing her eyes, and she gave her Gatorade, and she had someone take her blood pressure and it was okay. She says she gave her ice chips, and water and it was like pulling teeth, she can't wake her up, it was unbelievable, it was like she is drunk. They had to rush her mom to emergency room; ambulance came, and they kept her over 24 hours, she was admitted and they did observed her and released her the next day, and said she was COVID positive, and to make sure she got tested until it was negative, which she says was very surprising so she feels her mom got a false positive. Outcome of event COVID positive was unknown, could not wake patient up, was unknown and it is like she is drunk was unknown.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1121726	3/22/2021	AZ	69	M	2/21/2021	3/11/2021	First vaccination uneventful. Second vaccination uneventful except for expected arm soreness and mild fatigue the following day. However, approximately 2.5 weeks post 2nd vaccination I began to experience peripheral neuropathic symptoms on the dorsal surfaces of bilateral hands (C6-7 dermatomes). It felt as if I were in a shower with a fine mist hitting both hands - even though the hands themselves were completely dry!. Only occurred while outdoors walking. No pain/numbness/weakness. Lasted roughly 10 days, starting to abate over last 48 hours! Coincidentally, had my first haircut (professional) in a year 3 days ago. I mentioned that it felt good to get out now that I was fully vaccinated. Without suggestion, the hair cutter mentioned that her 81-82 year old mother had had a 2nd vaccination and started feeling ?bugs crawling on the backs of her hands.? My eyes were like saucers because this was a totally-unsolicited remark which closely mimicked the symptoms I was experiencing. Fortunately, they seem to be resolving....!
1121999	3/22/2021	OH	33	F	3/22/2021	3/22/2021	Feeling dizziness, tunnel visioning

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1121709	3/22/2021	CA	34	F	3/19/2021	3/19/2021	Within 10 minutes of injection, patient started to say her eyes were moving by themselves behind her eye sockets and she was feeling alot of "snapping" in her body. Her blood pressure and pulse were higher than normal and she could not keep her eyes open well. She was observed by nurses for approx 30 minutes and those symptoms seemed to subside although she was not steady walking. Midway into our 30 minute drive home it all started again, this time she said she felt heaviness in her chest but was pointing to her throat. I immediately drove her directly to the ER. Was monitored for 4 hours and was release to go home, be observed and follow up with Neurologist when possible. Throughout the night, she continued to say she was shaking alot on the inside and her eyes were still moving involuntarily. 3/20/19 at 8:30 am I called her Neurologist to inform her patients symptoms were continuing. I waited 8 hours and called back only to have her tell her service I was to call patients Primary Physician. Which I did. Dr. was on call and quickly prescribed medication to help calm patients symptoms. She prescribed Valium 2mg q 6 hours. 3/21/19: Patient is still experiencing shakiness, involuntary eye movement and fatigue. She does not have arm pain at injection site.
1121707	3/22/2021	OR	46	F	1/29/2021	2/10/2021	Within a week of COVID-19 vaccine I had an outbreak of shingles in my left eye.
1121688	3/22/2021	TN	33	F	3/3/2021	3/3/2021	I started experiencing inappropriate affect and lost control of emotions. I would cry innappropriately or laugh at things innappropriately. I began experiencing brain fog and memory loss. Then i began experiencing vertigo that impaired my spacial reasoning. On Tuesday 3/9 I lost the ability to see objects far away. on 3/10 I woke up and was unable to read close up, or distinguish letters. The vision and vertigo has continued. I have to shut my eyes completely to walk without becoming sick. I can not be in a busy room with movement or my eyes will hurt. I can not read anything with font smaller then size 18. I can not watch TV because i can no longer see far away. I can not drive a car due to the motion., and i cant see the objects as they move.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1121615	3/22/2021	MN		F			Macular degeneration; This is a spontaneous report from a Pfizer Sponsored contactable consumer reported for herself. This female patient of unspecified age received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) at single dose on an unspecified date for COVID-19 immunization. Medical history and concomitant medication were not reported. Patient had a second dose schedule on Tuesday. The patient needed to see her eye doctor prior to her second dose because of macular degeneration and she would have an injection on her eye. Patient was asking if this would be fine to have the injection before the vaccine. The outcome of event was unknown. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1121590	3/22/2021	NJ	58	F	2/5/2021		<p>Third Nerve Palsy; vision was double; vision problems which was like little blurry; Myasthenia gravis; This is a spontaneous report from a contactable consumer (patient). A 58-year-old female patient received bnt162b2 (BNT162B2), dose 2 via an unspecified route of administration on 05Feb2021 (Batch/Lot number was not reported), at the age of 58-year-old, as SINGLE DOSE for covid-19 immunisation. Medical history included thyroid disease and asthma. Concomitant medication included montelukast sodium (SINGULAIR) taken for an unspecified indication, start and stop date were not reported; levothyroxine sodium (SYNTHROID) taken for an unspecified indication, start and stop date were not reported. The patient received dose 1 of the vaccine on 12Jan2021 and developed Covid symptoms and on 18Jan2021, the patient was tested positive, was sick from all and had fever (stopped at end). On an unspecified date, the patient stated she was just at the hospital on Tuesday, in emergency room and they told me that she should report possible side effects from the Covid vaccine. The patient have the Third Nerve Palsy they think this might be connected to the vaccine they are not sure. When paraphrased the concern, consumer stated, "They said I should just report that there was a reaction and they don't know if the Third Nerve Palsy is due to the vaccine or just something freak that I got." When probed if patient was a Health Care Professional, consumer stated, "I am not, I am a manager." The patient also added, "Can I give you the Path Gram, on the 9th I had my first shot on the 12Jan, I developed Covid symptoms and on 18Jan I was tested positive, I was sick from all and finally got tested on the 18 and was Positive and finally stopped my fever at end, I think may be 01Feb, and they told me to get my second shot I got my second shot on 05Feb and on 15 I started having vision problems which was like little blurry and I went to my eye doctor and they didn't think anything else he said that it could be something from Covid like what they called continuing symptoms but not having Covid, I don't know what the terminology is or it could have been from vaccine then that was the 15, the following Monday I went to my Primary because my vision was double at this point in my right eye and they thought it might be sinus related I had a CT done came back normal they told me that they thought it was Third nerve palsy and I had a</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							MRI in the meantime they told me to go back to my Ophthalmologist which I did on Tuesday as soon as he see my he sent me to emergency room cause he thought it was an Aneurysm, so I was in the Emergency room being examined in hospital in (withheld) when I spoke to the Doctor they said I should advise Pfizer that they can't prove but it's vaccine related." When the patient was asked about treatment: she stated, "Well right now what they are doing is they had an had a MRI to be sure it was not Aneurysm or brain tumor which thank God came back negative and they did blood work so they are assuming it's third Nerve Palsy at this point but I have to see in 4 weeks it clears up or it could be Myasthenia gravis." The outcome of the events was unknown.
1124730	3/22/2021	CA	28	F	3/22/2001	3/22/2012	At 4:15 pm, While under observation for 30 minutes, pt c/o heaviness in the eyes., and slight chest pain. pt. also c/o nausea and vomiting symptoms. pt. c/o numbness in the left arm. Pt. was encouraged to take deep breaths. Pt. was helped to the ground in a supine position. BP=140/90, HR=88, RR=18 . Pt was alert and oriented X4. 2 minutes after deep breaths, patient reported that all symptoms had subsided except numbness in the left arm.
1123578	3/22/2021	OH	45	F	3/7/2021	3/7/2021	With in 15 minutes my fingers on my left hand started going numb. I had the shot in my Right arm. By the next morning I was numb from the neck down and my vision went in my left ye and very blurry in the right eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1121860	3/22/2021	VA		F	3/3/2021	3/1/2021	<p>she was mostly clawing at her neck, it was an internal reaction, allergies; she was figuratively knocked on the ground; felt like she had been beat to death; eyes puffy and swollen; eyes puffy and swollen; Headache; Tiredness; cold/ she was freezing to death; lymph node swelling; congestion; Fever; Rash; Chills; Cough; ears and throat hurting; detect red across her chest or stuff; her ear canals and lymph nodes in her throat hurt and she was aching/ her ears and throat were hurting; her ear canals and lymph nodes in her throat hurt and she was aching; her eyes are tired right now and glassy; her knees are aching; scratching/ itching; This is a spontaneous report from a contactable consumer. A 58-year-old female patient received the second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration, administered in right arm on 03Mar2021 as single dose for COVID-19 immunisation. Medical history included asthmatic, stage 2, multiple allergies, allergies to shellfish and egg. Concomitant medications were not reported. Historical vaccine included first dose of BNT162B2 on 03Feb2021 (lot number: EL9269) for Covid-19 immunization. In Mar2021, the patient stated that her eyes were puffy and swollen like she was extremely sick, and she had a slight headache and was real tired, however when she went to bed she tossed and turned. She says she woke up at 04:00AM scratching her neck and chest and under her breasts, but she was mostly clawing at her neck, it was an internal reaction, allergies, so she looked in the mirror to see if she had hives or a rash and only could detect red across her chest or stuff. She says it was unknown if this was because she was scratching stuff, she took her temperature and it was a half degree above normal, and she laid back down. She says after she got up with the itching that night, 2.5 hours later she had no welts or anything, it was internal itching like what she had experienced when she had eaten something with a form of iodine content in it, where it causes a red streaky itching underneath. She says on Thursday she got up and felt like she had been beat to death, and she went to work and it got worse as the day went on, she was more tired. She says by 11:00AM she was freezing to death so she checked her temperature and it was still just a half degree different, so she used a space heater. She says that at 03:15PM she had a nurse</p>



*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

check her temperature and it was still 97.5 degrees Fahrenheit, and she was so cold when she came home she took her temperature by mouth and then it was 100 degrees Fahrenheit she was figuratively knocked on the ground. She says if there was a difference, she doesn't know. She says she went to bed freezing to death so she put flannels on. She says 2 hours later she had taken Tylenol since her temperature was up almost to 101 degrees Fahrenheit. She says yesterday evening her ear canals and lymph nodes in her throat hurt and she was aching. She says that she didn't experience a cough until today, she is congested a little, which is not abnormal for her because of her allergies. She says her temperature was better today. She says for the Tylenol she took 625mg yesterday morning at 08:30AM, she never took more because she was never running a fever and she is not one to pop pills. She says she didn't take another until 05:30PM-06:00PM because she had heard that she was going to have chills but not a fever so she thought that was what she was experiencing and it wasn't until she got home and used her mouth thermometer and her ears and throat were hurting that she thought she had better check it and it was 2.5 degrees above normal so she took more. She says that she gets allergy shots, and she was supposed to go today but she doesn't know if she should because she feels tired, her eyes are tired right now and glassy, and her knees are aching, and her right ear is stopped up. She says she doesn't think that she needs to deal with allergy shots while she feels this way now. She says she usually gets her allergy shot twice a week, and her allergist said to have a day separation so she got her dose on Monday of the allergy shot, then got her COVID shot on Wednesday and she doesn't want to do her second shot this week, she couldn't go in today, it clearly knocked her on the ground, she didn't know it was 04:00AM when she got up. The outcome of the events was unknown.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1122166	3/22/2021	PA	87	F	3/20/2021	3/20/2021	Patient was AAOx3, ambulating independently prior to obtaining vaccine. Medical Assistant gave patient vaccine in Left Deltoid. Patient ambulated to observation area and sat in a chair. Five minutes into her observation, patient reported not feeling well. Medical Assistant notified Nurse Practitioner. Upon exam, patient was pallor, eyes intermittently rolling back, lethargic and unable to keep her head upright, nauseous and dry heaving, developed rigors, unable to verbally communicate but did nod her head yes to having difficulty breathing. No hives or rash noted. Epinephrine 0.3mg Pen (Lot # 0FM406, Exp Feb 2022) was administered in Right Deltoid. 911 was called by the Vaccine Clinic Supervisor. Vitals: Temp 97.7, HR 77, BP 134/76 (sitting), Pox 96% Room Air. After Epi administration, patient continued to be lethargic and the only thing she stated was "I do not feel well" but was able to communicate with head nods. EMS arrived and patient was taken to a Hospital.
1122375	3/22/2021	LA	67	F	3/11/2021	3/11/2021	Patient received vaccine on March 11, and reports that she began experiencing arm soreness immediately afterwards. She was reporting soreness with pulsating pain for the first 2 to 3 days, now reports a constant dull and achy pain that is worse with activity and movement. She has been using Tylenol, which she reports does help reduce pain symptoms. She denies any reduction in her range of motion, but states pain symptoms are more prominent with movement. She is also reporting daily headaches that occurred starting the day after getting the vaccine. Patient reports headache is bilateral in nature with a dull, aching quality. She states headache starts within 10 to 20 minutes of waking up. She takes Tylenol to help with headache symptoms, which does seem to relieve the headache. Some days, she reports headache comes back in the afternoon or evening. She denies any nasal congestion, vision problems, tinnitus, postnasal drip or sinus pressure. No balance, near syncopal, or syncopal problems. Denies any sensory or motor impairment accompanying the headaches.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1122373	3/22/2021	MA	55	F	1/13/2021	1/15/2021	I did have a hard red lump at the site of the injection. The main reason I went for medical treatment, I woke up I believe the second day and had double vision. I went to urgent care, and they thought maybe it was an eye infection and gave me medication. I had the medication and did that for a few days and then I went to see an Optometrist and told me to take eye drops. I did that and it got better. The I got the second shot and it happened it happened all over again. My doctor ran blood work and has extremely low white blood count.
1122360	3/22/2021	VA	67	M	3/7/2021	3/9/2021	No immediate adverse reaction. No fever. Day 2 post vaccination fatigue, blurred vision, confusion, weakness, lethargy, inability to concentrate, loss of balance, anxiety feeling weird. Symptoms would come- had to lay down- last ~2 hours-feel okay. Again, same symptoms would start; 4-5 times a day every day. By day 7 post vaccination symptoms were severe; activities of daily living severely compromised. Blood pressure elevated 180's/100's (no history of hypertension). Emergency room visit was unremarkable. Next morning, 03/15/2021, EMS called to home. Blood pressure 217/112 finger stick 178 (no history diabetes). Transported to ER. B/P remained elevated. Cardiac negative. Head CT negative. Medications given in ER: Labetalol 10mg IV. Monitored and released to home. Diagnosis: Hypertensive Encephalopathy with TIA's. New onset hypertension. Meds: Lisinopril 10 mg daily. Seen by primary care on 03/17/2021. Elevated blood pressure continued 150/100's.
1122326	3/22/2021	OK	61	F	3/5/2021	3/6/2021	Horrible Headache. I couldn't hold my eyes open for 36 hours. Generally feeling lousy.
1122319	3/22/2021	NJ	56	F	1/2/2021	1/4/2021	A few days post vaccine #1 I noticed small rash on lower extremities, which progressed to hives all over body. Saw dermatologist and started taking Allegra 4x/day. Symptoms seemed to subside. Received vaccine #2 on Jan 30th, and hives increased severely. Went to ER on Jan 9th with swollen lips and eyes, and hives over entire body. Received IV Solumedrol, IV Benadryl. Followed up with Allergist who said I was having a reaction to the vaccine. Am currently taking Doxepin 3 tabs/ nightly, Zyrtec 2x/day and Singulair. I am on week # 12 with hives with no relief.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1122283	3/22/2021	IL	73	F	3/17/2021	3/18/2021	Evening of administered dose sore and itchy arm. Woke up the morning after injection (3/18/2021) had tired feeling of eyes, white of left eye appeared to have bleeding across entire bottom area as well as up both sides, top area remained white in appearance or bleeding was unresolved in three weeks AS
1122280	3/22/2021	FL	53	F	3/13/2021	3/20/2021	The day of the first injection and the following day, I had a sore arm only. On day 8 after the Moderna vaccine, my left arm at the site of injection started itching. I also developed a bright red spot about 2 inches in diameter around the site of injections and it was warm to the touch. My left eye was also itchy on the lower left lid, but I honestly don't know if that can be attributed to the vaccine or the fact that we were painting the inside of our house. It might have been the paint. On day 8, I did have a little bit of a rapid heartbeat, but noticed this before I noticed my arm itching and being red. Not sure if that was related to reaction or not.
1121952	3/22/2021	KY	87	F	3/4/2021	3/8/2021	Received call from patient's nephew. He reports approximately 4 days after receiving vaccine, patient's nose and around her eyes began peeling like she had a bad sunburn. Reports they have been peeling ever since. No other problems. Patient denies any changes to her normal skin care regimen. Advised if continues, to see her medical doctor.
1122198	3/22/2021	AZ	77	F	3/11/2021	3/11/2021	Slurred speech, extreme confusion and disorientation, headache, blurred vision. Symptoms of mild Demetia increased to meditate to severe dementia in a matter of hours.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1121995	3/22/2021	MA	68	F	3/17/2021	3/18/2021	Got the vaccine, and had no problems as she was busy in the house, cleaning. Later during the day when she went to check a note without her glasses was not able to see, which she was able to do before she got the vaccine. She cannot read anything close up right now without looking through her bifocals, which she did not have any blurry vision before the vaccine. She now cannot read anything far away without blurry vision, mainly distance reading, but again was able to do that before. Before her vaccine she used glasses for close up reading only. Her arm was sore for a day and a night and has no problems with the injection site itself. She does have an appointment with an Ophthalmologist is tomorrow.
1122143	3/22/2021	OH	62	M	3/10/2021	3/17/2021	Serious Dizziness / Vertigo when moving from a laying down position to sitting or standing, and when moving from sitting or standing to laying down. Visual "room spinning" and some nausea as well. Symptoms began 3/17/2021. Still ongoing.
1122133	3/22/2021	FL	72	F	3/4/2021	3/18/2021	pt states that a couple of weeks after taking the vax she ended up in the Hospital ER on 3/18/2021 for symptoms of having a stroke and blurred vision. On 3/18/2021 Pt was transferred to Hospital in. They ran ECHO, EKG, CT and MRI. Blood Work. No findings of clogged arteries. DX was w/ TIA possible cause due to AFIB. Pt states that she no longer has any symptoms.
1122101	3/22/2021	IL	47	F	1/7/2021	1/7/2021	Blurred vision, "seeing spots" throughout the day after the vaccination
1122062	3/22/2021	TX	49	F	3/13/2021	3/13/2021	Developed increased left eye lacrimation the morning of 3/13. Then received Moderna vaccine at 11:30 AM. Then developed facial droop, loss of nasolabial fold, increased lacrimation of left side. Was evaluated on 3/18/2021 with diagnosis of Bell palsy.
1122054	3/22/2021	IL	40	F	1/29/2021	1/29/2021	With both doses, eyes became swollen. Saw primary care provider and was prescribed eye drops and oral antibiotics which cleared the infection. PCP stated the "eye infection and sty" was caused by the vaccine.
1122049	3/22/2021	NC	46	F	3/18/2021	3/19/2021	Eye twitching beginning about 12 hours after vaccination

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1122391	3/22/2021	NE	79	F	3/17/2021	3/19/2021	Pt. presented to ER on 3/19/2021. Family reports that pt. received her Covid vaccination on 3/17/2021. Since then her stomach started hurting and pt. is lethargic. Pt. did not open eyes when asked questions and was quite pale. Son reports increased confusion last day or two. Pt. reports that she started feeling ill immediately after receiving the injection. Complains of generalized weakness and fatigue. Denies dizziness or lightheaded. C/o abd. pain. Denies nausea, vomiting, but admits to diarrhea. Denies fevers, cough congestion. She is alert to place and name, but unsure of date at time seen in ER. When seen in ER she was afebrile, but hypoxic and hypotensive. Initial saturations were in mid 80's, but dropped to low 60's. With a non-rebreather mask she maintained at 90%. BP 60's systolic but with fluids increased to 90's. No rectal bleed or hematemeis. Diagnosis of septic shock, anemia, elevated LFT's, pneumonia, and UTI.
1122200	3/22/2021	FL	75	M	3/18/2021	3/19/2021	Extreme headache left side of head and left eye. Vaccine was given on Thursday March 18th and the headache started on Friday the 19th and got worse of Saturday the 20th and Sunday morning got better Sunday evening. A rash developed on the left side of my forehead Sunday afternoon (looks like bloody pit marks). The left side of my head hurts, and my left eye continues to throb.
1124344	3/22/2021	AR	85	F	2/4/2021	2/9/2021	after vaccine my body got little circles on it, not exactly a spot but I had dark circles on the edges of the spots, my joints got stiff but there was no pain or aches, and seems like I slept more than usual. On the 4th day it seemed like I'd been drained and dry, by the 4th week my skin seemed dry and I tried to drink water, my eyes seemed a little deeper set. I went to my PCP and he sent me to a dermatologist. The dermatologist and he gave me something to bathe in, and I didn't see any difference. The spots are not like a rash, but the discoloration seems to be under the skin, its not a rash on top of the skin but underneath.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1124485	3/22/2021	MI	40	F	1/2/2021	1/12/2021	About ten days after the vaccine, I got Iritis in my left eye. I noticed some blurriness and my eye was painful and got worse over the course of three days. I went to the eye doctor and they diagnosed Iritis in my left eye. Sensitive to light and darkness and it was very painful. I was prescribed Steroids and it took two weeks before my vision improved and the pain was lessened. It took six weeks of Steroids before the condition was resolved. No symptoms after the second dose.
1124483	3/22/2021	IL	45	F	3/18/2021	3/20/2021	About 20 hours after first dose, I experienced extreme under eye puffiness. Also at injection site, firm, swollen and red.
1124449	3/22/2021	IN	50	F	3/20/2021	3/20/2021	Patient had her vaccine at 1:45pm. By 2:12 patient noted lightheadedness and brain fog and fatigue. Patient requested to go to the bathroom. She was taken by a staff member. Patient reports hx of epilepsy, hx of covid with hospitalization, and kidney disease. 2:22 her bp was 104/63. Her HR was 80 and RR 20 and oxygen 95%. Still reported feeling lightheaded and sensation of head floating similiar to when she had seizures. We gave the patient orange juice and crackers. 2:32 bp was 110/72 with HR of 82 oxygen 99%. States feeling better but still slightly foggy in the head. 2:42 bp 118/76 hr 78 and oxygen 98% feels better and is more talkative. She asked to rest with her eyes closed for a few more minutes.
1124422	3/22/2021	PA	63	F	1/9/2021	1/13/2021	Four days after the shot my eye someone told me my eye was red. I had a hemorrhage in my left eye. It was the outside of my eye but there was no pain. It lasted about five days. Seven days after the first vaccine I also had an eye hemorrhage in the same are of my eye. The doctor could not find anything wrong with my eye. Other symptoms included a few waves of Nausea and a low - grade fever.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1124416	3/22/2021	CA	69	F	3/22/2021	3/22/2021	Vaccine Reaction: Per pt, shortly after receiving the vaccine, she felt like the left side of her throat was swelling, and had some drainage on the left side of her throat. Eyes also red. Per pt, she does have seasonal allergies and did not take any medication this morning. Pt. A&O x 3, able to converse in clear full sentences, denied difficulty breathing or SOB. Description of Event: see above VitalsExpand by Default Vitals: 03/22/21 1208 03/22/21 1212 03/22/21 1217 03/22/21 1240 BP: (!) 159/95 (!) 159/107 125/77 131/82 Pulse: 70 77 60 60 Resp: 18 18 18 18 SpO2: 99% 98% 98% 98% Intervention: Epi Pen available, but not needed, EMS called due to feeling of "tightness of throat" and back of throat drainage. 25 mg of Benadryl offered. Pt. Declined. Pt. Declined further evaluation at ED. Pt. Stated she had her dog in the car, and no one to contact for her. Pt. Declined any further medical evaluation/intervention AMA. Observation time: 60 Minute Evaluation Medications given: None Response to interventions and/or medication: 12:45 pt. Stated she felt like the swelling in her throat was decreasing and the drainage was also decreasing. Additional Information: Pt. Instructed to follow up with PCP and given ED precautions.
1124414	3/22/2021	SC	94	F	3/19/2021	3/19/2021	PATIENT COMPLAINS OF VISUAL DISTURBANCES 5 HOURS POST DOSE
1124241	3/22/2021		72	M	3/4/2021	3/6/2021	Patient developed headache which preceded Herpes Zoster of the Eye
1124351	3/22/2021	OH	71	F	2/25/2021	2/25/2021	Flushing, Excess moisture in eyes and mouth, strong metallic taste in mouth, weakness in knees, short vision disturbance. Symptoms subsided after an hour. Next day fluttering in chest. No trouble breathing



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1124555	3/22/2021	MO	61	F	3/10/2021	3/19/2021	Nine days after receiving the vaccine, my vaccine site on my arm started itching really bad, and when I went to scratch it, I felt a very large (~size of a tennis ball) bump on my arm that was also very hard and very red. Initially, I thought it must be a spider bite, though I haven't noticed any spiders in my home, and I simply watched it for any sign of infection (which never happened). The next day I also noticed an unusually high degree of fatigue which limited my ability to do much of anything for three days, thus far! Throughout the day and night, without warning, my eyes become really heavy, and I feel like I'm going to immediately drop off to sleep. My eyes also begin to burn, and when I close them I simply fall asleep for about a half hour. This has been happening off and on all day for three days, so far. I have no idea if there's any connection to the vaccine or to the sudden appearance of a hard, big, red, itchy bump at the vaccination site on my left arm.
1124331	3/22/2021	AK	48	F	3/9/2021	3/11/2021	extreme eye pain in the right eye for 2 days
1124329	3/22/2021	TX	51	F	3/19/2021	3/20/2021	Extremely sleepy and blurred vision. The blurred vision has continued now 3 days.
1124326	3/22/2021	CA	41	F	3/18/2021	3/18/2021	Red eyes, painful and burning . Went to the ER and then was sent to ophthalmology and was diagnosed with keratoconjunctivitis. The doctor said she has seen this in patients that receive the Covid shot.
1124304	3/22/2021	FL	62	M	3/16/2021	3/18/2021	Extreme headache beginning 2 days after vaccine was administered. Accompanied by chills and tiredness, and blurred vision. Today is the 6th day after the vaccine was administered and still have extreme fatigue and moderate headache.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1124292	3/22/2021	TX	71	F	3/4/2021	3/6/2021	March 6th noticed right hand going numb but cleared up within 10 minutes. March 7th right hand went numb again and had vision problems with right eye, cleared up in about 15 minutes. March 9th right hand and right side of face went numb. Went to hospital and was examined and told I was having a stroke. I was admitted to hospital for two days. MRI showed that I had a stroke and now have some brain tissue damage. I and now going to occupational therapy to regain use of right hand. The Doctors thought that it was pretty coincidental that my first stroke symptom (transient numb right hand on the 6th) started just a couple days after I got the second dose of the moderna vaccine.
1124273	3/22/2021	PA	53	F	3/20/2021	3/20/2021	~~Moderna COVID 19 Vaccine EUA" At time I thought it was the start of a panic attack but now looking back, it might have been an allergic reaction. Felt like a sting going up my arm, over my shoulder into my back. Felt a little dizzy but it went away with sitting for 15 min. When I got home I then realized my heart was fluttering but it went away within an hour. 6pm got chills and very tired. Didn't sleep much and took tylenol in am to help with pain in arm, headache, burning eyes, chills and nausea. I was still very tired and stayed in bed all day Sunday. Today, I feel better with taking Tylenol but still nausea and headache and a little dizzy. I now have a rash on my arm near injection site.
1124261	3/22/2021	FL	75	F	1/29/2021	1/30/2021	Headache next day after second vaccine. It has lasted 7 weeks. Also tinnitus has amplified so that I can't stand it. Had MRI of brain. Went to ENT and went to allergist. Nothing found. Went to optometrist and my eyesight is fine
1124402	3/22/2021	OR	36	F	3/10/2021	3/22/2021	Following her vaccination after she got home she experienced muscle aches and pain, also at sites different than the administration site. Feelings of faintness for about two days, blurred vision for a couple days. Hairloss. Vasculitis in the arms and legs. Atrial Fibrillation which lasted only the night of the vaccine. Vaccine administration arm coldness and temperature drop. Patient reported the symptoms to her doctors and they recommended she get the second shot
1124721	3/22/2021	WI	68	M	3/17/2021	3/18/2021	Severe dizziness and loss of balance. Visual distortions.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1124673	3/22/2021	CO	80	M	3/2/2021	3/20/2021	Patient went to ER on Saturday, March 20, 2021 complaining of stroke-like symptoms. Medical staff determined that patient was suffering from symptoms similar to Bells Palsy. Presently he still suffers from being unable to close left eye without also closing right eye and the right corner of his mouth droops downward.
1124825	3/22/2021	AZ	35	F	3/14/2021	3/15/2021	Vomiting, diarrhea ? 4 days Hot flashes and sweating - continuous, still occurring Feeling like I have a fever but no fever ? continuous, still occurring Severe pain radiating down right arm ? comes and goes Dizziness ? continuous, still occurring Dehydration Nausea ? continuous, still occurring Loss of function in right side of face (eye and eyebrow), weakness in right arm ? lasted about 8 hours and occurred day 5 after vaccine
1124817	3/22/2021	IL	52	M	3/17/2021	3/18/2021	I was been feeling left shoulder pain with facial paralysis. My left face side and lips feel numb(I feel numbness and pain) along with swelling and irritation in the left eye. I have been feeling difficulty working on computers. The symptoms have began on 18 march 2021. It has been persisting till now.
1124795	3/22/2021	GA	18	M	3/16/2021	3/17/2021	The NP gave him my vaccine and him mine. No symptoms at time. Headache and seizures, black eye from falling, slow brain. Function
1124765	3/22/2021	PA	46	F	3/21/2021	3/22/2021	woke up 12 hours with facial swelling in my left eye, eyes were itchy -- and eye was extremely swollen. The swelling spread to my face throughout the day, controlled with Benadryl.
1124757	3/22/2021	TX	53	F	3/3/2021	3/7/2021	Transient face swelling, right eye dryness, cluster headaches since 03/05/21. Bells palsy symptoms right side of face since 03/07/21. Swelling is transient symptom. Cluster headaches are transient symptoms. Bells palsy symptoms have not resolved. Treatment from PCP is steroid prescription started 03/20/21.
1124747	3/22/2021	TX	82	F	3/19/2021	3/21/2021	Began approx 36 hours after injection. Extreme chills, threw up > 5 X, Lip Swelled, eyes (1 more than the other). Did not take a hydrocodone this day.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1124518	3/22/2021	OR	73	F	3/16/2021	3/22/2021	Woke up at 8:00 with a headache and face ache. Coughed a few times and discovered it was very painful to my rib cage. Had slight fever all day and now it's 4:00 p.m. I still have headache and slight fever. Slept a few hours today. Very sore neck muscles. Might have sinus pressure and eyes very sensitive to light.
1123642	3/22/2021	VA	27	U		3/18/2021	12 hours post-vaccine my heart rate was 115-125 beats per minute for over 5 hours and it was uncontrollable. No sleep, vomiting. The rapid heart rate that was so strong and persistent that it caused my brain to think my body was going to die. I had uncontrollable, racing and intrusive thoughts about the fact that I was about to die and I became incredibly scared and paranoid. I had minor "sleep" paralysis at times where I couldn't move my limbs and they felt incredibly heavy when I attempted to move (sleep in quotation marks because I did not sleep that night). The intrusive, racing thoughts were spiraling incredibly rapidly - roughly 3 thoughts per second for the entire 5 or so hours that my heart rate was uncontrollable. When attempting to re-direct my thoughts, I was unsuccessful. Scenes/moments from my life flashed before my eyes in shuffle mode (i.e., memories from different parts of my life in no particular order) and at some points there were dark figures/shadows in my imagination that made it seem like I was about to die. My extremities became icy cold as if blood was drained from the areas during this time. I couldn't decide if I would be found dead in my bed or if I should go to the ER. I ultimately stayed home and tried to overcome the side effects (which I did). Once my heart rate normalized the following morning, the racing and spiraling thoughts lessened, though there is an underlying fear of having these uncontrollable, intrusive, and racing thoughts return at any time.
1124527	3/22/2021	TX	76	M	3/11/2021	3/11/2021	He had his Vivid shot and awoke blind in left eye 4 hours later. Went to ER and then on Friday went to eye Dr. at clinic.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1124850	3/22/2021	IL	61	F	3/17/2021	3/17/2021	Severe chills/fever/body aches/nausea/headache/fatigue/closed eye hallucinations/sweating/mediciney aftertaste/sweat smelled like medicine/dizzy. All were severe and lasted for 3 days and I was unable to even function for 2.5 days. Dizziness has lasted longer.
1124650	3/22/2021	IN	65	F	3/17/2021	3/18/2021	experienced body aches, skin sensation to touch, nasal drainage, injection site tenderness, eyes watering, headache, vomiting x6 over period of 10 hrs. Spent all day March 18 in bed due to vomiting , and above symptions. Continued with low grade nausea and HA on March 19. Felt fine on March 20. Treated self with Tylenol and restarted routine meds March 19 PM. Unable to take any meds on March 18 due to vomiting. Did not require seeing healthcare.
1124648	3/22/2021	FL	60	F	3/20/2021	3/20/2021	That night while watching television, right eye started tearing up, watery, glazed, eyeball felt sore. On Sunday morning had redness like hemorrhage, in the eye. She had no swelling or pain. The eye looks unsymmetrical.
1124637	3/22/2021	CA	44	F	3/21/2021	3/21/2021	About 3 hours after the injection I began to feel tired and lethargic. 10 hours after the injection I began to feel more cold than normal. 12 hours after the injection I realized I had a fever and it took about 3 hours to break. By the next morning, today, I felt sore all over my body, like I had been non-stop throwing up. I had a raging headache in my right eye. Still feeling very lethargic. 27 hours later I still feel not myself.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1124610	3/22/2021	VA	54	F	3/16/2021	3/18/2021	Starting at 5 p.m. on March 18th (two days post-vaccine), pain began in the lymph node area of the left side of the neck. It became increasingly painful on March 19 in the evening (especially after dinner) and overnight (around 3 a.m.) and more painful in the evening on March 20th after dinner. On March 20th, I took 800 mg ibuprofen (4 tablets) at 6 p.m. to relieve the pain. My husband is an Emergency Physician and indicated that is the dose I should take given the pain. At 1:00 p.m. on Sunday the lymphnodes on the left side of the neck began hurting again (excruciating pain) and I again took 800 mg of ibuprofen to relieve the pain. This occurred after having lunch (a burger) at noon. However, at 1:30 p.m. the left side of my face began to feel numb. I had little control of the left side of my mouth and could not close my left eyelid properly. The numbness lasted for about 20 min and then subsided. After 40 min (2:10 p.m.) it felt better and I had a few potato chips left over from my lunch. The numbness started again about 10 min later and lasted about 20 min. The face went numb again the evening of March 22nd for 20 min despite remaining on ibuprofen 3 times a day.
1124599	3/22/2021	PA	26	F	1/12/2021	1/13/2021	24 ours after, I developed a red bullseye- softball size - on right arm. Fever and back pain as well. And headache. The bullseye - lasted about 7-10 days. About three days into I went to the Urgent Care - they gave me a cream to put on it and Benadryl. The red bump was warm to the touch and it was painful. Those helped resolved the bulls eye bump within three days.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1124525	3/22/2021	GU	24	M	3/18/2021	3/18/2021	I kept a log of the events that occurred. Notes: 25mg amitriptyline taken nightly for the last month, 200mg motrin I've never taken pain killers before this, time is in military. Mar 18 1430 (1 hour 30 mins after my shot) i have a compressing headache toward the back of my head so i take 1 motrin. 1700 i head home, take 1 amitriptyline and head straight to sleep. ( i have no apatite so no dinner ) Mar 19 0100 The pain starts, it?s unbearable. I am sweating heavily and im also shivering cold. i have a high fever I have body aches which turns my shivering into shaking which keeps my wife up all night. In my dreams i feel pain. I talked to my deceased mother, i hold my deceased cat and i relive some of my most regrettable moments. 0700 I wake up, the bed is soaking wet. I take a motrin and get dressed. it takes me an hour longer to get ready for work because, the pain has sapped my energy. My supervisor sends me home seeing how horrible I look. 0900 I take an amitriptyline and lay down. I ask me wife to close to the storm shutters to darken the room. They are normally pretty quiet to close but, this time they are deafeningly loud. I struggled to get 1 hour of sleep. 1500 I wake up due to shaking so bad that i hit my head on the wall. I then take 2 motrin and about 30 mins later i notice theres a tightness in my chest. i take 1 tums. I know that my body is exhausted from the pain and my mind is clouded but i really wanted to do all of the tasks that i was planning on doing this weekend. All of the tasks end up failing. 2100 i try the tasks again and end up failing again. 20 Mar 0100. I eat a pear and 2 cheetos. i do not take a amitriptyline and i lay down. i have no pain or fever. (Dream start) The dream i had is of me watching myself get thrown around by a ghost. The ghost possesses my body for a short time. I grab some kittens (cats are a comfort to me so im guessing that my subconscious trying to reel me back in) I then wake my sleeping wife and tell her theres a ghost and we need to leave. We walk outside and im in an old neighborhood that i grew up in, everything darkens and im in pitch black feeling my way around a room. I open my eyes and im in a hotel. The front desk staff will not let me take the kittens up to my room so i leave them. When i walk into the room, it?s full of kittens (dream end) and i wake up 21 Mar 0900 I wake up and I have a sore throat and tightness in my chest. The soreness prevents me from going back to sleep and the tightness in my chest

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							causing some anxiety. Once I calm myself down and convince myself that im not having a heart attack I take 2 motrin and some tums and the pain goes away from the day. These could be some withdrawals from not taking amitriptyline since 19 mar in the morning. This is still happening as I write this report. (23 March 2021)
1124737	3/22/2021	FL	37	F	3/21/2021	3/21/2021	Swelling at site of injection (Left arm-swollen, hard red arm with swelling approx. 6 inches in diameter). Progressed during the night to extend to swelling of all lymph nodes and swelling, hardness and redness from back left shoulder blade to finger tips (on left side only). This began to recede and improve after approx 24 hrs post vaccine and swelling is now contained to area approx 4- 5 inches in diameter from site of injection. Soreness is manageable. Fever present within 8 hours, ranging from 102.5 around midnight to temp of 103 during day on 3/22. Treating with Ibuprofen. Shortness of breath and increased arrhythmia/ rapid heartbeat started around 2 am. Treating difficulty breathing with rescue inhaler, this symptom has improved 24 hrs post vaccination. GI issues (vomiting and diarrhea) began within 2 hours of vaccine. Progressed throughout night but seems to be resolving a bit now, diarrhea has slowed down and now I am just nauseous and have stopped actively vomiting since approx 12 hours post vaccination. Pounding Headache started within 4 hours of vaccine, eyes ache when moved from side to side. Treating with Ibuprofen. Body aches, fatigue and muscle soreness. Treating with Ibuprofen.
1123732	3/22/2021	AZ	58	F	3/16/2021	3/16/2021	As I was driving home my face started to burn like a bad sunburn. When I got home my face was blotchy and my eyes started to swell. I took benedryl and applied a cool pack. Redness and swelling around mybeyes lasted for 2+ days. Still not feeling well and have scheduled a doctor appointment for tomorrow.
1123841	3/22/2021	NJ	65	F	2/1/2021	3/13/2021	On March 13, I developed double vision, dizziness and nystagmus. I was transferred by ambulance to a hospital due to stroke symptoms. Admitted overnight. Diagnosis: Transient Ischemic Attack. This occurred one month after second Covid injection.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1123836	3/22/2021	KS	18	F	3/18/2021	3/18/2021	<p>Progress Notes (Nurse Practitioner) ? ? Nurse Practitioner Cosigned by: MD at 3/18/2021 2:51 PM</p> <p>Expand AllCollapse All 3/18/2021 Subjective Patient is a 18 y.o. female who was seen at COVID Vaccine site today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience left arm numbness and tingly.. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency area. Monitored patient for severe reaction symptoms, including but not limited to abdominal pain, blood pressure abnormality , chest pain, collapse, drooling, hypotension, increased swelling, rapid progression of symptoms, respiratory distress, skin changes, tongue swelling and vomiting. Complained of numbness and tingling in the left arm (shot arm) after shot. ALLERGY REVIEW OF SYSTEMS: All other systems negative Patient complains of muscle aches CONT negative HENT negative Eyes negative Respiratory negative Skin negative GI negative Neuro negative Previous Reactions: None Objective Vitals Vitals: 03/18/21 1120 03/18/21 1140 BP: (!) 141/81 125/74 Pulse: 88 85 SpO2: 99% 99% Physical Exam Constitutional: Appearance: She is well-developed. HENT: Head: Normocephalic and atraumatic. Right Ear: External ear normal. Left Ear: External ear normal. Nose: Nose normal. Eyes: Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Normal breath sounds. Abdominal: General: Bowel sounds are normal. Palpations: Abdomen is soft. Musculoskeletal: General: Tenderness present. Normal range of motion. Cervical back: Normal range of motion and neck supple. Skin: General: Skin is warm and dry. Capillary Refill: Capillary refill takes less than 2 seconds. Neurological: Mental Status: She is alert and oriented to person, place, and time. Comments: Numbness in</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

left fingers      Assessment/Plan    Treatment included:  
water Follow up response to treatment: excellent. Patient  
discharge: Stable to go home and follow up with PCP.  
Differential Diagnosis: Local reaction (arm pain,  
bleeding/bruising, mechanical irritation, localized rash) Pt  
left at 12:06. Numbness resolved in left hand  
Electronically Signed 3/18/2021 12:07 PM

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1123816	3/22/2021	CT	75	M	1/15/2021	1/22/2021	hands swelling; right eye was involuntarily tearing; shaking; having a severe reaction, rash all over the body,extensive rash; red splashes all over their body except in their face and hands, smooth, not raised, not itchy,; fevers (102 °F); chills/ felt a slight chill/ a little bit of chills; A spontaneous report was received from a Healthcare Professional concerning a 75-year-old male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced a severe reaction, rash all over the body, chills, fevers (102 °f), red splashes all over his body except in his face and hands, smooth, not raised, not itchy, shaking, right eye was involuntarily tearing and hands swelling. The patient's medical history included temporal arteritis ((4 years ago) which got inflamed and did not know the cause of it. The concomitant medications reported were Amlodipine 5 mg a day, Rapaflo 8 mg a day, Eliquis 5 mg twice a day, Flecainide 100 mg twice a day, and Metoprolol 25 mg a day (drug used for unknown indication). On 15 Jan 2021 at about 10:45 am, prior to the onset of the events, the patient received his first of two planned doses of mRNA-1273 (lot batch: 012120A) via unknown for prophylaxis of COVID-19 infection. On 22 Jan 2021, the patient felt a slight chill. However On 23 Jan 2021, the patient had a severe reaction, rash all over the body, chills, fevers (102 °f) and suddenly about late afternoon 5 PM noticed an extensive rash, red splashes all over his body except in his face and hands, which were smooth, not raised, and not itchy. He started getting chills and fevers (temperature 102 °F). On 24 Jan 2021, the patient experienced shaking and, on 25 Jan 2021, the right eye was involuntarily tearing and noticed swelling of hands. On an unknown date the patient visited the dermatologist for rash, and his biopsy was done for the same. but the results were unknown. Relevant Lab data included, COVID test Negative for rapid and PCR. Blood and urine test were done on unknown date and blood test was normal. Treatment details included Tylenol and prednisone 40 mg. Action taken with mRNA-1273 in response to the events was Unknown. The outcome of events chills resolved. Other symptoms include rash all over the body, red splashes all over his body except in his face and hands, smooth, not raised, not itchy, and right eye was involuntarily tearing was Unknown. The reporter assessed the events as related to the vaccine

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1123802	3/22/2021	CA	59	M	1/12/2021	1/19/2021	<p>drug.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.</p> <p>Bell's palsy; A spontaneous report was received from a consumer who was a 59-year-old, male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and developed Bell's palsy (facial paralysis). The patient's medical history was not provided. No relevant concomitant medications were reported. On 12 Jan 2021, approximately seven days prior to the onset of the symptoms, the patient received the first of two planned doses of mRNA-1273 (Batch number: unknown) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 19 Jan 2021, the patient developed Bell's palsy. As per patient, there was loss of taste, his eyeball was not moving, he had facial pain and he could not raise right side of his lips. The patient stated that his symptoms were still on going at the time of report. Both his PCP and neurologist can not confirm this is not related to vaccine. Treatment for the event included a seven-day course of Valtrex and Prednisone. Action taken with mRNA-1273 in response to the event was not provided. The event, Bell's palsy, was considered not recovered/not resolved.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.</p>
1123793	3/22/2021	GA	24	F	3/17/2021	3/20/2021	<p>My arm was swollen for a couple days after (which I expected) receiving the vaccine. Then on saturday night after dinner and dessert (all things I've eaten recently so nothing new) I began swelling in my lips and under my right eye. I took 6 doses of off-brand benadryl and it would only decrease the swelling by very small increments. My breathing was alright, but to this day as of 03/22/2021 my lips are still slightly puffy.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1123786	3/22/2021	KS	47	M	3/18/2021	3/18/2021	Notes: APRN (Nurse Practitioner), Cosigned by: MD at 3/19/2021 9:22 AM, COVID VACCINE CLINIC 3/18/2021 Patient/Date: 3/18/2021 Subjective: a 47 y.o. male who was seen at SVH COVID Vaccine Clinic today for his first dose of the COVID Pt is a 47 y.o. male who was seen at COVID Vaccine Clinic for his first does of COVID 19 vaccination. He was given the Pfizer vaccination in the left deltoid muscle. During his 15 minute waiting period after the injection, the patient began to experience lightheadedness and dizziness. He denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and he was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to abdominal pain, blood pressure abnormality , chest pain, collapse, drooling, hypotension, increased swelling, rapid progression of symptoms, respiratory distress, skin changes, tongue swelling and vomiting. Pt received shot and complained of being hot and sweaty. He was laid on the floor in injection room 5, with his feet elevated, some water was given and once pt was feeling better he was transferred to the ER bay for observation. He refused a wheelchair and walked to the bay with help. After sitting for awhile we cooled down and he was allowed to leave. ALLERGY REVIEW OF SYSTEMS: Patient complains of dizziness, and hot and sweaty: CONT negative, HENT negative, Eyes negative, Respiratory negative, Skin negative, GI negative, Musculo negative, Previous Reactions: None, Objective: Vitals - There were no vitals filed for this visit. Physical Exam - Constitutional: Appearance - He is well-developed. HENT: Head - Normocephalic and atraumatic. Right Ear- External ear normal. Left Ear: External ear normal. Nose - Nose normal. Eyes - Conjunctiva/sclera: Conjunctivae normal. Pupils - Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm - Normal rate and regular rhythm. Heart sounds: Normal heart sounds. Pulmonary: Effort - Pulmonary effort is normal. Breath sounds: Normal breath sounds. Musculoskeletal: General -Normal range of motion. Cervical backN - normal range of motion and neck supple. Skin: Coloration: Skin is pale. Neurological: Mental Status - He

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

is alert and oriented to person, place, and time.  
Assessment/Plan: Treatment include - water and snacks.  
Follow up response to treatment: excellent. Patient  
discharge: Stable to go home and follow up with PCP.  
Differential Diagnosis: Local reaction (arm pain,  
bleeding/bruising, mechanical irritation, localized rash).  
Pt was released at 3:26, he was accompanied by his  
wife. APRN Electronically Signed 3/18/2021 3:19 PM

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1123662	3/22/2021	KS	34	M	3/18/2021	3/18/2021	<p>Progress Notes: APRN (Nurse Practitioner) Cosign Needed COVID VACCINE CLINIC 3/18/2021</p> <p>Patient: Date: 3/18/2021</p> <p>Subjective Pt is a 34 y.o. male who was seen at COVID Vaccine Clinic today for his first dose of the COVID 19 vaccination. He was given the Pfizer vaccination in the left deltoid muscle. During his 15 minute waiting period after the injection, the patient began to experience difficulty breathing and throat tightness. He denied rash, hives, welts, difficulty swallowing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and he was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to abdominal pain, blood pressure abnormality, chest pain, collapse, drooling, hypotension, increased swelling, rapid progression of symptoms, respiratory distress, skin changes, tongue swelling and vomiting. Pt was given a water to drink and he reported the SOB was very mild and the water helped. He does have a history of childhood asthma but does not use an inhaler for years. ALLERGY REVIEW OF SYSTEMS: Patient complains of frequent throat clearing and shortness of breath CONT negative Eyes negative Skin negative GI negative Musculo negative Neuro negative Previous Reactions: None Objective Vitals Vitals: 03/18/21 1052 03/18/21 1107 03/18/21 1114 BP: 133/86 119/80 129/82 Pulse: 50 53 (!) 49 SpO2: 100% 99% 99% Pt is a runner and states he runs a lower pulse Physical Exam Constitutional: Appearance: He is well-developed. HENT: Head: Normocephalic and atraumatic. Right Ear: External ear normal. Left Ear: External ear normal. Nose: Nose normal. Eyes: Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Normal breath sounds. Musculoskeletal: General: Normal range of motion. Cervical back: Normal range of motion and</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							neck supple. Skin: General: Skin is warm and dry. Capillary Refill: Capillary refill takes less than 2 seconds. Neurological: Mental Status: He is alert and oriented to person, place, and time. Assessment/Plan Treatment included: water Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Local reaction (arm pain, bleeding/bruising, mechanical irritation, localized rash) Pt was dismissed at 11:15 to return to work. No symptoms at time of discharge. He was told to take an antihistamine before his next appointment. APRN Electronically Signed 3/18/2021 11:18 AM
1123842	3/22/2021	IL	71	M	3/3/2021	3/20/2021	Started afternoon of March 20. Drooping mouth first, then difficulty closing left eye. Treated in emergency room.
1123743	3/22/2021	WI	65	F	3/10/2021	3/11/2021	Patient reported she awoke the following morning after receiving her second dose of the Moderna vaccine and her left eye was "bloodshot". Patient denied pain or visual disturbances.
1123779	3/22/2021	CA	64	F	12/26/2020	12/28/2020	Was diagnosed with bell's palsy; A spontaneous report was received from a physician concerning a 64-year-old, female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced one weak eye and was diagnosed with Bell's palsy. The patient's medical history and concomitant medications were not provided by the reporter. On 26 Dec 2020, prior to the onset of the events, the patient received the first of two planned doses of mRNA-1273 (lot/batch number: unknown) intramuscularly in the deltoid muscle of an unknown arm for prophylaxis of COVID-19 infection. On 27 Dec 2020, the patient had one weak eye. On 28 Dec 2020, the patient went to the urgent care, was diagnosed with Bell's palsy. The event Bell's palsy was found to be medically significant. Treatment medications reported were steroids and valacyclovir. Action taken with mRNA-1273 in response to the event was not reported. The outcome of Bell's palsy was unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1123727	3/22/2021		57	M	3/19/2021	3/19/2021	Following covid 19 vaccine client reported sweating with obvious pallor. He was cold and clammy. He was unresponsive prior for approximately 30 seconds with mild seizure activity with spontaneous movement of eyes with jerking. He was monitored by EMS and evaluated by a Dr. His car seat was reclined, no Epi pen given. Blood Pressure was 82/48 initially with pulse 65 and RR 12. He was transported to EMS vehicle on site and monitored then released home. He was advised to follow up with ER for further treatment if needed.
1123726	3/22/2021	TX	35	F	3/19/2021	3/19/2021	1515 - Moderna vaccine given, Left Deltoid IM 1530 - Patient complains of eyes itching and left side of face, Dr. notified, Patient awake and alert with no signs of distress 1540 - Dr. arrived to patients bedside. Patient complains of itching and mild swelling sensation to mouth. V/S; 143/84, 89, 18, 99%RA 1545 - Benadryl 50mg IM administered to LUOQ, verbal order by Dr. , administered by Nurse 1555 - Patient stated some better but complains of periodic tingling down left leg. Dexamethasone 4mg IM to Right Deltoid, verbal order by Dr., administered by Nurse. O2 remains at 99%RA. Dr. at patients bedside. Dr. consulted. 1615 - Patient ambulatory out of clinic and taken to ED, accompanied by Medical assistant and Dr. Patient stable and in no apparent distress.
1123720	3/22/2021	CA	57	F	1/14/2021	1/15/2021	One day after vaccine my eye felt slightly irritated. The next day I felt a little swelling in the corner of my left eye on the same side of vaccine. It became visible as an irritation on the outside corner of my eye. It was very painful and my lower eyelid was swollen. I was trying to massage but the pain seemed to be internal. There was a large red pimple like lesion inside my eyelid. I went to an eye doctor and was diagnosed with an internal sty on my eye. I have never had a Sty before. I was prescribed an antibiotic and it not not resolve so I was prescribed an antibiotic cream which helped. The lesion burst by then. I took two to three weeks to resolve. I since also received the second dose. I had a very strong immune response to the second dose. Chills, headaches and all over body ache. I was unable to work for two days. I was bed ridden for two days. My Asthma seemed very reactive during that time. My Asthma seemed worse for a few weeks and it is still a little worse than normal.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1123712	3/22/2021	NJ	76	F	3/10/2021	3/12/2021	EUA Pfizer -BioNTech vaccine 3 days after vaccine, patient complained about facial droop. She saw her PCP who diagnosed her with Bell's Palsy. She was prescribed acyclovir and prednisone. 4 days after the vaccine, she began to feel dry eyes, and difficulty swallowing. She was advised that symptoms will improve with time and steroids and to return to the ED if she experiences voice changed or cannot tolerate liquids.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1123711	3/22/2021	KS	30	F	3/18/2021	3/18/2021	<p>Notes (Nurse Practitioner) ? ? Family Medicine Cosigned by: MD at 3/19/2021 9:22 AM Expand AllCollapse All Clinic 3/18/2021 Patient: Date: 3/18/2021</p> <p>Subjective Patient is a 30 y.o. female who was seen at COVID Vaccine Clinic today for her second dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience paresthesia down R arm. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling, tongue swelling and weakness in arm. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to rapid progression of symptoms. PMH insignificant ALLERGY REVIEW OF SYSTEMS: Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, eyes watering, eyes itching, cough, chest tightness, shortness of breath, wheezing, rash, hives, itching of skin, vomiting, abdominal pain, muscle aches, joint pain, dizziness and headaches + paresthesia in R arm: Previous Reactions: none Objective Vitals Vitals: 03/18/21 1430 BP: 108/62 Pulse: 72 SpO2: 100% Physical Exam Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Cranial Nerves: No facial asymmetry. Sensory: Sensation is intact. Motor: No weakness. Coordination:</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							Coordination is intact. Gait: Gait normal. Comments: + 5/5 strength against resistance to bilateral upper extremities. Pt able to put on her own sweater without difficulty or assistance. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: ice pack Follow up response to treatment: fair. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Local reaction (arm pain, bleeding/bruising, mechanical irritation, localized rash) Suspect superficial nerve secondary to injection. Discussed ice/warm cloth, movement of R arm. Follow up with pcp as needed. We will check in with her tomorrow via phone. Pt voiced appreciation of evaluation today. Nurse Practitioner Electronically Signed 3/18/2021 8:58 AM
1124237	3/22/2021	TX	43	F	3/13/2021	3/13/2021	hx of allergy to pineapple. Person started with itching to lips the same feeling she gets when eating pineapple. Urticaria progressed to arms, legs, no visual hives. Person was given 50mg Benadryl PO by facility. 30 minutes later she was still itching. Person returned to work, but closely monitored.
1124543	3/22/2021	NM	71	F	3/5/2021	3/5/2021	1. within 20 minutes my vision became blurry and that lasted about 5 minutes and stopped, 2. 36 hours after the shot all my joints became very sore and it was very painful to touch my right arm far below the shot site along with pain in the right hand (shot arm) these were gone within 12 hours after they started. 2. Two weeks later on 3/20/2021 I had a scheduled blood draw results: PTH Intact 151 pg/mL 18 - 84 HIGH, BUN 34 mg/dL 7 - 31 HIGH Creatinine 1.72 mg/dL 0.50 - 1.40 HIGH eGFR non-African Am 29 mL/Min/1.73M2 Greater Than60 LOW There were higher than any other blood work done prior to the shot, last was 9/2020
1123763	3/22/2021	KY	65	F	3/17/2021	3/17/2021	Per physician office, patient called them approximately one hour after receiving injection complaining of facial and eye swelling. They advised her to take 25mg Benadryl PO. She presented to their office 15 minutes later with no improvement, so they administered 25 mg Benadryl IM. Patient improved and was sent home to take Claritin daily X 7 days.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1124096	3/22/2021	WI	44	F	3/15/2021	3/15/2021	Face rash around the eyes started about 4 hours later. Injection site pain the next day. Patient was fine the next day with the rash.
1124209	3/22/2021	IN	65	F	3/10/2021	3/11/2021	Dose 2 received March 10 at 11 am. At approximately 2 am March 11, I awoke to severe headache, chills, significant joint and injection site pain and flashes of light in both eyes.
1123746	3/22/2021	FL	23	M	2/17/2021	2/19/2021	Employee reports dizziness, headaches and nausea two days after second dose vaccine. This then went away for a month. Reports that she began again to have dizziness, nausea and headaches, "feels her eyes are constantly moving" March 15 Saw an urgent care provider and went to emergency Room on 3/22 for dizziness.
1124197	3/22/2021	FL	62	M	3/17/2021	3/17/2021	About 4 hours after the administration of the vaccine suddenly I began seeing bands of "floaters" on my left eye. Is still going on.
1124091	3/22/2021	NJ	66	F	2/27/2021	3/8/2021	3/8 Red rash on the chest and abdominal area. Itching at groin and rectal area. Injection site looks fine. Took Allegra at 10 AM. 3/9 Called PCP to report. Continue Allegra until it disappears. 3/10 Saw Allergist/Immunologist Red rash continue on the chest and lower abdomen and both hands. Changed Allegra to Zyrtec. 3/12 Rash spread to legs, face and tongue. Rash on chest and ab area unchanged. MD classified the incident as Mild rash. Continue with same treatment. May increase Zyrtec 2x/day. 3/17 Rash gone but hyperpigmented areas on the affected areas. Continue with Zyrtec 3/18 Discontinued Zyrtec 3/21 Woke with face hot, red and feels tight. Rash seen on face. Eyes look swollen and redness. Lymph
1124089	3/22/2021	NJ	75	F	3/5/2021	3/6/2021	Early next morning noted to have difficulty with lisp which progressed over several hours to full left sided facial paralysis including eye, cheek, and lip. Also swelling and pain from top of head all the way to neck on left side. Still unable to drive or use left eye.
1124024	3/22/2021	MD	77	M	2/26/2021	2/27/2021	I lost vision in my right eye. The Doctor tested my eye and told me I had a eye stroke. He said he did not think it was related to the vaccine.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1124019	3/22/2021	KS	42	F	3/22/2021	3/22/2021	<p>Progress Notes APRN (Nurse Practitioner) Cosign            Needed COVID VACCINE CLINIC Date: 3/22/2021            Subjective is a 42 y.o. female who was seen at today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience shakiness, feeling faint diaphoresis.. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to collapse and rapid progression of symptoms. PMH: HTN (losartan), zolof and medications for allergies and on ocp. ALLERGY REVIEW OF SYSTEMS: Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, eyes watering, eyes itching, cough, chest tightness, shortness of breath, wheezing, rash, hives, itching of skin, vomiting, abdominal pain, muscle aches, joint pain, dizziness and headaches + shakiness: Previous Reactions: hx of vasovagal to blood work procedures. Hx to vaccines as well but had not had any problems for a while. Objective Vitals Vitals: 03/22/21 1140 Resp: (!) 58 SpO2: 98% pt refused. states bp measurements make her pass out Physical Exam Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Gait: Gait normal. Comments: Hands shaking. Psychiatric:</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							<p>Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Abnormal findings above improved after laying patient down flat. Pt feels better and was able to progressively sit up in the chair without reoccurrence of symptoms.</p> <p>Assessment/Plan Treatment included: water and rest Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Systemic reaction (hypoglycemia, hypotension, generalized rash) Resolution of symptoms, suspect vasovagal reaction. She is back to base line. Monitored in bay for approx 10 mintues. Pt able to ambulate w/o difficulty or w/ assistance. Pt with husband for discharge. He will drive home. Follow up with pcp as needed. Both patient and pt's husband express appreciation of care today.</p>
1124005	3/22/2021	IN	67	M	3/18/2021	3/18/2021	<p>Moderna COVID-19 Vaccine EUA That evening started with headache, muscle aches, nausea. About 4:30 am next morning I got up to use bathroom and passed out for unknown length of time. I tried to go back to bed and passed out two more times. The 3rd time my wife says my eyes rolled back in my head and she could not arouse me for 3 to 5 minutes. I went back to bed to sleep. Several hours later I was still to dizzy to stand and had a knot on the back of my head from the falls. We called 911 and I went to ER at Hospital for further evaluation.</p>
1123993	3/22/2021	KS	76	F	3/11/2021	3/12/2021	<p>The day following the 2nd injection I experienced visual disturbance (similar to prior to a Migraine headache) followed by a moderate headache and generally not feeling well, This has occurred once daily now for 11 days. Two Tylenol and resting alleviates the issue. I have also noted many episodes of the atrial tachycardia through out each day. No treatment other than rest/relaxation.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1123868	3/22/2021	NM	46	F	3/5/2021	3/1/2021	hallucinating; Delusional; Eyes are swollen; Night terrors; She was really really sick; her is red red; her body hurts; fever 102; A spontaneous report was received from an consumer concerning a 46 years old, female patient who experienced hallucination, delusional, swollen eyes, night terrors (sleep terror), was really sick (illness), her is red (erythema), body hurts (myalgia) and fever 102 (pyrexia) The patient's medical history included COVID-19. Concomitant product use was not provided by the reporter. On 05 Mar 2021, prior to the onset of the symptoms, the patient received their first of two planned doses of mRNA-1273 (Batch number: 036A21A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. The patient experienced the events she was really sick, fever 102, her body hurts, her is red, hallucinating, she was delusional, she had night terrors, like on drugs and her eyes are like swollen, like little bag under her eyes all since an unknown date in Mar 2021. The event hallucination was considered medically significant. Treatment for the event included Tylenol. Action taken with mRNA-1273 in response to the events was not provided. The outcome of the events hallucination, delusional, swollen eyes, night terrors, was really sick, her is red, body hurts and fever 102 were unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.
1123855	3/22/2021	OH	62	F	3/9/2021	3/10/2021	About 12 hours after receiving the vaccine I had a headache, fever (99-101 degrees), sore eyes, fatigue and some chills all day until I went to bed around 11 pm. I found relief with 500 mg of tylenol throughout the day. Upon waking up on March 11, all side effects had subsided and I felt just fine. No side effects since. (today is 13 days after receiving the vaccine)
1123879	3/22/2021	CT	57	F	3/15/2021	3/17/2021	I developed a non stop under eye twitch on my left eye 2 days post vaccine. Today is 6 days later and it's still twitching. I also feel extra fatigue.
1123882	3/22/2021	IL	61	F	3/21/2021	3/22/2021	Around noon the following day I started feeling achy and tired. My eyes burn and I have chills. Just feel like I'm coming down with something.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1123899	3/22/2021	IN	45	F	3/20/2021	3/20/2021	MAY NOT BE CONSIDERED ADVERSE EVENT BUT WANTED TO REPORT IT: About 10 minutes after shot I experienced a sharp pain in my bottom right occipital lobe/base of skull. Later only about 1 min. Also experienced tingling sensation in my eyes and vision interference that lasted about 20 seconds tops. Immediately following, however, my vision appeared sharper. I also experienced sharp pain about a few hours later in bottom left occipital/base of skull that only lasted about 30 seconds. Other than that I feel great! Given the newness of the vaccine I felt it important that you know.
1123925	3/22/2021	MA	54	M	3/19/2021	3/19/2021	patient received first dose of COVID vaccine. while waiting in observation area patient felt dizzy with blurry vision. Began to feel a tingling sensation down both his legs. MD onsite assessed patient. . tingling sensation improved. Walked with with shoveling gait with assistance. Normally walks with cane since recent hospitalization. Not an allergic reaction. ER precautions reviewed client with patient then cleared to go home. Nurse called patient in pm, reports feeling better with mild soreness at injection site. Denies pain or tingling..Tingling sensation felt after vaccine has resolved, denies blurred vision and has his usually energy. BP again at home reported at 125/88 2 hours ago. No concerns at this time. Reminded of upcoming appointment and availability of on call providers eve and weekend if needed.
1123934	3/22/2021	MI	63	F	3/11/2021	3/12/2021	Brain fog (forgetfulness, wondering what I needed to do), unsteadiness when walking and on stairs; normally walk quickly and on stairs, vision was off a bit more. Reactions started 12 hrs. after receiving shot and the 2nd day. 3rd day was fine.
1123964	3/22/2021	NC	59	F	3/8/2021	3/8/2021	Site soreness 7pm 3/8 duration 10 days Metallic taste 7am 3/9 duration 24 hrs Total loss of appetite 7am 3/9 duration 24 hours Total body joint aches 3:00pm 3/9 duration 18 hours Vomiting/diarrhea 8am 3/10 duration 2 hours Severe chills/mild body aches 2pm 3/10 duration 3 hours Fatigue 3/10 2pm 24 hours Severe left shoulder joint pain, redness, heat, swelling 3/11 duration 10 days Sty in left eye lower lid 3/14 duration 6 days

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1120407	3/21/2021	TX	55	M	3/16/2021	3/20/2021	I received the first shot on March 16th and on March 20th around 4:00 pm I was feeling like my speech was a little slurry. I got home and about 5:30 pm I was resting against my boat cause I was feeling nausea and a headache. Also it felt like my food tasted different...I had ate some chips the day after the shot on March 17th and I had told my wife that they tasted different. Anyway, on March 20th around 8:30 pm I went to spit and realized I could only spit from the right side of my mouth. I called my daughter, who is an ICU RN, asked me to do a series of tests over facetime with her and she told me I should go in cause when I smiled it wasn't symmetrical. She came and picked me up and took me to hospital in. Immediately there they asked me to smile and to raise my eyebrows and they treated for "possible" stroke.
1120361	3/21/2021	PA	46	M	3/20/2021	3/20/2021	Within two minutes of receiving the shot, began to feel very nauseous. Inside of ears then felt very hot and body below neck felt very chilled. After five minutes these symptoms intensified, feeling hot flushed in face and vision darkened, feeling like a black out may occur. Pharmacist provided water. Symptoms began dissipating after 20 minutes after injection. After 30 minutes, symptoms ended.
1120131	3/21/2021	FL	55	F	3/17/2021	3/17/2021	I had awful nausea, loud ringing in the ears, I fainted. The medics provided help, gave me oxygen. I started having convulsions. After some time I felt like the lower part of my face went numb and it took tremendous effort to move my lips to talk. At that point, the medical called the ambulance and sent me to ER, where I was under supervision for some time. I was very weak and nauseated. After I was released, I was very weak could not keep the vertical position. The next day I was very nauseated, with awful tinnitus, lightheadedness, and weakness. Staying vertical for more than 15 minutes brought fainting symptoms. I was not able to get out of the house to work. The next day the fainting symptoms disappeared, everything else continued. Too weak to go to work. I started moving about only on the 4th day after the shot. During this event, I did not have any fever or muscle ache, no virus0tyle symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1120174	3/21/2021	AZ	66	M	3/18/2021	3/21/2021	Red rash ( no itch ) at axilla ,groin, *forearms, and neck Eyes are slightly puffy with slight pink face * Have some pictures of representative rash area
1120183	3/21/2021	AR	41	F	3/3/2021	3/5/2021	March 5th left side of face started twitching lasted all weekend. Headaches, arm pains, chest pains, tingling of toes and hands, numbness of tip of tongue started March 8th, 2021. Currently 3/21/2021 my face is tingling continuously with small twitches from time to time. Headaches off and on lasting about 4 hours. My right eye hurts, feels like electrical shocks to my head and scalp of my head periodically.
1120226	3/21/2021	VA	68	F	3/3/2021	3/4/2021	Began in night with severe abdominal cramps, diarrhea , fever, chills unable to drink or eat because just went straight through eye soreness, severe headache. Was sick with this for at least 5 days. On 6th day covid test negative. Still as of this date I am extremely fatigued and still having bouts of diarrhea Don't want to take 2nd dose.??? suggestions
1120356	3/21/2021	IN	48	F	3/18/2021	3/19/2021	Around Noon the day following my 1st vaccination dose, I started to feel hot at work but, I wasn't sweating. My eyelids burned, my cheeks were flushed. I started to have pain in every joint in my body shortly after that. Aching, throbbing pain. I was moving slowly, sluggishly, felt exhausted. I took an Aleve to help with symptoms. By 3pm, I was in bed trying to sleep through it. My temp was 100.8. Anytime I left my bed, I got chills and the joint pain did not stop until morning. The following day, I developed a swollen lymph node in my left arm pit that is tender still. My joint pain and fever were gone by the morning of the 20th. I still have tenderness in the lymph node under my left armpit. Injection site is still tender to the touch but, not noticeable otherwise.
1120358	3/21/2021	TX	42	M	3/9/2021	3/10/2021	Fatigue, slight fever, chills, tender eyeballs
1120129	3/21/2021	CA	40	M	1/14/2021	1/16/2021	Began with myokymia (twitch) in left eye which persisted for almost 2 months. Has since spread to right eye. Now experiencing blurred vision, double vision, and random muscle twitching in limbs.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1120362	3/21/2021	PA	58	F	3/20/2021	3/20/2021	Two hours after receiving vaccine, I experienced sudden onset extremely painful throat, swollen gooey uvula, followed by hives on face, neck, chest, and underarms, moderately swollen lips and eye areas. I took Benadryl 1/2 hour after onset, eventually resolving hives and face swelling. 25 hours later, I'm still experiencing the painful throat/swollen uvula issue. Appetite is fine, though swallowing is painful. Injection sight became painful 18-20 hours after vaccination.
1120365	3/21/2021	NH	47	F	3/18/2021	3/18/2021	Within a few hours I got a spontaneous black eye (right side) upper lid - very dark bruise (looks like it will last a few weeks) Following day I had severe aches and exhaustion By second day still exhausted
1120373	3/21/2021	OH	33	M	3/20/2021	3/21/2021	Patient with orolabial swelling on both upper and lower lip with hives present over forearms, thighs B/L, and right upper eyelid. No pharyngeal edema. Normal Breath sounds. Patient administered two rounds of EPI autoinjector along with IV Benadryl and solumedrol. Improvement in Hives and Swelling after medication administration
1120491	3/21/2021	IN	60	F	3/19/2021	3/20/2021	Chills, itching, swelling of lips, itchy eyes, sore joints,
1120391	3/21/2021	NY	68	M	2/1/2021	3/20/2021	3 1/2 weeks after getting the vaccine my side effects returned when I started taking an antibiotics for a skin infection (minocycline). The first time the side effects lasted 36 hours, the second time 24 hours. Side effects included fever, dizziness, nausea, skin hurt, eye hurt (I had to wear sunglasses inside), and I heard swishing sounds everytime I moved my eyes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1120124	3/21/2021	GA	69	F	1/14/2021	1/29/2021	<p>Tested positive on 29Jan/she contracted Sars-Cov-2 infection before her second dose on 04Feb2021; tested positive on 29Jan/she contracted Sars-Cov-2 infection before her second dose on 04Feb2021; This is a spontaneous report from a contactable consumer (the patient) via the Pfizer Sponsored Program. A 69-year-old female patient started to receive the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot number: EL3302), via an unspecified route of administration on 14Jan2021 (at the age of 69-years) as a single dose for COVID-19 immunization. The patient medical history and concomitant medications were not reported. On 29Jan2021 the patient tested positive/she contracted sars-cov-2 infection before her second dose on 04Feb2021. The patient inquired as to how long she needed to wait before receiving her second dose. The patient had lab tests and procedures which included sars-cov-2 test: positive on 29Jan2021. The clinical outcome of the patient tested positive/she contracted sars-cov-2 infection before her second dose on 04Feb2021 was unknown. On 23Feb2021, the investigation results was received from a company. The product is BNT162B2, Lot #: EL3302, Expiry: 31May 2021. Reasonably Suggest Device Malfunction was reported as No. Severity of Harm was N/A. Site Sample Status: Not Received. Confirmed Complaint Sample Defect Not Received. Summary of Investigation: The initial scope of the investigation was limited to the reported finished goods lot. The final scope was expanded to include the reported finished goods lot EL3302, fill lot EL3300, and the formulated drug product lot EL3299. Manufacturing and packaging batch records were reviewed for the reported complaint lot. The company did not receive photographs or a complaint sample for examination. The complaint was not confirmed. There were no planned or unplanned deviations recorded during the manufacture of the complaint lot and associated manufacturing lots that may have caused a complaint of this nature. A review of the manufacturing records confirmed processing steps were performed within pre-established parameters. All raw materials and amounts used in the manufacture of the batch were of the correct weight and identity. The drug product is stored at controlled refrigeration throughout the manufacturing process and a log is maintained</p>

VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

documenting the elapsed time out of refrigeration. A review of the logs confirmed that all times were within allowable limits. The product also requires storage in ultra-low temperature freezers following the packaging of the product. A review of the freezer temperature log for the reported batch confirmed that all freezer temperatures were within allowable limits. The results of all analytical tests performed at the time of lot release confirmed that the batch continues to meet potency specifications. Root Cause Analysis: a company could not indicate a probable root cause for the complaint to be related to the production process of the involved batch. Review of the manufacturing and packaging batch records and release test results confirmed that the batch continues to meet potency specifications. It is unknown how the product was handled, stored, or administered after it left the (name). Impact Analysis: Based on the results of this investigation, the manufacturing and packaging batches remain acceptable and the reported complaint is not representative of the lot. No regulatory notification is needed. Corrective/Preventive Action: There were no corrective actions as a result of this complaint investigation. The results of all tests, inspections, and in-process controls have been reviewed and all results met the established requirements prior to the release of the reported batch for distribution. Conclusion: The complaint for lack of effect of the PFIZER-BIONTECH COVID-19 VACCINE lot EL3302 as investigated. The investigation included a review of manufacturing and packaging batch records, deviation investigations, and an analysis of complaint history for the reported lot. The final scope included the reported finished goods lot EL3302, fill lot EL3300, and the formulated drug product lot EL3299. A complaint sample was not returned, and photographs were not received. No related quality issues were identified during the investigation. There is no impact to product quality. No root cause or corrective/preventative actions were identified as the complaint was not confirmed. All release testing performed prior to the release of the reported batch was within specifications. Scope of Complaint Investigation: The scope of this investigation included the reported finished goods lot EL3302, fill lot EL3300, and the bulk formulated drug product EL3299. Acceptable review of related documentation, including manufacturing

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

batch records and review of release test results at the time of lot release confirmed that there were no issues which may have resulted in a complaint of this nature. Manufacturing Batch Records: Complete - Acceptable. The bulk manufacturing batch record for the complaint batch was reviewed as part of this investigation and found to be acceptable. All processing steps were performed within pre-established parameters. The review of the manufacturing record confirmed that all in process checks, all line startup and end of batch challenges, and all line clearance and cleaning activities were completed satisfactorily. All raw materials used in the complaint batch were of the correct weight and identity. All the manufacturing temperatures mix speeds and mixing times were within acceptable ranges. In-process appearance and specific gravity test results were all within acceptable ranges. A review of the solution filtration documentation confirmed that all materials, filters and Water for Injection (WFI) were used within their expiration dates, and that all the filtration times, pH results, and pressure specifications were met. The manufacturing processes of raw material usage, solution formulation and filtration were all found to be acceptable. All manufacturing parameters met established requirements. A log is maintained throughout the manufacturing process of the amount of elapsed time that the product is out of refrigeration. A review of the elapsed time tracking logs confirmed that all times were within allowable limits. Packaging Batch Records: Complete - Acceptable: The review of the packaging record confirmed that all in process checks, all line startup and end of batch challenges, and all line clearance and cleaning activities were completed satisfactorily. Audits are performed on the finished packaged units by personnel at regular intervals throughout the final packaging process. This is done in order to ensure that all required labeling and packaging is present, complete, and meets all establishments requirements. During the audits, inspectors visually check the appearance of the finished product for defects. Reserve Sample Testing Result: A reserve sample was not sent to the lab to determine the amount of active ingredient since the complaint was received within six months of the release date of the involved batch. The results of all analytical tests performed at the time of lot

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

release were confirmed to be within registered specifications. All available stability results for this product were within registered specification and stability studies (including accelerated studies) are ongoing for this product. Confirmed Reserve Defect: No. Lot Trend Assessment & Rationale: The complaint history for the reported PFIZER-BIONTECH COVID-19 VACCINE lot EL3302 was reviewed. As of 19Feb2021, there is one complaint for this lot and classification. No lot specific trend was identified that would require additional investigation. Lot Trend Actions Taken: There were no lot trend actions taken as a result of this investigation.

1120428 3/21/2021 MA

32 F

3/13/2021

3/13/2021

AT 5 MINUTES POST VACCINE, PT ADVISED THAT SHE WAS FEELING DIZZY AND HER EYE SIGHT WAS FUNNY. PT PASSED OUT, VITALS TAKEN 97/70, HR 76, PT WOKE UP WAS ABLE TO ANSWER PROMPTS. PT TRANSFERRED TO STRETCHER. MONITORED FOR 57 MINUTES. SYMPTOMS RESOLVED, REPEAT BP 128-62. PT DISCHARGED TO HOME.

1120498 3/21/2021 IL

65 F

3/16/2021

3/18/2021

Extreme vertigo when changing position in bed and upon rising - feeling of foggiess throughout the day into the evening with vertigo reoccurring around bedtime (9pm). Feeling of " foggiess " and vision feels " off ". All of symptoms have continued each day since receiving vaccine. I have never had vertigo or dizziness during my lifetime.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1120511	3/21/2021	MI	22	F	3/15/2021	3/15/2021	*TIME OF WRITING IS THE 7th DAY* Onset of incredible fatigue 30 minutes post-vaccination lasting 5 days Fever ranging from 99.6 to 102 which began 5 hours after vaccination and has lasted 7 days post-vaccination Nausea 5 days post-vaccination Headache 7 days post-vaccination Severe arm pain 3 days post-vaccination Eye pain 3 days post-vaccination Intense sweating 7 days post-vaccination Chills 7 days post-vaccination Labored breathing 2nd and 3rd day post-vaccination Significant face swelling 2nd day post-vaccination Decreased mental status 6 days post-vaccination All lymph nodes in neck hard and swollen 7+ days Aggravation of pre-existing sleep paralysis day of vaccination Severe throat pain in the morning, red bumps in back of throat, white pus on tonsils which has worsened and began 1 day after vaccination (antibiotics were prescribed and condition continues to worsen, no one with whom I have been in close contact with has been sick - e.g. boyfriend I kissed the day before vaccine, toddlers I babysat morning before vaccine) - followed eventually by mild cough and congestion
1120379	3/21/2021	AL	66	F	3/9/2021	3/15/2021	Pfizer COVID-19 shot was injected in my right arm on 3/9/2021. Five days later on 03/15/21 around 5am, my right eye was very sore and red, stinging/itching. The soreness continued on 3/16 and 3/17. My eye started to swell on 3/18 and continued to swell through 3/20. Started in the right corner of my eye. On 3/21 as I write this event, my right eye is still swollen. I have pictures of the swollen eye. I have a history of eye swelling from childhood thru adulthood after taking certain known medications(Aspirin, NSAIDS, penicillin, codeine, Feldene, steroids. There may be others that I am unaware of. Today 3/21 is the 4th day of swelling,

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1119975	3/21/2021	MI	82	M	2/23/2021	2/1/2021	<p>~~very dark red, big, angry rash" on the back of both of his hands that is moving up his arms, which the caller describes as "erythema multiform"; This is a spontaneous report from contactable consumers (one is the caregiver). An 82-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot no. and expiry date were not reported), via an unspecified route of administration on 23Feb2021 (at the age of 82-year-old) at single dose for COVID-19 immunization. Medical history included cancer, stage 4 renal cancer with metastasis to the lung, kidney failure and being dialyzed, electrolyte imbalance, prostate infection, blood pressure abnormal. Concomitant medications included prednisone for kidney failure; sevelamer carbonate (RENVELA) to regulates his electrolytes; hydralazine (HYDRALAZINE) for blood pressure; candesartan for blood pressure; metoprolol succinate (TOPROL) for blood pressure; finasteride for prostate; and amlodipine. The patient developed a very dark red, big, angry rash on the back of both of his hands that is moving up his arms (reported as worsened), which the consumer describes as "erythema multiforme". Looks like erythema multiform is this rash associated with the product very dark red, big angry splotches very large. He was told he should get the vaccination, his oncologist and his nephrologist said he should get it so he got the vaccination last Tuesday and then he woke up either the next day or the day after that and her mother said he had a very severe rash on his hands and now it is climbing up his arms. It almost looks like erythema multiforme but it has no bulls eye, It is dark red and ugly looking it is rough, it is not really raised. They went to the oncologist and they took blood work to make sure his platelets were okay and they were normal so his doctors are baffled with this. She is calling from her husband's surgery office and they are disgusted with the healthcare he is receiving there but she wants to know if there is any data with cancer patients taking the vaccine or with people that have developed a rash like she is describing. His weight has dropped a lot since she last saw him he is 5'10", now he is probably about 150 or 160 lbs. That is an estimate. He developed the rash either 24Feb2021 or 25Feb2021, she is not sure which. It was ongoing and it is actually spreading up his arms so she would say it is worsened. He is on a slew of medications, but she</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							doesn't know if they want all of them. It could be an interaction with medication, he is a really sick person. The outcome of the event was not recovered. Information on lot number/batch number has been requested.
1120943	3/21/2021	UT	34	F	3/19/2021	3/19/2021	Itchy eyes, itchy gums, runny nose and sore throat started at approximately 4:30pm 3/19/21 Nosebleed (no prior nosebleed in life) at approximately 7pm 3/19/21 Treatment: allergy medicine, benadryl, at 2pm 3/21/21
1120529	3/21/2021	CA	60	F	3/11/2021	3/11/2021	COVID Vaccine clinic. Per chart review, pt received COVID vaccine at 1426. At approximately 1505 pt c/o nausea and ran outside. Pt awake, alert, respirations easy and unlabored, no distress noted. No vomiting occurred. Pt stated history of throat swelling and facial swelling/rash after PCN. 1510: Pt stated nausea resolved. Pt Diabetic and had not eaten lunch. Juice and crackers given, pt tolerated well with no difficulty. Respirations remain easy and unlabored, no distress. 1517: Pt clearing throat, c/o throat swelling, able to manage oral secretions, speaking in complete sentences. Pt to triage area via wheelchair by RN. BP 171/80   Pulse 77   Resp 17   LMP 02/01/2013 (LMP Unknown)   SpO2 98% 1523: Pt awake, alert, c/o difficulty breathing. RN called for assistance, attempted to located on site MDs. 1526: No MDs on site, 911 called. BP 184/84   Pulse 82   Resp 20   LMP 02/01/2013 (LMP Unknown)   SpO2 100% 1528: RN called ED MD, Dr., verbal order received for Epinephrine 0.3 mg subcutaneous one time now. 1530: Epinephrine given per MD order. 1532: EMS crew on scene, Sac City 7, assessing patient, full report given by RN. During transfer of care, pt started shaking, full body, eyes closed, assisted to supine position on gurney by EMS crew, no injuries occurred, very short duration- pt aroused. Pt and her personal belongings to ED by EMS crew.
1119280	3/21/2021	NY	41	F	3/20/2021	3/20/2021	Petechiae (red dots that didn't blanch) all over arms, legs, chest. Racing heart rate, flush face, red eyes, red web like moving up and down the arms and legs, injection site rash.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1119814	3/21/2021	NY		F	2/4/2021	2/5/2021	pneumonia; bad breathing; cough; runny nose; hives on chin and eyelid; fever; fatigue; A spontaneous report was received from a consumer who was also a 77-year old, female patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and experienced pneumonia, bad breathing, fever, fatigue, cough, runny nose and hives on her chin and eyelid. The patient's medical history included heart condition and severe asthma. No relevant concomitant medications were reported. The patient received her first of the two planned doses of mRNA-1273 on 04-FEB-2021 (Batch# 030M20A) intramuscularly for prophylaxis of COVID-19 infection. On 05-FEB-2021, she experienced bad breathing, fever, fatigue, cough, runny nose and hives on her chin and eyelid. Patient went to the ER on 10-FEB-2021 where she had a chest X-ray and CAT scan done and pneumonia was diagnosed. No treatment information was provided. Action taken with mRNA-1273 in response to the events was unknown. The outcome of the events was unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1119860	3/21/2021	OK	76	F	2/1/2021	2/1/2021	she is not thinking straight; she is able to hear her heartbeat in her ears; having a ringing in her ears; feel tingling, numbness on her tongue, lips and roof of her mouth; feel tingling, numbness on her tongue, lips and roof of her mouth; feel tingling, numbness on her tongue, lips and roof of her mouth; feel tingling, numbness on her tongue, lips and roof of her mouth; She feels fuzzy in her head; This is a spontaneous report from a contactable consumer. A 76-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection lot no: EN5318), intramuscular injection in left arm on 01 Feb 2021 for covid-19 immunisation. the patients' medical history included ongoing high blood pressure and High cholesterol. The patient's historic vaccine included Shingrix for shingles on unspecified date in 2020. The patients Concomitant medication included Amlodipine 5mg tablet once a day orally, Hydrochlorothiazide 12.5mg tablet once a orally, Olmesartan 40mg tablet once a day orally, Meloxicam 7.5mg small tablet orally, three times a week, Preservision Eye Vitamin one soft gel capsule by orally, probiotic two gummies once a day orally, apple cider vinegar gummy two gummies once a day orally for Cholesterol, Citracal + D, calcium and vitamin d supplementation two tablets twice a day orally. on 01 Feb 2021, the patient experienced tingling/ numbness on tongue, lips, and roof of her mouth, felt fuzzy in her head. On 03Feb2021, she experienced Ringing in ears. The outcome of events was not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1119865	3/21/2021	CA	75	F	1/19/2021	1/1/2021	Cold like symptoms; chills; tiredness; sleepiness; runny nose; sore/red throat; sore/red throat; complete body ache and pain during night but was gone the next morning; This is a spontaneous report from a contactable Other HCP (patient). A 75-year-old female non-pregnant patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, Lot number: EL3249) via unspecified route of administration in left arm on 19Jan2021, at 15:00 (at the age of 75-year-old) as a single dose for COVID-19 immunisation. The patient medical history included vertigo, mild heart attack and glaucoma. Prior to the vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. The patient concomitant medication included glaucoma eye drops, dorzolamide and latanoprost. The patient didn't receive any vaccine within four weeks prior to vaccination. The patient previously took Fosamax and experienced light headedness (after 2 years). On an unknown date in Jan2021, the patient experienced (Night after vaccination), complete body ache and pain during night but was gone the next morning. On 01Feb2021, at 13:15 the patient had cold like symptoms starting 12 days after vaccination, chills, tiredness/sleepiness, runny nose, sore/red throat. The patient didn't receive treatment for the events. The outcome of the events complete body ache and pain during night but was gone the next morning was recovered on Jan2021 while for other events was recovering.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1119867	3/21/2021	OH	48	M	2/7/2021	2/7/2021	At 6:45 pm my mouth started to get tingly/numb and then eyes began to swell up. I had spots/hives on my body - not many - on the chest area. Then my hands/fingers and feet became itchy. throat tigh; At 6:45 pm my mouth started to get tingly/numb and then eyes began to swell up. I had spots/hives on my body - not many - on the chest area. Then my hands/fingers and feet became itchy. throat tigh; At 6:45 pm my mouth started to get tingly/numb and then eyes began to swell up. I had spots/hives on my body - not many - on the chest area. Then my hands/fingers and feet became itchy. throat tigh; At 6:45 pm my mouth started to get tingly/numb and then eyes began to swell up. I had spots/hives on my body - not many - on the chest area. Then my hands/fingers and feet became itchy. throat tigh; At 6:45 pm my mouth started to get tingly/numb and then eyes began to swell up. I had spots/hives on my body - not many - on the chest area. Then my hands/fingers and feet became itchy. throat tigh; At 6:45 pm my mouth started to get tingly/numb and then eyes began to swell up. I had spots/hives on my body - not many - on the chest area. Then my hands/fingers and feet became itchy. throat tigh; throat tightened up due to swelling -; I couldn't breathe; This is a spontaneous report from a contactable consumer (patient). A 48-year-old male patient received bnt162b2 (BNT162B2, solution for injection, Batch/Lot Number: EN9581), via an unspecified route of administration in left arm on 07Feb2021 at 03:00 PM as single dose for covid-19 immunisation. Medical history included none. Concomitant medication included pantoprazole at 40mg taken for an unspecified indication, start and stop date were not reported. The patient had no known allergies. The patient not had COVID-19 prior vaccination. The patient was not tested with COVID-19 post vaccination. The patient reported that his mouth started got tingly/numb and then eyes began to swell up, had spots/hives on body - not many - on the chest area, then hands/fingers and feet became itchy, throat tightened up due to swelling, but nothing serious where couldn't breathe on 07Feb2021 18:45. The outcome of events was recovered on Feb2021. Therapeutic measures were taken for the events swelling and hives with Benadryl. Follow-up activities have been completed and no further information is expected.
1119417	3/21/2021	IN	52	F	3/17/2021	3/17/2021	episodic shortness of breath, blurred vision, dizziness, episodic finger contractures to bilater hands

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1119940	3/21/2021	KY	78	F	2/2/2021	2/2/2021	Lightheadedness; tired; aches in her hands; corner of her eye and around it was itching really bad; started hurting and felt strained; started itching in her body; Headache; muscle aches; Nausea; Chills; This is spontaneous report from a 78-Year-old Female consumer reported for herself that she received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, Batch/lot number: EL9269), via an unspecified route of administration on 02Feb2021 at single dose for covid-19 immunization on arm left. The patient relevant medical history and concurrent conditions included cataracts from 2005 with ongoing, macular degeneration from 2012 with ongoing, arthritis from an unknown date and ongoing and fingers and both hands that had knots since 2010. The patient stated that she had nausea, chills, headache, and muscle aches on 02Feb2021, and on 03Feb2021, she had lightheadedness, tired, and aches in her hands where she has arthritis and all at once that the corner of her eye and around it was itching really bad and she touched it to relieve the itch and they started hurting and felt strained. The patient got Systane over the counter eye drops that she had and held hot compresses to it. She reported that it lasted for a few hours and she had cataracts and a little macular. The patient started itching in her body at 7:30 and took Benadryl and went to bed and it went away. She was concerned with second vaccine as she got through the nausea and everything else, but her eyes scared her. The patient received treatment medication for nausea and took Tylenol for Arthritis and muscle aches. The patient had an x-ray 3 years ago for her back and was diagnosed for unknown results. The outcome of the events nausea, aches in her hands, corner of her eye and around it was itching really bad, started hurting and felt strained and started itching in her body was resolved on 03feb2020, whereas the events chills, lightheadedness, tired, headache and muscle aches were resolved on 04Feb2021.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1120099	3/21/2021	VA	50	F	2/1/2021	2/13/2021	*Awoke day after vaccine 02/13/21 with the room spinning as soon as I opening my eyes. During that day I experience nausea, diarrhea, could not eat or drink. Had to have help or hold onto walls to get around house. *2/14/21 same effects as day before adding vomiting, fatigue went to Hospital ED. Was told he by physician he believed this to be effects from the Covid vaccine. I received IV fluids, 2 doses of Valium & zofran. Rex for Valium, and zofran. Discharge home with instructions to follow up with PCP 02/16/21 PCP visit persistent horrific vertigo, nausea, extreme fatigue, 10+ pounds weight loss, light sensitivity, pressure in back of head 02/19/21 PCP office: vertigo somewhat improved but still having to hold on to walls, persistent light sensitivity, fatigue, persistent pressure in back of head. RX: meclizine & steroid dose pack 03/21/21: I still have brain fog, and slight visual disturbance

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1119977	3/21/2021	WA	38	F	3/1/2021	3/2/2021	<p>blackout/ I wasn't able to see him only hear his voice; panicking sensation; mild pain in the administration spot; then I vomited; excessive heat coming out of my body like hot flash; fell on my face; like excessive heat coming out of my body like hot flash , when my husband touched me it became worse I'm talking about the heat; This is a spontaneous report from a contactable consumer, the patient. A 38-years-old (also reported as 45 years old) non-pregnant female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot Number: Unknown), via an unspecified route of administration, in the right arm on 01Mar2021 at 13:30 (at the age of 38-years-old) as a single dose, for covid-19 immunization. The facility in which the vaccine was given was Doctor's office/urgent care. The patient had no known medical history or allergies. Concomitant medication were reported as yes but details not provided. No other vaccines were given within 4 weeks. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination the patient had not been tested for COVID-19. On 02Mar2021 04:00, the patient experienced blackout/ I wasn't able to see him only hear his voice (medically significant), panicking sensation, , mild pain in the administration spot, vomited, like excessive heat coming out of my body like hot flash, fell on my face, when my husband touched me it became worse I'm talking about the heat. The reporter explained on mild pain in the administration spot, but after I went to bed I woke up to use the restroom and suddenly I had blackout and fell on my face It was panicking sensation my husband rushed for help he was talking to me but I wasn't able to see him only hear his voice then I vomited and there was like excessive heat coming out of my body like hot flash , when my husband touched me it became worse I'm talking about the heat and my eyes were widely open in a scary way. Body temperature was checked with a thermometer and it was 98.1. The patient went back to bed was feeling the same blackout sensation. Consumer stated she is a healthy person in all means and never had such thing before. The patient underwent lab tests and procedures which included body temperature: 98.1 on Mar2021. No treatment was given for the events. The clinical outcome of the events Blackout, Vaccination site pain, fell on face, panicking sensation, vomited, hot flash and Feeling hot was</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							unknown. The lot number for the vaccine, BNT162B2, was not provided and will be requested during follow up.
1119996	3/21/2021	IN	52	F	2/17/2021	2/17/2021	episodes of shortness of breath, elevated temps of >101.5, < 104.8; blurred vision, dizziness
1119999	3/21/2021	ME	39	M	2/8/2021	2/15/2021	recurrent internal styes (hordeolum) in bilateral eyes. 3 styes in L eye and 1 in R eye following approximately 2 weeks after 2nd vaccination shot. Eventually Doxycycline was required to clear 3rd infection although as of this date 3-21-21 I am 7 days out from ending my antibiotic and another painful spot is appearing in L upper eyelid on lateral surface.
1120013	3/21/2021	KS	52	F	3/6/2021	3/20/2021	SEVERE VESTIBULAR STROKE. Complete occlusion. Patient is now in Rehab trying to regain her ability to swallow properly, see without double vision, and walk again.
1120064	3/21/2021	SC	49	F	3/18/2021	3/19/2021	Conjunctivitis in both eyes
1120081	3/21/2021	IN	92	F	2/26/2021	3/2/2021	On 3-2-21, my mother noted vision in her right eye was unclear and wavy. On 3-4-21, she woke up in the morning and had lost all sight in the right eye. The examining eye doctor stated there appeared to be a "blister" behind the eye and she was sent to an retinologist for further evaluation on 3-5-21. The retinologist instructed her to go to the ER. My mother was admitted for further evaluation. Her protime in the ER was 1.7. MRI of head was otherwise negative for changes. Her protime had been stable between 2.0 and 3.0 for years. At her follow-up appointment with her doctor, her protime was 1.8. Her Coumadin dose has been adjusted,
1120082	3/21/2021	MA	57	F	3/13/2021	3/20/2021	3/20 Saturday: Hives on my scalp, upper arm, elbow, eyelids 3/21 Sunday: Same hives as before only in addition I now have hives up and down my lower arms in my lower lip is swollen along with my eyes are swollen. Also, more hives on my chest

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1120084	3/21/2021	KS	48	M	3/17/2021	3/20/2021	I was vaccinated on Wednesday March 17th and did not have any reactions expect for a sore injection shot site until Saturday March 20th when all of the sudden at approximately 3pm I was hit out of the blue and all of the sudden I was feverish and could not keep my eyes open at all. I just could not stay awake for any reason. It is still going on Today.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1119893	3/21/2021		40	M	1/15/2021	1/26/2021	cough; nasal congestion; didn't sleep well/He has sleep apnea; blood pressure went up to 121/63; his temp and it went up; pulse rate was up; very tired; He had COVID test and it came back positive; He had COVID test and it came back positive; This is a spontaneous report from a contactable Nurse (patient's mother). Report 3 of 3. MI filed on report 1 of 3. A 40-year-old-male patient received first dose of BNT162B2 (COVID VACCINE, Pfizer product, Formulation: Solution for injection, Lot: Number: EL3302, NDC number: Unknown, Expiry Date: Unknown) via an unspecified route of administration on 15Jan2021 at single dose for covid-19 immunization. The patient's medical history included sleep apnea (he started with CPAP and technically it was a BIPAP machine), bipolar disease (took psychiatric medications), lost weight, blood pressure and liver enzymes. On 17Mar2020, he quit smoking. Concomitant medications were not reported. On 26Jan2021, the patient experienced nasal congestion and cough. He had COVID test and it came back positive. It was reported that, "they were vaccinated on 15Jan2021 with first dose. The Wednesday after which was about 5 days after the vaccine her husband got chills, sneezing, and fatigue. He did not call the doctor and did not get tested. About a week later her son had nasal congestion and cough. This was the third day for that. Called her son's doctor since this was the second person in the house to have symptoms. He had COVID test and it came back positive. Is the COVID vaccine enough to give a positive test. She had symptoms too, but she normally get sinusitis this time of year. No one had a fever. Her son was really congested. Maybe he will develop a fever down the line. She was at a quandary. She had to quarantine in case it was. Could the vaccination cause a positive COVID test result. She thought the symptoms should show up in 1 to 3 days. A week in between her husband and son and it was hard to believe. It should have been her to get it worse since she sleeps with her husband. Praise the Lord she had not. She and her husband had not been tested for COVID. Only her son was COVID tested. Wednesday morning he woke up and he was much more congested. He complained a little on Tuesday. He had sleep apnea and uses CPAP. He might have wanted cough medicine to help him sleep good. He said he did not sleep well. He was very tired and congested. On the evening of

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

26Jan2021 he was more congested than usual. He was tested yesterday and got positive results this morning. History and Investigations: he was in a lot better shape since living with them because he had lost over 100 pounds. He had sleep apnea. He started with CPAP and technically it was a BIPAP machine. They call it a CPAP. He was 355 pounds and now 228 pounds. Slowly losing weight. He had bipolar disease and took psychiatric medications. Since he had lost weight he has had to decrease his doses. He was having problems with blood pressure in October. He was starting to feel faint and the doctor stopped his blood pressure medications. He had issues with his liver enzymes and he was not out of the woods yet. He had been a smoker on and off. He quit smoking on 17Mar2020. Caller declined to provide information about her son's psychiatric medications and blood pressure medications for report. They bought a blood pressure cuff to keep track of his blood pressure. Since he got sick his blood pressure went up to 121/63. It was normally 110 to 114 over 63 to 70. She had also been keeping an eye on his temp and it went up about a degree. His pulse rate was up which you would expect. His pulse rate was usually between 55 and 68. That day it was 83. There was a product complaint. Caller was patient's mother. Vaccinated on 15Jan2021 with first dose. About a week later her son had nasal congestion and cough. This was the third day for that. Called her son's doctor since this was the second person in the house to have symptoms. He had COVID test and it came back positive. Is the COVID vaccine enough to give a positive test. Her son was really congested. Maybe he would develop a fever down the line. Could the vaccination cause a positive COVID test result. On the evening of 26Jan2021 he was more congested than usual. He was tested yesterday and got positive results this morning. Outcome of the events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1121191	3/21/2021	GA	52	F	1/27/2021	1/28/2021	1 day after receiving the 2nd Moderna shot I began to experience severe nausea & vomiting precipitated by intense vertigo. The vertigo was so severe that I had visual disturbances, severe headaches, loss of balance, poor concentration including memory problems, and ringing in the ears that precluded these attacks. These events occurred 1-2 times a day. It has devastated my life. These episodes take 1-3 hours to overcome and their is no specific time of day they happen. I had to be hospitalized for 2 days exactly 1 week post vaccination. The healthcare providers can not agree that these events are directly caused by this vaccine. I've been told it's central nervous inflammation caused by my immune system over reacting from the vaccine. I have no history of vertigo or really migraine headaches. The neurologists say these symptoms are vestibular migraines or vestibular vertigo (positional). It's now almost 3 months and I'm still struggling with these symptoms but thankfully not as severe and debilitating. Shot 1/27/21, first day of symptoms 1/28 and hospitalized 2/3 to 2/5.
1121004	3/21/2021	MA	74	M	3/12/2021	3/20/2021	vertigo, double-vision, vomiting, sweating, high blood pressure (170/100)
1121036	3/21/2021	GA	58	M	3/5/2021	3/17/2021	Developed fever of 101-103, violent chills, uncontrolled shaking and extreme headache. Lasted 3 solid, then fever began to drop day 4, but headache persisted along with sweats and violent chill. No real appetite. Also experienced body ache, but not as bad as other symptoms. No, or little bowel movement during this time. On day five (today) urine output is dark, but went 18 hours without Tylenol. Plot to that i need 2 extra strength Tylenol every 5 hours for 4 days straight. No nausea or vomiting associated with any of this. I have extreme fatigue due the extreme headache pain keeping me awake. Headache on the left and right side of the head, not front or behine the eyes, more over the ears. Today I just feel wiped out by it all, but much improved. I have never had any reaction to any vaccines previously, including allergy, flu, shingles and pneumonia.
1121042	3/21/2021	AZ	32	F	3/20/2021	3/20/2021	Moderna COVID-19 Vaccine EUA 20-30 minutes after injection I felt faint and dizzy. Dizziness has yet to subside and have multiple times felt like I would faint. Room spins if I lay down or close my eyes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1121061	3/21/2021	NY	54	F	3/20/2021	3/20/2021	At around 7pm, the symptoms started first with diarrhea. 10-20 minutes later, she started sneezing a lot. She took a Claritin, then took a shower. In the shower, she began feeling itchy everywhere, especially in the face. She developed hives around the body (3-4 small patches on underarm, legs). There was also a hive patch on her left eyelid, which started as a small bump, but worsened while she was in the shower. It grew bigger, taking up half of her eyelid. She came out of the shower 10-15 minutes after she began sneezing. 20 minutes after that, her body hives subsided but the eye hive worsened further. The hive took up her entire left eyelid and the eye was swollen nearly shut. Before going to bed (9:30pm), she took a Benadryl. The eye was still swollen in the morning but less so than the night before. Now, 24 hrs after the symptoms began, the eye hive has almost entirely subsided. She feels less severe symptoms now, like fatigue and scalp tenderness.
1121067	3/21/2021	NJ	66	F	3/17/2021	3/18/2021	One day after receipt of vaccine, had extreme pain in left arm (the injection arm) from top of shoulder to elbow. Pain felt like I was having a bursitis attack with a pain level of 7 out of 10. Took two days to get to a "2". Did not sleep for two nights. Extreme "fogginess" in head, numb feeling around nose, mouth and eyes. Fatigue, depression, sadness. Anxious feeling in the chest which is continuing as of this writing (3/21/21). I do not take any medications and do not have any history of depression or mental illness. This is all very unusual for me.
1121128	3/21/2021	FL	44	F	3/21/2021	3/21/2021	Janssen COVID-19 Vaccine EUA swelling of lips, itchiness of palate and eyes; occurred within 15 minutes of vaccine administration and took Benadryl Allergy Liqui-Gels at vaccine site medical station
1121635	3/21/2021		57	M	3/13/2021	3/17/2021	Swelling and itchiness in right eye. Marks on skin under the eye appeared. Eyelid swelled, eye got red, strange blemish formed under eye. Area around the eye became painful.
1120989	3/21/2021	NJ	39	U	3/18/2021	3/18/2021	After the vaccine I started feeling tingling in left face and in the left corner of the eye. It was mild and went away by 11.30 pm and in the morning next day it was all fine. I just wanted to mention to ensure if second dose is fine



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1121179	3/21/2021		18	F	3/21/2021	3/21/2021	c/o visual disturbance - no change acuity- "bright white" everything; acting dazed & confused - turning head side to side though able to answer appropriately & follow commands; A&O x 3 (reported never doing well with "shots", anxious today as always - mask removed - car door opened- emotional support - waited 15 mins in observation X 1.5. symptoms resolved - driven home by parent.
1121134	3/21/2021	TX	70	F	3/18/2021	3/18/2021	The patient described that right after the vaccination she had black spots in front of her eyes, chest tightness, staggering to walk. She still had these symptoms while she was in the store and the following day. She plans to see her dr for her regular appointment on Thursday 3/25, but is going to discuss the adverse events with him. She reported to me on Saturday 3/20/21 that she was feeling better.
1121204	3/21/2021	NJ	34	F	3/16/2021	3/16/2021	Tired fell asleep afternoon starting at 5 PM on 3/16/2021. Woke up at 8 PM then went back to sleep around 11 woke up with a horrible migraine headache. Had to take medicine (Tylenol only had) but still lasted hours. On left side into eye and jaw felt like head was going to explode. Next day tired no migraine. Head still sore. Then morning of 3/19/2021 not sure time maybe 5/6 AM another migraine. Both on left side of head into eye and jaw. Took excedrin. I have not had a migraine since 2016 and before that only had a few in 2010 when I was on new progesterone only birth control (got off of it). Very nervous I had multiple migraines on shot 1. Don't know if they will come back or are now gone. I have had many vaccines as I traveled and lived in many countries. And other than occasionally feeling unwell some years with flu shots (but not every one) this is the worst side effects I have ever had for a vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1121215	3/21/2021	OH	44	F	3/18/2021	3/19/2021	Shot administered Thursday, March 18th 1. Today (Sunday, March 21) I am able to lift my arm again (see #2 for arm pain) and in the shower realized the lymph node in my left armpit close to the injection side is very swollen and dense. Right armpit lymph node is fine and difference is visually noticeable. If by morning it has not gone down I will call my doctor, I don't feel it's bad enough to go to an ER on a Sunday night. 2. Day after shot (Friday, March 19), waking up the injection site was incredibly sore, beyond a what a normal shot causes (with the exception of the tetanus shot, similar pain). I have been taking ibuprofen for pain, but having a hard time sleeping continuously, as waking up in pain. Today (Sunday, March 21), pain has gone from what was severe to mild-moderate. Still hurts if it gets touched, but I can now lift my arm without severe pain. 3. Headache since injection. Similar headache to when I had Covid in December, but probably 50% as bad, so able to deal. Still have headache, but not as bad as the day after the shot.
1121295	3/21/2021	CO	19	F	3/20/2021	3/21/2021	Conjunctivitis ? woke up the day after the vaccine (3/21/21) around 9:45 AM to notice eyelids swollen and pink. No pain associated.
1121314	3/21/2021	CA	53	F	3/13/2021	3/13/2021	Head ache, muscle aches, eyes were aching, chills, sweats, exhausted, tired, low grade temperature 100.4
1121632	3/21/2021	MI	37	F	3/17/2021	3/20/2021	At 3am, I awoke to use the restroom. Before opening my eyes, I turned my head and developed a severe case of vertigo. This has continued until the time of me filling out this form. I have menieres, so I had a dietetic (Dyazide) and antivert at home, which I began taking immediately. On Saturday evening, I evened a prescription for a Medrol dose pack and that was started immediately. I have vertigo, difficulty walking due to it. I vomited once on date 1 day due to the vertigo. I have continued vertigo and nausea.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1120586	3/21/2021	VA	39	F	3/13/2021	3/21/2021	I had arm soreness for about 36 hours after the initial shot that went away, but today (8 days after my 1st dose), my arm started itching, has some redness, and there's a hard/firm lump under my skin at the injection site. I looked it up and see online that others have reported this issue. <a href="https://www.health.com/condition/infectious-diseases/coronavirus/covid-arm-rash-moderna">https://www.health.com/condition/infectious-diseases/coronavirus/covid-arm-rash-moderna</a> I just took some Claritin and will keep an eye on it, but wanted to report this for the record.
1120933	3/21/2021	WA	29	F	3/19/2021	3/20/2021	Patient reported some ankle swelling in the left leg the morning after vaccination. no other events were reported. on seeing the ankle it was visually a little larger than the right ankle. pt was not too worried and had already contacted PCP with photo, I advised a follow up with a PCP and to go to urgent care if it got any worse.
1121655	3/21/2021	CA	34	F	1/21/2021	2/13/2021	Jan 21st 2021: Within 24 hours I had fever, red stinging eyes Within 2 weeks I had my first tinnitus attack February 13th approx noon: that caused me to loose the rest of my hearing in a sudden onset of tinnitus with some ear pressure. One week after taking presidone I regained some of my hearing however the severe tinnitus had not stopped and continues to increase anytime I try to use my hearing aid.
1121135	3/21/2021		67	F	3/20/2021	3/20/2021	Blurred vision
1120618	3/21/2021	SD	63	F	3/3/2021	3/8/2021	Four days after vaccination, I woke up with a lot of eye watering/ leakage that cakes/ goes on to under eye area. And this has been going since then (reporting date March 21, 2021). Did see an optometrist who used a slit lamp and determined an eye infection. Taking antibiotics and eye drops (antibiotics with steroid) but still having issues. Eyes not red but very leaky. This is not clearly a reaction to the vaccination but am reporting as it happened within four days after vaccination and is curious/ not usual at all for me and being ongoing. Drainage made skin on upper cheeks very red and angry.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1120589	3/21/2021	MN	65	F	3/18/2021	3/18/2021	Light sensitivity, eye discomfort, blurred and double vision, started immediately when I walked outside to go home. Very hard to focus on anything, everything blurred and doubled, hurt to have my eyes open. took a 30 min. nap so I could keep my eyes closed, symptoms totally disappeared about 10 min after waking up from nap, total time lasted was 4 hours.
1121153	3/21/2021	CA	49	F	3/3/2021	3/16/2021	I received my first Pfizer shot on March 3rd. No reactions at all. About 13 days later on Tuesday, March 15th, I noticed a small rash on my right side upper eye lid and the side of my eye but thought it may just be an allergic reaction to something. No pain or itching. I had a couple of similar spots on my scalp but didn't think much of it. On Thursday, I had a headache but I do get headaches now and then. When I woke up on Friday morning, March 19th, I found my eye lid completely swollen and saw the rash had turned to blisters, and there was a new one by the inner corner of my eye and a very faint rash on my forehead. Still no fever, pain or fatigue but had a lingering headache and a burning sensation on the rash. Saw my ophthalmologist right away who diagnosed it as shingles and did a complete eye exam. Luckily no shingles in the eye as that can lead to glaucoma or even blindness in severe cases. I was prescribed Valtrex (1000 mg x 7 days) and prednisone (60 mg x 5 days) by my PCP. Hoping that I was still in the 72 hour window when the antiviral med is effective, I started on the meds immediately. Today is the third day of treatment and the blisters seem to be crusting away and healing faster. Luckily, no new blisters as of now. The prednisone caused my eye area to swell up further so I am gradually tapering off the dosage from 60 mg prescribed to 40-30-20 mg. Keeping a watch for any complications such as ear pain or numbness in the face. Have a follow up appointment with ophthalmologist who will be dilating my eyes for further checks. I was glad to have found the Reddit board and see that there are over 50 cases of people reporting shingles after the first or second covid vaccine. I plan to delay or skip my second Pfizer vaccine for now.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1120606	3/21/2021	NY	62	F	3/18/2021	3/18/2021	102 Fever, Hives, muscle aches, joint pain, dizziness, lethargy, nausea, chills, diarrhea, eye pain, headache, neck/back pain, swollen at injection site and armpit, loss of bladder control 1st night, excessive urination.
1120981	3/21/2021	OK	16	M	3/21/2021	3/21/2021	Patient received vaccine and went to sit down in front of pharmacy. He then immediately started feeling lightheaded, his eyes rolled into the back of this head and he had a couple of convulsion. He did not lose consciousness and was immediately aware. He was pale, lips were blue tinged, pulse was 60, sweating and blood pressure was 98/50. Paramedics were called but he had recovered by the time they got there. They said he had a fainting episode due to the vaccination and did not have a seizure. The patient had not eaten anything the whole day and he felt that contributed. Followed up with patient's parent and he is feeling just fine now.
1120656	3/21/2021	FL	57	F	3/16/2021	3/18/2021	tiredness on the evening of day 0. Tiredness after exercise on day 1. Sleep for 13 hours. Woke up with blood shot eyes--the whites-- redness on the innerside of the lids. Not noticeably inflamed, not itchy, just bloodshot. It looked like conjunctivitis without the goo or the itch. It lasted about 8 hours then slowly improved. Took 72 hours to return to normal
1120681	3/21/2021	LA	66	M	3/7/2021	3/7/2021	joint pain, swelling arm/feet/legs/neck, headache, lower back pain, blurry eye, insomnia, neuropathy in arms and legs, itchy
1120692	3/21/2021	TX	48	F	3/16/2021	3/17/2021	Fever, chills, agitated throat, very fatigue, sore shot area, hard for 4 days at the shot area, bruised, headache for 4 days, eyes tired

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1120699	3/21/2021		20	F	3/18/2021	3/18/2021	Patient received the Pfizer Vaccine around 4:00 PM. Patient proceeded to sit at the observation area for monitoring then patient flagged down staff with c/o dizziness, blurred vision, hearing loss, slight pallor noted. Patient was noted sitting at the observation area with LVN next to her side. Patient was offered to lay down. Ice pack was placed on the back of patients neck, patient ate a candy bar, Nurse encouraged fluids. VS were taken and noted to be stable. Patient was monitored for 30 mins before departure. Patient stated having needle anxiety in the past. Nurse instructed patient and patient mother on signs, Symptoms of Severe Adverse Reactions to report to health care provider or to go to the emergency room. Patient/Family verbalized understanding.
1120703	3/21/2021	TN	66	M	3/2/2021	3/9/2021	I got my first Pfizer COVID shot on March 2. On March 9 I had an episode of double vision for a couple of minutes but it went away. On March 10 it returned and worsened such that when I looked to the left my vision had a magnifying effect. After consulting with my Ophthalmologist and my primary physician it was decided that I should not at this time get my second shot scheduled for March 23 due to potential exacerbating problems from my March 2 first shot. Further it was seen that my blood glucose was showing me diabetic for which I have begun medical treatment for type 2 diabetes.
1120754	3/21/2021	UT	57	F	3/11/2021	3/11/2021	Painful, swollen, hot, rock hard injection site. Temp 102.5, extreme chills, body aches , nausea and headache. Hurt to open mouth the following day because jaws were so sore from clenching my teeth with the chills. Skin hurt to touch, took a shower to try and warm up and the water hurt when it hit my skin. Eyeballs hurt and felt hot and dry.
1120941	3/21/2021	MA	70	F	3/4/2021	3/4/2021	Date of inoculation for 48 hours very sore swollen painful arm, muscle hard. Extreme Fatigue. 14 days later, mouth sores, Extreme Fatigue, swollen and bloodshot eyes 72 hours and counting.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1120770	3/21/2021	NY	59	F	3/4/2021	3/5/2021	Ringing in my ears since a day after I got the shot , Have had the condition previously but this has been exacerbated significantly since the vaccine. Sensation in tip of my tongue. Left eye feels like it is a bit burry . Hands and feet very cold . Has gotten better after the 5th day. Was tired for 5 days after vaccine.
1120779	3/21/2021	OH	25	M	3/21/2021	3/21/2021	Immediately after receiving his vaccination, the patient reported developing body vision, reading in his bilateral ears, as well as lightheadedness. He was taken by EMS to a private section of the arena monitored. HR was 60, BP 85/42. Three minutes later, his heart rate was 89 beats per minute and his and BP was 105/64. Blurry vision and bilateral tinnitus resolve within 2 to 3 minutes, and his lightheadedness had resolved by 20 minutes after onset. He subsequently developed a headache after 20 minutes of monitoring.
1120798	3/21/2021	CA	67	M	3/7/2021	3/7/2021	Several hours after injection I began experiencing severe and extreme muscle and joint pain in head, neck, and left shoulder and arm. Further into the evening and past midnight I started experiencing shortness of breath and extreme headache pain above the eyes. Extremely Sharp pain in the right arm and shoulder, felt like my arm was being aggressively yanked. I then became panicky and decided to call a 24 Hour nurse service and describe what I was experiencing. After spending 20 minute on the phone with the nurse she concluded that an emergency room visit was necessary but that I should contact my doctor at the beginning of the next business day. The pain still exists.
1120806	3/21/2021	WA	69	F	3/18/2021	3/19/2021	extreme headache, extreme eye ache, aching joints, queasy stomach, low fever, diarrheas. Lasted 2 days

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1120880	3/21/2021	OK	65	F	2/3/2021	2/3/2021	After Dose 1, that night, sore arm, pressure headache in top of head, fatigue. Everything improved with exception of lingering headache for about 2 weeks. Evening after Dose 2, sore arm, worse headache, next day burning eyes, felt like flu. After 48 hours all improved but headache lingered in top of head pressure and nausea. On 3/3/21 8:15 am full blown sharp pain left side of head and then vise grip type headache like top of head was going to explode, severe shaking uncontrollable jerking, stuttering, worst headache ever, high BP over 200/170. Went to ER. CTA head w/ 3D reconstruction, labs, etc. gave Toradol, Ativan Zofran Compazine and Fluids, Released after several hours, unspecified headache. Slept for 11 hours, next day severe brain fog and fatigue. On 3/6/21 awoke with same dull headache, but seemingly more jitteriness, by 10:40, another full blown extremely painful headache pins/needles from head to toe. Ambulance arrived BP 208/160ish. Transport to hospital. Ran many tests CT, etc. Gave Morphine, sent home after 5 hours. Saw Neurologist 3/17
1120758	3/21/2021	CA	58	F	3/21/2021	3/21/2021	Patient reported mouth, tongue and throat feeling tingling and numb. No reports of trouble breathing. Patient's mouth or lips did not appear to be swollen upon visual inspection. Patient was given Benadryl 50mg PO, without any improvement in the patient's symptoms (per patient report).
1118289	3/20/2021	CA	54	F	3/17/2021	3/19/2021	Last night around 8 PM my eyes began to itch and swell. They are swollen and red today. They also pitch. Haven't heard of this symptoms, but they are a definite reaction to the vaccine.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1118280	3/20/2021	GA	44	M	3/20/2021	3/20/2021	Patient was given shot and asked to wait in pharmacy area at least 15 minutes. Within about 5-10 minutes his girlfriend comes to the pharmacy window and tells me he's feeling bad. By the time I get to his chair he is very lethargic and slumped over. I sit him up in the chair and his head rolls back and his eyes have rolled back in his head. I place him on the floor and instructed my staff to call 911. The patient presented with sweats and was unresponsive for about 10-20 seconds. When he came to he asked how he got on the floor. The patient never had any trouble breathing heart rate was steady the entire time. When EMS arrived they checked him out and was fine. He refused transport to the hospital. He walked out of the store after about 30 minutes from the point of his passing out.
1118267	3/20/2021	NY	25	M	3/17/2021	3/17/2021	Had a sore left arm where the injection site was, after about an hour later i began to have a mild headache and became tired (i took 2 aleve liquid gel pain killers and that didn't do much). The next day the pain in my arm got about 50% better, and the head ache was gone right when I woke up. I still felt tired throughout the 2nd day and my left under eye lid began to start twitching for about a minute long every 30 minutes. On the 3rd day, I was no longer tired and my arm no longer hurt but the under eye lid twitch is still occurring and at the same frequency.
1118266	3/20/2021	MO	73	F	3/8/2021	3/20/2021	SWOLLEN NECK, FACE, EYES, MIGRAINE
1118306	3/20/2021	CA	64	F	2/17/2021	2/19/2021	2/18/2021 Developed fatigue, low grade fever and chills. 2/19/2021 Around 5:00PM noted new sudden onset of blurriness of vision on the left eye. 2/20/2021 Ophthalmologist evaluation noted cataract like changes on posterior lens capsule of left eye; no treatment recommended.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1118252	3/20/2021	IN	74	M	1/19/2021	1/21/2021	Received first vaccine at about 330 PM. on 1/19. On Thursday, my left eye got really red and I had some blurring of vision. I had a regularly scheduled eye doctor appointment the following Monday 1/25 and I waited until then to get checked out. My eye pressure in my right eye was 18, a few ticks above what it has been running. The eye pressure in my left eye was 45, extremely high. My eye doctor prescribed some steroids' and other eye pressure drops and he wanted to see me the next morning. By then I had three does of these new drops. The next morning my right eye pressure dropped to 16 and my left eye, the problem eye dropped to 10. We kept eye drop regiment for two weeks and set another appointment following my second vaccine shot to see if there was a reaction. It turns out that my left eye pressure was 11. Now we don't know if virus vaccine was responsible or not. However the vaccine shots were the only new events in my life, so it became highly suspicious.
1118345	3/20/2021	NJ	44	F	2/20/2021	2/20/2021	Sore arm, nausea, tummy cramps, headache, fever, eye pain
1118243	3/20/2021	MD	70	F	3/12/2021	3/13/2021	Severe nausea, dizziness, headache, weakness. Threw up all day 3/12 until the PMD ordered Zofran. As a result of vomiting while on Xarelto, both of my eyes became bruised and black and I had conjunctival hemorrhages in both eyes. I was checked by an ophthalmologist on March 15 who said there was no serious damage, just surface bleeding. Today is March 20, and I still have episodes of dizziness, headache and fatigue.
1118265	3/20/2021	NY	23	F	3/18/2021	3/18/2021	Swelling of the throat and difficulty breathing - 5 minutes after shot, used epipen and benadryl, did not seek medical attention. Rash on face but not on injection site 1 day later - notified my doctor and took benadryl, will also be seeing an allergist soon. Blurry vision - notified my doctor and will be seeing an ophthalmologist soon.
1118316	3/20/2021	OH	58	M	3/19/2021	3/19/2021	Numbness on left side of body, vision blurred, difficulty walking and slurred speech within 60 minutes of injection

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1118426	3/20/2021	NV	75	F	3/18/2021	3/19/2021	Chills for 30 minutes - fever 101.8 (not affected by Tylenol) - felt as though I weighed 500 pounds - limbs so heavy I could hardly lift them - Slept most of 36 hours - couldn't walk further than a few feet - didn't eat - standing was difficult - felt AWFUL - 8:00 a.m. 3/20/2021 - This morning I had a very sharp pain above my eyebrow/nose - the area is still tender to the touch. No clue what that is. No signs of stroke.
1118416	3/20/2021	MS	58	F	3/19/2021	3/19/2021	really sleepy can barely keep eyes open cold to the bone, rapid -pounding heart beat, and fever of 100.8
1118342	3/20/2021	MN	73	F	3/8/2021	3/20/2021	Presented to the ED for evaluation of hallucinations. Received the Johnson & Johnson COVID vaccine on 3/8. She had been feeling fine following it, until early this morning. She awoke and went to the bathroom when she noticed a "paisley pattern" that was "all over everything", noting that it was even present when her eyes were closed. While she was in the bathroom, the pattern began to move, causing her to feel nauseated and eventually vomit. She has never had a similar episode to this. All of her symptoms completely resolved after droperidol. Observed in the ED and was ambulating independently and returned to her baseline. She had no recurrence of any of her symptoms. She was comfortable going home and discharged with her sister.
1118362	3/20/2021	CA	50	M	3/17/2021	3/19/2021	Systemic: Allergic: Rash Generalized-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Systemic: Body Aches Generalized-Mild, Additional Details: Patient experienced swelling of both hands, and a generalized blotch rash on arm, back, and ribs bilateraly
1118363	3/20/2021	OH	58	M	3/19/2021	3/19/2021	Moderna COVID-19 Vaccine EUA Left side numbed, left eye blurred, right eye blurred, Muscular coordination weak, speech slurred
1118403	3/20/2021	MI	68	F	2/22/2021	3/1/2021	Constant ringing and buzzing in ears. Also some loud sounds. Also right eye and side of face feeling numb. Never had this before.
1118478	3/20/2021	IN	68	F	3/18/2021	3/19/2021	Headache, red itchy eyes, runny nose, fever, diarrhea, body aches, chills, tiredness

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1118236	3/20/2021	WA	64	F	3/17/2021	3/18/2021	Chills, body aches, redness in arms, shaking, some neurological issues appearing to be related to shock (shaking, rapid eye movements)
1118321	3/20/2021	MI	51	F	3/19/2021	3/19/2021	Within 15 min. Headache, eyes hurt (pressure) nose became stuffy, felt like I had a sudden sinus infection. I became shaky and tingly. My arm was sore and felt heavy. My face became dark red and was hot to the touch. All symptoms still continue now (27 hours later) however my face is not as dark red, just pink. About 10 hours after the vaccine my muscles in my neck and shoulders began to ache. I was very fatigued. My entire body felt weak and movement become a chore. Worst symptoms: Through the night I began to experience acid reflux. I have only experienced this a couple of times in my life and very mild. This was severe to the point that I couldn't sleep, my throat burned from the acid. Even drinking water was very painful and it would come back up. I located some Tums and ate 4. This was also a challenge as I couldn't hardly swallow due to the pain. After about 35 min. I began burping which help a little with the ability to keep some water down. Today I feel exhausted, my eyes still hurt, still have the headache and sinus pressure, and continue to have the acid reflux but not as severe as the night and early morning. I haven't tried to eat yet today.
1117831	3/20/2021	GA	54	M	3/11/2021	3/11/2021	stinging in the eyes, fever
1118501	3/20/2021	FL	67	F	3/5/2021	3/6/2021	I woke up, and could not get out of bed because I was sick. Aches and pain on entire body, tired, malaise, and sick. Then I got the chills, accompanied with a fever. My everyday temperature is 96.7 and I had a 99.7 fever. My eyes were glassy and grey. I was like this until the next day. I had COVID19 on 11/18/2020 - I did not have the above symptoms of aches and pains or a fever or the chills. My breathing and coughing finally was 99% better by February 2, 2021. My taste and smell is not back yet. Are there studies on how people react to vaccination if they had the COVID19? Is there research comparing prior COVID19 symptoms with adverseReactions symptoms?

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1117837	3/20/2021	VT	55	F	3/19/2021	3/19/2021	30 minutes after receiving the vaccination she reported feeling dizzy and not right. She leaned herself forward in her chair saying I don't feel good. She then attempted to through herself onto the floor. She was assisted to the ground. On the way down to the floor she kept saying I don't feel good. Once on the floor she continued to speak and started to shake her whole body around, kicking her legs about and flailing her arms and shaking her head. She initially was speaking then she stopped speaking and alternated between having her eyes open and her eyes closed. She shook for about 30 seconds then she stopped but she did not speak for about 5 minutes. She shook intermittently shake briefly when someone tried to speak to her or take her vital signs.
1117650	3/20/2021	OK	64	F	2/9/2021	2/11/2021	I woke up on the second day after first dose (not the very next day) and my face was swollen and eyes swollen, Right eye swelling more prevalent. I itched all over at various times and took Benadryl for 3-4 days. I also had slight headache, nausea, malaise.
1117680	3/20/2021	FL	47	F	3/5/2021	3/19/2021	I am really concern because since yesterday I had blurred vision that is getting worse now, feels like on and off I am looking through eyelashes. I would like to know if this one will be temporary or if I should call a Doctor. I am also a Dialysis nurse at medical facility. Please let me know.
1117705	3/20/2021	UT	54	F	3/19/2021	3/19/2021	Diarrhea, headache, flatulence, stomach pain, fatigue, blurry vision, localized pain at injection site
1117749	3/20/2021	CA	67	M	2/20/2021	2/20/2021	Site: Itching at Injection Site-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium
1117756	3/20/2021	NJ	22	M	3/19/2021	3/19/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Additional Details: Patient indicated to having had previous fainting episodes. Had a bruise around the right eye after fainting.
1117653	3/20/2021	WA	64	F	2/21/2021	2/21/2021	Muscle soreness through the shoulders right to left. Occasional tightness through my eyes, fatigue. Muscle soreness and fatigue lasted 2 days. The vision/ headache tightness was very subtle almost not worth mention.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1117809	3/20/2021	MD	46	F	2/25/2021	2/28/2021	Per doctor, I had increased activity of my auto immune condition, which means I have inflammation in the front of my eye. To me, it looks like decreased vision and presence of floaters. It happens overnight and then gets better during the day, then starts again. My doctor did imaging, like a CT scan for your eye. My eyes were dilated and a vision check, pressure check and exam was conducted.
1118187	3/20/2021	AR	68	F	3/19/2021	3/19/2021	Severe chills for 1.5 hr despite multiple heated blankets, comforter, etc.; high fever, severe headache (pain in ears and eyes as well as head), severe muscle and joint pain body-wide, skin painful to touch. Symptoms so severe that sleep was impossible for most of night. Headache severity lessened by 8a.m. 3/20, but is still present, and widespread joint pain, myalgia and fatigue continue up to the time of this report (24 hrs after injection).
1117645	3/20/2021	NY	45	F	3/17/2021	3/17/2021	Changes in vision and very fast heartbeat immediately following the injection. Subsided in 5-10 minutes and I felt heat wave through the body for the next 30-45 min and later at night. The next day - March 18th, My gums started bleeding suddenly and I had an upset stomach.
1117931	3/20/2021	AZ	52	M	3/17/2021	3/17/2021	Initial symptoms began with pain at the injection site and generalized fatigue. This developed into soft tissue pain in proximity of the large and small joints which could be elicited further on palpation. I had eye pain (left more severe than the right) which could be further elicited on palpation, headache, dizziness, chills, and an inability to feel warm. There was also significant skin sensitivity over the trunk, scalp, and upper extremities and more in the left arm than the right. The symptoms persisted over the second day albeit at less severity. Presently on the third day, I am experiencing continued eye pain, mainly in the left eye and mild dizziness.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1117934	3/20/2021	FL	44	F	3/18/2021	3/18/2021	Approximately 3 hours after the shot, I got a horrible headache - the same one I had with COVID. I also felt tired and body aches. The next day I was exhausted, could hardly keep my eyes open and could not get enough water. My arm began to hurt, I had chills/fever, and my shoulders/back of my head hurt a LOT. I also was congested, coughing and sneezing, and my chest felt tight. My knuckles and toes hurt as well. Tylenol, day-quil, aspirin, - none of these worked. I had COVID back in June/July 2020 and the symptoms are all the same ones I had.
1117950	3/20/2021	TN	58	F	1/2/2021	1/2/2021	A few minutes after the shot, I became dizzy, watery eyes, blurry vision, resolved in a few minutes and I drove home, woke up to severe pain in my right eye, foggy brain, sharp/shooting pain in left side of chest and left breast, headache (very rare for me to have a headache), toes began to hurt and brown spots with excessive dry peeling skin appeared with pain (more on right toes than left) and was unable to wear closed toe shoes, hit my thumb and a blood clot appeared (never had a blood clot in my life). Both the toes and clot is just now beginning to get better ( and is just now starting to get better). I continue to have blurry vision and occssional foggy brain,
1117968	3/20/2021	IN	56	M	3/17/2021	3/18/2021	Joint discomfort, slight fever, swelling and puffiness in the right eyelids and a feeling of numbness or tingling in fingertips
1118091	3/20/2021	DE	32	M	3/19/2021	3/20/2021	Swollen right side of face including eyes, tightness of skin
1118137	3/20/2021	WI	54	M	3/16/2021	3/17/2021	patient received dose one of Moderna on 3/16/21. On 3/17/21 the patient began feeling facial pain and a feeling of swelling over the right maxilla and upper lips. He did not notice any lesions. this continued until morning of 3/20/21 when he woke with a right lower facial droop and difficultly closing his right eye. Physical examination was consistent with a Bell's Palsy. No prior history of Bells Palsy in the patient.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1118180	3/20/2021	TX	48	F	3/10/2021	3/10/2021	Approximately thirty minutes after the injection, i started having right leg muscular pain and spasms. The next morning I woke up with with full body spasms, extreme fatigue and severe migraine. The left side of my face has continued spasms that has not stopped and under my left eye continues to spasm and has spasmed non stop. I'm feeling very weak. My symptoms have not improved and it has been over a week.
1117783	3/20/2021	PA	32	F	2/10/2021	2/17/2021	It started around a week after the 2nd shot, I feel dizzy, my eyes feel full/ tingling and that tingling also is in my temples that almost feels like a burning sensation. My eyes have been so tired and sensitive to light and watering.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1119137	3/20/2021	CA	42	F	2/11/2021	3/1/2021	<p>Jan 14: Shot #1 of Moderna at 7 am at Hospital o Very sore at injection site for 2-3 days o Retrospectively, I recognize a subtle shift in my mood after the first shot that has persisted. I felt inexplicably sad in the afternoons and continued until March 1st anxiety event. I also found myself crying more. o Sleep ? I woke up a handful of times with heart racing and then would fall back asleep. This is never had happened before February 11: Shot #2 of Moderna at 7 am at Hospital o Within 11 hours of the vaccine had fever, chills, aching and 103 fever. Next day my period started a week early. o Over the course of the next two weeks my anxiety levels heightened; o March 1st acute event that mimicked an anxiety attack (no previous history of anxiety or attacks); followed by my first night of many nights with no sleep. o Insomnia ? worsened each night. o Internal thermostat dysregulation ? I would get very cold and shake uncontrollably and then feel hot after the shaking episode; shaking would often happen in the afternoon and especially after meals. o High Blood pressure o Night sweats. o Muscle weakness; tingliness running through arms and legs. o My heart would skip a beat (several times a day). o My entire body would feel like it was pulsating uncontrollably but I wouldn't be visibly shaking. o Muscle stiffness. o Pain in lower right back region (ultrasound yielded nothing). o Extreme exhaustion. o Loss of appetite and dietary changes (no longer can eat rich foods; only bland small meals multiple times a day) o Weight loss (5-6 pounds) in one week (146-140) o Unable to focus; blurry vision. o Unable to partake in intense physical activity; can only walk. o Unable to participate in household work because of low energy. o Unable to participate in job duties due to inability to focus on screen for long periods of time. o. Second week, March 8th, muscles in upper back burn and intense pins and needles in my shoulders arms to finger tips. T This sensation woke me up from sleep on Friday March 12th. o Unable to focus; blurry vision. o Strange headaches- behind eyes, in temples, on one side of the head. (don't? have a history of headaches)</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1118889	3/20/2021	WI	25	F	3/18/2021	3/19/2021	The first night after the shot I woke up with chills so bad that I couldn't stop shaking for an hour. The day after the shot I had a constant headache, full body soreness, a fever, nausea, loss of appetite, and chills. 2 days after the shot I have developed a cough, have full body soreness, a headache, and nausea. I am colder but have not experienced the chills anymore. I have also experienced strained vision due to the severe headaches.
1118894	3/20/2021	CA	40	F	3/20/2021	3/20/2021	PI: The pt is a 40 year old female who presents with syncope 20 minutes post Moderna dose #1 vaccination to the left deltoid. Pt syncope from a seated position, falling forward and catching herself with her arms outstretched. +LOC before immediately regaining consciousness. No head or neck injury, +abrasion to the left elbow. Pt notes similar episode following an influenza vaccine 15 years ago. Pt denies any medical Hx, daily medications, or Hx of anaphylaxis. Pt denies swelling or itching of the lips, eyes, or face. She also denies any swelling of throat, difficulty breathing, or SOB. Exam (update as needed): GEN: Alert and oriented x 3 upon immediate evaluation, HEAD: NCAT EYES: PERRL, EOMI ENT: Ears normal, Nose normal, OP normal, no evidence of angioedema NECK: Supple, without LAD. CV: RRR, +Bradycardic, +hypotensive, no m/r/g PULM: Clear to auscultation bilaterally, no accessory muscle use ABD: Soft, no tenderness. SKIN: +pale, +diaphoretic, +1cm circular abrasion to left elbow, No rash MSK: FROM, MS 5/5 NEURO: Alert and oriented x 4, CN 2-12 grossly intact, no ataxia Clinical Impression/Field Tx: Syncope post moderna dose #1 vaccination. Impression supported by clinical scenario, vital signs, and Pt's endorsement of similar incident in the past, Suspicion for anaphylaxis low due to no signs of angioedema, no SOB, and no complaints of itching. Pt also denied any Hx of anaphylaxis or allergic reaction. Vital signs stabilized in the field and pt reported improvement following 30 minutes of repositioning and observation. Because of limited resources on site, the Pt was evaluated by EMS where repeat vital signs, blood glucose, and EKG were obtained. Medications administered: None Disposition: Pt was evaluated by EMS and transported to the Hospital.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1118906	3/20/2021	MN	66	F	2/25/2021	2/28/2021	Approximately 3 days post vaccine I began to have severe tinnitus. On the same day, I began to have difficulty with my vision , especially in the left eye, a headache and all my joints began to ache. I was also very tired. The symptoms progressively got worse over the following two weeks and included a couple of episodes of heart rhythm irregularities . During the third week, the headache, eye issues and joint pain began to resolve but the tinnitus is debilitating and prevents me from mentally focusing or sleeping.
1118934	3/20/2021	CO	75	M	2/22/2021	2/24/2021	Extreme muscle weakness, not able to walk without a walker, slurred speech, blurry vision, loss of smell & taste, muscle spasm in hands, extreme fatigue & chills.
1118948	3/20/2021	CA	55	F	3/20/2021	3/20/2021	Swelling of face and neck, eyes itchy, red rash on face and large patches of rash on face, neck and chest.
1118990	3/20/2021	WA	66	M	3/17/2021	3/17/2021	After experiencing chills, fever, hot flashes and stomach aching, extreme swelling around the left eye occurred to the point that there was no vision possible. This swelling lasted for more than 2 full days. Began to subside several hours after taking prednisone to reduce swelling.
1118995	3/20/2021	CA	55	M	1/20/2021	3/18/2021	Bells Palsy on right side of face. Droopy eyes and mouth on one side Started antiviral and corticosteroid x 1 week on 3/18/2021
1118875	3/20/2021	AL	59	F	3/19/2021	3/20/2021	sever loss of energy. bloodshot eyes
1119126	3/20/2021	IN	27	F	3/4/2021	3/4/2021	The same night that I received the second shot of the Moderna vaccine my right toes were red itchy and swollen. They were also red itchy and swollen the next day. This happened again another time in the last week. On 3/20 9 days from receiving the vaccine I noticed that my right eye is also swollen.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1119220	3/20/2021	WA	70	M	3/1/2021	3/3/2021	<p>Back started itching then front stomach area and spread to both side and neck. then hives started appearing. followed by Jagged spots with white ares and jagged round ring. Welt on rump x. chills, on and off. followed buy hot spot ankle side of shins and side of thighs. Went to ER IV Benadryl Took blood sample. Did CBC &amp; Differential. Comprehensive Metabolic Panel. After a few hours the Red color in my forearm started to disappearing. Gave me a prescription for Benadryl and Famotidine 20mg ,Prednisone 50mg. Returned to ER next day as swelling started back up. IV Benadryl sent me home. No improvement. Dr changed to Hydroxyzine 25mg. home no improvement and Most of my body was covered. I had hot spot Hot spots feet, shins, thigh, fore arms. Put wet towels on hot spots to stop pain and itching. change ever 30 minutes no sleep for days Finally got in to DR he increased the famotidine to 40mg. Around 3am I finally slept, When I woke My lip was swollen and my throat was tight had a lump in it. drank water and ate a cookie. would not clear gaged down the Medication some dissolved before I could get them down. Drove to the hospital. They gave me injection in my thigh and IV Benadryl. Added Loratadine and had me get a Epinephrine Pen. Dr increased the medication. Very slowly the welt, and hives started changing to red rash, hot spots and itching continued. only got short sleep during the day and night at times exhausted. coughed several times for minute non stop. Slight fever followed by chills and some shaking. Very nervous at times. As thing started getting better I took some pictures. Could not believe what my body was going threw. March 18 finaly starting to go away getting better skin wise but still cold and hot. Mouth all this time would go from no taste to bad taste. Throw up feeling at times had to fight it off. March 16,17, after I would fall asleep I had very bad pounding headache took Aspirin and Tylenol. after three hours put a wet towel on my forehead. finally let up and was able to sleep a little. the second night same thing except after I went to sleep the towel dropped my core temperature could not get warm took temp 94.4. Turned heat back up to 78 degrees Wrapped upper body as had to keep lower legs in open air with wet towels on hot spots. Stopped taking my Blood Pressure and switch to from Hydroxyzine to (Banophen Diphenhydramin ) The spots are finally</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							getting smaller. Feet are still swollen and are hard to walk on, still have to go everywhere in open slippers and pant legs rolled up. blisters broke on ankle finally getting better. March 20 left foot still swollen and stiff, right foot swelling going down a little. I could not handle filling this out until now. My memory and even my eye site was affected. I had to write it down in case some one asked me. When they asked me I couldnt remember everything. has to look and my notes to remember. Finally got a referral to infectious disease and a allergist.
1119158	3/20/2021	MO	82	M	3/20/2021	3/20/2021	Vaccine at 2:00.Problem started at 4:30 with a sudden tickle sensation in left nostril. Caused sneezing 8-10 times. Runny nose, eyes red with tears, phlegm required constant blowing of nose. Stuffed cotton up left nostril and breathing through mouth gave some relief. It is now 8:15 and doing much better.
1119159	3/20/2021	PR	54	M	3/20/2021	3/20/2021	Reddish skin, a lot of yawning, fever, red eyes, chills and uncontrolled shaking.
1119176	3/20/2021	CA	64	F	3/18/2021	3/19/2021	3/19 Friday, Moderate soreness behind the left eye, and Facial Swelling on Lt. cheek predominately under the eyes and slight numbness and tenderness. Saturday 3/20, headache is dissipating however swelling under left eye is the same
1119195	3/20/2021	CO	68	F	3/4/2021	3/17/2021	I received my first CoVid vaccine March 4th, - exactly 2 weeks out. Last night, March 17, my arm was itching.... so I scratched... (due to the cataract removal/eye surgery, not the best vision last night everything still blurred), When I looked this morning, March 18 and it felt, warm to the touch, no lumps/bumps, itchy and red... I do not have a fever, temps for cataract eye surgery were fine yesterday and at this morning's post op F/U. Did not notice anything yesterday morning. Nor did anyone in the pre op area say anything (I had on short sleeves) and had to change in to a lovely patient gown. Today March 20, still red, no itching, smaller in size.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1119210	3/20/2021	UT	33	F	3/19/2021	3/19/2021	About a minute after I had the injection, my arm started hurting and it felt like hot water was coursing through my veins. I got an immediate headache that progressed into light headedness, my vision got blurry and I saw colors and then I started to lose my hearing, it felt like there was cotton in my ears. The nurses said I went pale and they called it a panic attack, but it was unlike any panic attack I have ever had in my life. I've had my TDAP updated a few years ago and got a flu shot and did not feel anything like this. I was rolled out of the room on a wheel chair because I was too dizzy to walk and then threw up several times into a bag and peed myself. It took about 20 minutes before I felt normal again. The following day my arm felt numb and incredibly sore, I couldn't raise it that far up without excruciating pain. I felt weak, fatigued and dizzy and was unable to use the bathroom. I had fever sweats and chills on and off. I was not able to sleep well, but I think that's because of the pain in my arm.
1119235	3/20/2021	WA	63	F	3/11/2021	3/11/2021	Within moments of injection: felt heat flush rushing from arm through chest to neck & face. Extreme itching in arm, felt anxious & lightheaded. Noticed eyesight blurred. Pharmacist told me my chest & face were bright red. I felt slightly nauseous & my mouth tasted like penny's. Pharmacist administered antihistamine. By this time I had a bad headache & feeling of pressure in chest & head. I was made to sit in lobby & wait 30 min. I continued feeling strangely unwell for 8 days. My b.p. went up & I felt anxious & exhausted. Arm hurt. No temp. On day 3 ( I believe..or day 4) arm became even more painful & A round rash appeared. My chest & neck were also red again . I took pictures of my arm, chest & neck.
1118510	3/20/2021		29	M	3/20/2021	3/20/2021	Patient reported fast heartbeat, sweating. Patient was pale, HR 112, O2Sat 96%, BP 108/60, reported feeling dizzy, vision changes, had brief moment of syncope, then aroused, Oxygen applied at 2l via NC, patient continued with sweating, HR now 78, EMS called, patient continued with sweating and feeling weak gradual improvement, EMS arrived, patient evaluated and did not want to go to ER for eval. Vitals rechecked and patient ambulated to private vehicle with no further difficulty.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1117813	3/20/2021	FL	69	F	3/18/2021	3/18/2021	Had a fever from 101.4 - 101.9 from onset through late evening on 3/19. Treated with Tylenol that lowered the fever but didn't take it away. Other symptoms included nausea, loss of appetite, muscle aches, pain in both eyes, pain in the lower backside of my head, pain at injection site. Fatigue. Slept all day and through the night. 3/20/2021 8:50 am - as I complete this form I still have side effects even though most symptoms are gone now; Currently, extremely fatigued with a headache that is at the back of my head only. Soreness at injection site. Other symptoms are gone.
1119091	3/20/2021	CA	73	M	2/28/2021	2/28/2021	Severe headache, severe head pressure, swollen nasal passages, lump in throat, itching in throat, itching around heart, trouble swallowing, burning eyes, burning in ears, fluctuating blood pressure, burning tongue with sharp needle like feelings, sore gums and roof of mouth, cramps across top of shoulders, itching in hands and under finger nails, fever blisters. However, no fever (98) and steady heart rate (65 +/- 5 bpm)
1118621	3/20/2021	IL	47	F	3/18/2021	3/18/2021	20 minutes post vaccination, patient developed rash, hives, swelling in both arms, neck and eyes, and headache. The patient did not report trouble breathing. Patient was given 600 mg ibuprofen and 50 mg diphenhydramine
1119255	3/20/2021	AL	32	F	3/19/2021	3/19/2021	Eye soreness, moderate to severe muscle and joint aches (whole body), fatigue.
1118549	3/20/2021	OH	48	F	2/17/2021	2/17/2021	2/17/21: slight burning sensation on skin; itchy eyes 2/18/21: itchy eyes, sore deltoid, sore rt hip, sore 1st rt finger 2/19/21, 2/20/21: sore under rt upper arm 2/21/21: greater pain under rt upper arm, took acetaminophen 2/22/21-3/7/21: pain extending from rt underarm to rt wrist upon extension/reaching 2/24/21-2/26-21: rt carpal tunnel ache 2/28/21: lymph nodes not as sore 2/28/21-3/11/21: puckered skin, rt upper arm
1118531	3/20/2021	ID	30	F	3/17/2021	3/17/2021	My vision went completely blurred for approximately 1.5 hours 9 hours after vaccination

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1118566	3/20/2021	MT	63	M	3/16/2021	3/17/2021	Developed Bells Palsy, Right side 5th cranial nerve affecting the motor branch. No muscle movement from the top of head all down the right side of face. Numbness feeling all in cheek. Right eye does not open or close, cannot raise eyebrow, right side of mouth is drooping. No muscle movement at all - paralysis of right side of face from top of the head to the jaw.
1118873	3/20/2021	WI	49	F	3/16/2021	3/17/2021	18 hours post vaccine- severe muscle/joint pain and fatigue 28 hours post vaccine- several episodes of severe vertigo, nausea and vomiting By March 18th- muscle symptoms and fatigue have resolved. Severe vertigo episodes have stopped with only mild dizziness when moving my eyes and looking at computer screen, but I was able to work. Called my doctor and she recommended Dramamine. March 19th continued improvement with slight dizziness when watching computer screen. March 20 th. Felt great and I thought it had resolved but severe vertigo episode occurred when lying down. Lasted 20 seconds.
1118585	3/20/2021	PA	37	M	3/14/2021	3/16/2021	Patient received first dose of 2-dose Pfizer COVID-19 vaccine. Approximately 24 hours after injection, patient experienced headaches. Approximately 48-72 hours after injection, patient experienced left eye pain and developed a non-itch-inducing rash in left temple. Following after this period, eye pain worsened, as did the size of rash (stretching from temple to back of left ear - along the V1 nerve). Patient was diagnosed with Shingles and is now receiving treatment for that virus. It is theorized that the vaccine induced an immune response to attack the novel virus, and left its guard down for the dormant Herpes Zoster virus.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1118560	3/20/2021	VA	51	F	3/10/2021	3/11/2021	I notice that I couldn't see well the morning after my vaccination. It felt like I was crossed eyed. As the day progressed my left continue to swell and closed. I went to the ER around 4pm. They admitted me. Over the course of 2 days, they did a MRI, CT Scan, and a Spinal Puncture. All came back negative. My eye lid was still closed. When I open both eyes, my vision is doubled or blurry. I have normal vision in both eyes still. I went to an Ophthalmologist who sent me to a Neuro-Ophthalmologist. It is the Neuro-Ophthalmologist who said that it is Third Nerve Palsy which was probably caused by the vaccine.
1118638	3/20/2021		57	F	3/20/2021	3/20/2021	3/20/2021 Patient was observed post Covid-19 immunization for 30 minutes based on pre-vaccination screening . During the observation period, she experienced an adverse reaction with the following symptoms: urticaria around mouth. Assessment : Time of assessment 1105am. Alert and oriented. No visible redness , rash, or swelling visualized. Actions taken: Benadryl 12.5 mg tablet given Po x 1 per standing orders, VS taken with BP- 130/72, P-75, O2 sats- 100%, VS recheck at 1115, BP-122/68, P-72, O2- 100%. Medications administered: Diphenhydramine (Benadryl) 12.5 ml (25 mg) by mouth. Time: 1105. Administered by RN. Disposition: Reports no further symptoms of adverse reaction after observation for 30 minutes. Discharged home. Immunizations Administered Name Date Dose VIS Date Route Pfizer COVID-19 Vaccine 3/20/2021 10:40 AM 0.3 mL 12/11/2020 Intramuscular
1118664	3/20/2021	IN	54	F	3/18/2021	3/18/2021	First developed severe headache and severe left back flank pain. Around 6:30pm I could not use my entire left side leg arm face I lost my vision. Called a nurse specialized in Covid reaction. She asked me many questions had me take my blood pressure witch was very high and my heart rate was very high. My skin was yellow especially on the left side. I was unable to walk or dress myself without assistance. She told me to call 911 get an ambulance immediately . So I did.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1118767	3/20/2021	NC	49	F	3/14/2021	3/17/2021	The shot was given on 3/14/2021. At 1:45 am on 3/18/2021, I woke up with the area around my eyes itching and burning. When I got up, my eyes were almost swollen shut. The whole day of 3/18/2021, it felt like bees were stinging my eyes. I did have the corona virus in December and my eyes reacted the same way at the end of my sickness.
1118769	3/20/2021	CA	21	F	3/20/2021	3/20/2021	PT c/o dizziness and lightheadedness immediately following inoculation. Pt states history of panic attacks and anxiety. RN who performed inoculation stated pt eyes rolled back and her arms flexed and she lost consciousness for less than 1 minute. RN notified the MD and on site Paramedics and got them enroute. Medics evaluated pt and she was found to be bradycardic and they recommended she be further evaluated at the emergency room. Fire department arrived and transported pt to medical center in stable condition.
1118788	3/20/2021	MO	63	M	3/14/2021	3/17/2021	I experienced acute vertigo and nausea three days after vaccine. I was treated at the ER at Hospital on Wed. 3/17/21, and discharged on 3/19/21. The diagnosis was Unilateral Vestibular Hypofunction; it was the same side I got the shot on (left). I was treated with meclizine and given outpatient eye-hand exercises to do. The symptoms have faded, but not disappeared as of today, 3/20/21.
1118810	3/20/2021	UT	48	M	3/10/2021	3/17/2021	* All of skin feels warm sensation to burning in left arm; sensation not crawling, not tingling, not numb, not shooting pain, not pricking of pins and needles. * Upper body muscles tingling. * Muscles relaxed to weakness or numbness. * Feeling tired, sleepy, fatigue. * Forehead pressure; not congestion, headache, or fever. * Eyes tired and burning.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1118837	3/20/2021	TX	53	F	3/10/2021	3/18/2021	On mar 18 late afternoon i started with a burning in my neck and the pain kept getting worse then it went to my head and my head started killing me. I tried to eat cuz i thought i might be hungry, i was also very confused and i ended up passing out at the food place at the table, i never ate i woke up cuz i had to puke them i ran outside and threw up a total of 4 different times from that point on for the next 3 days i couldn?t keep my eyes open i was beyond tired i had no control my eyes would close and i would fall asleep for hours at a time. It?s day March 20 and I?m still exhausted tired trying to fight the fatigue.
1118740	3/20/2021	KY	62	F	3/15/2021	3/18/2021	3/19/2021 horrible chest pains hard to breath Itching all over my body Right eye lid red and swollen 3/20 4-5:00 am up sitting in the side of the bed . Very uncomfortable to lay down can?t breathe properly Taking pantoprazole again 3/19- 9:00 pm 3/20- 9:05 am 3/20 - 9:04 blood pressure 130/87 9:15 am extreme itching and rash on both arms Took a warm bath felt horrible. Took temperature 100.5 Main concern is breathing
1118857	3/20/2021	MI	57	M	3/19/2021	3/19/2021	Patient received vaccine, was waiting his 15 minutes, got up and got pharmacy staff attention saying he was not feeling well. Pharmacist went out to waiting area, and patient lost consciousness momentarily. Patient was able to regain a seat in a chair, but then blanked out and was not responsive to his name. He was breathing and had a pulse, but eyes were open in a blank stare and he did not respond to verbal or to gentle shaking. After a few minutes he came out of it and said he was feeling better. A few minutes later, the episode happened again. Emergency responders was called and the pharmacist continued to monitor him until paramedics arrived. The episode happened again while paramedics were attending to him and he was taken to the hospital. Patient did return about 6 hours later looking much better and thanked the staff who helped him.
1118583	3/20/2021	CO	62	M	3/13/2021	3/14/2021	Janssen COVID-19 Vaccine EUA 2 1/2 days of severe flu symptoms. Nausea, Fever, Chills, weakness,no sleep. The next days nausea and light headedness Day 7 (today 3/20/2021) nausea, weakness, and fainting spells. Fainting spells include vision impairment (everything looks fuzzy like a bad tv reception).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1118839	3/20/2021	AL	40	F	3/19/2021	3/19/2021	Received vaccine around 11:40am. Around 7pm same night on 3/19/21 noticed rash to tops of both feet, with mild swelling and itching to feet and lower legs. Took 2 benadryl and went to sleep. Woke up this morning with facial swelling, eyes swollen shut. Took Claritin and states improved greatly. Reports itchiness in throat but denies difficulty breathing, throat swelling, chest pain or shortness of breath. Rash on feet/legs was gone when she woke up, still has itchy sensation to body but no rash. Patient reports improving symptoms at time of evaluation in Urgent Care, but would like to report side effect/reaction.
1118847	3/20/2021	MN	66	M	3/16/2021	3/16/2021	At 7pm, on 3/16, the patient sat down to watch tv and was having difficulty seeing the tv. He then went to his computer and could not see the type on the screen. The loss of sight seemed to be in both eyes. The center of his eyes were blurry. His blood pressure was 190/110. This was the highest it had ever been. He went to urgent care and on his way, his sight returned. Sight had been altered for about 1/2 hour. An EKG revealed PVC. Urgent care sent him to the hospital, where his BP was 163/110 (higher than normal). ER doctor thought pt had a TIA. REturned home at 3:30am, slept most of 3/17. On 3/18 he felt better, but BP was higher than normal at 163/95
1115474	3/19/2021		72	F	2/19/2021	3/4/2021	Body hurting all over - joint and muscles), eyes burning, completely exhausted, eyes burning, headache, stomach nausea and pain, cold symptoms, perennial cough worse. No fever

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1115381	3/19/2021	TX	52	F	3/18/2021	3/18/2021	pt states about 5 minutes after taking the covid vax she started swelling on the left inside of her throat and then she noticed the swelling was moving up towards her face around her eyes and ears then back down towards her mouth. Vax administrator checked her vitals. Her BP 133/78 which is high for her. Her O2 level was good. About 20 minutes later she started feeling light headed and noticed some swelling in the right side of her throat and also experienced some discomfort on the right side of her body and had some chest tightening. She started having SOB and could feel her tongue swelling. Her blood pressure started going up. She was given 50cc Benadryl. Pt was transported by wheelchair to ER. Her BP 160/88, pulse was 79 and respiration was 18. Temp was 97.1. She had a normal EKG, normal Chest X-ray normal blood work. She was administered a steroid shot and given an IV. She was monitored and released to FU w/ PCP and advised not to take 2nd dose. Pt is waiting for her doctor to receive ER records to schedule FU appt. Pt still has some sensation on the left side of her face.
1115403	3/19/2021	WA	71	F	3/16/2021	3/16/2021	My reaction to the vaccine was: Complete and utter fatigue, going from the bed to the bathroom and back felt like I had run a marathon, I had brain fog, headache and a temperature. I ached all over and my vision was somewhat affected. The idea of eating took too much energy. No one I have talked to had a reaction like mine. I believe there is a connection between my reaction and the Valley Fever. I would like to know if other Valley Fever survivors had similar reactions. After 36 hours like that, I feel much better.
1115459	3/19/2021	GA	48	F	3/16/2021	3/17/2021	Woke up with severe chills around 3:45 AM the morning after my vaccine. Temp was low grade at first but then climbed, max was 102.2°F. All over body aches, no appetite, weakness, fatigue, headache, nasal congestion, burning eyes, ataxia, lightheadedness. Took my AM meds including hydrocodone-APAP which caused the fever to break but stayed low grade until the following afternoon around 2 PM. Helped with the body aches somewhat as well. Appetite started to return this morning, 3 days after the vaccine but the fatigue, weakness, muscular pain and a general unwell feeling continues.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1115529	3/19/2021	VA	57	M	3/9/2021	3/15/2021	I received my first shot (COVID) 9 Mar 2021. One week later I started developing lighter patches of skin on my forehead and around the outer edges of both eyes. I have been diagnose with very mild case of vitiligo (1%) on my face about 4-5 years ago but it went into remission. Now it has seem to resurface after my first shot but only around the areas as I described which I have never had these areas effected by vitiligo. My question should I get the second and final round of the vaccine?
1115417	3/19/2021	CA	35	M	3/16/2021	3/17/2021	Chills, hot flashes, full-body sweats, nausea, vertigo, dizziness, tunnel vision, disorientation

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1115342	3/19/2021	FL	41	M	2/3/2021	2/24/2021	Dizzy; short term memory sucks and it's frustrating; Can't see well; Fibromyalgia; bone pain; Neuropathy; Feeling aches in the body; Bells palsy-paralysis on the left side of the face/ pressure on the left side of the face and neck; headache; Ringing in the ears; Pressure in the ears; A spontaneous report was received from consumer concerning a 41-year-old, male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced pressure in ears/ear discomfort, ringing in ears/tinnitus, pressure on the left side of the face and neck which was found to be Bell's Palsy/facial paralysis, Headache, neuropathy peripheral, fibromyalgia, memory impairment, couldn't see well/visual decrease, feeling aches in the body/myalgia, and dizziness. The patient's medical history included neuropathy and fibromyalgia and past cancer. No relevant concomitant medications were reported. On 03 Feb 2021, the patient received the first of two doses of mRNA-1273 (Lot number: 028L20A) intramuscularly for prophylaxis of COVID-19 infection. On 24FEB2021 the patient began experiencing pressure and a ringing in the ears and then started like a pressure on the left side of the face and neck. On 25FEB2021, the patient started having a headache and on 26FEB2021 the paralysis on the left side of the face began. The patient said that it worsened, couldn't eat, couldn't speak, and went to the hospital. The patient said that they had a CT Scan, and the result was that it wasn't a stroke. Vitals were taken and blood work came back normal. The conclusion was Bell's Palsy. The patient stated that they couldn't see well and were dizzy. The patient said that they were experiencing fibromyalgia and neuropathy that they had when they had cancer. The patient also mentioned that they were experiencing some bone pain and that their short term memory was not good and was frustrating. Treatment of these events were not reported. The outcome of the events, ear discomfort, tinnitus, facial paralysis, headache, neuropathy peripheral, fibromyalgia, memory impairment, visual decrease, myalgia and dizziness were considered unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. The patient's medical history of neuropathy, fibromyalgia and past history of cancer remains the contributing factors. Further

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1115340	3/19/2021	PA	77	F	2/25/2021	2/26/2021	<p>information has been requested.</p> <p>One of her eyes and mouth were dropping a little bit/Bell's palsy; Broken out with fever blisters; Rash and itching all over the trunk; Itching all over the trunk; A spontaneous report was received from a patient's spouse in the concerning a 77-year-old female patient who experienced one of her eyes and mouth were dropping a little bit/Bell's palsy/database: facial paralysis, rash and itching all over the trunk/database: rash, rash and itching all over the trunk/database: pruritus and broke out with fever blisters/database: oral herpes. The patient's medical history was not reported. Concomitant medications included metoprolol, lisinopril, acetylsalicylic acid, omeprazole rabeprazole sodium, vitamin D, duloxetine, folic acid, vitamin A, balofloxacin, vitamin B12 and amlodipine. On 25-Feb-2021, one day before the start of symptoms, this patient received the planned dose of mRNA-1273 solution for injection, dosage not provided, (Lot/Batch number: 012A21A) via unknown route at unknown anatomical location for prophylaxis of COVID-19 infection. On 26-Feb-2021, the patient developed a rash and itching all over the trunk. The events resolved on 27-Feb-2021. On 28-Feb-2021 the husband noticed one of the patient's eyes and her mouth were drooping a little bit. He took her to the ER (Emergency Room) because he thought she was having a stroke. She had also broken out with fever blisters. They ran tests NOS and everything was normal. The treating Physician said it was Bell's palsy and it was due to the vaccination. The events were treated with prednisone 15 mg and valacyclovir 1 gram. Action taken with mRNA-1273 in response to the event was unknown. The outcome for the events, one of her eyes and mouth were dropping a little bit/Bell's palsy/database: facial paralysis and broke out with fever blisters/database: oral herpes is unknown. The outcome for the events, rash and itching all over the trunk/database: rash, rash and itching all over the trunk/database: pruritus is recovered.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1115336	3/19/2021	CA	61	F	2/17/2021	2/17/2021	<p>Couldn't use thumb; Numbness; A lot of pain; Cannot raise arm above the eye or shoulder level; Outside of the injection site has become hard; I can feel a knot; Needle was inserted way down into the triceps and nowhere close to the deltoid muscle; A spontaneous report was received from a nurse who was a 61-year-old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and who experienced needle was inserted way down into the triceps and nowhere close to the deltoid muscle/incorrect route of product administration, couldn't use thumb/ limb injury, a lot of pain/pain, numbness/hypoesthesia, injection site has become hard/ injection site induration and unable to raise arm above eye or shoulder level/ injected limb mobility decreased. The patient's medical history was not provided. No relevant concomitant medications were reported. On 17-FEB-2021., prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (lot/batch: 030M20A) in her left arm for prophylaxis of COVID-19 infection. On 19-Feb-2021, She reported that there was an administration error wherein the needle was inserted about two inches above the elbow into the triceps and was nowhere near the deltoid muscle. She stated that the the patient experienced pain in thumb and could not use it, numbness, outside of the injection site become hard, knot and could not raise her arm above shoulder level. No laboratory details were provided. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the event, needle was inserted way down into the triceps, was considered resolved. The outcomes of the events, couldn't use thumb, a lot of pain, numbness, injection site has become hard and unable to raise arm above eye or shoulder level, were considered unknown.; Reporter's Comments: This report refers to a case of incorrect route of product administration for mRNA-1273 (lot # 030M20A) with associated AEs reported.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1115228	3/19/2021	WA	35	F	3/15/2021	3/18/2021	Herpes simplex 1 outbreak in left eye 3 days after vaccine. Outbreaks have occurred in individual since she was a child. Outbreaks typically occur once a year. She has had 2 outbreaks within 1 month, both following covid vaccine shots. Currently taking Acyclovir tablets, 400mg, 3 times a day, which is standard treatment for her outbreaks.
1115213	3/19/2021	NC	34	F	3/11/2021	3/13/2021	Severe dizziness, whiting out of vision, lasting more than 4 hours with recurrence the following day.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1115167	3/19/2021	ME	64	F	3/11/2021	3/12/2021	Had COVID in mid-January 2021 Day 3: chills / upper back pain along spine Day 4: am - chills tapered off, significant less upper back pain along spine Day 0: March 10, Wednesday Took Daily Meds and Vit D in am / Copaxone & Clindamycin Phosphate Gel in PM 11am: Donated whole blood at a Church Day 1: March 11, Thursday Took Daily Meds in am / Applied THC/CBD cream to both legs, Clindamycin Phosphate Gel to face in PM 1pm: Received first dose of Moderna Church Medications: took 500mg of Tylenol and 400mg of Ibuprofen after shot PM: Sore arm, swelling and redness 9pm took 500mg of Tylenol and 400mg of Ibuprofen Day 2: March 12, Friday AM Medications: Daily Meds, applied Arnica homeopathic Roll-on to arm, took 400mmg ibuprofen Symptom: sore arm, swelling and redness, slight headache, upper back pain (stinging) along both sides of spine PM Medications: Copaxone & Clindamycin Phosphate Gel; applied Arnica homeopathic Roll-on to arm; applied THC/CBD cream to legs Symptoms: Same symptoms as AM but also had ?the chills? (flu ? like) (no fever) Day 3: March 13 ? Saturday AM Medications: Took Daily Meds , 400 mg Ibuprofen Symptoms: Same symptoms as Friday PM with additional ?jabbing? sensations in my joints as if someone was sticking needles in them (this also happened when I had Covid). Hand and leg cramping. PM Medications: Copaxone & Clindamycin Phosphate Gel and Zaleplon 5mg in PM; applied Arnica homeopathic Roll-on to arm, applied THC/CBD cream to legs Symptoms: Chills worsened by late afternoon. I was awoken at about 11pm by violent and uncontrollable shaking ( not minor shivering like with the flu - thought I was having a seizure) and sweating profusely. This lasted about 40 minutes. I was ?shaking /convulsing? to the point that I couldn?t even call for help. I was finally able to grab my phone and call my partner who was downstairs watching television. She tried to help me change out of my wet clothes, but I was unable to stop shaking. She covered me with blankets and held me down. After another 20-30 minutes the shaking subsided and I was able to change my clothes. A shorter episode occurred about 4 hours later (lasting about 20 minutes) Day 4: March 14 ?Sunday AM Medications: Took Daily Meds Symptoms: Chills, fatigue, upper back pain (stinging) along both sides of spine PM Medications:

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							THC/CBD cream to legs Symptoms: Chills, upper back pain (stinging) along both sides of spine Day 5: March 15 ? Monday Back to ?my normal?
1115557	3/19/2021	AK	60	M	3/18/2021	3/18/2021	Sore left arm, tight neck left side of injection, slight headache. Eyes slightly achey. Slightly tired.
1115124	3/19/2021	CO	61	F	3/9/2021	3/17/2021	(1) Rash appeared at injection site 8 days after vaccination. It was inflamed and mildly itchy, but not painful. (2) Subconjunctival hemorrhage appeared 9 days after vaccination (left eye).
1115888	3/19/2021	MN	34	M	3/19/2021	3/19/2021	Dizziness followed by fainting. Black vision for a 20 seconds after regaining consciousness.
1115121	3/19/2021	FL	69	M	3/14/2021	3/14/2021	Swelling in the eye on the bottom, and a little on the face, itchy, red, and is claiming to have tachycardia These symptoms are likely not due to COVID vaccine. Check with cardiologist for tachycardia and make sure eye drops have not expired or have not been contaminated. If symptoms worsen seek medical help.
1115130	3/19/2021	FL	68	F	3/10/2021	3/10/2021	First night complete exhaustion chills and diarrhea for four days Impaired eyesight Pain in the region of left kidney
1115904	3/19/2021	MI	63	F	3/18/2021	3/18/2021	Patient presented to clinic for Covid-19 vaccine. Patient started complaining of chest pain 5 minutes after vaccination. Patient denied shortness of breath, but states the pain worsened with deep breathing. Patient denies other complaints or symptoms. Vital signs stable and work of breathing normal. RN auscultated lung sounds, upper lobes clear bilaterally. Blood sugar 227. Patient states she has diabetes and hypertension. Patient kept closing her eyes, RN encouraged patient to keep her eyes open, but patient kept stating, "I'm tired." RN notified provider, provider in to assess patient. Per provider, patient to go to ED via EMS. Patient's husband notified and arrived to clinic to be with patient. RN contacted EMS and report given.
1114528	3/19/2021	PR	54	F	3/18/2021	3/18/2021	Itchy throat, eyelid edema, burning sensation on the tongue, headache (10/10), neck pain (10/10).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1115110	3/19/2021	CT	56	F	3/18/2021	3/18/2021	tip and sides of tongue felt numb approximately 30 minutes after dose. left side upper and bottom lip gradually became numb as well over the course of the afternoon and evening. approx. 24 hours after dose, numbing sensation started presenting around left eye and eyelid.
1116019	3/19/2021	NV	59	F	3/17/2021	3/18/2021	(Note: Difficult to read handwriting on lot number, could also be DOV 6208 or DOV 6Z08) I woke up around 12 hours after having the vaccine and felt a strange sensation in my head, almost like a helmet of fog over my head, sort of a numb feeling, and I noticed that also my eyes and lips felt numb. I ate a grapefruit as I usually do (not sectioned by myself). I felt extremely lethargic, had joint pain and a weakness. I usually have tea and toast in the morning and as I was at the table buttering my toast, I had an overwhelming nausea come on. I then woke up on the floor. My companion told me I went unconscious and slipped off the chair. Perhaps the whole episode was a maximum of 20 seconds. My first words were "Where am I?" and my companion told me. I rest on the floor, directed my companion to read on the internet about stroke and we ascertained I was okay, so I was thinking completely clearly. In any case, I had the fog in my head the entire day, and also today, but I feel a little better and was able to eat after 4 hours of rest. I wasn't able to fall asleep but I rested the entire day and slept a couple of hours during the night, which is not like me. I usually don't have any problem sleeping.
1115974	3/19/2021	IL	78	M	3/19/2021	3/19/2021	Dizziness following vaccination, swelling of eyes, slight facial swelling around cheeks and eyes. without resp distress. BP 138/94, 76, 18, 98%, BS 135
1115972	3/19/2021	IA	82	M	3/7/2021	3/8/2021	Iritis of the right eye.
1115954	3/19/2021	OK	69	F	3/5/2021	3/7/2021	A day or two after receiving this shot, I developed a twitch in my right eyelid. A day or two after that, the same in my left. It has been two weeks since the shot, and the twitching seems to have stopped. If this is a coincidence, it seems peculiar to me.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1115875	3/19/2021	PA	48	F	1/1/2021	1/14/2021	Intense thirst, fight or flight reactions, sorry arm, fatigue, blurred vision, nausea, lost over 15 lbs, increased HR and BP. Placed on Metoprolol 30 mg on 1/21, increased to 50 mg on 2/9, increased to 75mg 3/18. Heart monitor 2/25 and 3/15. Hospitalized 2/14 for several days. Haven't worked since 2/8.
1115910	3/19/2021	TX	37	F	3/15/2021	3/15/2021	rapid eye movement, dizziness, hard time focusing, feeling of anxiety and panic attacks, hard time breathing, head fog. Eye movements started the evening of vaccination... other symptoms followed and are still lingering today, March 19th.
1115587	3/19/2021	OH	50	M	3/19/2021	3/19/2021	Flushed, sweating, ?fever feeling?, altered vision, weakness
1115880	3/19/2021	VA	52	F	3/9/2021	3/9/2021	Facility where I received vaccine but seen at Community Hospital for side effects. 1 hr. after: sore left arm shot site, fatigue, chills/no fever, sore muscles, blurry vision. 3 days after: face swelling/numbness 4 days after : left shoulder numb/sore 5 days: part of right hand numb. Vision blur, right hand and face numbness still on day 10 - has not yet resolved.
1115804	3/19/2021	FL	57	F	3/19/2021	3/19/2021	Patient reported she has had a previous anaphylactic reaction to IM cefepime; and Zofran. Patient carries an epi pen. Patient received vaccination due to agency recommendations stating she should. Patient received vaccine at 1100 and at 1105 eyes started itching, she had a tingling sensation all over body and developed red spots on arms. Patient was assessed by LPN who then contacted Clinic RN who reported she should continue to be monitored the the rest of the 30 minutes. Patient was advised she should be seen in the ER and refused to go and reports she has an epi-pen at home and believes if she takes Benadryl she will be fine. Patient denies and did not show symptoms of shortness of breath, or fatigue. Patient left clinic at 1130 under her own will and had her mom drive her home.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1115701	3/19/2021	TN	56	F	3/18/2021	3/18/2021	I had a low grade fever with chills throughout the evening and into the night. At 10:30 pm while getting ready for bed I started having an "Aura" with many Kaleidoscope like twinkles. I layed down and closed my eyes in the dark bedroom, with my husband monitoring me. My husband also read me the Side Effects again and watched me until I fell asleep, just a few minutes later. I woke u fine, just a sore arm.
1115664	3/19/2021	PA	38	F	3/17/2021	3/18/2021	I experienced all of the listed risks on my paper from the pharmacy, but also had some visual hallucinations. I wanted to be sure and report it since it wasn't listed and was a bit frightening.
1115632	3/19/2021	OH	59	F	3/19/2021	3/19/2021	26 minutes after receiving the vaccination, the patient developed over her left forearm, right shoulder, posterior neck, and left scalp. Upon evaluation, she had no hives or rashes. Lungs were clear on auscultation bilaterally. No shortness of breath, nausea, respiratory distress, anaphylaxis. She was given Allegra 60 mg PO times one. Her blood pressure, taking by machine, was 205/117. No dizziness, chest pain, headaches, or vision changes. Subsequent manual recheck of her blood pressure were in the 160s to 180/ 100s, and after possibly 30 minutes of monitoring with serial your blood pressure checks, her blood pressure was 172/94 manually. Her itching resolved, and she developed no other symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1115603	3/19/2021	FL	70	M	2/13/2021	2/13/2021	<p>Tongue feels funny; Chewing is hard; His left eye and face are changing shape, smiling is hard; Possible Bell's Palsy; Numbness on left side of face; Swelling arm; Painful arm; Headache; A spontaneous report was received from a consumer concerning a 70-year-old, male patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and experienced possible Bell's Palsy/facial paralysis, numbness on left side of face/hypoaesthesia, tongue felt funny/paraesthesia oral, chewing was hard/mastication disorder, left eye and face were changing shape, smiling was hard/ facial discomfort, sore arm/pain in extremity, arm swelling/peripheral swelling, and headache. The patient's medical history was not provided. Concomitant product use was not provided by the reporter. On 13 Feb 2021, prior to the onset of the symptoms, the patient received the first of two planned doses of mRNA-1273 (Batch number: 015M20A) intramuscularly for prophylaxis of COVID-19 infection. On 13 Feb 2021, the patient initially had pain, swelling, sore arm and headache. Patient stated on 15 Feb 2021, he had some numbness on left side of face, chewing and smiling was hard. Patient stated a couple days later, he had numbness and on 01 Mar 2021, his left eye and face were changing shape, tongue felt funny, and it was hard to brush teeth. Patient spoke with doctor and MRI was scheduled on 12 Mar 2021, according to patient there was a possibility for Bell's Palsy. Treatment information was not provided. Action taken with mRNA-1273 in response to the events was not provided. The outcome of the events, facial paralysis, hypoaesthesia, paraesthesia oral, mastication disorder, facial discomfort, pain in extremity, peripheral swelling and headache were considered unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1115927	3/19/2021	MD	62	F	1/11/2021	1/11/2021	About 6 hours after I got it, I felt tired. The next day, my arm was sore and my eyelids were swollen every day for about 5 days. I had aches and pain all over, itchiness, headache, joint pain over the next week. Around the 22nd, it stopped. It took almost 10 days for me to feel somewhat normal.
1114239	3/19/2021	FL		F	2/2/2021		arm pain; hurts to move her arm; couldn't even see; total discomfort; trembling eyes; insomnia; sensation of fire in her head; Nausea; terrible headache that stops when she rests; Numbness in pinky finger; A spontaneous report was received from a consumer who was a female patient who received Modern's COVID-19 vaccine (mRNA-1273) and experienced total discomfort, trembling eyes, couldn't even see, insomnia, sensation of fire in her head, arm pain, nausea, terrible headache that stops when she rests, numbness in pinky finger and it hurts to move her arm. No past medical history was reported. Concomitant medication use was not reported. On 02-Feb-2021, prior to the onset of the events, the patient received the first dose of mRNA-1273 (Lot unknown) intramuscularly for prophylaxis of COVID-19 infection. On 24-Feb-2021, the patient called to report that she had tons of reactions including: total discomfort, trembling eyes, she couldn't even see, insomnia, a sensation of fire in her head, arm pain, nausea, a terrible headache that stopped when she rested, numbness in pinky finger and it hurt to move her arm. No Laboratory details provided. Treatment information was not provided. . Action taken with mRNA-1273 in response to the events was not reported. The outcomes of the events, total discomfort, trembling eyes, couldn't even see, insomnia, sensation of fire in her head, arm pain, nausea, terrible headache that stops when she rests, numbness in pinky finger and it hurts to move her arm, were considered unknown. .; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded.
1115849	3/19/2021	CA	59	F	3/18/2021	3/18/2021	Face numbing, mainly in cheek and eye area, eye twitching, eyes very dry, part of lip and chin. it started off as becoming very tight, then the tingling. it has been over 24 hours and still sum tingling in the check bone and chin area.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1114504	3/19/2021	PA	64	M	3/12/2021	3/12/2021	Spots in vision, dizziness, light headed, passed out multiple times, BP and sugar fluctuations on day of vaccine. approximate 5 days later developed a fever, vomiting and pneumonia. currently being treated at Hospital in by Dr.
1114411	3/19/2021	PR	62	F	3/18/2021	3/18/2021	Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium
1114381	3/19/2021	OH	84	F	1/22/2021	2/1/2021	Pulmonary Embolism; This is a spontaneous report from a contactable consumer (patient). A non-pregnant 84-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration (Lot Number: EL9261) at 9:00 am on 22Jan2021 (at 84-year-old) in arm right at single dose for COVID-19 immunization. Other medical history was reported as high blood pressure (HBP), high cholesterol, thyroid cancer removed in 2003 (thyroid cancer from an unspecified date to 2013), breast cancer from 2009, hemorrhoid surgery in 2011, polymyalgia rheumatica (2018 & 2020), hip injections in 2018 & 2020, and cataracts removed both eyes in 2018 (cataracts from an unspecified date to 2018). The patient had allergy to morphine. Concomitant medications (other medications in two weeks) included levothyroxine sodium (SYNTHROID), metoprolol, triamterene, montelukast, and atorvastatin calcium (ATOR), all taken for an unspecified indication, start and stop date were not reported. There's no other vaccine in four weeks. The patient experienced pulmonary embolism at 02:00 am on 01Feb2021. The event resulted in emergency room/department or urgent care, hospitalization for 3 days, life threatening illness (immediate risk of death from the event). The event treatment included apixaban (ELIQUIS). The patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot Number: EM9809) via an unspecified route of administration at 9:00 am on 12Feb2021 in arm right at single dose for COVID-19 immunization. No COVID prior vaccination, and no COVID tested post vaccination. The outcome of the event was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1114356	3/19/2021	NY	68	F	1/30/2021	2/12/2021	<p>tested positive for COVID with symptoms; This is a spontaneous report from a Pfizer-sponsored program, received from a contactable consumer (patient's husband). The consumer reporter similar events for two patients. This is the second of two reports. A 68-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, lot number: EN5318), via an unspecified route of administration, administered in left arm on 30Jan2021 15:00 as single dose for COVID-19 immunisation. The patient has no medical history and concomitant medications. The patient received her first dose of COVID-19 Vaccine on 30Jan2021. On 12Feb2021, the patient experienced symptoms of being tired and started with sore throat. The patient went to the doctor to get checked and she was tested for COVID-19 on the same day. The patient tested positive for COVID-19 on both the rapid test and PCR test on 12Feb2021. The patient developed other symptoms of cough with some mucus with it but not much. She has no fever and no body aches. She does not have a sense of smell or taste. The patient thinks she has pink eye in both eyes. When she wakes in the mornings she feels stronger but as the day goes on she gets a little bit more symptoms, a little bit of a headache. Nothing major. Has been taking oxygen levels which have all been in the high 90s. Body temperatures taken have all been within normal range. They cancelled her second dose which was scheduled for 20Feb2021. The patient was vaccinated on a racetrack. The events required a visit to the physician's office but was not hospitalized. The outcome of the events was reported as not recovered.; Sender's Comments: Linked Report(s) PFIZER INC-2021196167 same reporter and vaccine, similar events, different patient</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1114311	3/19/2021	NE	39	F	1/25/2021		<p>Debilitating headache; nausea; vomiting; ringing in the ears; L eye drooping; numbness and tingling of lips; numbness and tingling of lips; trembling of R side of body; abnormal/change in gait; change in vision; hypertension; This is a spontaneous report from a contactable nurse (patient herself). A 39-year-old non-pregnant female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, Batch/lot number and Expiration date was unknown), first dose via an unspecified route of administration on an unspecified date, second dose via intramuscularly in right arm on 16Jan2021 15:30; both at single dose for COVID-19 immunisation in workplace clinic. The patient's medical history included depression, MTHFR (methylenetetrahydrofolate reductase), latex allergy. Concomitant medications included venlafaxine, L-methylfolate; the patient received both the drugs within 2 weeks of vaccination. The patient previously took fluoxetine, citalopram and experienced known allergies for both the drugs. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was not diagnosed with COVID-19 prior to vaccination. The patient has been tested for COVID-19 since the vaccination. The patient experienced debilitating headache, nausea, vomiting, ringing in the ears, L eye drooping, numbness and tingling of lips, trembling of R side of body, abnormal/change in gait, change in vision, hypertension on 25Jan2021 06:00. On 01Feb2021, the patient underwent lab test and procedure included nasal swab/ COVID-19 by PCR: Negative. The adverse events resulted in doctor or other healthcare professional office/clinic visit and emergency room/department or urgent care. The patient was treated with IV Dexamethazone, Diphenhydramine, ketorolac, promethazine for all the events. The outcome of the events was not recovered. Information on the Lot/Batch number has been requested.; Sender's Comments: On the basis of the available information, the reported events debilitating headache, nausea, vomiting, ringing in the ears, L eye drooping, numbness and tingling of lips, trembling of R side of body, abnormal/change in gait, change in vision, hypertension would seem most likely related to intercurrent and/or underlying medical condition and concomitant medication, which is not related to bnt162b2. This case will be reassessed when</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							additional information becomes available. This impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly to regulatory authorities, Ethics Committees, and Investigators, as appropriate.
1114700	3/19/2021	FL	60	M	3/19/2021	3/19/2021	Patient experienced severe migraine headache with visual changes within 15 minutes of receiving vaccine.
1114263	3/19/2021	NY		F	2/7/2021	2/25/2021	potential Bell's palsy; A spontaneous report was received from a 84-years-old female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and was diagnosed with Bell's palsy. The patient's medical history was not provided. No relevant concomitant medications were reported. On 07-FEB-2021, the patient received their first of two planned doses of mRNA-1273 (lot/batch: unknown) intramuscularly for prophylaxis of COVID-19 infection. Approximately around 25-FEB-2021, the patient's face started to droop. She was unable to close her eyes. The patient went to the emergency room. The patient was diagnosed with potential Bell's palsy and was prescribed prednisone. The patient was asked to follow-up with the physician. On 07-MAR-2021, the patient received their second of two planned doses of mRNA-1273 (lot number: unknown) intramuscular for prophylaxis of COVID-19 infection. The patient had an appointment with her physician on 15-MAR-2021. Action taken with mRNA-1273 in response to the events was not applicable. The outcome of event potential bell's palsy was unknown. The reporter did not provide the assessment for the event, Bell's palsy.; Reporter's Comments: Very limited information regarding this event has been provided at this time. Further information has been requested.
1114702	3/19/2021	NY	56	M	3/13/2021	3/15/2021	amaurosis fugax. Temporarily lost vision in top half of right eye - lasted about 15-20 seconds - blood clot in right eye. No past history of blood clots

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1113936	3/19/2021	IN	67	F	2/24/2021	2/24/2021	Losing her mind/ mental fog; No appetite and went 32 hours without eating/He stated she's lost her appetite; heard in the background stating the COVID-19 Vaccine screwed up her mind; Headache; Eyes hurt/Her eyes felt like they were going to pop out; Feels tired and weak; Feels tired and weak; can't think straight; pain in head and stomach; change of mood; altered mental status and nightmares; altered mental status and nightmares; she is so mean to everybody / not acting normal; her eyes felt like they were going to pop out; Suicidal thoughts/thinking of committing suicide; This is a spontaneous report from a contactable consumer from a Pfizer sponsored program. A 67-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection; Lot Number: EL267, expiry date 31May2021) via an unspecified route of administration, at the age of 67-year-old, on 24Feb2021, as SINGLE DOSE (0.3mi as reported) for COVID-19 immunisation. Medical history included type 2 diabetes mellitus and ongoing allergy to penicillin. There were no concomitant medications. The patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection; lot number EL9265, expiry date 31May2021) via an unspecified route of administration, on 03Feb2021, single dose for covid-19 immunisation wherein the patient had to go to Emergency room and it was found that her magnesium and potassium were low. The patient had a super bad reaction to the Pfizer vaccine. Patient's mind has not been normal ever since and she is so mean to everybody. The patient was fine until she got the vaccine. The reporter has had the ambulance and police up there to try and help but the caller wouldn't go out to the hospital. The patient had a normal mind before she got the shot. The patient has a bad headache that will not go away (8 days) and her eyes are hurting really bad/eye pain/ eyes hurt. She feels so tired and weak. The second COVID-19 Vaccine messed the patient up. She had the same symptoms for both first and second dose (unspecified symptoms), but the second dose has really messed up her mind. Patient probably won't have a mind. It was reported that the patient's mind was alright, but the second COVID-19 Vaccine did her in. Now patient is saying she won't get her mind back. It has messed up her mind. Clarified when caller states it messed up her

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

mind, he is referring to the patient being mean. Stated patient did have a headache, but wasn't hateful. Stated patient's mind is so bad, she is just mean. If patient doesn't get help soon she is going to tell herself good night. Patient stated in background "If I don't get my mind back I'm going to end up killing myself because he made me." At 11PM last Wednesday (24Feb2021), patient starting losing her mind. Confirmed with caller that patient is currently having suicidal thoughts. Patient used to be a real nice lady and blames this on the COVID-19 Vaccine. Patient is afraid she is not going to get her mind back. Advised caller to seek emergent medical attention for the patient. Patient is against everybody now because of the crazy COVID-19 Vaccine. Patient heard in the background stating the COVID-19 Vaccine screwed up her mind. Caller stated patient is quite upset with everybody. Patient is not acting normal. Patient doesn't think her mind will ever get straightened. The medicine was too much for her body. After getting the second dose, the patient lost her mind, she's lost her appetite/ No appetite and went 32 hours without eating, can't think straight, altered state of mental, mental fog, pain in head and stomach, change of mood, nightmares, her eyes felt like they were going to pop out. Her doctor said it was probably an overdose. The patient was not like this prior to second dose. Outcome of the event was unknown. The reporter believes her mental fog is due to second dose of vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1113933	3/19/2021	FL	66	F	3/3/2021	3/3/2021	Loss of upper field of vision Right eye; This is a spontaneous report from a contactable nurse (patient). A 66-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration, administered in Arm Left on 03Mar2021 16:15 (Lot Number: EN6198) as single dose for covid-19 immunization (age at vaccination: 66 years). Medical history included fibromyalgia, hypothyroid, hyper cholesterol, arthritis, depression, and allergies: Mango, penicillin, sulfa drugs, all from an unknown date. The patient is not pregnant. No Covid prior to vaccination and not tested for Covid post vaccination. Concomitant medications included thyroid (ARMOUR THYROID); fluoxetine hydrochloride (PROZAC); atorvastatin (LIPITOR); celecoxib (CELEBREX); zolpidem; all taken for an unspecified indication, start and stop date were not reported. The patient previously took floxacillin and experienced drug allergy. The patient experienced loss of upper field of vision right eye on 03Mar2021 18:30. No treatment given for event. Outcome of the event was unknown.; Sender's Comments: Based on the information provided, and on a close temporal association, the Company assessed that a reasonable possibility could not be completely excluded that the reported event Loss of upper field of vision right eye was related to the PFIZER-BIONTECH COVID-19 VACCINE..



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1113928	3/19/2021	AL	91	M	2/23/2021	2/25/2021	hallucinations; headache; hearing disturbing noises; nausea; stomach pain; diarrhea; vision became worse; This is a spontaneous report from a contactable consumer (patient himself). A 91-year-old male patient received the second (2nd) dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection; lot number: EN6200, expiration date was not reported), via an unspecified route of administration, administered in the right arm on 23Feb2021 at 12:30 PM as a single dose for COVID-19 immunization. Relevant medical history included high blood pressure, severe anemia, diabetes, vision problems/poor vision, and spinal stenosis; all from an unknown date and unknown if ongoing. The patient had no known allergies. Concomitant medications included bimatoprost (LUMIGAN) and insulin aspart (NOVOLOG) with "Bd Nano," and hydrochlorothiazid; all taken for an unspecified indication, start and stop date were not reported. The patient had no COVID prior vaccination. The patient was not tested for COVID post vaccination. The patient had other vaccine in four weeks, but not specified. Following the 2nd dose on 25Feb2021 at 01:00 AM, the patient suffered headache, hallucinations, hearing disturbing noises, nausea, stomach pain, and diarrhea. Additionally, he has had poor vision, but following the shot, his vision became worse. The adverse events (AE) resulted in hospitalization for 3 days on an unspecified date. It was unknown if the patient received any treatment for the events. The patient was not recovered from all the events.
1113722	3/19/2021		27	F	3/13/2021	3/13/2021	Nausea , fatigue, weakness, headache , back and Neck pain, pressure behind eyes, headache, fever, intermittent hot then chills, rapid heart rate 110s, and shortness of breath at rest & w/ exertion. Vaccine @ 9:00am 3/13 ?> symptoms progressing at 4:00pm and lasting until next day 3/14 3:00pm
1113710	3/19/2021		26	F	3/16/2021	3/16/2021	Pain/slight swelling on the left eye later that night of the injection.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1113707	3/19/2021	AR	63	M	3/18/2021	3/18/2021	The patient presented to the ER after having the vaccine several hours earlier in the day complaining of chills, shortness of breath, chest tightness, abnormal jaw movements and twitching of his eyelids with uncontrollable movements of his eyes as well.
1113644	3/19/2021	OK	72	F	3/18/2021	3/18/2021	With in 3 hours of the injection, I had severe pain in my eyes. When I examined them in a mirror, the whites of my left eyes was red within another hour it had crossed over to the right. The pain was severe. I had an eye antibiotic that I started on Friday morning. My eyes were swollen in the eyebrow area and face below the eye by Friday night. Had severe pain until I saw Dr. on Monday. He said my eyes were dry probably from swelling. I took the antibiotic thru Thursday as instructed. and used OTC eye drops every 2 hrs. for the week following the antibiotic.. The eyes are are more clear, but I still have some eye pain. It has been 2 weeks today since taking the covid vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1114308	3/19/2021	NJ	59	F	2/12/2021	2/12/2021	<p>Don't still feel good; with pain in side in my head; Slowed down; Extremely tired; Have a burst on energy for an hour or so; and then all of a sudden I can't even hold my head up; Eyes were swollen; Back to my head very weak; My whole body feels like it is bruised; This is a spontaneous report from a contactable consumer reporting for herself. A 59-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE) (lot number EL9262/expiration date: not provided), via an unspecified route of administration, on 12Feb2021 at 17:30 (at the age of 59 years old) as a single dose for COVID-19 IMMUNIZATION. Relevant medical history included rheumatoid arthritis. Concomitant medication included methotrexate 2.5 mg (8 tablets, once weekly), hydroxychloroquine 200 mg, 2x/day and folic acid UNK, 1x/day(1 tablet). On 12Feb2021 (Friday night), the patient reported that she "don't still feel good". The clinical course was as follows: On 12Feb2021, an hour after the receiving the vaccination, the patient reported "it started with pain in side in my head and within minutes it was like I was jelly. I was felt like fall on to the floor. I slowed down and I was extremely tired. I even left work early. I was off Saturday and Sunday. Today I could not even get work. It is like I have a burst on energy for an hour or so. And then all of a sudden, I can't even hold my head up. My eyes were swollen and back to my head very weak. My whole body feels like it is bruised. Treatment received for the events included ibuprofen. The consumer stated, "I took 4 on Saturday and later on like midday about 4 or 5 O'Clock. That was 200 mg each. It was total of 800mg." The outcome of the events was unknown.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1114895	3/19/2021		74	F	3/2/2021	3/2/2021	broken blood vessel in the right eye; not getting sleep; Achy; A spontaneous report ) was received from a consumer concerning a 74-years-old female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and was achy, not getting sleep and broken blood vessel in her right eye. The patient's medical history was not provided. No relevant concomitant medications were reported. On 02 Mar 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (lot/batch: 036A21A) intramuscularly in the right arm for prophylaxis of COVID-19 infection. On 2 Mar 2021, the patient was achy and was not getting sleep. On 05 Mar 2021, she had a broken blood vessel in her right eye. She stated that she was better but her right eye was still red. No treatment information was provided. Action taken with mRNA-1273 in response to the events achy, not getting sleep and broken blood vessel in her right eye was unknown. The seriousness criterion for the event broken blood vessel in her right eye was medically significant. The outcome of the event, broken blood vessel in the right eye was not resolved, while the outcome of the events not getting sleep and achy was resolving.; Reporter's Comments: Very limited information regarding this event/s has been provided at this time. Further information has been requested.
1115090	3/19/2021	IN	61	F	2/17/2021	2/18/2021	One day after receiving first Moderna immunization, I awaken with diffuse, painful myalgias, dizzy, freezing, blurred vision, profound fatigue, loose stools, very thirsty, generalized weakness but afebrile. Never developed fever during this episode. Symptoms lasted from 02/18 to 02/21/2021. Diffuse weakness lasted for an additional 4 days. March 17 2021, I received my second Moderna immunization. Was fine the first day. The next morning, awaken unable to move due to diffuse muscle pain. This time, my knees hurt L> R (I have hx of L arthroscopy). Took mixture of Advil and Tylenol which helped markedly but about 7 hours later, pain/weakness, dizziness, thirst, profound fatigue began again. Today, it is day 3, and I feel better but weakness, fatigue continues.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1115084	3/19/2021	MA	53	F	3/13/2021	3/13/2021	received vaccine @930 am, 3:30 pm felt weak, mild pain behind my eyes, sniffles, slept for 40 minutes. Symptoms increased and continued through out the night, chills and sweats , overall feeling of weakness. Mentally slow processing, feeling foggy. Symptoms Cleared on Monday evening around 9pm. New symptoms on March 19th swollen glands roof of my mouth, neck, underarms. Painful, brain fog, exhaustion, chills and sweats, stuffy nose, headache.
1114945	3/19/2021	OR	74	M	2/19/2021	2/1/2021	Bell's palsy; because it could be a stroke; This is a spontaneous report from a contactable consumer. A 74-year-old male patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot Number: EM9810), via an unspecified route of administration on the right arm on 19Feb2021 14:30 at single dose for COVID-19 immunisation. The patient medical history was not reported. There were no concomitant medications. The patient previously took first dose of BNT162B2 on 29Jan2021 for COVID-19 immunisation and experienced a sore shoulder. A few years ago he got 2 at the same time, he got a flu shot and a pneumonia shot on the same day. He felt really bad for part of a day. He felt unwell that was years ago. he does not have any brand name, manufacturer name or lot number expiration information to provide for these vaccines from years ago. The patient experienced bell's palsy on 25Feb2021. There is a drooping eye, his eye didn't fully close but his lip wasn't right and the doctor said no because it could be a stroke ( unspecified date in Feb2021), go to the ER and that is where he was diagnosed was in the hospital ER. He was discharged home from the emergency room. The outcome of the event was not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1114933	3/19/2021	OH	78	F	1/28/2021	2/1/2021	Eyes swollen; lids puffy and red, red circles around each eye; lids puffy and red, red circles around each eye; yellow jaundice look below each eye in a little pouch filled with fluid; itchy eyes; skin on eye lids peeled off; yellow jaundice look below each eye in a little pouch filled with fluid (this jaundice look with pouch disappeared within 5 - 6 days from receiving 1st shot).; This is a spontaneous report from a contactable female other healthcare professional reported for herself that 78-year-old female patient received first dose bnt162b2 (Solution for injection, pfizer (Batch/Lot Number: EL9265)) via an unspecified route of administration, administered in Arm Left on 28Jan2021, 16:45 as single dose for covid-19 immunisation. Medical history included myocardial infarction from 2014 to an unknown date In good health - Heart Attack 2014 , drug hypersensitivity from an unknown date and unknown if ongoing known _allergies: Sulfa drugs. The patient historical vaccine bnt162b2 (Solution for injection) on 28Jan2021 Start Date/Time: [Pfizer Lot EN6198] 19Feb2021 09:45 AM, left arm for covid-19 immunisation. Facility most recent COVID-19 vaccine was administered in Doctor's office/urgent care. The patient was not received any other vaccines within 4 weeks prior to the COVID vaccine. On 01Feb2021 07:00 AM, Eyes swollen, lids puffy and red, red circles around each eye, itchy eyes, skin on eye lids peeled off, yellow jaundice look below each eye in a little pouch filled with fluid (this jaundice look with pouch disappeared within 5 - 6 days from receiving 1st shot). Other eye condition remains. The event Yellow ocular coloring was recovered in 2021 and other events not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1114932	3/19/2021	CA	51	F	2/17/2021	2/17/2021	Headache; her whole left arm and left hand are sore; allergic reaction; left arm started feeling flushed; her left arm started getting hot, and the hot sensation traveled down her left arm to her left hand, and up to her left shoulder and neck/her left arm was much warmer than her right arm; upper part of her left arm started turning pink, and then red; burning feeling in her left hand fingers; her left hand got numb and tingly; her left hand got numb and tingly; her fingers in her left hand became itchy/it was a deep down itch in her left hand fingers; the muscles in her left arm between the inside of her left elbow down to the inside of her left wrist were "twingey"; blood glucose was at 295 when she checked before bedtime of 17Feb2021, and at 185 before breakfast in the morning of 18Feb2021; she looked like she had hives; rash going down her left arm/clarified the blotchy red marks go in a line from the inside of her top left elbow down to her left wrist; there is a flush color around the vaccine injection site, but not on the vaccine injection site; Injection site pain/injection site is sore; left shoulder is warm to the touch around her COVID-19 Vaccine injection site; she looked completely wiped out, and pale; looked completely wiped out/Tiredness; Short of breath; her pulse was 101; This is a spontaneous report received from a contactable consumer (patient). A 51-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EN6200, expiry date: 21Feb2021), via an unspecified route of administration in the left arm, on 17Feb2021 15:40, as single dose, for COVID-19 immunisation. Medical history included type 2 diabetes mellitus from 2012 to (diagnosed with Type 2 Diabetes Mellitus almost 9 years ago), neuropathy in her feet/nerves and reported that she only turns pink if she gets overheated. There were no concomitant medications. The patient did not receive any prior vaccinations within 4 weeks. Historical vaccines included influenza vaccine (reported as flu vaccine) which she gets every year and pneumococcal vaccine (reported as pneumonia vaccine) which she gets every 5 years. The patient reported that she received her first Pfizer COVID-19 vaccine on 17Feb2021 and had an allergic reaction. She said she was at a podiatry appointment, and her podiatrist told her the pharmacy had an extra COVID-19 Vaccine available. She said the pharmacy staff came to her podiatrist's office to

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

administer her COVID-19 Vaccine. She said about 5 minutes after she received the COVID-19 Vaccine injection, on 17Feb2021 15:45, her left arm started feeling flushed, her left arm started getting hot, and the hot sensation traveled down her left arm to her left hand, and up to her left shoulder and neck. She said 20 minutes later, she walked from her podiatrist's office to a nurse's station to be monitored further. She said while she was at the nurse's station, a doctor came by twice to evaluate. She clarified the upper part of her left arm started turning pink, and then red. She said her podiatrist asked her if that was a normal reaction for her. She said she told her podiatrist she only turns pink if she gets overheated. She said her left hand got numb and tingly. She said the muscles in her left arm between the inside of her left elbow down to the inside of her left wrist were "twingey". She said her podiatrist and his nurse felt both her arms, and said her left arm was much warmer than her right arm. While she was at the nurse's station being monitored, she felt short of breath. She said she wasn't sure if she was short of breath because of her nerves. She said her oxygen level was checked and it was at 99%. She said her pulse was 101, her blood pressure was 118/76, and her blood glucose finger stick test was 128. She said she was told by the staff monitoring her, she should expect her blood glucose number to skyrocket because there is a steroid in the COVID-19 Vaccine shot. She said the staff also mentioned she can expect blood glucose spikes as the COVID-19 Vaccine's steroid goes through her system. Her fingers in her left hand became itchy while she was at the nurse's station being monitored. It was a deep down itch in her left hand fingers. She said she asked for an ice pack to put on her left hand because she uses ice packs for neuropathy in her feet, and she felt an ice pack would help with the itch and burning feeling in her left hand fingers. The doctor came to look at her again and wanted to give her IV Benadryl. Then the doctor decided against the IV Benadryl because she would be too sleepy to drive home but the doctor did eventually give her an intramuscular injection of Benadryl 25mg (clarified as Diphenhydramine 25mg in a syringe) in her upper right arm. Within 5 minutes the itching in her left hand fingers calmed down, and the redness in her left arm calmed down to a pink color. She said 20 minutes later her left arm was still pink



VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

and warm. She said she was told by the doctor if her reaction moved out of the localized area of her left arm, to go to the Emergency Room, and to use an icepack, again, on her left hand. When she arrived home, her husband said she looked like she had hives and a rash going down her left arm. Her left arm was not itchy though. She clarified the blotchy red marks go in a line from the inside of her top left elbow down to her left wrist. She reported that while she was at her podiatrist's office her left arm was a solid pink. She then mentioned that when she goes out in the sun and gets overheated, she turns pink. She said from her left shoulder to left elbow was warm to the touch. She said by the COVID-19 Vaccine injection site there is a flush color around the vaccine injection site, but not on the vaccine injection site. She said the COVID-19 Vaccine injection site is sore and her left shoulder is warm to the touch around her COVID-19 Vaccine injection site. She reported there were no blotchy, red marks on her left arm on 18Feb2021. She said her left arm is a pretty normal on 18Feb2021. The nurse who monitored her after the COVID-19 Vaccine shot said she needed to report her allergic reaction. She was told she needs to let the COVID-19 Vaccine staff know of her reaction before she gets her second COVID-19 Vaccine injection, so she can be monitored closely. She took no other treatment after she returned home from receiving her COVID-19 Vaccine. She reported she had a headache on 18Feb2021, clarifying her whole head hurts, and the headache has been persisting all day. She said she experienced tiredness, as well. She said the tiredness started on 17Feb2021 and can be partially attributed to the Diphenhydramine 25mg injection she was given. Her husband told her she looked completely wiped out, and pale when she got home after getting her COVID-19 Vaccine on 17Feb2021. She said she remembers being tired when she got home because her eyes were squinty. She reported feeling more tired on 18Feb2021 and her whole left arm and left hand are sore. She clarified her blood glucose was at 295 when she checked before bedtime of 17Feb2021, and at 185 before breakfast in the morning of 18Feb2021. The patient recovered from the events "her fingers in her left hand became itchy/it was a deep down itch in her left hand fingers" on 17Feb2021; from "upper part of her left arm started

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

turning pink, and then red" and "rash going down her left arm/clarified the blotchy red marks go in a line from the inside of her top left elbow down to her left wrist" on 18Feb2021; from "her left hand got numb and tingly", "the muscles in her left arm between the inside of her left elbow down to the inside of her left wrist were twingey", short of breath, "burning feeling in her left hand fingers" and "she looked completely wiped out, and pale" in Feb2021; was recovering from "left arm started feeling flushed"; has not recovered from "her left arm started getting hot, and the hot sensation traveled down her left arm to her left hand, and up to her left shoulder and neck/her left arm was much warmer than her right arm", "blood glucose was at 295 when she checked before bedtime of 17Feb2021, and at 185 before breakfast in the morning of 18Feb2021", "there is a flush color around the vaccine injection site, but not on the vaccine injection site", "Injection site pain/injection site is sore", "left shoulder is warm to the touch around her COVID-19 Vaccine injection site", "looked completely wiped out/Tiredness", "Headache" and "her whole left arm and left hand are sore". The outcome of the events allergic reaction, "her pulse was 101", "she looked like she had hives" was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1114920	3/19/2021	CO	70	F	2/10/2021	2/10/2021	have some trouble sleeping; feelings of anxiousness, anxiety; Eyes dry; Ribs hurting; Wheezing; Arm started hurting; Very tired; Very thirsty; One of legs got weak; achy; This is a spontaneous report from a contactable consumer. A 70-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot: EL9261), via an unspecified route of administration, in the right arm on 10Feb2021, 12:15 at a single dose for covid-19 immunization. The patient's medical history included ongoing Hashimoto's Hypothyroidism from 2000 (had it at least five years before a diagnosis), allergies year-round, depression, pneumonia, wheezing, calcium deficiency from an unknown date and unknown if ongoing. Concomitant medication(s) included thyroid (ARMOUR THYROID) taken for Hashimoto's Hypothyroidism from an unspecified start date and ongoing; bupropion hcl (BUPROPION HCL) taken for depression from an unspecified start date and ongoing; loratadine (LORATADINE) taken for allergies year round from an unspecified start date and ongoing; aspartate calcium, aspartate zinc, calcium ascorbate, glucosamine sulfate, magnesium aspartate, manganese aspartate (BONE STRENGTH) taken for calcium from an unspecified start date and ongoing; carbinoxamine maleate (OMEGA 100), colecalciferol (VITAMIN D3), chondroitin sulfate, collagen, glucosamine (COLAGEN) taken for an unspecified indications from an unspecified start dates and ongoing. When she was older the patient was given the high dose Flu Vaccine and had this reaction where her arm was red from shoulder down to elbow. After that she told them not to give her the high dose Flu Vaccine. She gets the regular Flu Vaccine. She assumes it occurred year turned 65, but was not sure. She does not have a lot/exp/NDC to provide. The patient experienced arm started hurting and very tired (around 7:00-7:30), very thirsty (had to drink three tall glasses of water back to back, reported she was never that thirsty), one of legs got weak (for a brief moment one of her legs was very weak and noticed while walking from the living room to the bed room) and achy on 10Feb2021. It was reported that the patient took a bath with Epsom Salt and it id not help. She got in bed by 8PM. Normally she goes to bed around 9:30-10 PM, but she was very tired. She then followed up and stated she went to sleep after the news

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

about 10:20. Then at 4:45 AM she woke up because her eyes were very dry. Stated she has a humidifier in the apartment and usually has no trouble with her eyes, but they were very dry. She also noticed her ribs were hurting and it was noticeable on 11Feb2021. She was also more achy, but it the ribs hurting did not last real long. Then she noticed she was wheezing (11Feb2021). She knows she was wheezing because she has had pneumonia in the past and had wheezing then. The wheezing she had after the vaccine was not real bad. It stopped after about 10-15 minutes or so. She had laid down in bed for a while then got up around 5:30 AM. She felt better around then, but it took until like around 8AM before she felt fully okay as her arm was still aching. The outcome of the event arm started hurting and achy was recovered on 12Feb2021; eyes dry, ribs hurting and wheezing recovered on 11Feb2021; thirst and muscular weakness recovered on 10Feb2021, and unknown outcome for the remaining events.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1114902	3/19/2021	NC	85	F	1/13/2021	1/21/2021	shingles on her eye and forehead, it has persisted and is painful; This is a spontaneous report from a contactable consumer (patient). A 85-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot Number: EL0140, Expiration Date: 31Mar2021) via an unspecified route of administration, administered in right arm on 13Jan2021 11:10 am at 0.3 ml (SINGLE DOSE) for covid-19 immunisation. Medical history included shingles (Family history) as sister had shingles 10 years ago, grandson on back a couple years ago. History of all previous immunization with the Pfizer vaccine considered as suspect (or patient age at first and subsequent immunizations if dates of birth or immunizations are not available) was provided as N/A. Additional Administered Vaccines was administered on same date with the vaccine considered as suspect was none. Vaccinations within four weeks prior to the first administration date of the suspect vaccine(s) was none. AE(s) following prior vaccinations was none. There were no concomitant medications. The patient experienced shingles on her eye and forehead, it has persisted and is painful (herpes zoster) (non-serious) on 21Jan2021. Caller mentioned that she received the 1st shot on 13Jan2021 and developed Shingles 10 days after (date mentioned was 21Jan2021). She is scheduled to take the 2nd dose on 03Feb2021 and is asking if she should hold off for a week or so for her 2nd shot because of the shingles being still there. If so, she is also asking whether she should she restart the vaccine if she goes over the 21 days. Caller is a consumer, states she had her first Covid vaccine on 13Jan2021, states ten days later developed shingles on her eye and forehead. States she is supposed to take second shot on 03Feb2021, next Wednesday, caller states she is concerned if she does not take it, wants to know if can she put it off for a week or two and if she needs to will she have to restart with the first dose again. Caller asks if there is any kind of special diet along with the shingles that we know of. Caller states she actually developed the shingles on 21Jan2021, states it has persisted and is painful, states she is treating the shingles with an antiviral medication. Caller states the ophthalmologist says she has no blisters on eye or anything. Vaccination Facility Type included Other. Vaccine was not Administered at Facility. The

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							outcome of event was not recovered.
1114556	3/19/2021	NY	57	F	3/15/2021	3/16/2021	pt stated she woke up next day after taking her vax with chills, headache, pain behind the eyes, running nose, muscle pain, joint pain and loss of appetite. Most of these symptoms lasted about 3 days but still has pain behind her eyes, headache and joint pain so she will contact her PCP today regarding this. She has taken Tylenol to help with pain.
1114896	3/19/2021	CA	85	M	2/8/2021	2/11/2021	one side of his face was paralyzed/ had bell's palsy; A spontaneous report was received from a consumer concerning an 85-years-old male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and one side of his face was paralyzed (Bell's palsy). The patient's medical history as not reported. Concomitant use was not reported. On 08-Feb-2021, the patient received their first of two planned doses of mRNA-1273 (Lot number: 013M20A) intramuscularly in left arm for prophylaxis of COVID-19 infection. On 11-Feb -2021, three days after receiving vaccine, one side of his face was paralyzed. They called the nurse line and was unsure if he was having a stroke. They were instructed that he needed to go the emergency room and to call 911. After several hours in emergency department, the healthcare professionals said he had Bell's Palsy. He was given antiviral medication, prednisone, and eye drops as a treatment. Action taken with mrna-1273 in response to the event was not reported. The outcome of event was not reported.; Reporter's Comments: Based on the current available information which includes a temporal association between the use of the product and the start date of the reported events, and excluding any other etiology, a causal relationship with the event cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1116046	3/19/2021		77	F	3/19/2021	3/19/2021	3/19/2021 Patient was observed post Covid-19 immunization for 30 minutes based on pre-vaccination screening . During the observation period, she experienced an adverse reaction with the following symptoms: patient reported feeling of Swelling of right eye ear. Assessment : Time of assessment . Actions taken: Vitals signs taken @ 1120 BP 180/84, P-73, O2-99%, held in observation for another 15 mins, husband with her, she reports decrease in symptoms, she also she reports that she took homeopathic drops labeled, vaccine related symptom, she also reported experiencing " white coat syndrome", she reports that she takes nothing for BP. There were no vitals filed for this visit. Medications administered: No medication administered. Disposition: Reports no further symptoms of adverse reaction after observation for 30 minutes. Discharged home.with husband
1114850	3/19/2021	IN	60	M	3/17/2021	3/17/2021	10 hours after vaccine administered. Started with cloudy vision and a headache. Went to bed. Awoke two hours later with a fever of 102 and severe chills. That lasted 6 hours. Body temp went down to normal. Ate a little breakfast. Tired and achy. Went back to bed. Awoke several hours later. Fever was back. Though not as high, 100. Entire body hurt. Joints, head, abdominal pain, pain in left armpit. Stayed for several hours. Went back to bed about 4:00PM woke up an hour later fever down to 99. Ate a little supper. Acid reflux uncontrollable. Went back to bed. Awoke at 8:00PM . Fever still at 99. Stayed awake until 10:30. Went to bed. Tossed and turned with body aches all night. Had to get up every two hours to urinate. Awoke at 7:30AM. No fever. Feeling somewhat better. Still pain in left armpit. Headache almost gone. Joint pain almost gone, abdominal pain still present. Worst is over.
1114842	3/19/2021	NC	72	M	2/25/2021	2/26/2021	Patient experienced Muscle aches, Elbows ached and were swollen along with his knee's and thigh's. Patient states his neck hurt so bad he could not turn his head from side to side. Also states that his left eye would twitch. Patient saw Primary Care doctor and was given Advil, Tramadol and steroid taper dose pack.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1114840	3/19/2021	PA	63	F	3/17/2021	3/17/2021	She received the vaccine, and within 4 minutes she got a tingling feeling that swept through her whole body from her head to her toes. They called a doctor to stand by her, and spoke with her, and she was explaining what she had with reactions had a very warm sensation through her body. They have a medic station at the event center, and started taking her VS which her BP was high, and kept an eye on her, and kept talking to her. She still had the tingling feeling through her. She had this similar sensation from bee stings in the past. She then got very cold and started shaking all over and her went to 175/101. At that point she had probably been there for about 2 hours and she was then taken to Hospital. She was monitored at the hospital for her BP and did oxygen levels which were fine, and her heart rate was elevated, but then dropped down to 98-99. She asked for something to drink and something to eat, and they gave that to her, and was only at the hospital for about an hour. They told her that she was okay, and they did not give her any medications as the reaction had passed and her BP was down to 149/87, pulse rate 102, and her respiratory rate was good and they dismissed her. She did have fatigue since coming home from the hospital but is otherwise okay. She is scheduled to see her PCP on Monday, 3/22/21.
1114814	3/19/2021	IL	64	M	3/11/2021	3/14/2021	Woke with bilateral conjunctivitis and scleral erythema. Burning of both eyes. No vision impairment but a lot of tearing. No treatment needed and resolved in 48 hrs.
1114776	3/19/2021	FL	70	F	3/19/2021	3/19/2021	Client c/o sudden pressure in the eyes eight minutes after receiving the vaccination
1114722	3/19/2021	OK	35	F	3/11/2021	3/16/2021	Sore arm for first few days. Woke up on day 5 feeling off. Had an aura start in the left side of vision and thought it was just a migraine. Took migraine medication and 45 minutes later had a seizure. This is the first in my life.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1115091	3/19/2021	AL	41	F	3/18/2021	3/19/2021	Sore arm all day. Woke up at 1am extremely nauseated, headache, and in sweats. Went to kitchen to get some nausea meds and felt my ears closing. I couldn?t breathe and apparently passed out. My husband called 911 and I came in and out for about 30 min he said. I couldn?t open my eyes and couldn?t feel my legs. Bp was normal and so was blood glucose. They gave me some fluids and nausea meds and I started coming too. Today I am extremely achy and terrible headache, scared to get out of bed.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1114898	3/19/2021		65	F	2/16/2021	2/16/2021	Bells palsy effect; Rapid heartbeat; Numb nose, nasal cavity, cheeks; Numb eyelids; A spontaneous report was received from a consumer, concerning a 65 year-old, female who received Moderna's COVID-19 vaccine (mRNA-1273) and developed a rapid heartbeat/tachycardia, her nose, nasal cavity, cheeks and eyelids were numb/hypoaesthesia, Bell's palsy effect/facial paralysis. The patient's medical history included were overweight and pre diabetic. The patient was allergic to latex and was dairy sensitive was not provided. Concomitant product included was vitamins. On 16 Feb2021, few minutes prior to the onset of symptoms, the patient received her first of two planned doses of mRNA-1273 (batch number: 004M20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 16 Feb 2021, the patient, while she was staying for 15 minutes in the facility, she felt a rapid heartbeat. It was not alarming, but it was faster than normal. Five minutes after leaving the facility, which was 20 minutes after she received the vaccine, her nose, nasal cavity, cheeks and eyelids were numb. This numbness stayed for two hours and the disappeared. The numb sensation on the nose stayed for 3 whole days after the vaccine was administered. The patient consulted the primary doctor, who stated that it was a Bells Palsy effect. Treatment information was not provided. The outcome of the events of rapid heartbeat, nose, nasal cavity, cheeks and eyelids were numb were considered recovered and the outcome for Bells palsy effect was unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.
1116968	3/19/2021	WA	72	M	3/9/2021	3/11/2021	Recieved the vaccine rec'd 2nd dose on 3/9 and the evening of the 11th day I started getting mild vertigo, and ended up completely disabled by the next morning. I couldn't open my eyes and I would vomit after I'd open my eyes, I was completely bedridden on the 12th. today I can get around using a walker but have to be very careful not to fall, and it's been a week now.
1116841	3/19/2021	WI	21	M	3/19/2021	3/19/2021	Lost vision for 2 minutes, felt lightheaded, faint. Those effects diminished after 5-10 minutes of deep breathing.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1117213	3/19/2021	KY	78	M	2/3/2021	3/10/2021	Case tested positive for COVID-19 on 3/1/2021 by rapid antigen and then again on 3/3/2021 by PCR. Case was admitted to hospital on 3/3/2021 for shortness of breath and occult infection. Case was previously admitted and discharged from hospital on 2/22/2021 after a lumbar compression fracture. Case had monoclonal antibody infusions; was afebrile and denied chills, but had a dry cough. Case was a previous smoker, quit 2 years prior. Case developed pneumonia. Case required supplemental oxygen.
1117211	3/19/2021	ID	51	F	1/27/2021	1/29/2021	Day 3 of swollen face . started to get rash and eyes all puffy. some rash underneath armpits and right knee randomly. None on the rest of body. Had trouble breathing after first dose of vaccine and was started on steroids. when she went to get her second dose she started the steroids immediately. she ended last Tuesday or Wednesday and the rash and puffy eyes started 3 days ago . was on antibiotic with the first dose but none since . Intermittently has had trouble breathing. breathing felt much better when on steroid.
1117186	3/19/2021	MO	36	M	3/18/2021	3/18/2021	3:00PM - patient reported throat felt tingly, somewhat constrictive and his right eye was twitching 3:07PM - 25mg of benadryl given 3:13-3:20 - throat symptoms improving but still feeling somewhat constrictive, eye still twitching 3:23PM - blood pressure 137/97 3:34PM - blood pressure 135/87 3:37PM - patient feeling well enough and comfortable to leave with wife as a driver due to benadryl Called the patient at 7:00PM to check in. Symptoms had resolved completely and the patient required no further interventions

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1117101	3/19/2021	IN	30	F	3/18/2021	3/18/2021	1022 - Patient received her 1st Pfizer vaccine by RN. She noted a history of vasovagal syncope to needles in the past (did not seem like it was complete syncope to all needle sticks per RN). RN offered for her to lie down, but she said she felt ok sitting. She did not endorse any history of severe allergies or reactions to injectables in the past; she was asked the necessary questions prior to vaccination. We later learned she has Crohn?s and is on immunosuppressant Imuran for this disorder. 1023ish ? walked to checkout area 1025 - While sitting at the checkout registering for her second shot she started to feel faint and checkout staff called for help 1026 - RNs were getting the BP cuff on her. She appeared obtunded and slouching in her chair- eyes closed. Gentle sternal rub and she was able to open her eyes and tell us what her name was and ask to call her dad. BP 90/58. Cold cloths placed on her neck. Continuous pulse ox monitor placed, showing 99%. 1030 - Still drowsy and diaphoretic. Able to tell us that "she passes out when she gets shots" C/O nausea and vomited. Still in and out of awareness. NP is site coordinator is now present and suggests taking patient by wheelchair to safer and more private area for evaluation in SR Room. Patient able to stand and transfer to wheelchair, which we did slowly and carefully. 1034 ? Now in safer and more private area SR room with NP and RN and Dr. Firemen are here and assessing the scene with medic assessing patient. Ambulance in route, about 5 - 10 minutes out per radio communication. Checking BP every 2 minutes. Now is 68/44. C/O nausea and vomited. Pulse ox won?t pick up. Patient with decreasing LOC, eyes rolling back in head, unable to maintain posture seated, and not able to describe symptoms to us (unknown if she felt itchy but no obvious cutaneous manifestations). Unable to visualize oropharynx. 1037- BP 57/40. NP administered Epi pen 0.3 mg dose to L lateral thigh due to s/s of systemic allergic reaction/anaphylaxis including 3 known body systems: hypotension (cardiovascular), vomiting (GI), and decreased LOC (neuro). No IV fluids immediately available but were preparing to obtain. Staff getting cot for patient to lie down. Provider spoke with her mom on the phone and informed her of event. Mom confirmed that she has often before passed out with vaccines and blood draws. Dad was on his way to center and rerouted to ER. 1038 - BP 68/45 Talking to medics and able to tell

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1117041	3/19/2021			U			<p>them she ate breakfast and that she has a hx of Crohn's and takes a monthly injection. Informed provider that her dad was on his way. EMS team here to transport to ER. We were preparing to put her on a cot so help with her blood pressure/blood flow when she started to stabilize and EMS arrived with stretcher. 1040 - BP 97/53. Patient is now alert and talking to us. Says she has had syncope in the past ?but never anything like this.? 1041 - BP 115/53. Patient still alert and talking. Oriented x 3. 1042 - Transported to ER by EMS ambulance on stretcher. DEBRIEF: Somewhat atypical (no obvious cutaneous manifestations) and rapid, severe reaction. Ddx vasovagal vs anaphylaxis. Response to epi consistent with anaphylaxis reversal. Perhaps immunosuppressant medication contributed to severity and rapidity of reaction.</p> <p>I had a heavy rash above my cheeks; My eyes turned black and blue; This is a spontaneous report from a contactable consumer (patient). A patient of unspecified age and gender received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), via an unspecified route of administration on an unspecified date, single dose for covid-19 immunisation. The patient's medical history and concomitant medications were not reported. Patient's eyes turned black and blue and patient had a heavy rash above the cheeks after vaccination on an unspecified date. The outcome of the events was unknown. Information on the lot/batch number has been requested.</p>
1117233	3/19/2021	NY	64	F	3/11/2021	3/11/2021	Pt reports some facial drooping in the right eye about 30 minutes after the vaccine. She also reports a numb sensation in the jaw followed by jaw pain. She compares it to a Bell's palsy type reaction. She drank a lot of water and reports symptoms resolved within 30 minutes and did not return.
1116982	3/19/2021	NC	65	F	3/10/2021	3/12/2021	Blurry vision, difficulty with memory, nausea, brain fog, weakness right hand, weakness both legs, pins and needles sensation toes, slight headache, sore arm

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1117234	3/19/2021	NJ	72	F	3/19/2021	3/19/2021	while patient was waiting the 15 minutes post vaccine in the waiting area she reported feeling tingling in her tongue. she described the feeling as if "brushing her tongue with a very sharp toothpaste". told the patient that we will keep her for an additional 15 minutes to make sure it doesn't get worse or if it gets better. After 30 minutes the patient reported no change. Gave the patient 10ml (25mg) of liquid benadryl ( 12.5mg/5ml sus) which she said she will not take just yet but wait a little longer. took patients blood pressure which was high 160/100 (patient has history of BP) told the patient to wait inside the counseling room where I can keep a direct eye on but will check her BP again in 15 mins. after 15 mins the patients blood pressure was 140/85. she stated that her tongue was feeling a little better but the sensation wasn't completely gone. she said that she feels comfortable leaving and that she will take the benadryl if she felt worse. Tried calling the patient at 6:30pm but patient didn't answer.
1116967	3/19/2021	MN	85	F	1/13/2021	1/15/2021	Significant decrease in visual acuity. Symptoms started 2 days after vaccination (1/15/21). Present for 2 days at severe levels, then improved partially. Can no longer read test. Patient had macular degeneration at baseline,. She has since seen her vitreoretinal specialist who reports no acute changes identified. Also reported 2 days of chills, fatigue, muscle spasms, diarrhea starting 1/15/21 as well. Those symptoms completely resolved after 2 days.
1116950	3/19/2021	OK	38	F	3/10/2021	3/10/2021	Immediately after vaccination #1 at 0945 pt. noted "fuzziness, then cold at injection site and throughout body." BP at 1010 was 140/100. By 1040 BP was 130/88 and "coldness" had resolved and "fuzziness" had improved. States also that her distance vision had been blurred at 0945 but had resolved by 1040. She left the POD ambulatory at 1050. Follow up call 3/19 finds no sequelae; pt. reports complete recovery. Is scheduled for #2 dose 3/31. Advised to report event and BP spike to her doctor and be advised about receiving 2nd dose.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1116935	3/19/2021	DE	77	F	3/15/2021	3/15/2021	Allergic reaction with bright redness and swelling of face, tingling, itching and swelling of tongue, mouth, gums, tingling, heat and itching in hands and fingers, feet, insoles, between toes, in crook of arms, behind knees, itchy eyes, ears, scalp, increased itching throughout body
1116908	3/19/2021	TX	51	F	3/19/2021	3/19/2021	Numbness of the lips hands and feet. Swelling of the hands purple red rash a long arms. Highly elevated blood pressure. Tunnel vision. Shaking. 30 minutes after receiving second vaccine for Covid.
1116875	3/19/2021	NY	39	M	3/19/2021	3/19/2021	Patient received vaccine and immediately had visual disturbances, felt nauseous, and felt light headed. Patient brought to cot to lay down.
1116869	3/19/2021	CA	38	M	3/19/2021	3/19/2021	Pt recieved vaccine @ 1112 and immediately fainted, eyes rolled back in his head. Noted to be very pale, diaphoretic and cool to touch. B/P 72/42, HR-44, O2 sat 96%ra. Pt reports anxiety and history of passing out at dentist office. 1120 b/p 58/40, 98%ra, hr-68. cont to be diaphoretic, cool to touch and pale. 1137 pt reports feeling better was given crackers and water @ 1115. EMS called by site lead. EMS assessed pt and he refused to go to the hospital. Pt encouraged to follow up with MD. 1157 O2 sat 96% hr-62, pt ambulated with staff for 20 minutes prior to discharge at 1158. Team Lead okayed pt to drive himself home.
1116858	3/19/2021	CA	74	F	2/13/2021	2/15/2021	General feeling of illness, loss of appetite, mild nausea, extreme fatigue, red eyes with blurry vision which lasted 2- 1/2 days, rested in bed, sleeping much of the time, increased fluid intake

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1116997	3/19/2021	NY	66	M	2/5/2021	2/7/2021	Throbbing of tongue and tingling; Throbbing of tongue and tingling; Tingling around eye and nose; little dizzy; Stuffiness; This is a spontaneous report from a contactable 66-year-old male consumer (patient). A 66-years-old male patient received the first dose of BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE) via an unspecified route of administration, administered in Arm Left on 05Feb2021 at 10:00 AM (at the age of 66 years old) as a single dose, for COVID-19 immunization. Medical history included HIV positive 31 years asymmetric high T-Cells undetectable viral load; Allergies to medications, food, Penicillin, sulfur drugs, Cypro and levofloxacin (LEVAQUIN); HIV positive, High blood pressure (HBP) and high cholesterol. Prior to vaccination, the patient was not diagnosed with COVID-19. Concomitant medications (received within 2 weeks of vaccination) included HIV medication, high blood pressure, high cholesterol. The patient did not receive any other vaccines within four weeks prior to vaccination. The patient experienced throbbing of tongue and tingling, tingling around eye and nose, stuffiness and a little dizzy, all on 07Feb2021 at 6:00pm. The patient went to the emergency room and was told it's probably a side effect to vaccine and they saw nothing serious. The patient reported that he called 911 a few days later and was told the same thing. This episode occurs at least 3-4 times per week and lasts for about an hour and then goes away. Treatment was not received for the events. The events of Throbbing of tongue and tingling, Tingling around eye and nose, little dizzy required Doctor or other healthcare professional office/clinic visit and Emergency room/department or urgent care. Since the vaccination, the patient was tested for COVID-19 (Antibody test as well as nasal swab) on 12Feb2021 with negative result. The clinical outcome of the events throbbing of tongue and tingling, tingling around eye and nose, little dizzy and Stuffiness was not recovered. The batch/lot numbers for the vaccine, PFIZER-BIONTECH COVID-19 mRNA VACCINE, were not provided and will be requested during follow up.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1117504	3/19/2021	PA	19	F	3/18/2021	3/19/2021	Felt fine the night before. Woke up at 6:00 a.m. with fever, chills, puffy bottom eye lid, watering, irritated eyes, redness and swelling on upper cheeks, swollen at site of vaccination, slight redness at vaccination site, headache, and my body felt heavy and slow. Towards the Evening, I still had symptoms such as redness in eyes, slightly swollen bottom eyelids, redness and swelling in upper cheeks, fever, chills, watering, irritated eyes, headaches, and my body feels slow, but not as slow as in the morning.
1117637	3/19/2021	IL	26	F	3/18/2021	3/18/2021	Patient stated that she received her vaccine in her left shoulder and then noticed a tingling of her left arm. Patient remained seated and then states that the next thing she noticed that she was being woken up by bystanders. Bystanders stated that she lost consciousness fell forward and hit her head on the floor followed by a few shaking/jerking motions and then regained consciousness after approximately 10-15 seconds. Patient denied any prodromal symptoms leading to her fall such as headaches, vision changes, lightheadedness/dizziness, nausea/vomiting, warmth, chest pain or shortness of breath. States that after waking up she noticed pain on the left side of her head where she hit her head. States that after her fall she felt fully aware denies any confused/disoriented state, tongue biting, urination or any other symptoms. Pt had a 4 x 5 cm scalp hematoma on left forehead and tachycardia. Pt was A&Ox3, was able to ambulate, and was discharged from the Emergency Department.
1117605	3/19/2021	CA	52	F	3/16/2021	3/16/2021	Swelling and sunburn feeling in right eyebrow, right eyelid, right inner ocular area. Itching and sensitivity in left outer earlobe.
1115754	3/19/2021	VA	30	M	3/6/2021	3/7/2021	Headache lasting at least 12 days (time of appointment scheduled) w/ sensation of "foggy" vision day after vaccine (that resolved after that). Headache is improving, but not resolved at day 12, and was "excruciating" day after he received.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1117577	3/19/2021	TX	50	F	3/6/2021	3/7/2021	Got vaccine around 10:00 a.m. About 30 minutes after shot, I suddenly felt very exhausted, but it passed within another 30 minutes. A few hours later, pain in upper arm got pretty intense. Then around midnight, the pain in my upper arm had grown so severe that it was spreading into my shoulder and neck. By 2:00 a.m., I woke up in sever pain in my face, not able to open my mouth because my jaw hurt so much. I went back to sleepI was not able to open my mouth until I repeatedly coaxed it open, around 8:00 a.m. By 10:00 a.m., my eyes itched like crazy and were red. My jaw getting stuck shut and my eyes itching insanely are why I'm completing this form.
1116077	3/19/2021		45	F	3/19/2021	3/19/2021	3/19/2021 Patient was observed post Covid-19 immunization for 30 minutes based on pre-vaccination screening . During the observation period, she experienced an adverse reaction with the following symptoms: . BLURIED VISION Assessment : Time of assessment . 1034AM Actions taken: VS TAKEN, BP-130/89, HR-72, O2 100%, WATER OFFERED AND DRINKING, ENCOURAGED TO EAT AS SHE VOICES THAT SHE HAS NOT HAD FOOD TODAY, HAD DRIVER WITH HER. Medications administered: No medication administered. Disposition: Reports no further symptoms of adverse reaction after observation for . minutes. Discharged home. Instructed to call 911 for trouble breathing, rapid heart rate, dizziness, swelling of tongue or throat. Immunizations Administered Name Date Dose VIS Date Route Pfizer COVID-19 Vaccine 3/19/2021 10:00 AM 0.3 mL 12/11/2020 Intramuscular

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1117573	3/19/2021	AZ	75	F	3/17/2021	3/17/2021	6 hours after 2nd dose of vaccine I could feel my body starting to react. Aches and pains increased as the time went on. I went to bed and around 12 hours after the injection I got a headache that was unbearable. It felt like someone was hitting my head with an ax. The pain was excruciating. I went through the night with the pain feeling like my head would explode. In the morning I was totally exhausted and my body hurt all over. I took Tylenol and went back to bed. Put warm cloths on my head and face. My sinus hurt, my teeth hurt. my throat hurt. my eyes hurt. Awful!!! Spent the entire day in bed. I continued taking Tylenol every 6 hours. It did help a little. By Friday I was seeming to feel a little better. Still have mild headache and body aches and stomach upsets; but better than the first 24-36 hours. Hoping to continue to improve each day. Never expected any side effects as severe. Most people said sore arm and feeling tired. I do hope the worse is over.
1117227	3/19/2021	KY	53	M	3/5/2021	3/5/2021	Since shot constant headache, double/blurred vision right eye, diagnosed as 3 Third Nerve Palsy by primary doctor and ophthalmologist.
1117532	3/19/2021	WA	17	M	3/19/2021	3/19/2021	PT FELT FAINT AND SHAKY AND STATED THAT HIS VISION WAS VIBRATING. HAD THE PATIENT RECLINE AND ELEVATE HIS FEET APPLIED COLD PACKS TO THE BACK OF HIS NECK AND WRISTS HAD HIM SIP SOME WATER.
1117575	3/19/2021	NC	51	F	3/19/2021	3/19/2021	20 minutes after receiving injection developed slight double vision, dizziness and fatigue. Symptoms are mild. Double vision and dizziness resolved after 1 hour, fatigue remains.
1117492	3/19/2021	NY	55	F	3/16/2021	3/17/2021	blood shot eyes, watering eyes, severe pain, stomach issues

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1117485	3/19/2021	CA	77	M	2/12/2021	2/24/2021	At this point I am going to give you an account of my past 14 months health and how I know it is related to the covid virus. i am sure i have had long covid from december 2019 or january 2020 to the present based on symptoms i incurred on these dates. On my first night I ended up vomiting my guts out at 2:00 in the am. The following 2 weeks I had constant diarrhea. At the end of those 2 weeks, i ended up in emergency room. And this all happening when i haven't vomited in over 30 years. vital signs and blood work were good at the hospital and the drs were confused as to why i felt so bad. i returned home the next day where our permanent home is, and 3 months later the covid thing surfaced. at first being thought of as a respiratory disease. then in the past months it is surfacing that it may now be considered a gastrointestinal disease that progresses to a respiratory disease. after checking the five main symptoms of long covid i discovered that i have at least 3 of the 5 common symptoms for this. Those being extreme fatigue, joint pain, and cough. In addition to the long covid symptoms, I have encountered tasting issues on and off again. I have had many discussions with my primary care doctor, and no results or conclusive information came from my inquiries. Then on feb 12, 2021 I got my first moderna shot. About 2-3 weeks later I encountered a sharp pain in a muscle in my neck left side. Shortly thereafter I got very light headed. Then another week later while driving a motor home, I encountered a frightening experience with my eyes, and the neck pain and soreness was still there. My vision was very blurred and I was seeing double vision at different angles. I ended up at the medical center and was admitted for 4 days. Before I was admitted, I saw a local ophthalmologist here and he diagnosed me with a condition known as ?edema in optic nerve, inferior, consistent with optic nephropathy?. The symptom I had to get me to the doctor was I was losing eyesight in my left eye. After hd steroid treatment for 4 days, and a plethora of tests, including spinal tap, multiple mri?s, and probably over 20 blood tests (11 at one draw), I was released 3-18-2021 and still can?t see above the equator line of my left eye. And I also am extremely sensitive to light. I also have sensitivity inside my eye as best described as a soreness, especially when I try to look upwards. I have a follow up appt with the ophthalmologists that I first saw that advised me to get to

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							the hospital. And that is on mar 26th 2021. to mention another point of interest, my granddaughters boyfriends mother is a charge nurse at the emergency ward at the hospital, and she has said that they also have recently encountered emergency patients, who have recently received moderna, and are also having issues with eye problems. What problems in particular, I haven't a clue at this time. This is at the very least, extremely alarming to me, and I have no idea whether I may completely lose all function of my left eye., or not. But I adamantly feel this should be investigated by the cdc and any and all other agencies that should be involved. I would be willing to have further discussions via phone or whatever to help you out with an investigation.
1117478	3/19/2021	CA	63	F	3/12/2021	3/13/2021	I was vaccinated on Friday morning. Everything seemed OK. On the next day Saturday, I felt some numbness on me left upper lip and right tooth. The numbness increased and changed to my left face paralysis. I could not chew or close my left eye totally. My husband brought me to the ER on Tuesday morning. They diagnosed that I had peripheral Bell's palsy and gave prescription to me with antiviral medicine, prednisone, eye ointment and eye drops, and shield to cover my left eye while I go to sleep. Today is Friday, one week after I got vaccinated. I also go to get acupuncture.
1117417	3/19/2021	MN	63	F	3/13/2021	3/13/2021	Moderna COVID-19 Vaccine EUA. About 5 hours after vaccination I noticed red lines across the tops of my eyelids. It looked like someone had scratched across the lids. My skin felt irritated and the lids of my eyes started to swell. The swelling was not enough that I couldn't open my eyes but my lids felt very heavy. I could feel the skin was raw and raised where I could see the red line. It took at least 4 days to the swelling to completely go away.
1117384	3/19/2021	NY	23	M	3/19/2021	3/19/2021	Lightheaded, blurring of vision. Paleness, diaphoresis Hypotensive and bradycardia. Shock. Remained awake BP 58/30 Pulse 40 / min Immediately sent to Emergency Department

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1117326	3/19/2021	WA	71	F	3/18/2021	3/19/2021	With the first vaccine I had a strong hypoglycemic episode 30 hours after the injection. The next day, about 24 hrs. later I became very dizzy but didn't develop shaking, diaphoresis, or black spots in my vision. (I've had hypoglycemic episodes rarely, maybe every several years, but I know well what they feel like. No further episodes since then. I wasn't prepared for the episode and didn't have candy or orange juice handy. It required I lay down for 10 minutes while I was very shaky and cold, clammy diaphoresis. Pita Chips helped---I presume. Yesterday I received the second dose and 29 hours later I started getting hypoglycemic again but quickly drank some concentrated sugary lime juice. I remained slightly shaken but never developed black spots or diaphoresis. I still felt too light and shaky so I had another half glass of juice and feel normal after about 10 minutes. When I reported this, my daughter, who is an ER doctor, was doubtful the first time it was vaccine related because of the 30 hour gap. Before receiving the second dose, the doctor there also didn't believe it was related for the same reason. But I find it very odd now that after both vaccines, at around the 30 hour mark, I had the same effects. Except for a slight migraine- like headache, no other real symptoms---- maybe some lethargy. I'm not diabetic, so I'm not on insulin or diabetic pills. I take a lower dose of blood pressure meds and have well-controlled hypertension. I can't even remember the last time (in years) I had hypoglycemia, but I've never had it as bad as I did the first time. Since I caught it this time with the juice and stopped the symptoms, I don't know if it would have reached the level of the first dose of vaccine.
1117302	3/19/2021	FL	61	F	3/18/2021	3/18/2021	My eyes Swelled within two hours. Headache within 24 hours. Benadryl helped with the swelling. Still swollen after 48 hours
1117560	3/19/2021	NY	63	F	3/4/2021	3/5/2021	Next morning (7am) sweating, nauseous, blurred and double vision, and dizziness. Went back to bed for about 2 hours and woke up with slight dizziness. Sweats and nausea were gone

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1116350	3/19/2021	OK	34	F	3/10/2021	3/13/2021	Horrible headache started a few hours after injection with nausea, but backed off by next morning. By Saturday, the headache was back with the nausea and I began feeling very itchy. When I woke on Sunday, I had hives and a rash all over my face and most of my left side, which is the side I got my shot. Called Dr Monday and was sent to urgent care, who then sent me to the ER. Heart rate was high, hives, rash, headaches, nausea, swollen eyes and face, swollen lymph nodes
1116431	3/19/2021	NJ	85	M	3/1/2021	3/3/2021	temporary blindness for 10 minutes in one eye
1116423	3/19/2021	CO	22	M	3/17/2021	3/17/2021	Around 10pm, I was suddenly very tired and could not stop yawning. I typically am up until 12-1 most nights so this was out of the ordinary. While getting ready for bed I became very nauseous and almost threw up. I had waves of nausea for around 20 minutes. When I stood up I had chills throughout my body and my skin was covered in goosebumps. A little later, my vision started to go black and I felt dizzy and light-headed. I went to bed shortly after in hopes of sleeping it off (probably 10:45-11). Around 2 am the following morning, I woke up and had a hot flash (could have been a fever but I did not check my temperature). I was able to fall back asleep and felt normal when I woke up at 7:30 am.
1116417	3/19/2021	WA	89	F	3/12/2021	3/13/2021	patient reported 20 minutes of visual hallucinations about 15-17 hours after 2nd dose of COVID-19 vaccine and passed out for possibly 5 minutes. during fall she injured right low leg, but no evidence of DVT on exam today (6 days after fall).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1116409	3/19/2021	SC	68	F	3/19/2021	3/19/2021	10 minutes after receiving 2nd dose of moderna covid Vaccine patient complained about itching and burning at and near site of injection. Her arm was red from scratching. Patient denied any reaction for first dose of vaccine. Patient denied SOB or swelling around eyes nose or mouth. Patient denied itching in mouth or throat or any other site besides site of injection. Patient was offered benadryl for local itching but denied any. Patient was advised to stay close to pharmacy for further observation for 40 more minutes. After 15 minutes of the reaction patient said itching and burning was subsiding and felt no other signs or symptoms of itching or allergic reaction. Patient was advised if any other side effect including what to look out for in regards to severe side effects and what to do in the event of those side effects.
1116403	3/19/2021	FL	42	M	3/12/2021	3/12/2021	5:59 pm c/o "slight" lightheadedness. denies dizziness blurred vision. Skin W/D
1116396	3/19/2021	GA	62	F	3/14/2021	3/17/2021	sore throat, dizziness, right eye pain, diarrhea, leg pain, fatigue, soreness at site area
1116435	3/19/2021	FL	70	M	2/13/2021	2/16/2021	pt stated that he got the covid vax he developed head ache and fatigue. Around the 4th day he started having a tickling and numbness around the mouth area. On 3/1/2021 he felt a difference and could tell something was going. He went to see his PCP on 3/2/2021. He was diagnosed w/ Bells Palsy. He did not give him any meds that day. When he got home his symptoms got worse. He contacted his PCP which then prescribed steroids and baclofen. Pt is applying warm compresses and messages. He has also had acupuncture. His left eyebrow is downward and the left side of his mouth is drooping. He feels like he has sand in left eye.
1116384	3/19/2021	CA	32	M	3/17/2021	3/17/2021	felt injection, eyes in disarray, unresponsive, vomiting



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1116232	3/19/2021	CA		M	1/18/2021	2/1/2021	blindness in one eye; floater in eye; A spontaneous report was received from a consumer concerning a 72-year-old male patient of unknown race and ethnic group who received Modern's COVID-19 vaccine (mRNA-1273) and developed floater in eye and blindness in one eye. The patient's medical history included diabetes and hypertension. Concomitant medications taken by the patient reported were blood pressure medications and diabetes medications. On 18-Jan-2021, the patient received their first of two planned doses of mRNA-1273 (lot/batch: unknown) via unknown route of administration and at an unknown anatomical location for prophylaxis of COVID-19 infection. On 01-Feb 2021, the patient was seeing floaters in eye. On 03-Feb-2021, the patient was blind in one eye and was hospitalized with the issue till the date of reporting. No treatment information provided. Action taken with mRNA-1273 in response to the events was not reported. At the time of this report, the outcome for floaters in eye was recovered on 02-Feb-2021 but the outcome for blindness in one eye was unknown.; Reporter's Comments: Very limited information regarding these events has been provided at this time. Further information has been requested.
1116312	3/19/2021	GA	55	M	12/30/2020	2/22/2021	After 1st vaccine , patient had mild ptosis to left eyelid that was intermittent. After the 2nd dose on 1/27/21, patient had more pronounced ptosis to left eyelid, worsening after approximately 3 weeks. The patient is experiencing improvement at this time, but seems to be aggravated with seasonal pollen experience.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1116307	3/19/2021		70	F	3/3/2021	3/5/2021	Bell's Palsy on the right side of the face; A spontaneous report was received from an consumer who was also a 70 years old, female patient who experienced Bell's Palsy on the right side of the face (facial paresis). The medical history of patient's family included Half-brother with Bell's Palsy since an unknown date. Concomitant product use was not provided by the reporter. On 03 Mar 2021, prior to the onset of the symptoms, the patient received the second of two planned doses of mRNA-1273 (Batch number: 031M20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 05 Mar 2021, the patient experienced the event facial paresis. Symptoms included: she could not blink her right eye, could not move right side of mouth and droopy right side of face. Treatment information was not provided. The patient received both scheduled doses of mRNA-1273 prior to the events; therefore, action taken with the drug in response to the events is not applicable. The outcome of the event, was not reported; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1116304	3/19/2021	KS	46	M	3/16/2021	3/16/2021	<p>Progress Notes (Nurse Practitioner) Family Medicine  Cosigned by: MD at 3/18/2021 2:57 PM Expand  AllCollapse All Subjective male who was seen at  Clinic today for his first dose of the COVID 19  vaccination. He was given the Pfizer vaccination in the  left deltoid muscle. During his 15 minute waiting period  after the injection, the patient began to experience  lightheadedness. He denied rash, welts, difficulty  breathing, difficulty swallowing, wheezing, throat  tightness, itching, dizziness, facial swelling, lip swelling  and tongue swelling. This provider was notified of  patient reaction and he was then assessed in the  emergency bay area. Monitored patient for severe  reaction symptoms, including but not limited to blood  pressure abnormality , chest pain, collapse, hypotension  and rapid progression of symptoms. Pmh: htn, hld and  sleep apnea. ALLERGY REVIEW OF SYSTEMS:  Patient denies chills, fever, malaise/fatigue, facial  swelling, sore throat, frequent throat clearing, eyes  watering, eyes itching, cough, chest tightness, shortness  of breath, wheezing, rash, hives, itching of skin, vomiting,  abdominal pain, muscle aches, joint pain, dizziness and  headaches (negative for headaches) Denies vision  changes.: +lightheaded, lips tingling: Previous  Reactions: none Objective Vitals Vitals: 03/16/21  1429 03/16/21 1432 BP: (!) 182/96 (!) 173/105 Pulse: 86  SpO2: 99% Physical Exam Vitals reviewed.  Constitutional: General: He is not in acute distress.  Appearance: He is obese. He is not ill-appearing.  HENT: Mouth/Throat: Mouth: Mucous membranes  are moist. Pharynx: Oropharynx is clear. Eyes:  Extraocular Movements: Extraocular movements  intact. Conjunctiva/sclera: Conjunctivae normal.  Cardiovascular: Rate and Rhythm: Normal rate and  regular rhythm. Heart sounds: Normal heart sounds.  Pulmonary: Effort: Pulmonary effort is normal.  Breath sounds: Normal breath sounds and air entry.  Skin: General: Skin is warm. Coloration: Skin is not  pale. Findings: No rash. Neurological: General: No  focal deficit present. Mental Status: He is alert and  oriented to person, place, and time. Psychiatric:  Mood and Affect: Mood normal. Thought Content:  Thought content normal. Judgment: Judgment  normal. Tingling resolved. Still feeling lightheaded. Pt  rested and had snacks and water. Slowly</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

lightheadedness was reducing in severity. After 15 minutes of observation, he was able to stand w/o increased lightheadedness. He ambulates the bay w/o difficulty. Assessment/Plan Treatment included: water and snacks Follow up response to treatment: good. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) and Red flag symptoms (CP, SOB, NVD, Visual/Neuro concerns) Lightheadedness/elevated bp. Anxiety as well. Review of his prior bp numbers in epic records show fluctuation of his bp ranging from 180's to 140's. Recommended that he monitor bp at home. He doesn't have red flag symptoms related to elevated bp. He's to follow up with pcip accordingly. Electronically Signed 3/16/2021 2:29 PM

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1116243	3/19/2021	TX	77	M	1/29/2021	2/4/2021	blood pressure was high at 160/90; Injection site reddish and oval shaped; Itching around the injection site; Left eye blood covered inside; Kind of sleepy; A spontaneous report was received from a consumer who was also a 77-year-old male patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and reported left eye blood covered inside (eye haemorrhage), feeling kind of sleepy (somnolence), itching around injection site (injection site pruritus), injection site reddish and oval shaped (injection site erythema), and high blood pressure at 160/90 (blood pressure increased). The patient's medical history was not provided. Concomitant medications included flecainide acetate and finasteride. On 29 Jan 2021, approximately four days prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Lot number: 004M20A) intramuscularly for prophylaxis of COVID-19 infection. On 04 Feb 2021, the patient felt kind of sleepy. On 05 Feb 2021, his left eye was covered with blood inside and he felt itchiness at the injection site. On 07 Feb 2021, the injection site became very red and was oval in shape and it was about two an half by four inches. On that same day, his blood pressure was high at 160/90. He said his normal blood pressure was 20/70. Treatment information was not provided. Action taken with mRNA-1273 in response to the events was unknown. The event of blood pressure was high at 160/90 was not resolved at the time of this report. The outcome of left eye blood covered inside, kind of sleepy, itching around injection site, and injection site reddish and oval shaped was unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.
1116222	3/19/2021	GA	72	M	3/18/2021	3/19/2021	Pt received vaccination around 9am on 3/18. Started having lip swelling next day and presented back to the pharmacy on 3/19 around 1:15pm. Pt states he was having no tongue swelling or any other symptoms, just swelling of the lower lip. We administered 25mg of benadryl and kept an eye on him in pharmacy for 15 minutes and he said he was feeling fine and would check back with us. Pt is an associate so pharmacy is keeping an eye on him.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1116835	3/19/2021	WV	30	F	3/17/2021	3/17/2021	onset of extreme fatigue within a few hours. by 8 pm strange pains all over my body: toes, fingers , arm, my scalp hurt. Nausea, dizziniess, fever, extreme chills, my head felt so heavy, burned to breathe through my mouth, cloudy vision, dry mouth, extreme pain in left arm pit, painful to lower my arm
1117589	3/19/2021	MD	42	F	3/14/2021	3/15/2021	The right side of my nose, mid way up thru the first part of my eyebrow has been twitching/wuovering since Monday evening 3/16 pretty much non stop. I received covid 19 vaccine step 1 on 3/15

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1116388	3/19/2021	KS	21	F	3/17/2021	3/17/2021	<p>Progress Notes Nurse Practitioner COVID VACCINE CLINIC Subjective Patient is a 21 y.o. adult who was seen at SVH COVID Vaccine Clinic today for patient's second dose of the COVID 19 vaccination. Patient was given the Pfizer vaccination in the left deltoid muscle. During patient 15 minute waiting period after the injection, the patient began to experience rash, hives, throat tightness and dizziness. Patient denied difficulty breathing, difficulty swallowing, wheezing, hoarseness, stridor, itching, lightheadedness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and patient on was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to abdominal pain, blood pressure abnormality , chest pain, collapse, drooling, hypotension, increased swelling, rapid progression of symptoms, respiratory distress, skin changes, tongue swelling and vomiting. ALLERGY REVIEW OF SYSTEMS: Patient complains of frequent throat clearing, itching of skin and headaches CONT negative Eyes negative Respiratory negative GI negative Musculo negative Previous Reactions: Itching with first Covid shot Objective Vitals Vitals: 03/17/21 1501 03/17/21 1508 03/17/21 1523 BP: (!) 157/100 (!) 154/66 (!) 170/65 Pulse: 90 84 90 SpO2: 99% Physical Exam Constitutional: Appearance: Normal appearance. Patient is well-developed. HENT: Head: Normocephalic. Right Ear: Hearing normal. Left Ear: Hearing normal. Nose: Nose normal. Mouth/Throat: Lips: Pink. Mouth: Mucous membranes are moist. No angioedema. Pharynx: Oropharynx is clear. Uvula midline. Eyes: General: Vision grossly intact. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Normal breath sounds. Neurological: Mental Status: patient is alert. Psychiatric: Behavior: Behavior is cooperative. Pt had taken benadryl before her visit. She was given Zytac and still had some rash and hives, but the throat tightness had went away. She was given water and crackers while in the bay. Assessment/Plan Treatment included: antihistamines Follow up response to treatment: excellent. Patient discharge: Stable to go</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1116629	3/19/2021	MD	41	M	2/24/2021	3/12/2021	home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) Left at 3:42 Electronically Signed 3/17/2021 3:40 PM Left sided Bell's Palsy starting 12 March with numbness and change in the taste in his mouth. By Sunday, March 14 she started to develop left sided facial weakness, particularly his mouth. He denied any drooping on his mouth and noted some drooping near his nostril. He was also unable to move his eyebrows on that side. Starting on Monday, March 15 he began to have difficulties closing his left eyelid.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1116217	3/19/2021	KS	70	F	3/16/2021	3/16/2021	Progress Notes (Nurse Practitioner) ? ? Cosigned by: MD at 3/18/2021 2:57 PM Expand AllCollapse All COVID VACCINE CLINIC 3/16/2021 Date: 3/16/2021 Subjective Patient is a 70 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle in the medical bay by staff given prior allergic rxn to unspecified eye gtt. During her 30 minute waiting period after the injection, the patient began to experience headache. She denied rash or SOA This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to red flag findings. PMH anaphylaxis to unspecified eye gtss, prompting vaccine to be given under observation in medical bay. During 30" observation period, pt developed mild headache. Pt treated with Tylenol 500 mg tab x 2. ALLERGY REVIEW OF SYSTEMS: Patient complains of headaches Mild headache during 30" observation period: CONT negative HENT negative Eyes negative Respiratory negative Skin negative GI negative Musculo negative Previous Reactions: anaphylaxis to an unspecified eye gtt as a teenager Objective Vitals Vitals: 03/16/21 1522 BP: 110/68 Pulse: 55 Physical Exam Constitutional: Appearance: Normal appearance. HENT: Head: Normocephalic. Nose: Nose normal. Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: No oropharyngeal exudate. Eyes: Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Normal breath sounds. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Psychiatric: Behavior: Behavior normal. Clinically, pt developed a mild headache during 30" observation. She was administered her vaccine Dose #1 of 2 in the medical bay after reporting having anaphylaxis to an unspecified eye gtt as a teenager. Assessment/Plan Treatment included: observation, Tylenol, snacks Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1116722	3/19/2021	GA	30	F	3/12/2021	3/12/2021	<p>health) Electronically Signed 3/16/2021 3:23 PM</p> <p>Patient participated in a mass vaccine event with the local school system administered by local pharmacy. After the vaccine was administered the patient was instructed to wait 30 minutes so she could be observed by a school nurse. She said she noticed her lips were beginning to feel numb and looked in the mirror and noticed her face was beginning to turn red. The nurse came over to assess the patient when she noticed the patient was developing hives on her face and neck and her eyes were becoming swollen. The fire department with a paramedic unit was on site and came over to assess the patient. They did not administer any medications as their protocol did not call for medications if the patient was not having difficulty breathing. In the meantime 911 had been called and an ambulance arrived on site. The patient refused transport and the ambulance left the site. The nurse, pharmacist, and school staff would not allow the patient to leave the site until further evaluation for approximately 30 more minutes. The nurse and pharmacist insisted the patient receive 50mg of diphenhydramine orally, and she agreed to comply. The patient's friend was on site and agreed to drive the patient home and stay with her for at least four more hours. The friend was instructed to call 911 if any of the symptoms worsened. The patient was provided with an additional 2 x 25mg diphenhydramine capsules to take in case needed. The nurse called the patient at 1pm, and the patient indicated her symptoms were resolving. The nurse called the patient again at 3pm, and the patient indicated she felt much better. The pharmacist called the patient on 03/15/21 at 4:45pm for additional follow-up. The patient indicated she felt "wiped out" all day on 03/13/21 but felt much better by 03/14/21. The pharmacist instructed the patient that even though she did not have an anaphylactic reaction she should NOT take the second dose of the Moderna vaccine, and that she should not receive the Pfizer vaccine either.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1116777	3/19/2021	MO	72	F	3/18/2021	3/18/2021	5 hours after she received the vaccine she started to have tingling in her toes, fingertips and lips. Those have stopped. She had a temperature of 102 at max about 16 hours post vaccine. She had a couple of minutes of floaters in her eyes and could not see about 24 hours post vaccine. She also has had a headache
1116683	3/19/2021	FL	68	F	3/19/2021	3/19/2021	Tasted and smelled strong clinical alcohol, swollen eyes
1116450	3/19/2021	DC	83	F	3/13/2021	3/14/2021	My mom lhad been up walking around for maybe an hour or so. She then laid down across the bed & when I looked at her, she was drenched with sweat, then she started hacking, almost like she was choking or couldn't breathe. She also started mumbling & called on Jesus. I tried sitting her up, her eyes then rolled back in her head, then this very gold colored stuff started coming out of her mouth (which scared me to death). Her body was so limp, she slid on the floor. I wiped her mouth & also put a cold rag on her forehead to try to cool her down. I dialed 911 & continued talking to her. She started to respond to me & along with my help we were able to sit her back on the bed. EMS arrived, took her vitals.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1116672	3/19/2021	TN	67	F	3/16/2021	3/16/2021	15-20 minutes after the injection, I started feeling a tightness in back of my throat; I broke out in cold sweat. I started getting dizzy and very woozy. I felt my vision starting to close in. I thought I was going to pass out. I got the attention of the person across me to get an attendant and they brought me a chair with wheels. Two people got me up (and I'm not a big person) - they were worried I was going down and I was taken to exam room. They said I was white as a sheet. She checked my eyes and throat a few times and checked my blood pressure. It was lower than normal but she didn't seem really concerned about it - 104 over 60 something which is low for me. She gave me water to sip. She gave me very cold compresses to put on my forehead. They watched me pretty good. She had the epi-pen ready. She watched me and I sat in there and nurse came in a quite a few times to check me for about an hour. About an hour later the tightness went away and I started feeling myself again. We went home. I went to sleep. I woke up at night to go to bathroom and I was still a little woozy but I didn't fall. Next day, I just didn't feel well. My left arm was starting to hurt - was no swelling; it was a little red at injection site. It hurt just a little. I was woozy. My eyes couldn't focus as well. I felt out of it. I drank a lot of water and took a nap. Yesterday, I felt pretty decent but still woozy somewhat. I tried to run errands with my husband - just wasn't quite right. Today, much better but I'm not quite myself yet. Just a little wooziness - weird feeling. Yesterday, I did feel a soreness in the back of my right calf muscle. It wasn't warm to the touch or swollen. I don't have it anymore, it went away. It could have been a muscle thing from the first day of the vaccine when I got home and I got up and almost fell down. I do still have some achiness in joints. Especially in my knees - which isn't normal because they are replaced.
1116691	3/19/2021	WI	65	F	3/17/2021	3/17/2021	Dizziness, nausea, blurred vision, elevated blood pressure, tightness in neck muscles
1116615	3/19/2021	MN	52	M	3/18/2021	3/18/2021	Redness, prickly/itching sensation over face, arms, legs, chest/abdomen, burning sensation on lips and around eyes, pressure/fullness in back of throat, pain in infections site, fatigue, muscle aches.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1116469	3/19/2021	PA	21	F	3/19/2021	3/19/2021	gave patient immunization,told her to wait for 15 minutes. After 5 minutes patient experienced dizziness and feeling light headed. i was talking to patient constantly to keep her alert as much as possible. Her eyes started to roll back slightly and I laid her flat on ground with support behind her head. The patient remained conscious. Took her pulse which was steady and regular, breathing on own without difficulty. 911 was called immediately. After about 2-3 minutes patient was becoming more responsive .After a few more minutes we placed patient on the chair, at which time the paramedics arrived. Patient has had past experiences of fainting due to body piercings or had problems as a child when she was immunized that was later revealed to me by her father. Patient had a flight or fright experience and after another 20 minutes left with her father and boyfriend
1116601	3/19/2021	NC	45	F	3/17/2021	3/18/2021	Burning almost immediately after injection while waiting during the 15 minute observation. No immediate swelling. Pinching sensation at site of injection throughout evening. Due to lack of visual change within an hour or two of injection, area not further observed. Next morning, observed injection site. It was/is swollen and with a small raised, white area at the immediate injection site. Red area surrounding pinpoint injection is approximately 2 inches in diameter and the area is firm with the firmness additionally extending beyond the red area. Would not describe this as a rash. Reporting due to lack of information reported about "Covid arm" relating to Pfizer as compared to Moderna reports of same reaction.
1116599	3/19/2021	MO	43	F	3/16/2021	3/16/2021	My left lower eyelid began to spasm after the onset of a severe headache just after 12 pm. Fatigue, nausea, body aches, and heaviness in my chest began around 4:30 pm. Eye spasms stopped after taking ibuprofen but began again 7 hours later.
1116598	3/19/2021	OH	71	M	3/11/2021	3/14/2021	Occipital stroke involving vision on 3/14/21, was seen at ophthalmologist and sent to Hospital and stroke confirmed on MRI.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1116564	3/19/2021	NY	25	F	3/17/2021	3/17/2021	A few minutes after receiving the shot I noticed extreme tiredness and light headedness. I got up to notify staff and my vision went and I began to feel nauseated. They helped me to a seat and I began sweating profusely and the nausea intensified. After several minutes the nausea and vision changes subsided and I continued to feel extremely tired and light headed. The staff put a heart rate monitor on me and I saw that my heart rate was sitting around 38-42. I felt like I just wanted to close my eyes but the staff kept asking me questions. After several more minutes a cop arrived. Later on an ambulance arrived and when they put the blood pressure cuff on I noticed tingling in my hand from it. I continued to feel light headed and extremely tired through arriving at the hospital via ambulance around 10:30am. These symptoms gradually subsided throughout the afternoon leaving me with light headedness only when walking or moving around. While at the hospital they did an EKG which showed inverted T waves (from what I remember of the PA's description) and so admitted me for observation and performed an echo which came back normal. I was discharged around 10pm on the same night.
1116520	3/19/2021	MA	36	F	3/14/2021	3/15/2021	Pfizer-BioNTech COVID-19 Vaccine EUA Red, itchy, watery eyes. It started when I woke up the next morning. It has gotten worse over the next few days. No other symptoms. Dr. prescribed prednisone, Benadryl, Claritin, eye drops.
1116470	3/19/2021	FL	70	F	1/10/2021	1/10/2021	Had the expected headache and tiredness that continued intermittently from first shot. Just a couple of days prior to second shot, upper teeth pain and some reaction to local high pollen count. Three days post second shot PCP started a course of antibiotics and decongestants thinking it was sinus related. Also had a couple of weeks of night sweats, headache and cheek pain strong enough to prevent sleep and cause difficulty eating. Pain became excessively strong about Mar 8. PCP ordered lab and sinus CT on Mar 11. Neither of which were significant. Night of Mar 12 had significant visual difficulties. March 13 morning the left temporal artery was tender and nodular with pain above left eye and left temple. March 13 suspicion of Giant cell Arteritis and administration of high dose steroids begun in afternoon.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1116609	3/19/2021	OR	69	F	3/13/2021	3/13/2021	Described flushing on her face, took her own blood sugars = 62, then ate, came up to 300. Described eye swelling. Stayed for full 30 min after vaccine. All symptoms went away and counseled to f/u with PCP or go to ED if urgent symptoms returned.
1116678	3/19/2021	CA	65	F	2/16/2021	2/16/2021	within 10-30 minutes of injection: -left cheek and forehead redness and swelling; cheek/facial swelling not fully resolved as of 3/19/21 (31 days post injection) - numbness, muscle weakness left arm and left leg; leg "heaviness"/numbness symptoms remain as of 3/19/21 (31 days post injection) within hours of injection: - headache, extreme fatigue; fatigue mostly resolved 5-6 days later, headache - primarily left side of face, across bridge of nose, severe pulsing ache intermittent for approximately 6 days. -left eye peripheral vision slightly obscured; resolved 24-36 hours later. -involuntary muscle twitches left side of face, left arm and hand. Mostly resolved 3 days. please see Continuation Page
1116463	3/19/2021	IN	36	F	3/17/2021	3/18/2021	27 hours after vaccine, my left eye started to itch and felt dry. Overnight it began to swell to the point of being closed shut by 4:00am on 3/19. It was also warm and throbbed slightly. I took a Benadryl by 4:30am. Swelling reduced slightly. I took a 2nd Benadryl by 11am swelling reduced slightly. It is 316pm and eye is still swollen and warm to touch. Not swollen shut though. Swelling is all along eyelids, under and above eye and inner corner of eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1111000	3/18/2021	TX	28	M	3/16/2021	3/16/2021	07:40 patient reported to mother that he was "lightheaded and dim vision" then mother witnessed syncope. Nurse assessed patient LOC but breathing was recorded at approximately 1 minute with pallor, cool, and clammy skin. ED was notified of patient transport. Vitals were obtained BP - unobtainable, HR - 44 faint and thready, Resp -10. Patient regained consciousness and informed nurse that he had "white coat syndrome and history of fainting with blood drawn and doctor visits" he apologized for not notifying nurse prior to vaccination. 07:43 patient has second witnessed syncopal episode after reporting "dim vision", patient was lowered to floor with assistance from 3 nurses and bystanders. Vitals obtained - BP - 117/76, HR - 46 Resp - 12. LOC lasted 30 seconds, patient was pallor, skin was cool and clammy. Patient regained consciousness and was alert and oriented x 3. 07:48 patient was assisted to sitting position and then assisted to W/C and escorted to the ED with a nurse, CNA and family for examination and further treatment. Upon leaving patient had pink color, skin was warm, but diaphoretic. Pt entered ED at 07:55 VS BP - 141/83 MAP - 102 HR - 66 RR- 20 SPO2- 96% Temp - 97.9. Pt was observed in ED for an hour and was provided food and liquids after report of not eating or drinking since previous night.
1111065	3/18/2021	FL	80	F	2/11/2021	2/11/2021	I developed bleeding of the left eye in front of the retina. Broken blood vessels. Had my second vaccine and it happened again 3 days later Call me for more information
1111068	3/18/2021	IN	69	F	3/16/2021	3/16/2021	body aches(entire body, including eyeballs) fever 99.8 lasting 24 hours
1111070	3/18/2021	FL	66	F	3/14/2021	3/14/2021	Throbbing arm pain, splitting headache, tachycardia, heart rate up to 115, fatigue, insomnia,, left eyelid swollen



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1111266	3/18/2021	TX	75	M	12/31/2020	1/1/2021	No longer has vision in that eye; Stroke; Sneezing; A spontaneous report was received from a consumer concerning a 75-years-old, male patient who experienced stroke, lost vision in one eye and Sneezing. The patient's medical history was not provided. Products known to have been used by the patient, within two weeks prior to the event, included blood pressure medicines. On 31 Dec 2020, approximately one day prior to the onset of the symptoms, the patient received their first of two planned doses of mRNA-1273 [Lot number 039K20A] intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 01 Jan 2021, the patient reported sneezing and had vision issues. He was told that it appeared he had a stroke. Treatment for the event included eye drops. Action taken with mRNA-1273 in response to the events was not provided. The outcome of the events stroke, lost vision in one eye and Sneezing were unknown.; Reporter's Comments: This case concerns a 75 year old, male patient, who experienced a serious unexpected event of blindness and cerebrovascular accident. Concomitant medication included blood pressure medication. Very limited information regarding this event has been provided at this time. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1111258	3/18/2021	FL		F	1/11/2021	1/11/2021	<p>Reports being tired; Eyes were very irritated; I had a little diarrhea; Had a sore on my arm, it was hard; Had a sore on my arm, it was hard; The injection leaked a bit of liquid from the injection site; The injection leaked a bit of liquid from the injection site; A spontaneous report was received from a consumer who was also a 69-year-old female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced being a little bit tired, a little diarrhea, the injection leaked a bit of liquid from the injection site, dry eye irritation, and injection site sore and hard. The patient's medical history included dry eyes. Products known to have been used by the patient were not provided. On 11 Jan 2021, prior to the onset of the events, the patient received one of two planned doses of mRNA-1273 (Lot number: unknown) for prophylaxis of COVID-19 infection. On 11 Jan 2021, as the mRNA-1273 vaccine was being given, the patient noted that the injection leaked a bit of liquid from the injection site. She denied a topical reaction. She reported that the side effects were mild, and she was fine that evening. On 12 Jan 2021, she reports having a sore on her arm that was hard. On 13 Jan 2021, she reported that she had a little diarrhea, and her eyes were very irritated, but she noted that she has dry eye to account for this. On 15 Jan 2021, the diarrhea was almost resolved. Treatment information was not provided. Action taken with mRNA-1273 was not reported. The outcome of the events, eye irritation and a little diarrhea, were resolving. The outcome of the events, being a little bit tired and injection site sore and hard, was not provided. The outcome of event, topical exposure at injection site, was resolved on 11 Jan 2021.; Reporter's Comments: The patient's medical history of dry eyes remains a contributor for the event of eye irritation. Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1110952	3/18/2021	NY	22	F	3/18/2021	3/18/2021	Approx 4 min after her vaccine she becomes lightheaded, diaphoretic, weak, and nauseous. She was taken to the medical triage area where she laid down and felt much better within 1-2 minutes. She did not vomit. She did drink a few ounces of orange juice. Symptoms entirely resolved. Pt denies fevers, chills, chest pain, SOB, cough, wheeze, swelling, rash, vomiting, diarrhea, recent illness, chance of pregnancy, headache, and/or visual changes.
1110944	3/18/2021	MO	26	F	3/12/2021	3/16/2021	Developed hives covering chest and neck 4 days following vaccine. Hives have surfaced on and off since 03/16/21. Eyelids become swollen and itchy intermittently. Hives are warm and itchy. No other adverse symptoms observed.
1110880	3/18/2021	MS	30	F	3/17/2021	3/18/2021	approximately 2 hours after vaccine pt states she felt slightly fatigued. at 0130 (early morning) 3/18/2021 she developed chills, then body aches which lasted until 0430. at 0630 this morning she noted puffiness of her face (generalized), no itching, no rash, no respiratory difficulty. She did have a headache that was relieved by tylenol. Her eyes were not swollen shut. Pt reports puffiness is slowly resolving. She took tylenol for the headache -received relief with the medication
1110868	3/18/2021	CA	17	F	3/17/2021	3/18/2021	Welt appeared under right eye 5 hours after injection.
1110723	3/18/2021	CT	29	F	3/16/2021	3/16/2021	Moderna COVID-19 Vaccine EUA Within 24 h: itchy, dry skin, exhaustion 24h-48h: itchy, dry, peely skin. skin hot to the touch. hot/cold, exhaustion, woke up with swollen left eye, achy

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1111268	3/18/2021	CA		F	2/5/2021	2/5/2021	really extreme adverse reaction; optical nerve pain; waves coming back of chills; dizziness; diarrhea; outer extremities would just shake; doesn't feel right; don't want to die after having this vaccine; fever; right arm had neurological tingles; elevated heart beat/increased heart rate; felt like really hard pressure on chest; hyperventilating; clammy hands and feet; red rash on cheeks and chest; got really hot; sweating; almost to the point of shortness of breath; lost sensation in face; eyes felt very bulged like a pressure; A spontaneous report was received from a consumer concerning a 34-year-old, female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced increased heart rate (tachycardia), right arm had neurological tingles (hemiparaesthesia), got really hot (feeling hot), sweating (hyperhidrosis), almost to the point of shortness of breath (dyspnoea), lost sensation in face (sensory loss), eyes felt very bulged like a pressure (ocular discomfort), felt like really hard pressure on chest (chest discomfort), hyperventilating (hyperventilation), clammy hands and feet (cold sweat), and red rash on cheeks and chest (rash erythematous). The patient's medical history, as provided by the reporter, included anxiety and a history of allergies (but nothing life-threatening). Concomitant product use was not provided. On 05 Feb 2021, approximately 15 minutes prior to the onset of symptoms, the patient received their first of two planned doses of mRNA-1273 (Lot number: 013M20A) in the left arm for prophylaxis of COVID-19 infection. The patient had the first dose of the Moderna vaccine Friday 05 Feb 2021 around 5:00 in left non dominant arm. The patient made the facility aware that she had a history of allergies (but nothing life threatening) so they monitored her for 30 minutes. Within 15 minutes of vaccine administration, the patient developed a red rash on her cheeks and chest. She started getting really, really hot and sweating, and was almost to the point of shortness of breath. The patient got cold water and turned on the air conditioner. She then lost sensation in her face for about an hour and a half, and her eyes felt very "bulged" like a pressure. About 8-12 hours later the occipital bone of her neck was really hot. She feel like she's getting a really extreme adverse reaction. Later Saturday night, 06-Feb-2021, the patient went to the emergency room. She had an elevated heartbeat and increased heart rate, and she felt

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>like really hard pressure was on her chest. The patient was hyperventilating with deep sweats, and said "it keeps coming on and off". The patient reported still getting clammy hands and clammy feet, and that her heart rate kept going up. Though she got vaccine on the left arm, the patient reported that her right arm had neurological tingles. At the ER, patient was given alprazolam; then she was asked to leave. Patient stated she was having waves where she had elevated heart rate about 140-160 and high intense heat along with optical nerve pain. Patient took diphenhydramine which she stated slowed down the heart rate and provided relief although patient was still experiencing waves coming back of chills, fever, sweating and elevated heart rate. On morning of 10 Feb 2021, the patient woke from sleep with extreme high heart rate and she broke out in a sweat. The patient experienced dizziness, diarrhea, and her occipital area behind the neck got extremely hot. She also reported that the rash came back on her chest, and her legs and outer extremities would shake. The patient stated "it doesn't feel right. I don't want to die after having this vaccine. The warm fuzzy reaction has just not gone from my body." Action taken with mRNA-1273 in response to the events was unknown. The outcomes of the events, increased heart rate, right arm had neurological tingles, got really hot, sweating, almost to the point of shortness of breath, lost sensation in face, eyes felt very bulged like a pressure, felt like really hard pressure on chest, hyperventilating, clammy hands and feet, and red rash on cheeks and chest were not reported.; Reporter's Comments: Very limited information regarding this events has been provided at this time. Further information has been requested.</p>
1110674	3/18/2021	PA	83	F	1/22/2021	1/23/2021	<p>I don't have all the info you want, but my Mother In Law, who resides at this senior assisted living center, had falls the day after her Moderna first and Moderna 2nd vaccine. Each landed her in the ER, suspected fainting episode. Lots of testing done, bruised eye and forehead each time. It may be noteworthy to report that she contracted covid 19 dec 30, about 3 wks prior to the first dose of vaccine.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1111403	3/18/2021	IN	62	M	3/16/2021	3/17/2021	Had body aches, cold chills, thought processing was slow and some what scattered, eyes were dilated slightly, loud noises were painful
1110670	3/18/2021	NC	65	F	3/15/2021	3/17/2021	VIRAL PINK EYE Monday 3/15 AM I received the vaccine. That night I had some mild achiness and headache which continued the next day. Nothing exceptional. The next morning, Wednesday, when I woke up I was surprised that my right eye was a bit crusty. It was rather red but not painful. I thought it would go away ignored it but that night I realized it was still red. I did some research about pink eye and realized I fit the description for viral pink eye. But when I saw that 90% of all viral pink eye is caused by the Adenovirus - the same that is used in the vaccine I realized I should report the coincidence. I made an appointment with my doctor to confirm before submitting this report.
1110707	3/18/2021	ID	66	M	2/26/2021	3/4/2021	He received the vaccine, had fatigue, chills one day, but the arm was not terribly sore. Then 6 days later had itching bumps/hives that turn red, and just erupts on his hips, groin, arms in places, abdomen, most parts of his body including his scalp and has persisted. He had it for 4 days and she began giving him Benadryl, which has helped. He still has these areas and reaction. He has been having headaches since he's had these reactions. In Jan/Feb he was having some symptoms, COVID toe, hives, blood shot eye and intestinal problems all at the same time, which they believe he had the COVID virus due to articles that they had read about. He went to a podiatrist who did not know what he was looking at. These reactions are similar to the reaction he had when he believes he had the COVID virus. They live in a ski resort area and they have people coming from all over, and had a lot of friends who had "the flu". He tried to call his doctor twice to get some advice, and was never able to speak to her and the nurses misunderstood what he was calling for.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1111419	3/18/2021	CA	68	M	1/29/2021	2/25/2021	AT around 07:00 on Thursday, Feb. 25th I lifted my head from bed and whole room was spinning violently. Told my wife that something was seriously wrong. Tried to slowly move to side of bed but never made it before falling back into bed. Waited to see if would improve and when it didn't my son and wife put me into car and I was taken to an Emergency Center. I was hooked up for monitoring (pulse OX, cardiac monitoring, and an EKG was taken, Blood Work was done, and the Doctor said he was worried about a stroke/and or tumor because I looked so bad coming into their facility with help from their Nurses and sent me to get a head CT. When trying to get up from CT I fell backwards onto CT table. Whole room was not just spinning but was moving from floor to ceiling and then back to floor to ceiling. When I got back to room Doctor performed tests on moving my head and following his finger with eyes. He had to stop because I was spinning so much. He told me that I had Nystagmus.
1110197	3/18/2021	IN	53	M	3/17/2021	3/17/2021	Blurred vision. Eventually went away after about 10 minutes
1110624	3/18/2021	PA	22	F	3/17/2021	3/17/2021	Immediately after being vaccinated, patient's face and eyes began to swell and became red. Patient denied itching or shortness of breath, itchy throat. Patient given 50mg benadryl at 1900. Patient then complained her throat was itchy and her voice was becoming hoarse. She continued to deny shortness of breath. EMS was called at 1908. EMS arrived at 1920, evaluated patient. Patient found to be stable and was given option to go to the hospital via EMS or go home. Patient decided to go home with her friends.
1111526	3/18/2021	FL	61	M	3/18/2021	3/18/2021	fainting, sweating, eyes rolled back, slouched over in chair then perked back up. still complained of dizziness and sweating. called 911 within 1 min of episode and paramedics came to take over. Patient was talking and coherent but sweaty.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1111520	3/18/2021	MN	62	F	3/17/2021	3/17/2021	About an hour after shot in my left arm, my left eye started twitching on and off and is still doing it. I just want it to be known. Hopefully it is going to stop. It is not something that happens to me very often and would have stopped by now. I did have covid end of November, 2020, a few days in December. I also have gotten covid rash twice since having covid.
1111471	3/18/2021	MI	80	F	3/13/2021	3/15/2021	Tired, Facial swelling (Took zyrec), looks like chipmunk, swelling of left eye brow,
1111394	3/18/2021	CA	36	F	3/9/2021	3/15/2021	Subconjunctival haemorrhage in right eye, itchiness in the eye. Ongoing on date of report. No treatment required.
1111426	3/18/2021	IN	56	F	2/3/2021	2/4/2021	Dose 1. Severe migraine headache roughly 24 hours out, leading to blindness, loss of feeling in limbs, shallow breathing. Went to ER following day. Released. Dose 2. Flu symptoms about 24 hours out. 102 fever. achy. chills, fatigue. Lasted about 24 hours.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1111286	3/18/2021	KY	25	F	1/29/2021	1/29/2021	<p>Diarrhea began about 2 hours after inject as well as fever; Diarrhea began about 2 hours after inject as well as fever; BP had increased to 170s SBP and 120s DBP; Experienced a near syncopal episode; Dizzy/Light headed; Eyes were fluttering; Nausea; Vomiting; This is a spontaneous report from a contactable nurse (patient). A 25-year-old female patient received second dose of BNT162B2, via intramuscular in left arm on 29Jan2021 08:30 am at single dose for covid-19 immunisation. The patient was not pregnant at the time of vaccination. Medical history included PCOS. Concomitant medication included celecoxib (CELEXA [CELECOXIB]), buspirone hydrochloride (BUSPAR). The patient previously took keflex [cefalexin] and cipro [ciprofloxacin] and experienced Known allergies: Cipro and Keflex. Historical vaccine of BNT162B2 at 25 year on 08Jan2021 for covid-19 immunisation. The patient stated on 29Jan2021 10 minutes post vaccine at 08:45 am she became lightheaded and dizzy. It was reported that her eyes were fluttering and experienced a near syncopal episode. Further assessment showed that her BP had increased to 170s SBP and 120s DBP. Her baseline SBP was 1-teens and 1-tens. She also experienced nausea and vomiting at that time. She was taken to ER for cardiac monitoring and eval. BP returned to normal spontaneously. Diarrhea began about 2 hours after inject as well as fever. Highest fever noted was 102.3. Discharged home from ER. Symptoms has subsided 24hrs post vaccine. The patient underwent lab tests and procedures which included blood pressure measurement: increased to 170s sbp and 120s dbp on 29Jan2021, blood pressure measurement: normal on 2021, body temperature: 102.3 on 29Jan2021. The facility where the most recent COVID-19 vaccine was administered was hospital. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient been not been tested for COVID-19. The adverse events resulted in emergency room. No treatment was received for the adverse events. The outcome of the events recovered on an unspecified date of 2021. Information on the lot/batch number has been requested.; Sender's Comments: Based on the compatible time association, the possible contribution of suspect vaccine BNT162B2 to the event</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							blood pressure high cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.
1111402	3/18/2021	MI	72	M	3/18/2021	3/18/2021	About 13 minutes post vaccination veteran stated he was not feeling well when he began to stop responding and speaking, eyes staring off into distance, both arms and legs with stiff minor tremoring. About one minute later head dropped, cold to touch, vet no longer responding at all, three person assistance to ER via stretcher, vet became incontinent and had episode of emesis during transport.
1111386	3/18/2021	IL	67	M	2/17/2021	2/1/2021	I cannot move out of my bed; My vision is also blurred; It am dropping rather rapidly because I am not able to eat; It am dropping rather rapidly because I am not able to eat; This is a spontaneous report from a contactable consumer (patient). A 67-year-old male patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) Lot number EN6200 , on 17Feb2021 at single dose in arm for COVID-19 immunization. Medical history and concomitant medications were not reported. The patient previously received first dose of BNT162B2 (lot number ELI283) on 27Jan2021 and had no adverse effect. The patient was wondering if he hold the current record for the number of days consecutive for a person to have adverse reaction to the second vaccine because it was over a week and he could not move out of his bed. That almost killed him. His vision was also blurred. His weight was dropping rather rapidly because he was not able to eat. The outcome of the events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1111383	3/18/2021	NJ	48	F	2/9/2021	2/9/2021	loss of appetite; spontaneous bleeding under skin by right eye; severe pain under arm in armpit with swelling; severe pain under arm in armpit with swelling; hot feeling on skin; extreme fatigue; had some itchy skin and redness an hour after shot, especially on both arms; had some itchy skin and redness an hour after shot, especially on both arms; Extremely nauseous/Often nauseous; insomnia; mild diarrhea; This is a spontaneous report from a contactable Other HCP (patient). A 48-year-old female patient received second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number: EM9809; expiration date not provided), via an unspecified route of administration (anatomical location: arm right) on 09Feb2021 18:00 at SINGLE DOSE for COVID-19 immunisation. Medical history included asthma and known allergies to sulfa drug both from unknown dates and unknown if ongoing. The patient has no COVID prior vaccination. Patient is not pregnant. The patient's concomitant medications were not reported. The patient previously took first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number: EL9262; expiration date not provided) on 19Dec2020 02:30 pm (vaccination location: left arm) and experienced dizziness, extreme itchy skin, headache, and fatigue reported as 'After 1st shot had dizziness and extreme itchy skin 1 hour after shot for approx 2 hours before it ended, then headache and fatigue for 1-2 days. However, after 48 hours all effects from the 1st shot were gone'. The patient experienced spontaneous bleeding under skin by right eye on 14Feb2021. Patient's clinical course is as follows: After 2nd shot, patient had some itchy skin and redness an hour after shot, especially on both arms that lasted a couple hours (started at 7PM and stopped at 9PM). Patient also had extreme fatigue everyday since 11Feb2021, as well as insomnia especially during the first 48 hours. Also had total loss of appetite the past 8 days (17Feb2021), extremely nauseous and mild diarrhea everyday since immediately after 2nd shot until now (8 days later) with no improvement. Often nauseous until close to the point of vomiting. 2 days after 2nd shot started having severe pain under arm in armpit area with swelling and hot feeling on skin. Developed some spontaneous bleeding under skin by right eye about 5 days (14Feb2021) after shot which has now gone away. Fatigue and health is

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1111370	3/18/2021	FL	66	F	2/3/2021		<p>poor with no improvement; most effects seem to be getting worse instead of improving each day. Patient was not COVID tested post vaccination. It was reported that no treatment was provided for the events. Outcome of the event 'had some itchy skin and redness an hour after shot, especially on both arms' was recovered on 09Feb2021; outcome of the event 'spontaneous bleeding under skin by right eye' was recovered; outcome of the remaining events was not recovered.</p> <p>enlarge lymph node under left armpit detected in sonogram. Not visual to eye or felt with manual examination; This is a spontaneous report from a contactable consumer reported for herself. A 66-years-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, LOT# EL9262), via an unspecified route of administration in left arm on 03Feb2021 at second single dose for covid-19 immunisation. Medical history included high blood pressure, hypothyroidism, low vitamin D, breast cancer survivor since Jan2018. No allergies to medications, food, or other products. Patient was not pregnant at the time of vaccination. The patient previously took bnt162b2 (LOT# EL1284) in left arm on 13Jan2021 at first single dose for covid-19 immunisation. The patient's concomitant medications were not reported. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was receiving yearly mammogram and sonogram for breast cancer survivor since Jan2018. Enlarge lymph node under left armpit was detected in sonogram. Not visual to eye or felt with manual examination. Event was considered as non-serious. It was unknown whether treatment was received. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. Outcome of the event was unknown.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1111305	3/18/2021	SC	71	M	1/22/2021	1/23/2021	<p>suspect anaphylaxis; passed out while driving.; entire body itching; vision issue; This is a spontaneous report from a contactable physician. A 71-years-old male patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), intramuscular Right arm on 22Jan2021 11:00 at single dose for covid-19 immunisation. Medical history included diabetes mellitus (DM), hypertension (HTN), hypercholesterolaemia. No other vaccine in four weeks. There were other medications in two weeks. No covid prior vaccination. Clinical course reported as: Patient got vaccine with no issues. 36 hours later he developed entire body itching. He then developed vision issues and passed out while driving. He was hospitalized and no cardiac or neurologic issues were found. The reporting physician suspected anaphylaxis since patient had severe itching with the event. There were no other likely triggers found during history other than the vaccine. Events onset date reported as 23Jan2021. Events resulted in Emergency Room Visit and Physician Office Visit. Covid test type post vaccination: Nasal Swab on 06Feb2021 result: Negative. Treatment received for the events. Outcome of events was Recovered/Resolved with Sequel. Information on the lot/batch number has been requested.; Sender's Comments: A causal relationship between the events suspect anaphylaxis, passed out while driving, entire body itching, and vision issue and suspect product bnt162b2 is possible based on the information provided, drug profile and a temporal association in this 71-year-old male patient. This case will be reassessed should additional information become available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1111295	3/18/2021	CA	44	F	1/7/2021	1/25/2021	every where she had had filler injections are swollen except the left eye, her left eye is not swollen; every where she had had filler injections are swollen except the left eye/her doctor believes she is having a reaction with her fillers/bump on her right eye; under her right eye there was a large bump that was swollen; This is a spontaneous report from a contactable nurse (patient). A 44-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EK9231) via an unspecified route of administration in the left upper arm, on 07Jan2021 at single dose for COVID-19 immunisation. Relevant medical history included Hashimoto's disease from 2017 and ongoing, cosmetic filler injections got in her face within the last year and half or 2 years. Patient said that she knew that Allergan asked her doctor about her ongoing Hashimoto's as well. She takes medication for that. Patient also said that her white blood cell count runs low, like around 2 if they want to note that as an immune system thing and she confirmed that was an issue for her prior to receiving the COVID 19 vaccine. Family medical history included that her daughter has Hasimotos as well. Concomitant medications included unspecified medications for Hashimoto's disease. The patient previously received first dose of BNT162B2 (lot number: EI1685) via an unspecified route of administration in the left upper arm on 18Dec2020 at the year of 44 years at single dose for covid-19 immunisation. She said her doctor believes she is having a reaction with her fillers. She clarified fillers were like cosmetic injections got in her face. She thought the filler was called Allergan but she didn't have any other information about it. She did know her doctor did call Allergan and did a report with them. She thought it was like a big deal because it was not documented with Pfizer just with Moderna. She said the doctor was also going to call and report this as well. The doctor has not called yet but he said he was going to, she just left their office. Basically the places she had had filler injections within the last year and half or 2 years not have, under her right eye there was a large bump that was swollen and then the places that were called labial folds, the marionette lines where she had had filler there were all swollen and that was on the right side of her face and then on the left side the marionette lines were swollen as well so basically everywhere she had had filler

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

injections were swollen except the left eye, the left eye is not swollen. And the places were swollen and hard. She first noticed the swelling yesterday 25Jan2021. The bump on her right eye was yesterday around 15:00 and then this morning (26Jan2021) it was much worse under her eye and she noticed the bumps on the right side at about 6 am this morning and around 9 am she began feeling it on the left side and it progressively has gotten worse since it started in all of those areas (26Jan2021). This case reported as serious. Patient did not visit Emergency Room, but she has been to 2 different physicians in physician office. No other vaccines administered on the same day as either dose of the suspect product. Patient did not have prior vaccinations within 4 weeks. Outcome of the events was not recovered. Reporter assessed event everywhere she had had filler injections are swollen except the left eye, her left eye is not swollen as related to BNT162B2.; Sender's Comments: Based on available information a contributory role of BNT162B2 to reported events cannot be fully excluded. Consideration should also be given to the contribution from the cosmetic filler injections. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1111431	3/18/2021	RI	30	F	3/18/2021	3/18/2021	Pt read through the list of questions and stated "I am short of breath at baseline, I am chronically anemic and tired, and I get sick for like 2 weeks after my flu shot." She denies having a flu shot over the last few years. Discussed at length the risks/benefits of vaccine and potential side effects, expected time frame and duration expected. Pt stated she had Lupus and consented to her first dose. Pt also stated she had an anaphylactic history to PCN, Amoxicillin, and Sulfa. Therefore she was instructed to stay for 30 minutes observation. Approximately 10 minutes post vaccine, pt stated she was "really hot and tired, like she couldn't keep her eyes open." She was given an ice pack and water. She denied any difficulty breathing, throat irritation, dizziness, or vision changes. She initially stated she did not think she could drive home and requested a work note so she did not have to return back to work. Requested pt have someone pick her up and she refused and stated "she was fine to drive." Of note, pt carried on an entire conversation for the one hour she was observed in the lobby here Hospital, laughing and acting appropriately. She denied the need to be seen at Urgent Care by a Provider for her c/o tiredness. Upon re-evaluation prior to d/c patient, she was asked by this RN, "do you feel you are able to drive home safely?" She responded with "I don't know, I still feel very tired and having trouble keeping my eyes open and I have not walked around." Explained to pt that if she was not able to drive home safely she needed to go to Urgent Care here for further monitoring and pt was lead to registration.
1109999	3/18/2021	OH	60	M	3/11/2021	3/14/2021	Loss of Balance - unsteady - stagger - dizzy. Is more severe with motion - head up, down, standing up, bending, walking. -- not severe when not in motion - sitting-lying. Nausea when symptoms started but have subsided since the first full day. Some blurry vision at times and ear ringing - not constant. Does pass but continues with motion. Does not have a time frame as it is continuous when in Up-Down-Bending-etc - motion
1110239	3/18/2021	NY	72	F	2/26/2021	3/1/2021	Light sensitivity. Kept eyes closed. Didn't go near windows. Could see but light was too bright.
1110175	3/18/2021	TX	64	F	3/17/2021	3/17/2021	Swelling of eyes and face. Light rash on face, neck, chest, and arms



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1110168	3/18/2021	MN	27	M	3/17/2021	3/17/2021	within 5 minutes of administration patient reported feeling dizzy, tunnel vision, and laid down on ground. Pt did not lose consciousness. I gave him a cup of water and a piece of candy to make sure low blood sugar was not a contributing factor. Patient rested on ground for 15 minutes, and reported feeling ok
1110140	3/18/2021	MD	25	F	3/16/2021	3/17/2021	I had a moment yesterday evening where I almost passed out (tunnel vision and my arms and legs went numb) followed by an intense urge to vomit. I instantly broke out in cold sweats and completely soaked through my shirt in about a minute. The intense sensations passed, but happened again at around 10pm as well. I've just woken up for the day today, and so far I feel okay but I'm a little weak and extremely tired.
1110105	3/18/2021	VA	68	F	3/1/2021	3/13/2021	Chills for approximately 24 hours after Dizziness, overall weakness, and tiredness with inability to sleep (ongoing, 6th day) Swelling of the face, particularly left side more affected (noticed on 6th day after injection) Bad taste in mouth and dryness Eye sockets darkened, more so in the left eye (noticed on the 4th day after injection; ongoing)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1110260	3/18/2021		40	F	3/1/2021	3/1/2021	PATIENT REPORTED DIZZINESS AND SEEING SPOTS SO PHARMACIST WAS CALLED TO HELP PATIENT. UPON ARRIVAL TO PATIENT, PHARMACIST ASKED PATIENT IF SHE KNOW WHERE SHE WAS AND PATIENT REPORTED A DIFFERENT LOCATION THAN FACILITY SHE WAS IN. AT THIS POINT, CALLED FOR MEDICAL PROVIDERS AND NURSES TO HELP ASSESS PATIENT. PATIENT'S VITALS WERE NORMAL, BUT THEN PATIENT STOPPED VERBALLY RESPONDING TO HEALTHCARE PROVIDERS FOR ABOUT 10-15 SECONDS. SHE THEN STARTED RESPONDING AND ACTING NORMAL. PATIENT WAS BROUGHT INTO EXAM ROOM WHERE PHYSICIAN PROCEEDED TO EVALUATE HER AND DO NEUROLOGICAL TESTS. SHE COULD NOT COMPLETE THE NEUROLOGICAL EXAM AND THEN BEGAN TO BE VERBALLY UNRESPONSIVE. SHE COULD ANSWER QUESTIONS BY BLINKING HER EYES, BUT COULDN'T MOVE OR TALK. EMS WAS CALLED AT THIS POINT. EMS TOOK PATIENT FROM CLINIC. PATIENT WAS CALLED A FEW DAYS LATER TO CHECK IN AND PATIENT REPORTED "Medical services released me to drive home since no other episodes occurred, only flu-like symptoms and I did not go to the ER.~~
1110003	3/18/2021	WA	76	F	2/2/2021	2/2/2021	Facial flushing, facial swelling, especially around eyes

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1110266	3/18/2021	OK	67	F	3/10/2021	3/10/2021	Following the vaccine went to the grocery store and had her mask on, when she got home she was itching around the mask area/mouth area. It then kept itching, and that night she went to rub it and it was full of blisters that popped and oozed and continued like that. Now her skin feels like elephant skin, burning and itching, and feels like she has somebody burning her with a cigarette and stabbing her with a needle at the same time, and this is everywhere and extremely painful that continues to keep spreading. She has it from the top of her head, in her head, in her ears, and down to her feet to the arch of her foot. She went to the UC the morning of 3/11/21, and she told her that she needed to go to the ER, which she did. They sent her home with Benadryl cream, Benadryl tablets and put on Prednisone, a Z-Pak and nothing has helped. She went back to the ER on 3/12/21, and was put on Hydroxyzine. Her eye is so swollen right now that she can only see a small slit through it and the left eye is swollen shut and cannot take the pain and is going to go back to the ER one more time.
1109977	3/18/2021	CA	31	F	3/17/2021	3/17/2021	Patient waiting in observation for 15 min. 10 minutes into waiting patient waves down field ops who caught patient in chair from falling. Observation nurse and charge notified. Vitals taken. 119/76, 98% o2, 76 pulse, 96.7 temp RR 20, lung sounds clear. Patient stated she felt sweaty and had blurry vision and decided to call for help. Patient asked to wait 30 min. Patient on floor, legs elevated, conscious and able to communicate. Mother came to assist. Patient sat up on floor and able to tolerate water. Vitals rechecked and stable. Vitals reassessed before leaving site 100/63, pulse 90, O2 97%, RR 18, temp 97.6. Patient states she feels much better and tolerates standing. Educated to seek medical attention if symptoms return or worsen. Patient accompanied by mother and nurse to car without incident at 4:05 pm.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1109966	3/18/2021	NE	33	F	3/13/2021	3/15/2021	Pain and swelling of the right eyelid. Started about 48 hours after the first dose was administered and had been getting progressively worse over the next 48 hours. Talked to my PCP and a nurse over the phone and through one chart. Treating the symptoms as a styne seem to be helping. Ibuprofen, eye drops, and a product called styne have been helping reduce the symptoms, especially the pain. A hot, wet washcloth is even more helpful. Used it for almost an hour this evening and the swelling is way down. My eyes themselves are actually starting to itch and look red tonight. This is the first time this has happened lately. I have seasonal allergies, but this whole thing experience has felt entirely different from that kind of swelling. I've never had swelling of this nature before. Or any adverse reactions to vaccines (aside from minimal soreness near the injection site).
1109963	3/18/2021	MN	29	F	3/16/2021	3/16/2021	Onset within minutes: dizziness, confusion, and facial numbness in both cheeks, eyes, nose, jaw and muscle stiffness in the face which lasted until the following day. Following morning, there was sharp pain at the injection site and I was unable to lift my arm at all. In the evening I can lift it half way. Still experiencing 32 hours later: headache and brain fog and dissociated feeling, fatigue, and body aches. Neck remains stiff. Never had any adverse or allergic reaction to anything before and didn't become fully aware that something wasn't right until after I left the facility yesterday.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1109882	3/18/2021	TX		F	2/2/2021	2/2/2021	Dizzy; Weak; Throat are swollen; Oxygen levels dropped to 91%-92%/While she was flying her oxygen dropped; Heart rate was 141/heartrate was 106-110; Face swollen; Body ache; Eyes started swelling up; A spontaneous report was received from a consumer who is a 28-years-old female patient that received Moderna's COVID-19 vaccine (mRNA-1273) and experienced events eyes swelling up, oxygen levels dropped to 91%-92%/ while she was flying her oxygen dropped, heartrate was 141/ heartrate was 106-110, face and throat are swollen, body aches/pain, dizziness and weakness. The patient's medical history was not provided. Concomitant medications reported were propofol, benadryl and oxygen for drug use for unknown indication. On 02-Feb-2021, prior to the onset of the events the patient received their first of two planned doses of mRNA-1273 (lot/batch: 012M20A) intramuscularly at unknown anatomical location for prophylaxis of COVID-19 infection. On 02-Feb-2021, the patient experienced the events eyes started swelling up, oxygen levels dropped to 91%-92%, heartrate was 141, face and throat are swollen, body aches, had pain, while the patient was flying her oxygen dropped, the patient takes propofol 10mg to reduce heartrate but did not work as well as it normally does was around 110, her oxygen saturation was 96% when she landed, heartrate was 106-110. On 03-Feb-2021, the patient took some benadryl to help with side effects. She was still dizzy and weak. Treatment details included Benadryl and Propofol. Action taken with mRNA-1273 in response to the events was not reported. The outcome of events oxygen levels dropped to 91%-92% was considered resolved on 03 Feb 2021. The outcome of events, eyes started swelling up was unknown, heartrate was 141, face and throat are swollen, body aches had pain, while she was flying her oxygen dropped, her oxygen saturation was 96% when she landed, heartrate was 106-110, dizziness, weakness was unknown.; Reporter's Comments: Very limited information regarding this event/s has been provided at this time. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1111564	3/18/2021	MN	21	M	3/18/2021	3/18/2021	Patient became lethargic, diaphoretic, complained of dizziness and eyes dilated bilaterally 15 minutes after injection was given. Patient was assisted to the floor. Legs were elevated. Vital signs were taken at 0635. BP 135/70, HR 75, Resp 16, O2 sat 98% on room air. Patient denied shortness of breath, throating swelling or pain. EMS was called at 0634. Epi Pen 0.3 mg was administered at 0638 in the left deltoid. Vital signs were taken again at 0642, BP 138/72, HR 106, Resp 20, Temp 99.3, O2 Sat 99% on room air. Patient verbalized that he was feeling better after epi was administered. Patient ate last at 0430. Interpreter was used to communicate with the patient. Interpreter contacted the patient's emergency contact. EMS arrived at 0644, patient was assessed and taken via ambulance. Epi pen was sent with EMS.
1111475	3/18/2021		72	F	3/18/2021	3/18/2021	Itching all over body, Foggy, eyes rollingback in head, unable to articulate information, fingers tingling.
1110008	3/18/2021	UT	55	M	2/26/2021	3/14/2021	Bell's Palsy with symptoms starting 3/14/2021 with mouth issues and facial problems from eye to mouth drooping. Recognized pain behind left ear the night before but didn't think about it until other systems. All symptoms on left side of face. Contacted Dr. and was referred immediately to the ER for diagnosis and to rule out stroke. Morning visit to ER and diagnosis was not stroke but Bell's Palsy. Treatment of predniSone 20mg taken three at a time each morning for five days and Valcyclovir 1 gram taken three times per day for 7 days. Dr. was the ER doctor performing the diagnosis.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1110468	3/18/2021	OH	33	F	3/13/2021	3/13/2021	33 year old female with no preexisting health conditions received her first Moderna vaccine on Saturday, March 13 at 9am in the left deltoid. Patient immediately felt weird after receiving the vaccine - tingling and accelerated heart but no intervention occurred. Patient started with the basic side effects headache, sore arm, shakes/chills and fatigue/weakness and brain fog. Starting around 24-36 hours after injection patient started to notice mild muscle spasms and tingling sensations. That has progressed to full paresthesia of the arms/hands and legs/feet. Patient also states paresthesia occurs in the face, neck, lips, torso and even occasionally in ears - but these seem less severe and wax and wane. The patient noticed vision changes and muscle fatigue described as muscles feeling like "jello." Due to weakness, patient also complains of continued brain fog. The patient is also occasionally getting twitching and pulsating muscles. The patient describes the neuropathy "like my limbs are defrosting." It was described as cold tingling but at times intense. Patient noticed that cold temperatures make it more pronounced and movement helps to temporarily make it seem a bit better.
1110604	3/18/2021	RI	30	M	3/18/2021	3/18/2021	Patient expressed fear of needles that he has had since an infant. Approximately 15-20 seconds after injection, client slumped his head, eyes dilated, diaphoretic. Rapid response called,, BP 90/49, ice packs applied, assistance provided as the client became alert and oriented , Verbalized that he would like some water. Still diaphoretic, second ice pack applied. Put in a wheelchair to transport to a stretcher.0741 EMT arrived. Blood sugar 135, O2 saturation 97 percent. BP109/50. 0745: BP 105/58 0750 BP 107/60, provided client with hydration. 12 ounces of water consumed. States he does not want to go to the hospital and declines to go to the hospital. Speaks with wife. She confirms that he "passes out after vaccinations" and has done this most of his life. States it did not happen with his last flu shot, so they thought this would be okay. 0810 States he feel fine and is not dizzy. BP 120/62

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1110583	3/18/2021	ME	35	F	1/18/2021	1/19/2021	On 1/19/21- visual migraine, severe fatigue, difficulty concentrating. These symptoms continued along with blurry vision, dizziness, waking at night to ?buzzing? in head, hypoglycemic symptoms. Multiple doctors visits over the past two months, blood tests, BP and heart rate assessments - only to assume it?s a reaction to the vaccine. Extreme diet change, elimination of the two prescribed meds and detox- feeling much better however still experiencing hypoglycemic symptoms throughout the day and sometimes at night.
1110560	3/18/2021	IL	33	F	3/11/2021	3/15/2021	Day 4 - large warm red spot on left arm below injection site Days 5-6 - eyes swollen halfway shut, general face swelling, redness, itching and burning



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1110540	3/18/2021	MA	32	F	3/13/2021	3/15/2021	<p>Saturday 3/13 - Moderna shot @10am on L arm. Onset of sx @6pm. Fatigue, irritability, mild body aches</p> <p>Sunday 3/14 - Upon waking Fatigue and severe body aches. Painful to walk, exert, lift a spoon. Required some assistance with activities of daily living. Nausea. Some improvement around 6pm. Monday 3/15 - Upon waking Decreased fatigue, body aches resolved, nausea resolved. Soreness and fatigue in carpal tunnel area, feeling as though I had held a heavy phone for too long. Adjusted by keeping off phone during the day. Hand/wrist pain increased in the evening. Noted wrist and hand swelling @8pm. After applying ice around 10:30pm pain became suddenly severe with movement. Suspected ice was somehow a mistake and applied heat. Pain became excruciating. Took tylenol XS to sleep. Tuesday 3/16 - Upon waking Moderate swelling and complete loss of mobility in both hands and wrists. Shooting pain that knocked the breath out of me. Unable to complete any activities of daily living independently (bathing, toileting, eating). Wore carpal tunnel braces all day. Some improvement in range of motion in the evening, able to open and rest hands semi-flat on an angled surface. R hand demonstrating faster improvement than L. Noted mild red bumps present on both wrists (more on L) and mild-moderate shooting pain from L thumb toward inner elbow, more severe in area closer to elbow. Upon rubbing the area close to elbow noted soreness and bumps under skin when applying mild pressure that aren't visible to the eye. Wednesday 3/17 - Upon waking Red bumps resolved. Some improvement in all areas. L hand improvements mildly lagging behind the R. Able to complete activities of daily living with supportive assistance. Increased range of motion and moderate pain. More improvement @5pm. Regained 90% range of motion, shooting pains were mild-moderate. Thursday 3/18 - Upon waking I have full range of motion. Mild-moderate pain with certain angled movements and levels of exertion. PCP telehealth appt @9am. Diagnosis: adverse reaction to moderna. Suspicion that there may be some connection with the complex migraine (though there was no numbness or tingling present) and to update my neurologist (you!). Recommendation was to report it and monitor sx. If sx not completely resolved in one week referral to othopedic.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1110509	3/18/2021	AR	52	F	3/9/2021	3/10/2021	The day after my second shot, March 10, I experienced what I felt were normal side effects that a lot of people have experienced. But starting March 11, I have experienced dizziness, double vision, blurred vision, headaches, eye pain, and nausea. With regards to my eyes, it feels like they are out of sync. Severity varies on an hour to hour, daily basis. I have multiple sclerosis but have not had a relapse in almost 11 years. I was concerned about my right eye because my original MS diagnosis was via optic neuritis. I did see an ophthalmologist March 16 but was told there is no new nerve damage or inflammation. I have since been prescribed a steroid pack and I've been scheduled for updated MRIs (with and without contrast ) at the end of this month. I was 100% healthy and lived a normal life before the second shot. The first shot I had zero side effects except for soreness at the shot site.
1110231	3/18/2021	MD	34	M	3/7/2021	3/12/2021	Severe sinus pressure (pain behind eyes), severe congestion (mucus, phlegm), GI disturbances (excessive gas, flatulence), sore throat
1110474	3/18/2021	DE	68	F	3/16/2021	3/17/2021	Fever- 101.4- chills, backache, weakness, upset stomach, headache, and blurred vision in left eye

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1110614	3/18/2021	VA	33	M	3/13/2021	3/13/2021	<p>Progress Notes R.N. (REGISTERED NURSE) ? ?</p> <p>Urology Patient is a 33 yr old male on 03/13/21 approximately 17:35 PM for 1st covid Pfizer vaccine Reviewed allergies and vaccine covid vaccine information provided to member. Allergies: Seafood, general rash, itchy and hives . 1st dose Pfizer given IM at 17:42 PM via left deltoid 5 minutes later started itching, redness bilateral hands Gen: Alert nontoxic No chest pain or dyspnea Pt denies Resp Distress Wheezing: no No SOB,tongue or Throat Swelling: no At :17:43 PM; 25 mg/10 ml liquid Benadryl given PO NDC # 0121-0978-10 Lot # 4EF Expired Date: 11/21 At 17:45 PM second dosef 25 mg /10 ml liquid Benadryl given PO Lot # C4EF EXP: 11/21 Blood pressure : 151/101, sat 98%, RR 16. (left arm) At 18:00 PM; Blood pressure 144/104, hr 79, rr 16. Sat 97%. Right arm blood pressure 140/94 No sob or wheezing, no chest pain No Throat swelling At 18:15 PM: developed macular/Papular rash through out upper and lower ext, with severe itching At 18:25 PM, Accompanied member to ER, report given to ER charge nurse Pt registered via call center staff at PM. Pt in room 7,ER waiting to be seen per ER provider Approximately 19:15 PM Report given to ER provider. Approximately 19:45 PM member moved to room 8, resting,on cardiac monitor, states feeling sleepy now. Mother and sister waiting in the waiting area in ER, they both were made awarded. Completed by: RN, March 14, 2021, 12:46 PM 20:00 PM Primary Director was informed Completed by: March 14, 2021, 12:48 PM Allergic Reaction</p> <p>SUBJECTIVE Patient is a 33 yr old male presenting with allergic reaction for approximately 30 min. Accompanied by nurse upstairs that administered vaccine and gave 50 mg of benadryl as well. o Associated sx: rash o SOB, Tongue or Throat Swelling: No o Exposure/Trigger: covid vaccine 5 minutes later started itching and with rash o Any treatment prior to arrival: antihistamines Relevant medical history reviewed/updated. ROS All other aspects of the 10 point ROS performed and negative other than the pertinent positives and negatives listed below and in the HPI GENERAL No fever, weight loss CARD No chest pain or dyspnea on exertion PHYSICAL EXAM Vitals: BP (!) 148/96   Pulse 83   Temp 98.8 °F (37.1 °C) (Tympanic)   Resp 16   Ht 5' 6" (1.676 m)   Wt 182 lb (82.6 kg)   SpO2 98%   BMI 29.38 kg/m² GEN Alert, nontoxic EYES PERRL, EOMI,</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
							<p>anicteric HEENT Lingual edema: No Hydropic Uvula: No Airway Patent: Yes Mucosal Lesions: No NECK Supple, FROM CARD RRR, No murmurs RESP RR nl, No Resp Distress Wheezing: none EXT Well perfused, no deformity NEURO A&amp;Ox3, moving all ext SKIN Rash: Macular/Papular through out upper and lower ext Skin Desquamation: No ASSESSMENT/PLAN Evaluation most supportive of allergic reaction. o Evidence of anaphylaxis, respiratory distress or airway compromise: No o Concern for Stevens-Johnson Syndrome or Erythema Multiforme Major No Tx/Plan: o Benadryl 50 mg given immediately after vaccine administration o Solumedrol given here with improvement in rash and redness after 1 hour o Discussed taking prednisone for the next 5 days and benadryl q6 at home. o Do not get second vaccine. 03/13/21 2025 Other Notes All notes ED Notes from L.P.N. (Hematology and Oncology) ED Notes from L.P.N. (Hematology and Oncology) ED Notes from R.N. (z Urgent Care Facility) ED Notes from L.P.N. (Hematology and Oncology) ED Notes from L.P.N. (Hematology and Oncology) Additional Orders and Documentation Results Meds Orders Procedures Flowsheets Encounter Info: Detailed Report, History, Allergies, AVS, Mark As Reviewed This Encounter Vitals Recorded in This Encounter 3/13/2021 1824 3/13/2021 1825 3/13/2021 1917 3/13/2021 1952 3/13/2021 1953 BP: 163/102Abnormal 148/96Abnormal 138/88 133/91Abnormal ? Pulse: 83 ? 62 69 ? Resp: 16 ? 18 22Abnormal 21Abnormal Temp: 98.8 °F (37.1 °C) ? ? ? ? Temp src: Tympanic ? ? ? ? SpO2: 98 % ? 100 % 98 % ? Weight: 182 lb (82.6 kg) ? ? ? ? Height: 5' 6" (1.676 m) ? ? ? ? All Flowsheet Templates (all recorded) Acuity/Destination Custom Formula Data ED Assess ED Reassessment MD Initial Contact Neurologic Respiratory Assessments ER All Flowsheet Data ER All Flowsheet Data Results for all Tests ordered in this Encounter Results for all Tests ordered</p>
1110467	3/18/2021	GA	55	F	3/17/2021	3/17/2021	Periorbital edema of left eye, rash around mouth- 1:04 Epi pen administered R thigh - 1:05 EMS called. Pt refused trasnport.
1110450	3/18/2021	KY	76	F	3/1/2021	3/1/2021	Swelling of forehead, eyes, and left arm and rash

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1110391	3/18/2021	IN	61	M	2/25/2021	3/6/2021	Received vaccine, and no reactions. Nine days after the vaccine slowly had drooping on the right side of his face, numbness on the right side of his face, mainly around the mouth, a little on the eye, hard to close the right eye. General soreness around his mouth when he tries to eat or talk a lot. Limited movement of his face do to swelling, difficulty closing his eye, and headache. Went to the ER on 3/7/21 and admitted him as they believed he had a blood clot, diagnosed him with Bell's palsy on Monday 3/8/21. Was given corticosteroids for 9 days Prednisone 60 mg. The symptoms are slowly improving but still has the Bell's palsy.
1110367	3/18/2021	VT	67	M	3/6/2021	3/8/2021	Shingles, above my right eyebrow
1110362	3/18/2021	MI	54	F	3/17/2021	3/17/2021	Bodily itching, especially in the nose, mouth and arms. The itching started on my hand about 5 mins. after my shot. As the day progressed it began to itch on my legs, back, arms, face, eyes and nose.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1110360	3/18/2021	CA	87	M	2/4/2021	2/6/2021	he's imagining people are here and he is talking to them/wakes up screaming talking to people who aren't present; Tries to leave the house/ wakes up sometimes and acts as if he is eating and does all of the motions as if he is using a spoon and chewing but he hasn't ate anything; He doesn't recognize where he is; This is a spontaneous report from a contactable consumer. An 87-year-old male patient (also the age at vaccination) received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot: EM9809), first dose via an unspecified route of administration, administered in Arm Right on 04Feb2021 02:45 PM as SINGLE DOSE for covid-19 immunization. Medical history included remission from cancer, he has Hypertension (reported also as High Blood Pressure/Hypertension), thyroid disorder (reported as Thyroid), blood cholesterol abnormal (reported as Cholesterol), light symptoms about once or twice a month of disorientation, vision impaired, a PaceMaker and soft stool (reported as Stool: stool softener). The patient is not aware of any allergies to medications, food, or other products. The patient was vaccinated the most recent COVID-19 vaccine in a hospital. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination the patient was not diagnosed with COVID-19 and not been tested for COVID-19 since the vaccination. The patient had other medications the patient received within 2 weeks of vaccination for High Blood Pressure, Thyroid, Cholesterol, and Stool Softener. It was reported that the patient has had light symptoms about once or twice a month of disorientation. However since he's received the vaccine he has not had any fever with either dose but has throughout the day and night doesn't know where he is, he's imagining people are here and he is talking to them. He doesn't recognize where he is at, at times. He wakes up screaming talking to people who aren't present. Tries to leave the house even though he is vision impaired and has never tried to leave the house on his own. He wakes up sometimes and acts as if he is eating and and does all of the motions as if he is using a spoon and chewing but he hasn't ate anything and there isn't any food near him because he is in his bed. It was reported that the events occurred on 06Feb2021. The events were not considered as serious by the reporter (for any criteria). The outcome of the events was not

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							recovered. No treatment was received for the adverse events.
1110490	3/18/2021	OH	61	M	3/16/2021	3/17/2021	Blurred - Double Vision
1112491	3/18/2021		33	F	3/11/2021	3/15/2021	On 3/15/2021 pt had redness below where injection given then on 3/16 (5 days after vaccine) had itchiness and hive on that arm then on face and red eyelid redness and facial puffiness (no lip/tongue swelling, no shortness of breath, no chest tightness, no wheezing, no lightheadedness)
1112555	3/18/2021	TX	49	F	2/5/2021	2/13/2021	Small blister- like rash around my right eye. It has been there since approximately 10 days after I received the 2nd dose of my vaccine
1112541	3/18/2021	TX	64	F	3/4/2021	3/4/2021	As soon as I walk 5 steps from the vaccination station everything became black and I got very dizzy. I sat immediately because I felt I was about to faint. I waited 20 min for the dizziness to diminish and was able to walk by myself. My vision was blurry and felt my eyes were moving rapidly side to side. My husband drove me home because I still felt too dizzy to drive back home. The dizziness continued the day of the 2nd dose administration and got less bothersome if I stayed in bed. The following day the dizziness was much less but I still stayed in bed. Monday March 15 I also experienced dizziness and stayed in bed. Since the first dose on Feb 09, 21 I have felt tired and not always being able to complete my physical therapy routine. The tiredness is not every day. It comes and goes.
1112524	3/18/2021	CA	48	F	3/16/2021	3/16/2021	Immediately after injection I had a weird taste in my mouth, and of course the sore arm from injection site. Within 2 hours I felt nausea and fatigue and body aches. Within 5 hours my injection arm was so painful I couldn't hold an empty water glass or pull up my pants. The arm pain increasingly worsened spreading to my hand and chest and prevented me from sleeping. 2 days after injection the arm pain , fatigue and constant nausea have not dissipated however the body aches have. I also have developed a sty in my right eye for which I was prescribed antibiotics.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1112511	3/18/2021	FL	58	M	3/18/2021	3/18/2021	Patient seated in Observation area. 1740: Suddenly diaphoretic, complains of blurred vision, dizzy and a feeling of cold in his chest. 1740:- patient placed on floor/legs up. EMS in attendance; NP in attendance. BP109/66; HR88; O2 96% on RA/ BS 118. EKG NSR 1741: patient more lucid. Answering questions 1742: patient able to drink water and eat a breakfast bar. 1817: VS 124/82; HR 62; O2 sats on RA 97%/ EKG NSR 1823: Patient discharged from observation with Son to home. Walking on his own. A & Ox3
1112510	3/18/2021	IL	48	M	3/16/2021	3/17/2021	Once, for a short time while performing a mild workout in the gym, and again a couple hours later, and for an extended duration (approximately 40 minutes), while checking out at Costco I experienced what I believe to have been aura migraines without headache (or ocular migraines) in my right eye. What initially appeared to be a slight glare, I later determined was an obscuration of the lower half of my vision in that eye which could be described as a clouding effect. While disorienting and concerning, with closing/covering that eye, the problem slowly resolved itself. Within about 20 minutes, I had enough vision to comfortably and safely drive home. Another 20 minutes after that and the event had ended as far as I could tell. I have never experienced anything like this in the past. Doing some (dangerous, I know) searching online, I discovered what it might be called and learned that there were some reports of similar events occurring with other vaccine recipients. Since I don't have a primary care physician, I'm hoping it is directly related to the vaccine and I hope it doesn't happen again with the second dose since my eyes are a critical part of my job.
1112343	3/18/2021	GA	36	F	3/16/2021	3/16/2021	7am-5:30pm (asleep for thr next 12 hours after that) I felt like all of my bones were swollen, my muscles hurt to use, had a searing headache, eyes wouldn't open all of the way, occasional stomach cramp, 1 bout of naseau, extreme fatigue and was freezing cold; muggy thoughts



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1112504	3/18/2021	MN	61	M	3/18/2021	3/18/2021	Had suddenly didn't feel good. Passed out was out for five minutes, Had a strange reaction when he came to, His vision was blurred, he has vomited 6-7 times. I contacted the pharmacy where the shot was given and the clinic. He refused to go to E R The have taken notes to this. He sat in his recliner and took a nap. Took temp he does not have a fever. If his symptoms get worse I will call for ambulance.
1112626	3/18/2021	OH	65	F	2/23/2021	2/23/2021	Patient reports shortly after receiving her first Pfizer COVID-19 vaccine on 2/23/21, she developed flushing of the face followed by erythema of the body, warmth and tingling. This was accompanied by numbness, a change in her vision and mental alertness. Patient reports similar symptoms occurred in the past when she experienced anaphylactic reactions, such as with bee stings.
1112483	3/18/2021	NY	21	F	3/18/2021	3/18/2021	Pt experienced dizziness, tunnel vision, blurred vision, felt like she was going to pass out. Pt moved to stretcher and laid flat for 5 minutes. Given juice and crackers at 10 minutes post vaccine. Pt states she is feeling better, color improved, eating snack and VSS. 1802: 106/56 75 12 100% pulse ox 1810: 114/65 65 12 100% pulse ox 1830: 139/56 74 12 100% pulse ox Pt observed additional 45 minutes and released to care of friend to return home.
1112461	3/18/2021	IL	41	F	3/18/2021	3/18/2021	About 5 minutes after patient came back out into the waiting room she waved the technician over saying she was not feeling well. RPh went out to her and she reported feeling light headed and having trouble breathing. Her breathing did not sound labored and she had no swelling anywhere. We asked her if she wanted us to call an ambulance and she declined. She reported that she had not ate or drank anything all day so we gave her some OJ and a granola bar. She sat in the waiting room under RPh and technician supervision for about another 20 minutes until she eventually felt ok enough to leave and drive.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1112407	3/18/2021	NY	61	M	3/15/2021	3/15/2021	Bells Palsy affect 60 hours after injection. Right eye.....same manifestation as I had during Covid-hospitalization in 2020. Seems to be abating finally (approx 18 hrs from detection). Severe headaches, chills and fatigue commenced approx 8 hours after injection. Lasted two days. On third day, headaches and fatigue continued, but mildly.
1112403	3/18/2021	OK	53	F	3/4/2021	3/6/2021	My eyes, face and neck were very swollen. My eyes hurt really bad and my vision was blurry. Face and neck itchy.
1112393	3/18/2021	CA	30	F	3/18/2021	3/18/2021	Janssen-COVID-19-EUA CAMVU-Run # 2021005124 30 y/o female c/o blurred vision s/p vaccination. Pt had episode of dizziness that lasted 5 min. Pt has no other chief complaint. Pt stated she feels normal and signed AMA form.
1112353	3/18/2021	UT	42	F	3/16/2021	3/16/2021	Rash left arm, nerve pain left side of the body, left eye twitching, headache (temple area), severe chills repeated for 6hrs, fever 12 hrs 102
1112508	3/18/2021	NC	35	F	3/2/2021	3/5/2021	On March 2nd I received the first dose of the vaccine. On March 5th I began to feel poorly and run low grade fever. On March 6th, I suddenly developed double vision. The low grade fever and feeling poorly (other than fatigue) subsided around March 7-8; however, the double vision persists. It is very difficult to focus at times and drive and perform some other activities that require visual focus at medium to far distances.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1112711	3/18/2021	MD	58	F	3/12/2021	3/12/2021	Within 10 minutes of taking shot, I had an allergy attack - my nose became stuffy and was hard to breathe. Medic came to my car to assist. Told me to keep window down and take deep slow breathes. This worked, but maybe to minutes later it happened again. My blood pressure and oxygen level was taken. I was given a banana to eat. I ended up calling my husband to pick me up. On the evening of Sunday 3/14, I noticed a red patch on my chest. Monday, 3/15 when I woke up, red patches were on my arms, hands, neck and face. Tuesday, 3/16 the red patches had spread up my arm and my eyes were puffy. I went back to the vaccination site and reported it to a medic. I was told to take Benadryl. Wednesday, 3/17 my right eye was swollen more and puffiness under my eye. My left eye was swollen but not as much. I went to clinic and was given Benadryl and prednisone, and told to go to the emergency room if it gets worse. Today 3/18 blotches still on arms, hands, neck and chest. Swelling on right eye lid has gone down some.
1111580	3/18/2021	TX	19	F	3/18/2021	3/18/2021	Approx. 3min after administration pt became pale and light-headed. Pt reports feeling weak, blurred vision, and difficulty speaking. Denies SOB or LOC.
1350072	3/18/2021		81	M	2/8/2021	2/19/2021	diplopia, lacunar stroke, 4th cranial nerve palsy Narrative: 1st COVID vaccine dose 2/8/21. To ED for evaluation of diplopia 2/19/21. Vertical diplopia in right eye x 3 days. No pain in eye, fever, chills, N/V, chest pain, abdominal pain, SOB, swelling, numbness or weakness. Neuro exams without focal findings. Discharged from ED to follow up with neuro on 2/22. Neuro impression 81 year old male with history of cerebral microvascular disease, appear to be some cognitive decline with recent onset binocular diplopia. Most likely secondary to diabetes, doubtful myasthenia, brainstem stroke. 4th cranial nerve palsy. MRI ordered and found (2/26) to have lacunar infarcts.
1113604	3/18/2021	MD	66	F	3/11/2021	3/11/2021	anaphylaxis, asthma attack, heart racing, dizziness, severe headache, pain in left side from shoulder to waist, numbness in both hands, pain in right arm from shoulder to hand with numbness and tingling sensation. Inability to walk or stand, red eyes, swollen faces, shortness of breath, weakness in legs, rise in blood sugar levels, feeling light headness, fever, sore throat, chills.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1113584	3/18/2021	NY	54	F	3/2/2021	3/3/2021	At 5:02pm next day I was outcome with dizziness, couldn't walk couldn't move. My husband carried me to bed. So dizzy that I vomited twice within the next 2 hours. Couldn't turned my head while laying down because the room would spin with blurry vision. Next day would up with migraine. Since the vaccine I've woken up with migraine on multiple days and feel fatigue. And coughing up mucus...like when I an infection in my lungs.
1113563	3/18/2021	CA	70	M	2/24/2021	2/25/2021	2/25/21 - sore arm, profound fatigue 2/26/21 - chills, fatigue, runny nose (cold-like sx) 2/27/21 - dry throat 3/02/21 - lost voice 3/03/21 - 3/04/21 - chest congestion, difficulty breathing, sounded like water in lungs 3/05/21 - became pale, eyes rolled back, shaking, immobile, caregiver called ambulance, taken to Hospital ER 3/06/21 - death, Hospital dx him with "pneumonia" but I believe that hospital medical staff were unaware of his sx following the COVID vaccine #2 shot.
1112821	3/18/2021	MN	39	M	3/18/2021	3/18/2021	Below happened 5 minutes after receiving the shot at 5:00pm Soreness /pain in throat Blurred vision Ligt headed 5:30pm-6:30 pm Tiredness Felt Down/ lethargic /mood was off 8:00 pm and onwards noticing the following Increased heart rate 130 (using a monitor) Sore throat or discomfort in throat.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1112566	3/18/2021		29	F	3/16/2021	3/17/2021	fever,vomiting. Got J&J vaccine yesterday @1400. Sx started since this morning. C/O cold sweats, headache and n/v. vomit x2 this morning. No blood in vomit. Had L temporal headache but not at this moment. No visual changes or dizziness. Not took medication.History: pt had J&J COVID-19 vaccine yesterday and started feeling sick this morning, with some muscle aches, intermittent headache, vomit x 2 this morning, and slight cough this morning (which stopped afterwards), here for eval. Pt was doing ok before the vaccine and lives off-post and denies recent COVID-19 hotspot visit or sick contact. No neck stiffness, runny nose, ear pain, sore throat, visual deterioration, chest/abdominal pain, diarrhea/constipation, History: pt had J&J COVID-19 vaccine yesterday and started feeling sick this morning, with some muscle aches, intermittent headache, vomit x 2 this morning, and slight cough this morning (which stopped afterwards), here for eval. Pt was doing ok before the vaccine and lives off-post and denies recent COVID-19 hotspot visit or sick contact. No neck stiffness, runny nose, ear pain, sore throat, visual deterioration, chest/abdominal pain, diarrhea/constipation, vaginal bleed/discharge, rash, prior surgery, prior co-morbidities. Has had implanted contraceptive since before 11/2020.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1112728	3/18/2021	CA	47	M	3/18/2021	3/18/2021	Patient received COVID vaccine (Pfizer, lot# ER2613, exp 7/2021) at 3:00pm. EMT asked patient how he felt at 3:27 during his 30min observation, patient report he felt "spacey" because he had not eaten since breakfast. EMT alerted PHN'S. 3:30 blood pressure 200/130, pulse 86, respirations 18, O2 93%. Patient was A&Ox4, denied headache, dizziness, swelling, tingling, altered vision. Medications: simvastatin, amlodipine, gabapentin, methocarbamol, vitamins. Medical conditions include kidney problems, hypertension, polycythemia, spinal fusing, chronic pain. Patient receives therapeutic phlebotomy and is 1 week overdue. 3:35 blood pressure 182/120, pulse 88, O2 99%, respiratory rate 20. 3:40 blood pressure 192/119, respiratory rate 24, patient reported anxiety and lightheadedness, continued to deny headache, blurry vision. PHN called 911 at 3:42, offered Benadryl to patient who declined. 3:50 911 assumed care, reported blood pressure 210/palpated and temp 101.1. Patient's partner arrived. Patient declined 911 transport at 3:53. Patient reported he would have his partner drive him to urgent care. Patient left with steady gait at 4:09.
1112570	3/18/2021		25	F	3/17/2021	3/18/2021	headache,body pain. J&J @ 1430. Headache on L side of head. Reports nausea but no vomit or diarrhea. Slight photophobia. And also noted 'blurry vision' which is resolved. Took Tylenol x 2 TAB @ 2300. Re-Assessment@0410: pt feeling better. will d/c with oral meds and return indications.
1112697	3/18/2021	WA	25	M	3/18/2021	3/18/2021	Diaphoretic, pale, blurry vision. Treatment: Placed in semi-fowlers with feet elevated, water/fluids, deep breathing. Pt beginning to feel better after 5 minutes of treatment, color improving, talkative, vital signs remained stable.
1112692	3/18/2021	MO	52	F	3/18/2021	3/18/2021	Symptoms: itchy eyes, nose, throat - the same symptoms she reports when she starts to have an allergy to Shellfish. Time course: started a couple minutes post-vaccination, lasted for only about 10 minutes. Immediately started improving upon administration of Benadryl.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1112659	3/18/2021	GA	59	F	3/16/2021	3/18/2021	Patient received vaccine on 3/16/21 and developed a sore, hot, red whelp about 3 inches below where shot was given (right arm). She is not having any anaphylactic issues. She will keep an eye on and discuss with her doctor.
1112640	3/18/2021	WA	37	M	3/18/2021	3/18/2021	Patient fainted out of the chair he was waiting in after receiving his COVID shot 10 minutes prior. A shopper alerted our staff and when I came to check on him, he was just rousing but had his eyes closed due to blurred vision. He was able to speak and look directly at me. He said this reaction had never happened to him before. He seemed jittery probably due to the reaction. Asked for water and was able to drink. He said that he most likely hit his head and compressed his finger during the fall but feels okay. We are not sure how long he was out for.
1112636	3/18/2021	OR	69	F	3/4/2021	3/15/2021	- Emergency room visit on 3/16/21 for local reaction to immunization (COVID vaccine). Had redness and warmth at injection site on left deltoid. Had similar reaction on 3/4/21 - with initial vaccine, but it went away. Per chart notes in emergency department - "3 cm circular area of erythema with mild warmth at the left middle deltoid area without significant induration or fluctuance. Skin otherwise pink, warm and dry." - Patient reports visual disturbances - seeing shadows at times, fuzzy lights, etc. States her blood pressure dropped - normally runs much higher - and pulse went up. Patient still feeling nauseous today. Had pressure in the back of her head which has nearly resolved.
1113585	3/18/2021	OH	55	F	3/18/2021	3/18/2021	Left arm developed an itchy rash on my wrist and forearm. About 30 minutes later my ears started itching. About 45 minutes later my right eye was itchy. I took two Benadryl tablets and decided to work from home. I drove home and took a nap. When I woke up the rash and itching were gone.
1112795	3/18/2021	NY	56	F	3/18/2021	3/18/2021	Allergic reaction on face: right side throat swelling, left cheek swelling, upper nose, left eyes and forehead. Urgent Care put epipen and two injections of benedril. Around 4:30 sent to hospital then 9:30 I feel a little reaction again like in my eyes, cheek and lost my voice.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1111435	3/18/2021	CA	43	M	3/18/2021	3/18/2021	@ 0830, Mr. Started complained of feeling chills, and blurry vision. Upon assessment, patient was diaphoresis, minimum tremors, AO x 4 time, place, date and situation. VS taken @ 0830 BP 56/38, HR 65, O2 sat 98%. Patient was offered water to drink and wet towel was applied to front head. Another set of VS was taken @ 0837 with BP 92/50. 911 was called @ 0850 and AMR (department #338) arrived @ 0855. Patient was assessed by medic, 12 leads EKG was done NSR. Patient denied transfer to the hospital. Medic left @0900 after explaining to the patient the risks and need to go to the hospital. Patient called his wife. Wife came at 0903. Patient was assessed, no complains of dizziness, was able to walk steadily, before leaving with wife @ 0905.
1111958	3/18/2021	VT	71	F	3/16/2021	3/17/2021	Left eye subconjunctival hemorrhage
1111927	3/18/2021	GA	52	F	3/16/2021	3/17/2021	Swelling of right eye only. Swollen almost shut. The swelling slowly reduced over 24 hours.
1111916	3/18/2021	CA	40	F	3/12/2021	3/13/2021	Per HCW, she developed flu-like symptoms on 3/13/21 @ 0720 am. (Approx. 17 hrs post vaccination). Other symptoms include itching to face, headache, fatigue, pain behind the eyes and sore neck muscle. Took Motrin and Benadryl. Per HCW, symptoms worsened. On 03/14/21 @ 03:30am she noted swollen lips, injection site swelling, fever of 102 and shivering. She denied SOB, Chest pain. Had mild nausea and diarrhea (resolved). On 03/15/21, Sought treatment via PCP and was prescribed Alegra 180 mg by Mouth everyday and Ibuprofen 600 mg PO every 4-6 hours. OUTCOME: Began feeling better on 03/16/201 at approx. 1130 am. Continues to have a "knot" at injection site. Intermittent neck soreness and pain behind the eyes.
1111874	3/18/2021	IL	92	M	3/5/2021	3/5/2021	Developed bruising around the left eye orbit extending down to the left upper cheek. Admitted to the hospital approx 10 days later with anemia, positive stool blood. Required 3 units of packed red blood cells.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1111830	3/18/2021	WI	38	M	3/16/2021	3/16/2021	38-year-old male with past medical history of anxiety, sleep apnea presents to the emergency department with throat tightness. Patient received his first dose of vaccine at 130 on 3/16/21. He waited for approximately 20 minute without any symptoms. On the way to his car approximately 30 minutes after the vaccine he started having his throat tightness. When he got home he drank some water to see if it was a sore throat however he had no pain anywhere. He feels like he was having difficulty swallowing his saliva however he was able to do it. He also was able to drink fluids. He called the nursing hotline who told him to take Benadryl (50mg) and come into the emergency department. His symptoms are still present but have improved. He denies any headache, vision changes, neck stiffness or difficulty moving his neck, chest pain, shortness of breath, difficulty breathing, nausea, vomiting, diarrhea, abdominal pain, rash. Physical exam significant for mildly edematous uvula. He was given 10 mg of dexamethasone in the ED Patient was monitored in the ED for 5 hours after exposure. Symptoms resolving after Benadryl and dexamethasone. Mildly edematous uvula without other signs of edema or allergic reaction on reassessment. Patient without stridor or respiratory distress. He no longer has throat closing sensation. He was discharged with an EpiPen, prescription for 3 days of cetirizine, instructions to follow-up with his primary care provider for further workup and for discussing options for receiving his second COVID vaccine dose, and given ED return precautions

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1111780	3/18/2021	IN	50	F	3/4/2021	3/4/2021	I got the vaccine last Thursday, March 4, 2021 and I am experiencing strange side effects. I wanted to be sure to send this along to you as well as, to the adverse effect website. It?s almost as if I?ve had a stroke. Initially (after the shot), I was a little lightheaded but as the rest of the day wore on, (say around 6 hours later), I started to get foggy in my brain - like I had to remember to even breathe - and tightness in my chest like asthma. There was a high pitch scream in my ears and I was more or less, kind of out of it. My hands and feet were sweating profusely. My tongue kind of reacted, too and got a little burned, like when I eat pineapple. It was then that I noticed difficulty swallowing. My sister (a medical professional) suggested Benadryl for the mouth and tongue sensation and she kept an eye on me the rest of the night. She also warned that I should not get a second shot (I totally agree). Being a trooper, I thought all of the weird stuff would blow over in a day or two, so I decided to power on and not report my issues. Today is day 6 post vaccine and I can now see a pattern to the symptoms or episodes which are still present, on and off: 1. The ringing in my ears will intensify, and then I stare off into space, my words get garbled (I have to really concentrate on being present), my tongue gets very dry and then the swallowing issue returns (it?s like slow motion swallowing, so I bite my tongue to stay in the moment). 2. The tightness in my chest intensifies and my breathing gets shallow. I must focus and breath through it despite discomfort. Note, since the shot, I keep a Benydryl and my inhaler with me, although I haven?t used Benadryl since day 3. I used my inhaler yesterday, day 5 because of discomfort and that seemed to help, but using it triggered an ear ringing/screaming episode that came and went the rest of the day. 3. I also have nasal constriction throughout the day. The nasal passage just inflames and then relaxes. I also have phantom smells and my sense of taste got a little off on day 1, but recovered._____ March 18, 2021 Update Saturday, 3/13 went to the ER because the cognitive issues had advanced. I found myself staring off into space, losing my train of thought, and unable to speak. When I did speak I stammered or stuttered. They wanted to make sure I did not have a stroke or that I was not in the middle of one, so they did some tests. They also recommended that I go ahead and take the prednisone.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							After my ER visit the cognitive issues continued, but began to be not-so-frequent by Sunday afternoon. I felt like I was on the road to recovery and so delayed again, taking the prednisone. On Tuesday (3/16), I had what I would call an asthma attack. I was having very strong bronchial spasms that would not abate. I used my rescue inhaler to try to mitigate the symptoms, but that did not work. At the same time, the cognitive issues sort of returned and the big loud ringing and whooshing in my ears was really really noticeable. I am having a protracted allergic reaction to the vaccine. I am not normally allergic to things, but I have noticed new allergies since this all began. Certain food items seem to bother me now and push me into the lung seizing, raw tongue, neurological, ear ringing event.
1111959	3/18/2021	TN	35	F	3/17/2021	3/18/2021	Severe chills (teeth chattering and shaking), temperatures ranging from 101.5-103.0 throughout the day (2 am - current time 2:45 pm), severe fatigue and body aches (trouble standing and opening eyes), bluish fingernail beds with numbness and tingling to knocking knuckles. 2x taken exceedrin which did break fever first time for temporary relief. Moving arms and fingers to encourage circulation.
1111761	3/18/2021	PR	63	M	3/17/2021	3/18/2021	The colors of my eyes change from brown to blue.
1111717	3/18/2021	MI	85	F	1/14/2021	1/14/2021	Client states about 4-6 hrs after her first Pfizer covid vaccine on her L arm , she developed raised red welts and then small blisters began to develop, which spread down her arm. She also added a few days later her vision became very blurred, her vision did come back to normal. She states on 02/14/2021, she returned to receive her second Pfizer Covid vaccine. She states she did tell the nurse and showed the rash on the L arm. The nurse consulted with other nurses at the clinic and it was decided to provide the vaccine on the other arm, which the client agreed to. She states a few hours later the red raised welts appeared on the her right arm and begin to spread down her arm. She states the red raised welts began to spread over her body including her legs, feet, and buttocks. The blistering rash then began to spread over her breasts, stomach and back. She did consult Dr. and was placed on prednisone. She states she has received the treatment for about 4 weeks

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1111723	3/18/2021	OH	37	F	3/16/2021	3/16/2021	About 12 hours exactly after getting the 2nd dose I got extreme POTS flare up and a mild occular migraine. I had a fever that kept going from the mid 99s to the 101s for 36 hrs. Was freezing and burning and had lots of joint and body pain. Most people I know had all of that, but the reason I'm reporting is the tachycardia. My tachy has been fairly well controlled with meds and after my second dose it was so bad any time I sat up, I couldn't breath, my tachy got so bad, my heart rate would jump from up to 70bpms, just sitting up. My resting heart rate on meds has been 60-80, and for those 36 hours was 80-110. Anytime I did anything my heart rate would jump to 130-150 and I could NOT BREATHE. My SpO2 was fine, so I know that the issue was my POTS flaring up and that it was the tachy. I just want to report that it could cause issues with people with dysautonomia, so they don't freak out if it happens. My heart rate is still elevated, but is slowly going back down.
1350211	3/18/2021		40	F	1/4/2021	1/4/2021	BlurredVision, Dizziness, Myalgia, Arthralgia, Fever, Angioedema, INJECTION SITE PAIN, SWOLLEN GLANDS Narrative: Other Relevant History:
1111670	3/18/2021	NY	48	M	3/4/2021	3/10/2021	Vision problems primarily in the right eye. Still on going. Was hospitalized. Diagnosed with Optic Neuritis
1111592	3/18/2021		59	F	3/18/2021	3/18/2021	swollen lips, blurry vision, shaky, tingling. Evaluated by EMS- Transported to Emergency room/department or urgent care.
1112329	3/18/2021	NC	54	F	3/17/2021	3/17/2021	She got the Pfizer vaccine at the medical center at 2:15pm. and her tongue started swelling around 6pm. It got large enough that she felt that she may soon have difficulties swallowing. After the sides of her tongue started swelling , she took two Benadryl and the swelling gradually went down. Of note, she took two aspirin around 4:30pm and ate grapes and pumpkin seeds before the reaction. Denies shortness of breath, swelling of the lips or eyelids, rash, or any other symptoms.
1113609	3/18/2021	CA	53	F	3/18/2021	3/18/2021	About four hours after receiving dose 2 of pfizer vaccine, I began sneezing, had a tickle in my throat and terribly itchy eyes. Then my eyes and throat swelled up so much that I couldn't open my right eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1111765	3/18/2021	GA	80	F	2/26/2021	3/5/2021	Severe pain on right side back of skull, headache, blurred vision , nausea, fatigue
1112261	3/18/2021	NY	74	M	3/13/2021	3/15/2021	patient reported swelling of the left side of the face 1.5-2 days after receiving the second Moderna vaccine which was administered on 3/13/2021. The swelling started after he got injection of Eylea to the eye from his ophthalmologist on 3/15/2021.
1112327	3/18/2021	FL	52	F	3/13/2021	3/14/2021	Patient awoken by joint pain, primarily of hip and knees, progression to wide spread neuralgias, focal kidney pain, temp 99.9 degrees, emesis x 12, loss of appetite, paresthesia of hands and feet, headache and sinus headache (worst headache pain of life, pain scale 9), sinus drainage, photosensitivity, inability to focus eyes to read, extreme fatigue lasting 30 hours. headache and paresthesia unresolved at time of this report. UC worsened.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1111980	3/18/2021	KS	51	F	3/17/2021	3/17/2021	<p>Progress Notes APRN (Nurse Practitioner) ? ? Nurse Practitioner Cosigned by: , MD at 3/18/2021 7:58 AM Expand AllCollapse All COVID VACCINE CLINIC 66612 3/17/2021</p> <p>Patient: Date: 3/17/2021</p> <p>Subjective is a 51 y.o. female who was seen at COVID Vaccine Clinic today for her second dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience dizziness and nausea and tingling down left arm where she got her shot. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency . Monitored patient for severe reaction symptoms, including but not limited to abdominal pain, blood pressure abnormality , chest pain, collapse, drooling, hypotension, increased swelling, rapid progression of symptoms, respiratory distress, skin changes, tongue swelling and vomiting. ALLERGY REVIEW OF SYSTEMS: Patient complains of frequent throat clearing, vomiting (nausea), muscle aches (left arm), dizziness and headaches CONT negative Eyes negative Respiratory negative Skin negative Previous Reactions: Nausea with first Covid shot Objective Vitals Vitals: 03/17/21 0140 03/17/21 1332 03/17/21 1407 BP: 134/82 (!) 144/87 135/74 Pulse: 93 89 SpO2: 97% Physical Exam Constitutional: Appearance: Normal appearance. She is well-developed. HENT: Head: Normocephalic. Jaw: There is normal jaw occlusion. Right Ear: Hearing normal. Left Ear: Hearing normal. Nose: Nose normal. Mouth/Throat: Lips: Pink. Mouth: Mucous membranes are moist. No angioedema. Pharynx: Oropharynx is clear. Eyes: General: Gaze aligned appropriately. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Normal breath sounds. Musculoskeletal: Cervical back: Full</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							passive range of motion without pain. Neurological: Mental Status: She is alert. Psychiatric: Behavior: Behavior is cooperative. Assessment/Plan Treatment included: water and pepcid, zofran and Ibuprofen Follow up response to treatment: good. Patient discharge: Stable to go home and follow up with PCP. Released to go home with sister. No driving tonight. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) 2:30 pm Electronically Signed 3/17/2021 2:30 PM
1112324	3/18/2021	IN	52	F	3/16/2021	3/16/2021	Around 8:30pm I had halo in my vision- I took my contacts out and out glasses on it went away shortly after that. Around 9:00pm started chills and aching. Around 9:30 headache & arm sore vaccine area All these symptoms lasted through the night., I tossed and turned up getting drinks of water. Woke the next morning with headache & body aches. The chills where gone. Took excedrine headache started to subside still ache & started feeling nauseous. Felt like this most of the day. Slept fine the night of the 17th. Woke 18th feeling very tired but most of the other symptoms gone. Arm still sore from vaccine Hoping tomorrow to feel 100% again.
1112310	3/18/2021	CA	43	M	3/13/2021	3/13/2021	1) Started severe palpitation within minutes 2) It followed by severe dizziness and visual haziness 3) After doctors made me lying down on the bed, started feeling better
1112229	3/18/2021	MI	43	F	3/4/2021	3/4/2021	Continuous under eye twitch that I noticed the evening after getting the vaccine. As of today, it has been 2 weeks. I have not experienced this symptom before and it does not appear to be subsiding.
1112134	3/18/2021	VT	26	F	3/16/2021	3/16/2021	Upon leaving the vaccination site, I began experiencing "twitching" or mouth spasms on the left side of my face. The exact area was between the corner of the mouth and the cheek area/bone. They were persistent for the remainder of the day on 3/16/21. The twitches/spasms were similar to an eye twitch and lasted into the day on 3/17/21. The twitching subsided today, 3/18/21 but still experiencing them off and on, just not consistent or as frequent.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1112118	3/18/2021	PA	36	M	3/18/2021	3/18/2021	Pt received vaccine and within ~2 minutes started feeling woozy and reported tunnel vision. He alerted his nurse who called for back up. Upon arrival, patient appeared pale and diaphoretic. Pt appeared lethargic but was conscious. Pt moved via stretcher to observation unit at 1601. Pt denied SOB, dizziness, palpitations, rash, itchiness, swollen mouth/tongue. Pt reported he had vasovagal response to another vaccine (tetanus) before. Vitals: 1605 154/108, 95%, 77HR 1608 146/90, 95%, 76 HR 1620 138/90, 95%, 76 HR At 1622 pt reported feeling 'tingly'. lungs clear on auscultation. Occasional PVCs on auscultation. Pt reported history of palpitations. 1636 151/102, 99%, 80 HR Pt reported palpitations subsided and tingling feeling subsided. 1635 141/94, 99%, 75 HR Pt escorted via wheelchair out of facility with a stop at the bathroom and was advised on follow up for additional care should palpitations return or s/s of allergic reaction.



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1112079	3/18/2021	KS	34	F	3/17/2021	3/17/2021	<p>Progress Notes APRN (Nurse Practitioner) ? ? Family Medicine Cosigned by: MD at 3/18/2021 2:52 PM Expand AllCollapse All COVID VACCINE CLINIC 3/17/2021 Date: 3/17/2021</p> <p>Subjective Patient is a 34 y.o. female who was seen at COVID Vaccine Clinic today for her second dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 30 minute waiting period after the injection, the patient began to experience itching. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , rapid progression of symptoms, respiratory distress, skin changes and tongue swelling. Medical hx insignificant ALLERGY REVIEW OF SYSTEMS: Patient complains of itching of skin Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, eyes watering, eyes itching, cough, chest tightness, shortness of breath, wheezing, rash, hives, vomiting, abdominal pain, muscle aches, joint pain, dizziness and headaches Previous Reactions: same itching with 1st vaccine of Pfizer. Objective Vitals Vitals: 03/17/21 1625 03/17/21 1640 BP: 128/74 124/79 Pulse: 71 SpO2: 100% Physical Exam Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Gait: Gait</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							normal. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: antihistamines benadryl and pepcid Follow up response to treatment: fair. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Systemic reaction (hypoglycemia, hypotension, generalized rash) All over itching. Similar to last time. Pt given benadryl 50 mg and pepcid 20 mg. Pt not drowsy at time of discharge. States she does fine with benadryl. She feels comfortable going home and managing it on her own. States she will seek emergent care if new symptoms arise. Pt wishes to be discharged. Discussed symptoms to monitor for. No progression of symptoms while observed in the bay. APRN Electronically Signed 3/17/2021 5:00 PM
1112061	3/18/2021	LA	41	M	3/10/2021	3/10/2021	Headache lasting nearly 18 hours, cold sweat and flu-like symptoms overnight, visual light sensitivity from the morning to the mid-afternoon following the vaccination. All symptoms resolved within 24 hours.
1112045	3/18/2021	CA	57	M	3/17/2021	3/18/2021	Severe watering eyes
1112008	3/18/2021	IN	66	F	3/9/2021	3/9/2021	Site injection soreness, pain, fatigue, loss of appetite, gas (farts) , aches, pains, lower abdominal cramps,, chills, hot flashes, nausea, lower back pain, cold sore tingle on mouth, eye twitch, brathing issues, headache, sinus pain, runny nose
1112023	3/18/2021	TX	64	M	3/18/2021	3/18/2021	Officer reported feeling dizzy, blurred vision, lips were numb and tingling to the left side of his face. Vitals signs were taken and his condition and complaints were reported to NP. An evaluation was done and a granola bar was given since the officer reported he did not eat this morning. Another set of vital signs were taken and then NP consulted with Dr. who recommended that the officer be seen in the ER for further evaluation. Officer was then transported to local ER by wife.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1112017	3/18/2021	KS	48	F	3/17/2021	3/17/2021	<p>Progress Notes Nurse Practitioner COVID VACCINE CLINIC Subjective Patient is a 48 y.o. female who was seen at SVH COVID Vaccine Clinic today for her second dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience difficulty breathing, and chest tightness and phlegmy throat. . She denied rash, hives, welts, difficulty swallowing, wheezing, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to abdominal pain, blood pressure abnormality , collapse, drooling, hypotension, increased swelling, rapid progression of symptoms, respiratory distress, skin changes, tongue swelling and vomiting. ALLERGY REVIEW OF SYSTEMS: Patient complains of frequent throat clearing, chest tightness and shortness of breath Previous Reactions: Covid shot : Muscle ache and headaches for 2 days. Objective Vitals Vitals: 03/17/21 1603 03/17/21 1639 03/17/21 1650 BP: 109/88 (!) 146/104 Pulse: (!) 117 (!) 107 SpO2: 99% 97% 99% Physical Exam Constitutional: Appearance: Normal appearance. She is well-developed. HENT: Head: Normocephalic. Right Ear: Hearing normal. Left Ear: Hearing normal. Nose: Nose normal. Mouth/Throat: Lips: Pink. Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Uvula midline. Eyes: General: Vision grossly intact. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Decreased air movement present. Examination of the right-upper field reveals decreased breath sounds and wheezing. Examination of the left-upper field reveals decreased breath sounds and wheezing. Decreased breath sounds and wheezing present. No rhonchi or rales. Comments: Tight wheeze in lungs Cleared after 2 puffs of albuterol inhaler, symptoms reoccurred within 10 min of use. Neurological: Mental Status: She is alert. Psychiatric: Behavior: Behavior is cooperative. Pt was given albuterol inhaler 2</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							puffs, Pepcid, Benadryl IM and Solumedrol 125 mg IM. Pt initially clears for about 10 minutes, then airways tighten up again after inhaler use. Epinephrine 0.3 given and pt sent by AMR to hospital. O2 started at 2L at 4:50. Assessment/Plan Treatment included: albuterol, antihistamines, oral steroids, water and pepcid Follow up response to treatment: poor. Patient discharge: Transported to ED by ambulance. Differential Diagnosis: Anaphylaxis (dyspnea, stridor, drooling, tongue swelling) and Red flag symptoms (CP, SOB, NVD, Visual/Neuro concerns) 5:05 left for ER. Update given to AMR and SV ER. Electronically Signed 3/17/2021 4:56 PM
1112081	3/18/2021	OH	59	F	2/26/2021	2/27/2021	Woke on the morning after the shot 2/27/21 with a low grade fever (100), fatigue, headache, joint and muscle pain and slightly swollen lymph nodes in my neck. Within a few hours, my body was completely covered in large hives from head to toe. I rested or slept most of the day and by the afternoon, the fever had subsided. By the next day headache, joint/muscle pain and swollen lymph nodes diminished. I still felt fatigue and the hives were awful. Began taking Benadryl with no relief. Called my primary care doctor to report; increased Benadryl dosage to 2 every 4 hours. There was some relief during the day, but the large doses of benadryl were making me anxious/nervous, racing heart, shakes. Decreased following another call to Doctor and began taking Antronex; decreased side effects, but little affect on the hives during the evening/overnight hours. At times I would be completely covered in them, other times they were localized (bottoms of my feet, face, neck, eyes). Returned call to Doctor, again suggested Prednisone. (I typically have strong reactions to steroids and wanted to avoid if at all possible) Began first dose 3/18/2021. Experiencing some relief already.
1112013	3/18/2021	CA	34	M	3/18/2021	3/18/2021	1100 Patient noticed tingling in right jaw 5 mins after receiving vaccine. Upon assessment patient vital signs were BP: 146/98, O2: 97%, HR 81. Tingling in jaw doesn't radiate anywhere in his face. After assessment and sitting for a few minutes, tingling in face started to subside. Patient feels he is going to be ok. Doesn't need any other further supervision. Patient waited remainder of 15 mins and left with no further issues.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1107993	3/17/2021	MD	89	M	2/25/2021	3/16/2021	03/16/2021: Presented to the emergency department with intractable headache (last 3 days) and vision changes (last 6 months). The patient was admitted for uncontrolled hypertension and rule out meningitis. The patient is still currently admitted.
1108156	3/17/2021	WA	65	F	3/13/2021	3/13/2021	dizziness and blurred vision. Transferred to hospital for evaluation.
1108114	3/17/2021	MO	45	F	1/6/2021	1/7/2021	I can say that my symptoms actually started on my first dose 12-17-2020, experienced chills, muscle soreness, had fever of 99.4F and thought it was menopausal symptoms. After my second dose vaccine, my lymph nodes were visibly enlarged. I experienced muscle soreness, lymph nodes were enlarged, left side, had chills, sore throat, ear ache radiated towards my neck and had a viral pink eye. I felt very tired and had muscle aches. I had a fever of 99.4F, mostly chills and joint pain to my left shoulder, left hip and left knee. I also had 3 Covid swab testes which were all negative. I saw my doctor who performed a x-ray of the chest and has put off a mammogram test till April 2021. At this time I have not recovered there is something going on with my pelvis, form my iliac crest when bending down I feel a pinched lymph node on that area of iliac crest. I get a pinch on my pelvis that is painful.
1108109	3/17/2021	FL	63	F	3/10/2021	3/14/2021	All symptoms reported here are following dose 2 on 3/10/21: Headache, fatigue beginning on 3/12/21 and still present Onset of tingling to mouth, lip and tongue noted late afternoon on 3/16/21 Loss of taste onset 3/16/21 Facial drooping noted late 3/16/21 Increased facial drooping, numbnes, tingling left side of face and inability to close left eye on 3/17/21

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1108088	3/17/2021	KS	23	F	3/17/2021	3/17/2021	<p>Progress Notes APRN (Nurse Practitioner) ? ? Family Medicine Cosign Needed Expand AllCollapse All  COVID VACCINE CLINIC 3/17/2021  Patient:  Date:  3/17/2021</p> <p>Subjective The patient is a 23 y.o. female who was seen at COVID Vaccine Clinic today for her second dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience lightheadedness, dizziness and nausea. She denied rash, hives, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , hypotension, rapid progression of symptoms and vomiting. PMH not significant.</p> <p>ALLERGY REVIEW OF SYSTEMS: Patient complains of vomiting and dizziness Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, eyes watering, eyes itching, cough, chest tightness, shortness of breath, wheezing, rash, hives, itching of skin, abdominal pain, muscle aches, joint pain and headaches +lightheadedness: Previous Reactions: none Objective Vitals Vitals: 03/17/21 0853 03/17/21 0942 BP: 129/75 117/70 Pulse: 80 86 Resp: 14 SpO2: 100% 100% Physical Exam Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. PND NOTED Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Gait: Gait</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

normal. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. 08:53Pt with several bouts of emesis, clear/mucous. Pt given zofran 4 mg x 2. Pt reports that she deals with chronic PND that typically is worse in the mornings and gets better after 30 minutes of waking up. Denies hx of acid reflux but has occasional heart burn. Pt has a few spare times of dry heaving. Zyrtec 10 mg given. 0935: pt with reported improvement of dizziness/lightheadedness. Still having nausea and urges to vomit. Pepcid 20 mg given. 0942: Pt reports improvement and no nausea. She appears to feel better. Pt asked to drink some water and observed for a little bit longer to see that she does well. Assessment/Plan Treatment included: water and zofran, pepcid, zyrtec and ice pack Follow up response to treatment: good. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Red flag symptoms (CP, SOB, NVD, Visual/Neuro concerns) She greatly improved by the end of her stay. She denies nauseas. No more emesis. She was able to stand w/o dizziness/lightheadedness. She's to gradually advance diet as tolerated. Follow up with pcp as needed. We discussed reasons to go to the ED. She's grateful for her care today. Pt ambulated out of medical center w/o assistance. APRN Electronically Signed 3/17/2021 9:30 AM

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1108082	3/17/2021	TN	44	F	2/16/2021	2/20/2021	I just wanted to pass along my vaccine experience. So, I got the first dose on 25 Jan. Within a day or two I developed a cold sore. I had not had one in years but it wasn't a big deal. I just figured the foreign vaccine had triggered it from being dormant. Well, I got my second dose on 16 Feb. Within days my eyes started feeling weird...specifically my left eye. It was achy all day, red when I woke up, watery, and it was difficult to focus when I first turned on the lights. This morning I went to the eye doctor and he told me that I had developed a blister (like a cold sore) in my eye. I had never ever ever experienced this. But like the first cold sore on my lip, he said it was dormant in my body and the vaccine just triggered it. There are only two eye drops that treat this and they are pretty expensive but he told me that if I had not come to see him, this virus would have just lingered in my eye. Just thought I would share my experience.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1108041	3/17/2021	KS	28	M	3/17/2021	3/17/2021	<p>Progress Notes Healthcare Provider Cosign Needed Expand AllCollapse All Healthcare Facility Date: 3/17/2021</p> <p>Subjective Patient is a 28 y.o. male who was seen at healthcare facility today for his second dose of the COVID 19 vaccination. He was given the Pfizer vaccination in the left deltoid muscle. During his 15 minute waiting period after the injection, the patient began to experience dizziness. He denied any other symptoms. This provider was notified of patient reaction and he was then assessed. Monitored patient for severe reaction symptoms, including but not limited to rapid progression of symptoms. Had back surgery 4 months ago. Since that time, he has had episodes of dizziness. 2 days after surgery, he had a syncopal episode and hit his head. He was evaluated at healthcare facility. He reports negative CT of head from that visit. He was diagnosed with concussion. He did not have a reaction with first vaccine. ALLERGY REVIEW OF SYSTEMS: Patient complains of dizziness CONT negative HENT negative Eyes negative Respiratory negative Skin negative GI negative Musculo negative Previous Reactions: N/A. No reaction to first vaccine. Objective Vitals Vitals: 03/17/21 0859 03/17/21 0917 BP: 128/76 116/72 Pulse: 86 80 SpO2: 100% 99% Physical Exam Vitals reviewed. Constitutional: Appearance: He is ill-appearing (initially, then resolved). He is not toxic-appearing or diaphoretic. HENT: Head: Normocephalic and atraumatic. Mouth/Throat: Mouth: Mucous membranes are moist. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Musculoskeletal: General: Normal range of motion. Cervical back: Normal range of motion. Skin: General: Skin is warm and dry. Coloration: Skin is pale. Neurological: General: No focal deficit present. Mental Status: He is alert and oriented to person, place, and time. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Behavior is cooperative. Thought Content: Thought</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: water Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) Suspect this was one of his normal episodes that he has been experiencing. He is expecting a phone call with neurosurgeon this week. He was instructed to call PCP or seek emergent care if symptoms return, worsen or become worrisome. He felt back to baseline. He was able to ambulate independently. Healthcare Provider Electronically Signed 3/17/2021 9:31 AM
1107955	3/17/2021	NC	36	F	3/13/2021	3/16/2021	allergic reactions; rash, itching, hives, and swelling of the face (specifically eyes)
1108000	3/17/2021	MO	75	F	3/4/2021	3/5/2021	Patient describes "itchy hands" in the afternoon following injection on 3/4. On 3/5, she developed additional rashes and "bumps" over body. She phoned the administering facility (she is not a routine patient) at 1200 on 3/5. Advised by FNP to take benadryl 50 mg po. Advised to go to ER/Urgent Care for worsening of symptoms or difficulty breathing. On 3/8, patient states she awoke with eyes almost swollen shut. Went to Urgent Care. Given Prednisone 20 mg in decremental dosing. Also given 4mg Dexamethasone IM. To follow up with PCP in 3-5 days. As of 3/17/2021, patient states she is all better.
1107956	3/17/2021	NC	26	F	3/15/2021	3/15/2021	Within 10 minutes of observation post-Pfizer COVID vaccine. Pt c/o itching to lower back. The RN visualized redness along pant line, approximately palm sized. Waited 5 minutes with continued observation and patient stated continued itchiness but h/o multiple allergies. Denies SOB, no oral swelling noted, RR even and unlabored. Assessed torso with no further significant hives but previous still visible. Pt given 25 mg po Benadryl. Pt requested to go home, denied acute distress, states she has Zyrtec at home. Pt with coworker who stated pt will remain with them for next few hours and they would monitor her symptoms. Pt given s/s to monitor for, when to go to ED if acute symptoms, and to notify MD of possible allergy. Pt agreed with Plan of Care.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1108311	3/17/2021	OR	43	F	3/13/2021	3/13/2021	Began to feel facial tingling and numbness 3 minutes post vaccination; "things started spinning and vision was blurry"; nausea-began having dry heaves (had not eaten), CBG 123, HR bradycardic and erratic, developed pounding HA, EMT stated "throwing PVCs"; then went to ER in POV
1107922	3/17/2021	NY	73	M	12/28/2020	2/10/2021	POSSIBLE LOW BLOOD FLOW TO MY LEFT EYE STILL BEING TESTED AT EYE CARE
1107831	3/17/2021	LA	41	M	3/16/2021	3/16/2021	Moderna COVID-19 Vaccine Allergic reaction happened about 2:30 min after the injection, with eyes swelling, right eye more than half covered. Congestion, runny nose, itchy back of tongue and palate. I consulted with my healthcare provider (Dr, not the pharmacy that administered the shot) to know what to do and since I didn't have any noticeable breathing problem, she advised to take some Benadryl and monitor. Lot number was handwritten so 1st, 2nd, fifth and sixth characters have been interpreted as above. first character could be a O, 0 or D. Second and sixth character could be a I or 1. Fifth character could be a 2 or Z.
1108035	3/17/2021	TN	80	F	2/10/2021	2/17/2021	pt states about a week after she took her 2nd covid vax the skin above her eyes turned red and itchy. Her eyelids and ears are itchy, red, skin is very dry and scaly. Pt is taking Benadryl and also using Vaseline and zinc oxide. She is still having these symptoms and will contact her PCP if they do not subside.
1108326	3/17/2021	IA	73	F	3/14/2021	3/14/2021	11PM - 6AM awoke shivering from head to toe..woozy, head buzzing, couldn't see much except lavender splotches when eyes open; no strength in arms or legs: collapsed trying to get out of bedroom to bathroom & couldn't get up unassisted; collapsed again trying to get from bathroom back to bed - couldn't scoot or pull/raise myself up with my arms; needed help to sit & rest& collect myself; arms/legs had no strength at all.... couldn't move unassisted; took unknown amount of time for husband to help me back to bed....once in bed slept until 6AM.. still weak the following day but vision back to normal - used walker to get around..head still buzzing

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1108510	3/17/2021	CA	36	F	1/27/2021	1/27/2021	Received vaccine stood up immediately felt light headed, off balance, tachycardia, weak in the knees. Sat for 15 minute taking deep breaths and symptoms resolve. 8-10 hour late at bedtime felt all above symptoms again plus heighten hearing and tunnel vision. Again took deep breaths and symptoms resolved For the week after was having chest tightness, frequently but has become intermittent. PCP thinks may be anxiety.
1107514	3/17/2021	PR	50	F	3/16/2021	3/16/2021	RIGHT AFTER VACCINATED, PATIENTS START TO PRESENT A SEVERE RASH IN HER BODY, AND HER EYES WERE VERY RED. PATIENTS DID NOT SHOW ANY SIGH OF SWELLING AND WAS ABLE TO BREATHE. AFTER REASSES OF THE SITUATUION, PROCEED TO INJECT DIPHENHYDRAMINE 50MG/ML VIAL. PROCEED TO CALL 911, WHEN THE PARAMEDICS ARRIVED, VITAL SIGNS WERE TAKEN. AFTER 15 MINUTES OF THE ADMINISTRATION ALL RASH AND RED IN HER SKIN STARTED TO IMPROVISED. PATIENTS WAS OBSERVED FOR 30 MORE MINUTES AND THE PARAMEDICS PROCEED TO DISCHARGE HER HOME.
1107803	3/17/2021	KY	37	F	2/19/2021	2/19/2021	Dizziness, numbness in left arm, heart palpitations, nausea, blurred vision. Began within the hour of the dose. Dizziness, arm numbness, blurred vision lasted less than 24 hours. Heart palpitations lasted 3 days. Breastfed twins also fussy, irritable, trouble sleeping, smaller appetites for three days.
1108449	3/17/2021	FL	49	F	3/10/2021	3/10/2021	Within 10 minutes got blurred vision and felt like going to faint. happened 3 times during first 30 minutes happened 3 times. Felt like throat was tight when swallowing. Face started to tingle and numbness lips and tongue for about 5 minutes, Tightness in throat for 2 hours. went back to Cvs and stayed for a an hour. Felt like swelling of throat for the first night. 2 days had a sore throat, little by little went away. took 3 days to swallow normal. Called her doctor for advice on second short

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1108436	3/17/2021	MI	45	F	1/25/2021	1/25/2021	After shot was administered we drove to the next door parking lot. By the time we arrived the right side of my face was red like someone slapped me and started to swell on the right side of my face and eye area. I had red splotches on my neck. We called a nurse over to our vehicle and I was immediately given 50mg of Benadryl and some apple juice to take it with. I was asked to stay to be monitored a total of 1 hour. Although the swelling and redness did not go down in that hour, it did not progress and get any worse. It took another 1/2 and hour for the swelling to start to go down.
1108291	3/17/2021	CA	67	F	3/11/2021	3/11/2021	Immediately upon receiving the shot I felt pain behind my left ear. It continued throughout the next day whereupon I also started experiencing numbness on the left side of my face similar to getting a shot of Novocaine at the dentist. As each day passed, the symptoms kept progressing across my face until my mouth is permanently skewed to the right. It makes eating, drinking and speaking difficult. Coincidentally the day after my vaccination, I had an appointment on Friday, March 12 at 10:30am for my first appointment with my new doctor. I mentioned the ear pain (the numbness didn't start until that same afternoon) and she mentioned it wasn't uncommon for the lymph glands to be affected by the vaccination. I assumed my symptoms would go away in a few days. When they kept getting more pronounced, I sent her a couple of emails but she was out of the office until Tuesday, March 16. Her assistant contacted me on Tuesday the 16th and told me to call 911 and go to the emergency room. I drove myself to the Medical Group emergency room and was seen by the Dr. After examining me, she also consulted with a neurologist and they diagnosed me with bell's palsy and said it would take between six to eight months to self correct. She prescribed me Predisone 20mg dosage of three tablets once a day and Valacyclovir 1 gram dosage three times a day. She also suggested I get some eye ointment to use at night and eye drops to be used four times a day since my left eye doesn't close all the way now.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1108359	3/17/2021	CO	69	M	2/26/2021	3/15/2021	Patient e-mailed provider on 3/1/21 - "I have pretty good inflammation in my mouth, lips, face, throat, shoulders, neck and knees. Eyes fill a little weird too. I also feel a bit fatigued and lack interest in normal Monday morning activities"; It was recommended pt tx s/s with Loratadine and diphenhydramine. On 3/15/21, pt said swelling was better but he now had a rash on the front of both shins as well as a bruise on the top of his right foot and his left thigh. CBC drawn 3/16/21 showing platelets of 40k.
1108177	3/17/2021	WI	43	M	3/12/2021	3/12/2021	Went to clinic on 3/14/2021 due to feeling like his vision is off and he feels like it is difficult to find words since getting his first Covid vaccine on Friday 3/12/2021. Followed up in MD office 3/16/2021 with patient stating he is still having issues with slurred speech and difficulty finding words. PMD recommended going straight to ER. Stroke was ruled out, patient following up with Neurologist as outpatient.
1108296	3/17/2021	CA	70	M	3/9/2021	3/9/2021	Total loss of libido for 3 days. Severe Headache and body aches. left arm really hurt from the injection. all pain was gone within 2 days. 6 days later I developed a sty in my left eye. I also had a sty in my left eye a week before I tested positive for Covid on Sept 20 2020.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1108460	3/17/2021	IN	67	F	3/16/2021	3/16/2021	67 year old female with PMH of HTN, HFpEF, history of DVT, obesity, migraines, gastroparesis, Sicca symptoms, asthma, chronic bronchitis, and GERD who presents with anaphylactic reaction s/p COVID vaccine administration. Received COVID vaccine across the street (<1 minute EMS ride) C/o itching, cough, and wheezing shortly after. No respiratory distress or hypoxia en route. Received IM epi (2 weeks expired) and Benadryl PTA. Symptoms improving now. Has extensive allergy list. Review of Systems 10 point ROS completed and negative except noted in HPI above. Physical Exam/Objective Vitals & Measurements last 24 hours VITAL SIGNS Temp C: 36.3 DegC Heart Rate: 87 bpm Resp Rate: 16 br/min BP #1: 139 / 59 mmHg SpO2 (%): 99 % O2 Device: Room air Height CM: 152.4 cm Ideal Body Weight: 45.5 kg General: NAD, well-nourished Eyes: No scleral icterus, EOMI HENT: Normocephalic, atraumatic, no airway edema Neck: Supple, intact range of motion Respiratory: Lungs CTAB, symmetric chest wall expansion, no wheezes, speaking in full sentences Cardiovascular: RRR, no murmur, +2 peripheral pulses Abdomen: Soft, NTTP, non-distended Musculoskeletal: No gross deformity Integumentary: Intact, warm, dry, no rashes Neurologic: A&O x 3, no focal deficits Psychiatric: Cooperative, appropriate mood and affect Medical Decision Making 67 year old female with extensive PMH including asthma, chronic bronchitis, and GERD who presents with anaphylactic reaction s/p COVID vaccine administration. Has long list of allergies. On exam, airway intact, no respiratory distress, no wheezing, speaking in full sentences, C/o subjective itching and cough that is starting back up. IV methylprednisone IV famotidine Albuterol PRN Benadryl PRN Observe Rx EpiPen upon discharge Re-Assessment Observed for >4 hours Symptoms resolved Counseled patient on EpiPen use and gave strict return precautions Has albuterol and Benadryl in her purse Has had many reactions in the past and is very familiar with how to manage them Discharge home with daughter

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1108280	3/17/2021	AL	68	M	3/11/2021	3/11/2021	PT STATED THAT BEGINNING THE AFTERNOON/EVENING FOLLOWING THE VACCINE HE HAD A SPELL OF VERTIGO. HE HAS NEVER HAD VERTIGO PREVIOUSLY. HE CONTINUED TO HAVE INTERMITTENT SPELLS OF VERTIGO THAT CONTINUED AND WORSENER OVER THE NEXT 48 HOURS. HE STATED THAT HIS EYES DIDNT FOCUS WELL AND HE SAW EXAGGERATED LIGHT IMAGES. HE GOT A WALKER OUT THAT HAD BEEN USED FOR A PREVIOUS HIP REPLACEMENT SURGERY DUE TO HIS UNSTEADY GAIT. HE HAD A SEVERE HEADACHE AND FELT GENERALLY UNWELL. HE STATED THAT IT WAS "THE WORST THING HE HAS EVER BEEN THROUGH AND HE IS 68 YEARS OLD. HE WOULDNT TAKE ANOTHER DOSE IF I PAID HIM AND HE FELT LIKE HE WAS ON SOME KIND OF TRIP.~~
1108241	3/17/2021	IN	73	F	3/11/2021	3/11/2021	Right eye couldn't focus, horrible headache, asthma attack/panic attack, trouble walking with right side (all on day of shot couple hours after shot), fever and chills overnight, Friday: lip pain, headache continue, trouble walking/pain in legs continue through Saturday.
1108216	3/17/2021	MD	66	M	3/17/2021	3/17/2021	Extreme ringing in ears Numbness in cheeks Slight vision blur
1108213	3/17/2021	IN	20	F	3/15/2021	3/17/2021	Patient reported that at 09:25 AM she had problems in class with equilibrium, "lightheadedness and dizziness", inability to easily hold her head up, or focus visually on a screen in a classroom, "wobbly vision, glazing over", tingling on the anterior surface of both legs. She stated that all effects lasted 40 minutes in length, except for visual effects that lasted 15 minutes. She also reported having orange juice, pancake and strawberries at 9AM this same morning. She denied any respiratory issues, pain, numbness or strength/weakness problems. Vital signs: T 97.4, P 78, R 14, O2sat 98%, BP sitting 118/70, BP standing 120/74. Pupils were equal and reactive to light, and she was oriented to person, place, and time.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1108426	3/17/2021	WA	53	F	3/13/2021	3/13/2021	nausea, headache, diarrhea, general feeling of being unwell. Most concerning to me is the affect on my left eye and eyes in general and headache. My left eye is wandering, like a "lazy" eye. It is as if my eye floats, and when this happens I am not able to focus. With the eye is also a frontal area headache and i get an uneasy feeling in my body just prior to this happening. My reaction started around 5 hours after the vaccine shot. It is now four days later and my symptoms are less but still present around my eyes and headache.
1107582	3/17/2021	NY	49	F	2/11/2021	2/12/2021	very bad dry mouth starting after first vaccine shot, worsening after second dose, gradually starting to subside 1 week after 2nd vaccine . urination urgency. starting 1 week after the 1st vaccine shot. increasing for 1 week. continuing after second dose. gradually subsiding 1-2 weeks after second vaccine dose. eye pain, sensitivity to light only lasting 1-2 days 10 days after second dose. Pervasive anxiety either from circumstances or vaccine. i dont know. and a one time vaginal bleed a week after 2nd dose.
1108377	3/17/2021	UT	62	F	2/17/2021	2/23/2021	Started seeing her eye become bug eyes and hurting started to slur speech and not about to walk. Called her neuro doctor on 3-1-21 he said to take her to the eye doctor so I did. They told me her eyes are dry to put eye drops in. Called her neuro next day he told me to take her to the ER. They diagnosed her with Graves Disease and now she is showing symptoms of Graves Disease. She has never had any problem with her Thyroid. Had blood work done back on Jan 20th 2021
1108521	3/17/2021	IL	77	F	3/8/2021	3/10/2021	2nd day eye infection. Matted, itching,red. Plus tearing & burning

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1107190	3/17/2021	NC	34	F	1/1/2021	2/13/2021	Vision loss; Balance issues; Tingling in Extremities; Fatigue; Chills; A spontaneous report was received from a consumer concerning a 34-year-old female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced vision loss, tingling in extremities, paraesthesia, balance issues, fatigue and chills. The patient's medical history was not provided. No relevant concomitant medications were reported. The patient received her first of two planned doses of mRNA-1273 (Lot number: unknown) on an unspecified date in Jan 2021 intramuscularly. On 12-Feb-2021, prior to the onset of the events, the patient received her second of two planned doses of mRNA-1273 (Lot number: unknown) intramuscularly for prophylaxis of Covid-19 infection. On 13 Feb 2021, Patient experienced vision loss, tingling in extremities, paraesthesia, balance issues, fatigue and chills. Laboratory details included an increased white blood cell count..Treatment information was not provided. The patient received both scheduled doses of mRNA-1273 prior to the events. Therefore, action taken with the drug in response to the events is not applicable. The outcomes of the events of vision loss, tingling in extremities, balance issues, fatigue, and chills were considered as unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1107192	3/17/2021	CA	71	M	2/15/2021		fainting spells or passing out; severe stomach pain, abdominal pain; nausea; Swollen lymph nodes in three places like a triangle; low blood pressure with faint pulse; faint heart beat or rate with flutters; lightheadedness; blurry vision; right ear ache; face flush or red face; burning sensation on his hands; red rash on under arm; HEART FLUTTER; A spontaneous report was received from a Consumer concerning himself as a 72 Years-old male elder patient who experienced severe stomach pain, nausea, abdominal pain, swollen lymph node in three places like a triangle, low blood pressure with a faint pulse, faint heartbeat or rate with flutters, dizziness, lightheadedness, fainting spells or passing out, blurry vision, right earaches, facial flushness or red face, burning sensation on his hand and red rash on his under arm. The patient's medical history was low glycemia and atrial arrhythmia.His concomitant medications were reported as Vitamin D31000 IU as supplement, Prevacid 30 for acid reflux prevention and Magnesium 400mg as supplement. On 15 Feb 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (lot/batch: 007M20A) for prophylaxis of COVID-19 infection. On an unspecified date, the patient experienced fainting spells which is medically significant and the other events are severe stomach pain, nausea, abdominal pain, swollen lymph node in three places like a triangle, low blood pressure with a faint pulse, faint heartbeat or rate with flutters, dizziness, lightheadedness, blurry vision, right earaches, facial flushness or red face, burning sensation on his hand and red rash on his under arm. No treatment information was provided. Action taken with mRNA-1273 in response to the events was Unknown. The outcome of the event(s) severe stomach pain, nausea, abdominal pain, swollen lymph node in three places like a triangle, low blood pressure with a faint pulse, faint heartbeat or rate with flutters, dizziness, lightheadedness, fainting spells or passing out, blurry vision, right earaches, facial flushness or red face, burning sensation on his hand, red rash on his under arm were Unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1107198	3/17/2021	CA	80	F	2/1/2021	3/2/2021	<p>A spontaneous report was received from a consumer concerning a 80-year-old, female patient who suddenly felt weak (asthenia), vision started to flip (visual impairment), whole body started shaking (tremor), head fell forward and she was out for 20-30 seconds (loss of consciousness), rushing noise in left ear, drenched in perspiration, nauseated (nausea), cold (chills), low grade fever (pyrexia).</p> <p>The patient's medical history was not provided. Concomitant product use was not provided/unknown by the reporter. On 01-FEB-2021, the patient received the first of two planned doses of mRNA-1273 (Batch number: 007M20A) intramuscularly for prophylaxis of COVID-19 infection. On 01-MAR-2021, the patient received her 2nd dose of the Moderna COVID-19 vaccine (Batch number: 023M20A) in her left (dominant) arm. On 02-MAR-2021, she experienced a side effect which was not listed in the sheet she was given. She wanted to call and report the side effect. She said that she was at the stove cooking and suddenly felt very weak and felt that her vision started to flip. She called for her husband to come over who seated her on a chair. After that she says she doesn't remember what happened, but her husband told her that her whole body was shaking, her head fell forward and she was out for 20-30 seconds. When she came back, she could hear a rushing sound coming out of her left ear. She was also drenched in perspiration. She felt very nauseated and cold the whole afternoon. On 03-MAR-2021 she felt better. She had a low grade fever of 99.4 degrees Fahrenheit. Treatment for the event included paracetamol. The patient received both scheduled doses of mRNA-1273 prior to the events; therefore, action taken with the drug in response to the events is not applicable. The events, suddenly felt weak (asthenia), vision started to flip (visual impairment), whole body started shaking (tremor), rushing noise in left ear, drenched in perspiration, nauseated (nausea), cold (chills), low grade fever (pyrexia) was considered recovered/resolved on an unknown date. The out come of the event, head fell forward and she was out for 20-30 seconds (loss of consciousness), was considered unknown.; Reporter's Comments: Based on the current available information and temporal association between</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1107200	3/17/2021			M	2/27/2021	3/2/2021	the use of the product and the start date of the events, a causal relationship cannot be excluded. tunnel vision; dizziness; headache in different regions; A spontaneous report received from a consumer concerning a 47-years-old male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced events dizziness, tunnel vision, and headache in different regions. The patient's medical history was not provided. No relevant concomitant medications were reported. On 27 Feb 2021, prior to the onset of the events the patient received the first of two planned doses of mRNA-1273 (batch number: 007M20A) intramuscularly for prophylaxis of COVID-19 infection. On 02 Mar 2021, the patient experienced dizziness, had tunnel vision and headache in different regions. Went to the ER. Treatment information was unknown. Action taken with mRNA-1273 in response to the events was unknown. The outcome of the events, Tunnel vision, dizziness and headache in different regions, was unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1107201	3/17/2021	WA		F	3/1/2021	3/1/2021	<p>left eye had burst blood vessels; bruise on the injection site; temperature was higher by one or two degrees; tired; cough; voice went out; throat was rough; voice keeps going in and out; headache; A spontaneous report received from a consumer, who was also a female patient of unknown age, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced cough, voice went out (aphonia), throat was rough (oropharyngeal discomfort), voice keeps going in and out (dysphonia), headache, tired (fatigue), left eye had burst blood vessels (eye haemorrhage), body temperature was higher by one or two degrees (body temperature increased), and bruise on the injection site (injection site bruise). The patient's medical history was not provided. Concomitant medications included an unspecified thyroid medication. On 01 Mar 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (lot/batch: 010A21A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 01 Mar 2021, the patient experienced cough. her voice went out like her throat was rough. Her voice kept going in and out. That night, she had a headache. On 02 Mar 2021, the patient felt tired, still had headaches, and her temperature was higher by one or two degrees. On 03 Mar 2021, the patient woke up and her left eye had burst blood vessels. She also had a bruise on the injection site on left, non-dominant arm. Treatment for the events included paracetamol. Action taken with mRNA-1273 in response to the events was unknown. The events of cough and voice went out like her throat was rough were considered resolved on 01 Mar 2021. The outcome of the events of voice keeps going in and out, tired, left eye had burst blood vessels, headache, bruise on the injection site was unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1107236	3/17/2021	OH	83	M	1/26/2021	1/1/2021	<p>he has a congested cough that has increased recently; nausea; fatigue/ still very tired; He had chills; fever/ mild temperature; This is a spontaneous report from two contactable consumers (patient's wife and patient himself). An 83-year-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection; Lot Number: EK4176, expiry date Jul2022) via an unspecified route of administration in arm right, at the age of 83-year-old, on 26Jan2021 12:00PM, SINGLE DOSE for covid-19 immunisation. Medical history included ongoing chronic obstructive pulmonary disease (for 15 years or more), ongoing spinal stenosis in his lower back for about 15 years or more, and rotator cuff syndrome (left arm). Concomitant medication included ongoing sertraline hydrochloride (ZOLOFT). The patient did not receive other vaccines within 4 weeks. The patient experienced nausea on 28Jan2021 with outcome of not recovered, fever/ mild temperature on Jan2021 with outcome of not recovered, fatigue/ still very tired on 28Jan2021 with outcome of not recovered, he had chills on 28Jan2021 with outcome of not recovered, he has a congested cough that has increased recently on Feb2021 with outcome of not recovered. The patient went to his eye doctor for an eye exam, and he was not real comfortable because he was semi-nauseous. The patient had experienced fatigue, tiredness, and nausea since receiving his first COVID-19 Vaccine dose. The patient reported he also had chills. The patient had an increase in a congested cough recently. The patient continues to feel fatigued, tired, and nauseated. The patient felt like he should have gone to the Emergency Room, or seen his doctor when he experienced the side effects after the vaccine, but he didn't go. The patient has been taking cough medicine. The patient has COPD and takes the cough medicine at night before he goes to bed. The patient clarified that he started taking the cough medicine because he had an increase in a congested cough recently. The patient clarified he has a sticky, yellowish phlegm that he coughs up. The patient said recently the phlegm changed to a reddish-brown color. The patient said his phlegm will go back and forth from the yellowish color to a dark brown color. The patient said he started the cough medicine about a week or so ago. The patient said it was a 4 ounce bottle of cough medicine. The</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1107260	3/17/2021	VA	79	F	2/27/2021	2/28/2021	<p>patient said he takes a 20ml dose at night, so he doesn't start hacking while he sleeps. The patient just finished the 4 ounce bottle of cough medicine last night. The patient takes over-the-counter Tussin DM Max cough medicine. The patient is scheduled for his second COVID-19 Vaccine on 15Feb2021.</p> <p>Dizziness; feels unsteady at times; nearly passed out/totally passed out; This is a spontaneous report from a contactable consumer. A 79-year-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection; lot number: EN6198), via an unspecified route of administration, administered in Arm Left on 27Feb2021 as SINGLE DOSE for covid-19 immunisation. The patient's medical history was reported as none. There were no concomitant medications. It was reported that the patient received first COVID shot Saturday. She confirms the Pfizer COVID 19 Vaccine. She says 24 hours after she had the shot she nearly passed out, she got really dizzy and someone asked, are you okay, and she said no and they caught her before she totally passed out and she sat down. She is still having waves of dizziness and she feels unsteady at times, not every second but she is a little scared to drive a car. She just thought someone should know that. It was reported that dizziness began the next day on 28Feb2021 around 3pm. She closes her eyes and says she doesn't want to look at that. It is ongoing but it is not so bad after she gets up. It seems to have lessened after about 3 pm yesterday it is bothersome. She confirms it is ongoing but improved a little since it began. The outcome of the event dizziness was recovering, while unknown for the other events was unknown.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1107262	3/17/2021	NY	70	F	2/22/2021	2/22/2021	<p>She is legally blind in her good eye; Felt like crap; proverbial headache was reported as worsened/pain and tightness in both jaw lines was reported as worsened; I do have migraine; Hives; this is just a nightmare if this is not a normal problem; Can't think; pain and tightness in both jaw lines; pain and tightness in both jaw lines; thrush; proverbial headache/When I bend over I have a blinding headache; no coordination; Vomiting projectile/Throwing up right away; arm was hurting; swelling in arm; Chills; uncontrollable bladder gushing leaking; shaky arms; unable to eat anything; has been as sick as a dog; non stop coughing; Rib pain; This is a spontaneous report from a contactable consume. A 70-years-old female patient received bnt162b2 (BNT162B2) , via an unspecified route of administration on 2Feb2021 as a single dose, for covid-19 immunisation . Medical history included arthritis from 1992 and ongoing Verbatim: Arthritis , fibromyalgia from 1994 and ongoing Verbatim: Fibromyalgia , gastrooesophageal reflux disease from 1992 and ongoing Verbatim: GERD , lactose intolerance from 1992 and ongoing Verbatim: Lactose intolerance , depression from 1994 to an unknown date Verbatim: Anxiety depression , hypertension from 1992 to an unknown date Verbatim: Blood pressure high , MRSA , water pollution from an unknown date and unknown if ongoing She was unable to drink anything except sips of cold water and eat a few ice chips. She is unable to drink lukewarm water. This was prior to getting the vaccine , surgery from an unknown date and unknown if ongoing She had 22 surgeries in 4 years on her left eye. It started with pressure testing then infections. The patient reported she is legally blind in her good eye, has been as sick as a dog, non stop coughing, , non stop coughing , thrush on 23Feb2021, proverbial headache/when i bend over i have a blinding headache, , no coordination, vomiting projectile/throwing up right away arm was hurting, swelling in arm chills, uncontrollable bladder gushing leaking pain and tightness in both jaw lines unable to eat anything can't think felt like crap. The outcome of the events: Unknown: blindness, thrush, shaky arms, unable to eat anything, Can't think, Felt like crap, I do have migraine; Recovered, vomiting, swelling in arm; Recovering illness, cough, rib pain, Not recovered headache, no coordination, uncontrollable bladder</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							gushing leaking, pain and tightness in both jaw lines, pain and tightness in both jaw lines; Chills recovered with sequelae.
1107410	3/17/2021	NJ	50	F	3/1/2021	3/17/2021	overall weakness in body, nausea, vomiting, eye pain,extreme pain at the site, headache, fever
1107472	3/17/2021	CA	34	M	3/3/2021	3/13/2021	I started developing facial paralysis about a week after receiving the vaccine. I have no previous health issues. I still can't move the right side of my face. My right eye doesn't shut all the way now so I have a chronically dry eye on the right.
1107499	3/17/2021	CT	51	F	1/7/2021	1/8/2021	1/8-1/10/2021: prolong fever 102 1/8: vomiting 1/11-1/13: temp 101 to 99.9 1/8-1/16: headaches /migraines w/ double vision 1/11-1/16: thrush ,open fever blisters lips and mouth,+ swollen mouth, lips, tongue Treated at home w/ Tylenol q4,fluids, benadryal ,salt water mouth rinse. ice pack. Subsided 1/16/2021 . healthy prior to second vaccination
1107575	3/17/2021	OH	54	M	3/17/2021	3/17/2021	Ten minutes after receiving his vaccination, he developed lightheadedness, vision changes (? vision became cloudy?) , paresthesias in bilateral upper extremities. He was able to sit back down. No falls or trauma to his head or any part of his body. He was placed on a stretcher to a private section of the arena and monitored. Initially, his blood pressure was 103/69, and interval blood pressure 20 minutes later was 139/73. He was given water to drink, which he tolerated. He reports that he has similar reactions to needles in the past, but the current presentation is longer than usual (symptoms usually resolve in five minutes). He was able to recover from the symptoms after 25 minutes of monitoring.
1107652	3/17/2021	IN	40	F	3/15/2021	3/16/2021	Fever/chills, intense body aches, headache, ocular blurring, muscle weakness, loss of appetite

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1107750	3/17/2021	KS	35	M	3/15/2021	3/15/2021	<p>Progress Notes (Nurse Practitioner) Family Medicine  Cosigned by: MD at 3/16/2021 9:55 AM Expand  AllCollapse All COVID VACCINE CLINIC 3/15/2021  Subjective Patient is a 35 y.o. male who was seen at COVID Vaccine Clinic today for his first dose of the COVID 19 vaccination. He was given the Pfizer vaccination in the left deltoid muscle. During his 15 minute waiting period after the injection, the patient began to experience hot sensation in L side of chest. He denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and he was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , chest pain, collapse, rapid progression of symptoms and respiratory distress. No medical hx. Not on any medications ALLERGY REVIEW OF SYSTEMS: Patient denies chills, fever, malaise/fatigue, facial swelling, ear pain, sore throat, frequent throat clearing, eyes watering, eyes itching, puffy eyes, eye redness, cough, chest tightness, shortness of breath, wheezing, rash, hives, eczema, itching of skin, abdominal pain, muscle aches, joint pain and dizziness Denies cp: No injection site pain: Previous Reactions: none to vaccines Objective Vitals Vitals: 03/15/21 1520 03/15/21 1533 BP: (!) 147/82 134/77 Pulse: 69 76 SpO2: 98% 98% Physical Exam Vitals reviewed. Constitutional: General: He is not in acute distress. Appearance: He is not ill-appearing or diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Conjunctiva/sclera: Conjunctivae normal. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Normal breath sounds and air entry. Comments: Speaking full sentences. Skin: General: Skin is warm. Coloration: Skin is not pale. Findings: No rash. Comments: No tenderness on chest wall or L deltoid with palpation. Neurological: General: No focal deficit present. Mental Status: He is alert and oriented to person, place, and time. Psychiatric:</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							Mood and Affect: Mood normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: no therapy Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) and Red flag symptoms (CP, SOB, NVD, Visual/Neuro concerns) Pt observed in medical bay for approx 15 mins. Chest hotness resolved in medical bay after 5 minutes of being in bay. He denies any other concerns. Possible anxiety/ stress response. VS and exam stable. Reassuring. Pt to follow up with pcp as needed. Discussed reasons to go to ED if needed. Pt voices understanding and is appreciative of his care today. Pt is predominantly Spanish-speaking. Translator used: Myself. Electronically Signed 3/15/2021 3:58 PM
1107733	3/17/2021	TX	81	M	2/12/2021	2/12/2021	Patient was not feeling good BP was 178/89 HR 56. Patient wife said he has a history of Hypertension and is on Metoprplol 50 mg BID, and that this happens sometimes. Nurse advised wife of patient to sit in the observation area for an additional 15 minutes. Patient stated that he feels no pain, dizziness, or general discomfort. Wife of patient said that she would keep an eye on him at home and if anything changes that she will seek medical attention. Patient had no S/S of pain of distress.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1107726	3/17/2021	KS	49	F	3/16/2021	3/16/2021	<p>Progress Notes APRN (Nurse Practitioner) ? ? Family Medicine Cosign Needed Expand AllCollapse All Expand All by Default COVID VACCINE CLINIC 3/16/2021</p> <p>Patient: DOB: Date: 3/16/2021</p> <p>MRN: Subjective Patient is a 49 y.o. female who was seen at COVID Vaccine Clinic today for her second dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the right deltoid muscle. She had stayed her 15 minute waiting period after the injection and asked to stay another 5 minutes. She felt fine until she reached the front doors, she started to feel short of breath, nausea, flushed. She denied rash, hives, welts, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality, chest pain, increased swelling, rapid progression of symptoms and respiratory distress. Past Medical History: Diagnosis Date ? Asthma ? Concussion without loss of consciousness 8/27/2019 ? Depressive disorder ? Esophagitis, reflux ? Hepatic steatosis 12/7/2018 ? HX OTHER MEDICAL ? Hyperlipidemia, mixed ? Hypothyroidism (acquired) ? Insomnia, unspecified type ? OSA on CPAP ? Pulmonary hypertension (HCC) Noted on CT, echo was normal. ? Pulmonary nodules 3/28/2015 Follow up with Pulmonary in 3 months for a CT scan ALLERGY REVIEW OF SYSTEMS: Patient complains of malaise/fatigue and shortness of breath Patient denies chills, fever, facial swelling, sore throat, frequent throat clearing, eyes watering, eyes itching, cough, chest tightness, wheezing, rash, hives, itching of skin, vomiting, abdominal pain, muscle aches, joint pain, dizziness and headaches +lightheaded: SOB resolved by time arrival to ED medical bay. Previous Reactions: none Objective Vitals Vitals: 03/16/21 1158 03/16/21 1207 BP: 117/83 (!) 141/91 Pulse: (!) 103 86 Resp: 18 18 SpO2: 96% 97% Physical Exam Constitutional: General: She is not in acute distress. Appearance: She is morbidly obese. She is diaphoretic. Comments:</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

Flushed HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Gait: Gait normal. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Improved in observation bay. Monitored for approx 15 minutes. Pt ambulated but developed chest tightness. Albuterol inhaler provided (2 puffs) via inhalation. Pt reports immediate improvement of symptoms. She was able to ambulate w/o difficulty afterwards. Assessment/Plan Treatment included: water and snacks Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Red flag symptoms (CP, SOB, NVD, Visual/Neuro concerns) VS stable. Resolution of diaphoresis and flushed appearance. Pt symptoms resolved with use of albuterol. Suspect exercise induced asthma. Recommend that she use albuterol if needed for wheezing or 30 minutes prior to exercise. Follow up with her pcp otherwise as needed. Pt voiced appreciation of her care today. APRN Electronically Signed 3/16/2021 11:52 AM

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1107722	3/17/2021	NC	70	F	3/16/2021	3/17/2021	I awoke this morning feeling feverish. I walked to the kitchen to take tea and a Curamin tablet since I had run out of Advil.. I began to feel as though I was going to vomit so walked slowly to the toilet, knelt in front, then made a quarter turn,, thinking this would not happen, and I fainted/blacked out. I found myself face down in front of toilet and a good bump on my right eyebrow....face turned inward. I stayed still long enough to feel safe to rise and so did. No more sense of vomiting, thank goodness. Just very very tired. I did make oatmeal with blueberries for breakfast and ate this slowly. Just wanted to ask if this is to be expected. It is now four hours fifteen minutes since this happened. As I walk carefully , I am trusting all will be well ...but when?
1107689	3/17/2021	MI	25	F	3/12/2021	3/15/2021	Pfizer-BioNTech COVID-19 Vaccine EUA Monday, March 15th around 9:30/10:00am I began to feel nauseous, had a headache, felt cold and overall tired. I had to stop working and I laid down to rest and slept for 4-5 hrs. Continued to feel weak with a loss of appetite for the remainder of the day and slept through the night. Tuesday, March 16th I began work around 8am and by 9:20am I had to stop due to a pounding headache and extreme nausea and muscle aches in my back. My eyes were sensitive to light, my head hurt and felt a lot of pressure in the front of my head and back of my neck and my ears were beginning to hurt and ring. I took acetaminophen and slept for 3-4hrs. When I woke up the nausea had subsided but I still had a lingering headache, just not as terrible, and took additional acetaminophen 500mg. This headache continued for the rest of the day into the night, waking me up to the point of needing another 500mg acetaminophen and waking up the next morning Wednesday, March 17th with still a slight lingering headache, slight sensitivity to light, light nausea, light muscle/body ache, and general feeling of weakness.
1107510	3/17/2021	PA	47	M	3/13/2021	3/14/2021	Swollen face, tongue feels fat, headache behind R ear, facial dropping, slurring words, eye doesn't close all the way. Started Sunday night to the morning went to ER. Did blood test for Lymes. Diagnosed with Right sided BELLS PALSY Gave prednisone and Valtrex in ER and discharged on those meds too.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1107658	3/17/2021	MI	43	F	3/16/2021	3/16/2021	Roughly 8 hours later, mild headache that increased, followed by fatigue and sweating. Roughly 20 hours later I have a burning right eye that has continued into the day 3/17/21.
1107570	3/17/2021		60	F	3/13/2021	3/13/2021	60 yo woman who 3-5 minutes post vaccination developed facial itching and erythema, initially in her eyes and nose. Administered 50 mg diphenhydramine PO. In the minutes thereafter, the pruritis spread to the upper lip, then face and scalp, and became more generalized (but mild) on limbs. She also reported a "dry throat" sensation, but denies throat tightness or itching and did not have any respiratory compromise for the hour that she remained under observation. Symptoms subsided and patient left the facility. Followed up with her later by phone to inform her that her immediate allergic reaction was a contraindication to her receiving the second Pfizer COVID-19 vaccine and that she should not return for a second appointment. Advised that she seek allergist consultation given her history of multiple allergies, and to determine whether there was a common substrate for any of them. Said that she could possibly consider the Johnson&Johnson vaccine thereafter, if she did not have any known allergies to components of it.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1107649	3/17/2021	KS	44	F	3/16/2021	3/16/2021	<p>Progress Notes APRN (Nurse Practitioner) ? ? Family Medicine Cosign Needed Expand AllCollapse All COVID VACCINE CLINIC 3/16/2021</p> <p>Patient Date: 3/16/2021</p> <p>Subjective Patient is a 44 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience headache. She denied rash, hives, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness and facial swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , chest pain and rapid progression of symptoms. PMH includes htn Currently taking lisinopril and hctz. ALLERGY REVIEW OF SYSTEMS: Patient complains of headaches Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, eyes watering, eyes itching, cough, chest tightness, shortness of breath, wheezing, rash, hives, itching of skin, vomiting, abdominal pain, muscle aches, joint pain and dizziness Previous Reactions: none Objective Vitals Vitals: 03/16/21 1103 BP: 120/88 Pulse: 71 SpO2: 100% Physical Exam Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Gait: Gait normal. Psychiatric: Mood and Affect: Mood</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: water, snacks and tylenol Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Red flag symptoms (CP, SOB, NVD, Visual/Neuro concerns) Headache VS stable. Exam unremarkable. Monitor at home. Follow up with pcp. Pt walked out with son w/o assistance. APRN Electronically Signed 3/16/2021 11:02 AM
1107637	3/17/2021	SC	56	F	3/12/2021	3/12/2021	Shortly after receiving the vaccine I began experiencing symptoms. I first noticed abdominal cramping. Then I began to get itchy eyes, then tingling in my lips. After that my throat , tongue and the inside of my nose felt swollen and numb. I had a fast heartbeat and I began to get hoarse. My husband drove me to the emergency room. I was treated with a steroid injection and pepcid. Within fifteen minutes of receiving the treatment my symptoms began to subside.
1107635	3/17/2021	WV	50	M	3/17/2021	3/17/2021	Blurry vision 5 minutes after the first dose Light sensitive
1107629	3/17/2021	TX	48	M	3/10/2021	3/16/2021	Both eyes very swollen, watery and itching on evening of 3/16. Appeared pretty quickly. Could be 'normal' allergies, but was quite a bit more of a reaction than I would normally get. I don't believe I've had my eyes swell this much before that I can remember. During day of 3/16 did not do anything outside in or around normal triggers when doing something like yard work. Took Kroger brand max strength sinus relief pills and went to bed. Morning of 3/17 eyes still swollen but not as much...much less watering and itching. Still swollen some at the time of this submission.
1107592	3/17/2021	TX	53	F	3/12/2021	3/14/2021	Blurred vision, sensitivity to light

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1107782	3/17/2021	MI	57	F	3/17/2021	3/17/2021	Patient was sitting in waiting area post vaccination. A pharmacist from the vaccination area was called over to her because she was not feeling well. As the pharmacist was speaking with her patient fainted. Pharmacist was holding on to her to keep her from falling. I went over and took her BP which was 65/44, pulse 53. After a few minutes patient regained consciousness and was able to give us her information. 911 was also called. Patient reports a history of severe reaction to Penicillin. Patient reports history of syncope at eye doctor's office. Her BP was taken again at 10:20am and was 98/72, pulse 70. 911 arrived and patient chose to be taken to hospital.
1107668	3/17/2021	MI	73	F	3/16/2021	3/16/2021	Patient received 2nd dose of Pfizer COVID-19 vaccine. She immediately developed diaphoresis and eye tearing. Diaphoresis worsened. Patient reported nausea. Epinephrine administered and transferred patient to emergency department. ED did not feel epinephrine helped. Patient observed and then discharged.
1109322	3/17/2021	NY	54	F	2/5/2021	3/15/2021	On March 16, I was sitting in a chair next to my kitchen counter when I felt like my body was being thrown. My head was thrown forward and I hit the counter hard and sustained a large contusion above my left eye. The room was spinning and I was dizzy for the next few hours. I never lost consciousness but had no control of my body for the few seconds of the episode. The episode was sudden and violent and I was just sitting when it happened. I spoke with my physician who diagnosed me with having experienced a Tumarkin otolithic crisis. He has instructed me to wear a helmet and not to leave my home. He is also recommending that I have a labyrinthectomy to treat the symptoms. While I have a history of vertigo, I have not had any dizziness for more than a year. I now feel dizzy on and off most of the day.
1109083	3/17/2021	CA	60	F	3/10/2021	3/12/2021	40 hours after COVID-19 mRNA vaccination patient awoke in the middle of the night with itch, swelling, rash on left eyebrow. Subsequent 6 days rash developed into typical herpes zoster (shingles) rash localized over left eyebrow.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1109401	3/17/2021	CA	46	F	3/16/2021	3/17/2021	I awoke in the middle of the night with body pain symptoms, thirst, and slept terribly the rest of the night. In the morning I had above symptoms, painful lymph nodes in neck and groin, and elevated body temp of 100. But the most significant reaction was swelling and BRUISING around the eyes. Left side definitely worse than the right. I haven't heard of this, so I thought I'd reach out to you.
1109364	3/17/2021	IL	65	F	3/5/2021	3/10/2021	I was diagnosed with bells palsy in 2005. Full recovery with small amount of paralysis remaining on left side of face (left corner upper lip). About 5 days after vaccine noted chewing differently. Eight day after vaccine new paralysis on left side of face now extending to entire jaw area and upper and lower lip. New paralysis on right side of face. Eye won't blink, eye brows won't raise, unable to puff jaw and area next to nose won't move. Twelve days after vaccine minimal improvementlater
1109349	3/17/2021	PA	25	M	3/17/2021	3/17/2021	About 5 minutes after getting the vaccine, patient started to have tunnel vision, loss of hearing, change in LOC unable to answer where he was, he was pale, diaphoretic and unable to respond to signals patient stated he was going to pass out he was removed from the chair and placed on the floor with his legs in the air, his pulse via palpation was slow, he stated that he does not like needles and he had a similar reaction to the H1n1 vaccine . He was placed on a back board and lifted to a litter and taken to the medical obs, vital signs on arrival were 134/75, pulse72 and oxygen 100 in the right arm, @ 1830 , and at 1834 vital 148/88 HR 75 pulse ox 99 on room air. patients skin was now warm and dry, he reported that he was feeling better, at 6:35 bp 133/81, patient was then placed in a sitting position and blood pressure with position change was :143/92, pulse 68 and 99% on room air, standing after 1 minute patient was 145/87 and heart rate 78 and pulse ox 99%. Patient reported feeling better. His color had returned, he was given water and monitored for another 5 minutes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1109338	3/17/2021	OK	42	F	3/15/2021	3/15/2021	Sore arm, joint pain, nausea, fever. But later that afternoon EXTREME fatigue set in. I have slept for the majority of the last 3 days. I wake up foggy and disoriented. Takes a while to focus and become alert. I use the restroom and maybe I'm able to be active for 15-20 minutes then I'm back asleep, or too tired to keep my eyes open. Today is the first day I have been able to stay awake more than an hour. I had energy for about an hour and then felt like I was unplugged I'm just too tired to function. All I can do is go back to bed.
1109482	3/17/2021	TX	41	F	3/13/2021	3/15/2021	3/13/2021 11pm chills, body aches 3/14/2021 fever, sweats, shaking chills 3/15/2021 midnight : swelling of face and eyes, chest pressure, shortness of breath 3/15/2021 3am : swelling of tongue 3/16/2021 11am EMS called : symptoms had improved per patient but face was still puffy; Patient notes SpO2 98%. She refused EMS transport to ER. 3/16/2021 6:45pm : I had a virtual visit for the patient's workman's comp case. She continues to have some chest pressure but noted improvement. I advised her to seek in-person evaluation and treatment for her continued symptoms. 3/17/21 I spoke with patient. She feels better but did not seek in-person treatment. Symptoms resolved.
1109324	3/17/2021	CA	41	F	3/12/2021	3/12/2021	Moderna COVID-19 Vaccine EUA Few minutes after receiving the vaccine, felt slight nausea and light-headed. Very soon after the vision went blurry. Takes about 3-4 seconds to refocus. Vision becomes blurry again when glancing around. Did not inform pharmacist and learned how to refocus. The second day the blurriness is still there but takes only half a second to refocus each time. By third day vision is back to normal.
1109496	3/17/2021	NJ	53	F	3/14/2021	3/14/2021	headache-numbness on left side of my face lip to my eye brow shot site of arm hurt all for 2 days.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1109302	3/17/2021	CO	26	F	1/11/2021	1/16/2021	Swollen lymph nodes under both arms, urgent care, referred to ultrasound tech, mammogram, referred to general surgeon (awaiting appointment). Lymph nodes stayed swollen after first dose, got worse after second dose, and have been swollen since. Swollen lymph nodes in neck, hard to breathe, went to hospital, told it was just the vaccine and to wait it out. Lymph nodes in neck went down in swelling after 2-3 days. Irregular menstrual cycle, started approximately 2 weeks after first dose. Have had a menstrual cycle for 5 days every 9-12 days since first dose. Hospitalized for stroke-like symptoms (lost vision, couldn't form sentences) on 5 Feb 21. Discharged after CT scan and MRI came back fine.
1109298	3/17/2021	DC	58	F	3/8/2021	3/9/2021	Severe eye pain - began day after vaccine (went to emergency at Hospital three days after vaccine because pain continued - diagnosed with cornea abrasion but said pain was in a different area - I'm unaware of how it could have occurred); severe pain in both shoulders with difficulty lifting both without pain- I have degenerative disc disease in my cervical spine so I assumed it was associated. However, the pain I'm experiencing is unusual and it's never occurred like this. This pain also began the day after the vaccine. I used the V-Safe system, but didn't report either problem because I assumed they weren't related to the vaccine. But the timing, severity, and unusual nature have me very concerned about a connection to the vaccine.
1109245	3/17/2021	OK	29	U	3/16/2021	3/16/2021	Client was given his Moderna vaccine and he had made it to the observation area and sat down. He then fell out of his chair onto the floor. At the time I saw the client he was laying face down on the floor, head twitching and body jerking slightly. Shortly after he roused and turned on left side. He was then examined an RN. His vitals were taken every 15 minutes until he was able to sit up. He stated that the left side of his face and eye started twitching and he blacked out. He then fell out of his chair. He had a 2cm raised area to his left forehead and was advised to seek medical treatment. He was examined by the emergency medical staff that was called. He refused to be transported to the er by ambulance. He was sent home with family after being able to sit up and eat

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1109238	3/17/2021	CA	60	F	3/11/2021	3/11/2021	As I pulled up for the 15 minute wait period the symptoms started 5 minutes after I received my vaccine. A tingling feeling up my left arm to back of my neck. My neck stiffened and then my throat started to close. Not to where I can't swallow but just like when I eat food that I'm allergic too, it closes up. The nurse that was overseeing me was holding the umbrella over my car window with the rainfall. All of a sudden there was lightning & thunder. The nurse threw the umbrella because she was shocked from the lightning. She started to talk to all the other around her and forgot about me. Since I could still swallow I didn't get her attention. When she returned she asked me the time so I had to pull my phone out. She didn't know the time of my 15 minutes and sent me away. As soon as I got out of the parking area but still inside amusement park, I started to feel my cheeks becoming numb and my right eye was blurry. I quickly moved over to the side lane still inside of amusement park and waited. I called my husband and told him that with the heavy rain I didn't feel safe driving with my right eye being blurry. I waited another 15 minutes before driving home. That evening the blurriness came back, my eye's & forehead was tender to touch but no headache. Only pressure in my head. My symptoms of closed throat, swollen cheeks, pressure in my head and blurriness continued on Friday, March 12th, Saturday, March 13th, Sunday, March 14th and Monday, March 15th. As of today, no other systems other than feeling my body has inflammation.
1109223	3/17/2021	MI	57	F	3/17/2021	3/17/2021	About an hour and half after the shot I noticed a bruise on the lid of my right eye. Shortly after, my eye began to feel sore. It is now 3 hours later and my eye is still very sore and is now bloodshot in the one eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1109220	3/17/2021	PA	53	F	3/13/2021	3/13/2021	Left arm in severe pain, still can't lift it all the way up without struggle, the injection site has a lump (cyst like in feel) and a wide area around is swollen and stiff/sore. No treatments yet....but if still bad after this weekend, will seek medical help. Left eye swelling started at 2pm today, with pain. the eye lid and the area around the left eye are painful and swollen. I have been using hot compresses. Difficulty catching my breath today during a morning walk. I have been walking for months on the same path and can hold a conversation, but today, I could barely walk and talk. Once I stopped talking I eventually was able to catch my breath, but we had to walk a much slower pace as well.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1109331	3/17/2021	PA	47	F	1/6/2021	1/17/2021	<p>This is a follow up report starting from day after that first report was made -Report # 244159 - Starting with the 17th of January - I was still having facial numbness/tingling/pressure in my head/feeling like head was going to swell; arms were so heavy - couldn't lift my arms - like a heavy pressure on my chest; breathing was a problem; Swelling in my head caused eye issues.</p> <p>18th - tingling started on back of neck; affecting my hearing and eyes (swelling in head); a lot of cognitive challenges. 1-20-2021 - heart racing; itchy all over; blood pressure spikes. Heart can feel like it's too fast and then going too slow. 1-21-2021 - legs burning from waist to hip; chest pain; heart racing; struggling to breath. 1/22 - chest pain and discomfort - pain shooting through arms; didn't sleep well. Arms wanted to pull into my chest. Stomach cramping on 1/23 - stabbing pain in wrists and hands; left side on heart pain. Pain was like having a beating. Left knee pain - January 24 - up all night with shooting pain in arm; fine motor pain skills shot - can't do what I need to do. January 25 - Elevated heart rate; elevated blood pressure. 1/26 - vision challenges; fuzzy. Heart racing; feet swollen; face feels puffy doesn't look puffy - pressure/tingly feeling in left cheek. Ongoing and Changing symptoms every day/week - with no let up.</p> <p>3/11/ - buckling of legs started. Big thing now is my legs are buckling (happening from the hips) - when I try to get up or walk. I haven't fallen yet but I know it's coming.</p> <p>3/12/2021 - heavy weight back in the arms. I still don't have the fine motor skills. I still can't drive and don't have control over my body and reflexes enough. Still having Pressure in chest and the face and head swelling - is unbearable and affecting my vision. I will see a neurologist next month. Dr is not sure what to do. Jan 12 - first ER visit. I have specific notes/log on all of my symptoms each day. If anyone wants to call - please call on Mondays or Wednesdays only( or Saturday or Sunday.) Also, Menstrual cycle is wonky. I had a normal period before the vaccine - 12/28-12/31/2020 - but didn't have one in January and I had one in February 10th - but just one day; 3/11/2021 - I had my next one and it was four days long and fourth day was very heavy then all the rest of the days.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1109677	3/17/2021	MD	76	F	2/22/2021	3/1/2021	Approximately a week after vaccination, developed vision problems with blue lights in right eye, followed by deteriorating vision 7 to 10 days after vaccination. 03/09/2021 was diagnosed with central retinal vein occlusion.
1108355	3/17/2021	IN	61	F	3/10/2021	3/10/2021	Developed skin rash within hours of receiving vaccine, started on the forehead and spread down the face including the ears and eyelids, a more mild rash on the arms, legs and stomach. took some Benadryl which help with the rash. rash lasted about 4 to 5 days.
1108525	3/17/2021	MT	64	F	2/26/2021	2/28/2021	Typical allergic reaction, my eye lids and surrounding area swell up and are full of fluid.
1350012	3/17/2021		56	F	3/16/2021	3/11/2021	Headache, Myalgia, Arthralgia, Fever, Cough/Wheeze, body ache, chills, eye pressure, sore arm Narrative: Other Relevant History:
1349985	3/17/2021		68	M	3/4/2021	3/4/2021	eyes burning Narrative:

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1109721	3/17/2021	NJ	34	F	3/17/2021	3/17/2021	I had some sort of reaction to the vaccine about 1-2 minutes after receiving it, and it was super scary and they had to call the paramedics. After the pharmacist injected me, I felt the arm pain right away. No big deal. I walked over to the chair to sit for my 15 minutes. I was happy to be vaccinated and kind of saw it as my mini booster for my immune system that already beat COVID-19. As I sat there, the only thing I could say is, I felt a tingling cold sensation moving from my arm through me. Almost like I could feel the vaccine moving through my system. The tingling kept moving and I thought to myself, okay cool. I guess it's working. Awesome. But then my head felt cold, I felt tingling in my head, my mouth tasted like metal, saliva started to build in my mouth, I started to sweat, I felt overly sweaty all over my body, but my head felt cold and tingly. I was staring straight ahead and everything started to go staticky, like a television set, and the static began to build and started to get starry. Everything in my vision started to fade. So I spoke out to say something weird was happening. A man came over to talk to me and hold me up. He kept saying stuff but then my ears started ringing and I couldn't hear him anymore. I began to fade out as the stars got more intense. Then, as if it was just a mini reboot, my brain started to come back online and the picture in front of me began to fade back into view. I felt nauseous and still had a super metal taste in my mouth. They called the paramedics to give me a checkup. The metal taste in my mouth stayed the longest, but after about 45 minutes I felt well enough to go home. On and off, I have this intense tingling inside my brain. It reminds me of a time when I was in the hospital on morphine. Just a tingling pins and needles sensation inside my head. Other than that, I am okay now. But I'm concerned it's some sort of reaction because I already had COVID-19.
1109478	3/17/2021	CA	69	F	2/24/2021	2/25/2021	2/25 woke up at 7:30 a.m. with fever, chills, and severe body aches all day 2/26 same as previous day plus lethargy 2/27 woke up at 3:30 a.m. with SEVERE headache and partial loss of vision Went to ER and they diagnosed me with a moderate stroke and mild cognitive issues with right hemisphere vision loss in both eyes.
1109706	3/17/2021	NY	81	F	3/8/2021	3/9/2021	erythema and swelling around eyes and lateral neck--slowly resolving --thus far 11 days out

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1109529	3/17/2021	OR	31	M	3/15/2021	3/16/2021	Stinging feeling in my left eye lid and face. Progressively got worse. Change in feeling and temperature on the left side of the face between my eyebrows and chin.
1109675	3/17/2021	IN	43	F	3/8/2021	3/8/2021	First 20 minutes fine. Next hour-extreme energy/adrenaline. More than ever experienced. Next 3-4 hours- Severe brain fog, confusion, lack of concentration and mental dysfunction. Lack of clarity, rational thinking and precise understanding. Felt like an inability to talk, make sound decisions or focus. Also feelings of eyes bulging and short temporary numb bottom lip. Feelings of brain abnormality and being drugged. Hour to two after-Feelings of coming down from days of an extreme caffeine high with no sleep. Worried, is mildly putting my reaction to the vaccine reaction/side effects. It was terrifying. I thought, I may not return from the negative adverse effects I was having. Something was certainly not right. It is something, I?m not sure I can go through again. Especially, with the second shot being stronger than the first. I was incapable of doing anything!
1109647	3/17/2021		37	M	2/24/2021	2/25/2021	Woke up day after 1st shot with eye irritation. Diagnosed and Uveitis.
1109616	3/17/2021	ME	58	F	3/10/2021	3/17/2021	Burning itchy red rash on both lower forearms, behind both elbows, upper rear end, lower front thighs around knees, tops of both feet, right eye clouded and bloodshot

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1109566	3/17/2021	CA	73	F	3/17/2021	3/17/2021	3:56pm- 71/F in post vaccination area witnessed multiple episodes of vomiting yellow emesis. Appears diaphoretic, initial BP 220/110, HR 110. O2 95%, RR 22. Pt received the vaccine at 3:46pm. She denies blurred vision, no headache, no chest pain or SOB. Denies abdominal pain but her daughter states she recently had a hernia repair and has had issues with cyclic vomiting induced with certain foods or stress, which her doctors are monitoring her for. Her daughter states she was feeling sick before she got her vaccine. Patient states she took her morning medication at 7am, had some breakfast at 10am and states she feels it was some pineapple she ate that caused her to start feeling nauseous. She adds that she is taking several blood pressure medications but when she begins to vomiting her blood pressure "gets really high." Pt is AOx4, able to speak in clear complete sentences. 4:05pm- BP 210/120, HR 82, 97%, RR 24. Pt continues to vomit intermittently but states she is starting to feel better. Onsite nurse manager, lead and site lead aware. EMS services requested. 4:10pm- BP 191/100, HR 86, 96%. No vomiting witnessed. 4:14pm- Ems arrives on scene. BP sitting 156/91, standing 140/92. Pt states she feels better. Paramedic offers to transfer her to the hospital but patient declines. Her daughter is at side and she states she would rather her daughter take her home since she is feeling better. Educated regarding when to seek medical attention. Pt AOx4, resp even, skin warm and dry, not actively vomiting, speaks in clear complete sentences. Assisted to POV via wheelchair. Pt in no apparent distress.
1109554	3/17/2021	CO	69	M	2/26/2021	3/13/2021	On March 13, I woke with a headache, a sinus pain, and generally feeling exhausted and groggy. This persisted through Sunday. On Tuesday March 16 I awoke and could not focus my eyes: I was seeing double. This got better during the course of the day but I could not work on my computer. On Wednesday March 17, I woke with double vision again. During the day I gradually became able to focus if I looked at an object, but as soon as I move my eyes, it was back to double vision. I felt much better physically that day.
1109504	3/17/2021	NJ	47	F	3/17/2021	3/17/2021	Moderate headache, pain behind eyes, pain at base of neck, tired, joint pain

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1109710	3/17/2021	FL	57	F	3/16/2021	3/16/2021	Had tingling in the tongue and numbness in right side of the face, around eyelid, down the cheek and to side of the nose. It lasted until I went to bed. Symptoms had disappeared by the time I woke up the next day
1108669	3/17/2021	PA	37	F	3/17/2021	3/17/2021	beginning at approx. 11:30 a.m. left arm, hands, and fingers went numb with marked weakness; followed by left side of face (cheek) numbness/feeling of fullness (similar to the feeling after a nonvaccine shot from dentist); numbness/feeling of fullness traveled to upper cheekbone under left eye; left eye vision was bothered, had to keep blinking to see correctly; throat then became extremely sore and dry; left sinus became blocked. These symptoms were over the course of 2 hours following the shot and subsided significantly by 2:30 p.m. (3/17/21)--- the start time of onset of symptoms is my best estimate.
1108589	3/17/2021	CO	46	M	3/4/2021	3/4/2021	body aches, chills, and stomach ache, fatigue, headache, nausea, mild voice loss, mouth sweats, ear-ache, red eyes, swollen lymph
1108596	3/17/2021	WA	77	F	3/11/2021	3/11/2021	She started with left leg jerking. then it was right arm jerking. Then all legs and arms jerking for about 10 seconds She said her eyes felt like a bright light
1109557	3/17/2021	MD	65	F	2/2/2021	2/10/2021	Burning eyes & swollen eyelids, numbness in left temple, pain in left jaw, swelling in left cheek & around eyes, numbness in chin

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1109075	3/17/2021	NY	25	F	1/7/2021	1/15/2021	One week after vaccine, injection site became extremely swollen (approx. 2"x3" induration), burning hot to the touch, tender & itchy, arm became numb. General malaise, low grade fever. Site reaction spread down arm, went to urgent care & was told it may be cellulitis & was given antibiotics & told to go to ER if it continued to spread. It spread outside of line that was drawn the next day so I went to ER. They did nothing & told me remain on antibiotics & to see allergist & PCP. Reaction continued to spread, arm/hand numbness & general feeling of illness, slight fever continued for approx. 2 weeks following vaccine. Site reaction fully subsided visually by 1/26 (began 1/15). Allergist suggested it was severe immune reaction to vaccine. Felt generally unwell for approx. 5 weeks following vaccine. Was told I should not get second dose or any covid/flu vaccines in the future. I have history of poor reaction to vaccines/site reactions.
1108600	3/17/2021	GA	67	M	3/13/2021	3/15/2021	Blurred vision, severe dizziness (unable to stand or walk without assistance) unable to form words and sentences clearly.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1108614	3/17/2021	CO	51	F	2/4/2021	2/6/2021	<p>The following is the timeline of progression: First 48 hours: Immediately following the vaccine I felt I would vomit. That lasted 2 hours. The remainder of the 48 hours I had a growing headache that turned into a migraine level. Cognitively my husband would say I was out of it, not able to focus. The area around my eyes – my eyelids and below eyelids bright red – like I had put a bright red blush on them. Three to four days later: Saturday night my symptoms started to progress over a span of a few hours very drastically. I had symptoms of Diarrhea– crazy impact in my gut. Sunday I still had migraine level pain in a headache. I felt increased symptoms of nausea and diarrhea increased. Sunday I still had migraine level pain in a headache. I felt increased symptoms of nausea and diarrhea increased. By Sunday afternoon I had full blown symptoms of stomach flu. I had chills, extreme nausea that became debilitating. We do not have a thermometer that works, as a result I do not know if I had a fever. By Sunday night I was vomiting and symptoms progressed to tightness of chest, shortness of breath, vomiting, diarrhea, chills. My gut was literally moving in sharp pain, sounds, and cramping. It was severe diarrhea. I was achy and tired, but could not fall asleep due to nausea and vomiting. I was unable to stand up without the fear of passing out. I tried to manage the nausea with medicine that I have at home. It assisted but did not ultimate make an impact. By 4:30 a.m. I was scared by the lack of breath and asked my husband to call 911. The paramedic stated that I had an increased heart rate, but good blood pressure. I went to the hospital and received fluids, two different additional doses of nausea medicine, oxygen and a gut muscle relaxer. After 30 to 40 minutes I showed improvement and was able to go home. Still had pink color tone in skin around my eyes. On that Monday (2/8/2021), I was unable to go to work and called in for Covid PTO. I slept most of the day. Five days later: Still have a headache that can be managed with Tylenol. I still have diarrhea. I no longer have nausea, the pink color around my eyes seems to be gone. The nurse team and ambulance team all stated that the second shot was awful. Three folks stated they were in fetal position for two days. I was not able to ask what that meant due to my extreme nausea and trying to not dry heave. Note: I did not have any symptoms from the first vaccine – just a dull headache.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1108626	3/17/2021	WI	67	M	3/11/2021	3/11/2021	Pfizer-BioNTech COVID-19 Vaccine 3 minutes after vaccine, patient complained of chest pressure, flushing and felt clammy. A medical response was called and pt was placed in a recliner. He is alert and oriented and feels shaky. His wife is with him and states this is a normal reaction to similar situations in the past. Just not always something that happens. 1538 BP 158/78, HR 65, resp 20 1542 BP is 163/78, HR 60, resp. 20. Skin is warm and dry, he states his lower lip is numb and has a bit of trouble drinking from a bottle of water. Medical response felt he was improving and plan was to keep him in recliner for another 20 minutes. Was given a few sips of apple juice. No oximeter was available to check O2 sat. @1558 he again complains of mid-sternal chest pain, skin warm and dry, speech clear and moving all extremities without difficulty. Complaints of tongue and cheek tingling. Brief episode of nausea. ER staff was called and patient was transferred to ER via Wheel chair. He at times complained of dizziness and trouble with keeping his eyes open. Denies pain in his arms. BP 190/84, HR 62, R 18. At ER: EKG with sinus bradycardia, no acute ischemic changes. Troponins x 2 are negative. Symptoms resolved. Discharged from ER after evaluation.
1108668	3/17/2021	SC	30	M	3/17/2021	3/17/2021	Patient immediately stated having difficulty breathing after receiving shot at 11:50, Mask was pulled down. Eyes rolled. Patient leaned forward placing elbows on knees.. Vision reported as blurry. BP/Pulse/Respirations taken and recorded. Cold compress placed on back of neck vitals were abnormal. EMS called. Patient refused Adveres Reaction Treatment protocol of epinephrine and benadryl. Patient states "needles make me nervous". EMS arrives at 12:14. Vitals continue to be erratic and EMS transported patient to Hospital.
1108678	3/17/2021	CA	68	F	3/1/2021	3/9/2021	Diffuse pruritic urticaria on arms, back, abdomen, chest, and legs. No swelling of face, mouth or eyes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1108697	3/17/2021	NY	67	F	3/17/2021	3/17/2021	Patient was given shot at 1219. About 30 min later at 1250 patient complained of her tongue "feeling funny." No complaints of shortness of breath, throat tightness, no swelling visualized. Per Nurse Practitioner on site, patient given 25 mg PO Benadryl for symptoms at 1302. Patient was then monitored for another 30 min. All vitals stable during the monitoring. All symptoms resolved by 1332. Patient left ambulatory with spouse.
1108700	3/17/2021	CA	18	F	3/2/2021	3/2/2021	Pt had received a covid vaccine and had a reaction. Pt had dizziness, visual changes, nausea. Per pt, it had happened before when she received other vaccines. Pt was transferred from the vaccination site to the observation area where pt was further evaluated and observed. Pt was laid down on the gurney to rest. Then, she was given crackers and orange juice. After, 30 mins in the observation area. Pt stated that she felt much better and able to go. V/S: 109/71, 100, 20, O2 100%RA. Pt was stable when she left the clinic. Time: 1340-1415
1108719	3/17/2021	OK	49	F	3/10/2021	3/10/2021	Shortly after 1st dose of Pfizer Biontech, pt. c/o "tightness of throat, pressure in left cheek and ear, nasal congestion, blurred vision. BP 140/98-77, pulse ox 98%. Was offered & declined Benadryl. Sx's improved in 1 hour at the POD. States sx's completely abated 1 hour after arriving home. Did not seek further tx. Pt. has asthma and takes Brio and an inhaler prn. She has had "a few high BP readings in past" but is not on med.
1108734	3/17/2021	NJ	80	F	1/30/2021	2/3/2021	Caused severe dementia symptoms for an active elderly female. Female was able to live independently and take care of every day activities, such as bills, cooking, cleaning, driving, grocery shopping, e.t.c. After vaccination, elderly female had symptoms of rapid dementia. Female needed constant supervision daily and was no longer independent. After 6 weeks, elderly female is able to continue every day activities with minimal supervision.
1108748	3/17/2021	GA	63	F	3/10/2021	3/10/2021	14:40 Started reaction throat and tongue numbness, I drank 2 glasses of water. 15:00 lost my voice, my eyes puffed up a bit and my face was not well, lungs wheezing, Epi administered by PA vaccination clinic. 15:32 UC for observation. Administered Decadron 10 MG injection. Blood Pressure 150 /80- HR 88.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1108927	3/17/2021	CA	32	M	3/10/2021	3/11/2021	Patient reports that he had joint pain and body aches x 4 days after the second dose of Moderna Vaccine which have since resolved. He also complains that since the second dose, he "feels off balance" few minutes at a time few times a day without any dizziness, HA, visual complaints or fever which seem to be persisting. He also feels that his energy is lower that he cannot complete his usual exercises. Also reports cold sweats after working out that he cannot continue. This patient used to do 500 push up almost daily and apparently now can only do <200! Neuro exam is negative during his clinic visit on 3/17/2021
1109005	3/17/2021	MO	67	F	2/14/2021	2/21/2021	One week after 2nd dose patient developed 1 1/2"x 3/4" welts on her cheekbones with redness to the tissue. She states it felt pliable to the touch, thicker than fluid. Her dermatologist, saw her and she was treated with a steroid injection, in the left welt area under her right eye, unsure of name of medication she received. The dermatologist told her today during her visit that her reaction was due to her covid vaccine (Pfizer). Patient had fillers done 5 years ago (Juvederm). The smaller welt on the left side cheekbone area has gone down and is barely noticeable now so she did not get a steroid injection in that area. She is schedule to return to see her dermatologist in 6 weeks.
1108999	3/17/2021	GA	59	F	1/18/2021	1/18/2021	within 2 hours of immunization experienced tenderness, swelling and pain, firm lump at injection site, within 4 hours noticed "heaviness" around eyes and face and slight vertigo and extreme lethargy, flushed face and body and thirsty. Within 5 hours felt so exhausted and uneasy that I left work early to go home to bed and rest. I was awakened around 11:00 pm with painful body/muscle aches and extreme chills and fever of 102.9. This lasted for about 24 more hours. I'm currently experiencing joint and muscle aches. Left arm shoulder joint hurts to raise it.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1109019	3/17/2021	NY	42	M	3/15/2021	3/16/2021	I was driving on the highway and experienced numbness starting in my lips. This numbness then moved throughout my body into my limbs. I had some mobility and was able to pull off of the highway down an exit but at one point, I could not lift my legs or control my hands. I called 911 but it was very difficult to do so with the numbness. I then started to regain my mobility but had some continued numbness around the left side of my mouth. The paramedics tested my vitals and everything came back as normal. They recommended that I have someone come pick me up. So I had a neighbor come pick me up and someone drive my car home. I did not lose any vision or mental capacity throughout this. It was just a wave of numbness throughout my entire body. It lasted 5-10 minutes but felt like an eternity. I am lucky to be alive and to not have crashed my vehicle into someone or something.
1109008	3/17/2021	MD	65	F	3/5/2021	3/10/2021	5-7 days after her vaccine, pt woke up with tingling to the L arm and L side of face/cheek; Has since had a few episodes of tingling to the L cheek w/o weakness, speech change, vision change. Pt's vaccine card does not have the lot # written on it.
1108955	3/17/2021	IN	58	F	3/3/2021	3/10/2021	numb tingling sensation in face on left side. starts at the left corner of eye and runs down the middle of cheek into left side upper and lower lips and tongue. comes and goes through out the day and night.
1108759	3/17/2021	CA	33	F	3/11/2021	3/16/2021	Patient describing the following symptoms: "runny nose, congestion, mild cough, eyes feel hot, checked the temperature but no fever." Patient stating she is working with clinic and going to get a COVID 19 test today.
1108930	3/17/2021	FL	55	F	3/7/2021	3/11/2021	4 days post vaccine patient developed eye angioedema and hives resulting in ED visit. 6 days post vaccine she developed flu like sxs with positive covid 19 test results on day 8 post vaccine as per patient. 10 days post vaccine patient with dyspnea and hypoxemia-admitted to hospital.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1108966	3/17/2021	TN	55	F	3/1/2021	3/1/2021	Patient received 2nd dose of Moderna COVID vaccine during the day. Patient had soreness at injection site but no other symptoms. That evening woke up with extreme thirst, drank multiple glasses of water but did not void. The next day had tingling sensation in the face and body, then generalized flushing of the body. Within hours patient had emesis, diarrhea, watery eyes and palpitations. Had telehealth visit and prescribed steroids.
1108880	3/17/2021	KY	73	M	2/25/2021	2/25/2021	Patient in clinic 3/17/21. Reports received first COVID vaccine 2/25/2021 at 9:40 am, later that afternoon began having double vision. Reports the night of 2/25/2021 began having severe back pain, numbness to his left foot/toes, burning sensation to right foot, vomiting, and having hallucinations. Reports was improved by the next day, but has had confusion/disorientation since 2/25/2021. Advised to speak to his primary MD if symptoms persist.
1109009	3/17/2021	CO	62	F	3/9/2021	3/9/2021	Patient went to the ER the morning after receiving the vaccine because she reports she was experiencing a severe migraine with ear and eye pain, nausea, vomiting, diarrhea, pain in hands and feet, and muscle spasms that last for 4 days.
1108878	3/17/2021	CA	19	M	3/17/2021	3/17/2021	A small amount of blood coming from the vaccination site caused the patient to feel dizzy and get tunnel vision. Patient may have lost consciousness but only for a second or two. Appeared diaphoretic, pale and unsteady. Was assisted to supine position and was responsive at that time with improved color, BP 128/82, HR 55, O2 98 within 5 minutes. Observed in supine for 30 minutes, re-evaluated vital signs at 15 minutes past laying supine with BP 122/76, HR 66, O2 98. Took orthostatic BP at 30 minutes with no drop in blood pressure.
1109057	3/17/2021	FL	67	F	3/12/2021	3/12/2021	Localized headache starting the afternoon after the vaccine. Shingles outbreak near and marginal in right eye as of March 16 (4 days after vaccination.)
1108870	3/17/2021	MA	71	M	2/24/2021	2/24/2021	Welts on arm, temples, and below eye. Severe pain in right eye. Started afternoon of the 24th and continued for six days.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1108853	3/17/2021	IL	50	F	2/25/2021	2/25/2021	Pt vaccinated 2/25/01. Aprox 60-90 minutes after vaccination, pt noted feeling hot and itchy, she looked in the mirror and was red/blotchy all over. She took 25mg benadryl as she was driving home and took another 25mg benadryl 20-30 min later when she arrived home. She continued to feel hot and itchy so took benadryl for the next 48 hours before those symptoms resolved. On day 4 after vaccine (2/29/01) pt began to notice redness in her right eye. The eye became more "bloodshot" as the day progressed and started feeling painful and "pressure" sensation. She went to see ophthalmologist urgently who diagnosed it as acute scleritis. She is currently on NSAIDs and topical steroid. She notes that the eye is very photosensitive and has significant "pressure" sensation. She is still experiencing these symptoms almost 3 weeks later.
1104751	3/16/2021	IL	92	F	2/28/2021	3/1/2021	I have cloudiness in my left eye that comes and goes and my blood pressure got high.
1104735	3/16/2021	NY	18	F	3/13/2021	3/13/2021	Really sore throat, headache, dry cough, puffy eyes, knees, and and hands. I received my vaccine this past Saturday and felt better, but now it is tuesday and i am feeling worse.
1104763	3/16/2021	AZ	71	F	2/23/2021	2/1/2021	Patient stated she has a rash and problems with her eyes. She said she doesn't feel well.
1104787	3/16/2021	PA	27	F	3/12/2021	3/13/2021	Warm and red skin, bloodshot eyes, dropping blood pressure, fainting, dizziness, nausea, purple feet

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1104658	3/16/2021	MD	72	F	2/24/2021	2/24/2021	I am reporting the below as everything written has NEVER happened to me before in my 72 years of living. This has all taken place since I have had the Vaccine Injection on Wednesday, February 24th. I am attributing all of this as a possible reaction to the vaccine or maybe coincidence. I wanted to report what has taken place so you all can assess if this is a possible adverse reaction, a direct effect from the vaccine or just coincidence. Please let me know if anything like this has been reported and what your thoughts about the matter. Wednesday, February 24th 11:15am Pfizer Vaccine right arm ?about an hour later discomfort on shot side that went from the shoulder up the right side of the neck. Was gone by next day. Thursday, February 25th Day seemed to be normal. When I went to bed that evening a pressure and pounding on the left top side of the head, on the part line. Lasted 5-6 hours and then went away for that episode. Friday, February 26th Day started off OK, walked 2 miles and then ran some errands. *3:00pm I bent down to pick up something and when I came up I had extreme light headedness like I have never had before. I was able to get myself collected and then continued to get ready to go out. *6:00pm I just sat in a chair in the restaurant and BAM the room started spinning at about 500 miles (that is the speed that it felt like) an hour. My arms were flailing as I was trying to grab something to hold onto. Just when I was about to fall off of the chair my husband walked up and grabbed me as he could see that something was going on and he said that I was white as a sheet. Once I got somewhat collected, I knew immediately that I had to throw up. My husband took me to the restroom. I had severe dry heaves that just would not stop. I wasn't breathing properly so my hands and feet were numb, tingly and very white in color. Then I had to have a bowel movement. We phoned for the ambulance to take me to the hospital just to make sure that I did not have a stroke, or it was my heart, or a vessel had burst in the head. The Paramedic tested me for a stroke and I passed the test. *8:00pm or so I had another episode with room going around at top speed and I started having dry heaves. Nurse gave me medicine in the IV for nausea. My Doctor said that everything was Benign. He said that the CT patient scan was negative and all other tests were OK. Saturday, February 27th I was released from the

VAERS\_ID RECVD STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

hospital and went home. I did very little that day. I slept that night from 10:00pm until 10:00am the next day. Sunday, February 28th I was lightheaded, had a headache, and ears ringing all day. I just did not feel myself at all. Tuesday, March 9th Around noon I had a severe lightheadedness/spinning episode, eyes felt like they were spinning. Laid down for about 2 hours and when I got up I was able to function and the spinning had gotten better. Headache all night long, ears ringing, feeling of lightheadedness. Wednesday, March 10th Not quite as dizzy, headache all day, back of neck and left side of head sore to touch. Pounding on left top side of head ? along the part line, where I had the same discomfort the 2nd day after the vaccine. Thursday, March 11th Having discomfort on left side of head. To the right of the left ear, going down to the neck. I can touch those areas and add to the discomfort. Friday, March 12th On Monday, March 7th I noticed a red spot on the right side behind where I was given the injection. I tried to treat it myself but my remedies were not helping. Contacted my Dermatologist on Thursday, March 11th. She saw me today, Friday, March 12th. She is not sure if it is a possible aftermath of the vaccine or something else. Had some bloodwork run to rule how Shingles. Prescribed some medication for Shingles to take until Monday when the bloodwork report is due for review. Blood work was negative for Shingles. Ever since the episode on February 26th I have NOT felt myself at all. Lightheaded, nausea, headache, pressure in head and feels heavy, not steady on my feet, discomfort in back of head near neckline, on/off discomfort in the top of the head with a pounding force. BLOOD PRESSURE IS NOW HIGHER THAN NORMAL ESPECIALLY WITH BOTTOM NUMBER BEING HIGH. I have never had a Blood Pressure problem, although as I have aged the top number has elevated but not enough to take medicine. However, the lower number is now elevated (high 80-'s, low mid range 90?'s) and Cardiologist is going to make a decision on whether I should start on a low dose medicine. I am to take my 2nd Pfizer shot tomorrow ? Wednesday, March 17th at 11:00am. Thank You for reviewing the above writings. I look forward to the conclusion VAERS makes on my situation.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1104803	3/16/2021	ID	42	F	2/4/2021	2/5/2021	10:00 am on the 5th, I woke up and felt not very good. Tired and achy. I had a fever that developed that day. I rested most of the day. Two days after that (about the 7th or so), I noticed that I had a rash on my right arm - elbow height (not injection site) - upper forearm. Not the bulls eye rash but just a rash and it itched super bad. I called the on-staff doctor because it was after hours. He said I could use cortisone cream on it to help with the itching. I also took some ibuprofen because I had the fever. The cream helped get rid of the rash within a couple of days. I still had the overall skin itchiness on my legs and stuff that I still had from the first vaccine - that overall itchiness had never gone away and I still had it. February 25, I woke up and I had some mild hives on my face and my eyelids were puffy and swollen and itchy (face was kind of itchy). I kept using the anti-itch lotion (from the first dose) and I quit taking my supplements to see if that would help. By the 26th, it was pretty bad. She prescribed me some steroids - methylprednisolone. She said if the hives left don't start it yet because she didn't want me to start it that night. So next morning, it wasn't horrible, so I didn't start taking them until March 1st and they are six day ones. It got pretty red and hived out and rashy for a few days and the steroids seems to clear that by the six days. So by the 7th it was almost gone and by the 8th was all gone. It feels like the other itchiness is gone, too. The lymph node under my left arm, I thought had gone away but now a couple of weeks ago it felt like it came back and it still is feeling a little swollen.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1104821	3/16/2021	TN	64	M	3/9/2021	3/9/2021	MILD ITCHING: OVERALL BODY ITCHING MANIFESTED APPRX. 4 HOURS AFTER INJECTION ESPECIALLY AT FEET, EYES, HANDS AND ARMS. NO RASH. PATIENT TOOK DIPHENHYDRAMINE FOR ITCHING. ITCHING LASTED APPRX. 24 HOURS. AUDITORY SENSITIVITY: MINOR SOUNDS SEEMED AMPLIFIED. TO THE POINT OF IRRITATION TINNITUS: SEVERE TINNITUS 4 TO 10 HOURS AFTER VACCINATION. HAD SOMEWHAT DISAPPEARED BY 8 AM FOLLOWING DAY. PATIENT STILL HAS MINOR TINNITUS. MUSCLE AND JOINT STIFFNESS: MUSCLE AND JOINT STIFFNESS MANIFESTED APPRX. 2 DAYS AFTER INJECTION AND LASTED FOR APPRX. 5 DAYS TOTAL. PATIENT HAD NO INJECTION SITE REDNESS OR SWELLING. PATIENT DID NOT SEEK MEDICAL TREATMENT FOR SYMPTOMS.
1104822	3/16/2021	PA		M	3/16/2021	3/16/2021	Skin around both my eyes are red and looks like an allergic reaction and it feels like a burning sensation. This happened only an hour after my second shot.
1104781	3/16/2021	PA	77	M	1/29/1921	2/15/2021	After a couple of weeks one or 2, I went to the gym in the morning and my vision seemed blurry, so I closed my eye and now the vision of my left eye was worse and the shark shape or fish shape that I started seeing before (the branch retinal occlusion), was now a big blob and it was in my opinion about 1/3 on the bottom of my left eye. I was seen by Dr. who checked it and said it was bigger than last time and closer to the central retinal artery.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1104711	3/16/2021		38	M	2/21/2021	2/22/2021	Approximately 12 hours after my second Moderna vaccine, I experienced the typical body aches, chills, headache, and tiredness expected in someone my age (38). I was initially happy that my immune system seemed to have a positive response to the second dose. About 24 hours after my second dose, I developed a severe headache and nerve pain all over the right side of my head. No over the counter medicine would relieve the pain. The next day, I developed a rash on my forehead. The rash quickly spread and consumed the right side of my face and my right eye. I was seen by medical staff, and received a diagnosis of severe shingles. I was given Valtrex and, eventually, gabapentin. My eye continued to get worse and I lost clear vision in my right eye. I saw an ophthalmologist and was told that the shingles had activated in the eye. My eye pressure was dangerously high. I was given steroid drops and drops to relieve eye pressure. Since February 22, I have battled shingles. My rash is gone and my eye has cleared. But, I still suffer from intense nerve pain in my head, forehead, and eye. All medical professionals opined that the moderna vaccine must have played a role given the timing. If shingles can be considered a side effect, it is one that has been intense and long-lasting.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1104709	3/16/2021	PA	77	M	1/9/2021	1/9/2021	Almost immediately felt swelling at the injection site, which I felt as being normal. Next day when I woke up felt a slight headache , abnormal vision issues that included sparkles, blurred vision and a general tiredness. Did not feel refreshed as I normally do when I wake up in the morning. As the day went on sparkles and vision issues remained and headache got worse. Went to bed earlier than normal and next day when woke up the symptoms got worse, I felt like I had a migraine. Vision issues persisted. Laid down around 11AM and took a nap and when I woke up I noticed a blotch in my left eye reminiscent of the shape of a fish (looked like a shark) and it had different colors. Bright yellow and black almost kind of an iridescent green and orange. The shape was still just the colors were different. I panicked and called the optometrist and explained what happened. They wanted to see me right away. I was able to be seen in the afternoon. They looked at it, did two tests and came with the diagnosis of a branch retinal artery occlusion. I visited my neuro- ophthalmologist on 01/28 and he confirmed the diagnosis had previously given. He then ordered fedrate and a couple of other tests. They also did a visual acuity in the left eye (20/30) and color vision (8/8 normal) and color plates and intraocular pressure (16 OS)
1104703	3/16/2021	CA	24	F	3/9/2021	3/9/2021	I have had floaters in my eyes since the vaccine. I started to use refreshing eye drops on Saturday March 13. I am not sure if the acne cream got in my eye the night before the vaccine. it is called Retin A cream 0.025%. I have also been feeling very weak. I got a B12 injection on my butt for energy(Friday, march 12). My legs feel like they are in pain and the hurt when I walk. I also had a lot of pelvic pain after the vitamin injection. I drank ibuprofen March 14 at night. I woke up feeling very weak. Before going to bed on March 15 I drank Tylenol. I still feel pain in my legs today and now I have lower back pain.
1104574	3/16/2021		59	F	3/14/2021	3/14/2021	Fever of 100 degrees, nausea, headache, soreness at injection site and all over body, pain behind eyes and brain fog

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1104673	3/16/2021	VA	74	F	3/5/2021	3/15/2021	Yesterday, March 15th, I woke with a rash on my neck and swollen eye lids, just like an allergic reaction. I have not eaten anything new, nor taken any new medications or over-the counter supplements since I received my shot. Could I have a delayed allergic reaction?

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1104631	3/16/2021	UT	47	M	3/5/2021	3/6/2021	<p>Day 1: Saturday morning March 6 at 5:00am I was shaken out of my sleep with a nasty migraine, sour stomach, intense body aches, stuffy nose, fever (102f). Classic flu like symptoms. I was extremely sick all day Saturday (level of sick: 8/10). Day 2: Sunday morning March 7 I awoke again extremely sick, just as sick as Saturday. All same symptoms (level of sick: 7/10). Sunday night I was incredibly miserable, all flu symptoms, I did not sleep Sunday night, up all night and up all day the next day Monday. Day 3: Monday I continued to be sick, all same symptoms, all day long. This time the blood shot eyes &amp; bloody nose came on, fever was steady at 101f (level of sick: 6/10). Day 4: Tuesday woke up still sick, same flu like symptoms. I feel the headache has gotten worse, in fact way worse. Fever steady at 101f all day. Overall I'm not as sick except the headache and fever (level of sick: 6/10). Day 5: Wednesday I was really hoping I'd make a full recovery but still still sick, fever dropped for a few hours then came back, fever peaks and bounces around at 101f. Headache is absolutely nasty, I feel intense pain in the back of my neck and head, hard to sleep or lay down. (level of sick: 5/10). Day 6: Thursday I feel like I'm just about kick this sickness, feeling way better. I dont have a fever today but I still have an incredibly nasty headache, really intense, my eyes hurt, back of my neck hurts. (level of sick: 3/10). Day 7: Friday, no flu symptoms, finally!! But the headache continues, really bad. It sort of disables my ability to function with the headache. Back of my neck and back of head hurts, inside my brain hurts. Ugh! Day 8: Saturday, no flu, no fever, although still bad headache. I've been taking Advil all week to help reduce the headache. It helps, but after about 6 hours later the headache returns. Late in the evening Saturday my head was pounding. Day 9: Sunday headache not that bad, mild headache lingered throughout the day, tolerable. Day 10: Monday no headache!! Today was the first full day of full happiness!! *NOTE*: In July 2020 I got COVID extremely bad, spent 4 days in the ICU, couldnt breathe!! I had a fever of 103 for 6 days straight before calling 911 to come and get me. I was in bad shape, lost 30 lbs, had respiratory breathing issue for about 2 months after hospital stay. Most sick I've ever been, total game changer, I will never be the same. To this day I feel my respiratory is at 90%, fatigue still comes around every so</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							often. --- Thank you ---
1104825	3/16/2021	FL	72	M	3/4/2021	3/6/2021	Got the vaccine and had soreness in the arm and felt great, and on Saturday 3/6/21 late afternoon his head hurt to touch his hair. He knew what it was from previous experience. Was on the top of his head to the right rear predominantly, probably 4" or so. It was painful and tied into his right eye as he was photophobic with this as well and sunlight would affect that and would get a spasm of pain/2 second or so in the top of his head. These events continued intermittently until Tuesday 3/9/21 when it was gone, but on his right tricep has a scraping sore feeling on it, which still continues as of today 3/16/21, but only faintly.
1105194	3/16/2021	TX	45	F	3/15/2021	3/15/2021	Swollen lips evening of 3/15/21. Swollen left side of face including pressure in ear and eye morning of 3/16/21. Treated with Benadryl
1104560	3/16/2021	CA	66	F	2/6/2021	2/23/2021	Rash 2 weeks after shot that got better, but hasn't gone away. Have a little bit on my eye.
1104557	3/16/2021	PA	73	F	3/1/2021	3/3/2021	Three days following the second injection I developed a style/eye infection in my right eye
1104683	3/16/2021	CA	36	F	3/13/2021	3/13/2021	EXTREME tiredness, couldn't keep eyes open by 7pm. Woke up with a terrible headache and slept the entire next day. Jittery, fast heartbeat, mild confusion/forgetfulness, feeling scattered, anxious and weepy all lasted into the 3rd day following the injection.
1105141	3/16/2021	PA	30	F	3/14/2021	3/14/2021	vaccinated 1005 - walked to observation around 1008 vagal response in observation area - slipped to floor - attended by paramedic -small brush burn above eyebrow - no lumps joint head or neck pain - remained conscious throughout incident pulse bradycardic 40 - 50 C/O dizziness pale and sweaty - legs elevated - after 10 minutes symptoms resolved and patient assisted to her feet - symptoms returned - placed on stretcher legs elevated - EMS notified - transported to ED around 1028 BP on transfer 98/46

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1103902	3/16/2021	NC	34	M	3/2/2021	3/2/2021	Diplopia 03/09/2021 Acute onset diplopia Vertical and torsional 34 yo M here with double vision. Pt states a week ago he started to notice double vision. No childhood strabismus 3/2/2021. COVID Moderna vaccine at noon. The same night felt that his vision was blurry and split. 2 weeks ago severe migraine 3/3/2021. His depth was off. Similar that tuesday his vision was blurry and split. 3/4/2021. Woke up with definite vertical diplopia Stable since that day With chin down he can see single PMHX Gout, Afib, no other symptoms such as respiratory, joint pain or anything else, no traveling outside state 15 years ago got elbowed playing basketball. He thinks was his left eye for sure no ocular symptoms On examination Severe limitation to downgaze rotation right eye worse in the field of action of the right inferior rectus muscle There is also moderate limitation to full abduction right eye On motility he has right hypertropia, esotropia and incyclotropia No pain No conjunctival injection Differential diagnosis Acute ophthalmoplegia Rule out orbital apex or cavernous sinus No ptosis no pain. Isolated downgaze Myositis IR LR vs SR and MR with restriction and weakness Unlikely TED unusual presentation no family history Brain inflammation affecting 3rd nerve, 6th nerves Always MG is within the differential diagnosis
1104546	3/16/2021	CT	37	M	1/28/2021	3/15/2021	Right sided Bell's Palsy. Onset on 3/15/21. Presented as hyperacusis, pain around right ear, numbness and loss of sensation over right face, facial deviation while smiling and weakness of muscles of facial expression including difficulty closing right eye. Started course of steroids and Antivirals after seeing ENT. Symptoms not yet resolved on 3/16/21 with weakness of right face prominent. No other systemic complaints.
1105250	3/16/2021	TX	33	M	3/5/2021	3/5/2021	an hour after my injection I had tingling and numb sensation on my face. I checked in the mirror to see if i was having a stroke but I was fine. I was still numb and tingly so I went to the ER (03/8/21) a few days later. its now been 2 weeks and I get the numbness and tingling off and on. Doctors say to just keep an eye on it and make sure I don't get any drooping. I can still feel myself touch my face but it still has a tingly numb sensation.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1105344	3/16/2021	KS	31	M	3/15/2021	3/15/2021	<p>Progress Notes Healthcare Provider Healthcare Facility  3/15/2021  Patient  Date:  3/15/2021</p> <p>Subject Patient is a 31 y.o. male who was seen at healthcare facility today for his first dose of the COVID 19 vaccination. He was given the Pfizer vaccination in the right deltoid muscle. During his 15 minute waiting period after the injection, the patient began to experience throat tightness. He denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and he was then assessed. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality, hypotension, rapid progression of symptoms, respiratory distress and tongue swelling. Past Medical History: Diagnosis Date ? Eczema ? Morbid obesity with BMI of 40.0-44.9, adult (HCC) ? Seasonal allergies ALLERGY REVIEW OF SYSTEMS: Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, cough, chest tightness, shortness of breath, wheezing, rash, hives, eczema, itching of skin, vomiting, abdominal pain, dizziness and headaches Previous Reactions: none to vaccines Objective Vitals Vitals: 03/15/21 1520 03/15/21 1528 BP: (!) 149/98 (!) 140/88 Pulse: 80 72 SpO2: 100% 100% Physical Exam Vitals reviewed. Constitutional: General: He is not in acute distress. Appearance: He is not ill-appearing or diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Comments: Clear oropharynx. Eyes: Conjunctiva/sclera: Conjunctivae normal. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Normal breath sounds and air entry. Comments: Speaking full sentences. No throat clearing Skin: General: Skin is warm. Coloration: Skin is not pale. Findings: No rash. Neurological: General: No focal deficit present. Mental Status: He is alert and oriented to person, place, and time. Psychiatric:</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>Mood and Affect: Mood normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: water Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) Pt admits he was anxious prior to coming in today and felt anxious while he was in line for registration. He feels better after being evaluated here. He was observed for approx. 15 minutes. He requests to be here for his #2 pfizer vaccine. Request is reasonable. Registration notified and will flag his chart for next time. Healthcare Provider</p>
1105248	3/16/2021	GA	69	F	3/13/2021	3/16/2021	Eyes are swelling.
1105229	3/16/2021	CA	31	F	2/13/2021	2/21/2021	<p>I was expecting to get the common side effects after my second dose, getting sick for a day about 12 hours after the 2nd dose. I did not get sick the next day, I just had the regular big red sore bump at the injection site. However, slightly more than a week after my 2nd dose, I started to experience double vision. Not blurry vision, but double vision, with one image on top of the other, both clear. At first it didn't bother me much, it was mostly happening in the mornings and in the evenings. Then suddenly, between the dates of 2/25 and 3/1, I started experiencing the double vision much more intensely and earlier in the day. It was not safe for me to drive, and it bothered me a lot, causing headaches and extreme nausea, I found myself going to bed at 6pm because I didn't want to be awake and deal with the side effects. I saw an Ophthalmologist (Dr.) about the problem (not realizing it was a COVID-19 vaccine side effect) who diagnosed me with cranial nerve 4 palsy in the left eye. I had to notify my job that I was unable to drive and that effected my work. Furthermore it was extremely stressful not knowing the cause or prognosis, and the worry over the medical costs for test and lab work. Since 3/2, the condition has been improving. There have been no other changes to my lifestyle or health that could account for this, other than receiving the COVID-19 vaccine. People need to know about the possibility of horrible side effects like this, it's worse when you don't know what's causing it or the prognosis.</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1105214	3/16/2021	KS	40	F	3/15/2021	3/15/2021	<p>Notes APRN (Nurse Practitioner) ? ? Family Medicine  Cosigned by: MD at 3/16/2021 9:52 AM Expand  AllCollapse All VACCINE CLINIC 3/15/2021  Patient:  DOB: Date:  3/15/2021</p> <p>MRN: Subjective Patient is a 40 y.o. female who was seen at COVID Vaccine Clinic today for her second dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the right deltoid muscle. During her 30 minute waiting period after the injection, the patient began to experience chills. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , collapse, hypotension, rapid progression of symptoms and respiratory distress. Hx of htn, currently changing out medication to new one as she is 9 weeks pregnant. She is experiencing vaginal spotting in the last 2 weeks. Her obgyn is aware and monitoring. Recent u/s done and is okay. ALLERGY REVIEW OF SYSTEMS: Patient complains of chills Patient denies fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, cough, chest tightness, shortness of breath, wheezing, rash, hives, itching of skin, vomiting, abdominal pain, muscle aches, dizziness and headaches Previous Reactions: none Objective Vitals There were no vitals filed for this visit. Physical Exam Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is morbidly obese. She is not diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

sounds. No wheezing. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Gait: Gait normal. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: water, snacks and laying down and covered with blanket. Follow up response to treatment: good. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Red flag symptoms (CP, SOB, NVD, Visual/Neuro concerns) Chills. She reports improvement of feeling chilled here in medical bay. She was able to sit up in bed w/o dizziness/lightheaded. Ambulates w/o assistance. She feels ready to go home. Continue care with obgyn and follow up with pcp as needed. Pt voiced appreciation of her care today. APRN Electronically Signed 3/15/2021 4:15 PM

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1105169	3/16/2021	KS	30	F	3/15/2021	3/15/2021	<p>Progress Notes APRN (Nurse Practitioner) ? ? Family Medicine Cosigned by: MD at 3/16/2021 9:55 AM</p> <p>Expand AllCollapse All VACCINE CLINIXC 3/15/2021</p> <p>Subjective Pateint is a 30 y.o. male who was seen at Vaccine Clinic today for his first dose of the COVID 19 vaccination. He was given the Pfizer vaccination in the left deltoid muscle. During his 15 minute waiting period after the injection, the patient began to experience lightheadedness and nausea, hot, dry mouth. He denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and he was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , rapid progression of symptoms and vomiting. Past Medical History: Diagnosis Date ? Hernia ? Past Hospitalization Admit on: 20130219; Diagnosis: Aseptic meningitis, dehydration; at: HealthCare; MD; Hx of + covid infection in November 2020. ALLERGY REVIEW OF SYSTEMS: Patient complains of chills and vomiting (scantly, x 3 times) Patient denies fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, rash, hives, itching of skin, abdominal pain, dizziness and headaches + nausea: + lightheaded: Previous Reactions: none with vaccines. Objective Vitals Vitals: 03/15/21 0956 03/15/21 1009 03/15/21 1032 BP: (!) 142/95 127/79 129/83 Pulse: 84 SpO2: 99% Blood Sugar 112 collected at 1045 Physical Exam Vitals reviewed. Constitutional: General: He is not in acute distress. Appearance: He is ill-appearing. He is not diaphoretic. Comments: Slightly flushed HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Normal breath sounds and air entry. Abdominal: Tenderness: There is no abdominal tenderness. Skin: General: Skin is warm. Coloration: Skin is pale (improved with</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1105159	3/16/2021	CA	25	F	3/9/2021	3/11/2021	<p>rest). Findings: No rash. Neurological: General: No focal deficit present. Mental Status: He is alert and oriented to person, place, and time. Psychiatric: Mood and Affect: Mood normal. Thought Content: Thought content normal. Judgment: Judgment normal. Patient with several brief episodes of dry heaving/burping throughout his observation here. He's managed to have scant amount of emesis. Pepcid 20 mg given, then zofran odt 4mg given, He was feeling better with ice pack and laying down. Upon sitting up he started to feel lightheaded and dizzy again. Restarted to burp with scant periods of nausea with dry heaves. Pepcid 20 mg given again. Pt able to sit up but still feeling nauseated. New ice pack given to neck. Pt asked to call for a ride. Security had to go out to his car to get his phone. Pt called his mom. Mom will come to pick pt up. Pt reports dizziness/lightheaded with position changes with increased nausea upon transfer to wheelchair. Assessment/Plan Treatment included: water, snacks and pecid and zofran. Follow up response to treatment: no change. Patient discharge: Transported to ED . Differential Diagnosis: Red flag symptoms (CP, SOB, NVD, Visual/Neuro concerns) Nausea and lightheaded/dizziness primarily. Pt monitored in bay for over an hour. Stable vs. Mom here to pick up patient and will transport to ED at for further evaluation/treatment due to failing PO challenge. Pt wheeled out in wheel chair. ED notified of patient coming. , APRN Electronically Signed 3/15/2021 10:12 AM</p> <p>2 days after, lightheaded, weak, intermittent chest pain, blurry vision, shortness of breath next day headaches</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1105044	3/16/2021	CA	39	M	3/16/2021	3/16/2021	39y/o male presents with syncope, head injury and body shaking within 5min of receiving Pfizer vaccine in left arm on 3/16/21. Patient lost consciousness, fell from a seated position and hit the left side of scalp on the floor. Patient then experienced uncontrolled body shaking for <5sec. He had drool from his mouth during episode. Patient regained consciousness after cessation of shaking. He reports associated sweating and head pain. He denies throat enclosing, difficulty speaking, lip/tongue swelling or itching, injection site pain or itching, blurring of vision, light headedness, chest pain, palpitations, or shortness of breath. He reports history of syncope when getting his blood drawn and at site of blood. He denies allergies to medication or vaccinations. He denies any current medical conditions or h/o seizures. On physical exam: Vitals: Heart rate 88, blood pressure 150/100 Skin: his skin is diaphoretic and ~4x2cm skin abrasion to his left scalp is noted. Cardiovascular: Radial Pulse 2+ . Heart regular rate and rhythm. Lungs: clear to auscultation bilaterally Patient was examined by EMS and informed that he could be transported to hospital via ambulance for immediate consultation with provider or can decline services and seek care at a later time. Patient opted to drive on his own to seek care at a later time. He was advised to contact his primary care provider regarding his adverse reaction, seizure and head injury. Note: MA called for PA on site when patient fell and hit head. PA told site manager to call 911 while attending to patient. When PA arrived to patient's side, he had regained consciousness and PA proceeded to provide care and investigate incident.
1105119	3/16/2021	CA	68	M	2/10/2021	3/2/2021	Permanent loss of vision in right eye three weeks after receiving first COVID 19 vaccination. Diagnosed with Branch Retina Artery Occlusion (BRAO) clotting of the retinal artery. Emergency Room admittance and 4 day stay at Hospital at direction of Retina Specialist Dr.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1105106	3/16/2021	MI	91	F	3/9/2021	3/10/2021	day following vaccination (vax administered around 1:44pm on 3/9), on 3/10 slight headache in morning, by around 1:30pm severe headache, could hardly open eyes, was very nauseous, severe diarrhea, slept for 16hours. Symptoms continued, less severe but not debilitating on 3/11. Even today (3/16) if bend over get dizzy and head throbs. Doesn't feel very secure if moves quickly -- affected her entire body, slowly improved each day, but not back to normal 7 days later. Wasn't eating much due to nausea in days following. slow improvement but unable to return to normal routine b/c still not feeling well.
1105104	3/16/2021	NJ	42	F	3/4/2021	3/4/2021	WITH IN THE FIRST 15 MINUTES I EXPERIENCED DIZZINESS. WITHIN THE FIRST HOUR MY EYE BROWS SWELLED AND I HAD A RIGHT SIDED FRONTAL HEADACHE. I TREATED WITH ICE PACK, TYLENOL, AND CLAIRITIN. 2 HOURS LATER I FELT LIKE I WAS AT HIGH ALTITUDE WHICH LASTED FOR 36-48 HOURS. the SWELLING BROKE DURING THE NIGHT WITH MASSIVE EYE TEARING AND POST NASAL DRIP. I CRAVED BLACK LICORICE LIKE MAD.
1105099	3/16/2021	MS	47	F	3/6/2021	3/6/2021	~~my side effects from the Covid-19 shot on 03/06/21. I had fatigue, nausea, stuffiness with sinus pressure, headache, and swelling of the eyes/face. These symptoms began a few hours after the shot and subsided by Tuesday. I used over the counter medication to treat the symptoms. It was not severe enough for me to feel the need to seek additional medical care. If it had worsened, I would have gone to the doctor"--copied from pt email



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1105098	3/16/2021	KS	67	M	3/15/2021	3/15/2021	<p>Progress Notes Expand AllCollapse All</p> <p>Patient: 1/5/1954 Date: 3/15/2021</p> <p>MRN: Subjective Patient is a 67 y.o. male who was seen at COVID Vaccine Clinic today for his first dose of the COVID 19 vaccination. He was given the Pfizer vaccination in the right deltoid muscle. During his 15 minute waiting period after the injection, the patient began to experience slight nausea and heart racing sensation. He denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and he was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , chest pain, collapse, rapid progression of symptoms, respiratory distress and skin changes. Past Medical History: Diagnosis Date ? Cancer (HCC) 2004 surgery ? Malignant neoplasm of colon, unspecified site (HCC) ? Peripheral neuropathy due to chemotherapy (HCC) 2004 ? Rheumatoid arthritis(714.0) Rheumatoid Arthritis; NG PMH ALLERGY REVIEW OF SYSTEMS: Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, cough, chest tightness, shortness of breath, wheezing, rash, hives, eczema, itching of skin, vomiting, abdominal pain, muscle aches, dizziness and headaches Previous Reactions: none to vaccines. Objective Vitals Vitals: 03/15/21 1433 03/15/21 1437 BP: (!) 168/62 (!) 152/68 Pulse: 62 SpO2: 98% Physical Exam Vitals reviewed. Constitutional: General: He is not in acute distress. Appearance: He is not ill-appearing or diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Normal breath sounds and air entry. Skin: General: Skin is warm. Coloration: Skin is not</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							pale. Findings: No rash. Neurological: General: No focal deficit present. Mental Status: He is alert and oriented to person, place, and time. Psychiatric: Mood and Affect: Mood is anxious (slightly anxious affect.). Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: no therapy Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) Pt improved after monitoring in bay for 15 minutes. He denies any concerns and states symptoms have resolved. Pt able to ambulate out of the facility w/o assistance. He expresses appreciation of his care today.
1105066	3/16/2021	PA	37	M	3/15/2021	3/15/2021	Patient was standing with hands on knees and stated that he was "going down". Paramedic was standing nearby. Patient's eyes rolled back into his head and paramedic helped to guide patient to the floor. Pt tried to crawl while on his hands and knees prior to rubbing his face into the carpet as he continued to crawl. Paramedic rolled patient over onto his back and patient rested there for about 10 minutes. Pt got up with standby assistance and sat in chair. After 5 minutes pt passed out again and was turned over on his back on the floor. Pt vital signs were taken and were stable. Ice pack placed on patient head. Pt had visible bruises to the face (nose, eye and forehead). Pt has a history of passing out with vaccines and stated that he had not taken his blood pressure medicine today. Pt placed in wheelchair and taken by EMS to the hospital.
1105065	3/16/2021	TX	44	F	3/12/2021	3/12/2021	The whites of my eye turned red/ pink. They did not itch or water. They were not as red the next day. Almost completely gone now after 5 days.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1105050	3/16/2021	CA	60	F	3/11/2021	3/12/2021	3/12/21 5 AM strong pain in arm when moved 7:30 AM lower abdominal let side aching on and off for several hours 8:00 AM Dull Pain behind eyes for 10 minutes Mid abdominal slight aching -comes and goes for the day 8:15 AM general aches-with pins and needles like fleeting prickling in left finger, mid abdomen 8:51 AM lower back pain fleeting Cramping in right hand fleeting 9:08 AM lungs feel tender breathing in-for rest of day 10:45 AM flu like achy 6 on scale 1-10 Feeling feverish 98.7 temp After doing some housework and having one client session 11:18 AM more light housework, getting dressed and feeling exhausted 7 rating on scale 1-10 And achy 6 rating , over more parts Of body?hips deep aching 12:50 PM Ate 1:30 PM amys squash soup, 1/4 c low fat cottage cheese and about 10 red grapes Its 1:40..PM caved in and took one Tylenol 50mg As all over aching is so strong- rated 8 I am in bed feel feverish Temp is 100.1 2:28 PM achy 4 rating..fleeting prickly sensations on back of calves Very tired -hard to stay awake Dull pains 4 rating running from inner right side of head, starting deep Inside near center of head and radiating out on right side of head just in front of right ear and up closer towards temple too Fell asleep 2:55 PM achy still rate 4 no headache now 4:41 PM searing fleeting pains in hands and feet ..achy bones increasing to 5 rating Lower ab left side faint aching comes and goes in and out 3 Rating In bed resting 3:51 PM sharp pains lower abdomen 5 rating 5:02 PM Joints hurting in feet -dull, continuing 4 rating 6:10 PM overall aching 7 rating Wirh headache.. Tylenol seems to be wearing off.. going to try not to take another .. feet aching rating 4 but not hands anymore 6:25 PM Chills 7:25 PM chills, stabbing pain lower left abdomen All over very achy rate 8 & Headache Hard to focus Slept 5:15 AM 3/13/21 Rough night Jabbing ear pain, rated 5 on and off thru night Loud Ringing in ears that is now a barely audible humming Lower L abdomen-nearly constant ache rates 4 -7 aaa night progressed Awoke to find both arms swollen and shot arm completely numb-couldn?t move fingers. Got up, walked around...feeling came back-but no pins and needles sensation as the feeling returned to my arm and fingers...as i expected 7:00 AM just very tired No more symptoms except exhaustion - maybe from bad night sleep Sunday-tired but nothing else Now its Monday and I feel slight chills today and still

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							very tired .
1105191	3/16/2021	IL	69	M	2/14/2021	2/15/2021	Vomiting-resolved Double vision in am for 7 days-resolved Balance issues-ongoing
1103855	3/16/2021	IL	90	F	3/3/2021	3/4/2021	Patient is a 90 y.o. female who presented to ER complaining of generalized shivering which began late last evening (3/3/21). Patient states she received her 2nd dose of her Moderna COVID 19 vaccine yesterday (3/3/21). She states she went to bed, woke up in generalized shaking which has yet to stop that she came to the ER (on 3/4/21). In ER patient's initial blood work was unremarkable which include CMP and CBC. CT brain was done to rule out any underlying neurological deficits or acute CVA which was unremarkable. She denies any numbness tingling no blurry vision no headache no sensory motor deficits. She denies any recent falls.
1103927	3/16/2021	FL	44	F	3/15/2021	3/15/2021	Swollen shoulder and pain. Swollen eyes and face.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1104155	3/16/2021	IN	67	F	2/12/2021	2/17/2021	Five days after the vaccine she was on the phone, sitting in a chair and she lifted her arm up and it felt heavy and it just dropped. She then started to raise the arm and she was not able to do it. She then suddenly lost sensation in her left arm. She then could not control it, would raise when it wanted to but was not able to feel it or control it. (had the feeling that it was not connected to her body and it was just floating around). Then started having involuntary muscle spasms in her mid torso region. The same thing then happened again and the muscle spasms were more intense and she waited around and lasted for minutes. She never lost consciousness, but then it happened again and was spreading on her left side. It then encompassed from her hip up to her shoulder. The involuntary muscle spasms were moving from the side toward her chest to where she felt it would impact her breathing. She then went to the ER and they started doing testing, and she had more spasms, and then started having double vision. In talking with the doctor about all of this she had a CVA with complex partial epilepsy with recurrent seizures and that the double vision was related to the infarct in her brain and that the stroke triggered the seizure that she had. She did not lose any memory, loss of consciousness, no weakness or loss of sensation. These episodes only lasted minutes and a refractory time of minutes and when she got to the ER she the other episode when they were trying to test her. They were not able to do the EKG or EEG due to the involuntary movements and these resolved. She is now completely recovered other than the fatigue with no residual. She saw a neurologist on 2/24/21 who felt like that she had a stroke and put her on Keppra and is going to FU in 3 months at IU. It was ruled out that there was no relationship of her transplant to this reaction. She is now on Keppra, Atorvastatin for the swelling in her brain, and also put on aspirin 81 mg. Her blood tests that were done were all drawn and were all within normal limits except for kidney function, but is only a minor #s for her secondary to the transplant. She then had some titers drawn for CMV and that was also negative. Then she had a COVID test that was negative. Then she had spinal tap that came back normal results.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1104094	3/16/2021	OR	68	M	3/8/2021	3/14/2021	left Facial paralysis, left eye tearing - dispatch to ED to R/O stroke. Pt was diagnosed with Bells Palsy and discharged home with prednisone and valacyclovir.
1104057	3/16/2021	NJ	27	M	3/11/2021	3/11/2021	At 1805 hours on March 11th, 2021, patient received his second dose of a two dose series for Moderna's Covid-19 Vaccine. Patient was given an injection by a student from Institute under the supervision of a nursing instructor for the school. It was reported to Department of Health staff that she received a partial injection into his left deltoid as observed by the nursing instructor who verified the amount given as 0.3 mL prior to the remaining 0.2 ML being ejected onto rather than into the patient's left upper arm. The remaining 0.2 mL dose was drawn into a clean needle from the same vial and administered per CDC guidance. No further incident.
1104053	3/16/2021	NC	58	F	2/8/2021	2/8/2021	-1.5 hours after shot, intractable vomiting for 14 hours, could keep nothing down, not even ice chips,- ended up treating with ondansetron 2- 5 mg doses-no appetite for at least 4 days and resultant weight loss of 6-8 lbs - balance impaired, vision blurred about 12 hours after-lasting 12 hours -confusion from about 12 hours post vaccine until 24 hours post vaccine -weakness, and hand and leg dyskinesia about 12 hours after -lasting 12 hours -sore throat, phlegm 48 hours after for 12 hours - hyper alertness and unable to sleep almost 48 hours - twitching during sleep (throughout body, arms and legs) and in evenings which lasted 6 days, slowly abating over time -headache -multiple hot flashes 3-4/hour first 2 days mostly at night, way more than I normally have (I usually have 2-3 a night and 1-2 during the day-4 days/week) Shot on 2/8/21 and finally felt back to normal, resumed all normal activities including exercise 2/14/2021
1103978	3/16/2021	WI	96	F	2/11/2021	3/7/2021	Bell's Palsy Left side-3/08/2021 Seen at Emergency Room and was given treatment of Prednisone, ValAcyclovir, and ointment to left eye at night. She experienced severe left sided neck and left ear pain on Saturday 3/06/2021 and then got drooping of left mouth and left eye around 3 pm on Sunday, 3/07/2021, and was seen at healthcare Clinic and Emergency Room 3/08/2021 2 Doses Pfizer given: #1 on 1/21/2021 and #2 on 2/11/2021

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1103945	3/16/2021	IL	63	F	3/15/2021	3/15/2021	pt states that about 20 minutes after getting the vax her neck had a hot, itchy rash. By the time she was ready for bed she noticed the rash had spread to her face. When she woke up the next day the rash had developed into hives that covered her neck and face. Her right eye is swollen shut. Pt has not taken any medicine for her symptoms and plans to call her PCP for medical advice.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1104206	3/16/2021	KS	35	F	3/12/2021	3/12/2021	<p>Progress Notes APRN (Nurse Practitioner) ? ? Family Medicine Cosign Needed Expand AllCollapse All</p> <p>Subjective Patient is a 35 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience heart racing. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , rapid progression of symptoms and skin changes. Past Medical History: Diagnosis Date ? Salivary gland calculi ? Tuberculosis 2002 ALLERGY REVIEW OF SYSTEMS: Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, cough, chest tightness, shortness of breath, wheezing, rash, hives, itching of skin, abdominal pain, muscle aches, dizziness and headaches Previous Reactions: hx of having an allergic reaction to allergy injection. Objective Vitals: 03/12/21 1425 BP: 131/83 Pulse: 86 SpO2: 100% Physical Exam Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Gait: Gait normal. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: water Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) Reassuring vitals and exam. Pt feels comfortable going home. Follow up with pcp as needed. Pt voiced appreciation of care today. APRN Electronically Signed 3/12/2021 2:27 PM
1103906	3/16/2021	OH	23	F	3/13/2021	3/14/2021	3:30am woke up feeling nauseous, within seconds of standing up lost vision and balance, ran to the bathroom and fell. Woke up in a different spot with a bit of black eye from falling. Woke up and felt very out of it and not sure of things. Drank a lot of water but a few hours later, got up and felt nauseous again like I was going to pass out again. Fever of 101.8 F. Lots of body aches and chills. Sweating like no other.
1104215	3/16/2021	TN	40	F			I became extremely dizzy in the middle of the night. The room was visually spinning and I felt like my body was spinning. I was sweating profusely. This went on for 5 hours until I vomited. Still felt lightheaded and tired the rest of the day.
1103814	3/16/2021	CT	26	F	3/13/2021	3/13/2021	Fever Couldn't talk Sharp joint & chest pains Painful to move eyes Fatigue Bedridden- couldn't move on my own Shortness of breath Lasted 7 hours; took 3 Tylenol @ 500mg each; lots of fluids
1103805	3/16/2021	TN	65	F	3/15/2021	3/15/2021	Mild facial flushing, lip tingling, tightness in forehead within 10 minutes of injection; providers checked pulse/ox and BP9BP 140/90 which is higher than normal). Symptoms subsided within 25 minutes, but recurred less acutely more than twelve hours later after use of Travaprost eyedrops, then Dorzolamide Timelol drops. Symptoms subsided again within half an hour afterward.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1103794	3/16/2021	MN	67	F	2/26/2021	2/26/2021	Sore arm for the rest of the day after receiving the shot. On 2/27 fatigue. On 3/4 possible low grade temperature with periods of feeling very warm and sweating. Lasted approximately an hour. On 3/6 again periods of feeling warm and sweating. Rotating achiness in muscles. Brief feelings of discomfort in axillary region but unable to palpate lymph node. Lasted half the day. On 3/14 headache across the front of my face above my eyes with left side neck discomfort. On 3/15 again experienced periods of warmth and sweating throughout the day. In between headache, Not as severe as headache on 3/14. Contacted doctor by email.
1103777	3/16/2021	GA	41	F	3/11/2021	3/12/2021	very swollen eye lids for around 24-48 hours
1103729	3/16/2021	CA	19	F	3/7/2021	3/8/2021	8am: woke up with a moderate headache and it subsided after taking 2 advil 6pm: blurry vision, hard to focus on computer screen, lasted for about an hour 7pm: fatigue, lightheaded 8pm: very sensitive to light, wanted to lie down 8:30pm: chills, mild fever, slight cough 11pm: some sweating while sleeping, felt very dehydrated *didn't take any other medicine throughout the day, slept it off and felt much better the next morning besides tolerable headache
1103680	3/16/2021		51	F	3/15/2021	3/15/2021	Anaphylaxis; Severe Angioedema of lips, tongue, eyelids. Hypoxemic Respiratory Distress, O2 88-89% on presentation. Chest pain/tightness. Epi pen, IM, minimally responsive. Epi gtt, IV steroid, dual histamine block. IVF bolus x2L. HF O2 support, via non RB. Pt with slow response to above intervention, but remained hemodynamically stable and with improvement to respiration/oxygenation and angioedema over about 1 hour. while patient prepared for transfer to higher level of care.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1105355	3/16/2021	OH	58	F	3/16/2021	3/16/2021	Patient received her MODERNA COVID-19 vaccination at 7::31 am and at 7:40 am the patient stated she was feeling like she was going to faint, she was currently sitting in a chair and she asked for some water. The patient was very pale and she broke out into a cold sweat. The patient was given a cold compress to advised too stay sitting until she no longer felt faint. After about 10 minutes, the patient stated she needed to lie down. The patient was escorted to a place where she was able to lay down with a cold compress on her forehead. The patient continue to lie down for about 10 minutes and then she stated she was starting to feel better and that point she asked if she could use the restroom. She was then escorted to the restroom and then back to a bench to remain seated for several for minutes. The patient remained seated for approximately an additional 15 minutes and her symptoms improved and the patient was able to leave. The patient then called back into the pharmacy at 11:10 am and stated that she was experiencing chills, swelling of her face (around her eyes) and a rash that was covering her arms and chest. The patient was advised to take Benadryl and seek medical attention if the swelling worsened or if she began to experience any difficulty breathing or other symptoms. The pharmacy called the patient at 2:50 pm and the patient stated she took the Benadryl and her swelling and rash were still present, but not progressing. Patient also stated that the chills were starting to resolve.
1105391	3/16/2021	OH	61	M	3/3/2021	3/9/2021	Patient reported having trouble closing left eye, left facial weakness, and left facial drooping Patient was treated in ED and given prednisone and acyclovir
1103941	3/16/2021	MO	43	F	2/23/2021	3/8/2021	Eye felt irritated, rubbed eye, cornea abrasion developed, developed pain went to eye dr , found to have shingles ulcers on the inside of eye lid.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1104375	3/16/2021	KS	43	F	3/15/2021	3/15/2021	<p>Notes Expand AllCollapse All</p> <p>Patient: DOB: 6/11/1977 Date: 3/15/2021</p> <p>MRN: Subjective Patient is a 43 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience lightheadedness and "head rush", feeling dizzy and had a metallic taste in mouth (shortly resolved). Sensation of chest tightness as reported upon her arrival to bay. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , drooling, rapid progression of symptoms, respiratory distress, skin changes and tongue swelling. Medical hx includes asthma and allergies, pvc's and IgG deficiency ALLERGY REVIEW OF SYSTEMS: Patient complains of dizziness (lightheaded) Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, cough, chest tightness, shortness of breath, wheezing, rash, hives, itching of skin, vomiting, abdominal pain, muscle aches, joint pain and headaches R arm pain where injection site is. Ice pack given for site.: Previous Reactions: flu vaccine 20 years ago. She's done well with flu vaccines since then. Objective Vitals Vitals: 03/15/21 1244 03/15/21 1254 03/15/21 1310 BP: 128/85 122/65 Pulse: 86 86 86 SpO2: 100% 100% 100% Physical Exam Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Comments: Clear airway Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							<p>sounds: Normal heart sounds. Pulmonary: Effort: No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Comments: Hyperventilating upon arrival to bay. Pt improves with deep breathing. Pt did take her levalbuterol as well during her stay which did help her chest tightness. No wheezing heard pre/post administration. O2 sats 100% Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Gait: Gait normal. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: antihistamines, water and snacks Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health), Local reaction (arm pain, bleeding/bruising, mechanical irritation, localized rash) and Red flag symptoms (CP, SOB, NVD, Visual/Neuro concerns) R arm pain; injection R arm. Ice pack placed. Anxiety: hyperventilating, relieved with instructed deep breathing and removal of mask for short time. Lightheaded/dizzy: related to anxiety and systemic stress response. She responded well to zyrtec, water and snack. Pt able to recover and stand w/o symptoms. She was ambulated out to the front w/o difficulty accompanied by this provider. She's to follow up with pcp/allergist. Pt voiced appreciation of care today.</p>
1104512	3/16/2021	WA	68	F	3/11/2021	3/12/2021	<p>Very sore red swollen arm, down to the bend in elbow. Sore and sensitive eyes. all over ache and the flue like feelings. did not feel well. I slept alot of 3 days two nights with fever and chills. This is day 5 my arm is still slightly red and itches.</p>
1104475	3/16/2021	TX	61	F	3/3/2021	3/7/2021	<p>4 days after second dose, eye symptoms appeared and progressed over a few days until diagnosis of shingles by 3/2/11/21. Acyclovir and prednisone prescribed, worsening symptoms, 4 eye exams to check for virus affecting the eye</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1104468	3/16/2021	MT	54	F	3/14/2021	3/15/2021	Started with nodal swelling within 10minutes of injection. Worsening fatigue as day progressed, developed runny nose and watery eyes, pain in my arm at injection site then spreading to the rest of my body. Took Sudafed for the cold like symptoms that evening and then in the morning. Went to sleep woke in the morning with severe fatigue, nausea, headache. At 11:00 noted that a bitter taste in my mouth that lead to loosing my sense of taste for 6 hours. I started getting a fever, which got up to 102 degrees, took Tylenol for this. At the same time my lips started swelling, then my hands, and approximately around 1900 my buccal lining of my mouth. Took 50mg of Benadryl which helped with swelling and went sleep. Woke up 6 to 7 hours later and took 50mg of Benadryl for good effect. Continue to have mild fatigue, headache and nausea this morning.
1104448	3/16/2021	WA	71	F		3/1/2021	Circulatory burning within 10 minutes, blurry vision, chest pressure, confusion & inability to concentrate , extreme weakness & fatigue, extreme focused joint pain, headache, coughing and difficulty breathing requiring multiple nebulizer uses every 2 hours over 2 weeks, headache. Face & body rash, . Persistent exhaustion continues requiring 2-3 hour daily naps & non Fibro brain fog continues at 3 weeks.
1104440	3/16/2021		36	F	3/11/2021	3/11/2021	pt. experiencing burning sensation to bilat. upper extremities, dizziness & burning vision. on-site medics present. Medic administered benadryl 50mg IM to the L arm at 1057. pt declined EMS/ER. Symptoms resolved w/ benadryl. BP: 133/99, HR: 199, RR: 20

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1104411	3/16/2021	KS	54	F	3/15/2021	3/15/2021	<p>Progress Notes APRN (Nurse Practitioner) ? ? Family Medicine Cosigned by MD at 3/16/2021 9:55 AM Expand AllCollapse All COVID VACCINE CLINIC 3/15/2021</p> <p>Patient:</p> <p>Date:</p> <p>3/15/2021</p> <p>MRN: 10187641 Subjective Patient is a 54 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience lightheadedness, dizziness and nausea. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency room. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , rapid progression of symptoms and vomiting. Diabetic on metformin and levemir. Ate about 2 hours ago. Did not check her sugars today. ALLERGY REVIEW OF SYSTEMS: Patient complains of dizziness (lightheaded) Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, cough, chest tightness, shortness of breath, wheezing, rash, hives, eczema, itching of skin, vomiting, abdominal pain, muscle aches, joint pain and headaches + nausea: Previous Reactions: none</p> <p>Objective Vitals Vitals: 03/15/21 1003 03/15/21 1022 BP: (!) 149/86 123/67 Pulse: 85 SpO2: 99% Blood Sugar 171 collected at 1007 Physical Exam</p> <p>Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not ill-appearing or diaphoretic. HENT:</p> <p>Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Gait: Gait normal. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: water, snacks and pepcid for nausea Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Red flag symptoms (CP, SOB, NVD, Visual/Neuro concerns) Nausea/lightheaded. Symptoms resolved. VS stable. Exam reassuring. Pt reports feels comfortable going home. She is ambulatory and is appreciative of today's care. Pt is predominantly Spanish-speaking. Translator used: Myself. APRN Electronically Signed 3/15/2021 10:18 AM
1104397	3/16/2021	TX	57	F	3/11/2021	3/11/2021	Five hours after shot the back of my right eye was hurting the next day 03/12/2021 my right side from my head down to my lower back was hurting 03/15/2021 now my right arm is swollen And hurts to the touch and is feverish really hot And sore.
1104156	3/16/2021	OK	55	F	3/11/2021	3/11/2021	5 minutes post vaccine pt reported blurred vision. By 3:00PM pt requested her epipen. administered for her and called 911. By 3:04 paramedics had arrived and took over.
1104378	3/16/2021	SD	67	M	3/3/2021	3/3/2021	15 minutes after the shot i started seeing flashes of lightning type things in my right eye it kept it up for about a hour,, now i have blurring in that eye in the lower portion of it like there my glasses are dirty and eye seem to water more than normal..
1104540	3/16/2021		61	F	3/15/2021	3/15/2021	Swelling around eye Face is slightly swollen Soreness at infection site



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1104350	3/16/2021	GA	35	F	3/13/2021	3/13/2021	About 6 hours after injection, I felt incredibly exhausted. After 12 hours, nausea and headache set in. 13-14 hours, a terrible stomachache and diarrhea. My skin felt so sensitive that it hurt to touch. Zofran treated the nausea. The day after the injection I was exhausted, was nauseous and had a headache. 48 hours after injection I woke up with a strange headache. I could look to the right pain free, but if I looked to the left or left/up, I had a piercing pain near my right eye. Excedrin/Tylenol did not relieve this headache. On Hour 72, the headache is still present, though to a lesser degree.
1104335	3/16/2021	MD	54	F	3/8/2021	3/8/2021	Pain at injection site began at time of injection and continued. Joint pain, especially knees, began about 6:30 p.m. (two hours after injection). Flu type symptoms (all over body aches) began at 10:00 P.M. Headach and chills began at 12:00 A.M. and temperature was 100.6. Chills, shaking, and fever worsened, headache became severe, and temperature was 102.8 at 4:00 A.M. Tuesday, March 9th. Headache, body aches, and temperature varying between 100.0 - 101.3 , and continued through Wednesday night, March 10th. Wednesday afternoon, elevated heart rate and tinnitus were first noticed and fatigue continued. Checked watch and average heart rate had increased 10 beats per minute. First normal temperature of 98.6 was taken Thursday, March 11th at 8:00 A.M. On Thursday, eyes became noticeably red and face and upper chest area skin reddened (e.g. like sun exposure without sunscreen). Tinnitus continued and was very loud even with background noise. Loud tinnitus and overall fatigue continues today, Monday March 16th.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1104327	3/16/2021	FL	68	F	2/10/2021	2/12/2021	68 yo WF in excellent health with prior history of intermittent benign positional vertigo for seven years and a cerebral concussion two years ago from which she recovered uneventfully in 6 weeks with no residual neurologic or physical issues. Patient received first dose 1/19/2021 with only mild fatigue and arm soreness at injection site. 16 hours after the second dose, Patient developed a dull total cranial headache and fatigue , retiring to bed , taking no medicines. She had taken only her premarin 0.625 mg for the last week. Patient awoke at 4:30 am with severe headache, nausea and vertigo, being unable to stand without assistance. urinary incontinence also occurred, but most likely occurred as she was unable to get to the bathroom due to vertigo and pronounced vomiting of clear yellow fluid. incontinence never occurred again throughout the illness. examination at this time showed nystagmus on bilateral lateral gaze and vertical nystagmus. no other neurological signs or symptoms were present. On return to bed, Patient continued to have vertigo headache and nausea even supine with eyes closed. Vertigo and standing instability did not respond to epley maneuvers. Headache remained mild to moderate, along with persistent vertigo and nystagmus for 4 days, becoming slightly less each day. On the fifth day, Patient was able to ambulate unaided by holding onto walls furniture etc. vomiting did not reoccur after her initial bout. Headache abated on the fifth day. Patient remained "fuzzy" and imbalanced for the next 14 days with occasional mild posterior cranial headache. Rotary nystagmus abated on the 7th day. Note is made that no abnormalities of the tympanic membranes were noted. no cardiac symptoms or irregularities were noted HR 60 BP 110/70 several attempts at epley maneuvers only resulted in symptom worsening. Patient felt well enough to traveled by airplane day 8 post dose, having still some "fuzziness" and slight imbalance, being unable to walk briskly due to gait instability..symptoms worsened slightly after air flight, and on return to home, slight barotraumatic changes were noted in the tympanic membranes, slight fluid levels and some small streaky membrane hemorrhages noted. her gait became slightly more unstable, but she was able to walk unaided. symptoms improved daily and by day 14 symptoms seemed to be much lessened, no nystagmus being noted. vertigo was present only on

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1104322	3/16/2021	NJ	36	F	3/15/2021	3/15/2021	<p>rapidly standing , position change and vertical looking up., vertigo abating quickly after each motion at rest. Patient traveled by plane on 3/4/21-3/8/21, vertigo escalated to mild to moderate..no response to epley maneuvers. Vertigo worsened daily and Patient again developed mild gait instability and nystagmus bilaterally and vertically. Ear exam was unchanged. no headache was present during this time. Patient was taken for balance training to a specially trained Physical therapist on 3/10/21 for evaluation , Patient being markedly symptomatic, examination showing both right and left ear abnormalities as well as vertical nystagmus. driving was prohibited. The constellation of symptoms for the even are most consistent with acute vestibular neuronitis or central vertigo.. Neuologic localizing signs suggestive of cerebral thrombosis, etc were not present , so MRI was not performed. Patient had Had a Notmal CT scan with here cerebral concussion two years prior. As the symptoms weer worsening and the result of the balance training session on 3/10/21 resulted on significant worsening on awakening on 3/11/21 with moderate gait instability, bilateral horizontal and vertical nystagmus, Prednisone 40MG po was administered. Approximately 8 hours after the prednisone dose, Patient was able to stand unaided, and vertigo was almost totally cleared. 30mg prdnisone was administered on 3/12/21 with Patient being totally asymptomatic. No nystagmus could be detected and epley maneuvers done by the physical therapist resulted in no symptions or evoked nystagmus. Predinsone dose was deescalated by 10 mg daily, Patient remaining totally asymptomatic. today 3/16/21 Patient will take 5mg of prednisone, still assymptomatic, prednisone to be discontinued tomorrow.</p> <p>Few hives (both eyes) starting at 7PM on 3/15/21. Took benadryl right away. Swollen and dry eyes (both eyes), also felt burning, when woke up at 8AM on 3/16/21.</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1104313	3/16/2021	KS	28	F	3/12/2021	3/12/2021	<p>Progress Notes Expand AllCollapse All</p> <p>Patient:</p> <p>DOB: 9/4/1992 Date: 3/12/2021</p> <p>MRN: Subjective Patient is a 28 y.o. female who was seen at COVID Vaccine Clinic today for her second dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience lightheadedness and feeling faint and hot. She denied difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , collapse, hypotension, rapid progression of symptoms and skin changes. Past Medical History: Diagnosis Date ? Acne ? Acute gastritis ? ADD (attention deficit disorder) ? Allergy ? Anxiety ? Depression ? Migraines ? Shingles 2017 ? Wears glasses in the past ALLERGY REVIEW OF SYSTEMS: Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, cough, chest tightness, shortness of breath, wheezing, rash, hives, eczema, vomiting, abdominal pain, dizziness and headaches Previous Reactions: She reports hx of fainting with vaccines in the past. She didn't have problem with 1st dose of Pfizer. Today she is here for 2nd dose.</p> <p>Objective Vitals Vitals: 03/12/21 1437 03/12/21 1450 BP: 115/70 124/64 Pulse: 70 76 SpO2: 98% 100%</p> <p>Physical Exam Constitutional: Appearance: She is obese. She is diaphoretic. Comments: flushed</p> <p>HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is moist. Neurological: General:</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

No focal deficit present. Mental Status: She is alert, oriented to person, place, and time and easily aroused. Gait: Gait normal. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Behavior is cooperative. Thought Content: Thought content normal. Judgment: Judgment normal. Pt wheel chaired to the medical bay. Pt given ice packs x 2 and brought to the bed and placed in trendelenburg position. Pt vs taken and is stable. Pt feels better in this position. Slowly inclined to sitting position. Tolerating well. Skin dry. Assessment/Plan Treatment included: water, snacks and ice packs Follow up response to treatment: good. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Systemic reaction (hypoglycemia, hypotension, generalized rash) She reports having improvement of symptoms after observation in medical bay for 40 mins. She is to be taken home by dad who was able to come in to pick her up. Pt wheeled to front by this provider and able to stand and walk w/o assistance to car. Monitor symptoms at home and follow up with pcp as needed.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1104255	3/16/2021	FL	81	F	1/28/2021	1/28/2021	tired; rash from shoulder to elbow; Eyes heavy; feels under the weather; low energy level; slept for 3 days; This 81- year-old female patient contactable consumer received the second dose BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE lot EL9262), via an unspecified route of administration, on 28Jan2021 at 11:30 (at the age of 81-years-old) as a single dose for COVID-19 immunization, left arm in the muscle. The facility where COVID-19 vaccine was administered was at a clinic. Historical Vaccine included first dose of BNT162B2 on 07Jan2021 (lot EI3246), for COVID-19 immunization, left arm at the same site between 11:30-12:00. The patient's concomitant medications included medications for years for thyroid and cholesterol. The medical history included: diagnosed allergies, compromised immune status, respiratory illness, genetic / chromosomal abnormalities, endocrine abnormalities (including diabetes) and obesity: Allergic to Sulfa, years ago and she got a rash. States she is very healthy. She has had no other vaccines in the past 4 weeks. She stated she has had a low energy level, heavy eyes (31Jan2021) and has been tired for nearly two weeks now. She still feels under the weather (31Jan2021). She had a rash from shoulder to elbow (31Jan2021) and was sleeping for 3 days(28Jan2021) without getting up much. For 3 days she was out and it got better, but she would go to bed (as reported) and back to bed. She is usually a very active person. Like yesterday, she had to go out. She is not one to fuss over anything. She went out and today, is a bit better. She is getting better every day. The outcome of the events low energy level and tired was unknown; rash, slept for 3 days, Eyes heavy, and feels under the weather was recovering.
1104230	3/16/2021	MS	55	F	3/16/2021	3/16/2021	Patient reported tongue heaviness but no swelling. No trouble breathing and extreme tiredness immediately following shot. Patient said she could not open her eyes due to tiredness. No other side effects/adverse reaction reported. Monitored for 30 minutes and no medication administered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1104225	3/16/2021	GA	41	F	3/8/2021	3/9/2021	Left eye- progressive redness in sclera starting on 3/9/2021- one day after the vaccine. Progressively worsened over the week- Was diagnosed with episcleritis on Monday 3/15/21. Has not improved with topical tobradex eye drops or topical moxifloxacin eye drops.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1104396	3/16/2021	MA	54	F	3/11/2021	3/11/2021	<p>Background Patient received her 1st dose of Moderna: 2/11/21 2nd dose of Moderna: 3/11/21 Number of days post vaccine (today's date minus vaccine date): 5days Initial reaction was noted on 2/11/21 Symptom Screening Local Reaction S/p 1st dose: 2/11/21: Pt noticed redness, "looks like hives." on the left arm (on the injection site) and disappeared on its own 2 days later. Denies any SOB, breathing issues, lips or eyes swelling or any other concerning s/sx. "I felt fine."</p> <p>Systematic Reaction: S/P 2nd dose: Sxs Onset 3/11/21: Low grade fever: 99.8, headache, fatigue," jittering feeling." Pt stated. "All the symptoms went away on its own on 3/12/21 around 2 pm except the "jittery feeling." Today on day 5 S/P2nd dose: Pt still continues to feel "jittery and hyper at times." Denies any anaphylactic reaction, dizziness, headache, fever, chills, breathing issues or any chest pain/discomfort. Denies any other unusual S/SXs. Pt was able to speak clearly in full sentences. No distress noted. Pt is at work right now.</p> <p>ALLERGIC Reaction Did potential immediate allergic reaction (less than 4 hours after receiving vaccine) or anaphylaxis to first dose of the COVID vaccine occur? "Not exactly sure. Pt unable to express if it was an actual hives or just redness at the injection site." Within 24 hours of vaccine administration, did patient experience symptoms of a severe allergic reaction? "Not exactly sure. Pt unable to express if it was an actual hives or just redness at the injection site." Assessment/Action Patient experienced a Moderate reaction to the vaccine. Symptoms relieved with over the counter medications. No medication needed. Sxs resolved on its own expect the "Jittery and hyper feelings." Patient answered YES to mild-mod Allergic Reaction questions. Patient was referred to allergy clinic for further evaluation. VAERS Complete: Yes. Patient experiencing any COVID-19 Symptoms AND &gt;3 days post vaccine? NO</p> <p>Response/Recommendation Teaching -Provided education to patients per DPH guidelines as appropriate to the patient's clinical presentation. -Educated the reasons to call the MGB Nurse hotline, PCP office and the reasons go to the nearest ED if symptoms change or worsen. -Informed to make sure to call in advance if seeking medical care so sites can be prepared to receive the case. -Good verbal return and agreed with the plan.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1106362	3/16/2021		37	F	3/11/2021	3/12/2021	Swelling, intense itching and redness on face particularly around eyes and eyelids, cheeks, neck and back of ears. Also present in and around the bellybutton and on both arms (strong on right arm). Started day after injection and continued to intensify despite doses of benedryl and loratadine, and topical cortisone. Morning of 3/16 woke up to slight swelling in throat and overall intensified swelling in face and neck.
1106578	3/16/2021	WA	65	F	1/26/2021	1/27/2021	The morning of 1/27, the day after the shot, I awoke with floaters in both eyes and a flasher in the right eye. On the following morning 1/28 I awoke with a headache and fever(100 - 101) that lasted through 1/29 and 1/30.
1106552	3/16/2021	WI	43	M	3/12/2021	3/13/2021	Slurred and slow speech, blurry vision in left eye. Symptoms appeared about 24 hours after vaccine and remain as of 96 hours.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1106547	3/16/2021	CA	31	F	3/13/2021	3/13/2021	Developed hives on opposite arm shortly after shot (but idiopathic hives are normal for me and it was the wrong arm so I thought nothing of it). Full body aches, especially in legs, from about 6:30pm on 3/13 to midnight of 3/14. Location of shot was warm to the touch, sore, and slightly swollen. Temp was 98.6 F. After midnight the aches became centered on my legs and became more severe coming in waves every few seconds. Tachycardia. Muscle weakness. Nausea. Teeth began to hurt (from clenching?). Severe dizziness and vertigo starting from 7pm on 3/13 and peaking around midnight. Migraine with visual disturbances beginning at 7pm on 3/13 peaking at about 9pm and lasting at least several hours. Vertigo and migraine seemed related. Former worsened every time the pressure in my head did. Looked like the room lit up briefly every few seconds. My sense of touch felt off - textures felt different than normal and couldn't feel my back when I touched it. Leg pain began to lessen around 4am, and fully resolved around 7am. Dizziness began to improve around 6am but persisted, albeit to a milder degree, for most of 3/14. Brain fog and sinus pressure from around 7pm 3/13 persisting through the following day. Some nausea throughout 3/14 but less severe than on 3/13. Poor temperature regulation from about 6pm 3/13 to 3pm 3/14. Symptoms became tolerable around 3:30pm on 3/14 and had mostly resolved by evening. Muscle weakness resolved by evening of 3/15. Pressure headache resolved by late morning 3/16.
1106529	3/16/2021	AZ	66	F	1/26/2021	2/17/2021	I had no reaction after the 1st dose administered on January 26, 2021 other than a slightly sore arm. After the second dose on February 16, 2021, I experienced the following in the following order. I did not feel better/normal until March 12. 101 fever for 24 hours, headache for days, chills, slight nausea, pain and aches all over and in joint areas, pain under shot arm in gland areas, black eyes and eye aches, diverticulitis event, brain fog - not being able to have sharp recall, and hives last 7 days.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1106506	3/16/2021	TX	60	F	1/11/2021	1/16/2021	experienced chills and body pain on the 3rd day after receiving the 2nd dose vaccine . chills and body pain lasted for 2 days . on the fifth day felt like black curtain in front of my eyes and felt dizzy. checked my blood pressure was 170/90. Blood pressure went up to 200/100 . went to the hospital emergency and was admitted for observation overnight. CT, MRI , blood work done. BP controlled with medication Nefedine 60mg. discharge home next day. was still having very light headedness and BP will shoot up to 190/90. physician had to change the medications couple of time. felt very exhausted . could not go to work almost 3 weeks because of the symptoms like lightheadedness. lasted at least 4 weeks to get back to work normal. never experienced this before. I was taking Olmasartan 5mg for blood pressure and my Bp always stated 130/80s
1106505	3/16/2021	MI	74	F	2/25/2021	2/27/2021	Ocular stroke. A black curtain dropped down over right eye. Went to ER on the 28th, and was admitted. Had a blood clot in the right eye. Carotid artery right side did not have stenosis, they do not know why she had a stroke. Doctor can't say that it was caused by the vaccine. She now has a permanent blind spot in right eye.
1106499	3/16/2021	CA	81	F	3/5/2021	3/5/2021	Immediately started seeing blurry and then eyes burned for 24 hours to the point that you couldn't see. had to go to the optometrist for eyedrops

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1106180	3/16/2021			F	3/4/2021		<p> Syncope; Flushing; Blurred vision; Felt like is going to pass out; A spontaneous report was received from a pharmacist concerning a 67-year-old, female patient, and experienced syncope, flushing, blurred vision (vision blurred) and felt like she is going to pass out (presyncope). The patient's medical history, was diabetes type 2, high blood pressure and anxiety. Concomitant medications reported included non specified medications to diabetes type 2, high blood pressure and to anxiety. On 04 Mar 2021, prior to the onset of the events, the patient received the second of two planned doses of mRNA-1273 (Lot number: 016M20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On an unspecified date, the patient experienced syncope, she was flushing and had blurred vision. She felt like she is going to pass out. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not applicable. The outcome of the events, syncope, flushing, blurred vision (vision blurred) and felt like she is going to pass out (presyncope) were considered as unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. </p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1106370	3/16/2021	TX	28	F	3/6/2021	3/12/2021	About 7-8 minutes later I started feeling pressure in the right side of my head. It went away a bit. I was walking after the 15 minutes and started feeling weird in my face, I just sat in my car and waited because I had to drive. I started feeling numbness under my eye and down the rest of my face. The thing that worried me the most I had so much pressure under my eye like it was inside my brain. The numbness and pain caused me to freak out. I went to back to the convention center to let them know, they brought the Paramedic to me they started checking me and doing a work up. They told me I wasn't a life threatening emergency and my vitals were ok. They offered to take me to the ER and I declined and I decided to leave because I have been there for 1hr 45mins. I felt like my symptoms were at 70%. When I got home I freaked out again because the numbness didn't go away and my face looked like it was a little lower and had a panic attack and went to the ER. They checked on me and told me I didn't have a stroke. They told me It was a side effect to the vaccine. They told me to follow up with the Neurologist if I have any more symptoms, I have an appointment with them in a couple weeks. I'm a little concerned because there is a minor pain that I didn't have before on my right side and it worries me.
1106607	3/16/2021	NJ	64	M	3/2/2021	3/2/2021	Before the COVID vaccine, I had a very mild case of tinnitus in the left ear. There was no discernible ringing, except occasionally at night in bed when it was quiet. One hour after the 1st COVID vaccine shot on March 2nd, there was extremely loud ringing in the left ear, which scared me terribly. It lasted about a minute. While the ringing is not as loud, there is constant ringing which overcomes everyday sound. For instance, when talking to people or watching television, the ringing is still heard. In addition, the ringing is often pulsating, which is a new experience for me. Clearly, my tinnitus has gotten much worse as a result of the event. I AM CONCERNED THE 2ND DOSE WILL MAKE THE RINGING WORSE.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1106342	3/16/2021	NC	66	F	2/20/2021	2/21/2021	muscle and nerve on both side of her face and the area along the back of both ears on the back head are very uncomfortable; muscle and nerve on both side of her face and the area along the back of both ears on the back head are very uncomfortable; From thumb finger till middle figure of both hands are numb especially after getting up daily.; The nerve of both front elbows is uncomfortable a lot stronger (e.g. sensation of soreness and distention); Both gums are very soreness and distention; Both gums are very soreness and distention; Stuffy nose; night sweats; This is a spontaneous report from a contactable consumer (patient). A 66-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection; lot number and expiry date not reported) via an unspecified route of administration, at the age of 66-year-old, on 20Feb2021, single dose for COVID-19 immunization. Relevant medical history included diabetes. The patient had no known allergies. Patient is not pregnant. Concomitant medications included metformin, thiamine hydrochloride (VITAMIN B1 [THIAMINE HYDROCHLORIDE]) taken for covid-19 immunisation; and cyanocobalamin (VITAMIN B12 [CYANOCOBALAMIN]). The patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection) via an unspecified route of administration (left arm), at the age of 66-year-old, on 23Jan2021, single dose for COVID-19 immunization and experienced muscle and nerve on both side of face (especial jawline area) are uncomfortable. On 21Feb2021 at 07:00 am, her muscle and nerve on both side of her face (especial jawline area, marionette line area, nasolabial folds, both temples and lower eyelid region) and the area along the back of both ears on the back head are very uncomfortable. From thumb finger till middle figure of both hands are numb especially after getting up daily. The nerve of both front elbows is uncomfortable a lot stronger (e.g. sensation of soreness and distention). Both gums are very soreness and distention. Stuffy nose and night sweats in the whole body happen a few times daily after the 2nd dose as well. The patient did not have covid prior vaccination and was not tested for covid post vaccination. The patient did not receive any treatment in response to the events. Outcome of the events was not recovered. Information

*VAERS\_ID RECVDATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1106332	3/16/2021			F	2/10/2021	2/1/2021	I was lethargic; had no energy; appetite was gone; nauseous; head was a little dizzy, especially when I lay down/dizzy spells; I also felt unbalanced; I was shaky; I was unable to sit or stand up by myself. I was so weak.; Whiplash; fainted or passed out; fallen down the whole flight of stairs; I had no recollection on how I got there.; acromioclavicular joint separation; right thumb fracture; thumb was very sore; back was sore; felt so sick; My right thumb was very sore and I could not move my left shoulder or arm.; temperature was high; felt terrible; pale; pain; I had bruises all over my shins, knees, right elbow and 2 bumps on my head; headache; chills; no idea when I will fully heal, or when I will be able to get back to normal activities; Concussion; imbalance in my inner ear from the fall and from the bangs I received on my head; This is a spontaneous report from a contactable consumer, the patient. A female patient of an unspecified age received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Lot number unknown), via an unspecified route of administration on 10Feb2021 at 09:30 as a single dose for COVID-19 immunization. The patient's medical history included an unspecified immune system disorder from an unknown date and unknown if ongoing. The patient's historical vaccinations included the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE) on 20Jan2021 after her Remicaide infusion. The patient's concomitant medications were not reported. The patient experienced loss of consciousness on 11Feb2021, fall on 11Feb2021, joint dislocation on 11Feb2021, thumb fracture on 11Feb2021, concussion on an unspecified date in Feb2021, dizzy spells beginning on 13Feb2021, headache on 10Feb2021, chills on an unspecified date in Feb2021, fever on 11Feb2021, being unwell on 11Feb2021, being pale on 11Feb2021, pain beginning on 11Feb2021, contusions on 11Feb2021, decreased appetite on 14Feb2021, nausea on 14Feb2021, back pain on an 11Feb2021, sickness on 11Feb2021, pain in arm on 11Feb2021, memory deficit on 11Feb2021, weakness on 11Feb2021, balance difficulty on 13Feb2021, had no energy on 14Feb2021, being shaky beginning on 12Feb2021, whiplash injury on 11Feb2021, lethargic on 17Feb2021, inner ear disorder in Feb2021 and ADL impaired in Feb2021. Event descriptions were provided in the



VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

following first person account which was provided by reporter (the patient): "This is a chronological record of my experience after the Pfizer Vaccine 20Jan2021, I received my first shot of the Pfizer vaccine after my Remicade infusion in (hospital name) Wednesday, 10Feb2021, I received my second shot of the Pfizer vaccine at 9:30am at (hospital name). I started getting a headache before I went to bed at around 8pm. During the night, I got a severe headache and very bad chills. So bad my teeth were rattling and I had to pull an extra blanket over me. Thursday, 11Feb2021, I got up at 7.08am. I went into the bathroom and washed my face. I was very pale and I felt terrible. I went downstairs to the kitchen. I put the kettle on and took my temperature. I had three doctor appointments that morning in and I was worried I would not be able to get into them if my temperature was high. It was 100.1. I went into the ground floor bathroom. I left the bathroom when I heard the kettle was fully boiled. The next thing I remember was the feel of carpet on my left cheek. I knew the only floor in my house that had carpet, was the basement floor. I opened my eyes and to my horror, I was able to see the basement storage room. I had no recollection on how I got there. I knew straight away, that I had fainted or passed out, on the stairs landing and had fallen down the whole flight of stairs. I was afraid to move because I didn't know if I had broken my back or my neck. I was home alone. After laying there for a few minutes, I knew I had to try to get back up the stairs so I could get to a phone. If I didn't, I knew my husband would not find me there, until after 2:30pm. I tried to get up. I struggled but I got to my knees. The next thing I recall is waking up again on the carpeted floor. This time I was sprawled out in the opposite direction, this time my head was near the thread mill. I had obviously passed out again. Now this really frightened me, I was terrified to stand up in case I fell back down again. I literally crawled up the stairs on my hands and knees. I grabbed my cell phone and called my husband to come home from work. I made that call at 7.34am. I didn't move from the sofa until he came home. He made me a cup of tea. He then brought me into the bathroom to wash my teeth. When I was finished washing my teeth, I passed out again. I woke up this time to my husband tapping my face and calling my name. I had fainted again; he had caught me and had carried me

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

into the sofa. I was unable to sit or stand up by myself. I was so weak. I felt so sick, I couldn't even drink the tea. My husband brought me up to bed. He checked on me every hour. I came back downstairs at 4pm. I hurt all over. I had bruises all over my shins, knees, right elbow and 2 bumps on my head. My back was sore. My right thumb was very sore and I couldn't move my left shoulder or arm. I put ice on my shoulder and thumb all night. I took Tylenol pm to help me sleep. Friday, 12Feb2021, my husband helped me to get dressed. I came down the stairs with him. I was very weak. I was shaky and did not trust myself to walk down the stairs. He was having knee surgery that morning. His friend took him to the hospital as I was not fit to drive. I did not move from the sofa until he came home at around 2pm. We talked about going to the ER but I really didn't want to go because of Covid. I was not steady on my feet and I would have to be dropped outside the hospital on my own. I took pain killers all day and iced down my left shoulder and right thumb. Saturday, 13Feb2021: I was still in a lot of pain and my head was a little dizzy, especially when I lay down. I went to Urgent care at 9am. I was seen by Dr. (Name provided). She sent me for 4 x rays and took my blood. My back and right shin were x rayed, I had no broken bones. My shins and knees were badly bruised. The other 2 x rays showed I had a fracture on my right thumb and there was something wrong with my left shoulder. She suggested I go to see an orthopedic doctor on Monday. I forgot to tell her about the dizzy spells and my neck been sore. She did not examine my head or neck. She found no other reason for my fainting, except that I got the Pfizer vaccine the day before. Sunday, 14Feb2021, I continued with the pain killers and ice on my shoulder and thumb. I continued to have dizzy spells. I also felt unbalanced. My appetite was gone and I felt nauseous sometimes when I was eating. I had no energy and I hurt all over. Monday, 15Feb2021, I got an appointment with an Orthopedist at 4.30pm. My husband dropped me off. Nurse and his assistant looked after me before I saw the doctor. I was told I have a separated bone in my left shoulder. It's called acromioclavicular joint separation. AC (collar bone) separates from the scapula (shoulder blade). So, I will have to wear a sling for a few weeks. I will also have to wear a temporary cast on my right hand for a few weeks to heal the fracture on my

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

right thumb. No surgery is needed for either. They also put me on steroids for 2 weeks, Prednisone. Tuesday 16Feb2021, I rested all day. I was still having dizzy spells and I felt off balanced & very shaky. My husband, a close friend and a coworker thought I may have a concussion and advised me to get it checked out. I spent all day on the phone trying to get an appointment with a neurologist. I did get an appointment for the next day. Wednesday 17Feb2021, I still felt the same dizziness and I was lethargic. I had an appointment with the neurologist, Dr. (Name provided) at 2pm. I had a CAT scan and it was normal, no bleeding. The doctor said I had whiplash and a concussion. He did not find any other reason for my fainting, except for the side effects of the Pfizer vaccine. He told me, I just have to rest and the symptom from the concussion should subside in a few weeks. Wednesday 24Feb2021. The Dr.'s nurse called to see how I was. I told her there was not much improvement and that I was still having dizzy spells. She called me back after she related everything to the doctor He is concerned and wants to see me again on Monday 01Mar2021. He may do an MRI to see if there is anything else going on, other than the concussion. Friday 26Feb2021. I am still having dizzy spells. Monday 01Mar2021. I had another appointment with the neurologist at 9:30 am. I need to stay off work for another week and he will re-access me again next Monday. He says I have an imbalance in my inner ear from the fall and from the bangs I received on my head. He demonstrated some EPLEY exercise, that he wants me to do. The dizzy spells have not improved. I don't feel well at all. I cannot complete house hold tasks. I still cannot drive. I can" go to work. I have used over 40 hours of sick leave already. Now I have to be off work for another week and probably longer. I am worried and I have no idea when I will fully heal, or when I will be able to get back to normal activities. Prior to getting the vaccine, I was an ardent runner. I exercised every day and exercise is very important to me. I don't know how long it will be before I can go back to work or back to my exercise routine. I would never be in this situation, if I had not taken the Pfizer vaccine. I feel I was overdosed. I think one shot of the Pfizer vaccine would have been sufficient. I just went through 12 months without getting Covid. My immune system is suppressed so I am seriously careful about picking up germs. I have been

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

using sanitizer wipes and hand gel for years because of my immune system being suppressed. Long before the whole world heard about Covid, I was acutely aware of germs & viruses in public places. I am so sorry now that I got this Pfizer vaccine. I think I could have gone on living for the rest of my life, without catching Covid, because I am so careful. If I had to do it all again, I would not get this vaccine. The research was not completed. The trials were not long enough. The trials were conducted in a controlled setting. They do not know all the side effects. They do not know the extent of the adverse effect on anybody, never mind somebody with my suppressed immune system. They said the side effects could be chills, fever, flu symptoms, tiredness, joint pain, muscle pain and headache. Nobody told me I might pass out or faint. Nobody warned me. If I had known fainting was a possibility, I would not have been home on my own. The word needs to get out about this side effect. The media needs to know. The public needs to know. I do not want this to happen to anybody else. Since this happened to me, I heard or someone else, that also fainted. These vaccines need more research period." The patient underwent lab tests and procedures which included unspecified blood test on 13Feb2021 with unknown results, body temperature of 100.1 on 11Feb2021, computerised tomogram: normal on 17Feb2021, X-ray on 13Feb2021 had no broken bones but otherwise with unknown results. The clinical outcome of loss of consciousness, fall, joint dislocation, thumb fracture, concussion, dizzy spells, headache, chills, fever, being unwell, being pale, pain, contusions, decreased appetite, nausea, back pain, sickness, pain in arm, memory deficit, weakness, balance difficulty, fatigue, shaky, whiplash injury, lethargic, inner ear disorder and ADL impaired were unknown. Information on Lot/Batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1106298	3/16/2021	FL	68	M	2/26/2021	2/27/2021	Temporary loss of eyesight left eye.; This is a spontaneous report from a contactable consumer (patient). A 68-year-old male patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiration date were not reported), via an unspecified route of administration, in the left arm on 26Feb2021 10:15 at a single dose (at the age of 68-years-old) for COVID-19 immunisation. Medical history included atrial fibrillation (A-fib) and gout. The patient has no known allergies. Concomitant medication included allopurinol and acetylsalicylic acid (ASPIRIN (E.C.)). The patient received the first dose of BNT162B2 (lot number was not reported) in the left arm on 29Jan2021 10:15 (at the age of 68-years-old) for COVID-19 immunisation. No other vaccines were administered within four weeks. No COVID prior vaccination. On 27Feb2021 at 11:00, the patient experienced temporary loss of eyesight left eye. The patient did not receive treatment for the event. No COVID tested post vaccination. The patient recovered from the event in Feb2021. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1106288	3/16/2021	SC		M	2/18/2021	2/18/2021	experienced a lot of pain; had trouble trying to breathe; sweating; fever; couldn't move his arm it hurt so much; couldn't move his arm it hurt so much; I don't feel right/he is not himself at all; I feel sick; nauseous; horrible headache; both his eyes were black and blue; part of the shoulder she put it in was swollen; I have to give him something with sugar to get it back up; instead of going through the muscle that you supposed to, she went through his shoulder, she did it on his shoulder; This is a spontaneous report received from a contactable consumer (patient's wife). A male patient of an unspecified age received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EN6200, expiry date: unknown), via an unspecified route of administration in the shoulder (as reported), on 18Feb2021, as single dose, for COVID-19 immunisation. Medical history included ongoing diabetes mellitus (reported as diabetic). The patient's concomitant medications were not reported. Historical vaccine included the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiry date unknown), via an unspecified route of administration in the left arm, on an unspecified date, as single dose, for COVID-19 immunisation. On 18Feb2021, the patient received his second shot. It was reported that when the patient was given the injection, instead of going the muscle that you supposed to, the girl went through his shoulder, she did it on his shoulder. It did not bother the patient and when they got home, all of a sudden, on the same day (18Feb2021), the patient experienced a lot of pain, had trouble trying to breathe, was sweating, had a fever which went down after taking Tylenol, couldn't move his arm it hurt so much. During the night of 18Feb2021, it was reported that the patient said, "I don't feel right, I feel sick", he was nauseous, and he was not himself at all. On 18Feb2021, the patient also had a horrible headache, his eyes were black and blue (pending clarification), and the part of the shoulder she put it in was swollen. It was reported that the patient is diabetic, and the patient's wife stated "I have to give him something with sugar to get it back up". It was reported that the patient never had anything like this before. Treatment included Tylenol for fever. The patient was recovering from fever. The outcome of the remaining events was unknown. Information on the lot/batch

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							number has been requested.
1106244	3/16/2021	AZ	80	F	2/11/2021	2/11/2021	headache; tired; achy; felt crappy/Felt very lousy; This is a spontaneous report from a contactable consumer (patient). An 80-year-old non-pregnant female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; solution for injection; Lot #: EL9269) via an unspecified route of administration on 11Feb2021 at 10:45 (at the age of 80-years-old) as a single dose in the right arm for COVID-19 immunization. Medical history included osteoporosis, arthritis, high blood pressure, eyesight problems, heart murmur, and known allergies to shrimp and lobster, all from unspecified dates and unspecified if ongoing. Prior to the vaccination, the patient was not diagnosed with COVID-19. Concomitant medications ("other medications in two weeks") included metoprolol succinate taken for an unspecified indication from an unspecified date at 100mg and ciclosporin (RESTASIS; eye drops) taken for an unspecified indication from an unspecified date. The patient did not receive any other vaccines within four weeks prior to the vaccination. On 11Feb2021 the patient experienced headache, tired, achy and felt crappy/felt very lousy. The clinical course was reported as follows: "All good for 4 hours, then tired, achy, felt crappy, slight headache. Continued to next day, sometimes better, other times much worse. Third day still headache. Thought this would not happen after the 1st dose. Felt very lousy." The patient did not receive treatment for the adverse events. The clinical outcomes of the events headache, tired, achy and felt crappy/felt very lousy were all recovering/resolving. It was also reported that since the vaccination, the patient had not been tested for COVID-19.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1106207	3/16/2021	IN	82	F	1/29/2021	1/29/2021	Headache; The needle had not been completely secured; I felt fluid rushing down my arm/solution ran down her arm/It ran to her elbow, she saw a collection of fluid at her elbow/ Two drops of medication leak down her arm; I had a lump on my arm the size of a large jaw breaker in my arm/hard lump at injection site/she had a hard lump the size of a large jawbreaker for about 5 hours; bruising at the site; This is a spontaneous report from a contactable consumer reporting for herself and a nurse. A 82-years-old female patient received the first dose of bnt162b2 (BNT162B2; Lot # EL8982) vaccine, via an unspecified route of administration in the left arm on 29Jan2021 13:30 at single dose for Covid-19 immunisation . Medical history included anticoagulant therapy , bone disorder, vitamin D deficiency (vitamin supplementation), probiotic therapy, rhinorrhoea, lung congestion, dry eye . Concomitant medication included acetylsalicylic acid (ASPIRIN 81), calcium carbonate, colecalciferol (CALCIUM 500+D3), colecalciferol (D3), ascorbic acid, tocopheryl acetate, xantofyl, zeaxanthin, zinc (AREDS), bifidobacterium infantis (ALIGN) , guaifenesin (MUCINEX), macrogol 400, propylene glycol (SYSTANE), metronidazole (METRONIDAZOLE). The patient experienced the needle had not been completely secured on 29Jan2021 with outcome of unknown , felt fluid rushing down her arm/solution ran down her arm/It ran to her elbow, she saw a collection of fluid at her elbow/ two drops of medication leak down her arm on 29Jan2021 with outcome of unknown , i had a lump on my arm the size of a large jaw breaker in my arm/hard lump at injection site for about 5 hours on 29Jan2021 with outcome of recovered , bruising at the site on 29Jan2021 with outcome of not recovered , headache on 30Jan2021 with outcome of recovered. The patient took Tylenol for her headache. The patient stated that states her injection site was already black and blue when she got home and removed the bandage. Adds in her photo her whole shoulder is yellow and it looks jaundiced. The nurse stated that the incident occurred on Friday 29Jan2021 , so they had multiple different type of syringes and needles that was using to administered and they had a vaccinator who was using a lower lock syringe in which you case you know you have to secure the needle by twisting in to that lower lock and when he went to administer the vaccine to the patient two drops of



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

---

medication leak down her arm, so of course we are at that point the vaccinator realize the lower lock and that the needle had not been completely secured so we don't know how much vaccine the patient actually received. Information about Lot/Batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1106195	3/16/2021	MI	23	F	1/29/2021	1/1/2021	<p>eyes irritated; left arm a red lump that's been red and warm to touch/the spot where they gave vaccine is swollen with large, hot, red, hard lump; left arm a red lump that's been red and warm to touch/the spot where they gave vaccine is swollen with large, hot, red, hard lump; left arm a red lump that's been red and warm to touch/the spot where they gave vaccine is swollen with large, hot, red, hard lump; numbness in both arms left and right(from elbow down)/arms from the elbow down were completely numb, states if felt like they were asleep, like the tingly numbness; tiredness/tired; both of her arms from the elbow down were completely numb, states if felt like they were asleep, like the tingly numbness; itching/eyes were irritated, itchy and swollen; swollen/ her eyes were irritated, itchy and swollen; left arm a red lump that's been red and warm to touch/the spot where they gave vaccine is swollen with large, hot, red, hard lump; This is a spontaneous report from a contactable consumer. This 23-year-old female consumer (patient) reported that she received bnt162b2 (BNT162B2, Solution for injection), via an unspecified route of administration, administered in Arm Left on 29Jan2021 (Batch/Lot Number: EL9265) as SINGLE DOSE for covid-19 immunisation. Medical history included polycystic ovaries from an unknown date and unknown if ongoing. Concomitant medication included metformin (METFORMIN) taken for polycystic ovaries from 2018 and ongoing. Patient reported side effects after the first dose of the Pfizer vaccine. She experienced "numbness in both arms left and right (from elbow down), tiredness, eyes irritated, itching and swollen, left arm a red lump that's been red and warm to touch since Saturday. The second dose, should I get?" Caller wants to report the side effects from vaccine, clarifies the Covid vaccine. States she received the vaccine on Friday, 29Jan2021 at 9:05AM. Caller states both of her arms from the elbow down were completely numb, states if felt like they were asleep, like the tingly numbness, that she was tired, her eyes were irritated, itchy and swollen, and the spot where they gave vaccine is swollen with large, hot, red, hard lump. States she got the vaccine in her left arm. Caller would like some information about these side effects. NDC and Expiration date are unknown. Caller declined to provide HCP information. The action taken in response to the events for bnt162b2 was not applicable.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							The outcome of the events injection site redness, Feeling hot, Limb mass was not recovered for events itching/eyes were irritated, itchy and swollen, swollen/ her eyes were irritated, itchy and swollen, Injection site swelling, Paraesthesia was unknown for event tiredness was recovering and for events numbness in both arms left and right(from elbow down)/arms from the elbow down were completely numb, states if felt like they were asleep, like the tingly numbness, eyes irritated was recovered.
1106189	3/16/2021	MA	33	M	1/10/2021	1/19/2021	Shingles to the left side of my face and left eye; Impetigo to my jaw line on both sides of my back and back of my neck/hairline area; This is a spontaneous report from a contactable other healthcare professional (patient herself). A 33-years-old male patient received bnt162b2 (BNT162B2),(PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, Lot number: EL1284) dose 2 via an unspecified route of administration, administered in Arm Left on 10Jan2021 as SINGLE DOSE for covid-19 immunisation .Medical history included hypertension from an unknown date and unknown if ongoing , nephrolithiasis from an unknown date and unknown if ongoing , drug hypersensitivity from an unknown date and unknown if ongoing. Concomitant medications included potassium citrate (POTASSIUM CITRATE) taken for an unspecified indication, start and stop date were not reported; amlodipine (AMLODIPINE) taken for an unspecified indication, start and stop date were not reported; chlorthalidone (CHLORTHALIDONE) taken for an unspecified indication, start and stop date were not reported. The patient experienced shingles to the left side of my face and left eye on 19Jan2021 15:30 and impetigo to my jaw line on both sides of my back and back of my neck/hairline area on 19Jan2021 15:30 and The events were considered as non-serious by the other healthcare professional. The outcome of the events was recovered
1106467	3/16/2021	OR	32	M	3/6/2021	3/6/2021	Lightheadedness, nausea, SOB, seizure-like activity - stiffening, arching back, rapid eye mvmt, not following commands.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1106748	3/16/2021	UT	53	F	3/11/2021	3/11/2021	Within 30 minutes of vaccine entire left side had numbness and tingling from left toes to left eye with radiating pain in head and swelling of neck and throat. Numbness subsided within 24 hours followed by pain and sensitivities on entire left side for the next 24 hours. Swelling in throat continued for the next 24 hours following vaccine peaking the next day 36 hours after vaccine. Significant trouble swallowing liquids including saliva. Choking on solid foods the day following vaccine. Lips tingling continued for 48 hours after vaccine and subsided at end second day 3/12. Throat and esophagus swelling continues to this day - 6 days after vaccine with only slight improvement in swelling. Swallowing is still difficult as of 6 days following 1st vaccine. Spoke with EMT at vaccine site who recommended Benadryl. Benadryl started within 1.5 hours of vaccine administration. Contacted allergist who recommended 2-3 x dose of antihistamines for swelling. A dose of 3x was done for 4 days and decreased to 2x dose of antihistamines on Monday and continue at that level at time of report today.
1105362	3/16/2021	OH	56	F	3/13/2021	3/14/2021	severe swelling of face; including eyes, under eyes, cheeks. Swollen hands and swollen feet. Went to Hospital Emergency Room. Given IV steroid and benedryl shots. Put on steroid pack and follow up with PCP who recommends I do not get the 2nd shot due to adverse reaction
1105367	3/16/2021	CA	29	F	1/13/2021	1/13/2021	Immediately following vaccination, started having itchy tongue, ears and mouth. Rash emerged on left chest and shoulder with muscle pain. Left arm became numb, rash at injections site, migraine, numb lips and mouth. Persisted and progressed to vomiting and diarrhea, tachycardia and tachypnea. On 1/14, petechiae around both eyes, widespread muscle and joint pain, tachycardia and tachypnea persist, unable to lift left arm, itchy face, nose and throat. 1/15 Tachycardia persists, migraine, diarrhea, sudden onset vaginal bleeding. 1/16 elevated blood pressure, tachycardia and tachypnea, found unresponsive in bed by my husband and taken to the emergency room.
1107313	3/16/2021	KY	33	F	3/10/2021	3/13/2021	Severe red rash on eyes with lot of irritation which is not going and getting severe

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1106909	3/16/2021	NC	28	M	3/1/2021	3/11/2021	Diagnosed with Bell's Palsy. Right ear pain and headache radiating to right jaw and neck worsening over the course of 3 days. Patient started to notice numbness around right side of neck and right cheek. Initially thought severe ear infection. Numbness spread to right side of mouth and right eyelid after 24 hours. Symptoms worsened until affected right side of tongue. Patient prescribed antiviral and steroids.
1106893	3/16/2021	GA	45	F	3/15/2021	3/15/2021	After 20-25 mins, heart started racing, swelling started on lips, eyelids, neck , inside the mouth. Felt burning sensation in esophagus. Experience tiredness, chill and minor dizziness as well. Took Benadryl every 8 hrs and pepcid from over the counter. There is still minor swelling and continuing the benadryl after 24 hrs
1106890	3/16/2021	CA	61	F	3/16/2021	3/16/2021	Itching/burning of eyes, body, feet (~7 pm)
1106862	3/16/2021	FL	56	F	3/1/2021	3/5/2021	Shingles eye
1106835	3/16/2021	TX	30	F	3/1/2021	3/2/2021	Fatigue, extended arm pain, dizziness, blurred vision, feeling feverish, nauseous, internal organ pain, shaking
1106579	3/16/2021	ND	56	F	3/4/2021	3/5/2021	glaucoma closed angle left eye: surgery march 5th, march 9th
1106782	3/16/2021	CA	33	F	3/16/2021	3/16/2021	33yo female presents with difficulty swallowing <10min after receiving the Pfizer vaccine in the left arm on 3/16/21. She reports associated throat tightening, difficulty swallowing liquids, shortness of breath, nasal congestion, upper extremity/chest tingling, blurring of vision and feelings of anxiety. She denies lip/tongue swelling/tingling, itching or pain at site of injection. She has h/o allergies to shellfish, cats and bees. No known allergies to medications. Physical Exam: Vitals: BP 174/122, HR 78bpm Skin: non-pruritic erythematous rash of chest, generalized light redness of upper extremities bilaterally. No itching. Cardiac-regular heart rate and rhythm. Radial pulse 2+ Lungs-clear to auscultation bilaterally Plan: EMS was contacted immediately when PT reported difficulty swallowing. EMS placed patient in the ambulance at ~6pm and transported patient to Doctor's Hospital.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1106591	3/16/2021	OR	68	F	12/31/2020	1/4/2021	4 days after I had the 1st shot I had an optic nerve stroke in my right eye with complete and permanent vision loss
1106741	3/16/2021	MD	29	F	3/11/2021	3/11/2021	Pt. received first dose Pfizer COVID vaccine at 1415 and shortly developed throat itching, swollen tongue, and swollen left lower eyelid. Baseline VS at 1418 was BP 126/82, RR 16, HR 122, O2sats 95% on RA. States throat felt tighter and epipen was administered to left thigh at 1419. She was examined Lungs CTA, no stridor, CV RRR and did not appear to be in distress with breathing. She was placed on oxygen at 2 liters. Code blue called at 1427. VS-BP 128/73, RR 18 HR 132 O2sats 99% on 2L post-epipen administration. States she felt better after epipen was administered and 2 puffs albuterol. Transported to local ER and discharged same evening.
1106722	3/16/2021	CA	33	M	3/16/2021	3/16/2021	After pt received Janssen J&J vaccine, pt was closing his eyes and leaning back. Per LPN, pt had seizure ~15-20sec, foot twitching, PHNs and FNP were called to scene. Pt A&O x4, but then had 2nd seizure <5min later, lasting 15-20sec, not responding to prompts. EMT called 911. Pt then A&O again x4. FNP measured pt pupils: L pupil initially 4mm, then escalated "blown", R pupil 1-2mm. HR 35, pulse ox 99%. Pt Hx of type 1 diabetes, BG 186 per paramedic. Paramedics took pt to ER.
1106706	3/16/2021	NJ	54	F	3/9/2021	3/15/2021	covid arm, red rash on right arm on March 15, 2021 AM, 6 days after 2nd dose of Moderna Covid-19 vaccine. both shots were administer to right arm. Red rash around the shot spot 3.5 x 2.5 inches. Itching. Took 2 benadrills at night on March 15, 2021. no visible change AM or PM March 16, 2021. visit internal medicine Dr. on March 16, 2021, Informed that I have "Covid-19 Arm". keep an eye on it

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1106683	3/16/2021	CO	41	F	3/16/2021	3/16/2021	<p>Patient felt faint nearly immediately after but said she wasn't having problems breathing. She was told to breath deeply and she quickly started feeling "a little better" so she was helped to a chair with arm rests in the room. She said she had an orange in her bag, so she started eating her orange. Just a minute later she said she was going to pass out, so the pharmacist caught her. He held her up in the chair and tried to revive her for a few moments but noticed that the blood was draining from her face and her lips were turning blue so yelled for one of his technicians to call 911 and the other to grab an epi pen. He then lowered her to the floor in case he needed to begin to resuscitate while the technician brought him the epipen. While lowering her she urinated on herself. As the pharmacist went to check her vitals before administering the epipen and beginning cpr if necessary the patient suddenly gasped once and her eyes opened widely, but not continue to breath. Upon inspection in her mouth there was a piece of orange near the bottom of the throat. The pharmacist asked if she was choking and she did not response at all, but did not start visibly breathing either. So the pharmacist swiped the piece of orange out quickly, in case it was either previously lodged or patient would have to be resuscitated. She did not seem to enjoy this and this seemed to wake her up and she quietly gasped not choking. She started to quickly improve and admitted that she was feeling better, and had passed out before after getting blood drawn but never after a shot so didn't mention this. While this was happening a police office was going through the drive through so the technician called him in for assistance and he arrived around this time. He asked her a few questions like "what's her name, who's president, how many quarters are in a dollar" which she was able to answer. She said she was mostly embarrassed and was feeling much better. She sat up in the chair again about the time the emts came in. The checked her out, but she didn't want to go to the Emergency Room. She was driven home by her father. I called her later around 6 pm that night and she said she was feeling totally fine and I advised her to please call her PCP and discuss this incident with him or her.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1106667	3/16/2021	CA	67	M	3/12/2021	3/13/2021	Information here obtained from daughter: on Thursday patient had an uneventful fistulagram with angioplasty. Patient got vaccine at end of usual Friday am dialysis treatment. He was observed for about 30" and no untoward event noted, vitals usual. At home on Saturday morning, seemed not quite himself by wife as reported by daughter, from whom i got his information. He gets up late as hemodialysis starts at 515 am. No reported problems on Friday. On Saturday morning, he seemed not himself but sat down and ate breakfast around 9 am. On getting up from table he got suddenly weak, his head rolled back and his eyes rolled up. 911 called and he was given resuscitation efforts of unknown duration which were unsuccessful. He was pronounced dead at 11 am and the mortuary was called. No premortem labs, et al.
1106631	3/16/2021	TN	45	F	3/16/2021	3/16/2021	The patient reported itchy/puffy eyes about 15minutes after vaccination. I gave the patient a dose of liquid benadryl. The patient was monitored for an additional wait time before stating she felt okay and wanted to go home.
1106630	3/16/2021	CA	28	F	3/16/2021	3/13/2021	Unresponsiveness, glazed over eyes, unable to focus, this Payo tint
1106901	3/16/2021	NY	40	F	2/13/2021	2/17/2021	After the 1st vaccine on 2/13/21 I developed a round red itchy ring around the injection site and some hives and itchiness on my face. I used cortisone and benadryl to help. My dermatologist advised me that I should still get the 2nd dose. On 3/13 I had my 2nd dose and on 3/15 I developed that round ring at the injection site again and a bad case of hives on my face and left hand. My eyelids were also very swollen. I then went to a facility in where they treated me for an allergic reaction with a dose of dexamethasone in the office and an RX for prednisone which I haven't started yet. This reaction came on much faster than the 1st dose and benadryl wouldn't help much this time.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1106827	3/16/2021	CA	74	F	3/15/2021	3/15/2021	The patient began experiencing numbness on the right side of her face about 10 minutes after her vaccine was administered into her right arm. She reported that the right side of her face felt like it was red and swollen. She endorsed some drooping of her right eye. She was able to communicate fully, denied shortness of breath, difficulty breathing, and difficulty swallowing. She denied irritation at the vaccine site or any new rashes. Her only known allergy is to shellfish and iodine, which cause nausea and vomiting. The patient waited for about 25 minutes following the administration of the vaccine. Her symptoms did not begin to improve and it was recommended to contact EMS. The patient refused to call EMS and instead contacted her physician and left the facility.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1105490	3/16/2021	KS	44	F	3/16/2021	3/16/2021	<p>Progress Notes (Nurse Practitioner) ? ? Family Medicine  Cosign Needed Expand AllCollapse All COVID  VACCINE CLINIC 3/16/2021 Date:  3/16/2021</p> <p>Subjective a 44 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience lightheadedness. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , chest pain, collapse, rapid progression of symptoms and respiratory distress. Past Medical History: Diagnosis Date ? Allergy ? Anxiety ? GERD (gastroesophageal reflux disease) occasional ? Nextgen PMH  Comments MVA with nose and facial lacerations 06/29/2012;Acne Vulgaris Not on any medications currently Ate breakfast sandwich and drank coffee this am. ALLERGY REVIEW OF SYSTEMS: Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, eyes watering, eyes itching, cough, chest tightness, shortness of breath, wheezing, rash, hives, eczema, itching of skin, vomiting, abdominal pain, muscle aches, joint pain, dizziness and headaches + dull headache to back of head developed about 10 minutes into her stay here in the medical bay. Tylenol 1000 mg given. Previous Reactions: none  Objective Vitals Vitals: 03/16/21 0930 BP: (!) 151/73 Pulse: (!) 104 Resp: 18 SpO2: 100% Physical Exam  Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							<p>Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Gait: Gait normal. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: water, snacks and tylenol Follow up response to treatment: good. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Systemic reaction (hypoglycemia, hypotension, generalized rash) More likely a dip in her blood sugar and lack of water intake. Pt improved with observation and interventions. She is appreciative of care today. Electronically Signed 3/16/2021 9:34 AM</p>
1105729	3/16/2021	CA	53	F	3/16/2021	3/16/2021	<p>Client was vaccinated with her second dose of Pfizer @1030 and while waiting the recommended observation time, she felt her eyes itching @1045. Client continued to self monitor as she has HX of these exact symptoms to other triggers and the notified medical staff @1130. No s/sx resp distress, no SOB, Client took 25mg of Benadryl in which she brought herself and felt her symptom diminish by 1200. Client advised by paramedic and nurse to seek further medical evaluation if symptom re-occurs.</p>
1105722	3/16/2021	IN	41	F	3/16/2021	3/16/2021	<p>Patient received her covid vaccine at 9:50am. She was in the observation area. She stated she couldn't breathe at 9:55am. She showed no signs of any breathing difficulty. Patient reported a past history of anaphylaxis to bee stings. At 9:57am 50mg of Benadryl was given. 9:58 am she reported she was sweaty, had blurred vision, and was hot. At 10:05, patient said she started to feel better. We asked that she wait the full 30 minutes. By 10:20am, she was feeling fine and the symptoms had resolved.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1105686	3/16/2021	IL	66	F	3/9/2021	3/12/2021	66 y.o. female who presents with DIZZINESS LIKE ROOM IS SPINNING. PT STATES IMPROVES WITH CLOSING EYES AND LAYING STILL. PT STATES HAS HAD SEVERAL TIMES BEFORE AND LAST TIME WAS ONE WEEK AGO AND TOOK A MOTION SICKNESS OVER THE COUNTER PILL AND DIZZINESS WAS RELIEVED. TODAY PT WAS AT WORK WHEN BECAME DIZZY AND NAUSEOUS AND VOMITED. PT DENIES CHEST PAIN BUT HAS PAST HISTORY OF CAD WITH PACEMAKER PLACEMENT.
1105683	3/16/2021	OR	44	F	2/19/2021	2/19/2021	That evening I had a sore arm starting about 10PM - and then it was really sore the next day. The next day around 2:00 pm, I had chills with no fever; I had muscle and joint soreness and body aches; I started getting a headache; I was super tired. It was a low grade headache the rest of the day. (I had to take a nap and rest - couldn't do my normal activities on the worst day of the symptoms.) The day after that my arm was still sore; persistent headache behind my eyes only that lasted all day. The symptoms were gone. The day after that one then all of the symptoms were gone except for the sore arm (lasted in soreness a full day longer than first vaccine). My birthday is on 24th of - not on the fourth as listed on the report for vaccine dose 1 .

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1105604	3/16/2021	IL	25	F	3/16/2021	3/16/2021	Pt received 2nd COVID vaccination at 1024. Once in observation area, pt became unresponsive shortly after sitting down. This provider was called over by staff to pt, which was noted to have dropped her water bottle and become unresponsive while sitting in the chair. Pt remained in the chair, did not fall or injure self. Upon arrival to patient, she was noted to have moderate pallor, with shallow, slow breathing, no cyanosis noted. Her head was aligned/adjusted to maintain an open airway. Pt noted to have some muscular rigidity and not verbally responsive. Another provider advised to call 911 due to unresponsiveness and seizure-like activity. 911 called @1027, meanwhile pt lifted and placed into a wheelchair and moved to treatment area where vitals were obtained, patient became verbally responsive @1034, responses/speech was clear but slow, pt was oriented to self, place, time and situation. Oxygen applied via facemask @4L. Pt provided staff with phone number to call her mother who was notified of daughter's condition @1032. FD Engine arrival @1033 report given and pt also became more responsive, eyes opened and stated clearly that she was feeling better. Pt color also improved. Pt denied any allergies, PMH or hx of seizure activity. Pt only reported a syncope many years ago. Ambulance arrival @1036, report provided to emergency staff and pt taken to ambulance for further evaluation @1039. Pt returned to vaccine clinic @1052, having declined ambulance transport. When asked about events, pt stated that upon sitting down she felt a sudden onset of moderate nausea and reached for her water bottle in her bookbag, pt states she could not recall or hear anything until she was moved to wheelchair, and did not recall how she came to be in the observation area (based on this information, suspected time unconscious was approx 6-12 seconds). Pt was educated regarding the many causes of syncope and the necessity for further evaluation in the Emergency department. Pt discouraged from driving herself from the clinic and was able to obtain ride from her roommate. Pt urged again to obtain a ride to the hospital for further evaluation, understanding verbalized and agreed with plan of care.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1105602	3/16/2021	IL	74	F	2/15/2021	2/15/2021	2/15-2/19 nightly headaches increasing in intensity each night. 2/20-2/25 nightly headaches with stabbing pain in left eye 2/26.. 2/22- saw Dr. /had CT. 2/24-returned to Dr. and was sent to ER due to high BP. Hospital admission that evening. 2/26 Steroid treatment stopped headaches and eye pain. 2/27 released from hospital after BP was <160. Diagnosis-migraines possibly triggered by vaccine. Pain/nausea elevated BP and decreased food intake which caused low blood sodium levels. IV treatments to increase sodium and lower BP. Dizziness from low sodium and high BP created fall risk, so bed had alarm. Bed confinement necessitated daily injections to prevent blood clots. Twice daily blood tests done to monitor sodium and potassium levels + kidney function.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1105587	3/16/2021	OR	27	F	3/12/2021	3/12/2021	I noticed a very mild headache and slight coldness within 2 hours of my vaccine. Onset of my severe symptoms began around 10PM on 03/12/2021 with a stabbing headache (Felt like someone took an air pump and kept 'blowing up' my head. My eyes felt achy and heavy and every time I looked in a different direction I would get a zapping/electric feeling throughout my head that would cause my head and neck to spasm (longer duration) or twitch (quick jolt). This also caused dizziness). I got really cold and had intense shivering and shaking. Around midnight, my skin started feeling bruised all over my body (very sensitive to touch, including my bed sheets against my spine felt like rubbing up against a wound). At the same time, my joints (especially my neck, hips, and knees) got hot to the touch and were incredibly painful (induced tears). My muscles developed a deep ache that also caused significant pain. I felt very weak and confused. I didn't take my temperature until the early morning, and it was 102.9 at that time. I alternated taking Tylenol and Ibuprofen throughout the day, but my temperature stayed between 102 and 103.1 for about 24 hours, as did the previously noted symptoms. I noticed a gradual improvement of my symptoms over the next two days. On the evening of 03/14/2021, my headache worsened some, and I had an unexpected episode where I nearly passed out (dropped to the floor but stayed conscious). I also had intermittent foot tingling (very noticeable, not mild) over the course of a few hours. For 3 full days (but by far the most severe within the first 24 hours), I experienced some strange sound processing. Things like the sound of a car driving by or the ceiling fan felt like it echoed throughout my whole body and gave me an uncomfortable shivering feeling. As of today (03/16/2021), I am mostly recovered. I am still experiencing fatigue, a very mild headache, and some mild pain. My nausea has completely resolved, though that was never a chief complaint of mine. I realize that some of my symptoms are to be expected with this vaccine. But especially the level of pain I experienced throughout my entire body was very concerning and not something that I was aware could happen as a result of the vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1105748	3/16/2021	MD	73	M	3/16/2021	3/16/2021	Thursday, March 11, 2021 (approximately 8:30 am) Patient experienced blurred vision, unbalance, and slurred speech and had an irregular heartbeat. March 11, 2021 (approximately 11:30 am) Patient was admitted to Hospital administered CT scan, MRI and multiple blood tests. Diagnosis - Ischemic Stroke
1105515	3/16/2021	OK	61	F	3/12/2021	3/13/2021	Approximately 12 hours after injection I experienced extreme body aches. Hands ached, hips ached, back aches, legs and feet ached. Hurt the balls of my feet when I walked. My eyes felt like they had sand paper in them. I did not run a fever but my body felt like I had. I had Flu B January of 2018, my symptoms after Janssen Shot were as severe as Flu B, but the duration was not as long! Approximately 24 hrs after injection I starting experiencing a headache, along with neck and shoulder aches. And I experienced fatigue for 3 days after injection along with the headache and neck, shoulder and back ache. On the fourth day following the injection I only feel tired. Aches, pains and headache are gone.
1105402	3/16/2021	IN	61	F	3/6/2021	3/13/2021	Itchy, warm, large lump under skin. As of the 15th could visually see outline of the lump. Checked out symptom online and I think it may be what they call "Covid Arm"?
1105488	3/16/2021	TX	56	M	3/2/2021	3/7/2021	Developed new onset unilateral facial drooping, difficulty with eyelid closure, loss of nasolabial fold, and loss of forehead furrow on 3/7/2021 diagnosed as Bell's palsy
1105476	3/16/2021	CA	24	M	3/16/2021	3/16/2021	Client stated that he was waiting in observation and told his father he felt dizzy at which time he closed his eyes and passed out per his father for approximately ten seconds. Onsite paramedics responded and evaluated client. Client released to go AMA and advised to go emergency services.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1105465	3/16/2021	GA	50	M	3/1/2021	3/5/2021	Approximately 3 days after the injection I had a bad breakout of acne on my scalp and on my temples. I went to the dermatologist and this was treated with Doxycycline Hyclate. The bad breakout of acne cleared up in about 1-1.5 weeks. At the two week mark I started to have a burning sensation near my left eye that felt like a sunburn or some nerve tingling. I interpreted this to potentially be the early signals of shingles so I started taking Valtrex. I will take a 1,000 mg dosage of Valtrex twice a day for 7 days to treat this. I had the Shingrex vaccine on 12/19/19 and 4/29/20. I feel like both of these issues were potential side effects from the Covid vaccine.
1105413	3/16/2021	FL	43	F	3/11/2021	3/11/2021	Day 1 - Within 30 minutes of injection I felt dizzy and my vision was unfocused (almost blurry). Day 2 - The ocular disturbances continued and I had a huge headache. Almost felt as if my eyes were dilated. Day 3 - The back of my head and neck ached like whiplash from a car crash if I moved my head up and down; head felt stiff and heavy; ocular disturbances continue Day 4 - Same symptoms as Day 3 continue

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1105392	3/16/2021	MD	28	F	2/26/2021	2/26/2021	The patient did report swelling, induration and pain at the injection site. The patient reports onset of headache, fever of 100.6, chills, body aches, night sweats, and malaise within a couple of hours of receiving dose 2 of her Covid 19 vaccine. Due to how she felt, she went to bed soon after, and slept until the next morning. Upon waking up she noticed resolution of all her symptoms except for night sweats, and malaise. She continued feeling hot and having night sweats but did not appreciate having a fever. She also reports the onset of significant facial swelling, periorbital swelling and swelling of her hands and feet, basically her entire body. She also reports an onset of "foul smelling" diarrhea. Her chronic eczematous areas which are her eyebrows, posterior neck, and scalp became more itchy and flaking and peeling. She developed new areas of eczema and itching over her torso located at her mid axillary areas from her bra line down to her waist area. She also reports the onset of brownish red/ amber colored urine since receiving the vaccine. She continued to flake and peel over her eyebrows and cheeks in continuously and in large amounts for the next 10 days. She reports taking no antihistamines, or antipyretics. She went to urgent care and was treated with 0.5% clobetasol cream which after 2 applications to her face caused a chemical, sun burn like reaction and more severe swelling over her cheeks and periorbital areas. A photo shows that her left eye was so swollen it was half closed and the skin color was purplish. She returned to urgent care on March 11, 2021 and was prescribed a medrol dose pak. She started it right away and her facial swelling improved. On March 13 she came to see me. with improvement in her swelling, peeling and flaking. She was noted to have a fever of 101.6, then it was 100.6 after recheck and finally 99.6 before the end of her appointment. It isn't clear whether her temp decreased because her medrol taken earlier that morning had kicked in or by removing her sweatshirt and being out of the sun allowed her to sweat and decrease her core body temperature to that level. She was asked to continue checking her temp which she reported as 99.8 on March 13, 100.6 on March 14, and 100.5 on March 15. She has been instructed to check her temp everyday for the next 14 days. Her urinedipstick showed 1+ bilirubin and ketones with trace blood and all other indicators were negative. Patient was

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1106178	3/16/2021	NY	58	F	1/27/2021	2/24/2021	<p>sent for stat bloodwork to evaluate for possible hemolysis.</p> <p>She felt sick; afraid may have this eye issue for rest of life and concern since a school bus driver she may lose her job; right eye is puffy and hurt(painful; right eye is puffy and hurt(painful; Both eyes started to swell.; had chills; fever; A spontaneous report was received from a consumer concerning a 58 years old, female patient who experienced, both eyes swollen(eye swelling), chills, fever(pyrexia), felt sick(malaise), right eye is puffy and hurt(periorbital swelling), right eye is hurt (eye pain), afraid may have this eye issue for rest of life and concern since a school bus driver she may lose her job (fear). The patient's medical history not included.Concomitant medicine was not reported.No Lab data was reported. On 24 Feb 2021, prior to the onset of the events, the patient received their second of two planned doses of mRNA-1273 (Batch number: 011A21A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 24 Feb 2021, her both eyes started to swell, felt sick and had chills and fever. Her right eye was puffy and painful. She also afraid that she may lose job.Treatment for the event include cold compress, Benadryl, neomyc-polym-dexamet ointment. Action taken with mRNA-1273 in response to the events was not applicable. The outcome of the events were reported as unknown.; Reporter's Comments: Based on the information provided, a strong temporal association and the established safety profile of mRNA-1273 vaccine, a causal association between the reported events and the product use cannot be excluded. Chills and fever are consistent with the known safety profile of the vaccine; Sender's Comments: MOD-2021-034769:Case for 1st dose of vaccine</p>
1349975	3/16/2021	AZ	66	F	3/5/2021	3/5/2021	<p>Reports symptoms happened after 7 hours after 1st dose of COVID vaccine, Moderna vaccine. c/o feeling muscle contracting from scalp and both hands towards torso, feels jaw locked. SOB, chill, tingling and numbness of both hands, shrinking, N without vomiting. 'afraid of death' Associated signs and symptoms: -Denies Swelling of face, lips, mouth, eyelids -Denies chest pain, abd pain, Severe headache, redness and swelling to injection site, Rash, diarrhea/ constipation</p>

<i>VAERS_ID</i>	<i>RCVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1107309	3/16/2021	OH	29	F	3/5/2021	3/5/2021	Runny nose and eyes about 7 hours after vaccine was given. Lasted about 48 hours from when vaccine was given. Redness, swelling and pain at injection site continues at 2 weeks post vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1105557	3/16/2021	KS	36	F	3/16/2021	3/16/2021	<p>Progress Notes APRN (Nurse Practitioner) Family Medicine COVID VACCINE CLINIC 3/16/2021</p> <p>Subjective Patient is a 36 y.o. female who was seen at COVID Vaccine Clinic today for her second dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience lightheadedness. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality, chest pain, collapse, rapid progression of symptoms, respiratory distress and skin changes. PMH includes asthma (on Symbicort and albuterol). Takes zyrtec daily for seasonal allergies and on Wellbutrin for mood stabilizing. She did not eat or drink anything today other than coffee. She has not taken her zyrtec or albuterol dose today. ALLERGY REVIEW OF SYSTEMS: Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, eyes watering, eyes itching, cough, chest tightness, shortness of breath, wheezing, rash, hives, itching of skin, vomiting, abdominal pain, muscle aches, joint pain, dizziness and headaches Previous Reactions: none to vaccines. Hx of anaphylaxis to sulfa and cephalosporins.</p> <p>Objective Vitals Vitals: 03/16/21 0955 03/16/21 1015 BP: 127/73 127/64 Pulse: (!) 101 80 SpO2: 100% 100% Physical Exam Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Neurological:</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Gait: Gait normal. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: water and snacks Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Red flag symptoms (CP, SOB, NVD, Visual/Neuro concerns) Lightheadedness R/t probably not having breakfast this am along with stress response of vaccine. Recommend rest, continue to hydrate today and eat well. Follow up with pcp as needed. APRN Electronically Signed 03/16/2021 10:03 AM
1105944	3/16/2021	TX	27	M	3/6/2021	3/6/2021	PATIENT HAD A SEIZURE ABOUT 45 MINUTES AFTER GETTIN THE VACCINE. PATIENT'S EYES ROLLED BACK AND STARTED FOAMING AT THE MOUTH. PATIENT HAD BEEN SEIZURE-FREE FOR 3 YEARS PRIOR TO GETTING THE VACCINE.
1105976	3/16/2021	PR	60	M	3/12/2021	3/12/2021	Approximately after 45 mins of giving the vaccine, he started to feel numbness on the right side of the face. Including the temple, part of the eye and right cheek. 4 days have passed and at the moment he still has that same symptoms. The Clinic cannot treat him, they told him to go to the Emergency Room.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1106176	3/16/2021	TX	70	F	2/28/2021	3/2/2021	Lost her vision; Dizzy, lightheaded, lightheadedness; Increased heart rate; A spontaneous report was received from a consumer concerning a 70-years-old female patient who was received Moderna's COVID-19 vaccine (mRNA-1273) and experienced loss of vision, dizziness and increased heart rate. The patients medical history was not provided. No relevant concomitant medications were reported. On 28 feb 2021, approximately three days prior to the onset of events loss of vision, dizziness and increased heart rate, the patient received the first of two planned dose of mRNA-1273(Lot number: unknown) intramuscularly for prophylaxis of COVID-19 infection. On 02 mar 2021, The patient had lost her vision, became dizzy lightheaded, which led to an increased heart rate. The patient still had intermittent lightheadedness. The event loss of vision was medically significant. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the events loss of vision, dizziness and increased heart rate was not provided.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.
1105964	3/16/2021	TX	38	F	3/6/2021	3/6/2021	PATIENT EXPERIENCE NUMBNESS AND HEAVINESS IN RIGHT EYE CAVITY THAT LASTED MORE THAN 15 MINUTES WHEN SHE REPORTED IT AND CONTINUED FOR AT LEAST 50 MINUTES
1105955	3/16/2021	MO	32	M	3/16/2021	3/16/2021	He had a syncopal event witnessed by his wife. He was leaning to the left when the staff came to be by his side. He was unable to speak, fixed stare with dilated eyes. He became pale and diaphoretic. During this time he had a strong pulse. He He quickly (within 5 seconds) was oriented and speaking again. He did this twice. His blood pressure was 110/60. He was then moved to a bench and his feet were elevated. He was able to drink and eat some crackers. 10 minutes later his BP was rechecked and was 100/60. He was no longer pink and was easily conversing. By 20 minutes later, he was able to be sitting up, normal color, pupils at normal size, stating he feels much better. BP was 110/64 at that time. He did state he has done this before when getting blood drawn. His wife was able to walk him out and drive him home.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1105815	3/16/2021	SC	37	F	3/16/2021	3/16/2021	Scenario: Pharmacist administered immunization and patient had immediate reaction to imz. The patient has multiple health conditions such as lupus, cerebral palsy, and is currently on dialysis. She indicated on the PQCF that she had never had an adverse reaction after a vaccine but after the incident, her husband indicated this was normal and not uncommon. SIG: Pharmacist Administered Immunization What happened (Describe in detail, what occurred)? * The patient came in for a covid vaccine; this was the first of a 2 series of Pfizer. * The pharmacist injected the immunization and a few minutes afterwards the husband called for the pharmacist to come because his wife didn't feel well. She immediately became unresponsive and her eyes rolled back into her head but she came to. She was responding somewhat to questions but she was also slightly mentally impaired at baseline due to her co-morbidities. She never fell to the ground or wanted to lie down, so not a true faint. * The pharmacist offered to call 911 but they both declined. The patient was given water and a banana and taken to a private area to recover until she felt well enough to leave. How did it happen? * The Pharmacist administered an appropriate, routine vaccine per protocol. *Patient had an somewhat immediate reaction (~4 minutes) after the vaccine. *The pharmacist followed the adverse event protocol. CPR was not administered nor benadryl. Why did it happen (Root Causes)? * Unknown; patient has no known allergy to the vaccine but has had adverse reactions to different procedures in the past. Plan of Action * Make sure all pharmacists are refreshed and aware of the adverse reaction protocol. *Document reaction as a SCRT and with VAERS. What specific task will take place to prevent future recurrence? *N/A. Who: * Pharmacist Where: * clinic When: *All pharmacists at location must review by 3/20.
1105947	3/16/2021	IL	84	F	3/13/2021	3/15/2021	had 2nd covid vaccination on 3/13/21. symptoms started on 3/14/21. felt dizziness, n/v, fell due to dizziness, possibly some vision changes and possibly slurred speech.
1105963	3/16/2021	AZ	79	F	2/22/2021	2/27/2021	I was hospitalized for loss of vision to left eye. It was diagnosed as a stroke to the eye.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1105937	3/16/2021	MD	57	F	3/12/2021	3/13/2021	Left neck, should and lower back pain soreness, headache, chills, and fever. Fever blister in mouth, right eye sty pimple with puss, exhaustion, body aches, no appetite, nausea, indigestion, loose stools, dizzy, sleepy, slight head ache. Symptoms lasted 18 hours
1105932	3/16/2021	WA	82	M	3/12/2021	3/13/2021	On Saturday patient woke up saying he was in extreme pain with his left arm. At 5 o'clock that night he lost his equilbran and I had to call 911. They came and after an initial examination took him to Hospital's emergency room. They did c-scans, MRI. and they said that a blood clog was showing in his brain and that he had atrium fibrilation of his heart. His vision has been affected, though the hospital thinks it will improve. The left side of his body is not function right and he needs a walker to walk. He has been in ICU since Sunday. This is late Tuesday.
1105826	3/16/2021	UT	33	M	3/16/2021	3/16/2021	The first adverse effect started a couple minutes after the injection. I felt lightheaded and dizzy and then I broke out into a cold sweat followed by blurry vision. I felt as though I was going to pass out. These symptoms lasted for approximately 10-12 minutes after starting and then I started to feel better. I then experienced a headache in just above the base of my neck in the back of my head and that lasted for approximately 5 minutes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1105909	3/16/2021	IL	55	F	3/11/2021	3/13/2021	As per patient she received the MODERNA vaccine on 03/11/21 at facility. Patient reports that years ago she had the Flu shot and she had a severe allergic reaction that ended up sending her to the hospital where she remained admitted. On 03/13/21 (Saturday) she started feeling numbness in her L side of the face and tongue, itchy and swelling throat with difficulty swallowing and breathing. Patient contacted the clinic but she neither was connected with a provider not she received a call for which she decided to go to ER where she was given "antibiotics" and steroids. Patient does not have an Epinephrine auto-injector at home. Today she feels better but the L side of her face is mildly weak, cannot inflate cheeks without air leaking, when closing eyes L eyelid does not close entirely and speech is somewhat slurred since her tongue feel "asleep". Tried contacting the PCP Dr. but she was told she was going to be called back without success still. Patient was counseled extensively. Risks and benefits were discussed. Recommendations were given and Epipen was prescribed.
1105894	3/16/2021	KS	50	F	3/16/2021	3/16/2021	20 minutes after vaccine injection Patient C/O tongue tingling, feeling swollen and puffy eyes. Patient mildly swollen around eyes. VS Stable. IM Benadryl 50MG administered to right deltoid. O2 at 2L per NC administered. Improved for 10 minutes and then tingling and swelling returned. C/O of feeling lightheaded. Medicated with Epi pen to left thigh. Patient improved/stable and was sent via EMS to hospital for evaluation and treatment.
1105875	3/16/2021	NM	67	F	2/18/2021	2/23/2021	2/23/21- Redness swelling to Rt side of face - Rt eye red and swollen and headache Rt entire arm swollen and redness from shoulder to elbow w/a sting 2 weeks after 2nd dose
1105872	3/16/2021	AR	70	M	3/7/2021	3/10/2021	eyes became slightly out of focus ~ 3days
1105865	3/16/2021	TX	66	M	2/27/2021	2/28/2021	Moderna Covid-19 Vaccine EUA Persistent rash on both arms, hands, fingers, and face Swelling behind left ear, swelling around left eye on face, severe swelling on both hands, and fingers. Severe itching on arms. Treatment used cortizone cream, and Tylenol. Allergic symptoms persisted for 8 days, gradually improving after day 6.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1105850	3/16/2021	IL	83	F	3/9/2021	3/13/2021	3/13/21 ER HPI: 83 y.o. female who presents to the Hospital Emergency Department by private auto with her daughter. The patient comes in because her blood pressure at home has been very high. It is actually not reading on her cuff. She has a very dull headache on the left side of her head, but states it is very mild. No chest pain. She might be a little bit short of breath, but not much more than normal. She denies any current neck pain. She states a few hours ago she had a little bit of pain in the left side of her neck that was just brief and then way. On my initial evaluation her systolic blood pressure was around 240. The patient does have a history of anxiety. She states she has had typical anxiety, but nothing new. 3/15 office followup note: Subjective: Patient is 83 y.o. year old female that is here for ER follow up. 2 ER visits over the weekend. BP was elevated into the systolic 200s. Has ringing in ears when BP was elevated. On Saturday: Left side of throat dry Left side of face "doesn't feel right", hard for patient to describe When she woke up on Saturday, couldn't see out of left eye, this has improved Says her voice doesn't sound the same, "gravely" She did not tell the ER doctor on Saturday about the neurologic symptoms. In her 1st ER visit she had a chest x-ray which showed no acute disease. Cardiac enzymes were negative. ER doctor increased her losartan dose and gave her p.r.n. clonidine. In the early morning hours on Sunday, she returned to the ER. Blood pressure was elevated again at 208/85. Patient was given sublingual nitro and a Norvasc 5 mg tablet. After the sublingual nitro, blood pressure was 144/84. ER doctor discharge patient with follow-up today.
1105921	3/16/2021	WA	70	F	3/13/2021	3/13/2021	Patient had first vaccine 4 weeks ago with no side effects. But after her second vaccine, patient said she immediately felt something was wrong with her vision, but did not tell vaccine provider. She waited 15 minutes as told to be monitored, then left. But after she got outside she realized her vision was really distorted. Unfortunately, she did not return to the pharmacy for help. She went to consult with her doctor today, (3 days after second vaccine) and was told she has fluid behind her retina of her right eye and was referred to eye specialist.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1105948	3/16/2021	MN	74	F	3/11/2021	3/12/2021	During night awoke to have 2 bouts of watery diarrhea. None during the day. During the day after the vaccine, experienced tiredness, muscle pains in both arms, mild headache, sharp pain above left eye (only if closed) , felt overheated for a short time, then chilled. Did not take my temperature.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1105820	3/16/2021	WI	89	F	2/12/2021	2/14/2021	<p>Patient seen and evaluated by PA-C. with myself. We agreed on the clinical findings and implemented our plan together. Please see PA's note for details. All relevant procedures supervised. Patient arrived to the emergency department due to respiratory symptoms, hypoxic, reported that Wednesday he received his 2nd dose of COVID vaccine. His initial workup was concern for NSTEMI with elevated troponin and peaked T-waves, his chest x-ray concerning for COVID/pneumonia. Patient initially tolerated oxygen by nasal cannula and sepsis protocol was started including IV fluid resuscitation that was done cautiously due to the concern of COVID with respiratory failure. The biotics were given. PA-C readdressed code status with patient who confirmed that his DNR DNI, she so contacted his daughter. Patient had multiorgan failure including acute kidney injury, and pneumonia with respiratory failure +/- respiratory failure. Due to the concern of NSTEMI patient was initially going to be transfer to was hospital and transfer was started. Patient respiratory status started deteriorating and his blood pressure dropped slightly but improved after 500 cubic centimeters of IV fluid and he was also placed on a NIPPV. Around 6:00 p.m. patient has significantly desaturation and he discontinued himself NIPPV. Due to inability to intubate patient, he was ventilated with BVM, patient is slowly improved saturation levels and was opening his eyes, he was placed on a non-rebreather. At this point there is high concern of ARDS and due to inability to intubate or give for the respiratory support His daughter was at bedside and updated of current medical status and poor prognosis. Patient continued deteriorating and at this point he had agonal breathing. His daughter was at bedside and she was made aware of the futile prognosis of patient due to his respiratory failure. Patient rapidly became bradycardic and went into cardiac arrest. No CPR was done due to the DNI DNR status of the patient. Critical Care Procedure Note Authorized and Performed by: MD Total critical care time: Approximately 30 minutes Due to a high probability of clinically significant, life threatening deterioration, the patient required my highest level of preparedness to intervene emergently and I personally spent this critical care time directly and personally managing the patient. This critical care time included obtaining a history; examining the patient; pulse oximetry;</p>

VAERS\_ID RECVD STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

					<p>ordering and review of studies; arranging urgent treatment with development of a management plan; evaluation of patient's response to treatment; frequent reassessment; and, discussions with other providers. This critical care time was performed to assess and manage the high probability of imminent, life-threatening deterioration that could result in multi-organ failure. It was exclusive of separately billable procedures and treating other patients and teaching time. Please see MDM section and the rest of the note for further information on patient assessment and treatment. PE: VITAL SIGNS: BP: 126/75 Pulse: (!) 122 Resp: (!) 40 SpO2: (!) 82 % Temp: 98.1 °F (36.7 °C) Height: 5' 8" (172.7 cm) Weight: 152 lb (68.9 kg) General: Alert, nontoxic, in no acute distress. Lungs: Clear to auscultation bilaterally. CLINICAL IMPRESSION: 1. Sepsis with acute hypoxic respiratory failure and septic shock, due to unspecified organism (HCC) 2. Suspected COVID-19 virus infection 3. NSTEMI (non-ST elevated myocardial infarction) (HCC) 4. Multifocal pneumonia 5. ARDS (adult respiratory distress syndrome) (HCC) 6. Acute kidney injury (HCC) Further care and disposition otherwise as outlined by PA. ED on 2/14/2021 Revision &amp; Routing History Detailed Report Note filed date Mon Feb 15, 2021 8:46 AM</p>	
1101508	3/15/2021	GA	29 F	3/12/2021	3/13/2021	<p>On the day following my second dose, I woke up with a headache around 6am (expected this may happen and took Tylenol). A little before noon my partner and I got in the car to run an errand. In the car I started to feel worse and I fainted. I was out for about 30 seconds according to my partner. I came to and had my vitals checked at an urgent care center (all vitals WNL). During this episode in the car I think I also had chills. The onslaught of symptoms in the car lasted only about an hour before resolving. I continued to have a off and on headache for the rest of the day but other symptoms resolved. By Sunday I was pretty much back to normal; any headache symptoms were pretty much resolved. I am not sure if the fainting episode was related to vaccine or not. I have had fainting episodes in the past (2-3x at dentist office and 1x at optometrist when having eye pressure checked).</p>
1101650	3/15/2021	FL	31 F	3/14/2021	3/14/2021	<p>Janssen COVID-19 Vaccine EUA Bad headache, fever, body aches, neck pain, eye pain.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1101689	3/15/2021	NE	59	F	3/12/2021	3/13/2021	Eyes became extremely itchy, red, watering, swollen. I also began sneezing and runny nose. I took a Benedryl and within 20 minutes was feeling much better. I continued the Benedryl every four hours through the night (set alarms) and was fine in the morning. Reaction started in the afternoon (1:00 p.m.). Took Benedryl at 3:00 p.m., 7:00 p.m., 11:00 p.m., 4:00 a.m. (time changed). I did not need any more at 8:00 a.m.
1101692	3/15/2021	WI	67	M	3/13/2021	3/13/2021	?I recd the first moderna vaccine 2-13-2021 at 11 AM. Headache, right side only, started same day at 7:30 PM, sore shoulder at vaccine site about 10:30 PM same day. Both were gone the next morning. I recd the second dose of the moderna vaccine 3-13-2021 at 11 AM. By 2 PM I had a ranging head ache, again right side only. I drove four hours to the vaccination site, hospital. I was driving home when this started. I stopped to purchase Tylenol about 3 pm which it turns out had no effect. I was driving west into a setting sun, as the headache got worse, my eyes became more and more sensitive to the sun, I stopped a second time to purchase a second pair of sunglasses that I could wear over the first pair, that didn?t help, I ended up stopping at a rest area until the sun set. I got to my house at about 6 PM, by then I could no longer wear my prescription glasses, besides the headache I was now very dizzy. At about 9 PM the pain started, between my shoulder blades first, never at the injection site. From that time on, including today, the pain has constantly moved around my body, the worst pain is associated with areas that arthritis affects me, hips, knees, hands, ankles. I have had a mild fever, ranging from 100.9 Saturday night to 100.3 now at 11 AM 3-15-2021. Yesterday, 3-14, my head was swearing, my feet were ice cold. I had an electric blanket from my waist down and an ice pack on head. If I have ever felt worse in my life I don?t remember when that would have been. The pain has moderated today, I expect the worst is now over. If as the health specialists are suggesting a booster will be required this fall I will undoubtedly have incredibly significant reservations with this vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1101699	3/15/2021	WA	80	F	3/5/2021	3/7/2021	Client states her eyes swelled shut, her hands became swollen and she had noisy breathing(maybe wheezing) all started 2 days after vaccine and the symptoms didn't resolve until 8 days after they started. She did not obtain medical care. She doesn't speak English and didn't know she should've gone to the ER. Plans to now schedule to see her doctor to find out if she should get a different covid vaccine as she had a reaction to Moderna.
1101701	3/15/2021	RI	61	F	2/2/2021	2/2/2021	Developed a rash near my eye after a couple of days rash moved to my face and neck. After the second shot rash covered face, neck and face and eyes would be swollen
1100211	3/15/2021	HI		F	1/3/2021	1/3/2021	face looked droopy on the left side;; itchy; felt like my face had been punched on the left side; A spontaneous report was received from a consumer concerning a 60-year-old, female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced pruritis, facial pain and facial paralysis. The patient's medical history, as provided by the reporter, included bell's palsy 20 years ago. Concomitant medications were not reported. On 03 Jan 2021 prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Lot number: 011L20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 03 Jan 2021, prior to receiving mRNA-1273, the patient felt itchy and like her face had been punched on the left side. On 06 Jan 2021 she felt her face looked droopy on the left side. Her dimple came back in her face. On 21 Jan 2021 her eyes was droopy and can see a line on one side, and other side doesn't have a line. It's gotten better with acupuncture. She gets acupuncture and electrostimulation; she had a horrible reaction to steroids. Her eye was stuck open for 3 months, she had a patch. Treatment for the events include 3 sessions of acupuncture. Action taken with mRNA-1273 in response to the events was not reported. The outcome of events, pruritis, facial pain and facial paralysis was unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1101506	3/15/2021	IN	67	F	3/11/2021	3/11/2021	hives, itchy eyes ,feeling like had the crawly feeling all over body ,left hand turned beet red, nurse said my lips were red and puffy
1101492	3/15/2021	IN	40	M	3/13/2021	3/14/2021	Ocular migraine, brief double vision, fatigue
1101480	3/15/2021	TX	43	F	3/11/2021	3/11/2021	On-going pain, redness, itching and burning sensation at the injection site as well as stiffness, discomfort, tingling, mild numbness and joint pain, and headache from the day of injection, at the time of writing this report including the days in between injection and reporting. Initial swelling an hour after injection on 3/11/21 was the diameter of a quarter; swelling as of 3/15/21 is approximately 4.5 inches in diameter. The surface temperature of the injection site remains approximately 98.1 degrees. In addition, I am experiencing noticeable numbness and tingling on the left side of my body including facial muscles surround eye, mid face, left hand radiating out to all 4 fingers, left thigh, and left calf. I am experiencing joint and muscle pain on the left side of my neck, left shoulder, left upper arm, left elbow, left hip, knee and ankle.
1101434	3/15/2021	TX	33	F	3/13/2021	3/14/2021	Chills, fever, body ache, intense injection site pain, eye pain, dizziness, mild skin irritation throughout body, fatigue
1101428	3/15/2021	PA	62	F	3/7/2021	3/8/2021	3/8/21 - Hives started day after shot on right hand. Thought was bug bite. Proceeded to get them on my right hip, lower back and buttocks, upper shoulder blades, right foot. left wrist during week. Called doctor and was advised to take benadryl right away and to not go for second dosage on April 11. By Saturday morning, March 13, a hive under each eye, one on back of neck, upper lip started to swell and tingle. Went to ER in a.m. on March 13 and was given injection of benadryl, pepcid and a steroid. Script was written for predisone, 2 a day with meals until this Wednesday. Hives have cleared up.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1101419	3/15/2021	NH	44	F	2/23/2021	2/26/2021	I have had vision auras associated with headache/migraine in the past, but have not had one in over six years. Three days after my second COVID vaccine shot, I had an aura. The next day, I had another, and the following day, I had two. Over the following week, I continued to have auras whenever I was in a room with bright light/sunlight. The auras subsided after that week, and have not returned.
1101368	3/15/2021	NJ	96	M	3/12/2021	3/12/2021	3/12/21 Headache and soreness in eyes Extremely tired Soreness in arm
1101841	3/15/2021	AZ	51	F	3/9/2021	3/9/2021	To give context to the adverse event, in early November 2020 I was diagnosed with Bell's Palsy of unknown origin on the left side of my face. I was tested for COVID-19 and it came back negative. It resolved itself in about a month. About 8 hours after receiving the COVID-19 vaccine on 3/9/21 (about 6:30 p.m., I started to feel a slight headache. Because I had just had the vaccine, I was trying to avoid taking any pain medication, so I did not take anything for it. The headache got worse throughout the evening, and by 10 p.m. I would describe it as a moderate headache. It was primarily concentrated on the left side of my head towards the front, on my forehead and above the eyebrow. I went to bed without taking any pain medication. About 3 hours later, at about 1 p.m., I woke up, and the headache was much more intense. It felt like all the nerves around the left side of my face, including the nerve along my jaw line leading to the 7th cranial nerve that causes Bell's Palsy, were throbbing. I grew concerned about getting Bell's Palsy again, so at that time I took one ibuprofen Advil. After taking it, the headache subsided, although I continued to have a dull headache throughout the night and the next day.
1101357	3/15/2021	TX	60	F	3/5/2021	3/5/2021	Left eye began watering, itching, swelling. Itching under left breast.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1101339	3/15/2021	IL	68	F	3/11/2021	3/11/2021	One hour after injection: blurry vision, funny taste in mouth, weak, dizzy. Two hours later: had to go to bed so weak. Chills, achy especially in knees and ankles, severe headache. Evening felt itchy all over and a fever blister erupted. Soak with sweat thru the night. Nauseated. Today(4th) day ringing in my ears, headache, still very weak.
1101396	3/15/2021	NY	22	F	3/10/2021	3/10/2021	Extreme body aches, severe headache, chills, fever of 104, dizziness, blurry vision, perspiration.
1101845	3/15/2021	VA	72	M	3/5/2021	3/11/2021	pt states that he started having twitches in his right eye. He says it will twitch for about 30 seconds so he relaxes so it will settle down. He is having these symptoms multiple times a day. He will contact his PCP if symptoms persist.
1102002	3/15/2021	PA	36	F	3/9/2021	3/11/2021	Patient reports she started having itchy eyes on 3/10/21. Eyes became bright red and tearing. She called her PCP on 3/11/21 and did a virtual visit. Her PCP gave her steroid eye drops. (She neglected to tell her PCP that she recently had the COVID vaccine). Symptoms progressed with eyes swelling shut, itchy throat, wheezing and on 3/14 her throat started closing and she could not breath. She went to urgent care on 3/14 and was given oral steroids. Today she is feeling much better.
1100552	3/15/2021		33	M	3/1/2021	3/1/2021	Swollen right eye; Rash under the eye; Fatigue; This is a spontaneous report from a contactable consumer (patient) via a Pfizer sales representative. A 33-years-old male consumer received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 01Mar2021 at single dose for COVID-19 immunization. Medical history and concomitant medications were not reported. The patient was administered the Pfizer Covid19 vaccine on 01Mar2021 and experienced a swollen right eye with a rash under the eye. He also said he experienced fatigue. The outcome of the events was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.
1101312	3/15/2021	NC	54	F	3/13/2021	3/13/2021	Right eyelid felt funny, like it was swelling but it visually looked ok. About 30 min after I left the vaccination site I notice my face (cheek area) seemed to feel numb and swollen. This all went away after a few hours.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1101940	3/15/2021	IL	51	F	3/11/2021	3/11/2021	HARD TO FOCUS VISION, IMPROVING AFTER 5-10 MINS, CHECKED I WITH PARAMEDICS . LEFT BY HERSELF AFTER RECOVERING.
1101939	3/15/2021	PA	70	F	2/17/2021	2/17/2021	20 minutes after injection, there was a bad taste in the back of my throat followed by tingling around and inside my mouth. Dizziness in waves accompanied by nausea. Itch but no rash. Headache started around 4:30 p.m. Arm was sore, red and hard at the injection site for 10 days. Next day: Chills but no fever. Headache. Pains in stomach and both sides of my back. Slept for most of the day. Third day: Dizziness and nausea and stomach pain continue. Fourth day: Congested, irritation in sinuses, eyes and throat. Face became hot and red, cold sweat, no fever. Upper lip on the left is still somewhat numb.
1101929	3/15/2021	FL	29	M	3/11/2021	3/11/2021	Around 1:00pm received the Pfizer COVID- 19 vaccine at the group home administered by staff. About 10 minutes after getting the vaccine begin to develop an allergic reaction on both arms. The staff observed for about 15 more minutes and advised if condition worsens to seek medical attention. The group home administrator was contacted. As a precaution was taken to . While at the Urgent Care more hives developed on his arms, neck and buttock area. He was evaluated by the doctor and two injections were given. Benadryl 50 mg intramuscular and Solu- Medrol 125mg intramuscular. He was observed by the doctor and nurses for 30 minutes after the injections, the reaction improved. was prescribed Benadryl 25mg 1 capsule every 12 hours for 5 days and Prednisone 20mg 3 tablets daily for 4 days. was discharged and is at home in stable condition with close supervision. will follow up with his Primary Care Physician as scheduled. is doing well. Skin has cleared.
1101926	3/15/2021	OR	28	F	2/23/2021	2/24/2021	Blurred vision, numbness on left side of body, restlessness
1101825	3/15/2021	IL	53	F	3/2/2021	3/4/2021	Severe fatigue since the day after the vaccine. I can barely keep my eyes open and keep dozing off while working. Slept virtually all weekend long and still fighting to stay awake.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1101907	3/15/2021	MD	72	M	3/5/2021	3/10/2021	5 days after injection: Slight swelling of both eyes and dull headache. Anomaly lasted 3 days.
1101733	3/15/2021	MS	63	M	3/8/2020	3/9/2020	3/9 patient began with rash to left side of face, sore throat, left ear pain and productive cough. Was evaluated @ the facility on 3/10 where the vaccine was administered- Johnson and Johnson. Evaluated @ facility on 3/12/21. Herpes Zoster affecting left side of scalp and face extending to eyelid. Referred to Ophthalmology for evaluation. Zpak discontinued and changed to Amoxil.
1101836	3/15/2021	IN	50	F	3/13/2021	3/13/2021	Fine for 10+ hours. That evening, L arm really ached, really painful to lift above shoulder height. Noticeably sore at injection spot. Joints started aching, tired, noticeably sore up through neck on L side. Was driving at night- distance vision was blurry (could have been dry eyes, not sure related to vaccine). Slept 14 hours. Woke with muscles still achy, not quite as much as day before. Neck still sore. Injection site only sore to touch. Still very tired, could have slept more. Woke up today, feel pretty normal. A bit tired.
1101975	3/15/2021	GA	57	F	3/9/2021	3/10/2021	. Caregiver for my 78 y/o Day 1: 3/9/21 - low grade headache. Day 2: 3/10/21 - headache stronger (took Tylenol); Day 3: 3/11/21 - debilitating headache. Couldn't work. Eyes hurt. Headache felt like hammers hitting the side of my head. I was so concerned I wanted to go to the hospital. The headache stopped around 2pm on March 11. Day 5: 3/14/21 - face has welts on my left cheek (shot was in the left arm).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1101819	3/15/2021	NY	50	F	3/9/2021	3/9/2021	Immediately after receiving the injection, I experienced a headache right behind my eyes (similar to sinus headache); after approximately 15 minutes, I experienced a ringing in my ears. I told the attending person, but she said it was probably due to being anxious about getting the shot. I left after being in the waiting area for 30 minutes and began driving home. My face felt very warm, so I opened the car window. I touched the side of my face and felt hives. My tongue felt thick, but I did not feel hives going down my throat. My torso started to itch and I had hives there as well. There was no raised area at the injection site. I became very itchy on my head, neck, and arms. When I arrived home, I took a dose of benadryl. Four hours later, I took a dose of zyrtec. My hives subsided and my tongue returned to normal, but I was still itchy. The next morning, I took a dose of claritin and called my doctor. In the afternoon, I took benadryl. In the evening, I took zyrtec. I continued this for 2 more days. The day after my vaccine, a node between my thumb and forefinger on my left hand was swollen and painful to the touch. My hand was swollen and my finger joints ached. I went to the doctor for an examination. The swelling and pain in my hand continued to worsen during the day and overnight. I kept ice packs on my hand and it felt better after 3 days.
1101794	3/15/2021	VA	45	M	3/13/2021	3/13/2021	Felt extremely warm, started feeling lightheaded, started sweating profusely, vision started blacking out, got very close to blacking out and fainting. I was seated at the time, waiting the 15 minutes for observation after the shot, symptoms happened about 10 minutes into the waiting period. I was given some cold water right away, over the next 10 minutes my vision started coming back and I stopped sweating. Was told I looked flush when they first came over but was looking much better after another 10 mins. I stayed an additional 30 minutes for observation after the event and had friends come take me home and get my car. I'm still feeling very slightly light headed and somewhat tired 2 days later, but otherwise feeling great.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1101790	3/15/2021	PA	73	F	2/8/2021	2/11/2021	Patient woke up in the middle of the night 4-5 days post vaccination (first dose) around 12-12:30am. Chief complaint: mucus in eyes, sinus pain, sores in mouth, pruritis on trunk/breast/underarm, heart palpitations. Patient took Tylenol at 1 am and was completely resolved by 2:30am same night. Patient unable to attribute symptoms to any other cause.
1101765	3/15/2021	MD	66	F	3/3/2021	3/10/2021	I rec'd my first Covid vaccine shot on 3/3/21 in my right arm. I had soreness in the arm for 2 days afterwards. On Wednesday, March 10, 2021, I got severe pain behind my left ear and down the left side of my neck. Saturday morning, March 13,2021 my lips were numb and I was not blinking my left eye and I could not close my left eye. I went to the doctor Monday morning, March 15,2021 and she confirmed Bell's Palsy. Blood was drawn and I was given prescription medication.
1101749	3/15/2021	CA	54	F	3/13/2021	3/13/2021	Chills 7 hours after injection. Lasted for about 4 hours. Headache started 12 hours after injection. Worsened for about 5 hours then leveled to an intolerable pain from front of head to eyes. After leveling off, it took about 10 hours to dissipate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1101910	3/15/2021	NY	64	F	3/1/2021	3/3/2021	<p>To give context to the adverse event, in early November 2020 I was diagnosed with Bell's Palsy of unknown origin on the left side of my face. I was tested for COVID-19 and it came back negative. It resolved itself in about a month. About 8 hours after receiving the COVID-19 vaccine on 3/9/21 (about 6:30 p.m., I started to feel a slight headache. Because I had just had the vaccine, I was trying to avoid taking any pain medication, so I did not take anything for it. The headache got worse throughout the evening, and by 10 p.m. I would describe it as a moderate headache. It was primarily concentrated on the left side of my head towards the front, on my forehead and above the eyebrow. I went to bed without taking any pain medication. About 3 hours later, at about 1 p.m., I woke up, and the headache was much more intense. It felt like all the nerves around the left side of my face, including the nerve along my jaw line leading to the 7th cranial nerve that causes Bell's Palsy, were throbbing. I grew concerned about getting Bell's Palsy again, so at that time I took one ibuprofen Advil. After taking it, the headache subsided, although I continued to have a dull headache throughout the night and the next day. Patient received the vaccine Monday March 1st around 2:30pm. Patient began to feel arm soreness around 5pm, woke up at 3am the following morning with a severe headache and spent the next day resting. Wednesday morning March 3rd, the patient reported extreme fatigue, dizziness and feeling "woozy". As she was walking around the store, around 8:30am, patient had to request help as she almost fainted. Patient went home quickly after, reported dizziness until 3pm. Patient's friend who is a nurse came to her home to check her vitals, confirmed they were normal and encouraged fluids/rest. After resting further Wednesday/Thursday, patient returned to work Friday morning and has been fine since. Patient did not take any medications prior/during/after incident.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1100305	3/15/2021	NY	58	F	1/12/2021	1/1/2021	<p>She had symptoms of shingles last Sunday; She noticed burning and tingling on the left side of her head; She noticed burning and tingling on the left side of her head; Shingles was reported as worsened; This is a spontaneous report from a contactable consumer (patient herself) via Medical information team. A 58-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot number: EL0140) via unknown route of administration on 12Jan2021 14:00 PM at single dose in left arm for COVID-19 immunization at nursing home. Medical history included ongoing high blood pressure. Ongoing concomitant medication included metoprolol orally at 50 mg, once a day taking for 10 years and hydrochlorothiazide orally at 25 mg, once a day taking for 3 years both for high blood pressure, mecobalamin (B12) orally at 1000 ug, once a day taking 6 years for low b, colecalciferol (D3) orally at 100 ug, daily (50mcg; take two daily by mouth) taking for 6 years for low d. Patient received the first dose of the Pfizer covid vaccine on 12Jan2021 and her second dose was scheduled 02Feb2021. She had symptoms of shingles last Sunday on 29Jan2021 and was given famciclovir and was advised to not take the scheduled second dose of the vaccine. The next time that the vaccine will be given in their facility is on 22Feb2021-23Feb2021, and she wants to know if she can get the vaccine despite having shingles. However she came down with shingles. Adds she is being treated with Famciclovir 50mg; take three times daily by mouth. Her doctor recommended she not get the next dose of the Pfizer COVID 19 vaccine on 02Feb2021 so she stayed home and did not get it. Should she get the second dose? She noticed burning and tingling on the left side of her head in Jan2021 and then shingles on 29Jan2021 on the left eyebrow and hairline. Also shingles was reported as worsened in 2021. Adverse events required a visit to physician or ER was reported as Urgent care but not to the hospital. No Prior Vaccinations (within 4 weeks). The outcome of events shingles and condition worsened was not recovered, while for other events was unknown. No follow-up attempts are possible. No further information is expected.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1100564	3/15/2021	NC	78	M	1/30/2021		watery eyes; runny nose; This is a spontaneous report from a contactable consumer. A 78-year-old male patient received the 2nd dose of bnt162b2 (BNT162B2) at single dose on 30Jan2021 for COVID-19 immunisation, administered at hospital. The patient medical and concomitant medications were not reported. The patient previously received the 1st dose of bnt162b2 (BNT162B2) on 04Jan2021 (also reported as 07Jan2021) for COVID-19 immunisation, administered at hospital and the reporter did not indicate that he had any side effects. The patient experienced watery eyes and runny nose in 2021. He did not experience any headache. No treatment was received. No admission to hospital due to the events. The outcome of events was recovered in 2021, he was fine now. Information about lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1100500	3/15/2021	WI	76	M	2/1/2021	2/23/2021	<p>symptoms of bell palsy; Numbness of upper and lower lip on right side.; sore muscles in neck; sore muscles in neck and shoulder; watery eyes; muscle aches; pains; problems in sleeping; This is a spontaneous report from a contactable consumer via the Pfizer sponsored program. This is a spontaneous report from a contactable consumer (the patient). A 76-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot number: EL9264), via an unspecified route of administration, in the left arm on 01Feb2021 at 14:30 (at the age of 76-years) as a single dose for COVID-19 immunization. Medical history included chronic asthma, nasal polyps, vestibular schwannoma, alopecia, gastrooesophageal reflux disease. The patient did not have any known allergies to medications, food, or other products. Prior to the vaccination, the patient was not diagnosed with COVID-19. The patient's concomitant medications were not reported. The patient did not receive any other vaccines within four weeks prior to the vaccination. On 23Feb2021 at 07:00 AM, the patient experienced symptoms of bell palsy, numbness of upper and lower lip on right side, sore muscles in neck and shoulder, watery eyes, muscle aches, pain, problems in sleeping. He felt the symptoms after the first dose. The patient visited the emergency room/ department or urgent care due to the events. The patient did not received treatment for the events. The clinical outcome of the events was not recovered.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1100469	3/15/2021	NM	62	F	2/19/2021	2/1/2021	she felt something in her foot (right foot) under the toes like she had sept on something like the lymph node down there was inflamed; the lymph node under her arm got inflamed; armpit swelling; her eyes was runny, sort of hurting like salt in her eye; her eyes was runny, sort of hurting like salt in her eye; arm was hurting where she got the vaccine in the right arm; she had a mucus plug and was bleeding; This is a spontaneous report from a contactable consumer. This consumer (patient) reported that a 62-years-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) at the age of 62-years, via an unspecified route of administration in right arm on 19Feb2021 at single dose for COVID-19 immunization. Medical history included hadn't had her period for 8 years. Concomitant medications were not reported. The patient historically received first single dose of BNT162B2 at the age of 62-years for COVID-19 immunization. Patient received the 2nd dose of the vaccine last Friday 19Feb2021, when she was driving home her eyes was runny, sort of hurting like salt in her eye, it was like that all evening she had to put a patch on her eye to help it. That same evening my arm was hurting where she got the vaccine in the right arm, and the lymph node under her arm got inflamed. The next morning on 20Feb2021 when she woke up she felt something in her foot (right foot) under the toes like she had sept on something like the lymph node down there was inflamed, but that went away. The armpit swelling has continued since the day of the vaccine. Now this morning in Feb2021 she had a mucus plug and was bleeding she haven't had her period for 8 years, every two days she had something new. Patient wanted to know what had been woken up in her body. Consumer added that she read on line that patients should wait for 5months before going to their doctor about the swollen lymph nodes because they might send the person for a test, mammogram and it may say they have cancer, in the clinical trials apparently some patients has issues with their lymph nodes and when they did testing it was found they had cancer, but it was not cancer it was the vaccine. Outcome of the event she felt something in her foot (right foot) under the toes like she had sept on something like the lymph node down there was inflamed was recovered/resolved in Feb2021; of the armpit swelling was not recovered/not resolved; while of remain

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

was unknown. Information on lot/batch has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1100468	3/15/2021	NJ	55	F	1/23/2021	2/9/2021	<p>diagnosed with COVID-19 disease/testing positive/sick/all the nightmares of COVID /felt very ill/COVID took the 3 pounds off/fevers my eyes/body temperature kept dropping; diagnosed with COVID-19 disease/testing positive/sick/all the nightmares of COVID /felt very ill/COVID took the 3 pounds off/fevers my eyes/body temperature kept dropping; some fatigue/tired; stomach upset/stomach was really feeling weak; not feeling real well; nauseous; This is a spontaneous report from a contactable consumer reporting for self. This 55-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EK9231), via an unspecified route of administration on 23Jan2021 at single dose for COVID-19 immunisation. Medical history included menopause hormone replacement therapy. Concomitant medication included progesterone (PROGESTERONE), estradiol (MINIVELLE) for menopause hormone replacement therapy. The patient received her first injection of the Pfizer-BioNTech vaccine on 23Jan2021. She reported experiencing symptoms of COVID-19 on 09Feb2021 and was diagnosed with COVID-19 disease on 11Feb2021 after testing positive. After the first injection, and prior to getting COVID-19 disease, she did experience some fatigue, stomach upset, and not feeling real well. It was reported that when she had the first dose the only symptoms was stomach was really feeling weak, just felt extremely tired and nauseous so that was the first and then fine, by the third day she was feeling okay but then unfortunately, on 09Feb2021 and she began getting sick and went for a COVID test and tested positive on 11Feb2021. She had experienced multiple symptoms due to her COVID-19 disease and had to go to the ER for treatment after they appeared (she went to the emergency room so they didn't keep her there, she was there for maybe 6 hours). She felt very ill with this COVID, she had been in the hospital twice, she did not, she was not left in ICU that was good for her, but reported that "between the fevers my eyes, I don't know what happened to my eyes but ophthalmologist will be checking it seems to be same and it's been everything that you can ever think as 'hard' and I just want to know if tomorrow I can have the second boost." It was reported that when she was in the hospital because of the, body temperature kept dropping so the doctor send her to the</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1100415	3/15/2021		59	F	2/10/2021	2/10/2021	<p>hospital and they did blood test. Patient weight was 135 at that time, now she was 131. She thought COVID took the 3 pounds off. Her second dose of the Pfizer-BioNTech vaccine was cancelled due to her illness and now her second dose is scheduled for tomorrow (25Feb2021). The patient reported she is only now starting to feel a lot better, that she was really sick for 15 days. Today (24Feb2021) was the first day that she was feeling a little bit better from all the symptoms and all the nightmares of the COVID illness. The outcome of events was recovering.</p> <p>left eyelid swollen; Itchy; A little weepy; This is a spontaneous report from a contactable healthcare professional (patient). A 59-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EN9581 and expiry date unknown), via an unspecified route of administration in the left arm on 10Feb2021 15:00 at a single dose for COVID-19 immunisation. There were no medical history. Patient is not pregnant at the time of vaccination. Patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was not diagnosed with COVID-19 prior to vaccination. Patient has not been tested for COVID-19 since the vaccination. Patient has no known allergies. Concomitant medications included vitamin D NOS and vitamin C [ascorbic acid]. Patient experienced left eyelid swollen, itchy, and a little weepy on 10Feb2021 18:30. Patient was recovering from the events. No treatment was received for the adverse events. This case was reported as non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1100401	3/15/2021	CA	74	M	2/6/2021	2/9/2021	became completely disoriented; felt drained of all energy; could barely walk/unable to walk much; had a heavy pain behind my left eye; heavy headache; couldn't relax or think; couldn't relax or think; This is a spontaneous report from a contactable consumer (patient). A 74-year-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot# EN5318) via an unspecified route of administration in left arm on 06Feb2021 09:30 at single dose for COVID-19 immunization. Medical history included high blood pressure, chronic kidney disease. The patient had no known allergies. Concomitant medication included amlodipine, lisinopril, pantoprazole, multi Vitam. No other vaccine was received in four weeks. No Covid prior vaccination. No covid tested post vaccination. The patient thought he had a 72 hour delay reaction to the vaccine. Tuesday on 09Feb2021, about midmorning 10:00 AM, he felt drained of all energy, could barely walk, had a heavy pain behind her left eye and a heavy headache, and became completely disoriented and unable to walk much. He couldn't relax or think. Then overnight it all went away. No treatment was received for events. The outcome of events was recovered on 10Feb2021.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1100394	3/15/2021	FL	23	M	1/29/2021		He has got a 100 fever; He got up this morning with a high fever; Very bad headache in his head and in the front of the head, it hurts a lot; The face, the top and the front is hurting a lot going through the eyes; sleeping a lot; bodyaches; This is a spontaneous report from a consumer (patient's father). A 23-years-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, Batch/lot number: EL9263), via an unspecified route of administration on 29Jan2021 at single dose for covid-19 immunization. The patient's medical history included low potassium. Concomitant medication included potassium. On an unknown date, patient had got a 100 fever and very bad headache in his head and in the front of the head, it hurts a lot. And the face, the top and the front is hurting a lot going through the eyes. He has got fever and what I did is I gave him Tylenol treatment, patient also experiencing minor side effects such as sleeping a lot due to bodyaches from the second dose. The outcome of the event He has got a 100 fever; He got up this morning with a high fever was not recovered and unknown for the other events.
1100525	3/15/2021		39	F	2/22/2021	2/23/2021	red blotch - broken blood vessel on white of right eye; This is a spontaneous report from a non-contactable consumer (patient). A 39-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number: EI9266) on left arm, via an unspecified route of administration on 22Feb2021 18:00 at single dose for COVID-19 immunisation. Medical history included COVID from an unspecified date (if COVID prior vaccination: yes). The patient's concomitant medications were not reported. The patient experienced red blotch - broken blood vessel on white of right eye on 23Feb2021 07:00. The patient had no other vaccine in four weeks. The patient was not COVID tested post vaccination. There was no treatment received for the adverse event. The outcome of the event was not recovered. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1100311	3/15/2021	OR	56	F	2/3/2021	2/4/2021	<p>woke up with my mouth on fire like it had been dipped in jalapeno oil; Eyes then started to burn same way; This is a spontaneous report from a contactable Health care professional (Patient). A 56-years-old female patient started to receive BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; solution for injection) via an unspecified route of administration on 03Feb2021 09:30 at SINGLE DOSE for covid-19 immunisation. Facility where the COVID-19 vaccine was administered: Nursing Home. The patient's medical history included Antiphospholipid antibody syndrome, arthritis, allergic to Sulpha. Concomitant medication (list of any other medications the patient received within 2 weeks of vaccination) included warfarin, eplerenone, furosemide, oxycodone hydrochloride. On 04Feb2021 02:00, the patient reported that, I felt fine, went to bed, woke up with my mouth on fire like it had been dipped in jalapeno oil. Eyes then started to burn same way. Called advice nurse, she recommended benadryl. Followed up with pcp at noon next day. Advised against 2nd shot. The patient has received treatment with antihistamine. Outcome of the events were not recovered. The patient was not pregnant at the time of reporting, not pregnant at the time of vaccination. The patient was not diagnosed with COVID-19 prior to vaccination. The patient had not been tested for COVID-19 since the vaccination. Information on the lot/batch number has been requested.</p>
1100563	3/15/2021	NC	74	F	2/25/2021		<p>watery eyes; runny nose; slight headache; This is a spontaneous report from a contactable consumer. A 74-year-old female patient received the 2nd dose of bnt162b2 (BNT162B2) at single dose on 25Feb2021 for COVID-19 immunisation. The patient medical history and concomitant medications were not reported. The patient received the 1st dose of bnt162b2 (BNT162B2) on 01Feb2021 for COVID-19 immunisation and she experienced she passed out and fell to the floor before daylight and dizziness on 01Feb2021. The patient experienced watery eyes, runny nose and slight headache in 2021. No treatment was received. No admission to hospital due to the events. The outcome of events was recovered in 2021, she was fine now. Information about lot/batch number has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1100299	3/15/2021	MI	67	F	1/21/2021	1/28/2021	A rash on my forehead and that spread around the right eye for next two days; Developed pain on right side of face; This is a spontaneous report from a contactable consumer (patient). A 67-year-old non pregnant female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot number: EK9231), via an unspecified route of administration on Right arm on 21Jan2021 11:45 at single dose for covid-19 immunisation. Medical history included Allergies to Sulfa and Osteopenia/osteoarthritis. The patient's concomitant medications were not reported. The patient reported, On 28Jan2021, one week after receiving the Covid vaccine, I developed pain on right side of face. On 31Jan2021 I developed a rash on my forehead and that spread around the right eye for next two days. The Dr was contacted on 02Feb2021 and I started on Valtrex (Valacyclovir HCL, 1 Gm, 3 times a day on 28Jan2021 13:00 upon Doctor or other healthcare professional office/clinic visit). The patient received treatment for the event. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient received other medications within 2 weeks of vaccination. Prior to vaccination, the patient was not diagnosed with COVID-19; Since the vaccination, the patient not been tested for COVID-19. The seriousness was reported as non-serious. The outcome of the events recovering. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1100286	3/15/2021	GA	85	F	1/29/2021	1/29/2021	Had a hard time getting sleep; My left eye got seriously inflamed/ left eye became extremely red, inflamed; Eye was red, and still swollen/ left eye became extremely red, inflamed; Eye was red, and still swollen; Painful/ Eye is still sore/still having the pain in it but not intense; This is a spontaneous report from a contactable consumer (patient). An 85-years-old female patient started to receive bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number: EN5318), via an unspecified route of administration on 29Jan2021 at 01:15 at single dose for to protect me against COVID. Medical history included blood pressure and muscular degeneration in eye. Concomitant medication included hydrocodone (trade name not reported) for blood pressure. The patient experienced my left eye got seriously inflamed/ left eye became extremely red, inflamed, eye was red, and still swollen/ left eye became extremely red, inflamed, eye was red, and still swollen, painful/ eye is still sore/still having the pain in it but not intense on 29Jan2021 and had a hard time getting sleep on an unspecified date. Outcome of the events eye was red, and still swollen and painful/ eye is still sore/still having the pain in it but not intense was not recovered and other events were unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1100285	3/15/2021	MO	64	F	1/29/2021	1/30/2021	<p>had flush feeling (much like injection during CT scan); Within hour my ears felt hot and turned bright red Subsided within hour.; Ate supper, Went to bed, upon waking in nite experienced imbalance; vertigo; Neck pain; headache; nausea; This is a spontaneous report from a contactable consumer (patient). A 64-year-old female non-pregnant patient received first dose BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: EL9264, Solution for injection), via an unspecified route of administration in the left arm on 29Jan2021 (at the age of 64-years-old) as a single dose for COVID-19 vaccination. Medical history included CAD (coronary artery disease), Irregular heart rhythm, BPPV, degenerative disc disease, anxiety, ptsd (post-traumatic stress disorder), pre diabetic, Allergies to food, chemical and sensitivities and med and sensitivities. Prior to the vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. The patient had not received any other vaccine within 4 weeks prior to the vaccine. Concomitant medications were not reported. Upon receiving injection, on 30Jan2021, patient had flush feeling (much like injection during CT scan). Within hour her ears felt hot and turned bright red Subsided within hour. After supper, went to bed, upon waking in night experienced imbalance. Laying back down experienced vertigo (what she thought was a BPPV episode, a prior cond) but she couldnt figure out which side to treat, she performed maneuver. But did not resolve. She was remaining off balance and spinny even being upright with movement of head or eyes. Neck pain and headache residual nausea. About 12 hours after injection. Upside, her arm doesnt hurt. The patient did not receive any treatment for the events. No seriousness criteria was reported. The patient underwent lab tests and procedures which included computerised tomogram and results are unknown. The outcome of events was unknown.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1100232	3/15/2021	TX	64	F	1/2/2021	2/21/2021	Fainted; Sweating; Vision was blurry; It went "black; Whole skin feels cold; Felt something weird on her body; vision was sparkly; Chills; A spontaneous report was received from a Consumer concerning a 65-years-old female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced events felt something weird on her body, sweating, chills, vision was blurry, vision was sparkly, it went black, she fainted, whole skin feels cold, just feels weird. The patient's medical history was not provided. Products known to have been used by patient, with in two weeks prior to the event, included levothyroxine, lisinopril, amlodipine, omeprazole, atorvastatin, baby-aspirin, lisinopril hydrochlorothiazide. On 2-Jan-2021, patient received the first of two planned doses of mRNA-1273 (lot/batch: 037K20A) intramuscularly at right arm . On 28-Jan -2021, prior to the onset of the events the patient received their second of two planned doses of mRNA-1273 (lot/batch: 010M20A) intramuscularly at right arm for prophylaxis of COVID-19 infection. On 21-Feb-2021, the patient experienced the events felt something weird on her body. sweating, chills, vision was blurry, vision was sparkly, it went black, she fainted, whole skin feels cold, just feels weird. Treatment information was not provided. The patient received both scheduled dose of mRNA-1273; therefore, action taken with the drug in response to the event is not applicable The outcome of events, felt something weird on her body, sweating, chills, vision was blurry, vision was sparkly, it went black, she fainted, whole skin feels cold, just feels weird were considered unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1100214	3/15/2021			U	1/14/2021		really bad broken eye blood vessel; ice pick type headache, quite intense headache; A spontaneous report was received from a Consumer concerning a patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced events really bad broken eye blood vessel and quite intense ice pick type headache. The patient's medical history was not provided. No relevant concomitant medications were reported. On 14-Jan-2021, prior to the onset of the events the patient received their first of two planned doses of mRNA-1273 (lot/batch: UNKNOWN) for prophylaxis of COVID-19 infection. On an unknown date, the patient experienced the events really bad broken eye blood vessel, quite intense headache, ice pick type headache. Treatment details were not provided. Action taken with mRNA-1273 in response to the events was not reported. The outcome of events include really bad broken eye blood vessel and quite intense ice pick type headache was not reported.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of headache, a causal relationship cannot be excluded. Very limited information regarding the eye hemorrhage has been provided at this time. Further information has been requested.
1102045	3/15/2021	NC	68	F	2/26/2021	2/27/2021	fever 101.6 aches, lasted 2 days fatigue lasted 3-4 days Migraine-like headache started about 12 days from shot and lasted for about 8 days . Eyes burned, short of breath and lethargic with headache. Took one Advil and did not help.
1102449	3/15/2021	NJ	31	F	3/2/2021	3/9/2021	At 3:45 pm on Tuesday, March 9th 2021, I bent down and immediately felt vertigo symptoms and fell to the ground. The vertigo symptoms have persisted, however have subsided. There was vomiting and intense feelings of dizziness, usually got worse when I moved my head or eyes a certain way. A week after symptoms began, these feelings are now much less.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1100368	3/15/2021			M	2/6/2021	2/9/2021	eye is itchy, it's bloodshot and tearing in one eye; eye is itchy, it's bloodshot and tearing in one eye; eye is itchy, it's bloodshot and tearing in one eye; This is a spontaneous report from a non-contactable consumer (wife). A male patient of an unspecified age received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration, on 06Feb2021 at a single dose for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. The patient experienced eye is itchy, it's bloodshot and tearing in one eye on 09Feb2021. The clinical outcome of the events was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.
1100962	3/15/2021	MI	55	M	3/11/2021	3/13/2021	Nursing staff was informed that the patient was having a hard time walking and was not able to speak, just mumble. Presented with rapid eye movement, lip smacking, equal grips bilaterally although difficulty lifting arms. When asked about pain, pointed to R forehead. 136/99, 79, 20, 99.6. Appears uncomfortable and continuous mumbling. To local hospital via ambulance and admitted. Presumed CVA
1101276	3/15/2021	MA	65	M	3/13/2021	3/14/2021	almost 24 hours to the minute after receiving the vaccination i had fever, chills, extreme nausea, headache, muscle pain , weakness. even touching my eyebrows hurt. it lasted 10 hours during which time I did not take any medications, eat or drink anything. I did not seek treatment and by morning I was wiped out but all symptoms had resolved.
1101253	3/15/2021	TX	35	F	2/25/2021	3/4/2021	A week after I fainted, dizziness, blurred vision.
1101215	3/15/2021	FL	55	F	3/3/2021	3/10/2021	A week after a very red swollen rash and lump vaccine site. Still have it. Today 11 days after 1st dose not have swelling and lump under my right eye and cheek and on side in chin. Also redness and itchiness.
1101208	3/15/2021	TX	28	M	3/8/2021	3/9/2021	fever, headache, chills, body aches, burning eyes followed by nausea and burning chest when taking deep breaths



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1101184	3/15/2021	VA	24	F	3/12/2021	3/14/2021	Sudden tingling and numbness in hands, I couldn't move my fingers for 2 minutes. My whole body started pouring sweat. My head got foggy and my vision got blurry and for a second. I vomited once and felt nauseous the rest of the night, and also felt like I had a migraine the rest of the night as well.
1101054	3/15/2021	MI	63	M	3/12/2021	3/13/2021	Constant pain on the bone area on top of the left eye and makes the left eye watery. This symptoms is soothed by taking one tablet of a Regular Strength Tylenol a day in the morning. With this I can sleep well at night and ok when I wake up but the pain start like an hour after I got up from bed.
1101045	3/15/2021	IA	45	M	3/9/2021	3/11/2021	was seen by provider 03/11/2021 with swollen eyes, rash all over with some blisters. prednisone was given. eyes remain swollen somewhat and some rash, but better.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1100515	3/15/2021	NY	39	F			<p>I got Covid two weeks after my first shot; I got Covid two weeks after my first shot; This is a spontaneous report from a contactable consumer, the patient. A 39-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Lot EK9231, first dose) solution for injection intramuscular on an unknown date (at the age of 39-years-old) at single dose for COVID-19 vaccination. Medical history included high blood pressure and prediabetic. Concomitant medication included losartan. The patient stated, "I got Covid two weeks after my first shot." The outcome of the event got Covid two weeks after my first shot was unknown. Note: In Material Information (CI grid), Material # and Material Description fields are applicable to non-SAP sites and will be blank on the report for investigation records created under SAP sites. Material # (SAP) and Material Description (SAP) fields are applicable to SAP sites and will be blank on the report for investigation records created under non-SAP sites. Investigation Decision: (Parent) FPRS Evaluation Comment: (Site name), reviewed this complaint and agrees with the site assignment, investigation decision, classification, sub-classification, and priority. The reported lot number is valid and an investigation will be performed. Repeat Investigation?: No. Was CAPA Previously Identif'd?: No. Full Investigation Required?: Yes. CAPAs in Place?: N/A. CAPA Reference: N/A. Manufactured Post-CAPA: N/A. Reviewed By: (name). Reviewed On (GMT): 23Feb2021. QA Review &amp; Rationale: The complaint and its classification have been reviewed. No immediate containment action is required. The complaint, its priority, and its classification have been reviewed and determined to be appropriate. A full investigation will be performed. This is a complaint for lack of effect of lot EL9266 of the PFIZER-BIONTECH COVID-19 VACCINE. The initial scope of this investigation is limited to the reported finished goods lot EL9266 pending review of lot genealogy. The investigation will include a review of the returned complaint sample (if received) and reserve samples, if necessary. Investigation findings: The initial scope of the investigation was limited to the reported finished goods lot. The final scope was expanded to include the reported finished goods lot EL9266, fill lot EL9257, and the formulated drug product lot EL9248. Manufacturing and packaging batch records were reviewed for the reported</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

complaint lot. (Site name) QO did not receive photographs or a complaint sample for examination. The complaint was not confirmed. There were no planned or unplanned deviations recorded during the manufacture of the complaint lot and associated manufacturing lots that may have caused a complaint of this nature. A review of the manufacturing records confirmed processing steps were performed within pre-established parameters. All raw materials and amounts used in the manufacture of the batch were of the correct weight and identity. The results of all analytical tests performed at the time of lot release confirmed that the batch continues to meet potency specifications. The product requires storage in ultra-low temperature freezers. A review of the temperature log for the reported batch confirmed that all freezer temperatures were within allowable limits. Regulatory / Market Assessment: NTM Decision: No-NTM not required. NTM Rationale: Other. Date NTM Decision Made (GMT): This should reflect the most current decision date 26Feb2021. Other NTM Rationale: This complaint is not confirmed or considered process related. Regulatory Impact: No. Other Regulatory Notification: N/A. AQRT/MACC Ref Number: N/A. Root Cause / CAPA: Process Related?: No. Final Confirmation Status: Not Confirmed. Vendor Related?: No. Root Cause Analysis/Identif: (Site name) Quality Operations could not indicate a probable root cause for the complaint to be related to the production process of the involved batch. Review of the manufacturing and packaging batch records and release test results confirmed that the batch continues to meet potency specifications. It is unknown how the product was handled, stored, or administered after it left the (Site name). Impact Analysis: Based on the results of this investigation, the manufacturing and packaging batches remain acceptable and the reported complaint is not representative of the lot. No regulatory notification is needed. Root Cause Category (Tier 1): Non-assignable (Complaint Not Confirmed). Contributing Factor (Tier 1): Non-assignable (Complaint Not Confirmed). Root Cause Category (Tier 2): Non-assignable (Complaint Not Confirmed). Contributing Factor (Tier 2): Non-assignable (Complaint Not Confirmed). Root Cause Category (Tier 3): N/A. Contributing Factor (Tier 3): N/A. Special or Common Cause: Common Cause Root Cause is always present to

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

some degree in the process. Special Cause Root Cause is something different happening at a certain time or place in the process. Improve / control: Corrective / Preventive Action: There were no corrective actions as a result of this complaint investigation. The results of all tests, inspections, and in-process controls have been reviewed and all results met the established requirements prior to the release of the reported batch for distribution. Conclusion & Approvals: Additional Approval(s) Req'd?: No. Product Quality Impact: No. Market / Clinical Impact: No. SQRT Review Required?: No. Stability Impact: No. AQRT Review Req'd?: No. Conclusion: The complaint for lack of effect of the PFIZER-BIONTECH COVID-19 VACCINE lot EL9266 was investigated. The investigation included a review of manufacturing and packaging batch records, deviation investigations, and an analysis of complaint history for the reported lot. The final scope included the reported finished goods lot EL9266, fill lot EL9257, and the formulated drug product lot EL9248. A complaint sample was not returned, and photographs were not received. No related quality issues were identified during the investigation. There is no impact to product quality. No root cause or corrective/preventative actions were identified as the complaint was not confirmed. All release testing performed prior to the release of the reported batch was within specifications. Scope of Compl. Investigation: The scope of this investigation included the reported finished goods lot EL9266, fill lot EL9257, and the bulk formulated drug product EL9248. Acceptable review of related documentation, including manufacturing batch records and review of release test results at the time of lot release confirmed that there were no issues which may have resulted in a complaint of this nature. Vendor Investigation?: No. Action Title / Short Descript.: N/A. Design Related?: Document Review Summary: DEVIATIONS: Complete - Acceptable There were no planned or unplanned deviations recorded during the manufacturing of the reported lot or associated batches that may have caused a complaint of this nature. MANUFACTURING BATCH RECORDS: Complete - Acceptable. The bulk manufacturing batch records for the complaint batch were reviewed as part of this investigation and were found to be acceptable. All processing steps were performed within pre-established

VAERS\_ID RECVD STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

parameters. The review of the manufacturing record confirmed that all in process checks, all line startup and end of batch challenges, and all line clearance and cleaning activities were completed satisfactorily. All raw materials used in the complaint batch were of the correct weight and identity. All the manufacturing temperatures mix speeds and mixing times were within acceptable ranges. In-process appearance and specific gravity test results were all within acceptable ranges. A review of the solution filtration documentation confirmed that all filters and Water for Injection (WFI) were used within their expiration dates, and that all the filtration times, pH results, and pressure specifications were met. The manufacturing processes of raw material usage, solution formulation and filtration were all found to be acceptable. All manufacturing parameters met established requirements. A log is maintained throughout the manufacturing process of the amount of elapsed time that the product is out of refrigeration. A review of the elapsed time tracking logs confirmed that all times were within allowable limits. PACKAGING BATCH RECORDS: Complete -Acceptable. The review of the packaging record confirmed that all in process checks, all line startup and end of batch challenges, and all line clearance and cleaning activities were completed satisfactorily. Audits are performed on the finished packaged units by Packaging Operations personnel at regular intervals throughout the final packaging process. This is done in order to ensure that all required labeling and packaging is present, complete, and meets all establishments requirements. During the audits, inspectors visually check the appearance of the finished product for defects. The Pfizer-BioNTech COVID-19 Vaccine vials are loaded into trays containing 195 vials each. Five trays are then banded together into a bundle. The vaccine requires ultra-low temperature freezer storage. Prior to loading, freezer temperatures were verified to between -67°C and -73°C. Freezer shelves were then loaded with bundles of product. During the freezing phase, which occurs 60 hours after loading, the temperature of the freezers is monitored. If the temperature is warmer than the previously recorded temperature, supervision is notified. Additionally, after the freezer temperature drops below -60°C, the temperature recorded may be warmer due to the freezer operation

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							caused by the freezer cycling. This is acceptable. A review of the log for the reported batch confirmed that all freezer temperatures acceptable. Samples are then stored until the product is released for distribution. LOT HISTORY: Complete - Acceptable. The results of all tests and inspections met required specifications at the time of release for distribution on 31Jan2021 Reserve Sample Evaluation: Rsrv. Sample Evaluation Req?: No. Rsrv. Sample Eval. Rationale: Visual examination of a reserve sample would not be expected to indicate the potency of the drug product. A reserve sample was not sent to the QC-lab to determine the amount of active ingredient since the complaint was received within six months of the release date of the involved batch. The results of all analytical tests performed at the time of lot release were confirmed to be within registered specifications. All available stability results for this product were within registered specification and stability studies (including accelerated studies) are ongoing for this product. Confirmed Reserve Defect?: No. The complaint history for the reported PFIZER-BIONTECH COVID-19 VACCINE lot EL9266 was reviewed. As of 26Feb2021, there are a total of two complaints for this lot and classification. No lot specific trend was identified that would require additional investigation. Lot Trend Actions Taken: There were no lot trend actions taken as a result of this investigation.
1100970	3/15/2021	NJ	46	F	3/6/2021	3/11/2021	3/11 to 313 - Flu like symptoms...no fever. Chills, aches and severe fatigue 3/14 to present day - Vertigo - non stop dizziness, foggy vision
1101282	3/15/2021	KY	54	F	3/5/2021	3/6/2021	Bell's Palsy left side, eye and mouth droop. Eye, ear and face pain. Doctor prescribed Prednisone and Valtrex. Systems are still present along with pain and discomfort.
1100858	3/15/2021	LA	65	F	3/13/2021	3/13/2021	pt states that she has developed a itching red rash with swelling of the face, eyes, neck, and forearms. She is also has fatigue.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1100824	3/15/2021		48	F	2/3/2021	2/1/2021	out of rhythm; heart rate increased; shortness of breath; impaired vision; some dizziness; Reported sleeping more heavily than usual; woke with her hair wet as if had experienced a fever overnight; anxious; This is a spontaneous report from a contactable consumer (patient). A 48-year-old female patient started received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot# not provided), via an unspecified route of administration on 03Feb2021 at SINGLE DOSE for COVID-19 immunization. The patient has known allergies to sulfur and penicillin. Concomitant medications were not reported. The patient received first dose of vaccine on 03Feb2021. Immediately following injection, felt as if her heart rate increased; felt as if it remained out of rhythm through Thursday evening eventually returning to a more regular rhythm. She also experienced shortness of breath, impaired vision and some dizziness noted in Feb2021. She also been sleeping more heavily than usual woke with her hair wet as if had experienced a fever overnight. She stated she felt better, but still not at what she would consider her normal self and was anxious about receiving the second dose and wanted to speak with someone to further discuss her concerns. Outcome of anxious was unknown while recovering for the remaining events. Information on the Lot/batch number has been requested.
1100794	3/15/2021	FL	90	F	3/14/2021	3/14/2021	Client verbalized watery right eye without pain or discomfort. Client evaluated by Rescue Paramedics onsite. Client was observed for additional 15 mins. Client released by Paramedics at 10:05 am after symptoms were resolved.
1100790	3/15/2021	NY	66	M	3/5/2021	3/10/2021	Patient present to ED stating that the right side of his mouth was not moving right when he woke up at 06:00 am that morning (3.10.21). Physician documented patient had trouble fully opening his right eye. Patient reported right upper dental for for several days prior to presentation. Diagnosed by physician with Bell's Palsy.
1100752	3/15/2021	ME	70	M	3/12/2021	3/12/2021	About one hour after receiving the vaccine, I realized that I had a probable floater in my left eye. I have never had a floater before in my life. I decided it was a floater after describing the symptom to my wife, who does have floaters.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1100637	3/15/2021	AZ	73	F	3/13/2021	3/14/2021	Patient received COVID19 vaccine at 2:10pm 3/13/21. At 4am 3/14/21, she woke with painful, itchy rash described as big, long patches and also in sections that was like a bad sunburn, from chin to collarbone (bilaterally), also present on both eyebrows, one patch on left cheek on face, above right side of temple in hairline area, and she could feel top of head itches and burns but could not see there to see if a rash is present. Advised patient to go to the emergency room, but patient refused at time of triage call.
1100633	3/15/2021	LA	30	M	3/14/2021	3/14/2021	After receiving the vaccination 10 to 15 min later my head started hurting, pain in my chest area, and stomach pain. I also couldn't focus and I was experiencing vision problems meaning I had trouble seeing. All these problems I wasn't experiencing any of them before the ???. I wasn't watching the time but everything lasted till I made it home and took my pain medication. If more information is needed please feel free to reach out to me.
1101033	3/15/2021		64	F	3/13/2021	3/13/2021	Flushing, shortness of breath 64yo F h/o HTN c/o flushing sensation, mild blurred vision and feeling short of breath. Denies: cp, dizziness, n/v, weakness, no allergies to injectables, abdominal pain Allergies: narcotics sob Patient received vaccine @ 1438 - Vaccine: Pfizer Lot # EN6208 Initial: vitals- 152/86, HR 92, RR 22, o2 100% Temp: unable to take BG: 151 1454: Repeat VS 148/86, HR 74, O2 100% 1501: BP 135/83, HR 70 RR 20 O2 98%. - Patient reports SOB resolved. No more blurred vision or flush feeling Exam: CTAB, RRR
1102907	3/15/2021	CA	26	F	3/15/2021	3/15/2021	approx 2-5 min after getting vaccine, pt felt faint. pt started to lose vision (only seeing black). pt was seated and seemed to fade in and out, while staying conscious. RPH stayed with pt for following 5-10 minutes and paramedics arrived on scene. Vitals were taken, and after approx. 15 min with paramedics, they deemed her fit. Pt remained in pharmacy another approx. 30 min while she regained her faculties. She had some pain radiating in her arm and was very anxious. after a total of approx. 90 min, she was comfortable and left the pharmacy.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1103057	3/15/2021	WA	73	F	2/19/2021	2/20/2021	First Covid vaccine 2/19/2021, Lichen Sclerosis started on 2/20 and visually diagnosed on 2/23/2021. Now using Clobetasol ointment daily until 3/23 then switch to every other day, possibly forever. I had one episode of Lichen Sclerosis 5 years with no other repeat episode. It is calming down now. Genital Herpes started about 3/4-5/2021 and diagnosed visually by Dr. She also performed a swab culture to confirm. Now using Acyclovir daily. It is calming down. The only flare up I have had before was 40 years age, no repeat inflammation since then. My second shot was 3/12.
1103032	3/15/2021	OH	53	F	3/11/2021	3/11/2021	Sore arm immediately upon injection. Soreness travelled to fingertips within 4 hours. No treatment required. Headache within 2 hours. Very distracting although not severe. Prevented sleeping. Took 1x advil 200mg. Resolved. Foggy head within 4 hours. Trouble focusing eyes and thoughts while having a conversation with neighbor. Resolved at 48 hours. Tiredness within 6 hours. Resolved at 54 hours. Chills but no fever starting at ~27 hours from shot and lasting 4 hours. Resolved.
1103018	3/15/2021	WI	71	M	3/13/2021	3/13/2021	Moderna COVID-19 VaccineS Headache Weakness in legs, arm Aching all over But no g eyes, stuffy nose 36 hour total duration
1103014	3/15/2021	IA	50	F	3/13/2021	3/13/2021	Gave patient Moderna vaccine on 3/13/2021. Patient reported that she had hives at injection site that went up and down arm and neck. Patient took Benadryl and it was better the next next morning( 03/14/21). Patient reported no other symptoms on 3/14/21. Woke up on 3/15/21 with bad headache, eyes swollen shut and facial pain. She also noted that in the inside of her mouth was becoming sore. advised patient to seek medical treatment to rule out if is related to the vaccine. Patient was seen in urgent care, it was determined that the headache, swollen eyes and facial pain was due to sinus infection. Patient was given Augmentin 875mg twice daily for 10 days. Will follow up with patient tomorrow.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1102950	3/15/2021	PA	61	F	3/15/2021	3/15/2021	5 minutes post vaccination patient patient informed pharmacist on staff she had blurred vision. Pharmacist had her sit and took her blood pressure (143/95). She reported nausea and heart palpitations shortly following, upon which a manager (Trish) accompanied her to the bathroom. Patient denies vomiting. At 4:50pm patient Blood Pressure was 147/98. Patient reported resolution of nausea, blurred vision, and heart palpitations. Patient states she took her medication as prescribed today. denies taking meclizine today. Patient released to friend who drove her home.
1102946	3/15/2021	TN	69	F	3/9/2021		BLURRED VISION AND ALMOST FAINTED THEN RASH BEGAN IN TORSO AND BREAST AREA. NEXT DAY THE RIGHT EYE GOT REALLY SWOLLEN ALMOST SHUT
1102789	3/15/2021	IL	70	M	2/11/2021	3/11/2021	Patient reported for immediate care visit with complaints of body aches, fever and chills on 3/12/21 that began four days prior eyes have become puffy swollen and red. Facial swelling also reported. Tested negative for Covid, Treated with PO benadryl. Of note patient with history of previous conjunctivitis in 2019, hx of glaucoma, and cataract
1102910	3/15/2021	FL	67	F	3/1/2021	3/2/2021	Headaches & dizziness a few times on 1st & 2nd days. Soaked bed from sweating all night on 1st & 2nd days. Off-balance and dizziness on & off since 3-2-21. Blurry vision/ can't focus, which bothers me more than the other adverse events.
1102060	3/15/2021	WA	94	F	3/12/2021	3/12/2021	Pt had seizure x2 while in clinic during observation period. Son stated that pt does have seizure disorder and anxiety does exacerbate seizures. Pt denies feeling anxious about vaccine. Initially pt was unresponsive to stimuli, but then opened her eyes and was able to follow commands and answer questions. O2 sats during initial seizure was 86% and BP 190's/80's. Pt with tonic clonic movement during initial seizure. Pt then had subsequent seizure but did not lose consciousness during this one but was unable to respond to stimuli or commands. O2 sats low 90's during this event. Pt's son stated that it was not normal for her to have clusters of seizures like this and so EMS was called.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1102901	3/15/2021	FL	37	F	3/3/2021	3/3/2021	Tongue, lips, face went numb at around the 5 min mark. Then hands and arms. I was dizzy and weak, had a hard time walking. I noticed my vision was blurred. I couldn't see freckles on my arms that I usually can see. After 40 mins the numbness improved. On the drive home I was swept with head-to-toe numbness for about a min with the feeling like I was going to throw up and chest pain. The chest pain continued to come and go a few times for the next 10-12 hours. I was very dizzy and very weak. My vision went back to normal about 5 hours later. But I remained dizzy and weak for about a week. I still have dizziness on and off throughout the day that I never had before though. All those symptoms I feel like are outside of what was expected and concern me but other than that I had symptoms that I expected as well like my arms was sore for maybe 3 hours total the day after, I was tired, and had an elevated temp around 100 degrees.
1102877	3/15/2021	NE	69	F	3/8/2021	3/9/2021	Patient received the Pfizer COVID-19 vaccine on 3/8/21 (first dose) in the left arm. She woke next morning with blisters on the left hand, then developed widespread pruritis that only involved the left side of the body. Had swelling around left eye. No frank hives, no SOB or dyspnea. Treated in ER with oral Benadryl. Now 1 week later, she still has itching throughout the entire left side, from scalp down to feet. Still taking Benadryl once daily now. Wondering about whether to get the second vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1102871	3/15/2021	NJ	47	F	12/30/2020	12/30/2020	With in 15 minutes I started burning up, my face turned purple. My eye lids felt like I had 10 pounds weights on them, I couldn't keep them open. I short episode of shortness of breathe and that went away. I got nausea, felling all of a sudden like crap. I felt like I was hypotensive for the rest of the day. I drove home I ate two eggs on rye bread. I took two Tylenols and took a nap. I woke up at noon with serve abdominal pain for about an hour. I got out of bed and just couldn't stay out of bed, I could stand up right, I felt hypotensive. I had to be laying down. The next morning I woke up with a slamming headache, I took two Tylenol and it went away. I was ok after that until about day 6 after the vaccine. I had chills and thought i maybe had Covid but tested negative. My arm started swelling up, my whole upper arm was swollen. It was hot to touch and itchy, they thought it was cellulites and put me on medication, after 5 days It wasn't doing anything and it was getting worse. I went back to the Urgent Care, he had me finish the medication and took Benadryl over the next two days and it started to get better. I was advised not to get the second shot.
1102817	3/15/2021	WI	79	M	3/11/2021	3/12/2021	Patient is an 79 year old male who had his 2nd Moderna vaccination in his dominant right arm Thursday afternoon. Upon awakening Friday morning, he had difficulty walking. His legs were strong enough to hold him, but he was unstable. He also had some numbness on the palmar surfaces of some index and middle fingers of his left hand. His speech was somewhat garbled, but when his wife would encourage him to repeat himself, he could enunciate more clearly. He had some nonspecific difficulty swallowing. He attributed this all to adverse reaction to the vaccination, which would pass... Friday mid day his wife took him to the barber, and on return home he was briefly nauseated and vomited. Later in the day on Friday they went for car ride, and on return home he was briefly nauseated and vomited. He had no other episodes of nausea. He had no fevers or chills. He had no visual disturbances. He had no other numbness or paresthesias. He was aware of no clear weakness. Finally today, the gait instability persisted and the numbness in the left hand, so he came to the ER for evaluation. Patient is currently recovering in the hospital

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1102811	3/15/2021	NE	70	F	3/1/2021	3/6/2021	I got the Moderna on March 1st. On March 6th I woke up with red puffy eyes. Took Benadryl and got better. On March 8th woke up with swollen lower lip. Took Benadryl and was better by noon. On March started breaking out with a rash on right side of body. Took Benadryl and put Hydrocortisone on it. Rash kept getting worse with big spots and itching. On March 11th was worse so called the Medical Center and asked if the Moderna vaccine could have caused this? They said, no! If got worse come in. March 11th at 9:00 P.M. I could feel my upper lip swelling. Took Benadryl and thought it would be better by morning. It wasn't. Woke up with red puffy eyes and a swollen upper lip. Looked like I had been in a fight. Time to get medical help. Got into doctor at 9:30. They said it wasn't from the shot but I know it was. On Pednisone and cream for shots. Finally getting better!
1102809	3/15/2021		67	F	3/8/2021	3/9/2021	24 hours after second dose of Moderna vaccine, patient came down with a fever, aches and pains, and chills that lasted approx. 72 hours. After this time, patient reported a swollen red circle about two inches below injection site that went away after 48 hours. One week after second dose, patient is experiencing swollen, itchy eyelids and hives on face and chin.
1102794	3/15/2021	OH	72	F	3/2/2021	3/9/2021	Chills, Fever 100.5, muscle aches, head ache, sore eyes
1102932	3/15/2021		32	F	3/10/2021	3/10/2021	Immediately after the shot, Pt. felt clammy, had blurred vision and tingling of both hands, then lost consciousness. Fell to floor, hit forehead, left knuckle and left knee. Was assisted to supine position and symptoms improved. (Admits to feeling anxious and not eating enough before the shot and feels that was related to her reaction.) Left facility after observation, and got food before driving self home. Reports soreness and stiff neck from fall injuries. Reports soreness of injected arm and the same "clamminess and sweating" the following morning with fatigue, but without the tingling, lasting only a few hours, then resolved with no further sequelae.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1103324	3/15/2021	CA	51	F	3/12/2021	3/12/2021	My left arm felt like it was sleeping. 45 minutes after the shot both my arms felt very heavy, I was trying to lift them up and was having difficulty, I had pain in my arm muscles . That evening my eyes felt very droopy, I was having difficulty keeping them opened.. I had body aches, extreme fatigue syndrome, my neck and my head hurt, i felt nauseated, so far it has lasted for 3 days., the headache is improving, but still comes back after a few hours
1103661	3/15/2021	NC	29	F	3/12/2021	3/12/2021	Headache and eyes aching around 10:30pm on 3/12/21 I went to bed and started aching around 4:00am on 3/13/21 by 6:00am 3/13/21 I had a fever of 101.5 and my body aches. I took two pills of extra strength Tylenol and water and laid back down to break the fever and help with the aches and pains. I woke up around 9:30am on 3/13/21 and did not have and appetite all day. I was extremely fatigued all day and had no energy to get out of bed or do much. On 3/14/21 I began to develop an appetite again around noon. I was still fatigued. My arm was very tender and itchy at the injection site and hurt to the touch. My 5:00pm on 3/14/21 I had more energy and the aches were gone but my arm was still hurting and sore.
1103552	3/15/2021	TX	48	F	3/12/2021	3/12/2021	puffy eyes and a little face / this happened on Saturday

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1103517	3/15/2021	AK	23	F	3/13/2021	3/13/2021	Moderna COVID-19 Vaccine EUA I received the vaccine on 3/13 at 3:45pm and began experiencing symptoms on the day at 5:30pm including dizziness, nausea, fatigue and wiped-out exhaustion, drunk-like dazed and confused, body heaviness, and developed soreness in the muscle of the right arm where the injection had been administered. The symptoms progressed at 6:30pm to include general muscle soreness, muscle twitching on the right side of the body especially on the right upper thigh, increased appetite, malaise, headache, and chills in addition to the aforementioned symptoms. At 7:30pm the nausea and increased appetite improved with food and fluid intake but sleepiness, yawning, confusion, chills, and fatigue worsened at 8:30pm. Temperature at 9:30pm was 95.7 degrees Fahrenheit and a pale, green-like, clammy appearance was visible on the general skin. At 10:30pm the sleepiness reversed to restlessness and insomnia to the point of hyperactivity, and the appetite increased four-fold along with rash up and down the injected arm, numbness and tingling in the injected arm, chest discomfort with palpitations, anxiety, headache, stomach pain, malaise, and general limb edema which all persisted until I was able to fall asleep at 6:30am on 3/14. Many of the aforementioned symptoms improved upon wakeup time at 4pm on 3/14, but extreme sleepiness with nausea, dizziness, fatigue, head pain and right eye pain, and palpitations with chest discomfort persisted until 10am on 3/15, during which time only the nausea, dizziness, and fatigue persisted.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1103515	3/15/2021	TX	38	F			Hives/rash developed within 15 minutes, was injected with 25mg of Benadryl. Another 15 minutes or so later it had become hard to swallow, I was given another 25mg dose of Benadryl. After the second dose it became hard to breathe, started coughing and chest started to hurt. I didn't realize but had broke out in sweat. Nurse checked my eyes. Called paramedics and had epi pen ready. I thought a third dose of Benadryl had been administered but that I am not certain of. Blood pressure was higher than my usual but still considered normal (113/82 I think?) pulse was 120 something, at rest I am usually at 70. I became lightheaded. Paramedics did an ekg, it was normal. They monitored me while I stabilized. Was released when pulse was in the 80's range. Residual chest pain after. 8 days after vaccination I broke out in sweat and became nauseous. Vomited. I then noticed below the vaccination injection (still bruised) and around where last dose of Benadryl was injected there was a large red welp, hot to the touch. The heat eventually went away but the welp remained a few days. 11 days after vaccination is when the cluster headache appeared. Shortness of breath was noticeable on day 12. Day 14 fever and nasal congestion with slight irritation in throat, occasional cough. Day 15 sore throat, coughing progressed (non productive) in to fits that led to vomiting. It is day 18 and shortness of breath is present at rest, chest pain, rash near injection site and bruise is still present. Temp has been low grade fever, hadn't gone above 100. Normal is 96.9/97.1 for me. Oddly day 13 (the day before fever became present) my temp was lower than usual 95.6/95.7 yet I wasn't cold.
1103506	3/15/2021		20	M	3/15/2021	3/15/2021	H/A,neck pain. Pt ED EMS; received COVID vaccine this morning with syncopal event, possible head strike. state he was sittig in a chair and awoke on the floor. facility VS: HR48, SPO2 100% RA, A/Ox3. reports feeling better at this time. denies visual. emergency room there is no evidence for intracranial bleed or skull fracture. The patient had a rapid return to baseline. As well as laboratory evaluation was normal and he had an unremarkable EKG. At this time there is no emergent indications for referral or hospitalization.
1103472	3/15/2021	WI	73	F	3/10/2021	3/11/2021	I had shingles develop near right eye within 24 hours of my second COVID vaccine



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1103418	3/15/2021	WA	44	F	3/12/2021	3/13/2021	Approximately 24 hours after receiving the vaccine I felt like I had a mild flu with achy body and chills, I was tired and slept. This lasted for about a day. 48 hours after the vaccine my eye sight became blurry, my ears began ringing and my face became tingly around mouth and cheeks. The tingling is intermittent but the ear ringing and blurry vision has been fairly constant.
1103129	3/15/2021	WA	60	M	3/15/2021	3/15/2021	RN responded to pt's report of centralized face numbness (reaching out to eyebrows, mid-cheek, upper chin). Denied other symptoms. VS: BP 130/80, SpO2 98%, HR 55, RR 18. RN stayed with pt for 10 minutes, pt reported numbness stayed the same, no new symptoms reported. VS rechecked at 15 min: BP 130/90, HR 55, RR 16, SpO2 99%. Arm strength 5/5 bilaterally. RN called EMS due to facial numbness; gave report when EMS arrived. EMS assessed pt, released him to home with instructions to call 911 if any further symptoms. Pt said that he was returning home and he would have a family member there.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1103351	3/15/2021	MI	57	M	3/10/2021	3/10/2021	<p>PRESENTING PROBLEM: Syncope and collapse [R55]</p> <p>HOSPITAL COURSE: History of Present Illness: 57-year-old man known to me for bilateral lung transplant for bronchoalveolar cell carcinoma complicated by bilateral pleural effusions of unknown etiology and mild decrease in pulmonary mechanics, DVT on Eliquis who came to the Emergency Room 3/12/21 with a chief complaint of near syncope. Patient and woke up in the early morning hours of 3/12/21 to use the restroom. While urinating, he became very dizzy and nauseated and had a sense like he needed to lay down to rest. Other than nausea he did not have any other symptoms. He returned to his bed and fell upon his wife and had decreased level of consciousness but without total loss of consciousness (he was able to hear his wife talking to him but was unable to respond). This lasted about a minute and slowly he came back to his senses. After this he felt quite cold and did have some shaking but is not clear whether these were true rigors. He did not have any preceding fevers nor did he have any fevers in the emergency room. After about 5-10 minutes he was feeling back to his normal self but want to come into the hospital to get checked out. He has never had anything like this before. The patient has had chest pressure since his COVID vaccine which he had on Wednesday. This is been intermittent, mostly positional and better with laying on his side and leaning forward, worse with recumbency. It is not pleuritic in nature. No associated shortness of breath. No other fevers chills sweats. No sick contacts. Evaluation in the emergency room was done and a CT scan was done and no pulmonary embolus was found. No parenchymal abnormalities. The patient's pleural effusions remain, and her mildly worsened, personally reviewed. Baseline labs were unremarkable for anemia, kidney injury. EKG personally reviewed, normal sinus rhythm. High sensitivity troponin was done and negative. Family otherwise feels well, no sick contacts, eating well no nausea vomiting diarrhea blood in his stool. Pt admitted for observation. Continued to feel well VSS, ekg stable, ECHO without acute findings (see below), UA neg, cardiac monitoring uneventful, orthostatics negative, walking in halls and eating well. Appears to have had vaso vagal episode. Will be getting routine head imaging in the coming month with cancer history See below testing Care plan upon discharge &gt; To call if any return</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

of symptoms > To hold metformin until Monday due to recent dye load > Blood cultures Pending, low clinical suspicion > To change H2 blocker to PPI due to GERD on 3 month esophagram > Follow up in clinic when return from break > Dr discussing with pulmonary team most recent CT (see below) and treatment plan moving forward Brief exam: awake, alert, oriented, not in any distress. PERRL, EMOI, tongue midline. Upper and lower extremities at full strength 5/5 in the arms, hands, dorsi flex and flexion at the ankles, knees and legs. Sensation not tested. Brief history and medical decision making: s/p bilateral lung transplant for bronchoalveolar cell carcinoma complicated by bilateral loculated pleural effusion, DVT on eliquis presenting post syncopal event. Syncopal event without evidence of seizure like activity, fast recovery, and no sudden changes consistent with an acute cardiac event. Thus symptoms were likely due to vasovagal event possibly post COVID\_19 related side effect (headache, achy muscles, not feeling well overall). He has no neurologic deficit, CTA thorax without PE, negative EKG, troponin and echocardiogram. He is not on antihypertensives and blood pressures have been normal. Given his initial diagnosis of BAC, there may be concern for metastatic disease, though symptoms have not persisted and he has no focal deficit. He also received contrast for his CTA today, thus will defer further imaging for now. Syncope: - defer 2nd dose of COVID-19 vaccine as its effectiveness in transplant patient is not established and patient potentially had an adverse event. - oral hydration encouraged - monitor for additional ongoing neurologic symptoms such as headaches, vision changes, neck stiffness, fevers, night sweats, weight loss, weakness or paraesthesias - patient advised to avoid driving until further evaluation - consider MRI brain with and without contrast if any symptoms persist or reoccur Complex loculated pleural effusion

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1103152	3/15/2021	CA	56	M	3/15/2021	3/15/2021	At 1005 Patient, a 56 yo Male was sitting in a 15 minute observation after receiving a first dose Pfizer (Lot EP7534 Expiring 07/31/2021) five minutes prior. Patient reported feeling lightheaded and feeling a "heart warmth". Client reported past medical history of Neuropathy, Mechanical mitral valve replacement, aortic valve repair, hyperlipidemia, coronary artery disease, hypertension, DMII, dyspnea, obesity, depression and pulmonary hypertension. Client denied any allergies to medication, food or seasonal allergies. Client stated he last ate at 1030pm on 3/14/2021. Denied having any food, drink or diabetic medication this morning. Client rated the severity of heart warmth as a 2/10. Client stated warmth in his heart was similar to the sensation he had when doing a heart stress test. Client denied chest pain, shortness or breath, blurry vision, dizziness, headache, nausea, vomiting, diarrhea, recent illness or lifestyle changes. At 1018am client had water and ate a fruit bar he had. At 1022am client stated the warm sensation had diminished and he felt better after eating and drinking. Client denied dizziness, blurry vision and chest pain. Site offered to call 911 to have an ALS assessment. Client declined further evaluation and care. At 1045am Client was able to ambulate without assistance and had a steady gait as he left the observation site.
1103311	3/15/2021	MA	67	F	3/13/2021	3/14/2021	Left eye itching, pain-Like a "pink eye" - sxs worsened by Sunday Today numb left jaw-like feeling like the dentist applying novacaine, Lt leg & fingers to Lt hand tingling, pins & needles. Used teabags to Tx eyes with minimal relief.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1103272	3/15/2021		23	M	3/12/2021	3/12/2021	fever,nausea,headache. PT states getting the J/J vaccine this am 1000 with shortness of breathe, nausea, and headache starting around 13/1400. PT states taking 500mg tylenol around 1.5 hours ago. DATA: 23-year-old male presents with constitutional symptoms after COVID vaccine reaction.. Stable on arrival, mildly febrile with moderate tachycardia and otherwise reassuring vitals. Patient well-appearing on exam with no productive cough, hypoxia, abnormal lung sounds, or respiratory distress to suggest pneumonia. No urinary symptoms or abdominal pain to suggest UTI or other acute intraabdominal process. No AMS, neuro symptoms, meningismus, or rash to suggest meningitis/encephalitis. Non-toxic appearance; low concern for DATA: Med/Allg: denies PMH/PSH: denies ROS HEENT: no eye pain, no sore throat, no ear pain CV: no chest pain, no palpitations Pulm: no shortness of breath, no cough Abd: no abdominal pain, no N/V/D MSK: no joint pain, no joint swelling, no back pain PE Gen: A&Ox4, NAD, non-toxic appearing HEENT: no pharyngitis, no AOM/OE, no PTA/RPA/Ludwig's, no cervical adenopathy CV: S1/S2 RRR without MRG, cap refill <2 seconds all extr Pulm: CTA all fields, no dyspnea on exam Abd: no focal Abd TTP, no peritoneal signs, no CVA tenderness MSK moving all extremities without limitation, no gross deformities, no joint swelling or tenderness Neuro: CN 2-12 and cerebellar grossly intact Skin: maculopapular lesions on Bilat lower legs c/w contact dermatitis. Lab: none indicated Rad: none indicated
1103235	3/15/2021	CO	67	M	2/11/2021	2/25/2021	His left eye started looking funny on Thursday night, 2/25/21. Friday morning the left side of his face wasn't able to smile. Took him to medical center where, after CT scan and blood work, he was diagnosed with Bell's palsy. Unfortunately the treatment for this is a steroid and antiviral medication. By Sunday night he was exhibiting signs of mania.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1103217	3/15/2021	NY	42	F	3/4/2021	3/6/2021	On Sat 3/ 6 I woke of with bright red eye lids. My face burns when water touched it. Then my eyelid skin peeled over the next few days. I had a very pale eczema patch on my neck prior to the vaccine. On Saturday night my husband said my neck was the reddist he'd ever seen it in 17 years. I said it was burning, and then looked in the mirror and realized it was as red as my eyelids had been in the morning. Like a severe sunburn. I had been parched all day like I had a lump in my throat. I took benedryl for the next 24 hours. My breathing remained fine and it passed .
1102403	3/15/2021	FL	74	F	3/3/2021	3/6/2021	74 years old female (09/04/1946) got her moderna vaccine on 03/03/2021 @1300. patient reported that on 03/06/2021 @0400 she woke up with cloudy vision on both eyes. patient reported on 03/06/2021 she went to the eye doctor to check on her eyes. Patient reported 03/07/2021 she developed a black plaque on her left eye lead to vision loss in the left eye. patient was send to the hospital stayed there for 3 days she was diagnosed with stroke in the eye. patient reported penicillin allergies. patient reported no medical history. patient reported no current medications. patient called, because she wants help to get all her paperwork and the labs she have done during her stay at the hospital, to provide it to her ophthalmologist during her appointment on Monday. patient was instructed to call the hospital or to call the department of health to get the lab results.
1103170	3/15/2021	AZ	49	F	3/15/2021	3/15/2021	~~Janssen COVID-19 Vaccine EUA" Patient was diaphoretic, feeling faint and reported blurry vision. Patient denied dizziness, shortness of breath or chest pain. Patient was assessed by medical doctor and registered nurse . 911 was called , EMS responded , EMS assessed and treated patient . Patient was discharged in stable condition.
1103164	3/15/2021		33	F	2/11/2021	2/25/2021	On 2/25/2021 I experienced vision problems. It was like lashing lights this happened 2 days on the 2/25/2021 & on 2/26/2021. I had to see my eye doctor. Pregnancy due date 4/29/2021 & my pregnancy has been good just got diabetes .

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1103417	3/15/2021	CA	40	F	1/20/2021	1/23/2021	1) After 3 days of Moderna Dose 1, on 1/23/21, I developed visual disturbances for about 15 minutes, where i have a constant bright round spot in my field of vision (LEFT eye only) that stays even after blinking. (Like the residual bright spot that stays after a camera flashlight flashes you). It eventually resolved without any treatment after approx 15 to 20 min. 2) Also with looking from my left eye, I also see some ripples on my top left corner of my visual field. (like water ripples), and that also lasted about 15 min. I have not encountered any eye issues of this nature before, and i had my last optometrist check in 9/2020 and all was normal. 3) Dizziness was experienced when moving and turning my head ONLY while lying in supine position after both doses. With 1st dose, dizziness lasted about 1 week while lying down, and with 2nd dose, dizziness was experienced for about 1 day only. No dizziness with standing and turning head. 4) Axillary lymph node on left arm (arm that shot was administered) was swollen after both doses that lasted for few days, then resolved. Swelling of lymph node was palpable, about the size of a pea.
1102224	3/15/2021	OH	54	F	3/13/2021	3/14/2021	low grade fever, chills, body aches, headache so bad that meds would not help, dizziness, frequent urination the day after, blurred vision and fatigue.
1102328	3/15/2021	MA	51	F	3/12/2021	3/12/2021	BLOODY LEFT EYE CHILLS/FEVER BODY ACHE HEADACHE INDUCED MENSURATION WITH HEAVY BLEEDING AND PASSING LARGE BLOOD CLOTS . I TOOK ONLY TYLENOL 1,000 MG TWO 3 TIMES AND FELT BETTER BUT STILL BLEEDING AND HAS RED EYE

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1102322	3/15/2021	MD	58	F	3/13/2021	3/13/2021	I have a history of acute and delayed allergic reactions to food and drugs. I received Pfizer vaccine at approx. 12:00 Noon on 13MAR2021. I experienced minor lower lip swelling at 9:30 PM (the lower lip, left side only). Went to bed approx. 10:30 PM and experienced mild chills. I woke up at ~3:30 AM with full facial swelling (forehead, brow, eyes, under eyes, facial lines, jowls and full lower lip only - now right side engaged and more pronounced than the left side) and mild full body hives. I took a Zyrtec. The itching of hives subsided in approx. 30 minutes. The facial swelling and lower lip swelling subsided in approx. 12-hours. I took and have photos of my face and lips.
1102321	3/15/2021	OK	56	F	2/27/2021	3/6/2021	extremely itchy rash on arms, neck, chest, eyes and head - still experiencing itchy rash on neck and chest - 17 days after vaccine
1102318	3/15/2021	NJ	87	F	3/12/2021	3/12/2021	rash on arm, both eyes swollen shut, face swelling
1102316	3/15/2021	AK	67	M	3/9/2021	3/10/2021	Light headed, blurred vision, felt like I was in a fog.
1102313	3/15/2021		81	M	2/7/2021	2/7/2021	4 intermittent episodes of blurred vision/unclear speech/unsteady gait/slight confusion lasting 30-45mins in past 9 days.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1102379	3/15/2021	AZ	36	F	3/11/2021	3/14/2021	This is a positive one, and I can hardly believe it. My irregular pupil dilation independent of each other, occurring for 12 years corrected itself! I swear this is not a joke. I'm flabbergasted. The longer explanation: Something I never talk about, partially because I am scared, is an issue with my eyes that started when I was 19. I am now 36. My right pupil will dilate quite irregularly from my left. A bright light will correct it, but then it will start again after. I've mentioned it to eye doctors, and they brushed it off. Research only has scary answers, with no help, so I have learned to live with it. It used to make me dizzy, nauseous, and I'd lay down. But over the years I've adjusted, and it doesn't bother me. I received the first dose of the Pfizer vaccine on 3/11. Last night, 3/14, I became dizzy and faint. Today, I still felt that way. I was splashing cold water on my face, when I realized, looking in the mirror, my pupils were exactly the same size! And maintained that same diameter. I keep checking, but, so far, it's consistent. I assume the dizziness, lack of balance, and slight faintness today is my body getting used to this, as it's been compensating for the difference for 12 years. So, is this a positive side effect? A coincidence? The vaccine is the only recent change, and nothing else has effected this issue over the years.
1102235	3/15/2021	LA	76	F	2/6/2021	2/25/2021	eye lid swelling facial swelling
1102263	3/15/2021	WI	58	M	1/29/2021	1/30/2021	Next day: Headache, eye pain, cough, fatigue, tinnitus, some congestion. Current, as of 3/15/2021: Headache still persists almost daily, but seems to be lessening in severity. Eye pain, tinnitus occasionally, but improving. I did not receive the second injection on 2/26 because of these lingering side effects.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1102170	3/15/2021	WA	72	F	3/12/2021	3/12/2021	Within 10 minutes of receiving the vaccine, pt reported having tingling to left side of tongue and lips. BP 199/88 and continued to rise over the course of 15 minutes to 239/103. Pt denied shortness of breath, but tingling did not improve so Benadryl 50mg PO administered but offered minimal relief. Pt then began to complain of blurry vision to left eye and headache. EMS called and manual BP was 258/100. Pt transported to local ED and treated. ED physician noted that he felt that this was a drug reaction related to the COVID vaccine.
1102159	3/15/2021	OH	55	F	3/13/2021	3/13/2021	3-13-21 1:15PM RASH NOTED ON FACE, NECK AND CHEST, EYES ARE 'ITCHY'. NO SOB / DYSPNEA, NO SWELLING OF MOUTH, TONGUE OR THROAT. GIVEN BENADRYL 50MG PO. PT STATES SHE 'FEELS OK TO GO HOME WITH HUSBAND'. HUSBAND TO DRIVE PT HOME. PT A/O, PINK, W/D, RESP REG WITH EASE. AMBULATORY BRISK/STEADY. NO ACUTE DISTRESS NOTED. 3-15-21 10AM TC: 'STILL HAS VERY SLIGHT RASH, NO OTHER SYMPTOMS'. CHECK WITH PCP R/T DOSE #2.
1102142	3/15/2021	FL	29	F	3/9/2021	3/9/2021	During the first fifteen minutes after receiving the vaccine, the right side of my face started tingling and became numb. The left side of my face was not affected and there was no respiratory involvement. In the following few hours, my right eye had transient pain and my cheek felt swollen. The next day, I had chills, arm soreness, mild headache at times, and while my facial symptoms were still present, they had improved. The second day I only had mild numbness and tingling on my face with some lip tingling. Day three, four, and five I had slight numbness of the right side of my face and tingling lips, no further symptoms. As of day 6, I have slight eye pressure around my right eye and mild lip tingling.
1102139	3/15/2021	MO	34	F	3/10/2021	3/10/2021	Increased BP, right side vision loss

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1102130	3/15/2021	ID	72	M	2/26/2021	2/28/2021	Woke up with subconjunctival hemorrhage in left eye; This is a spontaneous report from a contactable consumer (patient). A 72-year-old male patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Lot number: EN6198), via an unspecified route of administration into the left arm on 26Feb2021 09:15 at a single dose for COVID-19 immunisation. Medical history included psoriatic arthritis. The patient's concomitant medications were not reported. Patient was previously administered with first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Lot number: EN9581), via an unspecified route of administration into the left arm on 05Feb2021 09:30 at a single dose for COVID-19 immunization. The patient woke up with subconjunctival hemorrhage in left eye on 28Feb2021 06:00. The patient did not receive treatment for the event reported. Outcome of event was not recovered.
1102782	3/15/2021	IL	67	F	3/6/2021	3/6/2021	Shaking chills, headache, subjective fever, stuffiness starting 6 hrs after Johnson and Johnson vaccine. Noted bumps day after vaccine around a superficial vein along L lateral forehead associated with soreness. She had some hyperventilation which also subsided. Had HA for 2 days. No clear vision changes, wears contact. Had R ear redness briefly but also resolved.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1103203	3/15/2021	NY	62	F	3/13/2021	3/14/2021	PT HAS BEEN ON DPXT FOR ABOUT 4 YEARS FOR ECZEMA & HAS CONTROLLED HER SX WELL. SHE RECEIVED J&J COVID VACCINE ON SATURDAY & HAD DOSE OF DPXT ON SUNDAY & IS HAVING BREAKTHRU IN ECZEMA SX NOW. PT STATES AFTER GETTING J&J VACCINE ON SATURDAY, SHE HAD NO FEVER, FELT LITTLE TIRED IN AFTERNOON, MAYBE SOME CHILLS (BUT WEATHER WAS COLD), & NOTHING ELSE TO NOTE OF. SUNDAY WAS HER DPXT DOSE. SHE TOOK IT IN THE AM & ABOUT 5 HOURS LATER SHE STARTED TO HAVE BREAKTHRU IN SX. HER MOST SEVERE TROUBLE SPOTS PRE-DPXT TX WAS AROUND HER EYES, CHEEKS, FACE AREA. SHE STARTED TO FEEL INFLAMMATION AROUND EYES & UPPER CHEEKS ON SUNDAY. THIS MORNING THE SX FELT VERY STRONG BUT SEEM TO BE DIMINISHING SOMEWHAT THROUGHOUT THE DAY. SHE IS HOPING THAT IT WILL CONTINUE TO IMPROVE & RESOLVE TOMORROW. SHE CAN FEEL THE INFLAMMATION UNDER THE SKIN - NO VISUAL SX YET. SHE FEELS LIKE THE COVID VACCINE SOMEHOW BLOCKED THE EFFECTS OF HER DPXT. PT HAS NEVER HAD THESE SX DURING HER TX OF DPXT. THE DPXT HAS CONTROLLED ALL HER SX WELL THROUGH THE PAST FEW YEARS. SHE WANTED TO INFORM US SO THAT WE CAN COLLECT DATA. ADV PT THAT IF SX DO NOT RESOLVE OR IF THEY GET WORSE, CONTACT MD FOR ADV. PT AGREED.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1102280	3/15/2021	NY	39	F	3/11/2021	3/14/2021	Redness, irritation and swelling around both eyes. Itching and burning sensation in both. Symptoms developed 3-4 days post vaccination. Fast onset. Consulted with Dr. via video visit. Advised to use tacrolimus topical cream, antihistamine eye drops and other regular medications for reaction. Also advised to use Vaseline to moisturize and protect swollen eyelids, use cold compresses and monitor the symptoms. Treated symptoms with advised solutions and symptoms gradually went away after 3-4 days. Same reaction with 2nd vaccine dose, redness, swelling, and irritation of eyelids developed 3-4 days post vaccine. Going about treatment in a similar manner, will again consult the Allergist office of the reaction.
1102630	3/15/2021	OK	63	M	3/8/2021	3/12/2021	intermittent headache and blood pressure is erratic sometimes going as high as 170/130. Eye floaters and eye flashes and high BP caused ER visit on Sunday 3/14/2021.
1102764	3/15/2021	NY	75	F	3/3/2021	3/4/2021	Double vision, swollen glands in neck and throat, cough, when I try to eat my mouth is on fire, swollen eyes
1102233	3/15/2021	MD	35	F	2/15/2021	2/22/2021	Experienced moderate headaches everyday for 7 days following first series of vaccine. (NDC el9263) On day 7, woke up in the middle of the night with intense nausea and headache. First thought to have food poisoning because husband who received the same vaccine also had similar symptoms. Both vomited multiple times and experienced severe headaches. After second series of vaccine (NDC en 6201), experienced headaches everyday again which required in taking multiple doses of ibuprofen. On day 7, woke up in the middle of the night with intense headache. Developed intense nausea, headache, neck pain, stiffness, light sensitivity, watery eyes, congestion and could not continue to work. Took multiple doses of advil and had to take off work. No vomiting occurred. Did not see a physician but consulted a coworker/neurologist friend who thought I fit the description of aseptic meningitis. No lumbar puncture or laboratory evaluation was done. Rechallenge was positive.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1102380	3/15/2021	MI	88	F	3/1/2021	3/1/2021	PATIENT REPORTED TO PHARMACY WITH DROOPINESS OF RIGHT EYE ON 3-12-21 AND WAS TOLD TO PURCHASE OTC EYE DROPS FOR IT. THE NEXT DAY (3-13-21) SHE CAME TO PHARMACY WEARING EYE PATCH ON RIGHT EYE. SHE SAID SHE WENT TO HOSPITAL ON 3-12-21 AND WAS TOLD DIAGNOSED WITH BELLS Palsy, NO PREVIOUS HISTORY.
1102655	3/15/2021	WI	53	F	3/13/2021	3/15/2021	Patient states she developed left eye swelling on the morning of 03/15/21. States she does not think its allergies since she took a claritin and it did not help her.
1102651	3/15/2021	OH	92	F	3/1/2021	3/3/2021	2 DAYS AFTER DOSE PATIENT HAD DROOPING FOREHEAD, HEAVY ON THE EYES PER DAUGHTER
1102638	3/15/2021	TX	25	F	3/10/2021	3/12/2021	3/10/21: - Sore arm at injection site 3/12/21: - 11AM: Welts on bikini area -12:30PM: Welts in bikini area gone - 12:45PM: Took a Benadryl 3/13/21: - 4AM: Welts appeared on legs, arms, and buttocks - 11AM: Wake up and welts that were there at 4AM are gone, but there were new welts on the same body parts in different areas - Throughout the day the welts came and went. I took a Benadryl every 4-6 hours 3/14/21: - Eye was swollen and welts appeared on legs and buttocks
1102711	3/15/2021		50	F	3/15/2021	3/15/2021	Patient was sitting in observation and her daughter noticed the left eye was swollen. She told us that her mom gets botox and fillers all in her face. She gets the hyaluronic acid filler apriline. She declined treatment and felt fine otherwise. She will contact her doctor.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1102625	3/15/2021	MS	50	F	3/9/2021	3/13/2021	I was told by my doctor after talking with his office on the phone to report my reaction and that he is recommending that I NOT HAVE THE SECOND DOSE of this vaccine. On Tuesday March 9th I had my first dose of the Pfizer vaccine at our drive up site with the health department. I did not have any tylenol or claritin that morning and only took Tylenol that night. Starting the NIGHT of the 10th I started taking my usual Child's dose of Claritin for seasonal allergies. I took Claritin the nights of the 10th, 11th and 12th (thank goodness apparently). The only issue I had the 9th and 10th was REALLY SORE ARM. One the morn ing of Saturday the 13th I woke up and my neck was itching. Then my decollete area. Then my face and head and shoulders and the back of my arms. I felt like I was flushing after a steroid shot with the pin prickly itching and very very very slight pink color to my skin. Eventually by the evening the itch moved to my bra line. I called my local pharmacy (since the urgent care center was closed) and was told to take benedryl or claritin and keep an eye on it. The ADULT dose of Claritin really helped to calm the majority of the itching. I itched a little yesterday and still itch in spots today but the Claritin is helping as is topical Cortaid. The nurse said the claritin I had in my system probably prevented me from turning red. I have been told by two doctors that I should NOT take the second dose. ALL OF THE CONVERSATION WITH MY DOCTOR WAS DONE OVER THE PHONE.
1102613	3/15/2021	ND	71	F	2/18/2021	2/19/2021	Patient received one shot of COVID-19 vaccine (Moderna) and the next day had a raised red itchy rash on left leg from knee to ankle. The next day she experienced a headache beginning behind her left eye that then travelled down the back of her head, neck and into lower back. She had pain in lower back so much so that she couldn't sit comfortably. The next day she had bubbling and rolling stomach. The next two days she had severe diarrhea, then a spot on her face (cheek). The next day she had pain in her right foot and couldn't walk on it for a while. Her shot was administered in her right arm and she has a history of anaphylaxis with a Penicillin shot. She hasn't had anymore symptoms for about a week as of 3/15/2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1102499	3/15/2021	FL	19	F	3/9/2021	3/10/2021	Swelling of the face and eyes, high fever, loss of appetite, rapid heart rate. The swelling of the eyes has lasted 5 days now but the face swelling went away after 3 days. I still have a high fever on and off and the rapid heart rate went away a few hours after injections
1102444	3/15/2021	GA	41	F	3/9/2021	3/10/2021	A day after the second dose, vision in my right eye was impacted. It progressively got worse. I saw an eye doctor for an emergency visit on Saturday, 3/13. He did a full exam with dilation, and suspects it is an optic neuritis. Today, I had a visual field test, but I am unaware of the results yet. There has been no improvement in my vision since Saturday when I saw the doctor.
1102647	3/15/2021	FL	63	F	1/6/2021	1/6/2021	I started to experience a problem with my left eye about 6 hours after I received the vaccine. I could see small bolts of white light is the far outside corner of my eye. I first attributed it to an ocular migraine, but those usually only last maybe an hour. The next morning I could still see the bolts of light which were very distracting. I called in sick to work and went to see an eye doctor. He diagnosed me with a PVD (posterior vitreous detachment). It may have been coincidental, however since it occurred on the same day I received the first vaccine, I was advised to report it by V-safe who was doing periodic follow up through texts.
1102460	3/15/2021	TX	61	F	12/29/2020	1/12/2021	I started with a headache,nausea that progressively got worse on Tues. I went to ER exp sharp pain behind left eye ear, left jaw was tightening during pain of the headache.
1102510	3/15/2021	VA	75	F	3/12/2021	3/15/2021	Three days after my second shot (3/12/2021) I have a red rash under my arms and under my breasts. I also have some redness on the left side of my face near my eye. The rash does not itch. I have had a similar reaction to some medications when I have had a severe cold/infection.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1102517	3/15/2021	DE	69	M	3/3/2021	3/10/2021	Received 2nd dose Wednesday, 3/3/21 6:00pm Tues. 3/9/22 late afternoon? fever 101.4 Wednesday 3/10/21? 1:25 or so... while sitting in recliner, starting seeing very bright light? couldn't see anything but bright light.... within seconds starting convulsing/ seizure- for about 30 - 60 seconds- was unaware of what was happening- eyes open but not focused... arms, legs and whole body convulsing? after it stopped within a minute or two? started vomiting uncontrollably? was able to hear me at this point? 911 was called at 1:35.... Taken to Hospital Admitted?
1102523	3/15/2021	CA	66	F	2/20/2021	2/25/2021	Headaches, dizziness, sore throat, head pain more on right side, both eyes pressure (soreness), right eye lid dropped for a few minutes I couldn't lift it, only the right eye heavily twitching, nose pressure pain, inner ear pain (more on right side), teeth and gum soreness, neck pain, chest pain (pressure). Two severe days ( February 28th and March 1st) and then it gradually got better by end of two weeks. I'm 96% back to normal today. Still having occasional slight pains in head, ear, nose and throat. Advil and Tylenol help.
1102568	3/15/2021	NY	29	F	3/8/2021	3/8/2021	10:25am Pt received vaccination, came to recovery and walked to EMS on staff c/o of feeling light headed, dizzy. They sat her in a chair and rolled her eyes back and had a syncopal episode that lasted approx 30 sec. They put her on 4L oxygen. She became diaphoretic, pale and warm. Ice pack to back of neck. VS 116/70 HR 72 Reg. resps 16 reg non labored. 100% SPO2. gave water to hydrate, within 5 min color came back face. diaphoresis ended. Monitored for 30 min. VS before exiting 120/80, HR 88 reg, resps 12 reg NL. provided reassurance. Encourage hydration. V-safe site. Ok'd to leave site. RN 3/9/21 - called pt to check condition left message no call back RN
1102604	3/15/2021	LA	38	F	3/14/2021	3/14/2021	11 hours post to injection, fever became elevated to 103°F, mentation became very confused, major aches through out body, elevated breathing and heart rate, some vision impairment
1098474	3/14/2021	LA	64	F	3/11/2021	3/13/2021	Sore throat, cough, headache, runny nose, congestion, watery eyes. OTC meds: Benadryl, Tylenol, salt water gargle

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1098329	3/14/2021	NY	65	F	3/12/2021	3/12/2021	Dizziness for almost 18 hours- couldn't open eyes or dizziness caused nauseous feeling. After dizziness subsided, diarrhea & tired, but at least can sit, walk and not feel ill.
1098350	3/14/2021	OH	68	F	3/10/2021	3/12/2021	ACTUALLY, HAD THE SAME REACTION AFTER MY 1ST COVID VACCINE, BUT THOUGHT IT WAS A COINCIDENCE. MY EYES BECAME ITCHY, RED, WATERY AND PUFFY. I AM TAKING BENEDRYL AND PATADAY EYE DROPS. IT IS A LITTLE BETTER, BUT STILL HAVING SYMPTOMS
1098381	3/14/2021	FL	52	F	3/6/2021	3/13/2021	Started with itching sensation, site started to feel numb and heavy, warm, swollen, red. The eyes also started to itch. I feel tired and chills.
1098383	3/14/2021		65	F	3/14/2021	3/14/2021	Headache after vaccine; denied vision changes, trouble breathing, no lightheadedness. Reports headache 3 hours after first vaccine; reported to MD "if severe, seek medical care". Will be following up with MD tomorrow (as is Sunday); Neurologist (seizures, hx stroke) on Wednesday. HA same as when started 8/10; VSS; BP 132/80. Last time, took tylenol for headache; rested in "dark room" (gets migraines). Has BP cuff at home, pulse ox. Will f/u if symptoms worsen.
1098399	3/14/2021	CA	25	F	3/13/2021	3/13/2021	Hemifacial Spasms on left side, lip eye, forehead, nose area. Began 40 minutes after receiving vaccine. Has been almost 24 hours and no relief.
1098414	3/14/2021	NC	57	F	3/12/2021	3/12/2021	- Fever went to 102.3 late Friday evening - Sweating until my shirt and shorts were soaked. - Very weak. Appetite lowered. - Increased heart rate. - Severe chills but my skin was burning hot. - Extreme sensitivity to light. - My eyeballs hurt so bad. Even now if I look to left or right I feel discomfort. - Injection site wasn't just sore. All the way down to my wrist my arm felt like I had surgery. It is still very painful. - Lower back pain. - Pressure headache. From Friday with ease Sunday

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1098469	3/14/2021	OH	61	F	3/9/2021	3/10/2021	Moderna COVID-19 Vaccine EUA Distortion of vision in both eyes but predominantly in the left eye. First noticed the morning after receiving the vaccine, and unchanged at this time (5 days after vaccination). The left-eye distortion is along vertical lines, such as when viewing an icon or a box on a computer screen. The distortion is very crisp and unwavering (not flashes or floaters) and forms a very clear half-circle that bends toward the left, as if the line is being pushed to the left by a ball. There are no dark spots or "missing" vision, just that what I'm looking at is pushed to the side at the point where I'm focusing. The right-eye distortion is much smaller but definitely present, and distorts to the right instead of the left.
1098376	3/14/2021	NY	67	F	3/9/2021	3/9/2021	3/9/21 PM headache, 3/10/21 AM fever, generalized achiness, 3/11/21 bilateral hand swelling and rash on hands, diffuse itching. 3/14/21AM swelling around eyes. continues itching. continued fever. swelling in hands improved.
1098477	3/14/2021	FL	56	F	3/13/2021	3/13/2021	Patient received vaccine, was in waiting area, and about 3 minutes later felt light headed and slid out of the chair onto the floor. Ice was placed on her head, she was breathing, and had a pulse. CPR was not necessary. She was laying on the ground for approximately 10 minutes. She opened her eyes at one point, and then her eyes rolled in the back of her head again. Blood pressure was normal at 119/78. Ambulance came and took her to the hospital.
1098510	3/14/2021	NC	65	F	3/6/2021	3/6/2021	Swelling of face and eyes, itching and redness of face and residual right eye vision impairment.
1098526	3/14/2021	IN	71	M	3/11/2021	3/11/2021	Diaherra, heavy chills and blurred vision, dizziness ever since the shot.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1098555	3/14/2021	PA	50	F	3/14/2021	3/14/2021	Patient developed signs of syncope about 5 minutes after vaccine given - 7:50 dose and 7:55am she felt warm, dizzy and had blurry vision and a dry throat. We supplied ice packs and she felt symptoms subside by 8:11am. At 8:18am she felt a wave of symptoms back and had an itchy throat - she was given 50mg of oral benadryl and felt better - leaving the pharmacy with her husband at 835am. I called patient at 1:18pm 3/14/21 and she had just gotten home from the ER where she was treated with iv fluids, benadryl and steroids per husband
1098566	3/14/2021	IN	24	F	3/3/2021	3/4/2021	Serious flu-like symptoms about 10 hours after injection (body aches, chills, fever, nausea, fatigue) which lasted approx. 72 hours. Stomach pain was on-and-off, radiating, and localized to lower left abdomen. Symptoms went away after rest. Uncontrollable eye-twitching began 24 hours after vaccine but has not gone away.
1098583	3/14/2021	TX	21	M	3/13/2021	3/13/2021	I got the Jansen vaccine, full body aches, swollen pink eye. Lots of pain
1098623	3/14/2021	NV	35	F	3/13/2021	3/13/2021	Within 15 minutes muscle spasms. At 20 min after administered dose hives and itchiness. All mucus membranes affected. At an hour or so swelling of the left eyelid began. Took a lot of benadryl, effects eased and swelling reversed. Swelling came back overnight. Eyelids, cheeks, tongue, gums, lips, left arm and hand swollen. Have taken more benadryl
1098664	3/14/2021	KY	52	F	3/12/2021	3/13/2021	Headache, chills, nausea, vomiting, aches and pain, severe pain in kidneys, eye pain, weakness, loss of appetite,
1098318	3/14/2021	AZ	61	F	3/13/2021	3/13/2021	Mild tingling and numbness on right side of face beginning 25 to 30 minutes after getting the vaccine. Right eye began watering later in day. Noticed watering eye after taking 1/2 of a 10mg Zyrtec that evening. This morning, 3/14/2021, the watering right eye continues and the numbness and tingling in right right side of lips continue. The symptom to rest of right side of face appears to have dissipated. The best way to describe it is the feeling to face and lips is it feels similar to the feeling when Novocaine is wearing off.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1097910	3/14/2021	MN	68	M	3/4/2021	3/11/2021	one week after injection Woke up to room spinning and would not stop, eyes closed or open. Felt nausea, stumbled to the bathroom holding walls. Severe, nausea and vomiting. Went back to bed and tried to sleep. Hour later I get up and same thing, more vomiting, Finally got back to sleep and spent day in bed. Better in the evening but left side of face feels a bit droopy and left side of body seen off, and sorta numb, but not numb.
1098628	3/14/2021	VA	72	F	3/1/2021	3/4/2021	Right eye began to burn almost immediately, followed by clear runny nasal discharge, plus left eye burning. 8 hours later, my hands, feet and nose became ice cold, head ached, arm began to hurt. Restless night, low grade fever. Progressed within 48 hours to epigastitis, intractable nausea?started Omeprazole on 3/11. Exhaustion lasted until Day 10 when I began to feel better and the nausea finally lifted. I do not want to go through this a second time but an asking you for guidance. I desperately want released from house confinement and separation from my children and grandchildren. Please help me with a decision of whether of not to take the second dose.
1097904	3/14/2021	MI	50	F	3/10/2021	3/10/2021	tingling lips, one to two hours, subsiding to slight only on left side intermittently tingling left side of tongue, one to two hours slighter tingling next to left eye, intermittent for days very strong metallic taste in mouth, subsided to slight metallic taste after a few hours
1099395	3/14/2021		23	F	3/10/2021	3/10/2021	covid vaccine reaction J&J. c/o temporal h/a, generalized body aches, n/v, rhinorrhea, chills, and dizziness after getting J&J single dose COVID vaccine at 0830 this AM. Pt began feeling ill around 1000. History: Pt had COVID-19 J&J vaccine this morning and then felt lousy and started heaving some headache, non-thunderclap, behind eyes, with shakes, chills, nausea, and then vomiting, here for eval. Feels better now after ibuprofen/Tylenol and has bad headache at this time. No recent illness/injury, COVID-19 hotspot visit, sick contact, recent international travel, diarrhea, rash, photophobia, ear pain, cough, SOB, abdominal pain, dysuria, vaginal bleed/discharge, recent surgery/procedure/abx use, prior co-morbid

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1097991	3/14/2021	MD	43	F	3/1/2021	3/13/2021	Face swelling (cheeks,, lips, eyes); Scratchy throat; Lips and face tingling; Heavy tongue.
1097997	3/14/2021	TX	48	F	3/12/2021	3/12/2021	Systemic: Allergic: Itch (specify: facial area, extremities)-Mild, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild, Additional Details: Pt was attended to by minute clinic provider. 2 benadryl 25 mg were given along with water and pt monitored for almost 30 min. afterwards. Provider said mouth and tongue did not look swollen upon examination.
1098010	3/14/2021		56	F	3/13/2021	3/13/2021	Headache, itchy eyes, nasal congestion, nausea within 15 min of administration.
1098086	3/14/2021	ME	68	M	3/9/2021	3/11/2021	Pruritus I don't recall exactly when symptoms began, but I'm guessing about 2 days after the injection. The itching sensation is limited to my face, including nostrils and eyelids I do my best not to scratch, and have been using saline spray in my nostrils and Visine Dry Eye Relief a few times a day on the affected areas (i.e., nose and eyes).
1098104	3/14/2021	CT	67	M	3/4/2021	3/4/2021	started with minor swelling in glands, then tightness of chest, breathing difficulty, then eyes began to swell,
1098127	3/14/2021	IN	23	F	3/12/2021	3/12/2021	I got chills on and off through the day starting at noon. At 10 pm in a matter of a second I went from wide awake to barely able to keep my eyes open and feeling like I got hit by a truck. I felt like I could not get in enough air when breathing. I would breath in and I felt like my lungs would feel the way you feel when you stretch the day or 2 after working out super intensely
1097996	3/14/2021	MD	52	F	3/13/2021	3/13/2021	Headache, nausea, dizziness, occasional chills between 2 pm and 4 am the following morning. Sleeve taken for symptoms, but it didn't seem to help. 5:45 am itchy ness and injections site redness, itchy eyes and face. 20 mg prednisone
1098159	3/14/2021	MA	33	F	3/13/2021	3/13/2021	One itchy red hive developed underneath left eye, within 4 hours of receiving vaccine dose 1

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1098273	3/14/2021	NC	69	F	3/12/2021	3/12/2021	site of injection pain, body aches, headache, pain behind eyes, fever-100.9, nausea, not able to eat took motrin 800 after abt 8 hrs ...most symtons went away except pain at injection site and headache
1098162	3/14/2021	MN	36	F	3/13/2021	3/13/2021	First I felt lightheaded/dizzy, then became nauseous, and my feet and hands were numb and tingling, I felt like my tongue was getting bigger but the primary care dr at the clinic didn't think so. They eventually after monitoring me for awhile sent me down to ER, by then my voice was raspy and scratchy, my lower lip was big, my tongue still felt big. I still felt nauseous. The dr asked me if my eyes are usually swollen and red and I said no. My extremities were still numb and tingling. I got epi and other drugs, zofran, benadryl, pepcid, I think a dose of steroids. The symptoms continued so I ended up getting a 2nd dose of epi. I went home around 5pm. When I woke up that evening to do a neb treatment I was nauseous, my lower lip again big, my tongue felt thick and this time my upper throat felt swollen, I gave myself epi and took myself to ER, they monitored me for 3 hrs the dr was gonna hospitalize me if I got worse, I still felt nauseous and the numbness and tingling feeling in my hands and feet when I left but was not having any airway issues when I left. Not sure if the numbness/tingly is gonna go away in my hands and feet.
1098165	3/14/2021		30	F	3/11/2021	3/12/2021	Somnolence, pain in left arm, pain of left side of the body, problems with eyesight, feeling warm, annoyance, dizziness, weakness, liver and gallbladder pain.
1098174	3/14/2021	IN	53	F	3/12/2021	3/12/2021	Flu symptoms, muscle and joints pain, headache, eye pressure, insomnia, fogginess, dizziness.
1098181	3/14/2021	IN	61	F	3/12/2021	3/13/2021	Low grade fever, chills, body aches, intense headache , excruciating eye pain and my hair hurt

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1098202	3/14/2021	TN	64	F	3/7/2021	3/13/2021	Saturday night around 9:45 my hands and arms began itching. Then i noticed they had broken out in a red rash with wheals beginning on my arms. It then began breaking out on my face and legs. I took 25 mg of benadryl. The rash continued to spread so I went to the ER. They administered prednisone, pepcid, and benadryl. After about 1 hour the itching was better and the rash began to fade but it didn't go away. The ER sent my home with a predisone dose pack for 6 days and to take 50 mg benadryl every 6 hours. When i awakened this morning I had the rash on other sites on my arms, legs and stomach and in my right eye, it was red and a little swollen. I took the first day's dose of prednisone and 50 mg benadryl and 20 mg of famotidine. After about 30 mins to 1 hour the itching and redness improved but has not completely gone.
1098205	3/14/2021	MA	58	F	3/6/2021	3/11/2021	Day of, severe arm pain which was gone the next day. However, on 3/11/2021 woke with headache, nausea, all over muscle and joint pain, weakness. By mid day, eyes were irritated and sensitive to light. By 5:00, fever, chills, muscle aches, headache, joint pain, nausea, rapid pulse rate when walking. Symptoms lasted 3 days. On 4th day, no fever or chills but still painful headache and some muscle/joint pain and weakness.
1098239	3/14/2021	FL	65	F	3/12/2021	3/13/2021	3/13/2021 migraine headache the following day, never had a migraine before, woke up at 5:00 A.M. the following morning with eyes feeling very heavy, headache and lightheaded, sunlight bothered me. Took Advil and stayed in a darkened room. Felt fine 3/14/21 when I woke up.
1098271	3/14/2021	MD	22	F	3/13/2021	3/13/2021	Rash and burning sensation on forehead, eye lids, under eye, cheeks, and under chin/neck area. I washed my face like regular night routine (cerave, vitamin e oil, and ointment cream for acne) and it seemed to irritate it more. Headaches; first time inthe for front of my head then moved to the back of my upper neck. Tylenol was the chosen treatment. No noted outcome yet.
1098689	3/14/2021	MD	63	F	3/10/2021	3/12/2021	Headache over the left eye that caused caused stabbing pain in the left and eye was sensitive to touch like when you have a sinus headache. Took two ibuprofen and rested. Took two hous to gio away.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1099404	3/14/2021		27	F	3/10/2021	3/11/2021	flu symptoms. Pt received Covid J&J 1100 10MAR2021. Pt started having HA, fever, chills started midnight. Pt denies coughs, nausea, chest pain, respiratory problems, abd pain. History: pt received J&J COVID-19 vaccine around 10am and woke up around midnight with shakes/chills and mild non-thunderclap frontal headache with mild body ache, here for eval. Had work-out earlier and not sure if body ache is from work-out, per pt. denies any recent illness/injury or symptoms prior to the COVID-19 vaccine this morning. No visual deterioration, sore throat, cough, SOB, vomit/diarrhea, rash, sick contact, recent COVID-19 hotspot visit, co-morbidities, use of any meds, or chance of pregnancy, per pt.
1099169	3/14/2021	AZ	64	F	3/1/2021	3/3/2021	Same response to Dose #1; Scleritis again developed in right eye, though less pain than before. As before, prescribed steroid eye drops and the symptoms are diminishing. Before these vaccinations I've had no history of scleritis or other eye problems.
1099178	3/14/2021	MD	66	F	3/14/2021	3/14/2021	a 66 yr old female In observation area began c/o dry throat, itchiness in eyes, diaphoresis and dizziness @17-20 minutes post Moderna COVID vaccine. Prior to this pt was interacting with RN doing V safe registration. Pt requested Water, drank 8 ounces of water without swallowing difficulty. Then pt became pale and requested PO Benadryl. Per adverse drug reaction kit, 25 mg /10 ml PO Benadryl given. Lot # 502935 exp 2/28/22 BP 146/87 large cuff on left arm -pt reported "I have high blood pressure" Pt advised to wait additional 15 minutes. Within 5 minutes pt skin pallor resolved, diaphoresis resolved along with dry throat and eye itchiness. Within 10 minutes pt drank another mini water bottle and again stated " I feel much better" Advised pt to call daughter from parking garage area to help assist pt to d/c. pts daughter is an RN also. Pt was able to ambulate independently though c/o feeling slightly tired stated "Benadryl usually makes me very sleepy" Pt d/c to home w/daughter @6:35 pm. Advised to call KP advice PRN any s/s worsening and to notify MD for precautions prior to second dose of Moderna scheduled. Pt agreed w/plan and verbalized understanding.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1099211	3/14/2021	PA	22	F	3/14/2021	3/14/2021	Shortly after receiving the vaccine, patient started to feel a warm sensation start from her feet and move up her legs up her body and she started to feel flushed and lightheaded, and was warm and had a tingling feeling in her throat. She denied any feelings of SOB or that her throat was getting thick or that she could not swallow, her lungs were CTA. She was removed from the vaccine cell and taken to the observation area. Vital signs on arrival were 176/110, she was placed on a litter and history obtained. She was assessed and continued to be observed with sequential vital signs. She denied any tunnel vision, and nausea or any bowel or bladder urgency. Her f/u vital signs were 132/95, HR 85, and 100% O2 on room air. Patient was given water, and was observed for a total of 40 minutes. Final vital signs were 108/72. Patient stated that her symptoms resolved, her cheeks were flushed, her throat tingling was gone, and she stated that she felt better. Patient was able to ambulate off of the site.
1099275	3/14/2021	IL	59	F	3/10/2021	3/10/2021	Moderna COVID19 Vaccine: Headache started within an hour of injection. Hour 4 soreness in arm of injection. Hour 6 chills started. Woke up every 1.5 hours throughout the night, felt feverish, heart beating heavily. Hours 15-34 continuous nausea, vomiting/dry heaves (7 times during this time frame), headache in the forehead with pressure between the eyes and in the nose area, very weak and light headed, aches in upper back/shoulders/neck/base of head, temperature 99.6, no appetite (ate 2 bites of dry toast and drank 30 oz. of water). Hour 35 no more nausea and was able to eat 6 small pretzels. Hours 36-40 was able to sleep peacefully. Hours 41-45 slight headache, temperature 99.2, achiness, stomach cramps, slightly fatigued Hours 46-71 stomach cramps and occasional diarrhea
1099279	3/14/2021	NJ	52	F	3/5/2021	3/5/2021	Fever (104.5); muscle aches; fatigue; under eye sinuses swollen; eye - productive; very thirsty
1099286	3/14/2021	WA	54	M	3/14/2021	3/14/2021	Client's companion noticed the client's eyes had become glassy and client made a "snoring" sound. Companion called the nurse over who called for EMT support. EMTs arrived shortly thereafter and took over care. Client was left in the care of the EMTs.

<i>VAERS_ID</i>	<i>RCVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1099309	3/14/2021	KS	67	F	2/18/2021	2/18/2021	I experienced tingling and numbness which started next to my left eye, and then it proceeded down my face and neck and shoulder. About 40 minutes later, it started going away in my shoulder then my neck and most of my face. The tingling and numbness remained next to my eye for over one hour.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1099097	3/14/2021	FL	52	F	3/3/2021	3/4/2021	<p>This is a report after my 2nd vaccine. I received my 1st vaccine on 2/10/21 [Lot # EL9265]. Both vaccines gave me a reaction, and both around the same time the next morning. My reaction to my 1st vaccine included slight fever, aches, and chills. Both doses were administered around 3:30pm and reaction was approximately 10:30-11am the next morning. On this 2nd dose, roughly 40 minutes after waking from sleep, I became mildly nauseas. I sensed I would vomit, so I sat down on the commode with a bucket in front. I started getting the sweats, got very cold, and my arms starting shaking. I started to feel the room spin, saw big black dots, and after banging on the wall to alert my husband something was happening, I fainted and passed out cold. My husband saw me fall face down, and after waking me, I was in a panic, did not know where I was, or how I was on the floor. I passed out a 2nd time, at which point, my husband was able to get me to the car and he took me to the local hospital. I was incoherent on the car ride, moaning, and not knowing what was happening. My eyes remained closed until I was wheeled into the emergency area and they asked me my name. I was taken to a private room, where they hooked up a blood pressure cuff, an oxygenator on my finger, and took several viles of blood. I was then taken to the cat scan room for a brain scan, and several hours later, was given a chest xray. I remained in the room for approx 6 hours, where I was becoming more and more aware of where I was. I had not eaten/drunk anything, except a cup of water. I had not used the lavatory. The PA came to me hours later stating all my tests came back negative, and they could not determine what happened, xrays and blood tests were good, and cat scan was good. He said that while they couldn't determine what happened, they would recommend a stay, so they can do more extensive testing. I contacted my husband via cell, told him what they said, and after another 1 1/2 hours, I made the decision to release myself as I was feeling more like myself again, albeit tired. I went home that evening, ate a small dinner, went to bed, and by 12 Noon the next day, I was fine again.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1099391	3/14/2021		21	M	3/10/2021	3/10/2021	flu symptoms. Pt received Covid J&J vaccine at 0920. At 2100ish started to have ha/blurry vision/body aches, cough, chills, nausea. History: pt received J&J COVID-19 vaccine this morning and after 2100 or so tonight, pt developed body ache, nausea, non-thunderclap headache, and cough, here for eval. Denies any symptoms prior to vaccination and went to the area once over the weekend in the past 2 weeks and no recent travel/COVID-19 hotspot visit, no sick contact, and denies also ear pain, sore throat, runny nose, SOB, focal abdominal pain, vomit/diarrhea, rash, prior co-morbidities, use of any meds.
1098724	3/14/2021	VA	71	M	3/12/2021	3/12/2021	Felt ill starting at 10:00 pm 03/12/2021 Body aches, muscle aches. Severe headache 03/13/2021 Frequent urination (every 90 minutes) starting at 12:30 am 03/13/2021. If I felt I needed to go to the bathroom, I was lucky I could control my bladder long enough to reach the toilet 20' away. Fever and chills. Fever measured 103 at 09:30 03/13/2021 Significant night sweats - soaked sheets requiring a change of sheets and pajamas. Basically slept from 10:30 pm 03/12/2021 until 07:30 am 03/14/2021 except to use bathroom Feeling of gout like symptoms in feet Blurry vision
1099428	3/14/2021	WI	50	F	3/4/2021	3/4/2021	Severe headache, whole body pain, sore throat, eye pain, fever, severe cold, severe tremors, nausea, dizziness, swelling, redness, fatigue, muscle pain, cough, and sneezing.
1099463	3/14/2021	WA	28	M	3/14/2021	3/14/2021	Broke into cold sweats when I went to the bathroom. Went back and sat in the chair and blacked out. Eyes rolled into the back of my head. Stiffened up and rolled out of the chair. Then I slowly came out of the black out.
1099466	3/14/2021	AZ	71	F	3/13/2021	3/14/2021	24 hours after vaccine, started having hard chills to the point that was unable to stand up. Temperature rose to 101.2 F. Severe headache, queasy, eye pain

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1100592	3/14/2021	GA	58	M	3/13/2021	3/14/2021	~~Moderna COVID-19 Vaccine EUA" Injection day Saturday March 13th no problems at all, everything was good all day. I woke up on Sunday morning 8am March 14th with a pretty moderate headache. I didn't feel good all day and took several naps unable to lose my headache. About 3pm March 14th I had a slight pain in my left eye and developed "floaters", a lot of them. I decided to take a nap and woke up 1 hour later with less floaters but I had like marble streaks in my left eye vision and about 10 minutes of flashing lights in my left corner eye, not severe though. My eye looks normal looking in the mirror, nothing looks unusual. Tonight the same day March 14th, 11pm before bedtime less floaters, I can only see one. The marble streak in my vision appears to be a black streak now when I look down at a white counter top. I can make it move from left to right when looking at the counter top but I do not have any pain. I am not sure what to do but I just wanted to let someone know that I encountered a side effect from the vaccine or it could be a coincidence, I have never had this problem before though.
1100594	3/14/2021	ID	67	F	3/4/2021	3/7/2021	ongoing symptoms of headache, muscle aches, fatigue, insomnia, elevated temperature( no fever above 99 degrees) joint aches, swollen lymph nodes, sweats, scratchy throat, red irritated eyes, bowel cramps and nausea
1100611	3/14/2021	CA	68	F	2/5/2021	2/5/2021	2/05/21 6 hrs after injection my thigh muscles on both legs tightened up and I could not bend at the upper thigh. very painful. 2/09/21 woke up with foggy vision and eyes burned like fire all day. 2/11/21 At work and felt fine until n/v/d hit hard and had to leave work. Shaky. dizzy, lightheaded with chills Could not stop shaking until the next am. 2/13/21 Face was extremely blotchy and very swollen with eyes still red and small. Left eye smaller and more swollen than right. 2/18/21 Developed chest pain. No SOB tongue not swollen. Resp and spo2 down to 94% normally 98 or 99
1100630	3/14/2021	NV	47	F	2/9/2021	2/12/2021	Initially one week of eye allergies: itching, burning, swelling of eyelids. Then one week of hives on neck front and back. Now over a week of increasing hives at neck, elbows and knees, now itchy hives on trunk, back, knees and entire arms.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1099363	3/14/2021		41	F	2/19/2021	3/3/2021	Onset of leg weakness and instability that has progressively worsened. Constant imbalance noted more in standing and with walking resulting in feeling like I am "rocking on a boat" constantly. Increased sway in static standing that is more pronounced with rotational movements, eyes closed, and decreased base of support. Ataxic movements and lateral veering with walking at times. Episodes of low blood pressure/significant decrease in blood pressure from sitting to standing, tachycardia, and resting tremors in the hands that are intermittent in nature. Feeling of head being "in the clouds" constantly where something is not right.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1099355	3/14/2021	PA	31	F	2/28/2021	2/28/2021	2 hours after receiving the vaccine on Sunday, I had significant fatigue and sensitivity to light with watery eyes and a headache and was in bed all day. The next morning on Monday I woke with a pressure headache that was kept at bay with Advil. The headache stayed the same on Tuesday and Wednesday. By Thursday the headache was so uncomfortable I was having trouble working. It stopped responding to Advil and the pressure continued to increase on both sides of my head with sharp, shooting pains throughout that would come and go with the constant pressure. By Friday, I couldn't go to work and ended up calling into my PCP and advising them that I had a migraine that was very different from my normal migraines that I get (pain on left side behind eye, very nauseous, sensitive to light, always responds to OTC meds) and it wouldn't respond to Advil and asked them to call in something. They called in generic version of Imitrex that evening; but since this migraine was so different than my normal pattern, I went to the ER on Saturday. They did a CT scan to make sure there were no brain bleeds and gave me IV magnesium and steroids. I declined the toradol and Benadryl. The headache was still there, but bearable finally when I left. It got worse again that evening and I ended up taking the imitrex at 3am and falling asleep, only to wake up at 7am with a skull splitting feeling. That feeling stayed for the next 4 days, slowly getting less intense. I was unable to workout any of these days (I workout for about an hour daily for the past 3 years) because it was extremely exacerbated by activity. I was not hungry. Finally on Thursday I felt more like my normal self but the headache remained slightly and now on Sunday all that is left is the sharp, shooting pains that come every so often and light sensitivity.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1098798	3/14/2021	CA	35	F	3/5/2021	3/11/2021	Six days after receiving vaccine, began feeling unwell. Symptoms are extreme fatigue, red eyes, sore eyes, body aches, joint pain, pain around back/ribs, shortness of breath on exertion. Unable to do usual household tasks and requiring bedrest for much of the day. The symptoms are very similar to the waves of symptoms I experienced early on in Post-Acute Covid-19 syndrome. I got sick in March and was experiencing waves like this through November. Since November, my physical symptoms had abated and I had not suffered a major relapse like this, besides a mild relapse at end of January. My shortness of breath issues, back pain/rib pain, eye soreness are very specific symptoms that I associate with early on in my long covid experience. The vaccine seems to have triggered a major relapse in my long covid symptoms.
1098743	3/14/2021	WI	31	M	3/14/2021	3/14/2021	Patient, Patient's wife, and Pharmacist were in immunization room talking post vaccination when after a few minutes the patient stated "I don't feel very good, it's happening." and his eyes rolled backwards. Patient was sitting and did not fall. Patient came to about 20 seconds later. Patient was helped to the ground and 911 was called. Patient was sweating, dizzy, and pale. EMT's arrived and took patient's vitals which were all normal. Patient told EMT's that this often happens post immunization and even when just visiting the doctor. Patient recovered and EMT's concluded patient did not need additional treatment. Patient left on his own accord with his wife.
1098746	3/14/2021	TN	43	F	3/13/2021	3/13/2021	Swollen, itchy, hot rash starting below eyes and continuing to spread down face. Swollen throat with mild discomfort.
1098752	3/14/2021	NH	68	F	3/2/2021	3/5/2021	3/2/2021 go vaccine - 3/5/2021 had visual issue, bright spinning colorful lights, dizzy. 3/12 had grand mal seizure after same issue. taken away in ambulance. 1st time in my life having a seizure.
1099076	3/14/2021	CA	62	F	3/13/2021	3/13/2021	3 h after vaccination - flushing and itching of upper back, chest, face (esp eyelids). No palpable rash or hives, no respiratory sx

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1098783	3/14/2021	AZ	77	M	2/27/2021	3/12/2021	I believe I reported adverse symptoms on the 11th March, but on 12 March I noticed my left upper lip "drooping", and my right eye blinking differently from my left one, so, fearing a stroke I went to the Hospital at approx. 2PM. They monitored my BP, took blood samples, then did a CT scan followed by an MRI. Then the doctor saw me and told me that my MRI was "clear", but that I had "Bell's Palsy".
1098726	3/14/2021	FL	66	F	2/20/2021	2/26/2021	Covered in itchy rash and hives. It started as rash and hives on chest and abdomen then spread to back, arms, legs neck and eyelids.
1098800	3/14/2021	VA	69	M	3/12/2021	3/14/2021	Serious malaise within 24 hrs. of vaccination, visual disturbance, e.g. large multicolored kaleidoscope with visual distortion lower left of center. Disturbance is in the same location when covering either eye, and is also present with eyes closed. It dissipates within about 15 minutes, and this has happened twice, the reported time, and once again at 2:00 PM 14 Mar.
1098808	3/14/2021	FL	65	F	3/1/2021	3/1/2021	The morning after the shot extreme pain above my temples that moved also to the upper part of the left side of my head. Only could ease the pain by keeping eyes closed for a day and a half. When got out of bed after very dizzy for a day.
1098815	3/14/2021	NY	74	F	2/4/2021	2/15/2021	floaters in both eyes after the first dose which went away in few days without any treatment 4 days after the second dose noticed more floaters again which still persists but getting fewer
1099075	3/14/2021	NM	74	F	2/18/2021	2/20/2021	Occipital Palsy in right eye : pain in right eye and restricted movement of eye lid and eye ball and blurry vision
1098848	3/14/2021	FL	46	F	3/8/2021	3/8/2021	I felt like my vision was changing and it felt like my pupils were very tiny. I felt a strange pressure in the top of my head. Not a typical headache but a weird pressure. I started feeling like I was clenching my teeth and my jaw. That night my arms were very jerky. I wasn't thinking right. And every day since I feel like I'm tense muscles I'm dizzy I'm just not mentally like I used to be.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1098882	3/14/2021	OH	49	F	3/9/2021	3/10/2021	Extremely sore upper arm for 3 days. Nausea begin on 3/11 in the morning. Vomiting on 3/12 in evening. Vomiting caused petechiae on around eyelids and upper cheeks, throat swelling with bright red streaks. Started Benadryl every 4 hours for 24 hour period until swelling subsided. Liquid diet of broth, plus antacid. 3/13 Less nausea, still on liquid diet of broth, flat soda Benadryl every 4 hours. 3/14 extreme fatigue, abdominal cramping followed by solid bowel movements. Added rice with broth to diet.
1098936	3/14/2021	MA	69	M	3/12/2021	3/13/2021	on 3/14 had low fever and extreme fatigue, on 3/15 felt better but had a migraine headache with aura and transient loss of vision. i have had similar migraines in the past but rarely--less than once per year
1098961	3/14/2021	FL	21	F	3/13/2021	3/13/2021	Severe chills at 11:30pm to 3am. Woke up at 4:30am and vomited several times. Felt weak and dizzy. The next morning, had severe headache and pain from behind my eyes to the back of my head.
1099000	3/14/2021	TX	65	M	3/13/2021	3/14/2021	arm continuing to be sore, fever of 101, weakness, bad chills for three hours, weakness, vision fuzzy even with glasses
1099001	3/14/2021	IL	42	F	3/1/2021	3/1/2021	Left side of my face doesn't feel right. Almost numb and my vision to the left is off.
1099058	3/14/2021	FL	36	F	3/13/2021	3/14/2021	Blurred vision and fainting that last about 3 minutes.
1098820	3/14/2021		65	F	3/6/2021	3/7/2021	Felt flu like the next morning after second shot ~8 AM (3/7) intense headache, lower back ache, over all achy, nausea, vomiting, abdominal pain/pressure, chills/sweats off and on, until around 8 PM. Very weak for few days, no appetite. On Thursday 3/11 relapsed with blurry vision around 10 AM, dizziness, intense headache, nausea, vomiting, freezing cold with noticeable body shaking. This was as bad as Sunday and lasted most of the day into early evening. Felt worse than any flu I've ever had. Today (3/14) is best I've felt since Sunday (3/7).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1098774	3/14/2021	SC	25	F	3/5/2021	3/13/2021	When originally obtaining the vaccine, I had little side effect; the only thing I noticed was a slight fever for a few hours and a sore arm for a few days. 8 days after the shot was given, I developed a small swollen welt at the site of injection. I thought it may have been a mosquito bite, as I had spent the evening outside. That evening, I kept an eye on the swelling, and it was about the size of a half-dollar coin by the time I went to bed. When I woke up throughout the night (this is normal, as my sleeping patterns are irregular) I noticed more soreness in my arm. When I awoke for the day, the swelling had grown to be about the size of my hand. It is now sorer, and somewhat itchy, but I am managing with ibuprofen.
1096938	3/13/2021	CA	58	F	3/11/2021	3/12/2021	I have a slight head ache, my left eye is swollen and my eyes are blood shot. Soar at the injection site and a slight fever.. feeling a little dizzy.
1096911	3/13/2021	IN	59	F	2/17/2021	2/17/2021	Macular rash around eyes including eyelids, on cheeks and around mouth. Itching and tingling of lips. Treated with Benadryl 25mg x 2 doses. Duration of 1 day.
1096908	3/13/2021	WI	77	F	2/26/2021	3/11/2021	Sudden dizziness with some nausea and cold drenching sweat - no fever - extremely weak and fatigued and could barely stand and then severe headache came on about 10 minutes into episode. Dizziness lasted approximately 2 hours until I could safely move and then began to subside. I noticed my eyes did not want to focus well and was seeing spots when I tried writing down what happened. Chills began and I felt extremely cold, my head felt "foggy" and tight, ringing in ears started and headache moved to migraine level. Slight fever 99.8. Main dizziness did pass after about 2 hours but other things continue to linger on an off. I just feel "off". I have actually heard other seniors mention some of these very symptoms so am not super alarmed, however, I did not have any of these side effects before the vaccine for Covid-19. I did experience extreme fatigue and bad headaches since I received the first dose on January 27, 2021. I have not called my doctor regarding these side effects since I have heard many seniors complain of very similar reactions. I have rested as much as possible, tried to stay hydrated, and taken Tylenol when needed. For the dizziness I tried to stay as still as possible and put my head between my knees until it finally passed.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1096876	3/13/2021	MO	66	F	3/3/2021	3/10/2021	Developed Bells Palsy, distorted face, droopy mouth and eyelid, not able to fully close left eye and mouth not functioning correctly. Given Prednisone and ointment and lubricant for eye. Afraid to get second shot! Need recommendation!
1096874	3/13/2021	KY	29	M	3/5/2021	3/5/2021	Low blood pressure, sweating, low blood sugar, lowered heart rate, tunnel vision. On site EMS monitored blood pressure, heart rate and blood sugar. I ate some crackers/snacks and drank water. Lasted about 5 minutes until I was feeling better after a snack and water (I had eaten a normal lunch/breakfast, etc that day). Afterwards, I was lethargic for the evening and the next day. I also have a history with similar reactions to giving blood and other similar instances.
1096873	3/13/2021	TX	34	F	3/12/2021	3/13/2021	Woke up at night to go to bathroom, then quickly started feeling like I was about to pass out, very weak, had to sit down on the floor to try and wait it out, had trouble seeing, was able to get up finally and find way back to bedroom by touch. With lights on vision was patchy. Was given water & a granola bar and was able to recover within 5 min. Slept fine after that
1096864	3/13/2021	TN	60	F	3/11/2021	3/11/2021	Fever for 40 hours, chills, uncontrollable shaking for more than 3 hours, severe nausea for 36 hours, nausea continues now but at a much less severe amount, swollen glands around head and in right arm pit for more than 40 hours, pain in right eye started within 10 minutes of shot and continues now, pain in ankles started about 8 hours after shot and continues now but is becoming much more bearable, joints of toes and joints of a few fingers were painful for about 24 hours, sore arm started about 3 hours after shot and continues now, overall muscle aches started about 8 hours after shot - became much worse within 12-14 hours after shot and became less severe after 30 hours. Overall I felt as if I had a terrible case of the flu. It was very intense. I was unable to sleep the first night due to the severity of symptoms. The second night I sweated a tremendous amount and my fever broke. I am still not over all of my symptoms but I am feeling better.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1096725	3/13/2021	CO	30	F	12/18/2020	1/8/2021	4 days after my last vaccine I started getting really intense calf pain like a bad cramp. After the pain just kept getting worse I ended up going to the ER on January 15th 2021. They did an ultrasound and found out I had a dvt. I was also experiencing horrible migraines since the 1st shot I also started seeing black spots in my vision. I also was having fevers and chills
1096833	3/13/2021	CO	64	F	3/12/2021	3/12/2021	I received the first dose at approximately 11:45. I had no allergic reaction. I had lunch, then went home. As I drove, I started getting a sparkly effect in my vision (for me, this is usually a precursor to migraine), about 2 hours after the injection. After I got home, I started getting a minor headache, about 2.5 hours after injection. I sat for awhile, and the headache did not worsen and the sparkles dissipated. About 9 hours after the injection (and after preparing and eating dinner) I began to feel lightheaded, almost a feeling of inebriation. I quickly prepared for bed and went to sleep. About 2 hours later, I woke up with diarrhea. I continued to wake up twice more, about 2-2.5 hours apart, with diarrhea. I finally slept for about 4 hours and woke up feeling better.
1096940	3/13/2021	CO	75	M	2/27/2021	3/10/2021	lost total vision in left eye, took about 2 seconds from onset. Recovered within 30 minutes. Suspect small clot. No other symptoms. No detectable lasting vision impact.
1096961	3/13/2021	AZ	60	F	3/9/2021	3/10/2021	Systemic: Allergic: Itch (specify: facial area, extremities)-Severe, Systemic: Allergic: Itch Generalized-Severe, Systemic: Allergic: Rash (specify: facial area, extremities)-Severe, Systemic: Allergic: Rash Generalized-Severe, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Severe, Systemic: Flushed / Sweating-Severe, Systemic: Headache-Severe, Systemic: Tingling (specify: facial area, extremities)-Severe, Additional Details: Patient about 12-24 hours after shot started to develop a rash on arms/neck and hands. Her arms/hands started to swell and she developed blisters in the mouth and had blisters on her hands and neck as well. She had itching all over her arms and hands and swelling of the arms and hands too. She also felt a warming/hot and burning sensation in her arms and hands too. She has been putting clobetasol and hydrocortisone cream/ointment and Levicyn (compound by Dr.) on the blisters and rash.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1097027	3/13/2021	NV	64	F	3/5/2021	3/9/2021	diagnosed on 3/9/56 with 6 nerve palsy right eye
1097028	3/13/2021		27	F	3/12/2021	3/12/2021	she recieved shot without reaction. she stood up and moved over the waiting area to sit for 15 mintues. after 3 to 4 minutes of talking with her mother (mom left to go get water from front of store). she said out loud "I think I'm going to faint." I rushe out of the pharmacy to help. Her eyes rolled back and she fainted, the she convulsed for 5 top 10 seconds. she woke up 30 seconds later (mom returned by this time). 9-1-1 was called and ambulance came to check vitals and she left on her own accord.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1097047	3/13/2021	UT	68	F	2/21/2021	2/22/2021	Headache, aches within 8 hours. Within 20 hours developed severe vertigo and nausea. Movement caused room spinning and broke out in cold sweat. Severe vertigo continued through second day (Feb 22), but seemed to diminish somewhat toward evening. Day 3 still had moderate vertigo/nausea but better than previous day. Went on a long walk. Day 4 moderate vertigo/nausea continued. Tried doing Epley exercises for vertigo. Vertigo/nausea became severe again, so severe I vomited several times. After vomiting got the shakes and felt very cold. Checked blood pressure and it was very high (170/98), but pulse rate was in low 30s. After a few hours blood pressure and pulse rate became closer to normal. Almost decided to go to ER clinic, but decided to wait until my daughter came home from work because I was way too dizzy to drive. After I calmed down I decided it wasn't an emergency. Severe vertigo continued through evening of day 4. On day 4 I called primary care doctor to see if there was anything I could do for the vertigo. She prescribed meclizine, but hearing that it is an antihistamine, I declined it (antihistamines make my heart race and make me very anxious). Severe vertigo/nausea continued through day 5 and day 6. (Severe vertigo/nausea being that I could not move around at all other than to sit still staring forward without the room spinning.) All this period I also had a headache, a feeling of pressure through my whole head/sinus area, and my vision was blurred. I also felt as though I could not focus my eyes or concentration. I tried using some over-the-counter nasal decongestant spray for 2 days to relieve congestion in head, but they made me feel very anxious, so I stopped. I also tried taking some Aleve a couple of times. It helped a little, but made me feel woozy, so stopped. Day 6 the vertigo/nausea improved to moderate, but I could still not walk straight. I felt unsafe to drive. Day 7 continued to improve, but still moderate vertigo/nausea. Day 8 I noticed a lot of improvement in vertigo/nausea. Kept improving day 9. By evening on day 10 I was noticing a rawness and lump in the back of my throat. Called primary care office day 11 to see someone. Drove car, but felt marginally safe driving. Was diagnosed with a sinus infection and prescribed a 10 day course of Amoxicillin/Clavulanic Acid (875-125 mg for 2 pills a day for 10 days). Felt improvement in throat and sinus over next few days. Day 15 I felt greatly improved



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>with head ?fog? and vertigo. Had an appointment with an ENT clinic on day 15 to see what was causing vertigo. All tests were good for hearing, and visual examination of ears. Was checked for BPV but that was ruled out. Said vertigo was probably caused by viral infection or inflammation of vestibular nerve or canals.</p> <p>Recommended waiting for improvement and coming back if it persisted. Began doing more normal activities even though I still had mild vertigo. Day 16 felt still better in morning, then in afternoon bent over quickly to catch something and got a terrible wave of spinning again. Moderate/severe vertigo continued that evening.</p> <p>Improved to moderate on day 17 and 18. All along, when vertigo was worse, so was the ?fog? (blurry vision, inability to focus mentally). At day 19 I feel like I did on day 15, but I have noticed the pressure/lump around my ear and on left side of head is improved. Brain ?fog? is improved too, very mild and the vertigo is mild. I finish my antibiotic tomorrow. At present vertigo is not gone. Its mild today, but this is only one of maybe 2 1/2 days in which its been this mild (out of almost three weeks since I was vaccinated). I have been drinking a lot of water every day, and ginger tea when I get nauseous. I had my 2nd dose of the COVID Pfizer vaccine scheduled for Mar 15. I?ve cancelled it and intend to wait to see how long it takes for vertigo to finally resolve before considering a 2nd dose.</p>
1097053	3/13/2021	CA	35	F	3/11/2021	3/11/2021	<p>Slight sharp burning pain "behind" left eye begin a few hours after I had shot. That pain was intermittent for a few hours and dissipated by early evening of the day of the shot. My left lip and left side of throat had minor feeling of tingly burn when I was driving home 30 minutes after I had the shot. Stiff muscles on left side of neck. Intermittent mild muscle pinching along left side of body but went away by Friday night.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1097078	3/13/2021	CO	74	F	2/19/2021	2/20/2021	Pfizer-BioNTech COVID-19 Vaccine EUA: in clinic visit three days after vaccination patient reports fever one day after vaccination and two days after vaccination suddenly felt hot and fell to her knees holding onto a couch. Able to ambulate to bed afterwards. Patient also reports swollen lymph node in left axilla. Patient denies chills, headache, blurry vision, nausea, vomiting, abdominal pain, myalgias, or respiratory symptoms. Does not report loss of consciousness, rash, or injury after fall but does report not eating or drinking prior to fall. Vital signs within normal ranges except blood pressure 135/70 mmHg. Advised to keep hydrated and eat well.
1096686	3/13/2021	NV	31	F	3/9/2021	3/12/2021	Immediately passed out and hit head. Days later, right eye is puffy and droopy.
1097085	3/13/2021	TN	37	M	3/12/2021	3/12/2021	Patient had dark circles under their eyes and did discuss at the drop off window they had a needle phobia. Immediately after the immunization, he said he felt lightheaded. I, pharmacist, sat in the booth and talked to him for a couple minutes then asked if he felt he could finish his observation outside the booth. I notified technician to hand him off to her for observation, sharing by observation that the patient did not look well but he said he was doing a little better. He said he felt better and he did wait in the chairs outside the immunization booth. While I was in the pharmacy discussing this information with my pharmacy technician when I heard yelling and I stepped back out of the pharmacy to observe the patient was sliding out of his chair, stiff straight. My other technician came to my assistance and we both tried to get him to the floor and he was making incoherent noises and his arm was bent behind him and not relaxing to where we could get him to the floor. He then came to and startled a bit, with a bewildered look on his face. He asked what happened and said he felt he was dreaming. A witness waiting on her prescriptions for pickup said that it originally appeared he was having a seizure which was my concern as well. We called code white and 911 and store manager assisted us at the scene. Patient denied the ambulance.
1096391	3/13/2021	TX	40	F	3/5/2021	3/8/2021	Left arm pain between elbow and wrist, extreme nausea, pounding headache, dizziness, blurry vision, rash on face, extreme fatigue

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1097081	3/13/2021	WA	82	F	3/5/2021	3/6/2021	Loss of vision L eye with pain. Was able to see DO next AM. Dx secondary noninfectious iridocyclitis left eye. Thought to be secondary to autoimmune disease.
1096186	3/13/2021	TX	60	M	3/9/2021	3/10/2021	High fever 102, chills, aches, lethery, headache, burning eyes, trouble concentrating, nausea
1097008	3/13/2021	NY	77	F	3/13/2021	3/13/2021	SWOLLEN UPPER LIP, BILATERAL EYE SWELLING
1097100	3/13/2021	TX	28	M	3/12/2021	3/12/2021	Anaphylaxis. High temp, swollen face, throat, eyes, chills, Required ER visit
1096218	3/13/2021	CA	42	F	3/9/2021	3/9/2021	Headache from back of head down to back of neck almost an hour after injection. Continuous waves of pulsing headaches behind eyes and by temples of head with increase blood pressure, and nausea since injection til current. Committed at 1pm Thursday. Loss of appetite since Wednesday. Lower back pain on Wednesday.
1096294	3/13/2021	TX	55	F	3/12/2021	3/12/2021	Within the first 10 minutes of the shot my heart raced and I felt light headed. This came on fast and ended pretty fast, within 5-10 minutes. ALSO About 14 hours after injection my eyes felt very weird like they were stinging and on fire. This lasted about an hour.
1096306	3/13/2021	CA	26	M	3/11/2021	3/11/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Flushed / Sweating-Medium, Systemic: Hypotension-Severe, Systemic: Visual Changes/Disturbances-Medium, Additional Details: Patient has history of fainting with IVs but never to vaccinations. He said he gets stomach aches with sugar derivatives. First BP taken was 107/93 with a low pulse. 5 minutes later it was 165/93 pulse 99. We called the paramedics and they came within 5 to 10 minutes. Patient stabilized after.
1096311	3/13/2021	SC	27	F	3/12/2021	3/12/2021	Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Exhaustion / Lethargy-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Seizure-Mild, Systemic: Shakiness-Mild, Additional Details: Patient became rigid, unresponsive, fixed eyes, dilated pupils, shaking (seizure-like movements), when patient was moved to floor, she became alert and oriented. Dizziness, shakiness, body slower to respond than normal...took some time to get back to normal. EMS called for monitoring and support.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1096338	3/13/2021	OH	52	F	3/11/2021	3/11/2021	Rash on neck and right arm, skin flushing on face/neck/chest/right arm. paresthesia below right eye, short term headache. All resolved within 4 hours muscular soreness of right arm lasting 24 hours.
1096358	3/13/2021	SC	33	F	3/4/2021	3/4/2021	Constant headache above eyes and occasional nausea since shot. started with 400 mg ibuprofen/ 8 hrs to no avail. Tried adding 625 mg tylenol/ 6 hours. headache would dull but never disappeared. Also took a generic daytime allergy pill in the mornings. Ibuprofen would dull the pain but as soon as it wore off, head would start throbbing - to the point that it would wake me up. 3/10 had phone appointment and was prescribed imitrol 50 mg and 800 mg of ibuprofen. No relief provided. 3/11 went to urgent care. Was given fioricet with no relief. Then given zofran and percocet. again headache was dulled, but still there.
1096435	3/13/2021	NJ	66	F	2/26/2021	2/28/2021	Noticed my eyes were completely dilated and felt dizzy. After about an hour of noticing eyes, I started to feel really funny in my chest with pressure, dizziness blurry vision, racing heart. I checked blood pressure and it was 220/110. I tried to lay back and it felt worse. At the same time I was nauseated and felt like I was going to have diarrhea and vomit at the same time. Started with severe vomiting and chills that felt more like tremors than chills. The vomiting stoped during the night but my blood pressure stayed elevated for three days starting around 180/110 to 180/100. Finally it slowly came down to around 150/90 for two more days. Then back to normal at 130/80.
1096395	3/13/2021	MS	42	M	3/5/2021	3/5/2021	Excessive swelling at injection site (golf ball sized knot) with tenderness to the touch 103.8 temp started 12hrs after injection and lasted for 48hrs Blurred vision during onset of Temp. Muscle pain/ fatigue during onset of Temp. Full body aches during onset of Temp. Chills with moderate spells of hands shaking during onset of Temp Loss of appetite during onset of Temp.
1096645	3/13/2021	IN	65	F	3/11/2021	3/12/2021	Headache, light headed, dizzy, eyes blurry at times.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1096474	3/13/2021	VA	72	M	2/27/2021	3/1/2021	Very itchy rash all over the body. beginning 2 days after injection. Felt like flea bites. They were not. Exterminators called and treated house on 03/04/21. Rash kept getting worse, and swelling in right calf was detected.. Monday 03/07/21 went to emergency room. Visual examination diagnosed allergic reaction to vaccine.. Began prednisone and benadryl treatment that day.. As of today, it is better, but still some rash left and swelling id down in right calf.
1096479	3/13/2021	NJ	38	M	2/16/2021	2/17/2021	Vaccine administered at Mega Site Lot EL9266. 2/16/21 Sore arm for one day following first shot. Lot EN6206. 3/9/21 Sore arm a few hours after second shot. Woke up with body aches and stuffy nose and swollen eyes. Lasted approx 24 hrs
1096492	3/13/2021	NE	77	F	2/25/2021	2/25/2021	Immediately, sharp shooting pain from injection site ( the back of my arm, not the middle) when all the way down my arm and was severe in my pulse side of my wrist. I reported it. The pain resolve mostly after 30 minutes. Either Feb. 28 or March 1 woke up with my left eye being red from broken blood vessel. March 3, slight burning with urination. 1X March 4 no burning until about 4:30 pm, and then also much blood. 15 minutes later, the same.
1096508	3/13/2021	PA	31	F	3/10/2021	3/12/2021	Adverse Event: Bell's Palsy on left hand side ~48H after 2nd dose of vaccine Treatment: Prednisone and Valacyclovir Description: I received the second dose of the Moderna vaccine on Wednesday morning. I did not feel any side effects until later that night which included chills and body aches. However, throughout that evening and Thursday I had twitching of my eyes. On the morning of Friday, 3/12 at around 9am (~48H after 2nd dose), I noticed it was weird to move my lips and remember that drinking coffee from the straw felt weird. It wasn't until 2:30pm when my husband and I were eating lunch that my husband noticed a drooping of the left side of my face. We went to Emergency Department at 5:30pm and were seen by doctor who confirmed that it was Bell's Palsy on the left side of the face, the same side as the injection site.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1096555	3/13/2021	IL	64	F	3/10/2021	3/10/2021	within 5-15 minutes of injection: soreness in at injection site spread throughout arm, hand, and fingers, numbness in face - cheek, eye, nose on right side (felt like I had novocaine for right side dental work), hoarseness, canker or cold sore (not sure I know the difference) on right lower lip, warm sensations in right calf muscle and right foot within 15-60 minutes tender lymph node right armpit, fatigued muscles in legs, brain fog
1096580	3/13/2021	OH	57	F	3/12/2021	3/12/2021	Burning and watery eyes within minutes. (similar to itching of seasonal allergies) Fatigue, headache, upper body (head, neck, chest and back to top of rib cage) stiffness, chills starting at approx. 8:30 pm and lasting about 12 hours.
1096593	3/13/2021	NC	17	F	3/11/2021	3/11/2021	5 minutes after administration of vaccine, Patient had visual white-out of vision, diminished hearing, disoriented, severe pallor and then vomitted.
1096601	3/13/2021	MT	66	F	3/11/2021	3/11/2021	every cell in my body ached, fever, dizziness, extreme pressure headaches, couldn't move/walk much, shivered in bed night of injection, couldn't eat, tried to drink, nausea, blurred vision, extreme fatigue, couldn't stand loud noises/tv, couldn't read, felt like every cell in my body was fighting to live. Aleve helped the second nigh but not the first.
1096360	3/13/2021	OH	53	F	3/12/2021	3/13/2021	Woke up the morning at 7:30 after the 2nd vaccine yester at 1:30 and had a deep bruise on left eye lid only. No puffiness, slightly sore to the touch, eye is a bit watery, vision is currently unaffected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1097651	3/13/2021		56	F	3/9/2021	3/12/2021	At my OMT (Oestopathic Manipulative Therapy) Dr. appt on Wednesday, 3/10/21, my BP was 134/80. On 3/12/21, Friday afternoon around 2:30pm, I noticed my left eye didn't feel right. I looked in the mirror and my left eye was slightly red in the corner of my eye towards my nose. When I woke up this morning on 3/13/21, my eye was completely red in that same corner of my left eye. I went to the a walk-in clinic this morning to have it checked out. The doctor indicated that it was a burst blood vessel in my eye and that the redness should go away in about a week. My BP was 148/100. The doctor asked if I had a history of high blood pressure and I told him no and showed him 3 of my previous BP card records that I keep in my purse. He said I should monitor my blood pressure and follow up with my primary care doctor. I have had a blood vessel burst in my eye before a few years back. I do not remember which eye. I have had fibromyalgia for over 20 years. I was diagnosed with Occular Myesthesia Gravis in January 2017 which affects my left eye only.
1097504	3/13/2021	CA	20	F	3/13/2021	3/13/2021	Pt 20 y/o female found ambulatory at vaccination site. c/o weak/dizzy, borderline hypotensive. Pt received her first doser of Moderna COVID-019 vaccine at approximately 1040hrs. Pt was monitored for 15 minutes in a designated area. Upon standing up pt became lightheaded and dizzy. Pt sat down and notified staff of feeling weak and dizzy. Responder was notified and responded to pt. Pt denied any chest pain or shortness of breath. Minor nausea but no vomiting. Pt had equal grips and pushes, no headache, blurred vision or tinnitus. Abdomen was soft and non tender on palpation. No hives, rash or redness noted. Pt was given 500cc of NS via IV, 20g in L AC. Pt was positive orthostatic and was laid down supine on a blanket. Last LPM 30 days ago. Gravida 0, Para 0. Pt states she has had syncopal episodes during menstrual period. Pt denied any food intake this morning. Pt was transported byto Hospital. Vital signs improved with administration of NS. Vital Signs: BP 106/52, HR96, SPO2 99%. (1052hrs) BP 118/76, HR 68, SPO2 99% Hx: Syncope during menstruation, Anxiety, borderline hypotensive. Allergies: NKDA Medicine: None

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1097518	3/13/2021	CA	28	F	3/13/2021	3/13/2021	Pt 28 y/o female found sitting in a chair at USC vaccination site. c/c Allergic reaction post COVID-19 vaccination. Pt was instructed to wait in the "30 minute" monitoring area due to allergies to shellfish. After approximately 15 minutes in the monitoring area the pt notified CORE staff stating she felt her lips swelling. CORE staff notified LAFD and Carbon AP who immediately responded to the pt. Upon arrival it was noted that pt had moderate swelling of her lips and minor airway involvement. Pt was assessed and given 2 doses of EPI 1:1000 for a total of 1.0mg (0.5mg each). Swelling subsided and pt denied any further airway involvement. Pt denied any chest pain or severe shortness of breath. No nausea or vomiting, pt had equal grips and pushes. No headache, blurred vision or tinnitus. Abdomen was soft and non tender on palpation. Gravida 0, para 0. LMP 28 days ago. Pt has a Hx of severe allergic reaction to shellfish. LAFD RA10 was dispatched and pt was transported to hospital #133 for further evaluation and care. Hx: Cardiomyopathy, Borderline anemic, HTN Allergies: Shellfish Meds: Birth control



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1097532	3/13/2021	IN	49	F	3/13/2021	3/13/2021	1628 ? Patient received first dose of Pfizer vaccine. She reported a history of allergic reactions in the past and was thus observed for 30 minutes following her injection time. 1704 ? Vitals: 99% spO2, 192/101 BP. Patient reported symptoms of itching of face, scalp, eyes, and hands. 25 mg Benadryl given by Observer. Patient placed on continuous spO2 monitor. No SOB, cough, or wheezing at this time. 1710 ? Observers called ED Nurse to let them know we would likely be sending a patient their way. 1715 - Observer was advising patient?s husband to take her to the ED when Coordinators were alerted to situation. contacting ED and allowing patient to transport themselves is not our protocol and Coordinators took control of the situation at this time. 1717 ? 1720 ? Patient moved by wheelchair to private area in the library for further evaluation. Vitals: 99% spO2, 200/119, BP, 90 HR. assessed patient. Rash but not hives are present on her chest. There is mild end-expiratory wheezing consistent with asthma history. No airway edema. No trouble speaking or swallowing. She is mildly diaphoretic but neurologically intact. 1720 ? Rapid response called for transport to ED. SpO2 98 ? 99. 1722 - Patient is starting to have increased wheezing with spO2 holding at 98%. She doesn?t have her inhaler. 1727 ? Rapid response called to say transport is 5 ? 10 minutes away. Patient still on monitor. No visible airway edema. Starting to cough and bilateral upper extremities mildly edematous. She notes her back is itching in addition to chest. 1728 ? After briefly explaining procedure to patient and obtaining verbal consent, 0.3 mg Epi Pen injection given to right lateral thigh. Vitals 192/133 BP, 91 HR, 99% O2. 1731 ? EMS arrives. Itching, wheezing, and cough have improved. Report given to EMS. Patient transported by stretcher to ED. Report had previously been given to ED and updates since then were given to EMS.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1097533	3/13/2021	MO	37	F	3/13/2021	3/13/2021	Patient reported feeling dizzy. She asked for some water, which was provided. Went to check on patient a minute later and her eyes were fluttering and her breathing altered. She did not respond to me. Her pupils dilated dramatically and she slumped over. I called for a nurse and we lowered her to the floor together. Blood pressure was low (around 100/60) Her pupils started to return to normal and she was able to converse with us. Blood pressure increased slightly but was erratic. Emergency service responders made call to take to hospital because blood pressure would not stabilize
1097537	3/13/2021	CA	47	F	3/13/2021	3/13/2021	I discovered patient on the floor at approx. 3:03pm. She was lying face down on the floor next to the chair she was sitting on during her 15-minute observation post-covid19 vaccine. Unknown person turned patient over face-up, Face was clammy and warm/hot to the touch. Pulse was taken (weak). Sweating. Eyes were closed when EpiPen was injected on left thigh through pants. It was decided to inject patient as we did not know what exactly happened, why she was on the floor, and she was unconscious at the time we initially thought to give epi injection. 1 pen injected. Pharmacist called emergency services at 3:05pm. Patient eventually regained consciousness while waiting for the paramedics. She was able to talk and answer questions. She was taken outside the gym on stretcher, but her son met us at the school to pick her up. She declined going to the hospital for further treatment.
1097545	3/13/2021	LA	60	M	3/8/2021	3/9/2021	Pt stated experienced paralysis on left side. Stated his left eye was numb and vision blurry. Lasted about 8-12 hours starting about 3 hours after receiving covid vaccine.
1097562	3/13/2021	MN	31	M	3/13/2021	3/13/2021	Patient stated his heart rate was racing, he was visibly sweating, and had tunnel vision. He stated he felt like he was having an anxiety attack. This was 5-15 minutes post vaccination as he was being observed. We laid him on the ground and he immediately started to feel better. After a few minutes he sat up and drank some orange juice. Paramedics were called but patient was able to walk away on own accord. Called later and was doing fine.
1097563	3/13/2021	GA	54	M	3/11/2021	3/13/2021	Swollen in the lips, eyes, and forehead

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1097476	3/13/2021	CA	64	F	3/13/2021	3/13/2021	Pt 64 y/o female found ambulatory at vaccination site. c/c Allergic reaction post COVID-19 vaccination. Pt received her first dose of Moderna vaccine at approximately 0900. Pt moved to the monitoring area where she was instructed to wait for 30 minutes due to her medical Hx and previous allergic reactions, Pt alerted a clinician stating she felt a tingling sensation around her mouth and minor swelling of her lips. Responded as well as fire department. Pt was given at 2 doses of EPI 1:1000 for a total of 1.0mg (0.5mg/dose) and 50mg of Benadryl. All medicine administered IM. Pt experienced relief post med administration. Pt denied any shortness of breath or chest pain. No headache/blurred vision or tinnitus. Pt denied any nausea or vomiting. Pt had equal grips and pushes. Skinsigns were warm and dry. No hives, redness or itching. Pt was transported to Hospital by fire department. Vital signs: BP 142/82, HR 78, RR 18 Hx: HTN, Thyroid issues, CA, Allergic reactions ALLERGIES: Sulfa, Seafood MEDS: UKN Conclusion Pt was identified as a "30 min monitoring" upon check-in. Pt was instructed to wait in the designated area. Upon feeling a reaction to the vaccine, pt promptly notified staff. Immediate response to the incident resulted in a successful pt outcome. System put in place worked as intended. Identified a pt with potential vaccine reaction prior to the administration of medicine. Staff instructed pt to wait in the appropriate area. A timely response, including rapid administration of appropriate medication prevented further swelling and potential airway involvement.
1097607	3/13/2021	GA	49	F	3/1/2021	3/11/2021	Eyes swollen, hives on eyelids and under eyes
1097670	3/13/2021	CA	65	F	2/3/2021	2/3/2021	right frontal/temporal throbbing headache on 2/3/2021 (day of vaccine) followed by right eye optic neuritis on 2/8/2021. No history of demyelinating disease.
1097680	3/13/2021	CA	21	M	3/13/2021	3/13/2021	When injected, felt the burn of the vaccine. A few minutes later started sweating, dizzy, blurred vision, ears ringing and sound start fading.
1097684	3/13/2021	HI	72	F	3/12/2021	3/13/2021	Blurred vision right eye

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1097755	3/13/2021	CA	22	U	3/12/2021	3/12/2021	Pt. received 0.5 ML IM L deltoid of J&J COVID19 vaccine and ambulated independently to observation area. While in observation area pt. became lightheaded, dizzy, and flush and slipped out of his chair to his hands and knees. Bystander helped pt to the floor so he did not hit his head. BP immediately was 118/74, no blurry vision, no headache, no nausea, had not eaten since 1300. Pt sat up and vitals were taken: BP 126/82 HR80 RR18 A/Ox4, pupils equal and reactive. Pt was then assisted to the cot where he had a snack and juice and was feeling much better. Pt called a friend to drive him home.
1097825	3/13/2021	NJ	61	F	3/9/2021	3/9/2021	Immediately following the shot I became lightheaded and stayed longer than the mandatory 15 minutes. Later that evening My are was sore and I continued to be dizzy. By nighttime I felt achy and tired. About 6 hours after the shot a fever started and I took Tylenol. By 1am I had 101.3, the rigors and a headache and dizziness which I still have 4 days later. My fever ran for over 48 hours and would not respond to any ibuprofen or Tylenol. My joint and muscle pain was severe, my balance was off. I could barely move my arm. Today I am now nauseous. I was not this sick when I had Covid. My fever would at least relent. I?ve lost time from work and my life. I have heart palpitations and my resting heart rate has gone up. Pressure feels strange behind my eyes. My legs are sore. I called my doctor two days after my vaccine and she minimized my symptoms.
1097826	3/13/2021	WA	77	F	3/3/2021	3/5/2021	March 3, 2021-Sore injection site of right arm March 4th- Injection site slightly sore March 5th -sore left calf March 6th- Sore left calf a little more so March 7th- Outside left calf hot to touch & back of calf red and sore. March 8th- Same as above, and I put doterra Deep Blue ointment on it, and it relieved the heat and pain Redness is gone March 9th -Left side of body joints ached. left calf aches/applied Deep blue ointment and a Pain relief ointment . Feels a lot better March 10th- Redness gone, but still feels sore March 11th- Left leg Calf feels a lot better, I put on the ointment again. Deep Blue, and Frank Woods Pain Relief ointment. March 12- Left calf a little sore. No heat . Now my left eye has a light grey spot in it. I can see around it. March 13-Eye's don't feel right. I still have the light gray floater in the left eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1097874	3/13/2021	CA	38	F	3/11/2021	3/12/2021	Received vaccine Thursday at 1:23 pm. Friday at 10:30 am started getting chills and body aches. Throughout the day body aches continued to get worse and nausea began around 2:30 pm and continued all night. No appetite, and only slept 3.5 hours then awoke and began to throw up for several hours. (mostly dry heaving due to not being able to eat) Saturday all day was heavy and sore eyes, headache, nausea, sore throat but the body aches were getting better. Saturday at 8:23 pm still feeling nausea with a sore throat and very tired... To Be Continued
1097895	3/13/2021	OR	73	F	2/28/2021	3/2/2021	On 3/2 as I was driving I realized that the signs did not appear as clear as they did on the Day I received the vaccination. I verified that my vision had changed by sitting in front of my computer and doing several normal tasks that I had done on 3/1 during my normal work day. In all cases it was apparent that my distant vision had substantially changed. It was true for both eyes. I saw an ophthalmologist who said there was no organic problems but suggested cataracts. I asked if cataracts could change so dramatically and also asked how my cataracts compared to the last visit. Basically nada. Since I work on the computer every day as a CPA
1097105	3/13/2021	MO	59	F	3/8/2021	3/8/2021	After my first dose of J&J vaccine performed, I developed a cold, cough, runny nose, my eyes were red and nasal drainage, also had allergies. I called my doctor to get medicine. I also had a Covid test which was negative. I am recovering of my symptoms today.
1096945	3/13/2021	AZ	66	F	3/1/2021	3/1/2021	5 - 10 minutes after receiving vaccine, I had difficulty swallowing. I was fine 30 minutes later. On day 12 after receiving the vaccine, the injection site began to itch and was sore. I experienced some chills. The site was slightly red. Itching and soreness is continuing along with additional mild itching occurring on the front of the calves and eyes.
1097578	3/13/2021	OH	57	F	2/27/2021	4/2/2021	6 days after second dose....diagnosed with shingles of face scalp and eye

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1097281	3/13/2021	OR	49	F	3/9/2021	3/9/2021	Bell's palsy symptoms within an hour after receiving vaccine injection: consisted of right-sided facial numbness, right-sided eyelid droop, right-sided mouth turn, right-sided tightness in neck muscle, pressure behind right eye, headache, loss of balance, difficulty speaking. The injection was at 3:15 pm and started with arm soreness and stinging, a slight headache, and some tingling in my right hand while waiting 15 minutes after the shot, I had also felt a sensation going up the right side of the back of my neck almost immediately after the injection. The Bell's palsy symptoms started by 4:00 pm. I had a low-grade temp that evening of 99.9. I emailed my neurologist who I see for migraines, of my symptoms. The following morning on 03-10-2021 I woke with a severe migraine, fullness in my right ear, more pressure behind my right eye and it is watery, with new ringing in both ears, louder in the right ear. Still residual numbness and drooping of right side of face and eye, tightness in right side neck muscle in front, and speaking better. Woke up on Thursday morning 03-11-2021 with flu symptoms and migraine gone. Eye pressure still there and now having significant pain moving my eye and now more feeling of fullness in my right ear. Eye pain was concerning. Dr advised me at this time if symptoms have continued or gotten worse to go to the emergency room. Today, Saturday 03-13-2021, I am still experiencing moderate eye pain behind/above my right eye with pressure. I am continuing to treat the pain with oxycodone prescribed by ER Physician.
1097113	3/13/2021	KY	69	F	3/5/2021	3/6/2021	Woke @ 4am w swollen lips.tht felt like a thousand needles poking cheeks and eyeballs tht felt very hard and tender...cheeks and eyeballs resolved p app 8hrs but lips remained swollen several days.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1097135	3/13/2021	FL	72	F	1/10/2021	1/10/2021	1. COLD SORES: I developed a bad cold sore within a couple weeks of the first (1/10/21) vaccine. Within 2 weeks of my second CoVid vaccination (2/7/21), I developed another cold sore. ***I have not have a cold sore in over 20 ++ years*** 2. CHALAZION: I have never had a chalazion in my life. A week after the first vaccination I got one on my low right eyelid. Three weeks after the second vaccination, I developed one on my left lower eyelid. So strange. Neither of these are life threatening but so strange to have developed these conditions. I was taking PenVK for a tooth issue between the two vaccinations. Not sure if
1097683	3/13/2021	MN	51	F	3/9/2021	3/12/2021	Fast heart rate, pulse, lightheaded, dizzy, blurry vision. Still feel a little off today.
1097462	3/13/2021	OR	62	F	3/13/2021	3/13/2021	12 minutes after shot, lip starting to go a little numb cheek bone area starting to go a little numb left eye getting droopy. Face is flushed. Half hour after shot started getting a little nauseated.
1097146	3/13/2021	TX	42	M	3/13/2021	3/13/2021	Headache, Knee pain and blurred vision
1097180	3/13/2021	NC	30	F	2/13/2021	2/14/2021	After having the second Pfizer COVID 19 shot on 2/13 I noticed about a 1 inch swollen left cervical (neck) lymph node. It wasn't overly tender to the touch but it was mildly sensitive. I took a picture of it and contacted my OBGYN who thought since it was on the side my vaccine was given (left arm) and appeared one day after vaccination that it was likely due to the vaccine and to keep an eye on it, she was not concerned. I kept track of it for several days and the size started to decrease over the next 2-3 weeks approximately. It is now essentially gone. There may be very very small swelling noted if I side bend my head to the right to make the lymph node on the left side of my neck pop out but it is extremely mild. I've had no pain or issue in the area. At the time of the vaccine I was 21 weeks pregnant. My due date is approaching.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1097212	3/13/2021	PA	32	F	3/12/2021	3/12/2021	Patient had Pfizer vaccination around 1:30pm . On drive back to work she started feeling "foggy". around 3:00pm and started to get a headache and blurred vision. Patient stated never feeling this way in past. She then began to feel like she was going to pass out. Still had blurred vision and headache. Recommended she go to the ER since she felt like she was going to pass out each time she tried to stand. Patient wen to the ER at 4pm. Patient received shot in the Left arm
1097255	3/13/2021	CA	19	M	3/12/2021	3/12/2021	Patient received his first dose of Johnson & Johnson today, 03/21/2021 at 1100am, at COVID vaccination clinic. Patient had received his vaccine and was walking back to his vehicle when he told his mother that he "wasn't feeling well." Soon thereafter, patient stated that he was experiencing "tunnel vision" and light-headedness and proceeded to have a syncopal episode. He fell onto his mother who braced his fall. There was no head trauma. Patient was then seated in a chair. Patient stated that he had not eaten or drank anything that day. Patient states loss of consciousness. Patient states he has never had a similar experience in the past. He denied a presence of past medical history and denies allergies to medications, foods, and other vaccines. Upon exam, patient appeared pale and diaphoretic. Skin color improved to pink following patient sitting and consuming water/food. Radial pulse was strong, HR 62bpm. Bilateral lungs clear to auscultation. No audible wheezing or stridor. Respirations at 12 per minute. Initial sitting BP was 108/60. After 15 minutes, BP improved to 120/80. EMS was called to provide further resources that were not available onsite, to include a blood glucose level. Patient denied transport to the local hospital for further evaluation and treatment.
1097288	3/13/2021	NV	73	M	1/28/2021	1/30/2021	Two days later woke up with double vision in left eye. It was diagnosed as Cranial Nerve 6 Palsy.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1097317	3/13/2021	UT	54	M	3/10/2021	3/10/2021	10am vaccine given. No side effects noticed. 630pm developed chills, headaches, ringing in ears, dizzy, eyes fluttering and 102.0 fever. 645pm - Took 3 Tylenol and BP 144/85 HR 83. Bed rest with Gatorade and water. 1100pm - Took 2 Tylenol. Fever reduced to 99.8. Headache and extremely tired. No energy. Bed rest with fluids. 24 hours after vaccination : Fever almost gone, 11am 2 more Tylenol, extremely tired and weak. Low energy. Ringing in ears. Minor headaches. 48 hours after vaccination; No fever, extremely tired and weak. Low energy. Ringing in ears.
1097409	3/13/2021	TN	64	F	3/11/2021	3/11/2021	Within 5 minutes of injection my eyes begin burning, my head started swimming and I could not focus my vision ,my heart was racing. I had no breathing issues and was able to get through it as it only lasted 6 to 7 minutes. But I'm very concerned as to taking the second dose? Please advise as to getting second dose
1097252	3/13/2021	IL	50	F	3/5/2021	3/10/2021	Inflammation of the ganglios close to the clavicle, pain in the arm and affected right eye vision (flies around)
1097290	3/13/2021	CA	66	M	3/10/2021	3/13/2021	swelling of left lower lip and right eye
1097360	3/13/2021	WI	71	F	3/13/2021	3/13/2021	Pt given covid vaccine at 11:30. 1140: Pt co dizziness. BP 182/81, Pulse 72. O2 sat 100%. Given water to drink. Pt to stay in room longer for monitoring, Pt Rechecked at 1158. BP 187/81. Dizziness resolved. Now co "blurred vision". Which is new. Pt taken to ED via w/c. Pt texted son that she was being transported to ED.
1097410	3/13/2021	FL	67	M	3/13/2021	3/13/2021	Trouble focusing right eye
1097443	3/13/2021	AZ	49	F	3/11/2021	3/12/2021	02/12/2021- 12:36am woke up with chills that went on for about 1 hour. About 7am woke up went to the restroom and almost fainted (lightheaded, nausea, black vision, cold sweat). Blood pressure was 84 over 44. In the afternoon had muscular pain and a low grade fever of 100F for about 2 hours. A little sore at the injection site but all symptoms disappeared on day two 03/13/2021

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1097367	3/13/2021	NC	68	F	3/10/2021	3/11/2021	I initially felt tired. As the day progressed I noticed discomfort in my joints. I also noticed what I would describe as discomfort in the lymph system. Also, I have difficulty thinking clearly. Tasks that I usually complete easily such as online banking have been more difficult. I'm making mistakes. As I write this I am now three days from the inoculation. I have burning pain under my right arm. I have burning pain in tops of my feet. My hip joints are stiff. My eyes are sore. I feel generally fatigued. This is not my normal level of functioning.
1097458	3/13/2021	TX	62	M	3/1/2021	3/4/2021	Vertigo, slurred speech, difficult swallowing, numbness on left side of face/chin area; extreme weakness in both arms and both legs but more pronounced in left arm & left leg; blurred vision, extreme fatigue
1097308	3/13/2021	CO	49	M	3/11/2021	3/11/2021	Pfizer-BioNTech COVID-19 Vaccine EUA: 10 minutes after vaccination patient reported flushing, dizziness, lightheadedness, and tingling. Vital signs all within normal ranges. Transported to emergency department where physical exam was normal; neurological exam reported no focal deficits. Patient denied chills, blurred vision, shortness of breath, nausea, pain (including chest pain), rash, and headaches. Patient observed, symptoms resolved, and discharged to home stable.
1097351	3/13/2021	IL	39	F	3/12/2021	3/12/2021	Flu like symptoms as well as rapid heart beat 12 hours after injection (120 bpm) and significant heart palpitations. 101.6 fever, headache, lymph node shooting pain, and swollen right eye.
1094363	3/12/2021	MD	75	F	3/4/2021	3/9/2021	Patient presented to the ED on 3/9/2021 with chest pain, headache, and brief blurred vision. There was no signs of stroke or MI event. Reason for admission: chest pain.
1094383	3/12/2021	NC	58	F	2/11/2021	2/11/2021	Patient reports symptoms started 4 hours after vaccination- changes in vision, severe abdominable pain, rash to both arms, high temp 100-102 and was sick for 6 days.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1094387	3/12/2021	KY	68	F	3/6/2021	3/7/2021	Extreme soreness at injection site left arm. Noted at approximately 8:00 AM 03/07/2021; difficulty lifting left arm at same time. Wave of extreme fatigue at approximately 10:30 AM 03/07/2021 fell asleep in chair until approximately 12:00 PM 03/07/2021. Upon awakening, could not lift my left foot until approximately 2-3 minutes later on 03/07/2021. My left foot was not asleep, I know the difference; it was like my left foot was paralyzed. When I was able to get up out of the chair I looked in a mirror to check for signs of stroke-SMILE. No signs, checked one eye at a time; equal vision in both.
1094218	3/12/2021	CO	67	M	3/7/2021	3/8/2021	Vaccine shot at 10:20 am Sunday. Severe swelling of lips, face and around eyes at 6:00 pm on Monday. Several days for swelling to go down. Not anaphylaxis. No swelling of tongue or throat. No trouble breathing. Exactly the same reaction and time line after first shot, 2/14/2021. I reported first event as well.
1094388	3/12/2021	GA	46	M	3/12/2021	3/12/2021	within 5 minutes of receiving the vaccine patient became light headed, cold clammy skin with cold sweats, blurry vision, dizzy, pale/gray skin, and short of breath. Pulse was 60 and BP 90/60- epinephrine 0.5 mg given, pt BP 80/60 returned to 129/88. EMS evaluated patient- patient declined to go with EMS to ER or to go to the ER- pt stated 1 hour after onset that he felt fine and declined to go to ER eventhough he was advised to but states that he will go if he feels he needs to but that he feels normal now.
1094183	3/12/2021	CO	67	M	2/14/2021	2/15/2021	Vaccine shot at 10:20 am Sunday. Severe swelling of lips, face and around eyes starting at 6:00 pm on Monday. Several days for swelling to go down. Not anaphylaxis. No swelling of tongue or throat. No trouble breathing. Exactly the same reaction and time line after second shot, 3/7/2021.
1094150	3/12/2021	IN	65	F	2/4/2021	2/18/2021	Thought possibly from covid vaccine. Inflammation in right eye ,red, very light sensitive, eye felt bruised to touch. Noticed redness and light sensitivity about 5 pm on Feb 18. During that night eye hurt badly from sensitively. Went to Dr next morning prescribed eye drop for swelling was not an infection,improved greatly at Dr appointment a week later. Never had this happen before .

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1094392	3/12/2021	CA	27	M	3/12/2021	3/12/2021	After receiving the Johnson & Johnson vaccination at approx 0855 the patient told the vaccinating nurse that he was "feeling dizzy." Pt then fainted and was lowered to the floor and positioned on his side; he was pale and diaphoretic initially but resolved before he was sat up. He then opened his eyes and stated that he was "feeling ok." Patient then confirmed that he has fainted twice before while receiving bloodwork or vaccines. Pt refused emergency services. Pt advised to call 911 or seek medical attention for any concerns after leaving facility. Pt verbalized understanding. Pt vital signs are as follows BP 136/58, R 18, P 84, O2 sats 98% on room air. Pt alert and denies any pain or discomfort. Denies any further concerns. Pt left facility at 0900.
1094586	3/12/2021	CA	42	M	3/4/2021	3/11/2021	Bottom eye lid swelling
1094087	3/12/2021	OH	75	F	1/29/2021	1/29/2021	Driving home, I felt like my eyes were getting harder to keep open and I blacked out. Woke up due to my car veering into on coming traffic, hitting two cars.
1094080	3/12/2021	KY	70	F	2/26/2021	2/26/2021	Note: after giving shot nurse said WOOPS - blood dripping down my arm. 4 hours later arm VERY sore. 6 hours later arm VERY VERY sore. No sleep, hot and cold flashes, significant aches esp. in legs (even my eyeballs hurt!). Pain resolved by AM. Next day arm got a bit itchy. 3 days later arm itched like I had poison ivy and fingers / hands had pain and joint swelling. Used a prescription steroid cream on arm and that resolved itching. Hands, fingers took 10 days to return to normal. All in all 14 days to recover completely from 2nd Moderna Covid shot.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1094063	3/12/2021	TX	32	M	3/12/2021	3/12/2021	AFTER RECEIVING THE VACCINE, PT VISION BECAME BLURRY AND HE LOST CONTROL OF HIS VEHICLE. NEARBY STAFF HELPED FAMILY TO STOP THE VEHICLE. PT APPEARED DISORIENTED, RESPONSIVE TO COMMANDS, AND SWEATING PERFUSELY. PT STATED HE WAS DIZZY/LIGHT HEADED. HIS UPPER AND LOWER EXTREMITIES FELT NUMB/TINGLY. VS@ 9:08 AM BP 104/83 HR 60 SpO2 99% REPEAT VS @ 9:23 AM BP 105/83 HR79 WITH TIME, GATORADE, AND CONSTANT COMMUNICATION WITH NURSING STAFF, PT SYMPTOMS RESOLVED. VISION, PARESTHESIAS, AND DIZZINESS RESOLVED ON WITHOUT FURTHER INTERVENTION. PT AUNT DRIVING AS HE LEFT THE OBSERVATION SITE.
1094025	3/12/2021	WI	34	F	3/12/2021	3/12/2021	Client got very quiet and lost eye focus immediately after vaccination. She reported feeling dizzy around 2 minutes after vaccination. After reclining client, they lost consciousness about 9 minutes after vaccination for 3 minutes. EMS was activated, upon regaining consciousness, clients mental status was still altered per staff report. Client was then transported via EMS to local ER.
1094169	3/12/2021	MI	50	M	3/11/2021	3/11/2021	Patient received dose 1 of the Pfizer vaccine at a clinic. After the dose was administered the patient experienced tachycardia (pulse 110), elevated BP (measured with arm cuff at ~180/120), headache, and warmth. The patient was offered a cold pack, given water, and was taken away to a secluded room to relax under supervision. After about 1.5 hours the patient improved (BP 120/76 and pulse 85). The patient informed me that his rheumatologist recently had him stop his treatments for Crohn's disease in preparation to receive the vaccine. He stated that he had similar symptoms before when trying different treatment regimens for his underlying condition. The patient left on his own and no further adverse effects were reported.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1094401	3/12/2021	AK	52	F	2/25/2021	3/5/2021	After receiving the first dose of the Moderna vaccine, I had a very minor, dull headache - pressure behind my eyes and left side of my head. My body felt fatigued and sore like I had a very intense workout where my muscles were burning from exertion. These all subsided after about a day and a half. Exactly 8 days later, my left arm (same injection arm but NOT at the injection site) felt itchy. When I looked at my arm, there was a huge, oval shaped, red, swollen, hard bump on the front of my shoulder. The skin also felt very leathery. I wasn't sure what was going on and it was Friday and my doctor's office had already closed. I spoke with a pharmacist where our family gets prescriptions and he asked if I had any other types of symptoms. I did not. He said had not heard of this type of reaction from the vaccine this many days later and directed me to call my primary care if it didn't clear up in a couple of days. It did clear up. First the leathery skin went away the next day, followed by the redness and swelling and then after a couple of days it still felt slightly itchy but visually, the location looked like my normal skin. I did not contact my doctor because coincidentally, that weekend, I saw an article pop up on my phone about Covid arm and the description was identical to what I experienced. I will mention it to my doctor when I go in for my second dose but figured I would report it on .
1094438	3/12/2021	WA	64	F	1/26/2021	1/30/2021	Pfizer injection Jan 26, 2021 First symptoms 4-5 days after: "unsettled" feelings, disturbed sleep, general "dumpiness" ~9 days after: Tender joints in toes, leg pain and weakness, dry, irritated, blurry eyes, brain issues: dizzy, word retrieval issues, derealizing Feb 11: fatigue, muscle weakness and pain in legs Feb 12: headache, heavy feeling in chest, continuing leg pain and weakness. March 12 Pain in legs persists, but improved, brain issues improving, but not resolved, eyes still somewhat dry and blurry/strained

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1094447	3/12/2021	KS	75	F	3/10/2021	3/10/2021	When I was outside leaving the facility, I noticed a tight knot in my chest.Less than a half an hour later,I had pulled over in the park and was trying to fix myself. Soon I realized breathing was not helping. It didn't seem to work. Exercise did not help. I started getting worse. I had difficulty getting back to my car I was fatigued my vision was getting blurry.My thinking was not sure. I couldn't figure out how to get my seat down in my car. Finally I got it down enough so I could recline. Then I decided to try to use my I watch pull up my Hart app.I measured over 155 bpm. I noticed that I was feeling better as my heart rate decreased to 141 bpm. I decided to drive home and left my car seat reclined. When I got h I stayed laying down in my bed for two hours because when I tried to get up I was way too dizzy. I've been unable to reach my primary care doctor when I got home. I left a voice messages. I called my sisters to tell them what was wrong and while on the phone St. Luke's was trying to call me and then my sister said she had to hang up because St. Luke's was trying to call her. I got up when I heard a knock on the door. It was the police. St. Luke's had called the police. My heart rate was normal before I got up Almost 3 hours after my shot. I spent the rest of the day and the next morning trying to find out what happened to me. I have spent days trying to get warnings about what to look out for. Finally I found this on your website as well as the handout I should've had before the vaccine because I would've known what was happening to me and what to do.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1094513	3/12/2021	KY	28	F	2/12/2021	2/20/2021	I am twenty-eight years old, young, healthy active girl. I have always been into fitness and yoga. I live a generally healthy lifestyle. I have been a singer, a dancer, and a flight attendant! I decided sign up for the COVID-19 vaccine in order to help our world fight against this pandemic. I wanted to protect my family and friends to eradicate this virus once and for all. It was with no hesitation did I jump at the opportunity to get this vaccine when it became available to me on February 12th, 2021 at the Convention Center. As soon as I received my shot I proudly posted my photo with tears in my eyes letting the world know that we were one human closer to a COVID-19 free world. I was Moderna proud. My entire family had already received their Moderna vaccines because I come from a family of nurses, but none of them had experienced any side effects. I was confident I would be in the clear after their clear symptom free vaccine. Immediately following my vaccine my arm was a little sore, as expected. However, I did experience fatigue and mild leg cramps in my calves. One very odd symptom was that I could taste the vaccine in my mouth, like a metallic, strange taste, which I reported to my family, but everyone just laughed it off. The leg cramps went away after a day or two as well as the taste, but the fatigue continued throughout the week. I felt these symptoms were pretty average. I signed up for the V-Safe reporting system and put in my report and thought nothing of my initial vaccine symptoms. Things took a very strange turn on the morning of February 20th, 2021 at about 10am. I woke up and my face was numb, tingling all over, twitching in different parts of my face pretty severely and uncontrollably. By 4pm the tingling moved into both of my arms and hands and by 5pm it moved into both of my legs. Shortly after the cramping and twitching began in both of my legs and I lost the ability to walk, lift my legs, and just the ability to feel my legs at all. I could not walk. Obviously concerning, I thought I was originally having a reaction to a medication I had been taking for over a year called, Topamax, a nerve pain medication which can cause numbness and tingling as a side effect. I called my prescribing physician and he immediately ruled out the possibility of a reaction to this medication due to the length of time I had been on this medication, that I had not missed a dose, I had not increased or decreased the dose, and I had not



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

experienced a reaction like this in the time that I had been taking the medication. He recommended I keep an eye on my symptoms and go to an emergency room if things worsen. Overnight, my symptoms remained the same. I woke up on Sunday, February 21st, 2021 and I still could not walk, I could not feel my legs. My legs were still twitching and cramping. My face was still numb and tingling, but the twitching had stopped in the face. My hands had stopped tingling. At this point my mother who is a nurse suggested that I call Moderna, the vaccine provider, to report a possible side effect of the vaccine. Upon contacting Moderna, the company thought that it could possibly be a reaction between the Topamax medication and the vaccine, but they had no current information about these two having any interactions. They thanked me for reporting and told me to go to an emergency room if my symptoms continued or worsen. Throughout the day on Sunday, February 21st, my symptoms remained. I was able to get to my feet, but I walking like a newborn baby giraffe or as my mother described, like a 105 year old woman. I was unable to feel my legs completely, lift them, move them without lifting them with physical help of my arms moving them. At this point on Sunday night I decided to contact my Primary Care Physician. She noted that this sounded similar to Guillain-Barre and that I sound immediately go to an Emergency Department before the symptoms get any worse. It was late on a Sunday night and I was unable to drive myself, so I waited. Overnight on Sunday into Monday I began experiencing light flashes in my eyes, heart races, lower back pain, and worsening cramping in my legs. I knew that I needed to seek treatment in an emergency room. On Monday, February 22nd, 2021 I was taken to the Emergency Room Department. They conducted blood work and a physical examination, but did not want to proceed with any MRI's or CAT scans. The ER the doctors were baffled. They could not figure out what was causing my paralysis other than the vaccine was the only new thing that had been introduced to my body, but they could not verify or diagnose anything. They let me go with a referral to neurology. While we were sitting in the ER my cousin, a nurse anesthetist at another local hospital, called my mother who was with me with some very alarming news. Her co-worker, had experienced the same symptoms

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

back in December and was just going through recovery after his first dose of the COVID-19 vaccine. He was told by the CDC there had been 19 reported cases through the CDC where after the first dose of the vaccine people have reported numbness, tingling, and the loss of the ability to walk after receiving the first dose of the mRNA vaccine, both Moderna and Pfizer. Her co-worker was also in the same age range as myself, very healthy, young, active. He was officially diagnosed with Transverse Myelitis. He has taken a full two months to regain the ability to walk and still has numb patches on his legs. He walks very slowly, but is walking. He returned to work, but cannot return to his normal life working out and being active because he does not have the strength. He was told not to get the second dose of the vaccine. There are unreported cases in this area by physicians who do not know where to turn with this information. It is hard to link these symptoms and cases because they are so obscure, but these same symptoms are occurring with those who have also had COVID-19. When I was being seen for an EMG test of my legs the physician performing the test said to us, "I have a patient who received the vaccine and has the symptoms, maybe I should report it!". My Grandmother's physician just last week just sent a patient of hers with the same symptoms to neurology. I think this uncommon side effect is more common than is being reported and no one knows where to turn with the information. I finally got into the head of Neurology. I was told, "it'll probably get better?", basically saying that they don't know what they can do and they are at a loss for knowing what this is and why this is happening to people after the first dose of the mRNA vaccine. Doctors don't have answers and the vaccine companies aren't offering information to help link these side effects together. The physician told me not to proceed with the second dose of the vaccine due to neurological side effect that I have had. I should benefit from the first dose and it is not safe for me to get the second dose from this side effect. I was unable to walk for weeks since this began on Feb. 20th. It is just now that this week I am slowly able to move my legs, but they are still very numb and heavy. I haven't been able to drive or live my normal life. I cannot use stairs, walk long distances, stand for very long periods of time. I am twenty-eight years old and I walk like an eighty year old

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1094542	3/12/2021	FL	46	M	3/10/2021	3/12/2021	<p>woman, wobbly. I have reported my case to CDC, V-SAFE, Moderna. The CDC said they would be in contact with me due to my report of extreme adverse side effects via the V-SAFE report, but I have not heard anything from them as of today. These are the uncommon side effects that need to be heard and reported. I don?t know why they are being ignored because I have been left without answers and without hope.</p> <p>Right after instruction, headache behind eyes, pain up side of neck, pain under armpit (all on side of injection). Continued pain at infection site after two days. At Day two I developed a round rash the size of a quarter and it is hot to the touch.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1094571	3/12/2021	RI	64	F	3/9/2021	3/12/2021	64 yo female with hx bipolar disorder on multiple psych meds, Htn, here for same day visit. Pt reports got her second covid vaccine on 3/9/2021 in the left arm, Pfizer. Yesterday (3/10/21) woke up with severe right knee pain, felt like she could not bear weight/ws going to fall. She went to son's apartment who is in same building and then went to lie down in bedroom. Because she drinks a lot of water, she had to get up to go to bathroom to urinate. She was about to sit down on toilet, when she felt both her legs go numb as well as her arms and her vision was blurred. She tried to grab the tub but fell forward on the floor. She states she urinated on the floor. She was on the floor for about 30 mins until her son got her up and back to bed. Later in the day she needed to urinate again and when she got up, she felt unsteady and fell on the bureau bruising the left arm. Since she feels a bit unsteady with gait and used a walker to come hre today. She denies feeling dizzy before her falls. She denies striking her head. She denies convulsions or hx of seizure disorder. She reports no new meds, only recent change an increase in her alprazolam dose. She does report a headache day after her vaccine.'She denies vomiting or diarrhea or antecedent illness. No longer has headache. She denies positional changes Of note she is on propranolol (prescribed by psych) as well as lisinopril-hydrochlorothiazide for HTN 64 yo female with bipolar disorder on multiple psych meds, htn on propranolol 20 mg bid and lisinopril-hydrochlorothiazide, s/p recent Pfizer covid vaccine, s/p presyncope episode after experiencing severe right knee pain and attempted micturition. Pt felt like her sight was affected and experienced numbness/weakness in legs and arms causing a fall. Did not hit head. The history is most suggestive of a vagovagal episode.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1094573	3/12/2021	NY	39	F	3/4/2021	3/4/2021	Staff member reported itchy throat, chest tightness, hoarse voice and swelling of neck area and eyes. On site physician was called, and staff member was evaluated. Pharmacist (myself) and director of nursing was present. Patient O2 sat was checked at 99% and BP noted to be 170/116. Staff member was able to swallow water and speak however recommendation made to call 911. EMT brought staff member to hospital where throat and chest tightness progressed. Staff member was given epinephrine, steroids and benadryl q6h and referred to her allergist.
1094584	3/12/2021	CA	52	F	3/11/2021	3/11/2021	Patient reported feeling dizzy while waiting in the car, approximately 5 minutes after receiving the vaccine, stating her vision began to blur. VS BP 100/60, HR 51, O2 sat 93% on room air. Patient appeared lethargic, unable to keep eyes open when instructed by personnel, upper and lower extremities were limp, unable to keep upper extremities up with full strength or cooperation. Encouraged by personnel to practice deep breathing exercises, compliant until she began feeling tired. Able to understand commands provided by personnel. EMS and police department arrived to scene within 5 minutes. Upon assessment from paramedic, patient vitals WNL. Encouraged to go to the hospital by paramedic, patient did not want to go despite feeling dizzy. Acquaintance/close relative on the scene, was responsible of taking patient's car. Relative encouraged patient to go to the hospital, patient refused saying she was feeling better. Patient was able to transfer self from driver's seat to the passenger seat, steady gait. Relative was waiting with patient in patient's car, relative behind the wheel, at the parking lot to monitor patient. Wait approximately 20 minutes before heading home. RN provided education on signs and symptoms to monitor once arriving home, and to seek medical help if conditions worsen.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1094628	3/12/2021	AL	65	F	3/4/2021	3/4/2021	Within 5 hours, patient was awakened from her nap but found that her eyes were swollen shut, upper lip was swollen and her gums itched. Her head was hurting which is what awakened her. She went and looked in the mirror, she immediately took a Benadryl 25 mg oral gel cap. Within 20 minutes, the swelling and itching started to improve. The symptoms resolved after taking the Benadryl. The next day, she went to work. She took another Benadryl at 10 AM on Friday, slept all day. She ran errands on Saturday, took a Benadryl with her just in case. She also carried an Epi pen. Her feet began to swell, her hands swelled and she started itching all over. Her throat began to close. She took a Benadryl immediately (this is day 3). The symptoms did resolve. She returned home. On day four, she had some nausea. On day five (Monday), she went to work and her tonsils started throbbing. She ran her bus driver route. She was itching all over again. She took another Benadryl. She called Dr. on day 5 after vaccination because of the recurring symptoms. She also called her allergist. She had an appointment with her allergist on day 6. Family Doctor also called back on Day 5 and called a prescription in for Prednisone. She did not start the Prednisone. She did see the allergist on day 6. The allergist thinks her reaction might have been due to the preservative in the Moderna product. It was the only ingredient in both the flu shot (7 years ago) and the Moderna contents. She advised her to take the Prednisone dose pack (as prescribed by family doctor) to over-ride and she upped her Zyrtec to bid.
1094654	3/12/2021	CA	59	M	3/11/2021	3/12/2021	Woke up overnight with a black eye, a pretty good shiner. No trauma to the eye area. I feel great. Face was slightly puffy in the AM.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1094021	3/12/2021	FL	52	F	1/12/2021	1/12/2021	Around 4pm left arm was swelling (entire) and pain. my left eye closed completely,tears and right eye barely closed. I was very sleepy was driving home.The next day I exp fatigue,diarrhea, chills and headache(right side) for the remainder of the week. I took Tylenol for headache the pain wasn't going away.I went to ER did a test for Paralysis discharged with drops for eyes. I followed up with Ophthalmology clinic they put a light to my eyes due to both being completely closed and did some test. I was told to stop using the drops from the ER because it was toxic for my eyes.Upon my discharge given instructions to due warm compress on my eyes for swelling and blurred vision. As of today I'm still ex blurred vision (both eyes) to see, hard for me to see computer,cell phone, letters.
1094721	3/12/2021	FL	61	F	3/9/2021	3/11/2021	subconjunctival hemorrhage left eye; started about 54 hours after injection (coincidence?)
1093529	3/12/2021	TX	34	F	3/5/2021	3/5/2021	~~34 Y O female reports that she received Moderna covid vaccine 3/5/2021 on her left arm and it has been hurting since then. It feels warm and hard when she touches it. Also reports chills, sharp frontal headache 5/10, nausea, blurred vision on and off. Last dose of excedrin was around 10am with no relief of symptoms.~~
1094698	3/12/2021	MD	82	F	3/5/2021	3/6/2021	Flu like symptoms including but not limited to fever, aches, sweating, dizziness. Resulted in fainting and falling, proceeded to faint multiple times - lost all bodily functions, eyes rolled in back of head multiple times and 911. Did get back to ability to get home but now repeats herself more than before and seemed to have lost some mental capacity till Wednesday March 10 / she now is better but scared to do anything on her own as fearing issues again

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1094582	3/12/2021	DE	67	F	3/6/2021	3/6/2021	There was an itchy sensation on my eyelid and corner of my right eye, which I had thought was due to tears. That itchy irritation progressed to redness and the itchiness would be more prevalent in the evening, than the morning, after my shower. I tried a few otc items that I thought would help, but after six days, I went to my doctor's office and was treated by a Nurse Practitioner. She urged me to see my ophthalmologist, which I will do on Monday, March 15. She prescribed two oral medications (prednisone & hydroxyzine) and one topical medication (mometasone).
1093631	3/12/2021	OH	60	M	3/9/2021	3/10/2021	Date & Time started: 3/09/2021 2300 Itchy 3/09/2021 2300 dizzy 3/10/2021 0100 headache 3/10/2021 0100 eye pain 3/10/2021 0130 Fast heartbeat 3/10/2021 0130 Difficulty breathing; Shallow breathing 3/10/2021 0130 Severe Chest pain pulsing to left arm 3/10/2021 0130 Tremors 3/10/2021 0130 weakness 3/10/2021 0130 blurred vision right eye 3/10/2021 0130 joint and muscle pain whole body 3/10/2021 0130 cramping 3/10/2021 0130 nausea all continued through the 10th; Dizziness, headache, eye pain, tremors, weakness, blurred vision right eye, joint pain, and nausea continued through the 11th but got better by the evening. Weakness and blurred vision still present on the 12th.
1093493	3/12/2021	CA	27	F	3/3/2021	3/7/2021	Red eye lids, itchy, inflammation of eye lids. Soreness of arm and skin rash/slight breakout near point of injection on left arm only.
1094736	3/12/2021	NJ	54	M	2/27/2021	3/1/2021	Conjunctivitis of the eyes with swollen eyelids and pink inflammation of the inside portion of my eyes (towards my nose). This lasted for 5 days.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1093411	3/12/2021	IN	65	F	3/5/2021	3/5/2021	About 10 minutes after the shot I felt a warm sensation inside my arm running all the way down to my arm and my hand went numb . I waited a few more minutes then I was released. Then 1/2 hour later my eyes were very sensitive to light I wore sunglasses. Then five hours after the shot I had chest discomfort on left side of my chest which felt like I was having a heart attack pain subsided then every 2 hours it came and went until the middle of the night. Then next day still having same chest pain. Then I had difficulty swallowing was choking so I called my doctor. I also had trouble breathing. Dr. Advised to go to ER if I needed to. I rested and rested and monitored myself. Blood pressure fluctuated somewhat. Still had chest pain and discomfort 24 hours after the vaccine. I had never had chest pain or discomfort before. It was quite alarming. Not being able to swallow was alarming also. Several years ago I had an allergic reaction to a cleaning problem some of the same symptoms it was very scary no heart or chest pain with that allergic reaction to a cleaning product that had bleach in the product.
1093422	3/12/2021	CA	42	F	3/4/2021	3/5/2021	Extreme neck pain, difficulty moving neck, gout like symptoms in feet, extreme fatigue, shakiness, flu like symptoms, swollen red knuckles on left hand that were stiff and painful, fainted, dizziness, vision disturbances
1093487	3/12/2021		58	M	1/28/2021	2/2/2021	Thrombosis of the vein branch of the left eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1093334	3/12/2021	NJ	71	F	2/22/2021	2/24/2021	led to a fall (possible faint) that caused a head injury (bone chip above her eye); led to a fall (possible faint) that caused a head injury (bone chip above her eye); led to a fall (possible faint) that caused a head injury (bone chip above her eye); led to a fall (possible faint) that caused a head injury (bone chip above her eye); Nausea; shivers; fever; dehydration; This is a spontaneous report from a non-contactable consumer (patient) 71-year-old female patient received the second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), (batch/lot number and expiry date not reported) via an unspecified route of administration, on 22Feb2021 (in the age of 71-years-old) at single dose for covid-19 immunization. Medical history included chronic headaches, high cholesterol, high blood pressure and minor heart condition. Patient is not pregnant. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient hasn't been tested for COVID-19. Concomitant medications included candesartan, rosuvastatin, gabapentin, topiramate, amitriptyline and erenumab aooe (AIMOVIG), all from an unspecified date for an unspecified indication. It was reported that 2 days after second dose (reported as 24Feb2021), the patient experienced nausea, shivers, fever and dehydration which led to a fall (possible faint) that caused a head injury (bone chip above her eye). As a result, the patient had an ER visit and they provided her with fluids and stitches. The outcome of events was reported as 'recovering'. No follow-up attempts are possible; information about lot/batch number cannot be obtained.
1093500	3/12/2021	CA	46	M	3/11/2021	3/11/2021	Fever, body ache, nausea, vomiting, eyes feel hot, head hurts, diarrhea, I gave him 500mg Tylenol
1093507	3/12/2021	CT	61	F	3/11/2021	3/11/2021	Systemic: Confusion-Severe, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Hypotension-Mild, Systemic: Visual Changes/Disturbances-Medium, Systemic: Weakness-Medium

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1093541	3/12/2021	TX	20	M	3/11/2021	3/11/2021	Systemic: Dizziness / Lightheadness-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Nausea-Mild, Systemic: Tingling (specify: facial area, extremities)-Mild, Systemic: Tinnitus-Mild, Systemic: Visual Changes/Disturbances-Mild, Additional Details: Pt nearly fainted/passed out. Had some tunnel vision/nausea/loss of hearing. Recovered after water and sitting for 15 minutes. Had some numb/tingling hands/arms.
1093592	3/12/2021	PA	48	F	3/11/2021	3/11/2021	Patient experience brief episode of syncope - blurry vision, dizziness and sweating that was treated with ice packs. Began at 4:50pm and resolved at 4:58pm
1093618	3/12/2021	LA	49	F	3/9/2021	3/10/2021	high sensitivity around right eye socket, pain in and behind right ear, pulsing headache, rash/outbreak beneath right eye socket, pain and soreness around injection site
1093619	3/12/2021	IN	60	F	2/19/2021	2/26/2021	First week: Left arm where dosage was given: hard like a ball, tender, sore. Body Achy, extreme fatigue. At wake up eyes dry Second week: Left arm still hard like a knot, feverish, skin area red. Facial cheeks red daily, Body aching, fatigued, Headache and in a daze - unclear foggy thinking. Third week: Left arm itchy, knot gone, redness gone. Body aches less minimal, less sleepy. Headaches are stronger and I drink about 1/2 gallon of water per day. Facial cheeks red on and off. Fogginess and dizziness still present. Next injection 03/19/2021 - same location and time
1093557	3/12/2021	NY	79	M	3/11/2021	3/11/2021	blurred vision: unable to focus dizziness: blood pressure spike: gradually rising. 185/110 after 90 minues
1093630	3/12/2021	NY	62	M	3/9/2021	3/9/2021	Break out in hives on face, eyes itchy, for several days after getting vaccine

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1093969	3/12/2021	AZ	76	M	2/1/2021	3/1/2021	New onset Myasthenia gravis. Patient initially presented in the ED on 2/23/2021 with complaint of left facial droop, slurred speech and double vision. His stroke score was 2, for left facial droop. nAChR antibody test this test has come back positive, making it likely that this patients symptoms are due to acute myasthenia gravis. The patient continued to experience double vision and eye weakness associated with trouble swallowing that has continued to worsen and was brought the hospital for re-assessment at the request of his wife.
1093657	3/12/2021			U			On day 2 and on day 12 after injection I got visual migraines - no headache. On day 12 + 13 a very low grade headache. On day 15, I had redness at site of injection, with some texture change I could feel with my fingers. By day 16 it had disappeared. I did take a CBD 25mg capsule and a turmeric capsule before going to bed which could have made it go away by morning. Nothing serious at all, just late reactions. I had typical tired and hurt arm reactions in the normal time frame in addition to what I am reporting. I have not contacted my doctor.
1093659	3/12/2021	FL		U			I'm not sure if this is an after effect of the Moderna shot. I developed a mild cough a day or so after receiving the shot. There didn't appear to be any other adverse effects. However, approximately 2 weeks after receiving the shot, I've begun running a low grade fever, a sore throat, fatigue, sneezing and running nose, swelling of eyes, etc. I have not sought medical attention.
1093702	3/12/2021	OH	63	F	3/9/2021	3/10/2021	The night I received the shot, I felt "achy" and took two Tylenol and went to bed. I woke up the next morning with a headache, chills, runny nose, fatigue, and nausea. I took an allergy medication and stayed in bed. This lasted all day. I woke up the next day feeling fine, except for the constant runny nose. Also, on that day, I started having "floaters" in my left eye that I never had before (probably unrelated but I want to let you know).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1093746	3/12/2021	NJ	61	F	3/10/2021	3/10/2021	Within 5 minutes I felt post-nasal drip, then my inner left ear started feeling swollen and clogged. Then the area from my left ear to my cheek and left side of nose felt numb. Almost like novocaine had been injected. After 10 minutes my chest started feeling a little tight. After 15 minutes I left the facility and used my inhaler (I have occasional asthma) and my chest opened right up. The numb feeling on left side of my face & ear persisted and I developed a headache around my left eye. I was very tired that afternoon, took tylenol and went to bed early. Woke up and the numbness was mostly gone.
1093758	3/12/2021	VA	66	F	3/12/2021	3/12/2021	Vaccine was given by trainee under the supervision of an experienced nurse. Trainee did not wipe the patients arm with alcohol prior to injection. Upon injection, vaccine sprayed from the injection site, spraying the supervising nurse in the eyes. The patient was not given an additional dose, and she was informed she could receive her 2nd dose in 3 weeks. The nurse immediately rinsed her eyes and reported to the nearest emergency room.
1093763	3/12/2021	NY	82	F	1/29/2021	1/30/2021	I had no effect until after i went to sleep.. After midnight i awoke to itching all over. By morning my eyes were closed to slits and beneath my eyes were bags as large as teabags, i also had a low grade fever, aches and pains and extreme fatigue. This lasted for a while so ,on Feb 2.. I went to the doctor who gave me a steroid shot. On the 4th i was not as achy though still tired and the bags under my eyes persisted ...My eyes were still itchy and almost closed... She gave me another steroid shot.. i was also advised not to get second steroid shot by several doctors, a doctor and a Immunologist.. also advised against getting second dose. The fatigue remains and the swelling under eyes remains though not as pronounced as it was at first. I would like to be safe. Is the johnson and johnson an option for me? I would not like after effects Please get back to me with some suggestions and advice as to my being fully safe. thank you.
1093785	3/12/2021	AR	18	F	3/11/2021	3/11/2021	about 10-15 minutes after receiving vaccine pt complained of dizziness, loss of vision, sweating, loss of consciousness, vomiting and of her left hand getting cold.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1093793	3/12/2021	NE	31	F	3/6/2021	3/7/2021	At 1 am, I woke up with chills. I was freezing, but my body was not cold to the touch according to my fiancé. When I woke up around 7 am, I was exhausted for the rest of the day. I had a bad headache all day. I had a 100-degree fever that broke during the early afternoon. On the following two days, I had a mild headache that lasted through the afternoon. It felt like someone was pulling the muscle behind my right eyebrow.
1093816	3/12/2021	NC	90	M	2/22/2021	2/24/2021	Patient developed tearing of the right eye on 2/24/21 followed by progressive right side facial weakness that resulted in an ED visit on 2/27/21.
1093890	3/12/2021	AZ	78	M	2/10/2021	2/22/2021	He was fine until 2/22/2021. He suddenly started having left leg weakness. He started becoming more dizzy next day and skipped his daily walk. On 2/25/2021, his left leg weakness became worse. His wife gave him cane and took him to PCP who diagnosed him with BPPV and gave him meclizine. Next day, he started having jaw stiffness and had difficulty in brushing his teeth. He was complaining of blurry vision in both eyes. He denied any double vision. He stated he could not read things which he was able to read 2 days ago. A day before he presented to Hospital, he was not able to walk at all and he required walker. According to his wife, when she went to see him at Hospital around 7 PM on 03/05/2021, his oxygen saturation dropped twice and internist decided to transfer him to ICU. Later on, the decision was made to transfer him to Medical Center. Pt was intubated, developed diffuse segmental myoclonus, required intense sedation; /ivig ineffective, now giving plasmapheresis. pt underwent imaging of CNS, LP and extensive laboratory testing.
1093909	3/12/2021		74	F	3/11/2021	3/11/2021	After 15 minutes patient noted feeling light headed, dizzy and experiencing blurry vision. Vitals were stable, patient was seen by our Walk In Provider for further evaluation.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1093950	3/12/2021	IN	67	F	3/11/2021	3/11/2021	Eleven minutes after injection the patient had generalized pruritis, warm "crawly" sensation all over body and itchy eyes. She developed 2 - 1cm urticaria. One on the lower part of left upper arm and the other on the left distal lower arm., but none at injection site. A third developed on left hand. Patient had no respiratory/GI/hoarseness/angioedema/cardiovascular symptoms. Patient responded to benadryl and pepsid. Patient was observed for 3 hours. Itching, warm "crawly" feeling on skin subsided. The 3 urticaria stable. Discharged home. Patient instructed to go to ER if conditions worsen, increase in hives, any respiratory, swallowing issues arise or allergy symptoms. NOTE that with first dose of vaccine the patient had only a headache, chills and eye pressure. Denied any allergic symptoms.
1093960	3/12/2021	GA	64	M	3/10/2021	3/12/2021	I was awakened with severe chills,runny nose,hot head,nausea,short of breath,unable to walk because of severe shaking,blurred vision,slight headache,exhaustion
1093626	3/12/2021	WI	37	M	3/11/2021	3/11/2021	patient received his first dose of the Moderna Covid-19 vaccine. After receiving in our immunization room, he left the room and then shortly walked over to the pharmacy in-window and told the pharmacy tech that he did not feel well and felt dizzy. Tech had him go sit down in the waiting room and went and got the nurse, who went out to check on patient. Patient was slumped in the waiting room chair with eyes closed and very sweaty. Patient said he wanted water, so staff quickly got him water. After a few sips, patient's head rolled back and he lost consciousness for roughly 10 seconds before waking up startled and confused. Ambulance was already called and when the arrived they triaged the patient for around 15 minutes. After about 15 minutes the patient seemed much better and the paramedics decided it was OK for him to leave and drive himself home.
1095769	3/12/2021	GA	58	F	3/12/2021	3/12/2021	Itching rash swelling in the throat eyes being all watery and goofy,- Treatment three Benadryl, Albuterol tablet
1095523	3/12/2021		49	F	3/12/2021	3/12/2021	Immediately after receiving their vaccine the patient began to feel light headed, dizzy, and see black spots in their vision. The patient said that their arm felt tingly when the vaccine entered the left deltoid.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1095524	3/12/2021	AZ	54	F	3/11/2021	3/11/2021	At the time of the injection, I had numbness in my left fingertips, and my tongue was bitter/burning for few minutes. The Doctor in place informed that it was a normal reaction. Everything was going well until I went to sleep. I woke up in panic due to not being able to breath. I felt like my brain, face, eyes, and nose were swelling. My chest was compressed. Then I remembered I didn't take any medication; therefore, I took two Advil. After an hour, I noticed that by sitting or walking, I began to feel better. I went back to sleep in a seated position around 4:30. Not sure if I want to take the 2nd dose. I'm frightened. Have an appointment with my Doctor on March 22nd.
1095537	3/12/2021	WA	30	F	1/7/2021	1/15/2021	Injected temporal bulbar conjunctiva, right eye. 1mm conj retention cyst lower lateral fornix.
1095556	3/12/2021	HI	74	M	3/9/2021	3/10/2021	Chills, Headache around my temples and eyes, Joint Pains mostly in my ankles, Muscle/Body ache in my thighs, upper and lower back, and also my neck muscles, Fatigue/Tiredness just sleep on and off during the 30 hours that I experienced these symptoms. I'm fully recovered. I did not seek medical attention.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1095560	3/12/2021	UT	31	F	3/11/2021	3/11/2021	I received my vaccine at 4:09 pm on Thursday, March 11th, 2021. At 4:45 pm I began to get visual abnormalities while driving home in the right quarter of my visual field. It started with perceived motion on the right quarter of my vision that I would compare to the visual effects that occur after staring at an optical illusion , and proceeded to reduced peripheral vision in that side that lasted for about 20 minutes. at 5:00 pm I noticed I was having difficulty reading and typing text messages in my phone, as it felt like I had extreme dyslexia and very low reading comprehension. At 5:35 pm I called my sister, a pharmacy student in Boston, to try to explain my symptoms, but found myself having extreme word aphasia. I could not describe what was happening to me and couldn't recall family members' names, descriptive words, or the name of my dog. I tried to stay calm while she looked things up and began cooking and listening to a podcast, since my comprehension of spoken words was fine. My headache got worse and I took an ibuprofen by 6:00pm. My boyfriend called me at 6:36 pm to check on me, and I found myself talking fluidly to him on the phone. I called my sister to reassure her and the visual abnormalities and reading and speaking issues were all resolved. I took my temperature at 6:36, and it read 99.9 degrees fahrenheit.
1095575	3/12/2021	FL	55	F	3/10/2021	3/10/2021	puffiness of eyes, especially left eye. Also bag and dark circle under left eye. Eye balls feel sore

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1095577	3/12/2021	DC	20	F	3/12/2021	3/12/2021	Patient did not report any allergic reaction to any vaccine or medications when asked during consultation prior to administration. The pharmacist had administered the vaccine and patient was sent to the waiting area to wait the mandatory 15-20 minutes after receiving the shot. Patient was seated and after 5 minutes, patient disclosed with another patient in the waiting area that she was not feeling well. After a few min she lost consciousness for less than a minute, her eyes rolled back. Epinephrine was not administered. When she became conscious, she refused medical treatment. Patient was nauseous and vomited a few times. A pharmacist checked vitals and all were within normal limits and a neuro check was also performed which was normal. Patient was given water, gingerale, raw ginger, and ginger tablets for the nausea. Patient was also given saltine crackers. Patient's aunt arrived at the scene. Patient reported feeling chills and weakness. Patient did not feel comfortable standing/leaving. Pharmacist stayed with the patient for 90 min until patient was stable and walked the patient to the aunts car. At the end of the event patient reported having vasovagal syncope and has a history of fainting at the site of blood, too much stress, and anxiety, but never after vaccines. She reported she did not eat anything in the morning and just drank coffee.
1095583	3/12/2021	NY	23	F	3/3/2021	3/7/2021	The patient received her vaccine on Wednesday March 3. On Sunday March 7, she started to feel fatigue and had difficulty with her balance while walking. Then later that day, she developed double vision. When things did not improve, she sought medical care. She has nystagmus on examination, past-pointing in the left hand, and mild dysmetria on both legs.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1095594	3/12/2021	WI	86	F	2/19/2021	2/24/2021	Starts around 4 pm. Lot of pain right side of face like: 1. toothache, whole jaw aches 2. neck arthritis 3. sinus infection 4. ear infection all at the same time. Strong pain all through right side of face, sometimes up through eye. Worse lying down. Cause? Dental exam complete mouth x-rays indicated no problems with any teeth. Saw Dr. 3/3/2021, was checked for ear, sinus infections, felt all around my neck, no problems. Prescribed gabapentin, told to continue the Tylenol Arthritis I had been taking on my own. Symptoms continue today, only right side of face, head, temple area, sometimes up through right eye, teeth on right side ache. Only take the Tylenol once a day since that is all that I need it. More painful if I lie down in bed at night so sit upright until pain is gone; then sleep through the night. No problem all during the day when I'm up and around doing whatever. .no pain then. Someone in my dental office has the same symptoms along with Bells Palsy, was told by her doctor it's from the Covid shot and could last 3 months? Pharmacist also told me filling the gabapentin for several others with same symptoms (I live in a small town).
1095612	3/12/2021	CA	44	M	3/3/2021	3/12/2021	Patient reported a "tingling sensation" to his face 10 minutes post vaccine. Swelling under eyes were also noted. At 1410 patient reported symptoms subsided. By 1440 patient requested that he leave and another individual to drive was confirmed. Importance of following with PCP was enforced.
1095615	3/12/2021	MI	54	F	2/20/2021	2/20/2021	Cold sore, mouth sores, itchy burning eyes, abdominal rash, itchy skin head to toe, vertigo, dry cough, shortness of breath, traveling leg pain, development of ear infection, dizziness
1095655	3/12/2021	WA	75	M	2/13/2021	2/21/2021	Loss of vision started approx 2 weeks after 1st does of Moderna Vaccine
1095516	3/12/2021	OK	63	F	2/23/2021	2/24/2021	Immediate pain from injected arm, across back up the neck, causing headache and going across to other arm, down arm and making left hand tingle. Sensitivity to use of finger on left hand. That went away next day. Residual effects pain in my jaw and teeth sensitivity, continues to date. Hot flashes, shooting pains in foot, arm, hand, eye, leg randomly. raised blood pressure.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1095759	3/12/2021	IL	37	F	2/5/2021	2/9/2021	Immediately after injection I felt a tingling in my back that went away within 25 minutes. My left arm started tingling/feeling numb in small areas starting days after injection from vaccine site up to my neck. Days later it spread down to my left hand. It has now been over a month straight of my entire left arm and left hand tingling/feeling numb, with my hand and fingertips being the worst. The symptoms affect me all day every. I've also had very bad headaches with the pain behind my eyes multiple times a week since the injection.
1095776	3/12/2021	OK	40	M	3/10/2021	3/10/2021	Patient felt to be in distress at the close of his observation time. He was complaining of trouble with focusing his eyes, left sided chest pain, and was diaphoretic. Pt appeared to be in moderate distress and very anxious. I examined the pt through the car window and listened to his heart and lungs. Pt was not in respiratory distress and heart rate and rhythm were regular. Reassurance was provided to the pt, but he was also told that to be safe I recommended that he be evaluated in the emergency department and that he be transported via ambulance. Pt expressed understanding and agreed to going to the ED but was refusing transport via EMS. Pt was the passenger in the vehicle and he said that the driver could just take him. I expressed that transport via EMS would be the safest but we could not make him go via EMS and that if they wanted to leave via private vehicle then they could but i still recommended that he be evaluated in the ED. He expressed understanding and that he would go directly to the ED via personal car.
1095773	3/12/2021		28	F	3/11/2021	3/12/2021	2-3am: shaky, chills, injection site pain (throbbing), lethargy 3-5am: shaky, chills, dizziness, heart racing, tunnel vision, injection site pain, lethargy, weakness 5-7am: shaky, chills, excessive sweating, injection site pain 7am-10am: shaky, chills, lethargy, weakness 10am-noon: weakness
1095823	3/12/2021	SC	47	F	3/9/2021	3/10/2021	Exhaustion Headache Dizziness Watery eyes Feels like bronchitis Muscle aches Arm discomfort Radiating pain all Over body Double vision Hazy vision Easily get out of breath Bright yellow urine output Insomnia

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1095844	3/12/2021	CA	60	F	3/11/2021	3/11/2021	Patient administered Covid Vaccine (Pfizer, 1st dose) at approximately 2:46PM. At approximately 1505 pt c/o nausea and ran outside. Pt awake, alert, respirations easy and unlabored, no distress noted. No vomiting occurred. Pt stated history of throat swelling and facial swelling/rash after PCN. 1510: Pt stated nausea resolved. Pt Diabetic and had not eaten lunch. Juice and crackers given, pt tolerated well with no difficulty. Respirations remain easy and unlabored, no distress. 1517: Pt clearing throat, c/o throat swelling, able to manage oral secretions, speaking in complete sentences. Pt to triage area via wheelchair by RN. BP 171/80   Pulse 77   Resp 17   LMP 02/01/2013 (LMP Unknown)   SpO2 98% 1523: Pt awake, alert, c/o difficulty breathing. RN called for assistance 1526: 911 called. BP 184/84   Pulse 82   Resp 20   LMP 02/01/2013 (LMP Unknown)   SpO2 100% 1528: RN called ED MD, Dr., verbal order received for Epinephrine 0.3 mg subcutaneous one time now. 1530: Epinephrine given per MD order. 1532: EMS crew on scene, Sac City 7, assessing patient, full report given by RN. During transfer of care, pt started shaking, full body, eyes closed, assisted to supine position on gurney by EMS crew, no injuries occurred, very short duration- pt aroused. Pt and her personal belongings to ED by EMS crew.
1095858	3/12/2021	FL	87	F	2/15/2021	2/15/2021	2/15/2021 -8pm - fever, body aches, weakness and fatigue, seemed o resolve after 24 hours, but during that following week, had forgetfulness, second week, forgetting was more frequent, by third week, daily and repetitive , can remember meds, Dr. names, whereimportant papers are , why we were going to the Dr. or where his office is.....etc She says she knows something is wrong, id fearful to walk the dog "I might get lost", she cant remember how to lay cards or marjong, which she did weekly for years. Saw PCP 3/10, went to hospital had CBC, CMP,, lipids, CXR, CAT head, UA, EKG, discharged on aricept and told to make an Neuro appt for eval,, First available was mid April, went back to ER next day 3/11, condition worse, "keep an eye on

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1095878	3/12/2021	CA	19	F	3/10/2021	3/11/2021	Got second dose of vaccine the morning of March 10th. Had the "expected" symptoms of fatigue, headache, and chills the evening of March 10th. Woke up on March 11th around 6:50am and felt the same symptoms as the night before but also really hot and nauseous, stood up and began to slowly lose vision. Went to parents for help and they saw me pass out and collapse. Went to Emergency Room and they found I had a really high heart rate and I received an IV to help with rehydration. Was released after that and have continued to have the same symptoms plus muscle soreness but no longer feel as dizzy and haven't had any issues with vision or consciousness since.
1095894	3/12/2021	CO	71	F	2/12/2021	2/28/2021	This patient developed a severe, multisystem inflammatory syndrome after covid vaccination that necessitated hospitalization for 6 days. It involved skin (rash), liver (elevated bilirubin and asT/alt), bone marrow (leukopenia, thrombocytopenia), cns (hallucinations, visual disturbance), and musculoskeletal system (synovitis). Inflammatory markers were markedly elevated with ferritin over 1000 and CRP over 100. COVID infection was definitively excluded.
1095909	3/12/2021	WA	46	F	3/11/2021	3/12/2021	Blurred vision was the only weird one. I had aches and fatigue and arm pain that were normal reactions. I called and reported it to my doctor. No further treatment at this time.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1095958	3/12/2021	WA	82	M	3/12/2021	3/12/2021	Client is elderly and has reduced mobility status. Client was ushered up into the bleacher seating at the vaccination site following the dose administration, and upon sitting down was experiencing shortness of breath (reported by the client to be from walking up the stairs). Client pulled out personal inhaler (albuterol) and self-administered a dose. Responder noted pallor and increased difficulty with speaking for the client, but client's breathing returned to a regular rate and rhythm in the minutes following albuterol administration. Client's pallor resolved. The client refused emergency medical services twice, and refused having his vitals taken. The client was monitored visually by responder until deemed appropriate for discharge from the observation area. When the client ambulated down the stairs, Responder noted unsteadiness in gait. Once the client was safely at the bottom of the stairs, a wheelchair was retrieved for the client so that the client could safely exit the facility. Client accepted the wheelchair at this time. Client refused a vitals check a second time at the checkout station, per responder.
1096102	3/12/2021	VA	39	M	3/12/2021	3/12/2021	Fever , body aches , legs buckled and almost fell over , arm twitched a few times , nausea, eyes completely bloodshot & glassy looking , extreme fatigue
1096150	3/12/2021	OR	78	F	3/12/2021	3/12/2021	puffiness under eyes, tingly lower lip
1096158	3/12/2021	CA	42	F	3/12/2021	3/12/2021	The logistician from station 3 alerted the observation area that a patient was not feeling well. The patient was sitting on the chair. She looked pale. She complained of feeling dizzy and lightheaded (went away 2 mins after getting the shot) and blurry vision (went away 5 seconds after getting the shot) Blood pressure: 118/76; Pulse 68. O2 sat unable to read d/t nail polish. Good capillary refill. She felt better after 20 minutes. She rested laying down with her feet elevated for 20 minutes. She sat down for 15 minutes and stood up for 5 minutes with no dizziness/lightheadedness. Patient texted that she arrived home safely and felt fine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1094753	3/12/2021	CO	77	M	2/4/2021	2/6/2021	Neurological, including trigeminal neuralgia and one Bell's Palsy symptoms. Tried to complete online at library on 2/24/2021 but timed out at 20 minutes. Item #18: CDC asked to report any Bell's Palsy symptoms (also trigeminal neuralgia is related to BP). 48 hrs post vax, mid-afternoon Sat, Feb 6th: Suddenly unable to comprehend book I was reading; and there was a physical sensation of irritation just inside my skull, wrapping around my brain (meninges?) - it did not intrude into brain. Felt lack of 'presence' in room. Slightly unstable on my feet. Believed these were related to vaccine, would soon abate, but, also, that this would be no way to go through life! These lasted 2-3 hours. (I neither drink alcohol or take recreational drugs.) About that time, a 'twinging' precursor to trigeminal neuralgia began – uncertain whether it was TN? Recurred every 3 hrs. But then awakened at 6:30 a.m. by two painful TN jabs, repeated more strongly at 9:40 a.m. At about 12:30 pm, return of light 'twinging' sensation, then nothing – no recurrence. 3rd TN episode in 3 years, the briefest, the only one not requiring oxcarbazepine. Checked for Bell's Palsy symptoms (which I've never had): The left side of my mouth wasn't producing any saliva at all – none. This improved very slowly, continuing for 5 or 6 days; by far the longest lasting symptom. About Monday, the 8th, experienced an expanded time warp driving to library – took forever to reach two roundabouts. Lucid, alert, vision & reactions normal. Speed was a mile or two above limit. No euphoria or nystagmus. At library, conversation and work seemed normal. Around the same time I had about an 18 hour complete memory loss with regard to medications. Two dose periods in succession. On Monday, Feb 8th, I called our 4 day a week neurologist. He said the symptoms were an immune response to the vaccine but that he's never seen them together before. It was scary. I'm not going to take the second dose at this time. And will depend upon PCP. Filling out this form because you've asked about any adverse reaction related to Bell's Palsy (which TN is closely related to). I wonder how many others have experienced trigeminal neuralgia symptoms following vaccination? It's a cumulative disease and devastating in advanced forms. :-(



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1093483	3/12/2021	PR	52	F	2/19/2021	3/3/2021	My eyes were swollen, rash on face and body, prednisone treatment 20 mg for 12 days and zyrtec
1095722	3/12/2021	IN	54	F	3/10/2021	3/10/2021	Around 5:55 I felt a numbing at the top of my leg while seated while waiting my 15 minute wait time. The numbing continued down the right side of my right leg. I didn't think much of it because I thought it was the way I was sitting. I didn't report it to anybody at that time. I got in my car and my three right toes started to numb. Then I felt it down my arm and the right three fingers. About 15 minutes later my jaw muscle, then up to my temple and across the fatty area of the eyebrow went numb. Several minutes later I noticed my nostril and right side of my tongue numb. It felt like my tongue and face were swollen but when looking in the mirror they were not and there was no drooping when I smiled and raised my eyebrows. It was a similar feeling that I have had when a shot has almost worn off from a dental procedure. The feeling and the movement is there but still tingly. The arm, leg, and toe numbness went away 2-3 hours later on the same day of the shot. I had no numbness on the left side. Two days later I still have the same numbness on my right two fingers, tongue, jaw, eyebrow area, and nostril.
1094915	3/12/2021	WI	27	M	3/11/2021	3/11/2021	Pt. was vaccinated by another pharmacist at our remote clinic at an elementary school at 11:35am 3/11/21. Within less than 3 minutes the patient informed a student that he did not feel well. He reported: itching, feeling hot, shortness of breath, dizziness, loss of vision, and thirst. The student alerted me and I assessed the pt. He was responsive, but felt "tired". He was sitting on the floor. I told the student to call 911. I continued talking with the pt. as I was preparing the epinephrine and placing a blood pressure cuff on his arm. He became less responsive and asked me for the epinephrine. I injected him with an EpiPen 0.3mg in his outer left thigh through his pants (at 11:43am). Within approximately 30s-1min the pt. became more responsive. I then took his pulse and BP shortly before EMS arrived (11:52am). They performed the second blood pressure reading and the pt. was transferred to their care at that point.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1094789	3/12/2021	IL	57	M	2/2/2021	2/4/2021	Two days after administration of vaccine patient experienced floaters mainly in left eye, some blurry vision, yellow /orange flash also mostly on left side.
1094801	3/12/2021	CA	27	M	3/12/2021	3/12/2021	1000 vaccine recieved and pain started after he felt a pop, (instructed him this was the vanish shield needle most likely) followed by numbness and tingling. When he walked to chair become dizzy and light headed. 1005 reported issues to recovery staff. b/p 132/78, p-99, 02 sat 97%ra, r-18. 1019 cont to be dizzy and light headed, tingling wrist down, pain is gone @ this time. 1023 starting to get sleepy per report. 1045 c/o of vision alterations, blurry vision. B/P 152/80, p-99,02 sat 96%ra, r-18. 1100 b/p 140/86, p-99, r-18, 02 sat 97%. Reports cont to feel the same. 1105 Site lead instructed pt to call MD, go to urgent care or we could call EMS. Pt and significant other opted to drive via their car to urgent care.
1095833	3/12/2021	MA	56	F	3/12/2021	3/12/2021	Swelling in face and neck this evening. Starting around 5pm. Shot was a 8:45am. I felt fine most of day except for sore arm. This evening felt tired and swelling started in cheeks, now neck and eyes as well.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1095508	3/12/2021	CA	47	F	3/12/2021	3/12/2021	Vaccination administered 3/12/2021 @ 1213, left deltoid (Johnson and Johnson lot 1805020) While in recovery area at 1243, patient stands from her chair and states that "I feel funny, and I have to walk". RN asks patient to elaborate on reasons why she is needing to ambulate and encourages patient to sit for assessment. She states, "No, I really don't want to sit, I feel like I need to walk. I have a tingling down the back of my neck, it really feels warm actually hot, I think if you take my vitals it will only make it worse". RN again requests that patient sit and allow for vital signs to be taken, patient refuses, and asks for water. RN provides a bottle of water for patient and she says that she would like to stay in recovery a little longer. Patient ambulates in area for (with RN observation) and verbalizes that she is feeling a little better with walking. Again, upon visual examination no changes noted in patient skin on neck or sholders. At 1248 patient agrees to sit, but again refuses additional assessment. By 1247, patient states that she is feeling better, denies dizziness and states that heat in neck has decreased. Patient reports having similar reaction after taking Compazine. By 1250, patient verbally expresses that she is ready to depart clinic. Advised to seek medical attention after departure if necessary, with increase or significant change in symptoms. Patient verbalizes understanding. Ambulates from clinic alone at 1251.
1094848	3/12/2021	TX	57	F	3/5/2021	3/9/2021	Day 4 after shot - both eyelids were sensitive to touch. Severe pain in both knees. Day 5 both eyelids were puffy and swollen. Severe pain in both knees. Day 7 - both issues had subsided but still discomfort
1094856	3/12/2021	MI	44	F	3/5/2021	3/6/2021	Pt received the first dose of the Moderna COVID vaccine on 3/6/21. The following morning, she had moderately swollen eyes and mild dizziness. Eyes swollen since Friday after covid vaccine, BP noted to be low after taken twice. Pt went to ED and was put on Pepcid, Benadryl, and Prednisone. Pt feels the same, no improvement in the eye swelling. The dizziness is gone now. No fever, redness or pain at the injection site. Pt is swallowing and breathing without difficulty. Any treatment So Far: prednisone, benadryl, pepcid

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1094868	3/12/2021		89	M	2/1/2021	3/7/2021	Started having confusion at 3#0 a.m. Sunday morning. Unstable gait and hypoxia at home. More congested than usual. Had 2nd COVID vaccine 4 weeks ago. Had visual hallucinations with seeing "bugs" Admitted with positive COVID and Influenza B diagnosis.
1094886	3/12/2021	TX	60	M	3/9/2021	3/11/2021	Patient was at work when he had blurry vision and an episode of syncope.
1094924	3/12/2021	WA		F	3/10/2021	3/10/2021	Anaphylactic reaction, lips and tongue numb, face swelling, SOB, nausea, diaphoresis, double vision, weakness; all within 15 minutes.. Taken to urgent care at same site as vaccine. Given epi-pen, IV benadryl, put on oxygen. Predisone 50 mg qd X 2 days, oral benadryl 50 mg q 6 hrs X 48 hours.
1094988	3/12/2021	MA	69	F	3/12/2021	3/12/2021	Patient states she received J&J COVID19 vaccine today at clinic site at 10:30am. States she noticed facial swelling starting at 11:30am. Patient went out to lunch and returned home and called COVID19 hotline to report symptoms. States when the swelling was at it's worst, it was difficult to see facial structure of cheek bones which she can usually see. States symptoms are improving facial swelling has 'mostly resolved' with mild swelling around eyes persisting. No OTC medications taken. Denies vomiting/itching/nausea/rash/SOB. Talking comfortably on the phone. Denies need to clear throat.
1095073	3/12/2021	CA	76	F	2/25/2021	2/27/2021	stroke, tia in left eye
1095154	3/12/2021	MD	21	F	3/11/2021	3/11/2021	Patient received Moderan dose 1 vaccine and felt lightheaded, presyncopal and then reported numbness and tingling to the shoulder and trapezius muscle on the left, ipsilateral to the injection site. She felt better after 30 minutes and proceeded to go eat in her bedroom. She was nervous and anxious prior to the vaccine and states that she thought that had something to do with it. She then experienced a 10 second bout of muscle tension in her face and jaw which caused her to be unable to talk or speak for a few seconds. She was brought back down to the hall for evaluation. She felt as if she was having a stroke and that got her more worked up. She denies lower body weakness. She states that her head feels heavy and she complains of general fatigue. No n/v. No headache or blurry vision.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1095155	3/12/2021	NY	61	F	3/10/2021	3/10/2021	Jansen COVID-19 Vaccine EUA After waiting 15 min post vaccination, I got in my car to drive home. I started to see arcs of color in the peripheral vision of my left eye. Later this became more prominent. Overnight, I developed a headache and saw wavy colored/blurred lines in my left eye for about 10 min that obstructed my vision. I saw an ophthalmologist as I was very concerned. They suggested that as my eyes looked healthy under examination that it might be an ocular migraine. I still have a painful headache 26 hrs post vaccination. I?ve never had an ocular migraine previously.
1095167	3/12/2021	ME	67	F	3/12/2021	3/12/2021	Around 10 minutes after vaccine patient reported feeling dizzy, tired and weak. Patient was still responsive, stated she had eaten breakfast. She then was given water. She then became unresponsive, eyes closed, snoring with head slumped down while sitting. After we realized patient could not be awoken, property manager called 911. While ambulance was on thier way, patient "woke up" but was drowsy and could barely communicate. No epinephrine or diphenhydramine was administered. BP was 130/100. After EMS arrived, patient's partner came in from the car and reported this has happened multiple times at doctor appointments/procedures. Patient was unconscious for around 5minutes. Patient reported she went to the ED but was discharged after a short visit.
1095323	3/12/2021	IN	75	F	3/5/2021	3/6/2021	101 degree fever, chills, headache, joint aching for a little over 24 hours. Fever broke around 24 hours. Fatigued for 72 hours. Treated with Tylenol. Hemorrhaged a blood vessel in right eyeball, not yet resolved. Seeking medical consultation today.
1095462	3/12/2021	NM	60	M	3/11/2021	3/11/2021	During observation felt hot and sweating No LOC vision blurred Responded to lying down
1095457	3/12/2021	NM	57	F	3/11/2021	3/11/2021	During observation felt hot and sweating No LOC vision blurred Responded to lying down and fluids discharged home with daughter

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1094881	3/12/2021	NC	33	M	3/12/2021	3/12/2021	33 yo M with NKA, history of fainting in the past and anxiety about vaccines and needles was in the drive through clinic to receive COVID-19 Janssen vaccine on 3/12. After receiving the vaccine at 0943 (lot # 1802070) in right deltoid, the patient began to feel anxious. He had been or was watching EMS working with another patient who had experienced an ADR. He began to feel "floaty" and noted he was blinking uncontrollably. He reported some tunnel vision/blurred vision. He states he recalled a nurse rubbing on his chest and placing a cold pack on his neck and at this point he began to feel better. He states he was trying to "fight" the feeling and was tensing up his extremities but denied convulsions or any loss
1095469	3/12/2021	FL	64	F	3/6/2021	3/8/2021	Got a fever and chills which seemed expected on Sunday evening the day after the shot on 3/6/21. On Monday, I was fine but tired and went to bed about 11PM. I awoke to the feeling that the room was spinning even with my eyes closed and when I opened my eyes the room continued to spin around me. I could barely stand up when I tried. Felt nauseated but did not vomit. The vertigo continued off and on on Tuesday, Wednesday, and Thursday especially when I would lay flat either on my back or stomach if I turned my head. I went to my doctor this morning who ruled out an ear infection or wax build up. She encouraged me to contact her if it continued after a week. I have only had vertigo two times in my life, both after a physical trauma to my head (car accident when I as 30, and surprise tackle during touch football) when I was 53. This struck me as an unusual side effect from the vaccine since I have never had vertigo without a prior event like an accident. I am in good health otherwise.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1095168	3/12/2021	KS	69	F	3/12/2021	3/12/2021	<p>Progress Notes Cosign Needed Expand AllCollapse All</p> <p>3/12/2021</p> <p>Patient:</p> <p>DOB: 6/7/1951 Date:</p> <p>3/12/2021</p> <p>MRN: Subjective Patient is a 69 y.o. female who was seen at COVID Vaccine Clinic today for her second dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience lightheadedness. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality and rapid progression of symptoms. Past Medical History: Diagnosis Date ? Acquired hypothyroidism 12/7/2017 ? Nextgen PMH Comments TAH - benign fibroids;Endometriosis;I-131 therapy for thyroid nodule ? Thyrotoxicosis without mention of goiter or other cause, without mention of thyrotoxic crisis or storm Hyperthyroidism; NG PMH ? Unspecified essential hypertension Hypertension; NG PMH ALLERGY REVIEW OF SYSTEMS: Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, cough, chest tightness, shortness of breath, wheezing, rash, hives, eczema, itching of skin, muscle aches, joint pain, dizziness and headaches Previous Reactions: none Objective Vitals Vitals: 03/12/21 1431 BP: (!) 148/72 Pulse: 73 SpO2: 100% Physical Exam Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress.</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

Breath sounds: Normal breath sounds. No wheezing.  
Skin: General: Skin is warm and dry. Neurological:  
General: No focal deficit present. Mental Status: She is  
alert and oriented to person, place, and time. Gait: Gait  
normal. Psychiatric: Mood and Affect: Mood  
normal. Behavior: Behavior normal. Thought  
Content: Thought content normal. Judgment:  
Judgment normal. Assessment/Plan Treatment  
included: no therapy and other than removal of double  
mask for a brief moment Follow up response to  
treatment: excellent. Patient discharge: Stable to go  
home and follow up with PCP. Differential Diagnosis:  
Vaccine-Related Anxiety (include misc mental health)  
Bp checked and pt evaluated. Pt doing well. She feels  
better knowing her bp is okay and not high. She is  
pleased with care and denies any concerns today. Pt  
able to ambulate out of the facility w/o assistance.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1095349	3/12/2021	FL	67	F	2/12/2021	2/12/2021	Jan 14, 2021 1st Dose Moderna COVID19 vac-Rec'd in R-arm. Sore muscle-bearable lasted 4 days. Tiredness lasted 1 day. Vac site swollen, red and itchy-Bearable. Sore muscle and vac site reaction all done by 5th day. Did not take anything for the discomfort. Feb 12, 2021 2nd Dose Moderna COVID19 VAC-Rec'd in R-arm at 1:35p. 1. Feb 12 8:30pm my neck from the base of my skull down to top of my shoulders in pain and muscle spasms severe for a couple of hours. Felt faint until it was over. 2. Feb 12th and 13th The R-arm muscle ached with much pain coupled with soreness all night-no sleep. Did not take anything for this discomfort. No fever during the night. 3. Feb 13th Muscle left with little movement. Felt like it was going to break if I forced it past its abnormal limitation this morning. Took nothing for the muscle pain. Awoke with dull headache left side of head morning of the 13th. Fever of 99.1. My normal is 97.7. Took nothing for the fever. 4. Fever all day until approximately 6pm. Fluctuated all day long between 99.1 and 100.2; never going lower or higher. Fever broke on its own approx 6pm. 5. Feb 14 No Fever. Felt pretty good. No headache; muscle still very tight and sore but still working with it. Tiredness but went about my daily activities. Took nothing for the muscle pain. 6. Feb 15 No Fever. Over did it on the 14th. Did nothing all day. This is the day the injection site became very swollen red and extremely itchy. Started ice cold compresses to relieve that irritating itch. This reaction lasted thru day 7. By day 8 the extreme itchy and swelling was gone. First day to bed by 7pm. Slept all night until 5am. 7. Feb 16 Day 4 after vac. No fever. I picked up my activity slightly from the day before. Tired. To bed again at 7p. Slept until 5:40am. 8. Feb 17 Day 5 after vac. No fever. Felt real good. Energetic! Had pretty much a normal day yet careful to not over do. 9. Feb 18 & 19 Days 6 & 7 after vaccine. HORRIBLE. Woke up with a splitting headache both days! No fever! The following happened all on the left side of my head and face. a. Left eye left corner painful. No twitching. Tight. b. Left side of face on cheek above where my mandible has been deteriorating since 2016 with associated bone infection that has been subsided since Dec 9, 2020 a blemish appeared. Not a pimple. But a blemish that had opened sometime during the night bled a little and had scabbed over. There was nothing there before I went to bed. c. A BLISTER had formed on

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							top of the left side of my scalp. It was extremely sore. 10. Feb 20 Day 8 after receiving vaccine EVERYTHING was gone as though nothing happened, the splitting 2 day headache, the 2 day painful left eye, and the 2 day painful blister on my scalp. The blemish on my cheek was clear in 3 days from appearing on Feb 18th. Please note that I had not taken any medicine to alleviate any of these side effects. I allowed it to run its course. Also, the last 2 days of side effects beginning on the 18th and 19th were so severe (to me) I felt compelled to report my side effects. End of side effect reporting.
1095345	3/12/2021	CA	25	M	3/12/2021	3/12/2021	Pt was in seated position in a chair and slumped over to right side and fell to floor. Pt appeared to twitch slowly for about 20 seconds. Pt was brought to seated position on floor. Appeared pale and diaphoretic. Pt verbalized he did not realize he fainted and loss consciousness for about 20-50 seconds. BP: 67/27. HR: 36. MDP doctor called over to assess situation. 2nd set of vitals taken. BP 51/27. HR 41. Pt given water. States he feels dizzy and light headed. Vision is "weird." Sees colors more vibrantly. The Dr. recommends pt go to ED. Pt transported via wheelchair by the Dr and clinic NP with Anaphylaxis kit. In ED, pt's BP was 86/60. Blood Sugar 91. Pt admitted for fluid hydration and monitoring.
1095362	3/12/2021	GA	42	F	3/8/2021	3/10/2021	TINGING IN THE LEFT (STARTED DAY OF, BUT TOOK THIS AS A SIDE EFFECT ON WEDNESDAY BC TINGLING DIDN'T GO AWAY). BODY DOESN'T FEEL NORMAL STILL. WOKE UP ON 3/12/2021 WITH A POPPED BLOOD VESSEL IN RIGHT EYE
1095317	3/12/2021	NV	59	F	3/9/2021	3/9/2021	Started with some dizziness and lethargy, shortness of breath, then a slight fever that slowly increased to 99.8 at high point over the next 24 hours, some nausea and diarrhea, increase in headache and swollen/dry eyes. Temperature gradually reduce over the next 12 hours and other symptoms faded as well. Used Acetaminophen and Ventolin to treat symptoms. isolated during course of fever.
1095307	3/12/2021	TX	52	F	3/5/2021	3/6/2021	Pfizer-BioNTech COVID-19 Vaccine EUA I've had a slight headache above my right eye since the day after vaccine (3/6/21).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1095287	3/12/2021	NV	30	M	3/12/2021	3/12/2021	<p>After getting the vaccine in my left arm, I walked to observation area and sat down in chair. Within a minute or so, I noticed my heart rate was slightly elevated and had a strange feeling of unease. Roughly 3-5 minutes later symptoms appeared and I noticed my palms were sweating and I had slightly blurred vision. At this point, I called for a paramedic and told them I wasn't feeling well. They arrived nearly 15 seconds later (paramedics were stationed all throughout observation area). Symptom severity dramatically increased (very blurred vision, feeling of something clearly being wrong) and was added by a ringing sound in both ears. I was helped into a wheel chair and rolled into an enclosed area with a curtain around for privacy. Gatorade was offered to me and I took a few sips and felt very mildly better. Paramedics reported that my blood pressure was extremely low (63/28). They asked if I wanted to go to the hospital. Symptoms were the same and starting to very slightly get better from the Gatorade so I said let's wait a few minutes to see how I feel. At this point they took my blood sugar measurement and found that it was also very low (53mg). They gave me some intravenous fluids and a glucose substance that was in a tube (sort of like toothpaste) and within another five minutes I felt considerably better. I received the IV treatment for roughly 20 minutes and symptoms progressively got better over the course of the treatment. My blood pressure went back up to 117/80 and my blood sugar went up to a more normal level as well (I believe they said somewhere in the 90s or low 100?s). After they removed the IV and blood pressure monitor, I rested for roughly 20 minutes before walking to my car and driving home.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1095263	3/12/2021	CT	40	F	3/6/2021	3/6/2021	I did not feel well almost right away, but decided to go home and rest. I been having severe headaches, achy arm for two days, body aches/joints aches for three days, sore throat, fatigue, achy skin, ears hurt/ached, warm temp (low grade 99.5ish, some chills, eyes were watery, became very sensitive to light - any exposure to sun/light brings on more of a headache or worsens headache, my eyes feel like they are "bugging out." The symptoms have been consistent across the last week. Early in the week I became restless at night/not sleeping well, ansty/racy, out of my skin, dizzy, and loopy feeling. Then sore throat increased Tuesday and it became uncomfortable to swallow. I could feel sensations down my throat, sternum and across my chest. I had an overall tightness with subtle itch. My tongue started to ache with a bad taste in mouth, burning mouth syndrome like, along with red dots all over my tongue and clustered more heavily on the front/sides. I also had other mouth sores come and go all week. My left ear had some ringing a handful of times and occasional hot ears the last couple days.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1095218	3/12/2021	KS	83	F	3/12/2021	3/12/2021	<p>Progress Notes Expand AllCollapse All 3/12/2021</p> <p>Patient: DOB:</p> <p>4/18/1937 Date: 3/12/2021</p> <p>MRN: Subjective Patient is a 83 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience lightheadedness, sensation of sob. She denied rash, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , chest pain, increased swelling, rapid progression of symptoms and respiratory distress. Past Medical History: Diagnosis Date ? Adnexal mass ? Atrial flutter (HCC) ? AV nodal ablation on 6/19/14 6/20/2014 ? Biventricular pacemaker (Medtronic) implanted on 6/19/14 6/20/2014 ? Chronic venous insufficiency ? Glaucoma ? History of mitral valve replacement 10/10/2006 29 mm Mosaic Porcine Bioprosthesis ? Hypertension ? Hypothyroidism ? Long term (current) use of anticoagulants COUMADIN - HAD TOO MUCH LOVENOX 2011 &amp; HAD BLEED ? Nonischemic cardiomyopathy (HCC) ? Osteoarthritis ? PAF (paroxysmal atrial fibrillation) (HCC) ? PVC's (premature ventricular contractions) ? Systolic congestive heart failure with reduced left ventricular function, NYHA class 2 (HCC) ? Varicose vein Hx of covid, hospitalized for 5 days in December 2020. ALLERGY REVIEW OF SYSTEMS: Patient complains of shortness of breath (sensation, briefly) Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, eyes watering, eyes itching, puffy eyes, eye redness, rash, hives, itching of skin, vomiting, abdominal pain, muscle aches, dizziness and headaches + lightheaded: Previous Reactions: none Objective Vitals Vitals: 03/12/21 0925 03/12/21 0935 03/12/21 0943 BP: (!) 146/75 (!) 157/69 136/78 Pulse: 97 68 68 SpO2: 97% 99% 99%</p> <p>Physical Exam Constitutional: General: She is not in</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							acute distress. Appearance: Normal appearance. She is well-developed. She is not diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Cranial Nerves: No facial asymmetry. Sensory: Sensation is intact. Motor: Motor function is intact. Coordination: Coordination is intact. Gait: Gait normal. Comments: + 5/5 strength to upper and lower extremities. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: water and snacks Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Red flag symptoms (CP, SOB, NVD, Visual/Neuro concerns) Lightheaded. Resolved with snacks and water. Pt to monitor bp at home. Follow up with pcp. Pt wheeled out to her daughter's car by RN. Pt and pt's daughter voiced appreciation of care today.
1095199	3/12/2021	NY	53	F	3/5/2021	3/7/2021	Extreme fatigue, very heavy feeling eyes, muscle aches, unusual joint pain, some SOB when walking
1091299	3/11/2021		40	F	3/10/2021	3/10/2021	Chest pain and back pain, nurse initially reported rash on forehead and stomach. Pharmacist went to visually inspect her forehead and stomach there was no visible rash on forehead and arm
1091229	3/11/2021	LA	54	F	2/9/2021	2/9/2021	Body Ache, Head ache, Chills, Uncontrolled Bladder, Sore Red Eye

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1091246	3/11/2021	OK	55	F	3/1/2021	3/2/2021	Having tingling on the left side of my face and left leg. Feels like my leg is asleep. My face feels like after you go to the dentist and the numbing is going away. It has gotten better but still having some numbness under my left eye and inside my left nostril.
1091346	3/11/2021		32	F	2/22/2021	2/24/2021	Woke up on Wednesday, 2/24, approx. 12:00am to my entire left arm numb. Woke up and numbness changed to tingling m. Tingling began to move up arm into neck and upper back then mid back. Then into left side of face and teeth. (No paralysis or Bells palsy - went away in 45 min) By Thursday morning tingling traveled to right right rib cage and feet, settling into hands and feet. Blurry, hard to focus vision. Went to ER on Thursday, 2/25. Not admitted. Discharged with recommendation to do MS workup. Tingling in hands turned to weakness in both hands on Friday. Left wrist and elbow joint pain. Tingling and numbness have persisted in hands and feet. Burning sensation on skin.
1091245	3/11/2021	NC	19	F	3/4/2021	3/4/2021	Itchy feet, hands, arms, mouth. Throat began to feel tight. Eyelids began to itch.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1091348	3/11/2021	OH	45	F	12/31/2020	1/12/2021	5 minutes after receiving the vaccine I had a rapid heart rate, shortness of breath, tight chest, very jittery. I reported to EMT on site he said I was fine was probably due to not eating anything before vaccine. Left, got something to eat felt better. Arm soreness after injection that lasted 4 days, very cold feeling for 4 days after vaccine. Developed brain fog that still has not cleared up since vaccination. On 1/12/2021 I woke up for work, as I was combing my hair I noticed the lymph nodes on back of skull and neck were raised and very swollen. Started developing vision problems and stabbing pains in my eye. Immediately called my PCP, he had me come in thought it was shingles and gave me Valtrex to take. This did nothing for me, no rash, no symptoms ever appeared. I called again and he had me go in for an MRI and CT of my neck/head. I still have motor skill problems, dropping things, brain confusion, lymph nodes all over my body are swollen at random times, I have now developed muscle spasms in my legs and feet. Was sent to a Neurologist as they thought I might have a MS lesion after brain MRI. Still ongoing treatment for that issue. I have had no energy at all since this vaccine, having difficulty talking to patients at work, still get dislexic problems, symptoms seem to get worse with higher levels of stress.
1091264	3/11/2021	CT	33	F	3/11/2021	3/11/2021	Patient is 4 mos postpartum and is breast feeding Became lightheaded, dizziness and reported visual changes, Supine blood pressure 77/52 HR 100 / min Administered juice . After 5 min supine BP rose to 96/67 Patient continued to feel dizzy and EMS called Extremities were cool to touch Standing BP 60/42 following arrival of EMS (Patient felt weak and unable to stand Placed on stretcher and transported to Hospital Chest clear Airway Clear No wheezing .



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1091227	3/11/2021	MO	63	M	3/10/2021	3/10/2021	Patient passed out after receiving janssen covid-19 vaccine. There was no injection site reaction, no wheezing, or rash/hives. Patient had vision loss, dilated pupils, sweaty, unable focus or respond to use questions being asked, and was having trouble hearing-said he had ringing in his ears. We were able to lay him on the floor without injuries-he did not fall. I was fanning him and we were talking to him. He got a little worse but then got better. When he was better, he said that he had passed out before when having blood taken. He did not mention this to me before the vaccine was administered. I do not feel that the Janssen COVID shot was the cause, I think he just passes out from injections or needles. We did call 911 when he was getting worse. By the time they got here, he was better but they did check him.
1091194	3/11/2021	IN	72	F	3/9/2021	3/10/2021	Right eyelid sore, some swelling and itching.
1091161	3/11/2021	TX	60	F	1/8/2021	1/12/2021	1/8/2021 vaccination 1/12/2021 Woke up with intense back and neck pain. A really swollen face, nose, swollen 'everywhere'. I couldn't stand because of so much pain. Fever 101 which is very high for me, swollen eyes; went on for 4 days. The swelling went down after 3 days. The joint pain didn't resolve for 7 days. I had a teleconference with my Dr. He said if things get worse, call me or go to nearest ER. I took Tylenol, Advil. My doctor recommended that I only have the 1 vaccine. *I had very bad case of COVID in 03/2020. I didn't go to the hospital but I should have. My husband and I both were COVID + and bad cases. My O2 got down to 82. We had traveled a wedding. We didn't want to infect anyone.
1091119	3/11/2021	VA	48	F	3/10/2021	3/11/2021	Face swelling in eyes, shortness of breath, tight throat

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1091073	3/11/2021	CA	45	F	3/10/2021	3/10/2021	During post-vaccination observation, patient stated her vision was blurry when looking upward. She was concerned her blood pressure was high. She denied dizziness, nausea and lightheadedness. She admitted she did not take her morning blood pressure medication Telmisartan 20 mg tab. She requested to have her BP checked. She was able to stand on her own and walk to exam area #5. At 11:53 a.m. BP 125/85 (L,sitting); HR 86/m; O2sat 99% on RA. She felt well otherwise. She returned to her seat in the observation area; was stable and blurriness resolved over the next 5 minutes. She was released from the vaccination clinic.
1091059	3/11/2021	GA	51	F	3/2/2021	3/2/2021	- Day of vaccination, fatigue that required a nap. Was fine by evening - Next day, delt muscle was sore to the point that I winced when lifting my arm (but I could still lift it) - 3rd day, I could move my arm fine, but site of injection was sore to the touch - Days 4-7 fine - Day 8 (March 10) I woke up with a sore arm (not as sore as before, but very noticeable), and the injection site is swollen, sore, and hot. My left eye is also very swollen, my throat is sore, and I'm feeling under the weather
1091376	3/11/2021	TX	49	F	3/4/2021	3/4/2021	1:25PM, a 49 year old received her second dose of Moderna vaccine 0.5ml at 1:23PM. 2 minutes later patient started fainting x anxiety attacks, dizziness, diaphoretic and weakness, rolling of eyes and feeling if warmth. Patient never lost consciousness and no respiratory distress exhibited. Patient and family denies any health issues like diabetes, HTN, etc. Vital signs recorded BP 141/124, 50 pulse, 22 respirations. Paramedics called. Continued to far patient for air. 20 minutes later, paramedics arrived, patient was more alert before their arrival. They assessed patients vital signs recoded and within normal. BP 118/74, HR 59, O2 Sat 100%, lung sounds clear. Patient refused further treatment by refusing to go to the hospital.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1091676	3/11/2021	CA	74	F	1/28/2021		<p>optical neuritis; inability to move, chew, eat, etc.; inability to move, chew, eat, etc.; neurological damage; unable to speak; changes in her eyes; Her right eye was bulging; Neither eye looked in the same direction, or able to track objects; known allergies: Apparently the Covid Vaccine by Pfizer; This is a spontaneous report from a contactable consumer. The consumer reported two reports for two separate vaccine doses for the same patient. This is the first of two reports. A 74-year-old female patient (not pregnant) received the second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, lot/batch number and expiration date not provided), via an unspecified route of administration on 28Jan2021 at single dose for COVID-19 immunisation. Medical history included advanced stages of Multiple Sclerosis, Diabetes, depressant, covid prior vaccination. The patient's concomitant medications included diabetic meds (pills), anti-depressants, etc. The patient previously received the first dose of BNT162B2 in Dec2020 at age of 74 years old for COVID-19 immunization and experienced neurological setback and it wasn't terribly obvious at that time. Facility type vaccine was Nursing Home/Senior Living Facility. No other vaccine in four weeks. The patient (mother of the reporter) suffered a neurological setback following the first injection, although it wasn't terribly obvious at that time, in comparison to what occurred after she received the second vaccine. The patient suffered major neurological damage after the second vaccine; unable to speak, followed by an inability to move, chew, eat, etc. The reporter also noticed optical neuritis or changes in her eyes. Her right eye was bulging. Neither eye looked in the same direction, or able to track objects. The patient was currently in a long term acute hospital (pending clarification) with a tracheostomy and a food peg. She had advanced stages of Multiple Sclerosis. Reporter had since learned she had been advised by her MS doctors NOT to receive flu shots. The reporter had known this and would not have listened to the doctors at the nursing home, who recommended she receive the Covid Vaccine. This was serious. The reporter was awaiting medical records, which would provide exact dates, times, etc of the administration of the vaccines. Adverse events resulted in Disability or permanent damage. Known allergies: Apparently the Covid Vaccine by Pfizer. If</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							treatment adverse events: unknown. The outcome of the events was not recovered. The patient underwent lab tests and procedures which included unknown covid test: negative in Jan2021 (post vaccination). The outcome of the events was not recovered. Information on the lot/batch number has been requested.
1091053	3/11/2021	IN	67	F	3/7/2021	3/7/2021	Before i arrived at the waiting area, which had no attendant on duty though intake personnel were within sight range, i had an extreme pressure sensation on the right side of my head. I lessened the effect by holding my nostrils and blowing when reminded to do so by my husband when i returned to the car after 15 minutes. Sensations that reminded of bugs crawling beneath my scalp began shortly thereafter, and continue to a lesser degree to this day. I had lethargy, fatigue and brain fog.until Wednesday. My right eye remains challenged as i do have an ongoing eyelid issue for the last 8 years. No arm soreness.
1090989	3/11/2021	IL	65	M	2/18/2021	2/18/2021	Blurred vision for a period of 20 minutes before returning to normal. No treatment.
1091111	3/11/2021		53	M	3/11/2021	3/11/2021	visual disturbance/blurry, cold feet, dizzy, sob, dry throat. Evaluated by EMS-Cleared

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1091568	3/11/2021	KS	71	F	3/8/2021	3/8/2021	<p>Progress Notes Date: 3/8/2021</p> <p>Subjective Patient is a 71 y.o. female who was seen at the clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience lightheadedness. She denied difficulty breathing, difficulty swallowing, itching, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , rapid progression of symptoms and respiratory distress. PMH: htn, hld, eczema, hypothyroidism, prediabetes ALLERGY REVIEW OF SYSTEMS: Patient complains of dizziness ("lightheaded") Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, cough, chest tightness, shortness of breath, wheezing, rash, hives and itching of skin Previous Reactions: none Objective Vitals Vitals: 03/08/21 0929 03/08/21 0937 03/08/21 0950 BP: (!) 153/53 (!) 154/60 (!) 153/54 BP Location: Left arm Patient Position: Sitting Pulse: 58 SpO2: 99% Physical Exam Constitutional: General: She is not in acute distress. Appearance: She is well-developed. She is not diaphoretic. Comments: Appeared to not feel well upon arrival. After water and snacks, improved. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Conjunctiva/sclera: Conjunctivae normal. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Gait: Gait normal. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: water and snacks Follow up response to</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1090329	3/11/2021	NY	38	M	2/26/2021	2/26/2021	<p>treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Systemic reaction (hypoglycemia, hypotension, generalized rash) Lightheadedness. Pt observed in the medical bay for approx 20 minutes. She was able to stand from wheelchair w/o lightheadedness/dizziness. She states she feels much better and is ready to go home. Pt provided handwritten instructions on monitoring her bp at home and when to follow up with pcp. She was taken out to the front accompanied by her husband by RN. She and husband both voice appreciation of today's care. 3/8/2021 9:36 AM</p> <p>Felt mild numbness on left side of face the same night as I received the vaccine. It got worse the next day. I contacted a doctor via telemedicine and she did an evaluation. She said it was a mild Bell's Palsy but likely not serious because she couldn't observe it when asking me to raise my eyebrows or smile ? it was just something I could feel. It went away on its own within another day or so.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1090966	3/11/2021	NM	56	F	2/9/2021	2/10/2021	The first vaccine my side effect was that my sinuses opened up. That could've been due to the anxiety and then relief of receiving the vaccination causing that effect. I had dry mouth and I was thirsty. The second vaccine EN 6201 I had a headache the next day. Throbbing headache. I read not to take Advil or anything right after. February 09= vaccine February 10=headache February 11= headache didn't go away. I took Advil in the evening. February 12=headache worsened. I took Advil in the afternoon. February 13=I woke up and couldn't see out of my left eye. There was a fog in central vision. About an hour later there was a strange aura. A tornado like tunnel in the central vision started and then shot out from the corner of my left eye. The aura lasted seconds and then the foggy center dissipated throughout the day. The headache throbbed and throbbed. I took Advil around the clock every four hours instead of just one a day. February 14= Full head-ache was gone but sinus throbbed above both eyes. February 16= Eye doctor visit. Know clue if the vaccine caused the ocular migraine or not. I've never had one before and it is super scary. My vision hasn't been clear since then and my dry stable MD turned into wet which I don't think has anything to do with the vaccine. Maybe the headache and the Ocular Migraine was caused by the vaccine. Who knows. I just thought I would report it in case other people have the same. Collecting data is a good thing.
1091735	3/11/2021	CA	29	F	3/11/2021	3/11/2021	1000-29/F presents to post vaccine area after being vaccinated 2nd dose of Moderna . 1015- Reports having a mild headache 2/10. slightly lightheaded. Pt AOx4, resp even, speaks in clear and complete sentences. Denies blurred vision. No PMH and only takes birth control. VS #1 110/78, 98%, 72, 15. 1025- Pt states she feels better and headache is "going away" and is ready to go. VS #2119/80, 98%, 73, 15. Pt ambulates with an even gait. Appears in no apparent distress. Educated regarding signs and symptoms, and when to seek medical attention.
1091733	3/11/2021	CA	44	F	3/5/2021	3/8/2021	Itchiness and hives all over my body including scalp, swollen eyes and forehead. Hives would multiply and get swollen if I scratched them.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1091698	3/11/2021	VA	49	F	3/11/2021	3/11/2021	About 15 min of receiving it I started to feel out of sorts, and the right side of my body has been tingling for about 2.5 hours. The right side of my tongue is tingling and my eye feels weird. Hand, arm, leg and foot on the right side also tingling. I am considering going to the hospital if this doesn't subside.
1091641	3/11/2021	FL	73	M	1/26/2021	2/1/2021	Off balance in am; headache; weak/lethargic; eyes ache;
1091638	3/11/2021	CT	53	F	3/9/2021	3/11/2021	Right eye is swollen and heavy feeling.
1091579	3/11/2021		32	F	2/26/2021	2/28/2021	I received the vaccine on Friday, February 26th, 2021, around 10:20am. I was fine throughout the day. I was also fine all day on Saturday, February 27th, 2021. Sunday, February 28th, 2021 at 1:30am, I woke up from sleep with double vision, dizziness, and lightheadedness. I went to use my bathroom, and began to feel weak. I was still very lightheaded, and weak. I felt as though I was going to faint. My ears started to feel really warm, and I then vomited. I started feeling lightheaded and weak once again, and then suddenly had diarrhea. I was so dizzy, but managed to head to my bed to sleep. Every single day since, I have been dizzy and losing my balance. I wake up, walk around, and sleep dizzy. Then on Friday, March 5th, 2021 I developed a large lump directly under my armpit. I could not take the dizziness any longer and I went to the ER on Monday, March 8th. I was then diagnosed with vertigo and told that I most likely had lymphadenopathy. Till this day, I am still having dizziness and will be seeing an ENT doctor. I also still have the lump under my armpit. My next dose is, March 19th, 2021.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1091390	3/11/2021	KS	66	F	3/3/2021	3/3/2021	<p>Progress Notes Family Medicine COVID VACCINE CLINIC, 3/3/2021 Patient: Patient a 66 y.o. female who was seen at a COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience lightheadedness. She denied rash, hives, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality and rapid progression of symptoms. Past Medical History: Diagnosis Date ? Depression ? GERD (gastroesophageal reflux disease) ? Hyperlipidemia ? Hypertension ? Obstructive sleep apnea (adult) (pediatric) ? Osteoarthritis She does have a way to monitor her blood pressure. She last ate around 9:30 am ALLERGY REVIEW OF SYSTEMS: Patient denies chills, fever, malaise/fatigue, eyes watering, eyes itching, puffy eyes, eye redness, cough, chest tightness, shortness of breath, wheezing, rash, hives, eczema, cysts, itching of skin, abdominal pain, dizziness and headaches Previous Reactions: none Objective Vitals Vitals: 03/03/21 1315 03/03/21 1326 03/03/21 1340 BP: (!) 167/81 (!) 167/81 (!) 163/63 Pulse: (!) 103 (!) 103 80 Resp: 18 18 16 SpO2: 100% 100% 100% Physical Exam Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not ill-appearing, toxic-appearing or diaphoretic. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Gait: Gait abnormal (has her own wheelchair that she uses for long distances. ). Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							Assessment/Plan Treatment included: water and snacks Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Systemic reaction (hypoglycemia, hypotension, generalized rash) HTN Overall well appearing, not in distress. Pt observed in the bay for approx 25 minutes. Bp slowly improving. She is here with husband who will take her home. She feels better after water and snacks. Pt encouraged to monitor her bp at home. Follow up with pcp if continues to be elevated. Pt and husband voices understanding and denies any other questions or concerns. Electronically Signed 3/3/2021 1:27 PM
1091557	3/11/2021	MA	30	F	3/11/2021	3/11/2021	Patient came today for her second vaccine. After receiving first vaccine, patient had some throat swelling at home. Was advised by MD to take Benadryl. Patient did, sympoms resolved. Patient received vaccine around 0830. Within about 10 mins patient reported feeling of throat closing. No shortness of breath, no audile wheezing, able to speak with clear speech. O2 at 100%. Heart rate 50-60. Mom administered Benadryl PO at 0840. About 15 minutes after, patient began to complain of worsening throat swelling, lip swelling, and eyelid swelling. Patient unable to swallow water. Vital signs remain stable. 0.3mg EpiPen was administered at 0845. Security was called to initiate 911 procedure. After Epi, patient reported feeling better right away. Eye are little less swollen and O2 remained 100% entire time. Patient was alert and oriented, stable. Regular respiratory rate, regular heart rate, mild shortness of breath with speaking. EMS arrived and escorted patient to emergency room. In The ED, patient was observed and no medical intervention is needed. patient symptoms resolved and was discharged home

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1091502	3/11/2021	CA	65	F	2/25/2021		several days after the vaccination, my arm was sore. I was tired. several days later my arm was still hurting and feeling swollen and itchy and hot so I go in the bathroom and I look at my arm and there's 2 large coins sized circles hooked together. they were raised up welts. my face feels puffy. my eyes feel itchy and puffy. I am taking 10 mg of Claritin daily. I am doing hot and cold compresses. my temp is low grade fever. still experiencing this reaction on 03/11/21 Doctor is going to prescribe prednisone but I do not know if I will be taking it. I am extremely tired and I find myself waking up from 4 hour naps. the arm is hot to the touch and my face feels like its on fire as well.
1091465	3/11/2021	CO	66	M	2/26/2021	3/1/2021	66-year-old gentleman who received his first COVID injection on Friday. His family member feels that since this time he has had some drooping of the left eyelid and then today while they were making love he had a several minute episode of vertigo. He states that may be lasted 1 to 2 minutes. His wife states he was "unresponsive" when I asked what she meant by that she states his eyes were closed and his eyes were open and he stared. She states this lasted for 4 to 5 seconds. He denies headache, double vision, blurred vision, tinnitus, focal neurologic complaints. He denies neck pain, back pain, chest pain abdominal pain, syncope, near syncope, abdominal pain, extremity pain. He has no history of CVA/TIA. He denies any history of trauma.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1091460	3/11/2021	KS	57	F	3/8/2021	3/8/2021	57 year old female who was seen today for her second dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience itching. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , rapid progression of symptoms and skin changes. PMH: prediabetes, copd. ALLERGY REVIEW OF SYSTEMS: Patient complains of itching of skin Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, eyes itching, eye redness, cough, chest tightness, shortness of breath, wheezing, rash and dizziness Previous Reactions: none. Did well with 1st dose of Pfizer but did have a headache that lasted for 5 days. Objective Vitals Vitals: 03/08/21 0906 03/08/21 0916 BP: 136/88 120/76 BP Location: Right arm Patient Position: Sitting Pulse: 97 90 SpO2: 96% 96% Physical Exam Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not diaphoretic. HENT: Mouth/Throat: Pharynx: Oropharynx is clear. Eyes: Conjunctiva/sclera: Conjunctivae normal. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Findings: No rash. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Gait: Gait normal. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: antihistamines Pepcid and Zyrtec Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Systemic reaction (hypoglycemia, hypotension,

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							generalized rash) Generalized itching. She was observed in the medical bay for approx 15 minutes. She responded really well to the antihistamines. No further itching reported. No rash or other symptoms noted. She feels well to go home. Given handwritten instructions on medications received and when she can repeat if needed along with Benadryl use. Pt voiced appreciation of her care today. PT walked out by pharmacist.
1091456	3/11/2021	CT	59	F	3/5/2021	3/7/2021	I woke up on Sunday feeling like my eyeballs were being ripped out of my face. Took Tylenol Sinus which helped. As the day went by, I began to have body aches, chills, joint pain, nausea. I took my temp at bedtime, it was 101.9. On Monday, things were much worse. My temp was 102.4 upon awakening & the pain level for my head was excruciating. Again, Taking Tylenol Sinus helped w/the headache & fever, not so much for the rest. On Tuesday, I woke & took my temp, it was normal. It is now Thursday, 3/11 & although I have no fever, it still feels as though I have one. Regular Tylenol helps but the head ache, body aches & fatigue remain.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1091449	3/11/2021	KS	57	F	3/8/2021	3/8/2021	<p>Patient is a 57 y.o. female who was seen at COVID Vaccine Clinic today for her second dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience itching. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , rapid progression of symptoms and skin changes. PMH: prediabetes, copd. ALLERGY REVIEW OF SYSTEMS: Patient complains of itching of skin Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, eyes itching, eye redness, cough, chest tightness, shortness of breath, wheezing, rash and dizziness Previous Reactions: none. Did well with 1st dose of Pfizer but did have a headache that lasted for 5 days. Objective Vitals Vitals: 03/08/21 0906 03/08/21 0916 BP: 136/88 120/76 BP Location: Right arm Patient Position: Sitting Pulse: 97 90 SpO2: 96% 96% Physical Exam Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not diaphoretic. HENT: Mouth/Throat: Pharynx: Oropharynx is clear. Eyes: Conjunctiva/sclera: Conjunctivae normal. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Findings: No rash. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Gait: Gait normal. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: antihistamines pepcid and zyrtec Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis:</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							Systemic reaction (hypoglycemia, hypotension, generalized rash) Generalized itching. She was observed in the medical bay for approx 15 minutes. She responded really well to the antihistamines. No further itching reported. No rash or other symptoms noted. She feels well to go home. Given handwritten instructions on medications received and when she can repeat if needed along with benadryl use. Pt voiced appreciation of her care today. PT walked out by pharmacist.
1091418	3/11/2021	KY	55	M	3/9/2021	3/10/2021	BELLS Palsy RE-EMERGENCE; IMPAIRED CLOSURE OF EYELID, IMPAIRED ABILITY TO RAISE EYEBROW, INABILITY TO SMILE, ALL FACIAL MANIFESTATIONS OF BELLS Palsy
1091637	3/11/2021	TX	34	F	2/23/2021	2/24/2021	On 02/24/21 & 02/25/21, I had body aches, fever, nasal drainage, and fatigue. On 02/25/21 I visited the pt care and was swabbed for covid - negative. On 02/26/21 I began to cough and felt fatigue. I visited an pt care - tested negative for covid again, & was diagnosed with bronchitis - given a Rocephin & steroid shot + oral antibiotics & an inhaler. On 02/28/21 my left eye broke out in hives. I took benadryl. On 03/01/21 I attempted to go back to work and became over heated, short of breath, and coughed, felt extreme fatigue. I left early and slept from 3pm - the next day. On 03/02/21 I visited my primary care dr and was diagnosed with an adverse reaction to the vaccine and lung inflammation. I was given oxygen in office due to it being low and me being short of breath. Still experiencing coughing, shortness of breath, pain in chest, nasal congestion, fatigue - I was given another steroid shot and a 7 day steroid pack. Chest xray was normal. On 03/09/21 I visited a pulmonologist and was started on breathing treatments, high dose steroid pack, antibiotics, and a different inhaler. Today, 03/11/21 I am experiencing chest pain, fatigue, shortness of breath at rest and on exertion, and extreme brain fog, I have been out of work since 02/24/21.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1091516	3/11/2021	KS	56	F	3/8/2021	3/8/2021	<p>Progress Notes Family Medicine Cosigned/8/2021 10:39 AM COVID VACCINE CLINIC a 56 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience tingling/shaking, short of breath. She denied rash, hives, welts, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality, rapid progression of symptoms and respiratory distress. PMH: depression, takes Abilify and Cymbalta. GERD on Protonix. Lipitor for cholesterol. ALLERGY REVIEW OF SYSTEMS: Patient complains of chills ("shaky") and shortness of breath. Patient denies fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, eyes watering, eyes itching, puffy eyes, eye redness, cough, chest tightness, wheezing, rash, hives, eczema, itching of skin, abdominal pain, muscle aches, joint pain, dizziness and headaches tingling in hands.: Previous Reactions: none Objective Vitals: 03/08/21 0833 03/08/21 0851 BP: 133/78 123/71 BP Location: Left arm Patient Position: Sitting Pulse: 95 81 SpO2: 99% 98% Blood Sugar 117 collected at 0839 Physical Exam Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Comments: Initially hyperventilating but improved after removal of mask. Eupnea at discharge. Skin: General: Skin is warm and dry. Neurological: General: No focal</p>



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							deficit present. Mental Status: She is alert and oriented to person, place, and time. Gait: Gait normal. Psychiatric: Mood and Affect: Mood is anxious. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Comments: Hyperventilating upon arrival to bay. Mask taken off to assist with this along with instructions on deep breathing. Assessment/Plan Treatment included: water, snacks and pepcid Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) Pt observed in the bay for approx. 15 minutes. Pt greatly improved with treatments above. Pt encouraged to eat 30 minutes prior to next vaccine. She reports that she is appreciative of her care today. F/up with pcip as needed.
1090346	3/11/2021	CA	67	M	2/25/2021	3/9/2021	12 days after his second Moderna COVID vaccine, my father developed Shingles. His left eyelid is incredibly swollen and his right eyelid began to swell today. That is his only symptom. He's on an antiviral and gabapentin. He had received both doses of his shingles vaccines about 3 years prior. We have no idea if related to COVID vaccine but wanted to make you all aware.
1090541	3/11/2021	VT	63	F	3/5/2021	3/5/2021	(Note; after 1st dose on February 1st had some tongue and lip tingling within 30 minutes, took Benadryl 25 mg with relief). Prior to second dose, took Benadryl 25 mg at 310pm.... at 350pm, received second dose of Pfizer vaccine.... tingling of lips and tongue within 10 minutes, took Benadryl 25 mg at 4pm...?. progression of tingling of tongue to some numbness of tongue, towards back of throat, some difficulty swallowing, throat hoarseness, chest discomfort, sporadic spot itching of eyeballs - shoulder-forehead-top of right arm. Went to Emergency room around 5pm.... given corticosteroid and Pepcid IV... with relief. Left Emergency room around 730 with minimal tingling of tongue....no other symptoms. Took Benadryl 25 mg by mouth before bed. 3/6/21- woke up with no symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1090527	3/11/2021	NY	64	F	3/5/2021	3/5/2021	at injection, arm was not operable, too weak to pick up coat or purse. After about 15 minutes the full use of arm was back. The muscle is still affected and strained after 6 days. I waited a half hour at the site and got into my car at 3:45. On the drive home within 30 minutes my face started to itch and turn red, then my mouth inside started to itch, then my eyes started to itch. After that my throat started to feel gravelly, so I took 75 mgs of gel cap benedryl. This is what I feel and take upon getting stung by a bee. I also took my albuterol inhaler two puffs which I also always have on me because of my asthma. I was sleepy but had dinner and went to bed. I did not feel that I had to take more benedryl during the night.
1090484	3/11/2021	IN	58	F	3/5/2021	3/5/2021	Uncontrollable shaking (not chills) for 45-60 min., approximately 12 hrs post injection, very high fever of 104 at its peak between 14 and 20 hrs post injection, headache and blurred vision 20-24 post injection, very red and hot face 20-36 post injection. 48 hrs post injection just fleeting episodes of flushed face.
1090480	3/11/2021	VT	73	F	2/19/2021	2/19/2021	Immediate feeling unwell and dizzy, vision change Unwell x two weeks w/ chills first day only, headache, muscle & joint aching, fatigue At 13 days post ?COVID Arm? red, tender, no itching Now feeling well
1090390	3/11/2021	AR	67	F	2/26/2021	2/26/2021	DAY 1-red face, itching face and neck,headache, sore armsore throat, swollen lymph node in neck, cough that night/took benadryl and put caladryl lotion on face and neck DAY 2-arm sore, neck and chest itching/took ibprofen and benadrylDAY3itching is worse/took 3 benadryl during day and used hydrocortisone creamDAY4 same itching, headache/took tylenol and benadrylDAY5face red, eyes sensitive to lightDAY6 cough,congestion, headache/took zyrtec,tylenolDAY7 cough, congestion,side of tongue sore/took musinexDAY8cough and diahreah/took zyrtecDAY9cough,sorethroat/zyrtec Day10 rash on arm, swollen, hot to touch/ibprofen and BCDAY11rash on arm bigger,arm itching, headache,eyes sensitive to light/took zyrtec and ibprofenDAY12 still rash on arm

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1090348	3/11/2021	MT	38	F	3/4/2021	3/5/2021	March 5- body aches, muscle pain, lower level back and leg muscles painful. Pain level 9. Could not go to work or help around the home with the kids. Took Tylenol. March 6- same level of pain as day prior, plus headache, loss appetite. Low grade fever in the evening, took Tylenol. Could not sleep. March 7- same as March 6. Difficulty breathing. March 8-March 10. - started with low chest pains, progress Throughout the days and now it is very painful. Front and back of my chest I'd very painful. Sharp pain. Difficulty breathing, very weak, blurred vision, constant pain in my chest and lungs. Pain level 9. I will have to make appt with my primary doctor.
1090543	3/11/2021		64	M	3/10/2021	3/10/2021	L eye pressure, evaluated by EMS, cleared
1090335	3/11/2021	MT	38	F	3/4/2021	3/5/2021	Second day, March 5th muscle pain all over body, mostly on lower level, legs very painful feeling. Pain level 9 constant. Could not move or do much. Body aches. Third day March 6- continue body pain and aches. Headaches long lasting - pain level continue at 9. Took Tylenol. Every 8 hours. Help for a little bit. Could not sleep headache came back, developed low fever and chills and body pain, legs muscles painful. Day 4- March 7- same as day prior. Day 5- to now March 8-10. Chests pains, back of chests pains. Lung pain, sharp. Very hard to catch a breath, very painful in my longs, lost appetite, blurry vision, my longs hurt while breathing. Difficult to breath. Will make appt with doctor. Pain level 9.
1090604	3/11/2021	MA	79	F	3/7/2021	3/8/2021	Conjunctivitis (red sclera) of right eye
1090321	3/11/2021	WA	27	F	3/9/2021	3/9/2021	PATIENT HAD DIZZINESS AND BLURRED VISION 1 HOUR AFTER ADMINISTRATION. SHE SAID SHE DID NOT EAT BREAKFAST AND IT HAD HAPPENED TO HER BEFORE WHEN SHE WAS HUNGRY. SHE WAS GIVEN FOOD TO EAT WHILE SITTING DOWN. HER INITIAL BP WAS AROUND 150/90 BUT WENT DOWN TO 127/80 AFTER A FEW MINUTES. HER BLURRED VISION WENT AWAY AFTER SHE ATE ALTHOUGH SHE STILL HAD SOME DIZZINESS. SHE WAS WELL ENOUGH TO WALK AND DRIVE.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1090234	3/11/2021	NJ	44	F	2/20/2021	2/20/2021	Headache; general weakness, in her legs especially; No energy; No appetite; Diarrhea; Green colored stools; Very faint/thought she was going to pass out; Eyes were watering; blotches on her neck and chest; tingly experience on her tongue and lips; Severely shaking; Overwhelming chills; Extreme nausea; This is a spontaneous report from a contactable consumer (patient). This 44-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/Lot number: E19266) via intramuscular at single dose on 20Feb2021 09:30 for COVID-19 immunization. The first dose was on 30Jan2021 in left arm. Medical history included splenectomy from Feb2017; pancreatic surgery from Feb2017, they removed her spleen as part of that; soy allergy; poultry allergy. Patient confirmed she had splenectomy. The surgery was sort of emergency based so knowing most likely they were taking her spleen out; she was given 4 vaccinations. In the hospital, she did break out in what appeared to be like a chicken pox type rash. The rash lasted a month and then it started to fade. She did not have any breathing sort of symptoms. The doctors did attribute the rash to one of the vaccinations, she was not clear on what vaccine caused the reaction. Ideally, she was supposed to have 2 weeks prior to the surgery so her body had time to reabsorb but she did not have that kind of time, but she had nothing internally going on. She confirmed she had no names, NDC, Lot number or expiration dates for the vaccines she received at that point in time. Having the splenectomy was the biggest thing. In the past, she did not have any allergies to medications, but did have allergies to soy and poultry. She did break out from certain food and her skin develops those blotches. She did have an extra work up in Feb2020, where they tested a bunch of food sensitivities and allergies, and nothing came back. This was right before COVID hit so she did not really follow back up after that, but she was tested for all major foods and household things and nothing came up. In her late 20's, she definitely tested for a soy allergy and allergy to poultry. She did check off yes, she had a reaction previously when she was filling out the form at the COVID-19 vaccine site knowing that she had this prior experience. She was held 30 minutes each time for that reason. Concomitant medication was none. Prior

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

vaccinations (within 4 weeks) was no. On 20Feb2021, patient was very faint, thought she was going to pass out, eyes were watering, blotches on her neck and chest, tingly experience on her tongue and lips, severely shaking, overwhelming chills, extreme nausea. On an unspecified date, patient experienced headache, general weakness, in her legs especially, no energy, no appetite, chills that come and go, diarrhea and green colored stools. Patient received her second shot of Pfizer's vaccine on 20Feb2021. She had had symptoms ever since. She had a reaction on site at the vaccine center. She eventually had to go to the Emergency Room by ambulance. Her symptoms were still going on and tomorrow would mark a week since she received the second dose. The symptoms she experienced on site were different than what she was currently experiencing. She felt like she had a true reaction at the vaccine facility site. Within 6 minutes of receiving the second vaccine, she became very faint, her eyes were watering. She thought she was going to pass out for a bit. She was told she had blotches on her neck and chest. She had a tingly experience on her tongue and lips. She was severely shaking and had overwhelming chills. She stated this happened for a couple of hours. Basically, there were 3 waves of these symptoms kind of happening. The third wave happened probably a couple hours after receiving the vaccine. At that point, she had been given two pills of diphenhydramine hydrochloride (BENADRYL), taken orally. With the third wave, she thought she was going to pass out, which she thought multiple times before, but then with this particular wave, she experienced extreme nausea which was kind of a new symptom. The doctor on site said to the EMT that he wanted her to go to the Emergency Room. Patient confirmed she was taken to the ER via ambulance the day she received the vaccine, 20Feb2021. She was never admitted into the hospital; she was only seen in the Emergency Room for a couple of hours. She was given IV fluids, she had blood work done. She didn't have a copy of her labs but she was told they were okay. She was injected with diphenhydramine hydrochloride (BENADRYL) via IV before she was released. A lot more symptoms came after she was released from the hospital (ER). She came home and she had just a crazy headache that she really woke up with every single day until this morning. She had been

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

taking a lot of caffeine/paracetamol (EXCEDRIN, Lot#: H044G, Expiry Date: Jun2022) for her headaches. She experienced extreme weakness, nausea. She clarified she had weakness in her legs. She had this exhaustion, and she felt this general weakness sort of in her legs especially. She was still taking stuff for a headache, and she was taking nausea pills. She had been out of work all week. She had no energy, no appetite really. She had chills that come and go. She had diarrhea. She clarified she had more diarrhea in the beginning days after receiving the vaccine, but it was always been a green colored stool as well. The ER called and checked in and were very surprised she had been having the symptoms still so severely. They wanted her to go get an actual COVID test. She went to the Urgent Care to get COVID tested on 23Feb2021 and had a rapid and PCR test. The rapid test came back negative. She had not received the results for the PCR test yet. She was taking diphenhydramine hydrochloride but she stopped taking that. The hospital directed her stop taking the diphenhydramine hydrochloride earlier in the week. She clarified she was taking a generic version (Lot#: P113966, Expiry Date: Feb2021), coated mini tablets. She clarified the nausea pills she had been taking was the generic for ZOFTRAN, ondansetron 4 mg tablet, by mouth, every 8 hours. She confirmed this product was dispensed in a pharmacy bottle with no NDC, Lot number or expiry date on it. She clarified she also had been taking the generic version of TYLENOL EXTRA STRENGTH, it was the Up and Up Brand acetaminophen (Lot#: P122699, Expiry Date: Nov2022) gel caps, 500mg. COVID-19 rapid test was negative on 23Feb2021; COVID-19 PCR test on 23Feb2021 was unknown results. Patient asked if there was a hotline she can call or an information number where she can talk to somebody about her symptoms. She also reported this to her doctor but the doctor made it clear since it was a private practice, they had limited information. The doctor did take down similar information, she just did not know if there was any further information or a hotline she could call. The outcome of events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1090232	3/11/2021	CA	64	F	2/23/2021	2/25/2021	Right eye on right side of cornea is completely red. It looks like a broken blood vessel. There was no trauma associated with this.; This is a spontaneous report from a contactable consumer (patient herself). This 64-year old female patient, not pregnant, received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, lot number EN6203), via unspecified route of administration on the left arm on 23Feb2021 at 01:00 PM (at the age of 64-year old) at single dose for COVID-19 immunization at Doctor's office/urgent care. Relevant medical history included allergy to codeine. Concomitant medications were not reported. On 25Feb2021 at 12:00 AM the patient noticed that right eye on right side of cornea was completely red. It looked like a broken blood vessel. There was no trauma associated with this. The patient did not receive any treatment due to the event. The patient was not recovered from the event.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1090225	3/11/2021	MI	35	F	2/5/2021	2/5/2021	<p>was going to pass out/Loss of consciousness; was going to pass out/Loss of consciousness/hx of passing out remote in distant past; started to feel very strange/No hearing or vision loss, just a general strange and uncomfortable feeling.; deep dreaming, then awoke feeling poorly; deep dreaming, then awoke feeling poorly; shaking; chills; BNT162B2 used in a Breastfeeding Mother; BNT162B2 used in a Breastfeeding Mother; This is a spontaneous report from a contactable physician (patient), this physician reported information for both mother and fetus/baby. This is the maternal report. Only this case is serious. A 35-year-old female patient (not pregnant at the time of vaccination) received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) intramuscular into left arm on 05Feb2021 09:00 at single dose for COVID-19 immunization in workplace clinic. Medical history included hx of passing out remote in distant past. No allergies to medications, food, or other products. concomitant medications were none (no other medications the patient received within 2 weeks of vaccination). The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. patient previously took the first dose of BNT162B2 on unspecified date at single dose for covid-19 immunization. About 17 hours after vaccine, at 3am (06Feb2021 03:00), while up feeding her infant and sitting in a chair in the dark, she started to feel very strange, kind of like she was going to pass out (hx of passing out remote in distant past). No hearing or vision loss, just a general strange and uncomfortable feeling. Tried to call for help. Lost consciousness for a few seconds and had deep dreaming, then awoke feeling poorly. Set child back to bed, went to bed myself, had shaking chills for maybe 30 minutes following. No sweats, no normal symptoms related to vasovagal syncope. Just a general uncomfortable strange sensation as the prodrome. Prior to vaccination, was the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. No treatment received for the events. Patient was recovered from the events on unspecified date. It was reported as non-serious report. Seriousness criteria results in death, life threatening, caused/prolonged hospitalization, disabling/incapacitating and congenital anomaly/birth defect were all no. Information on the</p>



*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

lot/batch number has been requested.; Sender's  
Comments: Based on the available information, the  
Company considers the reported event loss of  
consciousness recurrence is unrelated to BNT162B2  
vaccine but more likely an inter-current medical condition  
in this subject with medical history of passing out remote  
in distant past. The impact of this report on the  
benefit/risk profile of the Pfizer product is evaluated as  
part of Pfizer procedures for safety evaluation, including  
the review and analysis of aggregate data for adverse  
events. Any safety concern identified as part of this  
review, as well as any appropriate action in response, will  
be promptly notified to Regulatory Authorities, Ethics  
Committees and Investigators, as appropriate..Linked  
Report(s) : US-PFIZER INC-2021240721 mother/baby  
case

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1090222	3/11/2021	MI	20	F	2/3/2021	2/1/2021	shingles; temporary vision loss; dizziness; Extreme fatigue; body aches; nausea; This is a spontaneous report from a contactable other Healthcare professional (patient herself). This 20-year-old female patient, not pregnant, received his second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), Lot EL9265, via an unspecified route of administration in the left arm on 03Feb2021 at 02:00 PM (at the age of 20-year old) single dose for COVID-19 immunization. Relevant medical history included suspected allergy to penicillin. Historical vaccine included first dose of BNT162B2, Lot EL3248, on 13Jan2021 at 11:45 AM single dose in the left arm and recombinant human papillomavirus vaccine (GARDASIL) on 15Dec2020 dose 1 in the left arm. Concomitant medication included one a day women's Vitamins. After 2nd dose of vaccine BNT162B2, the patient experienced extreme fatigue, body aches, dizziness, and nausea. She was unable to go into work 2 days after receiving the vaccine due to temporary vision loss because of dizziness. On 21Feb2021 at 9:30 AM, a painful rash on the left side of torso and on spine had shown up. The patient went into her school doctor on 24Feb2021 and was diagnosed with shingles. The patient specified that she have never had this condition before, she was healthy and she did not have any significant stressors. The patient was treated with acyclovir due to the event. The outcome was not recovered for all events. This is a spontaneous report from a contactable Other HCP. This 20-year-old female Other HCP reported herself that: Report about covid vaccine: Yes Reporting type: AE Reporter type: Patient Age group: Adult (18-64 Years) Current age: 20 Current age unit: Years Gender: Female Is pregnant: No Medical qualification reporter: Other Health Professional Covid vaccine details: [{product=COVID 19, brand=Pfizer, lot number=EL9265, lot unknown=False, administration date=03Feb2021, administration time=02:00 PM, vaccine location=Left arm, dose number=2}, {product=COVID 19, brand=Pfizer, lot number=EL3248, lot unknown=False, administration date=13Jan2021, administration time=11:45 AM, vaccine location=Left arm, dose number=1}] Facility type vaccine: Other If other vaccine in four weeks: Yes Other vaccine 4weeks details: [{other vaccine 4weeks product=Gardasil, other vaccine 4weeks vaccine date =15Dec2020, other vaccine 4weeks dose

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

number =1, other vaccine 4weeks vaccine location=left arm]] Other medications in two weeks: One a day women's Vitamins Adverse event: Extreme fatigue, body aches, dizziness, and nausea following 2nd dose of the vaccine. I was unable to go into work 2 days after receiving the vaccine due to temporary vision loss because of dizziness. On 21Feb2021, a painful rash on the left side of my torso and on my spine had shown up. I went into my school doctor on 24Feb2021 and was diagnosed with shingles. I have never had this condition before, am 20 years old, and am healthy. I do not have any significant stressors. Adverse event start date: 21Feb2021 Adverse event start time: 09:30 AM AE resulted in: [Doctor or other healthcare professional office/clinic visit] If patient recovered: Not recovered If treatment AE: Yes AE treatment: Acyclovir prescription If covid prior vaccination: No If covid tested post vaccination: No Known allergies: suspected allergy to penicillin Other medical history: N/A; Sender's Comments: Based on the available information and known product profile, the causal relationship between the reported temporary vision loss together with the reported dizziness and vaccination cannot be excluded. The case will be assessed further upon receipt of additional information. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1090180	3/11/2021	NC	36	F	2/22/2021	2/22/2021	<p>Vomited; a rash in her vagina area; Vaginal itching; she scratched so much that got abrasions; Chest was red; heart rate was elevated; Eyes were swollen; She scratched so much that she got abrasions; Felt like she was having an anxiety attack; Her arms and legs were itchy/body overall was itchy; Chest felt tight; Allergic reaction; Swelling of her throat; Dose was administered on day 57; Nausea; Strong headache/head hurt; A spontaneous report was received from a consumer, a 36 year-old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) 57 days after receiving first dose and developed an allergic reaction with generalized itching, swollen eyes, skin abrasions, throat swelling, chest tightness, chest erythema, elevated heart rate, nausea, vomiting, headache, anxiety attack and vaginal/vulvar rash. The patient's medical history include severe allergies NOS. Concomitant product included Benadryl prior to the second dose of the vaccine. On an unknown date, the patient received their first of two planned doses of mRNA-1273 (Batch number not provided). On 22-Feb-2021, prior to the onset of the symptoms, the patient received their second of two planned doses of mRNA-1273 (Batch number: 011M20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 22-Feb-2021, immediately after receiving vaccine, the patient experienced an allergic reaction with generalized itching, swollen eyes, skin abrasions, throat swelling, chest tightness, chest erythema, elevated heart rate, nausea, vomiting, headache, anxiety attack and vaginal/vulvar rash. Treatment for the events included Phenergan, IV antihistamine, IV steroids, prednisone, hydroxyzine hydrochloride and EpiPen. The patient received both scheduled doses of mRNA-1273 prior to the event, therefore, action taken with the drug in response to the event is not applicable. The outcome of the events, allergic reaction with generalized itching, swollen eyes, skin abrasions, throat swelling, chest tightness, chest erythema, elevated heart rate, nausea, vomiting, headache, anxiety attack and vaginal/vulvar rash, was unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Patient's prior severe allergy history may have been contributory for the</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							occurrence of the allergic reaction and associated events. Additionally, This report refers to a case of an inappropriate schedule of product administration for mRNA-1273, lot #011M20A.
1090177	3/11/2021	IA	36	F	1/26/2021	1/26/2021	Swollen face; Swollen lips; Very itchy eyes; Hives on the back; A spontaneous report was received from a nurse concerning a 36 year old, female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced swollen face, swollen lips, very itchy eyes and hives on the back(Intervention/Medically Important). The patient's medical history included cataract surgery, bilateral eye surgery and COVID. The patient had giant tear left and buckles in bilateral eyes. Concomitant medications included seroquel (200mg), zolof 50mg (50 mg), Topamax (100mg bid), Latuda (80mg), birth control, tylenol, advil and tizanidine (as needed) drugs used for unknown indication. On 26 Jan 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Lot number: 032L20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 26 Jan 2021, the patient experienced swollen face, swollen lips, very itchy eyes and hives on the back. Lab test was performed on 26 Jan 2021, tryptase level was 8.4. Treatment for the events include EpiPen for both legs, pepcid and Benadryl. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the events, swollen face, swollen lips, very itchy eyes and hives on the back, were considered resolved on 27 Jan 2021.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.
1091740	3/11/2021	MD	61	F	3/4/2021	3/9/2021	Begin 4 days after first vaccine on 3/9/2021- First significant increase in thirst; Extreme chills and fever rapidly spiking to 101.5; decrease to about 100 after a few hours and held steady through early morning; decreasing to my normal (97"s) next day; Significant headache from below forehead to left and right side of neck (eustachian tubes and mandibles and lymph nodes) eye pain; vomiting (limited); leg muscle pain/. No injection site reaction 3/11 feel great

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1090768	3/11/2021	NM	64	M	3/6/2021	3/9/2021	Woke up in the early morning and was real dizzy, a little later in the morning in went away. Itchy around the eyes for a day and a half. Seems to of gone away this morning.
1090954	3/11/2021	NJ	57	M	2/16/2021	2/17/2021	Woke up with double vision, and an unstable gate. admitted to hospital for testing.
1090951	3/11/2021	FL	34	M	3/9/2021	3/9/2021	102.7 Fever, felt completely freezing, significant body aches, so tired it was hard to open my eyes. Took Tylenol Extra Strength and put ice on forehead Hour later fever came down to 101.7 Body kept switching between sweating and freezing entire night 24 hours later at 7:30AM the next day, i was still very tired, sweating, but fever was gone. 48 hours later - i'm still a bit foggy and have a light cough
1090948	3/11/2021	OH	55	F	2/26/2021	2/28/2021	Acute urticaria. Eyes swelled almost closed. Had trouble keeping them open.
1090939	3/11/2021	NY	54	F	2/27/2021	3/2/2021	severe itching all over body in ears and eyes, all over rash red sunburn type , hot skin head to toe, massive headache , nausea, all over body ache, Doctor prescribed a Medrol dose pack ( prednisone) and Benadryl on March 4th most symptoms continue today ( still experiencing headache, all over body itch, head congestion, body aches and stomach upset ) Dr currently told me to use over the counter Benadryl for itch, Motrin for headache, and Sudafed and Flonase for congestion and see what happens for a few days. as the prednisone is wearing off the itch is becoming more severe.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1090874	3/11/2021	FL	63	F	2/1/2021	2/1/2021	102 Fever, Sweats, Chills, all joints on fire and in pain, headache, nausea, swollen lymph nodes in neck. Took several days to feel better. After I felt better I ate shrimp on 2-13 and 2-17 and had a reaction to the shrimp on 2-17 which required a doctor visit and complete bloodwork analysis which showed allergy to shrimp and a high titer which could be an auto immune disorder. Since then I have logged foods and have determined I have reactions when something has MSG or Maltodextrin. I have dry back of my throat, a feeling that I have a lump in my throat, eyes seem a little dry, the headache has not gone away. Pressure on the top of my head and my forehead. Tingling and on fire in hands wrists, forearms, shins and ankles. I have an appointment with a Rheumatologist on March 30.
1090871	3/11/2021		37	F	3/11/2021	3/11/2021	I have a herpes outbreak on my face under my left eye. I have never had one there before, but I have had one on my chin a few years ago. I believe this is directly related to the vaccine.
1090832	3/11/2021	VT	77	F	3/6/2021	3/6/2021	Pt states she developed swollen lymph nodes under her left armpit towards her breast. The next day she had a itchy red rash at the injection site. Pt contacted her PCP and she was told to keep an eye on it and make a VEARS report since she had a reaction to taking the vax.
1090542	3/11/2021	IL	64	F	2/26/2021	2/27/2021	Chills, fever 100.9, headache, body aches, sore arm, and fatigue on 2/27 in early AM at 4AM lasting about 24 hours On 2/28 and 2/29 left arm swelling along with sore arm Also watery eyes both of those days and headache continued. Sore arm for about 5 days

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1090776	3/11/2021	FL	71	F	2/23/2021	2/23/2021	beeps, noise in her ears; muscle and joint pain; muscle and joint pain; tongue was a little numb; face lips; felt paralyzed/Felt like I couldn't move it like paralyzed a little bit; whole left side of body started going numb/Left side was numb around 7 or 8 that night/all left side was numb; pains in all of her face; pain and soreness in arm/arm was painful; tachycard, high heart rate; very tired, sleepy; very tired, sleepy; headache, heavy in her head; pain in both ears; This is a spontaneous report from a contactable consumer (patient). This 71-years-Old female patient received the first dose of (Pfizer Biontech Covid 19 Vaccine, Lot No. EN6198) intramuscularly at single dose on 23Feb2021 for COVID-19 immunisation. Relevant history and concomitant drugs were unknown. Past dug included flu vaccine in Sep2020. The patient received her first dose of Covid 19 vaccine on 23Feb2021 at 3:30 in the afternoon. She came home and felt, not bad at any time but more or less towards 6:00 or 7:00 at night she started feeling bad. Her whole left side of body started going numb around 7 or 8 that night. Her arm was painful, face lips and all left side was numb. Felt like she couldn't move it like paralyzed a little bit. Clarified as whole left side, even her leg, her feet everything on that left side. She started feeling pains in bones of head, especially her face, clarified all of her face and her left side was numb even her lips on the left side were numb. Her tongue was a little numb. She had muscle and joint pain. The pain, of course, in the arm, but that was normal. Clarified pain in the arm as the injection site. She didn't feel any swell there. She did not take medication for anything. She used a lotion. The lotion was trivitol aloe vera arnica caleudula and helped to relive the pain. The arm was still a little painful but it's not bad but that feeling made her tachycard, clarified as high heart rate, feeling like boom boom boom, but she did not have any shortness of breath. The high heart rate was gone the same day. She had no fever or chills. She felt very tired and slept for about 10 hours but during the sleepy she started feeling a headache she couldn't get up because she was so tired and she felt pain in both ears. She had not been to the doctor in a while. She was still old fashioned so she carries everything in a little telephone book. While trying to read information caller states she had to change her eyes. She still felt numbness in left side of left leg but she thought it might be because she



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1090959	3/11/2021	MO	69	F	3/5/2021	3/7/2021	<p>had not been exercising. When she was waking up around 9am in the morning, it was yesterday that she felt better in regards to the paralyzed feeling. When pains in her face came she felt and she thought what is this? It only lasted for a little while. It was during the night. The pain and soreness in arm at injection site is still there, she did not feel any swelling, or hot at that site. She confirmed she still felt a little tired, sleepy. It's getting better. She may feel a little heavy in her head and would like to go to sleep, but she was not sleeping. She had many things to do and knew she had to be up. The headache went away and was gone on 24Feb2021. It was persisting for a while, not too hard or heavy, but it resolved by 2 or 3 in the afternoon on the 24th. In regarding to pain in ears she mentioned she no longer had. She had beeps, noise in her ears even at the time she went to bed it was better. The outcome of events paralyzed, pain in arm, tired, sleepy, was recovering, the outcome of events tachycard, pains in all of her face, pain in both ears was resolved, the outcome of other events was unknown.</p> <p>pt states that a couple of days after taking the vax she developed dark purple circles under each eye. Her eyes are swollen with bags under them. The whites of her eyes are very red and burning. Pt still has these symptoms. Pt has not taken any meds or put any drops in her eyes since this started and she is waiting for a CB from her PCP.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1090719	3/11/2021	GA	43	F	2/17/2021	2/17/2021	I am emailing you about filing a petition for the Moderna COVID-19 vaccination that I received on Wednesday February 17, 2021, at the Department. I went to my primary care providers for my annual physical and to address my concerns with the vaccination. I gave blood work. Later into my afternoon, I notice that I began to itch across my sternum and I thought it was an allergic reaction to some of my common allergies. I took some Benadryl to calm the itching to get rest. I was out of work from Wednesday February 17, 2021, @ 1300 to Friday February 19, 2021, without pay, returning on Monday February 22, 2021. On Monday February 22, 2021, I came into work and felt fatigue, light headed, headache, blurred vision, and some great deal of body pain. Approximately 2145, I notice that I was having trouble breathing and began itching profusely. I grabbed my epi pen and gave myself an injection. I laid back on the bed and I fell asleep. The following day Tuesday February 23, 2021, I barely had energy to get up and get ready for work. I prevailed because there is nothing set in place for people who experience an delayed allergic reaction to these vaccinations. I have literally been pushing myself through my workdays because I can not afford to be off. On Sunday February 28, 2021, I notice that the rash began to spread across my body parts. My arms, neck, shoulder, upper back, behind my ears, legs, and again I figured it related to my allergies. The condition continued to get worst throughout the next week. It was several occasions I almost lost control of my vehicle because the itching sensation had hit me instantly while driving. Once I was able to pull over, I just began to scratch every area of my body. Therefore, Friday March 5, 2021, I drove myself to Hospital too seek help. I explained my situation, I was checked in, and I showed how the rash had spread all over my body. It was nothing they could do but give me IV fluid, did some blood work and Prednisone 10mg (5 tablets) and send me home without relief. I continue to suffer from this vaccination and no one has any answers to give me. My scar-less skin now looks unattractive and dark spots where there was a rash that came and went but left awareness that I once had a rash in that spot. I am scheduled to see my dermatologist today, Thursday, March 11, 2021. My appointment time is 1615. I went my employer to file a notice of the outbreak and to see what if anything that

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							they could do. It was just a standard report and they are submitting all information to the CDC. I am a health care professional and my job requires me to stand, sit, bend, lift, push, pull and assist in all aspects of an operating room that has caused me some issues and concerns that I can not perform my duties as required due to the severity of the itching.
1090717	3/11/2021	NC	62	M	3/8/2020	3/8/2021	Developed Head Ache behind left eye almost immediately after vaccine
1090702	3/11/2021	VA	32	F	3/2/2021	3/6/2021	Vaccine caused Optic Neuritis, blurry vision, faded color, pain with eye movement. There is no treatment, visual disturbances will last weeks to months
1090697	3/11/2021	IN	66	M	3/9/2021	3/10/2021	Sore arm, entire back pain and stiffness, Neck muscles sore and stiff, Fever, Chills, pain in shoulder joint, eyes pounding and extreme light sensitivity, Most of the adverse reactions gone, except sore shoulder joints and stiff neck muscles
1090670	3/11/2021	IN	53	F	3/5/2021	3/7/2021	My eye started swelling 48 hours after event. Continues to swell until closed. Saw an NP on 3.09.21 - suggested Benedryl and cold compresses.
1090639	3/11/2021	VA	38	M	1/14/2021	1/14/2021	I passed out while sitting in the observation area shortly after receiving my shot (10-15 minutes). I was initially able to walk from the area where the injection was administered about 50 yards to the observation area. Sat down & shortly thereafter could feel myself getting woozy. I laid my head back & closed my eyes hoping to avoid it. I was given two epinephrine shots the second of which woke me up. Several medical staff were around me when I opened my eyes. I was taken to the patient wing and checked into my own room for observation for a few more hours. Blood was drawn and sent off for a Triptase test which came back negative a couple days later. After being kept under observation for a few hours I was release around noon. I have a history of problems with shots/needles. Haven't actually passed out from it in over 20 years, but it is a known problem.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1090622	3/11/2021	AR	63	F	3/10/2021	3/10/2021	pt stated that she got really warm within a couple of minutes of getting the vax. Pt got tightness under eyes, checks, and inside her mouth. She had some pinching feelings in her chest which she said this may be acid reflux. Her right leg was hurting near her ankle and foot. Nurse at vax site checked her stats and everything was normal. She was given Benadryl. These symptoms subsided. After getting home she had some tickling in her throat. Pt only has soreness and redness in her left arm today.
1090800	3/11/2021	TX	30	F	3/10/2021	3/10/2021	PT C/O DIZZINESS, SOB, TIREDNESS, AND FACIAL FLUSHING. SHE STATES THAT THESE SYMPTOMS STARTED ABOUT FIVE MIN AFTER RECEIVING HER VACCINE. AFTER 10-15 MINUTES HER EYES STARTED TO FEEL HEAVY AND SHE NOTICED SHE WAS SQUINTING MORE. SHE HAS A Hx OF ANAPHYLAXIS AND BROUGHT HER EPI PENS IN CASE SHE NEEDED THEM, BUT THIS REACTION WAS NOT AN EARLY SIGN OF HER NORMAL ANAPHYLAXIS. SHE MENTIONED THAT SHE CONSUMED A MONSTER ENERGY DRINK THIS AM AND A PIECE OF TOAST. PT DENIED CP OR CHEST PRESSURE. BP 134/92 AND 138/93 SpO2 100% HR 71 AND 67 PT APPEARED IN MILD DISTRESS DUE TO A SENSE OF TIGHTENING WITHIN HER CHEST AND FATIGUE. AFTER ALLOWING PATIENT TO SIT IN HER CAR FOR AN ADDITIONAL 15 MIN , GIVING HER COOL WATER, AND A SNACK , THE PATIENTS BREATHING IMPROVED 100% AND HER DIZZINESS/FATIGUE IMPROVED 70%. AT THIS TIME PT WAS STABLE TO TRAVEL HOME (15 MIN) AND INSTRUCTED TO EAT AND REST FOR THE DAY. PT WAS NOT GIVEN MEDICATION.
1092524	3/11/2021	VA	50	F	3/5/2021	3/7/2021	On day 2 after vaccination I noticed generalized swelling under my left armpit & toward L breast. Swollen & tender to touch. I am now on day 6 and swelling & tenderness r declining. On day 3 I noticed a swollen & tender lymph node on top of my L clavicle. One hour after my vaccination I had an issue with my vision that my eye doctor diagnosed as a visual migraine. I had never had one before.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1092403	3/11/2021	CA	62	F	1/13/2021	2/3/2021	Migrating rash, starting above my eye then into the eye lid, then moves around my face, then onto my torso
1092716	3/11/2021	MD	64	F	3/10/2021	3/10/2021	Last night eye felt itchy. Had some puffiness on both eyelids. Today, right side face swelling. No SOB, no swelling of the tongue or lips.
1092710	3/11/2021	WA	38	M	3/6/2021	3/6/2021	Within a few hours I felt cold chills, then felt hot, then itchiness around my eyes, then finally a bad headache. Went back to the and was observed for about an hour. Was directed by the doctor to go to ER to get further diagnose. The PA from said should be back at normal state and decided to put me on quarters for 2 days and prescribed me ibuprofen and Tylenol.
1092663	3/11/2021	IN	59	F	3/9/2021	3/10/2021	Head ache and body aches as expected. But also a hard red patch about 5 inches below injection site; my lips got swollen as if I had worn a 'bad' cosmetic; eyes were slightly swollen and watery; had some colitis reaction too. Also joint pain and tender abdomen. Just seems like a lot of inflammation.
1092606	3/11/2021	MO	64	M	3/11/2021	3/11/2021	10 minutes after receiving the vaccine, the patient claimed he was feeling light headed and needed to lay down. After speaking, his eyes then went closed, and he clenched his fists and he started coughing up liquid. He was not responsive. He was moved to the ground and turned on his side. He became alert about 3 minutes after becoming unresponsive. He claimed this happens to him when he is at doctor's offices or receiving vaccines/procedures. He claimed it was "normal." He said he felt fine/normal, and this has happened in the past, though he did not mention this to the pharmacist prior to administration. 911 was called and examined him. He was allowed to go home on his own, did not go to the hospital.
1092588	3/11/2021	LA	56	F	3/5/2021	3/6/2021	right after injection the joint in left knee, which had been previously injured, started burning. Then the next day, vision in right eye changed and already had optic nerve damage due to MS.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1092584	3/11/2021	CA	33	F	2/2/2021	2/3/2021	The day of the injection I began with a headache and sore arm but for the most part was fine. Then around 7:00 pm that day I started to get the body aches and so I went to go lay down for bed. I started to shake uncontrollably, have horrible body aches and chills, I went from hot to cold to hot again all through the night, i had a fever all night long, bad stomach cramps, super nausea all night long, and bad headache. This last all the way into the following night having me miss a whole day of work because I couldn't get out of bed. Since this second shot I have had severe heart palpitations, prolong period, blurred vision and severe body aches.
1092753	3/11/2021	CT	80	M	3/11/2021	3/11/2021	Pt got shot at 12:37 pm and asked to wait 15 mins Around 12:42pm he went to bathroom and came back at 12:53pm, sat in waiting chair and begin to lose consciousness. Pharmacy tech associate noticed he was slumping over, breathing and making loud growling / humming sound. Pharmacist came over , shake him for responsiveness. Management called Emergency responders. His eyes open and closed a bit. After one minute he came to. We called code white, management, EMT and fire rescue came and took over. Escorted to hospital after that.
1092538	3/11/2021	CA	24	F	3/10/2021	3/10/2021	Extremely weak, extremely tired, slight headache, nausea, chills, pain on the inside of my face, sore joints (shoulders, knees, ankles, feet and toes), sore muscles, minor soreness on injection site, eye pain/soreness
1092761	3/11/2021	OK	65	F	3/11/2021	3/11/2021	pt waiting 15min no problem then return to pharmacy 30 minutes later with facial flushing no other symptoms ask pt to wait longer (gave ice pack) took blood pressure which was elevated and bout 45-1 hr later stilled had flushing and arm seemed bit redder gave 10ml benadryl 12.5/5ml and recheck blood pressure which was still elevated. around 5:45 pm pt said she felt fine and decided to go home. to her to keep eye on symptom and follow with er if got worse.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1092512	3/11/2021	OK	59	F	3/11/2021	3/11/2021	Due to history of severe asthma patient took breathing treatment prior to vaccine. 1550 Vaccine given at 1554. Immediately after the vaccine she began coughing , gagging and complaining of shortness of breath. IV started and Benadryl 50 mg IVP given 1603. Constant coughing and wheezing started so IV solumedrol 125 mg given. 1616 Pepacid 20 mg IVPB given. Coughing and wheezing began to improve. 1625 complained of double vision. 1629 coughing began to get worse and face begin to flush. 1640 Solumedrol 125 IVP repeated. 1657 Coughing subsided and symptoms began to improve. Discharged to home with family member at 1730 in stable condition

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1092507	3/11/2021	MA	51	F	3/11/2021	3/11/2021	<p>Vax Clinic note: Approximately 10 minutes after receiving J&amp;J vaccine c/o lips tingling and tongue feeling thick. Medicated with 10 MG cetirizine. VS o2Sat 97%, Pulse 84, BP 146/74. Pt states has had allergic reactions to IV contrast that involved tongue swelling. staets this feels similar but not as bad. o2Sat continues at 97%, Pulse 58, BP 128/68, pt trying to relax, c/o slight headache. Swellig has spread to her lips, and cheeks feeling heavy, O2Sat 97%, Pulse 75, medicated with 50mg benadryl. 911 called to transfer pt to ED for further eval. States throat is feeling tighter. And unable to swallow Epi given 11:18, daughter aware and will meet her at ED. BP 148/82, PULse 75, O2Stat 97% swelling in tongue decreasing, throat n o longer tight, tongue still feels thick, has some hives between her eyes, and forehead. Pt transported via EMS to ED Intake ED note: 51 y.o. F here after getting J&amp;J vaccine and 10 min. After she c/o her tongue feeling thick and lips tingling Pt given zertec Then 15 min later pt felt lips swelling and had hives around eyes and forehead Pt c/o difficulty swallowing and was rx'd with epi pen Pt has no stridor, or resp issues on arrival, able to speak in full sentences. Pt denies COVID sx 2nd ED note: Pt arrived to ED via EMS from community health center S/P Covid vaccination. About 15 minutes after receiving vaccine - felt nausea and smelled "medicine" followed with upper lip swelling and numbness to tongue associated with difficulty swallowing and redness to forehead. Pt alert and oriented at this time. Speaking in full sentence, drinking bottled water without any difficulty. No drooling noted. Denies SOB, chills or fever. Emergency Department Attending Attestation Note See resident/PA/student note for further details of HPI, history, exam, ED course, and diagnoses. Briefly, this is a 51 y.o. female with PMH reviewed in chart and w/ patient notable for insulin dependent diabetes, depression, prothrombin mutation, migraine, p/w concern for allergic reaction. Emesis or change in Covid vaccine today. 10 minutes after receiving the vaccine, patient reports feeling thick in her tongue with tingling in her lips. Patient was given Zertec. The minutes later, her lips began to swell up and was also noted to have new erythematous rash between her eyes and forehead. Patient was given 50 mg of Benadryl. Patient felt like she could not swallow with worsening lip swelling. She was given EpiPen and 911</p>



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

was called. No stridors. No wheezing. Reports continued tingling and the numbness in her mouth but no lip swelling or tongue swelling. Denies any difficulty swallowing at this time. No wheezing. No abdominal pain or nausea. No rash at this time. Of note, patient also notes left-sided facial, arm, and leg numbness starting about 10 minutes prior to arrival to the emergency department. She reports that she has had recurrent numbness on the left side in the past, which was thought to be due to migraine versus TIA. She has had extensive work-up and multiple hospitalization for this symptom. She reports that she is allergic to iodine and gadolinium containing contrast. Denies any headache at this time though she had a mild headache after receiving the vaccine. Denies any blurry vision. Denies any weakness in her bilateral upper and lower extremities. Assessment and Plan: Vital signs notable for O2 sat of 96 to 98% on room air without tachypnea. Patient is mildly hypertensive. Patient is well-appearing speaking full sentences without any dysarthria. Pupils are equal and reactive to light. Extraocular movement intact. She notes diminished sensation to her left face, left upper extremity, and left lower extremity. Tongue is midline. Hearing is intact bilaterally. No facial droop. She has 5 out of 5 strength in bilateral upper and lower extremities. No pronator drift. Normal gait. No tongue swelling or lip swelling. No stridors. No uvula swelling. No pharyngeal or erythema. Lungs are clear to auscultation bilaterally without wheezing or rhonchi. Cardiac exam without murmurs rubs or gallops. Regular rhythm. No abdominal distention or tenderness on palpation. No CVA tenderness. 51-year-old female who is presenting to the emergency department with improving lip swelling and numbness in her mouth, raising a concern for anaphylaxis related to her Covid vaccine. Reassuringly, status post EpiPen, her symptoms are improving. However, she has new onset left-sided numbness, with without any headache. She reports that she has had this numbness in the past the last time she had the numbness on the left side was approximately 10 years ago. Her neurologic exam is only notable for diffuse numbness on her left side including her face. Differential diagnosis include migraine headache and TIA. Stroke is possible though less likely given the patient has had the same symptoms in the past

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

with negative work-up. Will defer code stroke at this time but will emergently consult neurology. Will get labs including BMP and CBC. We will continue to monitor her from the anaphylaxis perspective. We will also give her a dose of steroid. Prednisone 60 mg by mouth given 12:29 PM NEUROLOGY CONSULT NOTE Assessment: Formulation- Diagnosis is guarded. Localization structurally would suggest subcortical (thalamic) or small brain-stem in a sensory territory on the right. Etiologies could be stroke given her vascular risk factors but seems unlikely given there is stereotypy of earlier symptomatology. Demyelinating would be another possibility as well, but again, the stereotype. Seizure unlikely because of the timing of rush from toes to body was minutes and duration of some occasions being days. Complicated migraine possible, has some risk factors, but should be treated as dx of exclusion. She does make complaint of headache, which could support. Some FND elaboration on her anxiety-ridden allergic reaction is also possible, but no objective non-structural signs to support.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1092501	3/11/2021	CA	19	M	3/11/2021	3/11/2021	10 minutes post vaccine administration at 13:15 patient began to exhibit the following symptoms: dizziness, paleness, weakness, blurred/loss of vision, ringing in the ears, and diaphoresis. Cold pack was placed on patient's forehead and patient's feet were elevated. BP, pulse, & temperature unable to assess, pulse was faint and weak. Patient experienced loss consciousness for 1 minute, 34 seconds. During this time paramedics were called. Vitals at 13:20 were: BP=98/76, P=62, temp= unable to register with machine on hand. Patient able to follow commands and asked to lie down. Cold pack was placed on the back of his neck. Paramedics arrived and assessed patient's blood glucose = 56. Patient given orange juice. Vitals at 13:30 were: BP = 107/69, P = 70, Temp = 97.6., pulse ox: 99%. Patient asked to sit up and vitals were: BP = 114/73, P: 71. Patient declined to go be transported in ambulance with paramedics to the hospital at that time. Blood glucose assessed again = 127. Patient given chips and salsa from what facility had on hand. Patient stayed 10 minutes to eat the snack. Patient instructed to go to the hospital or urgent care for further follow-up and assessment. Patient verbalized understanding and agreed to instruction. Stated he will go to nearest Urgent Care facility. Patient left this facility alert and oriented.
1092497	3/11/2021	MO	39	M	3/11/2021	3/11/2021	Patient passed out for 30-45 seconds shortly after receiving the shot. He recovered with low BP (62/31) shortly after EMS was contacted. After monitoring, patient recovered BP to 112/61 under supervision. He left with parents afterward.
1092465	3/11/2021	LA	62	F	2/25/2021	3/7/2021	I had the Moderna vaccination on Feb 25 and on March 4 (day 10) my eyes and cheeks were swollen like a chipmunk. I?ve had no dermal fillers. My eyes and face are still swollen so I went to my Dr today. He has me on Benedryl and Prednisone.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1092449	3/11/2021	FL	71	F	3/3/2021	3/4/2021	Received dose #2 at 6:00 pm on 3/3/21. Arm soreness began within 2 hours, increasing throughout the night; pain radiated to fingertips; iced it at 3:00 am with success. Sleep was restless, waking often, with onset of flu-like aches throughout entire body. No fever. Mid-morning headache began to increase with nausea. Difficult to keep eyes open (tiredness), eat or drink. As day progressed, so did the headache and nausea. Taken to Emergency Room at 8:00 pm. Administered Zofran IV for nausea and IV NSAID. Nausea ceased; headache dulled. Released 11:00 pm. Only headache remained through Saturday, 3/6/21.
1092416	3/11/2021	TX	32	F	3/10/2021	3/10/2021	4 hours after the vaccine, I started to get body aches and chills and they continued to worsen. I started to develop a low grade fever 8 hours after the shot. 13 hours after the shot, I had a 104.1 fever. Along with the fever, I experienced severe body aches and chills, nausea and a horrible headache. I couldn't walk as my body was so weak and my vision was blurry. About 15 hours after the vaccine, my fever went down to 102. I was able to get up and walk to my kitchen to take some Advil. My fever broke 20 hours after the vaccine with the medicine. I'm still experiencing severe body aches, headache, nausea and chills and it has been about 30 hours after vaccine. I did have covid 3 months ago, and the symptoms from the vaccine were much worse than the symptoms I had with actual covid.
1092560	3/11/2021	CA	33	F	1/5/2021	1/8/2021	Day of injection after I left the vaccination site I started to have a really bad headache and then sore arm (left arm where the injection was). Then about 7 hours after the injection I started to have a really bad stomach ache and cramps with nausea. This last all night long into the next day where it slowly went away. I was incredibly fatigued and the headache would not break. Then on the 3rd day Thursday January 7 I was feeling okay but not 100% myself. Then Friday January 08 I woke up and knew something was incredibly wrong because my stomach hurt way worse then before, i was so lethargic that I was falling asleep at my desk at work, I was shaking uncontrollably, blurred vision, diarrhea with blood in stool and one close episode of fainting. So at the point I ended up in the ER missing the rest of my work day. My symptoms didn't get better until the following Monday

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1092915	3/11/2021	MI	61	M	3/9/2021	3/9/2021	Client reported being bothered by 'blurry vision' about 25 minutes after receiving the Moderna vaccine, accompanied by feeling dizzy and lightheaded. Speech was normal, grip strength equal and strong. Blood pressure was low (85/58), HR 94. Client drank 12 oz water over 5 minutes, BP improved to 95/60 w/ HR 86 (11:48). Client still c/o blurry vision and light headedness, but was talkative and making jokes. He started to stand (to test his balance) but was still unsteady. Gave him another bottle of water, explaining re: low BP and hydration. Reassessed after an additional 5 minutes (11:53) with BP further improved to 100/62. Denied improvement in vision or lightheadedness. Client sat for 30 more minutes. I attended to another client at 12:00, with another RN monitoring him. When I returned to check on him, she said he did not exhibit any signs of being in distress and got up to leave voluntarily.
1091497	3/11/2021	CO	64	F	3/7/2021	3/10/2021	64 y.o. female who is consulted for possible stroke. Patient reports that she awoke this morning (3/10/2021) at about 4:30 PM with severe spinning dizziness. She reports associated nausea, diaphoresis, blurred vision and bilateral hand numbness and tingling. She denies speech or language problems or weakness. She reports she got a COVID vaccine (Johnson & Johnson) Sunday 9/3/7/2021) and felt a little "woozy" Monday (3/8/2021).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1091750	3/11/2021	WA	73	F	2/1/2021	2/15/2021	Gross muscle and tendon and cartilage pain. I have bad side effects from taking motrin, ipuprofen, aspirin, etc. I did camomile, a couple of times did the colchicine in case the shot ingredients were making that click in.... but aspects of this was worse. And I did some CBD during the day sometimes. Still did the gaba and CBD at night. Sometimes the pain was so bad it burned. Bad heache that got worse with concentration, extremely dry eyes that eye drops didn't help, gastric problems worse than I'm used to, ate less. I worried about long term leftover inflammation. things are much better now, but still get the heache at a lower level off and on. From old injuries, my muscles are weaker because I've rested too much. My need to sleep was extreme and I was taking long naps during the day and sleeping at night. That happened even when I wasn't taking the daily time CBD. It has been three weeks now and the pain is 99% gone. I can concentrate better. Etc. I also want to report something many of my friends are reporting... and that is a sense of euphoria after the shot. I also had that. BUT I know that that can be caused by a kick into effect of hormones. And I think one or more of the ingredients are apt to cause that (like the hydrocarbons/plastics). they can serve as synthetic hormones. People are thinking that the euphoria was psychological because of relief. I know better and I want this explained to people. It is not ok to let them believe this.
1093379	3/11/2021	TX	20	F	3/11/2021	3/11/2021	Difficulty breathing Fast heartbeat Headache Weakness Chills Fever Eye heaviness
1093048	3/11/2021	CA	65	F	3/4/2021	3/4/2021	blinking eye most of the time numbness on the left side of the face

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1093043	3/11/2021	PA	64	M	2/19/2021	2/20/2021	The second shot was on February 19. On February 20 and 21, patient experienced a sore arm and flu-like symptoms. On February 28, he had a stroke. Hospital where the ambulance took him initially diagnosed it as Bells Palsy and prescribed prednisone and an anti-viral. After an MRI the next day on Monday, he was diagnosed correctly as a stroke. On Tuesday, he was airlifted to another hospital and was in the ICU for more than 2 days. Patient spent the next 7 days in the neuro-trauma step-down unit with the results of the debilitating stroke. He is unable to swallow and his entire left side is affected as well as vision and hearing.
1093026	3/11/2021	CA	50	F	3/3/2021	3/3/2021	Moderna COVID-19 Vaccine EUA About five minutes after the shot, I had a slight reaction. I had a hot flash, was light headed, and a little dizzy. I was checked out, given water, and was ok. Four hours after the shot, my teeth and gums were extremely sensitive. I tried to eat corn on the cob and could not finish it. I had to put it in the refrigerator and try again the next day. I had recently went to the dentist and nothing was wrong with my gums or teeth. I floss my teeth everyday but could not floss for approximately two days after the shot because of the pain. After about a day I would brush my teeth and my gums would bleed. This had not happened before getting the shot. After about 4 days, my gums went back to normal. I was able to eat, brush, and floss normally. If it had not gotten better, I was going to go to the dentist because it seemed something was really wrong. I have been on immune suppressants for over 10 years. I had not heard that sensitive gums was a side effect. So, I thought I should let you know. The other side effects I had were crohn's symptoms due to my immune system becoming more active. My eyes became sensitive and extremely dry. I was woken up one night because my eyes were burning. I had to put eye drops in my eyes to be able to go back to sleep. I am still having milder side effects one week after the shot. They are manageable. 7 days after the shot I had my depo and botox shot.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1093017	3/11/2021	IL	22	F	3/9/2021	3/9/2021	The night of my vaccine date (6 hours after) I was fatigued and started a fever with chills and acheyness which kept me in bed all night. I got up to shower and get some food as I was going upstairs I grew very faint, my vision grew black and my hearing faded. I was able to make it to my bed then ask for some help. After taking Tylenol, my fever began to be very hot instead of chills. I was able to fall asleep until I woke back up to chills again and taking more medicine. The next morning, I was still dizzy when I walked around but the fever was gone. I was still very fatigued which made me unable to go to class or work. Day 3 I was back to my normal self.
1092735	3/11/2021	CA	29	F	3/11/2021	3/11/2021	Approximately 3 to 4 minutes after receiving vaccine, patient stated she was not feeling good and patient turned red and fainted. She was sitting in chair so mom stood behind her with an ice pack behind neck and holding patient head while dad stood in front of patient. Her body became limp and mom was shaking her body on right side in attempt to wake patient up. Her eyes opened but was still unresponsive and she was breathing heavily for 30-40 seconds. After placing patient on floor and elevating her legs, patient stated she felt better but still fills nauseated. Paramedics were called.
1092958	3/11/2021	MN	47	F	3/9/2021	3/9/2021	Blurred vision, rapid heart beat, numbness in legs, nausea , severe headaches and body aches.
1092764	3/11/2021	TX	48	F	3/7/2021	3/8/2021	Mild Redness and pain in both eyes started afternoon of Monday, 08mar2021. Stye on left upper eyelid developed Tuesday 09mar2021 and one in right lower eyelid on Wednesday 10mar2021. Began treating with Alcon pataday eye drops in both eyes twice a day starting on Tuesday. Left eye has improved but still has mild redness/pain. Moderate right eye redness and pain continues. If no improvement by 12mar2021 will seek medical advice. Moderate Headache and mild nausea off and on since Monday 08mar2001. Extra strength Tylenol 1000mg 2-3 times a day beginning 07mar2021 for arm pain and ongoing for headache. Nausea resolved 09mar2021. Moderate Pain in injection site right arm radiating to neck and scapulae night of injection? treated with 2 extra strength Tylenol and improved next 2 days. Resolved by Wednesday 10mar2021.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1092897	3/11/2021	NJ	28	F	2/27/2021	3/6/2021	- Pain at the injection site lasting ~2 days after vaccine administration [expected] - Delayed Injection site reaction occurring ~1 wk after administration. Lasted a few days before resolving on it's own (no meds used) Red, painless, ~1.5-2 in in diameter. Not raised. - Periodic, sharp headaches. Short in duration however appear to occur almost daily since injection. Location: forehead/above eyes
1092876	3/11/2021	NC	43	F	3/8/2021	3/8/2021	BELL'S PALSY REACTION- DROOPY EYE, UNILATERAL FACIAL NUMBNESS, INFLAMMATION
1092872	3/11/2021	IA	28	F	3/10/2021	3/10/2021	Difficulty breathing, eyes fluttering, crying approximately 15 minutes after administration
1092824	3/11/2021	CA	74	F	3/5/2021	3/6/2021	1 day after 2nd dose noted headaches, eye pain, photosensitivity, chills, low appetite which have persisted to 6 days post-vaccine.
1092819	3/11/2021	TX	41	M	3/6/2021	3/7/2021	I started with the expected symptoms (chills, body aches, low grade fever) on the same day (03/06/21) about 12 hours after the injection. On March 7th at about 10:00 am, I developed a pruritic papular rash to my right arm. The rash was from my right wrist to my antecubital area. The next 1-2 days I developed another pruritic papular rash to the left side of my neck and my left ear. I developed another rash to my both my eyelids and to the skin area around my eyebrows. As of today 03/11/21, I continue to have the rashes. Today I also developed pruritis and a red macular rash to my left palm and continue to have continued pruritis to both arms, my scalp and both eyes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1092782	3/11/2021	TX	43	F	2/4/2021	3/8/2021	On March 8, 2021 I started running a mild fever, chills, headache, nausea, diarrhea, severe body aches, stuffy nose, sore throat and extreme fatigue. I took a home COVID test on March 10, 2021 based on my symptoms and the results from the online questionnaire. I am currently awaiting those results as of March 11, 2021. My fever has been gone for 24 hours now, body aches are minimal and I'm just a little fatigued at this point with a minor cough. I had to cancel my appointment for my second dose that was scheduled for Tuesday March 9, 2021. I have not left my home in weeks except for an eye exam on Saturday March 6, 2021 where I could have been exposed to something, even though it was not crowded and all CDC guidelines were being strictly followed.
1092768	3/11/2021	NC	50	F	3/11/2021	3/11/2021	pt was feeling tightness in neck and face around eyes about 5 minutes or so after vaccination. She used an epipen and the symptoms improved. ems was called, fire fighters evaluated her upon arrival and then ems arrived and also evaluated her.
1092970	3/11/2021	MT	79	F	3/1/2021	3/8/2021	Patient receive first dose of Moderna vaccine on March 1st. On March 8th she woke with itchy eyes and a few welts dispersed throughout her body. March 9th she visited her primary care physician with full body welts and was prescribed prednisone. March 10 she called the pharmacy to inform of the situation
1091859	3/11/2021	FL	72	F	3/5/2021	3/6/2021	Bell's Palsy. Right facial paralysis, right eye won't close fully. Blurry vision and teary right eye. Headache. Symptoms started within 36 hours. Now in day #5. No change in symptoms

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1091990	3/11/2021	MO	67	F	3/4/2021	3/4/2021	On 3/4 patient received 1st dose of COVID vaccination. She states that she drove home afterward and decided to sit and watch TV. She immediately began noticing that the words on her TV screen were not legible - her vision had become blurry. This blurriness was accompanied by severe eye pain and pain in the temples of her head. When shutting eyes and keeping them closed for a few hours, the blurriness would subside. However she continues to experience this blurriness 'on and off' to date. Also experienced some mild headaches but they have subsided as of two days ago. Hasn't taken anything to alleviate the symptoms. Patient is extremely concerned that she may permanently lose vision and refuses to get 2nd dose.
1091988	3/11/2021		35	F	2/9/2021	2/10/2021	Swollen left eye lid - one side only
1091957	3/11/2021	CO	77	M	1/19/2021	2/19/2021	I'm still not sure which COVID19 vaccine my dad received (It made me fill it out--I'm not sure if he got Moderna or Pfizer). Nursing home would know. He received his 2nd shot on Jan 19. On Feb 17 all was fine and they were planning on getting him crowns at the dentist. On Feb. 19 everything went poorly. He started to suddenly have seizures and was not responsive. When I arrived on Feb 21 he didn't say much and had seizures that night. On Feb 22, he responded a little bit and had a big black eye from a seizure the night before. On Feb 22 he had at least 4 seizures and he passed that afternoon around 1:20 pm
1091946	3/11/2021	CA	65	F	3/4/2021	3/4/2021	10:16 am - Client complained of blurry vision and chest pressure and increased blood pressure after 15 minutes after receiving the vaccine. Client was evaluated by MD onsite at the Mini POD and EMS. Client was transported by EMS to Hospital. Did a follow up call found out client was only in the Emergency Room and then was discharged with no medication. Advised client to monitor blood pressure and follow up appointment with MD if need to start Blood pressure medications.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1091945	3/11/2021	TX	63	F	3/11/2021	3/11/2021	PT C/O DIZZINESS, FATIGUE, AND A PROGRESSIVE TENSION HEADACHE THAT SHE EXPERIENCED AT THE ONSET OF HER COVID INFECTION. PT DENIES CHEST PAIN OR PRESSURE, SOB, AND PARESTHESIAS. DENIES CHANGES IN VISION. VS @ 1:25 PM BP 140/80 HR 81 SpO2 97% PT DOES NOT APPEAR TO BE IN ACUTE DISTRESS. PT'S HEADACHE IMPROVED 100%. HER FATIGUE AND LIGHTHEADEDNESS IS PERSISTENT AFTER 10 MIN OF CONTINUED OBSERVATION. DAUGHTER OF PT STATES, THEY WISH TO CONTINUE HER RECOVERY AT HOME. PT D/C FROM OBSERVATION IN STABLE CONDITION.
1091926	3/11/2021	CA	76	F	3/8/2021	3/10/2021	Initial redness and discomfort in arm. Two days afterward, runny nose and temperature to 100.3. Extremely red rash on arm, measuring approximately 4 and 1/2 x 5 inches. Had eye surgery today and the nurses strongly encouraged me to report the rash.
1091811	3/11/2021	OH	41	M	3/9/2021	3/10/2021	Janssen COVID-19 Vaccine EUA. Approximately 15 hours after the vaccine the left eyelid began swelling. the swelling has lasted for 36 hours
1091991	3/11/2021	TX	37	M	3/11/2021	3/11/2021	PT C/O OF SWEATING, BLURRED VISION, LIGHT HEADEDNESS, AND GRADUAL MIDSTERNAL CHEST TIGHTENING POST VACCINATION. VS @ 1:35 BP 120/68 HR 60 SpO2 97% VS @ 1:54 PM BP 111/67 HR 54 SpO2 98% PT APPEARS TO BE IN MILD DISTRESS. BREATHING IS NORMAL WITHOUT USE OF ACCESSORY MUSCLES. NO SKIN RASHES PRESENT. PT STATES HIS VISION, LIGHT HEADEDNESS, AND CHEST TIGHTENING DID IMPROVE 100% AFTER 15-20 MIN OF CLOSE OBSERVATION. PT BECAME STABLE ENOUGH TO DRIVE. HE WAS EDUCATED ON HIS LOW BP AND TO F/U WITH HIS PCP.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1091875	3/11/2021	NH	70	F	2/25/2021	2/26/2021	24 hours after vaccine, I developed severe Vertigo. I couldn't lift my head off the pillow. My eyes darted horizontal and would not stop. I waited 3 days and contacted my Dr. She made arrangements for me to see a Physical Therapist the next day. He made an evaluation and said it was the crystals in my ears were out of line. He worked on me that day. The vertigo is now down to just one side of my head if I turn it at the wrong time. It is worse when I am lying down. At this time (2 weeks) I feel the PT will be able to work. I feel tired thru all of this but every week I'm getting better.
1091918	3/11/2021	IL	78	M	2/18/2021	2/18/2021	Severe hypoglycemia with blurred vision and neuropathy in legs roughly couple hours after receiving vaccine
1091851	3/11/2021	NY	37	F	1/11/2021	1/11/2021	Pt. rec'd first vaccine on 01/11/2021. Returned for 2nd dose on 02/05/2021. Pt. reported swelling of face, eyes, lips and tongue, and hives. Did not receive 2nd shot. Referred to allergist for f/u.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1091844	3/11/2021	NY	62	M	3/6/2021	3/6/2021	<p>Within 1 minute of vaccine being injected. I started to feel dizzy. I was wheeled in wheelchair to observation area. I kept feeling more dizzy and started to feel tingly in my fingers and legs (both sides equally) After 15 minute observation time was over, I tried to stand up and immediately sat down again as a wave of dizziness hit me. Doctor in observation area saw me and came over. I told him how I felt. He put his fingers to my wrist and felt my pulse. It was initially between 40 and 90, then steadied off around 90-100. He called for EMTs on duty to come over with a stretcher because he thought I should be laid flat. The EMT took my blood pressure and it was 155/94. The doctor said at one point my pulse was thready. By this point the dizziness was stronger and I felt tingly in my teeth as well as other areas. I was asked about my breathing and I said that it was okay. An ambulance was called for and arrived. I don't remember the exact time. The moved me from the wheelchair to a stretcher. I could not stand up on my own and lurched toward the stretcher. I am grateful strong people were there to get me on stretcher and strapped in. All throughout this my normally barely noticeable Atrial Fibrillation was quite apparent and more erratic. This was a major reason for ambulance call. Some of the stroke protocol was done including gripping EMT's fingers equally and following his finger with my eyes. I was very cold throughout. I was brought to the waiting ambulance outside and driven to Medical Center. The EMT took an EKG which showed atrial fibrillation and a line was put into my arm. When we got to the hospital, I was brought into the triage area and had all my vitals taken. Blood pressure was high, so was pulse then for a half hour, I was very hot and sweated a lot after being cold.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1091831	3/11/2021	TX	26	F	3/4/2021	3/4/2021	Starting about 1 minute after vaccination I became extremely dizzy, blacked out/lost vision, had shortness of breath and a tight chest, lost feeling in my hand and fingers on my left side (the side I got the vaccine), was sweating but felt cold flowing through my body. These feelings lasted for about 30 minutes and my vision and feeling in my fingers and hand came back as the dizziness subsided and my body temp returned to normal. Around 40 minutes after the vaccine I started experiencing echoing in my left ear (the side I got the vaccine on) and soreness around the vaccination site. The echoing in my left ear lasted about 30 minutes and then subsided. The arm pain spread to the rest of my arm and I began to get a headache. About 4 hours after the vaccine I began to experience intense back, hip, foot and hand pain making me unable to do any regular activities. The back pain feels like intensely sharp pain in my spine and hurts to the gentle touch. I previously had no back pain prior to the vaccine. The muscles surrounding my spine up to my shoulders were also painful/sore. This pain subsided after 6 days. On about the 4th day after the vaccine I began experiencing underarm and breast pain on the side I got the vaccine. It is now exactly 1 week since my vaccination and I am still experiencing the underarm and breast pain. I have experienced lethargy since vaccination.
1091813	3/11/2021	OH	62	F	3/10/2021	3/10/2021	Patient arrived to the outpatient vaccine clinic for her scheduled appointment. Immediately after receiving the vaccine, the patient felt chest pain, dizziness, and passed out. She had swelling of the tongue, lips, eyes, and throat. Patient was admitted to the hospital and treated for anaphylaxis with epinephrine, benadryl, famotidine, methylprednisolone, Duoneb and tylenol. Patient is currently still in the hospital but her condition is stable.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1092389	3/11/2021	NE	55	F	3/9/2021	3/10/2021	Janssen COVID-19 Vaccine EUA The morning after the vaccine was administered, I awoke with a scratchy throat, itchy eyes and feeling very tired. Throughout the morning, the fatigue increased and I felt flushed in my face, but chilled in my arms and body. I went home at noon and found I had developed a fever of 100.9, which eventually increased to 101.3 later that afternoon. I felt joint pain and general malaise. Two days after the vaccine, the fever had broken and the joint pain was better. I still have fatigue, but it is improving throughout the day.
1092771	3/11/2021	WA	77	M	3/8/2021	3/8/2021	On 03/10/2021 Pt presented to clinic for follow up of recent hospitalization. During visit Provider noted a rash above his left eye. Pt reports that he noticed it a "few" hours after his 2nd Covid-19 vaccine, which was given on 03/08/2021. Pt describes it as "achy". Pt denies pruritus. No adverse reaction reported on 1st vaccine done on 01/25/2021. Rash not present anywhere besides above left eye. No evidence or report of systemic symptoms. Provider dx as shingles. Pt prescribed valACYclovir 1g 1 tab q 8 hours x 7 days. Pt referred to ophthalmologist as precaution. Pt was not seen until today, no report yet.
1091766	3/11/2021	VA	25	F	3/11/2021	3/11/2021	Per client: As vaccine went in arm went numb, then felt light headed as walking to chair, while sitting vision went blurry and hearing went muffled; feels a little shaky; EMT checked BP 95/66; At 1427 vision and hearing better; BP range 101/68; Client reports her usually BP is "average"; at 1433 BP per EMT 102/72 while sitting; at 1436 BP per EMT while 93/68 standing; client continues to feel lightheaded; EMT discussed treatment options with client to transport her to the free standing emergency department (FSED) or call husband to pick her up. Client decided to call husband to come and pick her up; EMT recommends her to go to FSED.
1091913	3/11/2021	IN	69	F	3/3/2021	3/4/2021	Awakened with severe wheezing and trouble breathing. I couldn't wake up all the way or open my eyes. I do sleep with oxygen, but wasn't helping. When i awakened the next day my lungs hurt and i had plurious like symptoms on my right shoulder blade. The wheezing had lessened.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1092234	3/11/2021	IN	53	M	3/11/2021	3/11/2021	Sparkling flashes in vision. Unfocused vision about 5 hours after shot. Mild muscular ache in site
1092386	3/11/2021	TN	58	F	3/10/2021	3/10/2021	Vaccine given at 10:00 AM, patient requested assistance at 10:20AM. Stated that 10 minutes after vaccine her eyes began to itch and then at 10:20AM she felt flushed and her neck started itching. PC to regional medical director, 0.5ml of Epinephrine 1mg/ml administered to left thigh at 10:25AM. EMS called, patient declined transport. Patient waited and additional 30 minutes for monitoring. At 11:00 patient remained stable and stated she felt fine.
1092378	3/11/2021	TX	22	M	3/11/2021	3/11/2021	PT DISCOVERED INATTENTIVE AN SQUINTING HIS EYES. ONCE ALERT, PT C/O OF LIGHT HEADEDNESS, SWEATING, BLURRED VISION, PARESTHESIAS IN BOTH ARMS AND LEGS. VS @ 3:08 BP 78/62 HR 86 REPEAT VS @ 3:20 PT GIVEN GATORADE FOR REHYDRATION AND INSTRUCTED TO BREATHE SLOW LY AND DEEPLY. AFTER 10 MINUTES, PT SYMPTOMS STARTED TO RESOLVE. SYMPTOMS COMPLETELY RESOLVED WITH TIME. PT BECAME STABLE TO LEAVE OBSERVATION SITE. INSTRUCTED TO F/U WITH PCP.
1091900	3/11/2021	CA	52	F	3/9/2021	3/9/2021	Day 1 within 20 minutes difficulty swallowing water felt like my throat was closing up. Subsided after an hour. at 2:00am woke up with sever abdominal pains, diarrhea, body aches, chills and hot flashes. Continued till am of day 3 woke up with just headache and stiff neck. Brain fog was really bad and a litter better today. Eyes are a little fuzzy.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1092022	3/11/2021	CA	57	F	3/11/2021	3/11/2021	Client c/o mild dizziness and lightheaded while seated and tingling/numbness in left hand; PHN noted red rash on chest area and both arms flushed. PHN monitored client's VS @ 11:30-B/P 156/92 (RA); HR 92; RR 16; Temp. 96.0F; O2 Sat. 96-98%; per client request; Benadryl 50 mg cap taken by mouth; PHN instructed medication could possibly cause drowsiness, blurred vision, dry mouth, nose, and throat; advised to drink lots of water; @11:55, PHN noted rash diminishing in size and color; arms less flushed; B/P 133/82 (LA); HR 77, RR 16, O2 Sat. 96%; client reports dizziness, lightheadedness and tingling/numbness in left hand resolved. PHN reminded the client that Benadryl can cause drowsiness and reiterated the importance of drinking lots of water. Client stated she only lived 5 minutes away from the clinic and she was driving straight home. Client's condition appears stable at time of departure.
1092284	3/11/2021	VA	31	F	3/5/2021	3/5/2021	I am currently pregnant. This is my first pregnancy. My due date is August 29, 2021. My pregnancy has thus far been really easy with no complications. I had a low grade fever that I took Tylenol to treat. I had pretty bad muscle and joint pain, chills, and could not stop shaking. I just felt freezing. Once my fever broke I felt extremely hot all night. The next morning I was exhausted and had a lot of the muscle and joint pain still. I marked on my report that it would've stopped me from going about my normal daily activities, as I could not have gone to work and spent most of the day resting. For the next few days I was tired and my eyes ached. On Monday and Tuesday I had a headache in the afternoon. Yesterday afternoon my eyes finally stopped aching and everything seems to be back to normal.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1092276	3/11/2021	WA	31	F	3/10/2021	3/11/2021	Janssen COVID-19 Vaccine EUA At 7:00am on 3/11/2021 felt light headed as waking up along obvious soreness on the arm where I received the vaccine- left arm. Then later around 10:00am a feeling of tiredness came over my whole body. Around 12:00pm I felt even more tired, lightheaded and my eyeballs felt as if with high pressure in them and are feel sensitive to the sunlight. Also, at 12pm, I had lunch, which was my first meal of this day and felt the necessity to lay in bed and take a nap for 20 minutes before returning to work. While taking the nap I felt tingling on my feet, arms, hands and neck along with certain sudden muscle contractions on the same parts.
1092250	3/11/2021	NJ	69	F	3/5/2021	3/7/2021	On Sunday 3/7/21 9pm left eye started getting red & edematous. Monday morning 3/8 /21 Left eye was more swollen, red, crusting, yellow drainage. Sclera--white, no change in vision. Went to eye doctor @2pm Monday. Stated I have multiple infected sty's on left lower eye lid. Prescribed Keflex 500mg bid & eye drops with Tobramycin and Dexamethasone tid. Symptoms lessened in 36 hours. However Tues. 3_/9 I started developing a fever blister on my upper lip.
1092340	3/11/2021		25	M	3/7/2021	3/9/2021	No adverse reaction or allergic reaction in the 30 minutes following the vaccination. Also none in the 36 hours following the vaccination. Roughly 48 hours later, sensitivity to light and difficulty blinking one eye appeared along with severe headache. In the 24 hours following symptoms' first appearance, the entire left side of the face became numb and tingly with difficulty chewing, blinking, making any faces or smiling. Sound perceived from the left ear also changed. Subsequently diagnosed with Bell's Palsy on 03/10/2021.
1092212	3/11/2021	CA	77	F	3/3/2021	3/4/2021	Two visual hallucinations ( within a one hour time span) starting at approximately 4 am on March 4) each lasting three or four minutes, followed by a third hallucination identically to one of the two previous ones, on March 5 at approximately 2 pm.( twenty four hours after 2nd Moderna vaccination.) I called for an e visit with my physician and was referred to an on call doctor who questioned me about the events and decided that the hallucinations were probably not a reaction to the vaccination but to report it as a possible reaction.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1092079	3/11/2021		48	M	2/24/2021	2/24/2021	pt reporting feeling rash/flush sensation at face only after IM injection of Moderna, pt was immediately evaluated- v/s, p/e, without visual skin changes at face stable no difficulty breathing or swallowing; pt was given 12.5mg PO benadryl and observed for 30 minutes; pt reported complete resolution of symptoms at 30 minutes; pt wanted to go home; return precautions given; recommending 2nd vaccine at hospital
1092198	3/11/2021	NY	51	F	3/1/2021	3/9/2021	Fever, blurry vision
1092195	3/11/2021	FL	22	F	3/11/2021	3/11/2021	10 minutes After receiving Covid19 moderna vaccination while sitting in the designated post vaccination area pt became weak. According to eye witness statement she started to tilt forward and fell on the floor landing on her right shoulder. She did not witness her head connect to the floor. after 3 seconds she regained conscious and started shaking and vomiting. Medical attention was provided immediately, patient was stabilized and blood pressure checked. after vomiting pt state she immediately felt better. she was provided water and monitored for additional 30 min. she refused EMS or any additional medical treatment. Then event was also documented by store management.
1092181	3/11/2021	WA	83	M	3/9/2021	3/10/2021	Summary: dose exacerbated two of my allergic symptoms. Approx 33 hrs after receiving dose, noticed my eyes were "stinging", (symptom I have, spring and fall for a day or two each, controlled by Patanol 1 drop ea eye BID. (Did not use the med at this time), although I followed my usual routine of un educated "tears" in the eyes at bedtime and 2x in morning. Awakening next morning found eye surrounds (lids, ...) were quite puffy, perhaps 1/4 "swollen shut", eyes still stinging though still not terribly so. Also noted morning breath measurements (Peak flow, FEV1, on a hand-held device) were 5-10% lower than normal. No "sore arm" or other musculature symptoms. At ~ 50 hours post-vaccine, am "better", will now go use some Patanol.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1092098	3/11/2021	CA	33	M	12/29/2020	2/1/2021	I started having radicular tingling with neck flexion that ran down my left leg starting at the beginning of February. I noted it to a colleague and asked if anyone else who had received the vaccine at the same time as me had any similar effects. I was the only person noted. Slowly the tingling increased and began radiating the entire length of the left leg. It only last for a few seconds at the beginning of flexion then completely resolved. I did not think much of this at the time and figured that it would resolve. On February 27, I began having visual disturbances and symptoms similar to vertigo with a severe nystagmus with a gaze the the right. I attempted a round of azithromycin at this time thinking that there may be an ear infection and that was causing my visual/vertigo like symptoms. There was no improvement with this course of treatment and the visual issues were becoming more of a regular issue. It became hard for me to focus anytime that I would look to my right but was able to focus my eyes while looking forward and the the left. At this time, I opted to have a brain MRI done which was completed on March 9th as well as having basic labs run. I ended up with an elevated white count on my labs with a left shift. My MRI was read the same day showing a demyelinating process. Multiple neurologist were consulted on this and they believe that my symptoms are not related to MS as the radiologist listed as his top three on his differential but rather what they called post-covid vaccine syndrome, similar to what they are seeing with patients who actually had COVID. I have no medical history, I am not taking any medications and had no symptoms prior to the vaccine. My symptoms were acutely brought on unlike MS and I do not have any of the four most common male characteristics of MS. I do not currently have any muscle weakness, I am not fatigued, it has not progressed to my upper extremities, it does not have a stocking glove approach but rather shoots down, I have no sexual dysfunction. I have been started on a high dose prednisone taper as recommended by the neurologist. My biggest concern is that when I looked for information as a medical provider, I was unable to find anything related to neurological issues and the vaccine. Once, I was placed in contact with multiple neurologist, I was told that they are seen quite a few neurological adverse events.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1092094	3/11/2021	VA	60	F	2/5/2021	2/22/2021	I started feeling sick on February 19, developed ear pain behind my ear on February 19 and experienced Bells Palsy starting February 22. Slight droop of face beginning at 10 am, by noon 1/2 my face was completely paralyzed, with my left eye is frozen open.
1092202	3/11/2021	CA	17	F	3/11/2021	3/11/2021	Written by the patient and guardian: " 8-10 minutes after shot, complaints of light head an throat closing up. Removed mask for fresh air, no relief. Went to get up for water, immediately for light headed, pale face, checked-out look in eyes. Body went limp, set 17yo in chair, still was light headed and lethargic. Laid 17yo down on floor, administered water. Vision came back dizziness went away. remained seated for another 15minutes. Continued hydrating w/ water, other symptoms diminished." From Dr.: "Witnessed patient pass out in chair, within 10-20s was helping caregiver lower patient to the floor and patient had come to. Increasingly alert. Endorses above narrative, as well as not having eaten or drinking much today, "maybe an apple". She does not have a history of vasovagal syncope. Patient Pulse at 65, normal breathing, no distress, no signs of injury. Overall episode appears to be vasovagal syncope. Patient asked to drink water and remain at the vaccine center an additional 15-20 minutes for observation. After 15 min patient feeling back at baseline. No further medical intervention.
1092258	3/11/2021	CA	25	M	2/2/2021	2/4/2021	Moderna COVID-19 Vaccine EUA The day after I received the 2nd dose of the vaccine I had a headache. That same night I ran a fever and woke up the next morning feeling ok. I was taking a shower and it was reported to me by my fiancé I had passed out, started to seize, my eyes rolled to the back of my head. A few minutes later I woke up on the floor and asked what had happened. I was not sure what had happened. I felt fine when I woke up. When first responders arrived they asked me if I knew who I was, the date, the president, where I lived to all I was able to answer correctly. I went to the ER and they did a ECG, blood test, urine test, chest x-ray, CT of my head and they said everything came back normal. I was prescribed Keppra and have an MRI scheduled in the coming week.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1092057	3/11/2021	TX	46	F	3/11/2021	3/11/2021	Patient complain of heat wave (flash like symptoms) started from head radiating to abdomen, coughing, and watery eyes. Checked by EMS. VS B/P 125/75, HR 69, 98% RA, Denies Nausea and vomiting. Cleared by EMS and NP
1088035	3/10/2021	CO	72	M	2/12/2021	2/13/2021	Ongoing headaches: Some quite painful. Never had headaches before this. Pain behind/above eyes (one at a time, alternating)
1088041	3/10/2021	TN	54	F	3/8/2021	3/9/2021	Continuous intermittent sharp pains in my head on the left side above left ear causing intense pain and blurred vision.
1088307	3/10/2021	CT	38	F	3/9/2021	3/9/2021	I had numbness in the left half of my face that felt similar to coming off of Novocain. I could move my face, and could feel touch, but had a feeling of numbness on my left cheek, left nostril, left lower part of eye, tongue. Soreness
1088127	3/10/2021	IL	53	F	3/2/2021	3/3/2021	the next morning I discovered a rash about 3-6 inches long on my arm that spread to my chest and ribcage and on the inside of my arm and possibly my back. low grade fever 99.1. fatigued. the rash is quite possibly in my eye. (feels like pink eye or a sty)
1088173	3/10/2021	KY	26	F	3/9/2021	3/9/2021	5 hours after being given the shot, uncontrollable tremors began. Muscles began tensing up, tunnel vision started, extreme dizziness, vomiting, severe weakness in muscles, and fainting. These lasted for about 2 hours before decreasing in severity but continued to be present until about 10:30pm, 13 and a half hours after receiving the shot. Nothing was done to treat the symptoms. As of 12:30pm on 3/10, some minor symptoms are still present, such as muscle weakness and pain, severe migraine, and dizziness.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1088188	3/10/2021		60	F	3/5/2021	3/7/2021	Saturday, March 6 felt fine all day with normal activity. Woke up at 7:05 am Sunday, March 7 with dizziness, nausea and sweats that would last about a minute. Remained sitting still with my eyes closed about 3 hours and then eyes could be open but could not move without the dizziness and subsequent nausea. I did not vomit. My temperature was-low in the morning but climbed just to 99.3 Sunday. By Sunday afternoon, I no longer had the short sweats but remained dizzy and nauseous mostly upon any movement. I went to sleep at 11:00 pm Sunday night with the slight 99 fever. Woke Monday , March 8 much improved from the dizziness and temperature 98.6., but felt extreme tiredness. I did not go tot work Tuesday and rested on the couch most of the day-temperature 98.6.
1088030	3/10/2021	VA	53	F	2/24/2021	2/24/2021	20 minutes after receiving COVID-19 vaccine at the Vaccination Site, she experienced headache, burning sensation of shoulder blade & right arm, red splotches & itching of upper chest, eyes burning & itching, right jaw pain, redness of both arms and was diaphoretic. Seen by paramedics on site but refused to go to the ER. Stated she would take Benadryl when she got home. Self administered 2 Benadryl when arrived home and again at 8pm. Felt better the next day with only itching. Informed by agency to contact health department to report event instead of coming into the office to be evaluated.
1088221	3/10/2021	MD	66	F	3/10/2021	3/10/2021	watery eyes, dizziness, headache BP 140/61 HR 90 Pulse ox 96%on RA
1088245	3/10/2021	LA	44	F	3/7/2021	3/8/2021	eye twitching; all day and sporadic the next day
1088016	3/10/2021	PA	57	F	2/8/2021	2/8/2021	Dizziness, lightheaded, blurry vision. Reported not eating the morning of vaccine. BP 144/71, HR 81. Juice and crackers given. Vials rechecked after 15 minutes. BP 135/72. BP 79. Still lightheaded at 30 minutes. After about 55 minutes, patient was standing adn walking. Felt better. BP 127/65, HR 75. Felt okay to leave. Offered EMS but refused. Recommended that the patient eat prior to vaccine #2.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1088006	3/10/2021	PA	76	F	3/1/2021	3/2/2021	Sore arm, extreme fatigue, fever 101.9 and loss of appetite for 2 days following vaccine. aching behind eyes, especially right eye which lingered until about day 7, headache on right side for about last 4 of the 7 days, some discomfort in right armpit and tenderness of right breast nipple. No treatment except fluids and bed rest for first 3 days. By day 6 I felt myself again.
1087997	3/10/2021	MA	59	F	2/23/2021	2/23/2021	One hour post vaccine Nausea, Hives on hands that increased to include legs, feet, ankles, back and head. Hands were the worse . three hours after vaccine numbness of lips lasting less than 30 minutes, Next day Swelling around eyes and slight hives that last about 2 hours. I took Benedryl about two hours after vaccine with decrease in symptoms.
1087978	3/10/2021	OK	49	F	3/1/2021	3/8/2021	Last week was just normal injection site pain. One week after (Monday), I had a hot hive show up on my left arm again. I felt terrible, very nauseated, and went to bed early. Yesterday (Tuesday), it grew to cover most of my arm. Again, I was nauseated from afternoon through bedtime. The pain in my arm and hand made it difficult to go to sleep. As of today (Wednesday), my upper arm is one big, very swollen hive covering all side, down past my elbow. The swelling is down to my wrist. I have terrible joint pain in my shoulder, elbow, wrist and hand, like yesterday. I woke up with a hive around my left eye and swelling on the left side of my face. I went to Urgent Care as soon as they opened at 8AM. The PA said that I was definitely having an allergic reaction
1087965	3/10/2021	WI	48	F	1/6/2021	1/7/2021	On Thurs I start exp headache. Then on Saturday I developed a rash on my right side of forehead. I exp irritation to my eye was referred to Ophthalmologist. I went to the Urgent Care was diagnosed with Shingles.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1087960	3/10/2021	AR	48	F	3/9/2021	3/9/2021	She got home and did not have any reactions until last night around 10:00 PM when she got a bad headache, fever last night that was 100.1. Her back is killing her, her legs hurt and her left arm hurts as well. Her eyes are also watering. She has not taken anything for the symptoms. She tired to go to work, her husband said that she did not look good. She was sent home from work, she went to the nurses station at work, had a fever of 100.2 who told her to go home, it was a reaction from the vaccine, and to call us.
1087930	3/10/2021	OH	69	F	2/23/2021	3/3/2021	One week after injection I developed Right sided facial numbness, right eye and facial drooping. Seen in ER and diagnosed with Bell's Palsy. Treated with Prednisone 60 mg qd for one week and Valtrex 1 Gm tid for one week. I am completing treatment today, March 10, 2021, with no improvement. Follow up visit with my provider is scheduled for March15,2021.
1088330	3/10/2021	IN	67	F	3/2/2021	3/2/2021	4 hours after injection felt like I had Covid coming back on me. Felt sever headache, elevated temperature, chills flurry vision. Lack of appetite. Just general malaise?. Laid on couch after taking Tylenol Extra Strength 2 tablets and napped.
1087916	3/10/2021	NY	26	F	3/6/2021	3/6/2021	At about 7:30 I started feeling extremely weak followed by coughing. Soon after my throat was tightened and it became difficult for me to breathe. My eyes have been blurry since and I?ve had a fever, cold, and my entire right side of my body hurts when I move especially from my hips down. My eyes are extremely heavy and I feel better with them being closed
1087875	3/10/2021	MD	21	F	3/8/2021	3/9/2021	Headache, nausea, dizziness, chills, fever, runny nose, watery eyes
1087959	3/10/2021	IN	58	F	3/6/2021	3/7/2021	24 hours of receipt my eyes hurt. My bones and joints hurt. I was extremely cold. Lasted approximately 4 hours 50 hours after receipt my eyes hurt again. I was freezing and shaking. My bones hurt again.I would start sweating and become extremely hot then cold again. My mouth was dry and I was extremely thirsty. I could not sleep. This lasted approximately 6 hours and I was fine. All reactions were very similar to those experienced when I had COVID in December 2020.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1088428	3/10/2021	OH	68	M	3/8/2021	3/9/2021	Patients states he woke up the day after vaccination at 3am with aches all over his body. His muscles, bones, feet and hands ached. He states he also feels like he has a fever but did not check with a thermometer. His eyes also felt like they were burning and has slight labored breathing. He took 25mg of Benadryl prior to the vaccine and at 3am the next morning. He will continue with scheduled Benadryl and APAP until symptoms improve.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1086891	3/10/2021	TN	52	F	1/4/2021	1/1/2021	she was diagnosed with COVID in between the first and second vaccine; she had headache; arm pain at the injection area; severe back spasms in the thoracic and lumbar; made a different in the vision, it was throbbing; back pain; This is a spontaneous report from a contactable nurse (patient). A 52-year-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot #: EL0140), intramuscular on 04Jan2021 at single dose at left arm for covid-19 immunization. Medical history included diabetes (diagnosed six years ago. Her last A1C was 6.1 in Dec2020), chronic edema since her last child was born 26 years ago. Concomitant medications included ongoing furosemide (LASIX), ongoing potassium, ongoing omeprazole (PRILOSEC), ongoing metformin, and paracetamol (TYLENOL). Caller received the Pfizer-BioNTech COVID-19 Vaccine first dose on 04Jan2021 and second dose on 27Jan2021. Caller reported to have experienced back pain 2-3 days after the first dose, and a sharp stabbing back pain with moist cough for almost a month now after the second dose. Caller was diagnosed with COVID-19 in between. With the first vaccine she had headache, arm pain at the injection area, back pain and severe back spasms in the thoracic and lumbar. It was sharp, stabbing, crushing pain then she would have spasms. She went to urgent care and was given diclofenac (VOLTAREN) and cefixime (FLEXERIL). She was taking 1 gram of paracetamol every 8 hours. That lasted two to three days. That started on the 06Jan2021. She thought she was doing great and then on the sixth was when it started. By the morning of the ninth it was over. Seriousness criteria for back pain, it was seven out of 10. It was disabling. She had to miss work and could barely walk across the floor; for event arm pain at the injection area, gripping was not easy and moving her arm was painful. She was left handed. Heat worked better than ice. Ice made things worse; for event headache, made a different in the vision, it was throbbing. She did a zoom call with her doctor because of COVID symptoms and because she took vaccine. She took 1000mg of paracetamol prior to receiving both doses and thought maybe it wouldn't hurt and would keep her from getting a fever. She had been taking 1000mg paracetamol three times a day and now she was taking it two times a day. She was taking cefixime at bedtime because she can't

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>stay awake when she took it. She can't take it and work. She had missed work because of this. She was taking diclofenac twice a day. Patient didn't have the first bottle of paracetamol she used because she had gone through it. Current bottle of Tylenol was the generic, SunMark Acetaminophen. She had to get her glasses to read the lot number. It was made by (Pharmacy name), Lot number: OLE2349B, expiry: Sep2022. She didn't feel like the medication she took were relevant because she had been taking them for a very long time. COVID symptoms started on 11Jan2021. She had PCR test on 12Jan2021. She got the results of her PCR test on 13Jan2021. Outcome of event back pain was not recovered, outcome of events headache, arm pain at the injection area and severe back spasms in the thoracic and lumbar was recovered in 2021, and outcome of other events was unknown. Relatedness of drug to reaction(s)/event(s): Events headache, arm pain at the injection area, back pain and severe back spasms in the thoracic and lumbar: source of assessment: primary source reporter; Method of assessment: global introspection; Drug result: Related.; Sender's Comments: Event back pain represents an intercurrent medical condition and unrelated to bnt162b2. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.</p>
1087838	3/10/2021	WI	34	F	3/1/2021	3/9/2021	Hives on the trunk of my body, legs, arms, and all over my face along with swelling of my right eyelid. I went to urgent care where it was determined to be due to the vaccine and was given prednisone, which has cleared up the hives.
1088551	3/10/2021	CO	58	F	2/27/2021	2/27/2021	Numbness in center of face numbness tongue dry eyes dry mouth restless leg

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1088545	3/10/2021	IN	57	M	2/26/2021	2/28/2021	Chills, body ache, swelling at injection site. Prolonged side effects that included several visits to Primary care physician's office: Chronic headache over left temple, forehead and left eye socket , pressure on left eye, blurred and double vision, continued soreness upper body, arm, neck and head., high blood pressure lasting now 11 days but as of today (Mar. 10, 2021) getting better but still existing. Seeing Ophthalmologist Thursday Mar. 11, 2021.
1088542	3/10/2021	NV	71	F	3/2/2021	3/2/2021	About 6 hours after the vaccine she felt really, really sleepy. Then she laid down and then her left hand started stinging all over. Both legs started getting a strange warm sensation, the size of a pea that kept getting warmer. She was not able to get up or open her eyes, doesn't know if she passed out but apparently went to sleep and slept for 3 hours and woke up and went to bed. She then had toe cramps on her left foot, then got up and walked around the bed and laid down again and fell asleep until the morning. She did not feel normal until 3/5/21. On Sunday, 3/7/21 had nausea, took something for that and the next day she was fine.
1088519	3/10/2021	WI	77	F	2/11/2021	2/12/2021	Experienced a retriggering of concussion symptoms: intense head pain, vision issues, nausea.
1088477	3/10/2021	MN	67	M	3/2/2021	3/6/2021	Moderna Covid 19 Vaccine EUA Woke up 3/6/21 with drippy left eye and runny nose nothing else until Sunday afternoon 3/7/21 noticed droopy left eye, cheek and mouth. We to hospital ER for stroke protocol. Dr diagnosed BellsPalsy and not stroke. Advised me to contact a neurologist. Received prescription for Prednisone

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1088467	3/10/2021	KS	37	M	2/26/2021	2/26/2021	<p>Progress Notes (Nurse Practitioner) ? ? Family Medicine  Cosigned by: MD at 2/28/2021 7:38 AM Expand  AllCollapse All COVID VACCINE CLINIC 2/26/2021  Patient:  Date:  2/26/2021</p> <p>Subjective is a 37 y.o. male who was seen at COVID Vaccine Clinic today for his first dose of the COVID 19 vaccination. He was given the Pfizer vaccination in the left deltoid muscle. During his 15 minute waiting period after the injection, the patient began to experience flush feeling with chest pain to L lower chest. He denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and he was then assessed in the emergency area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality and rapid progression of symptoms. PMH: none. Ate a "big baked potato" about an hour and a half before coming in. ALLERGY REVIEW OF SYSTEMS: Patient denies chills, fever, malaise/fatigue, ear pain, sore throat, frequent throat clearing, eyes itching, eye redness, cough, chest tightness, shortness of breath, wheezing, rash, hives, eczema, itching of skin, muscle aches, joint pain, dizziness and headaches. No vision changes: + lightheaded. : Previous Reactions: none Objective Vitals Vitals: 02/26/21 1624 02/26/21 1635 BP: 137/88 123/73 Pulse: 59 62 SpO2: 100% 100% Physical Exam Constitutional: General: He is not in acute distress. Appearance: He is well-developed. He is not diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Eyes: General: Right eye: No discharge. Left eye: No discharge. Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Neurological: Mental Status: He is alert and</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>oriented to person, place, and time. Gait: Gait normal. Psychiatric: Attention and Perception: Attention normal. Mood and Affect: Mood is anxious (slightly). Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Chest pain and symptoms resolved after taking off mask and eating/drinking. Assessment/Plan Treatment included: water and snacks Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) and Red flag symptoms (CP, SOB, NVD, Visual/Neuro concerns) Monitored for approx 15 minutes. Pt greatly improved. CP resolved within 1 minute of being in the bay after drinking. VS stable/improved. Pt ambulated out of the medical bay w/o assistance. Recommended protein based food and hydration 30 minutes prior to next vaccination. Follow up with pcp as needed. Pt voiced understanding and is appreciative of today's evaluation. APRN Electronically Signed 2/26/2021 4:28 PM</p>
1088528	3/10/2021	OR	32	F	3/9/2021	3/9/2021	Hot red itchy raised rash on face around eyes, forehead, ears, cheeks



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1088443	3/10/2021	MD	38	F	2/3/2021	2/10/2021	<p>***To continue off previous entries: VAERS E-REPORT 326730 AND E-REPORT*** I received the 1st dose of the Moderna Vaccine on January 6, 2021 at 01:49 pm. Approximately 4.5 hours later on January 6, 2021, I went outside in the cold temperatures. Upon returning inside to warmer air, the bilateral fingertips of both hands were pale white, numb, and painful. The time was 06:30 pm on January 6, 2021. At 06:47 pm, I felt a different feeling in the bilateral tips of my fingertips, and could see the color changing from pale white to a mixture of purple/black. January 6, 2021 at 06:32 pm was the first time I have ever had my hands respond in this manner to cold temperatures. I have felt one fingertip go numb and turn white for a split second, only one time in my life but it was not a repeat occurrence, and it only lasted for about a second when it occurred. This experience and reaction I currently have lasts from 15-30 minutes of bilateral fingertip numbness and discoloration with pain. The bilateral fingertips of both hands now respond in this manner every time they are exposed to cold temperatures. I signed up for V-Safe and did state that I was having this symptom through the Vaccine reporting system on V-Safe under other" multiple times. Treatment I received from a health provider are as follows; I had a telemedicine visit on January 14, 2021 at 12:51 pm to address my concern of ?reaction to Covid vaccine, fingertips were numb, lasting 30 mins?. On 1/14/2021, I received a primary diagnosis of Raynaud's Syndrome by my Primary Care Provider. On 1/28/2021, I was seen in person by my Primary Care Provider for a Well Visit to complete a physical with my primary care provider. I was provided with a referral to a Rheumatologist for further advice about receiving the additional second Covid vaccination in the series. I also was ordered to do lab work. On 2/2/2021, I was seen by a Rheumatologist for new diagnosis of Raynaud's Syndrome, and advised that risk outweighed the benefits in regards to receiving the second vaccination in the Moderna Covid-19 series. On 2/3/2021 at approximately 1:45 pm, I received the second Moderna Covid-19 vaccination. On 2//10/2021, small red, itchy bumps started to appear on both sides of my neck. On 2/15/2021, a bump appeared above my right eyebrow with what felt like a pimple. On 2/21/2021, the pimple had spread towards my inner eye and above my right eyebrow making my right eyelid swell. I received</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>telemedicine care via an e-visit over telehealth with an urgent care and was provided an antibiotic for facial cellulitis. On 2/22/2021, I had one episode of emesis, and went in person to an urgent care. I received a different prescription of an antibiotic, and was provided with instructions of signs and symptoms of what to look for when to report to the emergency room. On 2/25/2021, my right eye started tearing up and the pain began to intensify. I was seen in an outpatient Ophthalmology Clinic and diagnosed with herpes zoster ophthalmicus and postherpetic trigeminal neuralgia. I was placed on a leave of absence from work as of 2/26/2021. 3/1/2021, I was seen in-person appointment with my primary care provider hoping to provide a work note, further assessment of shingles that have spread over neck and back of neck. Primary Care Provider noted diminished bilateral lower extremity muscle weakness and absent deep tendon reflexes. Primary Care Provider referred me to the Emergency room ASAP to rule out Guillain Barre and herpes zoster meningitis. Evaluated by the Neurology Consult team in the Emergency Room. Discharged with diagnosis of disseminated shingles and muscle weakness. Appointment made to Neurologist follow up on March 16, 2021 and for EMG/NCS. On 3/5/2021, seen in-person by Primary Care Provider for hospital follow up. I was feeling diminished sensation increasing in feet, muscle weakness and pain radiating up my back along my spine at times, and near my shoulder/neck. Primary Care Provider was unable to do anything for me. 3/5/2021, followed up with Neurology in person. An order placed for MRI with IV Contrast of Brain and Spine. 3/9/2021, MRI of brain and Spine with IV Contrast completed. 3/9/2021, a re-eruption of shingles started to appear on bilateral areas of my chin and middle of my forehead close to my eye where the nearly resolved shingles were on my eye. 3/10/2021- Order placed for lesions to be swabbed for HSV and VSV and Dermatology Consult placed for 3/15/2021.</p>
1088340	3/10/2021	NC	22	F	3/4/2021	3/4/2021	pruritic erythematous rash on neck 30 minutes after injection, then blotchy erythematous pruritic rash and swelling of face and eyelids 5 days later

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1088424	3/10/2021	MO	30	F	12/30/2020	1/4/2021	Had minor headache 2 days after vaccine that progressed into temporal migraine. After 2-3 days of pain, the migraine turned into a vestibular migraine in which I had severe dizziness, blurred vision, and loss of vision. This lasted for 6 days (1/5/2021-1/10/2021).
1088410	3/10/2021	MI	48	M	2/23/2021	2/25/2021	Directly after the injection there was a tightening of my throat. It did not affect breathing and dissipated over the course of the day. I also had experienced reactive lymphadenopathy, specifically in the left clavicle area. The lymph node protrusion was large enough to be seen with the naked eye.
1088409	3/10/2021	MD	46	F	2/8/2021	2/16/2021	I started hemorrhaging from my nose for over an hour and my blood wouldn't clot. My nose was profusely bleeding while it was constantly running down my throat and bleeding out my right eye.
1088395	3/10/2021	FL	72	F	2/8/2021	2/10/2021	Slight Dizziness, severe Brain fog, eye socket and nasal inflammation. Symptom worsening over the first two weeks, slowly resolving over past two weeks.
1088375	3/10/2021	MN	69	F	3/6/2021	3/6/2021	Janssen COVID-19 Vaccine EAU I had a terrible headache for 2 days, chills for 2 days but slight chills for 3 days, terribly achy body, dizzy, nauseous, a little trouble focusing my eyes, diarrhea for 2 days the 3rd and 4th days, slightly sore arm.
1088362	3/10/2021	IL	34	F	2/28/2021	3/1/2021	Onset of symptoms 1-2 days after 2nd Pfizer Dose. Presented to ER with fever, myalgia, headache, mild thrombocytopenia/leukopenia, elevated hepatic function test. Also noted mild swelling of upper eyelids.
1088361	3/10/2021	AZ	65	F	2/12/2021	3/2/2021	Swelling of lymph nodes both sides of neck Also right eye lid swollen
1088357	3/10/2021	FL	64	F	3/8/2021	3/8/2021	~~Eye pain", headache and neck soreness starting last night, took Tylenol and using eye drops for symptoms. Denies any other symptoms.
1088356	3/10/2021	MN	56	F	3/9/2021	3/10/2021	Had shot yesterday. Today I woke up to swollen, puffy eyelids and bottom of eye. Red and itchy. Itchy area around face and scalp.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1088455	3/10/2021	KY	64	F	2/22/2021	2/22/2021	The brand was what I got the pfizer dose. 45 minutes after having the vaccine I had very bad blurred vision in my right eye only while driving which lasted 3 hours and only subsided once I put my eye drops in .I saw Dr. today and he advised me not to have the second vaccine on March 15th. It left no damage to the eye thank God.
1087019	3/10/2021	OH	43	F	2/5/2021	2/6/2021	eye lid swelling; Pain in left eyelid that felt like a bruise about 24 hours after shot; This is a spontaneous report from a contactable consumer reporting for herself. A 43-years-old female patient received the first dose of bnt162b2 (BNT162B2; Lot # EM9810) vaccine , via an unspecified route of administration in the left arm on 05Feb2021 14:45 at single dose for covid-19 immunisation . The patient medical history was not reported. Concomitant medication included doxycycline (DOXYCYCLINE), loratadine, pseudoephedrine sulfate (CLARITIN-D). The patient experienced pain in left eyelid that felt like a bruise about 24 hours after shot on 06Feb2021 15:00 with outcome of recovering , eye lid swelling on 07Feb2021 02:45 with outcome of recovering. Both the events were considered non serious. The patient received Cold compress and Benadryl on advise from on call to treat the events. Follow up information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1086898	3/10/2021	TN	52	F	1/27/2021	1/1/2021	glands were swollen and when swallows; glands were swollen and when swallows, sharp pain on one side; vaccines were given in the left arm because she was left-handed; Back pain; spasms; fever; she felt like the inside of her eyes were on fire; She had a moist cough; spine pain; nausea; vomiting; She had numbness and tingling around the outside of mouth; She had numbness and tingling around the outside of mouth; She had pain in the arm at the injection site; knees would buckle; injection site was about a silver dollar size and was red and warm to touch; injection site was about a silver dollar size and was red and warm to touch; injection site was about a silver dollar size and was red and warm to touch; This is a spontaneous report from a contactable nurse (patient). This 52-year-old female patient received 2nd dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number EL3302) at single dose on 27Jan2021 via an unknown route in left arm for Covid-19 immunization. She was diagnosed diabetes six years ago (as of 23Feb2021), and her last A1C was 6.1 in Dec2020, had chronic edema since her last child was born 26 years ago. Concomitant drugs included furosemide (LASIX) 400 mg twice daily, potassium 10 meg three times daily, omeprazole (PRILOSEC) 40 mg once daily, and metformin hydrochloride (METFORMIN ER) 1000 mg twice daily, all ongoing. She did not feel like the medication she takes are relevant because she had been taking them for a very long time. Historical Vaccine included 1st dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (lot number: EL0140) intramuscular injection in left arm on 04Jan2021 for Covid-19 immunization and experienced back pain, diagnosed with COVID in between the first and second vaccine, headache, arm pain at the injection area, severe back spasms in the thoracic and lumbar (AER 2021200627). Patient experienced back pain 2-3 days after the first dose, headache, arm pain at the injection area, back pain and severe back spasms in the thoracic and lumbar. It was sharp, stabbing, crushing pain then she would have spasms. She went to urgent care and was given Voltaren and Flexeril. She was taking 1 gram of Tylenol every 8 hours. That lasted two to three days. That started on the 06Jan2021. She thought she was doing great and then on the sixth was when it started. By the morning of the ninth it was over. The reporter

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

assessed headache, arm pain at the injection area, back pain, severe back spasms in the thoracic and lumbar were related to suspect vaccine. After the 2nd dose of the vaccine, patient experienced back pain in Jan2021, sharp, stabbing, crushing pain and spasms in Jan2021, fever for a couple of days in Jan2021, knees would buckle in Jan2021, glands were swollen and when swallows, sharp pain on one side on 09Feb2021, felt like the inside of her eyes were on fire in Jan2021, moist cough in Jan2021, spine pain in Jan2021, nausea and vomiting in Jan2021, numbness and tingling around the outside of mouth in Jan2021, pain in the arm at the injection site in Jan2021, injection site was about a silver dollar size and was red and warm to touch in Jan2021. The event clinical course was as follows: The second dose was given on 27Jan2021. She was getting over COVID and had to wait until the 27Jan2021 to get second dose. COVID symptoms started on 11Jan2021. She had PCR test on 12Jan2021 with results of her PCR test on 13Jan2021. She was diagnosed with COVID in between the first and second vaccine due to an exposure not the vaccine. At hour 25 after receiving the second dose symptoms started. Severe back pain in the entire spine. It was sharp, stabbing, crushing pain and spasms. When the back would spasm her knees would buckle. She had a fever for a couple of days. 102 fever and she felt like the inside of her eyes were on fire. She has never had that before. She had a moist cough and still has a moist cough. The spine pain was better, but it is not gone away yet. Normally she does not have back pain. At first the pain was an 8 out 10 now (as of 23Feb2021) it was 5 out of 10. Also had nausea and vomiting. She had numbness and tingling around the outside of mouth. That lasted for two days. She had pain in the arm at the injection site. The injection site was about a silver dollar size and was red and warm to touch. She had pain at the injection site and pain in the arm. Both vaccines were given in the left arm because she was left-handed. She thought she would be using that arm more. She did go to Urgent Care after the second dose as well. They gave her a shot of Toradol and another prescription for Voltaren twice a day and Flexeril at bedtime because she can't stay awake when she takes it. She has missed work because of this. The back pain and cough was almost a month now (as of 23Feb2021). She reported no matter

VAERS\_ID RECVD STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

what she did she did not get it to go away. She did a zoom call with her doctor because of COVID symptoms and because she took vaccine. She took 1000mg of Tylenol prior to receiving both doses and thought maybe it wouldn't hurt and would keep her from getting a fever. She has been taking 1000mg Tylenol three times a day and now she was taking it two times a day. She used Tylenol and generic, SunMark Acetaminophen (Lot number: OLE2349B, expiry: Sep2022). Regarding seriousness of headache, made a difference in the vision. It was throbbing. for back pain: it was seven out of 10. It was disabling. She had to miss work and could barely walk across the floor. for arm pain at the injection area: gripping was not easy and moving her arm was painful. She is left handed. Heat worked better than ice. Ice made things worse. for cough: it had not been disabling. it was irritating because it had been almost 30 days. She knows it was different than the COVID cough because it was moist and when she had COVID it was a dry cough. Regarding seriousness of nausea and vomiting: it was debilitating and she couldn't go anywhere because she was throwing up with every move she made. The pain made it worse. The reporter assessed moist cough, nausea and vomiting, arm pain at the injection area were related to suspect vaccine. No investigation assessment performed. Outcome of fever, inside of her eyes were on fire, pain in the arm at the injection site was resolved. Outcome of back pain, moist cough was not resolved. Outcome of spine pain was resolving. Outcome of the other events was unknown.; Sender's Comments: Based on available information, a possible contributory role of the subject product, BNT162B2 vaccine, cannot be excluded for the back pain and other reported events due to temporal relationship. There is limited information provided in this report. Additional information is needed to better assess the case, including complete medical history, diagnostics including spine CT/MRI, counteractive treatment measures and concomitant medications. This case will be reassessed once additional information is available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.
1087396	3/10/2021	NY	61	F	3/8/2021	3/9/2021	Severe headache pain in the eyes a lot of pain in the body breast pain the arm swollen and red nausea
1087393	3/10/2021		42	M	2/13/2021	3/5/2021	Unilateral sudden hearing loss, left ear. Normal tympanogram, normal temporal CT. No headache, visual change, dizziness, otalgia, tinnitus. Symmetrical facial movements. Exam was consistent with conductive hearing loss. Was referred to ENT, started on corticosteroids. Outcome undetermined.
1087389	3/10/2021	OH	63	F	3/9/2021	3/9/2021	In the evening I started to feel aches in my eyes and joints. I was having trouble falling asleep. I woke up every 2 hours. My heart bpm went up to 102 in the middle of the night. I know this because my fit bit was vibrating and encouraging me to keep exercising and I was just laying in bed trying to sleep. I finally got up around 2:30 in the morning and took 1 Aleve. I also took my temperature with a forehead type and it was 98.5, so no high fever. I took another Aleve around 7:00 in the morning. Now I am feeling fine. It's now 8:22 a.m. and I am working from home. I just wanted to report that the aches in joints and 102 bpm and unable to fall asleep were my side effects. I feel fine now. I will continue to take Aleve as needed. I have never been tested for Covid. I have never had any symptoms to warrant testing for covid. Since March 13, 2020 I have been fortunate to work for a company that has us all working from home. We are still working from home. i am 63 years old. I shop around 6 a.m. in the morning for groceries to avoid people. I do not go out. I have been very careful.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1087350	3/10/2021	MD	52	F	3/7/2021	3/7/2021	10 hours after vaccination experience severe shaking, fever of 102.6 Took 2 (500 mg) Tylenol. Fever kept climbing to 104.5 Took 25 mg of Benadryl for red color of face and small rash on abdomen. Placed call to Dr. Advised every 8 hours Tylenol (1000mg) and cycle with Ibuprofen- 2 (200mg). Fever remained at 104 till morning, then 103.1. Fever down for 2 hours and spikes to 104. Took cold bath, reduced fever to 102. Chills, violent shaking a headache behind eyes, very dehydrated. Drank Gatorade and with fatigue slept off and on for 48 hours. Fever finally down by 03/10/2021 to 98.9 with mild headache. Did not have any body or muscle aches during this event.
1087280	3/10/2021	OH	63	M	3/6/2021	3/7/2021	- extreme neck pain,. Comparable to pinched nerve type of pain in neck. Originated on the left side but now primarily on the right side - blurred vision in right eye.
1087252	3/10/2021	NY	55	F	3/1/2021	3/2/2021	Today is March 10 - 10 days after the vaccine - my eyes are red, I have some rash on my face and my throat is red and sore. It?s very painful. I went to the doctor gave me cough medicine. I only cough 2-3 times. But the pain and redness in my throat is constant. Day 2 - I have shorthness of breath ( that was one morning only) a d I could not move my arm until day 3 . It?s was painful and sore.- I need to know if I t is safe to take the second dosis

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1087124	3/10/2021	NC	66	M	2/6/2021	2/1/2021	right eye was blood shot, it was red; had to keep his eyes closed to keep light from coming in so he won't be in pain; had to keep his eyes closed to keep light from coming in so he won't be in pain; This is a spontaneous report from a contactable consumer (patient). A 66-year-old male received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number and expiry date: unknown), via an unspecified route of administration on 06Feb2021 at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. Patient reported that he was having some symptoms that has got worse and wanted to know if he should do something and wanted to know something what went with his eyes. His right eye was blood shot, it was red and daily amount of light that hits his eye was very painful so he had to keep his eyes closed to keep light from coming in so he won't be in pain. Patient was not able to give the lot number because it hurts too much when he tried to turn on the light to reach that (vaccine). Events started on Feb2021. Outcome of the events was unknown. Information on the Lot/Batch number has been requested.
1087423	3/10/2021	AZ	55	M	3/9/2021	3/9/2021	About 9:00 PM got chills. Finally broke around midnight and after that was hot and achy. Today body aches, head ache, and eyes hurt. This is a similar reaction to what I have with the flu vaccine. I no longer get the flu vaccine because of this.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1087049	3/10/2021	WI	44	F	2/5/2021	2/6/2021	Body aches; itching eyes & body; itching eyes & body; chills; headache; This is a spontaneous report from a contactable other health professional (Patient). A 44-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot number: EM9810), via an unspecified route of administration, Right arm on 05Feb2021 at single dose for covid-19 immunisation (Age at vaccination 44 years) at hospital. Patient was not pregnant at the time of vaccination. The patient didn't received any other vaccines within 4 weeks prior to the COVID vaccine. The patient didn't received other medications received within 2 weeks of vaccination. Medical history included ehlers-danlos syndrome (EDS), mast cell activation syndrome (MCAS), postural orthostatic tachycardia syndrome (POTS). Allergies to medications, food, or other products included Latex allergy. The patient's concomitant medications were not reported. Historical vaccine included first dose of BNT162B2 (COVID 19, Pfizer, PFIZER-BIONTECH COVID-19 VACCINE, Lot number: EL3249), via an unspecified route of administration, Right arm on 15Jan2021 at single dose for covid-19 immunization (Age at vaccination 44 years). On 06Feb2021, the patient experienced body aches, chills, headache, itching eyes & body. Prior to vaccination, the patient wasn't diagnosed with COVID-19. Since the vaccination, the patient hasn't been tested for COVID-19. No treatment was received for the events. The outcome of the event was not recovered. No follow-up attempts are possible. No further information is expected.
1087434	3/10/2021		23	F	3/9/2021	3/10/2021	Severe headache (to the point where it was affecting my vision), dehydration, sweats and chills as though I had a fever, muscle aches, and difficulty sleeping. All of these symptoms lasted for approximately 9 hours. They started 10 hours after the vaccine itself.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1087016	3/10/2021	FL	35	F	1/11/2021	2/1/2021	swollen eye; hives; This is a spontaneous report from a contactable Nurse, the patient. A 35-year-old non-pregnant female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Lot number EH9899), via an unspecified route of administration on 11Jan2021 at 15:30 (at the age of 35-years-old) as a single dose in the left arm for COVID-19 immunization. Medical history included insulin resistance, vitamin D deficiency, GERD (Gastrooesophageal reflux disease) and allergy to pollen and possible allergy to cilantro. Prior to the vaccination, it was unknown if the patient was not diagnosed with COVID-19. Concomitant medications included metformin, famotidine (PEPCID [FAMOTIDINE]), clarithromycin (CLARITIN [CLARITHROMYCIN]), topiramate, and diphenhydramine hydrochloride (BENADRYL); all for unknown indications from unknown dates and unknown if ongoing. The patient did not receive any other vaccines within four weeks prior to the vaccination. The patient previously took pregabalin (LYRICA) from an unknown date for an unknown indication and experienced allergy. On 01Feb2021 at 06:00, the patient experienced hives and swollen eye. The patient reported that the first vaccine was administered and the patient was fine then the patient had hives and swollen eye on the day the second dose was to be administered. The second dose of the vaccine was delayed. The events resulted in an emergency room/urgent care visit and the patient received treatment for the events with solumedrol shot and prednisone oral with benadryl/pepcid/atarax. The patient received the second dose one week later, on Friday 05Feb2021, with prednisone on board. The clinical outcomes of the hives and swollen eye were recovering. It was also reported that since the vaccination, it was unknown if the patient had been tested for COVID-19.; Sender's Comments: Based on the current available information and the plausible drug-event temporal association, a possible contributory role of the suspect product BNT162B2 to the development of events Swollen eyes and Hives cannot be totally excluded. The case will be reassessed if additional information becomes available.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1086985	3/10/2021	GA	67	F	1/14/2021		This is a spontaneous report from a contactable Consumer(patient). This consumer reported similar events for the patient. This is the first of two reports. A 67-year-old female patient received first dose BNT162B2 (Pfizer BioNTech Covid 19 vaccine), via an unspecified route of administration at Arm Right on 14-JAN-2021 at the 67 years old at single dose for COVID-19 immunization. The medical history included breast cancer survivor, allergies to strawberries, bananas, lobster, mahi, whiting fish. The concomitant medications were cholecalciferol (VITAMIN D), ascorbic acid(VITAMIN C), collagen, curcuma longa(TURMERIC) , olive oil. The patient previously took VALIUM and experienced allergy. The patient got hives near her left eye with the first Pfizer shot in 2021 but wasn't sure if that was the cause as she did have food allergies. Her arm was a little stiff but not significantly and she did not have any other side effects in 2021. There was not treatment received for all the events. The patient had no Covid prior vaccination. There was no Covid tested post vaccination. The outcome of the events was recovered in 2021. The information on the batch number has been requested.; Sender's Comments: Linked Report(s) : US-PFIZER INC-2021148988 same patient, same product(different dose), similar events

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1086959	3/10/2021	TX	81	F	1/27/2021	1/27/2021	gained about 3 pounds now; The next day, her cheeks, face, and the part under her chin became swollen/her body also became swollen; she feels something in her throat which she can't describe; she feels something in her throat which she can't describe; her vision on her good eye became a little depleted; inside of her lips was swollen; This is a spontaneous report from a contactable consumer. This 81-year-old Female consumer reported for herself that she received the first dose of (PFIZER-BIONTECH COVID-19 VACCINE, Lot number unknown) at single dose on 27Jan2021 for COVID-19 immunisation. Relevant history included food allergy. Relevant concomitant drug was unknown. The patient received her 1st dose on 27Jan2021 and stated that she was feeling fine for about 10 minutes and when she got back home which was not very far from the vaccination site, she noticed that the inside of her lips was swollen. She mentioned that this was not strange for her since she was mostly allergic to food but usually it was the outer portion of her lips that became swollen and not the inner portion. The next day, her cheeks, face, and the part under her chin became swollen and she felt something in her throat which she could describe. She also noticed that her vision on her good eye became a little depleted which got her a little concerned and her body also became swollen and stated that she already gained about 3 pounds now. She wanted to know if anyone had reported the same reaction she had and if it was recommended for her to get the 2nd dose or not. Outcome of events was unknown. The information on the LOT/Batch number has been requested

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1086894	3/10/2021	AR	43	F	2/23/2021	2/23/2021	tired; sore arm; Facial droop (left eye and mouth); This is a spontaneous report from a contactable consumer (patient). A 43-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL8982), via an unspecified route of administration at left arm 23Feb2021 08:00 at single dose for covid-19 immunisation. Medical history included Known allergies: Sulfa drugs, codeine, diastolic dysfunction type 1 from Jul2020, and anxiety depressive disorder (she took a medication for that and it had been diagnosed more than ten years). Concomitant medication included bupropion hydrochloride, naltrexone hydrochloride (CONTRAVE). The patient experienced facial droop (left eye and mouth) on 23Feb2021 14:30, tired and sore arm on an unspecified date. The clinical course was as following: She said her appointment for the vaccine was at 08:00AM, and around 02:30PM she was in a video meeting and her left side of her face started to droop and her coworker messaged her to ask if she was ok since she looked pretty funny with the eye and mouth droop. She said that this droop lasted about 4 hours and by 06:30PM it was mostly resolved, if she was not looking at it or trying to raise her eyebrows. She said that the only other side effects were she was tired and had a sore arm. She said doctor asked her to got to the emergency room (ER) to rule out a stroke or transient ischemic attack (TIA) so they did a couple of Computerised tomogram (CT) scans, one with contrast and one without, and a MRI and they did full blood lab work up, and did an Electrocardiogram (EKG) to rule out central nervous system events. She says that they didn't think it was a TIA, they felt it was a peripheral nervous event related to an autoimmune response and all the tests said that they did not thought she had TIA event. She said doctor said it was likely an auto immune response to receiving vaccine, since there were no intervening events between getting the vaccine and the droop, she has not been sick or had any dental events recently. the main reason she was calling was to see if she should get the second dose, since she wanted to get it but has heard the side effects can be stronger for the second dose. She says she would like to know can she or should she take it. The patient was tested was for a stroke but that test came back negative. The patient would like to know if it is contraindicated for her to

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							receive the second dose after having this reaction. The outcome of the event Facial droop was recovering, and the outcome of the event tired and sore arm was unknown.
1086886	3/10/2021	TX	39	M	1/23/2021	1/25/2021	My blood pressure, which normally runs low, dipped very low (85/55); I had pretty severe brain fog. I never blacked out, but I was concerned I might.; This is a spontaneous report from a contactable consumer reporting for himself. A 39-year-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number: EL3246), via an unspecified route of administration on 23Jan2021 on right arm at single dose for COVID-19 immunization. Facility type vaccine was at hospital. Medical history included small fiber neuropathy, dysautonomia/vasovagal syncope, ineffective esophageal motility disorder, migraine, GERD, allergic to preservatives in many eye drops, but never a vaccine; allergic to dust mites. Concomitant medications included nadolol, midodrine, esomeprazole magnesium (NEXIUM), amitriptyline and other unspecified medications. The patient stated "My blood pressure, which normally runs low (I have dysautonomia/vasovagal syncope) dipped very low (85/55) and I had pretty severe brain fog. I never blacked out, but I was concerned I might." The reported events happened on 25Jan2021 18:00, and resulted in Doctor or other healthcare professional office/clinic visit. No treatment was received for the events. The outcome of the events were resolved in 2021.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1086879	3/10/2021	TX	61	F	2/8/2021	2/9/2021	<p>Bell's Palsy; diarrhoea; fever between 98-99 degree Fahrenheit; several headache; nausea; A spontaneous report was received from a consumer concerning a 61-years-old female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced bell's palsy, diarrhea, fever between 98-99-degree Fahrenheit, several headache and nausea. The patient's medical history included: Covid-19 (start date 08-JAN-2021). No relevant concomitant medications were reported. On 8-FEB-2021, prior to the onset of the events, the patient received the first of two planned doses of mRNA-1273 (lot/batch:012M20A) intramuscularly in the right arm for prophylaxis of COVID-19 infection. On 09-FEB-2021, the patient's symptoms had started. The patient mentioned a fever between 98°F - 99°F, headache, nausea, and diarrhea. Then on 15-FEB-2021, she had a (facial) paralysis, the left side of the mouth bent to the side and the eye fell. On 20-FEB-2021, the patient had visited the doctor's office and she was diagnosed with Bell's palsy. The patient was treated with, prednisone , valacyclovir, injection (unspecified) like a Cortisone. At the time of this report everything was coming back to normal, but it was not at 100%. The adverse event of ball's palsy was assessed as medically significant. Action taken with mRNA-1273 in response to the events was not reported. The outcome of event of bell's palsy, diarrhea, fever between 98-99-degree Fahrenheit, several headache and nausea was resolving.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1086875	3/10/2021	MA	78	F	2/17/2021	2/18/2021	Retinal hemorrhage inside left eye; Impaired vision; Occular migraine; Swelling inside left eye; Severe headache; A spontaneous report was received from a reporter like consumer concerning a 78-year-old female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced events like retinal haemorrhage, eye inflammation, headache, visual impairment, retinal migraine. The patient's medication history was not provided. Concomitant medications were not provided. On 17 Feb 2021, prior to the onset of the events, the patient received the first of the two planned doses of mRNA-1273 (lot/batch 030M20A) intramuscularly in the anatomical location for prophylaxis of COVID-19 infection. On 18 Feb 2021, 28 hours following the vaccine administration, the patient experienced events like very small hemorrhage inside left eye, swelling inside the left eye, headache, impaired vision, ocular migraine with swelling inside the eye being medically significant. Laboratory details were not provided. No treatment information was provided. The outcome of the event was unknown. Action taken with mRNA-1273 in response to the events were not reported.; Reporter's Comments: Based on the current available information, a strong temporal association between the use of the product and the start date of the events, a causal relationship with the events cannot be excluded. Headache is consistent with the known safety profile of the vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1088560	3/10/2021	CA	45	F	3/6/2021	3/6/2021	I felt fine for the 20+ minutes in waiting area after, and my 15 minute drive home. I noticed my cheeks were VERY flushed. I took my temperature. Though it was 98.5, that is higher than my personal 'normal' temp. I am typically 97.3-7. Checked again on my flushed cheeks to see that my face was swollen. I ran into a neighbor, though wearing a mask, she didn't see/say anything, and I felt okay enough not to bring it up. By the end of the day, swelling in my cheeks was less noticeable so I went to bed thinking I wasn't having more than a typical vaccine reaction. I woke up the next day with swollen eyelids. I've only become concerned after googling the general side effects and saw 'swelling of the face' and/or 'swollen eyelids' listed as both "common" and "when to call a doctor". My (non)fever is up and down over the past few days though I still feel flushed with more pink in my cheeks.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1087115	3/10/2021	WY	36	F	2/5/2021	2/6/2021	<p>This morning I woke up swollen under my eyes right where I had filler done; The swelling and tenderness is the exact same swelling and tenderness experienced right after the filler was done; achy and tired; achy and tired; This is a spontaneous report from a contactable consumer, the patient. A 36-year-old non-pregnant female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Lot number unknown), via an unspecified route of administration in the left arm on 05Feb2021 at 15:00 (at the age of 36-years-old) as a single dose for COVID-19 immunization. Medical history included Celiac disease, allergy to gluten, filler under eyes in Jul2020, and the patient is prone to inflammation. Prior to the vaccination, the patient was not diagnosed with COVID-19. Concomitant medications included GUARANA [PAULLINIA CUPANA] and a multivitamin, both from an unknown date for an unknown indication. The patient previously received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Lot number unknown), via an unspecified route of administration on an unknown date for COVID-19 immunization and experienced fatigue and feeling achy. The patient stated she did not have any kind of reaction to her first dose other than fatigue and feeling achy. The patient did not receive any other vaccine within 4 weeks prior to the vaccine. On 06Feb2021 the patient experienced feeling achy and tired, the patient had no other initial reactions after the injection. On 07Feb2021 at 06:30, the second day after the second immunization, the patient woke up swollen under her eyes right where she previously had filler done (last Jul2020, so per the patient, it wasn't recent). The patient stated the swelling and tenderness was the exact same swelling and tenderness that the patient experienced right after she had the filler done. The patient stated she should also note that she does have Celiac disease, which is an autoimmune disease and she is prone to inflammation, however the patient was not on immunosuppressant drugs and was otherwise very healthy. The patient did not receive any treatment for the events feeling achy and tired, swelling and tenderness under her eyes. The clinical outcome of the feeling achy and tired, swelling and tenderness was not recovered. It was also reported that since the vaccination, the patient had not been tested for COVID-</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							19. The batch/lot numbers for the vaccine, PFIZER-BIONTECH COVID-19 MRNA VACCINE, were not provided and will be requested during follow up.
1087606	3/10/2021	WI	31	M	3/9/2021	3/10/2021	Nausea, Ice Pick headaches behind eyes, fever , joint soreness
1087828	3/10/2021	AL	69	M	3/9/2021	3/9/2021	Chills, headache behind eyes, fever, muscle pain/aches; now only bad headache and body aches; time now is 10:05;

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1087816	3/10/2021	MN	63	F	2/26/2021	2/26/2021	<p>Patient called via telephone at 4:53 p.m. on 2/26/2021. Patient reports that she was in for a 3:40 Covid-19 (Moderna) 1st dose shot appt. She waited her allotted 15 minutes post vaccine before leaving. Patient denied ever having any reaction to anything or vaccine in the past. Patient reports that once she was on her way home she started to experience nausea while driving home. She also started to experience a weird kind of numb feeling that in time moved down in to her left arm, up her to the left side of her neck, jaw and eye. She felt like her eyelid might be drooping but she looked in the mirror and it wasn't. She explained it as a "novacaine feeling" before it is fully numb. "It starts in a spot then spread." "Weird sensation, like going to the dentist. Patient reported that she also has "weird skin" on her arm so can't really tell if there is a local rash. Patient questioned if she can take Bendedryl and this PHN confirms that she can do that. PHN confirms that patient is not home alone and encouraged patient to follow up if she felt the need if her symptoms did not resolve or continue to spread or worsen. Patient reports understanding of this.</p> <p>1/26/2021: 6:30 p.m. call update from patient. This PHN called patient back and patient reports that she is lying low. She took some Bendryl and it helped some. Patient continues to have a little bit of numbness and it did go in to her left teeth a little bit but the numb feeling isn't as bad as it was. PHN recommended that patient try to verify with her doctor before dose 2 of what happened and verify that it is okay to get her 2nd dose. PHN also informs patient that the is diphenhydramine ("Benedryl") on site that we can give her if needed when she is here for her 2nd dose. PHN also recommends that if she comes in for her 2nd dose she would wait for 30 minutes post vaccination vs. the typical 15 minutes. 3/9/2021 telephone update from patient. Patient contacted this PHN to inform that she has had continued issues post Covid-19 vaccination. Patient reports that she continues to have some numbness in the left side of her face and her BP continues to fluctuate up and down ranging from 182-90 to 142/?. She has been in to doctor 2 times and has 1 more appointment scheduled. She also is considering doing a neuro consult. She did have testing done that ruled out a stroke. Patient is unsure if she wants to follow through with her 2nd. PHN did not recommend patient getting her 2nd dose but encouraged</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							her to have this discussion with her primary care provider
1087809	3/10/2021	TX	56	F	3/5/2021	3/6/2021	Headache started around 2 hours, 26 hrs later fever and chills started, following that intense muscle spasms and joint pain and swelling, stomach pain, dizziness, black spots in vision. I am on day 5 following vaccination and have the following symptoms. Chills with no fever, drenching sweats, dizziness, continued headache , neck pain, joint swelling, tingling in feet and hands, redness and rash at injection, stomach pain, sores in nose and mouth. I have been put on Prednisone for Lupus flare.
1087771	3/10/2021	WI	51	F	3/9/2021	3/9/2021	After the vaccination, I felt a little dizzy waiting in the parking lot and had a sore arm, but felt fine otherwise. (12:00-1:00 pm) After returning home, I felt increasingly tired and warm. I laid down and took my temperature after walking the dog around 3:00 pm. My temperature read 99 degrees. I drank a lot of pedialyte to hydrate. Throughout the afternoon, I felt sluggish and the glands seemed to swell up on the side of my neck. I also got a headache. My temperature dropped down to 98.7 before I went to bed, but this morning, my glands under my jawline are a bit more swollen and I still have a slight temperature; 98.9 degrees. My eyelids are puffy and I feel a little feverish, but it is tolerable.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1087769	3/10/2021	NJ	37	F	2/16/2021	2/17/2021	<p>Here is my story. Part 1: I had my second Moderna vaccine on 2/16. 36 hours later I was laying In bed when I all of a sudden felt very strange- sort of faint - like I was going to pass out. Then I started feeling like my Body was going numb. We called 911. I was taken to the ER. What followed was about 15-20 ?neurological? episodes (every ten minutes or so) where my entire body from head to toe became paralyzed- I couldn?t move any of my limbs. I also had no sight. I was not blacked out Bc I could hear everything that was happening. It was also accompanied by extreme chest pain, numbness, contracting of muscles in chest cavity that felt almost like a heart attack. Each individual episode lasted about 3-5 minutes and then slowly the paralysis would undo and I?d regain feeling. And then the full episodes would start over a few minutes later. This went on for a few hours repeatedly while in the ER. I was admitted for testing and monitoring for two days (EEG, EKG, MRI, Catscan) all clear. Once discharged I had lingering neurological symptoms but not the full paralysis episodes. Linger symptoms included severe chest pain, numbness/weaknesses predominant on the left side as well as other random areas. I was very weak and tired. I started to improve very slowly - by day 10 post hospitalization I was starting to feel like things were turning the corner and maybe I was on my way to recovery. Part 2: I started to finally feel more improved from the lingering neurological issues and then all of a sudden around 5:30PM I was in the kitchen making dinner for my kids on 3/2 and the episodes started again. Called 911. Again, every ten minutes or so they came on (maybe 15-18 episodes) of complete paralysis- this time accompanied by seizure like rapid eye movement from side to side and fluttering of the eyes. I was readmitted to the hospital where the episodes repeated to happen again, maybe 15-20 times. I was admitted. They did a 24 hour video EEG which ?caught? the episodes on video and sound but did not appear negatively on the EEG in terms of abnormal brain activity. I?ve been released as they say there is nothing to do. I have lingering muscle weakness in my eyes- I can?t focus my eyeballs or ?track? on an eye exam and continued muscular chest pain. I also have a lot of PTSD from the trauma of the events.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1087734	3/10/2021	KY	86	M	3/9/2021	3/9/2021	The patient's caregiver reported via phone that a few hours after vaccination, the patients left eye became swollen and blue/purple. No other symptoms were noted.
1087650	3/10/2021	WI	92	F	3/4/2021	3/4/2021	Client reported that she had "decreased eyesight" around noon on the day she received her vaccination.
1087637	3/10/2021	OH	41	F	1/8/2021	1/8/2021	Day of: fatigue, sob, weakness, coughing tasting blood, runny nose, watery eyes, pain at injection site, fever, chills, rash around injection site, down arm and up shoulder and neck Day after and progression: muscle weakness to the point of falling down and inability to hold onto items, SOB, fatigue, blurred vision, ringing in ears, dizziness. Pain, numbness, tingling throughout body. Cough tasting blood, flank pain, intermittent urinary incontinence and increase urination at night, nightmares, anxiety, depression. Today: SOB, cough tasing blood, extreme fatigue, dizziness, tinnitus, nightmares, anxiety, depression. 03/02/21 New onset diagnosis: Severe Asthma I have not been able to work since 01/08/2021
1087400	3/10/2021	NY	40	F	3/9/2021	3/9/2021	blurred vision, diaphoresis, hypotension, placed in trendelburg position
1087610	3/10/2021	TX	52	F	3/9/2021	3/10/2021	I spiked a 103 temp at 2am. Became nauseated, excruciating headache and neck ache, coughing badly, eyes burning. By 5:30 am, I decided to take an Aleve to try and bring down the fever. I also had 1 puff of my inhaler to try and calm the cough with no luck. I was finally able to sleep for about an hour with my head on an ice bag. It's now 9am and my fever is returning and so is my headache. My whole body is sore from shivering with the fever and my injection site is sore with a hard lump under the skin.
1087830	3/10/2021	IN	50	F	3/8/2021	3/8/2021	Immediate burning sensation traveled from left side of body: arm, shoulder, neck, back, left ear, and chest. Then traveled across entire face eyebrows, cheeks, and lips felt numb and irritated.
1087584	3/10/2021	CA	40	F	2/6/2021	2/13/2021	hives all over my body including my eyelids
1087538	3/10/2021	NC	29	M	3/3/2021	3/9/2021	Severe itching, welps, lips and eye swelled slightly. Most of my body was red. Looked like I was subnurnt.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1087522	3/10/2021	FL	40	F	3/6/2021	3/6/2021	this morning she noted a red blotch on her left eye sclera. her right eye is fine. she denies rubbing her eye, foreign body, or coughing or sneezing or force. instructed not likely related but asked to call back if worsening, vision loss, or blurred vision. wash hands well after touching face. call back prn. Followed up with patient today. She said that the red blotch in her eye is still there but not as red and can tell that it is going away. It doesn't bother her. She did contact her PCP and they told her that it is likely not related. She thanked me for my call. Will close case.
1087518	3/10/2021	NC	36	M	3/9/2021	3/9/2021	Patient fell from chair to floor hitting head and sustaining small laceration above left eye. He also experienced mild seizure activity that lasted approx 10 seconds. Patient quickly regained consciousness and was assisted to triage area. BP 140/86, HR 82, O2 sat 97%RA. EMT came and assessed client and cleared him to leave. Client ambulated out of facility without difficulty
1087502	3/10/2021	FL	70	M	2/21/2021	2/25/2021	eye dryness and itchiness. denies blurred vision or vision loss called md who recommended Claritin daily. Claritin has provided mild relief.
1087490	3/10/2021	OH	48	F	3/9/2021	3/9/2021	At 11:30pm on 3/9/2021 over 12 hours after my 1st COVID-19 vaccine , I awakened from my bed and went into my bathroom to urinate. As I was using the restroom, I noticed my arm where I got the vaccine was very sore, and raised it slightly. Immediately after raising my arm, I became very dizzy and passed out, fell off of the toilet and hit the left side of my temple and eye on the marble ledge of my shower. As I came to, my whole body had chills and I was shaking. I applied a cold compress and took 2 Tylenol. I alternated between sweating and chills for the rest of the night. The next morning I had a headache and felt fatigued, but the dizziness had subsided and I rested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1087486	3/10/2021	TX	55	F	1/26/2021	1/26/2021	Evening of 2nd vaccination - uncontrollable chills/tremors/shakes, fever with burning eyes & ears, took 2 tylenol, 3am (01/27) heavy blood in urine, went back to My Urgent Care so they could record side effects, they said not side effects but possible UTI although culture was negative, prescribed 5 days of Keflex, 01/27 blood pressure high and incredible headache started in the evening, blood in urine gone by Sunday 01/31, televisit with primary care on 02/03 for sudden change in BP and discuss the "UTI", Primary care prescribed a second dose of losartin, by Sunday, 02/07 - BP so elevated, trip to ER and blood back in urine, ER did CT Scan to make sure no kidney stones, negative, and bladder/kidneys look fine, however, still have IUD, so may want it taken out since post menopausal, 02/08 in office visit with primary care, administered clonidine to get BP down because was up again, he had me do 24 hr urine collection, said go ahead and have IUD taken out, but also see a nephrologist as well as prescribed clonidine as need for BP issues, since that visit BP has seemed to regulate with a few spikes requiring clonidine, IUD removed 03/09 and will see nephrologist on 03/15, when I saw Gynecologist, she mentioned a doctor's wife who had similar issues with Moderna, and that I should report
1087484	3/10/2021	CO	37	M	3/8/2021	3/9/2021	pt stated that after getting the vax his are was sore. He woke up next day and had developed a severe itchy red rash all of his entire body. His face and eyes are swollen. He took some Benadryl and went to work. His boss sent him home from work and told him to go to a Doctor. Pt called us to make a report and is on his way to Urgent Care in . He is continuing to get more reds dots on his body as we speak that are starting to blister.
1087636	3/10/2021	NC	79	M	2/5/2021	2/8/2021	Left eye blurred vision - persistent, worse at the end of the day. Difficulty focusing. Also general overall fatigue.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1089401	3/10/2021	OR	73	M	1/22/2021	1/22/2021	<p>Purkinje Tree and Covid-19 Vaccine. During the current COVID-19 pandemic and massively increased vaccinations, there have been few ocular side effects reported with the vaccine. 1) However conjunctivitis has occurred with Covid-19 infection and very rarely endophthalmitis has been reported. I wish to mention an otherwise unreported association with visualization of a Purkinje Tree and Pfizer Covid-19 second vaccine. I am a 73 year old otherwise healthy retired male. I had an entoptic experience after I received my second vaccine. With the first vaccine I had no visual side effects. The afternoon of my second dose I took an hour long nap, which was unusual for me. When I woke up and opened my eyes I noticed a bilateral arborizing, interlacing dark pattern that lasted less than a second. This was opaque but without a ghost image and otherwise the wall, sheet, and ceiling were seen clearly behind that network. I experimented with opening and shutting either and both eyes looking at a white sheet beneath me, and found that especially with my dominant left eye I saw a pattern resembling my left eye retinal vascular tree. The branches originated as single vessels superiorly and inferiorly that branched down to smaller vessels all on the right side of a disc type structure without duplication into an identifiable arteriolar and venous system. Even with a light source moving over my left shoulder, the image never lasted longer than a fraction of a second and fatigued quickly with repetition. I laid back down and repeated the experiment of opening and shutting either eye while looking at a white ceiling. Then the image changed to a horizontally oriented pattern with two single black vessel type structures coming off a disc type structure. The dark lines further branched and narrowed as they extended to the right and left off the disc type structure. Again this lasted less than a second. It faded away rather than floated away. The image always appeared in the same area of my field of vision. It was peri-central when I looked at the wall and inferior to fixation when I looked at the ceiling. The image would immediately move with eye movement, unlike a vitreous floater. Opening and shutting my left eye could refresh the image very briefly but that fatigued with repetition and could not be reproduced after 3-4 trials or without several hours between attempts. I did translations of Purkinje's description of the Tree (described here later.) and had</p>

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

short term partial success with his methods, except for pushing on my eye, and using galvanic current, which I did not attempt. I declined a full exam but did remember a lecture about Purkinje images. He had the residents hold pen lights to the side of their eyes and move the light back and forth while he described the Purkinje Tree. Afterwards he quizzed the residents about whether they could see it or not, with the "humorous" disclaimer that it was a means of IQ testing if they could see it. Half could. It was of interest to me that before I retired, occasionally patients would mention seeing the tree after an ophthalmoscopic exam. I hoped to delight those patients by telling them it was a form of IQ quiz and they had done well. Two weeks later I was disappointed that I could no longer see the tree, but again declined an exam. I am optically conversant, but physically adverse in seeking self care. Purkinje first described the "Tree" in his doctorate thesis in 1819. It was included in descriptions of other entoptic phenomena, performed mostly on himself. This was before the ophthalmoscope was discovered and before quality histological, serial sections were available. He described holding a candle or using galvanic illumination in front of his eyes individually and moving it around. He could see black lines in a network that came off a central pit structure. There were two lines inferiorly and superiorly with adjacent shadows and ultimately had size reducing branches. He recognized these branching lines as retinal blood vessels, but could not discern any blood flow. In 1825 he published a further volume 3) that dealt with experiments he subsequently had performed. He found that by holding a sheet of paper with a hole in it that he moved around, he could get a better view of the blood vessel pattern. He could discern the macula and described anastomosing blood vessels superior to inferior. A significant improvement in his discerning the blood vessel pattern was obtained with a safe amount of pressure on the superior lateral aspect of the eye. With this he could recognize blood corpuscles and flow patterns and then labeled the lines as veins. He did not describe arteriole patterns. So this leaves us with the question why this sudden awareness of the Purkinje Tree appeared in the time frame of a second Covid-19 vaccine. This will require further reports to determine coincidence versus cause-effect. This is a high stress

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							time with Covid-19 deaths so prevalent. I had immediate relief after my second shot with a reduction of tension and increase in awareness of my general physical status as in the feeling of being hot or cold, sleepy or just fatigued, improved calmness, and the pertinent Purkinje Tree. At sign in for the second series of Pfizer injections the RN on duty asked about side effects from the first shot. She asked us to send a report in of any potential side effect then of the second shot and notified us that people were having more problems with the second shot than the first. Arm soreness, swelling, fever, chills, headache, malaise, fatigue. She gave us a print out list of known side effects, mostly systemic and all mild, but nothing ophthalmic. With these things in mind I was especially vigilant of any thing new in my general health or condition. Most of the patients getting the shots were students and the congregating area was in a wing of a hospital. This brought back the pleasant memory of my time in training and my chief?s description of Purkinje?s Tree and perhaps enhanced the brief ability to see the entoptic image. In between times playing with this image my vision was normal and my general health remained good, without symptoms of vascular compromise.
1089275	3/10/2021	WA	47	F	3/7/2021	3/7/2021	Severe Rash, Itchy Red Swollen Eyes
1089601	3/10/2021	TX	63	M	3/9/2021	3/9/2021	Mild headache and nausea about 30 minutes after injection. In middle of night had pain and swelling in left eye (same side of body as injection), left arm pain the next day.
1089564	3/10/2021	KY	44	F	2/9/2021	2/9/2021	hot arm, eyes watered, naseaus dizzy, sweating,
1089546	3/10/2021	MN	28	F	2/25/2021	2/25/2021	Within 3 hours of getting the vaccine, I noticed red, swollen hives on both forearms. It was very itchy and uncomfortable. I also got hives on the bottom of my neck. I noticed slight difficulty in breathing, but it was not significant enough to require emergency care. The hives persisted overnight and showed up on both hands as well. The hives on my arms lasted about 4 days. The hives on my hands lasted about 6 days and are only slightly itchy now. The hives are still on my neck and now under my eyes and throughout my face/jawline (1 week after vaccination).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1089535	3/10/2021	NC	74	F	2/17/2021	3/5/2021	3/5/2021 APPROX 3:30 PM, ITCHING RASH STARTED ON RT. ARM, TO NECK, CHEST, SHOULDERS, STOMACH, HIPS, LEGS; DIZZINESS, BACK PAIN, HEADACHE THEN ESCALATED TO POUNDING SEVERE HEADACHES, PRESSURE ON LEFT EYE, AND BEHIND RIGHT EAR. DURATION FROM 3/5/3/7/2021, ITCHING STILL CONTINUES MOSTLY AT NIGHT
1089514	3/10/2021	OH	44	M	3/10/2021	3/10/2021	patient received covid vaccine and went to sit out in waiting area. about 5 min later patients eyes rolled back, became unresponsive, was grunting, stiff muscles, and had uncontrolled urination. this continued for a few minutes. was able to get patient on the floor and in doing that he became responsive and alert. patient almost immediately felt fine. paramedics were called and they did check him out but he left without going to the hospital
1089475	3/10/2021	UT	37	F	3/9/2021	3/9/2021	The left side of my face swelled a bit, became red and numb. By the next day, the redness and swelling has mostly disappeared, but the numbness is still there. I can feel it in my ear, my eye, my teeth, lips, and whole left side of my face just aches.
1089462	3/10/2021	CA	68	F	3/1/2021	3/9/2021	I had my first dose of Moderna Monday, 3/1/2021, in my left arm. My arm was sore but not red, for about 2 days. After that I was fine. Yesterday, I noticed a little itching at the injection site. Today it is red and warm. I am having no other adverse effects. My husband had an appointment with his cardiologist today, and I asked the doctor to look at my arm. He said to put ice on it, and keep an eye on it; if it didn't look better by tomorrow, he said to call my doctor. He also said if I developed a fever to go to Urgent Care or ER.
1089606	3/10/2021	CA	41	M	3/5/2021	3/10/2021	5 days post vaccination Patient noted decreased vis acuity in left eye and anisocoria with the left pupil measuring 6mm and the right 2.5mm. The right appeared normal sized to the patient. This was assoc. with a mild headache which began 2 hrs after the dilated left pupil was noted. On exam the pupillary size was as noted. Pt able to read 2 inch print with left eye and news print with right eye. The pupil reacted to light less vigorously than the right and had a slow and minimal consensual reaction to light shined in the right eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1089417	3/10/2021	IN	72	F	3/5/2021	3/5/2021	extreme fatigue, unable to stand alone, extreme pain in joints, weakness, nausea, glassy eyes
1089621	3/10/2021	CA	30	F	3/4/2021	3/4/2021	Vasovagal, syncope episode. Client walked to observation area receiving vaccine. Sat for about 5 minutes and started feeling dizzy, had about "80-90" vision, felt like vision was narrowed and leaned back. Found self on side in nurses lap. Nurse in observation area assisted client to ground from chair, controlling the fall. Report per client of history of vasovagal reaction with injections or any needle based procedure.
1089379	3/10/2021	GA	33	F	2/8/2021	2/8/2021	About 90 min post vaccine, my vision became extremely blurry. My heart rate and BP was elevated and remained elevated with any physical activity or exertion. I became "swollen" in the face and arm but did not break out in hives. My BP and pulse remained elevated for 4 days. By day 3, my lymphnodes in my armpit became extremely swollen. I have remained slightly swollen and periodically break out in hives without regular Benadryl and famotidine/cetirizine doses.
1089371	3/10/2021	GA	76	F	2/10/2021	2/10/2021	?Patient came to pharmacy to get her 2nd dose of Moderna vaccine. During screening process patient disclosed she had injection site reaction on left arm including rash, redness, itching and swelling on her arm that had resolved. She also disclosed a similar area occurred occurred on right side of abdomen that has somewhat resolved; however she still has sporadic occurrences of redness and itching. Due to the patients reported adverse event; patient was advised to hold therapy of 2nd dose of Moderna vaccine; and if she needed to continue therapy the 2nd dose should be given under medical supervision.
1089365	3/10/2021	TX	54	F	3/10/2021	3/10/2021	Funny feeling/sensation on both sides of jaw, dizzy and heaviness of both eyes. BP 192/109, 182/115 O2 sat - 100%
1089347	3/10/2021	UT	32	F	3/5/2021	3/6/2021	Bilateral swollen eye lids and bruising. Started when I woke up the morning after the vaccine. Mildly itchy, and sore. Swelling went down within 8 hours, bruising went away next day. The following day the skin on my eye lids were very dry, craking/flaking , sore and itching. Applied lotion and resolved on its own.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1089336	3/10/2021	MO	40	F	3/10/2021	3/10/2021	patient received Janssen Covid 19 vaccine at our clinic inside store. pt was waiting in waiting area for 15 minutes and she informed us she was not feeling well and felt like passing out. She had been waiting less than 10 minutes. I went to her and she said she was feeling very strange and was nauseous. I tried to get her up but she couldn't walk so I let her sit back down. She was not able to communicate with me but was conscious. She said her vision was distorted. her lips started to turn blue and I continued to monitor her. I called 911 and she said she was having difficulty catching her breath so I went for the epipen and gave her 0.3 mg in the outer thigh of her right leg. her color started to improve and she was able to communicate better. I followed EMS instructions and continued to monitor her until they arrived.
1089308	3/10/2021	PA	25	F	3/10/2021	3/10/2021	Pt contact initiated. On scene to for a 25 y/o female pt with a chief complaint of syncope. Pt was sitting upright in chair in no apparent distress. Pt demeanor is calm. GCS 15, Aox4. Pt stated she felt dizzy and had a syncopal episode. Pt fell on floor from sitting position. Pt found on floor prone. Pt rolled over to right lateral recumbent position. Pt hit head and has approximately 1 cm abrasion on right anterior face. Controlled bleeding with gauze and bandage. Airway is patent. Speech is clear and even with no noted slur or abnormality. Breathing is non labored and regular with adequate chest rise. Radial pulses with steady rate and rhythm. Skin is intact, warm, and dry. Eyes PERRL. No JVD, tracheal deviation, or peripheral edema. Negative DCAPBTLS other than noted. Pt is able to ambulate. Gait is steady. Pt denies headache or blurred vision, shortness of breath or difficulty breathing, nausea or vomiting, chest pain, dizziness, tingling or numbness in extremities, or any other complaints at this time other than noted.
1089307	3/10/2021	ND	27	F	3/3/2021	3/10/2021	Client presented back at our clinic 4 hours post-vaccination. She reported that her R arm is feeling numb, similar to when an extremity 'falls asleep'. Reports tingling sensation. Reports that the feeling goes up to her head and behind her eyes. She is able to lift her arm above her head with any pain. Injection site inspected and nothing abnormal at injection site. Took patient to the EMS area at our event for further observation.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1089305	3/10/2021	FL	51	F	3/10/2021	3/10/2021	Leg/foot cramp, vision blurry, headache, body heat, no fever
1089439	3/10/2021	AZ	76	F	3/6/2021	3/7/2021	Fever, fatigue, headache, eye infection, cold sore on left lower lip
1089789	3/10/2021	NJ	25	F	3/8/2021	3/8/2021	Within seconds of receiving the vaccine I began to feel slightly dizzy. By the time I walked across the room to the observation table I was feeling lightheaded. They sat me down, gave me water and a cookie, but about 2min after the injection the dizziness was so intense that I began to black out. I was unconscious for about 1-2min, then came to but my vision was still unclear. I was taken via wheelchair to the paramedics on the opposite end of the gymnasium, and at this point I was heavily perspiring and very pale but still coherent. I felt my vision and dizziness significantly improve after being able to lay down. I was transported to the hospital for observation but had much improved by the time I arrived. An EKG, bloodwork, and cardiac tests were recommended to discern possible underlying heart related conditions, but I declined because I already had a PAT for thyroid surgery scheduled the next day that would be running those same tests. This reaction was likely due to not having eaten for several hours prior to the vaccine. After about an hour I felt well enough to drive myself back home and dealt with mild aches and pains that evening, chills, and a low grade fever all of which resolved themselves by the next morning.
1087440	3/10/2021	FL	66	F	2/27/2021	3/5/2021	pt had been fine since vaccine 8 days ago until yesterday evening she noticed a small red bruise on her lt lower eyelid. she woke up today and noticed got larger to half inch sized. pt denies blurred vision, vision loss, or difficulty with extra ocular eye movements or trauma.
1090303	3/10/2021	KS	43	F	3/6/2021	3/6/2021	Numbness and tingles immediately after shot. Tingly feeling up left side of neck and into left eye. As days go by more numbness and tingling under my arm pit and down my hand into fingers. Feels like I hit my funny bone from the elbow down when using arm repetitively. Soreness of left side of neck.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1090301	3/10/2021	NH	67	F	3/8/2021	3/8/2021	Right arm soreness (to touch as well as to use my arm) Almost immediately Difficulty raising my eyes to read something above my head (11:30PM 03/08/2021) 7:30 AM 03/09/2021 (I woke up with the following): Fever 101°F Chills (stopped sometime after 3:00 PM 03/09/2021) Weakness of limbs Muscle and bone aches and pains (for the next 20 hours) Felt like I had been hit in my chest and abdomen by a truck SEVERE headaches (on top of my normal persistent headaches NDPH) Abdominal cramps (grew severe 10:00 PM and that lasted about 2 hours) I stayed in bed all day, tried to drink plenty of fluids, slept off and on. I took Acetaminophen every 8 hours through to 8:00 AM March 10. I was too weak to prepare meals and I live alone so I ate only 8 or 10 cookies throughout the day as they were easy to grab and get back to bed. Had moderate sweating episodes throughout the day and through the night of March 9/10. Still felt sore when I woke up at 8:00 AM on March 10, 2021. Took about 2 hours for me to get myself comfortable being upright and able to dress and move about. Waited for Acetaminophen to work.
1090292	3/10/2021	OK	40	F	2/26/2021	2/27/2021	Fever of 102. Body aches. Headache. Dizziness. Blurry vision. Confusion. Chills. Fatigue. Malaise. Extreme thirst. Sudden extremely painful sharp pains in ears, temple area, and left hip. These symptoms lasted 3 days. I still have the same sharp pains in my ears and temple area daily but not as frequently now.
1090290	3/10/2021			U			3 days of severe flu like symptoms... running nose, runny eyes, dry cough, severe fatigue
1090288	3/10/2021	CA	23	F	3/10/2021	3/10/2021	Syncopal - fainted in observation area. Laceration above left eyebrow (2 cm x 2 cm) and on bottom lip. BPs 111/79 (pulse 104), 113/81 (pulse 98), O2 sat 100%.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1090285	3/10/2021	OH	49	F	2/26/2021	2/26/2021	1:55 pm Swelling of gums, fingers, face, throat, lips Difficulty breathing 2:08 pm Given 50 mg IM Benedryl in Right Arm on site 2:32 pm fullness in throat started to subside. 3:00 pm went toEmergency Room for continuing breathing issues. Treated with IV Prednisone, Pepsid and fluids. Before hour was up, throat started to close again. Given Benedryl. Released from ER approximately 7 pm. Still having serious breathing issues but told that I seemed stable and to return if they got worse. Have continued to have issues with breathing and swelling of eyes, lips, face, hands and feet every day since (currently day 12 post vaccine). Had serious breathing problems 03/09/2021. Was taken toEmergency Room at 11:30 am.
1090275	3/10/2021	NY	48	F	3/5/2021	3/5/2021	Headache, fatigue, joint pain, muscle pain, angioedema (face, neck, arms), dry eyes. Severe pain in neck near implanted surgical metal. Period started 1 week early. Resolved I?m 48 hours with rest, heat packs, Tylenol and Benadryl.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1088564	3/10/2021	KS	65	F	3/4/2021	3/4/2021	<p>Progress Notes APRN (Nurse Practitioner) ? ? Family Medicine Cosigned by: MD at 3/4/2021 5:11 PM Expand AllCollapse All COVID VACCINE CLINIC 3/4/2021 Patient: Date: 3/4/2021</p> <p>MRN: 9302775 Subjective Patient is a 65 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience lightheadedness. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , chest pain, rapid progression of symptoms and respiratory distress. Past Medical History: Diagnosis Date ? Anemia, unspecified ? Excessive or frequent menstruation ? Other and unspecified hyperlipidemia ? Pure hypercholesterolemia ANXIETY, claustrophobia ALLERGY REVIEW OF SYSTEMS: Patient denies chills, fever, malaise/fatigue, sore throat, frequent throat clearing, cough, chest tightness, shortness of breath, wheezing, rash, hives, eczema, itching of skin, muscle aches, joint pain, dizziness and headaches + lightheaded: Previous Reactions: none Objective Vitals Vitals: 03/04/21 1200 BP: 122/74 Pulse: 87 Resp: 16 SpO2: 98% Physical Exam Constitutional: General: She is not in acute distress. Appearance: She is well-developed. She is not diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							<p>alert and oriented to person, place, and time. Gait: Gait normal. Psychiatric: Mood and Affect: Mood is anxious. Speech: Speech is rapid and pressured (able to calm down by time she was in the bay and observed.). Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: water Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) Observed for 15 minutes in the bay. Pt appreciated her visit today. She more likely had an anxious moment as she reports she was anxious coming in. VS and exam stable/improved. Pt to follow up with pcp as needed. APRN Electronically Signed 3/4/2021 12:07 PM</p>
1089800	3/10/2021	PA	27	M	2/27/2021	2/27/2021	4 hours after the vaccine, flushing, red face, chest, neck and red eyes. Throat tightness
1089772	3/10/2021	TX	31	F	2/25/2021	2/25/2021	Post vaccine: 6 hours- very sore arm, migraine headache 12 hours- extreme fatigue, drowsiness, muscle aches, headache, blurry vision 12-72 hours- unable to function due to extreme drowsiness, fatigue (unable to care for child and operate a vehicle) 3 days to 10 days- continue to experience weakness, difficulty lifting things I would otherwise be able to, foggy brain, unable to recall certain words, difficulty staying awake and doing my job
1089735	3/10/2021	MD	70	M	2/25/2021	2/25/2021	Immediately had headache with an odd "kaleidoscope" vision around a central dark floater in his visual field. worsened into a very intense headache, high fever (102F) and rigors. Next few days bad arthralgia. By Day 4 everything had resolved except a persistent "small dark rectangle" visual deficit which has persisted.
1089722	3/10/2021	MN	63	F	3/10/2021	3/10/2021	Tachycardia (HR 100 on arrival, was higher at home), numbness/tingling of lips and mouth, ? mouth swelling started at 5pm on day of vaccine. Took Benadryl 50mg PO prior to arriving at ED. Felt improved compared to home. Was given Ativan in ED X 2 doses and Benadryl 25mg IV 3 hours after arrival for complaints of eye swelling and itching. Symptoms resolved.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1089709	3/10/2021	AZ	64	M	3/10/2021	3/10/2021	After receiving the vaccine within minutes the patient's left arm began to swell and bruise. He began to become pale and his eyes rolled back into his head and passed out. He woke up a min later and had SOB. Very pale and almost threw up. Paramedics and Firefighters were called. They evaluated the patient and gave him a liter of sodium chloride. His Heart Rate was in the 30's. After several min and a liter of fluid, patient was alert. Once stable he was transported to Hospital.
1089679	3/10/2021	MD	32	F	3/8/2021	3/8/2021	I've never had an allergic reaction to anything before. Received the vaccine at around 9:55am on 03/08/21. Pain while the vaccine was being administered but it healed within a few minutes. I started getting a mild headache at around 3:30pm while at work. When I got home at around 6pm I started having severe chills, the headache became intense, my mouth and eyelids felt hot, my hands and feet felt very cold and when I checked temperature it was 102.4. By 9:00 pm the headache became excruciating like I've never had it before, as if my head was being squeezed or pressed. Eyes and the back of my jaw hurt too. Had light and sound sensitivity. Took 200mg of Advil but pain was still almost intolerable until I was finally able to fall asleep at around 4:00 am. Was still in pain the day after but not as bad as the night before. Only mild pain today but started feeling itchy tonight and noticed some rashes on my body.
1089671	3/10/2021	IL	30	F	2/20/2021	3/7/2021	Sunday night my eyes were a little swollen and hurt when I blink. Monday morning both eyes were very swollen and extremely red, no pain and vision was more effected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1089655	3/10/2021	CO	72	F	2/27/2021	2/27/2021	Immediately upon leaving the COVID shot parking lot at Hospital, I began to feel pain shooting down my arm all the way to my fingertips. Then I started to feel disoriented. Then, as I was driving myself home, I felt constriction in my chest, like I was barely holding onto consciousness, then pain shooting up my shoulder into the left side of my neck, the left side of my face, my left eye and into the left side of my head. My heart was pounding, my head was hurting intensely and I wondered whether I was having a stroke while trapped in stop and go traffic. The intense pain continued while I drove, for about 30 minutes. Then it subsided somewhat -- but continued through the evening. I could not get to The pain continued in my arm, up the left side of my body and into my head all night. I could not sleep. My heart was pounding. Somehow I dozed off around 2 or 3am. The next day I felt groggy and tired, with the more moderate pain continuing in my arm and all the way to my hand. Finally, on Monday morning, I was able to reach my doctor's office. I was told to go the ER, which I did. They could find nothing "emergent." The pain, tiredness and headaches continued through Thursday. Friday I started to feel better -- a week after the shot on Saturday, 2/27.
1089631	3/10/2021	WI	55	F	3/9/2021	3/9/2021	Shot was given approximately at 4:50. I left the store after being watched at 5:15. Went to pick up food for supper. While waiting for the food, I was seeing spots (like when you have a photo taken with a flash). This lasted for about 20 minutes. This went away so I continued on my way home. As I was driving I notice that my face was tingling and my eyes seemed to be really dry. Both lasted about 30 minutes. Then I had the headache, arm soreness and light headedness that are "normal" side effects.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1089622	3/10/2021	MA	39	F	2/22/2021	2/24/2021	Pain in right ear and bump behind ear on Wednesday (less than 48 hours). Woke on Thursday with right ear swollen, went to urgent care and diagnosed with ear infection. Developed face paralysis on right side of face on Saturday. Sharp bolts of pains from ear intermittently radiating up to head. Went to Doctor who said both outer and middle ear were infected and perhaps swelling was pressing on nerve causing paralysis. Given medication. Returned to doctor on 3/8. Ear infection had cleared. Paralysis remained. Diagnosed with Bells Palsy. Eye will not close, prescribed eye drops. Cannot smile, frown, raise eyebrows, scrunch nose, etc. Began steroids and antiviral medications on 3/9.
1089801	3/10/2021	CA	58	M	3/7/2021	3/9/2021	Typical bells palsy flare for individual with severe headache , right side facial droop, right eye also crosses.
1088752	3/10/2021	NV	69	F	2/26/2021	2/26/2021	PT WAS DIAGNOSED WITH BELL'S PALSY AFTER THE SHOT, HER RIGHT SIDE MOUTH IS SAGGING, AND HER EYES CANT BE CLOSED FULLY
1089003	3/10/2021	TN	21	F	3/8/2021	3/8/2021	Congestion; swelling of face (especially around eyes) and neck/throat area; sore throat; fatigue; Benadryl taken (2 - 25mg pills)
1088970	3/10/2021	VA	48	F	3/10/2021	3/10/2021	Pt was feeling light headed and experiencing and blurry vision. Staff talked to the pt and took vitals. Vitals were as followed: P: 98, BP: 149/106, SPO2: unattainable. Pt reported having a history of hypertension and dextrocardia. Pt was breathing well and was able to speak clearly. Pt was AnOx4. Pt stated she has had no food or drink yet today and was nervous for the vaccination. Vaccination site was not raise, inflamed, or warm to touch. Staff concluded pt was most likely experiencing dehydration and anxiety. Staff told pt to monitor symptoms and if any were to return or worsen, to call insurance nursing hotline or 911.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1088946	3/10/2021	KS	67	F	2/10/2021	2/10/2021	<p>Progress Notes Expand AllCollapse All COVID VACCINE CLINIC 2/10/2021 Subjective PT. is a 67 y.o. female who was seen at COVID Vaccine Clinic today for her second dose of the COVID 19 vaccination. She was given the Moderna vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience lightheadedness and neck pain. She denied rash, hives, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality, chest pain, hypotension, rapid progression of symptoms, respiratory distress and tongue swelling. Medical history includes htn, hld. Takes low dose 10 mg po daily Lisinopril. Last ov with pcp in October, bp normotensive. Review of Systems Constitutional: Negative for chills, diaphoresis, fatigue and fever. HENT: Negative for drooling, facial swelling, sore throat and trouble swallowing. Eyes: Negative for itching. Respiratory: Negative for cough, choking, chest tightness, shortness of breath, wheezing and stridor. Cardiovascular: Negative for chest pain and palpitations. Gastrointestinal: Negative for abdominal pain, nausea and vomiting. Musculoskeletal: Positive for myalgias (neck/upper shoulder pain). Skin: Negative for color change, pallor and rash. Neurological: Positive for headaches (pressure behind eyes). Negative for dizziness, syncope, facial asymmetry, speech difficulty, weakness and light-headedness. Psychiatric/Behavioral: Negative for agitation and confusion. The patient is not nervous/anxious. Previous Reactions: none</p> <p>Objective Vitals Vitals: 02/10/21 1108 02/10/21 1111 02/10/21 1153 BP: (!) 199/96 (!) 164/103 (!) 162/80 Pulse: 90 84 74 SpO2: 97% 96% Blood Sugar 99 collected at 1111 Blood Sugar 99 collected at 1145 Physical Exam Vitals reviewed. Constitutional: General: She is not in acute distress. Appearance: She is not ill-appearing or diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1088898	3/10/2021	KY	66	F	3/10/2021	3/10/2021	<p>Pupils: Pupils are equal, round, and reactive to light.  Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Heart sounds: Normal heart sounds.  Pulmonary: Effort: Pulmonary effort is normal.  Breath sounds: Normal breath sounds and air entry.  Musculoskeletal: Cervical back: No swelling.  Comments: ttp over upper trapezius. No cervical spine tenderness. Skin: General: Skin is warm.  Coloration: Skin is not pale. Findings: No rash.  Neurological: General: No focal deficit present.  Mental Status: She is alert and oriented to person, place, and time. Psychiatric: Mood and Affect: Mood normal. Thought Content: Thought content normal. Judgment: Judgment normal.  Assessment/Plan Treatment included: water, snacks and tylenol Follow up response to treatment: good.  Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) Directed to closely follow up with her primary care provider on her blood pressure. She's aware of what to watch for and when to go to ED. Pt denied wheelchair. She was accompanied out to front assistant. Dr. at bedside as well. Electronically Signed 2/10/2021 11:54 AM</p> <p>AFTER GIVING THE MODERNA COVID VACCINE THE PATIENT REPORTED FEELING TINGLING IN HER JOINTS AND SLIGHT BLURRED VISION. THE PATIENT WAITED IN THE PHARMACY AREA FOR 1 HOUR AND DID NOT FEEL ANY BETTER OR ANY WORSE. SHE DECIDED TO GO HOME AND I TOLD HER TO SEEK MEDICAL ATTENTION IF SYMTOMS GOT WORSE.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1088889	3/10/2021	MO	32	F	3/5/2021	3/6/2021	3/6/21 2:30 am- stiffness in neck, headache, soreness around injection site- Subsided after 1 hours with ibuprofen(400mg ibuprofen) 9:30 am-pain (muscle cramps) down both legs and in arms. Headache- subsided after an 2 hours. I took 400mg of ibuprofen. 12:00pm- dizzy, started to get tunnel vision. I quickly sat down and vision began to come back. I had to sit for around 20 minutes before I know longer felt dizzy. Pain began to come back in both legs. Aching and fatigue. This lasted for around 2-3 hours. I stretched my legs and arms a lot during that time frame. I began to feel better around 4:30pm. Still mild aching in legs and arms. 8:00 pm-pain in legs and arms, headache, dizziness (400mg ibuprofen) I went to bed and when I would up the next morning all my muscle aches and pains were gone. My right arm was still sore for 3 days post vaccine. I noted a half dollar size redness around the injection site. by day 3 the redness was the size of a grape fruit. Day 4 post vaccine the soreness in the arm was gone and redness had began to fade.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1088884	3/10/2021	KS	74	F	3/3/2021	3/3/2021	Progress Notes APRN (Nurse Practitioner) Family Medicine Cosigned by: MD at 3/4/2021, 8:45 AM Expand All Collapse All COVID VACCINE CLINIC 3/3/2021 Patient Date: 3/3/2021 Subjective Patient is a 74 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience diaphoresis. She denied rash, hives, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , collapse, drooling, hypotension, rapid progression of symptoms, respiratory distress, skin changes and tongue swelling. Past Medical History: Diagnosis Date ? Allergy all year ? Anxiety ? Arthritis ? Asthma exercise induced ? Calculus of gallbladder without mention of cholecystitis or obstruction Cholelithiasis; ? Diabetes mellitus ? Diabetes mellitus, type 2; ? Diverticulosis of colon (without mention of hemorrhage) Diverticulosis without Hemorrhage ? Esophageal reflux GERD; ? Hearing loss ? Hypertension ? Irritable bowel syndrome Irritable Bowel Syndrome ? Past Hospitalization Diagnosis: Chest Pain, atypical; at: Health Center; Approximate Date: 18000101; ? Nextgen Comments Palpitations/SVT; Anxiety disorder; HRT; Microscopic hematuria ? Osteoarthritis, unspecified whether generalized or localized, unspecified site Osteoarthritis; ? Other and unspecified hyperlipidemia Hyperlipidemia, Pure; ? Pancreatitis ? PONV (postoperative nausea and vomiting) ? Type II or unspecified type diabetes mellitus without mention of complication, not stated as uncontrolled; DM type II w/o comp; ? Unspecified essential hypertension Hypertension ? Unspecified hemorrhoids without mention of complication Hemorrhoids; ? Unspecified tinnitus ALLERGY REVIEW OF SYSTEMS: Patient complains of headaches (frontal, reports from using her hearing aids and is loud in the expo center. Present prior to vaccine today. ). Patient denies chills, fever and malaise/fatigue; Previous

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

Reactions: none Pt reports she last ate around 10 am. She declines any food/snacks from bay today.

Objective Vitals Vitals: 03/03/21 1355 BP: (!) 115/99 Pulse: 73 Resp: 16 SpO2: 97% Blood Sugar 134 collected at 1354 Physical Exam Constitutional:

General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not diaphoretic (no visual diaphoresis. ) HENT:

Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact.

Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present.

Mental Status: She is alert and oriented to person, place, and time. Gait: Gait normal. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: water Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Red flag symptoms (CP, SOB, NVD, Visual/Neuro concerns) Flushed sensation Pt observed for 15 minutes. t Symptoms resolved. BG good and pt able to ambulate w/o dizziness, lightheaded, sob, cp. Follow up with pcp if not improving or worsening. Continue to monitor BG and BP at home. Pt and pt's husband voices appreciation of care today. APRN Electronically Signed 3/3/2021 1:57 PM Division of Health.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1088883	3/10/2021	CA	48	F	2/17/2021	3/4/2021	On 3/4/2021 developed fatigue, headache and back ache around 10am. By 2pm had developed chills and severe body aches. By 8pm, had also developed severe chills, sweating, body aches and fever of 100. by 3/5/2021 at 10am, all symptoms had resolved. on 3/6/21, I woke up with a pulse rate of 148 and hives on my arms. Went to Urgent care, where EKG showed no issues. on 3/6/21 at 12pm, I developed an adema on my chin which was hot, red, swollen and painful. At 5pm, my bottom lip began to swell and I returned to Urgent Care. Diagnosed with an Angioedema and provided steroids. My throat, face, eyes, lips and mouth swelled and it was difficult to talk and breath. The swelling continued off and on thru 3/9/21. On 3/9/21 I began to develop a sinus infection and phlemb began to cause me to cough.
1088872	3/10/2021	KS	41	F	2/26/2021	2/26/2021	I was 32 minutes past receiving the vaccine when my face felt hot. I looked in the mirror and saw that it was. After about thirty more seconds I had trouble breathing and eventually could barely breathe. My face was puffy and my eyes started to close. I received IV Benadryl and two other medications which I can't remember.
1089007	3/10/2021		27	M	3/10/2021	3/10/2021	Feeling hot; abnormal, blurred vision

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1088792	3/10/2021	KS	66	F	3/8/2021	3/8/2021	<p>Patient was seen date: 3/8/2021 Subjective is a 66 y.o. female who was seen at Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 15-minute waiting period after the injection, the patient began to experience lightheadedness. She denied rash, hives, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality, chest pain, rapid progression of symptoms and respiratory distress. Past Medical History: Diagnosis – Date: Depression, Dysplasia of cervix, GERD (gastroesophageal reflux disease), Headache, Incontinence of urine, Insomnia, Interstitial cystitis, Rash. ALLERGY REVIEW OF SYSTEMS: Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, eyes itching, cough, chest tightness, shortness of breath, wheezing, rash, hives, eczema, itching of skin, vomiting, abdominal pain, dizziness, and headaches; lightheaded: Previous Reactions: none. Objective Vitals: 03/08/21 1101 - 03/08/21 1106 BP: 130/66 - 135/63 BP Location: Left arm Patient Position: Sitting Pulse: 56 – 64 SpO2: 96% Physical Exam; Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Comments: Pt with slight hyperventilation when arrived to the bay. Pt asked to take off mask and take deep breaths in/out. Reports great improvement in symptoms. Mask placed back on. Eupneic breathing noted on discharge. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to</p>



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

person, place, and time. Gait: Gait normal. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: water Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health). Anxiety Pt monitored in the bay for approx 15 minutes. Pt improved with treatment as described in physical exam and with water. Pt denies issues with dizziness/lightheadedness in standing up from wheelchair here in the bay. She feels well and is ready to go home. Husband with her. Pt accompanied out by pharmacist. Electronically Signed 3/8/2021 11:10 AM.

1088749 3/10/2021 MO

41 M

2/5/2021

2/16/2021

He received first dose of Pfizer COVID vaccine 1/15. Next day, he felt right axilla and trunk numbness after that which lasted 2-3 weeks and was resolving. After the second dose early Feb 5th, he started having difficulty swallowing and SOB and felt a little better after a course of steroids and antibiotics but got a lot worse after finishing the course and presented to ED 2/16 and was found to have supraglottic edema requiring intubation and treatment with IV steroids. Was extubated on 2/19, in ICU until 2/21. He did well with treatment and was discharged 2/22. Patient received a dose of influenza vaccine (FLULAVAL - GSK lot: 7N43B) on 2/22/21 3/2 he started having burning pain in the right midthoracic area, the next day he noticed right hand weakness/numbness (4th and 5th digits), gradually progressed. 3/4 noticed right facial weakness, initially was lower face, Unable to drink without drooling. MRI brain was done 3/5 and was normal. 3/5 facial weakness progressed to upper face. Unable to close right eye for the last 24 hrs. He also reports numbness left 5th digit. Presented to the ED on 3/6. Found to have elevated transaminase in ED. Hospitalization continues at this time. Etiology of symptoms is unknow, but includes vaccine reaction, shingles or early stages of autoimmune disease.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1088728	3/10/2021	KS	66	F	3/3/2021	3/3/2021	<p>Progress Notes COVID VACCINE CLINIC 3/3/2021</p> <p>Patient is a 66 y.o. female who was seen at Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience feeling flushed/nausea. She denied rash, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality, hypotension, rapid progression of symptoms, respiratory distress and vomiting. She reports she took her coreg 25 mg dose torsemide 20 mg doses this am. She did eat toast and yogurt around 7 this am. Past Medical History: Diagnosis Date ? Biventricular ICD (Medtronic) implanted on 8/19/14 8/20/2014 ? Depression ? Depressive disorder, not elsewhere classified ? GERD (gastroesophageal reflux disease) ? Heart failure (HCC) LVEF 40-45% by ECHO 1/2012. ECHO 11/13 LVEF 50-55%. LVEF 37% by nuclear stress test 2/20.14. ECHO 4/2014 LVEF 30-35%. LVEF by echo from 3/2017 LVEF 50-55%. ? hospitalization Admit on: 20111020; Diagnosis: Acute respiratory failure, acute on chronic systolic and diastolic heart failure; at: Stormont-Vail HealthCare; ? Hypertension ? LBBB (left bundle branch block) ? Mitral regurgitation Moderate secondary to annular dilation ? NICM (nonischemic cardiomyopathy) (HCC) Cardiac cath from 10/2011 normal coronary arteries. Nuclear stress test 2/2014 no ischemia.</p> <p>ALLERGY REVIEW OF SYSTEMS: Patient denies chills, fever, malaise/fatigue, facial swelling, ear pain, sore throat, eyes watering, eyes itching, eye redness, cough, chest tightness, shortness of breath, wheezing, rash, hives, eczema, cysts, itching of skin, abdominal pain, blood in stool, muscle aches, joint pain, dizziness and headaches Previous Reactions: none</p> <p>Objective Vitals Vitals: 03/03/21 0920 03/03/21 0928 03/03/21 0937 03/03/21 1000 BP: 97/50 97/57 112/60 104/58 Pulse: 96 86 68 Resp: 18 16 14 Temp: 98.4 °F (36.9 °C) SpO2: 100% 100% 100% Blood Sugar 71 collected at 0922 Blood sugar 103 collected at 0945</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

Physical Exam Vitals and nursing note reviewed.  
 Constitutional: General: She is not in acute distress.  
 Appearance: She is not diaphoretic. Comments:  
 Flushed. Negative for diaphoresis Eyes: Extraocular  
 Movements: Extraocular movements intact.  
 Conjunctiva/sclera: Conjunctivae normal. Pupils:  
 Pupils are equal, round, and reactive to light.  
 Cardiovascular: Rate and Rhythm: Normal rate and  
 regular rhythm. Pulses: Normal pulses. Heart  
 sounds: Normal heart sounds. Pulmonary: Effort:  
 Pulmonary effort is normal. No respiratory distress.  
 Breath sounds: Normal breath sounds. No wheezing.  
 Skin: General: Skin is warm and dry. Coloration: Skin  
 is pale. Findings: No rash. Neurological: General:  
 No focal deficit present. Mental Status: She is alert and  
 oriented to person, place, and time. Gait: Gait normal.  
 Psychiatric: Mood and Affect: Mood normal.  
 Behavior: Behavior normal. Behavior is cooperative.  
 Thought Content: Thought content normal.  
 Judgment: Judgment normal. Assessment/Plan  
 Treatment included: water, snacks and reclined Follow  
 up response to treatment: good. Patient discharge:  
 Stable to go home and follow up with PCP. Differential  
 Diagnosis: Systemic reaction (hypoglycemia,  
 hypotension, generalized rash) Greatly improved after  
 water/snack/reclining. Pt observed for 45 minutes in the  
 bay. She feels comfortable going home. Her blood  
 pressure drop may be related to her taking two  
 medications that affect her bp as mentioned above. She's  
 improved with hydration and snack. Recommended that  
 she rest, monitor her bp at home. If symptoms worsen or  
 returns, recommend evaluation in ED. Otherwise follow  
 up with pcp office. Pt wheeled out with RN and  
 husband. Pt voices appreciation of her care today.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1088685	3/10/2021	PA	60	F	3/10/2021	3/10/2021	Within 15 minutes after 2nd COVID-19 mRNA vaccination (Pfizer) today, patient reported itching of left forearm (vaccine administered in left deltoid), which then also started in right arm and upper back. Slight redness noted on left forearm where patient had been scratching but no visible hives or rash. Patient denied any difficulty breathing, shortness of breath, throat tightness or itching. Diphenhydramine 25mg PO x1 dose administered. A few minutes after diphenhydramine administration, patient reported that her eyes had become itchy. 20 minutes after diphenhydramine dose, patient denied any worsening of symptoms, reported lessened itching and opted to leave clinic.
1088649	3/10/2021	KY	51	F	2/19/2021	3/2/2021	Eye infection
1088643	3/10/2021	TN	74	M	3/3/2021	3/4/2021	Was driving a vehicle and started having vision problems and pulled off road and started losing consciousness. 911 dispatched and taken to hospital.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1088623	3/10/2021	KS	74	F	3/4/2021	3/4/2021	<p>Called patient to follow up on her reaction to the COVID vaccine administered on 3/4/21. She was transported by EMS to the ER after having anaphylaxis to her second Pfizer vaccine. She states she was hospitalized in the ICU overnight and was discharged home this afternoon. Patient feels she is doing much better. She does note feeling very tired from all the medications they gave her. She plans to call her PCP on Monday to schedule an appointment and has follow up scheduled with allergy specialist. She denies any further questions or concerns. Patient is appreciative of phone call. Progress Notes: 3/4/2021 Subjective Patient is a 74-year-old female who was seen at COVID Vaccine Clinic today for her second dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 30-minute waiting period after the injection, the patient began to experience hoarse voice. She denied rash, difficulty breathing, difficulty swallowing, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to rapid progression of symptoms. PMH of anaphylaxis x 3, with one hospitalization. ALLERGY REVIEW OF SYSTEMS: Patient complains of chest tightness (she later developed chest tightness when she was in the bay prior to epi-pen administration.) Patient denies chills, fever, malaise/fatigue, facial swelling, cough, shortness of breath, wheezing, rash, hives, eczema, itching of skin and abdominal pain Hoarse voice.: Negative for nausea: + lightheaded.: Previous Reactions: anaphylaxis to medications. Never to vaccines. Pt's husband with her today. He states she progresses rapidly with her anaphylaxis and wishes for her to get epi pen now based on her symptoms. She typically starts out this way. Vitals: 03/04/21 1135 03/04/21 1140 BP: (!) 187/100 (!) 163/95 Pulse: 93 95 Resp: 18 16 SpO2: 100% 100% Physical Exam Constitutional: Appearance: She is well-developed. She is not toxic-appearing or diaphoretic. Comments: flushed HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Comments: Clear airway. Voice is hoarse. Eyes: Extraocular Movements: Extraocular movements intact.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1088575	3/10/2021	WI	68	M	3/10/2021	3/10/2021	<p>Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light.</p> <p>Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Gait: Gait normal. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: benadryl 50 mg IM R leg antihistamines and epinephrine x 1 at 1136 in L leg Follow up response to treatment: good. She started to have return of symptoms when AMR was leaving with her. Patient discharge: Transported to ED by ambulance. Differential Diagnosis: Anaphylaxis (dyspnea, stridor, drooling, tongue swelling) Pt with early onset of presumed anaphylaxis that responded well to epi-pen. Pt sent to ED for closer observation/treatment via AMR. Husband voiced great appreciation of pt's care today. 3/4/2021 11:40 PM Addendum: ED charge nurse, RN was notified of patient coming.</p> <p>Patient received vaccine, was in observation, started feeling light headed/dizzy, then patient slumped in chair, eyes rolled back, started shaking, white and sweaty/clammy after a few seconds responded opening eyes. Epinephrine 0.3mg given at 1054 left thigh. 1056 BP 1/22/78 SPO2 97% 4LNC respirations 18, pulse 58. EMS called 1056, arrived at 1104. Patient alert and talking, sweaty, states this has happened after a vaccination in his past. Patient agreeable to go with EMS to the hospital.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1089270	3/10/2021		63	F	3/5/2021	3/5/2021	Day 1 - received injection within a few minutes of administration I noticed a slight lightheadedness and feeling "off" within half hour slight nausea began and headache began within hour muscles aches began with joint pain. Above symptoms progressively worsened by midnight was in pain and could not sleep. no fever. took tylenol and only had moderate relief. Day 2 - entire day severe muscle and joint pain - worst headache of my life, severe nausea and chills - no fever. double vision and dizzy Day 3 - same as day 2 - in evening - around 7 pm headache lessened so that it was tolerable with tylenol - muscle aches joint pain the same Day 4 - headache tolerable, was able to eat. muscle pain better but joint pain still sharp Day 5 - headache sporadic and better - fatigue and muscle pain would come and go, joint pain not as sharp, extreme fatigue Day 6 - extreme fatigue - other symptoms much better
1089794	3/10/2021	NJ	25	F	3/8/2021	3/8/2021	Within seconds of receiving the vaccine I began to feel slightly dizzy. By the time I walked across the room to the observation table I was feeling lightheaded. They sat me down, gave me water and a cookie, but about 2min after the injection the dizziness was so intense that I began to black out. I was unconscious for about 1-2min, then came to but my vision was still unclear. I was taken via wheelchair to the paramedics on the opposite end of the gymnasium, and at this point I was heavily perspiring and very pale but still coherent. I felt my vision and dizziness significantly improve after being able to lay down. I was transported to the hospital for observation but had much improved by the time I arrived. An EKG, bloodwork, and cardiac tests were recommended to discern possible underlying heart related conditions, but I declined because I already had a PAT for thyroid surgery scheduled the next day that would be running those same tests. This reaction was likely due to not having eaten for several hours prior to the vaccine. After about an hour I felt well enough to drive myself back home and dealt with mild aches and pains that evening, chills, and a low grade fever all of which resolved themselves by the next morning.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1088822	3/10/2021	KS	26	F	3/8/2021	3/8/2021	26 y.o. female who was seen at SVH COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience headache and nausea. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , rapid progression of symptoms and vomiting. Past Medical History: Diagnosis Date ? Abnormal Papanicolaou smear of cervix with positive human papilloma virus (HPV) test 5/3/2017 ? Allergy seasonal ? Anxiety ? Asthma allergy induced ? Carpal tunnel syndrome ? Depression ? Head ache ? Herpes simplex vaginal ? Iron deficiency anemia in pg only ? PCOS (polycystic ovarian syndrome) ? Postpartum hemorrhage of vagina 12/29/2017 Hymenal laceration with small vaginal extension, heavy bleeding, resolved with repair. Uterine tone maintained. ALLERGY REVIEW OF SYSTEMS: Patient complains of headaches Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, eyes itching, cough, chest tightness, shortness of breath, wheezing, rash, hives, eczema, itching of skin, vomiting, abdominal pain, muscle aches and joint pain + nausea: Previous Reactions: none Objective Vitals Vitals: 03/08/21 1054 03/08/21 1114 BP: 121/71 114/73 BP Location: Right arm Patient Position: Sitting Pulse: 74 69 SpO2: 100% 100% Physical Exam Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Gait: Gait normal. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: water and tylenol (500 mg), ibuprofen (200 mg) and pepcid (20 mg). she had already taken 600 mg of ibuprofen and 500 mg of tylenol this am for her dental work. Ice pack as well on neck Follow up response to treatment: good. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Red flag symptoms (CP, SOB, NVD, Visual/Neuro concerns) Headache and nausea. Symptoms improving with medication treatments as listed above. Nausea resolved. She feels comfortable going home. She was monitored in the bay for 25 minutes. She denies any concerns. Follow up with pcp as needed.
1089177	3/10/2021	AK	20	M	3/10/2021	3/10/2021	Light-headed, fading vision, caused fainting post vaccine. Patient fell to the floor and had come back within seconds. Patient was evaluated in place for 1 minute and recovered. Patient was escorted to a chair and talked with a watcher for 15 minutes.
1089266	3/10/2021	TN	39	F	2/26/2021	2/27/2021	I had an increasingly worse migraine that spread across my head and face. It lasted for over 12 hours. I was unable to open my eyes, talk, or withstand and noise or light. Ibuprofen nor Tylenol gave any relief. When the headache began to subside around 7 PM I developed a mild fever of 100 degrees and experienced chills. This lasted until I awoke the following morning. The next day I was very fatigued. Soreness at the injection site lasted 4 days.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1089219	3/10/2021	KS	78	M	3/8/2021	3/8/2021	<p>Progress Notes APRN (Nurse Practitioner) ? ? Family Medicine Cosigned by: MD at 3/9/2021 9:00 AM Expand AllCollapse All COVID VACCINE CLINIC 3/8/2021 Patient: Date: 3/8/2021</p> <p>MRN: 9750775 Subjective Patient is a 78 y.o. male who was seen at COVID Vaccine Clinic today for his first dose of the COVID 19 vaccination. He was given the Pfizer vaccination in the left deltoid muscle. During his 30 minute waiting period after the injection, the patient began to experience itching. He denied rash, difficulty breathing, difficulty swallowing, wheezing, throat tightness, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and he was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to rapid progression of symptoms and skin changes. PMH: idiopathic anaphylaxis in 1995. Hx of copd, a-fib (on eliquis) and hypothyroidism. ALLERGY REVIEW OF SYSTEMS: Patient complains of itching of skin Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, cough, chest tightness, shortness of breath, wheezing, rash, hives, eczema, dizziness and headaches Previous Reactions: none to vaccines. Unknown cause of his anaphylaxis in 1995. At that time he developed rash/hives and it progresses quickly. He's had itching off/on chronically. He doesn't think the itching today changed from baseline. His wife would like him to be checked out. Objective Vitals Vitals: 03/08/21 0338 03/08/21 1555 BP: (!) 133/93 Pulse: 93 73 SpO2: 99% 99% Physical Exam Vitals reviewed. Constitutional: General: He is not in acute distress. Appearance: He is not ill-appearing or diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Conjunctiva/sclera: Conjunctivae normal. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Normal breath sounds and air entry. Skin: General: Skin is warm. Coloration: Skin is not pale. Findings: No rash (visual exam of abdomen, chest, back and groin and upper extremities w/o evidence of rash/hives.). Neurological: General: No</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							focal deficit present. Mental Status: He is alert and oriented to person, place, and time. Psychiatric: Mood and Affect: Mood normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: antihistamines benadryl Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Systemic reaction (hypoglycemia, hypotension, generalized rash) Itching. Chronic vs new itching. He reports immediately upon getting back to the bay that he doesn't think it's anything but his chronic itching that he gets. He declines feeling like this is an allergic response like he's had in the past. Benadryl given as requested by pt's wife for comfort measures. This request was reasonable. Pt's wife will be driving. They both are aware of what to monitor for and when to call 911. Pt's exam is unremarkable. VS stable. Follow up with pcp otherwise. APRN Electronically Signed 3/8/2021 3:48 PM
1088696	3/10/2021	IL	40	F	2/2/2021	2/2/2021	Adverse Reaction: While at the vaccine clinic felt like eyes were puffy however they didn't appear puffy. About 4hrs after vaccination red hot raised rash appeared on the face by next morning the rash spread and was marbly on the back of arms. On the 10th bad migraine occurred had to take off the 11th. Severity fluctuated to regular headache an back to a migraine level at worst scalp hurt to touch, pressure under scalp. Saw an allergist 2 days after symptoms started. Patient reports history of migraines, but never this intense, she got ear piercings in 2017 that relieved migraines.
1089010	3/10/2021	MA	30	M	3/10/2021	3/10/2021	Patient developed head ache and vision difficulty.
1089210	3/10/2021	GA	43	F	3/8/2021	3/10/2021	The patient had swelling of the face and hives on her arms and chest. Also itching of the head, eyebrows, and ears. This started 2 days after the vaccine. She had fever and chills the night after the vaccine

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1089205	3/10/2021	CA	21	M	3/10/2021	3/10/2021	Patient began reporting numbness and tingling in his left arm several minutes after vaccination. These symptoms persisted for 30 minutes without worsening or lessening. He did not have any SOB, syncope or other symptoms. Physical exam WNL. Pt was instructed to seek ER care for worsening symptoms. His mother was present with him today and will keep an eye on him as well.
1089190	3/10/2021	WY	46	F	3/5/2021	3/5/2021	At around 8 pm on 3/5/2021 started with a severe headache, around 10 fatigue and muscle aches. Unable to get to sleep, around 12am 3/6/2021 fell asleep but kept wake up very hot, No fever but did have sweats. Around 2 am 3/6/2021 headache so severe had to get up and take Aleve. Had throbbing behind eyes and sensitive to light. This lasted till around 9pm 3/6/2021. Had fatigue most of the day also. All symptoms gone on 3/7/2021 except I have had a couple of small headaches on and off till 3/9/2021.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1089184	3/10/2021	KS	79	F	3/8/2021	3/8/2021	<p>Progress Notes APRN (Nurse Practitioner) ? ? Family Medicine Cosigned by: MD at 3/8/2021 3:04 PM COVID VACCINE CLINIC 3/8/2021</p> <p>Patient</p> <p>Date: 3/8/2021</p> <p>MRN: Subjective Pt is a 79 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 30 minute waiting period after the injection, the patient began to experience lightheadedness. She denied rash, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, itching, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , rapid progression of symptoms and respiratory distress. Past Medical History: Diagnosis Date ? Allergic rhinitis, cause unspecified ? Allergy ? Asymptomatic postmenopausal status (age-related) (natural) ? Atrial fibrillation (HCC) PAF ? Breast cancer (HCC) ? Calculus of kidney ? Depressive disorder, not elsewhere classified seasonal ? Egg allergy ;No flu vaccine due to egg allergy ? Measles without mention of complication ? Mixed hyperlipidemia ? Obstructive sleep apnea (adult) (pediatric) ? Osteoarthritis, unspecified whether generalized or localized, unspecified site ? Other complications of anesthesia, initial encounter hard to wake up ? Outcome of delivery, single liveborn ? Rubella without mention of complication ? Tinnitus ? Unspecified essential hypertension ? Unspecified hypothyroidism ? Varicella without mention of complication ALLERGY REVIEW OF SYSTEMS: Patient denies chills, fever, malaise/fatigue, sore throat, frequent throat clearing, eyes watering, eyes itching, puffy eyes, eye redness, cough, chest tightness, shortness of breath, wheezing, rash, hives, eczema, itching of skin, dizziness and headaches Negative for vision changes: + lightheaded: Previous Reactions: vaccines d/t hx of egg allergy. Objective Vitals Vitals: 03/08/21 1313 BP: 126/64 Pulse: 61 SpO2: 99% Physical Exam Constitutional: General: She</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Gait: Gait normal. Psychiatric: Mood and Affect: Mood is anxious (slightly, improved after removal of mask for a few minutes. Pt placed mask back on. Feels better). Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: see physical exam Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) Anxiety Pt observed in bay area for 15 minutes. Improved and is doing well. Pt assisted out via wheelchair by husband. Pt declined help out. She felt well in standing position in the medical bay prior to discharge. Pt declined water and snacks. F/up with pcp as needed. APRN Electronically Signed 3/8/2021 1:33 PM

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1089174	3/10/2021	FL	65	F	1/19/2021	1/25/2021	First my bp my who life has been 130/80 I first noticed I was feeling very flushed, didn?t make much of it. I don?t take my bp,often, dr offices etc. 4 weeks ago, I felt pressure around eyes, in back of neck, weak, dizzy. My bp had spiked to 203/104, my husband called the ambulance. I went to ER. Bp went down, I came home, same thing happened the next day. Back in again.... Since then, I have had just about every test possible. I am perfectly healthy on paper. I just don?t know what to,do.... have now taken some bp meds and beta blocker. I can feel my bp spiking several times a day. 170/93 and then after a while back down again. I feel like I might be allergic to whatever is in my body. My hands and face tingle, I feel hot and then cold. I am praying this will ease it way out after the vaccine wears off. Needless to,say I am super concerned. I have ALWAYS been very healthy, fit and happy with a busy life.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1089161	3/10/2021	KS	65	F	3/3/2021	3/3/2021	<p>Progress Notes Expand All Collapse All COVID VACCINE CLINIC 3/3/2021 Subjective Pt. is a 65 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 30 minute waiting period after the injection, the patient began to experience throat tightness. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality, hypotension, rapid progression of symptoms, respiratory distress and tongue swelling. Past Medical History: Diagnosis Date ? Belching ? Bloating ? Chicken pox ? Cold sensation of skin ? Diarrhea ? Ear pain ? Generalized headaches ? German measles ? Graves disease ? Measles ? Mumps ? PVC (premature ventricular contraction) ? Sinusitis ? Thyrotoxicosis without mention of goiter or other cause, without mention of thyrotoxic crisis or storm Hyperthyroidism; ? Type II or unspecified type diabetes mellitus with unspecified complication, not stated as uncontrolled (HCC) DM Type II with comp; ? Unspecified essential hypertension Hypertension; ? Varicella without mention of complication Chicken Pox; ALLERGY REVIEW OF SYSTEMS: Patient complains of sore throat, frequent throat clearing and headaches (states she was outside yesterday and developed a headache/sinus headache. She has not taken anything for it.) Patient denies chills, fever and malaise/fatigue Previous Reactions: hx of reaction to tetanus. Reaction was arm swelling and throat swelling per pt. She did not take any medications i.e. anti-histamines prior to coming. She has throat clearing, states this is chronic, unchanged. She reports that she isn't sure if this is allergic or anxiety. Objective Vitals Vitals: 03/03/21 0940 03/03/21 0945 BP: (!) 190/71 (!) 167/76 Pulse: 86 SpO2: 100% Physical Exam Vitals and nursing note reviewed. Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not diaphoretic. HENT: Mouth/Throat: Mouth: Mucous</p>



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

membranes are moist. Pharynx: Oropharynx is clear. Comments: Clear airway Eyes: General: Right eye: No discharge. Left eye: No discharge. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Gait: Gait normal. Psychiatric: Mood and Affect: Mood is anxious (slightly anxious). Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: antihistamines and water pepcid and zyrtec Follow up response to treatment: good. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) and Systemic reaction (hypoglycemia, hypotension, generalized rash). HTN More likely anxiety related in her reaction today. No progression of her symptoms of throat tightness. She reports it is resolving. Time of observation was 30 minutes. She feels comfortable going home. She is aware of what to monitor for. IN regards to her elevated bp, pt states she was off her medications for a while and working on diet. She is stable w/o cp, sob, jaw pain, neuro deficits, lightheadedness, dizziness. Recommend she monitor her bp at home and if continues to be elevated >140/90 that she follow up with her pcp. She also is aware of hypertensive emergency and to go to ED if needed. She is stable and looks well on discharge. Pt is comfortable going home. She ambulated w/o difficulty and complaints. Pt also was offered tylenol here in the bay for her sinus headache that she developed yesterday after being outside. She declined. She reports she will take at home and resume her nasacort as usual. Electronically Signed 3/3/2021 9:50 AM 3 of 3

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1089134	3/10/2021	KS	74	F	3/1/2021	3/1/2021	<p>Progress Notes APRN (Nurse Practitioner) ? ? Family Medicine Cosigned by: Dr at 3/1/2021 10:50 AM Expand AllCollapse All COVID VACCINE CLINIC 3/1/2021 Subjective 74 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience lightheadedness. She denied difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, itching, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , hypotension, rapid progression of symptoms and respiratory distress. PMH: currently on ciprofloxacin for an UTI. Past Medical History: Diagnosis Date ? Allergic rhinitis, cause unspecified Allergic Rhinitis; NG PMH ? Allergy ? Awareness under anesthesia Pt was hard to wake when had anes in 1970's ? Carpal tunnel syndrome ? Colon polyps ? Coronary artery disease ? H/O heart artery stent 2005 ? Hearing loss bilateral hearing aids ? Iritis ? Iron deficiency anemia ? Lumbosacral spondylosis without myelopathy ? Osteoarthritis, unspecified whether generalized or localized, unspecified site Osteoarthritis; NG PMH ? Osteopenia osteopenia, MVA with whiplash injury that caused servical spondylosis 60's, s/p laminectomy 75, 88 ? Other and unspecified hyperlipidemia Hyperlipidemia, Pure; NG PMH ? Pain, chronic ? Peripheral vascular disease, unspecified (HCC) ? Tinnitus ? Unspecified essential hypertension Hypertension; NG PMH ? UTI (urinary tract infection) ? Wears hearing aid in both ears 2017 ALLERGY REVIEW OF SYSTEMS: Patient denies chills, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, eyes itching, cough, chest tightness, shortness of breath, wheezing, rash, hives, eczema, itching of skin, abdominal pain, muscle aches, joint pain, dizziness and headaches + lightheaded: Previous Reactions: none Objective Vitals Vitals: 03/01/21 1025 03/01/21 1040 BP: (!) 144/56 132/61 Pulse: 93 70 Resp: 20 14 SpO2: 99% Physical Exam Constitutional: General: She is not in acute</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							<p>distress. Appearance: Normal appearance. She is well-developed. She is obese. She is not ill-appearing or diaphoretic. Eyes: General: Right eye: No discharge. Left eye: No discharge. Conjunctiva/sclera: Conjunctivae normal. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Mental status is at baseline. Gait: Gait abnormal (walks with a cane. ). Psychiatric: Mood and Affect: Mood is anxious. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: water Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) Observed in the medical bay for approx 15 minutes. Pt responded well with water and rest. She was able to demonstrate ambulation in the bay w/o reoccurrence of lightheaded. Pt reports she feels a lot better. Pt encouraged to monitor bp at home and follow up with pcp if noted to be 140/90 consistently. Pt walked out by RN accompanied by pt's husband. Pt voiced appreciation for today's care/visit. APRN Electronically Signed 3/1/2021 10:32 AM</p>
1089082	3/10/2021	NC	69	M	2/12/2021	3/6/2021	HAD BELLS PALSY 8 YEARS AGO MODERNA VACCINE 1ST DOSE 2/12/2021 3/6/2021 HAD TINGLING LIP THAT PROGRESSED TO DROOPING FACE AND EYE TO CENTER ON 3/8/2021 AND RECIEVED PRED PACK AND ACYCLOVAIR
1089012	3/10/2021	IL	69	F	3/4/2021	3/5/2021	developed a sty in my left eye starting 24 hours after 2nd vaccination. on the 4th day after 2nd vaccination, I woke up with blurred vision in my left eye.
1089023	3/10/2021		25	F	3/10/2021	3/10/2021	Weakness, tunal vision, high B/P, nausea

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1089013	3/10/2021	CA	52	F	3/8/2021	3/8/2021	1st Vaccine - I experienced mild numbing from my left cheek up and around my eye. It started just a few hours after my vaccine and it stayed that way for 48 hrs. I would still experience this mild sensation every now and then until I took my 2nd vaccine. My injection site was very sore for 2 days. No other symptoms to report.. 2nd Vaccine - I experienced a very sore injection site for 2 days and felt warm to the touch. Later in the evening i had mild achy sensations in my lower back, legs, calves, knees and shoulders. During the night I experienced chills and lots of tossing and turning. In the morning my lower back, shoulders, legs, knees and calves were extremely achy and sore. I was also very exhausted. I took some ibuprofen and drank lots of water and rested. Today, 10 March my lower back and thighs are still a little achy but much better than yesterday.
1089050	3/10/2021	IA	37	F	3/5/2021	3/10/2021	woke up with eye swelling. Now with jaw and chin numbness
1089015	3/10/2021	TX	53	M	3/4/2021	3/4/2021	About 7pm the same day I got my vaccine. My right eye started watering profusely. I didn't think much of it. at 10:30 I went outside to whistle for a dog and I could not whistle. The next morning I found that the right side of my face was completely drooped and I have no expression control.
1089084	3/10/2021	VA	54	F	3/6/2021	3/9/2021	I experienced severe vertigo. I visually saw the room spinning. I had to close my eyes but I still felt the spinning in my head. I used the wall to lean on to get down on the floor. Lasted about 1 1/2 - 2 minutes with nausea. I never had vertigo. When I went to bed I had an ache under my left breast. It eventually subsided.
1089011	3/10/2021	OR	68	F	3/7/2021	3/8/2021	Headache, nausea, heartburn, muscle pain, and chills. Passed out cold without any warning signs. Called urgent care twice. Severe facial bruising across mouth, nose and both eyes. Small cuts on nose and top lip. Too weak to go to urgent care, self care at home.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1089100	3/10/2021	NC	36	M	3/2/2021	3/5/2021	Woke up on Friday morning (3/5) with severe neck pain and vertigo. Tried to walk to bathroom and was falling over to the right side and felt very nauseous. Starting throwing up. Arrived at ER around 9:30AM and was diagnosed with vertigo and discharged a few hours later. He slept most of the day but woke up for a few minutes to take medicine on Friday evening and told me his vision was blurry. He went back to sleep and slept until Saturday (3/6) morning around 9:30. He told me his vision was still really blurry so we went back to the ER. They did an MRI and MRA and saw that he had two strokes. The strokes have affected his vision and he still has blurry vision and is not able to see well peripherally.
1089126	3/10/2021	CA	74	F	3/9/2021	3/9/2021	Headache, right eye pain. BP 127/70 (pulse 76), 103/66. O2 sats 100%.
1084664	3/9/2021	MO	35	F	3/4/2021	3/4/2021	Headache, extremely sore eyes , slight cough, confusion, fatigue and chest pain.
1084687	3/9/2021	WA	45	F	12/31/2020	1/31/2021	allergic conjunctivitis (red, itchy eyes; watery discharge), onset hours after vaccine administration, resolved in a couple of days
1084614	3/9/2021	IL	66	F	2/25/2021	2/25/2021	Feb 25, 2021 had dry heaves, severe headache, same thing next day and my eyes are sensitive to light and giving me a constant headache and sick to my stomach. Have called my doctor but she has no information for me other than go to the hospital. The symptoms are still going on today March 9, 2021. I do not have dry heaves but sunlight gives me a constant headache and nothing over the counter works for my headache or my stomach.
1084601	3/9/2021	IN	52	M	3/6/2021	3/6/2021	Began feeling dizzy and nauseated. Started vomiting at approximately 5:00pm and continued until 6:30 or 7:00pm. I could not open my eyes because of the extreme dizziness. Chills Sweating I was able to sleep for a few hours and woke up at 10:00pm and the symptoms had subsided. I woke up with a headache on Sunday morning. That went away and have not had any symptoms since
1084596	3/9/2021	NJ	24	M	3/8/2021	3/9/2021	headache, arm feels too heavy, legs feels heavy, neck hurts, face hurts, eyes on fire, back hurts, and hands hurts

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1084618	3/9/2021	KY	76	F	3/6/2021	3/6/2021	Pt. reports Sat. night developed chills, was dizzy and vision was "bad, like my eyes were tired and had trouble focusing them and just wanted to go to bed", Reports woke up with same symptoms and also had some confusion and had red swollen hard area on L arm were vaccine was given and it is still red and swollen today.
1084590	3/9/2021	GA	68	M	2/11/2021	3/4/2021	Bell?s Palsy, right side of face, affect eyelid, cheek, lips, tongue
1084552	3/9/2021	DC	65	F	3/4/2021	3/5/2021	I received the Moderna COVID-19 first shot vaccination at 11:00am on Thursday, 3/4/21. The next day, Friday, 3/5/21, at about 10:00am, I experienced chills and muscle fatigue that lasted until bedtime about 11:00pm. Life returned to normal until yesterday, 3/8/21, when, beginning around 11:00pm and lasting until 11:00pm bedtime, I experience body chills similar to 3/5/21. Today, Tuesday, 3/9/21, when I awoke at 6:00pm, my heart rate was noticeably elevated but stabilized within 15 minutes. And about 10:55am, as I was focusing on work (reviewing/editing an electronic document), I had an unusual blurry vision and mentally spacious experience that lasted for less than 2 minutes but required me to halt work and collect my thoughts. These experiences are completely new to me.
1084562	3/9/2021	MA	58	F	3/9/2021	3/9/2021	My skin around my eyes swelled about 45 mins after vaccine. I had a prickly itchy sensation on my back, the back of my neck & under my right arm pit. My throat felt itchy. I took benadryl & the swelling around my eyes went down considerably within a few hours. The itchiness persisted until my 2nd dose of benadryl. When I woke up this morning, I was fine.
1084506	3/9/2021	MI	62	F	3/5/2021	3/5/2021	Seven minutes after receiving the Pfizer Covid 19 vaccine the patient reported having the feeling of being high lasting 10 minutes, elevated heart rate, dizziness and weakness for 1-2 minutes length, blurred vision and "brain fog" lasting for about 24 hours

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1084688	3/9/2021	CA	68	M	3/5/2021	3/5/2021	Effects which happened 14 hours after shot: Extreme Lower abdominal pain which made me hump over to walk. Had, bright light flashes with my eyes closed and pain around my eye socket. Rippling tingles across my chest, arms, and legs. Had minor head ache which went on and off. Also had minor flu like general muscle pain. Above pains disappeared about 7 hours after start. There was NO arm swelling or major arm pain, slight arm soreness the next day when arm is elevated.
1085011	3/9/2021	CT	34	M	3/9/2021	3/9/2021	Approximately 10 mins post vaccination, staff was alerted by bystander that patient was not responding despite seated position in chair with eyes open. Patient noted to be cool, clammy, weak pulse (radially), dilated pupils. States felt lightheaded. BP stable in 120's systolic. EMS called. By EMS arrival (approximately 5 mins post staff notification of patient condition), color was returning to face. Patient stating felt much better. Transported to local ER and discharged after approximately 2.5 hours. Patient did report had traveled (about 5-6 hours in car) day before, had minimal liquid intake during and after travel, and did not sleep well in local hotel. Reports did eat breakfast prior to vaccination. Spoke with patient around 1140am. Stated was returning from ER. Feeling much better. Discharged without follow up and instructed to ensure he was hydrated, ate, and slept well before 2nd dose. Also instructed to wait 30 mins post vaccination for monitoring after covid #2.
1084512	3/9/2021	CA	55	F	3/8/2021	3/8/2021	Dizzy, saw black spots in visual fields, felt short of breath
1084413	3/9/2021	OH	67	M	3/1/2021	3/2/2021	PI Patient is a 67 year old male who presents with dizziness and left facial droop. The patient reports that he woke up this morning and felt very unsteady on his feet and dizzy. That has since subsided. However, he noted some slurred speech and left facial droop. He woke up at 7:30 AM. He went to bed last night at 11 PM. Last known well is 11 PM, as he woke up with his symptoms. He reports some weakness of the left upper extremity and left lower extremity. Acute left arm, leg, face weakness, slurred speech and buring eyes. Symptoms came and went over 42 hour period.
1084572	3/9/2021	AL	20	F	3/5/2021	3/6/2021	right upper eyelid edema, started about 24 hrs post-vaccine, still present on day 4

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1084951	3/9/2021	ID	56	F	2/3/2021	2/3/2021	Very flush, shaky, elevated HR. Pt states she feels very anxious Vital signs: BP 120/94 HR 102 Resp 14 O2Sat 97 Skin signs: Clammy, very flush Circulation: Cap refill <2sec Respiratory: Breath sound clear bilaterally, HB normal Monitor At 10:20 BP 128/84 HR 88 Resp 14 O2Sat 96 Skin signs: Clammy Circulation: Cap refill >2sec Respiratory: Breath sound clear bilaterally Monitor. Patient noticeably more calm, less shaky, skin color noticeably improved. BP 124/78 HR 89 Resp 12 O2sat 98 Skin signs: Clammy Circulation: Cap refill <2sec Discharged with mother. Escorted to vehicle. States feels ok to drive. Steady. Denies dizziness or vision problems. Has had anxiety attacks. Vaccine administered L. L skin noticeably darker, dark red. Pt states only oral intake x8 hours coffee.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1085090	3/9/2021	OR	55	F	1/20/2021	1/21/2021	<p>Thirty hours in, I had joint aches in my spine (mainly neck and low back); low grade fever; nauseated; headache. I felt like everything was it was swollen and tight - I couldn't wear my watch on my wrist. Almost like lymph system - nothing tight in my arm pits; felt like my pants were too tight in my groin - my body was swollen by my lymph nodes. Developed all kinds of gas in my stomach. I was having chest pains - 3 or 4 times a month before the vaccine - after the vaccine - I'm having the chest pains daily. That lasted for about 12 hours. Next day, 22nd, I developed diarrhea for 24 hours. 9 days later - I got numbness and tingling started radiating down my wrist into my fingers; lower calf to my feet and I had to go see my orthopedic surgeon - it was radiating down into my feet. He sent me to a podiatrist and he doesn't know. Those symptoms still haven't resolved. When I wake up - it's a low level and by night time my feet would get so numb and tingly it drove me crazy and then it went into my hands. Went to my doctor on March 2nd - my doctor thought I was having a histamine response in my body. I took an antihistamine - and half my symptoms went away. My esophagus is going into spasms - and I am trying to see a GI specialist. I was taking Benadryl last week but I got too tired. So I take 2 Benadryl at night now and I'm taking a Zyrtec (generic) at the day - it takes the edge off but doesn't resolve the symptoms entirely. Eleven day - I developed a floaty in my right eye - a black spot. I went to my eye doctor - it looks like my eye is healthy -but floaty is not going away. So talking on the phone, My throat is starting to swell up and feels like something back there and the more I talk pretty soon I start losing my voice (happening now on the phone). They added to my meds: Pepsid, Viscus lidocaine; Mylanta after every meal; Pantoprazole; Sucralfate; gave me another one but I haven't taken it yet: Hyoscyamine - for really bad spasms and I haven't had another really bad one since I went to ER (besides taking the antihistamines). I have seen 5 specialists all together.</p>
1085088	3/9/2021	IL	88	M	2/15/2021	3/4/2021	<p>Bells' Palsy, started on March 4th, right sided facial droop, and visual changes. Admitted to Hospital, worked up for CVA, and started on steroids and valacyclovir</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1083887	3/9/2021	HI	35	F	2/8/2021	3/15/2021	After receiving the second dose of Pfizer covid 19 vaccine on Monday, February 8, I did experience muscle aches, low grade fever and headache 24 hrs after the shot. Those symptoms lasted for about 3-4 days. Then on Sunday morning February 14 I work up with sciatic pain on my left leg. Then on Monday February 15 my right eye was red after I woke up that morning. Gradually during the week my eye continued to be red, blurry, and eventually cloudy Friday morning February 19. Found an eye doctor who could see me that morning. He diagnose me having Iritis and prescribed me durezol eye drops. I had to put one drop every 2hr until it gradually got better. I'm still under his care.
1084348	3/9/2021	NY	50	F	3/7/2021	3/7/2021	after leaving facility, while driving home, my left facial cheek began to tingle, then burn. By the time I got home, both my hands and feet also were tingly, like pins and needles falling asleep. The following day, at about 4 PM the tingling, returned to the entire left side of my face, so Monday 03-08-2021 @ 4 PM, from hairline to jaw, tightness, burning and tingling including around my left eye. lasting until roughly 7 PM
1085063	3/9/2021	IN	57	F	3/6/2021	3/7/2021	I experienced body aches, headache, anxiety in my chest (once), tiredness. One other thing that happened that may not be related is that my secondary implant eye socket became very sore and swelled up. It could of been for another reason but the timing was uncanny. I am feeling fine now and none of my reactions were that troubling. I have experienced about 3 times a sudden feeling in my body that made me think I wonder if that was the vaccine but I am feeling great now and all is good. Thank you so very much for all the research and production of these life saving vaccines.
1084962	3/9/2021	IN	69	F	3/4/2021	3/5/2021	Strong allergy symptoms. Heavy nose drainage and aching eyes/cheekbones. Lasted one day took Benadryl and slept.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1085002	3/9/2021	MD	58	F	1/6/2021	1/14/2021	I developed severe headache for two to three days after getting the 2nd dose of the Covid-19 vaccine starting approx. 3 hours after the vaccine. I took Celebrex as the head aches were quite severe(7-8/10) with difficulties in focusing due to the pain. I received my first Covid-19 vaccination shot on 12/16/2020 and did not have any significant side effects besides mild pain in my left arm at the injection site the next day and it resolved with no intervention. Then on 01/14/2021 I developed floaters in my right eye that was very sudden around early afternoon that progressed to large black spots obscuring my vision. It was associated with headache and deep eye itching and pain. I was unable to look at the computer and that is when I called my eye doctor and was told to come to see her right away. She then diagnosed me with Posterior Vitreous Detachment and referred me right away to see Dr. retinal specialist.
1084767	3/9/2021	PR	31	F	3/2/2021	3/2/2021	SWELLING ON EYES ,HOT FLASHES AND INCHING. WENT TO EMERGENCY ROOM SOLOMEDROL 125MGS IV,BENADRYL 50 MGS IV AND PEPCID 20 IV. NEXT DAY WITH LESS SINTOMES.
1084848	3/9/2021	MI	66	F	2/11/2021	2/19/2021	Eight days after my vaccination, my arm at injection site started really itching and became hot and swollen. Called NP and sent her a picture of my arm. Didn't recommend that I come in but to keep an eye on it. It was just red, warm for several days and then started to get better. It was just strange that it happened 8 days AFTER my vaccination.
1084843	3/9/2021	MD	35	F	2/18/2021	2/18/2021	Pt with tongue swelling, throat "closing" and near syncope/tunnel vision within 2 hours of receiving dose 1 of Moderna COVID vaccine. Treated with "antihistamines" at hospital. Pt states that she had a similar reaction 3-4 years ago when she received the MMR vaccine. Symptoms: Angioneurotic edema(T783), DIZZINESS AND GIDDINESS(R42).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1084834	3/9/2021	MA	67	F	3/6/2021	3/6/2021	Tired within an hour of shot. Woke on Sunday 3/9/21 with a blinding headache across forehead and down to bridge of nose. Extreme light sensitivity to eyes. Opening refrigerator or turning on a light was like having a spot light in my eyes. could not open eyes due to eye pain/strain. drapes and blinds could not be opened. Woke on Monday with no improvement and still tired. Put on an eye mask on Sunday, and couldn't remove it until Tuesday morning. Still have a slight headache and some light sensitivity but both seem far less intense today, Tuesday, 3/11/21. Hopeful tomorrow will return to normal.
1084831	3/9/2021	TN	32	F	3/5/2021	3/5/2021	9:30p 3/5 fever 100.2, mild headache, stuffy nose 3/6 mild headache, no fever, stuffy nose 3/7 mild headache, no fever, stuffy nose, mild lazy eye 3/8 8:30a migraine, no fever, stuffy nose, mild lazy eye 3/9 11a more severe headache, stuffy nose, mild lazy eye
1084812	3/9/2021	CO	32	F	3/6/2021	3/7/2021	Janssen COVID-19 Vaccine EUA. Mid Saturday night I woke up to chills and was shaking so bad I couldn't fall back asleep even after adding another layer of clothes and blanket. Sunday morning I was still very cold and tired from not sleeping. I developed body aches but they were everywhere not just my arm. I was very fatigued and didn't have an appetite. The worst part was getting a migraine with extreme light sensitivity. I couldn't stand to be around any windows without blinds. I spent the day in my bedroom sleeping with the curtains closed and an eye mask on. By that night, the migraine had subsided but I was adding hot flashes to the problem list. Had a pretty restless night again on Sunday. Woke up Monday to the light sensitivity back but not as severe. I took the day off work because I couldn't handle looking at a computer screen all day. By about 1pm I was feeling mostly back to normal. My arm is still sore near the injection site and I'm a bit fatigued at times but those are the only things remaining.
1084784	3/9/2021	MO	77	F	2/19/2021	2/19/2021	ct reports having fever, body aches, stomach pain with nausea and diarrhea, palpitations, rash on her face, vision problems

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1085037	3/9/2021	NJ	37	F	1/22/2021	2/22/2021	1 month after second dose of the COVID 19 moderna vaccine i developed hazy /foggy vision associated with headache right > left side and i was evaluated by ophthalmology and all were normal , also was evaluated by ENT and was suspected sinusitis and has been on antibiotics for 10 days now now the right headache has moved to the left side , the hazy vision has gotten better but the headache is persistent and does not respond to OTC medications . Similar symptoms in colleagues 1 month after the 2nd dose of the vaccine .
1083805	3/9/2021	OH	74	M	2/3/2021		Pain at the injection site; Body aches; Low grade fever; Chills; This is a spontaneous report from a contactable consumer (patient). A 74-year-old male patient received second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number and expiry date: unknown) via an unspecified route of administration in the left shoulder area, on 03Feb2021, at a single dose, for COVID-19 immunization. The patient's medical history was not reported. Concomitant medications included multivitamin, losartan, eye vitamin and Garlic. The patient previously received first dose of BNT162B2 (lot number: EL3248) on 13Jan2021 for COVID-19 immunization. On an unspecified date, the patient experienced pain at the injection site, body aches, low grade fever, and chills. The patient took ibuprofen as treatment. The events did not require emergency room/ physician visit. Outcome of the events was unknown.
1083944	3/9/2021	PA	74	F	3/4/2021	3/4/2021	Dizziness immediately upon injection, assistance required to stand up and to walk to waiting area, rash, welts, swelling of lips ,face and eyes ,tongue ,tingling mouth(7 hours later), headache ,fatigue ( 2 hours later). Symptoms showed some improvement within 2 hours after that so did not go to emergency room.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1083948	3/9/2021	TX	22	M	3/8/2021	3/8/2021	Site: Pain at Injection Site-Mild, Systemic: Dizziness / Lightheadness-Medium, Systemic: Hypotension-Medium, Systemic: Nausea-Medium, Systemic: Shakiness-Medium, Systemic: Tinnitus-Medium, Systemic: Visual Changes/Disturbances-Medium, Additional Details: Near fainting episode. Pt did not lose consciousness but blacked out (visual disturbances, tinnitus/temporary hearing loss, nausea) occurred within 2-3 minutes of administration. First attempt to read BP was low (~80/60). Pt is an athlete, so I waited until after water was consumed to take BP again. 2nd reading was ~106/65. Pt felt better after drinking water and after sitting for 15 minutes under observation.
1083947	3/9/2021	NY	64	M	3/4/2021	3/8/2021	Bells palsey type symptoms. Left eye watery, fatigue Going to doctor 3/9/2021, treatment on going
1083939	3/9/2021	CA	26	F	3/8/2021	3/8/2021	Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Mild, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild, Systemic: Tachycardia-Mild, Additional Details: patient is able to swallow and drink water .Just complained of sore throat.. Called 911 , assessed patient \"Anxiety Reaction\".\r\n
1083866	3/9/2021	WA	41	F	3/6/2021	3/6/2021	Flushing - entire body; like when you receive an injection of contrast for a CT Scan Burning - Eyes, face, abdomen Nauseous Pressure in head/face/ears Throat discomfort Headache Overall sick feeling Over the next couple days, my lips have broken out. I have some small mouth/tongue sores. Feeling of a cold coming on. Sinus pressure. Throat discomfort, congestion. Sneezing. Eyes burning. Face burning. Itchy patches on scalp. Face breaking out.
1084030	3/9/2021	OH	65	F	3/4/2021	3/4/2021	Mouth Ulcers lasting 5 days so far, hives from chin to waist 6 days so far, swollen right eye one day

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1083807	3/9/2021	FL	83	F	1/16/2021	2/5/2021	Soft lump on left side clavicle. Very sore; Soft lump on left side clavicle. Very sore; This is a spontaneous report from a contactable consumer, the patient. A 83-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Lot EL5248, second dose) solution for injection intramuscular in the left arm on 16Jan2021 at 11:00 (at the age of 83-years-old) at single dose for COVID-19 vaccination. The patient was not pregnant at the time of vaccination. Medical history included macular degeneration, glaucoma, and allergies: dairy products, penicillin and sulfa antibiotics. Concomitant medications included ascorbic acid/betacarotene/cupric oxide/tocopheryl acetate/zinc oxide (PRESERVISION), calcium, fish oil and vitamin D. Historical vaccine included BNT162B2 (Lot EL0140, first dose) for COVID-19 vaccination on 26Dec2020 with no adverse effect reported. The patient did not receive any other vaccine within 4 weeks prior to the vaccine. Prior to the vaccination, the patient was not diagnosed with COVID-19. On 05Feb2021 at 10:00, the patient felt a soft lump on left side clavicle very sore. No treatment was provided for the events sore and lump. The outcome of the events sore and lump was recovering. Since the vaccination, the patient has not been tested for COVID-19.
1084034	3/9/2021	IN	63	F	3/2/2021	3/6/2021	Left eye has turned red and glassey.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1083802	3/9/2021	FL		F	1/25/2021	2/1/2021	more symptoms and her right eye is more closed; more pain in her head; shingles; This is spontaneous report from a Pfizer-sponsored program. A contactable consumer reported for a female patient (Wife) with unknown age (85; Unit: Unknown) received first dose of bnt162b2 (Pfizer-BioNTech COVID-19 mRNA vaccine, Lot Number and Expiration Date unknown) via an unspecified route of administration on 25Jan2021 at single dose for COVID-19 immunisation. The patient's medical history included shingles 4 years before unspecified date and since has neuropathy on head and right eye. The concomitant medications were not reported. Patient had the first dose of the vaccine on 25Jan2021 and are tentatively scheduled for the second dose 24Feb2021, 30 days apart. Patient may have had a reaction to the first dose but it may not be related. Patient experienced shingles in Feb2021. The vaccine seemed to more symptoms and her right eye is more closed and there is more pain in her head in Feb2021. The caller stated they are seriously considering cancelling their second dose. The outcome of events was unknown. Information on the lot/batch number has been requested.; Sender's Comments: Based on available information, a possible contributory role of the subject product, BNT162B2 vaccine, cannot be excluded for the reported events of headache and eye disorder due to temporal relationship. Based on the information provided by the reporter, it appears unlikely that subject vaccine contributed to the event of shingles, which may likely represent intercurrent medical condition. There is limited information provided in this report. This case will be reassessed once additional information is available.



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1083742	3/9/2021			M			<p>left side of his face is paralyzed and his left eye will not blink/ he thought he had a stroke/diagnosed with Bell's Palsy/had Bell's Palsy in the past several years ago; left side of his face is paralyzed and his left eye will not blink/ he thought he had a stroke/diagnosed with Bell's Palsy/had Bell's Palsy in the past several years ago; This is a spontaneous report from a contactable consumer (patient). A 67-year-old male patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number and expiry date: unknown), via an unspecified route of administration on an unspecified date at single dose for COVID-19 immunization. Medical history included that he had Bell's Palsy in the past several years ago. The patient's concomitant medications were not reported. The patient experienced Bell's Palsy after receiving the first dose of the Pfizer Covid 19 vaccine. He stated that the left side of his face is paralyzed and his left eye will not blink. He received the first dose of the vaccine on a Thursday and the following Wednesday he went to the ER because he thought he had a stroke. He was diagnosed with Bell's Palsy, was given medication, and its been a week and his eye still is not blinking. His doctor is uncertain if he should receive the second dose of the vaccine or not. He was asking if he should he get the second dose and how many people were in the study. He also asked if he gets the second dose, if it will make the Bell's palsy worse. Therapeutic measures were taken as a result of event. The outcome of the event was not recovered. Information on the lot/batch number has been requested.; Sender's Comments: Based on the information provided, and on a positive drug-event temporal association, the Company assessed that a reasonable possibility could not be excluded that the suspect product BNT162B2 contributed to the occurrence of the reported events Bell's palsy and Disease recurrence. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.</p>

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1083736	3/9/2021	NY	58	F	1/22/2021	1/25/2021	double vision; blurred/double vision; This is a spontaneous report from a contactable nurse. A 58-year-old female patient started received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number: EL3302 and expiry date: unknown), via an unspecified route of administration on the left arm on 22Jan2021 14:30 at a single dose for covid-19 immunisation. Medical history included elevated B/P. Patient was not pregnant at the time of vaccination. Unspecified medications were received within 2 weeks of vaccination. The patient experienced blurred/double vision on 25Jan2021. Patient had urgent/ emergency care visit for which she was given antibiotics and steroids. She had 2 eye doctors and been to primary doctors twice. Outcome of the events was not recovered. The reporter considered the events non-serious. Patient was not diagnosed with COVID-19 prior to vaccination and has been tested post-vaccination on 27Jan2021 (nasal swab: negative).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1083719	3/9/2021	FL	75	M	2/4/2021		AFib; Lightheaded; Pain in the right rear back and couldn't bend over to tie shoes; A spontaneous report was received from a male consumer 75-year-old who experienced, a sore Arm/Pain in Extremity, Afib and lightheadedness. The patient's medical history was not provided. Products known to be used by the patient within two weeks prior to the event was simvastatin, tadalafil, androgel, prevision, magnesium, vitamin D3, vitamin B12, calcium and fish oil. On 04-Feb-2021, prior to the onset of events, the patient received the second of two planned doses of mRNA-1273 Intramuscularly for prophylaxis of COVID-19. On unknown date, the patient experienced sore arm, lightheadness, lasted for 3-4 days and went away. On unknown date, the patients vitals were checked and the heart rate was elevated to 148 and was admitted to the hospital. EKG and pulse rate was irregular. The patient was diagnosed with A fib. Treatment included apixaban, metoprolol and fluids. The patient received both doses of mRNA-1273 prior to the events; therefore, action taken with the drug in response to the events is not applicable. The outcome for the events, sore arm, lightheadness and A-fib was considered resolved.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the onset date of the events, a causal relationship cannot be excluded.
1085115	3/9/2021	OH	58	M	3/9/2021	3/9/2021	felt like his eyes were burning from the inside out and lasted 3 days. Patient did not seek treatment
1085282	3/9/2021	CO	20	F	3/8/2021	3/8/2021	Headache, chills, fatigue, tiredness, blurry vision, and sleeplessness; was not able to fall asleep the night after the dose. Lots of pain and soreness at injection site. Had a severe headache the next morning (relieved with acetaminophen), and had a difficult time seeing up close for about two hours despite using my corrective lenses, which made the headache worse.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1083864	3/9/2021	WA	63	F	3/6/2021	3/8/2021	Beginning a few hours after the vaccine the day of the vaccine and into the next AM, I had diarrhea. 30 hours after receiving the vaccine, I woke up at 3 AM with itching all over my body. I had hives on both eyes. I called my Dr., who scheduled me to come in for an office visit. She examined me and recommended that I proceeded to the ER for further monitoring. There they examined me and prescribed Benadryl for 5 days and Zantac for its antihistamine properties, as well as prescribing an EpiPen. It turned out that Zantac has been removed from the market, so I have just taken Benadryl.
1084146	3/9/2021	IL	20	F	3/5/2021	3/5/2021	The patient had 2nd COVID vaccine and within 15 minutes reported nausea, vision "blacking in and out", heart racing, heavy breathing. Observed in vaccine clinic observation area for about 15 more minutes - placed patient on a cot, offered cold water and a snack (she had not eaten that morning) and she stated she could not eat. Symptoms did not improve, so she was moved to the ED. In the ED she reported a headache to front and back of head, weakness, lightheaded and dizziness, and palpitations. VS in the ED on arrival: T 99.0, P 87, RR: 87, BP: 120/72, SpO2: 100% on RA. Treatment in the ED included a 1 liter IV bolus of normal saline @ 1038, 1 IV dose of Zofran 4 mg @ 1038, and 1 PO dose of Tylenol 975mg @ 1218. Was discharged in 12:48 PM with the following VS: T: 99.0, P: 82, RR: 18, BP: 119/77, and SpO2: 100% on RA with continued headache rated a 10 on 0-10 scale, but ambulatory in stable condition.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1084336	3/9/2021	CO	84	F	2/12/2021	2/19/2021	84 yo woman here to follow up from recent episode of vasculitis. She started getting a rash - started 7 days after 2nd dose of vaccine At last visit, we did testing for vasculitis after the rash looked more vasculitic to me; ANCA testing was positive, as was ANA. - 17 days after 2nd vaccine She was given prednisone 20 mg taper over the last 8 days. She is feeling much better in terms of her rash and swelling. She is having surgery on the 29th for her BCC on the left eyelid. She is noticing blurred vision in both eyes since this all started and she is mentioning this to the eye doctor when she sees them. She says her head was fuzzy when this started and this is better but is still "fuzzy sometimes" Her renal function was normal. Her CBC was mildly elevated WBC but otherwise normal. She denies any breathing problems, blood in stools or blood in urine, or neurologic symptoms other than the fuzzy head.
1084317	3/9/2021	PA	31	F	3/4/2021	3/6/2021	Received vaccination 3/4 in the afternoon. Noticed left eye irritation/redness/swelling on 3/6 in the evening. Progressed through the evening to have lots of discharge and watery. Eye crusted shut morning of 3/7 and 3/8. Symptoms of redness/irritation/swelling continued. Diagnosed with pink eye morning of 3/9/21.
1084278	3/9/2021	IN	50	F	2/24/2021	2/25/2021	Dizziness with Vertigo. Eye spasms have been happening since second dose. They are weaning more each day, however the dizziness has not.
1084231	3/9/2021	TX	57	M	3/8/2021	3/8/2021	Patient reports feeling dizzy, lightheadedness, hazy vision. Declined EMS transport
1084216	3/9/2021	MO	31	F	3/5/2021	3/5/2021	~~light headed, dizzy and then vision began to go out" No syncope, no numbness or tingling, able to self ambulate, no other symptoms noted. patient is pregnant but unknown of gestation, previous births, etc.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1083949	3/9/2021	CA	26	M	3/7/2021	3/7/2021	Systemic: Allergic: Difficulty Breathing-Mild, Systemic: Dizziness / Lightheadness-Severe, Systemic: Flushed / Sweating-Severe, Systemic: Hypotension-Severe, Systemic: Nausea-Medium, Systemic: Visual Changes/Disturbances-Severe, Additional Details: Patient complained of nausea/dizziness followed by blurry vision. He felt like he was going to black out. I took his vitals at 11:43 am and his BP measured 78/53 with a pulse of 45. He was also sweating profusely. The paramedics came within a 5 min time frame and patient was stabilized within 10-15 minutes later.
1084186	3/9/2021	NM	23	F	3/4/2021	3/5/2021	Fever, headache, itching, hives appearing, and swelling of the eyes. Almost all lasted about a day. The hives and itching lasted about 3 days. I took some ibuprofen and it did not do much to help. The best remedy was getting lots of rest.
1084341	3/9/2021	NC	35	F	2/26/2021	3/4/2021	About 4-5 days later I began feeling a little nauseous. By day 6-7 I had excessive diarrhea. By day 9-10 I have had to leave work because I can't go more than an hour without having to run to the restroom, and now there is also sharp bowel pain which radiates to my back. My nausea is extreme and I'm barely eating. My fatigue is such that I can barely keep my eyes open- not sure if it is related to the diarrhea and lack of eating out the vaccine, and my migraine which I usually get once a week have been more like every other day for the past week.
1084126	3/9/2021	IN	50	F	3/7/2021	3/7/2021	Immediate rash in chest and face. 20 minutes later entered ER with swollen eye and throat. 14 hours later re-entered ER with rash on chest and face, swollen tongue and throat
1084124	3/9/2021	FL	68	F	2/23/2021	3/4/2021	started on 3/4/21 in the early morning, 3 am: injection site is lumpy, warm to touch, pruritic, redness. In addition, has trouble seeing images (blurred vision). Patient applied Aveeno lotion to help soothe area. Recommended to see primary provider if symptoms worsen.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1084108	3/9/2021	TX	42	M	2/25/2021	3/1/2021	He had the vaccine and 3/1/21 he had numbness on the right side of his mouth. His eye started watering as well . Mother took him to the doctor who diagnosed him with Bell's Palsy. Dr. prescribed Prednisone and Valacyclovir for these symptoms. He still has some drooping of his eye and mouth, but doctor said it may take a couple of weeks. He does have blurry vision due to this as well. The injection site itself has no problems. He has a FU next week with his doctor.
1084104	3/9/2021	FL	71	M	3/3/2021	3/3/2021	Both eyes blurry and foggy, H/A, Chills, Stomach ache, all has resided but currently still weak.
1084101	3/9/2021	NJ	56	F	2/26/2021	2/26/2021	was speaking to patient as she has had hx of anaphylaxis to sulfa medication. she was fine speaking to me and 9mins after vaccine developed blank stare eyes became watery and told me she needed Benadryl she didn't feel well. asked her what she felt and her response was delayed and stated "throat felt like it was closing: trouble breathing. Called a code and told RN to get me epi 0.3mg which was administer to opposite arm (right upper arm) . brought patient to the floor and kept legs elevated. Benadryl 50mg IM given to Left deltoid. unable to get BP as the machine was not giving me BP :manual cuff to small. code team responded within 5mins. EKG leads placed on patient showing sinus tach 140 O2 sat 99% .. patient continued to be responsive and once epi was given spoke more requesting husband.. patient was put on stretcher and taken to ED by code team.
1084059	3/9/2021	NY	50	F	3/7/2021	3/8/2021	headache, glassy eyes, fever, chills, full body muscle ache, nausea

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1084212	3/9/2021	OH	23	M	2/23/2021	2/28/2021	First vaccine on 1/26/21 began taking three naps a day and arm pain. Given Ibuprofen. Seemed to resolve after 5 days, but continued to nap three times a day sometimes. No fever, but hot flashes at times. Booster given 2/23/21. Began to nap again three times a day or want to stay in his dark room. Began to have a lot of sinus drainage. Gagging at times. Pain over right eye area. Pain in right flank and stomach area. Severe headaches and possible body aches. No fever, but increased and more severe hot flashes that would wake him. 2/28 had a tonic clonic seizure after presenting with a distressed look throughout the day. Slept and upon waking began vomiting until 3am. Was at the ER and given many tests, pain meds and nausea meds. Ruled out kidney stones with CT scan and urinalysis. No fever, but hot flashing continued. ER visit lasted from 2/28/21 through 3/1/21 ER Physician suspects possible reaction to vaccine. Followed up with Neurologist and General Practitioner and both suspect reaction to vaccine.
1086080	3/9/2021	IN	66	M	3/9/2021	3/9/2021	PT CAME IN FOR SECOND MODERNA DOSE AT HIS CORRECT TIME (28 DAYS LATER). TALKING WITH PT REGARDING NON-MEDICAL RELATED ITEMS AND INCORRECTLY GAVE HIM PFIZER 0.3ML INJECTION. DISCOVERED IMMEDIATELY AND REPORTED TO PATIENT AND PHARMACY MANAGER AND DIVISION OFFICE. CONTACTED PATIENT APPROXIMATELY 8 HOURS LATER AND HE FEEL FINE. NO REPORTED PROBLEMS AT THIS TIME. INSTRUCTED PATIENT TO CALL PHARMACY WITH ANY ISSUES THAT COME UP REGARDING THIS SITUATION. TOLD PT I WOULD CONTACT HIM TOMORROW TO FOLLOW UP AS WELL. CURRENTLY NO ADVERSE EVENT/REACTION REPORTED BY THE PATIENT.
1085818	3/9/2021	NY	75	F	3/3/2021	3/3/2021	3/3/2021 6pm approximately Angioedema (Face) Hives (between the eyes & forehead) Extreme Fatigue 3/9/2021 Swelling going down Drinking a lot of water & resting
1086197	3/9/2021	TX	23	F	3/8/2021	3/8/2021	At 10:44am, Fainting, drastic drop in blood pressure, blurred vision, numb hands. That evening, chills and vomiting.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1086191	3/9/2021	NM	25	M	1/13/2021	1/15/2021	Numbness in entire body. Vision loss in eyes. Severe headache
1086138	3/9/2021	SD	72	F	1/27/2021	2/19/2021	central vision loss confirmed with visual field test
1086132	3/9/2021	IL	45	F	3/8/2021	3/9/2021	Brain fog, body aches, light headed, dizzy, metal taste in mouth, slight sore throat, headache, eye pain, flushed
1086303	3/9/2021	IN	77	F	3/6/2021	3/7/2021	High fever of 102, dizziness, headache, pain in left side of jaw, neck , chest. Nausea, weakness, seizure.,( Never seized before) left eye burning high blood pressure. Symptoms started in bed while asleep 12 hrs after 2 nd vaccine
1086082	3/9/2021	FL	24	M	3/6/2021	3/6/2021	Extremely Red Eyes since day on injection.
1086309	3/9/2021	NV	31	F	3/9/2021	3/9/2021	Patient fainted about 5 minutes after receiving the vaccine. She was in the monitoring area and fell over and hit her head on the ground. I went to her aid and monitored her until the paramedics showed up. She was unconscious for a 10-15 seconds with her eyes open before regaining consciousness. I She was not having breathing problems or other symptoms of anaphylaxis so i did not administer an epi-pen or benadryl to her. I rolled her on her side in case she became nauseas. Then the paramedics arrived and attended to her.
1086052	3/9/2021	PA	36	F	3/5/2021	3/5/2021	A few hours after receiving the vaccine I started to feel fatigue and started getting shooting pains through my back, injection site was slightly sore. Second day my whole body felt stiff. Third day I started getting shortness of breath. Fourth day I woke up with swollen itchy eyes and ears as well as a sore throat. It started to become even harder to breath. I took allergy medicine, Allegra and zertex and felt some immediate relief.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1086025	3/9/2021	WI		F	1/30/2021	2/9/2021	<p>Losing eyesight in one eye; Has scratched cornea; She developed Bell's Palsy; She developed shingles; A spontaneous report was received from a relative concerning a 91-year old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and developed shingles, Bell's Palsy, losing eyesight in one eye, and scratched cornea. The patient's medical history included blind in one eye after laser surgery. Concomitant medications include vitamin d, equate arthritis medicine, losartan potassium, and eye vitamins. On 30 Jan 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (lot/batch: 007M20A) intramuscularly for prophylaxis of COVID-19 infection. On 09 Feb 2021, the patient developed shingles and Bell's Palsy. The patient was in the process of losing eyesight in one eye, on the side affected by the Bell's Palsy. The patient also has a scratched cornea. The patient went to the emergency room on 12 Feb 2021. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the events was unknown.; Reporter's Comments: Based on the current available information, a temporal association between the use of the product and the start date of the event and excluding all other etiologies, a causal relationship with the events of shingles Bell's Palsy cannot be excluded. However, causality with scratched cornea and losing eyesight in one eye is unlikely. The scratch is most likely due to a trauma and can impair vision. No further information is expected and follow up consent was denied.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1086024	3/9/2021	NJ	55	M	2/5/2021	2/5/2021	bell's palsy or could of had a stroke; mouth drooping; speech was a little slurred; could not smile, could not open mouth to eat; right eye started tearing up and was watery; A spontaneous report was received from a consumer concerning a 55 years old male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced Facial paralysis, Lacrimation increased, Dysarthria and Facial discomfort. The patient's medical history was not provided. Relevant concomitant medications were not reported. On 05-FEB-2021, prior to the onset of the events, the patient received their first dose of two planned dose of mRNA-1273 (lot/batch: 031L20A) intramuscularly for prophylaxis of COVID-19 infection. On 05-FEB-2021, the patient experienced Lacrimation increased. On 06-FEB-2021, the patient experienced Facial paralysis (mouth drooping), Facial discomfort. On 08-FEB-2021, the patient experienced Facial paralysis. The patient reported that he went to the doctor who said it could be bell's palsy or could had a stroke, and recommend he go to hospital to have it checked. The Patient reported that he has not gone to the hospital at the time of this report. No Laboratory details were provided. Treatment information was not provided. Action taken with mRNA-1273 in response to the events was unknown. At the time of this report, the outcome of the event's Facial paralysis, Lacrimation increased, Dysarthria and Facial discomfort was considered as not resolved.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1086020	3/9/2021	OK	70	F	1/21/2021	2/24/2021	Bloody stool; Stool with bad rotten egg smell to it; Stomach started rolling; Facial tremors around right eye; A spontaneous report was received from a consumer concerning a female patient of 70 year old, who was received Moderna's COVID-19 vaccine(mRNA-1273) and experienced facial tremors around right eye, stomach started rolling, bloody stool and stool with bad rotten egg smell. The patients medical history included asthmatic spasmodic dysphonia. No relevant concomitant medications were reported. On 27 Jan 2021, the patient received their first of two planned dose of mRNA-1273 (Lot number: 042L20A) vaccine in the left arm for prophylaxis of COVID-19 infection. On 24 Feb 2021, the patient received their second of two planned dose of mRNA-1273 (Lot number: 011A21A) vaccine in the left arm for prophylaxis of COVID-19 infection. On 24 Feb 2021, approximately 5 hours after receiving the second dose, the patient's stomach started rolling, and she experienced bloody stool with bad rotten egg smell and facial tremors around right eye. Treatment information for the events included Tylenol. The patient received both scheduled doses of mRNA-1273; therefore, action taken with the drug in response to the event is not applicable. The outcome for the events was not provided.; Reporter's Comments: Very limited information regarding the events has been provided at this time. Further information has been requested.
1085907	3/9/2021	OH	35	F	2/26/2021	2/28/2021	Patient stated normal side effects starting the evening of vaccination; sore arm, chills achy progressed to swollen and itchy face, eyes, lips. denies any breathing issues. At time of report still having symptoms.
1085881	3/9/2021	ME	60	F	3/3/2021	3/3/2021	25 minutes after receiving shot while driving home left side of head hairline felt like electrical line, left eye began twitching, hard to drive, head did not feel normal-felt like heavy, heavy brain fog. 40 minutes after shot, trouble walking, had to use cane and hang onto wall/furniture, very painful walking. Brain fog lasted 24 hours. Trouble walking for 3 days. Nose bleed on 1st night after getting shot while sleeping. For first 2 nights after getting shot had tingly, like many fine needles from knees up to waist. First 2 days had hot/cold feeling, nausea...all in all incredibly unpleasant.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1086083	3/9/2021	CA	78	F	3/6/2021	3/7/2021	Day after vaccine, I was very sick as though I had the flu. Had a severe headache above both eyes, was nauseous and vomited, slightly off-balance, and tired.
1086378	3/9/2021	NC	26	M	3/4/2021	3/4/2021	Vision blurring, cold sweat, racing heart rate, flushing and syncope 5 minutes post-injection. EKG showed ventricular arrhythmia which converted to normal sinus rhythm with regaining consciousness approximately 5 minutes later.
1085266	3/9/2021	SC	77	M	2/18/2021	2/18/2021	Fever, headache and eye pain, aching head to toe, extreme fatigue for one and half days
1085117	3/9/2021	GA	58	F	2/12/2021	2/12/2021	Swollen left arm and hand; awakened early the next morning (Sat 2/13/21) by violent shaking, severe chills, severe pain on left side of body from head to tow; terrible headache and pain in my eyes; upset stomach (nausea, etc.) all of this was followed by extreme exhaustion. It took until late Saturday evening (2/13/21) for the symptoms to begin to subside and I really didn't feel better until the next day (Sun 2/14/21).
1087172	3/9/2021	ID	42	F	3/6/2021	3/8/2021	Puffy, swollen eyes. Hives all over body. Every single part of my body. Been going on for 36 straight hours now. No relief. Treating with calamine lotion and round the clock benedryl. No breathing issues.
1086426	3/9/2021	GA	37	M	3/9/2021	3/9/2021	Patient received shot and then a minute or two later said he felt dizzy and sat down in a chair and then he went very pale, became sweaty and his eyes lost focus and he lost consciousness (blacked out) and he said later he felt numb and could hear our voices but not see us. I called 911 as soon as he began to lose consciousness and while I was on he phone with 911, he regained consciousness and had color in his face again and felt much better. EMS and the firefighters checked him out and all of his vitals were normal and he could walk upright just fine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1086415	3/9/2021	MA	48	F	3/8/2021	3/8/2021	About 20-25 minutes after receiving the vaccine, I began to notice some tingling of the lips which was followed by a similar tingling sensation spreading across my face. The area surrounding my left eye had minor numbness following the tingling. Over the next t half hour, my face continues w an uncomfortable itchy/tingly/minor numbness feeling along with itchiness deep inside my right ear. It subsided over the next hour or two. I did NOT experience any difficulties breathing or problems with my throat or tongue.
1086255	3/9/2021	NY	41	F	3/2/2021	3/2/2021	Moderna COIVD-19 Vaccine EUA very sleepy each night, sleeping a lot more. have slept 9-10 hours each night (with 90-min naps on 2 of the days) since the vaccine. also, on Sun, Mar 7 evening, my cheek started to be stiff when I smile, yawn, or squint my eyes (it takes a longer time/few more seconds to go back to normal). Mon, Mar 8, it was okay. On Tues, Mar 9, I felt it again.
1086386	3/9/2021	TX	43	F	2/25/2021	3/5/2021	On day 8 I got Covid Arm at the injection site. Lasted for 3 days. On 3/7/21 6:30am I woke up for work and had terrible chest pain. It knocked me back a few steps. Examined my chest and only experienced the pain when I moved a certain way. Thought I had pulled a muscle. Went to work feeling exhausted and my eyes burned. Came home early from work and passed out. Noticed that when I lay down my hands swell. Next morning I work up fine. No pulled muscle. No pain. Never experienced anything like it. I started my monthly cycle that morning. It is over a week early.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1086231	3/9/2021	NY	71	F	3/8/2021	3/8/2021	about two hours after injection, I experienced headache, then mild dizziness, then extreme dizziness, then sudden overwhelming fatigue, then swollen eyes and eyelids, then chills and elevated heart rate, with pounding. I had to cancel the class I was supposed to teach, because I would not have been safe to drive to campus. I slept from approximately 2:30 pm on March 8 until 8:30 am today, March 9, all symptoms continuing, with bathroom breaks, a couple of short reports to family members who were watching out for me, and one 2-hour window during which I ate a small meal, went back to bed, and read part of a book. During bathroom breaks I took more antronex, some milk thistle, and some glutathione, which seemed to at least temporarily reduce dizziness and eye/eyelid swelling. At one point I took some hawthorne tincture because I was concerned about the heart pounding. Today I woke up feeling symptom-free, but by 2 pm I was compelled by sudden fatigue to take a two-hour nap. After that I felt better, and I think I am now fine, at 7:45 pm on 3/9/21. I am happy to have gotten the Janssen vaccine, because it is one and done!
1086374	3/9/2021	TN	30	F	3/8/2021	3/8/2021	20 minutes after injection inner ear pressure, light headedness, dizziness, faintness. Three hours after injection low grade fever, dizziness, fatigue. 24+ hours after injection headache, fever, arm soreness, inner ear pressure, hot flashes, neck tension, eye "floaters~~
1086371	3/9/2021	WA	40	F	3/8/2021	3/8/2021	Migraine Right otalgia Cervicalgia Numbness around right eye All continuing at present time
1086346	3/9/2021	KS	26	F	3/5/2021	3/6/2021	Cluster headache behind right eye that turned into eye pain around/behind eye (not the eye itself) Headache subsided with ibuprofen and Tylenol but pain around/behind eye persisted (currently on day 4, discomfort has subsided some but still noticeable)

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1086322	3/9/2021	NJ	36	F	3/8/2021	3/8/2021	About a half hour or 45 minutes after shot my vision was distorted in both eyes. It was almost as if there was a ripple effect when looking at an object, combined with a rainbow like effect when lights were bright. I could look at a wall and it was as if it was reverberating. When looking at text on a screen I was able to see either side of the text but not the middle. This lasted about an hour and thankfully my vision returned to normal. I now have tiredness, a sore arm and slight headache.
1086320	3/9/2021	TN	64	F	2/24/2021	2/24/2021	After shot on 24th, tightness in left side of face and can't blink left eye normally, cornea drying out.
1086317	3/9/2021	NY	47	M	3/9/2021	3/9/2021	Got vaccine at 12:30am, was home asleep by 2:30. Head was insanely stuffy when I woke up around 8:30, my ears hurt on the inside and I couldn't hear well. My lungs felt kind of funny, as if I'd taken too much asthma medication. By noon my lungs were burning with every breath, my eyes were hot and weepy, the fever and muscle/joint aches had gotten really bad, and I had pain in my neck under my jaw between chin and ears.
1086406	3/9/2021	LA	39	F	3/9/2021	3/9/2021	30 minutes after pain in arm and shoulder, an hour and half later headache and fever 101, by 2:30pm hives behind right ear, 30 minutes later hives behind left ear. Applied Benadryl cream on areas and went away in 30 minutes but then hives appeared in face around eyes and eyebrows. Applied cream there and within 30 minutes hives went away. An hour later they reappeared on cheeks. Applied cream and hives went away. However fatigue worsened but fever reduced to 99.
1085256	3/9/2021	FL	43	F	2/26/2021	2/26/2021	The arm that had the injection was sore. Limited range of motion and sensitive to the touch. Lasted 36 hours Developed, headache, tiredness in the eyes (stinging), and a fever of 99.8F on 27Feb2021; took Tylenol/Ibuprofen. No symptoms on 28Feb2021.
1085422	3/9/2021	MD	38	F	2/4/2021	2/4/2021	Patient complained at 5 pm of dizziness/burning of the throat, eyes and entire body fatigue 13 minutes after receiving the vaccine. Benadryl 25 mg by mouth given per protocols at 5:01 pm. patient transferred to the urgent care for further observation at 5:06 pm. Patient stable upon transferring from Covid vaccine clinic



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1085416	3/9/2021	NY	74	F	3/7/2021	3/7/2021	red, flushed, hot, tender cheeks, face; noticed after removing face mask in car. This was not noticed at vaccination facility because face was covered with protective mask. Pain in both eyes continued for several hours following.
1085412	3/9/2021	GA	63	F	3/3/2021	3/3/2021	I started to get a headache around 6:30 - by 9:30 the whole right side of my head felt as if it had a knife going from the base of my skull through my eye out the top of my skull. I was up most of the night with the most severe head pain that I think I've ever experienced. My husband stayed up most of the night with me I had taken 2 Tylenol and a muscle relaxer-Ophedrine? It did nothing for the pain. -I finally fell asleep around 5am and woke at around 7am. The head pain was gone. I had another duller headache the next night but not bad. Also had nasal drip and a few chills but that didn't last long. ( I think I might've had Covid in Feb 2020-I was sick for 4 weeks with strange symptoms that ranged from headaches, extreme nasal drip, dry cough, exhaustion, 3 days of inability to taste food but no fever)
1085409	3/9/2021	OK	68	F	3/1/2021	3/1/2021	3/1: About an hour after injection, numb face middle to right side, numbness in feet and right leg increased substantially, teeth aching. Numbness subsided after about 4 hours, settling into a level slightly above normal. 3/6: Felt eye strain, vision not as clear, severe headache in left temple/periorbital area, severe nausea, moderate chills, photosensitivity, sound and smell sensitivity, headache mostly gone by bedtime. 3/7: Woke up with headache and nausea, vision in left eye blurry most of afternoon, thick wavy bands of bluriness, overall bluriness, feeling of congestion/thickness/pressure on eye, jaw pain. Vision cleared after several hours, headache mild, left temple pain when coughing. (cont.)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1085397	3/9/2021	AK	55	F	3/5/2021	3/5/2021	Within 20 min or so of injection I turned bright ruddy, red in the face, almost purplish. I did not feel allergenic or odd yet, but looked pretty striking. By the time I arrived home 45 minutes after the shot my eyes were puffed almost closed and I had some minor wheezing. I immediately took four 25 mg Benadryl and used my rescue inhaler (albuterol). By about 1 hour later the reaction was abating and I still felt odd/allergenic plus drowsy from the Benadryl. By 3 hours later my eyes were less puffy, breathing was fine, and no further adverse reaction occurred. After such a reaction eyes were weird and crusty in the morning but it was just leftover.
1085424	3/9/2021	FL	68	F	3/8/2021	3/8/2021	Within 15-minutes of vaccination, the patient reported a diffuse pruritic rash with hives, dizziness, blurred vision, and SOB. EMS evaluated the patient on-site. Patient was hypertensive (173/92). EMS administered 50mg Benadryl IV and 2L Oxygen via nasal canula. Given past medical history of allergic reactions, EMS transported the patient to Hospital Emergency Department. In the ED, the patient remained hypertensive. EKG demonstrated NSR, rate 75bpm, no ST-T changes, no ectopy, and normal PR & QRS intervals. Blood work was unremarkable. After administration of Benadryl the patient noted improvement of their hives and was discharged with a diagnosis of allergic reaction secondary to COVID vaccine that caused acute hives.
1085277	3/9/2021	NC	36	F	3/9/2021	3/9/2021	Face got very hot, then mild numbness throughout cheeks, in eyes, tongue, and throat.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1085188	3/9/2021	TX		F	1/30/2021	2/20/2021	<p>Broke the bone of my eye socket (bottom part); Broke my right-hand wrist; Broke my right-hand wrist; I slipped outside while given food to birds; A spontaneous report was received from a consumer who was a 50- year-old female, patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced the events, slipped outside while giving food to birds(fall), broke her right-hand wrist (hand fracture; wrist fracture) and broke the bone of her eye (facial bone fracture). The patient's medical history was not provided. Concomitant medications reported included lisinopril and vitamins. On 30-JAN-2021, prior to the onset of the symptoms, the patient received their first of two planned doses of mRNA-1273 (Lot: 010M20A) intramuscularly in the right arm for prophylaxis of COVID-19 infection. On 20-FEB-2021, patient reported that she slipped outside while giving food to birds. She stated that she broke her right hand and wrist as well as the bottom part of her eye socket. The patient was scheduled to receive the second dose of mRNA-1273 on 27-FEB-2021 and was unsure as to whether or not to get it due to the fact that she had recently received a Tetanus vaccine. Treatment for the events included a cast to the right upper extremity and a tetanus shot to the right arm on 20-FEB-2021. Action taken with mRNA-1273 in response to the events was unknown. At the time of this report, the events, slipped outside while giving food to birds(fall), broke her right-hand wrist (hand fracture; wrist fracture) and broke the bone of her eye (facial bone fracture), were considered recovering/resolving.; Reporter's Comments: This case concerns a 50 year old, female patient, who experienced a serious unexpected event of Facial bones fracture, hand fracture, wrist fracture, and fall, 22 day after receiving 1st dose of mRNA- 1273 (Lot# 010M20A). Based on the mechanism of action of mRNA-1273, the events are assessed as unlikely related to mRNA-1273. Further information has been requested.</p>

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1085250	3/9/2021	MS	40	M	3/9/2021	3/9/2021	seconds after administration patient started losing consciousness. he stated he previously experienced vasovagal syncope after flu shots. he went in and out consciousness several times over the next 5 minutes. he lost color in face and eyes closed when head dropped. his body was stabilized and kept alert with verbal and physical tests. cold compress was applied behind neck and BP monitor placed on arm. he had normal BP/pulse. skin color gradually improved as well as mental acuity. patient could stand after approx 10m and was observed for additional 30m. his phone was used to call his wife and someone came to assist getting home. said felt fine after full observation time and seemed to have made full recovery.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1085194	3/9/2021	MI		M	2/26/2021	2/26/2021	could not breath; violent shaking in the right arm; could not walk; legs and knees were in a lot of pain/arms hurt; warm feeling over face; blurred vision in left eye; lost vision in the left eye, only had peripheral vision; sick to stomach; achy; Fever; upset stomach; legs and knees were in a lot of pain/pain in hip/knees, arms and hand joints both hurt; Hip and pelvic area had pain; feet burning; A spontaneous report was received from a consumer who was also a 70-year-old male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced upset stomach, violent shaking in right arm, legs and knees in lot of pain, could not walk and breath, fever, hip and pelvic pain, feet burning, achy and sick to stomach, warm feeling over face, loss of vision, blurred vision, and hands hurt. Medical history included hip prosthesis and COVID-19. Concomitant medications included atorvastatin calcium. On 26 Feb 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (lbatch: 023M20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. By noon on 26 Feb 2021, he started getting minor side effects (not specified). By that evening, he had an upset stomach. A little after 11 pm, he experienced violent shaking in the right arm. His legs and knees were in a lot of pain and he could not walk. His family called 911 because he could not breath and was admitted to the ER. A thorough check up was done (not further specified) and he had documented leg and knee pain and fever. hip and pelvic area had pain, he could not walk, his feet were burning. He also felt achy and sick to his stomach. The patient said his adverse events were similar to when he had COVID-19 but said this was worse. On 28 Feb 2021, the patient lost vision in his left eye, only had peripheral vision, along with blurred vision in his left eye. His knees, arms, and hand joint both hurt. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not reported. The events resolved on 01 Mar 2021.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1085790	3/9/2021	CA	56	F	3/1/2021	3/2/2021	On March 1 2021, day of vaccine arm was achy. Then Tuesday afternoon eyes started itching. By 7:30pm my left eye was bloodshot. Really, really red. I put some over the counter eye drops in both eyes on Tuesday night and Wed every 4 hours. Redness subsided 24 hours later, but eyes were still itchy. They Thursday night my left gland started swelling. On Friday it was very swollen. I could cup my hand around the swelling from cheek to neck. It hurt to swallow. I took my temperature every few hours and it was never elevated. It was always normal. I took an ibuprofen, 800 mg and just relaxed around 5:00 pm. Still swollen on Saturday, but going down, Took another 800. mg of ibuprofen Saturday night around 8:00 pm and swelling continues to go down, but still swollen as of Tuesday, March 9, my birthday. I did receive my Tetanus shot, preventative on February 15, 2021.
1085165	3/9/2021	NY	71	F	3/5/2021	3/5/2021	Got shot at 3:30pm by 10:30pm had symptoms of bell palsy (eye sagged) On 3/6/21 eye and mouth sagged. Went to emergency room, was given Prednisone 50mg, still having problems with eye and mouth.
1086285	3/9/2021	FL	32	M	3/9/2021	3/9/2021	Patient waited 15 minute required observation time, walk toward front of store he stated eyes went black, legs gave out. this happened 20 minutes from time of injection. Checked blood pressure and it was 130/88. Patient was pale and shaky. He then stated he was ok and walked from the store escorted by two friends
1085136	3/9/2021	UT	63	U	3/2/2021	3/2/2021	Ache joints, neck, hip, back, headache, sore redish eyes. brain fog, memory problems, general sleepy feeling and tiredness. I've been feeling really good so this took me down it has been 6 days and I'm feeling better but still sluggish and feel a bit like lead in the blood.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1085356	3/9/2021	CA	74	F	2/14/2021	2/22/2021	Feb. 22 – Red rash appeared on LEFT arm at vaccination site in the evening, just red, not itchy or bumpy, 3" diameter. Comes & goes, up to 4"x3". Feb. 25 – Woke up @ 5am with severe itching on inside of RIGHT elbow. There were hives which spread up to my shoulder, then appeared on LEFT arm in same locations. No antihistamine available; hives calmed down after an hour or so. Started up again that evening, took 2 Benadryl, and they calmed down. Feb. 26 – More hives in the morning, not as bad. Calmed down when I rubbed alcohol on them. Started Allerfex in the afternoon, but still got a few hives in the evening, same locations. Feb. 27 - Woke up with hives on both arms inside elbows and on right side of face and puffiness under right eye, gradually calmed down. One more hive @ 2:30, inside upper lip, took Allerfex a little early and it soon calmed down. Now taking Allerfex daily since hives continue to show up. March 4 - Saw allergist's physician assistant who advised continuing Allerfex daily until at least 2 weeks after second vaccine dose.
1085736	3/9/2021		37	F	3/9/2021	3/9/2021	VACCINE L ARM @0732. DURING CHECK OUT, AFTER 15 MINUTES, REPORTED RACING HEART, "HEAD WOOZY", AND FATIGUE. ON EXAM, SOME SLURRING OF SPEECH AND EYES CLOSED-IMPROVED AFTER 10 MINUTES. MEDS: CYMBALTA, CELEBREX, ZYRTEC, MINIPRES. MONITORED ADDITIONAL 30 MINS. WALKING, TRANSFERRED TO STRETCHER WITHOUT DIFFICULTY. RELEASED AT 0830.
1085486	3/9/2021	MN	56	F	3/6/2021	3/6/2021	Initial symptoms were swelling of the right eye and fever to 102. She started applying cool packs, oral Tylenol and Benadryl for symptom management. The next day (3/7/21) she noted improvement to the fevers with Tylenol and progression of the swelling to involve the lips and the area under the tongue. She increased use of Benadryl from initially 25 mg every 4 hours up to 50 mg per dose.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1085755	3/9/2021	CA	42	M	2/15/2021	2/15/2021	THIS PATIENT IS A 42 YO MALE WHO STARTED TO COMPLAIN OF LIGHTEADEDNESS/DIZZINESS/FEELING FLUSHED ABOUT 30 MINUTES AFTER RECIEVING VACCINE. PATIENT WAS INITIALLYVISUALLY MONITORED FOR 15 MINUTES WITH NO SIDE EFFECTS. PATIENT LEAFT THE CLINIC SITE, AND RETURNED ABOUT 15 MINUTES LATER REPORTING SYMPTOMS ABOVE. PATIENT A&OX4, GCS 15, NOMAL SKINS. PATIENT DENIES HEADACHE, CHEST PAIN, SHORTNESS OF BREATH. EKG COMPLETED, NO STEMI OBSERVED. PATIENT LED INTO QUIET/DARK ROOM TO REST AND FOR CONTINUED MONITORING OF BLOOD PRESSURE. DUE TO NO CHANGE IN ELEVASTED BP, RECOMMENDATION WAS MADE TO TRANSPORT PATIENT TO CLOSEST ED. PATIENT VERBALLY AGREED. PATIENT WAS ABLE TO WALK WITH ASSISTANCE TO AMR UNIT AND PATIENT CARE WAS HANDED OVER TO UNIT PARAMEDIC. PATIENT TRANSFERRED WITHOUT INCIDENT. LAST NOTED BP ON SITE WAS 176/132 IN A SUPINE POSITION.
1085745	3/9/2021	TX	53	F	3/9/2021	3/9/2021	Received vaccine on 3/4. Noticed swelling under right on 3/5 in the afternoon. Minimal under left eye. Right eye more painful. On Monday 3/8 noticed swelling to right side of upper lip lasting through Tuesday 3/9. Described as painful, numb, and tingling. Stated she felt short of breath until morning of 3/9 with chills. At time of report right upper lip swollen but pt. says has decreased. Took Zyrtec, and Advil for relief. Pt. received fillers for under both eyes and lip on June 6, 2020. Swelling occurred where injection of filler was placed.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1085707	3/9/2021	CA	61	F	2/10/2021	2/11/2021	By early the next morning, my mouth started developing sores & my tongue became increasingly swollen. I had a sore throat for about 15 days; at about one week past this dose, my right shoulder froze & the rotator joint was swollen & incredibly painful to the touch. I lost the use of my right arm entirely for about five days, then the swelling & pain slowly subsided. My eyes were burning & my arm was weak but I made a full recovery about 18 days after this dose. The last symptoms were severe headaches, accompanied by an inability to remain asleep. I took Tylenol & Tylenol PM to alleviate pain & regain some sleep & did report these symptoms to my doctor.
1085696	3/9/2021	MN	67	F	3/5/2021	3/6/2021	Began feeling feverish, achy with chills and blurry vision. Gradually worsening with light sensitivity (wore sunglasses indoors to reduce eye pain.) Temperature 99.5 at 15:00 and 100.2 at 20:15. Took two Ibuprofen and slept through to following morning. Awoke mostly symptom-free around 10 am. Continue to feel unusually cold. Treating this by wearing a warm sweater indoors. N.B. Light sensitivity may possibly be attributed to being under florescent lights (see Allergies and Reactions above) for more than an hour while waiting for shot and waiting to check for possible reaction to the shot.
1085688	3/9/2021	IL	44	F	3/9/2021	3/9/2021	Itchy Eyes
1085682	3/9/2021	CA	33	F	3/5/2021	3/5/2021	About two hours after getting Covid vaccine (Moderna) (around 4 pm), she started having pressure in head and ears, which caused mild headache. Her eyes looked red without fever or chill. Otherwise, she did not have any other symptoms. The symptoms got worse on the two following days (Saturday and Sunday). She came to our pharmacy to report the adverse effects at 5:25 PM on Sunday (3/7/2021), and according to her report, Sunday was the worst. She took Tylenol for the past two days (Friday and Saturday) without improvement. We instructed her to take ibuprofen and to see her doctor on the day after (Monday 3/8/2021). We followed up with her on Monday, and she said her symptoms got improved with a tablet of ibuprofen.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1085597	3/9/2021	IL	62	M	3/9/2021	3/9/2021	Double vision about 25 minutes after treatment. Driving home and had to pull off side if road. Lasted 2 to 3 minutes. Continued then on to home.
1085592	3/9/2021	VA	64	F	1/6/2021	1/8/2021	The day after vaccine during the night I started coughing and feeling congested. Low grade fever and bas cough. Goopy eyes similar to pink eye and congestion and coughing. I did not go to work. I went to a clinic and they tested for Covid-19 the test was negative. Used compresses on the eyes and medication for cold like symptoms. The symptoms lasted an entire week. The cough hung around for three weeks after vaccine.
1085561	3/9/2021	CT	61	F	3/9/2021	3/9/2021	tingling sensation left arm, light headed, body extremely weak-could not get up, almost passed out, could barely speak, stomach nausea. EMT arrived checked blood pressure with finger (she did not tell us first result when I was extremely weak and felt like was about to pass out and had blurred vision-husband said I was barely responsive and couldn't move to get up), EMT then said would take BP again and while putting on arm cuff I vomited 2 times. After vomiting I felt immediately somewhat better, EMT took blood pressure and she said it was normal. EMT took blood sugar and she said it was normal All less than 15 minutes after shot. We then waited at EMT direction for another 15 minutes. We left the clinic and parked just outside till 10:30. I am now feeling better, just tired.
1085560	3/9/2021	CA	44	F	1/19/2021	1/22/2021	I had a visual aura seizure four days after the first vaccine. It started with minor stars/auras in the right side of my right eye and within about 5 minutes, half of my vision was gone. After resting and eating, my vision was restored and the aura stopped. A couple of weeks later I had episodes of minor facial drooping, which lasted for a few hours each.
1085549	3/9/2021	FL	77	M	3/9/2021	3/9/2021	Pt reports having double vision and vision being blurry. Pt was seen by Fire rescue which took patient's vital signs and were all stable. Pt reported he had an episode of this three days ago. Pt was asked if he wanted to be sent to the ER and reported he did not. Pt's wife drove him home and reported he has dementia and she would contact his PCP and Ophthalmologist. Pt's vision had cleared up by the time pt was assessed by EMS.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1085670	3/9/2021	IN	70	F	3/5/2021	3/6/2021	i had chills in the night for 3 hours. i expected that as a possibility. At 8 in the morning, i got up to go to the bathroom. sitting on the toilet, i realized i did not feel well. i remember nothing after that as my husband called my name and when i did not respond he came into the bathroom and found me slumped on the toilet unresponsive. he tried to get me back to the bed, but i collapsed onto the tile bathroom floor. my eyes were wide open and i did not respond for at least 30 seconds. when i did come to, the cold tile floor felt great. apparently i was very sweaty when he lowered me to the floor. i slept 4 more hours, had lunch and slept another 2+ hours in the afternoon. i felt weak but by Monday afternoon, i was feeling pretty much back to normal.
1085748	3/9/2021	NC	44	M	3/1/2021	3/4/2021	Contacted Shingles a few Days after the first vaccine on left forehead above eye.
1081256	3/8/2021	FL	66	F	3/4/2021	3/4/2021	Vaccine #1 - slight fatigue and muscle aches; 10 days after vaccine, developed redness and itchiness at site of vaccine and back of throat itchy Vaccine #2 - extreme fatigue and muscle aches; arm soreness; headache; lightheaded. Day #2 developed lip swelling, swelling under eye, heart racing; insomnia for 36 hours (not enough to go to ER). At the end of the 48 hour period after vaccine, developed tightness in the chest.
1081576	3/8/2021	VA	51	F	3/7/2021	3/7/2021	Got J&J vaccine Sunday and have experienced every side effect listed. Had 103 degree fever, took tylenol, drank water. Fever broke @ 4am, still have excruciating headache, eyes hurt from the light, body aches, can't move right arm more than 90 degrees . Fever is now at 2pm 3/8 inching up, is 99.5.
1081571	3/8/2021	FL	37	F	1/20/2021	3/4/2021	Right sided facial paralysis ( unable to blink or completely close right eyes, unable to raise right eye brow, right sided mouth droop, unable to taste on right tounge, right tounge numbness)
1081570	3/8/2021	CA	74	F	3/5/2021	3/6/2021	At no specific time my vision became gradually worse. On Saturday afternoon "lightening" appeared in my right eye. I was unable to read at this point. It lasted about 15 minutes and the blurriness (both eyes) remained all day. This could also be a result of diabetes. I have an appointment with an ophthamologist in 3 days.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1081556	3/8/2021	LA	64	M	3/1/2021	3/7/2021	States took the CoVid vaccine a week ago in his rt arm (Not currently in LINKS). Began with facial droop and numbness - did have a hx of Bells palsy 12 years ago. Obvious facial asymmetry noted with nerve paralysis on the right and is unable to fully close eyelid and the side of his moth is drooping and unable to close completely.
1081524	3/8/2021		87	M	2/17/2021	2/17/2021	Patient had 2nd covid vaccine his wife noticed in Observation room his eye was red she did not notice this prior to the vaccine. Patient was taken to urgent care for evaluation. Seen in UC, and discharged home with f/u ophthalmology in 2 weeks or sooner if worsening symptoms.
1081442	3/8/2021	IL	69	F	2/4/2021	2/5/2021	pt states that she developed a bad headache next day after getting the vax. Pt was very confused, vomiting, and had brain fog so she called her son. She was getting worse and having spots, stars and flashes in front her eyes so he took her the OSF ER on 2/5/2021.They did a CT and blood work. Pt was admitted and assessed by a Neurologist and Physical Therapist. She was told she had altered mental status. She was stayed for 3 days and discharged. She stayed with her son for 6 days and then went to her PCP which told her not to return to work at this time. Pt will FU on 3/24/2021.
1081438	3/8/2021	IN	82	M	2/24/2021	2/25/2021	The night of the vaccine at 9:00 PM his right arm was totally numb. He got up and took magnesium maleate, and it started clearing up the numbness, and took a baby aspirin. His right eye went blurry as if he had a cataract in that eye. Part of the eye was different, crescent vision. He then took some vitamins for eye, and took an Astroxanthem and started to have some benefit. He then took Epicor and it cleared up. A couple of days later he then had some blurry vision again and took some more vitamins, and it cleared up. He did get some dry eye drops and is using them. All the symptoms have resolved now. He does have an appointment with his eye doctor next month. Has not seen a regular MD or PCP in over 10 years.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1081252	3/8/2021	IN	59	F	3/5/2001	3/5/2021	Patient has a mild reaction after first dose 2/3/2021 which patient appeared anxious and complained of blurred vision. Patient was monitored for 30 minutes without intervention. Symptoms resolved that day - not VAERS submitted for this event. On 3/5, patient received second dose and immediately began complaining of blurred vision and feeling dizzy. Patient complained of some irritation of the throat. Oxygen saturation remained above 90% throughout episode. Diphenhydramine 25 mg given to patient and monitoring for 30 minutes. Patient continued to improve and was released with a friend.
1081425	3/8/2021	MA	72	F	3/6/2021	3/7/2021	Symptom Screening Headache. "It started out severe but now it's moderate." Fever 100.9, dizzy, weak, mild Nausea and watery Vomiting, fatigue, mild arm ache "when I lean on it otherwise it doesn't hurt much." Pt had chills yesterday but denies any chills today. Assessment/Action Patient experienced a MOD reaction to the vaccine. Symptoms relieved with OTC medications: Pt took Tylenol at 12pm on 3/8 and fever down to 100 at 12:45pm. Headache is better and denies any any chills. Denies s/sx of dehydration. Denies Vomiting/Nausea today. Dizziness/weakness better today. Patient answered NO to any of the reaction questions. For that reason, Patient was not referred to allergy. Response/Recommendation/Education Denies s/sx of dehydration. -Pt stated, Its just a bad headache and I have migraine but it is not the worst headache of life." Pt denies changes in vision, speech, or coordination. Pt denies any confusion, mental status change. Denies SOB, chest pain or any distress noted. Pt able to put food and liquid down. -?Pt was advised to take analgesics such as Acetaminophen or NSAID according to package instructions provided there are no contraindications.? If able rest and increase water intake. - 1 ? 3 days: Ice every few hours if provides comfort at the injection side if needed. -Informed the reasons to reach out to the PCP clinic, hotline triage nurse and the reasons to go to the nearest ED if symptoms change or worsen. -Good verbal return and agreed with the plan.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1081320	3/8/2021	MD	70	F	3/3/2021	3/4/2021	itching on scalp, forehead and L side of face; swelling and itching of L eye socket; redness of L eye; weeping; soreness; "infection" "pus" pockets on lower section of eye lid; stuffy nose; headache; stabbing sensation sinus area from top of head to beside nose; swollen gland on L side of jaw near the ear
1081311	3/8/2021	OR	38	F	2/27/2021	2/28/2021	Patient experienced three episodes of syncope between 1000-1100 on Sunday, 2/28 after receiving the vaccine on Saturday, 2/27 at approximately 1810. Loss of responsiveness ranged from approximately three to twenty seconds. Two of the three episodes were witnessed. Episode one occurred when patient attempted to sit up after waking. Episodes two and three occurred while attempting to change position from sitting to standing. Episodes were preceded by flushing, diaphoresis, graying/blackening vision, and tremulousness. Patient had not experienced syncope prior to these events. Patient recovered at home with increased fluids and rest on Sunday, 2/28 and outpatient infusion of normal saline at a naturopathic clinic on Monday, 3/1. Patient experience no further episodes of syncope as of 3/8 but did have multiple episodes of near-syncope in the week following vaccination. Syncope started at approximately 10 am on Sunday after having received the vaccine on Saturday at approximately 6:10 pm.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1081584	3/8/2021	WI	69	F	2/23/2021	3/2/2021	I'm not sure this was from the vaccine, but it seems like the only likely cause: I had Pfizer Shot#2 on 2/23/21. I was feeling great for an entire week. Then, a week after the second shot, I got the worst fatigue I can ever remember, except maybe when I was pregnant, starting the evening of March 1. When I awoke on March 2, my body aches were so intense, I felt like I couldn't move out of bed. Then during the day, I tried to take my usual outdoor walk - usually ~ 5 miles/day. I had to turn around part-way because I was so exhausted and my legs felt both like concrete and like they were quaking from tiredness. Later that afternoon, I fell asleep sitting up in my chair SIX times, even though I almost NEVER take a nap! I kept doubting myself because I haven't read about delayed onset of symptoms, but we don't go anywhere indoors at all except for getting the shot at the pharmacy and an MD clinic appointment now and then. (I did have an annual MD appointment on March 2, so was in the clinic that very day, using all precautions. I don't imagine I could have gotten ill instantly from something at the clinic though?) In ensuing days, I continued to feel super-fatigued, but have had more energy each day, to the point where, now, 6 days later, I feel "almost" like myself. I'm still unsure of walking the full 5 miles without getting too tired, and certain body aches are still hanging on (knee, wrists, fingers), but I'm otherwise feeling good. If I had the symptoms right after the shot, I would have been sure it was from the shot, but since it was delayed a week, I was uneasy and it felt a bit scary because I felt so unlike my healthy, spry, active, motivated self. One other odd thing, that may be totally unrelated, but just in case - on the very day of the second shot, I got a huge stye on my left eye - something I haven't had in decades. It has still not gone away after 2 weeks. Just in case you get other reports, I am letting you know about this as well. The fatigue and body aches sound a lot like what is to be expected after the shot, but I do know there have been some eye-related issues as well.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1082102	3/8/2021	PA	69	F	2/15/2021	2/15/2021	Approximately 30-40 minutes after vaccine, I experienced blurred vision in my left eye and had left sided tingling and weakness. I have had several episodes of that since, and my vision in that eye continues to be somewhat blurred. I have continued to have swollen lymph nodes in many areas of my body as well as pressure in my head.
1081291	3/8/2021	IN	81	M	1/1/2021	1/1/2021	eye irritation, exhaustion, headache etc.
1081266	3/8/2021	NC	69	F	2/11/2021	2/11/2021	Swelling of tongue, throat, face, eyes, nausea I dose from Epipen Swelling came down but then came back 911 was called- transported to ER. Given a 2nd dose of Epinephrine en route which caused me to have an immediate heart attack
1081414	3/8/2021	MI	68	F	2/24/2021	2/24/2021	Moderna COVID-19 Vaccine EUA No fever, but very incoherent for several days, sleeping 12-14 hours overnight, then snoozing in chair for most of the day; eyes were extremely sore, burning, stomach distressed, a bit of diarrhea, arm was stiff, red and sore at point of injection, all over joint stiffness and achiness. These symptoms slowly improved, but lasted at least 5 days. Redness and itchiness at point of injection returned on Saturday, 3/6, still red and itchy today 3/8. Eyes also burning again.
1082097	3/8/2021	PA	92	F	1/26/2021	1/29/2021	Itchy arm with rash Right ear pain Swollen bilateral eyes Throat fullness
1081237	3/8/2021	TX	66	F	1/21/2021	1/21/2021	Nausea immediately with injection, injection site pain, tiredness, headache, body aches, dizziness, blurred vision, poor appetite, unable to taste food, feeling unwell. day later rash on chest, next day heart racing, breathing shallow and fast, chest hurting. roads were iced over, to unsafe to drive.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1080212	3/8/2021	CA	75	F	2/2/2021	2/1/2021	<p>Cold sweat; Within 15 minutes, started itching really bad / Itchy in ears, scalp, neck, chest, arms; Headache; Diarrhea; Chills; Tenderness where the shot area is; Joint pain; Really bad flu; A little bit of a rash from it because my skin is all red from itching; A little bit of a rash from it because my skin is all red from itching; This is a spontaneous report from a contactable consumer, the patient. A 75-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot: EN5318), via an unspecified route of administration on 02Feb2021 (at the age of 75-years-old) as a single dose for COVID-19 immunization. Medical history included high cholesterol and eye disorder. Concomitant medication included atorvastatin, ubidecarenone (COQ-10), colecalciferol (VITAMIN D3), cyanocobalamin (VITAMIN B12), monascus purpureus (RED YEAST RICE) and unspecified OCUVITE for the eyes. On 02Feb2021 at 14:30, within 15 minutes of the vaccination, the patient was itching really bad (itchy in the ears, scalp, neck, chest, arms). The patient was kept in observation after the vaccination for an hour and was treated with diphenhydramine (BENADRYL) which did not seem to help. The patient drove home and went to bed. Her physician suggested that she see an allergist. The allergist was not sure what was in the vaccine and requested the patient ask her doctor for another referral. On 02Feb2021, the patient also experienced headache; diarrhea; chills; tenderness where the shot area was. On 03Feb2021, the patient woke up with cold sweats, like cold wet perspirations and chills again. On an unspecified date in Feb2021, the patient experienced joint pain and felt like she had a really bad flu, developed a little bit of a rash because the skin was all red from the itching, which she couldn't stop. The patient reported that she was treated for the events with diphenhydramine and paracetamol (TYLENOL). She questioned whether there were other reports of itchiness. The clinical outcome of "within 15 minutes, started itching really bad / Itchy in ears, scalp, neck, chest, arms", headache, diarrhea, chills, cold sweat was not resolved; while "tenderness where the shot area is", joint pain, really bad flu, "a little bit of a rash from it because my skin is all red from itching" was unknown.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1082276	3/8/2021	MO	77	M	2/10/2021	2/17/2021	Following Dose 1, Right Arm became sore at injection site for 4 days, at which time Right armpit became very tender touch and was swollen about size of silver dollar, approx. 1/2 inch thick. Soreness at injection site subsided over the next 17 days, but tenderness in armpit only diminished slightly. Following Dose 2, Right Arm was once again sore at injection site for about 4 days, but tenderness to the right armpit became more pronounced, with swelling increasing to the size of a hockey puck. Size of swelling was easily visible to the eye. Armpit became more tender to the touch, and has diminished only slightly in size,, as of this reporting. Mass remains soft to the feel, but easily defined in size and location. I have taken OTC pain killers to help with the discomfort. Will continue to monitor its progress, unless notified otherwise. Do not anticipate seeing my physician at this point. Have consulted the Web, and have noted that this is a lesser side effect of this vaccine, if swelling remains localized to the injection site. Thought I should report this side effect only because of the size of the swelling that occurred.
1082296	3/8/2021	AZ	78	F	2/27/2021	3/3/2021	Extreme fatigue, lightheaded and dizziness, extreme joint pain, vision blurryness and sore eyes, starting Wednesday March 3rd and continuing through today Monday, March 8th. Also beginning Friday, March 5th woke up with right arm swollen just below the elbow. Not sure if any of this is related to the Covid shot or having other problems. Just noticed that my vaccine card shows Lot #EN6202 but the letter sent says Lot #EL9263, for the 2nd dose.
1082155	3/8/2021	NY	34	F	3/8/2021	3/8/2021	Pt with medical hx of PCOS and allergy to clindamycin and ciprofloxacin presented to vaccine site for vaccine. Pt received 1st dose of moderna and 10 minutes later reported SOB, blurry vision, chest tightness, chills, nausea. vitals were WNLs with hR of 83-88, oxygen saturation of 98-100. unable to obtain BP. 4 minutes later pt reported her vision had improved but continued to have chest tightness, SOB, nausea. EMS was called and pt was taken to lenox hill for further treatment. Through out the event pt was coherent and responded to questions appropriately.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1082150	3/8/2021	FL	57	F	3/8/2021	3/8/2021	Gave shot around 10:15am , chest felt tight around 10:40am not feeling well , 10:42 eyes rolled up called EMS 10:43am, transported at 10:49am.
1082090	3/8/2021	FL	64	F	2/25/2021	3/5/2021	Headache began early afternoon and gradually the pain increased through the remainder of Friday March 5,2021 and lasted through Saturday, March 6,2021 until about 6 PM where the pain subsided enough that I could function. As the pain intensified, I had throbbing pain in the temples and behind my eyes, the pain worsened even more if I bent forward, like to pick up something from the floor. My neck muscles were extremely tight. I couldn't concentrate on anything, like reading or working. I was feeling less than energetic,. Also, my left arm was red, not swollen at the injection site and hurt to touch, not as bad as the 2 days after receiving the vaccine, but I thought it was unusual that my arm was red & sore. This is what made me conclude it was a delayed reaction to the vaccine. I rarely have headaches and if I do taking 2 Ibuprofen will take care of it. Taking 2 Ibuprofen this time did absolutely nothing to ease the pain. I did increase to 800 mg of Ibuprofen late Friday and early Saturday which did help, used a cervical heating pad, hot shower to try to ease muscle tension. I was able to sleep and by Saturday evening with home remedies, the pain did subside and by Sunday March 7,2021 I felt back to normal with a slight, slight bit of headache but not much to worry about.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1082125	3/8/2021	WA	24	F	3/6/2021	3/6/2021	Patient here for her first vaccine dose. At 5:15 PM patient reported "itching left arm" initially 2/10 but then increased to 4/10. Patient is alert X3 and denies any difficulty breathing or swallowing. EMT was summoned and arrived at scene immediately. Patient has no stridor or wheezing, breath sounds clear. Patient reports having an "allergic reaction" to her flu shot in 2018. VS taken B/P 152/98, HR 78, Resp 20, Temp 98.6, O2 Sat 99%. VS monitored. Patient denies SOB, CP, tongue swelling, lip swelling, difficulty swallowing, speech is clear and patient oriented X3. No visual problems, grips are equal, neuro exam is normal. Patient monitored until 5:50PM. Patient voices she is ready to go home. Patient was advised to see her doctor ASAP and recheck her P/B. IF her B/P continues to be elevated seek medical attention ASAP. HR 80, O2 Sat 99%. Patient to be transported by friend in private vehicle.
1081612	3/8/2021	CA	48	F	3/3/2021	3/5/2021	beginning 2 days after shot, woke up w/ puffy eyes, became to become more swollen including bridge of nose, cheeks.
1082210	3/8/2021	DC	38	F	3/5/2021	3/5/2021	Day of injection: Foggy head, injection site pain, chills, fever, muscle aches, sensitive to touch (lightly touching my skin felt like needles and washing my hair hurt my scalp). Day 2: Felt hungover, nausea, splitting headache, fever, muscle aches, sensitive to touch, lethargic Day 3: Sneezing (~60 + times), pain from lymph node in left armpit, dizziness, lump in throat, fever, lethargic Day 4: Sneezing, swollen and red eyelids, dizzy, lethargic
1081980	3/8/2021	IN	62	M	3/1/2021	3/5/2021	Swelling under left eye

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1081754	3/8/2021	FL	73	M	2/10/2021	2/13/2021	facial drooped right side of face; headache; dry eye, right side; cannot taste anything; tired; This is a spontaneous report from a contactable consumer reported for self. This 73-year-old male received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: el9269), via an unspecified route of administration, left arm on 10Feb2021 12:45 at single dose for COVID-19 immunisation. Medical history was none. No covid prior vaccination. No known allergies. Concomitant medications included Pantoprazole and Lisinopril. No other vaccine in four weeks. He experienced facial drooped right side of face; dry eye, right side; cannot taste anything; tired; headache on 13Feb2021 10:00 AM. Ae resulted in doctor or other healthcare professional office/clinic visit, Emergency room/department or urgent care. No covid tested post vaccination. No treatments were received. Outcome of the events were not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1081752	3/8/2021	FL	69	F	2/16/2021	2/16/2021	<p>Dermatomyositis rash flare up/ facial skin inflamed, bright red, and swollen; rash on her face; Dermatomyositis rash flare up/ facial skin inflamed, bright red, and swollen; rash on her face; headache; This is a spontaneous report from a contactable consumer (patient). A 69-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (lot number: EL9265, expiration date: May2021) via unspecified route of administration in the left arm on 16Feb2021 14:00 at single dose for COVID-19 immunization. Medical history included dermatomyositis since 1993 and sinus problems (sinus disorder). Concomitant medications included immunoglobulin human normal (GAMUNEX) and methotrexate 2.5 mg tablets, both for dermatomyositis; and diphenhydramine hydrochloride (BENADRYL 50 mg) IV as premedication. It was reported that every 2 weeks, a nurse comes to her home and gives her a Gamunex 85gram infusion. She clarified she use 4-Gamunex 20gram vials, and 1 Gamunex 5gram vial to make up her Gamunex 85gram infusion. Product information: Gamunex 5gram Vial (uses 1 vial) (NDC Number: 13533-800-20, Lot Number: B36JE00393, Expiration Date: 20Jul2023) and Gamunex 20gram Vial (uses 4 vials) (NDC Number: 13533-800-24, Lot Number: B8GLE00933, Expiration Date: Aug2023). Reported she takes Methotrexate 2.5mg tablets three times a week. She stated she gets pre-medicated every 2 weeks with IV Benadryl prior to her Gamunex 85gram infusion. She provided the IV Benadryl 50mg product vial information as: (NDC Number: 0641-0376-21, Lot Number: 080010, Expiration Date: Aug2022). The patient previously took budesonide 3 mg capsule (taper dose) from 18Nov2020 to 13Feb2021 for microscopic colitis. On 16Feb2021, on the first day after vaccination, patient had a mild headache. The patient woke up on Saturday morning, 20Feb2021, with her facial skin inflamed, bright red, and swollen. She had a rash on her face as she could feel the unevenness of her facial skin when she placed her hand on her face. Patient reported that she called her neurologist to inform her of the adverse reaction, and her neurologist told her to report the reaction to manufacturer. She said what she experienced on Saturday (20Feb2021) was a Dermatomyositis rash flare up, which for her is very rare. She said she normally doesn't have any skin involvement when she has a</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							Dermatomyositis flare. As a treatment, she said she took generic diphenhydramine 25 mg on 20Feb2021 (lot number: Lot Number: P112026, Expiration Date: Sep2020); and took 2 more since then (She said she takes 1 Diphenhydramine 25mg at a time); and her facial redness is down, but she still has a rash, and her face is a little bit swollen. Her facial skin was still elevated a little bit. Her facial swelling has improved quite a bit from Saturday (20Feb2021), stated she does not have any swelling around her eyes now. She said her facial skin is not as red as it was on Saturday. Outcome of the event headache was recovered on unspecified date in Feb2021; while dermatomyositis rash flare up was recovering.
1081741	3/8/2021	FL	83	M	2/9/2021	2/9/2021	Lost all my vision; A spontaneous report was received from a consumer who was an 83-year-old male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced lost all my vision (blindness). The patient's medical history, as provided by the reporter, included an eye transplant 9 or 10 years ago. Concomitant medication included acetylsalicylic acid, metformin, tamsulosin, ropinirole, Ramipril, and gabapentin. On 09 Feb 2021 at 10:00 AM, prior to the onset of the symptoms, the patient received the first of two planned doses of mRNA-1273 (Lot number: 031M20A) intramuscularly for prophylaxis of COVID-19 infection. On 09 FEB 2021, at exactly 10:00 PM, the patient "lost all my vision." He stated he had an adverse reaction to his first injection and said "my first shot messed up my vision." By 5 am, his vision was perfect. No treatment medication was reported. Action taken with mRNA-1273 in response to the event was unknown. The event of lost all my vision was considered resolved on 10 Feb 2021.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1081620	3/8/2021	WI	42	F	3/5/2021	3/5/2021	Client has a previous history of severe allergic reactions and carries an epi pen. At 1148 am, she reported her vision was changing and her voice was changing. She could feel her throat closing. 0.3ml of epinephrine given in the left deltoid at 1150 am. Within 2 minutes, her voice returned and she felt relief of the throat closing symptoms. Vital signs improved over 30 minutes. Took 50 mg of benadryl orally. She left the vaccine clinic with her epi pen in her purse with instructions to call her provider. We had a retired physician and two registered nurses at the clinic during this time.
1082146	3/8/2021	IN	61	F	2/27/2021	2/28/2021	Had double vision for about two hours. Took my blood pressure and it was normal. Did not call my doctor. Rested for 2 hours and it went away
1080412	3/8/2021	NY	25	F	2/26/2021	2/27/2021	-pounding headache lasting 8 days -swelling of the face, eyes, neck, and lymph-nodes in neck for 9+ days (ongoing) -Swelling of the armpit and pain in the lymph-node under the armpit for 5 days
1080720	3/8/2021		65	F	2/16/2021	2/16/2021	swollen eyelids within 35-45 minutes of shot, normal next morning. no swelling at shot site, slight arm soreness overnight.
1080717	3/8/2021	TX	62	F	3/2/2021	3/2/2021	Eyes swollen, mostly right eye, but also left eye. Taking Benadryl every 4 hours plus other allergy medicines and asthma medicines to combat allergic reaction. As of 3/8/2021 the left eye is still almost swollen shut - going to doctor office for further treatment options
1080687	3/8/2021	OH	49	F	1/29/2021	3/8/2021	Morning after receiving vaccine, awoke with severe malaise, fatigue, aches and fever of 101. These symptoms continued and worsened throughout the day and at 5:30 PM fever shot up to 104.7, at that time I took 600mg of ibuprofen, then 30 minutes later began to feel face and eyelids burning, fever now 106.4. I undressed and used cool clothes in armpits and fever began to come down gradually. The following day had temp of 100.-100.4 all day, and other symptoms had subsided. Then on 3/9/21 began to have right leg pain that 5 days later when rash appeared was diagnosed as shingles. I had never had an outbreak of shingles before.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1080677	3/8/2021	UT	27	F	3/5/2021	3/7/2021	First day: chills, headaches, muscle aches, joint aches, second day: itchy rash on hands, feet, and breasts, itchy eyes and nose, sneezing
1080645	3/8/2021	MO	75	F	3/4/2021	3/4/2021	pt stated that about an hour after she got the covid vax she started get a sore arm and head ache. She had pain that moved from the sight of the injection down to her elbow. She has swelling and knots in her muscles down her arm and it is warm to the touch. The next day she developed flu like symptoms with bad chills without fever and eye pain. She has fatigue, brain fog, joint and muscle pain. She had SOB and was nauseated. On 3/7/2021 the chills were better but her eyes and head still just. She still had SOB and developed acid reflux. She said the pain and swelling of the arm is getting better today, 3/8/2021 but she has an irregular heart beat, dizziness, brain fog, SOB and headache. States she thinks her symptoms are starting to get better. Pt is going to contact her PCP regarding her symptoms and about getting her 2nd dose.
1080630	3/8/2021	NJ	35	F	3/1/2021	3/5/2021	30 min after the vaccine shot, my left hand was tingly and went numb. my hand returned to normal 10 minutes later. After receiving the vaccine on 3/1 5P, i woke up on 3/5 to a swollen left upper eye lid. It is now 3/8 10 am and it is still swollen. I have medicated eye drops that i am using but its not going down as fast as it should. My eye is not red and there is no discharge. my eyelid is just swollen.
1080372	3/8/2021	MA	42	F	2/7/2021	2/7/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Medium, Systemic: Tingling (specify: facial area, extremities)-Medium, Systemic: Vomiting-Severe, Additional Details: Approximately 5 minutes after administration of moderna vaccine, pt reported feeling hot to observer. RN came out to check pt and pt then rolled eyes to left and back and passed out in chair. RN helped pt to sit upright in chair as was about to fall off chair. After 10 seconds patient able to talk with patient. She stated she still felt tingling in arms but cooling down. Had additional tingling/warm and vomitting episode. Paramedics called. Pt refused transport, parent going to drive to ER.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1080523	3/8/2021	MN	79	F	2/12/2021	2/17/2021	Patient developed redness and discomfort in her right eye a few days after the vaccine and within a week had lost all vision in the eye from an aggressive infectious versus inflammatory response. She was cultured for infection and everything came back negative. She was treated initially with antibiotics and anti-viral medication and did not start to improve until was started on frequent topical and oral steroids. She has still lost most of her vision but the inflammation is improving within the anterior chamber but her cornea is still opacified. She has a history of shingles that affected this eye but it had been quiet and she does not seem to be responding to anti viral medication.
1080789	3/8/2021	VA	36	F	3/7/2021	3/7/2021	patient received vaccination around noon and approximately 8-10 hours later developed swollen eyes, lip and tongue numbness, intermittent blurry eyes, nausea. She has taken Benadryl, Singulair, Zyrtec without relief of symptoms. No difficulty breathing.
1080410	3/8/2021	MD	29	F	3/5/2021	3/5/2021	I received my shot at 3:30 pm on Friday 3/5/21. Around 9 pm I started experiencing extreme body aches all over that felt like my body was "fighting" against itself. I also experienced chills. I had a hard time sleeping from the pain. The next morning a headache started and progressed into a migraine. I could not get up or open my eyes from how bad the migraine was. I took extra strength Tylenol for the pain with little relief. On Saturday evening the symptoms started to get better and turned more into a headache. I still had the headache on Sunday but it was better after taking the Tylenol. On Monday my arm is now sore (it wasn't sore prior).
1080382	3/8/2021	MA	19	F	3/7/2021	3/7/2021	Systemic: Fainting / Unresponsive-Mild, Systemic: Visual Changes/Disturbances-Mild, Additional Details: Patient fainted from seated position. Hit left side of head from this distance. Patient regained consciousness within a few moments and legs were elevated while laying on back. Reported vision tunneling occurred before fainting (once she came to). Patient was pale but regained color 15+ minutes later. Patient answered all questions 2 paramedic crews had/checked her BP/O2 sats etc. Declined hospital and signed off with father present who was called in. Father drove her home.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1080286	3/8/2021	CA	17	F	3/7/2021	3/7/2021	Flushing, sweating, anxious, tingling in ears, nausea, blurry vision. Vitals within normal limits. Patient stabilized.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1080156	3/8/2021	FL		F	1/27/2021	1/27/2021	atrial fibrillation episodes; can't walk very well (limping) due to stiffness; unable to move her hands; muscles are stiff; ongoing watery diarrhea; terrible arthritis throughout her whole body; swollen armpit with a growth; sore left arm; headaches; A spontaneous report was received from a consumer who was a 73-year-old, female patient who received Moderna's covid-19 vaccine (mRNA-1273) and experienced sore left arm (vaccination site pain), headache, terrible arthritis throughout her whole body (arthralgia), unable to move her hands, muscles are stiff, ongoing watery diarrhea, a swollen armpit with a growth (vaccination site lymphadenopathy), she can't walk very well (limping) due to stiffness and atrial fibrillation episodes. The patient's medical history includes cancer of the bowels five years ago, heart problems and arthritis. Concomitant medications reported as amlodipine besylate (2.5 mg daily), rivaroxaban (20 mg daily), Preservision, organic whole food multi-vitamins, and marijuana. On 27-JAN-2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (lot/batch: 007M20A) intramuscularly in the left arm for prophylaxis of Covid-19 infection. On 27-JAN-2021, the patient reported that her left arm was sore and that she had headaches that started six hours after the injection and lasted for seven or eight days. Additionally, the patient reported several other symptoms for which the start date was unknown including arthritis throughout her entire body, the inability to move her hands, stiff muscles, watery diarrhea and a swollen armpit with a growth. She also reported that she was limping due to stiffness and was having atrial fibrillation episodes. No additional data regarding the atrial fibrillation episodes was provided. Laboratory details were not provided. Treatment for the events included paracetamol and naproxen. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the event, headaches, was considered recovered/resolved. The outcomes of the events, sore left arm (vaccination site pain), terrible arthritis throughout her whole body (arthralgia), unable to move her hands, muscles are stiff, ongoing watery diarrhea, a swollen armpit with a growth (vaccination site lymphadenopathy), she can't walk very well (limping) due to stiffness and atrial fibrillation episodes, were considered unknown.; Reporter's Comments: This case

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1082546	3/8/2021	TX	49	M			<p>concerns a 73 Y/O F with serious unexpected atrial fibrillation and NS unexpected diarrhea, muscular weakness, gait disturbance, musculoskeletal stiffness and NS expected arthralgia, vaccination site pain, vaccination site lymphadenopathy, headache. Event onset the same day as first dose mRNA-1273. Outcomes unknown. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.</p> <p>At about 4:00 or 4:30, I broke out in hives on my arms, inner thighs - legs, back, stomach - I called my health care provider and she had me take a Benadryl, on Sunday these were going away. At 5:00 pm, I got out of work, I went straight home because I felt so weak and my eyes got watery (didn't go to work out afterward) and I got the chills and my bones started to hurt, I went to bed and slept all - my bones were in horrific pain - especially in my back. Saturday morning, I felt the same -I took OTC med for the pain - no fever; body aches, watery eyes and I was very weak. I drank orange juice and I took some Zinc; vitamin C - and I hurt all that day - bones still achy but not quite as much. Sunday morning, I wasn't normal but better and by Sunday noon I was better; not weak anymore. On a scale from one to 10, I felt like a ten when it was bad. My injection site was sore for a good four days. I took it on a Friday but Tuesday the arm was good to go.</p>
1082300	3/8/2021	IL	64	F	3/3/2021	3/6/2021	Red, very itchy, swollen eyelids 3 days after receiving the vaccine. Right eyelid was worse than left eyelid.
1080536	3/8/2021	TN	63	F	3/6/2021	3/7/2021	Hot, flushed face and ?stuffy? nose within 20 minutes of vaccine. Abated within two hours. Extreme fatigue within 7 hours of vaccine. Woke up next day with burst blood vessels in R eye.
1081019	3/8/2021	PA	58	F	3/4/2021	3/5/2021	swollen and irritated lips and eyes, started 24 hours after vaccine 3/5, took over the counter Benadryl and called my primary care's office on Monday 3/8

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1081184	3/8/2021	NY	60	F	3/6/2021	3/7/2021	The very next day I woke up with itchy eyes, as if something was inside, but then progressed during the day to both eyes very red and itchy. I woke up better the next day. (today) A swollen spot about 2.5" x 3" on top of my feet. Skin was darker and hurt. Next day (today) a bit better but still there. I did not have any injury. Sore where the shot was given.
1081182	3/8/2021	OH	64	F	2/15/2021	2/21/2021	On 2/15 At 9-10pm she noticed her entire body shaking as if she was having a seizure?. She states this lasted for about 10 seconds. No report of previous seizure disorder. No incontinence, shaking stopped. On Friday night Feb 19th, she noted itching in her left eye, eye was swollen, almost shut and then the right eye also became swollen almost shut. Face was very puffy. She then placed cold compress on eyes and took Benadryl. Second dose was not administered today 03/08.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1081166	3/8/2021	KS	97	F	2/26/2021	2/26/2021	<p>Pt called to follow up on covid-19 vaccine done on 02/26/21. Denies any reoccurrence of lightheaded. Felt fine at home and over the weekend. He has chronic itching, not new after vaccine. Plans to call his pcp today to get scheduled to manage this further. Denies any further questions or concerns. Pt is appreciative of phone call. a 97 y.o. male who was seen at Clinic today for his first dose of the COVID 19 vaccination. He was given the Pfizer vaccination in the left deltoid muscle. During his 15 minute waiting period after the injection, the patient began to experience lightheadedness. He denied rash, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and he was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , chest pain, hypotension, rapid progression of symptoms, respiratory distress and vomiting. PMH includes htn and DM (diet controlled). Reports he ate breakfast around 7 am today. He had cheerios, cantaloupe, and coffee. He arrives to the bay using his own motorized wheelchair.</p> <p>ALLERGY REVIEW OF SYSTEMS: Patient denies chills, malaise/fatigue, facial swelling, itching in ears, sore throat, frequent throat clearing, eyes itching, cough, chest tightness, shortness of breath, wheezing, rash, hives, eczema, itching of skin, vomiting, abdominal pain, muscle aches, joint pain, dizziness and headaches</p> <p>Negative for nausea: + lightheaded.: Previous Reactions: none Objective Vitals Vitals: 02/26/21 1131 02/26/21 1138 02/26/21 1155 BP: (!) 175/79 (!) 144/82 132/80 BP Location: Right arm Pulse: 89 64 SpO2: 98% Physical Exam Constitutional:</p> <p>General: He is not in acute distress. Appearance: Normal appearance. He is well-developed. He is not ill-appearing, toxic-appearing or diaphoretic. HENT:</p> <p>Mouth/Throat: Mouth: Mucous membranes are moist. Eyes: General: Right eye: No discharge. Left eye: No discharge. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Neck: Thyroid: No thyromegaly.</p> <p>Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Musculoskeletal: Right lower leg: No edema. Left lower leg: No edema. Skin: General: Skin is warm and dry. Capillary Refill: Capillary refill takes less than 2 seconds. Neurological: Mental Status: He is alert and oriented to person, place, and time. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: water and snacks Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Systemic reaction (hypoglycemia, hypotension, generalized rash) Great response to eating and drinking. Symptoms resolved. Pt monitored for total of 30 minutes. He feels well to go home. Wife with him. He was able to operate his electric wheelchair out accompanied by his wife. Follow up with pcp as needed.</p>
1081124	3/8/2021	PA	52	F	2/12/2021	3/2/2021	<p>Skin irritation circling around the back of my neck from ear to ear , inclusive of top of neck down to the top of my shoulder. Post-nasal drip with swollen eyes.</p>



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1081118	3/8/2021	KS	74	F	2/26/2021	2/26/2021	<p>Progress Notes APRN (Nurse Practitioner) ? ? Family Medicine Cosigned by: MD at 2/28/2021 7:38 AM Expand AllCollapse All COVID VACCINE CLINIC 2/26/2021</p> <p>Patient: Date: 2/26/2021</p> <p>MRN: 10046638 Subjective Patient is a 74 y.o. female who was seen at COVID Vaccine Clinic today for her second dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience difficulty breathing and heart racing. She denied rash, hives, welts, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , chest pain, collapse, hypotension, rapid progression of symptoms and respiratory distress. PMH includes parkinson and items below. No hx of DM. Past Medical History: Diagnosis Date ? Depression ? GERD (gastroesophageal reflux disease) ? Hyperlipidemia ? Hypothyroidism ? Osteoarthritis ? Pain, chronic ? Unspecified cataract ALLERGY REVIEW OF SYSTEMS: Patient complains of shortness of breath (and feeling palpitations. ) Patient denies chills, fever, malaise/fatigue, sore throat, frequent throat clearing, eyes watering, eyes itching, puffy eyes, eye redness, cough, chest tightness, wheezing, muscle aches, dizziness and headaches Previous Reactions: none Objective Vitals Vitals: 02/26/21 0304 02/26/21 1457 BP: 123/72 123/62 Pulse: 76 73 Resp: 16 SpO2: 97% 97% Physical Exam Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not ill-appearing, toxic-appearing or diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Neck: Thyroid: No thyromegaly. Cardiovascular:</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							<p>Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Musculoskeletal: Cervical back: Neck supple. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Gait: Gait abnormal (walks with cane and uses seated walker). Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. 0305 pm: pt walked around in bay with her cane. She was able to ambulate w/o difficulty. Reports slight lightheadedness but states this occurs with her intermittently /chronically. Nothing worse. Pt given snack after return to bed for further observation. She had water given to her earlier prior to ambulation. Assessment/Plan Treatment included: water and snacks Follow up response to treatment: good. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Red flag symptoms (CP, SOB, NVD, Visual/Neuro concerns) Monitored in bay for approx 40 minutes. She reports great improvement after snack. She feels well. Suspect stress response to vaccine. No dizziness, lightheaded or palpitations/sob with ambulation. She would like to go home. Husband is with her today and is able to be with her. She left in her seated walker, pushed by husband. Accompanied out by staff member. Follow up with pcp if not improving. Discussed reasons for ED visit. APRN Electronically Signed 2/26/2021 3:11 PM</p>
1081109	3/8/2021	CT	50	F	3/6/2021	3/6/2021	<p>Started with chills. I was freezing for almost three hours. I could not get warm-with tons of blankets, heater, heat cranked up. Then I was seating. I had a fever and am still fighting this fever. It was at 103 on Sat. It was 101 this morning. I feel fluish-body aches, headache, eye sockets hurt, exhausted. On sat, after the chills, my legs hurt and felt like they were 100 pounds.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1080745	3/8/2021	NM	71	F	1/29/2021	3/3/2021	Four days after first dose, experienced inflammation of Left eye with pain and redness. Sought care at urgent care setting. Treated with artificial tears and erythromycin ophthalmic ointment. Symptoms subsided after 1 week. Three days after second dose, experienced same symptoms, but more intense. Sought care at ophthalmologist's office. Diagnosed with corneal abrasion. Treated with artificial tears and erythromycin ophthalmic ointment. Symptoms resolving 10 days after vaccine. Sibling experienced same symptoms after vaccine administration. Dx with corneal abrasion by ophthalmologist.
1081063	3/8/2021	CT	66	F	3/3/2021	3/7/2021	Pfizer shot on Sunday am - my father noticed my mother c/o not feeling well and unable to explain why she didn't feel well. She woke up feeling well and then quickly became disoriented and vomited. She was then unable to walk or communicate appropriately. Emergency services was called and she was transported to Emergency room. She was diagnosed with a posterior brain CVA and was treated with tpa and now remains hospitalized in the ICU with expressive aphasia and vision loss.
1080750	3/8/2021	IL	60	F	2/13/2021	2/13/2021	Since the week after the first Pfizer vaccine, I began struggling with symptoms of diabetes. I experienced extreme thirst, frequent urination and I lost 17 pounds in the 3 weeks following the first dose. I never associated it with the vaccine, initially, because I never heard of any side effects like increased glucose, and my dad and sister have type 2 diabetes, so I was altering my diet, but the symptoms did not subside. I proceeded to get the second vaccine and that's when I knew something was seriously wrong. That afternoon my blood sugar was 528, my vision was blurred, and I experienced a strange feeling in my heart. I was diagnosed by my GP with diabetes, and put on medication (Metformin and Glipizide). I proceeded to see an endocrinologist, I was put on insulin and after additional blood tests was diagnosed with Latent Autoimmune Diabetes , and Premature Atrial Complexes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1080983	3/8/2021	CA	44	M	1/15/2021	1/22/2021	1 week following my vaccine I (1/21/21) started experiencing a clogged sensation in my right ear. My symptoms have continued to escalate. I have suffered from hearing loss, consistent dizziness/off balance, and blurred vision.
1080964	3/8/2021	CT	61	F	3/7/2021	3/8/2021	Received vaccine 6pm. By 5AM next morning, conjunctivitis in both eyes. No other COVID-19 symptoms or side effects from the vaccine

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1080955	3/8/2021	KS	88	F	2/26/2021	2/26/2021	<p>Progress Notes APRN (Nurse Practitioner) ? ? Family Medicine Pt called to follow up on covid-19 vaccine done on 02/26/21. She states she did develop chills, fatigue and blood pressure was up and down (from baseline, "not of any concern"). Slight elevation of temp, under 100 F. This was on Friday. Then over the weekend, she slept a lot. Today she feels well and "ready to get dose #2". Denies any further questions or concerns. Pt is appreciative of phone call. APRN Progress Notes APRN (Nurse Practitioner) ? ? Family Medicine Cosigned by: MD at 2/28/2021 7:37 AM Expand AllCollapse All COVID VACCINE CLINIC 2/26/2021</p> <p>Patient: DOB: Date: 2/26/2021</p> <p>MRN: Subjective Patient is a 88 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience headache. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling, tongue swelling and weakness face, arms/legs. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , chest pain and rapid progression of symptoms. PMH: Past Medical History: Diagnosis Date ? Allergy year round ? Cardiac pacemaker in situ 10/26/2017 ? Chronic kidney disease, stage III (moderate) (HCC) 7/17/2020 ? Coronary artery disease ? Diverticulosis ? Esophageal reflux ? Esophageal stricture ? Hearing loss ? Hiatal hernia ? Hypothyroid ? Osteoarthritis ? Palpitations ? Perennial allergic rhinitis 5/22/2017 ? Postablative ovarian failure ? Proteinuria Hypertensive ? Rheumatic fever ? Rotator cuff tear, left Nonsurgical treatment ? Sciatica ? Skin cancer nose X2 ? Unspecified cataract removed ? Unspecified essential hypertension ALLERGY REVIEW OF SYSTEMS: Patient complains of headaches Patient denies chills, fever, malaise/fatigue, facial swelling, ear pain, sinus</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

pain, sinus pressure, frequent throat clearing, eyes itching, puffy eyes, eye redness, cough, chest tightness, shortness of breath, wheezing, rash, hives, eczema, itching of skin, abdominal pain, muscle aches and dizziness Denies vision changes. L eyelid with droop. Chronic. Unchanged. : Previous Reactions: none  
 Objective Vitals Vitals: 02/26/21 1408 02/26/21 1414 BP: (!) 156/66 (!) 145/56 Patient Position: Sitting Pulse: 60 SpO2: 99% Physical Exam Vitals and nursing note reviewed. Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not ill-appearing, toxic-appearing or diaphoretic. Eyes: Comments: Slight drooping of L eyelid, chronic, unchanged per pt and pt's granddaughter, Otherwise no facial drooping or asymmetry. Neck: Thyroid: No thyromegaly. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Musculoskeletal: Cervical back: Neck supple. Skin: General: Skin is warm and dry. Capillary Refill: Capillary refill takes less than 2 seconds. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Gait: Gait (walks with steady gait. ) normal. Psychiatric: Mood and Affect: Mood normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: water Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Red flag symptoms (CP, SOB, NVD, Visual/Neuro concerns) Pt monitored for approx 30 minutes. She has improvement of bp on observation along with headache has subsided. She is encouraged to monitor her bp at home and follow up with pcp if bp stays above 140/90. Granddaughter had requested pt to be evaluated. She is appreciative of this evaluation. APRN Electronically Signed 2/26/2021 2:47 PM

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1080926	3/8/2021	CA	69	M	3/6/2021	3/7/2021	1 day after receiving vaccine, patient developed progressively worsening periorbital ecchymosis and edema leading to almost swelling shut of eyes. conjunctivitis bilaterally. bilateral epistaxis. no known trauma. Outcome is ongoing. patient currently in ER
1080901	3/8/2021	MD	69	M	2/23/2021	2/23/2021	Chills beginning 4 hours after 2nd dose. Extreme swelling in right lymph node in neck. Severe rash up neck, over the right ear, across right cheek, around right eye and across right side of nose. Our family doctor examined patient on Thursday, 2/25 and said it would get better on it's own. It continued to worsen and he was very ill with vomiting, low grade fever and chills. On Monday 3/1 he went to the ER was put on Kefflex antibiotics. The diagnosis was cellulitis. After 7 days of treatment he is much better, the rash has dried up and only red scabs are left to heal.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1080859	3/8/2021	KS	69	F	3/2/2021	3/2/2021	<p>Progress Notes APRN (Nurse Practitioner) ? ? Family Medicine Cosigned by: MD at 3/4/2021 8:28 AM Expand AllCollapse All COVID VACCINE CLINIC 3/2/2021 Patient:</p> <p>Date: 3/2/2021 MRN: 10238282 Subjective patient is a 69 y.o. female who was seen at a COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience lightheadedness and dry eyes. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality and rapid progression of symptoms. PMH includes diabetes (metformin), hyponatremia (chronic) and htn (metoprolol and losartan.) She last ate this am around 9:30. 1/2 granola bar. BG was 122 at home before coming in. ALLERGY REVIEW OF SYSTEMS: Patient denies chills, malaise/fatigue, sore throat, frequent throat clearing, eyes watering, eyes itching, puffy eyes, eye redness, cough, chest tightness, shortness of breath, wheezing, hives, eczema, cysts, itching of skin, abdominal pain, muscle aches, joint pain, dizziness and headaches + dry eyes: + lightheaded: Previous Reactions: none Objective Vitals Vitals: 03/02/21 1110 03/02/21 1117 03/02/21 1130 BP: (!) 175/93 (!) 154/98 (!) 159/75 Pulse: 65 68 79 Resp: 18 16 14 SpO2: 100% 99% 100% Physical Exam Vitals and nursing note reviewed. Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not ill-appearing, toxic-appearing or diaphoretic. HENT: Mouth/Throat: Pharynx: Oropharynx is clear. Eyes: General: Right eye: No discharge. Left eye: No discharge. Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort:</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Gait: Gait normal. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: water and snacks Follow up response to treatment: good. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) and Systemic reaction (hypoglycemia, hypotension, generalized rash) Monitored/observed for 25 minutes. Pt reports improvement in overall symptoms. She feels good to go home. Pt has husband with her today and he will be driving. Pt encouraged to monitor her blood pressure. Follow up with pcp if noted to be persistently elevated. Anxiety/stress response suspected causing elevation of bp.</p>
1081190	3/8/2021	FL	71	F	2/1/2021	2/25/2021	<p>I woke up in the morning with swollen jaw and eye on left side of face. Went to the ER. they looked at it and said it was Bell's Palsey. They gave me prescriptions. I filled the Prednisone and took one pill a day for 7 days. Also ordered Acyclovir but I didn't finish it because too many side effects hitting me from pills. I am out of Prednisone and my face is still swollen. Bell's Palsey still here and active- 10 days later.</p>
1081093	3/8/2021	MI	18	M	3/4/2021	3/6/2021	<p>Saturday morning after vaccine was administered: Tennis ball size oblong lump noted between eyebrows at middle of forehead. Felt "funny", cheeks flushed, no apparent fever (not hot to touch). Lump itself was not red, painful or itchy. it was definitely "noticeable". Headache on the day he received vaccine, but no other reports of headache following. Tends to be anxious and has a history of "passing out" when leaving a dentist's office in the past.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1083139	3/8/2021	OH	36	F	2/20/2021	2/28/2021	On 2/28/20 I woke up with balance problems made worse with eyes closed or when moving my head. These balance issues are slowly improving but remain ever present. I am also experiencing some cognitive issues including word finding problems, difficulty processing verbal information, and general brain fog. I've had an increase in fatigue as well. The same weekend the balance issues began I had some visual disturbances as well.
1083054	3/8/2021	NY	82	M	2/23/2021	2/28/2021	Day 5: upset stomach and blurry vision Day 6: Brian fog Day 7: flu like symptoms and slept or 12 hours
1083206	3/8/2021	CA	24	F	2/7/2021	2/10/2021	Side effects were late onset. Had chills, fever for 7 days and severe vertigo and dizziness. Also had lip blistering, purple lips, dryness. Had vision problems where everything felt blurry and there were black spots in line of sight. Also had numbness in face, arms and legs/feet and tingling sensation.
1083201	3/8/2021	IN	33	F	3/2/2021	3/2/2021	Sudden fatigue beginning around 5:30pm on 3/2/2021, then chills (hot & cold) beginning around 7pm- until 10:30am, waking every hour throughout the night, one bout of dizziness with vision beginning to black out while standing/walking around 11pm (not directly after standing from a laying position),
1083200	3/8/2021	WI	75	M	3/8/2021	3/8/2021	patient waited the 15 minutes sitting on a chair. He got up to make a second appt and passed out when he was being helped. He fell and there was a loud thump. When I ran out he was laying on his back and his eyes were open and looked glazed over. He started talking as soon as I addressed him. We called 911 because I was concerned of a head injury. We elevated his feet and had him wait until help came. He was able to get up and walk out with the policeman and had the paramedics look at him. I don't believe he went with them to the hospital.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1083195	3/8/2021		35	F	2/17/2021	2/17/2021	<p>o Complaint The patient is a 35 year(s) old Female complaining of allergic reaction, reactive to COVID vaccine. o Chief Complaint Quote Per triage note: Patient states she received her first COVID vaccine injection and started to feel pain/tingling down right arm/face and neck. Patient was given one IM epi at site. Patient states she now feels jittery only. o Time Seen 02-17-2021 13:54 o Historian patient o Objective Statement 35-year-old female presents the emergency department for an allergic reaction. Patient received her first dose of the Covid vaccination in her right deltoid and shortly after receiving the vaccination she began having tingling in the right arm extending down the right hand and up to the right neck and face. She was given epinephrine and sent to the emergency department. On arrival to the emergency department, she says the tingling in her arm has improved but she now feels "jittery ". She denies any headache, visual change, throat tightness, chest pain, difficulty breathing, abdominal pain, nausea, vomiting, rash. Says she had an anaphylactic reaction to bee stings in the past and is also allergic to Motrin. Review of Systems Constitutional: Negative for chills, diaphoresis and fever. HENT: Negative for congestion, facial swelling and rhinorrhea. Eyes: Negative for discharge and visual disturbance. Respiratory: Negative for cough, chest tightness and shortness of breath. Cardiovascular: Negative for chest pain and leg swelling. Gastrointestinal: Negative for abdominal pain, diarrhea, blood in stool and vomiting. Endocrine: Negative for cold intolerance and polydipsia. Genitourinary: Negative for difficulty urinating, dysuria and hematuria. Musculoskeletal: Negative for arthralgias, joint swelling and myalgias. Skin: Negative for rash. Neurological: Negative for speech difficulty, numbness and headaches. Physical Exam Nursing notes and vital signs reviewed. GENERAL: No distress HEAD: normocephalic, atraumatic EENT: PERRL, EOMI. Conjunctivae normal color, sclerae non-icteric; moist mucous membranes. NECK: Supple, non-tender; no meningismus LUNGS: Lungs CTA, breathing even and unlabored. Normal air movement. HEART: Regular rate and rhythm, no murmur CHEST: No deformity; non-tender ABDOMEN: The abdomen is soft, and non-tender, no masses or bruits. EXTREM: Normal ROM; no deformity, no calf tenderness. Normal pulses palpable in</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							all extremities. There is no pedal edema. SKIN: No rash; no diaphoresis NEURO: Alert; normal speech and cognition; CN's grossly intact; strength grossly intact without focal deficit. BACK: No CVA TTP. o ED Course 1620: Repeat evaluation, patient resting comfortably in the room. Her vital signs remained stable. She was given steroids, Pepcid and Benadryl and has been monitored in the ED with no incident. She having any numbness or tingling in her right arm. She is still not having any shortness of breath or throat tightening. We will discharge the patient home. Patient will be given a prescription for an EpiPen. Did tell the patient to follow-up with primary care physician to discuss whether or not she should receive the second dose. Patient given warnings indications to return the ED. Patient understands and agrees the plan.
1083191	3/8/2021		49	F	2/11/2021	2/11/2021	Pt. reported feeling lightheaded and dizzy, Headache and blurry vision when trying to text within 10 minutes of getting dose of vaccine. Patient was transported to ED. HA and blurred vision resolved. Given toradol and zofran. Discharged stable.
1083230	3/8/2021	MO	74	F	2/25/2021	3/6/2021	Swollen, red itchy arm at the visible injection site. itchy eyes and sinus drainage

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1083150	3/8/2021		41	F	2/17/2021	2/17/2021	<p>o Complaint The patient is a 41 year(s) old Female complaining of o Chief Complaint Quote Patient states she got her COVID vaccine today and rapidly started feeling SOB, dizzy and feeling tired. Per EMS, patient did receive one IM of Epi. o Time Seen 02-17-2021 11:49 o Historian patient o Objective Statement 41-year-old female brought to the emergency room by EMS for allergic reaction. Patient says just prior to arrival she received first dose of her Covid vaccination. She said she was waiting after she received her vaccination when she began to have difficulty breathing, lightheadedness and nausea. She was given a IM dose of epinephrine and sent to the emergency department for further evaluation. In the emergency department, she says difficulty breathing has improved. She said she is now having some chest pain. She says pain is across the anterior chest, pressure-like. She said she also feels nauseous. Headache, throat tightening, rash, pruritus, abdominal pain, vomiting, diarrhea, dysuria, paresthesias or focal weakness. She has never had an allergic reaction before. Review of Systems Constitutional: Negative for chills, diaphoresis and fever. HENT: Negative for congestion, facial swelling and rhinorrhea. Eyes: Negative for discharge and visual disturbance. Respiratory: Negative for cough. Positive for chest tightness and shortness of breath. Cardiovascular: Positive for chest pain. Negative for leg swelling. Gastrointestinal: Negative for abdominal pain, diarrhea, blood in stool and vomiting. Endocrine: Negative for cold intolerance and polydipsia. Genitourinary: Negative for difficulty urinating, dysuria and hematuria. Musculoskeletal: Negative for arthralgias, joint swelling and myalgias. Skin: Negative for rash. Neurological: Negative for speech difficulty, numbness and headaches. Physical Exam Nursing notes and vital signs reviewed. GENERAL: No distress HEAD: normocephalic, atraumatic EENT: PERRL, EOMI. Conjunctivae normal color, sclerae non-icteric; moist mucous membranes. There is no pharyngeal erythema or edema, uvula midline no stridor, patient handling secretions with no difficulty NECK: Supple, non-tender; no meningismus LUNGS: Patient in mild respiratory distress, tachypneic, lungs CTA. Normal air movement. HEART: Tachycardic with regular rhythm, no murmur CHEST: No deformity; non-tender ABDOMEN: The</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

abdomen is soft, and non-tender, no masses or bruits. EXTREM: Normal ROM; no deformity, no calf tenderness. Normal pulses palpable in all extremities. There is no pedal edema. SKIN: No rash; no diaphoresis. NEURO: Alert; normal speech and cognition; CN's grossly intact; strength grossly intact without focal deficit. BACK: No CVA TTP. o ED Course 1250: On reevaluation, patient resting comfortably in the room. She said she is feeling much better. She is no longer having any difficulty breathing. Chest pain has resolved. Her vital signs have normalized. She is no longer tachycardic. CBC shows a mild leukocytosis. CMP does show hypokalemia. On her EKG she does appear to have some U waves. EKG shows sinus tachycardia, no ischemic changes. Chest x-ray unremarkable. Potassium was repleted. On arrival, patient was given Benadryl, Solu-Medrol, Pepcid. She was given epinephrine at the vaccination site so no additional epinephrine was given here and at this point I do not feel she needs an additional dose. We will continue to monitor the patient in the ED. 1520: On reevaluation, patient is resting comfortably in the room. Her vital signs remained stable. She is not having any symptoms. No chest pain or shortness of breath. We will discharge the patient home. We will give her prescription for an EpiPen. Discussed warnings indications to return to ED. Told patient she should contact her primary care provider to discuss whether or not she should receive the second dose. Patient understands and agrees with the plan.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1083267	3/8/2021	AK	31	F	3/8/2021	3/8/2021	This patient reported she waited the recommended time after her injection and then left the facility. She stated as she got in to her car and began to drive away she felt her face become "numb and tingly" and returned to the facility right away. Upon entering the facility and reporting her concern, she was assisted to sit down in the side lobby area and VS assessed. She reported her face felt "numb and tingly." She denied any SOB or difficulty swallowing at that time. She reported her eyes "feel weird," but denied any vision changes. She also reported a scratchy throat and reported it sounded like she was "under water." At 1225 she reported her eyes to be "not that bad anymore." VS reassessed at 1230. She continued to report no SOB or other symptoms. At 1244 she reported her symptoms to be less or unchanged. Final assessed and this patient reported she felt good to go home. She was given Benadryl PO by pharmacy staff and denied any questions.
1083122	3/8/2021	CO	66	F	2/21/2021	2/22/2021	24 hours after the injection I started to flush on my face neck and ears. I itched all over especially my eyes and throat. I was very agitated and shaking. I took an allergy Med at 2 pm and again at 7pm. The 2 Nd dose calmed me enough to get to sleep around 11pm. I was very close to going to the ER. In the morning I had a stomach ache like I have experienced before with an allergic reaction. Cramping pain , it lasted all day there was no nausea. The 3 day a headache that seemed appropriate for the vaccine.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1083097	3/8/2021	AL	22	F	3/5/2021	3/6/2021	I received the vaccine at 4:30 PM and later that night, I had a headache and I felt very out of it. By the end of the day; however, I was feeling better. The next day, I woke up around 5 AM and my muscles were all tensing very strongly and I could not stop shaking. This went on for about 30 minutes, and then I stopped shaking and tensing so much, though my muscles still felt a bit tense. I can't really eat in the morning, so I drank two glasses of water over the course of a few hours and took 2 acetaminophen. I stayed in bed until around 10 AM. Then, I took a shower, but while taking it, I felt very lightheaded and my vision had some black spots, and I had to sit down several times. After I got out, I tried to eat something, but then I felt really nauseous and had acid reflux for at least 30 minutes. Afterwards, I drank a bit of water and went back to bed. My muscles started tensing and shaking again, though not quite as intensely as when I first woke up. I felt very cold, so I turned up the heat and put on warm clothes. I fell asleep for about 20 minutes around 12, and when I woke up I felt a little less nauseous and headache-y. I stayed in bed for an hour, and I ate some pudding over the course of an hour or two, but I thinking about eating much else made me feel nauseous. I fell asleep around 5:30 and woke up again around 7:30. I felt better after waking up, but still had a bit of a headache and my muscles were slightly tense. On Sunday and Monday (today) I felt about the same, physically tired but otherwise mostly ok.
1083084	3/8/2021	AL	49	F	3/6/2021	3/6/2021	Adverse reaction began 20 minutes of receiving injection. Began with a rash on throat and neck. Followed by swelling of throat, trouble breathing, O2 levels dropped, itching began, swelling in face, watery eyes, and other.
1083067	3/8/2021	AZ	55	F	3/2/2021	3/3/2021	Vertigo. Began around 11:00 am. Could not lay down of the world seemed to spin. Sometimes sitting up too. Husband said eyes were rapidly moving. Made me vomit. Stayed still as much as possible. No drugs, other than Acetaminophen taken. I went to bed at 8:30, propped up on 3 pillows. Woke up fine the next morning.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1083059	3/8/2021	CA	46	F	2/24/2021	2/24/2021	15 minutes after vaccination received, she says she had a sore throat but did not tell anyone at the vaccination site. Started feeling that left hand was burning. Then started getting nauseous 3.5 hrs later with upset stomach. Then had "burning" feeling in all her joints (migratory in pattern). Then headache. Then face numb on left side (never happened before, usually gets the numbness on the right side with her atypical migraines) - still numb 1 day later when she discussed with me. Could not sleep the night after getting the vaccine. - No new BEFAST symptoms (balance issues - usually has some imbalance issue, visual changes, facial asymmetry, arm/leg weakness, speech slurring or difficulty) All joint pains resolved 1 day later. Arm is sore 1 day later with left hand pain. Still nauseous 1 day later. Nausea resolved within 1 week.
1083058	3/8/2021	IN	70	F	3/3/2021	3/5/2021	Adverse events: Right side facial droop, onset of 3/5, worsened to the point of ED visit on 3/8. Patient reports numbness around her mouth, difficulty blinking her right eye, and noting right eyebrow droop when trying on some glasses. Treatment: Gave Rx for valacyclovir and prednisone to treat Bell's Palsy
1083180	3/8/2021		62	F	2/18/2021	2/25/2021	2/25/2021 OS became swollen to the point where she could not open her eye. It was swollen for two days. On 3/3/2021 OD became swollen. Pt seen at eye doctor 3/5/2021 who diagnosed eyelid edema of unknown cause and recommended hot compresses bid. Full resolution today 3/8/2021.
1083412	3/8/2021	TX	47	F	2/25/2021	3/8/2021	I have two yellowish green bruises under my eye sockets without trauma or injury.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1082318	3/8/2021	NJ	77	F	3/5/2021	3/5/2021	<p>IMMUNIZATION CLINIC NOTES: 77 y.o. female presented to Elementary School for second dose of COVID-19 vaccine. No known allergies. Patient reports history of hypertension, being treated with amlodipine. No history of asthma, COPD, use of inhaler for any conditions, or recent respiratory illness. Patient is a non-smoker. First dose of vaccine, Lot # 039K20A, administered on 2/6/2021 and patient reported no immediate symptoms during observation period after first dose. Second dose of vaccine, Lot# 013A21A, was administered on 3/5/2021 at 10:52AM to the left deltoid. Approximately 5 minutes after receiving second dose, patient reported feeling anxious and feeling like her blood pressure was increasing. Patient taken to EMS observation area. Patient observed by EMS. Nurse assessed patient at 11:23AM. Patient was alert and oriented x 4. Manual blood pressure was 196/86. Pulse, manually palpated, was 86 and strong. SpO2 99% on room air. Patient with flushing. No generalized hives. No itching. No swelling of face, lips, or eyes. Left deltoid injection site without erythema or swelling. Skin warm and dry. Lungs auscultated and inspiratory wheeze noted in all lung fields. No shortness of breath. No cough. No nasal congestion. No change in voice. No sensation of throat closing. No stridor. No dizziness or syncope. No GI symptoms. Patient experiencing skin and respiratory symptoms. RN was asked to assess patient's respiratory symptoms and also noted bilateral wheeze. Patient's symptoms post-vaccination involved more than one body system, skin and respiratory. Reviewed symptoms and standing order procedures with patient. Standing order for Medical Management of Vaccine Reactions in Adults in a Community Setting was followed. Patient was assisted to stretcher by EMS. 0.3mg epinephrine auto injector, Lot # G191202X Exp. 4/2021, was administered to the right outer thigh on 3/5/2021 at 11:39AM by RN. Patient was then transported by EMS to Medical Center. EMERGENCY DEPARTMENT COURSE AND TREATMENT NOTE: Patient's condition remained stable during Emergency Department evaluation. Decision made to obtain prior medical records. (+)Prior records reviewed. There is low suspicion for an allergic reaction given symptoms. Patient is well appearing with a normal exam. Plan to monitor. 03/05/2021 13:13 Patient remains well appearing will discharge home.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1082514	3/8/2021	IL	63	F	2/25/2021	2/27/2021	On the AM of 2/27 at 4 AM she woke up with eyes swollen shut. She describes this as it looked like she had been in a fight with no bruising, just very swollen. Since the weekend, she did not go to the MD, she just took Benadryl and iced with cold packs. Today on 3/8/21, she still feels that her eyes are still puffy. Does not interfere with her vision today. She states that by Monday on 3/1/21, swelling went down and she did not go to the MD.
1083819	3/8/2021	MN	29	F	3/8/2021	3/8/2021	At the time of injection, it was pretty painful and thus sent my body into a shock less than 5 mins after receiving my dose. My vision went white and I was very light-headed and hot/sweaty. A nurse came with me outside to monitor and I was feeling back to normal in 15 minutes. This is something that happens when I experience a high amount of pain, so just reporting for others who maybe have low blood pressure issues. At about 8pm, other side effects started to set in. I first experienced a headache, then experienced soreness/ache-y-ness in my back. Around 8:30, I started to feel light headed again and soon my whole body felt ache-y. I quickly developed chills where I felt so cold that I was uncontrollably shaking and felt very sore/stiff. I have been laying under a heated blanket for the last hour and a half and am finally feeling better with no more shaking or chills. I still have soreness throughout my body and a headache, but I took ibuprofen around 8:30pm.
1083553	3/8/2021	CA	40	F	3/8/2021	3/8/2021	Dizziness, blurry vision, took oral Tylenol. BPs 98/68 (pulse 58), 97/66 (pulse 59).
1083549	3/8/2021	LA	65	F	3/4/2021	3/4/2021	Bleeding and pain at injection site; Droopy left side of face, pain in upper left jaw, below left eye, upper left arm and left shoulder/neck; Transient headache and pain in left leg with ankle swelling.
1083492	3/8/2021	NY	29	M	3/6/2021	3/8/2021	developed redness on my face, surrounding my eyes (forehead, nose, cheeks). I assume it's from the vaccine because I hadn't had such a rash ever in the past.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1083211	3/8/2021	CA	40	M	3/5/2021	3/5/2021	04:01: pt received Moderna vaccine injection. 04:21 pm left eye slightly swollen. Pt did not report until 04:31pm. pt was told to wait so we can treat it but he refused. Pt states that he will take Benadryl at home. pt states that he gets this kind of allergic reaction constantly and he takes Benadryl. pt states that this allergy is mild. he has experienced worse swollen eye than this. pt advised to go to E.R if symptoms continues or worse. he was also told to follow up with pcp asap. pt signed a waiver and left. pt left at about 04:45 pm. no change in eye condition.
1083421	3/8/2021	NY	26	F	2/3/2021	2/27/2021	Classic symptoms of Bell's Palsy- noticed first in my eyes on 2/27 and then also in my mouth on 2/28. I was started on valtrex 500 mg TID and a steroid dose pack for 5 days. I am not in pain but full functionality of my eye and mouth have not returned yet as of 3/8/21
1083207	3/8/2021	MA	67	M	3/4/2021	3/4/2021	approximately 1 hour after injection the following : metallic taste, itchy eyes, nose, ears, then face. My face became bright red and also itchy. the metallic taste lasted about an hour. the redness 6 hours. The itchiness until the following morning approx. 15 hours
1083384	3/8/2021	IN	44	M	3/1/2021	3/2/2021	Arm and hand twitchy, extreme fatigue, double vision, mental confusion
1083350	3/8/2021	OR	71	M	3/6/2021	3/8/2021	PATIENT CAME INTO THE PHARMACY WITH A SEVERE SWOLLEN RIGHT EYE. VERY RED AND SWOLLEN
1083347	3/8/2021	IN	68	F	3/3/2021	3/3/2021	Evening of March 3rd, convulsive chills extreme fatigue, dizziness. Morning of March 4th, collapsed on bathroom floor after feeling nauseous. Very weak and very hard to push to standing position. Eye infection which I treated with hot compresses. I infection almost gone today March 8th. Teeth sensitivity, anxious and panicky, dizzy very tired, headache, swollen glands in neck, too dizzy to drive.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1083306	3/8/2021	IL	58	F	3/2/2021	3/2/2021	Right at 15 minutes as leaving the building incessant sneezing for 15 minutes, with strong sensation in right nostril, right eye turned bright red and was weepy. Lasted for 15 minutes. Nose ran non stop for 3 hours. Next day heart palpitations, HR up. Aware of pulse being elevated even at rest. Slowing returning to normal but tried to exercise and was nauseous after 20 min of exercise 5 days after vaccination. Normally ride for 60 minutes with no problem. Saw dr today. Will be seeing allergist soon. Will not take second vaccine.
1083304	3/8/2021	NY	35	F	3/6/2021	3/7/2021	Patient awoke morning after the vaccine with symptoms consistent with Bell's Palsy on right side of face: drooping mouth, drooping eyebrow, eye unable to close, no wrinkles on forehead.
1083299	3/8/2021	NM	47	F	3/5/2021	3/6/2021	Severe swelling around the T-Band (bridge of nose, eye lids, eye sockets) more severe on the right side began 36 hours after injection. Headaches, body aches, and chills began within 6 hours of injection. Went to Urgent Care 48 hours after injection and was prescribed Prednisone 20 MG - 1 tablet per day for 5 days.
1083434	3/8/2021	CA	48	F	2/10/2021	2/11/2021	EYE FLOATERS AND BLACK DOTES
1082386	3/8/2021	IL	79	F	3/3/2021	3/4/2021	Her Husband was unable to wake her the the next morning 03/04/21 0730 ,she would not respond to him , finally he was able to get her sitting up but she would never open her eyes or talk ,he took her to the hospital where she was admitted.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1082585	3/8/2021	ID	40	F	1/29/2021	1/29/2021	Lightheaded following COVID -19 vaccine. Injection at 12:15 pm Vital Signs: B/P: 142/82 HR: 71 Resp.: 16 O2Sat: 95% Skin Signs: Warm and dry Circulation: Cap refill <2sec Resp.: Breath Sounds Clear Bilaterally Treatment: Pt assisted to cot. Requested to remain in sitting position. C/O dizziness and vertigo with head movements. Denies nausea , No flushing, skin p/w/d. Repeat Assessment: 12:45 pm Vitals: B/P: 132/82 HR: 74 Resp.: 16 O2Sat: 98% Skin Signs: Warm and dry Circulation: Cap refill <2sec Respiratory: Breath sounds bilaterally Treatment: Remains in seated position- Offered fluids- refused. Repeat Assessment: 13:02 pm Vital Signs: B/P: 122/88 HR: 73 Resp.: 16 Skin signs: Warm and dry Circulation: Cap refill <2sec Resp.: Breath Sounds clear bilaterally Treatment: Lightheaded, states "easier to focus eyes." No syncope, No increased light or vertigo with movement of head. 13:20 pm Pt released via wheelchair to vehicle to home with a friend. ALOx3, skin p/w/d. No further c/o dizziness . F/U Call: 2/4/2021 Fine after returning home. Woke up in the middle of night fell in BR x2 (no head injury) sweating, fevers, syncope, weakness, vertigo "spinning" disoriented felt delirious with 2nd fall in BR. Extremely nauseated.
1082580	3/8/2021	CA	65	M	3/6/2021	3/7/2021	BLURRED VISION, PARTICULARLY FAR DISTANCE ON THE 7TH AND 8TH OF MARCH. Might be temporary, I will wait and see if the problem does not correct itself.
1082565	3/8/2021	TX	60	F	3/3/2021	3/3/2021	Tingling back of head. Numbness cheeks, upper lip, gums, nose. Loss of peripheral vision right eye. Taste like lidocaine in saliva. Fluid retention. Extreme thirst and lack of urine. Brown urine. Swelling tongue. Lacy red rash on abdomen and legs. Headache. Dry skin with itching forehead.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1082334	3/8/2021	IL	60	F	3/5/2021	3/5/2021	<p>No rxn to dose 1. Dose 2: @10 min had tingling of lips; at 12 min had tingling of tongue [and anxiety from the tingling]; @ 15 min had some SOB and knew this was not just anxiety. Had zero intention of being taken to ER as I could easily tx myself. Took inhalers, extra cetirizine. Did not take epi, though have several pens. @4 hour started feeling weak, severe arm pain. At 6 hours, unbearable arm pain, extreme weakness [did not take BP or pulse ox--though I can and wish I had]. Exceeding thirst, could not get water down fast enough. Reactivation of arachnoiditis symptoms. Started unusual muscle fasciculations in arms, leg, and face [face not normal for me]-took valium and baclofen. Next 36 hours unable to get out of bed other than to get water. Severe HA upon waking [@16 H post injection]. Severe myalgias, but in areas of known arachnoiditis that have been quiescent for quite some time. Forgot to mention, as I find this strange: prior to going to sleep I had left eye conjunctivitis. Left eye only that still is slightly persistent and doesn't require any care [for me at least] I am currently 72 hours post. Still with HA and some fatigue, though worked today [I WAH for a population health company]. L arm is not as painful as the excruciating pain @ hour 4-16, and no need for additional acetaminophen. I have an exceedingly high pain tolerance due to the arachnoiditis, but this was the first time I took a narcotic in 5 years. 2 .5 mg oxycodone x1, then 600 mg ibuprofen x1, then 1 gm acetaminophen 2 over next 24 hours and nothing since, but it is still quite painful today. Different today than yesterday is the development of what feels like left shoulder bursitis. We'll have to see how this goes over time. There is extensive edema at the site, but not clear erythema [I'm dark skinned]. Still just can't seem to get enough water. Had my first meal last night [made chicken soup]. It's still pretty early on. I'm not even at the 72 hour mark yet, so hopefully things will settle down over the next weeks. I checked the box as life threatening because that was likely early anaphylaxis -- though at first I seriously thought at first I was just anxious because of the lip tingling. This is in defense of the fact I did not self administer epi when I became SOB. I likely should have, but know myself well and did fine without it and with asthma and allergy care. I didn't need extra albuterol</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							after the first 24 hours [though writing this makes me feel SOB just from reliving it]. This second dose is a doozy. Hope this was helpful. I provided you guys with my cell but if you want to follow up, I use my phone for work so if you text first I cant tell you availability.
1083840	3/8/2021	CA	34	F	3/7/2021	3/8/2021	patient called at around 5:15pm on 3/8/21 reporting that she has developed swelling around her right eyes after 1:30pm today (3/8). She received the COVID-19 vaccine yesterday around 10:15am. Patient mentioned that she had some headache and injection site soreness and pain after receiving the vaccine, but was fine until today when the swelling appears. She reported no pain with her swollen eyes. Suggested patient to reach out to her PCP or see a doctor in the emergency room.
1082466	3/8/2021	IN	67	M	2/23/2021	2/24/2021	sore arm, lethargic, head, eyes, stomach hurt
1082593	3/8/2021	IL	63	F	2/25/2021	2/27/2021	On AM of 2/27/21 woke up at 4 AM with eyes swollen shut. So swollen looked as if she was in a fight without bruising. Since was a weekend, she took Benadryl and iced her eyes. By Monday they were better, she could go to work, but remained puffy. Feels they are still slightly puffy today.
1082397	3/8/2021	FL	76	F	2/16/2021	2/24/2021	pink eye used Similasan pink eye relief 90% cleared up as of this date



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1082544	3/8/2021		41	F	2/17/2021	2/18/2021	<p>o Complaint The patient is a 41 year(s) old Female complaining of allergic reaction, nausea. o Chief Complaint Quote Patient complained of allergic reaction that started about 45 mins ago. She got her 1st dose of Pfizer Covid vaccine yesterday morning. She complained of rash all over the body, swelling on the hands and face including eyes and lips. She denied chest pain, abdominal pain, fever, cough, vomiting and difficulty breathing. She complained of nausea that started 5 mins ago. She has not taken any meds yet for her symptoms. o Time Seen 02-18-2021 01:20 o Historian patient</p> <p>ADDITIONAL HPI: o Additional HPI Pt here with concerns of allergic reaction. Pt fell asleep on the couch approx 2200. She awoke 2 hours later with itching of her hands. Over the next hour she developed a full body rash, itching, and swelling of face. No wheezing, no difficulty swallowing. Upon arrival to ED pt started to feel nauseated. Pt had first dose of COVID vaccine approx 16 hours prior to onset of sx's. No h/o allergic reactions, no h/o asthma. Emergency Department Course and Clinical Decision Making: Patient presents with urticaria and swelling to her face eyes and lips. Shortly upon being roomed she started to feel very nauseated and started vomiting. No stridor or wheezing, no immediate airway compromise but given both cutaneous and GI symptoms, significant concern for anaphylaxis. Patient was immediately given epinephrine intramuscularly, 0.3 mg. An IV was placed and she was given Solu-Medrol, Benadryl, Pepcid, and Zofran. Patient's urticaria and swelling started to nearly immediately improved after the epinephrine. She is feeling much better though slightly anxious. To be reaction from the Pfizer vaccine, no other obvious triggers, patient has no history of allergic reactions or other sensitivities. We will observe in the emergency department in a monitored setting for several hours to assure no rebound symptoms, patient updated on plan. 0500 Pt has been resting. Urticaria resolved, swelling to face resolved. Discussed with pt reporting reaction to CDC, info provided. Also discussed the second dose of vaccine, recommended reaching out to Epi response team or PCP to get recommendations. Will give short course of prednisone, 4 days, Benadryl as needed, ED return precautions discussed, will dc home.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1082380	3/8/2021	FL	75	F	3/7/2021	3/8/2021	Approximately 24 hours after the 2nd dose of the Moderna vaccine, I experienced a visual aura that lasted about 15-20 minutes. It was a bright "C" shape of lights that twinkled in the left part of my vision. It grew with intensity and then disappeared.
1082372	3/8/2021	KS	57	M	2/9/2021	3/1/2021	Vaccinated 2-9-21 and on 3-1-21 presented at ER with numbness on right side of face and around right eye along with headache pain behind left ear. Presented 3-7-21 with left sided drooping and right side problems resolved.
1083045	3/8/2021	OK	36	F	2/20/2021	2/20/2021	My eyes, cheeks, and tongue swelled up about 45 minutes after getting vaccinated. I took Benadryl and Pepcid an hour before getting vaccinated to try to prevent an allergic reaction but my face still swelled. I took Benadryl and steroids for the next week to reduce the swelling.
1083221	3/8/2021	MS	59	F	2/24/2021	2/24/2021	Tingling arms and legs; dizziness. Blurred vision. Elevated blood pressure. Assessed by EMS. Transported to local ER by ambulance. Person answered phone and stated this was Security and there was no one there by the name noted above.. Telephone number confirmed. No other telephone number is available Will attempt to locate facility patient to which the patient was transported..
1082332	3/8/2021	TN	36	F	3/4/2021	3/7/2021	Double vision (specifically seeing multiple lines of text above and below each other) Extreme "brain fog", suddenly unable to remember words or how to spell them, difficulty doing work related tasks due to such ringing in ear
1082330	3/8/2021	MD	49	M	2/3/2021	2/13/2021	Central Retinal Vein occlusion, right eye
1082462	3/8/2021	CA	71	F	2/17/2021	2/17/2021	About 6 min after tongue,top of mouthnumb,repoeted Bendryl 25 given per mouth 6 min after tongue,top of mouth numb repoeted and Bendrly 25mg given by mouth later that day above L eyebrow pain, then over next few days up to now blue around eye now blue around eye r side DONE

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1082944	3/8/2021	AZ	52	M	1/24/2021	1/1/2021	Goosebumps tingly sensation in head; Blood pressure and palpitation/heart rate/heartbeat is getting higher and higher.; Blood pressure and palpitation/heart rate/heartbeat is getting higher and higher.; feeling weak; Heaviness in the head; Feeling anxiousness in the brain; Localized soreness and pain; This is a spontaneous report from a contactable consumer reported for himself. A 52-year-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 24Jan2021 18:00 (Lot number: EL9263) via unspecified route of administration in the left upper arm at SINGLE DOSE for COVID-19 Immunization. The patient's medical history included ongoing diabetes (Due to diabetes has low testosterone), High cholesterol both from 2005, Colitis ulcerative from 1999, Glaucoma from 2010, Enlarged prostate gland from 2018 and Chronic sinus infection, Acid reflux and GERD from an unknown date and unknown if ongoing. The concomitant medication included Janumet (Metformin hydrochloride/sitagliptin) ongoing for diabetes mellitus at (50/1000 one tablet twice daily), amoxil (amoxicillin) for low testosterone via topical route at 4 pumps, azelastine at two sprays twice a day for chronic sinus infection, crestor (rosuvastatin calcium) ongoing at 5 mg once a day blood cholesterol increased, tamsulosin ongoing at 0.4mg once a day for enlarged prostate gland, dexilant (dexlansoprazole) at 30 mg once a day for acid reflux and GERD, lialda (mesalazine) ongoing at 4.8 mg, once a day (1.2gram 4 tablets once a day) for colitis ulcerative, canasa (mesalazine) ongoing 1 g once a day (at night time) for colitis ulcerative, timolol ongoing at one drop both eyes at once a day for glaucoma, lumigan (bimatoprost) ongoing for at one drop both eyes once a day for glaucoma, melatonin ongoing at 5mg once a day for insomnia, zyrtec (cetirizine hydrochloride) ongoing at 10 mg (on of them) for insomnia, xanax (alprazolam) 1 mg at 1mg at night time and 1 mg as needed for generalized anxiety and blood pressure, 5-hydroxytryptophan ongoing at 100mg for anxiety, carvedilol ongoing at 25 mg, once a day (12.5mg in the morning 12.5 at night) for blood pressure measurement, valsartan ongoing at 160 mg, once a day (160mg one tablet once day in the morning) for blood pressure measurement, hydrochlorothiazide tablet ongoing at 12.5 mg, once a day for blood pressure measurement, Vitamin

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

E at 400 international units; one capsule once a day, ongoing ambozil for low testosterone, clonidine ongoing at 0.1 mg as needed for blood pressure measurement. History of all previous immunization with the Pfizer vaccine considered as suspect: None, this was the first dose. No other vaccine administered on the same date. The patient had no events prior vaccination within 4 weeks. In all his life. He had vaccines that received and had no adverse event or side effect whatsoever. He had had the regular flu vaccine early November. The patient experienced feeling anxiousness in the brain, Heaviness in the head, feeling weak in Feb2021, Localized soreness and pain in Jan2021, Goosebumps tingly sensation in head, Blood pressure and palpitation/heart rate/heartbeat is getting higher and higher on 04Feb2021. The patient could not take Benadryl as he cannot tolerate Benadryl. With Zytrec he does not have secondary effects like he does with Benadryl. The first week after getting the vaccine he only had kind of had localized soreness and pain in the area. He later clarified it was in the area where got the injection, vaccine. He just had pain soreness in that area. Other than that he had no side effects at that time. The third week, initially stated as, about 5-7 days ago he started to have a feeling of anxiousness in the brain. He could feel anxiousness and sensation in his brain that he did not feel before. It was like he had the flu kind of thing, but he did not have a temperature. However, the feeling is in his head. It is like heaviness feeling from the flu in his head. He has been having the heaviness in the head feeling for 4-5 days. He later further clarified and initially clarified the localized pain and soreness was noticed the second day, the day after getting the vaccine. This only lasted a few days. He does not remember exactly when this ended. He did not take anything for the localized pain and soreness in the same area as the injection. He confirmed he has recovered completely from this event. Caller further clarified the feeling of anxiousness started Thursday or Friday of last week, maybe 05Feb2021. Stated it was like this feeling is getting worse and worse. Stated it was hard to explain, but he started to feel a goosebumps tingly sensation in his brain in head, in scalp Thursday of last week first. It started with that and slowly over the past few days it has changed and transformed into this heaviness feeling that one would feel from the flu, but he has no

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

fever or anything; it is just in his head. Also, along with that feeling at the same time his blood pressure and palpitation/heart rate/heartbeat was getting higher and higher. His regular blood pressure medications won't work anymore to bring it down. His blood pressure typically ranges in the 130/85 or less range with all the blood pressure medications he was taking. Once he started having this tingling sensation in his head he had the higher blood pressure and higher heart rate. Now his blood pressure would average being about 170/110 to 180/115. This was like the upper and lower range. His heart rate was typically around 70-75 and now it goes about 80-85. Later during call, he also added, every six months or so his blood pressure may be elevated on these medications. Sometimes his blood pressure was not maintained by the three different blood pressure medications he takes. He was also prescribed two other medications for emergent use Clonidine and Xanax. Usually every six months he would have to take Clonidine and Xanax and typically in an hour to two hours the blood pressure would come down and it's good. However, this time, he took two Clonidine and Xanax starting last Thursday when had the high blood pressure episode and they were failing to bring the blood pressure down. He further explained it would bring it down for some time, but then it would go back high. The Clonidine is no longer working for the last six days. When probed for labs/testing he stated he could not work anymore due to the events reported. He was feeling weak. He could not really walk. He took time off from work. He went to see his primary care provider on Monday. On Monday the doctor doubled the dose of Carvedilol. Since then instead of taking 12.5 twice a day, he is now taking 25mg twice a day. On Tuesday, yesterday, he went to get blood work done. Blood was drawn but has no results yet. Localized pain and soreness time of onset didn't remember, stated he may have had a little pain right after getting the vaccine, but it was around 21:00 25Jan2021 he really noticed the soreness and pain. The following morning around 9 AM it woke him from his sleep and he could feel it more compared to the first day. Anxiousness in the brain around 16:00. The patient had no emergency visit. Stated he almost felt like going when his blood pressure was 182/116 on Saturday night of last week. He was about to go to the ER but decided not to. He ended

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							up taking two Clonidine and one Xanax, laid down, and eventually his blood pressure came down a little. Therefore, he did not go. The patient had physicians office visit. After getting the vaccine he mentioned started to have a feeling of anxiousness in the brain that was getting worse. He could feel anxiousness and sensation in his brain that he did not feel before. Also, his blood pressure and palpitation/heart rate/heartbeat was getting higher and higher. His regular blood pressure medications won't work anymore to bring it down. Later during call, he also added, every six months or so his blood pressure may be elevated on these medications. Sometimes his blood pressure was not maintained by the three different blood pressure medications he takes. He was also prescribed two other medications for emergent use Clonidine and Xanax. Clonidine: 0.1mg only during times he has episodes of high blood pressure. Usually every six months he would have to take Clonidine and Xanax and typically in an hour to two hours the blood pressure would come down and it's good. However, this time, he took two Clonidine and Xanax starting last Thursday when had the high blood pressure episode and they were failing to bring the blood pressure down. It would bring it down for some time, but then it would go back high. The Clonidine was no longer working. The patient experienced side effects on the 3rd week after getting vaccinated and had already made a report. The patient's second dose was scheduled for 21Feb2021 which was 28 days after the first dose. The outcome of the event Feeling anxiousness in the brain was not recovered, Localized soreness and pain recovered in 2021 and outcome of other events was unknown. No follow-up attempts are possible. No further information is expected.;
1083009	3/8/2021	CA	51	M	3/6/2021	3/7/2021	51 y/o male SM received moderna vaccine dose 1 on 03/06/2021 @1135, on 03/07/2021 @1300 SM had started noticing blurred vision and left side of face muscles not working. Went to ED on 03/07/2020 and was told he could possibly have Bells palsy and was prescribed prednisone 20mg for 3 days and valacyclovir 1mg for 7 days. Having to wear eye patch at night on left eye. Symptoms are not getting worse but have not gotten better. Has follow up appt on 03/11/2021 with PCP.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1082997	3/8/2021	KY	66	M	3/8/2021	3/8/2021	Approximately ten minutes following vaccination patient decided to check his blood pressure at the automated machine because he didn't feel well. Patient passed out sitting at the machine and lost control of his bladder. Patient's eyes were open and he was making snoring noises. Upon checking pulse, it was faint. Patient was breathing. Team moved patient to lying position on the floor. Pulse became more prominent and patient woke up. EMS arrived and took patient to local hospital for precautionary testing. Patient discharge home 2 hours later.
1082985	3/8/2021	MI	86	M	2/25/2021	2/28/2021	Patient had been feeling dyspneic for 1.5 weeks to 1 month prior to his death on 2/28/21. He received vaccine on 2/25/21. On his family found him leaning on the couch with eyes rolled back and foaming at the mouth. He was making noises (like grunting sounds?). EMS was called. He had cardiac arrest while in ambulance enroute to EMS. Resuscitation efforts continued in ED. Family was informed about his status and resuscitation efforts were stopped.
1082486	3/8/2021	OK	52	F	3/3/2021	3/4/2021	Patient reported mild fatigue and arm soreness until the following afternoon when her left eye began to burn which progress to the right eye. Later in the evening the left upper eye lid began to swell extending into the lower lid along with right upper lid swelling. She contacted medical through our COVID hotline where I was notified around 9 pm Thursday night ( 03/04/2021). She denied an respiratory or cardiac symptoms and was mostly concerned about the periorbital edema. She did not feel she needed to go to the hospital. She was advised to take Benadryl 50 mg every 6-8 hours and apply cold packs. A follow up call was made by me at 07:30 am on Friday and was instructed to contact her PCP. Later that day she called me indicating she went to Urgent Care and was seen by Dr.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1082966	3/8/2021	MI	42	F	2/13/2021	2/13/2021	Fever; chills; soreness at injection spot; body and joint aches; body and joint aches; headache; nausea; eye ache and watery; eye ache and watery; This is a spontaneous report received from a non-contactable consumer (patient). A 42-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: 9267, expiry date: unknown), via an unspecified route of administration in the left arm, on 13Feb2021 09:30, at single dose, for COVID-19 immunization, at the hospital. There were no medical history and concomitant medications. The patient has no allergies to medications, food, or other products and was not pregnant at the time of vaccination. The patient was not diagnosed with COVID-19 prior to vaccination and was not tested for COVID-19 since the vaccination. Historical vaccine included the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: 9261, expiry date: unknown) received at 42 years of age, via an unspecified route of administration in the left arm, on 23Jan2021 09:30, at single dose, for COVID-19 immunization. The patient did not receive any other vaccines within 4 weeks prior to the BNT162B2 vaccine. On 13Feb2021 at 18:00, the patient experienced fever, chills, soreness at injection spot, body and joint aches, headache, nausea, and eye ache and watery. No treatment was given for the events. The patient recovered on an unspecified date in Feb2021. The reporter assessed the events as non-serious. No follow-up attempts are possible. No further information is expected.
1082606	3/8/2021	CO	68	F	3/6/2021	3/6/2021	feeling very tired (within 25 min), headache (within 3 hrs) worsened over the next several hours, muscle aches (within 8 hrs) worsened in time, fever (@100 dgs) with chills (within 8hrs), runny nose, watery eyes and dry mouth (within 8hrs), sinus pain (dry) and loss of appetite Called advice line @ 7am on 3/7/21 to see if I could take Ibuprophen (yes) and that helped. All side effects subsided in @ 36 hours.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1082872	3/8/2021	IL	77	F	1/8/2021	1/26/2021	I have been having excruciating stabbing pain between T5 and T 6 on the right side of my back.; have not slept for two days; This is a spontaneous report from a contactable consumer (patient) reported for herself. A 77-year-old female patient (Patient was not pregnant at the time of vaccination) received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Solution for injection, Lot number: EL3249, Expiry date: unknown) via an unspecified route of administration on 08Jan2021 on left arm at single dose for covid-19 immunisation. Medical history included High blood pressure. The patient did not have allergies to medications, food, or other products. Concomitant medication patient received within 2 weeks of vaccination included latanoprost, timolol maleate (LATANAPROST) Eye Drops, levothyroxine (LEVOTHYROXINE), amlodipine (AMLODIPINE). The patient previously took first dose of BNT162B2 (lot number: eK5730, Expiry date: unknown) on 18Dec2020 at 11:00 AM at a single dose for covid-19 immunisation. The patient stated I have been having excruciating stabbing pain between T5 and T 6 on the right side of my back on 26Jan2021 at 06:15 PM. It is a constant stabbing pain have not slept for two days. Ice helps a little nothing else. The events were considered as non-serious. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The adverse event result in Doctor or other healthcare professional office/clinic visit. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. No treatment was received for the adverse event. The outcome of the events was unknown.
1082829	3/8/2021	IN	62	M	2/26/2021	2/28/2021	Moderate itchy feeling on skin extending from lower left ear area to middle of throat on face/neck. Nothing obvious visually but itching is very similar to mild poison ivy. Local ointments (benadryl, hydrocortisone, etc) have zero effect.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1082783	3/8/2021	MA	58	F	3/8/2021	3/8/2021	Patient looked unsteady standing up immediately following vaccination. Patient was given support and sat in a chair. Patient reported dizziness and tiredness. Nurse and pharmacy student observed patient for half hour. Patient began to report memory loss and chills. Patient was closing her eyes and seemed to be falling asleep in the chair. Patient denied eating anything all day and acknowledged she very anxious and nervous. Patient reported missing her clonazepam dose at noon and reported that she feels very anxious often. 911 was called in order to obtain vitals on the patient. Vitals were stable and patient refused transport to hospital. Patient was wheeled out of facility in a wheelchair and was driven home by her fiancé approximately 35 minutes following vaccination.
1082779	3/8/2021	UT	57	F	3/6/2021	3/6/2021	Stated often has panic attacks when receives shots or has IVs placed. Stated after vaccination, tongue started to feel bigger and to itch at the back, throat also started to feel tight. Monitored by EMTs in parking lot. Given oral Benadyl. Was not transported to hospital. Husband came to pick her up. Stated a few hours later felt pressure in windpipe at level of clavicles & had difficulty breathing. Stated sleep the rest of the day. Denies HA, fever, or chills. Stated throat felt better the next day though still feels pressure at base of throat. Also complaining of occasional "brain zap" (zing in brain that then causes eye to twitch). States that since tongue started feeling big she has had trouble talking--words coming out funny. States that is still happening.
1082699	3/8/2021	LA	37	F	3/5/2021	3/8/2021	Photosensitivity, pain behind eyes, stiffness in neck, chills and overall body aches lasting over 48 hours post-vaccination.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1082683	3/8/2021		90	F	3/8/2021	3/8/2021	received the Covid-19 vaccine. She reports symptoms of Other: Pt daughter reported her mother had a rash on her cheeks, tip of the nose and chin that wasn't there prior to the vaccine administration. ... I have observed patient sitting comfortably in recliner, no c/o dizziness, sob, itchiness, chest pain, HA , vision or swallowing difficulties. Note redness on cheeks , tip of nose, chin and noted red rash on forehead. Pt and daughter state pt has history of whitecoat syndrome. After last set of VS taken- bumps on forehead skin were noted. Pt transferred to ED via wheelchair daughter present. Treatment/intervention upon noting redness by daughter, pt monitored VS were: 1452: B/P 193/88, P80, R16, O2Sat 96% 1502: B/P 179/75, P76, R16, O2Sat 97% 1515: B/P 174/71, P73, R16, O2Sat 97% Bumps noted on forehead, patient transferred to ED via wheelchair. Daughter at side
1082660	3/8/2021	NY	51	F	3/8/2021	3/8/2021	15 minutes after receiving vaccine, client stated she had symptoms of "hayfever." Eyes itchy, nasal congestion, runny nose, headache, sore throat. Denies feeling of throat closing or SOB. Long history of allergies-esp tree nuts . Brought by wheelchair to med exam area: A&O x 3, BP 138/70, Chest: CTA, Cardio: RRR 85 bpm, eyes erythematous, RR 15. Given cold water and kept in med station for an hour. Declined transfer to local ED for further eval/tx. Stated she was improving, symptoms much better. Eyes appeared clear w/out erythema, eupneic, no SOB. States feeling much better. Client stated she was well enough to go home and asked to leave. She then left for home.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1082623	3/8/2021	CA	71	F	3/3/2021	3/4/2021	1st dose 1/29 reaction gave me little dime-sized red bumps all over my body and a lot of itchiness. I had 2 larger brown places on my body that were oval shaped about 1 inch across and it was crusty and had liquid and blood coming from it. One was under my left breast and at the base of my spine. I had to get a mammogram because I had brown and bloody discharge from my left nipple. It looked like someone had painted bright red paint around the nipple. Dermatologists said it was mild duct ectasia bilaterally benign, nipple dermatitis, left nipple bloody discharge, and an eczematatious rash. Right breast had a brown bump on the areola to the side of the nipple. 03/03/21 second dose: Sore arm, Fever of 100.9 next day that lasted all day. fatigue and a headache. I also had dizziness especially when I lie down or get up. fever went down and then I developed a rash on my body that made it look like I was sunburned all over my body. not spots, just redness all over. I felt pretty weird. it was an itchy rash that stayed about 24 hours, then changed into a spotty rash that traveled to my inner arms and inner thighs. The next day it traveled down my legs to my ankles. It went away mostly after a few days. I do still have spots that look like bites that are quarter-sized brown crusty spots. then I have eczema patches on my forehead. Its flaking and itching and is too sensitive to wash with soap. Also, my right eyelid has 3-4 places that has welt on it so much so that I cant see well from the eyelid, and under eye being swollen.
1082621	3/8/2021	NH	76	M	3/5/2021	3/5/2021	Developed bruising around left eye at around 10 PM and n date of injection that continued through today March 8, 2021. Also developed a vertical grey stripe in left eye near pupil of left eye. No pain & no vision loss. Bruising improved overnight but worsened each day as the day went on.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1082704	3/8/2021	MI	39	F	3/8/2021	3/8/2021	During end of 30 minute observation time veteran's arms appeared erythemic and splotchy. During assessment, she stated that she was feeling like her heart was racing, blurry vision, and dizzy. Denies SOB, no facial swelling noted, swallowing water without difficulty. Vital signs completed at approx. 1344: 194/116, 113 bpm, 16 rr. Repeated 5 minutes later as 176/113, 105 bpm. She later reported that symptoms first began about 15 minutes into timer. She was taken to ER, given IV Benadryl, monitored, and discharged home.
1079311	3/7/2021	UT	68	F	2/24/2021	2/24/2021	Tightness in chest, chills, sore throat, fatigue extreme, headache, bodyaches and joints, blurry eyes, nausea, no appetite.
1079167	3/7/2021	NY	22	M	3/7/2021	3/7/2021	Patient began to feel lightheaded with ringing in ears and narrowing vision approximately 15 minutes post vaccination. On exam patient was A&OX4 Vital signs of BP 102/68, R 14, P 68, SPO2 95, Patient placed in recumbent position and provided with apple juice.
1079181	3/7/2021	IL	38	M	3/5/2021	3/6/2021	I fainted the following evening after my vaccination. I felt fine all day and after dinner started to feel flush, vision became blurry and had trouble hearing. Within 3 minutes I fainted. Felt fine after coming to, and have felt fine so far the next day.
1079202	3/7/2021	NC	37	F	3/7/2021	3/7/2021	COMPLAINED OF FEELING HOT, STOMACH UPSET, BLURRY VISION, LIGHT HEADED, VS BP - 97/72 HR 81, OBSERVED 30 MINS, OFFERED WATER AND PATIENT CONSUMING, BP RECHECKED POST 30 MINS NOW 118/72. PATIENT STATES FEELING BETTER, AND NEEDS TO EAT.
1079221	3/7/2021	IN	66	F	3/3/2021	3/4/2021	Exactly 12 hours post injection, extremely intense headache behind eyes, painful teeth, temperature 101, muscle and joint pain, malaise. Also, injection site discomfort.
1079270	3/7/2021	LA	54	F	2/24/2021	2/24/2021	At 5:30 pm on 2-24-2021 after receiving my second dose I started having fever, chills, body aches, headaches and bilateral eye pain. I didn't take any Tylenol. My symptoms lasted from Wednesday to Sat. Sunday I felt better.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1079431	3/7/2021	LA	19	F	2/26/2021	3/6/2021	Deja Vu; blurry/black vision, confusion, disorientation, headache, muscle weakness, muscle aches, fever
1079299	3/7/2021	MA	58	F	3/6/2021	3/6/2021	Yes got very painful at night and upon waking. In the morning they were very puzzled and red. Put Systane eye drops in a couple of time during the day and also put ice pack on eyes which helped. Definitely something going on with my eyes. I never use eye drops or have to put ice on my eyes. Hopefully will be better soon but wanted it noted.
1079440	3/7/2021		45	F	2/11/2021	2/12/2021	Approximately at 2am on 2/12/2021 the patient woke up with intense full body body aches. Patient went back to sleep. At 7am, patient had fever of 99.8, felt hot, and had 9/10 full body body aches, worse in the trunk of body, as well as in the left arm at site of injection. Fever lasted until 4pm. Accompanied by general malaise, sweating, a one-hour period of chills and fever, no appetite and fatigue. At 4 pm the same day, fever finally broke and patient experienced no body ache except for arm. On 2/15/2021, the patient experienced extreme allergies with symptoms such as sneezing, itchy eyes, itchy nose, blowing nose, which lasted two days. Severe allergies lasted two weeks.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1079395	3/7/2021	IN	61	F	2/23/2021	3/2/2021	Tuesday March 2nd, Swollen arm with a raised rash (my arm was the size of a softball) rash went almost the to my elbow. I had cold chills (ran no fever), dizzy, light headed, woozy, runny nose, eyes ached, head ached, muscle on left side of my neck sore also my gland under my jaw hurt, I was so tired and as the day went on I felt worse . When I went to bed, it felt like I had a softball size knot under my skim in between my arm pit and under arm (left side). There was a short time with my asthma, used my inhaler and it seemed to help. Wednesday March 3rd, Woke up and I was woozy all day and just didn't feel right. I did not feel as bad as the day or evening before, just tired. My left arm still swollen and rash. Not at all the systems the day before. Thursday March 4th, I just didn't feel right. My left arm still swollen with the rash. I felt so much better than the 2 days before. Friday March 5th back to almost normal. Swelling had went down some but still had the rash. Saturday March 6th I felt normal, My left arm swelling went back down and still had a rash. Sunday March 7th swelling gone and I just have a small amount of rash on the sides of my left arm.
1079304	3/7/2021	OR	27	F	3/5/2021	3/6/2021	Inflamed under eyelid right side along the water line, feels tender to the touch, painful when blinking. Feels like I've been hit in the eye. Started being tender Saturday March 6 around 9 am, still painful and eye lid inflamed on Sunday March 7, at 10 am.
1079352	3/7/2021	NY	44	F	3/6/2021	3/7/2021	Fever, body aches, arm pain (at injection site); bilateral eyelid swelling, lip numbness/swelling
1079359	3/7/2021	UT	42	F	2/26/2021	2/26/2021	On 2/26/2021 shaky. shortness of breath, pressure in chest, felt like something was squeezing my throat, and cold chills off and on all day and night. On 2/27/2021 previous symptoms, exhaustion, and achy body. On 2/28/2021 previous symptoms, nausea, light-headed and dizziness. On 3/1/2021 previous symptoms, vomiting, headache, weakness to stand or walk, faintness--felt like I was going to pass out, eyes dilated, I don't remember a lot that happened that morning, taken by ambulance to the hospital, treated for dehydration and sent home later that day to rest--followed up with family physician on 3/4/2021 still feeling the above symptoms. I've been feeling exhausted, and the previous symptoms.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1079397	3/7/2021	CA	68	F	2/24/2021	2/24/2021	1st vaccine shot on 25jan ... no apparent side effects but looking back did notice a slightly burned feeling tongue & roof of mouth. 2nd Inoculation 24feb in morning-body aches by 9pm-progressed to body and head aches with hot/cold sweats & shakes by 230am-fatigue and head/body aches thru midday-then subsided- 2 days later started noticing tongue irritation but no trouble breathing , no swelling - followed by hives or histamine rash on scalp , face, scratchy nose, eyes got progressively more scratchy, red & swollen ... went to doctor on 5march, started taking D-Hist to help with itching & rash, flaky facial & scalp ... cold compresses on eyes ... very slowly becoming somewhat better ... have an appt with acupuncturist on Friday 12march
1079160	3/7/2021	PA		U			After 2 minutes my tongue started getting numb. Racing heart and standard sore arm. To date my tongue and roof of mouth are still numb (sensitive to touch), in addition... my lips feel full and on occasion my muzzle area of my face feels tingly. Slight headaches on a daily basis. Brain fog and some blurry vision on occasion. Right ear has a swishing (sounds like my heart beat) Constipation (need to take laxatives to go)... heavy feeling in my lower back and buttock. Leg muscle pain (as if I walked or climbed a ladder all day) this is ongoing all day - every day - even upon waking in the morning.
1079303	3/7/2021	PA	63	F	3/2/2021	3/2/2021	Uncontrollable shaking for hours, migraine, nausea, dizziness, chills, extreme joint, low back and muscle pain, pain at injection sight, a painful swelling /lump on the under arm area of the arm that received the injection. Extreme fatigue. Sinus pain and pressure around eyes, earache and felt in my teeth. Dry throat, runny nose, cough developed. The most of these adverse reactions last 2 days where I could not get out of bed. With 5 days in from vaccination date still experiencing much joint and back pain, fatigue and overall not feeling well but better than a 3 days ago for sure.
1078875	3/7/2021	NC	69	F	3/4/2021	3/5/2021	Beginning 18 hours after injection: slight fever, extreme fatigue, extreme head pressure, burning eyes, mild full-body muscle aches, injection site swelling and severe pain. Symptoms lasted 24 hours.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1078941	3/7/2021	VT	79	F	2/22/2021	2/25/2021	Extraordinary fatigue & sleepiness. As of today, back to normal for 2 days. Right eye bloodshot & painful with feeling of something big in the eye. Left eye not affected. Vision not lost. Examined by two of the ophthalmologists. Could not find anything in the eye or any sign of disease, i.e. glaucoma. Prescribed steroidal eye drops. As of today, condition worse in the morning, but bloodshot fading and pain subsiding. May be going back to see them March 11, 2021.
1079481	3/7/2021	NY	65	F	3/7/2021	3/7/2021	Patient reported double vision lasting for approximately 3-5 minutes. Patient placed in recumbent chair, Vital signs monitored and assessed by onsite provider. Vital signs BP 140/80, P 82, R 20, SPO2 98%
1078707	3/7/2021	IN	68	M	2/25/2021	3/5/2021	Fatigue Chills Muscle Aches Eyes sensitive to light
1078753	3/7/2021	MA	26	F	3/6/2021	3/6/2021	Systemic: Allergic: Itch (specify: facial area, extremities)-Mild, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild, Additional Details: Patient stated her lips felt tingly and started to swell. Patient took her own children's benadryl 12.5mg chewables x 3 doses and sat for 30 minutes. Symptoms resolved in minutes of taking benadryl. Patient left with Mom & Dad driving.
1078765	3/7/2021	NY	53	M	3/6/2021	3/6/2021	Systemic: Fainting / Unresponsive-Mild, Systemic: Patient passed out and recovery after 40 seconds of chest compression-Mild, Additional Details: Patient was seen rocking back and forth in his chair according to 3 observers in the room, then fell back hit his head after observed his face turned pale. 3 Observers rushed over to him, patient was not breathing, unconscious and not responsive, eye ball stiff, sweating but cold. Eyelid peeled back and the eye is responsive to light. Started chest compression immediately and after 40 seconds of chest compression at third round, patient came back. no hx of preexisting condition or allergies note

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1078852	3/7/2021	OR	66	F	3/1/2021	3/2/2021	started with mild vision problems, escalated to complete vertigo, double vision, lightheadedness and nausea by wed evening.. Needed help to walk. Called pcip numerous times along with er with no counsel. They said to just take it easy next couple days. Had old rx for vertigo so took. Sunday symptoms started to get better, still has double vision. Going to report condition to pharmacy Monday. THIS HAS NEVER HAPPENED BEFORE.
1078764	3/7/2021	MA	64	F	3/6/2021	3/6/2021	Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium
1078870	3/7/2021	CT	76	M	2/27/2021	2/27/2021	Saturday- Started to develop a fever 99 around 7 pm, increased to 100.5 by 10 pm -took 325 mg Tylenol-slight chills and aches - fever increased to 103.7 by 3:30 am - took 650 tylenol - fever around 102.8 about 8 am- strong chills throughout Sunday - fever in the 102 range - aches - just closed my eyes and was semi asleep. - Monday the fever was now in the 100 range-chills were not as violent - I stopped feeling like a zombie - Tuesday - no fever/chills, feeling better. ps -had covid in Dec 2020
1079159	3/7/2021	CA	74	M	2/16/2021	2/20/2021	Started feeling dizzy, unstable, 4-5 days after 1st Moderna shot. On 6th day, early evening, the dizziness got worse and I had to stay in bed because every time I opened my eyes, the room was going around in circles. The next morning, I still felt strange, but I was able to get up without the room going around, and feeling dizzy.
1078910	3/7/2021	MD	40	F	2/12/2021	2/17/2021	Moderna COVID-19 Vaccine EUA 2/13/2021: chills, fever (101-102), body aches, headaches and slight nausea. Treated at home with tylenol. 2/14/2021: fatigue, slight dizziness. 2/15/2021: Asthma flare up, used rescue inhaler 2/17/2021: Eyelid swelling, itching, discharge. Went to Urgent Care and was diagnosed with an allergic reaction. Was given 60 mg of 60 mg prednisone, benedryl then took 20 mg of prednisone daily for 5 days. 3/2/2021: Eyelid swelling continue. Went to primary care doctor and was given erythromycin ophthalmic ointment usp .5% to use for 10 days .

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1078948	3/7/2021	CO	71	F	2/11/2021	2/16/2021	Pfizer-BioNTech COVID-19 Vaccine: During clinic visit eleven days after vaccination patient reports they started to experience diffuse paresthesias including tingling into face, arms bilaterally, hands, legs bilaterally, and feet. Started five days after getting vaccine. No other associated symptoms. No loss of muscle strength, slurred speech, shortness of breath, throat tightening, skin reaction such as rash or hives, or visual changes. No history of multiple sclerosis, diabetes, or thyroid disorder. Based on lab values patient advised to start vitamin B12 supplementation. Two days after clinic visit reported symptom improvement.
1078980	3/7/2021	MS	71	F	2/17/2021	2/17/2021	After shot patient became flushed. Eyes were swollen. B/P 96/84 HR 91. State this happened to her when she took Niacin and when had a bee sting. States "I took benadryl and it was better". Patient encouraged not to get second dose in drive thru. Consult her medical provider. Final B/P Reading 142/72
1078992	3/7/2021	WI	24	M	3/7/2021	3/7/2021	VAR form was reviewed with patient prior to vaccinating. It was noted that he has a history of syncopal episodes with vaccines. Patient was advised to sit for 15 minutes after receiving the vaccine so we could observe him. After receiving the vaccine, patient was escorted to observation chair. Immunizer advised registration technician that patient had a history of fainting, so to keep a watchful eye on him. Patient said I need to get some ice and stood up before we were able to advise him to sit and we would assist him. Upon standing, patient had syncopal episode. Patient did not has loss of consciousness an denied any injury from the fall. Patient was assisted back to the observation chair and monitored for the next 15 minutes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1079043	3/7/2021	NJ	27	M	3/2/2021	3/2/2021	Adverse events were more applicable in the second dose of this vaccination. At 22:00 a low-grade fever began. At 03:30 on 3/3 a fever of 102 degrees had been achieved. Left axillary lymph node swelled. Generalized body aches mostly in wrists and ankles occurred. For the duration of 3/3 102 fevers persisted while taking Tylenol and slept for duration of day. On 3/4 low grade fevers of 100 degrees were maintained. Nausea and diarrhea occurred, aches continued throughout body particularly in shoulders. Lethargy so severe couldn't stay awake for more than 20 minutes. On 3/5 fevers reduced down to 99 degrees. Vertigo occurred with dizzy spells and ataxia. Heart rate periodically elevating to 120-140s for hour long durations. Only able to sleep for 2 hours at at time because of waking up from tachycardic episodes. Panic attacks ensued due to tachycardic episodes. On 3/6 psychotic thoughts and hallucinations began. First, racing thoughts about irrational an uncontrollable events began. "Will I be able to father children?; I will sell my car tomorrow to sustain myself.; etc." Visions of insects crawling down a mountain side, flowers with eyeballs, etc. Panic so severe couldn't close eyes and mind always racing.
1079087	3/7/2021	CA	63	F	3/4/2021	3/5/2021	3/5/21 woke with puffiness below right eye 3/6/21 extremely tired, just wanted to sleep 3/7/21 eyelids swollen near nose
1079135	3/7/2021	NY	47	F	3/4/2021	3/6/2021	itching eyes with hive around eyes and on eye lids, both hands swell and itching
1078863	3/7/2021	NY	19	F	3/7/2021	3/7/2021	Pt stated that she had become light headed and dizzy just after getting her shot. Pt stated that she also started to feel like her vision was starting to narrow. Staff stated that she had passed out for a couple of seconds and had become alert after laying her down.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1079969	3/7/2021	NY	60	F	2/25/2021	3/2/2021	Only had a mild arm discomfort the next day but 5 days later on Tuesday had a general feeling of not feeling well and had an itchy right eyelid. Also got a migraine that evening. The next day I started getting various itchy spots all over my body, mainly distal arms and legs but a few on upper arms and legs and a few on torso. They were intensely itchy spots and I still have one or two pop up now. They seem to disappear quickly especially if they blister and get itched. The injection site never got itchy or red.
1079815	3/7/2021	PA	53	F	3/6/2021	3/6/2021	Adverse events: instant tunnel vision, dizziness, bilateral leg weakness with getting up from chair. Resolved after a few minutes. General side effects: Continued fatigue, cold chills, headache, muscle pain, joint pain, nausea, vomiting
1079832	3/7/2021	RI	59	F	2/6/2021	2/16/2021	I had mild arm pain at the injection site on 2/6, the day of the vaccination (similar to that with the flu shot) which subsided within 24 hours. Then 12 days later upon awakening in the morning my arm was very itchy and slightly painful. Upon visual inspection it was swollen and red. The are of inflammation and redness was about 3.5" in diameter. It was fairly annoying for a couple of days as it was irritated by clothing touching it but I was able to complete all my usual activities. It took about a week to completely return to normal.
1079886	3/7/2021	CA	47	F	3/6/2021	3/6/2021	Nausea, blurry vision. BP 142/104 (pulse 82).
1079895	3/7/2021		22	M	3/5/2021	3/6/2021	Hives breakout all over face and arms - I've been taking Benadryl but still present, swelling on eyelids so I could barely open eyes - Been taking benadryl. Fever of 105.3 degrees - Been taking tylenol for 2 days but still have fever, Sore arm and body aches, Overall weakness feeling

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1079924	3/7/2021	MO	45	F	3/1/2021	3/1/2021	Fatigued and achy in evening; woke at 10:30 pm with fever, chills, achy all over, EXTREME back pain: became very diaphoretic, dizzy, started sweating profusely, VERY nauseous: vomited for hours. Violently. 2 days later I started itching, woke up with hives, my face was one huge hive. Very red, swollen to the point it was hard, very hot to touch, extremely itchy. Had to go to urgent care BP was elevated, had to get a steroid shot, on steroids for five days. And OTC antihistamines. Noticed change in eye color today. Much better but still somewhat puffy, pink and itchy.
1079939	3/7/2021	CA	69	F	3/7/2021	3/7/2021	patient had immediate left eye vision blurring with hypertension. No known history of hypertension. The blurred vision resolved in about 40 minutes, the hypertension did not resolve
1079804	3/7/2021	PA	56	F	3/4/2021	3/5/2021	Vaccine at 6:00 PM Thursday, 3/4/21, symptoms started Friday afternoon 3/5/21 (About 20 hours after vaccine) my cheeks and eyelids became slightly red and felt irritated and felt like a bad sunburn.. Woke up on Saturday 3/6/21 at 8:00AM and the left side of my face and eye was swollen and red rash covered most of cheeks on both sides and well on the entire eyelids on both eyes as well as my forehead. Was very painful and felt like a bad burn. Went to Urgent Care and was prescribed over the counter products and said rash is most likely related to Covid Vaccine and to report it to VAERS. As of 6:45 PM on 3/7/21 as I am filling this out my face is still the same as it was Saturday still red in the same places and still sore.
1079968	3/7/2021	OH	55	F	3/3/2021	3/5/2021	Extreme fatigue (Keeping eyes)~ Feels like jet lag Headache, and nausea

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1080231	3/7/2021	FL	40	F	3/5/2021	3/5/2021	Dizzy, run down two hours after injection. Woke up 4 am then off and on with extreme body pain, sore neck , lower back, right hand and arm. Headache and fatigue at 6:45 am got up with two children (2 yrs and 10 months) ate small breakfast by 9 am I couldn?t get off the couch or stay awake. My head started aching and my eyes hurt, I felt extreme chills two thick blankets weren?t enough to warm me. Extreme fatigue, stomach pain and loss of appetite. I fell asleep and didnt have the energy to walk to my bed until 2:30 pm. It set off my stomach and I was vomiting off and on until around 9 pm. By then I could keep little bits of fluid and food down. Then I was hot. I felt flushed but had no fever. My usual heart rate is 52-54 bpm via Watch while laying down. My heart rate during this hot period laying in bed was 102 -101 bpm. Which is consistent for my workout heart rate. I went to sleep and woke up 7 am with my kids and was well enough to take care of them but not do all my usual chores. I couldn?t bend down or put my head lower than chest or the extreme throbbing headache was back. Still had body aches and fatigue but nowhere near yesterday. It is 11:22 pm Sunday and I feel spent.
1079980	3/7/2021	ID	76	F	2/11/2021	2/15/2021	Dizziness for month following Burning eyes for month following Skin rash below injection site - 7 days later; lasted week
1079982	3/7/2021	CA	84	M	3/4/2021	3/4/2021	I was doing light yard work in the sun, then in the 70s, became dizzy and could not stand, fell backward to the ground, tried to get up and became nauseated, had the dry heaves so I laid down on my side. Every time I opened my eyes the area began spinning again. I had a fever and sweated heavily for about 1 hour. I took two aspirin with a glass of water. I had a short nap, lying on the ground, when I woke up the fever was gone and I started having chills. After about 30 min, my dizziness was less, but I still could not walk. I started sitting up and scooting backward into the house, which took about 30 min to get into the house. I laid on the floor, was still having chills, so covered up with many blankets. About 8pm, 5 hours after first getting dizzy, the chills were gone and I was able to get up and get in bed. About 10 pm I took 2 asprins and went to sleep.I had to get up

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1079999	3/7/2021	WV	51	F	2/26/2021	2/26/2021	Red area at vaccine - still have 9 days later. Itchy hot. Was more hard at beginning. Had rash/hive on hand a few hours after vaccine. Eye lash area swollen day after vaccine for 3-4 days
1080011	3/7/2021	FL	34	F	3/6/2021	3/7/2021	Severe headaches on the left side of head causing eye pain , temperature of 100.1, tingling throughout my whole body including fingers and toes, extreme fatigue. All symptoms started at approximately 2:00am the day after vaccination when I woke up in the middle of the night.
1080237	3/7/2021		65	U	3/2/2021	3/3/2021	headache,nausea. presents to the ED for HA, nausea, myalgias after 2nd COVID vaccine yesterday, today pt noted midsternal chest discomfort and pain below her left scalpula. 65 yo f c/o multiple sx's approx 24hrs s/p administration of 2nd covid19 vaccine yesterday at approx 1000 (02MAR); Pt specifies ongoing chills sensation w/ongoing ha w/nausea w/o vomiting/visual changes starting last night, additional intermittent hypogastric abd pain sensation w/o radiation and cp centered on L side w/o radiation, last episode approx 5hrs pta w/spontaneous resolution; Pt denies any sob, dyspnea, rashes, urinary sx's, vaginal bleeding/discharge



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1078895	3/7/2021	FL	65	M	2/26/2021	3/2/2021	Began feeling very weak with a constant headache that later led to blurry vision on March, 2, 2021. On the morning of March 4, 2021, I was still experiencing a right sided headache as well as double vision. I was no longer able to drive at that point. I took my blood pressure digitally at the local pharmacy twice where it was 200/104. I went home to call my physician and also have my wife take my blood pressure manually. My blood pressure at that time was 214/106. I went to the hospital where they examined me and then discharged me with a General Headache without a know cause. I contacted my PCP and he advised me to quadruple my Lisinopril until my BP came down to normal range and see him the morning. My visit the next day showed an elevated blood pressure, double vision, and a continuing headache. My meds were adjusted to Lisinopril 10 mg qd and an addition of Norvasc 5 mg qd. Later that day my blood pressure was down, but still not in the normal range. The following day, March 6, 2021, I was still having the same issues despite the changes in medication. I took my blood pressure at 6 pm and it was 199/104. I immediately went to another hospital where I was admitted as a "stroke alert" patient in hypertensive emergency. I am presently being followed as an inpatient in order to get these issues under control.
1079509	3/7/2021	NJ	37	M	3/6/2021	3/6/2021	after getting injected, patient complained on filling dizzy and lightheaded, wanted to lie down I asked him to sit down and put his head between his knees, also said that he feels pressure behind the eyes, was sweating and after 15-20 minutes said he feels nausea, he refused medical help (calling 911) , 40 minutes after the shot he said he is feeling ok and wants to leave. He had female companion with him. I just left him message 24 hours later but got no response yet
1079950	3/7/2021	IN	72	M	2/23/2021	2/25/2021	Extreme dizziness when rolling over or standing up or laying down with eyes closed lasting for 15-20 seconds. Checked blood pressure and within normal range 130/80 with oxygen level at 92 Symptoms are beginning to lessen, no treatment No treatment, continues to occur but symptoms are beginning to lessen.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1079589	3/7/2021	MD	54	F	2/22/2021	2/22/2021	-Twitching mostly in my legs and stomach and ribs especially during the first week. It substantially subsided during the second week but still occasionally happens in my leg and sometimes in my temple area beside my left eye. -On the first or second day after vaccination, my pulse was beating profusely (fast and furious) between my left thumb and index finger mid-way toward my wrist of my right hand. I am not sure what that was, since I had never seen that happen before and it was not happening on my left hand. I am scheduled to take my second vaccine on 3/15/2021 so I am trying to find out if you would recommend that I take the second vaccine or not take it. I am scheduled to tak
1079802	3/7/2021	NM	37	F	3/4/2021	3/4/2021	My eyes swelled shut for two days is extremely painful now the inside of my eye is so red you can't tell what color my eyes are and they are painful and super sensitive to any light
1079513	3/7/2021	AL	76	F	2/1/2021	2/18/2021	Blurred vision, eyes crossed, Face swelled, Face broke out with rash, Headache, Nauseous, All happened within 30 minutes. Next day backaches and feeling tired. Dr. gave me Pepcid and Xyzal. Most all thru Sunday, Still not 100%.
1079517	3/7/2021	MI	42	F	2/23/2021	2/25/2021	After the first injection I had mild eye issues which I went to my PCP and they cleared up within a week. The symptoms were dry eyes which was uncomfortable. The second injection dry eye issue has been excruciating and still problematic to where I can?t even open my eyes. I am seeing my PCP and an ophthalmologist to treat this.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1079527	3/7/2021	KS	44	F	2/19/2021	2/19/2021	Injection site pain began approximately 2 hours following injection and continued to intensify and spread down the arm and up the neck and upper back over the next hour. A headache and intense fatigue began and I took 500mg Tylenol at that time. Approximately 30 minutes later I unintentionally lost consciousness and awoke several hours later confused and disorientated. I arose to get a drink of water and was unable to walk, falling twice within approximately 10 feet. I noticed my vision was affected as the entire room appeared to be rocking left to right even though I was holding myself still in an attempt to steady my sight and balance. I immediately went to bed and have no memories until I awoke the next morning. At that time, my vision and balance had returned to normal though the aches and pain in my arm, neck and back persisted. This pain slowly dissipated over the next 3 days.
1079587	3/7/2021	CO	58	F	3/6/2021	3/6/2021	I feel a numbness like at the dentist from the lower corner of my left eye to my left ear. slowing decreasing in intensity. muscle soreness at injection site

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1079526	3/7/2021	NY	64	F	3/7/2021	3/7/2021	<p>Patient received her first Pfizer vaccine today at 12:24pm .She was sent to observation feeling well. About 10 to15 minutes later she began to complain to her son that her head felt "bloated", her eyes felt heavy and her head felt hot. The nurse removed the patient to the nurses station and took her vital signs, then notified the clinical lead PN. The patient Initial vital signs taken at 13:15 were BP 157/85 P 78 , O2 sat 99%,. R 18. Denies Shortness of breath, difficulty breathing or swallowing. No skin color changes noted. No rash or pruritis. Denies chest pain, pressure or palpitations. Consumed a bottle of water without difficulty. About 20 minutes after the vaccine was received she began to feel faint, but did not feel as though she was "going to pass out" . VS remained stable; BP 157/85/P78.O2sat 99% She continued to c/o head fullness, but now was reporting feeling chills, and flushing . Son administered an extra strength Tylenol at 13:10. Nurse acted as interpreter as well as her son. Paramedics were called initially at 12:56 and again at 13:21 Patient was able to get up and walk to the bathroom with attendants , voided under observation and return to her chair without complaints of instability or dizziness. Paramedics arrived at 13:45. Vs were noted to be 160/90 , pulse 75, O2sat 99% Patient continued to complain of head and eye fullness and vertigo( Paramedic looked like her was swaying). Patient appeared stable ,in no acute distress when she was escorted out of the building ambulance by paramedics at 13:55 to be taken to a Hospital for evaluation.</p>
1079597	3/7/2021	VT	85	F	2/15/2021	2/20/2021	<p>Sore arm and tired after injection. Woke up Feb. 20th at 3:00am with severe headache, face ache, pain in eye socket and teeth, neck ache, left shoulder ache, left arm ache</p>
1079650	3/7/2021	CA	53	F	3/4/2021	3/4/2021	<p>Within 10 minutes my face and head was tingling and went numb. Eyes felt swollen/numb. This lasted for 4 hours. Both hands also were numb even longer. EMT's on site checked my vital signs. My blood pressure and oxygen were OK so they said I could drive home when I felt ready.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1079669	3/7/2021	CT	29	M	3/6/2021	3/7/2021	Chills woke me up at 5am, kept me up for at least an hour. Headache, pain in eyes, fever continued through the day. Muscle pain in back significantly worse than previous days
1079691	3/7/2021	IN	67	F	2/24/2021	3/2/2021	Migraine headache 3 days, tired, rash at sight eye sensitivity Have never had a migraine before. All 7 days after vaccine
1079713	3/7/2021	NE	57	F	3/4/2021	3/4/2021	After getting the shot I felt light headed , nauseous, heart pounding. I became very tired approx. 1 hr later and slept 3 hrs. When I woke up my face was itchy and top of hands. I also had cold type symptoms such as stuffy nose, watery eyes, cough, chills, 99.8 temp. and a bad headache. Around 3 am on 3/5/21 ,I started having stomach pain then diarrhea until around 12 am on 3/6/21. Still had headache and low grade temp of 99.3. Approx 11:30 am started feeling better. No symptoms except mild headache.
1079759	3/7/2021	OR	71	F	3/4/2021	3/4/2021	Watery eyes, running itchy nose, sinus headache, partial loss of taste and smell, loss of appetite. Severe symptoms for 36 hours, less severe for another 2 days. No treatment.
1079784	3/7/2021	OH	67	M	2/11/2021	2/14/2021	He developed a pink tinge to vision, and at times violet. Due to holiday and snowstorm he was not seen until 3 days after it started. The ophthalmologist did exam and ordered vitamin A levels, which were all normal. By later that day it started to fade. No vision changes by 2 days after that.
1079785	3/7/2021	TX	42	M	3/7/2021	3/7/2021	Eye and facial swelling

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1079791	3/7/2021	HI	48	F	3/3/2021	3/3/2021	Approximately five hours after the shot, I began to experience redness blotchy itchiness to my upper chest and eye areas, then swelling. My ears and scalp were also itchy. The vaccine clinic doctors checked my throat and listened to my breathing. They gave me 25mg of Benadryl and Tylenol. While being monitored, a bad headache began behind my eyes and base of skull, my throat became sore. The doctor asked if I ever did albuterol, to which I said I carried an inhaler in case my breathing became difficult due to berry allergies or if I got sick, as I am pre-disposed to pneumonia and bronchitis. I then took to puffs of the inhaler. I was driven home and went to sleep. By 9 pm, I had a severe, debilitating migraine headache, nausea, sensitivity to light and sound, which lasted until about 12:00 am, when through more ibuprofen, heat to my head, cool ac, and darkness, I fell asleep. Upon waking up at 10 am, I was feeling okay, with a dull headache, however fatigued. After resting the entire day, and taking Claritin and ibuprofen, I returned to work on Friday 3/5/2021. At about 4 pm on Friday, I experienced a flare up of itchiness to my eyes, scalp and puffiness to my face and eyes. I took another Claritin.
1079530	3/7/2021	NY	70	F	2/26/2021	3/5/2021	Same onset of symptoms as first dose, but different symptoms this time ( 7-8 days after shot developed symptoms). Trunk itches and belly fat feels like someone is squeezing it, swollen hands and feet. This time had puffy eyes and lips,with neck and genitals itching. Over my body an erythema that turns white when stroked. On my right arm, where I received the shot, very large splotch approximately 3 inches by two inches (red and swollen.) Feeling of malaise and dizzy. Stiff neck and swollen joints in fingers. Visited outpatient clinic for check up. Given Hydroxysine HCL 25mg x 3 per day. When I was in my early 30s had an anaphylactic reaction to something I ate??? Went to ER for shot of epinephrine. We never discovered what it was I was allergic to.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1077898	3/6/2021	NY	25	F	2/5/2021	2/21/2021	16 days post vaccination I broke out into truck hives with occasional spot of arms and legs. Hives stayed for 4 days start to finish and were unaffected by benedryl and other antihistamine drugs. Cortisone creams also had no effect. Hives were raised but not red and did not bother me other than visually.
1077677	3/6/2021	MD	76	F	3/3/2021	3/4/2021	18 hours after Moderna shot 2 my eyes swelled up and became itchy and red. My eyes are sill inflamed as of now 3/06/2021. Also I have been running a low grade fever, and have headaches. These symptoms are managed with Tylenol.
1077704	3/6/2021	MA	69	F	2/23/2021	3/4/2021	Hives and itching rash on both arms and chest, swollen face with hives, sore eyes
1077800	3/6/2021	IN	72	F	2/15/2021	2/16/2021	Skin red, swollen everywhere with tiny itchy hard bumps. Eyelids were red and swollen, hot and hard to open. Body aches and fingers partially numb.
1077845	3/6/2021	UT	59	M	3/5/2021	3/6/2021	Eyes burning, fatigue, soreness at injection site, muscle aches (not manifest until following day).
1077903	3/6/2021	MI	77	F	2/25/2021	2/25/2021	After 1st dose on 1/29/21, pain at shot site, some redness & swelling. Tired for 2 days. After 2nd dose on 2/25/21, pain at shot site, redness & swelling. On 2/26/21, heavy chills, short of breath, face flushed, temp 98. Pain in low back & right upper arm (torn ligaments). Pain more severe than previously. 2/27/21 Shot site sore, itchy, red, swollen, short of breath, headache. Heavy chills towards evening. 2/28/21, Light pain at shot site, site swollen, warm to touch, labored breathing. Shakey, anxious, doom & gloom, food seems tasteless. Evening feeling better, swelling down, flashes if left eye. 3/1/21 arm itchy, no swelling, arm aches slightly. Pain in low back severe, right arm pain. There was only 26 days between the two doses. The pain in back may be from scoliosis. Pain in right arm, torn ligaments. But after receiving vaccine, these pains increased tremendously, as well as the shortness of breath and extreme groin pain (maybe from fibroids?).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1077908	3/6/2021	WI	80	F	2/25/2021	2/26/2021	Second dose adverse events: Extremely horrid headache, chills and low grade fever, fatigue, sore arm. Slept almost all day and all night of the second day. Second dose-second day: Headache almost gone but very sore eyes, the arm was better, fatigue lingers, and noticeably breathless. Later but don't remember exact day; Rt jaw bone by the ear sore; hard to open my mouth to eat. This side had the Bells Palsy in 1996.
1077915	3/6/2021	TX	50	F	3/4/2021	3/5/2021	Appx 24 hours after the injection, the site of injection started itching very badly and a bright red solid spot appeared and a lump that was sore to touch. Redness was just smaller than a quarter at first. That was about 5:10pm 3/5 and then appx 8-9 hours later, while sleeping, I developed a severe cough and my nose was completely stopped up. Eyes were itching with drainage too. My husband got up and gave me a Benadryl and that calmed everything down so I could sleep again. This morning, my eyes were pretty red and still had some drainage. My cough is there but very faint and less frequent. My arm hasn't stopped itching and the red spot is slightly larger at appx 1.5 inches tall and 1 inch wide. Still with a lump and soreness. I expected the lump and soreness.
1077964	3/6/2021	VA	50	F	3/5/2021	3/6/2021	Severe, vision altering headache; severe low back pain; fever; wheezing, SOB lasting 8 hours
1078011	3/6/2021	CA	19	M	3/5/2021	3/5/2021	Patient fell out of chair in post vac after vaccination. Patient hit head on floor, loss of consciousness noted. No visible injury noted. Patient regained consciousness. Neuro functions intact. Pupils equal and reactive to light eyes open spontaneously. Motor response intact. BP 110/55, P 76, R 16, O2 99%. 911 and mother called. EMS assessed patient. BP 75/48, P 61, R 18, O2 99%. Alert and oriented x 3. EMS recommended transport to hospital. Patient refused to be transported to hospital, patient educated. Patient left AMA and released to his mother's care. Patient assisted to car in wheelchair. Stable condition, no visible injury, refused further care.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1077671	3/6/2021	TX	60	M	2/26/2021	2/27/2021	I got my second Pfizer COVID vaccine on Friday February 26. On Saturday February 27 I started getting a droopy lip and a droopy eye lid on the ight side of my face. I went to my doctor on Monday March 1 and after and examination and a CT scan (to eliminate other things), I was diagnosed with Bell's Palsy. I am now on steroids and antiviral medication. I still have Bell's Palsy at this time,
1078080	3/6/2021	IN	66	F	2/17/2021	2/18/2021	Low grade fever, headache, body ache, where I have arthritis pain was intensified and unbearable, somewhat lightheaded, vision slightly blurred-felt like I was in a tunnel, very tired and couldn't sleep . I had control of my arthritis and as of today (3/6/21) 16 days after shot it is mostly painful, 7 out of 10. Mild lingering headache, and have trouble sleeping.
1077432	3/6/2021	MD	33	M	3/5/2021	3/6/2021	Vivid dreams- night terrors Blurred vision
1078024	3/6/2021	UT	67	M	2/25/2021	2/25/2021	He had blurred vision for a period of time. Extremely high aggression, a little delusional and confused.
1077443	3/6/2021	FL	66	M	3/4/2021	3/4/2021	Increased BP and heart rate way above the my normal. No treatment and waiting outcome at this point. The same is true for my puffy eyes that are almost shut like I am squinting.
1077856	3/6/2021	AZ	46	F	2/15/2021	2/18/2021	Headache, blurry vision, heart palpitations, feeling off, eyes sore, eyes hurt,
1078081	3/6/2021	AZ	78	F	2/5/2021	3/6/2021	Guillian Barre reaction (difficulty walking, difficulty using hands- small motor skills; difficulty speaking; began on 2/7/21 and continued to worsen until hospitalization on 2/24/21 and 5 plasmapheresis treatments. While hospitalized patient has developed double vision.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1077310	3/6/2021	TX	40	F	3/5/2021	3/5/2021	Patient stated after she sat down she began to hear ringing in her ears and had tunnel vision; didn't remember after that; medic and this nurse ran to patient where she was laying face down. Patient began to come around and skin was pale and clammy to the touch. VS taken: HR: 82; BP: 140/70/ O2 Sat RA: 78%. Patient was speaking coherently after she woke up, was out for about 25 seconds. Patient stated she had a hx of fainting w/labs or shots. Placed cool, wet towels behind neck, forehead and lower back - patient stated it helped her feel better. VS retaken: BP: 134/66; HR: 77; O2 Sat RA: 98%. Patient sat up in a wheelchair and began to have color to face and feeling less clammy. EMT sat with patient until she was feeling better. Patient was joking and stated she felt embarrassed. Patient discharged to home. This nurse contacted her after clinic, she stated she was doing well and would be seeing us again for her 2nd Moderna dose. This nurse encouraged her to notify the next vaccinator of her hx of fainting - She stated she would. Patient appreciative for call.
1077332	3/6/2021		48	F	1/30/2021	2/1/2021	Acute onset of fatigue approximately 48 hours after receiving the vaccine on 30/Jan/2021. Fatigue has worsened and persists to this day. Acute onset of palpitations 48 hours after vaccine and lasting approximately 20 min., headaches lasting 3 days and severe heartburn lasting 3 days. Coarse fasciculations of left pectoralis muscle onset 50 hours after vaccine. This progressed over ensuing days to involve other muscles both above and below the diaphragm including gluteals, gastronemius muscles, abductor hallucis longus, left first dorsal interosseous, deltoids, triceps, various abdominal and spinal muscles, and more recently the left masseter. The fasciculations persist to this day. Muscle pains started 2 days after onset of the fasciculations and are moderate-severe and worsened by exercise. I experienced tingling at the lower limbs on 6 occasions and transient disorientation one day on my way to work. My vision has been a bit blurry at times. i have been moody and short-tempered at times.
1077342	3/6/2021	TX	51	F	2/2/2021	3/2/2021	Exactly 1 month 03/02/2021 varicella/ herpes outbreak by left eye!

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1077349	3/6/2021	WA	40	F	2/20/2021	2/20/2021	8 minutes after the administration of the vaccine (while in the observation area) I started to feel really off (dizzy, anxious, ringing in right ear). I ended up becoming unconscious with seizure like activity. They rushed me to the ER and kept me for 6 hours with lots of testing. XRay, blood test, CT of head, EKG, Urine test...all came back normal. Doctor said it was likely a reaction to the vaccine. I am 40 years old with no history of seizures or allergic reactions to vaccines. The week following I experienced confusion, migraines, dizziness, slow cognitive processing, eye strain, word finding difficulties, and exhaustion. I had to take a week off of work to recover. This is the second week and I am still experiencing headaches and occasional dizziness/eye strain.
1077556	3/6/2021	WI	45	F	3/3/2021	3/5/2021	Felt feverish and achey starting 12 hours after injection, lasting a total of 54 hours. At 36 hours after injection I felt like I was going to faint. I sat down and put my head on the table. According to my husband, my eyes briefly rolled back into my head and I was convulsing for a brief period of time (5 seconds). I then sat straight up, sweating profusely, white a sheet and with a terrified look on my face started hyperventilating for a short period of time. My husband said I never actually fainted, but I don't have memory of this incident. After this episode passed I continued to feel feverish and achey. Temp about 100.7. Started to feel a little better 54 hours after injection.
1077369	3/6/2021	TX	45	F	3/4/2021	3/4/2021	Body feels heavy like lead Very tired Minimal pain at injection site 2:18pm hands twitching and my right eye feels like it's swollen and burning closer to my cheek and then started twitching uncontrollably. Very dry mouth. Moments later body tremors and vomiting. Ended up being taken to the emergency room will elaborate later. Drink Sprite on the way home vomited it up as soon as I walked in the door. Not the feeling of nausea just the vomiting is coming. Took temperature have a fever of 101.0 DAY 2 Tremors while walking Headache Body aches Minimal taste Tingling around eye No real desire to eat Managed to keep some noodles down Today is Day 3 5:00am Still unsteady on feet when walking Still have headache and body aches

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1077655	3/6/2021	IL	58	F	2/24/2021	2/25/2021	Severe body aches at joints, headache, fever of 103, BP 197/110, heart rate 100-110, dizzy, nausea, difficulty focusing eyes. Aches started at 6:30 am. High heart rate noted at 10:00 am. The rest came on in the afternoon. Took my vitals when I got home from work (7 pm). Chills, cold extremities through the night. By 5am, temp down to 100. By noon next day, BP and HR normal. Dizziness still comes and goes.
1077303	3/6/2021	AL	39	F	3/4/2021	3/4/2021	Not long after I got a quick dizzy spell that ended and I was fine About 7 minutes after I noticed a slight rash on my upper chest and person checking on me did as well. It was very mild (I had a much worse one with my mri contrast) but she wanted to keep an eye on me and said my 15 minutes wasn't up for seven minutes . She stayed with me and very close by. I cannot say enough good things about her. Everyone at this facility were great! I felt fine and told her that. I was not itchy. At the end of my 15 minutes she said I could pull to the side because I asked to use the restroom and wanted to see if I had it anywhere else. It was already looking better and I notice it also on my right upper leg. I had a thicker diarrhea without stomach cramps or anything. I didn't feel bad or great but just wanted to go home. She asked if I wanted to see someone inside and I declined and she suggested I follow up with my healthcare doctor after making sure I was okay. I took a Claritin I had on me before leaving. My mouth got extremely dry and I drank a large water. If I didn't not my throat kind of had a mild burn to it and cottonmouth. I didn't feel bad but I didn't feel as good as I did going into the first shot. After arriving home an hour and a half later it would come in waves of not feeling great and then feeling okay. I was very worn out and felt had I not tried to push though it would help. I took a Benadryl at 3 am and Advil . Day two just normal side effects. Fatigue headache nausea which I used zofran and Advil. My skin feels itching from time to time but no rash. Injection site clear with mild soreness. My left ear keeps feeling like pressure off and on. Nothing severe to me. .

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1077559	3/6/2021	TX	59	F	3/5/2021	3/6/2021	I received the moderna COVID vaccine. 13 hours later I woke up with a leg cramp. While walking downstairs I became very dizzy and sweaty chills. I sat in a chair. My husband came down a minute later and I was passed out in the chair. He was saying my name and rubbing my arms to wake me. It took him about one minute to get me to open my eyes and then another minute before I could coherently respond. He said my chin was tucked into my neck and I was pale and making noises for less than a minute. He said then I relaxed and responded coherently. My temperature was 94-95 for about an hour while I had chills but also was drenched in sweat. I was also throwing up clear fluid for about two hours. I felt nauseous for about 3 more hours. After that I just felt tired.
1077565	3/6/2021	DC	42	F	2/26/2021	2/28/2021	Starting on Sunday Feb 28th I was very fatigued. I woke up on Monday after sleeping more than 12 hours with my head feeling tight and hot. My eyelids were burning, the skin around my neck felt irritated and my lymph nodes in my neck were swollen. The burning in my eyelids and neck pain went away by Monday evening. However on Tuesday I woke up with a visible rash on my neck. In the last few days it has stayed even though I have applied cortisone and neosporin on it. It is now warm to the touch and itchy. I also have a rash on my eyelids and my cheek which are hard to see in pictures because of my skin tone. I called my Primary for a virtual consult when I woke up this morning Saturday March 6 because I am feeling itchy all over especially on my back. Additionally, the skin of my elbows and knees (in the joint crease area) are now super warm like my eyelids were before the rash appeared. I also have neck pain again which started yesterday (March 5th) afternoon. It is not a muscular pain. It starts at the base of neck and radiates up to the crown of my head. It has not gone away with either Tylenol or Advil. My chest is also tight--not my lungs but my chest itself.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1077644	3/6/2021	TX	38	F	3/5/2021	3/6/2021	Visual Hallucinations (Hubble telescope stars and face in stars), inability to sleep, finger joint pain, toe pain, teeth pain, headache, chills and low body temp 97.1 Followed by 99.7 temp. It felt like I was dying and trapped in a nightmare or drug trip. (I have never done acid but I strongly believe that this is what a bad trip would have felt like)
1077653	3/6/2021	VA	71	F	3/4/2021	3/5/2021	On March 5th I woke up with low grade fever and headache, eyesight was like a veil over my eyes and I could not see well at all. It was as if cataracts had appeared over both eyes overnight. I slept off and on all day, drank lots of liquids and took Tylenol for the fever. The symptoms cleared up at 7:00 am on March 6th. I did not take any of my medications on March 5th except for my eyedrops, that seemed to help with my vision problems.
1077654	3/6/2021	AZ	71	F	3/3/2021	3/4/2021	This was the second shot in series of 2. First shot only gave me a sore arm at site & was administered on February 6, 2021. Second shot was administered on March 3, 2021. Started feeling these adverse effects about 9 or 10 am the following morning, 3/4/2021. Symptoms were soreness at site, in muscle that goes to the neck, headache, soreness across upper back/shoulder to shoulder. By 4 pm on 3/4, my entire body was reacting with extreme joint pain in all joints, extreme joint stiffness, skin was tender to the touch, temperature of 100.1, sore/stiff neck, and continuing headache. Temperature ceased around 11:30 pm but all other symptoms remained upon going to bed at 1 a.m., 3/5/2021. Upon waking at about 7:30 am 3/5/2021, all symptoms had diminished enough for me to go to an appointment at 10:45 am. However, by the time I headed back home at about 1:30 pm, I was so sleepy I could hardly keep my eyes open. More stiffness and achiness had returned too, especially a sore left underarm. Not the extent of night before, but enough to be uncomfortable. Today, 3/6/2021, I have noticed a sore muscle traveling from my left underarm down to my waist.
1077354	3/6/2021	AZ	35	M	3/3/2021	3/4/2021	Blurred vision. Migraines. Inability to sleep. Anxiety.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1078553	3/6/2021	CA	28	M	3/6/2021	3/6/2021	intern pharmacist did not check for egg allergy and administered the vaccine to the patient. patient reported eye swelling. epi-pen was administered and patient returned to normal. no other complaints besides fatigue in early evening.
1078394	3/6/2021	NJ	45	F	3/5/2021	3/5/2021	Within 5 min got a tickle in throat that led to coughing and asthma tightness and dizziness. Took my Ventolin inhaler and my chest opened up. I continued to feel more and more dizzy and found myself finding it hard to speak. Felt very buzzy, like my body was feeling waves of tingles. My head started hurting and neck. This progressed at the vaccination site for a while. I don't know at what time they suggested N ambulance take me to the ER. By the time I was in ambulance my head and neck were hurting very bad. I was having trouble talking and any body movement felt like I was moving through mud. Very tingly and heavy feeling. I felt very drowsy and my eyes stayed closed. At the hospital they gave me an anti nausea, Benadryl and some migraine pain medicine. I think it was about a half hour or more I started being able to open my eyes again and see straight. The pain in my head and neck calmed down. I think I arrived at the ER around 3:45/4 and I was discharged at 7:45. I continued to have head and neck pain, body aches. My shooter and arm wheee shot was is very very sore. I slept ok but woke many times with my heart racing and feeling that buzzing sensation again like I was high. I've taken Advil for pain. Been resting all day today. Still having a bad headache and neck pain. Feeling very drowsy. Eyes hurting. I feel like I'm slowly coming out of whatever happened but still feeling like I've been hit by a truck.
1078398	3/6/2021	MN	69	M	2/20/2021	2/21/2021	The day after getting the 2nd shot I developed a sore arm and headache..the sore arm went away but the headache persisted every single day, 5 days after the shot I started having double vision and still have it and I feel unwell. I have nausea , dizziness, headache and just general feeling of being unwell..a bit of tightness in my chest

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1078415	3/6/2021	NC	43	F	3/4/2021	3/4/2021	5 min after vaccine: nerve pain in upper right arm traveled in a line into right side of neck, up to just below the ear. Pain traveled directly from site of vaccine in arm and up through neck. 10 min after vaccine: Nerve pain down began in a line down right arm and into pinky and ring fingers of right hand. 20 min after vaccine: Tongue tingly (entire right side only, left side normal), pain in jaw, headache beginning in right temple. OTC Tylenol and then Ibuprofen taken 1 hour, 15 min after vaccine helped dull headache but not other symptoms. Nerve pain was intermittent until bedtime. The next morning, woke to right eye crusty from tearing, right eye tearing at corner (clear, like tears), consistently drippy right nostril (clear), loss of taste in tingly right side of tongue (could taste on left side of tongue), tingly right side of lips, slight drool right side mouth, outside of ear slight tingly. Headache returned, only in right temple extending to above right eye. Right side of face felt heavier than left side. Sensitivity to light, sound. Took Tylenol and Ibuprofen. Over 9 hour period (24-28 hours after vaccine given), most symptoms resolved, including taste. The next day (48 hours after shot), symptoms remaining are right eye has very slight tearing, right side of face feels a little "heavier" than left side, but drastically different from day before. I have NEVER had anything like this happen before after a vaccine or otherwise.
1078444	3/6/2021	WA	42	F	3/1/2021	3/3/2021	About two days after my vaccine, the area under my eyes significantly puffed up. About 6 months ago I had cosmetic fillers put under my eyes and the vaccine caused a reaction



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1078464	3/6/2021	CA	91	M	2/18/2021	2/19/2021	My birthfather had an adverse reaction after he got his 1st Moderna COVID vaccine. He lives alone and was doing well with some underlying conditions. The day of the shot was fine. The next AM, he had vision changes and sudden numbness in his R arm/leg and fell after getting up. ?The numbness went away pretty quickly, but the visual changes remained. He refused to go to the ER/Dr. The next week and a half, he was weak, tired, and couldn't think as clearly. ?He was brought to the ER? on Wed, 3/3/21 at Hospital. He was found to have a low oxygen level, possible a-fib, fluid retention, emphysema, and aortic stenosis, in addition to his other health issues. ?The Dr said his symptoms the day after the vaccine were a mini-stroke.. He was released from the hospital on Friday, 3/5/21. On Saturday, Hospice came to see him, since nothing can be done for his medical conditions; however, they decided not to sign him up yet, since he I was told they didn't feel he needed to, at this time. One of my sisters is staying with him during the day until he builds his strength back up. Do you think his Mini stroke and health changes had anything to do with the vaccine? He will not be getting the second COVID shot. ?We're all caught between a rock and a hard place as far as what to do, esp for older folks.
1078353	3/6/2021	MI	68	F	2/16/2021	2/16/2021	Lightheaded, nausea, headache, eyes dry with itchiness and pain; joint and muscle discomfort; low grade temp, fatigue, hair and scalp hurt. Symptoms lasted about 36 to 48 hours.
1078521	3/6/2021	CA	65	F	2/27/2021	2/28/2021	Excruciating headache, 101.8 fever after 800 mg Advil. Fever did not break for 24 hours, then went up again two days later -3/1/21 at 3:30pm. Again 101.3. Headache lasted 24+ hours. Used ice packs on top, back and eyes for minimal relief. Advil did not lower temperature or aid in headache relief.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1078624	3/6/2021	AZ	30	M	3/6/2021	3/6/2021	Patient received his 1 dose of Pfizer vaccine and was waiting in our lobby for the recommended 15 minutes. He fainted after about 10 minutes. He fell from the bench to the floor where he landed on his stomach. When I ran over to him, his eyes were open but his body was limp. I tapped his back and asked if he was ok, and he was startled as if I woke him up from sleep. He was alert and was able to speak, he asked for water and I gave it to him. I asked if he wanted me to call emergency services but he declined. He then vomited in the waiting room trash can. His sister was with him and began to rub his back and fan him. I asked again if he needed to go to the hospital and again he declined. I told them to please wait in the lobby at least another 15 minutes before leaving and he did. I called to patient around 8pm to check on him and he said he was fine and had no more symptoms.
1078584	3/6/2021	CA	46	F	3/6/2021	3/6/2021	After waiting the 15 minute observation period, I left. While driving home my eyes started itching and my face felt strange. When I got home I looked in the mirror and didn't see a rash or any swelling in my face but then felt my tongue was swollen. I took a Benadryl and called the on call doctor from primary care physicians office and was directed to go to the ER since it was a potentially life threatening reaction.
1078601	3/6/2021	WA	28	F	3/5/2021	3/6/2021	No initial pain after injection. Body aches, headache and muscle soreness around midnight. Woke up around 4-5a.m. to neck/head pain, tense muscles on head/neck and notable pains in the jugular region. Very sensitive skin and muscle aches at this time. getting up to grab ibuprofen caused initial worsening of head pains that quickly subsided as blood pressure issue(?) symptoms came on (blotchy vision, lightheadedness, notably diminished hearing). took around 20 minutes to realize head/neck pain seemed to be caused by stiffness from an unusual amount of intense teeth grinding in my sleep. Waited around an hour and a half while drinking plenty of water and taking a single dose of ibuprofen along with a second dose of clonazepam before feeling comfortable/safe enough to go back to sleep.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1078611	3/6/2021	NM	57	F	2/24/2021	2/28/2021	Diagnosed with shingles on 3/4/2021. Had gone to urgent care on 3/2/2021, but at that time the diagnosis was neuromuscular. Pain increased severely by 3/4/2021 so I returned to urgent care (ibuprofen 600 was not addressing the pain after 2 hours). Had a classic shingles rash on the back of my neck (mostly right side, small bit just left of center) into my scalp wrapping around to right side, plus very faint rash on right cheek and inside part of right eye, and right ear is swollen. Ironically, I had postponed my Shingrix vaccine March 2020; was planning to get this a few weeks after the Pfizer vaccine second dose, once it was recommended to do so.
1078650	3/6/2021	WA	73	F	2/28/2021	2/28/2021	Please NOTE: The adverse reactions began with the first dosage on 1/31/21 that was Moderna / lot 007M20A / same location as the second dose listed above. Your format is not set-up to put two shot information well. So: on 1/31/2021 my wife received her first COVID-19 shot. a week after the injection she developed a large red rash at the injection site about 3 inches in diameter...it lasted a few days and dissipated. On 2/28/2021 my wife received her second COVID-19 shot. the evening of that vaccine she developed severe muscle aches and a very bad eye infection that swelled and itched. we are a week out and the symptoms ar just now beginning to subside.
1078096	3/6/2021	CA		F	10/7/1975	3/6/2021	15 min after vaccination, while leaving observation, patient felt midsternal chest pain with pain radiating below right shoulder blade. EKG NSR, BP 113/2 135/98, 66, 99%. 1142 BP 140/84, 64, 99%. Pt. appears quite anxious evidenced by pt. shaking leg and teary eyed. MD on side and can reproduce chest pain with palpitation. Pt. observed further for 15 min then released to home with spouse. Pt. denies any further discomfort before being released to home.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1077838	3/6/2021	CA	40	F	3/6/2021	3/6/2021	Pt. c/o itching of eyes, abdomen, behind ears and sore throat. Denied SOB or chest pain. Hx of anaphylaxis to TDap and NSAIDs. Pt stated felt similar to other reactions in past. 0917 BP 175/112 and 0927 170/105. Pt. states forgot to take BP meds. 0921 Benedryl 50 mg IM given per Dr. orders. Pt. observed for 20 min and reported all symptoms subsided. Pt. released to home driven by spouse.
1078490	3/6/2021	WA	59	F	3/1/2021	3/1/2021	one hour after receiving vaccine in her left arm, she experienced body warmth, nausea, chills, that quickly progressed to dizziness, body aches, HA, and thickening of her tongue. Her temperature was 100.7. By 3 hours post vaccination, she noted a sore arm that progressed to her shoulder and up her neck to her left ear with ensuing ringing in her ear and numbness and tingling in her mouth and jaw. She took a Benadryl and Tylenol and the tongue thickening resolved in 1 to 2 hours and she felt better but the fatigue, ear pain/ringing, and mouth/lip tingling continued. She took two more doses of Benadryl and Tylenol with relief. ER visit on 3/3/21 for facial numbness, tinnitus, and eye pain. No rash or itching.
1078180	3/6/2021	TN	48	F	2/27/2021	3/2/2021	Mild headache, tired, itchy eyes and face, sneezing, congestion, heart racing

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1078668	3/6/2021	CA	20	M	3/6/2021	3/6/2021	Client received 1st dose vaccine and remained in post vaccine monitoring, at the 15 minute point (end of monitoring) before leaving client reported feeling very dizzy with blurred vision. On assessment client was sitting up in chair, alert and oriented, V/S HR 72, RR 20, BP 124/72 O2 sat 98%. Lungs CTA, no reported difficulty with breathing. Client reported additional symptoms of itching, no rash noted and no change in skin color or appearance; nausea was also reported at this time. Information obtained from client on medical history, vaccine history, allergies and current medications. During this time period the itching and nausea was relieved, but the dizziness and blurred vision remained; V/S HR 74, RR 20, BP 128/78 O2 sat 98% . Client reported he started on a new medication Hydroxyzine approximately 2 weeks ago and did experience dizziness in the first 2-3 days of starting the medication, but has not had that occur since that time. Client was unable to stand initially for BP check while standing, at 0945 additional medical assistance available to assist: sitting BP 130/76 HR70, standing BP 124/70 HR 70. Client reported no change but states dizziness and blurred vision continued and now he is seeing with blurred vision in what he reported at "cool and warm colors - like a filter on a phone". EMS was called at 0959, arrived at 1011 to evaluate and transport client to the hospital for evaluation. Client departed with EMS on a stretcher at 1014am.
1078097	3/6/2021	AZ	73	F	3/4/2021	3/5/2021	Headache, pain in both eyes, sore right arm.
1078123	3/6/2021		21	F	3/6/2021	3/6/2021	12:01PM-1:35PM Signs&Symptoms: Blurry vision, dizziness, pale, clammy skin, scratchy throat with frequent throat clearing Treatment: Vital signs Q15minutes, cool paks to back, Benedryl IM 25mg IM R deltoid, verbal reasurance. Outcome: Vitals stabilized and S&S improved after 90 minutes; Client education verbal and written guidelines given to her and roommates; Transported home with roommates. Phone follow-up at 7:30pm.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1078349	3/6/2021	CO	30	F	2/14/2021	2/14/2021	Pfizer-BioNTech COVID-19 Vaccine EUA: patient developed soreness around injection site, chills, and fever in the evening following vaccine administration. The next day developed rash, itching, and mild swelling below eyelids. Three days after vaccination patient reported tongue appeared red, bumpy, and a little swollen. Patient took diphenhydramine with some improvement overnight, then cetirizine the following day. It took another 24 hours- five days from vaccination- for tongue bumps and swelling to resolve.
1078164	3/6/2021	NY	51	M	2/24/2021	3/1/2021	After four days, in the morning, I got itchy, eyes, and throat and tongue. My eyes got swollen and red until the next morning.
1078129	3/6/2021	NC	72	F	3/1/2021	3/1/2021	4 inch circular swollen, red, itchy, painful injection site. Much better day 6 but still there. Flu-like symptoms day after injection, fatigue, headache, eyes hurt, chills no fever
1078218	3/6/2021		47	M	3/6/2021	3/6/2021	About 10 min after the vaccine was administered, the patient suddenly felt hot, dizzy, and his vision became blurred. Resolved after about 2 minutes after removing glasses and drinking water
1078220	3/6/2021	ME	65	F	3/5/2021	3/5/2021	About two hours after the shot I experienced swelling face, eyes and itchy eyes. My heart rate also steadily increased. Benadryl eased the symptoms in 30 minutes to an hour.
1078257	3/6/2021	FL	66	F	3/2/2021	3/3/2021	Fever 101.4. Eyes burning and vomiting.
1078265	3/6/2021	KY	65	F	3/2/2021	3/2/2021	Dizziness and tingling in arms/legs initially, abated within two hours. Fatigue, headache, burning eyes and slight disorientation for 12 hours after first dose of Moderna. No prior reaction/side effects from any vaccination.
1078268	3/6/2021	CA	33	M	2/23/2021	3/4/2021	Patient was vaccinated at the Community Center (not our clinic) and called us today with symptoms of Bell's Palsy (left side of face feeling numb and visibly weak including left eyelid) that began on March 4th and slowly worsened. I prescribed prednisone 60mg daily x7 days, with plan to f/u with another phone visit this week.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1078270	3/6/2021	NY	31	F	3/6/2021	3/6/2021	RECEIVED VACCINE AT 359PM AND AT 415PM BECAME DIAPHORETIC, PALE, EPISODE OF URINE INCONTIENCE,MOMENT OF "RIGIDNESS AND EYES ROLLED BACK" AND "HAD A BRIEF EPISODE OF NON REPONISIVENESS AND CAME THRU" (PER EMS). PROVIDER ASKED TO EVALUATE PATIENT AFTER EPISODE, IN TENT. PER PROVIDER SEND PATIENT TO HOSPITAL OF CHOICE FOR HIGHER LEVEL OF CARE. NO PO MEDS PROVIDED TRANSFERRED AT 1641PM IN STABLE CONDITION( TO HOSPITAL) , IN STABLE CONDITION.
1078319	3/6/2021	CO	37	M	3/6/2021	3/6/2021	Patient started making a funny face and contorting his mouth. He said his tongue was swelling. We kept an eye on him for about 20 minutes, he wasnt wanting to eat his lunch. His face was also flushed which can be an indicator that he doesn't have enough prednisone on board. We gave him an additional dose of his morning prednisone dose, 7.5 mg. The swelling subsided in about 30 minutes, he ate and said he felt much better. We will double his evening dose and contact his endocrine doc for more instructions.
1078326	3/6/2021	MD	57	F	3/4/2021	3/6/2021	This also happened directly after the first vaccine, and then again after the second. My eyelids become intermittently swollen and red and also the place on the top of my cheekbone directly under my eyes. It shifts from the right to left eye. I do not use dermal fillers of any kind. I do not use Botox. It appears to be some sort of skin-based allergic reaction to the vaccine, Nothing else has changed about my cleansing, makeup or other facial routines,
1078133	3/6/2021	NY	64	F	3/4/2021	3/4/2021	Swelling around eyes. Still going on 2 days later. Taking Benadryl.
1075404	3/5/2021		89	F	2/22/2021	2/22/2021	Patients arm started to hurt in afternoon, by the evening dizziness to where should could not walk. On the following day, could barely walk, her speech was low and hoarse and her vision was not good. Given Tylenol by family members with additional food and water. The following day taken to PCP for blood work and a CT Scan w/wo contrast of the brain with lacunar stroke resulted.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1075395	3/5/2021	MT	70	M	3/5/2021	3/5/2021	Patient was given his injection in the right deltoid. Tolerated this well. Approximately 10 to 15 minutes later, his care provider brought him to me and stated that his face was "red and splotchy". It was noted that Patient had red, raised areas on his face. Patient is non verbal and developmentally disabled, so I was unable to assess if these were itchy. I assessed his neck, chest and arms, no red raised areas noted. I placed a pulse oximeter onto the patients finger, oxygen saturation 95% or greater, heart rate 90-100's no visual signs of distress.
1075330	3/5/2021	NJ	72	M	2/25/2021	2/25/2021	I experienced itchy hands as a side effect 3 hours after I received the 2nd administration of the Pfizer Covid19 vaccine. The side effect ended approximately 48 hours after I received the injection. Also, please be advised that I previously notified you that I experienced the following side effects 45 minutes to 1 hour after I received the 1st administration of the Pfizer Covid19 vaccine on Feb. 5, 2021. The side effects ended 24 hours after I received the injection. 1- Sneezing 2- Excessive Running Nose 3- Watery Eyes
1075328	3/5/2021	NY	60	F	2/27/2021	2/27/2021	I had a retinal artery occlusion that resulted in blindness in the lower half of my right eye within 5.5 hours of receiving the vaccine.
1075277	3/5/2021	WY	45	F	3/5/2021	3/5/2021	The patient received her vaccine at 0855. She was monitored for 15 minutes for any allergic reactions. The patient left the facility after being monitored. She was not exhibiting any reactions. She returned to her home and began experiencing, itchiness around the eyes, ears, nose and mouth along with tightness in her throat and chest. The patients husband brought her back to the vaccination clinic. She was monitored by the EMS staff. PH nurse at site administered Benadryl 25mg PO @ 10:20. The patient was monitored for 20 minutes. Symptoms resolved. The patient was offered transportation to the ER by EMS. The patient refused transport and signed refusal document per EMS. The patient was advised to visit her doctors office before going home. The patient refused to go to her doctors office for follow-up today. She and her husband decided to go home and monitor symptoms and stated that they would notify their healthcare provider and follow up if necessary.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1075238	3/5/2021	CA	49	M	3/2/2021	3/4/2021	Swelling not at injection site. One day after the shot, my right finger swelled up for about 12 hours followed by swelling on the right side of my top and bottom lip. No treatment, just advised to keep an eye on it.
1075223	3/5/2021	FL	70	M	3/1/2021	3/2/2021	After an adverse reaction to the Covid 19 Vaccine, the emergency room Doctor suggested I contact you for a follow-up visit. Dateline and symptoms: 03/01 Received first Moderna Covid Vaccination at 3:45 p.m... 03/02 No symptoms until 6 p.m. When blood pressure started to go up from my normal level of 116/68 to 179/82 by 10 p.m.. During this time I had what felt like mild electric currents from the left side of my chest down my left arm and into my hand. These systems subsided around 11 p.m. and by midnight my blood pressure was almost back to normal. 03/03 Felt sluggish all day but no blood pressure problems. 03/04 Felt great all day then around 6 p.m. my blood pressure started to rise, by 9:30 p.m. it was 190/90. At this time I started to feel like my body was shutting down, my face felt flush, and experiencing long distant vision problems, so I had my wife take me to the emergency room. At 10:00 p.m. I went to the emergency room EKG showed no heart problems, the blood test showed no heart problems, and after 11:30 p.m. my blood pressure started going down and I was released at 1:30 a.m.. Blood test did show high levels of Blood Urea Nitrogen 26.0, Bun/Creatinine Ratio 33.0, Aspartate Amino Tranf (AST/SGOT) 43, Alanine Aminotransferase (ALT/SGPT) 59 and Alkaline Phosphatase 189, all of which are higher than my last blood test on 10/22/20. 03/05 As of 10:30 a.m. my blood pressure is 126/62. I feel fine except I'm very tired from not much sleep last night. 1p.m. Starting to feel some more chest and arm symptoms as described before, blood pressure now 146/66. Events happened twice, 2 days apart.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1075209	3/5/2021	AZ	84	F	2/15/2021	2/23/2021	2/23 - PT awoke at 0230 w/altered mental status, generalized weakness, severe headache, nausea and fever. T 101.2, PERL, BP 120/82, HR 88 regular, RR 18. Grips/Pushes equal/weak. A&O x2 (A&O x 4 baseline). ABDM soft, non tender. Breath sounds clear bilaterally. 1100 IV NS 1L, 30 mg Toradol IV given. Temp 99.2-102.0 variable throughout the day. Severe HA. Tylenol and Motrin alternated q 4hr. 2/24 Severe Headache, pt reports disturbances in her visual field. A&O x3. weakness/malaise continues. Motrin & Tylenol - LABS 2/25 Severe Headache, with altered visual fields.- CT HEAD 2/26 Same as above. 2/27 Same as above. Urgent Care for Flu & COVID Testing. Both Neg 2/28 Headache managed with Celebrex, 12 hrs relief, then 200mg Motrin 3/1 Same as above. Retinal specialist for consult and Fluorescein Angiography - WNL 3/2-3/5 Headache and visual field changes continue. Pt states "do not feel myself~~
1075055	3/5/2021	TX	17	F	3/4/2021	3/4/2021	Patient started to feel strange within 1 minute of receiving the vaccine. Within 5 minutes of receiving the vaccine, patient felt very faint, dizzy, nauseous, tingly, lost feeling in lower body, blurry vision, and started shaking. EMS was called at vaccination site. EMS arrived about 5 minutes later and took patient's blood pressure. First reading was 102/70, second reading a few minutes later was 108/76. By that time, patient could sit up and was alert and oriented. Patient never lost consciousness. Patient was not taken to the ER. Patient remained on-site for another 45 minutes until symptoms resolved enough that she felt it was safe to leave. Patient has not had a reaction to vaccines or other medical treatment in the past.
1075046	3/5/2021	OH	54	F	2/12/2021	2/15/2021	3 days after first shot I developed a sty in my left eye, I have never had a sty ever in my entire life, I would not heal and I ended up with 6-8 stys in that eye only?? Got my second shot today and discovered 2 other people at my school aslo got eye infections or sty in just a few days after first shot also???? I am currently on oral antibiotics and eye drop antibiotics

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1075696	3/5/2021	IN	80	F	2/6/2021	2/20/2021	I am not sure this is connected to my Pfizer vaccination, but approx 2 weeks after my second vaccination, in which my only side effect was a deep headache, I started getting small headaches in the sinus area above my eyes. At first, they were days apart. Then they started coming closer together. Yesterday, I had the headache all day until I fell asleep and awoke today (3/5/21) with just a slight feeling of pressure over my eyes. Could the vaccination have triggered this? Could that first headache the day after my vaccination irritated some nerve in that area and started this? I have never had any headaches unless I had a sinus infection and I don't have any sign of this now. I
1075038	3/5/2021	MA	47	F	2/12/2021	2/12/2021	8:00 PM, peripheral vision had colored lights on edge of vision field all the way around 5:30 AM on 2/12/21 (next day) extreme dizziness, mild headache, extreme fatigue Improvement in symptoms by 6:00 pm but persistent fatigue and off on headaches up until 2/20/21.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1075053	3/5/2021	NM	60	F	3/4/2021	3/4/2021	Received Pfizer COVID19 injection at 9:57 am on March 4 at the . As is usual for any shot or IV on me, I immediately tasted something weird in my mouth. It was not as metallic tasting as usual. More plasticity. Shot did not hurt. Was told to stay in 30 minutes waiting area.I did. The taste remained in my mouth. I left at 10:34 am feeling OK, except for weird taste. As I drove off the parking lot, I noticed that my mouth and tongue were tingling, with worst of it on my left side. My throat did not seem to be affected, so I continued driving. Some nasal congestion and coughing. The tingling turned into numbness in my mouth and tongue, all the way back to top of throat. I called my primary care doctor at 12:10 pm and left a message. I received a call back at 2:15 pm from nurse. She told me to take Benadryl and have someone take me to Urgent Care right away to get my vitals checked. I did not take Benadryl, as CDC said it could mask anaphylactic reaction. I called a friend and she took me . I noticed that my lymph nodes in my neck were swelling and painful. We arrived at 2:45 pm. My vitals were checked, heart and breathing listened to and was checked briefly for swelling in mouth and throat. There was no swelling. He said he had never heard of this tingling reaction and claimed it is just a side effect and not a serious reaction and that it would probably last a couple of days. He recommended that I watch for new symptoms and take Benadryl. That was \$30. We left at 3:10. We left. I noticed that the numbness was spreading to my lips and up the left side of face and I was getting super tired. Also, my mid to lower back started hurting a lot. I took a Benadryl. 4:30 pm still have same numbness. My eyes got super dry and itchy. My head started to hurt. Some coughing. 5:10 pm dry eye and numbness, more swollen lymph nodes and chills. Pain in calves, upper back, same on both sides. 6:38 weirdly, from the bottom of my thumb to halfway up my arm there is pain. Both arms simultaneously. Worse on the left. 8:11 pm after bundling up and using a heating pad, plus extra heat, chills are lessened. Lymph nodes very sore in neck. Eyes are not quite as dry. Everything else is the same. 8:48 pm jaw really aches. Intestinal discomfort. Going to bed. 10:39 pm pain from jaw extended up into left ear. Upper part of throat hurts. March 5, 2021 4:00 am. Body aches have lessened. Left arm sore at shot area. 5:45 am eyes definitely dry, but not nearly as dry

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							as yesterday. Numbness in mouth , tongue and face has lessened, but still uncomfortably present. Definitely worse on the left side. Little bit of tingling on the left, mostly on cheek from chin to ear. Headache gone. Lymph nodes sore and swollen . 7:00 am went on a walk. Noticed some achyness throughout body. Very tired. 10:51 am The tingling and numbness remain in my mouth, tongue and cheek up to my left eye. Very tired. Lymph nodes still swollen and sore.
1075406	3/5/2021	MA	78	F	2/26/2021	2/26/2021	Excessive shivering/shaking; weakening of lower legs; spiked high temp during the night into the next day. 102, finally lowered 48 hours later. Nausea; massive headache; complete body pain in muscles and joints, including jaws and eye sockets. exhaustion, fast hearbeat; no injection site swelling or pain. Reeccovery within 72 hours, fatigue and nausea for another 12 hours more or less. I do feel it was worth it.
1075408	3/5/2021	CA	70	F	2/4/2021	2/4/2021	Immediate severe headache lasting 8 hours. Lips and tongue had very mild/slight swelling for 4+ hours. Fingers felt swollen but nothing visually for 6 hours.
1075590	3/5/2021	CA	47	F	3/4/2021	3/4/2021	The entire left side of my body immediately felt mildly heavy and affected, but it was so minimal I thought it could be in my head. Throughout the evening after my shot I felt a bit of contracting of leg muscles and neck/shoulder muscles on the left side of my body. The left side of my face felt noticeably warmer than the right. This was all very mild, but just noticeable. In the middle of the night, I woke up with extreme night sweats but only on the left side of my body. The next morning (today) the left side of my face is still warmer but it feels droopy and bloated and slightly "Numbish". My left eyelid feels heavy. My left cheeks feel swollen and puffy and my left gums and lips feel slightly numb. I also have a very mild headache only on the left side. This is disturbing, while it is not debilitating or painful, it is strange and makes me think I should not get the next shot. Even as I type this, my left hand feels very fatigued. I don't know who to call or talk to about this. I do not have a health care provider.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1075603	3/5/2021	OH	48	M	2/27/2021	2/28/2021	ON 2/28/2021- HEADACHE, NAUSEA , FEVER, FATIGUE AND CHILLS- LASTING UNTIL 3/2/2021. ON 3/2/2021AND 3/3/2021- SINUS HEADACHE , EYE AND EAR PRESSURE BEGAN. ON 3/4/2021 WOKE WITH SYMETRICAL RASH TO ARMS, HIPS, UPPER LEGS AND BUTTOCKS. NOT ITCHY UNTIL EVENING OF 3/4/2021. RASH BECAME BLOTCHY, RAISED "HIVE-LIKE" PROMPTING TO SEEK MEDICAL ATTENTION AT URGENT CARE. THEY PRESCRIBED- BENADRYL AND CALAMINE LOTION. STATES NO RELEIF AS OF TODAY.
1075618	3/5/2021	GA	46	F	2/26/2021	2/26/2021	2.5 hours after injection I started feeling weird, clammy cold sweats, nauseous and it felt like my eyes were bulging or like an intense pressure behind my eyes, blurry eyesight, extreme headache. I have not ever had any issues with my blood pressure only my diabetes. It had recently been slightly elevated but controlled mostly. I knew it was high and it suddenly just came on even after not eating at that time. I proceeded to flush with alot of water and some walking to bring it down. I wasn't exactly sure of how high it got because I don't normally have to bring my tester to work with me. However as soon as I got home I tested it and even after heavy flushing and exercise my glucose level was down to 500. It has never been that high ever. I continued to flush and monitor and not eating due to nausea and headache I was taken to the hospital. At that time my glucose reading was at 400. I was given 10 units of novolog as well as 1 full bag of fluid thru an IV. And before I was discharged it had come down to 192. I have only had to have insulin 1 time since 2008-9. Since then my sugar is refusing to come down below 250. My vision is still not clear and I am now attempting to keep it down with 15 units of a fast acting insulin multiple times a day. I will also be starting metformin again as of tomorrow morning to also help bring it down to a more healthy level due to the possibility of another life altering stroke.
1075635	3/5/2021	MN	44	F	2/10/2021	2/14/2021	VISION DEFICITS IN RIGHT EYE, SUDDEN ONSET

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1075733	3/5/2021	CA	71	F	2/26/2021	2/26/2021	had chills, sweat, body aches, joint pain, headache. by Sunday I was fine and then Tuesday I developed the worst headache of my life and my face swelled up and my eyes got puffy and I was really sick. I had joint pain and sweats and chills again.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1075738	3/5/2021	WI	25	F	1/7/2021	1/7/2021	<p>I made sure to hydrate and eat well the day of the vaccine. I have had no allergic reactions to any medications/ injections in the past and I was not worried about this one. I didn't take any meds beforehand besides my normal morning modafinil. I have no fear of needles. I received the vaccine in the auditorium about 1:25pm. The RN did a fantastic job, went through all of the information, no pain at all with the injection. As I was sitting in my chair for monitoring, a few minutes in I began to feel very uncomfortable. I felt clammy/sweaty and kept shifting my weight in my seat. I didn't want to make a big deal of it at first because I worried it was all in my head. But I became more and more uncomfortable. I laid my head down on the little desk, no help. I closed my eyes, no help. About 10 minutes or so in I decided to ask if they had water available. I slowly got up and walked to the back of the room. I couldn't even get the question out of my mouth before the nurse told me to sit down. Apparently I was white as a ghost. They got a wheelchair and wheeled me to the space behind the auditorium. By then I was starting to feel like my throat was closing and I saw spots in my peripheral vision. It was kind of a blur from there. I tried to take deep breaths. I drank a few sips of water and poured some on a paper towel to wet my forehead (and spilled all over my lap because I was a little disoriented at this point). My BP was 60s/40s and then 60s/30s. A rapid response was called. They moved me to a cart flat on my back with my legs elevated. My fingers and toes were starting to go numb and my lips were apparently blue/ white. After laying for a few minutes in Trendelenburg my BP began to resolve and my breathing started to ease a bit. No further intervention was done by the rapid team. I was taken by the Rapid RN to the ED for monitoring. They eventually pushed the cart into a room and took some vitals and an EKG. They had me stand and move to a wheelchair. I felt horrible but improved from before. They had me sit in a wheelchair in the lobby for a few hours before taking me back and placing an IV and drawing labs (I believe it was 3 hours from the initial reaction). I gave a urine sample. They then put me in a wheelchair and wheeled me back into the lobby for some more time. Then, they wheeled me back to a room where they gave some lactated ringers and a PA and MD saw me. By then my BP and breathing was completely resolved. The MD said he wasn't fully</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1075744	3/5/2021	IN	52	F	3/5/2021	3/5/2021	<p>convinced it was just a vasovagal episode because I haven't had issues with vaccines in the past and I was well hydrated and my HR was normal. It partly fit the picture for an allergic reaction/ severe immune response d/t the feeling of throat closing, the BP drop, and the elevated WBCs. They advised that I list the vaccine as an allergy and do not get the second dose, especially since I had COVID back in September.</p> <p>Patient rec'd vaccine at 1400. She went to wait her 15 minutes in the car and after about 10 minutes noticed eye sensitivity and headache. When symptoms did not pass after an additional 10 minutes she came back into the office. While waiting when her husband was checking her in, she "passed out." Episode lasted less than 1 minute. She was easily oriented to person, place and time. It was noted that she had some swelling to bilateral eyes. Patient was brought back to room, VS were checked and all were normal. She denied any chest pain, shortness of breath, wheezing, tongue swelling, itching, or tickling sensation to back of the throat. She was able to tolerate sips of water without difficulty. 50mg benadryl IM was given in the left deltoid. Approximately 5 minutes after IM injection patient again "passed out." She was seated at the time and slumped to her right, resting her head on her husband and did not fall from chair. She aroused after approx 2 minutes, and was a/ox4. VS were rechecked and were O2 99% on RA. HR 101, BP 124/88, RR20, temp 98.5/oral. Patient stayed at the clinic for an additional 45 minutes after which her eyesight was reported to be back to normal, her headache had improved and the lower eye edema had resolved. It should be noted that both the patient and the husband were not concerned with her "passing out." She states it happens because of pain and she was fearful of the injections. Patient also states that her neurologist told her that when "she is in too much pain, she will pass out.~~</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1075793	3/5/2021	PA	75	M	3/5/2021	3/5/2021	11:00 patient received injection needed to sit for 30 min due to history - 7 mins after injection, patient nodded off and closed eyes, respirations were watched, after 20 mins patient started to slump in chair, checked by nurse, patient stated "I just want to lay down I'm really tired, wife and nurse repositioned patient on side to sitting position, doctor notified, doctor assessed asked for glucose - 167 - BP 150/76, doctor recommended going to ER, patient stated I am tired and had a headache, blurred vision since yesterday" advised to go to er for ct, wife and nurse placed in wheelchair, and assisted 2 person to private vehicle refused ambulance - wife stated that she would go to ER.
1075815	3/5/2021	IN	23	M	3/4/2021	3/4/2021	Patient received a COVID-19 vaccine on 04MAR21 @ 1400. At 1645, he returned to the vaccine room shaking and his eyes were tearing up. He complained of pain at the injection site, headache, nausea, abdominal pain, chills and joint pain. His temperature was 98.4 @ 1712. He also complained of increased saliva production. He laid down on a cot and an emergency rescue blanket was applied. He was reassured and monitored by our onsite RN. He was stable and left at 1755.
1074997	3/5/2021	AZ	59	F	3/4/2021	3/5/2021	Beginning approximately 12 hours after second dose I experienced chills, muscle and joint pain, fatigue, pain at injection site, headache, nausea, loss of appetite, thirst, strange taste in the mouth, red burning rash across cheeks, nose and chin, watering eyes.
1074475	3/5/2021	PA	87	F	3/2/2021	3/3/2021	patient developed a red rash about 2 inches in size on the arm she got the vaccination in. but it was not right at the injection site, it was underneath where she had received the vaccine. she said it was not itchy, painful, or irritated, just red. believe it to be "COVID arm", but told her to keep an eye on it and if it gets worse, seek medical care
1075624	3/5/2021	NC	70	M	2/26/2021	3/1/2021	Significant swelling of eyelids and surrounding tissue around eyes, reddening of skin over most of body with raised skin and purities.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1074706	3/5/2021	MO	65	M	3/4/2021	3/4/2021	Patient started experiencing dizziness, blurred vision, a "rush", increased blood pressure, feeling hot, tingling in arms, and appeared flushed. Occurred approx. 15 minutes after vaccination. Patient was given water and a snack and was told to take deep breaths. Blood pressure was monitored and returned to normal before patient exit. Patient was assisted by wife. No medications were given.
1076245	3/5/2021	CA	42	F	3/5/2021	3/5/2021	42 yr old female patient complaining of sensation of (L) inner ear swelling as with food and mold allergens. Area below (L) eye slightly itchy. No redness or swelling noted of ear or eye.
1075844	3/5/2021	PR	58	M	2/17/2021	3/3/2021	PRESENT OF FACIAL PARALYSIS ON THE RIGHT SIDE OF THE FACE AFTER THE SECOND DOSE OF THE VACCINE. LOSS OF STRENGTH RIGHT SIDE OF THE FACE FROM EYE TO THE MOUTH. I CAN NOT MOVE THE LIPS AND CLOSED THE RIGHT EYE.
1074153	3/5/2021	OK	82	F	1/14/2021	2/18/2021	Bell's Palsy; A spontaneous report was received from a consumer concerning an 82-year-old, female patient who received Moderna's Covid-19 vaccine (mRNA1273) and developed Bell's palsy and experienced pain and burning in eyes and a severe headache. . The patient's medical history includes heart disease. Products known to have been used by the patient, within two weeks prior to the event, included clopidogrel bisulfate. The patient received first of two planned dose of mRNA-1273 (Batch Number 041L20A) intramuscularly on 14-JAN-2021 for prophylaxis of Covid-19 infection. On 18-FEB-2021, it was reported that the patient had eye pain and some symptoms of Bell's Palsy. On 19-FEB-2021, the symptoms worsened and so on 20-FEB-2021, the patient was taken to urgent care where she was diagnosed with Bell's palsy. The left side of the patient's face, according to her husband, was drooping and she was having trouble eating and drinking. The patient also had a severe headache. Treatment for the event included prednisone. Patient was also wearing a patch to help prevent pain. Action taken with mRNA-1273 in response to the events was not provided. The outcome of the events, Bell's palsy was considered unknown.; Reporter's Comments: Very limited information regarding the events has been provided at this time. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1074167	3/5/2021	OK	65	F	1/26/2021	1/27/2021	<p>nausea; diarrhea; Could not lift her head because her eyes were hurting. When she opened them it gave her a headache; Feeling cold; chills; muscle pain; joint pain; fever; headache/Headaches was reported as worsened; Tiredness; This is a spontaneous report from a contactable consumer (patient). A 65-year-old female patient (also the age at vaccination) receive the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number: EL9263), via an unspecified route of administration at the left arm on 26Jan2021 11:00 AM SINGLE DOSE for covid-19 immunization (reported also as To protect herself). Medical history included that she had a heart cath under anesthesia about two weeks prior to getting the vaccine. She clarifies it was on 30Dec2020. There were no concomitant medications. There was no additional vaccines administered on same date. There was no prior vaccinations (within 4 weeks). No family medical history relevant to AE(s) reported. The patient was vaccinated at a Clinic. The patient previously had a flu shot in Oct2020 and the shingles vaccine in Aug2020 (for immunization). It was reported that the patient had headache, fever, chills, muscle pain, joint pain, nausea and diarrhea after the first dose of the pfizer covid 19 vaccine. The patient wanted to know how long these side effects will last. It was also asked if she should get the second dose of the covid 19 vaccine because she had side effects to the first dose and if the side effects to the second dose or worse than the first dose. It was further reported that the patient got her first shot last Tuesday (26Jan2021). Starting Friday (29Jan2021) she got symptoms. Should she be concerned? She has had tiredness, headaches, (on 27Jan2021) and this morning (01Feb2021) she could not lift her head because her eyes were hurting. When she opening them it gave her a headache. She also had muscle and joint pain (on 29Jan2021) and chills (on 30Jan2021) and fever (on 28Jan2021). She got so cold she covered up with blankets and fell asleep (on 01Feb2021). Then when she woke up it was gone. How long should these side effects last? Should she be concerned? Should she contact her doctor? The reporter also says that most of her symptoms started Friday 29Jan2021. Then she clarifies that actually her symptoms started small before then, on Wednesday 27Jan2021. As the week went on more symptoms came and became other things. It was added</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							that she felt like Friday 19Jan2021 is when she felt the infusion all of a sudden hit her body. That is when she felt the virus hit her with symptoms. Right now her head still hurts. She is not taking as many Tylenol or staying on it regularly like she was. Maybe she should do that again. Could not lift her head because her eyes were hurting. When she opened them it gave her a headache: She says she still has dull pain behind her eyes. She no longer has chills but is feeling cold (on 01Feb2021). Like she chest was frozen on the same side that she got the shot in. They told her to take Tylenol to get relief. But she got concerned as the days went on. She is supposed to get the second dose on 16Feb2021. It was added that it was unknown specific times that these occurred. Friday she would say that she felt it all hit her bad around 11 AM after lunch. The outcome of the event headache, Muscle and joint pain was not recovered; for the event Could not lift her head because her eyes were hurting. When she opened them it gave her a headache and Feeling cold were recovering; for the event nausea, fatigue and diarrhea was unknown; and recovered for the events Chills on 31Jan2021, Fever on 29Jan2021. The AE(s) did not require a visit to Physician office nor ER. Case was considered as non-serious.
1074251	3/5/2021	CA	55	F	2/27/2021	3/2/2021	March 2, 2021 (3days after injection) 12:30pm sudden onset of severe (incapacitating) dizziness, nausea and headache. Loose stool. Fatigue. Muscle pain. Joint pain. Dry eyes. March 3 same as previous day with the addition of moderate kidney pain and extreme thirst. March 4:same as previous day with addition of severe migraine
1074322	3/5/2021	MI	69	M	3/3/2021	3/4/2021	Swelling under left eye
1074326	3/5/2021	MA	29	F	2/20/2021	2/20/2021	Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1074328	3/5/2021	GA	69	F	3/4/2021	3/4/2021	Systemic: Allergic: Difficulty Breathing-Mild, Systemic: Allergic: Itch (specify: facial area, extremities)-Mild, Systemic: Allergic: Rash (specify: facial area, extremities)-Mild, Systemic: Visual Changes/Disturbances-Mild, Additional Details: Pt complained of blurred vision and anxiety 15 min after injection. After another 10 min, pt complained breathing was becoming difficult. She refused oral Benadryl. I called 911. Paramedics gave her IM Bendaryl. Pt refused to go to ER as symptoms had improved. She waited an additional 20 minutes in pharmacy before going home.
1074429	3/5/2021	IN	56	F	3/3/2021	3/3/2021	pt described doing fine during initial observation period. She went grocery shopping and within about 3 hours of receiving the vaccine, her eyes swelled "like bugged out" and she had her blood pressure taken at home with a systolic measurement of 214. Someone else in her home checked the functioning of the B/P cuff and theirs measured normally. The patient rechecked hers at that point and it was 200+. She does not have a history of hypertension and has never been on anti-hypertensives.
1074443	3/5/2021	WI	40	F	3/3/2021	3/4/2021	About 20 hours after 1st dose, I started becoming very tired and spacey. 24 hours after dose, I felt very exhausted with a headache behind my eyes and pain in my neck and upper back (felt more skeletal than muscular). I fell asleep for 2 hours and woke up with a headache, some disorientation and feeling slightly nauseated. I had gotten plenty of good sleep the night before these symptoms and hadn't felt any immediate side-effects. ...I don't feel that these are serious side-effects, but thought maybe the feedback would be worthwhile.
1074469	3/5/2021	NY	68	F	3/2/2021	3/2/2021	pt stated that she had a sore arm and low grade fever the night after receiving the 2nd dose of the covid vax. She started having vision problems about an hour after receiving the vaccination. She stated that her vision is blurry and she has to blink a lot so she can see anything. Today 3/5/2021 the only symptom she is having blurred vision. Pt will contact her PCP if her symptoms persist.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1074573	3/5/2021	PA	34	F	2/5/2021	3/5/2021	<p>First vaccine I could feel the vaccine go into my body and down into my legs. It was a very strange sensation. I felt very fatigued 30 min after the vaccine but ignored it because it was not normal to have symptoms after the first vaccine. That night i did feel a little bit of swelling in my lips that continued into the next day but it was not severe. The muscle aches, joint pain and allodynia the 2nd day were so severe I don't really remember any other symptoms i may have had. I took Benadryl and Tylenol and slept for 2 days straight. After the 1st vaccine I did have shortness of breath for about 3 days post. Then I received the 2nd vaccine, I did not feel it go in this time. About 30 min after the second vaccine I felt very fatigued. About an hour later I started to feel slight swelling in my lips that increased and around 2 1/2 hours my eyes and lips were noticeably swollen and I was flushed. My husband noticed my ears and cheeks were bright red. I felt my heart racing and took my pulse it was around 120. I felt dizzy and like there was a lump in my throat. I requested an appointment via video call from the emergency line. I didn't feel like I was having trouble breathing and stayed calm, my pulse went down to 100 after about 20 min. while waiting for my video call. I spoke to the doctor and they recommended going to the ER. I asked since the pulse went down and it felt like I was slowly reacting, if I could try taking Benadryl and see how I felt. She said that was ok but if I felt any difficulty breathing to go to the ER right away. I took 50 mg of Benadryl and felt better and rested. The next morning lips and eyes were swollen again but a little worse. Difficulty swallowing persisted as well as severe muscle pain, joint pain, and allodynia. The symptoms were worse with 2nd vaccine. Noticed shortness of breath just walking up and down steps. These symptoms lasted a little bit longer. 4 days after the vaccine I noticed the lip swelling was not getting better so I called my PCP. He recommended taking the next 2 days off, rest with benadryl and tylenol. I listened and felt good enough to go into work. It is now 4 weeks since i had the vaccine and i am still experiencing some symptoms that seem to be in relation to after i eat. That includes lip swelling, tightness in the muscles around my throat (feel as if they are strained), stomach burning, indigestion, heartburn. Called PCP again who recommended I see an allergist/immunologist.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1074695	3/5/2021	PA	32	F	3/2/2021	3/2/2021	3/2/21 8: 45am ball in throat, about 20 minutes later tingling sensation in face and lips, swelling of face and eye, ear pain/ear fluid. Throughout the past couple days still experience ball in throat at times, swelling of face and eyes.



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1074944	3/5/2021	KS	51	M	2/24/2021	2/24/2021	<p>(Nurse Practitioner) Family Medicine at 3/1/2021 10:50 AM Pt called to follow up on covid-19 vaccine done on 02/24/21. She reports that she got home that day and slept until the next day. Fatigue resolved. No other issues noted with vaccine otherwise. Denies any further questions or concerns. Pt is appreciative of phone call. Progress Notes 2nd Attempt to call patient for follow up via phone. No answer. Progress Notes ? Family Medicine at 2/28/2021 7:28 AM Attempt to call patient for follow up via phone. No answer. Progress Notes (Physician Assistant) ? ? Family Medicine Cosigned by: MD at 2/28/2021 7:29 AM STORMONT VAIL COVID VACCINE CLINIC</p> <p>Patient: Date: 2/24/2021</p> <p>Patient is a 51 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience lightheadedness, headache, vision changes and increased respirations. She denied rash, hives, difficulty swallowing, wheezing, throat tightness and hoarseness. She has a history of asthma often triggered by stress. She does have albuterol inhaler on hand, but has not used today. Denies frequent use of albuterol inhaler. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to rapid progression of symptoms, respiratory distress and skin changes. ALLERGY REVIEW OF SYSTEMS: Patient complains of shortness of breath, dizziness and headaches Patient denies chills, fever, facial swelling, cough, chest tightness and wheezing Previous Reactions: Denies Objective Vitals Vitals: 02/24/21 1155 BP: (!) 126/92 Pulse: 64 SpO2: 100% Physical Exam Constitutional: Appearance: Normal appearance. HENT: Head: Normocephalic and atraumatic. Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. No posterior oropharyngeal erythema. Comments: No swelling or lips or tongue. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							Breath sounds: Normal breath sounds. No wheezing or rales. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Assessment/Plan Treatment included: water and Tylenol 1000mg Follow up response to treatment: good. Patients symptoms all resolved prior to discharge. Her O2 remained 99-100% and she denied difficulties breathing. Her respirations decreased while she was in the bay. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) Electronically Signed 2/24/2021 12:31 PM
1074742	3/5/2021	NC	52	F	2/24/2021	2/24/2021	The evening of receiving the vaccine, my heart starting racing. My blood pressure shot up to 150 over 95 and a blood vessel in my eye burst. The next morning I had a headache and my blood pressure remained elevated all day. I felt dizzy. For the following 6 days, my heart would randomly race and I felt odd- just not myself. Blood pressure did go back to normal on 2/26/21.
1074760	3/5/2021	TX	41	F	3/2/2021	3/3/2021	Auditory, visual, and olfactory, hallucinations began about 6 hours after vaccination and continued for roughly 15 hours. other side effects included those commonly listed, headache, nausea, fever, chills.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1074775	3/5/2021	KS	66	F	3/3/2021	3/3/2021	<p>Progress Notes APRN (Nurse Practitioner) ? ? Family Medicine Cosigned by: MD at 3/4/2021 8:45 AM Expand AllCollapse All COVID VACCINE CLINIC 3/3/2021 Date: 3/3/2021 Subjective Patient is a 66 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience L arm tingling. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality and rapid progression of symptoms. PMH includes htn, takes 2.5 mg daily. She denies having issues with bp this am before coming. She ate breakfast earlier this am. No hx of diabetes. Hx of covid-19 infection in December. Not hospitalized. Still struggles with stamina since her illness. Evaluated in ED on 02/20/21 for chest pressure. Negative cardiac work up per pt. She is followed by her pcp. ALLERGY REVIEW OF SYSTEMS: Patient complains of malaise/fatigue (feels tired today.) and shortness of breath (chronic, not with exertion, tires easily. not changed from baseline.) Patient denies chills, fever, eyes watering, eyes itching, puffy eyes, eye redness, cough, chest tightness, wheezing, vomiting, abdominal pain and diarrhea L arm numbness/tingling down arm. Negative focal neuro deficits. : Previous Reactions: none Objective Vitals Vitals: 03/03/21 1023 03/03/21 1045 03/03/21 1115 BP: (!) 156/84 (!) 152/89 (!) 147/80 Pulse: 61 76 Resp: 16 14 SpO2: 99% 100% Physical Exam Vitals and nursing note reviewed. Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: General: No visual field deficit. Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Neck: Thyroid: No thyromegaly.</p>

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Musculoskeletal: Cervical back: Normal range of motion. No muscular tenderness. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Cranial Nerves: No cranial nerve deficit or facial asymmetry. Sensory: Sensation is intact. Motor: Motor function is intact. Coordination: Coordination is intact. Gait: Gait is intact. Gait normal. Comments: +5/5 strength against resistance to upper and lower extremities. Psychiatric: Attention and Perception: Attention normal. Mood and Affect: Mood is anxious (slight anxious affect). Speech: Speech normal. Behavior: Behavior normal. Thought Content: Thought content normal. Cognition and Memory: Cognition normal. Judgment: Judgment normal. Pt was taken to bathroom by LPN via wheelchair during her stay. She still felt weak upon her return. No dizziness/lightheadedness. She was given snacks and water x 2. Assessment/Plan Treatment included: water, snacks and reassurance/observation for about 40 minutes Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) and Local reaction (arm pain, bleeding/bruising, mechanical irritation, localized rash) Pt improved with snacks and water. Discussed what to monitor and potential anxiety underlying as well. Pt to continue to monitor her bp at home and f/up with pcp if it continues to be elevated >140/90. Pt was able to ambulate out with ease and w/o dizziness/lightheadedness. Pt voiced appreciation of care today. APRN Electronically Signed 3/3/2021 11:21 AM

1074787 3/5/2021 OK

37 M

3/3/2021

3/4/2021 Moderately severe headache lasting all day. Primarily behind right eye. Bad enough to go home from work. Headache resolved on the third day. Soreness on sides of neck and adams apple. The soreness is persisting on the third day.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1074789	3/5/2021	CO	65	F	2/24/2021	2/24/2021	A few hours after receiving the first shot ... I felt Very Cold and tired~ went to sleep for a few hrs and lasted about 6 hrs after waking. Nest day was okay-just a little dizziness. Third day brought on more symptoms: eyes burning, little dizziness, neck hurt and I had a feeling like the flu ~ spaciness in my head and Very tired...stayed in bed all day. Next five days were normal. Then on following Wed (a week after the shot) a rash or hives formed around the injection area -was itchy. I felt sleepy & my head had a spaciness again. Stayed in bed all day, napped and this lasted about 10 hrs. This morning I feel better but very dizzy. And the 4' circle around injection is still noticeable.
1074802	3/5/2021	IL	38	F	3/3/2021	3/4/2021	6:30am 3/4/2021 She called for her husband, sat down on the toilet as she became dizzy, he reported that her eyes rolled back and her body became stiff. This lasted approximately 10 seconds. She does not remember what happened. She was weak the rest of the day. 3/4/21 She reports whole body chills without fever, aching, headache, vomiting, and dizziness. 3/5 she sent me a picture of "COVID arm". She is still slightly dizzy.
1074829	3/5/2021	TX	51	F	3/3/2021	3/3/2021	PT C/O OF DIZZINESS, PERIORAL PARESTHESIA, EYE FLOATERS WHICH STARTED A FEW MINUTES AFTER RECEIVING THE VACCINATION. PT HAS A HISTORY OF COVID 19 W/CHRONIC "BREATHING PROBLEMS." 10:02 BP 161/82 HR 77 O2 97% 10:05 AM BP 169/79 HR 75 10:09 AM 156/82 HR 75 O2 97% PT WAS MONITORED WITH REPEAT VITALS FOR 15 MIN IN ADDITION TO REQUIRED OBSERVATION TIME. THE REPORTED FLOATERS STARTED TO RESOLVE, BUT PT CONTINUED TO FEEL SHE WAS HAVING A "MIGRAINE LIKE AURA". THE PARESTHESIAS RESOLVED. NO FURTHER ACUTE CHANGES OCCURRED AND PT FELT COMFORTABLE TO LEAVE OBSERVATION SITE. PT WAS ADVISED TO F/U WITH HER PCP.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1074842	3/5/2021	KS	50	F	2/24/2021	2/24/2021	<p>Progress Notes APRN (Nurse Practitioner) Cosigned by: MD at 2/28/2021 7:27 AM Expand All Collapse All COVID VACCINE CLINIC</p> <p>2/24/2021 Date: 2/24/2021</p> <p>Subjective: is a 50 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience throat tightness. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality, chest pain, collapse, hypotension, increased swelling, rapid progression of symptoms, respiratory distress, skin changes and tongue swelling. PMH: DM, hypothyroidism, asthma ALLERGY REVIEW OF SYSTEMS: Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, eyes itching, cough, chest tightness, shortness of breath, wheezing, rash, hives, eczema, itching of skin, abdominal pain, muscle aches, dizziness and headaches Previous Reactions: none Objective Vitals Vitals: 02/24/21 1350 02/24/21 1352 BP: (!) 152/93 (!) 142/80 Pulse: 85 SpO2: 100% Physical Exam Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is obese. She is not diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Comments: Clear/patent oral airway Eyes: Conjunctiva/sclera: Conjunctivae normal. Neck: Thyroid: No thyromegaly. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Musculoskeletal: Cervical back: Neck supple. Skin: General: Skin is warm and dry. Capillary Refill: Capillary refill takes less than 2 seconds. Neurological: General: No focal deficit</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							present. Mental Status: She is alert and oriented to person, place, and time. Psychiatric: Mood and Affect: Mood normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: antihistamines Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) and Red flag symptoms (CP, SOB, NVD, Visual/Neuro concerns) VS stable. Improving symptoms/resolved. Monitored for 1 hour. Low suspicion for anaphylaxis. More likely generalized allergies and/or anxiety. Doing well. Pt going home with husband. APRN Electronically Signed 2/24/2021 1:56 PM
1074853	3/5/2021	LA	31	M	2/23/2021	3/4/2021	?Abnormal feeling? to his lateral, right upper and lower eyelids, and around the region of his right cheek bone, which he can best describe as tingling. He reports he has not had any symptoms to the right eye, itself. He states he has some mild facial drooping involving his right upper eyelid and his right cheek. He reports mild swelling under his right eye, as well as to his right cheek area. He also reports that he can?t fully open his right eye, which impairs his field of vision; otherwise, denies any vision changes. Instructed that the symptoms were suggestive of Bell?s Palsy, but to go straight to ER for further evaluation.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1074867	3/5/2021	WI	57	F	3/4/2021	3/4/2021	Patient received vaccine at 12:01, she stated that approximately 12:30 she noticed her right palm felt itchy and she noticed red bumps on the inside of her right wrist. She reported the symptoms to the onsite paramedics. She stated that she was placed on a stretcher and given 60 mg of liquid benadryl by the paramedics. She stated she started feeling dizzy, but after 3 minutes the dizziness resolved. She stated that soon after that the itchy right palm resolved, and the red spots on her right wrist diminished. She stated the paramedics took her blood pressure, 150/100 and placed her on oxygen. She stated she was monitored until 1:30 pm, then was discharged, at the time of discharge she had no dizziness, no itching, and only slight red bumps on her wrist. When she got home she stated her eyes felt itchy at about 5:30 pm, she took 2 OTC benadryl tablets, the symptoms resolved. She has been asymptomatic since that time.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1074926	3/5/2021	MN		F	2/25/2021		sepsis; surgery to put stent in; Blood pressure dropped to 70/20; kidney stone; A spontaneous report was received from a consumer who is an 80-years-old, female patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and who experienced sepsis, kidney stone, stent replacement and ended up in ICU and blood pressure dropped to 70/20. The patient's medical history included 6 months of chemo and cataracts surgery in both eyes (not specified). The concomitant product was not provided. On an unknown date prior to the onset of the symptoms, the patient received their first of two planned doses of mRNA-1273 (Batch number: Unknown) in the right arm and patients second dose was scheduled on 25-Feb-2021 for prophylaxis of COVID-19 infection. On an unknown date, after vaccination patient experienced sepsis, put the stent in and ended up in ICU and blood pressure dropped to 70/20/ blood pressure low (18-Jan-2021) and kidney stone. The patient was hospitalized for sepsis, stent replacement and ended up in ICU and blood pressure dropped to 70/20/ blood pressure low. On 04-Mar-2021, she was going to have surgery to have kidney stone which was 9cm long removed and to have stent replaced. Treatment information was not provided. Action taken with respect to mRNA-1273 in response to the events. The outcome of the events was not reported for all events.; Reporter's Comments: Very limited information regarding these events has been provided at this time. Further information has been requested. However, the events of kidney stone and stent replacement are unlikely because the kidney stone was preexisting and the procedure of stent replacement was planned for a later date.
1074477	3/5/2021	PA	62	M	3/2/2021	3/4/2021	Left eye, Transparent light brown half-moon shaped visible for approximately 15 minutes. It disappeared when I went into the cold weather. Both eyes have irritation, burry and itchy.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1077123	3/5/2021	AK	41	F	3/5/2021	3/5/2021	About 10 minutes after her vaccine she started feeling throat thickness and was able to swallow so she received 50mg of Benadryl PO. About 10 minutes later she said that she thought it was helping. About 20 minutes after the benadryl she started having dizziness/lightheadedness, visual field narrowing, worsening throat swelling with frequent throat clearing, and tingling in her hands, epinephrine pen given L thigh. After 5 minutes without improvement Epinephrine pen given R thigh. No rash/hives noted. Vitals were stable the entire time with SpO2 of 100%, RR 18-22, HR 84-98, BP 100-138/60-86.
1076847	3/5/2021	NC	40	F	3/4/2021	3/4/2021	After getting the shot, I walked over to the observation area a few yards away. I sat down and my vision went blurry and the room lights were too bright. I spoke with a dr about taking ibuprofen for my ankle, as I was told to only take Tylenol. The dr said that I was fine to take it. I didn't want to ask about my vision because I was embarrassed and didn't want to be stressing or panicking and that be the cause of my vision issues. But it didn't subside so I checked with a nurse before leaving, about 15 mins after the vaccination and asked if I was ok and she said yes, that she only had 1 other person tell her about blurred vision. I walked to my car and the sun was so bright I had to shield my eyes. I got in the car and took my mask off. I looked in the mirror and my cheeks and chin were flushed but my skin was pale. My husband sat with me for 10 mins and then went in for his shot. At this point it had been a little over 30 mins since getting vaccinated. I FaceTimed my mom so I wouldn't be alone. As we were talking she said my face was getting puffy and I was getting darker circles under my eyes. I got off of the phone with my mom and called my husband on FaceTime. I asked him to talk to the dr for me and let her see my face. She said my face was swollen and red and asked if I could breathe or felt like my throat was closing over or tongue was swollen. I told her no. Once again I was told I was ok and to take Benadryl. An hr or so after the 1st dose vaccination I was able to get Benadryl and Tylenol. In a 12hr period I took 2 doses of Benadryl and 2 doses of Tylenol. My face got better in 12-24hr but I still have blurred vision and light sensitivity.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1076883	3/5/2021	NY	72	F	3/2/2021	3/3/2021	Eye swelling, under eye swelling, headaches, fatigue, weakness, itching around eyes, red rash on both sides of my face, eyelids both swollen
1076884	3/5/2021	CO	69	F	2/27/2021	3/7/2021	Patient experienced dizziness, blurred vision, spinning room, etc. Symptoms were akin to those she experienced with the flu shot. Patient stayed all afternoon and received fluids and meclizine.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1076888	3/5/2021	IN	65	F	1/31/2021	2/13/2021	<p>Bell's Palsy; This is a spontaneous report from a contactable consumer (patient). A 65-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number: EN5318, expiration date: May2021), via an unspecified route of administration in the left arm on 31Jan2021 at 12:30 at a single dose for COVID-19 immunization. The vaccination was done at a hospital. The patient's medical history included Reynold's syndrome (21 years old at diagnosis), Sjogren's (diagnosed at 30 years old), mixed connective tissue disease (diagnosed around 30 years old), and fibromyalgia (late 40s at diagnosis). There were no concomitant medications. The patient previously received a tetanus shot for immunization on an unspecified date and was allergic to the tetanus shot. This happened when she was 21 years old. The patient also got the new pneumonia shot on 12Jan2021 in her left arm for immunization at the age of 65 years old. The patient got her first dose of BNT162B2 on 31Jan2021. The patient stated she was supposed to get second vaccine 21Feb2021 but that she went to emergency room 13Feb2021 with extreme right eye pain and numbness in lip. She was diagnosed with Bell's palsy. The patient stated that she was not admitted to the hospital, and she just seen in the emergency room. It was reported that it initially worsened, that her eyes were definitely worse until a week later she was scheduled to see her physician and on Wednesday 17Feb2021 she started taking eye drops and now they have not gotten any worse. The doctor said it was not known if it was caused by the vaccine, and stated the patient has certain autoimmune problems Reynaud's, Sjorgen's and mixed connective tissue disorder, all diagnosed prior to vaccine. The patient had no family history relevant to the event. There were no relevant tests. The outcome of the event was not recovered.</p>
1076897	3/5/2021	UT	42	M	3/4/2021	3/4/2021	<p>When I got the vaccine I got an instant pain in my arm and into my neck, then an intense headache between my eyes above my nose, I was flush and sweaty, nauseous. Then had a bad headache on the top of my head, then soon I had left side facial numbness . Light sensitivity</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1076909	3/5/2021	FL	74	M	2/17/2021	2/18/2021	<p>Blood pressure would drop and then go back up; feeling passed; he is not thinking well; he is not talking as clear or loud; sick; Very hot, flushed; Everything started spinning; Headache; Mind not clear/It is like he is kind of in a fog. It is not clear; Not being as focused with is eyes; Breathing difficulty/breathing harder; This is a spontaneous report from a contactable consumer (patient). A 74-year-old male patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot/batch number: EL9262 and expiry date: 21May2021) solution for injection, via an unspecified route of administration in arm on 17Feb2021 15:00 at a single dose for Covid-19 immunization. Medical history included muscle relaxer/pain therapy, accident at work (stated he taught college for many years. However, he was in (enforcement type) for the office of (County Name). He worked as an admin assistant for the state attorney. He was injured on the job because someone did not like him. He was injured real bad and taking these medications for pain. Concomitant medications included ongoing gabapentin (NEURONTIN) for pain, oxycodone hydrochloride, oxycodone terephthalate, paracetamol (PERCOCET [OXYCODONE HYDROCHLORIDE;OXYCODONE TEREPHTHALATE;PARACETAMOL]) for pain, ongoing tizanidine (TIZANIDINE) as muscle relaxer/for pain, and unspecified medications for pain. The first dose was administered on 27Jan2021 (Lot Number: EL1283, Expiry Date: 30Apr2021), in Left arm. The patient reported breathing difficulty/breathing harder, mind not clear/it was like he was kind of in a fog. It was not clear, not being as focused with his eyes, all on 18Feb2021. On 19Feb2021, the patient reported his blood pressure would drop and then go back up, very hot, flushed, everything started spinning, and had headache and was sick. The patient reported feeling passed, he was not thinking well, he was not talking as clear or loud on an unspecified date. On Friday around 1'clock he got very hot, flushed. He took off his shirt. He was washing dishes. He needed to cool down a bit. He went to the bathroom to shave and brush his teeth. However, things were getting out of focus. He sat down on the toilet for about 3-4 minutes and then the feeling passed. He got back up and walked into the family room. He made it in there and had to sit down. All of a sudden he felt like</p>

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

everything was started to spin. Everything was really spinning. He was standing and had to sit down for a few minutes. While sitting he felt all of a sudden a super wave of feeling bad. He was sick. Everything was spinning. He could not stand it for another minute. The patient was hospitalized from 19Feb2021 to 21Feb2021 due to blood pressure would drop and then go back up. The fire department came and one of the things they did was check his blood pressure. Initially stated it was low and then it jumped up 20points when he stood up. They then threw him in the ambulance to take to the ER. He was going to the hospital because they thought he was having a stroke. He was seen by two different neurologist and other hospital doctors. The patient underwent lab tests and procedures which included blood pressure abnormal: it was low and then it jumped up 20points (Initially stated it was low and then it jumped up 20points when he stood up), blood pressure abnormal: believes it was like 140 was the high (he was unable to provide a true blood pressure reading at the time event occurred. Stated he was messed up in the head. He believes it was like 140 was the high. His was usually lower than that to begin with. Then it would go to 110. It would bounce from 110 to 140. It would change from sitting to standing), chest X-ray and electrocardiogram: test came back negative (He was in the ER and had a Chest -X Ray. He had an electrocardiogram, EKG, he had a scan that was dry without contrast and second one with contrast/iodine. He had an MRI of the brain to check for brain bleed. They thought he was in the process of having a stroke. They could not find anything. He had two CTs. Test came back negative. Neurologist determined it was not a stroke. Decided it must be inner ear situation), computerised tomogram: test came back negative (he was in the ER and had a Chest -X Ray. He had an electrocardiogram , EKG, he had a scan that was dry without contrast and second one with contrast/iodine. He had an MRI of the brain to check for brain bleed. They thought he was in the process of having a stroke. They could not find anything. He had two CTs. Test came back negative. Neurologist determined it was not a stroke. Decided it must be inner ear situation); test done on his heart, MRI of the brain, and two different scans: everything was negative (he had all kinds of test done on his heart, two different scans, MRI of the brain to see if had a brain bleed all that stuff.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

He was in the hospital for three days. Yesterday he was sent home. They found nothing wrong. Everything was negative. Therefore, he was sent home. Outcome of the event Blood pressure would drop and then go back up, Breathing difficulty/breathing harder, Mind not clear/It is like he is kind of in a fog/It was not clear was recovering; everything started spinning was recovered 20Feb2021; not being as focused with his eyes, feeling passed, he was not thinking well, he was not talking as clear or loud, and sick was unknown; headache was not recovered. No follow-up activities are needed. No further information is expected. Information about lot/batch number has been obtained.

<u>VAERS_ID</u>	<u>RECVDATE</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1076916	3/5/2021		31	M	2/21/2021	2/22/2021	I was suffering from paralysis and numbness on the left side of my face. I went to the ER and was diagnosed with Bell's Palsy; This is a spontaneous report from a non-contactable consumer (the patient). A 31-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EN6201) via an unspecified route of administration in left arm on 21Feb2021 11:30 a.m. at age of 31-year-old, at single dose for COVID-19 immunisation. The patient had history of frequent ear infections. Concomitant medication included fluticasone which was taken within 2 weeks of vaccination for an unspecified indication. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was not diagnosed with COVID-19 prior to vaccination. The patient had not been tested for COVID-19 since the vaccination. The patient reported when he woke up the next day after receiving the vaccine (22Feb2021), he found that he was suffering from paralysis and numbness on the left side of his face. He went to the emergency room (ER) and was diagnosed with Bell's Palsy. He had been experiencing some minor pain in his left ear beginning two days before he received the vaccine (i.e., three days before onset of facial paralysis), and this ear pain had continued as he continue to experience the palsy. Since visiting the ER, he had also seen a neurologist. The doctors he had seen do not necessarily think that the palsy resulted from receiving the vaccine. The onset date of the event "I was suffering from paralysis and numbness on the left side of my face. I went to the ER and was diagnosed with bell's palsy" was reported as 22Feb2021 09:00 a.m. The event result in doctor or other healthcare professional office/clinic visit and emergency room/department or urgent care. The event was non-serious (the event did not result in death, not life threatening, not caused/prolonged hospitalization, no disabling/Incapacitating, no congenital anomaly/birth defect). Oral steroid and antiviral drugs, eye ointment was received to treat the event. The outcome of the event was not recovered. No follow-up attempts are possible. No further information is expected.
1076930	3/5/2021	CA	71	F	2/26/2021	3/5/2021	Bell?s palsy. Left eye will not close and left mouth droopy with muscle weakness left side.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1076944	3/5/2021	NJ	33	M	3/5/2021	3/5/2021	the patient, was given the vaccine at roughly 10:15am. At about 10:30am, after waiting 15 minutes after the shot, the patient stood up from his chair in the waiting area. He staggered over to the pharmacy drop off window and stated that he felt like he was going to pass out. His eyes rolled back and he collapsed. Another patient was approaching the counter at the same exact time and was able to catch him on his way down. By the time I ran from behind the pharmacy counter, he was awake, breathing heavy and confused. One of the pharmacy technicians called 911 immediately and started the emergency response. he was able to regain his composure and move himself back the chair. The EMTs arrived and took his vitals, and discussed what happened. They eventually determined that he was ok and was free to go. The patient did not go to the hospital.
1077000	3/5/2021	FL	39	F	2/9/2021	2/28/2021	19 days after the vaccine, I started to have some rash on the forehead, swollen left eye the next day. I thought it was allergies, but it didn't get better with antihistamines, triamcinolone, and antibiotic . I went to the urgent clinic on the third day and was diagnosed with Shingles. I am prescribed with acyclovir for treatment. I am not sure if it's related to the vaccine but something triggered it and I'm not in the normal age group that gets it.
1077050	3/5/2021	WA	70	F	3/4/2021	3/5/2021	2nd dose at 1615 on March 4, HA started morning of the 5th, pt called and spoke with triage RN at 1400, triaged per protocol and pt directed to ED for "worst HA of life". Pt also endorsing fever, nausea, "sparkles" in vision of 1 eye. Pt took tylenol and advil w/o relief (doses unknown).

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1076830	3/5/2021	NY	81	F	2/21/2021	2/21/2021	<p>She is experiencing an Allergic reaction, rash; little coughing spell; Itching eyes/My eyes started itching; Multiple hives all around her right eye; Wheezing; didn't feel comfortable; her upper lip became puffy/bottom lip began to swell; This is a spontaneous report from a contactable nurse (patient) via Medical Information Team. An 81-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, lot number: EN6201), intramuscular at upper left arm on 21Feb2021 at 08:30 at SINGLE DOSE for COVID-19 immunisation. The patient had no prior vaccination within 4 weeks. The patient had no additional vaccines administered on same date of bnt162b2. Medical history included seasonal asthma, allergy to class A antihistamines that started in her 20s, facial &amp; peripheral edema, blood pressure abnormal, and celiac disease. The patient had known allergy to Benadryl and when she takes it she gets peripheral and facial edema, lip swelling, top and bottom, hives around her whole right eye. The patient also has an allergy to Class A antihistamines that started in her 20s. She said the allergy started with Seldane &amp; Claritin. She said she had giant hives with Claritin. She said she was told there were 2 classes of antihistamines &amp; she couldn't use the Class A antihistamines. She said she previously reported her Seldane, Claritin &amp; Benadryl allergies, saying she has facial &amp; peripheral edema. She said she only uses the Class B antihistamine Cimetidine now. Concomitant medications included metoprolol, omeprazole, and pravastatin. On an unspecified date, the patient was experiencing an allergic reaction, rash. On 21Feb2021, the patient experienced "her upper lip became puffy/bottom lip began to swell," multiple hives all around her right eye, wheezing, and didn't feel comfortable. On 21Feb2021 at 14:00 (reported as about 2PM), the patient experienced "Itching eyes/My eyes started itching." On 21Feb2021 at 21:00 (reported as 9PM), the patient experienced little coughing spell. The reporter considered the events swelling lips, itching eyes, multiple hives all around her right eye, and wheezing as serious medically significant. The patient further reported that she felt fine after the shot, her arm was not sore, nothing. She said her arm was fine, and she had no problems, whatsoever, after receiving the COVID-19 Vaccine. She said she has had some weird allergic reactions in the past, but no</p>

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

anaphylaxis. About 12:00 to 12:30 PM (also reported as around midday), the patient's lip felt puffy. She said she had ate an apple and thought maybe something was on the skin of the apple. She said then her bottom lip began to swell, so she took 3 Cimetidine (NDC Number: 49035-820-72, lot number: 9AE2576A, expiry date: Dec2020). The patient stated that she was allergic to what she believe are class A antihistamines as they gave her facial and peripheral edema including Benadryl and everything on the list. About 2PM, the patient's eyes felt itchy, she took allergy eye drops (eye drops seasonal relief with tetrahydrozoline HCL 0.05% and zinc sulfate 0.25%. She said the product packaging reads it soothes eyes, and she said the eye drops worked. Lot number: AC8K275, expiration date: Sep2021). She said when she looked in the mirror, she saw a large hive on her eye (clarified as multiple hives all around her right eye). And about 4PM, she realized that her lips felt puffy, so she repeated the Cimetidine, it kept them from getting worse. At 7PM, her eye felt worse. She had this real hive that surrounded her right eye, she took a picture so she could report it to the doctor. The patient have an appointment on Wednesday. At 7:30PM, the patient's lips were puffy, she repeated the Cimetidine again and took of the 200 mg, she takes 3 at a time, she mentioned she could take 4, but she takes 3. She said she took more Cimetidine at 8:30PM, and talked to a pharmacist, who told her to call Pfizer to report her reaction. She said she attempted to call Pfizer last night, but it was too late, clarifying Pfizer Medical Information was already closed for the day. The patient also reported that she had a little coughing spell at about 9PM, so she stayed up with her husband till 10PM because she didn't feel comfortable. The patient told her husband to wake her up every once in a while. The patient felt a little wheezy, she used both of her inhalers, she could hear the wheezing, she used the serevent diskus (Serevent Diskus 50 mcg Inhaler. She said she has been using the Serevent Diskus Inhaler for seasonal allergies for years and the inhaler works. She said she occasionally uses the Serevent Diskus for colds during the winter. She said she realized she was wheezing last night and thought she should use the Serevent Diskus. NDC Number: 0173-0521-00, Lot Number: VV3E, Expiration Date: Sep2021) and Flovent (Flovent HFA 110mcg Inhaler, NDC Number: 0170719-20, Lot Number:

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

C47A, Expiration Date: Jul2021). That seemed to be okay, she went to bed, and had a good night no problems. She said she woke up this morning and felt better. She said she sounds a little gunky this morning, clarifying that was somewhat typical for her. The patient further reported that she got up at 6:30AM, she took a shower, she was having a rebound reaction, and wheezing, so she took 3 more Cimetidine and repeated the inhalers. She clarified while her symptoms worsened after the hot shower this morning, her symptoms are much less than yesterday (21Feb2021), saying she was aware of her symptoms today, and paying attention to them. She said her lips became puffy, and she was wheezy after the hot shower. She said she took Cimetidine and her inhalers again this morning to treat the rebound reaction. She decided to repeat again at about quarter to 10AM, she repeated again trying to keep it under control. In the meantime, she spoke to her doctors office, and they just said keep doing what she's doing, and if she get real bad, call 911 or go to emergency room (ER). The patient have an appointment, the patient's big concern was that she probably shouldn't get the second COVID shot. She read on (website), that there was a very rare, mild anaphylactic reactions. What caught her eye was that this takes place about 4 hours after the dose. This was when her symptoms began, lucky her. Her whole life has been allergy related. The patient don't know if celiac disease has anything with this. The patient wanted to know whether or not there was some way to take the shot without killing herself. She said she was not having breathing difficulty, she was just wheezy. She said she repeated the Cimetidine about a half hour before she called Pfizer today. She said she called her doctor's office this morning, and her doctor said for her to keep treating her symptoms as she had been doing. She said her doctor told her to call an ambulance or go to the emergency room if her symptoms happen to get worse. She said she read online that skin anaphylaxis (hives, itching, and swelling of the eyes, face, lips and throat) can occur with the COVID-19 Vaccine. She clarified she read the information about the COVID-19 Vaccine at (Website name). She said she read skin anaphylaxis was extremely rare and less than 1% of the population has the allergy, and those individuals should not get the COVID-19 Vaccine. She

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

said she was upset because what she read probably means she can't get the second COVID-19 Vaccine shot. She said she read the skin anaphylaxis appears within 4 hours after getting vaccinated with the COVID-19 Vaccine. She said her symptoms occurred in almost the same amount of time as to what she read about a skin anaphylaxis reaction to the COVID-19 Vaccine. She said she has a regular check-up on Wednesday (24Feb2021) with her doctor, and will speak further to her doctor about getting the second COVID-19 Vaccine. The reporter considered the events lip felt puffy, eyes started itching, hives, and wheezing as serious medically significant. The patient had no emergency visit. The patient had no relevant tests done. Therapeutic measures were taken as a result of the events swelling lips, itching eyes, multiple hives all around her right eye, and wheezing. The patient had not yet recovered from the events swelling lips, itching eyes, multiple hives all around her right eye, and wheezing while outcome of the events rash, little coughing spell, and didn't feel comfortable was unknown. The reporter considered the events swelling lips, itching eyes, hives, and wheezing as related to bnt162b2.; Sender's Comments: A possible contributory effect of suspect BNT162B2 on reported events cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1077080	3/5/2021	WA	58	F	3/5/2021	3/5/2021	Patient here for 1st dose. At 3:15, patient complained of itching L upper arm and 5 minutes later itching to back and neck area. Patient self administered Benadryl at 2:40 and additional 50 mg of Benadryl at 3:53 PM. Patient is alert X3, speech at baseline, breath sounds clear to A&P no stridor, no wheeze noted. BP 130/80, HR 95, Temp 98.4, O2 Sat 99 %. Patient was refusing to have Epi Pen administered by RN X3 attempts. AIDE was called to assess. Patient alert, no visual swelling or difficulty breathing. 3:20 patient ambulated to the bathroom. 3:33 patient advised by medics to call a family member to drive her home. Patient agreed and called family. Reports her itching is improving and continues to be alert. VS are stable. 5 PM patient left with friend driving via private car. Patient was advised to consult with doctor prior to next vaccine.
1077102	3/5/2021	OR	54	F	3/1/2021	3/1/2021	Some pain in the arm itself a few hours after the shot, but beginning in the afternoon fatigue began to set in. At about 9:30pm I had chills and fever-like symptoms all night. Body aches, headache, blurred vision and my teeth really hurt (a common fever symptom for me) I was tossing and turning all night and woke up at 3:30am, shot up straight in bed and said, "Freedom!" (Ha, not sure if that was related to a dream? Weird for me! Hee.) I was feeling nauseous at that point and made myself some butter toast and was able to keep it down. Called in sick the next day and the symptoms started to dissapate around 3:30 pm the day after my shot. But, it was a rough time. Had a bit of stomach cramping and slight diahrrea the following day, as well.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1077132	3/5/2021	WA	72	M	2/24/2021	2/25/2021	02/25/2021: Noticed spots of itchiness all over body (30 hours after shot) Remained this way for 5 days 03/01/2021: Woke up with puffiness in right lips/cheek, itching in throat, felt itchiness all over body 03/01/2021: All sx resolved by end of day without taking any medication 03/02/2021: Woke up with Left cheek/left lip swollen, itchy throat, general itchiness around body, a few red spots here and there around body 03/02/2021: Took one benadryl at 10:00 am, did not notice that it "did anything." But by 4:00 pm, sx were gone 03/03/2021: No sx 03/04/2021: "All hell broke loose" - Awoke with R swollen eyelid (r lid up to right eyebrow), itchy throat, hives patchy, rash. Took one benadryl at 09:00am and then at 11:30am, felt somewhat better, hives remained in evening, itchy throat remained. Went to healthcare facility. Given medications starting 03/04/2021 in the evening. Diagnosed as mild urticarial reaction. Doc says it was delayed hypersensitivity reaction. Prescription given: hydroxyzine, famotidine, prednisone. Recommended Claritin, which patient is taking. 03/05/2021: General itchiness, around body. Back, legs, arms. Throat somewhat itchy. No other symptoms.
1077199	3/5/2021	MN	35	F	2/18/2021	3/5/2021	Woke up this morning with some swelling on my left eye lid. Also very tender to the touch. It seems slightly more tender now at the end of the day and a little more swollen than when I woke up
1077209	3/5/2021	WA	46	F	1/31/2021	2/1/2021	After second dose of vaccine, woke up with head to toe hives. Hives became progressively worse over the following 4 weeks. Hives became large bruises /petechiae to upper thighs. Angioedema to lips, eyes and face. Tried to relieve the symptoms with anti-histamine's, benadryl , pepcid and singular.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1077229	3/5/2021	OR	72	M	3/3/2021	3/5/2021	It began this morning with pain in the muscle of my left arm just below the shoulder. I received the vaccine in my right arm. Then I began having pain and soreness in my scalp. Tonight the pain has become a headache, and my right eyelid is very sore. The area of pain and soreness in my scalp has grown larger. I am feeling kind of fluish. Because I had polymyalgia rheumatic a several years ago. My wife and I are concerned that I have Giant Cell Arteritis. I am praying that this is not the case, and these symptoms are a temporary reaction to the vaccine. But it is worrisome, because GCA needs to be treated early to avoid the possibility of blindness.
1077243	3/5/2021	TX	34	F	2/26/2021	2/26/2021	Site: Bruising at Injection Site-Mild, Site: Itching at Injection Site-Mild, Site: Pain at Injection Site-Mild, Site: Redness at Injection Site-Mild, Site: Swelling at Injection Site-Mild, Systemic: Allergic: Anaphylaxis-Severe, Systemic: Allergic: Difficulty Breathing-Severe, Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Severe, Systemic: Allergic: Itch (specify: facial area, extremities)-Mild, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Severe, Systemic: Headache-Mild, Systemic: Tingling (specify: facial area, extremities)-Severe
1077252	3/5/2021	IN	73	F	2/16/2021	2/17/2021	My reaction was not bad enough to require medical attention but I am reporting it to add to the data base. A few hours following the vaccination, my eyes burned like crazy. The day after my second dose of the vaccine, I became excessively fatigued. My arm hurt, I had a very slight fever (99.2 and my normal temp in 97.6) and felt a general malaise. I went to bed and after 10 hours of sleep felt much better the following day, although still fatigued. However, the next day, my arm hurt to move it and I discovered swelling under my arm and my lymph node was enlarged. The swelling went down after a couple of days and all of my symptoms were gone in about five days.
1077276	3/5/2021	CA	45	F	3/4/2021	3/4/2021	DAY OF VACCINE: (Mar. 4, 2021) fatigue triggered a few hours after vaccination DAY AFTER VACCINE: (Mar. 5, 2021) all-day fatigue chills fever. (102.7 beginning of day, 102.1 mid-day after Tylenol, 102.9 evening) aches: head, eyes, neck, stomach, whole body no appetite



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1077277	3/5/2021	CA	46	F	3/5/2021	3/5/2021	Systemic: Allergic: Difficulty Breathing-Mild, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Systemic: Dizziness / Lightheadness-Medium, Additional Details: Approximately 30 minutes after administration, patient reported some difficulty breathing and extreme lightheadness. Breathing was shallow. Also reported swollen tongue, which led to slurred speech. Benadryl was immediately given and patient was monitored for an additional hour. At the end, patient reported she felt better and speech improved, but still lightheaded like she \"just had 2 glasses of wine.\">
1077280	3/5/2021	IL	52	F	3/5/2021	3/5/2021	After vaccination, patient felt light headed, cold sweat, blurry vision, and upset stomach leading to soft stool. After 45 minute observation, patient felt well enough to drive home. At home she felt shaky and weak. Patient stated she did not eat very much during the day before the vaccine.
1077286	3/5/2021	NY	33	F	2/25/2021	3/5/2021	Suddenly got rash about 3-4 inches in diameter at injection site. I got the injection 8 days ago. It's swollen, red, itchy and mildly painful. Also the corners of left eye seems sore ? almost like the start to a sty. Not sure if that's related
1075920	3/5/2021	CA	25	F	3/5/2021	3/5/2021	Vaccine @ 1017. 1019 when walking to chair became light headed and dizzy. 1022 vision started getting blurry. 1024 started with a tension HA reports she has these frequently but did not arrive with a HA.B/P 112/64, P-86, R-18, 02 sat 98% ra. 1034 Pt report dizziness resolved but vision cont to be blurry. 02 sat 99% ra, HR-80. 1051 Pt report vision is getting better . b/p 110/62,hr-89, 02sat 99% ra, r-18. 1056 Reports vision better and all other issues have resolved. Pt instructed to f/u with MD as needed and eat prior to next covid vaccine.
1077059	3/5/2021	NM	63	M	2/26/2021	2/27/2021	States two days prior to vaccine he first noticed a fever blister. Reports since receiving first vaccine dose last Friday (2/26/21) he has not been feeling well, notes swollen eyes (lid overlap eyelashes), eyes wet/watery constant, swollen throat, face swelling, and fatigue. Reports this has improved somewhat. Denies any pain/injection site reaction from vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1076048	3/5/2021	NH	65	F	3/4/2021	3/4/2021	Approximately 8 minutes after injection began noticing a feeling of shakiness with slight visual tremors of hand. This could be described as after taking a dose of albuterol or drinking a lot of caffeine. It was mild, but I did have a feeling of being hyper until about 24 hours after the injection. My BP & P one hour post vaccine was 127/83 p-70. I notified my primary care provider this am. they gave me the VSafe web info.
1077130	3/5/2021	CA	54	F	3/3/2021	3/4/2021	No adverse reactions other then pain in the injection site and being tired then last night 48 hours later my eye was twitching. Today it 72 hours later eye twitching again and then this afternoon my bottom lip began to tingle. Called the Urgent care they said come in and I did and the said it is bells palsy and gave me steroids and another drug to take
1076828	3/5/2021	AZ	70	F	3/5/2021	3/5/2021	About 10-15 min after shot pt reported itchy eyes and "itchy sensation" all over body. No rash apparent. No dizziness, no SOB or breathing difficulty - gave 50mg oral Benadryl, pt waited another 20 min with no worsening symptoms - was with husband .
1075928	3/5/2021	CT	40	M	2/12/2021	2/28/2021	On 28-FEB-2021, at approximately 2000, I developed left facial numbness felt on top of the left forehead, left eyebrow, left nasal bridge, inside of left nose (nares), top and bottom of left lip, left side of the cheek, and left side of the tongue. Left eye blin is weak and unable to fully close left eye. Left ear was aggravated and irritated when scratched. Hearing is distorted, felt as if I had been submerged in water for a prolonged amount of time. There is ringing at times on left ear as well. Symptoms were progressive. Today (05-MAR-2021), also developed vertiginous sensation and light-headedness.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1075948	3/5/2021	MO	95	F	3/4/2021	3/4/2021	Approximately 10 minutes after vaccination, pt began complaining that she was lightheaded. Pt is A/Ox4, speaking clearly in complete sentences without increase in respiratory rate or effort, lungs clear and equal bilaterally, spo2 98% RA, blood sugar 189. Radial pulse strong and regular, skin PWD, BP hypertensive at 169/61. 12 lead shows paced rhythm at a rate in the 60s. Pt denies CP, SOB, abdominal pain, nausea, itchiness, difficulty speaking. Pt has no neurological deficits or visual disturbances. Orthostatics negative. Lightheadedness resolves on its own within 15 minutes and does not return. Blood pressures taken every five minutes remains about the same. After resolution of symptoms, pt demonstrates the ability to rise from seated position on her own and walk with steady gait. Her daughter states that she will stay with her for the remainder of the day and will seek medical attention if symptoms return or new ones arise.
1075954	3/5/2021	IN	48	F	1/13/2021	1/13/2021	It started out as an itchy area under the band aid. I took the band aid off and the itching got worse and went down my arm. A minute left after waiting 15 minutes I let the nurse know the reaction I was having ( bad itching), she looked at it and was red. She said it could be a site reaction and gave me an ice pack. Another nurse came to check on, and I told her I was really thirsty. By the time she got back my lips were feeling very heavy, lips itching and difficult to swallow, then my whole chest was covered in a red rash. With in a couple minutes there was a paramedic there and was more difficult to swallow, they tried to give me Benadryl thru an IV and blew my vein. So he asked me for a IM shot of Benadryl, I said yes and took me to the ER. By the time got there the Benadryl wore off and my lips got itchy and they took me right to the room and Dr gave me IV Solumedrol and Benadryl. They watched me for two hour sin the ER , they released me with 3 days of prednisone, EpiPen, Benadryl. I went to the pharmacy (15 minute drive from ER) and both my eyes starting swelling, so I took 50mg of Benadryl capsule and the next day I started the prednisone, I had to take Benadryl every 3 hours for the next couple days because my eyes would start swelling.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1075995	3/5/2021	IL	73	F	2/15/2021	3/3/2021	emergency room HPI 73 y.o. female who presents with dizziness and loss of consciousness. Patient reports that she was sitting outside in the sun this afternoon and became hot, she then went inside and came back outside to sit in the shade. She reports that she became "dizzy," lightheaded, nauseous, and that her vision began to go black. Reports that she awoke to her sister shaking her in the chair and calling EMS. Unsure of LOC time, but believes it to be short-lived. She then had one episode of vomiting. Denies vertigo, hitting head, trauma, headache, chest pain, palpitations, shortness of breath, and edema. Denies recent illness or sick contacts. Denies h/o similar episodes.
1076022	3/5/2021	FL	69	F	2/14/2021	2/14/2021	At 12 hours after injection: high fever, chills so bad teeth chattering, aches muscles in in neck, back, ankle (areas that have problems or injured in past, Hourly urination with intense pain and muscle spasm of muscle holding the urination - these stopped at about 5:00 am; Then a fever of 99 and cold clammy feeling for a day - was not able to stand for more than a few minutes without feeling off balance and then just exhausted. For a week I was mentally cloudy and my vision was at times a little blurry. Now...2 weeks later I have developed a UTI and Bacterial Vaginosis. I feel fine otherwise.
1076038	3/5/2021	MO	68	F	3/2/2021	3/3/2021	Awoke at 0430. Went down 1 flight of stairs about 10 minutes later. Walked a few few steps became extremely nauseated, ears ringing, tunnel vision, clammy, very dizzy and light headed. Went back to stairs to sit down so I wouldn't pass out. Sat on stairs for at least 10 minutes. Ears still ringing, vision filed not back to normal and nauseated. Crawled to sink to get drink of water. Went to recliner, stayed in recliner most of day. Went to primary care physician next day.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1076097	3/5/2021	OH	25	F	3/5/2021	3/5/2021	Blurred vision, dizziness, itching, tightness of chest, headache. 1340 c/o itching nose/chest tightness along with anxiousness BP 124/80, HR 60, RR 18, SpO2 98% RA. Resp. easy/even. Denies difficulty with swallowing. C/o Blurred vision at this time. 1349 States that chest tightness is resolved. Continue to c/o blurred vision. States that after receiving vaccination she almost immediately had an instant headache. 1356 States that itching is now resolved, along with tightness of chest/blurred vision. States that her headache remains. 1408: BP 116/76, HR 68, RR 18, Continue c/o headache. No other complaints at this time. Staff nurse suggested pt get a ride home. Pt denied need for a ride stating that she was fine other than the headache. 1413 Pt released to go home. Pt reminded to call PCP for any further adverse reactions.
1076135	3/5/2021	TX	64	F	3/5/2021	3/5/2021	64 YO AA FEMALE PRESENTED WITH ACTIVE VOMITING. PT STATES SHE FELT FINE IMMEDIATELY AFTER RECEIVING THE VACCINE. AFTER WAITING IN OBSERVATION FOR 10 MIN, SHE STARTED TO FEEL A HOT FLASH (CEPHALAD TO CAUDAD), NUMBNESS IN HER JAW; SWELLING IN HER THROAT AND COULD NOT SWALLOW WATER/ KEEP IT DOWN. SHE ADMITS HAVING A DULL FRONTAL HEADACHE. DENIES CHANGES IN VISION, CHEST PAIN OR PRESSURE. BP 150/84 HR 83 SpO2 96% PT APPEARED ALERT AND ORIENTED X 3 WITHOUT VISIBLE NERVE DEFICITS. NO FACIAL SWELLING, LYMPHADENOPATHY, OR DIFFICULTY SWALLOWING ON EXAMINATION. SMALL ERYTHEMATOUS HIVE NOTED ON PTS' RT BRACHIAL AND CERVICAL REGION. AFTER 15 MINUTES OF MONITORING, PT SYMPTOMS RESOLVED AND VOMITTING CEASED. PT WAS INSTRUCTED TO REHYDRATE WITH ELECTROLYTE FLUIDS AND RESUME EATING PROGRESSIVELY. NO BENADRYL OR STEROIDS REQUIRED. PT LEFT IN STABLE CONDITION WITH HUSBAND. PT ADVISED TO F/U WITH PCP.
1076137	3/5/2021	SC	25	M	1/20/2021	2/27/2021	Gradual onset of altered taste 2/24/21. . On 2/27/21, he noticed that his right eye could not squint like his left. He was diagnosed with Bells Palsy by his PCP and started on Valacyclovir.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1076171	3/5/2021	CA	60	F	2/12/2021	2/12/2021	Within 15 minutes right facial numbness and eyelid swelling, mild lid droop, lasted 4 hours
1076752	3/5/2021			F	5/23/2020	1/19/2021	swelling under both eyes; This is a spontaneous report based on the information received by Pfizer from other agency (reference number: GL-012221-1896). A contactable consumer (patient) reported that a female patient of unspecified age received BNT162B2, via an unspecified route of administration on 18Jan2021 at a single dose for COVID-19 immunization; and hyaluronic acid (RESTYLANE) via an unspecified route of administration from 23May2020 to an unspecified date at an unspecified dose and frequency for tear troughs. Medical history and concomitant medications were not reported. The patient received COVID Vaccine (Pfizer) on 18Jan2021. The patient reported swelling under both eyes on 19Jan2021 treated with prednisone per HCP. The action taken in response to the event for hyaluronic acid was unknown. The outcome of the event was not recovered. Information about lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1076820	3/5/2021	AL	49	F	1/19/2021	1/22/2021	<p>She is worried it might be Bell's Palsy; had a knot at the injection site of her left arm; Tingling sensation on her upper back which went up to her neck and head/tingling in my neck, face, lips and eyes; Burning and tingling in my neck and in my face and in my lips and in my eyes; Burning and tingling in my neck and in my face and in my lips and in my eyes; This is a spontaneous report from a contactable consumer. A 49-year-old female patient received second dose of BNT162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot no: EH9899, Expiration date: not provided), intramuscular on the left arm on 19Jan2021 at a single dose for COVID-19 immunisation. The patient medical history and concomitant medications were not reported. The patient previously took first dose of BNT162b2 (PFIZER-BIONTECH COVID-19 VACCINE) at the age of 49-year-old for COVID-19 immunization. The patient was worried it might be bell's palsy (medically significant) on an unspecified date. she experienced side effects on 22Jan2021 after receiving the vaccine on 19Jan2021. She had a knot at the injection site of her left arm on the first day. After 3 days, she experienced a tingling sensation on her upper back which went up to her neck and head. It was not excruciating pain but had presence to be noticed. It had been there since that day and was not going away. She had been feeling it around her eyes and on her lips. She was worried it might be Bell's Palsy. She was asking for advice and if this had been reported. As soon as she get the second Covid Shot at the 19Jan it was about 2-3 days afterwards, it was on the Friday and it was about 2' O'clock, well she had the knot in my arm, her left arm where she received the IM (Intramuscular) vaccination (Covid Shot) and she had started having the symptoms of like burning and tingling in my neck and in my face and in my lips and in my eyes and that is not gone away and I still have that knot in my arm, I still have the burning and tingling. she had some blood work done like last Thursday to see if she had any kind of like rheumatoid problems to see arthritis or something but other than that no. Consumer stated, "Well I work in the doctor office and the Physician the one he told me to get the blood work and it goes to the doctor office because I work in one. For treatment consumer stated, she had only been taking an Advil and it did not seem to help her. The outcome of the events was not recovered.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							Comments/Narrative: Patient will follow up with Physician next week. She is currently on vacations.
1076036	3/5/2021	TX	28	F	12/28/2020	1/5/2021	It was a week later at the injection site, it got hot , swollen, itchy and red. It definitely noticeable to touch and visually. I did a telemedicine appointment, they said it was likely a delayed allergic reaction. They gave me a steroid to take and Benadryl . This took about a day to go away.
1076773	3/5/2021	WI	46	F	3/5/2021	3/5/2021	Pt c/o blurry vision. Pt waited 60 minutes following vaccine and double vision is now occurring. BP elevated at 160/90 and 150/96. Co-worker to transport pt to ER. Patient was seen and discharged from the ED. Concern for anaphylaxis.
1076209	3/5/2021		23	F	2/24/2021	2/25/2021	patient woke up next morning with cold sweats and headache. also had swollen arm, red bullseye around shot spot, blurry vision and metallic taste in mouth



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1076746	3/5/2021	NY	70	F	1/25/2021	2/3/2021	diagnosed with shingles (on Scalp); This is a spontaneous report from a contactable consumer (patient). A 70-year-old non-pregnant female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19, Formulation: Solution for injection, Lot number: EN5318), via an unspecified route of administration on 25Jan2021 09:00 in left arm at single dose for covid-19 immunisation. Medical history included CAD (coronary artery disease), allergies: cosmetics, some topical meds, preservatives in eye drops and some perfume. Prior to vaccination, the patient was not diagnosed with COVID-19. Concomitant medication included atorvastatin (LIPITOR) at 40mg, acetylsalicylic acid (ASPIRIN) at 81mg and fexofenadine hydrochloride (ALLEGRA). The patient historical vaccine included varicella zoster vaccine rge (CHO) (SHINGRIX) and shingles vaccine (unspecified) for shingles, and previously took codeine and experienced allergies: Codeine. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. On 03Feb2021 22:00, the patient experienced shingles (on scalp). The patient has received both the Shingrix Vaccine and the earlier Shingles Vaccine. So, it doesn't make sense. The seriousness criteria were considered as non-serious. Since the vaccination, the patient has been not tested for COVID-19. Therapeutic measures were taken as a result of diagnosed with shingles (on scalp) included valaciclovir 21 tablets. The outcome of the event shingles was not recovered.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1076743	3/5/2021	NY	41	M	1/27/2021	1/30/2021	shingles on face and near eye; This is a spontaneous report from a contactable healthcare professional (patient). A 41-year-old male patient received second dose of BNT162B2, lot no. EL3249, via an unspecified route of administration (left arm) on 27Jan2021 05:00 PM at a single dose for Covid-19 immunization at a hospital. Medical history included HTN (hypertension). No allergies to medications, food, or other products. Concomitant medications included losartan, colecalciferol (VIT D3), cyanocobalamin (B 12), ubidecarenone (COQ 10), and fish oil. Historical vaccine included first dose BNT162B2 for Covid-19 immunization on 06Jan2021 05:00 PM (left arm, lot no. EK9231). The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient has not been diagnosed with COVID-19 prior to vaccination. The patient experienced shingles on face and near eye on 30Jan2021 that required doctor or other healthcare professional office/clinic visit. It was treated with Valtrex. The event was reported as non-serious (did not result to death, not life threatening, did not cause/prolong hospitalization, not disabling/incapacitating, and not congenital anomaly/birth defect). Since the vaccination, the patient has not been tested for COVID-19. The outcome of the event was not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1076739	3/5/2021	CA	35	F	1/19/2021	1/19/2021	severe swollen lymph nodes in left clavicle and left underarm; headache; burning/heat in eyes; fatigue / Third day had generalized fatigue; chills; fever; full body joint pain; nausea; muscle aches; heavy headed feeling; This is a spontaneous report from a contactable nurse (patient). A 35-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number: EK9231 and expiry date: unknown), via an unspecified route of administration on the left arm, on 19Jan2021 11:30 at a single dose for COVID-19 immunization. The first dose was received on 29Dec2020 (lot number: EL1284) on the left arm. Medical history included sulfa allergy. Patient was not pregnant at the time of vaccination. The patient did not receive any other vaccine within 4 weeks prior to covid vaccine and did not had any other medications within 2 weeks of vaccination. On 19Jan2021 13:30, 2 hours after vaccine, patient developed headache and burning/heat in eyes and fatigue. On the first night (19Jan2021), she had chills, fever, full body joint pain, nausea, muscle aches and heavy headed feeling. Next morning on 20Jan2021, she had severe swollen lymph nodes in left clavicle and left underarm. Second night on 20Jan2021, patient had fever, chills, muscle aches. Third day on 21Jan2021, she had generalized fatigue and ongoing severe lymph node swelling. No treatment was received. Outcome of the events was recovering. Patient was not diagnosed with COVID-19 prior to vaccination and has not been tested post-vaccination. The reporter considered the events non-serious.
1076255	3/5/2021	GA	48	F	3/5/2021	3/5/2021	A SHARP PAIN AND NUMBNESS IN INJECTED ARM IMMEDIATELY AFTER THE INJECTION, 25 MINUTES AFTER THE INJECTION I EXPERIENCED A HEADACHE, CHEST PAIN, DIZZINESS, THROAT SWELLS UP AND IT'S HARD TO SWALLOW, AND BLURRY VISION.I TOOK SOME BENADRYL AND MY THROAT STOPPED CLOSING UP. I WENT HOME AND LAID DOWN. MY ARM IS STILL NUMB BUT THE PAIN HAS RECEDED. MY ARM ALWAYS SWELLS UP WHENEVER I RECEIVE AN INJECTION. 2 HOURS LATER THROAT IS STILL A LITTLE SWOLLEN, AND I HAVE A SLIGHT HEADACHE. CHEST STOPPED HURTING. LEFT ARM IS STILL NUMB.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1076231	3/5/2021	VA	44	M	2/26/2021	2/26/2021	Started at 3:30 pm on 2/26/21 with neck tightness and eye pressure. Approximately around 6:30 pm, experienced lip burning/numbness/swelling and facial swelling and drooping. Went to ER and given IV Benadryl and IV Pepcid. Discharged a few hours later. All symptoms have since resolved.
1076233	3/5/2021	CA	52	F	2/23/2021	2/23/2021	Episodes of unilateral facial numbness and tingling. Occurred in 3 separate episodes: First one being 30 minutes after administration of vaccine, 2nd one 8 days later, and 3rd one 10 days later. Each episode lasted about 5-10 minutes. Also reports constant pressure behind both eyes.
1077293	3/5/2021	RI	41	F	3/5/2021	3/5/2021	Systemic: Allergic: Itch (specify: facial area, extremities)-Severe, Systemic: Allergic: Itch Generalized-Severe, Systemic: Allergic: Rash (specify: facial area, extremities)-Medium, Systemic: Allergic: Rash Generalized-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Systemic: Flushed / Sweating-Severe, Additional Details: h/o anaphylaxis to flu shot, allergist recommended receiving COVID vax, preferably Moderna. Came prepared w/ benadryl, EpiPen, water. Pt stated she was aware and consenting to receiving vaccine. We advised for her to sit in the observation for at least 30 minutes. After receiving vaccine, she began getting red and itchy at the neck, traveled to arms and up to face. Trunk and upwards red and itching. Gave 2 benadryl at beginning of rxn, +1 as it worsened & called EMS - pt refused care
1076261	3/5/2021	CO	25	F	2/5/2021	2/5/2021	Patient reported muscle twitching following first dose of Moderna COVID vaccine. She states her symptoms began on 2/5/21 with tongue twitching, which subsided after less than a minute. She reports she had continued muscle twitches in both arms, both legs, and around both eyes intermittently for about one week. She says the muscle twitching did not happen at the same locations simultaneously. Patient reports no symptoms since 2/12/21. Patient discussed COVID vaccination with her doctor, who cleared her to receive the second dose. Patient vaccinated with second dose on 3/5/21 and encouraged to utilize V-Safe symptom tracker.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1076775	3/5/2021	FL	51	F	3/3/2021	3/3/2021	patient stated she developed a fever of 101 degrees for more than 24 hours, severe chills, runny, watery eyes, mild cough, nausea, severe body aches, and a large red lump at the injection site
1071750	3/4/2021	NC	64	F	3/2/2021	3/3/2021	Tired, headache, felt hot, burning eyes (indicating fever). 102.3 fever when I arrived home at 8:00pm. Took acetaminophen 600mg. Felt fine the next day.
1072528	3/4/2021	NY	82	F	2/12/2021	2/14/2021	Atrial fibrillation; elevated diastolic blood pressure; A spontaneous report was received from a consumer, who is a 82-year-old female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced sustained atrial fibrillation and elevated diastolic blood pressure. The patient's medical history or concomitant medications were not provided. On 12-Feb-2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (037M20A) intramuscularly in an unknown anatomical location for prophylaxis of COVID-19 infection. On 14-Feb-2021, the patient experienced the sustained atrial fibrillation and elevated diastolic blood pressure, which were considered medical significant. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not reported. The outcome of event was unknown. The patient believe the events, sustained atrial fibrillation and elevated diastolic blood pressure, may be related to the vaccine. Consent given for Safety Division to follow up with her, if needed.; Reporter's Comments: Very limited information regarding this event/s has been provided at this time. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1072271	3/4/2021	IL	57	M	3/2/2021	3/2/2021	At approximately 16:36 pt was noted writhing on the floor in the post-vaccine waiting area. Upon rapid assessment of pt, others advised to call 911. 911 was called. Pt appeared to be in pain and tense, eyes were tightly shut but pt was breathing and moving throughout the entire time, after about 10 seconds was able to speak and stated that he felt sudden onset of dizziness and fell onto the ground. Pt denied head injury or pain from fall, no signs of trauma noted to face, dentition, or head. He stated that he was able to hear the voices of people talking to him the entire time he was on the floor. Pt denied any LOC, recalled all events leading up to falling. Pt reports hx of syncope after an injection once before, years ago. Pt denied any past medical history. Pt denies taking any medications, and denies any allergies. Pt states he only take medication when he has headaches. Assessment: Pt appeared in mild acute distress. Pt moaning and grimacing initially, once verbal, speech was clear and he was able to speak in complete sentences. Pt face was symmetrical and had purposeful movement of all extremities. Moderate diaphoresis and facial pallor noted. VS @16:38 BP 162/100 HR 113 RR 24 O2 98% @1642 BP162/99 HR 94 RR 20 O2 97%. EMS arrival @1647 and pt was refusing to be transported to the hospital. Pt and pt's mother were advised of the importance of further evaluation in the ED despite pt insisting he felt better. Spoke with pt mother and family while pt was speaking with EMS and urged them to take pt to the hospital via private vehicle even if pt were to refuse ambulance transport. Understanding was verbalized.
1072268	3/4/2021	PA	61	F	2/27/2021	2/27/2021	itchy eyes, mouth, ears, blisters in mouth, tongue was neon red and cracked, the redness went away in a few hours but other symptoms continued until next day, took 20mg of prednisone next morning instead of usual 10mg

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1072262	3/4/2021	CA	72	F	3/1/2021	3/1/2021	Numbness and slight swelling on entire left side of face within half hour following shot, accompanied by severe stiff neck (left side). Headache and slight transient facial rash with skin discoloration under eyes about two hours later. Mostly subsided by 10:30 PM- about eight hours later, although some numbness remained through the night. Symptoms were mostly gone the next morning, replaced by arm soreness and bruising at the injection site. Black and blue remains (3 days later).
1072246	3/4/2021	FL	24	F	3/3/2021	3/3/2021	Systemic: Fainting / Unresponsive-Mild, Systemic: Headache-Mild, Systemic: Nausea-Mild, Additional Details: recieved vaccine after 10 min she became unresponsive. She was laid on the ground and given an epi dose by the nurse awhile the pharmacist called 911. She started to come back after 3 min she opened her eyes. The rescue came and asked anyone whoe was not family to leave. They gave her the ok to go. We contacted the pateint today. Her father says she is doing well and only complained of a mild HA and mild nausea last night. Will be seeing her doctor for further recommendations.
1072163	3/4/2021	MD	46	U	2/1/2021	2/25/2021	Headache, Foggy brain, blurry vision

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1072156	3/4/2021	CA	68	M	2/22/2021	2/23/2021	Vaccine manufacturer and lot number unknown, vaccine given at alternate location. 2/23/21 8:27 PM: The patient is a 68-year-old male comes to the emergency department by paramedic ambulance for altered mental status that, began at around noon in association fever temp 102.9. PMH of myelofibrosis (on Jakafi and hydroxychloroquine), depression, anxiety, OSA, and history of AVR. Given history of myelodysplasia and Jak inhibitor predisposing to some opportunistic infections most notably viral reactivation with history of HSV and possible bacterial endocarditis he was admitted to the ICU for further monitoring and pressors. Patient has a MOS procedure 14 days prior - Status post MOSs procedure with large wound deficit on forehead -- Does not appear to be overtly infected at the time of admission. ED physician indicated mild facial cellulitis. 2/23/21- WBC 16.1 on admission. ECHO 2/26 indicated - no vegetation visualized. Of note second COVID vaccine 2 days prior to admission. Dr. felt incident was possible cardiogenic shock secondary to COVID vaccine. He did not feel the patient has a source of infection upon admission. Questionable given wounds on forehead Dr. (CMO) review of case- his impression was septic shock with and underlying case of chronic cardiac compromise making the hemodynamics worse
1071955	3/4/2021	CA	70	M	3/3/2021	3/3/2021	Dizziness,,blurred vision, head ache and rise in blood pressure. Blood pressure rose over 210 and rising. Treated with meds until BP was reduced to 147. Released from ER approximately 2PM.
1071850	3/4/2021	SC	73	F	2/22/2021	2/23/2021	Day of shot my left arm felt sore and also my left arm pit. By evening it was so sore it hurt to move arm or touch arm pit. Morning after 1 PM second shot, my left eye was almost completely covered in blood. My arm pit also very sore and found a bruise on the side of my left breast and also on my left hip. I slept a lot and by the next day everything eased up. After another day my eye was clear and bruises fading. The last thing to go away was the soreness in my left arm pit.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1071823	3/4/2021	IA	34	M	3/4/2021	3/4/2021	Received intramuscular injection in right arm at approximate 9:30am. Remained seated for 15 minutes per instructions from clinic personnel. Finished a conversation at left the facility after approximately 9:55am. While driving back to office (appx 5 minute drive total), experienced clammy skin, sweating at 3 minutes into drive. I considered pulling over, though I knew I should be around people where I could be monitored, so continued on. Experienced elevated temperature, blurriness of vision and my vision began to turn bright and white. As I pulled into the parking lot, I thought I may be passing out. I got out of the vehicle, sat down on the nearest bench and asked two individuals who where outside to stay with me, and I explained my symptoms to them. I remained seated for approximately 10 minutes, and when I felt the symptoms subside, went into my office and am now filing this report.
1071762	3/4/2021	MD	29	F	1/12/2021	1/13/2021	1/12 vaccination 1/13 I woke up, fatigue. Went to work. I could feel my HR increase. Pressure on my chest, upper right side. It progressed to neck and shoulder, pressure and sharp stabbing pain. Went to lay down in dark room. Vitals stable except pulse. ER; could not keep eyes open I was so fatigued. Fever; 100.4. BP 131/85. Tachycardia, body aches, extreme fatigue, dizzy. Tylenol, COVID test, blood work, chest xray, EKG; short of Toradol. EKG looked normal. Advised to come back if worsened after 48 hours.
1073046	3/4/2021	MO	54	F	3/4/2021	3/4/2021	Patient received vaccination at 1200. Had not adverse events during the first dose. After patient began to leave the clinic and drive away, she began to feel pressure and pain in the middle of her chest. She promptly turned around and returned to the clinic to be accessed by the nursing staff at 1300. Patient presented with chest pressure and pain in the middle of the chest and had blurry vision in her right eye. Heart rate was 112 with blood pressure of 162/102, 02 of 97. Emergency services were called and soon arrived. Patients heart rate had dropped to 103 and blood pressure down to 158/96 by the time EMS arrived on the scene. Patient had blood sugar taken as they are also diabetic and had a blood sugar reading of 286, denies having eaten anything for breakfast. EMS took patient from there.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1072537	3/4/2021	NJ	71	M	2/10/2021	2/1/2021	noticed diminished hearing in the right ear/couldn't hear a tick at all; he felt fullness in his right ear; sore left arm where he got injection; This is a spontaneous report from a contactable physician (patient). A 71-year-old male patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number: EM9809, expiry date: unknown), via an unspecified route of administration on 10Feb2021 12:30 (at 71-year-old) at single dose (left arm) for COVID-19 immunization. Medical history included hypertension (mild hypertension and it is well controlled, it was diagnosed 5-6 years ago), hyperlipidemia (mild hyperlipidemia and it is well controlled, it was diagnosed 5-10 years ago). He stated in Aug, he tested positive for antibodies through Lab and was still positive a month later. He wondered how that might effect the decision of if he should get the second dose, if he is potentially immune. He had no symptoms but tested negative with PCR test. His girlfriend who he lives with tested negative for antibodies. Height was reported as 6 feet to 6 feet one inch tall. Weight was reported as 176-178lbs, he thought he may have gained a few pounds. There were no concomitant medications. The caller had the first dose of the vaccine 10Feb2021 12:30. 5 days later he felt fullness in his right ear (Feb2021) and noticed diminished hearing in the right ear (Feb2021), maybe 20-30% less. He was comparing how much he could hear the ticking of his watch in his left and right ear and couldn't hear a tick at all. He went to an ENT and they found that it was reduced in the right ear secondary to a nerve problem and wasn't secondary to anything else. The doctor read online on an ENT site, a couple of people had acute bouts of decreased hearing. They were treated with steroids and resolved. His provider prescribed him with a high dose of steroids, 70 mg. He was going to take it after dinner but all of the sudden he could hear the ticking better. He held off on taking the steroid and the next morning his hearing was fine. He went back and they retested and it was back to normal. He had taken Naprosyn and is not sure if that played a part in improving things. It resolved not even 24 hours after the initial symptoms. It resolved on its own. He asked, is this a side effect that has been reported? Are there any cases of this happening in one ear rather than 2? Could it be a contraindication getting the second dose? His doctor is researching it and he is supposed to

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

call early next week about this. He asked how many people were in the clinical trials that the side effect data is based on. The caller stated he heard someone report that he doesn't believe that people getting the vaccine necessarily need both doses of the vaccine. They are finding after a week after the first dose they have relative immunity and might not need the second dose. The caller asked how effective this vaccine might be on new variants, how effective just one dose of the vaccine is, if Pfizer is looking into mixing the vaccines- whether it will be something that can be interchanged with other Covid-19 vaccines, asked where he could find updates on medical information about this in the future. The caller stated he wanted to thank Pfizer for developing the vaccine as quickly as they did. Retired psychiatrist calling about Pfizer COVID-19 vaccine who says he got his first dose on 10Feb in (State name), and had a sore left arm where he got the injection (Feb2021) then 5 days later had fullness in his right ear with his hearing diminished. He says he called his otolaryngologist because he had had a hearing test a few months ago, and was tested again now and there was a moderate decrease of hearing in his right ear. He says he would like to know if this could be a possible side effect, since he has read of reports and his otolaryngologist knew of two reports where people did report hearing loss. He says that he was treated acutely with steroids at high dose of 70mg for which he filled the script, then called his internist who was ambivalent with him taking a high dose. Caller says then within a few hours, his hearing was better, and by the next morning it was normal, and he went back to the ENT and his hearing was the same as it was a few months ago. He says he did not take the steroid he was prescribed, the Prednisone, he took Naproxen, and since it may have been a nerve problem with hearing diminished related to auditory nerve, it seemed to get better in a number of hours. He says he has reported this already to VAERS. Caller says his right ear is better now, it got better within a few hours after he saw his doctor, then it was completely better by the next morning. He says that after they tested his hearing due to the fullness in his ear and hearing being diminished it got better on its own. He says on the next hearing test his hearing was exactly back to normal. He says he did take Naproxen once or twice during that time period, 20 or less hour

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							<p>period, more like 12 hours, one 220mg tablet each time, he doesn't know whether that contributed to helping. Naproxen (EXP Jan2022, LOT: ODRO445). He says that the reason he is calling is to see whether Pfizer has had similar reports. He says that he saw on a website that 12 people were reporting deafness or blindness, but it seemed to be an (name), so he took it with a grain of salt. He says he would like to know whether people have been reporting with issues for hearing, unilaterally or bilaterally, or what results have been with some people. Caller says unfortunately the website he mentioned was obviously anti vaccine and claimed to be with the (name) or version of the CDC and said that they were reporting they had 12 people reporting deafness and blindness from COVID vaccine and made it sound like the most dangerous vaccine in the world, but it was a conspiracy website that claimed it was with the equivalent of CDC. Caller does not have website addresses to provide or details about reports on that site. Caller says he looked at the (name) and it said nothing about this kind of possible side effect. He says he doesn't know if his could be related to getting the vaccine, or if he should still get a second dose of the vaccine. The outcome of the event "noticed diminished hearing in the right ear/couldn't hear a tick at all" and "he felt fullness in his right ear" was recovered in Feb2021, while for other event was unknown.; Sender's Comments: Based on available information the reported unilateral deafness was unlikely related to bnt162b2. This was an intercurrent medical condition. Case will be reassessed if additional information is received. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.</p>
1071918	3/4/2021	WI	69	F	3/2/2021	3/2/2021	<p>During the night after the vaccine my left eyelid became achy and slightly itchy. The ache remained all the next day and night. Morning of 3-04 the left eyelid was red and somewhat swollen. Ache remained.</p>

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1072890	3/4/2021	KY	23	M	3/2/2021	3/3/2021	Nothing at time of injection. In the evening, soreness in the arm (strong but on par for what I would expect). Next morning, I starting feeling sick, with flu symptoms. Aching muscles, sensitive skin, mild headache, sore eyes, and in the evening, nausea. Temperature gradually rose. ~99.7 at 6pm, 100.1 at 7pm, 100.7 at 8pm, 101.7 at 9:30pm. I took some Tylenol around 7pm, and then some theraflu at 10pm. Fell asleep at 11pm. Periodically waking up every 30min from 1am onwards. Muscle discomfort, sweating, and nausea continued until 3:45 AM, at which point I was feeling better and was able to sleep continuously. Feeling much better in the morning on March 4th. Temperature was 99.9, then rose to 100.0 at 11am. Now, at 3pm, feeling fatigue, exhaustion. No headache. Normal sense of taste and smell. No cough. Taking another day off from work. Temperature is currently 100.0. Taking more theraflu now, have not taken Tylenol today.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1071166	3/4/2021			U		2/8/2021	<p>My eye, right eye, it started to blow up and a big black spot is coming in front of it, especially when I went to the bathroom and put on the light and that eye was totally blinded; It is happening every time I go to the bathroom or turn on the lights in the room or if I look up towards the ceiling, it starts showing me these two big black bubbles; This is a spontaneous report from a contactable consumer. A patient of unspecified age and gender received the second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE) lot number and expiration date not provided, via an unspecified route of administration on 08Feb2021 at a single dose for COVID-19 immunisation. Medical history included ongoing macular degeneration (the patient had in the past, actually quite a number of years, macular degeneration on that same eye). Concomitant medications were not reported. The patient had the vaccine and on the 8th of this month (not clarified), that was five or six days ago the patient really went well for both the days and both injections. But on Friday, two days ago, it began a little bit on Thursday evening but on Friday the patient noticed that the right eye started to blow up and a big black spot is coming in front of it, especially when the patient went to the bathroom and put on the light and that eye was totally blinded and then when the patient dabbed it with water and things and dried it up, it started to come back. It was happening every time, going to the bathroom or turning on the lights in the room or looking up towards the ceiling, it started showing these two big black bubbles. The outcome of the event was unknown. Information on the lot/ batch number has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1071724	3/4/2021	MO	34	F	2/23/2021	2/26/2021	On 2/4 patient recieved 1st dose of COVID vaccination and experienced headache and arm pain. On 2/23 patient received 2nd dose of COVID vaccination at 12:47 p.m. Noticed headache at base of head and took Ibuprofen for relief. On 2/26 at 1:30 pm patient noticed that her right eye was not closing well. Had to force eye closed. On 2/27 early in the morning patient's eyebrows were not moving and it was still hard to close right eye. Stated that the right side of her face was 'not working'. Presented Emergency Department around 8:30 a.m. with complaints of facial numbness. Full workup led to diagnosis of Bell's Palsy. Initiated Acyclovir and Prednisone and discharged to home.
1073043	3/4/2021	NY	72	F	2/26/2021	2/26/2021	i felt dizzy with my first vaccine on 2/5/21. .it passed i started to feel dizzy/woozy/lightheaded, kind of seasick without the nausea almost 12 hours post 2nd vaccine. . this has continued now so far for 6 days. . it is more than brain fog.. it is a real sense of disequilibrium, like something is really affecting my brain. . . the base of my neck and spine have been incredibly tight and contracted with all the muscles in my head contracted. . this is more than a headache. . i also seem to have the vaccine affecting my vision. . i know of 6 other people now that have similars symptoms and not all got pfizer
1072971	3/4/2021	UT	64	M	2/23/2021	3/2/2021	fatigue,headache, runny nose, dry nose, irtchy eyes, achy joints, anxiety
1072969	3/4/2021	NY	74	F	2/27/2021	2/27/2021	a few hours after I had it I was watching TV and I had 2 arrows off to my left one inside of the other and it seemed to have an image that was very liquid and it lasted 10-15 minutes and then floated away. 24 hours later my arm was extremely sore and I had a similar visual reaction and instead of arrows it was jagged circles that were fluid. it last 10-15 minutes and then left.
1073034	3/4/2021	KS	51	F	2/16/2021	2/16/2021	Numbness in fingers and hands, arms, legs, and feet. Right leg swollen. Knee 3 times the regular size. Throbbing in feet and swollen, stiffness can't hardly bend right knee. Made my neuropathy worse. Head aches more, blurry vision, light sensitive, body aches, backache, coughing.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1072900	3/4/2021	CA	77	M	2/10/2021	2/10/2021	He received the vaccine and after 2 hours he went home and was paralyzed from the waist down. He tried to stand up and then he passed out on the floor for about 10-15 minutes. He went to sleep and woke up around 5 hours later. He then tried it again and urinated on himself and he fell down on the floor, passed out without getting up until the morning. He did call his doctor who was not available, spoke to the nurse and advised to go to the hospital. He is weak and cannot drive so he did not go to the hospital. He slept the rest of that day and the following day. Then when he saw his doctor about 2 days ago, he described his reaction and told to report the reaction and that he would report it himself. He was advised not to take the 2nd vaccination. He is no longer having the heavy reaction, his muscles are aching and his vision is blurred, especially on his back and the shoulder. His doctor did do blood work at the office visit.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1072539	3/4/2021	IL	66	F	2/1/2021	2/3/2021	<p>Ischemic stroke; not hypertensive, but supposedly is now.; Visual disturbances; Headache; This is a spontaneous report from a contactable nurse (patient). A 66-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot: EM9810, expiry: unknown), via an unspecified route of administration in the left deltoid on 01Feb2021 14:15 at a single dose for covid-19 immunization at a Physician office. Medical history included asthma, irritable bowel syndrome, pneumonia and borderline high cholesterol. The patient's concomitant medications were not reported. The patient had no prior vaccinations within 4 weeks. The patient had her first COVID-19 vaccine on 01Feb2021 and second one is due on 22Feb2021. On 03Feb2021, the patient had a headache, but didn't think too much because it is a side effect. The headache lasted all through the weekend. Visual disturbances began 04Feb2021. She called her doctor on Monday and was seen by her doctor on Tuesday, 09Feb2021. The patient was referred to the eye center. Her headache was getting a little better. On 10Feb2021, the patient was seen at an institution, her retina and macula looked good, so she was referred to the ED. The patient was told she probably had a stroke. The patient was admitted to the hospital for an ischemic stroke. By looking at the MRI, the onset of the ischemic stroke would have been five to seven days prior, placing the onset on Wednesday, 03Feb2021, which was also the onset of her headache. There is no definitive cause of her ischemic stroke. The patient currently has an arrhythmia monitor on. MRI/MRA showed her vessels looked good. MRI showed evidence of the ischemic stroke. The patient has neurologists since being admitted to the hospital. It was thought that the headache was just because of the COVID-19 Vaccine. Causality was unknown, it was stated that they haven't found anything else as a cause. The patient's doctor stated she was borderline for high cholesterol. She was not hypertensive, but supposedly is now. The patient also had echocardiogram, EKG, manual neuro checks, and blood work but does not have the results. The outcome of the events was unknown. The has trouble reading now since the stroke.; Sender's Comments: Based on available information, the reported events are assessed as unrelated to the vaccine BNT162B2 and can be explained as intercurrent or underlying medical</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							conditions in this elderly patient with excessive weight (BMI=29) and underlying elevated cholesterol. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.
1072816	3/4/2021		65	M	3/4/2021	3/4/2021	Patient complaint of right eye numbness and slight headache 6 minutes after vaccination. Both symptoms resolved immediately. Vital signs within normal. Juice given and patient was placed in recumbent position and was observed for 14 minutes then discharged home.
1072796	3/4/2021	SC	44	M	1/22/2021	1/23/2021	1. First COVID vaccine was received on Dec 30, 2020. 2. COVID symptoms begin on January 6, 2021. 3. Positive COVID PCR test on January 7, 2021 4. Moderately sick from January 8 through January 19. 5. Cleared by employee health division to return to work on January 22. I inquired as to whether or not I should receive the second dose of the vaccine as scheduled, on January 22. I was told that it was safe. 6. Between 4-5pm on January 22, 201, I received my 2nd COVID vaccine. 7. At approximately 1am on January 23, 2021, I awoke dripping w/ sweat, fever of 102.2, and severe body aches. I took 800 mg Ibuprofen and 1g Tylenol at 4am. Neither helped w/ symptoms. At approximately 11am, I took 60 mg prednisone. Approximately 1 hour later, fever broke and body aches began to resolve. Mild soreness and fatigue persisted for approximately 24 hours.
1072744	3/4/2021	WI	76	F	2/27/2021	3/4/2021	During injection of the vaccine, the needle withdrew prematurely and the vaccine leaked out. The solution was visually seen running down the individuals arm and 0.4 ml of the vaccine remained in the syringe. We were using a vanish point 1.0 ml single use syringe. This dose was considered wasted and the vaccine was administered with another syringe and needle.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1072743	3/4/2021	NY	28	F	2/27/2021	2/28/2021	Staff received her vaccine last Saturday 2/27 and reported having fever from Saturday night to Sunday early morning. 3/1/21 Monday - She also said she only noticed red rash on her abdomen and chest area 3/2 Tues - Staff reported to work and informed of reaction. Medical Director had advised her to see her PMD. At night, staff reported rash spread down to her pelvis area 3/3 Wed - Staff stated her eyes are swollen 3/4 Thur - Seen by doctor; labs drawn (staff unsure what labs), was prescribed: Benadryl 25mg 1 tab every 6hrs for 5 days, Claritin 10mg daily for 10 days, Clobetasol prop 0.05% cream
1072704	3/4/2021	GA	29	F	3/2/2021	3/2/2021	3/2/2021 10:45 - got vaccine Instantaneously burning and shooting pain starting at injection point and radiating down arm and up arm to my upper back/neck 10:50 - tingling sensation around and in mouth 11:00 - Left observation area and went home 11:30 - burning sensation getting worse in arm 12:00 PM - throat beginning to tingle and harder to swallow 2:00 - one hive formed on right side of face, one behind right ear, and one on my labia. Throat tingling more and harder to swallow. Throat is much more red from what I could see. My Mother noticed my eyes getting puffy. 3:00 - shooting/burning pain in arm subsiding 4:30 - throat tingling subsiding 4:35 - arm soreness (which I expected) 5:00 - severe nausea and abdominal cramps. Had to sit in bathroom in case I threw up. Took Dramamine 6:00 - nausea and abdominal cramps gone. Most all symptoms are gone 10:00 - took Benadryl (only time I took it) and went to sleep 3/3/2021 8:00 - arm is too sore to move up and down 11:30 - fever starting (my normal baseline is 97 and my temperature was at 99 F at this point) 12:00 - fever to 100 and overall body aches (was expecting) 1:30 - took Tylenol 2:00 - fever and body aches subsiding 9:00 - beyond arm soreness, no other symptoms

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1072541	3/4/2021	NY	49	M	2/16/2021	2/18/2021	classic symptoms in my right eye - pain, significant/redness/inflammation; some loss of visual acuity; uveitis/prior episodes of iritis/uveitis, but was symptom free; iritis/uveitis/prior episodes of iritis/uveitis, but was symptom free; iritis/prior episodes of iritis/uveitis, but was symptom free; iritis/prior episodes of iritis/uveitis, but was symptom free; classic symptoms in my right eye - pain, significant/redness/inflammation; classic symptoms in my right eye - pain, significant/redness/inflammation; This is a spontaneous report from a contactable consumer (patient). A 49-year-old male patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number: EL9266), via an unspecified route of administration in the left arm on 16Feb2021 15:00 at a single dose for COVID-19 immunisation. The patient's medical history included HLA-B27 gene mutation and iritis/uveitis. The patient was not diagnosed with COVID-19 prior to vaccination and had not been tested for COVID-19 since the vaccination. There were no concomitant medications. On 18Feb2021 23:00, the patient experienced iritis/uveitis. He had prior episodes of iritis/uveitis, but was symptom free and not taking any medications for it as of his inoculation date. He have now developed the classic symptoms in his right eye - pain, significant/redness/inflammation and some loss of visual acuity. Therapeutic measures were taken as a result of prednisone eye drops and ibuprofen (ADVIL) for pain. Outcome of the events was not recovered.
1072910	3/4/2021	LA	24	F	3/2/2021	3/3/2021	Lightheadedness, fever, chills, blurry vision, migraine, nausea, generalized weakness, severe pain in left arm

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1071425	3/4/2021	NY	72	F	2/26/2021	2/26/2021	pt states that around 6:00 in the evening the same day she got the vaccine, you developed headache, her teeth hurt, eye pain, and pain at the injection site. She woke up in the middle of the night w/ chills but no fever. She continued to have all of these symptoms the following day. On 2/28/2021 had these symptoms again but without the chills until noon. Around 2:00PM that day she noticed a large pink blotch on the right side of her chest and on the right her neck. Pt had been taking Tylenol. Pt contacted her PCP which told her to take a Benadryl and Tylenol. On 3/1/2021 she woke up and the pink areas had disappeared but reappeared that afternoon and then were gone by 5 PM the same day. On 3/2/2021 she had a good day. On 3/3/2021 she had a large flat 8 x 8" pink area around the injection area. She went to the. They told her this has been seen before w/ pts that have had the Moderna vax and it usually lasts about a week. She was told to take Tylenol and watch the area for any changes in size or signs of infection. They told her to FU w/ PCP. {Pt states she had tested positive for antibodies in August 2020 and January 2021}
1071144	3/4/2021			F	1/29/2021	1/29/2021	blurry vision; headache; This is a spontaneous report from a contactable consumer (patient) via a medical information team. A 66-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, lot number and expiry date were not provided), via an unspecified route of administration, on 29Jan2021, at single dose for COVID-19 immunisation. Medical history and concomitant medications were not reported. On 29Jan2021, patient had blurry vision and headache. Outcome of the events was unknown. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1071163	3/4/2021	MO	62	M	1/8/2021	1/1/2021	<p>fever at 100.4; Headache; Nausea; Sniffles; Chills; he was beated down with sweat; body aches; does not have an appetite; This is a spontaneous report from a contactable consumer (patient). A 62-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), lot number: EH9899, intramuscular in the left arm, on 08Jan2021 16:30 at 0.3 mL, single for COVID-19 immunization. Medical history included ongoing high blood pressure and spinal surgery in Jan2019. Patient's eyesight was not the greatest. Patient previously received flu vaccine on an unspecified date (the last couple of years). Concomitant medication included amlodipine besilate for blood pressure. He was scheduled to get second dose on 29Jan2021. The Saturday before he was scheduled to get the second dose (23Jan2021), he started feeling sniffles and stuff. He went to urgent care and he was tested for covid and the test came back negative. He then kept feeling bad. He clarified that on 24Jan2021, he had headache and nausea. He had chills and he was beated down with sweat; body aches which are constant and he would try to blame it on the position he was laying in while on the couch and it was not that; and does not have an appetite on an unspecified day in Jan2021. He has been in really bad shape for the last 9 or 10 days. When he went to go get his second shot, they would not give it to him due to his symptoms that he was experiencing since she had a fever at 100.4 the night before (28Jan2021). They scheduled him to get his second dose the following which was this Friday. He was asking if his side effects are totally normal. He cannot even sleep, reported that he will sleep an hour and then up for two or three hours. It really has him, and he feels miserable. The outcome of events Chills, nausea and fever at 100.4 was not recovered. Outcome of sniffles was recovered in Jan 2021 while the outcome of the remaining events was unknown. Therapeutic measures were taken as a result of sniffles; he went to urgent care and they gave him something like zyrtec, states it was an allergy medication and it wiped out the sniffles for fever, he will take Tylenol and it will break the fever for a few hours and then his fever comes right back. Follow-up attempts are completed. The information on the batch/lot number has been obtained.</p>

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1072812	3/4/2021	MI	70	F	2/20/2021	2/28/2021	I received the 1st Pfizer dose on 1/30/21 and 2nd Pfizer dose on 2/20/21. After the 2nd dose, I developed mild fever (under 100)*F, a bad headache, blurred vision, nausea, joint pain and fatigue. I took Tylenol for the fever and headache and recovered after 2 days. However, on 2/28/21 I developed a SECOND SERIES OF SIDE EFFECTS starting 8 days after the 2nd dose. I developed a fever of 100.7°F, a bad headache, nausea, palpitations, and severe joint pains and strong fatigue. I consulted my PCP, who recommended I fill out this report. I took Advil on 2/28, improved after 2 days, and now have a slight headache and some fatigue but otherwise recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1071167	3/4/2021	CA	27	M	1/8/2021	1/8/2021	Occipital neuralgia; anaphylaxis; feeling like passing out on and off for the next 2-3 hours; he felt lightheaded; little short of breath; fatigue; he had a lot of posterior lymph pain in the back of his head, for 2 weeks on and off; heaviness at the back of his head left side; chest tightness; he developed a sensation like he was going to lose control of his mind; This is a spontaneous report from a contactable Other Health Professional, the patient. A 27-year-old male patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Lot number EL1283), via an unspecified route of administration on 08Jan2021 at 13:30 (at the age of 27-years-old) as a single dose in the left arm for COVID-19 vaccination. Medical history included asthma exacerbation, GERD, childhood anemia, a retinal tear in the right eye all from unspecified dates and unknown if ongoing. The patient also reported medical history three episodes (June 2019, August 2019 and October2019) of anaphylaxis due to "Exercise Induced Anaphylaxis." Historical vaccinations included the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, lot number EH9899) on 21Dec2020 at 13:30 after which he experienced pain at the vaccination site which lasted twenty-four hours. The patient's past product use included adrenaline (EPIPEN), an unspecified corticosteroid and an unspecified antihistamine for past allergic reactions. The vaccine was administered in a hospital. Prior to the vaccination, the patient had not been diagnosed with COVID-19. Concomitant medications included ciclosporin (RESTASIS), azelastine (AZElastine), mometasone furoate (FLONASE), cetirizine hydrochloride (ZYRTEC) and omeprazole (PROTONIX) all for unknown indications from unknown dates and unknown if ongoing. Within four weeks prior to the vaccination the patient had received unspecified "allergy shots" He received "two shots" (one in each deltoid) on 15Dec2021 and "two shots" (one in each deltoid) on 05Jan2021. The patient reported that fifteen to thirty seconds after the second dose of the COVID-19 vaccination he felt lightheaded and a little short of breath. This lasted about eight minutes and then subsided. Approximately thirty to forty minutes (about 30 minutes after he left the facility) later the symptoms returned. He felt short of breath and he thought he was going to pass out. The symptoms included fatigue,



VAERS\_ID RECVD STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

shortness of breath lightheaded and feeling like passing out on and off for the next two to three hours. He stated he has completely recovered. He continued to say that he was feeling fine for three days then he began having bilateral cervical lymph pain greater on the left than right, a lot of posterior lymph pain in the back of his head (for two weeks on and off). These symptoms also resolved on their own. He also experienced ("a couple of days later") a sensation where he thought he was going to lose control of his muscles and lose consciousness. He also developed a sense that he was going to lose control of his mind with heaviness at the back of his head, left side. He went to the Emergency Room (date not provided) and they provided Valium. He also reports an Emergency Room visit on 13Jan2021 during which he underwent a CT scan of the head which was normal and a neuro consult suggesting occipital neuralgia and he was put on muscle relaxers. He also stated that experienced shortness of breath and chest tightness after his allergy shots on 26Jan2021 and he specified that he had never before had these reactions to his allergy shots. After that he had yet another possible allergic reaction after eating pizza on 30Jan which included throat swelling as well. He further stated that on 04Feb he had anaphylaxis vs asthma exacerbation. On the following day he developed a heaviness to his left occipital head with that same feeling of wanting to lose control of his muscles. He never had that before. He started Prilosec about one and one half weeks prior to the reporting date. In follow up the Other HCP reporter/patient answered "Yes" to the following questions (DCA) about symptoms experienced: Bilateral wheeze/bronchospasm, upper airway swelling, increased use of accessory respiratory muscles, dry cough, difficulty breathing (without wheeze or stridor, sensation of throat closure, tachycardia, nausea. These were reported without dates and without context with regard to the events reported initially. These were also reported as not requiring treatment and having recovered on unspecified dates. Lab data included three SARS COV 2 nasal swab tests (14Jan2021, 03Feb2021 and 11Feb2021) all of which were negative. Unspecified treatment was reported for the events anaphylactic reaction and mental impairment. The clinical outcomes of the events Anaphylaxis, loss of consciousness, dizziness, dyspnea, fatigue and lymph node pain were

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							reported as recovered on an unspecified date in 2021. The clinical outcome of mental impairment, heaviness of head, chest tightness and occipital neuralgia were reported as unknown.
1073072	3/4/2021	OK	21	F	3/4/2021	3/4/2021	After receiving vaccine, patient immediately started complaining of difficulty breathing and swallowing. Visually in distress and panicked. Epi via autoinjector administered at 0845 in left lateral thigh. 15L O2 initiated by non rebreather. Ambulance called. Benadryl 50 mg IM given in left deltoid. Client noticeably began breathing easier with less distress and reported less difficulty breathing. Transported via to local hospital.
1071243	3/4/2021	UT	70	M	2/24/2021	2/24/2021	Headache Fever/Chills Ringing in ears Loss of balance Visual distortion Nausea/gas Sharp stomach pain comes and goes Injection site soreness Gout flare up Cough/congestion Shortness of breath requiring oxygen Symptoms didn't improve much for about 7 days
1071247	3/4/2021	OR	31	F	2/10/2021	2/25/2021	Started with eyelid reaction to makeup (eyeliner) that has no turned into eyelid dermatitis x 5 days and then both forearm dermatitis x 3 days. Benadryl (oral and ointment) and Claritin (oral) have been tried with no improvement. Will be trying steroid cream on forearms.
1071248	3/4/2021	IN	35	F	2/22/2021	2/25/2021	Headache, chills, low grade fever, muscle and joint pain, sore throat, malaise, tiredness, itching & burning eyes, swelling, redness, pain, itching <5" diameter spread over several days at injection site, hard 'knot' 2" diameter at injection site, swollen lymph node in R armpit of injection arm. Benadryl topical, ice, heat, lymph drainage, ibuprofen to no effect. Symptoms currently lasting 9 days without signs of waning at time of report.
1071267	3/4/2021		53	F	3/2/2021	3/3/2021	Bell's palsy-left eye upper lid swollen, pain left side of face, asymmetric smile. mild case with no difficulty swallowing, able to close eye. treated with prednisone. onset within 24hrs following moderna vaccine.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1071269	3/4/2021	CA	51	F	3/3/2021	3/3/2021	Nothing initially 1-2 hours later, heart raced for 15-30 second (4 times within that time frame) then stopped 7 hours later- brain fog. Drove short distance and started hallucinating while driving. Saw black wind in street, design on my phone, car behind me appear completely different for few seconds than appear normal, green lights sticking in vision to hold to straight line. Brighter than normal street lights Right leg started shaking uncontrollably 30 seconds then stopped Hands started shaking for 15 second then stopped Arm sore where shot was No appetite Once back in apartment, hallucinations stopped but felt high. Wasn?t making lot of sense. Felt weird. 9 hrs later+ low fever 100 10 hours later hallucination started again. Scared me so turned lights on Chills started Tired but couldn?t sleep 11 hrs later trouble sleeping Appetite returning . Feeling less weird but still brain fog and strange
1071280	3/4/2021		51	M	2/19/2021	2/23/2021	On day 4 I experience a severe headache with visual auras in my right eye. The field defect was the medial field of vision from just my right eye and lasted at least 8 hrs. I went to sleep with it and woke up to find it resolved.
1071312	3/4/2021	CA	81	F	2/3/2021	2/3/2021	3/02 As the vaccine was given in my left arm, I felt it travel down inside my arm and toward my hand. i waited at Pharmacy for 20 minutes with no reaction. I returned home and within the hour I began to feel "very tired" and lay down in my bed. Within minutes, my left thump had spasms and painful cramping and "froze" I massaged my thump for about 5 minutes and the pain subsided. I then had painful cramping in my left calf and then the entire leg which then followed by Muscle pain and cramping in both legs. I was told that I should exercise, so I went for a long walk. When I returned home, i felt even worse so I went back to bed. Headaches began. I had flu-like symptoms (chills and discomfort) I covered my self with two blankets and drank lots of water and took an Aleve.which upset my stomach. 3/03 (the next morning), my usual sinus stuffiness was Gone! and I could breathe better than i have in a long time (by days end my sinusitis had returned) and so had my headache. Today 3/04 I still feel exhausted and I have swelling, puffs under my eyes (not usual) and occasional headaches. My Left Arm (area of the inoculation) Has Never Been Painful!!!!!!

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1071331	3/4/2021	CA	22	F	3/3/2021	3/3/2021	Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Shakiness-Medium, Systemic: Visual Changes/Disturbances-Severe, Systemic: Weakness-Severe, Additional Details: After 5 minutes patient stated that she is dizzy and her vision is blurry and going black. She then fainted and that was when the epi pen was given to the patient. She was unresponsive for a total of about 10 seconds. She was awake and responsive after the epi pen. She stated that she was still dizzy, but she did not have trouble breathing or swallowing. Patient states she had similar reaction when she had ears pierced and TB test. She was taken to hospital after by EMS.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1071175	3/4/2021	HI	63	F	1/30/2021	1/30/2021	My tongue felt like it was scolded and the back of it felt like it was swollen; This is a spontaneous report from a contactable consumer reported for herself. The 63-year-old female patient received first dose of bnt162b2 (BNT162B2, COVID 19, Brand: Pfizer, Lot number: EI9262) , via an unspecified route of administration on 30Jan2021 10:00AM on left arm at single dose for covid-19 immunisation. Medical history included asthma, gastroesophageal reflux disease (Acid reflux (GERD)), dry eye syndrome, fibromyalgia, osteoarthritis, pre-diabetic, allergies to medications, food, or other products and all from an unknown date and unknown if ongoing. Concomitant medication included colecalciferol (VITAMIN D [COLECALCIFEROL]) supplements, melatonin and allergy medicine. The patient experienced "my tongue felt like it was scolded and the back of it felt like it was swollen" (medically significant) on 30Jan2021 10:30AM with outcome of recovered with sequelae (Recovered with lasting effects). Therapeutic measures were taken as a result of the event included "IV Anti-histamine and prednisone I believe". She is not pregnant or not pregnant at the time of vaccination. Facility where the most recent COVID-19 vaccine was administered was hospital. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The consumer reported that "Just after the shot I was fine while talking to my husband while waiting I had a fast onset strange feeling in my tongue and back of the throat. My tongue felt like it was scolded and the back of it felt like it was swollen." Ae resulted in Emergency room/department or urgent care. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19.
1071522	3/4/2021	TX	38	F	3/3/2021	3/4/2021	Joint inflammation, skin burning, nausea, vomiting, muscle tightness and pain, burning eyes, sinus Inflammation, chest burning, sore throat, fatigue, headache,

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1071694	3/4/2021	CT	49	F	2/22/2021	2/22/2021	I had my injection on a Monday, about 2:00pm, 5.5 hours after in the injection, I became aware that I had numbness in my face, arm and leg - more dominant on my left side. On my face, more intense around my eye, nose & ear. In my face, it was similar feeling to when one receives Novocain, and its beginning to wear off and give that pins & needle feeling. In my arm and leg it was a general lack of sensitivity. I knew I was touching my arm with a sharp object, but I could not feel or sense it. I could walk, breath normal and talk. I did not reach out for medical help at that point. This lasted into the next day in all mentioned areas, the 3rd day (Wednesday) the only numbness that I was still aware of with out tapping to generate a stimulus, was in my face. On Tuesday, 2/23/2021 - I had made a neurologist appointment to address the situation. I still feel as if I have not completely regained sensation in my face and left arm, however I do need to tap on them to generate a stimulus response which feels somewhat numb. (Today is Thursday 3/4/2021 - 10 days after the 1st injection).
1071684	3/4/2021	IL	47	M	2/22/2021	2/23/2021	Initial soreness in shoulder starting one hour after injection and continued for two days. Right eye pain started about 18 hours after injection. Chills and low grade fever (99.1) recorded 26.5 hours after injection. Body Aches, primarily back, and general weakness occurred 28 hours after injection 400mg of Advil taken 32 hours after injection and prior to bed time. No symptoms following morning/day.
1071636	3/4/2021	TN	62	M	3/3/2021	3/4/2021	Patient received Moderna Vaccine yesterday 03/03/2021 and woke this morning 03/04/2021 with swollen eye. Patient called the hospital and was advised to go to ER. Patient took Benadryl and called the health department to notify us of reaction Patient was advised to follow up with ER if swelling continues and if difficult breathing or tongue swelling occurs.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1071619	3/4/2021	FL	50	F	2/11/2021	2/13/2021	Within approximately 56 hours from 1st injection, I got an intense left eye pain. Went to the ER where they flushed it, numbed it, and prescribed drops for conjunctivitis. I had no symptoms prior. Completed treatment and seemed fine. Within 13 hours of second dose (3/3/21 @ 2:00 pm), I woke up with eye pain in the left eye and used part of the remaining drops; thankfully did not get as bad as the first one, so far.
1071573	3/4/2021	IN	68	F	2/3/2021	3/1/2021	Curtain went down over both eyes. Dizziness and couldn't open eyes for about 20 seconds. Had gone to neurologist the Fri before due to first eye incident of nystagmus on 2/3 and she said to go to ER if this happened again, so I did. They did an MRI/MRA.
1071333	3/4/2021	SC	24	F	3/3/2021	3/3/2021	Systemic: Allergic: Difficulty Breathing-Mild, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild, Systemic: taste of blood rising from throat-Mild, Additional Details: Pt has wisdom tooth infection and is taking Amoxicillin, anaphalactic reaction to MSG 6 years ago (we were informed of this after administration), pt stayed for 30 minutes after the shot was administered.\r\n
1071534	3/4/2021	KS	39	M	3/2/2021	3/2/2021	Patient received first dose of Pfizer vaccine at 1505. Patient waiting designated 15 minutes under supervision. Patient reported reading email and then noted difficulty reading email and notified RN. Notified to go to Clinic check out due to patient's report of "light headed, like I had a drink or something.". Reported heart racing. Heart rate 112 and BP 130/86 initially. Upon patient being supine, heart rate elevated to 123. Symptoms improved and then start again. Flushed area around neck. "I think I'm okay.: "I feel so much better." Patient reported, "I felt out of it. Like I had a drink of something." Patient continued to wait under supervision of RN. Upon reassessment, sitting blood pressure of 118/78, heart rate 79, and oxygen saturation of 90% on room air. "I feel fine. After two waves of weirdness." Patient left at 1540. Patient reported symptoms had resolved.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1071381	3/4/2021		54	F	2/26/2021	2/26/2021	54 y.o. female a past medical history as documented below presenting to the ED for evaluation of possible allergic reaction. She received her 1st COVID-19 vaccine just prior to arrival. Seconds after receiving the vaccine she developed numbness/tingling to the roof of her mouth and her tongue and was advised to come to the ED for further evaluation. She denies swelling of the face, throat, lips or tongue, cough, shortness of breath or difficulty breathing. No headache, visual changes, weakness, extremity numbness/paresthesias. Symptoms improving upon arrival to the ED. Treated with PO diphenhydramine, observed ~ 2 hours and released without incident.
1071509	3/4/2021	NC	63	F	3/3/2021	3/4/2021	Skin around the eye area feels like it is burning. No outward signs or rash, no swelling. Just burning feeling and face feels like it's cracking when blinking or squinting. No fever or rash.
1071503	3/4/2021	NE	38	F	1/28/2021	1/28/2021	38 y.o. female. Patient reports 1/28/21 (last Thursday) had first COVID-19 vaccine at 8am with Moderna, around 6pm started to note flu-like symptoms with full body aches and not feeling good. No fevers. Notes left ear, jaw, under eye, teeth discomfort which started that evening and significant persistent headache with tension like sensation. Notes facial pains are intense and severe, notes constant squeezing like sensation on left face with sensation of swelling, but also notes intermittent stabbing pains. Also notes some nausea related to pain. No facial weakness. Worse with certain sounds, mask band around left ear, wearing head phones. Was seen by Primary Care next day, started on gabapentin and Valtrex (for possible shingles). Has history of left ear infections as which and required ear surgery including with skin rash. History of anaphylaxis to Flexeril (no other medications). She has history of small fiber neuropathy, also has Alport's. No history of COVID-19. Diagnosis: peripheral neuropathy with new onset, severe and persistent left trigeminal neuralgia with onset noted shortly after initial COVID-19 vaccine 1/28/21. Likely vaccine-related adverse event.
1071494	3/4/2021	LA	59	F	2/11/2021	2/12/2021	Passed out in the bathroom. Hit face. Do not believe she was out very long. Sustained a swollen and bruised right eye that eventually moved to the left.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1071484	3/4/2021	IL	71	M	2/25/2021	2/25/2021	Patient with delayed vasovagal likely syncopal episode several hours after vaccine received: "I wanted to let my Dr know that I had an incident on Friday. Sitting at home talking with my wife and two friends and started feeling "dizzy". They said I started shaking and head rolled back and I was out for a minute. I did not know anything had happened when I opened my eyes. They insisted that I go to the hospital. EMS came and tested me on the way to hospital- all tests good. Same at the hospital- you may have the results. Not a seizure, no high blood pressure, maybe vaccine reaction? they weren't sure what it was, and wanted to keep me overnight and I said no thanks. Home about 5 PM I feel fine. Please let me know if you want to go over.
1071483	3/4/2021	NE	39	F	1/29/2021	1/29/2021	Information provided by patient as follows: Slight throat tightening within first 20 minutes and then after an hour had some amount of numbness in left side of face only. About after 4 hours, I had complete numbness of the left side of my face. The numbness persisted through the rest of the day. The day following the vaccine, the numbness still persisted in areas by my left eye and upper cheek area. After over a week, those areas are still affected. My left eye feels weak, photosensitive, and strained. I am experiencing frequent headaches and pain around/above my eye. I am also noticing intermittent numbness/tingling in my upper extremities and hands. Scheduled to see provider on 2/24/21 regarding if 2nd dose should be given (findings from that visit unknown)
1071712	3/4/2021	IL	73	M	2/15/2021	2/28/2021	Been having migraines; vision out of focus; muscle pain in arms; lower back and shoulder; all on left side and all lasting a short time period.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1071568	3/4/2021	GA	84	M	1/28/2021	2/1/2021	<p>loss of hearing/hearing completely gone in right ear; Ringing in left ear; probably vertigo; Extreme dizziness; blood pressure was 214/113; vomitng; Weakness; nasal drip; dry scaly rash on his temples, neck, shoulders, belt line, and back of his right knee; diminished hearing in left ear/sounds like listening through a drum; pressure in temples like a hammer on each side of head; headache in back of head; A spontaneous report was received from a consumer who was also an 84-year-old male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced extreme dizziness, nausea ,vomiting, nasal drip, weakness, loss of hearing/hearing completely gone in right ear (deafness unilateral), diminished hearing in left ear/sounds like listening through a drum (hypoacusis), blood pressure was 214/113 (blood pressure increased), pressure in temples like a hammer on each side of head (head pressure), headache in back of head, and dry scaly rash on his temples, neck, shoulders, belt line, and back of his right knee. The patient's medical history was not provided. Concomitant product use was not provided. On 28 Jan 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (lot/batch: 020L20A) intramuscularly in the right arm for prophylaxis of COVID-19 infection. The patient reported he felt fine for about one week after the vaccination. Then, in the early morning of 05 Feb 2021, right after midnight, he experienced extreme dizziness, vomiting, weakness, nasal drip, and loss of hearing including ringing in his left ear and no sound in his right ear. He also started to notice a dry scaly rash on his temples, neck, shoulders, belt line, and back of his right knee. The patient was taken by ambulance to the hospital. In the ambulance, he vomited and his blood pressure was 214/113. He was placed the COVID-19 wing of the emergency room (ER) and given tests including a COVID-19 test, sonogram, "echogram", MRI, and EKG (results not provided). The patient reported he was admitted to the hospital. He was told he probably had vertigo. After his ER visit, the patient had appointments with his general practitioner, an ear nose and throat specialist, and a hearing specialist. He was told his hearing was completely gone in his right ear and diminished in his left ear. The patient could still somewhat hear out of his left ear but it sounds like listening through a drum. He states</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

he has to have his television up very loud to be able to hear it. At the time of this report, the patient continued to feel extremely weak, dizzy, and he had pressure in temples like a hammer on each side of his head, a headache in back of his head, and the hearing changes. Treatment for the events included unspecified medications in the ER. Action taken with mRNA-1273 in response to the events was not reported. The events of dizziness, weakness, loss of hearing/hearing completely gone in right ear, vertigo, weakness, diminished hearing in left ear/sounds like listening through a drum, pressure in temples like a hammer on each side of head, and headache in back of head were not resolved at the time of this report. The outcome of the events of blood pressure was 214/113, nausea, nasal drip, vomiting, and dry scaly rash on his temples, neck, shoulders, belt line, and back of his right knee was unknown.; Reporter's Comments: This case concerns an 84 year old, male patient, who experienced a serious unexpected event of Deafness (unilateral) among others, 9 days after receiving 1st dose of mRNA- 1273 (Lot# 020L20A). Very limited information regarding this event has been provided at this time. Further information has been requested.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1073797	3/4/2021	CA	19	F	3/4/2021	3/4/2021	Approximately 1200 ,Pt answered no to all pre_vaccination questions. Pt. eyes closed and head dropped to right immediately after first dosed of Moderna #0032A21A was given in his in his L deltoid. Pt immediately came back to arousal after securing pt upright by his shoulder. STAT call for assistance. Onsite doctor called STAT site lead RN present Pt stated, Local Ambulance called STAT. ?Did I pass out??? ? Yes you did.? Pt is AAOx4, color slightly pale, skin normal. Initial VS BP 48/52,P 50, R 18 and regular,,Sat 97%, Legs elevated on chair. Pt remains alert and talking coherent. 2ND VS 55/50, P50,R16 and regular SAT 97%. Pt remains fully AAOx4. Stated ?I was very nervous? Onsite doctor now present. 3rd manual checked VS 97/43, HR 60, R18 reg and calm, Sat 97%. Pt says he did eat but had little to drink. 1 bottle of water given and tolerated well. Pt stated ?my visions was a little blurry and it was difficult hearing but now I am better?. Pt also denies any heart issues or syncope issues. EMT arrived approximately arrived at 1224. EMT report normal sinus rhythm, SAT 100%, all VS WNL. Pt coherent, calm and fully AAO x4. Pt was advised by onsite voluntary doctor just for caution and further eval to go with EMT to hospital but pt. stated ?I am ok. I do not want to go to hospital? Refusal letter was signed by pt. Pt also denied request to notify his Mom who pt said was waiting in car. Pt was able to stand without assistance and ambulated to post vaccination sitting area w/o any difficulties. Pt remained AAOx4 w/o any further issues and was D/C approximately 1pm. Initial incident was witnessed by nurse vaccinator and report documented by this document was written by Nurse .
1073891	3/4/2021	GA	66	F	3/4/2021	3/4/2021	.Headache left temple. Vision loss in right eye for approximately 10 minutes. Could see only whiteness. During that time saw flashes of blue arrows flashing facing each other?s, also 2 imagines of black shapes like fish facing each other. As vision returned sight was shaded and hazel. Episode lasted for period about 25 minutes .
1073890	3/4/2021	NY	73	F	3/1/2021	3/4/2021	Severe headache, severe itchiness to scalp, eyes, ears, face, neck, chest, back, arms

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1073886	3/4/2021	WI	26	F	3/2/2021	3/2/2021	Patient found unresponsive in recovery area at 6pm. Patient skin color gray, cool, unresponsive, no pulse noted by writer. Writer sternal rubbed patient and called name multiple times. Staff arrived to assist and writer sent one to call 911 and one staff member to get wheelchair to transport patient to recovery area. While waiting for wheelchair after about 2 minutes patient regained consciousness, but still gray and not fully responsive. Patient stated she could see me but vision very blurry. Writer and LPN transported patient to recovery and took vitals. Patient awake at this time. VS 110/80, 95%SpO2, pulse 76 at 6:06pm. Recheck of BP 132/110 at 6:14pm. Patient skin PWD. EMT's arrived assessed patient, took EKG-WNL, VSS stable, BP slightly elevated. EMT's offered to transport patient via amb to ER, patient declined. Writer released patient to boyfriend to drive her home.
1073884	3/4/2021	WA	75	F	3/2/2021	3/3/2021	Severe sweating, blurred vision and passing out
1073861	3/4/2021	CA	65	F	3/4/2021	3/4/2021	Patient received her COVID-19 Moderna vaccine this afternoon. She then started "feeling strange" a few minutes later, requesting fresh air. She was monitored outside for 30 minutes. Her O2sat remained >96%ile the entire time. Her HR remained in 60s-70s. Her initial blood pressure was elevated at 210s/140s and improved to 140s/110s with calming relaxation techniques. She did have brief jerking episodes of her lower extremities intermittently. They were suppressible. She remained conscious the entire time and maintained good eye contact. At minute ~20 post-vaccination, she endorsed not remembering why she was there, requesting to stand up. She stood up with support and then sat back down. Repeat BP was elevated to SBP 200s. Decision was made to continue observation in Urgent Care as her blood pressure was still elevated and she still appeared anxious. She was speaking in full sentences and was drinking water without assistance. She was placed into wheelchair and brought to Urgent Care. However, during UC triage, she reportedly informed nursing that she didn't want to be in the enclosed observation room in UC, that she wanted to go home. Her partner wheeled her outside to the patio. When nursing went to go find her, the patient had eloped.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1073654	3/4/2021	MO	67	F	2/16/2021	2/1/2021	Bell's palsy; She cannot talk real well right now; This is a spontaneous report from a contactable consumer reporting on behalf of the patient. A 67-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Solution for injection, Lot number: EN6200, unknown expiration), via an unspecified route of administration in right arm on 16Feb2021 at 10:55 at a single dose for COVID-19 immunisation in a hospital. Medical history included chickenpox and measles (when she was a kid), COVID-19 in 2020 (last year), ongoing anxiety, ongoing blood pressure (abnormal), and ongoing insomnia. Concomitant medications included pregabalin (LYRICA), celecoxib (CELEXA), and ongoing unspecified anxiety, blood pressure and insomnia medications. The patient received her first dose of BNT162B2 (lot number: EJ1686, unknown expiration) on 20Jan2021 at 11:33 in right arm for COVID-19 immunization. The patient's friend called on behalf of the patient because she cannot talk real well right now (Feb2021). The patient's friend confirmed that the patient went to emergency department and was told that she has Bell's palsy on 18Feb2021 at 14:00 and she has never had it before, and they did not know if it was a side effect from the COVID-19 vaccine or not. The patient received prednisone 20mg 3 times a day, Valpex, antibiotic, and eye drops for right eye as treatments. Blood test was taken on 18Feb2021 with unknown result. The patient had not yet recovered from the events. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1073821	3/4/2021	GA	36	M	3/4/2021	3/4/2021	Was administered the Pfizer COVID-19 vaccine in our drive-thru clinic on 3/4/21 at approximately 2:15pm. Was in the driver's seat of his SUV with his father in the passenger seat. Nothing in the PQCF gave us any reason to be concerned over this particular administration. After administration, was asked to pull forward and park in a spot on the right in order to sit for his required 15 minutes post-administration. became unresponsive as he was attempting to park and continue to turn the wheel causing him to drive in a U shape into a rock covered median. The SUV was able to clear the median and the car stopped at the APEX. When I saw the car heading towards the median, I started to head toward the site safely. I approached the car slowly asking him to stop. When I did not receive a response, I knew something was wrong. Once I felt the car was safe to approach, I ran to assist the patient. The patient was barely able to communicate but did say he was dizzy. 15 seconds later he was unable to communicate, I called a second pharmacist to run over with an epi pen just in case (this was NOT administered). I immediately called 911 at 2:21 pm. reached into the vehicle and got the vehicle into park, while I assessed his airway, breathing, and pulse from a seated position. The patient began to seize. I continued to hold the patient from outside of the vehicle to maintain the patient's airway and keep him from hurting himself on the steering wheel. The patient regained consciousness approximately 3 minutes later with no memory of what happened. EMS arrived on scene about 2 minutes after he regained the ability to communicate. While EMS assessed the patient, and I reached out to and division one store management per SOP. EMS determined that the patient had a seizure and was able to go home if they wanted. The father moved into the driver seat. We monitored the patient for 30 minutes and allowed them to leave. We followed up with the patient via phone 2 hours later with no concerns noted. No property damage or bodily harm occurred during this incident. If we are given approval to vaccinate this patient with a second dose, we will arrange for this patient to be taken care of in the pharmacy.
1073919	3/4/2021	AL	64	F	2/3/2021	2/4/2021	Blurred vision left eye

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1073728	3/4/2021	TX	30	M	3/3/2021	3/3/2021	C/O nausea, vision started to blur, facial sweating, sweating on scalp and arms, dizziness ;,slow speech: no sign of stroke: Pt denies CP/Press,. Vision improved; sweating ceased .Pt provided with Gatorade to increase glucose level. Symptoms resolved with time,instructed to F/U with PCP.
1073712	3/4/2021	WA	74	F	3/4/2021	3/4/2021	Pt developed circumoral paresthesia (tingling of her lips and tongue) shortly after injection into right deltoid without shortness of breath, chest pain, rash, sore throat, hives, myalgias, nausea, or vision changes. She reports feeling anxious regarding the crowded atrium while getting her shot. Patient symptoms improved after monitoring for 30 minutes with stable vital signs without administration of medications.
1073688	3/4/2021		93	M	3/4/2021	3/4/2021	Another customer in the store called over to the technician and pharmacist on duty stating the patient looked sick. He had dropped his timer that was counting down his 15 min post dose wait time. Pharmacist approached patient and asked him how he was doing. He was initially non-responsive, eyes were slightly glazed over. I repeatedly asked him his name and how he was doing. He began to respond after prompting, saying he felt very hot and sweaty. He stated he was thirsty and he hadn't eaten anything before his dose. Technician obtained a glass of water and a granola bar for the patient. Patient began to improve just minutes after food and water. He stated he thought he had stood for too long while waiting for his shot and hadn't eaten that morning so he began to feel sick. Patient recovered enough to call his daughter to pick him up from the store. His daughter arrived to pick him up and patient was able to walk out of the store without issue.
1073687	3/4/2021	WI	45	F	3/4/2021	3/4/2021	Pt reported glossitis, "racing heart", and eye tearing 4 minutes after vaccine administration. Assessed HR at 121 initially; down to 74 after 20 minutes of rest.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1073669	3/4/2021	OH		F	2/17/2021	2/18/2021	Burst blood vessel in her eye; Really bad headache/Her head was throbbing; Chills; Sinus headache; Her ear hurt; This is a spontaneous report from a contactable consumer. A female patient of an unspecified age received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE) lot number: EL9266, expiration date: 31May2021, via an unspecified route of administration at left arm on 17Feb2021 at a single dose for Covid-19 immunisation. Medical history included migraine diagnosed 35-40 years ago, aneurysm from 01Aug2018 and lung cancer. There were no concomitant medications. The patient reported that she had a really bad headache the next day on 18Feb2021, after getting her first dose of the vaccine on Wednesday, 17Feb2021. She sated that on the 18th she had chills and the really bad headache, and she has a history of migraines and also has an aneurysm in her brain which she doesn't know how long that has been there. She says she also looked in the mirror this morning 19Feb2021, while putting her make up on and saw that a blood vessel had burst in her eye, which could have been from the pressure she had from the headache. She says her second dose is scheduled on 10Mar2021. She says that she had a little headache the afternoon she got the vaccine that went away, then the next morning at 04:00 am her head was throbbing, and she suffers from migraines but this felt like a sinus headache. Her ear hurt and she thought it was more sinus then, and nothing she took for it would alleviate the pain. She says when she got up then she got chills. She says that nothing she did like she normally does helped, like she tried heat and cold it was not going to give. She says that she used ice packs then put heat on her shoulder, and also did a Neti pot, maybe that caused her eye have blood vessel burst in it, she doesn't know. She says that the blood vessel burst in her right eye, which seems to have gotten better since this morning, it is not quite as red. She says it could be that she rubbed it. She says her headache is gone now and her chills are gone. The patient recovered from the events really bad headache/Her head was throbbing and chills on 19Feb2021, for the event burst blood vessel in her eye was recovering. The outcome of the event Sinus headache was not recovered while the outcome of the event ear hurt was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1073658	3/4/2021	CA	66	F	2/15/2021	2/21/2021	break a blood vessel in her left eye; felt sick to her stomach; threw up; Half of the white in her left eye turned solid red; This is a spontaneous report from a contactable consumer (patient). A 66-year-old female patient (not pregnant) received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, batch/lot number and expiration date were not provided), via an unspecified route of administration on right arm, at 66-year-old (not pregnant at vaccination), on 15Feb2021 at 15:00 as a single dose for COVID-19 immunization. The vaccine was received in hospital. Medical history included ongoing chronic back pain, high blood pressure. No known allergies were reported. The patient did not experience COVID-19 prior vaccination. Concomitant medications included hydrocodone bitartrate, paracetamol (NORCO), fluoxetine hydrochloride (PROZAC), triamterene, baclofen. No other vaccine was received in four weeks. On 21Feb2021 at 12:00 (reported as 6 days later) the patient felt sick to her stomach and threw up which caused her to break a blood vessel in her left eye. Half of the white in her left eye turned solid red. Later she felt fine and was able to eat dinner. The patient did not have COVID-19 test post vaccination. The patient did not receive treatment for the events. The outcome of the events was recovering. Information on the batch/lot number has been requested.
1073830	3/4/2021	FL	50	F	3/1/2021	3/1/2021	funny taste in mouth, felt buzzed, headache, confused, tunnel vision, pale, fainted, rash on torso
1074001	3/4/2021	TN	48	F	3/4/2021	3/4/2021	Patient was in chair waiting her 15 minutes after IMZ, when she begin to slid down and slump in her chair. She could not keep her eyes open. After calling her name she began to come to and the main complaint she had was that she had a sweet taste in her mouth. She continued to complain with sweet taste and then became hoarse. She denied being a diabetic and was not having trouble with her breathing or throat closing, Fire Department and Ambulance arrived and she wanted to go to hospital. She stood up to get on the stretcher.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1072786	3/4/2021	CT	53	F	1/12/2021	1/13/2021	I started to feel severe lethargy and fatigue. My eyes flared, double vision up with my usual autoimmune attack. I could not get out of bed for five days. Chills and back pain, joint swelling. It felt like a really flare up of my autoimmune condition. I also had similar problems with the first dose but not as bad. I was midway between my bi-weekly Cosentyx.
1073079	3/4/2021	KS	67	M	2/16/2021	2/16/2021	Arm sore, head aches, very tired, restless, lack of sleep, flu symptoms, fever, swollen leg left side, knee swollen and foot, made neuropathy worse, sweat a lot, hard to walk, knee giving out while standing, vision blurry, nose running more, been out of work 2 days a week since shot, body aches, just cough
1074222	3/4/2021	NC	61	F	2/16/2021	2/22/2021	I had the vaccine on 2/16. On 2/22 at 5:30 pm I suddenly started having double vision. I saw an eye doctor that evening. I had no face drooping. I had not headache or muscle weakness and my pupils were the same size. If I covered one eye (did not matter which one) the double vision was not present. The next morning 2/23 I woke up with no double vision but throughout the day it came back a few times but resolved each time. I went to Medical Center on 2/2 and had a complete exam. So far all labs have come back in normal range. I have tracked my blood pressure twice a day since this happened. BP is great I am a very healthy person. Exercise daily. The only thing different in my life is having the vaccine dose. It was my first dose. The double vision seems to be resolving more and more each day. Happening less and shorter episodes. My eyes have been check by medical extensively on 2/2. They cannot find a reason for the double vision. I would like to know if this has been reported by anyone else and if so did it resolve. Also if the person took the second dose and did they have problems. I am supposed to have my second dose on 2/16. I am not sure what I should do. I still have symptoms although they are much milder and seem to be resolving. I have never felt bad at all during any of it and have continued to exercise.
1074201	3/4/2021	CA	65	F	1/28/2020	1/29/2020	Mild Bells Palsey - Droopy left eye, weak left side of mouth

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1074054	3/4/2021	TN	32	M	3/2/2021	3/3/2021	Swollen, puffy eyelid. Never had anything like it before. Dull pain at outside of left eye. Eye feels depressed or sunken. Not as firm or protruding as right eye. Lower eyelid swollen. Painful to blink.
1074029	3/4/2021	TX	67	F	3/1/2021	3/1/2021	Immediately after medicine went in my arm I felt a warm flush from my neck all the way to my toes (the same as when I have had radioactive dye), during my 15 minutes of observation my hands and feet were cold and sweaty and I felt a little shaky. I waited 20 minutes and went to the restroom and had diarrhea (very rare for me). I went to my car and looked in the mirror and my face was bright red and the whites of my eyes were red and my eyes were glassy. I went back in to the observation area and was given oral Benadryl and monitored for 45 minutes. Right after I took the Benadryl my throat felt itchy (not sore - itchy). My blood pressure was 157/62 when I first sat down but came down to 130/60 by the time I was sent home. My bp is normally about 106/60. I was really tired at home for the rest of the day so went to be early. The next day I felt fine and my arm was only slightly sore. The doctor at the immunization clinic told me not to get the 2nd shot. I called my GP, and he too told me not to get the 2nd COVID shot and wait until more information has come out about adverse reactions to the vaccine. I did not have any difficulty breathing. I don't know if the redness on my face went down my neck to my chest. I didn't look. I did not have a fever.
1073897	3/4/2021	WI	51	F	3/3/2021	3/3/2021	Severe head ache in the sides of my head and behind my eyes. After 24 hours the headache is still very very intense. Tylenol didn't help, neither sumatriptan, my usual medicine for migraines.
1074018	3/4/2021	WA	42	F	3/4/2021	3/4/2021	Nausea, dizziness, heart racing, clammy/sweaty palms, vision changes, tingling and hot feeling face
1073908	3/4/2021	CA	27	F	3/3/2021	3/3/2021	Cough and eye redness (may have begun before vaccine dose). BP 138/93 (pulse 74), 98% O2 sat.
1073995	3/4/2021	NC	41	F	2/26/2021	2/27/2021	Fatigue, urinary incontinence, trouble walking hip pain, double vision. Patient express vaccine cause MS flare up. had these symptoms years ago from MS but had subsided until vaccine

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1073966	3/4/2021	AK	82	F	3/3/2021	3/4/2021	Pts SO stated that the pt was focused on something in the distance and the pts eyes rolled
1073963	3/4/2021	CA	50	M	3/4/2021	3/4/2021	Pt. stated he was feeling "woozy" to RN, pt. appeared pale and and his eyes were closing. Moments later pt. had syncopal episode, Pt. was sitting in chair and was held in place by RN. Syncopal episode lasted about 30 seconds. His legs were elevated on nearby chair, initial BP was 71/36. NC cannula with 2 liter O2 placed. Pt. slowly woke up but blood pressure dipped to 51/21, HR 48, at that time pt was assisted to the floor and his legs were raised above his heart. 3 minutes later BP was 90/50 HR 55, and pt. was completely awake. 3 minutes later BP 103/57 HR 67, 5 minutes still on the floor, but sitting up BP 119/73 HR 74, given juice, pt. talking, laughing, color returned to normal. 5 minutes later, pt. sitting up in chair, BP 109/73 HR 73, 98% RA. During entire event SPO2 did not drop below 98%, Observed for total of 45 minutes.
1073932	3/4/2021	NY	26	F	3/4/2021	3/4/2021	My eyes began watering and began to burn. This lasted 5 minutes. It has happened two more times since I got the vaccine.
1073925	3/4/2021	OK	57	F	3/2/2021	3/3/2021	patient stated she had rash at injection site, and on the opposite arm and rash on legs and under eyes
1073903	3/4/2021	CA	52	F	3/4/2021	3/4/2021	An hour after my shot my left check was numb, lower left eye numb, left ear numb and left side of my tongue is numb. It is still numb as I type this.
1074019	3/4/2021	CA	52	F	3/4/2021	3/4/2021	About 10 mins after vaccination patient stated she wasn't feeling well. When pharmacist went to check on the patient she was seizing. 911 was called. Patient's eyes were fluttering and unresponsive, but breathing. Patient came in and out of seizure a few times. 1 full body seizure about 20 to 30 seconds. Patient was laid on the ground on her side till paramedics arrived. She was then taken by ambulance.
1073178	3/4/2021	TN	73	F	3/4/2021	3/4/2021	Pt returned to health clinic 45 minutes after immunization reporting dizziness and blurry vision

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1073385	3/4/2021	MN	66	M	3/4/2021	3/4/2021	Patient was given Moderna vaccination and was waiting in the post-vaccine area. Patient reported to the associate that he was feeling funny. The pharmacist was called and the patient reported feeling light headed and dizzy. While talking the pharmacist the patients eyes rolled back in his head. The pharmacist held his shoulders and his hand and continued to speak to the patient. He regained consciousness. The patient was able to move to his knees and then to lie on his back on the floor with his feet elevated. The injection site was clear and smooth. He had no fever. After resting 15 minutes his color improved and was conversing well. He was able to sit up and his blood pressure was taken. His blood pressure was within normal range. He sat for another 15 min and drank some juice. He was feeling well enough to go home in the care of his wife.
1073363	3/4/2021	KY	21	F	3/4/2021	3/4/2021	Patient has syncopal episode-sweating, nausea, blurred (tunnel vision)
1073302	3/4/2021	MN	18	F	2/4/2021	2/4/2021	The patient described sudden onset of dizziness with visual disturbances, amplified photosensitivity, and double vision that occurred about 25 minutes after receiving the COVID19 (Moderna) vaccine. This lasted for about 20 minutes and then the visual effects subsided and she was able to drive. She reported that the dizziness did subsist for several hours at a low and tolerable level.
1073236	3/4/2021	CA	66	M	3/3/2021	3/3/2021	Change of vision, blurry, double vision. BP readings 133/108 (pulse 99), 147/103; 96% O2 sat.
1073208	3/4/2021	NC	43	F	3/4/2021	3/4/2021	10 minutes after shot sharp pain for about 10 minutes then it went away. Light itching also went away at same time. About an hour and a half after, stinging and burning eyes that has not gone away. started 11:30am and it is now 5pm at time of report. Been advised to call eye doctor tomorrow. Burning not so much it tears up but a constant burning feeling in both eyes.
1073401	3/4/2021	IL	67	M	2/26/2021	2/27/2021	Head ache, unable to concentrate, Blurred vision, cannot focus double vision. Started approx. 4 hours after the injection and is still an issue 7 days later.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1073189	3/4/2021	IA	89	F	2/15/2021	2/21/2021	Moderna COVID-19 Vaccine EUA Pt received Moderna COVID vaccine 2/15/21 (per pt, was 2/8/21 but shows 2/15/21). On 2/25/21 patient presented to ED with a complaint of generalized weakness for about 1 week, reporting it was worse that day. Pt reported diarrhea on Sunday 2/21 but none at visit. Denies fever, chills, chest pain, shortness of breath, nausea, vomiting, abdominal pain, vision changes, headache, sore throat, cough, diarrhea since Sunday, constipation, dysuria, hematuria, altered mental status. Low grade fever of 100 F, BP 155/65. Pt was tested for COVID, resulted in positive, and sent home with instructions for care. 2/26: Pt was contacted regarding starting monoclonal antibody bamlanivimab infusion.
1073287	3/4/2021	TX	39	M	3/2/2021	3/2/2021	patient stated he felt lightheaded dizzy, became diaphoretic and pale, stated he was nervous about needles and has always been. pt was sitting on chair, 1025-02 sat on RA=99% HR 46 complained of tunnel vision still pale diaphoretic. he transferred himself to a wheelchair and a nurse took him outside across the street to the emergency room. as they got outside he started feeling better, so she did not take him to the ER, but to outpatient treatment department and put him in trendelenburg position on stretcher vital signs as follows 1030-117/65 hr=66 02 ra=98%, 1040-122/68 61, 97% RA, color back to normal. 1046-laying flat on stretcher, 116/77 59, 100% RA, 1052-135/77 56 98% RA, 1057-sitting up on side of stretcher-states he feels normal 147/92 60 99% RA
1073147	3/4/2021	IL	70	F	3/1/2021	3/3/2021	Rapid heartbeat, high blood pressure, pressure around heart, pink eye
1073134	3/4/2021	MD	38	M	3/3/2021	3/4/2021	Diarrhea and fatigue started approx 8 hrs after administration. Fatigue continued next day. At ~9 am following day, began experiencing moderate + pain in and behind right ear and into and throughout lower right jaw. Watery right eye. Some feeling of weakness in right side of face. Symptoms seem to indicate Bells Palsy but no noticeable muscle droop is occurring. Ibuprofen helps the pain but does not eliminate it. Pain persisting as of writing this at 1630 hrs 3/4/21.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1073653	3/4/2021	MI	56	F	2/20/2021		<p>Bell's Palsy; eye twitching; dizziness; This is a spontaneous report from contactable consumers (one was patient). A 56-year-old female patient received second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, lot number: EN6200, expiry date not reported), via an unspecified route of administration at the right arm on 20Feb2021 at single dose for COVID-19 immunization. Medical history included food allergy (reported as allergy to walnuts). The patient was not pregnant at the time of vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was vaccinated at a workplace clinic. The patient was not diagnosed with COVID-19 prior to vaccination. Since the vaccination, the patient has not been tested for COVID-19. Concomitant medications were not reported. Historical vaccine included first dose of bnt162b2 (lot number: EL9265, expiry date: not reported) in the right arm on 30Jan2021 10:30 at single dose for COVID-19 immunization but experienced face numbness and swelling throat/ear canal on right side. It was reported that the second dose was even worse than the first time and involved continued eye twitching and significant dizziness. The patient had not sought medical attention yet, but if it continued to get worse, she would call her doctor or (helpline number). The patient reported that it almost feels like Bell's Palsy on an unspecified date. It was unknown if treatment was received for Bell's palsy. Clinical outcome of Bell's palsy was not recovered, while for eye twitching and dizziness was unknown.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1073915	3/4/2021	WA	70	F	2/24/2021	2/24/2021	0805 pt received second dose pfizer vaccine 0810 pt reports "right afterward" noticing that her tongue felt numb. denies respiratory distress. No previous history of anaphylaxis with any vaccine or medication or other source. No problem with first dose pfizer other than sore arm, fatigue. 0825 pt states numbness progressing toward back of tongue 0830 pt escorted to ED Per ED note: Patient received second Covid vaccine at 8:05 AM, noted onset of central, not lateralized, tongue tingling without swelling/pain after receiving the shot, still notes able to feel pressure on tongue. Has never had a reaction to previous vaccines, including first dose of Covid vaccine 3 weeks ago. Denies any tongue biting or recent trauma to the tongue. She does feel as if the tingling is extending further back since onset...Patient states she can swallow fine without pain, no vision changes, hearing changes, taste changes, lesions in her mouth, facial asymmetry, shortness of breath, headache, rashes, swelling. Denies fevers, chills, URI symptoms, chest pain, palpitations, lightheadedness, nausea, vomiting, abdominal pain, change in bowel habits, change in urination. Vitals stable, no evidence of anaphylaxis on exam. Ruled out CVA, atypical MI, migraine, GERD, trauma. Thought possibly vaccine reaction. Patient was monitored in the emergency department for 4 hours after vaccine, without airway swelling or compromise. Discharged home but still with continued tongue tingling with preserved sensation.
1073129	3/4/2021	NY	78	M	2/17/2021	2/27/2021	Saturday 02/27 thru this morning: Low pains in upper left chest / Low pains in middle of left side of back Tuesday 03/02/2021: Headache and pain in left eye / Sitting watching tv on Tuesday 3/2/2021 and almost passed out Have never experienced anything like this before so think it may be vaccine related. Then saw the news report about women getting false positive mammogram results only on the same side they had their vaccine in and that seems to be the case with my events - all on left side.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1073101	3/4/2021	OH	48	F	2/12/2021	2/12/2021	<p>Moderna shot administered on 2/12/21 10 minutes after shot feeling of warmth, sweating, racing heart and feeling of uneasiness like something was wrong. Weird sensation in throat area. -went to nurses and EMT at vaccination site and described feeling that something was wrong EMT checked pulse, blood pressure, oxygen levels: heart rate was elevated and blood pressure was 150/?. EMT advised taking deep breaths and getting rechecked in 10 minutes. Heart rate and blood pressure went down to 130/?. EMT wanted to recheck in 15 minutes to make sure heart rate stayed down. When rechecked it was back to 150/?. EMT advised getting checked out at urgent care and advised that I not drive myself. Went to urgent care right after leaving the vaccination site. When nurse checked blood pressure it was 178/? And heart rate was 135 bpm. Nurse mentioned some swelling around injection site that I should keep an eye on. Temperature was 99.7 at urgent care. 10 minutes later when doctor rechecked it was down to 130/? And pulse was down to normal range. Doctor advised that it could be an allergic reaction and to make sure I had benadryl on hand in case reaction worsened. Over night after vaccine had chills and then a headache in the morning upon waking. Slight temperature no higher than 100 that morning. 2/13/21 the next day at around 12:30 pm began feeling like I did immediately after the vaccine but symptoms were more intense. Feeling of warmth and tingling sensation throat/face. Answering service for doctor's office advised taking benadryl and if still not feeling symptoms resolve or if worsening to go to ER. After taking 2 benadryl 50 mg. Symptoms were not resolving. Mentioned not feeling right to my husband and he said I had a big red welt under my chin toward throat area. Symptoms were not improving and felt tightness in throat and chest area. Voice was becoming hoarse so went to ER. Nurse took vitals and asked if I forgot to take blood pressure meds as pulse and blood pressure were both high 176/? Heart rate 140. I replied that I had never had high blood pressure before. They monitored blood pressure, pulse, oxygen levels for several hours. As benadryl wore off redness developed across entire back area and red welt appeared on front abdomen. Blood pressure and pulse were elevated for about 2 hours going up and down until finally staying in normal range. ER doctor prescribed</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1073191	3/4/2021		35	F	2/6/2021	2/6/2021	<p>high dose of prednisone for allergic reaction. Symptoms resolved and was discharged from ER. ER did EKG and CBC W/Auto differential, comprehensive metabolic blood panel, troponin, and TSH with reflex. Results were normal TSH was 3.07 uIU/mL. Wanted to check thyroid level as I take l evothyroxine due to hypothyroidism 100 mg daily. 2 days later as steroids wore off began feeling burning sensations on skin in different areas stomach, back, face and took benadryl for 3 days until symptoms resolved. Took blood pressure at home with automatic blood pressure cuff and it remained elevated off and on for several days 150/? Until Wednesday that week went it stayed under 130 consistently. Also wear a watch and resting heart rate was reading up to 135 bpm at night during sleep until Tuesday of that same week. 2 weeks after vaccine feelings of swollen lymph nodes under both armpits when raising arms or putting on clothing. Shot was given in left arm. Allergy History To Medications: Ciprofloxacin- swelling and tingling in face Sulfa- Hives Cefixime Tingly in lips and tongue</p> <p>Patient felt 'wasted', foggy, exhausted, and hungover within 2 hours. Occipital headaches began that evening, then the next day fever, body aches, and head pain worsened. Blurred vision has been steadily worse since the day after the injection, and breathing is aggravated, requiring more gasping for air. Extreme fatigue has been present since the evening of the injection. GI symptoms including nausea, lack of appetite, and diarrhea, and gurgling 'upset' stomach have been present since the day after the injection. Severe trembling of the hands was observed on video, and body tremors were present in office. Patient reports feeling 'unwell', exhausted, nauseous, and in pain. It won't let me continue.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1073607	3/4/2021		64	F	1/24/2021	1/1/2021	<p>skin is burning up, her arms, her face, her stomach, her back, and her chest are burning up/burning skin has probably gotten worse; Nausea; no appetite; Headache; bad sore throat; felt sick since she got it; This is a spontaneous report from a contactable consumer (patient). A 64-year-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection; lot: EL9262), via an unspecified route of administration on left arm (at the age of 64 years) on 24Jan2021 at single dose for covid-19 immunization. Medical history included type 2 diabetes (borderline about 15 years ago/started taking a medication a year ago for her high sugar numbers/had some blood tests, her A1C was normal, her diabetes was the same way it always has been); hypertension from 2012 (diagnosed about 9 years ago); sleep apnea from 2020 (uses a C-PAP machine/diagnosed approximately a year ago); Epstein Barr from 1995 (diagnosed when she was 39); high cholesterol (sometimes she didn't take her medication for that); cataract and cataract surgery in Jan2021 (had this last month/they used anesthesia/didn't know which type/had some eye drops for this). Concomitant medication included an unspecified high blood pressure medication (she thinks she tried a few times). The patient called about Pfizer COVID-19 vaccine and she had questions and side effects. She did get one shot, and was not due for her second for a couple weeks. The patient felt sick since she got it, some side effects have been less, some stayed the same or got worse. Her skin was burning up, her arms, her face, her stomach, her back, and her chest were burning up. She has done no treatment, because she didn't know what to do to treat it and it was difficult to be able to get in to see a doctor. The burning skin has probably gotten worse. She also had nausea and no appetite, though she has gotten a little better, it has been at least a full week or so. She had a headache and a bad sore throat also. She got home from getting the shot, probably maybe 5 or 6 hours after getting the shot. The patient's weight was 145-150lbs. The outcome of the event skin burning sensation was not recovered while for the remaining events was unknown.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1073650	3/4/2021	MI	56	F	1/30/2021	1/30/2021	swelling throat/ear canal on right side; swelling throat/ear canal on right side; right face numbness/spread to my lips and up into my eye and ultimately radiating throughout my head; right face numbness/spread to my lips and up into my eye and ultimately radiating throughout my head; right face numbness/spread to my lips and up into my eye and ultimately radiating throughout my head; This is a spontaneous report from contactable consumers (one was patient). A 56-year-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, lot number: EL9265, expiry date not reported), via an unspecified route of administration at the right arm on 30Jan2021 10:30 at single dose for COVID-19 immunization. Medical history included food allergy (reported as allergy to walnuts). The patient was not pregnant at the time of vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was vaccinated at a workplace clinic. The patient was not diagnosed with COVID-19 prior to vaccination. Since the vaccination, the patient has not been tested for COVID-19. Concomitant medications were not reported. On 30Jan2021 10:45, both times the patient had right face numbness (felt like Novocaine) that started in her right cheek and spread to her lips and up into her eye and ultimately radiating throughout her head, and also swelling throat/ear canal on right side. It was unknown if treatment was received for the events. Clinical outcome of the events was not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1073645	3/4/2021	WA	25	M	2/4/2021	2/1/2021	<p>Within 1-2 minutes I experienced full body tingling; facial numbness; vision became distorted/blurry; vision became distorted/blurry; whole body was sweating; abdominal pain; lower extremity aching; nausea; experienced moderate to severe lower back spasms; sciatica; This is a spontaneous report from a contactable other health professional (patient). This 25-year-old male patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE) (Lot# ELO739), via intramuscular on 04Feb2021 03:15 at single dose in the left arm for COVID-19 immunization. The patient's medical history included medullary kidney disease, and allergies to iodized contrast and bees (both resulting in anaphylaxis). The patient did not received any other medications within 2 weeks of vaccination. Facility where the most recent COVID-19 vaccine administered was Public Health Clinic/Veterans Administration facility. Patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Within 1-2 minutes (03:15) patient experienced full body tingling and facial numbness. A minute later his vision became distorted/blurry and he began getting warn. A minute later his whole body was sweating, he was experiencing abdominal pain, lower extremity aching, and nausea. These symptoms other than the sweating persisted for another 5 days. After the 5th day, patient experienced moderate to severe lower back spasms and sciatica that resulted in an urgent care visit and a prescription for muscle relaxers and a mild pain reliever. The muscle spasms have been present for a week now and is slowly getting better. Patient was seen by an orthopedic urgent care where they recommended physical therapy and limited walking/sitting for extended periods of time. The adverse event result in doctor or other healthcare professional office/clinic visit and Emergency room/department or urgent care. Treatment received for the adverse event included diphenhydramine hydrochloride (BENADRYL) (day of vaccination) and muscle relaxers. Prior to vaccination, patient was not diagnosed with COVID-19. Since the vaccination, patient has not been tested for COVID-19. Outcome of whole body was sweating and sciatica was not recovered, outcome of moderate to severe lower back spasms was recovering, outcome of other events was recovered on an unspecified date in Feb2021. Information on the lot/batch number has been</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

requested.; Sender's Comments: Based on event-vaccine chronological association, a causal relationship between reported events and BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

1073640 3/4/2021 MN

49 F

2/1/2021

2/2/2021

Intense pain; intense joint pain; intense eye pain; intense headache; loss of balance; loss of appetite; stuffy nose; sneezing; drowsiness; confusion; agitation; This is a spontaneous report from a contactable other healthcare professional (HCP) (patient). A 49-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: 9269) via unspecified route on left arm single dose for COVID-19 immunization on 01Feb2021, 04:00 PM at 49-year-old. Medical history included: osteoarthritis, guttate psoriasis, degenerative disc disease, fibromyalgia, COVID-19, known allergies. Concomitant medication was not reported. The patient previously took the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EK923) left arm for COVID-19 immunization on 14Jan2021, 01:30 PM at 49-year-old; had body aches, fever, sore arm and skin ach. No other vaccine received in four weeks. On 02Feb2021, 02:00 AM, the patient had intense pain, intense joint pain, intense eye pain, intense headache, loss of balance, loss of appetite, stuffy nose, sneezing, drowsiness, confusion, agitation. Outcome of the events was not resolved.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1073618	3/4/2021	FL	74	F	1/28/2021	1/1/2021	Swelling; Redness moved from actual site down my arm about 6 to 7 inches; Hot to touch area on right arm; A little headache at the back of the head; Itching; More pain when I lift my arm, my arm pits/Hurting under her arm when she was lifting; Swollen glands; My temperate was 100.8; had difficulty lifting her right arm; Tired, very tired; Tenderness at vaccinate site; More pain when I lift my arm, my arm pits/pain in arm/pain in her right arm/a lot of pain; I feel tugging and redness when I raise my arm, It's not red its blotchy; I feel tugging and redness when I raise my arm, It's not red its blotchy; This is a spontaneous report from a contactable consumer (patient). A 74-year-old female patient receive the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL3246), intramuscularly at site of right arm on 28Jan2021 at single dose for COVID-19 immunisation. Medical history included (synthroid: Taking for years), prevent urinary tract infection (UTI) (methenamine: started a year and a half ago), vitamin supplementation (Preservision Areds 2 eye vitamins more than a year ago; Vitamin C with Zinc 8-9 months ago), dry eyes (Thera tears: dry eye therapy. she has not been consistent with taking), cholesterol (simvastatin: taking 20 years or more), allergic to Sulfa Drugs and Tetracycline, obesity (had been fighting it for 30 years), removed polyps (had a flat polyp that was a little more dangerous the first time and it was removed; non-cancerous), got the flu (08Jun months later, got the flu, went to the hospital and developed PNA) and eczema (took calcium 1200mg). Concomitant medication included levothyroxine sodium (SYNTHROID) for thyroid; methenamine for prevent UTI; ascorbic acid, cupric oxide, dl-alpha tocopheryl acetate, xantofyl, zeaxanthin, zinc oxide (PRESERVISION AREDS 2) for vitamin supplementation; ascorbic acid, zinc (VITAMIN C WITH ZINC) for vitamin supplementation; carmellose sodium (THERA TEARS) for dry eyes; simvastatin for cholesterol; calcium for eczema. The patient previously took Flu vaccine (Injection site was left arm, intramuscularly) in Oct2018 and experienced pain in injection site and redness in arm; took the first dose of BNT162B2 with lot number: EL3246, intramuscularly in left arm site at 09:00 on 08Jan2021. Clinical course: After the second dose of vaccination, patient noticed tenderness at vaccinate site at 13:00 and had pain in arm



VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

on 28Jan2021, but on 29Jan2021, the pain was worse, and she had difficulty lifting her right arm at 16:00. On 30Jan2021, she started noticing more pain when she lifted her arm, her arm pits, it was hurting under arm when she was lifting. She thought maybe there were swollen glands but did not feel it. her temperate was 100.8, and she took some paracetamol (TYLENOL), by the evening, her temperature was at 98.6 normal. On 31Jan2021, she noticed a lot of pain, itching and redness, redness moved from actual site down her arm about 6 to 7 inches at 14:00. The pain in her right arm was not as bad as it was, but the redness in the area and itching was there, it was hot to touch area on right arm, and she tried cold compresses and took paracetamol. Also, it was hurting under her arm when she was lifting. She experienced something like that before with a Flu vaccine. She noticed when she looked it up, the information states, yes. And it was still going on today, not so much pain, just swelling and redness, looked like what Moderna calls a covid arm. She had no temperature, a little headache on 31Jan2021 at the back of the head and tired, very tired, she was tired from 29Jan2021, and was better from 01Feb2021. She took paracetamol last night, and cold compress. she used to take baby aspirin; she didn't know if it would be a problem. She read not to take paracetamol or ibuprofen before vaccination. She felt tugging and redness when she raised her arm, it was not red its blotchy. She didn't feel any swelling. The last 7 to 8 months, she was running high blood counts, 12.3 (high) and she had no infection, her doctor was a little nervous, the last one on 15Jan2021, it was down to 10.2 within normal range. Her immune system was very active. She had a flu shot in Oct2018 at age of 72 y/o and by 08Jun months later, she got the flu. She went to the hospital and developed PNA. In 2019 and again this past Aug2020, she had a Colonoscopy where they removed polyps. She had a flat polyp that was a little more dangerous the first time and it was removed. It was non-cancerous. The doctor was just watching it. Last blood results were 2 weeks prior to having first shot on 15Jan2021. The only thing that showed was her Liver enzymes were a little elevated. She was told that if she hadn't gotten the vaccine, it would have been worse, her doctor gave me the zpack. They were calling it a subcutaneous sensitivity, she had

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

eczema, she forgot to mention that. She was taking calcium 1200mg, she forgot to tell her that also. The outcome of events pain in arm, redness and feeling hot was not recovered; of events tiredness, body temperature increased, itching and headache was recovering; of rest events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1073575	3/4/2021	OH	80	F	1/29/2021	1/29/2021	She did not feel good; Eyes were blurry/ she felt pressure in them; Bad head cold; she couldn't bend over; Aches all over; Back pain; Eyes were blurry/ she felt pressure in them; This is a spontaneous report from a contactable consumer from a Pfizer sponsored program. An 80-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/lot number: EJ1687), via an unspecified route of administration on the left arm, at the age of 80 years, on 29Jan2021 17:00 at a SINGLE DOSE for covid-19 immunisation. Medical history included cataract, arthritis and seasonal allergy from an unknown date and unknown if ongoing. There were no concomitant medications. The patient stated that a couple of times she did not feel good and got very sore and could not bend over to pick things up and her eyes blurred up. After she got the shot, she gradually noticed aches all over and back pain. It was stated it hurt really bad in her back on the right side on the bone and she used the heating pad on it. Then the next day she was stiffer than ever and she couldn't bend over. She added her eyes were blurry, they felt like she had a cold in them, and she felt pressure in them. She added she always has this problem with her eyes but it got a little worse after the shot. All of that has gotten better now. It was stated they are telling her the second dose was worse and she was unsure about getting the second dose. Also mentioned they were saying you can wait a little longer and she was unsure if maybe she should wait. She wanted to ask about getting the second dose. She added she was scheduled to receive the second dose of the vaccine on 19Feb2021. The patient said it was right sided back pain. She said she applied heating pad and took ibuprofen. She also experienced "eye pressure" and "blurry eyes", "how you feel when you have a bad head cold". She said, "I have allergies-seasonal, so this isn't new to me". Therapeutic measures were taken as a result of back pain (back pain). The outcome of the events did not feel good, eyes were blurry/ she felt pressure in them and bad head cold was unknown while other events were recovered on 31Jan2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1073564	3/4/2021	LA	72	F	1/13/2021	1/13/2021	left eye felt tight and felt itchy/severe tightness in her left eye; intense itching in inner ear where you cannot scratch; severe tightness in her left eye that felt like it was going to swell up; hot skin for several hours; hot flashes; She has itching in ears and throat; Onset of burning and itching; Skin had feeling of about to break out in hives/full blown body hives all over; This is a spontaneous report from a contactable nurse. A 72-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number=EL3249), intramuscular on the right arm, at the age of 72 years, on 13Jan2021 09:45 at a SINGLE DOSE for covid-19 immunisation. Medical history included food allergy from an unknown date and unknown if ongoing. The patient's concomitant medications were not reported. The patient would like to know if the vaccine was derived from or does it have any products from Acacia. One of the reason's she was asking was because she knows it has Polyethylene Glycol in it. Her resources are limited. She was a retired healthcare provider and she taught graduate level nursing and has background in epidemiology and public health. The Polyethylene Glycol was in the vaccine, according to the prescribing information. Some forms of Polyethylene Glycol in some type of way are derived from gum acacia and she does not know if this is the case for the COVID vaccine. She did have 1st dose and waited 15 minutes. When her left eye felt tight and felt itchy, she took 2 Benadryl and then waited in car a little longer. She felt like she was going to go into what she has had in past 3-4 times relating to fish. She has had full blown facial swelling, intense itching in inner ear where you cannot scratch. Those times, if she had chopsticks, she would want to scratch inside her ear. She never had that with the COVID vaccine. They told her when she got the vaccine that if this develops further, she should go to her doctor or ER, but should not come back there. She did not want to go to the ER and sit there for 12 hours waiting to see if she was going to have a worse reaction, so she went home, took 2 more Benadryl, and went to bed. Eight hours later, she was fine and did not have hives. She then stated she completed report with Pfizer online and did not have a reference number for previous report. For those time when she had these episodes with the fish, she had extreme itching and hives. The worst

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

allergy she had, her fingers looked like they were webbed. She was treated with Adrenaline, Cortisone and Benadryl by injection and that would usually stop the reaction, but it usually takes 3-4 days for the swelling to go down. In later years, if there is a piece of fish mixed in with fried shrimp and she inadvertently eats it, she knows it immediately. She will take Benadryl immediately. She will have facial swelling and swelling around her eyes. The Benadryl will contain it. She will be disfigured for 2 weeks, with bags of fluid in her cheeks. She is going for her second shot tomorrow. She can self treat with Benadryl. In 1994, she had a very positive wheals from an intradermal scratch testing for Acacia and codfish. The patient had an onset of burning and itching, periorbital. She took 2 25 mg Benadryl tablets. She has itching in ears and throat. After my 15 minutes waiting, she left. She had various hot spots of burning skin, legs and arms. Left eye felt like past episodes of itching, about to swell. Her skin had feeling of about to break out in hives. Facility said to go to provider or ER if got worse. She chose not to go to ER, and wait and be miserable for hours on end, while waiting for full blown body hives all over. She took two more 25 mg Benadryl and went to bed. She had intermittent burning skin, various areas, for several hours. About 8 hours later, was resolved. The patient was about to receive 2nd dose of the Covid vaccine. After the 1st dose she experienced an itchy feeling in throat, rotating heat in arms and legs, slight bag fluid under left eye and it felt to her like she was going to have an allergic reaction but did not. She took some Benadryl and after 8 hours she was fine. The patient stated after the first dose of the vaccine she had itching, severe tightness in her left eye that felt like it was going to swell up, and hot skin for several hours. She took two Benadryl while she was still in the waiting period and perhaps that blunted the reaction. She had hot flashes on the drive home. She took two more Benadryl at her daughter house (100mg total after taking 4 that day). She didn't feel good and felt she was on the verge of getting hives. She had episodes of hot skin and itching and after 8 hours it was over and done with and she was fine. She stated she is nervous about the second dose but stated they have what they need if she has an immediate reaction and it is worth the risk of getting vaccinated. Therapeutic measures were taken as a result of left eye

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

felt tight and felt itchy/severe tightness in her left eye (eye pruritus), intense itching in inner ear where you cannot scratch (ear pruritus), onset of burning and itching (skin burning sensation), skin had feeling of about to break out in hives/full blown body hives all over (urticaria). The outcome of the event onset of burning and itching and skin had feeling of about to break out in hives/full blown body hives all over was recovered on an unspecified date while other events were unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1073528	3/4/2021	TX	51	M	2/1/2021	2/1/2021	Dizziness/felt woozy/light headed; Weakness; vision changed; increased heart rate/heart rate went up slightly; had pressure in his head; pressure in his hands and feet like he could not move his feet; pressure in his hands and feet like he could not move his feet; headache; muscle tightness/muscles tightened in his back and in his calf muscles/tightness in his neck; he felt like he was just not himself; lethargic; lump in his throat; lymph nodes got tight on the same side as the vaccine/lymph node on his left side was tight throughout his neck; cringing in his stomach muscles; kind of like a muscle spasm in his stomach; didn't sleep that well last night; wobbly; back was hurting; muscle pain; This is a spontaneous report received from a contactable consumer (patient). A 51-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EZ9261, expiry date: unknown), via an unspecified route of administration, from 01Feb2021, at single dose, for COVID-19 immunization. Medical history included anemia (anemic), inflammation, acid reflux (esophageal), pain, on blood thinner, high cholesterol, sinus disorder (sinuses), overactive bladder/bladder control, acid reflux, stools hard (to soften stool), nerves, blood pressure high (high bp), car accident, and costochondritis in chest. Concomitant medication included atorvastatin calcium for high cholesterol from an unspecified date and ongoing; docusate sodium to soften stool; famotidine to soften stool from an unspecified date and ongoing; garlic [allium sativum] as blood thinner from Nov2020 (3 months ago) and ongoing, gabapentin for nerves from an unspecified date to an unspecified date and from Nov2020 (got back on this 3 months ago) and ongoing; hydrocodone for pain; iron for anemia from Nov2020 (been taking this for the last 3 months) and ongoing; meloxicam for inflammation, omeprazole (PROTONIX) for acid reflux from an unspecified date and ongoing; tadalafil for overactive bladder/bladder control from an unspecified date and ongoing; vitamin c (ascorbic acid), colecalciferol (VITAMIN D), vitamin b for trying to build up his immune system; ranitidine hydrochloride (ZANTAC) for sinuses; "One a Day Men's" from 2016 and "50+" (as reported, pending clarification). On 01Feb2021, after the shot, the patient experienced dizziness/felt dizzy and had weakness. When he walked to the desk to check out he felt his vision changed and

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

his heart rate went up slightly but it did go down once he sat down but he felt woozy and had pressure in his head and pressure in his hands and feet like he could not move his feet. He was kind of like dizzy and light headed. He walked somewhere to sit down, he stayed 30 minutes and left after and sat 30 minutes in the car and he got a headache and his muscles tightened in his back and in his calf muscles and he felt like he was just not himself. He felt lethargic and felt like his lymph node on his left side was tight throughout his neck. He felt like his lymph node was getting tight and he just sat until he felt like his symptoms had dissipated. He also had lump on his throat. He had stuff going on with his stomach like cringing in his stomach muscles, it was kind of like a muscle spasm in his stomach. He didn't sleep that well last night (01Feb2021) as he felt some symptoms come on again, the tightness in his neck again and when he sat up, he got dizzy and wobbly, his back was hurting, his calf muscle was tight. He felt more muscle pain. He checked his blood pressure and it was good, but he just felt a little dizzy on 02Feb2021. The patient stated that all his symptoms have improved since 01Feb2021. The patient also mentioned that the girl looked really young (referring to the person who administered the vaccine), "maybe she jacked it up, he knows it supposed to be a very little bit, maybe she put more in him than she was supposed to". He went back to his doctor as he wants to come off of some of his medications because he is supposed to have another shot and he want to take the second shot. He wanted to stop taking all the medications around the second shot in case it was his medications that caused it. The patient asked since he had complications with the fist dose, should he still take the second dose. The patient was recovering from the events.



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1073507	3/4/2021			F			swelling of the face and itching all over her body; swelling of her face and eyes; itching all over her body; it is worse with swelling of her face and eyes and itching and rashes; This is a spontaneous report from a non-contactable consumer. A female patient of an unspecified age (reported as "Age:70; Unit: Unknown) received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number: not provided), via an unspecified route of administration on an unspecified date at single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The reporter stated that his wife had no problem after the first dose of the vaccine on an unspecified date. After the second dose, patient had swelling of the face and itching all over her body. Reporter stated the first two days were okay, but the third day patient went to emergency room and got Cortisol. On "Sunday", patient was better and now it was worse with swelling of her face and eyes and itching and rashes. Outcome of the events was not recovered. No follow-up attempts are possible; Information about lot/batch number cannot be obtained. No further information is expected.
1073503	3/4/2021			M	1/23/2021		exhausted; like catching a cold; fluid pouring out of his nose; eyes was tearing and eye lid blew up; eyes was tearing and eye lid blew up; This is a spontaneous report from a contactable consumer (patient's wife). A male patient of an unspecified age received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number and expiry date: unknown), via an unspecified route of administration on the right arm, on 23Jan2021 at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. On an unspecified date in 2021, the patient felt exhausted and like catching a cold and had fluid pouring out of his nose. His eyes was tearing and eye lid blew up on 2021. Everything happened on his right side and it lasted 4 days. He was told to take allergic medication. Outcome of the events was unknown. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1073404	3/4/2021	TX	28	F	3/3/2021	3/4/2021	C/O PERIORAL REGION TINGLING; DENIES VISION CHANGES, CP OR PRESSURE; AND PARATHESIAS IN UPPER/LOWER EXTRIMITIES. AFTER 10 MINUTES, FLUIDS AND A SNACK , PATIENTS SYMPTOMS RESOLVED. SHE WAS ADVISED TO F/U WITH PCP IF SYMPTOMS REOCCURRED 1812 BP 96/71, HR 88, SATS 98% 1818 BP 110/64 HR 71

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1073500	3/4/2021	MI	72	M	1/15/2021	1/22/2021	<p>first thought it was a rash, and after he went to the Dr., she confirmed that what he had was actually the shingles; This is a spontaneous report from a contactable consumer (patient). A 72-year-old male patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; Batch/lot number: EL1283), via an unspecified route of administration on 15Jan2021 17:00 (at 72-year-old) at single dose (Left Arm) for COVID-19 immunization. Medical history included type 2 diabetes (he uses insulin for this), bladder cancer (he was a former bladder cancer patient). Concomitant medication included insulin for Type 2 diabetes. Patient had the first dose of the Pfizer BioNTech COVID-19 vaccine. A week later, he had developed a rash and it turned into shingles. It is currently clearing up and he is taking medications for it. He is due for his second shot of the vaccine on 05Feb2021 and was wondering if there are any recommendations for him not to take it. It was clarified that on 22Jan2021 a rash developed on his face which was found to be shingles. He saw a personal doctor, the doctor even put him on medication. All has gone well, once he started taking the medication the shingles didn't progress and dried up and is now in the late stage of drying up. He asked if he should be reporting this, he also would like to know if he should get the second covid vaccine. The Rash started on 22Jan2021 and was on the face, hair scalp region. He specified further that the rash was located in the upper right quadrant on his face, also being on the eye lid and hairline. He added that he actually had a second doctor check this as well, because the rash was on the eyelid. His Primary Care doctor had him see a ophthalmologist. Patient clarified that he first thought it was a rash, and after he went to the Dr., she confirmed that what he had was actually the shingles. Outcome described as still with a little bit of redness, but it is healing and it is dried up. Dr prescribed him Valtrex for the shingles. The patient underwent lab tests and procedures which included that he has had no positive covid tests. In Dec2020, he had the regular covid test and that was negative. In early Jan2021, he had the regular covid test as well as a covid-19 antibody test, and both were negative. Patient mentioned serology test, he then confirmed that he used the word serology inadvertently, and meant antibody. He has had no issues with vaccines in the past. The</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							outcome of the event was recovering.
1073479	3/4/2021	TX		F	2/20/2021	2/20/2021	second dose administered 16 days after the first dose; A spontaneous report was received from a consumer for a 78-year-old female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and patient received second dose after sixteen days after receiving the first dose of vaccine. The patient's medical history was not provided. The patient is allergic rogain hair products, sulfur eyedrops, latex gloves and tape, ciprofloxacin hydrochloride (500mg), advil and cefalexin. Concurrent conditions included acid reflux, cholesterol, depression, glaucoma (both eyes), headache, hypertension, nausea, sinus disorder and sleep disorder. The concomitant medications included timolol maleate, latanoprost, atorvastatin, pantoprazole, trazodone, montelukast sodium, amlodipine, vitamin d3, acetylsalicylic acid and magnesium . On 04 Feb 2021, the patient received their first of two planned doses of mRNA-1273 (Lot number: 012M20A) intramuscularly for prophylaxis of COVID-19 infection. On 20 Feb 2021, sixteen days after receiving the first dose of vaccine, the patient's vaccination card was checked by the facility and mRNA-1273 (Lot number: 022M20A) was administered intramuscularly. Additionally, it was reported that the patient was registered to receive vaccine under County Group of Vaccination and County Public Health (CPH). Treatment information was not applicable. Action taken with mRNA-1273 was not applicable. The outcome of the event second dose administered 16 days after the first dose was considered resolved.; Reporter's Comments: This report refers to a case of Inappropriate schedule of vaccine administration for mRNA-1273, lot # 012M20A with no associated AEs.
1073432	3/4/2021	CA	50	F	2/25/2021	2/26/2021	2-26-2021 woke up with swollen face and eye lids. member states unable to open eyes. Took OTC Benadryl and swelling resolved over 24 hours

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1073411	3/4/2021		75	F	2/27/2021	2/27/2021	Anaphalaxis, began as red face within 15 minutes. (prepped for injection with 50mg of Liquid benadryl 1/2 hour beforehand). On left side of face, swollen eye, swollen gland swelling and numbness left side of mouth. Treated with 2 epipen injections, Bendryl IV and prednisone. Swelling began to withdraw over 3 hours. Continued Benedryl every 4-6 hours for two additional days
1069128	3/3/2021	NC	44	F	3/1/2021	3/2/2021	chills, difficult maintain body heat in extremities (feet and hands), joint pain, body aches, eye dryness, rash and welt the 4cm x 7 cm at injection site displaying swelling and heat, and itch. at 15 hour post injection started intermittent rounds of ibuprophen and acetaminophen. now at 43 hours post injections symptoms same and upper respirator and congestion and post nasal drip has started.
1069097	3/3/2021	IA	83	F	2/12/2021	2/12/2021	Patient contacted a pharmacy 18 days post vaccination with report of redness at injection site. Due to the length of time since vaccination, I asked the patient to visit the pharmacy for a visual observation and more face-to-face communication. Patient presented and a 4 inch by 2 inch non-raised, non-weeping red area on her right shoulder was present. She did not report pain or itching at this area. She was not concerned due to it not causing any discomfort. Hydrocortisone with aloe topical cream was recommended.
1069074	3/3/2021	NY	55	F	1/8/2021	1/8/2021	Fatigue for 36 hours so bad I couldn't keep my eyes open. Arm sore, mild. Headache, mild. Rested in bed, took ibuprofen, drank fluids when awake.
1069025	3/3/2021	FL	70	M	2/17/2021	2/25/2021	Had a eye stroke to the left eye/retinal artery occlusion
1069011	3/3/2021	WY	36	M	2/3/2021	2/3/2021	Dizzy, all day Brain fog, all day Hands tingled, for about hour after shot. Muscle spasms/sore. Sporadically all over the body but last 1-30 minutes at a time. About a week. Headache everyday since the first dose. Rash and eye problems came back after the first dose. On going.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1068967	3/3/2021	AL	43	F	3/2/2021	3/2/2021	Fine after administration during the observation period. At 7 or 7:30 pm patient started itching on face, back, arms and left leg. patient says the itching was mild to moderate. No visible rash. Patient compared the itching to what happened after she took codeine. Then throat started itching, no shortness of breath or difficulty breathing. Eye also started watering. At midnight the patient took a Benadryl and this help relieve the itching. all the patient noticed was the injection site pain. Today she is still itching, but it is mild and did not warrant Benadryl. Advised patient if she experiences any form of shortness of breath to go to the emergency room.
1068942	3/3/2021	ND	81	M	1/13/2021	2/20/2021	C/O droop to left side of face with drooling, watery left eye, pain to face.
1068936	3/3/2021	NC	66	F	2/26/2021	2/26/2021	Fatigue, nasal congestion and headache immediately after vaccination on 2/26/21 and that night fast heart rate, burning lymph nodes on right side, burning tissue around right hip prosthesis, burning right eye and tongue, severe pain in right glute muscles and lower spine, back of neck felt still and slightly swollen, lightheaded and felt cold. Symptoms continued the following day. By 2/28/21 burning symptoms and fast heart rate ceased, still had dull headache, congestion and fatigue, plus pain in lower back and right hip. On 3/02/21 noticed hard lump, like a boil, near right hip prosthetis scar, felt cold, tired and dizzy all day. On 3/03/21 another hard lump, like a boil, on left neck.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1068875	3/3/2021	FL	79	F	1/29/2021	2/11/2021	ON FEBRUARY 11, I AWOKE WITH A RUNNY NOSE WITH HEADACHE, EYE ACHE, TEOOTHACHE ON RIGHT SIDE OF MOUTH--UPPER AND LOWER. I ALSO FELT A COLD SORE COMING ON. I TOOK SUDAFED PE AND VALCYCLOVIR, WHICH USUALLY SOLVES THE ISSUE. THESE SYMPTOMS CONTINUED AND I CONTINUED WITH SUDAFED AND VALCYCLOVIR. I SAW MY DENTIST ON FEBRUARY 11 AND WAS TOLD THERE THERE WERE NO ISSUES AND PERHAPS THE PAIN WAS CAUSED BY SINUS ISSUES. I INCREASED THE VALCYCLOVIR TO THREE TABS A DAY RATHER THAN ONE. THE TEETH ISSUE SPREAD TO THE LEFT SIDE OF MY MOUTH AND TWO MORE COLD SORES APPEARED, ANOTHER ON MY UPPER LIP AND ONE AT THE EDGE OF MY LEFT NOSTRIL. I HAD A ZOOM MEETING WITH MY DOCTOR ON MARCH 1. SHE INCREASED THE VALCYCLOVIR TO 1000M. THREE TIMES A DAY. THE COLD SORES HAVE DISAPPEARED, BUT THE OTHER SYMPTOMS CONTINUE, BUT THE PAIN HAS LESSENED SOMEWHAT. I TAKE TYLENOL WHEN THE DISCOMFORT BEGINS TO INTERFERE WITH MY DAILY LIFE.
1068832	3/3/2021	MO	41	F	2/25/2021	2/28/2021	On 2/28/21 I began feeling numbness on the right side of my tongue and mouth. 3/1/21 numbness/weakness began spreading to my right cheek and right side of lips. By 3/2/21 the numbness weakness covered the entire right side of my face and caused mouth and eye droop. Went to the ER and was diagnosed with Bell?s Palsy.
1068775	3/3/2021	FL	76	F	2/14/2021	2/15/2021	Severe pain in my head. Blood pressure went up high. blurred vision. Continues today.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1069130	3/3/2021	MD	60	F	2/27/2021	3/3/2021	3.5 days after 1st shot: Full-body burning skin (feeling like a severe sunburn, but not itching; no urge to scratch) accompanied by chills that lasted about 3 hours (3am-6am). No elevated temperature. My arm became very sore at 6.5 hours after the shot, but the soreness went away after about 1.5 days. At 3.5 days, the arm soreness returned accompanied by the full-body burning skin and chills. The skin burning lessened about 6 hours after initial onset, but remains. No visible rash or skin change of appearance. Eyes do not appear yellow/jaundiced. No treatment as yet
1068856	3/3/2021	CA	73	M	2/4/2021	2/14/2021	Patient presented to ED with progressively worsening angioedema presumably due to either h/o hereditary angioedema, lymphoma, or in combination with recent Covid vaccine. Patient had swelling to the lips, throat, and neck. Patient had similar symptoms in the past that resolved spontaneously within a day or received ecallantide on a different occasion in 2015. Suspected angioneurotic edema per hematology and was treated with epi, Benadryl, Pepcid, Solu-medrol, and Kalbitor for HAE. No edema visualized, clear voice, and no issues with swallowing on the next day.
1068809	3/3/2021	TX	42	M	2/4/2021	2/4/2021	Shortly after receiving shot in left shoulder, I began to feel sensitivity/tingling in left jaw. A few minutes later, the left side of my face felt heavy/full/numb/tingling. This persisted throughout the remainder of the day along with feeling woozy and having a bad headache. Headache and wooziness were gone by next day but left facial heaviness, fullness, numbness and tingling persisted and is still present today. Not as bad today but still under left eye, along left jaw and mouth, and parts of left cheek. Had teledoc visit with doctor the evening of the shot and he diagnosed as Bell's Palsy.
1068771	3/3/2021	PA	69	F	2/26/2021	2/26/2021	I had a headache and my eyes hurt. The back of my eyes were very painful/pressure. this occurred for several days. It got less severe as time went on. My eyes continue to be tired and I have a slight headache. there is no change in vision that I am aware. I am concerned about receiving the second COVID vaccine.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1068801	3/3/2021	NC	26	F	3/3/2021	3/3/2021	15 minutes after receipt of dose #1 patient developed blurred vision and dizziness. I arrived to the patient's side and conducting an abbreviated history as well as a neuro exam. Patient had new onset tremor in upper extremities, positive Romberg, and ataxia. HR ranged from 130-140 w/ SPO2 at 99. No signs of difficulty breathing noted. 911 was called and an ambulance was dispatched. Patient's symptoms remained unchanged upon EMS arrival and she was evacuated to a healthcare facility.
1069509	3/3/2021	OH	31	F	2/21/2021	2/23/2021	2 days after 2nd dose, developed headache feeling pressure behind eyes and vision out of focus at random. Headache is current and has lasted longer than 8 days
1068872	3/3/2021	NC	71	F	2/23/2021	2/23/2021	Ran fever of 102' 102.5 Through out the night. Chills, Head hurt, eyes hurt. Nauseated, Arm extremely painful. Kept Symptoms up un til 02/26/2021. All symptoms seem to be gone now but arm is still sore and painful. Do not plan to get second shot. I did have Covid in April 2020 and was in the Hospital for 9 days. I don't know if that may have made me have the symptoms after receiving this shot.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1069304	3/3/2021	CA	65	M	3/3/2021	3/3/2021	Patient received his first Pfizer COVID vaccine on 3/3/21. Patient was conscious with no apparent issues after administration. Patient was asked to sit down for 15-minute observation afterwards. A few minutes later patient was swaying back and forth in his chair and saying he was feeling faint. I repeatedly addressed patient by his first name and asked if he could hear me and repeatedly asked if he was okay. Patient began slumping down in his chair but was still conscious. Patient was not responsive but made eye contact with me. Patient requested water. After giving patient water and observing him drink he began looking nauseous and threw up. Patient then passed out in his chair. I supported the patient upright in his chair and made sure he did not fall down or injure his head. I then immediately tapped him on both shoulders and repeatedly called his name. Patient then became responsive and 911 was called. While waiting patient said he was starting to feel better and was able to support himself in his chair. I did not observe any injuries due to fainting. When the ambulance came patient agreed to be taken to the hospital.
1067989	3/3/2021	MO	51	M	12/23/2020	1/9/2021	Blurry Vision; Headaches; Left ear pain; Loss of taste, smell; Loss of taste, smell; Insomnia; Fatigue; Joint pain; Neck pain; This is a spontaneous report from a contactable consumer reporting for himself. A 51-year-old male patient received the second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE) lot number and expiration date not provided, via an unspecified route of administration on 23Dec2020 at a single dose for COVID-19 immunisation. Medical history included allergies to penicillin and COVID-19 prior to vaccination. Historical vaccine included first dose of BNT162B2 on an unspecified date for COVID-19 immunization. Concomitant medication included unspecified drug. On 09Jan2021, the patient experienced blurry vision, headaches, left ear pain, loss of taste and smell, insomnia, fatigue, joint pain and neck pain. The patient received meloxicam as treatment medication. The events were considered as non-serious. The outcome of the events was not recovered. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1068755	3/3/2021	PA		F	1/28/2021	1/28/2021	Dose administered from a not fully thawed vial; A spontaneous report was received from a nurse, concerning a 67 years-old female patient, unknown race and ethnicity, who was administered Moderna's COVID-19 vaccine (mRNA-1273), which resulted in dose administered from a not fully thawed vial (incorrect dose administered). The patient's medical history was not reported. Concomitant medication reported was simvastatin. On 28 Jan 2021, prior to the onset of the event, the patient received female first of two planned doses of mRNA-1273 (lot/batch: unknown), intramuscularly in the left arm for prophylaxis of COVID-19 infection. It was reported that the vials were stored in the refrigerator. After that, one of the vials was punctured and a dose was administered to a patient. Also, syringes were pre-filled with doses of the same vial (vials still contain some doses). The healthcare professional visually observed the vials and noticed that the suspension was not fully thawed to the patient on 28 Jan 2021. No treatment information was provided. Action taken with second dose of mRNA-1273 in response to the event was not reported. The outcome of the even, dose administered from a not fully thawed vial was recovered on 28 Jan 2021.; Reporter's Comments: This report refers to a case of incorrect dose administered for mRNA-1273 (lot # unknown) with no associated AEs reported.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1067948	3/3/2021	CA	80	M	1/24/2021	1/26/2021	Moderate allergic reaction; itchy skin; itchy eyes; Headache; This is a spontaneous report from a contactable consumer. An 80-year-old male patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL 9263), via an unspecified route of administration in right arm on 24Jan2021 11:45 at a single dose for COVID-19 immunization. Medical history included Diabetes2, HiBloodPress and HiCholesterol. Concomitant medication included lisinopril, simvastatin, and unspecified diabetes medication. On 26Jan2021, the patient experienced moderate allergic reaction, itchy skin, itchy eyes and headache. The patient was taking antihistamines with some relief for moderate allergic reaction, itchy skin, itchy eyes. There was no treatment for headache. The outcome of the events was recovering. Prior and since the vaccination, the patient was not tested for COVID-19. The events were assessed as non-serious.
1069548	3/3/2021	MD	46	F	2/17/2021	2/18/2021	Swelling, burning, pain and rash at the injection site Delayed hypersensitivity reaction- angioedema of the eyes and nose, redness and rash, nausea and GI distress
1069542	3/3/2021		50	F	2/11/2021	2/11/2021	~~The shot itself was very unpleasant, the vaccine stung. The nurse was concerned about this since it shouldn't cause any discomfort at all. Other than immediate onset of a painful injection site no other symptoms occurred until later in the evening. I started feeling kind of yucky before I left work but nothing specific. By the early evening I was running a low grade fever and having muscle and joint pain. I didn't sleep very well due to body aches and severe organ pain. At one point I woke up because my heart was beating so hard and fast I could feel it in my forehead. My lips and eyes were swollen and my neck was visibly swollen as well, I think due to the lymph nodes in my neck. My throat was some swollen but not enough to cause a breathing issue. The heartbeat issue didn't last terribly long. I took a Benadryl to try and stop the reaction. I ran fever of a 102 give or take a few degrees either way for 2 ½ days. In addition, the injection site and whole shoulder area was swollen and hot with redness that wrapped around the front of my arm.~~

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1069493	3/3/2021	TX	36	M	3/3/2021	3/3/2021	Patient was unresponsive with eyes open for a brief moment ( 5 seconds) after receiving the vaccine.
1069482	3/3/2021	MO	52	M	3/3/2021	3/3/2021	35 Minutes after receiving vaccine, itching on head, then body and face, including welt on chest, hives. 50 minutes later eye itchiness and swelling in left eye, throat felt weird (swelling), dizziness, change in voice, wheezing (not severe, but could tell breathing was more restricted than before shot). Almost went to ER, but symptoms subsided without any medication in 2 hours. Did not go to hospital or ER.
1069489	3/3/2021	CA	46	F	2/23/2021	2/28/2021	On Sunday I started with a severe headache. When I woke up on Monday morning I couldn't lift my head. The headache was intense. I could not open my left eye. I had facial paralysis on the right side of my face. I had slurring of speech. When I walked I was dizzy. I fell asleep all day long, and woke up each time completely disoriented.
1069315	3/3/2021	MI	47	F	3/3/2021	3/3/2021	redness in face an neck/chest. Mildly swollen/red eyes. Developed within 15 minutes. Improved with 50mg benadryl. Stayed an additional 30 minutes after benadryl and symptoms continued to improve.
1069203	3/3/2021	MD	65	F	3/1/2021	3/1/2021	that night i got up about 12:00 AM my face was swollen, red, eyes was red and sowllen , and felt sick all over. Call doctor in morning to let him know what was going on. Nurse said the it was a side effect and should going away. Call back on wed. becasue my face was still red and swollen go was still not felling good. Nurse said that it could go on for 3 to 6 day. If still not doing good call back on Friday.
1069303	3/3/2021	PA	38	F	2/24/2021	2/24/2021	I received the shot at 8am. By noon, the injection site was very sore. By 2pm, I could not move my arm without excruciating pain from my shoulder all the way down to my left ring and pinkie fingers. I was not able to lift my arm on my own, it was as if my muscles were not recognizing the brain signals. If I lifted my left arm using my right, I could move it about an inch. Anything more than that was so painful that it brought tears to my eyes. Pain relievers did not help. It took almost 5 days to regain function of my arm, and I am still experiencing muscle pain when I try to stretch my arm or lift a heavy weight.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1069302	3/3/2021	FL	83	M	3/2/2021	3/2/2021	Systemic: Allergic: Rash Generalized-Mild, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild
1069288	3/3/2021	CA	76	M	3/2/2021	3/3/2021	Initially night of the vaccine 3/2/2021 body felt hot, felt sweaty but temp was 98.0, unable to sleep through the night. just felt uncomfortable. Morning of 3/3/2021 woke up with extreme pain in injection sight, sweaty, but cold, dizzy and weak, no fever., Could not stand up. Was sat down on sofa for maybe 2 mins. all of a sudden shoulders drooped, head fell forward, I asked "dad are you ok" there was not a response, I walked closer to him and his head flew back, his eyes were slit open, and he started gasping for air 3 times then slumped forward and passed out. 911 was called paramedics checked all vitals including blood sugar, oxygen, heart rate etc everything registered as normal.
1069281	3/3/2021	NY	69	M	3/2/2021	3/2/2021	Dizziness, weakness, fatigue, muscle pain (shoulders, neck and lower back), local shoulder/arm pain, joint pain, sunshine very strong (hurting) for eyes (had to squint).
1069272	3/3/2021	CA	70	M	3/3/2021	3/3/2021	8 minutes after injection, pt c/o dizziness. Pt was escorted to lie on gurney. Pt c/o room spinning, blurred vision, chest tightness. 9:31- BP checked while in gurney was 180/96, HR 117, O2 Sat 99%. 9:40- VS while lying in gurney: 202/112, HR 131, 100% O2. 9:46- 216/112, HR 118, 100%. Pt agreed to be seen in ED. ED staff arrived to bring pt @ 10:00.
1069229	3/3/2021		75	F	3/1/2021	3/1/2021	Received the Covid-19 vaccine at about 1515. She reports symptoms of L eye blurred at about 1525; called over nurse at 1540 and let her know. Her neuro assessment is wnl except for the blurred vision. 1540 vital signs were B/P 124/80 pulse 72 and 98% pulse ox. At 1545 b/p was 108/70, pulse 77, and pulse ox 98%. Husband did notify us that his wife has alzheimer's. Recommended to be evaluated in ED; agreed. First response called; team came at 1555; able to walk to wheelchair. Left accompanied by ED team and husband.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1069209	3/3/2021	LA	63	F	2/25/2021	3/1/2021	Was notified by nurse at clinic that Patient started having right eye dripping, swelling and burning starting on Monday 3/1/21. Patient went to see her Family Dr. with complaint of right side drooping starting today 3/3/2021. She was sent to the ED at Hospital for evaluation.
1069319	3/3/2021	IN	30	F	1/12/2021	1/12/2021	11hrs after the vaccine I experienced numbness and tingling in my right eye, face, neck and tongue in which I took already prescribed antihistimine medication for that. I developed a migraine the following day which lasted about 7 days and I alternated Ubrelvy and Sumatriptan to manage the migraine. I reached out to my allergist who monitored me vitually for a few days and finally all symptoms finally subsided.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1068012	3/3/2021	MN	46	F	1/29/2021	1/30/2021	body aches/body aches and especially the throbbing in head became much worse by midday/achy; slight throbbing in head/throbbing in head became much worse by midday; very tired; body chills and hot sweats on and off; body chills and hot sweats on and off; still lethargic and achy but improving; slept all day, and all night; eye pain which was triggered by light and eye movements; eye pain which was triggered by light and eye movements; This is a spontaneous report received from a contactable nurse (who is also the patient). A 46-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL9262, expiry date: unknown), via an unspecified route of administration on the left arm, on 29Jan2021 11:15, at single dose, for COVID-19 immunization, at an urgent care center. There was no medical history. The patient has no known allergies. The patient did not have COVID-19 prior to vaccination and was not tested for COVID-19 post vaccination. The patient was not pregnant at the time of vaccination. Concomitant medication included probiotics. Historical vaccine included the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EJ1686, expiry date: unknown) received at age 46 years, via an unspecified route of administration on the left arm, on 08Jan2021 11:15, for COVID-19 immunization. On 30Jan2021 at 07:00, the patient experienced body aches and slight throbbing in head which became worse by midday; was very tired; returned to bed within 30 minutes and slept all day, and all night; had eye pain which was triggered by light and eye movements; body chills and hot sweats of and off. The patient reported that although she never had a fever according to her non contact forehead thermometer, she had body chills and hot sweats on and off. 48 hours later, she was still lethargic and achy but improving. Treatment for the events included ibuprofen 600 mg every 4-5 hours which helped but did not completely relieve the discomforts. The patient was recovering from the events.



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1068243	3/3/2021			F	2/11/2021	2/11/2021	heavy feeling in her chest; The top right quadrant of her right breast hardened and it was "incredibly painful" for her; The top right quadrant of her right breast hardened and it was "incredibly painful" for her; fever (102F); chills; fatigue; joint and muscle pain; joint and muscle pain; swelling of the lymph nodes; she felt intoxicated/drugged up; she felt intoxicated/drugged up; watery effect on her right eye; pain in her lower leg; This is a spontaneous report from a contactable consumer (patient). A female patient of an unspecified age received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiration date were not provided) solution for injection, via an unspecified route of administration on 11Feb2021 at single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient got her first dose of COVID-19 vaccine on Thursday, 11Feb2021. Immediately, she felt intoxicated/drugged up and had a watery effect on her right eye. When she got home, she experienced pain in her lower leg. The next day, 12Feb2021, she experienced fever of 102 Fahrenheit, chills, fatigue, joint and muscle pain, and swelling of lymph nodes. On Sunday, 14Feb2021, she had a heavy feeling in her chest. The top right quadrant of her right breast hardened, and it was incredibly painful for her. She said everything has been resolved except for her breast. She has spoken with her 2 doctors and asked her to contact Pfizer for her adverse events. She wanted to know if what she was experiencing was normal and wanted to know the recommendation for the second dose of the vaccine. The outcome of the events breast induration and breast pain was not recovered and recovered on Feb2021 for all other events. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1068237	3/3/2021	FL	86	F	2/12/2021	2/1/2021	delirious; incapable of sleeping, insomnia and inability to be awake and aware; high, over the top blood pressure; Sweating; on and off chills; she gets warm and cold, hot and cold; concerned about one kidney/ was dehydrated; affecting her kidney; incapable of sleeping, insomnia; she was weak; feeling like she would slip onto the floor; she is still not clear headed; she is woozy, like foggy; she is still not clear headed, she is woozy, like foggy; arm is still sore from second vaccine; This is a spontaneous report from a contactable consumer (patient). An 86-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; lot number EL9262 expiry date 21May2021), via an unspecified route of administration on 12Feb2021 (at the age of 86 years old) at single dose in right arm for COVID-19 immunisation. Historical vaccine included first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; lot number EL8982) on 22Jan2021 at single dose in upper right arm and on 22Jan2021 experienced severe headache and arm hurting. Relevant medical history includes ongoing compromised immune system diagnosed many years ago, and ongoing one kidney functioning. The patient received no concomitant medications. On 13Feb2021 the patient experienced high, over the top blood pressure, delirious incapable of sleeping, insomnia and inability to be awake and aware which both required hospitalization from 13Feb2021 to 14Feb2021. It was also reported they were concerned about one kidney/ was dehydrated in 13Feb2021. On 13Feb2021 unspecified blood labs showed kidney was extremely dehydrated and Chest X-ray was good. Clinical course was reported as follows: she was just released from hospital yesterday, she took the second Pfizer COVID shot, on 12Feb2021, and became so very very ill, she expected some side effects, the first shot wasn't bad, the first all she had was a severe headache and arm hurting, but that was 3 weeks ago, and the second one she can't say how horrible it was: she had to get the paramedics there, she was very very ill. It was the worst night she has had, and she is 86 years old, and has had a multitude of serious issues but that shot was the worst. It was a combination of high blood pressure, over the top, and insomnia like she couldn't budge and open her eyes, she couldn't see anything but squares, it was like a horrible, if there is such a thing as a trip, a horrible trip,

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

something she can't imagine wishing on anyone. The county administered it, she has several doctor, she initially provides her primary care doctor, for consent to contact, but says her nephrologist would be better, as she hasn't seen her primary care doctor in some time. Her primary care doctor doesn't know she had this, another doctor gave her permission, her nephrologist. States they were more concerned in the hospital about her kidney, she has one kidney functioning and, on mistake of the hospital, they didn't connect her to hydration, the night nurse didn't, and she was dehydrated and it was affecting her kidney. Her husband tried to call Saturday, when she had this reaction at like 06:30/07:00, but there was a huge long wait, he was calling to see about side effects, but they were beyond waiting, had to get the paramedics, her blood pressure was 178/113 and heart rate was 103. First shot was 3 weeks back. It looks like she had it on 22Jan2021, the headache and arm hurting started towards the evening, the shot was taken earlier in the day, and they started in the evening, her headache was quite severe, but with Tylenol it went away, the arm is still sore from the second vaccine, but is slightly better. Clarifies she was hospitalized for the blood pressure and delirium, like, it is best explained, like delirious: incapable of sleeping, insomnia and inability to be awake and aware, all she could see was, like if she talked about people who did LSD and trips, it was a bad trip, it was squares, she wanted to open her eyes, but could only see squares. She fell asleep Friday night about 11PM, and felt this at 04:00, and she pulled off her sleep apnea mask, she had to run to the restroom, she was weak, feeling like she would slip onto the floor, and had to get right in bed, and the insomnia continued until about 7AM, that was when she started to be able to focus on like words, she was able to say words in her mind, it was like a bad nightmare. She was admitted to the hospital, she was in the emergency room (ER), the paramedics took her there Saturday, about 07:30, took her to the hospital after immediate heart checking, an intravenous (IV) of some kind, and brought her to the hospital and she was in X-rays and what not, they did procedures in the ER, and they suggested her to be observed overnight, they watched her and things started to become more normal, but she is still not clear headed, she is woozy, like foggy. High, over the top blood

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

pressure outcome: It has been back to a good blood pressure. Insomnia is ok- she slept ok last night. What is left: the night she woke up, so early Sunday morning, in the hospital, she was profusely sweating like someone came to her room and showered her bed with water, her sheets and blankets were soaked and this morning she woke, she got up, was still very woozy, and asked her husband to help get her out of bed, and she changed her nightgown and after an hour she got in the shower, as she was sweating again, not sweating, but occasionally on and off chills, she is taking off her nightshirt and putting on a bed jacket, she gets warm and cold, hot and cold. She had blood labs a chest X-ray, heart monitor the whole time until she was discharged, and everything was good except the kidney was extremely dehydrated. This was all on Saturday as well. On her first visit to get the vaccine, at that time, the facility was a big mall, and they handed her what to look for after the injection, and she didn't notice until this morning, it says if you have an immune system that is compromised, it could affect it, and she has immune system that is compromised diagnosed many years ago. Over the top blood pressure and insomnia had resolved, arm sore was resolving, dehydrated and affecting kidney had not resolved, final outcome of the remaining events was unknown.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1068234	3/3/2021	WA	75	F	2/11/2021	2/11/2021	<p>it showed a "CRP value" of 11.5 which is usually below 0.29 which shows inflammation; loss of appetite; Nausea; breathing problems; mild fever; Muscle ache; Joint ache; Rapid heart rate up to 130; Itchy skin; roof of mouth itching; eyes were also really sore; This is a spontaneous report from a contactable Other HCP (patient). A 75-years-old female patient received the second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/lot number: EN6201), via an unspecified route of administration in the right arm on 11Feb2021 at single dose for COVID-19 immunisation. Medical history included ongoing asthma initially diagnosed at 21 years old, ongoing arthritis diagnosed 10-15 years before but she thinks she had it since she was 35, multiple joint replacements, past pneumonia. The patient's concomitant medications were not reported. The patient previously received methotrexate 25mg a week orally for arthritis but she quit taking it about 3 months before in preparation of getting the vaccine. The patient previously received the first dose of bnt162b2 on unspecified date (lot EL8982) at single dose for COVID-19 immunisation in the right arm. The patient experienced mild fever on 12Feb2021 with outcome of recovered on 14Feb2021, roof of mouth itching on 11Feb2021 with outcome of recovered on 11Feb2021, muscle ache on 12Feb2021 with outcome of recovered on 12Feb2021, joint ache on 12Feb2021 with outcome of recovering, breathing problems on 12Feb2021 with outcome of recovering, rapid heart rate up to 130 on 12Feb2021 with outcome of recovering, itchy skin on 11Feb2021 with outcome of recovered on 11Feb2021, it showed a "crp value" of 11.5 which is usually below 0.29 on 15Feb2021 with outcome of unknown, nausea on 12Feb2021 with outcome of recovered on 13Feb2021, loss of appetite on 13Feb2021 with outcome of recovered on 13Feb2021, eyes were also really sore on 11Feb2021 with outcome of recovered on 15Feb2021. An EKG performed on 15Feb2021 as pending results. The event of breathing problems was serious due to disability. The events mild fever, roof of mouth itching, muscle ache, joint ache, rapid heart rate up to 130 and itchy skin were medically significant. The patient reported that initially, the roof of her mouth started itching. It literally happened as soon as she had the vaccine. She took a Benadryl. She didn't have a skin irruption, but did have itchy skin. The next day, she had a</p>

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

low grade fever. She had muscle and joint aches. She had no rash, but a little nausea. She had breathing problems. She had asthma issues and wheezing after the vaccine. That is how she described her breathing issues. She had a rapid heart rate. It went up to 130. It could of been because of fever, her breathing, or pain. There was a period of days then it resolved. On 15Feb2021, she feels almost human. She had routine arthritis lab drawn on 15Feb2021. They showed a CRP level of 11.5 which shows inflammation. She normally was below 0.29 which was within normal limits. That was an extreme difference. That was a lot of inflammation. The patient had to get her nebulizer out to breathe. She has taken Tylenol a couple of times. Her lab work was essentially normal. The CBC and chemical panel was okay. The patient thoughts the fever was important because she has been immunocompromised for years by Methotrexate. She has had pneumonia before with no fevers. Her eyes were also really sore. They bothered her. She already had to use eye drops. That was 11Feb2021 it was gone on 15Feb2021 but it kind of lasted a few days. Her muscles were better, but her joints still hurt some. But her joints always hurt some. She has had multiple joint replacements. The muscles in her legs were severe Friday and Saturday. Her muscles aren't hurting now, but her joints were but that was kind of normal. Her peak flow was way down on 14Feb2021. It was at 250. She did finally get it up to 350 by using her nebulizer. Her best effort normally is 450. Her peak flow was down quite a bit. She has been having breathing changes for a year. They were not sure what it was about. It could be an acute episode of something. On unknown date (next morning as reported), her pulse was 90-100. Now her heart rate was only elevated with activity. Her heart rate was down in the 70s, but when moving it was in the low 100s. With activity it was still up. It was hanging out in the 70s except exercising. She considers walking across the room exercising. All her other labs were in within normal limits. The patient wanted to know if the inflammatory response was secondary to the vaccine.; Sender's Comments: Based on the current available information and the plausible drug-event temporal association, a possible contributory role of the suspect product BNT162B2 to the development of serious events cannot be excluded. The

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

case will be reassessed if additional information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1068204	3/3/2021	GA	78	M	1/11/2021	1/11/2021	Right arm was barely sore where injection administered; This is a spontaneous report from a contactable consumer (patient). A 78-year-old male patient received first dose of BNT162B2 (Lot number: EL0142), via an unspecified route of administration on 11Jan2021 17:05 at single dose in the right arm for vaccination. Medical history included eye vitamin/To maintain good eye health, eye disorder, Heart supplement, heart disorder and he had his last annual physical with Pneumocystis pneumonia (PCP) in Oct2020. He had his flu shot in Sep2020. Concomitant medication included ramipril taken for probably at least 15 years, started in his 60s; atorvastatin taken for probably at least 15 years, started in his 60s. He believes this is the generic product for Pfizer Lipitor; acetylsalicylic acid (ASPIRIN CHILDREN) taken for probably at least 15 years, started in his 60s; ascorbic acid, tocopheryl acetate, xantofyl, zeaxanthin, zinc (AREDS) (also reported as "Advanced Retinol Eye Study Disease") for eye vitamin/To maintain good eye health; bioflavonoids nos, lecithin, quercetin, ubiquinol (CO-Q-10 PLUS) taken for probably at least 15 years, started in his 60s for Heart supplement; and unspecified multivitamin taken daily and probably taken all his life, all ongoing. This patient reported he was administered his first dose of Pfizer COVID-19 vaccine on 11Jan2021. There were no side effects; his right arm was barely sore where injection administered on 11Jan2021. Onset probably about 19:05-20:05 and he had recovered completely by the next morning when he woke. He had no discomfort during the night, no pain or throbbing, he felt very normal the next morning. He clarified that he has no medical conditions, no flu or illnesses of any other kind. He had his last annual physical with PCP in Oct2020; he has a twice yearly check-up with the Cardiologist that will be coming up soon. Stated that today is the 21st day and he is scheduled to get his second dose at 3:00pm. He asked how the incremental immunity builds up percentage wise after getting the first and second dose of Pfizer COVID-19 vaccine. He asked if there is any restriction or limitation on taking products like Tylenol, Advil or Aspirin before getting the Pfizer COVID-19 Vaccine; and if those products are ok to use to potentially treat side effects from the Pfizer COVID-19 Vaccine such as if patient has sore arm or something; and how soon after the second



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

dose side effects can kick in-he believes the briefing documents he was given for the Pfizer COVID-19 Vaccine said 2-14 days. He asked this particularly because he has an hour drive home after this second dose and wanted to know what to anticipate before attempting to drive home. His wife thought someone told her not to take any Tylenol, Advil or Aspirin before getting the Pfizer COVID-19 Vaccine which they had not heard of elsewhere, and saw no mention of that in the briefing documents given for the Pfizer COVID-19 Vaccine. The with outcome of the event was recovered on 12Jan2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1068193	3/3/2021	TX	68	F	1/29/2021	1/29/2021	she has a cold sweat or something right now; She has not eaten anything.; her right arm felt like it was going to fall off it hurt so bad; she has ran a temperature and that finally broke but the highest was 102.4; She has been so weak she hasn't been out of bed hardly.; tired; This is a spontaneous report from a contactable consumer (patient). A 68-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/lot number: EL9265), via an unspecified route of administration from 29Jan2021 14:45 (2:45 PM) at single dose on right arm (as she was left handed) for COVID-19 immunization. Medical history included COVID (recovered) on an unspecified date. There were no concomitant medications. No additional vaccines administered on same date of Pfizer suspect. Patient previously got her flu and shingles shot at the end of "October". Patient took the vaccine last Friday (29Jan2021) at the age of 68 years old (reported as "68 and a half"). She does not know if that makes a "different" but her right arm felt like it was going to fall off it hurt so bad, on a scale of 1-10 it was about a 20. It was really tender she put a heating pad on it, she has been sleeping on the heating pad and it was mild now. It was only about a 3 now and it has come down, but it hurt like the dickens. Also she has ran a temperature and that finally broke but the highest was 102.4. Patient has slept around the clock and she has not been out of bed but like 30 minutes out of the last 24 hours (hrs) just to go the potty or drink something. Patient stated "almost gave up holding it was so long". She has been so weak she has not been out of bed hardly. Patient said that she has eaten since, "lets see Saturday night, Sunday, Monday". Patient has not eaten since Saturday night (30Jan2021) or gotten out of bed. She has not eaten anything. Patient has had COVID and recovered so she did not want to catch that again. She confirmed that she had COVID prior to received the vaccine. She called her primary care and she has a viral phone call tomorrow or visual phone call, whatever its called, she was trying to get over this mess, she feels warm, she was not registering a temperature right now but she had a cold sweat or something right now (01Feb2021). Patient has a call with him tomorrow so he will know about this incase Pfizer calls. Patient stated that she knows with a normal vaccine she might have an ache or something but this

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

one hurt bad, maybe they pushed it in too hard or something she does not know. When asked for vaccination facility type, the patient answered that they had a vaccine clinic they had set up there in a conference room, they had an elaborate set up, go through certain places and there were several steps. Vaccine was not administered at facility (reported as "No hospital"). Patient further reported that her arm on 29Jan2021 (Friday evening) was tender. Patient lives by herself, she came home and does not know if she event ate. All she knows was she was real tired that Friday evening, it was tender and it got worse. Events did not require emergency room and physician room visit, reported as "Not to date but tomorrow she does not know if he will have her come in unless she spikes another fever or if he will do anything she may just ride it out". When asked for adverse events prior vaccinations, the patient answered "no none that she can remember. Sometimes she will have a sore arm that is why she gets it in the right arm because she is left handed thinkin her dominant hand will not have any problems but this one hurt really bad. Have they had many calls where this is really effecting arms really bad?". Patient also reported that her sister had the shot the same day and her arm was a little sore but that was all, she does not have NDC lot expiration for her sisters dose of the vaccine. She went to a different facility in a different location. Outcome of "her right arm felt like it was going to fall off it hurt so bad" was recovering, while for other events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1068171	3/3/2021	PA	56	M	1/5/2021	1/1/2021	Mild palpitation; faint feeling; Arm soreness; This is a spontaneous report from a contactable consumer (patient). A 56-year-old male patient received first single dose of BNT162B2 (Pfizer, lot number: EL0140, exp date not reported), via an unspecified route of administration (vaccine location: right arm) on 05Jan2021 for COVID-19 immunization. Facility type vaccine: Hospital. The patient's medical history and concomitant medications were not reported. The patient had no Covid prior to vaccination. On 05Jan2021, 30 min after injection, felt a mild palpitation-stronger than any previous mild ones but not as strong as the strong one he experienced after the first injection, and he had to close his eyes due to the faint feeling. This was followed by a mild one 3 min later. In the next few days, he had several additional mild to weak palpitations. The strong one that he experienced was 12-14 hours after receiving the first dose, did not show. The patient also experienced arm soreness after the first dose (Jan2021). The patient was not Covid tested post vaccination. The patient recovered from the events on an unspecified date in Jan2021.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1068154	3/3/2021	MO	22	M	1/29/2021	1/29/2021	Started with soreness in the arm; Turned into horrible muscle and joint aches; Turned into horrible muscle and joint aches; pounding headache; an immense amount of pressure behind the eyes; uncontrollable body aches; This is a spontaneous report from a contactable other hcp (patient). A 22-year-old male patient received second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number=En5318), via an unspecified route of administration on 29Jan2021 11:30 (at 22-year-old) at single dose (Right arm) for COVID-19 immunization. The patient medical history was not reported. Patient had known allergies. Facility type vaccine was Public Health Clinic/Veterans Administration facility. No other vaccine was administered in four weeks. No other medications in two weeks. Patient had no covid prior to vaccination. The patient was covid tested post vaccination. There were no concomitant medications. The patient took first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number=EI3248), on 08Jan2021 12:00 (at 22-year-old) on Right arm for COVID-19 immunization. It was reported that it started with soreness in the arm. Turned into horrible muscle and joint aches, pounding headache, an immense amount of pressure behind the eyes, and uncontrollable body aches. This lasted from about 12 hours and then got progressively better. By hour 48 he was totally fine. Events started on 29Jan2021 22:00. No treatment was received for events. The patient underwent lab tests and procedures which included covid test: Nasal Swab: negative on 31Jan2021. The outcome of the events was recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1068079	3/3/2021	NY	66	F	1/30/2021	1/30/2021	migraine with flashes of light in left eye; migraine with flashes of light in left eye; gets IBS stuff; has had diarrhea; diarrhea, had a mild version of the diarrhea that seemed to get worse after the vaccine and still ongoing; vessels in hands really dilated and dark blue; This is a spontaneous report from a contactable consumer (patient). A 66-year-old female patient received the first dose BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Lot number EL9264), via an unspecified route of administration (arm left) on 30Jan2021 14:00 at SINGLE DOSE for to have some protection against COVID, at 66 years old. Medical history included connective tissue disorder and anti-cardiac lipid antibody problem; she is prone to blood clots from 2001. At that time, she was sent to the hospital and no one could figure out what it was. She was seeing the Rheumatologist and another person, and they knew something was going on and was given Prednisone (from 2001) because her tissues in the joints were swelling and she had trouble with speech. Patient also reported this as some weird connective tissue disorders already and some anti-cardiac lipid antibody problem. It was really weird and had not changed a bit since so she was kind of checking to see if anyone has reported anything like this. She reported that with this weird antibody problem, she is more prone to blood clots and has to be careful with medications with her blood she knows that some breast cancer medicines can do that. She stated this immune thing was never diagnosed. She also had migraine with globes of flashes of light, left eye (does not typically get migraines and has only had 1 in her life and she saw globes of lights in both eyes and had to go to the emergency room and was told it was an ocular migraine and this was also only in the left eye. This was long ago) from an unspecified date. Concomitant medication included low dose steroid (unspecified). The patient previously received flu vaccine on Sep2020 (AE none). No other vaccines were administered on the same day. On 30Jan2021, the patient experienced vessels in hands were really dilated and dark blue 5 hours after vaccination. On 30Jan2021, the patient also experienced IBS stuff and has had diarrhea the last couple of days after getting the COVID vaccine. She took Pepto Bismol to help and had a mild version of the diarrhea that seemed to get worse after the vaccine and still ongoing.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

On 01Feb2021, the patient experienced migraine with flashes of light in left eye. It was further described as having a weird migraine with flashes of light in the left eye and she got the shot in her left arm and not sure if that makes any difference. She does not typically get migraines and has only had 1 in her life. The migraines started in the morning and lasted about an hour (as reported) and now they are gone and hopes they stay gone (reported as recovering). She wanted to know if she can take TYLENOL or ibuprofen for vaccine. She heard about people getting symptoms after the second dose not the first dose. Events did not require visits to the emergency room or physician office, but stated that if her vision become worse, she would go to the eye infirmary close by. The outcome of the events diarrhea and vessels in hands really dilated and dark blue, gets IBS stuff was not recovered. Outcome of the events migraine with flashes of light in left eye was reported as recovering.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1068120	3/3/2021	WA		M	1/1/2021	1/1/2021	severe eye pain in right eye; couldn't see or read; big increase in blood pressure and temperature; big increase in blood pressure and temperature; This is a spontaneous report from a Pfizer-sponsored program. A contactable consumer (patient himself) reported that a male patient of an unspecified age received the first (1st) dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection; batch/lot number and expiration date were unknown), via an unspecified route of administration on an unspecified date in Jan2021 at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient reported that he had reaction to vaccine and stated that on the day of the vaccine on an unspecified date in Jan2021, he had severe eye pain in right eye, went to bed that night, and woke up next morning, couldn't see or read even using his eye glasses. He went to a pharmacy and bought some cheap reading glasses, but it didn't help much. The last couple of days on an unspecified date in 2021, the patient had big increase in blood pressure and temperature, but it didn't feel bad. Therapeutic measures were taken as a result of the event "couldn't see or read." The patient was not recovered from the event "couldn't see or read," while the outcome of the events "severe eye pain in right eye and big increase in blood pressure and temperature" was unknown. Information on the batch/lot number has been requested.
1068272	3/3/2021	NC		F		2/11/2021	posterior vitreous detachment of left eye; This is a spontaneous report from a contactable pharmacist. A 44-year-old female pharmacist reported for herself that received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot# EL9261), via an unspecified route of administration left arm single dose on an unspecified date for covid-19 immunisation. Medical history included Crohn's disease, drug hypersensitivity to NSAIDs. Concomitant medication included certolizumab pegol (CIMZIA). The patient experienced posterior vitreous detachment of left eye on 11Feb2021. Laser treatment was used to repair. The outcome was not recovered.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1067975	3/3/2021	NC	45	F	1/14/2021	1/16/2021	dizziness; achiness behind my eyes for 16 days; This is a spontaneous report from a contactable healthcare professional (patient). A 45-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number: EK9231), via an unspecified route of administration at the left arm on 14Jan2021 at 12:30 PM at a single dose for COVID-19 immunization. The facility where the most recent COVID-19 vaccine was administered was a hospital. The patient was not pregnant at the time of vaccination. The patient's medical history included penicillin allergy. There were no concomitant medications. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient did not receive any other medications within 2 weeks of vaccination. The patient previously received the first dose of BNT162B2 (lot number: EK5730) on 26Dec2020 at 03:30 PM (at the age of 45 years old) at the left arm for COVID-19 immunization. The patient was not diagnosed with COVID-19 prior to vaccination. On 16Jan2021 at 09:00 AM, the patient experienced dizziness and achiness behind her eyes for 16 days. The patient did not receive treatment for the events. The events were reported as non-serious. The events resulted in doctor or other healthcare professional office/clinic visit. Since the vaccination, the patient has been tested for COVID-19 which included Nasal Swab: Negative on 31Jan2021. The outcome of the events was not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1067973	3/3/2021	MD	30	F	1/26/2021	1/30/2021	sudden rash appear on left side of my chest and shoulder, just visually a bunch of red dots; Swollen lymph nodes, both collar bone and neck; This is a spontaneous report from a contactable consumer (patient). A 30-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL1283), via an unspecified route of administration at the left arm on 26Jan2021 at single dose for COVID-19 immunisation. The patient has no medical history. The patient was not pregnant at the time of vaccination. Concomitant medication included ethinylestradiol, levonorgestrel (LUTERA). The patient experienced swollen lymph nodes, both collar bone and neck noticed the evening of 30Jan2021. Expected as much for an immune response, but then she had a sudden rash appear on left side of her chest and shoulder, just visually a bunch of red dots, no itching or discomfort the afternoon of 31Jan2021. She was reporting immediately, so no recovery yet. The patient did not receive any treatment for the events. The patient has not recovered from the events.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1067972	3/3/2021	NY	78	F	1/26/2021	1/26/2021	the vision in my right eye became blurry; This is a spontaneous report from a contactable consumer (patient herself). A 78-year-old female patient received her second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: e19262), via an unspecified route of administration in the left arm on 26Jan2021 09:00 at a single dose for COVID-19 immunization. The patient had no relevant medical history and no known allergies. Concomitant medication included metoprolol succinate (TOPROL 25 mg) received within 2 weeks of vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. She previously received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: e13246), via an unspecified route of administration in the left arm on 05Jan2021 11:30 for COVID-19 immunization. The patient was not diagnosed with COVID-19 prior to vaccination. She was not pregnant. The patient experienced "the vision in my right eye became blurry" on 26Jan2021 09:15. The patient reported that the event was "still is" as date of the report. The event was reported as non-serious and resulted in doctor or other healthcare professional office/clinic visit. The outcome of the events was not recovered. The patient had not been tested for COVID-19 since the vaccination.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1067965	3/3/2021	CA	78	M	1/21/2021	1/22/2021	the onset of blurred vision in one eye and flashing colored lights in both eyes.; the onset of blurred vision in one eye and flashing colored lights in both eyes.; This is a spontaneous report from a contactable physician (patient). A 78-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL9262), intramuscular at the left arm on 21Jan2021 08:45 at single dose for COVID-19 immunization. Medical history included Parkinson's and neuropathy. The patient has allergies to CIPRO antibiotics. Concomitant medication included unspecified multiple supplements. On 22Jan2021 at 09:00 (24 hours after vaccination), the patient had the onset of blurred vision in one eye and flashing colored lights in both eyes. This was unlike anything he has ever experienced, and it persisted for several hours. Vision gradually returned to normal and lights disappeared. This was not a retinal detachment or vitreous detachment. It was not associated with eye pain. The patient did not receive any treatment for the events. The patient recovered from the events on an unspecified date in 2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1067959	3/3/2021	NJ	41	F	1/29/2021	1/29/2021	face started to feel "hot and on fire"; face and neck turned bright red; face started to feel really tight; Heart Rate then was elevated to 115 bpm; shortness of breath; itchy eyes; headache; nausea; Arm still felt sore; fatigued; At site of injection there was a warm sensation; metallic taste in my mouth; This is a spontaneous report from a contactable nurse (patient). A 41-year-old female patient received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL9262) solution for injection, intramuscular at left arm on 29Jan2021 at 10:30 AM at single dose for COVID-19 immunization. Medical history included asthma. The patient has no known allergies. The patient's concomitant medications were not reported. The patient was not pregnant and has no other vaccines in four weeks. She will have a birth control in two weeks. It was unknown if the patient has COVID prior to vaccination. She was not tested with COVID post vaccination. The patient was given COVID-19 vaccine at a hospital. When she initially received the vaccine on 29Jan2021, the site of injection had a warm sensation which resolved within a minute. Then on the ride home, she had a metallic taste in her mouth. While at home around 4:00 PM, her face started to feel hot and on fire and then her face and neck turned bright red. Her face started to feel really tight and hot. Heart rate was then elevated to 115 bpm. She then started having shortness of breath, itchy eyes, headache and nausea. The patient sat down and took 10 mL of BENEDRYL (as reported) at 4:30 PM or 4:40 PM. Between 5:00 PM and 7:00 PM, her face and neck were still slightly red. Her arm felt sore and she was fatigued. She again took 10 mL of BENEDRYL at 7:30 PM. She woke up on 30Jan2021 and still felt fatigued and the back of arm (tricep area) was very sore. The patient also took paracetamol (TYLENOL) 600 mg. The outcome of the event vaccination site warmth was recovered with sequel on 29Jan2021 and recovered with sequel on Jan2021 for all other events.
1069555	3/3/2021	WA	70	M	2/25/2021	2/25/2021	Low level flu like feelings-5 days. Persistent headache for 7 days. Blurred vision-7 days.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1069612	3/3/2021	OR	39	F	2/22/2021	3/2/2021	One week after each vaccine, my skin beneath my right eye started swelling, getting very red, and very itchy. I look like I've been punched in the face. The first time, it lasted about 4-5 days before it went away. My vaccine date for dose #1 was Friday 1/29/21 and the swelling started on 2/5 (the following Friday). My second vaccine date was Monday 2/22 and the skin beneath the eye started reacting 3/2 (Tuesday). It itches a huge amount. The skin beneath the eye is dark red, and puffy. The skin beneath the left eye is normal.
1068135	3/3/2021	AL		F	2/5/2021	2/5/2021	Irritation and redness in both eyes; Flushing of the face; Irritation and redness in both eyes; This is a spontaneous report received from a non-contactable consumer (patient herself). An elderly female patient (not pregnant) received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection Lot number: EL9264), via an unspecified route of administration on arm left on 05Feb2021 16:15 at single dose for COVID-19 immunisation at hospital. Medical history included occasional rosacea with stress or excitement. Concomitant medication included metformin and zinc, which are received within 2 weeks of vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient previously took tetracycline and experienced allergy. On 05Feb2021 16:30, the patient experienced irritation and redness in both eyes and flushing of the face. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. The patient was not received any treatment for the events. The events were assessed as non-serious by the reporter. Outcome of the events was recovered on unspecified date in 2021.
1068495	3/3/2021	AZ	77	F	2/27/2021	2/27/2021	DAY 1-mild headache during the day became migraine at night. Experienced chills, sweat, dizziness, fatigue, and sore arm (like tetanus). DAY 2-Migraine all day, chills, sweat, dizziness, fatigue, and sore arm. DAY 3- Migraine downgraded to functional migraine (I could open my eyes), sweat, dizziness, sore arm, fatigue, chills gone. DAY 4-headache, painful to move arm. DAY 5-Arm still painful to use.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1068726	3/3/2021	FL	40	F	2/24/2021	2/24/2021	Pain and limited range of motion in left arm for 4 days, pinkeye in right eye for 3 days, extreme fatigue for 2 days
1068725	3/3/2021	PR	44	F	1/5/2021	1/5/2021	Numbness in left leg, pain in the administered area, difficulty to lift the leg, dizziness, double vision.
1068721	3/3/2021	UT	38	M	2/25/2021	2/28/2021	Pt states that he got his 2nd COVID shot on 25Feb and had fever/chills/cough/congestion over the weekend then PM 28Feb visualized a swollen uvula that goes almost all the way down to his tongue. Called nurse line at clinic 2Mar AM, current pain 8/10 with ongoing drainage to his throat, congestion, right ear congestion. Pt also reported coughing up dark blood, unsure of whether it's coming from throat. He tried nyquil and tylenol without relief of symptoms. Reported some dizziness, trouble swallowing and having to spit out saliva, inability to drink liquids. Referred to ER. followed up with Pt 3Mar AM, Pt states he was given steroids, benadryl and a numbing spray for his throat and that the swelling to his uvula has gone down, symptoms are resolving. Was told by ER that he possibly contracted COVID prior to his 2nd shot.
1068692	3/3/2021	FL	74	M	2/23/2021	2/24/2021	Pain starting in right eye and continuing deep into throat. I thought it was a nerve infected by tooth/gum issue.
1068680	3/3/2021	VA	62	F	2/25/2021	3/2/2021	Ocular migraine. Onset 3/2/2021 around 4 pm EST. Started with kaleidoscopic peripheral vision, then blurry and blocked vision. Also included headache behind left eye. Vision problems lasted around 30 minutes. Headache for several hours. I took migraine OTC meds, plus Tylenol.
1068646	3/3/2021		43	F	3/2/2021	3/2/2021	Nausea, Vomiting, Headache, Left arm pain, unable to lift arm, lymph node swelling under left arm, All over joint pain, All over muscle pain, Double vision, Left side abdominal pain, Left sided lower rib pain, Pain option inhalation, Jaw pain, Ear pain, Throat pain, Neck pain, Left breast pain, Facial pain
1068566	3/3/2021	MD	61	M	3/2/2021	3/2/2021	Dark bruise below left eye, puffiness below right eye

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1068248	3/3/2021	OR	38	F	1/25/2021	2/2/2021	slight uptick in Sjogren's syndrome and Discoid Lupus symptoms. Her lesion opened and oozed, and dry eyes and dry mouth increased significantly.; slight uptick in Sjogren's syndrome and Discoid Lupus symptoms. Her lesion opened and oozed, and dry eyes and dry mouth increased significantly.; slight uptick in Sjogren's syndrome and Discoid Lupus symptoms. Her lesion opened and oozed, and dry eyes and dry mouth increased significantly.; This is a spontaneous report from a contactable consumer (patient) reported that a 38-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: 9264), via an unspecified route of administration on the right arm on 25Jan2021 16:30 at a single dose for Covid-19 immunization. The vaccine was administered at the hospital. The patient medical history included Systemic Lupus with Interstitial Lung Disease, Anti phospholipid syndrome, Discoid Lupus, Sjogren's Syndrome, Joint Hypermobility, Post-Traumatic Stress Disorder (PTSD), Traumatic Brain Injury (TBI), and Borderline Personality; all from an unknown date. Patient was not pregnant at the time of vaccination. Concomitant medication included buspirone taken from an unspecified date for an unspecified indication. It was reported that on 02Feb2021 08:00, the patient had slight uptick in Sjorgren's syndrome and Discoid Lupus symptoms. Her lesion opened and oozed, and dry eyes and dry mouth increased significantly. The patient will resume prednisone after 10 days as recommended by physicians. The patient received Clobetasol eye drops as treatment for the events. The outcome of the events was recovering. The patient received her second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: 8982) on 15Feb2021 17:15.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1068498	3/3/2021	NJ	43	F	2/27/2021	2/27/2021	2/27/21: 11pm (12.5 hrs post shot) body and head aches. Next morning 2/28/21: 7am, body & head aches much worse & chills. Unable to get out of bed until 7pm when feeling a little better. Tylenol no help. 3/1/21: am feeling better just a slight headache. 12pm oral ulcers start, continued head ache. 9pm: oral ulcers causing facial discomfort as if along facial dermatomes. 3/2/21: oral ulcers worsen dermatome discomfort mostly on rt side esp around rt eye. Fatigued, laying in bed by 6:30pm. 3/3/21 5:30am: continued headache, oral ulcers and facial dermatome discomfort.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1068265	3/3/2021	FL	69	M	1/29/2021	2/3/2021	Loss of taste and partial smell; Loss of taste and partial smell; Hard to talk or eat or drink; Hard to talk or eat or drink; Hard to talk or eat or drink; Bells Palsy; Blurry vision; Fever; Felt achy; This is a spontaneous report from a contactable consumer (patient). This 69-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number EL9261), via an unknown route, on 29Jan2021 (at 10:00 AM) at a single dose in the left arm for COVID-19 immunisation. Relevant medical history includes diabetes, arteriolosclerosis, blocked carotid artery, gastroesophageal reflux disease (GERD) and chronic prostatitis. Past drug history included allergy to penicillin and cefixime (FLEXERIL). Relevant concomitant medications included doxazosin mesylate (CARDURA), lisinopril, metformin, omeprazole, repaglinide (PRANDIN) and other unspecified medications. He had fever and felt achy for a couple of day. On 03Feb2021 (at 08:00), the patient had total paralyzed on right side of his face, right eye will not close, mouth paralyzed on right side. Hard to talk or eat or drink. Blurry vision in right eye due to not closing. On 04Feb2021, the patient has loss of taste and partial smell. The patient performed physician office visit. Then, he went to the emergency room (ER) and Bells Palsy was confirmed on 06Feb2021. He stated that his blood work is currently fine. He was given prednisone and acyclovir for Bells Palsy and for hard to talk or eat or drink. The patient was not treated for the remaining events. Pre and post vaccination COVID test were not performed. All events were considered serious for disability except of fever and felt achy. The outcome of the events fever and felt achy was unknown while the outcome of the remaining events was not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1068465	3/3/2021	AR	26	F	1/26/2021	2/7/2021	I developed a large ring around my injection site on 2/7/21 12 days after my first covid moderna vaccine dose. It was exactly 12 hours after I administered my monthly ajovy injection for migraine treatment ( a monoclonal antibody medication ) in my right arm. My vaccine site is my left arm. Before this time, I had little to no reaction to the vaccine. My arm was a little red at the injection site on day 2 but swiftly went away. The large red rash type reaction was hot it was not painful. It began to radiate out like a bulls eye rash would look after Lyme infection. It was a bullseye ring rash for about 4 days and then subsided. I felt tired during that time but no other symptoms like fever.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1068407	3/3/2021	CA	67	F	1/26/2021	1/26/2021	<p>blood pressure went up/blood pressure was 156/81/her blood pressure was 180 over 80 something; This is a spontaneous report from a contactable consumer who reported for herself, a 67-year-old female patient who received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot number: EL9263), intramuscular in left arm, on 26Jan2021 at 11:00, at the age of 67 years, at a single dose for COVID-19 immunization. Medical history included ongoing high cholesterol, ongoing high blood pressure, and eyeglasses wearer. Ongoing concomitant medications included nebivolol hydrochloride (BYSTOLIC Tablet) for high blood pressure, bumetanide tablet taken as diuretic, rosuvastatin calcium (ROSUVASTIN Tablet) for high cholesterol, and acetylsalicylic acid (BABY ASPIRIN Tablet) to keep healthy. The patient reported that her blood pressure went up and is still up since last Tuesday (as reported). She received the first dose of the COVID vaccine at 11 am. She was okay until that evening around 5 pm, her blood pressure started going up, her blood pressure shot up. She called her doctor. Her doctor and her did not know if her blood pressure going up could be from the vaccine. Her doctor told her to take more of her already prescribed blood pressure medication. The next day, she went to see her doctor due to blood pressure still being high and he gave her more blood pressure medications. Her doctor prescribed a different kind of blood pressure medication to take along with her existing blood pressure medication (BYSTOLIC). She is concerned and asked if her elevated blood pressure will go back to normal, her blood pressure is still high. Her doctor told her when someone has a reaction to a vaccine, it usually takes days or up to two weeks to recover from the reaction. Her blood pressure is still high and her doctor is puzzled and prescribed her more medications to control her blood pressure. Today, 01Feb2021, at the doctors office her blood pressure was 156/81. Yesterday, 31Jan2021, her blood pressure was 180 over 80 something. She puts her glasses on to read the card. Patient would like to know how long will her symptoms last and if she is going to die from this. She is getting nervous and requests to be transferred to address her question. She thought she was the first person this has happened to but she read online that one person has had the same symptoms with high blood</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1068404	3/3/2021	FL	74	F	1/29/2021	1/29/2021	<p>pressure after receiving the vaccine. She had been advising everyone to get the vaccine but now she will advise her family to hold off. The outcome of the event was not recovered.; Sender's Comments: The contributory role of the suspect product BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot number: EL9263) to reported event Blood pressure increased cannot totally be excluded.</p> <p>Dizzy; Blurred vision; This is a spontaneous report from a contactable consumer (patient). A 74-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number: EL3246; Expiration date was not reported) on 29Jan2021 (10:45) at a single dose on the right arm, with route of administration unspecified, for COVID-19 immunization at the Public Health Department. Medical history included hypertension (HTN), atrial fibrillation (Afib), diabetes mellitus (DM), migraine and sulfa drug allergy. Concomitant medications included dabigatran etexilate mesilate (PRADAXA), metoprolol, montelukast sodium (SINGULAIR) and other unspecified medications. The patient previously took clarithromycin (MACROBID), and had allergies; and had previously received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number: EL3246; Expiration date was not reported) on 08Jan2021 (when the patient was 74 years old) on the right arm for COVID-19 immunization. The patient was not pregnant at the time of vaccination. On 29Jan2021 (21:00), the patient was dizzy; and had blurred vision. The patient did not receive any treatment for the reported events. The outcome of the events, 'dizzy' and 'blurred vision', was recovering. The patient was diagnosed with COVID-19 prior to the vaccination, and had not been tested post-vaccination.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1068388	3/3/2021	IN	77	F	1/26/2021	1/31/2021	became totally nauseous; light headed; very chilled; extremely tired; very cold; Fell asleep under warm down quilt until 2:00pm (total 13 hours sleep); This is a spontaneous report from a contactable consumer reporting for herself. A 77-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE Lot number en5318, Expiry date not reported) via an unspecified route of administration to left arm on 26Jan2021 08:15 at single dose for covid-19 immunization. Medical history included UTI (urinary tract infection), rosacea, severe breathing problems, no sense of taste or smell, severe bronchitis, pneumonia, productive cough (productive cough that lasted for 2 months) and known allergies: some eye drops; some pain killers (nausea). The patient became totally nauseous, light headed, very chilled, extremely tired, very cold, fell asleep under warm down quilt until 2:00pm (total 13 hours sleep) all on 31Jan2021. The events were reported as non-serious. Reporter states she Woke up 8:00 am and dressed. Felt fine until 9:00. Had some milk tea and 2 morning pills and became totally nauseous and light headed. Went back to bed immediately. Became very chilled, and extremely tired. Checked temperature at 97.5 and was very cold. Fell asleep under warm down quilt until 2:00pm (total 13 hours sleep). Felt better, but ate little and wore a coat inside. After a light dinner, nausea mostly gone, but still tired. Reporter added that she almost certainly had a serious case of Covid in early February, 2020. Nobody knew the symptoms, so both urgent care and the ER sent her home with minimal treatment. She had severe breathing problems, no sense of taste or smell, severe bronchitis with some pneumonia (X-ray), and a productive cough that lasted for 2 months. The patient underwent lab tests and procedures which included body temperature: 97.5 (Unit unspecified) on 31Jan2021 and x-ray: some pneumonia on an unspecified date. No treatment was received for the adverse event. It was unknown if the patient was diagnosed with COVID-19 prior to vaccination. The patient has not been tested for COVID-19 since the vaccination. Outcome of the events was recovering.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1068302	3/3/2021	NJ	29	M	2/13/2021	2/14/2021	<p>blackened out and loss consciousness twice; hit head and make a gauche on eyebrow needing stitches; hit head and make a gauche on eyebrow needing stitches; whole body was feverishly hot; This is a spontaneous report from a non-contactable consumer (patient). A 29-years-old male patient received second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number: EN6201), via an unspecified route of administration on 13Feb2021 10:30 (at 29-years-old) at single dose (Left arm) for COVID-19 immunization. The patient medical history was not reported. There were no concomitant medications. The patient took first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number: EL9262), on 23Jan2021 03:30 PM (at 29-years-old) on Left arm for COVID-19 immunization. Facility type vaccine was reported as Other. There were no other vaccine administered in four weeks. There were no other medications in two weeks. Approximately 12-24 hours after second dose, whole body was feverishly hot, blackened out and loss consciousness twice within 30mins of each other waking up on the floor from standing position, causing to hit head and make a gauche on eyebrow needing stitches. Events started on 14Feb2021 04:00. Events resulted in Emergency room/department or urgent care. Therapeutic measures were taken as a result of hit head and make a gauche on eyebrow needing stitches. The outcome of the events was recovering. No follow-up attempts are possible. No further information expected.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1068290	3/3/2021	OH		U	2/11/2021	2/11/2021	<p>it is very painful; Right breast became like engorged almost, like very hard and heavy; Right breast became like engorged almost, like very hard and heavy; Chills; Fever/my fever at the highest point was 102; Joint ache; Muscle ache; Fatigue; Heavy feeling in chest; felt like drugged; felt like drugged as if I was almost intoxicated; Right eye was burning and watering; Right eye was burning and watering; Pain and numbness in lower legs below the knees; Pain and numbness in lower legs below the knees; This is a spontaneous report from a contactable consumer (patient). A patient of unspecified age and gender received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EN6201), via an unspecified route of administration on 11Feb2021 at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient reported "I am a teacher and we have received the first dosage of Pfizer COVID-19 vaccine on Thursday (11Feb2021) and I received mine early in the late afternoon, if that makes sense. And immediately after I had the shot, the best way I can describe it you is I almost felt like drugged as if I was almost intoxicated and my right eye was burning and watering and we were still teaching and then I came home and later that night, I had some pain and numbness in my lower legs below the knees and by that night, the next day, I was full blown with every side effects chills, fever, my fever at the highest point was 102 on 12Feb2021. I had joint aches, muscle aches, fatigue and a heavy feeling in my chest. But the reason I am calling is because most of those symptoms have subsided except for one. It's Tuesday which is five days after the inoculation and my right breast on Friday morning (16Feb2021) became like engorged almost, like very hard and heavy and that has not fully gone away, it is very painful and I read that there could be like a swelling of the lymph nodes but it was my entire breast. So that's not, I do not believe if that could be connected to the lymphatic but I am not sure and I called my Primary Care Physician first. They almost started almost immediately but then they continued to get worse. Friday was the worst, the 12th, 13th I was still experiencing symptoms. They were mostly subsided by the 14th except for the heavy feeling in my chest, that fatigue and this hardened breast. I am just trying to finding answers</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

---

as to what I should do about this hardened tissue and if I should get the second inoculation." Outcome of fatigue, heavy feeling in chest, breast became like engorged almost, like very hard and heavy, it is very painful was not recovered; and of remaining events was recovering.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1068276	3/3/2021	NJ	79	F	2/10/2021	2/10/2021	<p>Had a Herpes Simplex virus that was dormant unless I get excited; Got the vaccine; First reaction was a numbing on left side of my face and my eye, my jaw and then my left arm was tingling; Got the vaccine; First reaction was a numbing on left side of my face and my eye, my jaw and then my left arm was tingling; Developed a taste of metal in my mouth; Had a very salty taste along with the metal taste in my mouth; Mouth became dry; Developed a taste of metal in my mouth; Had a very salty taste along with the metal taste in my mouth; Mouth became dry; Developed a taste of metal in my mouth; Had a very salty taste along with the metal taste in my mouth; Mouth became dry; My heart felt like rush; Started to get an ache in my left eye, pressure in my eye and feeling just kind of bumped out; Started to get an ache in my left eye, pressure in my eye and feeling just kind of bumped out; Have Covid tongue; symptoms got progressively worse; feeling just kind of bumped out; This is a spontaneous report from a consumer (the patient). A 79-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot number: EM9809), via an unspecified route of administration on 10Feb2021 (at the age of 79-years) as a single dose for COVID-19 immunization. Medical history included cholesterol. Concomitant medication included rosuvastatin calcium (CRESTOR). The patient previously took Aspirin (e.c.) about 10-15 years ago and experienced anaphylactic reaction, Lyrica about 10-15 years ago for neuralgia and experienced hypersensitivity. The patient reported that on 10Feb2021, she got the vaccine. When she first obtained the vaccine, she was put in a holding situation in regards to having any reaction. She was sitting there about 10-15 minutes, and the first reaction was a numbing on left side of her face and her eye, her jaw and then her left arm was tingling, then she developed a taste of metal in her mouth; had a very salty taste along with the metal taste in her mouth; her mouth became dry. Her heart felt like rush. The "EMT" guy was there, he watched her. So, she sat there for a while. She went home and her symptoms got progressively worse. It was almost an immediate reaction. She started to get an ache in her left eye/pressure in her eye, and feeling just kind of bumped out. Immediately, after she got the vaccine, she had a</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							very salty taste along with the metal taste in my mouth. When I came home, my mouth became dry. The patient reported that she still have a salty taste in her mouth and have "Covid tongue". The patient also reported that she had a herpes simplex virus that was dormant unless she get excited and it has been down for a long period of time. The patient reported that "I am afraid to take my second dose". The patient did not receive treatment for the events. She stated "I just thought it would go away". The clinical outcome of the event salty taste in her mouth was not recovered. The clinical outcome of the remaining events was unknown.
1068734	3/3/2021	TX	52	F	2/26/2021	2/27/2021	Reaction started on 2.27 mid-morning- she began having a sensation in the back of her neck. Rash began on the nap of neck- swollen bumps. traveled around the front of the neck and then cheeks and eyes. Continued near tear ducts and all-around eye. Both eyes began to swell on 2.28 and she went to the ED for treatment. They gave her a steroid shot and benadryl IM. Discharged home, with no medications, but instructed to take benadryl as needed. She is taking benadryl every 6-8 hours for itching. She is not fully recovered due to itching and continued rash. Follow up appointment with PCP the end of this week begin of next.
1068525	3/3/2021	CA	38	F	3/2/2021	3/2/2021	Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1070699	3/3/2021	NJ	27	F	2/15/2021	2/15/2021	<p>Angioedema; swelling; Difficulty breathing; Tight chest; Facial flushing; Dry eyes and unsettled stomach; Dry eyes and unsettled stomach; This is a spontaneous report from a contactable nurse. A 27-years-old non-pregnant female patient started receive bnt162b2 (BNT162B2), Lot number: EL9266, intramuscular in left arm on 15Feb2021 at 0900 (at the age of 27 years-old) for COVID-19 immunization. The vaccination was administered at a workplace clinic. Medical history included Allergy/Sports-Induced Asthma, Lactose Intolerant and food allergies of Kiwi, Lactose Intolerant, Cherry. The patient had a positive COVID-19 test prior to vaccination on 14Nov2020. There was no other vaccinations given within 4 week and concomitant medications within 2 weeks included ethinylestradiol, ferrous fumarate, norethisterone acetate (LO LOESTRIN FE), cetirizine hydrochloride, pseudoephedrine hydrochloride (ZYRTEC-D), vitamin c [ascorbic acid] (VITAMIN C [ASCORBIC ACID]), fish oil (FISH OIL). On 15Feb2021 at 10:00, the patient experienced Angioedema/swelling, Difficulty breathing/tight chest, facial flushing, dry eyes and unsettled stomach. Experienced symptoms of flushing 1hour post-vaccination. The clinical course was as follows: She reported that she experienced symptoms of flushing 1hour post-vaccination. About 4 hours later swelling persisted and took Zyrtec to alleviate symptoms, which provided minimal relief. 24 hours post vaccination resulted in ER admission advised per Occupational Medicine at (name). IV SoluMedrol, Bendaryl and Pepcid administered. Overall stay in ER 3 hours. On 17Feb2021, 24 hours post admission rebound symptoms occurring with facial flushing and swelling. Will repeat allergy medication to relieve symptoms PRN. The clinical outcome of the events was recovered with sequelae (as reported by patient: recovered with lasting effects).</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1070802	3/3/2021	WA	56	F	2/7/2021	2/8/2021	On February 8th, 2021 patient came home early from work around noon due to not feeling well. She was feeling tired, slightly nauseous and very low energy. At about 4:50 PM that day, patient got up to walk to the pantry after eating some peanut butter toast. She suddenly stopped and shut her eyes and froze and then she began having a seizure (and she has never had a seizure before and seizures do not run in her family). After the shaking from the seizure ceased, her body tensed up and she fell flat backwards and she hit her head on the refrigerator. She then was going in and out of consciousness, she had a big laceration on her forehead and was bleeding rapidly. I, her daughter, witnessed this and then at 4:54 PM I called emergency services and paramedics arrived and took her to the hospital. Later that evening, the family was notified that the patient had bleeding in her brain, a concussion, a forehead laceration that received 15 stitches and a broken neck (C2 fracture). She was taken to the hospital that evening on February 8, 2021. Patient experienced a second seizure while at the hospital during a CT scan. Patient later was able to come home February 11, 2021 in the afternoon. Patient now has to wear a neck brace for up to 12 weeks, cannot drive, cannot work for up to 12 weeks, and is still recovering cognitively from the concussion.
1070780	3/3/2021	NJ	52	F	2/5/2021	2/27/2021	eye drooping, unable to close properly still going on

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1070760	3/3/2021	SC	79	F	2/11/2021	2/11/2021	Lost part of my vision and it only lasted for three to four minutes; mini stroke/ TIA; This is a spontaneous report from a contactable consumer (patient). A 79-year-old female patient received bnt162b2(Pfizer-BioNTech COVID-19 Vaccine, Lot number: EL9284, Expiration date: 31May2021), via an unspecified route of administration at the left arm on 11Feb2021 14:00 at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. On 11Feb2021 7pm, patient went to get something to open the can of soup but when she went into the pantry, she lost part of her vision and it only lasted for three to four minutes. The patient's daughter who is a neurologist thought it was the mini stroke or TIA (Feb2021). The doctor was setting up the sonogram for her arteries and her neck and also for her heart and said she might have to rely on a pacemaker. The outcome of the events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1070727	3/3/2021	CA	65	M	2/4/2021	2/6/2021	<p>optic neuritis; This is a spontaneous report from a contactable physician. A 65-years-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via unspecified route of administration on 04Feb2021 at single dose for COVID-19 immunization. Medical history included lost vision in one eye on unspecified date, 20 years ago in the military. Concomitant medications were not reported. After 2 days, on 06Feb2021, the patient developed severe optic neuritis in one eye. Event was assessed as serious, medically significant. The patient is getting a fairly extensive workup. He was getting labs (unspecified) and will get 1 gram a day of Solumedrol for three days followed by oral Prednisone. He was going to get the typical. Outcome of the event was unknown. Information on Lot number has been requested.; Sender's Comments: A possible contributory effect of suspect BNT162B2 on reported event cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1070721	3/3/2021	CA	79	F	2/17/2021	2/17/2021	<p>She did have an inflamed shoulder prior, it has been pretty good lately but flared up after the vaccine/She does have rheumatoid arthritis in right shoulder and arm; right shoulder and right arm felt sore and achy/ right arm and shoulder were aching; right shoulder and right arm felt sore and achy/ right arm and shoulder were aching; This is a spontaneous report from a contactable consumer (patient). A 79-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection lot number: EN6201), intramuscular at upper left arm on 17Feb2021 10:15 at a single dose for COVID-19 immunization. Medical history included ongoing Rheumatoid arthritis (arthritis in right shoulder and arm gets inflamed and sore; rheumatoid arthritis in right shoulder and arm. It sometimes flares up and gets sore) diagnosed in late 2019, ongoing Autoimmune deficiency disease diagnosed in late 2019 and lower left eyelid which was inverted. There were no concomitant medications. No prior vaccinations (within 4 weeks). The patient previously took Shingrix vaccine (Shingles vaccine) at left arm last year-2020 and she felt soreness and achiness in right shoulder and arm. The patient received the first dose of the Pfizer COVID-19 vaccine yesterday on 17Feb2021 at her left arm. A few hours later her right shoulder and right arm felt sore and achy. On 18Feb2021, the patient's right arm and shoulder were aching. The patient mentioned that this has also happened last year when she had a Shingrix vaccine. She was also injected in her left arm but her right arm got sore and achy. She felt soreness and achiness in right shoulder and arm. She wanted to know if this is a normal reaction from the vaccine. The patient stated that it was weird. On unspecified date, when she lifts her arm up high it hurts, she stated that she does have an inflamed shoulder. She did have an inflamed shoulder prior, it has been pretty good lately but flared up after the vaccine. During the night it was very bad. She does have rheumatoid arthritis in right shoulder and arm. It sometimes flares up and gets sore. She was wondering if there is a relationship with the COVID 19 vaccine because she felt like she got the COVID 19 vaccine in the right arm, she asked if she's reacting to the medication. No treatment was administered for right shoulder. Routine lab work done on 02Feb2021 but it has</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

nothing to do with this. The events did not require a visit to Emergency Room or Physician Office. The patient is also scheduled to have Botox in her lower eyelid for her left eye to release the nerve muscle. She asked if it is ok since she just had the Pfizer COVID-19 vaccine. She is scheduled to get botox injection next week for lower left eyelid which is inverted, it was bothering her. They have to release the muscle by getting an injection of botox. She was receiving conflicting information from her PCP, who says wait a month and her ophthalmologist who says its ok to get the COVID 19 vaccine. She thought she heard something about not mixing botox with the vaccine. The outcome of the event "She did have an inflamed shoulder prior, it has been pretty good lately but flared up after the vaccine/She does have rheumatoid arthritis in right shoulder and arm" was unknown; and other events was recovering.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1070719	3/3/2021	GA		F	2/9/2021	2/10/2021	brain pain and the neck pain being a possible encephalitis; some nodules under the arm and leg; right shoulder pain at the site of an old shoulder injury; pain under her arm and into her right breast that started on Saturday with nodules; nodules in her right leg that hurt; headache at the base of her brain and in front; intense neck pain; joints aching/all her joints ache; felt queasy; had sharp pain in both eyes; brain fog; This is a spontaneous report from a contactable consumer (patient). This 67-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Lot number EM9810) , via an unspecified route of administration on 09Feb2021 at 11:30 (at the age of 67 years old) on left arm at single dose for covid-19 immunisation at a mall vaccination facility. The patient medical history was none. There were no concomitant medications. The patient stated she had some pretty severe reactions after getting the first dose of the Pfizer COVID 19 vaccine on 09Feb2021 at 1130AM in the left arm. The patient experienced "brain pain and the neck pain being a possible encephalitis" on an unspecified date with outcome of unknown , intense neck pain on 10Feb2021 to 13Feb2021 with outcome of recovered , joints aching/all her joints ache on 10Feb2021 to 18Feb2021 with outcome of recovered , felt queasy on 10Feb2021 to 12Feb2021 with outcome of recovered , had sharp pain in both eyes on 10Feb2021 to 12Feb2021 with outcome of recovered , brain fog on 10Feb2021 to 13Feb2021 with outcome of recovered , some nodules under the arm and leg on 13Feb2021 with outcome of not recovered , headache at the base of her brain and in front on 10Feb2021 to 13Feb2021 with outcome of recovered , right shoulder pain at the site of an old shoulder injury on 13Feb2021 to 13Feb2021 with outcome of recovered , pain under her arm and into her right breast that started on Saturday with nodules on 13Feb2021 and ongoing with outcome of recovering, and nodules in her right leg that hurt on 13feb2021 with outcome of not recovered. She was afraid of getting the second dose and inquired advice about getting the second shot. Relevant tests were none.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1070583	3/3/2021	KS	66	M	2/23/2021	2/23/2021	He complained of dizziness the evening of the shot. He went to bed and when he woke up the next morning he was having double vision. Is eye drifted off to the side and he was too dizzy to get up. He was taken to the hospital. They did a CT scan which didn't give a diagnosis, and they were unable to do a MRI scan due to a medical reason, so they could not determine for sure if he had a stroke. They are assuming that he did have a stroke and he has oculomotor nerve paralysis on the right side. The nurse practitioner saw him today and she reports he is doing very well now. He had been staying in a assisted living type facility when this occurred, but he is expected to return home tomorrow.
1070708	3/3/2021	IL	60	F	2/6/2021	2/7/2021	continued mild headache; eye strain and sensitivity to bright light; eye strain and sensitivity to bright light; This is a spontaneous report from a contactable consumer, the patient. A 60-year-old non-pregnant female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot: EM9810), via an unspecified route of administration in the left arm on 06Feb2021 at 10:15 (at the age of 60-years-old) as a single dose for COVID-19 immunization. Medical history included hypertension (HTN), obstructive sleep apnoea (OSA), periodic limb movements of sleep (PLMS), arthritis, asthma, allergies to Band-aid adhesive, steristrips and lanolin. Prior to the vaccination, the patient was not diagnosed with COVID-19. Concomitant medications were not reported, but the patient did receive concomitant medications within 2 weeks of the vaccination. The patient previously received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot: EL3247) on 16Jan2021 at 16:30 (at the age of 60-years-old) in the left arm for COVID-19 immunization. The patient did not receive any other vaccinations within 4 weeks prior to the COVID-19 vaccination. On 07Feb2021 at 00:00, the patient experienced continued mild headache, eye strain and sensitivity to bright light. The patient was not treated for the events. Since the vaccination, the patient had not been tested for COVID-19. The clinical outcome of continued mild headache, eye strain and sensitivity to bright light was not resolved.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1070825	3/3/2021	CA	57	F	3/2/2021	3/3/2021	about 2pm today, which is about 24 hours from when I received my vaccination, I started seeing shadows and particles in my vision in my left eye. All the shadows and particles are showing up on the left side and top of my peripheral vision.... I'm not sure if it has anything to do with my covid vaccination, but this has never happened before. So I thought I should report it.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1070682	3/3/2021	SC	43	F	2/11/2021	2/11/2021	<p>Red flat itchy rash on torso, face, arms, legs; Red flat itchy rash on torso, face, arms, legs; facial swelling; eyes swollen; itchy throat; cotton mouth; Received first dose on 25Jan2021 and second dose on 11Feb2021; Received first dose on 25Jan2021 and second dose on 11Feb2021; This is a spontaneous report from a contactable Other Health Professional. A 43-year-old non-pregnant female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot number: EL9266), intramuscularly in Left arm on 11Feb2021 17:15 at single dose for covid-19 immunisation. Medical history included allergy to dairy products. Prior to vaccination, the patient was not diagnosed with COVID-19. The patient's concomitant medications were not reported. The patient previously took first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number: EL9262) at the age of 43 years old and Intramuscularly in Left arm on 25Jan2021 17:00 for COVID-19 immunization. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient experienced Red flat itchy rash on torso, face, arms, legs; facial swelling; eyes swollen; itchy throat; cotton mouth on 12Feb2021 12:00. The adverse event result in Doctor or other healthcare professional office/clinic visit and Emergency room/department or urgent care. Since the vaccination, the patient has been tested for COVID-19 via Nasal Swab on 02Feb2021 with result Negative. Therapeutic measures (reported as 'IV Epinephrine, Solumedrol, 'Pepcid', 'Benadryl', prednisone) were taken as a result of red flat itchy rash on torso, face, arms, legs, facial swelling, eyes swollen, itchy throat, cotton mouth. The outcome of the events was not recovered. This case reported as non-serious.; Sender's Comments: A causal association between BNT162B2 and the reported events cannot be excluded based on a compatible temporal relation and known safety profile of suspect drug. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1070675	3/3/2021	MO	69	F	1/28/2021	1/28/2021	she was sick for about 8 hours; Throwing up; Unable to keep anything down; Headache; Chills; Ringing in the ears; Hot flashes; Blood pressure went up; Was so dizzy if she moved her eyes she would nearly pass out; Was so dizzy if she moved her eyes she would nearly pass out; Very weak and tired; Very weak and tired; not feeling well; This is a spontaneous report from a contactable consumer (patient). A 69-year-old female patient received her first dose of bnt162b2 (BNT162B2 reported as PFIZER COVID VACCINE; lot number: EL3247; expiration date: unknown) at vaccination age of 69-year-old via an unspecified route of administration left arm on 28Jan2021 10:00 at a single dose for To keep from getting COVID (covid-19 immunization). The patient medical history was none. The patient's concomitant medications were not reported. The patient stated that she got the first vaccine the other day and within 12 hours (28Jan2021 22:00), she was not feeling well. At 8:30 the next morning (29Jan2021), she was sick for about 8 hours. She was throwing up, had a headache, chills, ringing in the ears, hot flashes, her blood pressure went up, she was unable to get anything down, not even medication [pending clarification]. She was so dizzy if she moved her eyes, she would nearly pass out. She could not move out of the chair for about 6-8 hours. The dizziness was severe and awful. She added only one ear is ringing really bad, the right ear. It is off and on and persisting. Her very weak and tired which was persistent. One hour it may be bad and the next she will be drained. The patient inquired if it is true since she heard the second dose is worse. She also wants to know if she should get the second dose or not. The received treatment for the adverse events was reported as none [pending clarification]. The patient underwent lab tests and procedures which included blood pressure (blood pressure measurement) was reported that her blood pressure went up and recovered on 29Jan2021, and weight was 175-180 pounds on an unspecified date. The outcome of the event feeling unwell was unknown, as for the events weakness, tiredness and ringing in ears were not recovered, while the outcome of the other events was recovered on 29Jan2021. Information about Lot/Batch number has been requested.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1070668	3/3/2021	MI	70	U	1/14/2021		<p>Like a rash reaction; it itches around my neck and on my face; It kind of comes and goes on my face; sometimes my face would be red and the next day it won't be there; I can still feel the itchiness around the eyes. They look like they are really dry; I can still feel the itchiness around the eyes. They look like they are really dry; Like a rash reaction; it itches around my neck and on my face; This is a spontaneous report from a contactable consumer. A 71-year-old patient of unspecified gender received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number: EL1283, expiry date was not reported), via an unspecified route of administration on 14Jan2021 at single dose for covid-19 immunization. Medical history included Plantar fasciitis on left foot, glaucoma, Allergy and thyroid (thyroid disorder-Taking Concomitant Product Euthyrox For Thyroid). Concomitant medications included levothyroxine sodium (EUTHYROX) 100 ug, bimatoprost (LUMIGAN) and dorzolamide hydrochloride, timolol maleate (DORZOLAMIDE/TIMOLOL [DORZOLAMIDE HYDROCHLORIDE;TIMOLOL MALEATE]) for glaucoma and cetirizine hydrochloride (ALLERTEC) for allergy. The patient experienced like a rash reaction; it itches around my neck and on my face, it kind of comes and goes on my face; sometimes my face would be red and the next day it won't be there. I can still feel the itchiness around the eyes. they look like they are really dry on unspecified date. Reporter stated "I had a Pfizer's vaccine (Unspecified Vaccine) almost 3 weeks ago, 14Jan2021, and I am having some; like a rash reaction and I don't know if it's from that or if it's something else, it itches around my neck and on my face. it is Pfizer BioNtech."It kind of comes and goes on my face, sometimes my face would be red and the next day it won't be there but I can still feel the itchiness around the eyes. They look like they are really dry." As treatment, the patient stated "Yes, I am using a cream not on my face; on my neck" Consumer stated, "Triamcinolone". Therapeutic measures were taken as a result of like a rash reaction; it itches around my neck and on my face. The outcome of the events was unknown.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1070650	3/3/2021	OH	67	M	2/28/2021	2/28/2021	Felt SOB, little headache. After getting home, felt more fatigued, tiredness, tingling in throat, eyelids appear darker. Biggest complaint is being tired and fatigued.
1070645	3/3/2021	NY	69	M	3/2/2021	3/2/2021	weakness, dehydration, blurred vision, myalgias
1070635	3/3/2021	GA	38	F	1/21/2021	1/21/2021	My right eye,lips and face had discomfort; My right eye,lips and face had discomfort; My right eye,lips and face had discomfort; I felt malaise for the rest of that day; right sided discomfort; This is a spontaneous report from a contactable nurse (patient). This 38-year-old female patient received dose 1 of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number EK9231) via an unspecified route of administration on 21Jan2021 at 14:00 (at the age of 38-years-old) as a single dose in the right arm for COVID-19 immunization. The patient did not have any medical history. The patient was not pregnant at the time of vaccination. Prior to the vaccine, the patient was not diagnosed with COVID-19. The patient did not have any allergies to medications, food, or other products. The patient reported taking unspecified concomitant medications. The patient did not receive any other vaccines within 4 weeks prior to the vaccine. On 21Jan2021 at 14:30 the patient experienced right sided discomfort. Her right eye, lips, and face had discomfort; not pain but a strange feeling. The patient also felt malaise for the rest of that day (21Jan2021) and the following day. The events were reported as non-serious. The patient was not hospitalized for the events. The patient did not receive any treatment for the events. The outcome of right sided discomfort, right eye, lips, and face discomfort, and malaise was recovered. It was also reported that since the vaccination the patient had not been tested for COVID-19. No follow-up attempts are needed. No further information is expected.
1070632	3/3/2021	CA	47	F	2/26/2021	2/28/2021	Tingling that started in distal extremities- bilaterally, then moved to thighs, upper legs, and arms the following day, and a day later, face and tongue Also has had momentary muscle "lag" or weakness in eyelids or legs



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1070715	3/3/2021	MN	35	F	2/16/2021	2/17/2021	<p>had tunnel vision ups on walking to bathroom and almost blacked out; had tunnel vision ups on walking to bathroom and almost blacked out; Achy and restless legs; Achy and restless legs; nauseous however did not allow self to vomit; headache; fatigue; rapid heart beat; low grade fever; chills; This is a spontaneous report from a contactable healthcare professional (patient). A 35-year-old female patient received second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; lot EM9809) via an unspecified route of administration on 16Feb2021 12:45 at single dose (left arm) for COVID-19 immunization. Medical history included hypothyroidism, and allergies: Sulfa. The patient was not pregnant. Concomitant medication included topiramate (TOPIMAX), metformin, levothyroxine, and phentermine. The patient received 1st dose of bnt162b2 for COVID-19 immunization on 26Jan2021, 12:45pm (lot EL9263). On 17Feb2021 03:30, the patient experienced achy and restless legs, nauseous however did not allow self to vomit, had tunnel vision ups on walking to bathroom and almost blacked out, headache, fatigue, rapid heart beat, low grade fever, and chills. The patient had no treatment for the events. The patient had no other vaccine in four weeks and had no covid prior vaccination. Patient was not covid tested post vaccination. Outcome of events was recovering.; Sender's Comments: A possible contribution role of the second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE) to the onset of Tunnel vision cannot be completely excluded due to temporal relationship. The case will be reassessed should additional information become available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1070968	3/3/2021	NH	74	M	2/11/2021	2/20/2021	Bell,s Palsy 02/27/2021 Shot given 02/11/2021 2/20 Start of very sore scalp, sore throat, left ear ache, stiff neck/knotted up muscles. No Fever. 2/25 Dr office, Rapid Covid test, Negative. PCR taken, result Negative. Rapid Strep test, Negative . Throat culture for other possible bacteria taken, result Negative. Diagnosis possible viral infection. No visible inflammation of the throat or inner ear. No Fever. 2/26 Dr office, Left outer ear reddened and swollen but no swelling of or reddening of the ear canal. Sharp pain in ear throughout the day 3-5 times per hour. Light headedness and occasional nausea. Sore throat, ear ache, very sore scalp, stiff neck/knotted up. Augmentin was prescribed to treat the inflamed outer ear. Diagnosis remained possible viral infection. No fever. 2/27 ER Entered ER because of swollen left eye, swollen lips and for CT scan for possible abscess near throat or ear. The CT scan was negative. Later in day lost use of left facial muscle and Bell's Palsy was diagnosed. Shingles was also thought to be an issue but characteristic blisters were not present on scalp, ears, face or other parts of the body. Valacyclovir HCL (Valtrex ) was prescribed for the Bell's Palsy and possible shingles. 2/28 Dr office, Reviewed ER findings and noted there was still no inflammation of the ear canal. Prescribed oxycodone if needed for pain.
1069581	3/3/2021	AK	35	M	2/24/2021	2/24/2021	Patient began feeling lightheaded shortly after the vaccine was administered. Reported mild blurred vision. Diphenhydramine given. Symptoms subsided within 20 minutes.
1069564	3/3/2021	OH	73	F	2/27/2021	2/27/2021	Moderna COVID-19 Vaccine EUA Very blurred vision in right eye. Could barely see. (If I had gone a far distance to get my shot, I would not have been able to drive home.) Lasted about 15 to 20 minutes.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1071208	3/3/2021	CA	45	F	3/3/2021	3/3/2021	Patient DOB 9/21/75 sustained witnessed tonic/clonic seizure like activity with loss of consciousness lasting <15 seconds with eyes "rolling back" and skin color change from normal for age/race to pale followed by bilateral upper extremity convulsions. Witnessed by monitoring area Registered Nurse. Hx: Seizures, last seizure secondary to codeine ingestion >1 y ago. Anxiety related to injections. Timeline: 1759- Vaccinated with Pfizer Lot # EN6199 1st dose 1805- adverse reaction occurred 1806- mental status: slow to respond, skin: pale/diaphoretic, VS: HR 51 (regular at the radial site), BP 80/palp, RR: 12, T: 36.8, Spo2 100% on RA 1807- 911 activated, placed in position of comfort. 1815- EMS arrived, EKG consistent with sinus bradycardia, HR 58, BP 150/130, RR 15, Spo2 100% on RA 1820- EMS placed patient on gurney. 1825- Departed via EMS gurney
1071197	3/3/2021	IL	28	F	2/25/2021	3/1/2021	can't get rid of muscle aches and headaches which affect eyes. feeling really tired and feeling achy all over.
1071040	3/3/2021	CA	68	F	2/26/2021	2/26/2021	Burning of the eyes, and stomach, along with nausea. BP's 142/46 (pulse 64), 155/60. Given juice and crackers.
1071028	3/3/2021	VA	56	F	2/27/2021	2/27/2021	Shortly after taking the vaccine, my left face and eye went numb. It returned to normal after around 24+ hours.
1071013	3/3/2021	WA	73	F	3/1/2021	3/1/2021	Swelling of arm from shoulder to elbow, skin hot to touch, soreness; Bad taste in mouth beginning approximately 5 minutes after shot administered and continued for two days; Vision changes: blurry vision and difficulty focusing; Fatigue and lack of appetite; Sharp pain in left arm pit;
1070804	3/3/2021	AZ	66	F	2/8/2021	2/11/2021	Sore throat, light sensitivity with my eyes, always tired (sleeping 10 hr nights and several naps a day), Headache, tongue and mouth sore
1070981	3/3/2021	OK	46	F	2/22/2021	3/1/2021	I could not go to sleep on Sunday night February 28th, after only a couple hours sleep I woke to watery eyes. Symptoms progressed throughout the day. I went to urgent care clinic on Tuesday, March 2nd and they sent me straight to ER and I was diagnosed with Bell's Palsy. I cannot shut one eye, tingling of face, mouth, and tongue. I was prescribed antibiotic and steroid.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1070813	3/3/2021	CO	42	F	3/2/2021	3/2/2021	anaphylaxis - throat tightness, hoarseness, coughing, trouble swallowing, nausea, dizziness, pallor, watery eyes, urinary incontinence, sense of impending doom
1070965	3/3/2021	CA	73	M	2/24/2021	2/24/2021	right sided embolic stroke, right retinal artery occlusion occurred 8 hours after vaccination, requiring hospitalization for 2 days, he is now left with right eye visual loss as the only sequelae to the stroke
1070918	3/3/2021	WI	37	M	3/3/2021	3/3/2021	I received my first dose of the Pfizer vaccine at about 4:05 or 4:10 PM today (Wed, Mar 3, 2021). Right away I had the following symptoms briefly: chills and blurred vision. Around 4:20 or so I left in my vehicle. Shortly after, I had a few chills. I needed to use the restroom and pulled into a gas station. After starting to go the bathroom, I quickly began to feel warm and my vision began to blur. The next thing I knew, I opened my eyes laying on the bathroom floor. I then left the restroom and headed to my vehicle where I noticed I had perspiration on my forehead and was really warm. Over the next hour or so I experienced chills frequently. They have since subsided.
1070863	3/3/2021	CA	48	F	3/3/2021	3/3/2021	after injection pt complained of dizziness and not feeling well. initial vital BP 66/52 HR 68 RR 15 spO2 97% RA. pt was in sitting position. became clammy, diaphoretic, blurred vision, and feeling worse and passed out. pt assisted to floor. MD called to bedside, 0.3 epi pen given to left thigh. no respirstory distress noted. fire and EMS on scene to transfer to ED. pt now a&ox4. VSS now.
1070849	3/3/2021	CA	55	F	3/3/2021	3/3/2021	vision changes Sent to Emergency dept for further observation
1070839	3/3/2021	AZ	66	F	2/11/2021	2/11/2021	Bad, strong chemical taste in mouth from approximately 10 minutes after vaccination for about 6 days after. Slight confusion from about 15 minutes after vaccination, lasting about 15 minutes. Second morning after vaccination woke up seeing a greenish tint to my vision. That cleared in about 5 minutes after drinking a cup of water. Besides these more unusual reactions, my vaccinated arm was sore for several days and I had a runny nose for about 30 -60 minutes on the 4th day afterward and some queasiness and upset stomach also for a day on the 4th day with some fatigue.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1070838	3/3/2021	CA	68	M	2/17/2021	2/22/2021	Numbness to left side of the face, drooping ness of left eye and eyebrow, not able to smile with left side, swelling of right side of the face.
1070913	3/3/2021	AZ	82	F	3/2/2021	3/2/2021	10:05 am Pt received vaccine and was seated in observation area. Pt alert, interacting with staff and other pts. 10:15am Pt appears asleep, rouses with touch and when spoken to. Observation area nurse notified, provided pt with bottle of water and helped her take a drink. Nurse then notified pharmacist who came to pt's side. Pt given 25 mg benadryl caplet. Able to swallow it, needed assistance for holding water bottle. Pt breathing regular, pulse regular and easily palpable. 10:25 Pt increasingly lethargic. Nurse and pharmacist with pt. Lips and tongue slowly swelling, responsiveness decreasing. Pharmacist called 911. 10:30am Pt's daughter administered epipen 30mg, L outer thigh. Swelling of lips and tongue quickly resolving. Pt lethargy increasing. Increasingly slow to open eyes and respond to questions. Pulse and breathing continue regular. EMS arrived on scene approx 10:35-10:40. BP 80/60, NSR, pulses palpable, pupils reactive, able to answer questions but slow to respond and weak voice. Pt transferred to Medical Center. In ER pt given IV solumedrol, IV fluids, CXR, EKG. Awake and oriented, arms shaking, weak, requires assistance to stand, intermittently drowsy. Admitted for observation. 3/3/21 pt preparing for discharge, BP extremely high. Pt given metoprolol, BP increased, tachycardia increased, pt very drowsy. Continued to monitor, given Lisinopril, bp decreasing. Pt feeling much stronger, alert, interacting with staff and daughter. Discharged home.
1070987	3/3/2021	MN	70	F	2/24/2021	2/24/2021	Headache with waviness in right eye peripheral vision. Resolved in an hour.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1069830	3/3/2021	MO	87	F	1/8/2021	1/25/2021	From CT Scan in ED at 7:40 pm on 1/25/2021 -- There is a large intraparenchymal hemorrhage with Surrounding vasogenic edema within the left occipital lobe. There is additional subdural hemorrhage layering along the left frontal, temporal and parietal convexity which may be decompressing from the area of intraparenchymal hematoma. No visualized intraventricular hemorrhage. There is some trace hemorrhage layering along the left tentorium cerebelli. Severe associated mass effect with left-to-right midline shift of 2.1 cm. There is subfalcine and downward transtentorial herniation with complete effacement of the basilar cisterns. Evaluation of the craniocervical junction is limited due to beam hardening artifact. Near-complete effacement of the left lateral ventricle. No head trauma or fall. Deceased 1/26/2021
1069983	3/3/2021	TX	39	M	2/26/2021	2/27/2021	Vaccine administered 2021-02-26. Blister cluster formed on right eyebrow near temple on 2021-02-27. Lymph node swelling/tenderness and further inflammation of blister site noted on 2021-02-28. Teledoc called on 2021-03-01, Bactrim DS and Mupirocin 2% ointment for diagnosis of impetigo. In-person appointment with Dr on 2021-03-03 for second opinion. Resulting diagnosis is shingles outbreak near right eye.
1069977	3/3/2021	CA	75	F	2/26/2021	3/1/2021	got a subconjunctival hemorrhage in right eye and blood pressure has been between 140-150/92-97 since 3/2/21
1069960	3/3/2021	TX	56	M	3/1/2021	3/1/2021	Pt stated when he left after his 15 minute observation he felt like he had a tickle in his throat. He got back to work within a few minutes and his eyes were bloodshot and watery. He began to feel hot and like he had to cough. Fire department was called and arrived within a few minutes and checked pt's B/P and did an EKG that was normal. Pt's B/P was more elevated than normal, "160 systolic over 100 something." Pt stated he took 2 extra amlodipine and worked the remainder of the day. That night he began to feel hot, muscle aches, no appetite, and no energy. The next day felt the same symptoms and stayed in his chair all day. On 3/3/2021 he was able to go to work but still had no energy.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1069954	3/3/2021	AR	59	F	1/12/2021	1/12/2021	It felt like I was shot with a shot gun in my left arm with immediate soreness and feverish for 4 or 5 days. I had 48 hours of body aching all over, stomach pain that lasted for 3 or 4 days that was intermittent. I had left side of the neck and left eye pain.
1069940	3/3/2021	CA	33	M	2/18/2021	2/22/2021	Developed iritis form of uveitis shortly after getting vaccine. Felt feverish and very fatigued and sore the day after the vaccine (3/19/21), which was unexpected as I am generally healthy and do not recall having an adverse reaction to a vaccine before. Noticed prominent symptoms of iritis by around 2/22/21, but they may have been occurring earlier as I did not know what was happening to me. Symptoms started off as occasional aching of my right eye, but it eventually got inflamed and extra sensitive to light, and I experienced worse redness and aching/pain and photosensitivity by 2/26/21 when I scheduled an appointment with an optometrist. Pain/sensitivity was intermittent from 2/26/21 to 3/1/21, but redness remained. On 3/1/21, my optometrist tentatively diagnosed me with mild iritis and referred me to an ophthalmologist. On 3/1/21, an ophthalmologist diagnosed me with iritis/anterior uveitis, and I began a treatment of prednisolone acetate 1% drops. thought my development of iritis may have been related to me getting my first dose of the Covid-19 Moderna vaccine shortly before getting symptoms. Hoping to recover within a few weeks. Have a follow-up appointment scheduled for 3/10/21.
1069577	3/3/2021		67	F	1/27/2021	2/1/2021	6 days after receiving the vaccine patient started having mouth problems, loss of taste and smell. Also had vision changes.
1069888	3/3/2021	MI	86	M	3/3/2021	3/3/2021	Nausea Dizziness Had slight seizure (lasted approximately 5 seconds- arms up and shaking, eyes closed, fell back in chair) Cold sweats (still nauseous 3 1/2 hours after injection, unable to keep anything down (including water)

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1069986	3/3/2021	AK	44	F	2/25/2021	2/25/2021	2/25/21 11:36 AM Patient states that her symptoms (swollen around left eye to her throat, right side of her face feels fine, tight through, light bumpy rash on her chin) increased over the last hour and now do not seem to be getting worse. She is able to breathe without difficulty. She will take 50 mg Benadryl and if symptoms progress she will go to the ER for further treatment and evaluation of an allergic reaction to COVID vaccine. She will call Dr. back later and may need note for work. 2/26 11:30 AM Received text message from patient. "I woke up with trouble breathing, hives on my neck and jaw and swollen face. Nausea and diarrhea. Trouble swallowing so I took Benadryl. Swelling went down on face but still tight in throat. . Dr. "instructed her to go to ER if symptoms worsen and told her I would check on her on Monday. I asked her if her symptoms were not changed, worse, or improved. She answered: "They got worse this am from 5 to 10 and feeling better now. As far as swelling and breathing feels better. 3/1 10:21 AM Dr. Spoke with patient 10:21 am. She states that she is feeling much better and no longer has difficulty breathing or feeling of throat tightness. She does still have nausea, with occasional vomiting, and diarrhea. She felt well enough to return to work today. 3/3 11:09 AM Dr. spoke with patient. She stated that she is finally feeling "back to normal". We discussed severity of side effects and recommendation to defer 2nd Pfizer vaccination. She stated that at one point she was "close to going to the ER".
1069855	3/3/2021		75	F	3/3/2021	3/3/2021	Patient complaint of tickle/ itchiness in throat and was anxious and jittery at 1253. Then she had generalized itchy fore head ,bilateral eyes, throat and ears. Vital signs within normal. Patient was placed in recumbent position and was given apple juice. Patient stated all symptoms resolved at1312 and was discharged home.
1069849	3/3/2021	NC	70	F	2/23/2021	2/23/2021	The patient vision started becoming blurry on the same side of the injection was taken. Vision blurry started an hour or two afterward. Following the vaccination, the next day, the vision was blurry up until Friday 02/26/2021. The patient vision cleared up later that night.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1069750	3/3/2021	MO	33	F	2/18/2021	2/28/2021	Injection started feeling sore and itchy with visual redness around site. Next day very swollen arm with extreme stabbing pain and numbness in fingers if left arm used. Second day swelling had reduced but redness had spread. Same on day three, redness spread. Started antibiotics on Day three of symptoms after doctor visit.
1069723	3/3/2021	ME	16	M	3/3/2021	3/3/2021	Given history of anxiety around needles, visual aura, paleness after episode, and quick recovery to baseline presentation most consistent with syncope with myoclonus. Seizure less likely given that this is different than his typical semiology and he has been well controlled on his current AED regimen. Discussed with the Neurology attending of the week who was in agreement. Point of care blood glucose was found to be 111. Per neurology recommendations, Trileptal level was drawn. Patient was observed for 1hr and remained at baseline with no additional events concerning for seizure. Patient and mother were informed about vasovagal syncope and instructed on precautionary measures to take with future shots. Given return precautions.
1069715	3/3/2021	IL	73	F	2/26/2021	2/27/2021	Headaches that have continued to get worse and have become like visual migraines. Have only been happening once a day but the lingering headache and weakness in body continues through the day. With lots of fatigue.
1069639	3/3/2021		71	F	2/14/2021	2/14/2021	Patient is allergic to shellfish. Throat and eyelid swelling occurred 1 hr post vaccination. Also had difficulty swallowing. Patient took Benadryl but did not feel better so went to the ED. Was observed for 3 hours and symptoms improved. Received more Benadryl in the ED as well as Solumedrol and Xopenex.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1069593	3/3/2021	AZ	63	F	2/1/2021	2/2/2021	COVID shots Shot Feb 1, 2021 Day one of shot fatigue Day two of shot thigh cramps Day three of shot nausea Day four of shot back and joint pain Day five of shot sick feeling aching all over. Muscle and joint pain and fatigue. Chest pressure, cough, Hoarse voice Day six of shot headache fatigue pain through right eye. 2/5Temp 96.6, 98.6, 1:00pm SPO% 93% Resting heart rate 90 6:30pm SPO% 89%-91% Resting heart rate 102 Tylenol 100 mg 9:00am, 3:30pm TEMP 4:30pm 99.7* Symptoms of the freezing chest and cough as well as headache and feeling poorly kept rising several times a week. Covid 3/1/21 Covid symptoms return just like after Covid 19 1st vaccine. Body aches, joint pain, Chest pain, muscle aches, frozen feeling in lungs, cough, abdominal pain, eye ache, headache and fever. Temp 95.5 SPO 89% - 94% Resting heart rate 92 - 95 (After Covid shot 89% SPO, RHR 105, temp 99.7) 12:25pm temp 99 2/2/21 Feeling a little better. Still fatigue and ill feelings. At nighttime cough comes back with freezing lung feeling. Also started and body aches and joint stiffness. Went to bed took ibuprofen. 2/3/21 Still feeling ill . Woke with productive cough a little looser. Headache fatigue just feeling crummy.
1070561	3/3/2021	FL	73	M	2/23/2021	2/25/2021	Burning sensation throughout body. Some tightness in throat difficult swallowing at times. Feel like my Blood is boiling. Watery eyes some. burning feeling not going away.
1070934	3/3/2021	TN	48	F	3/1/2021	3/2/2021	Sneezing; swollen, itchy eyes; swollen throat, difficulty swallowing, rash
1069865	3/3/2021	VA	81	F	2/12/2021	2/12/2021	Dizziness, lightheadedness, wheezing, chills, headache, body aches, sore arm - 6 to 8 hours Arm swelling, hard lump, redness near injection site - began on day February 15. Hardness lasted five days, redness lasted 13 days Sleep disturbances - difficulty getting to sleep, waking in middle of night with feeling of disorientation - began on February 15 and lasted for four nights. Eye pain with feeling of object in eye and red, itchy eyelids. Began February 17 and recurred intermittently for six days.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1070490	3/3/2021	NJ	89	F	1/7/2021	1/31/2021	Did not open eyes (Unresponsive); Not speaking; Fever; Positive COVID Test; UTI; A spontaneous report was received from a consumer concerning an 89-year-old female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced the following: did not open eyes (unresponsive)/unresponsive to stimuli, UTI (urinary tract infection), positive COVID test/SARS-CoV-2 test positive, fever (pyrexia) and not speaking (dysphasia). The patient's medical history included Parkinson's Disease. On 19-FEB-2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (lot/batch:unknown) intramuscularly for prophylaxis of COVID-19 infection. Treatment included antibiotics, remdesivir IV (intravenous) and rehabilitation. Action taken with mRNA-1273 in response to the events was not reported. At the time of this report, the outcome of the events did not open eyes (unresponsive), UTI, positive COVID test, fever, and not speaking was unknown.; Reporter's Comments: This case concerns an 89-year-old female who experienced serious unexpected events of COVID-19, pyrexia, urinary tract infection, aphasia, unresponsive to stimuli. The events occurred 25 days after the first dose of mRNA-1273. Treated with antibiotics and IV remdesivir. Event outcomes unknown. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.
1070556	3/3/2021	AL	84	F	2/19/2021	2/20/2021	02/20/2021 at 6:30am when getting up, dizziness, nausea, vomiting, fainted, fell and hurt back. 9:00am when getting up a second time, again - dizziness, nausea, fainting , falling and hitting head in bathroom. During day , hematoma over left eye, swelling, no Headache, no blurred vision, back pain increased. Treated with heat.
1070546	3/3/2021	NE	26	M	3/3/2021	3/3/2021	Immediate burning in both arms. Unable to hold a pencil to fill out card after receiving vaccine. Weakness in upper extremities. Tingling, pain and numbness in both arms, red streaks appeared on the left arm going further up on to the shoulder, the were visible and painful for about 90 mins. Sweating. Nausea. Blurred vision. Loss of consciousness. Headache behind the eyes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1069806	3/3/2021	OR	41	F	2/18/2021	2/21/2021	Patient received her second covid 19 vaccine on the 18th of February - about four hours after she developed some soreness, fatigue and had a hard time moving her arm. Continued for a couple of days. Sunday 2/21 patient woke up without taste and her tongue was numb. That evening she began having some neck pain, below her ear, she massaged and didn't help all that well. At around 3 am that night, the pain was entirely on the right side of her neck and face, she took ibuprofen which mildly helped at night it was the entire neck. Monday 2/22 patient massaged area and it helped a little. She continued to have pain Tuesday 2/23 - Around 9am that morning patient noticed right sided facial drooping and her tongue was not working properly. She also noticed that her eye would not respond like her left eye. It was sluggish. When she went to brush her teeth, she noticed that the water would not stay in her mouth and it came out. At around 7pm that evening she went to the emergency room
1069994	3/3/2021	LA	53	F	3/2/2021	3/2/2021	Body aches, fatigue, mild headache, eyes hurt. Feel feverish but have no fever
1070543	3/3/2021	NY	38	F	2/2/2021	2/3/2021	2/2/2021 vaccination 2/3/2021 24 hours later, I was getting really fatigue at work. Got to the point where hard time keeping eyes open, muscle stiffness, HA, chills, temp 100.5 was the highest. 3 days i felt run down, terrible body aches, HA. *other symptoms have subsided EXCEPT the HA. I wake up daily with HA. I try to alternate between Excedrin, Tylenol and hot compress. **1st vaccine; 'Covid arm'
1070538	3/3/2021	MP	33	F	1/11/2021	1/11/2021	I started feeling sick 7 hrs after the vaccine I developed chills, fevers, fatigue. My fever went up to 102.9, my eyes started to swell, I felt congestion. I went to the ER on 1/11/2021 at around 11pm they gave me medications. The next day I also had diarrhea. The fevers resolved by the following day the body aches & the chills lasted for 1 week & the diarrhea lasted for 1 day. Fatigue is still going on & off it has not completely resolved.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1070491	3/3/2021	TX		F	12/31/2020	12/31/2020	difficulty breathing; vision issues; cloudy and fogginess; vomiting; While in the hospital she was stated to have been on 100% oxygen, couldn't breathe at all; A spontaneous report was received from a 50-year-old female patient. The patient's medical history included Lupus, and COPD. Products known to have been used by the patient, within two weeks prior to the event, included Salbutamol Sulfate, Alprazolam, Lisinopril, Ezetimibe, and Pantoprazole Sodium Sesquihydrate. On 31 Dec-2020, prior to the onset of events, the patient received the first of two planned doses of mRNA-1273 (Lot unknown) by injection (site not provided) for prophylaxis of COVID-19 infection. On 31-Dec-2020, the patient developed difficulty breathing, vision became cloudy/foggy and vomiting. The patient spent New Year's day in the hospital (admission and discharge date and times were not provided), she was treated with 100% Oxygen, Zofran and Morphine. The patient also had nine symptoms while she was in the hospital however details were not reported. Action taken with mRNA-1273 in response to the events was unknown. The outcome of the events were unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1070488	3/3/2021	WI	71	F	2/4/2021	2/13/2021	Bell's Palsy; A spontaneous report was received from a Consumer regarding his wife who received the first dose of Moderna Covid-19 vaccine and have experienced Bell's palsy. The patient's medical history was not provided. Her concomitant medication is thyroxine. No information on allergies. On 04-FEB-2021, prior to the onset of events, the patient received first of two planned doses of Covid-19 vaccine intramuscularly for the prophylaxis of Covid-19 infection. On 11-FEB-2021, patient noticed excessive watering from her right eye, next day on 12-FEB-2021, she felt jaw pain on right side of her mouth and her lip began to droop. On13-FEB-2021, patient was taken to ER where she was diagnosed with Bell's Palsy. She was treated with antivirals and steroids. She is recovering, but still side effects are present. Action taken with the 2nd dose of vaccine was not reported. The outcome of the event Bell's Palsy is still recovering at the time of report.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. Very limited information regarding this event has been provided at this time.
1070068	3/3/2021	CA	68	F	1/30/2021	2/2/2021	Bell's Palsy per emergency department. Per ED note: "She states initially she had some sore left arm that got very sore by Saturday night but then she awakened with facial numbness on Sunday she describes it as an inflamed feeling as if she is seen at at the dentist initially started on the right then went to the left by Sunday night she had bilateral facial numbness and today however it is only on the left side. She describes difficulty closing her left eye by last night and difficulty drinking and she drools." Treated with Prednisone .
1070025	3/3/2021	NJ	66	M	2/28/2021	3/1/2021	Cold-like symptoms: slight fever, headache, watery eyes, sore body.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1070000	3/3/2021	NJ	63	F	2/27/2021	3/3/2021	4 days after getting the vaccine feeling extremely tired in the afternoon and like I was zoning out, and have had that feeling when my blood pressure has spiked before, but this was even worse--could barely keep my eyes open and felt weird, so measured my BP, and it initially read 190/151 which could not be right, but I know it was high. I took it again a little while after, and it was down to 140/90, but usually is not that high when I've taken my full medication in the morning, which I did. I then took my Spironolactone. BP was high for about an hour and then came down. Don't know if it's related to the vaccine, but I haven't had it spike in quite a while, especially if I have taken my full amount of Losartan (which is 50mg), and while it may not have been 190, I know it was higher than it's ever spiked because I felt worse, and I can always feel when my BP goes up. (There are days when my BP is too low to take the full pill, so I take half, but this day, I had taken the full pill.) So, as I said, not sure if it's related to the vaccine or not, but was the worst I felt during a BP spike and lasted longer than ever did as well, but then came down without having to take any more medication except the Spironolactone, but it had come down a bit before that kicked in.
1070062	3/3/2021	WA	54	F	3/2/2021	3/2/2021	Rash, hives, swelling face, mouth tongue, nose, ears, eyes. Beet red face. Blood pressure normally low 110/70 but went from 166/86 at 1333 HR 80 O2 100%, then BP 163/88 at 1404 HR 74 O2 100%, then at 1409 HR 68 BP 175/110 RR24 O2 100% 1405 - 911 called took benadryll at 1330 (25 mg) then again 1349 took 2nd dose of benadryll 25 mg liquid capsules. PT has adverse reactions to epinephrine. 1412 tongue swelling. by 330 pm patient went home prepared to go to ER if anything changed. She walked around in cool air and had hives move around her body. Not shot in upper right arm. It was tasted during injection. Then after the shot reactions kicked in at 20 minutes moving up the right side primarily same as shot side. Arms, chest, and face flush off and on. Swelling moved around.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1070012	3/3/2021	FL	66	F	2/25/2021	2/25/2021	vaccine administration was perfect. About 1700 a severe pain started in the left mastiod bone. I tried Excedrin Migraine and massage, I applied cold and hot compresses to no avail, pain fluctuated, tried to sleep, pain became worse and more consistent; pain became less frequent Saturday and Sunday morning there was a noticeable difference in the sides of my face. Monday my eye wouldnt close properly and the left side of my mouth would not open so I went to the Urgent Care for treatment
1070060	3/3/2021	TX	67	M	2/27/2021	2/27/2021	shorten of breath burining eyes heachache chest pain throwing up
1070046	3/3/2021	PA	39	F	3/3/2021	3/3/2021	As I was driving home from vaccine I first noticed blurry vision, then extreme dizziness. My hands were trembling and heart started racing. A sensation like I was going to pass out came over my body. I never did pass out. All symptoms subsided within 20 minutes except the dizziness.... that persisted for about 1.5 hours . EXTREME dizziness. Tingly lips 8 hours later.
1070063	3/3/2021	CA	40	F	2/26/2021	2/26/2021	Dizzy Friday when given shot, Chills and fever Friday night, upset stomach, headache, low grade fever on Saturday, upset stomach, headache, lowgrade fever on Sunday, Swollen lymph nodes, rash on chest/shoulders/upper back and chills Monday, Rash spread to torso, arms, legs and neck, eyes burned and left ear hurt, chills, fever was 104, resting hear rate was 120 bpm



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1070537	3/3/2021	MO	49	M	3/2/2021	3/2/2021	Administered Moderna vaccination at 1746 and patient stated that he has experienced vagal responses to injections in the past. Patient remained in the vaccination chair for 5 minutes after injection and he reported feeling well and moved to the observation chair without any problems [~10ft]. After being the observation chair patient stood up and took 4-5 steps toward the wall and sat down on the floor. The patient stated he felt dizzy and then became limp & slumped to the right side, eyes remained open with dilation of pupil fixed at 2mm with no blinking noted. Patient's breathing pattern became shallow & snoring sounds noted. Patient did not respond when spoken to nor did he respond to soft shaking of shoulders. Patient began to demonstrate large jerky body movements similar to seizure activity. The seizure like activity continued for 3-4 minutes before the patient was able to become aware of surroundings and answer orientation questions. BP 120/72, HR 64, O2 sats 99%, RR 20. Patient was diaphoretic, pale, shaking of hands and arms, restlessness of lower limbs with frequent repositioning/twitching of legs. EMS arrived to find the patient regaining stability. Patient reported to EMS that his is familiar with this type of response and declined to be taken to
1070024	3/3/2021	MS	69	F	1/25/2021	2/9/2021	After 2nd dose, malaise day after shot. No fever. No trouble breathing. No loss of vision. Did have 2nd cataract surgery between 1st and 2nd dose. Developed numbness on left side toward eye on or about 2 week prior to 2nd dose (on 2/29/21). Additional numbing sensation started across the face (around the mouth and across the eye area) the night after the 2nd dose. Still there. Doesn't seem to have worsened or improved at the time of this report. Had eye Dr. appointment today (3/3/21) and he stated he didn't have any answers as to why this was occurring. Patient didn't report until today thinking it was related to eye surgeries. 1st dose 1/25/2021 2nd dose 2/22/21

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1066201	3/2/2021	FL	69	F	2/24/2021	2/24/2021	About one hour post inoculation my speech became jibberish. Cognitively, I could organize my thoughts and knew exactly what I wanted to express to my husband and our waitress, but when I opened my mouth to speak, only jibberish came out. I couldn't say anything meaningful. It lasted about 2+ hours and hasn't reoccured. That night when I went to bed I was extremely light sensitive. We had the usual degree of light in our bedroom but with my eyes closed it felt like all the overhead lights in the room were on. I had to block out the alarm clock, but that was the only adjustment that could be made. Drapes were closed and no other lights of any kind were on. That was bothersome for the first couple of nights. I'm still having a difficult time falling asleep when I go to bed and staying asleep all night. My "fight or flight" response is highly charged.
1066183	3/2/2021	CA	61	F	2/12/2021	2/13/2021	Moderate fatigue - unresolved mild headache - unresolved diarrhea - resolved 2/19/2021 joint pain - resolved 2/22/21 increased blood pressure - resolved 2/19/2021 swollen eye lids and upper checks - resolved 2/22/2021
1066176	3/2/2021	WI	52	F	2/17/2021	2/18/2021	Covid Arm. Hard painful lump turning into a very large painful lump with itchy rash and now 2 weeks later it looks like a bull's eye with red outer itchy rash ring

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1066166	3/2/2021	NE	80	M	2/12/2021	3/1/2021	Patient is an 80-year-old male that is admitted for observation status for recent TIA symptoms and bradycardia. He was seen in the emergency room this morning at approximately for complaints of posterior head and neck pressure, right arm numbness and tingling as well as a mild blurry vision in his right eye. Patient states that the symptoms from the right arm and eye blurriness lasted less than 1 hour. And has completely resolved at this time. Patient states that he still does have some posterior neck tightness. But most of this is on the left side at this point. Patient denies any increase in physical activity that he could attribute to the onset of the neck pain. Patient states that it does feel tight when he turns his head from side to side. Patient states that he no longer has a headache. He does have a history of a possible mini stroke approximately 10 years ago. He has had no other recent cardiac problems, or any other strokelike symptoms since that time. Patient takes medications for his cholesterol and a baby aspirin daily. Patient is fairly active and continues to drive a semi-5 days a week. TIA Neurochecks every 4 hours Carotid Dopplers 3/2 Bradycardia Echocardiogram 3/2 Last echo 1/4/2019, EF 60% Discharged home 3/2/21.
1066109	3/2/2021	NC	41	M	2/25/2021	2/25/2021	Patient received first dose of Moderna covid-19 vaccine and went to the 15 minute monitoring area. Per the ED notes patient felt dizzy and developed tunnel vision prior to the patient passing out 15 minutes after getting the vaccine. Similar episodes in the past due to fear of needles. Patient was on floor and rapid response called, patient taken to the ED for evaluation and was discharged in stable condition with vasovagal syncope.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1066102	3/2/2021	NY	44	F	3/1/2021	3/1/2021	0911: 20 minutes post-vaccination patient reported feeling "short of breath" , "throat starting to swell" and "chest heaviness". Upon assessment patient is pale, tachypneic, wheezes noted in bilateral upper lobes, alert and oriented x3, No visual rash or angioedema. BP 160/100, O2 98% RA, HR 91. Patient reported history of anaphylaxis to "allergy shot at age 17" but has since had vaccines with no reactions. 0912: 911 called for ambulance/medical transport 0915: 50 mg Benadryl administered IM left deltoid 9:20: 0.5mg Epinephrine administered IM left deltoid 9:22: patient transported via ambulance to St.Marys Healthcare Emergency Department Amsterdam NY.
1066238	3/2/2021			F	2/14/2021	2/16/2021	Uveitis; pain around my left eye and the eye ball; eye ball was also red; Sore arm; A spontaneous report (United States) was received from a consumer who was also a 69-year old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced a sore arm, pain around her left eye and eye ball, eye red, and uveitis. The patient's medical history was not reported. Products known to have been used by the patient, within two weeks prior to the event, included lisinopril, escitalopram oxalate and omeprazole. On 14 Feb 2021, the patient received their first of two planned doses of mRNA-1273 (lot/batch: 006M20A) intramuscularly in the left arm shoulder deltoid muscle for prophylaxis of COVID-19 infection. On date 16 Feb 2021, the patient had a sore arm, pain around her left eye and eye ball and eye was red. The patient experienced a condition called uveitis. Treatment for the event included Pred-Forte eye drops. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the events is unknown.; Reporter's Comments: Very limited information regarding the events has been provided at this time. Further information has been requested.
1066370	3/2/2021	NY	84	M	2/26/2021	3/1/2021	Acute onset blurred vision OS secondary to new onset iritis OS; just initiated steroid

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1066066	3/2/2021	MI	41	F	3/1/2021	3/1/2021	pt stated that soon after she received the covid vax she felt like the back of her neck was on fire. She was flushed and itching. When she scratched her skin it would turn into a hive. Her eyes were swollen and looked bruised. She tried to eat a cracker but was not able to swallow. She became nauseous and winded. She went to the ER. Her entire back was red and inflamed. They administered Benadryl. Pt was released and to FU w/ PCP. That night she had some chills and fatigue. When she got up today 3/2/2021 she was super itchy, not able to swallow food and had diarrhea for two hours. She had a virtual appt w/ doctor and was referred to see her PCP. She made an appt w/ PCP. Her Dr. wrote her a RX for prednisone. Told her to take Benadryl as well and to stay off work for a couple of days.
1066036	3/2/2021	PA	38	F	2/22/2021	2/22/2021	About 3 hours after receiving the vaccine I started to have a headache that would go from the base of head on the right side, up the right side of my head to the back of my right eye. This lasted for 5 days. I had tried tylenol, ibuprofen, and advil with no relief. On day 4 I woke up with an additional symptom of nausea. I went to Urgent care where they tested me for Covid which came back negative and suggested this was side effects from the vaccine. The nausea lasted until the 7th day post vaccine.
1066053	3/2/2021	GA	59	M	2/18/2021	2/18/2021	Onset 2/18/21 evening (after receiving vaccination during the afternoon). Started with "tingling" in face, progressed to Right-side Facial drooping, increase salivation. Lose of sensation to left side of tongue and nostril (numbness). Decreased muscle tone to left eye (can't close completely). Blurry vision bilaterally. Possible Bell's Palsy ??? Facial drooping still mildly present as of 3/2/21.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1066103	3/2/2021	NH	44	F	1/26/2021	2/1/2021	Legs were weak starting 12-14 hours after shot. I thought that was related to long walks (longer than usual). The leg weakness never truly subsided. Also, low grade fever almost 24 hours after shot. 2/1/2021 at bedtime I had a very serious calve cramp that lasted 5-7 minutes. 2/2/2021 around 3 am I had a thumb spasm that lasted over 4 hours. Since then I have had muscle spasms (all over my body including chest, eyes & belly). I also have joint weakness and numbness that sometime is on one side of my body (face, leg, arm & eye). I also have lower back discomfort every time I bend over.
1066248	3/2/2021	AL	37	F	2/15/2021	2/17/2021	On 2/17 woke up with 102.3 fever, tongue, lips, eyes swollen, inside mouth/throat irritated, injection site red and swollen, tingling down left arm extreme fatigue. Increased Blood Pressure and Heart rate
1066264	3/2/2021	VT	91	F	2/10/2021	2/27/2021	Started with slight itchy rash on Feb 27 on right side of face. Became more itchy and spread on Feb 28. Face swollen to almost eye shut by Mar 1, very itchy and weepy. Rash also visible on neck and front of torso. Visited doctors office on Mar 1 at 1:00pm. Received prescription for Prednizone 20mg, to be taken over 10 days. Seems to be working, swelling is down and not as severely itching. Still very visable and dry crust forming on face.
1066277	3/2/2021	CO	78	M	1/8/2021	1/12/2021	1/8 vaccination *1-8-1/11 I felt fine 1/12 7am, when i woke up my eye was goopy, sticky, L eye. I could not blink. I noticed more problems later in the day; my mouth wasn't working properly (couldn't eat properly). I tried to call and make appt with PCP. Informed to go smile in front of mirror, my smile was sagging on L side. Informed to call 911. TX to hospital, for possible stroke. Dr. ran tests Dr. audio / visual consult *diagnosed with Bells Palsy 1/21 started to feel better **2/5/2021 2nd vaccination

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1066278	3/2/2021	MO	55	F	2/19/2021	2/19/2021	Per patient's report: She received her first dose of Pfizer COVID-19 vaccine and developed soreness at localized injection site and felt sleepy, otherwise no adverse reaction signs or symptoms patient reported. On 2-19-21 at 2:30 PM she received her second dose of the Pfizer COVID-19 vaccine at a mall. She reports the lot number of the vaccine was EL9269. She was monitored for 15 minutes after receiving the second dose. She and her husband left and took the car to a car wash where she fell asleep on her way home and her husband woke her up when they got home. At about 320 or 3:25 PM, she noticed that her face felt puffy and she had a sensation that her face was sliding down, she developed tongue swelling, blurry vision, dizziness, and she reports that she was talking funny/slurring her words. Her husband got a flashlight and looked in her throat and said that her throat was swelling. She felt like falling asleep. Her husband used her EpiPen on her. The EpiPen worked right away to improve the symptoms. She took no other treatments at home. Her husband drove her to the hospital where she slept the entire way. She never developed rash, flushing, skin itching, wheezing, coughing, chest tightness, shortness of breath, nausea, vomiting, diarrhea, fevers, chills, or joint pains. She does not know if she passed out, she states it was hard to stay awake. She reports having some abdominal cramping and churning for the following 2 to 3 days afterwards. She was discharged from the hospital ED where she was never admitted. They gave her an albuterol inhaler to use every 4 hours for 6 days after she left the ED. She went home at about 10:00 PM and went to bed about 10:30 PM. She woke up at 3:00 AM crying and then fell back asleep and woke up again around 7:30 AM. She did not develop any local injection site reactions on her arm this time.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1066284	3/2/2021	WA	68	F	2/26/2021	2/26/2021	In the clinic, patient received second dose of Moderna vaccine at 1630. At 16:40 c/o difficulty breathing, feeling light headed, tingling lips, eyes puffy. BP 187/77, HR 84, O2 Sat=84. Rapid Response Team (RRT) activated, patient took Benadryl 25mg PO, symptoms not improving, transported to the ED via stretcher with the RRT. In the ED, patient presented afebrile, hemodynamically stable, no acute distress. Physical exam overall unrevealing. No apparent hives, facial swelling, oropharyngeal swelling or wheeze. Patient stated the symptoms feel significantly better. Patient given 25 mg Benadryl and 20 mg famotidine via IV. Observed in the emergency department for almost 3 hours. No resurgence of symptoms, no rash, no wheeze, no nausea or vomiting. Patient discharged home, advised to take another dose of Benadryl later at night, and reevaluate symptoms in the morning. Advised to follow-up promptly with primary care. Strict return precautions given.
1066309	3/2/2021	VA	56	F	2/9/2021	2/14/2021	On February 14, five days after second Covid shot, patient woke up with ulcer in corner of left eye and growing pain in eye itself. Eye was watering and red and very painful. Symptoms persisted. On February 24, patient went to Urgent Care who found ulcerations on cornea and referred to ophthalmologist, Dr., who suspected herpes sores, perhaps due to an immune system reaction to the second Covid shot. Treated with eye drops (Moxifloxacin, 0.5% 4 times daily), and oral antiviral (Valacyclovir HCL, 500 mg 2 tablets three times daily). Eye is MUCH improved, but the ulceration has not entirely disappeared. It is to be hoped that completing the Moxifloxacin and Valcyclovir regimen will completely clear the damage, but there is some concern that there may be permanent scarring. A fourth examination is scheduled for March 10.
1066364	3/2/2021	MD	38	F	3/2/2021	3/2/2021	pt reported feeling heavy, unsure and staff noticed poss swelling of her eyes. escorted pt to first aid area. took pt vital signs, medical history, assessed pt, encouraged pt to stay 30 minutes for further monitoring; encouraged pt to call her dr when she goes home if she does not feel well. pt denied symptoms of anaphylaxis-no sob, itching, nausea, hives



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1066374	3/2/2021	NJ	49	F	2/26/2021	2/27/2021	rapid heartbeat since 2/27 and still on-going, on 2/27 increase blood pressure to 150/100 and is still elevated since then, on 2/27 shortness of breath and still on-going feel winded if talking for long period of time or walking up stairs, on 2/27 feeling of heaviness in chest and still on-going, on 3/1 experienced dull headache on left temple above eye for 6 hours which subsided after taking Tylenol (2 pills/6 hours)
1066380	3/2/2021	CA	72	F	2/24/2021	2/26/2021	In morning on Feb 26th, blood pressure 105, at 1pm standing up dizzy ,almost passing out. following two days slight headache and slight nausea .noticed slight swelling of eyelids
1065995	3/2/2021	AL	52	F	3/2/2021	3/2/2021	Patient received covid vaccine and experienced flushing immediately post vaccination and about 20 minutes after vaccination had onset of headache. Felt like a band was wrapping around right side of head, pressure over right eye, and numbness/tingling of right eye noted. No loss of vision noted, no facial drooping noted. Complained of numbness and dryness of right eye continuing at least 30 minutes after vaccination. Noted it started to burn or itch 30 minutes after vaccination.
1065168	3/2/2021	NJ	72	F	2/20/2021	2/27/2021	headache. right arm hard red swollen from shoulder to elbow painful fatigue neuralgia pains right eyelid swollen with chalazia
1066411	3/2/2021		71	F	3/2/2021	3/2/2021	Patient was feeling slightly dizzy after receiving her vaccine. Patient said that her vision was hazy and she was feeling slightly nauseous. Patient said that she had a history of stomach problems and indigestion. Her blood pressure was 160/101 but she did not know what it normally ran. Patient felt better after sitting for while and her vision returned to normal.
1066341	3/2/2021		80	M	2/16/2021	2/17/2021	Patient woke up in the morning to swelling of the entire face, around the eyes as well. Was given a dose of Benadryl and a cool compress to face and eyes. Swelling subsided and face returned to normal.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1065695	3/2/2021	GA	55	F	2/26/2021	2/27/2021	Hives that started when I woke up one day after shot. Started as bullseye type hives about 2 inches in diameter on my knees and thighs, and one on my eyelid. Hives spread out and started to join together into generalized swelling over 75% of my body. Started on legs, moved to arms, hands, neck, face, mouth, and back, in that order. Lots of heat, redness, and mild itching.
1066554	3/2/2021	MA	45	F	1/8/2021	1/11/2021	A few days after the same ecema type rash appeared again over both eyelids but was severely worse this time. I also had itchiness, redness and soreness at the injection site which lasted about a week after and I was administered the steroid cream again which made the rash disappear after about a week
1066444	3/2/2021	MI	78	F	2/17/2021	2/18/2021	12 hours after 1st covid vaccine she began having swelling of the left side of her face, cheek, eyelid. She also noticed tender lymph nodes in her neck on the left side. Denied any recent illness, no rash/hives. Denies problems breathing, no swelling of tongue. Seen on 2/25/21 at PCP office. Assessment by Dr. on 2/25: "mild residual soft tissue swelling noted in the cheek laterally and into the chin and skin above the left eye. There is tenderness to palpation along the left side of her neck with mild fullness of the lymph nodes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1065082	3/2/2021	NM	56	M	1/28/2021	1/28/2021	Anaphylactic reaction; A spontaneous report was received from a physician concerning a 56-year-old, male patient, who received their first of two planned doses of mRNA-1273, and who developed anaphylactic reaction. The patient's medical history included blindness and severe allergies to shellfish. Products known to have been used by the patient, within two weeks prior to the event, included Losartan and Melatonin. On 28 JAN 2021, approximately 15 minutes prior to the onset of the symptoms, the patient received their first of two planned doses of mRNA-1273 (Batch number: 032L20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. Patient's wife called to indicate that her husband had an anaphylactic reaction to the mRNA-1273 vaccine. Patient received the vaccine on 28 JAN 2021 in his left arm. Patient's wife indicated that her husband texted her at 3.21 pm to let her know that he has gotten the shot, indicating that he must have received it around 3.19 pm. Patient's wife indicated that around 3.34 pm, patient said he'd had an anaphylactic reaction, that he had administered a shot of epinephrine and that an ambulance was on its way. The patient's wife noted that the reaction happened within 15 minutes or so. Once in the hospital, the patient was administered Pepcid and Steroid orally. Additional treatment medication for the event included the previously epinephrine and a shot of Benadryl. Action taken with mRNA-1273 in response to the event(s) was not provided/unknown. The outcome of the event was unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the onset date of the event, a causal relationship cannot be excluded. Patient's significant medical history included severe allergies to shellfish.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1065083	3/2/2021	CO	55	F	1/12/2021	2/11/2021	terrible time finishing sentences/such a hard time communicating; brain fog; Dizziness/remained dizzy for several hours/the room was spinning; shaking literally; congestion; Cough; my major joints (hip, knee, wrist, elbow, shoulder) were on fire; She felt she was going to die; vomited 2-3 hours; head felt on fire, when laying on her left side she could feel on the top of her head the pain move to the left side,type of pain in patient's head far more severe than any migraine patient's ever had; when lying down patient's head felt on fi; fatigued so badly; 103 fever for 2 days; swelling of the tongue; couldn't walk/could only crawl; when moving to the right side, she felt liquid in her brain pouring to that side,like an epilepsy attack in a smaller scale; unbelievable pain; debilitated; pain behind her eye so sharp as if her eye would come out; her body was cramped; A spontaneous report was received from a consumer who was also a 55 years old, female patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and who experienced swelling of the tongue/ Swollen tongue; dizziness/ Dizziness; 103 fever for 2 days/ Pyrexia; shaking literally/ Tremor; like an epilepsy attack in a smaller scale/ Feeling abnormal; fatigued so badly/ Fatigue; patient's body was cramped/ Muscle spasms; couldn't walk/ Gait inability; debilitated/ Asthenia; could only crawl/ Gait inability; vomited two to three hours/ Vomiting; pain behind patient's eye so sharp as if patient's eye would come out/ Eye pain; unbelievable pain/ Pain; type of pain in patient's head far more severe than any migraine patient's ever had; when lying down patient's head felt on fire, when laying on patient's left side patient could feel on the top of patient's head the pain move to the left side/ Headache; when moving to the right side, patient felt liquid in patient's brain pouring to that side/ Feeling abnormal; remained dizzy for several hours, the room was spinning/ Dizziness; my major joints (hip, knee, wrist, elbow, shoulder) were on fire/ Arthralgia; congestion/ Nasal congestion; cough/ Cough; patient felt patient was going to die/ Vaccination complication; brain fog/ Feeling abnormal; terrible time finishing sentences; like brain damage and such a hard time communicating/ Speech disorder. The patient's medical history included migraine which occurred several times a year. No relevant concomitant medications were reported. The patient received their first of two planned doses of mRNA-1273

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

(Batch number: 027L20A)) on 12-Jan-2021. On 11-Feb-2021, approximately ten minutes prior to the onset of the symptoms, the patient received their second of two planned doses of mRNA-1273 (Batch number: 030M20A) intramuscularly for prophylaxis of COVID-19 infection. On 11-Feb-2021, the patient experienced swelling of the tongue; dizziness; 103 fever for 2 days; shaking literally; like an epilepsy attack in a smaller scale; fatigued so badly; patient's body was cramped; couldn't walk; debilitated; could only crawl; vomited 2-3 hours; pain behind patient's eye so sharp as if patient's eye would come out; unbelievable pain, type of pain in patient's head far more severe than any migraine patient's ever had; when lying down patient's head felt on fire; when laying on patient's left side patient could feel on the top of patient's head the pain move to the left side; when moving to the right side, patient felt liquid in patient's brain pouring to that side; remained dizzy for several hours; the room was spinning; my major joints (hip, knee, wrist, elbow, shoulder) were on fire; congestion; cough and patient felt patient was going to die. On 15-Feb-2021, patient developed brain fog; terrible time finishing sentences; like brain damage and such a hard time communicating. Treatment for the event included one acetaminophen and twelve hours later patient had three ibuprofen. The patient received both scheduled doses of mRNA-1273 prior to the events; therefore, action taken with the drug in response to the events is not applicable. The outcome for the events the patient experienced swelling of the tongue; dizziness; one hundred and three fever for two days; shaking literally; like an epilepsy attack in a smaller scale; fatigued so badly; patient's body was cramped; couldn't walk; debilitated; could only crawl; vomited two to three hours; pain behind patient's eye so sharp as if patient's eye would come out; unbelievable pain, type of pain in patient's head far more severe than any migraine patient's ever had; when lying down patient's head felt on fire; when laying on patient's left side patient could feel on the top of patient's head the pain move to the left side; when moving to the right side, patient felt liquid in patient's brain pouring to that side; remained dizzy for several hours; the room was spinning; my major joints (hip, knee, wrist, elbow, shoulder) were on fire; congestion; cough and patient felt patient was going to die were recovered on 14-Feb-2021. The

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1065101	3/2/2021	LA	96	M	1/29/2021		<p>outcome of the events brain fog; terrible time finishing sentences; like brain damage and such a hard time communicating were not reported.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events a causal relationship cannot be excluded..</p> <p>Headache; Nausea; Eyes are bloodshot red and kind of glaze over; Eyes are bloodshot red and kind of glaze over; He just can't feel real good; This is a spontaneous report from a contactable consumer. A 96-years-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration on 29Jan2021 as a SINGLE DOSE for COVID-19 vaccination. Medical history included heart problems from an unknown date and unknown if ongoing, he has gone over for a battery replacement, pacemaker, and he has eye problems so, he is taking eye drops for those. Concomitant medications included unspecified eye drops. On unspecified date, the patient experienced headache, nausea and his eyes are bloodshot red and kind of glaze over. He just can't feel real good. His eyes are real red and like glaze over. No treatment was received for the events. Outcome of the events headache, nausea, eyes are bloodshot red and kind of glaze over and he just can't feel real good were unknown. Information on the lot/ batch number has been requested.</p>

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1065125	3/2/2021	NJ	43	F	2/10/2021	2/14/2021	heart rate jumped up; thought she was going to pass out; eyes were blurry; This is a spontaneous report from a contactable consumer. A 43-year-old female consumer received first dose BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number: EL9264) on 10Feb2021 at single dose via an unspecified route of administration on left arm for COVID-19 immunization. Relevant medical history included autoimmune issues diagnosed in 2006-2007. Concomitant medications were not reported. After 4 days from vaccination on 14Feb2021 the patient experienced blurred vision, increased heart rate, and feeling that she will pass out (as such) . She went to the Emergency Room and they did two EKGs, two COVID tests, and blood work to check the enzymes in her blood for her cardiac muscle, but there was no reason, nothing they could find about why her heart rate spiked. Patient also reported that her heart rate went up from about 03:00PM up thru midnight last night, and was still not down completely, it was a little erratic, but it was better than it was. She was prescribed treatment at the hospital to bring her heart rate down, but they didn't want to give her more and risk lowering her blood pressure. Patient was monitored through the night, and she was supposed to see a cardiologist there but they didn't show up, so she put a phone call in to hers. She was admitted to the hospital overnight. The patient recovered from the events on an unspecified date.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1065129	3/2/2021	WA	54	M	2/12/2021	2/12/2021	tunnel vision; warm sensation travel from the left shoulder area to my chest/upper stomach; eyes burned; could taste something; heart rate became rapid at a steadily increase amount (113 bpm)/pulse stayed at 92-94 BPM for approximately two hours; felt dizzy; lost speed sensation in the car I was driving; This is a spontaneous report from a contactable consumer (patient himself). A 54-year-old male patient received the first dose BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number EN6201), via an unknown route, on 12Feb2021 (at 12:45) at a single dose in the left arm for COVID-19 immunisation. No other vaccine was received in four weeks. Relevant medical history included atrial fibrillation from Jun2020, ablation surgery for atrial fibrillation on unknown date, ongoing atrial tachycardia, and ongoing premature ventricular contractions (PVCs). Past drug history included allergy to penicillin. Relevant concomitant medications included vitamin NOS, mineral NOS (MEGA MEN) and amino acids NOS, carotenoids NOS, herbal NOS, hyaluronic acid, methylsulfonylmethane, minerals NOS, vitamins NOS (GNC MEGA MEN SPORT). Within approximately two minutes of receiving the shot, he felt a warm sensation travel from the left shoulder area to his chest/upper stomach, his eyes burned, he could taste something, and his heart rate became rapid at a steadily increase amount. He watched his heart rate tick up on her watch to approximately 113 BPM. His normal resting heart rate was upper 60s. He felt dizzy and out of it for about 30 minutes. He felt like he had tunnel vision and lost speed sensation in the car he was driving. His pulse stayed at 92-94 BPM for approximately two hours. He wasn't anxious about getting the shot and had actually been looking forward to it. The patient was not treated for the events. The patient had recovered from 'felt dizzy' on 12Feb2021 while the remaining events resolved in Feb2021.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1065155	3/2/2021	IL	60	F	1/6/2021	1/7/2021	Heart attack; Myocarditis; Chills; didn't check her temperature but is sure she had one/She didn't check her temperature but she is sure she had a fever; was soaking wet when she woke up like her fever had broken and then she was fine/She woke up and was very sweaty; achy right side; Headache; This is a spontaneous report from a contactable consumer who reported for herself, a 60-year-old female patient who received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot number: EL3246), via an unspecified route of administration in the right arm, on 06Jan2021 at 18:00 at the age of 60 years, at a single dose for Covid Prevention/COVID-19 immunization. The patient's medical history was not reported. There were no concomitant medications. The patient previously received the first dose of Covid-19 vaccine (Manufacturer: Pfizer, with Lot Number: EK5730) in the right arm, on 18Dec2020 at the age of 60 years for COVID-19 immunization. The patient reported that 13 days after the last dose of the vaccine, on 19Jan2021, she had a heart attack. She has no heart issues whatsoever. She had diagnostic testing such as a cardiac catheterization, echocardiogram, both on 19Jan2021; and a heart MRI with contrast on 20Jan2021. The test results indicated that she had myocarditis caused by a virus. The cardiac catheterization and echocardiogram also revealed heart attack because of myocarditis. She did not have any other issues with her heart. The patient asked if they would they let her know if anything comes up as far as information. The patient has recovered with lasting effects. She would be on medication for the next 3 years supposedly. The heart attack was caused by myocarditis which was caused by a virus. There were no other issues with her heart, arteries or anything. These events required a visit to the emergency room. She first went to a hospital in the city and was transferred via ambulance to another hospital in another city on the same day. Patient was hospitalized for the heart attack and myocarditis from 19Jan2021 to 22Jan2021. She had a lot of other symptoms the next day after receiving the vaccine on 07Jan2021. She also experienced chills. She didn't take her temperature but is sure she had one. She was achy on her whole right side and she had a headache. She started having chills at 1:30 PM (13:30) while at an eye doctors appointment. She laid down and

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

was soaking wet when she woke up like her fever had broken and then she was fine. She didn't check her temperature but she is sure she had a fever. She woke up and was very sweaty. The outcome of the events heart attack and myocarditis was recovered with sequelae on Jan2021. The outcome of the remaining events was recovered on 07Jan2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1065157	3/2/2021			F	2/12/2021	2/12/2021	overly dehydrated; high blood pressure/ blood pressure was 178/122; could not sleep entirely/she was in a semi-sleep state/having insomnia feeling like really bad; could not move or open her eyes; her head felt like exploding; her heart pounding/ heart rate 102; extreme fatigue; This is a spontaneous report from a contactable consumer (the patient). A female patient of an unspecified age received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, lot number not provided), via an unspecified route of administration on 12Jan2021 (age at vaccination unknown) as a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient previously received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, lot number not provided), via an unspecified route of administration on an unspecified date (age at vaccination unknown) as a single dose for COVID-19 immunization, and experienced: arm soreness, nausea, and headache, on an unspecified date. After 1 hour 30 minutes of getting the second dose on 12Feb2021, the patient felt an extreme fatigue and went to sleep. She could not sleep entirely (from an unspecified date) and woke up and went to the bathroom several times after midnight and she tried to wake up at 4 am, but she was in a semi-sleep state half aware and could not move or open her eyes no matter how hard she tried. She described this state as she couldn't move and having insomnia feeling like really bad. When she managed to pull this up, she took her pulse and blood pressure and she was having high blood pressure, her head felt like exploding and also her heart pounding. Her blood pressure was 178/122 and her heart rate 102. She stated that her husband tried to call Pfizer that moment, but they could not get a hold of someone after 30 minutes, so they contacted 911. She was taken to the hospital, and her chest X-ray and EKG were normal (to discard a heart attack). Then they noted that she was overly dehydrated, so they prepared some IV (intravenous) solution for her. The clinical outcome of the events was unknown. Information on Lot /Batch Number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1065331	3/2/2021	PA	22	F	3/1/2021	3/1/2021	Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Severe, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Systemic: Tingling (specify: facial area, extremities)-Mild, Additional Details: Patient noted an anaphylactic response to hepatitis b as a baby. Was counseled to wait 30 minutes in pharmacy to be monitored after receiving a vaccine. Around 25 minutes later patient approached pharmacist stating felt tongue tingling. Patient drank some water stated she felt better but in next two minutes noted her throat felt obstructed. Technician called 911. Paramedics arrived within 3 minutes. No epipen was given. Paramedics and immunizing pharmacist both mentioned possible anxiety attack
1065484	3/2/2021	PR		U	2/16/2021	2/16/2021	Vials storage error; 10 patients were vaccinated from that vial; A spontaneous report was received from a pharmacist, concerning ten patients who were administered Moderna's COVID-19 vaccine from a vial temporarily stored at 17.7 °F/product storage error and out of specification product use. The patients' medical histories were not provided. Concomitant product use was not provided by the reporter. On 16 Feb 2021, ten patients received one of two planned doses of mRNA-1273 (Batch number 029L20A) intramuscularly for prophylaxis of COVID-19 infection. On 16 Feb 2021, the freezer door at the pharmacy was left slightly open which resulted in a temperature increase to 17.7 °F for one hour and 25 minutes. After visual inspection by the pharmacist, all vial were reportedly still frozen. The pharmacist thawed 1 vial, and 10 patients were vaccinated from that vial. The pharmacist noted that the temperature of the freezer containing the remaining 29 vials was -11.0 °F at the time of reporting. Action taken with mRNA-1273 in response to the event was not provided. The event, 10 patients vaccinated from a vial temporarily stored at 17.7 °F, was considered resolved on 16 Feb 2021.; Reporter's Comments: This report refers to a case of Product storage error (vaccine from a vial temporarily stored at 17.7 °F, and administered to ten patients) for mRNA-1273, lot # 029L20A with no associated AEs.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1065421	3/2/2021	CA		M	2/8/2021		Coughing and nasal symptoms are listed as possible signs of Covid19 infection; reporting body aches; fever; watery eyes; sneezing; dry cough; This is a spontaneous report from a contactable consumer (patient). A male patient of an unspecified age received first dose of bnt162b2 (PFIZER-BIONTECH COVID19 VACCINE), via an unspecified route of administration on 08Feb2021 at SINGLE DOSE for COVID-19 immunization. The patient's medical history included Exposure to SARS-CoV-2 (around an elderly co-worker that tested positive for Covid19 infection). Concomitant medications were not reported. The patient experienced body aches (not 'itch' as reported), fever, watery eyes, sneezing, and a dry cough. Caller wanted to know if these symptoms are normal? Coughing and nasal symptoms were listed as possible signs of covid19 infection. The patient had been around an elderly co-worker that tested positive for Covid19 infection, caller did not find out until after receiving his first dose. He spent 4 - 5 hours with him, before getting his shot. If he tests positive for Covid19 infection, how does that affect his next dose which was scheduled for 01Mar2021? The outcome of the events was unknown. Information on Lot/Batch number has been requested.
1065682	3/2/2021	MO	54	F	2/26/2021	2/26/2021	at 1550 BP was 144/81, O2 sat 94%. C/O lightheadedness, nausea and sever headache. Denies weakness, no facial droop noted and no dysphasia noted. at 1600 BP 138/91, Pulse 91, R is 6, O2 92%. Denies lightheadedness or nausea. unstable when trying to stand. At 1620 sitting BP=156/92, Pulse 90 and R were 16/min. Reported mild lightheadedness. Leaning way back in chair and closing her eyes whenever she sits down. patient stating that she was okay to leave on her own. Denies that she has someone to help her to get home. Asking this RN to call her PCP. This RN overheard her speaking to her PCP's office and staff member stating that he was gone for the day and that he would want her to be evaluated in the ED.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1065967	3/2/2021	TN	81	F	2/26/2021	2/26/2021	Completed 15 min observation; as exiting felt flush, and hot wanted to sit; sat down and slumped over; Daughter called help; No Bp or O2 measurable; felt cool and clammy to touch; chest rises with breathing; eyes open and blinking but not responding to questions asked; performed sternal rub, did not react; Rapid response notified; Connected to monitor; aganol respiration noted; Transferred to stretcher. lips turned purple; bag mask placed and bagged respirations; approx 15 chest compressions performed, responded to compressions; Started to breath and color returned to face. Immediate transfer to ED.
1065728	3/2/2021	OH	71	F	2/9/2021	2/9/2021	About 1 hour and 15 minutes after receiving the vaccine I became dizzy. 3 1/5 hours later I developed chills which lasted briefly. The next day I had huge area on my left eye on my pupil which lasted for 5 days. I have blue eyes and right at toward the end of the blue I have white deposits. On 2/24/2021 I went see an eye doctor Dr. He diagnosed me with "whiss" ring around both of my eyes, and seen spot on my lenses on my left eye. I started starburst with my left eye, this did not develop until after I received the vaccine. I have a dot on my right eye now. On 02/26/2021 see another eye doctor Dr., he also said I have deposits around my cornea, acknowledged the starburst effect on the left eye, and noticed the "whiss" ring. Since I took the vaccine my eyes have become very light sensitive. The doctors have told me this conditions are permanent, if it gets worse they will have to scrape the eye and have a laser surgery. I do not remember when it started but it 2inches by 3 inches, red patch which started at the injection site and went diagonal.
1065729	3/2/2021	MI	60	F	2/17/2021	2/27/2021	She received Moderna COVID-19 vaccine 2/17/21 and developed symptoms of left ear discomfort followed by left sided facial and eye droop on 2/27/21. She was seen by MD on 2/27/21 and was confirmed to have Bell's Palsy. She was given prednisone with taper and valacyclovir for 7 days. Also advised to wear an eye patch.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1065745	3/2/2021	FL	66	F	1/5/2021	1/5/2021	<p>She received first dose of Moderna vaccination on 1/5/2021 into left deltoid. It was painless. Approximately half an hour after injection, she began to feel tingling in the left arm, hand, and fingers. It resolved on its own and she was fatigued that evening and went to bed early. The next day she had soreness of the arm, fatigue coming through the day in waves. On 1/7, low grade fever of 99.1, headache, and fatigue. She slept for 14 hours. From 1/8-11 she had no significant issues although she did feel slightly off balance. On 1/12, she noticed left axillae lymphadenopathy and had soreness at the injection site again, which worsened the next day. On 1/14, arm was red, swollen, and tender to touch. These symptoms persisted the next day and she began to have numbness and pins and needles of the left hand. She was given 7 days of dexamethadone and cephalexin by her PCP. She slept very poorly. The next day, the numbness, swelling, and redness were all improved. On 1/17, she continued to gradually improve and there was no swelling and only slight numbness. She did have fatigue, headaches, and insomnia. On 1/21, she had visit with an allergist to discuss preventative measure for second dose. A delayed reaction was theorized and a preventative course of premedications was outlined. The next day, the numbness in the hand worsened and headache returned. On 1/23, she felt headache, confusoin, anger, imbalance, pins and needles in the hand, difficulty holding a glass with one hand. On 1/24 pain at the injection site recurred. She felt there was change in her vision and hearing, nausea, vibration throughout the body, mouth numbness, and heart racing. On 1/25 all these symptoms persisted other than improvement in confusion. On 1/26-27, she had continued pins and needles in hands and feet. Still felt vision and hearing were "off". She was fatigued and body felt "like jello". On 1/28, she was prescribed a second course of dexamethasone as well as citalopram 20mg and diazepam. With citalopram, she had nausea, hot/cold sensations, dizziness, insomnia. She also had itching of the arm, back, leg; tremor, thirst, and pallaor. She reported symptoms to PCP and citalopram was discontinued next day. On 1/30-31 she felt disoriented at times, intermittent arm soreness, noted small abnormal bruising, hot/cold, off balance, headache, and fatigue. Since that time, predominant symptoms have been daily</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							headache. Wakes with left posterior dull aching which escalates through the day 5/10 but will become 8/10 if she does not take anything. She is taking ASA in AM daily with second dose around 3PM when headache recurs approximately 5x/week. Sensation in feet has normalized, but she continues to have numbness in left>right hand. She feels off balance with need to specifically concentrate when walking. No falls. She also has persistent abnormal tremor of left finger. When she goes to type, she will press key 3-4 times. She feels difficulty opening water bottles, but is able to do some. She is lifting pans with both hands.
1065749	3/2/2021	MO	84	M	2/22/2021	2/22/2021	blurred vision, dizziness, passed out went to hospital by ambulance heart rate was 40
1065769	3/2/2021	PA	34	M	2/27/2021	2/28/2021	While I did experience most of the common side effects - headache, chills, muscle aches, joint aches, short fever - I wanted to report a side effect that surprised me. My eyelids became puffy and the area around my eyes was swollen and ached. My eyes were also very sensitive to light. This started on the morning of day 2 and is still lingering, but better, by day 4.
1065776	3/2/2021	TX	35	F	2/12/2021	2/26/2021	On 2/26/21 my left eye started to itch, burn, and the eye felt drier than normal. On 2/27/21 there was a noticeable red patch on the eyelid with small scaly looking spots, I assumed it to be a patch of dry skin. There was a 30 minute period of intense tingling pain and shooting/stabbing intermittent pain. There was also some numbness later on that day. Also on 2/27/21 I noticed a large lymphnode swelling on my jawline adjacent to my left ear. On 3/1/21 I saw my primary care provider and was diagnosed with shingles. After reviewing the preliminary symptoms of shingles, I had been experiencing abnormal fatigue and stomach upset for about 5 days prior to the eruption.



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1065780	3/2/2021	NC	73	F	2/28/2021	2/28/2021	Patient presented today for second dose of COVID vaccine. She tolerated her first dose well. She has h/o elevated BP and "flushed" feeling with various meds including once when she was doing a bowel prep for a colonoscopy. We decided to monitor her for 30 minutes and she felt fine throughout. As she was walking to her car she felt "flushed" and a bit light headed so she returned to the monitoring area. Initial BP was 189/77, pulse 110, O2 sat 100%. We brought her to the back room so she could sit in a recliner and remove her mask. Subsequent BP 186/77, pulse 86 then 184/69, pulse 80 about 20 minutes later. O2 sat remained upper 90s to 100%. She continued to report feeling "flushed" and noted pressure/pain behind her left eye so we elected to call EMS (and this was also patient request to go to the ED) so she could be evaluated. She drove herself to appointment. Her plan was to call her son to have him meet her at the ED. She left via ambulance in stable condition.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1065911	3/2/2021	IL		M	1/21/2021	1/22/2021	Double vision; FATIGUED; A spontaneous report was received from a consumer concerning a 65-year-old, male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced double vision and fatigue. The patient's medical history, as provided by the reporter included cancer, diabetes, hypertension, celiac disease and whipple's operation. No concomitant medications were reported. On 21 Jan 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Lot number: 029K20A) intramuscularly for prophylaxis of COVID-19 infection. On 22 Jan 2021, the patient experienced double vision and fatigue. The patient was advised by the eye doctor to go into the emergency room (ER) if the symptoms didn't subside. However, it was reported that the vision did get better. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not provided. The event, double vision, was considered resolved on an unknown date. The outcome for the event fatigue was unknown.; Reporter's Comments: Based on the current available information, a strong temporal association between the use of the product and the onset of the reported event, a causal relationship cannot be excluded. Fatigue is consistent with the known safety profile of the mRNA-1273 vaccine.
1065959	3/2/2021	IN	62	F	2/27/2021	2/27/2021	Double vision Dizzy Elevated Blood Pressure Light sensitivity Fatigue Symptoms lasted for 10 hours, monitored BP, monitored other symptoms (short naps, kept eyes closed as much as possible, minimal light
1065960	3/2/2021		85	F	3/1/2021	3/1/2021	Client stated blurry vision. Checked her frequently (every 5 minutes approx.) Spouse claimed she also has macular vision. Did not clear completely. She was adamant about going home. b/p 170/82 Spouse stated that she is very anxious and b/p increases with her anxiety. Kept for 50 minutes to monitor

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1065964	3/2/2021	TN	81	F	2/26/2021	2/26/2021	Completed 15 min observation; as exiting felt flush, and hot wanted to sit; sat down and slumped over; Daughter called help; No Bp or O2 measurable; felt cool and clammy to touch; chest rises with breathing; eyes open and blinking but not responding to questions asked; performed sternal rub, did not react; Rapid response notified; Connected to monitor; aganol respiration noted; Transferred to stretcher. lips turned purple; bag mask placed and bagged respirations; approx 15 chest compressions performed, responded to compressions; Started to breath and color returned to face. Immediate transfer to ED.
1065675	3/2/2021	FL	59	F	2/27/2021	2/28/2021	Body aches, fever (101.5), swollen eye lids and beneath eyes, headache, upper back aches, chills
1067297	3/2/2021	NV	71	F	1/26/2021	1/29/2021	On 1/29, my vision blurred and I could not read the computer e-mails and there were wavy lines in my peripheral left side vision. My blood pressure sky rocketed to 190/82 and I am always in the 120s over 70s or so. I went to the ER where I was given an EKG, a head CT scan, blood work was also done. Next day I had an MRI of my head. All was done to rule out a TIA. Final diagnosis was probably an Ocular Migraine which I have never had. I followed up with an eye doctor who said my eyes were fine. Whether this was coincidental or a reaction to the Covid shot, no one could tell me. I felt fine next day and have not had any other ocular migraines.
1067053	3/2/2021		43	F	3/2/2021	3/2/2021	Lightheaded, blurred vision, flushed feeling, shaky, tightness in neck, diaphoretic. Evaluated by EMS. 1:09PM -Jaw slightly tight. 1:20 pm pain, stiffness traveling to mid back. 1:25 pm neck feeling better, no nausea, tinling in hands, no change in sensation in legs. 1:30pm remains lightheaded, vision remains blurry, c/o left sided chest discomfort when pressure applied, pain and stiffness in neck returning. 1:42 pm transported to Hospital by rescue squad.
1067101	3/2/2021	NY	59	F	1/28/2021	2/28/2021	viral conjunctivitis in left eye - for this diagnosis, I went to Vision Care

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1067116	3/2/2021	MA	45	F	12/18/2020	12/21/2020	A couple days later I notice an ecema type rash that had appeared on both eye lids and monitored. I reached out to my PCP who recommend desonide steroid cream which clear it up within about 5 days the rash disappeared.
1067129	3/2/2021	FL	49	M	2/5/2021	2/26/2021	My left eye was red and itchy. My left eyelid had some swelling. Used artificial tear drops, took one Pepcid, took one Bendaryl. Redness and swelling went away within 3 hours.
1067136	3/2/2021	TX	51	F	1/12/2021	1/12/2021	Within 10 Minutes of receiving my first dose I began to feel dizzy and my vision was somewhat blurry. I checked my heat rate and it was 160. I motioned for the nurse and the pharmacist who was present monitored me for about an hour. My heart rate did not go below 110 for at least 45 min. I drank water and was allowed to leave once my HR was 88. I was able to drive home and did not have any other symptoms.
1067164	3/2/2021	PA	55	M	2/24/2021	2/24/2021	patient came in on 3/2/21 and reported having blurred vision since the day he received the vaccine on 2/24/21. he said the blurred vision came hours after receiving the vaccine on the same day
1067174	3/2/2021		49	F	3/2/2021	3/2/2021	Patient had burning throat bottom up, she started feeling dizzy and lightheaded. she then had racing heart and fuzzy vision and sharp pain in back of head. she was given 25 mg of benedryl and she felt better after about 30 mins.
1067175	3/2/2021	NC	73	M	2/24/2021	2/26/2021	Within 24 Hours of injection I developed a severe case of Shingles on Right side of head including Right Eye. Treatment includes Prednisone, Valtrex, Medicated Eye Drops. Outcome continues.
1067188	3/2/2021	IA	22	F	2/24/2021	3/1/2021	right left eye appears normal. the skin around the eyes is erythema and edematous more on right than left No frank nasal or ear discharge.
1067238	3/2/2021	IL	53	F	2/19/2021	2/21/2021	tingling above lip on Sunday, went into left cheek, tightness in eye muscle, lymph node pain, lt-headache in occipital bone -2/26 went to hospital, paralyzed in left side of face, bells palsy

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1067033	3/2/2021	NV	81	M	2/27/2021	2/28/2021	Raised Bump on face similar to a small lentil bean. Then got bigger then more on face then on neck and scalp then on back now chest also. They vary in size and redness. Some are near the eyes. He took Benadryl then after urgent care started doxycycline by late 100 mg. March 1st they are getting worse. They would not run blood work though he asked for some.
1067294	3/2/2021	IL	69	M	3/1/2021	3/2/2021	Began feeling poorly at 1:30pm as if physically drained; pain in every joint and large muscle group; excruciating light sensitivity/pain in eyes; approx 5:30pm upper back muscles in great pain; then pain in lower body including backs of thighs, scrotum, and anus; approx 6pm stiffness and pain shifted to fingers and toes; by 6:30pm entire body feels dull heaviness/pain/extreme fatigue. Slept less than 2 hours, now 6:45pm.
1067339	3/2/2021	CA	51	F	2/27/2021	2/27/2021	Pt. is a 51 y/o female reporting feeling she would pass out 15" into her 30" post-covid 19 first vaccine observation period. Reports felt dizzy slightly immediately after vaccine injection then progressed in observation area. Scheduled for 30" observation due to reported anaphylactic reaction per patient to Tylenol. When first observed by physician in observation at 4:10, nursing staff was holding her upright in chair, eyes were closed, face flushed markedly and a few myoclonic movements were noted in both arms. She did open eyes to command but stated she was going to pass out and wanted to lie down. A Emergency responders call was immediately placed, she was transferred into wheelchair with continued nursing support and brought into office where placed in supine position. First vitals were as stated below. 4:15PM supine vitals: BP 106/68, HR 95, O2 sat 99% Emergency responders was called at 4:28pm
1067310	3/2/2021	TX	60	F	2/19/2021	2/27/2021	At first I didn't feel anything or any different. I started to get a weird sensation behind my eyes like before with the first vaccine. The muscles of my eyes and eye lids feel weak and difficult to focus. I started having extreme nausea and could not go to work. No appetite either. I now have Oscillopsia and feel sick.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1067317	3/2/2021	OH	66	F	2/25/2021	2/25/2021	An estimation of about five minutes after receiving the Covid19 (Moderna) vaccine, my heartrate increased to around 100 beats a minute (as told to me by Dr. ). My breathing felt a little different but it could have been from wearing two masks for a longer period of time than usual. After ten or fifteen minutes, I felt sort of dizziness and it didn't feel quite normal around my eyes and forehead. The staff were extremely attentive to me. I probably was there after the shot for 30-45 minutes. Dr. suggested my symptoms was due to anxiety and out of an abundance of caution, the emergency squad was called and I was taken to Hospital Emergency Department.
1067363	3/2/2021		90	F	2/19/2021	2/19/2021	Outbreak of rash all over body, causing rough, flaky skin; itchy, burning eyes. Neither antihistimine tablets nor eye drops provided any relief.
1067409	3/2/2021	TN	30	M	2/13/2021	2/13/2021	Hours after vaccination I began to have a fever. Woke up with body aches and a fever of 104.00 Fahrenheit. Fever lasted 24 hours, body aches lasted a full week including severe headache. I started experiencing severe pain on my left eye by day three post vaccination. I had to seek medical attention and was diagnosed with scleritis. Doctor encouraged me to file a report on my symptoms. I also got mouth sores and pain in my throat. Tonsils were inflamed and red.
1067420	3/2/2021	VA	79	F	2/7/2021	2/17/2021	Second dose of Covid vaccine given on 2/7/21. Administered at central location. Taken to hospital for possible stroke like symptoms with drooping to right eye and mouth, difficulty swallowing, and feeling odd. Admitted and treated from 2/18/21 thru 2/22/21.
1067453	3/2/2021	CT	54	F	3/2/2021	3/2/2021	Post vaccination and while in recovery experienced itchy eyes, proceeded by swelling of upper lip, itchy throat and coughing. Remained alert and oriented to person, place and time. Rapid Response Team called, vaccine recipient transported to Emergency Room. Release to home post recovery.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1068429	3/2/2021	UT	65	F	3/2/2021	3/2/2021	patient started feeling dizzy and sweaty about 5 minutes after vaccine given and was sitting in chair and falling to the side. I tried talking to her and getting her attention and she would look at me and then close her eyes like she was going to pass out. She started talking to me and after a couple minutes then began to complain about a sick stomach and started vomiting and diarrhea on and off for about an hour. Patient would seem to feel better but then vomit again. After about an hour she had us call her daughter to come get her to take her home. Daughter came to get her and she was still complaining her stomach hurt. I called patients daughter a few hours later and she said her mom was still feeling sick and I told her to call her doctor or take her to the ER if she didn't start feeling better soon.
1068432	3/2/2021	TX	38	F	2/10/2021	2/10/2021	Very painful arm and back pain for 2 days. The day after the vaccine I had very bad headache and my eyes were hurting so much. The second day, I also had body aches. It's been about 3 weeks and I have some pain on my back and chest. I'm not sure if it's related. I seemed to have it after the vaccine. I also feel out of breath often. I am now fearful of getting the second vaccine, since the first one was so bad for me.
1342691	3/2/2021	CO	71	F	1/11/2021	1/14/2021	Could not drink from a cup. Left side of my face was drooping. Eye Problems. The day of shot I got a bad headace on my left side of neck and back of head Diagnoses Predisone Bells Palsy Valacycolvir Renal Insufficiency
1066449	3/2/2021	CA	48	F	2/27/2021	2/27/2021	Patient received the vaccination in her left deltoid at approximately 10:35am. Within 5 minutes she began sweating and experienced itching in her hands and feet. At approximately 10min after the vaccination her lips began to swell. At this time EMS were called and responded, paramedic, administered Diphenhydramine IM injection. The patients symptoms stabilized and was released from EMS care. She walked out unassisted and her friend drove her to her destination. While there she received Pepcid, Benadryl, and injectable Corticosteroids. Swelling in her eyes and lips subsided after approximately an hour. She remained under observation for a total of 2 hours prior to being released.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1066479	3/2/2021	MS	58	F	12/30/2020	12/31/2020	It was 24hrs after chills Temp 101 for 24b hours, body aches headache fatigue 48 hours after diarrhea and very sore left arm. Diarrhea lasted 48 hours. At 72 hours my right eye was sore on the lower eyelid and underneath the eye was sore. I developed a Sty on the right eye. I got drops for my eye and it got better Later on that night I had hot flashes and night sweats. I am still having hot flashes. Start about 4am. No symptoms after 2nd dose took Tylenol after shot and only a little arm soreness.
1067284	3/2/2021	CA	73	F	2/12/2021	2/22/2021	About ten days after vaccination, hives began to show up on my lower abdomen . Since then, hives appeared in many areas of my body as well as itching where there are no hives. My eyes are also itchy. The hives and itching become worse when my body heats up during exercise or when covered by warm clothing or blankets. I'm taking 2 Benadryl every six hours, which provides relief but not entirely. This has been going on for 9 days now. I eliminated eggs and Teeccino Dandelion Dark Roast from my diet several days ago and cut my probiotic dosage in half, thinking these might be the culprits, but so far I continue to itch and have hives.
1066637	3/2/2021		67	F	3/2/2021	3/2/2021	Lightheaded, woozy, no nausea, no tunnel vision.
1066458	3/2/2021	AK	35	F	2/15/2021	2/26/2021	Sudden decrease in vision in my right eye. I went to the eye doctor. He said I was having a viral response in my eye. The only exposure to anything viral in the last month was the vaccine. No history of eye issues or other viral exposures.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1066482	3/2/2021	OH	46	F	2/26/2021	2/26/2021	The nurse that administered the vaccine at 4:00 pm and states patient went limp and had vasovagal syncope immediately upon withdrawing needle from muscle and occurred immediately after vaccine administration. The nurse lowered the patient slowly to the ground and put the pt's feet up. The pt has had prior episodes of vasovagal syncope in the past. Her pulse was noted to be in the 70s. Small eyelid and lip twitching noted. Pt had no injury as a result of the syncopal episode. Patient transported to the Emergency Room for evaluation at 4:09 pm. Blood pressure upon arrival in the EC was 143/74, pulse 57, Resp 14, pulse ox 99%. Patient able to open eyes to command and nod yes or no. Blood Glucose was 74 and ECG was unremarkable. Discharged to home at 1822.
1067370	3/2/2021	OH	52	F	2/6/2021	2/27/2021	Left Arm - bruising, swelling, redness, itching, hot to the touch. Right arm - rash that includes itching, red bumps, and warm to touch. I am very tired. My eyes are cloudy.
1066997	3/2/2021	IL	33	F	2/11/2021	2/12/2021	I received the vaccine at approximately 1245 on February 12, 2021. Approximately 12 hours later I got up in the night. I experienced ringing in the ears, sharp intense headache, blurred vision. Experienced confusion. Fainted. Asked my husband to get me Benadryl. Took 50 mg of Benadryl and slept for another 5 to 6 hours. I experienced body aches, chills, headache, heart palpitations, intermittent blurred vision for 4 to 5 days afterwards.
1066563	3/2/2021	CA	32	F	3/1/2021	3/1/2021	Itchy arm/throat, stinging eyes. BP 147/80 (pulse 96), O2 sat 99%. Benadryl 25 mg PO x 2. Stable.
1066607	3/2/2021	GA	34	M	2/26/2021	2/28/2021	Moderna Covid 19 Vaccine EUA: Upon waking on Sunday, Feb.28, 2021 following after receiving the second dose on Friday, Feb 26th, 2021, patient noticed both eyes to be swollen and red with some mild discomfort. At this time of this report, patient states the symptoms remain. Patient followed up with MD on Monday, March 1st, 2021 and was prescribed a steroid and benadryl. Patient began this regimen on 03/01/2021. Patient also reports he experienced "COVID ARM" (redness/swelling/itching around injection site) following both first and second doses, however the eye reaction was only following the second dose.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1066636	3/2/2021	IL	66	M	2/18/2021	2/27/2021	Seizure around 4:40 am on 2/27/2021. Shaking, eyes drawn in, fists clenched, some foaming at mouth, unresponsive. Ambulance called to the home. Transported to hospital.
1066682	3/2/2021	IL	60	F	3/2/2021	3/2/2021	Pt experienced blurry vision to both eyes and slight headache. Onset approximately 25 minutes after receiving vaccination. Pt did not lose LOC, did not lose vision completely. No problems with gait. Alert and oriented. Episode was transient and all sx's went away after about 30 minutes. After sx's resolved, pt refused transport to hospital for further evaluation, signing CFD refusal form stating able to drive self home.
1066686	3/2/2021	WA	68	F	3/1/2021	3/1/2021	About 45 minutes after the vaccination while the patient was walking in Grocery Store her husband noticed her Left eye had blood in the white part of her lower eye. Pt had no discomforts or blurry vision. Pt has no pain or complaints. Left eye in the sclera has bright red blood lower aspects of eye below the retina area.
1066718	3/2/2021	SC	72	F	2/24/2021	2/28/2021	Swollen, blotchy, red, itchy face, eyelids, ears. General feeling of being warm and itchy all over.
1066721	3/2/2021	CA	60	F	2/10/2021	2/12/2021	2 days after the second dose of the moderna vaccine I suddenly started seeing blurry out of my right eye I let it go for about 4 days thinking it was something just in my eyes I sent after that went to an urgent care at my doctor's office where they sent me to the ER I had an MRI done nothing was found was then sent to ophthalmologist specialist who at first diagnosed me as a torn retina second day I went to a retina specialist who confirmed it was not a torn right now but swollen behind my eyes I wasn't to be seen until another week later and hopes the swelling would go down and February 25th I return back to dr. When the retina specialist who indicated that it was still swollen and it's a possibility I will not see clearly out of that high again still waiting for various specialties

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1066727	3/2/2021	AR	64	M	2/25/2021	2/28/2021	Sunday, February 28, 2021 around 7:30 to 9:00 consumer said the left side of his mouth felt different. Then as time went by we both noticed the left side was different. Couldn't smile on left side like the right side. His right eye blinked a lot more than the left eye. We did FAST testing for strokes. He was fine with his arms & legs. We went to the medical center around 2:00 p.m. They checked him out did a CAT Scan, they seem to think it is Bell's Palsy. The put him on Prednisone and Valacyclovir and Eye Lubricant Drops. Consumer had a follow up with Dr on Tuesday March 2, 2021 at 8:45. He agrees with the diagnosis, however Dr wants consumer to Have an Ultra Sound on Neck and MRI Wednesday March 3, 2021 at 3:00 for US and 4:00 for MRI.
1066923	3/2/2021	OH	27	M	3/2/2021	3/2/2021	Patient experienced seizure aura, lost color, began to sweat, eyes rolled back, and was mildly unresponsive within 5 minutes of vaccine administration. Called 911. Placed patient on left side per direction of EMS dispatch. Patient stated the aura had decreased within a few moments of lying down on his left side. EMS assessed the patient's vitals which were normal on arrival. Patient declined transport to hospital and left in care of mother.
1066935	3/2/2021	NV	74	M	2/26/2021	2/28/2021	Awoke with horizontal diplopia on post-vaccine day #2 after 2nd COVID vaccine. Had mild arm pain, diffuse myalgias on post-vaccine day #1, but resolved on post-vaccine day #2. No headaches or other fever, chills. No other focal neurologic issues. No prior history of eye issues. Diplopia completely resolved on post-vaccine day #3.
1066627	3/2/2021	TX	76	M	3/1/2021	3/1/2021	Flu like without fever. Extreme ache overall; Extreme muscle weakness, joint ache/pain, headache, labored breathing, eyesight slightly blurred, arthritis pain increased.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1066991	3/2/2021	CA	52	F	3/2/2021	3/2/2021	<p>Complained of warm feeling after receiving first dose of Pfizer COVID-19 vaccine (lot EN6205, exp 6/30/2021). At 1029, EMT was checking in on client since she was in post vaccine waiting area for 30 min observation. EMT noticed flushed face and neck. Per client felt warm sensation and at 1031 stated metallic taste in mouth, feeling clammy with sweaty hands. PHN joined EMTs. First set of vitals: blood pressure 120/80, temperature 101.7 F. Alert and oriented, no shortness of breath, rash, itching, swelling, blurry vision, or tingling noted per client. Per client sulfa, shellfish, and contrast IV dye allergies. Medication client took this morning: Synthroid 75mcg. Clt reported she ate breakfast at 9am consisting of cereal and coffee, client reported a history of Bell's palsy 20 years ago with full recovery. 1034 temp 100.0 F. Assessed for arm drift, no tongue deviation, clt stated no tingling, able to move all extremities. 1042 vitals: blood pressure 120/100, pulse 77, o2 98, temp 99.0 F. Alert and oriented, clammy hands, no shortness of breath, no swelling. PHN offered client Benadryl, client declined. Informed client she would be kept longer for observation and client agreed. At 1047 temp 98.9 F, respiratory rate 24. At 1051 client stated tingling sensation on inner lips, metallic taste, dizziness, and mild burning sensation around eyes and nose area. PHN assessed for swelling in mouth, lips, face. PHN offered Benadryl again and client accepted. Client called husband who was in parking lot, client not driving. At 1054 Benadryl 50mg/ml IM on left deltoid. Vitals 1056: blood pressure 118/90, pulse 70, o2 98. Client informed vitals would be reassessed every 5 minutes. 1101 vitals: 99.1 F temp, blood pressure 118/78, pulse 77, o2 98. Per client dizziness and metallic taste were improving. 1106 vitals: pulse 75, o2 98, respirations 14, EMT unable to obtain blood pressure. Client complained of tingling on left index finger, PHN assessed bilateral grip strength, equal on both sides. 1114 vitals: blood pressure 128/72, pulse 74, o2 99. Per client, improvement of tingling sensation on lips, no metallic taste, no dizziness, no headache. Per client felt Benadryl effects. Vitals 1118: blood pressure 124/82, pulse 76, o2 96. Vitals 1124: blood pressure 128/78, pulse 75, o2 98. Client able to stand, denied dizziness. At 1133 noticed change in speech, slurred. Per client voice was different. called 911 at 1134. Paramedics arrived at 1142 and assumed care. Client</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

transported to Hospital per client's husband request at  
1149.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1066744	3/2/2021	IL	65	F	1/20/2021	2/3/2021	<p>2/3 rehab visit: PA - 02/03/2021 12:25 PM CST            Formatting of this note might be different from the original. NURSING HOME ACUTE VISIT 6/24/1955            MD SUBJECTIVE: Chief Complaint Patient presents with ? Cough Pt has COVID 19 and she is coughing and congestion. This is an acute visit with pt. Status and changes discussed with staff. Advanced directives on file. Allergies reviewed at NH, though may not be fully updated in electronic record. Problem List reviewed.            ROS: Gen: Denies fever CV: Denies chest pain Resp: Denies dyspnea GI: Denies abdominal pain. GU: Denies dysuria. Psych: Denies depression. OBJECTIVE:            VITALS: Vitals: 02/03/21 1226 BP: (!) 94/54 Pulse: 79 Resp: 18 Temp: 37 °C (98.6 °F) SpO2: 96%            PHYSICAL EXAM: General: Alert, awake, no acute distress Skin: Intact HEENT: Grossly normal Neck: Supple Lungs: Within normal limits/clear CV: RRR            Abdomen: Soft, BS active Extr: WNL Neuro: Unchanged and nonfocal ASSESSMENT/PLAN: Reviewed and signed orders. Recheck in 60 days. Patient was seen today for cough. Diagnoses and all orders for this visit: COVID-19 Cough CXR 2 view. Plan to start melatonin, vit D3, zinc. Rehab nurse note: Table of Contents for Miscellaneous Notes Telephone Encounter - RN - 02/09/2021 9:30 AM CST Telephone Encounter - 02/09/2021 9:16 AM CST Telephone Encounter - RN - 02/09/2021 9:30 AM CST Discussed with Dr. and he recommended that patient go to ER for urgent evaluation/treatment with dyspnea and low O2 levels even with supplemental oxygen. Electronically signed by RN at 02/09/2021 9:32 AM CST Back to top of Miscellaneous Notes Telephone Encounter - 02/09/2021 9:16 AM CST Rehab called, they stated PT was having trouble breathing and her O2 was 80 with oxygen. They wanted to know if they should bring her in but PT is Covid positive. Staff recommended that she go to the ER. Electronically signed at 02/09/2021 9:17 AM CST 2/9 ER-&gt; admission note: (6day admission) History The patient is a 65 y.o. female with a past medical history notable for History of anemia, anxiety, cirrhosis, COPD, CHF, diabetes, reflux, hypertension. The patient presents for evaluation of Worsening issues of cellulitis in addition to the patient's history of recent Covid 19 infection. Patient also tested positive for influenza. Patient was started on steroids at skilled care facility. Patient was</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

already on breathing medications. Patient has had issues with CHF and lower extremity swelling. Patient was taking a diuretic for this. Due to patient's cerebral kidney function patient is not a candidate for certain medications or either influenza, Covid 19 and we are limited on antibiotics. Patient's past medical history, past surgical history, social history, family history, medications allergies were reviewed. 3/1/21 er to admission note: currently inpatient History The patient is a 65 y.o. female presents for evaluation of altered mental status. Notable PMHx: CHF, morbid obesity, diabetes, Patient is 3 weeks out from hospitalization for COVID-19 pneumonia. She has been more confused over the couple of days before admission. Because of altered mental status, patient was transferred to the emergency room. Patient also had some shortness of breath. In the ER, she had a chest x-ray which showed moderate interstitial infiltrate secondary to pulmonary edema or pneumonia. Lab work did show a UTI. BNP was normal at 45. Creatinine was near her baseline at 1.8. She did have elevated alkaline phosphatase at 452. White count was elevated at 14.7. Patient was difficult to arouse in the ER. On my exam, patient is difficult to arouse. After shaking her shoulder and yelling at her, she did open her eyes and say to me "I'm ok" before closing her eyes again. She is satting well on nasal canula oxygen.

1066975 3/2/2021 NY

59 M

2/27/2021

2/27/2021

My skin turned red immediately after the injection. The EMT Staff examined me and my pulse, temperature and blood pressure were normal. After 45 minutes the redness abated and I came home, 1 March 2021 I came down with COVID symptoms with dizziness, blurry vision, redness, ringing in the ear and flu like symptoms of body aches. Then the neuralgia in the dextral ulnar nerve increased and clawing started. Then same happened on the sinistral ulnar nerve and Carpal tunnel in the other finders. I feared going to sleep for fear of awaking with paralysis. I drank vodka to calm myself down and Xanax to sleep (I know it is a dangerous combination). 2 March the red skin continues and when I awoke at 13:30 today I was still extreme and I called 911. The EMS visited and determined my blood pressure and pulse were normal. The dextral ulnar nerve problems continue,

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1066924	3/2/2021		78	F	2/6/2021	2/10/2021	Neurology consult 2/13/21: This is a 78-year-old female we were consulted by Dr. for possible guillian barre s/p COVID vaccine. The patient tells me that she was in her normal state of health, and she received her 1st dose of the COVID-19 vaccine seen 7 days ago. Subsequent to that, the next day she developed chills, fatigue that continued for approximately 2 days. She states that 3 days ago, she woke up and was unable to lift her legs or get herself out of bed on her own. She felt weak in her proximal lower extremities and her trunk. She denied any bandlike sensations or paresthesias. She cannot tell me that she developed any distal lower extremity weakness initially but felt that it was the acute onset. She needed some help her out of bed when she was upright, she was able to use her walker to slowly get to the factor. She may have had some urinary incontinence, she does complain of diarrhea now. Denies any tingling sensation, no bulbar symptoms. This is a 78-year-old female who we were asked to evaluate for possible Guillain-Barre syndrome. She had acute onset of lower much greater than upper extremity weakness without any definite ascending features, of relevance, is that she received the COVID-19 vaccine 3 days prior to the onset of her symptoms. She did exhibit flu-like symptoms prior to this. Given that she does not have any specific area of intrathecal enhancement to suggest Guillain-Barre or other areas of radiculitis, I think it is reasonable to proceed with lumbar puncture to look for any other source. --Given the findings on the MRI cervical and lumbar spine including enhancement of the bilateral sacral S1 region, I would like Neurosurgery to further evaluate. -- would likely benefit from CT chest abdomen pelvis to rule out any underlying occult malignancy particularly if workup remains unremarkable. -- continue supportive care, monitor for shortness of breath, new vital capacities Patient remains admitted to the hospital with continued weakness at the time of this report



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1066930	3/2/2021	CA	35	F	2/23/2021	2/23/2021	After covid vaccine 2/23/21 started blurred vision and lightheadedness. No itching rash. Provided juice crackers and monitored x 1 hour. Next day, hives and swollen at home. Face swollen Took Benadryl and that relieved those symptoms Called in sick.. Also had body aches and chills lasted x a few hours . 2/25 and 2/26 went to work and was fatigued but okay. Daughter got sick on 2/26 she is asthmatic PND, seasonal allergies and is testing later today. Employee is getting evaluated today at Urgent care. Today 3/2 ee has sore throat and runny nose now is going for testing today.
1066835	3/2/2021	MI	54	F	2/27/2021	2/28/2021	I had my 2nd does of the Pfizer vaccine on February 27, 2021. The next morning I awoke with a very bad headache. I took and Advil. My husband was making breakfast. I came downstairs, ate, had a cup of coffee, then got a glass of water and an ice pack and sat on a recliner in the living room. I don't remember much of the rest. It was like a dream. My husband said I let out a yell, my arms flailed and my eyes were very strange. I lost muscle strength in my left side mimicking a stroke. He called 911. I was taken to Emergency facility where I gained consciousness. I was then transferred to Hospital. So far every test has come back negative. I have an EEG scheduled for this Thursday.
1066819	3/2/2021	AL	73	F	2/22/2021	2/23/2021	Patient reports at 2 AM the morning after the injection she began to have itching and some swelling that morning, she states her right eye became matted as well. Patient applied warm compressed to the eye and was had a telehealth visit with her MD. Patient was told it was not caused by the vaccine. Patient was given Antibiotic eye drops to apply 4 times daily (2 drops each eye). At this time her right eye is better, there is still some redness in the lower eye lid at this time.
1066816	3/2/2021	CA	75	F	2/17/2021	2/18/2021	For 1st injection, itching on frontal edge of both armpits. Noticed day after injection. Still present as of 3-2-21. Cortisone cream, Diphenhydramine Hydrochloride cream 2%; after second injection Benadryl seemed to help. For 2nd injection, itching all over body beginning day after injection, worse day later. Benadryl for 3 days. After that some tolerable itching for 3 days (didn't take Benadryl beyond this time because dried eyes.)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1066806	3/2/2021	NH	18	F	2/24/2021	2/25/2021	Roughly 16 hours after receiving the first Moderna vaccine for COVID, woke up with dizziness, loss of vision for a few minutes, shakiness, low grade fever, paleness, shaky walking ability, nausea, and loss of bowels in her clothing.
1066782	3/2/2021	FL	34	F	3/1/2021	3/1/2021	9:30 mild shortness of breath and itching eyes 10:00 swollen tongue and throat, lightheadedness and visual disturbances (black spots in field of vision), increasing shortness of breath 10:30 increasingly severe difficulties breathing (like trying to drink ice cream through a straw), minor wheezing, itching, trippy strange lightheaded feeling, chest pressure, swollen throat and tongue 11:00 severe itching especially head, neck, ears; breathing takes focus and energy 12:00 midnight slight easing of respiratory symptoms, breathing still difficult but less of a strain. Severe abdominal pain 3am slight difficulties breathing still but greatly improved, throat like sandpaper, headache and moderate abdominal pain Next day: flu like symptoms with fever, aches, nausea, diarrhea, vomiting, lack of concentration, chills, tiredness Did not seek treatment, symptoms resolved by early AM
1062771	3/1/2021	AZ	23	F	2/20/2021	2/20/2021	Within 10 minutes of receiving the vaccine, developed "blackening" vision and then lost consciousness. Uncertain about time of loss of consciousness. Other symptoms included pallor, fast heart rate, sweating, nausea and loss of bladder function. No treatment required, seen in the ED and recovered without treatment. Because she was driving a car at the time, she rear-ended the car in front of her and the airbags deployed. Underwent evaluation for motor vehicle accident as well in the ED with no injuries noted.
1062819	3/1/2021	TX	48	F	2/26/2021	2/26/2021	C/O STIFFNESS IN LEFT TEMPORAL LOPE;ANTERIE L EAER AND LEFT CERVICAL. PRESSURE IS CONSTANT AND LOCALIZED. DENIES PAIN/PRESSURE BEHIND LEFT EYE. PT C/O NUMBNESS DOWN LEFT ARM AND WRIST. STIFFNESS/PRESSURE REAMINED THE SAME. RX; BENADRYL PO AND F/P W PRIMARY CARE DR

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1062704	3/1/2021	OH	67	F	2/15/2021	2/24/2021	<p>Patient called in and reported a side effect to her COVID-19 vaccine. This patient states that she received her first dose of the vaccine on 2/15/2021 and on 2/24/2021 @ approx. 4:30p she began to feel pain in the arm where her injection was given. The patient reports that within 2 hours she had excessive swelling and redness in her arm. She called in and spoke to CNP about her symptoms. The patient also states that this morning she followed up with her PCP and was told that she was having a reaction to two stabilizers in the vaccine, Thromethamine and Thomethamine Hydrochloride. At this time her arm was excessively swollen and the Dr. could visualize it through her clothing as well as excessive redness. The patient denies any numbness, tingling, or skin changes (color/temp) in her arm. The patient is allergic to steroids so her the treatment regimen from her Dr. is Ibuprofen by day and Benadryl by night until the symptoms subside. The patient was also told not to take her second dose of the vaccine and wishes to cancel that appointment. Upon looking in the chart it appears that she was scheduled for her second dose of the vaccine on two separate days. I left the chart as is and will wait for further instructions. The patient gave verbal permission to contact/speak with her PCP regarding this matter.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1062678	3/1/2021	CT	60	F	2/9/2021	2/9/2021	<p>About an hour after receiving the vaccine my arm was very sore, it felt like someone punched me in my arm. That night I couldn't lift my arm. I took Tylenol and put on ice on it. The next morning, I was going to the bathroom and I almost passed out. I was able to catch myself before I passed out. I felt nauseous and dizzy, I felt like I was going to throw up but I couldn't. I had chills. I went downstairs to try and drink some orange juice, I sat here and was gasping to catch my breathe. I kept thinking it was just my anxiety and kept trying to catch my breathe. I kept drinking the orange juice and the dizziness seemed to go away. I went to work, I was tired, chills and this lasted for 2 days. on Friday the 12th the rash (the rash which I developed from the 1st dose) seemed to get worse, when I took a shower, the heat from the water seemed to make the rash redder. I continued Hydrocortisone cream and then switched to Lubiderm. Neither seemed to help much so I kept switching between the two, eventually the rash did get lighter, it went away under my breast area but it is still there on my stomach. I filed a VAERS report for the first dose as well. About 8 days after receiving the vaccine, I have a tattoo on my right thigh and a red bump appeared on my tattoo, it was hurt. It was a bump and the next day the bump burst, it was hard and crusty. Then a rash developed around the tattoo. I have also had on and off fluttering of my eyelid since receiving the vaccine. I had made a dermatology appointment but I canceled it because it seems like the rash is going away and my deductible is to high. 2/26/2021 My right arm from the shoulder from down to fingers, is numb and hurting. Yesterday 02/28/2021, I got up in the morning and felt like I was going to pass out, I came downstairs and I got some orange juice. I got dizzy and couldn't catch my breathe, I told my husband to call 911, because I thought I was having a stroke. My husband said I passed out, my eye and my mouth were open, he shook my shoulders and called my name no response this lasted for about 3-5 seconds, then I take a deep gasp and came back. I was sweating profusely and pale. EMS arrived, transported me to hospital. My blood pressure was high while I was sitting and it was low when I tried to stand. I went to hospital 02/28/2021. The ER diagnosed with my syncope and wanted me to follow with a cardiologist. They believe since it was 2 weeks out since the vaccine,</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1062836	3/1/2021	TX	90	F	2/26/2021	2/26/2021	they do not believe it was the vaccine. 030- C/O DIZZINESS A LITTLE LA FRONTL; DENIES CP OR PRESSURE, NO BLURRED VISION. HEADACH:CONSTANT, NON THROBBING, LOCALIZED TO FRONTAL REGION PTS DAUGHTER ADVISED TO PROVID HTN MEDS AND FOOD/HYDRATION ONCE BP LOWERS, PATIENT SENT HOME
1062671	3/1/2021	TN	61	F	2/27/2021	2/27/2021	COVID19 (moderna) Shot was taken at 11:00 in the left arm on Saturday Feb 27 At 5:00 PM On Feb 27 my left eye began having black swirlies. They were like black strings. I have NEVER had swirlies in my life. At 8:00 PM Feb 27 on top of the swirlies that had moved to my peripheral vision left side of the left eye, I began having bright flashes like lightening. On Sunday Feb 28 the swirlies stayed just as peripheral vision and the bright flashes were noticed more in the late evening. Today March 1 they are still there and were more noticeable as I was driving to work. As I am typing this the swirlie moves from the center to the left side of the eye.
1062713	3/1/2021	IL	44	F	2/26/2021	2/27/2021	About 12 hours after the shot, I started running a fever and was very achy. It got progressively worse. Around 4:15 am I got up to use the restroom and I passed out. My husband was able to get me to regain consciousness. I then passed out again after about 10 minutes. We then went to the ER because I had a laceration on my eye, and head pain from hitting my night stand, wall, and floor.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1062606	3/1/2021	CT	49	F	2/20/2021	2/20/2021	Patient is a 49 y.o. female hx of asthma, GERD p/w L sided lower and upper facial droop in the context of receiving Moderna vaccine 2 days ago. Reports she noticed the facial droop a few hours after receiving the vaccine. Also has had generalized myalgias, denies f/c. Denies camping trips/going in the woods, never been diagnosed with lyme disease. Denies rash, hearing changes, vision changes, CP, SOB, abd pain, n/v/d/c, f/c, dysuria pain/weakness/numbness of the extremities, Pt received first dose of Covid vaccine on 2/20/2021. A few hours later noted mild facial droop, started to note numbness getting worse over 2 day period and presented to ED. Had labs, lyme negative. Diagnosed with bells palsy and discharged on prednisone, has 2 days left. The following day symptoms started to improve and she feels they fully resolved at this point. BP was elevated in ED, she reports she doesn't have a BP cuff at home but will get one. Feeling well overall but does occasionally experiencing symptoms of heart racing and chest tightness. Attributes this to anxiety and stress, mother just passed away. Denies CP, syncope.
1062537	3/1/2021	MO	68	M	2/27/2021	2/28/2021	Puffiness around eyes. Bags under eyes. Some redness along bag lines under eyes. Glassiness of eyes.
1062517	3/1/2021	NH	70	F	2/11/2021	2/16/2021	Outbreak of shingles in nerve running from top of head to under left eye. Have historically had approx 10 outbreaks over 20+ years. RECEIVED BOTH SHINGRIX SHOTS IN 2019. Contact me if you need more info.
1062463	3/1/2021	CO	54	F	2/25/2021	2/28/2021	1st lot # given in right arm, 2nd in left arm. About 3 days after first shot my eyes swelled to the point where my upper and lower eyelids were almost touching. I didn't think much of it but now it's happened after the second dose as well. First time I took 50mg of Benadryl but it didn't help and took almost 2 days to subside.
1062460	3/1/2021	FL	67	F	2/9/2021	2/11/2021	Spontaneous vitreous hemorrhage in right eye 46 hours after receiving shot. Dr. reluctant to attribute to vaccine, and he MAY be correct, but I thought I should report it as a possible adverse event. Hemorrhage dissipating after 2 weeks and expected to clear completely.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1062854	3/1/2021	MI	69	M	2/26/2021	2/26/2021	Friday evening, pt. was shaking so much that he could not even hold on to anything, had pain in his legs, hips, joints, knees to where he could not walk, and had a fever. He had a hard time breathing as well so he went to the hospital. They checked him out and ran tests but it was all in relation to the shot they thought. Saturday he was very tired that he slept all day. Sunday he was feeling better but had some issues with his vision and his peripheral vision went away for part of the day.
1063095	3/1/2021	NY	25	F	1/15/2021	2/26/2021	Patient sustained a delayed hypersensitivity reaction to hyluronic acid filler injections in her tear trough. She was injected with Restylane-L on 2/23 and on 2/26 her right eye was red and itchy. She was given theratears lubricating eye drops when the symptoms presented themselves, which made the redness go away within 2 hours. After 24 hours all redness and itching was gone.
1061648	3/1/2021	CA	33	M	2/24/2021	2/25/2021	Right eye brow twitching, intensity of twitching has progressed each day. On day 5 right eye brow twitching is almost constant and a mild pain in my whole right eye socket area is persistent.
1062400	3/1/2021	CT	71	F	2/13/2021	2/17/2021	Vaccine may have caused flare in Graves Disease symptoms. 4 days after the vaccination, I started having heart palpitations. 6 days after the vaccination, I started having double vision in the morning. I have never had heart palpitations from Graves before, although it is a common problem with it I have not had double vision since my eye surgery 5 years ago. Am wondering whether to proceed with second dose of the Moderna vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1062526	3/1/2021	NC	42	F	2/27/2021	2/28/2021	sore left arm shot area chemosis- thought I had something in my eye, a cat hair since I had been petting put cat. skin around right eye slightly swollen. Realized the liquid was under clear part of eye. Looked like some bubbled coming from top of eye, so weird. Could feel the liquid moving in eye when moving head. Touched the eye, liquid spread around iris and pupil not going over it. Was so weird. No pain. Felt that it had to be a reaction to the shot. My body seems to be pretty sensitive. I have had cold sore a few times back to back due to stress. My youngest has Cystic Fibrosis that is what allowed us to get the vaccine, in home caregiver of medically fragile child. Went to urgent care, just needed a professional to say it would go away in a few days and note the reaction. The PA said it was not a reaction to the vaccine, that it is not listed as a reaction in the data. Blah blah blah. I disagreed and left it at that. Had a benedylt last night and put a pataday drop in eye as recommended by PA
1063042	3/1/2021	MN	43	F	1/8/2021	1/17/2021	Vaccine was on the 8th of January - Headache, rash on the top of my head and down on to my forehead and around my right eye. Doctor visit on 11th. Diagnosed as Shingles. They put me on an anti-viral - Valtrex - for 10 days. It prevented it from spreading. I had the symptoms until about the January 27th.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1061948	3/1/2021	IL	44	F	1/26/2021	1/27/2021	injection site pain; tiredness; headache; muscle pain; chills; joint pain; Eye pain; fever =(on Tylenol); feel febrile and woke up with the sweats at 2:am; injection site swelling; injection site redness; nausea; feeling unwell; This is a spontaneous report from a contactable nurse (patient). This 44-year-old non-pregnant female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; lot number EL3249) intramuscularly in the right arm on 26Jan2021 (at the age of 44-years-old) at 11:00 as a single dose for COVID-19 immunization. Medical history included allergy to bee stings. Prior to vaccination the patient was not diagnosed with COVID-19. Concomitant medications were not reported. The patient previously took thimerosal on an unknown date for an unknown indication and experienced drug allergy. The patient received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; lot number EL0140) on 05Jan2021 at 10:30 intramuscularly in her right arm. On 27Jan2021 at 02:00 the patient experienced injection site pain, tiredness, headache, muscle pain, chills, joint pain, eye pain, "fever = (on TYLENOL) feel febrile and woke up with the sweats at 2:am," injection site swelling, injection site redness, nausea, and feeling unwell. No treatment was provided for the events. Therapeutic measures were taken as a result of fever and included paracetamol. The clinical outcomes of injection site pain, tiredness, headache, muscle pain, chills, joint pain, eye pain, "fever = (on TYLENOL) feel febrile and woke up with the sweats at 2:am," injection site swelling, injection site redness, nausea, and feeling unwell were unknown. It was also reported the patient was not COVID tested post-vaccination.
1063229	3/1/2021	WA	67	F	2/13/2021	3/13/2021	about 45 mins after vaccine administration patient began to experience itching in hands. No fever, chills, headaches, visual changes, lightheadness, or dizziness. No nasal discharge or sore throat. No neck or back pain. No difficulty breathing or swallowing. No throat swelling. No chest pain, shortness of breath, abdominal pain, nausea, vomiting or diarrhea. No numbness or tingling.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1063222	3/1/2021	AK	70	F	2/22/2021	2/27/2021	two events- one on Feb 27th about 4pm. had eye aura no pain but event lasted about 5-6 mins. next event ( more serious) on sunday Feb 28th. about 4pm lip started swelling ER visit at 830 says angio edema. i have had no lip fillers. possible related to lisinopril but reporting in case related to vaccine
1063216	3/1/2021	NY	68	M	2/24/2021	2/25/2021	Insomnia followed by fever ,chills, muscle pains, extreme pain at injection site, vomitting, skin hurt all over, dizziness, and I had a headache. Everytime I moved my eyes, I could hear a whooshing sound in my ears. I had to wear sunglasses and stay in the dark, as the light hurt my eyes. It lasted for 24 hours, and another 12 hours of and extreme stomach ache.
1063178	3/1/2021	NC	72	F	2/17/2021	2/18/2021	Neck rash and left eye redness and itching two days after 1st shot on 1/26/21. Neck rash and both eyes swelling, black, itching and burning by 2nd day after second shot on 2/17/21.
1063172	3/1/2021	NY	68	F	2/25/2021	2/25/2021	Blurred vision
1063081	3/1/2021		57	F	2/1/2021	2/1/2021	57 year old female who presents for brief focused urgent care visit, with a complaint of lightheadedness after receiving COVID vaccine. She reports she is diabetic and on insulin, and only had a small salad for lunch today. Her husband checked blood sugar and was found to be hypoglycemic in the low 50's. Patient began drinking orange juice and felt better after. She denies chest pain, SOB, difficulty breathing or swallowing, itching, swelling in throat, rash, visual disturbances, slurred speech, numbness or tingling of extremities. Patient re-checked blood sugar with her own glucometer and it was 103 prior to discharge. Symptoms completely resolved. Appropriate actions taken; no further action at this time.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1063076	3/1/2021	OH	67	F	2/12/2021	2/12/2021	RN was staffing a Covid clinic at HS. One of our other nurses gave her the 1st Moderna vaccine at 1:45 PM on 2/12/21. At 1:55 PM, the nurse who had given her shot noticed that patient was pale, and said she was not feeling well. Her BP was 179/110, and she said she usually has low BP. She c/o of "feeling hot and was having difficulty breathing." She was seen by our medical director. After 30 minutes, her BP was 120/82. She said she ?felt a little better and called her sister to pick her up.? Later that evening, patient texted me saying I didn?t feel well when I got home, had trouble focusing literally and had a crying jag and felt shaky on the inside. I kept hydrating, took 25 of Benadryl and slept for 2 hrs., now feel close to normal. It was definitely a reaction to the shot-just weird!?! Patient texted me on 2/13/21 that ?the FDA thinks one vaccine may be enough for 80?90% effectiveness, so I might not get the 2nd dose? On 2/15/21 patient texted, ?My PCP thinks what I had was a side effect & recommends taking Benadryl, Zyrtec, or Tylenol before the 2nd injection, and doesn?t seem to be worried about it!?! On 2/19/21, I received a text from patient at 5:28 AM as she was scheduled to staff a Covid clinic that day, beginning at 7:30 AM. She said, ?I have been up for a couple hrs w/severe eye pain and can?t hardly open my eye but it hurts to close it too! At 10:37 AM she texted, ?I just got home from eye doctor and was prescribed drops 4X/day. Apparently, there are pin holes in my sclera & cornea which hurt so bad I had lavender cold pack on all day & couldn?t stand the light. It is a corneal abrasion & I have no idea why that would happen suddenly?!. The following day, she texted me a picture of her L arm injection site which she said was ?very itchy and hot! Not painful-? It was about 6 inches in diameter, red, inflamed, delayed cutaneous rx.
1062857	3/1/2021	IL	43	F	2/25/2021	2/25/2021	Patient stated eyes were itchy and throat itchy. Stated she felt funny. Given 25mg oral Benadryl. Resolution of symptoms before leaving vaccine site

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1063020	3/1/2021	MI	69	F	2/21/2021	2/27/2021	Day1- headache in nasal sinus area and between eyes, Day 2- muscle aches, joint pain, dizziness, nausea, lack of appetite. That evening, awoke out of sleep at 3 am with extreme abdominal pain, walked to bathroom and almost passed out, had to lay on the floor for 15 minutes.. After a half our it happened again. No diarrhea but had 2 soft formed stools (very unusual for me). A lot of nausea, weakness and abdominal pain. Chills for 2 days.
1062936	3/1/2021	AL	66	F	2/27/2021	2/27/2021	Patient stated on Saturday afternoon she could feel the vaccine traveling to her head. Described the Headache as a severe Hangover feeling. She reported she stayed in bed all day Sunday. On Sunday the HA moved over her right eye, described as a "dull pain" She also reported her arm to be "very" sore.
1062896	3/1/2021		49	M	1/11/2021	2/15/2021	Feb 15, 2021 Monday, I started feeling pain on the right portion of my neck; Feb 16, 2021 Tuesday, I felt the pain radiating inside my right ear and had a mild headache. Tuesday evening, my wife noticed that I am not fully blinking/closing my right eye; Feb 17, 2021 Wednesday, I didn't have the same pain but there's numbness on my right cheek extending to my right lips. Wednesday afternoon around 2pm, I went to my dentist thinking it was due to my Invisalign which I started on Jan 25, 2021. The dentist told me it is most likely Bell's palsy so I decided to go to Emergency.
1062889	3/1/2021	OH	51	F	2/24/2021	2/25/2021	Received my second dose at 2:00 pm and woke up at 3:00 am with severe muscle/bone pain thruout my hips, buttox, legs, knees and ankles. Had constant headache from 3:00 am till 5:00 pm. Constant chills throughout the day and into the evening. Was unable to rest/sleep do to pain lasting 20 hours. Had blurred farsighted vision throughout the day. Had mild headache lasting 5 hours the second morning after the shot.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1062870	3/1/2021	NY	35	F	3/1/2021	3/1/2021	Pt fainted in her chair, fell to her knees and slid her head along the floor causing two abrasions to the right side of her face. Pt states she has a history of fainting after getting blood drawn. Pt denies any head or neck pain. Pt denies any dizziness or blurry vision. Pts pupils are equal and reactive. Pt is moved to the exam room and seated on a cot. Pts vitals are stable. Pt states she is feeling better after laying down for 20 minutes. EMS advised that she should go to the hospital for an evaluation. Pt refused transport to hospital. Pt was walked out to her car/ Pts husband drove her home.
1062863	3/1/2021	PA	52	F	2/24/2021	2/26/2021	I suffered what seemed to be a seizure on Friday 2/24. It was witnessed by my adult daughter. I was seated on a sofa, my eyes closed and I lost consciousness. My daughter reported that my arms went back and forth as did my head. I woke back up and felt dizzy but fine otherwise. I have never had a seizure or anything like that happen to me on the past. I did have all flu like symptoms (fever, chills, body aches, headache) 12 hours post vaccine which I expected to happen. All of these flu like symptoms occurred 2/23 and were essentially gone by 2/24. I am not reporting the flu like symptoms as ?adverse ?. I am simply reporting the seizure like activity that occurred approximately 1:00 pm on 2/24. I did not seek medical attention but I am following up with my doctor. No more seizures have occurred.
1063085	3/1/2021	TX	67	F	3/1/2021	3/1/2021	Patient reported that she was dizzy, SOB, blurred vision, rapid heart beat.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1061937	3/1/2021	FL	69	F	1/26/2021	1/26/2021	<p>Feeling numbness in her face around her cheeks and mouth/Her face was really tingling and numb; Feeling numbness in her face around her cheeks and mouth/Her face was really tingling and numb; Difficulty swallowing; Throat started to feel like it was closing up; Tongue got thick; Little blurred vision; This is a spontaneous report from a contactable consumer (the patient). A 69-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot number: UNKNOWN), via an unspecified route of administration, in the right arm on 26Jan2021 at 15:46 PM, (at the age of 69-year) as a single dose for COVID-19 immunization. Medical history included hypertension, pacemaker insertion. Concomitant medication was not reported, however, the patient reported that she takes medicines for hypertension, and is on blood thinners. The patient did not receive any other vaccines within four weeks prior to the vaccination. The patient reported that on 26Jan2021, after receiving the vaccination she did wait a half hour and the only symptoms she thought at the vaccination visit was a little blurred vision, which was temporary and went away. At 16:30, about 45 minutes to 1 hour after she left the vaccination center, as she was driving home, she informed that she was feeling numbness in her face around her cheeks and mouth/face was really tingling and numb, and she had difficulty swallowing; her throat started to feel like it was closing up and her tongue was really thick. She stated she tried to stay calm and forced herself to drink a bottle of water. She had no idea where there was any emergency area since she was not familiar with the area and tried to calm herself down and took sips of water and made sure she was breathing okay and it all went away. The reaction lasted 10-15 minutes and seem to resolve when she was able to calm herself down. She stated it was scary, and once she calmed down it all went away. She was concerned about receiving the second dose. She did not go to a physician or emergency room, but says she probably should have. The clinical outcome of little blurred vision, feeling numbness in her face around her cheeks and mouth/her face was really tingling and numb, difficulty swallowing, throat started to feel like it was closing up, and tongue got thick was recovered. The lot number for the vaccine, BNT162B2, was not provided and will be requested during follow up.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1062136	3/1/2021		74	F	1/25/2021	1/25/2021	runny eyes, very itchy, discharge, and was like pink eye; runny eyes, very itchy, discharge, and was like pink eye; runny eyes, very itchy, discharge, and was like pink eye; This is a spontaneous report from a non-contactable consumer (patient herself). A 74-year-old female patient received the first dose of BNT162B2 (Pfizer-BIONTECH COVID-19 Vaccine; Lot number: EL9261), via an unspecified route of administration in the left arm on 25Jan2021 as a single dose for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. The patient did not have COVID prior to vaccination, did not receive any other vaccine in four weeks, and was not pregnant. The patient experienced runny eyes, very itchy, discharge, and was like pink eye on 25Jan2021. It was reported that the events started about six hours after vaccine shot and lasted 48 hours. The patient had not tested positive for COVID-19 post vaccination. The patient did not receive any treatment for the events. Outcome of the events was recovered. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1062124	3/1/2021	FL	78	F	1/14/2021	1/15/2021	<p>she has been shrinking; the COVID-19 Vaccine injection site was a little itchy, red, and hot when she first noticed the adverse reaction on 15Jan2021; the COVID-19 Vaccine injection site was a little itchy, red, and hot when she first noticed the adverse reaction on 15Jan2021; the COVID-19 Vaccine injection site was a little itchy, red, and hot when she first noticed the adverse reaction on 15Jan2021; This is a spontaneous report from a contactable consumer, the patient. A 78-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Lot number 61R84), via an unspecified route of administration on 14Jan2021 at 12:00 (at the age of 78-years-old) as a single dose in the left arm for COVID-19 immunization. Medical history included macular degeneration from an unknown date (for which patient received macular degeneration shot in her eye on 11Jan2021. The shot was the medication "Elyce"), high blood pressure and thyroid condition (both for which patient takes unspecified medications) and bad back for which patient received epidural (unspecified medication) on 13Jan2021. Concomitant medications Elyce (as reported) for macular degeneration, epidural (unspecified medication) for back pain, and unspecified medications for high blood pressure and thyroid condition. The patient did not receive any other vaccines within four weeks prior to the vaccination and had no additional vaccines administered on the same date of the vaccination. On 15Jan2021 the patient experienced vaccine injection site was a little itchy, red, and hot when she first noticed the adverse reaction on the second day, 15Jan2021. She said the COVID-19 Vaccine injection site stayed warm and itchy for 3 days. She said she noticed the red spot was still at the COVID-19 Vaccine injection site this morning, and asked does she need to worry about the red spot. She clarified the redness at the vaccine injection site is a half circle, and the vaccine injection site is not burning or itching. The patient did not receive any treatments for the vaccine injection site was a little itchy, red, and hot&gt; The patient stated she "has been shrinking" from an unknown date. The patient also reported she has a history of a bad back and she had an epidural the day before getting her first COVID-19 Vaccine dose. She clarified she had the epidural on 13Jan2021. The patient stated she does not have the epidural medication name, dose, NDC, Lot and</p>



*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

Expiration Date, since the epidural was given at the orthopedist's office. She said she received a notice from her orthopedist, who administered the epidural on 13Jan2021, stating that Pfizer recommended not to have an epidural when having the COVID-19 Vaccine because the epidural may not be as effective. She said she is not going to go back for her second epidural with the orthopedist, but plans to have her second COVID-19 Vaccine dose. She clarified that the letter from her orthopedist stated she can schedule her next epidural a week after receiving the COVID-19 Vaccine. The patient stated she was more concerned about getting her second dose of the COVID-19 Vaccine than getting a second epidural with her orthopedist. The patient reported she still had a half dollar sized red mark at the COVID-19 Vaccine injection site. The clinical outcomes of the vaccine injection site was a little itchy, red, and hot were recovering. The outcome of the event she has been shrinking was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1062086	3/1/2021	IN	69	F	1/19/2021	1/19/2021	muscle spasms; wasn't feeling well; she stumbled again, and fell against her car; too tired; cry; patient with rheumatoid arthritis received Pfizer Covid-19 Vaccine; patient with rheumatoid arthritis received Pfizer Covid-19 Vaccine; headaches/The headache is above her ear and the pain is "past 10"; She recalled experiencing "swelling around her eyes" and "had some swelling" after the 1st dose of the Pfizer-Biontech COVID19 vaccine/left eye swelling; had some swelling; Dizziness/Lightheadedness; Vomiting; Blurry vision; She said the left arm pain started immediately after receiving the COVID-19; Injection site swelling; she is sweating something fierce under her arms; peeing on herself (running to bathroom more); lady asked her to call her when she got home, and she forgot, saying her mind wasn't there; acid reflux taste in mouth/she tasted the COVID-19 Vaccine shot when it was administered; This is a spontaneous report from a contactable consumer (patient). A 69-year-old female patient received her first dose of bnt162b2 (BNT162B2 reported as PFIZER-BIONTECH COVID-19 VACCINE; lot number: EL8982; expiration date: unknown) at the age vaccination of 69-year-old via an unspecified route of administration in the upper left arm on 19Jan2021 08:00 (also reported as 11Dec2020) at a single dose for covid-19 immunization. Medical history included was hit by a truck a GM and the truck busted her legs up, ongoing RSD (Reflex Sympathetic Dystrophy) pain since 1991 and was prescribed with oxycodone/acetaminophen (PERCOCET), rheumatoid arthritis from 1991 to an unknown date, spinal cord implant is in her spine, and goes from her spine to her waist, and from her waist to both legs, and down to her ankles from 1991 to an unknown date and migraine when she was 12 or 13 years old. There were no concomitant medications. She received the vaccine in a hospital. The patient previously had a flu shot for immunization but was allergic to the flu shot. It was reported that a patient with rheumatoid arthritis received Pfizer Covid-19 Vaccine on 19Jan2021 08:00. On 19Jan2021, the patient reported that she said she had a slight headache, left eye swelling, dizziness, vomiting, blurry eyes, sweating up under her arms, and peeing on herself (running to bathroom more) after receiving the COVID-19 Vaccine. It was reported that the patient had injection site swelling on 19Jan2021. She said she has never had any side effects like what she is

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

experiencing now after getting the COVID-19 Vaccine. She reported that her mild headache turned severe over the weekend, and she had to wrap a towel around the back of her head, so she could lay down. She said the headache pain was a sharp pain at the bottom of the back of her head and neck. She clarified she had migraines when she was 12 or 13 years old, but the headache pain she had now is nothing like the migraines she had then. She further clarified that her severe headache feels like a knife in the back of her head and neck. She said the pain is more severe on the right side of her head than the left. She said right now she has pressure in the front of her head with a slight headache. She additionally clarified that the swelling in her left eye comes and goes and is persisting. She said her left eye didn't swell close, but her granddaughter told her it looks like something is wrong with her left eye. She added that she had dizziness this morning when she was going to work. She said she stumbled when she was walking this morning but drove to work anyway. She said when she got to work, she wasn't feeling well on an unspecified date, so she decided to go back home. She said when she was walking to her car, she stumbled again, and fell against her car. She reported when she first got the COVID-19 Vaccine (19Jan2021), she was driving in a bad way. She said after she got her COVID-19 Vaccine, she picked up an elderly lady she sits with, and the elderly lady told her she wasn't normal. She said the elderly lady told her she was too relaxed while she was driving, like she was in a daze. She said the elderly lady said she was scared for her and herself when she was driving. She said the elderly lady asked her to call her when she got home, and she forgot, saying her mind wasn't there. She mentioned that she had to wait 15 minutes after receiving her COVID-19 Vaccine (19Jan2021), and when she was driving home, she had to pull over and get out of her car to vomit. She said she had an acid reflux taste in mouth before she threw up. She said she threw up a little bit last night when she had a severe headache. Clarified her eyes are constantly blurry now. She said she has to put her glasses on to see but has to turn her head sideways in order to see anything past her blurriness. She said her blurry eyes are worse at night. She stated that she was sweating something fierce under her arms, she said she has to

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

take 3 showers a day now to get rid of the sweating and smell under her arms. She said she has never sweated like that before. She reported her left arm is sore too. She said the left arm pain started immediately after receiving the COVID-19 Vaccine (19Jan2021). She said she has swelling too, and has been rubbing her left arm with alcohol, but the left arm soreness is still there. She reported that she tasted the COVID-19 Vaccine shot when it was administered. She has blown off calling her doctor when she first experienced her side effects, but then her headache got worse. She said she so spoke to doctor 30 minutes before calling Pfizer. She said she told her doctor if her headache comes back, she is going to the emergency room when she gets off work after tonight. She stated that she has been experiencing headaches/muscle spasms that have been getting worse. She says they last 15-20 minutes and then it stops. The headache is above her ear and the pain is "past 10". Yesterday night (unspecified date), the headache was so severe that she wanted to go to the ER but was too tired. The patient reported that she was taking ibuprofen (ADVIL) for her slight headache. She said she took the Advil for a couple days and nights, and her headache eased up some with the Advil. She reported that 2 days ago she bought aspirin, caffeine, acetaminophen (EXCEDRIN MIGRAINE). She also reported that she started taking Ibuprofen when her headaches became severe. She said the Ibuprofen eased the headache, but the headache comes back. Reported she took pain medicine prescribed from a doctor way back, and the prescription pain medication doesn't ease her headache pain. She clarified that the medication was dispensed in a pharmacy was oxycodone, acetaminophen (PERCOCET). She called her doctor when she returned home from work this morning, and her doctor told her to call Pfizer to report her side effects. She reported when she went to work this morning, she got lightheaded. She took Percocet and other medications, but it hasn't relieved it. She says it's not a migraine. She recalled experiencing "swelling around her eyes" and "had some swelling" after the first dose of the Pfizer-Biontech COVID19 vaccine on 19Jan2021. She reported on 02Feb2021 that she was calling back today to report that her headaches were worse. She said her headaches are not a migraine, but

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

more like a muscle spasm in the right side of her head, above her ear. She said the pain is between her neck and ear on the right side of her head. She said the headache pain feels like it is as big as a golf ball. She said her headache pain is so severe, the headache pain wakes her up in a cry. She said the headache pain lasts 15-20 minutes, and then eases up slightly. She said the headaches have been happening twice at night, and twice during the daytime. She said the headache pain doesn't last long. She mentioned that she has been doing self-remedies. She said she ate a spoonful of mustard to ease the headache, and the spoonful of mustard did ease her headache. The patient inquired if she should get the second COVID-19 Vaccine if she is continuing to experience headaches after receiving the first COVID-19 Vaccine. The outcome of the events headache, eye swelling, blurry vision, frequency urinary were not recovered, as for the events dizziness, vomiting, vaccination site pain and vaccination site swelling were recovering, while the outcome of the other events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1062011	3/1/2021	CA	54	M	1/14/2021	1/17/2021	heart palpitations; shortness of breath; This is a spontaneous report from a contactable consumer (patient). A 54-year-old male patient received the 1st dose of bnt162b2 (Pfizer-BioNTech COVID-19 Vaccine, Lot number: Unknown), via an unspecified route of administration at the left arm on 14Jan2021 at a single dose for COVID-19 immunization. The vaccine was administered in a Nursing Home/Senior Living Facility. The patient had no medical history. The patient had not received other vaccine in four weeks. Concomitant medication included erythromycin eye ointment. On the 17Jan2021 4PM, 3 days after being vaccinated the patient got heart palpitations and shortness of breath. This continued until the 23Jan2021 when he stopped having the heart palpitations. However, the shortness of breath has continued. It started out as light shortness of breath and has evolved into moderate. He was not gasping for air but it was uncomfortable enough where he has had to take time off of work. He was seen by a doctor on 27Jan2021. The patient did not receive any treatment for the event. The patient had Nasal swab/ SARs CoV-2 RNA Real time RT PCR on 25Jan2021, and the result was negative. The outcome of the event heart palpitations was recovered on 23Jan2021 and shortness of breath was not recovered. Information on lot number/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1062007	3/1/2021	NY	65	F	1/18/2021	1/20/2021	Intense Itching and swelling; Intense Itching and swelling; Pain but not severe, moderate; This is a spontaneous report from a contactable consumer (patient). A 65-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number: EL 3247), via an unspecified route of administration on 18Jan2021 17:30 at a single dose on left arm for COVID-19 immunization. Medical history included itchiness from fake eyelash glue. There were no concomitant medications. The patient previously received flu vaccine for immunization and experienced itchiness. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine and no any other medications received within 2 weeks of vaccination. The patient was not pregnant at the time of vaccination. On 20Jan2021, the patient experienced intense itching and swelling and pain but not severe, moderate. The events resulted in visit to emergency room/department or urgent care. The patient was treated with antihistamine for the events. The patient was recovering from the events. The patient was not diagnosed with COVID-19 prior to vaccination. Since the vaccination, the patient has not been tested for COVID-19. The events were reported as non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1062006	3/1/2021	MN	53	F	1/19/2021	1/21/2021	Swelling in the area of eyes and cheeks of previously administered dermal fillers (dermal fillers injected around Jun20) and pain, some redness; Swelling in the area of eyes and cheeks of previously administered dermal fillers (dermal fillers injected around Jun20) and pain, some redness; Swelling in the area of eyes and cheeks of previously administered dermal fillers (dermal fillers injected around Jun20) and pain, some redness; Swelling in the area of eyes and cheeks of previously administered dermal fillers (dermal fillers injected around Jun20) and pain, some redness; This is a spontaneous report from a contactable nurse (patient). A 53-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Solution for injection, lot number: EL3247, unknown expiration), via an unspecified route of administration in right arm on 19Jan2021 at a single dose for COVID-19 immunization in a workplace clinic. Medical history included hypothyroidism, idiopathic thrombocytopenic purpura (ITP), and previously administered dermal fillers in Jun2020. The patient has no allergies to medications, food, or other products. Concomitant medications included levothyroxine, tamoxifen, and vitamin D. The patient also received her first dose of BNT162B2 (lot number: EJ1685, unknown expiration) for COVID-19 immunization in right arm on 29Dec2020. The patient experienced swelling in the area of eyes and cheeks of previously administered dermal fillers (dermal fillers injected around Jun20) and pain, some redness on 21Jan2021. The patient received steroids and antihistamines. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was not diagnosed with COVID-19 prior to vaccination and has not been tested for COVID-19 since the vaccination. The patient recovered from the events on unspecified date. The events were assessed as non-serious. No follow-up attempts are possible. No further information is expected.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1062001	3/1/2021	FL	61	F	1/20/2021	1/20/2021	Eyes bloodshot; Rash over entire body...arms, legs, abdomen, back, neck; dose number= 1, administration date= 06Jan2021/dose number= 2, administration date=20Jan2021; dose number= 1, administration date= 06Jan2021/dose number= 2, administration date=20Jan2021; This is a spontaneous report from a contactable nurse (patient). A 61-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), intramuscular at the left arm on 20Jan2021 07:45 at single dose for COVID-19 immunization. Medical history included hypothyroidism. The patient was not pregnant at the time of vaccination. Concomitant medication included thyroid (WP THYROID), methocarbamol, and paracetamol (TYLENOL). The patient has known allergies to cefalexin (KEFLEX) and statins. The patient was previously vaccinated with the first dose of BNT162B2 on 06Jan2021 07:45 at the age of 61-year-old intramuscular at the right arm for COVID-19 immunization. The patient experiences rash over entire body, arms, legs, abdomen, back, neck, not on the face yet and eyes bloodshot; symptoms appeared over 8-hour period beginning at 7 am on 26Jan2021. The patient did not receive any treatment for the events. The outcome of the events rash over entire body and eye bloodshot were not recovered.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1061939	3/1/2021	MI		F	1/12/2021	1/20/2021	Eye issues flashes; Floaters; blurred vision; low White Blood Counts; High PTT; This is a spontaneous report from a contactable consumer (the patient). A 66-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, lot number EK9231), via an unspecified route of administration in the right arm on 12Jan2021 11:30 (at the age of 66-years-old) as a single dose for COVID-19 immunization. The patient's medical history included high cholesterol. The patient did not have allergies to medications, food, or other products (unspecified). The patient was not pregnant at the time of vaccination. Prior to the vaccination, the patient was not diagnosed with COVID-19. Concomitant medications included: atorvastatin calcium (LIPITOR), vitamin D NOS, and macrogol 3350 (MIRALAX). The patient did not receive any other vaccines within four weeks prior to the vaccination. On 20Jan2021, the patient experienced eye issues flashes, floaters, blurred vision, and "IRH", new sudden onset. Follow up bloodwork revealed low white blood counts and high PTT. The patient stated treatment was received: cautious observation (as reported). The clinical outcome of eye issues flashes, floaters, blurred vision, low white blood counts, and high PTT was recovering. It was also reported that since the vaccination, the patient had not been tested for COVID-19.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1062179	3/1/2021	FL	84	M	1/15/2021	1/15/2021	Symptoms similar to thrush of mouth; I have sore throat and all inside my mouth is sore, my tongue is sore; Symptoms similar to thrush of mouth; I have sore throat and all inside my mouth is sore, my tongue is sore; Symptoms similar to thrush of mouth; I have sore throat and all inside my mouth is sore, my tongue is sore; Headache; Eyes are sore; Soreness in arm; This is a spontaneous report from a contactable consumer (patient himself). An 84-year-old male patient received BNT162B2 (Pfizer-BioNTech COVID-19 mRNA vaccine, lot number: EL3246), via an unspecified route of administration on the upper right arm, first dose at age 84 years on 15Jan2021, at single dose for COVID-19 vaccination. The patient's medical history and concomitant medications were not reported. Patient had the COVID Vaccination on the 15Jan2021 and he had minor soreness in his arm for 2 days and it went away, it was gone by the 18Jan2021. On 23Jan2021, he started with the symptoms similar to the thrush of the mouth and he went to the doctor 27Jan2021 and they told him it was not thrush because he did not have the white coating in his mouth, and thought it was reaction to the Covid-19 Vaccination (Covid-19 Vaccine by Pfizer) and he has a sore throat and all inside his mouth is sore, his tongue is sore he has headache and his eyes are sore. Patient's doctor told him to take Vitamin C and Vitamin D and Zinc, and he took his first dose this morning 27Jan2021, after breakfast which are Vitamin C and Vitamin D, but he haven't taken the Zinc yet. The outcome of the event soreness in arm was recovered on 18Jan2021, while for the rest of the events, it was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1061918	3/1/2021	FL		F	1/16/2021	1/26/2021	Blood in right eye; A spontaneous report was received from a consumer concerning a 74 year old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and developed blood in her right eye. The patient's medical history was not provided. Concomitant product use was not provided by the reporter. The patient received their first of two planned doses of mRNA-1273 (Batch number:01312o8) on 16 JAN 2021 for prophylaxis of COVID-19 infection. Patient woke up on 26 JAN 2021, ten days after initial dose of vaccine, with blood in her right eye. She called to ask if this was a normal side effect of the COVID vaccine. Patient scheduled an appointment with an eye doctor for evaluation and reached out to her PCP. Treatment information was not provided. Action taken with mRNA-1273 in response to the event was not provided. The outcome of the event, blood in right eye, was considered not resolved.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1061915	3/1/2021	FL	71	F	1/13/2021	2/11/2021	Anaphylactic reaction; swollen throat; eyes itching; eyes swollen; swollen lips; She had hives all around her waistband, back, arms, chest, and her hair; Palms were red; palms were very itchy; her arm was tender; A spontaneous report was received from a consumer concerning a 71-Year-Old female patient, who was administered Moderna's COVID-19 vaccine second dose and her arm was tender, palms were itchy, palms were very red, hives all around waistband, back, arms, chest and hair, swollen throat, swollen lips, eyes swollen and eyes itching and anaphylactic reaction. The patient's medical history was not provided. No relevant concomitant medications were reported. On 13-Jan-2021 the patient received their first of two planned doses of mRNA-1273 (Lot Number:012L20A) Intramuscularly in the left arm. On 11-Feb-2021 prior to the onset of the events, the patient received their second of two planned doses of mRNA-1273 (Lot number: 039K20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 11-Feb-2021, patient stated her arm was tender, but she was able to sleep on her side. On 12-Feb-2021 night, her palms were very itchy. On 13-Feb-2021, approximately at 04:30 am patient stated it was like someone had a blowtorched on her palms. Her palms were very red, "as red can be" and itching tremendously. When she used the bathroom, she had hives all around her waistband, back, arms, chest and her hair. Patient went to ER. Since her ER visit, patient stated some of her spots on her chest lighten up and her hands were not as bad. Patient denies ever having trouble of difficulty breathing. Patient called again and reported new adverse events from previous one. Patient went to ER for second time on 13 Feb 2021 night and experienced unbearable itching and burning. Patient felt okay until 15-Feb-2021 and went bed and woke up 1:30 am in the morning with swollen throat and lips and she thought she was experiencing anaphylactic reaction. Her eyes were swollen, itchy and needed help. Treatment for the event included patient put an ice pack between her hands for an hour on 13-Feb-2021. The ER gave her diphenhydramine and famotidine and patient was sent home with same medications. Patient also used arnicare gel for her whole waistband, which she stated was very cooling and helped with the burning and itching. Patient received 5 doses of steroids, diphenhydramine and

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

famotidine after second ER visit. The patient received both scheduled dose of mRNA-1273; therefore, action taken with the drug in response to the event is not applicable. The events, arm was tender, palms were itchy, palms were very red, hives all around waistband, back, arms, chest and hair, swollen throat, swollen lips, eyes swollen and eyes itching and anaphylactic reaction, were considered unknow.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. Further information has been requested.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1061907	3/1/2021	FL	75	M	1/30/2021	1/31/2021	Double vision; Chills; Low graded fever (99.8); A spontaneous report was received from a consumer, concerning a 75-year-old male patient, who received Moderna's COVID-19 Vaccine (mRNA-1273) and experienced double vision, chills and low graded fever (99.8). The patient's medical history was not provided. Concomitant product use was not provided by the reporter. On 30 JAN 2021, the patient received their second of two planned doses of mRNA-1273 (Batch number 012M20A) intramuscularly for prophylaxis of COVID-19 infection. On 31JAN2021, after the vaccine administration, the patient developed chills and low-grade fever of 99.8, hence he was given with acetaminophen to alleviate these symptoms. On 01 FEB 2021, the patient started experiencing double vision, hence, on 05 FEB 2021, the patient went to their eye doctor who instructed the patient to go to the emergency room (ER). The ER doctor admitted the patient to the hospital to run some tests and labs. The patient was tested for stroke, tumor, and bell palsy and all these tests were negative. The hospital conducted several CT and MRI and they were all negative. The neurologists did not know what was going on with the patient. Hence, he was discharged from the hospital on 07 FEB 2021. The patient was still having symptoms. Treatment information was not provided. Action taken with mRNA-1273 in response to the events were not applicable. The outcome of the events double vision, chills and low graded fever (99.8) were considered not resolved at the time of this report.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. Further information has been requested.
1061664	3/1/2021	CA	77	F	2/25/2021	2/27/2021	2 days after vaccination I noticed that I had a blood red bruise just under my left eye, close to nostril; I noticed blood in left nostril on 3rd day, and that evening noticed that I had redness in corner of my left eye with a red spot in very corner, which led me to reporting it here. I have not yet had contact with my doctor, but plan to call him and/or ophthalmologist tomorrow, Monday.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1061649	3/1/2021	CA	52	M	1/27/2021	1/27/2021	About 4 hours following the 1st part of the vaccination (i.e. around 8:30 pm), I felt the skin of both my cheekbones swelling and flaring up. By the following morning, I felt that skin area, as well as the area around both of my eyes to feel as if I had sustained second degree burns. Additionally, the skin around my eyes particularly, presented with extreme dryness and geriatric symptoms, such as wrinkling and stretched thinned skin, as if I were an elderly person (over 75 years old, and not 52). The flaring/burning subsided after 4-5 days. However, the skin dryness around the eyes has persisted to this day (i.e. 5 weeks past the 1st vaccination). A day after the 2nd part of the vaccination, I felt moderate dizziness and headache, which lasted for about 24 hours. Also, light soreness and skin stiffening were experienced at the arm location where the shot was administered.
1062405	3/1/2021	NY	51	F	2/27/2021	2/27/2021	11 hours after the shot I got intense chills. My entire body was in pain, I had a headache, my eyes hurt and were on fire. After Tylenol, I was soaking wet but the body aches, joint pain, exhaustion continued. My left arm (injection site) was hard to lift and the injection point very sore. The following day 2/28- I was depleted of energy, my body was achy. I still had chills but to a much lesser degree. Throughout the night of 2/28-3/1 I had on and off chill/sweats. This morning, 3/1, My chills and headache are gone. I still have injection site pain with a red circle and the arm is hard to lift. The body aches have lessened. I am still very lethargic.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1061990	3/1/2021	MI	65	F	1/27/2021	1/27/2021	Started with itching on left neck; swelling below left eye; hands were swelling; This is a spontaneous report from a contactable consumer (patient) reported that a 65-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on the left arm on 27Jan2021 14:30 at a single dose for covid-19 immunization. The vaccine was administered at the pharmacy. Patient was not pregnant at the time of vaccination. Medical history included sarcoidosis and hypertension both from an unknown date, and one unknown anaphylaxis a year ago (2020). Prior to vaccination, the patient was not diagnosed with COVID-19. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Concomitant medication included amlodipine besylate. On 27Jan2021 16:30, it was started with itching on left neck, then swelling below left eye and hands were swelling. The patient was concerned enough she took a Benadryl. The events result in doctor or other healthcare professional office/clinic visit. Treatment received for the events was Benadryl. Since the vaccination, the patient has not been tested for COVID-19. The outcome of the events was unknown. Information on the lot/batch number has been requested.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1062225	3/1/2021	IL	70	F	2/1/2021	2/5/2021	eyelids became puffy; eyes became glassy; fever; body aches; chills; bad headaches; implanted breast skin became blotchy; This is a spontaneous report from a contactable consumer, the patient. A 70-year-old non-pregnant female patient received the first dose of BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: E63247) , via an unspecified route of administration in the right arm on 01Feb2021 at 15:00 (at the age of 70-years-old) as a single dose for COVID-19 immunization. Medical history included Raynaud's syndrome, chronic lymphocytic leukaemia, irradiated thyroid gland, high cholesterol, previous breast cancer, allergy to latex and adhesives, and breast implants. Concomitant medications included levothyroxine sodium (SYNTHROID); rosuvastatin (MANUFACTURER UNKNOWN), and unspecified multivitamins. The patient previously took povidone/iodine (BETADINE) on unknown dates for an unknown indication and experienced drug allergy. On 05Feb2021 at 21:00, the patient experienced fever, body aches, chills, bad headaches, and implanted breast skin became blotchy. On 07Feb2021, the patient's eyelids became puffy and eyes became glassy,. All the events were reported as serious for disability. The peak temperature was 101 degrees Fahrenheit on an unknown date in Feb2021. The patient contacted the doctor, eye care professional and hematologist/oncologist for the events. On 08Feb2021, the patient had a COVID-19 nasal swab PCR which was negative. The patient was not treated for the events. The clinical outcome of the fever was recovered on 12Feb2021; while that of the body aches, chills, bad headaches, implanted breast skin became blotchy, eyelids became puffy, and eyes became glassy were recovering.
1062284	3/1/2021	VA	80	M	2/27/2021	2/27/2021	Dizziness Upset stomach Blurry eyes Hot in face Anxiousness Fatigue
1062277	3/1/2021	WA	39	M	2/23/2021	2/27/2021	Hives 3.5 days after 2nd vaccination was administered, along with transient lower lip swelling. Eye swelling appeared 5 days after vaccination.
1062273	3/1/2021	NY	27	F	2/28/2021	2/28/2021	URTICARIA, THROAT TIGHTNESS, EYELID SWELLING

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1062266	3/1/2021	TX	63	F	1/20/2021	2/6/2021	<p>preseptal cellulitis eyelid; hurt her back, aggravating the back pain; hurt her back, aggravating the back pain; This is a spontaneous report from a contactable consumer, the patient. A 63-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot number: EL9261), via an unspecified route of administration in the right arm on 20Jan2021 at 14:00 (at the age of 63-years-old) as a single dose for COVID-19 immunization. Medical history included breast cancer from 2015, back pain (which predated vaccination with BNT162B2), cholesterol, diabetes, blood pressure, kidney stones, vitamin D low, allergy, depression, lichen sclerosus and hair loss. Ongoing concomitant medications included simvastatin for cholesterol, empagliflozin (JARDIANCE) for diabetes, metformin for diabetes from 20Dec2020, linagliptin (TRADJENTA) for diabetes, hydrochlorothiazide/valsartan for blood pressure, potassium citrate (UROCIT-K) for kidney stones, vitamin D for vitamin D low, fexofenadine hydrochloride (ALLEGRA) for allergy, anastrozole (ARIMIDEX) for depression, clobetasol propionate for lichen sclerosus, lidocaine hydrochloride (ASPERCREME WITH LIDOCAINE) for back pain, minoxidil for hair loss. There were no additional vaccines administered on the same date as BNT162B2, and no vaccinations within 4 weeks prior of BNT162B2. On 06Feb2021, the patient hurt her back, aggravating the back pain. On 06Feb2021, the patient experienced preseptal cellulitis of the eye lid. The events required a visit to the emergency room and physician office but did not require admission to the hospital. The patient went to the doctor on 06Feb2021 for preseptal cellulitis of the eyelid and was treated with cephalexin 250 mg orally four times a day from 06Feb2021 to 11Feb2021, and dexamethasone/neomycin/ polymyxin b (NEOPOLYDEX) from 06Feb2021 and ongoing three times per day. On 08Feb2021, the patient took paracetamol (TYLENOL) 500 mg for the back pain. The patient went to the doctor for the back pain on 11Feb2021 and was prescribed meloxicam 15 mg once daily and cyclobenzaprine 10 mg, (take one half by mouth as needed). Reportedly, the cyclobenzaprine did absolutely nothing. The patient also took paracetamol (TYLENOL ARTHRITIS) 650 mg per her doctor's recommendation. The clinical outcome of</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1062261	3/1/2021		37	M	2/26/2021	2/26/2021	preseptal cellulitis eyelid was resolving, and of "hurt her back, aggravating the back pain" was not resolved.  Patient was brought to clinic by ambulance for an unwitnessed syncopal event with LOC for unknown period of time. He reported no memory of event. No post-ictal confusion when found. Upon arrival in clinic, patient reported headache, mild confusion, bilateral facial numbness across cheeks and forehead, pressure behind eyes, light sensitivity, and nausea with eye movement. Time between receiving vaccine and event possibly 2 hours. Following assessment in clinic, patient was referred to emergency department for further evaluation.
1062258	3/1/2021	NY	53	F	2/10/2021	2/10/2021	Lost 100% of vision in left eye and 50% of vision in right eye; Numbness of face and neck; Numbness of face and neck; Swelling of face and neck; Swelling of face and neck; This is a spontaneous report from a contactable consumer (patient). A 53-year-old female patient received the 2nd dose of bnt162b2 (BNT162B2, Manufacturer Pfizer BioNTech, lot number EN6201), via an unspecified route of administration in right arm, on 10Feb2021 at 15:45, at single dose, for COVID-19 immunisation. Medical history included blood cholesterol increased. Patient did not have known allergies, did not have COVID-19 prior to vaccination and was not pregnant at time of events or vaccination. There were no concomitant medications. Patient did not receive other different vaccines in four weeks. Previously the patient received the 1st dose of bnt162b2 (BNT162B2, Manufacturer Pfizer BioNTech, lot# EL3244), in arm left, on 20Jan2021 at 15:45, for COVID-19 immunisation. The patient experienced lost 100% of vision in left eye and 50% of vision in right eye on 10Feb2021 at 17:30 with outcome of recovered on 11Feb2021 at 07:30 (after 14 hours), numbness of face and neck on 10Feb2021 at 17:30 with outcome of recovered on 12Feb2021 at 09:30 (after 40 hours), swelling of face and neck on 10Feb2021 at 17:30 with outcome of recovered on 12Feb2021 at 09:30 (after 40 hours). Patient did not tested positive for COVID-19 after vaccination. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1062164	3/1/2021	IN	49	F	1/19/2021	1/1/2021	dull achiness on the right side of temple area/headaches; head was sensitive; really bad migraine; turn off the lights in the office/has to have the lights low, still sensitive; arm hurt worse with second dose; This is a spontaneous report from a contactable consumer (patient). A 49-years-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Solution for injection, lot EK9231, expiry date Apr2021), via an unspecified route of administration on 19Jan2021 at a single dose, administered left arm at 4:10-4:15pm, as a coworker came down with Covid (COVID-19 immunization). The patient's medical history and concomitant medications were not reported. It was reported that the patient's arm hurt with first dose of bnt162b2 given intramuscularly in the left arm (Lot number EL1284) on 29Dec2020 for COVID-19 immunization. Patient had her second Covid vaccine last Tuesday, 19Jan2021. She had a really bad migraine Friday, 22Jan2021 and had to turn off the lights in the office. On Saturday, 23Jan2021, her head was sensitive, but on Sunday, 24Jan2021, later in the evening she had this dull achiness on the right side of temple area that went down behind the right eye down to the temple. The dull and achiness was just enough to where she couldn't function and been like that ever since. She was prone to headaches and migraines, this was just different and so she took Tylenol and Aleve (both with believed dose was 200mg, 2 tablets by mouth since Jan2021), and another medication for migraines, Ubrelvy (lot number: 1084537, expiry Jan2022, dosage text: 100mg, 1 by mouth at first sign of headache, started in Jan2021). She took the Tylenol and it maybe of help, but the migraines/headaches are almost constant all day long. She took the Tylenol early Friday and when the migraine got really bad that was when she took the Ubrelvy. She took the Aleve only yesterday, but she still has to have the lights low, still sensitive. Patient knew that the headaches are a sign of Covid, but when she had her first dose her arm hurt. This second arm hurt worse, arm hurt worse with second dose (Jan2021), and she did fine the first few days and Friday was when all of a sudden she had the migraine and had to turn off the lights in the office. She sits at a computer. The events did not require emergency room or physician office visits. Therapeutic measures were taken as a result of really bad migraine,

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1062226	3/1/2021	MI	67	M	2/9/2021	2/10/2021	<p>"turn off the lights in the office/has to have the lights low, still sensitive", and "dull achiness on the right side of temple area/headaches". The patient had not recovered from really bad migraine, head was sensitive, and "dull achiness on the right side of temple area/headaches". The outcome of the events "turn off the lights in the office/has to have the lights low, still sensitive" and arm hurt worse with second dose was unknown.</p> <p>Bells Palsy; This is a spontaneous report from a contactable consumer (the patient). A 67-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot #: EM9810), via an unspecified route of administration, in the right arm (at the age of 67 years) on 09Feb2021 at 10:30 AM at single dose for COVID-19 immunization. The patient medical history was not reported. Prior to the vaccination, the patient was not diagnosed with COVID-19. Concomitant medication taken within two weeks of vaccination included lisinopril (LISINOPRIL ACTAVIS), rosuvastatin, acetylsalicylic acid (ASPIRIN 81). The patient did not receive any other vaccines within four weeks prior to the vaccination. The patient previously took Penicillin and experienced rash, Sulphamide and experienced nose bleed. On 10Feb2021 at 08:30 AM, the patient experienced Bell's Palsy. The patient visited the emergency room Therapeutic measures were taken as a result of Bell's Palsy and included tape left eye closed and use wetting gel. The clinical outcome of the bells palsy was not recovered. It was also reported that since the vaccination, the patient had not been tested for COVID-19.</p>

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1062175	3/1/2021	OH	50	F	1/25/2021	1/25/2021	her legs kind of felt like they do when her legs go to sleep; anxiety; heart palpitations; high blood pressure; possible allergic reaction; a cool, tingling sensation in her legs; a cool, tingling sensation in her legs; Heart rate increased; she numbness in her top lip; she had a tingling at the top of her head; This is a spontaneous report from a contactable consumer (patient). This 50-year-old female patient female received dose 1 of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) Lot number EL9262 and expiration date May2021, right arm on 25Jan2021 Administered between 16:00-16:15 PM as single dose (at the age of 50 years) for Covid-19 Immunization. No medical history reported, and no concomitant medication reported. Historical vaccine included BNT162B2 for Covid-19 Immunization. Medical history included Retinitis pigmentosa from 2016, and breast cancer in Dec2015, she is in remission. Went through chemotherapy and reconstructive therapy. She has a family history of breast cancer. Additionally, patient has history of panic attack, supplementation therapy and eye disorder vitamin (she saw her eye doctor in Dec2020, and he recommended she start taking the eye vitamin. She said she started the eye vitamin in the end of Dec2020). The patient has historical vaccine information including flu vaccine Sep2020. Concomitant medication includes lysine;zinc (LYSINE;ZINC) as supplementation therapy from Dec2020 and ongoing, xantofyl, zeaxanthin, (LUTEIN-ZEAXANTHIN), as eye vitamin Dec2020, ascorbic acid (VIT C), acetylsalicylic acid (baby aspirin) and probiotics (PROBIOTICS). The patient experienced a cool, tingling sensation in her legs on 25Jan2021 with outcome of recovered on 25Jan2021 (treatment received), heart rate increased on 25Jan2021 with outcome of recovered on 25Jan2021 (She said she thought maybe her rapid heart rate was from her nerves because she was getting her first COVID-19 Vaccine dose), she numbness in her top lip on 25Jan2021 with outcome of recovered on 25Jan2021 (treatment received), she had a tingling at the top of her head on 25Jan2021 with outcome of recovered, her legs kind of felt like they do when her legs go to sleep on an unspecified date with outcome of unknown, anxiety on an unspecified date with outcome of unknown, heart palpitations on an unspecified date with outcome of unknown, high blood pressure on an unspecified date

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

with outcome of recovered. She said the nurse suggested she talk to a medic located in the back area where the COVID-19 Vaccines were being administered. She said she talked to medic. She said at that point it was probably about 25 minutes after she received the COVID-19 Vaccine. She said she never had allergies, and had no problem with the flu vaccine. She said she has had issues with anesthesia in the past, and if she is given the wrong type of anesthesia, she can get nauseous. She said the medic took her heart rate, and her heart rate was 154-ish. She said her heart rate was high, but sometimes for her, that is the case. She said the medic asked her how her breathing was. She said her breathing was OK, and could swallow fine. She said when the medic rechecked her heart rate, her heart rate was still the same. The medic said she has two things he can do: she can go to get Benadryl, or she can get checked out by a doctor. She said she wanted to see a doctor. She said she was brought to an Urgent Care to see a doctor. She said her heart rate was still elevated. She said the urgent care staff did a finger prick test (clarified as a blood sugar finger stick test), and she was told the finger prick test was fine. She said the doctor did an EKG, and her EKG was fine. She said the Urgent Care doctor eventually gave her Benadryl. She said after she took the Benadryl, her top lip was not numb, and her legs were fine. She said that was about 3 hours after receiving the COVID-19 Vaccine. She said the doctor felt she had a panic attack. She said she has had one panic attack in the past, and knows what a panic attack feels like. She said she maybe had some anxiety. She said her symptoms didn't seem like a panic attack because she wasn't having difficulty breathing and she wasn't short of breath, but she was somewhat nervous. She said she was not sure what to do, so she contacted her family doctor to see what she should do when she goes for her second COVID-19 Vaccine dose. She said the Urgent Care doctor gave her a prescription for Hydroxyzine Pamoate 25mg capsule, 1 capsule three times daily, as needed, for anxiety. She said her doctor told her the Hydroxyzine Pamoate is used for allergic reactions, as well. She clarified when she was at the urgent care her heart rate went down, and the nurse at the urgent care gave her 2 Benadryl pink capsules. Reported she took Benadryl when she got home because she was afraid



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

she was having an allergic reaction to the COVID-19 Vaccine. Outcome of possible allergic reaction was unknown. She said she had a great night sleep, and the next morning took her first dose of the Hydroxyzine Pamoate 25mg. She said her primary care doctor suggested she take the Hydroxyzine Pamoate 25mg an hour before she gets the second COVID-19 Vaccine dose. The patient underwent lab tests and procedures which included blood sugar finger stick test: 117 on 25Jan2021, electrocardiogram: normal on 25Jan2021 said the doctor did an EKG, and her EKG was fine, heart rate: 154-ish on said her heart rate was high. She said her heart rate was still elevated. Therapeutic measures were taken as a result of a cool, tingling sensation in her legs, she numbness in her top lip, she had a tingling at the top of her head.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1062223	3/1/2021	VA	67	F	2/7/2021	2/1/2021	not thinking straight; very very intense headache; felt an ungodly pressure in my head; My vision was off; foggy; confused; coughing; felt severe tightness in left side of my chest and that moved to the center of my chest and started to like move up higher, more towards my throat and then it stopped; severe tightness in left side of my chest and that moved to the center of my chest and started to like move up higher you know more towards my throat; rapid heart rate, 100bpm and 102bpm and lasted for couple of days.; my head was more clear but still had some pressure and woozy; Trouble concentrating; ALT High; Test: Cholesterol; Result: Little High/Cholesterol 207 was high; This is a spontaneous report from a contactable consumer, the patient. A 67-years-old female received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot Number: EL9269), via an unspecified route of administration on 07Feb2021 (at the age of 67-years-old) as a SINGLE DOSE for Covid-19 Vaccination. Medical history included ongoing asthma, type 2 diabetes mellitus, seasonal allergy (told to take Zyrtec for seasonal allergies prophylactically). Facility in which the vaccine was received was a clinic at a high school through the local hospital. Concomitant medication included fluticasone propionate, salmeterol (WIXELA INHUB), glipizide (GLIPIZIDE). On 07Feb2021, the patient received the first dose and while walking to the observation area (about two minute after receiving the vaccine) the patient experienced very very intense headache, felt an ungodly pressure in my head, vision was off, and trouble concentrating. When she sat down got real foggy, confused and was not thinking straight, was coughing and experienced severe tightness in left side of my chest and that moved to the center of my chest and started to like move up higher, more towards my throat and then it stopped. Patient began taking deep breath. It went back over to left side of my chest and the tightness (stayed in my left chest for probably 3 days but not to the same degree). The foggiess and the intense pressure in my head, it was bad to the point she thought she would not be able to drive home, waiting for 30 minutes, and because she was not thinking clearly she didn't even ask anybody for help. When she got to the car she waited 15 minutes more before driving home. Patient stayed like this for 2 days. When she reached

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

home, she experienced a rapid heart rate, 100bpm and 102bpm and lasted for couple of days. Each day got gradually better, her head was clearer but still had some pressure and woozy. The patient did visit the physician, he did an EKG and other test. The doctor did not think what I had was an anaphylaxis reaction. Physician recommended she make sure to take her inhalers, for asthma and told me to take Zyrtec (for seasonal allergies) ahead of time. Consumer inquired if she should receive the second dose. The patient underwent lab tests and procedures which included blood cholesterol: little high 207 on Feb2021, blood thyroid stimulating hormone: normal on Feb2021, electrocardiogram: normal on Feb2021, full blood count: normal on Feb2021, hemoglobin: 6.9 on Feb2021, heart rate: 100 bpm on Feb2021, heart rate: 102 bpm on Feb2021, metabolic function test: Alt high on Feb2021. No treatment was given for the events. The clinical outcome of the events not thinking straight, pressure in my head, foggy, confused, coughing, tightness in the left side of my chest , it then moved to the center of my chest then moved up towards throat, rapid heart rate, Woozy, intense headache, vision was off and trouble concentrating was recovering while ALT High, and Cholesterol; Result: Little High was unknown.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1062219	3/1/2021	CT	41	F	1/14/2021	1/1/2021	<p>MRI showing inflammatory lesion of the Pons/Single lesion appearing inflammatory in nature found in the pons at origin of cranial nerve 6; single lesion appearing inflammatory in nature found in the Pons at origin of Cranial Nerve 6; Development of double vision/double vision with right gaze and head turning; mild chills; headache; significant diarrhea; vision noted to be off; This is a spontaneous report from a contactable other health care professional, the patient. A 41-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Lot number EL1283), via an unspecified route of administration on 14Jan2021 at 01:15 (at the age of 41-years-old) as a single dose in the left arm for COVID-19 vaccination. Medical history included spontaneous coronary artery dissection with stenting (reported as "five years ago") and complex migraines from an unspecified date. The patient is allergic to Tramadol, Codeine and Novocaine. The patient's historical vaccinations included the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Lot number EH9899) on 23Dec2020 at 01:15 AM as a single dose in the left arm for COVID-19 immunization. The patient was not pregnant at the time of vaccination. The vaccination was administered in a hospital. Prior to the vaccination, the patient was not diagnosed with COVID-19. Concomitant medications included diltiazem (MANUFACTURER UNKNOWN), acetylsalicylic acid (ASPIRIN). The patient did not receive any other vaccines within four weeks prior to the vaccination. The patient reported the development of double vision on 25Jan2021 at 06:00. She was hospitalized and remained hospitalized for three days. She reports having had an MRI (date not specified) which showed an inflammatory lesion of the Pons. She further described the events as follows: Initially mild chills and headache "the day after" developing into significant diarrhea for four days and on and off diarrhea for several weeks. One week after vaccine vision noted to be off but no official work up developing into double vision with right gaze and head turning three weeks after vaccine. She also stated that there was a single lesion appearing inflammatory in nature found in the Pons at origin of Cranial Nerve 6. Treatment received included Solumedrol and Pepcid infusion. Lab data included an MRI on an unspecified date which showed inflammatory</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

lesion of the Pons and COVID-19 testing as follows:  
SARS-CoV-2 Nasal Swab PCR test on 20Jan2021 and on 11Feb2021 both of which were negative. The clinical outcomes of brain inflammation, double vision, chills, headache, diarrhea, vision decreased and cranial nerve disorder were reported as recovering. No follow-up attempts are possible. No further information expected.;  
Sender's Comments: Based on vaccine-event chronological association, a causal relationship between reported events and BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE) cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1062217	3/1/2021	PA	71	F	2/5/2021	2/8/2021	severe glaucoma; Intermittent itching, numbness around my left eye & down cheek; Intermittent itching, numbness around my left eye & down cheek; Visual field defect; Intermittent itching, numbness around my left eye & down cheek; Intermittent itching, numbness around my left eye & down cheek; This is a spontaneous report from a contactable consumer. A non-pregnant 71-year-old female patient received the first dose of the bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot Number EM9810), via an unspecified route of administration in the right arm on 05Feb2021 at 15:30 at 71-years-old at a single dose for COVID-19 immunization. The patient did not receive any other vaccine within four weeks of the bnt162b2 administration. Medical history included controlled blood pressure high (HBP) from an unknown date and unknown if ongoing, glaucoma from an unknown date and unknown if ongoing; "known allergies: comparing." Concomitant medications included unspecified medications taken for an unspecified indication from an unspecified date to an unspecified date; within two weeks of the vaccination. On 08Feb2021 at 07:30, the patient experienced: severe glaucoma (medically significant), intermittent itching, numbness around my left eye & down cheek (non-serious), visual field defect (non-serious); with no treatment received. The clinical outcome of the events was not recovered. The patient was not tested for COVID prior to the vaccination and post vaccination.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1062210	3/1/2021	TN	80	F	2/11/2021	2/1/2021	Feet felt stiff and bone in right leg felt strange; Feeling dizzy and faint like; tired; Sinuses started to drain; itching on the right shoulder (where she had the vaccine); Itching on right side of arm near elbow, middle part of stomach and neck; pain in the shoulder; This is a spontaneous report from a contactable consumer, the patient. AN 80-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot number: EN6201, Expiry date: 30Jun2021) intramuscularly in the right arm on 11Feb2021 at 13:00 (at the age of 80-years-old) as a single dose for COVID-19 immunization. Medical history included highly sensitive and highly allergic to everything from food to medicine; had been through near death with allergies; allergic to penicillin, iodine and shellfish; high blood pressure, eye disorder (unspecified), allergies with her sinuses. Concomitant medications were not reported, but the patient took unspecified high blood pressure and eye medication. The patient previously took dextropropoxyphene hydrochloride (DARVON), ether and castor oil and experienced allergies; sulfamethoxazole and trimethoprim (BACTRIM) for severe acute sinusitis on Jan2021 (about a month ago). On 11Feb2021 at 13:20, the patient start feeling dizzy and faint like, and felt a little tired. She came home and went to bed and on 11Feb2021, had itching on the right shoulder (where she had the vaccine) and on the right side of the arm near the elbow, the middle part of the stomach and the neck (itching came and went) and later, her sinuses started to drain. On 12Feb2021, the patient's feet felt stiff and the bone in the right leg felt strange. On an unspecified date in Feb2021, the patient had pain in the shoulder. The patient queried if she can take aspirin for the pain in the shoulder and diphenhydramine (BENADRYL) if the itching comes back. The clinical outcome of pain in the shoulder was unknown, of "itching on right side of arm near elbow, middle part of stomach and neck", "feeling dizzy and faint like", tired, sinuses started to drain, "feet felt stiff and bone in right leg felt strange" and "itching on the right shoulder (where she had the vaccine)" was resolving.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1062208	3/1/2021	IL	33	F	2/2/2021	2/6/2021	<p>brain fog; Bell's palsy on left side of face; vision has been off/ Vision is blurry; Numbness and tingly/burning sensation in right leg; Numbness and tingly/burning sensation in right leg; Numbness and tingly/burning sensation in right leg; This is a spontaneous report from a contactable consumer (patient). A 33-year-old female patient received the first dose of the bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot Number: EL9264 and Expiration Date: May2021), via an unspecified route of administration in the left arm on 02Feb2021 at 17:45 at 33-years-old at a single dose for COVID-19 immunization; with no other vaccines administered within four weeks of the bnt162b2 administration. Medical history included anxiety from an unknown date and unknown if ongoing. Concomitant medications included alprazolam (XANAX) taken for an unspecified indication from an unspecified date to an unspecified date, prednisone (MANUFACTURER UNKNOWN) taken for an unspecified indication from an unspecified date to 16Feb2021. The patient experienced the following events and outcomes: Bell's palsy on left side of face (medically significant) on 06Feb2021 12:00 with outcome of recovering, vision has been off/ vision is blurry (medically significant) on 06Feb2021 12:00 with outcome of recovering, numbness and tingly/burning sensation in right leg (medically significant) on 06Feb2021 12:00 with outcome of recovering, brain fog (medically significant) on an unspecified date with outcome of unknown; all of which required a physician office visit. The clinical course was reported as follows: The patient received the first dose of the Pfizer COVID 19 vaccine, she began having symptoms on the following Saturday and was seen by her doctor and diagnosed with Bell's Palsy. The patient stated she has reported this via VSafe and the Pfizer website. The patient also reported other symptoms that have not been reported as follows: had tingling in both legs, brain fog, and vision has been off. The patient was not sure if it was related to the vaccine or steroids. The patient wanted to know if she should get the second dose. The patient had been on a steroid, so she did not know if she should wait to get the second dose. The patient just stopped the steroid on 16Feb2021, and the second dose was scheduled for 23Feb2021. The patient also said she had other symptoms that she had not reported and she said she</p>



*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

had tingling that started in one leg now in both legs, brain fog and her vision was off and she was not sure if that was related to the vaccine or the steroid (later clarified as prednisone). The patient was not taking the steroids at the time of diagnosis. "Correct I mean it started after the vaccine, but I was also on medication (Clarified as Prednisone) so I am not really sure what the difference is at this time." Treatment in response to event: the patient stated, "No I mean for the tingling in my leg I have been just putting heat and Ice on it but I have not done anything actual big treatment and then for my eyes no, my doctor is not sure what is related to the Bell's Palsy and what is to medication." The patient underwent lab tests and procedures which included lab work: unknown result on an unspecified date (patient stated, "Yes, I have many"). Therapeutic measures were taken as a result of facial paralysis, hypoaesthesia, burning sensation, and paraesthesia; which included steroids and anti-viral and anti-nausea medicine. The patient did not have COVID prior to the vaccination. The patient was not tested for COVID post vaccination.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1062202	3/1/2021	CA		F	2/10/2021	2/10/2021	rash; a bit nauseous; I felt tingling my tongue; light headed; top of my palate strange; taste of metal in my mouth; swelling; inside of mouth swelling; loss of vision; something weird on liver; lumps on skin; kidney is hurting; vaccine took away all the depression; This is a spontaneous report from a contactable consumer (the patient). A 67-year old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration on 10Feb2021 (at the age of 67-years-old) for COVID-19 immunization. Medical history included high blood pressure, glaucoma and depressed from an unknown date. Concomitant medications were not reported. The patient had taken 10mg of antihistamine around 30 minutes before the vaccine (unspecified). The patient previously took iodine and experienced allergic reaction and flu vaccine and had an allergic reaction. On 10Feb2021, the moment they finished putting the shot, the patient experienced rash, nausea, swelling, tingling on the tongue, palette and inside of mouth, top of palate strange, metal taste, and light headed (felt like she was flying). The patient was hospitalized for the events rash, nausea, swelling, tingling on the tongue, palette and inside of mouth, top of palate strange, metal taste, felt nauseous, and light headed on an unknown date. The patient experienced a loss of vision reported as she cannot read her computer because the letters are gray; something weird on her liver, has lumps on her skin and kidney is hurting on an unknown date. The patient also experienced the vaccine took away all the depression and has made her active, now does everything and has been super positive, feels her internal battery is full. The clinical outcome of the events rash, nausea, paraesthesia oral, dizziness, palatal disorder, dysgeusia, swelling, mouth swelling, blindness, liver disorder, skin swelling, renal pain and therapeutic response unexpected was unknown. The batch/lot numbers for the vaccine, PFIZER-BIONTECH COVID-19 MRNA VACCINE, were not provided and will be requested during follow up.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1062389	3/1/2021	GA	72	M	2/18/2021	2/18/2021	WHILE ADMINSTRING THE VACCINE THE LIQUID SHOT FROM AROUND THE NEEDLE OF THE SYRINGE AND SOME OF THE LIQUID WENT INTO THE PATIENT AND NURSES EYE. IT APPEARED NONE OF THE VACCINE WAS ENTERED INTO THE MUSCLE. MODERNA CONTACTED AND WAS TOLD TO REFER TO OUR PHYSICAN PROTOCOL . PER OUR PHYSICAN WE WERE TO RE ADMINISTER THE VACCINE TO THE PATIENT.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1062245	3/1/2021	KS	78	M	2/4/2021	2/7/2021	<p>Bell's Palsy caused the side of my face to swell up and droop on one side; Eyes have been bothering him and he is blinking; Can't talk very good because his lips are swelled up/hard to talk; This is a spontaneous report from a contactable consumer reporting for himself. A 78-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE) (lot number EM9809/expiration date: not provided), via intramuscular route of administration, on 04-FEB-2021 at 14:30 (at the age of 78 years old) 0.3mL as a single dose in the right arm for COVID-19 IMMUNIZATION. Relevant medical history included patient was diabetic since an unknown date and has psoriatic arthritis. Concomitant medication included infliximab (REMICADE) infusion every 8 weeks for psoriatic arthritis and cetirizine hydrochloride (EQUATE ALLERGY RELIEF). The patient had infliximab infusion the morning of 04Feb2021, prior to receiving the vaccination and was told that infliximab would not be a problem with receiving the vaccination on the same day. On 07Feb2021, the patient went to the emergency room due to Bell's palsy, which was described as swelling of lips, nose, mouth, and side of face and stated that he can't talk very good because his lips are swelled up/hard to talk and his eyes have been bothering him and he is blinking. The patient stated, "I went to the emergency room at a hospital and what they said is totally unrelated to the COVID shot I got. In the meantime, few days after I had the shot, I had somehow got Bell's palsy caused the side of my face to swell up and droop on one side. I just wanted to get back to you so you knew that was not some reaction to the COVID shot, it was something else." Treatment for the event Bell's palsy included took Allergy Relief Equate 25mg ultra tablet and another allergy pill and it did not help swelling of lips, nose, mouth, and side of face. Relevant tests included blood work on an unspecified date in 2021 "two weeks ago" that was all good. The outcome of the events Bell's palsy, eyes have been bothering him and he is blinking and hard to talk was unknown.; Sender's Comments: Based on the current available information and the plausible drug-event temporal association, a possible contributory role of the suspect product BNT162B2 to the development of event Bell's palsy cannot be totally excluded. The case will be reassessed if additional information becomes available. The impact</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

1064099	3/1/2021	TX	58	M	2/25/2021	2/25/2021	Almost immediately, my peripheral vision became filled with moving shapes. And, though I typically do have the black floaters, these are different. Most were white, and looked similar to pinwheel fireworks. Later, I noticed that my peripheral vision started included 'moving patterns' with zig-zag shapes, and these patterns would move in random directions. Finally, there are the stationary patterns, where, again, in my peripheral vision, random shapes would appear to filled with the zig-zag lines mentioned earlier, but the filled shape itself was stationary.
1064282	3/1/2021	CA	73	F	3/1/2021	3/1/2021	Pt stopped responding and looked pale at first site. Patient was clammy, and shaking. Patient c/o nausea and feeling lethargic, visual changes- "everything is yellow".
1064276	3/1/2021	IL	40	F	2/28/2021	2/28/2021	Started feeling lethargic and weak at 6:30pm 2/28/21. Stomach bloating, eyes burning, no appetite, then burping that tasted and smelled sulfur-like. Around 4am 3/1/21 woke up to nausea and diarrhea. Did not go to work. Slept on and off . Drank water and ate crackers. Took Immodium and it helped for a few hours. As on 7:30pm 3/1/21, I am still nauseated and have diarrhea . No energy to do any daily activities. Been laying down the entire day. Exhausted and out of breath going up the stairs to bedroom.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1064222	3/1/2021	AK	24	F	2/25/2021	2/26/2021	The patient presents today with a history of recurrent urticaria and angioedema. She received a dose of the Pfizer COVID-19 vaccine on Thursday Feb 25th (lot number EN 6206). She felt fine after her shot, but the next day felt fatigued, had chills, body aches, and left arm soreness (at the site of the injection)--she attributed her symptoms to her vaccination. Friday evening, prior to bed, she noticed the onset of several scattered hives. The next day, she noted that she had more extensive hives over her body, including her eyelids, and she said that she has been having dyspnea; she presented to the ER and was treated with steroids and antihistamines. The symptoms of urticaria returned the next day with significant angioedema of the lips, and the patient had dyspnea and nausea/abdominal discomfort, and the patient went back to the ER. With antihistamines and steroids, her symptoms improved significantly and she was sent home. Her symptoms returned today, now accompanied by throat globus as well as abdominal discomfort--she self administered an EpiPen, which she said significantly helped her symptoms.
1064218	3/1/2021	IN	68	F	2/25/2021	2/25/2021	Approximately 15 minutes after receiving vaccine, patient noticed she was having double vision. She was trying to focus on a sign we had in the waiting room, and the words started blurring and doubling. BP was normal, heart rate was slightly elevated. With time (about 10 minutes), patient reported it was improving. We got patient to her feet first to ensure balance wasn't effected and then patient reported she was ok to leave.
1064129	3/1/2021	WV	78	M	2/26/2021	2/27/2021	Appox. 16 hours after injection I started shivering and cold sweats. was weak. and just out of it. Went to bed and by mid afternoon shivers were gone as well as sweating. Slept all day and into the evening, by 10pm or so all seemed back to normal. Mid afternoon I sat up on the edge of the bed to go to the bathroom and passed out falling on my left knee (bad one) and hit my forehead on the bathroom door scraping and bruising same above left eye brow. Walking with pain in left knee but getting better daily.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1064113	3/1/2021	NY	23	F	2/27/2021	2/28/2021	auras (wiggly lines and severely blurred vision) pounding headache, similar to a migraine, that is worse with movement body aches and fatigue nausea that is worsened with smells of food

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1063984	3/1/2021	WI	80	F	2/20/2021	2/21/2021	<p>Patient had her second COVID vaccine on 2/20/21. The next day she developed diffuse body aches. She went on to develop worsening dyspnea and fever to 103°F on February 23. She had a fever again on February 24. The patient also experienced a few episodes of vomiting and diarrhea but no abdominal pain and had pain of the legs, right greater than left. Blotchy red patches of the hands and arms developed. She therefore presented to the ER on 2/25/21. See full history below from infectious disease note on 3/1/21: Patient is an 80 year old female who has a past medical history notable for hypertension, dyslipidemia, and hypothyroidism. The patient was diagnosed with a high-grade lymphoma of the retroperitoneum in 2004 and completed 4 cycles of multi-chemotherapy (Cytoxan, Adriamycin, vincristine, methotrexate, and IT chemotherapy (Magrath-like regimen)). She completed 4 cycles with complete remission on PET scan. The biopsy of a left cervical lymph node in 2007 revealed follicular lymphoma and she completed radiation therapy to the neck with complete remission. A left axillary lymph node biopsy in 2016 revealed grade-3 follicular lymphoma with mixed follicular and diffuse histology. Chemotherapy was pursued. The biopsy of a pelvic lymph node in 2019 was consistent with G1-2 follicular lymphoma. She completed radiation to the pelvis in May of 2019. She developed progressive pelvic adenopathy in April of 2020 and received 5 cycles of chemotherapy. Subsequent CT showed improvement in the adenopathy. Her course was complicated by pulmonary emboli (September 2020). In November of 2020 she was started on maintenance Rituxan every 2 months. She received the 2-dose Pfizer COVID vaccine series on 1/29/21 and 2/20/21. With the above background, the patient presented to the emergency room on February 25, 2021 with complaints of diffuse body aches, which had developed that day after receiving her second dose of COVID-19 (SARS-CoV-2) vaccine. She went on to develop worsening dyspnea and fever to 103°F on February 23. She had a fever again on February 24. The patient also experienced a few episodes of vomiting and diarrhea but no abdominal pain and had pain of the legs, right greater than left. Blotchy red patches of the hands and arms developed. She called Oncology on February 20 and it was recommended that she go to the</p>



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

emergency room for evaluation. She was afebrile on presentation to the emergency room. She was tachycardic, however, with a pulse rate of 117 bpm. She was breathing at 48 breaths per minute. Blood pressure was 105/80 mmHg. Oxygen saturation by pulse oximetry was 96%. Examination was notable for paraspinal muscle tenderness, tachypnea, mild respiratory distress, and a mildly distended abdomen. Mild erythematous patches of the feet and forearm were noted, as well as evidence of edema of the right leg from the knee to the lower leg. The peripheral blood leukocyte count measured  $0.8 \times 10^3/\mu\text{L}$ . ANC was  $0.48 \times 10^3/\mu\text{L}$ . Platelets measured  $96 \times 10^3/\mu\text{L}$ . Creatinine was 0.97 mg/dL. AST was 86 and ALT 20 U/L. The lactic acid level of the venous blood was 3.6 mmol/L. The procalcitonin level of the blood measured 28.37 ng/mL. The C-reactive protein level was 313.7 mg/dL. The creatine kinase (CK) level was 4023 U/L. LDH measured 314 U/L. Troponin was 3.22 ng/mL. Urinalysis showed 6-10 wbc/s, 0-2 rbc/s/hpf, 3+ blood, negative nitrites, hyaline and granular casts as well as amorphous crystals. A chest radiograph showed possible, but not definite, mild atelectasis or infiltrate at the left lung base. A radiograph of the right tibia/fibula showed circumferential soft tissue edema seen within the knee and upper to mid aspect of the lower leg. EKG showed sinus tachycardia but no evidence of arrhythmia or ischemia. Cultures of specimens of the blood were obtained. The patient was started empirically on vancomycin and cefepime and was admitted. Faint erythema and ecchymosis of the right leg extending to the dorsal right foot and right wrist erythema were noted following the patient's admission. Her condition subsequently destabilized with increased respiratory rate, worsening pain, and hypotension, so she was transferred to the ICU. An abdominopelvic CT on February 25 revealed a small amount of free fluid in the abdomen around the liver, cholelithiasis with no evidence of acute cholecystitis or biliary dilatation, a nonobstructing 5-mm stone of the mid pole of the left kidney, coronary artery calcifications, mild infiltration of the fat in the inferior retroperitoneum and along the right common iliac region with small nodes in this region, similar compared with September 24, 2020, but improved compared with April 30, 2020, and consistent with response of lymphoma to chemotherapy; a myomatous

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

uterus. A CT scan of the right lower extremity showed extensive edema about the subcutaneous tissues of the right lower leg and infiltration of the fat about the muscles of the right lower leg, likely representing cellulitis and fasciitis, and possible myositis. However, there was no air within the subcutaneous tissues or muscles to suggest necrotizing fasciitis and no evidence of abscess.

The patient's antibiotic treatment was later changed to vancomycin, piperacillin-tazobactam and clindamycin. Cultures of specimens of the blood were later reported as being positive for methicillin-susceptible Staphylococcus aureus on 2/2 sets. Repeat blood cultures (February 26) were positive as well. Her antibiotics were modified to cefazolin monotherapy. Repeat blood cultures on Feb 27 and 28 were negative. TTE completed 2/27/21 without obvious vegetation. TODAY (3/1/21): Cultures negative 2/27 and 2/28. Remains on IVIG. Afebrile. She complains of continued pain in the Right leg and swelling at that left arm. Exam GENERAL: NAD EYES: Sclera and conjunctiva clear NECK: no adenopathy LUNGS: Breath sounds normal and symmetric. No rales or wheezes. HEART: regular rhythm, no murmur appreciated ABDOMEN: Soft without mass, tenderness, organomegaly or hernia. EXTREMITIES: RLE with ecchymosis, slight overlying erythema and anterior blister: blistering more pronounced today. left foot with plantar erythema, some tenderness today. LUE fullness with some heat/tenderness SKIN: No other rashes or other abnormalities are noted. NEUROLOGICAL: alert, appropriate Assessment 1. MSSA septicemia with shock. Positive blood cultures 2/25 and 2/26 thus far. Negative since 2/27. 2. Multifocal cellulitis and interstitial infective myositis of LE- suspect related to above. CT scan was negative for apparent necrotizing infection. 3. Elevated CK due to above- improving 4. Recurrent lymphoma- has been on maintenance rituximab (11/2020). Immunocompromised state. 5. Low immunoglobulins- remains on IVIG 6. Positive urine cultures with Staph aureus- this is typically secondary seeding from bacteremia rather than primary staph uti. CT abd/pelvis negative for nidus of infection along GU track (no renal abscess for example) 7. LUE swelling/tenderness. Plan 1. Cont Cefazolin without change: goal dosing 8gm/24hr 2. Following repeat blood cultures, negative thus far (tentative D0= 2/27/21) 3.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							Pending course, anticipate likely TEE--- > presently precluded due to thrombocytopenia 4. Will obtained LUE doppler for completeness given pain/swelling here. Down the line, may need to consider additional imaging (CT?) if concern for abscess, etc). 5. ID will follow along with you. Please call if any questions/concerns. Patient is still admitted, and is in the ICU.
1064102	3/1/2021	MN	29	F	3/1/2021	3/1/2021	Estimated date of delivery: 9/9/2021. Symptoms: Left side of neck feels stiff. Left side of face feels slightly numb. Left eye a little watery. Upper left arm sore. Mild-moderate fatigue. Mild headache. Nausea

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1064312	3/1/2021	MI	77	M	2/26/2021	2/27/2021	Reported via Nurse Triage / PCP: Fainted earlier, eyes rolled back, mouth was drooping. Nausea, weakness, and chills. BP was 107/75, HR in the 70s. Currently alert and resting. States that patient had his 2nd covid vaccine yesterday AM and then develop chills and clammy skin last night. Symptoms worsened today and patient became weak and fainted. Was unconscious for about 5 minutes and while unconscious, mouth was open and drooling and became incontinent and eyes rolled back in head. Is awake and alert now, but still weak and only able to take 1 or 2 steps. No chest pain or breathing difficulty and no fever. Feeling very nauseous. Caller requesting prescription for zofran. Yesterday AM 2nd vaccine. Last night chills. This AM feeling weak. Today at 11am he felt weak with ambulation. He fainted. Was unconscious for 5 min. Had drooping of the face. He was unresponsive during this time. Had incontinence of urine. Then became awake but very weak still. Only able to walk a few steps. He is communicating. No chest pain. No current fever. No shortness of breath. BP 107/75 with HR 70. He has been very nauseated. He is drinking only small sips of water. Does not seem like a usually COVID-19 vaccine reaction. Given the LOC with urinary incontinence and sustained weakness, I advised ER evaluation to rule out neurological issues. Pt's daughter in agreement. They will go to ER. From Emergency Department: Patient presenting with chief complaint of syncopal episode which was witnessed by his wife. He reported the got dizzy and lightheaded and then passed out while seated. The reported duration of his loss of consciousness was somewhat inconsistent, unclear how long he passed out for, there was however no postictal state. He was not noted have any shaking or seizure activity, he did have an episode of urinary incontinence. He has not been feeling well ever since receiving his 2nd COVID-19 vaccine. By the time of my exam patient states that he is completely asymptomatic, he states he is feeling much better after receiving IV fluids. His lab work is remarkable for a slightly low sodium, compared to his previous levels which were many months ago. Unclear of the acuity of this, although upon further discussion with the patient he has been drinking large amounts of water since his vaccine trying to stay hydrated. I advised him to substitute to some electrolyte balanced fluids and to have his sodium rechecked by his

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							PCP to ensure that this is transient. With negative testing and resolution of his symptoms he is stable for discharge home. Close return precautions were given.
1064068	3/1/2021	IL	44	F	2/28/2021	3/1/2021	Thumbprint size welt on arm about an inch below injection site, similar to that of an allergic reaction to bug bites or allergy shots. Fever of 100 for 18 hours starting about 10 after shot as well as chills. Tylenol taken every 4 hours. Sinuses swelled shut as well and headache behind eyes.
1064054	3/1/2021	AZ	55	F	12/28/2020	12/29/2020	Angioedema (both eyes swollen shut) took medication prescribed by primary care physician; resolved in 48 hours
1064017	3/1/2021	CA	66	F	3/1/2021	3/1/2021	Complaint of dizziness. Denies shortness of breath, chest pain, difficulty breathing and pain. No blurred vision. Patient did not eat or take prescribed medications prior to vaccination. Patient alert and oriented x3. Vitals: BP 120/78, T 97.9, P 89, R 18, O2 95%. Vitals prior to discharge BP 122/80, T 97.4, P 91, R 20, O2 95%. Patient discharged from clinic.
1064005	3/1/2021	MI	23	F	2/27/2021	2/27/2021	Within the first 10 minutes of receiving the vaccine I felt extremely lightheaded, eyes were blurry for 5-10 minutes, and extreme sweating all over my body. These symptoms subsided after 25 minutes. I then became on and off light headed through the remainder of the day. The day after receiving the vaccine I felt a lot of brain fog, forgetfulness, and fatigue. The night of day two I had a sudden onset of nausea and headache which only lasted 20 minutes. During this time I was massaging the injection site because it was sore.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1063999	3/1/2021	AZ	73	F	2/27/2021	2/27/2021	Individual reports that 2 hours post vaccination with dose #2 of Covid19 Moderna vaccine, she experienced the sensation that her throat was swelling and her eyes swelled almost closed. She states that she took one 25mg tablet of Benadryl PO at immediate onset of symptoms and within 20 minutes she felt the symptoms start to subside. She states the symptoms did not fully clear up until several hours later. She also reports that her legs felt "very heavy" and she was very lethargic. She also reports having a very sore arm still. Individual reported feeling the throat swelling sensation following a CT scan with use of contrast dye. She states she did not seek emergency help or visit a provider for the incident.
1063991	3/1/2021	NY	57	F	2/27/2021	2/27/2021	Face (cheeks from under eye to jaw line on both sides of face) turned very red and blotchy. At one point, strange sensation in the throat then went away. Face redness lasted approximately 3 hours. Was also fatigued. Felt back to normal after 3 hours.
1064111	3/1/2021	MT	53	F	2/17/2021	3/17/2021	Large cold sore/lesion on top left lip - open - treated at home with abreva/hydrogen peroxide. Pain from top of lip to left eye, pain bottom lip, gland swollen under left side of mouth. Lips became very dry. Has not totally gone away, still treating at home no pain from lip to eye or mouth anymore gland not swollen. However intense pain lasted four days.
1064376	3/1/2021	OR	74	F	2/26/2021	2/26/2021	The evening of vaccine, I turned on TV. I immediately was aware that I was not seeing the full face of the reporter, I could not focus into view the whole picture. I then began having peripheral flashing lights of all colors going every which way around my vision. I rested for a few minutes and then checked it by attempting to read but could not keep the letters and words in order,. This continued for 45 minutes. When I called my dr. They told me to go to the ED and get checked out. ED Dr. checked for signs of stroke, which there were none. He felt it was related to vaccine.
1063243	3/1/2021	NY	36	F	1/20/2021	1/28/2021	Headache , Dizziness, unsteadiness, diplopia, blurry vision started 1 week after second dose
1062393	3/1/2021	NY	40	F	2/26/2021	2/26/2021	Dizziness; uncontrolled head shaking; low grade fever; burning eyes; pain in injection site; fatigue.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1313313	3/1/2021	MT	87	F	2/8/2021	2/13/2021	Pt had Covid vaccine on February 8th. Her daughter saw her on February 15th and noted right sided facial drooping. Pt noted her right eye had been tearing quite about for at least 2 days prior to the 15th.
1285019	3/1/2021	AZ		F		2/18/2021	Had first Covid vaccination and within 5 minutes my throat tightened up causing my voice to become raspy and hoarse sounding. Was directed to EMT who checked my vitals and monitored me for an hour. My BP was 158/95 which after the hour went down to 148/84. My chest was tight but my lungs were clear. I experienced some blurred vision as well as a headache. After being released I returned home and took a Benadryl as directed by EMT and went to bed. I slept for 14 hours and upon awaking, my headache remained, the injection site was sore and my voice was a bit hoarse.
1064445	3/1/2021	AZ	65	M	2/22/2021	2/23/2021	I had Moderna shot #2 on Monday morning, Feb 22, 2021. The next day I was brushing my teeth and noticed I could not spit as usual. Then Wed, Feb 24, my left eye drooped down and I could not control it. Also, the left side of my mouth drooped. I could not control it either. Difficulty eating. Went to Urgent Care Monday, March 1. They sent me to ER where doctor diagnosed me with Bell's Palsy.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1064414	3/1/2021	KY	53	F	1/28/2021	1/29/2021	I woke up in horrible pain all over my body and couldn't straighten my fingers for approximately 2 hours. It took me 3 hours to get the strength to get off couch to pee. Felt as I was being beaten in my lower back, hips and legs. Also, hurt in my neck and eyes were painful. My face and eyes were also swollen. It also felt as if a hot ice pick was being stabbed in the sides of my hips, back and thighs. I hurt all over my body, including a headache. I had hoped to die. I have had 3 children and one was a natural birth and I have never experienced so much pain and exhaustion together. Took Tylenol and Turmeric and didn't get any relief. The injection sight was very swollen and was painful, could but lay on my left side. I was down for 3 days with the 3rd day finally able to take shower and dress. I had diarrhea the 2nd day. The sides of my hips hurt to touch for weeks and are still sore. I have had a lot of breathing difficulties and asthma flares. I related the asthma issues to having a new dog but now I wonder if it was due to vaccines?? I have rehomed the dog and asthma isn't getting any better. I had to miss a day of work after the 1st vaccine due to flu-like symptoms and was prepared to have a reaction to the 2nd. However, I was not prepared the severity of a reaction I had.
1064299	3/1/2021	SC	67	F	2/19/2021	2/19/2021	RASH ON FACE AND NECK WITH BURNING AND STINGING. SWELLING OF FACE AND EYES.
1064387	3/1/2021	GA	48	F	2/17/2021	2/18/2021	Breathing was off, mouth swelling, eye swelling, blood in phlegm
1064311	3/1/2021	MD	51	F	1/25/2021	1/25/2021	~approximately 30 min after vaccination received a funny feeling in my head not quite like a headache and pain around my nose and between my eyes which lasted about 5 minutes followed by ear popping which ceased after about 5 minutes followed by ear pain for about 15 minutes
1064369	3/1/2021	UT	74	F	2/10/2021	2/15/2021	Generally feeling unwell and fatigued for a week or so after the vaccine. 5 days after vaccine developed significant redness and swelling around eyes. Took prednisone and Allegra starting on day 6 post vaccine. Took 3-4 days of treatment to fully resolve.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1064355	3/1/2021	FM	58	F	2/17/2021	2/17/2021	Blurring of vision of the right eye few hours after receiving the vaccine described as brown threads or webs floating, initially coming from the temporal side gradually moving and spreading to the nasal half then total blocking her vision.
1064349	3/1/2021	IN	66	F	2/25/2021	2/26/2021	2/25/2021 9:30am minor pain at injection site upper left arm 2/26/2021 1:30pm dull headache, backside of head and very tired 2/26/2021 5:30pm minor tongue swelling, minor throat and nasal passage constriction 2/27/2021 9:30am increased tongue swelling, increased throat and nasal passage constriction, minor difficulty swallowing, minor facial swelling 2/27/2021 6:30pm treatment at ER/Urgent Care with oral Prednisone tongue swelling started to decrease, released with Rx for Benadryl, Pepcid, Prednisone and EpiPen 2/27/2021 8:00pm started Benadryl + Pepcid. Tongue swelling decreased more, throat and nasal constriction starts to alleviate 3/1/2021 9:00am facial swelling continues with added redness to left side face and spot under right eye socket 3/1/2021 11:20am family doctor visit
1064337	3/1/2021	OH	20	F	3/1/2021	3/1/2021	body aches fever chills Pan crust upper back and chest Burning eyes
1064325	3/1/2021	OR	30	M	1/28/2021	1/29/2021	Next day unstable 1/26-1/27-1/28 Seizures 1/26- 1/27 - 1/28 Behaviors 1/26-1/27-1/28 Total incontinence 1/26- 1/27-1/28 Eye swelling 1/28-1/29 Red bicep 2/8 - 2/12
1064318	3/1/2021	MA	51	F	2/27/2021	2/27/2021	2/27/21 First few minutes: Throat tightness Nausea Dizziness 15+ minutes/day of: Hives on arms Itching Flushing face Facial swelling Low blood pressure 96/46) Headache Chills Next day 2/28/21: Bilateral Kidney pain Muscle aches/joint pain Facial swelling low-grade fever (99-100) Chills 2 Days 3/1/21: Worsened kidney pain Chills Nausea Swelling around eyes Facial flushing Abdominal Pain Headache

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1064137	3/1/2021	IA	37	F	2/26/2021	2/27/2021	Approximately 20 hours after vaccine provision I began to get sore muscles, fever/chills (which lasted about 24 hours total), which was expected. By 24 hours it had become extremely painful, one of the worst "sick ex, and accompanied with extreme vomiting and dry heaving. The next 8 hours were spent on my bathroom floor, unable to keep even small sips of water down, with continued retching despite having emptied my stomachs content hours previous.
1064390	3/1/2021	CA	67	M	2/26/2021	2/27/2021	Patient presents to the clinic for evaluation of itchy eyes and bilateral eyes swelling that started on Saturday after getting the vaccine. Also, states that his left arm was very painful over the weekend. He did not take any medications for it. Pt does not report any other s/s like fever, headaches, fatigue, no chest pain, no SOB, no rash. Denies any other systemic s/s of allergic reaction. No blurry vision or eye pain. Pt is a very poor historian and forgetful. Pt states that he forgot to let providers and medical staff that he had had a Pfizer vaccine at clinic on Feb 15th, states that "he did not remember" and forgot to write it on the formulary or communicate w/ provider. Pt did not bring vaccination record at the day of vaccine until today. Patient thought he could get second vaccine any time. Patient reports feeling well. No side effects. Tx given: loratadine 10 mg daily x 30 days, Zaditor eye drops, short term prednisone 10 mg daily x 5 days.
1063389	3/1/2021	KY	29	F	12/22/2020	12/22/2020	Within 5 minutes after 1st dose I became dizzy and hot. This went away after 30 minutes. This continued each day for a week. I?m Dec 29 I was treated for Bell's palsy. My face was numb on the right side, later progressed to my entire right side of my body. A few days later I wasn't able to get out of bed I was extremely weak, fatigue. Had a hard time walking. Went to the ER on January 3rd. Treated for migraine with paresthesia. Continued to have vertigo, numbness, weakness, fatigue. Also, had anxiety and panic attacks. Vision is now blurry, as constantly seeing floaters. Also, I now have issues with fluid in my ear that won't go away.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1063563	3/1/2021	SC	41	M	2/25/2021	2/26/2021	Patient stated that the day after receiving the Moderna vaccine he started having issues with his vision and issues seeing color. Patient also states he felt like his body was locking up and aching all over. Pt started having rash on his arm today (4 days post injection).
1063556	3/1/2021	NC	67	M	2/26/2021	2/26/2021	Patient got up from the seat where he received his vaccine and was walking to the back to be seated and monitored. He past out once he got to the back. He hit the right side of his head. As he came too he reported mild nausea. He denied any pain or vision changes. He then reported a history of diabetes. He stated he had dialysis this morning and took insulin prior to coming to vaccine clinic but did not eat anything. He took a few sips of juice. He was diaphoretic and clammy. Pulse was 46, SPO2 was 96%. He had a mild audible murmur. Lung sounds: wheezing and crackles. There was a small area of swelling noted to the right side of his head. EMS was called for transport due to hitting his head and history of taking blood thinners.
1063541	3/1/2021	NC	44	F	2/26/2021	2/27/2021	Sat 5pm eyeballs began to hurt. The entire eyeball was painfully sore. At night I woke up with tongue that felt thick or swollen. Then the next am woke up with aches, headache, chills, hot (suspected fever but did not get up and check) tiredness. Spit up yellow fluid (thought it might be from GERD) and laided around all day. Did not eat as stomach felt nauseated. At 3 pm I ate half a sandwich and at 4 ate half a banana and drank some water and 1/4 of cup of sweet tea. By 6pm I was really sick to my stomach got up and threw up sandwich and banana. I thought I saw some blood but was not sure. I continued to throw up and it became all blood (bright red) mixed with water. This occured twice and then I called doctors office and the dr on call advised me to go to ER since urgent cares were closed. I went to ER about 8:30pm with continued headache, nausea, lightheadedness. I tried to tell ER dr that I was there mainly for throwing up blood. I sat in waiting room. ER dr saw me at 3am and gave me Zofran for nausea as i thought I was going to be sick and gave me EKG, Blood panel and Blood Pressure readings. Told me I was mildly dehydrated. My BP was higher than I think I have ever seen it.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1063497	3/1/2021	CT	37	F	2/16/2021	2/19/2021	2/19/21 patient notice lump under Lt arm (painful), which resolved in 1 week. On 2/25/21 she felt tightness and pressure on Lt side of the neck and behind Lt ear which was progressing to numbness. On 2/28/21 she noticed LT facial droop and consulted her MD, who diagnosed her with Bell's Palsy and informed her that could be a side effect from Covid 19 vaccine. patient says that her Lt side of face is still numb and she cannot close her Lt eye, which causes dryness and discomfort. She was started on antiviral medication and steroids by mouth.
1063494	3/1/2021	IN	64	F	2/23/2021	2/23/2021	Within 30-45 minutes after injection, I started to feel a tingling around my jaw area. Then 3 days later I have had several episodes of dizziness, weakness and nausea. This has continued until today (4 days) along with aching across shoulders and behind eyes.
1063471	3/1/2021		75	F	3/1/2021	3/1/2021	Near syncope-dizzy, lightheaded, diaphoretic, blurred vision, decreased responsiveness. Evaluated by EMS- BP 100 palp, BS 110, decreased responsiveness. 2:36 pm-transported by rescue squad.
1063442	3/1/2021	NC	35	F	2/4/2021	2/11/2021	Shingles outbreak on scalp, ears and face. Taking valtrex, neurontin, and prednisone. Also may have some loss of vision in right eye and instructed to use prescription eye drops 4 times a day for 3 weeks.
1063577	3/1/2021	CA	81	M	2/23/2021	2/24/2021	Day after vaccine given, large red bump appears over RIGHT eye. Then non stop throbbing headaches (still up til today), teary eyes. Then on 2/25/2021 very large (size of half dollar coin) red bump appears over LEFT eye. VERY swollen shut. Hurts, throbs and itches. Took photos and having tele med call with physician today at 1:50 pm. More bumps appearing higher up on scalp and skin on bump is red and peeling. Very swollen L. eyelid and swollen under eye as well. Hot to the touch. Bumps coming and going behind left ear.
1063396	3/1/2021		59	F	2/16/2021	2/16/2021	Nausea and vomiting, diarrhea. Coughing eyes are burning.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1063372	3/1/2021	GA	42	M	2/26/2021	2/26/2021	He first reported feeling dizzy and that his lips were tingling. His vital signs were monitored every 5 minutes, and he was given 20 mL (50 mg) liquid Diphenhydramine. At 11:50 A.M., his heart rate dropped from 99 to 51, and he experienced a brief loss of consciousness for about 3 seconds. He also became diaphoretic and very pale at the same time. His pulse was weak but present, and his eyes rolled back in his head. 911 was immediately called, and a sternal rub was provided to help patient regain consciousness. EMS arrived at 11:56 A.M. and transported patient to the hospital for further evaluation. Patient was alert and talking upon transport.
1063375	3/1/2021	CA	43	F	2/27/2021	2/28/2021	On 2/28 around 6pm. I started feeling some flu like symptoms start. Mild headache, fatigue, chills, slight runny nose, mild sore throat. My left eye suddenly felt awful. I told my husband my eye is stuck (open). It was very scary and I felt like I had to hold my hand against it tightly. Meanwhile my right eye just wanted to stay closed, so then I couldn't see at all. My husband guided me into the kitchen and I tried to flush my eye with water to see if that would help whatever was going on with my eye lid. My husband gently rubbed the skin above my eye. He couldn't see my eye lid at all. All that was visible to him was the tip of my eyelashes. He was able to grab the tip of my eyelash and release my eyelid. It was very uncomfortable and scary. After the eyelid was released the eye was very sore. I called the nurse line and they recommended I be seen within 24 hours. I saw the doctor this morning not related at all to the vaccination facility. She said it sounded like an ocular muscle spasm. She said she didn't see anything in the vaccine literature about this type of response but recommended I report it in case it's a rare response. I have never had that happen before and I hope to never have it happen again.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1063945	3/1/2021	CA	87	M	1/18/2021	2/6/2021	Left Temporal tenderness swelling, with Jaw claudication suspected Giant Cell Arteritis. No vision changes. Treated immediately with Prednisone 60mg qd. with resolution of symptoms over three days. Bilateral Temporal artery biopsies done 16 Feb showed no arteritis. Prednisone cut to 10mg qd. No residual symptoms. Covid antibody titer on Feb 12 showed Zero antibodies.
1063315	3/1/2021	WA	45	F	12/19/2020	12/19/2020	Light headed and headache and that subsided about an hour later. For the next couple of weeks, I had a rash on my eyelids and bumpiness and itchiness for my upper eyelids and it eventually went away. I used antihistamine and that helped a little and then it came back.
1064219	3/1/2021	CT	77	F	1/21/2021	2/18/2021	Headaches, shortness of breath, left droopy eye.....achy and tired....lasted 5 days.... droopy eye lasted a week
1063293	3/1/2021	IA	31	F	2/26/2021	2/26/2021	1st Moderna dose was given at 0935. At approx 0940 ptient reported left arm tingling, radiating to back for neck and right side of face. Does report a hx of a sensory disorder and that she develops this same feeling normally but not as prevalent. Also reports left eye swelling which is new for her. BP 130/72. No SOB, troubles breathing, or any other symptoms. Patient was given Benadryl 50g po x 1. Within 30min symptoms improved.
1063287	3/1/2021	AR	49	F	2/5/2021	2/6/2021	I started with severe chills all night to the point I could not quit shaking. That next morning I couldn't walk without legs going numb and my vision blacking out, also nausea. This happened 3-4 times before I got back in bed. After getting up about 2 hours later I didn't have the "blacking out" anymore, just body aches and fever rest of day.
1063286	3/1/2021	NY	70	M	2/25/2021	3/25/2021	Had Covid in April of 2020 and was in hospital for 5 weeks. not sure if this is why i experienced what i did After vaccine i kept a fever the night after shot and it got to 101.3 and remained for 48 hours i had substantial swelling that got worse with my fever and began going down after two days and by the 3rd day it was gone. Over all body ache, and splitting headache behind my eyes.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1063402	3/1/2021	WA	45	F	1/9/2021	1/9/2021	Constricted throat. I was given Zyrtec. Observed for an hour. Got discharged. Throat constriction didn't go away until 2 hours afterwards. Puffy, itchy eyes (both eyes) with rash came and lasted about two weeks. Monday or Tuesday, I noticed a rash all over my body - red and blotchy. That went away in a day. I got chills, fever, weakness, nausea, vomiting, diarrhea and that lasted 48 hours (16th in pm-17th and got better evening of 18th). When I had the rash was all over the body, I took a Zyrtec. The weekend I was really sick I didn't take any medication. Phone visit with Doctor - January 15th - allergist - I followed up with him about the throat constriction. He just was monitoring symptoms. After the weekend that I was really sick, I told him and he ordered bloodwork.
1063825	3/1/2021	MD	71	F	2/25/2021	2/25/2021	Day 1: egg-sized red raised area at sight of injection with a good deal of pain in upper left arm Day 2 am: fever of 101.1 (normal 97.7F); collapsed in kitchen with no dizziness; extreme feeling of brain fog; swollen lymph nodes under both arms; chills; headache; fairly extreme pain at every joint with prior injury--left knee, L4-L5 high right, 4th finger of right hand; extreme fatigue, but inability to sleep though in bed all day Day 3 fever of 100; chills; swollen glands in both sides of neck; still in bed with extreme fatigue and unable to sleep; up for a couple of hours in early evening; double vision; slept for two hours Day 4 am still with extreme fatigue and unable to sleep; 5am visual hallucinations while in bed and sitting on the side of bed; still with double vision; continuing large hot red area around injection site with upper arm pain To now as I am writing this, continued fatigue and general malaise, double vision now gone.
1063309	3/1/2021	FL	66	F	1/13/2021	1/14/2021	The day after my first vaccination at 3:15 PM I started getting visual auras and then migraine which lasted about 4 hours. I have had up 7 more since then and after my 2nd vaccine. Dr. thought it might be related since I have no history of chronic migraines. All past were over 16 years ago and related to hormonal changes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1063621	3/1/2021	IL	75	F	3/1/2021	3/1/2021	Patient presents with right eye pain after receiving First Pfizer COVID vaccine dose. Patient stated got first vaccine, went out into the waiting room for observation, sat down for a few minutes, then right eye started to throb. Patient brought into exam room for assessment by on site provider. Denies visual disturbance, headache, photophobia, ill contacts, or COVID symptoms. Ate breakfast and plans to eat lunch after appointment today. Review of Systems Constitutional: Negative for activity change and fatigue. HENT: Negative for congestion. Eyes: Positive for pain (right). Negative for photophobia, discharge, redness, itching and visual disturbance. Respiratory: Negative for cough and shortness of breath. Cardiovascular: Negative for chest pain. Gastrointestinal: Negative for abdominal pain, diarrhea, nausea and vomiting. Skin: Negative for rash. Psychiatric/Behavioral: The patient is not nervous/anxious. All other systems reviewed and are negative. Right eye pain Symptoms resolved while in exam room. Call if symptoms recur. Reviewed symptomatic treatment and patient and/or guardian verbalized understanding.
1063915	3/1/2021	MN	57	F	2/26/2021	3/1/2021	I had zero effects that I could identify from the vaccine until today it was clear I was having a side effect. I had dizziness that caused me to feel light headed and have a "weird" feeling with my vision. It caused me to sit down and wait about 5 minutes for it to pass. I have a service dog that is sensitive to medical conditions and he came and sat very close to me for 30 minutes (unusual in my home) while this occurred. Then it passed.
1063830	3/1/2021	CA	60	F	3/1/2021	3/1/2021	Pt reported feeling dizziness and vision problems shortly after receiving COVID-19 vaccine. VSS throughout incident. Pt reported that symptoms resolved after 15-20 minutes. Pt coherent and talking throughout incident. No s/s of allergic reaction observed or reported during or after incident. Pt denied any SOB and in was in no apparent distress once symptoms resolved. Pt left clinic after 30 minutes.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1063822	3/1/2021	VA	25	F	2/25/2021	2/25/2021	pt stated that 10 minutes after receiving the covid vax her throat started closing so she went to the ER. She had hives, chest tightness, and unable to breath. They injected epi-pen and administered steroids, Pepcid and Benadryl. She was released to go home after 5 hours. The next day she had really bad sternum chest pain, back pain, neck pain and fatigue so she went back to the ER. They did chest XRAY that came back clear, did an EKG w/ normal results, and blood work w/ high white blood count. New RX for Naproxen 500mg, lidocaine patches, Zofran and has an EPI pen on order. Pt states since leaving the ER she still has fatigue, pain in neck, arm, back, and now in the face. She states her face is numb and has bad pain and blurred vision in both eyes, more so on the right side. The ER told her to come back if she needed to FU.
1063819	3/1/2021	TX		U			Skin started itching on Saturday night (2/27/21), and by Sunday morning hives had started forming on legs. Hives kept getting worse and spreading to groin, hip, arms, armpit, shoulder, and neck. When the hives reached my neck at 3pm CST, my voice started getting hoarse and I was taken to urgent care. Symptoms continued to increase to include abdominal pain and throat swelling while in urgent care. Vital signs at urgent care: Temperature 98.4. Blood pressure 98/70. Heart rate 109. Pulse Oxygen 98%. At urgent care I was given a shot of epinephrine, where the hives and redness decreased and throat opened. After an hour, I was discharged to go home. (Time now about 6:15pm CST) Upon arriving at home, the hives started coming back and spread across my arms and entire stomach. My eyelids had hives too. I went to the ER at about 7pm CST and received Benadryl, Steroids, and Pepcid while getting IV fluids. I was discharged with a prescription to take prednisone 50mg qd, as well as pepcid qd and benadryl as needed.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1063815	3/1/2021	OH	49	F	1/4/2021	1/5/2021	On January 5th, the day after my first COVID vaccine, I awoke to a small rash on my forehead. I also had a bad headache. Knowing I'm prone to migraines, I ignored it at first. The headache and rash got worse, and the rash started to be very painful. The rash was bumpy and weepy - almost like poison ivy. The inflammation in the rash made it bulge out about 1/2 inch high bump and I got periorbital edema in both eyes for about 4 days - almost to the point where I couldn't see because my eyes were so swollen. I went to the doctor on January 11th and he and two other doctors diagnosed it as Shingles. Their best opinion was that while it wasn't caused by the COVID vaccine, the stress on my body from getting the vaccine triggered the shingles virus and made it active. I was given Valtrex to take for 10 days. I also got some CBD pills and oil to help lessen the rash. I went back for a recheck on January 26th. The rash was going down by that point and had stopped being painful. As of this writing (3/1/2021), while the main inflammation I still have discoloration and pockmarks on my forehead where the rash was.
1063792	3/1/2021	OH	30	F	2/2/2021	2/2/2021	For the entire night after getting the vaccine I was the most sick I have EVER been. Fever of 103, vomiting profusely, diarrhea, chills. It was terrible. Then for the next week I had a headache that felt like someone hit me with a hammer between my eyes. I get tested weekly for corona and have always tested negative... I had a negative result the same day I got the second dose of the vaccine as well. All I know is that I NEVER want to feel like that again ?? my lungs still bother me and it's a month later
1063632	3/1/2021	DE	75	M	2/27/2021	2/28/2021	This second dose resulted in a slight headache; joint pain; fatigue; nausea but no vomiting. Please note: I previously reported AFTER MY FIRST DOSE that my right eyelid is drooping. This condition is still a problem and causing me to have double vision.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1063731	3/1/2021	IN	62	F	2/24/2021	2/24/2021	Onset approx 45 min after injection--swollen eyelids and face, moderate throat constriction and hoarseness, severe fatigue, headache, brain fog for first 20 hrs, then intermittent eyelid and face swelling, hoarseness, fatigue and brain fog for the next 3 days, followed by mast cell activation symptoms of fatigue, puritis, and mild racing heart in the evening for the last two days. For the past 3 years I have been medication free and virtually symptom free. The symptoms of the last few days are consistent with those I had during the years when my MCAD was active. I am concerned that the vaccine has reactivated the hyper-sensitivity of my mast cells.
1063697	3/1/2021	AL	64	F	2/10/2021	2/10/2021	Twenty minutes after receiving the vaccine I noticed my ears began to feel odd as I was driving home. Within the hour after the vaccine I had significant tinnitus in both ears and felt pressure/discomfort in both ears and had trouble hearing at normal volume. I expected this to be temporary and was not initially concerned. About 90 minutes after the injection I developed a strong headache. It lasted several hours and then was intermittent but ended at about 24 hours. The morning after the vaccination I was surprised to still have tinnitus upon waking, along with pressure that at times was painful. I also realized that I was having even more trouble hearing. For example I had to turn my car radio, my television, and my other electronic devices up several levels and had a hard time understanding conversations in person. It has now been 19 days and the ear symptoms have continued.
1063661	3/1/2021	KS	51	M	2/12/2021	2/12/2021	onset started as itchy around armpits around 10:15pm. Then hands, eyes and feet started to itch. Then feet and fingers started swelling, and about five minutes after swelling started, he states he was swollen all over. Nose, ears, eyes were all swollen. He states that after the swelling he started developing hives all over and redness all over. About 30 minutes later he became short of breath and went to the ER at around 1145 pm.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1063637	3/1/2021	IL	69	F	3/1/2021	3/1/2021	Patient presents with vaccine reaction. Had first dose Pfizer COVID vaccine and walked into waiting room for observation and started to feel like drank sometimes warm and then became dizzy shortly after that. Waited a couple minutes in waiting room and then told observer up front what she was feeling. Was asked if wanted a wheelchair to come back to examination room and patient declined and able to walk back down the hall accompanied by her husband. Denies nausea, abdominal pain, no SOB, no syncope, no recent illness, denies fevers cough, ill contacts. Working wood burning project and was up till 3am and then unable to go sleep yet today. Also has stress with only child with being treated for stage 4 breast cancer. Did eat breakfast around 9am- granola and cup of tea this am. Nothing since then. Current B/P 164/110 and then 10 minutes later was 150/86. Patient verbalized has history hypertension even with medication. Denies visual changes, denies headaches. Vaccine reaction Symptoms resolved. Told patient if start to feel bad again let someone know (husband, COVID hotline, PCP). Increase fluids, discussed sleep hygiene. Patient and/or guardian verbalized understanding.
1063764	3/1/2021	VA	57	M	1/13/2021	1/13/2021	This 57yo employee - reports he received his first Pfizer Covid vaccine on 1/13/2021 (Emergency response provider). Approximately 3 hours post vaccination he c/o prickly stabbing itchy pain to vaccine site with left arm pain x 24 hours. He stated day 1 post vaccination the roof of his mouth, lips felt swollen and sensitive with a random frontal dull headache that lasted for a few seconds but noted on/off for 3 min duration a few times a day. He also reported a few days of altered sense of smell, especially to automotive products that has resolved. He states this prickly-itch stabbing pain varies all over his body, in his mouth, eyes, torso, extremities, again lasting a few seconds.
1063834	3/1/2021	OH	74	M	1/27/2021	1/30/2021	Patient states that a red pimple like bump appeared on his face under the left eye. The bump does not itch or hurt.
1063631	3/1/2021	IL	50	F			Aching, headache, swelling/tenderness at site, swelling to left eye 16 hours later. Extreme fatigue and restlessness.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1060634	2/28/2021	CA	67	M	2/22/2021	2/24/2021	Right Eye Conjunctivitis, ongoing
1060650	2/28/2021	CA	61	F	2/1/2021	2/26/2021	Unable to focus eyes, dizzy, faint, falling over started 2 hrs after injection. Extreme tiredness 3 hrs after injection so bad couldn't get up. Symptoms lasted 24 hrs. Soreness in arm, shoulder then neck of left side injection prohibiting sleep 48 hrs after injection.
1060657	2/28/2021	MD	67	F	2/24/2021	2/24/2021	Hives on face, ears and itching eyes
1060667	2/28/2021		67	F	2/27/2021	2/27/2021	throat swelling and difficulty swallowing--treated with meds left eye swelling--resolved spontaneously
1060701	2/28/2021	OH	69	F	2/16/2021	2/16/2021	24 hours after shot, headache, mild left arm soreness. Over next several days, very mild transient dizzy spells, mild headache, feeling ?off?...brain fog....approximately 9:30 am 2/26/21, walked into a store and after getting 1/2 way to back of store, had sudden onset distorted vision...not dizziness, distorted vision...had to ask for a chair as I felt like I was going to pass out...distorted vision lasted approx 6-8 minutes, along with slight nausea. Pulse was 68 and regular. Went to Dr, EKG normal, blood sugar, orthostatics Normal, Pulse ox 98%,. Went home to lie down. Still having occasional fleeting ?dizzy? spells and fatigue.
1060706	2/28/2021	PA	61	F	2/25/2021	2/27/2021	02/25/2021 - 02/26/2021 Fever lasting approximately 18 hours 102* at peak. 2/27/2021 - approximately 6:00 pm getting progressively worse eyes were burning. Continue through night, I did not associate this with vaccine and did not report. 02/28/2021 - continued burning sensation , blurred vision, unable to read print ( I do not need or use readers). Sensitive to light. Continuing to complete daily activities without problems.
1060712	2/28/2021	VA	39	F	2/19/2021	2/23/2021	On third day after 2nd vaccine was given, urticaria appeared throughout my body, along with tongue swelling, wheezing, flushing, and eye irritation. Because my daughter suffers from allergic reactions, I knew to immediately administer Benadryl. I also took an additional dose of Zyrtec and Pepcid, which helped temporarily and symptoms subsided when I called my primary care doctor. I had a virtual visit, and she then prescribed Medrol.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1060790	2/28/2021	FL	65	M	2/25/2021	2/25/2021	Chills, Sweats, Low Grade Fever, Dizziness, Shakes, very bad injection site pain. Blurry vision, trouble sleeping.
1060802	2/28/2021	OH	46	F	2/17/2021	2/25/2021	Two weeks after my first covid vaccine, I experienced weak muscles., light headedness, brain fog and general malaise. It was alarming due to being so far after the foretold reaction time. I tested negative for covid twice because the symptoms lasted two weeks right up to my second dose. My doctor stated that this far of a delayed response was uncommon but hoped it wasn't unusual and to keep hydrated. On 2/25, one week after my second dose which was administered 2/17, I experienced acute blurred vision followed by memory loss. Events that I participated in had to be told to me with my having no recollection of them. I was told that I spoke of feeling dizzy "like being on a boat" and feeling brain fog before falling asleep for hours. I wake up with no memory of any of the events. This has happened three times since. 2/25, 2/26 and 2/28 so far. It is very alarming and concerning and I wonder if it is normal to have these side effects although they are not mentioned on any website I have visited when researching side effects. I have once again contacted my doctor for further advice.
1060811	2/28/2021	NJ	76	M	2/9/2021	2/13/2021	on 2/13, noticed red band across eyelid of right eye and eye looked a little off. Didn't think much of it. Week of 2/21 noticed rash on forehead on right side. 2/28 rash had spread to top of head and right forehead and right eye is now swelling.
1060633	2/28/2021	OR	49	F	2/27/2021	2/27/2021	Headache, eyes sensitive to the light, nausea, soar arm.
1060444	2/28/2021	FL	68	F	1/20/2021	1/20/2021	Subconjunctival hemorrhage of right eye. Entire white of eye very very red. Resolved over a period of weeks. After second vaccination on 2/18/2021, lot number 030M20A, blood vessels in eyes are very red and prominent (unlike ever before in my life). Scared to look at in mirror.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1060809	2/28/2021	NJ	47	F	2/24/2021	2/24/2021	Approximately 7 minutes after being vaccinated I started to feel slightly woozy, then my heart starting beating hard and fast. I felt like my throat was tight and I felt pressure on my chest like I couldn?t breathe. My vision started to fade and I felt light headed. My hands started to feel numb and were tingling, and I felt nauseated . I told the attendant I felt sick and a nurse listened to my heart which was beating at 130 beats per minute, and took my blood pressure (153/94) .After noting my elevated heart rate and blood pressure I still couldn?t catch my breath and was given oxygen by EMS and taken to the local Emergency room. In the ER my heart rate returned to normal after a few hours, and my blood pressure returned to normal as well.
1060754	2/28/2021	CA	70	M	2/22/2021	2/22/2021	trouble breathing, blurred vision for about 40 seconds. arm still itching a week later. arm itch might be caused by band-aid
1060621	2/28/2021	AR	65	M	2/24/2021	2/25/2021	Rash above right eye the day after the injection. Numbness on the right side around ear and my ear feels stopped up. I am putting an antibiotic cream on the rash and taking ibuprofen for discomfort.
1060603	2/28/2021	GA	22	F	2/26/2021	2/27/2021	Woke up in the middle of the night to use the bathroom and I couldn?t see properly; my vision looked like black splotches. I felt faint and dizzy and couldn?t see my bed to lay down. After laying down, my head and body was tingling. I was sweating but felt cold. I took 2 hydroxyzine and fell asleep. I woke up fine but with body aches. The body aches continued through the day but I took acetaminophen and the body aches went away.
1060601	2/28/2021	NY	67	F	2/25/2021	2/26/2021	Friday morning, February 26, 2021: extremely dizzy, body aches, very tired. As morning progressed the right side of my face became numb. Mid-day, the right side of my tongue became numb. But not so numb that I could not eat or drink. By evening I started feeling prickly sensation as one does when novacaine is wearing off. Slept throughout the night. Woke on Saturday, February 27, 2021 with less numbness and prickly sensations. Sunday, February 28, 2021, slight numbness near eye, nose and mouth. I had Bells Palsy in June 2000.
1060584	2/28/2021	MN	45	F	2/24/2021	2/25/1921	Exhaustion, itchy eyes

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1060579	2/28/2021	PA	48	F	2/25/2021	2/26/2021	Swollen eyes...red eyes
1060515	2/28/2021	CT	66	M	2/23/2021	2/25/2021	I had very severe cf starting in 1996. It remained severe for approximately 5 years after which it was semi acute for another 5 years. After that i would have periodic relapses several times a year for varying lengths of time. For the last 10 years irt has been much better with occasional symptoms. However i received my second dose of the Moderna vaccine on february 23, 2021 and had a strong flu like response. I am now experiencing a mild to moderate relapse of my cf. brain fog, difficulty tracking with my vision, chills, etc. when i had severe cf i had this symptom where my scalp would feellike it was in a spasm. That has returned. I have dealt with tcf long enough to know when it occurs and this is definitely a response to the covid vaccine.
1060512	2/28/2021	FL	82	F	2/22/2021	2/24/2021	The next day I had fatigue, headache, sore arm. The following day I felt ok but my left eye. Same side as shot became red an d swollen. Emer Room diagnosis is Chemosis of left conjunctiva
1060460	2/28/2021	MI	51	F	2/16/2021	2/24/2021	10 days after vaccine I all of a sudden developed extremely high blood pressure of 175/100. Went to doctor and he also took blood pressures and still was in the 178-180 range. Never had high blood pressure in my life. Also experienced a broken blood vessel in my eye in between first shot and second shot.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1060415	2/28/2021	KY	75	M	2/19/2021	2/20/2021	The patient is a 75 yr/o male with a history of COPD presents with multiple constitutional symptoms have been present over the past week since getting his second COVID-19 vaccination. Patient states he has had fever and chills, generalized fatigue, body aches, increased sleepiness, and some burning with urination. Patient states his wife took his blood pressure this morning and that it was abnormal prompting the visit to the ER. The patient states all the symptoms started about a day after getting his second COVID-19 vaccination and have been persistent since that time. He states that he has a longstanding history of shortness of breath due to his COPD but no worsening shortness of breath over the past week. Patient denies any chest pain, nausea, vomiting, bowel issues. Patient denies any headache, dizziness, vision changes. Patient does wear corrective lenses. Per Triage: HOT Fatigue (wife states BP was 67/48 this AM at home, 2nd COVID vaccine 2/19) Fever (all week since wednesday off/on) Final diagnoses: AKI (acute kidney injury) (CMS/HCC) Elevated CK Body aches Fatigue, unspecified type Transient hypotension
1060414	2/28/2021	NC	72	F	2/22/2021	2/23/2021	Chills, fever, fatigue, vertigo, watery eyes, soreness at injection site. Vertigo and watery eyes continue after 6 days.
1060367	2/28/2021	NV	58	M	2/1/2021	2/26/2021	Next day had sore left arm 2 days after injection had mild nausea, mild fever and moderate headache 3 days woke with all symptoms gone except one new symptom - very red conjunctivitis - left eye red cornea
1061448	2/28/2021	CA	68	F	2/25/2021	2/25/2021	SWOLLEN EYES LIDS AND EYE AREA ALONG WITH ITCHNESS
1060822	2/28/2021	OH	39	F	2/26/2021	2/26/2021	I experienced some slight tingling in my left eye after I left from the site I received the vaccine from. I had waited my 15 minutes to make sure that I wouldn't have an allergic reaction to it and felt fine but soon after I left I started to feel tingling around my eyes and was not sure if that was a sign of an allergic reaction to the vaccine? I did reach out to my family doctors office and was told that it could of been a slight reaction to it. I am concerned if I can still get my 2nd shot when I am available to receive it or if I should not with the feeling that I got.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1060464	2/28/2021	MA	69	F	2/27/2021	2/27/2021	Within 10 seconds I began to feel that something was wrong. A full body response of a swirling congestion, extreme weakness. very blurry vision and couldn't think straight. I had trouble walking to recovery room, felt nauseous and weak and had a very fast heartrate. I had to stay in private recovery room for 45 min. I was still very ill and nervous at this point. I left with a family member and asked to be driven to the nearby hospital emergency room. For a precaution . We parked across from ER entrance for another 1 hour till I slowly regained strength to 50% normalcy. I went home afterwards and had to go to bed. I was unable to drive my own vehicle home. Day 2, still feel weak, shaky and not normal. I consider this a serious adverse reaction that did not receive medical intervention but will prevent me from getting the second Pfizer shot. After 5 hours post injection I felt 60% normal . Day 2, 70 per cent normal. The vaccination facility was not able to do blood pressure monitoring ( which is a problem for anyone experiencing reactions.) They said their protocol was to call 911/ambulance. My blood pressure was checked by a certified PA with professional equipment at the 3 hour post injection time and the diastolic pressure was still below 50. And heart rate above normal. Still weak and nauseous.
1061443	2/28/2021	NY	56	M	1/4/2021	1/7/2021	Seeing double at left eye
1061637	2/28/2021	CA	30	F	12/17/2020	1/3/2021	1/1/21- Severe right side eye pain 1/3/21 - Appearance of vesicular rash with sever pain above right eyelid 1/3/21 - Diagnosed with Zoster Ophthalmicus of Right Eye at urgent care and initiated on Valacyclovir 1000 mg PO TID x 10 days 1/4/21 - Ganciclovir eye drops added to treatment course 1/10/21- Rash crusted and resolved but with severe neuropathic pain and itch 1/12/21 - Second dose of COVID vaccine received

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1061629	2/28/2021	DC	40	M	2/26/2021	2/26/2021	Within minutes of receiving my Moderna Covid-19 vaccine around 5pm, my left eye felt irritated. I didn't think much of it but it stayed slightly irritated. About 1am, as I prepared for bed, it had become red and was quite irritated. I went to sleep and woke up in the middle of the night and my eye was quite irritated and it was filled with tears. The next two days it remained irritated in this way, red and painful. As of now (over 48 hours later), it is still red and irritated.
1061432	2/28/2021	IL	29	F	2/20/2021	2/21/2021	First dose: fatigue with left arm soreness Second dose: chills, whole body soreness and ache, low grade fever and an ongoing blurry vision. I went to the ophthalmologist and the ocular ct showed right eye optic nerve is inflamed.
1061453	2/28/2021	TX	37	M	2/4/2021	2/10/2021	Unknown for certain of this is a direct cause from the vaccine but I thought I would report because of how close it was to the date of vaccination. Maybe it can be correlated with other individuals with the same effects. I began having sudden vision loss (blurred vision) on Feb 10th and has only gotten worse since.
1060865	2/28/2021	FL	78	M	1/8/2021	1/14/2021	Left eye developed sty on lower lid, which lasted 2 weeks. currently not an issue
1061422	2/28/2021	CT	78	F	2/23/2021	2/23/2021	2/23/21:Headache, sore arm 2/24/21: High Fever 100 degrees: 8:00 p.m. Blurry eyes, Stuff, runny nose. Sore arm. Sneezing. Felt ill. 2/25/21: Fever slowly came down during the day. Arm itchy and sore. Hot arm. 2/26/21: Hot, itchy, sore arm. Red area near injection site. 2/27/27: Arm still red, sore itchy. nausea.
1061412	2/28/2021	CA	34	F	2/27/2021	2/27/2021	About 10 minutes after receiving the vaccine, I had chest discomfort followed by the sensation that there was ice around my heart, under my rib cage. The cold heart sensation lasted for roughly 20-30 minutes. Following the start of the cold heart sensation, I became dizzy, sweaty, lost peripheral vision, had numbness in my fourth and fifth fingers (ring and pinky fingers) in both hands, and vaccination site attendant mentioned my hands looked red. Dizziness and other symptoms lasted about 15-20 minutes. Now that over 24 hours have passed, my chest feels a bit tight when I breathe. Injection site is also sore.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1061334	2/28/2021	SC	73	F	2/27/2021	2/28/2021	Starting this morning, patient has experienced a lot of fatigue & a feeling of being "washed out". She does not appear to have a fever - but she says she feels like she has some. Her eyes look a but blurry. So far, nothing extreme - but she says all she feels like doing is staying in bed and she has slept most of the day.
1061291	2/28/2021	CT	57	F	2/19/2021	2/19/2021	Three hours after vaccine, I started to get body aches, stiff neck and fatigue. Starting around 12 after vaccine I developed chills, headache, fever and extreme weakness which lasted for 10+ hrs. The weakness improved slightly, but continued. Starting 4 days after vaccine, I started to get stinging eyes, nose and mouth, increased nasal congestion and burning in my sinuses. These symptoms are debilitating and are the same ones I had when I was at my sickest with Covid. Whatever sense of smell or taste I had regained disappeared. These symptoms continues to the present.
1061220	2/28/2021	NV	44	F	2/25/2021	2/26/2021	Fatigue, body pain, burning eyes, felt exhausted. Hives & welts on thighs & arms started next day around noon. Had to go to Urgent Care this morning & was given Prednisone, Flamodine & Benadryl for night time.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1061213	2/28/2021	MD	38	F	1/6/2021	1/6/2021	I received the 1st dose of the Moderna Vaccine on January 6, 2021 at 01:49 pm. Approximately 4.5 hours later on January 6, 2021, I went outside in the cold temperatures. Upon returning inside to warmer air, the bilateral fingertips of both hands were pale white, numb, and painful. The time was 06:30 pm on January 6, 2021. At 06:47 pm, I felt a different feeling in the bilateral tips of my fingertips, and could see the color changing from pale white to a mixture of purple/black. January 6, 2021 at 06:32 pm was the first time I have ever had my hands respond in this manner to cold temperatures. I have felt one fingertip go numb and turn white for a split second, only one time in my life but it was not a repeat occurrence, and it only lasted for about a second when it occurred. This experience and reaction I currently have lasts from 15-30 minutes of bilateral fingertip numbness and discoloration with pain. The bilateral fingertips of both hands now respond in this manner every time they are exposed to cold temperatures. I signed up for a health checker and did state that I was having this symptom through the Vaccine reporting system on a health checker under "other" multiple times. Treatment I received from a health provider are as follows; I had a telemedicine visit on January 14, 2021 at 12:51 pm to address my concern of "reaction to Covid vaccine, fingertips were numb, lasting 30 mins?". On 1/14/2021, I received a primary diagnosis of Raynaud's Syndrome by my Primary Care Provider. On 1/28/2021, I was seen in person by my Primary Care Provider for a Well Visit to complete a physical with my primary care provider. I was provided with a referral to a Rheumatologist for further advice about receiving the additional second Covid vaccination in the series. I also was ordered to do lab work. On 2/2/2021, I was seen by a Rheumatologist for new diagnosis of Raynaud's Syndrome, and advised that risk outweighed the benefits in regards to receiving the second vaccination in the Moderna Covid-19 series. On 2/3/2021 at approximately 1:45 pm, I received the second Moderna Covid-19 vaccination. On 2/10/2021, small red, itchy bumps started to appear on both sides of my neck. On 2/15/2021, a bump appeared above my right eyebrow with what felt like a pimple. On 2/21/2021, the "pimple" had spread towards my inner eye and above my right eyebrow making my right eyelid swell. I received telemedicine care via an e-visit over telehealth

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							with an urgent care and was provided an antibiotic for facial cellulitis. On 2/22/2021, I had one episode of emesis, and went in person to an urgent care. I received a different prescription of an antibiotic, and was provided with instructions of signs and symptoms of what to look for when to report to the emergency room. On 2/25/2021, my right eye started tearing up and the pain began to intensify. I was provided medical care by a Neuro-ophthalmologist and given a primary diagnosis of herpes zoster ophthalmicus. Presently, I have multiple areas of herpes zoster appearing on various areas of my head, shoulder, and chest that do not follow specific dermatomes.
1061211	2/28/2021	CA	32	F	2/26/2021	2/26/2021	I received the shot at about 4:00 pm. Around 6:30 or so I started to get a runny nose, my skin on my neck was itching, I was sneezing, and it felt like my eye was starting to swell. I took a Claritin around 6:45. My allergy symptoms started to subside and then completely went away.
1061199	2/28/2021	MO	34	F	2/23/2021	2/26/2021	On the 26th, I started noticing it was hard to close my right eye and when I woke up for work on Saturday the 27th, I realized I was completely numb and after visiting the Emergency Room it was determined that I had developed Bell's Palsy.
1060956	2/28/2021	NC	66	F	2/25/2021	2/25/2021	Within @ 1 minute I had a tingling on the tip of my tongue, then slightly burning sensation. I felt almost like I was going to pass out, but did not. I also had a feeling of swelling in my upper lip. No obvious visual swelling, just sensation of fullness. I have a history of angioedema, but this has been a long time ago. I just stayed at site for @ 30 minutes. Sensations stayed for more than 1 hour. I took a antihistamine when I got home. This helped and it dissipated. Tongue "felt funny" for a few hours No other symptoms

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1061187	2/28/2021		55	M	2/6/2021	2/6/2021	~~I received the second Moderna vaccine at a Med Com Camp on morning of 6 Feb. As the day progressed I began to feel body aches, chills, fatigue, rapid heart rate, shortness of breath, and numbness in my neck, arms, and hands. These symptoms are still persisting. The numbness that has since spread throughout my body (from my head to my feet), body joint and muscle pain and burning sensation, muscle cramps and twitching, and continued fatigue. Additionally, I have had a few of episodes of pressure in my eyes and head resulting in vision issues and issues with my hearing~~
1060868	2/28/2021	AZ	85	F	2/27/2021	2/28/2021	next day after shot, I experienced blurred vision for most of morning, saw double eyes...the eyes were one over the other and was hard to focus, i used clear eyes to see if it would help, it did somewhat, still at this time, afternoon, it is still hard to focus, but not as bad.
1060921	2/28/2021	NY	42	F	2/21/2021	2/23/2021	Woke up 2 days later with red eyes and hives near the injection site. Throughout the day, the hives traveled down the left side of my body. I sought treatment at Urgent Care. They prescribed 4 mg pack of 5 day steroid. On Saturday morning, the hives returned worse and covered my entire body except my face. The injection arm was swollen and red. I also begin to have shortness of breath. I went to the ER and they gave me an IV of benedryl and prednisone. I was released with another 4 day course but with 20 mg of steroid .
1060979	2/28/2021	MN	62	F	2/11/2021	2/11/2021	1. About 4-5 minutes after getting vaccinated my left eye had new floaters and what looked like strands of hair. They cleared after 35 minutes except for a few floaters. 2. About 1.5 days later for 24 hours I had a headache and took advil. Injection site was tender 24 hours after injection for a couple of days.
1060983	2/28/2021	VA	53	F	2/27/2021	2/27/2021	Left eye very swollen
1061023	2/28/2021	NY	76	M	2/17/2021	2/18/2021	Patient had a burst blood vessel in eye soon after receiving shot. He visited his eye doctor.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1061181	2/28/2021	NY	58	M	2/26/2021	2/27/2021	approx 14 hours after the injection (the next morning) there was mild soreness at the injection site and I had a mild headache approx 26 hours after the injection I became very tired and my eyes felt irritated. I felt like I was sick but not sick. It's hard to explain but it's like I felt the symptoms but it wasn't as bad as really being sick.
1061099	2/28/2021	NC	68	F	1/20/2021	1/23/2021	Itchy, watery , red, swollen eyes with rash, hives, headache , shortness of breath.
1061129	2/28/2021	TX	54	F	2/4/2021	2/7/2021	Day 1 pain in left arm vaccine site, fatigue. Day 4 pain in left arm grew to more intense pain and spread up left shoulder to neck and left side of face and around eye area. Same exact feeling as Bell's Palsy. Day 5 - I took Valtrex I already had 1 gm Day 6-13 doctor prescribed Prednisone 60 mg + Valtrez 1 gm for first day (adjusted to 50 mg Prednisone days 7-12 due to Prednisone side effects, then 20 mg on day 13). After day 7 facial palsy began to decrease in eye area. Overall Bell's Palsy symptoms after full course of treatment have finally subsided after day 20, for now. Hoping they will not return. Very scary and intense experience. Exercise and PT helpful.
1061134	2/28/2021	OH	51	F	2/1/2021	2/26/2021	10-12 hours in I felt arm and neck pain near the injection sight. Pain continued for next 24-36 hours. 36 hours later I had indigestion, acid reflux and difficulty sleeping. 48 hours later I started having dizziness, nausea, mild headaches, eye tenderness, tired.
1061162	2/28/2021	TX	53	M	2/25/2021	2/27/2021	I had dermal fillers under my eyes in May of 2020. I had the expected body aches and chills the day after the second covid vaccination (Moderna) on the second day I woke up with my under eyes being swollen in the area of the filler
1061056	2/28/2021	CA	67	F	2/27/2021	2/27/2021	6 hrs after I got chills and nauseous. Dull headache, eyeballs hurt. Took 2 hr nap and all went away except chills.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1060898	2/28/2021	VA	68	M	2/11/2021	2/11/2021	The day of my second Vaccine 02/11/2021 at around 5:00 PM I was feeling fine and was sitting in the toilet and pulled my pants down and was horrified to see my whole sexual organ inflated. I quickly took Benadryl and a few hours later it started to get back to normal. It did not hurt or anything but slowly got back to normal. The next day 02/11/2021 I was itching on the right side of my stomach and had a big red bump. I kept taking Benadryl 50mg every 6 hours for the next 7 days because otherwise as soon as i stopped taking the medicine I would have itching and bumps in my arms and side of my stomach. I had my lips swollen, my right eye lid droop. I still have episodes of itching and bumps 16 days after vaccine
1059540	2/27/2021	PA	71	M	2/25/2021	2/26/2021	EYES SENSITIVE TO LIGHT, HEADACHE, WEAKNESS IN EXTREMITIES, ACHY JOINTS, RASH OR ITCHY ON ARMS, SHORTNESS OF BREATH. LOW GRADE TEMPERATURE. FATIGUE. TOOK TYLENOL .
1059558	2/27/2021	MD	24	M	2/23/2021	2/24/2021	On 2/24/21 around 1:30 PM, Patient was not feeling well and temperature was 100.8. He was able to take Tylenol but then the staff noted his eyes rolled back in his head. 911 was called but he was not transported since his temperature was now normal and he seemed to be at baseline. He did not eat or drink much liquids later that night and in the morning of 2/25/21 around 9 AM, staff could not get him up from bed. He was incontinent and had temperature of 97.7. He was staring off and not talking or responsive. 911 was called and he was transferred to the ER and later admitted. All labs and Xrays were normal and later on 2/26/21 he was awake and alert. Of note, Patient also received news on the afternoon he got his second vaccine that a favorite staff person had been killed in a MVA. Patient was upset at this news at the time.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1059565	2/27/2021	NC	76	F	1/27/2021	1/27/2021	Within an hour, I felt like I had been hit by a tank; difficulty breathing, dysequilibrium, problems with balance that induced dizziness and vertigo, wobbly gait, extreme weakness, continual tiredness--not refreshed by sleep, difficulty sleeping, insomnia, injection site pain, severe headaches for weeks, eyeball pain, chills, fever, inflammation, joint pain, muscle pain, activity-induced or cognitive exertion muscle fatigue, nausea, swollen lymph nodes, especially in neck, sore throat, difficulty swallowing, cognitive problems -- difficulty with memory, focus, concentration, problems with wordfinding ability, misspeaking; short-term blurry vision; extreme difficulty with body temperature control leading to shaking
1059581	2/27/2021	IN	20	F	2/24/2021	2/26/2021	48 hours after second vaccine Right eye periorbital swelling and mild drainage Throat swelling described as feeling like it was hard to swallow - no acute distress Question of increased respiratory rate - normal respirations noted in clinic 2.5 x 2.5 cm nodule, well demarcated and moveable with sudden appearance to forehead Onset of floaters in B/L eyes occurred 4 hours later, after administration of oral benadryl and prednisone Tx: Patient was given Benadryl 50mg orally and Prednisone 60mg orally. Within one hour throat tightness resolved, respiratory rate remained normal, left eye swelling was improving and nodule to forehead was decreasing in size. Floaters were persistent. 24 hours later pt reports no recurrence of throat tightness, normal respiratory rate, resolution of left eye swelling, some decrease in size of forehead nodule. Floaters have been persistent and unchanged. *24 hours after second vaccine pt has onset of palpable lymph nodes to anterior cervical chain, single node to left supraclavicular chain and left axillary swelling. This was not considered an allergic reaction and attributed to immune response to vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1059588	2/27/2021	MI	38	F	2/24/2021	2/24/2021	8 mins after the shot my throat started burning, heart pounding, shaking uncontrollably, throat felt like it was sticking together, dizzy, lost all my color, hives, tunnel vision, kept almost passing out. Medical personal on site hooked me up to a blood pressure machine. Tested my sugar. My blood pressure was high. They gave me a shot of Benadryl in my left arm. Symptoms seemed to improve for a few minutes. Then came right back. I was going to pass out so they laid me down and called 911. I was rushed to the Emergency Room. Symptoms persisted and they gave me a shot of ephedrine, steroid, and Pepcid. I was kept for observation and sent home with two prescriptions. EpiPen's and steroids. My symptoms persist even to this day. I still do not feel right. My hives have pretty much gone away but I am still feeling off balance and unwell.
1059595	2/27/2021	WI	82	F	2/18/2021	2/21/2021	Site of vaccine became red, warm to touch, with pain and itching on 2/21/2021 about 8:00PM. Took Tylenol and applied cold compress. Woke from sleep about 3:00 AM the next morning itching in all over both arms (all over), face, and eyes. Took 1/4 of a 25mg Benidryl tab and maybe 30 min later went back to sleep. Symptoms were still present the next day and I did not feel well. Took more Benadryl 25mg tab every 4 hrs and symptoms were gone the next day (Tuesday). Monday, 2/22/2021, had a virtual appointment with a physician and spoke with her about this reaction.
1059665	2/27/2021	CA	60	F	2/24/2021	2/26/2021	angioedema of bilat earlobes and L eye, mild itching, neck pain.
1059517	2/27/2021	NC	73	F	2/1/2021	2/14/2021	Worsening of neuropathy symptoms: burning in hands, feet, new symptoms: transient burning in other parts of my body, bad tinnitus in left ear, worsening of chronic neck pain , worsening of dry eye syndrome.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1059264	2/27/2021	MA	67	M	2/26/2021	2/26/2021	Systemic: Fainting / Unresponsive-Severe, Systemic: shortness of breath-Severe, Systemic: Seizure-Severe, Systemic: Shakiness-Severe, Additional Details: Patient was sitting in observation when he suddenly had his head and eyes rolled back. Patient's daughter alerted the pharmacist on duty that he felt like he couldn't breathe. Patient went into a possible seizure. His eyes rolled back and his body went stiff. After a few minutes, patient was alert and oriented enough to answer questions coherently before the ambulance arrived. Patient went on the ambulance.
1059708	2/27/2021	CO	76	M	2/25/2021	2/25/2021	Rapid heart rate (140bpm-160bpm) @ 7:00 PM on day of vaccination. Heart rate was normal (60-66bpm) the morning of Friday, 02/26/21. Double vision was experienced the morning of Saturday, 02/27/21, 2 days after vaccination. Double vision continues at this time (12:15 PM).
1059596	2/27/2021	AR	28	F	2/26/2021	2/27/2021	Sick to stomach, vomiting, weakness, sore, fatigue, headache, low fever, dizzy, eye sore. Day after shot.
1059503	2/27/2021	TX	70	F	2/26/2021	2/26/2021	Slight change in vision-words on TV and pages seem slightly shadowy
1059494	2/27/2021	CO	43	F	1/27/2021	1/28/2021	I experienced muscle weakness in lower extremities, chills, headaches, facial weakness, vision disturbances (blurry vision), diagnosed with guillain-barre syndrome.
1059486	2/27/2021	MI	50	F	2/18/2021	2/19/2021	Injection site was bruise about 2 inches around and whole top arm was swollen and hard for 4 days. Could not raise arm without being in pain. Tired, headache behind the eyes, hard time breathing, chills (no fever) and dizziness. Still have headache and some dizziness and it has been a week and 2 days since the shot. Have not gone to the doctors. I have been treating myself with my inhalers and migraine medicine. Arm is better as far as soreness, but still have some bruising.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1059437	2/27/2021	IL	37	F	2/27/2021	2/27/2021	Patient states 30 seconds after the injection, she began to feel nauseated. She stated the following symptoms came on "Like a wave": Dizziness, light headedness, ears ringing, sound pulsing, and her vision began to go black. She described the field of vision closing like that of a loony toons show ending (coming from the outside in). Patient was found to have her eyes closed, hyperventilating at a rate of 28 breaths per minute. Ice pack placed on her neck. She was coached to slow her breathing, instructed to hold her breath for 10 seconds, then to release it slowly. She did this for 3 minutes. She related her body felt tingly all over. Encouraged patient to continue the slow breathing. As patient began to feel better, she related that she has a known needle phobia. She expressed that she becomes anxious even when she is not the one receiving a shot, and this fear stems from a traumatic experience of her son having a seizure after a shot. She works at a school and when they do first aid training and cover the diabetes section, the pictures of needles make her anxious. Patient provided with therapeutic communication, encouraged to discuss fears with her counselor. Patient remained seated in clinic until she felt well enough for her husband to drive her home.
1059400	2/27/2021	OH	60	F	1/19/2021	1/20/2021	Immediately after the injection - fever within 24 hours, chills, achy, fatigue. Fever for 4 day and fatigue and achy/joint pain lasted for at least a couple weeks. On February 11/12, 2021 started with double vision, progressively getting worse and constant starting on 2/17. Sought medical treatment on 2/18 with emergent MRI ordered and completed on 2/18. MRI results showed swelling/inflammation in the brain, specifically on the left side. Treatment thus far has been antiviral medication, seeing specialists - Ophthalmologist and Neurologist on 2/24 and 2/25 respectively. Further treatment is ongoing but will include ongoing lab work, IVIG infusions starting 3/1 for 3 consecutive days, repeat MRI, potential LP and Quarantine for a minimum of 30 days following the first IVIG treatment. Neurologist diagnosis is ADEM at this time.
1059320	2/27/2021	PA	37	M	2/26/2021	2/27/2021	Migraine with visual disturbance. Patient has had them before in response to new medication ex escitalopram.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1059407	2/27/2021	IL	30	F	2/27/2021	2/27/2021	Patient states approximately 5 minutes after her vaccination, she started to feel like her vision was slightly blurry, then experienced tunnel vision. Pt states felt almost like an "out of body" experience, but she did feel pressure to the left side of her head as she fell off of her chair and her head hit the floor. This fall was witnessed by another patient, who flagged the medical staff for help. A medical assistant notified me of the incident and I went to examine the patient, who was sitting on the floor, alert and conscious. I asked the staff to get the patient an ice pack, which was placed to patient's forehead and back of neck, and glass of water. Patient is able to swallow. A&O x 3, HR 81 and O2 sat 98% on room air. EOMI, PERRLA. Auscultation of heart & lungs was normal. No bony step-offs palpated. No tenderness upon palpation to patient's head, face and neck/c-spine. No visible contusions, abrasions noted. Normal ROM of all extremities and normal sensation. Observed patient over the course of 15 minutes and patient states she is feeling much better.
1059292	2/27/2021	GA	37	F	2/15/2021	2/19/2021	I first had a typical reaction to the vaccine, including soreness at site, fatigue, aches, and chills. On the fourth day after the shot, I developed shingles on my left side (the same side as where I received the vaccine). It began on the left side of my scalp and progressed down my forehead and to my left eye. My left eye also became very swollen, to the point of being shut. I am 12 days post vaccine now, and I still have shingles and my eye is still very swollen. I have been seen at both the ER and urgent care. I am currently taking Valtrex, oral steroids, and have antibiotic ointment for my eye as well as steroid eye drops.
1059263	2/27/2021	MA	67	M	2/26/2021	2/26/2021	Systemic: Fainting / Unresponsive-Severe, Systemic: Seizure-Severe, Systemic: Shakiness-Severe, Additional Details: Patient was sitting in observation and his head and eyes rolled back. He was observed to go into a shock state, possibly seizure for a few minutes. After a few minutes, patient regain orientation and was alert and was able to answer questions before the ambulance arrived. Patient left with the ambulance to the emergency room.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1059242	2/27/2021	CO	46	F	2/11/2021	2/11/2021	Severe meningitis starting 30 min after vaccine. Stiff neck; headache; nausea; eye pain; light sensitivity; altered consciousness; blacking out; dizziness. Still sick after two weeks later.
1059757	2/27/2021	AL	64	F	2/25/2021	2/25/2021	In order: March 26,2021 at 2.05pm, 2nd injection of Moderna : 30min. after injection, left eyeball, then left temple; then right eyeball and then right temple; then moved to top of my head and all was aching and starting to throb. Then moved to all my cervical neck bones. This all took place within 30 min after injection. Once home started to ache all over. Started with low grade fever of 99.7 and eventually till it got to 101.4 I did not take any medication. Just let it run its course. Upon waking up this morning my left eyeball has a busted blood vessel in it and looks bad. But as day goes on, it is slightly fading. I am no feeling fine.
1059309	2/27/2021	KY	57	F	2/25/2021	2/25/2021	The symptoms that I am experiencing that are worthy of reporting since they are not listed on the Fact Sheet are: earaches, eye pain, sore throat, bloody nose upon blowing and sore nasal cavities (such as when I'd had severe sinus infections). These are still occurring, even though the general symptoms as listed below are subsiding. Before receiving my vaccine, I was careful to drink a lot of fluid. Eight hours after receiving my second dose, intense body aches began including headache. It was a fitful night of sleep as I remember moving around in an attempt to stretch out the muscles that seemed to be tightening. The next morning as I arose I felt weak and chilled. Highest temperature recorded was 99.0. Muscle aches, headache, joint pain (especially in my knees) persisted throughout the day. Rest and tylenol helped somewhat.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1060216	2/27/2021	WA	60	F	2/26/2021	2/26/2021	Patient reported dizziness and blurred vision initially. Vital signs checked, BP 174/73, HR 87, SpO2 97% on initial check. She also reported a right frontal headache 5/10. Moved to cot to lie down, VS re-checked. Dizziness did not resolve with lying down. BP remained elevated as well. Once lying down, patient also reported "heaviness" in chest. A nurse remained with patient throughout entire incident and VS assessed frequently. After about 45 minutes, patient still reported HA, dizziness. Patient reported chest heaviness had resolved, but BP and dizziness did not resolve. Discussed calling EMS with patient, she agreed to allow us to call EMS. She was transported to local hospital by EMS at approximately 11:30am.
1059366	2/27/2021	NH	66	F	2/22/2021	2/23/2021	Woke up at midnight with fever, chills, thirst. Tossed and turned all night, cold and thirsty. Drank about 20 oz of Crystal Light Peach Tea over night. Got up at 5am to get more to drink and find another place to rest. went into my kitchen to fill container and passed out. Woke a few seconds later. Left side of my forehead was bruised and swollen above left eye. Over the last 4 days both eyes an cheeks are bruised. All day felt like I had the flu without the fever. I did not go to the hospital.
1060334	2/27/2021	VA	40	F	2/26/2021	2/27/2021	Facial swelling in cheeks, lips, chin, beneath eyes started on L side of face, first noted upon waking in am after vaccine the previous day. Hx of dermal filler one year ago.
1060314	2/27/2021	CA	87	F	2/25/2021	2/27/2021	Mom woke up this morning and has lost all vision following #1 of 2 Covid-19 vaccination on 02/25/2021
1060306	2/27/2021	MO	64	F	2/27/2021	2/27/2021	Face flushed, head felt full. Other than that nothing until we started home. Upper lip began to itch a little. A little itching around eyes. About an hour after, felt tightness in my throat and neck, glands felt swollen. Became slightly hoarse, had to clear my throat often. Felt a little like asthma attack. Have had similar reaction when eating seafood



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1060304	2/27/2021	VA	64	F	2/25/2021	2/26/2021	Left arm extremity sore, sore knees, fever, fever blisters, extremely sleepy, extreme fatigue, annoying headache, glossy eyes, blurred vision, aching bones all over, I exercised mildly by walking after 2pm on Thursday shot by visiting memorial park and shopping. At 2am on Friday I awoke to headache and achy bones I took Tylenol 2 tablets and felt okay but at 9 am was feeling worse. And extremely sleepy. Took some dose of Tylenol and slept for 5 hours straight. Drank ginger ale for mild nausea. No appetite until Saturday. Felt good all day but achy at night. Especially knees.
1059767	2/27/2021	IL	63	F	2/25/2021	2/25/2021	Starting a couple hours after vaccination, I began to feel unwell, overall poorly, nothing specific. Went to be early at 9:30 and awoke at one a.m. on February 26 with splitting headache. Could not get back to sleep well and felt terrible all that day with headache, nausea, and foggy thinking, not functional after about 2:30 p.m. Took Ibuprofen at 3 p.m., called doctor and went to ER at Medical Center. Was seen at ER a few hours later. Slept some in waiting room. Had sore throat, the worst splitting migraine type headache ever, and was extremely foggy headed, couldn't process thoughts, eyes had difficulty focusing, nausea. My temperature was a little high for me, I am normally low and it was 99. My blood pressure is usually low and it was 105/59, pulse was 82 and respiration was 16 with 96 % Oxygen Saturation. They did tests and had an ophthalmologist give me an exam also. They said I could go home with the same meds they were giving me in the hospital since they were working to alleviate my painful headache, 600 mg of ibuprofen, reglan and benadryl. Before I left they gave me the potassium chloride. I am continuing my medications today, two days after my vaccine.
1060263	2/27/2021	OR	39	M	2/26/2021	2/27/2021	Pain the arm during and since the shot yesterday (2/26), tiredness and fever since noon today (2/27), slept 4 hours, body aches, sore back, headache, eye pain, little bit of a sore throat, arm was a little warm around the injections site a slight swelling.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1060344	2/27/2021	TX	43	F	2/10/2021	2/10/2021	I immediately felt skin and eye itchy after I received the vaccines. Stayed in the waiting room for 30 mins, felt better. Next day skin itch got worse. Specially around my eyes. Eye itchy, rubbing, pain, vision blurry, puffiness, discharged, I bought some allergy drops but it didn't get better. , on the 7 days after the vaccine, it was a Saturday, it got so much worse that I could barely open up my eyes. So I went to a clinic. The nurse practitioner gave me eyes drop for infection, it did not get better. She prescribed another eye drop, still not working. Now my eyes feel horrible,.
1060348	2/27/2021	NY	38	F	2/4/2021	2/26/2021	Shingles on face and eyes 3 weeks after second dose
1060180	2/27/2021	FL	78	M	2/11/2021	2/24/2021	An in-home fall, dizziness, slurred speech, blurry vision, felt very ill. Did not lose consciousness. Was able to sleep. Day after event was okay. Two days after event, dizziness and loss of balance re-occurred twice during the day -- but did not precipitate a fall.
1060154	2/27/2021	TX	30	F	2/26/2021	2/27/2021	Unbearable burning in my left eye. It began as a hot sensation and built to feeling like lave was in my eye. The tissues around my tear duct appear to be where the pain is coming from, is very swollen and causing my eye to run a bit.
1060139	2/27/2021	CA	60	F	2/27/2021	2/27/2021	tongue swelling, tongue itching, SOB, tunnel vision, lightheadedness
1059866	2/27/2021	NY	49	M	2/24/2021	2/25/2021	Reaction started approximately 10 hours post-vaccination and included loss of vision in left eye, numbness and tingling on right side (arm, legs), numbness of tongue, pain in all joints including knees, shoulders, neck, ankles and arms/elbows.
1059768	2/27/2021	TX	40	F	2/26/2021	2/26/2021	About 25minutes after shot, I started having a tingling feeling near my left eye/cheek bone area followed immediately by slight swelling. I took 2 Diphenhydramine 25mg and and two Tylenol pills and felt better within a couple hours. I later had chills at night, but my husband said I felt hot to the touch.
1060095	2/27/2021	OR	54	F	2/25/2021	2/25/2021	Left side of face ear area fullness numbness progressed later to numb lip on left side and poor vision in left eye , chest pain in center of chest and walking imbalance

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1059859	2/27/2021	NV	53	F	12/22/2020	2/16/2021	Numbing on left side of the face, unable to close left eye all the way no control on left side of the lips; sharp pain on neck and jaw
1059784	2/27/2021	ME	51	F	2/18/2021	2/19/2021	24 hours after receiving the vaccine, I woke up feeling tired, with chills, joints, and muscle aches. It started to get better 3 days after, but it didn't go completely back to my normal, and I am already on the 10th day after the vaccine. Today I woke up again with chills, joint, and muscle aches, and I am having cough, sniffle, watery eyes, and sneezing. Since I have asthma and allergies in this period of the year, it wouldn't be a surprise, but the fatigue, chills, feeling sleepy, and body aches, make me wonder if this is still related to the vaccination, or it could be that I was unfortunately infected with COVID roughly at the same time I got the shot? I had to stay for 15 minutes at the vaccine place, there were other people, we were 6 feet apart, but the room was not well ventilated, so who knows.
1059994	2/27/2021	CA	50	F	1/8/2021	1/8/2021	I noticed a cold sensation throughout my body within 5 minutes. It occurred suddenly and then stopped quickly. About 25 minutes after the shot, I saw "electric stars" in my vision. This has happened before (at times) so I was aware but did not worry. It lasted less than a minute. After waiting 45 mins at the facility, I left. 15 mins later (an hour after my shot), I began to cough. This typically happens to me when I begin to react allergically. I was driving so I pulled over to the side of the road and used my rescue inhaler (2 puffs). Meanwhile, my doctor (also my boss) called me. He met me at our office (allergy office) and checked on me. I ended up having a nebulizer treatment, benadryl, allegra and prednisone. I felt itchy about an hour after my coughing started but no visible hives.
1060025	2/27/2021	CA	22	F	2/27/2021	2/27/2021	1335 Patient states her vision became blurry and she felt lightheaded and dizzy after vaccination. Patient assessed. Vitals T 97.3, P 80, O2 99%, BP 140/80, R 24. 1405 Vitals T 98%, P 86, O2 98%, BP 116/72, R 18. Patient states symptoms have subsided. Patient advised to contact primary provider and discharged.
1060030	2/27/2021	WY	52	F	2/26/2021	2/27/2021	Terrible fatigue, every muscle hurts, eye are bloodshot red and burns. Started about 15 ish hours after dose 1.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1060055	2/27/2021	NC	50	M	12/22/2020	2/23/2021	I received 2nd dose of vaccine on Jan 11. On the date above I developed eye irritation. The next day I couldn't blink that eye and was diagnosed with Bells Palsy.
1060079	2/27/2021	OH	44	F	2/27/2021	2/27/2021	The patient felt more pressure on her eyes than usual. She stated that her eyes felt different, there were halos on the lights, itchy eyes, itchy throat, and her body felt warmer. She had an increased blood pressure of 150/100mmHg.
1060081	2/27/2021	WA	73	F	2/26/2021	2/26/2021	Extremely mild: headache, site injection soreness. Mild: difficulty breathing - required oxygen & sleepiness. Also, antagonized my dry eye problem - requiring drops every couple of hours round the clock instead of just twice a day.
1059831	2/27/2021		22	F	2/27/2021	2/27/2021	Lightheaded, HA, vision changes, shaky, chest pain, facial flushing, cleared by EMS-
1057309	2/26/2021	NE	26	F	2/2/2021	2/4/2021	Swelling of face and eyes, watery eyes, itchy throat with tingling and numbness in lips and nose, itchy hands and ears. Was given PO Benadryl at medical clinic and sent to ED for further evaluation.
1057354	2/26/2021	NJ	50	F	2/13/2021	2/24/2021	Started with a lump on 2/24 then itching on 2/25 to waking up to a large itchy heated lump on the left arm on and around the injection site. Also experienced some crusting of the eyes that morning and some odd feelings in the lips also not sure if they are related or just symptoms of other issues or nervousness.
1057327	2/26/2021	IL	72	F	2/18/2021	2/18/2021	pt stated that the same day after getting the vax she developed neck pain, fever, joint pain in arms, hands and knees, a splitting headache, also had pain in her ears, face, and upper back. Next day the pain was worse. Pt contacted her PCP and was told to report to VAERS. She still has pressure in her head, eye, ear ache and cant do regular every day activities.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1057318	2/26/2021	NC	36	F	2/26/2021	2/26/2021	Pt stated that she had experienced a goose-egg type lump that developed one week after the 1st dose that was erythematous. We advised patient that we would want to observe her for 30 minutes after her second dose as a precaution. Second dose was administered at 11 AM and at 11:07 AM patient reported tingling in lips and tongue, which was going numb. Administered 50 mg Diphenhydramine at 11:07 and advised patient that we would like to watch her for a full 30 minutes after diphenhydramine administration. At 11:32 patient stated that she was feeling much better and that the numbness had subsided and the tingling was lessening. Patient decided to leave the room, however was nearby in the facility as she was working and stated if she started to feel anything abnormal that she would return to staff for treatment/supervision.
1057284	2/26/2021	NY	51	F	2/26/2021	2/26/2021	Patient was sitting for 10minutes when husband reported she started to slurr speech and inability to communicate. Upon entering the room patient has head tilted against wall with arms and legs spread out. Patient was responsive, but weak, reporting she felt paralyzed and couldn't open eyes. Vitals taken, vitals we're stable. Pulse ox-98%, BP-144/90, Pulse 90, glucose-110. After 5 minutes, patient was still weak, unable to open eyes, pupils had no response to light. EMS called Hospital 1 hour post vaccine, symptoms have improved as per husband. ER doctor told patient symptoms should resolve over course of day.
1057266	2/26/2021	KY	97	M	2/4/2021	2/18/2021	Bell's Palsy diagnosis. Following 2nd administration of Pfizer COVID vaccine, 97 year old male found on the floor by housekeeping. Sent to ER due to cuts and bruises. MRI ruled out Stroke. Patient presented with a droopy eye & mouth on one side of face. Complained of ear pain on the same side. Patient also tested positive for COVID without any presenting symptoms via PCR test. Patient's will to live has decreased.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1057258	2/26/2021	MI	39	F	1/6/2021	1/7/2021	Had a right sided headache mostly affecting the right eye. It lasted 4 days until treatment. Reminded me of the same pain I had when 2 years ago I had shingles around my Right eye. Also after a car accident 5/2020, I had similar headaches and eye pain. The thought being it seemed maybe the viral load with the injection was similar to the viral shingles incident?
1057248	2/26/2021	NC	64	M	2/19/2021	2/24/2021	Developed shingles around right eye. Symptoms began 4 days post-injection. I had received the Shingrix vaccine x 2 in 2018. I am currently treated by my PCP and ophthalmologist with valacyclovir and gabapentin.
1057020	2/26/2021	CA	60	F	2/19/2021	2/24/2021	2/24/21 about midnight I was not feeling well. I was having stomach pain. At 3:00am (2?25/21) i woke hot and stomach pain was worse. About 4:00am diarrhea started. I never went back to sleep that day. At 6:00am after a shower I notice a bump by my left clavicle. I notice it was movement about the size of a nickel. I called Dr. office, they agreed to see me in the afternoon. At 3:30pm I saw Dr. said that it's lymph and I should keep an eye on it. He recommends an ultra sound if not better in two weeks. Left shoulder is painful and it is a little hard to type, but not a big deal. 2/25/21 about 9:00pm I went to the bathroom I had a bright red bowels. 2?26/21 I am waiting for Dr. (she has been my stomach doctor for many years) to speak with her about the bloody bowel. I will also call Dr. a message to keep her up
1057241	2/26/2021	PA	75	M	1/26/2021	1/26/1921	Migraine Headaches Nausea, Body Aches, chills, Joint pain, These symptoms lasted 2 days. After the 2nd dose I experienced Headaches after an hour, within hours experienced Migraine Headaches, Body aches, Chills, Fever, Several short duration of sever pain behind right eye, some residuals still after 3 days.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1057247	2/26/2021	NY	51	F	2/26/2021	2/26/2021	Patient was sitting for 10minutes when husband reported she started to slurr speech and inability to communicate Upon entering the room patient has head tilted against wall with arms and legs spread out Patient was responsive, but weak, reporting she felt paralyzed and couldn't open eyes Vitals taken, vitals we're stable Pulse ox-98%, BP-144/90, Pulse 90, glucose-110 After 5 minutes, patient was still weak, unable to open eyes, pupils had no response to light EMS called 1 hour post vaccine, symptoms have improved as per husband ER doctor told patient symptoms should resolve over course of day
1057391	2/26/2021	PA	71	F	2/24/2021	2/26/2021	Conjunctivitis in the left eye

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1057550	2/26/2021	TN	79	F	2/6/2021	2/6/2021	has sporadic a-fib (at baseline); She stated she was in real bad stroke territory; she felt like she was going to faint; Her blood pressure was 220/97; tingling in her hands and feet; felt like brain sizzling like it was frying/going to faint; This is a spontaneous report from a contactable consumer, the patient. A 79-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Lot EN9581, first dose) solution for injection intramuscular in the left arm on 06Feb2021 at 09:30 (at the age of 79-years-old) as a single dose for COVID-19 vaccination. Medical history included ongoing sporadic A fib (atrial fibrillation) for 6 years know about; allergy to polyethylene glycol in 1985 (she had difficulty taking birth, control pills and they found out it was the coating PEG in); cerebrovascular accident prophylaxis; in 1985 She had difficulty taking birth control pills and they found out it was the coating PEG in it. She had an allergy to this where she broke out in bumps on her fingers and mouth and had itchy eyes, a full blown allergy; and when she was 45 going through menopause. Concomitant medication included apixaban (ELIQUIS) for A fib and cerebrovascular accident prophylaxis. The patient did not receive any other vaccine within 4 weeks prior to the vaccine. On 06Feb2021, the patient had sporadic a-fib (at baseline) then put in a medical van requiring emergency room visit. The patient stated, She stated she was in real bad stroke territory, felt like she was going to faint (6 minutes after vaccination), blood pressure was 220/97, tingling in her hands (6 minutes after vaccination) and feet and felt like brain sizzling like it was frying/going to faint (6 minutes after vaccination) on 06Feb2021. Lab tests included blood pressure on an unknown date high 150s and never lower than 187, then on 06Feb2021 was 220/97, on 09Feb2021 was systolic blood pressure 180, then on 10Feb2021 had gone down. The outcome of the events atrial fibrillation and feeling unwell was recovered on 06Feb2021, after 3 hours. The outcome of the events stroke, faint and tingling of extremity was unknown. The outcome of the event blood pressure was 220/97 was recovered on 10Feb2021.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1057554	2/26/2021	OH	64	F	1/16/2021	1/24/2021	cellulitis around left eye which spread down left cheek, across chin and started up the right cheek; This is a spontaneous report from a contactable consumer (patient). A 64-years-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number and expiry date not reported), via an unspecified route of administration, on the left arm, on 16Jan2021 at 12:00, at a single dose for Covid-19 immunization. The patient has no medical history and no known allergies. Concomitant medication included amoxicillin. On 24Jan2021, the patient experienced cellulitis around left eye which spread down left cheek, across chin and started up the right cheek. The adverse event resulted in doctor or other healthcare professional office/clinic visit, hospitalization. The patient was hospitalized for 6 days. The patient has no Covid prior vaccination and was Covid tested post vaccination. The patient had a nasal swab on 28Jan2021 and result was negative. The patient was recovering from the event. Information on lot/batch number has been requested.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1057570	2/26/2021	CA	50	F	2/1/2021	2/1/2021	Salivary gland infection; Sjogren's syndrome (mouth inflammation); Sjogren's syndrome (mouth inflammation); Lymph gland infection; Tooth disorder (rancid); Swelling in upper cheeks and ears; Swelling in upper cheeks and ears; Eyes are burning and a little bit dry; Eyes are burning and a little bit dry; Mouth really hurt to me; Flu; This is a spontaneous report from a contactable consumer reporting for herself. A 50-year-old female patient received the 2nd dose of bnt162b2 (BNT162B2, Manufacturer Pfizer-BioNTech, lot# CL3302), via an unspecified route of administration, on 01Feb2021, at single dose, for COVID-19 immunisation. Medical history included COVID-19 from Apr2020 to an unknown date, Sjogren's syndrome from 2015 and ongoing (was under control), fibromyalgia, autoimmune disorder, ongoing hormone level abnormal (taking estrogen), ongoing eye disorder. Concomitant medications included ongoing ciclosporin (RESTASIS) for eye disorder, famotidine (PEPCID), albuterol [salbutamol] (unknown manufacturer), ongoing estradiol (ESTROGEN) for hormone level abnormal. Previously the patient received the 1st dose of bnt162b2 (BNT162B2, Manufacturer Pfizer-BioNTech) for COVID-19 immunisation and experienced pain, asthma and nasal irritation. The patient experienced salivary gland infection (medically significant) in Feb2021 with outcome of unknown, Sjogren's syndrome (mouth inflammation) (medically significant) in Feb2021 with outcome of unknown, lymph gland infection in Feb2021 with outcome of unknown, tooth disorder (rancid) in Feb2021 with outcome of unknown, swelling in upper cheeks and ears in Feb2021 with outcome of unknown, eyes are burning and a little bit dry in Feb2021 with outcome of unknown, mouth really hurt to me in Feb2021 with outcome of unknown, flu in Feb2021 with outcome of unknown. The patient went to the emergency room for Sjogren's syndrome (mouth inflammation) and tooth disorder (rancid). On unknown date the patient underwent lab tests and procedures which included blood electrolytes: unknown results, full blood count: unknown results, investigation: unknown results, monocyte count: normal. Therapeutic measures were taken as a result of the events and included treatment with Salagen and Tylenol. The reporter stated she believed to have a reaction from the vaccine shot.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1057711	2/26/2021		34	M	2/26/2021	2/26/2021	Loss of vision, feeling of "feeling weird" Patient refused transport
1057712	2/26/2021	GA	42	F	2/24/2021	2/25/2021	Moderna COVID-19 Vaccine EUA Fever - approximately 12 hours post-injection and lasted approximately 5 hours (resolved) Swelling of right side of the face (under eye area) - approximately 20 hours post-injection and still occurring 48 hours post-injection.
1057752	2/26/2021	OH	22	F	2/24/2021	2/24/2021	Patient states she returned to worksite after vaccine received and felt fine. States around 12:00 pm she was having a conversation with a coworker about her history of fainting spells when she speaks about medical procedures. While she was talking to coworker she fainted and hit the back of her head on the floor. States she recovered within 5 minutes. School nurse was notified and reported a faint pulse and blood pressure was low (around 80/40). Was transported home by parents. States she felt groggy after fainting and a slight headache, tunnel vision, and muffled hearing that resolved the next day, 2/25/2021 around 7:00 pm. States she has a bump on the back right side of her head but denies other injuries. States she did return to work the next day.
1057757	2/26/2021	WI	64	F	2/24/2021	2/24/2021	Swollen eyelids and lips starting about 1 hour after the vaccine, lasted about another hour

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1057765	2/26/2021	AZ		M	2/17/2021	2/17/2021	<p>Completely out/eyes were closed; looked like he wasn't breathing; Began to shake, patient's head and arm shocked; Weak; little confused; A spontaneous report was received from a consumer concerning a 69 years-old male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced began to shake (MedDRA PT: tremor), head and arm shocked (MedDRA PT: tremor), completely out/eyes were closed (MedDRA PT: loss of consciousness), looked like he wasn't breathing (MedDRA PT: respiratory arrest), weak (MedDRA PT: asthenia), and little confused (MedDRA PT: confusional state). The patient's medical history included stroke. Concomitant product use included unspecified blood pressure pills, cholesterol pills, vitamins, and a drug for the patient's brain due to the stroke. On 17 Feb 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (lot #: 031M20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 17 Feb 2021, ten minutes after receiving the vaccination, the patient began to shake, patient's head and arm shocked and patient was completely out with eyes closed. The reporter stated it looked like the patient wasn't breathing. Seven minutes later, the patient was given an epi shot and oxygen. The patient was transported via ambulance to the emergency room (ER). At that time, a scan was performed - nothing was detected in patient's brain. Patient remained in ER from 0830 to 1500. Patient subsequently left ER very weak and a little confused. It was recommended for patient not to receive second vaccination dose. Treatment information included epi shot and oxygen. Action taken with mRNA-1273 in response to the events was not reported. The events began to shake, head and arm shocked, completely out/eyes were closed, and looked like he wasn't breathing were considered resolved on 17 Feb 2021. The events very weak and little confused were not resolved.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1057018	2/26/2021	MO	59	F	1/20/2021	1/21/2021	I got an eye infection the day after my shot and then after the second shot, got another one (it was getting better). It took about a week for it to completely go away after second shot.
1057785	2/26/2021	TX	90	M	2/23/2021	2/24/2021	Patient not talking, Chills, trembling hands and upper body, eyes staring upward, fever up to 101, fever decreased to normal in one hour after giving 325 gr. Tylenol
1056639	2/26/2021	MA		M	1/27/2021	2/1/2021	Left eye 6 nerve palsy and could not move my eye laterally; This is a spontaneous report from a contactable physician (patient) A 77-year-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection) on 27Jan2021 at single dose via an unspecified route of administration for COVID-19 immunization. Relevant medical history and concomitant medications were not reported. On 01Feb2021, patient started to notice, left eye 6 oculomotor nerve ("abducens") palsy and could not move his eye laterally. Patient also asked information about 6 oculomotor nerve and possible interaction with vaccine. At the time of the reporting event outcome was unknown. Information about lot/batch number has been requested.; Sender's Comments: Based on the limited information currently available, a possible association of the suspect drug administration with the reported event cannot be excluded, due to a plausible temporal relationship. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.
1057791	2/26/2021	TX	74	M	2/25/2021	2/25/2021	itching in hands, fingers, eyes . Took 5mg of benedryl. Still some discomfort next morning. BP OK.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1057774	2/26/2021	IN	70	M	2/26/2021	2/26/2021	Pt had seizure like activity-- head back, eyes rolled back, face red Lasted about 1 minute PT was lowered to the ground by staff out of chair No other injuries Pt then had nausea and vomiting -- was observed for about 1 hour-- more nausea and vomiting as he was taken to the car Pt agreed to be seen in the ED-- was given zofran and released Later wife stated he has similar reactions to other immunizations

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1056626	2/26/2021	NC	94	F	1/23/2021	1/23/2021	Vertigo last week that stayed for five days; pain at the injection site; 2 stroke like symptoms/ like she was having a TIA (Reporter confirmed TIA as Transient ischemic attack); Blood Pressure 170/130; Fatigue; Joint ache; Nausea; Vomiting; Fever 100.1; Stress; 2 stroke like symptoms/numbness in her lip; Pervasive aching; Momentary confusion; , like she was having a TIA; Not able to answer questions; she still has not recovered her strength; This is a spontaneous report from a contactable consumer (patient's daughter). A 94-year-old female patient (mother) received 1st dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE) (Lot# EL1283), via an unspecified route of administration on 23Jan2021 13:00 at a single dose for COVID-19 immunisation. The patient's medical history included ischaemic stroke, haemorrhagic stroke in Aug2019, pulmonary embolism, deep vein thrombosis (DVT), cholesterol, myalgia condition, blood pressure, thyroid, sleep and vertigo. The patient concomitant medications included amlodipine for blood pressure, calcium carbonate/colecalciferol (CALCIUM + VITAMIN D), rosuvastatin calcium (CRESTOR) for cholesterol, levothyroxine for thyroid, eszopiclone (LUNESTA) for sleep medication, ascorbic acid, cupric oxide, dl-alpha tocopheryl acetate, xantofyl, zeaxanthin, zinc oxide (PRESERVISION AREDS 2), prednisone for myalgia condition, and escitalopram. The patient experienced fatigue, joint ache, nausea, vomiting, blood pressure 170/130, fever 100.1, stress, stroke like symptoms, numbness in her lip, momentary confusion; like she was having a TIA; not able to answer questions, tired, pervasive aching, all on 23Jan2021 19:00. Events reported as follow: patient had the Pfizer vaccine on Saturday around 1 pm and Saturday (Clarified 23Jan2021) night she had severe side effects for about 4 hours. When probed for side effects, the reporter stated it increased gradually over time. So, first patient had joint achiness and then she experienced nausea and vomiting. The reporter took her blood pressure. It was 170/130 and so reporter called EMS and they came up and her blood pressure had gone back down to normal and they recorded she had a fever of 100.1. EMS believed that the combination of the 'violence' of the onset and the fever caused her blood pressure to spike but she had a history of ischemic and hemorrhagic stroke. So, the reporter was concerned that the stress

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

and whatever that was going on the reaction, the reporter was concerned that it was going to cause her a stroke. Patient had 2 stroke like symptoms, one was that she had numbness in her lip and the second was that she had momentary confusion, like she was having a TIA (reporter confirmed TIA as Transient ischemic attack). The only symptom of that was when the reporter asked her the name of her children she gave the names of her grandchildren but that confusion cleared up quickly and she was fine for a while but not able to answer questions, sharply. By the time that EMS got there patient was sharp again, no problem. For treatment, the reporter gave patient aspirin. The reporter put some Salonpas patches on her joints. It was like the analgesic patch. It was an external patch that patient put on. Patient usually does not need them that was why she was taking the prednisone to treat that kind of pervasive aching. The reporter also gave her the fluids, Gatorade kind of stuff to replace her fluids from throwing up and that kind of stuff. One more thing, it all started with an extreme fatigue but that seem normal but it seemed to lead into the other symptoms. Like it was a big day to go out and get the vaccine. So, she was a little bit tired. This was a very deep fatigue that was part of it too. Reporter stated only 81 aspirin (later clarified as treatment) as she could not go back on blood thinners because she had the hemorrhagic stroke. As of 11Feb2021, it was reported that patient still has not recovered her strength since 23Jan2021 19:00 and was reported as ongoing but improved. On 03Feb2021, the patient had vertigo that stayed for five days and was now improved. The patient was scheduled for the second dose on 13Feb2021. The immediate effects her mother had after the first dose of the vaccine were pain at the injection site; fatigue; fever; nausea. Mentions she also had some confusion and they were worried that the patient might be having another stroke. But all of this cleared up; all of this in a violent episode that lasted about four hours. Today she wants to report that her it took her a week for her mother to recover. Adds her mother could walk for half an hour before the vaccine but since the vaccine she still has not recovered her strength. Adds her mother has only been able to walk about 15 minutes with a walker and resting a lot, for a couple time in three weeks and this was their main way of maintaining her health. Adds her mother



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							also had some vertigo last week that stayed for five days but she has had that in the past. Adds actually she still has the vertigo a little and she can tell when her mother bends her head. Outcome of blood pressure 170/130, she still has not recovered her strength and vertigo was recovering, outcome of events pain at the injection site, fatigue, fever, nausea and confusion was recovered on 23Jan2021 23:00; other events was unknown. No investigation assessment. Follow-up (11Feb2021): New information received from the same contactable consumer (patient's daughter) includes: reporter details, medical history, reaction data and course of events.
1056036	2/26/2021	CA	54	F	2/23/2021	2/23/2021	Throat felt like it was closing and had difficulty swallowing (that subsided quickly) 45 minutes after the shot, the right side of my face felt numb and tingly (Felt like when novocaine is wearing off.) Continued for 48 hours and worsened with slight drooping when smiling. Clearing my throat a lot and my right eye keeps tearing up. The doctor confirmed it was "Bell's Palsy" this morning and I have been put on Prednisone.
1056358	2/26/2021	PR	40	F	1/12/2021	1/15/2021	Paresthesias, on lower extremities and tingling on right arm all day; intermittent numbness; right eye twitching daily; This is a spontaneous report from a contactable healthcare professional (patient). A 40-year-old female patient received the second dose of BNT162B2 (lot number: EG686), intramuscularly in left arm on 12Jan2021 at single dose for COVID-19 immunisation. The patient medical history was not reported. There were no concomitant medications. The patient previously took tramadol and experienced drug allergy, and the first dose of BNT162B2 (lot number: GK5730) in left arm for COVID-19 immunisation. The patient experienced paresthesias, on lower extremities and tingling on right arm all day, intermittent numbness, right eye twitching daily on 15Jan2021. The patient underwent lab tests and procedures which included nasal swab, COVID test result: Negative on an unspecified date. AE resulted in: Doctor or other healthcare professional office/clinic visit. No treatment received for these events. Patient was not recovered.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1056447	2/26/2021	NC		F	1/5/2021	1/5/2021	worsening bilateral infraorbital perioral edema; worsening bilateral infraorbital perioral edema; generalized myalgias; fever of 101.6F; A spontaneous report was received from a literature article regarding, a 36-year-old female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced Circumoral edema, Orbital Edema, myalgia, and fever/pyrexia. The patient's medical history was not included, other than that she was considered a healthy female. Concomitant medications known to have been used by the patient were not included. In November 2019, prior to the vaccination, the patient received hyaluronic acid injections in the tear troughs and in both the upper and lower lip. On 05 Jan 2021, prior to the onset of the events, the patient received the first of two doses of mRNA-1273 (Lot number: unknown) intramuscularly for prophylaxis of COVID-19 infection. On 05 Jan 2021, about 12 hours after the vaccine was administered, the patient presented with a fever of 101.6 Fahrenheit and had generalized myalgia. Treatment included acetaminophen. On 06 Jan 2021, the fever and myalgia were resolved. As the day continued, the patient noticed pain and swelling in the right tear trough and increasing swelling around her mouth. On 07 Jan 2021, approximately 36 hours after vaccination, the patient was administered 10 mg of cetirizine. At 48 hours the patient reported that the swelling was at it's peak and she was unable to open her right eye. The patient then took 20 milligrams of cetirizine. Throughout the morning, the left tear trough began to increase, and the rest of her face remained persistently swollen. The patient was administered 5mg lisinopril. Within about 5 hours of dose of lisinopril, the patient reported that swelling had stopped and was decreasing. Over the next 24 hours, edema was improved, and patient returned to baseline. Action taken with mRNA-1273 was not provided. The outcome of the events, circumoral edema, periorbital edema, myalgia and fever, was considered resolved.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1056467	2/26/2021	TX	34	M	2/10/2021	2/10/2021	lost 70-80% of sight; dizzy; ringing in ear; all sounds were coming down a tunnel; A spontaneous report was received from a consumer concerning a 34-year-old old, male patient who experienced 70-80% blindness, dizziness, and ringing in his ear. The patient's medical history was not provided. Concomitant product use was not provided/unknown by the reporter. On 10FEB2021, prior to the onset of the symptoms, the patient received their first of two planned doses of mRNA-1273 (Batch number not provided) intramuscularly in the left arm for prophylaxis of COVID-19 infection. Patient got first dose of Moderna vaccine on 10FEB2021 in left non dominant arm. Patient notes he has always had a reaction to anything external going in his body. After receiving vaccine, he felt fine for about 5 seconds then felt dizzy, lost 70-80% of sight and had ringing in his ear. Patient said all sounds were coming down a tunnel. Patient asked for a place to lie down and symptoms resolved about 2 minutes later. Patient wants to know if it is safe to get second dose. Also wants to know if he can change vaccination facility for second dose. Treatment information was not provided/unknown. The events resolved on same day.; Reporter's Comments: This case concerns a 34 year old, male patient, who experienced a serious unexpected event of blindness transient, among other non-serious events, after receiving first dose mRNA-1273 (Lot# unknown). Very limited information regarding this event has been provided at this time. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1056476	2/26/2021	WV	73	M	1/14/2021	2/10/2021	Seizures; Mini stroke; Tired; A spontaneous report was received from a consumer concerning a 73-year-old male who received Moderna Covid-19 vaccine and experienced seizures, mini stroke, confused, agitated, eyes were abnormal, memory impairment, and tired. The patient's medical history included heart attack and stent placement in 2011. His relevant concomitant medications include acetylsalicylic acid, candesartan cilexetil, clopidogrel bisulfate, diltiazem hydrochloride, ezetimibe, adenosine, gabapentin, metoprolol tartrate and rosuvastatin calcium. The patient received their first of two planned doses of mRNA-1273 on 14 Jan 2021. On 10 Feb 2021, 30 minutes prior to the onset of the events, the patient received his second of two planned doses of mRNA-1273 (Lot#010M20A) intramuscularly in left deltoid for the prophylaxis of COVID-19 infection. On 10 Feb 2021, With in 30 minutes of receiving the vaccination, the patient had a seizure. They took him to the hospital, where he had a computerized tomography (CT) scan, blood work and had a consult. After consult, they said, it's a mini stroke. They released him and told her if it happens again call 911. He felt so tired and went to sleep at home. Around 17:00 dinner time, he woke up looked very blankly, and his wife reported knowing he had another seizure. She reported he ran to his keys saying, "I have to go", seemed confused, agitated and didn't know where he was. She called 911 and he was transported to the hospital in an ambulance. Around 19:00 the same day, he was admitted to do scans overnight. Around 21:00, patient's eyes were abnormal, he became agitated again and nurses confirmed he was having another seizure. 30 minutes later, he was talking to his wife and daughter as if he didn't remember anything. He mentioned some metallic taste in his mouth. On 11 Feb 2021, they did an electroencephalogram (EEG) and confirmed that he was having seizure. He was prescribed seizure medication and released him from hospital. However, the patient and his wife reported not wanting him to take the medication as they believe the events were due to the vaccine. Treatment information was not provided. Action taken with vaccine is not applicable as the patient received both the doses. The outcomes of the events, seizures, mini stroke, and tired, were recovered.; Reporter's Comments: Very limited information regarding this event

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

has been provided at this time. The patient's medical history of heart attack and concomitant medication use can be confounding factor. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1056480	2/26/2021	NC		F	2/12/2021	2/1/2021	<p>Itchy eyes; Redness on the face; Rash just below her neck and above her chest; blotchiness but no hives; Readministered the vaccine to the patient thinking the first vial was empty; A spontaneous report received from a consumer concerning a 66-year-old female patient who received the first dose of Moderna COVID-19 vaccine and where the patient felt the needle go in but didn't feel the liquid and had developed itchy eyes, redness on the face, rash just below her neck and above her chest, and was readministered the vaccine to the patient thinking the first vial was empty. The patient's medical history was not provided. Patient's concomitant was not provided. On 12-FEB-2021, the patient received their first of two planned doses of mRNA-1273 in her right arm (Batch #: 024M20A) intramuscularly for prophylaxis of COVID-19 infection. On 12Feb2021 patient experienced itchy eyes, redness on the face, and a rash just below her neck and above her chest. There was "blotchiness but no hives". She had the same type of reaction as she does to orange peels. She had no trouble breathing. She took some diphenhydramine hydrochloride to help. The nurse also re-administered the vaccine to the patient thinking the first vial was empty and as the patient felt the needle go in but didn't feel the liquid. Action taken with mRNA-1273 in response to the events were not provided. The outcome of events itchy eyes, redness on the face, rash just below her neck and above her chest were unknown at the time of this report. The outcome of events the patient felt the needle go in but didn't feel the liquid was considered resolved on 12-Feb-2021 and readministered the vaccine to the patient thinking the first vial was empty were considered resolved on an unspecified date in Feb-2021.; Reporter's Comments: This case concerns a 66 year old, female patient, who experienced a non-serious unexpected event of eye pruritus, erythema, rash macular, after receiving first dose mRNA-1273. This report refers to a case of overdose for mRNA-1273 (lot # 024M20A), with no associated AEs. Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. Further information has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1056482	2/26/2021	FL	74	F	2/10/2021	2/11/2021	Severe flu symptoms; feeling incapacitated; Gagging; Feeling like humming and buzzing (motor-like); Throat constriction/contraction; Eye/vision distorted and were constricted; Felt like head would explode; forehead and headache; Forehead/head constriction; Constriction/contraction of chest; A spontaneous report was received from a consumer, a 74-year-old female patient, unknown race and ethnicity, who received Moderna's COVID-19 vaccine (mRNA-1273), and experienced, feeling like humming and buzzing (motor-like), throat constriction/contraction, eye/vision distorted and were constricted, felt like head would explode, forehead/head constriction, constriction/contraction of chest, severe flu symptoms, feeling incapacitated, and gagging. The patient's medical history was not reported. No concomitant medications were reported. On 10 Feb 2021, prior to the onset of events, the patient received their second planned doses of mRNA-1273 (batch number: 030M20A), intramuscular for the prophylaxis of COVID-19 infection. The patient reported that she had adverse reactions after administering the vaccine around 2:00 on 10 Feb 2021. Later, the patient went to bed. On 11 Feb 2021, at midnight, the patient started feeling like that she was humming and buzzing from the waist up; throat was constricted and contracted; gagged a few times; vision/eyes were constricted and vision was distorted; forehead, and head ache felt constricted and felt like it was going to take off and was so tight. Later, it moved to chest, the constriction/contraction was so tight that and felt like someone was standing on it. The patient stated that these feelings were all above the waist and lasted for about an hour and ten minutes and just stopped on the same day. The next day on 12 Feb 2021, about six hours later, the patient had regular side effects which started about 10 hours after the shot. The patient was fine for about six hours then had severe flu symptoms and was feeling just incapacitated. The patient just got rid of these flu symptoms around 1 pm on the same day. The patient wanted to know if these were allergy symptoms. No treatment medication information was provided. Action taken with second dose of mRNA-1273 in response to the events was not applicable. The outcome of the events, feeling like humming and buzzing (motor-like), throat constriction/contraction, eye/vision distorted and were constricted, felt like head would

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

explode, forehead/head constriction, constriction/contraction of chest, and gagging were recovered on 11 Feb 2021 and that of event severe flu symptoms was recovered on 12 Feb 2021.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1056507	2/26/2021	IL		M	1/18/2021	2/8/2021	<p>Bells Palsy; A spontaneous report was received from a consumer concerning a 65 year old male patient who experienced Bells Palsy/Facial Paralysis, Slurred speech/.Dysarthria, Facial droop/Facial droop, Numbness on Facial right side/ Facial Paresthesia, Thumb numbness/ Thumb Paresthesia, Right paralysis/Right Paralysis, Right eye lid will not close/Right Eyelid Paralysis The patient's medical history was not provided. Products known to have been used by the patient, within in two weeks prior to the events, included Insulin Zinc Suspension, Insulin Aspart, Clopidogrel bisulfate, Gabapentin, Mesalamine, and Atorvastatin. On 18-Jan-2021, prior to the onset of symptoms, the patient received the first of two planned doses of mRNA-1273 ( Batch number: 09L20A) intramuscularly into the right arm for prophylaxis of Covid-19 infection. On 15-Feb-2021 the patient received the second of two planned doses of mRNA-1273 ( Batch number: 024M20A) intramuscularly (site not provided) for prophylaxis of Covid-19 infection. On 15 Feb-2021, the patient left a voicemail message to safety and stated "got right paralysis, thought I had stroke, spent 4 days in the hospital and diagnosed me with Bells Palsy". Hospital admission, treatment information, and discharge dates were not provided. On 16-Feb-2021 Safety agent reached the patient to clarify the information provided in his first report (15-Feb-2021). The patient reported his symptoms began on 08-Feb-2021, 21 days following the first dose of mRNA-1273, the patient experienced slurred speech, facial droop , numbness on facial right side, thumb numbness, right paralysis, right eye lid will not close and blurred vision of the right eye. He was hospitalized (date not provided). Treatment information included a CT scan which was reported as normal . He reported seeing a speech therapist to help with his speech and improve swallowing. He reported no treatment was given to him. A physician diagnosed him with Bells Palsy on 10-Feb-2021. Hospital discharge date was not provided. The second dose of mRNA-1273 was temporarily withheld in response to the events rechallange date 15-Feb-2021 was reported as negative. The outcome of the events, Bells Palsy,slurred speech, facial droop , numbness on facial right side, thumb numbness, right paralysis, right eye lid will not close and blurred vision of the right eye were</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							considered Not recovered/Not resolved. Company Comment: the reported event Bells Palsy was considered possibly related to mRNA-1273.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.
1056512	2/26/2021	OH	56	F	1/26/2021	2/10/2021	Bell's Palsy; body aches; Pain in the head; Neck pain; Jaw pain; A spontaneous report was received from a 56-years-old, female patient who experienced jaw pain, neck pain, pain in the head, body aches and bells palsy. The patient's medical history was not provided. Products known to have been used by the patient, within two weeks prior to the event, included levothyroxine sodium, fluticasone propionate, loratadine, vitamin E, vitamin B, vitamin C, ibuprofen and tizanidine. On 26 Jan 2021, approximately fifteen days prior to the onset of the symptoms, the patient received their first of two planned doses of mRNA-1273 [Lot number 2039K20A] intramuscularly for prophylaxis of COVID-19 infection. On 10 Feb 2021, the patient experienced jaw pain, neck pain, head pain and body aches. On 14 Feb 2021, she was diagnosed with Bells palsy after going to urgent care. Treatment for the event included valaciclovir hydrochloride, salve for eye, steroid ear drop. Action taken with mRNA-1273 in response to the events was not provided. The outcome of the events jaw pain, neck pain, pain in the head, body aches and bell's palsy were unknown.; Reporter's Comments: Very limited information regarding this events has been provided at this time. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1056563	2/26/2021	MN	36	F	1/1/2021	1/1/2021	1st dose: 24 hrs after administration, I developed a searing migraine that lasted for approx 15 hours. No medications could touch the pain and it felt like my brain and eyeballs were going to explore; 1st dose: 24 hours after administration, I developed a searing migraine that lasted for approx 15 hours. No medications could touch the pain and it felt like my brain and eyeballs were going to explor; 1st dose: 24 hours after administration, I developed a searing migraine that lasted for approx 15 hours. No medications could touch the pain and it felt like my brain and eyeballs were going to explor; This is a spontaneous report from a contactable self-reporting other health professional. A 36-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Lot number EJ1686), intramuscularly on an unspecified date in Jan2021 at 13:00 (at the age of 36-years-old) as a single dose in the left arm for COVID-19 vaccination. Medical history included anaphylactic reactions to penicillin and pistachios. The patient was not pregnant at the time of vaccination. Prior to the vaccination, the patient was not diagnosed with COVID-19. Concomitant medications were not reported. The patient did not receive any other vaccines within four weeks prior to the vaccination. The vaccine was administered to the patient in a hospital. The patient reported that twenty-four hours after administration she developed a searing migraine that lasted for approximately fifteen hours. She stated that "no medications could touch the pain" and it felt like her brain and eyeballs were going to explode. The patient specified that she did not receive any treatment for the events. The clinical outcomes of migraine, sensation of pressure and eye discomfort were reported as recovering. It was also reported that since the vaccination, the patient had not been tested for COVID-19. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1056572	2/26/2021	CO	71	M	1/21/2021	1/1/2021	diarrhea; He supposed that he is dehydrated; nausea; feeling unwell; chills; This is a spontaneous report from a contactable consumer (patient). A 71-years-old male patient received the first dose BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), lot EL3246 , unspecified route of administration on 21Jan2021 13:10 (at the age of 71-years old) as a SINGLE DOSE given in left arm for COVID-19 vaccination. Medical history included ongoing vertigo, ongoing dizziness, ongoing balance problems, ongoing vision problems, ongoing stomach problems, he lost 80lbs in a year, but his weight is starting to go back up. He has had bad health for the last 3 years. He goes to the doctors all the time. In fact, he just went to the ear, nose and throat (ENT) to find out what was going on. He has had dizziness quite often, so there are days where he just don't feel good but, he thinks it has something to do with his eyes. When he feels bad, he will lay down and close his eyes, and all of his problems go away. He went to see a retina specialist because of his continuing vision problems. The ENT doctor told him he can't help him. Concomitant medications included 6 different medications. The patient experienced side effects after getting the first dose of the vaccine. He got the first dose a week ago and he said that he experienced nausea, feeling unwell, chills and diarrhea. The patient experienced nausea, feeling unwell, chills in Jan2021 and diarrhea on 26Jan2021. He had his shot a week ago tomorrow. He was up all night last night with diarrhea, he was up probably up 10 times. He was supposed to go in to get his teeth pulled today, but he just can't do it. He does have some chills and nausea. He is feeling unwell. He supposed that he is dehydrated in Jan2021. The diarrhea just started last night, 26Jan2021. He got up about 6:15 this morning and that was the last time he had diarrhea. He still has nausea, but he hasn't had any other diarrhea. He has some nausea from the time to time. He doesn't have any COVID symptoms that he can tell. He is feeling unwell, and has the nausea and chills, but he does not have any fever. He hasn't had a fever and he can still smell and taste and all of that stuff. One thing he did notice after he got his COVID-19 shot was that he did not have any symptoms of any kind. He never had pain in his arm, nothing. He received the vaccine on 21Jan2021, and he never felt a thing or anything that would associate with

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

the shot. The consumer doesn't know if what he is going through is caused by the shot or not. Outcome of the events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1056656	2/26/2021	FL	65	F	1/29/2021	1/29/2021	blew a blood vessel under her eye lid; stroke; tasted rubber band taste in her mouth; This is a spontaneous report from a contactable consumer (patient). A 65-year-old female patient received the second dose of the bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot Number: EN5318), in a clinic, intramuscularly in the right arm on 29Jan2021 at 14:00 at 65-years-old at a single dose for COVID-19 immunization. There were no prior vaccinations within four weeks of the bnt162b2. Medical history included ongoing fibromyalgia from an unknown date, reflex sympathetic dystrophy from an unknown date and unknown if ongoing, irregular heart beat from an unknown date and unknown if ongoing, ongoing hemangioma from an unknown date, thyroid problems from an unknown date and unknown if ongoing, low white blood cell counts from an unknown date and unknown if ongoing, ongoing pinched nerves in her neck and back from an unknown date, migraines from an unknown date and unknown if ongoing, diastolic heart failure from an unknown date and unknown if ongoing (diagnosed about 5 years ago.), abdominal pains from an unknown date and unknown if ongoing, numbness in her nose, foot from an unknown date and unknown if ongoing, nausea from an unknown date and unknown if ongoing, vomiting from an unknown date and unknown if ongoing. Concomitant medications were not reported. The patient previously received the first dose of the bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot Number: EL1283) for COVID-19 immunization on 08Jan2021 at 64-years-old and experienced metallic taste (Recovered), carbamazepine (TEGRETOL) from an unknown date to an unknown date and experienced white count was down to 1, influenza vaccine (MANUFACTURER UNKNOWN) in Jul2020 at 64-years-old for immunization. The patient experienced the following events and outcomes: stroke (medically significant) on 29Jan2021 at 14:10 with outcome of unknown, blew a blood vessel under her eye lid (medically significant) on 31Jan2021 with outcome of recovering, tasted rubber band taste in her mouth (non-serious) on 29Jan2021 with outcome of unknown. The clinical course was reported as follows: The patient reported a history of migraines/ weather migraines, that cause numbness in nose and foot as well as gastro-

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

intestinal symptoms. The patient received her first dose of the Pfizer COVID vaccine on 08Jan2021 and felt a metallic taste in her mouth (said that the metallic taste lasted about three hours; ate to get rid of the metallic taste). On 29Jan2021, the patient received her second dose; after 10 minutes her face went numb; her nose, forehead, and under her eyes all the way up felt numb. Also, the patient's systolic blood pressure was at 150. The patient reported that she also tasted rubber band taste in her mouth. The patient's neighbor that was there with her getting the vaccine told the nurse and they called the paramedics. The paramedics stated that they thought she had a stroke. She said that her blood pressure was 150 systolic (usually 107-110/79). The patient had diastolic heart failure which was diagnosed about 5 years prior. The numbness stayed with her until about 22:00 on 29Jan2021. The patient had a history of "migraines and gets abdominal pains, numbness in her nose, foot", and she experienced "nausea and vomiting and stuff with her migraines." The patient thought the vaccine just gave her a big migraine. The patient took sumatriptan succinate (IMITREX) and it did nothing. The patient said that on 31Jan2021 her eye felt weird. The patient blew a blood vessel under her eye lid. The patient's eye looked like a blood clot in the corner of her eye then it dispersed throughout the eye and then now it was just below the pupil of her eye. The patient called the doctor on 01Feb2021, but they were out because of the snow. On 02Feb2021, the patient received a call from the doctor's office saying that the physician assistant would call her back, but the patient had not heard anything yet. The blood circulated around her eye and now it was just only under her pupil. The patient said that her daughter sent her something that said that some people have gotten Bell's palsy after getting the vaccine. The patient said that she was concerned about this with the facial numbness. The patient said that every once in a while, her face felt weird; her cheeks feel weird and her nose. The patient said that it comes and goes. The day after she got the second shot, she felt like she got run over by a truck and like someone beat her up. The patient's migraines were under control with magnesium. The migraine came on so quick it was like a boom. The patient said that was why she was concerned. The patient said that she declined going to the hospital; and

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							there was no trip to the emergency room or physician office. The patient underwent lab tests and procedures which included blood pressure: 150 systolic on 29Jan2021 (usually 107-110/79). Therapeutic measures were taken as a result of stroke.
1056605	2/26/2021	CT		F	1/7/2021	1/24/2021	both eyes swollen; both eyes red; both eyes watery; both eyes itching; This is a spontaneous report from a contactable consumer. This consumer reported for 2 patients. This is the 2nd of 2 reports. A female patient of an unspecified age received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiry date unknown), via an unspecified route of administration on 07Jan2021 at a SINGLE DOSE for covid-19 immunisation. The patient's medical history and concomitant medications were not reported. The patient woke up with both eyes swollen, red, watery and itching on 24Jan2021. The outcome of the events were not recovered. Information on the Batch/Lot number has been requested.; Sender's Comments: Linked Report(s) : US-PFIZER INC-2021105990 similar report from same reporter
1056999	2/26/2021	CT	70	F	2/21/2021	2/21/2021	Rapid heartbeat Numbness in my neck and face Numbness in my lips, swelling in lips Numbness tip of tongue Chills, weakness, headache, blurred vision for a short time Took Benadryl on my own, continued taking non drowsy Claritin 5 days after shot feeling better. Still have slight numbness in my lips and feeling weak
1057385	2/26/2021	AL	76	F	2/20/2021	2/26/2021	4 days after 2nd dose: hives all over my body and swelling of face and eyes. Called Telemedicine at Urgent Care Huntsville Hospital. Was given instructions to take 40 mg of Prednisone first day and taper off, 2-3 doses of antihistamine and Hydrocortisone on welts. Needed to go to ER for IV if face swelling did not go down. Today (second day after call): Face swelling is down but hives are possibly worse (large welts over large portion of body plus on hands and feet and chin)



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1056641	2/26/2021	OH	93	M	1/22/2021	1/25/2021	cranial nerve 3 palsy. Ptosis of the left eye, it was completely shut; cannot hear; This is a spontaneous report from a contactable physician. A 93-years-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 22Jan2021 at a single dose for COVID-19 immunization. Medical history included atrial fibrillation, hypertension, hyperlipidaemia, diabetes, and chronic kidney disease. Concomitant medications were not reported. No additional vaccines administered on the same date of the vaccine and no prior vaccinations within 4 weeks. The reporter is the family's physician, who stated that the patient received the first dose of the Pfizer COVID vaccine on 22Jan2021 and three days later (25Jan2021), his left eye had ptosis - he was unable to open his left eye and it was completely shut. The patient came to him and when he would try to lift the eyelid up, it would just drop down. He then called a neuro ophthalmologist, he thought to himself that the patient could be having a stroke. The patient was sent to the Emergency Room and kept overnight to do CT of brain, MRI of brain, CT of orbits and MRI of neck. All tests came back normal, there was no stroke. The patient was discharged and was told to go see an ophthalmologist; the eye doctor diagnosed him with Cranial Nerve 3 Palsy. The reporter had read the consultation notes; the eye doctor "wrote 1-2 days after he had COVID and had this happen". The reporter clarified that the patient never had COVID, maybe this was a misunderstanding or typo with the doctor, but the patient just had the vaccine. The point is that the patient was diagnosed. The reporter further added that the patient can't hear, and so he will provide the patient's son's phone number. The reporter would like to know if this is a possible side effect of the vaccine and if he should receive the second dose of the vaccine as he is due in two days (Friday at 8:30AM on 12Feb2021). It was also reported that the ptosis has not gotten worse and has not resolved. The reporter added that the patient was admitted to the hospital for a full day. The patient underwent lab tests and procedures which included computerized tomography (CT) of the brain, CT of the neck, magnetic resonance imaging (MRI) of the brain and MRI of the orbits-all of which resulted normal in Feb2021. The events cranial nerve 3 palsy and 'Ptosis of the left eye, it was completely shut' had not resolved

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

while the outcome of the rest of the events was unknown. Information on the batch/lot number has been requested.; Sender's Comments: By close temporal relationship, the company cannot completely exclude that the reported cranial nerve 3 palsy' is related to BNT162b2 administration, even though medical history including atrial fibrillation, hypertension, hyperlipidemia, diabetes, and chronic kidney disease, in the setting of elderly age, can be considered confounding factors in the overall clinical evaluation of this event occurred three days after the vaccination. Conversely, even though cannot be excluded as reportable event based on the information provided, the company deems there is not a reasonable possibility that the reported deafness is related to BNT162b2 administration, but, at the present time, evaluated as an intercurrent condition that cannot be also excluded as already present before the vaccination. The impacts of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

1057800 2/26/2021 UT

46 F

2/17/2021

2/17/2021

Numbness in face--primarily on the left side (under the eyes, on the side of my nose, on my chin and jaw). This lasted for almost three days. Taking Benadryl and Ibuprofen helped.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1056708	2/26/2021	CT	55	F	2/17/2021	2/17/2021	<p>Reaction to 2nd Dose Pfizer covid19 vaccine I had second dose of the experimental Pfizer vaccine February 17, 2021. 1st dose was on January 27, 2021 I had reactions both times. I already reported on this site, on my 1/27/2021 reaction Received through a pharmacy clinic set up at my work. Lot# EL9263 Received dose #2 about 10:30am on Wednesday 2/17/2021 during my work hours. (7-4pm) Paid closer attention to how I felt during the day, I could feel, I was going to be foggy in my head again. I was getting tired quickly. My left arm was not sore this time. Got home about 4pm (left a little early). Very tired, went to bed by 5:30pm. Slept, woke up to heat soup and eat. 7pm: Back to sleep. Very exhausted, my eyes were hurting (a sign I have a fever) I did not care enough to take my temp. Seemed to hard to try and find the thermometer. 7:30pm: Back to bed. Sleep. I'm very warm in my bed, sweating under arms and chest, I don't care, I can sleep thru that. Smells funny (sweat has a distinct odor) 11pm: wake up. I want to go pee, but I'm too cold to leave my warm covers. as soon as I uncover to get up, I have violent chills. I don't have chills if I stay covered. This was the exact same symptom I had on May 11, 2021 when I had the covid19 and came home sick from work. Violent chills, barely able to stand and walk alone. After midnight: I wait for someone to come upstairs to help me get up, with a blanket ready to throw over me and help me to toilet. I was too weak to call for him or to care, I just slept and waited for him to check on me. someone helped me to toilet, chills are under control if I have a blanket on me. The house is not cold, someone has the wood stove cranking that night, it's 70 in my bedroom. I sleep all night Wednesday. 6:30am: Thursday My eyes still hurt, I'm still hot. I don't care what my temp is. No more chills. I'm smelly from sweating all night. I'm motivated to shower, I think maybe I can do stuff today, I try to plan some things for the day. I shower and eat some oatmeal. I'm exhausted from doing those two things. My lower back/hips and neck are and shoulders are tight and sore, aches all over, especially neck. It's hard to think, brain fog, finding the right words. The injection site is not really sore though (last time it was). I have to just go back to bed. I sleep all day Thursday. Get up late afternoon to eat a little bit (soup and crackers) I try to watch TV. I can't focus on the show. I go back to bed by 5:30pm. I</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							look at dumb funny videos on FB. Asleep by 6pm on Thursday evening. Sleep all night and wake up Friday 5am. I'm able to function and do most of my usual activities on Friday, but not very motivated to exercise or go for with dogs like I normally would do. Still stiff muscles. I do play in snow Friday night with dogs. By Saturday most of the stiffness is much better, I'm moving, walking dogs outside, moving furniture, doing my usual activities. I care about things again.
1056719	2/26/2021	DE	52	F	1/7/2021	1/7/2021	Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild
1056721	2/26/2021	IN	76	F	2/24/2021	2/24/2021	Patient was here for her 2nd dose vaccine and during her wait time her tongue started to feel funny and swell slightly. Staff was notified as they were talking with her that her voice sounded a little funny and thick. She also started to cough on a regular interval. As staff continued talking with her she stated her throat started to feel funny and tight. Staff notified other healthcare personal and moved her to the private treatment area. She continued to complain of thick tongue and continued to speak different then her baseline. We elected to give 50 mg Benadryl IM. She was also placed on the ECG showing sinus rhythm with O2 stats of 100 % and her blood pressure was 149/61, After the Benadryl, she stated she started to feel somewhat better. After about 10 minutes her tongue started to swell again and when she turned her head to speak to a staff member her airway shut off due to swelling. Staff quickly turned her head back to forward she was able to breath again. She advised that she needed to be transported and was going to get 0.3 epi IM in her left arm. She did state prior to Epi being given she was now also having trouble focusing visually. Dr arrive to assess her and agreed that she needed transported. EMS arrived and care was turned over to Hometown EMS to transport the patient to Medical Center.
1056748	2/26/2021	IN	55	F	2/23/2021	2/23/2021	I was miserable . Was hard to walk from my bed to toilet. 20 feet. Couldn't eat. Felt like my eyes were exploding. Threw up. Muscles and joint pain 8/10. Weak. Could not sleep night of injection

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1056812	2/26/2021	PA	50	F	2/22/2021	2/25/2021	Severe headache and vertigo. With vertigo: spinning sensation, falling sensation and rapid eye movement.
1056827	2/26/2021	NY	61	F	2/24/2021	2/24/2021	chills, fever 3-4 hours after vaccine administration injection site pain: took Tylenol 1200mg, helped. Limited range of motion noted on L arm, could not lift arm ROM more than 30 degrees 12 hours after vaccine still had chills, and fever. Then started to itching on both hands, noticed and uncontrollable itching. Took Benadryl 25mg and feel asleep. hives and itching was gone by the time she woke up. Severe fever and body aches 22 hours after vaccine administration. Temperature was 101.8. Throat felt "sore, with some little difficulty swallowing", took Tylenol 1200mg and Vit C 2000mg and Vit D 10,000 IU and Zinc 100mg. Today, 48 hours after vaccine administration, having systemic hives, and eyes are puffy and swollen, R eye more than left, upper lid is swollen. Took Claritin 10mg and Famotidine 20mg. Hives are better but not fully resolved, but itching is persistent. Still discomfort noted in swallowing.
1056882	2/26/2021	MI	28	M	2/25/2021	2/25/2021	Patient visably sweating and eyes droopy. EMS was called vitals initially HR 52 BP 51/24. Patient was able to communicate verbally, he has Hx of anxiety with any injection. BP returned to 114/66 after about 5 minutes. Released to go home.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1056916	2/26/2021	FL	74	F	2/22/2021	2/23/2021	I was fine the first day. The 2nd day I wasn't feeling well, my stomach was bothering me. At 8:30 PM I went to bed because I didn't feel good, I laid in bed for a few minutes and then jumped up because I began to violently vomit. After I vomited I felt weak, I was sitting with my back against the wall my husband came to check on me. He walked away and when he came back I was unresponsive, laying on the floor and he said my eyes rolled in the back in of head. He called 911. I was unresponsive for about a 1-2 minutes. EMS arrived, by the time they had arrived I had crawled into bed, and they took my vitals and they were fine, they asked me if I wanted to go to the hospital but I declined as I was afraid to go. I went to sleep. The next day I felt weak and tired, I had a burning feeling in my stomach, I took some TUMS, I didn't much that day. I rested most of the next day. Yesterday I felt a little better and today I am fine. I have a doctor's appointment 2/26/2021 at 2PM to see the ARNP at my doctor's office.
1056988	2/26/2021	IL	50	M	2/22/2021	2/23/2021	FEVER, HOT FLASHES, AND EYE PAIN

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1056604	2/26/2021	CT	52	F	1/7/2021	1/17/2021	both eyes swollen/ one eye was swollen shut; both eyes watery; Vision is blurry; Eyes were itchy and painful; Eyes got very puffy; Minimal discharge; both eyes itching/Eyes were itchy and painful; both eyes red/Eyes got very puffy and very red; This is a spontaneous report from a contactable consumer. This consumer reported for 2 patients. This is the first of 2 reports. A 52-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiry date unknown), via an unspecified route of administration on the left arm at the age of 52 years, on 07Jan2021 15:00 at a SINGLE DOSE for covid-19 immunisation. Medical history included ongoing breast cancer stage ii , mastectomy from Jun2018 to an unknown date. Concomitant medication included anastrozole (ANASTROZOLE), escitalopram oxalate (LEXAPRO) and atenolol (ATENOLOL). The patient previously took taxol and experienced drug hypersensitivity. The patient stated that this past Sunday (24Jan2021) that her daughter woke up with both eyes swollen, red, watery and itching. It was stated that they took her to the clinic and was told that this was the second one that they had seen like this. It was also stated that they gave her a prescription for eye drops. It was stated that she woke up this morning and one eye was swollen shut and wanted to know what to do or the course of action. It was stated that she was supposed to get her second shot Thursday and wanted to know if she should get her second dose or not. It was also stated that her eyes were swollen and red which were better yesterday and today are worst than they have ever been. It was stated that the left eye is more swollen than the right. It was also stated that she soaked tea bags and put them on her eyes Sunday and stated that she does not know the name of the prescription eye drops. On 17Jan2021, it was reported that the patient's eyes got very puffy and very red. Her eyes were itchy and painful with minimal discharge. Her vision was also blurry. The patient underwent lab tests and procedures which included sars-cov-2 test: negative on 12Jan2021, sars-cov-2 test: negative on 19Jan2021 and sars-cov-2 test: negative on 25Jan2021. Therapeutic measures (Eye drops; Prednisone; Polymixin) were taken as a result of both eyes swollen/ one eye was swollen shut (eye swelling), both eyes red/eyes got very puffy and very red

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							(ocular hyperaemia), both eyes watery (lacrimation increased), both eyes itching/eyes were itchy and painful (eye pruritus), vision is blurry (vision blurred) , eyes were itchy and painful (eye pain), eyes got very puffy (periorbital swelling) and minimal discharge (eye discharge). The outcome of the events was recovering. Information on the lot/batch number has been requested.; Sender's Comments: Linked Report(s) : US-PFIZER INC-2021106157 similar report from same reporter
1059021	2/26/2021	IL	48	F	2/26/2021	2/26/2021	Pt received first dose of Pfizer covid19 vaccine. After about 40 minutes, pt endorsed of having swelling in the upper left of lip, swelling in the nose , itchy feeling in the left eyelid and swelling in the right eye lid. Per pt, the swelling is mild and moderately bothersome. We observed the pt for another 60 minutes and pt reported that her symptoms have subsided. However, she still experiences mild nose swelling but she stated that it was much less than before. No medication/treatment was administered. Pt went home and was instructed to contact emergency services if reactions become severe. Pt stated that she may take Benadryl at home.
1058684	2/26/2021	CA	60	F	2/25/2021	2/25/2021	Eyelids and face swollen, itching on the jaw, tingling sensation and possible stomach upset and some shortness of breath.
1058755	2/26/2021	MO	66	F	2/26/2021	2/26/2021	pressure in temple of head, left eye issues, upper back pain left side,heavy body weight
1058761	2/26/2021	IL	43	F	2/24/2021	2/24/2021	Felt like a panic attack. Short of breath, heart racing, tunnel vision, dizzy tingling face/lip. Worst of it lasted about 2-3 hours. Very fatigued afterward.
1058762	2/26/2021	IL	56	F	2/23/2021	2/24/2021	Fever of 100.812 hours after injection that lasted over 24 hours. Large raised bump add injection site itching eyes itching scalp and rash on my chest
1058802	2/26/2021	CA	31	F	2/23/2021	2/23/2021	Near syncope on escalator - vision started to go black. BP 114/74, pulse 78, 99% O2.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1058811	2/26/2021	TX	63	F	2/20/2021	2/21/2021	Day1-After receiving the injection, I could taste medicine in my mouth and the tissues in my mouth felt sore. No other pain except for soreness in arm of injection. Day 2-After 24 hrs since injection, I had a terrible headache with pain around both eyes and back of the head and neck. I rested due to the fatigue and lack of energy to complete the smallest task. Body aches and pain every where. Ran fever 2nd night with sweating. Day3- No appetite this morning. Vomiting and diarrhea began around 11:00 am. Continued with clear liquids and chicken broth to settle my stomach. Fever mostly at night with sweats. Headache is still a problem. Day 4-low grade temp Day 5?low grade rep with fever during the day Today Day 6- feeling back to normal
1058824	2/26/2021	CA	23	F	2/26/2021	2/26/2021	Pt reports feeling nausea, cold sweat, blurry vision and R sided headache onset approximately 20 minutes after administration of vaccine. Initial Vital Signs: 1319: BP- 98/62 HR-62 SO2-98% RR- 18 1334: BP-120/68 HR- 69 sO2- 95% RR-17 Med Hx: Anxiety
1058853	2/26/2021	NY	51	M	1/19/2021	1/22/2021	Received 2nd dose of Pfizer on January 19, 2021. 3 days post vaccination (January 22, 2021) I developed right eye discomfort/irritation, prickly sensations in throat. On Jan 25, 2021 I developed tinnitus in right ear which has still not resolved. On January 30, 2021, went to ED with elevated BP 170/110, abdominal pain and tinnitus. Had an abdominal CT scan with contrast which showed mesenteric inflammation (idiopathic etiology). Was seen and evaluated by GI and had colonoscopy and endoscopy with no significant findings. Took solu-medrol dose pack and abdominal pain symptoms improved, but still not fully resolved. On Feb 16 was seen by PCP for persisting, unilateral tinnitus. Sent for MRI Brain which was normal. Referred for further evaluation by audiologist and otolaryngologist. Was seen on February 25, 2021 for right ear fullness, tinnitus. Hearing test normal. Diagnosed with right sided tinnitus.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1058861	2/26/2021	WA	50	F	2/24/2021	2/25/2021	The morning after the shot I woke up with a puffy/swollen right eye. Eventually I experienced itching in the area, and today (two days later, both eyes are slightly swollen and I have areas of itching on my face and neck. I'm not experiencing any throat swelling or trouble breathing, but I thought this was a bit unusual and might be something to report. I took Benadryl on the night of the 25th and it helped some. I'm not particularly concerned, but would be interested to know if others have experienced similar symptoms and if it might be worse if I were to receive a booster some day. I did not experience any symptoms with the first dose, apart from a sore arm.
1058885	2/26/2021	NY	28	F	2/26/2021	2/26/2021	Date: 2/26/21 Vaccine: Moderna The response was to which dose? First Approximately how long after the administration the reaction started? 7min (3:36pm) Major signs and symptoms:lightheadedness, "foggy"/"losing vision", sweating, decreased hearing in left ear Medication(s) given: none. Vitals: 3:41pm sitting BP 90/49, HR83 3:43 gave water, had patient lie supine with legs elevated 3:47pm supine BP 113/72, HR79, O2 99% 3:50pm resolving lightheadedness, resolved hearing, fogginess, sweating. 3:53pm supine BP 108/69 HR72 O2 99% RR24 4:00pm supine 112/72, HR71, O2 96%, RR24 4:06pm supine BP104/76, HR75, 97% O2 4:11pm 97% O2. Reports shaking is "normal for me" if cold. Put on jacket. 4.17pm 99% O2. Resolved shaking 4:20pm 99% O2, RR16, BP 108/70, HR70 4:25pm symptoms completely resolved. Other Interventions: gave water and had patient lie down supine Outcome: symptoms resolved and patient was directed to eat prior to returning home, family members aware.
1058889	2/26/2021	CA	61	M	2/18/2021	2/18/2021	Right side face swelling, right eye sore to the touch, dizziness on the first two days. Next day, sharp cramping in different parts of the body at different times lasted about a day and half and a little dizziness. Today, he's doing ok.
1058610	2/26/2021	TX	64	M	1/29/2021	2/9/2021	Right side Lips, face became numb. Right eye drooped, along with corner of mouth right side Right side of tongue became numb, swelling of right jaw lymph node, ear ache, dry mouth.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1058906	2/26/2021	AZ	49	F	2/26/2021	2/26/2021	Moderate to severe dizziness began 5 minutes after injection along with darkened vision, & disorientation. Passed after few seconds. This repeated twice more getting stronger and longer each time, lasting between 30 seconds to 1 minute. I remained in my car while EMT personnel assessed my status. I was given water and told to open car windows. Waves passed after approximately 15 minutes. I remained for observation for an additional 20 minutes and then went home. I had my husband with me and he drove us home.
1058891	2/26/2021	HI	56	F	2/9/2021	2/10/2021	I have a red rash on my face, neck, and big welts on right cheek and under eyes, and on eyelids. My eyelids and under my eyes are very dry.
1059035	2/26/2021	AZ	51	F	2/25/2021	2/25/2021	At the vaccine administration location, patient experienced the following symptoms: tightness in chest, tightness in throat, nausea, itchy tingley lips, burning lips, bumps/gives on inside of lips. Patient given diphenhydramine 25 mg oral solution PO x1. Vitals taken: WNL. Patient denied EMS transport to ER and transported self to ER. Per ED Provider Notes: Patient reports vaccine was given about 1.5 hours prior to arrival. Pt reported sensation of swelling of her arms, left eye itchiness, and itchiness on the inside of her lips. She denied any difficulty, no abnormal sensation in her throat, throat swelling or swelling elsewhere in her mouth. Pruritus documented, no rash. Nausea. At the time of the ER provider examining patient. it is reported that patient was not having anaphylaxis but does have a flat appearing raised lesions on side aspect of upper lower lip. Pt treated with IV diphenhydramine, PO Prednisone and IV famotidine along with NS. Patient observed for 2.5 hours and then discharged. No swelling, itching or swelling and time of discharge and reports resolution of symptoms.
1059070	2/26/2021	IN	66	F	2/24/2021	2/24/2021	I experienced tenderness, sensitivity to touch, swelling, and numbness (ALL SLIGHT) to the left side of my face, including around my eye, jaw, and lips.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1059086	2/26/2021	CA	24	M	2/26/2021	2/26/2021	On Friday morning 2/26/21, we had a 24 yo male patient who had an anaphylactic reaction after his first dose of Pfizer COVID vaccine. He was instructed to wait on the chair, but had stood up at some point but was still in the pharmacy waiting area. A team member noticed he had fainted and called for help. The pharmacist on duty and immunizing tech came immediately to help him to a chair. At that point, he was conscious and talking. Then within a few seconds he started convulsing on the chair and lost consciousness. His eyes were open and head tilted back. A team member immediately called 911 and pharmacist administered 0.3mg Epipen to the thigh. We removed his face mask to check his breathing and also to allow him to breathe more easily. We also adjusted his head more forward and he started coughing. After about 15 seconds, he regained consciousness and could answer questions. EMT arrived soon after and took over. Patient does not have allergies or any history of anaphylaxis/ severe reaction from vaccinations. He did express some fear of needles and did not eat breakfast yet.
1059094	2/26/2021		57	F	2/26/2021	2/26/2021	Dizziness, vision changes, cleared by EMS
1059100	2/26/2021	NJ	28	F	2/19/2021	2/20/2021	Arm pain (normal arm soreness) within first 24 hours. Swollen lymph nodes, especially in the arm pits and neck. I am a fitness trainer and RDN, no weight issue, and very high muscle composition, lungs are in excellent health. Around mid afternoon next day, several hours after teaching an exercise class, I developed a fever and flu like symptoms. That Saturday night, I developed extreme nausea, along with sleep in and out the entire night due to nausea and fever. This continued until Monday afternoon, over 2 days later. Then the symptoms disappeared in the blink of an eye, indicated it was definitely vaccination related.
1059123	2/26/2021	NY	32	M	2/26/2021	2/26/2021	Hives and rash in the face around the cheeks, forehead and nose area. Felt light heart palpitations with Itchy throat, itchy eyes, lightheaded, and headache. This occurred an hour after the vaccine was administered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1059125	2/26/2021	VA	40	F	2/19/2021	2/21/2021	A day or so after injection, severe fatigue, chills, feverish, and slept almost all day and night. Fatigue, severe muscle aches, joint pain, headache, nausea, vomiting, upset stomach, chills to point shaking still come in waves. This is day 7 and I could barely put one foot in front other after work to get in bed but vomited first. Today, odd pressure in my face developed and headache came and went and again, the fatigue, muscle and joint pain are intense. I'm still working, but have had to take time off, go in late, etc. Brain fog is a thing. It feels like it did when I "didn't have COVID-19" before but had every symptoms and I was going to die, but in waves. I was dizzy, saw stars and black spots in my right eye today on and off and vision in my right eye honestly seems to have significantly decline. I'm really just concerned that it is day 7.
1059136	2/26/2021	CA	60	F	2/3/2021	2/3/2021	Approx 30 minutes after my 1st Moderna vaccination, I noticed that I was having difficulty swallowing water. I soon began to not feel very well. Sort of light headed. My heart was racing. When I looked at my watch it recorded my heart rate at 160 beats per minute!! I started taking deep breaths and a technique called EFT tapping to calm me down. Eventually it worked, but I felt extreme tiredness after that. When I woke up in the morning my entire face was swollen. I also noticed on the 2nd day after vaccine shot I had dark purple circles under my eyes. None of those things have ever happened to me before in my life.
1059144	2/26/2021	MA	64	F	2/19/2021	2/20/2021	Ocular migraine x 25 mins and extended period of difficulty focusing, comprehending and expressing myself verbally. Intermittent mild Left frontal headache associated with above. Took approx 36 hrs to resolve with subtle residual difficulty cognitively and with visual recognition of numbers and words persisting for several days
1057844	2/26/2021	WA	89	F	1/26/2021	2/1/2021	Stroke in left occipital lobe Feb 1 & Feb 2 Right peripheral vision effected in both eyes 2 heart stops on Feb 10, 2021 Pacemaker implanted after heart stops

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1057336	2/26/2021	OH	53	F	2/24/2021	2/24/2021	Patient states immediately after vaccination she "felt vision was off". Returned to worksite at approximately 9:00 am and noticed bilateral pupils were pinpoint and had a slight headache, felt "vibrations" in body like a low blood sugar feeling and foggiess of brain. The next day, Feb. 25th, she returned to work feeling the same and blood pressure reading was 180/101 per school nurse. States last blood pressure taken at doctors office was 2 weeks ago with result of 118/72. She states she started to feel better around 9:30 am the next day, Feb. 25th except for the blood pressure being higher than normal. Consulted her fiancé who is a medical doctor. Blood pressure reading on 2/26/21 at 7:30 am was 137/92 with no other symptoms expressed.
1336336	2/26/2021	CA	49	U	2/25/2021	2/26/2021	Complains of pain on her left arm where the injection site is. No redness or swelling noted, pain rated as 5/10. she woke up this morning 02/26/2021 and feels that her R eye is droopy. Slight swelling on her R eyelid noted. Denies numbness on that side. Instructed her to contact PCP or visit urgent care as soon as possible.
1057946	2/26/2021	MT	70	F	2/19/2021	2/19/2021	The 1st night I had uncontrollable shacking for 5 hours, day two I had a headache that felt like my eyes were going to pop out, day three I was running a 102 temperature. The first 3 days I stayed mostly in bed feeling awful and had a dry cough and sinus problems. I couldn't move my arm for 4 days and the pain didn't stop in my arm until day 6. I didn't know about reporting this until now, sorry if I'm late.
1058999	2/26/2021	CO	84	F	5/22/1936	2/26/2021	visual disturbance. blurry distant vision and difficulty reading
1057910	2/26/2021	VA	53	F	2/24/2021	2/24/2021	Within 30 minutes of getting vaccine I had a burning, itchy rash on arms, face and chest. I was sweating with no fever. Had a headache. My jaw hurt. My eyes burned and itched. When standing was a little nauseous. I was seen by the Rescue EMTS at the site.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1058602	2/26/2021	KS	35	F	2/24/2021	2/24/2021	<p>Progress Notes PRN (Nurse Practitioner) Family Medicine Pt called for follow up s/p covid-19 vaccine done on 02/24/21. She reports doing well just feeling a little tired. She had a few periods of dizziness/lightheadedness yesterday but nothing that lasted long or caused syncope. She feels better today other than the slight tiredness. She is appreciative of the phone call. Denies any other questions or concerns.</p> <p>PRN Progress Notes APRN (Nurse Practitioner) Family Medicine Cosign Needed Expand AllCollapse All COVID VACCINE CLINIC 2/24/2021 Patient</p> <p>DOB: 3/3/1985 Date: 2/24/2021</p> <p>Subjective Pt is a 35 y.o. female who was seen at SVH COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 30 minute waiting period after the injection, the patient began to experience lightheadedness and dizziness. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , hypotension, rapid progression of symptoms and respiratory distress. PMH of vagal symptoms. Not on any medications. ALLERGY REVIEW OF SYSTEMS: Patient complains of dizziness Patient denies chills, fever, malaise/fatigue, facial swelling, itching in ears, sore throat, frequent throat clearing, eyes watering, eyes itching, puffy eyes, eye redness, cough, chest tightness, shortness of breath, wheezing, rash, hives, eczema, itching of skin, vomiting, abdominal pain, muscle aches and headaches</p> <p>Previous Reactions: vagal. Allergies to morphine and paxil--breaks out in rash Pt ate this am around 6 am. She usually eats around 11 am. Objective Vitals Vitals: 02/24/21 1058 02/24/21 1114 BP: (!) 134/96 119/74 Pulse: 78 74 SpO2: 100% 100% Physical Exam Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not ill-appearing, toxic-appearing or</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							<p>diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Neck: Thyroid: No thyromegaly. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Musculoskeletal: Cervical back: Neck supple. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: water and snacks Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) and Systemic reaction (hypoglycemia, hypotension, generalized rash) RN Electronically Signed 2/24/2021 1:06 PM</p>
1057952	2/26/2021	CA	71	F	2/18/2021	2/22/2021	<p>Patient is being seen today due to a rash that developed after receiving first dose of her Pfizer vaccine 2/18/21. Rash appeared on 2/22/21, mostly on the tops of her feet and her face. A few very mild patches on her body. She has been taking Benadryl and has used Cortisone 10 on the itchy areas. She says what alarmed her was that her eyes felt dry and tight. Nose was also puffed up and felt a slight sensation in her ears and teeth. No tightness in throat or difficulty breathing. No swelling in lips or tongue or throat. She has no redness at the injection site.</p>
1057967	2/26/2021	NC	72	M	2/24/2021	2/26/2021	<p>2/26/2021 woke up with swelling of left eye after shot. Contacted cancer center to report this. Used cold compress, 2 Benadryl followed 45 minutes later with one decadron. Swelling went down and contacted cancer center to let them know. I have had a few reactions when I was getting chemo ,vidaza, and after getting platelets. The have used the same treatment I did today.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1057988	2/26/2021	AZ	75	F	2/20/2021	2/21/2021	Vaccinated on Saturday, woke up Sunday with ringing ears, general malaise, dizziness, stuffed up sinuses, red burning eyes, constant sneezing and dripping nose, weak and shaky on my feet. Lose of appetite, constipation and nausea.. It lasted for 4 days and on Wednesday I called my medical care giver and she said that I probably had an allergic reaction to the vaccine and to not take the next dose, as this had been my first. I am still, periodically weak and dizzy, and still have little appetite.
1057999	2/26/2021	KY	39	F	2/26/2021	2/26/2021	She was given the vaccine at 12:00. At 12:07 she (she is an RN employee here at the hospital) reported feeling as if she had lump in her throat and asked for some benadryl. Rapid response team was called at 12:08 as she became diaphoretic, flushed and reported blurred vision. MD ordered an IV to be started and a NS bolus x 1 liter. She broke out in hives on bilateral upper extremities. Benadryl, solumedrol, albuterol inhaler, zofran, scopolamine patch were all ordered and given to the patient. She reported that she felt some better and was transferred to the ER at 1245 for further monitoring.
1058052	2/26/2021	NM	19	F	2/19/2021	2/19/2021	1530: Approximately 10 minutes after receiving vaccine patient reported having itching to throat, and hands. Patient stated she did have a Depo-Provera Injection after 1st vaccine approximately 3 weeks ago. Pt did state she pre-medicated herself with Benadryl 50mg orally at approximately 1300hrs today. Mom was present with patient while covering physicians and EMS on duty assessed patient. VS:112/82-B/P, 123-HR, 18-RR, SaO2 98% on RA. Allergies: Steroids, fish FMHx: Sports induced asthma and gallstones. 1550: Patient had notable facial swelling eye redness and flushing. 0.15 Epinephrine IM via home Epi-Pen self delivered by patient's mother for increase SOB, and tightness in chest. EMS transport called to transport patient to location. VS:118/86-B/P, 100-HR, 18-RR, SaO2 96% on RA. 1600:Transfer of care to EMS staff assisting in transfer of the patient.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1058189	2/26/2021	CA	81	F	2/25/2021	2/26/2021	pt stated after she received the vax she got a strange taste in her mouth. At 1 AM pt woke up with a heavy feeling in her left arm. Her left arm, hand and fingers started to swell. At 3 AM her head felt warm and the entire left side of her face was swollen, including lips, gums, nose and eyelids. Her teeth felt strange. At 5AM she could feel a sensation going down the left inside of her body moving from her neck to her toe. Then the right side of her face started to swell from the neck to the top of her head. Pt woke up at 7 AM next day and the swelling was starting to go down on the right side. On 2/26/2021 she is noticing the swelling is going down out of her left side. She never really had any pain or discomfort just swelling. Pt. has not contacted her PCP at this time.
1058193	2/26/2021	TX	76	F	2/24/2021	2/25/2021	Left side of face pain including eye inside mouth and throat. Felt like bad sinus infection. Still have some throat pain
1058222	2/26/2021	CA	74	F	2/23/2021	2/23/2021	Following the vaccine, within 3 minutes her bottom lip got numb, then her tongue swelled and then her eyes got fluttery uncontrollably, dizziness and weak. They had her lie down in a recliner. Her BP was 190/110. She did not need an EPI pen and within 15 minutes her lip became unnumb, and her tongue swelling receded, was still a little thick, and her face was swollen, was red and flushed. So they waited 30 minutes, her BP was not coming down, sent to the ER and observed for 3 hours and slowly her BP came down, all her other symptoms subsided and she was able to drive herself home. Last night 2/25/21 she had great itching on her chest, which has since stopped. Her tongue is still a little swollen, about 20% still feels thick. When she left the hospital her BP was 146/86. She has not taken anything for the symptoms just her regular routine medications. She did feel tired and spacy feeling, and has been off of work since Wednesday as she could not focus to go to work.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1058267	2/26/2021	NE	74	F	2/24/2021	2/24/2021	I had heavy chills from 6pm on the 24th until 2am on the 25th. Then, more heavy chills from 6am on the 25th until 1 pm on the 25th. My headache was moderate but relentless throughout those days and into the 27th. I was extremely tired, having no energy or interest in doing anything but lying down. My body ached all over and I was somewhat dizzy and nauseated. I took a Tylenol during the night of the 25th. Today is the 26th and I am still very tired and my eyes are bleary.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1058273	2/26/2021	KS	29	F	2/24/2021	2/24/2021	29 y.o. female who was seen at SVH COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience throat and chest tightness. She denied rash, difficulty breathing, difficulty swallowing, wheezing, hoarseness, stridor, itching, lightheadedness, dizziness, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , hypotension, rapid progression of symptoms, respiratory distress and tongue swelling. PMH includes anxiety. Takes lexapro 10 mg for this. She is currently 21 weeks pregnant. Feels baby moving. ALLERGY REVIEW OF SYSTEMS: Patient denies chills, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, cough, chest tightness, shortness of breath, wheezing, rash, dizziness and headaches Previous Reactions: none Objective Vitals Vitals: 02/24/21 0857 BP: 126/68 Pulse: 93 SpO2: 100% Physical Exam Vitals and nursing note reviewed. Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Comments: Clear oral airway Eyes: Conjunctiva/sclera: Conjunctivae normal. Neck: Thyroid: No thyromegaly. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Musculoskeletal: Cervical back: Neck supple. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Psychiatric: Mood and Affect: Mood is anxious (slightly). Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: water and snacks Follow up response to treatment: good. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

misc mental health)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1058531	2/26/2021	WA	20	F	2/26/2021	2/26/2021	<p>Patient reported symptoms of: tachycardia, shakiness, vision changes, tongue numbness and shortness of breath following the first dose of the COVID19 Pfizer-BioNTech Vaccine on 2/5/2021. Patient said that historically has experienced tachycardia and shakiness after getting a flu shot or booster a few years ago. Symptoms reported by patient were enough to suspect potential anaphylaxis, and patient consented pharmacist to administer epinephrine. Patient was then advised by the pharmacist to follow-up with her primary care doctor as soon as possible to report the incident and to discuss the risk versus benefit of the vaccine, whether receiving the second dose would be appropriate for her. Patient returned to assisted living facility for her second dose of the COVID19 Pfizer-BioNTech vaccine on 2/26/2021. Patient said that she discussed the incident with her doctor, was told it would be appropriate to get the second dose despite her reaction and was advised to take "cautious measures". Pharmacist reviewed the patient information and screening questions, discussed the potential side effects and reiterated her risk of experiencing the same reaction with the second dose. Patient stated that she decided on getting the second dose because "her boyfriend is high risk and I'm doing this for him". Patient stated that she decided on getting the second dose because "her boyfriend is high risk and I'm doing this for him". Pharmacist asked patient if she had any questions/concerns or additional information to add prior to getting her vaccine, and patient denied having any at that time. After administering her second dose, pharmacist instructed patient to stay in the observation area for at least 30 minutes and to ask the staff for water given her experience with the first dose. Patient asked pharmacist how common it was for someone to get a reaction from the vaccine, and then mentioned that her family member had to drive her to the emergency room after her first dose because her throat was "burning", and was told that her throat was "a little swollen" and received a second dose of epinephrine at the emergency room. Patient included this information after the fact her second dose was already administered. Approximately 5 minutes after receiving her vaccine, the patient reported similar symptoms that she experienced on 2/5/2021: tachycardia, vision changes, shortness of breath and chest tightness. After monitoring patient with</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

no resolution of her symptoms, patient was then given a dose of epinephrine by the pharmacist, and the paramedics were called in to assess patient and take her to the emergency room.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1058578	2/26/2021	KS	21	F	2/24/2021	2/24/2021	<p>Progress Notes (Nurse Practitioner) ? ? Family Medicine  Cosign Needed Expand AllCollapse All COVID  VACCINE CLINIC  2/24/2021 Date:  02/24/2021</p> <p>Subjective Patient is a 21 y.o. adult who was seen at COVID Vaccine Clinic today for patients first dose of the COVID 19 vaccination. Patient was given the Pfizer vaccination in the left deltoid muscle. During patient's 30 minute waiting period after the injection, the patient began to experience throat tightness and itching. Patient denied rash, difficulty breathing, difficulty swallowing, wheezing, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and patient was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , drooling, increased swelling, rapid progression of symptoms, respiratory distress, skin changes and tongue swelling. PMH: includes peanut allergy, carries epi-pen. She takes 75 mg of benadryl nightly to help with insomnia and seasonal allergies. ALLERGY REVIEW OF SYSTEMS: Patient complains of itching of skin Patient denies chills, malaise/fatigue, facial swelling, itching in ears, sore throat, frequent throat clearing, eyes itching, cough, chest tightness, shortness of breath, wheezing, rash, abdominal pain, muscle aches, dizziness and headaches Previous Reactions: she was brought back to bay initially for observation as she reported to pass out when she gets shots. Shortly after injection, she developed symptoms above. No vagal issues arose. Objective Vitals Vitals: 02/24/21 1048 02/24/21 1100 02/24/21 1136 BP: (!) 153/85 106/76 124/72 Pulse: (!) 101 86 81 Resp: (!) 22 16 SpO2: 99% 100% 100% Physical Exam Vitals and nursing note reviewed. Constitutional: General: Patient is not in acute distress. Appearance: Normal appearance. Patient is well-developed. Patient is obese. Patient is not diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Comments: Clear oral airway Eyes: General: Right eye: No discharge. Left eye: No discharge. Conjunctiva/sclera: Conjunctivae normal. Neck: Thyroid: No thyromegaly. Cardiovascular:</p>



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

Rate and Rhythm: Normal rate and regular rhythm.  
Heart sounds: Normal heart sounds. Pulmonary:  
Effort: Pulmonary effort is normal. No respiratory  
distress. Breath sounds: Normal breath sounds. No  
wheezing. Skin: General: Skin is warm and dry.  
Capillary Refill: Capillary refill takes less than 2  
seconds. Comments: Injection site without rash,  
erythema or swelling Neurological: General: No focal  
deficit present. Mental Status: Patient is alert and  
oriented to person, place, and time. Psychiatric:  
Mood and Affect: Mood normal. Behavior: Behavior  
normal. Thought Content: Thought content  
normal. Judgment: Judgment normal.  
Assessment/Plan Treatment included: antihistamines  
Follow up response to treatment: excellent. Patient  
discharge: Stable to go home and follow up with PCP.  
Differential Diagnosis: Vaccine-Related Anxiety (include  
misc mental health) and Anaphylaxis (dyspnea, stridor,  
drooling, tongue swelling) Close monitoring. Pt  
improving. Doing well with medication intervention. Pt  
has ride. Pt wheeled out to the front. Pt ambulates  
without difficulty. No dizziness. Instructions given on  
when she can take her next benadryl dose. APRN  
Electronically Signed 2/24/2021 11:25 AM

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1058528	2/26/2021	KS	67	F	2/24/2021	2/24/2021	<p>Progress Notes: (Nurse Practitioner) ? ? Family Medicine Cosign Needed 3rd Attempt to call patient for follow up via phone. No answer. Progress Notes (Nurse Practitioner) ? ? Family Medicine 2nd Attempt to call patient for follow up via phone. No answer. Progress Notes (Nurse Practitioner) ? ? Family Medicine Attempt to call patient for follow up via phone. No answer. Progress Notes: (Nurse Practitioner) ? ? Family Medicine Cosign Needed Expand All Collapse All 2/24/2021 Patient Date:</p> <p>2/24/2021 Subjective is a 67 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience itchy, shaky, hot, chest tightness. She denied rash, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , chest pain, drooling, hypotension, rapid progression of symptoms, respiratory distress, skin changes and tongue swelling. PMH includes none. She does not take any medications but is on Vyvanse.none. She denies any medial hx. Not on any medications. She did drink a protein shake this am. ALLERGY REVIEW OF SYSTEMS: Patient complains of chills, chest tightness and itching of skin (to R shoulder/injection site area) Patient denies fever, malaise/fatigue, nasal sores, sneezing, sore throat, frequent throat clearing, cough, shortness of breath, wheezing, rash, hives, eczema, abdominal pain, dizziness and headaches Previous Reactions: none Objective Vitals Vitals: 02/24/21 1024 02/24/21 1029 BP: (!) 180/73 (!) 150/90 Pulse: 71 SpO2: 97% Blood Sugar 108 collected at 1050 Physical Exam Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not ill-appearing, toxic-appearing or diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Comments: Clear oral airway Eyes: Conjunctiva/sclera: Conjunctivae normal.</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

Neck: Thyroid: No thyromegaly. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Musculoskeletal: Cervical back: Neck supple. Skin: General: Skin is warm and dry. Findings: No rash. Comments: Injection site and R arm without erythema or swelling. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Psychiatric: Mood and Affect: Mood is anxious. Judgment: Judgment normal. Assessment/Plan Treatment included: antihistamines, water and snacks Follow up response to treatment: good. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health), Local reaction (arm pain, bleeding/bruising, mechanical irritation, localized rash) and Red flag symptoms (CP, SOB, NVD, Visual/Neuro concerns) PT monitored and improving. Pt ambulates well without dizziness. Chest tightness resolved and itchiness improving. Precautions discussed with patient. Pt aware of what to monitor and when to go to ED. Pt voiced understanding and appreciated. Pt able to ambulate out of the facility with ease. APRN Electronically Signed 2/24/2021 12:27 PM

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1058499	2/26/2021	KS	34	F	2/24/2021	2/24/2021	<p>Progress Notes APRN (Nurse Practitioner) -- Family Medicine Cosign Needed Called patient for follow up from her visit yesterday here at the vaccine clinic. Pt states she feels well. She did end up taking another benadryl yesterday evening "more out of precautions" rather than for symptoms. She reports she feels well today and has not had any problems. APRN Progress Notes APRN (Nurse Practitioner) -- Family Medicine Cosign Needed Expand AllCollapse All COVID VACCINE CLINIC 2/24/2021</p> <p>Patient: Date: 2/24/2021</p> <p>Subjective Patient is a 34 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience itching and bilateral hand numbness. She denied rash, difficulty breathing, difficulty swallowing, wheezing, throat tightness, stridor, lightheadedness, dizziness, facial swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , hypotension, rapid progression of symptoms, respiratory distress, skin changes and tongue swelling. She developed more itching later in her visit. Including lip, scalp, ears and ears felt warm. ALLERGY REVIEW OF SYSTEMS: Patient complains of itching of skin Patient denies chills, malaise/fatigue, facial swelling, ear pain, sneezing, sore throat, eyes itching, cough, chest tightness, shortness of breath, wheezing, rash, hives, eczema, vomiting, abdominal pain, muscle aches, dizziness and headaches Previous Reactions: none Objective Vitals Vitals: 02/24/21 1030 02/24/21 1050 BP: 124/67 113/69 Pulse: 75 72 SpO2: 100% 99% Physical Exam Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not diaphoretic. HENT: Head: Comments: Pt noted to itch neck and scalp region Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Comments: Clear oral airway No tongue swelling. Eyes:</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

General: Right eye: No discharge. Left eye: No discharge. Conjunctiva/sclera: Conjunctivae normal. Neck: Thyroid: No thyromegaly. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Comments: Injection site w/o erythema or swelling. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: antihistamines and water Follow up response to treatment: good. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Systemic reaction (hypoglycemia, hypotension, generalized rash) Initially with zyrtec, she was not seeing improvement. Two doses of 25 mg of benadryl of 15 minutes within each other, pt was able to see improvement. Pt aware of when she is able to take more benadryl if needed. If symptoms worsen or do not respond to benadryl, pt aware to go to ED. APRN Electronically Signed 2/24/2021 11:14 AM

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1058468	2/26/2021	WA	20	F	2/26/2021	2/26/2021	<p>Patient reported symptoms of: tachycardia, shakiness, vision changes, tongue numbness and shortness of breath following the first dose of the COVID19 Pfizer-BioNTech Vaccine on 2/5/2021. Patient said that historically has experienced tachycardia and shakiness after getting a flu shot or booster a few years ago. Symptoms reported by patient were enough to suspect potential anaphylaxis, and patient consented pharmacist to administer epinephrine. Patient was then advised by the pharmacist to follow-up with her primary care doctor as soon as possible to report the incident and to discuss the risk versus benefit of the vaccine, whether receiving the second dose would be appropriate for her. Patient returned to assisted living facility for her second dose of the COVID19 Pfizer-BioNTech vaccine on 2/26/2021. Patient said that she discussed the incident with her doctor, was told it would be appropriate to get the second dose despite her reaction and was advised to take "cautious measures". Pharmacist reviewed the patient information and screening questions, discussed the potential side effects and reiterated her risk of experiencing the same reaction with the second dose. Patient stated that she decided on getting the second dose because "her boyfriend is high risk and I'm doing this for him". Patient stated that she decided on getting the second dose because "her boyfriend is high risk and I'm doing this for him". Pharmacist asked patient if she had any questions/concerns or additional information to add prior to getting her vaccine, and patient denied having any at that time. After administering her second dose, pharmacist instructed patient to stay in the observation area for at least 30 minutes and to ask the staff for water given her experience with the first dose. Patient asked pharmacist how common it was for someone to get a reaction from the vaccine, and then mentioned that her family member had to drive her to the emergency room after her first dose because her throat was "burning", and was told that her throat was "a little swollen" and received a second dose of epinephrine at the emergency room. Patient included this information after the fact her second dose was already administered. Approximately 5 minutes after receiving her vaccine, the patient reported similar symptoms that she experienced on 2/5/2021: tachycardia, vision changes, shortness of breath and chest tightness. After monitoring patient with</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							no resolution of her symptoms, patient was then given a dose of epinephrine by the pharmacist, and the paramedics were called in to assess patient and take her to the emergency room.
1058467	2/26/2021	TN	61	M	2/20/2021	2/22/2021	Per patient, he received his second dose of Pfizer COVID-19 vaccine on 02/20/2021. Approximately 48 hours later, he developed left-sided lip paralysis. He went to his doctor that day, no medications were prescribed and no tests were ordered. Over the next 24 hours, he states that his symptoms progressively worsened and now the left side of his face seems "completely paralyzed." He described left ear pain, increased sensitivity to loud sounds, runny nose, and inability to close his left eye. He saw another doctor the next day, who diagnosed Bell's Palsy and prescribed valacyclovir for 7 days. Patient also noticed a transient "crooked smile" after his first dose of Pfizer vaccine, but did not relate this

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1058411	2/26/2021	KS	56	F	2/24/2021	2/24/2021	<p>Progress Notes APRN (Nurse Practitioner) ? ? Family Medicine Pt called for follow up s/p covid-19 vaccine done on 02/24/21. She was sent to the ED from here for further evaluation of chest pain. She states her bp continued to be elevated but they gave her an anti-inflammatory shot for her chest pain. States it helped a little but not much. States last night was "rough" but got better through the night and "honestly I didn't feel better until noon today." Took her bp today and it was 148/98. She has not contacted her pcp for follow up. She was reminded to continue to track her bp and record. It was also recommended that she contact her pcp tomorrow to get in sometime next week to be further evaluated and f/up on bp. She is aware of when to return to ED for worsening or new symptoms discussed today. Pt voiced appreciation for the phone call/follow up. Denies any other questions or concerns. Progress Notes APRN (Nurse Practitioner) ? ? Family Medicine Cosign Needed Attempt to call patient for follow up via phone. No answer. Progress Notes APRN (Nurse Practitioner) ? ? Family Medicine Cosign Needed Date: 2/24/2021</p> <p>Subjective Pt is a 56 y.o. female who was seen at clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience chest tightness. She denied rash, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, facial swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , chest pain, hypotension, rapid progression of symptoms, respiratory distress and tongue swelling. PMH: DM and HTN. She was taken off Actos here in the last couple of weeks and switched over to Glipizide. She also takes 10 mg of Lisinopril at night time. She also takes Morphine BID for chronic pain. ALLERGY REVIEW OF SYSTEMS: Patient complains of chest tightness and dizziness Patient denies chills, fever, malaise/fatigue, sore throat, frequent throat clearing, cough, shortness of breath, wheezing, rash, hives, eczema, itching of skin, abdominal pain, muscle aches</p>



VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

and headaches Previous Reactions: none  
 Objective Vitals Vitals: 02/24/21 0915 02/24/21 0928  
 02/24/21 0939 02/24/21 0945 BP: (!) 155/82 (!) 159/93 (!)  
 154/79 (!) 156/88 BP Location: Left arm Left arm Left arm  
 Left arm Patient Position: Sitting Sitting Sitting Sitting  
 Pulse: 87 SpO2: 99% Blood Sugar 185  
 collected at 0915 Physical Exam Constitutional:  
 General: She is not in acute distress. Appearance:  
 Normal appearance. She is well-developed. She is  
 obese. She is not ill-appearing or diaphoretic. HENT:  
 Mouth/Throat: Mouth: Mucous membranes are  
 moist. Pharynx: Oropharynx is clear. Eyes:  
 Conjunctiva/sclera: Conjunctivae normal. Neck:  
 Thyroid: No thyromegaly. Cardiovascular: Rate and  
 Rhythm: Normal rate and regular rhythm. Heart  
 sounds: Normal heart sounds. Pulmonary: Effort:  
 Pulmonary effort is normal. No respiratory distress.  
 Breath sounds: Normal breath sounds. No wheezing.  
 Musculoskeletal: Right lower leg: No edema. Left  
 lower leg: No edema. Skin: General: Skin is warm and  
 dry. Neurological: Mental Status: She is alert and  
 oriented to person, place, and time. Psychiatric:  
 Mood and Affect: Mood is anxious. Behavior:  
 Behavior normal. Thought Content: Thought content  
 normal. Judgment: Judgment normal.  
 Assessment/Plan Treatment included: antihistamines  
 and water Follow up response to treatment: fair. Patient  
 discharge: Transported to ED by POV. Differential  
 Diagnosis: Vaccine-Related Anxiety (include misc mental  
 health) and Red flag symptoms (CP, SOB, NVD,  
 Visual/Neuro concerns) During her stay she was  
 monitored. After zyrtec was administered and she was  
 laying down. She reported to feel a little better. Upon  
 ambulation to evaluate, she reported lightheaded and  
 chest tightness worsening slightly. She states she has  
 her husband out front who is "angry with me for even  
 being here." We discussed reasons for further evaluation  
 as I am limited here. She declines Ambulance and states  
 her husband won't take her but she would take herself or  
 find a friend. Pt stable. Taken out in wheelchair. Pt  
 ambulates without assistance. 2/24/2021 11:11 AM

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1058366	2/26/2021	NC	56	F	1/14/2021	1/14/2021	15 minutes after receiving shot, extreme fatigue, blurry vision, bp 250/200. ON the medic transport to ER, Left side weakness, loss of speech. Er evaluated for sudden onset left sided weakness, facial droop.Code stroke was called CT angiography was unremarkable and patient admitted for bp control. Bp normalized with Clonidine , neurological exam is stable. Md felt that thus was a combination adverse reaction to vaccine in combination with Wellbutrin. Discharge after 24 hours
1058365	2/26/2021	NY	68	F	2/25/2021	2/25/2021	complained of blurred vision

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1058352	2/26/2021	KS	58	F	2/24/2021	2/24/2021	<p>Progress Notes (Nurse Practitioner) - - Family Medicine Attempt to call patient for follow up via phone. No answer. Progress Notes APRN (Nurse Practitioner) - - Family Medicine Cosign Needed Expand AllCollapse All COVID VACCINE CLINIC 2/24/2021 Patient: Date: 2/24/2021</p> <p>MRN: 1356120 Subjective Patient is a 58 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience tip of tongue tingling/burning. She denied rash, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to drooling, rapid progression of symptoms, respiratory distress, tongue swelling and vomiting. Pt reports that she may have burned the tip of her tongue this am after eating hot oatmeal. She wanted to be evaluated to be sure if that was the issue and not an allergic reaction. PMH includes HTN: takes 10 mg of Lisinopril ALLERGY REVIEW OF SYSTEMS: Patient denies chills, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, cough, chest tightness, shortness of breath, wheezing, rash, cysts, muscle aches, dizziness and headaches Previous Reactions: none Objective Vitals Vitals: 02/24/21 0912 02/24/21 0920 02/24/21 0927 BP: (!) 144/79 126/82 132/71 Pulse: 75 67 SpO2: 99% 100% Physical Exam Vitals and nursing note reviewed. Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Comments: No visible burn noted to tip of tongue. No swelling or discoloration noted. Eyes: Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Neck: Thyroid: No thyromegaly. Cardiovascular:</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>Rate and Rhythm: Normal rate and regular rhythm.  Heart sounds: Normal heart sounds. Pulmonary:  Effort: Pulmonary effort is normal. No respiratory  distress. Breath sounds: Normal breath sounds. No  wheezing. Skin: General: Skin is warm and dry.  Neurological: General: No focal deficit present.  Mental Status: She is alert and oriented to person, place,  and time. Psychiatric: Mood and Affect: Mood  normal. Behavior: Behavior normal. Thought  Content: Thought content normal. Judgment:  Judgment normal. Assessment/Plan Treatment  included: water Follow up response to treatment: good.  Patient discharge: Stable to go home and follow up with  PCP. Differential Diagnosis: Vaccine-Related Anxiety  (include misc mental health) Encouraged to monitor  symptoms at home. She is aware of f/up care with ED if  she does progress in symptoms of allergic reaction. This  time I think she has the burnt tip of her tongue sensation.  F/up with pcp otherwise. APRN Electronically Signed  2/24/2021 9:40 AM</p>
1058307	2/26/2021	MI	54	M	2/26/2021	2/26/2021	Panicked feeling two minutes following injection, lasting 2-3 minutes (patient has diagnosed panic disorder); slight itch on right eyelid, 5-10 minutes following injection
1058283	2/26/2021	TN	30	M	2/26/2021	2/26/2021	Approximately 15 minutes after injection; patient complained that his eyes feel "puffy/full and he says he feels warm." No other symptoms. After 5-6 minutes he says he felt back to normal and left.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1058382	2/26/2021	KS	52	F	2/24/2021	2/24/2021	<p>Progress Notes (Nurse Practitioner) Pt called for follow up s/p covid-19 vaccine done on 02/24/21. She reports doing well and better today. She still has a sore arm where the injection site is. No redness or swelling nor fever. She also states that her cotton mouth sensation is gone. She is overall well. Pt is appreciative for the phone call. Denies any other concerns. Progress Notes (Nurse Practitioner) Attempt to reach patient for follow up. No answer. Progress Notes (Nurse Practitioner) Cosign Needed Expand AllCollapse All Date: 2/24/2021</p> <p>Subjective Pt is a 52 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the right deltoid muscle. During her 30 minute waiting period after the injection, the patient began to experience chills/shaking "as if my internals are trying to come out.". She also reports of R arm pain "as if someone socked me in the arm" at injection site. She denied rash, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency room area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality, chest pain, collapse, hypotension, rapid progression of symptoms, respiratory distress, skin changes, tongue swelling and vomiting. PMH: depression/PTSD, recovered alcoholic and pill user x 8 years come this April. Currently on Zoloft, Abilify, Wellbutrin. ALLERGY REVIEW OF SYSTEMS: Patient complains of chills, muscle aches (R arm pain where injection site was) and headaches (she developed a headache later while she was in the bay about 15 minutes into her visit. Rates pain at 8/10) Patient denies fever, malaise/fatigue, facial swelling, ear pain, itching in ears, sore throat, frequent throat clearing, eyes watering, eyes itching, puffy eyes, eye redness, cough, chest tightness, shortness of breath, wheezing, rash, hives, eczema, itching of skin and abdominal pain She reported about 15 minutes into her visit with me of "Sudden onset of dry mouth.": Previous Reactions: when she was younger, she had an adverse reaction, unable to recall what, to the chicken pox vaccine. She's</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

only been able to get one shot. She's tolerated other vaccines w/o issues. Objective Vitals: 02/24/21 0907 02/24/21 0926 02/24/21 0943 02/24/21 1000 BP: 135/84 128/71 120/73 101/71 BP Location: Left arm Left arm Patient Position: Sitting Sitting Pulse: 93 82 68 SpO2: 97% 100% Physical Exam Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is obese. She is not diaphoretic. Comments: initially appeared fatigued, not as alert. After drinking water, eating a granola bar. She started to come around HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Neck: Thyroid: No thyromegaly. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Musculoskeletal: Cervical back: Neck supple. Skin: General: Skin is warm and dry. Comments: R arm inspected. Warm, no erythema, swelling nor rash. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Psychiatric: Mood and Affect: Mood is anxious. Affect is flat. Comments: initially flat/anxious. Pt was able to have normal mood by end of visit. Assessment/Plan Treatment included: water, snacks and ibuprofen for headache Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health), Local reaction (arm pain, bleeding/bruising, mechanical irritation, localized rash) and Red flag symptoms (CP, SOB, NVD, Visual/Neuro concerns) Doing well after observation. She has a ride. She was able to ambulate out to the front with co-worker. She is aware of precautions to watch for. Advised to place warm compress or ice to R arm. F/up with pcp as needed. Electronically Signed 2/24/2021 12:50 PM

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1054141	2/25/2021	IN		F	2/18/2021	2/18/2021	Pt post receiving first Moderna Covid-19 Vaccine was in hallway, standing in line to schedule second Covid 19 Vaccine, per patient "became light headed, had tunnel vision". Pt noted to start leaning toward wall by RNs at schedule table, bumped right shoulder on wall. RN steadied patient, RN2 came to assist - held patients head as lowered to floor. Patient was alert and oriented to person, place and time once on the floor. Pt "stated she usually passes out with lab draws". Pt rested on floor, then moved to a seated position and offered juice which she accepted and drank one carton. Pt was moved to a chair next to RN and observed for 30 minutes. Pt told nurse who had administered the vaccine that she had just worked out prior to coming to her appointment. Patient was told to go to the ER to be examined. Patient refused, stating "I am good, this has happened before and I am comfortable driving home and do not want to go to the ER." RN 2 offered to call a family member or friend and patient refused the need to call anyone.
1054425	2/25/2021	VA	67	F	2/22/2021	2/22/2021	Itching to face/ eyes- Given oral Benadryl and monitored in office
1054413	2/25/2021	TX	66	M	2/13/2021	2/23/2021	Teary eyes, throbbing pain to jaw, back of head and mouth. Symptoms started 2 days ago
1054405	2/25/2021	FL	32	F	1/6/2021	1/6/2021	1/6 developed fevers, chills, body aches, and a sore throat, following the vaccine. Her fevers subsided over the weekend, but she still has body aches/sore throat/chills. Red swollen eyes at night Sent to medical center 1/12, medical center f/u allergic reaction to covid 19 vaccine
1054370	2/25/2021	KS	70	F	2/23/2021	2/23/2021	2/23/21 after 4 hours - fatigue, body ache 2/23/21 after 5 hours - EYEBALLS ached, shoulder and neck ache 2/24/21 woke to flu-like symptoms, chills, fever 99 to 102, fatigue 2/25/21 fever broke during the night.
1054333	2/25/2021	IN	62	F	2/25/2021	2/25/2021	Tongue swelling per patient. No obvious swelling and visualization or wheezing, hives, itching, redness, dyspnea. Advised to be monitored until 9:15am, but patient refused to stay the entire time and left at 8:55 am.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1054315	2/25/2021	VA	63	F	1/6/2021	1/8/2021	first shot- starting two days after and lasting 2 weeks- when I turn my head it feels like it takes a few seconds for my eyes to catch up. second shot-starting two days after and now I'm on my fourth week post vaccination- have the same feeling that when I turn my head it feels like it takes a few seconds for my eyes to catch up. I'm an RN and felt that the manufacturer needed to know this is happening. I'm able to function, but the feeling is still there.
1054283	2/25/2021	CO	52	M	2/23/2021	2/23/2021	Day 1: Immediately (1015am) after injection a low grade headache. Soreness in injection site. During the evening some aches in joints. Day 2: Next morning was difficult getting out of bed. Skin was very sensitive to warm/hot shower water. Achy joints all over. Even my left injection site was sore even though I was injected on the right side. Fatigue at work. I was very wide eyed as described by co-worker. I was a little loopy as I was very giggly and things made me laugh way more than usual. I may have been a little delirious but I was able to work. This lasted until I went to bed. Day 3: When I awoke I felt like a fever had broke, Cooling sweat, but my temp was never over 98.5 degrees. My normal morning temp is usually 97.3 every day, but that one degree made a difference. I feel normal today and realize I was not well the day before.
1054071	2/25/2021	OH	76	F	2/24/2021	2/24/2021	Immediately after the injection and got a pounding headache behind her eyes. Then about 7:30 PM she started to ache all over and very tired. She went to bed around 8:00 PM and then she couldn't sleep all night. She kept trying to drink liquid, running fever, hot and opened a window with temp being 30 outside. She could hardly walk to the bathroom due to the muscle weakness and fear of falling. She tossed and turned all night long. She got up and her temp was 99.8, and she was told not to go to PT this morning. She is being treated for a frozen shoulder. She feels dehydrated and is drinking water, and going to drink Ginger ale and crackers due to the nausea.
1054225	2/25/2021	UT	53	F	2/23/2021	2/23/2021	Itching, swollen eye lids, chest tightness, body aches, fatigue. Treatment was antihistamines, rest, hydration, and tylenol. Symptoms persisting at about 48 hours post vaccine



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1054433	2/25/2021	AK	45	F	2/17/2021	2/24/2021	Matches description of 'COVID Arm'. Some tenderness reappeared around injection site 6 days after injection in evening with light red rash. Visual red rash increased (about 4"x2"), deepened in color overnight and became swollen in same general area. Became itchy.
1054598	2/25/2021	WV	38	F	2/12/2021	2/13/2021	sore arm, lethargy. Severe eye swelling the day after injection. rash on face.
1054246	2/25/2021	IL	63	F	1/13/2021	1/15/2021	1/13 vaccination 3 days later, I got blurred vision. It got worse. 1/15 got worse with vision. Stayed at home. Had to stop driving, double vision. 1/18 really started to get bad with vision. Been like this ever since. I have been working from home for 3 weeks now. PCP; She gave me medicine to get sugar down; Jarviance 1/21 Blood sugar went up to 495; went to ER.Opthamologist; He told me nothing he could do for me. He told me I had vision reversed due to sugar being so high. He told me he couldn't give me any glasses as when sugar decreases, the vision will go back to normal.
1054490	2/25/2021	GA	66	M	2/12/2021	2/18/2021	Patient endorses red rash on right hand as well swelling in left eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1054492	2/25/2021	OK	59	F	2/19/2021	2/21/2021	I received my vaccination on Friday, February 19th. On Sunday, February 21st, my tongue felt like I had scalded it with a hot drink, and my taste buds were very sensitive. My tongue also felt thick and there were bumps on the sides of it. On Tuesday, February 23rd, I noticed I couldn't whistle, and I couldn't spit correctly when I brushed my teeth. On Wednesday, February 24th, I noticed my right eyebrow was lower than my left, and my mouth was drooping on the right side. I couldn't put my lips together to put my chapstick on, and my smile was very crooked. Additionally I felt my eyelid twitching and the right side of my face felt very strange in general. So I contacted the nurse who administered the vaccine. She said that Bell's Palsey could be symptom from the vaccine, and that I should contact my physician. So I called Dr. office and they did a virtual appointment with me on Wednesday afternoon. He immediately told me I have Bell's Palsey as a result of the vaccine and sent in some prescriptions for me to take. They are Toradol Oral, Prednisone, and Erythromycin Ointment for my eye because it won't close all the way, and it doesn't blink properly.
1054504	2/25/2021	LA	68	F	2/22/2021	2/23/2021	Symptoms: chills, joint pain, severe headache with blurry vision, injection site soreness, muscle pain, feeling unwell - very sick, fatigue. I woke up 2/23/2021, Tuesday, with injection site tenderness upper left arm. Tuesday midday the headache began. By evening, I had chills, pronounced joint and muscle soreness, with further progression of headache to severe with vision changes, and a general malaise and feeling very ill. Like having the flu without fever or congestion. I did not seek medical treatment. Symptoms were treated with over the counter medicines and perscriptions medicines on hand, plus bedrest.
1054513	2/25/2021	FL	21	F	1/6/2021	1/6/2021	States about 3 hours after administration she felt nauseous, dizzy, cold, clammy, blurry vision, ringing ears, near syncope, visited ED.
1054521	2/25/2021		82	F	2/23/2021	2/23/2021	fatigue, fever, chills, sharp pain behind eyes, ears, throughout head. generalized severe body aches.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1054900	2/25/2021	KS	70	F	2/25/2021	2/25/2021	<p>Progress Notes Family Medicine 2/25/2021 Date: 2/25/2021 Subjective Is a 70 y.o. female who was seen at a vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 30 minute waiting period after the injection, the patient began to experience nausea, belching, sob. She denied rash, hives, welts, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , rapid progression of symptoms, respiratory distress and vomiting. PMH: pt reports recently admitted for unstable angina and CAD with tachycardia. Had elevated d-dimer and blood clot was ruled out. Pt dc'd on new medication, beta blocker. Since discharge this Sunday, she reports chest heaviness as if she has "cardboard on my chest." Can slightly increase with going up and down stairs or increased activity. She states she had reached out to her cardiologist via my chart but has not heard back. States her pain is about the same today. Upon 15 minutes after injection, she noted nausea with belching and had some sob. Symptoms worsened as she ambulated over to the medical bay along with her chest pressure.</p> <p>ALLERGY REVIEW OF SYSTEMS: Patient complains of chest tightness and shortness of breath Patient denies chills, malaise/fatigue, sore throat, frequent throat clearing, eyes watering, eyes itching, puffy eyes, eye redness, cough, wheezing, rash, hives, eczema, itching of skin, abdominal pain, muscle aches, dizziness and headaches + nausea and belching: Previous Reactions: none Objective Vitals Vitals: 02/25/21 1000 02/25/21 1008 02/25/21 1013 BP: (!) 157/102 (!) 144/86 (!) 169/94 Pulse: 72 SpO2: 97% Physical Exam Vitals and nursing note reviewed. Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not ill-appearing, toxic-appearing or diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Eyes: General: Right eye: No discharge. Left eye: No discharge.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							<p>Conjunctiva/sclera: Conjunctivae normal. Neck: Thyroid: No thyromegaly. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Capillary Refill: Capillary refill takes less than 2 seconds. Findings: No rash. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal.</p> <p>Assessment/Plan Treatment included: She has nitro on hand. We gave that at 10:03 am. Follow up response to treatment: fair. Patient discharge: Transported to ED by ambulance. Differential Diagnosis: Red flag symptoms (CP, SOB, NVD, Visual/Neuro concerns) Firefighters responded first at 1008 Arrived at 1011. EKG done, no acute findings. Pt reports pain at 0 after nitro administration. Belching and nausea reduced. Pt taken to ED for further evaluation. ED called and given report at 1020 Electronically Signed 2/25/2021 10:24 AM</p>
1054545	2/25/2021	IL	57	F	2/20/2021	2/20/2021	02/20/2021 Immediate post-vaccination onset of intermittent lightheadedness & migrating sensation of tingling over body & face; at 45 minutes also experienced a sequence of coldness of feet, then hands (w/decreased perfusion), as those resolved then core/trunk, as trunk warmed then at 75 min upper gums, then eyelids, then nose; bowel urgency; at 2 hours warm flush, mind clearer, better color vision, feeling stronger; lightheadedness resolved within 3 hours of pharmacist observation. No urticaria, angioedema or respiratory distress. No treatment. Could stand and walk with assistance, though very fatigued. Rested at home. **Representation of lightheadedness & tingling on 02/22 & again mildly on 02/24 while resting.**
1054039	2/25/2021	NJ	78	M	2/24/2021	2/25/2021	Eye swelling and black eye
1054674	2/25/2021	NC	38	M	2/19/2021	2/23/2021	Swelling around the eyes. They are still swelled and my doctor put me on hydroxyzine 25mg

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1054808	2/25/2021	MN	65	F	2/14/2021	2/14/2021	Nearly continuous headache behind the eyes since the evening of vaccine shot (11 days as of current date). Sometimes dull throb, sometimes sharp pain usually on left side (same side as vaccine shot). Sensitivity to light. When pain is sharper causes indigestion and nausea. Pain goes away if I take ibuprofen, but always returns and persists overnight. I don't like taking ibuprofen or acetaminophen more than once a day or for continuous days. Acupuncture worked for a short time. Affects my ability to concentrate and work on computer or watch TV. What other natural treatment will help? How much longer will this last?
1054842	2/25/2021	DE	55	M	2/19/2021	2/22/2021	fatigue, sore joints, headache, swollen around eyes, blurred vision (2-22)
1054873	2/25/2021	FL	42	F	1/26/2021	1/27/2021	I received my second covid vaccine on 1/26. On 1/27 I had severe body aches, headache, burning dry eyes, debilitating fatigue, and could barely move my arm. I had these same symptoms on 1/28
1054541	2/25/2021	IA	84	F	2/19/2021	2/20/2021	Swelling in right eye with pocket of liquid/blood around nose and eye area

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1053884	2/25/2021	NJ	37	F	1/13/2021	1/13/2021	I received my second dose of the Pfizer Covid vaccine on 01-13-2021 at 8:30am in my left upper arm. By 3pm that day, my left arm was very tender to the point I couldn't lift it up and I began having whole body chills and shivering along with extreme fatigue. I went to bed at 5:30pm that night and woke up around 11:30pm to my whole body shaking and shivering and my teeth were chattering together. My husband said I was confused at that time and kept repeating that I was freezing. I must have had 5 blankets piled on top of me to try to get me to warm up. By the next morning, I soaked through the bedsheets and had extreme fatigue (like I had a hard time keeping my eyes open) all over body aches, fever and chills. I remained this way for the next week. At the end of the 1st week I still had chills, extreme fatigue, nausea and horrible headaches and my left arm pain turned into left elbow joint pain. By the end of the 2nd week, I still had extreme fatigue, headaches and left elbow pain along with body tremors. On 1-28-2021, I went to the hospital due to having two episodes where I felt so dizzy I had to lay down on the ground until the dizzy spells subsided. I was given IV fluids and sent home with orders to rest. By the end of the 3rd week I no longer had body tremors or dizzy spells but I still had extreme fatigue needing multiple naps a day along with headaches at which time my primary doctor prescribed me Imitrex to help alleviate the headaches and I still had left elbow joint pain. I also developed bronchitis. It is now February 25, 2021 and I am still having fatigue and mild to moderate headaches along with the left elbow joint pain along with some right elbow joint pain. I have been out of work for over a month now due to my fatigue and joint pain.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1054931	2/25/2021	KS	73	F	2/25/2021	2/25/2021	<p>Progress Notes Family Medicine Cosign Needed Expand All Collapse All 2/25/2021 Date: 2/25/2021</p> <p>Subjective is a 73 y.o. female who was seen at Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience L arm/hand numbness. She denied rash, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality, chest pain, rapid progression of symptoms and respiratory distress. PMH: none per pt. Not on any medication. She has not been back to her pcp for "several years". No known hx of htn. She does have a bp cuff at home. ALLERGY REVIEW OF SYSTEMS: Patient denies chills, fever, malaise/fatigue, facial swelling, itching in ears, sore throat, frequent throat clearing, cough, chest tightness, shortness of breath, wheezing, rash, hives, eczema, itching of skin, muscle aches, dizziness and headaches Previous Reactions: none Objective Vitals Vitals: 02/25/21 1118 02/25/21 1136 BP: (!) 172/84 124/82 Pulse: 96 SpO2: 99% Physical Exam Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Neck: Thyroid: No thyromegaly. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Capillary Refill: Capillary refill takes less than 2</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

seconds. Findings: No rash. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Cranial Nerves: No cranial nerve deficit or facial asymmetry. Sensory: Sensation is intact. No sensory deficit. Motor: Motor function is intact. No weakness. Coordination: Coordination is intact. Coordination normal. Gait: Gait normal. Comments: +5/5 strength to upper and lower extremities. Equal facial movement. Psychiatric: Mood and Affect: Mood is anxious (slightly). Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: no therapy Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) and Local reaction (arm pain, bleeding/bruising, mechanical irritation, localized rash) Exam is stable/unremarkable. VS improved after monitoring. Pt monitored for 20 minutes. She feels well. More like anxiety than local reaction. Pt aware of what to watch for. Education on monitoring bp at home and recommended that she follow up with pcp sometime next week to get up to date on her physical and follow up on bp records she will have done at home. Electronically Signed 2/25/2021 11:33 AM



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1053572	2/25/2021	VT	90	F	1/28/2021	1/30/2021	<p>arrhythmias; rapid heartbeat; slight nausea; slight headache; light bothered vision for some days; mild chills; A spontaneous report was received from a retired nurse concerning herself who is 90 year old received Moderna COVID-19 vaccine and have experienced arrhythmias, rapid heartbeat, slight nausea, slight headache, some visual problems (light bothered her for some days) and mild chills. The patient has prior history of irregular heart beat . Her relevant concomitant medications were cholesterol medication, Crestor and medication for irregular heartbeat. No information on allergies. On 28-JAN-2021, prior to the onset of events, the patient received her first of two planned doses of COVID-19 vaccine intramuscularly for the prophylaxis of COVID-19 infection. On 30-JAN-2021, 2 days after her vaccination, she developed arrhythmias, rapid heartbeat, slight nausea, slight headache, some visual problems (light bothered her for some days) and mild chills. After one week she felt like no more symptoms ongoing and felt good again. She visited her physician for arrhythmias, and he said, she should keep an eye on it, but no medication yet. She is concerned about her second shot. Action taken with 2nd dose of Moderna COVID-19 vaccine was not reported. The outcome of the events, arrhythmias, rapid heartbeat, slight nausea, slight headache, visual problems and chills were resolved at the time of report.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the onset date of the events, a causal relationship cannot be excluded. However, patient's advanced age and prior history of irregular heart beat are considered risk factors for arrhythmias.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1053575	2/25/2021			M			<p>Unresponsive/laying in bed still; Sleepy and stayed in bed after getting vaccine; pale; eyes half open and foam coming from mouth; A spontaneous report was received from Pfizer concerning a 66 year old male who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced being unresponsive/laying in bed, sleepy and stayed in bed after getting vaccine, pale, and eyes half open and foam coming from mouth. The patient's medical history was not provided. Concomitant medication use was not provided. On an unknown date, the patient received unknown dose number of two planned doses of mRNA-1273 ([LOT number, route and location unknown]) for prophylaxis of COVID-19 infection. On an unknown date, the patient, who resided in a senior home, stayed in bed the day after getting the vaccine. Early the next morning, he was observed in bed lying still, pale, eyes half open and foam coming from the mouth. He was unresponsive. Treatment information was not provided. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the events of unresponsive/laying in bed still, sleepy and stayed in bed after getting vaccine, pale, and eyes half open and foam coming from mouth/ was unknown.; Reporter's Comments: Very limited information regarding this events has been provided at this time. Further information has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1053594	2/25/2021	MN	65	F	1/29/2021	1/29/2021	Hot red face and neck; Hot red face and neck; possible slight swelling of face and eyes (minor); possible slight swelling of face and eyes (minor); chills; headache; This is a spontaneous report from a contactable consumer (patient). A 65-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number: EL9264 and expiry date: unknown), via an unspecified route of administration on the left arm, on 29Jan2021 15:15 at a single dose for COVID-19 immunization. Medical history included hypertension and kidney disease, and was allergic to bee stings, penicillin, aluminum chloride. Patient was not pregnant at the of vaccination. There were unspecified medications received within 2 weeks of vaccination, and no other vaccine in 4 weeks prior to. The patient experienced hot red face and neck, possible slight swelling of face and eyes (minor), chills and headache on 29Jan2021 15:30. Outcome of the events was recovered. No treatment was received for the events. The reporter considered the events non-serious. Patient was not diagnosed with COVID-19 prior to vaccination and had not been tested since the vaccination.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1053597	2/25/2021	AL	52	F	1/13/2021	1/13/2021	Eyes have gotten worse; red streaks going up arms and splotches/ splotchy red whelps and streaks up her arm; real red spot on wrist; her arms started stinging and itching; Hand and feet were itching off; burning; This is a spontaneous report from a contactable consumer (patient). A 52-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE lot number: EL1283) intramuscular on the left arm on 13Jan2021 13:15 at a single dose for COVID-19 immunization. Medical history included acid reflux, antidepressant, normally wears contacts and puts reading glasses on over it. Family medical history of cancer. Concomitant medication included omeprazole (PROTONIX [OMEPRAZOLE]) for acid reflux and bupropion hydrochloride (WELLBUTRIN) as antidepressant. The patient went and got her first shot 2 weeks ago. She is a dental assistant. She woke up between 2am-3am on 13Jan2021 and her hands and feet were itching off. They were burning and itching and she did not have any rash. So Thursday, she had to work until 1. Her hands itched and she went home, took Benadryl and put Cortisone cream on hands and feet. She does not have a dose, lot or expiration for either. It would take 2 doses of Benadryl. They just continued to itch until Saturday and she went to a doc in the box and the doctor felt it was a reaction from the vaccine. You could not see anything except red where she scratched it. She gave her some medicine and she just went to pharmacy and the pharmacist said that is just like Benadryl. She started taking it and it immediately helped, but she only gave it to her for 5 days and when she finished, the itching started again. On 27Jan2021, her hands were itching off and she has red streaks going up arms and splotches. She does not have the name. It was like hydro something. She threw bottle away. She does not have a dose, lot or expiration. It improved and stopped when she was taking the medicine and on 26Jan2021, she had a real red spot on wrist, her hands have itched and itched. When her arms started stinging and itching, she pulled her sleeve up and it looks like streaks on her arms and elbows. She has these splotchy red whelps and streaks up her arm. She also noticed she had itching on her torso the day before. She needed to get glasses to see vaccine card. This was required before she took the vaccine, but she did feel like her

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

eyes are worse all of a sudden. She normally wears contacts and puts reading glasses on over it. It has only been in the last few weeks that she has noticed this. Now, her arms were starting to itch again after a dose of Benadryl. She was worried about 2nd shot. She does not want it to get worse and continue. She would like to speak with someone to find out if it would be recommended for her to get second dose or not. No ER or physician's office required: Doctor visit on 16Jan2021 and they prescribed a medication to help with itching and burning for 5 days and it worked and when she stopped taking it, it started back. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The facility where the vaccine was administered was at a Clinic for the hospital. There was no history of all previous immunization with the Pfizer vaccine considered as suspect. There were no additional vaccines administered on same date of Pfizer suspect. Outcome of the events itching and eyes have gotten worse was not recovered, events burning and pain in arm was unknown and recovering for the other events.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1053664	2/25/2021	TX	73	M	1/15/2021	1/17/2021	<p>Occlusion on right eye; Can't see out of his right eye; hemorrhage in right eye; Case reference number MOD-2021-012734 is a spontaneous case report sent by a Non-Healthcare Professional on 09-FEB-2021, which refers to a male patient who received the first dose of Moderna's COVID-19 Vaccine (mRNA-1273) and experienced occlusion of the right eye and blindness in the right eye which required hospitalization and the event of hemorrhage in the right eye. The patient's medical history included a shunt installation for hydrocephalus. The patient's medication history included amoxicillin, omeprazole, potassium citrate, sertraline hydrochloride, tamsulosin, amoxicillin trihydrate, benzydamine hydrochloride, bromhexine hydrochloride, trespium and unspecified sinus medications. On 15JAN2021, the patient received the first dose of Moderna COVID-19 (mRNA-1273) Vaccine (Lot: 041L20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 17JAN2021, the patient's wife reported that the patient couldn't see out of his right eye. He went to the emergency room and his ophthalmologist reported that the patient had an occlusion on the right eye which was not a result of the vaccine. On 19JAN2021, the patient left the hospital. Later that same week, the patient visited another ophthalmologist that observed a hemorrhage on his right eye with an unknown etiology. On 04FEB2021, the patient went to the dentist where multiple infections and molars were identified. Treatment included amoxicillin 875mg for 10 days. Action taken for the events of occlusion of the right eye, blindness in the right eye and hemorrhage in the right eye associated with mRNA-1273 was not reported. The outcome of the events was unknown.; Reporter's Comments: This case concerns a 73-year-old male patient, who experienced a serious unexpected events of vascular occlusion, blindness, and eye hemorrhage, after receiving first dose of mRNA-1273 (lot # 041L20A). Very limited information regarding this event has been provided at this time. Further information has been requested.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1053698	2/25/2021	CA		F	1/27/2021	1/27/2021	1/27/21 Vaccine 9:45 injection - mederma 10:09 eyelids itching - declined Benadryl 10:30 end of observation @ clinic 11:15 Intense itching eyes face lip 11:15 Benadryl 50 mg po 11:20 Itching spread to entire face/ ears / roof of mouth / sore throat / ear pain / eye pressure 11:40 symptoms decreased to mild 12:00 symptoms resolved 15:30 sore throat tight/ ear pain returning/ eye pressure 15:45 Benadryl 50mg po 21:00 throat sore/ tight- eye pressure 21:30 Benadryl 50mg 1/28/21 1:11 tight cough /sore throat/ ear pain / itchy ears / scalp 1:11 Benadryl 50 mg po 7:00 rash on chest / sore throat/ tight throat/ itchy ears, face chest 8:30 Benadryl 50mg po 12:30 eye pressure/ ear pressure /ear pain/ sore throat / cough 12:40 Benadryl 50 mg po 17:00 eye pressure/ ear pressure /ear pain/ sore throat / cough 17:30 Benadryl 50 mg po 21:30 eye pressure/ ear pressure /ear pain/ sore throat / cough 21:30 Benadryl 50 mg po 1/29/21 Symptoms continue - Benadryl 50 mg po q4 hrs 1/30/21 Symptoms continue - Benadryl 50 mg po q4 hrs
1053700	2/25/2021	NY	64	F	2/7/2021	2/8/2021	initial event: 7am morning after injection- fever, heaviness of limbs, sleeping, eyes sensitive to light. 2nd morning after, these symptoms subsided, but swelling and sensitivity in axillary lymph nodes, especially on right side. This has continued for 18 days. At 14 days, severe outbreak of herpes simplex. First such outbreak after 30 years of no recurrence, and no concurrent triggers such as menstruation, alcohol consumption, sexual intercourse, etc
1053724	2/25/2021	OR	73	M	2/8/2021	2/1/2021	Within a few days after receiving the vaccination I noticed a significant blurring of vision in my left eye. Consulted my ophthalmologist, who diagnosed a central retinal vein occlusion, confirmed with an OCT., and referred me to a retina specialist. Primary care physician started me on Xarelto and referred me to a hematologist. I do not have any history of blood clots.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1053730	2/25/2021	VA	55	F	2/6/2021	2/13/2021	Raised bumps with a white center, white posture-like bumps on face, neck, upper chest, on eyelids, in eyebrows, inside eyes, on pupils of eyes, on lips, inside mouth, on ear lobes, inside ears, on nose, inside nostrils; tingling in tongue, runny nose, extreme fatigue, wooziness, challenges speaking at times,, itching. It is progressing to a different membrane everyday and I am not receiving any assistance.
1053739	2/25/2021	MI	58	F	12/31/2020	1/31/2021	1st vaccination -Head ache, muscle ache, fever, fatigued- lasting 2 days Ibuprofen and Tylenol bedrest 2nd vaccination- Head ache, muscle ache, joint pain, blurry vision, fever fatigued - lasting 3 days Ibuprofen and Tylenol and bedrest
1055764	2/25/2021	CT	65	F	2/9/2021	2/10/2021	Red, Itchy rash on face & neck, skin hot to touch, burning sensation on face day after shot - also some edema under right eye - small sack of fluid - lasted a few days - took benadryl to relieve itching - dissipated after 4 days but skin was very dry & chapped for about 10 days after
1053755	2/25/2021	SC	43	F	2/23/2021	2/24/2021	Extreme shooting pains left side of head. Tenderness above ear. Left eye pain. Lethargic. Neck pain. Muscle pain.
1054027	2/25/2021	PA	74	F	2/24/2021	2/25/2021	the patient's husband reported that around 3am, the patient woke to visual hallucinations that lasted throughout the night. The hallucinations were reported to have stopped around 8am on 2/25/21. the patient does report remembering most of her hallucinations.
1053908	2/25/2021	PA	50	F	2/5/2021	2/5/2021	02/03/2021: face blotches and chapped skin began and continue 02/05/2021: 12:30 PM nausea; starting 5PM and throughout entire night: intense pain in both thighs, intensified menstrual cramps that brought me to tears, extreme cold, head pressure, little sleep 02/06/2021: All day and throughout night: bad headache, achy, fatigue, chills, intensified menstrual cramps (ex: active labor pains), thigh pain (myalgia), unable to sleep due to body cramping 02/07/2021: All day: dizzy, cold extremities, weakness, thigh pain 02/08/2021: All day: fatigue 02/09/2021: All day: fatigue, eyes burn, waves of heat like a fever, headache 02/10/2021: All day: fatigue, eyes burn, headache



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1053927	2/25/2021	NY	71	F	2/16/2021	2/16/2021	Blood pressure roller coaster over 3 days: highest 148/84 down to lowest 105/85; chills, pain in upper left quadrant chest on 3rd day, vision issue and pressure behind left eye after 5 minutes--pressure lasted for 3 days with different levels of pressure; chills, dripping nose on day 1, and itchiness on both arms especially around elbows--has continued
1053939	2/25/2021	OH	55	F	1/6/2021	1/6/2021	1/6 vaccination By 7pm, my nose started running. Odd for me to happen. I kept blowing nose. Eventually, eyes started to water, little bit of a cough, no fever. The main reason calling Dr. was because I didn't want to feel that way for my mothers funeral. I wanted a clear head. My nose would not stop for 2.5-3 weeks. By 3 weeks, all symptoms were gone. Slight sore throat. Felt like I had a dry patch in my throat. On the back of my tongue, if felt like a scratchy patch. Every time I would swallow, it would scratch back of my throat. Dr. didnt prescribe any medication. I took Zycam which helped with nose dripping but still had feeling back in my throat.
1053948	2/25/2021	OK	44	F	2/24/2021	2/24/2021	scratchy throat, dry eyes, skin felt like Niacin Flush, small blisters on tongue. Took Benadryl and side effects went away in about an hour. Muscle pain in injection site that shoots down arm and causes stiffness in arm. Treating with warm compress and pain meds
1053967	2/25/2021	FL	73	F	2/16/2021	2/16/2021	Within 15-minutes of vaccination, the patient reported swollen lips, tongue, eyes, or face. EMS monitored patient's condition on-site. No further details were given.
1053972	2/25/2021	AL	42	F	1/11/2021	1/14/2021	Rash began on left leg on 01/14/21; rash progressively spread to entire both legs and left neck; became very itchy and nothing over-the-counter (topical or oral) helped or reversed symptoms; rash continued for over 5 weeks; also experienced dull, around-the-clock headache during this time; On the morning of 02/21/21 awoke to petechial rash on bilateral eyelids, cheeks, left and right neck; went to urgent care; placed on steroids- Steroid IM injection given on 02/21/21, Medrol Dose pack started on 02/22/21- all symptoms resolved quickly with steroid dosing

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1053976	2/25/2021	IL	21	F	2/4/2021	2/4/2021	Moderna COVID-19 Vaccine EUA Approximately 3 minutes after her vaccine pt became unconscious and unresponsive for a short time. Pt was quickly awoken by RN. Pt states that she has a history of syncope following venipuncture that she forgot to disclose. Approximately 15 post episode pt stated that her vision had been restored but her hearing still felt "off". Pt was given 12 oz water, crackers and juice. Pt called roommate to pick her up to bring her home. Approximately 25 minutes later, pt reports some left arm pain but was feeling better. At 1345 pt was discharged by her own choice and left with her roommate. Pt still felt "off" but reported that this was likely just due to anxiety. Pt and roommate given instructions to go to nearest ER if symptoms returned.
1053981	2/25/2021	FL	69	F	2/22/2021	2/22/2021	Within 15-minutes of vaccination, the patient reported rash, hives, itchiness, and potential swollen lips, tongue, eyes or face. EMS monitored the patient on-site. No further details were provided from clinical site.
1053990	2/25/2021	MD	28	F	2/3/2021	2/15/2021	Ballspalsy, right side Eye and facial movement issues, it started gradually a week and a half after my dose my eye was not blinking in sync with my left eye, gradually started to go down to my face where my lips my cheek or my eyebrows were not moving when I was talking all my words were slurred and off to the side of my mouth. When smiling one side trip the far far left the other side stay still. My job had me go to a doctors up where they diagnosed me with Bell's palsy it and the doctor advised me to report this. My treatment plan is antiviral medication and steroids, Valacyclovir 1gm tid, methylprednisolone 4grams qid. I am very upset and heartbroken every time I look in the mirror I cry because I cannot recognize my face I did read online that Pfizer did have side effects of bells palsy but I never thought I would get it given my age and good medical history. I would love for someone to reach out to me I need to know what happens from here. As a result I have been off of work for a couple days.
1053993	2/25/2021	FL	62	M	2/20/2021	2/20/2021	Pt felt arm soreness 4 hours later than felt fatigued, leg heaviness, arm heaviness, and then felt faint with black spots in eyes and numbness down left extremity. Symptoms are still persisting 5 days later today 2/25/21. PT did not knowingly have COVID prior.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1054015	2/25/2021	CT	66	M	2/22/2021	2/23/2021	Tuesday Night - Interior of right eye had multiple color blockage (size of thumbnail) in lower section of eye that blocked out what I was seeing with horizontal orientation. Wednesday Morning - shape was reduced to 1/3 its previously stated size, vertical orientation, depending on what I was looking at the color changed, but still blocked out portions of what I looked at. Wednesday Morning - shape was 1/4 the original size, vertical orientation, varied in colors, but still blocking images completely
1053740	2/25/2021	FL	65	F	2/19/2021	2/21/2021	Fever, chills, pain in injection site, redness on left arm, severe swelling of left eye with redness, discharge, color change of eyeball. Scheduled appointment with optometrist.
1055668	2/25/2021	OH	64	M	2/25/2021	2/25/2021	About 5 to 10 minutes after receiving his vaccine, the patient's eyes were excessively teary. He waited around for 45 minutes and they were still more watery than usual, but there were no other signs of allergic reaction. The patient said that it wasn't watery to the point of blurry vision and went home.
1055370	2/25/2021	NM	43	F	2/19/2021	2/24/2021	Bell's Palsy right side of face. Right upper eyelid droop, right cheek numbness on palpation, slight smile effected/off from left, no ringing in ear, able to raise eye brow. Mental status WNL, able to hold conversation, made proper eye contact.
1055376	2/25/2021	WV	69	F	2/25/2021	2/25/2021	Tightness around eyes, eyelids itching, breathing swallow, and stating, ?don't feel right.? Vital 160/98, pulse 65 95%ra. Put given Benadryl 1tab with relief of sx.
1055384	2/25/2021	WI	75	M	1/28/2021	1/29/2021	He had severe vision issues and feeling weak and strange. Also had fever and ended up going to the hospital for 4 days.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1055411	2/25/2021	TX	17	M	2/24/2021	2/24/2021	Patient was normal and little nervous before vaccination. After receiving vaccinations about 2 minutes patient stated he could get up and was shaking. He was pale and sweating. Pharmacist Rima left the room to get another pharmacist. Patient mom reported she saw him passing out and eyes rolling. Patient was conscious after and had difficulty breathing but return to normal after a few minutes. We gave him a ice pack and called 911 to be ready on hand but was not dispatched. Patient rested in the room and left on their own.
1055469	2/25/2021	WA	68	F	1/22/2021	1/23/2021	First shot, arm hurt, headache for a week, kind of a flu feeling for 3 days... Second shot had a very bad reaction... Very sick with ALL Flu symptoms for 2 days, along with a Migraine for 3 days then headache for 2 more days then pressure in eyes and forehead for 2 days, tightness in neck and shoulders, redness and swelling around eyes for 2 days.. very tired for a week...
1055488	2/25/2021	MO	72	F	2/6/2021	2/15/2021	Right eye will not blink closed; numbness on the right side of face, lip; and right side of mouth is turned down.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1055535	2/25/2021	WI	70	F	2/25/2021	2/25/2021	<p>Patient was alert and conversational throughout first COVID-19 Pfizer vaccination. During post vaccination waiting period, patient became unresponsive and exhibited convulsion like movements in her waiting chair. Pharmacist quickly evaluated patient and patient was only minimally responsive to painful stimuli only. Breathing was rapid, shallow, and irregular with an expiratory wheeze heard upon auscultation. Patient was slouched in chair but supporting self and had a strong grip with her left hand. Skin condition was warm but diaphoretic. Ambulance 911 service was called. No swelling of the throat, mouth, face, nor lips was seen. Patient continued to be non-responsive, with non-comprehensible sounds, and was not opening eyes or following commands. Due to worsening ability to breathe and wheezing on expiration, epinephrine 0.3 mg was administered intramuscularly into the left thigh at 1230 on 2/25/2021. Approximately 5 minutes after epinephrine administration, the patient's work of breathing improved, wheezing was diminished upon expiration, and respiratory rate had slowed to 16 breaths per minutes. BP was 160s/80s and HR 98 (after epinephrine administration). Patient began opening eyes spontaneously but was still not following commands. Ambulance service then arrived, report was given, and patient was transported to Hospital Emergency Department. Patient was under the care of Doctor at the emergency department and received albuterol/ipratropium nebulization, dexamethasone 10 mg IV, famotidine 20 mg IV, and magnesium sulfate 2 g IV. After the physician evaluated the patient and talked with family, the patient's family stated that the patient has a history of anxiety related reactions such as this with convulsion like activity. Doctor then determined that the patient did not have an anaphylactic/allergic reaction and instead had a anxiety related vasovagal type reaction. Doctor stated that the patient could receive the second COVID-19 vaccine dose in 3 weeks without issue. Patient then discharged from Emergency Department (unsure if AMA). Patient then presented to the pharmacy with her daughter after discharge to fill in staff on the outcome of the reaction. Patient appeared to be at baseline mentally and physically. Pharmacist contacted Emergency Department to discuss case with patient's nurse to obtain information about medications</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							received in the emergency department. Patient daughter stated that she would like to be present for second dose of vaccine to help avoid a similar anxiety related reaction from occurring.
1055539	2/25/2021	ID	43	M	2/18/2021	2/22/2021	A few days after COVID19 vaccine administration on the patient's L arm he developed a L eye stye and a new L upper lip herpes labias outbreak, patient has a history of cold sores in the past. Patient applied topical abreva to the cold sore which he has used in the past resulting in upper lip swelling. Unclear if the upper lip swelling is a result of the abreva or delayed from the vaccine.
1055564	2/25/2021	AZ	78	F	2/3/2021	2/8/2021	My antidepressant, Sertraline has stopped working. After the shot, my eyes got blurry. About 5 days later I thought I had a headache from sinus. After medication and doctor visits, it is not sinus. No appetite. shaky, insomnia, no interest in ordinary activities. Constant headache. Feel very sick.
1055602	2/25/2021	IN	19	F	1/26/2021	1/27/2021	Awoke the next morning with severe headache, fatigue, muscle pain (?felt Like being hit by a truck?). Slept 1.5 days, out of breath walking to bathroom from bed. Treated with sleep and sips of water, soup. However, her mild daily migraine became more severe 2 weeks after the 2nd dose, her vision has worsened, and her eyes spontaneously dilated with pounding headache a few days ago along with nausea. It appears this 2nd dose has made her daily (mild) migraines much more severe.
1055368	2/25/2021		28	M	2/20/2021	2/21/2021	Patient presented with bilateral blurry peripheral vision that resolved over several days. He was found to have P1 PCA stenosis. Additional imaging showed this to be resolved and a normal variant. Additionally, patient diagnosed with myopericarditis. Found to have elevated troponin up to 6, diffuse ST segment elevation on EKG and chest pain. Started on ibuprofen and colchicine with relief. Discharged from the hospital on hospital day 2.
1055665	2/25/2021	NC	70	F	2/25/2021	2/25/2021	Dizziness; faint; feeling of falling off my chair; vision went black.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1055712	2/25/2021	HI	66	F	2/24/2021	2/25/2021	morning fatigue - bedrest, recovered by mid-afternoon neck rash, watery eyes - began a week after first shot. took loratadine this morning, now neck not itchy, eyes not watery. also had covid arm a week after first shot - went away in 3 days.
1055694	2/25/2021	AZ	47	F	1/17/2021	1/18/2021	Extreme myalgia and paresthsias, Pain 9/10. Similar presentation patient experienced with past meningitis event. Insomnia, vision changes, agitation. Prednisone is helpful in making pain bearable. Gabapentin started today. Labs pending.
1055705	2/25/2021	MI	83	F	2/19/2021	2/20/2021	Five days ago, patient received her 2nd COVID vaccination. Following that she had myalgias and some sedation/confusion. She apparently stumbled and struck her head. She did not lose consciousness. She did recover from her symptoms by the next day. She has some soreness on her scalp in the scratch but no significant hematoma. However, she then developed some swelling and redness beneath her eyes. She is here to evaluate that. She she is back to her normal self. Comments: Patient has ecchymosis in swelling beneath both eyes and the bridge of her nose. It is nontender. Scalp-minor area of tenderness in the right vertex. There is a slight abrasion on the skin. No signs of hematoma. Assessment / Plan: 1. Contusion of scalp, initial encounter Contusion right scalp-I suspect patient's lungs are delicate skin informed a small hematoma. The swelling and bruising and 5th settle down into her eye sockets. I reassured patient that this will resolve the next 1-2 weeks. I believe patient had some severe myalgias and fatigue after a COVID shot. I do not think this is a longstanding problem. Expect her to get back to her normal self. Patient did have COVID-19 approximately 3 and half months ago. I told her that people have more significant reaction to the COVID vaccine after having had the illness. At this point, I do not agree need further workup.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1055719	2/25/2021	MI	22	F	2/24/2021	2/24/2021	Onset: Started 7:30 pm, had vaccine at 4 pm. Occurrence: acute. Symptoms: Dizziness, blurry vision - both eyes, headache, muscle aches, nausea. Patient then went to the Emergency Department - presents to the ED with a chief complaint of a headache that began today. The patient had her COVID-19 vaccine today around 1600 and began experiencing multiple side effects afterward. The worst symptoms for her are the headache and body aches. Her other symptoms include dizziness, blurred vision, nausea, weakness, and muscle soreness in the left arm where the shot. Eyes: Positive for visual disturbance. Gastrointestinal: Positive for nausea. Musculoskeletal: Positive for muscle pain. Neurological: Positive for headaches, dizziness and weakness. DIAGNOSIS at time of disposition: 1. Adverse effect of vaccine, initial encounter Acute patient signs symptoms are consistent with an adverse reaction of COVID-19 vaccine. Patient is experiencing the immune response mediated by the vaccine. She is hemodynamically stable, nontoxic, afebrile, well-appearing. She is not taking any medication for symptoms. She is given oral meclizine here in the emergency department for dizziness and nausea. She is given a prescription for this to use at home in addition to Tylenol or Motrin. Patient was instructed to follow up with primary care provider for ongoing evaluation and treatment of current symptoms. Patient was instructed to return to the emergency department for new or worsening symptoms. Patient understood the results, agreed with the plan, and was discharged home in stable condition.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1055727	2/25/2021			U			I woke up at 5:45 am on February 9, 2021 with bright red, raised bumps on the back of my right shoulder extending down the back of my right upper arm. I also had a few spots on my right cheek under my eye, and on my left elbow. They were very itchy and warm to the touch. I took benadryl and it started to clear up. Around 12:00, the spots reappeared and started spreading across my right upper arm. I went to the doctor at 4:45pm on February 9th. He confirmed they appeared to be hives and recommended continuation of benadryl. Over the course of 4 days (February 9th through the 12th) the hives spread across my body (both arms, back, stomach, neck, face, both legs, left foot). They ranged in size from the size of a Q-tip end to banana size hives. They would almost completely clear up when I would take benadryl and reappear as the benadryl wore off. I woke up again on February 20th with about 20 small hives on my neck. They cleared up in about an hour without medication.
1055721	2/25/2021	PA	59	F	2/25/2021	2/25/2021	Patient started experiencing tingling in mouth area within 5 to 10 minutes of receiving vaccine. Patient is aware of beginning symptoms of anaphylaxis since she has experienced in the past. Patient also started feeling her eyes swell. Patient has an EpiPen and was unsure if she should use or wait longer. I contacted 911 to dispatch a paramedic since we would need to contact them anyway if she decides to use her epiPen. Paramedics came within 5 to 10 minutes and took her to evaluate/treat.
1055775	2/25/2021		43	F	2/25/2021	2/25/2021	Blurry vision, neck pain, patient refused to be seen by EMS.
1055784	2/25/2021	MS	65	F	2/21/2021	2/21/2021	Headache, tightness in chest, legs hurting from my knees down, hard to focus vision, and super tired. started about an hour later. Did not sleep well. Stayed in bed the next 2 days. Tightness in chest went away the second day. Third day I felt like myself. These were things that I also experienced with Covid.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1055795	2/25/2021	NY	33	F	2/24/2021	2/24/2021	5 minutes after the injection, I began to feel a sense of panic. My eyes started to ?white out.? I felt extremely hot, nauseous, and light headed. I vomited after a few minutes. Paramedics took my vitals and stated that my blood pressure was very low, in the 70s. I felt dizzy and nauseous for at least 30 minutes. Once I felt better, they gave me some Gatorade and I was able to go home. The next morning, I woke up with a sore neck, sore arm, headache, and slight chills.
1055808	2/25/2021	MO	49	F	2/17/2021	2/19/2021	Numbness and tingling on R side of the face with drooping of eyelids and face currently on day7 diagnosed Bells Palsy
1055967	2/25/2021	IA	44	F	2/24/2021	2/25/2021	Woke up at 1 am with irritation in throat causing me to cough until I sat up . Throat just kept feeling very scratchy and irritated and like something was ? stuck ? in the back of my throat . Tried drinking some water and continued trying to clear throat . Eventually took Benadryl 50 mg orally And if it didn?t improve was contemplating going to ER. Was able to fall asleep about an hour and a half later . When I woke up throat was still sore and scratchy feeling but didn?t feel like there was anything ?stuck ? anymore . Also had some mild itching on face especially my eyelids .
1054955	2/25/2021	GA	71	F	2/12/2021	2/20/2021	Pt has rash on face which itches and has swollen eyelids. Patient has been treated with Dexamethasone and Depo-medrol injection.
1055633	2/25/2021	IA	66	F	2/18/2021	2/23/2021	Iritis of right eye beginning 0500 2-23-21. Saw Dr that day at 0810 since my Dr not in that day. Prescribed a 2 month tapering course of prednisone start at 40mg daily for 2 weeks. Prescribed cyclopentol 1% eye drops to use twice a day for 3 weeks. I have had this condition before but it has not flared up in years, so timing was suspicious when so close to vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1055043	2/25/2021	FL	68	F	2/24/2021	2/24/2021	Within 15-minutes of vaccination, the patient reported pruritus around injection site, as well as pruritus and edema in her face, around her mouth and eyes. Patient denied SOB, CP, Abdominal pain, N/V, or HA. EMS evaluated patient on-site. The patient was hypertensive (174/86). Due to patient's complaint and physical exam, EMS administered Benadryl 50mg IV. EMS transported patient to Largo Medical Center Emergency Department. In the ED, the patient had bilateral palpebral edema, pruritus surrounding injection site spreading down the extremity, and lips were erythematous. No SOB or tongue/throat swelling noted. Patient was hypertensive (164/72). ED Physician administered PO Pepcid and Prednisone by provider in triage. The patient stated they felt improvement after the Benadryl treatment and requested to be discharged from ED. Patient was given information and strict return precautions about anaphylaxis.
1336337	2/25/2021	IL	49	F	1/20/2021	1/20/2021	Light-headed, fuzzy 0 HA, vision changes, 0 chest pressure, 0 SOB 0 wheezing 0 urticaria
1055366	2/25/2021	CA	69	F	2/18/2021	2/20/2021	Shingles R face, diagnosed by ER visit on 2/24/2021. rash began 2/20/2021. pt called 911 and was transported by ambulance due to eye swollen shut from shingles.
1054963	2/25/2021	CA	73	F	2/1/2021	2/23/2021	Paralyzed right side of face (possible Bells Palsy), predisone, right side of face will not move, eye will not close, unable to smile, condition is unchanged.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1054975	2/25/2021	KS	77	F	2/25/2021	2/25/2021	<p>Progress Notes (Nurse Practitioner) ? ? Family Medicine  Cosign Needed Expand AllCollapse All 2/25/2021  Date:  2/25/2021</p> <p>Subjective a 77 y.o. female who was seen at Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience L hand numbness. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , chest pain, rapid progression of symptoms and respiratory distress. PMH includes DM, HTN, asthma. Takes metformin and losartan around noon every day. She has not taken her bp medication yet today as she takes it with lunch. ALLERGY REVIEW OF SYSTEMS: Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, eyes itching, cough, chest tightness, shortness of breath, wheezing, rash, hives, eczema, cysts, itching of skin, muscle aches, dizziness and headaches Previous Reactions: none  Objective Vitals Vitals: 02/25/21 1145 02/25/21 1201 BP: (!) 160/97 124/83 Pulse: 72 SpO2: 99%  Physical Exam Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not diaphoretic. Neck: Thyroid: No thyromegaly. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Musculoskeletal: Cervical back: Neck supple. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Cranial Nerves: No cranial nerve deficit or facial asymmetry. Sensory: Sensation is intact. No sensory deficit. Coordination: Coordination is intact. Gait: Gait abnormal (walks with walker, steady gait). Comments: +5/5 strength against</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>resistance to both upper and lower extremities. Assessment/Plan Treatment included: water Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) and Local reaction (arm pain, bleeding/bruising, mechanical irritation, localized rash) Exam is stable/unremarkable. VS improved. Pt monitored for 20 minutes. She feels well. Possible more likely anxiety related than a local reaction. Pt aware to monitor and follow up with pcip if needed. Pt here with husband whom walked out with her. She declined wheelchair. She feels well. APRN Electronically Signed 2/25/2021 11:59 AM</p>
1054988	2/25/2021	CA	64	F	2/17/2021	2/17/2021	<p>I started experiencing chills within half an hour after the shot. The following 24 hours I experienced total insomnia, chills, headache, body ache, shoot pains, extreme weakness, and nausea. Insomnia lasted 3 nights. The other side effects began to decrease after 24 hours, but still prominent enough to prevent from actively engage in anything for another 24 hours. After the third night of insomnia, I thought I had turned the corner. But I continued to experience headache (I basically never have headache), occasional nights of insomnia (I usually sleep extremely well), and low level of nausea, and fatigue. Today, 8 days after the shot, after another night of difficulty in sleeping, I woke up with the same headache behind my right eye, nausea, weakness, and fatigue. This is when I thought to report these side effects.</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1055010	2/25/2021	KS	54	F	2/19/2021	2/19/2021	<p>Progress Notes by Family Medicine Nurse Practitioner COVID VACCINE CLINIC 2/19/2021 Patient is a 54 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience mouth dryness. She denied rash, hives, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality, drooling, hypotension, increased swelling, rapid progression of symptoms, respiratory distress, skin changes and tongue swelling. PMH includes seasonal allergies (took zyrtec this am as routinely scheduled), htn, hld. ALLERGY REVIEW OF SYSTEMS: Patient denies chills, fever, malaise/fatigue, facial swelling, itching in ears, sore throat, frequent throat clearing, cough, chest tightness, shortness of breath, wheezing, rash, hives, eczema, cysts, itching of skin, abdominal pain, muscle aches, dizziness and headaches Previous Reactions: none Objective Vitals Vitals: 02/19/21 1533 02/19/21 1536 02/19/21 1541 02/19/21 1600 BP: (!) 157/91 (!) 164/91 (!) 158/92 (!) 149/87 BP Location: Right arm Pulse: 88 SpO2: 99% Physical Exam Vitals and nursing note reviewed. Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not ill-appearing, toxic-appearing or diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Comments: Clear oral airway/intact. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Neck: Thyroid: No thyromegaly. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>Mental Status: She is alert and oriented to person, place, and time. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: antihistamines and water Follow up response to treatment: good. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) and Red flag symptoms (CP, SOB, NVD, Visual/Neuro concerns) Pt stable and doing well. Pt agreeable to monitor symptoms. Aware of when to seek emergent care. Follow up with pcp otherwise. Pt given ride with one of her co-workers. Pt ambulatory out of the facility. Electronically Signed 2/19/2021 3:41 PM</p>
1055037	2/25/2021	TX	38	F	2/8/2021	2/17/2021	<p>Bell palsy develop Wednesday early morning some numbness in lip but condition worsen around 7pm at night, face droop, blurred vision , and paralysis set in. Thursday seen dr and started prednisone 20mg tablet , 2 tablet once a day and valtrex 20mcg , 3 times daily . Currently a week on meds and symptoms hasn't improved. Never been diagnosed with bell palsy or have any neuroconditions. Blurred vision and paralysis is still the same. Have some eyelid and mouth movement.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1055050	2/25/2021	KS	43	F	2/19/2021	2/19/2021	A 43 y.o. female received her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience lightheadedness and feeling weak. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , hypotension, rapid progression of symptoms, respiratory distress, skin changes and tongue swelling. PMH: anxiety and bipolar. Takes Aripiprazole for this. No other medical history reported. ALLERGY REVIEW OF SYSTEMS: Patient complains of dizziness (lightheaded), Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, eyes itching, cough, chest tightness, shortness of breath, wheezing, rash, hives, eczema, cysts, itching of skin, abdominal pain, joint pain and headaches. Previous Reactions: none. Vitals -- 02/19/21 0350 02/19/21 1610. BP: 131/77 125/77. Pulse: 89 75. Resp: (!) 22 16. SpO2: 100% 100% Physical Exam--Vitals and nursing note reviewed. Constitutional -- General: She is not in acute distress. Appearance -- Normal appearance. She is well-developed. She is not ill-appearing, toxic-appearing or diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Comments: Clear oral airway/intact Eyes: Conjunctiva/sclera: Conjunctivae normal. Neck: Thyroid: No thyromegaly. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing. Musculoskeletal -- Cervical back: Neck supple. Skin -- General: Skin is warm and dry. Capillary Refill: Capillary refill takes less than 2 seconds. Neurological -- General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time; Gait: Gait normal. Psychiatric -- Mood and Affect: Mood is anxious; Behavior: Behavior normal; Thought Content: Thought content normal; Judgment: Judgment normal.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							Assessment/Plan -- Treatment included: water and snacks. Follow up response to treatment: good. Patient discharge: Stable to go home and follow up with PCP; Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health). Pt aware of monitoring symptoms at home. Follow up as needed with pcp. Recommend that she eat a snack and hydrate prior to next vaccine #2 of Pfizer.
1055079	2/25/2021	OK	45	F	2/24/2021	2/24/2021	Report of event received on 2/25. Administered at 3:50pm and observed for 30 minutes. At approximately 5:45p patient developed nausea and "slight" throat tightness with redness and swelling at site. 6:33p intense itching on neck and arm. Took Benadryl 50 mg PO and Prednisone 20 mg and felt better. 7:30p chills; 8:30p arm soreness; 8:50p intense itching on soles of feet 9:00p N/V and hot flashes. 9:20p Benadryl 50mg and Pepcid 20mg; 9:30p itching on soles; 9:55p double vision and 10:00p itching soles at midnight went to the ER with throat tightness and was given Solumedrol IV and a mouthwash containing Maalox and lidocaine. Diagnosed with Covid 19 vaccine dysphasia.....she was discharged to home with steroids.
1055101	2/25/2021	AZ	32	F	1/7/2021	1/8/2021	Left became irritates with erythema and had blurred vision which resolved by the following day.
1055113	2/25/2021	TN	77	F	2/23/2021	2/23/2021	1604 rt deltoid swelling raised area 2 in. in diameter no redness/drainage ice pack applied new band aid applied 1620 swelling reduced pt left after visualizing and verbalizing no additional change or concern
1055121	2/25/2021	NJ	40	M	2/20/2021	2/20/2021	I had extreme chills, aches, muscle pain, vertigo, headache, and fatigue for 72 hours. At one point is was so bad i could just lay with my eyes closed and could not sleep but just lay there. I had to take off of work and was bed ridden.
1055273	2/25/2021	CA	70	F	2/23/2021	2/24/2021	2/25/2021 Vision changes, 2/24/2021 joint pain, fever, fatigue
1055346	2/25/2021	TX	70	F	2/25/2021	2/25/2021	Shortness of breath, Uncontrolled shaking, elevated BP, Pale, Clammy, eyes rolled back in head,

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1055029	2/25/2021		70	F	2/19/2021	2/20/2021	Right sided ear pain and hearing loss, and ptosis of right eye that started 1 day after vaccine administered. Hearing loss has improved after 3 days, yet still diminished.
1055326	2/25/2021	SC	74	F	2/9/2021	2/24/2021	on 2/24/21 noted discomfort starting on scalp on top of head going down to left eyebrow, onto left orbit down face on left side of nose, also a fever blister on bottom lip starting 2/22/2021,discomfort continues. have not called M.D. Lysine ointment on lip. no other treatment
1055128	2/25/2021		81	M	2/19/2021	2/20/2021	Patient presented to ED due to AMS, syncope. Wife reported that he became confused with generalized weakness and dropped his food on the floor and became unresponsive with his eyes and mouth open. Patient was febrile to 103 on admission w/o leukocytosis. He was admitted to hospital medicine for acute encephalopathy with associated loss of consciousness. Neurosurgery consulted but no neurosurgical intervention needed. Patient improved & discharged home 2/24/21.
1055251	2/25/2021	FL	68	F	2/24/2021	2/24/2021	Redness @ injection site moving down arm to wrist, intense itching of arm with mild numbness, followed by mild itching, swelling and redness of lips and perimeter of eyes, spike in blood pressure and dizziness, alleviated with paramedic's IM inflection of 50 mg benedryl and a steroid pill at ER
1055228	2/25/2021	AZ	75	F	2/24/2021	2/25/2021	Upon awakening on the 2nd day, she had a red spot on the white part of her right eye, which is not swollen. It is not painful. She still has the red spot, but no pain.
1055204	2/25/2021	KY	74	M	2/6/2021	2/18/2021	Change in vision, on exam noted to have swollen right optic disc, MRI normal, likely a secondary non-arteritic ischemic optic neuropathy and further workup is pending.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1055132	2/25/2021	GA	52	F	2/20/2021	2/23/2021	I have a 3 inch in diameter mass of swollen lymph nodes under my left arm (had both shots in left arm). I read online that this is a sign of my body fighting the vaccine and it is a good sign. I went to my doctor just to have it checked out and because both of my eyes look like I have pink eye. My doctor isn't sure if my eyes have anything to do with the vaccine but said probably not. She said that I needed to report my mass as it is not one of the most common side effects. I also went to the health department, where I had both shots, and had them look at the mass. They said the same thing about my body fighting the vaccine. My doctor and the health department said that while they have seen the swollen lymph nodes from the shot, they haven't seen such a large mass like mine. Both of them said I needed to report this.
1055163	2/25/2021	TN	60	F	2/23/2021	2/23/2021	1010 pt c/o eyes draining clear fluid, generalized tingling, redness Dr notified and assessed order received to administer po benadryl 25 mg po 1030 symptoms resolving continued to monitor for additional 30 min. 1100 pt stable and symptoms resolved left premises this time.
1055157	2/25/2021	WV	49	F	12/22/2020	12/22/2020	12/22 vaccination 4pm. 4:05 PM, my HR went way up. I broke out on neck, chest, face; fire engine red. Felt like burning from the inside, out. Lightheaded and dizzy. Got puffy. Was NOT anaphylactic. 2 Benadryl. I didn't feel good for a couple weeks. 14-20 days, same experience with redness/burning. I took pictures. That happened every day for 4-5 more days. I went to doctor after doctor; ER after ER. About 6-7 times I have been to the ER; SOB, dizzy all the time, panic attack/anxiety, Stomach is not emptying correctly (NOT diabetic), eye keeps twitching, hurting behind my eyes, all my muscles are shrunken now. Blood panel, stress test; gastroparesis; positive; ringing in my ears; SOB; *COVID; negative.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1055133	2/25/2021	OH	67	F	2/25/2021	2/25/2021	S/P Covid Vaccine 1st dose, pt alert/oriented, calm, answering Covid questions appropriately. Prior to vaccine. pt reports she doesn't really like vaccines. Vaccine administered at approx 2:34 pm. Pt reports she doesn't feel well, reports she did not eat or drink today. This nurse gave her water to drink. Pt unable to drink, briefly passed out in chair approx 2:36pm. Myself and RN lowered pt from chair to floor. Site Director called EMS. RN assisted by raising pt's legs above heart level. RN checked b/p 70 palp, pts airway maintained, rechecked b/p 80 palp. As pt returned to consciousness reports she is about to vomit, assisted pt to (R) side >vomited small amount clear liquid x2 into bag provided, pt reports she feels better. EMS arrived, transported pt to ED via stretcher @ 2/40 pm, pt's coat, eye glasses, and purse placed on stretcher with pt. Pharmacist contacted pt's husband at 2:40 pm. Site Director notified.
1055186	2/25/2021	NY	36	F	2/25/2021	2/25/2021	Felt lightheaded getting up in the observation area. Fell struck head lost consciousness times one minute. Complained of mild headache which cleared while being observed. Drank OJ and vomited it. No further nausea. Denies dizziness, neck pain, double vision, amnesia. Recovered fairly quickly while resting. Felt much better. Refused transport. Taken home by husband with instructions to monitor LOC. Follow up with family MD advised.
1051705	2/24/2021	IN	74	F	2/23/2021	2/24/2021	Extreme drop in blood pressure: Vaccine at 3:30 PM first drop @ 5:15 Pm to 84/51 HR 93; @ 5:50 PM 80/41 HR95; 7:00 PM 128/60 HR 50; 3:40 AM 85/46 HR 58-Irregular. This continued -the up 7 down till this writing (2/24 @ 9:30 AM). Also body aches, chills, barely able to move. No headache this time. Almost forgot - vomiting from 8:00 PM (2/23) till midnight (approx). I have vision difficulty from time of vaccination till now. I think that is all. General not feel goods!

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1051786	2/24/2021	NJ	77	M	2/3/2021	2/7/2021	Four days after receiving the first Pfizer COVID-19 vaccination (2/7/2021) I began experiencing double vision. This double vision was intermittent, lasting for several hours at one time. This double vision persisted and worsened with double vision all day long. At the ER prior to discharge, Dr. diagnosed me with possible "Ocular myasthenia gravis" and prescribed me with Pyridostigmine Bromide. After having been 30mg of this medicine daily for 1 week, the double vision has not subsided. Starting today (2/24), I am beginning to take 60mg daily. This double vision continues today (2/24/2021) even with the newly prescribed medication
1051813	2/24/2021	FL	74	F	2/17/2021	2/18/2021	Weak, tired, cold, nausea, off balance, migraine headache, eye pain, blurry vision, foggy brain, face pain, trigeminal neuralgia, neck and face hot and red, sweating and shaking, threw up like acid, insomnia, frequent urination, diarrhea.
1051819	2/24/2021	AL	80	F	2/17/2021	2/17/2021	pt stated that the day after the covid vax she had the dry heaves and body aches and pains. The second day she shaking and jerking, couldn't hold on to anything. Her blood pressure was up and down that day. She said she felt like she was dying and then she vomiting where she bruised both elbows on the toilet bowl due to the jerking movement she was experiencing. She took a nap and woke up confused. She was hallucinating saying she felt like she went from a small box to a blue box to red box and didnt recognize her room. Her sitter said her eyes were glazed but was able to recognize her sitter at that time. Blood pressure dropped so the sitter then called EMTs where they checked her out. Vital signs were good but she declined to be transported to the hospital via ambulance. The third day she was feeling some better where she was able to eat and get a sponge bath. Fourth day she was better so was able to shower. She states she is better now with just a little soreness and redness around the injection site. Pt has contacted her PCP and spoke with the nurse about her symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1051841	2/24/2021	OH	67	M	2/12/2021	2/13/2021	Sudden onset of brief, recurring flashing lights in left eye visual field for 2 hours, then sudden onset of ring shaped floater in same left eye on the afternoon of 02/13/2021; one day after receiving first Pfizer-BioNTech vaccine at the COVID vaccine clinic on 02/12/2021. No further lightening flashes since the initial day of symptoms (02/13/2021). Floater has persisted. Seen by ophthalmologist on Monday 02/15/2021 confirming posterior vitreous detachment.
1051858	2/24/2021	IN	49	F	2/23/2021	2/24/2021	Bloody nose with nasal pressure and headache, burning and itchy eyes.
1051874	2/24/2021	OH	35	F	2/23/2021	2/24/2021	Extreme pain in left jar and behind left ear. Mild face dropping on the left side, noticeable when I smile and around my eyes.
1051934	2/24/2021	TX	40	F	2/8/2021	2/17/2021	On Wednesday, Feb 17, I experienced an earache in my left ear and an eye twitch in the left eye, which continued to Thursday, Feb 18. On Feb 18, also experienced extreme fatigue and a jabbing, throbbing pain behind my left ear that came and went all day. I also noticed when I brushed my teeth that I had a hard time swishing water in my mouth, especially on the left side. On Friday morning, I woke up and noticed my left eyelid was drooping and my smile was lopsided. As I have a history of hemiplegic migraine, I assumed I was experiencing a migraine, although this was not the usual course of these migraines, and I had not had one of these types of migraines in many years. The left side of my head, behind my ear, and wrapping from my neck to my temple continued to hurt (but not as painful as a normal migraine). Thinking I was in a chronic migraine state, I took 40 mg of Prednisone, as I have done before to 'cut through' the migraine. When the facial weakness did not resolve by the next day, I suspected this was not migraine and instead suspected Bell's Palsy and consulted my physician. Looking back in time, I also realized that I had experienced some adverse tingling/taste sensations on part of my tongue as far back as February 8, that felt similar to burning your tongue from drinking too hot liquids that I realized later could have also been part of the Bell's Palsy.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1052005	2/24/2021	OK	43	U	2/23/2021	2/23/2021	11:37: felt rapid HR, c/o blurred vision & headache; 11:41: felt like might pass out, was assisted to floor; 11:43: HR: 85 BP: 135/90 O2: 100%, c/o blurred double vision, headache, & chest pain, & tongue swelling; 11:44 Benadryl 25 mg PO given; still c/o tongue swelling HR: 83; O2 applied at 25L via NC; 11:46: Rapid response team called; 11:48 18g IV started in LAC, Epinephrine 0.3 mg admin IV; 11:53: Slurred speech observed, c/o feeling tired; 11:56: BP: 155/100 HR:85 O2: 100% on O2 of 25L; 11:59: c/o chest pain, stated "tongue not as swollen"; 12:03: Pt alert & orientedx4 BP: 150/100 HR: 85 O2: 100% on 25L; 12:05: Pt on air mattress then transferred to stretcher; c/o Chest pain and dizziness; transferred to ED
1051955	2/24/2021	PA	48	M	2/16/2021	2/16/2021	PT reports vaccine on a Tuesday morning at 930, at 6PM> 9 hours after injection L ear fullness/pain/pressure. Wednesday, L eye watery and pain behind L ear. Thursday dribbled when drinking water when working overnight shift. upon awakening Friday afternoon, speech was "off" noted L side of face drooped and unable to close L eye. went to Urgent care and referred to ED for suspected stroke due to High BP> member stopped HTN meds 8/2020. Seen at Holy Redeemer Hospital ED and dx Bell's palsy. now on steroids, eye ointment and metoprolol.
1051980	2/24/2021	NY	64	F	2/1/2021	2/1/2021	5 hrs post- Left eye flashing lights to lateral area throughout night, leading to "floaters" in early AM, leading to linear "blur" along field of vision. Primary eye exam suggested PVD. Follow up w. retinal specialist 1 wk later confirmed. 22 hr post- sudden onset chills, fever. Symptoms abated after 3-4 hr, after Motrin 800mg
1052130	2/24/2021	CA	70	F	2/10/2021	2/14/2021	3rd day after vaccine: fatigued, headache, unable to concentrate 4th day: disoriented, strange visions when eyes were closed, fatigue, VERY loud ringing in ears, tight chest, puffy eyes, heart racing & pounding 5th day:Diarrhea, fatigue
1052009	2/24/2021	MA	25	F	2/21/2021	2/21/2021	Vision was off for about an hour. Felt like my eyes weren't focusing properly, but did not impact my overall vision.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1052055	2/24/2021	CO	55	F	2/12/2021	2/13/2021	Received vaccine at 1130 AM, and at 0400 the following day, awoke from sleep feeling the worst dehydration she has ever had. Got up and went to bathroom and then took water bottle to kitchen to fill. Lost consciousness she believes for 20 minutes or longer. Awakened on the floor with a cut to her right eyebrow and a bruise to her left shoulder. She sustained a cut to her right eyebrow that required 7 sutures to close. In ED a complete work up was done with negative Head CT, negative EKG, elevated D-dimer, but no evidence on Chest CT of pulmonary embolus. ED diagnosis: Dehydration due to side effects from receipt of Moderna, COVID-19 vaccine.
1051010	2/24/2021	MN	84	F	2/3/2021	2/3/2021	blindness in one eye; delirium; Weakness; This is a spontaneous report from a contactable consumer. An 84-year-old female patient received bnt162b2 (Pfizer-BioNTech COVID-19 mRNA vaccine), via an unspecified route of administration in the left arm on 03Feb2021 11:15 at a single dose for covid-19 immunization. Medical history included congestive heart failure, diabetes, glaucoma, breast cancer survivor, high blood pressure and allergies. The patient has unspecified concomitant medications. On 03Feb2021 21:30, the patient experienced blindness in one eye, weakness and delirium. The patient did not receive treatment for the events. The events were assessed serious, disability. The patient has not tested positive to covid prior vaccination. The outcome of the events was not recovered. Information on Lot/Batch has been requested.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1051587	2/24/2021	NY	43	F	2/23/2021	2/23/2021	Systemic: Allergic: Anaphylaxis-Severe, Systemic: Allergic: Difficulty Breathing-Severe, Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Severe, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Severe, Systemic: Chest Tightness / Heaviness / Pain-Severe, Systemic: Exhaustion / Lethargy-Severe, Systemic: epipen was administered at 1:02 PM by, benadryl 50 mg po, and O2 inhalation, and patient was transported to ED at 1:08 PM. patient was given a second dose of epipen in the ambulance and at 2:48 PM, patient is stable and improving-Severe, Systemic: Shakiness-Severe, Systemic: Tachycardia-Severe, Systemic: Weakness-Severe, Additional Details: at 12:20 PM, recieved the pfizer bointech covid vaccine- 1st dose. lot:e19269 exp:05/21 which was mixed by employee and injected by employee. prior to getting the vaccine, patient told employee that she recieves cortisone injections in her elbow, unknown frequency, and due for her next injection on the following day 02-24-2021 and employee told her that she can double check with her doctor and consented to recieving the vaccine. at 12:30 PM
1051949	2/24/2021	OH	74	F	2/5/2021	2/5/2021	About 10 minutes after receiving the Maderna vaccine my head started hurting which I reported to the doctor on site. She talked to me and said I was ok to go. My headache pain persisted all day and into the next. For the pain I took Tylenol and Advil. The pain has not let-up since the day of my vaccination. In addition to the head pain, I started sneezing and had terrible eye irritation with burning and watering. These side effects are still persisting. The worst, however, is the severe head pain which only settles down when I sleep. I am sleeping only 3-4 hours at night now. I wake up for a bathroom break at 3-4 A M and can't go back to sleep. My head pain starts after I get up every morning about 1/2 hour to an hour. My doctor recommended taking Extra Strength Tylenol and Advil alternating them and an antihistamine. Functioning day to day and making decisions has been very difficult. But, the pain is the worst!!!

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1051368	2/24/2021	MA	59	F	1/15/2021	1/1/2021	small sore throat; little bit of congestion; lot of aches and pains; very tired; her face was flushed and ordinarily she wouldn't think this was odd, but it was under her eyes, and she doesn't usually have under her eyes red too; her face was flushed and ordinarily she wouldn't think this was odd, but it was under her eyes, and she doesn't usually have under her eyes red too; This is a spontaneous report received from a contactable consumer (patient). A 59-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19, lot number: EL1284, expiry date: 31Apr2021), via an unspecified route of administration on the left arm, on 15Jan2021 09:30, at single dose, for covid-19 immunization. Medical history included heart issues from an unspecified date, cardiac ablation in 2020, total knee replacements on 2001 (approximately 20 years ago) and 2009 (approximately 12 years ago), spinal fusion surgery in 2017 (3 fused disc in her back approximately 4 years ago). Concomitant medication included cortisone which started on 21Jan2021 (as reported, pending clarification) for an unspecified indication. In Jan2021 (reported as "Saturday morning"), the patient experienced small sore throat, a little bit of congestion, a lot of aches and pains, and felt very tired. She was calling because she didn't know if it was possible if she could be having a reaction. She stated she had one other symptom, her face was flushed and ordinarily she wouldn't think this was odd, but it was under her eyes, and she doesn't usually have under her eyes red too. Treatment for the events small sore throat, a little bit of congestion, a lot of aches and pains, and felt very tired included Mucinex Night Shift Cold and Flu syrup, Halls Relief lozenges and Advil. The patient reported that her symptoms have stayed about the same. The patient took her temperature on an unspecified date and reported that it was fine. She reported she did not any lab tests done for the events. The outcome of the events was not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1051003	2/24/2021	UT	71	F	1/27/2021	2/5/2021	Bell's Palsy; This is a spontaneous report from a contactable consumer, reporting for herself. A 71-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number: EL9265), via an unspecified route of administration at the left arm on 27Jan2021 15:15 at a single dose for COVID-19 immunization. Vaccination was done in a Public Health Department. Medical history included hypertension (HTN), gastroesophageal reflux disease (GERD), total hysterectomy and osteoarthritis, all from an unknown date and unknown if ongoing. The patient was not pregnant. There were no known drug allergies. Concomitant medication included celecoxib (CELEBREX), omeprazole magnesium (PRILOSEC), estradiol (ESTRACE), metoprolol succinate (TOPROL XL) and ascorbic acid, betacarotene, cupric oxide, tocopheryl acetate, zinc oxide (PRESERVISION). It was reported that the patient experienced right sided neck pain which began a couple of days after vaccination on 06Feb2021 07:00. On 05Feb2021, her right eye was twitchy. On 06Feb2021, the right side of her face felt swollen. It felt like when you go to the dentist and get numbed. She tried drinking a liquid and it ran out of the right side of her mouth. She went to urgent care and they sent her to the emergency department. She had a CAT-scan, MRI and blood work done which all came back normal. Her right eye was not closing all of the way and they diagnosed her with Bell's Palsy on 07Feb2021. She was prescribed a course of prednisone and Valtrex. She has continued to have right-sided facial paralysis and her right eye will not close. She had had severe pain in her right eye and had to tape it shut to sleep and often during the day because it dries out. She was using Systaine eye drops every couple of hours and an eye gel at night. She was concerned about getting the second dose because she does not want this to get worse. There were no other vaccines in four weeks. There was no COVID prior to vaccination and was not COVID tested post vaccination. The outcome of the event was not recovered.
1052142	2/24/2021	IA	67	F	2/23/2021	2/24/2021	Body aches, Eye pain, brain fog, fatigue, headache

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1050998	2/24/2021	MA	86	M	1/20/2021		<p>He can barely see/he cannot see/his vision is getting worse and worse/visions problems; This is spontaneous report from a contactable consumer who reported for her father. An 86-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration on 20Jan2021 (at the age of 86-year-old) as a single dose for COVID-19 immunization. Medical history included two ongoing autoimmune diseases from unspecified dates and an ongoing pacemaker from an unspecified date. Concomitant medications included ongoing blood thinners from an unspecified date. The patient experienced he can barely see/he cannot see/his vision is getting worse and worse and vision problems, both on unspecified dates. The patient's child called and stated that "my father is on blood thinner. He has two autoimmune diseases and has a pacemaker. He developed visons problems within a few days after receiving the first dose of Pfizer COVID-19. Now he cannot take care of his dog. He will not be able to take care of himself. His vision has gotten progressively worse, he can barely see. I spoke to the specialist and other doctors, but they have no information. He will be seeing the doctor in 2 weeks only. I reported the side effects online. It was hard to get medical help because not many people are informed about what might go on with the vaccine. To get him diagnosed has been difficult. They can't do an MRI on him because he has a pacemaker. He is also 2 weeks out to see a specialist. In the meantime, he cannot see. His vision is getting worse and worse. His next vaccine is coming up too." The reporter had called and spoke with the director of immunization at the health department. She had also called and talked to VAERS as well. No one could point her to any help. The reporter believed this was probably related to the autoimmune diseases. The patient had no consultation not take the vaccine. The reporter had answered some information on the website while she had been waiting. The rest of the family also had autoimmune issues, and now they were all wondering if it was safe for them to take (the vaccine). The reporter wanted to know if we could provide any recommendations and if her father could get the second dose of the COVID-19 vaccine. The clinical outcome of the event was not recovered. The lot number for the vaccine, BNT162B2,</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

was not provided and will be requested during follow up.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1051007	2/24/2021		79	F	2/4/2021	2/1/2021	sinus infection; cannot see out of her right eye; sick; terrible terrible splitting headache on her right temple; can't sleep; pressure behind her right eye; head is all fuzzy; mind isn't good; throat hurts; jaw hurts; little off balance; she walks she falls into things; she walks she falls into things; can't see things hardly in her right eye; pain; This is a spontaneous report from a contactable consumer (patient). A 79-year-old female patient received second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection; lot number and expiration date were not reported), via an unspecified route of administration on 04Feb2021 at single dose for Covid-19 immunization. The patient's medical history was not reported. Concomitant medication included atenolol for blood thinner. The patient previously took first dose of bnt162b2 for Covid-19 immunization and experienced no adverse event. The patient stated that she received the second dose of the vaccine on 04Feb2021 and has been sick ever since. She has a terrible terrible splitting headache on her right temple and can't sleep and was having so much pressure behind her right eye. She stated she can't even lay her head on a pillow. She stated she had no reaction to the first shot but this time her head is all fuzzy, her mind wasn't good and when she sets things down she can't remember where they are. The second shot was really giving her a fit. Her throat hurts, jaw hurts, head hurts, and feels like she is running a temperature. She is a little off balance, when she walks she falls into things because she can't see things hardly in her right eye. She stated she can't put up with the pain any longer, it is terrible behind her temple and eye. She thought it was a sinus infection but now she thinks it was from the shot. She stated she almost had a wreck today because she cannot see out of her right eye because of the shot. She hit a telephone thing and almost wrecked 3 or 4 times. She tried to get tested for Covid but she didn't have an appointment and she cannot go to work until she finds out about the virus. She was going to get tested tomorrow but was going to have to call the rescue squad because she can't drive and she was not putting her son through this if she has the virus. The patient asked if she was allergic to the second shot or if these were normal symptoms. She asked what she should do. She stated she takes Atenolol, a blood thinner, and thyroid medicine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							She stated she was taking Tylenol but it doesn't help any and nothing seems to help. All the events occurred on Feb2021. Outcome of all the events was unknown. Information on the lot/batch number has been requested.
1051013	2/24/2021	NY	36	F	2/9/2021	2/9/2021	Exactly two hours after injection, while driving, I felt light headed, dizzy, then tunnel vision as if I was going to pass out. I had muscle weakness in my arms and legs. I managed to pull over safely; Exactly two hours after injection, while driving, I felt light headed, dizzy, then tunnel vision as if I was going to pass out. I had muscle weakness in my arms and legs. I managed to pull over safely; Exactly two hours after injection, while driving, I felt light headed, dizzy, then tunnel vision as if I was going to pass out. I had muscle weakness in my arms and legs. I managed to pull over safely; Exactly two hours after injection, while driving, I felt light headed, dizzy, then tunnel vision as if I was going to pass out. I had muscle weakness in my arms and legs. I managed to pull over safely; Exactly two hours after injection, while driving, I felt light headed, dizzy, then tunnel vision as if I was going to pass out. I had muscle weakness in my arms and legs. I managed to pull over safely; I was nauseous and couldn't walk; I was nauseous and couldn't walk; Felt like immediate drop in blood pressure; This is a spontaneous report from a contactable consumer. A 36-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE) lot number: EN5318, via an unspecified route of administration at left arm on 09Feb2021 10:00 at a single dose for COVID-19 immunisation. The patient had no medical history. The patient is not pregnant. There were no concomitant medications. On 09Feb2021, exactly two hours after injection, the patient felt lightheaded and dizzy while driving, then tunnel vision as if she was going to pass out. The had muscle weakness in my arms and legs. The patient managed to pull over safely. She was nauseous and couldn't walk. This lasted about 15 minutes and then she was better. The patient felt like immediate drop in blood pressure. No treatment was received. The outcome of the events was recovered on an unspecified date.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1051286	2/24/2021	WA	37	M	1/25/2021	1/26/2021	Severe puffiness of eyes.; This is a spontaneous report from a contactable consumer, the patient. A 37-year-old male patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot Number E69263), via an unspecified route of administration in the right arm on 25Jan2021 at 09:15 (at the age of 37-years) as a single dose for Covid-19 immunization. Historical vaccine included the first dose of BNT162B2 (Lot Number E61284) on 04Jan2021 at 09:00 (at the age of 37-years) in the right arm for Covid-19 immunization. The patient's medical history and concomitant medications was not reported. Prior to the vaccination, the patient was not diagnosed with COVID-19. The patient did not receive any other vaccine within 4 weeks prior to the vaccine. On 26Jan2021 11:45, the patient experienced severe puffiness of eyes. The patient was seen in emergency department or urgent care. The patient was treated for the severe puffiness of eyes with diphenhydramine hydrochloride (BENADRYL). The clinical outcome of the event severe puffiness of eyes was recovering. It was also reported that since the vaccination, the patient had not been tested for COVID-19.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1051285	2/24/2021	NM	32	M	1/23/2021	1/23/2021	dizzy; foggy; diaphoretic; blurred vision; nausea; had one episode of vomiting; This is a spontaneous report from a contactable pharmacist. A 32-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE) (lot number EN5318/expiration date: not provided), via intramuscular route of administration, on 23Jan2021 12:00 (at the age of 32 years old) as a single dose for COVID-19 IMMUNIZATION. Relevant medical history and concomitant medication were not provided. The patient did not have any known allergies. On 23Jan2021 at 12:00 immediately after the injection, the patient felt dizzy, foggy, diaphoretic, had blurred vision, nausea and had one episode of vomiting. The patient did not receive any treatment for these events. After the patient had emesis episode, the patient immediately returned to baseline and felt better. The patient stated that he normally had some type of reactions after injections. The patient was observed for a full 30 minutes and given water. 1225 patient check on and a this time had made a complete return to baseline. Patient discharge home after his full 30minute observation period ended at 1230. The outcome of the events dizzy, foggy, diaphoretic, had blurred vision, nausea and had one episode of vomiting was recovered 23Jan2021 at 12:30.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1051355	2/24/2021	CA	51	M	1/8/2021	1/15/2021	Universal hair loss: scalp, eyelashes, eye brows, pubic hair; Universal hair loss: scalp, eyelashes, eye brows, pubic hair; This is a spontaneous report from a contactable consumer (patient). A 51-year-old male patient received second dose BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number: EJ1686A) at the age of 51 years-old via unspecified route of administration on 08Jan2021 in left arm at single dose for COVID-19 immunization in the hospital. Medical history included GERD (Gastroesophageal reflux disease). The patient had no allergies to medications, food, or other products. Concomitant medication included VITAMIN D NOS. The patient previously took first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number: EH9899) at the age of 51 years-old via unspecified route of administration on 20Dec2020 at 01:00 PM in left arm for COVID-19 immunization. No other vaccines have been administered within 4 weeks prior to the COVID vaccine. Prior to vaccination, patient was not diagnosed with COVID-19. On 15Jan2021 patient experienced universal hair loss: scalp, eyelashes, eyebrows, pubic hair. No treatment received for the adverse events. Since the vaccination, the patient has been tested for COVID-19. Post vaccination patient underwent labs and procedure on 19Jan2021 included PCR (Polymerase chain reaction): negative, Nasal swab: negative. The outcome of events was not recovered. No follow-up attempts are possible. No further information is expected.
1051563	2/24/2021	GA	60	M	2/15/2021	2/16/2021	1 day post second Covid 19 vaccine patient experienced severe headache that progressively intensified and loss of vision out of the right eye. Subsequently, he presented to the ED and was found to have a left occipital lobe intraparenchyma hemorrhage & 1-acute subdural hemorrhage posterior left tentorial. He was air transport to another facility for treatment/monitoring. He is currently still admitted . He remains without right eye vision.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1051414	2/24/2021	NJ	57	F	12/31/2020	12/31/2020	I felt like I was going to pass out; suddenly all over my body under my skin was burning everywhere; my heart was pounding so fast; dizzy; seeing blurry; tongue was stinging; eye lids were burning; I didn't feel right the whole rest of the night.; This is a spontaneous report from a contactable consumer. A 57-years-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EK9231/212080597001), the first dose, via an unspecified route of administration on 31Dec2020 18:30 at single dose for covid-19 immunisation. Medical history included High Cholest. Type 2 Diabetes, High Blood Pressure, Fatty Liver, Overweight, and allergies to medications: Penicillin. Concomitant medication included levothyroxine sodium (UNITHROID), olmesartan medoxomil (BENICAR), rosuvastatin, empagliflozin, linagliptin (GLYXAMBI), escitalopram oxalate (LEXAPRO). After injections (on 31Dec2020) when to sit down, suddenly all over my body under my skin was burning everywhere and my heart was pounding so fast I thought it was going to come out of my chest. I got dizzy and was seeing blurry. At the end my tongue was stinging and my eye lids were burning. I felt like I was going to pass out. Then finally subsided but I didn't feel right the whole rest of the night. Therapeutic measures were taken as a result of all events. The outcome of events was recovered. Prior to vaccination, the patient did not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. The case considered non-serious (Seriousness criteria-Results in death: No; Life threatening: No; Caused/prolonged hospitalization: No; Disabling/Incapacitating: No; Congenital anomaly/birth defect: No). Follow-up attempts are completed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1051415	2/24/2021	CA	81	F	2/6/2021	2/6/2021	muscle and joint pain; wanting to faint/dizziness; blurry eyes; sweating; unable to sleep the whole night as a result of lots of pain in her wrist and hand but especially thumb/wrist on the right side; unable to sleep the whole night as a result of lots of pain in her wrist and hand but especially thumb/wrist on the right side/she was having pain on her wrist/joint pain; unable to sleep the whole night as a result of lots of pain in her wrist and hand but especially thumb/wrist on the right side; swelling in her hand and was hardly able to bend her fingers; swelling in her hand and was hardly able to bend her fingers; wrist was swollen; itchiness, numbness and tingling in her fingers on the right side; itchiness, numbness and tingling in her fingers on the right side; itchiness, numbness and tingling in her fingers on the right side; This is a spontaneous report from a contactable consumer (patient). An 81-year-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/lot number: EN5318), via an unspecified route of administration on 06Feb2021 15:00 at single dose at left arm for covid-19 immunisation. Medical history included wrist had arthritis (pain). There were no concomitant medications. Patient height was a little less than 5. She used to be over 5 but she shrunk. Her weight used to be at 226 lbs, it came up to 230. This year (2021) it went up because, its her, she ate too much and she did not obey the rules. Patient received Pfizer vaccine on 06Feb2021 afternoon at 300 pm in her left arm and that night developed itchiness, numbness and tingling in her fingers on the right side. Last night (07Feb2021) she unable to sleep the whole night as a result of lots of pain in her wrist and hand but especially thumb/wrist on the right side. she also reported swelling in her hand and was hardly able to bend her fingers. She tried to bend her fingers and she can but her wrist was swollen, it was less right now but she still had the pain. She applied muscle relaxant (unclear if topical) and took paracetamol (TYLENOL) and massaged her hand with warm water and then for the second time she used the muscle relaxation. She hadn't taken paracetamol yet she was waiting 4 hours but the pain was still there, it was a little bit less. Not sure if it her arthritis or side effects from vaccine but believes it was from the vaccine. Stated she used to have the same problem with her wrist arthritis (pain). Also reported that she experienced additional side

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

effects on 08Feb2021 which lasted about 5 minutes then went away: blurry eyes; wanting to faint; dizziness, sweating (whole body started to be like sweaty). Asking for information on muscle and joint pain after the vaccine and recommendations on what to do. So far she didn't know what it was, and if it was a side effect of the arthritis, because once in a while that happens but when it happened it went away right away but this time her wrist pain was there still there. Patient sat down and now she was stretching her leg, she sat down on the chair and its gone she had no more problems. Patient said her right hand, she was very slow writing. She said at least she can write her hand was going back to a routine but she was in a lot of pain. Outcome of event wanting to faint/dizziness, blurry eyes, sweating was recovered on 08Feb2021, and outcome of other events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1051430	2/24/2021	NJ	56	F	2/3/2021	2/1/2021	sudden allergic type reaction to mammal products; Swollen soft palate, nose, eyes; Swollen soft palate, nose, eyes; Swollen soft palate, nose, eyes; scratchy throat on eating red meat, milk, or cheese; muscle and joint pain; earache; pain was all over; muscle and joint pain; headache; exhaustion; pain at injection site; slight fever; mild nausea; This is a spontaneous report received from a contactable consumer (patient). A 56-year-old female patient (not pregnant at the time of vaccination) received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Solution for injection, Lot number: EL9264), on right arm via an unknown route of administration on 03Feb2021 13:45 for COVID-19 immunization. Medical history included VonWillebrand's and history of lyme disease. The patient had allergy to peanut and allergy to latex. Concomitant medications included unspecified vitamin supplements. The patient didn't receive any other vaccines within 4 weeks prior to the COVID vaccine. Historical vaccine included first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Lot number: EL3302) on Left arm, on 13Jan2021 13:30 for COVID-19 immunization. Patient stated, "After first shot in left arm, only on her left side she had: Muscle and joint pain, earache, goopy eye, headache, exhaustion, and pain at injection site from 12 hours to 36 hours after shot administered. Second shot in right arm: Same as above (muscle and joint pain, earache, headache, exhaustion, and pain at injection site), although no eye drainage and pain was all over with slight fever, mild nausea in Feb2021. Lasted from 12 hours to 36 hours after the test. Arm remained sore longer, but not problematic. Bizarre possible response: 6 days after second shot on 09Feb2021 17:30, the patient experienced sudden allergic type reaction to mammal products; Swollen soft palate, nose, eyes, scratchy throat on eating red meat, milk, or cheese. Patient did not need epi-pen but needed double dose of benadryl. Events resulted in Doctor or other healthcare professional office/clinic visit. Prior to vaccination, the patient wasn't diagnosed with COVID-19. Since the vaccination, the patient hasn't been tested for COVID-19. Benadryl and epi-pen on hand was received as treatment for events. The events were assessed as non-serious by the reporter. Outcome of events muscle and joint pain, earache, headache, exhaustion, pain at injection site,

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

pain was all over, slight fever, mild nausea was recovered in Feb2021, whereas outcome for other events was reported as unknown. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1051438	2/24/2021	OK	72	F	2/2/2021	2/2/2021	feeling weak; shaky; fever, 100.4; her eyes start feeling funny and burning when she has a fever; her eyes start feeling funny and burning when she has a fever; arm was a little sore; This is a spontaneous report from a contactable consumer (patient). This consumer reported similar event for two patients. This is the first of 2 reports. A 72-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL3247), via an unspecified route of administration at the right upper arm close to the shoulder on 02Feb2021 07:30 at single dose as she doesn't want to get COVID again or give COVID to anyone else. Medical history included metabolic syndrome from 1994 and ongoing, it all started when she was 46 and it runs in her family and it was a genetic thing; ongoing diabetes mellitus, was diagnosed when she was 65, so 7 years ago; she had COVID in Nov2020 but it was just a very mild case and she just had a cough; and cardio artery problems. She takes a lot of medications and she has metabolic syndrome which includes cardio artery problems and diabetes, but she has taken all of those medications for a long time. The patient says she was calling to report a couple little concerns she has. She received her shot on Tuesday, 02Feb2021 at about 7:30 in morning and her arm started at about 2 to 3 in the afternoon and she noticed it was getting sore, but it was no big deal, she did not think anything of it, and on the second day she thought that was it and she was over it on 03Feb2021. She states her husband also mentioned that he had soreness in his arm after his vaccination. She says at three in the afternoon on 03Feb2021, she started feeling weak and shaky, but she didn't think much of that. She says this began around 3 to 4 when yesterday afternoon, 03Feb2021, she had a fever. She says she took her temperature and it was 100.4 and that all kind of was gone by the evening but when she woke up this morning, she was weak and shaky again. Today she got up and was weak and shaky and it never left, she was still weak and shaky. The patient mentions that she was diabetic so she can get weak and shaky when she needs to eat something, but she had just eaten, and she ate yesterday so she doesn't think it was caused by that. The patient says she thinks we should know that she was diabetic. She says then she could tell that she had a fever, so she took her



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

temperature and it was 100.4 which for her was high. She states she didn't even have a fever when she had COVID. The fever began yesterday afternoon (03Feb2021). She says her eyes start feeling funny and burning when she has a fever and they felt that way so that's why she took her temperature. This was the highest it has been in years. She says last night she took her temperature again and the fever had gone away in 30 to 40 minutes, so she thought it was over. She took her temperature again before she called this morning, 04Feb2021 and it was 99.2, which was still a little hot for her. She says for her that's a fever. She was 96 and 97 usually. The patient says she still feels like she has a little fever. She was not someone who usually has a fever and it can be just a little bit of a fever for instance like this morning when she was 99.2. Her eyes were still feeling funny and burning this morning and that was why she took her temperature this morning. The outcome of the event arm was a little sore was recovered on 03Feb2021; feeling weak and shaky was not recovered; fever and her eyes start feeling funny and burning when she has a fever was recovering.; Sender's Comments: Linked Report(s) : US-PFIZER INC-2021162089 Same reporter/drug, similar event, different patient

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1051445	2/24/2021		61	F	1/28/2021	1/28/2021	chest x-ray shows numerous bilateral patchy opacities; catastrophic brain bleed; Brainstem reflexes were lost; Patient died; shortness of breath; nausea; diarrhea; worsening shortness of breath/numerous bilateral patchy opacities; immunosuppressed status; This is a spontaneous report from a contactable pharmacist and a contactable other health professional. A 61-year-old female patient (not pregnant) received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL9261), intramuscular at arm right on 28Jan2021 (at the age of 61 years) at single dose for COVID-19 immunization. The patient medical history included bilateral lung transplant on 23Jun2017, lymphangioleiomyomatosis, hepatocellular carcinoma, antibody mediated rejection of lung transplant , bronchiolitis obliterans syndrome, grade 0P, major depressive disorder, RLS (restless legs syndrome), chronic insomnia, long term current use of systemic steroids OSA (obstructive sleep apnea), iron deficiency anemia, bilateral sciatica, hoarseness of voice, memory change, laryngeal stridor, pure hypercholesterolemia senile nuclear cataract, bilateral myopia of both eyes, osteoporosis without current pathological fracture, alopecia, immunosuppressed status, all from an unknown date and unknown if ongoing. Concomitant medication included acyclovir (formulation: capsule, strength: 200 mg) oral at 200 mg twice daily, salbutamol (ALBUTEROL HFA) as needed (MCG/ACT inhaler take 2 puffs by inhalation every 4 hours as needed) for wheezing (shortness of breath), atorvastatin (LIPITOR, formulation: tablet) oral at 80 mg once a day, azithromycin (ZITHROMAX, formulation: tablet)oral at 250 mg (every Monday, Wednesday, Friday), bupropion hydrochloride (WELLBUTRIN XL, formulation: tablet, strength: 150 mg) oral at 150 mg once a day, calcium citrate/cholecalciferol (CALCIUM + VITAMIN D, formulation: tablet) oral at 2 dose form once a day (every morning), everolimus (ZORTRESS, formulation: tablet, strength: 1 mg) oral at 2 mg twice a day, fluticasone propionate/salmeterol xinafoate (ADVAIR, strength: 500 ug/ 20 ug) twice daily (1 puff by inhalation), gabapentin (NEURONTIN, formulation: capsule, strength:100 mg) oral at 300 mg daily (by mouth nightly), loratadine (CLARITIN, formulation: tablet, strength: 10 mg) oral at 10 mg as needed, metoprolol tartrate (LOPRESSOR,

VAERS\_ID RECVD STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

formulation: tablet, strength: 25 mg)oral at 50 mg twice daily, minoxidil (ROGAN, strength: 5%) topical apply 1 cap full every other day to affected area on scalp for alopecia, ondansetron (ZOFran, formulation: tablet, strength: 4 mg) oral at 4 mg as needed for nausea, pantoprazole sodium sesquihydrate (PROTONIX, formulation: tablet, strength: 40 mg) oral at 40 mg once a day, prednisone (DELTAONE, formulation: tablet, strength: 5 mg) oral at 5 mg daily (every morning), sertraline hydrochloride (ZOLOFT, formulation: tablet, strength: 100 mg) oral at 100 mg twice a day (every morning), sulfamethoxazole/trimethoprim (BACTRIM) 400-80 mg per tablet (1 tablet by mouth every Monday, Wednesday, Friday), tacrolimus (formulation: capsule) at 3 mg daily (2 mg every morning and 1 mg at night), salbutamol sulfate (PROVENTIL HFA) as needed for wheezing (shortness of breath), salbutamol sulfate (VENTOLIN HFA) as needed for wheezing (shortness of breath) , salbutamol sulfate (PROAIR HFA) as needed for wheezing (shortness of breath), ascorbic acid/ferrous fumarate/folic acid/ retinol (PRENATAL, formulation: tablet) oral daily. The patient previously took NSAIDs and voriconazole and experienced drug allergies. It was reported that the patient presented to emergency department (ED) on 04Feb2021 with chief complaint of worsening shortness of breath, nausea and diarrhea for past week since receiving since receiving COVID-19 vaccine. Full viral panel including COVID-19 was not detected. All blood cultures and respiratory cultures were negative. Patient chest x-ray shows numerous bilateral patchy opacities which is significantly different from her previous chest x-ray here. Empiric rejection treatment initiated including high dose methylprednisolone, plasmapheresis, IVIG, thymoglobulin. She continued to decline and ultimately required intubation, proning and paralyzing on 08Feb2021 and then VV ECMO cannulation on 13Feb2021. Acute pupil exam changes in the early am hours of 15Feb2021 prompted urgent head CT which revealed catastrophic brain bleed. Brainstem reflexes were lost soon after. Despite placing an EVD emergently at bedside, brain stem reflexes were not recovered. The events were all serious. The patient outcome of the events was fatal. The patient died on 15Feb2021. It was not reported if an autopsy was performed.; Sender's Comments: Based on available

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							information, a possible contributory role of the subject product, BNT162B2 vaccine, cannot be excluded for the reported events due to temporal relationship. However, the reported event may possibly represent intercurrent medical conditions in this patient. There is limited information provided in this report. Additional information is needed to better assess the case, including complete medical history, diagnostics, counteractive treatment measures and concomitant medications. This case will be reassessed once additional information is available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.; Reported Cause(s) of Death: Chest x-ray shows numerous bilateral patchy opacities; Catastrophic brain bleed; Brainstem reflexes were lost; shortness of breath; nausea; Diarrhea; Worsening shortness of breath/numerous bilateral patchy opacities
1051515	2/24/2021	TX	50	F	2/2/2021	2/12/2021	10 days post 2nd Covid-19 Vaccine administration I had an anaphylactic response of unknown origin. Extremely itchy eyes, palms of hands, soles of feet, progressed to shortness of breath, Bradycardic, oxygen saturation in 80s even after administration of IM epinephrin, hypotensive, swollen face, neck and tongue, severe vomiting. EMS transported me to hospital mentioned above. IV started in ambulance where IV epinephrin, IV fluids, IV Benadryl, IV solumedrol were all given prior to arrival at the ER. ER then administered more steroids and anti nausea meds and sent me home after observation and stabilization with prescription for epi pen and prednisone.
1051544	2/24/2021	CA	73	F	1/23/2021	2/2/2021	Bell's palsy. Watery left eye, facial paralysis on left side of face. Numbness Treatment - one week of steroids and antivirals. Eye cream

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1051348	2/24/2021	IL	35	F	12/20/2020	12/21/2020	maybe a little low iron but not too remarkable; swelling in middle finger of right hand/puffiness in all of fingers and toes and around eyes; puffiness in all of fingers and toes and around eyes; she was not feeling great; fatigue; headache; soreness in her arm at the injection site; This is a spontaneous report from a contactable consumer. A 35-year-old female patient received her first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number EJ1685) on her right arm, via an unspecified route of administration on 20Dec2020 at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient reported that on 23Dec2020, she was not feeling great, had fatigue and headache. On 25Dec2020, she had swelling in her right middle finger, states that has now progressed to swelling in all her fingers, toes and around her eyes. Also reported that on 21Dec2020, she had soreness in her arm at the injection site that went away the same day. The patient also mentioned that she tested negative for Covid. The patient is also a little low iron but not too remarkable. The outcome of the event vaccination site pain was recovered in 21Dec2020, not recovered for peripheral swelling and puffy eyes while unknown for the other events. Information on Lot/Batch has been requested.
1053157	2/24/2021	DE	70	F	2/22/2021	2/23/2021	Blurred vision 48 hours after vaccination

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1052839	2/24/2021	MO	31	F	2/19/2021	2/22/2021	Mon 2/22 had a few spots throughout my body at different times in the day starting in the morning, looked like mosquito bites, by evening, it had shown up on my legs, arms, back, stomach, my ears were hot and itchy, took 1 Benadryl 10:00 PM, went to bed Tue 2/23 6:30 AM widespread rash on both arms and both legs and isolated spots on my trunk, large areas raised red bumpy splotchy 9:40 AM sick visit appointment to see NP at my primary care office, prescribed zyrtec 10 mg in the morning, pepcid 20 mg at lunch, benadryl at night Took pepcid with lunch 3:00 PM put on a lot of lotion over my entire body, hives less pronounced, not as raised, still itchy but not as much Evening some small spots on face near hairline, took 1 benadryl Wed 2/24 morning upon waking hives not as severe, but still present and itchy, eyes slightly puffy, palms itchy but can't see any hives, overall better than the previous 2 days Took zyrtec with breakfast, pepcid with lunch (now it is currently 4 PM haven't taken benadryl yet for the evening)
1052917	2/24/2021	KS	36	F	2/3/2021	2/23/2021	Ocular Migraine- vision became blurry like looking through a heat wave for 2 hours. The vision disturbance stopped for 30 minutes, and then an intense headache set in for 7 hours. Took tylenol with caffeine, heatpack on neck, icepack on head and it helped alleviate the headache.
1052929	2/24/2021	UT	83	F	2/18/2021	2/21/2021	Sever swollen hives on face, head, neck, and torso. Itching. Went to ER, they gave a injection of dose of Pepsid and told her to take claritin and pepcid daily. Said it should clear up. She has been doing that now her eyes are itching and body again, plus has a sever sore throat now.
1053000	2/24/2021	WI	55	F	2/20/2021	2/21/2021	Initially only normal symptoms for 36 hours of fever, body aches, chills, shivers. Once those cleared, vision became blurry. Thought I was tired so went to bed. Woke up the next morning (Monday) to severe dizziness, nausea, vomiting, blurred vision. Went to ER and was diagnosed with Benign Paroxysmal Positional Vertigo. Was given Zofran and prescription strength Meclizine and sent home. Spent two days sleeping it off. Better on second day but still slightly dizzy. Much better on third day. I had never had Vertigo prior to this.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1053029	2/24/2021	NJ	70	F	2/16/2021	2/16/2021	I felt the injection fluid go into my arm with pain and a few hours later my arm pain was so severe I could not even move my arm without excruciating pain. I could not sleep or lay down. I had to pack my upper arm with ice for 72 hours. I have had flu shots before and never had a painful reaction that brought tears to my eyes for 72 hours. I don't know what size the needle was used on me, but it almost felt like it hit the bone. I am a thin person. It probably did not hit the bone, but it felt like the fluid was forced into the muscle. My husband did not have this same reaction, so I don't know if it was the person who gave the shot, or wrong needle size or what made my arm hurt like it was hit with a hammer. I now have slight itching at the shot site and there is a bump the size of a mosquito bite.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1053072	2/24/2021	TN	33	F	2/24/2021	2/24/2021	At about 1458 patient received first dose of Moderna COVID-19 vaccine Lot number 031L20A expire 07/22/2021 in Left Deltoid by RN at vaccine site. Pt was instructed to wait 15 minutes in personal vehicle in designated parking area for monitoring. At 1508 patient whom was sitting the passenger seat of personal vehicle c/o SOB, and chest tightness to LPN who was monitoring the parking lot. Nursing Supervisor was dispatched over to the patients vehicle. On assessment patient stated she had a "loss of senses, SOB, chest tightness and cold chills". Pt confirmed she has no allergies and never had any reactions to medications or vaccinations. When asked pt to elaborate on s/s pt explained tunnel vision and sweating and "throat itchiness". Pt was breathing slightly labored 12 respirations a minute pulse rapid and bounding pt pale and diaphoretic and cool to touch. 1510 called made to 911. 1510 bp 60/30 Diphenhydramine and Epinephrine drew up into syringe for precaution. While RN rechecked bp to confirm. Recheck was confirmed 60/30. At 1513 pt states "I think I am feeling better, my senses are starting to come back and breathing feels better" Pt reports she passed out once giving blood. EMS arrived at 1515. At 1515 recheck b/p was 80/40. It was determined that pt did not require Diphenhydramine and Epinephrine due to pt quickly feeling better and s/s improving pt was determined to have a vasovagal response. At 1520 b/p 106/62 normal respirations at 14 a minute. EMS left at 1522 gave pt a cold paper cloth and water to drink. Dr. was called at 1525 where he was made known of the situation. His instructions where to advise pt to get second dose of Moderna in a hospital setting for close monitoring and advise that pt do not drive home. Pt made aware of instructions from MD. Pt was not driving. At 1552 patient feeling better and requests to leave. Pt reported she has no feeling of SOB or tightness. Pt not as pale as she was at begging of the event.
1052801	2/24/2021	AL	80	M	2/12/2021	2/13/2021	Pt reports Aura in Left eye without Migraine pain daily since vaccine. States the aura started peripherally and then moved medial
1053149	2/24/2021	NC	31	F	2/23/2021	2/24/2021	Dizziness, nausea, blurred vision, blacking out, fainting



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1053078	2/24/2021	ID	63	F	2/23/2021	2/23/2021	Vision - brightly colored light flashes at edge of vision, left eye at 11:20 am, 10 minutes later also added blurred vision left eye. Both symptoms gone by 1:40 pm with no residual effects from the side effect afterwards. Fatigue for remainder of the day. No treatment other than rest in a chair until vision returned to normal.
1053304	2/24/2021	MI	71	M	2/24/2021	2/24/2021	The patient started having right sided chest pain/rib pain minutes after receiving the 2nd dose of Covid 19 vaccine. When he presented to the medical treatment area he was c/o this right sided chest pain that was worsened by inspiration. The pain was non-radiating and was also associated w/ shortness of breath. He has been experiencing shortness of breath intermittently over the past couple of weeks. The patient denied associated dizziness, lightheadedness, nausea, vomiting, abdominal pain, vision changes. He noted that he has a prior history of DVT and PE, but is not on any anticoagulation medications. He is currently being treated for bacteremia from a dog bite wound and receiving IV antibiotics through a port. He also has hx of CLL, currently on oral chemotherapy medication.
1053336	2/24/2021		72	F	2/21/2021	2/21/2021	blurry vision, dizziness
1053344	2/24/2021	MI	65	F	2/16/2021	2/23/2021	?Covid-19 Vaccine EAU? The day and evening after getting 1st vaccination I felt fine but slept all day. Could not keep my eyes open. All has been fine until Tuesday, Feb 23, in the afternoon, my arm where the injection site is started itching. I had a faint rash circle around injection site. Hard and a bit swollen. On Wednesday, February 24 all seemed better until evening around 8pm then started itching again and have a large red circle rash around injection site. I looked it up on line and sounds like I have what's called ?Covid arm?. My 88 yr old Mom received her first Moderna vaccine a week before me and she had same symptoms as I'm describing now. Given that it sounds like I have ?Covid arm? I'm not too concerned but thought I should report it. It says it should go away within a week ? Thank you.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1053391	2/24/2021	CA	65	M	2/16/2021	2/16/2021	Twenty minutes after injection mental fog, then onset of headache which became debilitating, requiring 5mg of Oxycodon every four hours for five days to be functional. Woke up every night after four hours, from pain, took meds, an hour later able to sleep again. Stabbing knifelike pain over right eye, Able to transition to naprosyn, Advil and Tylenol after five days, but still in constant pain eight days later, even with meds. No sensitivity to light, some mild nausea for first few days.
1053687	2/24/2021	KS	68	F	2/18/2021	2/23/2021	Moderna COVID-19 Vaccine EUA Five days after vaccination I got severe swelling around my eyes and some swelling on my face. Swelling still remained thru day six and still remains as I begin day seven after vaccination.
1052153	2/24/2021	AZ	45	F	2/13/2021	2/13/2021	Day of vaccine 2/13/21: injection site soreness; decreased soreness at site, but still sore today 2/24/21. Dizziness and blurry vision within 1-2 hours after injection that went away, and fatigue. Day 5 post vaccine 2/18/21: Lymph nodes swollen and painful in left arm pit in the evening. Each day following, pain and lymph node swelling has continued down the left arm, ending at the middle of the left forearm. Still painful from the arm pit to the left forearm today 2/24/21.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1053080	2/24/2021	OR	52	F	2/23/2021	2/24/2021	This is for the EAU for the Moderna vaccine. Due to recent injury to my left side, including an old Rotator Cuff injury on the left, I opted for my right arm. As with the first dose, the actual injection was nearly painless. The first dose resulted in localized pain to upper left arm for a day or two. Second dose was significantly different. I have a headache that is nearly the worst in my life (and I've recently cracked or traumatized my skull on 1/5/2021). If I laugh, cry, raise my voice, the pain increases to "worst ever" but only stays there for a few moments. The pain is around the base of my head and facial bones, particularly strong behind the eyes. In addition to this monumental headache, I have the same fleshy soreness to the arm as occurred last time. Except this is extremely more painful. Extending my arm forward feels very painful for the entire joint. Even flexing my muscles in that arm leads me to a severe pain in the entire arm that is most intense in the joint. My fever --- With acetaminophen --- is about 102*. I am having chills, exhaustion, wheezing. I feel like the worst hangover of my life (I've only ever had one, this dwarfs it). I understand that "If it hurts, that means it works." so probably these are minor symptoms that will pass, but I had no idea how difficult it would be!
1052404	2/24/2021	CA	61	M	2/10/2021	2/15/2021	approx 5 days after vaccination, pt states he developed itching and swelling around left ear, that then spread left side of arm over the last few days. Lesions were without vesicles or drainage, primarily raised red lesions related to hives. He visited dermatologist who rx'ed antihistamines, benadryl and OTC hydrocortisone. Denies anaphylactic reaction with no SOB, respiratory distress, swelling of tongue, mouth, eyes or lips. As of now, he is no longer itchy but with rash still present. He will have f/u on 3/8 with dermatologist for final opinion about whether he can receive his next vaccine as scheduled on 3/11/21.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1052183	2/24/2021	IN	71	F	2/24/2021	2/24/2021	Approximately 15 min after receiving the vaccination pt. reported feeling lightheaded, having a headache, possible palpitations, feeling anxious. Pt was able to ambulate and in no acute distress. Her B/P was 142/88, pulse 67, O2 sat 96%. 15-30 min later she stated she felt better but noticed her tongue was tingling and her vision disturbance was improved. She states her vision was hazy earlier. B/P at this time was 130/86, P 68, O2 sat 99%. Benadryl was offered as well as water and juice. Pt. declined. An hour after receiving the vaccine pt. stated she felt much better and left clinic ambulatory in no acute distress. Advised if symptoms worsen to go to the ER or call 911, pt. voiced understanding.
1053112	2/24/2021	OR	30	F	2/20/2021	2/20/2021	After 5 minutes receiving the 2nd dose of Covid 19 vaccine, both eye pupils of patient got smaller. Patient informed that she had the same reaction when receiving the first dose but she ignored it. Patient expressed that she was tired and had mild difficulty breathing. I provided 2 tablets of Benadryl 25 mg (Total 50 mg). Patient recovered from the adverse condition after resting for 30 minutes.
1052775	2/24/2021	CA	78	F	2/19/2021	2/20/2021	Awakened by severe leg cramps in both legs, upper and lower, front and back. Pain so intense it? brought tears to my eyes and I woke my husband with my moaning. It lasted about 15-20 minutes. I have never had muscle cramping like this before or since.
1052286	2/24/2021	CT	70	M	2/10/2021	2/11/2021	On the morning after the vaccination, I woke up, turned to my left in bed, and got dizzy. Rolled back onto my back, let my head clear, turned to my right, and got dizzy again. Felt nauseous, but did not vomit. Problem was worse with eyes closed than with eyes open. Spent most of the day in bed. Vertigo slightly better on day 2 after vaccination, took Dramamine after consult with doctor. Much better on day 3. Essentially back to normal on day 4, but do experience slight dizziness upon waking before getting out of bed.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1052298	2/24/2021	TX	32	F	1/4/2021	1/11/2021	A couple of days - a normal kind of sore and it went away. 1 week later - quarter size lump - itchy, painful, hot - grew in the next four days - grew to the size of a grapefruit - it spread out - it had a bulls eye - the center was as big as Cutie orange (and it was red and painful) and the redness spread from their extending out from center about 4 inches. It took up my entire upper arm - the redness day. It was painful to sleep on but I could use it. On the third day of it ( a Wednesday, 13th) - to check in with DR - Telehealth appt - employee health - recommended ibuprofen and ice packs for a few days. They advised if I got a fever etc to seek more treatment. It took about two weeks for it to go entirely away.
1052398	2/24/2021	MO	79	M	2/18/2021	2/22/2021	PT PRESENTED TO EMERGENCY ROOM WITH NOTED RASH THAT CAN BE DESCRIBED AS MACULAR, PAPULAR, URTICARIAL LOCATED ON THE BODY DIFFUSELY. THERE IS ALSO SWELLING, THAT IS MILD, OF THE RIGHT EYE AND LEFT EYE, MINIMAL SWELLING TO BOTH LIPS. PT STATES THE SYMPTOMS BEGAN 2 DAYS AGO AND HE RECENTLY RECEIVED HIS FIRST COVID-19 VACCINE 6 DAYS AGO. PATIENT DISCHARGED WITH THE FOLLOWING PRESCRIPTIONS: PEPICID 20 MG, 1 TABLET ORAL EVERY 12 HOURS FOR 5 DAYS. PREDNISONE 20 MG ORAL TABLET, 2 TABLETS ONCE DAILY FOR 5 DAYS. VISTARIL 50 MG ORAL CAPSULE, TAKE 2 CAPSULES 4 TIMES PER DAY AS NEEDED FOR ITCHING. PT ADVISED TO FOLLOW-UP WITH HIS PCP IN 3-4 DAYS FOR RECHECK OF TODAY'S COMPLAINTS, DO NOT DRIVE WHILE TAKING MEDICATIONS THAT MAY IMPAIR HIM, AND TO RETURN TO THE EMERGENCY ROOM IF SYMPTOMS WORSEN OR PERSIST OR IF THERE ARE ANY QUESTIONS OR CONCERNS THAT ARISE AT HOME.
1052257	2/24/2021	IN	72	M	1/14/2021	1/15/2021	I believe the very next day or so I developed Blurred Vision and at times Double Vision. I'm not saying for sure if this is a side effect or not and wondered if anyone else has had vision problems with the Vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1052500	2/24/2021	CA	68	F	2/20/2021	2/20/2021	Swelling in throat, tongue, face and then eyes. fast heart rate. rash on face and dizziness and weakness Give prednisone and benydril in IV and took 1 50mg prednisone at home. Weakness for 3 days and swelling has gone down
1052690	2/24/2021	VA	20	F	1/3/2021	1/9/2021	My entire face was covered with hives. Within 2 hours of the vaccine I developed hives to the bilateral aspect of my face, forehead, cheeks and eyelids. My hives were itchy and red and I have never experienced this before. I did not consume any new food or use any new products. I took Benadryl for the itchiness. I had a telemedicine visit and I also had a Covid-19 test which was negative. I called health and also reported this adverse reaction. Moreover, I had no reaction to my second dose which was on 01-28-2021.
1052751	2/24/2021	IL	43	F	1/12/2021	1/12/2021	For first shot, it was hot right away = I could feel it go down my arm as hot, like fire. As soon as I stood up my scrubs were wet with sweat. They said that I was getting red and flushed. All within a minute. They said my eyelids were starting to swell - upper and lower eye. They had me leave with an ambulance to go to ER. In the ambulance, they started an IV and they gave me Benadryl through IV and they took my blood pressure - it was elevated. I started feeling better. I could breathe. It took 10 minutes to get hospital. The swelling in my face went down. At ER I felt fine. I asked the paramedics ambulance to drive me home but they said that I would just discharged after we arrived. They gave me Pepsid and something else - antihistamine at ER. I had gotten off medication for the immunologist visit which was already scheduled prior to vaccine - but after the vaccine she just got me on higher doses of the medications. February 11th, second dose of vaccine was taken.
1052698	2/24/2021	CA	29	F	2/16/2021	2/16/2021	Bilateral eye twitching until 2/22/2021
1052395	2/24/2021	MI	61	F	12/28/2020	12/28/2020	Received first COVID vaccination at 3:50pm and 5-10 minutes later began to experience pain and throbbing in jaw and lower molars. pain began moving forward. tongue began to tingle and mouth went numb. Glands were swollen and pain was experienced in both ears, under both eyes and cheek bones. Also experienced pain in the top and back of head.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1052692	2/24/2021	CA	80	M	2/17/2021	2/21/2021	Iritis of right eye.
1052508	2/24/2021	MA	66	F	2/22/2021	2/22/2021	Numbness/Tingling on left side of face under eye and lips (primary) Started after injection, stopped and started up again 2/23/2021 Numbness/Tingling on left arm ER Visit 2/23/21 : Covid tested (negative), Blood Work, EKG, Neurology Visit GOOD
1052689	2/24/2021	NY	57	F	2/22/2021	2/22/2021	Both eyes very bloodshot with redness in skin around eyes and slightly swollen , resolved by next day. I never get bloodshot eyes.
1052686	2/24/2021	OR	51	F	1/1/2021	1/13/2021	Days 1-3 extreme R arm soreness preventing abduction past 45 degrees and unable to sleep on R side. A Hives?s, fatigue, chills, severe headache. On 02/17/21 hives on forearms and anterior trunk formed. On 2/17/21 the hives became severe systemic urticaria, eyes swollen shut, swollen and red hands and feet, severe chills. Benedryl was ingested at 10pm that night which ceased progression and minimal itchiness persisted x 1 week. Scheduled date of dose2 was 02/17/21. Due to severe urticaria I skipped the 2nd vaccine.
1052675	2/24/2021	NV	71	F	1/28/2021	2/1/2021	Felt very cold and in pain as vaccine was being injected, slight headache on right side above eye for 15 minutes after vaccine, headache on back of neck for half an hour then went away. On 2/1, scalp started hurting on the back of the head, felt like hair being pulled tight in a ponytail (still currently, but not as tight), feeling of tightness. Started noticing hair falling out more (a lot more than usual), started steroid shampoo on 2/9. Nothing has changed since patient has been on it. Chiropractor on 2/16, the neck muscles are inflamed, really tender per chiropractor. Symptoms are slightly better on top of skull but otherwise symptoms are the same.
1049099	2/23/2021	ND	34	F	2/5/2021	2/5/2021	Approximately 5 minutes after injection pt became dizzy, reported double vision, and left sided weakness. VSS. Pt was sent to on-site ER for further evaluation. ER workup was "unremarkable" per ER notes and "likely due to low blood pressure or some form of anxiety." Symptoms had resolved by end of ER visit and she was sent home with general

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1048948	2/23/2021	UT	82	F	2/14/2021	2/21/2021	On Sunday the 2/21/2021, about 3PM I noticed that the area where I received the vaccination was red, swollen, itching, and sore. I googled search and found it was a rare but real reaction vaccine, called COVID ARM. According to the information I read it occurs between 7-9 days after vaccination. Mine occurred exactly 7 days later. I have been putting Hydrocortisone cream with Aloe in it and on it. Today it is more sore then itching and still red. The Hydrocortisone with Aloe seemed to help. I have also noticed my eyes have been watering a lot more since receiving the vaccine.
1049051	2/23/2021	IN	28	F	1/26/2021	1/26/2021	Fever 101-102, body chills, body aches, generalized skin sensitivity, sore eyes, sore at injection site, headache, fatigue
1049007	2/23/2021	FL	38	F	2/17/2021	2/17/2021	Sore arm, swollen eye (lump under the skin and visible in the rim of the eye, fatigue, malaise, headaches, chills, diarrhea. All recovered other than the sore eye.
1049075	2/23/2021	PA	32	F	2/10/2021	2/10/2021	Bulls eye allergic reaction around injection site about 4-5? wide. Area site burning hot and itchy.
1049080	2/23/2021	WA	76	F	1/20/2021	2/6/2021	Patient developed right facial zoster following her first dose of the Moderna Covid-19 vaccine. She was placed on valacyclovir and gabapentin. She was seen by Ophthalmology due to eyelid involvement and double vision. She was immunized 20 JAN and developed zoster 06FEB.
1049095	2/23/2021	CA	47	F	2/8/2021	2/16/2021	I received the Moderna vaccine on 2/8/21. On 2/16/21 Shingles symptoms occurred pain to left scalp on 2/19/21 first rash noted to left scalp , left temple and left eyebrow. I went to urgent care and was Treated with acyclovir and neurontin and on 2/22/21 I went to the ER due to pain and eye swelling and more shingle rashes occurring to left eye lid. I was started on Steroids and stronger pain meds were added.
1049028	2/23/2021	OH	69	F	2/17/2021	2/18/2021	On February 18, about 6:00 pm, I felt so cold, shivering uncontrollably. Bundled up in robe, and 2 afghans. Low grade fever of 99.6. Went to bed. Fever must have been high during night according to husband. Slept through it. Following morning, felt washed out, ache around my eyes. By 6:00 pm, no symptoms at all.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1049136	2/23/2021	AZ	69	F	2/14/2021	2/14/2021	Arm burning at site and achy, malaise, Sunday I work up and my face felt hot and cheeks red and felt swelling, my cheek and neck and felt like it was going into my nose and up to my eyes, and I had hoarseness as well. I had difficulty breathing so I went to the ER. I was given an IV and they observed me.
1049157	2/23/2021	PA	35	F	2/12/2021	2/12/2021	Muscle and severe joint pain, lumbar, thoracic, and cervical spine pain (every vertebrae in my spine hurt like my car accident was yesterday), severe headache with horrible eye pain, nausea, injection site pain and arm weakness, sweating at night, diarrhea, sharp chest pains (like when I had covid), soft tissue between ribs hurt, gerd (reflux, over full feeling, gas, heartburn, sour stomach, pain when eating), extreme exhaustion, inability to do daily activities or go to work for one week
1049189	2/23/2021	AZ	67	M	2/11/2021	2/17/2021	Started with numb feeling in my mouth, and that night my left eye wouldn't blink went to the ER and gave me Acyclovir and gave me prednisone 10 mg, Still cant blink my left eye.
1051505	2/23/2021	CA	80	F	2/2/2021	2/2/2021	about 40 minutes after shot: taste in mouth then swollen tingly warm lips, sinuses swollen, tingly and warm in nose and forehead, "shadowy" vision I took 2 zyrtec a few minutes after symptoms started, lasted for 8 - 10 hours Then I was fine
1049350	2/23/2021	GA	74	F	2/18/2021	2/18/2021	Extreme chills, aches, fever, blurry vision, sweats then exhaustion. Those occurred until approximately 2am. Then night sweats, tired and achy. Today feel better but still night sweats altho not as bad.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1049422	2/23/2021	FL	62	F	2/18/2021	2/18/2021	Within 1-2 minutes, felt like an infusion or flush with a chemical/metallic smell, taste. Extreme weakness, dizziness. Had to sit down for a long time, couldn't really open my eyes. Bad head feeling. Eyes hurt, but were not swollen. No swelling, just that constant metallic overwhelming. Dizzy. Stayed at pharmacy for about 40 minutes. On drive home, hot face, metallic infusion, very warm. Fever at home, achy all over, 99.8, very dizzy, brain fog, very weak, arm sore. Next morning, no better. Took a Nexium and immediately big hive popped up on my chest. Disappeared about an hour later. Took 3 days to feel like myself. Still concerned about allergic reaction. I'm a little itchy, tingly. I'm now terrified of getting that second shot.
1049463	2/23/2021	PR	53	F	12/15/2020	12/15/2020	Foggy vision and irritation in the eye for 5 hours.
1048856	2/23/2021	OH	67	F	2/12/2021	2/20/2021	?COVID arm? 2/20/21 I noticed a 2.5? (diameter) hard mass below injection site. Mass became deep red, painful and itchy. 2/20-2/22/21 I ran a low grade fever, burning eyes, malaise, and significant generalized muscle aches. On 2/21 the mass and redness had become larger 3.5?, remained tender and very red. 2/23, I was no longer febrile and had no extraneous symptoms other than my arm. The area became softer, still tender, redness was a lighter red but more diffuse. 2/24 much better but still noticeable.
1047796	2/23/2021	AL	44	M	2/10/2021	2/10/2021	Started itching of mouth face and upper body within 10 minutes of injection. Became dizzy with tunnel vision. Went to urgent care had elevated blood pressure of 178/110. Receive steroid injection and prescription for hydroxyzine.
1049448	2/23/2021	FL	74	F	2/10/2021	2/10/2021	Constriction/ contraction of throat, then eyes and head and then chest. Felt like I was having a heart attack with feeling of great pressure on chest. Last a little over an hour.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1048679	2/23/2021	MN	78	F	1/29/2021	2/2/2021	Double vision; the way she talked she kind of had slurred speech; mouth was dry; she had Bell's Palsy/ Droop in her lip/mouth; her eye was still watering; puffiness around her eye; This is a spontaneous report from a contactable consumer (patient). A 78-year-old female patient received first dose of bnt162b2 (manufacture unknown, Lot Number: 9264), intramuscularly in left arm on 29Jan2021 14:55 at 0.3 ml, single for COVID-19 immunization. Medical history included non-hodgkin's lymphoma from Jul2019 and ongoing (The first time she was diagnosed was Jul2019. She then went into remission and then got the cancer back, she doesn't know when. She knows they started treating it as the cancer had returned in Aug 2020), watering eyes from an unknown date and unknown if ongoing (Her eye was watering before the injection. She knows her eye was watering before she received the vaccine), chemotherapy from an unknown date and unknown if ongoing (she is a cancer patient on chemotherapy), fever blister from an unknown date and unknown if ongoing. There were no concomitant medications. The patient experienced she had bell's palsy and she does not know if she got this from the covid shot or not but she still has the droopy lip which apparently that can last a while. on 02Feb2021, droop in her lip/mouth on 02Feb2021, her eye was still watering on 02Feb2021, there was a little puffing around the eye/ puffiness around her eye on 02Feb2021, double vision on an unspecified date, the way she talked she kind of had slurred speech on an unspecified date. Caller was calling about the Pfizer COVID 19 vaccine. She said on Friday 29Jan2021 she had the first shot at about 12:30. Her eye started watering in the morning Thursday the day before and she maybe assumed she was getting a cold in her eye but it was really runny and she got the shot. She was a cancer patient on chemo and she went to the doctor because she was supposed to get her chemo. That Tuesday morning she had a droopy lip on the right side and her eye was still watering, there was a little puffing around the eye and the way she talked she kind of had slurred speech so she thought stroke but she was going to get her chemo in an hour or 2 so she when they checked her she told them what happened, she was seeing the PA that day so she left and came back 10 minutes later and said she had talked to the doctor, they were not going to give chemo today and told her she had

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

Bell's Palsy and she does not know if she got this from the COVID shot or not but she still has the droopy lip which apparently that can last a while. This was her first shot so as a cancer patient on chemo should be getting the second shot 21Feb. She was concerned about taking that when she already has Bell's Palsy now, what else would it cause and then if she does not get it would she be 50 % protected. The doctor seemed to say she thought it was from the vaccine, but caller does not know because the eye watering began the day or 2 prior to getting the vaccine. Product details: She does not have the vaccine card right with her and she was using a walker to get up and down and so she was not able to provide NDC lot expiration right now. It would be available if needed at a later time. Indication: doctor said she should have it because she has no immune system. They don't know what to do they are just following what they told her and they were scared to death. The caller states she was a cancer patient on chemotherapy. She received her first Pfizer COVID-19 injection on Friday, 29Jan2021. Prior to the vaccine, her eye had been watering Thursday or Friday morning before she had shot, it was just her right eye. On Tuesday, 02Feb2021, she developed a droop in her mouth and puffiness around her eye and so forth. Caller clarified it was just on the right side and with her right eye. She also has double vision in her right eye. She got up in the morning on 02Feb2021, and her husband was in the other room and told her that she sounded funny. She explained to her husband her mouth was dry and she was kind of slurring her speech. Her husband came into the room she was in and said, "huh, your lip was drooping". Since it was in the morning and she had no other symptoms besides the talking funny and the puffiness around her eye, she didn't take it as a stroke. She figured she would just until she went to her chemotherapy appointment she had the same day, 02Feb2021. She went into her appointment and showed the person and gave her information on what happened. The person wanted an MRI of the brain to make sure she didn't have cancer there or cancer anywhere else up in that area and also that she didn't have a stroke. She confirms the MRI was fine, both were negative for any signs of this. She was told she developed bell's palsy. She has a drooping lip. The caller was concerned about her second shot. She wants to

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>know should she getting the second vaccine, because the person at the (institution name) office (where she receives her chemotherapy) believes the bell's palsy came from the COVID-19 vaccine. She was supposed to have chemotherapy that day (02Feb2021), but they wouldn't give it to her then, but she did have it done yesterday. Caller explains she has no NDC, Lot number or expiration date for the chemotherapy she receives. She isn't given any stuff with any numbers and she gets numerous medications. Patient's Medical History (including any illness at time of vaccination): Her eye was watering before the injection. She knows her eye was watering before she received the vaccine because as she was sitting waiting to receive her injection, she remembers wiping her eye and thinking to herself, "I wish this eye would quit watering". Caller states she had a fever blister, but she was not quite sure about when this appeared. She doesn't know if she had developed the fever blister before or the next day after receiving the vaccine, she was not quite sure. The any events were not required a visit to Emergency Room. She went to the Oncology Office for her chemotherapy appointment. No Prior Vaccinations (within 4 weeks). Caller had the MRI (magnetic resonance imaging) on 02Feb2021 showed she didn't have a stroke and no cancer of the brain. The patient underwent lab tests and procedures which included magnetic resonance imaging: negative on 02Feb2021 Negative for stroke and/or cancer. The outcome of events was unknown. No follow-up attempts are possible. No further information is expected.</p>
1049399	2/23/2021	MA	40	F	2/16/2021	2/18/2021	Headache, muscle pain, sore throat, fever, sinus pressure, difficulty focusing eyes, fatigue. Memorable symptoms began on Feb. 19th, the worst day was Feb. 20th, when I was unable to complete my usual daily activities. My symptoms have begun to improve today, Feb 23rd. On Dec. 17th, 2020 I was diagnosed with COVID19.
1047924	2/23/2021	WI	37	F	2/22/2021	2/22/2021	Severe deep throbbing headache that Tylenol did not work on. Lasted 8 hrs caused nausea and eye pressure.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1049474	2/23/2021	OK	35	F	2/4/2021	2/4/2021	Approx 5 minutes after receiving the vaccine she started getting blurry vision. She says the next thing she knew she was lying on the floor and there were 2-3 people standing around her. She has a swollen lymph gland under her left arm. feels fine now. Dr gave her promethazine RX to take prior to her next dose.
1048198	2/23/2021			F	2/9/2021	2/9/2020	Was like hallucinating; A spontaneous report was received from a consumer, a 90 year-old female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and who experienced was like hallucinating/hallucination. The patient's medical history was not provided. Concomitant product use was not provided. On 09 Feb 2021, the same day of the onset of the symptoms, the patient received their first of two planned doses of mRNA-1273 (Batch number: 013M20A) in the left arm for prophylaxis of COVID-19 infection. After getting the vaccine, the patient had lunch and went home. The patient arrived home two hours after receiving the vaccine and fell asleep. When the patient opened her eyes after the nap, she saw her phone in front of her and reported the letters were moving as if she was writing; however, the patient reported that she was not even holding the phone and that the phone was still plugged in. The patient stated, "I was like hallucinating". Treatment for the event included was not reported. Action taken with mRNA-1273 in response to the event was unknown. The outcome of the event was unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1048211	2/23/2021	NY	64	M	1/16/2021	1/24/2021	<p>a genitourinary infection (UTI)/diagnosed with a gram negative urinary tract infection; iron level was low at 21. He said a normal iron level for a male is 35; couldn't walk afterwards; Tiredness; another soft tissue injury; Headache; left eye was totally blurry/ one eye blurriness; has severe eye dryness; Injection site pain; Injection site redness; injection site puffiness; stated he noticed at around 2:30PM-3:00PM he had a rash on his hip and back; shingles/ shingles pain; a fever of 100.4 Degree F/Fever; This is a spontaneous report from a contactable pharmacist (patient) reported similar events for two patients. This is the first of two reports. A 64-year-old male patient receive first dose BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL3246), at same age intramuscular in arm left on 16Jan2021 11:00 at single dose for COVID-19 immunization. Medical history included fallen at work and landed on his left side, hitting his head and left knee, a knot on the left side of his head, bleeding from above his left eyebrow, had a left black eye, all on Nov2020, subarachnoid hemorrhage, cataract surgery, using crutches when he walks, in the hospital from Nov2020 to 17Nov2020, pacemaker implanted while he was in the hospital on Nov2020, he couldn't walk on 19Nov2020, 6 stents, 3 cardiac stents on Oct2020, and chicken pox as a young adult. Concomitant medication included aspirin [acetylsalicylic acid], clopidogrel bisulfate (PLAVIX) from unspecified date to 27Jan2021 for 6 stents, paracetamol (TYLENOL, 500 mg, caplets, NDC Number: 5058044936, Lot Number: SJA066 and Expiration Date: Jul2024). The patient said he received his first COVID-19 Vaccine dose on 16Jan2021. He said at the time he pre-medicated with 2 paracetamol. He said he had read afterwards that it is not recommended to pre-medicate with Tylenol before receiving the COVID-19 Vaccine. On 24Jan2021 he developed a fever of 100.4 Degree F (body temperature). He stated his fever was 8 days after receiving his first COVID-19 Vaccine dose. On 27Jan2021, he was urinating blood/blood clots and was admitted to the hospital and treated for a UTI. He was diagnosed with a genitourinary infection (UTI). He clarified on the morning of 27Jan2021 his urine looked darker than normal. He said he went to physical therapy (PT) on 27Jan2021. He said when he came back from PT, and went to the bathroom, there was blood and blood clots in his urine.</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

He said he called his urologist, and his urologist saw him on 27Jan2021. He said his urologist took a urine sample, and his urine sample was clear and negative for nitrites. He clarified his urologist did a digital prostate exam, and his prostate was fine. He said his urologist wanted him to make an appointment for a cystoscopy, and a CAT scan of his abdomen and pelvis. He said after he got home from the urologist, he went to the bathroom, and again had blood and blood clots in his urine. He went to emergency room. While he was in the Emergency Room, he was set-up on CBI (Continuous Bladder Irrigation). He said the urologist did not seem concerned about the amount of blood in his urine. He clarified he was admitted to the hospital, and had in place for approximately 16 hours. Next day (28Jan2021) he was diagnosed with a gram negative urinary tract infection. He said he was given a daily dose of IV Ceftriaxone 1gram on 29Jan2021 and 30Jan2021. He said he was also given a daily dose on 29Jan2021 and 30Jan2021 of IV Ferlecit 125mg because his iron level was low at 21. He said a normal iron level for a male is 35. On 31Jan2021 he had injection site pain in his left arm, he said the COVID-19 Vaccine injection site was red and puffy. He said the COVID-19 Vaccine injection site pain, redness, and puffiness resolved on the same day, 31Jan2021. He said his second COVID-19 Vaccine dose was given in the same arm (left) on 06 Feb2021. He stated he asked that the second COVID-19 Vaccine dose be given in the same arm (left) because his left arm is his non-dominant arm. He was discharged from the hospital on 30Jan2021, and was given a prescription to take 1 Levaquin 250mg orally for 3 days starting on 31Jan2021. He said the Levaquin 250mg was dispensed in a pharmacy bottle, and did not have the NDC, Lot, and Expiration Date. He said he was also prescribed oral Feosol 325mg, twice a day, starting on 31Jan2021. He provided the Feosol 325mg, NDC Number: 12451-10-17 (unsure if he provided the correct NDC), Lot Number: 201167, and Expiration Date: Jul2022. At around 2:30-3:00PM on 31Jan2021, he developed a rash on his hip and back, saying the hip and back rash were along the same pathway. He said he spoke to a PA (physician assistant) about his rash. He said on 31Jan2021 he had taken 1 oral dose of the Levaquin 250mg. He said the PA discontinued the oral Levaquin 250mg, and changed his



VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

prescription to Macrobid 100mg, twice a day, for 5 days. He said he started the Macrobid 100mg, twice a day, on Monday, 01Feb2021. He said he completed the Macrobid 100mg prescription on Sunday, 07Feb2021, and did not have the Macrobid 100mg NDC, Lot and Expiration Date. He clarified his rash was raised, oozy, and looked weird, like a pimple that came to head. He said he spoke to his dermatologist on a video call Sunday, 31Jan2021. He said his dermatologist told him he had shingles and prescribed Valtrex 1gram, three times a day, for 7-10 days. He stated the Valtrex 1gram was dispensed in a pharmacy bottle. He said he took his first Valtrex 1gram dose on Sunday evening, 31Jan2021, and was still taking the Valtrex 1gram as of today (08Feb2021). He had an appointment to see his dermatologist in person on Wednesday, 03Feb2021, but woke up with a wicked headache that morning, so he took paracetamol and went back to sleep. He said when he woke, he still had headache, and his left eye was totally blurry. He said back in Nov2020 he had fallen at work and landed on his left side, hitting his head and left knee. He said his fall left him with a knot on the left side of his head, and he had bleeding from above his left eyebrow, and had a left black eye. He said he also had a subarachnoid hemorrhage. He said he had a CT scan of his head that showed the subarachnoid hemorrhage was contained, so the doctors wanted to just monitor him. He said he was on Effient at the time and the doctors changed him to Plavix. He said he also was taking Aspirin 81mg. He said he was taken off of Plavix on 27Jan2021 when he was admitted to the hospital for having blood and blood clots in his urine. He said he continues to take the Aspirin 81mg daily. He clarified he has been on compensation since his fall in Nov2020. He said he also had cataract surgery 2 years ago. He said he immediately called his eye doctor, and then went to the hospital Emergency Room because he thought he had a stroke. He said the Emergency room did a CAT scan and CTA of his head, which were both normal. He said a neurologist saw him in the Emergency Room, and said since it was a headache with one eye blurriness, he should see his eye doctor. He said the neurologist told him if he had a headache and both eyes were blurry, it would more likely have been a stroke. He stated when he was discharged from the Emergency Room on

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

03Feb2020, he went directly to his eye doctor. He said his eye doctor did several tests: field of vision, a sonogram, pictures of his left eye, and a dilation of his eyes. He said he had an eye test where he looked at a half circle and clicked a counter when he saw dots, and another eye test where he stared at something that looked like a hot air balloon, while the eye doctor took measurements. He said the eye doctor also measured his eye pressure, which was normal. He said he was at his eye doctor's office for a good couple of hours. He said his eye doctor told him that he has little white dots on the background area of his eyes that indicates he has severe eye dryness. He said his left eye is much worse than right eye. He said his eye doctor asked him if he took Crack, or Cocaine, or any kind of opioids in the last few weeks. He said he told his doctor he took 1 dose of an opioid on 31Jan2021 because of the shingles pain. He clarified he had a Percocet prescription leftover from his hospitalization in Nov2020. He said he took another dose of the Percocet the week before 31Jan2021 for pain in his knee from the fall he had in Nov2020. He said his eye doctor told him his dry eyes could be caused by the Percocet. He said his eye doctor prescribed lubricating eye drops (Refresh Optive Mega 3, UPC Number: 0023577330, Lot Number: T095, and Expiration Date: Aug2022), that he is to use in both eyes every hour, and an eye ointment in his left eye only at bedtime. He had been using crutches when he walks because of the problem with his right knee since he fell in Nov2020. He said on 06Feb2021, he took a shower, and when he went to get out of the shower, his right leg gave out. He said he didn't fall, but he couldn't walk afterwards. He said he went to the Emergency Room on 06Feb2021, and an x-ray and sonogram were done of his right knee. He said he was told he had another soft tissue injury like he had when he fell back in Nov2020. He said he was given a leg immobilizer to use. He said when he first fell in Nov2020, he originally fell on his left knee. He said he has had PT since being discharged from the hospital on 17Nov2020. He said he also had a pacemaker implanted while he was in the hospital in Nov2020. He said after his discharge from the hospital on 17Nov2020, he went to take shower at home on 18Nov2020 and his left knee gave out. He said he was able to lower himself to the floor in the shower stall, but he couldn't get out of the

VAERS\_ID RECVD STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

shower stall. He said he was left sitting on his left leg and he couldn't use his right leg. He said he finally got himself to bed, and iced his right knee because he sat on it for over an hour. He said the next day (19Nov2020), he couldn't walk and had to have an ambulance take him to Emergency Room. He said he hasn't had PT since 27Jan2021, and needs clearance from his doctor before he can restart PT. He said he has been without PT for 2 weeks now. He said on 06Feb2021 he was unable to get a MRI on his knee because he had too much swelling that would have made the MRI imaging cloudy. On 06Feb2021 he was due for his second COVID-19 Vaccine, so before he was discharged from the Emergency Room he was given his second COVID-19 Vaccine dose. He was using the Refresh Optive Mega 3 eye drops constantly now. He said he had no fever, but is more tired than in the past. He said the last couple of days he can sleep for hours, and wake up and feel like he can go right back to sleep. He said he and his cardiologist are concerned because since 27Jan2021, he has only been on Aspirin 81mg. He said he has 3 cardiac stents since Oct2020, and should be on dual therapy. He said he had a CT of his abdomen and pelvis while he was in the hospital. He said he has been off of Plavix since 27Jan2021, and can restart the Plavix until he has a cystoscopy. He wants to know if UTIs in men are common after getting the COVID-19 Vaccine, so he can decide if he should cancel the cystoscopy and restart his Plavix. The second COVID-19 Vaccine Lot number as EL9261 or EI9261. He stated the vaccine lot number was handwritten on his COVID-19 Vaccine immunization card and was difficult to read the handwritten vaccine lot number. The patient underwent lab tests and procedures which included bacterial sepsis: gram negative urinary tract infection on 28Jan2021. Clarified he had no pain, burning, or urgency with the UTI. He said he was told by the hospital he had gram negative rods in his urine, when he was started on the IV Ceftriaxone on 29Jan2021. He stated he has never had a UTI before. Clarified his body temperature is rarely 98.6 degrees, and is normally 98.2 degrees and he had never had shingles before. He said he had chicken pox as a young adult, and he only had 1 spot of chicken pox. He had never had dry eyes before. Reporter seriousness for fever, UTI, injection site pain, injection site redness, injection site puffiness, rash,

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

shingles were medically significant. For other events were unspecified. The outcome of event injection site pain, injection site redness, injection site puffiness was recovered on 31Jan2021, dry eye, tiredness was not recovered, while the outcomes of other events were unknown.; Sender's Comments: Based on the temporal association and the known possible local reaction, a possible contributory role of BNT162B2 to the development of injection site pain, redness, and puffiness cannot be excluded. The other events are considered as due to underlying or intercurrent conditions and unrelated to the use of BNT162B2. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.,Linked Report(s) : US-PFIZER INC-2021134924 same reporter/drug, different patient, similar event

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1048215	2/23/2021	CA	44	F	1/5/2021	1/5/2021	Dizziness; stoke like symptoms; lost taste; Lost smell; lost hearing; weakness; right eye droopy; This is a spontaneous report from a contactable other hcp (patient). A 44-year-old female patient receive first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number: EL0142), at same age, via an unspecified route of administration in left arm on 05Jan2021 10:00 at single dose for covid-19 immunisation. Medical history included high blood pressure. Concomitant medication included metoprolol. The patient previously took ampicillin and experienced drug allergy. The patient experienced dizziness, stoke like symptoms, she lost taste, smell, hearing, lost station on my whole right side. Right side weakness. Only one eye blinks right eye droopy, all on 05Jan2021 10:00. Events resulted in emergency room visit. The patient was hospitalized for 1 days for all events. It was unknown whether treatment was received for all events. Patient is not pregnant at the time of vaccination. Facility where the most recent COVID-19 vaccine was administered was hospital. Patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient underwent lab tests and procedures which included nasal swab/ covid test: negative on 08Feb2021. The outcomes of events were not recovered.; Sender's Comments: The Company cannot completely exclude the possible causality between the reported dizziness, stoke like symptoms, she lost taste, smell, hearing, lost station on my whole right side, right side weakness, only one eye blinks right eye droopy, and the administration of the COVID 19 vaccine, BNT162B2, administration, based on the reasonable temporal association. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RA, IEC, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1048659	2/23/2021	IL		F	2/3/2021	2/3/2021	<p>Tired; Received another dose of the Moderna COVID-19 vaccine the next day; Sore arm; A spontaneous report was received from a consumer, concerning herself, a 76-year-old female patient, who accidentally received first dose of Moderna's COVID-19 vaccine and experienced sore arm, received another dose of the Moderna COVID-19 vaccine the next day and was tired. The patient's medical history included sleep deprivation, short term memory loss, hyperparathyroidism, plaque in the artery, heart burn, ocular hypertension, irregular heartbeat, osteopenia, hypertension, cardiac arrhythmia, mitral valve prolapsed, aortic valve prolapsed, DVT, diverticulosis, IBS, rosacea, dry eye, osteoarthritis. Products known to have been used by the patient, within two weeks prior to the event, included Amlodipine, red yeast rice, ezetimibe, latanoprost, propranolol, Irbesartan, Flonase, N-Acetyl-L-Cysteine (NAC), heartburn essential and several supplements. The patient received their first of two planned doses of mRNA-1273 (Lot number:007M20A) intramuscularly in the left arm on 03 Feb 2021. On 04 Feb 2021 approximately 1 day prior to the onset of the events, patient received their second of two planned doses of mRNA-1273 (Lot number: 007M20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. The patient received first dose of mRNA-1273 vaccine on 03 Feb 2021 and was accidentally administered second dose of mRNA-1273 vaccine on 04 Feb 2021 from the same facility. Patient called poison center and was told the side effects may be intensified other than that patient should be fine. Patient stated of reading all the side effects and only thing she had was sore arm. Patient was tired because she only got 4.5 hours sleep on 04 Feb 2021 night. She was scared by the event. No treatment information was provided. Consent to follow up was given by her. Action taken with mRNA-1273 in response to the event sore arm was no change. Action taken with mRNA-1273 in response to the events received another dose of the Moderna COVID-19 vaccine the next day and tired were not applicable. The event received another dose of the Moderna COVID-19 vaccine the next day was considered resolved on 04-Feb-2021. The outcome of events, sore arm and tired were considered unknown at the time of this report.; Reporter's Comments: This case concerns a 76-year-old female patient who received their first and</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

second of two planned doses of mRNA-1273 (Lot: 007M20A), reporting Inappropriate schedule of product administration and associated adverse events of vaccination site pain and fatigue. Based on the current available information and temporal association between the use of the product and the onset date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1048196	2/23/2021	FL	48	F	12/24/2020	12/24/2020	<p>Passed out/ Status post syncopal episode; Double vision; Diagnosis of static vision; Hypothyroid; Diarrhea; Injection site pain; Headache; A spontaneous report was received from a healthcare professional concerning a 48-year-old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced hypothyroidism, passed out/status post syncopal episode, diarrhea, injection site pain, headache, static vision/double vision. The patient's medical history was not provided. Concomitant medication history was not provided. The patient received their first of two planned doses of mRNA-1273 (batch number: unknown) on 24 DEC 2020. On 21 JAN 2021, the patient received their second of two planned doses of mRNA-1273 (batch number: 028L20A) intramuscularly for prophylaxis of COVID-19 infection. The patient developed injection site pain and diarrhea after the second dose. She continued to have the headache from the first dose that was administered. On 03 FEB 2021, the patient experienced double vision and dizziness while driving to work. The patient passed out at work and was admitted to the hospital. A CT of the brain showed no acute findings and her CT angiography was normal. The patient was discharged in less than 24 hours with the diagnosis of static vision, hypothyroid and status post syncopal episode. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the event passed out/status post syncopal episode and static vision/double vision were resolved. The outcome of the events hypothyroidism, diarrhea, injection site pain, and headache were unknown.; Reporter's Comments: Very limited information regarding this events has been provided at this time. Further information has been requested.; Sender's Comments: MOD21-024368:Crosslinked: Same reporter MOD21-024340:Crosslinked: Same reporter MOD21-024343:Crosslinked: Same reporter MOD21-24360:Crosslinked: Same reporter MOD21-024387:Crosslinked: Same reporter MOD21-024396:Crosslinked: Same reporter MOD21-024411:Crosslinked: Same reporter</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1048677	2/23/2021	MI	58	F	1/19/2021	2/1/2021	shingles; Bump on nose; It is painful; broke out in rash/rash under right eye; pretty sick; This is a spontaneous report from a contactable nurse (the patient). A 58-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), intramuscular in the left upper arm on 19Jan2021 at 11:15 to 11:30 (at the age of 58-years-old) as a single dose for Covid-19 immunization. Medical history included COVID-19 in Mar2020 and was reported as recovering (ongoing). The patient's concomitant medications were reported and none. The patient did not receive any other vaccines within four weeks prior to the vaccination. On 02Feb2021, the patient experienced a bump on her nose and later got a rash under the right eye and broke out in a rash; on 08Feb2021, the patient was diagnosed with shingles; on an unknown date in Feb2021 she experienced she was pretty sick now; not feeling well and it was painful. The patient went to the emergency room about 3:40am on 08Feb2021. The events were considered serious per disabling since she was not able to return to work until blisters were crusted over. Has missed a couple days of work. Her only concern was that it was not in her eye and she was good. Treatment was given for the shingles which included Acyclovir. The clinical outcome of the events herpes zoster, rash, illness, skin disorder and pain was not recovered. The reporter stated she was supposed to get her second dose but cannot now. The reported considered the events herpes zoster, rash, illness, skin disorder and pain related to BNT162B2. The batch/lot numbers for the vaccine, PFIZER-BIONTECH COVID-19 MRNA VACCINE, were not provided and will be requested during follow up.; Sender's Comments: Based on the current available information and the plausible drug-event temporal association, a possible contributory role of the suspect product BNT162B2 to the development of events cannot be totally excluded. The case will be reassessed if additional information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1048831	2/23/2021	AZ	39	M	1/18/2021	1/28/2021	<p>Committees and Investigators, as appropriate.</p> <p>presenting to the emergency department via car for evaluation of Herpes Zoster to the left side of the patient's face. The patient was evaluated at Urgent Care yesterday and sent by the NP. Patient reports three days of rash to the left side of his face with redness and swelling. The patient initially thought the rash was acne due to his face mask. There is intermittent pain to the area which is rated 10/10 severity at its worst. The patient has been unable to sleep the past two days due to the pain. Pain is worse with cold weather and at night with increased clenching of his jaw and grinding of his teeth. He was prescribed Valtrex at Urgent Care and took one dose just PTA to the ED. There is concern given a bump just lateral to the patient's left eye. The patient received his first COVID-19 vaccination on 01/18/2021 and explains that the Urgent Care provider believes this may be an adverse reaction.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1048683	2/23/2021	VA	82	M	1/25/2021	2/2/2021	<p>passed out; light headed; This is a spontaneous report from a contactable consumer (patient's daughter). An 82-year-old male patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot# EK4176), via an unspecified route of administration on 25Jan2021 09:50 at single dose for covid-19 immunization. Medical history included visual problem. The patient's concomitant medications were not reported. The patient experienced passed out on 02Feb2021 and light headed in 2021. Clinical course: Consumer was calling regarding her dad who got the Pfizer COVID-19 vaccine. She said her dad had an event and she took him to his cardiologist who checked him out and suggest they call about it. She said that her dad passed out a week and a day after getting the vaccine and had been light headed. She said she was concerned that the second dose of the vaccine was supposed to be worse for effects, and she knew he was supposed to get it, but she wasn't sure that he should. She said her dad would say to call his daughter, because he had a visual problem, which he had since before the first dose of the COVID-19 vaccine. Caller said that NDC/EXP were not provided on the handwritten card. She said it said he got his first dose 25Jan2021. She said that the report she filed online asked what time he got the vaccine dose, and she put 09:45AM since it would not let her put 09:50AM, it was really at 09:50AM. Outcome of events were unknown.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1048708	2/23/2021	FL		F	1/15/2021	1/18/2021	Brain hemorrhage; Allergic reaction; Face, eyes, ears, lips and hands were swollen; Face, eyes, ears, lips and hands were swollen; Face, eyes, ears, lips and hands were swollen; Face, eyes, ears, lips and hands were swollen; Face, eyes, ears, lips and hands were swollen; Hands were itching; A spontaneous report (United States) was received from a consumer a 74-year-old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced brain hemorrhage, allergic reaction, face, eyes, ears, lips and hands were swollen, and hands were itching. The patient's medical history, as provided by the reporter included allergy to gadavist and tromethamine. The concomitant medications reported included diltiazem, atorvastatin calcium, ezetimibe and hydrochlorothiazide for unspecified indications. On 15 Jan 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Lot number: 011LZ0A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 18 Jan 2021, the patient experienced brain hemorrhage, allergic reaction, face, eyes, ears, lips and hands were swollen, lips looked as an overdose of botox and hands were itching. The patient was taken to the emergency room (ER) and treated with intravenous diphenhydramine and steroids. It was stated that the swelling lasted 36 hours and the patient was prescribed prednisone to treat symptoms after leaving ER. Action taken with mRNA-1273 in response to the events was not provided. However, the healthcare professional recommended patient to cease with the vaccination series due to probability of the patient being allergic to tromethamine. The events, allergic reaction, face, eyes, ears, lips and hands were swollen, and hands were itching, were considered resolved on 20 Jan 2021. The outcome for the event, brain hemorrhage, was unknown.; Reporter's Comments: This case concerns a 74 year old, female patient, with a medical history of allergy to gadavist and tromethamine, who experienced a serious unexpected event of Cerebral hemorrhage, hypersensitivity after receiving first dose of mRNA-1273. Very limited information regarding this event has been provided at this time. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1048727	2/23/2021	GA	43	M	2/20/2021	2/20/2021	Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Systemic: Hypertension-Medium, Systemic: Tingling (specify: facial area, extremities)-Medium
1048742	2/23/2021	GA	44	F	2/22/2021	2/22/2021	Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Mild, Additional Details: Swelling and redness in cheeks. Patient described feeling swelling in lips but no swelling was visible. She was given 25mg Benadryl and monitored for approximately an hour with no additional swelling seen and was driven home by a relative.
1048750	2/23/2021	MA	63	F	2/22/2021	2/22/2021	Pt reported feeling "woozy" w/ "tunnel vision" while amb w/ PT to observation area. Pt immediately sat in chair at 9:10am w/ BP 149/82 and HR 74. Pt then t/f to stretcher and placed in supine position. VS cont to be monitored:9:33 - supine - 146/84, 67 denied symptoms c/o "tunnel vision"9:49 - supine - 138/81, 68 denied symptoms 9:55 - pt sat at EOB and denied symptoms pt was given water and crackers w/o issue 10:12 - standing - 132/90, 80 denied symptoms, pt amb across room and back (about 50') w/o LOB or sx
1048757	2/23/2021	FL	68	F			#1 Moderna vaccine 1/22/21 @1210hours at right deltoid Date of second shot was not recorded for report 2nd vaccine caused side effects started the next day - woke up feeling very weak, headache, eyes hurting, fever not measured, felt confused, dizzy, vomited x2
1048815	2/23/2021	ME	60	M	2/19/2021	2/20/2021	approximately 24 hrs after shot in left arm, IM, Left armpit swelling, assume lymph nodes. Slightly painful. Pain went from a 4 out of 10 to a 2 in 24 hrs, to 0 after 48 hours. Armpit is still swollen now. Visually obvious but no pain.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1048676	2/23/2021	NE	72	F	2/5/2021	2/5/2021	Severe eye pain evening after; drooping eyelid and eyeball on left side; This is a spontaneous report from a contactable consumer (patient herself). A 72-year-old non-pregnant female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, Lot/Batch number was not reported, Pfizer NTEC), via an unspecified route of administration in left arm on 05Feb2021 12:00 pm at single dose for COVID-19 immunization. The patient's medical history included thyroid issue, elevated cholesterol. Concomitant medications included ospemifene (OSPHENA), levothyroxine, meloxicam and ezetimibe. The patient was not diagnosed with COVID-19 prior to vaccination. The patient have not been tested for COVID-19 since the vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient experienced severe eye pain and drooping eyelid and eyeball on left side evening after (05Feb2021 20:00). Next day and still happening, drooping eyelid and eyeball on left side. The patient did not receive any treatment for the adverse events. The events were considered as non-serious by the consumer. The outcome of the events was not recovered. Information on the lot/batch number has been requested.
1050408	2/23/2021	OH	70	F	2/23/2021	2/23/2021	The patient began to have hot flashes and some dizziness. She felt "disoriented in her eyes," while also having a slight headache. The feeling went away after 10 minutes and began 15 minutes after receiving her second Pfizer vaccine dose.
1050126	2/23/2021	IL	31	M	2/18/2021	2/18/2021	1145 vaccine administered 1147 patient stood up from chair and then had syncopal episode. Fell face first onto floor. Hit head on wall trim on the floor. Eyes dilated, fists clinched, arms and legs shaking , not responding to verbal cues. Seizure like activity last approximately 1.5 minutes 1150 called 911 1200 ambulance arrived on scene. patient c/o lightheadedness and needing to continue to lay down 1210 transported patient to ER at Hospital
1050134	2/23/2021	CO	45	F	1/16/2021	1/23/2021	Nausea, vertigo, ataxia, falls, change in vision persisting currently

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1050140	2/23/2021	WA	41	F	2/20/2021	2/20/2021	<p>Pfizer shot #1: She received the 1st COVID vaccine Pfizer on January 24th at 7:00 p.m.. The following day she noted a low-grade fever. On January 26 she noted edema of her eyes and lips associated with facial redness and itching that she treated with Benadryl intermittently for the past 2.5 weeks. She was seen in follow-up by her dermatologist who suspected an inflammatory reaction and prescribed anti-itch facial cream. She was also seen by her primary care who suspected angioedema and prescribed her an EpiPen which she has not needed to use. Pfizer shot #2: 2nd shot delayed due to snow. Above sx resolved before shot #2. She had her 2nd COVID injection February 20 at 3:50 p.m. About 1.5-2 hours later she noted onset of itching to her eyes and nipples along with itching of the skin in the locations of her usual eczema. She noted that her lips and eyes were a little puffy but less severe swelling to the eyes and lips than the 1st injection. She took 2 Benadryl shortly after onset of these symptoms. This seemed to lessen symptoms about 50%. Later she noticed that her voice sounded raspy and hoarse and she had a sensation of swelling to her tongue and throat but she was able to swallow. Her throat felt scratchy. She denies having lightheadedness, urticaria or GI symptoms. She went to the ED and was treated with benadryl, solumedrol and pepcid, monitored for a few hours and then discharged on 60 mg prednisone X 3 days and advised to continue benadryl 50 mg Q6h. She takes zyrtec 10 mg BID for seasonal/perennial allergies. Allergy history: She has a history of both idiopathic urticaria in early childhood and idiopathic angioedema in her early 20's. States she had extensive testing but the cause was never exposed. Took high dose prednisone for 4-5 months, angioedema resolved spontaneously and then flared again a few months later. Finally resolved with n additional 3 months of prednisone. She has both seasonal (feb-may) and perennial allergies to cat and dust, asthma and allergy to ampicillin--rash in childhood, and humira--fevers.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1050152	2/23/2021	WA	66	F	2/20/2021	2/20/2021	She received her 2nd shot on 2/20/2021. Within minutes she noticed that she could not see, due to localized swelling around her eyes. She began to feel itchy and her tongue felt swollen. She was taken to ED and was given Benadryl and Solu-Medrol, her symptoms continued and she was administered epinephrine about an hour later which immediately cleared up her symptoms. She has some residual generalized itching and has been taking Benadryl 50 mg every 6 hours until 9:00 p.m. yesterday. She also takes Zyrtec 10 mg daily starting yesterday. She denies having any dizziness or lightheadedness, hives urticaria, nasal congestion, weepy eyes, diarrhea or abdominal cramping. She does endorse nausea and was administered Phenergan in the emergency department. She also endorses that her eyes felt itchy. She also endorses that she was able to swallow. Takes celebrex but paused this prior to the vaccine to prevent possible anti-inflammatory interrupting vaccine efficacy. Her ED record is available for review. Exam findings endorse she is tolerating secretions, speaking in full sentences and her tongue was not enlarge. No labs were drawn during her visit. She denies historical reactions to vaccines. She does get itching with some medications. Historical angioedema/urticaria post pistachio and bran muffin were singular events and have not recurred. She had a normal tryptase in 2014
1050274	2/23/2021	CA	30	F	2/5/2021	2/5/2021	Immediate experience of hot flushes and chills with severe nausea. Chest felt tight, upper stomach in extreme discomfort, Hard to see, lights hurting eyes, seeing spots in the air. Sound became amplified and began to experience a migraine. "People talking low to me felt like they were screaming into my ear drums." Extreme fatigue so could barely keep eyes open. Standing was difficult; moved to wheelchair. Most symptoms lasted 2 to 3 days. Fever of 102 on first day only. Fatigue for one week. Right upper arm, not at the injection site, had a "hive" about the size of a nickel that has not gone away (as of 2/23/21). New migraines with light sensitivity that affect ability to work also have not gone away (as of 2/23/21).



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1050309	2/23/2021	CA	64	F	1/15/2021	1/16/2021	I had my 2nd dose of covid vaccine on 1/15, around 5 pm. Next day when I got up about 7:20 I felt dizzy nausea and wanted to vomit. Then I passed out, I fell down and hit my face on the floor. My family called 911 paramedica. They ,measured d my blood pressure and it was too low. The area around my right eyebrow was swollen and my neck hurt as precaution I went to the hospital. I suspect the incident and its symptom are side effects of the vaccine given the timing. Later on I had headache off and on and brain fog.
1050313	2/23/2021	CA	70	F	2/11/2021	2/21/2021	First odd thing was 8 hours post injection- allergic reaction with seemingly no provocation- sneezing, coughing, eyes watering- terrible tickle in my throat. took a Zyrtec and some vitamin C and it went away completely in 20 minutes. mild headache continued for a couple days. Second reaction is a red mark- slightly warm at injection site- no fever or pain Called my MD and he recommended reporting here.
1050101	2/23/2021	CO	28	M	2/20/2021	2/20/2021	Pt states he was initially feeling fine s/p receiving his COVID vaccine. After 5-6 minutes he notes a syncopal episode that he describes as feeling like he randomly fell asleep. When this occurred, he fell back in his chair and hit his head. He notes blurry vision after this occurred but felt like he was slowly improving. While he was being brought to the ED in a wheelchair he began experiencing blurry vision again and his face became very pale. He was given some apple juice and reports that after 5-10 minutes he felt back to normal. While his vitals were being taken, his HR and BP were very low and he experienced another episode. Pt does not have a hx of passing out 2/2 needles and notes that he gets a flu shot every year and is totally fine. He does note that he became queasy when he tried to give blood in the past but that this does not normally happen. Of note, pt denies any leg swelling prior to these episodes. Pt endorses a low baseline HR in the 50s per his Fitbit but otherwise denies any known heart problems. He notes a fhx of heart problems and states that his dad had heart bypass surgery a couple years ago. Pt denies any daily medications other than vitamin gummies. Denies DVT risk factors or prior history of DVT.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1050376	2/23/2021	FL	83	M	2/9/2021	2/9/2021	Approx 10 hrs after shot began to see black circle with football shape inside of circle. Entire thing kept moving away and then coming closer. Could not see during this event. Tried closing eyes but was still there when I opened them. Fell asleep approximately 20 minutes later and eyes were fine in morning. Note that I did have eye surgery about 6 years ago and had surgical lens implants.
1050387	2/23/2021	KY	45	U	2/17/2021	2/23/2021	45-year-old female presents the emergency room for evaluation of headache, chest discomfort, nausea, hot flash sensation while at work today. States she felt well yesterday. Has not measured a temperature. Has not had any recent Covid testing or no known ill exposures but does work in as a medical assistant in a medical office. Headache is dull in nature frontal, gradual and not of sudden onset. No associated vision/speech change, neck pain or stiffness, focal extremity numbness or weakness. Chest is discomfort with some shortness of breath and congestion but no productive cough or purulent phlegm. No associated palpitations or lightheadedness and no history of heart disease, DVT/PE. Did have nausea but no abdominal pain and did not vomit. No unusual recent foods. Normal bowel movements without constipation, diarrhea, melena. Normal urination. No new leg pain or swelling. Symptoms mostly improved at this time but still has some head discomfort.
1050417	2/23/2021	HI	36	M	2/18/2021	2/18/2021	Adverse events: cramping at injection site (deltoid), cramping in injection arm, general body cramping, muscle spasms, numbness, body temperature dropping, high fever (101F), chills, severe headache, excessive sweating, severe earache, lethargy, loss of appetite, loss of balance, dizziness, vertigo, joint pain (knees), altered sense of smell (acidic smoke), altered sense of taste (metallic), altered color vision (tinted yellow), altered mouthfeel (plastic film feeling), gum sensitivity, blotchy rashes (legs), tightness in chest, difficulty breathing. All occurred within first 48 hours following injection and began to subside without intervention prior to 72 hours following injection.
1050423	2/23/2021	AR	43	F	2/23/2021	2/23/2021	Drooping eye and mouth on left side of face

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1050464	2/23/2021		23	F	2/23/2021	2/23/2021	10 minutes post vaccination during observation, patient fainted and did not rouse immediately. I administered ammonia inhalant was used within 1-2 minutes of her LOC, and patient gained consciousness but was diaphoretic and pale. Within 2 minutes of the ammonia inhalant, she began convulsing (full body convulsions, eyes rolled) For 30-45 seconds. She had continued LOC for 1-2 minutes, 15L O2 mask was administered, and patient slowly came in and out of consciousness for the next 5-10 minutes, bradycardic 35-45 bpm, BP 72/50, HR irregular, RR 16 BS clear. At the time of observed convulsions, 911 was called and arrived within 10-12 minutes. When EMS arrived, she remained pale but with some improved pallor, HR 45 bpm, and more alert. Transported by EMS to hospital for eval.
1050465	2/23/2021	PA	66	F	2/11/2021	2/17/2021	I get migraines and I get continuous treatment for migraine headaches, so I don't know if I would have as many if I had not received the vaccine. The first reaction was a sore arm at the injection site. The second continues to be a rash at the injection site, which started 6 days after the injection and has not subsided. It changes in visual characteristic but itches fairly consistently. I have taken acetaminophen for the discomfort, and some migraine specific medication (rizatriptan) for the headaches.
1050482	2/23/2021	AZ	46	F	2/21/2021	2/21/2021	Heaviness in chest. Swelling on face , eyes and lips
1049487	2/23/2021	PA	62	F	2/8/2021	2/8/2021	Red face, swollen lips, itchy watery eyes, red rash over body
1049316	2/23/2021	KY	20	M	2/21/2021	2/21/2021	Started with a fever that slowly worsened to a high temperature. This resulted in chills, aches, pains, fatigue. nausea, congestion, sore throat, headaches, and weakness. There was also swelling at the injection site and swelling of my eyelids.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1050316	2/23/2021	CA	23	F	2/19/2021	2/19/2021	From patient note: 2/19/21 Day of Vaccination - Morning of the vaccination had burning in arm at and around the injection site with severe soreness of arm developing over the day. After 5 hours faintness, sore neck/shoulders, trembling hands, "super shaky", also headache with stabbing pain in head and neck which continued for several days. Tight chest developing within 3 hours gradually turning into extreme difficulty breathing by 9pm. Around 9pm both arms from shoulders to fingertips went numb and tingly "like nerves were TV static". Throughout night drank about 1 bottle of water per hour, each time getting up and taking a few steps vision would start blacking out, would feel clammy, and would barely make it back to bed before fainting. Extreme muscle and joint pain made walking difficult for 3 days.. Fever of 99-101 for 3 days. Day 2 - extreme back pain accompanied by heartburn On 2/22/21 reports doing better but continuing to have soreness, night sweats, chills
1049548	2/23/2021	MO	37	F	2/22/2021	2/22/2021	About 10 min after patient received 2nd dose, swelling on face and eyes. patient described difficulty breathing/something in throat. administered 1 dose of epipen. within 1 minute reaction was getting better, patient was back to normal in 5-10 min. facility called ambulance, patient was taken to hospital for futher evaluation.
1049499	2/23/2021	IL	59	M	1/15/2021	1/23/2021	SWOLLEN RIGHT LIP UPPER RIGHT SIDE PERIORBITAL BRUSING OF LEFT EYE
1050413	2/23/2021	MD	37	F	2/5/2021	2/15/2021	Night/morning 1 - muscle aches nausea subsiding and and resolving in swollen mouth, throat, lips, glands, loss of voice (went to urgent care, place on antihistamines) Night/morning 2 - swollen eyes, lips, face, hands, feet Night/morning 3 - swollen hands/feet, abdominal itching Night/morning 4 - abdominal/leg itching, rash on arms and hand, loss of voice (went to ER, placed on steroid and different antihistamines) Night/morning 5 - lesser amount of abdominal/leg itching, rash on arms and hand Morning 6 - swelling of throat mid morning resolved with OTC medication Residual loss of voice/cottony mouth feeling, afternoon headaches

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1050066	2/23/2021	AZ	57	F	2/14/2021	2/16/2021	Very Bad nausea, Severe Vertigo, Bad Headaches, Blurred vision I was hospitalized at Hospital for 1.5 days. But the fields in question 21 would not allow me to enter the information when I checked Hospitalization. I received the vaccination at the Stadium in which was a State run POD.
1049538	2/23/2021	MA	68	F	2/23/2021	2/23/2021	Reported that she experienced slight blurry vision. Moved to observation chair- BP 124/76 pulse 72. Had 5 oz bottle of water. Reports that she has had high blood pressure. After 5 minutes- vision no longer blurry. Reported that she believe she was anxious.
1049543	2/23/2021	GA	43	M	2/4/2021	2/13/2021	Woke up on 2/13/2020 and upon standing had severe vertigo that lasted 10-15 seconds accompanied by nausea and vomiting. He then would then have on and off again vertigo for 6 days through 2/19/2020 accompanied by nausea (no vomiting). Vertigo was mostly positional, worse when going from recumbent position to sitting or standing. Would occur throughout the day. Experienced extreme fatigue from 2/13/2021 through the 2/19, that was progressively better as time went on. , Experienced general weakness, mental fogginess, and "heaviness" behind eyes and in the occipital muscles. Muscle aches in legs and torso were worse in the AM and present from 2/13/21 to 2/19/21 that got progressively better further out from vaccination.
1049515	2/23/2021	PA	48	M	2/16/2021	2/17/2021	developed slight eye tearing and left ear pressure within 24 hours of vaccination. followed by left facial drooped. was seen in ER on day 3 after vaccination, diagnosed with Bells Palsy. treated with eye care and oral prednisone.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1049639	2/23/2021	NM	40	F	1/26/2021	2/5/2021	swelling on the left side of my face; Bell's palsy/ left side can not function properly. I have little eye, mouth and forehead movement; This is a spontaneous report from a contactable consumer (patient). A 40-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number: EL8982), via an unspecified route of administration (at the age of 40-years-old) on 26Jan2021 10:15 at a single dose in Left arm for COVID-19 immunization. Medical history was not applicable (N/A). The patient was not Pregnant at the time of vaccination. The patient's concomitant medications were not reported. The patient experienced swelling on the left side of my face and Bell's palsy/ left side can not function properly. I have little eye, mouth and forehead movement on 05Feb2021 10:30. The patient reported, "I have swelling on the left side of my face as well as Bell's palsy. My left side cannot function properly. I have little eye, mouth and forehead movement." The events resulted in Doctor or other healthcare professional office/clinic visit, Disability or permanent damage. The outcome of the events was not recovered. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. No other medications received within 2 weeks of vaccination. Therapeutic measures were taken as a result of the events which included anti-viral medication and a steroid. The events were assessed as serious (Seriousness criteria-Disabling/Incapacitating). Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19.
1049744	2/23/2021	PA	60	M	2/12/2021	2/19/2021	One week after 2nd vaccine, Friday 2/19, woke up with my right eyelid red, swollen, itchy, discharge. Saw eye doctor, OD., whom I work for. She diagnosed "Swollen sub-mandibular & pre-auricular lymphatic nodes." I am being treated with: 1) Erythromycin Ophth Oint 3.5GM 2) Prednisolone AC 1% Ophth Susp 5ML 3) Pataday Doctor believes that my viral infection might be a result of the Covid 19 vaccine, and gives assurance that her treatment will resolve issues. She is unsure whether, or not, I am considered contagious during this time? Inquiries at the college were unfruitful. I hope my reporting this is not a violation in any way. Many thanks.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1049987	2/23/2021	OK	65	F	2/17/2021	2/17/2021	got vac at 12:30 pm 2/20/21, started feeling flue like approx 5:00 pm 2/20/21,sore arm running up my neck and shoulders, body aches w/ no thermometer but felt like I had a fever with chills, fatigue, wheezing, head ache that was not constant but hit spuratic from temples to back of head, thought I was feeling better 2/21/21 but symptoms returned and are continuing to current 2/23/21. My current symptoms; I woke up in the night w/loud wheezing continuing through the night and current worse at times when I'm up, some shortness of breath, some cough, some heavy chest feeling, I feel like I have a fever w/chills, fatigue, spuratic headache, cough, some blurred vision w/watery eyes and some crusting. I just feel flue like and want to rest. I have a doctor appt tomorrow 2/24/21 to get checked out. Just wanted to let you know my symptoms. I am healthy and do not take meds of any kind.
1049821	2/23/2021	MD	47	F	2/23/2021	2/23/2021	Onset of migraine visual aura and nausea. Migraine headache did not occur while the patient was under our observation. Patient thinks the aura may have been triggered by bright lights in observation room. No medications given.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1049860	2/23/2021	TX	60	F	2/5/2021	2/5/2021	<p>I received my second Moderna vaccine on 2/05/2021. Within 10 minutes of receiving the vaccine I got a real bad headache, was very dizzy and felt very hot all inside my body. I reported it to the nurse and she told me it was a normal reaction to the vaccine and to wait a little longer than the 15 minutes to see if it would go away. She gave me water and I did feel better and we left medical center. At around 5:30 pm that same day I started to get cold chills and body aches especially on my right side. my lower back and my right hip were hurting a lot and I was having trouble walking. at around 8:00 pm my husband notice my right foot was very swollen and I notice by breast, my arm and hand, my underarm and leg were extremely swollen and painful. I did take a Tylenol because that is what they told me to take. I was freezing cold by the time I went to bed during the night I was sweating a lot. As of that day my symptoms were: Swelling on my right side Body aches, Headaches Fever Difficulty breathing/Shortness of Breath Rapid heart rate ranging from 100-125 w/o doing anything My neck and throat were very swollen around my thyroid area Blurring vision Chills and hot flashes Fatigue/Malaise Big round red welt around my injection site about 4 inches wide and hot to the touch I finally called medical center on 2/18/21 because I still had right leg, hip pain and swelling. I had a tele-med appointment with one of their doctors and she told me I had to first get a Covid-19 test to see if I didn't have Covid. Which the test did come out negative. She also told me that maybe the vaccine triggered something in my body that was causing all the swelling. I do have an appointment for chest, hip spine x-ray and lab work for 3/22/21. I still have the hip pain but not as bad. The person who gave me my Covid test results said I should report my symptoms.</p>



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1049886	2/23/2021	CA	72	F	1/22/2021	1/22/2021	<p>Patient at Covid vaccine drive up clinic. Patient with multiple medication allergies-confirmed with patient Allergies Allergen Reactions ? Levaquin [Levofloxacin] Hives ? Percocet [Oxycodone-Acetaminophen] Nausea and Vomiting ? Amoxicillin Nausea and Vomiting ? Bactrim [Sulfamethoxazole W-Trimethoprim] Other dizziness ? Hydrocodone-Acetaminophen Other ? Keflex [Cephalexin] Other Severe vertigo ? Norco [Apap-Fd&amp;C Yellow #10 Al Lake-Hydrocodone] Nausea and Vomiting ? Oxycodone Nausea and Vomiting ? Tramadol Nausea and Vomiting. patient reported tingling of face and lips after receiving vaccine @1630. States lips appeared more swollen then prior to vaccine. Denies shortness of breath, wheeze, tongue/ throat swelling, chest pain, palpitation. OBJECTIVE: Blood pressure :138/ 78 HR 77 Oxygen saturation 99% on room air. Gen: sitting in car. No acute distress. Eyes: Conjunctivae and sclera without injection/icterus and lids and lashes normal. Oropharynx moist and intact without lesions. HENT: Atraumatic. No facial droop. Minimal swelling of right upper lip without erythema. Oropharynx moist and intact without lesions. Neck: supple. Pulm: No tachypnea, retractions or cyanosis. clear to auscultation bilaterally with symmetric air entry in all fields. Speaking in &gt; 5 word sentences without difficulty. CV: regular rate and rhythm. Psych: Speech fluent with normal volume, rate, and pitch alert and oriented x iii,pleasant affect/mood. Skin: Exposed areas warm,dry, without rash or jaundice. ASSESSMENT/PLAN: 1. Tingling of face and lips 30 minutes after receiving Covid vaccine. No evidence of hypoxia or respiratory distress/ hemodynamic instability. Patient with history of multiple allergies to medications. Benadryl 25 mg orally x1 given @ 1640 Lot 201666 Exp 04/2023 Reassess in 15-20 minutes. Addendum Reassessed at 1700. Patient reports increased swelling/tingling to lips and face right &gt; left. Denies shortness of breath, wheeze, difficulty swallowing, itching, hives. Exam. Gen: sitting in car-appears comfortable. Eyes: Conjunctivae and sclera without injection/icterus and lids and lashes normal. HENT: Atraumatic. No facial droop. -increased swelling to lips/ perioral right &gt; left -mild erythema periorally. - Oropharynx moist and intact without lesions. Neck: supple. Pulm: No tachypnea, retractions or cyanosis. Speaking in &gt; 5 word sentences without difficulty. Psych:</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1049946	2/23/2021	AZ	43	F	2/12/2021	2/18/2021	<p>Speech fluent with normal volume, rate, and pitch alert and oriented x iii,pleasant affect/mood. Skin: Exposed areas warm,dry, without rash or jaundice</p> <p>ASSESSMENT/PLAN: 1. Increased edema and patient reports increased tingling of lips/ face ~ 60 minutes after receiving Covid vaccine. Not improved with benadryl 25 mg x1. Concerning for allergic reaction with history of multiple allergies. Urgent Care to continued monitoring and treatment Patient agrees Husband will transport via private care Urgent Care notified by clinic: Patient given EpiPen in case symptoms return. Instructed patient to go directly to the emergency department for any tongue swelling lip swelling trouble breathing or need to use of EpiPen. Patient is asymptomatic. Patient has additional Benadryl or will pick up from the pharmacy.</p> <p>Starting February 18 - today (Feb 23) soreness under left arm --most painful 19-21 Feb 20-22 -developed large 3-4 inch pink circle over injection site, itchy at some times but not often -under left eye became red/pinkish then became slightly swollen, almost similar to a sty. Both are clearing and are almost gone but not 100% took benadryl and tylenol 1-3 times a day throughout feb 20-22</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1049972	2/23/2021	HI	43	F	2/19/2021	2/19/2021	<p>Patient presents for evaluation of encounter for immunization. Here for moderna COVID-19 vaccine #1. See scanned vaccination screening form and post vaccine questionnaire.@1713 Patient reports that her lungs "felt tight". She denies mouth swelling, facial swelling, tongue swelling, throat tightness, difficulty breathing or speaking. Denies GI distress, nausea. Denies rashes, itching or other symptoms. She denies allergies. Denies chronic conditions. Denies daily medications. She reports her only medical history is "childhood asthma" and does not take any medication currently. (1715) Patient escorted to exam room for privacy and monitoring. Patient able to ambulate without difficulty or distress. She reports her "chest tightness" is a 6 (0-10 scale). And denies other symptoms including chest pain, itching, mouth swelling, SOB. Patient reports she prefers to sit in chair, vs lying on exam table, VS monitored by RN. ROS: CONSTITUTIONAL: Negative for chills, fatigue, fever, and weight change. EYES: Negative for blurred vision, eye pain, and photophobia. E/N/T: Positive for Denies mouth, tongue swelling. Denies throat tightness.. CARDIOVASCULAR: Negative for chest pain, palpitations, tachycardia, orthopnea, and edema. RESPIRATORY: Positive for Denies cough, distress, endorses "tight chest". GASTROINTESTINAL: Positive for Denies nausea, vomiting, GI distress, diarrhea. INTEGUMENTARY/BREAST: Positive for Denies rashes, lesions, changes to skin.. Vitals: Current: 2/19/2021 4:48:38 PM T: 97.9 F (temporal); BP: 174/104 mm Hg (right arm, sitting); P: 81 bpm (finger clip, sitting)O2 Sat: 100 % (room air) Repeat: 5:38:26 PM BP: 182/108mm Hg (left arm, sitting, 5:17pm) 5:38:59 PM BP: 158/97mm Hg (right arm, sitting, 5:26PM) 5:40:22 PM O2 Sat: 100% (room air, 5:26PM) 5:39:56 PM P: 73bpm (finger clip, sitting, 5:26PM) Exams: Initial Exam completed by NP at 1713, 1720, 1730, 1740 and 1746. No changes from baseline GENERAL: well developed, well nourished, in no apparent distress;; well developed; well nourished; well groomed; no apparent distress EYES: lids and conjunctiva are normal; pupils and irises are normal; E/N/T: normal external ears and nose;; Hearing: grossly normal Lips, Teeth and Gums: normal; Oropharynx: normal mucosa; NECK: Neck is supple with full range of motion; RESPIRATORY: normal</p>

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

respiratory rate and pattern with no distress; even and unlabored, no wheezing; CARDIOVASCULAR: normal PMI placement; no thrills, heaves, or lifts; normal rate and rhythm without murmurs; normal S1 and S2 heart sounds with no S3, S4, rubs, or clicks;; normal rate; regular rhythm; irregular rhythm; Radial pulses +2 CR< 3 seconds BUE; GASTROINTESTINAL: no masses or tenderness; SKIN: no ulcerations, lesions or rashes no skin thickening, induration, or subcutaneous nodules; NEUROLOGIC: AOx3, awake, alert, calm PSYCHIATRIC: mental status: alert and oriented x 3; appropriate affect and demeanor; recent and remote memory are intact; good insight and judgement; Procedures: Encounter for immunizationBenadryl 50 mg tab given PO per, NP at 5:14pm 1. Epinephrine given IM, in the right thigh; administered by: employee; ( lot #0GM147; exp. 11/2021 ) 5:37pmVS were monitored closely by RN and NP during reaction, see chart for RN's VS \*\*Requested RN to chart her VS: see "Post COVID-19 Vaccination Questionnaire for VS completed by employees 1714 Benadryl given PO 1726: VS: Ox 100% on RA RR 16 HR 73 BP 158/97 1731 VS: Ox 98% RA RR 16 HR 84 - patient reports chest tightness is worsening: Ordered IM epi, given by RN 1738 VS:Ox 99% RA RR 16 HR 83 BP 167/114 1742 VS: Ox 100% RA RR 16 HR 89 1746 VS: Ox 100% RA RR 16 HR 80 167/98 Plan: Encounter for immunizationvaccine given per protocol.30 minutes after vaccine, patient c/o chest tightness. PO benadryl and IM epi given per protocol, VS monitored per protocol and documented by RN and NP 1) Protocol followed for anaphylaxis 2) Patient remained stable under care. Patient AOx3, awake, no respiratory distress, talking and smiling. 3) (1537) Informed patient we are calling 911 due to administration of Epi and patient's reported symptoms. Patient refused. Re-educated to the importance of calling 911. Patient refused x 3. 4) Husband presented to drive patient to the emergency room. Re-educated to the importance of calling 911 for anaphylaxis. Patient and husband refused. Husband committed to taking patient straight to Emergency Room, and to call 911 on the way if she gets worse in any way. Patient and husband both agreed to this. 5) Educated patient that she must seek emergent medical attention for anaphylaxis. Educated patient to NOT get second vaccine. 6) (1746) Patient reports her

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							chest tightness has gone from a 6 to a 2 (0-10 scale) 7) Patient and husband v/o and agrees to POC. 8) (1746) Patient left in stable condition, under the care and supervision of husband with plan to go straight to the Emergency Room and to call 911 immediately if anything changes or worsens. 9) Case and chart reported to Medical Director.
1049758	2/23/2021	AZ	56	F	2/21/2021	2/21/2021	Swelling of eyelid and around the eye
1049539	2/23/2021	TN	71	F	2/12/2021	2/13/2021	Per patient: " I received my 2nd vaccine on Friday, February 12, 2021 and started breaking out on Saturday, February 13, 2021 around my forehead and into my eyebrow. I developed body aches as well as a headache and arm soreness. I went to the dermatologist on Wednesday, February 17, 2021 and they cultured the lesions and results came back positive for shingles on February 22, 2021. I called the health department to let you know. ~~
1050045	2/23/2021	NY	54	F	2/23/2021	2/23/2021	Patient developed red rash neck, chest and arms. Bilateral Eye swelling. Chest tightness. Denied difficulty breathing. Benadryl 25mg IM administered and transferred to Emergency Room for further treatment.
1050011	2/23/2021	CA	93	M	2/5/2021	2/20/2021	LEFT FACIAL DROOPING, WEAKNESS LEFT EYELIDS, TEARING OF LEFT EYE, NUMBNESS LEFT SIDE OF FACE
1046184	2/22/2021	FL	27	F	2/9/2021	2/17/2021	8 days post completion of the COVID-19 Pfizer 2 vaccine series, herpes zoster (shingles) outbreak began on the left forehead with ocular migraine and hypersensitivity of the left medial portion of the face. Valacyclovir 1000mg TID x10 days was initiated within 24 hours of onset, and rash continued to progress down the face to the left eyebrow, left nostril, and left upper lip. Pain and hypersensitivity of the left upper jaw and teeth began on day 3 of zoster outbreak, and ocular migraine increased in intensity. The rash began to blister on day 4, and is continuing to blister and weep currently (day 5).
1046153	2/22/2021	IL	63	F	2/20/2021	2/20/2021	Experienced Double Vision about 30 minutes after injection. Cleared within 20 minutes. After 36 hours: injection site tenderness, swelling, (no redness)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1046133	2/22/2021	IA	26	F	2/17/2021	2/17/2021	Fatigue, headache, body aches and chills, fever, nausea and vomiting, blurred vision, loss of appetite.
1046093	2/22/2021		38	F	2/12/2021	2/12/2021	All over body rash Swelling with eyes
1046073	2/22/2021	WV	44	F	1/5/2021	1/6/2021	I started feeling really tired (couldn't move type tired). I called off worked for few days. On the 1/7 noticed right of my face was drooping about 10 days couldn't smile and wiggle both ears.For me to talk it was very difficult due to right side of my face being so weak. I went to walk in clinic was diagnosed with Bell's Palsy. As of today I still couldn't lift my eyebrow (right) and smile still slightly cooked.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1046052	2/22/2021	MO	50	F	2/14/2021	2/14/2021	02/14/2021 at 1130 am-I received my 2nd Dose of Covid Vaccine (Moderna) at work. Stayed at work for monitoring. I start getting dizzy and nauseated at 1330 and have told the provider about it. He questioned me if I had eaten anything, which I have not. So, I head home ate and took a nap. ? At 1000pm that night- I started having chills with Fever of 100 degrees, body aches. I took Tylenol 650mg 2 tabs and try to sleep. My fever broke at about midnight and was sweaty, groan and moan all night, ?coz of pain. ? 02/15/2021 at 0430am ? Started chilling again, with Fever of 101, severe body aches and joint pains, severe headaches. Took Tylenol 650mg 2 tabs around 5am. ? At 1100 am-Shivering, Fever 102 degrees, exploding headaches, joint pains, muscle pains, body aches, neck pain, diarrhea x 2, dizziness, nausea, extreme weakness, and little fingers are bending forward and painful. My headache was unbearable, I felt like my brain is going to explode. Tylenol 650mg 2 tabs taken. Ice compress to forehead and back of neck applied. Called Dr office which I was told to be in the clinic office at 1330 and I will be consulting with Dr instead. ? At the Clinic- I was told that I was having bad reactions from the Covid Vaccine and my symptoms will be treated as if I have ?Covid?. My Blood pressure was 150/100 as I am extremely in pain. He gave me a Toradol shot 1st thing and let me rest for about an hour with lights off. By then, my pain were tolerable including my headache. He gave me Medrol Dose (steroid) shot and Rocephin shot then. I was instructed to come back in the Clinic for f/u the next day. He wants to monitor me closely as he has seen uneventful cases of this that leads to death. He sent me a dose of Toradol for pain to be given between about 11pm if needed for pain. ? At 11pm -Started having chills again with fever of 100 degrees. My body aches/joint pain started to intensify and my head starting to ache. Took Tylenol 650mg 2 tabs for fever. My Sister who?s a Nurse gave me the IM shot of Toradol dose prescribed by the doctor. I was able to sleep all night without interruptions, but woke up with clothing wet because of too much sweats. ? 02/16/2021 at 0830-My body aches/HA are under control, but still extremely weak. As I was getting ready for 1000 am Doctor?s follow up. I started getting short of breath with simple activities such as dressing and walking. By the time I got to the office I am very

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1045960	2/22/2021	TX	28	M	2/4/2021	2/4/2021	<p>much short of breath, but my oxygen Saturations has been staying up above 90?s. He gave me an inhaler to ease my breathing. Prescribed me Dexamethasone and Azithromycin, Symbicort. He?s not releasing me to work until he sees me in a week, schedule for 02/22/2021. ? At 11pm that night- started to have mild chest pain lasted about 30 minutes. I took Ibuprofen 600mg and force myself to sleep. I roughly sleep that night. ? 02/17/2021 at 0930-Start having increased Short of breathe with talking, walking, dressing (simple activities). My lungs felt bruise and painful, but I have no cough nor phlegm. My headaches are back with intensity of 9/10. I felt very exhausted as I gotten up at 0500 and felt like I have not slept and unable to rest/calm my mind. Started having chest pain again on and off. I took all the prescribed medications and inhalers. My BP 149/98, Pulse 108, R 22, T 98 Spo2- 96%. Started having chest pain again on and off. My short of breath has ease a little at rest and after inhalers usage. ? 3:00pm-Gotten up to check Vital signs BP- 138/82, P-100, R 20, T 97.8, Spo2-95%. Lungs still painful, breathing?s better, headaches still there annoying but tolerable. Then I started seeing floater?s in my eyes. Checked Blood sugar-131. 02/18/2021- I feel like 60% better with breathing. However, I?m very weak and easily fatigue. Needs intermittent rest every 2-3 hours. My voice seems to be fading, can only speak in soft volume voice as if not enough strength with my vocal voice. 02/19/2021- Called Dr office for update of my condition and was told to come to Clinic at 5pm. EKG was done in clinic , spirometer. Due to new onset of chest pain and EKG result. Doc suggested direct admission for more lab works, cardiac work out and CXR. I was direct admitted at Hospital at 6:30pm at Cardiac/Telemetry unit. 02/20/2021 ?See data?s/documentations from hospital. I was discharged at 8:30pm to home. To f/u with Dr on Monday the 22nd. As I arrived home, I ate a little then vomited a lot. 02/21/2021- I have massive abdominal cramps with diarrhea. Very dizzy and very weak still, but no more short of breath at this time. My voice seems to be coming back to normal volume.</p> <p>Face and eye swelled up. Also got very red. Next day low grade fever and extremely tired.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1046250	2/22/2021	MI	68	F	2/18/2021	2/19/2021	Moderna injection on Thursday 2/18/2021, Friday at 7 pm facial swelling and redness appeared. Eyes are swollen, whole face and welts all over, sore throat for 2 days, Denies fever. Mild wheezing/little winded. Welts over whole body, hips and ankle. Itching in unusual places. Denies swollen tongue. Seen on 2/20/21 at urgent care.
1045948	2/22/2021	PA	60	F	2/17/2021	2/17/2021	Left eye pain developed in afternoon along with left injection site pain (expected.) Later on I had a bad headache, fever, chills, all expected. When all other symptoms were resolved 2 days later eye pain persisted. Still present today even though milder .
1045885	2/22/2021	MN	46	F	2/21/2021	2/21/2021	Systemic: Allergic: Difficulty Breathing-Medium, Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Severe, Systemic: Dizziness / Lightheadness-Severe, Systemic: Flushed / Sweating-Medium, Systemic: Tachycardia-Medium, Systemic: Visual Changes/Disturbances-Mild, Systemic: Weakness-Mild, Additional Details: Oral benadryl liquid given (50mg) and 2 doses of Epi-pen given. Ambulance arrived and transported patient to emergency room.
1046045	2/22/2021	NC	82	F	2/3/2021	2/3/2021	Right after receiving the vaccine I had racing heartbeat for 2 hours. I was short of breath over the next few days. I developed a swollen and itchy arm. I developed dark bags under my eyes that made me look like I had "black eyes". My fingers turned purple. my veins in my hands and feet enlarged and looked green to me. I feel fine, I just have these funny things happening. everything started to go away after about 3 days and are almost normal except for the veins. I felt fine. then 3 days later on 2/15 I felt like I was going to faint, I felt a rush of heat like a fever and nausea. I felt fine by the end of the day. I am sleeping a lot. I also have a strange feeling in my foot that comes and goes for a few seconds.
1046264	2/22/2021	ME	74	M	2/17/2021	2/19/2021	Nausea, weakness, right arm in pain, extreme tiredness, black patches crossing left eye. Started two days after shot and lasted for 2 days. Bedridden for 2 days.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1046372	2/22/2021	MI		F	2/22/2021	2/22/2021	AFTER RECEIVING THE SHOT, SHE COMPLAINED OF TASTING THE METALIC TASTE, HER VISION WAS BLURRY, HER FEET WERE HEAVY. ON SITE EMS RESPONDED. SHE SAID SHE FORGOT TO TAKE HER METOPROLOL THIS MORNING (PART OF HER NUMBERS TODAY). SINCE IT HAD BEEN AT LEAST AN HOUR SINCE SHE RECEIVED THE VACCINE AND HER VISION WAS STILL BLURRY, IT WAS RECOMMENDED TO GO TO E.R. FOR FURTHER EVALUATION AND SHE AGREED. EMS TRANSPORTED HER TO THE E.R.
1046405	2/22/2021	WV	65	M	2/18/2021	2/19/2021	Received 1st dose of Pfizer vaccine on Thursday. Started experiencing left-sided facial droop (eye and mouth) Friday morning. No improvement on Monday morning. Difficulty closing left eye and severe left-sided mouth asymmetry. Patient denies any extremity weakness. Presented to Emergency Department Monday morning for evaluation on 2/22/21. Discharged to home. (Assessment: Bell's Palsy).
1046429	2/22/2021	OH	54	F	2/12/2021	2/12/2021	Painful site of vaccine area for 3-4 days. Headache and body aches beginning the evening of the vaccine (Friday 2/12/2021) and still continues. Itching around the mouth the next day(Saturday). Red spots on chin started appearing on (Sunday) the third day. Red painful spots continued to come up on scalp, eyelid, eyebrow, and forehead all on the left side of my head. Finally went to a Clinic (Saturday 2/20/21)and was diagnosed with Shingles. Prescribed Valacyclovir Hcl 1 gram tablet. Was told to contact eye doctor since most of the red areas were around left eye. Also scheduled with family doctor to get something prescribed for nerve pain.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1046478	2/22/2021	NH	72	F	2/22/2021	2/22/2021	Patient received vaccine at 10:23 am and parked and instructed to wait 30 min due to prior reaction to bee stings. At 10:47am patient reported feeling a flushed and reddened face, "blurry eyes", and lightheadedness. Assessment VS as follows BP 150/70 HR 70 - SR skin-warm and dry SpOx-99 % This reaction was not like a typical bee sting reaction. She denies restricted airway and throat tightness. Talking in a normal rate and rhythm. Advised patient that we will call EMS for transport to a higher level of care, however patient refused. This patient was instructed to remain onsite for further observation and she agreed. She was accompanied by her spouse who was the driver. She reported that she will return home and take benadryl or the epi-pen if condition worsens. She will contact her doctor and report her experience today. Patient felt recovered and decided to leave after 30 additional minutes.
1046485	2/22/2021	NY	74	F	2/8/2021	2/10/2021	side effects started about 8 pm in the evening , my skin started to itch like crazy and broke out in hives all over my body but not on my face. The next morning i woke up and saw a dermatologist who said it sounded like it was from the injection. prescribed Allegra once a day and Benadryl 4 times a day. the next morning, my bottom lip was swollen. then my face broke out in hives in the evening and with i would wake up it was gone but i did have two puff pockets under my eyes. i called my primary care Dr. My Dr prescribed me the epi pen just incase she needed it. Friday i also had chills By Saturday i stated to improve. I was taking antihistamine and Benadryl together. By Sunday i started to take less of the Benadryl and by Monday i has stopped al together.
1046518	2/22/2021	TX	43	F	2/20/2021	2/20/2021	Day 1: Sore injection site. Headache Day 2: headache, chills, night sweats, muscle aches, sore arm, extreme fatigue-could not function. Couldn't focus on anything, had lay down and keep eyes closed, slept most of day and all night. Occasionally wake up with night sweats every few hours. Day 3: some tiredness and slight headache , sore arm

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1046546	2/22/2021	TX	55	F	2/12/2021	2/13/2021	Dizziness, momentary loss of vision, loss of motor-muscular control (as if on the verge of seizing), loud ringing in ears accompanied by a full-body numbness (kind of like when one's leg falls asleep from positioning, then tingles sharply w/numbness while waking )
1046559	2/22/2021	PA	65	F	2/13/2021	2/13/2021	-large welt at injection site after 12 hours, lasted for 1 week - fever, chills and body aches after 24 hours., lasted for 24 hours. - Eyes irritated- feel like they are coated with something and skin around eyes is itchy, still going on.
1045873	2/22/2021	MI	31	F	2/16/2021	2/17/2021	blurry vision (now resolved), dizzy/weak, sore arm. Side effects so bad that the patient was unable to drive home from work.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1045551	2/22/2021	DE	65	F	1/14/2021	1/14/2021	severe headache; blurriness; liquid behind her cornea; 2 leaks in the eye; extended artery in left side of head; hearing loss in left ear; arm pain; A spontaneous report received from a Consumer concerning, 65-year-old female patient who has received both doses of the Moderna COVID-19 vaccine and experiencing arm pain, sever headache, blurriness, liquid behind her cornea, 2 leaks in the eye, extended artery in left side of head and hearing loss in her left ear/MedDRA PT: [Sever Headache]. The patient's medical history was not included/ unknown. Patient's concomitant was not included/ unknown. On 10-FEB-2021, the patient received their second of two planned doses of mRNA-1273 (Batch #: 013L20A) intramuscularly for prophylaxis of COVID-19 infection. On 11-FEB-2021 Patient Husband reported, that his wife received the Moderna COVID-19 vaccine on 14JAN2021 in her left arm and on the same day experienced arm pain that lasted for 3 days. On 16JAN2021 the patient reported that she had a severe headache and shortly after experienced blurriness. The patient got medical attention and it was reported that she has liquid behind her cornea and 2 leaks in the eye, extended artery in left side of head and hearing loss in her left ear. Symptoms are ongoing and HCP consent was obtained. Patient was not hospitalized. Treatment information was not provided/ unknown. Action taken with mRNA-1273 in response to the event was not provided/unknown. The outcome of the event was unknown/not reported.; Reporter's Comments: Very limited information regarding this events has been provided at this time. Further information has been requested.
1046496	2/22/2021	WA	54	F	1/29/2021	1/29/2021	This was my first vaccine... almost immediately I had a headache and my blood pressure went up. I stayed for 45 minutes after my vaccine due to my blood pressure was high. I also felt a little fuzzy. About an hour later I got nauseous, had chills and felt very fatigued. The next morning when I woke up, my left eye was crusted over. I did not think anything of it until I got the second vaccine and it crusted over with it as well. I was very fatigued for 2 1/2 days. Arm was a little sore.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1045636	2/22/2021	MS	33	M	2/1/2021	2/1/2021	<p>diagnosed with vertigo; Allergic reaction which elevated patient's spinal cord pressure and brain stem swelling; Allergic reaction which elevated patient's spinal cord pressure and brain stem swelling; Allergic reaction which elevated patient's spinal cord pressure and brain stem swelling; Very hard time focusing my eyes; Extreme burning and tingling sensation over his entire body; Extreme burning and tingling sensation over his entire body; extremely dizzy; confused; nauseous; uncontrollably shaking; Headache; This is a spontaneous report from a contactable consumer reporting for himself. A 33-year-old male patient received the 1st dose of bnt162b2 (BNT162B2, Manufacturer Pfizer-BioNTech), via an unspecified route of administration, on 01Feb2021 at 11:00 AM, at single dose, for COVID-19 immunisation. Medical history and concomitant medications were none. Patient had no known allergies and did not receive other vaccine in four weeks. Patient did not have COVID-19 prior to vaccination. On 01Feb2021 at 12:00 PM the patient developed a headache. Over the next few hours the headache moved to the back of his neck and base of his skull. On 03Feb2021 the patient experienced very hard time focusing his eyes and extreme burning and tingling sensation over his entire body, he was extremely dizzy, confused, nauseous and uncontrollably shaking. Patient went to his family doctor and was diagnosed with vertigo on 05Feb2021. Patient took meclizine with no relief. On 10Feb2021 the patient was visited by another doctor and went under two days of testing including acoustic stimulation tests, balance test, visual acuity tests, CT scan and MRI all with unknown result. The doctor said the vaccine shot caused an allergic reaction which elevated patient's spinal cord pressure and brain stem swelling. Therapeutic measures were taken as a result of spinal cord pressure and included treatment with Diamox. Outcome of the events was not resolved. The events were considered serious as life-threatening and as per disability. Patient was not tested positive for COVID-19 after vaccination. The information on the lot/batch number has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1047316	2/22/2021	MA	65	F	2/18/2021	2/19/2021	fever with delirium including visual hallucinosis - unclear duration approximately 6 hours - unable to confirm detail was back to usual state of health following day when she awoke
1045149	2/22/2021	TX	67	F	2/19/2021	2/19/2021	I received the 2nd Covid injection. I went to the 15-minute waiting area. The waiting area was full, so my husband and I were standing. I stand and work every day, so this was not difficult. I texted my daughter, who is a hospital employee, and told her that we had a super experience with no wait and had already received our 2nd dose. However, 5 to 7 minutes after the injection, I SUDDENLY felt dizzy and weak and had to sit down. Within a minute or so, I could not stand or open my eyes. The weakness made it difficult to breath or talk. My husband had to lift me up into a wheelchair. I was taken to the ER. For the longest time, I could not even open my eyes or talk above a whisper. After 4 hours, I was able to get my eyes open and talk better. I, gradually, was able to move my hands and feet. Last of all, I could move my hips and walk. It was as if my body had been put to sleep. I could feel everything but my body wouldn't move. As it wore off, my face and limbs felt slightly tingly. I was, basically, fine after 5 hours other than being tired from the experience. The doctors had no explanation for what happened and said it must be an emotional response to getting the shot. They wrote that I was not exerting enough effort to move my body. One said that I was hyperventilating when I pulled my mask up to breathe after he told me to hold my leg in the air. Though I tried, I was too weak to hold my leg up and it fell to the bed. The doctor told me that I should not tell anyone about what had happened or people would not come to get the Covid vaccination. He obviously knew that SOMETHING had happened that I couldn't control but he didn't put that in his report!

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1045154	2/22/2021	CA	39	M	2/18/2021	2/18/2021	Pt reports "white coat syndrome" and "panic attacks" related to injections. Also reports feeling dizzy and appears anxious. 11:29 BP 167/102, P. 109 R. 21 Temp. 97.0 Spo2:96% 11:35 BP 164/101, P.96, Temp 97.5 Spo2:97% 11:50 BP 176/101 P.92 R. 20 Temp 97.6 Spo2:98% Pt laid on the floor with eyes closed and feet elevated. Instructed to used deep breathing techniques. Provided Benadryl 25mg PO as directed by MD standing orders. Patient was observed and left vaccination clinic after panic attack. Pt denied any symptoms and/or distress.
1045547	2/22/2021	NJ		F	2/8/2021	2/8/2021	Fell; Blurred vision; Very weak; Passed out; A lot of pain; Chills; A spontaneous report was received from a 66-year- old female patient who experienced a lot of pain, chills, fell, blurred vision, very weak and passed out. The patient's medical history was not provided. Concomitant product use was not provided by the reporter. The patient received their first of two planned doses of mRNA-1273 (Batch number: 039K20A) on 08 Feb 2021, intramuscularly in left arm for the prophylaxis of COVID-19 infection. On 08 Feb 2021, the patient experienced pain at injection site, chills. On 09 Feb 2021, the patient fell, had blurred vision, very weak and passed out. She spoke to her doctor who recommended rest. Treatment information was not provided. Action taken with mRNA-1273 in response to the event was not reported. The outcome of the event passed out was resolved; outcome of the events, pain at injection site, chills, fell, blurred vision, and very weak, was unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the onset date of the events, a causal relationship cannot be excluded.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1045553	2/22/2021	GA	73	F	1/25/2021	2/9/2021	Facial drooping; blurred vision; A spontaneous report was received from a healthcare professional concerning a 73 year old female patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and developed facial drooping/facial paralysis and blurred vision/vision blurred. The patient's medical history included hypertension. Products known to have been used by the patient, within two weeks prior to the event, included diltiazem, metoprolol, HCTZ, calcium, and multivitamin. On 25 Jan 2021, approximately two weeks prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (lot number 013L20A) intramuscularly in the right arm for prophylaxis of COVID-19 infection. The patient began experienced facial drooping with blurred vision on 09 Feb 2021. The patient presented to the hospital and was treated with prednisone and acyclovir. Action taken with mRNA-1273 in response to the events was not provided. The outcome of the events facial drooping with blurred vision were not recovered. Reporter causality for the events was not provided.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the onset date of the events, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1045587	2/22/2021	OH	65	F	1/27/2021	1/27/2021	sensations spread through her body/ twitching, burning, cramping, and tingling; sensations spread through her body/ twitching, burning, cramping, and tingling; sensations spread through her body/ twitching, burning, cramping, and tingling; sensations spread through her body/ twitching, burning, cramping, and tingling; she was up all night and couldn't sleep/ restless, had trouble getting sleep, had trouble getting in a comfortable position/ woke up frequently; restless, had trouble getting sleep, had trouble getting in a comfortable position, and woke up frequently.; tightness in her left leg; weird sensations in her legs/ sensations moved to her arms; Ongoing Restasis for Sjogren's syndrome; Ongoing Restasis for Sjogren's syndrome; This is a spontaneous report from a contactable consumer (patient). A 65-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE lot number: L9261) via an unspecified route of administration on the left arm on 27Jan2021 14:30 at a single dose for COVID-19 immunization. Medical history included ongoing Sjogren's syndrome from 2015 (sees her Rheumatologist/ do blood work once a year to make sure her inflammation levels are okay), ongoing rosacea; dry eye syndrome (related to Sjogren's syndrome); spasming, burning and twitching (last 2 medications she was on in November and January she had similar type reactions in her muscles); arthritis flareup from Oct2019 (in her left leg, she saw her neurologist who did tests and they came back normal) and sinus infection in 2020. Ongoing concomitant medication included ciclosporin (RESTASIS) for Sjogren's syndrome, ergocalciferol (VITAMIN D [ERGOCALCIFEROL]) for blood test: deficient and ascorbic acid, betacarotene, cupric oxide, tocopheryl acetate, zinc oxide (PRESERVISION) for dry eye syndrome related to Sjogren's syndrome. The patient previously took prednisone from Nov2020 and experienced weirdness in her legs got strong enough to keep her up at night and bad flare up for her leg symptoms; metronidazole for flare up or Rosacea (0.75% as needed, which she has used daily for last few weeks), meloxicam in Nov2020 and pantoprazole in Jan2021 and had bad flare up for her leg symptoms (symptoms subsided as soon as she stopped taking the medication after about 5 days); ibuprofen, acetaminophen and pepcid for her stomach. She had the vaccine, her first

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

dose, on 27Jan2021, about a week ago. The first two days she didn't notice anything and then she had weird sensations in her legs on 28Jan2021. The second night she had a weird sensation in her legs which was similar to what she had experienced with the two medications she took in November and January. On 30Jan2021 the sensations spread through her body, she describes these sensations as twitching, burning, cramping, and tingling. She clarifies the sensations moved to her arms which did not happen with the other medications that she tried in November and January. Monday night, 01Feb2021, she was up all night and couldn't sleep and says she called the family doctor yesterday and he called in a prescription for Gabapentin 100 mg. She said she took the medication last night and she did sleep last night, but she was unsure if it was from exhaustion from the last few nights from not sleeping or the medicine, but she did sleep better and her symptoms were a lot less last night. Patient said she wanted to report this and that her concern is with the second dose; will she have a worse reaction, is there anything she can do or take and should she be concerned about it. She said the events gradually increased, they started mildly and then became significant. She felt the sensations a little bit in the day time but they start big time in the night when laying down. These sensations experienced in her legs started the second night, 28Jan2021, and then spread to her arms in the last couple of days which had not happened with her other incidences (with the medications mentioned above back in November and January). Clarified that the sensations spread to her arms on 29Jan2021, but the worst nights were 31Jan2021 and 01Feb2021. She said they were bad nights. She said in regard to her sleeping, starting on 29Jan2021, she was restless, she had trouble getting sleep and trouble getting in a comfortable position. She woke up frequently. Saturday the sleeping was a little worse, but she did sleep. She said on Sunday, 31Jan2021, and Monday, 01Feb2021, she hardly got any sleep. The sensations spread to her arms and it probably started a little on Saturday night, but Sunday and Monday it was very noticeable. She started Gabapentin; it was one a day before bed. The leg symptoms were still there last night. The sensations in her arms were not much at all. She did get up once with the leg cramp and was feeling tightness in her left leg but

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

it never went into a cramp. The cramp was in her right leg, which was unusual because it was usually in her left leg. She stated she was unsure if her symptoms were starting to subside or if the Gabapentin had an immediate effect. The events did not require a visit to physician or ER. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Outcome of the events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1045599	2/22/2021	OH	75	M	1/29/2021	1/29/2021	It just about wiped out cognitive function; shallow breathing; panting; Not being able to get around; he shrunk from 6 foot getting older; exhausted; Hungover feeling/he felt like in his eye sockets and in his neck and everywhere that there was something in him, some unfamiliar sensation; The caller stated a few days ago he had an intense dizziness after he got the first dose of the vaccine.; little anxiety; change in heart rhythm/change in his pulse rate/His normal is usually 60 but in this case it was 56 to 60; slight headache; This is a spontaneous report from a contactable consumer and a consumer via Pfizer-sponsored program Pfizer First Connect. A 75-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; Lot Number: EZ5138), via an unspecified route of administration in the left arm on 29Jan2021 12:01 (age at time of vaccination: 75 years) at first single dose for COVID-19 immunization; Vaccination Facility: community clinic. Medical history included bone marrow donor from an unknown date and unknown if ongoing (about 20 years ago). There were no concomitant medications. The patient experienced the following events and outcomes: the caller stated a few days ago he had an intense dizziness after he got the first dose of the vaccine. on 01Feb2021 at 11:30 with outcome of recovering, it just about wiped out cognitive function on an unspecified date with outcome of unknown, slight headache on 29Jan2021 with outcome of unknown, little anxiety on 01Feb2021 with outcome of recovered on 02Feb2021, shallow breathing on an unspecified date with outcome of unknown, change in heart rhythm/change in his pulse rate/his normal is usually 60 but in this case it was 56 to 60 on 01Feb2021 with outcome of recovered on 02Feb2021, exhausted on 02Feb2021 with outcome of recovering, panting on an unspecified date with outcome of unknown, hungover feeling/he felt like in his eye sockets and in his neck and everywhere that there was something in him, some unfamiliar sensation on 02Feb2021 with outcome of recovering, not being able to get around on an unspecified date with outcome of unknown, he shrunk from 6 foot getting older on an unspecified date with outcome of unknown; all of which were medically significant. The events did not require a visit to a physician office or emergency room (ER). The patient did not receive any prior vaccinations within four weeks

VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

of the bnt162b2; and there were no additional vaccines administered on the same date of the Pfizer Suspect. The patient underwent lab tests and procedures which included blood pressure: good on an unspecified date, height: shrunk from 6 foot getting older on an unspecified date, heart rate: good on an unspecified date, pulse rate: 56 to 60 on an unspecified date. The caller stated a few days ago he had an intense dizziness after he got the first dose of the vaccine. This was 72 hours after the shot. He had the shot around 12:01 last Friday (29Jan2021). Monday (01Feb2021), about the same time, he had a very very intense dizziness that came on suddenly (came on in about 30 seconds) and it was full blown and it lasted for pretty much 24 hours. It slightly lessened after 20 hours but it was a day before he could stand up. It was not gradual, he knew right then he was in trouble, he couldn't sit up or roll over. He stated he was in great health but if he was taking medication or had a heart condition he doesn't think he would be available for this conversation. It stressed him out and he didn't know he could go that far and come back. He stated it was comparable to cardiac arrest and was a life threatening experience. If other people may have this reaction (if intoxicated or on drugs) they may not survive it. It was very very severe and scary. He stated his reaction seems extreme to everybody he knows. It just about wiped out cognitive function. He stated around here it doesn't seem that people are having severe reactions. He knows a couple people getting the shot, one who drinks, one who had diabetes and he let them know about this. Additional Context: The patient stated he wanted to report his experience and ask a question. The patient stated he received the first dose of the Pfizer COVID 19 vaccine on 29Jan2021 at 12:01 in the left arm. The patient did not use drugs or alcohol and did not have any medication and had good health. The patient's heart rate and blood pressure were good. The patient had a slight headache. Then 72 hours later on Monday at about 11:30 he started to get dizzy, suddenly, and it was very intense. The patient took about 12 steps and recognized it and got to the bed. By the time he got there he knew he was in trouble, he had little anxiety and noticed a change in heart rhythm. The dizziness was very intense and intensified when he went to bed and continued. Tuesday morning it lightened a bit and then around 11:30 on

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

Tuesday it withdrew; exactly 72 hours from the vaccination. The patient felt okay now, except he was kind of exhausted and had a hungover feeling, not totally clear but he was walking around. The patient felt if a person had been intoxicated or on medication or had a heart condition, he did not think they would survive this. The patient was physically challenged to get through it with shallow breathing, really panting, and not being able to get around. The patient had to focus on his breathing, panting to get through it. It was serious for him. Initially he noticed the change in his pulse rate and kept checking his pulse. His normal is usually 60 but in this case, it was 56 to 60. The anxiety was mild, he was concentrating to keep calm. The patient stated: "This is a world crisis, a year old and it is not ideal conditions but this might be a critical issue in terms of the negative effects being more severe than anticipated for certain groups of people and he wanted to discuss this concern with someone at Pfizer." The patient added he wanted to make sure that Pfizer knew that the intensity of the experience was a 100, it was very extreme. The patient added he felt like in his eye sockets and in his neck and everywhere that there was something in him, some unfamiliar sensation that has now gone away. When he bent over yesterday, he was mindful that that the dizziness had gone away. The patient added he still felt tired. The patient mentioned he did not eat for a while with that dizziness. The patient was scheduled for the next dose on 19Feb2021 but was a little unsure about getting it. Follow-up (05Feb2021): New information reported from a contactable consumer includes: suspect vaccine (lot number; anatomical location, vaccination facility, Time), concomitant medications, reaction data (added events: Headache, Anxiety, Shallow breathing, Pulse abnormal, Exhaustion, Abnormal breathing, Feeling abnormal, Activities of daily living impaired, Body height decreased), outcomes updated and clinical course.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1045600	2/22/2021	FL	70	M	2/2/2021	2/3/2021	night vision improved the night after he took the vaccine and seemed to be a stable improvement; This is a spontaneous report from a contactable consumer (patient himself). A 70-year-old male patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection; lot number: EL9526, expiration date was unknown), via an unspecified route of administration on the left arm on 02Feb2021 at 09:30 at a single dose for COVID-19 immunization. The vaccine facility type was reported as the public health clinic/veterans administration facility. Relevant medical history included that the patient had beginnings of cataracts and his night vision was beginning to diminish from an unknown date. The patient had no known allergies. The patient's concomitant medications were not reported. The patient had no other vaccine in four weeks. The patient had no COVID prior vaccination. He was not tested for COVID post vaccination. The patient reported that it was not an adverse event, but his night vision improved the night after he took the vaccine on 03Feb2021 at 02:00, and seemed to be a stable improvement. The patient did not receive any treatment for the event. The outcome of the event was unknown.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1045603	2/22/2021	WA	68	F	2/4/2021	2/4/2021	Bell's Palsy; Left sided droop of her mouth; Slight change in sensation all over her mouth; Unable to tightly close left eye, or able to raise left eyebrow; Slight numbness left side of face; This is a spontaneous report from a contactable consumer (patient). A 68-year-old female patient received the first dose of BNT162B2 (Pfizer-Biontech Covid-19 Vaccine, Lot. EM9810) in the left arm, at single dose, on 04Feb2021 at 14:15, for COVID-19 immunisation. The patient had not received any other vaccines within 4 weeks prior to the BNT162B2 vaccine. Relevant medical history included high cholesterol and lichen planopilaris of the scalp, both from an unspecified date. No known allergies were reported. The patient had not experienced Covid-19 prior vaccination. Concomitant medications included ergocalciferol (VIT D); ascorbic acid, tocopheryl acetate, xantofyl, zeaxanthin, zinc (AREDS); doxycycline; rosuvastatin and minoxidil. On 04Feb2021, at 17:00, the patient experienced a slight change in sensation all over her mouth with left sided droop of her mouth, unable to tightly close left eye, or able to raise left eyebrow. Also slight numbness left side of face. Emergency room/department or urgent care required. The patient went to Urgency Care diagnosed with Bel's Palsy. Treatment was received: prednisone and valacyclovir. The patient did not recover from the events a time of this report. Post the vaccination, the patient has not been tested for COVID-19.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1045583	2/22/2021	TX	65	F	1/25/2021	1/26/2021	my results came back stating I was positive; feel ill with a severe back pain on my left side. The same side where I was given the shot; cough; runny nose; headaches; a lot of pain in my bones; a lot of pain in my bones, and eye lids; Feel ill; This is a spontaneous report from a consumer (patient). A 65-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiration date unknown), via an unspecified route of administration on the left arm on 25Jan2021 at 11:00 at the age of 65 years old at a single dose for COVID-19 immunisation at the school/student Health Clinic. Medical history was none. The patient has no allergies to medications, food and other products. The patient is not pregnant and was not pregnant at the time of vaccination. There were no concomitant medications. The patient was not diagnosed with COVID-19 prior to vaccination. On 26Jan2021 at 07:00, patient began to feel ill with a severe back pain on her left side. The same side where she was given the shot. In addition, patient also experienced a cough, runny nose, headaches, a lot of pain in my bones, and eye lids. At first, she believed it was due to the vaccine but as she got worse, she decided to take a COVID test (nasal swab) on 31Jan2021 and the results came back stating she was positive. Since then the patient has been in quarantine. No treatment was received in response to the events. The patient was recovering from the events. The patient has a second vaccination appointment scheduled on 13Feb2021 and would like to know if she will still go as scheduled or will she need to go in a later date. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1045621	2/22/2021	AZ	83	M	1/20/2021		vision loss; This is a spontaneous report from a contactable consumer (patient). An 83-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot/batch number: 183599) solution for injection, via an unspecified route of administration in left arm on 20Jan2021 at a single dose for Covid-19 immunization. Medical history included pacemaker, vitiligo, psoriasis, blood pressure, and autoimmune disorder. Concomitant medications included blood thinners and blood pressure medications. The patient experienced vision loss on an unspecified date. It was reported that patient went for an office/clinic visit to a doctor or other healthcare professional. Also went emergency room/department or urgent care. Patient did not receive any treatment. Patient was not diagnosed with Covid-19 prior to vaccination. Patient has not tested positive for Covid-19 since vaccination. Covid-19 virus test: negative. The event was reported as non-serious however it caused disability. Outcome of the event was not recovered. No follow-up activities are needed. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1045871	2/22/2021	MA	42	F	2/5/2021	2/5/2021	<p>Patient reports that she received dose one of the Pfizer COVID-19 mRNA vaccine last Friday, February 5, 2021 at 2:03 PM. She received this here at facility campus vaccine clinic. She felt a strange tingling sensation immediately upon receiving the injection that extended from the injection site across her upper back but otherwise tolerated the injection well. Because of her history of food allergy she was advised to remain at the vaccination clinic for 30 minutes. During that 30-minute wait period she felt generally well however began to develop pruritus at her back in the legs. She did not mention this to the staff at the vaccine clinic and did not look at her skin. The pruritus was not too bothersome and she left the vaccine area after 30 minutes and walked down to our clinic to return to work. Her pruritus intensified very quickly upon returning to her desk and within a few minutes of after her return she went into the bathroom to look at her back and had patches of red, raised, urticarial lesions across her back. She began to feel itchy all over her body. She remained at work and did not take any medication or seek any medical help. She did not look at her legs. The pruritus intensified and when she looked at her skin of her legs approximately 1 or 2 hours later she had developed urticaria essentially head to toe. She had large confluent patches of urticaria at bilateral thighs, urticaria at her face, trunk, arms, legs. At this point she felt otherwise well. She went home and took 10 mg of Claritin and applied a topical Benadryl cream to her skin. This was not helpful. She had severe pruritus of her eyes and eyelids. She took 50 mg of oral Benadryl which also was not particularly helpful. Sometime in the middle of the night that night she developed chills, felt feverish, and developed intense muscle and joint aches. She took an unknown dose of ibuprofen with minimal improvement in muscle and joint pain. She did have improvement in fever. Following day was Saturday, she spent the whole day in bed in extreme pain. She describes the pain at her wrists as feeling as though "somebody was breaking my bones" with any movement of her wrists. She had pain even laying flat in her bed and had severe pain at all of her joints with movement. She tried taking a flexeril with no improvement. She recalls a T-max of 102 sometime on Saturday or Sunday. At that time she had been taking ibuprofen around-the-clock. She also took 10 mg of</p>

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

Claritin approximately every 4 hours. Each night she also took 50 mg of Benadryl. She continued to experience urticarial skin rash and intense pruritus of the skin. The urticaria waxed and waned during this time. She also developed a fever blister at her lower lip. She spent most of Sunday in bed also. She was feeling a bit better by Monday however still had intense pruritus. Skin rash was much improved at most of her body however she still had mild urticaria at her face. She did not have a fever on Monday but was continuing to take ibuprofen around-the-clock. She discontinued ibuprofen yesterday and has not had fevers or chills since Sunday. At this point her urticaria has essentially resolved. She continues taking claritin 10mg BID to 3 times a day and also 50mg bendaryl at bedtime. She did not experience any bruising related to this rash however did have excoriation from scratching particularly at her face. Throughout the course of these days she did not have any episodes of angioedema of the lips, tongue. She denies difficulty breathing, cough, wheezing, shortness of breath, throat tightening, nausea, vomiting, diarrhea, dizziness, lightheadedness, syncope. She has a history of oral allergy syndrome with peanut. Promethazine has caused diplopia, weakness. Simvastatin caused muscle weakness. She has never had any issues with vaccines. She has been getting a flu shot yearly with no difficulty. Her most recent vaccine was October 8, 2020, quadrivalent influenza vaccine. No known history of allergy to polyethylene glycol. No history of chronic urticaria. She takes NSAIDs frequently without any difficulty. She has not taken any NSAIDs prior to receiving this injection or developing this urticaria. She had however taken 10 mg of Claritin prior to receiving this injection. She has no history of anaphylaxis. She has undergone surgery under general anesthesia on more than one occasion without issue. No history of reaction to stinging insect venom. She receives immunotherapy for inhaled environmental allergens here in our office and has done well with this. She denies any recent medication changes or new over-the-counter medications. She has not previously been diagnosed with COVID-19.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1045637	2/22/2021	MI		F			I passed out, I was unconscious on the floor, my eyes were open and looked very strange he said, I was making gurgling sound.; I was unconscious on the floor/Tried to wake me up but it didn't work; Lethargic; This is a spontaneous report from a contactable consumer (patient). A 82-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) , via an unspecified route of administration at left arm on an unspecified date at single dose for COVID-19 immunization. The patient medical history and concomitant medications were not reported. The patient reported that: " I passed out the next morning for about 8 minutes my husband said, I was unconscious on the floor, my eyes were open and looked very strange he said, I was making gurgling sound. He threw water on me and he tried to wake me up but it didn't work. I came out of it I was very lethargic the whole day but the next day I was feeling a little bit better". No therapeutic measures were taken as a result of events. The patient outcome of lethargic was recovering; the outcome of the other events was recovered. The information on the batch number has been requested.
1045639	2/22/2021	MO	54	F	2/4/2021	2/4/2021	Left eyelid and area between my eyes was completely numb; Numbness in lip area; Numbness in chin/Moved to tip of nose; This is a spontaneous report from a contactable consumer (patient). This 54-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (Lot number Em9809), via an unspecified route of administration at single dose in the left arm on 04Feb2021 11:30 for covid-19 immunisation. Medical history included pituitary tumour. The patient had not been tested for COVID-19 prior and post the vaccination. The patient was not pregnant at the time of vaccination. Concomitant medication included famotidine, paracetamol (TYLENOL), cabergoline, ergocalciferol (VITAMIN D [ERGOCALCIFEROL]). On 04Feb2021 12:15, the patient experienced numbness in chin, then lip area. Moved to tip of nose and then several hours later, left eyelid and area between my eyes was completely numb. No treatment required. The outcome of the events was recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1045641	2/22/2021	FL	72	M	1/23/2021	1/27/2021	Bell's palsy - reactivate herpes simplex scars right eye; Bell's palsy - reactivate herpes simplex scars right eye; Bell's palsy - reactivate herpes simplex scars right eye; positive COVID-19 test; positive COVID-19 test; This is a spontaneous report from a contactable consumer (patient). A 72-year-old male patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot number: EL1284; Expiration date: 30Apr2021), via an unspecified route of administration in the right arm, on 23Jan2021 (at the age of 72-years-old) at a single dose for COVID-19 immunization. Medical history included high blood pressure (HBP) and COVID-19. The patient had no known allergies. Concomitant medications, taken within two weeks of vaccination, included unspecified medications. The patient previously received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE) on an unspecified date for COVID-19 immunization and influenza vaccine (FLU) on 05Jan2021 for immunization. The patient experienced positive COVID-19 test on 27Jan2021 and Bell's palsy - reactivate herpes simplex scars right eye on 01Feb2021. The patient underwent lab tests and procedures which included COVID-19 nasal swab: positive on 27Jan2021. Therapeutic measures were taken as a result of Bell's palsy - reactivate herpes simplex scars right eye, which included ganciclovir (ZIRGAN). The clinical outcome of positive COVID-19 test was unknown and of Bell's palsy - reactivate herpes simplex scars right eye was not recovered.
1045733	2/22/2021	FL	93	F	2/21/2021	2/21/2021	Pt. in tent 23 at 2:05 pm at observation line. Complained of right eye. Paramedic assessed the pat. Once symptoms subsided pt. was released to leave.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1045735	2/22/2021	MA	29	F	2/20/2021	2/20/2021	Around 5:30 PM I began experiencing normal symptoms like headache and muscle ache. At 8:15 PM I began to feel light headed, nauseous, and short of breath. Around 8:20 I needed to lay on the floor to prevent myself from fainting. My eyes were rolling back because I was borderline unconscious. I felt like I had no control of my body and had to go to the bathroom. For around 15 minutes I was on the floor convulsing, shaking as if I had chills and my muscles were involuntarily tensing. My pulse was extremely low. After the convulsions stopped I remained on the floor an additional 15 minutes. Around 8:45 PM I was able to return into my bed with assistance. My nauseous remained and I began experiencing chills. I slept on an off the entire night. At about 1 AM what I suspect was a fever began to break and I was extremely sweaty. For the following day I experienced exhaustion and muscle soreness. I am still experiencing exhaustion. I recognize a bulk of my symptoms were normal but the convulsions, losing consciousness, and inability to control my body seemed worth reporting.
1045763	2/22/2021	FL	49	F	1/15/2021	1/15/2021	Patient felt light headed. Denies SOPB, chest pain, palpitations, V/V, or visual changes.
1046560	2/22/2021	WA	54	F	2/18/2021	2/18/2021	Almost immediately got a very bad headache and nausea. About 30 minutes later I got foggy in the head. Within an hour, I felt exhausted. I went to sleep until about 7pm and when I woke up I felt really nauseous and still very tired. I had a little broth and went back to sleep. on 02/19/2021 at 1am I woke up feeling really hot and had horrible body aches. Even my joints hurt. I took my temperature and it was only 99.2 but my temperature usually runs 97.4 or 97.6. I woke up on 02/20/2021 and my left eye was crusted over just like the first vaccine. My body aches and nausea lasted until 02/20/2021. In the evening of 02/20/2021 I noticed about 10 little red bumps in various places on my body. (2 on left arm, one on back neck in hairline, two on upper back, one on chest, two on left leg, one on lower back and one on left buttock. Today is 02/22/2021 and I am still feeling fatigued. It's not as bad as it was over the weekend but I am still tired. My arm was much sorer with this injection.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1045844	2/22/2021	NY	65	F	2/4/2021	2/10/2021	Soreness, mild swelling and redness at injection site followed 5-7 days later, by mottling in the skin of both extremities, clavicle area and back of neck with prominence of veins in feet and upper extremities with temperature changes. This was accompanied by a prickling sensations. I got a sore inside my right nostril and a cold sore on right upper lip. The mottling and vein prominence continue intermittently still. Improving but not resolved entirely. Along with this, my eyes became intermittently itchy as if I had an allergic irritation. This has also completely resolved. I spoke with a relative who is a physician and he felt that I may have had a hypersensitivity cutaneous vasculitis reaction.
1045140	2/22/2021	OR	53	F	2/2/2021	2/3/2021	About a day after the 1st vaccine, I got a rash on my face that felt like sandpaper. My face was became more swollen after four days and finally started decreasing in swelling after the 5th day. My eyelids were the most noticeable.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1045611	2/22/2021	FL	35	F	2/5/2021	2/1/2021	<p>large quarter sized hives all over; This is a spontaneous report from a contactable nurse (patient). A 35-year-old female patient (pregnant: No) received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EH9899), via unspecified route of administration on left arm on 05Feb2021 at 08:30 AM at single dose for COVID-19 immunization. The relevant medical history included known allergies: lyrica, possibly cilantro, pollens; insulin resistance; vitamin D def (Vitamin D deficiency); GERD (Gastrooesophageal reflux disease). Concomitant medications included metformin, famotidine (PEPCID), clarithromycin (CLARTIN), topirmate, diphenhydramine hydrochloride (BENEDRYL). The patient previously received first dose of BNT162B2 (lot number: EH9899) at the age of 35 years old, via unspecified route of administration on left arm on 11Jan2021 at 03:30 PM for COVID-19 immunization (first vaccine administered and was fine then had hives and swollen eye on the day the second was to be administered. Delayed shot- received solumedrol shot and prednisone oral with benedryl/pepcid/atarax). The patient took second shot 1 week later on Friday with prednisone on board - woke up on Sunday AM with large quarter sized hives all over. The event resulted in emergency room/department or urgent care. The event was reported serious due to hospitalization. Treatment received included urgent care- Solumedrol shot- RXs. No other vaccine in four weeks. The outcome of the event was recovering.; Sender's Comments: Based on available information and plausible temporal association, a possible contributory role of the subject drug BNT162B2 cannot be excluded for the reported event large quarter sized hives all over. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1047544	2/22/2021	CA	44	F	1/30/2021	2/1/2021	Stye developed on 2/1/2021 to left eye, consulted PMD. NO tx resolved after 4 days later. Then 5 days later developed rash to bialateral arms and gluteal region, resolved at the end of day.
1047194	2/22/2021	NJ	52	F	2/19/2021	2/22/2021	ed in ER: given predisone and breathing treatment and was released at 1:36 pm. Was given an Rx to take 50 MG of Prevacid to take 1x a day for 5 days. Saturday: 2/20/2021 -- Took 50 mg of prevacid at 9 am and 10 mg of pepcid 4:50 pm. Eyes swelled, lump in throat Went to ER Was admitted for observation at hospital. Received predisone and benedryl through IV 1:30 bottom lip started to swell was given 25 mg of benadryl by mouth Around 7:30 am scalp started to itch - Was given 20 mg of predisone orally Around 9 am rash on face was given 50 mg of benadryl Around 2:30 pm Doctor came into room because my throat felt tight. She looked at it and said "its not too bad." She had the nurse give me benadryl via interveniously Was discharged around 3:30 pm on Sunday, February 21, 2021 Monday: 2/22/2021 Around 1:15 pm felt lump in throat, felt like my neck was swollen, took 25 mg of benadryl. Called Doctor. Took another 25 mg of Benadryl. Still didn't feel right. Went over to Dr office, my asthma and allergy doctor. At Dr office, I was given two injections of medication. (He told me what it was, but I cant recall the names.) He sent me home with the following instructions: zyretc 10 mg am and pm bendryl 25 mg every 4 hours as needed pepcid 20 mg am and pm predisone 20 mg 3x1 day tomorrow take 20 mg of predisone I am to call his office after 1 pm tomorrow 2/23/2021 to give status report on how I am doing
1047313	2/22/2021	AZ	36	F	2/20/2021	2/22/2021	Swollen/tender to the touch face. Specifically under the eyes, cheeks, and chin. It hurts to smile. Started at 4 am 1.5 days after 2nd dose. Also a light bloody nose at 8 am less than 48 hrs after shot.
1047369	2/22/2021	CA	50	M	2/19/2021	2/19/2021	Per Observer RN; Caregiver reported feeling "flushed." Observer noted facial flushing. Caregiver reported "blurred vision, itchiness all over body as well as dizziness." Approx. 10 minutes later also reported "chills.~~

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1047379	2/22/2021	CA	69	M	2/2/2021		8 Feb 2021 - blurry vision occurred 9 Feb 2021 - blurry vision and then double vision. Double vision has been 24/7 since the evening of 9 Feb 2021
1047391	2/22/2021	NY	32	F	2/15/2021	2/15/2021	Lightheaded. Skin was clammy, convulsions started, Epi pen administered, she had tongue swelling, came around then eyes rolled back in head, nausea, blood pressure high.
1047411	2/22/2021	CA	33	U	2/18/2021	2/18/2021	Within minutes of vaccination lips tingling, blurred vision, dizziness/vertigo, sweating. Was able to walk to a chair. Vertigo persisted less than 1 hour. Patient reported vaginal spotting after urinating. Was able to ambulate out of clinic.
1047464	2/22/2021	NY	19	F	2/18/2021	2/21/2021	Swollen eyes, hives on face, neck wrists
1047466	2/22/2021	CT	68	F	2/19/2021	2/19/2021	Intense headache from temple across eyes to temple. Severe eye pain. Totally unlike my migraines. Lasted two days Also body aches. Lasted two days
1047475	2/22/2021	MN	69	M	1/28/2021	2/15/2021	Started having unilateral facial paralysis on 2/15/21, Presented in clinic on 2/17/21 with: R sided facial paralysis with smiling, frowning, raising eyebrows. No other systemic symptoms: no rash, no right sided body weakness - diagnosed with Bells Palsy and sent home with steroids and valacyclovir.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1047176	2/22/2021	LA	83	M	1/27/2021	2/19/2021	On Friday morning, February 19 around 9 am, patient felt like he was biting his lip but didn't say/do anything about it. He got up and got dressed, went about his day. Around 12:30 his nephew saw him and commented that his left eye was puffy and red, his face was swollen and drooped and he looked like he was having an allergic reaction of some kind. At that time, his speech became slurred. They got a neighbor, who is a nurse, to come over. She recommended medical attention. They went to an urgent care center and were immediately sent to the hospital... Left side of his face was drooping and his speech was slurred. There were no cognitive issues. Arrived at hospital around 1:30. He was assessed immediately for a stroke and it was determined that he had not had a stroke. Bell's Palsy was diagnosed. He was given a steroid injection at the hospital and given a Medrol dosepak to begin on Saturday, Feb. 20 and sent home. As of today, Monday, February 22, his symptoms are improving.
1047513	2/22/2021	MO	36	M	2/13/2021	2/13/2021	EXPERIENCED NUMBING AT THE BASE OF THE TONGUE THE EVENING OF 2/13/21. EXPERIENCED TINGLING AT THE NAPE OF THE HEAD 2/14/21. PT WAS NOT ABLE TO CLOSE LEFT EYE COMPLETELY THE MORNING OF 2/15/21.
1047528	2/22/2021	MN	42	F	2/13/2021	2/20/2021	One week to the day of receiving my first dose of the Moderna COVID-19 vaccine, the injection site began to itch and a hard ?knot? developed. I thought the ?knot? was in my muscle, but maybe not. Upon visual inspection, a red area developed around the injection site, about the size of a 50-cent coin. The red area was slightly painful when touched. Now, 2 days later, the red area is still visible and the area still itches, but much reduced in intensity.
1047611	2/22/2021	KS	30	F	2/16/2021	2/17/2021	The adverse events: weak legs, malaise, eyes spinning, general weakness, given Benadryl, steroids, Pepcid, she recovered in a couple of days.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1047656	2/22/2021	MN	43	F	2/14/2021	2/15/2021	Upper respiratory symptoms developed about 18 hours after vaccine dose, including sneezing, runny nose, itchy face and eyes, as well as itching at injection site.. Fatigue onset at that time as well. Treated with Benadryl, neti pot, Flonase, warm compress and rest. Symptoms alleviated after 2 days. Injection site is still slightly red and irritated 8 days after vaccine.
1047671	2/22/2021	FL	68	F	1/28/2021	2/1/2021	I had filler under my eyes, injected in mid-December 2020. After Pfizer vaccine 2 my under eye area puffed up where the filler was placed and has remained puffed up now, 25 days after the 2nd shot. No signs of resolving. Has remained as it was on February 5th 2021 no change. Not good.
1047686	2/22/2021	CA	67	F	2/14/2021	2/14/2021	got vaccine at 9:45 , 5-6 minutes later on waiting room, started having tingling on my face , got blurry vision , and felt weak, started having fine tremors , my hands became so cold . nurse was called , they took me back . my blood pressure got rose to 155 mmhg and o2 sat 99% . my blood pressure was up for 20 minutes . Then kept me there for one hour , then I had another episode of blurry vision , cold handed and fine tremor. They checked my blood pressure which was uyp again . then I took tylenol and a physicien over there recommended benadryl 25mg po which i took it. then around 1 pm i had another episode of coldness and weakness which was not intense and severe as the first time and resolved on her own in 10 minutes . then they let me leave . of fnote , My left arm got swollen but no redness. swelling resolved in 2 days . meanwhile I continued to have weakness,fatigue and subjective fever for next 48 hours .
1047712	2/22/2021	FL	51	M	2/10/2021	2/11/2021	Indurated red rash that started around the patient?s left eye just over 24hr after the second vaccine dose. It progressed to an ulceration by the weekend (3-4 days post vaccine), then additional rashes developed on the cheek below it. Additional rashes developed on both arms which progress to bullae.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1047763	2/22/2021	CA	43	F	2/19/2021	2/19/2021	Very strong post vaccine reaction, severe malaise continuing into third day, HA, sl. Nausea and stomach pain. But worst is inability to lift left arm, severe left arm pain, even joint pain in left wrist. Could barely lift L arm on day 2 after (Sunday) and again unable to lift it day 3 after (Monday). First dose, I had arm pain, trouble lifting it 1 day, pain for a week and mild soreness for the whole month. Pre-existing joint pains from autoimmune were worse for a week, but this second dose - it only seems to be vaccine side, including left jaw, left eye pain, left collarbone pain near a previously affected injury.
1047772	2/22/2021	NV	52	M	1/26/2021	2/1/2021	PT DEVELOPED "HOT SPOTS" ON BACK OF HIS NECK ON 2/1/21 THAT BECAME BLISTERS AND THEN MORE BLISTERS ON THE LEFT SIDE OF HIS BODY THAT STARTED TO BURN. PT ALSO STATES HIS HEARING ON HIS LEFT SIDE WAS AFFECTED INTERMITTANTLY FOR ABOUT A WEEK, AND THE BLISTERS APPEARED NEAR HIS LEFT EYE BEFORE SEEING HIS MD ON 2/11/21 AD BEING DIAGNOSED WITH SHINGLES. PT WAS GIVEN ORAL VALACYCLOVIR PO X7 DAYS, WHICH HE COMPLETED AND PT IS STILL RECOVERING.
1047207	2/22/2021	NC	36	F	2/22/2021	2/22/2021	Itching, eyes swelling immediately after vaccine administration that did not resolve with Benadryl, and BP 140/90, patient was later taken away by EMS
1046582	2/22/2021	CA	55	F	2/19/2021	2/19/2021	Patient started feeling dizzy, hot, and vision became blurry while monitoring post vaccine. Patient was provided with water, and laid down. Symptoms resolved within 10 minutes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1047489	2/22/2021	TX	91	F	2/4/2021	2/6/2021	She had the vaccine on Thursday and no visible side effects. On Saturday she was very weak and had to be lowered to the ground. She was drooling and staring vacantly and was not responding to questions. This lasted for a bit. I called the ambulance which took her to the hospital. They hydrated her and sent her home with no idea what caused it. The next day she was sitting on the toilet and passed out with her eyes closed. She started drooling. I again called the EMTs and they came. She had come to and they said she fainted and it was probably because she was having a bowel movement. This has not happened before or since these two episodes. I do not know if she should get the next shot.
1046701	2/22/2021	CA	34	F	2/19/2021	2/19/2021	itchy eye watering eye all around eyes were watering and itchy they are swollen and puffy
1047589	2/22/2021	NE	66	F	1/26/2021	1/26/2021	When I first got the vaccine I was fine but as the day went on I felt soreness in my left arm with some stiffness in my neck. Later on in the afternoon, I started getting a headache, neck was getting stiffer and my back started to hurt. When I got home around 5 I fixed some dinner, within 30 minutes or less it felt like my stomach exploded, I was throwing up continuously, it was so intense, I tried sips of water to throwing it up as well. I could feel my esophagus burning up to my throat, and starting to feel like it was closing up. All during this time my eyes hurting and light really bothered me. I was to afraid to lay down, I got myself to calm down, and doing deep breathing. That seemed to help me. I was scared. I stayed home through the night and woke up the next day feeling better. I still have headaches to this day.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1047161	2/22/2021	AS	68	F	1/20/2021	1/30/2021	Started getting some burning around the left eye & nose. Same area I had shingles 10 years ago. By Monday left eye swollen shut. Saw opthmologist prescribed Acyclovir. Over a couple days swelling dissapeared and burning, itching subsided. The thing is, I had my second COVID dose on 02/10/2021, 10:00AM Pitzer Lot #9581. On 02/18/2021 late evening, started to feel burning in left eye nose area again, next morning eye swollen shut. Saw Dr, said I was having an allergic reaction and put me on prednesone and Amoxicylin. No reduction of swelling and burning, blisters were forming. Went to Urgent Care on 2/20/2021 and was prescribed Acyclovir again. Swelling now gone and itching burning diminished.
1046618	2/22/2021	TX	87	F	1/16/2021	1/18/2021	About 2 days after receiving the vaccine, she bitter taste in her mouth. She still has it as of today. It is kind of metallic taste. She also has blurry vision and swelling in her eyes. It felt like she had discomfort behind her eyes. It was causing difficultly reading. This lasted about 2 weeks. It is not as blurry but her vision is not what it is was prior to receiving the vaccine. She went to Eye Center, they told her they didn't know what it was from. They gave her some eye drops and gave her antibiotic/steroid cream. She has a follow up appointment 2/26/2021.
1046637	2/22/2021	OH	68	M	2/16/2021	2/16/2021	Felt dizzy, blurry vision, passed out, pale. Short of breath and vomited. RPh gave epinephrine which worked right away. Squad came and took to ED where he was observed for 4 hours. They did a chest xray, troponin, EKG, Lab work. Everything normal. Name of physician or treating hospital: ED- MD. Pharmacist advised not to get the 2nd dose. ED MD advised to get a 2nd dose. His MD told him to get the 2nd dose in a medical setting where he can be monitored.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1046653	2/22/2021	WI	68	F	1/7/2021	1/8/2021	Got up the next morning after 1st vaccination with crusty eyes, itchy and watering. Self care till sunday 3rd day went to UC. Said I had pink eye. Gave medication. Later in the day started with fever, fatigue, chills by day 5 after vaccination was told to get a Covid test which came back negative. They felt I had a late immune response. Was in good health for 2nd vaccination and the same thing happened with my eyes. Pink eye. We are 20 days out from 2nd vaccination and have pain in eyes, and watery. Spoke with Opthamologist office and they suggested 1st I try Refresh for 2 weeks if my eyes are not better will need to be seen. could be a response from the vaccine.
1046667	2/22/2021	NV	45	F	2/19/2021	2/20/2021	Severe headache, severe body aches and pains, fever, rash behind neck, left arm very red swollen very hot, red left eye, diarrhea, runny nose, voice seems very harsh now, burning sensation in the back of neck, severe throbbing stabbing pains in my legs, nauseous, dizzy,
1046680	2/22/2021	OK	49	F	2/2/2021	2/19/2021	Facial drooping, watering of the right eye, twitching of the right eye. Diagnosed as Bell's Palsey. Rx for prednisone.
1046730	2/22/2021	CA	29	F	1/5/2021	1/24/2021	Symptoms 01/24/2021- numbness, weakness, tingling bilateral legs. Lost inability to walk and bladder control Admitted to hospital 01/24/2021-1/26/21. Not diagnosed. Had 4 MRIS and a lumbar puncture 02/3/2021- was in ED at hospital due vision issues/double vision- discharged same day. Repeated 4 MRIS and blood work, and lumbar puncture. 02/09/2021- patient was seen at a neurologist, due to numbness in bilateral hands and arms. And was admitted to Medical Center until 02/13/2021. Ruled out MS, GB, repeated 4 MRIS and LP. Was sent home with home health and PT. Saw PCP 02/19/2021, Did paperwork for disability and removed from work until 04/30/2021. PCP ordered more blood work up to 35 tubes of blood done on 02/17/2021. Will not be ready until 14 days post draw. Patient is still complaining of tingling on bilateral hands and feet, and weakness. Mainly sensory nerves related symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1046799	2/22/2021	OH	65	F	2/18/2021	2/18/2021	At 11:50 am (1 hour and 50 minutes) after receiving the shot my eyes started swelling. I took a Benadryl immediately which relieved some of the swelling. At approximately 9:30 p.m. I noticed a rash on my left cheek which was gone by the following morning.
1046849	2/22/2021	MI	48	F	2/18/2021	2/18/2021	Patient phoned pcp office Clinic to inform: receipt of 2nd Moderna vaccination at HD on 2/18/21, patient states on 1st evening felt numbness and tingling in tongue, as well as fatigue, body aches, chills, but took benadryl and no worsening s/s. Typical side effects of body aches, chills, sore joints continued throughout day 2 and day 3. On day 3 patient reports she developed a rash on her neck and swollen eyes. Reported information to pcp NP for advisement today.
1047023	2/22/2021	AZ	50	F	1/20/2021	1/20/2021	Broken blood vessel in right eye. Noticed about 20 min after vaxx. No pain.
1047079	2/22/2021	MO	55	F	2/20/2021	2/20/2021	FIRST ROUND ONLY A SORE ARM FOR A FEW DAYS. SECOND ROUND ON 2/20/21 AFTER A FEW HOURS I STARTED TO HAVE HOT FLASHES WITH FEELING THE CHILLS.. IN THE EVENING MY LEFT HAND WAS LIKE ICE BUT MY RIGHT SIDE WAS NORMAL AND WARM. CHILLS / NO FEVER. COLD HAND WAS GONE IN THE MORNING.. ABOUT 5 AM HORRIBLE HEADACHE WITH BLURRED VISION... TOOK TYLONAL AT 9AM.. FELT BETTER BY 11AM. CHILLS/AND SLEPT MOST THE DAY. I DO NOT BELIEVE I EVER HAD A FEVER. SUNDAY LEFT ARMPIT LYMPH NODES SWOLLEN AND SORE. MONDAY FEELING BETTER BUT LYMPH NODES STILL ACHE LIKE A BRUISE. I DO NOT BELIEVE I EVER HAD A FEVER.. JUST CHILLS. OH>>>. RIGHT SIDE OF MY NECK WAS STIFF FOR A BIT THE FIRST DAY.
1046673	2/22/2021	MD	35	F	1/26/2021	1/26/2021	Reports sensation of tingling and puffiness of lips starting about 2 hours after immunization, which was still present the next morning. She did not visualize any change in her lips, and did not tell anyone about the reaction until it was time for her 2nd dose. She had previously tested positive for COVID in September and was not given a 2nd dose.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1047066	2/22/2021	VA	77	M	2/10/2021	2/15/2021	2/15/21- client started with itching rash on cheek which then spread to neck, top of head, temple, and eyelid. Still present 2/19/2021
1046851	2/22/2021	OK	70	F	2/19/2021	2/20/2021	night after injection I got rash and hives all over the body. Neck eyes, arms legs, thighs and butt, back, pretty much everywhere. I have taken Benadryl and it is not helping a whole lot. Called the Dr but i have not heard back yet.
1046983	2/22/2021	AR	51	F	2/12/2021	2/14/2021	Enlarged lymph nodes on left and right side of armpits and both breasts. The left side enlargement was very visible to the naked eye and looked to be as large as a tennis ball. Both breasts where swollen and tender/sore. Right side enlargement of armpit as not as large (maybe the size of a golf ball).
1046944	2/22/2021	NH	73	F	2/19/2021	2/19/2021	Vaccine at 945 am Friday Calves of both legs cramped rock hard at 10 pm Friday and remained so for 18 hours. Had to use heating pad and massage to help feet relax from en pointe position so I could walk to the bathroom. Legs were sore after 18 hours but not cramped . Also massive headache made my eyes light sensitive all day Saturday and Sunday until about 9PM. Extreme exhaustion. Recovering today, Monday. Still tired an s slight residual headache at times but not bad enough for painkiller.
1046905	2/22/2021	CA	67	F	2/20/2021	2/21/2021	Too dizzy to pen eyes, nauseous, diarrhea, headache, chills, sweating, duration about 6 hours, recovery within 10 hours
1046903	2/22/2021	WA	67	F	2/18/2021	2/19/2021	body aches fever headache ear ache sore throat sore eyes burning lungs

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1046854	2/22/2021	MA	60	M	12/18/2020	1/6/2021	1/6 18 days after the vaccination I woke up with floaters in my right eye. Much more developed throughout the day. The next day Thursday I had a visual deficit in my eye along with the floaters. By Friday evening I went up to see the eye doctor while at work and was advised I had 5 tears to the retina of my right eye and was advised it needs to be repaired immediately. On 1/9 I had a vitrectomy and the tears in the retina were repaired as well. I was advised the surgery had an 85% success rate but advised I will develop a cataract in the eye within 6 months but within 6 weeks it developed. 2/22 I had the cataract removed and a lense replaced in my right eye.
1046940	2/22/2021	CA	52	F	1/29/2021	1/29/2021	Within 15 minutes of receiving the vaccine, the patient described feeling prickly sensation and pruritus around mouth and labial region. She also noted within 20 minutes of receiving the vaccine that her tongue felt larger than normal. 50 mg Diphenhydramine (BENADRYL) was administered within 5 minutes of symptom report, patient noted she was feeling less, itchy, her tongue still felt larger than normal. Patient was able to swallow the two caplets without any difficulty and a visual exam of her mouth, tongue and pharynx at time of symptom report and before leaving the clinic was normal with no enlargement noticed. ER precautions reviewed and the patient was encouraged to call clinic immediately for any concerns, worsening or non-improvement. Patient was advised to take Diphenhydramine (BENADRYL) 50 mg in about 5-6 hours. The patient was called at home around 8 PM, she still felt some residual symptoms and agreed to take Diphenhydramine 50 mg (second dose). She is also advised to take Allegra (Fexofenadine) 180 mg daily for 14 days. Patient referred to an allergist for advice on whether or not to receive Moderna #2 due four weeks following initial dose.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1047076	2/22/2021	UT	67	F	2/20/2021	2/22/2021	Blurred vision, benign vertigo, immediately after vaccine given. Corrected itself over the next hour. But at 4:30 am 2/22/2021 I was awakened by intense itching on my left arm and hand. Over the next 2 hours the itching increased in intensity and progressed to my right arm and hand, over my upper back and shoulders, and along the back of my thighs and buttocks. I took 2 Benadryl allergy tablets (25mg) and used Benadryl GEL extra strength on the affected areas. This resulted in my sleepiness for the remainder of the day. Contacted my physicians office for an appointment to resolve the issue.
1044297	2/21/2021	CA	68	M	2/1/2021	2/17/2021	Fatigue, stiff & sore muscles, mental cloudiness Extreme opthalmic Photosensitivity causing White Light Blindness after looking at cell phone (iPhone 12 Pro) and TV. outside naturalight and Indoor lights particularly BLINDING! Began to subside 24 hours after 2nd dose lasting about 4 days. I am medical professional, Clinical Speciality Pharmacist.
1044114	2/21/2021	NY	22	F	2/19/2021	2/20/2021	Fever of 102 and dehydration contributed to a syncope collapse early the morning after vaccination (7:15 AM 02/20/21). Just before collapsing, I experienced nausea, dizziness, confusion, weakness, and seeing all black in my field of vision. Emergency Room doctors say it was very likely related to an adverse reaction to the second Pfizer Covid vaccination. Treatment included Tylenol and Ibuprofen, rest, and fluids.
1044115	2/21/2021	HI	79	F	2/12/2021	2/12/2021	Day 1: Some blurred vision and labored breathing immediately after injection*, numbness and tingling of the tongue, body aches and pains all day. Day 2: Vision and breathing now normal. Numbness and tingling of tongue has lessened. Body aches and pain more prominent. * Please note that this mobile clinic that came to my mom's home was not set up for a serious reaction, nor did they stay and wait at least 15 minutes. My mom was told that she would have flu like symptoms and then they left.
1044133	2/21/2021	FL	72	M	2/19/2021	2/21/2021	Pfizer-BioNTech COVID-19 Vaccine EUA Extreme sudden lethargy, similar to blood sugar drop, slurred words, couldn't keep eyes open.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1044156	2/21/2021	AL	50	F	1/18/2021	2/9/2021	Sore arm for first week 2/9/21- dry eyes, stinging in eyes but mostly left sided 2/10/21 woke up with left eyelid drooped over eye and left side of face droopy with partial numbness 2/11/21 could barely lift open eye and left side of face felt sluggish and looked droopy; went to dr and diagnosed with Bell's Palsy Treated with prednisone (60 mg/7 days) and Valtrex (twice a day for 7 days); Pataday eyedrops Better by Monday 2/15/21; still some droopiness on left jawline and still some dry eye.
1044157	2/21/2021	MN	72	M	2/11/2021	2/17/2021	5 days after the vaccination, experienced facial paralysis affecting the right side, including eye, mouth cheek. Those signs were preceded the night before with a sharp headache pain behind the right ear. Went to the hospital ER and diagnosed with Bell Palsey. Treatment: valACYclovir HCl 1 gm tablet: 2 times a day for 7 days: MethyITREDNISolone 4 mg tablets - doses titrated over 6 days. As of today, symptoms are the same - have not changed
1044199	2/21/2021	WI	55	F	1/6/2021	1/7/2021	While I had already had a rash that day around my eyes and across my trunk (itchy with raised bumps that I had excoriated from scratching), the rash that appeared the morning following the vaccine was a different kind of rash- a red flush across my trunk.
1044228	2/21/2021	MD	69	F	2/19/2021	2/20/2021	Eighteen hours afterwards, I kept passing out. Blood pressure and oxygen were low. Stayed on bipap. Poor vision, severe weakness. Slurred speech. Took 120 my mestinon, fluids. regained vision and awareness. Couldn?t stay awake until 6 hours later. Second day, weakness and short of breath. I should have gone to ER, but need mestinon and fluids. Cannot speak. Felt safer still home. Very confused.
1044238	2/21/2021	GA	68	F	2/14/2021	2/15/2021	Patient received vaccine around 3:00 pm on 2/14/21. Around 7:00 am on 2/15/21 she went outside to walk her dogs and began to have "tunnel vision". She says she almost passed out. She proceeded to sit down on a chair nearby. Patient was feeling clammy and sweating. Husband came out to help her back into the house. He took her blood pressure reading and it was 79/50. He claims it came back up pretty quickly. Patient says she put wash cloth on face and relaxed for that half of the day. By 1:00 pm that afternoon she felt fine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1044293	2/21/2021	TX	29	F	2/11/2021	2/11/2021	At 530 pm noticed hives all over body, swelling around eyes, lips, vomiting and severe stomach pain. Immediately took 50mg Benadryl by mouth and continued this dose for 2 days
1043897	2/21/2021	CA	68	F	2/14/2021	2/14/2021	Hives, intense itching, sunburn feeling on scalp, back, chest, ears, nostrils, eyelids Started 2 hrs after vaccine. Lasted 6 days. Took oral benedryl every 4 hrs for 5 days. Applied cortisone cream topically.
1044105	2/21/2021	NC	39	F	12/28/2020	1/5/2021	One week after first Pfizer vaccine, awoke with severe right eye pain and light sensitivity. The eye and peri-orbital area was extremely painful, swollen and red. The ophthalmologist said the the urea and surrounding tissues were severely inflamed and the eye pressure was increased. He stated this could have been a delayed inflammatory response to the covid vaccine and advised to refrain from having the second dose. Took steroid eye drops every one hour for several days and have had three follow up ophthalmology visits.
1044220	2/21/2021	PA	55	F	2/10/2021	2/11/2021	The next morning after 2nd COVID-19 vaccination, woke up with darkened/cloudy vision in left eye and flu-like symptoms. Presented to ED, where eye pressures 35 (high), prescribed B-blocker drops by an ophthalmologist. She reports she was told her iridectomies looked good. Still able to pass vision test. Pt reports these eye pressures were high as iridectomies performed several weeks ago were preventative and she had no history of high pressure in her eyes. Has ophthalmology follow-up.
1044104	2/21/2021	OH	74	F	2/3/2021	2/4/2021	2/4/21 woke up sick on stomach and really bad headache. Threw up, weak and sick all day. 2/5/21 little better but very weak and still sick on stomach.2/6/21 woke up with arm hurting bad, looked in mirror and saw red below shot area, arm was very hot. Sun 2/7/21 red spots continue to grow and arm still hot., called nurse hotline and was told to go to ER. Mon. 2/8/21 blood vessels in left eye burst. Red spots lasted for 8 days and as of today 2/21/21 left eye is still red but better.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1044088	2/21/2021	IL	55	F	2/18/2021	2/20/2021	Saturday 2-20-21 I woke up with swelling under my left eye. I took ibuprofen and applied ice. Swelling went down slightly but ramped up throughout the day. Sunday 2-21-21 the swelling was under both eyes. The area under the eyes and near the bridge of the nose is sore and sensitive to touch.
1044069	2/21/2021	AZ	30	F	2/20/2021	2/20/2021	Headache behind eyes, Nausea, Chills, Low grade fever, Low back pain Taken Ibuprofen every 4-6 hours, Hot showers/baths, Heating pad, Drinking hot tea
1044068	2/21/2021	FL	70	F	2/18/2021	2/18/2021	headache, joint pain, muscle tenderness, dizziness, nausea, eye pain, ear ache,extreme tiredness, slept for over 24 hours. redness at site, with itching, and swelling.
1044067	2/21/2021	NC	70	F	2/17/2021	2/17/2021	Injection site pain, headache, chills, nausea, feeling unwell , right eye began having specs as if there were floaters in my eye Lasted for 3 days
1044062	2/21/2021	UT	37	F	1/23/2021	1/24/2021	Symptoms started about 30 hours after vaccine and lasted for about 21 hours. They started with a feverish feeling in my head (temperature was 98.0 degrees, but eyes and head felt the same as a fever). Extreme muscle aches started in the arm, moved to the armpit, and then I started feeling them all over?the kind of aches that rest doesn't relieve. Took 400 mg ibuprofen and it helped a little. At 2:30 pm the next day, they quite suddenly stopped and I felt normal again.
1044024	2/21/2021	IL	48	F	2/17/2021	2/19/2021	In both doses, I had extreme swelling of my eyes. In dose 1 it occurred at the 27 hour mark, first in my left eye and later in the right eye. In dose 2, I had extreme, sudden onset of swelling in both eyes. I barely got my contacts out before my eyes swelled closed. I took Benadryl and monitored closely to determine if I needed to go to hospital.
1044001	2/21/2021	MI	47	F	2/17/2021	2/18/2021	24 hours after injection woke up with rash on neck 48 hours after injection woke up with rash on neck, chin and under eye swelling and facial swelling. 72 hours after around eye area became very red, tender and swollen. Went to emergency clinic and they prescribed Prednisone 2 times daily for 3 day.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1043999	2/21/2021	MI	36	M	2/20/2021	2/21/2021	Right eye was swollen between nose and eyelid , minor discomfort
1043989	2/21/2021	CA	73	F	2/12/2021	2/12/2021	Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Systemic: Tingling (specify: facial area, extremities)-Medium, Additional Details: patient experienced her left cheek was swollen and red also hot. she stated her lips was numb and tingly
1043909	2/21/2021	CA	65	F	1/31/2021	1/31/2021	Difficulty breathing, compulsive dry cough, felt tight and constricted in upper chest and airway, tongue felt thick and mouth has strange taste, vision blurry, after half an hour also a lot of burping and fingertips felt numb. After an hour and a half, nurses took blood pressure and was very high, plus slightly elevated heart rate. Clinic called EMT who took blood pressure, was 180/110. My normal BP is around 130/75. Heart rate around 95 (normally 65). I declined going to emergency room because I could breath, even though it was agitated and coughing a lot. I did not want to go where there might be a lot of sick people.
1044298	2/21/2021	CO	69	F	2/17/2021	2/18/2021	Had Moderna COVID vaccine approximately 1pm on 2/17. Developed headache and right visual field loss approximately 8pm on 2/18. Presented to our hospital at 5pm on 2/19 with progression of aforementioned symptoms and found to have left intraparenchymal hemorrhage with midline shift. Her symptoms are currently stable. Our neurosurgical team is not planning any surgical intervention. MRI of her brain demonstrates potential amyloid deposits, which are likely causative.
1044549	2/21/2021	NY	48	M	2/6/2021	2/6/2021	Headache started later that day that never went away. It has been 2 weeks. It is a dull throbbing headache. My vision also got blurry. I was told my cataract in my left eye (left arm was shot) had gotten just a little worse after seeing my ophthalmologist. I also noticed the cataract originally appeared after using the scopolamine patch (on my left side) a few years ago. I don't know if there is a connection. Also, I was told the left eye has become very dry. I also went to a retinologist, but said the retina seemed okay.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1043918	2/21/2021	CA	62	M	2/18/2021	2/20/2021	Swelling at site of injection of dermal filler under and adjacent to eyes. Swelling was prominent 44 hours post injection and has not resolved.
1044891	2/21/2021	CA	71	F	1/26/2021	1/30/2021	Four days after 1st vaccine woke up with blurry vision and ophthalmologist diagnosed me with Glaucoma on Monday Feb.1, 2021. My eye pressure was at 42. Day after 2nd vaccine my blurry vision doubled. Saw ophthalmologist again who confirmed it was due to the vaccine due to no other issues or changes on my body or health.
1044500	2/21/2021	WA	50	F	2/9/2021	2/11/2021	2 days after 2nd vaccination, onset of arm, hand numbness and painful rash, bumps in all extremities and under breasts. Also headache and nose bleeding. Then about 1 week out with some improvement of above, onset of photophobia and bilateral eye pain. 2/20/21 ER evaluation also with ophthalmologist found anterior bilateral uveitis Suspect SIRS/hypersensitivity like reaction from vaccine leading to above and placed in observation overnight at hospital. Improved with pred forte1% q 1hr and cyclogyl 1% BID. Testing for other systemic disease sent. Headache and swelling responded to toradol X1. She is recovered and will be followed by EYE clinic as outpt

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1045098	2/21/2021	VA	23	F	2/20/2021	2/20/2021	29 minutes after being given the vaccine my tongue started itching and swelled up a bit, my mouth felt dry, my face became a bit reddened, puffy, and itchy, my throat began to swell a bit and my chest felt tight, giving me some discomfort when it came to breathing. I let the nurses who were keeping an eye on those waiting for 15/30 minutes know that I was having a reaction. I waited 1 more minute, and when my throat felt tighter and I had a bit more difficulty breathing, I took 1 Benadryl tablet, and waited 2 minutes, and when the symptoms were still worsening slowly, I took a second Benadryl tablet and after a few minutes my symptoms started to go away. I waited another 10 minutes and then went home when it seemed that my symptoms were going away. At 6:45pm on 2/21/2021 my throat and chest started feeling tight again and gave me mild breathing discomfort, so I took another Benadryl tablet, a few minutes later my face began to itchy and my mouth felt dry and my tongue felt a bit swollen, whereupon I took a second Benadryl tablet at 6:56pm, and then felt a wave of nausea. At 6:59pm, the feeling of tightness had not abated, but also hadn't worsened noticeably, and the itching feeling began to spread from my face to my ears and down my neck. At 7:04pm the tightness of my throat and chest began to increase some, and I started to feel some anxiety. At 7:11pm I inhaled two puffs from an albuterol inhaler used for treating asthma as my throat and chest were continuing to slowly get tighter. At 7:26pm I still felt itchy and my throat and chest still felt tight, but it wasn't noticeably worse. At 7:35pm, my throat began to feel tight enough to give me noticeable discomfort while breathing and for me to make a slight wheezing sound while breathing, and my tongue felt like it swelled a bit more, and my mouth still felt dry. At 7:51pm the Benadryl made me feel sleepy, but had no effect on my itchy skin or tightness of throat or chest. 8:00pm, my throat and chest felt tighter and I started having some difficulty swallowing and I felt very warm. 8:05pm, I had a lot of difficulty swallowing and had trouble breathing, so I went to the Emergency Room and was given an Epinephrine shot and sent home after an hour of observation.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1044327	2/21/2021	TN	88	F	2/10/2021	2/11/2021	Patient called and stated day after receiving her second dose of Moderna she began to have generalized edema BLE, BUE, and swelling around joints, she states her vision doesn't seem the same, slightly blurry, but she can see, states hard to describe. States she had a fever 101. on day after and took Tylenol - fever resolved. Other symptoms continue.
1044881	2/21/2021	NY	67	F	2/13/2021	1/18/2021	Sore arm after 3 hours. Chills afternoon of the vaccine. 101 fever for next two days. Rash on top 1/3 of right arm (where injection given) and around right ankle began Day 2. Congestion began Day 3. Lethargic, in bed for two days after fever broke. Felt better the next morning and arm soreness was gone, but by afternoon began having terrible headaches and pain behind right eye. Diagnosed with sinus infection (likely from congestion) and put on antibiotic/Mucinex for infection + Advil for pain. Sinus began draining overnight after two antibiotic doses; the pain behind the eye improved, also. Now 8 days post-vaccine starting to feel better, but itchy rash persists, though is improving. Some congestion/headache remain.
1044832	2/21/2021	WI	38	F	2/20/2021	2/20/2021	Moderate eye pain and itching, fatigue, headache, muscle aches
1044760	2/21/2021	WA	67	M	2/6/2021	2/20/2021	2 weeks after vaccination (2/20/2021) I lost movement of right side of mouth and right eye. Went to ER to check for possible stroke.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1044752	2/21/2021	NJ	52	F	2/12/2021	2/20/2021	On 8th day after vaccine on Saturday 2/20, I started to experience "covid vaccine arm" - a very large (2 inches by 3 inches) red patch on my left arm below the injection site. The rash was hot, hard and very itchy. It was slightly itchy the days leading up to Saturday. I also experienced minor muscle aches that came and went. I iced my arm and applied hydrocortisone cream and later Benadryl cream. In the later evening, around midnight, my face also broke out in a red and hot rash. It did not itch. My eyes felt a bit tight. The rash was mostly on my cheeks. I applied some Benadryl cream to my face as well. I also took 25 mg of Benadryl. The symptom eased within an hour. When I woke on, the rash on my face was hardly visible. The rash on my arm is still visible, but is no longer itchy, hot or hard. I have not had to take additional Benadryl. I plan to call my doctor and allergist on Monday.
1044738	2/21/2021	VT	78	M	2/16/2021	2/18/2021	Moderna Covid-19 Vaccine EUA given February 16, 2021 followed two days later with left eye irritation that has persisted until now (February 21, 2021)
1044720	2/21/2021	ID	64	F	2/18/2021	2/18/2021	2/18/21 time around 9pm, sore arm along with red rash, still remains today but better. Had this reaction 1st vaccine 1/18/21 Moderna Lot #011620A. 2/19/21 body soreness, hands hurt, general not feeling well. 2/20/21 Awake at 2:00 am fever, dizziness, unable to walk straight and passed out. Slight temp w/tingling and numbness in both arms from mid shoulder to fingertips. Vision blurred and wavy. Rested all day. Today, 2/21/21 felt better at 8:00, vision better and tingling & numbness gone in arms. Foggy head, unable to focus on numbers. Resting but having to do chores for work week tomorrow. Vision still not 100%.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1044691	2/21/2021	MI	64	F	2/16/2021	2/17/2021	When trying to drive to work the next day, I experienced extreme light sensitivity. While I am light-sensitive in the morning when the sun is low on the horizon, especially when there is snow on the ground, as was the case that morning, this was far more extreme than usual. I was wearing a very good pair of sunglasses I bought at an eye-doctor's office that protected from both the front and the sides. Still, I felt as though I had a strobe light flashing directly into my eyes. I was driving through town, in very familiar area, I realized when I got out of town into less familiar area, it would be unsafe to drive. I went back home and called work and told them I was not well enough to go to work that day. I later called the nurse who gave the vaccine and explained the situation to her. I received no treatment. I had my eyes examined the next morning and was told to use eye-drops four times daily for at least two months.
1044668	2/21/2021	AZ	69	F	2/18/2021	2/18/2021	redness of face neck trunk arms, itching, itching eyes and throat, stiff neck
1044662	2/21/2021	OH	76	F	2/20/2021	2/21/2021	Sometime between 1 am and 7am left eye and cheek swelled. Eye mostly shut. Could open a slit. Hot shower compress helped. Only slight swelling by 4 pm.
1044651	2/21/2021	NC	63	F	2/21/2021	2/21/2021	At COVID-19 Vaccine Public Health event. Patient received her vaccine at 4:40pm on 2/21/2021. At 4:50pm, patient reported a believed vaccination reaction. Reported bilateral hand and forehead erythema and urticaria. EMS Alerted, Medical Provider on-site notified, both parties attended patient. Patient given 25mg of Benadryl PO at 4:48pm. At 5:02, patient reported "sensation in her throat". Patient given second dose of 25mg of Benadryl PO at 5:04pm. Visual examination of mouth by HCP showed mild redness. Vitals taken at 5:05pm: BP 122/82, pulse ox 97%, pulse 90. At 5:07pm, patient reports feeling "much better", and said she felt that the Benadryl was working. At 5:09pm, patient joking, laughing, speaking clearly. At 5:11pm, reported her hands "looked better" and less red. Denied throat tightness. Notified to contact Medical Personnel if any exacerbation of symptoms, asthma, chest tightness, itching. Patient left with her family.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1044434	2/21/2021	AZ	76	F	1/23/2021	1/25/2021	Syncope 18 hours post injection, Feb 13 left eye irritation with tearing, Feb 14 mild case of Bell's Palsy right side of face, along with headache, herpes on left corner of mouth, fatigue and ?Epstein-Barr. I was exposed to the virus by my hairdresser on 2-11-21 and she developed symptoms and tested positive 4 days later
1044648	2/21/2021	NM	49	F	2/21/2021	2/21/2021	left facial tingling, left sided headache, no vision changes, denies CP, denies SOB
1044433	2/21/2021	NC	73	M	1/28/2021	2/7/2021	Immediate sore shot site, 10 days later mild fatigue, joint soreness, dizziness affecting balance, achy eyes ,trouble focusing when reading.
1044444	2/21/2021	TX	44	M	2/2/2021	2/12/2021	The night of the injection, I woke up with a 10/10 headache, tinnitus, and shortness of breath. I thought nothing of the shortness of breath as I am asthmatic. The next couple of days I felt completely drained, fatigued. Ten days later I have partial facial paralysis. I saw the emergency physician at the hospital who prescribed prednisone, acyclovir, over the counter eye drops, and an eye patch to wear at night.
1044449	2/21/2021	MA	54	F	2/20/2021	2/20/2021	Within minutes felt hot, profuse sweating, increased heart rate and BP, nausea and dizziness, blurred vision, then diarrhea followed by chills and shaking. Stayed at clinic for an our hydrated and waited for dizziness to pass. Drove home with severe chills. 2hrs post vaccination elevated temp 102, continued to experience chills sore joints and moderate nausea. By evening site of injection and right arm pain. Sx improved after taking Tylenol. Day 2 moderate joint pain and nausea low grade fever 101- controlled by Tylenol.
1044473	2/21/2021	AZ	71	F	2/1/2021	2/20/2021	Lethargic, dizziness, nauseous, matted eyes
1044495	2/21/2021	SC	72	F	1/23/2021	1/27/2021	Looked and felt like bug bites, turned red with liquid inside, itchy. After 2 weeks working with Terminix it was suggested that I had an allergic reaction to something. Took Benadryl Allergy Diphenhydramine HCl 25 mg. and it stopped. Right eye dialated and left one did not for several hours. Washed eye out and took one drop of Naphcon A eye drops. Situation corrected itself within 1/2 hour and never returned. This occurred on 2/10/21



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1044527	2/21/2021	OR	54	M	2/16/2021	2/16/2021	I had pain in arm from injection immediately, after injection, which was much different than first dose. But not unexpected. But the adverse symptoms started about 5 hours in or so, i developed a cough, and dyspnea, it was tight in my chest, hard to breathe. the cough was/is (it remains), sometimes hard and raspy, i was a bit wheezy, and I had air hunger, like i could not breathe or get air. if i exhale too strongly i cough, if i talk too much i cough, if i sing i cough, if i inhale too deeply i cough. I also have been very dizzy since the shot and vertigo. I am still coughing and it is 5 days post shot. I started developing headache and severe body pain, pain in my spine, low back and joints. which is expected, but i also had scalp pain and it hurt to be even touched the slightest bit on my scalp and everywhere on my body. I had very stiff neck and eye socket pain as well. I also feel "funny" in my head. Like dizzy, and vertigo, but also like it is wrapped in a heavy towel and my eyes feel heavy and like i can't see well. my vision is as if it has diminished. 5 hours after shot cough started, and the dyspnea, i started feeling chills and deep squeezing ache in my arm at jab site, and soon had fever of 100.6, over night it went to 100.8 and i felt terrible, headache, body ache, restless. but next day fever was 102. it remained all day, i had zero energy slept the whole day. no appetite, did not eat anything except a scramble egg which made me nauseous. fever remained all day at 101.8. over night. next day temp was 99.8 (my normal is 97.6) and it was 99.8 all day. Cough was persistent and really bad with the dyspnea this whole time and i still have cough 5 days out, just giving a timeline here. by friday, my temp was 98 but i felt extremely fatigued. I went and got a covid test which was negative. i saw the chiropractor and they helped my back and headache a little bit. went home and rested. cough has lingered, dizzy lingers, chest tight and sob lingers. fatigue lingers. Cough and dyspnea are NOT signs, the sheet i got for V-safe says right on it these are NOT expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1044606	2/21/2021	WA	69	F	2/18/2021	2/18/2021	Symptoms began approximately 11 hours after 2nd dose of Moderna Covid vaccine. Fever that maxed out at 101 degrees 2-hrs later, headache, stiff & sore neck, mild shivering & chills, hand tremors, eyes hurt, stuffy sinuses, balance problems & stumbling, spacey feeling (disorientation), painful cramping in thumb & fingers of one hand (only occurred once), extremely fatigued & lethargic, no appetite. All symptoms resolved within 16-18 hours after onset. No treatment. Resolved spontaneously.
1044610	2/21/2021	GA	78	M	1/29/2021	2/4/2021	Nausea, vomiting, dizziness, distorted vision, sore arm, fever, injection site swelling, ambulatory deficiency. Admitted to Hospital
1044629	2/21/2021	IN	70	F	2/15/2021	2/15/2021	Chills began within 11 hours. The following morning I was exhausted and weak, nauseated, headache, eye pain, right ear pain, injection site pink, puffy, and sore, felt faint when I got up to the bathroom. I reached the recliner, my husband helped take my blood pressure: 85/40, Pulse 55. I called 911 and was taken to the ER and treated with 1000cc Normal Saline, Tylenol 650 mg, and Ondansetron ODT 4 mg. EKG showed 2 PVC's which I have not had before. I was released about 2 hours later. I felt weak, nausea, and headache until 11 pm. No problems since 9am 2/17/2021.
1044339	2/21/2021	MN	30	F	2/16/2021	2/16/2021	Body aches, chills, fever, vomiting, arm and armpit pain, swollen lymph nodes of the left underarm, right eye swelling, rash in bilateral calves

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1043771	2/20/2021	NC	78	F	2/8/2021	2/8/2021	Update .January 11 - February 2021 1- January 11,2021- Received first Covid-19 shot. Injection was easy, never felt it go in and no evidence on arm of a shot being given. I was symptom free for the entire two weeks. 2.- Feb.8,2021- Received my second Maderna shot. When given it was like I had been punched. The one that inserted it was very rough and heavy handed. I went to wait my time after receiving the shot. It was only 10 minutes and I knew I was going to crash. I had time to leave my chair, quickly told my husband, signaled a worker to come to me asked for a wheelchair so I wouldn't fall and told the next gal what was happening and that I would not be able to talk, open my eyes or respond, but I would be aware of everything. And so I responded exactly as before. The nurses and workers tried everything they had been trained to do. Smile they said, lift your arm, open your eyes. They were trying to figure out if I was having a stroke, a TIA, a heart attack. One gal noticed my arthritic hands and suggested I was having an arthritic attach. They asked me if they should get an ambulance. Of course they got nothing from me. Finally they asked my husband if this was normal which he affirmed it was. They asked my permission to call an ambulance. When hearing nothing, they asked my husband. Of course he said yes but told them I would come out of this. By the time the ambulance walked into the room my episode had basically passed.. It was probably nearly an hour that had passed. I could stand and greet them. Naturally they took all of my vitals which showed everything normal. I said I was happy to go home and that I could walk to the car but asked for them to walk with me for safety. I got home and immediately went to bed and slept until mid morning the next day when a Paramedic came to check on me. 3. The shot was given at 6:00 pm. It was now about 10:00 the next morning and I had a low fever. During the next two weeks I am not aware of my temperature getting higher. For the next 3 days I basically slept and had very little appetite. I developed a rash on my left arm injection sight and on and around my upper torso. It lasted 3 solid days. I did not care for it in any way but tried to keep clothing away and make sure all was clean. Next my mouth became ulcerated. My throat was swollen, the roof of my mouth was ulcerated and uncomfortable. My tongue was heavily coated and felt swollen. I rinsed my

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							mouth throughout the day to help it heal. Then my normal dizziness after eating increased and was continuous for many days. Next was a silent migraine on my left side for two days. I did not feel comfortable to walk my normal 2 1/2 miles each day. I had diarrhea for one day. About Thursday of the second week I felt like things were coming back to normal. 8. 4. Feb. 19th I went to Clinic. They found there were crystals in the left ear and gave me a treatment. I am scheduled for two more appointments next week.
1043196	2/20/2021	WI	73	M	2/5/2021	2/16/2021	Lethargy. Multiple unformed stools. Eyes feel ?heavy.? Mental foggiest. Decreased appetite. Decreased motivation - hard to get going. Feeling cold but no fever.
1043099	2/20/2021	GA	46	F	2/13/2021	2/16/2021	24-48 hours after receiving dose, had low grade fever, headache, and malaise. On Tuesday morning (3 days after vaccine), woke up with vertigo, visual changes, severe nausea, diagnosed with cerebrovascular accident
1043108	2/20/2021	CA	65	F	2/19/2021	2/19/2021	Reported feeling dizzy, a dry throat and blurred vision. Alert and oriented x4, speaks in complete clear sentences. Denies SOB and pain. BP 182/90, P 89, O2 97%, R 19. No facial droop noted. No hearing deficit. Swallowing without difficulty. Lungs clear, heart sounds WNL. Second set VS: BP 185/100, P 84, O2 96%, R 17. 15 minutes later patient reports symptoms improving. Recommended evaluation by physician. Patient refused EMS and plans to go to urgent care. Informed urgent care is not appropriate level of care and educated. Patient reports no symptoms upon discharge from clinic.
1043125	2/20/2021	GA	66	F	1/12/2021	1/19/2021	One week after the shot, the area where I got the shot got red and swelled up a bit. Was itching. An area below the shot also got red and itchy. This lasted a couple of days and then went away. I also noticed on and off my face getting flushed under my eyes and across the bridge of my nose which has lasted on and off during the whole month before the second shot.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1043147	2/20/2021	GA	66	F	2/9/2021	2/16/2021	Exactly one week after the second shot, on 2/16/2021, I started getting very itchy on my wrists and noticed little bumps. Then my ankles became itchy and the same little bumps occurred. They continue to itch and I have gotten other areas that are becoming itchy and little bumps are appearing. I awake at night feeling itchy. My scalp is also itching. I am on day four of itching as I write this. The bumps remain. I also get occasional flushing on my face under my eyes and across the bridge of my nose. I have been taking lots of allergy meds as I have a fear it could cause breathing issues if I don?t. It has helped a bit but does not last as long as I would like so I?m taking more pills than I prefer!
1043175	2/20/2021	CA	76	F	2/15/2021	2/16/2021	The area around my eyes turned red and puffed up for at least 48 hours. I have never had Botox or any other injections around my eyes. This happened after the first dose, also.
1043187	2/20/2021	OR	43	F	1/31/2021	2/10/2021	Started with hives on my left hand, then hives on my right hand. Put some cortisone cream. Over 4-5 days the hives got increasingly worse and spread to my ears, nose, cheeks, eyebrows, face and neck. Monday 2/15/2021 it was beyond uncomfortable and it felt like a pea sized lump was in my throat causing me to worry my breathing might be affected. Went to the ER/Urgent care. I was given a shot of solumedrol, and a predisone pack and given an ointment for the rashes, Triamcinolone. I saw my PCP the following day as it was a scheduled appointment but wanted to see her to update her on this event. I then developed allergies to the ointment worsening the rash. She advised on 2/19/2021 I stop taking the predisone pack and gave me 7 days of 20 mg predisone instead and prescribed a different ointment that is not due to arrive until Monday 2/22/2021. As of today 2/20/2021 the rash is still growing up my arm over my elbow and now I have some hives on my legs and back.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1043233	2/20/2021	NH	51	F	2/1/2021	2/18/2021	Within five minutes of the injection eyes began itching, s within 10 minutes of the injection nose mouth lips tongue itching and full /pressure sensation in face. Hives on upper chest, itching throughout entire body including legs toes fingers. Given 50 ML via I am injection in left thigh. Taken to hospital for further monitoring. Given 20 mg of Pepcid at hospital. No other meds given.
1043206	2/20/2021	CT	76	F	2/20/2021	2/20/2021	While pt was sitting in observation for about 15 minutes she reported feeling excessive nasal congestion. EMS was on site, Pt's BP was 224/112, came down to 203/108. Pt reported nasal congestion seemed to be getting better. Pt denied headache, dizziness, visual changes, chest pain, SOB, swelling, tingling. Pt reports she usually has normal BP. Pt did not want to go to the hospital. She signed a refusal for transport to the hospital with EMS. Pt was advised to call her doctor when she got home. Pt was advised on ED precautions and when to call 911. Pt verbalized understanding.
1043072	2/20/2021	TN	67	M	2/19/2020	2/20/2020	I woke up at 5 am (2/20/20) w/my head spinning, in a sweat, my eyes unable to focus. Felt very nauseas w/bad case of vertigo. I got to the bath threw up & kept dry heaving. Sitting on the floor, I phoned Hospital, and spoke with an ER nurse. I reported my vaccine, my symptoms and told her I could not drive the 1 mile to the ER. She indicated these may be some of the serious side effects of the Moderna Vaccine. At 6am I crawled back to my bed & woke at 9:30 am. I called store & spoke to the pharmacist who vaccinated me. He concurs w/the ER nurse. I am still very weak, still slightly dizzy, and very concerned. I am a healthy 67 year old, lives by himself & this episode frightened me.
1042890	2/20/2021	FL	75	F	2/11/2021	2/12/2021	ARM AND FEELING FEVERISH, BLURRED VISION, TIRED (OF COURSE) ARM IS STILL HURTING AND SCARED OF GETTING SECOND DOSE BUT WANT TO.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1043247	2/20/2021	MA	57	F	2/12/2021	2/17/2021	Initial adverse effects after vaccine #2 included expected side effects of chills, severe body ache, fatigue starting within 8 hours of dose and lasted about 24 hours. Fatigue persisted. GI upset, diarrhea developed 2 days after vaccine through 3 days after vaccine. Fatigue persisted, as did anorexia, mild nausea through present day. 4 days post vaccine, itching on R abdomen noted. 5 days following vaccine zoster lesions noted on R abdomen and R mid back. Diagnosed by visual exam and started Valtrex on Day 6.
1043185	2/20/2021	ID	33	F	2/20/2021	2/20/2021	Patient did receive 1st dose of vaccine and after roughly 7 minutes patient reports she started to feel anxious, dizzy, sweaty and pale. Patient was triaged this provider. Able to speak in full sentences without difficulty. Patient felt this way for roughly 5 minutes. Throughout the entire encounter patient never reported having any difficulty breathing, facial swelling, tongue swelling, throat closing sensations, rash, hives. Patient does report that she has had this reaction previously with other injections or blood draws. Patient was given water and apple juice which does seem to help calm her down greatly and after roughly 5 minutes patient reported feeling normal however did feel nauseous for roughly 10 minutes after vaccine. Patient was observe for additional 20 minutes which time patient felt like she had complete resolution of all of her symptoms. No further intervention was had during this encounter. Vital signs were taken and oxygen was 99 percent and heart rate varied between 90 and 110. Prior to discharge patient's heart rate was less than 90. Of note patient reports that she is 12 weeks pregnant. Saw OBGYN yesterday and denies any known complications associated with current pregnancy. Denies any abdominal pain, vaginal bleeding.
1043071	2/20/2021	NJ	31	F	2/19/2021	2/19/2021	Around 9am recieved the vaccine 930 am extreme neck pain traveling to fingers 8pm slight confusion, body pain, eye pain 11pm chills, nausea 2/20/2021 1am shakes, chills, body aches, temp of 102, back pain pressure in head, extreme head ache (never had one so bad). Skin pain when touched by anything including blankets, 7am - until extreme fatigue hard to get out of bed. Eye pain jaw pain, lymph nodes pain throughout my body head ache at a 10, both arms hurt. Cough

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1043013	2/20/2021	PA	67	F	1/20/2021	1/20/2021	Upon screening of second Moderna vaccine, patient reported that she had vision problem in the right eye after receiving her first vaccine. She reported that it lasted for 5 minutes after administration. I told her to inform me right away if she gets this again after 2nd vaccine. She did not report any vision issues after 2nd vaccine administration.
1042947	2/20/2021	KY	56	M	2/19/2021	2/19/2021	Fever 101.6; Severe body aches; Pressure in joints, head, eyes; Tylenol every 4 hours
1042932	2/20/2021	GA	57	F	2/19/2021	2/19/2021	Photo / light sensitivity, blurry vision .
1042905	2/20/2021	FL	35	F	2/5/2021	2/18/2021	2 weeks after second dose of vaccine received I noticed my left eye lazy and loss of taste and feeling on left side of my tongue . As the day progressed I noticed my left side of face felt different number , my mouth was not opening wide on left side . I did a telemedicine call with a Dr that refereed me to Er where I was diagnosed with Bell Palsy.
1042720	2/20/2021		43	F	2/17/2021	2/18/2021	Temperature 99.5 Dizziness Sleeping for more than 8 hours Elevated heart rate over 100 Extremely tired Body ache Headache Blurred vision Extreme thirst Dry mouth
1042891	2/20/2021	OH	43	F	2/18/2021	2/20/2021	8 hours after the shot= all my joints hurt. Joints that normally do not hurt did like my neck joint, right wrist joint. The joints that do normally hurt were way worse (my back, and right big toe joint). There was a pain in my right eye, and that eye had blood vessels burst in it. 36 hours after the shot= started bleeding from my vagina. My last menstruation was 2 weeks ago and this is VERY unusual for me. Normally my periods are 30-32 days apart.
1042878	2/20/2021	GA	23	F	2/19/2021	2/19/2021	Systemic: Allergic: Itch (specify: facial area, extremities)-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Systemic: Hypertension-Mild, Additional Details: Pt presented with swollen lips within 15 minutes of vaccination. Benadryl administered. 911 called and paramedics arrived to take to local ER. Patient's friend returned and said patient was being monitored at the ER for the next 6 to 7 hours.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1042873	2/20/2021	IN	19	F	2/19/2021	2/19/2021	At 6pm on Feb 19, I was very cold no matter how many layers of clothing I put on. Around 8pm I started getting chills and a headache. Around 10pm I almost fainted going up the stairs (I turned white and felt the blood drain from my face, I got very dizzy and had to sit down with supervision). I woke up at 12:30am and had a fever of 101 F and took some acetometaphine to hopefully lower my fever. I checked my temperature again at 8:30am this morning (feb 20) and was at 99.5 F and a slight headache.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1042765	2/20/2021	MD	54	F	2/13/2021	2/14/2021	<p>Worst symptoms: During severe flu symptoms next day: racing heart, waking from severe joint pain in Right ankle, aching pain in abdomen. Starting after the flu symptoms resolved on Tuesday: After my fever went down I got a red ring around the injection site and stinging welts on arm, shoulder, neck, face. Prickly itches mouth, ears, scalp hands, feet. --- After injection, second dose, Saturday 3:25. NO issues, didn't even feel shot. expecting a day of flu, fever around 100 and no other issues based on 1st dose reaction (Moderna # 013L20A, 1/16/21). No respiratory symptoms this time, no runny nose, unlike last time. I didn't notice anything unusual about my heart rate. normally resting as low as 48 while sleeping, waking in the 50s per Apple watch, 100s, up to 120s with exercise. 9 AM Saturday Woke with resting heart rate of 97. Cross room to get thermometer and Tylenol. Heart rate 117. Fever 101.7 cross room to get soup from microwave and return to bed. Heart rate 123. Took 500 mg gel cap with broth and veggies. Woke 11 am. Fever 102. Drank 12 oz of water. Closed eyes, could not stay awake. Headache. Ringing in ears. very achy flu symptoms with strange symptoms, tenderness left lower abdomen palm width from Left hip. Arm felt hot, tight. My ligaments particularly in ankles felt loose. Woke with sharp ankle pain 3 times. I usually put the blankets under my feet and tucked under knees, like sleeping bag. it felt like my joints were hyper extended over the blankets. I tried to give them extra support and not move them or elevate them much. Continued gel cap of Tylenol at 3 pm (feeling dizzy and nausea started) , 9 pm (stood to get medicine and thought I was going to faint), 3 am, 9 am. Fever at 102. Sunday afternoon, felt like my GI tract had stopped. Nausea with food. Urine every few hours but no other output, even gas, until Tuesday. Heart rate closer to normal on Monday night. Pain in chest and abdomen resolved. Flu symptoms, joint pain resolving on Tuesday. Eating again. Slept most of Sunday and Monday. Moving around Tuesday Fever down to 100 Tuesday, continuing through Friday. Tuesday my Arm starts to feel worse, like the day after the first dose injection. Hot, tight, aching. Faint semicircle developed below 2nd injection site Tuesday. Stinging Welt develops 4 inches below. Other welts start and merge into pink band with pale transition zone. pale patches starting in other places. I start feeling itches on bottom of feet, in</p>

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

scalp, on chest, on cheeks. Wed. I call the health department and my doctor. Pink ring around 2nd injection site Stinging welts on left arm forming a band almost all the way around arm on Wed. include first injection site. Pale band below, a transition zone, hurts a lot more than the warm pink welts. Stinging welts below injection site create bands of bright pink that stings like ant stings, hot to warm temp. Pale band below and patches sting like bees, much more painful. pain like hornet sting where they overlap as band wrapped around arm. Pink stinking at back and left side of neck .Ears itching and ringing. Some stinging in areas of hand, left fingers, space between thumb and index finger. Feels like Cold cream stinging on face, left cheek large patch under left eye, smaller patches around left side of eye and three small patches on left eyelid. Began turning pink a few hours later. Mouth started itching. Pale patch the size of my hand on my left shoulder and chest aches and stings, is tender. Feels like it is going to become a big welt like the pink one below the injection site. Stinging pricks of pain very occasional on left thigh, left side of back and even on right shoulder blade, left side of neck I brush my hair instead of scratching at my scalp. scabs on left shoulder and chest from stratching. Prolonged fever of 100 after most flu symptoms resolved, into Friday, Thursday my dr sent me to ER. Pale transition zone that hurt the most, below and in fold of elbow is darker, creases because there is more swelling. patch is expanding. Called ER for wait time. Went to Patient First Urgent Care. EKG normal limits. Started Methylprednisolone Pack, 6 day stepped down dosage. Told to use cortisone cream without getting in or near eye, not on lid. Told to take Benadryl. Tylenol. Friday the band on left arm signif diminished, welts forming on face are gone. Some areas still sting and itch, even without looking red. Mouth does not itch. some itches and sharp stings. Still some stinging in left eye and left eye lid. Sat. morning my temperature is below normal even for me. 96.7 Still some stings and itches. Pink ring around injection site fading. Heart rate normal. Still some chest discomfort occasionally.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1042757	2/20/2021	IL	59	F	1/13/2021	1/16/2021	On January 16th I started feeling very dizzy in my eyes got blurry very dry mouth and palpitations, and I almost passed out at home, my husband had to take me to Er. They wanted to keep me in the hospital but I told him I will follow up with my doctor on Monday, I did not want to stay on the floor with covid patients the test that they had ordered at the hospital were normal they did not order a CMP they only did a basic metabolic panel and that was normal, so I followed up with my doctor on Monday which was January 18th, and she ordered CMP and all the labs, when they threw my blood my liver enzymes were very elevated over the thousands LT ASG and the and others, then the doctor ordered a second set of blood works of CMP just to make sure it wasn't a fluke, they were even more elevated they were over 1,400.
1043275	2/20/2021	OH	73	F	2/17/2021	2/17/2021	Immediately after vaccination patient felt experienced stomach upset, then tingling around the mouth. No respiratory issues, but had facial flushing nd mild redness and swelling around the eyes with some itching. Benedryl capsule PO given and responded with in 15 minutes. Driven home by husband and advised to seek ER RX if needed. Advised not to seek 2nd does of vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1043033	2/20/2021	TN	26	F	1/26/2021	1/26/2021	Moderna vaccine 041L20A (I think) Given 1/26/2021 Adverse Events started 1/26/2021 ?? Symptoms at the time of the shot Tuesday January 26th: burning at site for twenty minutes, warmth shooting down my arm, up my neck, and across half my face, headache, vision disturbances. ?? Night one: sore arm, joint pain, headache, nausea, fatigue unfixed by rest, slept all night, chills, and intermittent fever. ?? Wednesday: sore arm, joint pain, headache, nausea and vomiting, fatigue unfixed by rest, slept all day, chills, and intermittent fever. Ate two bites of banana and sipped Ginger Ale and Gatorade. ?? Night two: sore arm, joint pain, nausea, fatigue unfixed by rest, slept all night, chills, and intermittent fever. The friend checked on me thought I died because I (a very light sleeper) didn't wake up at first. ?? Thursday: sore arm, joint pain, nausea, fatigue unfixed by rest, slept all day, chills, and intermittent fever. Couldn't stand for more than five minutes without rest. Ate two bites of toast and one cup of honey chamomile tea. ?? Night three: sore arm, intermittent joint pain (feet especially), last fever at 4pm, fatigue unfixed by rest, slept all night, chills. ?? Friday: achy all over, nauseous, brain fog, fatigue unfixed by rest, heart palpitations. I went to work, stimmed most of the day plus erratic emotions and behavior. Ate two bites of cereal, one burrito (over the course of three hours), and drank two cups of water. Blood Pressure 116/76 (6 more than normal of each) pulse 93 (33 bpm more than normal). I woke at 30% capacity. ?? Night four: brain fog, heart palpitations, achy, nauseous, exhausted. After work, I got home at 1% capacity and collapsed in bed, unable to do anything else. ?? Saturday: achy, heart palpitations, vision disturbances, brain fog, tinnitus, intermittent chills (maybe fever? Too tired to check), debilitating fatigue unfixed by rest. Not actively nauseous, but allowed to eat ONLY what my body craved (anything else would have been thrown up) a doughnut, French fries, two cups of tea. Woke at 5% capacity. Fed myself and pets, slept. I did not clean, brush hair, or anything else. ?? Night five: achy, heart palpitations, brain fog, headache, tinnitus, fatigue unfixed by rest. ?? Sunday: achy, heart palpitations, tinnitus, intermittent chills (maybe fever? Too tired to check), debilitating fatigue unfixed by rest. Woke at 10% capacity - fed myself and pets, cleaned dishes and litter box, brushed hair, and slept for the rest

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

of the day. Ate 1/2 cup cereal, one kiwi, meatloaf, drank lemonade. ?? Night six: achy, heart palpitations, fatigue unfixed by rest. ?? Monday: achy, debilitating fatigue unfixed by rest. Woke at 15% capacity - ate, cleaned dishes, brushed hair, fed cat and cleaned litter box, did laundry, took out trash - slept for the rest of the day. Ate baked potato, meatloaf, kiwi, drank lemonade. ?? Night seven: achy, heart palpitations, fatigue unfixed by rest. ?? Tuesday: debilitating fatigue unfixed by rest. Went to a clinic and Tested Negative for Covid with a rapid test, Negative for antibodies. ?? Night eight: fatigue. I went non-verbal for a few hours. ?? Wednesday: heart palpitations, headache, intermittent chills (maybe fever? Too tired to check), debilitating fatigue unfixed by rest. ?? Night nine: fatigue, heart palpitations. ?? Thursday: debilitating fatigue unfixed by rest, nausea, headache. ?? Night ten: fatigue. ?? Friday: fatigue. Got checked at a clinic - normal labs, FNP thinks it is some kind of autoimmune response (due to my family history) and said it usually goes away in about a month. ?? Night eleven: Fatigue. ?? Saturday: chills (maybe fever?), headache, debilitating fatigue unfixed by rest. ?? Night twelve: Fatigue, heart palpitations. ?? Sunday: chills, headache, debilitating fatigue unfixed by rest. ?? Night thirteen: Fatigue. ?? Monday: went to work at 25% capacity. Left at noon. Sharp headache, nausea, heart palpitations, shaky, falling asleep at desk, sharp intestinal pain, stabs of chest pain, nausea, uncontrollable fidgeting, fatigue unfixed by rest. Work hour one: equilibrium. Completely out of touch with my body - immune to cold (I'm always cold) and everything else. Work hour two: moderate physical discomfort and mental strain. Work hour three: severe physical discomfort and mental exhaustion. Work hour four: felt like I was losing my mind, intense physical pain (NOT anxiety - I know what anxiety feels like - this was my body shutting me down by whatever means worked) ?? Night fourteen: heart palpitations, sharp chest pain, sharp intestinal pain, felt like I was going insane, headache, chills (no fever), fatigue. ?? Tuesday: 5% capacity. Nonfunctional. Heart palpitations, headache, aches all over, chills, debilitating fatigue unfixed by rest. Ate and slept. ?? Night fifteen: headache, body aches, chills (no fever), fatigue. Slept with a heating pad. First emotional meltdown. ?? Wednesday: 10% capacity. Headache, body aches,

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							debilitating fatigue unfixed by rest. I had a two minute burst of energy, then off like a light switch, and slept for hours. ?? Night sixteen: chills, body aches, fatigue. ?? Thursday: Body aches, debilitating fatigue unfixed by rest. ?? Friday day seventeen - present 2/19/2021 with no end in sight. Debilitating fatigue unfixed by rest. I can?t read, can?t watch movies most of the time, get tired making myself food even when I sit in a chair in the kitchen, only drive if I absolutely have to, sleep 20ish hours a day, regular headaches (I almost never got headaches before), symptoms severely worsen with minimal or no activity, only resting in a quiet dark room helps. I am debilitated. I can?t work. I can?t grocery shop. I can?t cook without sitting down. If I take out the trash, I have to sleep the rest of the day. I have brain fog and can?t read. I can?t function.
1042899	2/20/2021	OK	66	M	1/13/2021	1/15/2021	12/21/2020 I had my first Pfizer COVID-19 vaccine and the second on 1/13/2021. Two days after my second vaccine on 1/15/2021 at 8:50 PM I had a scintillating scotoma in my right visual field in both eyes consisting of a bright flash of light in the center of my visual field that cleared but then it expanded into a C-shaped series of zig-zag lines that slowly expanded into the periphery of both right visual fields. It ended at 9:20 PM. I had no headaches afterward. While I have had migraines when I was younger, I haven?t had one in several decades and I never had an aura before it. I went to the ED where I was evaluated for a possible TIA and then admitted into Hospital. While there my platelet count was 400% of what it usually was. Other than the platelet count and anemia (I donated 2 unit of packed red blood cells on 12/17/2020) the rest of my blood work was unrevealing. The scintillating scotoma only lasted 30 minutes but the elevated platelets (although slowly coming down) continues to this day.
1043783	2/20/2021	AZ	39	F	1/19/2021	1/19/2021	Facial numbness/paralysis started 10 minutes after injection. Paralysis of tongue and jaw muscles followed an hour later. Paralysis of eyelids followed. Medical staff on-site were not informed on how to proceed and recommend to take a benadryl and sleep it off. Muscle function returned 12 hours later.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1042998	2/20/2021	CA	70	F	1/22/2021	1/29/2021	Damage to cranial nerve 6, left eye, resulting in double vision. On the MRI there was no sign of any bleed or other problem to explain the double vision. My shot was just 5 days before, leading the doctors to conclude the vaccination was the likely cause. At the same time, from the MRI they determined that a pituitary adenoma they had been following for 5 years had enlarged and needed to be removed so I had surgery for that right away. But they were confident that the tumor was not the cause of the double vision.
1043299	2/20/2021	TX	69	F	2/3/2021	2/3/2021	Developed severe photosensitivity to sunlight with visual disturbances of acuity. Lasted 24 hours and seemed to resolve ( but could be because there was an absence of sun light) UNTIL 2/19/21 and then was unable to go outside because of the sunlight could not keep eyes open or leave house. Mild problem with computer/iphone but No problem with LED, home lighting or TV light
1285000	2/20/2021	MO	86	M	2/9/2021	2/19/2021	DATE: 02/20/21 12:00AM - AWOKE WITH SEVERE ITCHING ON WRIST OF BOTH ARMS 12:00 - 12:45AM - STAYED AWAKE WHILE IN BED ITCHING BOTH ARMS 12:45AM - WENT TO BATHROOM TO A VISUAL VIEW OF ITCHING ARM. BOTH ARMS, WRIST TO ELBOWL, WERE EXTREMELY RED "RED" DOTS OVER WHOLE BODY FROM THE THROAT DOWN; NO SPOTS OR REDNESS ON THE HEAD OR FACE. SLIGHT PRESSURE ON CHEST. APPLIED CERAVE LOTION ON MULTIPLE AREAS OF THE BODY, WHICH PROVIDED INSTANT RELIEF. DRANK A CUP OF BIGELOW MATCHA GREEN TEA WITH TURMERIC. WEN TO BED AT 02:00AM UNTIL 07:30AM. ALL PROMBLES ABOVE WERE GONE. SKIN LOOKED THE SAME AS LAST EVENING AT BEDTIME 10:30PM.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1043888	2/20/2021	NY	45	F	2/19/2021	2/19/2021	While sitting in the waiting area I began to feel itchy. it was around 7:50am. I quickly took 2 chewable (12.5mg each) benadryl tablets. after about 5 min. i felt stable enough to leave. on the way home I started to feel the itching intensify and I felt very warm. I had welts forming and hives appeared all over. As I pulled into my driveway( 7 min drive from vaccination site) I felt my lips and eyelids swell, and my throat felt tingly. I took another 2 chewable benadryls. (12.5mg each). I immediately called my Doctor and explained what was going on. I also started to wheeze. I used my inhaler. He told me to use my epipen. Which I already had prepared since I knew this was anaphylaxis. I started to feel stable enough to go inside. I called my husband to come downstairs to be with me. I still wasn't feeling well and the tightness and wheezing persisted. At around 8:40, My dr. told me to use the 2nd Epipen and use my nebulaizer. If I wasn't better in 10 minutes he would call an ambulance. Thank GD the itching and hives subsided and the wheezing and tightness diminished by around 8:50am. My dr. continued to monitor me and check up on me. By 3pm I was back to myself.
1043857	2/20/2021	MD	34	F	2/14/2021	2/15/2021	Menstrual/uterine cramps that I would describe as fairly intense. I don't usually get cramps associated with menstruation, and I was not menstruating at the time, nor did I begin to, I just experienced the cramps over the course of 48 hours beginning the day after the first dose. The cramping was certainly not incapacitating but was for sure the most intense I've ever felt. Went away about 72 hours after receiving the shot. Also: very sensitive skin. The skin around my eyes tingling and then got red and puffy and itchy after applying a vitamin c serum I've used regularly for six months with no issues. Got worse over the course of a week and then resolved.
1043797	2/20/2021	CA	59	F	2/14/2021	2/14/2021	At 30 minutes after vaccination, chest tightness, eye and lip swelling, hoarse voice. Albuterol inhaler relieved chest tightness. Other symptoms lasted a couple of hours.
1043733	2/20/2021	AZ	46	F	2/15/2021	2/18/2021	Eyes blurry, left eye only, red eyes, strained

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1043716	2/20/2021	CT	40	M	2/10/2021	2/14/2021	Patient woke up at 4am on Feb. 14th 2021 with extreme headache, nausea, dizziness, and blurry vision. patients wife called 911 and patient was taken to Hospital ER for emergency evaluation. CT scan revealed a brain bleed. patient was rushed to Hospital Neuro ICU for immediate care. patient was at Hospital from Sunday Feb. 14th - Tuesday Feb. 16th. patient blood pressure (which is usually well controlled) had spiked up to dangerous level and caused a rupture to an AVM in the tegmentum region of his brain. hospital treated patient and got his blood pressure regulated. Patient discharged on Tuesday Feb. 16th 2021 with the expectation of making a full recovery after several weeks of rest.
1043711	2/20/2021	FL	40	F	1/28/2021	1/28/2021	Symptoms started with blurred vision within 30 minutes had full double vision , dysarthria and aphasia . Went to sleep, woke up 1 hour later bc I felt like I couldn't breath. My arms and legs were very heavy felt close to paralyzed. I was able to move but movement was very ataxic and labored. Next morning the limb heaviness was gone, double vision was gone but had blurry vision for approx three days. Still having word finding difficulty, but mild.
1043699	2/20/2021	CA	49	M	2/15/2021	2/17/2021	2-16-21; headache, eyes sensitive sunlight, sore left shoulder. 2-17-21; sore left shoulder, eyes sensitive to sunlight, headache, triceps on left arm sensitive to the touch with some swelling. 2-18-21: armpit swollen with a huge round circle underneath armpit area. no rash, no redness, no fluid leakage. Called and spoke with on-call nurse, who told me to use cold packs. Made an appointment with my doctor over the telephone. administered probiotics/antibiotics for 7 days. NOTE: Shot was given in my left shoulder, all problems are on the left side. I also had covid in September 2020 and it took me at least 3 months to recover or feel normal again.
1043648	2/20/2021	TX	80	F	2/20/2021	2/20/2021	C/o dark specks around eye few minutes after vaccination which lasted for few minutes and disappeared. Seen and cleared by EMS

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1043541	2/20/2021	AZ	36	F	2/19/2021	2/20/2021	About 12 hours after receiving the shot, I woke up in the night feeling unusual. I went to the bathroom, where I felt pressure in my head, increased ringing in my ears, and increased loss of vision. A few moments later when I realized this was an emergency, I could no longer see or walk. I crawled blindly through the home feeling for the walls and familiar facets calling out for help. My family woke up and called emergency. By then, I was nearly gone/unconscious. I was laid down on cold tile until the paramedics arrived. Heart, blood sugar, and blood pressure were all tested. Considering I'm a completely healthy individual, they attributed it to the vaccine.
1285002	2/20/2021	NJ	55	M	2/20/2021	2/21/2021	Right eye swelling without drainage or change in vision. Ice pack placed and swelling decreased
1043426	2/20/2021		68	F	1/17/2021	1/28/2021	Bell's palsy. Earache began several days prior to diagnosis. On 1/28, woke up with a drooped left eye (couldn't close it fully), followed that day by loss of taste and sensitivity to noise. The next morning (1/29), experienced drooling. That afternoon, I went to the ER at NY, and was diagnosed with Bell's palsy. Treatment was prednisone (50mg) and valacyclovir (1g) for seven days. Symptoms were halted by the meds and now, three weeks later, have nearly disappeared.
1043380	2/20/2021	RI	87	F	2/18/2021	2/18/2021	10-15 minutes after vaccination patient complained of dizziness, blurred vision, and shortness of breath. Patient states she felt slightly short of breath walking into the clinic prior to vaccination but did not mention symptoms to staff. Patient was evaluated by clinic medical director and EMS staff. No objective signs of local or systemic reaction, only patient's subjective statements. Patient was transported to Hospital for further evaluation.
1043802	2/20/2021	MO	74	M	2/12/2021	2/13/2021	Pt says Saturday morning right eye started watering in the morning and numbness on the right side progressed as the day went on. Sunday he called the insurance nurse and she told him to go to urgent care. Urgent care told him to go to ER. ER ruled out a stroke and diagnosed him with Bells Palsey. He alerted his primary care physician.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1043530	2/20/2021	GA	30	F	2/18/2021	2/19/2021	Individual received vaccine 2/18/21. Woke up morning of 2/19/21 with pain to right eye. Redness and drainage noted to eye on morning of 2/20/21.
1043402	2/20/2021	OR	35	F	2/19/2021	2/19/2021	Pt was given her first Pfizer vaccine at 10:31 am on 2/19/21. Patient reported feeling nauseous and dizziness one minute after receiving the vaccine. Pt had no history of heart disease, no previous reactions to other vaccines. Patient did have history of panic disorder. At 11:10 patient reported that symptoms had neither improved or gotten worse. At 11:20 patient opted to return home with her sisters who would keep an eye on her. Pt would follow up with her PCP if symptoms worsened.
1043302	2/20/2021	TX	73	M	2/5/2021	2/6/2021	My dad received the Pfizer vaccination on 2/5/21. He was admitted into the hospital the next day for C-Diff bacterial infection. He had been on dialysis treatments for kidney failure treatment since 2017 and had recently been diagnosed with stage 3 colon cancer in June 2020. He had completed his final treatment of chemotherapy on 2/4/21 and several weeks prior had been determined cancer free. On Tuesday 2/9/21 he was released from the hospital and went home. Early Thursday morning 2/11/21 @ approximately 1:30 am CST his eyes rolled back in head and he stopped breathing and was non responsive. My mother called 911 and attempted CPR. Paramedics arrived and were able to successfully get a pulse then transferred him to the hospital. He was put on a ventilator @ the hospital and then transferred to a different hospital a few hours later. He lost pulse/heartbeat several times @ the 2nd hospital he was transferred to. We were not allowed to travel with him or see him b/c of all of the COVID restrictions. We were communicating with the ICU doctor by phone who ultimately communicated to us that there was nothing further that could be done to save his life. He subsequently passed away @ approximately 8:55 am CST on 2/11/21.
1043416	2/20/2021	RI	49	F	2/3/2021	2/15/2021	Shingles- left eye

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1043427	2/20/2021		62	F	2/20/2021	2/20/2021	Pt assessed after receiving COVID-19 vaccination drive thru site. She reported onset of mild lightheadedness and a non-specific "funny feeling" in her head. No vertigo or presyncope. No other new neurologic changes such as vision changes or extremity weakness. No chest pain, palpitations, dyspnea. No other signs of allergic/anaphylaxis (ie rash, throat swelling, GI side-effects). She reports hx of high blood pressure and is on one BP medication but cannot recall the name. States she took it today. Reports eating breakfast this morning. Exam notable for BP 140/85, HR 60. Pt well-appearing, no acute distress, no obvious CNS or peripheral deficits. RRR, normal s1/s2, no m/r/g. Lungs CTAB. No obvious rash or facial swelling. During course of evaluation pt reported symptoms improved but did not quite resolve. Advised pt to continue monitoring at vaccination site for additional 15 minutes. Offered juice, crackers, fluids which she declined though did drink some of her own water. Upon reassessment pt reported continued improvement though symptoms had not completely resolved. Offered to have EMS come assess pt though she declined. Warning signs/symptoms discussed with pt for when to seek out care at ED. She is in agreement.
1043433	2/20/2021		27	M	1/26/2021	1/26/2021	Dose 1 on 26Jan2021: Sore left arm at injection site; persisted for approx. 40 hours. Slight brain fog - difficulty completing basic mental math (addition/subtraction with values less than 50); persisted for approx. 12 hours. Dose 2 on 16Feb2021: Sore left arm at injection site; persisted for approx. 30 hours. Low-level headache focused behind my eyes; effectively treated twice with Tylenol and later with Ibuprofen; onset within 1.5 hours of injection; persisted for approx. 12 hours.
1043454	2/20/2021	WI	26	F	12/26/2020	12/31/2020	Dizziness described as a swaying sensation. Swollen eyelid. Dizziness/sway has not gone away. Also off balanced and visual axis is now tilted.
1043500	2/20/2021	OH	29	F	1/8/2021	1/11/2021	When I got up Monday morning, I noticed I had a enlarge lymph node, in the same arm where the vaccine was given. It was the size of a tennis ball. I went to the Doctor, she did a chest xray and blood work to rule out lymphoma. That came back negative and I have had some shortness of breath. This hasn't went away, has got smaller but still there, My PCP is keeping an eye on it.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1043513	2/20/2021	IL	64	M	2/12/2021	2/15/2021	Patient went to his primary care md because he was having an ocular disturbance. The md described it as a ocular migraine but voiced his concern that it could be a TIA. The patient experienced this 3 days after receiving shot. The patient did follow up with an eye doctor where they were told everything looked normal. patient concerned this was unnecessary and then question consequence of receiving second dose.
1043515	2/20/2021	OH	68	F	1/15/2021	1/15/2021	14 HOURS AFTER #2 VACCINE INJECTION, STARTED WITH SUDDEN ONSET OF GENERALIZED ACHING, CHILLING, VERY TIRED JUST WANTED TO LAY DOWN AND CLOSE MY EYES. ORAL TEMPERATURE WAS 99.8F. AT 3 AM, WAS UP FOR SECOND TIME TO URINATE, ON WAY BACK TO BED FELT WEAK AND DIZZY AND PASSED OUT, UNKNOWN FOR HOW LONG. WOKE UP ON FLOOR SOAKED IN PERSPIRATION, FELT WEAK. THEN FELT LIKE I WAS GOING TO VOMIT AND HAVE A STOOL., CRAWLED TO BATHROOM. IT WAS ALL I COULD DO TO PULL MYSELF UP TO COMMODE( I LIVE ALONE). HAD ONE LOOSE STOOL, NO VOMITTING BUT DRY HEAVES X5. THEN JUST LAID ON FLOOR AT BATHROOM, WAS COLD BUT TOO TIRED TO CRAWL OVER TO BED TO PULL DOWN BLANKET. SLEPT ON FLOOR, WOKE UP 4 TIMES AND JUST ROLLED OVER FELT VERY SLEEPY AND COLD. WOKE UP 7AM, FELT MORE NORMAL AND BY NOON SEEMED NORMAL.
1043519	2/20/2021	MH	26	F	2/17/2021	2/17/2021	I visited Hospital after noticing a reaction to the covid shot. The left side of my face including my eye, cheek and lips felt swollen and numb. I also had the chills. The doctor was unable to give me any information related to my reaction from the vaccine and recommended I take Tylenol. However this reaction persisted for the past four days. The swelling has subsided.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1041172	2/19/2021		63	F	1/29/2021	1/29/2021	Within 1.5 hours of vaccine #1: Eye pain (both), itching without visible rash (left buttock only), thumb pain, brief leg "heaviness" (both) and fatigue, brief RLQ pain, increased tinnitus. The next evening: low back and neck (bone?) pain while attempting to sleep, out of character to usual back pain. By day 3 post injection, left nose tingling similar to onset of cold sore, which included left side of mouth the next day. By 7 days post injection, entire mouth area felt tingly similar to Novocaine wearing off. This lasted 3 days. Now improved. (took B-12 p.o.) Other brief episodes of chest discomfort, gum irritation, and anxiety. Vaccine #2 scheduled for 2/19/2021
1041481	2/19/2021	SD	22	M	2/19/2021	2/19/2021	Patient got lightheaded and clammy. Eyes rolled to back of head about 3 minutes after injection. MT assessed pulse, slow but steady. RE got BP cuff and took BP. 1st BP reading was 146/96 with pulse of 59. Sat O2 was 100% Staff went to get patient water per patient request. Resident claims he 'lost hearing' for a small time period. BP reading at 1147 was 148/91. SS, CNP, was summoned to vaccination area to assess patient. Spoke with patient / family. He has had similar reaction before after knee surgery. Patient feeling better. CNP requests continued observation until DBP is below 80. BP reading at 1153 is 135/79. Patient released from observation and left vaccination clinic.
1041283	2/19/2021	VA	24	F	2/17/2021	2/18/2021	Excruciating left side of face/head pain. In jaw, neck, face, above and around eye. Extreme sensitivity to light and sound. Began around 19:00. Tried OTC Motrin and Tylenol with no relief. Tried Orajel since the pain felt similar to maybe a toothache but have had no teeth issues. No relief from anything. Pain was 9/10. Around 5am pain completely went away. No more issues since then.
1041291	2/19/2021	NY	40	F	2/4/2021	2/4/2021	Within a couple minutes I began having tingling of my chin that worked up to my forehead. My throat felt like I had a lump in it. I felt off like I may pass out. My vision seemed a little blurry. This lasted about an hour. I felt itchy all over my body. This lasted for several hours.

<i>VAERS_ID</i>	<i>RCVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1041136	2/19/2021	MD	68	F	2/15/2021	2/15/2021	Severe migraine headache associated with visual distortion, nausea/vomiting, and prolonged word-finding difficulty lasting at least a few days. No prior history of migraines. TIA work up ongoing.
1041310	2/19/2021	OR	67	F	2/10/2021	2/10/2021	Blurred vision and inability to focus right after the vaccine. Still experiencing blurred vision.
1041311	2/19/2021	TX	57	F	1/20/2021	1/20/2021	Severe Headache; extremely scratchy eyes, Fever; Fatigue; Site pain; Body aches; Slightly disorientated, for about 24-48 hours



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1041317	2/19/2021	KS	38	F	2/19/2021	2/19/2021	<p>COVID VACCINE CLINIC Subjective Patient is a 38 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 30 min waiting period after the injection, the patient began to experience throat tightness and wheezy. She denied sob, cp, facial swelling, tongue swelling. She reports of above symptoms about 20 minutes after receiving vaccine. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to abdominal pain, blood pressure abnormality , chest pain, drooling, hypotension, increased swelling, rapid progression of symptoms, respiratory distress, skin changes, tongue swelling and vomiting . PMH: Previous Reactions: allergies including anaphylaxis to shellfish, peanut oil and sulfa drugs. Reaction of arm swelling to location of shot and wheezy when she got the flu shot 7 years ago. Asthma hx. She had taken Singulair, cetirizine and albuterol prior to coming. She did not take any benadryl prior to her injection as pt reports that her sister whom is a nurse told her not to take benadryl in case it masks a reaction. ALLERGY REVIEW OF SYSTEMS: Patient complains of frequent throat clearing (slightly upon arrival. with throat itching) and wheezing Patient denies chills, fever, malaise/fatigue, facial swelling, itching in ears, sore throat, eyes watering, eyes itching, puffy eyes, eye redness, cough, chest tightness, shortness of breath, rash, hives, eczema, cysts, itching of skin, vomiting, abdominal pain, diarrhea, muscle aches, joint pain, dizziness and headaches Objective Vitals</p> <p>Vitals: 02/19/21 0933 02/19/21 0944 02/19/21 0952  02/19/21 1002 BP: (!) 143/83 134/81 126/80 123/70  Pulse: SpO2: 100% 100% 100% Physical</p> <p>Exam Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is not ill-appearing, toxic-appearing or diaphoretic.  Comments: No facial or lip swelling HENT:  Mouth/Throat: Lips: Pink. Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear.  Uvula midline. No pharyngeal swelling, oropharyngeal exudate, posterior oropharyngeal erythema or uvula swelling. Eyes: General: Lids are normal.  Extraocular Movements: Extraocular movements</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

intact. Conjunctiva/sclera: Conjunctivae normal.  
 Neck: Trachea: Trachea and phonation normal.  
 Cardiovascular: Rate and Rhythm: Regular rhythm.  
 Tachycardia present. Pulses: Normal pulses. Heart  
 sounds: Normal heart sounds. Comments: Slightly  
 tachycardia (103) Pulmonary: Effort: Pulmonary effort  
 is normal. Breath sounds: Normal breath sounds and  
 air entry. No stridor, decreased air movement or  
 transmitted upper airway sounds. No decreased breath  
 sounds, wheezing, rhonchi or rales. Comments:  
 Speaking full sentences. Musculoskeletal: Cervical  
 back: Full passive range of motion without pain. Skin:  
 General: Skin is warm. Findings: No rash.  
 Comments: Injection site w/o erythema or swelling. No  
 adhesive reactions Neurological: General: No focal  
 deficit present. Mental Status: She is alert.  
 Psychiatric: Mood and Affect: Mood is anxious (slightly).  
 Thought Content: Thought content normal. Judgment: Judgment normal. Re-  
 evaluation of lung sounds and throat was done  
 periodically about every 5-10 minutes. No acute findings  
 seen/heard. Assessment/Plan Treatment included:  
 albuterol, antihistamines, water and solu-medrol IM and  
 pepcid, albuterol (pt used her own). Follow up response  
 to treatment: excellent. Scale of 0-10 based on  
 symptoms of tightness was 7 at first. Upon discharge was  
 3-4/10. Patient discharge: Stable to go home and follow  
 up with PCP and her allergist. Differential Diagnosis:  
 Anaphylaxis/anxiety (dyspnea, stridor, drooling, tongue  
 swelling) We discussed close monitoring at home and  
 when/if she were to take her epi-pen and call 911 if  
 symptoms were to worsen. She's to let her allergist know  
 about her visit today. She may need to have other  
 medications taken prior to her #2 dose of Pfizer  
 according to her allergist recommendations. Pt  
 appreciative and is ready to go home. Pt wheeled out to  
 front door by security. Accompanied by husband.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1041183	2/19/2021	ME	68	F	2/12/2021	2/14/2021	I did experience some headache and lethargy on Sat. so laid low. I did go for a walk about 3:30 walking up hill at times as is usual. I did have an appetite and prepared dinner. I did not go to work (child play therapist). Sunday I felt more myself and did notice the soreness in my arm was surely not as bothersome as with the first shot. Had a very active day, no walk but yoga class. Prepared a nice dinner for VD and settled in to view television later in the evening. Strangely, the memory of the exact nature of how this started eludes me, but I do recall experiencing discomfort in the very upper extremities of my chest. Sharing this with my husband he wondered if it may have had something to do with sleeping on my right side cramping the rib area due to not sleeping on my left side because of the shot. I also pondered if it might be related to my gym workout on Thursday ? I recall feeling tired and headed to bed. I recall awakening to use the bathroom and feeling a slight brief bout of dizziness. When I did awaken the next morning the chest discomfort was still present to I called the Health Center and was advised to go to the ER. The EKG was fine. The troponin level was elevated to 0.19 so I was told I had suffered a mild myocardial infarction and I was going to the ICU.
1041321	2/19/2021	TN	55	F	1/1/2021	1/1/2021	Flu-like symptoms, face going numb, right side weakness, double vision in right eye, migraine headache. Stroke like symptoms
1041348	2/19/2021	WI	77	F	2/18/2021	2/18/2021	Patient developed spontaneous ecchymosis around the right eye. There is no other medical explanation of her spontaneous eye bruising identified

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1041393	2/19/2021	CA	70	M	2/18/2021	2/18/2021	Patient received Moderna Covid vaccine to left arm at approximately 11:55AM. Afterwards, patient sat in the observation area, accompanied by female companion, presumably his wife. As soon as patient sat down, medical assistant witnessed the patient shake, lose color and roll his eyes back. Medical assistant called out to observation nurses for assistance. Nurses approached the patient immediately. Patient went limp and was assisted to floor. Wife was questioned about patient's history, which she reported were cardiac related; CABG. Patient was lethargic but oriented x4. Manual pulse taken revealed a weak pulse of 60. O2 Sats on room air showed 90% on pulse oximeter. Patient was clammy and pale. When questioned about his current symptoms, patient responded that he felt "heartburn" and tingling to this left arm. An AED was placed on patient's chest and 911 was called. No shock was delivered. Patient remained conscious but lethargic and nauseous. Paramedics arrived at approximately 12:00noon and patient was taken to nearest hospital. No additional information regarding patient's condition is known at this time.
1041399	2/19/2021	CA	65	M	2/5/2021	2/7/2021	Optic Neuritis (Papillitis) OD Loss of central vision - 20/100
1041424	2/19/2021	NC	24	F	2/18/2021	2/18/2021	Eyelids blinking/ Not Responding BP 164/106, EMS called In a few minutes she was responsive, anxious had a tremor, but according to caregiver at facility the tremor was normal. EMS took her to hospital as a precaution, thought she had a seizure due to anxiety. She is treated for anxiety and seizures.
1041486	2/19/2021	LA	84	M	2/11/2021	2/11/2021	patient came into the office for swelling under left eye he noted 2 hours after 2nd injection of covid vaccine. Denied blurred vision or pain in eyes. Denied shortness of breath, chest pain at assessment. Patient was monitored in office. Patient was advised of ER precautions and discharged to home with no signs or symptoms of acute distress.
1041114	2/19/2021	VT	43	F	2/18/2021	2/18/2021	Swelling under the eyes and rash on the cheek bones. Likely exacerbation of prior rash after a hot shower. Improved with Zyrtec and diphenhydramine. Patient has history of eczema and asthma.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1040686	2/19/2021	WI	52	F	2/17/2021	2/17/2021	At 9:30 that evening I started throwing up, terrible chills I couldn't get warm even under my electric blanket and featherbed, my muscles were spasming, my joints hurt like never before with stabbing pains, the headache was worse than the worst migraine I ever had, it hurts to open my eyelids even in the dark , I literally thought I was dying from the 2nd shot.
1041517	2/19/2021	WI	64	F	2/17/2021	2/17/2021	12 hours after receiving vaccine I woke up from a deep sleep because my tongue felt thick and too big for my mouth. I am a RN so I assessed myself. No tingling. No numbness. No difficulty breathing. I could swallow my saliva. Fell back asleep. Soon after I woke up again and thought wow my tongue is huge and it is occupying my entire mouth. I looked in the mirror and my tongue was huge. Swollen and the knobs on the back of my tongue were huge too. No other symptoms. I grabbed my cell phone and was able to fall back asleep. In the AM my tongue felt better and only the sides felt funny. Visually, my tongue had decreased and I could again see the grooves and marks in my tongue which were gone when it was swollen. On AM of 2/19 it appeared to resolve completely.
1041419	2/19/2021	FL	83	F	2/3/2021	2/4/2021	Adverse events experienced and are they still occurring now: -double vision (MRI done last week and everything seemed normal) What happened as a result of the adverse event? went to her pcp and did various check ups and everything was normal, doctor still recommended her to get her vision done also went to the eye doctor and they told her she doesn't have anything abnormal
1040827	2/19/2021	MN	40	F	2/10/2021	2/18/2021	After shot, just felt like someone took a bat to my arm. However, yesterday I noticed a slight itching and bump on left arm by injection site when I was teaching. This morning I woke up and noticed it is red, itchy, little swollen and the arm is sore. I have also had a headache the past 2 days and slight dizziness/unfocused visual effects this morning.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1040533	2/19/2021	CA	72	M	1/24/2021	1/25/2021	<p> Syncope; Diarrhea; Low pressure; Flu-like symptoms; A regulatory report was received from a consumer concerning a 72-years-old, male patient who received Moderna's COVID-19 Vaccine, and who experienced flu-like symptoms, head went back, eyes went white, jaw move left to right, made a last breath, thought he died, diarrhea and low pressure. The patient's medical history included high blood pressure. Products known to have been used by the patient, within two weeks prior to the event, included Metoprolol succinate. On 24 Jan 2021, approximately one day prior to the onset of the symptoms, the patient received their first of two planned doses of mRNA-1273 (042L20A) intramuscularly in the right arm for prophylaxis of COVID-19 infection. On 25 Jan 2021, the patient reported flu-like symptoms. Treatment information was not provided. On 26 Jan 2021, the patient reported head went back, eyes went white, jaw move left to right, made a last breath, thought he died, diarrhea and low pressure. Treatment information was not provided. Action taken with mRNA-1273 in response to the events was unknown. The event, flu-like symptoms was considered recovered/resolved on 25 Jan 2021. The events, head went back, eyes went white, jaw move left to right, made a last breath, thought he died, and diarrhea was considered recovered/resolved on 26 Jan 2021. The outcome of the event low pressure was unknown.; Reporter's Comments: This case concerns a 72 year old male with medical history of hypertension on metoprolol, who experienced a serious unexpected event of syncope and non-serious unexpected events of flu-like symptoms, diarrhea, and low blood pressure. Event onset was 1 day after first dose of mRNA-1273. Flu-like symptoms resolved. Based on the current available information and temporal association between the use of mRNA-1273 and the start date of the events, a causal relationship cannot be excluded. </p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1040542	2/19/2021	IL		M	12/24/2020		<p>Psychosis; Pain in the back of eyes; Weakness; Chills; Muscle pains/ Myalgia; A spontaneous report was received from a consumer concerning a male patient of an unknown age who received Moderna's COVID-19 Vaccine (mRNA-1273) and developed psychosis, pain in the back of his eyes, chills, myalgia, and weakness. The patient's medical history included schizoaffective bipolar disorder. Products known to have been used by the patient, within two weeks prior to the event, included paliperidone. The patient received their first of two planned doses of mRNA-1273 (batch number not provided) on 24 Dec 2020. On 21 Jan 2021, an unknown amount of time prior to the onset of the events, the patient received their second of two planned doses of mRNA-1273 (batch number not provided) intramuscularly for prophylaxis of COVID-19 infection. On 27 Jan 2021, the patient received paliperidone. On an undisclosed date, the patient experienced pain in the back of his eyes, felt a chill, muscle pains, and weakness. The patient had been diagnosed with schizoaffective bipolar disorder and was missing at the time of the report. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not applicable because the patient had received both doses. The outcome of the events psychosis, pain in the back of his eyes, chills, myalgia, and weakness, was not reported.; Reporter's Comments: This case concerns a male patient of an unknown age who experienced a medically important event of psychosis, and in addition non-serious events of pain in the back of his eyes, chills, myalgia, and weakness. Based on the current information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded, however the patient's history of schizoaffective bipolar disorder is a strong confounder for the event of psychosis. The case is lost to follow-up as Consumer did not give consent to follow-up.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1040619	2/19/2021	CA	33	F	1/13/2021	1/15/2021	a hx of Hashimoto Thyroiditis and Monoarthritis of the left knee received Covid Moderna Vaccine on 1/13/21. Developed chills, then joint pain, headaches and on 1/15 swelling around face and eyes. 1/19/21 Eyes are still itchy and had been taking Benadryl for it. Had video visit with MD, changed to Zyrtec and also refresh tears to the eyes but sx's not getting better with redness and itchiness. Pt put hydrocortisone cream under her eyes and SX's got better.
1040632	2/19/2021	ID	67	M	2/1/2021	2/6/2021	Transient and intermittant twitching and minor tearing of left eye.
1040638	2/19/2021	CA	50	F	1/23/2021	1/31/2021	On Sunday, Jan 31, 2021 I woke up around noon after working a graveyard shift and wasn't feeling right. There was a pressure in my head, along with sinus and ear pain and a fuzzy feeling in my face. By Monday, Feb, 1, 2021, the pain was worse now with a fatigued feeling after sleeping 20 of the last 24 hours. I went to my Dr on 2/1/2021 and recognized a slide on the left side of my face. From my forehead not wrinkling up the same as right side, left eye wasn't closing as tight and the left cheek and side of mouth were sliding. He said it was Bells Palsy. He prescribed 10 days of prednisone and an antivirus medicine to be taken 3 times a day. That week I slept a lot and wasn't able to sit up much due to the head pain and the lightening bolt feeling in my face. By the 2nd week I was able to sit up more, but still very tired/fatigued. I was off work for 2 weeks, returning to work on 2/14/2021. There is still a slight slide on the left side in the eye and cheek.
1040685	2/19/2021	VA	65	M	1/29/2021	1/29/2021	One hour after the vaccine I experienced loss of sensation of my left cheek from under my eye to my mouth. My wife noted loss of muscle tone of my cheek and inability to smile on the left side. Symptoms started about one hour after the injection and resolved after three hours.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1041389	2/19/2021	NC	58	F	2/19/2021	2/19/2021	11:30 shot. 12:00pm 96%spO2, nausea, double vision, 50mg Benadryl. 12:01pm 130/84mmHg, 12:07 strong nausea. 12:11pm trying to throw up, but cant, double vision still there. 12:15pm blurred vision, double vision. 12:20pm 143/83mmHg. 12:21pm 93%spO2, 69bpm. 12:42pm, blurred vision gone, still double vision. Called doctor for follow-up instructions.
1040720	2/19/2021	MA	58	F	2/18/2021	2/18/2021	Very swollen eyes, nasal congestion, itchy back, anus, inner ears. Treated with 1 over the counter benedryl. Went to the ER, treated with another benedryl and pepsid. Discharged with an epipen. I have a history of exercise induced anaphylaxis
1040749	2/19/2021	MD	40	F	2/11/2021	2/12/2021	24 hours post vaccine, developed bilateral eye swelling, itchy ness full body and right orbital pain along with the feeling of my heart racing. Swelling lasted 9 hrs, self medicated with Zyrtec (Benadryl makes my heart race) . Tylenol 1000mg every 4 hrs for headache pain. Headache is still present daily. Switched to 800 Motrin every 6 hrs. Headache and lower extremity muscle pain, as well as nerve twitches and cramping still occurring 8 days post vaccine.
1040765	2/19/2021	ME	47	F	12/18/2020	12/19/2020	After the first injection, I got a upper chest rash but did not relate this to the vaccine. After 48 hours of the second injection on 1/8/2021, I had angioedema facial swelling on the lids of my eyes bilaterally, facial burning-lips, nose, and right side of face, as well as the upper chest rash. Tried cool compresses, ibuprofen and rest however did not go away. Went to employee health, threw away all my make up incase, prednisone taper and antihistamine QD, eat clean, lots of water. The swelling went away after a few days of cool compresses and when on 10 mg of the prednisone taper, it came back. Went to PCP this time and gave me dexamethasone injection, prednisone taper, antihistamine BID and continue all other o

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1041110	2/19/2021	ME	52	F	2/18/2021	2/18/2021	Around 10 minutes after vaccination patient alerted pharmacy staff members at the clinic that she had a "weird taste in her mouth like she has when she has seizures". Employees of her congregate-care facility came over and told pharmacy staff that she does not have true seizures, but rather "pseudo-seizures" as part of her mental health condition. The pharmacy staff has the patient immediately sit back down. She appeared to have lost consciousness one time. Staff reported her eyes seemed glazed over. The patient denied any feeling of throat closing or tingly of lips or tongue. The pharmacy staff was able to obtain a carotid pulse but due to obesity was unable to take a blood pressure even with a large cuff. At that point pharmacy staff called 911 to get patient further evaluation. EMS evaluated the patient and declined transport and instead returned her to her apartment. Congregate-care staff reported that patient has a history of this type of reaction when being around groups of people.
1040864	2/19/2021	NC	61	M	1/20/2021	1/21/2021	Received at approximately 2:30pm. At just after midnight following vaccine, woke up and had what appeared to be Vertigo/dizziness. This has not completely gone away since onset on 1/21/2021. I began having "floaters" in my vision beginning about 8am following vaccine. This has not gone away. I did have a bout of vertigo in January 2020, that had not reoccurred since that time. I have not had "floaters" prior to the 2nd dose of the vaccine.
1040872	2/19/2021	CA	69	F	2/13/2021	2/15/2021	I woke up with distorted vision, possibly an ocular migraine. Went to loss of peripheral vision in my left eye and was left with a headache for the next 24 hours.
1040893	2/19/2021	MO	56	F	2/17/2021	2/17/2021	Arm pain but it was tolerable, but extreme joint pain, as well as extreme muscle pain, fatigue, and eye pain. Tinnitus and dizziness. Also had chills. Remained pretty consistent for a day and half.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1040929	2/19/2021	MI	45	M	1/11/2021	1/13/2021	2 days after 2nd dose of vaccine, there were vision changes (blurred vision), pressure in head, and palpitations. Vision (only have one eye) has been hazy when looking at computer. This is still on going. Work up done by optometrist at this point eye checks ok but problem persist. Referral to ophthalmologist is place. Feeling of foginess in head - "drunk like feeling" persisted for several weeks. This still seems to be on going. Palpitations and some chest pain. - This was never a finding prior to 2nd dose of vaccine. This has resolved.
1040943	2/19/2021	AZ	76	F	2/18/2021	2/18/2021	Complained of dizziness, watery eyes, runny nose, and weakness shortly after receiving her second dose of Pfizer. She requested to lie down and was escorted to a stretcher. She was provided oral loratidine with slight improvement of symptoms. Approximately 30 minutes after her inoculation her status had not worsened but she requested to be taken to the emergency department. Rapid Response team was notified and assisted her to the ED.
1041014	2/19/2021	MD	47	F	2/16/2021	2/16/2021	12 pm felt woozy and mild headache and blood pressure spiked 4 pm nauseous and woozy something not right headache got worse 6pm arm started to hurt, headache got worse and so did nausea 10 pm whole body started to ache and chills with major headache and throwing up 4am next day 17th pain through whole body and headache so bad I was dizzy throw in up still 17th hard to walk from total body pain and headache 18th and 19 terrible headache pressure on whole head and neck can't move neck. Eye pressures
1041018	2/19/2021	WI	77	F	2/12/2021	2/12/2021	Immediate blurred vision, numbness in extremities, loss of balance within 1 minute. Confusion of surroundings. Tingling in fingers and feet. Swollen tongue within an hour. No sense of time or place. these last about 30 hours.
1041065	2/19/2021	NY	72	F	1/21/2021	1/27/2021	about a week to two weeks later i had a heaviness in my right eye, It since has resolved itself then i started to get sensitivity on my right side of my gum line in my mouth. and it comes and goes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1041592	2/19/2021	MA	48	F	2/13/2021	2/13/2021	Feeling out of my head (6 days so far) dizzy(6 days so far), extreme fatigue (6 days so far) headache (intermittent) chills (intermittent), nausea, weakness (6 days), body and head feel like lead (6 days), chest pains (one day), abdominal pains (1 day), diarrhea (1 day), blurred or double vision (two occasions), eyes burning (one occasion)
1042643	2/19/2021	CA	26	F	2/19/2021	2/19/2021	Dose given approximately at 1405. around 1409 she reported having tingling in her mouth and lips and a lump in her throat. pt did not have any increased WOB. pt speaking in full sentences but visibly upset. no lip, tongue, or facial swelling. she denied itchiness. no hives found. O2 sat 100%, HR 130s, pulse was not thready. pt reported very bad headache, denied having headache prior to vaccine. reported dizziness and tunnel vision. denied nausea, abdominal pain. BP 156/80. Epi 0.3mg given IM to right thigh at 1422. supplemental O2 provided. ambulance was called, husband of patient was called. within 2 minutes pt reported globus sensation had resolved. tongue tingling resolved. she still had lip tingling. within 4 minutes of epi her HA had resolved, tunnel vision and dizziness also resolved. still no hives, no lip or facial swelling. lip tingling resolving. held on second dose of epi. BP at 1429 was 176/87. pt reported complete resolution of all symptoms upon ambulance arrival except for shakiness which was noted on exam. report given to ambulance services. systolic BP upon transport was 168.
1042401	2/19/2021	NH	87	F	2/13/2021	2/13/2021	Lips tingling and swelling - same day as vaccine. Also developed a sore underneath the lip Also, slight swelling on side of head (above ear - along hairline) and a small bump, and cheeks slightly swollen. No pain, no nausea. Felt fine otherwise On Monday, red blotch under 1 eye. Lip swelling is reduced. On Tuesday. Redness under 2nd eye slight rash Feeling fine otherwise.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1042409	2/19/2021	AL	66	F	2/19/2021	2/19/2021	Her injection was at about 10:55 am. About 15 minutes after the injection, patient claimed that she is dizzy, heart is racing. We get her seated. She wanted some water and we gave it to her. Advised her to take her mask off if she wanted. Then she she claimed that her eyes are sensitive to light and her throat is scratchy. We offered her lay down in our immunization room. At 11:45 am, she was laying flat on her back in our immunization room with both legs elevated on chair. She asked to have the light turn off. We have one of our staff to check on her every several minutes. She claimed that her feet were cold. Her husband came in the room with her and gave her his jacket to put on her feet. We offered to check her blood pressure and call EMS for her but she was not interested. At 12:04, she stated that the room is spinning. At 12:30, she was comfortable to get up assisted by one of our staff and leave. We checked on her at 5:25 pm. Per spouse, she is doing better but sleeping at the moment.
1042456	2/19/2021	CT	45	F	1/4/2021	1/6/2021	Eye soreness/pain. Halos around light. Light sensitivity. Headache. Nausea. Dx: Iritis both eyes. Dx on Friday January 8, 2021. Steroid eye drops prescribed. Infection and steroid drops are ongoing as it has not resolved yet. Needed to stay home from work due to headache/nausea. Headache and nausea is on the Covid symptom list and the hospital I work at would not allow me to work until I'd had a negative Covid test.
1042465	2/19/2021	IL	34	F	1/27/2021	1/31/2021	I received dose 1 of the Covid 19 vaccine on 1/27/21. On Sunday 1/31/21 I noticed my left eye was itchy, red, and felt like something was stuck inside. A visit to my eye doctor revealed that I had developed a corneal ulcer in my left eye. I am not an eyeglass or contact wearer. I have never had issues with dry eyes. I was put on a regimen of steroids and antibiotic eye drops. Update: Today 2/19 is 1 day post dose 2 of covid19 vaccine. I made a return trip to the eye dr and my right eye is now inflamed and my left eye corneal ulcer is still unhealed despite steroid medication.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1042526	2/19/2021	CA	68	F	2/15/2021	2/15/2021	<p>Moderna COVID-19 Vaccine EUA. Monday, 2-15-21. 11:45 am. ? Received first dose of Moderna Covid-19 vaccine. 12:30 pm. ? Headache developed. 8:00 pm. ? Watching TV noted irregular heartbeat, and a minute later, increase in respiration rate. That lasted 20 minutes at the most, and then went away. Went to bed at 10 pm and slept well. Tuesday, 2-16-21. 7:00 am. ? In kitchen. Lightheaded, increased respiration, feeling like I'm going to pass out, so I quickly sit down. Two minutes later feel fine. Went about making breakfast. This happened two more times. Realizing this might be a reaction to the vaccination, went to urgent care. Doctor listened to my heart, ordered EKG and result showed that I was in atrial fibrillation (A-Fib). NO previous cardiac issues, no high blood pressure, no diabetes, never a smoker, not obese. Ambulance was called to take me to Hospital. Another EKG confirmed still in A-Fib. Blood drawn. Hooked me up to a wireless/remote heart monitor. Still in A-Fib, elevated heart rate, higher than normal blood pressure. Kept overnight in hospital awaiting more test results, continuous monitoring, and with ECG ordered for Wednesday morning and then consultation with cardiologist. Wednesday, 2-17-21. 11:45 am., ECG done. Still in A-Fib. ECG shows no signs of blood pooling or clotting. Cardiologist proposed courses of action, starting with what makes sense based on current conditions: A cardioversion. Having done thousands (his words) and given my great state of health otherwise, and very low risk for complications, a cardioversion is agreed to. That would happen immediately after first doing a Tee (transesophageal echocardiography) to look at the back of my heart. Then if all looks clear, no clotting, proceed with the cardioversion procedure. 3:00 pm., anesthesiologist asks if I have any further questions. I didn't. He sedates me. At 3:17 pm. I open my eyes, see the cardiologist standing at the foot of the gurney giving me thumbs up. I returned the thumbs up and said to him, ?good job.? Heartbeat successfully restored to normal rhythm by the cardioversion procedure. 6:00 pm. (approximately) - Discharged from hospital with prescription for Eliquis and Lopressor, and instructions for follow up appointments with primary care physician, and with cardiologist.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1042550	2/19/2021	CA	44	F	2/2/2021	2/2/2021	s/p injection c/o tingling left side of neck, jaw, and below eye. Resolved with no intervention
1042555	2/19/2021	CA	56	F	2/18/2021	2/19/2021	Woozy, high fever (100-102), body aches, chills, headache, congestion, joint pain, blurry eyesight, lethargy, pain at injection site.
1042595	2/19/2021	IA	72	F	2/17/2021	2/17/2021	Extreme heat, dizzy, impaired vision, rapid heart beat, nausea, weakness, headache
1042389	2/19/2021	NJ	50	F	2/19/2021	2/19/2021	Non-anaphalactic allergic reaction - hives, itchy swollen eyes
1042636	2/19/2021	WI	74	M	2/2/2021	2/16/2021	Left CVA Right sided numbness vision loss 2/16/2021
1042606	2/19/2021	MO	72	F	2/5/2021	2/13/2021	First symptom began on 2/14/2021 with severe nerve pain in my right jaw bone. On 2/16/2021 I had a burning, painful red rash on the right side of my face side, redness, swelling, pain to the touch, Redness and pain first diagnosed by NP - Urgent Care 2/16/2021 as Shingles - prescribed prednizone and Valtrex. By 2/18/2021 redness, pain and swelling had progressed to the right eye as well and continued to have all aforementioned symptoms. I was seen by an ophthalmologist on 2/18/2021. He said it was not typical of Shingles and had no idea what it was told me to see my primary. I saw my primary that afternoon. He agreed that it was not shingles but also had no idea what was causing it. While in his office, my hands turned bright red and painful and within 30 that resolved. Prescribed a higher dose of Prednizone, Keflex and Valtrex. Symptoms are still unresolved. No fever involved.
1042644	2/19/2021	AZ	35	F	2/12/2021	2/14/2021	At 50 hours post-vaccine, nausea began; vomited at 52 hours; weakness and nausea remained for an additional 2 hours following vomiting; then for the next 6 hours, experienced chills and coldness in extremities to the point of pain; vomited again at 70 hours post-vaccine, leading to the onset of a severe, excruciating migraine; migraine lasted for 45 hours, accompanied by 14 hours of tears continuously leaking from eyes & nasal congestion; by the end of 5 days post-vaccine, all symptoms had subsided. No treatments were administered outside of ibuprofen (which seemed to have no effect) and a heating pad.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1042679	2/19/2021	CA	67	M	2/18/2021	2/19/2021	Woke up with medial aspect of right eye sclera hemorrhaged. The bloody look increased throughout the day. but never spread further than medial aspect of right eye. There was no pain, swelling or vision changes. There was no treatment.
1042682	2/19/2021		46	F	1/30/2021	1/31/2021	Awoke the next morning with very swollen, sore eye lids. The swelling began during the night, so unsure when but approximately 12-20 hours post injection. Took Benadryl. Swelling improved slowly throughout the day and was almost resolved the following morning. Also had approximately 24 hours of expected fatigue, low grade fever, and chills.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1042698	2/19/2021	CT	31	F	2/3/2021	2/13/2021	<p>-Initially I had moderate side effects to my 2nd shot, shortness of breath/increase of asthma symptoms, severe joint pain, flu-like symptoms (slight fever, chills, loss of appetite, inability to sleep) lasting for a total of 4 days. I have anaphylaxis to Walnuts (2x needed epipen and hospitalization) and asthma, many seasonal allergies, and am highly biologically sensitive (have broken out in hives several times), -8 days later I traveled to a high altitude location (Aspen, CO), and had 4 glasses of wine over a 8 hour period. For the next two days I skied for 5 hours, going up to 12,500 ft in altitude. On the first morning after arrival I started feeling badly, with symptoms including dizziness, asthma symptoms (unusual for me as it is only exercise-induced), a headache in the front of my head, and a slight redness in my left eye. As the days increase my symptoms increased to the point of inability to leave the house. After 3 days I received an IV, oxygen, that did not help. On day 4 I went to the hospital after a virtual appointment with a clinician and had chest xrays taken as Hospital (never received the results) and was put on Diamox 250MG 2x/day, this helped slightly. Day 6 I left and traveled back to CT at low altitude, my symptoms did not improve immediately and got worse (eyes became significantly more red by this point), asthma and dizziness increased). Two days after arriving home I went to two doctors who misdiagnosed me with a sinus infection, water in my middle left ear and left lung, and conjunctivitis. I was given antibiotic eyedrops that had no improvement for 36 hours. Upon receiving a 1mg cortisone shot these symptoms improved, I was also given 500MG of a Z-pack type antibiotic 1x day/4 days. I went to my PCP, doctor who was able to accurately diagnose my symptoms as an immune response to being unable to acclimatize due to my moderate immune response to the 2nd shot. My body went through significant inflammation. He treated me with Prednisone and continued my antibiotic.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1261993	2/19/2021	MI	68	M	2/4/2021	2/10/2021	Ocular Issue--had vision change at 9:30am on 2/10/21, could not focus on his computer screen, esp right eye, central focus and had a right eye stabbing pain, patient has had 3 day migraines years ago with vomiting etc. On the day of hospital admission, 2-11-21 after a walk in the bright snow, then sex and a nap, patient was disoriented for 15 minutes, then it mostly resolved. But his memory was a bit off for the next 6 hours. It took him 3 tries to get his wife's name correct. Briefly he didn't know where he was and did not recognize his cat. So he went to the ER.
1261996	2/19/2021		64	F	2/12/2021	2/12/2021	Narrative: HPI: Patient is a 63 who presents for evaluation of itching eyes, feelin of nasal swelling immediately after receiving COVID-19 vaccination. Patient reports approximately 15 minutes after receiving vaccination, she started feeling as if her nostrils were swelling, her eyes were itching and her tongue "started to feel funny." Patient reports prior history of anaphylactic reactions to multiple allergens. She was given diphenhydramine 25mg IM once and transported to ER. At ER she was given diphenhydramine 50mg oral, famotidine 40mg oral, and acetaminophen 925mg oral. At ER patient reported 20 minutes after COVID vaccine her lips and tongue began to feel tingly and larger inside her mouth. She reported she has had reactions before to some immunotherapy drugs some years ago. She denied any symptoms of difficulty swallowing, wheezing, difficulty breathing, chest tightness, abdominal pain, nausea, vomiting, diarrhea, sweating, runny nose, eye itching, or any other symptoms at this time. Physical exam was unremarkable, no obvious swelling noted, no rash or hives noted, no secondary signs of allergic reaction, vitals remained stable, no hypotension or tachycardia. She was discharged home with instructions to continue taking diphenhydramine every 8 hours for 24 hours and to follow-up with primary care in 1-2 days.
1041602	2/19/2021	OH	71	F	1/26/2021	1/27/2021	Headache Fever Burning Eyes

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1041326	2/19/2021	FL	65	F	2/15/2021	2/16/2021	I got up around 9:00 am and felt weak. I ate breakfast and began to feel achy and nauseous so I went back to bed. For the rest of the day I experienced: Fever 102.4 Feaver 100.6 Severe vomiting 3x chills sweats body aches pain behind my eyeballs headache extreme weakness I continued to rest and take Tylenol all day to break the fever. The next morning, 2/17/2021 I woke up with a fever of 100.4 and took Tylenol. All other symptoms were gone by 2/17 except for low grade fever and fatigue. Fatigue continues still as of this reporting 2/19/21
1042603	2/19/2021	WA	78	F	2/19/2021	2/19/2021	Pt began to complain of feeling dizzy. Initial BP was 130/80. Pt then began to complain of double vision and her head feeling "tight". BP at that time was 160/77. EMS called due to increasing BP, double vision and headache. BP when EMS arrived was systolic BP of 180. Pt also complained of nausea. EMS did not transport patient to ED per daughters request to wait at clinic under observation for 30 min in the quiet and then will go home. Pt observed for 30 min and all symptoms resolved within 30 min. Pt taken home by private care.
1041803	2/19/2021	CA	74	F	2/19/2021	2/19/2021	PHN called to 15 minute observation post-immunization by Nurse and Nurse who were with px upon PHN arrival at 9:50am. Px found to be cool to the touch, crying yet unresponsive; px was unable to verbalize or open her eyes. Respirations were even and non-laborious, rise and fall of chest was visible. Vitals monitor brought to scene, Fireman/Paramedic called to scene and 911 called. BP: 161/111, SpO2:95% RA, HR: 80. Husband brought to scene to provide medical Hx information. Hx of High Blood Pressure confirmed with husband, Hx of Diabetes denied by husband. EMS Arrived at 9:56am, blood glucose checked and recorded at 199. PHN rechecked vitals at 09:57am , BP: 143/89, HR:81, SpO2: 95%. EMS advised px received first dose of Pfizer immunization at 9:36am. Px taken to Hospital for further medical work up at 10:08am via ambulance.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1041629	2/19/2021	IL	65	F	2/16/2021	2/16/2021	1 PM I received the vaccine and withing 5 minutes had a slight pain on the left side of my head which then continued to a pain in my neck. also left side, then back pain, then slightly short of breath. I remained in the waiting area for over a half hour and felt no worse, but did report it to the young woman at the exit who said that was odd and seemed the kind of response with the second dose. I presumed it might be due to my already having antibodies. As I continued my day those symptoms quickly dispersed and I felt fine, albeit with a light soreness at the site on my left arm. At approximately 6pm I felt very fatigued and rested until 10pm, when I began to have chills, a headache and nausea. My left arm was also so sore I could not lay comfortably. I took Tylenol and aspirin both at 11:30 pm and attempted to sleep, which was fitful and disturbing. I had strange neurological events, such as odd visions in my half sleep and bizarre semi dreams but could not waken. At 4:00 AM I finally was able to pull out of this state and the last thing in my mind was a conversation with someone trying to explain what was happening to me, in my mind not vocal, that was in Italian. That is my second language. All day I had unwanted words, ideas etc. floating about in my brain. I could no longer sleep and was very weak, had terrible head and body aches and my legs also ached terribly. I was also slightly nauseous. These were all symptoms, minus the disturbing neurological one, that I had with Covid. I was too weak to leave the bed until much later in the day. I am still having effects but much less and I am at the 72 hour mark. I remained at rest all day and ran a low fever, then again a fever
1042640	2/19/2021	NV	29	F	2/18/2021	2/19/2021	Patient received vaccine 2/18/21 about 6:30pm. Patient called pharmacy at 4pm on 2/19/21 to report minor left eye swelling. Patient stated it was not itchy or sore, just noticeably swollen.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1042331	2/19/2021	FL	66	F	2/2/2021	2/1/2021	dizziness; fall; Swelling in arm; pain in arm; felt sleepy; weakness in the right eye; balance issues (falling into her right side); This is a spontaneous report from a contactable consumer, the patient. A 66-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: EL9263; Expiration Date: May2021), via an unspecified route of administration in the right arm on 02Feb2021 (at the age of 66-years-old) as a single dose for COVID-19 immunization. Medical history included cancer survivor, type 2 diabetes mellitus, and surgery of the left hand in 2020. Concomitant medications included the second dose of varicella zoster vaccine (shingles vaccine) (MANUFACTURER UNKNOWN) on 12Jan2021 for immunization. The patient previously received the first dose of the varicella zoster vaccine (shingles vaccine) (MANUFACTURER UNKNOWN) on an unknown date for immunization. On 02Feb2021, the patient experienced swelling and pain in arm and felt sleepy. On 03Feb2021, the patient fell on the table due to dizziness. The patient had to use her cane more to get around. On an unknown date in Feb2021, the patient had weakness in the right eye and balance issues (falling into her right side). The clinical outcomes of the dizziness, swelling in the arm, and weakness in the right eye were recovering; while that of the pain in the arm was not recovered. The clinical outcomes of the sleepiness, fall, and balance issues (falling into her right side), were unknown.
1041687	2/19/2021	OR	40	F	1/28/2021	1/29/2021	stiff neck and headache, vision impairment, spoke with doctor, advised to er on 2/18/21

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1041700	2/19/2021		83	M	2/17/2021	2/17/2021	Patient's wife reported via telephone conversation with current nursing staff that patient had presented outpatient this morning around roughly 10:30AM, where he received his Covid-19 vaccination. He then went grocery shopping with his wife, and presented to home, where he began having notable difficulty swallowing and increased confusion, family had then sat him down in living room chair, where his daughter noted acute onset of tongue, upper/lower lip swelling, and right eye drooping. Patient's wife reports that he typically manages all of his home medications by himself, and manages his own ADL's without assistance at home. She reports that he did miss his noon dose of Sinemet, otherwise he has not missed any doses of current prescribed medications, and denies any recent start/change to current medication regimen, or OTC medications. Patient had difficulty swallowing scrambled eggs

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1041738	2/19/2021	ID	44	M	2/5/2020	2/7/2020	-Age 25 dx with DM1 -12/2020 HbA1c 10% on insulin pump -2/5 second dose of Moderna vaccine (in R arm), R hip pain, resolved -2/7 R hand red/swollen, R second and third toes red/swollen -2/9 ED, given prednisone 40mg po qday and diphenhydramine for ?vaccine-related immune reaction. Afebrile, HR 101, BP 144 systolic. -2/10 Rheumatology outpatient visit, afebrile, ?acute polyarthritis of R hand and R foot, prednisone increased to 60mg po qday -2/11 ED afebrile, xrays done, 2g ceftriaxone, colchicine, doxycycline. -2/12 back to the ED. R hand more swollen. R toes perhaps improved. Admitted. -2/12 MRI R hand - "There are small effusions in the second third and fourth MCP joints. There is some subtle synovial enhancement about the MCP joints best visualized on sagittal imaging. May be a small erosion in the fifth metacarpal head. There is some additional synovial enhancement about the lateral wrist. There are some subtle enhancement peripheral to extensor tendons at the wrist consistent with tenosynovitis. No other abnormality is apparent." Given 500mg IV methylpred and 80mg po qday prednisone. Initially improved in first 24hrs and then edema returned. Discharged. No antibiotics. No markers for infection. -2/18 outpatient Rheum. R hand still swollen. Tried 3rd MCP join aspiration without fluid. Rapid taper of oral steroids as not helping. Had steroid injection R extensor wrist and 3rd MCP joint. Acute inflammatory polyarthritis affecting right hand and right foot. ?due to or triggered by COVID vaccine. Patient without h/o similar events/symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1041666	2/19/2021	CA	30	F	1/15/2021	1/15/2021	1/15/21 30-60MINS POST VACCINATION PT DEVELOPED FLAT RED RASH ALONG ANTERIOR REGION OF NECK . WITHIN 72HRS REDNESS SPREAD TO SKIN AROUND EYES BILATERALLY. ON 2/8/21 PT DEVELOPED EDEMA BILATERALLY AROUND THE EYES. EDEMA AROUND EYES IS SEVERE ENOUGH TO HAVE TO "PRY" EYES OPEN AND USE ICE PACKS TO REDUCE SWELLING AROUND 2/12/21 PT REPORTS RED RASH ON NECK SPREADING TO POSTERIOR REGION OF NECK. 2/19/21 PT STATED SHE HAD TELEMED APPT WITH MD TO REVIEW PICTURES AND PT. PT WAS ADVISED TO TAKE CLARITIN OR ZYRTEC DAILY AND BENARDYL 25-50MG NIGHTLY.
1041844	2/19/2021	PR	63	F	2/17/2021	2/17/2021	Tachycardia Shaking chills Pain in the body and head rash swelling of one eye diarrhea stomach ache
1041872	2/19/2021	FL	75	F	2/5/2021	2/12/2021	A week after vaccination, I developed itchy eyes and blurred vision, stiff neck right side, and a large itchy rash on upper left arm. Symptoms lasted 4 days then completely disappeared.
1041892	2/19/2021	CA	52	F	2/4/2021	2/4/2021	Sensation of bilateral lower eye swelling without obvious signs of swelling. Sensation resolved without intervention. Resolved the following day, about 10 hours?
1042187	2/19/2021	SC	54	F	2/19/2021	2/19/2021	Patient received vaccine at 16:05 and at approximately 16:15, the patient reported blurred vision in her right eye.
1041913	2/19/2021	UT	72	M	2/17/2021	2/18/2021	Hives, extreme disorientation, swelling of both eye lids on left side
1041914	2/19/2021	WI	38	F	1/28/2021	1/29/2021	BODY ACHES, HEADACHE, EYE PAIN
1041970	2/19/2021	TX	55	M	2/12/2021	2/16/2021	vision skewed, balance off, speech slurred, syncope,



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1042074	2/19/2021	FL	58	M	2/19/2021	2/19/2021	Vaccine given by vaccinator at 1pm, pt being monitored by RN at 115pm pt had eyes open but did not respond to nurse commands, Breathing normal even, no distress noted, vitals 181/105 HR 98 96%on room air. Director of Nursing in room w/ pt &. called 911 for evaluation at 117pm pt responds to verbal command slow to move head in direction called prior to EMS arrival bp 171/105. EMS arrival at 127pm Paramedic at bedside for evaluation
1042109	2/19/2021	OR	40	F	2/18/2021	2/19/2021	I had Hyaluronic Acid filler put in my upper cheeks in mid-November 2020. I received my 2nd dose of Moderna COVID vaccine at 11 am on 2/18. 24 hours later, I started experiencing pain in areas where filler was injected. Went to sleep and woke up 3 hours later at 2 pm on 2/19 (27 hours after 2nd vaccine received), and immediately noticed swelling in upper cheeks under eyes and firm swollen nodules where the filler had originally been placed. NOTE: This did not occur when I received my first Moderna COVID vaccine on January 21st Called injector, and was advised to take Benadryl and Allegra, and to come in for a base line blood pressure reading in case additional medications were needed.
1042176	2/19/2021	UT	49	F	2/9/2021	2/9/2021	approximately 5 minutes after the injection my upper lip went numb along with my left side of my face, primarily my upper cheek below my eye. Then it slowly moved to the top of my head and the top of my left hand. My heart was racing a bit, but that could be due to me being nervous about my face going numb. An attendant stayed with me until it started to subside, approximately 15 minutes later. Other side effects were mild the following day. A bit of a headache, fatigue and chills. Fatigue lasted a couple days but all minor.
1041711	2/19/2021	UT	43	M	2/6/2021	2/16/2021	Began to have pain around ear and behind right eye. Headaches moved to upper back of head. Felt weird on right eye. headache got worse, took ibuprofen. Next morning right side of face couldn't move or blink, then entire right side of face unable to move. Diagnosed at Urgent Care with Bell's Palsy. Started on prednisone and gabapentin. Following day, seen in the ER, had normal MRI. Started on antiviral acyclovir. Pain was still intense, given Norco. 12 days since vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1042200	2/19/2021	WA	45	F	1/8/2021	1/9/2021	Severe arm pain in the middle of the night - woke me up (the arm pain lasted at least a week); Saturday morning-nausea and headache and I took Motrin. As the day progressed, 4-6pm fever started - went to 102.8 and Motrin lowered to about 101. Very fatigued, body aches, nauseated and headache got worse. I didn't want to keep my eyes open. Fever lasted until Monday and I felt very unwell. I called Clinic Monday morning - Advice nurse - and she suggested I get a COVID test. I felt so miserable - I laid in bed for whole week. It took all my energy to get to the bathroom. I went to work on that Wednesday to deliver my rounds of meds and went back home to bed. Friday, Jan 22nd - Doctor - redness wrapped all around my arm (from the inch down from shoulder and two inches above elbow) and it was warm to the touch (it wasn't painful at that point) but it itched like mad and he ordered an anti-nausea medication for me. Arm recovered before second dose. Nausea lasted to the second dose. I was anti-nausea medication - Andanzitron - 8 mg tablets (Clinic) - to get through my days. Nausea has gotten a little better but still have to take medication from time to time. Second dose received 5th of February.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1042329	2/19/2021	FL		F		1/22/2021	<p>still her sore throat was going bad, didn't get better/sore throat had been going on for two weeks; her headaches were the same/She had a headache that didn't go away; her eyes sight, her vision sometimes was not clear/Her vision had also been affected. Sometimes she cannot see clearly; her lips looked like when had a high fever, which she hadn't and it's blue, the skin was going off/Her lips looked like she had a fever. Her lips were blue. Her lips were losing skin; her lips looked like when had a high fever, which she hadn't and it's blue, the skin was going off/Her lips looked like she had a fever. Her lips were blue. Her lips were losing skin; This is a spontaneous report from a contactable consumer (patient). A 68-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via unspecified route of administration on 22Jan2021 at single dose for COVID-19 immunization. The relevant medical history and concomitant medications were not reported. The patient stated that still her sore throat was going bad, didn't get better and her headaches were the same, her eyes sight, her vision sometimes was not clear and her lips looked like when had a high fever, which she hadn't and it's blue, the skin was going off and she didn't know. Her biggest concern was her headache and her sore throat. She called her Doctor and he said there was nothing that he can do to call for advice. She had been taking every 4 hours Tylenol and taking antiseptic for her sore throat which had helped her in numb that site and help her for like 1 hour-1 hour and a half but then it came back. She had side effects that were still active. The worst side effect was a sore throat. Her sore throat had been going on for two weeks at the time of the report. Sometimes it seemed like it was going to get better, and then it came back. Her vision had also been affected. Sometimes she cannot see clearly. She had a headache that didn't go away. Her lips looked like she had a fever. Her lips were blue. Her lips were losing skin. She had taken her temperature, and she didn't have a fever. The outcome of the events was not recovered. Information about lot/batch number has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1038540	2/18/2021	NC	71	F	2/10/2021	2/10/2021	Ocular migraine with residual vague headache to right side of face. Small circle in right eye with sparkling prisms around it which then went to left eye also. Left eye aura gradually disappeared leaving right eye completely encircled by sparkling prisms which then exited to right side of face. Lasted around 10 minutes. Headache lasted remainder of day. Advil taken. Ophthalmologist contacted. Have NEVER experienced one of these in my entire life. Recovered.
1038523	2/18/2021	CA	68	F	2/10/2021	2/10/2021	3 hrs after receiving the second dose of Moderna vaccine, felt sudden heaviness/pain on my right eye, while talking on the phone. I was not straining or lifting any thing. When I checked my eye, I had subconjunctival bleeding on the outer side of the right eye. A few minutes later, I had a headache. Placed ice pack on my eye. Felt pain when I move my eye. Rested the whole day and applied ice pack. Had headache until the following day. Took 1 dose of Tylenol in the morning of the following day. Bleeding on my right eye did not increase anymore.
1038514	2/18/2021	MA	71	F	2/11/2021	2/12/2021	12 hours after injection. Fever, chills, 99 temp. Vomiting, headache, eye ache, fever 103 24 hours later. Symptoms lasted 3 days

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1038497	2/18/2021	IN	46	M	1/9/2021	1/10/2021	1/10/2021-Approximatley 34 hours after vaccination developed left facial numbness followed by severe dysequilibrium 5 hours later. 1/11/2021-left facial numbness and dysequilibrium significantly worse along with severe rotary nystagmus in the left eye. Had appointment with primary care and then ENT , who started me on prednisone 30 mg and antivert. ENT refered me to Neurology. Neurology ordered MRI/MRA that night and increased my prednisone to 60mg/day for 5 days followed by a taper over next five days. Currently, Symptoms of dysequilibrium and numbness have not subsided, on a second course of prednisone 60 mg/day for 3 days followed by taper. MD , Neurologist, provided Diagnosis of vaccine induced polyneuropathy affecting cranial nerves 5 and 8. Since the onset on January 10, Cannot work(physician/anesthesiologist) , drive, or perform minor tasks due to the severity of the symptoms. Symptoms during 1/10/21-1/17-21, bed-ridden, slept 18-20 hours/day, could not walk without assistance-would fall to the left, could not read, nystagmus of left eye, had to keep eyes closed due to severe vertigo/dysequilibrium, nausea. 1/18/21-1/24/21 slight improvement in disequilibrium/able to walk, no change in facial numbness severity , started on 100 mg gabapentin at night, and low dose valium 1.25 mg to 2.5 mg to help with dysequilibrium 1/25/21-1/29/21 50% improvement in facial numbness, began vestibular PT, slow improvement in dysequilibrium and ability to walk and read 1/30/21 Symptoms worsened again, facial numbness returned, dysequilibrium returned to its original severity, difficulty reading/focusing 2/1/21 Followed up with Dr, started another prednisone 60mg/day for 3 days, followed by taper over the next 5 days 2/4/21 Left Facial numbness not improved, dysequilibrium still severe, having difficulty focusing and reading
1038485	2/18/2021	OH	29	F	2/13/2021	2/17/2021	Facial swelling, eye swelling, itching of the face

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1037275	2/18/2021	IL	62	F	2/10/2021	2/10/2021	Within 1 hour of receiving 2nd vaccine, I started to get pain behind my right eye. That night, the pain turned into shooting pains on right side of head, every 3 to 45 seconds at worse. Head pain continued to Daturday, the 13th, when it stared migrating to right ear (same stabbing-type pain). By Tuesday the 16th, if further migrated to glands below my right jaw line ( same stabbing-type pain). Over last 48 hrs I have also developed scaly patches on right half of scalp. Tonight I started developing scaly rash on top of right side of face. As of now, stabbing pains continue in right side of head, right ear, and right side of throat. On Friday the 12th I also had swelling and tenderness under left arm. This has dissipated.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1039951	2/18/2021	NJ	66	F	2/11/2021	2/12/2021	Severe Headache; eye pain; earache on side of shot; itching both arms; severe jaw pain; severe chest pain; body ache; high fever; fatigue; profuse sweating; belabored breathing; hot; butterfly rash of face; This is a spontaneous report from a contactable physician (patient). A 66-year-old female (Not pregnant) patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), via an unspecified route of administration at right arm on 11Feb2021 14:30 at single dose for covid-19 immunization. Medical history included hypothyroidism, hypertension, hypercholesterolemia, breast cancer, osteoporosis, ligamentous RA, degenerative joint disease (DJD). The patient had known allergies to cilantro, cephalosporins, all morphine and morphine derivatives, Herceptin, astralogous mushrooms, gadolinium dye, fentanyl. The patient's concomitant medications reported as other medications in two weeks was yes. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient experienced severe headache, eye pain, earache on side of shot, itching both arms, severe jaw pain, severe chest pain, body ache and high fever & fatigue - profuse sweating, belabored breathing hot butterfly rash of face on 12Feb2021 at time of 06:00 AM. AEs resulted in Doctor or other healthcare professional office/clinic visit, Life threatening illness (immediate risk of death from the event). The patient received Prednisone 80 mg and Benadryl 50 mg as treatment. Prior to vaccination, the patient was diagnosed with COVID-19. Covid was tested post vaccination. The patient underwent lab tests and procedures which included Nasal Swab and PCR test: negative on 09Feb2021. The outcome of events was recovering. Information on Lot/Batch has been requested.; Sender's Comments: Based on the compatible temporal association, there was a reasonable possibility that the vaccination with BNT162B2 played a contributory role in triggering the onset of the reported events. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							Investigators, as appropriate.
1038428	2/18/2021	CA	68	F	2/16/2021	2/16/2021	Lost consciousness & crashed car Extreme diarrhea Cramping Very dry mouth Face flushing, rash on cheeks Face skin under eyes tight Assessed by fire rescue on scene. Vitals OK. Hospital transport recommended and declined.
1038547	2/18/2021	MN	87	F	2/12/2021	2/13/2021	Had the vaccine, and was fine and had problems after the first vaccine as well, which he prescribed benadryl and a Benadryl cream. He then called her back in a couple of days and she told him that she was fine. She saw the nurse at the facility who told her to call the eye doctor after the first vaccine, and this is exactly the same as the first vaccine. Her eye doctor had started her on a 2nd glaucoma drop Ropressor, and then with the reaction told her to stop taking it. Her eye is worse today than it was yesterday, and has been using cold packs which feel good to her eye. Was also running a fever of 99.9 and felt achy.
1038457	2/18/2021	FL	66	F	2/4/2021	2/5/2021	Severe headache; red, watery eyes; facial edema; temporal lymph node swelling on both sides of my face; redness in neck; stuffy nose (could barely breathe); redness, swelling, hives and pain at injection site. ER Doctor prescribed predniSONE (20 mg) for three days, 25 mg Benadryl and 20 mg Pepcid. ER Doctor did address lymph node swelling stating that it "Looked like a bug bite". Facial swelling, eye redness and shortness of breath resolved within a day after taking prescribed medication. Lymph node swelling resolved within a week. Currently still have slight redness and pain/itching at injection site. Primary Care Physician has advised skipping second dose.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1038461	2/18/2021	KS	80	F	2/16/2021	2/16/2021	<p>ALLERGY REVIEW OF SYSTEMS: Patient denies fever, facial swelling, sore throat, frequent throat clearing, eyes watering, eyes itching, puffy eyes, eye redness, cough, chest tightness, shortness of breath, rash, hives, itching of skin, abdominal pain, muscle aches, dizziness and headaches. Pt sent a picture of herself to her son after getting her vaccine. Noted her R eye drooping. : Previous Reactions: none Objective Vitals Vitals: 02/16/21 1535 02/16/21 1545 02/16/21 1555 BP: (!) 185/77 (!) 162/80 (!) 160/63 Pulse: 68 Resp: 16 SpO2: 98% Physical Exam Vitals and nursing note reviewed. Constitutional: General: She is not in acute distress. Appearance: She is not ill-appearing, toxic-appearing or diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: General: Lids are normal. Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Comments: Pt showed this provider picture she took of her R eye drooping. Picture demonstrates slight decrease in eye opening in comparison to L eye. Currently no eye drooping is noted. Cardiovascular: Rate and Rhythm: Normal rate. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Normal breath sounds. Musculoskeletal: Right lower leg: No edema. Left lower leg: No edema. Skin: General: Skin is warm. Coloration: Skin is not pale. Findings: No erythema. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Cranial Nerves: No cranial nerve deficit or facial asymmetry. Sensory: Sensation is intact. No sensory deficit. Motor: No weakness, tremor, abnormal muscle tone or pronator drift. Coordination: Coordination is intact. Coordination normal. Gait: Gait (steady gait with walker) normal. Comments: Equal movement and strength +5/5 to upper and lower extremities. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Comments: Slightly anxious affect. Assessment/Plan Treatment included: no therapy and reassurance Follow up response to</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							treatment: good. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Red flag symptoms (CP, SOB, NVD, Visual/Neuro concerns) Pt to follow up with pcp/new pcp if her bp at home continues to be elevated >140/90. We discussed reasons to go to ED. She is stable today and is feeling good. She declined a wheelchair out to the front. She was wanting to walk with her walker. This provider walked out with her and her husband out to the front where they were met by their son. Pt did well on her ambulation without stopping. Pt and husband both voiced appreciation. APRN Electronically Signed 2/16/2021 3:54 PM
1038568	2/18/2021	CA	67	M	2/17/2021	2/17/2021	Community member stated was seeing "color" in peripheral vision. Stated more so in right eye. Denies dizziness or blurred vision. Symptoms resolved, stated vision cleared and ambulated with steady gait without assistance. Went home from observation area.
1038570	2/18/2021	TX	79	F	1/27/2021	1/27/2021	Developed itching and redness all over body. Eyes itchy and developed hemorrhage; Jaw pain. Patient had COVID-19 a few months ago.
1038624	2/18/2021	ID	68	M	2/12/2021	2/14/2021	Blurry vision
1038626	2/18/2021	CA	56	M	2/11/2021	2/15/2021	fever,chills and arthralgias days #1-3 post vaccination then - Bilateral eye redness with c onjunctivitis both eyes onset days #4 post vaccination
1038651	2/18/2021	KY	38	F	2/14/2021	2/14/2021	Around 4-5 hours after the vaccine I developed hives on my neck, chest, face, and legs. I continued to get new hives for about 72 hours, although I developed fewer over time. My right eye also swelled up within 4-5 hours of receiving the vaccine. It went back to normal after about 10-12 hours.
1038700	2/18/2021	FL	71	F	2/11/2021	2/13/2021	1st vaccination 1/13/21, 2nd vaccination: 2/11/21 whelps and rash on arms, groin, hips, feels like "body is on fire", pruritic in nature. Both eyes swollen, predominantly the left eye, throat edema.
1038715	2/18/2021	AZ	59	F	2/16/2021	2/16/2021	2nd vaccine - major chills, 101 fever, migraine, joints are super achy, hard to bend my fingers, injection sight red swollen and warm to touch, eyes burning

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1039015	2/18/2021	NC	72	F	2/10/2021	2/15/2021	pt stated that she had fatigue, she had severe chills, sharp muscle pains, loss of appetite. She said she had sore muscle around her eyeballs, that it hurts to move her eyes. She also had a bad taste in her mouth. She has not contacted her PCP at this time since her symptoms seem to be improving.
1039036	2/18/2021	LA	78	F	1/22/2021	2/5/2021	Had CoVid vaccine #1 1/22/21 - felt fine. 2/5/21, eyes became swollen and red - called her eye Dr, who met her after hours at his clinic and diagnosed with shingles. She does not remember ever having chicken pox but states she might have forgotten. She called MC to inform us she could not return 2/11/21 for her second vaccination d/t the shingles. We also had a second person vaccinated the same day that also called with shingles so decision was made to enter this variance report.
1038375	2/18/2021	NY	66	F	2/14/2021	2/15/2021	Sore L arm at injection site alone with--Headache, body aches, chills, burning eyes, stinging in my joints,fatigue--all similar to when I had covid 19 in April of 2020. Symptoms started approx. 20 hrs after the vaccine and lasted 24 hrs. I took acetaminophen 650mg x 2 tabs every 6 hrs
1037751	2/18/2021	CA	74	F	1/27/2021	1/27/2021	A 74-years-old female patient received BNT162B2 Pfizer-BioNTech COVID-19 mRNA Vaccine, via an unspecified route of administration on 27Jan2021, at 74 yeras of age, at single dose for COVID-19 immunization. The patient's medical history included allergy to codine. The patient was not pregnant at the time of vaccination. The patient has not been tested for COVID-19 since the vaccination. Concomitant medication included fluoxetine hydrochloride (PROZAC). On 27Jan2021 by 15:00 the patient felt extremely tired and her eyes burned a lot. The reported events resolved on an unknown date without any treatment. . Information on the lot/batch number has been requested.
1038842	2/18/2021	CA	30	M	2/6/2021	2/8/2021	Hives/swelling around eyes a little more than 48 hours from vaccine administration. Hives and swelling relieved by zyrtec (taken at 6:30PM) and completely disappeared the next morning after taking Benadryl at night before sleep.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1037952	2/18/2021	OH	78	F	1/25/2021	1/25/2021	This is a spontaneous report from a contactable consumer (patient) from a Pfizer Sponsored program. A 78-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration at left arm on 25Jan2021 at 13:00 (at 78 years) at single dose for COVID-19 immunization. The patient medical history included anxiety, headache, dry eye and low potassium, each from an unknown date and unknown if ongoing. The patient's concomitant medication included potassium oral at 10 meq daily for low potassium, cholecalciferol (D3) oral at 2000 iU once a day to help with bones, fish oil oral at 1200 mg once a day, alprazolam at 0.5 mg as needed (take one three times a day) for anxiety, clonazepam oral at 0.5 mg once a day for anxiety, nortriptyline HCl oral at 10 mg once a day, paracetamol (TYLENOL) at 500 mg as needed for headache, estradiol (SYSTEM) ophthalmic one drop as needed, all from an unknown date and ongoing. The patient experienced one or two hours after the vaccine (on 25Jan2021), she went to talk, she couldn't get her sentence straight. She knew what she wanted to say but she couldn't say it. Her first thought was that she was having a stroke and it really scared her. She became very tired and went to sleep, when she woke up, she was talking straight but she was still really tired. The next morning (on 26Jan2021) she had diarrhea three time and after that she felt better. The patient outcome of speech disorder and diarrhea was recovered on 26Jan2021 and the outcome of tiredness was recovering. The information on the batch number has been requested.
1039053	2/18/2021	TX	32	M	2/11/2021	2/12/2021	I developed a rash above my left eyebrow. It started on the left side of my forehead and spread down towards my left eye. They then developed into what appears to be hives.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1037726	2/18/2021	WI		F	12/1/2020	12/1/2020	nerve or neurological symptoms have all occurred on the left side of my body; headache; pain over my left eye; some sensation change in my left cheek; chills; muscle aches; fatigue; mild fever; hot flashes; nausea; throwing up; trembling uncontrollably; had muscle spasm in my left leg and eye periodically; had muscle spasm in my left leg and eye periodically; nerve pain; This is a spontaneous report from a contactable other hcp, the patient. This 44-year-old female patient received BNT162B2 (Pfizer-BioNTech COVID-19 mRNA vaccine) (Lot number: EK5730), first dose, intramuscularly in the left arm on an unspecified date in Dec2020 at 08:45 (at the age of 44-years-old) as a single dose for COVID-19 vaccination. Medical history included peripheral neuropathy (genetic and progressive) from an unknown date and unknown if ongoing, Charcot-Marie-Tooth disease from an unknown date and unknown if ongoing and amoxicillin allergy from an unknown date and unknown if ongoing. Concomitant medication included minerals nos, quercetin, thioctic acid, vitamins nos (EMERGEN-C) and sambucus nigra extract (SAMBUCOL). The patient previously received the flu shot via an unspecified route of administration on an unspecified date in Oct2020 as a single dose for immunization and experienced headache/ pain over left eye and some sensation change in her left cheek. Prior to the vaccination, the patient was not diagnosed with COVID-19. The patient did not receive any other vaccines within four weeks prior to the vaccination. The patient was not pregnant at the time of vaccination. On an unspecified date in Dec2020 at 08:45, the patient experienced new nerve or neurological symptoms have all occurred on the left side of her body, which is the side she got her injection. Hours after the vaccine, she experienced a headache/ pain over her left eye and some sensation change in her left cheek. This also occurred after her Flu shot in October as well, but for the first time (has gotten Flu shot before without this response). The patient expected a headache and arm tenderness as she had been informed ahead of time. She felt functional though the rest of the day, with some chills in the evening. Day 2 was the most challenging day, with all the symptoms (mostly expected)-headache, muscle aches, fatigue, mild fever, chills, but also hot flashes, nausea, to the point of throwing up (after a long nap). The vomiting only occurred twice, and nausea

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

improved there after. However, she was trembling uncontrollably for a bit through this so she napped much of that day. The patient also had muscle spasm in her left leg and eye periodically (and still). Nerve pain still as well. The adverse events resulted in a doctor or healthcare profession office/clinic visit. No therapeutic measures were taken as a result of the events. The clinical outcomes of the new nerve or neurological symptoms have all occurred on the left side of her body, headache, pain over her left eye, some sensation change in her left cheek, chills, muscle aches, fatigue, mild fever, hot flashes, nausea, vomiting, trembling uncontrollably for a bit through this and muscle spasm in her left leg were resolving. The clinical outcomes of the muscle spasm in her eye periodically and nerve pain were not resolved. It was also reported that since the vaccination, the patient had not been tested for COVID-19.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1037781	2/18/2021	MN	47	F	1/23/2021	1/23/2021	My lymph node in my neck swelled to the point it stuck out like a robin egg; sores in mouth (roof, gums, and inside lips); sores in nostril; sores on nose and lips; sores on nose and lips; Face swelled significantly on my left side; pink eye; severe headache; sinus pain; jaw main and numbness in my molars; severe shooting nerve pain in my front teeth; This is a spontaneous report from a contactable consumer (patient). A 47-year-old non-pregnant female patient received her first dose of bnt162b2 (BNT162B2 reported as PFIZER COVID-19 VACCINE; lot number: EL9262; expiration date: unknown), via an unspecified route of administration right arm on 23Jan2021 18:45 at a single dose for covid-19 immunization. Medical history included breast cancer survivor as of 11Sep2019. The patient was not diagnosed with COVID-19 prior to vaccination. Concomitant medication included venlafaxine hydrochloride (EFFEXOR), clonazepam, anastrozole (ARIMIDEX), vitamin D3, calcium, vitamins NOS (MULTIVITAMIN), "It Works" and "Fat Fighter". The patient previously took fentanyl but had allergies. The patient did not receive other vaccines within 4 weeks prior to the COVID vaccine. The patient reported that her lymph node in her neck swelled to the point it stuck out like a robin egg. It was mentioned that it was more swelled there as well and super sensitive to touch. These reactions occurred only on left side of her face, sores in mouth (roof, gums, and inside lips) and sores in nostril. She had sores on nose and lips. The patient mentioned that her face swelled significantly on her left side. She had pink eye, severe headache, sinus pain, jaw main and numbness in her molars, severe shooting nerve pain in her front teeth. The events were considered as non-serious and adverse events resulted in doctor or other healthcare professional office/clinic visit. The patient has not been tested for COVID-19 since vaccination. The events required treatment for the adverse events that included Keflex, Bactroban, prednisone, Valtrex, and lidocaine viscous-aluminum &magnesium hydrAM. The outcome of the events was recovering.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1037818	2/18/2021	NY	57	F	1/14/2021	1/18/2021	R sided neck and facial swelling with nerve pain; R sided neck and facial swelling with nerve pain; R sided neck and facial swelling with nerve pain; decreased hearing to my R ear; The pain was worse in my R jaw- both upper and lower teeth pain; The pain was worse in my R jaw- both upper and lower teeth pain; Feeling of heaviness to my R eye, R cheek, R side of my tongue; Feeling of heaviness to my R eye, R cheek, R side of my tongue; Feeling of heaviness to my R eye, R cheek, R side of my tongue; decreased taste on the R side of my tongue; fatigue; muscle aches; woke up with painfull (pins and needle sensation) swollen hands; woke up with painfull (pins and needle sensation) swollen hands; woke up with painfull (pins and needle sensation) swollen hands; This is a spontaneous report from a contactable nurse (patient). A 57-year-old female patient received the 2nd dose of bnt162b2 (Pfizer-Biontech COVID-19 Vaccine, Lot number: EL 3248, Expiration date: Apr2021), via an unspecified route of administration at the left arm on 14Jan2021 08:15 at a single dose for covid-19 immunization. The vaccine was administered in a hospital. Medical history includes shrimp allergy. The patient was not pregnant at the time of vaccination. Concomitant medication was not reported. Historical vaccine includes 1st dose of bnt162b2 for COVID-19 immunization on 24Dec2020 09:30 AM, at the left arm, Lot number: EK9231 and Expiration date: Apr2021 at age of 57 years. The patient developed extreme fatigue, some muscle aches on 18Jan2021. She woke up with painful (pins and needle sensation) swollen hands. Took some TYLENOL and elevated them for a few hrs. The swelling subsided by the afternoon. On 19Jan2021, she developed R sided neck and facial swelling with nerve pain. The pain was worse in her R jaw- both upper and lower teeth pain, nerve pain extending from the side of my R ear up to my R eye and temple area. Feeling of heaviness to her R eye, R cheek, R side of her tongue, decreased hearing to her R ear (sounds muffled like being under water), decreased taste on the R side of heer tongue. Took benedryl and tylenol all day. On 20Jan2021, after a restless night due to the nerve pain (not relieved by tylenol) went to work but the swelling worsened so she was sent to the ED. They treated me with IV decadron, IV benedryl, IV zofran- which immediately took away the swelling. The events result to



*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

Emergency Room/ Urgent Care Visit. Prior to vaccination the patient was not diagnosed with COVID-19. The patient has not received any other vaccines within 4 weeks prior to the COVID vaccine. On 20Jan2021, the patient had Nasal Swab, PCR, covid test result was negative. The events were assessed as non-serious by the reporter, did not result in death, not life threatening, did not cause/prolonged hospitalization, not disabling/incapacitating, did not cause congenital anomaly/birth defect. The outcome of the events was not recovered.; Sender's Comments: A causal association between BNT162B2 and the reported events cannot be excluded based on a compatible temporal relation. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1037842	2/18/2021	FL	79	F	1/22/2021	1/27/2021	may have had a mini stroke; Bell's Palsy/developed facial drooping/her eye was drooping; fell; This is a spontaneous report from a contactable consumer (patient). A 79-years-old female patient received bnt162b2 (BNT162B2, Pfizer COVID-19 Vaccine; Batch/lot number: EL9262), via an unspecified route of administration injection to right upper arm on 22Jan2021 14:00 at SINGLE DOSE for covid-19 immunisation. Medical history included ongoing she was a fainter (She was a fainter, she just faints so she has a hard time getting shots. Pfizer COVID-19 Vaccine administered to her by nurse while she was in her car seat. She just asked the nurse to let her lay down in the car seat when injection was administered so that if she fainted she would not fall far; she was still getting the wash cloth on her head preparing when the Nurse had already finished administering the injection.); ongoing depressed sometimes (she was depressed sometimes, was stressed. She was the primary caregiver for her 96 year old mother. She had seen something about stress and COVID and shots and everything); ongoing Very tired (She was almost 80 years old so she was very tired often. She was the primary caregiver for her 96 year old mother. By the time she comes home at night around 21:30 she was just wiped.); Obesity (She was really overweight but she did not like the term obesity.); thyroid disorder; hypertension; Cataract and glaucoma in left eye; family history of ongoing facial paralysis (Dad had Bell's palsy that might have been 30 years ago. He died at age 87 years.); diagnosed allergies, compromised immune status, respiratory illness, genetic / chromosomal abnormalities, endocrine abnormalities (including diabetes). Concomitant medication included Levothyroxine at 100mcg taken once daily in the morning early before she eats with Start date unknown, but at least 10-15 years ago for Thyroid. Enalapril at 10mg taken once daily (Caller initially reported product name as Vasotec, but clarified it is not Vasotec, it is drop for eye cataract and glaucoma) for High blood pressure. Brimonidine with Strength unknown, 1 drop in both eyes twice daily, started maybe 1 year ago. Specified cataract and glaucoma in left eye; but drop was administered to both eyes; and left eye was eye affected by Bell's palsy for Cataract and glaucoma in left eye. The patient previously took codeine and experienced allergy with

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

onset maybe about 50 years ago, she was not sure; occurred during dental procedure; had bad headaches but no lasting effects so they assumed allergy to codeine; she did not know if still has allergy but says she does if asked. The patient experienced bell's palsy/developed facial drooping/her eye was drooping on 29Jan2021 with outcome of recovering, may have had a mini stroke on an unspecified date with outcome of unknown , fell on 27Jan2021 with outcome of unknown (reported date of end of reaction was 27Jan2021), she could not blink that eye on 29Jan2021 with outcome of not recovered. Five days later she fell and developed facial drooping. HCP suggested she may have had a mini stroke causing facial drooping and the fall. She went to the ER on 29Jan2021 and the ER believed it was Bell's Palsy. She was still experiencing facial symptoms but they are improving. This consumer was administered her first dose of Pfizer COVID-19 Vaccine 22Jan2021. She reported having fell 27Jan2021. She was diagnosed with Bell's palsy in 29Jan2021 after having been seen in the emergency room. She is supposed to have the second dose/booster of Pfizer COVID-19 Vaccine on 12Feb2021. She called to ask if she should or should not still get the second dose as scheduled; and if Bell's palsy could be a reaction to the Pfizer COVID-19 Vaccine. The emergency room staff did not know how she got Bell's palsy, but knew she had the Pfizer COVID-19 Vaccine and were kind of assuming the Bell's palsy was a reaction to the vaccine. She does not have Bell's palsy bad. The emergency room staff thought at first she had a stroke before diagnosing her with Bell's palsy. On Wednesday, 27Jan2021 she had a friend named (Name withheld) who came over for tea. Patient has an oriental rug, and around 15:00 patient fell face first on oriental rug. She was just fine after the fall initially. She wonders if her having fell has anything to do with the Bell's palsy. She thinks it was the night of 27Jan2021 or 28Jan2021 when she asked her son if her face looked funny, did she look ok, because her face felt a little funny. She was looking in the mirror and her smile was looking crooked, and her eye looked like it was drooping. When she got up Friday, 29Jan2021 she could see her eye was drooping, and she could not blink that eye. She called her Ophthalmologist who saw her the afternoon of 29Jan2021 around 13:30-13:55. The Ophthalmologist said yeah something is going on with

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

that eye. Her friend called his friend who is a Pediatric Neurologist that advised her to go to the emergency room. She was seen in the emergency room of (Hospital name withheld) around 17:00 on 29Jan2021. She was not admitted to the hospital at that time; but was evaluated and treated. She Bell's palsy outcome: she is doing so much better. She still has a hard time blinking her left eye, she still cannot blink her bad eye: left eye, without also closing her good eye: right eye. She is not drooling, she can drink without drooling. Her smile is still just a little crooked. She was given 2 prescriptions in the emergency room which were Prednisone and Valtrex. On 29Jan2021 in the emergency room they did tests including testing her heart with EKG; X-ray of her heart or lungs or something; took blood tests; and continuously took her blood pressure. There were no notable or abnormal results of any of those tests. They wanted her to go see her doctor last week but she did not have a chance to do so. She has an appointment with her primary doctor on Monday coming up. She has not yet seen her primary doctor about this. History of all previous immunization with the Pfizer vaccine considered as suspect (or patient age at first and subsequent immunizations if dates of birth or immunizations are not available) was None. The event Bell's palsy require a visit to Emergency Room, no to Physician Office. The patient was not hospitalized. No Prior Vaccinations within four weeks prior to the first administration date of the suspect vaccine. The patient underwent lab tests which included her heart with EKG; X-ray of her heart or lungs or something; took blood tests; and continuously took her blood pressure, all with no notable or abnormal results of any of those tests on 29Jan2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1037851	2/18/2021	VA	79	F	1/28/2021	1/29/2021	Drooping of left cheek; Elevated blood pressure; nodes in neck enlarged; sore to touch; headache; This is a spontaneous report from a contactable consumer (patient). A 79-year-old female patient received second dose bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number: EL9261, expiration date was not reported), via an unspecified route of administration on 28Jan2021 09:45 at single dose for COVID-19 immunization. Medical history included allergies and known allergies to sulfa drugs. Patient was not pregnant at the time of vaccination. Concomitant medication included ascorbic acid, betacarotene, cupric oxide, tocopheryl acetate, zinc oxide (PRESERVISION), iron, colecalciferol (VITAMIN D), acetylsalicylic acid (ASPIRIN). The patient previously took first dose of bnt162b2 on 07Jan2021 09:45 on the left arm for COVID-19 immunization. The patient experienced elevated blood pressure, all nodes in neck enlarged and sore to touch, drooping of left cheek and headache on 29Jan2021 22:00. Condition persisted for 4 days. The patient received an unspecified treatment. The patient had a visit to the doctor and emergency room. The patient was not diagnosed with COVID-19 prior to vaccination. The patient has not been tested for COVID-19 since the vaccination. The patient was recovering from the events at the time of the report.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1037864	2/18/2021	TX	68	M	1/22/2021	1/1/2021	This is a spontaneous report from a contactable consumer, the patient's wife. A 68-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: UNKNOWN), via an unspecified route of administration on 22Jan2021 (at the age of 68-years-old) as a single dose for COVID-19 vaccination. The patient's medical history included stroke on an unknown date. It was also reported that the patient was exposed to someone diagnosed with COVID-19 after receiving the vaccination (Jan2021); but the patient had not been tested for COVID-19. Concomitant medications were not reported. In Jan2021, after the vaccination, the patient experienced watery eyes, runny nose, a slight cough, and stomach pain. The patient went to the walk-in clinic for the watery eyes and runny nose. He was given unspecified medication for the slight cough. The clinical outcomes of the watery eyes, runny nose, and slight cough were recovered in Jan2021; while that of the stomach pain was not recovered. The lot number for the vaccine, BNT162B2, was not provided and will be requested during follow up.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1037878	2/18/2021	OH	70	M	12/22/2020	12/30/2020	Is patient deceased: Yes; Low pulse; This is a spontaneous report from two contactable nurses reporting for a patient. A 70-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number EL0140 expiration date Mar2021) intramuscular on 22Dec2020 at 10:30 at single dose in right arm for COVID-19 immunisation. The patient was vaccinated at Nursing Home. Patient age at time of vaccination was 70 years. Patient's Medical History included ongoing Type 2 Diabetes Mellitus Without Complication onset date: admission 22Oct2020, ongoing morbid obesity due to excess calories onset date: admission 22Oct2020, cardiac disorder, essential hypertension, hypertension, schizophrenia, hyperlipidemia, benign prostatic hyperplasia (BPH), Gastroesophageal reflux disease (GERD), depression, hypothyroid, epilepsy, pain, dry eyes, anxiety, restlessness, 17Jan2020 Slid out of chair to floor, no injury, on 27Jan2020, 28Jan2020, 29Jan2020 diarrhea noted. Concomitant medications included acetylsalicylic acid (ASPIRIN EC) for Cardiac Health, atenolol (ATENOLOL) for Essential Hypertension, atorvastatin calcium (ATORVASTATIN CALCIUM) for hyperlipidemia, finasteride (FINASTERIDE) for benign prostatic hyperplasia, tamsulosin hydrochloride (FLOMAX) benign prostatic hyperplasia, insulin glargine (LANTUS) for diabetes mellitus, lithium carbonate (LITHIUM CARBONATE) for Schizophrenia, losartan potassium (LOSARTAN POTASSIUM) for hypertension, lurasidone hydrochloride (LURASIDONE HYDROCHLORIDE) for Schizophrenia, omeprazole (OMEPRAZOLE) for gastroesophageal reflux disease, sertraline hcl (SERTRALINE HCL) for depression, levothyroxine sodium (SYNTHROID) for hypothyroid, ergocalciferol (VIT D) for supplement, haloperidol (HALOPERIDOL) for Schizophrenia, levetiracetam (KEPPRA) for epilepsy, paracetamol (TYLENOL EXTRA-STRENGTH) for pain, propylene glycol (ARTIFICIAL TEARS) for dry eyes, lorazepam (ATIVAN) for a anxiety or restlessness. As antipyretic use was reported Tylenol ES (500 mg) Tab, 2 Tabs by Mouth Routine use three times a day given at time of vaccination and after. It was reported the patient was Covid+. He was tested on 21Dec2020 and was not admitted to hospital. Event Onset Date was reported as 24Dec2020 (clarification pending). On 30Dec2020 the

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

patient was started on O2 at 2L for low pulse. O2 was increased over time to eventually O2 at 8L on 03Jan2021. Morphine Sulfate was started on 03Jan2021 at 5 mg sl/by mouth every 2 hours as needed for pain or air hunger. The patient deceased on 03Jan2021. The cause of death was unknown. It was not reported if an autopsy was performed. The AEs did not require a visit to Emergency Room or Physician Office. Outcome of Low pulse was unknown.; Sender's Comments: Based on the information available the events Death (unknown cause) and Heart rate decreased are attributed to patient's multiple underlying medical conditions including Type 2 Diabetes Mellitus, morbid obesity, cardiac disorder, hypertension, epilepsy etc. However, based solely on a vaccine-event chronological association, contributory role of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) to the above mentioned events cannot be completely excluded. The case will be reevaluated should additional information, including the cause of death, become available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.; Reported Cause(s) of Death: Is patient deceased: Yes



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1037914	2/18/2021	TN	62	M	1/28/2021	1/28/2021	<p>woke next morning w/ temp. 100.8 fever; full body aches; left armpit swollen / sore (inj. arm); left armpit swollen / sore (inj. arm); extreme shaking last 2-3 hours; severe headache; eye ache; administration date of dose 1: 11Jan2021/ administration date of dose 2: 28Jan2021; This is a spontaneous report from a contactable consumer (patient). A 62-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number EL3249 and expiration date not provided), via an unspecified route of administration left arm second dose on 28Jan2021 at single dose for Covid-19 immunization. The vaccine was administered in the hospital. The Patient's medical history included Esophageal Cancer. The patient's concomitant medications were not reported. The patient historical vaccine includes BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number EJ1686 and expiration date not provided) via an unspecified route of administration left arm first dose on 11Jan2021 for Covid-19 immunization. On 28Jan2021 17:30, the patient experienced extreme shaking last 2-3 hours, severe headache, eye ache, full body aches, left armpit swollen/sore (injection arm). Woke next morning 29Jan2021 with temperature 100.8 fever, later evening, temperature of 99.6. Symptoms lasted almost 72 hours. The patient stayed in bed the entire time. The patient did not received treatment for the events. The outcome of the events was recovered. The reporter assesses the events as non-serious. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1037782	2/18/2021	GA	35	F	1/27/2021	1/28/2021	Rash; blurred vision; loss of balance; headache; nausea; This is a spontaneous report from a contactable other health care professional (patient). A 35-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number EL3302 and expiration date not provided), via an unspecified route of administration (left arm) first dose on 27Jan2021 08:30 at single dose for Covid-19 immunization. The patient was not pregnant at time of vaccination. The Patient's medical history included Hbp (Blood pressure high). The Patient's concomitant medication included lisinopril, famotidine, and ferrous sulfate. The patient previously took Procardia and Amoxicillin; both experienced allergies. On 28Jan2021, the patient experienced rash, blurred vision, loss of balance, headache, and nausea. The patient did not received treatment for the events. The outcome of the events was recovering. The reporter assesses the events as non-serious. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Facility where the most recent COVID-19 vaccine was administered in the Hospital. The patient did not tested for covid since vaccination.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1037925	2/18/2021	MI	46	M	1/13/2021	1/13/2021	<p>This is a spontaneous report from a contactable consumer (patient). A 46-year-old male patient received his first dose of bnt162b2 (BNT162B2 reported as PFIZER COVID-19 VACCINE; lot number: EL0142; expiration date: unknown), via an unspecified route of administration left arm on 13Jan2021 12:15 PM at a single dose for covid-19 immunization. The patient's medical history concomitant medications were not reported. The patient has no known allergies. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient has not been diagnosed with COVID-19 prior to vaccination. The patient reported that he felt fine after the shot for the rest of the day and the first night other than the soreness where he received the shot. The patient went to bed around 11 pm and woke up the next day (14Jan2021) at around 6:30 am with very bad dizziness. He felt like his eyes were rolling around in his head which made him very nauseous and sick to his stomach. His wife called a friend who is a nurse and she said to keep an eye on him for a little while and see how he was in an hour or so. She said that if it gets worse call 911 otherwise get him to the clinic at 10 am. He reported that he was feeling much better by then but went to clinic at 10 and doctor saw him asked questions gave me something for nausea and dizziness. He felt good the rest of the day with slight lightheaded. He mentioned that he needs get his second shot on 03Feb2021 and was concerned about getting it. He inquired on what is the recommendation on getting dose #2. It was not reported if the patient been tested for COVID-19 since vaccination. The adverse event result in doctor or other healthcare professional office/clinic visit. The patient received treatment for the adverse events. They gave me ondansetron (ZAFRAN ODT [orally disintegrating tablets]) 4 mg for nausea. The patient considered the events was non-serious. The outcome of the events was recovered on an unspecified date with sequelae (recovered with lasting effects).</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1038362	2/18/2021	NJ	75	M	1/27/2021	2/7/2021	RECEIVED VAC ON 1/27. ON 2/7 PATIENT STARTED EXPERIENCING VISUAL DISTURBANCES /KALIDOSCOPIC VISION WITH COLORS & SHAPES MORPHING INTO OTHER SHAPES RIGHT IN HIS FIELD OF VISION WHEREBY HE IS WALKING INTO DOORWAYS, MISCALCULATING SPACE, SPILLING ETC. THESE SYMPTOMS ARE CONTINUING AS OF 2/18. HE SAW PCP,, OPTHAMOLOGY, A RETINA SPECIALIST, HAD COMPREHENSIVE LAB BATTERY, VASCULAR TESTING & MRI, ALL OF WHICH DID NOT REVEAL ETIOLOGY FOR SYMPTOMS.
1037972	2/18/2021			F	1/26/2021	1/26/2021	itchy eyes; This is a spontaneous report from a non-contactable physician (patient). This physician reported similar events for two patients. This is the first of two reports. A female patient of an unspecified age (reported as age: 79, unit unknown) received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Solution for injection, lot number and expiry date not reported), via an unspecified route of administration on 26Jan2021 at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient received the Pfizer vaccine on 26Jan2021. Patient had itchy eyes that day and day after, then subsided. The next shot is scheduled for 26Feb2021, patient was struggling in making a decision on the second shot. Patient asked for any information on this side effect. The outcome of the event itchy eyes was recovered on an unknown date in 2021. No follow-up attempts are possible; information about batch/ lot number cannot be obtained.; Sender's Comments: Linked Report(s) : same reporter/drug/AE, different patient.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1037985	2/18/2021	MI	52	M	2/4/2021	2/4/2021	This is a spontaneous report from a contactable consumer (patient). A 52-year-old male patient received his second dose of bnt162b2 (BNT162B2 reported as PFIZER COVID-19 VACCINE; lot number: EL3248; expiration date: unknown), via an unspecified route of administration right arm on 04Feb2021 07:45 at a single dose for covid-19 immunization. The patient's medical history and concomitant medications were not reported. The patient was not diagnosed with COVID-19 prior to vaccination. The patient has no allergies to medications, food, or other products. The patient received his first dose of bnt162b2 (BNT162B2 reported as PFIZER COVID-19 VACCINE; lot number: EL3248; expiration date: unknown) at the vaccination age of 52-year-old via an unspecified route of administration left arm on 14Jan2021 08:45 AM at a single dose for covid-19 immunization. On 04Feb2021 04:45 PM, the patient reported that he believed he experienced an ocular migraine in his left eye approximately 9 hours after getting the second shot. He took 2 acetaminophen 500 mg tablets and the symptoms cleared up in 20-30 minutes. He has never experienced this sort of sensation before so he figures it could possibly be related. He woke up with a mild headache at the start of this second day (05Feb2021), as well. The events were non-serious. The patient has not been tested for COVID-19 since the vaccination. The outcome of the event ophthalmic migraine was recovered on 04Feb2021 while headache was recovered on Feb2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1038003	2/18/2021	FL	69	F	1/28/2021	1/31/2021	redness; lumps on her head; swelling of the face/swelling on the side of her face; swelling of her eye; swelling of the back; rash/rash all over the body; itching; This is a spontaneous report from a contactable Physician. A 70-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection) at the age of 69 years via unspecified route of administration in the right arm on 28Jan2021 13:00 (lot number EL6982 and expiry date unknown) at single dose for Covid-19 immunization in a facility. Medical history included drug allergic to penicillin, liver problems 17 or 18 years ago and has fully recovered from the liver problems. The patient was admitted to the hospital because her liver enzymes were high; ongoing high blood pressure, ongoing cholesterol (blood cholesterol abnormal), ongoing blood pressure (blood pressure abnormal). Concomitant medication included ongoing atenolol for blood pressure, ongoing lovastatin for cholesterol, ongoing losartan for high blood pressure, ongoing vitamin c [ascorbic acid] (VITAMIN C [ASCORBIC ACID]) for unspecified indication, aminobenzoic acid, biotin, choline bitartrate, folic acid, inositol, nicotinamide, pantothenic acid, pyridoxine hydrochloride, riboflavin, thiamine hydrochloride, vitamin b12 nos (B COMPLEX [AMINO BENZOIC ACID;BIOTIN;CHOLINE BITARTRATE;FOLIC ACID;INOSITOL;NICOTINAMIDE;PANTOTHENIC ACID;PYRIDOXINE HYDROCHLORIDE;RIBOFLAVIN;THIAMINE HYDROCHLORIDE;VITAMIN B12 NOS]) from unspecified date for unspecified indication. The patient received first dose of BNT162B2 at the age of 69 years on 07Jan2021 13:00 (lot number EL3246) in the right arm for Covid-19 immunization and had no side effects. The patient has no prior vaccinations within 4 weeks. On 31Jan2021, the patient experienced swelling of the face, swelling of her eye, swelling of the back, rash and itching. The reporter (a retired physician/husband) was calling regarding his wife who received the second dose on 28Jan2021 and on Sunday 31Jan2021 she got swelling of the face and eyes and went to the ER for 5 or 6 hours. The patient received cortisone and Benadryl and she was some improved. Today (unspecified date) she was still getting more swelling of the face and redness. The reporter clarified that the patient received the second

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

dose on 28Jan2021 at 13:00 in the right arm. The patient noticed 31Jan2021 in the evening swelling of her face, swelling on the side of her face, swelling of the eyes and swelling on her back, also some lumps on her head. The patient was a little improved at the ER, but today there was more rash all over the body and itching and it was getting worse. The reporter added that the rash appears on one side and then disappears and went to another part of the body. The patient underwent lab tests and procedures which included lab tests: normal on unspecified date, neck x-ray: showed no significant, it was normal except for degeneration of C5-C6 on unspecified date. The patient received treatment with the events swelling of the face/swelling on the side of her face, swelling of her eye, swelling of the back, rash/rash all over the body, itching, lumps on her head. The outcome of the events was not recovered. The events swelling of the face/swelling on the side of her face, swelling of her eye, swelling of the back, rash/rash all over the body, itching was reported medically significant.; Sender's Comments: A possible causal association between administration of BNT162B2 and the onset of all reported events cannot be excluded, considering the plausible temporal relationship and the known adverse event profile of the suspect product. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1038029	2/18/2021	IN	55	F	1/5/2021	1/6/2021	<p>FAINTED; vision impairment (blackout); DIZZINESS; spinning; NAUSEA; VOMITED; over heating; chills; FATIGUE; CHILLS; over heating; A spontaneous report was received from a consumer concerning a female 55 years-old, female patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and experienced fainted, vision impairment (blackout), spinning, chills, fever, fatigue, nausea, dizziness, and vomited. The patient's medical history was not provided. Concomitant product use was not provided by the reporter. The patient received their first of two planned doses of mRNA-1273 (Lot # 026L20A), intramuscularly (IM) (site not provided), on 05 Jan 2021. On 02-Feb-2021, the patient received their second of two planned doses of mRNA-1273 (lot #013M20A), IM (site not provided) for prophylaxis of COVID-19 infection. On 05 Jan 2021, the patient received their first Moderna vaccine. On 06 Jan 2021, patient experienced chills and overheating. On 02 Feb 2021 the patient received second dose of Moderna vaccine and experienced chills and fatigue on same day. On 03 Feb 2021, the patient experienced overheating, nausea and vomited, dizziness, spinning, vision impairment (blackout), and fainted. Treatment was not administered. The patient received both scheduled doses of mRNA-1273 prior to the events; therefore, action taken with the drug in response to the events is not applicable. Action taken with second dose of mRNA-1273 in response to the event was not provided The outcome of all events was unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. Further information has been requested. Chills, Pyrexia, nausea, vomiting and fatigue are listed events.</p>
1038047	2/18/2021	RI	35	F	2/16/2021	2/17/2021	<p>Moderna COVID?19 Vaccine EUA After 6 hours of the 2nd dose, the body aches started. 24 hours after vaccine, still joints, fatigue, and muscle soreness. My body left I was in a car accident. Overall aches. 30 hours after, bilateral swelling of under eyes. 36 hours after, under eye swelling spread to right upper and lower lip. 1 benadryl pill was taken</p>



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1038181	2/18/2021	MD	72	F	2/14/2021	2/14/2021	Vaccinated at public Health clinic " drive through" .Within the 1st 5 minutes of getting the dose she noticed her face became very red she said almost beet red although she says she did not feel flushed, nauseous or hot but she saw the red in the mirror. She really felt perfectly fine she had no tachycardia, anxiety, nausea, itching, tingling of the mouth throat or tongue. In fact because she was asymptomatic except for the visual appearance she chose to not call over the attendants to check on her. After the 15 minutes she just drove home and by the time she got home her face was normal she has had no other symptoms since.
1038209	2/18/2021	CT	70	M	2/16/2021	2/16/2021	when i first got the shot i could feel a difference in my body immediately. i started hurt on my left side of my throat, then started getting puffy face and eyes. was given some Benadryl pulse 45 blood pressure 90/54 and did an EKG , then medic didn't like what he was seeing and called 911 . Medic gave him an epi pen because his throat started swelling. Went to the hospital where he was there for 5 hrs.
1038219	2/18/2021	NY	85	M	2/12/2021	2/12/2021	ound patient in sitting position in elevator s/p 2nd dose of vaccine. Patient awake, opening eyes, mumbling, incoherent speech, noted to be pale. As per patient's wife, "He felt dizzy and used walker to assist himself into a sitting position on elevator floor. He did not hit his head, I do not think he lost consciousness. He waited in the waiting room for more than 15 minutes and drank 2 cups of juice before we left." No obvious injuries noted. Palpated weak, thready pulse. Patient tachypneic w/ shallow respirations. Called for assistance. Vital signs: B/P 98/34, HR 121, RR 23, unappreciated O2 sat. Fingers cool to touch. FS = 139. Attempted to re-orient patient, given small sip of apple juice. 911 activated. Patient transported to ER with wife. Noted patient to be more alert, responsive with clearer speech upon arrival to ER. After monitored in the ER, the patient was cleared for discharge.
1038283	2/18/2021	NJ	71	M	2/16/2021	2/16/2021	Lost consciousness. Fell to the floor. Was disoriented and not aware of time or place. He cut his forehead over his right eye. Brought to ER. They performed ct scan, EKG and blood work. All came back normal. Received 20 stitches to forehead.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1037917	2/18/2021	NH	45	F	2/1/2021	2/1/2021	Vasovagal response; This is a spontaneous report from a contactable consumer. A 45-year-old female patient reported that she received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot number EL3247) into the left arm on 01Feb2021 08:15 AM at single dose for COVID-19 immunization. Age at vaccination 45 years. Concomitant drugs included multi-vitamin, D3, AERids eye vitamins. The patient had not history of allergies to medications, food, or other products. On 01Feb2021 at 08:30 AM the patient experienced a vasovagal response. Occupational Health/Wellness nurse checked blood pressure and had her lay down with legs up. After 10 minutes she went away and felt back to normal. No treatment was received. The outcome was recovered.
1040271	2/18/2021	SC	66	F	2/16/2021	2/17/2021	First I saw spots and then zig- zag lines across the tv-like a visual migraine-this lasted about 10 minutes. During that time I could not comprehend what I was reading on my phone. Shortly after I got a phone call and I could not pronounce three or four words no matter how hard I tried to form those words. Then I was OK. The whole incident lasted around thirty minutes.
1040095	2/18/2021	CA	38	F	1/8/2021	1/9/2021	Received 2nd dose of Pfizer vaccine on 1/8 around 12:40pm. Only had a sore arm yesterday. The next morning, woke up with mild abd cramping that resolved over about 1 hour. Throughout the day, had 2 episodes of NB diarrhea. At night, she noticed diffuse body hives and b/l upper and lower eyelid swelling. +accompanying mild SOB with audible wheezing. Pt took benadryl, zyrtec, and pepcid just before arrival to ED and reports feeling better. SOB/wheezing has resolved. Hives are mostly resolved. Only has residual eyelid swelling, Ice applied to eyelid and sent home for observation along with epinephrine pen.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1040112	2/18/2021	CA	51	F	2/10/2021	2/10/2021	Chills 7:45pm to 10:00pm, fever started at 99.1 8:00 pm peaked at 102 by midnight. nausea, joint aches, tachycardia 135b/min. Took advil and fever came down sometime during night to 100. Injection site warm to touch and lump present. Fever, malaise, joint aches (particularly lower back and hands), nausea all next day until about 5pm, when fever finally broke. Woke with headache the next morning 2/12/21. stabbing headache above right eye. Lasted all day, did not medicate until evening and responded to excedrin migraine med. Back and hand aches continued for remainder of day. Headache returned 2/13/21 evening and took excedrin migraine again and headache responded and did not return. Injection site had red wheel with indurated center, soreness and itchy beginning on 2/11/21. Soreness and red wheel resolved by 2/13/21 but itchiness lasted until 2/15/21.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1040118	2/18/2021	CA	45	F	2/1/2021	2/8/2021	/20/2021 (day 0) - received Moderna vaccine (Lot 029L20A) at. ? 2/8/2021 (day 19) ? developed horrific headache. Started on the neck, hairline, and ears ? felt deep pressure, and made an analogy to a blanket covering her head. ? 2/9/2021 (day 20) ? severe stomach cramps, and start of debilitating diarrhea (not listed as adverse event in EUA) that made her concerned about soiling herself. ? 2/10/2021 (day 21) ? continued having severe diarrhea, every 1 hour. ? 2/11/2021 (day 22) ? continued having severe diarrhea. Also, start of having generalized body ache (entire body). Tested for COVID-19 at ED ? negative. ? 2/12/2021 (day 23) ? continued having severe diarrhea ? dehydrated and felt irregular heart rate. Went to ED for EKG (unremarkable), COVID-19 testing (negative), and CT scans (unremarkable). ED staff told patient that her symptoms matched other patients? reactions to COVID-19 vaccine (delayed onset, of a few weeks). ? 2/13/2021 (day 24) ? Diarrhea continued, continued body ache. ? 2/14/2021 (day 25) ? diarrhea resolved, along with body ache. ? 2/15/2021 (day 26) ? felt more alert and well, enough to eat more normal food. However, eyes looked glassy, and headache moved to her eye socket. Felt like a golf ball was behind her eyes. ? 2/16/2021 (day 27) ? 1:30 AM, noticed left side of mouth was droopy. Went to ED ? diagnosis of Bell?s Palsy. Given Rx of prednisone and valacyclovir. o Onset of Bell?s Palsy consistent with clinical trial of Moderna Vaccine. Patients had onset of 22, 28, and 32 days after vaccine.
1040120	2/18/2021	CA	45	F	2/3/2021	2/8/2021	rash around eyes and upper lip, swelling, redness, severe itching
1040138	2/18/2021	CA	57	F	2/17/2021	2/18/2021	Cough, swelling of eyelid fatigue, headache, soreness at arm
1040140	2/18/2021	IL	69	F	2/3/2021	2/3/2021	Swelling of Lymph on the left side of bottom of neck within a half hour. Then in evening of that day, swelling of face, eye lids, lips with tingling, hands, feet, tiredness, headache, muscle pain, neck pain real bad on the left side more, joint pain, feeling unwell, brain fog, dizziness, weakness, difficulty breathing at times. This lasted for 3 days, and after 15 days I now have Pink eye, swelling in hands yet and breathing is short at times.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1040201	2/18/2021	ID	48	F	1/5/2021	1/6/2021	By 8 am, I recognized I realized I felt different - headache and foggy and tired. By 12 pm my headache became really severe - even when walking or chewing. My face was really hurting me; very tender by left eye. I felt so tired. I had to go home from work at 2:30. Felt very cold and I put on really warm clothes and got under three 3 blankets and I slept for three hours. I felt better by that evening, I slept normally that night. Face was very swollen under my eyes - two days after vaccine. (I have filler under my eyes - it's been a year since I had that put in.) Benadryl every six hours. It took 12 hours for pain to go away and for it to decrease. But it did help. Everything resolved.
1040206	2/18/2021	CA	37	F	1/6/2021	1/6/2021	About 5-10 min later I started getting tingling sensation on my lips and tongue. After 15, my lips got numb, along with my jaw. The numbness was only on my left side and went from my jaw to my eye. I also had a headache as well. I also felt like something was stuck in my throat, but not like I couldn't get air. Those symptoms lasted about 2-3 hours. When I got home, about an hour after I got the vaccine, I ended up breaking out on torso. I took Benadryl and went to sleep. The next morning, I was itchy and breaking out in hives in torso area. I took Benadryl again and the numbness and itchiness improved, but I had a headache for like 8 days. On the 6th day, I had really bad body aches and my headache was extreme. Per on call allergist, I wasn't allowed to get 2nd dose based on CDC guidelines.
1261991	2/18/2021		45	F	2/5/2021	2/10/2021	TIAStroke headache with partial visual loss and expressive aphasia dx stroke 2/11/21 by MRI Narrative: no residual from stroke, also found to have small patent foramen ovale

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1040079	2/18/2021	KS	27	F	2/17/2021	2/18/2021	Around 1 am I woke up having to sneeze and blow my nose over and over again. It got better for a few hours while I slept and then worse again around 9:30 am. I had to call in from work. I've been blowing my nose and having watery eyes all day. I took my usual allergy pill but it did not help. I'm reporting this because runny nose isn't listed as a common symptom. I have soreness in my arm but no other symptoms other than maybe a slight headache and fatigue. I'm worried I might actually be sick but I've hardly left my house for months so that seems unlikely.
1040270	2/18/2021	CA	47	F	2/2/2021	2/9/2021	On February 2,2021 Tuesday around 1030pm I was sitting on the couch I started to cough and then my hands curled up I started shaking, my eyes rolled back and I lost consciousness, after I came to I didn't remember anything. After it happened I couldn't swallow
1040254	2/18/2021	CA	31	F	1/19/2021	1/19/2021	Left sided headache and facial pain. Shooting pain with any transitional movement and with chewing. Throbbing over temple which worsens with neck extension or left rotation. Pain progresses down my neck and into my left shoulder. Pain occasionally goes towards my left eye. Pain has persisted since 1/21.
1040281	2/18/2021	CA	32	F	2/15/2021	2/15/2021	Persistent Headache, dizziness, disoriented,light headed, nausea, fatigue, body ache, chills, blurred vision, loss of appetite. I was advised to take otc pain relievers, but didn't help. Headaches still have not gotten better yet. Body aches and chills went away after 48 hours.
1040315	2/18/2021	CA	74	U	2/17/2021	2/17/2021	Headache on left side, and blurry left eye; BP 180/100; repeat 174/104. Sent to ED.
1040321	2/18/2021	CA	55	F	2/17/2021	2/17/2021	Headache, joint pain, back pain, sharp stomach pain, chills, cold extremities, fatigue, sleepy, can't open eyes, Cnt fully taste food. Nauseated. All night 2/17/21 and took two Tylenol symptoms decreased for two hours. Came back. All day 2/18. Cancelled work yesterday and today.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1040344	2/18/2021	MI	42	M	2/3/2021	2/4/2021	I received my first Covid-19 Moderna injection and felt slightly groggy and tired as the day progressed. Just before bed I noticed my arm was quite sore and I still felt tired and slightly light headed. The next day (Feb 4) I had a very sore left arm at the injection site but felt good otherwise. I came home from work and took one 200mg Ibuprofen as my arm was still quite sore. The following day (Feb 5) my arm pain subsided but I still felt light headed during the evening. I am writing this on Feb. 18th and each day I have bouts of being light headed and have difficulty concentrating. There is no real pattern to what time of day I get the symptoms. I do not have the classic headache but definitely feel pressure in my head and behind my eyes. I also find that I wake up after a full nights sleep and feel not well rested. I spoke with my doctor last week and he suggested I give it until this week to see where things are at. I plan on contacting him soon to schedule an appointment to discuss my symptoms more. Before getting the vaccine I did not have any of these symptoms as I describe.
1040391	2/18/2021		55	F	2/11/2021	2/11/2021	Rash on neck 2 hours after 1st shot Rash on chest 5 days after first shot Rash on neck n chest worsen 1 hour after 2nd shot Rash on left eye n left temple 5 days after 2nd shot Rash in left ear n right top forehead 7 days after shot All rashes still present
1040396	2/18/2021	CA	39	F	2/16/2021	2/16/2021	20 min after dose - eye swollen on side of body where vaccine was received 18 hrs after dose - fever, nausea, fatigue, headache, cough, swollen glands (fever lasted 6 hrs) 36 hrs after dose- rash on chest, pain on side of body where vaccine was received increased

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1040419	2/18/2021	CA	32	F	2/15/2021	2/17/2021	21.5 weeks pregnant, first pregnancy. Due date 6/24/21. Day of injection (Monday): strong deltoid soreness. Day 1 following injection (Tuesday): upset stomach. Far less fetal movements than usual throughout most of the day. Day 2 following injection: sore throat that come on in the evening. Quickly spread into lymph node pain in neck, up through the back of the throat toward the nasal cavity, inner ears and behind the eyes. Fetal movement increased to what has been typical at this stage of pregnancy. Day 3 following injection: sore throat, fatigue that was worse when sitting stationary, dizziness, headache. Pain improved in throat, sinuses and behind eyes in afternoon then returned in the evening.
1039943	2/18/2021	MI		M	12/28/2020	12/29/2020	Unresponsive to stimuli; Loss of consciousness; Irregular breathing; Nausea; Snoring; Staring; This is a spontaneous report from a non contactable consumer. A 46-years-old male patient received the first dose of bnt162b2 (BNT162B2; Lot # EK9231) vaccine , intramuscular in the left arm on 28Dec2020 at single dose for Covid-19 immunisation. Medical history included exercise induced asthma, penicillin hypersensitivity. Previously the patient received flu vaccine and TDAP vaccine and experienced nausea and body aches about 2010. The patient's concomitant medications were not reported. The patient was unresponsive to stimuli on 29Dec2020 with outcome of recovered , experienced loss of consciousness on 29Dec2020 with outcome of recovered , had irregular breathing on 29Dec2020 with outcome of recovered , nausea on 29Dec2020 with outcome of recovered , snoring on 29Dec2020 with outcome of recovered , staring on 29Dec2020 with outcome of recovered. The events loss of consciousness and unresponsive to stimuli were considered Important Medical Events. It was reported that the patient woke up in the night, walked downstairs to get water, walked back upstairs and became nauseous, laid down and became unresponsive. Eyes were open but not focused, breathing was irregular and snoring-like. This lasted less than a minute and he regained consciousness. No follow up attempts are possible. No further information is expected.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1039063	2/18/2021	CA	57	F	1/17/2021	1/18/2021	At 3:00 AM on 1/18/21 she was awoken from sleep with shoulder pain, hip girdle pain, long bones of the thighs, could not raise arms above head, neuropathy of the palms, pain in wrist, tingling, numbness, stiffness of wrists, stiff fingers, hurt to bend fingers with pulsing capillaries. Started more centrally then extended down to extremities, did have some pain in ankles, neuropathy to the feet. Much worsening of the mucosal dryness of her eyes, mouth, lips, throat to the point that she was hoarse, and also her vaginal mucosa started to dry up as well. She took Acetaminophen, etc. She then was given some narcotics, which did not help the pain symptoms either. Her doctor had no answers, and did not prescribe her anything. Her eyes and throat dryness has waned somewhat. She is still having pain in her shoulder girdle. Does have the neuropathy pain, still hard to bend fingers. She had a very severe reaction this past weekend where she could not eat from Saturday to Wednesday due to nausea. She did get an order for Zofran on Monday, 2/15/21. She is still taking the Acetaminophen and Naprosyn, not taking the Norco due to constipation. Started taking her Synthroid again, but low dose. She is an RN and not able to work due to this condition. She also become leukopenic, her WBC's were lower than normal at 2.9, and her neutrophils dropped to a suboptimal level as well. She is now immunocompromised, and another reason for her not going to work as she works in an overflow unit for COVID patient's.
1040257	2/18/2021	IL	28	M	2/18/2021	2/18/2021	About one minute after the vaccine was given, he got pale, diaphoretic, blurred vision, difficulty speaking for about one minute. Ice pack applied to his neck. He stated that he felt a bit shaky and sweaty for another 5 minutes, at which point he started feeling "normal". We watched him for another 30 min, with no further symptoms.
1039383	2/18/2021	MO	49	U	1/27/2021	1/29/2021	Blurry/decreased right eye vision. Admitted for steroid infusion in Hospital from 2/12/21 - 2/13/21 then dismissed to home

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1039099	2/18/2021	IL	72	F	2/8/2021	2/16/2021	Starting 2/16/20 eye lids upper and lower began to swell, with redness and itching. Swelling continued to increase to the point of going for a doctor visit on 2/18. Diagnosis a possible reaction to vaccine. Prescribed: Antibiotic oral, eye ointment, and medrol dose pack ordered.
1040261	2/18/2021	AZ	66	F	2/11/2021	2/16/2021	Broke out in severe rash on 5th day after vaccination. Swollen lips, ears, upper eye lids, under both arms, under breasts and upper thighs. Terribly itchy. Rash was raised like welts. Got worse the next day and included scalp, neck, hands, forearms and knees. Called my family medicine doc and he called in a script for MethylPredisone. Took the first 3 pills after lunch as recommended by pharmacist. Slept through the night and noticed the rash was not as angry looking. I have continued on my second day doses. Have noticed the itch coming back starting around 4:15 pm today. Have 3 more doses to take today.
1040037	2/18/2021	MN	66	F	1/28/2021	1/28/2021	I started experiencing spasms in the right side of my face. I had a weird feeling in my veins that went up and down my arms and by Saturday it was up in my head. this lasted for 4 hours. I had a bright white light in my right eye that was like a burst of light every time I blink. I went to the eye doctor on 2/5 and they gave me an eye dilation drop and he said that when the lining of the eyeball pulls away from the eyeball it catches the light coming into the eye and reflects down into the eye very bright. I started swelling and had a red rash on my neck, back of my neck, jaw, arms and kegs and belly. it started itching and had raised dots. about 12 dots on each limb/surface. I took Claritin and Famotidine. I woke up with more itching and a cold wave over my body. I took more Claritin and famotidine. My arms, legs, belly, and back started itching again. I had chills. The skin on my arm was hard in spots. I took half a Benadryl on Monday the 8th at 5 am. at 8am I was still itching. it died down but then flared up again and I took Zyrtec at 8pm. Tuesday the 9th I woke at 5am with more itching. I ate food and had more itching. Wednesday I had pain in my jam and my tmj flared up and I had pain in my molar but the Dentist said there was nothing wrong with my tooth. On 2/9 I had a blood draw and everything was normal. the only thing not normal was the carbon dioxide in my system. On 2/16 I was still feeling weird.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1039145	2/18/2021	CT	68	F	2/13/2021	2/17/2021	4 days after I was walking into my office and I got very dizzy, room was spinning, then my vision blurred. The whole event lasted a few minutes. I went to the ER they ran a bunch of tests and couldn't find a reason for the event. Not sure if it was the vaccination or something else.
1039173	2/18/2021		77	F	1/28/2021	2/2/2021	Red, bull's eye rash that grew over time, swollen and lumpy arm, hot and itchy. Lasted about 10 days.
1039178	2/18/2021	MI	78	F	2/11/2021	2/11/2021	My Mom had an allergic reaction four hours after receiving her first dose of the Pfizer Covid 19 vaccine. Her face swelled up and became red....worse on the right side than the left...her eyes were swollen as well. It lasted this way for four days....it is a little better now, but her face is still a little swollen (seven days after shot). She had a headache on and off and felt tired (which we understand is not an allergic reaction, but rather an immune response). Her family physician suggested taking antihistamines before her second shot. Needless to say, we are apprehensive about what the outcome from the second shot will be like for her.
1039137	2/18/2021	OH	70	F	2/4/2021	2/4/2021	About 2 hours after Covid vaccine injection in left arm I felt a twitching on Left side of my face which travelled to my Left eyebrow. About one day later the twitching involved the left eyebrow and left side of eye. After two weeks (today February 18, 2021) twitching is now on left eyelid.. No other symptoms.
1039312	2/18/2021		57	F	2/18/2021	2/18/2021	Lips puffy, puffy above eye and puffy at throat
1039388	2/18/2021	NY	88	F	2/8/2021	2/9/2021	She said that it looks like she is looking through water. She has a retinal bleed. She is going tomorrow 2/19/21 for a shot in the eye to stop the bleeding. The outcome is pending.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1039499	2/18/2021	IL	76	F	2/15/2021	2/16/2021	The first night after the vaccine had a headache and woke up with pain near her mouth. The 2nd night, Tuesday, 2/16/21 it got bad, woke up around the same time early morning, had pain on the right quadrant of her upper body, from her ear, eye, throat and down to right under her throat. When she swallows the pain is very severe with difficulty swallowing and that pain radiates to the upper part of her chest. Then on the third night, last night, all the same pain but the headache had disappeared. Today, 2/18/21 she is still having the same symptoms. The hardest thing to deal with is the ear pain in the right ear, and the pain under her right throat area. She has taken one Benadryl at 8:00 AM, and will take another at 8:00 PM. The Benadryl triggers her tinnitus so is limited with that. Her daughter is trying to find OTC medicine for the ear. She has not called her doctor as they are trying to treat it with OTC medicines. For additional information call her daughter: who takes care of all her medical information.
1039538	2/18/2021	WA	66	F	2/6/2021	2/6/2021	per patient report: "103.5 fever with heart rate of 100-120s. Farmer's Lung activated with profound coughing. O2 sats went transiently low to 85 but mostly 91-92%. Became very unsteady on feet, requiring support of walls, furnishings and counters. Horrible chiari headache with bad nausea Neuropathy in BLE flared, legs were buzzing and I was getting intense spasms of bilateral feet and ankles that made it hard to use them. Visual decline Passed out twice cold in the bathroom [found myself in bathroom, when "I came to"] In bed for 3 days except to use the restroom and make tea. Could not attend to any other ADLs. Injection site red from shoulder to elbow, swollen and itchy with axillary lymph swelling". Symptoms

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1039993	2/18/2021	IA	41	F	1/8/2021	1/8/2021	As soon as I received the vaccine it felt like I drank a hot alcoholic shot, my throat was thickening and hard to swallow, tingling and numbness on my face I felt hot inside and cold shivering, I was a little out of it, very tired nauseus and I had a really hard time swallowing saliva, 30 mins later I had no feeling in my face, my lips felt huge like I had just had novacaine, my eye felt like it was drooping, I went to employee health I was given Benadryl and I took it for two days and one day I did not take the Benadryl and my face started drooping all over again so I took Benadryl and it went back to normal. I was advised not to get the second vaccine. I fully recovered.
1040028	2/18/2021	VA	72	F	2/16/2021	2/16/2021	Initially just a sore hot arm. By the next day, 2/17, I was dizzy severe headache sweats, could not get out of bed without falling down. Could barely move I was so weak. Could not eat or drink. Sore throat. Bad stomach pains. Ate two pieces of toast and yogurt anyway and threw up. Had diarrhea. Took two Tylenol, five hours apart three times.Didn?t help. Kept falling asleep and waking up every hour in a sweat. Very bad headache and blurry vision.
1039231	2/18/2021	IL	31	F	2/12/2021	2/12/2021	I had facial numbness only on my left side of my face. I also had some facial swelling on my left side of my face and my left eye has blurry vision.
1039999	2/18/2021	CA	44	M	2/2/2021	2/12/2021	10 days following vaccination with first dose of Pfizer-BioNTech vaccine, individual reported to the vaccine clinic that he developed symptoms of Bell's Palsy. Specific symptoms included facial droop and inability to close eye on one side. Individual sought urgent medical treatment and was diagnosed with Bell's Palsy and placed on a course of antiviral and steroids. Individual was advised by outside provider to not receive second dose of vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1039950	2/18/2021	MI	59	F	1/11/2021	1/28/2021	<p>Bell's Palsy; Occipital Neuralgia; Stroke; Fever 101 degree; Myalgia; Headache/severe cephalgia; Blurred vision; dizziness; neuropathic pain; This is a spontaneous report from a contactable Physician (patient). A 59-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) Lot number ER9831, Intramuscular in left arm on 11Jan2021 08:20 at single dose for COVID prevention. Medical history included Asthma Moderate persistent on 20Jun2020. Concomitant medication was not reported. The patient previously received first dose of BNT162B2 on 23Dec2020 and experienced Aches, Fever 102 degree, myalgia, and headache. The patient experienced 101 degree, myalgia, Headache after the second dose of BNT162B2. The patient experienced Bell's palsy and occipital neuralgia on 28Jan2021 10:00 which resulted in stroke woke up and will lead to time off work and further imaging of cervical spine and possible nerve blocks. She had blurred vision and dizziness in addition to severe cephalgia and neuropathic pain. Treated with Aleve, steroids, Acyclovir + neurontin. Duration unknown as still with symptoms. The events Bell's palsy and occipital neuralgia resulted in Emergency room visit. Lab data included CT head with illegible Head Contrast, CT Angiogram head and MRI Head on 27Jan2021 with Result: NI. The outcome of Bell's palsy was Resolved with Sequel. The outcome of the event Stroke was unknown. The outcome of Fever 101 degree, Myalgia was resolved. The outcome of other events was not resolved.; Sender's Comments: The causal relationship between BNT162B2 and the reported events cannot be completely excluded based on temporal association. The information currently available in this report is limited and does not allow a medically meaningful assessment. This case will be reassessed once additional information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate.,Linked Report(s) : US-PFIZER INC-2020512578 Same patient/reporter,drug, different dose</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1039942	2/18/2021	VA	36	F	1/15/2021	1/21/2021	Fainting like episodes; Blurred vision; Severe vertigo; Chest pain; Fatigue; This is a spontaneous report from a contactable other health professional reported for herself. A 36-year-old female patient received first dose BNT162B2(PFIZER-BIONTECH COVID-19 VACCINE) Lot # EL8982, via an unspecified route of administration in right arm on 15Jan2021 12:00 at single dose for covid-19 immunisation. There were no relevant medical history or concomitant medications. The patient was not pregnant at the time of vaccination.The patient had no allergies to medications, food, or other products.The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine.On 21Jan2021, exactly "4 1/2 days" after vaccine the patient experienced fainting like episodes, blurred vision, severe vertigo, chest pain, fatigue. The patient has been out of work since the 20th and she still had blurred vision. The adverse event resulted in Doctor or other healthcare professional office/clinic visit and Emergency room/department or urgent care. No treatment was received. The patient was not recovered from the events. She has been to the ER, cardiologist for an echography, ultrasonography of thyroids, Magnetic resonance imaging (MRI) of her head, went to ENT dr and neurologist in 2021. All blood work in 2021 came back normal as well. The reporter considered the event as non-serious. The patient was not diagnosed with COVID-19 prior to vaccination. She had negative Nasal Swab Covid test post vaccination on 22Jan2021.; Sender's Comments: Considering the temporal association, a causal association between administration of BNT162B2 and the onset of fainting like episodes cannot be fully excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1039902	2/18/2021			F			feeling flushed and faint; her blood pressure went up as well as her heart rate; her blood pressure went up as well as her heart rate; brain fog; slurring her words; lethargy/lethargic for 2-3 hours; hands were so cold it was like they were stuck in a snow bank and wasn't able to get them warm; feeling flushed and faint; This is a spontaneous report from a contactable consumer. A female patient of an unspecified age received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration on unspecified date as a SINGLE DOSE for COVID-19 vaccination. The patient's medical history and concomitant medications were not reported. The consumer reported her daughter had a bad reaction and is concerned about getting the second dose since it is said people could have more severe reactions. The patient's heart rate was up, blood pressure was up, feeling flushed and faint. Since her daughter works at the hospital and was next to the emergency room they kept an eye on her and everything. When she was okay to go back to her department she had brain fog, lethargy/lethargic for 2-3 hours, and slurring of her words and that lasted 2-3 more hours. A few days later her hands were so cold it was like they were stuck in a snow bank and she wasn't able to get them warm. Not sure if that was a late reaction since it has never happened before. The patient underwent lab tests and procedures which included blood pressure: blood pressure was up on unknown date, heart rate: heart rate was up on unknown date. Outcome of the feeling flushed and faint, her blood pressure went up as well as her heart rate, brain fog, slurring her words, lethargy/lethargic for 2-3 hours were unknown. Information on the lot/batch number has been requested.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1039896	2/18/2021	MI	29	F	12/30/2020	1/7/2021	<p>hemifacial spasms on the right side of face; weird sound in the ear; pulsating in the neck; This is a spontaneous report from a contactable other healthcare professional reported for herself. A 29-year-old female non-pregnant patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection) intramuscular at the left arm on 30Dec2020 10:00 (lot number and expiry date unknown) at single dose for Covid-19 immunization in a workplace clinic. Medical history included hidradenitis suppurativa. The patient was not diagnosed with COVID-19 prior to vaccination. Concomitant medication included unspecified other medication. The patient received first dose of hepatitis vaccine in the left arm on 15Dec2020 (29 years old) for immunization which was within 4 weeks prior to the COVID vaccine. On 07Jan2021 07:15, the patient experienced hemifacial spasms on the right side of face. The right side of face tightens to the point her eye closes, mouth pulls up and cheeks pulls up as well along with a weird sound in the ear and pulsating in the neck. The events resulted in doctor or other healthcare professional office/clinic visit and emergency room/department or urgent care. The patient underwent lab tests and procedures which included CT scan: unknown results in Jan2021. The patient has not been tested for COVID-19 since the vaccination. The patient received treatment of muscle relaxer, medrol dose pack. The outcome of the events was not recovered. The reporter considered the events serious as disabling/incapacitating but did not results in death, not life threatening, did not cause/prolong hospitalization, no congenital anomaly/birth defect. Follow-up activities are possible, information on the batch number has been requested.; Sender's Comments: Based on available information, a possible contributory role of the subject product, BNT162B2 vaccine, cannot be excluded for the hemifacial spasms and other reported events due to temporal relationship. Additional information is needed to better assess the case, including complete medical history, diagnostics including results of Head CT scan, EMG and chemistry panel, counteractive treatment measures and concomitant medications. This case will be reassessed once additional information is available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1039887	2/18/2021	MA	22	F	2/5/2021	2/5/2021	<p>for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.</p> <p>Anaphylactic reaction; Burning sensation in eyeballs; Wheezing; Rales; Airways were closing; Can't breathe; A spontaneous report was received from a consumer concerning a 22-year-old, female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced an anaphylactic reaction, burning sensation in eyeballs/abnormal sensation in eye, wheezing, rales, airways were closing/obstructive airways disorder, and can't breathe/dyspnoea. The patient's medical history was not provided. No relevant concomitant medications were reported. On 05 Feb 2021, within 5 minutes prior to the onset of the event, the patient received their second of two planned doses of mRNA-1273 (Lot number: 011J20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 05 Feb 2021, within 5 minutes after receiving her second dose of vaccine, the patient reported a burning sensation in her eyeballs, followed by wheezing and rales in her lungs. She was given epinephrine and taken to the emergency room via an ambulance. She was given a second dose of epinephrine. Her airways were closing and she could not breathe. She was given a steroid, diphenhydramine, H2 antagonist and albuterol. Consent given for follow up calls. Action taken with mRNA-1273 in response to the event was not reported. The outcome of the events, anaphylactic reaction, burning sensation in eyeballs, wheezing, rales, airways were closing, and can't breathe, was not provided.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the onset date of the events, a causal relationship cannot be excluded.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1039553	2/18/2021		61	F	2/11/2021	2/11/2021	Within 1 hour after 2nd dose of COVID vaccine had a strange sensation in R eye socket, but initially didn't think much of it. Then over next few hours, began having spreading Right sided face numbness, back of head, neck. Denies difficulty speaking or swallowing. Presented to ER. Resolved after a few hours. CT head unremarkable. Later that evening, severe chills, headache, arm soreness, fatigue. Fatigue persisting 6 days later.
1039545	2/18/2021	MO	58	F	2/3/2021	2/3/2021	The Department came to the work place to give COVID19 vaccines. Approximately 4 hours after receiving the 1st dose of the COVID vaccine, the patient/staff c/o feeling dizzy / double vision/ headache . her Blood pressure was high / blood sugar wnl she was becoming sluggish lungs were clear she was sent out to ED via EMS . She reported to this RN after the event that she was kept in the hospital until just before 2:00 am where they had her on IV fluids to bring her BP down.
1035774	2/17/2021	NJ	100	F	2/13/2021	2/14/2021	Slight rash on upper back, sore throat one evening and eye bacame very red in the corner

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1036361	2/17/2021	MA		F	1/4/2021	2/2/2021	Patient passed out without warning (fell) and hit ceramic floor; Patient passed out without warning (fell) and hit ceramic floor; Black eye; bruised extremities; Been "out of it" since then; A spontaneous report was received from a consumer concerning a 59 year old female patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and passed out and hit a ceramic floor causing a black eye, bruised extremities, and the patient was been out of it since the event ( feeling abnormal ). The patient's medical history was not provided. No relevant concomitant medications were reported. On 01 Feb 2021, approximately one day prior to the onset of the events, the patient received their second of two planned doses of mRNA-1273 (lot number 028L20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. The patient passed out without warning and hit a ceramic floor, which cased a black eye, bruised extremities, and the patient has been out of it since the event. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not provided. The outcome of the events passed out and hit a ceramic floor causing a black eye, bruised extremities, and the patient was been out of it since the event ( feeling abnormal ) were unknown.; Reporter's Comments: This case concerns a 59 year old female subject, who experienced a serious unexpected event of loss of consciousness after second dose of mRNA1273 (Lot# 028L20A). Very limited information has been provided at this time. Further information has been requested.
1035794	2/17/2021	MI	75	F	2/16/2021	2/16/2021	Itchy eyes, followed by itching in her mouth and swelling of the back part of her tongue, trouble speaking and swallowing within minutes of receiving the COVID 19 Moderna vaccine. Sent to ER and admitted for overnight observation.
1035808	2/17/2021	NC	72	M	1/30/2021	2/6/2021	Developed Covid 19 7 days after getting vaccine Cough, chills, fever, nasal congestion, headache, loss of taste, pain behind eyes, sore throat, body aches.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1035814	2/17/2021	AR	49	F	1/6/2021	1/7/2021	About 3am the next morning I woke up to a loud ringing in both my ear. When I sat up I was very very dizzy. I got up and showered and my feet swelled very bad. I did not feel well but I went to work but the feelings never got better. So on 1/10 Sunday I went to the medical center because I jjust didnt not feel well. The swelling in the lower legs was still there so I was prescribed 20 mg of presnisone for 5 days. The sound changed during the time of the antibiotics but after I stopped taking the prednisone the ringing sound came back, my left foot is still numb and my eyes are constantly red and burning even after putting drops in my eyes, I still suffer from headaches and if I turn my head too far left or right I get dizzy still to date. On 1/14 I was given a 60 mg dose of tapered predinosone for 2 week to help elevate the symptoms but it did not work. On 2/12 I saw an ENT specialist who performed a hearing test which did produce minor hearing loss and was diagnosed with having Tinnitus.
1035835	2/17/2021	GA	51	F	2/12/2021	2/12/2021	PT STATES SWELLING UNDER EYES BEGAN 10 MINS AFTER VACCINE ADMINISTERED. NO SIGNS OF DISTRESS NOTED. PT DENIES SOB, CHEST PAIN, DIZZINESS. ADMINISTERED BENADRYL 25MG PO X 1 DOSE. PT OBSERVED X 60 MINS AFTER MEDICATION ADMINISTERED. PT STABLE AND SWELLING REDUCED UNDER EYES.
1035920	2/17/2021	IL	80	M	2/5/2021	2/7/2021	Reaction occurred on 2/7/21 (about 48 hours after first dose): Severe dizziness and blurred vision for 10 minutes. Patient has no prior history of dizziness, vertigo, or blurred vision.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1035955	2/17/2021	CA	56	F	2/5/2021	2/6/2021	~~I am reporting a reaction to my second Moderna vaccine given on 02/05/2021 around 10 AM . Initial headache/nausea/tiredness started on 02/06/2021 and lasted for 3 days. Missed work on 02/08/2021 due to nausea/HA /tiredness. Slight Headache alone for another 4 days- through 02/12/2021. On Saturday (02/13/2021) I started feeling a bit ?off?. I was having trouble remembering things and just in general feeling slow and not right. My husband was concerned, and I was frustrated. He was checking me for TIA symptoms. Sunday I had a mild HA ( 3-4 pain scale) but it did not bother me too much. Monday 02/15/2021 I would not have been able to work if I was scheduled- nausea/HA (level 8) with visual migraine aura. I had to go to bed. I slept for 5 hours. Again today 02/16/2021. I am leaving work early because I have nausea/HA (level 8) with pressure and having trouble focusing. Feels a lot like the migraines I had 20 plus years ago. Please let me know if you have any additional questions.~~
1035777	2/17/2021	NY	31	F	2/16/2021	2/16/2021	2/16/21 she dropped her cellphone while sitting down on chair after receiving her COVID vaccine .she felt dizzy, and fell down on floor while trying to pick up her cell phone.she denies that she hurt herself. BP was 55/44. No LOC . She had mild blurred vision for a couple of minutes. After placing her to a flat position on a couch, elevating her legs, and drinking water and juice, her BP improved to 110/86 p 90 Heart rate regular O2sat 98%. She went home with fiancé without dizziness or any medical issue 2/17 She reported arm and neck pain
1036052	2/17/2021	NJ	36	M	1/4/2021	1/21/2021	S&S: "not 100%", leg pains, lumbar pain, stiff neck, short-term memory loss; Vital signs were stable; denies vision changes, H/A (nonretractable to meds), balance changes, weakness, speech abnormalities. Tx: Patient educated on post COVID-19 syndrome, Tylenol for pain, pseudoephedrine for congestion, labs for Liver enzymes, discussed possible neurology referral, follow-up w/ PCM on 2/4/2021 (14 days after initial visit).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1036058	2/17/2021	KS	50	F	1/20/2021	1/20/2021	the evening of the second vaccine, patient had significant soreness and stiffness in her knee. In addition she had an elevated temperature for 2 days with fatigue, malaise and body aches. The knee issue progressed to require surgery for infection. On 2/12 she woke up with significant swell in in the area of the right temple and visual changes. this is the area of her cranial plate from prior brain surgery.
1036069	2/17/2021	GA	52	F	2/15/2021	2/15/2021	sore arm, hard and hot to the touch, extreme/severe vomiting, chills and high fever (102+), elevated heart rate for extended period (130+), blood oxygen levels fell 10 91-92. Low shallow breathing with dry intermittent cough. 2nd day extreme fatigue, shallow breathing. sore neck at the base of my skull with pain in eyes and sensitivity to light, accompanied with fluid sensation in years. lack of appetite. 3rd day, sore chest and rapid heart rate, and sore chest cavity, prickly rash on chest and torso. fatigue
1036084	2/17/2021	NY	42	F	2/11/2021	2/11/2021	Dizziness, Hard to Focus eyes, extreme fatigue, severe arm pain (unable to life arm without pain) (began that evening-lastest two full days)
1036091	2/17/2021	CA	61	M	2/15/2021	2/15/2021	Fever, chills, & dizziness. Blurry vision, aches/pains and shortness of breath.
1036092	2/17/2021	AZ	54	M	1/30/2021	2/1/2021	I started feeling sinus pressure behind my eyes. a few days later I started experiencing vision loss in my left eye. Ophthalmologist diagnosed me with optic neuritis. auto immune disease which causes pain and vision loss in the eye. it is inflammation of the optic nerve.
1036116	2/17/2021	IN	62	M	2/11/2021	2/14/2021	He received the vaccine on Thursday. The left nostril started running, then his eye started getting vision issues on Saturday. He went to sleep and thought it would be better. On Sunday morning he could not stand the sunlight at all, and pain on top of the eye. He went to the ER and they called the eye doctor in. He didn't know what was going on, had blood work done. He told him to FU with his doctor. Gave him eye drops, Ibuprofen and eye cream to go into the eye. He is feeling better today, but when the light hits it a certain way the pain is bad, but it clears. In the morning he has to get used to the sunlight. His eye is red. He is to FU with his PCP.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1036192	2/17/2021	CA	58	F	1/14/2021	1/14/2021	That evening a mild tremor began in my left calf. It progresses to my entire left leg, left hand. My left hand began to curl up, the tremor continued to increase. Although I have full ROM in the hands at rest the fingers are curled and my index finger points outward. The worsening occurred each day. I had electric type pain in the left foot. The previous double vision worsened in the left side. The symptoms then spread to the right side. My balance worsened. I had an MRI of the brain and neck, contrast and non-contrast approximately a week after symptoms began. I went to the ER as the symptoms worsened. My left leg was dragging, I had trouble walking. IV toradol decreased symptoms. I was given Motrin at home with no result, then another anti-inflammatory, then a steroid, all with no results. I had several blood panels. After a month of symptoms we did another brain MRI and full spine MRI's all negative. We did extensive blood work for autoimmune, inflammatory and eight or so other items such as Lyme, Syphilis, arsenic and I'm not sure what else. The neuro exam showed normal reflexes and strength. He did some nerve conduction tests. The right calf was normal. He couldn't assess the left because of the tremor. I feel my legs will 'give out' and feel weak when performing activities and was told it's from the tremor. I have cramps and spasms in the left foot and lateral calf. My balance is much worse, I fell over today while walking. These are all symptoms that are similar to the brain tumor in that it mostly affected the left side, but they are much, much worse. The deficits I had from the tumor in 2008 have been completely stable. A year or so after the surgery stress could increase the double vision or balance but not since 2009.
1036266	2/17/2021	MN	72	F	2/12/2021	2/13/2021	I can not walk a straight line. My balance is off. Body movement is OK, But I can not turn my head or move my eyes fast without going off balance. It feels like I am on a ship in a storm and need to hold on to the side.
1036270	2/17/2021	OH	44	F	10/6/1976	1/29/2021	Swollen right eye, vaginal bleeding, bright yellow urine, fever



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1035747	2/17/2021	SC	27	F	2/15/2021	2/15/2021	9 hours after, experienced extreme headache, pressure on my eyes 12 hours later, extreme chills and body aches, headache 24 hours later chills, aches, and headache 48 hours later, swollen several lymph nodes in left neck
1036269	2/17/2021	OH	74	F	2/5/2021	2/5/2021	5-10 minutes after I received the vaccine I had a headache. At first it wasn't bad, however, that afternoon it worsened and did not improve with Tylenol or Advil. The next day was worse than the first because the headache became very bad and I was unable to do anything besides rest on the sofa. The following day I felt somewhat better but the headache persisted along with eye irritation, burning, and pain. That continued for 2 more days. My headache worsened on Tuesday, February 16. I awoke with a pounding headache in the back of my head. It caused me to become nauseous for several hours which improved by the afternoon. I've never had a migraine but think that's what this was. I rested the entire day. Today, Wednesday, February 17, I awoke with a mild headache which worsened during the day. Along with this my eyes ached and I noticed reading words and numbers was difficult because they were blurry. I decided to hold off on taking any pain medication to see whether or not the headache would calm down and it hasn't; it tends to move around my head during the day. Hopefully, the Tylenol will help today.
1035538	2/17/2021	GA	64	F	1/28/2021		the reaction is inflammation to her retina; dose given 11Jan2021, and second dose LOT: EK9231 for dose given on 28Jan; This is a spontaneous report from a contactable consumer. A 64-years-old female patient received 2nd dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot: EK9231), via an unspecified route of administration on 28Jan2021 at single dose for COVID-19 immunisation. The patient medical history and concomitant medications were not reported. Historical vaccine included 1st dose of BNT162B2 (lot: EH9899) received on 11Jan2021 for COVID-19 immunisation. Patient went to her ophthalmologist and they examined her eye. The ophthalmologist said that the reaction was inflammation to her retina. Outcome of the event was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1035559	2/17/2021	NC	81	M	1/18/2021	1/19/2021	Stroke; like he had a film over his eye, it was cloudy, like a cloudy day; This is a spontaneous report from a contactable consumer (patient). A 81-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot/batch number: EL1283 and expiry date: 30Apr2021) solution for injection, intramuscular in left arm on 18Jan2021 13:10 at a single dose for Covid-19 immunization. Medical history included chicken pox, measles, and mumps (had chicken pox vaccine, measles, and mumps when he was younger, and he got the flu shot for flu). The patient's concomitant medications were not reported. The next day (19Jan2021) after receiving the injection, patient reported it was like he had a film over his eye, it was cloudy, like a cloudy day. This went on for a couple of days before it improved. There was still a little bit in his left eye, but he can read and it has improved. He can see now and his eyes were improving. He found out that he had a stroke on 28Jan2021. He did not go to the hospital. He does not think the stroke affected anything else. He was supposed to have an MRI sometime this week. He went to the eye doctor and the eye doctor was the one that discovered the stroke and his eye doctor sent the report over to his primary office. He had a vision field test which was how the stroke was diagnosed. He was taking a baby aspirin and he will be put on a blood thinner called Plavix. He has not started Plavix yet, he has to go pick it up. Outcome of the event stroke was unknown while the other events was recovering. No follow-up activities are needed. No further information is expected.
1034599	2/17/2021	HI	60	F	1/18/2021	1/19/2021	Extreme fatigue, nausea, chills, headache, dizziness 18-20 hours after receiving the 2nd vaccine for about 10-12 hours, then lessening to feeling tired, bouts of vertigo and occasional headache. Five days later on 1/25 I experienced blurry vision, nausea, confusion, dizziness, and impaired speech (to a co-worker). This lasted about an hour.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1036362	2/17/2021	NC	68	F	1/21/2021	1/1/2021	Rash on the injection arm; Retinal bleeding present in the left eye; A spontaneous report was received from a consumer, concerning herself, a 68 years-old female patient, who received Moderna's COVID-19 Vaccine (mRNA-1273) and experienced retinal bleeding present in the left eye and rash on the injection arm. The patient's medical history was not provided. Concomitant medications reported included simvastatin. On 21 Jan 2021, the patient received their first of two planned doses of mRNA-1273 (lot # 032L20A), intramuscularly for prophylaxis of COVID-19 infection. On 21 Jan 2021, following the vaccination, the patient experienced a rash on the injection arm that had lasted for about a week. Additionally, the patient went for a routine eye exam on an unknown date in Jan 2021 and it was determined that there was retinal bleeding present in the left eye. The rash had subsided at the time of the report, but the retinal bleeding remained the same. Action taken with mRNA-1273 was unknown. The event rash on the injection arm was considered resolved on an unspecified date in Jan 2021. The event retinal bleeding present in the left eye was considered not resolved at the time of this report.; Reporter's Comments: Very limited information regarding these events of unlisted serious event of retinal hemorrhage and non-serious listed event of injection site rash has been provided at this time. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1034980	2/17/2021			M			Hallucinations; A spontaneous report was received from a consumer concerning 72-year-old male. The patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and experienced hallucinations, seeing ghost. The patient's medical history was not provided. Concomitant product use was not provided. Prior to the onset of symptoms, on an known date, the patient received the first of two planned doses of mRNA-1273 (Batch number not provided), for prophylaxis of Covid-19 infection. On 01 Feb 2021 the patient left a voicemail message to Safety stating that he began having, "what I guess you would call hallucinations" after receiving his first dose of Covid -19 vaccination. He further stated, " I've seen ghosts". "I've never seen ghosts in my life before". The patient then went on to ponder whether the event was vaccine related or possibly related to the fact that he experienced a problem in his eye some years ago that caused him to "see weird things". No treatment or other relevant information was provided. Action taken with mRNA-1273 in response to the event was not provided. The outcome of the event hallucinations was unknown at the time of the report.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. Further information has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1034988	2/17/2021	LA	76	F	1/29/2021	1/29/2021	<p>she hasn't been eating like she should; lost eye sight for 5 minutes, everything was grey; could hear her niece, but that her niece sounded far away; very nauseated/wanted to throw up but couldn't; This is a spontaneous report from a contactable consumer, reporting for herself. A 76-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number: EL9265), via an unspecified route of administration at the left arm on 29Jan2021 14:00 at a single dose to prevent getting COVID-19. Medical history included cholesterol, high blood pressure, arthritis, medications for her heart, and medication for her stomach. Concomitant medication included amlodipine for high blood pressure and atorvastatin for cholesterol. The patient has been on amlodipine in a good while, 7-8 years and atorvastatin for 5 years. The patient had the COVID shot on Friday, 29Jan2021 at 14:00, and about 4 hours afterward, she had a bad experience. She became very nauseated and lost her sight for 5 minutes. Everything was grey. She was wondering if there is anything she can take afterward. She was scheduled for her next one on 19Feb2021. She was wondering if she will experience the same thing. She has lost about 11 pounds because she has been on a diet. She gave up sugar. After getting the vaccine, she was on her way back. She began to feel very nauseated in the car. Then, all the sudden she wanted to throw up, but couldn't. She couldn't hear her niece or say anything to her. She clarified she could hear her niece, but that her niece sounded far away. She couldn't respond. She rolled the window down to get air in her face. She hadn't eaten. In about 25-30 minutes got better. Since then, she hasn't been eating like she should, so she was still a little nauseated. It has improved though. She got the vaccine in her left arm. Her right arm is mostly metal. She decided to get it because she is over 70 and wanted to prevent getting COVID-19. It was also reported that she was also on an arthritis medication, medications for her heart and a medication for her stomach. She has had no problems with those medications though. The patient underwent lab tests and procedures which included weight: lost on an unspecified date. She has lost about 11 pounds because she has been on a diet. She gave up sugar. The outcome of the events "lost eye sight for 5 minutes, everything was grey", "could hear her niece, but</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1034993	2/17/2021	VA	65	M	1/29/2021	1/29/2021	that her niece sounded far away" and "very nauseated/wanted to throw up but couldn't" was recovered on 29Jan2021 while the outcome of all other events was unknown.
							loss of muscle tone of my cheek and inability to smile on the left side; Loss of sensation of my left cheek from under my eye to my mouth; loss of muscle tone of my cheek and inability to smile on the left side; This is a spontaneous report received from a contactable consumer (patient). A 65-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EK4176, expiry date: unknown), via an unspecified route of administration in the left arm, on 29Jan2021 07:30, at single dose, for COVID-19 immunization, at the hospital. Medical history included hypertension, diabetes, increased cholesterol and COVID-19 prior to vaccination. The patient has no allergies to medications, food, or other products. Concomitant medication included enalapril, hydrochlorothiazide, atorvastatin (LIPITOR), and metformin. The patient did not receive any other vaccines within 4 weeks prior to the BNT162B2. The patient was not tested for COVID-19 since the vaccination. The patient experienced "loss of sensation of my left cheek from under my eye to my mouth. My wife noted loss of muscle tone of my cheek and inability to smile on the left side" on 29Jan2021 at 08:30. Symptoms started about one hour after the injection and resolved after 3 hours. No treatment was received for the events. The outcome of the events was resolved on 29Jan2021 at 11:30. The reporter assessed the events as non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1035001	2/17/2021	MI	40	F	2/1/2021	2/1/2021	<p>mild case of Bell's Palsy.; skin of the patient's jaw and chin started to feel numb/numbness of her cheeks, eyebrows, and ears; headache; This is a spontaneous report from a contactable consumer (patient). This 40-year-old female patient received the 2nd dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL3248, expiration date: Apr2021) via intramuscular in the upper left arm on 01Feb2021 at 04:30 PM at single dose for COVID-19 immunization. Medical history included asthma (exercise induced) and menstruating. Concomitant medications included Ibuprofen because she was menstruating. No other vaccine in four weeks. The patient previously received the 1st dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL3248, expiration date: Apr2021) via intramuscular in the upper right arm on 11Jan2021 at 04:30 PM at single dose for COVID-19 immunization. The patient was not pregnant. The skin of the patient's jaw and chin started to feel numb about 20 minutes after receiving the vaccine, headache came and went rapidly on 01Feb2021 17: 00. The sensation progressed rapidly to include numbness of her cheeks, eyebrows, and ears. The symptoms appeared rapidly after leaving the clinic as the patient was driving away on her from work. Both sides of her face were impacted equally. She went to an urgent care facility to be evaluated. An Urgent Care Physician's Assistant evaluated the patient. They looked inside her throat to see if it was closing up (it wasn't). They used a swab to test her sensory ability on her face by pressing with either the fuzzy-side or the blunt (wooden) side. When the patient asked the PA how she did, she indicated that she failed the test. They gave her Benadryl. At home, the patient went to bed, woke up normally, and did a "frown test" in front of the mirror. Her left side of face wasn't working the same way as the right side. She may have a mild case of Bell's Palsy in the morning of 02Feb2021. The patient had no covid prior vaccination, no covid tested post vaccination. Benadryl was received as treatment for the events. Outcome of the event "skin of the patient's jaw and chin started to feel numb/numbness of her cheeks, eyebrows, and ears" and "mild case of Bell's Palsy" was recovering, of the event "headache" was recovered.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1035007	2/17/2021	FL	67	F	1/28/2021	1/29/2021	Face was swollen; Eyes and then my mouth and lips started swelling; Eyes and then my mouth and lips started swelling; Eyes and then my mouth and lips started swelling; Itching around my neck ears and eyes; Itching around my neck ears and eyes; Itching around my neck ears and eyes; This is a spontaneous report from a contactable consumer (patient). A 67-year-old female patient received the second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL9262 and expiry date unknown), via an unspecified route of administration on 28Jan2021 14:00 at a single dose in the left arm for COVID-19 immunisation. Medical history included multiple sclerosis and environmental allergies. Concomitant medications included ascorbic acid (VIT C), colecalciferol (VIT D3), zinc, acetylcysteine (NAC), montelukast, and other unspecified medications. Patient is not pregnant at the time of vaccination. The patient was not diagnosed with COVID-19 prior to vaccination. Patient has not been tested for COVID-19 since the vaccination. Patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient received the first dose of bnt162b2 (brand: Pfizer, lot number: EL3246) on 07Jan2021 11:00 on the left arm. After the first dose, the patient formed a sty on her right eye and it is still there three weeks later. After second dose, the patient started itching around her neck, ears, and eyes on the day after injection, on 29Jan2021 10:00. By the third day, on 30Jan2021, when she woke up, her face was swollen, especially eyes and then her mouth and lips started swelling and the itching worsened. The adverse events resulted in doctor or other healthcare professional office/clinic visit. The patient recovered from the events on an unspecified date. Treatment received for the adverse events was Depo-Medrol Injection. The events were reported as non-serious.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1035011	2/17/2021	WA	73	M	1/12/2021	1/14/2021	a loss of vision in left eye that lasted for about three minutes; Dizzy sell; This is a spontaneous report from a contactable consumer (patient). A 73-year-old male patient received 1st dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot: EL1283), via an unspecified route of administration on 12Jan2021 08:15 at single dose in left arm for COVID-19 immunisation. Medical history included had surgery for a torn rotator cuff on 07Jan2021. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. Concomitant medication included oxycodone hydrochloride, oxycodone terephthalate, paracetamol (PERCOCET) only at night a few days before taking the shot for post-operative pain control. Two days after BNT162B2 (14Jan2021 14:00), patient had a loss of vision in left eye that lasted for about three minutes and had a dizzy sell that lasted for forty-five minutes after getting out of the hot tub. It was unknown if treatment was received for the events. The events resulted in doctor or other healthcare professional office/clinic visit. Doctors had no explanation at this time and had no idea if it was related to the injection. Outcome of the events was resolved on 14Jan2021.
1034606	2/17/2021	AZ	71	F	2/9/2021	2/10/2021	Chills, aches, migraine, joint pain, burning eyes, No fever

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1035536	2/17/2021	KY	49	F	1/8/2021	1/8/2021	Hives and it progressed to an anaphylactic reaction; Hives and it progressed to an anaphylactic reaction; hives itch; slight swelling around her eyes; This is a spontaneous report from a contactable nurse (patient) via Pfizer Sales Representative. A 49-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 08Jan2021 at single dose for COVID-19 immunization. Medical history included anaphylaxis (Patient does have a history of anaphylaxis to bee stings), Hysterectomy, Gallbladder surgery, Mastectomy partial/ lumpectomy, Alcohol use: Yes (Comment: socially rare, Drug use: Never), Shellfish-derived products, Seasonal allergies (J30.21), HX: breast cancer (Z85.31), smoker stopped on 01Jan2000 (Former Smoker, Years since quitting: 21, Smokeless tobacco: Never Used), Hot flashes, Axillary Node Dissection. Allergie to Bee venom, Shellfish-derived products, Coconut, Codeine, and Other The patient's allergies have been reviewed. Family History included Cancer oral of Mother; Lung cancer of Father and Maternal Grandfather and Paternal Grandmother; Uterine cancer of Paternal Grandmother. Concomitant medication included ongoing cetirizine hydrochloride (ZYRTEC [CETIRIZINE HYDROCHLORIDE]), ongoing dexmethylphenidate hydrochloride (FOCALIN [DEXMETHYLPHENIDATE HYDROCHLORIDE]), epinephrine (EPIPEN), ongoing lisinopril dihydrate (PRINIVIL), lisinopril (ZESTRIL), ongoing metoprolol succinate (TOPROL XL), valaciclovir hydrochloride (VALTREX), zolpidem tartrate (AMBIEN) from 30Apr2020 and ongoing, promethazine (PHENERGAN [PROMETHAZINE]) from 13Sep2019. Patient previously took Codeine and had vomiting and allergy to it. Patient had an anaphylactic reaction to our vaccine. it started as hives and it progressed to an anaphylactic reaction on 08Jan2021. they gave patient Benadryl afterwards for her anaphylactic reaction because they do not want to interfere with the efficacy of the vaccine that she was able to breathe so she did not have to have any Epipen or anything. She was sent to an ER within hospital to get that. She was in the hospital getting the shot and then they sent her to the ER and she started having the reaction. Emergency department summary of care: Chief complaint: Allergic reaction. ED Diagnosis: Diagnosis Final diagnosis. Allergic reaction to vaccine: Allergic reaction to vaccine. ED Vitals:

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

Date/Time: 08Jan2021 14:00. Pulse: 79. Resp.: 18. BP: 144/86. SpO2: 96%. Date/Time: 08Jan2021 12:54. Pulse: 90. Resp.: 16. BP: 147/98. SpO2: 96%. Weight: 72. 06 kg (160 lb). Date/Time: 08Jan2021. Temp.: 97.6 F (36.4 C). Pulse: 121. Resp.: 16. SpO2: 97%. Result: None. Imaging result: None. ECG result: None. Emergency Department Encounter: Patient was placed in face mask in first look and the following protective measures were taken unless additional measures were taken and documented below in the ED course. Patient was wearing facemask when nurse entered the room and throughout our encounter. nurse wore full protective equipment throughout this patient encounter including a face mask, and gloves. Hand hygiene was performed before donning protective equipment and after removal when leaving the room. Date of encounter: 08Jan2021. Last ED provide Note: patient is a 49 y.o. female who presents to the ED c/o chief complaint of allergic reaction. Patient reports that she just received her first Covid immunization approximately 30 minutes ago, immediately broke out into hives. Patient reports she had hives on bilateral arms as well as her back, hives itch. Patient complains of slight swelling around her eyes. No swelling of her tongue slipped or throat, no difficulty swallowing, no difficulty breathing, no nausea or vomiting. Patient reports that prior to the vaccination she was at baseline without complaint. Patient does have a history of anaphylaxis to bee stings, no other history of anaphylactic reactions, does have history of allergic reactions with hives. Patient received 50 mg oral Benadryl prior to arrival. Patient reports that the hives on her arm have since resolved, continues complain of itching on her back. No active ambulatory problem. No resolved ambulatory problem. All systems reviewed and negative except for those discussed in HPI. PHYSICAL EXAM nurse have reviewed the triage vital signs and nursing notes. ED Triage Vitals (08Jan2021 1229): Temp: 97.6 F (36.4 C), Heart Rate: 121, Resp.: 16, SpO2: 97%. General: No acute distress. HENT: NCAT, PERRL, Nares patent, no swelling of the lips tongue, no posterior oropharyngeal swelling, Voice is normal, no difficulty handling secretions Eyes: no scleral icterus. Neck: trachea midline, no ROM limitations, no stridor. CV: regular rhythm, regular rate. Respiratory: normal effort, CTAB, no wheezing rales or rhonchi Abdomen:

VAERS\_ID RECVD STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

soft, nondistended, nontender to palpation, no rebound tenderness, no guarding or rigidity. GU: deferred. Musculoskeletal; no deformity. Neuro: alert, moves all extremities, follows commands. Skin: warm, dry, bilateral arms are normal in appearance, no hives, No rash. Patient has several scattered Hives on her back. Lab Results: No results found for this or any previous visit (from the past 24 hour(s)). Nurse ordered the above labs and reviewed the results. Radiology: No Radiology Exams Resulted Within Past 24 Hours. Nurse ordered the above noted radiological studies. Nurse reviewed the images and results. Nurse agree with the radiologist interpretation. Procedures: Medications - No data to display. PROGRESS DATA. A complete history and physical exam have been performed. All available laboratory and imaging results have been reviewed by nurseself prior to disposition. After the initial H&P, Nurse discussed pertinent information from history and physical exam with patient/family. Discussed differential diagnosis. Discussed plan for ED evaluation/work up treatment. All questions answered. Patient/family is agreeable with plan. ED Course: Patient complaining of allergic reaction, hives seems to be resolving, no symptoms consistent with anaphylaxis. Symptoms seem to be improving after oral Benadryl, no further medication at this time, will monitor closely. Patient reassessed, reports rash has resolved, itchiness has resolved. Patient continues to deny any swelling of lips tongue or throat, no difficulty breathing, no nausea or vomiting. Discussed at length with the patient that Nurse do not advise her to get the second dose of the vaccination as it can cause repeat allergic reaction, possibly worse allergic reaction. Discussed possibility of obtaining the mother no vaccine once it becomes available. Patient understands. Discussed need for close follow- up with primary care physician, Extensive discussion return precautions. Discharging. The patient was reexamined. They have had symptomatic improvement during their ED stay. nurse discussed today's findings with the patient, explaining the pertinent positives and negatives from today's visit, and the plan of used plan for discharge as there is care. No emergent indication for admission. Discussed limitation of the ED work-up and that this is to rule out life-threatening emergencies but that they could require further testing as determined by their primary

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

care and or any referred specialist patient is agreeable and understands need for follow-up and repeat exam/testing. Patient is aware that discharge does not mean there is nothing wrong. Indicates no emergency is present, and that they must continue their care with their primary care physician and/or any referred specialist. They were given appropriate follow-up with their primary care physician and/or specialist. nurse had an extensive discussion on the expected clinical course and return precautions. Patient understands to return to the emergency department for continuation, worsening, or new symptoms. Nurse answered any of the patient's questions. Patient was discharged home in a stable condition. As of 14:11 EST Vitals: BP - 144/86, HR -79, Temp - 97.6 OF (36.4 Tympanic) O2 SATS - 96%. DISPOSITION: DISCHARGE: Patient discharged in stable condition. Reviewed implications of results, diagnosis, meds, responsibility to follow up, warning signs and symptoms of possible worsening, potential complications and reasons to return to ER. Patient/Family voiced understanding of above instructions. Discussed plan for discharge, as there is no emergent indication for admission. Patient referred to primary care provider for BP management due to today' BP. Pt/family is agreeable and understands need for follow up and repeat testing. Pt is aware that discharge does not mean that nothing is wrong but it indicates no emergency is present that requires admission and they must continue care with follow-up as given below or physician of their choice. Schedule an appointment as soon as possible for a visit in 2 days. Medication List NO changes were made to your prescriptions during this visit. ED Treatment Team. Previous ED Visit: None. ED Arrival Information: Arrival: 08Jan2021 12:27 PM. Means of Arrival: Car. Escorted By: Self. Service: Emergency Medicine Acuity: Emergent. Admission Type: Emergency. ED disposition: Discharged: condition stable. Triage sepsis screen: Row name: Sepsis screen. Documented or Suspected Infection: 0. Documented or Suspected Infection. Indications: None. Acutely Altered Mental Status:0. Temp <96.8 OR > 100.9: 0. Heart Rate >90): 0. Respiratory Rate > 20: SBP < 90:0 MAP < 65:0 Blood Glucose >140(mg/dL)- Not diabetic: WBC <4 or>12 (10\*3/mm3: Unknown Bands >10%. Result of current screen is: Negative. Medication administration from

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

08Jan2021 12:27 to 09Jan2021 02:02: None. ED Prescription: None. Discharge Orders (From admission, onward): None. Allergies (Reviewed on: 08Jan2021) Agent Bee Venom Severity: High, Shellfish-derived Products, Severity: High Comments: Anaphylaxis. Coconut Comments: Facial swelling. Codeine Comments: Vomiting. Other Severity: Phenofibrates cause Skin hives. Immunizations Administered Name: COVID-19 (PFIZER) Tetanus Up TO Date: None. ED LDA Documentation (to) Patient Lines/Drains/Airways Status Active Airway / Central Venous Catheter Line / Drain / Epidural Line / Intraosseous Line / Peripherally Inserted Central Catheter Line / Peripheral Intravenous Line / Arterial Line: None. Weight: 72.6 kg (160 lb). Height: 157.5 cm (62"). Oxygen Therapy from 07Jan2021 14:02 to 08Jan2021 14:02. Oxygen Therapy from 07Jan2021 14:02 to 08Jan2021 14:02 (continued) Date and Time 08Jan2021 14:00 (also reported 14: 11) spO2: 96 %. Date and Time 08Jan2021 12:58 Device (Oxygen Therapy: Room air. Date and Time: 08Jan2021 12:54 spO2: 96 % Device (Oxygen Therapy: Room air. Date and Time 08Jan2021 12:29 spO2: 97%. Breathing Date and Time: 08Jan2021 14:00, Date and Time: 08Jan2021, 12:54 Date and Time: 08Jan2021 12:29 were spO2:96 %, spO2:96 % and spO2:99 %. 08Jan2021 14:00 Departure Condition: Stable, Mobility at Departure: Ambulatory Patient Teaching Discharge instructions reviewed; Follow-up care reviewed; Medications discussed; Patient verbalized understanding. ED Events: Date/Time 08Jan2021 12:27 Patient arrival, Arrival info file, 08Jan2021 12:29 Triage Started, Patient roomed in ED, 08Jan2021 12:32 Assign Attending, Assign Provider, First Provider, Evaluation of Patient, 08Jan2021 12:52 Registration Completed 08Jan2021 12:56 Triage Completed, 08Jan2021 14:02 Patient discharged, ED Tracking End. Follow-up Information: Details Schedule an appointment as soon as possible for a visit in 2 days. Specialty: Family medicine Discharge Instructions: You have been given emergency department evaluation. This evaluation is intended to rule out life-threatening conditions. Is not a complete evaluation. You could require further testing as determined by your primary care physician or any referred specialist. Please follow-up with all doctors that you are referred to. Please be sure to take your prescribed medications and follow any

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

specific instructions in the discharge instructions. Please follow-up with your primary care physician within 48 hours. Please have your primary care provider recheck your blood pressure. Please return to the emergency department if you experience chest pain, shortness of breath, abdominal pain, fever greater than 102, intractable vomiting. Please return to the emergency department if your symptoms continue or worsen, or if you begin to experience any other concerning symptom.

Discharge References/Attachments: Hives Easy-to-Read AVS Reports: Date/Time: 08Jan2021: Report: COVID-19: Overview & Impact. Date/Time: 08Jan2021 Report: ED after Visit Summary. Chart Review Routing History No routing history on file. Case Management registry, Status: Active, First included on: 08Jan2021 2:20 PM, Emergency Encounter Documentation Registry, Status: Active, First included on: 09Jan2021 12:06 AM, Emergency Encounters Registry Status: Active, First included on: 08Jan2021 12:36 PM. Patient was recovering from the events. Information on the Lot/Batch number has been requested.; Sender's Comments: A causal association between administration of BNT162B2 and the onset of Anaphylactic reaction, hives, itching and Eye swelling cannot be excluded, considering the temporal association and the known adverse event profile of the suspect product. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1035741	2/17/2021	VI	78	F	2/10/2021	2/10/2021	Patient reports being in her usual state of good health when she presented for COVID19 Vaccination. She reports onset of diplopia without other symptom approximately 45 minutes after vaccination. Later that night she notes onset of full L eye ptosis which resulted in resolution of the diplopia. She was evaluated by ophthalmology the next day, 2/11, and was referred to the ER where she had a brain CT with no acute changes and unremarkable labs. Treatment with Plavix 75mg was initiated. She was evaluated in my office on 2/16 for persistent ptosis of her L eye and her exam is consistent with isolated third nerve palsy. Diabetes and lipid levels are at target.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1035544	2/17/2021	IL	28	F	2/1/2021	2/7/2021	stroke; a thunder clap headache; limbs stiffened up; eyes crossed; lost speech; She is now on day three of a coma on life support from a brain aneurysm; Mood swings; irate; Body aches; This is a spontaneous report from a Contactable Consumer, the patient. This 28-year-old non-pregnant female consumer (patient) received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot Number: Unknown), via an unspecified route of administration in the left arm on 01Feb2021 as a single dose, for COVID-19 vaccination. Historical vaccination includes BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), Dose 1. The facility in which the second vaccine was administered was a hospital. No other vaccines were given within 4 weeks. Prior to vaccination, the patient was not diagnosed with COVID-19. No Medical history reported ('No health issues, At all'). The patient has no known allergies. There were no concomitant medications. On an unspecified The Patient Experienced became irate. Mood swings. Body aches for couple days; On 07Feb2021 at 13:45, The patient experienced Stroke a thunder clap headache, limbs stiffened up , eyes crossed, lost speech, now on day three of a coma on life support from a brain aneurysm (hospitalization, disability, life threatening), Treatment was given for the events of stroke, a thunder clap headache, limbs stiffened up, eyes crossed, lost speech, and brain aneurysm. The Adverse Event resulted in an Emergency Room Visit. Treatment was given for the events. 'Patient on Life support still'. The Clinical Outcome of the events Stroke a thunder clap headache, limbs stiffened up , eyes crossed, lost speech, now on day three of a coma on life support from a brain aneurysm not recovered, while Mood Swings, Anger and Pain was unknown. Information on Lot has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1035599	2/17/2021	WI	62	F	12/19/2020	12/22/2020	Woke up one morning w/pain/ache in left lower jaw/back teeth, especially w/opening my mouth. Chewing on back molars hurt. As time went on pain worsened and radiated into my cheek, left eye and left ear. ~ One week later, I saw a dentist; he couldn't say whether it was TMJ or tooth problem, so sent me home w/quick splint to separate my top & bottom teeth at night and some exercises. These didn't help, so ~ a week after that, he gave me antibiotic. No improvement in symptoms until ~ a week after that. I saw pcp, as it felt like something was crawling inside my left ear. Ears were fine; she agreed w/inconclusive answer of dentist - at this point, there was some improvement in my symptoms. She suggested prescription-strength Naproxen for 10 days, which I did. the pain/ache has been mostly gone since completing the Naproxen. For last few weeks, I've been back to normal - no ache/pain/strange sensations in ear at all.
1035607	2/17/2021	IN	40	F	2/9/2021	2/11/2021	Extremely fatigue, nausea, headache, right eye blood shot, right side jaw pain, swelling right side face , right side ear pain
1035674	2/17/2021	FL	66	F	2/11/2021	2/11/2021	Within 15-minutes, the patient reported a "pulsating sharp pain" behind their right eye. EMS evaluated the patient on-site and they were found to be hypertensive (173/88). The patient proceeded to a emergency department. In the ED, the patient remained hypertensive with a mild generalized headache. They reported that their eye pain is constant but comes in waves of higher intensity. Differential diagnosis was possible stroke due to right-sided hemianopsia and right-sided ptosis. Patient was admitted and evaluated. Aspirin was administered and blood pressure was monitored prior to discharge.
1035682	2/17/2021	NJ	73	F	1/27/2021	2/2/2021	Around the 2nd or 3rd of February I started seeing double vision. I went to the eye doctor about a week or ago. The Dr. said it was muscle pulling of my eyes. Tomorrow I have cataract surgery. One March 4th I have a follow up to discuss the double vision. If I cover one eye then I can see fine, but when I look with both eyes I am still seeing double vision.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1035683	2/17/2021	MI	48	F	1/23/2021	1/26/2021	Developed terrible neck pain, headache, nausea, fever, chills, chest pain, difficulty breathing and by Wednesday, 1/27/21, had a rash with welts all over my body; I also had eye puffiness to the point that my vision was impaired
1035690	2/17/2021	KY	37	M	1/22/2021	2/10/2021	Patient here today with left sided jaw pain starting 2 days ago. He has subsequently had worsening paralysis of the left side of his face. He is not able to fully elevate his left eyebrow, close his left eye, or smile with the left side of his face. He had a COVID 19 vaccine 1 moth ago and was scheduled for his second one today. No word finding difficulty or headache. Diagnosed with Bell's Palsy; treated with prednisone and Valtrex. Instructed to go to ED for loss of vision or evolving symptoms. Wait on second COVID vaccine until prednisone is finished.
1035711	2/17/2021	VA	64	F	2/12/2021	2/13/2021	Sat, Feb. 13, 2nd day after shot: during the afternoon arthritis pain intensified and Tylenol Extra Strength for Arthritis did not alleviate it, which it always has in the past. Later sometime in the middle of the night, I wasn't able to fall asleep as if I'd had a stimulant, and had intense arm pain where shot given, some nausea, some intestinal discomfort, intense pain at temples and behind eyes, overall "crappy" feeling. Sun., Feb 14, 3rd day after shot: Pains/symptoms same as above with the addition of a low grade fever (99.9), chills, fatigue, no appetite. Tylenol didn't help. Was able to drift in and out of light sleep. Later in the day, fever and majority of symptoms suddenly "left", gradually decreasing until I felt fine again by Sunday evening. No issues Monday, Feb. 15.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1035724	2/17/2021	MI	68	F	2/11/2021	2/12/2021	woke up the night of my vaccine with pain in my left eye and significant itching and tearing. The pain went away in a couple of hours but the itching continued for 3 days. It woke me up from sleep 3 nights in a row. I took Zetidol eyedrops and Allegra with very little improvement. I get similar eye symptoms with seasonal allergies but this was the worse I have ever experienced and was not accompanied by runny nose, sneezing or coughing which I usually get with seasonal allergies and this is not a typical season for my allergies this may be just a coincidence but since I have read that Covid 19 can give similar ocular symptoms I am concerned about my second dose. I got a COvid test 2 days ago (no other symptoms) and do not yet have the results
1035532	2/17/2021	FL	67	F	1/7/2021	1/1/2021	Sty on my right eye; This is a spontaneous report from a contactable consumer. A 67-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) first dose, lot number: EL3246, via an unspecified route of administration on 07Jan2021 11:00 at a single dose for COVID-19 immunization. Medical history included multiple sclerosis (MS) and environmental allergies. Concomitant medication included ascorbic acid (VIT C), colecalciferol (VIT D3), zinc, acetylcysteine (NAC) and montelukast. In Jan2021, after 1 dose the patient formed a sty on her right eye, and it was still there three weeks later. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior vaccination the patient was not diagnosed with COVID-19 and has not been tested for COVID-19. The outcome of the event was unknown. The event was assessed as serious-medically significant.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1037054	2/17/2021	CA	45	F	1/20/2021	2/16/2021	She got her first messenger Moderna RNA Covid vaccine on 1/20/2021 through work. Pt started having symptoms about a week ago she has had generalized body aches headache chest pain, myalgia, fatigue, cramps, Nausea and diarrhea. Pt went to ED on 2/12/2021. Pt has known Migraine and took left over Dilaudid, caffeine. Pt continued to have diarrhea until 2/14 and other symptoms gradually improved. Pt woke up today and noted that her eyes were glassy, still had the pulsating headache and Right retro orbital pain. Pt noted drooping of the lips, tongue was tight and unable to close left eyelids completely. The family was called 911 and taken to the ED Pt had Brain CT and Stroke was ruled out. Pt was diagnosed with Bells Palsy and discharged home on Valtrex and Prednisone
1036895	2/17/2021	CO	68	M	2/10/2021	2/15/2021	Headache, body (muscle) aches, stuffy head, runny nose, itchy/burning eyes, low grade fever, fatigue/lethargy, mild nausea, colon cramps. Symptoms were not severe. I just wanted to make you aware of them, since I understand that it is rare to have symptoms after the first dose (which this was). I was not in any place or around any people to be exposed to a cold or flu virus.
1036907	2/17/2021	NC	0	M	2/17/2020	4/17/2021	Patient arrived at Health Dept. to received #2 dose Of Moderna. He denied any side effects from #1 vaccine. . Patient was transferred to "Holding area" for 15minutes. When time to leave he began to c/o dizziness with headache 2/10 . He denies blurred vision. No neuro deficits/ VVS 142/80,92HR,92% o2Sat. Fluids offered. . He remained alert and responsive throughout evaluation. Patient stated he would go to Clinic for further evaluation. Ambulated to car without assistance . Gait steady.
1036917	2/17/2021	TX	71	M	2/4/2021	2/16/2021	Patient was shoveling snow and could not shut right eye, had jaw pain, was biting his tongue, and headache. Went to ER and diagnosed him with Bell's Palsy and said it might take 6 months to go away.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1036923	2/17/2021	MA	56	F	1/2/2021	1/2/2021	Evening my arm started hurting (injection site arm). Next day, dull pain in my back and arm still hurt. Monday (day 3) the pain moved to my chest - a dull pain. Day 6 I noticed that my throat was tight at end of the day. It didn't hurt; just tight. Friday morning, I woke up feeling chilled. I called Employee Health. They had me tested. I had a low grade fever for a couple of days. I took Motrin. As the week progressed, I had a little cough but bad enough to treat I had a little bit of sinus. I had two days of sinus headache - took Motrin. I had a day (maybe Wednesday) that I got a blister on my eyelid. It irritated my eye. It subsided about two days after. The end of the week, I lost my sense of smell. It took a couple of weeks before that came back.
1036943	2/17/2021	IL	66	F	2/15/2021	2/17/2021	Day of vaccine symptoms previously recorded cleared up next day. Today, 48 hours after vaccine I now have cold symptoms. Watery eyes/nose and spitting up phlegm.
1036950	2/17/2021	PA	55	F	2/11/2021	2/12/2021	About 20 hours after injection, in addition to sore arm, my brain felt foggy. I work on the computer could not remember what to do next as I searched for needed files. At the end of the day, I signed off my computer but needed to think about how to turn off the monitor. The next day was better, but by the 3rd day out I became very sensitive to sound. On the 4th morning the brain fog got much worse, my head hurt and I felt like I was moving through life in slow motion. This continued for two whole days and I could not sleep at night due to the intensity of my headache. All of this could have been a migraine which I had in the past, but never to this extent. Past migraines were visual in nature and only lasted about an hour. By the 5th day, I started to feel normal, with the occasional headache or wave of nausea.
1036952	2/17/2021	NY	69	M	2/13/2021	2/15/2021	head ache, eye ache, upset stomach, muscle ache

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1036953	2/17/2021	CA	42	M	2/16/2021	2/16/2021	13:35 pm - Pt found as beginning to slump over in chair. Assisted from chair to floor. Pt lying down, responding to stimuli, eyes opened and closed. Answered questions appropriately. Episode lasted approximately 2-3 minutes. Pt cold and clammy. V/S taken BP 144/113, pulse 59, temp 96.7. O2 98%. Pt stated had hx of lightheadedness once as a teenager when having blood drawn. 13:46 V/S BP 151/106, pulse 72. Patient stated feeling comfortable. 13:50 Pt sitting up in chair. 2 pm BP 146/105, pulse 72. Pt states feeling better and cooler. given bottled water. 14:20 pm Pt left on own stated friends to meet him at site.
1036848	2/17/2021	AZ	43	F	12/26/2020	12/26/2020	My lips started swelling and my tongue swelled and throat got all itchy. My eyes were really puffy. I took Benadryl - I took 2. It made me sleep. I slept for about 1 hour and went back to sleep. I went back to sleep for 9 hours and the next day I I was a little tired and had some aches. Was fine after that.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1037036	2/17/2021	IN	67	F	2/4/2021	2/10/2021	On February 10, 2021 I awakened with an irritated left eye that was "glued" shut. My eyelid was also droopy and the eye appeared to be more closed than usual. My left pupil was also larger than that of my right eye. My vision was blurrier than normal in that eye also. In the past I have had herpes simplex episodes with this eye and believed that my eye was "acting up" again, although I had not had these exact type of symptoms before. I had hoped that the eye issue would resolve within a few days as I was already on maintenance drugs as mentioned previously. However, the symptoms did not improve. On February 16, 2021 I determined that I should consult my ophthalmologist. Upon examination, he saw a new dendrite had formed over the center of my eye; my eye pressure was elevated and the herpes virus once again resurfaced. Dr. asked if I had had a flu shot or been ill, as that can cause the herpes virus to re-establish. At that time I informed him that I had received my first Moderna Covid vaccine on 2/4/2021 and it was his belief that this shot caused my herpetic eye virus to re-erupt. I had filled out a previous VAERS report (temporary E-Report #297262) because I had developed "covid rash" on my left arm at the vaccine injection site. I completed that form on 2/11/2021, as the rash appeared on 2/10/2021. Apparently, the herpes/eye infection was another adverse reaction to the first Moderna vaccine, but at the time I did not "connect the dots"; my ophthalmologist did so for me at my 2/16/2021 visit.
1036963	2/17/2021	HI	34	M	2/16/2021	2/16/2021	C/O dizziness. Medical reserve corps volunteer took vital signs @12:53 BP 120/80, pulse 68, RR 16, breath sounds clear. Reported history of discomfort after shots. Bottled water given. Client reported feeling better, cognitively intact. Answered questions appropriately, made good eye contact. Released from post-vaccination monitoring area.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1037056	2/17/2021	PA	21	F	1/9/2021	1/10/2021	January 10, 2021 around 1:00 AM i woke up from a sound sleep with 10/10 midsternal chest pains. I was seen in the emergency room for the chest pains. The emergency provider ruled out the chest pains as NOT being cardiac or Gastrointestinal related after doing countless blood tests and other various tests. I then followed up with my PCP and they said to keep an eye on it to see if it got any worse and to seek medical attention if the chest pains did get worse. After 4 days the pain went away.
1037131	2/17/2021	NY	40	F	2/11/2021	2/12/2021	That night, 2/11, left arm, neck and head became so sore it woke me up in the middle of the night about 3am on 2/12. The next day, 2/12, full body aches and muscle/joint pains and headache. It felt like all my previous injuries in life came back to haunt me. As the day went on, my head got hot and my feet freezing. Then the fever and chills/sweats began. Fever reached 100.6 degrees. The soreness radiated out from my left arm until my hands and head hurt. Eventually, my teeth/gums, eyes and scalp were hurting. I took both ibuprofen and Aleve but neither helped much. The morning of 2/13, I couldn't wake up in the morning. I woke up from one vivid bad dream into another into another. Finally was able to wake up. Fever was gone, soreness decreased over the course of the day. But my chest, back and ribs hurt like they had when I was sick with COVID. I developed a runny nose and raspy voice and shortness of breath. Used my inhaler and felt better. Now fully recovered.
1037150	2/17/2021	WA	48	M	2/10/2021	2/12/2021	Two days after the injection on Wednesday, red spots began to appear on the neck from Friday. From the evening it began to spread to the chest and legs. Saturday got worse, so itching in my neck and chest. The eyes were swollen and the double eyelid disappeared. On Sunday, my eyes were swollen and pus started to form from the red spots. On Monday, I couldn't go to work because my eyes were so swollen, and my skin became dry and itchy.
1037182	2/17/2021	TX	36	F	1/13/2021	1/13/2021	Heart Rate at 160 Dizziness Blurred vision Fever 101.0 Chills

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1037227	2/17/2021	FL	79	F	2/17/2021	2/17/2021	Face became very hot, vision blurred momentarily; I continued to feel very hot although the car window was down and it was a cool day; then I realized that my nasal passages were swelling. First symptoms subsided after 10 min, nasal passages were returning to normal after 15 min. No treatment given. I didn't even report it as I didn't see anyone to report it to until I was pulling out of the Fairgrounds.
1037243	2/17/2021	AZ	67	F	2/2/2021	2/6/2021	2/2/21 received COVID vaccine at hospital clinic. 2/6/21 headache began then 2/10/21 numbness on the left side of face including eye, eyebrow, nose, and mouth. 2/11/21 Primary doctor visit diagnosis Bell's palsy on left side meds given prednisone, Valacyclovir, increased metformin, and amlodipine. Still having symptoms of numbness, no taste, eye lid doesn't close makes eye water and frequent headaches.
1284989	2/17/2021	NY	86	F	2/15/2021	2/15/2021	Back and head arched back. eyes Rolled back arms flexed and extended lasting 1minute. Pt recovered on her own walked her own into building. Family reported episode occurred 45 min to 1 hr after receiving . vaccine

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1035543	2/17/2021	FL	68	F	1/29/2021	1/1/2021	<p>out like a 'light' and this stuff knock her out; whole entire face her head, down her back her neck was numb/Numbness in leg/jaws are numb; I'm feeling my teeth are still and my jaws are numb; felt very odd sensation as she was swallowing; was closing up but much wasn't closing up/it was not full open; swelling on her throat; Muscle pain in my left arm where they gave me injection and it hurts my neck area across my back down my arms specially my left side; it hurts my neck area across my back; it hurts my neck area across my back; Stumbling; face was swollen; eyes looks like little switch; thirsty; felt very sluggish; nose started to running; This is a spontaneous report from a contactable consumer (patient). A 68-year-old female patient received first single dose BNT162B2 (Solution for injection, batch/lot number and exp date not reported), via an unspecified route of administration (anatomical location: arm left) on 29Jan2021 15:00 for COVID-19 immunization. Medical history included insomnia and asthma. The patient's concomitant medications were not reported. Patient stated, "I got the vaccine yesterday about 3 pm and I came home and I had dinner and sat down to watch TV at 9 O' clock, I turn the program on and I was out like a 'light' and this stuff knock me out (onset date: 29Jan2021). My dog has to wake me up licking my face at 3:15 this morning. I normally don't sleep long 4 hours and that's it. I'm 68 years old and I have insomnia (History) but when I woke up I was stumbling around, still have to sleep (onset date Jan2021), I took the dog out to walk and came back and saw myself in mirror, my face was swollen and my eyes looks like little switch. I noticed, I was thirsty and I went to get and drank, some coke because I felt very sluggish and I drank some coke and when I was swallowing the coke I felt very odd sensation as I was swallowing, I noticed that after swallowing. I have asthma (History) to begin with so I'm anticipated on having some of the symptoms it start showing up a bit, my nose started to running and I noticed that my whole entire face my head, down my back my neck was numb along with swelling on my throat, I felt okay but I felt it wasn't being, it was closing up but much wasn't closing up you know what I mean it was not full open. I also had muscle pain in my left arm where they gave me injection and it hurts my neck area across my back down my arms specially my</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

left side. I also noticed I went to a lovely person and when I went to bathroom I pull my pants down I felt numbness on my legs. So, my whole body was kind of having that not tingling sensation but numb and when I ran my fingers across my leg you know how you feel numbness when you run your fingers across a part of your body when it's numb that's exactly how I felt and that was about 3:30 this morning that happened I woke up by but I also want to ask question because I got to go back to my second shot. I'm wondering if I go back to my second dose am I going to have even more intense reaction to the stuff that I get this time." Patient further added "I was still trying to eat something but I'm feeling my teeth are still and my jaws are numb and this I got since yesterday (29Jan2021)." The outcome of events was unknown. Information on the lot/batch number has been requested.

1036382 2/17/2021 NC

69 F

1/23/2021

1/23/2021

69 yo female reports AE after receipt of Covid vaccine #1 (EN 5318 13 FEB 21) via drive thru event. She reports within minutes she felt unwell but had difficulty being more specific. She states she felt a warmth in her chest which traveled to her stomach. A few minutes later she felt SOB, and could not catch her breath. She states her respiratory rate increased. She talked to staff and was told if got worse to honk horn or use flashers. She did not request additional assessment. She waited her required 15 minutes and drove home another 20-25 minutes. She states she noted her face swelling. She thinks she may have had some throat swelling, but then wasn't sure. She developed some nausea, but no emesis which continued for 2-3 days. She denied watery or red eyes, runny nose, pruritis, rash, palpitations, heart racing, chest pain, cough wheezing. She states the breathing symptoms resolved in a few hours. She was unsure of the facial swelling resolution time frame. She developed a headache and felt malaise for 2-3 days, then symptoms resolved. She never took any medications other than her prescriptions. She did not seek care during symptom time frame.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1036972	2/17/2021	HI	68	M	2/16/2021	2/16/2021	C/o dizziness post-vaccination. VS@12:55 BP 137/91, pulse 66, RR 16. Referred to EMT: systolic BP 124; EKG showed irregular heartbeat, unspecified. Recommended further assessment by participant's cardiologist. Bottled water given. Client reported feeling better. Stood up and walked a few steps. Coherent, pleasant, answered questions appropriately, appropriate eye contact.
1036569	2/17/2021	MO	27	F	2/5/2021	2/14/2021	BULLS EYE REACTION AT THE SITE OF INJECTION, POSSIBLY CELLULITIS, RED WARM TO TOUCH.
1036412	2/17/2021	NY	72	F	2/8/2021	2/16/2021	I do not know if this was an adverse event to the vaccine or not. It was not like an allergy reaction which I really don?t get. Felt more llike a mild flu. I have read that some people had delayed effect. It started out as a eyestrain type headache last night that got worse then I felt somewhat queasy like I had to throw up which I did three times. Then I had Somewhat loose stool. It could have been another ailment but I don?t know. I was feeling fine until this happened. I had a sore arm after the injection at injection site for maybe three or four days but it was gone by time this happened. I did not have a fever that I know of but I did have periods of becoming chilled or hot. I do not feel like I drink anything including water. I did not have any rash, but I did have a bruise that showed up the day before and right lower arm above my right wrist. But who knows I might have bumped my arm I or not I just don?t know. Today I feel a little better. Able to eat Jell-O. Headache almost gone.
1036974	2/17/2021	FL	77	M	2/17/2021	2/17/2021	Mini seizure, jerking limbs , eyes rolling in back of head, choking.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1036843	2/17/2021	CA	58	F	12/23/2020	1/13/2021	On 1/13/21 my 2nd injection I was fine the next day I felt fine but in the afternoon around 2:30 I noticed my left side of my neck was swollen so I had asked 2 of the M.D.'s and a N.P. to check it and they felt 2 lumps along with the swelling and asked me to keep a eye on it, After a few days the swelling in my neck was gone but the lumps were still there so they asked me to contact my PCP which I did and a few days later she ordered a ultra sound which I had done on 2/4/21 and the results showed there were 3 lumps. I was asked by my PCP to wait 2-3weeks to see if they subside and if not she will order a new ultra sound(which I am waiting to hear back from her)
1036481	2/17/2021	HI	35	M	2/16/2021	2/16/2021	Moderna COVID-19 Vaccine EUA - very fatigue, drowsy left eye (described by others as swollen)
1036486	2/17/2021	IN	82	M	2/12/2021	2/13/2021	2/13 0800 Post second vaccine. Weak, dizzy, unable to walk per self as usually does. SBP 80 when getting up to use commode with diarrhea. Syncope lasting approx 15 seconds. Came to et was oriented X3 at that time but having times of confusion. Staff reports pt felt weak and same way after first Covid vaccine. Encouraged hydration, bed rest, use of stand aide for use of BR. Gave Claritin 24 hour tablet. Held lisinopril. 2/14 @ 10 am. Feeling some better, mostly oriented with episodes of intermittent confusion. Drank lots of fluids over past 24 hrs. SBP 99. Continued with some diarrhea. Held lisinopril et gave another Claritin 24 hr. Tablet and encouraged hydration. Monday 2/15. SBP. 114/51. Gave Claritin 24 hour tablet and held lisinopril. Encouraged fluids. Feeling some better. Not as weak. Denies dizziness. Able to walk some per self. In evening used stand aid. 2/16 dayshift. BP 123/47 et heart rate 78. lisinopril held. Able to ambulated in room with supervision. Mentation at baseline. 2/17 dayshift.: lisinopril held. Ambulation per self in room and hall with supervision. BP 114/59 with heart rate of 57. No confusion. Mentation at baseline.
1036487	2/17/2021	MO	49	F	2/15/2021	2/15/2021	Muscle aches & pain to the bone; chills so bad I couldn't stop shaking for three hours no matter how many covers; full-head headache to the point I could barely open my eyes; lasted approximately 12-15 hours overall

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1036431	2/17/2021	KY	46	M	2/13/2021	2/13/2021	Within 5 minutes I had blurred vision, foggy brain and dizziness. This lasted about an hour, and after that I was fine. It seemed to come on fast, and then leave just as fast.
1036553	2/17/2021	WA	87	F	2/16/2021	2/16/2021	Patient was in the observation area and started to feel strange and her eyes started watering. EMS was on site and initiated blood pressure monitoring. Patients BP was 174/95 and RR 77. Her blood glucose was 106. Patient stated she didn't take her morning meds. She was monitored for 15 minutes and felt better and went home with her daughter.
1036446	2/17/2021	TN	71	F	2/5/2021	2/5/2021	Patient described blurry vision, diaphoretic, low heart rate of 60, hypotensive 90/60.
1036582	2/17/2021	MI	48	F	2/15/2021	2/16/2021	After my first dose on 01/18/2021, I was diagnosed with pink eye on 01/21/2021. Took Polymyxin B-Temp eye drops for 7 days. This dose on 02/15/2021, one night after, my right eye again felt heavy, blurry, crusty in corner, and very much like the beginnings of pink eye. Next day, look in mirror, and above iris, there's a grey discoloration that looks like my iris has shifted down. Upon further investigation, it is swollen. Alrex eye drops prescribed for two days. Return to doctor if not corrected.
1036612	2/17/2021	MI	20	F	2/10/2021	2/13/2021	syncopal episode began 2pm 02/13/2021. Began to get dizzy while standing so sat down in chair. Felt voices becoming further away before eyesight turned black. Patient fell out of chair but was caught by family member. Patient immediately came back to consciousness.
1036753	2/17/2021	PA	67	F	2/12/2021	2/12/2021	Neck pain and stiffness, headache unlike any previous headache, fever, myalgia, somnolence, mental confusion, anorexia, eye pain, photophobia: worst during the first 24 hours after vaccination, but ongoing to present. Feels like meningitis symptoms.
1036794	2/17/2021	OH	33	F	2/8/2021	2/15/2021	Both eyelids feel and look puffy. I have to make an effort to open my eyes all the way. This occurred after the first dose, I thought it was due to old make up. After the second dose it is occurring more often and is more bothersome.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1036510	2/17/2021	CA	65	F	2/9/2021	2/11/2021	On February 11, 2 days after my vaccination, I woke up with pain and swelling under my left eye. Over the next 2 days, the left side of my face under the eye experienced redness and swelling then subsided and localized into a large styel on the lower left eyelid. Now, a week later, the styel is still red and pus filled but has improved and is slowly resolving. I would not normally think that this affliction had anything to do with getting a vaccine but it does seem strange that something like this could occur in someone who is very healthy and and does not experience any side effects from vaccines. The last time I had a styel was in my 20's and it wasn't nearly as bad as the one I am now experiencing. Since the Covid vaccine is so new and however unrelated this coincidental affliction seems, I thought I should report it regardless.
1036767	2/17/2021	CA	79	F	1/28/2021	1/28/2021	4 seizure type episodes (including shaking, eyes rolling back for about 15-30 seconds long) after being moved out of bed - lasted 4 days Fever up to 102.5 - lasted 5 days Could not stand - 8 days Body aches - 8 days Could not walk - 9 days Weakness - on going since vaccine Shaking - on going since vaccine
1036723	2/17/2021	OR	31	M	2/17/2021	2/17/2021	The patient began experiencing symptoms 30 mins. after the vaccination was given. He reported sudden sense of nausea, tunnel vision, headache and light sensitivity. He returned to the clinic shortly after leaving due to his condition. We had him rest in one of the outpatient rooms while monitoring his vitals, was also given an instant ice pack for his head. The pt. was prescribed Banophen (anti-histamine), Ondansetron for nausea and Ibuprofen 800mg for pain relief. He was given 6 TAB of both the Ondansetron and Ibuprofen but took 1 tablet of each of the 3 medications after coming into the exam room. Our patient relaxed in the room and was closely monitored for 45mins.-1hr. following coming back. Pt. began feeling better about 30mins. into his stay where he waited another 20-30mins. to ensure symptoms resided and he felt better. He was free to leave once better. Instructions were to contact our clinic or return if the headache or nausea returned or if his symptoms worsened.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1036714	2/17/2021	FL	67	F	1/15/2021	1/16/2021	Pt vaccinated at 4:30 pm for first dose. Left CHD did normal daily activities. Went to bed that evening woke up around 3 am on 1/16/21 extreme pain to left arm, diaphoretic, chills, weakness. Went to stand up and started experiencing vertigo. Made it to restroom, was able to void, went to stand up and found herself waking up on the floor. Had redness and swelling to right cheek, ecchymosis to right eye, and found abrasion to left posterior head. Stated it took 48 hours for the weakness and fatigue to go away. Pt did not seek medical attention right away however did contact her PCP and make aware of occurrence. Was given the ok per PCP to receive second vaccine.
1036701	2/17/2021	FL	81	F	1/20/2021	1/24/2021	1-TRANSIENT ISCHEMIC ATTACK: PARESTHESIAS OF FACE, MORE MARKED AROUND CHEEKS AND MOUTH, FELT EYES DEVIATING TO RIGHT SIDE, BLURRED VISION, DIZZINESS, FEELING OF MAJOR DISTRESS 2-, MUSCLE SORENESS STARTED TO INCREASE AFTER ONE WEEK AND HAS CONTINUED TO INCREASE OVER TIME, BECOMING WORSE AT 4 WEEKS, AND LIMITING EXERCISE: CANNOT RAISE ARM, OR DO ANY MOVEMENT THAT REQUIRES MUSCLE FLEXION OR EXTENSION.
1036695	2/17/2021	IN	31	F	1/18/2021	1/18/2021	rash on arm and across chest, numbness and tingling on L side of face and numbness of L fingers on side of covid shot x 3-4 days , blurry vision x 2 weeks light sensitivity 2nd shot rash on arm and pain/ hot to touch, numbness and tingling on L side of face and numbness of L fingers/hand ongoing to date
1036670	2/17/2021	AK	60	M	2/15/2021	2/15/2021	On evening of vaccine, patient developed arthralgias, right eye felt irritated, 30% vision loss with blurring . During the night, developed fevers, chills, substernal chest pain with radiation towards his back and bilateral arms. mild SOB. Next day, continued chest pain/angina, worsened with climbing a flight of stairs. Admitted to ED/ICU 2/16, general myalgias, Temp 100.7, CP 1/10 on arrival to ED. Small abrasion to right eye noted after flourescein stain.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1036665	2/17/2021	MN	34	F	2/12/2021	2/13/2021	2/12 pm- start of sore arm and slight headache approaching at bedtime. 2/13- swollen lymph node in left axilla with pain, painful left arm and swelling at injection site, headache, fever over 101 degrees F, body aches, on/off nausea 2/14- on/off nausea 2/15- severe headache all day, on/off nausea, sensitivity to smells, light sensitivity, eye pain 2/16- slight nausea 2/17- slight nausea
1036621	2/17/2021	WI	65	F	2/16/2021	2/16/2021	2/16/2021, CLIENT NOTICED RIGHT EYE SWELLING WHEN RETURNED HOME FROM VACCINATION AT 1200 PM. EYE ALSO LOOKED BLOOD SHOT. CLIENT APPLIED COLD MOIST COMPRESS TO EYE. BY EVENING, SWELLING WAS GONE BUT SCLERA PINK AND LIGHT SENSITIVE. THIS AM, 2/17/2021 EYE IS A LITTLE PINK YET, NO SWELLING. HAS NOT AFFECTED VISION.
1033247	2/16/2021	FL	69	F	2/2/2021	2/2/2021	At 5 1/2 hours arm was hot, swollen, itchy and burning. Worsened overnight and lasted for 11 days. Looked like cellulitis, but did not travel. current at day 14 and injection site resolved, but is now peeling. Can still visually see where inflammation was. Also, had flu-like symptoms day after receiving vaccine (chills, fever, achy). Resolved after 36 hours.
1033232	2/16/2021	IL	45	F	1/7/2021	1/7/2021	1/7 Vaccination; Drove home; within 20 min of vaccine. My eyes started to itch, my nose was runny and itchy, my cheeks were tingling, my upper lip tingling. My whole body was covered in rash within the next 35-40 min. Called co worker, guided to urgent care. Received steroid shot. I used my albuterol inhaler every 4 hours for next couple days. I spoke to allergist over phone; prednisone for 5 days. Double up on Allegra. By 3rd day, Albuterol was 2-3x day. *Plan is to do a skin test when opening back up, the unit. March / April timeframe. They may end up doing a 10% diluted vaccine. **dr stated anaphylactic episode.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1033292	2/16/2021	GA	51	F	2/15/2021	2/15/2021	My face became "tingly" almost immediately, especially around my nose and side of my face; my throat felt like it had a lump in it and it felt as if I could feel my heart beating in that lump; my heart felt rapid/fluttery; my head hurt and I felt dizzy with slightly blurred vision. I was kept at the facility extra time (around 40 minutes in total) and left with a friend to return about an hour or so later to drive home. I did not have any difficulty breathing but did have some rashy/redness on my chest but that is not unusual for me when I am having any kind of distress. The other s/s were not typical for me.
1033300	2/16/2021	ND	67	F	2/11/2021	2/14/2021	Patient reported to the ED with complaints of right sided facial drooping. Right eye watering. Inability to close right eye. No motor weakness in her body. Right sided ear pain. loss of right nasolabial fold.
1033306	2/16/2021		57	F	1/27/2021	1/27/2021	Tachycardia, flushed, short of breath, swollen eyes, dizzy. Given Benadryl 50 mg po with minimal relief. Then taken to the ED where she received methylprednisolone and famotidine IV. She was observed for a few hours and discharged home with steroids and Pepcid prescriptions.
1033318	2/16/2021	NJ	81	F	2/4/2021	2/14/2021	left arm-site of injection-huge red circle encircling site with bright red dots in the circle (bull's eye)-only slight itching but not enough to be uncomfortable. Initial itching was a little more.
1033329	2/16/2021	CA	57	F	12/20/2020	12/20/2020	With initial vaccine on 20 Dec 2020 I had immediate tingling and numbness of left upper and lower lip. I went home and took a 60 mg Allegra and 1 Aleve. It subsided. I woke in the morning and the numbness returned so I took 1/2 60 mg Allegra and it subsided. No additional problems from 1st dose. I received 2nd dose on 12 Feb 2021. I felt fine initially. I woke the following day and had completely lost far vision. I could see up close but could not see far and my eyes felt very swollen. I also had right sided headache. The symptoms resolved later that day on 13 Feb 2021 at 5 pm.
1033334	2/16/2021	MI	48	F	2/2/2021	2/8/2021	Hives ,Itchiness ,Puffiness of the eye ,swollen lips

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1033279	2/16/2021	CO	64	F	2/12/2021	2/15/2021	All of a sudden, day 3 after the vaccination, her right eye is swollen. Eye lid was red and swollen, She went home and applied ice to the eye. Three hours later the swelling had gone down.
1033338	2/16/2021	CA	76	F	2/5/2021	2/6/2021	NO fever at all during this time or shortness of breath. Pain in the arm at injection site up into neck and top of head. (48 hours) Tylenol for pain. About 3pm Saturday 2/6: Concerning spike of blood pressure 154/92-resulted in urgent care visit. Covid test taken as precaution by MD. Mom not "feeling well" 0630 Sunday 2/7: BP spike to 166/109, Blurry vision, dizziness. EMS called to assess at home. followed up by ER visit. all tests resulted negative. BP dropped to 120/72. On discharge BP up to 162/92. Lisinopril prescribed for HBP. 1 dose given. Monday 2/8: Vomiting and diarrhea, lightheaded. EMS called for assessment, BP drop 100/70. Hydration, rest. Moderate/Severe fatigue and aches (6-7 days) Mild lethargy. (24-36 hrs)
1033360	2/16/2021	RI	75	F	2/15/2021	2/15/2021	I feel like I am coming out of a Novocain feeling. my face was numb and in my ear, jawline, nostrils, left eye... everything feels numb.
1033420	2/16/2021	CA	50	F	1/14/2021	1/15/2021	From occupational health note: patient was asked by her supervisor to call. Received vaccine on 1/14, had dizziness, seeing spots in her eyes, lethargy and was sent to to ED and discharged. Generalized itching the next day. All sxs have resolved since yesterday. Scheduled to work on Friday, 1/22. From ED note: 50 yo f c/o mild dizziness and light-headedness today, worse with standing up. No n/v/d/f/c. Describes sx as typical early flu like sx today but slightly worse than her usual feeling from flu vaccines. Received the covid vaccine yesterday and friend experienced same symptoms. Felt "difficulty concentrating at work", which was very busy. No weakness, pre-syncope, numbness, cp, sob. No unsteady gait, vision changes. occ vision spots assoc with standing up. H/o anemia, h/o gastric bypass 2005. Often gets routine labs q 6 months but has not had any yet since COVID.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1033430	2/16/2021	KS	41	F	1/8/2021	1/8/2021	COVID vaccine lot 025L20A Patient reported to the nurse at her second COVID vaccine shot that her right eye became red and irritated 4 days after her first COVID vaccine. Patient reports that she called her ophthalmologist who agreed it was an allergic reaction to the vaccine.
1033449	2/16/2021	IL	17	F	2/12/2021	2/16/2021	Patients menstrual cycle started the day she received the moderna vaccine, the next day,02/13/2021, she stated it was heavier than she had ever had. Patient reported changing birth control 1-2 months previously. On 02/16/2021 Patient's father reported she was standing in the kitchen and her pupils were huge. Patient told parents she couldn't see or hear. Patient became unconscious for approximately 3 seconds. took patient to ER. ER was unable to find a cause. Loss of vision and hearing lasted approximately 3-5 minutes.
1033456	2/16/2021	MI	79	F	2/3/2021	2/9/2021	On 2-8-21, she had the chills, and on 2-9-21, she developed double-vision which has continued. Documentation double-vision still present on 2/12/21. Patient sought treatment in the emergency department 2/12/21 dx. Binocular vision disorder with diplopia .

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1033473	2/16/2021	CO	79	F	1/21/2021	1/21/2021	<p>Blackened out; fell down the stairs; concussion; damaged or severed 6th cranial nerve to right eye; brain bleed; split lip; A spontaneous report was received from a consumer concerning a 79-years-old, female patient who received Moderna's COVID-19 Vaccine, and who blacked out, fell down the stairs, brain bleed, concussion, damaged or severed 6th cranial nerve to right eye and split lip. The patient's medical history included diabetes, two unspecified high blood pressure medications and naproxen sodium. Products known to have been used by the patient, within two weeks prior to the event, included Sitagliptin and blood pressure medication. On 21 Jan 2021, approximately one and half hours prior to the onset of the symptoms, the patient received their first of two planned doses of mRNA-1273 (Lot number 027L20A) intramuscularly for prophylaxis of COVID-19 infection. On 21 Jan 2021, the patient "blacked out" while walking downstairs after one in and half hours of receiving vaccination. Patient was hospitalized from 21 Jan 2021 until 22 Jan 2021. Patient has a brain bleed and a concussion, damaged 6th cranial nerve to right eye, and split her lip which need stitches. Treatment for the event included Tylenol as needed. Action taken with mRNA-1273 in response to the events was withdrawn. The events blacked out and fell down the stairs was resolved on 21 Jan 2021. The outcome of the events brain bleed, concussion, damaged or severed 6th cranial nerve to right eye and split lip was unknown.; Reporter's Comments: This case concerns a 79 year old female patient with medical history of diabetes, two unspecified high blood pressure medications and naproxen sodium, who experienced serious unexpected events of fall, cerebral hemorrhage, loss of consciousness, concussion, damaged or severed 6th cranial nerve to right eye and split lip. The event occurred approximately one and half hours after first dose of the study medication administration. Treatment included Tylenol as needed. Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. Noting the subject's underlying medical condition could remain a confounder.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1033480	2/16/2021	FL	70	M	2/16/2021	2/16/2021	After client received his vaccine client stated he is experiencing tingling around his mouth and watery eyes. Vital signs obtained by EMS. BP 123/73, HR 62, O2 sat 99%, Temp 98.0; Client stated she feels better. Client discharged home by EMS.
1033513	2/16/2021	VI	68	F	2/14/2021	2/15/2021	Was fine on Sunday, while at work on Monday, starting to feel a little dizzy, her eyes became blurry. By the time that she looked in her rear view mirror her face was swelling up. Her face started to burn, fast heart beat, and dizziness. Her neck started to burn as well. She looked at the side effects. She called her doctor and took 2 Benadryl as she recommended, and took a nap. Her doctor told her to continue taking the Benadryl and to call us to report the reaction. She still has the swelling and the burning sensation in her face, and is still getting a little dizzy but it comes and goes. The fast heartbeat comes and goes as well.
1033523	2/16/2021	CA	66	M	2/6/2021	2/16/2021	Upon leaving morning shower, visually and physically experienced red spots/rash on shoulders and upper chest and arms.
1033224	2/16/2021	FL	70	F	2/13/2021	2/14/2021	Possible minor allergic reaction with itchy eyes, scratchy throat, funny nose, slight chest discomfort. Benadryl one dose on Sunday pm and one dose on Monday pm.
1032671	2/16/2021	AK	65	F	2/4/2021	2/4/2021	Chills; headache, dizziness, fatigue; sleepiness, weakness, neckache, eye ache, rapid heartbeat, loss of appetite, nausea, hallucinations, cold sore. Symptoms resolved 48 hours after injection. Ibuprofen was taken to relieve headache and neck ache.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1033517	2/16/2021	CA	52	M	1/19/2021	1/19/2021	Patient is allergic to cats, had tightness in chest, unable to breathe. Took a benadryl- it went away, eyelids was swollen. Sx did improve- eyelids are still swollen. Received #2 COVID 1/19/21 at 8am. Had a dental appt that afternoon for extraction, given Lidocaine w/out Epi, took Ibuprofen after visit. Reports acute onset chest tightness, SOB, audible wheezing at 5pm (approx 9 hrs post vaccine), then felt anxious. Took Benadryl 25mg and started feeling better in 20 min with resolution of wheezing and chest tightness after 1 hour. Also reports left eye swelling the same evening that has gradually decreased, now only mild with itching. Had similar eye swelling, however bilateral, after first vaccine dose. No SOB or wheezing noted since eve of 1/19/21. Denies hx asthma. NKDA. Allergic to cats. Denies swelling of lips, tongue, throat or rash. Reports feeling well today. Denies Covid-like sxs.
1032985	2/16/2021	FL	67	F	2/14/2021	2/14/2021	Injection was extremely painful. about 3-4 minutes after injection got very dizzy and flushed. Red face and pressure behind eyes. Heart rate jumped to 150 and stayed above 125 for several minutes. I could barely walk back to vaccination area where pharmacist waited with epipen. I was given water and after a few minutes HR went below 100. I stayed another 30 minutes and left however I did still feel a bit dizzy. At about 8 hours post injection got chills and fever of 101.5 and HR remained high (above 102) for at least 6 hours after onset of fever. Resting HR usually 59 and still remains above 90 at 48 hours.
1033845	2/16/2021	OH	65	M	2/1/2021	2/14/2021	Red eye and elevated heart beat



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1032687	2/16/2021	CA	68	F	2/13/2021	2/13/2021	About 10:00 pm on Saturday evening of noon injection, injection site was painful--at the same time got intensive, but very brief headache, very dry eyes and, within minutes, (no idea if it's related) I noticed weird sensation in my nether regions, which felt like my underwear was knotted and pressing on it. Went to check and found big kind of oblong lump (abscess) on outer labia extending to inside thigh--quite painful. It came out of nowhere--hadn't noticed it at all before that moment. Goggled it and thought it was probably Bartholin's Abscess and treated it as such. (Later realized it couldn't be because it wasn't inner, but outer labia.) Took sitz bath, and continued taking sitz baths next day and applying heat. Abscess extremely painful, fever 100.3--quite high for me., rash on chest and abdomen. It started draining while sleeping Sunday night and continued draining slowly on Monday with fever down to 99 and now down to 98.1. Rash has disappeared. Arm no longer sore. Abscess still painful but less so
1033524	2/16/2021	AL	49	F	2/4/2021	2/13/2021	Eight days after having the shot, my left arm developed a bull's eye type rash and was hot to touch. Furthermore, the site is itchy and I have taken Benadryl to calm the effects of the itching.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1032811	2/16/2021	IL	41	M	2/11/2021	2/12/2021	Symptoms began just after midnight the following day of shot. Between midnight and 2 am I suffered from severe chills and sweating. When I woke up at 5 Am I suffered from severe headache. Remainder of the day I had extreme digestive issues that continued over the next several days. At the conclusion of the second day I developed a fever of 101. Pinpointed severe pain developed at the base of my neck between my shoulder blades. That pain remained for approximately 24 to 48 hours that lead to extreme pain and stiff neck on my right side. Chills and periodic fever developed for two days past shot. By day three I had extreme right side neck pain that continued down into my right shoulder blade. By day four and five I suffered from extreme neck pain and severe headache that was focused from my right eye through my head down the right side of my neck to my right shoulder blade. By day 4 this continued with dizziness and blurred vision. I had inability to eat and strong feelings to vomit but only didn't because I hadn't consumed any food that day. I continued to suffer from extreme headaches and complete physical exhaustion with inability to stay away. In addition, I continued to have periodic chills but with no fever. As I submit this in day 5 I still suffer from lack of energy and the stiff neck remains down through my right shoulder blade.
1032824	2/16/2021	IL	88	F	2/12/2021	2/12/2021	All symptom occurred on the right side. Same side where the vaccine was given. Mouth drooping, eye tearing and won't close, paralyses of the right side of the face in general
1032828	2/16/2021	KY	62	F	1/8/2021	1/8/2021	Developed typical flu symptoms but developed severe incapacitating migraine/nausea/photophobia/vertigo. Felt feverish but no temp. Severity so bad almost went to ER. Took Imitrex x2 with chest tightness occurring after 2nd dose. Lasted x3 days then pressure on right side of head eye for a month. Elected not to do 2nd shot due to above s/s.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1032849	2/16/2021	TN	35	M	1/22/2021	1/26/2021	Swelling of the R eyelid started 5 days post-vaccine. Initially thought to be a Sty. First tried conventional warm compress multiple times a day. That did not help. Started to use Raw Honey and Hot Black Tea bags on eye, that brought the swelling to a head (pimple), and started to drain at week 2. Then the docs prescribed erythromycin opthamolgc ointment and I had an adverse reaction to that which increased the swelling again. Now going on the 4th week, the swelling is still present and not showing any improvement. Is it possible it's related to the vaccine??
1032865	2/16/2021	GA	70	F	1/28/2021	1/29/2021	4am (1/29/2021) extreme sweating to the point of soaking the hair on head; extreme dizziness with vertigo and inability to stand up or walk straight leading to nausea and vomiting 11am( out of bed) needed assistance to chair bc of vertigo and vision impairment; spent most of day seated; cont to require assistance with any walking 9pm to bed 8am(1/30/2021) Wake up and all symptoms worse. Unable to walk without assistance and had a severe body lean to left. Husband called doc and they suggested calling 911 to get to ER ASAP 1130 Arrived at hospital ER and was subsequently diagnosed and admitted with a cerebellar stroke
1032927	2/16/2021	CT	25	F	2/15/2021	2/16/2021	Fever 100.8 Fainting upon standing 5:30am: stood slowly, took a few steps and began to have loud ringing in ears, sweating, nausea, then vision went black but was able to guide myself to the floor before becoming unconscious. Moderate pain at injection site Headache Weakness, fatigue, malaise
1032749	2/16/2021	NH	27	F	2/10/2021	2/11/2021	reports, "I got my second covid vaccine Lot 031L20A vaccine to my left arm around 1540 the day before, 2/10 and I woke up fine". reports, "around 9 ish, I felt cold but was told it is always cold on this floor and while standing in patient room, 10 minutes later, I felt nausea and dizzy, then realized I was falling to the floor and hit the floor but used both hands to lessen the fall and then hit the left side of my nose". denies any headache, nose bleeding, hitting head or LOC. reports, "someone from the unit took me down to the ED by wheelchair". reports, "I was fully aware I was falling". denies any problems with lighting, monitors, headache, visual or gait disturbance".

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1032966	2/16/2021	OH	49	F	2/9/2021	2/9/2021	Pt was being observed for 15 minutes after covid vaccine administration. Pt was noticed to be "sleepy" and RN SB went to talk to pt who appeared to be lightheaded. I went and got the available emergency kit for RN SB to check pt's pulse ox. Pt's SaO2 was 99% and Pulse was 89. Pt reports that she had a recent heart cath and high blood pressure. Pt reports not taking her blood pressure medication prior to coming. 5-10 minutes after covid vaccine pt was more alert and stated she was feeling better but had vision changes. Pt's blood pressure was checked and it was 160/110 which was taken manually, pulse ox 98% and pulse was 87. Pt denies difficulty breathing or shortness of breath. Pt able to speak in full sentence. Pt was told that we would like her to stay for further evaluation. Pt was able to ambulate without difficulty to another place in the auditorium for further observation. 30 minutes post covid vaccination pt was alert and respirations were even/unlabored. BP 130/110 on both arms manually, pulse 67 and SpO2 99%. Pt still complaining of blurred vision/double vision. Pt was talking to husband on phone without difficulty and asking him to move to garage area to pick her up. Pt was told to follow up with her cardiologist and PCP. 45 minutes after vaccine admin pt asked if I could help her call her cardiologist office. I told her yes. I called Doctor's office and was transferred to the nurse line. The nurse told me that she was not Doctor's nurse but she would send him a note and recommends pt go the emergency department for vision changes. Pt was told the recommendation and called husband to tell him to meet her at ED while we were waiting for a wheel chair to transport pt. Pt works in nutrition and there was a supervisor or manager that knew her and said that he would let them know what was going on. She was supposed to work at 1330 today. Pt walked to wheelchair without difficulty and pt was transported to ED. Pt's husband was at the ED waiting when we got there. ED triage nurse was updated that pt had received 2nd dose of covid vaccine, had a recent heart Cath and was told by cardiologist office to go to ED for vision changes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1033209	2/16/2021	GA	53	F	2/1/2021	2/8/2021	Sore arm, body aches, low grade temp, chills day after. On the 8th, I woke to cold sensation down left cheek under eye, across lips and some chin, into nasal cavity. Has lasted a week so far and has not resolved. Also a continuous headache, worse when lying down. Tylenol eases it but never has gone away.
1032987	2/16/2021	CO	43	F	1/14/2021	1/17/2021	Facial flushing, asthma, blurred vision
1032993	2/16/2021	MA	29	F	2/1/2021	2/8/2021	Reports she was vaccinated on 2/1/21, found out she was pregnant on 2/3/21, and miscarried the pregnancy on 2/8/21. Additionally, she was involved in a motor vehicle accident on 2/1/21, prior to her vaccine, sustaining back pain and whiplash. Lastly, reports she began having visual changes on 2/3/21 and was diagnosed with a detached retina on 2/10/21.
1032999	2/16/2021	AZ	60	F	2/16/2021	2/16/2021	Right after the vaccine I felt a little funny. Within 10 minutes of receiving the vaccine I started coughing, lost my voice, Itchy eyelids, my chest was pounding, and overall just did not feel right. EMS Took my blood pressure and it was 255, then they waited a smidge and decided to give me an injection of Benadryl, within 10 minutes of the Benadryl my blood pressure went down to 225, and I overall felt a little bit better. My eyelids were still swollen and itchy and I didn't have a voice, they took my blood pressure again and it went down to 218. They stayed with me. I was starting to feel a little bit better. My blood pressure went down to 180 and there's no wheezing in my chest. They let me leave shortly after that. I still do not have a voice. My eyelids are still swollen slightly and very itchy and my lips tingle.
1033004	2/16/2021	NJ	61	F	12/26/2020	1/5/2021	About 8 days after the vaccine, I had sinus and headache. Aches in the back of my eyes. I felt sinus congestion.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1033040	2/16/2021	MN	35	F	2/10/2021	2/11/2021	The night that i received the shot it almost felt like i had a jolt of caffeine, i had a rough night's sleep which i kept waking up in. I woke up Thursday 02/11 morning not feeling well at all, it felt like i had been hit by a train. I had a fever that has got up to as high as 101.3 (my normal temperature is 96 or low 97's so this is very unusual for me even when i get sick) fevers lasted until Saturday 02/13/21 in the morning, at which point I had been taking Tylenol and ibuprofen consistently so i stopped taking my temperature (If i were to stop taking those medications i feel i would maybe still have a temperature). I was so sore it hurt to move and walk, today (Tue 02/16) it doesn't hurt to walk finally. My arm pits hurt very bad and still slightly hurt. I have been very tired and weak as well. My eyes have hurt or felt different and appear glossy throughout all of this and still do.
1033043	2/16/2021	WY	57	M	2/11/2021	2/12/2021	Onset of Bell's Palsy; facial drooping on left side, sore behind left ear and down left side of neck Prednisone 20 mg 3 times per day for 7 days; Valacyclovir 1 g 3 times per day for 7 days; Eye is not as inflamed as it was previously; Patient and his wife feel that symptoms are drastically improving as of this report which is 4 days after the onset of the Bell's Palsy
1033047	2/16/2021	NY	48	F	1/6/2021	1/6/2021	~~Received vaccine @ 9:13am felt itchiness in throat and" hotness in eyes" required medical evaluation. RRT was called , Benadryl 25mg given and went back to office~~
1033075	2/16/2021	MO	60	F	12/19/2020	12/19/2020	12/19/2020 130 vaccination. When got up to leave, near syncope episode. Monitored for 15+ more minutes. Left after. Later that evening, I felt like I was on 'speed'. Chills, HA, couldn't sleep. HR was increased. I wasn't able to eat; no appetite. Symptoms lasted for several days. Don't think I ran a fever. I was very dizzy, double vision, extreme fatigue. Did what i could with work online. *HX of aura migraines and happened during this episode. Within that week, saw NP.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1033143	2/16/2021	MN	35	F	2/14/2021	2/14/2021	Moderna COVID-19 Vaccine EUA. Vaccine given at 2040 and waited 15 minutes before leaving site. On my drive home, between 2100-2110 started feeling tingly and numb around mouth and it spread to entire face. Tongue and inside of cheeks also felt tingly/numb. No visual swelling of face and breathing was ok. I didn't feel any airway obstruction. Heart rate also increased. I continued driving to the nearest store to get Benadryl (about an additional 20-25 minutes). Took 50mg at approximately 2145 and my symptoms slowly got better. As of today (02/16/2021) my face does not still feel 100% back to normal, very minimal numbness/tingly but more so on the left side which was also the same side as injection. I have had no facial drooping.
1033149	2/16/2021	AZ	83	F	2/10/2021	2/13/2021	First day following vaccine, very tired. some blurred vision the next few days. on fourth day following vaccination, blurred vision, unstable walking felt like having Vertigo. Today the 16th, all adverse symptoms are gone
1032936	2/16/2021	RI	49	F	2/13/2021	2/14/2021	angioedema to face especially right eye AEB nearly swollen shut
1034156	2/16/2021	CA	68	F	2/6/2021	2/7/2021	Swelling of forehead and then eyes swollen, red, burning skin
1034015	2/16/2021	NY	40	F	2/11/2021	2/15/2021	At 7:15PM on Monday, 2/15/2021, I experienced blurred vision in the periphery of my right eye. At the same time, I felt some body tingling and mild numbness, most notably in my right fingertips. It lasted for approximately 3-5 minutes. After, the blurred vision and tingling dissipated, I had a mild headache across my forehead and eye socket area that felt like a pressure in the area. The mild headache continued when I woke up on Tuesday, 2/16/2021.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1034054	2/16/2021	KY	33	F	1/6/2021	1/7/2021	24 hrs after the vaccine I was about to have lunch and started feeling dizzy, couldnt hear the people in the room and began to fall as I was advised and someone in the room caught me. I was laid down and administered water until I felt better. I went back to my worksite while having to use the hand rails because my vision was blurred and I finally made it to my desk. I was then transported to the ER and my BS was taken which was 85. I was given IV fluids, a chest xray was performed, a UA and pregnancy test was done, EKG and a CBC done which all was negative and normal. From my knees down felt shaky the remainder of the week. I had a visit with my PCP the following week on Tuesday and had a sugar test done which was also normal and by the end of that week all symptoms had resided
1034057	2/16/2021	CA	59	F	1/19/2021	1/19/2021	Left eye twitching
1034071	2/16/2021	MN	72	F	2/16/2021	2/16/2021	About 5 minutes after receiving the vaccine, described seeing a dog in the corner of the room - a hallucination. She then said she was feeling overall unwell. Over the subsequent 30 minutes, she described a severe headache, nausea, itching, and had trouble answering basic questions. Paramedics were called, who conducted an evaluation, which noted dizziness, vision trouble and uneven arm weakness. Paramedics determined she needed further evaluation at a hospital, and was taken to Hospital.
1034083	2/16/2021	AZ	77	M	2/12/2021	2/12/2021	I'm a 77 year old Male, I take no Meds. I do have Peripheral Neuropathy, I'm not a Diabetic. About 20-25 minutes after my shot on driving home my left leg started to go numb, time I got home both were feeling the same numbness. [takes about 15 minutes to get home] Here it is 4 days later still have the numbness, but not as bad. Then on 2/13 Saturday evening I was watching TV, my eyes I started to see colors floating around in them. About 20-25 minutes later it was gone. The biggest thing with my feet and is it OK to go with the second shot?



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1034093	2/16/2021	CO	55	F	2/14/2021	2/14/2021	After receiving the second COVID Moderna vaccine, Patient reports that she is dizzy and her tongue feels thick. She is having trouble coming up with words, having difficulty focusing eyes, and feels like she is in a brain fog. She denies any issues with first vaccine. She consents to Benadryl administration. She would like to stay here to be monitored rather than call an ambulance at this time. She has no facial droop, no weakness or unequal grips. After about 10-15 minutes, she reports her dizziness and thick tongue feeling is improving. After another 5 minutes, symptoms have not fully resolved. She still feels like her mentation is abnormal, and her tongue is still feeling "sticky." After another 5 minutes, patient continues to be mildly dizzy, and still reports difficulty finding words, difficulty thinking, and persistent visual disturbance. I discussed with patient that she needs to be seen in the ER. She declines an ambulance, states she would like her husband to drive her. Patient left.
1034094	2/16/2021	CA	70	F	2/13/2021	2/14/2021	First thing in the morning could only stand for a few seconds without feeling I was going to faint. Symptom lasted for about 4 hours. At 1:00 p.m. took temp which was 102. Approximately 5 minutes later I had a seizure. My partner who witnessed the event stated I laid back on our sofa, my head turned and my eyes rolled to the right and I was shaking. I was unresponsive. It lasted about 15 to 20 seconds. Immediately after coming out of it I lost my bowels.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1033536	2/16/2021	NY	47	F	1/26/2021	2/15/2021	With the first dose I felt sick for 1 day. I called out. The morning after receiving the 2nd dose I had severe fatigue, joint pain, my wrist and my armpit was budging, I noticed swelling my clavicle on my left side, chills, and dizzy. I had to miss work for 2 days. I had to lay bed in for 2 days. By 3rd it was much improved but I still feel weak. About 4 days after receiving the vaccine I was back to feeling my self. On 2/14-15/2021, my face was itching, I scratched it, and there is a small abrasion. My face started to swell, around 2AM this morning I had to go to the ER because my eyes were getting small, the swelling was getting worse. I also had bumps that looked like hives on my face, there was some fluid coming out of my face. I went to early this morning, The ER doctor said she thinks it is not infected she thinks it is inflamed. I did not mention that I had recently received the COVID vaccine and did not realize that it may be linked to the vaccine until later in the day. She prescribed Hydrocortisone 0.5 % cream and Mupirocin 2% cream. Since I have been home the ER the swelling has worsened. My face is painful, it feels like an orange peel when you touch.
1034014	2/16/2021	AL	70	M	1/28/2021	2/4/2021	central retinal vein occlusion involving the right eye
1033774	2/16/2021	MI	83	M	2/11/2021	2/12/2021	Day 1 after receiving vaccine he started to notice redness on face and fatigue. Day 2 woke up face was swollen and eyes almost swollen shut and hot, started taking benadryl and sleep most of the days. Denies SOB. Day 3 continue benadryl, zyrtec and pepcid. Day 4 came to PCP as it's gotten worst. Swelling of bilateral ears, face, and forehead.
1034096	2/16/2021	CA	71	F	2/12/2021	2/13/2021	I have a condition known as Spinal Stenosis. Diagnosed 3years ago. It creates alternating pain in neck, shoulders and upper arms, mostly on my right side. I had the shot in my left arm. The next morning at 10:00 AM, I started having spasms in my upper right arm that continued for 6 hours. I have never had anything like this happen before. It was completely debilitating. I sat for hours with heating pad on neck and arm. It was so painful I had tears in my eyes for most of the day. I slept on and off while heat treating it. Then after about 6 hours it stopped. The next day the muscles in that area were sore.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1034234	2/16/2021	CO	88	F	1/28/2021	1/28/2021	Eye Stroke / Retinal Occlusion Lost eyesight in left eye
1034253	2/16/2021	CA	79	M	1/26/2021	2/9/2021	On February 9, 2021 (exactly 2 weeks after receiving my first vaccine dose) I woke up with double vision.. Saw eye doctor that afternoon and was diagnosed with Left Cranial Nerve 4 Palsy.
1034264	2/16/2021	AZ	41	F	2/16/2021	2/16/2021	Within 20 minutes of receiving vaccine patient reported dizziness, lip tingling, metallic taste in mouth, swelling to eyes, and difficulty swallowing. Patient was assessed by provider at 1500. She received oxygen 2 L via nasal cannula, Epinephrine 0.3 mg IM, followed by diphenhydramine 25 mg IM for allergic reaction. EMS was called and patient transported to Hospital Emergency room at 1530
1034283	2/16/2021	NC	37	F	2/14/2021	2/15/2021	Severe dizziness, vision Fast heart beat Chills Fever Runny nose Migraine
1034317	2/16/2021	VA	23	F	2/11/2021	2/12/2021	Friday morning I woke up extremely fatigued. I saw stars in my vision and I had to lay in bed all day. I didn't have energy to even eat. Saturday evening or Sunday morning I noticed red splotches along my torso. Sunday they began to itch and I still have them along my neck, back, upper and lower torso, and a few on my legs. I haven't changed any environmental factors (no new lotions, creams, hair products, diet, or perfumes). Today I used Benadryl cream, but in the past I've been putting my regular, non-scented Aveno lotion and coconut oil.
1034325	2/16/2021	FL	66	F	2/12/2021	2/15/2021	left eye was swollen, crusty, and painful
1034335	2/16/2021	IN	45	F	2/4/2021	2/14/2021	Left sided facial numbness/drooping began morning of 2/14/21. and left side arm and leg weakness was noticed later in the day . at 6pm I went to ER and received MRI and labwork. Ruled out Stroke or Brain mass or issues. was diagnosed with Bells palsy given order for prednisone which I started on 2/15/21 and made appointment with Neurology for March 3rd. Plan to make PCP appointment when the office opens. The facial numbness and drooping continue with expected complications. Teary eye, dry eye, pain in jaw and ear and headaches. Difficulty eating drinking with numbness.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1034433	2/16/2021	MO	82	F	2/4/2021	2/7/2021	Approximately 4 days post-vaccination, pt developed L periorbital pain. The pain worsened over subsequent days and she also developed L eye swelling and mild decrease in vision 5 days post vaccination. She saw her primary care physician on 2/10/21. Eye exam showed mild L periorbital edema without erythema, warmth, induration, bilateral eyes PERRL, EOMI, conjunctivae clear, no photosensitivity on exam. Temporal arteries with palpable pulses and nontender. She was referred to an optometrist who on slit lamp exam diagnosed anterior uveitis, mild in severity.
1034558	2/16/2021	CA	45	F	1/20/2021	2/8/2021	2/8: Onset of extreme headache (lasting through today, 2/16, with ZERO relief) which has spread into my eye sockets. Extreme nauseous, 6 days of diarrhea, unable to even keep water down at day 4. Body aches, heart constrictions on 2/12. On 2/12 the heart constrictions and severe dehydration resulted to call to Advise Nurse with direction to report to ER. In ER EKG, CT of chest and lungs. 2/12: Returned home and slept for several days and continued to attempt to relieve massive entire head pounding. 2/14: Head ache traveled into eye sockets creating massive eye pressure. 2/16: Sudden pain in left tongue and vision change. Noticed facial drooping and eyes glassy. Called and then 911 as concerned.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1034107	2/16/2021	OH	41	M	1/29/2021	2/5/2021	1/29/21 0700 received vaccine 2100 started not feeling well fever of 99 1/30/21 0300 fever was between 102 and 103.5 1000 fever stayed around 101 to 102 1/31/21 1000 fever was down to 99 and disappeared around 1500 2/4/21 I started having a sore throat and some mild ear pain. 2/5/21 ear pain was getting worse. 2/6/21 ear pain was very bad 2/7/21 went to the clinic they gave me amoxicillin for and ear infection 2/10/21 ear pain was still the same and things were not getting any better. I called my doctor and he switched me to amoxicillin-clav. I was not able to pick it up until 1/11/21. 1/11/21 my left eye started bothering me and if felt like pink eye. 2/12/21 I started getting a metal taste in my mouth and it started feeling numb. I called my doctor back around 1300 and he told me to switch back to the regular amoxicillin. By 1640 my vision in my left eye started to get blurry and my entire left side of my face was numb and paralyzed =. My doctor told me to go to the ER. Being the stubborn person I am I didn't go right away. 2/13/21 I went to the hospital. I was diagnosed with Bell's Palsy. The doctor did not seem to think I had an ear infection. My entire left side of my face is paralyzed. I still have pain behind my right ear and around the ear canal. My vision in my left eye is terrible. My speech is getting slurry. 2/16/21 I followed up with my primary doctor. He is hoping with the treatment I'm on this will go away in 1 to 2 weeks. He encouraged me to fill this adverse reaction form out. I have a follow on 2/17/21 with and ophthalmologist for my blurred vision.
1033565	2/16/2021	AL	58	F	2/15/2021	2/16/2021	Morning after shot, patient woke up with severe case of conjunctivitis in both eyes.
1034129	2/16/2021	WA	62	F	1/14/2021	1/16/2021	Getting up 2 days after the shot I began experiencing facial and hand tremors, As the day progressed, they became more frequent and overt. This continued for several days, eventually reducing severity after 5-6 days. I was winking with both eyes involuntary, face twitching, hand and fingers twitching and jerking

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1033564	2/16/2021	OH	68	M	2/16/2021	2/16/2021	Observed patient getting fanning patient as he became light-headed and explained blurry vision. Patient became increasingly unresponsive and pale. Immediately obtained an Epinephrine 0.3mg pen and injected into thigh, patient immediately vomited and 911 was called.
1033998	2/16/2021	MA	26	F	2/15/2021	2/15/2021	Site: Pain at Injection Site-Medium, Systemic: Allergic: Difficulty Breathing-Medium, Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium
1033612	2/16/2021	CA	64	M	2/15/2021	2/16/2021	I woke up next day (today) with my RIGHT EYE swollen and itching.a little pain around my eye.
1033653	2/16/2021	MD	30	F	2/16/2021	2/16/2021	Blurry peripheral vision no weakness no airway or chest pain. Pt was able to be DC home with normal Neuro exam noted including visual fields
1033662	2/16/2021	CA	25	F	2/10/2021	2/10/2021	Blurry vision, dizziness, nausea. Patient laid flat on gurney and given water. BP: 133/82, then 130/89. Pulse: 89, then 65. O2 sat 99%.
1033694	2/16/2021	MD	49	F	2/12/2021	2/12/2021	Body aches, entire head ache, congested, sore eyes that lasted 36 hours
1033697	2/16/2021	OH	28	F	1/5/2021	1/6/2021	Blindness (loss of vision); Neurocardiogenic syncope; Tingling in hands and feet/lower legs; Panic attack/unable to breathe; Nausea; Vomiting; Dehydration; Tiredness; Body aches
1033715	2/16/2021	MO	84	F	2/9/2021	2/9/2021	fell & hit head, +HA, lost vision left eye x 20mins, +weak
1033731	2/16/2021	VA	42	M	2/4/2021	2/5/2021	received COVID #2 on Thursday 2/4/21 in the morning. The next morning, developed a rash to my neck, ears, back and abdomen, with a little on my arms and legs. Its pruritic, lesions come and go, are erythematous, raised. No blisters, pustules or tenderness. No oral/face/throat/tongue swelling, watery eyes, SOB, wheeze, cough, CP, n/v/d. Photos sent and reviewed which demonstrate remarkable coalescing urticaria to trunk. improved with Zyrtec 10 q12

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1033741	2/16/2021	FL	66	F	1/8/2021	1/8/2021	After approximately a half hour, I felt my left eye above the eye on the lid and the white part of my eye begin to swell. After another half hour or so, I could feel it swelling and it was noticable. I called my eye doctor and was advised me on an over the counter eye drop.
1033968	2/16/2021	UT	52	M	2/11/2021	2/13/2021	Mild migraine with visual aura on 2/13 was followed by severe migraine on 2/14 with visual aura, nausea, hand/finger numbness. Onset of severe migraine symptoms began at 9:30 am 2/14 and subsided by about 3:30 pm. Treatment included excedrin, prednisone, ibuprofen, tramadol and oxycontin.
1033753	2/16/2021	IN	74	F	2/4/2021	2/7/2021	The first 3 days my arm was sore. On the 4th day I started getting itching, my eyes were watering and itching, my head and hair was itching, my face was itching, my skin was itching. I had a runny nose. I had headaches, sever chills, nausea and sweating. That lasted for 6 full days. I did call my doctor's office and talked to the nurse, she found an urgent care center close to my home, and told me if I felt like I needed to go that would be the place to go.
1033984	2/16/2021	MA	26	F	2/15/2021	2/15/2021	Pain at Injection Site-Medium, Systemic: Allergic: Difficulty Breathing-Medium, Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium
1033953	2/16/2021	MD	68	F	2/12/2021	2/12/2021	tip of nose was numb, top lip, chin, forehead cheeks were also numb, eyes felt different
1033930	2/16/2021	CA	32	F	2/16/2021	2/16/2021	Patient received 1st dose of COVID vaccine today 2/16/21 at around 1009 am. Patient complained of dizziness and blurry vision after 30 minutes. Patient stated she is diabetic and has not eaten her meal yet. Patient also stated she was not able to have a good sleep a night ago. Vital signs taken and was stable. Po hydration (water) and hard candy given to patient. Apple juice was also given. Blood sugar taken and is 160 mg/dl. Patient monitored for 30 minutes and was stable after.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1033903	2/16/2021	PA	31	F	2/15/2021	2/15/2021	This patient complains that her right hand developed an orange discoloration of the palm and interdigital spaces at 8pm on the day of vaccination. She received vaccine in left arm. She denies any other rash or discoloration. Denies using any potential discoloring agents with hand. Has been unable to wash discoloration off. Denies any GI symptoms. Denies jaundice of eyes or yellowing of any other areas of skin. No fasting. No increase in carotenoids. Will be following up with PCP for further evaluation.
1033897	2/16/2021	FL		M	2/16/2021	2/16/2021	Large floaters in my right eye that began immediately after the shot and got worse the hours after
1033885	2/16/2021	PA	42	F	2/14/2021	2/15/2021	I felt fine that day and waking up the next. Then as I moved around, I started to feel uneasy. I vomited forcefully several times. My neck and upper back became stiff and painful. Then came chills, shaking, and more nausea. My throat felt like there was a lump in it that was closing me off. I felt very weak and easily fatigued. I started to have visual issues, confusion, and was unable to focus. Neck pain continued to be severe. The next morning I woke feeling good, but within 2 hour again I went downhill. Symptoms are only about half as bad as the day before. Very very tired.
1033869	2/16/2021	NC	79	F	2/11/2021	2/11/2021	91.2kg 79 yo nonsmoking/nonEtOH drinking M with PMH significant for Parkinson's disease, postural hypotension, recent hip surgery and eye problems was at the vaccine clinic for his 2nd Covid-19 vaccine with the product. Allergy history includes tree nut and MSG allergy (hives, swelling, pruritus) and Sinemet, midazolam and fentanyl causing nausea or vomiting. After IM injection of the vaccine (lot # EM9810) into his left arm, the patient felt lightheaded. Patient was diaphoretic and pale. BP was 64/49 with HR 66 and O2 sats 92% on room air which is near baseline. Patient was moved to a recliner chair with feet elevated and given something to drink and monitored



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1033861	2/16/2021	NY	77	F	1/19/2021	1/21/2021	I developed all the symptoms of Covid, except fever. The cough was the worst. Had taste, but it is still off; nothing tastes right. I had a Covid test on 01/24/2021 that came back negative. I had two more tests in the hospital on 2/9/2021 that also came back negative. I went to hospital on doctor's orders due to some blurry vision and concern about blood clots, which I did not have. Symptoms persisted until 2/12/2021.
1033815	2/16/2021	NE	65	F	2/15/2021	2/15/2021	Patient received first dose of the COVID vaccine and was monitored for 30 minutes, felt fine at that time and was allowed to leave. Approximately one hour after receiving the vaccine patient experienced right side of neck and face up to eye becoming numb and tight. Tongue got a little numb also. Over the next two hours the symptoms lightened up and by morning just felt like she had a numbing agent at the dentist along right lip, nostril and cheek.
1030572	2/15/2021	NY	60	F	2/9/2021	2/9/2021	2MIN AFTER DOSE DIZZY, VERY CONFUSED, SLIGHT CHEST PRESSURE, 30 MIN LATER SLIGHT SWELLING OVER EYELIDS, 1 HR LATER STILL VERY CONFUSED IN A FOG. VERY CONGESTED, SNEEZING, ITCHY EYES, STUFFY EARS, VERY CONFUSED. STRANGE FEELING INSIDE MY BODY - TINGLING. FEELING OUT OF BODY .... NOT MY SELF ...ITCHING. VERY CONFUSED AND VERY DIZZY FOR ABOUT 4 HR... SEVERED HEADACHES. NAUSAUES. 6 HRS LATER SWOLLEN FACE RIGFHT SIDE.
1030797	2/15/2021	AZ	48	F	2/12/2021	2/12/2021	Fevers to 104 degrees with delirium, severe muscle contractures of neck, upper back, and left arm. Severe rigors. Involuntary spasms of back and neck lasting 1-3 minutes. Severe headache -frontal location and behind eyes. Possible febrile seizures per husband (temp 104.5, not responsive, repeated jerking of neck- resolved after placing in ice bath) . Fevers refractory to ibuprofen/tylenol. Initially continued for duration of 12 hours, remitted for 2 hours, then resumed for additional 24 hours. Intermittent muscle spasms with chills continued for another 12 hours, along with muscle soreness.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1030387	2/15/2021	MI	66	F	2/8/2021	2/8/2021	I was immobilized around 7:30. For 3 days I was unable to cope with side effects. I had a headache, body aches, neaseua, Dry heaves, chills sore arm, Droopy eyes. A feeling of all over fatigue , after 5 days I broke out on my chest with a itchy rash, still had headache and neausea. Went to walk in heath clinic 2/11/21 Diagnosis was Viral syndrome post covid vaccination.
1030426	2/15/2021	WV	76	F	1/28/2021	1/29/2021	Hemorrhage on right eye; A spontaneous report was received from a consumer concerning a 76-year-old, female patient who received Moderna's COVID-19 vaccine and experienced hemorrhage on the right eye. The patient's medical history was not provided. No relevant concomitant medications were reported. On 28 Jan 2021 prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Lot number: 007M20A) intramuscularly for prophylaxis of COVID-19 infection. On 29 Jan 2021, the day following her injection, the patient experienced a right eye hemorrhage. The patient also informed that she had a substance of unknown origin injected into her eye, when she visited the eye doctor. No treatment information was provided. Action taken with the second dose of mRNA-1273 in response to the event was not reported. The second dose is scheduled for 24 Feb 2021. The outcome for the event hemorrhage on the right eye was not reported.; Reporter's Comments: This case concerns a 76-year-old, female, who experienced serious events of Eye haemorrhage after receiving first dose of mRNA-1273. Noting her recent visit (unknown date) to an eye doctor involved an injection into her eye may remain as confounder. Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. Follow-up information is expected.
1030443	2/15/2021	FL	66	F	2/12/2021	2/12/2021	A few hours after receiving the shot I was experiencing lightening bolts in my right eye, then it felt like bugs were flying in the right eye, now there are two black floaters that look like spiders and my eye feels tired. I've used tear drops, and will contact my ophthalmologist for an appointment. After a while it gives me a headache. The shot was given on my left arm, but the eye issues are just on the right side, the right eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1030444	2/15/2021	NY	34	F	2/5/2021	2/5/2021	Uveitis in left eye developed a few hours after COVID vaccine. Currently being treated with steroid eye drops. Symptoms: red eye, pain, blurry vision in left eye. Still being treated.
1030466	2/15/2021	MA	47	M	2/11/2021	2/13/2021	Extreme rash all over body. Very red, very itchy. Hands and eyes very swollen. Alternating Benedryl and Claritin to lessen itch and swelling.
1030370	2/15/2021	PA	57	F	1/18/2021	1/18/2021	Within 3 hours of dose #1 administration I had a runny nose, watering eyes, chills and sneezing. By evening the chills got worse, low-grade fever and fatigue. Unable to do anything except bundle up and sleep it off. Still fatigue, chills, runny nose the next day but no fever. Better by 2nd day after vaccine.
1030569	2/15/2021	TX	65	M	2/5/2021	2/11/2021	Woke up 6 days later with sever double vision. Eyes seems to work independently ok but close to mid-range sight is double. It's been going on now entering the 5th day.
1030358	2/15/2021	MN	83	F	2/13/2021	2/13/2021	Blurry Vision, extreme headache, rapid pulse, high blood pressure, tachycardia
1030574	2/15/2021	FL	51	F	2/12/2021	2/12/2021	Systemic: Allergic: Anaphylaxis-Medium, Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Other-Anxiety/Panic-Medium
1030620	2/15/2021	IL	67	F	2/14/2021	2/14/2021	Patient experienced mild itching and peri-orbital swelling of right eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1030648	2/15/2021	FL	21	F	2/14/2021	2/14/2021	Patient stated she was feeling dizzy. As I started asking more questions, her head slowly tilted back and eyes became wide and had a distant look, like a mild seizure . She was talking slowly but clearly, During the event. She was sweating, even though it seemed chilly. Her BP was low and my monitor wouldn't register result. EMTs quickly arrived and their monitor took a while to register a result . She came out of it after a few moments feeling weak. We have her some OJ and she seemed to steadily improve. The whole event from start to when she was ok to walk out on her own was about a half hour. She had a relative Come pick her up and take her home.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1030726	2/15/2021	KS	33	F	2/12/2021	2/12/2021	<p>Nurse Practitioner Family Medicine COVID VACCINE CLINIC 2/12/2021</p> <p>Patient: Date: 2/12/2021</p> <p>Subjective Patient is a 33 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience itching at vaccine site. She denied difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to increased swelling, rapid progression of symptoms, skin changes and tongue swelling. ALLERGY REVIEW OF SYSTEMS: Patient complains of itching of skin Patient denies facial swelling, sore throat, frequent throat clearing, chest tightness, shortness of breath and wheezing Previous Reactions: adhesive reactions. Objective Vitals Vitals: 02/12/21 1155 BP: 130/85 Pulse: (!) 108 SpO2: 100% Physical Exam Nursing note reviewed. Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not diaphoretic. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Pupils: Pupils are equal, round, and reactive to light. Neck: Thyroid: No thyromegaly. Pulmonary: Effort: Pulmonary effort is normal. Skin: General: Skin is warm and dry. Comments: Slight irritation noted around the adhesive location of band-aid. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Assessment/Plan Treatment included: antihistamines Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Local reaction (arm pain, bleeding/bruising, mechanical irritation, localized rash) Encouraged for her to avoid adhesives. Adhesive reaction added to allergy list.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1030773	2/15/2021	WA	55	F	1/16/2021	1/23/2021	A week after my first injection, my left arm at the injection site swelled up, was hot, red and super itchy. This lasted about 4 days. At three weeks after the injection under my eyes swelled up, was red and super itchy. It felt like a chemical burn. I used no new products.
1030791	2/15/2021	CO	61	F	1/27/2021	1/29/2021	Two nights after had extreme vision change like blacking out (lasted 30 seconds). Did not black out but have been lightheaded (slightly dizzy) since then. It comes in waves. I feel like it could be caused by inner ear and not sure the vaccine has anything to do with it. Visited my doctor on 2/11/21 and she assessed dizziness. Put me on steroid inhaler, nasal washes, antihistamine.
1030525	2/15/2021	GA	61	F	2/2/2021	2/2/2021	Severe migraine headache with pain behind eyes with uncontrolled tearing, ringing in head, pain and pressure lasting about 12 hours. No treatment. Dull headache with numb forehead lasting several days. Took Advil for 3 days Wheezing and shortness of breath lasting 6 hours and the same symptoms the following day lasting about 6 hours. No treatment Did call the doctor with my reaction and concerns for second dose recommendation.
1030084	2/15/2021	IL	33	F	1/28/2021	1/28/2021	tingling on the left side of her face below her eye and lower half of her face/facial tingling on the left side of her face; This is a spontaneous report from a contactable Consumer (patient) A 33-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 28Jan2021 at single dose in her left arm for COVID-19 immunization. The patient medical history and concomitant medications were not reported. On 28Jan2021 patient noticed facial tingling on the left side of her face below her eye and lower half of her face. The final outcome of the event was unknown.Patient would like to know if her symptoms were normal and would like to know what she should do about her symptoms. She wanted to know if she should be worried about that and if it was a known side effect. information on the batch number has been requested

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1032025	2/15/2021	MO	72	F	2/15/2021	2/15/2021	As I was administering the vaccine, the patient stated: "I feel" and then fainted on me. Her husband and I kept trying to get her to talk to us, she was squeezing my hand as we talked, I ran an alcohol pad under her nose. We got her to open her eyes a few times and decided to call 911. She was breathing and I could feel her pulse. 911 had us lay her on the floor where she started to come to and mentioned how bad her vertigo was before I gave the shot. She also said her blood pressure was really low this morning and didn't want us to call the news as she didn't want to be on the news
1029833	2/15/2021	AZ	65	F	2/11/2021	2/11/2021	Injection site soreness; headache (front of forehead across top of head all the way back to ears); sinus ache under eyes; muscle ache across shoulders; hint of nausea; early morning awoke to profuse sweating; tired.
1029844	2/15/2021	CA	56	F	2/12/2021	2/12/2021	I was very sick with all the regular symptoms for 2 days; headache, all over pain, nausea, fatigue, extremely cold feet, chills. In addition to symptoms above, I also loss part of my vision. I couldn't read because I couldn't see the entire print. I did not go to hospital or call doctor. I went to bed because I felt so bad. The next morning my vision was back to normal.
1029994	2/15/2021	AL	33	F	2/1/2021	2/1/2021	Won't let me type everything. Long story short. Face tingled for a few days after shot, forehead skin got tight and dry, now I've lost vision in my right eye! Today is exactly 2 weeks after 1st vaccine and sight in my right eye is worse and painful

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1030020	2/15/2021		73	F	1/1/2021	2/1/2021	sixth nerve palsy of the right eye; A spontaneous report was received from a healthcare professional concerning a 73-year-old female patient, who received Moderna's COVID-19 Vaccine (mRNA-1273) and developed sixth nerve palsy of the right eye. The patient's medical history was not provided. Concomitant product use was not provided. On an unknown date, approximately two weeks prior to the onset of the event, the patient received their first of two planned doses of mRNA-1273 for prophylaxis of COVID-19 infection. On 01 FEB 2021, she was seen at an ophthalmologist office and diagnosed with sixth nerve palsy of the right eye. An MRI was performed on an unknown date for the patient's condition which revealed there was mild generalized cerebral atrophy, prominent enlargement of the lateral and 3rd ventricles out of proportion to degree of cerebral atrophy. 4th ventricle is non dilated. There is patchy bilateral cerebral white matter flares. Hyperintensity is noted likely representing findings of chronic microvascular ischemic change. No obstructive lesion identified. No contiguous band of flare/T2 hyperintensity along the surface of the ventricles to suggest the presence of transependymal CSF flow. Impression was that in the setting of potential 6th nerve palsy, this constellation of findings may potentially represent underlying increased intracranial pressure. Normal pressure hydrocephalus was an alternative consideration in the appropriate clinical context. No treatment information was provided. Action taken with second dose of mRNA-1273 in response to the event was not reported. The outcome of the event, developed sixth nerve palsy of the right eye, was not reported.; Reporter's Comments: This case concerns a 73 year old, female patient who experienced a serious event of Ophthalmoplegia after receiving second dose of mRNA-1273 (Lot# unknown). Very limited information regarding this event has been provided at this time. Further information has been requested.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1030026	2/15/2021			M			Hallucinations/ Have seen ghosts; A spontaneous report was received from a consumer who is a male patient, who received Moderna's COVID-19 Vaccine (mRNA-1273) and experienced hallucinations and seeing ghosts. The patient's medical history, as reported, included problem in eye that caused patient to see weird things some years ago. Concomitant medications were not reported. On an unspecified date, the patient received their first two planned doses of mRNA-1273 (Batch number: unknown) for the prophylaxis of COVID-19 infection. On an unspecified date, the patient experienced hallucinations and seeing ghosts. No treatment information was provided. Action taken with mRNA-1273 in response to the event was not reported. The outcome of event, hallucinations and seeing ghosts, was unknown.; Reporter's Comments: This case concerns a 72-year-old male patient who received their first of two planned doses of mRNA-1273 (Lot unknown), and who experienced the serious unlisted event of hallucinations. Based on the current available information and temporal association between the use of the product and the onset of the event after vaccination, a causal relationship cannot be excluded.
1030385	2/15/2021	FL	81	F	2/5/2021	2/10/2021	swelling of left side of face under left eye socket

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1030060	2/15/2021	AL	28	F	1/21/2021	1/21/2021	Arm was tingling; heavy; Became dizzy; Felt very weird; Broke out in rash on neck and face; Went pale; Couldn't open my eyes; Slurred speech; I couldn't breath; couldn't speak; couldn't swallow; My throat had closed up; I am still very sick and unable to work; This is a spontaneous report from a contactable other healthcare professional (patient). A 28-year-old female patient received first dose of bnt162b2 (Pfizer-BioNTech COVID-19 mRNA vaccine), via an unspecified route of administration in the left leg on 21Jan2021 14:30 at a single dose for covid-19 immunization. The patient has no medical history. The patient had not had covid prior to vaccination. patient is not pregnant. Concomitant medication included isotretinoin (ACUTANE). On 21Jan2021 14:30, immediately after administering vaccine the patient reported arm was tingling, heavy, patient became dizzy, felt very weird, broke out in rash on neck and face, went pale, couldn't open her eyes, slurred speech, then patient couldn't breath, couldn't speak and couldn't swallow. The patient added that her throat had closed up. The patient was administered with Epi pen. The patient reported that she was still very sick and unable to work. The patient underwent a covid test post vaccination via nasal swab on 25Jan2021 and 26Jan2021 with negative result. The outcome of the events was not recovered. Information about lot/batch number has been requested.; Sender's Comments: Based on the time association and product's safety profile, the reported serious events are possibly related to suspect BNT162B2 administration. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.
1030542	2/15/2021	VA	53	F	2/9/2021	2/9/2021	Initially, soreness around injection site. Backaches. Then the next few days, I realized, I was having a flare up of sjogrens. Dry mouth and dry eyes were worse. Dry cough, chest discomfort was the most difficult to deal with and GERD issues got worse

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1030107	2/15/2021	CA	19	F	1/27/2021	1/27/2021	<p>Bell's Palsy; low grade fever; body aches; chills; This is a spontaneous report received from a contactable healthcare professional (patient) communicated to a Pfizer colleague. A 19-year-old female patient received second dose BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, formulation: solution for injection, Batch/lot number: EL9261 and expiry date: 31May2021) via an unspecified route of administration to Left Deltoid on 27Jan2021 09:30 at single dose for COVID-19 immunization in workplace clinic. Patient medical history included factor V Leiden mutation (Blood Clotting disorder), common migraines, pelvic pain diagnosed 5 years ago, on 05Nov2020 hip surgery on the right side, foot surgery on 21Jan2021 with local anesthesia and nerve block in the left foot. Patient family history included mother has same Factor V Leiden mutation and father has iodine and shellfish allergy. Concomitant medications included cetirizine hydrochloride (ALERGET), gabapentin, prazosin and colecalciferol (VITAMIN D), all from an unknown date and ongoing. The patient had not received other vaccinations within 4 weeks. Patient past drugs included chlorhexidine which she experienced allergy: super itchy skin burning and lidocaine injection for local anesthesia. Patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/lot number: EL1284) in the right deltoid on 06Jan2021 at 09:35 Am for COVID-19 immunization. Second dose on Wednesday on left side and she stated that she had mild side effects low grade fever, body aches and chills on 27Jan2021 evening. No treatment was given for low grade fever, body aches and chills. She reported that she began to feel left sided swelling, tingling, and drooping of her face on the evening of 29Jan2021. She further described that on Friday (29Jan2021) evening her face was super weak, 1st manifestations were the eye and the left side of her face droopy and neck pain. She took 2 BENADRYL at 8:00 pm and went to sleep. At 08:00 AM next morning she took TYLENOL as her jaw and neck were hurting. She mentioned that while driving to work it got aggravated. She called advice line and she was instructed to go to emergency room. She went to emergency room and was diagnosed with Bell's Palsy on 30Jan2021 via physical exam. She has been prescribed steroids and antiviral for now (30Jan2021). Started Saturday (30Jan2021) on 20</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

mg prednisone daily PO (orally) for 5 days. VALTREX 1 tab PO (orally) 3xday. Erythromycin 0.5% unguent for eye 4X a day for a week. Her primary doctor increased 60 mg daily prednisone and VALTREX for a total of 10 days. And prescribed lubricant eye drops. Outcome of events Bell's Palsy was not recovered while for other events was recovered on an unspecified date in Jan2021. No follow-up attempts are possible. No further information was provided.; Sender's Comments: Based on a compatible temporal relationship, causality between event Bell's palsy and BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1030130	2/15/2021	GA	65	F	2/3/2021	2/3/2021	Swelling of tissue above and under eyes; Swelling of left cheek; Pressure in lymph nodes; Nausea; This is a spontaneous report from a contactable consumer, the patient. A 65-year-old non-pregnant female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: EL9264), via an unspecified route of administration in the right arm on 03Feb2021 at 12:00 (at the age of 65-years-old) as a single dose for COVID-19 immunization. Medical history included high creatinine levels and shellfish allergy; all from unknown dates and unknown if ongoing. Prior to the vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. Concomitant medications included acetylsalicylic acid (BAYER ASPIRIN) and simvastatin (MANUFACTURER UNKNOWN); all taken for unknown indications from unknown dates and unknown if ongoing. The patient did not receive any other vaccines within four weeks prior to the vaccination. On 03Feb2021 at 13:00, the patient experienced swelling of tissue above and under eyes, swelling of left cheek, pressure in lymph nodes, and nausea; all serious for being life threatening. The patient was treated with diphenhydramine hydrochloride (BENADRYL). The clinical outcomes of swelling of tissue above and under eyes, swelling of left cheek, pressure in lymph nodes, and nausea were recovering.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1030137	2/15/2021	PA	56	M	1/26/2021	1/26/2021	had to close my eyes due to the faint feeling; palpitation; Fatigue; chills in the back of the head; Arm soreness; felt a mild palpitation but not as strong as the strong one I experienced after the first injection/Arm soreness was much less than after the first dose/Fatigue was comparable; This is a spontaneous report from a contactable consumer (patient). A 56-years-old male patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (lot number: EL3246), via an unspecified route of administration in right arm on 26Jan2021 12:30 at single dose for COVID-19 immunization. The patient medical history and concomitant medications were not reported. Historical Vaccine included received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (lot number: EL0140), via an unspecified route of administration in right arm on 05Jan2021 at single dose for COVID-19 immunization and experienced palpitation, Arm soreness and Fatigue. 30 min after injection, the patient felt a mild palpitation-stronger than any previous mild ones but not as strong as the strong one he experienced after the first injection, and he had to close his eyes due to the faint feeling. This was followed by a mild one 3 min later. In the next few days he had several additional mild to weak palpitations. The strong one that he experienced 12-14 hours after receiving the first dose did not show. Arm soreness was much less than after the first dose. Fatigue was comparable, and in third day still had to take a nap immediately after the breakfast. Additional nap was taken during the day-needed more but did not have time. The patient felt some chills in the back of the head some days but did not get "sick" at all. All events occurred on 26Jan2021 13:00. No treatment received for the events. The patient did not receive any other vaccines in four weeks. The patient had no COVID prior vaccination. Since the vaccination, the patient had not been tested for COVID-19. The outcome of the events was resolved in Jan2021.
1030237	2/15/2021	IN	46	F	2/5/2021	2/5/2021	Rash to sore rash to upper chest , and bloating and diarrhea, swollen eyes where vision was like looking through a glass of water.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1030240	2/15/2021	MI	72	F	2/6/2021	2/15/2021	Covid Arm - 8 days after injection I woke up with a oval shaped red area around the injection site. It was very puffed up, a bit hard, sore and itchy. I had no previous side effects except a slight sore arm for a day or two after the injection. Since I was a bit concerned, I looked up the effect online and found that this is a less common reaction, but does exist. I plan to keep an eye on it and call my doctor if it hasn't resolved in a couple of days
1030321	2/15/2021	IA	53	F	12/18/2020	12/18/2020	Pfizer-BioNTech COVID-19 Vaccine Employee complained of feeling hot, tongue felt swollen, and weak. Patient was taken to Clinic for evaluation at onset of symptoms, approx 12 minutes after distributing vaccine. At Clinic, patient states her symptoms have improved. She states she thinks she got a little anxious and feels comfortable driving home at this time. Patient denies oral/throat/tongue/lip edema. No headache, vision changes, difficulty swallowing, difficulty handling oral secretions, chest pain, palpitations, shortness of breath, nausea/vomiting. No pruritus. Patient is sitting comfortably in the chair and drinking water without difficulty. Discussed ED precautions. Patient verbalized understanding. Advised patient to follow up with her PCP to discuss the second dose of the covid vaccine. Patient agreed to the plan. Patient ambulated out of clinic without difficulty. 1/1/21: Pt received 2nd dose of vaccine. Experienced some dizziness and slightly high BP. Both symptoms resolved within 30 minutes and patient was discharged home.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1030028	2/15/2021	IL		M	1/7/2021	1/8/2021	Both eyes with Keratoconjunctivitis virus; A spontaneous report was received from a pharmacist concerning a 75 year old male patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced both eyes with keratoconjunctivitis virus. The patient's medical history was not provided. No relevant concomitant medication was reported. On an 07 Feb 2021, the patient received the first of their first planned doses of mRNA-1273 (lot number 026L20A and expiry date 28 Jun 2021) intramuscularly for prophylaxis of COVID-19 infection. On 08 Jan 2021, the patient experienced irritated eyes, problems with vision, sensitivity to light, didn't sleep the night, and felt like someone put acid in his eyes. On 09 Jan 2021, the patient was seen by his eye doctor and diagnosed with immune response to vaccine with keratoconjunctivitis virus with no infection. Treatment included an unspecified drug. Action taken with the mRNA-1273 in response to the event was not reported. On 15 Jan 2021, the outcome of the event keratoconjunctivitis virus was resolved.; Reporter's Comments: This case concerns a 75-year-old, male, who experienced a serious unexpected event of Keratoconjunctivitis (bilateral). The events occurred 2 day after mRNA-1273 (Lot# 026L20A). Treatment information was not provided. Based on temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Additional information has been requested.
1031860	2/15/2021	NJ		56 F	2/12/2021	2/12/2021	This was my second dose on 2/12/21 and shortly after the shot I started to sweat a lot, then my mouth started to feel mucky and my heart was racing. I drank some water , then dizziness started and I started to feel lightheaded and my legs were raised. Then I began to see spots and my vision was going. Last thing I heard was nurse say BP 79/40 something , I?m calling, we need to get her to ER. This all happened within 20 minutes from the shot.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1031731	2/15/2021	PR	99	M	2/12/2021	2/12/2021	Patient is a 99-year-old man with prostate cancer and sprouting eyes. No signs of dementia; awake, alert, and oriented by 3 (person, place, time). The patient needs a walker and a person assisting so he can move. He visited the pharmacy and came with two family members. After I evaluated the patient, I administered the vaccine. Just after the administration of his first dose of the Covid-19 Vaccine he felt very dizzy and with severe headaches after standing up. Family members told me the patient occasionally suffers from dizziness when he changes from the sitting position to the standing position. I sat him again and he keep telling everyone he did not felt fine. He was semi unconscious; his eyes were almost wide shut and his family members besides me told me he felt cold and never had dizziness like this. Just after that, I asked him if he could breathe, and he nodded yes with his head. I was ready for applying CPR or oxygen depending on the scenario. But I was very worried for him because of his age and decided to call the ambulance. The paramedics came in half an hour, but he started to feel better after a while. The paramedics got his blood pressure and was low and his glucose levels were high. They recommended the patient to go to the hospital, but he refused. He talked with his family members and instead decided to go home.
1031763	2/15/2021	AL	52	F	2/15/2021	2/15/2021	1 hour post injection, patient returned to the vaccine clinic c/o burning and tingling (L) side of face near cheek bone & eye. While talking, she developed a "cold sensation, like when you get IV fluids" on her left side.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1031767	2/15/2021	MN	93	F	1/30/2021	1/31/2021	1/31/2021 12:50 Nursing Note Note Text: Res had low BP, low O2 sats, 30 breaths per minute, eyes open wide, making confused utterances. Started supplemental oxygen via NC, 2L, then 3L. Sats went up to 93% for a while, Sprvsr called. Unable to auscultate Left lung sounds. Called to update Res daughter. Called to page NP, writer went back to assess Res and O2 sats were 88%, turned O2 to 4LPM, called 911 for transport to Hospital ED. Left around 1030. NP called back afterwards, was updated. Family updated that Res was sent to Hospital ED. Note Text: Received phone call from daughter as well as information from hospital. Resident has pneumonia with septic shock. She is on abx and had thoracentesis performed for large pleural effusion. [linked]
1031790	2/15/2021	WI	94	F	2/6/2021	2/7/2021	Received influenza vaccine 1/29 at PCP clinic. Received Moderna vaccine on 2/6 by pharmacist at her place of residence. She was taken to the ER on 2/9, unresponsive. Staff reported she wasn't acting normally since 2/7. During her hospital course (2/9-2/13) she was only able to open her eyes. Unable to follow any commands. MRI showed large right MCA stroke. She was discharged from the hospital on hospice.
1031795	2/15/2021	CA	66	M	2/15/2021	2/15/2021	Immediately after pt received vaccine he told his wife (driver) that he was feeling dizzy. Wife then stopped vehicle in Lane #6 halfway down to observation and called for help from observation staff. Upon arrival of observation staff pt was found to be unresponsive but still had a pulse and was breathing on his own. Pt was in the passenger set. Observation staff alerted onsite medical professionals and MD and the crash cart was brought to the car. Vitals were taken. Within a minute pt became responsive and opened his eyes and began to communicate with healthcare staff. O2 sat was noted to be low so O2 was applied at 6L/min via facemask. Onsite Battalion Chief stated he had already called EMS and they were en route. MD remained at the vehicle with pt and continued to monitor until EMS arrived and assumed care. EMS did an EKG and pt found to have sinus brady, with a pulse in the 50's. EMS decided to transport pt to hospital for further evaluation. Pt transported to ambulance via stretcher in stable condition, alert.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1031810	2/15/2021	KS	74	F	2/9/2021	2/9/2021	<p>Subjective Patient is a 74 y.o. female who was seen at Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience throat tightness. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, hoarseness, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to abdominal pain, blood pressure abnormality, chest pain, collapse, drooling, hypotension, increased swelling, rapid progression of symptoms, respiratory distress, skin changes, tongue swelling and vomiting. Pt with hx of htn/a-fib, allergies and asthma. She has taken her allergy medications today along with her htn med. She reports she usually checks her home bp and runs around 140s systolic. She states her bp is up today as she is anxious. ALLERGY REVIEW OF SYSTEMS: Patient denies chills, fever, malaise/fatigue, facial swelling, sore throat, frequent throat clearing, cough, chest tightness, shortness of breath, wheezing, rash, hives, itching of skin, dizziness and headaches. Negative for drooling: No vision changes: Previous Reactions: denies prior reactions. Objective Vitals: 02/09/21 1153 02/09/21 1156 02/09/21 1159 02/09/21 1200 BP: (!) 154/138 (!) 219/73 (!) 203/71 BP Location: Right arm Left arm Pulse: 74 73 72 70 SpO2: 100% 99% 98% 98% Physical Exam Vitals signs and nursing note reviewed. Constitutional: General: She is not in acute distress. Appearance: Normal appearance. HENT: Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. No murmur. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing or rales. Chest: Chest wall: No tenderness. Musculoskeletal: Right lower leg: No edema. Left lower leg: No edema. Skin: General:</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>Skin is warm. Coloration: Skin is not pale.</p> <p>Neurological: General: No focal deficit present.</p> <p>Mental Status: She is alert and oriented to person, place, and time. Gait: Gait normal. Psychiatric: Mood and Affect: Mood normal. Thought Content: Thought content normal. Judgment: Judgment normal.</p> <p>Assessment/Plan Treatment included: antihistamines</p> <p>Follow up response to treatment: fair. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) and Red flag symptoms (CP, SOB, NVD, Visual/Neuro concerns) HTN: pt reports she will monitor at home. She states that she gets like this prior to doctor appointments or visits. She feels well and wishes to go home. Discussed reasons to follow up with pcp, monitor bp at home. Follow up in ED if throat symptoms worsens or do not improve. Pt offered wc out to front door. Pt with husband.</p>
1031717	2/15/2021	OH	51	F	2/4/2021	2/7/2021	<p>Acute inflammatory eye disease, vasculitis, iritis The first signs showed up the morning of 02/07/2021. I went to the eye doctor on 02/08/2021. Symptoms kept getting worse and I was referred to a retina specialist on 02/10/2021. I go back on Wednesday 02/17/2021. The retina doctor and family doctor have talked and they are recommending that I do not get the second dose at this time because I could be at risk of vision loss.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1030890	2/15/2021	MO	31	F	2/12/2021	2/12/2021	About two hours after receiving the vaccination, I had severe dull pain in my entire left arm which received the vaccination. About 7 hours after the vaccination, I had extreme fatigue and slept for about 2 hours. I then got up to go to my neighbor's house (please note, it was about 4 degrees, -6 wind chill, outside at the time). When I got to the house, I stayed outside and smoked a cigarette for about 5 minutes. Upon going inside, I got extremely light headed, fatigued, my hearing went to "white noise" and a high pitched ringing, and my vision got blurry. I then left the house with assistance to head back home. While outside, despite the intense cold, I was dripping sweat in a matter of seconds. I continued sweating and experiencing effects akin to what is felt prior to passing out, for about 7-10 minutes. I then laid down and went to sleep. Third day, still some soreness in the arm, but only at the injection site. No more adverse experiences since.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1031850	2/15/2021	KS	73	F	2/9/2021	2/9/2021	<p>Patient is a 73 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 15-minute waiting period after the injection, the patient began to experience lightheadedness and headache, flushed, left deltoid where vaccination given hot to touch, nausea. She denied rash, difficulty breathing, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality, rapid progression of symptoms, respiratory distress and skin changes. Patient with flushing, headache, left arm warm to touch, and nausea after first vaccine administration of Pfizer in the 15-minute waiting period. Blood pressure elevated, SpO2 is 98-99% on room air, pulse 68. Patient notes that she has reactions with medications and vaccines. Water provided. After sitting for a few minutes, patient reports that she is no longer lightheaded, headache is almost gone, nausea has resolved. ALLERGY REVIEW OF SYSTEMS: Waves of nausea: Lightheaded with some dizziness, headache: Previous Reactions: Adverse reactions to medications in the past. Objective Vitals Vitals: 02/09/21 1145 BP: (!) 179/63 Pulse: 68 SpO2: 98% Physical Exam Constitutional: Appearance: Normal appearance. HENT: Head: Normocephalic. Mouth/Throat: Mouth: Mucous membranes are moist. Eyes: Extraocular Movements: Extraocular movements intact. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Normal breath sounds. Musculoskeletal: General: No swelling. Right lower leg: No edema. Left lower leg: No edema. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Gait: Gait normal. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: water and patient</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							took Tylenol before vaccine administration Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) and Local reaction (arm pain, bleeding/bruising, mechanical irritation, localized rash) Patient feeling back to normal. BP 152/76 at 1203. All symptoms have resolved. Left deltoid without swelling, redness, rash. Patient ambulating without difficulty. She is cleared to drive home. If she should have symptoms return or worsen, she is to call PCP or go to ER.
1030523	2/15/2021	OH	93	M	2/13/2021	2/13/2021	Patient received his second dose of the Pfizer vaccine. He was accompanied by his daughter. Per daughter prior to receiving his vaccine he was his "normal" self. He was sitting in a chair next to the vaccinator. He did walk in with a walker and minimal assistance from his daughter. He did have a gait belt on around his waist. When I came to patient he was looking straight ahead with his left eye open - right eye s/p surgery to his right eye per daughter. He did not respond to questions asked. His daughter stated mentally he is normally intact. His pulse was faint but palpable. His color was pale with slight dusky skin to hands. 911 was called. Undetectable blood pressure initially with his faint pulse. Initially his heart rate was 105. He was shallow breathing. BP was undetectable sitting - with oxygenation low 80's on room air. He was lifted to a bed/cart with legs elevated. He was given supplemental oxygen. After laying down with legs up he started to look around. He was able to tell me his name and respond to questions. His blood pressure was 117/68 with heart rate 55 and oxygenation on 6L nasal cannula 87-88%. Patient's daughter stated that patient was recently at hospital with low blood pressure and questionable seizure activity. No obvious seizure activity noted today. Paramedics - updated with patient history and events. Blood sugar checked at 183. Patient neurologically improved with ability to state name, his daughters name and his age. No injury noted. Dr phoned and updated on patient condition and events. Patient transported without injury on oxygen. Two daughters with patient to emergency room. Pt being evaluated by cardio on admission for syncope/possible seizure. Still admitted

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1031883	2/15/2021	CA	29	F	2/15/2021	2/15/2021	Tingly lips and throat. Red eyelids. Self-administered benadryl and all symptoms resolved after monitoring for 1 hour.
1031924	2/15/2021		75	F	2/6/2021	2/6/2021	Patient is a 75 year old female who has completed a 2 hours observation period with the following signs and symptoms of an adverse reaction; hypotension and loss of consciousness. Moderna COVID-19 vaccine #1 in series administered. 1318- pt. reported blurred vision to RN. Pt immediately assessed, during assessment pt. temporarily lost consciousness. Vitals- O2 sat-96%, HR-55, B/P-55/27, resp-16; 1320-DOD called, recommendation was to send to the ER via 911; 1324- Paramedics arrived and assessed pts. blood sugar (167), vitals O2 sat-98%, HR-71, resp 16, BP-91/40. Paramedics stated transfer to hospital was not necessary, but offered, Pt. declined ambulance transfer to ER. 1330- Continued to monitor pt. while giving oral fluids. Pt. reports she has fully regained consciousness, and blurry vision has resolved. Vitals, BP-102/42, HR-73, O2sat-96%, resp-16; 1335- Vitals, BP-110/50, HR-82, O2sat-96%, resp-16; 1400- Vitals, BP-121/45, HR-66, O2sat-97%, resp-18; 1420- Vitals, BP-125/31, HR-66, O2sat-96%, resp-16, DOD advised pt. should be assessed by MD. Pt. continues to refuse transfer via ambulance, no family members present. 1440- Pt discharged. o Action(s) taken: Recommended transfer to higher level of care, risk and benefits explained to patient, patient declined ride from ambulance to ER and was discharged. o Patient advised to discuss second dose considerations with a clinician
1031930	2/15/2021	CA	47	M	2/12/2021	2/12/2021	Shortly after the shot I began to feel itchiness in my right eye through out the day. The next day 2/13/21 I woke up with blood in my right eye. I did not have any itchiness, pain, or teary eye. On 2/14/21 the blood now was in 75% of my right eye. Today on 2/15/21 I went to urgent care to have it checked out and they told me I had a ruptured blood vessel. My entire eye is now covered in blood. I had not experienced any vomiting or had any cough of any type, or hit my eye anywhere for this to happen.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1031942	2/15/2021	PA	91	F	2/3/2021	2/6/2021	Significant loss of vision R eye-awoke on Feb 6 and noted splotches in vision of R eye. Workup suggests compromised blood flow to that eye
1031986	2/15/2021	NC	30	F	1/5/2021	1/6/2021	Starting January 6th started having itching on my upper L eyelid. The itching/pain progressed despite warm compresses multiple times a day. The morning of January 8th had swelling and redness in upper eyelid which then lead to some extremely mild ptosis and inability to fully open eyelid. I got concerned at work on the 8th because of the pain due to the swelling of the eyelid. I was able to be seen by my eye doctor the afternoon the 8th . He prescribed me topical steroid (Desonide). Personally I felt like it felt different than a stye. He reported he didn't feel any bleb or any raised lesion that he felt was suspicious for a stye. I hadn't used any new products/soaps or makeup on that one eyelid. Of note, I did fine for the second vaccine.
1032017	2/15/2021	IL	28	F	2/12/2021	2/12/2021	After receipt of her 2nd dose of the Moderna vaccine, the patient complained of her eyes feeling swollen. She also had hives her back. She was provided an icepack in the monitoring area for her eyes and was observed. She denied itching or throat tightness. Due to increasing hives and additional eye edema, she was taken to the ED. At the ED, she was examined and no hives were found upon examination, only a small area of redness on her chest. Patient was administered one dose of 50mg Benadryl in the ED. She was discharged and counseled to return for worsening signs/ symptoms which were described to patient. The patient indicated understanding and was advised to take Benadryl for symptom relief and follow up with her doctor within 1-2 days for worsening or continued problems. The patient discharged to her home.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1031847	2/15/2021	WA	43	M	2/9/2021	2/10/2021	Baseball sized diameter swelling around injection site, red (like a rash) in color, itchy, painful to touch and warm to touch. Rash looked yellow to black and blue around the edges as it progressed down the arm. Over the course of 5 days spread from injection site, around the elbow and into the forearm. Hip, knee, foot, shoulder and elbow pain on left side only, Body aches, nausea, visual impairment and loss of balance. Difficulty concentrating and relative "brain fog". Severe drowsiness in the sense of falling asleep while talking to someone and then no memory of it. Chest pressure and constant feeling of being out of breath. Cannot catch breath walking across the house from one room to the next. Severity of symptoms subsided within 24 hours, but some linger up to the time of this report. They are shortness of breath, rash with warmth and pain, lack of concentration and brain fog. Elbow still tender to touch.
1030936	2/15/2021	WI	74	F	2/10/2021	2/11/2021	light headed, foggy mind, unable to walk, lift hands and arms, did not know where i was. husband put me in high back chair, gurgling in throat or sinuses, eyes closed, could not understand him. temp just before 103. such shallow breathing he thought i might have died,. finally after prodding he saw i was breathing again. He kept putting cold rags on my head and the temp came down to 99. . kind of alert. ate a little. napped for 3 hrs, ate a little, slept 3 more hours and then slept all night. Next day was alright to drive and do about regular lifel. I have the medrna rash on my left arm. getting lighter. got up to 8 inches wide. still not 100% but can function, just need naps.
1031861	2/15/2021	MI	69	F	1/29/2021	1/29/2021	Triggered an Auto immune flair up response I get with Sjogrens syndrome..Generalize muscle and joint pain, Extremely dry eyes, mouth. Fatigue. Dizziness. Diarrhea. from 1/29/2021 to 1/31/3021

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1031704	2/15/2021	GA	60	F	2/8/2021	2/9/2021	About 30 hours after vaccine I had bumps on my shoulder blade on left side where I received the vaccine - a rash that itched. It lasted about 4 or 5 hours - I put Calamine lotion on it and that soothed it. I also experienced a little itching of eyes and a slight itching in mouth. About 9:30 pm I had a rapid heartbeat for about 30 or 40 minutes. The itching sensation continued off and on the next day but bumps weren't visible any longer. The itchy eyes continued off and on for the next day as well.
1030904	2/15/2021		45	F	1/31/2021	2/9/2021	On the evening of the 9th day after receiving my first dose of the Covid19 vaccine, the injection site was painful and felt bruised and made it hard to sleep on that side of my body. By the morning of the 10th day, my upper left arm, site of the injection was very red, itchy and hot to the touch. It wasn't painful, just irritated and concerning. We marked around the red part to keep an eye on it and make sure it wasn't spreading. It continued to be red and warm to the touch for three more days. The redness did spread slightly downward to the base of my bicep area. All of the redness was finally gone by day 15 after receiving the vaccine.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1030912	2/15/2021	WA	50	F	1/21/2021	1/21/2021	She received her 1st vaccine without any adverse or side effects. Within 30 seconds of her 2nd vaccine she became flushed, within minutes she developed hives starting on her hands and then becoming more generalized, as well as itchy palms. She also was hypertensive. The COVID vaccine clinic administered epinephrine and transfer her to the emergency department where she was given prednisone, Benadryl, and famotidine. ED notes do indicate she had some mild expiratory wheezing but on further discussion with her today this is a consistent finding after being diagnosed with asthma last year (more on this below). She was monitored for over 3 hours and discharged home. Her itching resolved in the ED, hives resolved about 3 hours after discharge and other symptoms resolved around 24 hours post vaccine. She did have labs drawn in the ED: troponin and C4 WNL. CBC showed leukocytosis with lymphocytosis and eosinophilia. No personal history of seasonal, perennial, food, or bee sting allergies; asthma history as below. She did have an episode of bilateral eye swelling in December that was evaluated by her PCP; she was treated with benadryl & prednisone and this took 3 days to resolve. She has no other history of anaphylaxis, hives or angioedema. She was able to show me pictures of this today.
1030935	2/15/2021	GA	68	F	2/12/2021	2/13/2021	Started with general malaise, slight chills and some body aches. After 3 or 4 hours a headache began; it involved pressure and pain around eye sockets, pain over forehead. It began on pain scale as a "3" or "4" and over the next couple of hours became a "9" or "10". I have a past history of migraines and it was worse than any headache I have experienced. I took 1 Tylenol Arthritis and it took the pain to a "7" or "8", but only for a couple of hours, then it was back with a vengeance and nausea began. By around 8:00 in the evening of the 13th, the pain started to diminish and the next morning I had a dull ache in my head which has since resolved.
1030987	2/15/2021	NJ	68	F	2/9/2021	2/12/2021	Infection, inside lower eyelid, left eye. Treated with Ciprofloxacin 0.3% eye drops.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1031001	2/15/2021	MI	59	F	1/22/2021	1/24/2021	Received 2nd Covid vaccine on 1-22-21. The next day had muscle aches, fatigue(1-23). On 1-24-21 woke up with 2 black eyes and a blood nose. This was about 8-8:30am. Blood nose lasted between one hour and one and a half hours. She packed her nose and by 10am it was not bleeding through and she left in place until 1pm. No more bleeding from nose after that time. All symptoms resolved by the end of the day 1-25-21. No more bleeding, denies bruising or any symptoms after that date.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1031459	2/15/2021			F	12/30/2020	12/30/2020	Vision not clear; Pounding of chest; throat felt contracted; A report was received from a healthcare professional concerning a female patient who was participating in the mRNA-1273 Emergency Use Program and experienced vision not clear, pounding of chest, and throat felt contracted. The patient's medical history, as provided by the reporter, included asthma and hypoglycemia. No relevant concomitant medications were reported. On 30 Dec 2020, approximately 15 minutes prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 intramuscularly for prophylaxis of COVID-19 infection. On 30 Dec 2020, 15 minutes following vaccine administration, the subject's vision became unclear, and she described everything seeming hazy and smoky. Her throat then began to feel contracted and her chest was pounding. The patient was transported to the emergency room (ER) via an ambulance. Her electrocardiogram (EKG) result was normal, while blood pressure and blood sugar results were increased. She remained in the ER overnight but was not admitted. Her vision returned to normal 5 pm the same day. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not reported. The event, vision not clear, was considered resolved on 30 Dec 2020. The outcome of the events, pounding of chest, and throat felt contracted were unknown. The reporter did not provide an assessment for the events, vision not clear, pounding of chest, and throat felt contracted.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. The Patient's medical history of asthma and hypoglycemia remains as confounders.
1031610	2/15/2021	SC	71	M	2/11/2021	2/12/2021	Went over artery on right side of face between eye and ear. Current diagnosis unclear as whether it auto immune reaction in the artery or infection in the skin above the artery. Blood drawn and placed on antibiotic (Cephalexin). Additional follow up depending on results of the blood work.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1031684	2/15/2021	KS	38	M	2/9/2021	2/9/2021	<p>Subjective; Patient is a 38 yo male who was seen at COVID Vaccine Clinic today for his second dose of the COVID 19 vaccination. He was given the Moderna vaccination in the right deltoid muscle. During his 15 minute waiting period after the injection, the patient began to experience lightheadedness and diaphoresis, chest tightness that is reproducible by provider with palpation. He denied difficulty breathing, wheezing, throat tightness and dizziness. This provider was notified of patient reaction and he was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , rapid progression of symptoms, respiratory distress and vomiting. During monitoring, patient complains of shortness of breath and chest tightness. SpO2 100% room air, blood pressure elevated at 152/104 at 0840, 147/112 at 0900. Patient is alert and oriented. O2 per NC placed at 0900, SpO2 at 100%. Patient was able to eat and drink during monitoring. Blood glucose is 107. BP at 0910 150/93. He is not on any prescribed medications. He denies past medical history. Patient to go to ER for further evaluation of chest pain. ALLERGY REVIEW OF SYSTEMS: Patient complains of chills, chest tightness and shortness of breath Pain behind both eyes: Pt once in bed, reported worsening chest tightness/sob. stabilized symptoms during his stay.: Nausea: lightheadedness: Previous Reactions: First dose of Moderna with headache, nausea, fatigue x 2 days. Objective Vitals Vitals: 02/09/21 0830 02/09/21 0842 BP: (!) 164/85 (!) 152/104 Pulse: 73 72 Temp: 98.8 °F (37.1 °C) SpO2: 100% Blood Sugar 107 collected at 0838 Physical Exam Eyes: Extraocular Movements: Extraocular movements intact. Pupils: Pupils are equal, round, and reactive to light. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Normal breath sounds. Comments: Hyperventilating at times. Chest: Chest wall: Tenderness present. Abdominal: Comments: Periods of belching Musculoskeletal: Right lower leg: No edema. Left lower leg: No edema. Neurological: General: No focal deficit present. Mental Status: He is alert and oriented to person, place, and time. Gait: Gait normal. Psychiatric: Mood</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>and Affect: Mood is anxious. Speech: Speech normal. Thought Content: Thought content normal. Cognition and Memory: Cognition normal. Judgment: Judgment normal.</p> <p>Assessment/Plan Treatment included: water, snacks and Pepcid, Tylenol Follow up response to treatment: good. Patient discharge: Transported to ED by ambulance. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) and Red flag symptoms (CP, SOB, NVD, Visual/Neuro concerns) Patient transported to ED. ER notified of patient's coming.</p>
1030922	2/15/2021	MI	59	M	2/10/2021	2/10/2021	<p>Patient states 5 minutes after receiving the vaccine he developed lip numbness, eye swelling and both hands were tingling. He then developed tingling in his chest. He was evaluated at the vaccination site by EMS and was administered oxygen and po Benadryl. His BP was elevated. His symptoms persisted for about 10 minutes and he was sent to the ER. En route to the ER he received IV steroids and Benadryl. He states his symptoms improved after treatment and by the time he got to the hospital (about 20 minutes) his eyes were normal. In the ER patient received Iv medications but he is unsure of what was given. A few hours after being monitored in the ER he noticed his chest tingling went away. He was discharged from the ER on 5 days of steroids. He states the next day he felt fatigued and on the day after the vaccine his hand tingling resolved. Patient states two days after the vaccine he felt completely back to normal and went to work.</p>
1031611	2/15/2021	MI	70	F	2/4/2021	2/4/2021	<p>Patient reported nausea, vomiting, weakness, chills, unable to keep food down, face broke out in rash around eyes and rash on hand. Patient reported symptoms lasted over a week. Went to ED, given IV fluids and discharged home.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1031598	2/15/2021	NJ	63	M	1/21/2021	1/22/2021	Morning after Could not go to work And I have worked 30 years without one sick day. Low grade fever in am with shaking but not cold. Started around 6 AM by 9 AM couldn't stand very weak slightly lightheaded Threw up till almost choking. At noon my temp hit 103.7 Took tylenol all AM and wasn't lowering temp. That was the highest temp Then gradually began to come down At 5:00 PM temp at 100 and able to put soup down. Woke up 4 AM next day in total sweat that had to move to other side of bed Soaked but felt OK On 23rd Got headache above right eye to side of frontal lobe, Not any strong headache at all Dull Like a 2 out of 10. My concern is I still have the exact same headache as I did three weeks ago Not a smidgen lower at all SAME. And I booked second vaccine for Sat 2/27th I am concerned as I have heard second can be worse. I have never had the flu and this was my first ever vaccine of any kind Please advise
1031560	2/15/2021	WI	71	F	2/4/2021	2/12/2021	Morning-back of R side throat discomfort, R eye tearing, 24 hrs later- numbness of R side tongue, R side of lips and cheek lose of muscular control, R eyelid remains open. Evaluated in ER 48 hrs after start of symptoms. DX-Bells Palsy treated with Prednisone & anti-viral. Symptoms continue.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1031491	2/15/2021	CA		F	1/25/2021	1/25/2021	experienced bleeding from her eyes and red blood circles around her eyes; bleeding internally; head breaking out in lumps and pustules and itching; head breaking out in lumps and pustules and itching; head breaking out in lumps and pustules and itching; she experienced a strange headache in the frontal area; she almost vomited; noticed a strong taste of chemicals; This is a spontaneous report from a contactable consumer (patient). A female patient of unknown age received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 25Jan2021 at single dose for COVID-19 immunization. Medical history included poisoned with chemicals, sensitive to chemicals, thoracic aortic aneurysm and was taking the blood thinner for that reason. Concomitant medications included 14 prescription drugs including a blood thinner. The patient received the first dose of the Pfizer-Biontech Covid-19 vaccine on Thursday, 25Jan2021. About 20 minutes after the injection, she experienced a strange headache in the frontal area. While walking out of the clinic, she almost vomited and noticed a strong taste of chemicals. On Friday night, 26Jan2021, she experienced her head breaking out in lumps and pustules and itching. On Friday and Saturday, she experienced bleeding from her eyes and red blood circles around her eyes. The consumer thought she was bleeding internally. The outcome of all events was unknown. Information on Lot/batch number has been requested.
1032326	2/15/2021	MN	22	F	2/14/2021	2/14/2021	Systemic: Allergic: Anaphylaxis-Medium, Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Medium, Systemic: Allergic: Swelling of Face / Eyes / Mouth / Tongue-Medium, Systemic: Dizziness / Lightheadness-Mild, Systemic: Fever-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Tachycardia-Mild, Additional Details: Had to use 1 epi pen in left upper thigh
1032220	2/15/2021	NY	61	M	2/15/2021	2/15/2021	Scintillating Scotoma Left Eye Lasted 10-15 mins Not headache after No hx of Migranes

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1032095	2/15/2021	CA	63	F	2/10/2021	2/11/2021	Extreme tiredness; blurred vision and mental fog; heaviness in the chest; difficulty breathing; mild headache; pain in my toes feeling like they were broken; chills; sweating. Lasted from 3-7 pm although 4-7 I was in a sound sleep but aware of the symptoms I was feeling. It was a very unusual feeling of unconscious then conscious delirium feeling.
1032172	2/15/2021		35	F	2/10/2021	2/11/2021	headache. Pt reports woke with headache behind R eye at midnight, has had simmialr headaches in the past which improved with IV fluids and antiemetics. 35 yo F w/ no known chronic medical conditions, presents w/ R-sided retroorbital HA + photophobia. Got the COVID vaccine yesterday morning; started to develop a right-sided, retroorbital, throbbing HA over the course of the day. +photophobia and nausea. Similar to prior "migraines;" the last one she had was more than 1 year ago. No visual changes. No fevers/chills, neck pain, rash, vomiting. No recent trauma.
1032203	2/15/2021	FL	24	F	2/13/2021	2/14/2021	Headache behind eyes, chills, body aches
1032204	2/15/2021	CA	82	M	2/11/2021	2/13/2021	Pink eye. Not severe, improving after 3 days
1032212	2/15/2021	IL	69	M	2/15/2021	2/15/2021	pharmacy technician administered 3rd COVID-19 vaccine dose on 02/15/21 at long-term care facility in under supervision of Pharmacist. Pharmacist received consent form from facility staff indicating patient needed a 2nd dose of COVID-19 vaccine. Patient's vaccination record card indicated first dose was administered 01/25/21. Patient was informed prior to vaccination that he would be receiving 2nd dose; however patient may not have memory of being vaccinated. Upon data entry, pharmacist discovered patient received Pfizer COVID-19 vaccine on 01/04/21, 01/25/21 and 02/15/21. Patient's nurse was alerted via telephone call about the event. No adverse event has been reported. Facility will monitor.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1032214	2/15/2021	KS	47	F	1/11/2021	1/12/2021	1/12/21 am - woke up with severe headache, pressure behind my eyes, dizzy and chills. Was unable to work that day 1/12-19/21 - extreme fatigue with intermittent dizziness and mild headache 1/19/21 - woke up with same severe headache and pressure behind my eyes that I experienced on 1/12 2/10/21 - had same type of headache and pressure behind my eyes as previously, only not quite as severe 2/11/21 - discussed symptoms with our employee health nurse and she advised to fill out this form
1032059	2/15/2021		50	M	2/12/2021	2/14/2021	Unable to feel heart beating in chest, even after heavy exertion. Same thing happened after first dose, but only lasted 3 weeks. I'm able to visualize my heart rate through an application on my Watch, but do not physically feel tasked, when performing exercises that push my heart rate of over 140 bpm.
1032246	2/15/2021	CA	69	M	2/13/2021	2/14/2021	Fine for 24 hours after. At almost exactly 24 hours after vaccine, had an EXTREME reaction that lasted about 45 minutes. Extreme dizziness (actually causing me to fall even when walking a few feet), extreme nausea (I think probably caused by the extreme dizziness), weakness, profound diaphoresis. I was sick like I have never been in my life, thought I might die, and when I was the most symptomatic actually wanted to die, I was so sick. Anyway, came on over about a 10 minute period gradually, and then was absolutely profoundly ill for about 45 minutes. After about 1/2 hour or so was able to negotiate the 25 feet or so to my den couch, closed my eyes and lied down, with gradual relief coming and severe illness totally gone in about 1-1/2 to 2 hours. No return of any similar episode since. 24 hours later, still a little lethargic and mildly "achey" with some weakness, but not so bad and kind of what I was expecting.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1032255	2/15/2021	VA	40	M	1/2/2021	1/5/2021	Within a few days of the first dose of the vaccine patient noticed extreme thirst, then increased urination frequency. Patient noticed unintended weight loss starting 2 weeks after first dose, and totaled 20 pounds in 5 weeks. Patient noticed some burry vision at night. Symptoms seems to lessen 2-3 weeks after first dose, but returned with increased intensity after second dose. Patient consulted a physician and lab work and blood sugar testing was ordered. Blood sugars were as high as 400 and A1C of 11. Patient went on a low extremely low carb no sugar diet for three days while waiting to see physician. Patient continued to monitor blood sugars. Blood sugars started to lower remained in the 170-260 range. Physician ordered repeat lab work and suspects Adult Onset Type 1 diabetes. Patient was placed on a long acting and quick acting insulin on 2-15-21. 23 Days after second dose.
1032270	2/15/2021	OH	37	F	1/1/2021	1/28/2021	The day after vaccination I lost vision for an hour then had onset migraine. Migraines continued and then had sudden onset of vertigo, ataxia, nausea, and vomiting 6 days following vaccine. I could not walk with the ataxia for several days and ended up in ED 8 days after vaccine for persistent vertigo, migraines, and nausea not improved with antivert and imitrex. I do have a history of migraines but I have never experienced this vertigo and migraines lasting days on end. I am now currently 19 days past vaccine and still with vertigo and migraines.
1032287	2/15/2021	NC	58	F	2/12/2021	2/12/2021	Night of to day one: Chills, Fever 101.3, Headache, Joint Pains, Muscle spasms, Muscle aches, Fatigue, Nausea, Vomiting, Diarrhea, Swollen Glands, Stomach cramps, Difficulty breathing, Blurred vision. On the 2nd day 14th February: Headache, Swollen glands, Bruising and redness at site, Fatigue, Stomach cramps, extreme thirst and skin dryness.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1032038	2/15/2021		54	M	2/3/2021	2/9/2021	H/A. Headache started yesterday which went away w/tylenol. Pain came back this morning which is radiating to sinus area. Denies bodyache, loss of smell, n/v/d/ URI symptoms. Patient is a 54 year old male who presents to ED with 3/10 headache behind his eyes which started last night, then resolved and came back this morning. He reports some nausea without vomiting. No numbness, no tingling, no vision changes. He has known HTN and DM for which he takes daily medication. Past medical/surgical history, medications, allergies: Reviewed.
1032307	2/15/2021	MN	33	M	12/31/2020	1/20/2021	Shingles broke out on the left side of the face. Severe left eye pain. Light sensitivity and swelling in the left eye. Itching and burning on left side of face.
1032335	2/15/2021	CA	72	F	2/15/2021	2/15/2021	Pt reports feeling "dizzy." Denies SOB, chest pain, palpitations, no blurred vision, denies nausea, states, "feel more lightheaded than dizzy." Skin pink warm dry, speaks in clear complete sentences, no redness or swelling to the injection site. No allergic reaction noted. Hx of vertigo, trigeminal neuroma. H- No facial drooping, no deformity noted. E- Pupils equal, denies blurred vision. E- Denies hearing problems or deficit. N-WDL. T- No deviation, no swelling, able to swallow secretions. Lungs CTA. Heart rate, WDL, denies palpitations. Vitals WNLs.
1032372	2/15/2021	TX	74	M	2/9/2021	2/11/2021	Pt reports that he had the first round of the COVID vaccine on Tuesday (2/9/21), and he began having L sided eye weakness/watering and L sided facial droop/weakness on Thursday (2/11/21) that has been worsening since. This resulted in a visit to the ER and workup for Bell's Palsy vs stroke - presented to ER on 2/15/21.
1032622	2/15/2021	CA	75	F	2/15/2021	2/15/2021	Moderna COVID-19 Vaccine EUA. Patient reported pain in left eye after covid vaccine. Patient noted to have elevated BP and redness/subconjunctival hemorrhage in left eye. persistent HTN. Allergist notified and Patient instructed to go to Emergency Dept. for further evaluation.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1032288	2/15/2021	FL	80	M	2/5/2021	2/11/2021	Bleeding into the retina of his left eye, obscuring vision Received injection of Avastin into left eye the next day No improvement yet We understand this could easily have been the natural course of his previously diagnosed macular degeneration, it?s just that he hadn?t bled in many years, and never in that eye, and after recently getting covid injection and it being experimental we thought we should report it in case

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1029034	2/14/2021	WA	62	M	2/13/2021	2/13/2021	<p>a 62 y/o M who presents with concerns for an allergic reaction to the second dose of the Covid vaccine. According to him he got the vaccine around 8:45 AM. He has a history of anaphylactic type reactions with a swelling and urticaria in the past but has not had any symptoms in the last 5 years. He felt sudden onset pit in his stomach, tingling and warm sensations over his face and some chest tightness. He denies all the symptoms currently. He did get medications prior to arrival but states his symptoms were already getting better before he been given anything. He was given epinephrine as well as Benadryl beforehand. He denies any symptoms currently. Denies headache, change in vision, difficulty swallowing, lightheadedness or vertigo, chest pain, sore throat, wheezing, cough, nausea or vomiting, rash, falls or injuries. Denies any recent foreign travel or sick contacts. He did work a full shift yesterday and was coming off a 24-hour shift prior to getting his vaccination. He denies any significant reactions to the first vaccine.</p> <p>Medical Decision Making On initial presentation is an overall well-appearing 62-year-old male who has normal vital signs without fever or tachycardia. He is presenting with concern for allergic reaction of the field to a recent vaccination. The vaccine was given roughly 1 hour prior to arrival. He was given epinephrine intramuscularly as well as IV Benadryl. He states he is currently feeling mildly tired from the Benadryl. He denies any other recurrent symptomatology and feels better. Examination is not concerning for anaphylaxis at this time, no evidence of airway involvement or multisystem involvement. No evidence of local allergic reaction. Low clinical concern for occult infection, metabolic abnormality, ACS or arrhythmia for a cause of his symptoms. He is overall very well-appearing. Labs have been obtained as part of screening for reactions to the vaccination per CDC recommendations including a tryptase and C4 complement. They were drawn over an hour after the vaccine was administered. ECG was within normal limits. After observation patient remained asymptomatic. Did offer steroids, however he wanted to hold off on them as he just got his vaccination which seems appropriate at this time. He was sent home with a new EpiPen. We also gave him follow-up in the allergy clinic. He has any worsening symptoms we do recommend he use the EpiPen as well as call 911. He is</p>



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							understanding. At this point he stable for outpatient management. I did tell him he should expect to feel aches and potentially have inflammatory response to the vaccine, he is understanding of this. Pt was discharged home/self-care. Pt provided strict return precautions, including but not limited to, any worsening symptoms or any new concerning symptoms. Otherwise, Pt instructed to see PCP on an as needed basis.
1029282	2/14/2021	MI	52	F	2/11/2021	2/12/2021	2:15 am woke up with chills (as expected) followed by a raging headache. By 4:00 am I had severe vertigo where it was difficult to keep my eyes open because the room was spinning horizontally at a rapid rate, not long after I began vomiting. I attempted to take 800 mg of Extra Strength Tylenol. I called my doctor at 8:30 am and was told that the effects are common but if headache got worse I should go in. I was told to take 1000 mg of Motrin which was an issue because I was vomiting. My husband placed ice packs on my head. The vomited stopped at 2:00 pm on 2/12/2021. I took 800 mg of Motrin at that time. The headache at this point was more like a severe sinus headache and that remained with little relief until 3:30 am on 2/13/2021. I will not do a 3rd booster if it is recommended with variants. I just felt it was necessary that you knew about this reaction/side effect. This was so much more than a headache or dizziness.
1028737	2/14/2021	CA	83	F	2/12/2021	2/12/2021	Injection instantly felt hot. Within 5 minutes patient was flushed and not feeling well to the point she had to drink water and ingest candy. I offered her to lay on the ground but she just had to silence herself from the commotion in the pharmacy closed her eyes and slowly inhaled and exhaled to calm her thoughts and reaction to the vaccine. Offered her to call 911 but she declined. Her daughter was with her and waited in the vaccine room for about thirty minutes.
1029338	2/14/2021	GA	44	M	1/28/2021	2/4/2021	Blurry and cloudy vision in left eye, cant see correctly

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1029275	2/14/2021	MA	51	F	2/11/2021	2/12/2021	Woke with visual distortions, elevated mood, whole body increased nerve sensations, impulsive thinking (symptoms akin to tripping on LSD). Symptoms had started in sleep state and invaded dream space and woke with them still active. Lasted about 4 hours after waking. Then fatigue and headache with no further of the symptoms that were awoken with.
1029237	2/14/2021	CA	47	F	2/12/2021	2/13/2021	Fever, Nausea, headache, body aches, facial and lymphatic swelling, swelling heat and rash at injection site, blurred vision, and fatigue. Seems like every time I woke up from a nap, I would feel a little better. Kept Tylenol on board and that helped with fever. This morning, 2/14, I am feeling much better, just have the rash and light headache.
1029177	2/14/2021	NY	37	F	2/10/2021	2/11/2021	I am due September 12, 2021. At the time of the first dose, I was five weeks and three days pregnant. I had no noticeable side effect other than a sore arm which went away within 24 hours. At the time of the second dose, I was nine weeks and three days pregnant. I went to bed early that night (7:30 pm) but attributed it to pregnancy. I awoke at 3:00 am on 2/11/2021 with a headache, fever, nausea and pain and swelling at the injection site. My temperature was 100.4. I ate some crackers and went back to bed until 6:00 am. At 6:00 am, I still had a slight fever (100.4) and the nausea was still there. I had some toast. At 7:20, I vomited. I went back to bed around 9:00 am and slept until noon. When I awoke at noon, my fever had broken (99.6) but I had an intense headache centering around my left eye and upper neck/base of my head on the left side. This headache has been continuous up to the time of writing this (4 days post second dose 2/14/2021). Additionally, I have had an increase in nausea and vomiting. On Friday, 2/12, nausea was constant throughout the day, and I vomited 7 times (5 of them happening in the morning between 5:00 am - 10:30 am). On Saturday 2/13, the nausea subsided slightly and I vomited only twice. Now, Sunday, 2/14, there is still nausea (vomiting once) and the headache. My injection site is no longer swollen, but is still slightly red and has some bruising.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1029166	2/14/2021	OH	33	F	2/12/2021	2/13/2021	Migraine with aura/visual disturbance, have history of this condition but haven't had an event in over a year. Onset during 2nd pregnancy in 2017. This is only the 3rd event ever. Aura consisted of flashing colorful triangles in an s-curve pattern on right side only. Started at the far right and migrated inward to exact center. Ended after about 30 minutes in the form of temporary inability to see entire right peripheral area. After visual effects ended, had headache pain for the remainder of the day. Treated with rest, hydration, caffeine, and little physical activity. Following day all pain and effects subsided.
1029109	2/14/2021	CA	49	F	2/12/2021	2/13/2021	ITCHING WHICH STARTED ON INSIDE OF R FOREARM. ITCHING INCREASED TO RIGHT HIP AND GLUTE, R BACK OF THE KNEE, BOTH SIDES OF NECK (FRONT)-WORSE ON THE R, UPPER LIP SWOLLEN, R EYE ITCHES UNDER EYE AND SEEMS SO BE PROCEEDING TO R EYELID. INJECTION SITE ITCHINESS ON THE LEFT IS PRESENT BUT MILD IN COMPARISON. NO DIFFICULTY BREATHING. NO SIGNIFICANT HISTORY OF BREAKING OUT IN HIVES OR ITCHY RASHES. TOOK 1/3 BENADRYL AT 4AM ON THE MORNING OF 2/14, BUT ITCHINESS IS PROGRESSING. LIPS SEEM MORE SWOLLEN THAN WHEN DISCOVERED AT 4AM AND R HIP ITCHINESS HAS EXTENDED OVER R GLUTE. REDNESS AT ALL OF THESE SITES. OTHERWISE, INITIAL 2/12 CHILLS/BODY ACHES HAVE RECEDED AND INTENSE SORENESS IN L ARM HAS ALSO BEEN GRADUALLY RECEDING. HAD 1 WEEK OF MILD ITCHINESS IN L ARM ON FIRST INJECTION AS WELL.
1029281	2/14/2021	CA	56	F	2/14/2021	2/14/2021	Reported blurry vision, dry mouth. HTN 170-200/90-110, Did not take her BP medication or eat this morning. She normally takes her BP med at night. EMT evaluation. Given juice and water. BP 185/98, reports no further blurry vision. MD evaluated. BP 160/88 by paramedic. Patient released home, will call her primary physician and seek immediate care if symptoms recur
1029022	2/14/2021	NY	36	F	2/11/2021	2/12/2021	Swelling around facial fillers under eyes - noticed next morning. Dissipated somewhat but still present as of day 3

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1029012	2/14/2021	IL	39	F	2/9/2021	2/10/2021	Awful body aches, fever, headache, eye pain, dizziness, feeling like a truck hit me. Started about 8 hours after the vaccine, continuing up until today 2/14/21
1029006	2/14/2021	NY	59	F	2/11/2021	2/11/2021	Approximately 30-40 minutes after receiving vaccine at 3 PM , I noticed numbness on the right side of my face, starting with my lips and cheeks, which slowly spread to the rest of that side of my face. No other symptoms besides extremely sore arm that ran the length of my right arm, from fingertips to shoulder. Called the VAERS hotline, who recommended calling my MD or going to ER. Called my MD, who assessed my symptoms via phone call, and found nothing to indicate allergic reaction. Suggested it could be beginning of possible Bell's Palsy. I was told to monitor the numbness, which felt like I had a mild injection of novocaine, for half an hour and if it did not diminish, I was to go to urgent care. It seemed a tiny bit less severe in that time, so I decided to monitor at home. By 11 PM that night, the numbness was gone around my lips and cheek, but remained around my eye socket and upper cheekbone nearest my hairline. My 8:00 AM the next day, the numbness had dissipated.
1029003	2/14/2021	FL	82	F	1/7/2021	1/10/2021	I video chatted with her Thursday after receiving the vaccine. My mom was in poor health but she was talking in complete sentences and responded appropriately. She was upright in bed and made eye contact. She smiled and denied pain. By Sunday, she was extremely weak and unable to sip water with a straw. Her health had changed dramatically and rapidly. She moaned in pain and was very fatigued. Her condition continued to deteriorate over the week and she stopped talking and was constantly sleeping. They started antibiotics for the oozing cancer lesion and then morphine for pain and end of life care. She passed away on January 22nd which was 15 days post vaccination.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1028963	2/14/2021	PA	42	F	2/8/2021	2/12/2021	Adverse event: I had anaphylaxis on 2/12/21 that required transport via ambulance to the nearest emergency room for life saving treatment. Background information. I took a 7 day course of celebrex (200mg orally once daily) on 1/25/21, prescribed by my primary physician for a flare up of low back pain. A 14 day course was prescribed; I stopped taking it after 7 days because my stomach was getting upset and I didn't want to take it close to my 2nd covid moderna booster. I got my 2nd moderna covid vaccine booster on 2/8/21. For 1-2 days, my left arm (injection site) was sore and I was mildly fatigued. I took over the counter advil (200mg twice daily) and tylenol (500mg twice daily); the day I took advil, I was sneezing and developed signs of allergic rhinitis (congestion/runny eyes and nose). I did not have any other immediate adverse reaction and by Thursday, 2/11, the arm soreness and fatigue resolved. My low back pain began to bother me again, so I took a 200mg oral dose of celebrex at 7:30a on 2/12/21. I went to work (I am a veterinary neurologist. While at work, at 9:30a on 2/12/21, I had a severe anaphylactic reaction and had to be taken via ambulance to Medical Center. I developed hives/welts/burning/itching all over my body, within 5 minutes my throat closed up, I couldn't breathe, I became hypotensive/collapsed; in the ambulance, I was given IM epinephrine; then at the ER, I was given IV steroids (solumedrol), benedryl, famotidine, zofran (due to abdominal pain/nausea) and IV fluids. This stabilized my signs within 1 hour and I improved and was going to be discharged at 2pm. However, the hives returned at that time, so I was given additional IV benedryl, famotidine, fluids and oral prednisone and kept in the hospital overnight for monitoring; I was discharged to go home on 2/13/21 on a 4 day course of oral famotidine, benedryl and prednisone; I remained itchy and continued sneezing at home on 2/13/21. Today, 2/14/21, all signs of this reaction have resolved. The ER doctors and myself believe the 2nd moderna covid booster on 2/8/21 stimulated my innate immune system, leading to this anaphylactic reaction to celebrex (a medication I had taken 2 weeks prior with no problem). The doctors feel the celebrex is what set off the anaphylactic shock, but that my immune system was primed to do so after the vaccine. In hindsight, I realized that I was having allergic rhinitis symptoms after taking oral advil on 2/9 the day

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							after my booster (which has never happened to me before either). I am a person with no pre-existing allergies of any kind. There was nothing different at all in my routine including food or potential environmental exposures) on 2/12, the day of my anaphylactic reaction, other than my taking a 200mg dose of oral celebrex. I am not allowed to take NSAIDs until I see an allergist for testing now. I am reporting this adverse event as I believe the moderna booster caused an anaphylaxis to the celebrex medication.
1028852	2/14/2021	IL	32	F	2/12/2021	2/13/2021	Right after: discomfort in elbow, eye sensitivity Next day: sore arm, fever (101.5), body aches, severe chills. Third day: sore arm, inflamed lymphnode in left side armpit.
1028814	2/14/2021	PA	86	F	2/8/2021	2/9/2021	Less than 24 hours after receiving 2nd dose of vaccine, resident developed symptoms of fever (101.7F), body aches, peri-orbital fluid in right eye, right eyelid ptosis with mild facial droop, tongue deviates to the right.
1028778	2/14/2021	CA	46	M	1/7/2021	1/10/2021	On December 17, 2020, my husband, received his first BioNTech BNT162b2 COVID-19 vaccination. On Thursday January 7, 2021, he received this second COVID-19 vaccination. The following three days after his second vaccination, he felt fine. The fourth day, on Sunday January 10, my husband felt extremely fatigued. On Monday the 11th and Tuesday the 12th, he worked a full shift but complained of extreme fatigue and extreme chills to the point that his teeth were chattering while on the phone with me. He decided to work through it. When he got home on Monday night, he started vomiting. On Wednesday January 13, he woke up and had swollen eyes. Once again, he felt extremely fatigued, even after a full nights rest. He had the day off but had an early meeting. After his meeting, he was still tired so he went back to sleep. I left to get lunch, and drop off our kids, and upon my return, I found him on the walk in closet floor, face up, having passed away. He felt as cold as ice. The rapid test done after they called the paramedics resulted in a negative COVID-19 test for him.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1028859	2/14/2021	FL	76	F	2/11/2021	2/11/2021	extreme Chills followed by being very Hot and then chills again , headache , teeth hurt , eyes sensitive to light and eye balls aching and still are ,temperature 3rd day morning 100.2 never checked on 2nd day. Shot in the arm hurt 1 st day where a 1st doze shot did not hurt till next day, nausea, weakness all over and joints hurt. I took 1/2 of 2 percocets 1half every 3 hours for 12 hours and that helped with headache and teeth..tylenol did not help headache and I never have headaches. I thought I was dying. I spoke to friends who have had 2nd dose and most experienced some but not all and many nothing after 2nd dose.
1029343	2/14/2021	CA	35	F	12/21/2020	12/21/2020	Patient received the Pfizer-BioNTech COVID-19 Vaccine EUA at 1931. Then started experiencing lip tingling at 1942. Benadryl 50mg given at 1944, tingling resolved at 1950. Reports dry eyes but otherwise ok at 1956 and left the vaccine clinic.
1028783	2/14/2021	KY	24	F	2/5/2021	2/9/2021	Shingles outbreak on my face and in my eye. Flu like symptoms for 2 days after 2nd shot and then tingling/itching on my face day 3. Day 4 small bumps. Day 5 painful rash and swollen face. Day 6 and currently painful rash all over face, eye is swollen shut and shingles are now appearing on back and one blister on stomach. Everything is on the right side.
1029688	2/14/2021	NV	26	F	2/12/2021	2/12/2021	2-3 hours after injection, sore and stiff arm. Another 2 hours and I began to feel extremely fatigued in the muscles, like they weren't attached to my bones. Very difficult to move. Felt extremely tired and weak. This continued for 15 hours. 6 hours after injection and I also began feeling very cold. Fever at 101.6 F. These chills lasted approximately 6 hours. 8 hours after injection I began experiencing extreme lower back pain. This was nearly unbearable. It hurt close to the spine and radiated laterally. Heat seemed to help slightly. The pain made it impossible to sleep. This lasted approximately 12 hours, at which time I took a Tylenol and the pain subsided slightly. 17 hours after injection I experienced a headache behind my eyebrows that moved from side to side for 2 hours until I took a Tylenol. A lesser version of the headache and chills returned 48 hours after injection and lasted for 3 hours at time of this report.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1029364	2/14/2021	FL	56	F	2/13/2021	2/14/2021	Low grade fever (99) , chills, headache, right arm pain (severe) general malaise, fatigue, poor concentration, joint pain (all joints), burning eyes, kidney pain (both but more so on right side than left.
1028834	2/14/2021	PA	55	F	2/8/2021	2/10/2021	Swollen eyelids approximately 36 hours after injection.
1029786	2/14/2021	MD	58	F	1/13/2021	1/13/2021	Jan vaccine- 1 hour later and persisting for 1 week- left facial nerve neuralgia with left eye twitching (up to 2 weeks afterwards) Feb vaccine(2/11/24)- 24 hrs after vaccine- extreme SI, hip pain with inability to sit or stand- lasting 24 hours
1029765	2/14/2021	IA	33	F	2/11/2021	2/14/2021	Visual disturbances 3 days after 2nd Pfizer dose - Floaters in the middle of my visual field wouldn't move and blurred my vision. Flashes/swirls of light. Struggled to read text. This lasted 2 hrs or so and finally gradually improved. I have NEVER had anything like this before. My mom had this EXACT same thing happen 2 days after her 2nd Moderna dose except hers hasn't gone away.
1029750	2/14/2021	MD	23	F	2/12/2021	2/12/2021	day after vaccine was received pt developed fever and rash to her arms and legs. next day fever resolved but rash spread further and had eyelid swelling and rash to her lower lip



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1029704	2/14/2021	CA	67	F	2/12/2021	2/12/2021	Moderna COVID-19 Vaccine EUA - I received my second dose IM in my left arm at 9:16 a.m. on Friday, February 12, 2021. Within a couple of hours, I experienced soreness at the vaccination site (as I was expecting based on information provided by Department of Health and Human Services). By about 7:00 p.m. I began experiencing some of the expected side-effects (achy shoulder, arm, neck, ribs, and eyeballs). I took an Aleve (NSAID) for the pain at about 9:00 p.m. I felt a little better in the morning on Saturday, February 13, 2021. I took my second (and last) Aleve at about 7:00 a.m. that same morning and then slept for a few hours longer. By the afternoon on Saturday, February 13, 2021 most of the previously described symptoms had subsided. When I woke up at around 3:00 a.m. on Sunday, February 14, 2021 I woke up with a painful (pain level 7/10) sore throat (mostly on the R side of my throat ), noticed that I had a small blister on the left side of my lower lip, and had what looks like oral thrush or ?COVID-19 tongue?, (bumpy white patches on the tongue). I slept poorly until about 3:00 p.m. and was still experiencing these 3 oral syptoms at 5:30 p.m. on Sunday, February 14, 2021 (about 56 hours after receiving Moderna dose #2).
1029801	2/14/2021	CA	34	M	1/30/2021	1/31/2021	01/31/21 approx 12 hours after receiving the second dose of Moderna vaccine I experienced blurred vision to right eye. Upon further eval I confirmed 30% loss of vision to right eye. No other symptoms noted. To date no change in symptoms. Since onset of symptoms I have been evaluated by various providers. 02/03 MD, 02/04 MD, 02/04 emergency room intake with blood work and MRI at hospital, 02/12 MD.
1029677	2/14/2021	MO	74	M	2/12/2021	2/13/2021	Bell's Palsey with first symptoms of tearing eye beginning next day after shot. Progressed to numbness and drooping on one side of face by the next day. Went to urgent care and was immediately directed to the ER

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1029660	2/14/2021	CO	71	M	2/11/2021	5/11/2021	Absolute ZERO side effects from first dose, not even a sore spot on injection location. Migraine intensity headaches started 4 hours after injection of the second dose and lasted for approx. 40 hours. Went to sleep at 10:30 PM the night of the second dose and woke up in a startled state every half hour until I got out of bed at 5:30 AM. From 5:30 AM until approx. 10 PM the day after my second dose I experienced seizure-like symptoms where I would seem to fall asleep while in a sitting position and awake just a minute(s) later in a confused state of mind. This would happen frequently and stopped its frequency slowly and stopped entirely late that same night. I experienced eye pain to the point I had to apply ice bags to my face the entire day after the second dose. Body pain was so sever I cannot compare it to any other flu-like symptoms I've ever had. Totally recovered after 48 hours.
1029656	2/14/2021	CA	26	M	2/12/2021	2/13/2021	Bell's Palsy (left sided facial droop, difficulty closing left eye lid). Outpatient treatment with oral corticosteroids, valacyclovir and topical Lacrilube (eye lubricant) prescribed by ED physician and referral to primary care for follow up.
1029536	2/14/2021	CA	35	M	1/30/2021	2/2/2021	I noticed I was itchy and had hives/swelling near my right eye, right shoulder, and right thigh.
1029638	2/14/2021	TX	49	F	1/7/2021	1/10/2021	Moderna COVID-19 Vaccine EUA. I slept for 36 hours. Upon awakening I was unable to walk on my own due to dizziness and disorientation and this caused me to throw up a lot. The migraines increased in frequency and pain. The vaccine greatly aggravated my Meniere's, Tourette's, visual dependency syndrome, vestibular migraines, and sensory integration disorder. I have had to move in to the smallest room in the house. I sleep on the same bed that I sit on all day. When I am having bad days I have to be put in a wheelchair to be taken to the bathroom that is 5 feet away. I was not doing well before the vaccine but this is vastly worse. I have injured my shoulder and have an appointment with an orthopedist because I have fallen or have tried to keep myself from falling so many times.
1029587	2/14/2021	CA	25	F	2/13/2021	2/13/2021	Besides the regular symptoms that others have reposted (fever,chills,pain, and nausea) I also had notable inflammation of the right eyelid.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1029568	2/14/2021	TX	34	F	1/8/2021	1/8/2021	right dorsal hand burning sensation, left eye swelling
1029558	2/14/2021	WA	39	F	2/12/2021	2/13/2021	Low grade fever, chills, headache, nausea, extreme body ache, extreme fatigue (24 hrs), pain, swelling, redness, itchy rash at injection site (started within a few hours after and has not gone away). Foggy feeling, slight vision disruptions.
1029552	2/14/2021	IL	77	F	2/5/2021	2/5/2021	02/05/21 6:00PM total exhaustion, chills, headache, joint pain, felt like I had the flu. Also, my eyes seem to have new floaters, and I felt strange in my head. 10:00pm the symptoms continued, but when I got in bed I had terrible nausea so bad that I couldn't sleep. The next morning my symptoms continued but did not worsen, and then I got so dizzy that I was stumbling. This all continued for three days. On 02/09/21 my symptoms subsided, and I felt normal again
1029451	2/14/2021	GA	69	F	2/9/2021	2/9/2021	Severe muscle pain, severe weakness, slight shortness of breath. Was unable to sleep because of severe muscle pain. I passed out when I went to the bathroom at 3:53 am from the pain I came to on the floor at approximately 3:57 and had hit my head just below my eyebrow on the sink counter. I was bleeding from a wound and sustained a black eye.
1029547	2/14/2021	IL	38	F	2/12/2021	2/12/2021	*Moderna COVID-19 Vaccine EUA* Pt received vaccine at 8:55am on 2/12/21 and was observed for adverse events for 15 minutes after. Pt reported driving home and then about 20 minutes later experiencing eye swelling. She decided to go to the ER and was treated with prednisone and was sent home with the recommendation to not receive the second dose of the vaccine.
1029546	2/14/2021	PR	34	M	2/11/2021	2/13/2021	Sewling of upper lip and left eye
1029645	2/14/2021	NY	49	F	2/8/2021	2/9/2021	I had nausea and dizziness and then passed out. I hit my forehead on a blunt object so I had a gash over my eyebrow. It was stitched up. CAT scan was normal.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1029505	2/14/2021	CA	68	F	2/11/2021	2/11/2021	10 minutes after getting the first shot in upper left arm I felt dizzy, vision was getting blurry. The nurse put me on the bed and took blood pressure. It was 199/91. I stayed on the bed for 20-30 minutes till the blood pressure went down to 136/75, then I felt well enough to sit up, and a little later my son took me home.
1027899	2/13/2021	VA	50	F	2/3/2021	2/12/2021	Rash appeared 9 days after receiving the shot, red in area of shot, warm to touch, slight swelling. Keeping an eye on it and will see if it goes away after 48 hours- (read online that some patients have experienced the rash and it went away in 24-48 hours)
1027905	2/13/2021	CO	23	F	2/13/2021	2/13/2021	5 minutes after receiving injection pt. became light headed, c/o blurry vision, nausea and pale. No LOC. PM Hx negative, NKA, taking no meds. On exam, pale, HR 60, BP 90/62, HeartS1, S2, RRR, Lungs CTA bilat. Post 15 min. BP 122/78, O2sat 98. A/P Vasovagal post vaccine. Good response to supine position, cold room and water. Pt. left to home with friend. Informed pt. to contact PCP. Notes by doctor Low who examined pt. on site.
1027935	2/13/2021	MA	51	M	1/20/2021	1/28/2021	On the 8th day after the first Moderna COVID19 vaccine I experienced a very deep throbbing migraine headache that affected my vision. I could not read as there were bright lights that blinded my ability to read. This did not go away for 2 days. Today is the 24th day after the first shot and I still have a very slight headache. I've never had headaches in the past.
1027938	2/13/2021		44	M	1/31/2021	2/4/2021	Red raised lump at bridge of nose left side under eyebrow

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1027975	2/13/2021	OH	68	F	2/12/2021	2/13/2021	I was fine when I went to bed on the 12th, at 00:30 on the 13th Feb, 2021 I woke up and felt like I needed to vomit. I made my way to the bathroom where I no longer felt nauseous, but began to feel very unwell and needed to get back to bed to lay down. I was sweating quite profusely and just wanted to close my eyes and lay there. My husband took my temp. 95.5F which restored to 97.7 after I stopped sweating. My blood pressure was normal 119/78 with a HB of 54 bpm. At this time I began to experience intense waves of pain and cramps in my lower bowel region. This continued for around an hour, after which time I returned to the bathroom to empty my bowels - although this was not diarrhea. I settled back to sleep with no more cramping and at 05.30 am I awoke with the feeling that I needed to empty my bowels again, this time it was like the end of a colonoscopy preparation., with little more fecal matter to come. I got up at 06.30 am and although I felt washed out, did not have any further issues.
1028000	2/13/2021	NC	67	F	2/4/2021	2/11/2021	One week after receiving vaccine, I had a MRI with gadolinium containing contrast used. I have had this contrast at least 3 or 4 times in the past 6 years with no problems. (last time was August 2020). This time, I had allergic reaction minutes after receiving contrast. Teeth and nose tingled, eyes itched. After MRI was done, nurse observed red flushed face, so put me in room for observation. Over next hour, arms and hands got red and itchy, and got hives in several places. Part of legs also reacted same. They finally gave me 25 mg. shot of benadryl, which helped all areas except one. That evening I still had a itchy rash about the size of a tennis ball on the upper right arm, which is where I had the COVID
1028026	2/13/2021	NY	36	F	2/11/2021	2/11/2021	headache, fever, arm pain, leg cramps, back pain, nausea, diarrhea, swollen lymph nodes in armpit, pain across chest and shoulder blades, extreme fatigue, tired eyes, lack of appetite , brain fog, chills, joint pain

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1028044	2/13/2021	FL	53	M	2/9/2021	2/11/2021	Development of left sided facial Bells Palsy, initially started on Thursday 2/11/2021, symptoms worsened until left mouth and eye droop on Saturday 2/13/21. Went to Urgent Care on 2/13/21 and received diagnosis of Bells Palsy. Prescribed Prednisone 60mg daily x 7 days. Will start today - 2/13/21
1028039	2/13/2021		58	F	2/11/2021	2/12/2021	Sore arm, headaches, body aches, chills, fever, acidity, burning of eyes
1027882	2/13/2021	FL	73	F	1/7/2021	1/26/2021	First dose of vaccine 1/7. Had acupuncture on 1/26. That evening began having migraine. three days later and still having severe headache felt bumps on scalp. three more days later still had headache and bumps in several places. Forehead (hairline), eye brow, eyelid. Went to emergency room in FL. The Dr. gave med a cocktail to get rid of headache and also diagnosed me with Shingles. I don't know if this was the result of 1st dose vaccine or may have been triggered by the acupuncture. I have not had Shingles before.
1027493	2/13/2021	OH	63	F	2/12/2021	2/12/2021	Started with itchy eyes (15-20 minutes afterwards), felt swelling in nose and then within approximately 30 minutes of injection tongue felt strange and started swelling like it was getting too big for my mouth. Increased BP. Given injection of Benadryl at 4pm. and squad was called for transport to ER. Had tachachardia in ambulance BP still high. Had BP cuff on, oximeter and leads on chest. Hospital monitored me. At six was given liquid Benadryl and Pepcid as felt like symptoms getting worse. Swollen nose and roof of moth felt swollen. At one point in time male nurse said my face was red. Not sure how long that persisted. Also, sounded funny when I talked when symptoms had returned. Like I had a clothes pin on my nose and sinus clogged. After 4 hours was sent home with instructions to take Pepcid once a day for 14 days and to take Benadryl every 8 hours. About 1am I was still awake. Felt like my heart did a flUp flop for lack of better words. Few minutes later felt fluttering. 2am I?m taking Benadryl and going to sleep.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1028037	2/13/2021	CT	54	M	2/12/2021	2/12/2021	Patient received his first COVID-19 vaccine on 2/12/2021 at approximately 11:30am at clinic. He is a resident there. He was initially monitored for 30 minutes without incident. Approximately an hour later (12:30pm) he returned complaining of sweating, feeling warm (no fever, normal blood pressure) and blurry vision. He was monitored for an additional 30mins (approximately 1pm). Symptoms did not resolve. The facilities manager called EMS and patient was taken to Hospital. No further information available at this time.
1027856	2/13/2021	CA	60	F	1/31/2021	2/3/2021	Shingles valacyclovir uveitis prednisone eye drops swollen lymph nodes
1027839	2/13/2021	WA	54	M	2/12/2021	2/12/2021	Headache, redness and pain in right eye. Watery
1027793	2/13/2021	IN	83	F	2/11/2021	2/11/2021	swollen . sore arm, elevated temp, 2 degrees above normal, weak, ache all over, feet burnt and itched (not normal) today, 13th, temp is down, arm is better, still sore , weak, but not the ache all over as bad, feet not burning, now today diarrhea, but at 11:30 getting better, eyes have been more sensitive and blurry than normal and still are.
1027650	2/13/2021	PA	53	F	2/10/2021	2/11/2021	Developed fever, severe muscle aches and fatigue that started 2am on 2/11/21. rested and took Tylenol extra strength after 24 hours of symptom onset with some relief. The muscle aches were all over but especially sore in eyes, hands and ribs. By 2/12/21 muscle aches in hands, eyes and ribs plus fever had resolved. Only slight aches and fatigue continued.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1027645	2/13/2021	MD	31	F	2/11/2021	2/11/2021	I had a mild reaction of rash after my first vaccine 1/14/21 but it went away after taking 25mgs of Benadryl. The second shot I was instructed to pre medicate with Benadryl before hand. After my second shot 2/11/21, within about 5-10 minutes I started with a red hot spot on my left ear, and a rash at injection site. Then it spread down my arm and to my chest. I took another 25 mgs of Benadryl and was given Pepcid as well. My chest started getting a tightness feeling in it and then I was instructed to go to the Emergency Room. I was given solu-medrol in IV and it seemed to help. The next morning 2/12/21 I took 25 mgs of Benadryl prophylactically. At 1142, I started feeling like the rash was coming back. It started under my chin and spread all over my face to my neck and chest and to my arms. My chest started feeling tight again. My blood pressure was 154/94, pulse 108. I got in touch with the nurse who was with me the night before with my first reaction and she instructed me to go to the ER again. There they gave me another round of solu-medrol IV. And sent me home with steroids to take. Today, 2/13/21 I woke up and my face still is rashy and hot to the touch, my eyes are puffy and tongue is more swollen than usual and my chest still feels tight. I have taken the steroid dose for this morning and Benadryl 25mgs.
1027613	2/13/2021	MN	87	F	1/12/2021	1/13/2021	Mom fell the next day 1/13 and was brought to hospital emergency then released about half day later (broke her eye glasses in the fall), she had second vaccine on 2/9/21 and fell the next day 2/10 and was brought to hospital and has fractured rib and possibly two more fractured ribs. Is this a huge coincidence or did she have really bad reactions to the covid vaccines? Should she have been observed for 24 hours afterwards by the assisted living facility, had a family caretaker watch her for 24 hours, Pharmacy should have observed for 24 hours?
1027518	2/13/2021	FL	53	F	2/11/2021	2/12/2021	slight fatigue and achiness dry eyes acute pain in lymph nodes on the right side of the neck around 11 pm. lasting only 10 minutes.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1028099	2/13/2021	CA	55	M	12/20/2020	12/20/2020	Patient received the Pfizer-BioNTech COVID-19 Vaccine EUA at 1748. Patient complained of eye irritation, eyes were red and itchy at 1758. No complaint of difficulty breathing, heart rate or dizziness. Pharmacist in the clinic gave the patient diphenhydramine 25mg and patient was observed for additional 15 minutes. Irritation resolved and patient had no complaint at end of observation period. Discharged to home.
1027495	2/13/2021	WA	28	F	1/30/2021	1/30/2021	With 15 minutes of first dose patient experienced dizziness, blurred vision, face swelling and extreme fatigue. These symptoms subsided and the patient slept. The following day patient woke up with a 8 pain scale neck pain, stiffness and some head pain in the back of the skull, and arm soreness. Patient focused on hydration and rest. Today (02/12/2021) neck pain and stiffness has persisted, with slight headache on the back of the head. Reduced to a 4 pain scale. Overtime patient has also consistently experienced low-appetite, and fatigue. Patient is looking to understand why these symptoms have persisted, and how it can be resolved.
1027835	2/13/2021	NH	71	F	2/1/2021	2/7/2021	on 2/7 intense full body itching and hives, 2/9 both eyes more than bloodshot (looked full of frank blood) after taking 1 dose of prednisone, 2/9 woke to face and eyes badly swollen As of 2/13 itch is diminishing but still acute
1027476	2/13/2021	WA	66	F	2/9/2021	2/10/2021	18 hours after 2nd dose, severe cramping, diarrhea, sweating. Passed out while on toilet. Came to with nose bleeding from both nostrils, goose egg on forehead. Husband helped me back on commode, more diarrhea, then threw up 3 times. After 15 minutes, helped back to bed, chills, shakes, fatigue. May have broken/cracked nose and slight concussion - was slightly confused for 24 hours, headaches, unable to wear eyeglasses due to swelling and bruising on nose. Ice pack on nose 4x day for 15 minutes. Tylenol and Ibuprofen for pain. At 60 hours (after injection) welt is fading and not hot, beginning to feel better, although still fatigued, and headaches continue. This description was sent to my doctor.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1027508	2/13/2021	TX	43	F	2/8/2021	2/10/2021	Extremely significant swelling under left eye and left cheek from dermal filler received months ago. The product most recently used was Volure. Voluma was used in the past. Swelling only occurred on one side..
1028432	2/13/2021	CA	61	F	2/12/2021	2/12/2021	After 15min wait patient had glassy eyes and shaky left hand ,increased heart rate ND low glucose. After being observed 30 min more patient was alright to drive. A follow up phone call was made patient was doing fine some pain at injection site.
1027674	2/13/2021	WI	40	F	2/10/2021	2/12/2021	Swollen eye lid
1028724	2/13/2021	IA	81	F	2/10/2021	2/10/2021	Left eye lid is red and swollen. Does not really hurt.
1028656	2/13/2021	FL	52	F	2/11/2021	2/11/2021	Very bad headache mostly over the left eye. Was migraine in nature. I was light sensitive & throwing up. Took ibuprofen & Tylenol and drank over 32 ounces of water & went to bed. Headache was gone the next morning & returned in the afternoon but not as severe. There was also discomfort at the injection site.
1028652	2/13/2021	MI	27	F	2/12/2021	2/13/2021	The following morning around 7:30am, these symptoms occurred after both doses (1st dose was 1/15 at 4:30pm at same location): pounding in ears, blurred vision, and feeling like I would pass out. This happened any time I tried to sit up, for the first two hours of the day. Went away after that, but still occasionally would get pounding in ears for the next 24 hours.
1028556	2/13/2021	CA	66	M	2/10/2021	2/10/2021	Body aches, fatigue, swollen face/eyes, rash all over body, with welts, cough, itchy . Headache. I still have swollen bilateral eyes!

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1028120	2/13/2021	NC	28	F	2/11/2021	2/11/2021	Called to see patient ~10 min after prime dose of Moderna COVID-19 vaccination. Patient reported acute onset of left eye swelling sensation and throat tightening. Was able to talk without difficulty. Normal salivation. Moved immediately from observation area to treatment room. Reaffirmed that symptoms persisted and that time she also reported chest tightness. Vitals were normal and pulse oximetry = 99%. Exam conducted while vitals being measured. No wheeze or stridor. No rash. No obvious oral lesions or swelling. Eye lids not swollen. Epi IM given at once (within 1-2 min of arrival at the treatment room). Symptoms resolved over the next 10 mins. Vitals were monitored frequently. Heart rate was increased before and just after Epi then dropped to ~70 b/m. Other vitals also remained normal and she was comfortable. EMS was called and she was transported to ED for continued observation. Husband accompanied her. She was seen in ED and observed for 4 hours. Benadryl, Pepcid and Prednisone taper prescribed. She was released from ED.
1028508	2/13/2021	NJ	72	M	2/5/2021	2/6/2021	moderately high fever, headache for two days, then three days later (Tuesday morning) Signs of TIA - slurred speech, central vision blurry, word recall difficulty
1028413	2/13/2021	NM	39	F	1/21/2021	1/21/2021	abdominal pain, diarrhea, constipation, malaise, fatigue, fever, headache, myalgia, nausea, pharyngitis, vomiting, vision changes (halos, blurry) all ongoing since 1/21/21 Feels like she has to blink her eyes to focus because her eyes are crossing, feels pressure in her ears. Went to PCP and received steroids. Went to another doctor and received vitamin D, magnesium, Coenzyme Q10, and Emergen-C. Denies sick contacts or bad/spoiled food intake Covid testing done and negative, routine lab testing done including serum drug screen (only abnormal blood work was an elevated liver enzyme, positive for marijuana and benzodiazepines. elevated absolute lymphocyte, and vitamin D deficiency ), given zofran, Tylenol, Zyrtec, and Flonase and the Health Clinic

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1028383	2/13/2021	NY	45	F	1/28/2021	2/2/2021	I received the Covid vaccine on 1/28/21- and had been completely healthy. But 5 days later on 2/2/2021- the LEFT side of my face was no longer moving the same as the right side of my face. I went to the mirror and noticed that I couldn't smile, couldn't raise my eyebrows , couldn't close my eyes shut... and realized that i was experiencing a BELLS PALSY. I called the doctor and got a prescription for Prednisone and Valacyclovir. that same day. The next day 2/3/21.. I got in to see the neurologist who confirmed the diagnosis and asked that I get an MRI of the brain and start physical therapy on my face due to facial memory loss-- which I did the next day 2/4/2021. The hardest part of this facial paralysis has been my eye- which continuously runs and burns- so much so that the neurologist sent me to a cornea specialist- whom I saw the next day on 2/5/21. I was instructed to tape the eye down to prevent severe dry eye and allow eye to rest. I have been going to PT now twice a week since then, taping my left eye and completing massage exercises at home as i was told.
1028382	2/13/2021	CT	52	F	1/27/2021	2/4/2021	On 2/4 it began with severe pain from behind my left ear radiantly upward to the top of my head.I have numbness on the left side of my face with mouth distortion (only opens to right side)My left eye does not blink or close.I tape it close nightly per MD.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1028381	2/13/2021	MA	34	M	1/25/2021	1/31/2021	Delayed reaction to the vaccine that began 6 days after first dose and persisted for approximately 3 days. I first became itchy on my abdomen and arms, I then developed flat oval hives and my eyes and upper lip began swelling. My throat did not swell. I took 2 Benadryl that evening that helped the itch and caused the facial swelling to subside somewhat. I slept thru the night and when the Benadryl wore off in the morning, the same symptoms returned. I took 1 Benadryl which again calmed the symptoms. The same symptoms returned in the evening and I went to an Urgent Care. I was prescribed Prednisone and more Benadryl. These medicines helped to calm the symptoms even more, but the itchiness and hives did come and go thru the next day. On day 3 I took Zyrtec in addition to my last dose of Prednisone and the itchiness subsided completely. I took one more dose of Zyrtec the next day and the symptoms have not returned. I followed up with my PCM who tested for a Hazelnut allergy as I had eaten them that first night. She also referred me to an Allergist. I saw the Allergist who said in their opinion my immune system was having a reaction to the first dose of the COVID-19 vaccine and classified me as "medium risk" for the second dose. He recommended that I still get the second dose and to premeditate with Zyrtec the night before, day of and for 7 days following.
1028219	2/13/2021	NY	71	M	2/9/2021	2/10/2021	On the afternoon following second dose of the Pfizer Covid vaccine, I began to experience worsening of myasthenia symptoms, principally diplopia and difficulty with swallowing. Symptoms persisted the following day and on third day following I experienced very severe fatigue in combination with diplopia, ptosis of both eyelids, right side weakness and trouble swallowing. Called doctor, who increased prednisone and today symptoms have almost entirely abated.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1028527	2/13/2021	CA	57	M	2/12/2021	2/13/2021	Patient had not been feeling well yesterday after 2nd dose of Moderna (vaccination time unknown) and had told coworkers he was feeling tired today. When walking from car at work (at vaccine site) security observed him fall in parking lot. Hit head, +loss of consciousness. Laceration noted. RNs, MD, Pod Director and Fire rescue were all on site and responded immediately. Denied headache or blurry vision. BP 172/92. SpO2 91% on RA. AA&Ox2. Oxygen applied. Repeat vitals 162/88, HR 103, O2 96%. Blood sugar 167. Ambulance called. Transported to ER.
1028124	2/13/2021	PA		F	2/12/2021	2/12/2021	Five (5) minutes after receiving vaccination (21:15), patient experience redness of skin or urticaria in the entire body area. The Paramedic on-site assisted the patient immediately evaluating airway, breathing and circulation (ABC) which were never compromised. Patient blood pressure (BP) was 185/100, heart rate (HR) 80 and oxygen saturation of 96% at room air. Paramedic applied Benadryl (25mg, IM) on right deltoid muscle (opposite to vaccination site). Ten (10) minutes after Benadryl injection ABC remained stable with a BP 179/99, HR 78 and oxygen saturation of 96%. Thirty-five (35) minutes after vaccination patient remained alert, stable, and urticaria diminished visually.
1028349	2/13/2021	NY	67	M	1/1/2021	1/28/2021	Beginning five days after vaccine administered: Extreme swelling on lower eyelids and on foreskin of penis. Penile symptom resolved within a week; eyelid swelling persists. Concurrently, widespread dermatitis (hives?) over most of body: most severe on both sides of abdomen and under both arms and legs. Extreme itchiness, especially at night. Was prescribed 5-day run of Prednizone at hospital Emergency Room on 1/31, with minimal relief. Dermatological symptoms persisting as of today 2/13.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1028193	2/13/2021	PA	66	F	1/29/2021	1/29/2021	About 2 hours after injection 1/29/21 lymph nodes swelling in neck, face, both arm pits; with tenderness and pain; slight headache; fatigue; dry eyes. 1/29/21 some 8 hours after injection worsening headache, onset of runny nose, body aches, sweating with chills, and lymph node pain, swelling face, neck and arm pits; very dry eyes. Low fever, extreme fatigue and flu symptoms persisted for 7-8 days; little appetite; lymph nodes in neck, both arm pits and breasts persistently swollen through and including 2/13/2021 with fatigue persisting. Am scheduled for vaccine second dose 2/26/21, but am hesitant to receive since my adverse reactions remain strong.
1028201	2/13/2021	NM	69	F	1/29/2021	1/29/2021	Swollen stiff painful arm, stiff neck side of face inflammation, lower eyelid lg inflammation migraine complex eye very red, migraine really bad,
1028190	2/13/2021		54	F	12/24/2020	12/24/2020	COVID PSYSR Vaccine observation area 1622 - 20 min after injection c/o itching inside of left ear / left face and left eye VS 150/102 HR 79 O2sat 97% Doctor notified 1628 sx increasing - Benadryl 25mg PO given 1640 sx decreasing VS 157/91 HR 65 1650 face and ear itching resolved.... eye still feel heavy 1700 - feeling well. Left observation area
1028258	2/13/2021	MA	90	M	2/12/2021	2/12/2021	Incident occurred 2/12/21 at approx. 9:40am. After pt received first dose of covid 19 vaccine was in RN monitoring waiting area. Pt was sitting in his WC and was observed to slump over in his chair which appeared to look like he was sleeping. Pt started heavy snoring like sounds. This writer approached patient to make sure that patient was feeling ok. Pt was not arousable. Sternal rub performed with no results. EMS called. Vital signs performed at 9:48am: BP-95/53 HR-60 O2Sat-96% CBG-170 Vital signs performed at 9:51am: BP-99/62 HR-60 O2Sat-96% Vital signs performed at 9:54am: BP-99/63 HR-60 o2Sat- 96% Pt was able to be aroused and open eyes at approx 9:51am. Pt once aroused was able to answer questions by shaking head yes or no. EMS arrived on scene at approx 9:55am and pt was transported to Hospital ED for further evaluation.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1028260	2/13/2021	AL	75	F	1/27/2021	1/30/2021	Rash starting on right cheek of face spreading all over the body except center of back. Rash was RED, bumpy, itching and stinging was absolutely horrible. Call Dr. on February 1 and received hydroxyzine 25mg (1 every 6 hrs.) from pharmacy. Made Dr. apt for Tuesday Feb 2 at 1:30. Dr. gave steroid shot in right hip and RX for Prednisone for 1/Day. On Thursday, Feb. 4 I was no better. Dr. upped dosage from 1 tablet to 2 on both RX's and added RX for Montelukast to take in the afternoon. On Saturday, Feb. 6 my throat was closing up and I was seeing dark spots, but did not pass completely. Medics called and checked vitals determining cause was from dehydration. I was very tired throughout the course of this rash, itching and stinging. I began to see a small improvement on Monday, February 8, 2021 with a little improvement each day. I still have some visual signs of rash on my chest, breasts, and stomach, but the itching is much better and the stinging is gone. That's all.
1028274	2/13/2021	CA	34	F	2/4/2021	2/5/2021	Symptoms started 14 hours post vaccination Dizziness and inability to stand or sit for more than 2-3 mins. Lasted for 1.5 days Blurred vision Chills Nausea for few days and vomiting 14 hour post vaccination Swelling of lymph nodes in the same arm of injection for 3 days Migraine like headaches for 6 days. Bruise at injection site ( 2 inches in length and 1.5 inches wide) for 6 days Fatigue for 6 days
1028318	2/13/2021	TX	29	F	2/10/2021	2/10/2021	Burning sensation in stomach, Chest pain, headache, dizzy/lightheaded, needle feeling in inner arm (the day of). Body soreness, fatigue, weak, chest pain, cough (day after). (On 2/13/21) still a headache with difficulty focusing vision, chest pains, shortness of breathe.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1028336	2/13/2021	CA	68	F	2/3/2021	2/3/2021	Got a headache immediately and a strange feeling all the way down my arm to my fingers. A health professional can to check my vitals ... every thing was fine, except for my blood pressure. As the day went on , my headache became more severe. I took one Advil upon arriving home , and another one at bed time. The next day I felt fine except for pain all the way from my head to my feet on the right side of my body... my head , my jaw, my throat, arm , leg and foot. The next day the rest of the pain went away, except for my head and my eyes. My eyes feel like someone punched them. They still hurt , I have a headache and feel very tired.
1028199	2/13/2021		38	F	12/28/2020	12/28/2020	0855 - approximately 10 min after pfizer covid vaccine, patient had itching on her bell and face (Dr notified) VS 144/88 HR74 O2sat 100% 0902 - now nose is starting to itch 0907 - Benadryl 25mg PO per Dr 0918 - Decrease nose itching... continued face itching VS 132/86 HR71 0929 - chest/ back and eye now itching Benadryl 25mg PO per Dr 1006 VS 137/87 HR65 1026 - red welts on chest 1103 - Cetirizine 10m PO 1200 - slight decrease in itching / now feeling tingling 1230 - sleepy / decrease itching and tingling 1310 - home with husband driving

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1026019	2/12/2021	TX	39	F	1/26/2021	1/1/2021	I got a strange vision/hallucination; rapid and hard heartbeat; shortness of breath; nausea; headache; had nightmares all night; stiff, sore arm; stiff, sore arm; my arm has a bumpy, red mild rash at and around injection site; my arm has a bumpy, red mild rash at and around injection site; This is a spontaneous report from a contactable consumer, the patient. A 39-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Lot number EN5318), via an unspecified route of administration on 26Jan2021 at 14:45 (at the age of 39 years) as a single dose in the right arm for COVID-19 vaccination. Medical history included fatty liver. The patient had no known allergies. Prior to the vaccination, the patient was diagnosed with COVID-19 on an unspecified date. Concomitant medications were not reported. The patient reported that on 27Jan2021 at 12:30 AM, approximately ten hours after the vaccine, the patient experienced a rapid and hard heartbeat, shortness of breath, nausea and headache. These lasted for one and one half hours. As she lay down falling asleep she got a strange vision/hallucination (this had never happened to her before) of her eyes turning lightning blue and her body rising up in the bed. She stated that she does not take medications or drugs and does not have a history of mental illness. She could not shake the vision. She fell asleep and had nightmares all night and nightmares are rare for her. One day two she woke up fine just a stiff, sore arm. On day three her arm has a bumpy, red mild rash at and around injection site. The patient did not receive any treatment for the events. Lab data included a COVID SARS CoV-2 positive test on an unspecified date. The clinical outcomes of hallucination, heart rate increased, shortness of breath, nausea, headache, nightmares, pain in arm, limb stiffness and vaccination site rash were reported as recovering. It was also reported that since the vaccination, the patient had not been tested for COVID-19.
1025647	2/12/2021	TX	52	F	1/25/2021	2/1/2021	Hives on back eye twitching throat closing eye secretion/dryness

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1026005	2/12/2021	MD	59	M	1/7/2021	1/7/2021	<p>Facial paralysis; Bradycardia; Weakness on his right arm and right leg; Difficulty talking; Can't close eyes; Right leg is numb; Severe headache; Some eye issues, sees blurry; A spontaneous report was received from a paramedic, who was also a 59-year-old, male, patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced, some eye issues, sees blurry, severe headache, facial paralysis, difficulty in talking, weakness in the right arm and right leg, right leg is numb, can't close eyes, and bradycardia. The patient's medical history was not provided. Concomitant product use reported included, insulin, statin, losartan, and metformin. On 07 Jan 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Lot number: 011L20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 07 Jan 2021, after receiving the vaccine, the patient experienced eye issues and would see blurry and had a severe headache. On 23 Jan 2021, the patient was hospitalized for 36 hours because he thought he was having a stroke. Test results showed the patient did not have a stroke. The patient did, however, experience facial paralysis, couldn't close his eyes, bradycardia, weakness in the right arm and right leg, difficulty talking, and his right leg felt numb. Treatment for the events included prednisone, valaciclovir, and unspecified calming medication while at the hospital. Action taken with the second dose of mRNA-1273 in response to the event was not reported. The outcome for the events, some eye issues, sees blurry, severe headache, facial paralysis, difficulty in talking, weakness in the right arm and right leg, right leg is numb, can't close eyes, and bradycardia, was considered not resolved.;</p> <p>Reporter's Comments: This case concerns a 59 year old male was hospitalized with a serious events of some eye issues, sees blurry, severe headache, facial paralysis, difficulty in talking, weakness in the right arm and right leg, right leg is numb, can't close eyes, and bradycardia after first dose to mRNA-1273 in the left arm. Comcomitant medications include insulin, metformin, atorvastatin, losartan. Hospital work-up showed he did not have a stroke, and he was treated with prednisone, valaciclovir and a "calming medicine". b) Based on the current available information and temporal association between the use of the product and the start date of the</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							event, a causal relationship cannot be excluded. + b) Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.
1025665	2/12/2021	GA	68	F	2/11/2021	2/11/2021	~~My eyes feel strange" Calm and cooperative. 12:25pm. Lungs clear, symptoms absent. Patients reported eye strain has improved. Raspy voice that patient attributes to as Asthma symptoms. Pt. declined EMS services and was observed for 50 minutes prior to departure. Oral Diphenhydramine 1 ml. PO, 12.5mg/5ml given at 12:25pm. Disposition: Patient status stable, declined need for EMS, also no immediate need observed. Observed for 45min.
1025633	2/12/2021	NY	48	F	2/11/2021	2/11/2021	COVID-19 Vaccine EUA; Got vaccine around 5:30pm 2/11/21. About half hour later, face felt a little weird like when you are coming off of novocaine at the dentist. Tip of nose & cheeks sort of numb. Head felt heavy/pressure. Didn't think much of it, but still feeling it the next day (19 hours after shot). Face just feels funny. I feel the same way when I am around a lot of balloons or rubber tires since I have a latex allergy. Sort of affecting my vision as well, seems to go out of focus every now and then.
1025625	2/12/2021	MN	67	F	2/9/2021	2/10/2021	On 02-10-21 at 6 PM I started having a reaction when both my ears felt plugged and within a short time noted decreased hearing. By 9 PM I also had a severe headache with eye pain and dizziness and started to have chills and fever. The chills and fever lasted during the night even with the use of tylenol and ibuprofen. The highest the fever was 100.6. On 02-11 continued with ear problems, headache and eye pain and dizziness. Also at about 10 AM I thought I had an episode of hallucinating when I saw a man walk into our house. When I asked who he was he disappeared. I have had no more episodes like this. This morning I continue with headache and eye pain, dizziness and ear problems. My left arm at the site is pink about quarter size and itches. The symptoms are less painful than 02-11-21.
1025608	2/12/2021		36	M	1/15/2021	1/15/2021	Developed hives and facial itching, eyelid swelling 12 hours after dose

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1025564	2/12/2021	FL	69	F	1/28/2021	1/28/2021	Within 5 minutes I developed a strange feeling in my head, not full blown dizziness but more of a light headedness with a fullness to both eyes and a pressure sensation behind both of my eyes. After the 1st dose I was fine for the 30 minutes of observation and about 5 minutes after leaving I had a similar reaction but not nearly as intense, It lasted for about 1 hour, the reaction to the second dose lasted 3 1/2 days progressively getting a little better each day.
1025527	2/12/2021	OH	64	F	1/28/2021	2/10/2021	Left sided facial droop, Left eye droop with tearing, asymmetrical smile & mild headache no treatment
1026209	2/12/2021	WA	28	F	2/3/2021	2/3/2021	Swollen and irritated eyelids. It has been over a week and the swelling has not dissipated and erythema has not got down.
1025555	2/12/2021	IL	68	F	2/3/2021	2/8/2021	Pt states she received COVID vaccine 2/3/21 at Hospital. She developed redness and itching to both eyes 2/8/21. 2/11/21 pt developed redness to palms of both hands and swelling to fingers and palms making it difficult to close her hand. 2/12/21 pt woke with rash to bilateral upper thigh/groin area and to backs of upper thighs. Rash not itchy. Pt came to ER 2/12/21 and was seen by Dr. Diagnosis rash and pt was given prescription for Prednisone 20mg po twice a day for 5 days PRN rash.
1026055	2/12/2021	FL	77	F	2/9/2021	2/9/2021	weak arm/pain/couldn't move, chills, fever, headache, lips swollen, face pain when touching, huge pouch under eyes/cheeks sore, hoarse

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1026062	2/12/2021	CA	48	M	12/18/2020	12/18/2020	Within 30 seconds pain on my arm and it increased slightly. I was able to do my work. But every time I was stable and tried to use it again I felt pain again. Pain was always there - it was tolerable. I was told to take Ibuprofen about three hours later. Second day, I could feel it but I didn't take medication. It slowly went away. No swelling, nothing. On January 4th started having symptoms nose bleeding; diarrhea; cold sweats; had a fever - but I didn't take it to know what it was. I very tired/ extremely sleepy; my eyes started feeling warm- these symptoms crept up on me. It started around 10:00 am and within an hour an a half I had to tell my boss and they told me to leave work - but I couldn't drive. I stayed in my car and just slept and I was extremely tired. I had a coworker keep an eye on my because I looked really bad. I slept two or three hours in my car. I was still tired and I couldn't drive yet. So I stayed in my car a little longer until I felt stronger and drove home. I had started coughing and knocked out - but I was beginning to coughing a lot on drive home- the first hour I couldn't sleep because I was coughing so much - lasted an hour. Chest coldness for a couple of days - cold chest. It wasn't tight. Next day, January 5, 2021 - went to doctor and they ordered COVID test. Dr thought I had a stomach virus. Diarrhea continued for two days. Weak and fatigue for 5 days. My Fever - temperature was on the first day was one day only. Second day, I did have a lot of fatigue and I was coughing a lot. The fatigue lasted 10 days.
1026070	2/12/2021	OK	59	F	2/9/2021	2/10/2021	Headache then right eye blood vessels bursted
1026074	2/12/2021	CO	84	F	1/11/2021	1/13/2021	left side facial drooping, unable to close left eye, mouth droop
1026105	2/12/2021	CA	76	F	1/28/2021	2/1/2021	At beginning of second week, white pustules appeared on right upper eyelid, across my lower lip, and a few on both lower arms. By the third week, all but my eyelid have healed up. Eyelid was the largest and is still large and white, however is not red and inflamed as in the beginning.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1026109	2/12/2021	WA	44	F	1/29/2021	1/30/2021	Received 2nd dose of Pfizer vaccine on 1/29/2021. The day after the vaccine patient started experiencing bilateral itchy eyes. She went to urgent care and they gave her eye drops (unknown medication) but they made her sleepy so she discontinued. Patient presented to employee health and was recommended to take 10 days of oral anti-histamine without improvement. Re-presented to employee health 2/9/21 reports of increased eye itching and that itching was migrating down to her neck. She denied itchiness of the throat, rash, or redness. Employee health sent patient to urgent care.
1026125	2/12/2021	TX	59	F	2/10/2021	2/10/2021	Both of my eyes swelled and I had a subconjunctival hemorrhage in my left eye that covered 3/4 of my eye and my eye was so swollen it was almost closed. The blood from the hemorrhage moved under my skin like a bruise over my cheek bone and across my nose and felt my face burning for over an hour. The under skin hemorrhage dissipated after about 15 minutes and then I could feel blood running down my throat and could taste it. A severe headache started just a few minutes after the hemorrhage. I have also experienced other normal Covid vaccine symptoms and became very sick from them, Both of my are sore and still swollen and still a have a bloody eye 2 days later.
1026143	2/12/2021	WI	62	F	2/9/2021	2/12/2021	This was my second dose of the COVID vaccine. I had no reactions to the first dose. After the second dose on 2/12/21, I had the standard body aches and slight fever. As I got ready for bed, I took 2 of the chewable Allergy tablets before bed as I had done about 5 other times over the course of 6 months to relieve ear stuffiness that accentuates my tinnitus and impacts my sleep. I never experienced any reaction after taking it those days in previous months. I took the tablets at 8:45 p.m. on 2/11/21. At 2:00 a.m. on 2/12/21, I woke up from feeling very dizzy and nauseous. I was drenched in sweat and shaking. I opened my eyes and the room was spinning wildly. This went on for 45 minutes. I eventually started throwing up. I began feeling better after the vomiting stopped.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1026151	2/12/2021	NY	52	F	2/2/2021	2/2/2021	The night of my second dose I developed, what felt like, heartburn. Neither Tums nor food relieved the pain. Pain lasted about 5 days. On the fifth day, heartburn-like pain subsided and a moderate headache developed. Eyes also felt very hot and continue to to this day.
1026163	2/12/2021	AZ	84	F	2/8/2021	2/9/2021	Received vaccine 7:30 PM Monday, began feeling tingling in lower lip Tuesday, did not notice any symptoms Wednesday, Thursday 11:00 AM noticed drooping left side of face, couldn't smile on left side, eye drooping, difficult to close left eye. Transported to ER by ambulance at 11:30 AM. Diagnosed with Bell's Palsy. Released from ER to home.
1025515	2/12/2021	TX	83	F	2/5/2021	2/8/2021	-Pt had her 2nd COVID vaccine on 2/5/21, and during the night at 2 am on Saturday, 2/6/21, she woke up to go to the bathroom; she noticed numbness around the left side of her mouth affecting her lips; she also noted drooping of the left side of her mouth at this time -She did not have a headache -She did not think she was having a stroke as she had no numbness or tingling or weakness in her extremities, so she didn't go to the ER -She is having trouble closing her left eyelids -She feels like she had novocaine injected into the left upper/lower lip -When she tries to drink, liquid dribbles out of the side of her mouth - She can still taste, but her mouth tastes like salt -On Saturday, she had a fever of 100.6 -No trouble walking- No confusion -No h/o stroke or TIA -No weakness, numbness or tingling in extremities -No vision changes - No slurring of speech -No recent infections -No ear pain or tinnitus -She is allergic to iodinated contrast, but has never had gadolinium
1026208	2/12/2021	CA	51	F	2/12/2021	2/12/2021	Patient complained of lightheadedness and headache. Patient denies pain, blurred vision, difficulty breathing or chest pain. Initial vital signs at 0921: BP 136/92 P 71 R 22 O2 98% Temp 98.4F. Vital signs at 0951: BP 128/84 P 66 R 16 O2 97% Temp 98.4 F. Patient discharged from post vaccination area.
1025261	2/12/2021	NC	46	F	2/8/2021	2/9/2021	Swollen eyes



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1026168	2/12/2021		36	F	1/23/2021	1/24/2021	Severe HSV2 outbreak 24-48 hours after injection. Gave acyclovir, calmed symptoms down. Stopped and 2 days later returned with rectal HSV, started 5 days acyclovir again, stopped and 2 days later had eye pain. Switched to valcyclovir for 30 days.
1025200	2/12/2021	PA	59	F	2/10/2021	2/10/2021	left eyelid swollen, itchy and a little weepy

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1026212	2/12/2021	IL	65	M	1/20/2021	1/21/2021	<p>History Chief Complaint Patient presents with ? Elevated Blood Pressure ? Dizziness multiple times a day Patient who presents to the emergency department today for evaluation of hypertension, head pain, blurry vision, and neck pain. He states about 6 months ago he had open heart surgery. Since that time he states that he has been having intermittent episodes of blurry vision usually lasts a few minutes and resolve on their own. Today however, he notes that the blurry vision lasted for greater than 5 minutes and he started to become concerned. During that time he also began to experience some pain in his neck and a headache in the back of his head. He took his blood pressure at that time and noted that his systolic blood pressure was in the 190s. This alarmed him and so they called EMS. When EMS arrived they rechecked his blood pressure again and his systolic blood pressure was over 200. Upon arrival here to the ER he states that he is feeling much better and his blood pressure appears to be better as well. At this time he states he still having some right shoulder pain and a little bit of right-sided neck pain but he does state that he had his Covid vaccine yesterday in his right arm. Currently patient states he still has a little bit of a posterior headache but it is much improved. He denies any fevers, body aches, chills, cough, chest pain, shortness of breath, palpitations, lightheadedness, nausea, vomiting, abdominal pain, diarrhea, constipation, dysuria, hematuria, or swelling of the lower extremities. He has no known drug allergies. ? ED Course: I discussed physical exam finding with patient. Apparently most of his symptoms have already resolved at this time. His blood pressure is back down to 142/98. I still advise since he was having some weird blurry vision I would like to get a CBC, CMP, troponin, EKG, and a chest x-ray. Patient agreeable to this plan of care. We will also continue to monitor his blood pressure to ensure that it does not spike back up. Patient's work-up was unremarkable. His blood pressures down to 123/60 and states he is feeling much better. This point time it sounds like what happened was a hypertensive urgency. I advised him he needs to contact his PCP and schedule close follow-up discuss if anything further needs to be done. At this time though he is safe to be discharged home with strict return precautions. ED Course Procedures Clinical Impressions as of Jan 20 2235 Hypertensive urgency</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							Plan: New Prescriptions No Prescriptions at Discharge. Disposition: Discharge
1026031	2/12/2021	NJ	72	M	2/4/2021	2/4/2021	I experienced the following side effects 45 minutes to 1 hour after I received the 1st administration of the Pfizer Covid19 vaccine. The side effects ended 24 hours after I received the injection. 1- Sneezing 2- Excessive Running Nose 3- Watery Eyes
1024938	2/12/2021	NJ	73	F	1/27/2021	2/10/2021	woke with uncontrollable itching, hives or welts, from ankles to head, knees, inside thighs, outside thighs, buttocks, fingers, by underarm pits, chin, eyes, top of legs between knees and torso, urgent care at urgent care, Dr. concluded it was from vaccine, gave me 3 pills of some type of cortisone , and 4 day course of cortisone tablets next four days, also OTC benedryl, to allow me to sleep
1024946	2/12/2021	WI	74	F	2/11/2021	2/11/2021	angioedema, lip paresthesia, tongue swelling, dry eyes, chest tightness

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1025002	2/12/2021	VA		F	1/23/2021	1/26/2021	Wobbly; Sees double; BP dropped; Fluid behind ears; Lower back pain; Ear infection; Severe Vertigo; Dizziness; A spontaneous report was received from a consumer who was also a 81-year-old female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced severe vertigo (vertigo), dizziness, ear infection, fluid behind her ears (middle ear effusion), being wobbly (gait disturbance), seeing double (diplopia), lower back pain (back pain), and blood pressure dropped (blood pressure decreased). The patient's medical history included arthritis and migraine. Products known to have been used by the patient included fluticasone propionate/ salmeterol xinafoate, botulinum type A, duloxetine hydrochloride, hydrochlorothiazide (HCTZ), umecidinium bromide, atorvastatin calcium, gabapentin, raloxifene, sumatriptan, telmisartan, cetirizine hydrochloride, cholecalciferol, calcium, zinc, probiotics, apoeaquorin, and galcanzumab-gnlm. On 14 Jan 2021, the patient saw an ear doctor for ear pain. Treatment included steroids and eardrops that were antibiotics. On 23 Jan 2021, prior to the onset of the events, the patient received the first of two planned doses of mRNA-1273 (Lot number: 039K20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 26 Jan 2021, approximately 3 days after the mRNA-1273 vaccine was given, the patient noted she started getting severe vertigo or dizziness. On 28 Jan 2021, she saw her physician who attributed the dizziness to an ear infection that went undiagnosed. She also had fluid behind her ears. On 28 Jan 2021, a different doctor informed her that her eardrops were not going to touch the ear infection she had and prescribed amoxicillin. She reported that she still has dizziness. She stated that she was still wobbly and sees double. She then saw an ophthalmologist for her double vision and his concern was that it was not an eye issue more of a head issue and should be checked for a transient ischemic attack (TIA) or stroke. She then went to the emergency room (ER) to get it checked out and left the ER after waiting over 2 hours. The triage nurse at the ER told her that she was beyond any help since it was after 90 minute window if she had a stroke. She was attempting to get a CT scan of her head done. She was given pain medication as well for lower back pain. She was taken off the HCTZ because blood pressure dropped

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

after getting the vaccine. Consent to contact was obtained. Treatment information included amoxicillin, meclizine and pain medication. Action taken with mRNA-1273 was not reported. The outcome of the events, severe vertigo, and/or dizziness, ear infection, fluid behind her ears, being wobbly and seeing double, lower back pain and blood pressure dropped, was not resolved.; Reporter's Comments: Based on the information provided the event of ear infection is unlikely related to the vaccine administration as event was pre-existing , Although a temporal association exist between the other events and mRNA-1273, critical details is lacking as patient is of an advanced age and has an undisclosed cardiac condition (on treatment with HCTZ ). Hence, there is not enough information to adequately assess association with mRNA-1273 at this time.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1025007	2/12/2021	NJ	21	F	2/2/2021	2/2/2021	<p>Rapid eye movement like "having a mini-seizure"; Fainted; Feeling warm; A spontaneous report (United States) was received from a pharmacist concerning a 21-year-old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and fainted and experienced to have rapid eye movement like "having a mini-seizure" and feeling of warmth. The patient's medical history included historical seizures. Concomitant product use was not provided by the reporter. On 02 Feb 2021, the patient received their first of two planned doses of mRNA-1273 (Batch number:026L20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 02 Feb 2021, a few minutes after the injection, the patient fainted then recovered but again fainted and was noted to have rapid eye movement like "having a mini-seizure". HCP managed her with ice pack as patient complained of feeling warm and she recovered in less than 30 minutes. Treatment information was not provided. The outcome for events fainted, rapid eye movement like "having a mini-seizure~~" and feeling warm were resolved.;</p> <p>Reporter's Comments: This spontaneous report concerns a 21-year-old, female patient with historical seizures. who received experienced the patient fainted then recovered but again fainted and was noted to have rapid eye movement like "having a mini-seizure." The event occurred a few minutes after the administration of mRNA-1273 vaccine (Batch number: 026L20A, expiration date: unknown). Treatment administered include Icepack and outcome is resolved. Based on the information provided which includes a strong temporal onset between the vaccine administration and the event, a causal association cannot be excluded. However, event is confounded by the subject's history of seizures. Feeling warm is consistent with the safety profile of the product.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1025044	2/12/2021	NY		U	1/6/2021	12/29/2020	Temperature excursion; A spontaneous report was received from a nurse concerning 100 patients who received Moderna's COVID-19 Vaccine (mRNA-1273) that was affected by a temperature excursion. The patients' medical history was not provided. No relevant concomitant medications were reported. On 06 Jan 2021, the patients received their first of two planned doses of mRNA-1273 (Lot number: 639K20A) intramuscularly for prophylaxis of COVID-19 infection. On 29 Dec 2020, the refrigerator temperature reached 35.6 Fahrenheit for 4 minutes. 100 doses were administered after the temperature excursion. No adverse events were reported following the vaccinations. A visual inspection was completed at the time of excursion and there was no product complaint reported. No treatment information was provided. Action taken with mRNA-1273 in response to the event was not reported. The event, temperature excursion, was considered resolved on 29 Dec 2020.; Reporter's Comments: This report refers to a case of Product storage error for mRNA-1273, lot # 639K20A with no associated AEs.
1025118	2/12/2021	VA	43	F	2/10/2021	2/11/2021	In the morning of 2/11/21 received very bad headache, then once at work, shakes, trembling all over my body, sever pain behind right eye, upset stomach, cold/hot spells, heavy weight on my chest (breathing light and fast), dizziness. 2/12/21 - upset stomach, headache, fatigue
1025130	2/12/2021	VA	65	M	2/6/2021	2/7/2021	02/07/2021- AM have abundance of floaters in right eye, not had previously. Later in day had some nausea, headaches and extreme soreness at swelling site but those 3 issues went away after a few hours. That evening I started getting what I will call "Lightening Bolts" flashing along the outer right edge of my right eye when I moved my head side to side. 02/08 & 09/2021- "Lightening Bolts were constant and I went to hospital.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1025157	2/12/2021	WA	45	F	1/29/2021	1/29/2021	The night of vaccination I got a headache, severe nausea and diarrhea. This continued through Sunday. Sunday evening I felt a greater pain and heat at injection site. I went to the bathroom to look at it and noticed not only did I have what looked like a band of a rash around my arm but also my cheeks looked to have a rash. I also started to feel throat tightness. Not like I couldn't breathe but just a little tight and harder to swallow. I took an antihistamine immediately. Arm rash lasted for 3 days after Sunday. Headache and nausea were gone at this time but I still had severe diarrhea. Diarrhea continued for the rest of the week. It wasn't always urgent? but any moment was diarrhea. For example some days I may have had only 2 bouts of diarrhea while other days I had over 10. I had tried anti diarrhea meds all week with no change in condition. It did not seem to help at all. I went to urgent care a week from the day of vaccination. They took fecal samples, gave me an rx for bentyl (which I found out I couldn't have filled due to my eye issues). My first day without diarrhea was February 10th. Diarrhea was replaced with nausea and cramping. It is now February 12th in the am. I am feeling mostly ok at this time but am not sure how I will once I'm up for awhile. Test results from samples were received feb 9th and negative for anything infectious.
1025298	2/12/2021	LA	50	F	1/29/2021	1/30/2021	Left side of face started going numb and tingling, jaw hurt and felt still, began rapid breathing and had watery eyes, then left side of body had less sensation
1025193	2/12/2021	MN	38	F	2/9/2021	2/9/2021	I began with having tremors/chills a few hours after receiving the vaccine. I then developed a fever and pain, redness, swelling and warmth at the injection site. Second day fever was up to 103.6, worsening symptoms. Today (day 3), continued fever, very severe headache (can hardly open eyes or stand up), aches all over, appetite loss, shaky, chills, nauseous, hard to get out of bed.
1025491	2/12/2021	CO	70	F	2/10/2021	2/10/2021	Arm hurt at site of shot, Very Tired, Very Thirsty (drank 3 full glasses of water in a couple minutes), Weak leg, (briefly, Aching, Dry eyes even with home humidifier on furnace, ribs hurt for about 5 min. and wheezing upon awakening at 4:45am, most symptoms gone by about 7:30am, Thursday.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1025279	2/12/2021	SC	61	F	1/27/2021	1/27/2021	Received vaccine #2 in rt deltoid at 10:30 AM Day 1: 1/27/21 (Wednesday) began to have whale sounds/gas and pain in lower abdomen in GI tract, then explosive diarrhea about 6 hours post Vaccine #2, Had chills and fever throughout the night; at 24 hours post vaccine developed a baseball sized swollen hard area to right axilla, very painful. Injection site swelling. and warm to touch, Symptoms continued through Sunday then area under axilla had reduced but right breast was bright pink and tender to touch, lymph nodes/glands on right side of jawline swelled and right ear became blocked and painful. I had some antibiotics for prophylaxis that I began to take 2/10/2021 and now area at jawline is improving and ear pain is improving. Teeth on right side at back feel like there is extreme pressure there. On 2/8/21 began having vision issue in left eye and pain in back right occipital area. took 2 baby aspirin and issue resolved. Experiencing nerve tingling in left side of face and lip all week. Comes and goes. Still having diarrhea and lower GI issues.
1025317	2/12/2021	FL	51	F	1/7/2021	1/7/2021	I felt like I had tunnel vision, dizzy, wasn't functioning very well. I had fatigue as well. I went to the ED for observation.
1025333	2/12/2021	MA	41	F	1/27/2021	1/31/2021	Persistent dizziness on getting out of bed followed by repeated dizzy spells every few minutes throughout the day. Repeated spells lasting several seconds each throughout the entire day. Less frequent and less intense by evening. Resolved entirely by waking on following morning. No nausea, lightheadedness, or blood-rushing in ears experience. Just visual spinning. No history of this symptom ever before. Or since. No obvious correlation that was unusual or different in health or environment other than the vaccine earlier in that week.
1025359	2/12/2021	IN	65	M	2/10/2021	2/10/2021	Vision issue, the right half of each eye became blurry and had calidoscope colors and shapes lasting 40 mins

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1025361	2/12/2021	TN	77	F	2/10/2021	2/10/2021	Patient received 1st dose of Pfizer Covid19 vaccine today at the Health Department at approx 10:56 AM; pfizer lot number EN5318. Patient has history of feeling 'flushed' after paxil, sulfa, flexeril, codeine; no history of anaphylaxis. Patient alerted the guardsman at 11:09AM that she was experiencing swelling and burning on her face and lips. Nursing and medic staff responded and observed swelling over her right eye and cheek. The medic reported a significant increase in swelling from her pre-vaccinated appearance. BP 118/76. EMS already on site. Epi 0.5mg 0.5ml (Lot 339384) administered RD IM and Benadryl 50mg IM LD administered at 11:11 AM. EMS called for 2nd transport vehicle and arrived at 11:23AM and assumed care of patient. Patient transported to hospital. Called patient on 2/11/2021. Patient stated feeling better. Stayed at hospital and was observed for 4 hours. IV and oral Prednisone given. Still has some facial swelling. PCP recommends not getting second dose.
1025365	2/12/2021	NJ	21	F	2/2/2021	2/2/2021	Patient fainted after injection, possible seizure ( she had rapid eye movement) lasted approximately 1 minute. Patient woke up saying she was ok then fainted again lasted approximately 2 minutes . After she woke up she wanted and received ice pack behind her neck . We asked her to stay 30 minutes for observation. She stated she was fine after the 30 minutes.
1025392	2/12/2021	MA	75	M	2/2/2021	2/3/2021	Flu like symptoms after covid vaccination on 2/2/2021. Patient developed chills, headache, fatigue, body aches during HD. BP remained stable < 100 systolically which is relatively good for patient. He remains afebrile. He notes right arm discomfort and is cold with chills. He notes headache is generalized with no changes in vision, no dizziness, no numbness / paresthesias noted. He denies n/v/d/c, no dyspnea or chest pain, no sore throat. No loss of taste or smell. On 2/3/2021 at about 2pm patient developed fever, hypotension and tachycardia.Receved 1 liter of NS infusion. Team decided to transfer pt to OSH for further evaluation.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1025434	2/12/2021	NY	33	F	1/27/2021	1/28/2021	Patient reported syncopal episode at 2AM on 01/28/21. Per patient, she woke up feeling nauseous went to bathroom became faint when she turned on the light and passed out. Per patient she believes she hit her head on the bathroom since. 1x1.5 inch bruised are noted to left forehead. Per patient she was seeing a bright spot and blurry vision to left eye for 45 minutes following the fall. At time of assessment patient experiencing mild headache and fatigue. Patient took 600mg ibuprofen at 4AM.
1025453	2/12/2021	MA	78	F	2/9/2021	2/9/2021	I started having a headache and felt listless and tired. body aches. lack of appetite. fever of 100. took a tylenol. I woke up at 5am the 10th and I was shaking and having chills and I was hot and cold... I was dizzy and my eyes hurt. My arm was hurting. I took another tylenol. at 6am I called my NP daughter for advice and she told her it was a reaction of the vaccine. my fever was 102.5. I was advised to take more tylenol and to rest. the fever broke later that morning but I was still experiencing those side effects. 3 days later I'm still not 100%.
1025460	2/12/2021	CA	72	M	1/19/2021	2/3/2021	Patient went to bed totally fine and woke up saying he could not see in one eye. I rushed him to the emergency hospital they ran cat scans, MRI, heart tests etc. He stayed overnight while they checked. The next day we went to eye doctor who told him he had a eye stroke. He would regain some of his site not all of it. Something to do with blood clot or loss of blood to the eye. I was not satisfied with that so made another drs appointment for the next day with a different eye doctor. The first eye doctor gave us some blood test to do so we did it then. Later that evening we got an emergency call form the first eye doctor to get back to the hospital right away he could lose sight in the other eye.. They found some high c-reactive protein. Normal is 8 his was over 40. They put him on heavy steroids and did biopsy on both temples of his eyes. This started last Wednesday morning. He was released from the hospital Monday Morning to see his regular doctor that afternoon. Test results for the eye would be Tuesday and all other vital tests came back fine thank goodness. On Tuesday the biopsy tests also came back negative so they are stopping steroids. I think they were looking for auto immune issues. Today we are going to Rheumatologist

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1025478	2/12/2021	GA	68	F	1/29/2021	1/31/2021	I got my COVID Vaccine shot on Friday, January 29th at 2:00 pm. By Sunday, January 31st at 5:00 pm I had a reaction to my Right Eye. On Monday, February 1st I went to my Eye Doctor thinking I had something in my eye that I couldn't get out on my own. It turned out I had developed an eye ulcer. I have NEVER had any problems with my eyes before. I was put on 2 medicated eye drops (Durezol 2x daily for a week and Gatifoxacin 4x daily). I had a follow up appointment one week later, February 9th and it was determined that the infection had deminished, but my eye was still dry and I needed to put drops (Refresh Tears) in daily for and additional week. I would like to report that this may have been a side effect from the shot.
1025168	2/12/2021			U			On Feb 9 and Feb 11 I had an allergic reaction with rash, hives, swollen eyes and tight scratchy throat and needed IV drugs to stop the spread and relieve the symptoms. I was in the ER 2 times in a 48 hour period.
1027126	2/12/2021	CT	81	F	1/18/2021	2/10/2021	Left sided Facial droop effecting Left eye and Left face muscles, concern of Stroke ambulance to Hospital Emergency Examined neurologically Cat Scan done neg, Glucose normal REPORT BY DR "BASED ON MY ASSESSMENT AND RESULTS OF EXAMS< LABS< IMAGING IT WAS DETERMINED TO LIKELY BE BELLS PALSY MEDICATIONS ordered VALTREX 3 times a day for 7 days, PREDNISONE 60mgs for 7 days EYE GTTS for Dry eye relief 3-4 times a day
1026718	2/12/2021	MI	60	F	2/5/2021	2/7/2021	Severe headache. Vision loss. MRI showed inflammation in brain

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1026724	2/12/2021	TN	87	F	2/12/2021	2/12/2021	VACCINE GIVEN AT APPROXIMATELY 12:40. AFTER 15 MINUTE MONITORING PERIOD, PATIENT WAS ASKED BY MONITOR IF SHE WAS FEELING OKAY. PATIENT REPORTS SHE DOES NOT FEEL THE SAME AS BEFORE THE VACCINE. MONITOR STATES PATIENT WAS SHAKING AND HAD NOT PLACED ARM BACK IN SLEEVE FROM INJECTION 15 MINUTES PRIOR. MONITOR IMMEDIATELY GETS NURSE TO ASSESS PATIENT. AT 1257 BLOOD PRESSURE IS 122/62 AND HEART RATE IS 62. PATIENT REPORTS TO NURSE THAT HER HEAD FEELS FULL AND HER EYES ARE HEAVY. DENIES ANY OTHER SIGNS OR SYMPTOMS. PATIENT STATES SHE IS READY TO LEAVE. NURSES ADVISE PATIENT RECOMMENDATIONS TO BE EVALUATED BY EMS. PATIENT REFUSES STATING SHE WILL NOT WAIT. SHE STATES SHE IS READY TO GO HOME AND IF SHE FEELS BAD WHILE DRIVING SHE WILL PULL OVER. RISKS OF LEAVING AGAIN DISCUSSED WITH PATIENT. SHE ONCE AGAIN REFUSES TO WAIT ANY LONGER AND LEAVES.
1026740	2/12/2021	CA	33	F	2/10/2021	2/10/2021	10-15 min. : Difficulty swallowing, Increased pulse (195), Headache 2-4 hrs. Itchy legs, arms, palms, eyes, feet, armpits, headache, sore arm 2/11: Mild itchiness (entire body) and sore arm
1026773	2/12/2021		26	F	2/11/2021	2/12/2021	Left eye started swelling day after vaccine (profuse redness and edema almost swollen shut), full body aches.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1026783	2/12/2021	MS	33	M	2/1/2021	2/1/2021	I noticed a headache in the very top of my head within an hour of getting the vaccine. I thought it was normal because everyone I know said they got a headache from it. Over the next few hours, the pain moved down the back of my neck and became a burning sensation at the bottom of my skull. The pain was not excruciating but was constant. I thought it would eventually go away. I'm a pilot and fly for a living. Two days after receiving the vaccine I flew my plane and immediately noticed something was wrong with me. I was having a very hard time focusing. Approximately 2 hours into my flying I felt sudden and extreme pressure in my head and nearly blacked out. I immediately landed and stopped flying. Two days later I tried flying again and the exact same thing happened again after 20 minutes. The burning in my neck intensified and was now accompanied by dizziness, nausea, disorientation, confusion, uncontrollable shaking, and tinkling in my toes and fingers. I immediately went to my hometown doctor and he diagnosed me with vertigo. He prescribed me meclizine on Friday 02/05/2021. I took the medicine as prescribed all weekend with no relief. Monday 02/08/2021 I made an appointment for that Wednesday at the Institute. During Wednesday 02/10/2021-02/11/2021 I had roughly 10-15 test performed on me including balance, eye and hearing test, CT scan, MRI, and measured my spinal fluid pressure. The physician determined on 02/11/2021 that I had an allergic reaction to the Pfizer COVID vaccine the severely increased the pressure in my spinal cord and brain stem. That pressure causes my vision problems and ultimately ruptured my left inner ear breaking off several crystals in the process. I cannot fly with this condition. I'm currently taking Diamox to reduce the pressure in my spinal cord and brain stem.
1026798	2/12/2021	NC	73	F	2/12/2021	2/12/2021	Bruising under right eye. No pain.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1026826	2/12/2021	AL	45	F	2/12/2021	2/12/2021	On 2/12/21, Pt had Moderna vaccine at 12:12, was advised to stay 30 min until 12:42 due to allergy to contrast dye (several medications were given in hospital on previous occassion); at 12:26 patient c/o headache to back of head, traveling toward front of head with an odd feeling on her tongue; no visual swelling observed. Pt was given Benadryl liquid 50 mg x 1 at 12:28. Patient expressed relief of tongue symptoms at 12:35, stayed until 12:45. Checked with patient twice, family aware she was on her way home; she was alert, expressing no disability, when she left the building.
1026864	2/12/2021	GA	73	F	1/21/2021	1/22/2021	Patient experienced a rash breakout in various areas on body-mainly concentrated on chest and arms- it was itching and very red per patient. The itch was intense. Patient did not take any medication initially. Eight days later patient experienced another breakout all over body but it was not itching just red with bumps all over. Patient said even her eyes were red. Patient took OTC Benadryl to alleviate symptoms. She visited a doctor on 2/10/21 and was advised by MD to not get the 2nd dose that she had scheduled because the symptoms may be worse.
1026928	2/12/2021	OH	71	M	2/10/2021	2/10/2021	Client has a history of some allergic reactions to medications. (Did not indicate this on form) Rc'd vaccine in a drive thru clinic and within minutes felt flushed in his eyes and cheddls. He proceeded to Recovery area and was seen by Dr. No SOB or respiratory distress but had overt facial flushing and mild swelling. Client given 50 mg of PO Benadryl and observed x 30 minutes w/o improvement and worsening flushing. Transported by EMS to local hospital.,RN per Dr written vaers form and incident report form.
1026947	2/12/2021	MD	37	M	1/10/2021	1/29/2021	Double vision - 1/29/21 to present. Noticed double vision when was about to drive to work (7:30am 1/29/21). Double vision currently being monitored by neuro-ophthalmologist. Cause of double vision not yet known. Currently still have double vision. Severe headaches - 1/20/21 to 1/24/21 Vomiting - 1/20/21 Woke up in middle of night (3:00am 1/20/21) with severe headache. Started vomiting few hours later. Vomiting continued throughout the day. Went to clinic later that night and was given IV for dehydration. Vomiting stopped, but headaches continued for about 3-4 days.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1026966	2/12/2021	PA	73	F	2/12/2021	2/12/2021	Chest pain radiating to arm pits, shortness of breath, fast heart rate, fainting, loss of vision
1026711	2/12/2021	PA	51	F	1/19/2021	1/20/2021	-Very sore arm resolved in 3 days. -Ongoing brain fog that is not improving (irritability, fatigue, depressive symptoms, difficulty concentrating/thinking, lack of energy, difficulty with vision). Symptoms began within 24 hours and remain over 3 weeks later with no improvement and some days are becoming worse. - Nausea and poor digestion (loose stool), lack of appetite that began within 24 hours and have not improved.
1027051	2/12/2021	CA	78	F	2/12/2021	2/12/2021	Few minutes post vaccination, after moving to observation area via wheelchair, the patient complained of dizziness. She took glucose tabs she had brought with her. Staff wheeled her to Triage # 1. Her eyes rolled back in her head and she lost consciousness. Staff (paramedics on site) transferred her to gurney and started compressions. AED placed, V- Fib was rhythm, Shock # 1 given, CPR resumed. Shocked again. Fire truck and additional EMT arrived on site and took over care. Epinephrine was given 3 times via intra-osseous route, Amiodarone given intra-osseous route. Additional defibrillation with on site AED for a total of 6-7 times. Patient had good chest rise with ambu-bag, no airway obstruction or peri-oral edema noted. Code called at 12:40 PM.
1027045	2/12/2021	MA	26	F	2/4/2021	2/5/2021	Persistent migraine. My headache began about 3 hours after and stayed mild until about 30 hours later where it grew to a migraine. It is not day 8 since the vaccine and it has not gone away. In addition to the migraine I am experiencing light sensitivity, blurred vision, and yesterday I experienced some heart palpitations. I went to urgent care on 2/8 and was prescribed IC Butalb- Acetamin-Caff for the migraine symptom. In addition I have been taking tylenol and advil which are not helping. My injection site pain and brain fog have resolved while the headache has persisted.
1027165	2/12/2021	CA	48	M	2/9/2021	2/10/2021	low grade fever headache eyes were warm breath is warm lethargic



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1027171	2/12/2021	IA	66	F	2/10/2021	2/10/2021	At 4:55, patient received a COVID-19 Pfizer vaccine. At the time of administration patient expressed she had experienced a previous reaction to a pneumonia vaccination (unknown time frame) and that she did not like to receive shots. She requested that the person administering the vaccine count down before giving shot. Patient appeared nervous and was breathing heavily before she received her vaccine. Patient was instructed to sit and wait 15 mins. after vaccine administration in case of an adverse reaction. At time of check-out from the pharmacy (15 mins. after vaccination), patient expressed to pharmacy intern that she felt a "little dizzy" and that she had experienced "slurred speech" immediately after having received the vaccine, however had not communicated this to pharmacy staff. Pharmacy intern immediately took patients blood pressure and it was 176/99 mmHg and 162/101 mmHg during first two blood pressure checks. The pharmacy staff requested patient to remain within the pharmacy premises so that she could be monitored for more time. She then was checked every 5-10 minutes for approximately 2 hours. During this time, she described vision changes, dizziness, and a strange "fogginess" around her head. Additional blood pressure monitoring was conducted for results of 158/100 mmHg and 195/100 mmHg. Pharmacy Manager discussed options with patient, including having her go to an Urgent Care facility or calling 911, so that paramedics could assess her. patient expressed she wanted to be taken to the hospital, therefore intern called 911. Paramedics arrived shortly after and determined patient had not experienced a stroke. Her neurological exam was negative. Paramedics stated that patient was most likely experiencing an allergic reaction. The paramedics then proceeded to take patient to the hospital at her request around 7:00 PM. Multiple pharmacists and pharmacy interns spoke with her during this time frame of ~2-2.5 hours, took her blood pressure, and assessed her condition.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1027201	2/12/2021	NY	71	F	2/12/2021	2/12/2021	Patient called staff over and told him she was going to faint. staff got senior nurse to help assess. Other nurse which was at pt site. Patient leaning forward and then sat back head tilted backwards, eyes opened and non-responsive. Sternal rub performed and other noxious stimuli performed. Continued until pt became responsive. app less than a minute late patient became responsive. Alert and Oriented X 4, Vital signs obtained. encouraged Patient to drink water and take deep breaths. Patient stated incident of fainting occurred prior in dermatologist office. No follow-up care was given after the doctors visit. patient became nauseas and vomited. She was clammy and pale. Patient was encouraged to go to the hospital and would not let us call EMS. Said she would not take public transportation home. She will take a cab and call her PCP in the morning and follow-up care. Staff verbalized that it was unsafe for her to go home rather than the hospital. patient denied any further dizziness, nausea or respiratory distress. Stated she just felt unwell and needed to rest . Staff made her sign "Refusal of Immediate Care Against Medical Advice". Patient then called uber and staffed member escorted pt into cab at 7.12pm. We attempted to call patient multiple times between 7.23 pm - 7.30 pm.
1027229	2/12/2021	CA	48	F	2/12/2021	2/12/2021	After receiving her 2nd COVID-19 vaccine at 1448. The employee reported at ~ 7-8 minutes after receiving the vaccine her eyes, ears, head and chest began to itch. o2sat was 100% on ra, b/p 113/51, 67 bpm and RR 16. The employee denied any SOB, no swelling in the throat and no swelling of the tongue. The employee's chest was red. She stated she felt she had "ball of phlegm in throat" . Benadryl 50 mg po x 1 . The employee spoke in clear concise sentences and had no sign of distress. After 40 minutes of observation the symptoms improved.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1027230	2/12/2021	WI	66	F	2/1/2021	2/1/2021	Onset of mild swelling of upper eyelids about 15-20 mins after vaccine injection, 2/1/2021, with mild itch sensation around mouth about another 15 mins. later. Next day started to have itch sensation all over face slowly spreading to ears, eyelids still mildly swollen around noon. Took Benadryl 25 mg without change but on progression. Took another Benadryl 25 mg 1/2 hour later with resolution of symptoms. Started slowly having recurrence of same symptoms today, 2/12,2021, with improvement after Benadryl 25 mg. Symptoms reoccurring again about 6 hours later, better again after another dose of Benadryl 25 mg.
1027256	2/12/2021	WA	65	F	1/21/2021	1/28/2021	On January 28, she had severe itching and redness, rash, swelling at the injection site around 6:30 PM. She put ice on it and hydrocortisone cream. The next day, the redness, swelling and itching extended to a large area on the upper arm location and she also started to have pressure under both eyes. She then started to experience a red rash on other parts of her body to include her right arm, shoulder, back. She describes these rashes as hives. She took Benadryl and applied ice. In the morning, she had a red rash on both of her thighs. On January 30, she had less swelling and no noticeable itch. Later in the afternoon, she had more itching, pain, redness occur in the left arm again along with the abdomen, chest and both sides of her neck, under her arms and on her legs. She took Benadryl and repeated later in the evening before going to bed. She also used hydrocortisone cream. On January 31, had the same experience. February 1, she had tingling on her back along with neck, head. She took Benadryl and used hydrocortisone cream. February 2, her left lower eyelid began itching but no redness or swelling. This continued on February 3 but was less. Nothing on February 4th and then on February 5, she had a slight itch rash on her left arm near her armpit that was responsive to hydrocortisone. She has not had any symptoms since then.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1027269	2/12/2021	HI	53	F	2/5/2021	2/5/2021	After receiving 2nd doss of COVID 19 Lot #043L20A developed facial numbness, flushing, on right periorbital region, spreading to Lateral periorbital area near the right eye. Side effect occurred after the 15 minute wait following the vaccination. She returned to clinic after having left the clinic setting, reporting the side effect. She was assessed by Dr Temperature 96.8 F, pulse 80 Beats per minute. Dr. provided client with Benadryl 25 mg oral. Symptoms began to resolve after 15 minutes of monitoring, with just mild residual numbness. Cleared to drive home. Dr. instructed pt. to seek further care if Sx. return, worsens, or if numbness fails to resolve within 72 hours. Dr. received a call from the vaccine recipient today, one week after receiving the vaccine reporting that symptoms have persisted and have worsened despite steroid treatment. Pt continues to have right upper lip numbness that has spread to right cheek and corner eye. Reported intermittent visionary blurriness and mild right droopy lip. She had 10-yr history of episodes of right-lip numbness to chemicals/smoke/irritants, but typically resolve in 1 day. This is the most serious and prolonged reaction she has had. Dr. has discussed with pt. that it is plausible that it is a neurological reaction to PEG component . Need further follow up patient.
1027294	2/12/2021	UT	47	M	2/11/2021	2/12/2021	pt stated he received 2nd dose Moderna yesterday, today he has 4+ swollen to his face to the point he can't keep eye opened. stated took some Allegra and Benadryl. stated doesn't have any difficulty breathing. did c/o chill and low grade fever, didn't take temperate. alert and oriented x3. stated if will go see doctor or hospital if there is anything life threaten or problems get worse.
1027364	2/12/2021	WA	41	F	1/29/2021	2/12/2021	Hard to breath right chest but took inhaler and was better. Hives took 50 mg of Benadryl at sight then after one hour went to primary Dr to get checked out. Was told to take 25-50 mg of Benadryl every two hours and Pepcid 20 mg one tablet 2 time daily, itchy burning eyes use eye drops, come and go since 01/29/2021. I get really tired and upset stomach also 2/09/2021

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1026292	2/12/2021	UT	65	M	1/28/2021	2/11/2021	Patient complains of facial drooping on the left side. Started on 2/11/2021. Drooping of left side of mouth, inability to completely close the left eye. Treating for bells palsy with antivirals, steroid and artificial tears.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1026015	2/12/2021	OR		F	1/24/2021	1/24/2021	Had headache that was similar to migraine; Feeling foggy; Diarrhea; Episode of nausea; Extreme fatigue; Muscle ache; Rash inside armpit; Anaphylactic reaction; Tingling in arm; Itching; Rapid heartbeat; Started feeling hot; Petechia eye; Tiny broken vessel on both ankles; A spontaneous report was received from a consumer who was also a female patient over the age of 55 but under 60 years of age who received Moderna's Covid-19 vaccine (mRNA-1273) and who experienced anaphylactic reaction, tingling in arm, itching, rapid heartbeat, started feeling hot, rash inside of armpit, petechia eye, tiny broken vessel on both ankles, headache similar to migraine, nausea, extreme fatigue, feeling foggy, muscle ache, and diarrhea. The patient's medical history was significant for anaphylactic reaction to cephalosporin antibiotics. No other medical history was provided by the patient. Concomitant product use was not provided by the patient. On 24 Jan 2021, prior to the onset of symptoms, at the County Health Department, the patient received the first of two planned doses of mRNA-1273 intramuscularly into her upper left arm. Because of her past medical history, the patient was observed for 30 minutes at the facility for any adverse reaction. When the observation period ended the patient went to her car and sometime later began having a delayed reaction. She reported experiencing the following symptoms: "tingling in arm", "itching", "rapid heartbeat", "started feeling hot", "rash inside of armpit", "petechia eye", and "tiny broken vessel on both ankles". The patient went to an Urgent Care Clinic, where she was treated with an injection of diphenhydramine and an oral prednisone. She was given a prescription for diphenhydramine, and prednisone. The patient was informed that she had an anaphylactic reaction to the vaccine. On 25 Jan 2021, the patient stated she had a "headache similar to a migraine", "episode of nausea", "extreme fatigue", "feeling foggy", "muscle ache", and "diarrhea". She was being followed up by an allergist. Action taken with mRNA-1273 in response to the events was not provided. The outcome of the events, anaphylactic reaction, tingling in arm, itching, rapid heartbeat, started feeling hot, rash inside of armpit, petechia eye, and tiny broken vessel on both ankles, and headache similar to a migraine, episode of nausea, extreme fatigue, feeling foggy, muscle ache, and

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							diarrhea, was considered unknown.; Reporter's Comments: This case concerns a 55-60 year old female who had a serious unexpected anaphylactic reaction, with NS unexpected paranesthesia, pruritus, HR increased, feeling hot, rash, petechia, telangiectasia, migraine, feeling abnormal, diarrhea, and NS expected nausea, fatigue, myalgia. Event onset 1 day after first dose mRNA-1273. Based on the current available information and temporal association between the use of mRNA-1273 and the start date of the events, a causal relationship cannot be excluded.
1027035	2/12/2021	KY	49	F	2/11/2021	2/12/2021	1st vaccine 12/29/20; 2nd dose 2/11/21; developed visual changes 12/12/21, seen and referred to ED, admitted to Hospital.
1026448	2/12/2021	UT	72	M	2/11/2021	2/11/2021	No immediate reaction. At 11:30 pm my sinuses and eyes began to run. The symptoms continue today. Feels like a head cold.
1026311	2/12/2021	CA	25	F	2/8/2021	2/9/2021	About 16 hours after the vaccine I began to experience sweating along with fever and chills. Despite taking an ibuprofen 800 mg I experienced extreme muscle aches, joint pain, fever, chills, extreme migraine with loss of vision, nausea, and vomiting. These symptoms did not cease until Friday morning. Friday still experiencing disorientation, dizziness, fatigue, and nausea.
1026314	2/12/2021		50	M	1/28/2021	1/29/2021	Patient describes strong headache on 01/29/21-01/30/2021 to right side of head, behind right eye and down into neck. Took some ibuprofen with some effect but not completely resolved.
1027066	2/12/2021	CO	78	M	1/19/2021	1/28/2021	Prescheduled eye exam (every 6-7 weeks) and and shot in right eye on 2/3/20 for macular degeneration showed a new large wet macular degeneration in left eye which had been stable for over 2 years. Consequently, shots are now scheduled for both eyes every 6 weeks.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1026702	2/12/2021	CA	38	F	2/12/2021	2/12/2021	At around 1030 hours the patient felt: dizzy, lightheaded, nauseous, had blurry vision, tightness in her throat, and was hypotensive with a BP of 62/27 and HR of 45. At around 1035 hours the patient was given 0.3 mg of epinephrine and her BP was then 81/37 and a HR of 55. Medics arrived at 1040 hours and the patient was sent to a hospital.
1026351	2/12/2021	ID	54	F	1/15/2021	1/1/2021	Patient reports large "crater" or "divot" in left deltoid after receiving Moderna first dose. "Crater / divot" was visualized in clinic and is substantial. Nickel sized divot noted upon visualization.
1026358	2/12/2021	CO	34	F	12/30/2020	2/3/2021	I started experiencing allergic reaction to all of my facial/body topical products on 2/3/21. I break out in hives/swelling/ redness/ itching at site and some times burning and swelling/hives around my eyes and throat. I have been just taking Benadryl, which does take away the symptoms within a couple hours.
1026368	2/12/2021	OH	38	F	1/29/2021	2/7/2021	I received the Moderna COVID 19 vaccine on January 29, 2021. On the night of February 7, 2021, I noticed a redness on the upper left arm, where I received the injection. At first, it extended 5 inches by 10 inches. As of today (February 12, 2021), it is about 6 inches by about 10 inches. Sometimes, it felt warm to the touch and itched a little. It seemed redder before I took my evening shower than at other times of day. It was never painful to the touch. I contacted my primary care physician, on Tuesday February 9 2021, and had a visual examination. Dr. recommended that I apply an ice pack to the affected area 3 times a day for 5 minutes at t time and also that I take Tylenol 3 times a day. This morning (February 12, 2021), I went in to the doctor's office for a follow-up, where the nurse prescribed IC Cephalexin capsules (500 mg), to be taken 4 times a day. For now, we are continuing to monitor the condition of my arm.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1026386	2/12/2021	CA	81	M	2/1/2021	2/10/2021	Moderna COVID-19Vaccine Injection site became hard, red, swollen and itchy 9 days after vaccination. Same symptoms, though milder, persisted through 2/11 i.e. 10 days after vaccination. I am completing this form on behalf of my husband, who has vision problems. We got our vaccination at the same time and place. I had exactly the same symptoms at the same time, i.e. 9 and 10 days after vaccination. (I don't plan to fill out a second report for myself - sorry!)
1026441	2/12/2021	NY	34	F	2/10/2021	2/12/2021	Nonspecific headache, malaise and swollen eyes after the vaccination. The patient the developed sudden-onset of difficulty breathing 2 days after the vaccine administration.
1026452	2/12/2021	CT	52	F	2/10/2021	2/10/2021	My face and neck turned very red, my eyes were slightly puffy. I took 3 doses of Benedryl before it subsided
1026458	2/12/2021	LA	54	F	2/12/2021	2/12/2021	headache, sensitive to light, eyes hurt, fatigue, body aches( felt like i was punched in various place on my body, mild dizziness(foggy feeling), left arm swelling and pain at injection site, stomach pain(mild nausea and achy empty feeling)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1026494	2/12/2021	WI	23	F	2/11/2021	2/11/2021	<p>Patient received the Covid-19 vaccine. She reports symptoms of Vasovagal with dizziness and dark spots in visual field. She stated 10 minutes after the vaccine she noticed symptoms. . Pt stated she had the same reaction with her first dose and felt fine an hour later. Pt was assisted to lay down flat on bed at 1225. She stated she felt warm at 1230. At 1235 she reports the dizziness has stopped. Treatment/intervention Pt was given crackers and water at 1210 and again at 1230. Patient was monitored and was vitals were taken every ten minutes. Staff reintroduced her to sitting up and raising HOB in intervals of 15 degrees. All interventions were tolerated well. Pt stated at 1255 she felt better sitting upright in the chair. At 1300 she was accompanied by staff to her vehicle were a driver was waiting for her. She stated at that time all symptoms had resolved and she would contact her PCP to notify them of her reactions to the vaccine. See vitals in documentation. Patient received the Covid-19 vaccine. She reports symptoms of Vasovagal with dizziness and dark spots in visual field. She stated 10 minutes after the vaccine she noticed symptoms. . Pt stated she had the same reaction with her first dose and felt fine an hour later. Pt was assisted to lay down flat on bed at 1225. She stated she felt warm at 1230. At 1235 she reports the dizziness has stopped. Treatment/intervention Pt was given crackers and water at 1210 and again at 1230. Patient was monitored and was vitals were taken every ten minutes. Staff reintroduced her to sitting up and raising HOB in intervals of 15 degrees. All interventions were tolerated well. Pt stated at 1255 she felt better sitting upright in the chair. At 1300 she was accompanied by staff to her vehicle were a driver was waiting for her. She stated at that time all symptoms had resolved and she would contact her PCP to notify them of her reactions to the vaccine. See vitals in documentation. - Documented by MA in electronic medical record</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1026513	2/12/2021		33	F	2/10/2021	2/10/2021	Mild muscle and eye aches starting at 6:30pm on 2/10 (day of vaccination), progressing to moderate-severe by 11:30pm and treated with Tylenol. Moderate response to medication. Continued for approximately 36 hours, again responding moderately to Tylenol and later addition of Aleve. Almost completely resolved about 8pm 2/11 with some lingering mild fatigue. No fever recorded but also did not check often. Also mild soreness at the injection site not yet resolved, and mild swelling at the injection site lasting ~8hr (noted before bed 2/10, resolved before morning).
1026630	2/12/2021	PA	48	F	2/4/2021	2/5/2021	After the first vaccine I experienced some pain on the left side of my neck into my jaw. The day after the second vaccine I noticed a lump above my left clavicle. That evening the lump was larger and visible. The next day the lump became even larger and at one point the swelling in my neck seemed like it might impede my airway. After using a warm compress the swelling came down a little. I called the on-call doctor who recommended a follow up in the office. It wasn't until 2 days later that it wasn't visible anymore but could still be palpated. I had an appointment with my physician on Tuesday just to make sure it was a swollen lymph node. She advised it was soft and moveable and most likely a swollen lymph node but to keep an eye on it and if the swelling didn't go down in two weeks to get further testing.
1026694	2/12/2021	MD	59	F	2/11/2021	2/11/2021	About 30 minutes after shot, I got a warm sensation. I started to break out in cold sweats, I felt extremely nauseous. Had slight tunnel vision. Lasted about 30 minutes then I was fine. Just felt very cold the rest of the evening.
1026651	2/12/2021	CA	34	M	1/22/2021	2/9/2021	Concern for Bell's palsy. Started with pain behind and in R ear 2/8/2021. 2/12/2021, noticed drooping of R upper eyelid and R side of mouth Treated with valtrex 1 g tid x 7 days and prednisone 60 mg qd x 7 days

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1026411	2/12/2021	OH	57	F	2/12/2021	2/12/2021	Approximately 5 minutes after receiving the second dose of COVID-19 vaccine individual reported feeling short of breath and felt like she was losing her vision. 1 mg Epinephrine IM administered along with 6cc of Benadryl. 911 called. Approximately 5 minutes after the Epinephrine injection the individual stated she was feeling better. Individual was able to walk, unassisted, to the ambulance cot. Individual transported to ER in stable condition. Stated SOB has subsided. Individual also took 2 puffs of her rescue inhaler.
1026631	2/12/2021	MO	36	F	2/1/2021	2/11/2021	Fever 102-103 (took fever reducers after 24 hrs) Chills Sweats Severe pain in left ear, throat, and down rib cage on left side Severe armpit pain (left) Severe headache Eye pain Overall discomfort

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1026613	2/12/2021	CO	70	M	1/30/2021	2/7/2021	<p>None of my health care providers have been able to explain the cause of my sudden loss of vision in my left eye at approx. 10:15 p.m. on 7 Feb 2021. At approx. 3:00 a.m. on 8 Feb I called my ophthalmologist's answering service and my ophthalmologist called me back shortly thereafter. She told me I should go to the ER which I did at approx. 4:00 a.m. where blood tests were done, an ultrasound of my left eye, CT scan of my head, and MRI of my head were performed all with negative results. When my vision was tested at the ER using the standard wall chart, I was unable to see the largest letter on the chart with my left eye. I saw my ophthalmologist at approx. 1:40 p.m. the same day after my 6 1/2 hour ER visit. I was diagnosed with Central Retinal Vein Occlusion. Both of my eyes were dilated and photos were taken of each eye. I was given an injection of Avastin in my left eye. As of today, 12 Feb 2021, I am still functionally blind in my left eye. I can see general large objects but am unable to see details or read written words either near or far. Prior to approx. 10:15 p.m. on 7 Feb, my vision was as it had been for several years prior with little if any degradation. I typically have an annual eye exam by my ophthalmologist but due to Covid-19 my last eye exam was 9 Dec 2019 at which time there was nothing to suggest that I would have such loss of sight in either of my eyes. I am a healthy person who takes no or very little medication when prescribed. I have never been hospitalized (other than this ER visit) or diagnosed with any significant medical condition. In late Dec 2020 following routine blood tests, I had a teleconference "physical" with my PCP at which time I was declared to be healthy. Upon leaving the ER at approx. 10:30 a.m. on 8 Feb my "end of visit vitals" were recorded as blood pressure 110/63, BMI 20.92, weight 150 lbs., height 5'11", temperature 97.6 F, pulse 67, respiration 16, and oxygen saturation 95%. Late last year I had my usual flu vaccination without any side effects. After almost 2 weeks, I do still have a bruise at the Pfizer vaccine injection site on my left arm and I experienced mild muscle soreness the evening after my vaccination and the following morning. Normally I have no adverse reaction to vaccinations.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1026610	2/12/2021	MD	31	F	2/3/2021	2/4/2021	Right eye was swollen shut approximately 28hrs after the second dose was given. Primary care doctor said to take 50mg of Benadryl every four hours and use a cold compress. The swelling lasted about 16 hours and then subsided.
1026591	2/12/2021	SC	70	M	1/17/2021	1/19/2021	I began experiencing muscle aches, chills, night sweats, shortness of breath, blurred vision, dizziness and a nagging headache about 2 days after the first Moderna injection. These symptoms continued for well over a week but gradually got better each day for over a week. I monitored my body temperature and it was continuously normal and I never lost sense of taste or smell.
1026554	2/12/2021	MI	72	F	2/2/2021	2/5/2021	Patient called and said that days after her vaccine with us her left eye got swollen like bags. she put iodine and rubbed alcohol, on the area which she thinks made it worse. Then the other day the other ey got swollen. I inquired what food she ate and she said hot dog/sausage. I advised her to talk to her primary care provider and not to use alohol or iodine. She said she had never had reaction to any vaccine before and she had influenza vaccine in October 2020
1026560	2/12/2021	PA	31	M	2/11/2021	2/11/2021	Vaccine was administered without complications. approx 5 mins after vaccine was given, patient reported feeling light headed, feeling like they were going to pass out. Patient was laying down, eyes open but was lethargic, still responding but slow to respond. HR was 47BPM however patient reported he was a runner and normally had a low HR. Blood pressure was 66/44 , patient was pale and diaphoretic. Pt was conscious the whole time, was put in supine position, cold compress applied. Patient denied chills, shortness of breath, difficulty breathing, nausea, chest pain. Pt was monitored, given oral fluids, and within 15 mins after event, vitals returned to baseline, HR remained bradycardic less than 60, no additional treatment was given and patient left after observation around 8:00pm.
1027425	2/12/2021	FL	57	F	2/5/2021	2/7/2021	Bright red rash both eyes, undereyes started to extend to temple region as well. Was increasing quickly took 3 H2 blockers and it started to decrease over several hour. Took another zyrtec for redness that remained. In am. Redness was gone but undereyes looked bruised x 2days

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1026580	2/12/2021	MD	36	F	2/8/2021	2/9/2021	Left arm swelling at injection site., unable to fully articulate arm, acute cellulitis spread down deltoid muscle to antecubital area, shivers, felt warm, light headed. Took shower to relieve discomfort. 2/10/2021- pain in arm, swollen, and red, headache, - not relieved by oral meds. Blurry vision out of work 3 days. 2/11- arm pain 5-7 out of 10, hands that were numb improving, 2/11 better
1023039	2/11/2021	VA	68	F	2/4/2021	2/4/2021	I got the shot within a minute I could feel in my neck, my jaw, my throat and my ear felt like it was getting big, and my mouth felt like it was full of cotton and I couldn't swallow. A few days after that my blood pressure was going lower than normal and I felt dizzy, so I reduced my blood pressure medication and kept an eye on it. I also had a huge lump in my arm and my whole arm was sore. It was red and hot to the touch.
1023008	2/11/2021	FL	44	F	2/5/2021	2/5/2021	1st shot, redness, itching starting on R arm within 3 days, spreading to rest of the body for 4 days, Took Benadryl, and 1 tylenol at night. 2nd shot, systemic itching and redness/ flushing, hives, eyes bloodshot and blurry ( like when I had covid 11/3/20), profuse sweating within 3-4 hrs after the shot lasted for 24 hrs. Other symptoms incl loss of taste for 12 hours, chills, bone and muscle aches, temp 100.7, headache, fatigue x 2-3 days. Took 1 tylenol at night.
1023001	2/11/2021	MI	31	M	2/9/2021	2/10/2021	Onset with fever, chills, body aches, and evolved into prolonged migraine with severe head pain which localized behind eyes. Head pain lasted duration of night.
1022922	2/11/2021	CA	43	M	2/4/2021	2/4/2021	s/p first injection c/o feeling faint, dizzy, and pressure above eyes
1022904	2/11/2021	NY	24	F	2/5/2021	2/5/2021	On 2/5/21- Patient reported getting her 1st moderna COVID vaccine. 1 hour after the vaccine she developed "tingling throughout" her body. 3 hours later developed fever, nausea, dizziness, tachycardia. On 2/6/21- She woke up reporting facial swelling and swelling to her eyes and lips. C/o chest tightness, soreness, and rash on her chest and shoulders. Her symptoms resolved during the day on its own without any intervention. Pt. did not need to seek care at the hospital or with a provider. Reaction was self-reported on 2/10/21.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1022899	2/11/2021	OK	29	F	1/4/2021	1/1/2021	anxiety attack; 2 mins after the shot left arm felt heavy and was hard to move, tingling/dead feeling; 2 mins after the shot left arm felt heavy and was hard to move, tingling/dead feeling; 2 mins after the shot left arm felt heavy and was hard to move, tingling/dead feeling; in the evening arm swelled/swelling went down to size of pin hole; there was a welt at the vaccination site / there was still a little knot on arm; fever; night sweats; body rash/ rash beneath eyes; blister sores; swelling of eyes; arm was painful and is still; This is a spontaneous report from a contactable consumer. A 29-years-old female patient, a registered nurse, received the first dose of BNT162B2 Pfizer-BioNTech COVID-19 Vaccine, Lot number BK9231, in Hospital, via an unspecified route of administration in left arm on 04Jan2021 at 14:00 at single dose for COVID-19 immunization. Medical history was none. The patient was not pregnant at the time of the vaccination. Concomitant medications included ibuprofen and cetirizine hydrochloride (ZYRTEC). The patient reported that 2 mins after the shot, her left arm felt heavy and was hard to move and, on 04Jan2021 at 14:15 she had tingling/dead feeling; in the evening arm swelled and there was a welt at the vaccination site. On an unknown date in Jan2021 she had fever at 102 °F for 48 hours and swelling went down to size of pin hole; her arm was painful and was still sore, there was still a little knot on arm. On 07Jan2021 she experienced an anxiety attack; 20 days after, in Jan2021 the patient experienced night sweats. She also experienced body rash and little blister sores on her body and both arms, swelling of eyes and rash beneath eyes. The events resulted in doctor or other healthcare professional office/clinic visit. No treatment was administered to the patients for the events. On 25Jan2021 the patient underwent COVID-19 test via Nasal Swab which showed negative results. The event "Fever" resolved after 48 hours, whereas the outcome of all the reported events was unknown at time of the report.
1022759	2/11/2021	FL	70	M	2/6/2021	2/9/2021	BLEEDING IN MY RIGHT EYE



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1022804	2/11/2021	NC	38	M	1/26/2021	1/26/2021	He states he received the vaccine and within 2-3 minutes he experienced dizziness, chest tightness affecting breathing, tunnel vision, disorientation. He asked for help and first they walked him to a chair and then laid him down. He recalls the MD taking his pulse and reporting it as 140. He states his awareness was blurred, but he remembers receiving the epi pen and then feeling better. He recalls sweating but not sure if it was before or after epinephrine. EMS arrived, started an IV and transported him to ER. He denies recalling pruritis, urticaria, oral face throat or tongue swelling, watery eyes, chest pain, cough, wheeze, nausea or emesis. ER observed him several hours. His discharge diagnosis was syncope. He denies recent use of antihistamines or H2 blockers. Per chart review, provider at the event recorded patient c/o hot dizzy, tachycardia, erythema bilat arms, chest with extension to the neck, diaphoresis, difficulty responding (single word only); treated with epinephrine with improved response.
1022762	2/11/2021	AR	42	F	2/10/2021	2/11/2021	Employee states she developed a migraine the evening after receiving her 2nd COVID vaccine. She took medication which help dull the headache. She woke up the morning of 2/11/21 with hives on her face. She states her face was red and her eyelids swollen. The left eye lid more than the right. Employee took benedryl which helped, but her left eyelid remains red and swollen. Advised employee to contact her PCP.
1022729	2/11/2021	MD	25	F	1/6/2021	1/6/2021	I started to feel flu like symptoms. I stood up to get out the bath and felt fatigue and vision became blurry. I had laid on back; and my arm and feet started to feel like Charlie-horse. It was very hard to speak. My words became slurred as I was speaking. I felt like I was having heart attack. I had the worst flu symptoms for about 2 days and symptoms went away.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1023507	2/11/2021	NY	50	F	12/28/2020	12/31/2020	Chills; lymph nodes swollen on chest; lump in throat; muscle aches pain at injection site; nightmares; euphoria; insomnia; waking up often red eye; Nasal Swab positive; Nasal Swab positive; This is a spontaneous report from a contactable nurse reported for herself. A 50-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), from lot#Ek5730, on 28Dec2020 04:00 PM at single dose for COVID-19 immunization. Medical history included hypothyroidism. Concomitant medications included levothyroxine sodium (SYNTHROID). The patient was not pregnant at time of vaccination. The patient didn't receive any other vaccines within 4 weeks prior to the COVID vaccine. No COVID prior vaccination. On 31Dec2020 the patient tested positive for the SARS-COV-2 virus (via nasal swab). The outcome of the event was unknown. On 27Jan2021 the patient experienced chills, lymph nodes swollen on chest, lump in throat, muscle aches pain at injection site, nightmares, euphoria, insomnia and waking up often red eye. The outcome of these events was reported as recovered and no treatment received. Lab data included Polymerase chain reaction: Positive on 31Dec2020.; Sender's Comments: Based on the current available information, the events Drug ineffective and COVID-19 are unlikely related to BNT162B2 vaccine. The events occurred 3 days after vaccination, when vaccine was not expected to achieve the effect. The case will be reassessed if additional information becomes available.
1022726	2/11/2021	IL	54	F	2/10/2021	2/10/2021	tingling and itchiness of eyes

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1023049	2/11/2021	OR	52	F	12/31/2020	1/3/2021	On the 3rd - I started noticing my left eye swollen; on the 5th day day it felt weird - and it's getting bigger. My voice changed like a horse - hoarse throat. And when I swallowed it was like a piece of food in my throat. At work, my left eye is swollen and my lower lip was swollen too and they took me to patient room at work and examined me. Asked me to go home from work and my husband took me to ED on January 5th- I had gotten hives - started feeling itchy all over my body. At Emergency room they gave me Prednisone to stop the swelling. My throat was swollen and they gave me blood tests, too. Prednisone helped some - took that for one week. (Still missed work on the sixth because my eyes were still swollen.) Had a previously scheduled doctor appt for something else and my doctor told me the hives will come back after Prednisone so he told me to take Claritin for two weeks. All my symptoms resolved after that.
1022730	2/11/2021	NY	41	F	2/9/2021	2/9/2021	swollen top left eye lid. eye pain in left eye. foot pain in left foot.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1023054	2/11/2021	IN	52	F	2/9/2021	2/10/2021	As to be expected several hours after vaccine my arm become sore. Then at 12:30am I woke to severe chills, slight headache, sweats as well, body aches all over my body and I took my temperature and it was 103.4. I don't think I have ever had a fever that high before. I took some Tylenol extra strength and tried to go back to sleep but I couldn't I was afraid. This went on for several hours and my temp ranged from 102.3-103.6. I tried to drink liquids too. I called off of work. That day I laid around hot and cold, body aches, my chest hurt a little to take a deep breath, fatigue and weakness were unbearable at sometimes. My fever spikes probably that high 3-4 times yesterday. I had fluids and soup. I alternated Motrin and Tylenol all day. I tried to rest and maybe sleep but just couldn't close my eyes despite being tired/weak. By 7-8pm I was still weak but felt better My temp was around 99-100. I went to be around 10pm and woke up at 2am with really bad heartburn that I couldn't lay down I had to sit in my recliner chewing 4 Galvascon tabs. Sipping water and felt my chest hurt and wondered if I was having a heart issue. But i relaxed and finally by 5 am when my alarm went off.. I took my temp it was 100.2. I called off work again today and I laid down to sleep a few more hours. Now I feel better and still weak My temp has gone down.
1023081	2/11/2021	CA	42	F	2/5/2021	2/6/2021	Fever 104 an bleeding around left pupil with red vessels of eye. No changes in vision, no nausea, no vomiting, no swelling

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1023088	2/11/2021	NC	30	F	1/12/2021	1/12/2021	She reports with a few minutes she felt light headed, dizzy and mentally disconnected. Symptoms included feeling nonspecific discomfort, hot, cold, palpitations, nausea. She states her chest cavity felt strange and can best describe it as internal burning. She states breathing was strange, and was 'almost' SOB. She felt palpitations. They seated her in a chair for 15 minutes and observed her for 35-45 minutes. Her VS were normal. She denies pruritis, urticaria, flushing, sweating, cough, wheeze, oral/facial/throat/tongue swelling, red/watery eyes. She went home and continued to feel uncomfortable and restless. She had one emesis. She took a Tylenol pm at 19:00 and slept until about midnight. She reports the restlessness and discomfort stopped, but she then felt flulike symptoms (malaise, myalgias) for the next 3 days. She noted onset of edema at the injection site day 1, but no erythema or dermatitis.
1023101	2/11/2021	PA	73	F	2/10/2021	2/11/2021	Resident uneventful evening/night. Ate breakfast, baseline status. Found by staff to be unresponsive at 0945 this AM, almost 25 hrs after vaccine administration. BP at that time 77/30, recheck 81/35. No respiratory distress, oxygen saturations WNL. Remained afebrile. Over the next hour, she did open her eyes once, but remained non responsive to staff. Daughter at bedside. Over the next few hours, slowly responding. Was awake and responsive, eating ice cream. PCP has been notified, ongoing monitoring to occur. Spoke to Physician associated with RCAT Care Center. She does not feel this was an adverse/significant side effect of the vaccination as manifested thru extreme fatigue and exhaustion.
1023104	2/11/2021	IN	56	F	2/8/2021	2/9/2021	Rt side body swelling. Rt eye swelled shut. Hearing loss Rt. ear. Headache

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1023339	2/11/2021	TN	51	F	1/19/2021	1/19/2021	2 hrs after 2nd injection, felt like i was burning from inside out; skin red; flushed; rash; scratch throat; body aches; dizziness; headache; lymph nodes tender; eye swelling; blurred vision; blisters on the trunk of my body as well as lips and gums; blisters on the trunk of my body as well as lips and gums; blisters on the trunk of my body as well as lips and gums; tooth pain; jaw pain; i also had leg and bilateral foot pain x 4 days; all my mucos membranes were red, irritated and blistered; all my mucos membranes were red, irritated and blistered; This is a spontaneous report from a contactable nurse (patient). A 51-year-old female patient received the second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL1283), via an unspecified route of administration on 19Jan2021 10:45 at a single dose on left arm for COVID-19 immunization. Medical history included allergies: sulfa. Concomitant medication included bupropion (BUPROPION). The patient previously received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: unknown), via an unspecified route of administration on an unspecified date at a single dose for COVID-19 immunization. The patient experienced 2 hrs after 2nd injection, 'felt like I was burning from inside out', Skin red, flushed, rash, scratch throat, temp, body aches, dizziness, headache, lymph nodes tender, eye swelling, blurred vision, 'blisters on the trunk of my body as well as lips and gums', tooth pain, jaw pain. All of these symptoms lasted 3 days (as reported), blisters and gum issues lasted 4 days (as reported). Patient also had leg and bilateral foot pain x 4 days. All mucous membranes were red, irritated and blistered. The adverse events were experienced on 19Jan2021 12:30. Therapeutic measures were taken as a result of the events which included Benadryl, steroid injection. The outcome of the events was recovering (as reported). Adverse events resulted in Doctor or other healthcare professional office/clinic visit. The patient was not pregnant at the time of vaccination. Facility where the most recent COVID-19 vaccine was administered was Hospital. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19.; Sender's Comments: Based on the information available, a

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

possible contributory role of the suspect BNT162B2 at 2nd injection cannot be excluded for the reported events based on the known safety profile and the plausible temporal relationship. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1023346	2/11/2021	FL	72	F	1/21/2021	1/22/2021	<p>This was scary like waking up with Bells palsy/her neck froze up/when she woke up she could not look up, down, left or right/It was like her neck was frozen or paralyzed, the muscles would not move; the muscles would not move/She was doing anything to loosen the muscles; shooting pain in her head; She was in a lot of pain in her head and neck.; her neurologist confirmed it was a muscle issue; This is a spontaneous report from a contactable consumer who reported for herself, a 72-year-old female patient who received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot number and expiration date unknown), via an unspecified route of administration in the left arm, on 21Jan2021 at the age of 72 years, at around 16:00 at a single dose for COVID-19 immunization. Medical history included her left eye had a virus that was finally taken care of back in Mar2020 but took a year and a half to heal. She had 5 surgery on that eye from an unspecified date. Also, her left lymph node got filled with fluid and was swollen but the doctors were not concerned about it. She would see an ENT for this. The patient has been seeing a neurologist who has done brain scans and MRI's due to the loss of peripheral vision do to eye problems. The patient has no allergies and is basically healthy. Concomitant medications include unspecified "natural stuff". The reporter stated she had a pretty bad reaction with the vaccine and it took 3 days to get over, her neck froze up. She woke on 22Jan2021 with the frozen neck. She got the first shot on Thursday, 21Jan2021, and on Friday morning, 22Jan2021, when she woke up she could not look up, down, left or right. It was like her neck was frozen or paralyzed, the muscles would not move. Any effort to move her neck would send shooting pain in her head. She applied a heating pad, took Aleve, she took a couple of them, a massager, biofreeze, and stayed in bed. She was doing anything to loosen the muscles. The next morning she was able to look up and down but still not left or right. She did the same thing for treatment that day. On Sunday, 24Jan2021, she was better, was able to move her head 3 of 4 directions. She continued with the treatment she had been using and by Monday, 25Jan2021, her muscles loosened up and her neck worked again. She was sure it is muscles and when she called her neurologist confirmed it was a muscle issue. She was in a lot of pain in her head</p>



*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

and neck. The patient was under care for her neck and head and wondered if this happened because this was a weak area, she did not know if related. The patient remarked she was scared to get the second dose due to the problems she had with the first. She heard that the second dose was the one with worse side effects. She was in bed 3 days with this first one. It was reported that the events did not require a visit to Emergency Room, and required visit to physician office. Patient called the neurologist due to the pain and was told to go to acute care to evaluate but she didn't go. The patient stated that this was scary like waking up with Bells palsy and was wondering if she would ever get better. She has never had anything like this happen to her before. She has to be attributed it to the shot. The patient needed guidance on getting the second dose, and had questions about side effects. The outcome of the events was recovering. Information on the Batch/Lot number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1023358	2/11/2021	CA		F	12/19/2020	12/19/2020	encephalitis-like symptoms; Hearing loss; memory loss; parathesias; visual disturbances; taste disturbances; dizziness; Lsided chest pain; staggering; elevated SBP 190-200; severe L-sided chest tightness; pre-syncope; elevated BP; DDimer was elevated; fell; intermittent memory lapses; nausea episodes; cant smell that last 1-2 hrs; L neck /head pain; L neck /head pain; Left axilla lymphadenopathy; rhinitis; lightheaded/lightheadedness; had an episode of pain all over; SOB; This is a spontaneous report from a contactable physician (patient). A 46-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot/batch number and expiration date were unknown), via an unspecified route of administration from on 19Dec2020 at a single dose for COVID-19 immunization. Medical history included ovarian cancer at age 29, food allergy to clams and escargot, and allergy to sulfa. The patient's concomitant medications were not reported. The patient previously took bactrim and experienced allergies. On 19Dec2020, immediately after vaccine had rhinitis, lightheaded, given Zyrtec and water and observed for a duration of 30 min. Three hours postvaccination on 19Dec2020, at home had an episode of pain all over and SOB (shortness of breath). 3 days later (22Dec2020), patient had L (left) neck /head pain and left axilla lymphadenopathy. On 23Dec2020, she fell in the shower. On the same day (23Dec2020) the patient had intermittent memory lapses, lightheadedness, nausea episodes, can't smell that last 1-2 hours a few times a day. Symptoms worsened on 03Jan2021, with severe L-sided chest tightness, pre-syncope, was seen in the ER with elevated BP. DDimer was elevated, CT Scan of Chest/Abdomen showed L axilla lymphadenopathy, negative for PE. CBC, Electrolytes WNL (within normal limits), still on 03Jan2021. Observed in ER for 7 hrs. and then discharged home. Intermittent symptoms continued. On 08Jan2021, patient had another severe episode while at work. She was noted to be staggering, and again was complaining of left-sided chest pain. She was taken to the ER by her colleagues on 08Jan2021 and noted to have elevated SBP 190-200. On 08Jan2021, patient underwent CT head negative, MRI negative, w/u (workup) for pheochromocytoma negative and COVID negative. She was started on prednisone and Norvasc

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

and discharged home. She continues to have intermittent episodes however they have decreased in intensity and last for about 1 hour. She described her symptoms as encephalitis-like symptoms. These include memory loss, paresthesia, visual disturbances, hearing loss, taste disturbances, and dizziness. These symptoms when severe have been incapacitating. She had been hospitalized for a neurological and infectious work up (including Brain MRI and multiple COVID tests) but no diagnosis has been yet identified. This symptom kcomplex (unspecified) has persisted to now. She has not received the second dose of vaccine. She is asking how long mRNA, the lipid nanoparticles and the protein spike lasts in the body. Outcome of the events was unknown. Information on the lot/batch number has been requested.; Sender's Comments: Based on the limited information currently available, a possible contributory role of the suspect drug in the reported events cannot be completely excluded given the implied temporal association. However, underlying medical conditions may provide the alternate explanations. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1023378	2/11/2021	NY	29	F	1/21/2021	1/24/2021	severe tension/pain on left side of head; severe tension/pain on left side of head; This is a spontaneous report from a contactable healthcare professional. A 29-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), via an unspecified route of administration right arm on 21Jan2021 as single dose for covid-19 immunization. No medical history was noted. No allergies to medications, food, or other products. Concomitant medication included celecoxib (CELEXA). On 24Jan2021, at 08:00, the patient experienced severe tension/pain on left side of head. This was elaborated as behind the eye and above brow bone, radiates to back of neck. The events were non-serious. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. The outcome of severe tension/pain on left side of head was not recovered.
1023447	2/11/2021	FL	73	F	1/25/2021	1/26/2021	Dizziness lasting more than a day; very migraine like; slight nausea; light sensitivity; visual disturbances; This is a spontaneous report from a contactable consumer who reported for herself. A 73-year-old female patient received her first single dose of BNT162B2 (Pfizer-BioNTech Covid-19 vaccine, lot number EL8982) at left arm 04:00 PM on 25Jan2021 for Covid-19 immunization. The patient's medical history included diabetes, osteopenia, hematuria, irritable bowel syndrome (IBS), high cholesterol, migraine. The patient had known allergies to penicillin- diarrhea, lactose intolerant, extreme allergy to sesame seeds and sage family. Concomitant medications included cyanocobalamin (B12), metformin, levothyroxine, multi vit, and calcium. The patient had not received other vaccines within four weeks. Around 10:15 AM on 26Jan2021, the patient experienced dizziness which lasted more than a day, light sensitivity, visual disturbances, slight nausea- very migraine like. No treatment was received for the events. The outcome of the events was resolving at the time of reporting. The patient had no Covid prior vaccination and had not covid tested post vaccination.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1023478	2/11/2021	OH		F	1/21/2021	1/25/2021	she had bumps all over her body and below her eyes which appeared swollen.; itchiness; At 10:30 she started feeling sick; raised humps on her hands and arms/ throughout the evening the bumps went to different places on her body; This is a spontaneous report from a contactable consumer who reported for herself. An 82-year-old female patient received her first single dose of BNT162B2 (Pfizer-BioNTech Covid-19 vaccine) on 21Jan2021 for Covid-19 immunization. Medical history was not reported. Concomitant medications included gabapentin and paracetamol (TYLENOL). On 25Jan2021 around 5:30-6 p.m, the patient noticed raised bumps on her hands and arms, and throughout the evening the bumps went to different places on her body. At 10:30 she started feeling sick and noticed that she had bumps all over her body and below her eyes which appeared swollen. She went to the ER because the itchiness was unbearable. In the ER, they gave her Prednisone and a Benadryl, in which she broke out again after taking the medication. The ER sent her home with a prescription for Prednisone and Claritin. She slept all the following day and she normally only takes Gabapentin and Tylenol for her medication. Patient wanted to know that if these reactions have been reported, If she should take the second injection and have the reactions been reported days later. The outcome of the events was unknown. Information on the batch/lot number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1022714	2/11/2021	AZ	72	F	2/8/2021	2/8/2021	within 10 minutes very dizzy. Husband had to help to car. Within 10 minutes whole body was tingling and MASSIVE headache. I have never had one but it appeared to be migrane. Eyes felt the size of tennis balls and couldn't open eyes. Could not stand any noise or any light. Could not pick head up off pillow. Constant swallowing like going to throw up. Day #2 same thing. Day #3 same thing but eyes felt like golf balls. Eyes blood shot. Day #4 (today) still some head ache and swollen eyes. No energy. Am scheduled for March 8 to have second shot. WILL NOT. Getting on plane on March 10 and will not take chance of this happening again. Husband read that second shot has worse effects. I sincerely feel like a "lab rat" since no one knows what happens to people after vaccines. Would be really great if someone will contact me to explain reaction to shot.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1021987	2/11/2021	WI	81	M	1/22/2021	1/24/2021	<p>non responsive to verbal stimuli, unable to hold trunk upright, eyes not focused; non responsive to verbal stimuli, unable to hold trunk upright, eyes not focused; This is a spontaneous report from a contactable other health professional. An 81-years-old male patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number EL3249), intramuscular in left arm on 22Jan2021 10:00 at single dose for covid-19 immunisation. Medical history included Parkinson's disease, post polio syndrome, Alzheimer's disease, atrial fibrillation, benign prostatic hyperplasia, right knee replacement, sleep apnoea, restless legs syndrome, covid-19 prior to vaccination. Concomitant medication included carbidopa monohydrate, levodopa (CARB/LEVO), cephalexin (unknown manufacturer), cetirizine (unknown manufacturer), citalopram (unknown manufacturer), donepezil (unknown manufacturer), etodolac (unknown manufacturer), finasteride (unknown manufacturer), furosemide (unknown manufacturer), metoprolol (unknown manufacturer), omeprazole (unknown manufacturer), oxybutynin (unknown manufacturer), senna alexandrina leaf (unknown manufacturer), tamsulosin (unknown manufacturer). The patient experienced had vaccine on friday and on sunday had neurological symptoms, non responsive to verbal stimuli, unable to hold trunk upright, eyes not focused on 24Jan2021 14:00 with outcome of recovered in Jan2021. The patient was sent to ER and CVA/TIA were ruled out. Has no history of seizure disorder. Returned and had 1 more episode later in the day. Vitals were all within his normal limits. ER physician felt was possible reaction to vaccine. The patient was not treated due to the events. The patient had not been tested for COVID-19 since the vaccination.; Sender's Comments: A causal association between BNT162B2 and the reported events cannot be excluded based on a compatible temporal relation. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1023571	2/11/2021	MA	51	F	1/22/2021	2/4/2021	2 weeks post vaccination I developed a mild case of shingles. Extreme itching and pain above my right eye. A



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1023452	2/11/2021	GA	47	F	1/23/2021	1/23/2021	itching in her eardrums, her face, nose and everything/inside of her ears/between her fingers, hands, feet/back/sides/itching all day; one hive came up around the injection site; sneezed 3 or 4 times/sneezing 5-6 times all day/sneezing all day; arm was itching where she got the injection site at; This is a spontaneous report from a contactable consumer (patient). A 47-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number EL0142), intramuscularly on the upper left arm (also reported as in humerus area), on 23Jan2021 11:00, at single dose, for covid-19 immunization. Medical history included allergies to shellfish and medications; allergic to cats and dogs; had to go to the emergency room with an allergic reaction; hypothyroidism from 2008 and ongoing; asthmatic from an unspecified date and ongoing (diagnosed with asthma as a kid, (maybe at 5 years old); asthma was well controlled and she has an asthma inhaler she uses like once a month); light GERD from 2018 and ongoing; recovering from a meniscus tear in her knee that occurred on 21Aug2020 - she had surgery for it on 23Oct2020; anterior uveitis of the eyes and; partially blind in her eyes. Concomitant medications included adalimumab (HUMIRA) and methotrexate - both from an unspecified date and ongoing for anterior uveitis of the eyes which the patient clarified was a condition where her retina swells and its defined as an autoimmune problem. She informed that she was partially blind in her eyes but something about the methotrexate and Humira in which she was able to see now. The patient stated that she received the first dose of the COVID-19 vaccine last Saturday, 23Jan2021 at 11 AM. Later that evening of 23Jan2021, she started itching in her eardrums, her face, nose and everything, and one hive came up around the injection site. She has been extremely itchy since she took it. Also, she sneezed 3 or 4 times later that evening of 23Jan2021. It's pretty unusual for her to sneeze. She stated she used to take allergy shots, so she doesn't really sneeze at all. Between the time of 10:40- 10:45pm that night, on 23Jan2021 she sneezed three consecutive times. Then she went to lay down, and she noticed on 23Jan2021 that her arm was itching where she got the injection site at. She noticed she had one hive at the injection site. She confirmed she only had one hive. She did start to

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

itch all over- her face and nose was itching. She has had an allergic reaction before, (medical history) and it wasn't a type of reaction where she needed more than one hand to scratch; it was just a subtle itch. She informed that she should have been aware when she started sneezing because she never sneezed. She has been sneezing 5-6 times all day. Then she took Benadryl at 18:00 which was helping. She waited the allotted 15 minutes after taking it and she was fine; she had no problems at all. But as soon as it wore out, she began itching and sneezing. After an hour she took another because the inside of her ears was still itching; the itching went deep down into her ears. She had itching of her face, arms in between her fingers, hands, her feet (only the top of her feet, not the bottom), and her back. She was itching a little bit on her sides. The itching was basically all over, but she only had one hive. She had one hive at the injection site, so she assumed it was probably due to the vaccination. Then the hive was gone. However, she still feels itching mainly in her nose, arm and back, just like that night following the injection. She was still itching for some reason. She got up on Sunday 24Jan2021 and everything was gone. She confirmed the hives, the itching, everything was gone. She didn't take anything on Sunday. Yesterday, 26Jan2021 she noticed a little slight itch, but she didn't pay any attention to it and didn't worry about taking any Benadryl. Today, 27Jan2021, she has been itching and sneezing all day. Like right now, her foot was itching but the itching has kind of subsided a little bit. But all day her nose has been a little itchy. She added that she was allergic to cats and dogs (she doesn't own any pets), so if she gets in the vicinity of any cats or dogs, her nose starts itching. Her nose has had the same kind of itching and sneezing all day long. She hasn't had any testing. She didn't go to an emergency room only because it wasn't bad enough. If her throat was itching or swelling, then she would have been ready to go to the ER at 1am. Also, if she would have had shortness of breathing or her throat/tongue started itching, she would have gone to the emergency room. She stated that once her ear stopped itching, she was fine. She wanted to know if her experience was reported as a side effect of the vaccine. She mentioned that she definitely wants to take the second dosage, but she was a little apprehensive. She was scared it may be worse with the second vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							Now that she received the vaccine, she was unable to access an HCP at her job and primary care facility. So, she called her primary care physician who prescribed her an EpiPen in case she receives the second dose of the vaccine. Her doctor also instructed her to take Benadryl a day or two after the injection. She did call (privacy) since they were the ones who did the injection. She informed that she did all her research beforehand because she was a little apprehensive to get the first vaccine. She already had to go to the emergency room with an allergic reaction before. She told one of the nurse practitioners about her itching all the time and; she was told that that was common. She explained that, everybody that she has come into contact with that has had this vaccine, no one has had any problems with itching. Itching was not mentioned on any of the information she has read, the research she has done, the news, or if she goes on the website there wasn't any mention of itching. There were things like headaches and other symptoms but nothing about itching and hives. She then requested to speak to someone about itching being a side effect of the vaccine. She was a little apprehensive about getting the second vaccine so she would like further information. The final outcome of the adverse events was unknown.
1023574	2/11/2021		61	F	12/22/2020	12/24/2020	Pt reports two days after vaccination eyes became "itchy, irritated, and glazed" and at times "painful". Symptoms would "come and go". Received second dose of Moderna COVID-19 vaccine on 1/21/21 with same symptoms 2-3 days after that dose that have continued off and on since then.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1022054	2/11/2021	WI		F	1/11/2021	1/1/2021	bloody diarrhea; I thought like I was dying; felt a shooting pain across the chest and then went to above my left eye; felt a shooting pain across the chest and then went to above my left eye; It felt like a migraine; felt like a piercing pain on the back and side of my head; felt like a piercing pain on the back and side of my head; felt a numbness on my left arm and hand; It felt weird and I couldn't describe it, more like I felt with pressure and heaviness; It felt weird and I couldn't describe it, more like I felt with pressure and heaviness; I also felt bloating and severe cramping; I also felt bloating and severe cramping/severe abdominal cramping; tired/fatigue, major fatigue; weak; short of breath; diarrhea; I had burning in my stomach; nausea; This is a spontaneous report from a contactable Nurse (patient) reported for self. A female patient of an unspecified age received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), Batch/lot number: EL0142, via an unspecified route of administration on 11Jan2021 at single dose for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. Patient received the 1st dose on 11Jan2021 and she felt normal and had no underlying conditions. After the shot she instantaneously felt a shooting pain across the chest and then went to above her left eye. It felt like a migraine and felt like a piercing pain on the back and side of her head hours later and was intermittent for a couple of days. It became an intermittent headache for 2 weeks. She also instantaneously within a few minutes felt a numbness on her left arm and hand. It felt weird and she couldn't describe it, more like she felt with pressure and heaviness which lasted for 2 days. Later that night she also felt bloating and severe cramping that was so severe she couldn't walk for 4 days and come and go intermittently. She was rolling over her bed in pain. She was so tired, weak, and short of breath she couldn't do anything. She also had about 10 episodes of diarrhea with 3 of them being bloody diarrhea over the weekend, the last episode of bloody diarrhea was on the 18th, after which her stool was clear, normal looking. She couldn't eat anything because of this. No one in her facility that she knew of had similar side effects as her. She was terrified and very very afraid. She was also frustrated because she was not sure if it was the vaccine or not.

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

This week she was just starting to get back to normal and feel better. She consulted with HCPs and did tests like Complete blood count, stool sample, abdominal X-ray, and COVID tests that all came back normal. She was still on the fence on whether or not she could get the 2nd dose because she came in there normal and came back like heck afterward. Patient stated she was a little concerned about whether or not she should get the second vaccine based on the symptoms she had from the first one. Patient further stated the first time she had the shot, she experienced the side effects. It started off with shooting pain across her chest and then pain in her head and then she had bloatedness with a little bit of nausea and then she had burning in her stomach. Patient stated, actually, she had more bloatedness in the stomach, more than nausea it was more like she was very bloated and that lasted for about two weeks. And she also had pain, as soon as she gave her injection, she had pain all across her chest and then she had a instant headache. She also ended up having bloody diarrhea. She had several tests afterwards from her doctor to figure out other possible causes, they did culture and they took her lab and they did an membrane X-ray of her abdomen and everything came back normal and fine and she felt totally fine until she had the shot and then all of a sudden everything fell apart and she felt terrible for two weeks. She had severe abdominal cramping, She thought like she was dying and fatigue, major fatigue. But she had one more question, she was wondering if anyone else has had similar experiences after this vaccine. Patient wanted to know if she should get the second vaccine. After receiving the first Covid vaccine she experienced pain across her chest and severe pain on left side of head. She wondered if the vaccinator had hit a nerve when injecting the vaccine. She then began to experience bloating, cramping, bloody diarrhea and severe fatigue, which lasted for about 2 weeks. She underwent testing by having stool samples and X-rays, but all tests came back negative. About treatment, patient stated, yes and she also have severe abdominal cramping. The outcome of the events was unknown. The reporting nurse (patient) considered the events Shooting pain across my chest, Headache, Bloatedness; I had more bloatedness in the stomach; Burning in my stomach, Nausea, Bloody diarrhea, Severe abdominal

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

cramping, Fatigue, were related to COVID-19 vaccine.;  
Sender's Comments: A possible contributory effect of  
suspect BNT162B2 on reported events cannot be  
excluded. The impact of this report on the benefit/risk  
profile of the Pfizer product is evaluated as part of Pfizer  
procedures for safety evaluation, including the review  
and analysis of aggregate data for adverse events. Any  
safety concern identified as part of this review, as well as  
any appropriate action in response, will be promptly  
notified to regulatory authorities, Ethics Committees, and  
Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1022077	2/11/2021	MI	48	F	1/15/2021	1/1/2021	headache; Headache 'in the back of head, the right side of her face behind her eyes', started getting a migraine.; could be sinuses; Dizziness; Sweating; lymph nodes swollen; she tends to get hot flashes, she is currently going through menopause; This is a spontaneous report from a contactable consumer, the patient. A 48 year old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Lot Number EL3248 ), intramuscular in the left arm on 15Jan2021 at 06:34 as a single dose, for COVID-19 immunization. The vaccination was administered at a Hospital Facility. Patient contact her doctor who told her, she absolutely needed the COVID-19 vaccine. Medical history included ovarian cancer 2014 (stage 3B and 3C), lymphoedema 2015, (lymphedema after aggressive chemo/ told she would always have lymphedema), and menopause from an unknown date and ongoing (tends to get hot flashes). There were no concomitant medications. On 15Jan2021 (around noon), the patient experienced Lymph nodes swollen/her lymph nodes in her throat were swelling up, dizziness, and sweating. Patient explains she tends to get hot flashes, she is currently going through menopause. However, she ran to the store and she was really sweating heavily and felt dizziness and just ended up going home. She felt it was better to be at home if she was having a reaction. By Saturday, 16Jan2021, she woke up and felt fine. The swelling of her lymph nodes in her throat went away. The dizziness and sweating went away. On 19Jan2021 (Tuesday Evening) the patient experienced Headache 'in the back of head, the right side of her face behind her eyes', started getting a migraine. Also states it could be sinuses. She didn't know if this could be related to the COVID-19 vaccine and a reaction to it or her sinuses. On Jan2021 patient experienced Hot flashes. No other vaccines were given within 4 weeks. The clinical outcome of Dizziness, Sweating was recovered on 16Jan2021, the outcome of Headache/migraine was not recovered, and the outcome of lymph nodes swollen, hot flashes and sinuses were unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1022076	2/11/2021		85	M	1/27/2021	1/27/2021	unresponsiveness for 2 minutes in seated position; bilateral arm tremor; pallor; eyes rolled back; drooling; nausea; vomiting; This is a spontaneous report from a non-contactable pharmacist. An 85-years-old male patient started to receive first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number=EL9262), intramuscular on 27Jan2021 10:30 AM at single dose on Left arm for covid-19. Medical history included anaphylaxis history of unknown cause. The patient's concomitant medications were not reported. 30 minutes into observation, patient experienced bilateral arm tremor, pallor, eyes rolled back, drooling and unresponsiveness for 2 minutes in seated position on 27Jan2021 11:00 AM. 911 called immediately. Patient became alert and oriented after 2 minutes but experienced nausea and vomiting on 27Jan2021 11:00 AM. While seated, vital signs were taken- BP 148/76, HR 73, O2 98% on 27Jan2021. No falls or medication administered. (name withheld) arrived around 11:10 am and assessed cardiac rhythm and vital signs. Patient initially wanted to go home, but based on (name withheld) assessment, recommendation was to go to the ER. No treatment received. Outcome of events was recovered on 27Jan2021. No follow-up attempts are possible. No further information is expected.; Sender's Comments: Based on the compatible time association, the contribution of suspect vaccine BNT162B2 to the events bilateral arm tremor, pallor, eyes rolled back, drooling and unresponsiveness is possible. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1022071	2/11/2021	FL	82	M	1/24/2021	1/1/2021	hearing is off/his ears feel like they're full of water so he can't really hear; lost his voice; dizziness/Really dizzy; bottom of the feet is tingling; Slightly blurry vision; This is a spontaneous report from a contactable consumer (caregiver). An 82-years-old male patient (Father) received first dose of BNT162B2 (BNT162B2, lot number: EL1283), via an unspecified route of administration in left arm on 24Jan2021 13:30 at SINGLE DOSE as Scared to death to get COVID. Medical history included ongoing High blood pressure. Family history included Father died of melanoma. Concomitant medication included ongoing lisinopril (strength: 10mg) for High blood pressure. Caller stated her father received the pfizer covid vaccine first dose on this Monday and have weird side effects, he lost his voice, dizziness/ Really dizzy, hearing is off/ Ears feel like they're full of water so he can't really hear, bottom of the feet is tingling/ tingling in his feet and slightly blurry vision. Caller wanted to know if it is normal. Caller also said safety department told her to speak to quality department about the shot her farther received is it a bad batch or not. No visit to Emergency Room and Physician Office. The outcome of the events was not recovered. No follow-up attempts possible. No further information expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1022066	2/11/2021	OR	71	M	1/13/2021	1/24/2021	<p>Contrast head CT scan showed a lacunar infarct in the M1 region from MCA; Bell's Palsy; This is a spontaneous report from a contactable physician reporting for himself. A 71-year-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number: EL2437), intramuscularly on 13Jan2021 11:00 on right arm at single dose for COVID-19 immunization. Vaccination facility type was at Clinic. Medical history included Myocardial infarction from 2019, Prostate cancer from 2016 which biochemical recurrence caused his PSA to bump up, Subclinical hypothyroidism, prevention of coronary artery disease, prevent platelet aggregation, urgency incontinence, asthma symptoms, High Blood Pressure from 2009 and ongoing, Aortic insufficiency from 2008 and ongoing. Ongoing concomitant medications included Carvedilol from 2011 for high blood pressure, rosuvastatin from 2015 for prevention of coronary artery disease, acetylsalicylic acid (ASPIRIN) from 2019 for prevent platelet aggregation, tamsulosin from Dec2020 for urgency incontinence, levothyroxine from 2011 for Subclinical hypothyroidism, montelukast from 2011 for asthma symptoms. The caller stated that he was a physician and emeritus professor. He received the Pfizer-BioNTech COVID-19 vaccine 2 weeks ago and developed Bell's Palsy on 24Jan2021 after receiving this first dose. He had already reported this reaction but he would like to know if there was any safety information on receiving the second dose after this type of adverse reaction. Patient had "mentioned" the reaction to his HCP but he had not spoken with her about specific guidance on whether or not to receive the second dose. Patient wished there was a way he could see more information regarding patients who have reported Bell's Palsy as a reaction to the mRNA COVID-19 vaccine to see if it could be a trend related to mRNA in the vaccines or if it was statistically insignificant. Patient visited the Emergency Room on 25Jan2021. Patient had a Contrast head CT scan on 25Jan2021. The results were read by the radiologist. The neuro radiologist also read the results and made a revision. He had two different reports, it showed a lacunar infarct in the M1 region from MCA. Not causing facial paralysis. There was no defined cause of the paralysis. Patient was asking if we have a resource on the significance of Bell's Palsy following a vaccine. He</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

was scheduled to have the booster on 04Feb2021 and needed to know what to do. Treatment was received for the events included Prednisone and Acyclovir. The outcome of the events were not resolved. Follow-up attempts are completed. No further information is expected.; Sender's Comments: The Company cannot completely exclude the possible causality between the reported Bell's Palsy and lacunar infarct, and the administration of COVID-19 vaccine, BNT162B2, based on the reasonable temporal association. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RA, IEC, as appropriate.

1022170 2/11/2021 IN

68 F

2/3/2021

2/6/2021 On Sat 2/6 at around 8 PM I had a scary episode of nystagmus in my left eye with dizziness that lasted around 15 seconds. This was the first time I've ever had this happen.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1022056	2/11/2021	NY	71	M	1/24/2021	1/1/2021	his face was feeling funny/his face was paralyzed on the left side/ Bell's Palsy; Pain at the injection site; This is a spontaneous report from a contactable consumer (patient's wife). A 71-year-old male patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, lot number: EL3248), via an unspecified route of administration on 24Jan2021 12:30 at single dose in right arm for COVID-19 immunization. Medical history included Diabetes, Blood pressure high, High cholesterol, Enlarged prostate. Concomitant medications taken within two weeks before the event onset included irbesartan, verapamil, metformin, topiramate, omeprazole, tamsulosin, clonazepam, simvastatin, acetylsalicylic acid (BABY ASPIRIN), all were ongoing. Vaccination facility type was Hospital. The patient received the Pfizer covid vaccine first dose on Sunday 24Jan2021, On Monday (25Jan2021) afternoon, his face was feeling funny, by the time he got home, his face was paralyzed on the left side. The injection site was on his right arm. The reporter called paramedics and he went to the Emergency Room, and was diagnosed with Bell's Palsy. No history prior to vaccination. All his tests were negative in the hospital, EKG, CT, all tests negative in Jan2021. wasn't a stroke or anything like that. One doctor said it could be related to the vaccine and the other said he didn't know. The reporter wanted to know if he could go back for the second dose, if one dose could provide any protection. Consumer calling about the Pfizer COVID-19 vaccine (later referred to as just shot or COVID shot by caller) for her husband, and says the reason why she called was her husband got Bell's Palsy from it, and she didn't know if he should still go for a second shot. She said his face was all paralyzed right now, he got the COVID-19 shot on Sunday, then Monday night he went to the ER and was diagnosed with Bell's Palsy, all tests were clear that it was not a stroke and had to be from the shot. The patient's face was feeling funny, and when he got home his face was paralyzed and she called 911. She said he was admitted from the ER overnight on Monday night (25Jan2021), then she picked him up on Tuesday night. She said he was diagnosed with Bell's Palsy, and they gave him medication, which was Prednisone and patches to keep his eye closed, and another med called Valacyclovir, which was an antiviral medication, and

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

some eyedrops. She said his vaccine card just says first dose, patient number, (City and State name), and has a date on the back for his second shot which was scheduled for 14Feb2021. Treatment Valacyclovir: Caller says that this was in a (Pharmacy name) bottle and that label told instructions to take it and said no refills, discard after 26Jan2022, it was a week's worth of pills. Prednisone 10mg. Caller said this was also in a pharmacy bottle that said take 5, then 4, then 3, then 2, then 1. The label said discard after 26Jan2022. She said that the eyedrops were over the counter lubricant eye drops for his left eye. Caller said the patient took a medication for electrical activity in the brain, so they did a MRI and a CAT scan and they all came back negative on the tests, and his heart tests came back negative (Jan2021). No further details provided about electrical brain activity medication or test results. Caller said that the doctors sent her husband home and said it was Bell's Palsy, likely a result of the vaccine, that there was nothing wrong with him, they can't say for sure, they said it could be coincidental. She said they probably can't say it was the vaccine that gave it to him, some doctors said yes during the stay at the hospital and some said they couldn't say. She said that there were quite a few doctors there, it is a big hospital, that worked in the stroke unit. Caller said that she would like to know if there were any product recommendations about whether her husband should get the second dose. It further reported that on 25Jan2021 at Lunch time his face felt funny and by 17:00 left side of face was paralyzed. He was treated in the ER of (Hospital name and Address). as if he had signs of stroke. Reporter seriousness for Bell's palsy was Hospitalization. The dates when patient was in hospital for Bell's palsy was from 25Jan2021 to Unspecified date. Reporter stated patient also experienced pain at the injection site in Jan2021. MRI, EEG, EKG and Sonogram, all clear and All negative in Jan2021. The outcome of the event "his face was feeling funny/his face was paralyzed on the left side/ Bell's Palsy" was not recovered, of the other event was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1022230	2/11/2021	MI	42	M	1/28/2021	2/1/2021	Idiopathic Thrombocytopenic Purpura, on 1 February 2021, I noticed significant bruising on my body and Petechiae under my eyes. I call the nurse line and requested a CBC. On 2 February, the Emergency Department called me back and stated my platelets were at 6K (over the last 10 years with CLL, they consistently are at 110K-120K). The emergency department directed me to come in and began treatment with Prednisone and platelet transfusion. I was transferred to Hospital where they started IVIG and 40mg of Dexamethasone for four days. I was discharged on 7 February with stable platelets at 42K

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1021998	2/11/2021	OH	86	F	1/21/2021	1/22/2021	Numbness in face, legs; Slight headache; Whole chest froze up; It has been an effort to talk, she was really working hard to talk; Muscle tightness around her whole face; Legs weren't steady enough; Didn't feel well; She was very weak; Could only stay awake for very short amounts of time; She never had trouble with her stomach like this before; Lip has a slight droop on left side of her face; Felt like she was having a heart attack; Felt extreme exhaustion; Not able to eat; She thought she has low blood sugar; This is a spontaneous report from a contactable consumer (the patient). An 86-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number: EL3249, expiration date not reported), via an unspecified route of administration (left arm) on 21Jan2021 14:50 at a single dose for COVID-19 immunization. Medical history includes therapy on her back from the past, from an unknown date. Concomitant medication included melatonin to sleep and, paracetamol (TYLENOL) to sleep. The patient received the first dose of the vaccine on 21Jan2021 at around 2:50 PM, the next morning on 22Jan2021, she felt extreme exhaustion, she'd get up and have to get back to bed, not able to eat, and she thought she has low blood sugar. She got up and had a bowl of cereal. On an unspecified date, the patient also reported numbness in face, legs and slight headache, and need to eat all of a sudden or pass out, and these has gone on for five days now (at time of report). The patient also reported that her lip has a slight droop on left side of her face which was concerning her. The patient reported that after numbness and not eating, she had some ice cream and her whole chest froze up, and it felt like she was having a heart attack. Her chest felt like ice which never had happened before. It has been an effort to talk, she was really working hard to talk. The patient explained she got the vaccine 5 days ago (from the time of report) and reported she had muscle tightness around her whole face, she had a slight droop on the left lip, a slight headache right across the eye brows, her legs feel a little numb off and on, she got feeling of tiredness but that passes, she had the need to go eat suddenly or she will get very weak. The reason for the call was she was wondering if she should she go for the second vaccine when 5 days after having the vaccine she was experiencing numbness. Slight droop on the left

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

lip started but never looked close until the time of report, not a lot but the lower lip on the left side it is slightly droopy, with slight headache right across the eye brows. Her legs felt a little numb off and on, and she stated that about 3 days after the vaccine, she was afraid to take a shower because her legs weren't steady enough. They are still that way at the time of report, but this did go away for a while on a day and she was able to take a shower. She also didn't feel well after the vaccine. On the day of the vaccine, she had a good dinner and felt good; but the next morning she was very weak and could only stay awake for very short amounts of time. She was in bed and couldn't stay up and this is not like her, she did not like to be in the bed. She got the feeling of tiredness but that passes and she can stay up for longer periods of time. She had to go eat or she gets very weak, she didn't feel like eating in the beginning. It was on the 4th day after the vaccine she would have to get a bowl of cereal all of a sudden or she would feel like she was going to pass out. She never had trouble with her stomach like this before where she felt the need to have to go and eat. She explained she never had trouble with stomach, she never had headaches, and never had a vaccine before. Muscle tightness around her whole face started 2 days after getting the vaccine and was getting worse. Her face felt really tight almost numb feeling. The outcome of the events was unknown.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1023442	2/11/2021	CA	68	F	1/25/2021	1/25/2021	left face and ear were red and hot; left face and ear were red and hot; She got scared; side where the injection was given on her face felt like NOVOCAINE wearing out after the dentist/left side of the face cheeks to eye felt numb tingling, it felt different/like it was numb but not numb; left side of the face cheeks to eye felt numb tingling, it felt different; This is a spontaneous report from a contactable consumer (patient). A 68-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number: EZ9262), via an unspecified route of administration in the left arm on 25Jan2021 10:00 at a single dose for COVID-19 immunization. The patient's medical history included high cholesterol diagnosed a few years ago. Concomitant medication included atorvastatin for high cholesterol. The patient took the vaccine yesterday (25Jan2021) and the side where the injection was given on her face felt like procaine hydrochloride (NOVOCAINE) wearing out after the dentist and she doesn't see this listed on the sheet given. The left side of the face cheeks to eye felt numb tingling, it felt different. She wants to know if it's normal. She got the shot at 25Jan2021 10:00 and by 25Jan2021 17:00, her left face and ear were red and hot. Then, she felt her face. It felt like procaine hydrochloride wearing out after the dentist, like it was numb but not numb. She got scared and got up and looked at herself to see how it looked and there was no change. She scratched both sides of her face and they felt the same. It continued all night. This morning (26Jan2021), she thought it went away but she felt it all over again, not as much. She is not burning up, not like yesterday. She did not take her temperature; she should have to see if she had a low grade fever. Outcome of the event "she was scared" was unknown while of the remaining events was recovering.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1021966	2/11/2021	AZ	58	M	12/26/2020	1/1/2021	Facial numbness around right eye; This is a spontaneous report from a contactable physician (patient). A 58-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) intramuscular first dose (lot number: EH9899) on the left arm on 26Dec2020 07:15 and the second dose (lot number: EL1283) on the left arm on 25Jan2021 07:15 at a single dose for COVID-19 immunization. Medical history included allergies, high cholesterol; known allergies: dust, pollen, trees, grasses. Concomitant medication included ubidecarenone (COQ10 [UBIDECARENONE]), colecalciferol (VITAMIN D [COLECALCIFEROL]), fexofenadine, atorvastatin calcium (ATORVASTIN), montelukast and multivitamins. The patient experienced facial numbness around right eye and migrating 11 hours after injection. Similar sensation 2 weeks after first vaccination in Jan2020. No treatment was received for the event. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. Post vaccination, the patient has not been tested for COVID-19. Outcome of the event was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1021953	2/11/2021	NJ	63	M	1/21/2021	1/21/2021	It felt like there was water in the ear; The right cheek was swollen; lymph nodes were swollen; He felt a pressure in the right ear; It impaired his hearing due to the pressure/trouble hearing; The face felt achy with hives; The face felt achy with hives; This is a spontaneous report from a contactable pharmacist (patient's wife). A 63-year-old male patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot:EL9262), via an unspecified route of administration injection in the left upper arm on at a single dose on 21Jan2021,10:00 for covid-19 immunization. Relevant medical history included blood pressure (unspecified), diabetes, stomach acidity, lipid lowering all from an unknown date and unknown if ongoing. Ongoing concomitant medications included irbesartan blood pressure, metformin for diabetes, famotidine for stomach acidity, atorvastatin for lipid lowering colecalciferol (vitamin D) for unknown indication. The patient experienced lymph nodes were swollen, felt a pressure in the right ear, felt like there was water in the ear, right cheek was swollen on 21Jan2021 17:00; impaired hearing due to the pressure/trouble hearing, face felt achy with hives on 21Jan2021. The events were mild, thought it would go away by itself. The events did not require a visit to emergency room and physician's office. It was further reported that around 5-6 hours after getting the vaccine, in the evening, he started to have the lymph nodes on the right side of his face swelling. Along with that he had trouble hearing. It was like swimming and lots of water got in the ear and that water could not come out. He also had hives. He had hives under his eye. It was like on his cheek between his eye. It was red and about the size if a finger nail. She would like to speak to someone about him taking the second dose. She wanted to know if there was any concern in him getting the second dose. The issues with trouble hearing is getting better, he is almost back to normal. When he touches his ear it still feels sensitive. The hives is still there, but it is like paler, but still there. It is like weaker at this point . Outcome of the event lymph nodes were swollen, impaired hearing due to the pressure/trouble hearing, face felt achy with hives was recovering, while unknown outcome for the event pressure in the right ear, felt like there was water in the ear, right cheek was swollen was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1021839	2/11/2021	CA	28	F	1/6/2021	1/6/2021	After my 2nd dose administration, I sat in an observation tent with 4 resident doctors. This is protocol at my hospital to assess for any adverse reactios. About 10 minutes later, I started to feel both of my arms (from should all the way to tips of my fingers) start to get tingly with an intense vibrating sensation. I tried to calm myself down, however numbness began to occur to both BUE seconds after. Next thing that happened, bilateral fingers became visually contracted however numb and I could not move my fingers. I also got a tingly/prickly sensation to my cheeks all the way down to my chin after the hand numbess. The resident doctors quickly took me by wheelchair to a private room where they checked my vital signs. BP was elevated with systolic in 190's, HR around 120s, and my limbs were all cold. By this time it was around 6pm and they were trying to calm me down as I started to have a panic attack. My parents came to pick me up at 7pm when my vitals were stable. I rested at home, and the contraction to my fingers/numbess did not subside until 8:30pm. The following day, my left arm (injection site) had a soreness level of 9/10. Tylenol was used to relieve pain.
1021825	2/11/2021	CA	68	M	2/10/2021	2/10/2021	White part of right eye has broken blood vessels. 1/2 of eye is bright red. Eye is scratchy but no other problems. Has never happened before. Noticed about three hours after injection

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1022063	2/11/2021	FL	71	F	1/27/2021	1/27/2021	<p>Her head felt funny dizzy, like full headed like she was going to pass out/like she could pass out; Dizzy; Her head felt funny dizzy, like full headed like she was going to pass out; Head became funny, and her body felt funny; Her blood pressure was 160/("something, I don't remember, but it was high"); Her heart was going to pound out of her chest "blow right out of my chest."/her pulse was in the 90s at that point; This is a spontaneous report from a contactable consumer (patient). A 71-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL1283), via an unspecified route of administration at left arm on 27Jan2021 10:30 at single dose for covid-19 immunization. Medical history included she had Grave's disease in the past and her thyroid was irradiated, hypotension, arthritis, stress, macular degeneration, glaucoma, hypertension, Blood cholesterol abnormal, Dry eyes, other medication allergies. Concomitant medications included vitamin b complex (B COMPLEX) for Stress, liothyronine sodium (CYTOMEL) for Hypotension, ezetimibe for cholesterol, fish oil for Macular degeneration and Glaucoma, hydrocodone bitartrate/paracetamol (LORCET) for Arthritis, xantofyl/zeaxanthin (LUTEIN ZEAXANTHIN) for Macular degeneration and Glaucoma, levothyroxine sodium (SYNTHROID) for Hypotension, carmellose sodium (THERATEARS) for Dry eyes, triamterene for high blood pressure, tocopherol (VITAMIN E) as something good to take, latanoprostene bunod (VYZULTA) for Glaucoma, and Multivitamins took once daily by mouth took for 15 or 20 years as feel she should take, all of them were ongoing. The past drug history included before starting latanoprostene bunod (VYZULTA) for Glaucoma, she was on other products that she reacted to including 'Timero!'; 'Represso'; and Bimatoprost (LUMIGAN). During the 15 minute waiting period after administration, patient stated at around 11 minutes she felt as if her heart was going to pound out of her chest "blow right out of my chest", she became dizzy, head became funny, and her body felt funny. Patient stated that they called for the paramedics in which they ran an electrocardiogram (EKG), her pulse was in the 90s at that point, and her blood pressure was 160/("something, but it was high"). Patient stated that they had her wait an additional 20 minutes or so and then she left, but it was about an hour</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

and a half before these effects went away. Patient asked if she should receive the second dose of the vaccine. Heart rate was back down to 90 bpm and her EKG was okay. They told her to wait for 15 minutes in her car; she was sitting talking and she had a couple of minutes left on her wait time when suddenly and she grabbed her chest and her heart, her head felt funny dizzy, like full headed like she was going to pass out/like she could pass out. She put her head on the steering wheel and her friend signaled the paramedics to the car. The paramedics examined her, took her blood pressure and it was a little high 160 over something. The feeling went away and she sat there for about 20 minutes until she was able to drive. One hour to one and one-half later she felt normal. The outcome of the events was recovered on 27Jan2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1022445	2/11/2021	GA	54	M	2/8/2021	2/8/2021	<p>A 54yr old male patient had an appt at 4pm. 4:00 pm The patient decided not to get vaccine after he arrived. His wife received hers and told him it was fine to get the shot. The patient agreed. 4:50 the patient received the vaccine. the patient kept stating he was nervous and appeared very anxious. 4:55 patient was sitting in booth with wife and daughter and employee heard the family yell "Daddy" Employee saw the patient slumped over in booth. Employee alerted some one who was in the observation area who then called the Emergency Dept. STAT to the Observation area. 4:56 RN and RN responded to the area. See RN statement below. I was called to the cafeteria by RN for a possible reaction to a vaccine. When I arrived in the cafeteria patient was sitting in the seat with his head leaned on the back with his eyes closed. I asked him how he was feeling and he responded "I feel ok". He stated he hadn't eaten or drank anything that morning so he was given a Diet Coke and picked out a snack from the basket. He ate some crackers and drank some Diet Coke and stated he felt fine. His wife then stated that every time he is around needles he passes out. He said he felt better and was fine now. I told them when he got up if he felt weak or dizzy to call me back and I returned to the emergency room. Emergency Nurses stayed with patient until they were sure he was fine and able to leave under his own power with his wife and daughter. 2/9/2021-09:30 Follow up call made to patient by Emergency Dept. Manager. Patient stated he was fine and hadn't experienced any other symptoms. ED manager instructed patient the come to the ED or seek medical care if he experienced any other symptoms. Patient stated he understood and will comply. 02/10/21 08:30 call and spoke with patient . Patient states he feels fine , no other symptoms.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1022650	2/11/2021	AL	37	M	2/10/2021	2/10/2021	Pt. was at least 15 minutes post receipt of his second dose of Moderna COVID vaccine. He began complaining of dizziness and a headache. We monitored him for over an hour and during that time, he continued to c/o dizziness, frontal headache, photophobia, and worsening when opening his eyes are trying to look straight ahead. We had him isolated in a dim room and had air blowing on him as he complained of being hot. His O2 Sat, pulse , and BP all stayed stable and within normal range. Pt. denied sx of swelling around face/neck or difficulty breathing. RR was stable and unlabored at all times. Pt. refused EMS services and after some time, insisted he needed to get up and leave. Our staff and his co-worker assisted him out of the facility and to a vehicle where we was transported off the premises. We were informed later through his supervisor that he got worse after leaving and went to the hospital where he "seized." He is reportedly stable at this time but further information on his condition is unavailable.
1022639	2/11/2021	CT	65	F	2/10/2021	2/10/2021	Vac administered at 10:30am yesterday. In Observation >10:45am.. no side effects at that time. While in a store buying flowers... approximately 11:45am... experienced sudden and overwhelming onset of profuse heat and perspiration. Eyeglasses immediately fogged up, perspiration ran down my back and ran under my face mask. I felt lightheaded and faint. My husband confirmed that my back was "on fire". Last night, I was awakened by extreme chills and shivering... every muscle and joint tense and painful. This continued for some time and then I became feverish with bed cloths and bedding soaked. Had a temp of 102 @7:30 am with HA and muscle & joint pain.
1022633	2/11/2021	NY	58	F	2/4/2021	2/5/2021	Received vaccine on 02/04/2021 and on 02/05/21 started with left droopy eye lid and ringing in the right ear. Continues with both symptoms today.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1022611	2/11/2021	MI	67	F	2/5/2021	2/8/2021	Received the vaccine Feb 5th.3:30 pm Rt Deltoid IM on Feb 8t at round 4:00pm I had a sensation on the inside of of rt knee that something was poking me and was painful. When I saw it it was a rash approx 4 inches in diameter. Took Benadryl and put calamine on it. At 2:30 am I woke up with a full body rash head to toes. Raised white bumps. Again took Benadryl every 5 hours and they went away in 24 hour. On Feb 10 out of the blue started sneezing 10 times in a row and suddenly had a full on cold symptom Watery rt eye, rt sided headache runny nose. I am a vaccinator for the Health Dept and have worked 3 clinics. I worked 2 clinics with only having 1 vaccine on board. Today Feb 11th I am going to get a covid test. I am scheduled to vaccinate people tomorrow but I will cancel because I don't know if I have covid or just a cold. I contacted my health provider but have not heard back from him.
1022595	2/11/2021	CA	67	F	2/4/2021	2/6/2021	Head and muscle aches, "fuzzy" confused head, blurry vision, extreme fatigue, running nose, irritated gravely voice, nasal congestion. All of the above started, except the fuzzy head and headache which started within 5 hours of the shot, didn't start until about 36 to 48 hours later. They lasted for 5 days!!! Then they started to slowly subside.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1022083	2/11/2021	OR	62	M	1/18/2021		evidence of endothelial inflammation and anterior chamber cells and KP on endothelium; evidence of endothelial inflammation and anterior chamber cells and KP on endothelium; evidence of endothelial inflammation and anterior chamber cells and KP on endothelium; This is a spontaneous report from a contactable physician. A 62-years-old male patient received second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot# EK9231), via an unspecified route of administration on 18Jan2021 at single dose for covid-19 immunisation. Medical history included diabetes and graft was 2.5 years old, partial thickness transplant (deep anterior lamellar keratoplasty) for treatment of keratoconus. Concomitant medication included trazodone, rosuvastatin calcium (CRESTOR), zolpidem tartrate (AMBIEN), gabapentin, metformin. No COVID prior vaccination. Known allergies: Buspar. The patient previously received first dose of bnt162b2 on 28Dec2020 for COVID-19 immunization and experienced Cornea transplant rejection and inflammation/subepithelial infiltrates noted 1 week after the first vaccine. No other vaccine in four weeks. The patient experienced after 2nd vaccine, evidence of endothelial inflammation and anterior chamber cells and KP on endothelium. Clinical course reported as: Cornea transplant rejection. Graft was 2.5 years old. Partial thickness transplant (deep anterior lamellar keratoplasty) for treatment of keratoconus. Signs of inflammation noted one week after each vaccine. Subepithelial infiltrates noted 1 week after the first vaccine. Resolved with Pred Forte. However, after 2nd vaccine, evidence of endothelial inflammation and anterior chamber cells and KP on endothelium noted on follow-up examination. Placed on stronger topical steroid with Durezol. Patient asymptomatic during entire process and this was found on routine follow-up exam and not because patient noted any symptoms. Vision not affected. Outcome of events was recovering. The doctor's office appointment was a routine appointment unrelated to receiving the vaccine. The temporal relationship with the COVID vaccine was reconstructed by the patient afterwards after thinking about it in retrospect. No COVID tested post vaccination.; Sender's Comments: A causal association between BNT162B2 and the reported events cannot be excluded based on a compatible temporal relation. The impact of this report on the benefit/risk profile of the Pfizer product

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate.
1022473	2/11/2021	IL	67	F	1/21/2021	1/21/2021	5 minutes after administration the patient reported tingling and warming sensation of the tongue and lips. She was given 25 mg of oral diphenhydramine. After 10 minutes she reported that the symptoms were getting worse, upon visual inspection, it did not appear that her tongue, lips, mouth or throat were swelling. The patient refused an epi-pen and to call 911 as she felt there was no problem with breathing. She was given 50 mg of diphenhydramine intramuscular injection after refusing an epi-pen. After 10 minutes she said the tingling and warming sensation began to subside. She sat under observation for a total of an hour and 40 minutes after receiving the vaccine before leaving the site. Patient was highly encouraged to not be alone the rest of the day and to report to the ER if any further signs or symptoms developed.
1022692	2/11/2021		54	F	2/6/2021	2/6/2021	severe headache and pressure - lasting 5 days and counting SOB and chest pain - lasting 5 days and counting Joint pain and inflammation - inflammation for 3 days - pain 5 days and counting Dry eyes and throat - sore throat - 5 days and counting
1022404	2/11/2021	MD	52	F	1/25/2021	1/26/2021	For 2 days after the 2nd shot, eyes were extremely sensitive to light and vision was extremely blurry. Had to work in a dark office to even see the computer screen. Day 3 blurriness subsided but not totally gone. Still have some blurriness but think it may be due to dosage change on Chlorthaladone in late Dec. Both shots really seemed to target my eyes since I was having issues there any way
1022367	2/11/2021	PA	55	F	2/10/2021	2/11/2021	Clouded vision in one eye
1022340	2/11/2021	IN	36	F	2/9/2021	2/9/2021	Extreme pain in eyes

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1022317	2/11/2021	MO	54	F	1/29/2021	2/3/2021	Severe flare up of HLA-B27 Pain and loss of vision in left eye
1022290	2/11/2021	MT	23	F	2/10/2021	2/10/2021	First vaccine: sore arm x 3 days Second vaccine: pain, weakness, joint pain, myalgia, aching, headache, eye pain, fever, foggy brain starting 9 hours after injection to present (0710: 2/11/22)
1022282	2/11/2021	PA	37	F	1/18/2021	1/19/2021	Short of breath, chest pain, blurred vision
1022498	2/11/2021	FL	62	F	2/4/2021	2/5/2021	woke up not feeling good; a few hours later headache and dizzy; dizziness increased; driving and hard to keep eyes open; feeling overall sick and getting very hot; threw up quickly three times water only nothing in my stomach. Got home and went to bed and slept for a few hours. Woke up and felt better. Headache and fatigue so rested the day; next day felt better with headache and rested. Third-day slight headache but felt much better.
1024719	2/11/2021	MO	38	F	2/9/2021	2/9/2021	approximately 7:00 pm started body aches, blurry vision, heavy feeling, increased tenderness at injection site, chills, sweating, headache, 2 min headaches after 36 hours on L side of head, minimal tingling in L side of face after 2 min headaches occurred , difficulty sleeping without waking. symptoms have decreased after this document was created.
1024399	2/11/2021	ND	80	M	2/8/2021	2/8/2021	At 1200 it was noted resident had a small emis. Resident responded minimally to this writer verbally and does track writer with his eyes. Respirations are noted to be labored. Respirations 32. Mouth cleaned, no obstruction noted. Oxygen applied via nonbreather at 5L. Temp 91.3, pulse weak and thready, BP 98/50 on R)arm, Pulse 90. Resident is very weak, pale diaphoretic. Resident shaking and jerking. Initially unable to obtain pulse ox. Emergency services contacted. At 1212PM BS 135 BP to R)arm 108/68, Sats 99% on 5L nonrebreather, respirations are even and unlabored 18. Resident is noted to open eyes and communicate. Dr.is notified and okays sending resident to ER. Wife notified of pt condition by staff she will meet at ER. EMS arrives and transports resident to ER 1223 and RN gives report to the ER.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1024403	2/11/2021	AR	44	F	2/5/2021	2/6/2021	Right eye doesn't close all the way when blinking or closing symptoms started 2/6/21 also couldn't keep mouth closed shut tight to swish after brushing teeth same night. Headache above right eye, right ear pain and right side neck pain all starting 2/6/21 morning. Had televisit on 2/8/21 who advised me to be further checked out. At the er they did an head ct without contrast which was normal did a neuro exam and determined I had bell's palsey. Prescribed prednisone 20 mg tid x 7 days and valacyclovir 1 gm tid x 7 days. They also advised to tape my eye shut when sleeping. My eye hurts when I drive or focus on pc or tv so I had to miss 2 days of work thus far.
1024448	2/11/2021	CA	46	F	1/13/2021	1/13/2021	Had #2 Pfizer 1/13 8am. At 12 noon noticed tingling and swelling/fullness in upper lip which persists. Slight lightheadeness with exertion, "bad HA," slight ST. During call patient looked in mirror and noted fullness in upper lip with new "cold sore" and lightly flushed forehead w/ flat, non-pruritic, red rash. Denies SOB, wheezing, swelling of tongue or throat. Denies dysphagia, eye swelling. Instructed patient to see provider at clinic now (she is in clinic now) and be evaluated.
1024450	2/11/2021	CA	39	F	1/11/2021	1/19/2021	About a week after receiving the vaccine (19 Jan 2021), I developed swelling, heat and allergy like symptoms around the peri rectal silicone seton that was placed in 22 December 2020 and was healing normally until then. I had pins and needles feeling around my pelvic area. I went to urgent care for severe swelling on 23 Jan 2021 and was given medrol dose pack. I developed right eye pain, and burning in neck and hear and ears were hot. Stopped medrol dose pack after 4 days and started Valtrex because I though I was having an oro-labial or Zoster outbreak. The burning/tingling sensation developed on left side of neck and ear. Paresthesia started to spread over left side of body. On 31 Jan 2021, severe burning followed by tingling sensation on left side of scalp, neck, arm, hand, torso, and lower leg and foot. 01 Feb 2021 went to ER and brain MRI and labwork was taken.
1024480	2/11/2021	NY	87	F	2/11/2021	2/11/2021	EXTREAMLY RED EYE AFTER 20 MINITUES
1024484	2/11/2021	AZ	73	F	2/10/2021	2/11/2021	Very bloodshot right eye

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1024516	2/11/2021	TN	60	F	2/5/2021	2/6/2021	the top of my hands, the left side of my face and top of right of my eye lid all broke out in a rash. It was very itchy, red and rough.
1024559	2/11/2021	CA	65	M	2/11/2021	2/11/2021	Right before the shot, patient seemed out of it. Do not know if that is how he is on a day to day basis. He could answer questions from the nurses but would respond really slowly. He received the shot on his right arm then he went to stand in the nurse window. Around 10 minutes later, we heard a thud and glass fall down and saw that he had fallen on the floor. His eyes were open and he was responsive. He had the same slow demeanor. He said that his legs felt weak so he fell. The paramedics were called and the staff nurse told them that he had fallen about 10 days ago. He had no issues with his first Covid dose. The paramedics took him to the nearest hospital.
1024609	2/11/2021	CO	32	F	2/11/2021	2/11/2021	Patient experience nausea, blurred vision, swelling of face, and dry mouth
1024611	2/11/2021	CA	31	F	2/11/2021	2/11/2021	pt felt "dizzy" after 15 mins post vaccine, resolved within 5 minutes. BP obtained x3: 181/110, 180/106, 179/109 pulse 70-99 denies vision change or other symptoms. advised to have a family member pick her up and go to urgent care/ PCP. ER precautions reviewed.
1024622	2/11/2021	CA	74	F	2/11/2021	2/11/2021	Pt. had left observation site after observed for 30 minutes. Pt. reported swollen eyelids, "thick" tongue, and tingling lips. Pt. triaged by EMT, and received 50 mg IM Benadryl. Pt. observed for 30 minutes. Upon getting up after observation, pt. had syncopal event. Pt. refused ED transport. Pt. observed for another 15 minutes, symptoms resolved. Pt. went home.
1024650	2/11/2021	IN	35	F	2/9/2021	2/9/2021	Headache, disoriented, dizzy, trouble eating, tachycardia, labored breathing, trouble with vision

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1024658	2/11/2021	CA	37	F	2/9/2021	2/9/2021	Arm started to be painful about 2 hours after injection. By evening I could barely move my arm. Around 10pm pain was so bad I was crying. Could not lift arm. Could still move my hand. Woke up multiple times in pain. By morning arm pain had decreased but felt lethargic and weak. By noon I had taken a nap. My 15 year old daughter said she came to check on me and I woke up but my eyes were rolling on the back of my head. I slept for over 3 hours. Woke up sweating achy. Still felt tired and lethargic. Arm was still sore but was able to move it around. Went to bed again around midnight- woke up today (Thursday) and felt much better.
1024382	2/11/2021	NM	66	F	2/5/2021	2/8/2021	3rd day I could barely move my limbs. Rash all over my upper torso. Tiny red dots in my skin Extremely tired. Hard time opening my eyes. Moving limbs. Slept 30 hrs.
1024803	2/11/2021	OR	55	F	2/6/2021	2/7/2021	Muscle aches, extreme fatigue, headache, pain/ pressure behind eyes, excessive thirst, lightheadedness.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1023375	2/11/2021	IA	35	F	1/29/2021	1/29/2021	Became unresponsive; Looked like having a seizure; Felt light headed; BP extremely low; Profusely sweating; Heart rate extremely low; A spontaneous report was received from a pharmacist, concerning a 35-year-old female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced felt light headed, became unresponsive, looked like having a seizure, BP extremely low, heart rate extremely low, and profusely sweating. The patient's medical history, as provided by the reporter, included high blood pressure. Products known to have been used by the patient, within two weeks prior to the event, included hydrochlorothiazide/lisinopril. On 29 Jan 2021, five minutes prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Lot Number: 025L20A) intramuscularly in the right arm for prophylaxis of COVID-19 infection. On 29 Jan 2021, the patient felt light-headed five minutes after receiving the vaccine. He then became unresponsive but was breathing and had a pulse. The reporter stated it looked like the patient was having a seizure; his eyes rolled upward, his left arm shook, and he did not respond to touch or voice. It was reported that 911 was immediately called and responded within a couple of minutes. The patient's blood pressure and heart rate were extremely low, and he was profusely sweating. The reporter stated that the patient came to and still felt very light-headed. The patient was then taken to the emergency department. Medical tests and laboratory results were unknown, but the reporter stated that a magnetic resonance imaging (MRI) was possibly performed. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not provided. The outcome for the events, became unresponsive and looked like having a seizure, were resolved on 29 Jan 2021. The outcome for the events, felt light headed, BP extremely low, heart rate extremely low, and profusely sweating, was unknown.; Reporter's Comments: This case concerns a 35-year-old, female, with medical history of high blood pressure, who experienced a serious unexpected event of syncope, seizure, and non-serious unexpected events of dizziness, hypotension, hyperhidrosis, and heart rate decreased. The events occurred 1 day (5 min) after mRNA-1273 (Lot# 025L20A). Treatment information was not provided.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							Concomitant medications included: hydrochlorothiazide/lisinopril. Based on temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Additional information has been requested.
1023576	2/11/2021	IN	83	F	2/9/2021	2/10/2021	Bad headache, very stuffy nose, I couldn't breathe and almost went to the hospital. Ears were ringing, my eyes were ready to pop out of my head. Temples hurt, lymph glands were swollen, sore throat. Mostly in upper part of anatomy above collar bone. It made me very weak, I had trouble getting out of rocking chair to answer phone. So I took another Tylenol. I usually only take 1-2 Tylenol a day and that was my second one by the middle of the day. I had to lay down and I live alone so I was nervous and had phone beside me and debated calling 911 which I have never done. I dozed and when I woke up about a couple of hours later it was much better. Still had headache and a little stuffiness but anybody can handle that. Also, I was very nauseated and couldn't eat but I did drink water.
1024846	2/11/2021	NJ	50	F	1/8/2021	1/8/2021	15 minutes after vaccination, I began to feel nauseous , headache and tired. This lasted about 3 days and also very painful injection site (much more than with influenza vaccine). I felt much better on the 4th day but on the 5th day began having chills, dizziness, ongoing severe headache , dizziness and lethargy, this lasted 5 more days. Total 9 days. I had a teleheAlth visit and was tested for covid, influenza and RSV, all were negative. Oddly enough, the next day , after both the first and second doses, I developed a style in my left eye
1024840	2/11/2021	CO	32	F	2/3/2021	2/4/2021	102 F fever intermittent 24 hours, beginning 6 hours after injection. NSAIDs and antihistamines do not improve symptoms. Severe headache causing nausea, appetite loss, blurred vision, hypersensitivity to light - affecting ability to leave house, drive, work, lasting 8 days after injection so far and have not subsided. Severe fatigue lasting 8 days after injection and so far has not subsided.
1024836	2/11/2021	CA	48	F	2/10/2021	2/10/2021	Second dose. Fever of 99, whole body aches, skin everywhere feels rashy, chills, fatigue, eyes feel puffy and stingy. I?m on day 2 of side effects.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1024682	2/11/2021	FL	80	F	2/11/2021	2/11/2021	Patient had episode of intense right eye pain as well as hypertension 170/2/110's with no previous history of HTN.
1024806	2/11/2021	CA	45	F	1/20/2021	2/1/2021	12 days post vaccine I experienced nausea, headache, lightheadedness, blurred vision. I waited to see if it would go away. I had lab work done, went to multiple appointments with 2 different clinics and now I'm set for a CT scan to rule everything out. I live a healthy lifestyle. I exercise and eat healthy. I don't do drugs. I drink seldomly. To date, all of my labs are normal and the symptoms are the same as when I used to get migraines, although instead of a 1 hour migraine this one is lasting now 11 days and counting. I am miserable, I call in sick and lay in bed all day. The symptoms have not lessened.
1024691	2/11/2021	WA	32	F	2/11/2021	2/11/2021	Headache and nausea with in 10 minutes, eye burning and headache similar to whiplash within 1 hour.
1024797	2/11/2021	AR	52	F	2/10/2021	2/10/2021	It started with a bit of a weird headache about 3 minutes after the shot. Then about 7 minutes after I started having a weird tingly itchy feeling around my mouth and left cheek. Shortly after that, I had a weird itchy, tingling sensation in my throat. One of the pharmacy gentlemen administering shots gave me Benadryl immediately when I shared it with them. I waited an additional 10 minutes after the initial 20 minutes. The itching around my neck lasted for about 2.5 hours. I was fine, but today (the next day) I've been very itchy around my ears, eyes, neck, chest, and upper back. I did send an email message to my doctor about this as well. I happened on this, as I was looking at the CDC site.
1024793	2/11/2021	GA	42	F	2/8/2021	2/9/2021	Fever of 101 by temple for over 24 hours. Temp at site of injection 102.9. Muscle aches, neck pain, pressure behind eyes, severe fatigue. Oliguria (I was drinking ice water regularly and it took about 12 hours for my urine stream to return to normal)
1024753	2/11/2021	NM	19	F	12/30/2020	12/31/2020	I was high in fever, I could not walk without my vision being blurry and dizzy. After the 2 does it took a week before my fever and symptoms went away however before that happened I could not walk I was literally tied to my bed if I walked I would have to hold on to something my leg strength was gone.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1024729	2/11/2021	MN	69	F	2/10/2021	2/11/2021	resident became unresponsive eye glossy would not eat P 47 BP 120/60 Sats 87% very lethargic only ate a little lunch or supper still very lethargic all day very little response
1024727	2/11/2021	NY	58	F	1/22/2021	1/25/2021	Double Vision. Unable to focus far away . Blurry up close. Urgent care. Primary Dr. 2 eye drs primary care three times . Out of work vision issue is on going
1024684	2/11/2021		35	M	2/11/2021	2/11/2021	PT fainted post vaccination. He was sitting in chair looked nervous conscious. He then fell out of chair and hit his head on the ground. When assessed he was rigged, eyes were flickering in head and was not responsive. Lasted for about 30 seconds. He then regained consciousness and was AxO times four. Felt cold and shaken.
1024830	2/11/2021	VA	39	F	2/8/2021	2/9/2021	I had a migraine beginning Feb 9 AM. I have chronic migraines that almost always occur on the left side of my head, but this one was on the right side, which is unusual for me. The migraine pain was more severe than normal. I also had a stiff right jaw and eye pain primarily on the right side. I took 100 mg Imitrex in the afternoon of Feb 9 and it reduced the pain very effectively (which is also unusual for me). On Feb 10 AM, the migraine returned or a new one started. The pain was also in the right side. I took 100 mg Imitrex and it reduced the pain somewhat effectively. The migraine pain returned Feb 11 AM and hurt on both sides of my head. I took 100 mg Imitrex this evening (Feb 11) and it is helping so far. In addition, my left arm was sore around the injection site beginning when I got the shot and stopped this morning.
1023737	2/11/2021	WI	37	F	2/5/2021	2/6/2021	First shot in right arm on Jan. 8th, broke out with tiny blister like pimples all over my face. They cleared up in 2 days after shot. Second shot in left arm Feb. 5th, broke out again but on my bottom lids of eyes and a sty in my left eye. The pimples on lids are cleared up, but the sty is still there.
1023954	2/11/2021	CA	86	F	2/7/2021	2/7/2021	sore arm lasted 3 days, itchy eyes lasted 24 hrs

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1023942	2/11/2021	TX	27	F	2/3/2021	2/4/2021	The first 24hrs ran fever and vomiting as well as a headache, bruising and a large red circle at the sight of injection that was warm to the touch. Dr. Put me on a 7 day azithromycin course. 3 days later the area turned yellow and 7 days later the whole area burned was hot and red and swollen. Dr gave me a shot of Rocephin and told me to call if it got bigger. The next day it was much bigger and I got another shot of Rocephin and an oral course of cephalexin. The entire time I've had headaches and migraines that have caused some vision impairment.
1023887	2/11/2021	MA	54	M	2/9/2021	2/10/2021	24 hours post vaccine developed T 100.1, headache, light sensitivity, reports headache worsened, blurred vision - went to Emergency Services at Hospital, admitted. Reports diagnosis of CVA. Reports headache has improved, continues with blurred vision
1023869	2/11/2021	MN	38	F	1/28/2021	1/28/2021	Thursday started extreme fatigue, headache, muscle aches. On Sunday started rash on chest, arms and legs with itching in face and throat. Went to urgent care on Monday and received steroid cream for rash. Rash went away by Thursday, but came back on Saturday, then have had a light redness on and off since the following Sunday. Still had the fatigue, headache, muscles aches, but started the shortness of breath, chest pain with dry cough, nausea. Saw NP on Thursday and got prednisone for cough and shortness of breath. Felt better on Thursday but got worse over the weekend with increased shortness of breath, chest pain with cough and spotty vision. Saw NP on Monday and was sent to ER to rule out life threatening illnesses. Finished the prednisone on Monday.
1023619	2/11/2021		61	F	1/21/2021	1/24/2021	Pt reports had "glazed, irritated, and itchy" eyes about two days after first dose of Moderna COVID-19 vaccine and that happened off and on between her first dose and second dose of the vaccine. 2-3 days after the second dose experienced the same symptoms listed above as she did after receiving the first dose. Symptoms have continued off and on since receiving second dose of Moderna COVID-19 vaccine. Reports symptoms resolve with Benadryl.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1023959	2/11/2021	TN	72	F	2/5/2021	2/5/2021	Immediately after the vaccine had a red spot on her wrist that was itching. Later that night her wrist started itching more and had 3-4 areas that blistered up and itching.. The right eye upper eyelid and underneath was itching really bad. Monday, 2/8/21, she called her NP and told her that she was breaking out all over her body and she needed a steroid shot. She went to a fast pace clinic and they would not give her a shot, told her to take Benadryl, antihistamines and Pepcid AC. She continued to break out and she is broken out from her head to almost her feet. She went and saw her doctor who told her to take a stronger dose of Benadryl, gave her a Medrol dose pack, but still having itching, and the break out. They are red and itchy. Her doctor also gave her the cortisone cream to put on it, but she is covered and cannot use the cream all over her body. The rash looks like the COVID rash that she has seen online. Does have a return apt with her doctor in a week.
1023744	2/11/2021	IN	24	F	2/9/2021	2/10/2021	Fever, chills, nauseous, sore muscles, swollen lymphnodes, ear ache, swollen/sore throat, eyes swollen
1023854	2/11/2021	IN	68	M	2/8/2021	2/9/2021	1, Left arm sore 4 plus hours following the injection sore to touch for 48 hours. 2. Dizziness / double vision - 48 hours after receiving the injection - lasting 24hours.
1023705	2/11/2021	MN	29	F	2/9/2021	2/9/2021	Within 13 minutes of having the vaccine client stated that she was having blurred vision. The building where vaccines were given was 75 degrees that morning the client was bundled up with a winter hat, coat, sweatshirt, and gloves. When she first stated she wasn't feeling good we had her remove all her outwear so she could cool off, she immediately began trembling uncontrollably. Vitals were taken 144/78, pulse 125, 4 minutes later 136/74 pulse 100, 5 minutes later 130/82 pulse 80. During this time client continued to tremble. She voiced her anxiety for getting shots and also states she hadn't even anything yet that day. She was given 2 large glasses of water which she drank both of them . By 11:00 am she was no longer having any symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1023700	2/11/2021	IA	48	F	2/9/2021	2/9/2021	Thirty minutes after receiving COVID vaccine, Jen started feeling numbness and tingling on the left side of her face and neck and left sided facial drooping. She went immediate to ER. Reports high blood pressure in the ER. Highest reported was 210/138. In the evening her BP was down to 140/98. Yesterday morning at Dr office it was 128/80. Receives relief of symptoms with Benadryl. She took 50mg 3 times on 2/10/21 and at 8 a.m. today. Reports her lips and eyes are swollen this morning, but it improves with Benadryl. Reports she feels tightening in her face when talking and had hives on her chest. Again, this improves with Benadryl. Continues to have left sided facial droop. She is seen at a physical therapy office due to some ongoing neck/shoulder pain. She was seen by them yesterday and noted the facial droop.
1023633	2/11/2021	MN	60	F	2/3/2021	2/9/2021	On Tuesday she woke up with a headache that gradually worsened. The headache was behind the right eye, the right ear, and the teeth on the right side also hurt. Nothing helped taking Acetaminophen; Ibuprofen. She went to sleep around 4:00 am finally, and then woke up 6 hours and the headache was gone. Then you had hives located behind the right ear and down the neck, into the right shoulder. They are also in her scalp. They have now down to the tops of her legs, hips, and back and are spreading. She called her doctor who called her in some prescriptions.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1024341	2/11/2021	TN	26	M	2/4/2021	2/4/2021	Patient presented with puffy eyes approximately 4 minutes after vaccination. Was alert and oriented to time, person, and place upon questioning and was able to engage in conversation. Parent (mother) of patient was present who gave patient's medical history and reported allergy to grass with similar reaction. Blood pressure was taken and found to be 150/80. Mother reported patient had not taken his blood pressure medicine yet that day but his normal is 115/70 with medication. While nurse was assessing patient's pulse (patient's pulse was WNL at 85) and other nursing staff was obtaining medication to administer if needed after assessment, patient became unresponsive to verbal commands and his upper body became limp. At 1054, a one time, single dose of 50 mg of diphenhydramine IM was given in the left deltoid. On site EMT arrived on the scene at 1055, completed assessment, and confirmed giving diphenhydramine was the best course of action. At this time, 1055, patient became responsive to verbal commands and was oriented to time, place, and person. At 1056 O2 sat was at 97%, pulse 70, and at 1100, BP was 110/70. Patient stayed for observation 30 more minutes and remained stable. Patient and parent were educated on side effects of diphenhydramine, to watch for any returning symptoms of allergic reaction throughout the day, and if/when to head to the ER. Recommended patient not receive 2nd dose of COVID vaccination.
1024692	2/11/2021	WA	45	F	2/10/2021	2/10/2021	Severe pain all down my right arm into hand and up into jaw and severe headache on right side behind me eye, moderate chills, mild nausea maybe due to the pain. Symptoms started 2/10/21 at 6pm and progressively got worse to the point of being unable to sleep. Took Tylenol at 1:30am and the pain decreased and was able to sleep some, 4 hrs later symptoms returned. Took more Tylenol. 2/11/21 5:57pm still have mild sore arm, mild headache off and on and mild chills.
1023608	2/11/2021	IN	56	F	1/14/2021	1/21/2021	Patient awoke in middle of night with eye pain. Went to Ophthalmologist, who diagnosed patient with Ocular Sclerosis. Uncertain if related to vaccination but concern with relation of ocular sclerosis to immune disorders feel like event should be reported.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1023785	2/11/2021		47	F	1/15/2021	1/17/2021	Moderna injection given 01/15/2021 reaction began after 11 hours. Eye, face swelling. Went to see physician on 01/17/2021 was given steroid shot and placed on steroid pack. Swelling went down but redness and irritation continued on eyes and inside eyes. Swelling began 01/23 again returned to physician on 01/24/21 per physician cellulitis beginning on eyes. Started on antibiotics and eye drops. 01/25 eyes began to swell again.
1024302	2/11/2021	AZ	73	F	2/5/2021	2/6/2021	At 3 am I woke up and had to go to the bathroom, I sat on the edge of the bed then stood up and opened my eyes. The room was spinning, I fell down, vomited and peed. I laid there for a while until I realized if I closed my eyes the room would stop spinning. I got up off the floor, back into bed and stayed there for about 5 hours. When I woke up, I was still dizzy, but not nearly as bad. The dizziness and nausea still hits me several times a day.
1024323	2/11/2021	OK	50	F	12/18/2020	12/19/2020	I experienced a hyper-reactive immune response after receiving the first dose of COVID-19 vaccine on Friday 12/18/20. On Saturday, 12/19/20, I developed severe pharyngitis, swollen glands in my neck and jaw, blisters and ulcerations on my lips and area surrounding my mouth, intra-oral and buccal lesions, severe headache, photophobia and eye pain, myalgia, skin sensitivity, GI upset consisting of nausea and diarrhea, and lost my sense of taste and smell for 48 hours. I was not febrile. The symptoms were severe on 12/19 and 12/20, with improvement on Monday 12/21. I completed an event form with Pfizer documenting the hyper-reactivity.
1023759	2/11/2021	GA	73	F	1/25/2021	2/9/2021	Facial drooping with blurred vision - onset 2/9/2021 - Received Prednisone and Zovirax for treatment.
1024317	2/11/2021	FL	39	F	1/19/2021	1/19/2021	A few hours after receiving the vaccine, I developed fevers lasting until 3 days as high as 104.7, self-care of Tylenol and Iced towels. I started seeing spots/ floaters in my left eye. I made an appt the following day and was advised I had 3 hemorrhages in my left eye, the spots/floaters are still there. Fatigue, full body pain, vomiting lasted one day, the day after the vaccine, dizziness and Tenderness in left arm where the vaccine was given, still slight pain 3 weeks later.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1024252	2/11/2021	WI	27	F	2/11/2021	2/11/2021	I was preparing Pfizer COVID-19 for administration. After adding the diluent to vile, I started drawing-up the doses in syringes. Due to the pressure in the vile, while drawing up the dose the vile sprayed me in both eyes. I finished drawing up all doses from that vile and went to the restroom to rinse out my eyes.
1024247	2/11/2021	CA	44	F	2/10/2021	2/11/2021	10 minutes post second COVID vaccine, reported "floaters in vision," mild central chest pressure and elevated blood pressure 200sys/100dias and felt her "heart racing" pulse measured 101. after monitoring for approximately 30 min we decided to send to ER.
1024187	2/11/2021	IA	53	F	2/10/2021	2/10/2021	patient had nausea, headache, hot and itchy eyes and ears. Patient was given 25mg Benadryl and 4mg zofran

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1024167	2/11/2021	MN	59	F	2/4/2021	2/4/2021	7:00am- 1- 24 hr zyrtec & 2 tylenol 8:07 received shot 8:10 immediate intense shooting shocks through left arm down to fingertips... 8:30- shooting shocks through left arm and starting to throb down through hand ... shooting up through next and base of head 9:00am- random shocks throughout my whole body. shoulder pain. 10:30- shocks stopped somewhat, shoulder and arm still achy, extreme fatigue/weakness, fogginess, blurry vision 11:30- extreme fatigue/weakness, fogginess, kind of blurry vision, severe shaking rt hand, had to sit down. Needed to hang on to things to walk. 12:00pm- continued severe fatigue and brain fogginess & still minor blurry vision, and a few shooting shocks in arm, shoulder , neck, 1:00pm? still great fatigue/weak, body aches-more like shocks than aches Neck is especially sore? back of neck up through head 1:10pm- severe fatigue, eyes hurt, foggy vision and cannot focus? off and on? chest pain for a period of time 1:40pm- twinges through body, still extreme fatigue? fogginess, back of neck is super sore.. Shoulder is slightly sore? 2:00pm- shoulder sore, severe fatigue but other symptoms seem to be getting less?. 2:45pm- shocks in left arm? 4:00pm- went home from work? hard to drive and focus.. severe fogginess, disorientation, 4:20- laid on the couch? slept in between nausea, buzzing in my head, severe arm pain going down into my hand, random shocks throughout my body, could not focus, brain was fuzzy, random severe itching, neck pain, eye pain, extremely irritable, extremely thirsty, bad taste in my mouth, extremely cold, no fever, super sensitive to sound & touch, no appetite, trouble peeing, felt extremely dehydrated. Needed to hang on to things to walk. Fri, Feb 5 6:00am- next day? better, but still buzzing, ringing in my head, extremely exhausted & weak, arm pain radiating to hand, hard to focus, coughing, chest heaviness like an elephant sitting on it, sore, scratchy throat, drainage out of head but not stuffed up?, eyes hurt. Severe nausea & bloating, rt hand shaking badly, no appetite 9:30am- everything is a bit better, coughing & chest discomfort gone, still bad taste in my mouth, slight nausea, bloated, eyes hurt, extremely tired, entire arm sore, buzzing in my head?random twinges or jolts in my limbs? 11:00am- still super tired, still not peeing?... weird for me who pees every 2 hrs or so? Still really bloated? still buzzing in my head, 1:30pm- feeling better, no buzzing, no zinging, super tired and

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							drinking a lot but not much peeing? 4:00pm- home and bed.. hard to sleep because of jolts though my body.. Sat, Feb 6 Normal body aches.. finally able to pee decently, arm and hand on shot side sore (this is my good hand side), shooting pain, and hand aching. Fatigue, This has continued into Monday.. arm and hand pain are off and on. Everything is getting better?
1024121	2/11/2021	TX	88	F	1/20/2021	1/22/2021	COULD NOT STAND OR WALK, KEPT HER EYES CLOSED, LEANING TO ONE SIDE, SHAKING, COULD NOT FEED HERSELF, COULD NOT UNDERSTAND COMMANDS OR CUES, COULD STAND TO CHANGE BRIEF OR PULL HER PANTS DOWN, COULD NOT DRINK...LIKE SHE FORGOT HOW, WOULD NOT STAND TALL WITH SOMEONE HELPING, DID NOT KNOW HOW TO PICKUP FORK. VERY AMBULATORY, FED YOURSELF, DRESSED HERSELF UNDERSTOOD COMMANDS BEFORE THIS HAPPENED
1023989	2/11/2021	NY	65	F	2/11/2021	2/11/2021	Pt began to experience tingling sensation in face. No dysphagia or aphasia. Eyes PEARL. Denies weakness to one side of body. Strength normal w/ neuromotor assessment unremarkable. Pt brought to evaluation area. Vitals and physical assessment obtained. Findings WNL. Pt given water w/ no difficulty swallowing. Pt is independently ambulatory. Pt condition improving over the course of 20 minutes. Symptoms not present by time of final encounter. Pt educated on next course of action. Pt released w/ all Pt questions asked and answered.
1024112	2/11/2021	MN	24	F	2/2/2021	2/3/2021	Headaches, Weakness, Blood pressure changes, occasional tingling in extremities, blurred vision with head movement.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1024106	2/11/2021	MA	29	F	2/11/2021	2/11/2021	Pt was found sitting on chair in observation room after receiving her first Covid 19 test (moderna). Pt appears to be weak and pale looking and c/o loss of vision and feeling faint. Pt was t/f to wheel chair and Pt was t/f to medical room 2 and placed on stretcher in trendelenburg position. Pt vital were taken and bp was low at 86/54. Pt was allowed to rest and be were taken every 5 minutes. Pt gradually felt better after 15 mins laying on stretcher in trendelenburg position. Pt felt better and skin color improved . Pt vision was back to normal and all adverse affects were diminished and patient was feeling normal. Bp was 97/66 and pt refused transport to Er and went back to observation room.
1024101	2/11/2021	MA	61	F	1/6/2021	1/19/2021	Patient received first dose of Moderna COVID vaccine and then developed a reaction called inflammatory ophthalmitis. Was admitted in hospital and treated with high dose prednisone. Is improving and being followed by eye clinic.
1024092	2/11/2021	CA	68	F	2/9/2021	2/9/2021	Server chills, fever all night after shot. Headache, dizzy feeling sick. Eyes hurt. Today bad head ache sweats and exhausted. Called doctor yesterday. Taking Tylenol. Rest and drinking fluids. Arm hurts

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1024070	2/11/2021	WI	28	F	2/11/2021	2/11/2021	At 0954 EMS requested by medical standby at City Hall for the COVID vaccination clinic with report of an allergic reaction. Upon arrival found patient who received the vaccine sitting up in a chair, breathing normally and complaining of being itchy and chest tightness. Patient also complained of pain in chest when taking a deep breath. At 0955 25 mg of Benadryl was given to the patient by liquid oral route prior to arrival of EMS. Patient did say that itch had improved but still feeling tightness in the chest. Vitals were done by EMS at 1012 which were as follows: BP 164/120, HR 104, RSR, O2 sat 97%, RR 20, Effort normal. Patient was given a 2nd dose of 25 mg of Benadryl at 1030 because she; This patient did have a similar reaction after receiving the 1st COVID vaccine on 01/14/21 but symptoms. Additional information for Item 18: reported itching returned. The itchy feeling did subside after the 2nd dose of Benadryl. 2nd set of vitals at 1020 were as follows: BP 140/86, HR 101, RSR, O2 sats 96%, RR 16, normal effort. Patient did contact her father to respond to the scene to discuss options. Patient did not want to be transported to the hospital and decided to go home with her father and that he would keep an eye on her until symptoms subside. Patient stated she would seek medical attention if things change for the worse. Upon leaving, the patient was given 2, 25 mg Benadryl tabs from the health department to take home and use if needed. Patient did sign a release with EMS. Patient's vital signs prior to leaving at 1032 were as follows: BP 143/82, HR 89, RSR, O2 sats 97%, RR 16, normal effort; symptoms subsided without the use of Benadryl. Patient was observed for approximately 1.5 hours after receiving the 1st dose of COVID vaccine and was able to go home without incident.
1024023	2/11/2021	NC	47	F	2/4/2021	2/8/2021	My blood pressure which has been stable became elevated. I experienced severe headache for a full day, a little blurred vision, bp 160s / 100s. My bp remained elevated for several days, is normal today at last check. I saw my primary care provider yesterday and we are monitoring things for a week to see if this passes. If not further testing or medication adjustments may be needed.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1019555	2/10/2021	NM	40	F	2/9/2021	2/9/2021	20 minutes after injection muscle twitching in right calf muscle and left eyebrow. 2 hours following injection, constant muscle twitching in neck, forearm, upper back, stomach, calves, thigh, hamstring, glutes, hands and eyebrow and lower lip
1019553	2/10/2021		69	F	1/21/2021	1/24/2021	Decreased vision OS secondary to neuroretinitis
1019526	2/10/2021	VA	66	F	2/1/2021	2/10/2021	Initially I had headaches every afternoon, my skin felt like it was crawling, my eyes felt like they had grit in them and I had blurred vision.....these resolved for the most part in a few days. Five days later a wheal appeared on the arm that was used down near my elbow and my face was flush and blotchy...I took Benadryl and it subsided. Ten days later I woke up with redness, bumps that almost look like blisters. swelling, and a warm arm near the injection site.
1019516	2/10/2021	NY	26	M	2/6/2021	2/8/2021	Headaches with exertion. Patient reports extreme L sided head pain when doing any exertion after receiving the vaccine. Denies vision changes, nausea, vomiting, fevers, chills, malaise or any other symptom. Denies hx of migraines or headaches.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1019508	2/10/2021	NY	36	F	1/5/2021	1/5/2021	After she received the vaccine she started to feel itchy and had redness at injection site. She remained itchy for several days, but it would come and go. About two weeks after the shot; she started to break out into hives on her arms, then spread to her legs, back and head. Her palms got red. She took claritin and it gave her short-lived relief. She got prescribed a medrol dose pack, she completed two packs and still no relief. It helped while she was on it then symptoms came back once she stopped. She has an itchy throat, swollen face. She also has diarrhea. Symptoms have not been for over a month and seem to be getting worse. Following up with an allergist and her PCP today. Dr. then prescribed Solu Medrol, IV which she had last week. While, she was receiving the treatment, she felt better. As soon as the IV was done. She started to break out again. Today she came into work, and her eyes were blood shot. She also has pressure in her chest and has a hard time swallowing. She had hives on the inside of the mouth, and alongside her tongue. She will be seeing an allergist and an infectious disease in the upcoming days.
1019479	2/10/2021	IN	49	F	1/22/2021	1/24/2021	Mild Headache and a rash that started on my lip and spread to my cheek, my eye and forehead. The rash it blistery kind of looking, little bit blister and they would open and bleed and then close back up. It was also burning. It start continually spread more. I went yesterday 02/09/2021 to a Dermatologist he treated me for a contact kind of dermatitis as if he was unsure if it was linked to vaccine or not. He gave me two steroid injections in the office and prescribed a cream Elidel 1% . The medications seem to be clearing up my face today.
1019456	2/10/2021	ME	47	M	1/30/2021	2/1/2021	Since receiving Moderna shot #1 vaccine I have experienced three gout attacks. It is unusual for me to have this many gout attacks in such a short time period. Additionally, physical activity has been very challenging since receiving the shot. I fatigue and become short of breath very quickly. During the first workout that I did, on 02/01/2021, after receiving the shot I became extremely dizzy, my eyes became light sensitive and my hands trembled; symptoms lasted for approximately 45 minutes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1019452	2/10/2021	NV	35	F	2/8/2021	2/8/2021	Fever, lost feeling of face, tingling in hands and feet, severe vertigo, difficulty breathing, body aches, severe headache, nausea, loss of vision, vomiting, confusion. Symptoms were most severe for 36 hours although still currently have many of them.
1019411	2/10/2021	FL	66	F	1/27/2021	1/31/2021	Did the adverse event start after the first or second vaccination? both Date and time of vaccination: (list both if they received both shots): 1-6-2021 @ approx 10:15am Pfizer LOT # EL3246 1-27-2021 @ approx 11AM Pfizer LOT # EL9262 Date and time adverse event started: 1-31-2021 at approx 8:30am, cold hands/feet, nausea, HA, pain to bilateral eye, mid lower back aches radiating to upper. today 2-5-2021 losing voice, all symptoms are reported to be intermittent Pfizer LOT # EL3246
1019251	2/10/2021	FL	71	F	1/1/2021	2/2/2021	Day if shot got a bit tingly but nothing more then that. Day three Started getting neuropathy in my hands my feet and my face. Tingling and pins and needles. Everyday a bit worse. Today it is effecting my voice and my eye sight is a bit blurry. This is my 2nd report VAERS 289113 was the first. Not getting better but symptoms a getting a bit worse.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1019329	2/10/2021	PA	46	F	1/30/2021	1/30/2021	<p>Covid vaccine time line 1st Moderna vaccine on 1 2 21 (Sat) given at PMH at 5:10pm. Tired x 3 days with some cognitive issues noted (very slight..like forgetting things I never do?was slowly resolving but never completely went away. I did not even mention this to anyone because I was not sure it was the actual vaccine, or just my brain.) 2nd Moderna vaccine on 1 30 21 (Sat) given at PMH at 2:40pm. Immediately had more pain in L arm, swelling in upper arm and redness, fatigue. --Sun. 1 31 21: woke up with a low grade fever, increased fatigue, chills, nausea, diarrhea, headache, body pain, joint pain (it hurt to even shower). Fever got higher?max 100 (I think, as I was taking Tylenol at this point) and fatigue got worse by nighttime. --Mon. 2 1 21: Called out of work due to reaction but fever was lower around 99 and less fatigued (ie I could get off of the couch, clean a bit, take care of my son). Still rested a lot, had diarrhea, nausea, headache off and on t/o day. --Tues. 2 2 21: Had a planned day off anyway. Same symptoms as Monday and same energy level. Felt positive about going back to work on Wed. --Wed. 2 3 21: Woke up feeling the best of the past days and went to work. Still fever of 99 and I noticed I was ?off? all day. Example: I forgot my schedule book and Id tags at home (I NEVER do that). Made weird ?forgetting? mistakes. By 1pm I was EXHAUSTED and having diarrhea, nausea, chills, and headache. Called the Employee Exposure Line and my manager. Went and got COVID test at request of EL and contacted immunologist and primary MD. Immunologist is on vacation x 2 weeks and covering MD deferred to whatever primary said. Dr. covered for my primary MD, Dr. She asked me to touch base with her on Thurs after results from COVID test, but she recommended that I rest ?and let my body adjust to the vaccine?. --Thurs: 2 4 21: Up at night from 2:30am on and off with nausea, diarrhea, chills, headache, weakness, shaking, brain fog, sweating. I am also having some anxiety at this point. COVID test negative. I did send a message in MyChart to Dr. as requested. She called me later in the day and instructed me to drinking fluids and rest. She ordered blood work which I did go and do. Also contacted Urgent Care though MyChart and spoke with a CRNP about my symptoms. She felt that they were a reaction to vaccine and my anxiety. --Friday: 2 5 21: Called out of work again due to all of above symptoms. Diarrhea has</p>

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

resolved and no longer any fever, however fatigue, lightheadedness and dizziness, headache, ?brain fog?, and cognitive symptoms remain. I am off balance and have difficulty concentrating and reading. I did communicate with my neurology office and they stated that it is ?just a reaction to the vaccine?. --Sat: 2 6 21: Called Employee Exposure line to report same symptoms as above. Same headache (almost migraine? Having an aura?) I am not sure why I feel so foggy. Did have some ?clearing? of my head in the afternoon. --Sunday: 2 7 21: Woke up feeling worse immediately. Horrible headache, lightheadedness, off balance, difficulty focusing and concentrating. No fever. Called Employee Exposure Line to report symptoms and they recommended that I call the Urgent Care MD again. Called urgent Care MD through MyChart again and tried to go into see her at Healthcare, however it was snowing hard and I slipped 3 times so I called the Healthcare and made apt for Monday 2 8 21 for 10:30am. --Monday: 2 8 21: Headache, lightheadedness, fatigue, off balance, difficulty with multitasking as of this AM. Went to Healthcare and saw CRNP. She wrote for Augmentin for possible sinus infection and I filled at the pharmacy. She instructed me to see my neurologist regarding possible neuro symptoms from COVID injection reaction. I communicated with workers from comp team. I am allowed to see the neurologist from the Dr. office. I called their office and office manager tried to refer me back to primary. I insisted that I see the lady as I was referred from CRNP at Worker?s Comp. They were agreeable to a telemed appointment as soon as I get my claim number. I am exhausted, have a headache, and difficulty focusing at this point. Sore throat started this AM and is way worse tonight. B swollen glands near carotids. Started Augmentin. --Tues: 2 9 21: Cont headache, lightheadedness, fatigue, off balance, difficulty concentrating, difficulty with lights and sounds. Trouble reading. Saw neurology this AM at 10am in the office as opposed to telemed visit and had a MRI at 12pm. She diagnosed a fair amount of things including vaccine reaction possibly causing intractable headache, migraine, dizziness w/o vertigo. Wants me to start to Propanolol for the headaches. Need to pick up from the pharmacy. Out of work until 2 15 21 and then a partial return to work? Not sure how that works. Hopefully just feeling

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							better and can go back full time. I have to contact the neurologist through portal at the end of week to update on progress. Health care called me and wants me to have a visit with a vaccine specialist. I need to fill out CDC form for vaccine incidents. Bad headache tonight that started behind R eye and is now whole head. Need to call ENT tomorrow to discuss MRI results. Left the neurologist a question on portal about MRI. --Wed. 2 10 21: Woke up with light headedness, fatigue, dizziness, off balance, feeling ?off? cognitively. Pressure around R eye and R sinuses.
1019576	2/10/2021	NH	59	F	2/5/2021	2/5/2021	59 y/o Female PT was administered COVID Vaccine at 1800. PT states started to notice her heart rate was increasing at a very rapid pace according to her smart watch. General impression:f PT showed no signs difficulty breathing, skin is warm and dry to the touch, no sweating. PT does present with mild tremor in her hands. PT states that she has a history of getting raised heart rates after digesting food with a high sodium content. PT states has a feeling of "panicie" and has a dry mouth / denies any difficulty breathing or tightness in her throat or chest. No blurred vision. Vitals where obtained at 1810 EMS was called. PT refused medical care, and signed off with them
1019264	2/10/2021	GA	86	F	2/3/2021	2/5/2021	Patient had no discomfort following vaccination until 2 days later on 2/5. She began to have extreme pain, a hard knot, and redness at the injection site. On 2/6, she had diarrhea, altered vision in the right eye. and "face hung down" Symptoms lasted about 36 hours. By Monday 2/8/2021, symptoms were completely resolved with no residual effect.
1019222	2/10/2021	WI	41	M	1/25/2021	2/8/2021	Bells Palsy DX on 2/9/2021 Started feeling right sided facial numbness on 2/8/2021 at 4:00 pm. Then noticed slight right eye droop.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1019115	2/10/2021	NY	17	M	1/21/2021	1/22/2021	My left eye was pretty well swollen and puffy, it hurts to blink and stuff and it was pretty tender; My left eye was pretty well swollen and puffy, it hurts to blink and stuff and it was pretty tender; My left eye was pretty well swollen and puffy, it hurts to blink and stuff and it was pretty tender; This is a spontaneous report from a contactable consumer (patient). A 17-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; lot EL3247, expiration date unspecified), via an unspecified route of administration on 21Jan2021 at single dose (left arm) for COVID-19 immunization. Medical history included mood disorder or attention deficit hyperactivity disorder (ADHD). Concomitant medications included aripiprazole (ABILIFY), and gabapentin, both for mood or ADHD. The patient reported that he got the shot on his left arm last Thursday, 21Jan2021 and woke up the next morning, 22Jan2021, and his left eye was pretty well swollen and puffy, it hurts to blink, and stuff and it was pretty tender. The patient stated that he believe he took acetaminophen or the tylenol. Outcome of events was unknown.
1019333	2/10/2021	OH	43	F	2/8/2021	2/9/2021	Swelling of face where facial fillers were injected under eyes several months ago. Arm pain, back ache, and skin pain. No other facial fillers sites swelled up.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1019837	2/10/2021	FL	65	F	1/28/2021	1/31/2021	On 01/30/2021 at 08:00 had an extreme headache. Then having extreme difficulty keeping my eyes open, like I was trying to drift off to sleep. Immediately there after, I started vomiting. These symptoms lasted 4 days extremely fast and hard. Tylenol was take for the headache and helped very little. I slept a lot and I couldn't eat or drink anything witching vomiting it back up. Even my regular meds with a little water came back up. The evening of the 4th day, I was able to keep clear broth down and crackers helped with the nausea some. The following week, I still didn't feel quite right and kept fighting off sleep. Today is the 10th of February and toe nausea has returned. Getting out of bed, I dry heaved for an hour. I feel if I eat anything it?s going to come back up. My theory is that the side effects didn't go away the week I felt somewhat better and had resurfaced, starting out slowly like before. I called my primary at the VA and we discussed what I was already doing i.e. a bland diet until I feel better.
1018332	2/10/2021			F	12/1/2020		hives in her upper thigh, toes, eyelid; Throat closed; This is a spontaneous report from a contactable consumer (patient). A female patient received first dose of bnt162b2 (Pfizer-BioNTech COVID-19 mRNA vaccine, Lot Number and Expiration Date unknown) via an unspecified route of administration in Dec2020 at single dose for COVID-19 immunisation. The patient's medical history included allergic to Penicillin. The concomitant medications were not reported. With the COVID-19 vaccine, patient had a reaction of hives in her upper thigh, toes, eyelid; went to sleep, when woke up it was pretty much gone with Benadryl. Patient have throat closed. For second dose, patient wanted to know if it be needed the EpiPen or tell ambulance just in case. Her second injection was on Sunday. As per the verbatim the patient had not administered the second dose yet. The outcome of hives in her upper thigh, toes, eyelid was recovering. The outcome of throat closed was unknown. Information on the batch/Lot number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1019113	2/10/2021			U	1/15/2021	1/1/2021	Headache had not totally left at all, at the time of the report her headache was still severe on the right side over her eye; Fever; Chills; Aching all over/ soreness; mild symptoms of soreness and redness; she started a rash last night, it was like she had measles; a fine red rash all over legs, arms and trunk and on even on chest; had no appetite just feeling yucky; This is a spontaneous report from a contactable consumer (Patient). A patient of unspecified age and gender received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL3302, expiration date: 31May2021), via unspecified route of administration on 15Jan2021 at single dose for COVID-19 immunisation. The relevant medical history included compromised immune system. Concomitant medications were not reported. The patient received first Covid on the 15Jan2021 and had mild symptoms of soreness and redness two days and then on the third day she started getting the headache and running a 99.4 fever an then on the fourth day she was running a fever 101.8, chills, aching all over, that fever had continued in the evening since then, went up to 102 was the highest count but its mostly to 100.8 to 101.8 since then and the headache had not totally left at all, at the time of the report her headache was still severe on the right side over her eye, she started a rash last night, it was like she had measles, a fine red rash all over legs, arms and trunk and on even on chest, she had no appetite just feeling yucky. The outcome of the events was unknown.
1019991	2/10/2021	WI	71	F	2/9/2021	2/9/2021	Within several minutes of injection my vision became very blurry and I was lightheaded. A nurse took my vitals and they were normal, although the BP was on the low side (I believe 95/54). They had me lie back in a recliner and kept checking me. After about 45 minutes my vision cleared and I sat up. About 10 minutes later I walked within the hospital to be sure I was safe to drive, and I was. The doctor on duty did also check me before I left.
1019974	2/10/2021	MI	38	F	12/18/2020	12/19/2020	Sore arm after 1st shot. Body aches after 2nd dose that lasted half a day. Second dose was 1/8/2021. Also developed episcleritis a couple of weeks later that wouldn't go away. This was new an unusual for me so I wondered if it might be because of the vaccine. Currently being treated with prednisolone eye drops.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1019905	2/10/2021	ND	64	M	2/3/2021	2/7/2021	Started sneezing with watery itchy eyes 4 days after injection. On day 4 woke up with hives on back that has spread to right arm. Rash is small and not raised, but is quite itchy.
1019881	2/10/2021	IN	78	M	1/28/2021	1/28/2021	Had no symptoms of any kind up to the time of shot. 2 hours later I developed double vision in my right eye
1019988	2/10/2021	MN	19	F	2/9/2021	2/9/2021	Systemic: Other- Pt stated blurry vision, Full UE numbness and LE numbness, flacid, BP 100/50, cool, clammy, sob, dizziness. Lasted 1 day
1019847	2/10/2021	MA	77	M	2/9/2021	2/9/2021	I had my (Moderna) first dose yesterday. Within ~6 hour the soreness level of the shoulder joint (but not especially the site of the jab) zoomed up to intense. So much so, that simply lifting my arm slow-motion to the level of my eyes caused intense pain spasms. Last night and this morning were equally severe. Within the last hour or so, the pain level has diminished a bit. NOTE: I know how people rate pain is super subjective. In my case working as a geologist in a quarry a number of years ago, I was struck and pinned by a large boulder. The ER crew would not give me a pain killer, so that they could monitor how the Jaw of Life was working (it broke, the boulder was too heavy), so I not surprisingly passed out several times from the pain level before being extricated. Needless to say, this compound fracture of the tibia and fibula accident was a 10 of 10 pain level. Yesterday's CV-19 jab pain level was an 8-9 of 10. Nothing I read before yesterday's jab, Fauci et al, prepared me for this pain level. So, is this normal??? My POV is, I think, atypical in this matter of pain. Should I be concerned about a return to normalcy right now (today / tomorrow) as well as for the second dose?? I HOPE THAT A MEDICAL PERSON WILL RESPOND TO THIS EMAIL - NOT SOME BOILER PLATE WORDS. If you want more details, feel free to phone me
1019604	2/10/2021	RI	39	F	1/23/2021	2/6/2021	Mild Facial swelling: nose and under eyes, mild nasal congestion, mild fatigue, mild frontal headache, decreased appetite Duration ~7 days, began improving slightly after 5 days

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1019825	2/10/2021	CA	63	M	2/8/2021	2/9/2021	Approximately 18 hours after receiving the vaccine, I developed a fever ranging from 101-102.4. I had muscle aches and for a short time, blurred vision. After resting for approximately 12 hours, taking Tylenol and drinking water, my symptoms subsided.
1019792	2/10/2021	PA	29	F	2/3/2021	2/3/2021	Adverse event: Blurred vision, numbness left side head to shoulder, vomiting, chills, shortness of breath, severe headache, oral mycosis swelling Treatment: Benadryl Outcome: Sent to ER by facility MD, treated and observed at hospital for 1.5 hours released no negative outcome
1019787	2/10/2021	NY	66	M	2/4/2021	2/7/2021	Droopy right side of face and right eye starting 02/07/21. Inability to close lid on right eye. This began Sunday 02/07/21 around 4:00 pm. Got worse Monday effecting both sides of face. Today, Wednesday back to just right side of face and right eye. Just had video appointment with Doctor, he believes could be Bell's Palsy, possibly from the vaccine shot. He advised me to report to CDC. He also has ordered two prescriptions.
1019783	2/10/2021		19	F	2/6/2021	2/6/2021	Patient became lightheaded and her vision was getting darker. Vital signs within normal limits. Symptoms resolved.
1019696	2/10/2021	IL	59	M	1/22/2021	2/3/2021	1/22/2021 received 1st dose of MODERNA COVID-19 Vaccine. 2/3/2021 noticed his tongue and lips felt funny. 2/5/2021 Right side of face drooping and no feeling. 2/6/2021 went to prompt care due to right eye dryness. Prompt care transferred him to OSF: ER to rule out stroke. No admission. 2/9/2021 follow up with neurologist, Dr. whom confirmed Bells Palsy. Prescribed prednisolone, eye drops, and physical therapy.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1019671	2/10/2021	OH	73	F	2/9/2021	2/9/2021	Approximately 30 minutes after receiving the COVID-19 vaccine the patient was driving home and started to experience blurry vision in her left eye, dizziness, and felt flushed. The patient returned back to the vaccine clinic and was seen by EMS on scene. The patient did not complain of any shortness of breath, chest pain, nausea, or vomiting. She was no longer dizzy but was still having blurred vision in her left eye. She stated that she was seeing black lines out of the periphery of her eye. The patients vitals were taken and are as follows: B/P 160/pal, HR 85, %O2 99, BGL 106. The patient did not want to be transported to the hospital. The patient called her daughter to arrange a ride home and scheduled an appointment with her eye doctor and her primary care physician. Outcome: The patient saw her eye doctor and was diagnosed with a partially detached retina in her left eye.
1019855	2/10/2021	GA	46	F	1/29/2021	2/8/2021	Day 4 I had sinus problems, swollen left lymph node in neck , back pain. Day 2 I itched everywhere, mainly my neck, stomach and back Day 10 Left eye is swollen and pain on eyelid and behind eye lid

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1018419	2/10/2021	OK	56	F	1/7/2021	1/9/2021	dizziness while lying in bed after turning over onto her back/ dizziness when standing up quick, turning over onto her back or side while in bed, and getting out of her car; had been a few times while lying in bed that her vision was affected when this dizziness comes on; This is a spontaneous report from a contactable consumer (reported for herself). A 56-year-old female patient (not pregnant at the time of vaccination) received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, lot number: EK9231), via an unspecified route of administration on 07Jan2021 15:00 at single dose in right arm for COVID-19 immunization. Medical history included Hypothyroidism, No Allergies to medications, food, or other products. Concomitant medication received within 2 weeks of vaccination included levothyroxine. Facility where the most recent COVID-19 vaccine was administered in Workplace clinic. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Vaccine was given on a Thursday afternoon, on Saturday morning, the patient experienced a dizziness while lying in bed after turning over onto her back. She only experienced the dizziness when standing up quick, turning over onto her back or side while in bed, and getting out of her car. She had never had any trouble with dizziness. There had been a few times while lying in bed that her vision was affected when this dizziness comes on. To date she was still having problems. The events started on 09Jan2021 06:30. No any treatment received for the adverse events. The events were non-serious per the reporter. Prior to vaccination, the patient wasn't diagnosed with COVID-19. Since the vaccination, the patient hadn't been tested for COVID-19. The outcome of the events was not recovered.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1018370	2/10/2021			F	1/22/2021	1/1/2021	her eyes are watering, she can't quit sneezing; her eyes are watering, she can't quit sneezing; her nose drips hot water; This is a spontaneous report from a contactable consumer (patient). A female patient of an unspecified age received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration on 22Jan2021 as a SINGLE DOSE for COVID-19 vaccination. Medical history included spinal cord injury 14 years ago (2007) to an unknown date. The patient's concomitant medications were not reported. The patient experienced her eyes are watering, she can't quit sneezing and her nose drips hot water on an unspecified date in Jan2021. The clinical outcomes of her eyes are watering, she can't quit sneezing and her nose drips hot water was unknown. Information about lot/batch number has been requested.
1018674	2/10/2021			M	1/1/2021	1/1/2021	a sty on his eye; This is a spontaneous report from a contactable physician reported for self. This male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on Jan2021 at single dose for covid-19 immunisation. Scheduled for their second doses of Pfizer-Biontech Covid19 vaccine on 01Feb2021. Scheduled for their second doses of Pfizer-Biontech Covid19 vaccine on 01Feb2021. He developed a sty on his eye in Jan2021 after his first dose of Covid19 vaccine- unrelated, and has been treating it with antibiotic and steroid eye drops, but MD has prescribed him oral doxycycline. Outcome of the event was unknown. Information on the Lot/Batch Number has been requested.; Sender's Comments: In concurrence with the reporting physician, the Company deems the reported sty an inter-current disease, unrelated to the COVID-19 vaccine, BNT162B2.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1018670	2/10/2021	WV	83	M	1/28/2021	2/1/2021	feeling bad; Had no energy; everything spins inside the room/ went black; everything spins inside the room/ went black; This is a spontaneous report from a contactable consumer reporting for himself. An 83-year-old male patient received the 1st dose of bnt162b2 (BNT162B2, Manufacturer Pfizer- BioNTech, lot# lot# EL1284), via an unspecified route of administration, on 28Jan2021, at single dose, for COVID-19 immunisation. Medical history included ongoing wheelchair user, blood pressure abnormal and prostate infection. Patient's body weight was 218-220 pounds. Concomitant medications included acetylsalicylic acid (ASPIRIN) for many years at 1 DF daily, an unspecified prostate medication and an unspecified drug for blood pressure at 20 mg, another unspecified drug that is mixed and eye drops. The patient experienced feeling bad, had no energy, everything spins inside the room/ went black all in Feb2021 with outcome of unknown.
1018665	2/10/2021	MD	43	F	1/25/2021	1/25/2021	Hypertension; Dizziness; Blurred vision; This is a spontaneous report from a contactable pharmacist. A 43-years-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL3247), intramuscular on 25Jan2021 11:00 at single dose for covid-19 immunisation. Medical history included hypertension and Hypertension, allergies to peanuts. Concomitant medication included amlodipine, estradiol. The patient experienced Patient experienced Hypertension (BP 140/103), dizziness and blurred vision immediately after vaccine administration. All AE's resolved within 2 hours with dizziness and blurred vision resolving first (HTN took longer to resolve) on 25Jan2021 11:00. Outcome of events was recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1018626	2/10/2021			F	1/1/2021	1/1/2021	headaches; arm hurt a lot; I don't feel very well; My eyes are bothering me; This is a spontaneous report from a contactable consumer, reporting for herself. A 65-year-old female patient received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration on an unspecified date in Jan2021 at 20:30 (at the age of 65 years old) as a single dose for COVID-19 vaccination. Medical history included being diabetic from an unspecified date. Concomitant medications were not reported. On an unspecified date in Jan2021, the patient experienced headaches, arm hurt a lot, don't feel very well, and her eyes are bothering her. The clinical outcome of headaches, arm hurt a lot, don't feel very well, and her eyes are bothering her was unknown. The lot number for the vaccine, BNT162B2, was not provided and will be requested during follow up.
1018617	2/10/2021	KY	35	F	1/23/2021	1/24/2021	Dizzy; Unbalanced when attempting to walk; Blurry vision; This is a spontaneous report from a contactable consumer (patient). A 35-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number: EL9262; Expiration date was not reported) on 23Jan2021 (12:30) at a single dose on the left arm, with route of administration unspecified, for COVID-19 immunization at the school or student health clinic. The patient had no relevant medical history. The patient had unspecified concomitant medications. The patient was not pregnant at the time of vaccination. On 24Jan2021 (21:00), the patient was dizzy; unbalanced when attempting to walk; and had blurry vision. It was unknown if the patient had received treatment for the reported events. The outcome of the events, 'dizzy', 'unbalanced when attempting to walk' and 'blurry vision', was not recovered. The patient was not diagnosed with COVID-19 prior to the vaccination, and had not been tested since the vaccination.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1018716	2/10/2021	CA	78	M	1/24/2021	1/25/2021	left eye became swollen; aching in the eye socket and eye ball; vision was clouded; This is a spontaneous report from a contactable consumer (patient). A 78-year-old male patient received the first dose of BNT162B2 (Pfizer-BIONTECH Covid-19 Vaccine, lot number: DL9263), via an unspecified route of administration at the site of left arm at 12:15 on 24Jan2021 at single dose for COVID-19 immunization. Medical history included cancer survivor, penicillin allergy and aspirin allergy. Concomitant medication included ibrutinib (IMBRUVICA), testosterone, cyanocobalamin (VITAMIN B-12) and vitamin d3 (VITAMIN D3), all received within 2 weeks of vaccination. The patient's left eye became swollen and aching in the eye socket and eyeball and vision was "clouded" at 19:00 on 25Jan2021. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Adverse reactions did not result in any serious consequences. Case assessed as non-serious by reporter. No treatment received for the adverse events. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. The outcome of events was not recovered.
1018473	2/10/2021	MN	30	F	12/24/2020	12/26/2020	left eye keeps twitching; No immediate vision changes until later in the day when left eye gets tired; This is a spontaneous report from a contactable nurse (patient) reported that a 30-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), intramuscular on the right arm on 24Dec2020 07:45 at a single dose for Covid-19 immunization. The vaccine was administered at the hospital. The patient's medical history and concomitant medications were not reported. Patient is not pregnant. On 26Dec2020 (also reported as 'approximately 2 days after the first vaccination'), the patient's left eye keeps twitching. No pain. May intensify and becomes obvious. No immediate vision changes until later in the day when left eye gets tired. No treatment received for the reported events. The outcome of the events was not recovered. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1018744	2/10/2021	VA		F	1/23/2021	1/24/2021	she was sleeping; dizziness; she said that she had a reaction that scared her; She was sleeping and she got dizzy and felt like she was going to fall; She said that she had nausea.; She said that she felt very cold and felt her heart beating; She said that she felt very cold and felt her heart beating; Headaches; This is a spontaneous report from a contactable consumer (patient). A 52-years-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 23Jan2021 09:15 at single dose for COVID-19 immunization. Medical history included she was on radiotherapy treatment and had it on Thursday and Friday prior to the vaccine. The patient's concomitant medications were not reported. On 24Jan2021, she said that she had a reaction that scared her, she said she was sleeping and felt dizziness. She was sleeping and she got dizzy and felt like she was going to fall. She said that she thought she was dreaming at first until she opened her eyes and realized that she was still dizzy. When she opened her eyes, she still felt dizzy and it wouldn't go away no matter which way she looked. She states dizziness has resolved. She also reports having nausea. She said that she felt very cold and felt her heart beating. She said that everywhere that she turned her head she would get dizzy, even when her eyes were open or closed. She is on radiotherapy treatment and had it on Thursday and Friday prior to the vaccine. The patient was also receiving radiotherapy treatments. She was scheduled for hormone treatments starting 9Feb2021. She has Zofran for nausea and told her doctor about what happened and her oncologist told her to take Tylenol for headaches, but she said that she did not have a headache. She said that the Zofran relieved the nausea, but she still had the dizziness. She said that every movement would cause dizziness. She said that she was wondering if it is safe for her to get the second dose. She states that she does not take immunosuppressant medications. The outcome was unknown. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1018403	2/10/2021	FL	69	F	1/22/2021	1/22/2021	she had a reaction on her face. She described it as her cheeks turning red, rashy, and itchy; my eyes were just little bit itchy; This is a spontaneous report from a contactable nurse reporting for self. A 69-year-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL8982), intramuscular on 22Jan2021 at single dose for COVID-19 immunization. Medical history was not reported. Concomitant medication included letrozole (FEMARA), Antioxidants and Vitamins. The patient had a reaction on her face. She described it as her cheeks turning red, rashy, and itchy. Within 24 hours, it went away. She mentioned that she used a different face mask yesterday and wasn't sure if it is a reaction from the vaccine or from her face mask. Her eyes were just little bit itchy. It started about an hour and a half and within three hours it was gone. Outcome of events was recovered.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1018399	2/10/2021	OH	90	F	1/21/2021	1/21/2021	vision clouded, and it progressed towards the night; This is a spontaneous report from a contactable consumer (patient). A 90-year old female patient (not pregnant) received first dose of bnt162b2 (Pfizer-BioNTech COVID-19 mRNA vaccine, Lot Number EL9261 and Expiration Date 31May2021) via an unspecified route of administration on 21Jan2021 at single dose for COVID-19 immunisation. The patient's medical history included hypertension and AFib. The concomitant medications were included apixaban (ELIQUIS) at 5 mg, dofetilide at 250mg, metoprolol at 60 mg for hypertension. Patient mentioned that about 6-7 hours after she received the vaccine on 21Jan2021, her vision clouded, and it progressed towards the night. First it began in right eye and it started it was the time when patient usually retire so she went to bed and when woke up and vision was extremely clouded (both eyes). Patient had the night light on and could not see the night light. She could just see a glow. The morning after, it was gone. She said that she normally has perfect vision and never had this experience before. She says it was not an issue right now since it went away. She wanted to know if she should be concerned and wanted to report this event because it was bothersome and other people might have a similar experience. Not taking second shot if it was going to cause problem; concerned of getting 2nd shot. The outcome of events was recovered on 22Jan2021 without treatment given. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1018378	2/10/2021			M		1/22/2021	<p>a little pain between shoulder blade; baggy eyes; This is a spontaneous report from a non-contactable consumer. This male consumer (patient) reported that: Narrative case summary and further information: Originating AE Request: REQ-# Attachments: 1 Patient Age: unknown Reporter Subtype: Patient PQC Present: No AE Present: Yes Request Name: REQ-# Product: PFIZER-BIONTECH COVID-19 VACCINE Question: Caller, male, received vaccine yesterday 22Jan2021 and only reports minor side effects (a little pain between shoulder blade and baggy eyes) and already filed safety report. Calling to see if there is any fish oil in the vaccine due to a squalene/fish oil allergy? This is a spontaneous report from a non-contactable consumer, the patient. This male patient of unspecified age received BNT162B2 (Pfizer-BioNTech COVID-19 mRNA vaccine), via an unspecified route of administration on 22Jan2021 as a single dose for COVID-19 immunization. The patient's medical history included squalene/fish oil allergy from an unspecified date and unknown if ongoing. Concomitant medications were not reported. On an unspecified date in Jan2021, the patient experienced only minor side effects, a little pain between shoulder blade and baggy eyes. The clinical outcome of the events numbness and tingling was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained. This is a spontaneous report from a non-contactable consumer or other non hcp. A male patient of an unspecified age started to receive bnt162b2 (BNT162B2) , via an unspecified route of administration from 22Jan2021 to 22Jan2021 at SINGLE DOSE for an unspecified indication . Medical history included food allergy from an unknown date and unknown if ongoing. The patient's concomitant medications were not reported. The patient experienced a little pain between shoulder blade and baggy eyes (pain) (non-serious) on an unspecified date with outcome of unknown. The action taken in response to the event(s) for bnt162b2 was not applicable.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1018367	2/10/2021	MD	41	F	1/20/2021	1/21/2021	Light headedness; scratchy voice; itchy eyes and throat; itchy eyes and throat; pink and hot swollen circular hive/welt underneath injection site on left arm; pink and hot swollen circular hive/welt underneath injection site on left arm; This is a spontaneous report from a non-contactable other healthcare professional, the patient. A 41-year-old non-pregnant female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration on 20Jan2021 at 07:30 (at the age of 41 years old) as a single dose in the left arm for COVID-19 vaccination. Medical history included seasonal allergies from an unknown date. Prior to the vaccination, the patient was not diagnosed with COVID-19. Concomitant medications were not reported. The patient did not receive any other vaccines within four weeks prior to the vaccination, but did receive the first dose of BNT162B2, on 31Dec2020 in the left arm. On 21Jan2021 at 09:30, the patient experienced light headedness, scratchy voice, itchy eyes and throat, pink and hot swollen circular hive/welt underneath injection site on left arm. The patient did not receive treatment for the events. The clinical outcome of light headedness, scratchy voice, itchy eyes and throat, pink and hot swollen circular hive/welt underneath injection site on left arm was not recovered. It was also reported that since the vaccination, the patient had not been tested for COVID-19. No follow-up attempts are possible; information about lot/batch number cannot be obtained.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1018579	2/10/2021	NC	72	F	1/19/2021	1/22/2021	Dizziness; Sudden worsening of vision; This is a spontaneous report from a contactable consumer (patient). A 72-year-old female patient (not pregnant) received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number EL3247), via an unspecified route of administration (left arm), on 19Jan2021 11:15, at single dose, for covid-19 immunization. The patient has no medical history. Concomitant medications included calcium citrate and, probiotics. The patient previously took tamoxifen and experienced allergies. The patient experienced dizziness starting on 22Jan2021 and worsening on 23Jan2021. The patient also experienced sudden worsening of vision on 22Jan2021. The events resulted in doctor or other healthcare professional office/clinic visit. No treatment was received for the events. At the time of the report, the patient was recovering from the events. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient did not have COVID prior vaccination and have not been COVID tested post vaccination.
1019998	2/10/2021	CA	55	M	12/20/2020	12/20/2020	Patient received first dose of the Pfizer-BioNTech COVID-19 Vaccine EUA at 17:48 on 12/20/20. At 17:58, patient complained of eye irritation, eyes were red and itchy. No complaint of difficulty breathing, increased heart rate or dizziness. Pharmacist provided diphenhydramine 25mg tab and patient was observed for an additional 15 minutes. Irritation resolved and patient had no complaints at end of the observation period. Discharged to home.
1018527	2/10/2021	MN		F	1/9/2021		Eye puffiness; This is a spontaneous report from a contactable consumer (patient). A 53-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number and expiry date not reported), via an unspecified route of administration on 09Jan2021 at single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient experienced eye puffiness on an unspecified date. It was further reported that the patient started using a facial cream around the same time and developed eye puffiness. She discontinued the cream but her eyes are still puffy. The outcome of the event was unknown. Information on Lot/Batch has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1019015	2/10/2021	FL	86	M	1/11/2021	1/18/2021	eye lid infection; This is a spontaneous report from a contactable consumer reported for her husband. An 86-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Pfizer product; Batch/lot number: EL3246) via an unspecified route of administration on 11Jan2021 at a single dose for COVID-19 immunization. Medical history included pulmonary embolism (PE) diagnosed 3 years ago, treated at (university name) hospital for about 3 weeks and the clot was gone and he went back to his normal routine. Other products were reported as no. Caller stated she and her husband got the first dose of the Covid vaccine 2 weeks ago today, 11Jan2021, stated they were scheduled to get 2nd dose next week 01Feb2021. Caller stated her husband had developed, unrelated to vaccine, an eye lid infection on 18Jan2021 with outcome of not resolved, stated he went to doctor had been treating it with topical antibiotics and anti-inflammatory eye drops, infection was improving but persistent, doctor wanted to put him on an oral antibiotic, they were very reluctant to do so, stated that they considered doxycycline but they read not to be taken with vaccines, stated he would not take that one, caller wanted to know did he need to ride the infection out and possibly end up with an incision and drainage or if he can take an antibiotic. Stated the main concern was that could an antibiotic possibly diminish the efficacy of either the first or second doses of the Covid vaccine and wanted to know if this was possible. Stated her husband was a retired orthopedic surgeon.; Sender's Comments: Eyelid infection is considered unrelated to the vaccine use representing a coincidental skin/ subcutaneous infectious condition.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1019107	2/10/2021	WI	73	M	1/22/2021	1/1/2021	little pain between shoulder blades; eyes are a little baggy; This is a spontaneous report from a contactable consumer (patient). A 73-year-old male patient received first dose of bnt162b2 (Pfizer-BioNTech COVID-19 mRNA vaccine, Lot Number EL, it is 0 or an O, 142 and Expiration Date unknown) via an unspecified route of administration on 22Jan2021 at single dose for COVID-19 immunisation. The patient's medical history included a reaction once to fish, but when tested his allergies, the allergist said patient did not have the allergy. The concomitant medications were not reported. Patient did not have really any strong side effects. He had little pain between shoulder blades a couple hours when stood up a couple hours later on 22Jan2021. And when woke up this morning and that was gone. His eyes are a little baggy in Jan2021 but that was not concern. Patient wanted to know about whether or not there is squalene in the product. The outcome of events was unknown without treatment given. No follow-up attempts are possible. No further information is expected.
1019092	2/10/2021			U	1/22/2021	1/23/2021	I am experiencing a fever of a 100.8; I have very low vision; This is a spontaneous report from a contactable consumer (patient). A patient of unspecified age and gender received BNT162B2 (reported as COVID-19 shot), via an unspecified route of administration on 22Jan2021 17:00 at single dose for COVID-19 immunization. The patient medical history and concomitant medications were not reported. The patient stated "I had the COVID shot last evening around 5 o'clock (22Jan2021 17:00) and now today (23Jan2021) I am experiencing a fever of a 100.8 and I wondered, I don't read well because I have very low vision, so I have to speak to someone, they gave me paper, but I can't read them. So, if you could tell me what I could do for the fever?" The outcome of the events was unknown. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1019073	2/10/2021	CO	45	F	1/21/2021	1/21/2021	Dizziness; tingling up neck and right-side of face; numbness sensation on right brow, eyelids and cheek/intermittent numbness; headache; This is a spontaneous report from a contactable Other HCP. A 45-year-old female no pregnant patient received , at hospital , the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection) from Lot# EL8982 on 21Jan2021 15:15 at SINGLE DOSE for covid-19 immunisation . Medical history included diabetes .Concomitant medication included metformin (METFORMIN), glyburide (GLYBURIDE), sitagliptin phosphate (JANUVIA ).The patient previously took codeine and experienced drug hypersensitivity, cortisone and experienced drug hypersensitivity, cortisone and experienced adverse reaction. On 21Jan2021 at 15:30 the patient experienced Dizziness, tingling up neck and rightside of face, numbness sensation on right brow, eyelids and cheek. 2 hours later teeth chattering for hour and half, headache for 4 days, intermittent numbness for 3 days.Outcome of the events was reported as recovered with sequel. No COVID prior vaccination, No COVID tested post vaccination

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1019046	2/10/2021	LA	70	F	1/27/2021	1/28/2021	light sensitivity. Light hurts my eyes almost like migraine; migraine; This is a spontaneous report from a contactable consumer reported that a 70-year-old female patient (consumer) (non-pregnant) received BNT162B2 (Solution for injection, lot number: EI3249) on 27Jan2021 at 11: 00 AM in single dose for Left arm, dose number: 2, for covid-19 immunization. Patient medical history included Controlled BP, cholesterol, thyroid, known allergies: sulfa drugs. Patient previously took cimetidine sodium alginate (TAGAMET) and had Tagamet allergy, tetracycline and had tetracycline allergy, Iodine and had Iodine allergy. Historical vaccine included BNT162B2 on 06Jan2021 at 11:00AM (lot number=EK9231, vaccine location=Left arm, dose number=1) for covid-19 immunization. Concomitant medications were not reported. On 28Jan2021, at 08:00AM, patient had light sensitivity and Light hurts my eyes almost like migraine. If this was still like this Monday she will go to doctor. No treatment was received for adverse event. It was unknown, whether the patient receive any other vaccines within 4 weeks prior to the COVID vaccine. No seriousness criteria reported. Prior to vaccination, patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. Outcome of events was not recovered.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1019045	2/10/2021	NY	46	F	1/21/2021	1/23/2021	Chills and night sweats started 2 days later; Chills and night sweats started 2 days later; Pain over left eye; Nausea; No appetite; This is a spontaneous report from a contactable consumer reported for herself. A 46-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, brand=Pfizer, lot number=EL3247) via unspecified route of administration at age of 46 years old on 21Jan2021 05:00 PM at single dose at left arm, for COVID-19 immunization. The patient medical history included patient was not pregnant at the time of vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. Other concomitant medications the patient received within 2 weeks of vaccination included sertraline hydrochloride (ZOLOFT 25mg), atorvastatin statin. It was reported patient experienced chills and night sweats started 2 days later. Pain over left eye, nausea, no appetite, can sleep at night. All the adverse events started on 23Jan2021 04:00 PM. It was reported case type non-serious, no results in death, no life threatening, no caused/prolonged hospitalization, no disabling/incapacitating, no congenital anomaly/birth defect. Since the vaccination, the patient had been tested for COVID-19 on 27Jan2021: Nasal Swab (PCR): Negative. There was no treatment received for the adverse event. Outcome of events at the time of last observation was recovering.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1019035	2/10/2021	NC	80	F	1/22/2021	1/1/2021	gray spot on forehead; face felt hot and flushed; Face red; was tired and wiped out; Eyes were red bloodshot; face was burning and burned bright red/her face feeling sunburned/ face got really like the worst sunburn; This is a spontaneous report from a contactable consumer (patient). An 80-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Batch/lot: EL8982) intramuscular in right arm on 22Jan2021 at 13:00 at single dose for COVID-19 immunization. Medical history included Gastroparesis from 2016 and ongoing, ongoing Osteoarthritis (diagnosed about 10 to 20 years before), acid reflux (esophageal), blood pressure, osteoporosis, arthritis, anxiety, high cholesterol, stomach problems, allergies and pretty bad sinus problems/sinus trouble in the winter, leg cramps at night, allergic to all kind of bites. Patient previously took shingles vaccine as immunization and she had had a small reaction, she had a patch of shingles break out around her arm at the site of injection site. Concomitant medication included ongoing omeprazole for Gastroparesis, ongoing erythromycin, ongoing aluminum hydroxide/magnesium carbonate (GAVISCON) for acid reflux (esophageal), ongoing calcium for Osteoporosis, ongoing losartan for Blood pressure, ongoing acetaminophen for arthritis, ongoing spironolactone as diuretic, ongoing tramadol for Osteoarthritis, vitamin C [ascorbic acid] as general supplementation, ongoing alprazolam for Anxiety, ongoing doxazosin for high blood pressure, ongoing fenofibrate for High cholesterol, ongoing vitamin b complex (B-COMPLEX) as general supplementation, ongoing bisoprolol for high blood pressure, ongoing magnesium good for heart recommended by cardiologist, ongoing biotin for hair and nails, ongoing zinc as immunity booster, ongoing montelukast sodium for allergies and pretty bad sinus problems/sinus trouble in the winter, ongoing levocetirizine dihydrochloride (XYZAL) for allergies, ongoing cyclobenzaprine for leg cramps at night as muscle relaxer, ongoing macrogol 3350 (MIRALAX) as laxative and ongoing "CVS brand multivitamin at one tablet once a day oral as general supplementation" (as reported).The patient experienced face felt hot and flushed and face red on 24Jan2021; gray spot on forehead on 25Jan2021; was tired and wiped out, eyes were red bloodshot, face was burning

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

and burned bright red face feeling sunburned in Jan2021. Events were described as follows: patient received the first dose of the vaccine on 22Jan2021 and she had a few mild symptoms. She did not feel really good for a day or two but it was nothing that alarmed her, she was tired and wiped out. She always took a shower since she had arthritis and it gets her joints going. On 24Jan2021 after she got out of the shower, her face felt hot and it was red. She didn't think too much about it and it went away pretty soon. She did not connect it with the vaccine. On 25Jan2021 she took a little longer shower and the same thing happened, but it was 10 or 12 times worse in regards to her face feeling hot and was red. She was drying off and getting dressed and reported her face felt funny and it was really hot. When she looked at it was bright red like she had the worst sunburn, it felt like a sunburn. Her face was red and eyes were red bloodshot and it lasted about half an hour; her face got real flushed like a real bright sunburn and her face was burning and burned bright red. She started putting on cold wet wash cloths to help cool her face down and when the wash cloths got warm, she would wet it again to cool her face down some more. She was alarmed but about 30 minutes later it started lightening up a bit and pretty soon it was back to normal. Her face felt different in the afternoon, it was a little red. She worked out in yard and last summer she got an insect bite on her forehead that turned gray, it was the size of silver dollar. After the hot flush thing this morning, that gray spot came back. Her doctor said it might take a while for it to go away. Her face felt warm like it has been sunburned. Her throat was dry since she has been waiting on the phone for an hour. Her face feeling sunburned/hot was about 95% gone, barely there. Her face getting red started on 24Jan2021 morning and it was almost gone. Treatment included ponds face cream and it was very soothing. Patient just wanted to know what to do about this flushing of her face and if it was dangerous what she can do. She would like to know if she should be worried about this, it only happened when she took a shower. She was asking if there was anything she can do before she can get the second injection, so it does not happen again or what to do if it does happen again. Final outcome of tired and wiped out, eyes were red bloodshot and face was burning and burned bright red/her face feeling

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1018696	2/10/2021	MS	67	F	1/22/2021	1/22/2021	sunburned/ face got really like the worst sunburn was unknown; outcome of the other events was not recovered. Red, itchy rash over body, numbness in face and lips, red, itchy eyes this lasted for about 20 minutes, then began to subside - the swelling and numbness in face and lips first and then the itching of rash - rash went away and also itching and redness in eyes

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1019029	2/10/2021		87	F	1/18/2021	1/18/2021	migraine aura/migraine that was strong enough that she could not see; flashing lights; blocked vision/migraine was strong enough that she could not see; This is a spontaneous report from a contactable consumer reported for herself. A 87-years-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL1284), via an unspecified route of administration on left arm on 18Jan2021 at SINGLE DOSE for covid-19 immunisation. The patient medical history was not reported. Concomitant medication reported as unspecified (Caller states that she does take a few medications but nothing has changed with those in years, so she does not think anything else is relevant). Historical vaccine include flu shot and does have reactions. Caller stated she received Pfizer COVID shot first dose and within an hour she had migraine without the headache but did have the vision blocked out. It resolved after some time. she wanted to know the ingredient of the vaccine to see if she should take the second dose. Caller states that she had her first Pfizer COVID Shot on 18Jan2021. Caller states that she didn't have any of the ordinary reactions, both the caller and her husband had the shot and neither of them got a sore arm or swelling at the site. Caller states that after they stayed for a half an hour, and when they were driving back to, the caller started to get a migraine aura. Caller states that she has had them before, but not often, and she has not had one for about 10 years. So caller states that her aura started while they were driving, and then the caller's husband dropped the caller off at the grocery store. After being dropped off, caller states that her migraine came on strong. Caller states that her migraine was strong enough that she could not see, she was experiencing flashing lights, and blocked vision. Caller finally turned to another customer to ask if he could see the cucumbers in front of them. Caller states that she waited outside for her husband to get her. Caller states that migraine probably lasted for about 45 minutes. Caller is wondering if this could have been from the shot or not. Caller states that she does have reactions to flu shots sometimes, but not like this. Outcome of the events was recovered on 18Jan2021.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1019110	2/10/2021	MA	33	F	1/9/2021	1/1/2021	<p>Tongue tingling; Tachycardia/heart racing; HR was around 105-110 and bounding for about 1 minute; Nausea; This is a spontaneous report from a contactable other HCP (healthcare professional) who responded to an HCP letter that was sent. A 33-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; solution for injection; Lot #: EK9231) intramuscularly on 09Jan2021 at 14:00 (at the age of 33-years-old) as a single dose in the right arm for COVID-19 immunization. Medical history was reported as none. Concomitant medications included drospirenone/ethinylestradiol (OCELLA) taken as an oral contraceptive (OCP) from 04Jan2021 to an unspecified date and cetirizine hydrochloride (ZYRTEC ALLERGY) taken as a premedication for 3 days prior to 2nd dose. The patient previously received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; solution for injection; Lot #: EK5730) intramuscularly on 19Dec2020 at 13:00 (at the age of 33-years-old) in the left arm and experienced tingling of left arm, paresthesia of tongue, heart racing, feeling of lump in my throat and anaphylactic reaction. The patient previously received Bactrim on an unspecified date and experienced allergy. Prior vaccinations within 4 weeks were reported as not applicable and it was reported that the patient had not received any other vaccines around the time of the COVID-19 vaccine. The patient experienced "tongue tingling" on 09Jan2021, "tachycardia/heart racing", "HR (heart rate) was around 105-110) and bounding for about 1 minute" and "nausea" in Jan2021. It was reported that "I was re-dosed with the vaccine dose on 19Jan2021 (as reported) at 2pm. I took Zyrtec (Cetirizine) for 3 days prior. About 5 minutes after the vaccine was administered, I had tongue tingling that lasted approximately 5 minutes, I took 25mg of Benadryl and the tingling did not reoccur." It was also reported that "nausea occurred immediately after vaccine administration". The patient stated that her "heart was racing approximately 6-7 minutes after and lasted about 1 minute". It was reported that none of the events were considered serious due to being life-threatening or due to persistent or significant disability/incapacity. The adverse events did not require a visit to the emergency room or physician office and did not require medical intervention. The patient was not hospitalized due to the events. The</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

patient was not admitted to an intensive care unit. It was reported that the patient did not have any bilateral wheeze/bronchospasm, stridor, upper airway swelling, respiratory distress, tachypnea, increased use of accessory respiratory muscles, recession, cyanosis, grunting, dry cough, hoarse voice, difficulty breathing, sensation of throat closure, sneezing, rhinorrhea, measured hypotension, shock, capillary refill time greater than 3 seconds, reduced central pulse volume, decreased level of consciousness, loss of consciousness, generalized urticaria, generalized erythema, angioedema, generalized pruritus with skin or without skin rash, localized injection site urticaria, red and itchy eyes, diarrhea, abdominal pain or vomiting. Relevant tests were reported as not applicable. It was also reported that a culture was not performed. The clinical outcomes of the events "tongue tingling", "tachycardia/heart racing", "HR (heart rate) was around 105-110) and bounding for about 1 minute" and "nausea" were all recovered/resolved on unspecified dates. The reporter considered that there was a reasonable possibility that the events were related to BNT162B2.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1018989	2/10/2021	FL	67	F	1/18/2021	1/18/2021	Got a bumpy itchy rash on both legs which is still present; sweating; arm began to hurt then throb and go numb a bit; arm began to hurt then throb and go numb a bit; The patient was cold; clammy; the first blood pressure was 90 over something/second blood pressure was 70 over 40 something; diarrhea; tired; This is a spontaneous report from a contactable consumer (patient). A 67-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number: 3247), via an unspecified route of administration in the left arm on 18Jan2021 10:00 at a single dose for COVID-19 immunization. The patient's medical history was none. There were no concomitant medications. The patient was not pregnant at the time of vaccination. The patient was not diagnosed with COVID-19 prior to vaccination and had not been tested for COVID-19 since the vaccination. On 18Jan2021 10:10, the patient's arm began to hurt then throb and go numb a bit. On 18Jan2021 10:15, the patient started sweating. She stood up to try and feel better. The patient's husband called the nurse over and they called the paramedics because they said the patient was cold, clammy, and still sweating. The patient sat down again and they put leads on me to check her heart rate, blood pressure (BP), and oxygen on 18Jan2021. Her heart rate and oxygen were fine but the first BP was 90 over something. A few minutes later, she closed her eyes and could have fallen asleep right there. Her second BP was 70 over 40 something. She opened up her eyes and tried to stand up again. After a few more minutes, her BP came up and was OK. They refused an ambulance and went home. She had diarrhea at home on 18Jan2021. She ate, walked and felt better. She just experienced the normal tired and hurt arm in the afternoon on 18Jan2021. She rested the balance of the day. On Wednesday (20Jan2021), she got a bumpy itchy rash on both legs which is still present but with cream, it was OK. No treatment was received for the adverse events. Outcome of the "the first blood pressure was 90 over something/second blood pressure was 70 over 40 something" was recovered on 18Jan2021 and of the remaining events was recovered on Jan2021.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1018956	2/10/2021	HI	35	F	2/9/2021	2/9/2021	Patient complained of pressure behind left eye, small headache. Rates pain 3/10 on 0-10 pain scale. Gradual onset. Patient reports she is not in much discomfort. Intends to continue with her errands after she is released. Monitored, discussed seeking additional medical assistance if headache did not subside or got worse. Patient expressed understanding. Released from post-vaccination area at 12:45pm
1018953	2/10/2021	HI	22	F	2/9/2021	2/9/2021	Approximately 3-5 minutes after vaccination, patient reports walked towards post-vaccination area and vision began closing in to where she could not see. According to post vaccination staff witness, patient appeared to walk into traffic cone and then stumbled and fell to knees on asphalt. Staff assisted patient to lying position. Patient did not hit head. Patient alert and oriented x3, and remained so for the duration. BP taken at scene at 1326 (124/80 HR 90 R 18); 1329 (120/78 HR 78 R 18); 1335-standing (120/82 HR 80 R 18); 1346 sitting(122/72 HR 80 R 18). Allowed patient to lie down until she reported feeling better. Vital signs also taken in sitting and standing position--all stable, reports no dizziness.
1018878	2/10/2021			F	1/22/2021		Headache; Started to effect vision; Blood pressure; Nauseous; This is a spontaneous report from a Pfizer-sponsored program, from a contactable consumer. A female patient of an unspecified age received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 22Jan2021 at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient received COVID vaccine Friday morning. Had headache and it started to effect vision. Took tylenol yesterday to help with the headache and it went away until about an hour ago, headache came back. Wondering if it was due to blood pressure or vaccine and what she should do. Was also feeling nauseous. The patient underwent lab tests and procedures which included blood pressure measurement: unknown results on an unspecified date. Therapeutic measures were taken as a result of headache. The outcome of the event headache was not recovered while of the other events was unknown. Information about Lot/batch no has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1018863	2/10/2021	NC	87	F	1/6/2021	1/23/2021	COVID; COVID; This is a spontaneous report from a contactable consumer. An 87-year-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 06Jan2021 maybe about 11:30am at single dose for COVID-19 immunization. Medical history included ongoing lung disorder started maybe 10 years ago or more, ongoing eye disorder onset may have been about 1 year ago, Carpel tunnel surgery on Jan2021 which was done on both wrists, ongoing weight decreased about 2 years ago, patient had cancer and has had some problems; they were going to the health clinics at the time and she had a horrible cough; she thinks, but does not know, if they did a bronchoscopy; but she saw some doctors and a cancer specialist. The patient had unknown concomitant medications for Thyroid. The patient was diagnosed with COVID 23Jan2021 and hospitalized in response which is ongoing. She is scheduled to get the second dose of Pfizer COVID-19 Vaccine on 27Jan2021. The patient body temperature is usually about 97.5 or 97.6 degrees Fahrenheit; but on Saturday: 23Jan2021 her temperature was 101.5 degrees Fahrenheit. Patient had her son take her to the hospital where they did the COVID test and it was positive for COVID; so she was admitted to the hospital for this on 23Jan2021. She is hospitalized at the same hospital where she was administered the first dose of Pfizer COVID-19 Vaccine and the hospital staff were shocked that she had gotten one of their Pfizer COVID-19 Vaccines. The patient was at the hairdresser's on 22Jan2021 who said the patient did not look good then; that she really looked sick; but apparently the patient did not have any symptoms 22Jan2021. It was not until unknown time on 23Jan2021 that her temperature went up; patient feels like her reaction is to the fever; where she just wants to sleep all the time. Patient probably does not have any energy. Caller does not hear her coughing when she talks to the patient. Caller clarified that to her awareness the patient's potential exposure to COVID positive persons would have been through the grocery store; or the health plex gym where caller and the patient go together but the patient said the health plex gym machines are spaced out well and there are no known exposures to COVID positive persons. Outcome of events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1018745	2/10/2021			F	1/20/2021	1/1/2021	dizzy; achy; her eyes began to ache; she felt feverish but she did not have a fever; she just felt lousy; This is a spontaneous report from a contactable consumer (patient). A 91-year-old female patient received first single dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, lot number and exp date not reported), via an unspecified route of administration on 20Jan2021 11:00 for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient felt fine right after receiving it at approximately 11:00 am. On 21Jan2021, the next day around 11:30 am, she began to feel dizzy and achy and her eyes began to ache. On an unspecified date in Jan2021, she felt feverish, but she did not have a fever and she just felt lousy. The patient states on an unspecified date (Friday) she felt better but still a little dizzy and achy. Patient was instructed to call the number listed on the FactSheet to report her experience. She would like to know if her symptoms were normal and would like to know what she should do about her symptoms. She asked if she should receive the second dose of the vaccine. She was scheduled to receive second dose on 10Feb2021. She just wanted to call so that her symptoms can go on record for what people are experiencing after receiving the Pfizer COVID vaccine. Caller states the fact that everyone gets the same dosage no matter their size was amazing to her. She had been bragging to her neighbors and others how the first dose of the vaccine was a piece a cake and then she started to experience side effects 24 hours after receiving the vaccine. The outcome of events was unknown. Information on the lot/ batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1019031	2/10/2021	TX	68	F	1/25/2021	1/25/2021	Pin prickly feeling in different areas of her body; Headache; Funny feeling on the top of her head and down her forehead and around her right eye, like a numbing sensation; Stinging feeling in sinus cavity; This is a spontaneous report from contactable consumer (patient) A 68-years-old female received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection) from lot#292673 on left deltoid (reported as left shoulder) on 25Jan2021 11:21 at SINGLE DOSE for covid-19 immunisation . Medical history included diabetes from 11Sep2001 and ongoing , ongoing cardiac pacemaker insertion Put in about 7 years ago , ongoing blood cholesterol increased Diagnosed about 24 years ago , ongoing blood triglycerides increased. She is allergic to statins. Concomitant medication included alirocumab (PRALUENT) 1 mL at 1ml injection every 14 days for High cholesterol (Injection on side or top of her leg. She has been taking for about 4 year).The patient experienced headache on 25Jan2021 with outcome of recovered , funny feeling on the top of her head and down her forehead and around her right eye, like a numbing sensation on 25Jan2021 with outcome of unknown , stinging feeling in sinus cavity on 25Jan2021 with outcome of recovered , pin prickly feeling in different areas of her body on an unspecified date with outcome of unknown. Clincial course reported as follows:She got the first dose of the vaccine today and while she was sitting in the observation area, she started getting a headache. It was close to noon and she just blew the headache off since she was a diabetic. She started getting a funny feeling on the top of her head and down her forehead and around her right eye, like a numbing sensation. When the feeling hit her sinus cavity, it was like a stinging. She started drinking water and she had lunch. Within an hour it started getting better and within 3 hours it was a lot better. She has a pin prickly feeling in different areas of her body but did not have the numbness sensation. She tried to report this online. She only had one virtual visit with her doctor. Treatment: declines any, she was drinking plenty of water to try and flush some it out of her system.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1020909	2/10/2021	MI	37	F	2/8/2021	2/8/2021	Within a few minutes had hives, itching, some swelling in lips and eyes. For 48 hours afterwards had low grade temp (100.1), diarrhea, chills, body aches, exhaustion.
1020755	2/10/2021	IL	37	F	2/5/2021	2/5/2021	Subjective complaints of intense frontal headache with visual changes approximately 10 minutes following her second COVID vaccination. Initial BP was 192/127 HR 96. We continued to monitor her and due excessively high BP's she was transported to ER via ambulance. PO benadryl 50 mg was given.
1021019	2/10/2021	IN	46	F	2/8/2021	2/10/2021	Swollen under eyes in the same area as fillers.
1021000	2/10/2021	IN	60	M	1/6/2021	1/6/2021	2nd dose EL8982. About 6 hours after 1st vaccine had visual disturbances in left eye, got a little better after a week or so, but still has a floater in left eye, had 2nd dose and after 72 hours had to leave work (never left work before) to get emergency eye exam - thought I was going blind - diagnosed with "Posterior Vitreous Detachment". Now I still have a BIG thing in field of vision making it hard to see and "thousands" of tiny black floaters. Hard to see out of right eye.
1020999	2/10/2021	OH	36	M	2/9/2021	2/10/2021	Swollen face and puffy, red eyes. Could not breath out of nose and felt a lot of sinus pressure. Took Mucinex, benedryl and used Afrin around 12p. Nasal passages opened and could breath out of nose, but facial swelling continues and nasal passages starting to get blocked again (6p).
1020996	2/10/2021		23	F	2/9/2021	2/9/2021	2/9 at 4:00pm: moderate headache and ear pressure, arthralgia and myalgia from hips to ankles, moderate chills, moderate injection site pain 2/10 at 8:45am: vasovagal syncope episode, consciousness retained but lost vision and balance; needed fluids and to lay down for about 15 minutes Initial symptoms from 2/9 are still presiding except for the injection site pain (it's now 2/10 at 6:30pm)
1020977	2/10/2021	PA	65	F	2/8/2021	2/10/2021	Right side of face numb from center of mouth to top of cheek near eye. Pins and needles when touched. No drooping or loss of function. Evaluated by PCP. Advised most likely from vaccine. Improveing by end of day. Advised to contact PCP if full recovery is not achieved .

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1021036	2/10/2021	IN	62	F	2/3/2021	2/3/2021	Chills, fever 101 for greater than 36 hours, then low grade for 24. Eyes burned, unable to have open, headache for 36-48 hours. Localized reaction. Arm with hard knot at site, baseball size, diffuse redness from upper arm to elbow and around to underarm and axilla area. Started on oral antibiotics on day 7 for cellulitis to arm
1020922	2/10/2021	AL	53	F	2/9/2021	2/9/2021	Mild nausea, chills began 12 hours after injection, fever 99.9 F, unable to sleep aching joints and fatigue. Next day about 24hrs stuffy nose dry mouth dry eyes and headache continued aching joints and fatigue. Unable to go to work
1021046	2/10/2021	MI	51	F	2/10/2021	2/10/2021	itching all over - eyes, arms, legs
1020902	2/10/2021	NM	64	M	2/9/2021	2/9/2021	Extreme joint pain/achiness over entire body; extreme fatigue; fever that ran from low grade up to 101.5; cloudy peripheral vision (cloudy vision only lasted about 30 minutes). Fever does respond some to ibuprofen, but ibuprofen does not help joint pain or achiness.
1020866	2/10/2021	CO	73	F	2/2/2021	2/6/2021	Pfizer-BioNTech COVID-19 Vaccine EUA: four days after vaccination patient presented to emergency department with neck and facial rash and some shortness of breath. Patient reports taking loratadine, diphenhydramine (oral), hydrocortisone (topical), and famotidine at home. Patient denies nausea, vomiting, chest pain, fevers, chills, and abdominal pain. Initial vital signs within normal ranges except blood pressure 134/83 mmHg. Physical exam shows a raised erythematous rash on face and neck and erythematous rash on left forearm and elbow consistent with irritant dermatitis. No eye or mucous membrane involvement. No stridor, wheezing, rhonchi, rales, or respiratory distress noted. Patient observed and prescribed topical and oral steroids and discharged to home. On telephone follow-up two days after emergency department visit patient reports symptom improvement.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1020865	2/10/2021	IN	68	F	2/8/2021	2/8/2021	About 4-5 hours after the injection my arm was slightly sore to the touch. Later on that evening it started to swell and get hard and hot to the touch. The next day around 4 o'clock I started getting very cold had the chills, my whole body ached, and I was so sleepy I could hardly keep my eyes open. I took my temperature a couple of hours later and it was 101.7, my normal is 97. I took four Advil, and within a couple of hours my temperature started going down. Then within a couple more hours the chills stopped the coldness stopped and the aching stopped I took my temperature again and it went down to 100.6. When I got up the next morning my temperature was back down to normal and everything felt fine. My injection site has gone down in size and is starting to itch. It's not as hard and not as hot as it was
1020821	2/10/2021	IN	68	F	2/5/2021	2/5/2021	Moderna covid-19 Vaccine Extreme joint pain, chills, headache, stiff neck, dizziness, fatigue, eye pain. Treated with tylenol and tramadol. Symptoms very bad for 24 hours, then slowly disputed. These Flu like symptoms started about 6 hours after injection and lasted about 24 hours.
1020784	2/10/2021	UT	89	F	1/21/2021	1/23/2021	Paralysis swelling. Seizure, lost eye sight, partial speech ! And is bed riding and loss of balance

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1020772	2/10/2021	VA	41	F	1/1/2021	1/31/2021	This 41 yo female received her first Pfizer COVID vaccine (Lot EL1284) on 1/7/2021. She reports being in good health, had no illness exposures (does work in hospital with children), and had no recent travel. She reports following her Covid vaccination, she had a sore arm at vaccine site for 4-5 days with no other issues. On 1/31 (day24) while putting on lipstick to take a selfie to send to her friend she noticed the right side of her lower face (lip area) felt "weird"- tingled and the corner of her mouth would not smile symmetrically with left. Her friend commented something was off with this picture. The next day this droop worsened with loss of facial lines/wrinkles on right (nasolabial fold), had tingling/numbness to lips and corner of mouth and inability to smile on right. This prompted her husband to bring her to the ER on 2/1/2021. She denied any fever, headache, weakness to arms/legs, no SOB/CP, dysphagia or speech issues or trauma. ER providers exam noted normal CN evaluation but documented mild right sided decrease in nasolabial fold vs left and loss of taste to anterior right tongue. She had no involvement of eye or forehead. She was diagnosed with early Bell's Palsy and treated with oral steroids and anti-virals. AS of 2/10/2021 with use of medications, she advised her facial weakness/droop had resolved but still has tingling. Her smile is symmetrical at this time. No c/o on loss of taste. Has diagnosis of Bell's Palsy. IHD case 9967.
1020967	2/10/2021	AR	44	F	2/9/2021	2/9/2021	I received the second dose of my vaccine yesterday morning. I waited 15 minutes and then left to go home. It took me 25 minutes to get home. As soon as I walked in the door, I noticed itching all over my body. I looked in the mirror and noticed a red rash with some hives, that covered my throat and chest area. My eyes were itching as well. I have had severe anaphylactic reactions in the past that required several hours in the emergency room, so I knew to take an antihistamine right away. The rash took at least a couple of hours to fade away; however, the itching of the eyes and body lasted until this morning. I did experience some occasional wheezing until 3 or 4 this morning. I am okay now.
1021189	2/10/2021	FL	61	M	2/8/2021	2/9/2021	headache radiating to teeth with eyes bulging and blurred vision. muscle aches radiating from shoulder down to the back. Aferbile with chills



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1018512	2/10/2021	NY	81	F	1/20/2021	1/22/2021	allergy like symptoms; Excessive sneezing; Eyes itching; Throat not closing up; This is a spontaneous report from a contactable consumer (patient). An 81-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number unknown), via an unspecified route of administration in the left arm on 20Jan2021 23:30 at a single dose for COVID-19 immunization. The patient's medical history included hypertension and seasonal allergy. The patient was not pregnant at the time of vaccination. The patient was not diagnosed with COVID-19 prior to vaccination and had not been tested for COVID-19 since the vaccination. Concomitant medications were not reported. It's winter and patient have self-isolated for 2 1/2 months. On22Jan2021, the patient experienced allergy like symptoms such as excessive sneezing, eyes itching, and throat not closing up. Throat not closing up and sneezing lessened with nasal spray. The patient did not receive treatment for the rest of the events. She didn't checked her temperature. Outcome of the events was not recovered. Information about lot/batch number has been requested.
1022327	2/10/2021	WI	85	F	1/14/2021	2/1/2021	2/1/21 2:30pm Pt c/o tongue numb, difficulty speaking. Noted facial drooping & reddened watery Lt eye. Emergency room diagnosed Pt with shingles/Bells Palsy.
1022315	2/10/2021	AK	44	F	2/9/2021	2/9/2021	Severe VomitiNg, dizzy (unable to stand or have eyes open due to room spinning) Pain in abdomeine

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1021614	2/10/2021	CA	34	F	2/10/2021	2/10/2021	February 10, associate goes to the clinic with her appointment for 7:06 AM. She completely bypassed the registration door where they could've verified her immunization card and her time frame on when to get the vaccine and went straight to the conference room. Individual, who oversaw documenting the vaccination, was currently helping a person before her since they were anxious regarding the second shot. After she was assisted, they went on with patient. They verified her birthday, allergies, side effects from the first dose and verified that she answered all the questionnaire but missed the part where it said Moderna on the first dose and was sited down to get vaccinated. Her immunization card it didn't say Moderna either and only had the lot number with the date administered written down. The student that oversaw her vaccination was the College ADN. (She was new to our clinic and was usually in the Moderna Clinic) and was under the supervision of RN for that room. She did go through her 7 rights and in the end, she told associate that she is giving her the Pfizer vaccine 0.3 ml and then administered it. After administration, associate then told them that she had Moderna first dose and thus this situation was sent back to EH Manager. The associate was placed in observation for 30 minutes and no reactions were seen and the associate was able to go home but her contact info was taken. Upon investigation, patient told us that she knew it was a Pfizer Clinic since it said Pfizer on the registration and the EUA form is also for Pfizer but since she placed Moderna for her first dose she still came and thought that we would know that she is Moderna. Patient information was taken down and then reported to the Director.
1021313	2/10/2021		23	F	1/20/2021	1/21/2021	eye pressure/pain/floaters beginning day after second vaccine dose and lasted for three days. Lymph node in under arm of injection arm swelling starting day after second vaccine those on January 20 and still swollen and tender on February 10
1021279	2/10/2021	CA	53	F	2/4/2021	2/5/2021	low temperature (97) , pain and swelling of facial skin, eyes and sinuses, body aches and fatigue.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1021032	2/10/2021	AL	32	F	2/10/2021	2/10/2021	/Pt reports, a numb tingling sensation, became diaphoretic, described blurry vision. BP 80/40, pt laid down with feet propped up, EMS activated. Pt allowed to rest, regained color and states she feels better. 16:25, patient refused transport to ER via EMS, 16:45 Patient ambulated out of the clinic with out assistance with husband.
1021201	2/10/2021	CA	25	F	2/5/2021	2/5/2021	Within 15 minutes my vision began to blur, I became shaky and disoriented. My heart rate increased and it felt as though my blood pressure decreased rapidly. After 30 minutes my symptoms had worsened and I was so disoriented I was not able to seek medical attention while being observed. I exited the building and once I got into my car my face (specifically under my eyes and on my cheeks) began swelling and a red burning rash appeared. By the time I got home (10 more minutes) I needed Benadryl immediately, I was not able to complete my sentences and all other symptoms had become more intense. I continued to take Benadryl every 4 hours for the next few days due to the symptoms consistently rebounding. I had one episode of throat tightness but it passed without use of my epipen. I checked my pulse and blood pressure frequently with the lowest reading being 93/60. Lethargy, shakiness, confusion, high heart rate all are still present after 5 days. The rash went away after 48 hours.
1022459	2/10/2021	WA	70	F	2/8/2021	2/9/2021	Pt had a Covid shot on 02-08-2021. She went home and the next Morning she got out of bed and ended up passing out and hitting her head on a coat rack. she came into the Dr on 02-09-2021. She has a Left frontal 1cm Laceration, abrasion at right scalp, bridge of Nose with a shallow 4mm laceration . Black eye on the right side
1021167	2/10/2021	KY	37	F	1/4/2021	1/11/2021	Pain in left eye diagnosed as optic neuritis
1021143	2/10/2021	PA	45	F	2/8/2021	2/9/2021	2/9/21 @1500 started with shivers, chills, @ 7:30 eye twitching and complete body aches and severe joint pains. ( fingers, wrist hips and ankles) 2/10 blisters found on tongue in the AM, severe muscle pain and joint pain still present . Very exhausted.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1021138	2/10/2021	NY	37	F	2/6/2021	2/7/2021	Woke up at 1:00 am in a sweat, sore and achy. Had a headache that got worse as the day went on. This headache turned into a migraine. I was so sore I couldn't get out of bed. It got worse throughout the day. I had a fever and chills. At 48 hours my head was still in a fog, eyes wouldn't focus, dizzy and hurt especially when I coughed or sneezed. Arm, armpit were swollen and sore. At 60 hours my head was better but still sore. I was told not to take medication and the ?ride it out.?
1021122	2/10/2021	NH	67	F	1/22/2021	1/29/2021	Acute flare of uveitis R eye. Ocular pain, redness, photophobia
1021079	2/10/2021	NM	40	F	2/9/2021	2/10/2021	Patient noticed mild swelling to upper lip around 0630 am. Several hours later, the patient developed swelling to left upper eyelid and left cheek/jaw. She reports slight irritation to her throat, with no evidence of tongue or throat swelling. Denies cough, difficulties breathing, or shortness of breath. Also having nasal congestion/runny nose, which has been intermittent for the past week. The facial swelling had already improved upon my evaluation of the patient. She did not take any medications for the symptoms prior to her arrival. She was given a prescription for Zyrtec 10 mg daily and Pepcid 20 mg BID x 10-14 days with strict return precautions for any signs of worsening.
1021074	2/10/2021	NY	33	F	1/18/2021	1/25/2021	On Sunday, January 24th, I woke in the morning (6 days after vaccination) with a 3x2 flat red ring around injection site. The following morning, Monday, January 25th I woke with extreme red inflammation of my left eye. An ophthalmologist diagnosed the condition as nodular scleritis. My infectious disease doctor reported a component in the Moderna vaccine to have molecular mimicry to shellfish, to which I am extremely allergic. The nodular scleritis was treated with a course of Prednisone at 40mg tapered over 10 days, which lessened the redness and swelling gradually. My infectious disease doctor advised that I should not receive the second dose of Moderna.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1021227	2/10/2021	DC	37	F	2/8/2021	2/9/2021	I suddenly had blurry vision with dots and squiggles in front of my eyes to the point I couldn't even see. It then turned into a raging headache. I went to bed, where I had terrible, restless sleep. I woke up feeling as if I was awake all night and very woozy and weak. It went away by early afternoon the following day, so a total of about 20 hours.
1020180	2/10/2021	GA	69	F	1/22/2021	2/5/2021	I am not sure if this is related to vaccine or not. On Feb 5 one side of my face was drawn up for about a minute, like a muscle spasm. Since that time that side of my face twitches when I smile. It is on my right side between my lip and my eye.
1020393	2/10/2021	CO	81	M	2/8/2021	2/9/2021	Both eyes red day after injection. Second day, L eye very red and R eye slightly red.
1020384	2/10/2021	NY	74	F	2/8/2021	2/8/2021	Had the vaccine at approximately 2:45 pm. At about 10 pm that night I got hives on my face and my left eye was itchy. The next day I called my doctor and I took Benadryl. As of today 2/10/21 it is clearing up
1020377	2/10/2021	CA	38	F	2/5/2021	2/5/2021	This was the patients second dose of Moderna, she informed our staff there was an allergic reaction the first time stating her PMD instructed her to take Benadryl prior and hold her BP meds. She was given Benadryl 25mg in site and received the vaccine a few minutes after. She then was watched out in observation where she began to shiver, became clammy and would respond but eyes closed and would not open them. Vitals were taken BP 189/147, HR 87, O2 97 room air. Oxygen was applied for comfort, she stated her throat was not closing up like it did with first dose. Staff from her company then decided to call 911 where LAFD took over, she was then released home as she refused any care from them.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1020341	2/10/2021		39	F	1/13/2021	1/13/2021	Migraine headache within 3 hours of vaccine. This was the exact same headache I had described a couple days after my first COVID-19 vaccine on 12/24/20. The pain started in the base of my skull, and radiated up around the outside and back of my head and in the front by my eyes. This lasted about 6 hours this time. I used iced, heat, and Excedrin Migraine. That did help this time. I also had hot flashes for about a week afterwards. My face, ears, chest and palms of my hands turned bright red off and on during the day. I took some Benadryl and that seemed to help.
1020320	2/10/2021	IA	48	M	1/5/2021	1/6/2021	After the first vaccine next day at 9:00am I have shooting headache,severe pounding in my ear. I told my wife (physician) what happened she recommended me to go toER. I went to ER they thought I had a stroke,CT scan diagnosed with subarachnoid bleeding. I was transferred to another hospital 1 day had another CT scan, MRI Scan and was seen by a Neurosurgeon. I was told I have a revolving bleeding in my brain, loss sensation right side and double vision. I'm scheduled for Cerebral Angiogram in Feb.
1020303	2/10/2021	PA	74	F	2/9/2021	2/9/2021	Patient stated that they had red, puffy eyes that were swollen shut this morning at 6:30 AM. They stated that they also had lumps under their eyes. They stated that their face is itchy, red and swollen. They stated that their symptoms had started last night.
1020424	2/10/2021	OH	27	F	2/7/2021	2/7/2021	Sunday (day of vaccination) - Inflammatory reaction in the form of TMD/TMJ flare up about 1.5 hours after shot. Sore arm about 5-6 hours after shot. I have not had issues with TMD/TMJ for over a year until receiving the shot. Monday - Worsening TMD/TMJ pain, headache, fatigue, sore arm Tuesday - Chills, body aches, TMD/TMJ pain, headache, vision issues (from headache?), sore arm Wednesday - Chills and body aches went away, but still experiencing lower back pain, TMD/TMJ pain, sore arm

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1020227	2/10/2021	NM	96	M	2/5/2021	2/7/2021	This is the patient who passed away 2d after his second COVID vaccine. Of note, the 2/8 telephone note makes it sound like he was hospitalized at time of death - that is incorrect. His daughter listed as EM contact works in the eye clinic here. He had mild illness, completed 10d isolation but missed his scheduled booster dose on 2/2 due to isolation. He was called on 2/5 when there was a booster visit cancellation and received his booster dose on that day. His daughter reported that he was doing fine and looking well on 2/7 AM, ate breakfast, shortly after stood up and just collapsed.
1020283	2/10/2021	UT	32	F	2/4/2021	2/4/2021	chills (developed in the evening, appx 9pm); unexpected amount of swelling at injection site (swelling almost covered entire area from shoulder to elbow on the outside of the arm, lasted appx 24 hrs); fevered skin at injection site (appx 24 hrs starting at 9pm); severe headache (appx 24 hrs starting at 9pm); nausea (appx 12 hrs starting at 9pm) and vomiting (3am-4am); diarrhea (appx 24 hrs starting at 9pm); night sweats (1am-10am, weakness (appx 24 hrs starting at 9pm); fatigue (appx 24 hrs starting at 9pm); allergy-type symptoms: itchy, watery eyes, sinus congestion and pressure, sore throat (appx 12 hrs starting 2/5 at 10am)
1020118	2/10/2021	TX	44	F	2/2/2021	2/3/2021	Swollen eyelids, rhinitis, itchy, crusty eyes and eye discharge, mild body aches, headache

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1020062	2/10/2021	IN	21	F	2/8/2021	2/9/2021	My first dose of the vaccine was on 1/14/2021. I had a mild headache and experienced dizziness and nausea the night of receiving the vaccine. My second dose of the vaccine was 2/8/2021. I felt tired the night of receiving the vaccine and went to bed a 8pm. I woke up at 6:10am on the 9th with a severe migraine, severe nausea and dizziness. I ate a small amount and laid back down. I got out of bed at 9am and noticed both of my eyes and face were swollen and my throat was swollen. At this point I called my doctor and spoke to a nurse on the phone, she was short saying I needed to go to ER. Personally, I did not feel it was necessary at the time so I took a Benadryl and Ibuprofen. Throughout the day I continually got worse experiencing the same symptoms as the morning including sharp chest pain, restricted breathing, a low grade fever of 100.4, severe lower back pain and leg numbness. I took more ibuprofen and placed heat on my back. I took ibuprofen PM and woke up the morning of the 10th feeling better. Still have headache, lower back pain and swelling but is better than yesterday. I will notify my doctor today of the event that occurred yesterday (2/9/2021).
1020048	2/10/2021	KY	43	F	2/10/2021	2/10/2021	Patient c/o eyes feeling blurry, fuzzy
1020024	2/10/2021	MA	40	F	2/9/2021	2/9/2021	blurry vision, kaleidoscope vision accompanied by a headache - entire body soreness, soreness at injection site



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1020733	2/10/2021		80	F	1/27/2021	1/28/2021	The night after receiving dose 1 of the vaccine, she didn't want to eat dinner, was starting to spit up saliva, and noted a new headache, and asked her daughter to sleep with her that night considering she was feeling poorly. She was restless all night, and then at ~5am her L arm began to twitch; she was still alert at this time but didn't realize her arm was moving. Shortly after this she lost consciousness, her eyes rolled back in her head, and she developed a frank GTC seizure. Her daughter called an ambulance, and by the time she was on the way to the hospital, she was awake and alert again. At the hospital, she was initially talking and able to answer most questions appropriately. She was noted to be afebrile, hemodynamically stable, without an O2 requirement, though with tachycardia to the 110s. She was found to have a leukocytosis to ~16, thrombocytosis to ~550, and LDH elevated in the 600s. Over the following day, her mental status declined and she became agitated and disoriented to place/time. CT chest revealed b/l multifocal pneumonia, for which she was started on pip-tazo. She underwent MRI brain (DWI sequence only) which did not reveal any obvious CVA. LP was performed on 1/29 at ~10PM; as far as we can tell, she had only received pip-tazo for antibiotics at this point. CSF studies revealed 220 WBCs (14% PMNs, 76% lymphs, 10% monos), 14 RBCs, Glu 59, Prot 145; GS 2+ WBCs, no orgs; india ink stain negative; Cx pending at time of transfer. Given concern for bacterial or viral meningoencephalitis she was transitioned to vancomycin/ceftriaxone/acyclovir. Patient was then transferred to another Hospital for further management. Micro was all negative or pending at the time of transfer. Shortly after admission to hospital she was intubated. Spine MRI was notable for longitudinally extensive transverse myelitis. All infectious workup has been negative with just two more pending studies for tuberculosis; autoantibody panel pending. She is now able to follow commands with eyes and mouth, but has not been able to move her arms or legs. We do not have high suspicion that this syndrome is related to the vaccine, given that progressive neurological symptoms started the week before vaccine, but thought it prudent to report given the time course.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1020005	2/10/2021	AZ	65	F	2/6/2021	2/8/2021	Shot given 10:19pm on 2/6/21. Noticed rash on 2/8/21 11:55am. Rash was bilateral on face along madibles from TMJ to about 1" from lips and was 2" superior from jaw line towards the eyes. Rash was very red over skin area with multiple darker spots and by 2/7/21 those spots appeared open though no blisters or pustules were seen. Rash had burning sensation which was relieved by Vaseline. Once doctor was seen (PA), Tacrolimus ointment was prescribed BID. Rash no longer burns 2/9/21 pm and it appears to be resolving. Spots are still evident but erythemic area is gone.
1020295	2/10/2021	MI	52	F	2/1/2021	2/4/2021	On February 4, 2021, patient woke up at 3 a:m, left eye kept opening and closing, vision was blurry, and left side of face numb by lips and jaw. She took 2 Benadryl and took a nap Thursday afternoon. She went to the ED later and was told it may be Bells' Palsy but was referred to PCP. She is on 5 mg Prednisone but rheumatologist increased dose and put on 5 day regimen. She saw PCP and he told her she had Bell's Palsy and just to follow regiment prescribed by rheumatologist.
1020550	2/10/2021	MI	44	F	1/28/2021	2/10/2021	fever 103.5 with chills, pounding headache, insomnia at first transitioning into extreme fatigue. bp 129/93 heart rate 115. Headache with flush face and arms and legs super heavy feeling on Sunday. Tuesday night experienced facial and head swelling, started in the middle of my forehead gradually filling up my entire head and face. Wednesday my whole face/eyes and head swollen, with tightness on my chest. My primary care provider prescribed methylprednisolone tablets USP Dosepak 4mg. I did take Benadryl and tylenol Tuesday. I also applied ice packs to my head and face. Headache still comes and goes with brain fog. Slight swelling remains on my forehead and eyes.
1020721	2/10/2021	MD	50	F	2/3/2021	2/3/2021	Shooting Neck pain irradiates to my face, rash on my face more concentrated on my eyelids, severe whole body ache, profuse sweating, Dizziness
1020693	2/10/2021	MA	63	F	1/20/2021	1/20/2021	lightheaded, dizzy, glassy eyes

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1020208	2/10/2021	OR	78	F	2/2/2021	2/4/2021	Flashes of lights in my eyes, burning pain in my legs, my ankles were on fire. Totally fatigued, could hardly walk and had to walk with a cane and hold onto wall. Just plain pain all over, I felt nauseated but never threw up. I took anti-nausea pills and pain pills.
1020430	2/10/2021	NC	61	F	1/30/2021	1/30/2021	Headache began immediately after vaccine administration, B/P 180/118, Denies chest pain, SOB, pruritus, rash, blurred vision, recommended transport by EMS but patient declined
1020664	2/10/2021	KS	46	M	2/8/2021	2/9/2021	Per patient, woke up on the morning after the day following his vaccination (2/9/21) with chest pain, shortness of breath, and feeling light-headed. He tried to sit up, saw red dots, and "passed out" momentarily. He had severe headache upon awakening, ringing in ears, and blurry vision. Went back to bed and slept all day. Symptoms worsened every time he tried to get up. Woke up this AM, with symptoms persisting. Came in for OV, BP noted to be elevated at 150/106. Patient was sent to hospital via ambulance for further work-up and management.
1020633	2/10/2021	AZ	64	F	1/28/2021	1/31/2021	Severe headache and 24hrs later growing eye pain and noticeable redness in right eye (first time experience)
1020571	2/10/2021	KY	23	F	2/8/2021	2/8/2021	Moderna COVID-19 Vaccine EUA. Severe headache began around 6-7 hours after vaccination. I began to have chills shortly after. Approximately 13 hours after vaccination, I began to feel nauseous, dizzy, and shaky along with my earlier symptoms. I felt like I was going to faint with blurred vision and ringing in my ears even while lying down. I started sweating along with the chills. The dizziness and nausea subsided after approximately two hours. The headache lasted approximately 48 hours after the vaccination.
1020533	2/10/2021	TX	60	F	2/9/2021	2/10/2021	Body aches, very sore arm, feverish feeling, eye pain, mild headache, chills, restless legs, fatigue
1020527	2/10/2021	IN	63	M	2/8/2021	2/8/2021	Sore arm Headache Twitch in right eye

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1020477	2/10/2021	CA	67	M	1/15/2021	2/1/2021	These reactions started 15 days AFTER the 1st Moderna vaccination: Feb 1, 2021 Left eye swollen shut; within hours - right eye & face swell, hives form on neck, arms, trunk. By noon, jaw was tight. Went to ER, prescribed diphenhydramine 25 mg, famotidine 20 mg & prednisone 20 mg for 3 days. Feb 2, 2021, large welt like (some bigger than dollar-size coin) swelling on head & right arm. Ears swell Feb 3, return to ER, given liquid corticosteroid in higher dose said to last 52 hours. Feb 4 hands swell, heartburn feeling in chest, light headed, overall body weakness. Begin running temp (under-arm) (between 100.5-100.8) which lasts until afternoon the following day (Feb 5) Feb 6, feet swell, Feb 7, upper lip swells; visi
1020520	2/10/2021	OH	79	F	1/27/2021	2/1/2021	Client reports developing shingles after vaccination on right side of face and has right eye involvement. Client reports started with runny nose and watery eyes on 2-1-2021. Was recommended to get COVID-19 testing which was completed on 2-2-2021 and results returned negative. Client was given prescriptions for amoxicillin and prednisone dose pack on 2-2-2021 by COVID testing site practitioner. Client then developed nausea, vomiting and diarrhea after starting amoxicillin and stopped taking it. She spoke with her MD who placed her on another ATB, which she has not taken. On 2-4-2021, she went to the ER as recommended by her PCP for dehydration. The ER noted eye swelling and that she had increased eye pressure after running some tests. She saw her eye doctor on 2-5-2021 and is scheduled for an MRI and MRA on 2-11-2021 and will follow-up with eye doctor on 2-12-2021 as well.
1020433	2/10/2021	AL	65	F	2/9/2021	2/9/2021	eyeballs, eyelids swollen, then face swollen and blotched, then second layer of skin became scalding on fire hot but no temp. then whole face and ears swollen. then swelling and blotch moved down into neck and upper chest. had been having trouble breathing from beginning of symptoms was getting worse.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1020468	2/10/2021	NY	23	F	2/8/2021	2/9/2021	I am almost a licensed pharmacist so I am aware of what was going on with my body* I started with a sore arm and fatigue on the day of vaccination. The following morning I woke up and got dressed and used the restroom. I proceeded downstairs to make my coffee. As I was doing so I became dizzy and nauseous. I sat down on the floor and then I lost my vision and hearing. I broke out in a profuse sweat and had no concept of time. My boyfriend was with me and said it took 5-10 minutes before I began to normalize. I apparently had shallow breathing and turned pale white including my lips, I slowly regained awareness although I never fully lost consciousness. 911 was called and paramedics arrived. by this time I had begun to normalize with most of my vision returning. I ended up declining to see medical attention because I normalized and told the paramedics I would seek attention if it came back. * please note the physician listed is my PCP but I was not seen for this reaction.
1020509	2/10/2021	CO	37	F	2/9/2021	2/9/2021	severe bilateral eye pain, severe joint/muscle pain beginning about 6 hours post vaccine, orthostatic hypotension, +subjective fever
1020485	2/10/2021	ME	59	F	1/1/2021	2/5/2021	2/5 my head behind my left ear hurt, I looked fatigued to others, in the evening my tongue seemed swollen, On 2/6, my taste was off and left eye started running, my lips felt swollen. On 2/7 I woke up to not being able to close my left eye and lift my left lips. Immediately contacted my PPC who did an exam and determined it was Bell's Palsy. Was started on Predisone and antiviral medication immediately

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1020470	2/10/2021	WA	71	F	1/23/2021	1/23/2021	1/23/21 3 hours after injection: burning all over the body, low voltage electrical feeling throughout body, right eye lid drooping, insomnia, elevated tinnitus level. 1/24/21 Continued same symptoms plus itching, left arm sore and swollen 1/25/21 Continued symptoms listed above plus redness/flushing in cheeks. Lips feel swollen but do not appear swollen 1/27/21 Continued symptoms plus asthma like breathing, tightness in bronchioles and cough 1/28/21 Continued symptoms plus headache, fatigue 1/29-1/30/21 All symptoms continue 1/31/21 Asthma symptoms improving, cough intermittent. Continued burning, electrical feeling, itching, flushing in face, eye lid drooping. 2/1-2/10/21 Continued symptoms of burning, electrical, itching, eye lid drooping, occasional cough, elevated tinnitus levels.
1020618	2/10/2021	NJ	45	F	1/21/2021	1/21/2021	5:50p - during standby period I began to feel itching on my cheeks, scratchy throat and then my nose began getting congested. 6pm - my nose was completely congested and my entire face, throat and neck was itching. 6:10p - my eyes were itching and the itching continued across my entire chest and down my entire left arm. 6:15p - upon finding nurse that administered shot advised of having reaction. Eyelids were swelling by this time, shortness of breath and vision blurring. 6:35p - While nurse was assessing my vitals code called and ER team arrived to conference room. Upon assessment by ER team, symptoms escalated with reddening of mouth and throat and multiple extremely high BP readings(highest 181/101)

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1017092	2/9/2021	GA	78	F	1/9/2021	1/11/2021	little depressed; not feeling like herself; weak; tired; This is a spontaneous report from a contactable nurse (patient). A 78-year-old female patient received the second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL0140 and expiry date unknown), via an unspecified route of administration on 09Jan2021 at a single dose for COVID-19 immunization. The patient received the first dose on the left arm on 19Dec2020 10:30 (lot number: EL0140). Medical history included hypertension. There were no concomitant medications. Patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient had no side effects after the first vaccine except for a little tenderness which went away. On 11Jan2021, after receiving the second dose, she felt really tired but which went away. On 20Jan2021 (last Wednesday), she started to feel tired, weak, and not feeling like herself. On 22Jan2021, the patient was a little depressed. She did not have a headache. Her blood pressure was fine and she never had a fever. She had an X-ray back in Sep2020. Her vision is good. She is not hurting anywhere. She doesn't feel as strong. She doesn't understand the tiredness, weakness, and depression. Outcome of the event tired was recovered on 11Jan2021, of the events doesn't feel like herself and weak was not recovered, and of the event depression was recovering. The reporter assessed all the events as related to the bnt162b2. The events depression and doesn't feel like herself were reported as serious: medically significant while the other events were reported as non-serious.; Sender's Comments: A possible contributory role of bnt162b2 in triggering the onset depression and doesn't feel like herself cannot be excluded, considering the plausible temporal relationship. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1017089	2/9/2021	NY	71	M	1/22/2021	1/22/2021	walking is still very bad; lower back pain; he reported lower back pain, that has migrated more to the right hip and into the glute; he reported lower back pain, that has migrated more to the right hip and into the glute; it might be kidney pain; arm pain; This is a spontaneous report from a contactable other Health Professional (HCP). A 71-year-old male patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/lot number: EL3302), intramuscular on 22Jan2021 15:10 at 0.3 mL, single (0.3ml by intramuscular injection left shoulder) for COVID-19 prophylaxis. Medical history included ongoing high blood pressure (diagnosed about 21 years ago), ongoing gout (Diagnosed about 2 years ag), ongoing ankle spur right foot, ongoing diminished cartilage both knees, joint pain. The concomitant medications included torsemide. The patient reported adverse event (AE) after his first Pfizer-Biontech covid19 vaccine at 15:10 on 22Jan2021. He reported arm pain starting 3 hours after vaccination until noon the next day (23Jan2021). When he woke up on 23Jan2021 he reported lower back pain, that has migrated more to the right hip and into the glute. The pain inhibits walking, standing, etc. He did note that he is >300lbs and has had joint pain in the past, but the hip pain is new. He also thought it might be kidney pain, as he takes a daily diuretic. He stated he has been treating with Aleve twice a day, but that walking is still very bad. The patient is an optometrist that was calling about the Covid-19 vaccine and said that he did not know if the Lot number written on the vaccination card is EL3302, E13302, or EI3302. He got the vaccine on 22Jan2021 and reported that he got a sore arm about 3 hours after receiving the injection. He woke up with a sore lower back pain. He is 5ft 9.5 and 310 lbs and he is on Torsemide, a pretty strong diuretic. He woke up with the back pain and stated that it moved right and middle to his buttocks, a little lower than the end of his spine and to the right. He did not think it was his kidneys. He said that Torsemide can make kidneys work overtime. His knees were pretty shot, the left worse than the right. No further details provided. He was upset to know that he has shrunk a 1.5 inches over the years. He has been taking 2 Aleve a day since Saturday, this morning was his 4th pill. He said that it is really odd when he stands equally on both feet his lower back hurts. He has to sleep on his right side and that it hurts more when



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							he sleeps on his back and on his left side. He was fearful doing eye exams next to his patient and how the lower back pain would affect him. Reporter considered seriousness for Lower back pain was Medically significant. The outcome of event lower back pain was not recovered; of event arm pain was recovered on 23Jan2021; of other events was unknown.; Sender's Comments: Based on the time association, the possible contribution of suspect vaccine BNT162B2 to the event low back pain cannot be excluded. The ongoing gout and concomitant drug torsemide may also play contributory roles to the event. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.
1016735	2/9/2021	DC	68	M	2/6/2021	2/6/2021	Pt notes that he was very anxious prior to the administration of the vaccination and did not go to sleep the night before. Following administration of the vaccination pt reports to no immediate reaction during the 20 minutes observation. Upon arrival at home he noted some chills and went to sleep and when he woke up he describes his face became "slightly swollen"(involving areas under his eyes, around his cheeks, glands under under his neck) with no lip/tongue/throat swelling and no difficulty with eating/drinking/breathing. He reports that after about 1.5 hours the swelling resolved.
1016687	2/9/2021	FL	77	F	2/8/2021	2/8/2021	Client reports having a headache over left eye about 1 1/2 hours after injection. Client woke up on 2/9/2021 to a swollen face. Swelling to both eyes and "bruising" under both eyes. Client is experiencing light sensitivity. Continues to have a headache and discomfort over left eye. Denies respiratory distress and reports no rash. Recommended follow up with PCP.
1016663	2/9/2021	AZ	84	M	1/20/2021	1/30/2021	Saturday 01/30/2021 lost peripheral vision. Went to hospital Was given Mri and ultra sound of head and neck stayed until sunday afternoon. Slept Sunday night Now have not been able to sleep at night at all since

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1016282	2/9/2021	MI	62	F	2/2/2021	2/2/2021	Systemic: Other- Eye quivering, heart raced, quickly returned to normal-Mild
1017093	2/9/2021	WV	22	F	1/6/2021	1/6/2021	swollen eyes; a rash on her forehead , around her eyes and both cheeks; very itchy eyes; This is a spontaneous report from a contactable Nurse (patient's mother). A 22-year-old female patient received the first dose of bnt162b2 (Pfizer-BioNTech COVID-19 Vaccine), via an unspecified route of administration on 06Jan2021 17:30 at single dose for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. Nurse stated her daughter received her first Pfizer vaccine on 06Jan2021 around 5:30 pm. The patient's signs and symptoms began shortly after receiving the shot. That evening at 19:00, she had very itchy eyes, the next morning (07Jan2021) she woke up with swollen eyes, a rash on her forehead, around her eyes and both cheeks. She took benedryl and zyrtec on 07Jan2021. The symptoms clear up by 10Jan2021, following a visit to her HCP, on 08Jan2021. She received a steroid shot, a prednisone dose pack her HCP. Her HCP recommended she not take dose 2 and instructed her mother to call Pfizer for recommendations. The outcome of the events was recovered on 10Jan2021. The reporting nurse considered the case as non-serious. Information on the lot/batch number has been requested.; Sender's Comments: The reported events of swollen eyes, itching eyes and rash on face were likely related to first dose of bnt162b2 (Pfizer-BioNTech COVID-19 Vaccine), due to plausible temporal relationship. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1016281	2/9/2021	VA	22	F	2/5/2021	2/5/2021	Tingling throughout arm and into shoulder blade on 2 occasions throughout the day. Eyes felt swollen a few hours after receiving vaccine between 1-2 pm. Symptoms went away. At around 11pm I got welts and hives all over my body but they were particularly prevalent at the vaccine site. No change in routine throughout the day nor a change in food. Largely went away by the next day around 1pm. Still experiencing slight itchiness.
1017173	2/9/2021	VA	51	F	2/5/2021	2/7/2021	Blurred vision
1016662	2/9/2021	CA	74	F	1/22/2021	2/2/2021	Confusing: Only slight pain at site of injection , but noticed some pain in back of head on right side the evening of shot (Fri.Jan.22). Pain at skull continued for two more days in back of head but took Tylenol and OK. Colonoscopy on Mon. Feb 1st; while lying on cot just prior to having the procedure, I felt a pain near right ear. The next day following colonoscopy, (I was given Versed). I had difficulty removing a dental tooth cover (which I usually don't wear at night---an Essex ?) and noticed weakness of mouth. Symptoms got worse during day and right eyebrow lower than left. I was cooking and shopping---obviously not a stroke. But next day (Wed.) face drooping.
1016295	2/9/2021	OH	38	F	2/4/2021	2/4/2021	Bad headache Throwing up Severe chills Could barley walk and move Severe body aches Skin hurts so bad-wanted to rip it off Severe stomach pain Very sensitive to sound, lights and smells Vision blurry Fever
1016675	2/9/2021	NY	64	M	1/25/2021	1/27/2021	Not sure if this was related to vaccine. 2 days after getting 2nd dose I developed eye pain and irritation. I was seen and diagnosed with ocular shingles. Currently being treated with Valacyclovir.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1017096	2/9/2021	CA	83	F	1/25/2021	1/25/2021	<p>pain in my chest/stomach; pain in my chest/stomach; she couldn't sleep last night at all she was awake all night; had strange visions flashing in my head while trying to sleep; acid reflux/burping up acid; This is a spontaneous report from a contactable consumer (patient). An 83-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: TL9261, expiration date not provided), via an unspecified route of administration on 25Jan2021 16:30 at a single dose for COVID-19 immunization. The patient has no medical history and there were no concomitant medications. On 25Jan2021, the patient experienced having acid reflux, pain in her chest/stomach that lasted all night last night and was worse when lying down. When she burped, it relieved some pressure. She had strange visions flashing in her head while trying to sleep on 25Jan2021. The patient was wondering if she was having a reaction from the vaccine. On 25Jan2021, after over an hour after the vaccine, she started having severe pain in the chest and stomach area and she couldn't sleep last night at all. She was awake all night, burping up acid. She was wondering if those were reaction to the vaccine, should she go see her doctor or what should she do about that. She got her first dose on 25Jan2021 and she started having chest and stomach pain the same day at about 6 PM. She was burping acid all night and early in the morning of 26Jan2021 and she was having these strange things like pictures going to her head that were weird. She was not sleeping but they were strange images, they were strange, they weren't normal. She says with that added in it sounds crazy. She has her vaccine card that says she should get the next one 15Feb2021. She wanted to avoid catching the corona. She had drank acid yesterday and she was wondering if that was causing her to have acid reflux. She clarified that she drank a lot of acidic liquids on 25Jan2021 and she was wondering if that might have had something to do with it, like orange juice and cranberry juice so she is wondering did that have anything to do with it, the acidity maybe made her stomach have acid reflux because she has had that in the past. She asked if she should go to the doctor. The outcome of the events was unknown.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1017102	2/9/2021	FL		M	1/1/2021	1/1/2021	eye infection; This is a spontaneous report from a Pfizer sponsored program. A contactable consumer (wife) reported that a male patient of an unspecified age received the first dose of bnt162b2 (UNSPECIFIED TRADE NAME, Solution for injection, lot/batch number and expiration date not provided), via an unspecified route of administration on Jan2021 at single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. Caller reported that her husband received the 1st dose of the Pfizer vaccine 2 weeks ago (Jan2021) and he had an eye infection unrelated to the vaccine. Caller was asking if he can take antibiotics and asking if that would be contraindicated with the vaccine that he got. Caller also mentioned that her husband was afraid to take antibiotics and wanted to know if it was okay to take antibiotics which was prescribed by his Doctor. Her husband was also an healthcare professional but he was an Orthopedic Surgeon and it's not his field. The reported wanted to know if that would reduce the immunity that he got from the vaccine. The patient developed the eye infection a week ago (Jan2021). He had not taken the antibiotic before. Second dose would be on 01Feb2021. The outcome of the event was unknown. Information on the Lot/Batch number has been requested.; Sender's Comments: The eye infection is most likely an intercurrent condition and unrelated to suspect vaccine BNT162B2.
1017109	2/9/2021	MA	47	F	1/8/2021	1/24/2021	Visual problems, diplopia, concerns for left 4th cranial nerve paralysis
1017115	2/9/2021	CA	30	F	2/8/2021	2/8/2021	Systemic: Rash (other than injection site)- Mild, Systemic: Nausea- Mild, Systemic: Vomiting- Mild, Systemic: Other- pt had itchy eyes, arms, neck and numbness around eyes

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1017121	2/9/2021	MA	74	F	1/2/2021	1/1/2021	Diagnosed with sixth nerve palsy; Diarrhea; Headache; Nausea; This is a spontaneous report from a contactable consumer. A 74-years-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EJ1686 and expiry date: Mar2021), via an unspecified route of administration on 02Jan2021 at SINGLE DOSE for covid-19 immunisation. Medical history included hypertension. Concomitant medication included cyanocobalamin (VITAMIN B12 [CYANOCOBALAMIN]), calcium (CALCIUM), rosuvastatin (ROSUVASTATIN). The patient experienced double vision and diagnosed with sixth nerve palsy on Jan2021, diarrhea and headache and nausea on 2021. The reporter stated "I am calling in reference to reporting possible side effect or adverse reaction to the vaccine. It is in reference to my mother, she had the first dose on 02Jan2021 and 14 days later, she started with double vision, ended up in the hospital. She was in the hospital 4 days (4 nights), diagnosed with sixth nerve palsy." The patient was hospitalization from 18Jan2021 to 22Jan2021. Reporter stated, "She was in hospital, she has visiting nurse now for physical therapy that comes to house and they going to redraw her labs tomorrow Wednesday. They were basically normal, all the lab results were normal." Therapeutic measures were taken as a result of double vision, diagnosed with sixth nerve palsy. Outcome of the events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1017158	2/9/2021	IN	67	M	2/8/2021	2/8/2021	Client anxious about receiving first dose. Said he checked with his doctor as he has multiple antibiotic allergies. His doctor told him to get a COVID vaccine. He received the vaccine and was asked to wait 30 minutes. After a 15 minute wait, he stated he felt chest tightness, swelling in his eyes, face and neck. His blood pressure was elevated at 180/100 and his heart rate was 150. He felt hot/cold and felt he was going to pass out. Cool cloth to forehead and comfort position. after 5 minutes his blood pressure back to 140/80 and pulse down to 100. He continued to state his face/neck and chest were swelling and felt tight. He continued to talk without lack of oxygen. He asked an ambulance be called. He was taken to a local hospital for evaluation and was released home. No medications were given and no face/neck swelling were noted by healthcare workers. Family states he is home and doing well.
1017206	2/9/2021	IN	55	F	2/7/2021	2/7/2021	A sudden hot rush came over me all over and I felt tightness in my chest, my eyes started running continuously, I got really congested in my face/nose and my throat felt thick, my heart was racing; it really scared me the nurse gave me Benadryl, I refused the epi-pen because I was starting to feel better and by 2 pm I was good to go
1016267	2/9/2021	MI	39	F	2/2/2021	2/2/2021	Systemic: Other- lost vision, elevated blood pressure and pulse, returned to normal quickly thereafter administration

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1015637	2/9/2021	NJ	84	F	1/14/2021	1/14/2021	some bruising near my eye; area was a little tender; Afib started to act up; blacked out; Hit forehead on the door jamb; A spontaneous report was received from a consumer who was a 84-years-old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced area was a little tender, Afib started to act up, blacked out, hit forehead on the door jamb and had some bruising near eye. The patient's medical history, as provided by the reporter, included atrial fibrillation with premature ventricular contractions (PVCs), and three cardioversions in the past 30 years. Concomitant medications reported included metoprolol, alprazolam, apixaban, amlodipine besylate, telmisartan, atorvastatin, ubidecarenone, multivitamin, vitamin B2, fish oil and cranberry extract. On 14 Jan 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 intramuscularly in the left deltoid for prophylaxis of COVID-19 infection. On 14 Jan 2021, after receiving the vaccine, the patient had no pain or soreness, but the area was a little tender if you pushed, and she waited one hour in the hospital afterwards. As the patient was getting ready to leave, she felt a little lightheaded. She was driven home, she ate lunch and then worked in the yard for a little bit. As she came inside, her Afib started to act up, she took an extra half of metoprolol, and had supper. She took half an alprazolam before going to bed. That night, as she got up to use the restroom, she had a strange feeling in her head like everything was going away. As she walked into the hallway, she blacked out and hit her forehead on the door jamb. Her forehead was all right but there was some bruising near her eye. She went back to bed and fell asleep. On 15 Jan 2021, when the patient woke up in the morning, her rate was still acting up. At about 9:30am to 10:00am, everything improved, and her heart felt normal. Everything seemed to resolve in approximately 25 hours. Treatment also included acetaminophen/diphenhydramine (no details when it was taken). She contacted her cardiologist since receiving the first dose of the vaccine. The cardiologist encouraged her to take the second dose of vaccine with diphenhydramine and have someone stay with her that night in case something happened again. Consent given for Safety to follow up. Action taken with mRNA-1273 in response to the events was not reported. The outcome of events,



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>Afib started to act up, blacked out and hit forehead on the door jamb, were resolved on 15 Jan 2021. The outcome of the events, area was a little tender and had some bruising near eye, were not provided.; Reporter's Comments: This case concerns a 84 year old female patient with medical history including atrial fibrillation with premature ventricular contractions (PVCs), and three cardioversions in the past 30 years. Concomitant medications reported included metoprolol, alprazolam, apixaban, amlodipine besylate, telmisartan, atorvastatin, ubidecarenone, multivitamin, vitamin B2, fish oil and cranberry extract. She experienced serious unexpected events of Atrial fibrillation and Loss of consciousness and NS unexpected events of Contusion, Head injury and Vaccination site pain. The events occurred after first dose of the study medication administration after she went back home. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. However, her medical history of heart condition and medication she took could remain a confounder.</p>
1017211	2/9/2021	TX	33	F	2/9/2021	2/9/2021	<p>Vaccine administered at 11:00; following administration at approximately 11:17, patient experienced bilateral jaw numbness and a red butterfly rash extending across both cheeks, bridge of nose and later extending above both eyebrows. Received 50mg of Benedryl po in the vaccine observation area. Transported to the hospital Emergency Department</p>
1017216	2/9/2021	TX	33	F	2/9/2021	2/9/2021	<p>Vaccine administered at 11:00; following administration at approximately 11:17, associate experienced bilateral jaw numbness and a red butterfly rash extending across both cheeks, bridge of nose and later extending above both eyebrows. Received 50mg of Benedryl po in the vaccine observation area. Transported to the hospital Emergency Department</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1017137	2/9/2021	GA	75	M	1/27/2021	1/27/2021	4 days following injection, onset of severe headache...days 5-6, headache untouched by Sumatriptin...day 6 made appointment with Neurologist...days 6-7, headache again untouched by Sumatriptin...day 7 awoke with rash on right side of forehead, right eye swollen, right ear painful...day 8 saw neurologist and internist and started on antiviral and prednisone...day 9, slight improvement, enough to be encouraged
1015868	2/9/2021	MN	56	F	2/3/2021	2/3/2021	Chills, body aches, severe headache and eye pain, nausea
1017432	2/9/2021	CA	54	F	2/8/2021	2/8/2021	PATIENT STATES HER EYES STARTED WATERING AND GETTING CRUSTY AT NIGHT. SHE WOKE UP NEXT DAY WITH SWOLLEN EYELIDS
1017233	2/9/2021	CA	36	F	1/20/2021	1/20/2021	Headache started approximately 30 min post vaccine. Woke up at 2am that night with severe nausea, chills and body aches. Temp 100.5 F. Took Zofran, once nausea subsided took Ibuprofen. Temp didn't break until approximately 9am. Continued severe body aches, everything hurt. Temp back up around 4pm, 100-100.5 F. Body aches and chills continued through evening. 2 days later awoke at 4:30 am with fever again, eyelids felt so hot, continued body aches and chills. Continued fever, body aches, and chills throughout 2nd day post-vaccine, fever broke mid-afternoon. 3rd day post vaccine severe dizziness, all other symptoms lessened. Fatigue continued for 6-7 days.
1015352	2/9/2021	ID	45	F	2/8/2021	2/8/2021	Tachycardia and Bright red Rash within 5-10 min of dose. Closing of throat, headache and blurred vision. EMS called. Epi pen and IM Benadryl. Severe arm pain with rash and blisters near injection site within 2 hours of injection.
1015378	2/9/2021	CA	70	F	2/6/2021	2/6/2021	Patient felt sleepy, blurry vision. BP 131/55 (pulse 62), O2 sat 100%. After rest, patient felt better.
1015408	2/9/2021	CA	85	F	1/30/2021	2/5/2021	Five or six days after shot, itching then a red bulls eye appeared around the injection site 4" high and 2 1/2 inches wide around the injection site. Warm to the touch and itchy. Today is 10 days after injection and it's still there.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1015410	2/9/2021	IN	66	F	2/2/2021	2/5/2021	left eye pain and redness, red patches and swelling under left eye started out slight and has swollen bag under eye, itchy eyes, redness and tingling in the area has also moved to my upper eyelid and eyebrow/temple area. Left cheek and left side of head are tingling.
1015471	2/9/2021		62	F	2/5/2021	2/7/2021	initial symptoms started at ~ 8-12 hr post inj on FRI: fever, chills, fatigue, muscle pain (generalized), back pain from sacrum to occiput, through cranium to behind eyes, nausea, loose stools, exhaustion, arm swelling (6" diameter) with bandaid indented becoming hard (feeling a little like cellulitis). routinely measure pO2 and body temp--both spiked; resp rate went from normal pattern of 10-12 to 25; night time HR went from low 60's to the 100's; pO2 went from 96-98 to 89-91 (Innovo PulseOx)Treated with sleep (slept from 8PM night of shot until 48 hours after the shot), fluids, hot water bottles, arnica (I can't take NSAIDS), vit C, zinc megadoses; by ~36 hours post injection I started wheezing and coughing deeply but non productive, both nasal passages were/open, feels as though phlegm is stuck at bronchi. By 48 hours, I was feeling better except chest, ribs, head, and neck and was experiencing 1-3" episodes of spasmodic coughing, wheezing, SOB; Occurred every 20-30 minutes and leaving me physically exhausted. Sunday night slept with 4 pillows; went to see acute respiratory care clinic, evaluated, COVID-PCR was negative, temperature was normal by statistics (I tend to be colder; baseline temps between 32-33oC and over past week has ranged between 35-39oC). Sent home with albuterol inhaler, mucinex (which I take at night), and flonase (my nostrils remain clear). Current status: extreme fatigue, high resting HR, minimal activity (walking) increases it to the 100s--not normal for me), and continued episodic bronchospasm (uncontrolled) with SOB and diaphragmatic, skeletal pain. Deep diaphragmatic breaths also trigger. Am also treating with hot water bottles to anterior and posterior chest walls, and nebulizer treatments with eucalyptus, thyme, and rosemary. Still megadosing on C and Zinc. Expect to return to work tomorrow (missed 2 days) as neurologic and orthopedic physical therapist /exercise physiologist.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1015645	2/9/2021	AZ		M	1/1/2021	1/20/2021	muscle weakness; fever; oxygen level of less than 90; blurred vision; his legs are still kind of weak; his arm still aches on the left side where he got the shot; slurred speech; had no balance; frozen fingers; had no strength in his legs or arms; hallucinations; This is a spontaneous report from a contactable consumer (patient) received via Medical Information Team. An 87-year-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration at arm left in Jan2021 at single dose for COVID-19 immunization. The patient medical history included a minor hearing impairment from an unknown date and ongoing. The patient's concomitant medication included vitamin C from Jan2021 and ongoing. On 20Jan2021, the patient experienced hallucinations (the first day or two), slurred speech, he had had no balance, frozen fingers (2 fingers on each hand and his thumb), he had no strength in his legs or arms. On an unspecified date also experienced blurred vision, slurred speech, muscle weakness, fever, oxygen level of less than 90, his arm still aches on the left side where he got the shot. The patient outcome of hallucinations, slurred speech, frozen fingers was recovered, the outcome of he had no balance, he had no strength in his legs or arms was recovering, the outcome of his legs are still kind of weak and his arm still aches on the left side where he got the shot was not recovered, the outcome of the other events was unknown. Information on the lot/batch number has been requested.
1015732	2/9/2021	VA	33	M	1/20/2021	1/23/2021	Lymph-nodes on left side of body became inflamed, spleen became enlarged causing severe discomfort in thoracic cavity and abdomen. Fever, Intense Headache, blurred vision, impaired judgement and vomiting. Course of treatment bed rest for two weeks with hydration and nutrition focused on spleen health.
1015755	2/9/2021	VA	39	F	2/8/2021	2/8/2021	Patient complained of heaviness of the right arm approximately 5 minutes after receiving vaccination. She then developed edema of the upper and lower eyelids soon thereafter. Patient was administered 50mg IM of Benadryl and the reaction subsided.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1015689	2/9/2021	AZ	37	F	2/6/2021	2/6/2021	First day: Fatigue Extreme Restless Leg (Advil calmed) Fever (101.4 at highest, Advil, damp washcloth on forehead) Chills Muscle ache in hips (hot rice pillow, Advil) Pain at injection site 2nd day: Lower fever (99.7, Advil, no damp wash cloth, seemed too cold) Chills Muscle ache in hips and hands (hot rice pillow, Advil) Fluttering under right breast (about 2 seconds long, happened 6 times) Start of migraine (Aleve, took edge off but not completely gone) Pain at injection site Day 3: Migraine (Aleve) Muscle aches in hands (Advil) Late in day, around 2pm, migraine turns into headache in left eye socket by around 7pm pain feels more like congestion in same area. (Aleve, doesn't seem to help much, neither does Advil) Day 4 (Morning): Headache/congested feeling in left eye socket continues (Aleve or Advil, neither help so far)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1015852	2/9/2021	PA	31	F	1/19/2021	1/20/2021	ED visit 1/21/21: Patient presents today with constellation of symptoms including some myalgias with low-grade fevers at 100.9 degrees, feeling some wheezing as well as a fine rash across her upper chest, she states that she had the vaccine for COVID-19 2 days ago, yesterday she started experiencing the symptoms, she tried using her inhaler for the wheezing, she utilize Tylenol for her fever and she also took Benadryl for the itching on the skin. These improved her symptoms. They seem to come back later in the day after the medicines were wearing off so she presented here for further evaluation. She denies nausea vomiting abdominal pain. Patient believes she had COVID-19 around Thanksgiving 2020, she was not test at that time but had symptoms consistent with COVID-19 loss of taste and smell and her grandmother whom she was around at that time did test positive. Constitutional: patient in no active distress, resting in room Skin: Skin is warm and dry, normal for ethnicity, no rash visualized. Head: Atraumatic, normocephalic Neck: Normal range of motion. Neck supple. Trachea centerline, no lymphadenopathy Mouth: Oropharynx is clear to inspection, uvula centerline, no tonsillar exudate Cardiovascular: No peripheral edema, normal rate and rhythm, no murmur Pulmonary/Chest: Effort normal. Mild expiratory wheeze posteriorly bilaterally at the end of expiration, good respiratory excursion. Abdomen: Soft, nontender negative Murphy's negative McBurney's, no guarding, negative rebound Musculoskeletal: Normal ROM, no deformity. Neurological: Patient is alert. No focal neurologic deficits diphenhydrAMINE (BENADRYL) capsule 25 mg (25 mg oral Given 1/21/21 1333) dexAMETHasone (DECADRON) vial 10 mg (10 mg oral Given 1/21/21 1400)
1016227	2/9/2021	NV	68	M	2/6/2021	2/7/2021	Extreme blurry vision in left eye on 2/7.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1015885	2/9/2021	IN	54	F	2/5/2021	2/5/2021	Unbreakable fever of 99 - 100 ... took advil & tylenol ... lasted 3 days Cramping in leg and feet first night only Severe body aches all over my entire body 2 full days Severe headache with pressure against my eyes 2 full days Nausea on 2nd evening only Injection site was high frontal left shoulder ... I felt like a severe bumble bee sting on both my shoulders. Pain was across my back & chest, my neck, and down into my arm pits. Glands in my neck swelled. 2 full days .... 6 days later, my left arm pit is still sore and swollen.
1015901	2/9/2021	TX	65	F	2/7/2021	2/7/2021	FELT TOTALLY FINE AFTER INJECTION AND WALKING TO OBSERVATION ROOM. HAD BEEN SITTING THERE FOR ABOUT 4 OR 5 MINUTES SO HAPPY IT WAS OVER AND WE WOULD BE LEAVING SOON. THEN SUDDENLY AN INDESCRIBABLE SENSATION HIT ME LIKE A BRICK. I FELT AS IF I LOST MY SENSE OF REALITY. MAYBE AKIN TO ONE BEGINNING TO FAINT. CANNOT DESCRIBE IT ? VISION AND HEARING AFFECTED SUDDENLY ? LIKE THINGS CLOSING IN ON ME. THEN FELT A SENSATION IN MY CHEST AROUND BOTH LUNG AREAS WHICH TRAVELED UP MY NECK. I SAT DEBATING WITH MYSELF WHETHER TO MAKE A SCENE AND CALL FOR HELP VERSUS TELLING MYSELF IT WOULD BE OKAY. IT TOOK ABOUT 7 MINUTES BEFORE I COULD RELAX AND NOT BE TERRIFIED OF WHAT JUST HAD HAPPENED TO ME. I NOTICED A SCRATCHY SENSATION ON THE BACK OF MY TONGUE. GLAD HUSBAND WAS DRIVING BECAUSE I WAS SLIGHTLY DIZZY FOR SEVERAL HOURS. IT WAS TERRIFYING AND I DO NOT WANT TO GET INJECTION #2.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1015933	2/9/2021	GA	31	F	12/31/2020	12/31/2020	Received around 11am, some dizziness and tunnel vision about 10 minutes after while sitting, resolved within minutes. That evening: fatigue, mild arm sore Overnight: shaking, chills, fever, more severe arm soreness Following day: fatigue, fever, chills Beginning that evening: fever/chills resolved, started having palpitations and dizziness with some shortness of breath. Had these for about 3 more days primarily at rest. Self resolved Vaccine #2 3 weeks later: medicated with Tylenol and Motrin q4 hours, some breakthrough chills and joint pain overnight, mild arm soreness. Self resolved the following day. Have continued bruising at injection site 3 weeks later Continue to have some intermittent palpitations and dyspnea. Not present prior to vaccine 1.
1015955	2/9/2021	NY	39	F	2/4/2021	2/5/2021	Headache, fever, bodyaches, sick to stomach, blurry vision Took 600mg advil
1015973	2/9/2021	TX	66	F	2/6/2021	2/6/2021	Injection site pain a few hours following injection. About 7 hours after injection started feeling body aches and every bone in my body hurt. Teeth too. Felt like I had a sinus infection. Head and eye ached. Bad headache the next am. Took Tylenol at 10 am and felt better. Nothing more after that. Just tested the remainder of the day.
1015984	2/9/2021	TX	40	F	2/5/2021	2/5/2021	Chills on day 1 @ 20:00pm Day 2 (2/6/21)- Headache, Body ache, Left eye swelling (ongoing for 2 days)- Treated with tylenol and Motrin, Xyzal taken daily. Day 3 (2/7/21)- Left eye swelling, decreased.
1016028	2/9/2021	TX	59	F	2/8/2021	2/8/2021	Approximately 2 hours after vaccine, I started seeing flashes of light in my left eye, which continued and became worse through the evening with an increase of floaters in my left eye. This morning I only saw the lights a couple of times but more floaters.
1016063	2/9/2021	MI	70	F	2/3/2021	2/6/2021	On 2/6/2021 woke with neck pain and droopy eyelid on the left side of the face. Went to the ER and was diagnosed with Bell's Palsy.
1016134	2/9/2021	CA	57	F	2/5/2021	2/9/2021	2nd set of Reaction. Hives broke out all over body, looks like Mumps. traveled to face, around eyes.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1016218	2/9/2021	TX	41	F	1/27/2021	2/3/2021	Vaccine was on 1/27 and although I experienced local reaction ok arm, it eventually began to fade. One week after injection I began feeling my arm burn and itch, and on Thursday 2/4 it started getting red again as if I were just injected. It has spread each day and the rash is over a large part of arm. I went to urgent care on 2/6 and they checked CBC and D Dimer to ensure there was no infection or blood clot. I was advised to return if it did not go away in 2 days, apply ice packs, and to keep an eye on how it was spreading. If it continued to go around the arm vs upwards, it was simply a reaction to vaccine. (As opposed to infection) I also emailed my PCP w pictures of progression and was advised to wait it out. It is almost a week later and it continues to grow slowly. Extremely hot to touch, painful, constant burning itch. Some days it is hard around injection site like at beginning. The redness seems to calm down at times throughout the day,, but come back. The redder it is, the hotter the skin is. Believe it may simply be a sign my body is working, but even doctor was surprised it went away and came back worse. Realize this isn't life threatening,, but VSafe stopped texting me on 2/3 so I have not been able to submit this reaction to them. Feel it is important this side effect is recorded.
1015785	2/9/2021	TX	51	F	2/8/2021	2/8/2021	Severe headache, Moderately bad body aches, Feel foggy, Joint aches, Hot, Chills, Eyes feel hot, Eye pain, Moderately bad arm pain-hard to move arm, slight sensitivity to light, Nausea, Fatigue
1018215	2/9/2021	FL	77	F	1/15/2021	1/27/2021	Numbness, facial paralysis- Diagnosed with Bell's Palsy. Treatment Oral Steroids, Eye drops, Speech Therapy, Accupuncture.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1017951	2/9/2021	IN	56	M	2/5/2021	2/5/2021	I got the shot at 3pm. I started feeling "off" in stomach/chest around 7-8pm. By 3am, my stomach/chest did not feel good at all and I had trouble sleeping. It was definitely not heart related. By 8am I felt chills coming on. By 9am I was fully dressed, with two blankets on, and lying on couch shaking for 20-30 minutes. Later a fever started and it reached about 102.3 before subsiding late afternoon. By 8pm, I felt blah but fever was gone. During that entire time I felt achy overall (similar to what I felt like 2 hours after running a marathon). I didn't have headaches (and rarely do), but area around my eyes were heavy and tired. Weirdly, at times, the top 1/2 of both ears hurt. I experience about every symptom I had as when I had Covid and went to hospital for 26 days except for the breathing issues.
1017957	2/9/2021	AZ	25	F	2/7/2021	2/8/2021	Swollen lymph node (or unknown lump) behind the left collarbone; painful on it's own and painful to touch. Lymph node swelled up to about the size of a cherry and has stayed that size. Began at about 11 AM on 2/8 and has continued through now (~4 PM 2/9). Intense muscle aches, worse two days after the vaccine, instead of just one day after. Aching of the muscles around the eyes (the ones you would use to squint and the top of the cheeks), the scalp, neck (the base of the skull and trapezius), biceps, aching around the wrist joints, hip flexors, quadriceps, and ankle joints. Found relief with 500 mg acetaminophen throughout the day.
1017964	2/9/2021	FL	50	F	1/21/2021	1/22/2021	Besides brain fog, frontal headache and right arm pain, I felt lightheaded about 5 hours after the vaccine on Thursday 1/21. Went to work at hospice on the Covid unit for 12 hours on Friday 1/22. Felt really foggy and unable to concentrate at work. After work I was relaxing at home trying watching television but not able to focus when about 09:30 I started to not feel my big toes and started to have muscle twitching (no fever, no chills). By 11pm my all body was shaking like if I had Parkinson?s disease. My neighbors drove me to the ER. My blood pressure was 160/100 (my norm is 100/60), and Parkinsonian syndrome. I got scared as the heart is a muscle and I did not want my heart to go into irregular rhythm . Better to be safe than sorry.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1017992	2/9/2021	CO	73	M	1/15/2021	1/15/2021	Patient received his first maternal vaccination on January 15. By January 21 he began to complain of double vision. His wife also noted some slight slurred speech. He went to the emergency room and was told that he had a 6th nerve palsy on the left. A scan of his head was unremarkable. He was referred to neurology. I saw him on February 2 and by that time he had evidence of full-blown myasthenia gravis with left ptosis, slurred speech, intermittent disconjugate gaze, some subjective difficulty swallowing.. 1 wk later Severe dysphagia unable to swallow without puréeing food marked slurred speech and ptosis .SENT FOR EMERGENCY IVIG
1018011	2/9/2021		69	F	5/2/2021		2 days following the vaccination I started scratching all over my body Then my, eyes were itching so much I removed my make up That number gut felt hot and itchy Next day still itching so informed GP I noticed now that my skin is blotchy and pink/ red on my arms and chest Eyes sore and worn / tired looking Feel hot but no one emperature Temperature was 37.1 now 36.9 BP 125/75 p 67 Thank you
1018019	2/9/2021	CT	76	M	2/4/2021	2/4/2021	Got home about 11:30 in the morning, eyes were foggy, everything was tilted to the left, seeing double. Around 5:00 pm it got a little better. Left eye feels like a shadow in his eye.
1018038	2/9/2021	WI	68	F	2/6/2021	2/6/2021	Pt c/o felt nausea, sweaty, ears became tingling and then went number. Was in placed in a wheelchair and assisted to private location. C/o eyes feeling funny and tearing. next c/o chest pressure and tingling started down legs. Breathing labored and flushed skin. Epi administered and assisted to ER.
1018049	2/9/2021	CA	29	F	2/8/2021	2/8/2021	Client was vaccinated on 02/08/2021. Client stated that she felt pain ,tingling, and numbness at the injection site and felt like it crawled up to her left side of face and head behind her left ear. The numbness and tingling was also down her left arm. No facial droop was noted. Client denied visual change. Client was placed on oxygen and 911 was called for assistance. Client was seen at ER department. She was evaluated, had blood work done and released with Dx of headache due to paresthesia.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1018100	2/9/2021	SC	78	F	2/5/2021	2/6/2021	Late Saturday I noticed my lip dropping to the right and by morning my right eye was dropping. On the way to theER my eye felt like it had sand in it and I had to hold my hand over it and my mouth and lips felt like I had a shot of novicane and it was hard to pronounce certain words. I have to eat small things because it is difficult putting food in my mouth and I can not feel the food in my mouth on the right side and if food gets over there it gets between my gums and my cheek, to drink I have to position a straw in my mouth on a certain point and some goes back down in the straw.
1018130	2/9/2021	CO	72	M	1/21/2021	2/2/2021	10 days after my vaccination, the cornea transplant I had done it my right eye was rejected. My ophthalmologist and I believe there is a correlation between the vaccine and my cornea rejection incident since vaccines fight foreign matter in the body and the transplant is a foreign material. In addition, the cornea had be perfectly accepted for 4.5 years and only got rejected after the vaccine. This is only a suspected adverse reaction but seems to be the most likely cause for the rejection. We are treating it with large doses of steroid drops. After one week of the drops there appears to be no improvement. If there is no improvement over the next week we are considering surgery to redo the transplant with a new cornea.
1017938	2/9/2021	GA	86	F	1/29/2021	2/8/2021	Vaccine was given on 01-29-2021 at 3 pm.On 02-05-21 patient stated she noticed her vision was blurry at night when she was reading in bed--this happened 3 nights in a row and on 02-08-2021 she said her vision was blurry driving home during daylight. Had Heart palpitations on 02-08-2021 and again on 02-09-2021. On 02-08-2021 she was in shower and noticed her left arm was itching where it had been sore from getting injection and when she looked in the mirror she noticed how swollen and red it was. Stated it was very warm to touch, red and very itchy. PC today on 02-09-2021 to Health Dept requesting advice on what she could do to help it.Had taken some Benadryl the night before.Had attempted ER visit on 02-08-2021 but was there x 3- 4 hrs and was never seen so she left.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1018149	2/9/2021	WA	46	F	2/9/2021	2/9/2021	0930- she complained of sever neck pain and asked for Ibuprofen, 0945- nausea, blurred vision, leg spasms, she took 12.5mg of Benadryl, 1030- BP slightly elevated, dizziness, numbness in face and arms, flushing- took 25 mg Benadryl per house MD. had her lye down and within 2 hrs most of symptoms resolved. at 1530 continued to c/o facial numbness. sent home with co-worker so she didn't need to drive.
1018179	2/9/2021	TX	28	F	2/7/2021	2/8/2021	Fever, chills, bloodshot eyes, extreme fatigue, swollen lymph nodes (mostly left side), swollen sore left arm
1018408	2/9/2021	CT	47	M	1/13/2021	1/14/2021	Just over 24 hours after receiving shot, I had a pressure located at the top of my right eye. Not the lid, not the sinus area above, the actual eyeball. I'm an optometrist, so the following day, one of my partners examined me and found no cause. It was uncomfortable for the remainder of the day as well as the next. Saturday, 3 days after getting shot, I felt extreme pressure within the right eye. No vision problems, no pain with eye movements, no peripheral vision loss; just a lot of pressure/soreness. I spoke with a colleague in a specialty eye care practice. Since symptoms continued, though milder the following day, he ordered a CT scan. I had the scan Jan 21 (8 days after receiving first vaccine dose). I took Aleve and a sinus decongestant (though pain did not feel like sinus pain and was not located within sinus area) No other symptoms occurred and it reduced in severity and now asymptomatic since Jan 24.
1018484	2/9/2021	AZ	62	F	2/9/2021	2/9/2021	I was sitting in my sofa watching television and felt this odd dizziness overcome my head. I felt nauseated and hot. I closed my eyes for a few minutes and when I hope Ed the the intense dizziness subsided. I still feel a little dizzy, very tired and switch from feeling hot to very cold.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1018558	2/9/2021	WA	64	F	2/3/2021	2/5/2021	37 hours after Pfizer injection, experienced severe abdominal pain that caused me to have vasovagal syncope. Started sweating, and I lost my vision, then must have fallen on the floor. When I came to, felt very headachy and nauseous. went to urgent care - they ordered an abdominal scan for 2/8/21 but scan did not reveal the cause of the pain. 8 hours later on 2/5/21, started feeling asthma like symptoms. Throat felt tight, voice became hoarse, kept having to cough because airway was starting to feel thickened. went to ER, they took vitals and told me that i wasn't having an allergic reaction because my symptoms were outside the time frame for an allergic reaction. After 3 hours there, they sent me home. Next morning felt like I was having heart palpitations. that feeling eventually went away if I walked around. But the following two mornings, I had the same feeling.
1018587	2/9/2021	IA	24	F	2/8/2021	2/8/2021	Migraine, nausea started 2pm 2-8-21 Hot/cold flashes started 9pm 2-8-21 Full body aches, extreme tiredness started 9am 2-9-21 Chest pain/heart palpitations, balance/depth perception started 11am 2-9-21 Vision sensitive, muscle weakness, metallic taste started 2:15pm 2-9-21 Skin irritation, blurred vision started 7pm 2-9-21
1018616	2/9/2021	AK	29	F	2/5/2021	2/5/2021	Approximately an hour after vaccine administration I developed a scratchy throat. Soon after I felt like my eyes were swollen, though not swollen visibly. I also had mild itching across my arms. These symptoms improved within 3-4 hours without medical intervention.
1018637	2/9/2021	OR	57	F	1/23/2021	1/24/2021	Vertigo: extreme dizziness, room spinning, double vision started the morning after the vaccination. Went to ER. They did a CT and blood tests. Covid-19 test neg. First week extreme vertigo persisted. Saw my primary care physician. He suggested not to get the 2nd dose. 2nd week, some days are better, some days are worse. During bad flares I use a cane and sometimes hold on to another person as well.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1019995	2/9/2021	NC	87	F	2/9/2021	2/9/2021	Pt presents for s/e after 2nd dose COVID 19 pfizer vaccine today, about 1-2 hours prior to office visit. She called over to the medical staff because her right side of mouth became tingly, and her right eye hurt about 5 minutes after vaccine. The episode lasted about 10-15 minutes per Patient, and did not loose consciousness. She brings in a rhythm strip with only BP- she denies having EKG. BR 218/94 and HR 63 @1224, and 195/99 HR 64 @ 1228. They called EMS, and pt declined to go. She denies any CP, SOB, no slurred speech or sudden weakness during the episode. Denies swelling of face or lips, no dysphagia. No meds administered at clinic. Pt has not taken any additional medications today.
1020129	2/9/2021	HI	53	U	2/5/2021	2/5/2021	Onset of Facial numbness and flushing on R periorbital region. Spread to lateral periorbital area near R eye. Peaked and began to resolve in 15 min. Mild residual numbness.
1017294	2/9/2021	MO	68	F	2/5/2021	2/7/2021	symptoms occurred on Sunday after having the shot on Friday. Swelling of upper lip and swelling on center of forehead. Eventually went away the same day. On Monday had swelling and tingling feeling again on upper and lower lip and had rash on left forearm and right forearm and hives on back of upper thigh on left leg. Took some benadryl and eventually went away. On Tuesday again had some rash on left arm around elbow and some below elbow and swelling under left eye and again hives on back of left leg and hive or rash on top of right hand.
1017403	2/9/2021	OR	68	F	2/3/2021	2/4/2021	Awoke 2/4/2021 with flushing to cheeks and swelling from my eyes down to my cheeks. Rapid pulse (>120 bpm), and my normal benign tremor was significantly worse.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1018138	2/9/2021	NY	49	F	2/9/2021	2/9/2021	Pt was observed for 30 minutes after vaccination secondary to h/o hypothyroidism (autoimmune) pt was discharge and was in her usual state of health she came in the visit anxious about needles and vaccination process and tolerated well, upon leaving the facility the pt started to feel dizzy and lightheaded and brought back for evaluation in a wheel chair no headaches ,no change in vision,her blood sugar was taken was 89,BP 142/82 HR 82 O2 SAT 98 Pt drank some water which she tolerated well. her legs were elevated she was monitor for 60 minutes vitals were retaken wv]as wnl,pt symptom were total resolved she walked out of the facility without any complications to be transpoted to her home with her family
1017482	2/9/2021	CA	79	F	1/20/2021	1/20/2021	About 30 minutes after the shot, sudden very weird feeling, visual distortion, confusion, disoriented (now believe was sudden drop in blood pressure), followed by mouth feeling odd, tongue felt too big, difficult to swallow, followed by sensation of intense heat. This all lasted about 5-10 minutes. Resolved on its own. Felt a little shaken but OK afterwards.
1017307	2/9/2021	WY	61	M	2/9/2021	2/9/2021	Pt began to feel dizzy and light-headed with progressing headache pain within 15 minutes. Pt BP was 170/86 at time of event and HR 74 bpm. Pt given O2 at 5 LPM . Pt lungs clear bilaterally and pt denied SOB. Pt O2 saturation at 99% on 5 LPM via mask. Pt stated vision was blurry but resolved after 15 minutes. Pt advised to go to ER via ambulance but denied transport, pt wife at facility to transport pt to ER.
1018292	2/9/2021	OR	37	F	2/6/2021	2/9/2021	Had second dose on Saturday; headache and body aches the rest of Saturday and Sunday. Monday just body aches. Tuesday around 12:30pm during lunch break felt like I had something in my eye. Pulling out white stringy stuff and about 20 mins after initial feeling my eyes were nearly swollen shut, felt like lots of sand in my eyes, and a headache. I do not have any food or seasonal allergies, only allergy to sulfa.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1017860	2/9/2021	AZ	68	F	2/5/2021	2/6/2021	<p>Patient awakened in the morning with pain and swelling in the right knee with marked tenderness laterally and local swelling in the same area. Over the next 12 hours she developed a moderate synovial effusion of approximately 20 cc with pain in the knee becoming generalized and had trouble walking and decreased range of motion consistent with the effusion. . The pain seemed to subside somewhat later in the day but she still had trouble walking. On the second night of 2/6/2021 she was able to sleep but had continued discomfort, swelling and difficulty walking on 2/7/2021. The pain became even worse during the night of 2/7/21 and she was unable to sleep. In the early morning she took 5 mg hydrocodone and got some relief.. She continued to have pain and swelling through the day. By the evening of 2/7/21 she was somewhat better. The morning of 2/8/21 she awakened with less pain, less effusion, and was able to walk better. She slept well that night. On the morning of 2/9/ she awakened with no pain. The effusion was gone and the knee felt stiff but no longer was painful. By afternoon she was walking without pain and complaining of slight stiffness. The only other side effect was pain at the injection sight for 2 days which was mild to moderate. The R knee never felt warm and was never red. . I have an infrared camera and the temps recorded on the right knee were no higher than the left knee. No other joints were involved and she had no recent right knee injury. No chills, fever, nausea or other problems. No headache, No myalgias. No vision or auditory prob.ems. The sense of smell remained normal. She is my wife and I was considering getting a CBC, Sed Rate, C-reactive protein and possibly an arthrocentesis and evaluation of the fluid. Since she improved markedly and quickly no tests were done. I will report any follow-up problems. It just seemed very strange to have a painful swollen joint with no redness or warmth that was fairly severe and then almost totally resolve within 24 hours between the 3rd and forth day. .</p>
1017444	2/9/2021	NY	32	F	2/1/2021	2/9/2021	eye pain, discharge with eyes

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1017463	2/9/2021	WV	45	M	1/27/2021	1/27/2021	Let me start by my wife also works at Tech and got the shot right before me. So, I was comparing my symptoms to hers. We both complained about pain and swelling at the injection shot but my swelling was much worse than hers. You could tell that my shoulder was swollen just by looking at my arm with my shirt on. So, I knew from talking to everyone that took it that my injection shit should hurt for a couple days so I thought that everything was normal. Then after about a week it had not gone away and even started to hurt worse. I have gotten to the point that when I have any type of physical activity my shoulder starts killing me. It's real sharp pains that cause me to stop what I'm doing and sit down and hold still until the pain fades. So after about 11 days from the day of the vaccine my wife walked into the kitchen where I was trying to make dinner and had stopped and closed my eyes standing there in pain. She said, if it hurts that bad you need to see a doctor. So the next day I visited my doctor and he didn't really know what was causing it. It had been 12 days since the injection and you can still slightly feel the place in my arm. He gave me a medium dose of steroids and a antibiotic to see if something like that will help. Early on I was putting ice packs on it and taking hot showers with the hot water stream directly on my shoulder. One strange thing about it is it only hurts after/during activity and the pain is at other locations like running up my neck and around the back of my shoulder. I feel like it's something with the joint or nerves because of that. The only thing that seems to help is my not moving it.
1017424	2/9/2021	MA	53	F	12/28/2020	1/6/2021	Full blown case of facial Shingles, involving right eye, right ear, and scalp can send pictures if you wish
1017491	2/9/2021	NE	72	F	2/5/2021	2/5/2021	Extreme headache in eye evening after, next day, and still happening. Drooping eyelid and eyeball on left side.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1017496	2/9/2021		66	F	2/8/2021	2/8/2021	Typical- headache, muscle pain, slight chills, slight nausea Atypical- 14 hours after injection- (no more headache, muscle pain or chills) BUT full-body itching(including ears, eyes and head), slight numbness in lips and slurred speech, full-body minor rash (relieved with only one dose of Benadryl) Throughout the night and into Day 2- slight full-body itching (as stated above) but no numbness and no need for Benadryl
1017513	2/9/2021	TN	75	F	2/3/2021	2/6/2021	MRS. RECEIVED HER 1ST DOSE OF THE COVID-19 VACCINE ON 2/3/21 AND REPORTED WAKING UP ON SATURDAY 2/6/21 WITH HER RIGHT EYE COMPLETELY BLOOD RED. THE ENTIRE WHITE OF HER EYE APPEARED THAT THE BLOOD VESSELS HAD RUPTURED. UPON REPORTING THE EVENT TO OUR PHARMACY ON TUESDAY 2/9/21 THE CORNER OF HE R RIGHT EYE STILL APPEARS RED BUT HAS IMPROVED SINCE ONSET.
1017517	2/9/2021	VA	59	F	1/30/2021	1/30/2021	Severe fatigue, headache in back of head, sore arm, extremely cold and loss of appetite first 2 days. Ongoing symptoms: waves of being hot/sweating, blurred visions, intermittent loss of taste and false sense of feeling of drowning or suffocating and/or breathing in heavy smoke, which last for a few seconds to a few minutes. diminished appetite, more easily fatigued, loss of energy. On February 8th, these symptoms began: feeling anxious, fatigued,sleepy, head feels spacey, slight headache, somewhat dizzy, intermittent buzzing sound in head, body aches, severe ache and muscle tenderness in left shoulder blade area down left arm, and muscle spasms in left shoulder and arm. Loss of taste again.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1017728	2/9/2021	NY	60	M	1/19/2021	1/31/2021	Temporary paralysis of left eyelid which was a symptom of Bells Palsy. At the same time I experienced a very disturbing sensation of having no saliva in mouth or throat. I was completely dry and unable to produce saliva. This is my description of the event: I woke up around 3am with rapid heartbeat, lightheadness, and upon opening my eyes I realized my left eyelid was drooping and I was unable to open it. At the same time I experienced extreme dryness in my mouth and throat where i had absolutely no moisture/saliva and was unable to produce any for approximately 20 minutes. I walked to an emergency, which was just 2 blocks away, to get checked out. I told the attending nurse and physician what my symptoms were. Luckily by the time I was admitted to the ER the symptoms began to dissipate. My eyelid was slightly droopy but moving and i was able to produce saliva again. I explained that I've never experienced symptoms like this before in my life and that I believed this was from the vaccine. I had been experiencing symptoms every day since receiving the shot.... from headaches, to fatigue, to tightness in my chest, a cough, pain in my larynx that towards my chest, pain in my upper left abdomen, strange sensations in my legs, brain fogginess, and some swollen lymph nodes.
1017808	2/9/2021	CA	67	F	1/18/2021	1/19/2021	1/18/21Moderna injection on 1/18/21 1/21/21ER- right flank pain/kidney: Blood in urine?prescribed Naprosyn 1/27/21 Dr /for pain right kidney/ Blood in urine/ prescribed Ciproflaxin 500 mg/2 times daily for 7 days and Phenazophridine 200 mg tab every 8 hrs as needed 2/7/2021 clinic /red eyes and urine pain/ antibiotic eye drops

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1017810	2/9/2021		25	F	1/16/2021	1/18/2021	Immediate: Flushing (transient), bleeding down my own arm and vaccinator (lasting about 2 min) 1 hour to 3 weeks post vaccination (inclusive) - ongoing pins and needles sensations in both hands and both feet. 10 hours to 72 hours post vaccination: - high fever (39.5 Celsius), causing temporary auditory and visual hallucinations (no history of psychiatric illness) - uncontrollable chills (pronounced) - transient tachycardia (3-4 episodes lasting 30 seconds to 2 minutes each time) - headache - myalgias - transient metallic taste on tongue once, lasting one minute - insomnia for two consecutive nights - anxiety - mild arm soreness at the site of injection
1017784	2/9/2021	KY	60	F	2/1/2021	2/2/2021	left upper arm redness and swelling. She reports she got the second Pfizer COVID-19 vaccine on Monday 2/1. She reports the area is red right after the vaccine. She reports she has had increased swelling, redness, warmth. She reports she did have reaction to her first vaccine with redness and swelling, but that occurred 10 days after. She reports she has had some fever and body aches that she associates with having the second vaccine. Constitutional: Negative for chills and fever. HENT: Negative for sore throat. Eyes: Negative for visual disturbance. Respiratory: Negative for cough and shortness of breath. Cardiovascular: Negative for chest pain. Gastrointestinal: Negative for abdominal pain, nausea and vomiting. Genitourinary: Negative for dysuria. Musculoskeletal: Positive for joint swelling and arthralgias. Negative for back pain. Skin: Positive for color change. Negative for rash. Neurological: Negative for weakness and numbness.
1017461	2/9/2021	CA	67	F	2/4/2021	2/4/2021	20 min after inj-itching, hives, lip and eyelid swelling, chest pain, neck pain, pain radiating down spine and to the legs, nausea, no vomiting, headache, treated Epinephrine, solumedrol, Benadryl, ambulance was called, but pt felt better and refused and stayed in clinic for observation, then d/c home

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1017520	2/9/2021	AZ	45	F	2/5/2021	2/6/2021	Conjunctivitis (Pink eye) - eye pain, blurriness, swelling, pus and tearing This began the day after I received the first shot (within 15 hrs) and worsened over the next few days. I have used home care: cold compresses and tried to keep eye clean. In addition I had the other reactions: headache, chills, soreness of left arm and muscle soreness in entire body, fatigue, loss of appetite and diarrhea.
1017776	2/9/2021	AR	79	F	2/1/2021	2/1/2021	pt states that later the day of the vax that her left eye lid was dropping and she had a blood blister develop a couple of inches below injection site. The next day she had sore left arm with some fatigue. Pt states all symptoms have subsided but still has a droopy eyelid and has an apt w/ an eye doctor today. She states she has had cataract eye surgery on 1/13/2021 and on 1/26/2021 had Botox injection on brow. Pt has appt w/ PCP on 2/18/2021.
1017624	2/9/2021		72	M	1/28/2021	2/2/2021	bilateral numbness, tingling Narrative: Pt had received Moderna Lot 029L20A on 1/28/21. Pt endorses that he began to feel tingling in his hands, bilaterally on 2/2/2021. Pt presented to hospital on 2/4/2021 w/ CC that his arms and legs were weak and he has been having difficulties going up stairs and getting out of bed and these symptoms are not normal for patient. Pt also noticed double vision in horizontal plane lasting up to 30min and resolves spontaneously and then returns a few hours later. Pt is currently being worked up to rule out GBS

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1017614	2/9/2021	ME	33	F	12/31/2020	12/31/2020	Several hours after vaccine administration, I began to get a headache. That headache intensified over the next 24-36 hours. A severe headache resulted with a painful, stiff neck, occasional fever, occasional diarrhea, confusion, vision changes, and increased imbalance. These symptoms lasted for about 1 week before I sought medical treatment at a virtual urgent care appointment on 1/5/21. They referred me to an in-person urgent care facility that day. At that facility, they said my symptoms were very concerning and said I needed to seek immediate medical assistance at the ED and offered to call me an ambulance. My husband drove me to the ED from the urgent care facility. At the ED, they treated me with a migraine work-up but eventually discharged me with instructions to follow-up as I was "diagnostically unclear" at discharge. After a week, my symptoms had not improved at all and so my previous ED physician suggested that I return to the ED (after being unable to get care in a timely manner in an outpatient setting). At the ED on 1/12/21, they again treated me with a migraine workup but also conducted a CT scan and a COVID test. When both tests came back negative, they conducted a lumbar puncture procedure. Those results came back positive for viral meningitis. As I had no other illness or known exposure to any other virus at that time - and given the timeframe of the vaccine administration - my care team concluded that this was a rare reaction to the COVID vaccine. I was discharged with instructions to follow up with my PCP and a neurologist. My follow-up neurology consult is scheduled for 2/19/21.
1017604	2/9/2021	FL	71	F	2/3/2021	2/6/2021	On 02/06/2021 at 12:10 pm at church . I start having severe nose bleeding for almost 1hr. Went to ER. By ambulance .. My blood pressure was 178/93. Then started having severe nose bleeding 02/07/2021at 11pm . Bleeding was very severe it less about 45 min . When I pressure my nose blood pour out both eyes and mouth . Bp was 168/90 I take very small dose of bp meds . Atacand 8 mg for last 13 years . It has been control last 13 years. I weight 107 pound . I walk 4 mile 1 1/2 hrs a day and yoga at night for 1 hr. Eat very healthy diet . All this severe nose bleeding started 3 days after Covid Vaccine received . I am lucky this bleeding didn't happen in my brain .it's very scarily.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1017590	2/9/2021		37	F	2/6/2021	2/6/2021	ITCHY EYES, FACE, CHEEK, AND HEADACHE 4/10. WAS GIVEN BENADRYL 50MG BY PROVIDER AND MONITORED FOR 45 MIN WITH NO FURTHER SYMPTOMS.
1017540	2/9/2021	MN	64	F	1/22/2021	1/25/2021	On 1/25 awoke with loss of peripheral vision in the right eye. This has persisted despite high dose IV steroids.
1011357	2/8/2021	MD	63	F	2/5/2021	2/5/2021	Received the vaccine at 9:45 a.m. on 02/05/2021, felt fine until around 3:00 pm, when I noticed that my right arm started hurting and then my knees became very achy and by the time I got home, I was feeling pretty bad. I took Tylenol along with my regular medications on Friday night. During the night I had trouble moving, because my body hurt so much and I had to keep peeing, which made it worse because I was having issues with moving, my eyes felt like they were bulging out of my head and I was very cold, so I did not want to get from under the covers. All day Saturday, I was in the bed sleeping. My daughter was worried that I was dying and wanted to take me to the hospital, but I told her it was the medicine working. I was sick until around 3 or 4 p.m. on Saturday, when I could feel a little difference in the way I was feeling. Sunday morning, I felt better, got up and went to the grocery store and came back in for the day, My head felt a little fuzzy intermittently during the day, but I did not do much and felt better.
1011505	2/8/2021	AL	67	M	2/3/2021	2/6/2021	pt states he has altered sense of smell. Says he has a constant smell of burnt molasses. Pt called his physician friend and was told just to keep an eye out for any other symptoms.
1011626	2/8/2021	TX	47	F	2/2/2021	2/2/2021	Patient complained of visual changes, shakiness, N/V and fatigue. Remained in Observation Area (clinic) extended by per RN. VS assessed frequently. EMS called due to patients condition not improved but worsening and transported to ER. Patient noted similar reaction with first vaccine. Patient had COVID in September.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1011616	2/8/2021	AZ	43	F	1/27/2021	1/27/2021	I received the second vaccine on 1/27/2021, at 255pm. Around 730pm that night I started to feel very lethargic. My normal temperature is usually around 95-97 degrees. When I woke up at 430am, my temperature was 99, the lethargy was much worse, I had the chills. I called into work, and then went back to bed until around 10am, when I woke, and was drinking coffee, i suddenly started having visual hallucinations (only had this once with a on old antidepressant as a teenager). I took my temp and it was 100degrees. By 130pm, my temperature was 103 degrees, with severe chills, lethargy. I slept 20 hours total that day. I eventually took 1000mg of Tylenol sometime the evening of 1/28/2021. I was very ill the entire night, but felt 98 % better on 1/29/2021. Following the first vaccine, on 12/29/2021 at 605pm, I was very tired for 7 days. The 5th day after the vaccine, i had coughing, chest heaviness, sinus congestion fairly significantly. I felt like I was on the verge of becoming ill. The Tuesday following the vaccine, I got a COVID19 test out of concern, but it was negative. Eight days after the vaccine, I had a sudden severe migraine at 930 am the caused immediate double vision and extreme pain.
1011675	2/8/2021		27	F	2/2/2021	2/2/2021	Left eye is swollen and the left side of her neck and left shoulder feel itchy Took oral Benadryl
1011716	2/8/2021	LA	25	F	2/5/2021	2/5/2021	Patient Record presented to Medical Center On 02/07/2021 @ 0720with complaints of left migraine headache with nausea, dizziness & blurred vision in the left eye which began 02/05/2021 night after taking the 2nd dose of Moderna Covid-19 vaccine @ another facility. Patient Record was transferred to another Medical Center for neurological services. She has a history of one previous migraine headache 7 years ago following a depo-provera injection & was d/x with pseudotumor cerebri.
1011655	2/8/2021	UT	71	F	1/27/2021	2/6/2021	Symptoms: Pain in back of neck, right side facial paralysis, swelling, right eye not closing, un even smile. Went to ER. Diagnosis was Bell's Palsy. Treatment included a course of prednisone and Valtrex and lubricating eye drops as needed.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1011389	2/8/2021	AZ	77	M	2/4/2021	2/7/2021	Moderna vaccine. I was fine and active until bed time 2/7/21. After shower I felt clogged, I did neti pot sinus drain with warm water and hydrogen peroxide 10 to 1. Went to bed (CPAP) and woke up at 2:30AM with nose running and unable to breath through nostrils. Got up and used warm compress over eyes and nose for about three minutes and congestion partially cleared. Upon returning to bed (CPAP) I began to again build up mucous. Repeated same routine at 06:00AM except returning to bed. Immediately became congested again. Took temperature reading 97.3F. Took Temperature again at 8:AM 96.8 BP 97-168 resp 66
1011371	2/8/2021	IL	69	F	2/6/2021	2/7/2021	headache body chills body aches eye throbbing All symptoms were a milder version of what I experienced when I had Covid -19 in NOVmeber 2020. I also had slight injection site pain that radiated to the left side of my neck
1011358	2/8/2021	TX	58	F	2/3/2021	2/4/2021	Itchy, swollen skin around eyes, face, ears, neck, under left breast, and arms.
1011287	2/8/2021	SD	77	F	2/1/2021	2/1/2021	Pt received 1st dose of moderna covid vaccine at 0942. At 0953, pt reported feeling hot and eyes feeling funny. Moved to exam room. BP185/82, pulse 70, o2 94% on 4l/nc (pt on home o2 at same flowrate). Reported "spots" in eyes. Spots and hot feeling resolved by 1008. Pt reported jaw stiffness at 1008, states feels similar to when she sits for a long time. Dr notified and benadryl given per order. Continued to monitor patient. At 1047, pt reported that jaw felt "tired", no other c/o. 1101-Dr updated on pt condition, Dr stated that patient may be discharged to home with husband and may receive 2nd dose of vaccine, but should take benadryl prior to appointment. Vital signs remained stable, bp 173/73, pulse 71, SpO2 91% on 4l/nc at discharge.
1011730	2/8/2021	ME	65	F	2/8/2021	2/8/2021	soreness in eyes and throat. Pt had similar reaction with first vaccine and was given a benedryl. SHe talked to an allergist in the interim and was advised it was ok to get second dose but maybe bring a zyrtec. Pt brought the zyrtec and decided to take it with the onset of these symptoms. Symptoms resolved within 20 minutes, observed for a few extra minutes then went home.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1011268	2/8/2021	IN	42	F	2/5/2021	2/6/2021	Right axilla pain and swelling. Applied ice packs and took ibuprofen. Which I was taking for the body aches. The same evening I noticed a rash. Under my breasts, creases of bilateral neck, face (mouth, eyes, chin and forehead), down small of my back and creases in my legs. It was raised and red becoming itchy. I took Benadryl without relief. The rash has subsided. The right axilla is very tender and swollen. I did not have these symptoms for dose 1.
1011262	2/8/2021	IN	50	F	1/5/2021	1/6/2021	First Dose: Eye blood shot, sore arm, severe migraine starting day of and lasting 7 days, extreme bone, muscle, and joint pain in hips, lower back radiating to knees. Fatigue and weakness. The bone and joint pain started two days after the shot and lasted 3-4 days. Second Dose: Sore arm by evening of the dose, hardness and hot to the touch, severe enough to not be able to lay on that side. Day 2 or 3, noticed itching around the vaccine site. Rash appeared and blossomed, very itchy, very red, irregular borders. By Day 6 the blotches appear to be growing together.
1011369	2/8/2021	OK	69	M	2/6/2021	2/7/2021	My right eye is painful , itchy and slightly swollen. Similar feeling like pink eye. This started the morning after I received my 1st dose.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1012381	2/8/2021	MA	24	F	1/25/2021	1/25/2021	felt herself losing consciousness; Low blood pressure following event (50/20); My vision went blurry first; This is a spontaneous report from a contactable consumer (patient). A 24-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration in the left arm on 25Jan2021 at 09:30 at a single dose in the workplace clinic for COVID-19 immunization. Medical history included asthma and history of vasovagal syncope following vaccinations; this adverse reaction to the vaccination directly aligns with other episodes that have occurred to her following vaccinations/interactions with needles (ie. blood draws). The patient had no COVID prior to vaccination. The patient is not pregnant. Concomitant medication included levonorgestrel (MIRENA). On 25Jan2021 at 09:30 (after getting the vaccine), the patient felt herself losing consciousness, her vision went blurry first and she was able to brace herself by lying down against a wall, and low blood pressure following event (50/20). Blood pressure and pulse rose over the next 25 minutes. 15 minutes more of observation was completed. The patient did not receive treatments for the events. The patient was not tested for COVID post vaccination. The patient recovered from the events. Information on the Batch/Lot number has been requested.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1010572	2/8/2021	NV	73	F	1/19/2021	1/20/2021	<p>she has probably shrunk in height; 5am on 21Jan2021, for the whole day i had a fast heart rate, 125bpm; blurry eyes; dizziness; Her blood pressure was also up; In the morning of the 20Jan2021 I was weak; This is a spontaneous report from a Pfizer-sponsored program, received from a contactable consumer (patient). A 73-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot/batch number: EL1283, expiry date: 30Apr2021) solution for injection, via an unspecified route of administration on 19Jan2021 10:02 at a single dose for Covid-19 immunization. Medical history included ongoing Seasonal Allergies (probably started in the last 4-5 years; reoccurs every year from about Oct through Mar), ongoing high blood pressure since like 2006 or 2004, ongoing Iliac artery stent placed started couple of years ago, anxiety from 2010 and ongoing (her cardiologist put her on Xanax around 2010-ongoing). Concomitant medication included ongoing alprazolam (XANAX) since 2010 for anxiety. She gets the flu shot every year and has never had a problem with the flu shot. She got her last flu shot in Oct2020, no adverse events with that or other flu shots historically. On the second dose of Pneumococcal vaccine, it swelled her arm up from the injection site all the way down to her wrist; she went to the urgent care for that. They gave her some medicine and eventually the adverse event went away. She experienced some side effects following that injection. The patient reported that in the morning of the 20Jan2021, she was weak and just kind of rested. She did not have any other side effects until 21Jan2021. At 5am on 21Jan2021, for the whole day she had a fast heart rate, 125bpm, she woke up with her heart rate up, fast heartbeat, then down to 110 and then just toggled a little bit, she had blurry eyes so she could not really focus her eyes, weakness and dizziness. These events continued all throughout 21Jan2021 but her heart rate came down, it was running in the 90s and she was weak all day. Her blood pressure was also up on 21Jan2021. She thinks the blurry eyes, with her eyes being squirrely was related to her heart rate being up and blood pressure being up. She feels like she recovered completely from these events by this morning 22Jan2021. She feels good, strong and her eyes are clear today, felt better than yesterday but not 100%. She</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1011249	2/8/2021	AR	35	F	2/2/2021	2/2/2021	<p>has probably shrunk in height, her last known height was 5' 9. She called to ask if she should or should not get the second dose as scheduled for 12Feb2021 in response to the side effects. Outcome of the event 'she has probably shrunk in height' was unknown while the rest of the events was recovered on 22Jan2021. No follow-up activities are needed. No further information is expected.</p> <p>Pfizer-BioNTech Covid 19 vaccine EUA--7PM on 2/2/21 developed HA &amp; took ibuprofen. hour later became suddenly drowsy &amp; difficult to hold my eyes open. A little while later became very exhausted quickly and got out of breath just from walking, also was nauseas at his time. I went to bed , felt awful. The next morning it was difficult to wake up because I felt very fatigued and still did not feel well. After arriving to work HA was back and developed chills, chills have been persistent, no fever. Still was very fatigued.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1012378	2/8/2021	IN	81	F	1/21/2021	1/1/2021	<p>Dizzy; Headache; Joint pain; Fever; Injection site swelling; heartbeat would accelerate for a few seconds; Chills; off balance; throwing up; she could not drive and was half delirious; I am not feeling good; sneezing; has no energy; her bowel movement was little dab and then again another little dab; if she does not blow her nose, it feels like something is going down the back of her throat; She still has a punchy feeling; she does not have her peripheral vision right; Her arm felt like a boil where they gave her the shot.; Her arm is still is sore; This is a spontaneous report from a contactable consumer (patient). An 81-year-old female patient received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/lot number: EL8982, Expiry Date of Pfizer covid vaccine: May2021), intramuscular injection in left shoulder on 21Jan2021 13:00 at single dose as preventative, since she did not want to get COVID again/there was a new strain of COVID that was easier to catch. Medical history included ongoing high blood pressure diagnosed about 5 to 7 years ago, ongoing high cholesterol diagnosed about 5 to 7 years ago, thyroid disorder, Supplementation, for bones, COVID-19 from Nov2020 to Dec2020: She had COVID in Nov2020 till the end of Dec2020, and she was getting better. Concomitant medication included ongoing metoprolol tartrate for high blood pressure, ongoing simvastatin for cholesterol, ongoing levothyroxine for thyroid, ongoing colecalciferol (VITAMIN D) as Supplementation, for bones. The patient experienced chills, off balance, dizzy, headache, joint pain, fever, injection site swelling, heartbeat would accelerate for a few seconds on 21Jan2021, throwing up in Jan2021. The patient spent that whole night getting up and down and going to bathroom for bowel movement, and her bowel movement was little dab and then again another little dab. She was throwing up by 3am or 4am that night, she threw up twice and reports it was like bubbles. Her side effects started Thursday night. She experienced chills, joint pain, fever, injection site swelling, her heartbeat every so often would accelerate for a few seconds. She dizzy and off balance when she would get up to go the bathroom. Since then she still had sneezing and she was blowing her nose, and if she did not blow her nose, it felt like something was going down the back of her throat. She wanted to ask how long she would experience the side effects and</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

how many people had a problem with the first dose. She still had a punchy feeling, had no energy. She could lay down and fall asleep at almost anytime. Height: about 5'2", she jokingly stated she was shrinking monthly. Her chills started Thursday night and by Saturday morning they were completely gone. When she tried to turn a corner and reported she did not have her peripheral vision right since she kept running into door frames. She was a little better, sometimes she could walk a straight line and sometimes she veers. Headache was ongoing. She did not have it today, it was not a severe headache, it was more irritating than severe. Her arm felt like a boil where they gave her the shot. Her fever went away Saturday night or Sunday morning. She felt like she was not in her own mind, like she was drifting, so time lines for side effects are hard to recall. Her arm was still sore. Heartbeat would accelerate for a few seconds was occasionally still happening, it happened last night. She called the hospital (facility where it was received) back the next morning and she was told she could come if she wanted to but it was suggested to stay home and sleep it off. She told them she could not drive and was half delirious, she was told she could call an ambulance to come get her. She confirms she did not call ambulance or go to the hospital. When querying indication, she was told there was a new strain of COVID that was easier to catch. The outcome of events chills was recovered on 23Jan2021, vomiting was recovered on 22Jan2021, joint pain was recovered on 24Jan2021, fever recovered in Jan2021. The outcome of events balance impaired NOS, dizzy, vaccination site swelling, Peripheral vision defective was recovering. The outcome of event headache, sneezing, feeling of total lack of energy, feeling abnormal, sleep excessive and pain in arm was not recovered. The outcome of rest events was unknown.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1012377	2/8/2021	TX	32	F	1/22/2021	1/22/2021	Delirium; headache; body chills; nausea; strong pressure felt in head and neck; strong pressure felt in head and neck; blurred vision; This is a spontaneous report from a contactable consumer (patient). A 32-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection; lot number EL9261, expiry date not reported) via an unspecified route of administration at left arm, on 22Jan2021 10:45, single dose, for COVID-19 immunization. Medical history included neoplasm malignant and hypersensitivity. The patient is not pregnant at the time of vaccination. The patient did not receive any other vaccine in the last four weeks. It was unknown if the patient has COVID prior vaccination. The patient was not tested for COVID post vaccination. Concomitant medication included alprazolam (XANAX) and doxycycline hyclate. On 22Jan2021 14:00, the patient experienced delirium, headache, body chills, nausea, strong pressure felt in head and neck, and blurred vision. Outcome of the events was not recovered.
1012053	2/8/2021	WI	68	F	2/6/2021	2/6/2021	Approx 5-10 min after receiving the injection patient c/o not feeling well, lightheaded, visual migraine (has history of. Assisted to private location and removed some of her winter garments to cool her. She also took in water as she had not drank much that day she stated. Ice pack to the back of neck also applied. Vitals taken and wnl. After approx 10 min patient states headache resolved and was feeling slightly better. Observed till symptoms resolved. Denies any resp symptoms during entire process. No swelling anywhere on person.
1012005	2/8/2021	MD	31	F	2/7/2021	2/7/2021	Fevers > 101 for > 24 hours Chills Headache Eye pain Chest heaviness Fatigue
1012009	2/8/2021	TX	32	F	2/8/2021	2/8/2021	Rash under the eyes
1011785	2/8/2021	NC	65	F	2/1/2021	2/2/2021	Chills, headache, body aches, joint pain , neck and low back pain, eye and mouth pain, skin sore to touch all over, excessive tiredness, lethargy, loss appetite.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1011966	2/8/2021	CO	66	F	2/4/2021	2/6/2021	Approx. 36 hours after injection, fever spiked very quickly. Eyes became blood red; severe stomach cramps; for 24 more hours had diarrhea, watery, bloody, uncontrolled; 104F fever; severe body aches; Dizzy. 3" red oval on left arm at injection site; hives at site as well. Three days after injection, still itchy, very sore in abdomen, fever of 101.2F Still achey and missing work due to symptoms.
1011958	2/8/2021	WI	33	F	2/5/2021	2/6/2021	Approximately 24 hours after receiving the vaccine, left arm punctured area became red, hot, tight and sore. The 2nd day after vaccination the area was somewhat itchy for that day. Area is increasing in size daily. Currently 5 & 3/4 inches in height by 7 & 1/2 inches in width. 18 hours after vaccination began feeling general fatigue, chills and body aches which continue. Benadryl is not really helping. Tylenol & Ibuprofen help for the body aches. When she gets bee stings it's almost the same reaction. When she takes Penicillin she developed hives and rashes. She has never been prescribed an epi-pen. Denies any breathing or vision changes. No recent changes in medication. Advised consult w/ her M.D. A.S.A.P.
1011955	2/8/2021	TX	50	F	1/27/2021	1/29/2021	Local reaction to COVID vaccine. 11 cm length x 14 cm width circular "bull's eye" circular area to left upper arm, warm, red, raised, non tender, pt reports some/minor itching. TX: hydro-cortisone cream 1% BID x 1 week, benadryl 25mg PRN itching - no scratching, F/U if no improvement.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1011946	2/8/2021	AL	30	F	2/5/2021	2/6/2021	Incredible arm/shoulder/lymph node pain starting 10 hours post-vaccination lasting about 60 hours. About 12 hours post-vaccine, uncontrollable muscle spasms began and lasted approximately 2 hours. In this time, arm/shoulder/lymph node were extremely swollen. During the muscle spasms, I experienced my first or two "attacks". Speaking and thinking became difficult - at times I felt as though I was trapped in my own head unable to speak or move how I wanted (motor function was possible but sluggish and requiring assistance to become ambulatory). The worst of this lasted about 4 hours, though my brain remained some level of "foggy" 48 hours post-vaccination. 1-2 hours into these neurological issues, I lost the ability to feel throughout my whole body. I could tell there was a sensation on my skin, but I could not tell if it was hot/cold/pain/pressure. I could not feel if I was swallowing, drinking water, or breathing, though I could move enough to perform these activities. Vision was hazy during these attacks and for a while after. The worst of all these effects lasted 3-4 hours. It then took about 5-6 hours to regain all feeling, though my brain was still foggy/hazy. Heavy swelling lasted several hours, then became moderate swelling, and after 48 hours, there was little to no swelling. About 22 hours post-vaccination, I had another one of these "attacks", not including the muscle spasms. This second attack was identical to the first in every way, except it was slightly less severe. Recuperation time was again 5-6 hours. It is currently about 70 hours post-vaccination and most symptoms except moderate arm soreness are gone. During both attacks, BP and temperature were normal, heart rate slightly elevated (80-85 bpm). Other non-severe effects included fatigue, slight chills/flush.
1011846	2/8/2021	MI	76	M	2/2/2021	2/3/2021	Patient went to Emergency Room @ 5PM day following vaccine with difficulty moving eyes and drooping cheek.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1011808	2/8/2021	NY	66	F	2/5/2021	2/6/2021	About 24 hours after the 2nd dose, I had extreme nerve sensitivity on the left side of the face. This pain and sensitivity to touch went from my forehead above the eyebrow down to my chin. It included my left eye. It also seemed to affect my throat. The left gland popped and the left side of my throat was very sore. This issue responded somewhat to Advil but never fully went away and only dissipated for about an hour in between Advil doses. It lasted about 30 hours. I hadn't read or heard anything about a reaction like this so wanted to provide the information.
1012052	2/8/2021	CO	78	F	1/27/2021	1/27/2021	This 78-year-old female has a history of allergic reactions to ciprofloxacin and latex. She received a COVID-19 vaccine this morning at approximately 11 AM. In a matter of minutes after receiving the vaccine she developed tingling to the left side of her lower lip as well as some pressure in her tongue and behind her eyes. She reported a sensation like her face was swelling. She denies difficulty breathing, difficulty swallowing. There is been no nausea or vomiting. She was observed in the vaccine area, and then ultimately referred to the emergency department after approximately 40 minutes of symptoms. No chest pain or chest pressure. No rash.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1010535	2/8/2021	MI	68	M	1/12/2021	1/12/2021	feeling really weak; feeling so run down; real bad headache; aches and pains; Nausea; Diarrhea; This is a spontaneous report from a contactable consumer (patient). A 68-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE lot number: EK9231) via an unspecified route of administration on the right arm on 12Jan2021 at a single dose for COVID-19 immunization. Medical history included rheumatoid arthritis and asthma both were ongoing. There were no concomitant medications. The patient reported 10 minutes after receiving the COVID-19 Vaccine on 12Jan2021 he developed a real bad headache. He said his headache was followed by aches and pains, nausea, and some diarrhea. Clarified by Saturday, 16Jan2021, his symptoms had mostly cleared up. He was feeling really weak on 13Jan2021. His doctor checked him over on his 13Jan2021 appointment. He said his doctor told him there had been a lot of reports of side effects from the COVID-19 Vaccine. He said his doctor wanted him to just keep an eye on if any symptoms got worse. He said from 13Jan2021 his headaches were starting to go away, and were less frequent. He said from 13Jan2021 he was still feeling pretty achy, and had occasional diarrhea. He said by 16Jan2021 his headache, ache, pain, nausea, and diarrhea had resolved. He said he was still feeling really weak. He said he was feeling really run down on 13Jan2021, so went to his doctor again on 19Jan2021, and was given a B12 shot. He was told to stay home from work on 20Jan2021. Reported he went back to work on 21Jan2021, and 22Jan2021. He said he was told by his boss that he needed to report his side effects from the COVID-19 Vaccine. Reported he was scheduled to receive his second COVID-19 Vaccine shot on 02Feb2021. He asked if he should go for his second vaccine dose or should he wait. Reported he did not have any blood work performed when he went to the doctor on 13Jan2021 and 19Jan2021. The facility where the vaccine was administered was in a Public Health Department. There was no history of all previous immunization with the Pfizer vaccine considered as suspect. There were no additional vaccines administered on same date of Pfizer suspect. The events resulted to a physician Office visit. The patient did not receive any other vaccines within 4 weeks prior to the COVID

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

vaccine. No relevant tests done. The patient recovered from the events headache, aches and pain, nausea, and diarrhea on 16Jan2021; feeling really weak in Jan2021 and outcome of the other event was recovering.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1010598	2/8/2021	NC	26	F	12/30/2020	12/30/2020	<p>mental confusion; inability to speak/tried to say things and it was a jumbled, meaningless string of words; felt very cold; tingling around the mouth; aura like a bad migraine; bright spotty vision in the peripheral right field; bright spotty vision in the peripheral right field; thought she was having a stroke; EKG showed peaked T waves, common with dehydration and high potassium; EKG showed peaked T waves, common with dehydration and high potassium; EKG showed peaked T waves, common with dehydration and high potassium; likely a severe migraine; This is a spontaneous report from a contactable nurse. A 26-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection; lot number: EK9231, expiration date was unknown), intramuscularly on the left arm on 30Dec2020 at 14:45 at a single dose for COVID-19 immunization. The facility where the most recent COVID-19 vaccine was administered was at the workplace clinic. Relevant medical history included COVID-19, which was diagnosed prior to vaccination and migraines (before). The patient had no allergies to medications, food, or other products. Concomitant medication included melatonin. The patient was not pregnant at the time of vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. On 30Dec2020 at 15:45 or 1 hour after the vaccine injection, the patient had an aura like a bad migraine and she had bright spotty vision in the peripheral right field for 15-20 minutes; the patient has had migraines before, but they're not common for her. Two hours after the vaccine, on 30Dec2020 at 16:45, the patient had mental confusion and an inability to speak; she tried to say things to her husband and it was a jumbled, meaningless string of words. She also felt very cold and she had tingling around the mouth. Her husband thought she was having a stroke and called 911 on 30Dec2020. All her vitals were stable, and within 10 minutes she could speak again. On 30Dec2020, the patient's electrocardiogram (EKG) showed peaked T waves, common with dehydration and high potassium. She was encouraged to go to the emergency room (ER). Instead of taking the ambulance, she drove herself several hours later. The patient wanted someone to tell her it wasn't a stroke. After a brief neurological exam on 30Dec2020, the doctor said it was likely a severe</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

migraine and wrote the reason for her visit as a vaccine reaction. This took place in the late evening to early morning, and she missed one day of work. The events did result in an emergency room/department or urgent care visit. The reporter assessed the events as non-serious. The patient did not receive any treatment for the adverse events. Since the vaccination, the patient had not been tested for COVID-19. The patient recovered from all the events on 31Dec2020.; Sender's Comments: Based on the close temporal relationship, the association between the event stroke with BNt162b2 can not be fully excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1010688	2/8/2021	GA	67	F	1/20/2021	1/20/2021	face got even hotter/her face felt warm; mild allergic reaction; scalp itchiness moved to the back of her neck down the middle of her back; eyes started to itch; arm soreness/it felt like a bruise; arm soreness/it felt like a bruise; This is a spontaneous report from a contactable consumer(patient). The 67-year-old female patient received first dose BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/lot number: EL3246), via an unspecified route of administration in the right arm on 20Jan2021 14:05 at single dose for COVID-19 immunization. Medical history included gastroesophageal reflux disease (GERD), hot flashes, Cholesterol, clear her lungs, eyes(disorder), hair(disorder), high cholesterol, heart(disorder), arthritis in hip and knee, face felt warm from 2015, quit smoking, back pain. In 2015 she had a reaction to a cortisone shot in her knee and experienced her face felt warm. She got a spinal epidural last Jan2020, she had gone to an allergist prior to the spinal epidural to take a five hour test for allergy to dexamethasone and had a very mild reaction with face warming so she did get the spinal. When she got a flu shot her arm would be sore when she moved it. Her last flu shot(Infs Fluorix Quadrivalent) was on 24Sep2020 at his 67-year-old. she usually didn't have issues with vaccines but she was going to make herself wait the 30 minutes due to her weird reactions. She had a lot of weird reactions to medications and always had to wait 30 minutes for Penicillin and sulfa. Penicillin put her in a coma for two days when she was 7 years old. She has never had penicillin since then. with Sulfa she got an immediate rash and itching but that was 20 years ago. She couldn't take pain killers and lots of other medications including clindamycin; Neurontin; gabapentin; carbamazepine; endocet; metoprolol; tamalor. The pain medication issue happened in 2003 and the metoprolol issue happened in 2008. Ongoing concomitant medication included aloe vera for hot flashes and GERD, acetylsalicylic acid (ASPIRIN) for high cholesterol and heart, biotin for hair, cod liver oil to clear her lungs(like a heart supplement), famotidine for GERD, chondroitin sulfate sodium/glucosamine (GLUCOSAMINE AND CHONDROITIN) for arthritis in hip and knee, lansoprazole for GERD, latanoprost for eyes, lovastatin for blood cholesterol, xantofyl (LUTEIN) for eyes , zeaxanthin from 21Jan2021 for eyes and

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

multivitamins(women over 50) for supplement. On 20Jan2021, the patient experienced a mild allergic reaction to the vaccine, only had a mild reaction, she had a mask on and when she got in the car and took off the mask, her face felt warm; Her reaction(face getting warm) was similar to what she experiences with a cortisone shot and dexamethasone before. The face feeling warm happened about 35 minutes after the vaccine(20Jan2021 14:40), then she got home and her face got even hotter; her scalp started to itch, it was really itchy; her eyes started to itch and then the scalp itchiness moved to the back of her neck down the middle of her back for about 2 hours. All of the itchiness went away after about three hours or 17:00PM on 20Jan2021; then a little bit of the scalp itching came back for about 45 minutes and then went away. All of the itching has been gone since evening on 20Jan2021. Later that night on 20Jan2021, she noticed she had a little bit of arm soreness; it felt like a bruise; when she laid on it hurt. 21Jan2021 it had gone away, too. The arm soreness wasn't even as bad as the flu shot. She was scheduled to receive the second dose of the Pfizer COVID 19 vaccine 10Feb2021. Outcome of arm soreness/it felt like a bruise was recovered in 21Jan2021, of other events was recovered on 20Jan2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1010682	2/8/2021	TX	23	F	1/9/2021	1/22/2021	<p>Bell's Palsy; progressed to left facial drooping; loss of taste on anterior part of tongue; decreased tear production in my left eye; started with left neck pain; This is a spontaneous report from a contactable other health care professional (HCP) (patient). A 23-year-old female patient not pregnant received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration Left arm on 09Jan2021 at 04:30 PM as a single dose for COVID-19 immunisation, lot number: EL1283. Medical history was reported as none. Concomitant medications in two weeks prior to the vaccination included oral contraceptive pill (OCPs). Patient received first vaccine dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 19Dec2020 at 04:00 PM at Left arm for COVID-19 immunisation, lot number: EK5730. Patient did not receive other vaccine in four weeks prior to the COVID vaccine. On 22Jan2021 03:00 PM (Symptom onset was 2 weeks after second vaccine) patient initially started to experience left neck pain, and then progressed to left facial drooping, loss of taste on anterior part of tongue, and decreased tear production in her left eye. Presentation consistent with Bell's Palsy. Patient started a course of methylprednisolone the day of the report with no improvement yet. Events resulted in Doctor or other healthcare professional office/clinic visit. Patient had no COVID prior vaccination. Patient was not tested for Covid post vaccination. Patient had not recovered from the events, at the time of the report.; Sender's Comments: The events left neck pain, and then progressed to left facial drooping, loss of taste on anterior part of tongue, and decreased tear production in her left eye are considered possibly related to the suspect product based on temporal association. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1010621	2/8/2021	NY	91	F	1/19/2021	1/20/2021	tingling around the mouth area and lips; her mouth or lips were moving in a way that she had no control over/It was just a feeling she was having; This is a spontaneous report from a contactable consumer (patient). A 91-year-old female patient received the first dose of BNT162B2(PFIZER-BIONTECH COVID-19 VACCINE)Lot # EL3247, via an unspecified route of administration on 19Jan2021 18:00 at single dose at left shoulder for covid-19 immunisation. Medical history included osteoporosis from Aug2020, rash on her legs from Aug2020, (lower leg below the knee, she was using a steroid but she had stopped as she was told not to use it too often by her doctor and just use Vaseline to keep the skin moist. She was asked if she had used any steroids but she hadn't used it in the past week and maybe only once in the previous week but couldn't be certain it wasn't in the last 10 days. She resisted the urge to use Mometasone 0.01 as it damaged the skin.); allergies to Sulfa a few years before. The patient reported her daughter who died at 41 years old of breast cancer. There were no concomitant medications. There was no additional vaccines administered on same date of BNT162B2 and no prior vaccinations within 4 weeks.The patient previously took brimonidine tartrate/timolol maleate (COMBIGAN) a few years before and experienced allergies, the eye drops didn't her any good at all and was told not to use it anymore. She previously received flu shot most every year and never had a problem. She stated that evening on 19Jan2021 she felt fine and then the next morning on 20Jan2021 she experienced tingling around the mouth area and lips. Almost as though her mouth or lips were moving in a way that she had no control over. She looked in the mirror and saw no evidence of it moving but could feel it moving. It was just a feeling she was having. The feeling was about the same. The first 2 days was on just the right side but she has had now had 2 occasions where it was on the left side. This was not constant, just occasionally during the day. She wanted to know if this was a known side effect and will it go away. She wanted to know if she should receive the second dose of the vaccine considering these side effects.The outcome of the events was not resolved.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1010605	2/8/2021	MN	51	F	12/29/2020	1/5/2021	Headache; Bodyaches; Confusion; Nausea; No Appetite; Fatigue; Malaise; Loose stools; Joint pain; Muscle Pain; Kidney Pain; Watery eyes; This is a spontaneous report from a contactable other hcp (patient). A 51-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (lot number: EJ1685) intramuscularly in left arm on 29Dec2020 16:15 at single dose for COVID-19 immunization. Medical history included Hashimoto's Thyroiditis, Hypothyroidism, known allergies to pineapple. Concomitant medication included thyroid (ARMOUR THYROID), naltrexone. The patient previously took levofloxacin and experienced allergies, amoxicillin and experienced allergies, levonorgestrel and ethinyl estradiol (reported as LEVONORGESTREL-ETHINYL) and experienced allergies. The patient experienced headache, bodyaches, confusion, nausea, no appetite, fatigue, malaise, loose stools, joint pain, muscle pain, kidney pain, watery eyes, all on 05Jan2021 13:00. No treatment received. No other vaccine in four weeks. No covid prior vaccination. The patient underwent lab tests and procedures which included Nasal Swab with result of negative on 10Jan2021. The outcome of the events was recovered in Jan2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1010712	2/8/2021	MN	55	F	12/30/2020	12/30/2020	nipple drainage; itchy and watery eyes; itchy and watery eyes; sore arm; metallic taste; This is a spontaneous report from a contactable nurse (Patient). A 55-years-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EJ1685), via an unspecified route of administration on 30Dec2020 at single dose for covid-19 immunization. The patient took vaccine for work, and to get back to a normal life. The patient's medical history and concomitant medications were both reported as none. Shortly after her first dose of the vaccine, she developed nipple drainage. She didn't know if it was coincidental or what. She hadn't noticed it prior to the vaccine. She a work up with a mammogram and ultrasound. There were no masses or anything else. They showed no reason to have the drainage. She was unsure of her weight, but would get 140 or 150 lbs. With the first vaccine, she experienced a sore arm. It started the evening of the 30Dec2020 about 4-6 hours after the vaccine. That resolved, and she recovered completely. She also experienced a metallic taste in her mouth. It happened initially on 30Dec2020. She recovered completely. It only lasted a couple of hours. They were both not serious. She had noticed an increase in the itchy and watery eyes on an unknown date. It was ongoing and persisting. The patient underwent lab tests and procedures which included mammogram: normal, ultrasound breast: normal, weight: 140 or 150 lbs, all on an unknown date. The outcome of the nipple drainage was unknown, the outcome of the events sore arm and metallic taste was recovered on 30Dec2020, the outcome of the events increase in the itchy and watery eyes was not recovered.
1010215	2/8/2021	OK	24	F	2/4/2021	2/6/2021	My eyes have been occasionally twitching (lasts about 3 seconds) and this doesn't really happen. It occurs randomly throughout the day. I got the 2nd dose on the 4th but it's still happening as I'm typing this report.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1010713	2/8/2021	MN	55	F	1/19/2021	1/19/2021	itchiness and watery eyes; itchy and watery eyes; nipple drainage/increased again after the second dose; nipple drainage/increased again after the second dose; exhausted; nausea; low grade fever; muscle aches; This is a spontaneous report from a contactable nurse (patient). A 55-year-old patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (lot number: EL3247) via an unspecified route of administration on 19Jan2021 at single dose for COVID-19 immunization. The patient medical history was not reported. There were no concomitant medications. The patient previously received the first dose of bnt162b2 (lot number: EJ1685) on 30Dec2020 for COVID-19 immunization and experienced nipple drainage, sore arm, metallic taste in mouth, itchy and watery eyes. The nipple drainage decreased before getting the second dose, and then increased again after the second dose. She noticed an increase in the drainage on 21Jan2021. It was a yellowish to clearish drainage. She was wondering if there was any correlation. She was curious if other women have noticed this. She was unsure of her weight, but would get 140 or 150 lbs. She didn't have a prescribing doctor. She got it through her employer. Also she experienced other side effects. After the second dose she experienced different side effects. She experienced a low grade fever. It started on 19Jan2021 evening into 20Jan2021 morning. It lasted for 18- 24 hours. She recovered completely, and it was not serious. She also developed muscle aches on 19Jan2021, 6-8 hours after the second vaccine. She felt better now. She had a rough night last night. She has been doing Advil, and it had helped significantly. That stated on 19Jan2021. It had improved, and it was not serious. She had also been exhausted after the second vaccine. That started 20 hours after. It started the 20Jan2021. It was ongoing, but had improved. It was not serious. She developed the nausea six hours later on the 19Jan2021. It had improved, but she was not 100%. It was not serious. She had been taking Tylenol and Advil for event low grade fever and muscle aches. She had noticed an increase in the itchiness and watery eyes (She didn't know if it was related to winter and allergies or the vaccine.). It was ongoing and persisting. The outcome of the event low grade fever was recovered on 20Jan2021, of the events muscle aches, exhausted, nausea was

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1010532	2/8/2021	CA		F	1/20/2021	1/20/2021	recovering, of the events itchiness and watery eyes was not recovered, of the other events was unknown.  sudden onset of chest tightening around my rib cage; pain was about a 4. It did not travel to other parts of my body; This is a spontaneous report from a contactable other healthcare professional (patient). A 70-year-old female patient received bnt162b2 (BNT162B2), Lot number=EL1283, via an unspecified route of administration Left arm from 20Jan2021 09:46 to 20Jan2021 09:46 at SINGLE DOSE (first dose) for covid-19 immunisation. Medical history included colon cancer (S/P colon cancer), Sulfa allergies which caused sores in mouth, and latex fibers allergy which caused eye swelling and sneezing. Concomitant medication included trazodone 50mg, levothyroxine 75ug. The patient received the vaccine at 9:46 am. One half-hour after receiving it, the patient experienced sudden onset of chest tightening around her rib cage. She was able to breathe normally at rest. The pain was about a 4. It did not travel to other parts of her body and she had no other symptoms. It may have worsened gradually and then, ultimately subsided at 1.5 hours after the pain onset. She haven't had any other symptoms since. The outcome of the events was recovered. The patient is not pregnant at the time of vaccination. No treatment was given for the events.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1010501	2/8/2021	FL		F	1/9/2021	1/1/2021	felt a little tender where the shot was; This is a spontaneous report from a contactable consumer (patient). This consumer reported for two patients (herself and her husband). This is the first of two reports. An 88-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: unknown), via an unspecified route of administration on 09Jan2021 at single dose for Covid-19 immunization. Medical history included ongoing cancer cell on eyelid. The patient's concomitant medications were not reported. The patient reported that she received the first dose of Pfizer vaccine on 09Jan2021. The patient reported that she has not had any reaction at all, maybe felt a little tender where the shot was, also reported as felt nothing except maybe a little soreness on the arm in Jan2021. She added that she is due to get her next shot on 30Jan2021 and is also due to have a surgery; she added eye surgery as she have a cancer cell eyelid and she was supposed to have cancer surgery on the 1st, and wanted to know if there would be a complication if she had the vaccine two days before that surgery. She also wanted to know if they will be getting the vaccination on 30Jan2021 and what to do if the facility run out of the vaccine when they are due for the second shot. The outcome of event is unknown. Information about lot/batch has been requested.; Sender's Comments: Linked Report(s) : same reporter, suspect product, and event, different patient

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1010485	2/8/2021	NY		M	1/7/2021	1/8/2021	acute optic neuritis; A spontaneous report was received from a male patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced acute optic neuritis. The patient's medical history was not provided. No relevant concomitant medications were provided. On 07 Jan 2021, the patient received their first of two planned doses of mRNA-1273 (Lot: 011L20A) in the left arm intramuscularly for prophylaxis of COVID-19. On 08 Jan 2021, the day after administration, the patient stated he started to develop an adverse reaction that eventually culminated in acute optic neuritis. He mentioned that he was unsure if the vaccine caused it. He had a CT scan, MRI scan and lumbar puncture with results pending. He also stated that every diagnosis that could cause optic neuritis came back negative. The only change was receiving the vaccine before his symptoms started. On 22 Jan 2021, the patient reported his eye was getting better, but his vision was still not fully repaired. Treatment for the event included prednisone. Action taken with mRNA-1273 in response to the event was not reported. The outcome for the event, acute optic neuritis, was unknown. Follow-up received on 22 Jan 2021 included: update the reporter address, lot number, treatment and status of event.; Reporter's Comments: This case concerns a male patient who received their first of two planned doses of mRNA-1273 (Lot 011L20A), and who experienced the serious unlisted event of acute optic neuritis. Based on the current available information and temporal association between the use of the product and the onset of event on the day after vaccination, a causal relationship cannot be excluded and the events are considered possibly related to the vaccine.
1010394	2/8/2021		38	M	2/4/2021	2/4/2021	12 hours after shot, red swollen eyes, fatigue, body ache, tenderness and swelling of left arm. Shortly after chills, fever, swelling of lymph nodes, migraine, rapid heart rate, dizzy, nausea. Lasted about 36 hours. migraine, fatigue, body aches, swelling of lymph nodes still present after 48 hours. 72 hours later bruised lymph nodes through out the body (left leg, right upper arm, and right rib cage.) Also noticeable joint and muscle pain. prominently lower back, and right rib cage.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1010583	2/8/2021	NM		M	1/1/2021		<p>The typical sore arm; puffy around my eyes/little puffy under his eyes; sensation around his eyes/felt a sensation on the side of his eyes; This is a spontaneous report from a contactable consumer (patient). A male patient of an unspecified age received his first dose of bnt162b2 (BNT162B2 reported PFIZER-BIONTECH COVID-19 VACCINE; unknown lot number and expiration date), via an unspecified route of administration on Jan2021 at a single dose for covid-19 immunization. The patient's medical history and concomitant medications were not reported. The patient inquired if his symptoms after the first dose of the vaccine are normal, was this a reaction to the vaccine and if he should get the second dose. He mentioned that he got the first dose of the covid vaccine earlier this week (Jan2021) and he had "the typical sore arm" but went on to report that about 3 hours afterward, he felt a sensation on the side of his eyes and below them so he asked his wife, "am I puffy around my eyes". He had no severe reaction or anything like that. He had no shortness of breath or rapid heartbeat or anything. He did not have any of those issues at all. Like any other shot, he had a sore arm. Then about 3 hours after he got it, he noticed a sensation around his eyes that last for about 20 minutes. He thought it had something to do with vaccine. His wife said he looked a little puffy under his eyes. He knows there is a "glad" under the eye area. He reported that he looked at the common side effects but didn't see his reaction so he doesn't know if he should be concerned. In the instructions for the vaccine it said there could be an issue with skin mucosa, but he had no swelling of the lips, throat, face, or anything. He wants the second dose. Obviously if someone had a severe reaction, they would not get the second shot. He inquired if he should be concerned about or not, if this is a side effect. The outcome of the events was unknown. The following information on the batch/lot number has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1012383	2/8/2021	MI	69	F	1/16/2021	1/1/2021	<p>felt like she was having the onset of pneumonia; muscle and body aches; muscle and body aches; ongoing congestion in one nostril/stuffiness; felt tired and run down; feeling itchy/Her head, neck and back are very itchy; rash/like a fever type rash; This is a spontaneous report from a contactable consumer (patient). A 69-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Solution for injection, lot number: EL3249, unknown expiration), via an unspecified route of administration in the left shoulder area on 16Jan2021 at 11:15 AM at a single dose for COVID-19 immunization. Medical history included COPD (has it for lots of years) and nickel sensitivity. She does not have any reactions to her previous unspecified vaccines but had a normal reaction like sore arm. Concomitant medication included bimatoprost (LUMIGAN). The patient previously received flu vaccine and pneumonia vaccine, both for immunization in 2020 around the end of Sep or beginning of Oct. The patient reported side effects regarding the COVID vaccine and said she was a little confused and unsure if she was having a problem or if she should see a doctor. On 16Jan2021 at 11:15 AM, she had the first dose of the COVID vaccine and afterward she had a lot of effects which were mostly muscle and body aches in Jan2021. She also experienced some ongoing congestion in one nostril but saw this as just more congestion and that she was having to blow her nose more in Jan2021. She did the (app name) report but didn't report the stuffiness. She did report that in the first few days she felt like she was having the onset of pneumonia and felt tired and run down (Jan2021). Two days ago, she started feeling itchy (Jan2021) and she didn't know what it was, she didn't know if she ate something or what. Now she has developed a rash (Jan2021) which is ongoing until now. Her paperwork said the rash would happen right away if it was caused by the vaccine. The patient wanted to know if this is something she should be concerned about and if the rash could appear or started this long after she had the vaccine. Her second dose is due on 06Feb2021. The patient wanted to know if the vaccine contains nickel or any metal substances in it since she had compared her rash to her nickel sensitivity. The patient wanted to know if rash is a side effect from the vaccine and how long it will last. She didn't put rash down for the safety check</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

either as she didn't know if it was caused by the vaccine. Today her rash, she is so itchy. She does have it on her neck and certain areas but not everywhere. It looks like what would happen after a bad fever. It is not raised but is like a fever type rash. She did note that she had an increase dose of a medication eye drops (Lumigan; Lot: T and a 0 or O followed by 544, and NDC: 0023320503. Expiry: Jan2022) around the time the rash started but after getting the vaccine. Her head, neck and back are very itchy. She mentioned that she waited 2 days and did not put this event in the (app name). She would have reported it yesterday, but she didn't get one yesterday. She also noted that it was very dry there and cold and a person is going to get dry skin. She does have an allergic to metal and wondered if that was in the product. In her neck area, it looks just like when she would wear a cheap necklace. No treatments received. The events did not require emergency room or physician office visit. The patient has no prior vaccination within four weeks. The patient had not yet recovered from events rash/like a fever type rash and congestion in one nostril/stuffiness; while unknown outcome for the remaining events.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1010603	2/8/2021	MN	51	F	1/19/2021	1/20/2021	Fever; Chills; Headache; Severe neck Pain; Muscle ache; Joint pain; Malaise; Fatigue; Nausea; Dizziness; Insomnia; This is a spontaneous report from a contactable healthcare professional reporting for herself. A 51-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE) (lot number EL3302/expiration date: not provided), via intramuscular route of administration, on 19Jan2021 04:15 PM (at the age of 51 years old) as a single dose in the right arm for COVID-19 IMMUNIZATION. Relevant medical history included Hashimoto's Thyroiditis and hypothyroidism. The patient had known allergies to levofloxacin, amoxicillin, levonorgestrel and ethinyl estradiol and pineapple. The patient previously received the first dose of BNT162B2 (lot number EJ1685) via intramuscular route of administration on 29Dec2020 at 04:15 AM (at the age of 51 years old), as a single dose in the left arm for COVID-19 IMMUNIZATION. On 05Jan2021, at 01:00 PM, the patient experienced headache, bodyaches, confusion, nausea, no appetite, fatigue, malaise, loose stools, joint pain, muscle pain, kidney pain, and watery eyes. The patient did not receive treatment for these events and has recovered from the events. Prior to the vaccination, the patient was not diagnosed with COVID-19. Concomitant medication included thyroid (ARMOUR THYROID) and naltrexone. The patient was not pregnant at the time of vaccination. The patient did not receive any other vaccines (besides the first dose of BNT162B2) within 4 weeks prior to the COVID vaccine. On 20Jan2021 at 04:00 AM the patient experienced fever, chills, headache, severe neck pain, muscle ache, joint pain, malaise, fatigue, nausea, dizziness, and insomnia. The patient did not receive any treatment for these events. The outcome of the events fever, chills, headache, severe neck pain, muscle ache, joint pain, malaise, fatigue, nausea, dizziness, and insomnia was recovering. Since the vaccination, the patient had not been tested for COVID-19.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1010980	2/8/2021	MA	25	F	1/6/2021	1/6/2021	Brain hemorrhage (inflammation, swelling); Dizziness; Difficulty with coordination; Difficulty with balance; Vision changes in left eye; Drift in left arm; Issues going through daily routine; Neurological symptoms; Was confused; Headaches; Very nauseous; A spontaneous report was received from a consumer, who was a 25-years-old, white female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced the events, very nauseous, neurological symptoms, headaches, dizziness, difficulty with coordination, difficulty with balance, vision changes in left eye, drift in left arm, issues going through daily routine, confusion, and brain bleed. The patient's medical history, as provided by the reporter, included gluten allergy. Products known to have been used by the patient, within two weeks prior to the event, included ethinylestradiol/ ferrous fumarate/ norethindrone acetate. On 06 Jan 2021 at 10:30am, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 06 Jan 2021, after receiving the vaccine, the patient became very nauseous through 08 Jan 2021. On 09 Jan 2021, the patient started having neurological symptoms. She started having headaches, dizziness, difficulty with coordination and balance, and vision changes in the left eye (not specified). She reported that she had a "drift" in the left arm and described it as "when you try to manipulate the arm, but it does not go where you want it to go". On 11 Jan 2021, the patient still had neurological symptoms, issues moving left arm, colliding with objects all day, and issues going through daily routine. On 12 Jan 2021, the patient was seen by a neurologist and magnetic resonance imagining (MRI) was scheduled. The MRI revealed inflammation, and brain bleed and swelling. The patient was sent to the emergency room and admitted on 19 Jan 2021. Treatment for the events included calcium carbonate for nausea, ibuprofen for headaches and diphenhydramine. Action taken with mRNA-1273 in response to the events was not reported. The event, very nauseous, was considered resolved on 08 Jan 2021. The events, neurological symptoms, headaches, dizziness, difficulty with coordination, difficulty with balance, vision changes in left eye, drift in left arm and issues going through daily routine, confusion, and brain bleed were considered not

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							resolved. Follow-up received on 23 Jan 2021 included patient details, medical history, lab tests, concomitant medications, hospitalization, and updated events.; Reporter's Comments: This case concerns a female patient, who experienced a non-serious unexpected event of dizziness, coordination abnormal, balance disorder, visual impairment, movement disorder, loss of personal independence in daily activities, and neurological symptom, and non-serious expected event of nausea, and headaches. The events of nausea occurred 1 day (same day) after first dose of mRNA-1273, lot # unknown. The event of neurological symptoms, dizziness, coordination abnormal, balance disorder, visual impairment, loss of personal independence in daily activities, and movement disorder occurred 3 days after first dose of mRNA-1273, lot # unknown. Treatment for the events included, Tums, nausea, ibuprofen and Benadryl. Based on the current available information and temporal association between the use of the product and onset of the events a causal relationship cannot be excluded.
1011221	2/8/2021	WV	71	F	1/23/2021	2/1/2021	Patient diagnosed with Bells Palsy, mild case. Symptoms include numbness and pain on the left side of the patients face along the facial nerve. Patient also experienced left sided drooping of her cheek, lips and eye.
1011199	2/8/2021	PA	35	F	1/1/2021	1/12/2021	After both injections I have experienced cellulitis in my eyes; first in my left eye developing less than 24 hours after the injection and then cellulitis in my right eye developing about 3 days after the 2nd injection



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1011111	2/8/2021	IN	46	M	1/8/2021	1/9/2021	At 1700 01/10/2021, he began to feel numbness in his left lip, like he was given a numbing shot at the dentist. Over the next hour, it traveled superiorly up to his left cheek and to the inferior ear. He had a steroid and antihistamine sent in to the pharmacy and took this once he got home about 1930. Shortly thereafter, he started developing tongue numbness. He woke up in the middle of the night to use the restroom and reports he nearly fell into the bathroom wall due to the intensity of vertigo he was experiencing. The vertigo worsened throughout the day and he is very unsteady on his feet, requiring assistance and support from his wife to ambulate. He is unable to drive and reports exacerbation of dizziness when moving his head side to side. His wife reports he had a fever throughout the night 01/10/2021-01/11/2021. He feels the left eye is dryer and a bit weaker than usual and he has had to administer drops to help keep it moist.
1011070	2/8/2021	IN	42	M	12/21/2020	12/24/2020	Left fourth cranial nerve palsy and double vision.
1011046	2/8/2021	VA	49	F	1/29/2021	1/30/2021	Initially fatigue, headache, heavy limbs & watering puffy eyes. Progressed to extreme facial swelling. Used ice packs, Tylenol, Zyrtec. On 2/7/2021 went to ER because eye swell increased. They did not treat me. Suggested I contact CDC & come back if worsens. Suggested Benedryll & continue ice packs. Woke up this morning (2/8) with continued swelling.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1010710	2/8/2021	TX		F	1/1/2021	1/1/2021	<p>it seemed she was so close to anaphylactic reaction; slight itching; swollen eyes; itchy throat; super red ears; generalized hives; rash; progressive hypersensitivity reaction; anxious; This is a spontaneous report from a non-contactable nurse(patient). An adult female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) in Jan2021 at single dose for COVID-19 immunization. Medical history included skin asthma with severe eczema and severe allergy when she moved. Day 1 to 7 post-vaccine, there was no reaction, the patient was super fine. The patient remembered that on Day 4, she had slight itching relieved by loratadine (CLARITIN), just like her usual allergy symptoms. From Day 8 to Day 12, she had progressive hypersensitivity reaction that led to her swollen eyes, itchy throat, super red ears and generalized hives. It started as a rash similar to her usual allergy. She ended up going to urgent care by herself since her husband was at work, because it seemed she was so close to anaphylactic reaction (?). At first, loratadine was working but at the time of report, it did not work for the events. She was not admitted because there was no shortness of breath. The patient was on close monitoring for progression of symptoms starting on 22Jan2021. She was anxious and was having second thoughts of getting the second dose of the vaccine. According to her, she had skin asthma with severe eczema, so maybe, the vaccine was not to be recommended to persons with severe allergies like her. She had severe allergies when she moved and was planning to see an allergologist soon. The outcome of slight itching was recovering, of the events were not reported. No follow-up attempts are possible. Information about lot/batch number cannot be obtained. No further information expected.; Sender's Comments: Based on the time association and drug's safety profile, the event anaphylactic reaction is possibly related to suspect vaccine BNT162B2 administration. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							Investigators, as appropriate.
1011007	2/8/2021	OH	59	F	1/30/2021	1/30/2021	Pt complaint of dizziness 2 minutes after getting the vaccine. Pt the stated her vision was blurry. BP 200/130 Pt stated she was feeling better. Medic rechecked BP 247-200/130. Medic rechecked 191/119, HR 68 @ 1310 Pt advised to go to ER. Pt doesn't want to go by squad. States she will call her daughter 1332 RN still monitoring pt. Pt sitting quietly waiting on her daughter to take her to ER as advised by medic. 1337 daughter of pt arrived. Rn supervisor walked pt to meet daughter and advised daughter take her to ER ASAP and to pull over squad if worsen. Pt advised to go to ER by medics & RN due to elevated BP, blurred vision, & dizziness.
1011222	2/8/2021	PA	83	F	1/5/2021	1/17/2021	My mom received the Covid 19 vaccine on Jan 5, 2021 and became very about a week later. I was informed that she tested positive for Covid 19 on January 14th. One January 17th she became very tired and weak and would not eat. Hospice called me and told me that she was in a decline state. I saw her on January 25 and 26 and she was just sleeping and could not open her eyes. Her vitals were good and she seemed to understand when I talked to her - she would squeeze my hand and moan but she could not talk or open her eyes. My mom passed away on January 27, 2021 just 22 days after receiving the Covid 19 vaccine. She was very think to begin with and being to weak and tired to eat resulted in her losing even more weight. Some of the other residents were given fluids to help and they recovered. My mom was not given fluids. I believe there were 20 deaths in her care home for the month of January when they vaccinated. This was an alarming number of deaths for the home. The facility had very few Covid deaths in 2019 and 2020. I asked every week if they had any Covid and or Covid deaths and this amount was shocking to me and the workers there.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1010898	2/8/2021	OH	91	F	1/20/2021	1/21/2021	This is a spontaneous report from a contactable Consumer. A 91-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot number EL3249, Expiry Date 31May2021 ), at single dose into the left arm on 20Jan2021 at 11:30 am for COVID-19 immunization. Medical history included problem with gallbladder in the last 4 months. Concomitant drugs were none. The patient had never problem with flu and shingles shot. On 20Jan2021, the day of vaccination the patient felt fine and told everyone it was a breeze. On 21Jan2021 morning she was getting ready to go to the store at 1130am, it was about 24 hours after getting the shot, and she felt dizzy, achy, her eyes ached and were weak, she felt feverish but had no fever and was a bit nauseated. The patient also reported loss appetite the same day. On 22Jan2021 around 11am she felt a little better. She checked her temperature and blood pressure normal. She has had a little nausea in the evening and was dizzy. On 23Jan2021 she felt a little weak but felt better and her appetite was better. At the time of reporting the outcome of the events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1010892	2/8/2021	AZ	75	M	1/18/2021	1/1/2021	He had some drainage I guess his nose, it was flowing; I woke up with a lot of drainages like allergies/ scratchy nose; Left arm was sore; Light-headed; Blurry vision; He has a scratchy throat like a sinus or a head cold symptoms; He has a scratchy throat like a sinus or a head cold symptoms; He has a scratchy throat like a sinus or a head cold symptoms; This is a spontaneous report from a contactable consumer (patient). A 75-year-old male patient received his first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/lot number: EL0142), via an unspecified route of administration on left arm muscle on 18Jan2021 at single dose for COVID-19 immunization. Medical history included atrial fibrillation (AFib, had a pace maker), Kidney problems (It was stage III on kidneys functioning about 45 percent. patient also saw a Urologist because the patient did have a Cyst, he thought in one of his kidneys, they kept a close eye on to see how it was progressing), Pulmonary problems, blood thinner which the patient share with them before he got the shot. Concomitant medication included warfarin sodium (COUMADIN) as blood thinner which he share with them before he got the shot and unspecified medication. The day of the vaccination on 18Jan2021, he felt light headed, blurry vision, it lasted for 30 minutes and it subsided. Day 2 Tuesday on 19Jan2021, his total left arm was sore where they gave him the vaccine all the way down. Day 3 on 20Jan2021, he had some drainage the patient guessed his nose, it was flowing until he took some Benadryl medication which helped him over night. He said the same thing today but he said he had a scratchy throat like a sinus or a head cold symptoms. The only thing she could find was sometime allergic condition that were called like allergy in the throat scratchiness but she didn't say anything about any drainage so he didn't think that really what he was having. The outcome of events light-headed, blurry vision, runny nose was recovering. The outcome of rest events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1010875	2/8/2021			F			Visual hallucinations /I began to hallucinate colors on phone; This is a spontaneous report from a non-contactable consumer. A 22-year-old female consumer reported that she received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot number EN5318), at single dose on an unknown date for COVID-19 immunization. Medical history and concomitant drugs were unknown. The patient reported that immediately after receiving the vaccine she went on her phone in the area where patients had to be held for 15 minutes to be monitored for severe reactions. She began to hallucinate colors on her Smartphone that she knew don't belong. She was seeing purple and light blue outlines around the (messaging app name) bubbles and they looked real. This lasted for about 30 minutes. No follow-up attempts are possible. No further information is expected.
1010869	2/8/2021	MI	68	F	1/21/2021	1/1/2021	blood shot right eye; Allergic reaction; Chills; Her lips are a pinkish color as if she is still having some type of reaction; She did have nausea this morning; This is a spontaneous report from a contactable consumer reporting for herself. A 68-years-old female patient received bnt162b2 (BNT162B2; Lot # EL1283) , via an unspecified route of administration on 21Jan2021 at single dose for Covid-19 immunisation . Medical history included cataract operation on 10Nov2020, oedema , swelling , brain operation on 2016 , aneurysm (aneurysm that did not rupture and there are 8 coils protecting that) , implantable cardiac monitor insertion , hypertension. Concomitant medication included lisinopril dihydrate (LISINOPRI)Lacetylsalicylic acid (ASPIRIN BAYER), amlodipine besilate (AMLODIPIN) pravastatin sodium (PRAVASTATIN) The patient experienced chills on 21Jan2021 with outcome of not recovered , her lips are a pinkish color as if she is still having some type of reaction on 21Jan2021 with outcome of not recovered , she did have nausea this morning on Jan2021 with outcome of unknown , blood shot right eye on 22Jan2021 with outcome of not recovered , she thinks she had an allergic reaction on 21Jan2021 with outcome of not recovered. The patient received Benadryl, Prednisolone and Ketorolac as treatment. Follow up information has ben requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1010720	2/8/2021	NJ	56	F	1/19/2021	1/20/2021	Tachycardia; shortness of breath; rigors; muscle pain; fatigue; headache; This is a spontaneous report from a Contactable consumer (patient). A 56-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number=FI3249), via an unspecified route of administration in left arm on 19Jan2021 13:00 at first single dose for COVID-19 immunization. Medical history included high cholesterol, gastroesophageal reflux disease (GERD), dry eye syndrome, covid-19 (covid prior vaccination). Known allergies: No. Concomitant medication included atorvastatin, fish oil, pantoprazole. No other vaccine received in four weeks. The patient experienced tachycardia, shortness of breath, rigors, muscle pain, fatigue, headache, on 20Jan2021 02:30 AM. Events resulted in: Emergency room/department or urgent care. Events treatment included: Fluids, tylenol, clonazepam. Covid was not tested post vaccination. Outcome of the events was recovering.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1010716	2/8/2021	NC	85	F	1/19/2021	1/19/2021	<p>Sudden slurring of speech slight mouth droopiness; Sudden slurring of speech slight mouth droopiness; Sudden loss of consciousness; difficulty in bringing her hand to mouth to eat-opposite arm from injection site / Difficulty walking, getting out of bed; Increasing confusion, soreness, pain, throughout as well as injection site; Increasing confusion, soreness, pain, throughout as well as injection site; Increasing confusion, soreness, pain, throughout as well as injection site; Difficulty walking, getting out of bed.; Severe lethargy, tiredness, sleepiness; Severe lethargy, tiredness, sleepiness; Severe lethargy, tiredness, sleepiness; This is a spontaneous report from a contactable other HCP. An 85-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (Lot number: EK9231) intramuscular in left arm on 19Jan2021 16:00 at single dose for COVID-19 immunisation. Medical history included beginning signs of dementia, stage II breast cancer not immune compromised, no chemo no radiation only hormone therapy, and hormone therapy. There was no known allergies. The patient was not pregnant. There were other unspecified medications in two weeks. After 3-4 hours after injection on 19Jan2021 19:30 she had difficulty in bringing her hand to mouth to eat-opposite arm from injection site. Increasing confusion, soreness, pain, throughout as well as injection site. Difficulty walking, getting out of bed. Severe lethargy, tiredness, sleepiness. Day 3 after vaccine on 22Jan2021, all other symptoms still present and worsening, then sudden slurring of speech slight mouth droopiness, then sudden loss of consciousness. Could not be woke up for about 15 minutes then opened eyes but not aware of surroundings. Taken to hospital for work up. On day 4 after vaccine still confused not at normal baseline. Needs assistance in walking, eating, etc. Events resulted in: Emergency room/department or urgent care, Hospitalization for 7 days, Disability or permanent damage. The patient received treatment such as ER and ongoing hospital stay with Pt and OT for events. She received COVID test via nasal swab on 22Jan2021 with result of negative. Events outcome of difficulty in bringing her hand to mouth to eat-opposite arm from injection site, increasing confusion, soreness, pain, throughout as well as injection site, difficulty walking/getting out of bed,</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							severe lethargy, tiredness, sleepiness was not recovered, while for others was unknown.; Sender's Comments: Based on temporal association, the causal relationship between BNT162B2 and the events cannot be excluded. The information available in this report is limited and does not allow a medically meaningful assessment. This case will be reassessed once additional information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees, and Investigators, as appropriate.
1011026	2/8/2021	OH	43	F	1/30/2021	1/30/2021	Three min after vaccine, pt started feeling SOB racing heart. BP 148/100, HR 80, SPO2 100% RA, T:97 Six minutes after: dose, lethargic, sleepy, eyes dropped (look tired) & dizzy & c/o anxiety. Friend P/U to take her to ER. BP 144/92
1014402	2/8/2021	NY	56	F	1/22/2021	1/22/2021	This was my first vaccine. I had Covid last March. As of Jan 2021 i still had some antibodies in my body. After 12 hours i began to get chills and my skin was very achey. I took advil because when i was very sick with covid and too tylenol every 6 hours it didn't lower my temperature or take away any of my pain. two hours later, i had a stomach ache. While having a bowel movement i fainted onto the floor and ended up with a black eye. i do not pass out from having bowel moments otherwise. My cheekbone was sore to the touch for a week.
1013245	2/8/2021	AK	44	F	2/5/2021	2/6/2021	My eyes began swelling roughly 36 hours post injection and the edema went down into my right cheek. It resolved with Zyrtec two tablets bid x 1 day.
1014475	2/8/2021	TN	54	F	2/8/2021	2/8/2021	patient had swelling of left eyelid and itching. Administered 50mg IM Bendaryl

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1014459	2/8/2021	WA	37	F	12/31/2020	1/1/2021	The next day of vaccine I got a rash it started on my arm then it progress to my body except my face, palm of my hands & bottom of my feet. 7 days later I got ptosis on my left eye. I went to the doctor on 1/3/2021, 1/8/2021 & 1/25/2021. The doctor got me on medication 50mg of Benadryl every 4hrs 25 mg of atarax every 8hrs , added topical cream. peterson oral & pepcid twice a day. Everything went away after 30 days.
1014452	2/8/2021	CA	74	F	1/21/2021		1) on eve of vaccine 1/21/21 I had a slight headache, stuffed nose, stiff neck, malaise, slight stomach upset. Drank plenty of water. 2) next day 1/22/21 I had a feeling of being poisoned or having undergone chemo therapy (which it was). Overall poor body feeling/ malaise. Had a 1st of 5 scintillating scotomas at 9:45 a.m. For 4 days following the vaccine, I had 5 scintillating scotoma/ocular events lasting 22 minutes each on 1/22, 1/24, 1/26 & 1/27. On 1/24/21 at 1 p.m., I had an optica/visual kalledoscopic focus (dysfunctional vision) lasting for approx. 30 seconds followed by a scintillating scotoma at 4 p.m. TOO MANY UNUSUAL SCARY OCULAR EVENTS!
1014413	2/8/2021	NM	61	F	2/3/2021	2/4/2021	I woke up early the morning following the vaccine with pain in my left hand. It was hugely swollen and I could not bend my fingers. I went into the bathroom and found the the left side of my face and my left eye were black and blue. The hand then turned black and blue. Today is day 5 following the vaccine and the hand and eye are only marginally better. As background, a year ago I had a benign lipoma cut out on my face, left side just above the brow. The face looked identical then as now. About 18 months ago I had surgery on the left hand to correct a trigger thumb. Again, the hand then looked exactly like it does now. On day three after the vaccine, a knee replacement scar on my right leg had turned purple. No bruising nor sensitivity anywhere else on the knee--just along the line of the scar. That surgery was 10 years ago. Unlike the other surgical sites, it has now returned to normal flesh color.
1014506	2/8/2021	CO	34	F	1/8/2021	1/9/2021	Patient reports that she experienced redness, burning and strain in her both eyes beginning 24 hours after vaccination. She reports that symptoms lasted for 3 days after onset.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1014404	2/8/2021	NY	24	F	1/24/2021	1/24/2021	Symptom onset within 10 hours after vaccination: Swelling >5cm at injection site, significant pain and throbbing in extending down the arm of the injection site, swelling extending down to the forearm. Syncope and loss of consciousness occurred with trauma to the forehead and nose causing nose bleed. Unable to determine how long patient lost consciousness. When patient woke up, she was laying in a pool of blood from nose bleed and patient described shaking/rigors that were only relieved by taking Ibuprofen 800mg Q8H for 6 days. Denies fever. Due to syncope and head trauma, patient suffered concussion with symptoms of HA, blurry vision, difficulty concentrating, and fatigue.
1014523	2/8/2021	MS	68	F	2/1/2021	2/2/2021	blood shot red eye
1014398	2/8/2021	NM	65	F	2/4/2021	2/4/2021	Headache and swollen throat and eyes
1014378	2/8/2021	CT	55	F	1/26/2021	1/26/2021	1/26 Vaccine 10am - sore arm 5pm - vomiting. Lasted for 14 hours. Between 8-10:30 I had body chills, shaking; teeth chattering / lips were blue. Body aches. Felt like 'heinous flu'. 1/27 10:30am last episode of vomiting. Took Zofran in middle of night (old prescription / 4mg). Could not sleep. I 'felt like i was drunk / dizzy'. Couldn't lay down and close eyes. I was awake all night. **COVID + ; 03/2020 - was not officially tested
1013316	2/8/2021	VA	44	F	1/20/2021	2/3/2021	face rash, itchy skin, inflamed skin, itchy eyes, itchy eye lids Spreading down my neck onto my chest some shortness of breath I have an allergy to colophony. At the time of the injection my diagnosis is contact allergy, so the nurses continued with the injection. It wasn't until 12-14 days later that this reaction started. It is intensifying. I have reviewed everything I eat and products I use, and nothing has changed other than having the first shot. I have some skin irritation and itchy if I do come in contact with an allergen or eat something, but it subsides after a day or two. This continues to get worse and it is going on 5 days.
1013296	2/8/2021	OK	75	M	1/22/2021	2/3/2021	Paralysis of left side of face; left eye won't blink: left side of mouth doesn't move. Went to facility on 2/6/2021 and diagnosed with Bells Palsy.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1013249	2/8/2021	NJ	50	F	1/27/2021	1/31/2021	Stroke like symptoms like Loss of balance, loss of words, mixing up words, headache, nausea, distance in vision off, muscle aches
1013247	2/8/2021	MN	74	M	2/4/2021	2/4/2021	Patient received his first dose of Moderna on 2/4/2021 at approx 1300. Patient called on 2/5/2021 stating he had some tongue numbness and eye swelling about 30 minutes after the injection. He did not seek emergency care, did not take any OTC medications. Phone call to patient 2/8/2021 he states on his ride home after the first injection he noticed that the top of his tongue became numb and he developed some swelling around the edge of my eyes and the back of my tongue felt thick. He went home and took a nap. When he woke up, he felt great. No swelling around eyes, tongue was not numb nor did it feel thick any longer. Patient tells me he has had a reaction like this before to a chemo enhancing medication, he does not remember the name. Patient states he still wants to receive the second dose.
1014411	2/8/2021	AK	64	F	1/5/2021	1/5/2021	I had extremely high blood pressure; my heart was throbbing. I was told to go to ER at work but I didn't and went home and rested. That went on for days. I called my doctor and she put me on Metrozal to help with heart rate and BP and that brought that back down again. I'm taking this every day now in addition to my other blood pressure medicine. It has helped. I had headaches; I had terrible dreams and couldn't sleep. My eyes turned all dark - like when you need to drink water (underneath eyes). Had a terrible thirst. I drink water constantly. I had bruising on various parts of my body - legs; arms etc. It's calmed down with all these symptoms within a couple of weeks.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1014769	2/8/2021		19	M	2/3/2021	2/5/2021	fever,H/A,chills. Presents with HA, chills, fever. Received second moderna COVID vaccine on 2/3. HISTORY OF PRESENT ILLNESS: 19-year-old male presents with headache, body aches and subjective fever following second COVID vaccination. She received a vaccination 2 days ago, and yesterday developed acute onset of generalized body aches, mild, constant with gradual onset of bitemporal frontal pressure headache, similar to priors. He also reports subjective fevers but has not checked his temperature. He took Motrin yesterday with some improvement. Denies objective fever, chills, nausea, vomiting, neck pain, vision changes, chest pain, dyspnea, abdominal pain, back pain, weakness or numbness.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1012557	2/8/2021	NC	80	F	1/16/2021	1/1/2021	<p>Amyloidosis; felt a sweep over her stomach up her body and up to her head; Eyes swollen; hands hurt; sharp pings up and down legs; This is a spontaneous report from a contactable consumer (patient). An 80-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EK9231), via an unspecified route of administration on the left arm on 16Jan2021 13:45 at a single dose for COVID-19 immunization. Medical history included ongoing diabetic and previously took the flu shot one time and started having right arm pain across her chest over to the left side right after getting it. So she don't take it anymore and takes a bunch of herbs. The patient's concomitant medications were not reported. The patient reported that she has a disease, amyloidosis on an unspecified date, where there is a build up of protein in the body. She didn't know that there is protein in the shot and doesn't know the affects it has with her condition. She found out the day after getting the first Pfizer C-19 (clarified as COVID-19) shot that there was protein in it. The patient wanted to know the affects it has with her condition and if it will affect her getting the second dose and if it covers the new virus and booster shot. The patient got the vaccine on 16Jan2021 and found out about the protein in it the next day when it came across her phone. The patient received it at a school, where they vaccinated 1,169 residents. They text her to inform her she could get the vaccine. They also have the health department there. No other vaccines given that day or 4 weeks prior. On an unspecified date in Jan2021, the patient took 1 Tylenol about 15:00 that afternoon and seated herself in the chair about 17:45, then she felt a sweep over her stomach up her body and up to her head. She stood up and walked around to see if she was going to faint and she did not faint. She walked through the house and nothing else happened. The patient mentioned that her eyes have been swollen and her hands hurt, that's where the protein build up comes in the body. Has pings up and down her legs, they are sharp pings that lasted through on to Tuesday. She took 1 Advil to help and as of yesterday (as reported) no pings. Her hands still hurt, because this condition forms chains in the body and the chains are around the hands like carpel tunnel. The protein normally should leave the body and with this condition it doesn't and it leaves chains. When</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1010553	2/8/2021	CA	58	F	1/20/2021	1/21/2021	<p>she was diagnosed with it they took a spot off the ankle to test it, the Dermatologist did and sent it off. No further details provided. Wants to know the affects of her getting the second shot. No further details provided. The outcome of the events amyloidosis and hands hurt was not recovered, the events felt a sweep over her stomach up her body and up to her head and sharp pings up and down legs was recovering, and the event eyes swollen was unknown.</p> <p>Allergies and nasal drip in back of throat and sneezing; Allergies and nasal drip in back of throat and sneezing; Allergies and nasal drip in back of throat and sneezing; Eyes watering; This is a spontaneous report from a contactable consumer (patient). A 58-years-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot: EJ1686), via an unspecified route of administration on 20Jan2021 at 08:40 at 0.3 mL, single on arm left for covid-19 immunisation. Medical history included high blood pressure diagnosed for a while. Historical vaccine included flu shot for immunization and experienced allergies. Concomitant medication included hydrochlorothiazide/lisinopril and ascorbic acid/ betacarotene/ biotin/ calcium/ chromium/ coledcalciferol/ copper/ folic acid/ iodine/ iron/ lycopene/ magnesium/ manganese/ nicotinamide/ pantothenic acid/ phosphorus/ phytomenadione/ potassium/ pyridoxine hydrochloride/ retinol/ riboflavin/ selenium/ vitamin b1 nos/ vitamin b12 nos/ vitamin e nos/ xantofyl/ zinc (CENTRUM SILVER). Patient had the first Pfizer vaccine on Wednesday, 20Jan2021 at about 8:40AM, yesterday (22Jan2021) she started with allergies and nasal drip in back of throat, eyes watering and sneezing around 10 AM. Stated that this was normal for her to have these allergies this time of the year. Caller reports Temperature of 99.8, "not feverish", no nausea. Caller wanted to know if she was contagious because of the vaccine, if it was possible the vaccine triggered her allergies. States she was just wanting to know if she was able to go to work tomorrow. Caller said "the first time i got the flu shot, it triggered my allergies real bad". Patient was treated symptoms with diphenhydramine hydrochloride (BENADRYL) and stated it got better with the diphenhydramine hydrochloride. Outcome of the events was resolving.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1014871	2/8/2021	OK	50	F	1/11/2021	1/11/2021	CENTRAL RETINAL VEIN OCCLUSION RESULTING IN LOSS OF SIGHT TO RIGHT EYE I WAS ON COMPUTER AND HAD BRIGHT FLASHES OF LIGHTS THE LOST VISION IN THE EYE ABOUT 2 1/2 HOURS AFTER RECIEVING VACCINE. CRVO IS RARE IN MY AGE WITH NO HEALTH PROBLEMS. SAW ER DOCTOR THAT NIGHT THEN OPHTHAMOLOGIST THE NEXT MORNING WHO DIAGNOSED ME. I AM CURRENTLY PRESCRIBED A BABY ASPIRIN AND WILL HAVE TO GET INJECTIONS IN MY EYE WHEN MACULAR EDEMA OCCURS, AN EXPECTED OCCURRENCE WITH A BLOOD CLOT IN THE RETINAL VEIN
1014845	2/8/2021	OK	50	F	2/5/2021	2/6/2021	2/6 I felt so heavy and fatigued. My body hurt all over. My eyes hurt, I had a 103 fever, chills, nausea, severe headache, shrill stabbing-like body aches like I was being stabbed with a small ice pick in my wrists, hands, hips, knees. My arm hurt so bad I could not sleep. It was red and swollen. I couldn?t get out of bed. I had stomach pains. I would sweat and break the fever and have to change clothes. I contemplated going to the hospital. The next day 2/7 I was still very ill but my fever stayed at 100-101. I felt awful. The listlessness was not as severe. I hurt all over and my arm ached. The headache was still severe. 2/8 I am still ill but better than yesterday. The headache, fatigue, body aches and sore arm are still present but I can tell my symptoms are lessening.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1014837	2/8/2021	WA	36	F	1/18/2021	1/19/2021	Started having symptoms about 26-30 hours after vaccine, headache, nausea, vomiting and hives to my chest and arms. The following day hives increased to chest, armpits and abdomen - went to be evaluated., was having allergic reaction. Was given Solumedrol IM injection and Rx for prednisone dose pack and Claritin, also told to take Benadryl. The following evening hives increased to chest, abdomen, back, arms neck and hairline. Called in to work the next day and instructed to continue Rx treatment of prednisone, Claritin and to take Benadryl every 6 hours and advised to not get second injection. Took medications as prescribed at home but hives continued to spread with some mild swelling to eyes, face and lips. By Sunday hives had improved to my chest, and and legs but started moving to my feet. Monday hives had improved by about 50 percent, did call in to work and continue take Rx?s with Benadryl every 6 hours. On Tuesday, most all hives had disappeared, except to lower legs and feet. Hives completely gone on Thursday.
1014486	2/8/2021	WA	44	M	2/2/2021	2/7/2021	Near vasovagal syncope 5 days after 2nd dose. 5 days after my second COVID vaccine, I was outside in snowy, cold weather about a mile from my car. I had stopped moving to rearrange some items. While stopped, I started to feel lightheaded, develop tunnel vision, and feel faint, almost to the point of blacking out. I put my head down and legs up and felt somewhat better. I then attempted to return to my car. I could go 100-200 yards at a stretch, before having to purposefully fall down and elevate my legs. I traveled the mile back to my car like this (slowly). I could not check my pulse because my hands were too cold; my respiration rate was elevated. At the car, I drank fluids and warmed up and began to recover enough to get home.
1014792	2/8/2021	OR	34	F	2/6/2021	2/6/2021	Blurry vision, racing heart, dizziness, hot/clammy, chills after being really hot, anxiety all within 20 mins from injections. At 7:30 when home, cold, dull ache at base of skull.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1014412	2/8/2021	NY	62	F	1/30/2021	2/7/2021	10 minutes after shot I felt, chest congestion and a strange taste in my mouth. I stayed at injection facility for over an hour to make sure I would feel better. Later that evening, I was fine without any marks on injection site. Nine days later I got an itchy, sore arm with a bulls eye, raised red rash larger than a quarter, about 1.75" and a bit warmer than other areas of the arm.
1014746	2/8/2021	CA	63	F	1/9/2021	1/14/2021	I am an RN. Got my first Covid vaccine on Jan 9th 2021. A week later my eyes burned and itched horribly. Also my scalp itched terribly. Never had this in my life. I used some eye drops and in a few days it went away. 28 days later, got my 2nd Covid vaccine. Again about 5 days later my eyes are burning and itching as well. I have never had allergies to anything. I am again putting eye drops in. Systane and Visine. I also have gotten a very tiny blister below my right eye. Very tiny..smaller than a pea. I don't see this side effect anywhere written. I am not allergic to dust or animal dander. I am 63 years old. Just wanted you to be aware, I believe this is caused by the vaccine.
1014638	2/8/2021		42	F	2/1/2021	2/1/2021	2nd dose- from 700pm on 2/1/2021 to 4pm on 2/2/2021- I had severe muscle and bone aches in my hips/ legs/ feet, fever up to 101.4, chills, severe headache and neck pain, eye pain, fatigue. I had on and off again nausea. I did have a sore arm for the next 4 days. I took 400-800mg Ibuprofen around the clock from 7pm on 2/1/2021 to 1230 on 2/2/2021 and switched to 1000mg of tylenol on 2/2/2021 T 9PM. 1st dose- I had sore arm for about 4 days and 4 headaches in one week. I was also tired on and off for the next five days.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1014620	2/8/2021	CO	72	M	1/8/2021	1/29/2021	My dad experienced a neurological lapse that lasted a few days, but most certainly for 30 minutes while on FaceTime with me. He closed his eyes, and began rubbing his head. He wasn't making much sense, and then stood up and faced away from the camera. He asked "are you with me?" And then didn't respond when I told him we were behind him. He began stumbling and I shouted for my mom. She called 911, they ran an EKG which was abnormal (due to his heart conditions), however the CT Scan and all blood work and tests at the hospital came back normal (outside of a much lower than normal heart rate) so they discharged him. He does not recall the entire morning. He has been fine since, as far as I know, but has been instructed not to drive. He followed up with his cardiologist a few days later and he believed it was neurological. The neurologist immediately dismissed the idea that this could be the vaccine, despite my pushing. So I am filling this out to ensure all bases are checked. My dad got the second dose of COVID vaccination this afternoon
1014582	2/8/2021	CA	50	F	2/4/2021	2/4/2021	Hives, rash, headache, itchy swollen eyes
1014557	2/8/2021	MN	67	F	2/3/2021	2/3/2021	About 15 minutes after shot, I had numbness and tingling in my lips and a pressure headache behind my eyes and lower forehead. The tingling in my lips lasted for 36 hours, then my lips were itchy for 2 days after that. Should I be concerned?
1014555	2/8/2021	FL	38	F	1/11/2021	1/16/2021	Hives brought on by exercise began 4 days after vaccine. Various incidences of the same reaction have occurs over the last month. Today, 27 days since vaccination, hives began during exercise all over the body, including swelling of lips and eyes. The reaction has improved, but eye swelling and upper lip swelling are still present one hour later.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1014826	2/8/2021	CA	42	M	2/8/2021	2/8/2021	~ 1 -2 second patient stated that he was feeling heat in his arm; face noted to flushed ~30 seconds continue to have burning ~ 1 min moved to Isolation; c/o metallic taste in mouth and feels nausea ~ patient appears the same - allergic symptoms reviewed multiple times 1514 162/102 112; c/o tongue thickness ~1516 stated he felt mild tightness to in throat ~ 1518 136/96 100; states he is feeling worse; EPI pen suggested patient declined ~1520 paten states his allergist had told him that he is not a candidate for the Moderna Vaccine ~ 1524 EMT was called given patients condition and the allergist suggested no vaccinations ~1524 patient continues to refuse EPI administration despite c/o throat tightness and enlarged tongue; able swallow and tongue visually appears normal 1528 131/81 100 99%; stated tightness is improving 1530 158/106 104 flushed able to swallow; lung sound are clear; no increased WOB 1533 EMT at bedside - care endorsed to EMT after rport given As he was leaving with EMT patient stated he may have had COVID 19 ~ December 12 to 20 2019
1013240	2/8/2021	PA	37	F	12/19/2020	1/6/2021	On day 16 post-injection, I started experiencing left sided pins/needles/numbness. I went to the ER and they did a CT and CTA which was normal. The next day or so I went to neurology who ordered blood tests (Lyme's, Vitamin deficiencies, Sjrogen's antigens, CRP, ferritin, Copper, ACE, TSH, Vitamin D , ANA) that were all negative. Next I had a MRI of the head and spine with and without contrast which was normal. The pins and needs have now spread all over my body. I full body neuropathic pain (burning sensation, numbness, tingling, sharp pain like stabbing, left eye pain, feeling like bugs are walking on me, and zapping pain). Neurology is continuing to work up my symptoms but they were new onset after COVID vaccine.
1012880	2/8/2021	NY	87	F	1/21/2021	1/21/2021	headache lasting 18 days after vaccination, affecting eyes, chills, calves sore on both legs

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1012850	2/8/2021	MA	77	F	2/7/2021	2/7/2021	Pt reported that she had a Pfizer vaccine on 2/7 at 10am and went home and experienced chest pain at 1pm that lasted for only a few seconds. Pt also experienced a mild SOB while walking in the hallway. Mild SOB was only lasted for a few secs (prior to chest pain). Pt stopped and rested and Pt felt fine afterwards. Chest pain Hx: Upon assessment, Pt also reported that pt experienced chest pain x1 (6 months ago) which also lasted for a few seconds. But, pt never reported this to pt's physician. Other Sxs: Symptoms: Headache. Onset: 2/8 AM. Pt took Tylenol 1000mg this 9am. Pt states she usually takes QAM for her arthritis. Effect: "It did not help." Pt denies any change in vision, blurry vision, double vision. Denies NV. Pt denies any chest pain or SOB today. Pt was able to speak clearly in full sentences. Pt was able to do ADLs without this morning. Pt stated, "I am able to carry on all my chores without difficulties. Other than headache I feel completely fine." No distress noted that needed an emergent care. Recommendation -Pt denies any significant related symptoms such as ?worst headache of life? or changes in vision, speech, or coordination, or nausea/vomiting. -Instructed to take analgesics such as Acetaminophen after 4-6 hrs (Adult dose: DO NOT EXCEED 4,000mg per day unless directed by the doctor) according to package instructions provided there are no contraindications. -Advised to rest and increase water intake. Education: -If pt experiences any chest pain, SOB, visual changes, change in mental status, N/V or ?worst headache of life?, pt was advised to go the nearest ED. -If headache is severe, focal, progressive or persists > 1 day: Pt was advised to reach out to PCP same day.???If PCP is not available should seek care at Urgent Care. Pt verbalized understanding and agreed with the plan.
1012822	2/8/2021	NY	65	M	1/30/2021	1/30/2021	Patient received his first covid shot this past Saturday and about 20 minutes following he noticed a right sided facial droop. Droop began to worsen, and he had difficulty moving his right eye lid, so he decided to go to Urgent Care and was diagnosed with Bells Palsy. He was started on Prednisone and Valtex which are reducing his symptoms. Symptoms are almost resolved. He does feel fatigued and slightly anxious.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1012803	2/8/2021	ME	43	F	2/4/2021	2/5/2021	Vaccinated 2/4/21. On 2/5/21 in the AM, she developed a dull headache, sore throat and injection site pain/swelling. She felt that the pain went into the lymph nodes and into her back. The headache, pain and sore throat worsened over the afternoon. By the time she got home at 4:30pm she had whole body aches and was feeling really bad. She developed facial and eyelid swelling. She applied ice. Her eyelids swelled so much that they cracked. Her face has a dry, red rash. She later got up to take bedtime medications and she passed out. She began vomiting. She declined an offer to call the ambulance or to go be seen by a doctor. She took tylenol for pain and zofran for vomiting. On 2/6/21, she developed diarrhea. She was
1012796	2/8/2021	MI	48	F	2/3/2021	2/4/2021	Around 9:30 pm on 2/4/2021 my right cheek felt numb and was tingly. This persisted through the evening and my right jaw started to feel the same way. My right ear felt like it had to pop. I went to my doctor she stated she didn't know what was wrong but she could prescribe me a steroid and to take Tylenol or Motrin fir pain. Later that evening I went to emergency and they repeated the same thing; however, I had a high blood pressure at the doctors office 181/91 and then 141/91. At emergency it was 171/80. I left emergency with the same pain and no answers. The following morning I felt better. Around 3:30 my right cheek and jaw started to feel numb with a tingly sensation. My ear was hurting and later on in the evening I had a massive headache and blurred vision. I stayed in bed all day 2/7 and had the same symptoms. As of 2/8 my jaw and ear have massive pain and I have a slight headache. My blood pressure keeps fluctuating and my left cheek area feels tight.
1012789	2/8/2021		67	F	2/6/2021	2/6/2021	eye ache and feeling of dissociation
1012883	2/8/2021	NC	35	F	2/1/2021	2/1/2021	1354-vaccine received; 1400-felt a squeezing in chest; blackness in the outside of vision; tingling hands; nausea1420-symptoms resolved
1012723	2/8/2021	KS	54	M	1/7/2021	1/7/2021	PATIENT HAD INTENSE ITCHING 3 HOURS AFTER HIS FIRST MODERNA SHOT ALL OVER HIS BODY, EVEN HIS EYES AND EARS. NO RAISED BUMPS OR SWELLING, TOOK BENADRYL BUT ITCHING LASTED 36 HOURS.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1012718	2/8/2021	CA	79	M	1/29/2021	2/6/2021	pt states after getting vax on 2/6/2021 he got and itchy feeling around injection site. On 2/7/2021 the pt noticed a 3x3 red, swollen area around injection site and hot to the touch. Pt also had a tender spot under his right eye. Pt states he does not have a temp. Pt has not contacted his PCP yet but will if his symptoms do not subside.
1012682	2/8/2021	WA	27	F	2/5/2021	2/5/2021	05-Feb-2021: vomiting, nausea, dizziness 06-Feb-2021: fever, chills, body aches, fatigue, tiredness, vomiting, nausea, headache, pain at injection site, dizziness 07-Feb-2021: fever, body aches, fatigue, headache, pain at injection site, eye pain, eye swelling, night sweats 08-Feb-2021: pain at injection site, tiredness, fatigue, nausea, facial swelling, eye pain, eye swelling, tongue swelling and tingling, dizziness
1014420	2/8/2021	NY	25	F	2/5/2021	2/5/2021	swelling of eye lids, erythema, sneezing,
1012673	2/8/2021	FL	60	M	2/3/2021	2/5/2021	Extreme untreatable Headaches, burning sensation left side of body, backache left side, Eye Pain and sudden onset of shingles.
1012661	2/8/2021	LA	44	F	2/4/2021	2/5/2021	Friday 7:30 nausea- took zofran sublingual. 7:30-3pm headache , runny nose, body ache, shakiness, watery eyes. 3-6pm felt recovering. Friday 9pm-Sunday 4pm abd pain got added to the mix with bloating and abd distension. Friday's symptoms lessen. Took meds and alkaline products to balanced things out. Ate bread crackers constantly to help with acid buildup and damage of mucosal lining. Protonix 40mdg only alleviate pain for 30 minutes. Could not sleep for over 24 hrs. Pale white stool. Axillary lymph nodes pain. Monday and pain better. Felt lethargy and numbness to hand and feet. Mild Headache still persist.
1012653	2/8/2021	NC	69	F	1/26/2021	2/7/2021	Swelling of eyelids and area under lower eyelid and wheezing

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1012634	2/8/2021	FL	75	M	1/28/2021	1/29/2021	Got vaccine on 1/28/21, felt tingly in his lip. At the night progressed he had muscle weakness, lip tingling, eyelid droop, loss of bowel and bladder function, moreso bladder. He was slow in his responses, and his wife noticed that was getting weaker and could not get up from the bathroom. She feels it was more muscle weakness than anything. On 1/29/21 he was bad most of the day 1/30/21 he started to come out of it little and knew what she was saying. Now today 2/8/21 he is about 93% back to his baseline. Nothing taken, but did speak to the doctor and he at that time told him not to take the 2nd vaccine.
1012756	2/8/2021	FL	67	M	2/4/2021	2/5/2021	Waking up at 3:30am Friday the 5th it was difficult to open my eyes, like my eyes were glued shut. When I finally opened them everything looked crystallized, I couldn't see the tv which was on but it was brighter in that area, I couldn't make out anything. I closed my eyes for a few minutes and opened them with the same results. I closed my eyes about 4 times and then finally I could make out everything. The only thing different that I took was the vaccine and a packet of Thera Flu. Nothing else has happened since except a sore arm which lasted 4 days
1013123	2/8/2021	KY	72	F	1/26/2021	1/26/2021	About 5 hours after getting the vaccine, I developed a headache on 1/26/21. Somehow the vaccine seemed to inflame by nose and sinuses. I went from a headache to a pressure headache from below my eyes to the top of my forehead. Today, is 2/8/21 and I still have a headache. I have contacted my doctor, on 2/1/21 and she prescribed Celecoxib 200 MG for a week. On 2/4/21 I developed a lot of drainage at the back of my throat. I would like to know if I should take the second vaccine? Dr. has recommended that I hold off at this time.
1012675	2/8/2021	MD	35	F	1/25/2021	2/5/2021	Rash on upper left temple and swollen lymph nodes around left ear started on Friday. Headaches resembling a tension headache radiated up the left side of the face and skin is sensitive to the touch through the weekend. Diagnosed at shingles and antiviral medication prescribed on Monday. Visiting Ophthalmologist as rash is near eye.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1012888	2/8/2021	MO	50	F	2/3/2021	2/3/2021	I had an initial feeling of being high. My vision became distorted. My fingers became tingly. My breathing felt heavy. I felt heavier and heavier. They asked me if I wanted to lay down. I said yes. I was also very dizzy. My blood pressure was 135/83 and pulse was 125. my blood sugar was 102. I drank a bottle of water and laid down for 20 to 30 mins. Then sat in the chairs. I had to wait for the vision disturbance to wear off so I could drive. it also gave me ADD symptoms for 48 hours. Very hyper. Then I had the flu for 5 days. The dizzy wore off on the 6th day. Should I get the 2nd shot?

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1013239	2/8/2021	MI	78	F	2/5/2021	2/6/2021	double vision, little dizzy, headache - yesterday had her 2nd vaccine SYMPTOMS DURATION: 2 days. Patient states she got her first COVID vaccine on 2/5/21 and had a slight headache but no other symptoms. Today, she was sitting the car when she started to have double vision. She reports dizziness/lightheadedness that is moderate. Patient states the double vision isn't everything but random things and at random times today. Denies dehydration, fever, or injection site abnormalities. No headache today. Reports that last week at her PCP's office her BP was slightly elevated and she thinks her BP may be elevated right now but does not have a cuff with her to check. Went to the Emergency Department on 2.6.21 - admitted overnight until the 7th. DETAILS OF HOSPITAL STAY: DX: Diplopia [H53.2] Blurred vision, bilateral [H53.8] HOSPITAL COURSE: 1. Double vision post COVID vaccine. Unclear etiology or if related to vaccine reaction. Resolved. CVA ruled out. Could be migraine associated. Advised patient to talk to PCP about migraine prophylaxis and see ophthalmology as outpatient. 2. HTN 3. HLD Advised patient not to drive till cleared by ophthalmology Inpatient workup included myasthenia gravis panel which is still pending The patient is a 78-year-old right-handed woman who received her first Pfizer COVID vaccination February 5. This morning she developed double vision. Images were horizontal she does not know if they were binocular or monocular. She saw couple with 1 child and it appeared that they had 2 children. She looked at her son and saw 2 heads on 1 body. She saw 2 traffic lights. Each time she saw diplopia, it lasted for maybe 1 minute, and after blinking it went away. The double vision was not associated with headache, facial numbness or weakness, numbness or weakness in her extremities, speech change or imbalance. She recovered from each episode. She has had torn retina twice in each eye. Those were each associated with flashes of light in floaters. She did not have a fever today. She has never had double vision before. Review of systems: She admits to a history of headaches. She said she had catamenial headaches and sinus headaches.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1013177	2/8/2021	CA	73	F	2/8/2021	2/8/2021	Pt states they felt eyelids hot and felt a heachache. Pt stayed for additional monitoring. Pt denies any other c/o. Pt alloc x 4. Resp. unlabored and even. Pt later states her eyelids feel normal and headache went away. Pt d/c home.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
1013155	2/8/2021	KS	87	F	2/4/2021	2/4/2021	<p>Progress Notes Nurse Practitioner Cosign Needed Expand All Collapse All 2/4/2021</p> <p>Patient: DOB: 11/21/1933 Date: 2/4/2021</p> <p>MRN: Subjective Patient is a 87 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience funny feeling in face, lightheaded and HA. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to abdominal pain, blood pressure abnormality , chest pain, collapse, drooling, hypotension, increased swelling, rapid progression of symptoms, respiratory distress, skin changes, tongue swelling and vomiting. ALLERGY REVIEW OF SYSTEMS: Funny feeling in facial area: Previous Reactions: Levaquin Objective Vitals Vitals: 02/04/21 1505 02/04/21 1523 BP: (!) 172/81 (!) 184/75 Pulse: (!) 102 SpO2: 95% 95% Pt reports she is on Blood pressure medications and took these this am. Physical Exam Constitutional: Appearance: She is well-developed. HENT: Head: Normocephalic and atraumatic. Right Ear: External ear normal. Left Ear: External ear normal. Nose: Nose normal. Eyes: Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Neck: Musculoskeletal: Normal range of motion and neck supple. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Normal breath sounds. Abdominal: General: Bowel sounds are normal. Palpations: Abdomen is soft. Musculoskeletal: Normal range of motion. Skin: General: Skin is warm and dry. Capillary Refill: Capillary refill takes less than 2 seconds. Neurological: Mental Status: She is alert and oriented to person, place, and time. Assessment/Plan Treatment included: no therapy Follow</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) Pt left at 15:40pm accompanied by husband. FU with PMP regarding blood pressure Electronically Signed 2/4/2021 3:44 PM
1013072	2/8/2021	ID	79	F	2/6/2021	2/7/2021	pt stated that she had a little head ache and was achy and tired on day of vax. On 2/7/21 pt woke up and had pressure in her right eye. She went to her Retina Specialist and was given a shot since in the eye it was hemorrhaging. Pt will go back in 4 weeks for FU and another shot.
1013053	2/8/2021	MI	95	F	2/4/2021	2/5/2021	Red eyes, developed cough, Right shoulder and chest pain.
1013005	2/8/2021	AZ	56	F	1/6/2021	1/6/2021	within 5 minutes of receiving the vaccine, my left arm became numb & weak & resolved by the next day; 1-2 hours later my legs/feet from the knees down became numb/tingling with tightening muscles; 2 hours later left side entire face became numb with puffy left eye lid which lasted for 8 days; by the 8th day my symptoms began to resolve only to return with 4 days with left face/throat numbness & left side numbness/tingling with tightening forearm muscles both hands/fingers/arms from elbows down & numbness/tingling/muscle tightening in both legs/feet/toes from the knees down along with pain in both knees which lasted another 2 days; I continue to have some residual symptoms of numbness on the left side of my face that comes and goes as well as the same symptoms of numbness/muscle tightening and tingling in both legs/feet that comes & goes.
1012942	2/8/2021	CA	65	F	1/23/2021	1/23/2021	With the second does I experienced headaches . blurred vision I would not say that these are adverse events but I experienced nausea and chills. as well.
1012991	2/8/2021	MD	83	F	2/7/2021	2/7/2021	Felt like her throat was swelling . Swelling noted under eyes . Taken to the Emergency Department

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1012963	2/8/2021	FL	27	F	2/4/2021	2/6/2021	Two days after my second dose of the vaccine, I noticed a small swollen area on my left eyelid. The following day, about 24 hours after I first noticed the swelling, my eye began swelling even more. Then the next morning it was even more swollen. I scheduled an Appt with my ophthalmologist and he confirmed that it was not an infection, but was an allergic reaction. I have no known allergies except contrast dye and have never had seasonal allergy symptoms. I could barely open my eye this morning. The symptoms have improved with Benadryl and a steroid topical.
1012944	2/8/2021	CA	53	F	2/5/2021	2/7/2021	SWELLING OF THE FACE AROUND BOTH EYES WITH ITCHING AND LIPS SWOLLEN AROUND SUNDAY MORNING AT 2:00 AND BECAME WORSE LATER THAT MORNING. EXTREME TIREDNESS. TOOK BENADRYL TO RELIEVE THE ITCHING AND SWELLING.
1012996	2/8/2021	FL	74	M	1/14/2021	2/3/2021	Began developing a fuzzy eye sight in right eye; progressively worse, unable to focus. On Wednesday 2/3/2021 I noticed a large amount of long and moving floaters in the right eye, swirling, growing and then fading - like someone poured a stream of ink in water. By Friday 2/4/2021 unable to focus from right eye and went to Ophthalmologist for eye exam; He made arrangements to send me to a clinic in and I will see them on Wednesday 2/10/2021. I don't know whether or not this is related to the COVID vaccine but it is the only unusual event that has occurred in the last 45 days.
1013158	2/8/2021	IN	67	F	2/3/2021	2/6/2021	Restless legs; blurry vision; headache; nausea; lots of confusion; dizzy; metallic taste in mouth
1012906	2/8/2021	VA	56	F	1/29/2021	2/5/2021	Significant left eye twitching, with involuntary eye closure for a second, that occurred every 3-10 minutes starting 2/5/21-2/8/21. Minimal occurrence on 2/8/21. Instructed to see hospital Ophthalmologist today.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1009286	2/7/2021	NY	22	F	1/15/2021	1/15/2021	On the night that I received dose 1 of my vaccination, I consumed 4 alcoholic beverages over 3 hours. After 3 hours, I threw up, lost my ability to walk on my own, and briefly lost my vision (5 seconds). I drink socially about 1x per month, sometimes consuming many more drinks than I consumed on this particular night. Never before did I encounter these effects from alcohol when consuming 1-1.5 drinks per hour. The next day I felt very tired, sluggish, and run down all day long.
1009332	2/7/2021	NY	67	M	2/4/2021	2/4/2021	Patient states that about 8 hours after receiving vaccine his arm started to hurt. Approximately 12 hours later he states that his arm went numb from his shoulder down to his elbow and he states that his fingers in that hand are freezing cold and appear to have poor circulation. Upon visual, his hand looks swollen. Patient states that he gets some relief with acetaminophen. He does not have a primary care provider and does not intend to follow up with any physician.
1009372	2/7/2021	MI	46	F	1/22/2021	2/3/2021	On 2/1/2021 I noticed a cluster of bumps on my left forehead by my hairline. Flesh colored, not itchy. N 2/3/2021 I developed swollen and sensitive lymph nodes in front of left ear. On the evening of 2/4/2021 rash to forehead now red and sensitive and looking more blister like. Left eye blood shot and eyelid and left face swelling. Shooting pains into head on left side. 2/5/2021 made same day appointment with pap. Shingles diagnosed and started on Valacyclovir. Appointment with Ophthalmologist scheduled for 2/8/2021. Went to ER on 2/6/2021 for left eye pain. No change in treatment. Still to follow-up with eye doctor on 2/8/2021. Not able to work due to pain and nature of work (around pregnant women and babies<1month old).
1009382	2/7/2021	WA	52	F	1/27/2021	1/27/2021	My eyes and face swelled up and my left eye has been red, itchy, and sore since then.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1009397	2/7/2021	TX	59	F	2/4/2021	2/4/2021	A minute after receiving the Pfizer COVID-19 vaccine, started feeling numbness on the right side of the body starting on my arm, minutes later, the sensation had extended up to my right leg and later to my right foot. Ten minutes after feeling this symptom, my right eye started feeling dizzy and shaking, also a feeling of chest pressure, it was hard to breathe normal, I had hoarseness and my throat was itching at the same time my blood pressure went up to 160/89 and tachycardia at 128. All these symptoms lasted for about one hour. After the hour the blood pressure went down some to 134/89 but the general sensation on my body is not back to 100% normal.
1009429	2/7/2021	PA	71	M	1/25/2021	2/1/2021	The patient started with sudden onset double vision and ambulatory dysfunction. The patient was taken via ambulance to R/O CVA. MRI results unremarkable. The patient was diagnosed with INTERNUCLEAROPHTHALMOPLEGIA. Possible cranial nerve 6 palsy.
1009503	2/7/2021	NJ	34	F	2/5/2021	2/5/2021	Sleepiness right after the dose. Extreme muscle cramps/spams in leg and lower back about 20 after the shot. Tiredness, sore arm, and dizziness the first 12hrs 12hrs mark fever 101.9 and fainted, loss of consciousness for about 5-10 minutes. Dry heaving while unconscious. Woke up from fainting with a lot of dry heaving and proceeded to throw up and sweat vigorously. A headache set in right after the vomiting. Intense headache, teeth pain and sore neck. Now, after almost 48 hrs tremors in hands and blurred vision but all the other symptoms are gone. I took Tylenol pm, and my regular Meloxicam and baclofen for the day.
1009250	2/7/2021	NV	70	M	2/4/2021	2/7/2021	I sleep on my left side. I woke up to a tingling numbness feeling from four inches distal to my lower left wrist to the bilateral tip of my left baby finger and the left side of my left ring finger. As I further woke I felt a warm numbing feeling: 1) from the lower left wrist to a point distal to the left elbow, 2) to the deep left side of my neck, 3) under the left corner of the left eye causing a very minor amount of extra tearing on the left side of the eye and 4) my left forehead to an alignment to the right corner of the left eye.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1008937	2/7/2021	MO	73	F	2/2/2021	2/2/2021	During first 12 hrs after injection, I noticed only redness, mild discomfort and itching at injection site. By 12 hrs later, I began to experience fever, chills, nausea, headache, muscle and joint discomfort, dizziness, diarrhea, fatigue. This lasted all night. The day following injection I still had a fever (102) and chills and redness on arm had increased in size; also headache (predominately in both eyes). I slept a lot during that day. Day 3 low grade fever persisted. Used Tylenol with good results. By day 4 feeling much better!! Redness at injection site increased but less itching and discomfort. Regaining energy.
1009486	2/7/2021	TX	25	F	1/28/2021	2/5/2021	Rash developed 8 days after second covid vaccine. On my neck, jawline, cheeks, ears, forehead, and around my eyes. Rash is red, blotchy, itchy. So far has persisted for 3 days with no improvement. NiceTreating with methylprednisolone dosepack, oral antihistamines, topical steroids, and topical diphenhydramine. No improvement.
1009398	2/7/2021	NE	44	F	1/20/2021	1/21/2021	facial swelling and rash and itching, eye lid swelling and itching
1009242	2/7/2021	MI	59	F	2/4/2021	2/4/2021	Pain, swelling (hive), itching, photophobia in Left eye, and pain in injection site Right arm.
1009233	2/7/2021	CO	30	F	2/1/2021	2/6/2021	Flu symptoms 1 hour after getting home . Fatigue, runny nose, red eyes, tired eyes, body aches, diarrhea . Sore arm, swelling, painful to move arm
1009199	2/7/2021	WA	69	F	2/5/2021	2/6/2021	Severe migraine headache on morning following vaccine, affecting vision for about 30 minutes, took 2 Tylenol 500mg each, had bad headache for rest of the day. Left arm pain that radiated into left shoulder and neck area, applied heat. Was awakened very early 2nd morning with headache, causing me to get up as hurt to lay head on pillow. Took 2 Tylenol, so far only slight decrease in pain.
1009096	2/7/2021	VA	49	F	1/6/2021	1/6/2021	Severe headache, confusion, unable to formulate sentences. Word finding difficulties. Mental foggiiness. Eyes felt heavy and weak at the same time- tired eyes. behind the eyes headache. Memory problems and problems initiating words.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1009086	2/7/2021	PA	53	F	2/4/2021	2/4/2021	Approximately 20 minutes after receiving the vaccine my arm began itching really bad at injection site. Ten minutes later my vision was blurred and I felt dizzy and weak, within an hour my head began to hurt and gradually got worst. By 9:30pm my fingers were swollen on the arm I got the injection and through the evening twitched. Body aches, headache got worse The blurred vision, swollen fingers weakness and dizziness last through 02/25/21. Issues did not resolve until the morning of Saturday 02/06/2021 7am.
1009061	2/7/2021	NC	71	F	2/4/2021	2/4/2021	numbness in outer corner of left eye and cheek
1009020	2/7/2021	AL	41	M	2/4/2021	2/5/2021	The following day I was tired and my head felt like it was in a fog and I couldn't focus my eyes. The top of my head was sensitive and I started running a low grade fever (99.1) at about the 26 hour mark from receiving the 2nd shot. Symptoms persisted until about hour 36 when the fever broke. By hour 48 I felt much better but had low stamina. At hour 60, I feel completely normal.
1008945	2/7/2021	CA	61	F	2/4/2021	2/4/2021	2-4-21: 1 hour after injection my legs were weak and I had balance issues. 2 hours later 99.1 temperature. Extremely sore right arm. 2-5-21: Next day felt weak and had diarrhea. 2-6-21: Diarrhea and hives on stomach and upper thighs. Swollen eyes. Sore right arm.
1008934	2/7/2021	IN	57	F	2/4/2021	2/4/2021	Swollen and puffy eyes. Some pain involved. It is Sunday 2/7/21 at 01:15 hours and it is still ongoing.
1010101	2/7/2021	PR	51	F	1/13/2021	1/20/2021	Induration in axilla of left arm headache fever pain and swelling of left breast pain on both thighs and knees redness at injection site urticaria and warmth generalized body pain eye redness
1009511	2/7/2021	MA	38	F	1/25/2021	2/6/2021	Swelling of face where a dermal filler was/is present (dermal filler injected under the eyes about 15 years ago). The swelling started on 02/06/2021 under the right eye and then, on 02/07/2021, under the left eye as well.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1008969	2/7/2021	GU	60	F	1/14/2021	1/26/2021	I woke up with a red patch on my left arm about 2" in length and 1" wide. It was about 2" down from where I received the vaccine. It itched a little, but not constantly. There was swelling in the red patch. The itching was mostly in the morning. I didn't do anything about it, just kept an eye to see if it grew. It might have grown a little more during that day. Two days later the redness and swelling was still there, but it seems to be dissipating. I didn't record when the redness and swelling stopped. It probably stayed red for about 3 days, although I can still see where it was.
1010100	2/7/2021	PA	50	F	2/3/2021	2/3/2021	Patient reported tingling left side of tongue. Paramedic notified for assessment. Symptoms resolved without intervention. Paramedic supervision continued during time in observation room. Pt left building at 17:45. VS stable; BP 179/100; P 100; RR 14; Pulse Ox 98% in RA. No medical intervention required.
1010097	2/7/2021	CA	41	F	2/5/2021	2/5/2021	Body aches Temperature 101 Fatigue Headaches Swelling under eyes
1009518	2/7/2021	FL	39	F	1/11/2021	1/18/2021	1 week after covid shot on 1/18/21, I missed a day of work for stiff neck followed by a headache. Over the next 3 weeks, my headache increased in nature, and accompanied with stiff neck, stiff hips and I could only lay on my back to sleep. The headache was mainly on my right side behind my eye. I tried a high dose of naproxen, as well as massage, chiropractic and got no relief. Finally on February 2nd, I went to the urgent care associated with my primary care provider because my primary care provider was not available.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1020134	2/7/2021		61	M	1/28/2021	1/29/2021	<p>anxious, restless, weak, dizzy, felt "horrible". Continued to C/O symptoms,. At 01:15, patient lost consciousness , then stopped breathing and lost pulse. Narrative: Patient was first vaccinated for COVID 19 on 1/8/21. On 1/24/21: 61 year old presents to E.R. with CC of chest pain/sob, with multiple medical conditions including hypertension, atrial fibrillation on apixaban, cardiomyopathy with poor EF, dyslipidemia, COPD, CVA, lung CA s/p radiotherapy, PTSD, depression, Churg Strauss Syndrome, Sjogren's syndrome presented with chief complaint of chest pain or shortness of breath. He has been having worsening shortness of breath the past few days, also complains of cough productive of yellowish sputum, no hemoptysis. He complains of left upper chest pain with no radiation. There is no diaphoresis, palpitations or lightheadedness. He denies fever or chills. He complains of having fallen a few times recently, thus he passed out. Could not say if there were seizures activity. Admitted to 3D Tele. On 1/27, Pt advises he had episode of substernal CP this am. RN advises pt was in afib w/ RVR at a rate &gt;140 at time of CP. Pt CP improved w/ prn NTG. Pt HR improved after daily medications. Pt sts his CP has resolved. Pt admits to continued dyspnea. Increased trop, transferred. 1/28, struggling with orthopnea and cough. He has no peripheral edema. He does have intermittent chest pain. Patient having periods of A-Fib RVR with non-sustained rates of 140's-150's 1/29 more chest pain at 04:00, relieved with NTG. HR = AF, with RVR 145. At about 08:00, Cardiology sees patient and signs off, "shortness of breath and cough not due to heart failure as evidenced by orthostatic hypotension and no improvement in symptoms with diuresis. Consider underlying lung disease vs acute pulmonary disease." No pulmonary consult noted. 1/29 Patient received 2nd dose COVID19 vaccine at about 3:30-4p. No notes from staff on this event. No notes from MD that this was discussed and still part of the plan. 1/29 nurse's note: At around 2240 Pt was able to rest briefly but is now restless and anxious again. Tachypneic, stating he feels so weak and dizzy and overall just feel horrible. Continuing to get up frequently to have small soft bowel movements with assistance. Pt also stated ever since he got "that shot" he hasn't felt well. When asked what shot pt replied "COVID shot." Pt did receive 2nd dose of COVID vaccine 1/29 at 1530. Around 2250 Spoke w MOD to relay above</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							information and overall concern for pt, asked for MOD to come to bedside to evaluate pt. MOD states he's handing off to oncoming MOD and they will come to bedside to see pt. Around 2300 oncoming MOD called and all above and previous information discussed Around 2310 MOD came to bedside to see pt. Will continue to monitor closely. 01/30/2021 ADDENDUM Around 0115 pt called for help to use bedside commode to urinate and have BM. Assisted x2 to BSC. While sitting on BSC pt's eyes rolled back and pt made postures consistent with a seizure, body became very rigid. Pt was unresponsive still with pulse. Lifted patient back to bed with 3 staff assist. Pt stopped breathing and lost pulse. Chest compressions started immediately and Code Blue called at 0120. 1/30 Hospitalist note: Called for CODE BLUE AGAIN AT 4:53. While on Vent after s/p Code blue for reasons not clear patient went into Asystole and code called second time. Patient had a prolonged CPR and was actually called off at 5:17 but he started having pulse and agonal resp. he was placed on Levophed and D5NS. He got a total of 9 amps of epi, 3 amps od Bicarb and 1amp of D50. Trope bumped from 0.12 to 0.43 prior to this he already was on ASA, Apixiban for afib. Cards are on board for his CHF for his pulmonary edema Lasix ordered. Hid lactic acid is elevated. Blood cultures pending. Started Zosyn and is on Levophed. Continue to monitor. Updated patients Mom and she requested to do everything at this point. Coded again at 5:40, survived, but AOD writes a death note(?) Coded for the 4th time at 08:18. Family at beside, Mother asks for code to be stopped.
1010173	2/7/2021	CA	18	F	2/7/2021		1 min post inj cc/lightheaded, dizzy, blurry vision, ringing in ears. Pt reported vasovagal effects with needles. Subsided after 5 mins.
1010136	2/7/2021	CA	71	F	2/6/2021	2/6/2021	Sore neck, left side, slightly light headed, pain in left jaw, warm feeling on face to my eye. All symptoms disappeared 2 hours later. No action was taken.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1008912	2/7/2021	CA	54	F	12/30/2020	12/30/2020	Slight dizziness, blurry vision: immediate - 2 days after 1st vaccination Slight fatigue - 2 days - 5 days after 1st vaccination Sore, swollen arm - 6 -10 days after 1st vaccination Increase in environmental allergic reactions (itchy eyes, runny nose) - 5 days after 1st vaccination until current Increase in food sensitivities (eczema, dry and cracked lips) - 5 days after 1st vaccination until current Sore, swollen arm - immediate - 2 days after 2nd vaccination Low-grade fever and intense fatigue - 1 day after 2nd vaccination Slight fatigue - 2-4 days after 2nd vaccination
1010040	2/7/2021	ME	57	F	12/29/2020	12/29/2020	Lower lip left side (vaccine in left shoulder) became tingling, numb, pins and needles feeling 45 mins to 1 hour after shot, and eyelids were puffy and slightly sagging. Lip felt that way for 3-4 days.
1009983	2/7/2021	CA	42	F	2/4/2021	2/7/2021	This morning after breakfast (around 9:00-9:30am) my right eye started feeling strange, but looked fine. The sensation was a sense of pressure or slight numbness. After about 20 minutes, that sensation disappeared and then my right arm started feeling strange, too, as if my joints were swelling and the ulnar nerve was irritated. The right forearm near the ulnar nerve felt slightly numb to touch, as if I were touching Playdoh, or molding putty. All my joints started feeling swollen and heavy, my knees visibly showing swelling. I've done some work to alleviate the inflammation, but my right side arm and joints are still feeling heavy and a little warm, with some lingering weird feeling of Playdoh (molding putty) numbness when I touch the area. The numbness is not so noticeable when I'm not touching the area. It seems that it will go away with time and not too serious, but wanted to report in case others experience the same thing. Also, I should mention that the day after getting the vaccine (2/5/21), in the morning when I woke up (7:00am), I experienced an intense one-sided headache behind my right eye that lasted until I gave myself some acupuncture in the late morning. I also experienced extreme arm pain at the site of the injection the day after the vaccine which lasted until yesterday (2/6/21). This morning when I woke up (7am), I felt some local numb feeling (when I touch it, it feels like I'm touching playdoh) at the injection site on the left arm, with minor soreness.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1009981	2/7/2021	NC	25	F	2/3/2021	2/5/2021	Left eye twitching starting about 48 hrs after vaccine and worsening
1009948	2/7/2021	OH	68	F	2/6/2021	2/6/2021	Within 2 hours I started severe vomiting which continued for at least 3 hours. At the same time I could not open my eyes without the room spinning. This kept up until I fell asleep. I awoken about three hours later and vomited again. Then went back to sleep. The next morning I was not nauseous or dizzy, but I had a slight fever, under 100 degrees and was very tired. Did not eat anything until about 6 pm. My stomach was upset most of the day.
1009933	2/7/2021	FL	67	F	1/5/2021	1/8/2021	Posterior vitreous detachment. After each vaccine left eye first then right. 3 days after vaccine.
1009738	2/7/2021	VA	56	F	2/3/2021	2/4/2021	Awoke at 414am with itching scalp, palms, eyelids, skin folds (neck, elbows, knees, hips), welts, swelling in eyes, hands, face, neck.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1009527	2/7/2021	MI	38	F	2/4/2021	2/4/2021	Recieved 2nd moderna dose 02/04/2021 in my left arm at 10 a.m. approx. No symptoms besides a small headache throughout day. At 10:15 that evening I started to become chilled. By 11 p.m. I had uncontrollable shaking chills, accompanied by a fever of 101 and body aches. By 1 a.m. I was still having uncontrollable shaking chills and severe body aches and Body sweats. I had a sweatshirt on over a tee shirt and a heating pad on between the two with two comforters on. At 3 a.m. I had to take ibuprofen (800 mg) because my body hurt too bad to even touch my skin. My eyelids hurt. My toes hurt. My ears hurt. My fever was up to 103. I fell asleep finally and woke up at 730 a.m. feeling much improved besides some mild chills. I made the wrong decision to go to work. I arrived at work at 830 and by 10 a.m. I started to get chilled again, achy and feeling like I was going downhill again. I decided to go home. By the time I got home at 11 I had chills again, fever of 101 and body hurt. I slept until 3 p.m. at which time I woke up chilled and wanted to take a hot shower. My other half noticed I had hives on my face (which I documented in photos). I took a benadryl and went back to sleep. Woke up again at 7 p.m. tried to eat something but had no interest and just wanted to sleep. Throughout the night I would get the sweats that would drench through my t shirt. The following day, 2 days post 2nd dose I slept all day. Not as chilled but very tired. Noticed injection site was now red and swollen, again documented in pictures. Slept all day. Today injection site has gotten slightly larger based on markers I marked on my skin, but not as red. Not too energetic but much improved.
1009890	2/7/2021	SC	43	F	2/5/2021	2/5/2021	Rash and itching from head to waist 2 hours after vaccine. Benadryl 50mg oral taken and cool compresses applied. An hour later rash was somewhat better but visual. Pepcid 20mg oral taken 2 hours after benadryl. Same result. 12 hours later itching again and rash still visual so benadryl 25mg oral taken. Mostly the rash disappeared. It's day 3 post vaccination and the rash is in a few places however I am not treating it. The rash was like hives and appeared on my arms first and within minutes my face was covered along with my neck. Took about 20 min to spread to my abdomen and back.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1009575	2/7/2021		57	F	2/7/2021	2/7/2021	Swelling throat, sores in mouth, swelling eyes
1009672	2/7/2021	AZ	40	F	2/6/2021	2/6/2021	15 minutes after injection, I saw white spots and felt dizzy. The white spots in vision occurred on and off for the following 24 hours. Injection site warm to touch (compared to other arm) but without redness.
1009551	2/7/2021	MD	30	M	2/5/2021	2/6/2021	Severe chills, trembling and shaking 12 hours after injection. Mild fever, sweating at night, inability to sleep, nightmares. Joint pain, heavy feeling in limbs, swollen supraclavicular lymph node on left side, localized (left side) and sharp feeling headache. Swollen feeling in eyes, discomfort when blinking eyes.
1009801	2/7/2021	TX	51	M	1/20/2021	2/5/2021	Left Bell's palsy (unable to close eyelid all the way, tearing, left facial drooping)
1009809	2/7/2021	NJ	30	F	2/5/2021	2/6/2021	At around 3 am started intense shivers, temp was over 100, spent night with chills and shivers, and couldn't move my injection site arm due to pain. Next morning, had intense headache, joint pain, and my eyes burned. Couldn't get up without assistance because of how weak I was. Fever 102.6 around noon took tylenol. Don't think I have ever felt this sick in my life. Fever all day over 100. Sweating, muscle and joint pain (worse at joint between neck and head, hips and wrists). Nausea throughout, had soup to hydrate at around 5pm. Started to feel better but fatigued still with fever of 100 by midnight. Spent night sweating with headache, woke up 2/7 still with 99.8 temp, much lower temp without tylenol. Throughout the day I have had joint and muscle aches, and fatigue, a mild headache. Finally around 4pm started to improve, haven't had a fever since noon, still achy but have a little more energy.
1009826	2/7/2021	NE	65	F	1/28/2021	2/2/2021	Right side of tongue tingling and slight swelling, hives on right inside of mouth, right eye slight swelling, right side of face tingling, and a dime sized hive on my right temple area.
1009881	2/7/2021	TX	68	M	2/4/2021	2/4/2021	headche, fever of 102, heavy head , watery eye and muscle ache

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1009885	2/7/2021	IN	75	F	1/13/2021	1/21/2021	Vaccine given 1/13; symptoms began 1/21-burning and intermittent blurry eyes/double vision, drooping left eyelid, drooping left side of mouth, fatigue; went to ER on 1/22, blood work, EKG, MRI normal, ER MD didn't know the cause but if symptoms persisted, go to internal medicine MD; symptoms improved but saw Dr. on 1/28. She referred me to a neurologist. By 1/31, most of my symptoms had cleared. On 2/4, neurologist exam showed weakness in facial muscles, diagnosed condition as viral Bell's Palsy. Following medical exams, I read CDC report which referenced Bell's Palsy in Unsolicited Adverse Events section. Am sending this report
1007745	2/6/2021	CO	74	M	2/4/2021	2/4/2021	extreme fatigue, muscle weakness, dizziness, possible visual blurring, intermittent fever,
1007848	2/6/2021	MA	77	F	2/6/2021	2/6/2021	Patient complained of dizziness and said she was going to pass out. Observation nurse called site clinical lead over, at that time the patient was responding to verbal cues. Mask was taken down and she was guided to take slow deep breaths, continued to report feeling as though she was going to pass out. Site clinical lead then noted patient with fixed gaze to the size, clenching hands and rigid posture. Observation nurse called for EMS assistance. Patient breathing slowed, mouth open, eyes remain fixed to the size with rigid posture for 5-10 seconds. Patient did not respond to any verbal cues. Site clinical lead and observation nurse lowered patient to the floor, at which point patient became responsive. Responded correctly to reason for visit to site, location and how she was feeling. Denied history of seizures or stroke. Reported feeling anxious and needing to use the bathroom. Did not appear to lose bowel control at any point. Patient was very diaphoretic and pale, but alert overall. Cold compresses applied to forehead and back of neck while patient remained supine. EMS arrived and had patient sit up, at which point she again became very pale and reported feeling as though she was going to pass out. EMS transported to hospital for further evaluation.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1007792	2/6/2021	UT	57	F	2/3/2021	2/3/2021	I had a strong dull ache in my RT deltoid into my neck. Followed by numbness into my RT jaw maxillary sinus and rt and eye. I went to urgent care and my symptoms were consistent with bells palsy. All these symptoms happened within a 45 minute perid directly following my shot. I was seen by MD. The observation nurse at Hospital where I recieved my injection was RN
1007806	2/6/2021	PA	68	F	2/5/2021	2/5/2021	tiredness, headache ( as soon as it was injected) joint pain, nausea, feeling unwell, left arm swollen chest pressure, swelling of my face, eyes - watering - difficult focus, throat - dizziness and weakness
1007815	2/6/2021	IL	51	M	2/5/2021	2/5/2021	1650 patient reports symptoms: lightheadedness, blurry vision, dry and thick throat, thickened tongue, left arm weakness and numbness in left hand. 1705 Center chest pain, chin and throat numbness. Twitching in corner of right mouth. Unable to puff out right cheek
1007780	2/6/2021	MT	50	F	2/4/2021	2/5/2021	2/5/2021 @ 1:00 AM vomited X2, chills, body aches, fever 100.6, HA, fatigue, watery eyes, weakness, sweating, and nausea for 30 hours. Feel weak and tired now.
1007858	2/6/2021	WY	76	F	2/5/2021	2/5/2021	About 9:00 pm in the evening I first noticed an unusual racing of the heart while watching television. It subsided and I proceeded to bed. About 10:30 while in bed and reading it occurred again and continued for a few minutes. It continued to wake me a couple of times in the night before stopping about 4:00 am. No further occurrence so have not sought medical assistance.
1007898	2/6/2021	DE	75	M	1/25/2021	1/27/2021	Drooping right eyelid
1008010	2/6/2021		46	F	2/3/2021	2/4/2021	Congestion, headache, body aches, eyes and ears hurt.
1007978	2/6/2021	AZ	87	M	1/27/2021	1/29/2021	Second morning after shot woke up with extremely blurry in right eye that improved slowly as the day went by, but not to previous vision. Same problem the morning after sleep and over the next day. Went to opthamalogist on Monday, Feb 1 who immediately referred to retina specialist, seen Feb 2. Have ongoing treatment for glaucoma, has been stable for years. I am not claiming this started because of the shot, but it was so close after that I thought I should report out of an excess of caution.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1007743	2/6/2021	MI	65	M	1/29/2021	1/29/2021	About 2 hours after receiving the vaccine, patient had mild itching on upper chest, scalp, neck and eyes. Took 25 mg of Benadryl and 1 hour later, symptoms resolved. 10 hours later, itching returned and patient took another 25 mg of Benadryl. He noted small blanching palm-sized rash on upper sternum and had mild erythema on his neck. These symptoms eventually resolved.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1007398	2/6/2021	NY	24	F	1/21/2021	1/28/2021	<p>On January 21 I received my first dose of Moderna vaccine on my left arm. After the vaccine I had a red lump that was hot and a bruise that only lasted 2 days. Everything was fine until the January 28th when I developed a large red lump during the day while at work that was severely itchy and hot. When I got home from work I had a low grade fever. I made an appointment with my primary care for the next day which was Friday the 29th. My doctor told me she believes I had cellulitis. I was given an antibiotic 2x a day for 7 days. She drew a purple circle around the area and told me that if it goes outside the marked area or I feel any new symptoms, to go to the emergency room. Saturday morning on the 30th i woke up to my entire arm red and hot. I felt like I had a huge sunburn. I couldn't put my sweatshirt on because it was so hot. The emergency room doctor told me I was fine and to keep taking the antibiotics that were given to me yesterday from my primary care doctor. After the emergency room I went to work and started to feel dizzy and nauseous. My hands became sweaty but the rest of my body was cold. I started having a butterfly feeling in my chest. My Apple Watch alerted me that my heart rate was over 100 bpm. That night before bed I had another low grade fever. On Sunday the 31st I noticed the red area was gone but instead it was a dark purple. I felt okay Sunday besides a rapid pulse. Monday February 1st I woke up out of a dead sleep sweating, butterfly feeling in my chest and dizzy. I tried to take my pulse while laying down but it was so fast I couldn't keep up with it. I put my Apple Watch on which alerted me immediately that my pulse was 152 bpm. I slowly got up but then I passed out falling off of my bed. I couldn't get any words out because my heart was beating so fast that I couldn't breathe. I was sweating horribly and had a hard time walking. Had absolutely no strength in my left hand, my arm was purple/red, cold and numb. My arm felt like someone punched me repeatedly and gave me a dead arm. I called my primary doctors office and they were able to get me in that afternoon. All morning my pulse was spiking and then drastically dropping. About an hour and a half before I went to the doctor everything was fine. I was able to talk but still struggled with breathing while talking. The doctor ordered an EKG which came back clear. My pulse and blood pressure was also fine. The doctor told me she believed all of the</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1007969	2/6/2021	AL	75	M	1/26/2021	1/29/2021	<p>symptoms I had were from the medication I take at night (doxazosin-to relax my muscles and help with sleep.) She also told me she believed some of it was my mental health issues taking over. She told me the cellulitis looked fine and sent me home. Later that day I felt exhausted and when I woke up from a nap, I had a fever of 100.5. Took Tylenol and it dropped to 99.5 but wouldn't go any lower. February 2nd I woke up to a large red ring outside of the purple marker, numb finger tips and butterfly feeling in my chest. All day I received alerts that my pulse was falling and spiking. I sent my primary doctor an email and she told me she didn't think it was cellulitis anymore, maybe a hematoma but she wasn't sure. Since January 28th I still struggle everyday with the butterfly feeling in my chest, blurry vision, low grade temps, alerts of pulse, dizziness and breathing difficulties. My arm is always hot, my finger tips are numb and sometimes the strength in my hand is gone. The top of my arm is always a dark purple with red blotches and other times my entire arm is red and hot. When my pulse is very fast, I have a hard time talking, remembering what I was going to say and focusing. I've had multiple coworkers ask me if I'm okay because I'll randomly stop talking and stare off and then I'm alerted that my pulse has either spiked or dropped drastically after spiking. My pulse is never consistent. It is always ranging from 57-155bpm. I realized at first I may have what they call ?COVID arm? but my symptoms haven't gotten any better. No answers have been given to me or a diagnosis. The first diagnosis that they thought was cellulitis. Then it was ?in my head and behavioral.? Then it was a hematoma. Now it's an ?I don't know.? I have tried Benadryl for the itching, ice packs for the days that I'm swollen, Tylenol for the fevers and pain but I never have any relief.</p> <p>Very sore left arm starting on 01/27/2021 - on 1/29/21 woke up with very blurry eyes and pink eye - called my pcp and she prescribed eye drops to be used for 7 days. The blurry eyes lasted 2 days and gradually cleared up - My eyes are still slightly blurry. eights days after the covid shot - my heart started beating at a fast pace - lasted for a few minutes . at random it beats fast and then slows to a normal beat.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1007706	2/6/2021	IN	25	F	2/4/2021	2/4/2021	Chills, headache, nausea, body ache, light sensitive, eye ache
1007692	2/6/2021	IL	25	F	2/5/2021	2/5/2021	felt fine besides soreness after vaccine. My 9pm I felt dizzy, had a headache, and started feeling nauseous I took some Tylenol and ibuprofen and a snack (can't take it on an empty stomach when nauseous Was able to fall sleep but woke up at 2am very shaky, nauseous, and with extreme joint pain. I went to get a snack so I could take more pain reliever and I passed out and briefly blacked out my vision. When I came to, all the lights in my apartment were on but I had to use my hands to feel where my bed was so I could get back in. My TV was on but I realized that I couldn't hear it. All I could hear was a buzzing/wooshing sound and realized my hearing was gone and when I scratched my head and I couldn't hear the sound on my scalp. It came back about 30 minutes later but happened again the next time I stood up. By around 4am I was in so much joint pain I couldn't lie down anymore and had to run a bath so I could relieve some of the pain. I'm still in a lot of pain but I don't have the nausea anymore as strongly.
1007660	2/6/2021	VA	50	M	2/3/2021	2/4/2021	Painful swollen lymph nodes along left clavicle noticed 2/4/21 at 6pm still present and painful. Swollen lids under eyes (mild) noted on 2/6/21 have now subsided after 2 hours.
1007629	2/6/2021	VA	44	M	1/26/2021	1/30/2021	Patient reported right sided facial drooping on 2/1/2021 stating that it began three days prior to him reporting it. MD documentation: Pt unable to blink right eye, lift right brow and right side of mouth is drooping. PERLA. Pt denied right sided weakness/headache. Pt has demonstrated elevated blood pressures since receiving Covid 19 Vaccine not previously demonstrated.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1007564	2/6/2021	MS	63	M	2/5/2021	2/5/2021	My oxygen levels dropped below what they had been previously as I am recovering from Covid infection tested positive 20 October 2020. If I do anything at all other then set my oxygen levels would drop into the low 80's. I have also been monitoring my sugar levels. I am not diabetic but did so because in ICU was using steroids which elevated sugar levels. I continued to monitor it at home because I had to do injections for several weeks after leaving the hospital. Have not had to use insulin til the other day. Vision is very blurry. Had that problem in the hospital but it has gone away but since I had the first vaccine everything is now blurry. Left leg hurts to put weight on the heel. I have nerve damage to the left leg but this is a unique issue. I'm running a low grade fever 100.2 - in the morning it is normally 96.5-97.6 and this temperature was in the morning the day after the shot. Neck is very sore. I have rods from C3-C6 and the pain is in the muscle glands closer to the surface. It is almost like it is attacking all areas of the body I previously had issues. I spent October 25 - November 13 in Hospital, majority of time in ICU.
1007549	2/6/2021		73	F	1/28/2021	1/29/2021	On 1/29 eyes itching occasionally and blurriness but resolved by 1/31. Has hx of dryes and will be following up with eye doctor 2/21.
1007535	2/6/2021	FL	67	F	2/5/2021	2/5/2021	Swollen dry eyes, by next day red in both eyes and very sore and painful
1007515	2/6/2021	MA	51	M	2/5/2021	2/5/2021	Drank fluids around 8pm followed by unusually early fatigue and somnolence 2 hours early, awoke before midnight cold, shivering, aching in larger muscles and joints from neck to ankle including shoulders, back, hips, and thighs, could not get warm wearing many layers and blankets, then headache after 3am with hot dry sore throat and awoke more short of breath than usual, eyes crusted, slightly dizzy on rising, am finding myself with poor attention this morning filling out this form incorrectly needing more corrections than usual. The first dose was much milder but lasted 6 days. This second dose seems much worse and am expecting it to last several days more.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1007471	2/6/2021	OK	72	M	1/30/2021	1/30/2021	was aching bad at thirty minutes a doctor looked at me and gave me a Zyrtec. I was feeling better at One hour. Three hours after itching was back eyelids burning, I took a claritin 10mg Had to take one every thee hours to stop the same. My blood pressure stared to clime and stayed his through the next day . It was a high as 187/115 I called the heart doc on call I told him I took extra carvedilol he said not to take any more and if blood pressure went over 200 to go to closest ER. It started to go down about 1:00am on the 2 of Feb. I Went to see doctor he said to see heart Doc before taking second injection I have continue to itch all over and takin multiple claritin and Zytrec. The itch is still bad today.
1007448	2/6/2021	VA	53	F	1/27/2021	1/28/2021	Most Severe to Least: All appeared within a day or two after the injection -- none are normal for me and I have O- blood Loss of smell (10 days - still muted) Blood vessel burst in my right eye (large red stain eye for five days -- still a small line near the top of the cornea) Two (2) to three (3) Days: Coughing Chills Sneezing Runny nose Sore joints Itchy warts on face (four in forehead area) - five days (one small and flatter one still remains)
1007404	2/6/2021	TX	40	F	1/15/2021	1/15/2021	After injection waited in medical observation due to medical conditions, developed Severe Headache, blurry vision, & Increased Blood Pressure.
1007396	2/6/2021	CA	50	F	2/1/2021	2/1/2021	My face started to swell and feel slightly numb. I could see my cheeks in my vision and my eyes were very puffy. I didn?t see medical attention because I could breathe normally but I self monitored for a few hours to make sure my breathing was ok. I immediately took Benadryl and continued to monitor. It took about 3-4 days for the swelling to go away by massaging my face and continuing Benadryl.
1008022	2/6/2021	TX	52	F	1/28/2021	1/28/2021	Between 2-3 hrs after injection, almost all moisture was gone from both eyes & they remained extremely dry, requiring eyedrops multiple times daily. Currently on RX Prednisolone Acetate drops, Erythromycin ointment & otc Refresh Celluvisc eye gel drops.
1007409	2/6/2021	CA	47	F	2/4/2021	2/5/2021	Arm started to feel sore 5 hours after injection But next evening at 8 pm noticed huge red circular rash and darker smaller inside circle like bulls eye. I took photo.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1008617	2/6/2021	OH	37	F	2/5/2021	2/5/2021	Patient presented with chills, upset stomach, blurry vision, lightheadedness and the feeling that she would pass out. These symptoms presented less than 2 minutes after receiving her Pfizer vaccine. Her blood pressure was slightly elevated when EMS evaluated patient. The feeling resolved after 15 minutes and the patient went home.
1008807	2/6/2021	CA	44	F	2/5/2021	2/5/2021	Patient stated feeling lightheaded and tingling sensation on left leg after receiving second dose of Pfizer Covid vaccine. Client was sitting on waiting area post vaccine for 15 minutes. EMT responded and alerted lead RN. Vitals taken at 1310: blood pressure 116/82, pulse 72, oxygen 99. Alert and oriented, stated symptoms began after vaccine. No prior history of tingling sensation in extremities. Stated tingling on left leg, mobility intact, no radiation or pain past leg. Allergies to amoxicillin and no current medications. Client given water and instructed to drink small sips. Per client no breakfast this morning and had two cups of coffee. Client denied chest pain, shortness of breath, palpitations, vision changes, headache. RN client asked to stay under observation longer and that EMT would recheck vitals prior to her leaving. EMT reassessed at 1325. Per client feeling better, was returning to work after leaving facility. Instructed to get food and rest. Last set of vitals: blood pressure 120/80, pulse 62, oxygen 99. Client left facility with a steady gait.
1008802	2/6/2021	CA	61	F	2/5/2021	2/5/2021	Client had completed 15 minute wait post vaccine when EMT approached her to ask how she was feeling prior to allowing her to leave. Client wanted to leave without being assessed and EMT informed lead RN. Lead RN assessed client and convinced client to allow staff to take vital signs prior to her leaving. Vitals at 1302: blood pressure 132/80, pulse 66, oxygen 98. Per client no shortness of breath, chest pain, nausea, changes in vision, or headache. Client alert and oriented. No known allergies and current medication trazodone. Per client was feeling well enough to go home, someone was driving her home. Declined to wait a few more minutes. Emergency room precautions given. Client left facility with a steady gait at 1304

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1008735	2/6/2021	NC	59	F	1/13/2021	1/14/2021	PATIENT WAS OUT OF WORK DUE TO REACTION TO THE SECOND COVID VACCINE. SYMPTOMS WERE BODY ACHES, NAUSEA AND EYES BURNING.
1008710	2/6/2021	CA	70	F	1/25/2021	1/27/2021	Woke up with severe Vertigo. (I've never experienced vertigo before). I could barely make it to the bathroom and back to bed for 2 days. Just moving my eyes or my head made the room to spin. I had some nausea, but no vomiting. I called my PCP, and he prescribed Meclizine. I took 2 doses 8 hours apart and it made me sleep for the greater part of these 2 days and drowsy afterward. My husband made me jello and pudding to eat while lying down flat in bed. The Vertigo then became less severe and I was bothered by dizziness for the next week.
1008651	2/6/2021	NJ	69	M	1/21/2021	1/26/2021	Chest tightness, Body Aches and Pains, Headache, Fatigue, impaired decision making, swollen lymph nodes, lost of appetite, chills, vision had yellow color, and just feeling unwell.
1008139	2/6/2021	CO	51	F	2/5/2021	2/5/2021	Lip swelling, eyelid swelling, are itching. Benadryl oral given. Sent to ER. 2nd day follow-up, no further intervention was given in ER other than benadryl. At home and feeling "99%" better.
1008618	2/6/2021	TX	32	F	1/25/2021	1/26/2021	I was pregnant, embryo estimated 6 weeks gestation. I started having spotting approximately 34 hours after the 2nd dose. I went to my OB for heavy vaginal bleeding with an ultrasound completed 49 hours post vaccine with no concerns visually. Estimated miscarriage <72 hours after vaccine administration with confirmation via ultrasound 1 week and 2 days after vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1008820	2/6/2021	CA	24	F	2/5/2021	2/5/2021	Patient complained of headache after receiving Pfizer Covid vaccine. Client was sitting in waiting area post vaccine. EMT responded. Vitals taken at 1528: blood pressure 126/82, pulse 87, respirations 12, oxygen 98. Headache pain 4/10. Per client history of brain injury (encephalopathy) and weakened immune system. Client informed EMT had ate breakfast this morning and hydrated all day. Denied shortness of breath, chest pain, vision changes. Client kept in observation for 30 minutes. EMT reassessed at 1540. Headache still 4/10, same, not worsening or new complaints. Per client felt well to leave. Vitals: blood pressure 118/78, oxygen 99, pulse 80, respirations 12, alert and oriented. Client left facility with a steady gait at 1545.
1008606	2/6/2021	NY	70	M	2/6/2021	2/6/2021	Dry eyes Burning eyes Itchy eye Red eyes Blurred vision
1008590	2/6/2021	KY	43	F	2/3/2021	2/4/2021	Fever 102 for two days, LGF on the third day (today). Severe body aches (joints, skin, eyes, mucosa, bones ovary/flank area, sacroiliac joint and soft tissue) requiring 24 hr alternating ibuprofen/acetaminophen. Uncontrollable intermittent crying for 3 days. Significant visible and tender lymphadenopathy from injection site deltoid area inferno lateral arm progressing medically through left axilla and on to left lateral thorax. Fatigue and dizziness requiring missed work for the last three days. I?m calling in tomorrow as well. Headache.
1008577	2/6/2021	OR	79	M	2/6/2021	2/6/2021	Pt called RN to car. He states he is feeling his eyes swell and some tightness in his chest. SpO2=95%, no wheeze on auscultation. Pt reports history of asthma and allergies. 25mg Benadryl PO given. Symptoms resolved. Pt observed 30 minutes by RN and MD and sent home with emergency precautions. Pt and wife state understanding.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1008544	2/6/2021	TX	68	M	1/25/2021	1/26/2021	Beginning about 12 hours after receiving the vaccine I started having really bad headaches, behind my eyes radiating to the back of the head. At about 15 hours post vaccine I had chills, fever. The chills and fever were bad enough that in addition to sleeping under two blankets I had to put on a thick fleece ?hoodie? and pulled the hoodie over my head. I developed about 48 hrs of nasal congestion, and some retrosternal chest pain. I had one episode of nausea with vomiting about 8:00 am the next morning. I had to take two 325 mg Tylenol every 4-6 hrs to deal with the headache and fever. The most severe symptoms of headache and fever subsided in about 24 to 36 hrs after the vaccine was administered. I had a lot of fatigue for several days, along with aches and pains. It took me about 5 days to really start feeling normal again, but the fatigue lingered for a few more days.
1008515	2/6/2021	DE	27	F	1/22/2021	1/23/2021	After the 1st dosage of the moderna vaccine, I started to notice my left eye twitching randomly throughout the day. It has happened more than 10-15 times a day, everyday since my first dosage. No pain, no treatment, no irritation, no redness, no swelling, no itching.
1008207	2/6/2021	CA	68	M	1/22/2021	2/1/2021	Neck pain near the top of the neck at the base of the skull slightly to the right of the center began around Feb 1. Began taking Ibuprofen, but it did not go away. Thought I had muscle strain, but surprisingly there was no stiffness or loss of motion. Tried massage, heat, and cold packs with limited relief. Began interfering with sleep over the next few days. On the evening of Feb 4, I noticed a strange sensation on the right side of my tongue as if I was losing taste or feeling there. At 3 AM got out o bed due to neck pain and noticed right eye felt strange and was drooping. When I got up at 8 AM I saw eye droop and smile was only on one side of mouth. Called my doctor and was directed to an advice nurse who told me to go to the ER right away, since this could be a stroke or Bell's Palsy. Went to ER and was diagnosed as Bell's Palsy after blood tests, EKG, CT scan, and tests of limbs. Given medications and and released with prescriptions sent to CVS for prednisone and valacyclovir.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1008141	2/6/2021	FL	79	M	2/5/2021	2/6/2021	The day after the second Moderna shot I had a fever of 100.8, aching bones throughout my body. Arms ,neck back, legs and feet. Headache and burning and stinging eyes. I called the hospital and they advised that I follow up if there was no improvement. I have very little energy and am resting.
1008645	2/6/2021	CA	70	F	2/3/2021	2/4/2021	9pm on 2/4/2021 moderate dizziness; went to bed. Awoke 3AM on 2/5/2021 severe vertigo, unable to focus my eyes and unable to walk without holding on the wall. Vomited (no blood); called 911. In ER they administered Benedryl and Reglan, NS bolus. Symptoms improved significantly - only slight dizziness. Emergency Doc Dx: acute vestibular neuronitis. Rx'ed methylPrednisolone, dospak. Symptoms should diminish in next few days. #20 question therefore noted as "Unknown~~
1008512	2/6/2021	CA	54	F	2/5/2021	2/5/2021	High heart rate, chills, excruciating headache eyes hurting muscle aches, TMJ joints hurting, dizzy and nauseous
1008156	2/6/2021	NY	45	F	1/29/2021	1/29/2021	Extreme pain in the arm, extreme fatigue, headache not treatable with tylenol. Extreme fatigue. Flu like fatigue. Swollen painful lymph node in left side in the armpit , blurry vision
1008197	2/6/2021	FL		F	2/4/2021	2/4/2021	Severe chills and upset stomach .Also. headache and burning of eyes. Eyelids lids burning.
1008219	2/6/2021	VA	51	F	2/1/2021	2/4/2021	Feb 4 ... tired, darkened skin on eyelids, muscle cramps left ankle Feb 5 ... extremely fatigue, eyelid discoloration worse, some confusion, no appetite Feb 6 ... slept 11 hours, awoke to dizziness, nausea, diarrhea, eyelids discoloration improved, fatigued
1008268	2/6/2021	FL	68	F	1/11/2021	1/16/2021	Extreme itching of eyes and body parts. When itching stopped the injection site on my right arm started to swell and feel painfully hot! I placed the thermometer scanner on it and it was 104.5 It was extremely and painfully itchy. I saw my doctor on January 20 since it had spread to over half my arm. He prescribed Amoxi-Clav for 7 days. Doctor said it was infected, but he's not familiar with Covid side effects. I believe it was CELLUITUS!!!!

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1008380	2/6/2021	SC	67	F	2/3/2021	2/3/2021	An hour and a half I became dizzy. Within two hours nausea and diarrhea. For 24 hours could not eat it drink without being sick. Then numbness and tingling in arms and legs. Day two face was numb. nurse saw twitching eyes ,hands and I had it all over. Chest pains when I got up. During the night of day 2 I woke with my entire body trembling. My face was swollen the entire day. Today is day 3. My lips twitch occasionally, my face has an occasional tingle, still have diarrhea and nauseous, I am trying fluids and and I just tried an egg. I feel like I have worms crawling inside my arms and legs. I was told by the pharmacy and school nurse that it would take 3-4 days to feel better. I am healthy and a teacher. This is very concerning.
1008383	2/6/2021	PA	20	F	1/27/2021	1/27/2021	Significant facial and eyelid swelling
1008428	2/6/2021	CA	46	M	1/12/2021	1/20/2021	8 days after my first dose, 01/20/2021, around 9am, my eyes started to turn red, and teary and difficulty to look on computer screens and TV. Thinking it might be a Conjunctivitis, assuming it was a windy week in my area, I did do some yard work. That night it started to build pressure, pain and headache. I asked my spouse to buy me eyedrops., did used with no relief. I've putting cold packs at the beginning, but it gives me more headache, I changed to warm compress, and had some relief. For 4 days I suffered the same symptoms and discomfort, not until the 4th day (Friday) I can't take it anymore, I went to an urgent care, they check my V/S, BP is elevated, ranging from 140's/92's. They check my eye pressure, it was elevated. The PA prescribed Tobramycin eyedrop(Tobrex) and recommend me to see an Ophthalmologist to do further evaluation. The next day 5th day (Saturday) went to Dr., get evaluated both of my eyes had high pressure,
1008457	2/6/2021	MI	66	F	2/4/2021	2/5/2021	Swelling under both eyes - right more pronounced ~ where filler had been injected in October 2020
1008495	2/6/2021	MA	33	M	2/5/2021	2/6/2021	Eye puffiness and swelling, tiredness

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1008160	2/6/2021	FL	72	F	2/2/2021	2/3/2021	About 1/2hour after I got up, I started feeling off with vision issues. Next thing I knew I had passed out and was laying on the floor. Then severe sweating with a headache and tiredness. My left arm was quite sore.
1005134	2/5/2021	FL	65	F	2/4/2021	2/4/2021	3 hours after vaccine, I started experiencing lightning bolts in right eye and am now seeing one floater in same eye.
1005322	2/5/2021	VA	79	M	1/29/2021	2/1/2021	48 hours after vaccination, patient developed right sided facial droop, excessive tearing in right eye, inability to close right eye fully, inability to raise right eyebrow. Patient advised to not take 2nd vaccine dose. He was given oral corticosteroid prescription and advised to use eye lubrication ointment frequently and wear eye patch at night. He was advised to see Ophthalmologist to make sure no injury to cornea since he is unable to fully close eye and potential for eye drying at night when sleeping.
1005358	2/5/2021	VA	45	F	2/3/2021	2/3/2021	Acute headache; right behind her right eye.
1005356	2/5/2021	IN	86	F	1/22/2021	1/24/2021	I was talking on the phone and all of the sudden I couldn't feel my cheekbone and all the way up to the eye socket and my tongue felt like a sponge, and I couldn't breathe very good. So I got my friend to take to me to the ER and they gave me oxygen, and the next my tongue was still swollen and had blisters on it. They recommended scheduling a follow appointment with PCP. They gave me a shot and three prednisone pills to take on a taper.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1005347	2/5/2021	FL		M	1/21/2021	1/21/2021	Fainted; Unconscious; A spontaneous report was received from a consumer who was also a 73-year-old, male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced fainting and unconscious. The patient's medical history was not provided. Concomitant medications were levofloxacin, metformin, amlodipine and lisinopril. On 21 Jan 2021, prior to obtaining his vaccination, the patient took levofloxacin, metformin, amlodipine, and lisinopril. On 21 Jan 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Lot number: 012L20A) intramuscularly for prophylaxis of COVID-19 infection. On 21 Jan 2021, within minutes of receiving the vaccine, the patient fainted with his eyes open and was unconscious. His health care provider told him he was dehydrated and that might be why he fainted. Action taken with the second dose of mRNA-1273 in response to the event was not reported. The outcome for the events, fainting and unconscious, was considered resolved on 21 Jan 2021.; Reporter's Comments: This case concerns a 73-years-old male patient, who experienced medically significant unexpected events of Syncope and Loss of consciousness. The events occurred within minutes after first dose of mRNA-1273, lot # 012L20A. Concomitant medication included levofloxacin, metformin, amlodipine and lisinopril. Treatment details were not provided. Based on the current available information and temporal association between the use of the product and onset of the events a causal relationship cannot be excluded. Of note, dehydration was reported as potential contributing factor.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1005288	2/5/2021	IL	36	F	1/28/2021	1/28/2021	Moderna COVID-19 Vaccine EUA. Approximately 1 hour after the shot on Thursday, January 28th, the left side of my face was mildly numb from the eyebrow down to the jawline. On Friday, I felt the numbness behind my left ear and left jaw. On Saturday, I felt the numbness around my left ear and jaw. Monday, I went to an urgent care facility. The doctor recommended that I take Advil and apply a warm compress but the diagnosis was NOT Bell's palsy. He hypothesized my trigeminal nerve was triggered by something, not explicitly attributing it to the vaccine injection. Tuesday, I had soreness on the left side of my neck. Wednesday, my lymph node in my left armpit is sore. Thursday (2/4/21), I had soreness on the left side of my neck. Friday, I still have soreness on the left side of my neck and left upper chest area.
1005274	2/5/2021	IA	60	F	2/2/2021	2/3/2021	fever (101.5) chills, nausea, red stinging eyes
1005259	2/5/2021	OH	30	M	1/28/2021	1/29/2021	major muscle cramp in his right leg - followed by his eyes rolling back and slurred speech - it happened at 4:30 p.m., 5:30 pm and 7:30 pm - each time it lasted for several minutes
1005243	2/5/2021	MD	67	F	1/29/2021	2/5/2021	On the way home from vaccination (1/29/21), felt like something stuck in her throat but resolved within hours. One week later (2/5), woke around 2am with same feeling, but at time of report (10:0am, 2/5), she has taken Allegra and using throat lozenge and feels throat symptoms are improving. She reports that she does battle environmental/seasonal allergies, has been experiencing post nasal drip and some intermittent itchy eyes and scalp this week so this could be related to allergies. She also c/o red "rash" at injection site about the size of 50 cent piece which she first noted today - denies pain or swelling. Writer advised she continue daily allergy medicine, consider using Benadryl as directed on the day of 2nd vaccination, and at any time between now and following administration of 2nd vaccine, if she should have worsening symptoms to seek care immediately. Also recommended 30 minutes observation period following 2nd vaccine - due 28 days from 1/29/21. She verbalized agreement with all.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1005238	2/5/2021	TX	61	F	2/2/2021	2/3/2021	Six hours post vaccination- chills, fever, headache. Twelve hours post vaccination- chills, fever, headache, nausea. Feb 4, 2021 - Swollen lymph node at right clavicle; Swollen right eye; swollen, warm, hard knot in right arm below injection site; headache.
1005188	2/5/2021	TX	42	F	2/4/2021	2/5/2021	Report chills, HA, eye pain and muscle pain (leg). Treatment: none, Outcomes: continues to work, does not interfere with ADLs.
1005218	2/5/2021	OR	32	F	1/4/2021	1/4/2021	It started with abdominal pain (like hunger pain). I sat down for dinner and took one bit and abdominal pain got worse. I felt like I was going to pass out. I started sweating and my vision was blurry, I had the shakes. The sensation like your low sugar. I was pale and my skin was sweaty . After about 45minutes it cleared up.
1005649	2/5/2021	NY	31	F	1/28/2021	1/30/2021	Patient received their first Moderna dose 12/31/2020 which was well tolerated. Second dose on 1/28/21. Was fine until the next day when developed headache. 1 1/2 days later she work up with erythematous itchy rash over eyelids. Lips became bright red with erythema around them. Slightly swollen. Cheeks that she self treated with benadryl 50 mg every 4-6 hours for days. Swelling returned when benadryl would wear off. On 2/3 she was seen by a physician who referred her to an allergy specialist. Upon that communication with the allergist, she was prescribed prednisone 20 mg for 3 days with excellent response. Last dose yesterday. Allergra prescribed for dog allergy symptoms and flonse of allergic rhinitis.
1005717	2/5/2021	FL	70	M	2/2/2021	2/3/2021	Upper lid on my left eye is black and blue, but no blurred vision and no bleeding. Hurts when I blink.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1004494	2/5/2021			F			Knot, Swollen and heat at the injection site; Knot, Swollen and heat at the injection site; Knot, Swollen and heat at the injection site; Unbearable Headache that pain relievers will not help; Continues eye twitching; Extremely tired; 102.5 Fever that doesn't want to come down; Body Aches; This is a spontaneous report from a non-contactable nurse (patient). This female patient of an unspecified age received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) , via an unspecified route of administration on an unspecified date at single dose for COVID-19 immunization. The patient medical history and concomitant medications were not reported. The patient previously received first dose BNT162B for COVID-19 immunization and experienced knot, swollen and heat at the injection site, unbearable headache that pain relievers will not help, continues eye twitching, extremely tired. After second shot, on an unspecified date the patient also experienced knot, swollen and heat at the injection site, unbearable headache that pain relievers will not help, continues eye twitching, extremely tired, 102.5 fever that doesn't want to come down and body aches. The outcome of the events was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.
1005703	2/5/2021		29	F	2/3/2021	2/3/2021	Right eye swelling, eye itchiness lasting 12+ hours.
1005120	2/5/2021	PR	69	F	1/22/2021	2/4/2021	This is a new diagnosis for this patient who has not previously experienced these symptoms - episodes of severe, shooting or jabbing pain that feels like an electric shock, in areas supplied by the trigeminal nerve, including the cheek, jaw, teeth, gums, lips, eye and forehead.
1005662	2/5/2021	NY	51	F	12/22/2020	1/6/2021	On 1/6/2021 I had onset of High BP and Double Vision. Diagnosed with a 4th Cranial Nerve palsy on Left by Neurology and Ophthalmology.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1005687	2/5/2021	MA	65	F	1/26/2021	2/3/2021	On 01/26/2021 I received my second dose of COVID vaccine. 02/04/2021 I awoke at 3am and could see fine. At 7am I awoke again and was seeing double from my left eye. Was seen by an ophthalmologist and dx w 4th nerve palsy- Left eye. I have no underlying medical conditions to explain this, ie no diabetes, HTN etc.. At this time 02/05/2021 I continue to have double vision , the image is sloping downward, head movement and keeping my left eye open results in this woozy feeling of imbalance and nausea.
1005655	2/5/2021	NM	30	F	2/4/2021	2/4/2021	Distorted vision, missing pieces of vision on the right side, colored zigzag lines in right vision. The doctor said it was an ocular migraine. It passed within 40 minutes. Ibuprofen 600
1005399	2/5/2021			F	1/22/2021	1/23/2021	I received the second dose of the Pfizer vaccine on 1/22/2021. On Saturday 1/23/2021 I woke up with chills, headache, and some fatigue. Later that day I had started to get itchy everywhere. Later Saturday into Sunday chest pain occurred. Sunday the itching worsened throughout my entire body with some bumps which were possible hives. Other symptoms along with itching came Monday with swelling at joints, continued itching, eyes and lips swelling, along with lips tingling. Monday I went to the clinic and was prescribed a steroid prednisone for the allergic reaction and then continued to take over the counter allergy medications to help with the itching.
1005634	2/5/2021	IN	70	F	2/3/2021	2/4/2021	subconjunctival hemorrhage in left eye
1005547	2/5/2021	OH	43	F	1/29/2021	1/30/2021	Headache - ibuprofen - hasn't dissipated as of today Arm soreness - ibuprofen - better by 2/1 Blurry vision (right worse than left) - no treatment - better by 2/2
1005537	2/5/2021	TX	61	M	2/2/2021	2/2/2021	Moderna COVID?19 Vaccine EUA Extreme fatigue, visual hallucinations, anorexia. Symptoms worse at ~12 hours, significantly improved by 72 hours but not resolved.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1005495	2/5/2021		51	F	2/3/2021	2/4/2021	Around 7 p.m. patient felt chest weakness & minor SOB. Took Ibuprofen 400 mg PO. Woke up in middle of the night, had increased SOB and chest weakness. Describes as felling "Not well." Drank water. Felt better. Went back to sleep. 2/4: Patient c/o nasal congestion, slight blurred vision, increased SOB/chest weakness, had body aches, slight swelling in neck lymph node (hx of swelling due to abscess). Felt better as day progressed but in afternoon @ 3:30 p.m. while at store with family, had to leave to sit in car due to fatigue and reoccurring SOB. Minor SOB episode throughout the day. Slept well at night. Took Ibuprofen 400 mg PO x1 which improved body ache.
1005494	2/5/2021	MA	19	F	2/4/2021	2/4/2021	states had 2nd covid vaccine yesterday, had waves of N yesterday; fever, aches chills overnight, took Tylenol overnight, took melatonin around 12 pm due to difficulty falling asleep this am woke, took temp -was 99.3, went to bathroom and urinated and then got in shower, felt a little nauseous and starting loosing vision , then fell hitting head on R side
1005474	2/5/2021	NJ	38	F	12/18/2020	12/20/2020	12-20-20, started with tingling around my left lower lip at night time and the next morning I had tingling going up to the left eye and cheek. No rash noted and concerned I was getting shingles. I saw a doctor and he did an eye exam to see if I had any shingles in my eye. My symptoms went away in few days.
1005660	2/5/2021	GA	45	F	1/6/2021	1/6/2021	Initial vaccination given 06 January 2021. ?Pounding headache, chest pain, stomach pain, fatigue, fever 103.2°F, (Overall malaise, Emergency Room visit x2, out from 12 January to 25 January). Reaction to prescribed medication - visual hallucinations described.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1004493	2/5/2021			F			Knot, Swollen and heat at the injection site; Knot, Swollen and heat at the injection site; Knot, Swollen and heat at the injection site; Unbearable Headache that pain relievers will not help; Continues eye twitching; Exteremly tired; This is a spontaneous report from a non-contactable nurse (patient). This female patient of an unspecified age received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, on an unspecified date at single dose for COVID-19 immunization. The patient medical history and concomitant medications were not reported. On unknown date, the patient experienced knot, swollen and heat at the injection site, unbearable headache that pain relievers will not help, continues eye twitching, and extremely tired. The outcome of the events was unknown. No follow-up attempts are possible. No further information expected. Information about lot/batch number cannot be obtained.
1005724	2/5/2021	GA	35	F	1/28/2021	1/28/2021	PT C/O AT APPROX 12PM THAT SHE FELT "FLUSHING" AND "TUNNEL VISION." STATES SHE FELT LIKE SHE WAS "GOING TO PASS OUT." 1203 :BP 180/98, P 120, R 14. BS CLEAR AND EQUAL. HAD PT LIE DOWN WITH FEET UP. 1210 : 159/116, P 104, R 14. 1215 : 144/111, P 104, R 16. 1215 : 144/111, 104. R 16. 1220 : 130/96, 83, 14. 1225 : 133/90 P 83, R 14. PT FEELING MUCH BETTER. LEFT CLINIC W/O ASSISTANCE AND RETURNED TO WORK. SHE DID CONTACT CLINIC STAFF TO LET US KNOW SHE ARRIVED TO HER JOB WITHOUT PROBLEM AND FELT OK.
1003745	2/5/2021		34	M	2/3/2021	2/4/2021	Pt reports receiving 2nd COVID vaccine yesterday at 1030. Pt reports HA, fatigue, subjective fever yesterday evening. Pt reports feeling some relief with Motrin at 0930. Pt in NAD. HISTORY OF PRESENT ILLNESS: 34-year-old male presents with headache, body aches, subjective fever and nausea after second COVID vaccine yesterday. Acute onset of generalized body aches, mild, constant. Denies objective fever, chills, vomiting, vision changes, chest pain, dyspnea, cough, abdominal pain, back pain, weakness or numbness. Patient took Motrin with some improvement this morning.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1003749	2/5/2021		34	M	2/3/2021	2/4/2021	Pt reports receiving 2nd COVID vaccine yesterday at 1030. Pt reports HA, fatigue, subjective fever yesterday evening. Pt reports feeling some relief with Motrin at 0930. Pt in NAD. HISTORY OF PRESENT ILLNESS: 34-year-old male presents with headache, body aches, subjective fever and nausea after second COVID vaccine yesterday. Acute onset of generalized body aches, mild, constant. Denies objective fever, chills, vomiting, vision changes, chest pain, dyspnea, cough, abdominal pain, back pain, weakness or numbness. Patient took Motrin with some improvement this morning.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1004208	2/5/2021	TX	73	F	1/16/2021	1/16/2021	Neuropathy in the finger / Neuropathy in the right arm; chills; Nausea; Headache; A spontaneous report received from a consumer concerning a 73-year old, female patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and experienced chills, nausea, headache, neuropathy in the finger and right arm. The patient's medical history was not provided. Concomitant medications reported included rosuvastatin and eye drop. On 16 Jan 2021, approximately 0 days prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (batch number 041L20A) intramuscularly in the right arm for prophylaxis of COVID-19 infection. On 16 Jan 2021, the patient experienced chills, nausea and headache, all of which resolved within 36 hours on 18 Jan 2021. She took 3 Tylenol, and a Zomig to help with the symptoms. On 24 Jan 2021, the patient began to experience neuropathy in her finger and right arm, which she reported as it was getting worse. Action taken with mRNA-1273 in response to the events was not reported. The events, chills, nausea and headache, were considered resolved on 18 Jan 2021. The outcomes of the events, neuropathy in the finger / neuropathy in the right arm were unknown.; Reporter's Comments: This spontaneous report concerns a 73-year-old female patient who experienced a serious event of neuropathy in the right finger and non-serious events of chills, nausea and headache. The events of chills, nausea and headache occurred on the same day after the administration of the first dose of the vaccine mRNA-1273 vaccine (Lot #: Unknown, expiration date-Unknown). Neuropathy occurred 8 days after the administration of mRNA-1273 vaccine. Treatment administered included Tylenol and Zomig for chills, nausea and headache with resolution. The events of chills, nausea and headache are consistent with the safety profile for mRNA-1273 vaccine. Based on the information provided, including temporal association and in the absence of any other etiology, a causal association cannot be excluded for all reported events. Causality for the event of neuropathy is also confounded by the patient's advanced age. Main field defaults to 'possibly related'

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1004241	2/5/2021		48	F	1/15/2021	1/15/2021	bad headache that felt like migraine; bad headache that felt like migraine; thought it might be a sinus headache; pain on the right side of the back of her neck that radiated behind her right eye; pain on the right side of the back of her neck that radiated behind her right eye; dizziness; sweating; swollen lymph nodes in her throat; This is a spontaneous report from a contactable consumer (patient). A 48-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number and expiry date: not reported), via an unspecified route of administration on 15Jan2021 at 07:00 at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. On 15Jan2021, the patient experienced dizziness, sweating, and swollen lymph nodes in her throat. On 18Jan2021, the patient started to get a really bad headache that felt like migraine and thought it might be a sinus headache. On the same day, the patient also had pain on the right side of the back of her neck that radiated behind her right eye. The patient would like to know if she could take anything for her headache. The outcome of the event bad headache that felt like migraine was not recovered while the other events was unknown. Information about lot/batch number has been requested.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1004252	2/5/2021	NY	69	F	1/20/2021	1/20/2021	I had the sensations of facial tingling; eye swelling; lip swelling; This is a spontaneous report from a contactable Nurse. A 69-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number EL3247), via an unspecified route of administration on the right arm on 20Jan2021 08:15 at a SINGLE DOSE for covid-19 immunisation. Medical history included drug hypersensitivity from an unknown date and unknown if ongoing known allergies: Sulfa and allergy to animal (cats) from an unknown date and unknown if ongoing. The patient's concomitant medications were not reported. On 20Jan2021 08:45 AM, the patient stated, "I had no symptoms during the 15 minute observation after the vaccine. After leaving the site, about 30 minutes after the shot I had the sensations of facial tingling, eye swelling and lip swelling (nothing visible on a photograph). My pulse remained stable and I had no throat symptoms or trouble breathing. This all resolved spontaneously within an hour after the shot. I am allergic to cats and sulfa but have never had anaphylaxis. I plan to stay in observation for a little longer after the 2nd shot. Any other recommendations?" No treatment was received for the events. The outcome of the events was recovered on 20Jan2021.
1007307	2/5/2021	AL	33	M	2/5/2021	2/5/2021	Sporadic facial and arm numbness on vaccine side (left). Numbness locations in arm localized around shoulder, hand, and fingers. Noticeable Numbness in face localized to lower front jaw, top of left ear, and above left eye (around eyebrow)
1004340	2/5/2021			F	1/20/2021	1/20/2021	her vision became blurry; her head does not feel clear and is very foggy; This is a spontaneous report from a contactable consumer (patient). A female patient of an unspecified age (age reported as 30 with unknown unit) receivedBNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), via an unspecified route of administration on 20Jan2021 at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient received first dose of Pfizer COVID vaccine on 20Jan2021. On same day at 15:50, the patient's vision became blurry. Her head did not feel clear and was very foggy. The outcome of the events was unknown. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1003724	2/5/2021		39	M	1/28/2021	2/3/2021	39 yo M with peripheral vertigo. Pt feels like the world is spinning. This is sudden/intense with movement. Ceases when staying still. No vision change. no gait disturbance. HA not sudden/first/worst/different. no cp/sob. no abd pain. no dysuria/hematuria. no rash. no fever. Pt given Meclizine and Zofran and symptoms resolved. Rp given. FU with PCM.
1004433	2/5/2021		54	F	1/21/2021	1/21/2021	bilateral leg paralysis; nauseous; hardly walk; muscles were so tight/jaws felt locked, like a tightness; numbness on the left side of [her] face, right under the eye; temporary rash she had on the left side of her face, under her cheek; toes crowded back; This is a spontaneous report from a contactable consumer (patient). A 54-year-old female patient received the first dose of BNT162B2(PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 21Jan2021 at single dose "on the left side" for covid-19 immunisation. The patient medical history and concomitant medications were not reported. She stated feeling nauseous right after the shot and mentioned not eating breakfast. She described having bilateral leg paralysis which she also qualified as locked to the point where she could hardly walk. She added that her leg muscles were so tight that her toes crowded back. She then explained having numbness on the left side of her face, right under the eye and that her jaws felt locked, like a tightness. She specified she didn't know if she really felt tightness in her jaws because of the intensity of her bilateral leg paralysis. She then described a temporary rash she had on the left side of her face, under her cheek. She said her experience occurred two hours post injection on 21Jan2021 and was resolved in Jan2021 after taking a muscle relaxer. She asked if shellfish is in the vaccine. Information about lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1004443	2/5/2021	AZ		M	1/18/2021	1/18/2021	Scratchy throat; Sinus; Head cold symptoms; He experienced drainage and flowing; His total left arm, where he got the vaccine, was sore all the way down; He felt light headed; Blurry vision; This is a spontaneous report from a contactable consumer (patient). This male patient of unknown age received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Lot number/Exp. date unknown) on 18Jan2021 via unknown route of administration at single dose for covid-19 immunisation. Relevant medical history and concomitant medication were not provided. The patient reported that he received the covid vaccine on Monday, 18Jan2021, at which point he felt light-headed and blurry vision. He was kept for 30 minutes until it subsided. On Tuesday, 19Jan2021, his total left arm, where he got the vaccine, was sore all the way down. On Wednesday, 20Jan2021, he experienced drainage and flowing for which he took Benadryl which helped overnight. Yesterday, 21Jan2021 he reported heavy drainage, sinus or head cold symptoms. Today, 22Jan2021, he reported a scratchy throat. The outcome for events light-headed and blurry vision was recovered. The outcome for other events was unknown. The patient inquired as to what to do about his side effects after receiving the first dose of Covid-19 vaccine. The lot number for the vaccine, BNT162B2, was not provided and will be requested during follow up.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1004496	2/5/2021			F			<p>not able to get out of bed or have lights on; Unbareable Headache; Knot, Swollen and heat at the injection site; Knot, Swollen and heat at the injection site; Knot, Swollen and heat at the injection site; Continues eye twitching; Exteremly tired; 102.5 fever; Body Aches; had a hard time walk due to the body aches; This is a spontaneous report from a non-contactable nurse (patient). A female patient of an unspecified age received second dose BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) , via an unspecified route of administration on an unspecified date at single dose for COVID-19 immunization. The patient medical history and concomitant medications were not reported. The patient previously received first dose BNT162B for COVID-19 immunization and experienced knot, swollen and heat at the injection site, unbearable headache that pain relievers would not help, continues eye twitching, extremely tired, and was not able to get out of bed or have lights on. she had a hard time walk due to the body aches. After second shot, she also experienced knot, swollen and heat at the injection site, unbearable headache that pain relievers would not help, continues eye twitching, extremely tired, and was not able to get out of bed or have lights on, she had a hard time walk due to the body aches, and 102.5 fever that didn't want to come down. Outcome of events was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.; Sender's Comments: Considering a vaccine-event chronological association, contributory role of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) to the onset of reported events cannot be completely excluded. The case will be reevaluated should additional information become available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1004475	2/5/2021			F	1/1/2021		received the first dose of the vaccine/have pre-existing conditions having floaters and headaches. but there's an increase in frequency.; received the first dose of the vaccine/have pre-existing conditions having floaters and headaches. but there's an increase in frequency.; received the first dose of the vaccine/have pre-existing conditions having floaters and headaches. but there's an increase in frequency.; This is a spontaneous report from a contactable consumer (patient). A female patient of an unspecified age (Age: 67; Unit: Unknown) received her first dose BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration in Jan2021 (on the 07 or 08 of this month) at single dose for covid-19 immunisation. Medical history included she had pre-existing conditions having floaters and headaches. The patient's concomitant medications were not reported. The patient received the first dose of the vaccine on the 07 or 08 of this month. She stated she had pre-existing conditions having floaters and headaches. This could be coincidental, but there was an increase in frequency. She asked if it was ok to get the second vaccine. She asked if there was any information on floater or blindness. She wanted to know if it was okay to take Benadryl. The outcome of the events was unknown. Information on the lot/batch number has been requested.
1005039	2/5/2021	WA	87	M	2/4/2021	2/4/2021	During the observation period, client started to complain of "feeling goofy," blurry vision after 24 minutes of receiving the 1st dose of the Moderna vaccine at 2:48pm. Client stated she was very anxious regarding vaccine and missed her meds. At 3:22pm, juice, water, meds (Xanax 1mg, lisinopril 5mg, eye med po) was given with improvement. She denied shortness of breath, oral/airway symptoms, rash, pruritic, faintness, weakness or nausea.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1004495	2/5/2021			F			<p>was not able to get out of bed or have lights on; Knot, Swollen and heat at the injection site; Knot, Swollen and heat at the injection site; Knot, Swollen and heat at the injection site; Unbearable Headache; Continues eye twitching; Extremely tired; had a hard time walk due to the body aches; had a hard time walk due to the body aches; This is a spontaneous report from a non-contactable nurse (patient). A female patient of an unspecified age received first dose BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) , via an unspecified route of administration on an unspecified date at single dose for COVID-19 immunization. The patient medical history and concomitant medications were not reported. The patient experienced Knot, Swollen and heat at the injection site, unbearable Headache that pain relievers would not help, Continues eye twitching, Extremely tired, and was not able to get out of bed or have lights on. She had a hard time walk due to the body aches. Outcome of events was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.; Sender's Comments: Based on the current available information and the plausible drug-event temporal association, a possible contributory role of the suspect product BNT162B2 to the development of event Mobility decreased cannot be excluded. The case will be reassessed if additional information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.</p>



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1004525	2/5/2021	IL	65	F	1/10/2021	1/1/2021	fatigue; arm soreness; flare up of right hip pain; flare up of right hip pain; This is a spontaneous report from a contactable Nurse (patient). A 65-years-old female patient received second dose of bnt162b2 (BNT162B2, LOT: EL 3248), via an unspecified route of administration from on 10Jan2021 10:30 at SINGLE DOSE on Left arm for covid-19 immunisation. Medical history included Prediabetes, spinal stenosis of right back, right hip pain, known allergies: Penicillin, sulfa, yellow jacket venom. No pregnant. The patient had no covid-prior-vaccination. The patient Historical Vaccine included COVID 19 for covid-19 immunisation at 65 years old, product=COVID 19, brand=PfizerBioN Tech, lot number=EJ 1685, administration date=20Dec2020, administration time=08:00 AM, vaccine location=Left arm; and After 12 hours (08:00 PM) experienced Blurred vision, fatigue , dizziness, tachycardia, arm soreness, after first vaccine 20Dec2020. Concomitant medication included gabapentin (GABAPENTIN), metformin (METFORMIN), paracetamol (TYLENOL), diclofenac (DICLOFENAC), zinc (ZINC). The patient experienced fatigue and arm soreness, and flair up of right hip pain after had received a epidural right hip block 5 days before 2nd injection since Jan2021. No treatment received. The event recovered in Jan2021. No covid-tested-post-vaccination.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1004559	2/5/2021		35	F	1/20/2021	1/20/2021	Lower left eyelid swelling; This is a spontaneous report from a contactable nurse (patient). A 35-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (lot number: EL3249), intramuscular in left arm on 20Jan2021 16:00 at single dose for COVID-19 immunization. Medical history was none. Concomitant medication included calcium, ergocalciferol (VITAMIN D), ascorbic acid, colecalciferol, nicotinamide, pyridoxine hydrochloride, retinol, riboflavin, thiamine hydrochloride (MULTIVITAMIN) in two weeks. Historical Vaccine included the patient received first dose of BNT162B2 (lot number: EK9231), intramuscular in left arm at the age of 35-year-old on 02Jan2021 10:00 at single dose for COVID-19 immunization. The patient experienced lower left eyelid swelling on 20Jan2021 19:00. No treatment received for the event. The patient was no pregnant. The patient did not receive other vaccine in four weeks. The patient had no COVID prior vaccination. The patient had not been tested for COVID-19 post vaccination. The outcome of the event was not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1004578	2/5/2021		38	F	1/4/2021	1/4/2021	tunnel vision; Muscle fatigue; joint pain; This is a spontaneous report from a contactable other healthcare professional (HCP) communicated to a Pfizer colleague. A 38-years-old female patient (not pregnant) received her first dose BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on right arm on 04Jan2021 at single dose for covid-19 immunisation. Medical history was None. The patient's concomitant medications were not reported. On 04Jan2021 the patient experienced tunnel vision, muscle fatigue, joint pain. No treatment was received for the events. The outcome of the events was not resolved. Information on the lot/batch number has been requested.; Sender's Comments: Based on the information currently available, a possible contributory role of the suspect BNT162B2 in triggering the onset of tunnel vision cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1004608	2/5/2021	OR	30	M	1/21/2021	1/22/2021	Waves of weakness; dizziness and lightheadedness; Feels like I am about to pass out while sitting/resting.; Fading vision approx 24hr post admin of second vaccine; This is a spontaneous report from a contactable other hcp, the patient. This 30-year-old male patient received BNT162B2 (Pfizer-BioNTech COVID-19 mRNA vaccine) (Lot number: Unknown), first dose, via an unspecified route of administration in the left arm on 21Jan2021 at 13:30 (at the age of 30-years-old) as a single dose for COVID-19 vaccination. Medical history included prehypertension from an unknown date and unknown if ongoing and attention deficit hyperactivity disorder from an unknown date and unknown if ongoing. The patient had no history of syncopal events. The patient did not have any known allergies. Concomitant medication included amphetamine aspartate, amphetamine sulfate, dexamphetamine saccharate, dexamphetamine sulfate (ADDERALL) and lisinopril (LISINOPRIL). Prior to the vaccination, the patient was not diagnosed with COVID-19. The patient previously received BNT162B2 (Pfizer-BioNTech COVID-19 mRNA vaccine) (lot number: Unknown), dose #1, via an unspecified route of administration on an unspecified date in the left arm as a single dose for COVID-19 vaccination. The patient did not receive any other vaccines within four weeks prior to the vaccination. On 22Jan2021 at 15:30, the patient experienced lightheadedness, dizziness and waves of weakness and fading vision approximately 24 hours post administration of the second dose of the vaccine. He stated it felt like he was about to pass out while sitting/resting. No therapeutic measures were taken as a result of the events. The clinical outcomes of the lightheadedness, dizziness, waves of weakness, fading vision and felt like he was about to pass out while sitting/resting were unknown. It was also reported that since the vaccination, the patient had not been tested for COVID-19. The lot number for the vaccine, BNT162B2, was not provided and will be requested during follow-up.
1004724	2/5/2021	VA	52	F	1/29/2021	1/31/2021	Moderna COVID-19 Vaccine EUA Severe swelling, redness, and itching/burning under eyes less than 2 days later, tiny knots appearing around upper lip, 2 flat red lesions appearing on face, Has lasted 6 days so far, and does not seem to be getting better.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1004753	2/5/2021	MA	53	F	1/5/2021	1/16/2021	1/6/21 Twitching in left eyebrow and eyelid 1/16/21 Started with fatigue in legs, over next couple of days muscle aches all over, bone pain, fatigue, 1/18 First Covid Test 1 Negative Continued symptoms 1/21 Went to PCP Covid rapid and Covid lab both negative Labs drawn all within normal limits Symptoms continued including occasional leg cramps, random muscle twitching, sharp needle like pain in foot, feeling shaky, waking to numbness hands
1004768	2/5/2021	DE	47	F	1/24/2021	1/25/2021	Severe headache lasting 12 days as of now affecting vision and ability to work. Untreatable with medication. Fatigue lasted 6 days.
1004861	2/5/2021	FL	38	M	2/3/2021	2/4/2021	My right eye bottom eyelid swollen and very sensitive and painful. Took two rounds of Benadryl yesterday and will be taking more today.
1005006	2/5/2021	IN	48	F	2/3/2021	2/4/2021	Woke up the next morning with an extremely bad headache/migraine. Light sensitive to my eyes. I had to take ibuprofen and acetaminophen around the clock, and I went back to bed and slept until 1pm that day. Headache remained dull the rest of the day, but I began feeling better. My left arm was also very sore and second day past vaccine now have armpit soreness/pain. Took ibuprofen again today for that.
1005021	2/5/2021	CO	65	F	1/27/2021	2/4/2021	2x3" rash at injection site, Covid-arm. Slight headache, brain fog, achy feeling and balance is off. Tiredness. Eye pain.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1005033	2/5/2021	TX	25	F	2/2/2021	2/2/2021	<p>Patient arrived at 12:14PM. Observation nurse noticed patient with eyes closed with hand raised on top of head. Patient was lethargic and weak, AOX3. Patient stated "I am not able to see anything." while patient's eyes were open. Apical pulse very faint. Patient felt the urge to vomit and suddenly appeared flushed in the face. Patient stated "I feel better." immediately after experiencing nausea. 12:25PM - BP 97/67 Patient reiterated her experience stating: "I felt lightheaded and felt like I was about to faint.", "I felt heavy and foggy." Patient was given water to drink and a cookie. 12:35PM - Patient reported pressure on both sides of head and "weird" (as per patient) visual changes. Patient stated "Everything has a glare." Patient reported prior reactions to past vaccinations: Flu and Tetanus - experienced lightheadedness, fainting and visual changes. Indicated reactions were "more worse" than prior reactions. 12:45PM - BP 115/78 HR 64 SPO2 98% Patient was asked to sit closer to nurse and was able to ambulate with no issues and steady gait. 1:15PM Patient reports to feel "Back to normal." denied any symptoms including visual changes. Patient contacted her parents to be driven home. 1:37PM Walked patient to her parent's car outside the convention center. Instructed to go to ER/Call 911 if symptoms persist or get worse. 2/3/21 The next day patient texted nurse observer that she is feeling much better from yesterday after resting and taking Advil.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1004467	2/5/2021		69	F	1/20/2021	1/1/2021	<p>extremely nauseated; my eyes kind of crossed; Well after the shot I could barely even walk from the first tent to the second tent; UTI; This is a spontaneous report from a Pfizer-sponsored program. A contactable consumer (patient) reported that a 69-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiration date not provided), via an unspecified route of administration on 20Jan2021 at single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The reported stated she receive the first dose of the COVID-19 vaccine on Wednesday 20Jan2021 and she had a "strange" reaction on 20Jan2021. Specifically, she states, "as soon as she pushed it in, I became extremely nauseated, my eyes kind of crossed and I had to sit in my car for 4 hours afterwards because I couldn't drive. They had 2 tents set up. Tent 2 was for people who had previous reactions or allergies and tent 1 was for people who had no reactions. Well after the shot I could barely even walk from the first tent to the second tent I stayed there for 45 minutes and then I could barely even walk to my car." Caller wants to know if she should get the second dose of the vaccine. She was started on the antibiotic sulfamethoxazole;trimethoprim (BACTRIM) on 22Jan2021 for a UTI which started after receiving first dose of COVID-19 vaccine in Jan2021. She would like to know if it is okay to use this medication since she just received the vaccine. She reported that she submitted her urinalysis the same day that she received the vaccine on 20Jan2021. The patient underwent lab tests and procedures which included urinalysis: with unknown results on 20Jan2021. Therapeutic measures were taken as a result of UTI. The outcome of the events was unknown. Information on the lot/batch number has been requested.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1007150	2/5/2021	FL	57	F	2/5/2021	2/5/2021	PT STATED DEVELOPMENT OF ITCHING ALL OVER LEGS AND BACK. AFTER RECEIVING THE VACCINE. PRESENTED TO URGENT CARE FOR TREATMENT AT 10:30 AM Office Visit 2/5/2021 Urgent Care Main Family Medicine Allergic reaction to drug, initial encounter Dx Respiratory Distress , itching all over Reason for Visit Progress Notes Expand All Collapse All Subjective Patient ID: 57 year old female. Patient had second Covid vaccination today, afterwards she developed itching all over the body, mostly on the legs and on the back skin, also feels mildly short of breath, She had first Covid vaccine and did not had any allergic reaction, Modifying factors worse after the vaccine shot, Symptoms have been persistent. Prior h/o similar complain- not sure, may be No new pets/soap/detergents/cream This is a new problem to me. Review of Systems With the exception of pertinent +/- in the HPI above, a complete review of systems was reviewed and are negative. Constitutional: Negative for fever, weight loss, malaise/fatigue and diaphoresis. HENT: Negative for nosebleeds, congestion, sore throat and ear discharge. Eyes: Negative for blurred vision, double vision, photophobia, pain, discharge and redness. Respiratory: Negative for cough, hemoptysis Cardiovascular: Negative for chest pain and palpitations. Gastrointestinal: Negative for heartburn, nausea and vomiting. Genitourinary: Negative for dysuria, urgency, frequency and hematuria. Musculoskeletal: Negative for myalgias, joint pain and falls. Neurological: Negative The following have been updated as appropriate in this visit:- Tobacco   Allergies   Meds   Problems   Med Hx   Surg Hx   The following have been reviewed- Medical History History reviewed. No pertinent past medical history. has a current medication list which includes the following prescription(s): aspirin, atorvastatin, clopidogrel, diltiazem, furosemide, metformin, and triamcinolone. No family history on file. Social History Socioeconomic History ? Marital status: Not on file Spouse name: Not on file ? Number of children: Not on file ? Years of education: Not on file ? Highest education level: Not on file Occupational History ? Not on file Social Needs ? Financial resource strain: Not on file ? Food insecurity Worry: Not on file Inability: Not on file ? Transportation needs Medical: Not on file Non-medical: Not on file Tobacco Use ? Smoking status: Current Every Day



VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

Smoker ? Smokeless tobacco: Never Used Substance and Sexual Activity ? Alcohol use: Not on file ? Drug use: Not on file ? Sexual activity: Not on file Lifestyle ? Physical activity Days per week: Not on file Minutes per session: Not on file ? Stress: Not on file Relationships ? Social connections Talks on phone: Not on file Gets together: Not on file Attends religious service: Not on file Active member of club or organization: Not on file Attends meetings of clubs or organizations: Not on file Relationship status: Not on file ? Intimate partner violence Fear of current or ex partner: Not on file Emotionally abused: Not on file Physically abused: Not on file Forced sexual activity: Not on file Other Topics Concern ? Not on file Social History Narrative ? Not on file Objective BP (!) 133/84 | Pulse 80 | Temp 97.1 °F | Resp (!) 22 | Ht 5' 4.8" (1.646 m) | Wt 169 lb (76.7 kg) | SpO2 99% | BMI 28.30 kg/m² Constitutional: oriented to person, place, and time. well-developed, well-nourished and in no distress. HENT: Head: Normocephalic. Eyes: Pupils are equal, round, and reactive to light. Neck: Normal range of motion. No tracheal deviation present. Ear- Normal Mouth- Tongue, uvula- Normal, No oral rash Cardiovascular: Normal rate, regular rhythm and normal heart sounds. Exam reveals no gallop and no friction rub. No murmur heard. Pulmonary/Chest: Effort normal and breath sounds normal. NO W/R/R, noticed to be breathing fast, Abdominal: Soft. There is no tenderness. S/NT/ND Musculoskeletal: No edema and no tenderness. Lymphadenopathy: has no cervical adenopathy. Neurological: Neurological: Pt displays no motor weakness, no tremor, normal facial symmetry, and normal speech. Psychiatric: Affect normal. Skin, noticed erythematous skin all over the body, with rash mostly noted on the legs, on the trunk, also on the arm Impression/Plan Patient was seen today for respiratory distress and itching all over. Diagnoses and all orders for this visit: Allergic reaction to drug, initial encounter - Sodium Chloride 0.9% infusion 1,000 mL - famotidine (PEPCID) injection 20 mg - diphenhydramine (BENADRYL) injection 25 mg - albuterol 2.5 mg /3 mL (0.083 %) nebulizer solution 2.5 mg - ipratropium (ATROVENT) 0.02 % nebulizer solution 0.5 mg - methylPREDNISolone sod suc(PF) recon soln 125 mg Other orders - triamcinolone

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

(KENALOG) 0.5 % ointment; Apply topically 2 (two) times a day. Patient evaluated and worked up for over 50-minute during urgent care visit. Time was spent was for preparing to see the patient by reviewing patient's medical history and previous test results, directly obtaining information regarding today's encounter, evaluating the patient, performing an examination, communicating test results, placing orders. Patient was seen second time and discussed the finding of lab results and assessment plan is discussed in detail. Patient was put on the monitor chair, given IV fluid with Benadryl and Pepcid, also given DuoNeb treatment, watched for over 60-minute, patient felt better but continues to have itching on the skin, also has mild redness, symptoms had improved, but still had itching all over, Therefore Solu-Medrol was given, Breathing improved, patient did not had any shortness of breath, Discharged home on Claritin, Benadryl, Pepcid, New patient complain to me Symptoms improved treatment here, Stable at d/c- no SOB/Wheezing, No throat swelling. Cool compresses to the skin will help. Claritin or Zyrtec once a day Benadryl 25-50 mg every 8 hours for 1st day & then as needed If the symptoms flare again, go to Nearest emergency STAT Reviewed prior labs, diagnostic test & prior visit notes. Reviewed current medication and management planned considering current prescription/meds. Please note this clinic note was performed utilizing voice recognition software. Due to the natural inherent tendency of voice recognition software there may be grammatical errors inadvertently enclosed that do not reflect the nature of the visit. For worsening of symptoms, Patient is instructed to return sooner either to ER or urgent care/PCP. Patient is instructed to follow up in 1-2 weeks with PCP I have educated patient on supportive care therapy. Patient agreed with plan and voiced understanding. No barriers to adherence perceived by myself. Department of Urgent Care

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1006791	2/5/2021	MN	79	M	1/28/2021	1/28/2021	Seizure Activity: Nursing assessment: 1/28/2021 17:55 Staff asked writer to check on resident, stating that there was something wrong with him. Resident found sitting up in wheelchair. Resident noted to be nonverbal, making small jerking movements with upper extremities and head articulated to the left. As writer attempted to assess pupils, resident squeezed eyes shut and grimaced. Resident did squeeze with both hands, equal strength. VS: 94, 16, 138/86, 97% on RA. Resident put into bed with assist of two staff and hooyer lift. MD notified: 1/28/2021 18:10 Return phone call received from Physician. Advised to continue to monitor and OK to send to ED if resident representative wants further evaluation done. Nursing assessment: 1/28/2021 18:35 Resident found to be alert and smiling at this time. Resident speech is garbled per baseline. VS: 111, 20, 129/77, 100% on RA. Resident able to follow commands. ROM equal with strength at baseline. No incontinence noted. Resident noted to be fatigued. Start of episode of seizure-like activity not witnessed. The time between first found by staff to noted resolution was approximately 40 minutes. No further seizure episodes noted. No previous hx of seizure activity.
1006793	2/5/2021	UT	31	F	2/4/2021	2/5/2021	Woke up feeling very nauseated. Took a Zofran. While standing to get medication from cabinet my vision went completely black and face cold and clammy. I slowly laid down with feet above heart until it subsided and slowly went back to bed. My galaxy watch says pulse dropped to 40. Normally 60's. Later in the morning at 7am chills started and migraine with light aura (kind of like the pixels on an old tv). Took asa, tylenol, and drank water to help. Feeling hazy all day.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1006812	2/5/2021	CA	30	F	12/29/2020	12/29/2020	sore arm; nausea; headache; fatigue; ; got a sore throat and rash but the rash happened two days after the vaccine - rash was on my feet, knee and hands. It was pretty itchy, got really red bumps; had to put some cortisone cream on it. The rash lasted through day four (so had it day three and four). The rest of the symptoms got the worse the next day after the vaccine and slowly disappeared within about four days after vaccine. Sore throat went away at day 3. When the rash got to my fingers, I had a healthcare screen telemed through my doctor's office - and they had me go to Urgent care where my PCP is located. Just did visual examination and they did not tests.
1006835	2/5/2021	IN	70	F	2/4/2021	2/5/2021	Head ache, fatigue, burning eyes, myalgia--- all very mild,- no fever.
1006848	2/5/2021		25	M	2/5/2021	2/5/2021	Patient was feeling dizzy and had a low blood pressure, looked very pale, he claimed to have blurry vision. After sitting for a while he started to feel better and blood pressure rose to his normal value. Patient stated that this type of reaction to a vaccine had happened before.
1006931	2/5/2021	AL	34	F	2/3/2021	2/4/2021	Rash on my body started to be observed about 28hrs post my 2nd dose of Pfizer COVID-19 vaccine. Rash first appeared in the neck area, then gradually migrated to face and lower back around 10pm. I woke up in the middle of the night feeling itchy in my legs and feet. Rashes on my body disappeared when I woke up today (02/05/2021), but my upper eye lids still felt itchy and swollen. Rashes on my upper eye lids faded in the afternoon on 02/05/2021.
1006934	2/5/2021	AK	86	F	1/23/2021	1/26/2021	Day 3 -experienced depth perception issues Day 4- double vision Day 4 - possible stroke, double vision, admitted into hospital and treated stroke protocol Day 6 - released from hospital w double vision and depth perception issues added blood thinners and 3 meds to help prevent future strokes. Met w optalmologist starting vision therapy. Still waiting to meet w neutrologist

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1006991	2/5/2021	MA	22	F	2/5/2021	2/5/2021	About 2m after second COVID shot patient began feeling burning eyes and slight difficulty breathing. Paramedic onsite immediately listened to lungs and heard diffuse wheezing bilaterally. Within 1m minute patient felt throat tickling and then tightening and breathing was more difficult. Paramedic gave patient EpiPen with resolution of symptoms in less than 1-2 minutes. Ambulance called and arrived very quickly. Patient was transported to hospital. As way to hospital patient felt breathing getting worse again and was given solumedrol and benadryl IV and a second EpiPen. Don't yet know what happened beyond this.
1007060	2/5/2021	KY	63	F	2/4/2021	2/5/2021	Had vaccine#2 at noon on the 4th. Woke up with 101 temp and body aches at 4:30 the next morning. Temp is down with tylenol but back, neck, eyes... Especially back are extremely sore and achy. Slept at day with no energy

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1007072	2/5/2021	AZ	32	M	1/27/2021	1/27/2021	<p>Patient received his vaccine and was waiting in the post-vaccination waiting space. Within 5-10 minutes he slumped in his chair and became unresponsive. Became responsive to voice but was slurring his words. Patient was diaphoretic. HR in 90s, O2 98%. His eyes rolled back in his head suspecting vasovagal episode, we moved patient to the floor and raised his legs. He became more responsive. Was fully oriented although did not seem incredibly alert. Cycled multiple BPs with 100s-110s/60s-70s. HR 70s-80s supine, O2 sat 96-98%. EMS was called for transport to ED given patient's lack of prompt recovery. We attempted to sit patient up and he again became lightheaded and had to lie back down. While in supine position, remained with normal and stable VS. At no time did he manifest any rash, respiratory symptoms, throat or chest tightness, abdominal discomfort, or other overt signs of anaphylaxis. Patient was transported to the ED where ROS was reported as: - CONST: +fatigue, denies fevers or chills - EYES: Denies vision changes - ENT: Denies rhinorrhea, sore throat - CV: Denies new chest pain - RESP: Denies SOB or cough - GI: Denies abd pain, n/v, diarrhea - GU: Denies dysuria - MSK: Denies new joint swelling or pain - SKIN: Denies new lesions or rash - NEURO: Denies new HA, numbness, or weakness - PSYCH: Denies suicidal ideation Vitals: BP 116/67, O2 99% on RA, Temp: 97.7F, Pulse 79. ED provider felt this was most likely vasovagal episode given occurrence following vaccine administration and associated sx's. EKG without evidence of dysrhythmia. No PE risk factors, SOB or CP. Pt with HA that was not thunderclap nor severe in nature and was consistent with prior migranes, thus do not suspect SAH. No hx to suggest anemia and no anemia on blood work today. No report of seizure. Pt is alert without report of post-ictal period.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1007086	2/5/2021	FL	46	F	2/5/2021	2/5/2021	Within a few minutes of vaccine, I got a severe piercing headache and nausea / vomiting which we attributed to nerves and I went to go home without reporting. During the drive the headache and nausea got worse and my extremities and face began to tingle. My chest felt tight. My body was shaking. My colleague noted weak pulses and pale complexion. I am a doctor and gave myself epinephrine 0.3 mg IM and within 60 to 90 seconds the symptoms improved dramatically. I had my husband pick me up at the office and went home. The headache and nausea worsened on the drive but then settled down significantly. I rested for a few hours, then took oral pred 20 mg at about 2:45. I noticed that my headache was back and very intense at about 3:15 pm. No nausea this time, but my left eye began itching and it was very tight / hard to breathe. My extremities began tingling and I had spasms / tremors of my muscles. I injected another 0.3 mg epi into my thigh and followed with dex sodium phosphate 4 mg IM. Symptoms resolved within about 2 to 3 minutes. I took 40mg more of oral pred. I also took 10 mg of pepcid PO. I am still feeling well now with no headaches or other symptoms at this writing (7:30 pm), but I have another doctor with me and we are 2 minutes from the ER if needed. I am marking unknown below since it has only been a few hours without symptoms.
1006756	2/5/2021	AZ	80	M	1/29/2021	2/4/2021	NURSE WAS CALLED TO FACILITY. PT WAS NOTED TO BE MORE CONFUSED THAN USUAL. HE TOLD NURSE THAT THINGS WERE "FLYING THROUGH THE AIR". HE DID HAVE 2+ PITTING EDEMA TO BLE(NEW TO HIM). HE DID THINK THE DATE WAS MARCH 4, 2091. LEFT EYE ALSO SLIGHTLY RED/SWOLLEN. VSS AT THIS TIME. MD NOTIFIED. CG INSTRUCTED TO MONITOR FOR WORSENING EDEMA, INCREASED SOB, INCREASED CONFUSION/HALLUCINATIONS.
1007096	2/5/2021	IN	95	F	1/15/2021	1/16/2021	Eye problem, retina bleeding, partial area no sight, right eye
1007159	2/5/2021	IL	51	F	2/4/2021	2/4/2021	Right facial/neck numbness and pain, right eye twitching
1007167	2/5/2021	TX	40	F	1/25/2021	2/3/2021	On 02/03 I got red bumps on the injection site. On 02/04 the injection site became completely red and itchy, I have also noticed a change in my vision.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1007196	2/5/2021	TX	64	F	1/11/2021	1/11/2021	Intense pain at injection when I went to bed. Developed chills/fever, dry cough, sore throat, headache, body aches, fatigue, red eyes, sleeplessness, anxiety, fever dreams. Felt like I had Covid all over again for 3 days. Injection site was red, feverish, and raised. At 6 days, red circle was no longer raised, but 5 inches in diameter. Treated by alternately taking Tylenol and Ibuprofen, just as I had with Covid. Circle was gone on 7th day. Extreme fatigue and cough lasted for about 3 weeks.
1007197	2/5/2021	NC	29	F	1/30/2021	1/30/2021	Broke out into a full body itchy rash several hours after receiving vaccine. Went to emergency room for visual examination. Was determined to be a mild allergic reaction, and benadryl was administered. Was evaluated at primary care doctor after rash did not go away after 2 days. No additional treatment was administered. Rash went away after 4 days. Also, 12 hours after receiving the vaccine I had severe fatigue, chills, nausea/vomiting, and headache. Was treated at home with advil and promethazine. These symptoms went away around 36 hours after vaccine was administered.
1007228	2/5/2021	CA	25	M	2/4/2021	2/4/2021	Almost 12 hours post-injection, I experienced a rapid onset fever, soreness, muscle aches, dizziness, high blood pressure, headache. Upon awakening the following day (today, 20 hours post injection) severe allergies around eyes. 24 hours post injection, all day today, fatigue, severe dizziness, soreness, headache, high blood pressure, loss of appetite, and labored breathing.
1007286	2/5/2021	FL	51	M	2/5/2021	2/5/2021	Intermittent blurred vision began 15 minutes post injection and continuing upon filing of this report (11.5 hrs) facial flushing, headache



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1007310	2/5/2021	PA	78	F	2/2/2021	2/3/2021	view 2/5/2021 09:23 e Progress Note Note Text: Patient passed away in the facility this morning. view 2/5/2021 08:39 Orders - Administration Note Note Text: Resident passed. view 2/5/2021 08:33 Nurses Note Note Text: Body released to funeral home at this time. Personal effects sent with resident include: 1 pair of glasses, 1 yellow wedding band, 1 silver spoon ring, 1 ring with black and clear stones. Resident has own teeth view 2/5/2021 08:32 Nurses Note Note Text: cause of death per CRNP failure to thrive. view 2/5/2021 07:44 Orders - Administration Note Note Text: Take and document temp & PO2 every 4 hours for MONITORING Resident passed. view 2/5/2021 06:49 Nurses Note Note Text: Son returned call and was updated of resident's passing this am view 2/5/2021 06:33 Orders - Administration Note Note Text: Morphine Sulfate (Concentrate) Solution 20 MG/ML Give 0.25 ml by mouth every 2 hours as needed for pain/air hunger PRN Administration was: Unknown Resident expired @ 0604 [linked] view 2/5/2021 06:06 Nurses Note Note Text: Res found without pulse or respirations. Pronounced at 0604. Updated. N/o's for RN to pronounce, release body to funeral home, dispose of medications per facility policy. Daughter updated. Funeral Home called to release body. view 2/5/2021 05:26 Orders - Administration Note Note Text: Morphine Sulfate (Concentrate) Solution 20 MG/ML Give 0.25 ml by mouth every 2 hours as needed for pain/air hunger Pulse ox 60% on O2 @ 5L/min via mask. Resps 44 per minute. view 2/5/2021 01:57 Orders - Administration Note Note Text: Morphine Sulfate (Concentrate) Solution 20 MG/ML Give 0.25 ml by mouth every 2 hours as needed for pain/air hunger PRN Administration was: Effective Follow-up Pain Scale was: 2 [linked] view 2/5/2021 00:52 Orders - Administration Note Note Text: Morphine Sulfate (Concentrate) Solution 20 MG/ML Give 0.25 ml by mouth every 2 hours as needed for pain/air hunger Residents resps are 40 per minute, pulse ox 76% on O2 @ 5L/min via mask. Resps are labored, shallow and rapid. view 2/5/2021 00:48 Nurses Note Note Text: Nonresponsive to verbal and tactile stimulation. Appears comfortable. view 2/4/2021 22:01 Nurses Note Note Text: Resident resting comfortably, breathing becoming increasingly shallow, wearing O2 via mask at 5L via mask, no dyspnea noted, feet are mottled,

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

oral and peri care provided Q2H. No s/s of pain or discomfort. view 2/4/2021 21:40 Orders - Administration Note Note Text: Morphine Sulfate (Concentrate) Solution 20 MG/ML Give 0.25 ml by mouth every 2 hours as needed for pain/air hunger PRN Administration was: Effective [linked] view 2/4/2021 19:32 Orders - Administration Note Note Text: Morphine Sulfate (Concentrate) Solution 20 MG/ML Give 0.25 ml by mouth every 2 hours as needed for pain/air hunger medicated for air hunger, RR 28 to 32/ min view 2/4/2021 19:22 Nurses Note Note Text: Daughter updated on N/O to increase Morphine Sulfate 20mg/mL 0.25mL to Q2H prn from Q6H prn. view 2/4/2021 18:06 Nurses Note Note Text: POA Daughter and daughter aware of residents current condition. view 2/4/2021 11:58 Orders - Administration Note Note Text: Morphine Sulfate (Concentrate) Solution 20 MG/ML Give 0.25 ml by mouth every 6 hours as needed for pain/SOB PRN Administration was: Effective Follow-up Pain Scale was: 2 [linked] view 2/4/2021 11:13 Nurses Note Note Text: Pt. noted to be lethargic at this time. Does respond to verbal and tactile stimuli by opening her eyes but non verbal currently. Skin warm and dry. No mottling or apnea observed at this time. O2 sat 88% with O2 at 2 LPM via n/c. On increased to 3 LPM via mask as pt. noted to be mouth breathing. Respirations 28. F/U O2 sat 93%. HOB elevated. Pt. medicated with morphine by LPN. Daughter updated on pt.'s condition. Does not want pt. sent out to hospital and would like comfort measures to continue. Daughter also in agreement with delay in d/c d/t pt.'s condition. CRNP updated on pt.'s condition, delay in d/c and daughter's wishes. No n/o's at this time. view 2/4/2021 10:56 Orders - Administration Note Note Text: Morphine Sulfate (Concentrate) Solution 20 MG/ML Give 0.25 ml by mouth every 6 hours as needed for pain/SOB Resident showing s/s of discomfort. SOB at this time and high respirations. Repositioned, changed for incontinence care and mouth care provided. view 2/4/2021 10:34 Progress Note Note Text: Spoke with RN regarding change in condition. Updated Sr Living regarding change. Recommendation to cancel d/c/transfer for today, see how resident does through the weekend and re-evaluate on Monday. Daughter updated on cancellation of d/c today. view 2/4/2021 10:04 Nurses Note Note Text: Daughter aware that resident's

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

O2 sat was 88% on room air on 3-11 shift and that oxygen was applied via nasal cannula. view 2/4/2021 10:03 Nurses Note Note Text: N/O: Discharge 2/4/21 with scripts to Sr. Living. Daughter aware. view 2/4/2021 09:53 Nurses Note Note Text: Pt. to be d/c'd to another facility this am as per MD order. Pt. alert and responsive. Skin assessment done as per facility policy. No pressure areas noted at this time. No s/sx of pain or discomfort observed at this time. V.S. 97.0 67 20 O2 sat 95% with O2 at 2 LPM via n/c. view 2/4/2021 07:45 Nurses Note Note Text: Resident seen by Dr. for discharge. Orders pending at this time. view 2/4/2021 07:36 Nurses Note Note Text: CRNP and Dr. updated on O2 sat 88% on RA with f/u of 93% with O2 on at 2 LPM as well as rest of VS, 3-11 shift 2/3/21. No n/o's at this time. view 2/3/2021 21:17 Nurses Note Note Text: Resident SpO2 88% on RA. Pulse 124. Respirations 40. PRN morphine given and O2 applied via NC at 2L/min. After recheck pulse ox up to 93%, pulse 100, and respirations 22. Resident appears comfortable at this time. view 2/3/2021 20:05 Orders - Administration Note Note Text: Morphine Sulfate (Concentrate) Solution 20 MG/ML. Give 0.25 ml by mouth every 6 hours as needed for pain/SOB PRN Administration was: Effective [linked] view 2/3/2021 19:48 Orders - Administration Note Note Text: Morphine Sulfate (Concentrate) Solution 20 MG/ML. Give 0.25 ml by mouth every 6 hours as needed for pain/SOB PRN given for SOB after elevation of HOB not effective. view 2/3/2021 11:51 Nurses Note Note Text: CRNP updated rapid COVID test done for d/c tomorrow was negative. No n/o's at this time. view 2/3/2021 11:44 Nurses Note Note Text: Daughter notified of rapid covid swab being negative. view 2/3/2021 09:50 Orders - Administration Note Note Text: Obtain Rapid Covid test on 2/3/2021 for discharge. Please give copy of results to Social Worker every day shift for covid testing for 1 Day Completed and negative. view 2/3/2021 08:45 Skilled Nursing Note Reason for skilled service: Therapy describe skilled service: Nursing, therapy assessment: V.S. 97.8 79 18 138/84 Orientation: Oriented to self only. Oxygen: O2 sat 94% on RA Edema: Trace edema noted BLE. Pedal pulses present. Pain: Denies pain or discomfort at this time. Nursing note: Pt. alert and responsive. Skin warm and dry. Lung sounds diminished. No respiratory distress observed at this time. Abdomen

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							soft. BS+ in all 4 quads. Continent/Incontinent of B&B. 1 assist with ambulation, transfers. 1 assist with ADL's. Working with therapy on gait training, therapeutic exercise, therapeutic activities & neuromuscular reeducation. view 2/2/2021 14:37 Progress Note Note Text: Per health professional at Sr Living, prepared to accept patient to their Memory Care Unit 2/4. Transportation arranged for 11 AM per family request. Daughter (POA) updated on d/c time on 2/4/21. Facility requesting rapid COVID test completed prior to d/c and results sent to them. All other information sent for continuity of care.
1007313	2/5/2021	IN	43	F	2/1/2021	2/2/2021	Fever (highest was 100.9), body aches, headache, blurry vision
1007337	2/5/2021	IN	36	M	2/3/2021	2/4/2021	Chills, headache, blurred vision, nausea, fatigue
1012078	2/5/2021	MA		M		1/22/2021	Report involves two products - COVID-19 Moderna vaccine (Moderna) and Invega Trinza (Janssen). Patient is my brother and I am company employee. Patient began Invega sustenna Dec-2016 and transitioned to Invega Trinza 2 years later. Patient has been on same dose of Invega trinza for at least a year. Regimen has been followed per prescribing instructions (per psychiatrist). Patient received first dose of Moderna COVID-10 vaccine at his place of employment on 24-Dec-2020. Last/most current dose of Invega Trinza was 15-Jan-2021. Patient then received 2nd dose of Moderna vaccine AM of 21-JAN-2021 (same location). Patient began severe pain in eyes, chills, myalgia (beginning 01:00 22-Jan-2021) and had to call in sick to work on 22-Jan-2021. Patient went for COVID-19 test on 22-Jan-2021 and result was negative. By 23/24-Jan-2021 patient began displaying symptoms of psychosis to family. Work colleagues noted that week of 25-Jan-2021 he was "not himself". Suicidal ideation (in emails) began 01-Feb-2021, symptoms intensified and currently 04-Feb-2021, patient is missing, endangered and in state of psychosis. Since patient is missing, I will serve as reporter in this case At the time of this report company was notified at 20:53 UTC and Moderna will be notified next after completion of this report.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1014359	2/5/2021	CA	60	F	1/28/2021	2/3/2021	The patient reported that she could not get out of bed, felt achy, weak, diarrhea and headache behind her right eye.
1005727	2/5/2021	CA	57	F	1/12/2021	1/12/2021	Felt cold, chills, temp 99.7, eyes felt hot and body aches. Follow up with NP told Employee that these are normal side effect to vaccine.
1007242	2/5/2021	NJ	70	F	1/27/2021	2/1/2021	don't know if my issues are related to vaccine Feb 1 - 5 days after shot - intense headache, pressure , fuzzy head, slight visual disturbance - lasted about 15 min. - then subsided Feb 2 strong headache - approx 10-15 min Feb 3 strong headache - pressure approx 10-15 min Feb 4 mild headache Feb 5 slight headache -

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1007095	2/5/2021	FL	49	F	2/5/2021	2/5/2021	<p>RECEIVED VACCINE AT 11:00 AM. ABOUT 3:00 PM, ARMS AND HANDS BECAME VERY ITCHY WITH A RASH. RETURNED TO VACCINE CLINIC TO REPORT REACTION, WAS RECOMMENDED TO SEEK FURTHER TREATMENT AT OUR IN-HOUSE URGENT CARE. URGENT CARE AT 3:25 pm Family Medicine Allergic reaction, initial encounter +1 more Dx Hives Reason for Visit Progress Notes Expand All Collapse All Subjective Patient ID: 49 year old female. Patient seen at clinic Patient came in because of itchy red skin in different parts of the body started today and asked last 2 or 3 hours, patient had Covid vaccine about 4 hours or 5 hours ago, No prior history of hives like this, she had first Covid vaccine without any side effect, Symptoms have been persistent. Prior h/o similar complain- not sure, may be No new pets/soap/detergents/cream No new meds No insect bites This is a new problem to me. Review of Systems With the exception of pertinent +/- in the HPI above, a complete review of systems was reviewed and are negative. Constitutional: Negative for fever, weight loss, malaise/fatigue and diaphoresis. HENT: Negative for nosebleeds, congestion, sore throat and ear discharge. Eyes: Negative for blurred vision, double vision, photophobia, pain, discharge and redness. Respiratory: Negative for cough, hemoptysis, Shortness of Breath Cardiovascular: Negative for chest pain and palpitations. Gastrointestinal: Negative for heartburn, nausea and vomiting. Genitourinary: Negative for dysuria, urgency, frequency and hematuria. Musculoskeletal: Negative for myalgias, joint pain and falls. Neurological: Negative The following have been updated as appropriate in this visit:- Tobacco   Allergies   Meds   Problems   Med Hx   Surg Hx   The following have been reviewed- Medical History Past Medical History: Diagnosis Date ? Gastroesophageal reflux disease with esophagitis 5/6/2020 ? Generalized anxiety disorder 5/6/2020 has a current medication list which includes the following prescription(s): azithromycin, baclofen, escitalopram, eszopiclone, ibuprofen, methylprednisolone, savella, omeprazole, and topiramate. Family History Problem Relation Age of Onset ? Hyperthyroidism Mother ? Bladder cancer Father ? Breast cancer Aunt ? Breast cancer Cousin Social History Socioeconomic History ? Marital status: Married Spouse name: Not on file ?</p>

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

Number of children: Not on file ? Years of education: Not on file ? Highest education level: Not on file Occupational History Social Needs ? Financial resource strain: Not on file ? Food insecurity Worry: Not on file Inability: Not on file ? Transportation needs Medical: Not on file Non-medical: Not on file Tobacco Use ? Smoking status: Current Every Day Smoker Packs/day: 0.50 Start date: 5/6/2019 ? Smokeless tobacco: Never Used ? Tobacco comment: smoke x 5 years and stop x 20 years Substance and Sexual Activity ? Alcohol use: Not Currently Frequency: Monthly or less ? Drug use: Never ? Sexual activity: Yes Partners: Male Lifestyle ? Physical activity Days per week: Not on file Minutes per session: Not on file ? Stress: Not on file Relationships ? Social connections Talks on phone: Not on file Gets together: Not on file Attends religious service: Not on file Active member of club or organization: Not on file Attends meetings of clubs or organizations: Not on file Relationship status: Not on file ? Intimate partner violence Fear of current or ex partner: Not on file Emotionally abused: Not on file Physically abused: Not on file Forced sexual activity: Not on file Other Topics Concern ? Not on file Social History Narrative ? Not on file Objective BP (!) 133/74 | Pulse 92 | Temp 97.4 °F | Resp 18 | Ht 5' 3" (1.6 m) | Wt 136 lb (61.7 kg) | SpO2 99% | BMI 24.09 kg/m<sup>2</sup> Constitutional: oriented to person, place, and time. well-developed, well-nourished and in no distress. HENT: Head: Normocephalic. Eyes: Pupils are equal, round, and reactive to light. Neck: Normal range of motion. No tracheal deviation present. Ear- Normal Mouth- Tongue, uvula- Normal, No oral rash Cardiovascular: Normal rate, regular rhythm and normal heart sounds. Exam reveals no gallop and no friction rub. No murmur heard. Pulmonary/Chest: Effort normal and breath sounds normal. NO W/R/R Abdominal: Soft. There is no tenderness. S/NT/ND Musculoskeletal: No edema and no tenderness. Lymphadenopathy: has no cervical adenopathy. Neurological: Neurological: Pt displays no motor weakness, no tremor, normal facial symmetry, and normal speech. Psychiatric: Affect normal. Skin,-erythematous skin rash is noted on the chest arm skin, also on the upper back, Impression/Plan Patient was seen today for hives. Diagnoses and all orders for this visit: Allergic reaction,

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							<p>initial encounter - famotidine (PEPCID) injection 20 mg - diphenhydrAMINE (BENADRYL) injection 25 mg - Sodium Chloride 0.9% infusion 1,000 mL Thrombocytosis (CMS/HCC) - famotidine (PEPCID) injection 20 mg - diphenhydrAMINE (BENADRYL) injection 25 mg Patient evaluated and worked up for over 50-minute during urgent care visit. Time was spent was for preparing to see the patient by reviewing patient's medical history and previous test results, directly obtaining information regarding today's encounter, evaluating the patient, performing an examination, communicating test results, placing orders. Patient was seen second time and discussed the finding of lab results and assessment plan is discussed in detail. Patient was given a liter of IV fluid with Pepcid and Benadryl, and watched for more than 45 minutes, patient's rash improved, still had some rash, advised to take Claritin once a day Pepcid once a day and Benadryl every 4-6 hours, no shortness of breath, New patient complain to me Symptoms improved treatment here, Stable at d/c-decreased rash, no SOB/Wheezing, No throat swelling, Cool compresses to the skin will help. Claritin or Zyrtec once a day Benadryl 25-50 mg every 8 hours for 1st day &amp; then as needed If the symptoms flare again, go to Nearest emergency STAT Reviewed prior labs, diagnostic test &amp; prior visit notes. Reviewed current medication and management planned considering current prescription/meds. Please note this clinic note was performed utilizing voice recognition software. Due to the voice recognition software there may be grammatical errors inadvertently enclosed that do not reflect the nature of the visit. For worsening of symptoms, Patient is instructed to return sooner either to ER or urgent care/PCP. Patient is instructed to follow up in 1-2 weeks with PCP I have educated patient on supportive care therapy. Patient agreed with plan and voiced understanding. No barriers to adherence perceived by myself. Department of Urgent Care</p>
1006019	2/5/2021	PR	80	F	1/15/2021	1/15/2021	<p>PATIENT STATED THAT AFTER 3 HOURS OF RECEIVING THE FIRST DOSE OF THE COVID-19 VACCINE, HER LEFT EYE BECAME RED AND PART OF HER CHEECK BECAME SWOLLEN, PT STATED THAT SHE TOOK BENADRYL AND IBUPROFEN. DIDN'T SEEK MEDICAL ATTENTION.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1005734	2/5/2021	PA	44	F	2/4/2021	2/4/2021	15 min after vaccine administered patient stated she had a frontal headache radiating to her right side of head and tingling around her lips. She was instructed to stay for an additional 15 min for observation. She was placed on a stretcher to lie down. She was conversing and her S/S went unchanged. At approx 1 pm she became unresponsive, she did not wake with touch or verbal command Her eyelids were fluttering as if she was experiencing a seizure. A condition was called. Pulse ox 100 % blood sugar 90. Monitor NSR. She remained unresponsive and was taken to the ED. Upon arrival to the ED at approx 1:17 pm, the ED nurse stated she was awake. Evaluated by physician, labs and CT head ordered. Patient stated all lab work and CT scan was normal. Employee was discharged with a diagnosis of vasovagal near syncope.
1005886	2/5/2021	IL	71	F	1/13/2021	1/14/2021	about 14 hrs after receiving the second vaccine I had extreme chills, severe body aches and headache, pain in my eyes, moderate arm pain and fatigue. I began feeling better about 10 hrs later but continued to feel fatigued the rest of the day and had body and head ache a couple more days. I had had covid in Sept 2020 and felt worse those 10 hrs than when I had covid.
1007190	2/5/2021	PA	51	F	1/28/2021	2/3/2021	Began with symptoms for and was diagnosed with Bell's Palsy on 2/3/2021. Right eye will not close. Lips and bottom of face droop.
1006717	2/5/2021	VA	36	F	2/4/2021	2/4/2021	Cough- but the type of cough is not uncommon for me due to allergies Puffy eyes/face started around 2:30-3pm Tight throat, felt restricted started around 3:30pm Took Benadryl at 4:30pm Went to Urgent Care at 5:30pm Took Prednisone at urgent care Got a prescription to continue prednisone for the next two days & an epi pen to have at home in case it was needed

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1005897	2/5/2021	SC	83	F	1/19/2021	2/1/2021	My mom became very disoriented for 2-3 full days. She couldn't remember her birthday, where she was, her doctor's name, etc.... We took her to her doctor and she thought she had a stroke. We went to the ER for every test possible. She became disoriented and also had to put adult briefs on her. On Sunday she was driving and on Monday she was totally disoriented. My dad called and I rushed home 2 1/2 hours away. This was a terrifying event. She was glossy eyed and couldn't read. She didn't have any paralysis; thank goodness. It was all pretty much mental.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1005988	2/5/2021	WA	40	F	1/14/2021	1/14/2021	Shingles: Approximately 3 hours after receiving vaccine, experienced redness and tenderness under eyebrow of right eye.; Tenderness under eyebrow of right eye/pain behind right eye that did not go away for more than 5 days; Shingles: Approximately 3 hours after receiving vaccine, experienced redness and tenderness under eyebrow of right eye.; This is a spontaneous report from a contactable healthcare professional (HCP). A 40-year-old female patient received first single dose of BNT162B2 (Pfizer- BioNTech, Solution for injection, batch/lot number and exp date not reported), via an unspecified route of administration (vaccine location: right arm) on 14Jan2021 16:00 for COVID-19 immunization. Vaccination facility: Hospital. The patient had no relevant history. The patient was not pregnant at time of vaccination and at the time of reporting. The patient had no known allergies. The patient did not have Covid prior vaccination. Concomitant medication (other medications in two weeks) included multivitamin (unspecified). There was no other vaccine in four weeks. On 14Jan2021 19:00, the patient experienced shingles: approximately 3 hours after receiving vaccine, experienced redness and tenderness under eyebrow of right eye. Experienced pain behind right eye that did not go away for more than 5 days. Sought medical attention and ophthalmologist diagnosed shingles on 20Jan2021. The adverse events resulted in Doctor or other healthcare professional office/clinic visit, and Emergency room/department or urgent care. Treatment for the adverse events included antiviral medication and steroid drops. Patient was not Covid tested post vaccination. The patient had not recovered from the events at the time of reporting. Information about lot number and expiry date for the suspect product will be requested in follow-up attempts.; Sender's Comments: Based on temporal association, the causal relationship between BNT162B2 and the events herpes zoster, eyelid pain and erythema of eyelid cannot be excluded. The information available in this report is limited; information on previous occurrences of shingles, if any, would aid in case assessment. This case will be reassessed once additional information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees, and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1005990	2/5/2021	NC	80	M	1/19/2021	1/19/2021	irregular heartbeat; Belching; Gas; Stomach cramps; felt antsy; his blood pressure went up the day he took the vaccine to 200/93; He was anxious feeling; sharp pains in his right eye; Ears Felt Funny; This is a spontaneous report from a contactable consumer (patient). An 80-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number: EK9231; expiry date not reported), via an unspecified route of administration on 19Jan2021 11:00 at single dose for COVID-19 immunization. Medical history included high cholesterol and blood pressure abnormal from an unknown date and unknown if ongoing. Concomitant medication included propranolol hcl for blood pressure and an unspecified cholesterol pill. The patient previously received influenza (Flu shot) on an unspecified date (years) ago for immunization and experienced light headed. The patient reported that his blood pressure went up the day he took the vaccine to 200/93 and he was real concerned about that. He took a blood pressure pill and was having some sharp pains in his right eye (he had 3-4 at different times). He was anxious feeling and could hear it blowing in his ears (which happens when his blood pressure is high). He stated he has never had his blood pressure that high and has never had any heart problems. The patient asked, whether he was in the danger zone, the danger zone of having a stroke and if they should take their second dose. The patient wondered if they could just take the first dose only. It was further reported that he took the vaccine yesterday or the day before (19Jan2021) at 11'o clock. He didn't have any problems, he just got home. Then 11'o clock at night he had fallen asleep during the day and woke up at that time, 11'o clock and he felt Antsy, his blood pressure was up, his ears puffed real high, he's on Blood Pressure medication. He Clarified further that his First Dose was on 19Jan2021 at 11 o clock during the day. Then 12 hours later that same day, he woke up, and that's when he felt antsy and the blood pressure being up. Normally he takes his Blood Pressure 2-3 times a week but that day it was like 190/80 something. When he saw it, he sat down, and thought if he relaxed it would go down. He went back over in 45 minutes or an hour later and it was 200/93, he thought he had sharp pain in the right eye during that time as well. He Never had that before, he had pain in eye before, but not like this. He then told

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

himself maybe he should take a blood pressure pill, because he was concerned he didn't want to stroke out. He took a Blood pressure pill and then relaxed for an hour later he checked it was 189/82. He waited some more, and it kept coming down. He stayed in the recliner all night. Then on 20Jan2021 he checked and it slipped to 140/55 at about 5 o'clock. The Blood pressure kept coming down 10 to 15 points every hour. The last one he took later that day was 118/65. He explains that his Blood pressure normally runs 120/65 to 140/70 normally. His blood pressure medication is only 10mg, its a low dose, he is a Healthy Person, he walks every day, his weight is good. The blood pressures provided were from 11AM to 11PM at night of 19Jan2021. It was the same day when he felt the ears feeling funny, and the sharp pain in the right eye, he has never had that before. He also forgot to mention that the next day he had a lot of stomach irregularities, he had cramping, it was uncomfortable, this was on 20Jan2021, he was also belching, and had gas. It went away that evening lasting 4-5 hours, it started in the morning 10 o'clock went till 3 or 4PM. The BP value of 140/65 was from today, before lunch. The right eye sharp pain went away during the night, after he took his blood pressure pill, he didn't notice it anymore after. He doesn't know if the vaccine caused this. He couldn't tell any difference even with the pain. The ears feeling funny, he took his blood pressure a couple times a day. The monitor is showing an irregular heart beat, he didn't notice that before. He has had no positive COVID test or Antibody Test prior to the vaccine. The patient recovered from sharp pains in his right eye, ears felt funny on 19Jan2021, stomach cramps, belching, gas on 20Jan2021 while the outcome of the rest of the events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1006013	2/5/2021	NY	79	M	1/7/2021	1/20/2021	meningoencephalitis; Severe headache; severe nausea; migraine; small subarachnoid hemorrhage postulated; This is a spontaneous report from a contactable Physician (patient). A 79-year-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration Left arm on 07Jan2021 at 02:30 PM as a single dose for COVID-19 immunisation, lot number: EL3249. Medical history included hypertension, hypercholesterolemia, hypothyroidism and dust allergy. Concomitant medications in two weeks prior to the vaccination included levothyroxine sodium (SYNTHROID), chlorthalidone and rosuvastatin calcium (CRESTOR). Patient did not receive other vaccine in four weeks prior to the COVID vaccine. On 20Jan2021 at 04:00 PM patient experienced severe headache with severe nausea requiring emergency room (E R) visit and intravenous (I. V) morphine, toradol and ondansetron. Computed tomography angiography (C T A) of head performed on unknown date was normal. Pain unbearable. Lumbar puncture (L P) not done. Pain persisted four days later, though diminished. Diagnosis (Dx) uncertain but possible migraine with right (r) eye preference or small subarachnoid hemorrhage postulated. Another troublesome possibility could be vaccine reaction (meningoencephalitis). Events resulted in Emergency room/department or urgent care. Treatments received included IV morphine, zophran (as reported), ketorolac tromethamine (TORADOL) and metoclopramide hydrochloride (REGLAN). Patient had no COVID prior vaccination. Patient was not tested for Covid post vaccination. Patient recovered with sequel from the reported events.; Sender's Comments: Based on temporal association, a possible contributory role of BNT162B2 cannot be excluded for events meningoencephalitis, headache, nausea, migraine and subarachnoid hemorrhage. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1006023	2/5/2021	WA	70	F	2/1/2021	2/1/2021	Tickle high up in nose- right eye swelled- and face got puffy and bright red- occurred about 20 minutes after vaccine. Took Benadryl and puffiness remained or about two hours.
1006042	2/5/2021	TX	43	M	1/19/2021	1/22/2021	I have eye inflammation; both eyes. The optometrist prescribed Lotemax 4 times a day for the inflammation. I have my second shot in a week and would like to know if it's safe to get it.
1006103	2/5/2021	TX	53	M	1/13/2021	1/30/2021	On Saturday, January 30, 2021 I began experiencing an altered sense of taste with a metallic taste all through my mouth and tingling in my mouth. I mostly felt ill throughout the day with low-grade fever, fatigue, body aches. This continued on Sunday, January 31, 2021 and Sunday evening, I noticed a small droop in the upper lip on the right side of my mouth. When I awakened, Monday, February 1, 2021, I had full right-side paralysis of the face, severe right eye, right jaw and right ear pain, severe fatigue, continued body aches. After going to the ER where tests were performed to rule out stroke and sepsis, I was diagnosed with Bell's Palsy.
1006175	2/5/2021	TX	25	F	1/5/2021	1/5/2021	As soon as I got the vaccine I was able to taste the vaccine,. Within 5 minutes I felt dizzy and within 15 minutes I couldn't feel my arm. I got a rash throughout my whole arm, and was warm to touch as well as a tingly sensation in my whole arm. It passed on to my right arm and started losing sensation and the tingly feeling started as well. Within 45 minutes I started breaking out throughout my whole body, within 1hr 15min. my legs felt weak and I couldn't walk. I felt dizzy, the whole room was spinning. They were going to send me to the hospital but I didn't want to go and I went home and injected myself with an EPI pen. and also took 2 Benadryl's. I started feeling my throat close but not all the way, I could feel I was having an allergic reaction. I just had a really bad headache and went to sleep from the Benadryl. I woke up with my eyes little swollen, and a rash on my left arm and chest area, my whole body was very itchy. This lasted for two days. The doctor at my work said if it got worse to go to ER and or urgent care. They didn't recommend me getting second dose.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1006239	2/5/2021	PA	36	M	2/4/2021	2/4/2021	High fever of 102.4, severe chills, aches, stomach pain, pain in left eye and testicles.
1006507	2/5/2021	TX	49	F	1/8/2021	1/22/2021	Client came to clinic for dose #2 and during screening mentioned she had been diagnosed with Bell's Palsy on /22/21. Client reports on 1/22/21 she had paralysis on R side of face, R eye would not open or close, pain and swelling on R side of face. Client also reported taste was altered on R side of mouth. All symptoms resolved 2/1/21. Per consultation with Medical Director, dose #2 was not given.
1006684	2/5/2021	FL	68	F	2/3/2021	2/3/2021	6 hrs after injection swelling began and headache (About 9PM). Next morning swelling from shoulder to elbow & headache, chills, took Tylenol. No appetite, very loose bowels at 10:00 am, (NOTE: NO fever) headache, chills continued all day & dizziness was added only when I moved my eyes like to glance at something or trying to read. Woke up, all symptoms were gone except a little swelling around injection site. 48 hours after injection, only very little swelling at injection site.
1006676	2/5/2021	NJ	44	F	2/4/2021	2/5/2021	Patient received Moderna Covid 19 vaccine on 02/04/21. Patient reported experiencing twitching in right eye the night of 02/04. Patient had swollen face and little difficulty in swallowing upon awakening today (02/05/21). MD treated patient with steroid injection and Benadryl and recommended not to get second dose.
1006009	2/5/2021	TX	67	M	1/23/2021	1/24/2021	woke up with a subconjunctival hemorrhage in right eye; This is a spontaneous report from a contactable consumer reporting for himself. A 67-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number: EL9262) on 23Jan2021 at 01:00 a.m. at single dose via an unspecified route of administration on left arm for COVID-19 immunization. Relevant medical history included diabetes. Concomitant medications included empagliflozin (JARDIANCE), lisinopril, rosuvastatin, tamsulosin hydrochloride (TAMULOSIN). On 24Jan2021 the patient woke up with a subconjunctival hemorrhage in right eye. No Treatment was given for the event.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1006243	2/5/2021	GA	64	F	2/4/2021	2/5/2021	12 hr post - chills and fatigue, 24 hrs - fatigue, generalized aches preceded syncopal event while seated with sweating , blurred vision then loss on consciousness for 15 seconds. Revived on floor with tachycardia, sweating then nausea and vomiting x 1.
1006652	2/5/2021	TN	55	F	2/2/2021	2/2/2021	Headache, fatigue, muscle ache, tachycardia, sore throat (mild), severe pain at injection site limiting movement, eye pain and blurring. All began approximately 12 hours after vaccination. Did report to the ER at Summit Medical Center 2/3/2021 . Labs were drawn, ekg and cxr done. Md stated all normal. (I had pneumonia and was in a fib upon arrival to Vanderbilt Medical Center when I was admitted there with Covid in March 2020.)
1006695	2/5/2021	VT	23	F	2/5/2021	2/5/2021	Pt returned to clinic after leaving the site and sitting in her car for 1-2 minutes. Per pt, she began to feel "itchy" in her right arm (vaccine administered in left) and returned to clinic c/o concern for allergic reaction. Pt initially presented to RN, who notified This RN for further assessment of the patient. Upon initial assessment, pt appeared anxious and was c/o itching in her bilateral arms, pressure and "tightness" in her chest. Approximately 3 in x 3 in area of erythema visualized to upper right arm, with 3 hives surrounding the area. No erythema visualized to vaccine site, however, 2 hives were visualized to right upper arm. No diffuse erythema or hives noted. Lungs CTA bilaterally, HR 76 w/palpation. Site Manager, and RN to pt's side. EMS contacted. This RN waited at pt's side for continued assessment while awaiting EMS. Electronically signed by RN at 2/5/2021 16:00
1006603	2/5/2021	GA	46	F	2/4/2021	2/4/2021	2/4/2020 vaccination I got this done for work. Cognitive issues; fog. Ate dinner. took bath, body hurting. Woke up crying in sleep, whole body hurt. Everything hurt, cold sweats. Injection site, nodule, swollen. Winded and fatigued. Didn't go to dr this time. First vaccine; Cognitive issues, blurry vision. Went home.
1006664	2/5/2021	TX	57	F	2/5/2021	2/5/2021	SWELLING AROUND MY EYES

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1006366	2/5/2021		73	M	1/4/2021	1/4/2021	<p>Progress Notes Nurse Practitioner Cosign Needed Expand All Collapse All</p> <p>Patient: <span style="float: right;">DOB:</span> 10/1/1947 Date: <span style="float: right;">Subjective</span> 2/4/2021</p> <p>Patient is a 73 y.o. male who was seen at COVID Vaccine Clinic today for his first dose of the COVID 19 vaccination. He was given the Pfizer vaccination in the right deltoid muscle. During his 15 minute waiting period after the injection, the patient began to experience SOB and throat tightness and abdominal pain. He denied rash, hives, welts, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and he was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to abdominal pain, blood pressure abnormality, chest pain, collapse, drooling, hypotension, increased swelling, rapid progression of symptoms, respiratory distress, skin changes, tongue swelling and vomiting. Pt is a diabetic ate last at 8 am. Blood sugar 234 at 15:12. ALLERGY REVIEW OF SYSTEMS: Patient complains of shortness of breath and abdominal pain Previous Reactions: None Objective Vitals There were no vitals filed for this visit. Blood Sugar 234 collected at 1512 Physical Exam Constitutional: Appearance: Normal appearance. He is well-developed. HENT: Head: Normocephalic and atraumatic. Right Ear: External ear normal. Left Ear: External ear normal. Nose: Nose normal. Eyes: Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Neck: Musculoskeletal: Normal range of motion and neck supple. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Normal breath sounds. Abdominal: General: Bowel sounds are normal. Palpations: Abdomen is soft. Musculoskeletal: Normal range of motion. Skin: General: Skin is warm and dry. Capillary Refill: Capillary refill takes less than 2 seconds. Neurological: Mental Status: He is alert and oriented to person, place, and time. Assessment/Plan Treatment included: no therapy Follow up response to treatment: excellent. Patient discharge:</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine-Related Anxiety (include misc mental health) Pt left at 15:28
1006334	2/5/2021	CA	23	F	1/11/2021	1/11/2021	After the vaccine was given, Patient stated her heart became racing. Pulse taken at the time listed it as 180. Patient also said she felt like she could not talk as if the words would not come out. She felt like she could not feel her arms and legs and felt numbness in her chest. Dizziness also occurred. Vision became blurry. That night after being released from the hospital she still had trouble walking . To this day she suffers from intense brain fog. She says she has so much to say but it wont come out. She still is having trouble walking, her gait is very unsteady. She finds herself unable to work like before and suffers from confusion.
1006299	2/5/2021	CA	47	F	1/16/2021	1/16/2021	2nd dose: Pt c/o "numbness down my arm and it feels cold down to my hand" left arm, "intermittent numbness". Tingling felt like crawling ants on arm. "more numb in my last two fingers", "discomfort in nape of neck, lightheadedness, and tunnel vision". Patient given 8oz of fluids, PO. BP: 180/105. No medications administered. Transported to ED. Recovered night of 1/16/21.
1006287	2/5/2021	CA	60	F	12/30/2020	1/1/2021	The next morning I started having a burning sensation that has irritated my face and left eye. Since years ago in 1990 got yellow fever vaccine had similar burning sensation in my face and left eye. Also exp pain in my right foot lasting week causing me to slow down in my daily walk. I was concerned about my foot went to see my PCP was told it could be my ligaments. The foot pain has gone since 2nd dose vaccine. I'm still exp symptoms as of 2/5 is still there in my face and left eye.
1006262	2/5/2021	GA	65	F	2/3/2021	2/3/2021	Severe swelling of face around eyes nose and cheek area. Tingling of tongue, pressure at lymph node areas.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1000602	2/4/2021	MI	95	M	1/20/2021		My arm is little sore; This is a spontaneous report from a contactable consumer reporting for himself. A 95-years-old male patient received BNT162B2 Pfizer-BioNTech COVID-19 Vaccine, via an unspecified route of administration on 20Jan2021 at single dose for COVID-19 immunization. The patient also received apixaban (ELIQUIS), 2 dose forms (DF) every day, via an unspecified route of administration from an unspecified date at an unknown dose as blood thinner. Medical history included a bone spur in the left foot that causes the patient to limp a bit, although he is still able to move around a little bit ("he is surprised that he is still plodding along"), cardiac pacemaker insertion, body weight sometimes increasing, a trouble with his vision, so he has a restricted driver's license: he can only drive during the day time. The patient is also a hearing aid user from an unknown date and has central nervous system stimulation from an unknown date ("I have Neuraxis"). His wife says that "he has them every day". Past drug history included warfarin sodium (COUMADIN) used for years as blood thinner. The patient's concomitant medications were not reported, although the patient stated he takes a lot of medications. The patient reported that the vaccine "worked beautifully", but only after the shot he could read on the information sheet that the he should have told the provider about all his medical conditions, if he has a bleeding disorder or is on a blood thinner. Now he's reluctant to take his pills because of this warning. He feels fine, he doesn't have any problems with the shot. He only stated that his arm was little sore but that's to be expected. The patient would like to know if he can continue to take his blood thinner. On an unknown date the patient underwent lab tests connected with some kind of surgery or his pacemaker whose results were unknown. The action taken with apixaban in response to the event was unknown. The event outcome was unknown at the time of the report. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1001470	2/4/2021	CA	43	F	1/8/2021	1/8/2021	Allergic reaction; Itchiness on right side of head, forehead, and eye; Itchiness on right side of head, forehead, and eye; Cluster headaches; This is a spontaneous report from a contactable consumer (patient). This 43-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Lot number EJ1686) via an unspecified route of administration in the left arm on 08Jan2021 at 11:00 at single dose for COVID-19 immunisation. The patient was not pregnant. Relevant medical history included migraines. Concomitant medications included magnesium, vitamin B12 and vitamins NOS (MULTIVITAMIN). The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient previously took neomycin sulfate/polymyxin b sulfate (NEOSPORIN) and experienced allergy. On 08Jan2021 at 20:00, the patient experienced allergic reaction, itchiness on right side of head, forehead, and eye and cluster headaches. The events resulted in Doctor or other healthcare professional office/clinic visit. Corrective treatments taken as a result of the events included diphenhydramine hydrochloride (BENADRYL), famotidine (PEPCID) and sumatriptan. Prior to vaccination, the patient was not diagnosed with COVID-19 and since the vaccination, she has not been tested for COVID-19. The patient recovered with sequel from the events on an unspecified date.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1001449	2/4/2021	OR	68	F	1/14/2021	1/14/2021	Fuzzy; Unsteady; Weak/Not very energetic/Fatigued; Lightheaded/Dizzy; Chest tight; My eyed began swimming with a sensatoin of shutters being opened and closed in front of me/could not see very well; Eyes very photosensitive; Chills; Headache; This is a spontaneous report from a contactable consumer (patient). This 68-year-old female patient received the 1st dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number EL3247), via an unknown route, on 14Jan2021 (at 08:30) at single dose on the left arm for COVID-19 immunization. Relevant medical history included orthostatic intolerance, myalgic encephalomyelitis and chronic fatigue syndrome (ME/CFS). Relevant concomitant medications included hydrocortisone (CORTEF), levothyroxine sodium (SYNTHROID), fludrocortisone acetate (FLUDROCORTISON) and pyridostigmine. No other vaccine was received in four weeks. On 14Jan2021, after vaccination, she began to feel unsteady, weak, lightheaded, chest tight, and dizzy. Her eyed began swimming with a sensation of shutters being opened and closed in front of her. She could not see very well, eyes were very photosensitive. Layed down and slept, rested in a dark room most of the day. She had also chills and headache. But nightfall she felt mostly recovered, although not very energetic. About one week later, on 20Jan2021, it all happened again, all at once. She also rested for the day and slowly recovered. But this time it hasn't all gone away. She is still weak, fuzzy, unsteady, fatigued, she had headache, and 'my eyes are not right' (as reported). Pre-vaccination and post-vaccination COVID tests were not performed. No treatments were given for the events. The outcome of the events 'unsteady', 'weak/not very energetic/fatigued', 'Lightheaded/Dizzy', and 'chest tight' was not recovered while the outcome of the remaining events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1001430	2/4/2021	NH	50	M	1/9/2021	1/10/2021	<p>Bell's Palsy/ Facial paralysis/ Droopiness on the rightside; Light sensitivity; Tearing; Felt like flu; Sore; A spontaneous report was received from a 50 year-old, male patient who received Moderna's COVID-19 vaccine and experienced sore, felt like had the flu, light sensitivity, tearing of his right eye, Bell's palsy (right eye won't blink on its own, lip and speech issues). The patient's medical history was not provided. Concomitant medications were not reported. On 09 Jan 2021, the patient received their first of two planned doses of mRNA-1273 (Lot number: 025J20A), intramuscularly in left arm, for prophylaxis of COVID-19 infection. On 10 Jan 2021, he was sore, felt like had the flu. On 13 Jan 2021, he experienced light sensitivity, and tearing of his right eye. On 19 Jan 2021, he went to the emergency room and found with facial paralysis, droopiness on the right side. He was diagnosed with Bell's palsy (right eye won't blink on its own, lip and speech issues). Treatment included Valtrex. Action taken with mRNA-1273 in response to the events was not provided. The outcome of the event, sore, felt like had the flu was considered resolved on 11 Jan 2021. The outcome of the event, Bell's palsy (right eye won't blink on its own, lip and speech issues) was not recovered. The outcome of the events, light sensitivity, and tearing of right eye was unknown.; Reporter's Comments: This case concerns a 50-year-old male patient. The medical history is not provided. The patient experienced a medically significant and unexpected event of Facial paralysis and unexpected non-serious events of Influenza, Pain, Photophobia and Lacrimation increased. The events of Influenza and Pain occurred approximately one day after receiving their first of two planned doses of mRNA-1273 (Lot number: 025J20A). Photophobia and Lacrimation increased occurred approximately four days after the first dose of mRNA-1273 (Lot number: 025J20A). Event of Facial Paralysis was diagnosed approximately ten days after the first dose of mRNA-1273 (Lot number: 025J20A). Treatment included Valtrex. Based on the current available information and temporal association between the use of the product and the onset of the events, a causal relationship cannot be excluded and the events are considered possibly related to the vaccine.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1001481	2/4/2021	WA	53	F	1/21/2021	1/22/2021	<p>Piercing eye pain; Swollen/red left eye; Swollen/red left eye; Extreme photophobia; Body wide muscle pain; Fatigue; Increased dry mouth; GI upset; Nasal congestion; Wheezing; Shortness of breath; This is a spontaneous report from a contactable health care professional nurse, the patient. A 53-years-old non-pregnant female patient (nurse) received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot Number: EL9262,), via an unspecified route of administration in left arm on 21Jan2021 at 16:45 as a single dose, for COVID-19 vaccination. The most recent COVID-19 vaccine was administered at a Workplace clinic. Medical history included rheumatoid arthritis dry eye, hypertension, anxiety and asthma. Concomitant medication included lisinopril (LISINOPRIL), paroxetine hydrochloride (PAXIL [PAROXETINE HYDROCHLORIDE]), iron (IRON), oxymetazoline hydrochloride (CLARITIN ALLERGIC), montelukast sodium (SINGULAIR). No other vaccines were given within 4 weeks. . Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination the patient had not been tested for COVID-19. The patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE Lot Number:PFR-20364-01; in the right arm on 29Dec2020, at 09:00. On 22Jan2021 at 05:00, the patient woke the day after at 5AM with piercing eye pain along with swollen/red left eye. extreme photophobia. body wide muscle pain. fatigue. increased dry mouth. GI upset. nasal congestion. Wheezing. Shortness of breath. No treatment was received given for the events. The clinical outcome of piercing eye pain along with swollen/red left eye. extreme photophobia. body wide muscle pain. fatigue. increased dry mouth. GI upset. nasal congestion. Wheezing. Shortness of breath was recovering. Prior to vaccination, was the patient diagnosed with COVID-19?:No Since the vaccination, has the patient been tested for COVID-19?:No Allergies to medications, food, or other products:no Vaccine Facility information available. Ethnicity information is available. Race information is available.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1001516	2/4/2021	CA	64	M	1/15/2021	1/15/2021	fever 101.3; bad headaches like migraines; back of neck was stiff and sore; back of neck was stiff and sore; body ached and felt funny; body ached and felt funny; had no appetite and had to force himself to eat; felt woozy; watery mouth; his body was tingling; Chills; This is a spontaneous report from a contactable consumer (the patient). A 64-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, lot number EL1283), via an unspecified route of administration in the left arm on 15Jan2021 at 13:00 (at the age of 64-years-old) as a single dose for COVID-19 immunization. Medical history included he had gotten sick way before talk of COVID. In late Dec and Jan he was sick and didn't feel better until Feb (unspecified dates prior to vaccination). He went to numerous doctors. He didn't have the flu. They weren't sure what he had. They gave him ibuprofen (MOTRIN) to take. He also had a really bad sinus infection. In Mar2020, he had really bad problems with his eye. His right eye could only move halfway towards his nose. It would not move to the right the all. Then his left eye was twisted. His mouth tasted sour. He does not taste food. This was all prior to receiving the vaccine. Concomitant medication included gabapentin from an unspecified date 6 years ago and ongoing for nerves. He also concomitantly took medication for blood pressure, diabetes, and cholesterol. He declined to provide details. The patient received the first dose of the vaccine on 15Jan2021 around 13:00. He had reactions to the vaccine. He felt the injection site that was given in his left arm. That evening, 15Jan2021, he felt woozy, his mouth was watery, his body was tingling, and he had chills. The next day was concerning. On Saturday, 16Jan2021, he had a fever of 101.3, bad headaches like migraines, watery mouth, the back of his neck was stiff and sore, and his body ached and felt funny. He had no appetite and had to force himself to eat as nothing tasted good (16Jan2021). He was scheduled to take the second dose. He was unsure if it was 21 or 22 days after the first one. He asked if he should get the second dose. The clinical outcome of felt woozy, chills, fever 101.3 was recovered on 17Jan2021. The clinical outcome of watery mouth was recovered with sequelae on 16Jan2021. The clinical outcome of his body was tingling was recovered on 16Jan2021. The clinical outcome of bad headaches

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							like migraines, back of neck was stiff and sore, body ached and felt funny, had no appetite and had to force himself to eat was recovered on 18Jan2021.
1001203	2/4/2021	KY	46	F	2/2/2021	2/2/2021	Dizziness, nausea, fatigue, blurred vision, feeling of forgetfulness. I almost feel like I drank a glass of wine. Just worn out. the first day I had diarrhea.
1001463	2/4/2021	LA	25	F	1/22/2021	1/22/2021	Roughly 90 minutes after my vaccination my left eye got itchy and swollen; Roughly 90 minutes after my vaccination my left eye got itchy and swollen. Both the eye itself and the area around the eye swelled; the eye was still a bit puffy and swollen; This is a spontaneous report from a contactable healthcare professional (patient herself). A 25-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number: EL8983; expiry date: unknown) via an unspecified route of administration in the left arm, on 22Jan2021 at 17:00, at a single dose, for COVID-19 immunization. The patient has no relevant medical history. Concomitant medications included vitamin B complex (VITAMIN B), colecalciferol (VITAMIN D), and loratadine (CLARITIN) and unspecified birth control (BC) pills. The patient previously received codeine and experienced allergy. The patient is not pregnant at the time of vaccination. The patient was not diagnosed with COVID prior vaccination. The patient did not receive other vaccines within four weeks prior to COVID vaccination. The vaccine was administered in the hospital. On 22Jan2021, roughly 90 minutes after vaccination (at 18:30) the patient's left eye got itchy and swollen. Both eyes and the area around the eye swelled. It went down upon icing and taking two over the counter Benadryl. However, the next morning, the eye was still a bit puffy and swollen. The events were considered non-serious. Outcome of the events was recovering. The patient has not been tested for COVID-19 since vaccination.
1001142	2/4/2021	MI	58	M	2/3/2021	2/4/2021	Blurred vision in right eye, spots as if I had looked into a bright light, double vision in a small spot of my eye, then headache began to occur above right eye and progressed to the base of my neck on the back right side of the skull. After about 45 minutes the blurred vision began to subside but the headache remains.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1001125	2/4/2021	MD	48	M	12/30/2020	1/2/2021	Starting the next day, I had an increased sensitivity to motion sickness. This is unusual as I am a paramedic and work in an ambulance for a living. I also suffered 2 nights of insomnia. On the evening of the third day, I developed joint aches, fatigue, and a series of normal bowel movements (five in 2 hours). The next morning I added a lost of balance and a slight right side facial droop around my eye (no numbness). Later that day I developed nausea and vomiting, a single period of cold chills followed by a period of a hot flash. However, I never developed a fever. By day five, all of my symptoms resolved with the balance issue being the last. Also of note, early on, my blood sugar was elevated, blood pressure was elevated, and pulse elevated.
1001092	2/4/2021	IL	33	F	2/2/2021	2/3/2021	In the middle of the night, Wednesday morning, my eyelids were swollen. Left eyelid more than right eyelid. Then waking up at 11:30am Wednesday, the swelling was still there, right eyelid more than left eyelid. I took a tablet of Cetrizin antihistamine at around 12:30pm. Around 4pm, the swelling was still there, now left eyelid more than right eyelid. I took Benedryl at around 11pm, but upon awakening in the morning (Thursday), the swelling is still present, still left eyelid more than right eyelid. No pain, but there is tenderness of the left eyelid. I had mild fever, chills, muscle pain, fatigue, headache in the middle of the night after receiving the second dose of the vaccine on Tuesday. This has subsided. Mild headache still remains.
1001077	2/4/2021	NJ	52	M	1/13/2021	1/25/2021	Numbness and twitching to ride side of facial area below eye
1001574	2/4/2021	FL	35	F	2/4/2021	2/4/2021	L eye sharp pain: happened twice and after that my eye feels " not normal". Dull throbbing pain in L lower abdomen quadrant ( under ribcage )

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1002213	2/4/2021	NC	78	F	2/3/2021	2/4/2021	On the 4th hour I was sleepy and fatigue, 3pm, went to bed at 11pm, woke up at 2am extremely dizzy and the room was fiercely spinning and couldn't get up. I tried going back to sleep and when trying to move the room spined drastically slowly sat up and went to the bathroom and laid back down and it started again, each duration lasted 10 seconds and it caused me to have 3 BMs in the next 3 hours, couldn't sleep but I have a tightness around my head and sleepiness and last event was 7am, when got up I had diarrhea and had dry heaves that lasted 5 minutes and now fatigued and hot feeling around my eyes. My stomach feels stressed and tired and weak
1001064	2/4/2021	MA	59	F	2/1/2021	2/2/2021	About 10 hours after 2 nd shot- I woke to use bathroom and blacked out, hit ceramic floor and was unresponsive. I had no muscle aches, fever or sense of lightheadedness prior to episode.. I woke unaware on floor- bumps, black eye., bruised. I felt out of it - unclear, unfocused after this.
1001050	2/4/2021	IN	28	F	2/2/2021	2/2/2021	fatigue (extreme, could barely keep eyes open), headache, painful deep breaths, heart racing, fever over night with night sweats, body aches/ joint pain, hot/cold flashes, loss of appetite- all happened with in 2/2 to 2/3. Symptoms began to resolve on 2/4
1001120	2/4/2021	NJ	66	M	1/12/2021	1/13/2021	droopy eye lids tiny bumps on upper and lower lips throat was tingling both hands petechia
1001973	2/4/2021	WA	36	F	1/6/2021	1/6/2021	Patient is an employee with the Hospital. Employee received vaccine at 1/6/21 at 0915. She was released after a 15 minute monitoring period. Patient accompanied to ER by Employee Health Nurse at 1000. C/o dizziness, itchy all over, and blurred vision. Employee seen by MD. Diphenhydramine 25 mg IV administered. discharged home at 1150.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
999942	2/4/2021	PA	35	F	12/19/2020	1/1/2021	facial swelling; itching; blurred eye sight as times; This is a spontaneous report from a contactable nurse (patient). A 35-year-old female patient received BNT162B2 (lot number: EL0140), via an unspecified route of administration on 19Dec2020 at single dose for COVID-19 immunization. Medical history included allergies to shellfish from an unknown date. The patient's concomitant medications were not reported. The patient previously took topamax and experienced allergies. On 01Jan2021, the patient experienced facial swelling, itching and blurred eyesight as times. The patient was not pregnant. The patient did not receive any other vaccines within four weeks prior to the vaccination. Prior to the vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has been tested for COVID-19. The patient underwent lab tests and procedures which included Nasal Swab: negative on 01Jan2021. The events resulted in emergency room/department or urgent care. Therapeutic measures were taken as a result of facial swelling, itching and blurred eyesight as times which includes steroids and antihistamines. The outcome of the events was recovering.
1001041	2/4/2021	FL	74	F	2/2/2021	2/2/2021	vertical red rash under each eye 2 days some tightening of throat muscles going on third day headache 1 day took one 10 mg dose of my husband's prednisone upon arrival at home now taking benadryl

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1002262	2/4/2021	OR	30	F	2/2/2021	2/2/2021	[Tuesday 11:35 AM] 09:45 Second dose Moderna vaccine lot number 007M20A exp 7/2021 given at vaccine clinic. 10:00 Pt reports feeling light headed, dizzy, pt walked a few steps with supervision to stretcher. Vitals remain stable though hypertensive at 148/90. 10:20 BP 128/97 HR 92 Reports tingling to roof of mouth. Observed baseline oral exam due to pt past report of anaphylaxis in the setting of allergy shot, oral exam appears normal, pink mucosa, no swelling. Will continue to monitor on stretcher. Pt drinking water without any problems and does not appear in distress. 10:35 Noted hoarse voice, re-examined oral mucosa and patient's tongue, palate and, uvula now appears flushed, red and slightly but noticeably swollen, face is also now flushed. Lips appear same size and not swollen. Called RRT immediately. Advised transfer to ED. Pt remains in no distress. 10:40 RRT arrives to vaccine clinic in auditorium, gave report to RRT, reexamined oral mucosa which appears the same as 10:35 assessment (lightly but noticeably red, swollen tongue, palate and uvula). Face remains flushed as documented at 10:35. BP 128/90 HR 89. 10:45 Pt en route to ED with RT at bedside in no apparent distress.
1002234	2/4/2021	WI	63	F	1/27/2021	2/2/2021	Left lower lid eye edema,itching and hives on body. Slight wheeze. Took a 25mg Benadryl p.o. Used my Proventyl inhaler. Relief within 30-45 minutes. NOTE; I had been to my beauty salon to have highlight treatments to my hair that day also. (2/02/21.)I have had this reaction in the past after my salon treatment but not the hives before. I strongly feel this was related to the chemicals used on my hair but felt I needed to report it.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1002161	2/4/2021	SC	22	F	2/2/2021	2/3/2021	Severe injection site pain (aching) approximately 3 hours after injection on 2/2. Took 400 mg ibuprofen at 2200 to take the edge off of the pain in order to fall asleep. Beginning at 0600 on 2/3: Temp of 100 F, chills, body aches, headache. Took 400 mg ibuprofen at 1000 which lowered temp and reduced other symptoms for approximately two hours. Symptoms returned at 1200 with temp reaching 100.2 F along with chills, headache, and body aches that were more intense in the shoulder/neck area. Used a heating pad along my back, shoulders, and neck which helped with the body aches. Slept from 1500 to 1800 and woke up with an intense frontal headache with pain shooting through my eyes as well. Temp was 100.7 F. Took 400 mg ibuprofen which made the symptoms more bearable. Tried to stay hydrated by drinking water throughout the day. Also had two servings of soup. Symptoms seemed to lessen by 2200. The only symptoms lingering today, 2/4, are a slight headache, fatigue, and mental fog. Otherwise, condition has improved tremendously.
1002119	2/4/2021	MN	54	F	2/2/2021	2/3/2021	Patient described a bloodshot eye, or apparent broken blood vessel in her left eye, on the same side as the arm where she received her vaccine the day before. She did not have pain or other symptoms. She exchanged an email with her doctor who doubted it was related to the vaccine and advised her to keep an eye on it. No clinic visits or other medical care. Patient does not take a bloodthinner or have a bleeding disorder.
1002143	2/4/2021	OH	49	F	1/25/2021	1/25/2021	On 01-27-2020, I had right arm pain with headaches. I felt my mind foggy. I developed right axillary pain with tenderness. On 12-28-2020 my symptoms got bit better. On 12-29-2020 my right arm pain resolved. On 01-31-2021, I had a bad migraine and I could not go to work. I had nausea and had left eye pain to the back of my eye. On 1-29-21, 01-30,21 and 01-31 I took Emerge medication for my migraines.
1001998	2/4/2021	TX	45	F	1/27/2021	1/27/2021	27th January 2021-Stuttered, right eye drooping-in the ER-patient is and employee of the staff. The providers in the ER did a quick neuro check/test-27th January 2021. Outcome-she can smile, can blink and has no stutter today 4 February 2021



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1001704	2/4/2021	CT		F	12/28/2020	12/28/2020	Throat and neck begun tightening; Heart rate fluctuating up and down for three consecutive times; Fast heart beat; Dizzy; blurry vision; Entire left arm was red; A spontaneous report was received from a consumer concerning a female patient who received Moderna's COVID-19 Vaccine, and who experienced feeling throat and neck begun tightening, heart rate fluctuated up and down for three consecutive times, dizzy, blurry vision, entire left arm was red and fast heartbeat. The patient's medical history was not provided. Products known to have been used by the patient, within two weeks prior to the event, included sertraline and levothyroxine sodium. On 28 Dec 2020, prior to the onset of the symptoms, the patient received their first of two planned doses of mRNA-1273 (Lot number 027J20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 28 Dec 2020, patient experienced feeling throat and neck begun tightening, dizzy, blurry vision, entire left arm was red, fast heartbeat and heart rate (135 beats/min) fluctuated up and down for three consecutive times. Treatment included epinephrine injection. Patient was sent to the emergency room for three hours where she was given intravenous fluids. Action taken with mRNA-1273 in response to the event was not provided. The outcome of the events, feeling dizzy, blurry vision, entire left arm was red, fast heartbeat and heart rate fluctuated up and down for three consecutive times, was considered recovered/resolved on 28 Dec 2020. The outcome of the event throat and neck begun tightening was not reported.; Reporter's Comments: This spontaneous report refers to a case of a female patient who experienced events of feeling throat and neck begun tightening, dizzy, blurry vision, entire left arm was red, fast heartbeat and heart rate (135 beats per minute) fluctuated up and down. The events developed on the same day after the administration of the mRNA-1273 vaccine (Lot# 025J20A, expiration date-unknown. Treatment administered include Epi-Pen, IV fluid, normal saline. Outcome is resolving. Based on the information provided which includes a temporal association, a causal association cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1001966	2/4/2021	PA	77	F	2/3/2021	2/3/2021	Moderna COVID-19 Vaccine EUA. At home, about an hour after getting the vaccine had extreme blood pressure spike, dizziness, heart palpitations, ear ringing, dry mouth, weakness and trembly, visual aura with eyes closed of red ball in field of vision, some pain at temple as if migraine tho I only have had migraines in first trimesters of pregnancy, adolescence and at time of diagnosis of hyperthyroidism. Have had blood pressure brief spikes in past (possible tyramine sensitivity) but this persisted rather than momentary. Live alone and was at home so called Ambulance. Took over 12 minutes for ER to come after called when symptoms did not quickly resolve. Was still having symptoms though blood pressure had dropped to
1001955	2/4/2021	OR	39	F	1/28/2021	1/28/2021	I received the 1st dose of my covid vaccine on Thursday 1/7 at 4pm and during my 15 min observation I started to not feel well, light headed, spacey, eyes blurry. I sat and was observed til approx. 1715 at which time I thought I was ready to head back to my department. After the elevator to the LL I really wasn't feeling well. I ended up going to the ER which they diagnosed me with Vertigo. I have never had vertigo in the past. I remained in the ER until approx. 2220 until my symptoms were managed with medication and I felt well enough to leave. The lightheaded and dizziness lasted a few days while the headaches lasted about a week.
1001936	2/4/2021	OR	51	F	12/30/2020	1/5/2021	She got her first vaccine o 12/30/20 and by 1/5 started noticing some swelling and numbness in her face, it has slowly gotten worse and now has a drooping eye, worsening facial numbness and droop.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1001918	2/4/2021	OR	26	F	1/13/2021	1/14/2021	Went to ED on 1/14/21. emailed caregiver for information. As far as what happened, I received my 2nd dose of Pfizer on Jan. 13th @ 05:15 at hospital and started feeling symptoms roughly six hours later, symptoms being nausea, chills, splitting headaches, muscle fatigue, feeling tired and joint pain. I had understood that these side effects were common and not to worry, however, the next day on Jan. 14th around 11:00am, I blacked out at home. Luckily, my partner had caught me before I fell to the ground, but he stated that my eyes had glazed over, my breathing was shallow, and I hardly had a pulse. He was getting ready to do chest compressions, but I had come out of whatever fog that had knocked me down and became responsive. Around 12:00 pm I had arrived at the ED where they had given me a bag on NS, Zofran for the nausea and Toradol for some inflammation management. I believe I discharged from the ED around 15:20.
1001912	2/4/2021	PR	34	F	2/20/2020	1/20/2021	After the fever of 40C, chills, tiredness, nausea, headache. Started to feel pain on the left side of my face. Next day the pain has spread to my neck and ear. On day number three they felt numb, day number four lots of pain on my jaw. Day number 5 I couldn't even swallow and had difficulty breathing. When I looked in the mirror the left side of my face was very swollen like a ball and my face looked like it was paralyzed. I went to the ER where I was seen, but it remains the same days afterwards. My cheek doesn't look the same, looks bigger and the eye is droopy, my neck and ear hurts, it is difficult to swallow. My left arm is numb and swollen.
1001866	2/4/2021	WI	57	M	2/1/2021	2/2/2021	(first 24 hours) extreme fatigue, severe headache, photosensitivity, nausea and loss of appetite, muscle aches, joint pain, neck and back aches, swollen/puffy eyes, loss of color, sudden and extreme feelings of being cold and unable to warm self, extreme shacking /muscle spasms, shooting pain like lightning in feet when moved, labored breathing, 102 temperature, (next 24) severe headache, major fatigue, loss of appetite, body, muscle aches, Joint pain. loss of color (next 12) feeling hot and sweating, headache, inability to be comfortable to sleep, color loss

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1002087	2/4/2021	TN	42	F	1/13/2021	1/14/2021	Per patients email..."Vaccinated on 1/13/21 with Moderna #1. Shortly after, my entire upper arm was swollen and redness in entire left arm. 24 hours later I started having body aches, headache and fever of 100.1. 1/15/21 brain fog, left side facial tingling, nausea, diarrhea, and fatigue. 1/16/21 had severe headache with nausea, continued fatigue and nausea. 1/18/21 bilateral lower ext?s aching and tingling from knees down. 1/19/21 woke with severe headache with blood pressure 143/123, tingling legs and generalize weakness. One hour later. Several labs were done, ultrasound of bilateral lower ext, chest xray, which were all normal. The ER physician strongly felt all of my symptoms were related to the vaccine. He prescribed Zofran, meclizine and fioricet. Advised me to return if symptoms persist or worsen. 1/25/21 facial twitching on left upper lip and below eye. I have had daily headaches and joint pain since the vaccine. All other symptoms have subsided~~
999974	2/4/2021	FL	19	F	1/15/2021	1/15/2021	non stop vomiting; headache; eyes hurt; cloudy feeling in my head; done nothing but Sleep; This is a spontaneous report from a contactable consumer (reporting for herself). A non-pregnant 19-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration on 15Jan2021 12:00 at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient previously received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE) for COVID-19 immunizatio. The patient experienced non-stop vomiting, headache, eyes hurt, cloudy feeling in my head and done nothing but sleep on 15Jan2021 14:00. There was no treatment received for the events. The outcome of the events was not recovered. The batch/lot number for the vaccine, BNT162B2, was not provided and will be requested during follow-up.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1000151	2/4/2021	OH	29	F	1/7/2021	1/7/2021	Eye twitching; This is a spontaneous report from a contactable Other HCP (patient). This 29-year-old female patient (no pregnant) received 1st dose of BNT162B2 Intramuscular on 07Jan2021 02:00 PM at single dose on Right arm for covid-19 immunization. Medical history was COVID prior vaccination. No other vaccine in four weeks. Concomitant drug was not reported. Patient experienced Eye twitching on 07Jan2021 04:00 PM. No treatment. Outcome of the event was Not Recovered. No COVID tested post vaccination. No follow-up attempts are possible; information about batch number cannot be obtained.
1000141	2/4/2021	DE	37	F	1/7/2021	1/7/2021	2 hours after receiving vaccine, I became itchy all over body and could not stop. My head, legs, arms, ears, eyes, up my nose, etc were itchy.; I did not have hives., just redness from scratching non stop; I did not have hives., just redness from scratching non stop; This is a spontaneous report from a contactable nurse (patient). A 37-year-old female patient (not pregnant) received first dose of bnt162b2 (Pfizer-BioNTech COVID-19 mRNA vaccine, Lot Number EL3248 and Expiration Date unknown) via Intramuscular on 07Jan2021 12:30 PM (vaccine location: Arm Left) at single dose for COVID-19 immunisation. The patient's medical history was reported as Endometreosis, Polycystic ovary (PCOS), anxiety and known allergies to Penicillin. The concomitant medications included duloxetine hydrochloride (CYMBALTA), topiramate (TOPAMAX), Spironolactone, Gabapentin, cetirizine hydrochloride (ZYRTEC), birth control. 2 hours after receiving vaccine on 07Jan2021 02:30 PM, patient became itchy all over body and could not stop. Her head, legs, arms, ears, eyes, up nose, etc were itchy. Patient did not have hives, just redness from scratching non stop, she went home and took Benadryl 50mg, and was still itchy, but not constantly. On 08Jan2021, patient was still itchy all day, but only needed 25 mg of Benadryl to help symptoms and it wasn't nearly as bad as day before. By 09Jan2021, the itching was gone. The outcome of event was recovered on 09Jan2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1000126	2/4/2021	NC	50	F	1/19/2021	1/19/2021	Headaches; pain/extreme body aches (worse than my fibromyalgia); a little difficulty to breath; extreme tiredness; swelling; woke up with my face swollen it went down after hot shower; Nauseous throughout the day; eyes burning; cold sores on my mouth; This is a spontaneous report from a contactable health care professional nurse, the patient. A 50-year-old non-pregnant female patient (health care professional) received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot Number: EL3248), in the right arm on 19Jan2021 13:15 as a single dose, for COVID-19 vaccination. The vaccine was administered at a Public Health Clinic facility. Medical history included asthma, Fibromyalgia and known drug allergy to penicillin. Concomitant medication included diclofenac (DICLOFENAC), clonazepam (KLONOPIN). No other vaccines were given within 4 weeks. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination the patient had not been tested for COVID-19. On 19Jan2021 20:00, the patient experienced pain started at exactly 8:00pm; extreme body aches (worse than my fibromyalgia), a little difficulty to breath, extreme tiredness, swelling, woke up with my face swollen (it went down after hot shower). Nauseous throughout the day, eyes burning and cold sores on my mouth and Headaches. No treatment was received given for the event. The clinical outcome of pain, extreme body aches, difficulty to breath, extreme tiredness, swelling, face swollen, nauseous, eyes burning, cold sores on mouth and Headaches were recovering.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1000108	2/4/2021			M	1/20/2021	1/20/2021	felt like his throat was closing up; dizziness; trouble with his vision/couldn't see right; numbness in the face; the feeling of this AE as being "intoxicated"; 15 minutes after, he started to not feel well/not feeling good at all; was not able to drive; high temperature; having chills; This is a spontaneous report from a contactable consumer (patient). A male patient of an unspecified age received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Lot number: not provided), via an unspecified route of administration on 20Jan2021 10:30 AM at single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. Patient got the Pfizer COVID-19 vaccine today (20Jan2021) at 10:30AM. Within the 15-20 minutes after getting the shot, he felt fine. About 15 minutes after, patient started to not feel well. He said he was not able to drive, he had a high temperature, he was having chills, and not feeling good at all. Patient mentioned that he also had trouble with his vision. Patient also experienced numbness in the face and dizziness. He had an ambulance check him and they told him that his blood pressure was fine and his heart rate was at 92. Patient added that he felt like his throat was closing up. He described the feeling of this AE as being "intoxicated". Patient also emphasized that he "couldn't see right". Outcome of the events was unknown. Information on the Lot/Batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1000078	2/4/2021	NY		F	1/12/2021	1/13/2021	fever of 101.5; chills; nausea; body aches; burning behind the eyes; This is a spontaneous report from a contactable consumer (patient). A 51-year-old female patient (not pregnant) received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration in the left arm on 12Jan2021 17:15 (05:15 PM) at a single dose for Covid vaccine. Medical history included known allergies to penicillin and Covid prior to vaccination. There were no concomitant medications (no other vaccine in four weeks and no other medications in two weeks). It was reported that within 16 hours the patient had fever of 101.5, chills, nausea, body aches, and burning behind the eyes, all on 13Jan2021 08:00 AM. Treatment was not received for the events. She did not have Covid tested post vaccination. The outcome of the events was recovered on Jan2021. Information on lot/batch number has been requested.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
999956	2/4/2021	NY		F	1/17/2021	1/17/2021	next to nose below right eye had the feeling of something burning/getting a feeling on face below her eye, it felt like a burning sensation; like an irritant on skin; hurt, next to my nose and as the night went on it stayed there, moving lower today; getting little red blister or some type of little things/like a little blister pustule thing, now inside lip/blisters started forming down her cheek, she can feel them still forming; getting little red blister or some type of little things/like a little blister pustule thing, now inside my lip/the blisters are down to her mouth now and there is even one inside her lip; getting little red blister or some type of little things/like a little blister pustule thing, now inside my lip/the blisters are down to her mouth now and there is even one inside her lip; This is a spontaneous report from a contactable nurse (patient). A female patient of an unspecified age received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, lot number and expiration date not provided), via an unspecified route of administration on 17Jan2021 at single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The caller was a retired nurse who reported that she got the covid vaccine yesterday afternoon on 17Jan2021. She reported that about 30 minutes after getting the vaccine on 17Jan2021 she noticed "that next to my nose below right eye I had the feeling of something burning, like an irritant on my skin, like jalapeno pepper juice or something. It hurt, next to my nose and as the night went on it stayed there, moving lower today and getting little red blister or some type of little things. I looked in the mirror, and it's like a little blister pustule thing, now inside my lip". Caller stated that she was trying to decide if she needs to go to Urgent Care. Caller states that she got home after getting the COVID vaccine, she was there for 15 minutes for observation and then within a half hour of her getting home afterwards, she started getting a feeling on her face below her eye, it felt like a burning sensation, like jalapeno pepper juice, like an irritant type burning. Caller states that little by little, blisters started forming down her cheek, she can feel them still forming. Caller states that the blisters are down to her mouth now and there is even one inside her lip. Caller was wondering if this vaccine triggered a shingles outbreak in her, even though she has never had shingles before. But caller stated that she knew people can pop

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

out with shingles after something like this, but she was just speculating, she did not know for sure that it is shingles. The outcome of the events was unknown. This case reported as non-serious. Information on the LOT/Batch number has been requested.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1000011	2/4/2021	MI	25	F	1/13/2021	1/13/2021	Hives on back, arm, knee, toe and hands; Itching on different parts of body; This is a spontaneous report from a contactable consumer, the patient. A 25-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Lot number EL3248), via intramuscular route of administration on 13Jan2021 at 13:35 (at the age of 25-years-old) as a single dose in the right arm for COVID-19 vaccination. Medical history included asthma that is fairly mild (the patient has rescue inhaler that she does not use very often, she uses it once every few months as needed. Diagnosed in early childhood when she was 4-5 years old). The patient had no relevant family medical history. Concomitant medications included an unspecified medication, the patient reported she has been taking it for years, but did not provide further information. Historical vaccine included flu shot in Nov2020, which was greater than 4 weeks prior to receiving the COVID-19 vaccination. The patient did not receive any other vaccines within four weeks prior to the vaccination. On 13Jan2021 at 15:00-16:00, the patient experienced itching on different parts of body. On 14Jan2021 at 10:00, the patient experienced hives on back, arm, knee, toe and hands. The reported clinical course was as follows: Initially, on the first day, she had itching not at injection site. It was on different parts of her body. The following day, she developed hives on her back, arm, knee, toe and hands. The patient reported it is not very severe, she did not have any fever, swelling, or shortness of breath. The patient reported some of the areas have gone down and some have inflamed more. The patient did not undergo any relevant test and reported just visual examination. The patient went to urgent care (physician office) and they said it was potentially caused by the COVID-19 vaccination. The patient was prescribed steroids by the urgent care as treatment for the events. The patient received one steroid injection of Methyl Prednisone into her buttocks and then was prescribed prednisone 10 mg tablets. The clinical outcomes of the itching on different parts of body and hives on back, arm, knee, toe and hands were not recovered. The patient was inquiring if she should get the second dose.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1000215	2/4/2021	SD	45	F	12/30/2020	12/31/2020	<p>impairing her from driving/ bothering her while driving; panic; nauseous; increasingly more and more dizziness with visual disturbances; increasingly more and more dizziness with visual disturbances/She feels things are moving that aren't; This is a spontaneous report from a contactable physician, the patient. A 45-year-old female physician received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot: EK9231, Expiry: Apr 2021), intramuscularly in the left deltoid on 30Dec2020 at 16:30 (at the age of 45-years-old) as a single dose for COVID-19 immunization. Medical history included heartburn. Concomitant medications included (dexlansoprazole) DEXILANT for heartburn from an unspecified date (reported as a year and a half). The patient did not receive any other vaccinations within 4 weeks prior to the vaccine. On 31Dec2020, the patient experienced dizziness with visual disturbances. She was having increasingly more and more dizziness with visual disturbances where today (20Jan2021) she felt nauseous from that. It was impairing her from driving because she felt things were moving that weren't and made her panic on the interstate, as of an unspecified date. It. Initially it was bothering her while driving, but now she noticed it while sitting at her desk or when she ate. It was all the time now. The reporter assessed the events "increasingly more and more dizziness with visual disturbances/she feels things are moving that aren't" as being between disabling and medically significant. The patient did not visit the emergency room or a physician's office, although stated it probably did require it. The patient queried whether to receive the second dose today as her symptoms were worsening. The clinical outcome of "increasingly more and more dizziness with visual disturbances/she feels things are moving that aren't" was not resolved, and of nauseous, "impairing her from driving/ bothering her while driving" and panic were unknown.; Sender's Comments: Based on a compatible temporal relationship causality between events dizziness with visual disturbances and BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE) cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
999950	2/4/2021	FL	74	M	1/16/2021	1/16/2021	<p>any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.</p> <p>headaches get worse at night; headache; This is a spontaneous report from a contactable consumer. A 74-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL8982), via an unspecified route of administration on left upper arm on 16Jan2021 14:00 at a SINGLE DOSE for covid-19 immunisation. Medical history included anticoagulant therapy from an unknown date and unknown if ongoing. Concomitant medication included rivaroxaban (XARELTO). The patient had the first dose of the vaccine on 16Jan2021. He has had a headache that has come and gone and after taking over the counter medication they seem to have eased up a little. Saturday night was pretty bad and Sunday night he took Excedrin before he went to sleep and when he woke up he took another half and that seemed to keep it at bay. He took two halves today and it seems to be holding the headache back. He stated it feels more like an allergy headache, the left side of his temple by his left eye is where it radiates from. He asked if other people got headaches and how long do the headaches typically last and will they eventually go away. He reported his headaches were getting lighter, but the headaches get worse at night. The patient also stated when they give the shot they don't discuss the side effects. He said they give you a sheet that lists the side effects but he stated that 25% of people having headaches is pretty significant and this should be highlighted on the sheet. He said he took 1/2 of an Equate Headache Relief caplet, and then took another 1/2 of the Equate Headache Relief caplet later. He said he tried regular Tylenol (clarified as Equate brand Acetaminophen 500mg), and the Equate Acetaminophen 500mg didn't do anything for his headache. He stated he didn't have the Equate Acetaminophen 500mg box, any longer. Therapeutic measures were taken as a result of headache (headache). The outcome of the event headache was recovering while the event headaches get worse at night was unknown.</p>

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
999918	2/4/2021			M	1/14/2021	1/16/2021	dizziness; blurred vision; This is a spontaneous report from a contactable consumer. An 85-year-old male patient received first dose bnt162b2 (Pfizer-BioNTech COVID-19 mRNA vaccine), via an unspecified route of administration on 14Jan2021 at a single dose for immunization. The patient's medical history and concomitant medications were not reported. On 16Jan2021, the patient experienced dizziness and blurred vision. The outcome of the events was unknown. Information on batch/lot number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
999902	2/4/2021	CA		F	12/26/2020	12/26/2020	Heart murmur; Increase in her blood pressure 190/105; Tightness in chest when breathing; Blurry vision; A spontaneous report was received concerning a female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced an increase in blood pressure 190/105, blurry vision, tightness in the chest when breathing and a heart murmur. The patient's medical history was not provided. No relevant concomitant medications were reported. On 26 Dec 2020, approximately 30 minutes prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Lot number: 037K20A) intramuscularly for prophylaxis of COVID-19 infection. On 26 Dec 2020, the patient received the Moderna vaccine and after 30 minutes, she experienced an increase in her blood pressure (190/105), blurry vision and tightness in the chest when breathing. She remained at the site for an hour for observation and then was brought to the urgent care. An electrocardiogram (EKG) was performed and treatment included oral lisinopril. She was sent home, and she also stated that she had a heart murmur. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the events, increase in blood pressure 190/105, blurry vision, tightness in the chest when breathing, and a heart murmur, were not reported.; Reporter's Comments: This case concerns a female patient, who experienced a serious unexpected event of blood pressure increased, and non-serious unexpected event of chest discomfort, vision blurred, and cardiac murmur. The events occurred 1 day (15 min) after first dose of mRNA-1273, lot # 037K20A. Treatment included lisinopril. Based on the current available information and temporal association between the use of the product and onset of the events a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
999881	2/4/2021			F	12/30/2020	1/4/2021	<p>after having the COVID-19 vaccine, she mentioned that she was very sick in the hospital and is now getting well; She had seizures after receiving the MMR vaccine; She described her adverse reaction by having stroke like symptoms which she described as she cannot speak; She described her adverse reaction by having stroke like symptoms which she described as having numbness in her hands, face and lips; She described her adverse reaction by having stroke like symptoms which she described as having numbness in her hands, face and lips; She also felt exhausted; she also has pain in her arm; She mentioned that she also has her vision affected/She couldn't drive/There were wavy lines all through her eyes; She described her adverse reaction by having intense headaches/She described her adverse reaction by having stroke like symptoms which she described as having headaches; She described her adverse reaction by having stroke like symptoms; She started to have hallucinations such as seeing people that weren't there, seeing snowstorms, and seeing things floating throughout the wind.; This spontaneous report has been received from Pfizer Inc, and a nurse, referring to a 65-year-old female patient. The patient's pertinent medical history, previous drug reactions or allergies, and concomitant medications were not provided. On unspecified date (reported as when the patient was younger), the patient was vaccinated with measles, mumps, and rubella virus vaccine (manufacturer unknown) (dose, vaccine scheme, route of administration, anatomical location, lot number and expiration date were not provided), as prophylaxis. On an unknown date, after received the measles, mumps, and rubella virus vaccine (manufacturer unknown), the patient had seizures. She mentioned that she did not have adverse event (AEs) with other immunizations but the measles, mumps, and rubella virus vaccine (manufacturer unknown). On 30-DEC-2020, the patient was vaccinated with the first dose of included SARS-CoV-2 spike protein mRNA vaccine (PFIZER BIONTECH COVID-19 VACCINE) (dose, route of administration and anatomical location were not provided), as prophylaxis. On an unknown date, after SARS-CoV-2 spike protein mRNA vaccine (PFIZER BIONTECH COVID-19 VACCINE) vaccination, she was very sick in the hospital. On 04-JAN-2021, she stated to experience an adverse</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>reaction described as having intense headaches, having stroke-like symptoms (cerebrovascular accident), as she could not speak (speech disorder), having headaches, having numbness in her hands, face, and lips (hypoaesthesia and hypoaesthesia oral). The patient also felt exhausted (fatigue), had pain in her arm (but for that event she reported that she was not very concerned). Additionally, she mentioned that her vision was affected, she could not drive, and there were wavy lines all through her eyes (visual impairment). She also started to have hallucinations, such seeing people that weren't there, snowstorms, and things shipping throughout the wind. It was reported that the patient wanted to know recommendations about the second shot of the SARS-CoV-2 spike protein mRNA vaccine (PFIZER BIONTECH COVID-19 VACCINE) because with her experience, she was not comfortable having the second shot of that vaccine. At the reporting time, the patient was getting well from the event illness. The outcome of the cerebrovascular accident, headache, visual impairment, pain in extremity, fatigue, hypoaesthesia oral, hypoaesthesia, speech disorder, seizure and hallucination was not reported. The causality assessment between the event seizure and measles, mumps, and rubella virus vaccine (manufacturer unknown) was not provided. The causality assessment between the events illness, cerebrovascular accident, headache, visual impairment, pain in extremity, fatigue, hypoaesthesia oral, hypoaesthesia, speech disorder, seizure and hallucination and the suspect vaccine was not provided. Upon internal review, the events cerebrovascular accident, hallucination and seizure were determined to be medically significant.</p>
1002365	2/4/2021	VA	40	F	1/11/2021	1/12/2021	<p>Swollen face, eyes lids, nose and lips. Received the vaccine on 1-11-21. Experienced left arm numbness and pain on site. Numbness subsided and pain was minimal. Went to bed and work up around 6am to face, eyes, nose and lips swollen. Barely unable to open eyes. Immediately contacted employer employee health and contacted PCP. Appointment scheduled with PCP. PCP assessment completed. Recommended prednisone for swelling. Unable to take because of previous reaction. Recommended for Benadryl to be taken every 4-6 hrs and also Ibuprophen</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1002284	2/4/2021	DE	75	M	1/25/2021	1/27/2021	Drooping right eyelid. Symptom continues as of today, Feb. 4, 2021
1000016	2/4/2021	MI	42	F	1/8/2021	1/10/2021	Left eye ball/socket soreness when moving side to side, up and down; Sinus pressure left eye; This is a spontaneous report from a contactable other hcp. A 42-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), (lot number: EI3248), intramuscular, in the left arm, on 08Jan2021 16:45 at single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. Patient received the first dose of BNT162B2 on an unspecified date for COVID-19 immunization. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient hasn't been tested for COVID-19. The patient experienced "left eye ball/socket soreness when moving side to side, up and down" and sinus pressure left eye on 10Jan2021 10:00. the outcome of events was recovering. Therapeutic measure taken as a result events included Sudafed. No follow-up attempts are possible. No further information is expected. Information on the lot/batch number has been obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1000608	2/4/2021	VA	62	F	1/14/2021	1/15/2021	Dizziness; nausea; headache; constant eye and nose drain; constant eye and nose drain; burning eye and nose; burning eye and nose; weakness; tiredness; sore lips and throat; sore lips and throat; sore on tongue; chest tightness; This is a spontaneous report from a contactable consumer reporting for herself. A 62-year-old female patient received the 1st dose of bnt162b2 (BNT162B2) at single dose at left arm on 14Jan2021 11:30 for Covid-19 immunisation, administered at hospital. Medical history included hypertension, high cholesterol, diabetes mellitus, allergies penicillin. Patient was not pregnant at the time of vaccination. Prior to vaccination, the patient was not diagnosed with COVID-19. Concomitant medication within 2 weeks of vaccination included atenolol (manufacturer unknown), losartan (manufacturer unknown), atorvastatin (manufacturer unknown), hydrochlorothiazid (manufacturer unknown). The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. On 15Jan2021 07:00 the patient experienced dizziness, nausea, headache, constant eye and nose drain, burning eye and nose, weakness, tiredness, sore lips and throat, sore on tongue, chest tightness. The patient underwent lab tests and procedures which included Sars-cov-2 nasal swab test: negative on 19Jan2021. The outcome of all events was not recovered as all ongoing now for 1 week. The events were considered non serious. Information on the lot/batch number has been requested.
1000907	2/4/2021	NY	32	F	1/15/2021	1/23/2021	I developed hives on 1/23/21 and currently still have them. Itchy skin over my entire body from the bottom of my feet, to my toes, palms, eyelids, etc. Skin turns red and raised. Initially I took 2 pills of Benadryl every couple of hours, but the symptoms only lessened slightly and were still there. I went to Urgent Care, on 1/28/21 and was prescribed 50mg prednisone daily, which I took for 5 days (as prescribed). Symptoms continued and did not lessen. I went to Allergist 2/3/21, who prescribed an antihistamine and reported to follow up in a couple of days if symptoms are still present.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1000844	2/4/2021	KS	46	F	1/12/2021	1/12/2021	Reports symptoms began one hour after the 2nd COVID-19 vaccine. Symptoms were cough, chills, site tenderness, sinus pressure, sore throat, eye pain (R), burning sensation and tingling. Seen at ED on 1/12/21.
1000807	2/4/2021	NY	47	F	2/4/2021	2/4/2021	Patient became dizzy and nauseous after receiving 2nd dose of Pfizer vaccine. Stated body felt "heavy" and hard to keep eyes open. Also reported feeling like heart was "racing~~"
1000777	2/4/2021	OH	27	F	2/3/2021	2/3/2021	Patient reported blurry vision in left eye and headache a few minutes after receiving shot. Nurse at clinic monitored her and blurriness became worse and spread to right eye. She said felt like she had her contacts out. Transported to ED by WC. Seen by doc 35min later. Given diphenhydramine 50mg iv x1, famotidine 20mg iv x1, ondansetron 4mg iv x1 and methylprednisolone succinate 125mg x1. Symptoms improved but not resolved. Offered head CT which she declined.. Pt discharged w/short course of oral prednisone and instructed to see pcp in 2-3 days and report back to ED for any acute symptoms. Our corporate health will follow up with her today as well.
1000753	2/4/2021	FL	35	F	1/29/2021	1/30/2021	Swelling under the eyes where prior hyaluronic acid filler was placed, which was in April 2019. This occurred about 20-24 hours after the second dose of the Pfizer COVID vaccine and resolved approximately 20-24 hours later without any intervention.
1000727	2/4/2021	OH	42	F	1/14/2021	1/21/2021	a week after vaccination, patient developed fatigue and weakness, SOB, eye ptosis similar to her myasthenia flares. she was admitted for IVIG and discharged 1/31

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1000159	2/4/2021	GA	65	M	1/14/2021	1/19/2021	lost partial vision in my left eye for 10 minutes; tunnel vision; This is a spontaneous report from a contactable consumer reported for himself. A 65-year-old male patient received first dose of BNT162B2(PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL3302), via an unspecified route of administration on 14Jan2021 16:00 at single dose, left arm for covid-19 immunization. Medical history reported as none. The patient's concomitant medications were not reported. Patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Allergies to medications, food, or other products reported as No. The patient experienced "lost partial vision in my left eye for 10 minutes" and tunnel vision on 19Jan2021 18:00 with outcome of recovered. On January 19th at 6 pm, the patient had lost partial vision in his left eye for 10 minutes. He had tunnel vision. The patient went to his eye doctor yesterday and his vision was fine with not noticeable issues. No treatment received for the adverse event. Events reported as non-serious. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1000636	2/4/2021	FL	73	F	1/13/2021	1/15/2021	sporadic itching mostly on chest and some on legs and arms; slight sore at the Injection site.; itchy eyes; slight redness in the corner of her eyeballs.; This is a spontaneous report from a contactable consumer or other non hcp. A 73-year-old female patient started to receive BNT162B2 (Pfizer-BioNTech COVID-19 mRNA vaccine, Lot number: Unknown), via an unspecified route of administration on 13Jan2021 at 10:00 (at the age of 73-years-old) as a single dose for Covid-19 immunization. Medical history included migraine from an unknown date and unknown if ongoing. The patient's concomitant medications were not reported. On 15Jan2021, the patient experienced itchy eyes, slight redness in the corner of her eyeballs, sporadic itching mostly on chest and some on legs and arms and slightly sore at the injection site. The clinical outcome of the events itchy eyes, slight redness in the corner of her eyeballs, sporadic itching mostly on chest and some on legs and arms and slightly sore at the injection site was resolved on 17Jan2021. The lot number for the vaccine, BNT162B2, was not provided and will be requested during follow-up.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1000176	2/4/2021	IN	81	F	1/14/2021	1/14/2021	<p>Starred to get blurred vision like a migraine; Fever/temperature was 99.8 then later that day it was 103; Sweat some during sleep, which was pretty normal; No sleep; This is a spontaneous report from a contactable Consumer (patient). An 81-years-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (lot number: EL1284; Expiry Date: 30Apr2021) on 14Jan2021 at SINGLE DOSE in the right arm for covid-19 immunisation, so she did not get the virus. Medical history included Inflammatory bowel disease. There were no concomitant medications. she was allergic to Sulfa. She had no sleep the first night on 14Jan2021. The next day on 15Jan2021 she had a fever. Her temperature was 99.8 then later that day it was 103. She took an Aspirin. Friday night on 15Jan2021, she slept alright but sweat some, which was pretty normal. Saturday morning on 16Jan2021, her temperature was fine but she starred to get blurred vision like a migraine. She took another Aspirin and it went away. Later that day her temperature was normal at 97.2. She was a pretty active person. After she had the shot around 8 AM-10 AM in the morning, at 12 or 1230 she went out and took down her Christmas lights and she thought she felt good so she was going to trim her plants and she wondered if that had anything to do with her adverse events. Her arm did not hurt or anything. She is wondering if her activity had anything to do with disrupting the medicine? She was using that arm a lot, she probably should not have done it. She will not do it again. The outcome of Starred to get blurred vision like a migraine was recovered on 16Jan2021, of other events were recovered on 15Jan2021.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1000602	2/4/2021	MI	95	M	1/20/2021		<p>My arm is little sore; This is a spontaneous report from a contactable consumer reporting for himself. A 95-years-old male patient received BNT162B2 Pfizer-BioNTech COVID-19 Vaccine, via an unspecified route of administration on 20Jan2021 at single dose for COVID-19 immunization. The patient also received apixaban (ELIQUIS), 2 dose forms (DF) every day, via an unspecified route of administration from an unspecified date at an unknown dose as blood thinner. Medical history included a bone spur in the left foot that causes the patient to limp a bit, although he is still able to move around a little bit ("he is surprised that he is still plodding along"), cardiac pacemaker insertion, body weight sometimes increasing, a trouble with his vision, so he has a restricted driver's license: he can only drive during the day time. The patient is also a hearing aid user from an unknown date and has central nervous system stimulation from an unknown date ("I have Neuraxis"). His wife says that "he has them every day". Past drug history included warfarin sodium (COUMADIN) used for years as blood thinner. The patient's concomitant medications were not reported, although the patient stated he takes a lot of medications. The patient reported that the vaccine "worked beautifully", but only after the shot he could read on the information sheet that the he should have told the provider about all his medical conditions, if he has a bleeding disorder or is on a blood thinner. Now he's reluctant to take his pills because of this warning. He feels fine, he doesn't have any problems with the shot. He only stated that his arm was little sore but that's to be expected. The patient would like to know if he can continue to take his blood thinner. On an unknown date the patient underwent lab tests connected with some kind of surgery or his pacemaker whose results were unknown. The action taken with apixaban in response to the event was unknown. The event outcome was unknown at the time of the report. Information on the lot/batch number has been requested.</p>



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1000536	2/4/2021	IL	65	F	12/20/2020	12/20/2020	Blurred vision; fatigue; dizziness; tachycardia; arm soreness; This is a spontaneous report from a contactable nurse (patient). A 65-year-old female patient received first dose of bnt162b2 (Pfizer-BioNTech COVID-19 mRNA vaccine; lot number: EJ 1685), via an unspecified route of administration in the left arm on 20Dec2020 08:00 at a single dose for covid-19 immunization. Medical history included prediabetes, spinal stenosis of right back, allergies in penicillin, sulfa and yellow jacket venom. Concomitant medication included gabapentin, metformin, paracetamol (TYLENOL), diclofenac (DICLOFENAC), zinc and vitamins. On 20Dec2020 20:00, 12 hours after vaccine administration, the patient experienced blurred vision, fatigue, dizziness, tachycardia and arm soreness. The patient did not receive treatment for the events. The patient had not tested positive for COVID post vaccination. The outcome of the events was recovered on unspecified date.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1000526	2/4/2021	NC	48	F	1/15/2021	1/15/2021	Right eyelid feels heavy; She slept all day Sunday; Extreme fatigue; Flushed feeling; lightheaded/dizzy; lightheaded/dizzy like she was going to pass out; Had a heavy feeling in her throat and chest/Had a heavy feeling on her face- had removed her mask but it still felt like she still had it on; Had a heavy feeling in her chest; Tingling sensation on her lips; Tingling sensation on the right side of her face, and cheek; Severe burning in her right ear; Sore throat on the right side; When she was speaking it sounded like she had a thick tongue; Tongue feels swollen; Pain at the base of her skull on the right side; Pain on the right side of her forehead; Pinpoint pain that went down the right side of her spine; Metallic taste in her mouth; felt off; Pain at the injection site; It was so bad that it would wake her up if she rolled over; This is a spontaneous report from a contactable Nurse reporting for herself. A 48-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Batch/lot number: EL3248), via an unspecified route of administration on 15Jan2021 at single dose (Once by injection in the right arm) for COVID-19 immunisation. The patient medical history was not reported. Historical vaccine included Hepatitis B vaccine. There were no concomitant medications. On 15Jan2021, after 15 minutes of monitoring she was fine. 5 minutes later or so (after 20 minutes), she had a flushed feeling and was lightheaded/dizzy like she was going to pass out. She returned to her office. She had someone check her blood pressure which was fine. It was 110/60. Normally it runs low in the 90s. Again, she thought she looked flushed. It was reported she had a heavy feeling in her throat and chest and on her face. She had removed her mask but it still felt like she still had it on. She had brought Benadryl with her, as she has had a reaction to the Hepatitis B vaccine before. She took the Benadryl since she felt off. She thinks this first part of what she experienced triggered everything else. By the time she got home, she had a tingling sensation on the right side of her face, on her lips and cheek. She had severe burning in her right ear. She also had a sore throat on the right side. Heaviness in her throat and chest- resolved late Saturday to early Sunday (Jan2021). Her husband noticed on Friday evening (15Jan2021) when she was speaking it sounded like she had a thick tongue. Saturday morning it was more normal. Her

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

tongue does feels swollen. She also developed pain at the base of her skull on the right side. This started about 2 hours after the vaccine. She had pain on the right side of her forehead. She had pinpoint pain that went down the right side of her spine. She also developed a metallic taste in her mouth. She had pain at the injection site. It was so bad that it would wake her up if she rolled over. On 17Jan2021, she slept all day Sunday and also had extreme fatigue. On 18Jan2021, her right eyelid feels heavy on 18Jan2021. She does not think any of these are serious, but stated they are concerning. Vaccination card does not have the NDC or expiration date on it. Patient asked is getting the second dose of the injection recommend. She is leaning towards no but wanted to see what was recommended. She has reached out to her primary care about this. Outcome of the events flushed feeling, lightheaded/dizzy, lightheaded dizzy, like she was going to pass out was recovered on 15Jan2021. Outcome of the events when she was speaking it sounded like she had a thick tongue was recovered on 16Jan2021; Outcome of the events pain at the base of her skull on the right side, pain on the right side of her forehead, pinpoint pain that went down the right side of her spine, extreme fatigue, pain at the injection site was recovered on 17Jan2021; Outcome of the events Had a heavy feeling in her throat and chest/Had a heavy feeling on her face- had removed her mask but it still felt like she still had it on, and Had a heavy feeling in her chest was recovered on Jan2021. Outcome of the events severe burning in her right ear, sore throat on the ride side, tingling sensation on her lips, tingling sensation on the right side of her face and cheek was recovering. Outcome of the events tongue feels swollen, metallic taste in her mouth, right eyelid feels heavy was not recovered. Outcome of the events it was so bad that it would wake her up if she rolled over, she slept all day Sunday, and felt off was unknown. The reporter considered the events as non-serious. Causality assessment for events for felt off, she slept all day Sunday, It was so bad that it would wake her up if she rolled over was not reported. Causality assessment for all other events was reported as related.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1000524	2/4/2021	FL	72	F	1/18/2021	1/19/2021	tends to have low blood pressure; Dizziness; she lies down and then gets up she is dizzy; tired; she might have almost fainted as the room was spinning; This is a spontaneous report from a contactable consumer, the patient. A 72-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Lot number EL1284, expiration date 0Apr2021), via an unspecified route of administration in the left arm on 18Jan2021 at 09:30 (at the age of 72-years-old) as a single dose for COVID-19 vaccination. Medical history included Reflux esophagitis, COPD and a root canal on 14Jan2021. Historical vaccinations included the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE) on 28Dec2020. Past drug history includes sore arm after COVID-19 vaccination on 28Dec2020. It was unknown if the patient has any allergies to medications, food, or other products. The patient's concomitant medications included oral famotidine (FAMOTIDINE) 20mg twice daily for reflux, (tiotropium bromide) SPIRIVA 2.5mcg, two puffs once daily by mouth for COPD, latanaprost (LATANAPROST)125mcg; one drop each eye at night for Glaucoma, (TIMOLOL) 5% one drop twice daily to each eye and (LORATADINE) 10mg; take once daily by mouth as needed for allergy. The patient did not receive any other vaccine within four (4) weeks prior to the vaccine. The vaccine was administered to the patient at the hospital. On 19Jan2021 the patient experienced dizziness and feeling tired. The patient further described that she had the vaccine on Monday and since yesterday, when she woke up, she has a lot of dizziness; and again this morning when she woke up. Also, when she lies down and then gets up she is dizzy. Mentions she didn't see dizziness on the list of side effects. She knows that is a side effect of COVID. She is asking is dizziness is a side effect of the vaccine wants to know if she should call her doctor. She continued and mentioned that she noticed when she was waking up on 19Jan2021 she was so dizzy that she couldn't get out of bed. Adds she thinks she might have almost fainted as the room was spinning. Mentions she tends to have low blood pressure but this is not typical. As far as side effects from the vaccine she mentions she is tired. The tiredness started after the second dose and has continued through today but not as bad. The clinical outcome of dizziness

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

1000232	2/4/2021		68	M	1/14/2021	1/1/2021	<p>was reported as not recovered, the outcome of fatigue was recovering and the outcome of almost fainted and low blood pressure was unknown.</p> <p>On 14Jan2021, the patient received the second dose of BNT162B2 and the first dose on 28Dec2020; extreme blurriness in left eye; Nauseous; intense headache at the base of neck up to eye socket; This is a spontaneous report from a contactable consumer (reporting for himself). A 68-year-old male patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot number: EL8982), via an unspecified route of administration on 14Jan2021 at a single dose for COVID-19 immunization. Medical history and concomitant medications were none. The patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot number: EL1284) on 28Dec2020 for COVID-19 immunization and experienced severe headache and was nauseous. The patient experienced extreme blurriness in left eye, nauseous, intense headache at the base of neck up to eye socket in Jan2021. On 14Jan2021, the patient received the second dose of BNT162B2 and the first dose on 28Dec2020. Therapeutic measures were taken as a result of extreme blurriness in left eye, nauseous, intense headache at the base of neck up to eye socket and included: ibuprofen 1000mg. The outcome of extreme blurriness in left eye, nauseous and on 14Jan2021, the patient received the second dose of BNT162B2 and the first dose on 28Dec2020 as unknown and of intense headache at the base of neck up to eye socket was recovered in Jan2021.</p>
1001015	2/4/2021	WI	18	F	2/3/2021	2/4/2021	<p>All was fine until she woke up the next morning. Flu like symptoms; dizzy, glassy eyed, sweaty, somewhat disoriented, tired.</p>
1000725	2/4/2021	GA	69	F	1/19/2021	1/27/2021	<p>Circular rash at injection site 8 days later. Lasted a couple of days. Not itchy or sore just visual and a little hard</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1003202	2/4/2021	NV	48	M	1/21/2021	1/21/2021	On approximately the evening o 01/21/21 the patient began to experience headaches. The headaches have been intermittent continuing on till the date of this report (02/04/21). The patient has been taking acetaminophen with relieve. On approximately 02/01, it was noted by coworkers that the patient's right side of the face would not move when he would talk. Around the same time, the patients right eye became watery and the patient's wife stated she noted some gurgling. Due to the onset of these new symptoms, the patient went to see the doctor on 02/04/21. Per the patient's wife, the doctor diagnosed the patient with a very mild form of Bell's Palsy and prescribed steroids to the patient. The name of the steroid was not disclosed.
1003318	2/4/2021	IN	58	M	1/5/2021	1/20/2021	Had 1st COVID-19 vaccine (pfizer) 1/5 1/13 noticed right lower eyelid started twitching (this is not a new issue for him and frequently happens when fatigued) 1/20 sharp intermittent pain in right inner hear pinna which stopped 1 week ago 1 week ago noted some slight right facial droop which has persisted 2nd vaccine given 1/26 (prior to him seeking care for symptoms) He was seen in my office on 1/29 where he was treated for Bells Palsy.
1003314	2/4/2021	FL	73	F	1/20/2021	2/3/2021	Pt arrived to emergency department complaining of RIGHT side facial droop that includes the right eye. Diagnosis by physician is bells palsy second to Covid-19 vaccination that she received two weeks prior. Pt also going to be evaluated for further neurological problem and will requiring admission to inpatient hospital.
1003307	2/4/2021	NY	52	F	12/16/2020	12/16/2020	With in 20mins of vax had episode where vision were blurred. 8:30pm had another episode of blurred vision. Lasted 15mins then went to sleep.
1003283	2/4/2021	GA	77	F	2/2/2021	2/3/2021	On 2/3 upon rising my vision was blurry for awhile. At 8PM I had Kaleidoscope Auras in both eyes. I have never experienced either of these events.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1003274	2/4/2021	AZ	54	F	2/1/2021	2/1/2021	1) Immediately noticed that I was light-headed or dizzy upon receiving shot. 2) My face started to feel numb on the left side (below the eye to the jawline and from below my left ear to my nose area. I was worried about a stroke, so I made sure that I was able to smile in my rear-view mirror. The numbness began to clear up around 8 hours later without any muscular drooping of eye or mouth. I still have tingling or a numb feeling in areas but it is not significant at this time. 3) fatigue, slight nausea, pain in right collar bone area has been present since Monday. All seem to be minor side effects.
1003090	2/4/2021	NC	66	F	1/26/2021	1/26/2021	66 yo WF with PMH asthma, allergic rhinitis, morbid obesity (112kg), chronic low back pain with sciatica, hyperlipidemia, CKD 3a, endometrial CA was at the clinic for COVID19 Moderna Vaccination. History of allergies to Paclitaxel (anaphylaxis) and adhesive tape (pruritis). Takes allergy shots 3 x week. Dose given in patient's left deltoid at 1600 (lot # 011J20A). At 1630 patient started to complain of dry eyes. Patient took 5mg levocetirizine from her own supply with no relief. Patient was registered to urgent care for further evaluation and management. Patient started to clear throat and complain her throat feels swollen and her mucus was thick. BP elevated 160's. Solumedrol 125mg IV given at 1702;
1003226	2/4/2021	NY	68	M	1/22/2021	2/3/2021	Fatigue, muscle soreness in neck and shoulders, chills, burning sensation in eyes--generally flu-like symptoms; no fever; no congestion, no sore throat. Waxes and wanes. Slight flu-like symptoms off and on from 24 hours after vaccination, but primary onset at day 12 after vaccination. 2 days duration thus far.
1003360	2/4/2021	AZ	58	F	1/29/2021	1/29/2021	severe itching, especially eyes, ears and throat
1003196	2/4/2021	MD	38	F		2/4/2021	Pt received vaccine at 1645. Pt sitting in observation for 15 min post vaccination. After 13 minutes patient reports dizziness, fatigue, eye lids are getting heavy with pressure, throat with burning sensation, difficulty breathing and clearing throat. At 1700 patient given Benadryl 25mg PO and obs for 1 hr. Symptoms resolved.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1003188	2/4/2021	MA	25	F	1/29/2021	1/30/2021	Urticarial rash over whole body including face, moderate swelling of lips eyes beginning 8pm 1/30/21. Rash most concentrated over trunk and thighs, center of face around nose. Worsened overnight (1/30/21-1/31/21) despite use of benadryl 2 tablets (50mg) night prior and every 4-6 hours following. care provider seen 1/31/21 9AM, prescribed prednisone (first dose 11AM) and advised continuing benadryl 2 tablets 4-6 hours. Prednisone 10mg TID x 3 days, 10mg bid x 3 days, 10mg qd x 3 days. Continued Benadryl every 4 hours. Rash on body and face peaked 1/31/21 3pm, mild improvement overnight to 2/1/21. 2/1//21: Rash increased in intensity on distal LEs (feet/ankles) and UEs (wrists). Appearance of petichiae on trunk, lateral thighs. 2/2/21: Rash improving, fatigue. 2/3/21: rash nearly resolved, petichiae remain 2/4/21: Rash resolved petichiae improving.
1003184	2/4/2021	VA	35	F	1/29/2021	1/29/2021	After receiving the shot at approximately 1600 (and waiting the 15 minutes at the clinic site), I returned to my desk for work. Around 1740, I noticed a slight headache, which are abnormal for me, so I thought I might have been slightly dehydrated and increased my water intake, as well as ingested 8 ounces of gatorade. The headache gradually got worse and by the time I left work at 2000 (8PM), it was so bad on the (primarily) right front part of my head (around my temple and behind my right eye), noise, light, and even my own walking hurt terribly. I have never had a migraine in my life and rarely even get headaches, but the pain of this headache far surpassed any I have experienced before and based on what others tell me, might have been a migraine. By the time I got home around 2100 (9PM), I took two extra strength Tylenol tablets and went to bed. When I awoke in the morning around 0900 (9AM), I had a slight headache that dissipated after I took two more Tylenol tablets and did not return.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1003176	2/4/2021	CO	37	F	12/30/2020	12/31/2020	I got the vaccine on 30th of Dec. Had a sore arm, runny nose, woke up the next day to puffy eyes and bruises under my eyes (still hasn't gone away) Since then I have had GI issues. Constipation. It aggravated my face. I had nausea. I had a rash on my arm and on my chest the following Tuesday. My face were tingling and very flush. I had a lot of allergy and sinus issues. Sinus pressure. This all unfolded the first few weeks after receiving the vaccine. I do have fibromyalgia. I had allergy testing done. I am allergic to bee stings. Was having a lot of vaginal issues. Watery eyes and have hot flashes followed by chills. Hives on chest. Difficulty swallowing. Rapid heart rate. I have seen three doctors that have told me my hear rate was fast. Glands have been swollen for two weeks. The night after I got the shot it was really rough with body aches.
1003173	2/4/2021	CA	61	F	1/26/2021	1/26/2021	Pt states swelling and pain to left side of face, eye and ear started on 1/26/21 later in the evening then became itchy. No prior history of reaction to vaccines. Patient saw her PCP and gave her Bactrim . NKDA and no history of cosmetic procedures.
1003166	2/4/2021	OR	45	F	1/4/2021	1/4/2021	Per RN Observer Record: 1440 Hot, flush, blurry vision. Cg stated she has a hx of PTSD and s/s feel similar to previous panic attaks. No SOB or labored respirations. Cg left observation area at 1445.
1003250	2/4/2021	FL	32	F	2/4/2021	2/4/2021	Initially approximately 5 minutes following injection hot flashes occured, continued intermittently, around 1:30pm Tingling started in right jaw in close proximity to ear, spread to approximately half way across right cheek from below eye to lower jaw, tingling sensation to base of right side of tongue that felt similar to that when you get a novicane injection, progressed to numbness to same area, tingling started to subside a few hours following, however, when touching/ applying light pressure to that area of face and progressing toward R side of top and bottom lip the feeling of pins and needles occurs, pressure sensation is felt to the right side of the face, with new addition of numbness/tingling to right side of top and bottom lip.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1003484	2/4/2021	CA	35	F	2/4/2021	2/4/2021	Patient felt faint & "tingly" with some mild anxiety post-administration. No true syncope. BP 114/68 sitting, 112/64; no orthostatic hypotension. Remained in an upright position. c/o suborbital ocular twitch x 20 seconds which was observed by this writer. Visual onset of mild swelling L upper cheekbone. Treated with cold pack to area, Benadryl 25mg IM PRN to RD, decrease in environmental stimuli, reassurance, and direct observation x 15 mins. Interventions effective; no further swelling, no s/sx anaphylaxis, anxiety & other symptoms relieved. Client observed with steady gait "I'm better~~
1002282	2/4/2021	FL	75	F	1/21/2021	1/21/2021	Came home after vaccine, and felt bump in her arm where the injection was. Didn't think too much of it. The next morning her cousin came over and compared notes, and verified she had the bump. She kept rubbing it and massaging it to break it down, and got a little sore, but nothing severe. No sickness, a little pain over her eye. Then on Friday 1/29/21, noticed a small spot on her arm, by Saturday got bigger, and today it has started moving to the bottom side of her upper arm. Is applying ice and it's getting better. Has been exercising it and stretching it as literature she found to do that.
1003702	2/4/2021	AZ	35	F	2/2/2021	2/2/2021	painful arm extrem pain that i could not move. Develoood rash all over body like hives and small bumps that same night of vaccine got worse net day and third day seems like its the same. Dr gave me steroid shot to see if rash would calm down did not help. Vert fatigue started day 2 of vaccine and diarrhea. Day 3 fatigue worsen seems like my airway is forsing to breath. mg face is numb under my eyes like between eyes n cheek bone and nose seems numb. I feel weak and even dizzy today on day 3. Not feeling myself
1003700	2/4/2021	CA	23	F	2/4/2021	2/4/2021	Time: 6 pm; Feb 4 1. Patient HR: 120. BP 131/109 2. Patient complains of neck tightening - My team immediately lowered from sitting position to lying down with legs bended. Patient feels very unease, confused, disoriented Patient complained of flickering eyes and yellow lights (was staring at overhead ceiling lights yellowish in color) Patient complained of hot chest after 10 minutes

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1003679	2/4/2021	CA	33	F	2/3/2021	2/4/2021	During a routine follow up call to staff, reported swelling on both her eyes and lips as well as severe pain on her jawline and headache. Staff advised to seek medical help. Unknown if staff went to urgent care/er. As of 7pm, staff txted she is recovering but did not confirm/deny if medical assistance was sought.
1003669	2/4/2021	MD	58	F	1/26/2021	1/26/2021	After my shot, I stayed at the facility for 15 minutes. When I started my drive home, I noticed a medicinal taste coming from the back right side of my mouth. Approximately 10 minutes later I had a numbing/tight feeling in my right jaw. This quickly traveled to the right half of my mouth, the right side of my nose, my right cheek, my right eye (even behind the eye/a lot of pressure), above my right eyebrow, and to my right ear. I called the health department. They said they could not give me medical advice and I should call my doctor or go to the ER. I called my doctor. In the meantime, the numbing/tightening somewhat subsided. However, it was still quite there and noticeable. By the time I went to sleep that night, the numbing/tingling had just about all gone away. The next day I still noticed it in the corner of my right, my mouth and right cheek. By that evening it was entirely gone. My doctor's nurse called the next day. She said my doctor still suggested that I get the second shot. However, I'm very nervous to do so. I wrote on a previous page that the time of my shot was 2:20. That was my appointment time. The time of my shot was 2:37 pm.
1003645	2/4/2021	AR	48	F	1/23/2021	1/31/2021	A few bumps or rash appeared on fingers and elbows on day 8 after vaccine. By day 11 it had continually spread. It had spread to inside and outside of both hands,painful on thumbs. On my elbow there was a half dollar sized round circle with lots of hard little bumps. It is also on both my knee caps and top and bottom of both feet. On day 11 I went to Dr and two doctors couldn't diagnose rash. But they did give me a cortisone shot.Today is day 12. Inflammation and pain in fingers and elbow has lessened but the deep itching still lingers. I've only had it on my extremities except for 3 bumps under 1 eye. They are small bumps interior of skin and no blisters. Bottom of feet hurt and make it sore to walk on.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1003327	2/4/2021	VA	25	F	1/31/2021	1/31/2021	Approximately five minutes after receiving the shot, I began to feel a burst of pain rush through my entire left arm. A few seconds afterwards, I started to feel nauseated. Immediately, I felt weak, light-headed, and tired. I began to sweat profusely, as well. I could barely move my arm to flag down one of attendants who was monitoring us. She asked me what was wrong, and I tried to describe what was going on, but I could barely talk or keep my eyes open. She radioed for help and the paramedics came over to me. They wanted to move me to a private room and asked if I could walk. I tried to walk there, but I started to fall so one of the paramedics hoisted me up to help me. They asked me some questions while they were waiting for a stretcher, all of which I could hear and understand, but I was unable to response to. The stretcher came and I laid down, but I was already starting to feel better by then. I was very out of it, but I think this entire process took maybe 10-15 minutes. I laid there for maybe another 15 minutes, and I began to be able to talk again and open my eyes. I tried sitting up and that went alright. I answered some questions for them while they took my blood pressure, monitored my pulse, and took my temperature. After another 15 minutes or so, I felt well enough to walk back to my office in the Health Department. I didn't have any other problems for the rest of the day.
1003511	2/4/2021	OR	55	F	2/2/2021	2/3/2021	Woke day after vaccination with slightly red right eye. Woke 2nd day with very red right eye. Little watery but no pain.
1003334	2/4/2021	CA	31	F	1/29/2021	1/30/2021	Swelling and mild pain/discomfort under both eyes in exact location where I had filler injections 16 months ago. Swelling peaked Saturday evening (1/30), then improved through 1/31 and completely gone by 2/1. Spoke with doctor on Saturday 1/30, who advised cold compress on the area. Did cold compress that evening.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1003479	2/4/2021	UT	60	F	2/4/2021	2/4/2021	About 3 PM she received her second vaccination for Covid. She states that she has a history of adverse reactions to flu vaccines that are anaphylactic like in the past. She usually premedicates with Benadryl and steroids. Today she did take 100 mg of Benadryl prior to her vaccination. Shortly after receiving the vaccine, she did feel like her throat was getting a little bit tight but she did not feel like it was true anaphylaxis. However she then felt very off. After this vaccine her throat started to feel tight, and she stated she did not feel well overall. She did have some tunnel vision and was shaky. At about 1730 her heart rate drops to the 30s, she started feeling itchy, and then she went into a coughing fit and started to feel her throat close. She received 0.3 mg IM epinephrine, 20 mg IV famotidine, 125 mg IV methylprednisone, 0.5 mL of nebulized racpinephrine, and 500 mL NS bolus. She has since recovered and is stable on room air.
1003472	2/4/2021	MA	43	M	1/29/2021	2/2/2021	Suspected Bell's palsy...MD felt symptoms were consistent (left side of face impacted, including ability to blink left eye)...treated by MD with prednisone and Valtrex.
1003457	2/4/2021	WV	45	F	2/2/2021	2/2/2021	EYELID DROOPINESS, LOSS OF MOTION IN FOREHEAD,EYEBROWS. PAIN OVER RIGHT EYE. TIGHTNESS ACROSS FOREHEAD.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
1003453	2/4/2021	CA	61	F	2/4/2021	2/4/2021	12:54 pm Pt reported feeling cold & feeling of throat closing. Pt calm & talkative through situation. Interpreter RN assisted with interpreting. Another RN assessed pt, negative wheezing &/or stridor, pt accepted bottle of water ingested/tolerated sips of water. Pt ambulated with RN w/o issue to have IM Benadryl 50 mg Right gluteus. Pt tolerated well. Pt prior hx allergies to PCN & NSAID?s w/side effects of laryngeal edema. 12:55 pm called over to pt, RN for 61 yo F with hx of laryngeal edema with PCN & NSAID?s. Pt states her throat feels scratchy, primary Spanish speaking w/interpreter at side. Assess pt no ins/exp wheezing. No stridor, no SOB on O/A 98% O2 sat, HR 67, with 90 SBP palp. Pt also, hx of anxiety. Pt given bottle of water with sips occasional clearing throat. No mouth/oral swelling visualized, however pt is requesting Benadryl. Pt does not have Benadryl on her & discussed with option of IM injection if pt feels she needs it. Pt not flushing, talking with staff & continues with no stridor. Pt again states she would like to have Benadryl. 1300 Per standing order with pt?s stated feels like her throat is having swelling/itching Benadryl 50 mg IM R gluteal with band aid applied. 1305 Per adm ALS called for f/u, pt continues with no distress, no stridor, no ins/exp wheezing. Pt sips on water & is talking with staff without distress. 1308 ALS on scene with update status, PMH & allergies with Benadryl 50 mg given @ 1300 IM, HR 67, O2 sat 98% RH, B/P 161/80 RA. Pt not in distress & is stating she feels much better, no throat swelling, just feels sleepy. Pt has husband in personal vehicle to assist pt home. Pt denies need for transport. 1323 Pt sitting in chair, calm & no distress, cont. to re-assess. 1330 Pt tolerated well & cleared for discharge to home with husband. Pt I/S to f/u with PCP if needed. Any SOB, increased anxiety d/t possible reaction, call 911 & will be re-evaluated. Pt consents to go home with husband driving.
1003366	2/4/2021	VA	32	F	2/3/2021	2/4/2021	Low grade fever, severe body ache, severe headache, chills, burning eyes, stuffy nose, lightheaded, tiredness

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1003538	2/4/2021	NJ	22	F	2/3/2021	2/3/2021	Began to feel fatigued around 4:00 pm, got severely cold at 6pm, teeth were chattering, temperature was 101°. I fell asleep at about 8 pm because I was so fatigued I couldn't keep my eyes open. Chills when I was trying to sleep. I was up a few times throughout the night sweating. The next morning I felt nauseous and had a bad headache and my body aches. I felt like this the whole next day and am still completely fatigued.
1003609	2/4/2021	NJ	43	F	1/28/2021	1/28/2021	Chills, fever, weakness, headache, blurry vision, loose bowel movement, rash, enlarged lymph nodes (confirmed by mammogram and ultrasound ), dizziness ; welt
1002522	2/4/2021	NC	79	F	1/14/2021	1/26/2021	79 yo female with past medical history only significant for endovascular coiling of cerebral aneurysms over 30 years ago presenting with fevers, fatigue, weakness, noise sensitivity, myalgias, and tremors. She exercises regularly and has become so weak that she cannot climb stairs. Neurological exam revealed hyperreflexia, subtle proximal muscle weakness, the presence of a startle reflex and rooting reflex, clonus, and a positive Babinski. Infectious work up has been negative, autoimmune evaluation is underway. Inpatient neurology consultation has been obtained, she was given a trial of diazepam for stiff person syndrome and started on daily IVIG on 2/3/2021 for a 5 day course. She continues to have an elevated CRP, a mild transaminitis, and mild thrombocytopenia. The ESR dropped from 44 to 20 with hydration. She has had no cognitive changes. No headache, visual changes, jaw pain. We are unable to obtain MRI given the presence of these coils which are not MRI compatible. Encephalitis immune antibodies are pending, myositis panel, MOG antibodies ADEM are pending, GAD65 antibody pending.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1002628	2/4/2021	NJ	35	F	1/6/2021	1/6/2021	Pfizer-BioNTech COVID-19 Vaccine EUA: Vaccine recipient reported that on 1/06/2021 they were administered the vaccine and suddenly developed dry throat, itching at the roof of their mouth and a headache. Thought she needed a drink of water so she didn't ask for help. She went home. Then her right eye began to itch. Then within the next 20 minutes she developed itchiness all over and her lips became tingly and slightly swollen. Vaccine recipient reported that they had a telehealth appointment occupational health and was prescribed prednisone. Then around 1115 am, she became dizzy and her heart rate increased to the 110s and developed chest tightness. By 1130 am she developed a scratchy throat and dry cough. They became dizzy after the phone call and told a family member to take them to the ED for worsening symptoms. While in the ED they received prednisone and Pepcid. During re-evaluation she improved and was discharge to home.
1002616	2/4/2021	MD	79	F	1/26/2021	2/2/2021	pt stated that she was fine and then in 2 days seemed to have fatigue. Within in 5 days pt noticed it was sore under the left arm. Within 7 days it became itchy red and swollen. Pt contacted her PCP on 2/3/2021 and she was told to take an antihistamine but she didnt take it since she has dry eyes. She used hydrocortisone to help with the itching.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1002579	2/4/2021	CA	47	F	2/2/2021	2/2/2021	Immediately upon having the injection administered, my heart rate sped up. I sat down within the waiting area for monitoring thinking that if I sat down for a bit, that it would maybe pass . Within about 7 minutes of that, I began to feel the back, left side of my throat go numb. I began to get very dizzy after that and I alerted one the pharmacy Nurses, that was on duty. She asked for me to open My mouth so that she could see if my throat was swelling & said that she didn't see anything and I was told by her that it may just be anxiety that I was experiencing and she asked me to take a few sips of water and to try and relax a bit. She resumed helping others, while I continued to sit there. It was then when I experienced a heavy onset of chest tightness and the inability to breathe. The left side of my face and jaw went numb & that's when I really knew something was wrong. I was taken outside for some fresh air and realize that I was so nauseous, more dizzy, very weak upon standing and I told the same nurse and another young lady that was assisting me that I felt like I was going to pass out and to please call EMS for me . At that time, I lost temporary feeling in all 4 limbs and I began to experience heart palpitations . I was having some trouble swallowing and I was laid down and. My blood pressure was taken. Blood Pressure was 235/130 and it was taken several times until emts arrived. It was then 200/120 and 180/112 by the time help arrived. Overall I experienced burning sensation in chest and abdomen, facial weakness and numbness left side fever loose stools weakness, shortness of brEath and chest tightness blurred vision felt like I?m out of touch with reality Malaise restless and the loss in feeling in my Limbs are slowly returning body And muscle and joint aches and pains and wheezing bouts

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1002578	2/4/2021	VA	50	F	2/4/2021	2/4/2021	Approximately 10 min after getting her vaccine she reported some mild blurry vision. She put her (fairly new) glasses on and had no further complaints. She waited at least 15 min and then left. Several minutes later she returned saying she started to feel dizzy as she drove off so she came back. We brought her directly to an exam room. BP 160/100, O2 100%, HR 82. Exam was unremarkable and patient was in NAD. She reported some sinus pressure between/above her eyes. No other sx reported including no SOB, hives, itching, swelling. She was given Zyrtec 10 mg and observed for around 25 minutes. BP improved: 150/90 then 140/88. Symptoms improved and she had no complaints including with standing & walking. She returned home safely and after that developed generalized itching without any rash/hives. Continued to deny SOB, swelling. We will check on her again tomorrow and she has agreed to keep us updated as well.
1002576	2/4/2021	SC	35	F	2/3/2021	2/3/2021	30 minutes after injection - muscle spasms in both arms from wrists to elbows 45 minutes after injection - itching, warmth, rash, hives on face, neck, chest, arms, and legs 1 hour after injection - eyes watering and inner ears itching and stinging; itching all over body 4 to 5 hours after injection - tongue swelling and tingling
1002636	2/4/2021	WA	90	F	12/28/2020	1/17/2021	On 1/17/2021 patient woke and began her day as usual, was found down by family member 1 hour later conscious but unable to speak and unable to move her R side. She was admitted to the hospital - Initial NIHSS was 26 and CT imaging showed no acute hemorrhage but mild hypodensity of greater than 1/3 of the MCA territory (TPA not recommended). CTA did show distal L M1/M2 occlusion and she was transferred to larger facility for thrombectomy. Unfortunately the patient had persistent severe neurological deficits after thrombectomy. Was discharged home on hospice care and expired on 1/23/21.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1002554	2/4/2021	PA	62	F	2/2/2021	2/2/2021	Had the second Moderna injected placed on 2/2/2021 in the late morning, and within 2 hours started feeling sore and achy. By 5:00, my eyes were itchy and burning like they were on fire, then my throat, nose, ears, and then my hands swelled up and itched and felt like they were on fire. I also had chills. I took Tylenol and Benadryl and also felt the need to increased my Flovent HFA 220 mcg from once a day to twice a day on Tuesday and Wednesday. I continued to take Tylenol and Benadryl when and as the symptoms reappeared. I only needed Benadryl Wednesday night and woke up this morning with a bit of a headache. Took Tylenol and went to work today. I feel tired and my hands still hurt this afternoon(Thursday 2/4/2021) .
1002493	2/4/2021	ME	38	F	2/4/2021	2/4/2021	I was standing in my home and had a sudden onset of heart palpitations, dizziness, hot flash, and vision began to go black. I quickly got down on the floor. I started to feel better after a few seconds, but I stayed sitting on the floor for 30 minutes.
1002467	2/4/2021		39	F	1/28/2021	1/30/2021	Two days after receiving the vaccine patient experienced flu-like symptoms, body aches, nausea, and swollen lymph nodes in the armpit. The next day she had eye and jaw pain, and burning up and down her arm which she believes is the start of shingles
1002401	2/4/2021	MO	30	F	2/1/2021	2/1/2021	Pfizer-BioNTech. I suffered from chills, headache, joint and muscle aches, and nausea. The symptoms were severe from 7:30 pm on Monday, the day of the dose (vaccine received at 9:30AM), until 5:30 PM Tuesday (approximately 22 hours). The symptoms were relieved by taking extra strength tylenol every 4 hours. The symptoms were lessened, but still present until 9:30 AM on Wednesday. I was still suffering from a minor headache all day Thursday. I also had soreness in the injection site, there was no swelling or redness that I noticed; the soreness was mostly gone by Thursday. I have had a left eyelid twitch in the past (randomly), it returned after the vaccine and was very bothersome. Today is Thursday and the eyelid twitch is still bothering me.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1002397	2/4/2021	IN	27	F	2/2/2021	2/3/2021	I had severe coldness, severe body aches where it hurt to move at all, severe vertigo to where just standing slowly made the room around me spin, severe migraine where it made my vision red, nausea and vomiting, fainting several times when attempting to go to the bathroom as slowly as possible, high fever of 101.9, swelling of the injection sight, and extreme fatigue
1005596	2/4/2021	CO	53	M	1/11/2021	1/12/2021	-Patient had Mild rash stating to cervical area on 1-12-2021 @ aprox 11AM. AT 1600 rash was rasied & itchy & Facial swelling to Lips, eyes & tongue was noted. Provider notified 50 mg PO BenadryL given with positive effects reaction resolving by 1-13-2021 Resident has never had reactions to any vaccines recieved at any Time.
1003071	2/4/2021	CA	25	F	1/28/2021	1/28/2021	7:09 patient received COIVD 19 vaccine after vaccination patient monitored by medical staff 7:20 patient c/o lightheadedness, dizziness, SOB and difficulty swallowing. patient brought into exam room at that time. SpO2 at 7:25 was 99% on RA, pulse 133 patient assessed by RN, shaky, clammy skin, no visual swelling of neck or mouth, tachycardia noted. 50 mg benadryl IM given by RN at 7:25 vitals retaken at 7:30 pulse:99 SpO2:98 on RA, BP: 140/96 Patient D/C at 8:09 with VSS. NP states continue dosing 2-4 hours with benadryl 50 mg for the first and depending on how she feeling 25 to 50 mg there after.
1003644	2/4/2021		34	F	1/21/2021	1/22/2021	Very dry eyes, more so than usual. Sometimes I have dry eyes due to contacts but this felt very unusual. It occurred the next day after receiving Covid vaccine. It only lasted a few hours then went away.
1002560	2/4/2021	CA	42	F	2/1/2021	2/2/2021	left side tingly, sorenes on left side, rib cage very sore, when breathing lungs hurted (sore) mild headache, and left eye,cheek,lip swollen and very very sleepy could not open my eyes felt a little spacey.. sore body the third day.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1002900	2/4/2021	AZ	61	F	2/1/2021	2/2/2021	Extremely sore left arm for days 1-3, On third day awoke with debilitating dizziness, nausea and headache. Dizziness was so extreme any movement sent my head spinning and I began sweating and experienced nausea. Had to go to the hospital for treatment. Dizziness continued on the fourth morning but subsides after taking 25mg of Meclizine HCL. headache continues as well. Other side effects: Complete loss of appetite Blurred vision in right eye
1003041	2/4/2021	AZ	66	F	2/3/2021	2/3/2021	About 15 hours after receiving the vaccine, I started with muscle aches. Then I got uncontrollable chills followed by a high fever. Woke up about three in the morning with a headache over my right eye that was unbearable. Took some Tylenol and woke up this morning and just have a slight headache
1002995	2/4/2021	KY	54	F	1/5/2021	1/8/2021	3 DAYS POST INJECTION DEVELOPED MODERATE TO SEVERE CASE OF SHINGLES. (SCALP TO FOREHEAD AND AROUND RIGHT EYE). NEW LESIONS STILL APPEARING ON THIS DATE OF REPORT (2/4/21). PRESCRIBED VALACYCLOVIR 1000 MG PO TID X 14 DAYS.
1002406	2/4/2021	FL	65	F	1/27/2021	1/31/2021	Developed Shingles on my forehead, scalp and eye
1002685	2/4/2021	MI	71	F	1/29/2021	1/29/2021	Eye twitch with visual shaking Migraine headache
1002967	2/4/2021	CA	43	F	2/2/2021	2/3/2021	Moderna COVID-19 Vaccine EUA: Around 4pm, began having normal side effects of fatigue, headache. That night at 12:30am, woke up with temp (99.9) and had chills. Was shaking so badly from them, i was having uncontrollable hand tremors and couldn't use my finger to type on my phone. Was awake for the rest of the night. In the morning had a 101 , also had loss of appetite, extreme fatigue, nausea, headache, weakness. But the adverse event I'm reporting is blurred vision. I think it began around 12pm on Wed, so almost 24 hours the shot. It was primarily my left eye. There was also a great deal of pressure from behind the eye. It was difficult to read. After about 2-3 hours it passed. It returned briefly again in the evening, although more mild. Today (2/4/21) when I woke up, my vision is fine and the pressure behind the eye is gone.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1002926	2/4/2021	WA	27	F	2/3/2021	2/4/2021	I woke up at 1:30am with nausea, chills, sweating, and diarrhea. I went to the bathroom and vomited, my vision started darkening. After some time sitting on the toilet I stood up to wash my hands and reach for a hair tie to put my hair up because I was sweating profusely. I felt my vision darkening again and fell to the ground. I never lost consciousness and laid on the ground for a few seconds. I felt my stomach begin to churn again so I got up and sat on the toilet and began having diarrhea again. I texted my sister to come upstairs and bring me a Tylenol and some peppermint oil for my stomach. I took 1000mg of Tylenol, rolled peppermint oil on my stomach and stayed sitting with a cold towel on my head. I was then able to stand up and go back to bed at around 3am (shortly after taking the Tylenol). The next morning I woke up at around 8:30am, still feeling fatigued and mild chills. The diarrhea and nausea are gone.
1002891	2/4/2021	OH	36	F	2/2/2021	2/2/2021	within an hour after getting vaccine severe headache started. continued thoughtout rest of day. by evening my left eye swollen red couldn't see out of it, severe headache, severe body aches, chills, low grade fevers off and on extreme fatigue, unable to get out of bed without being dizzy and nausea
1002877	2/4/2021	FL	56	M	1/13/2021	1/15/2021	Uveitis (underlying condition occurring once every 2-3 years, I was NOT in a flare up at the time of the injection), and mouth ulcers (underlying condition occurring 2-3 times a year, I was NOT in a flare up at the time of the injection). For the Uveitis I went to my eye doctor and started a prednisolone regimen and am still on it. I received the 2nd does (lot EL9264) yesterday on 3 Feb at 09:00am. The mouth ulcers were treated with oral medication-Valtrex. 2nd dose does not seem to have aggravated the above noted reactions. Other symptoms common to the injection are occurring but seem more intense after the 2nd dose (aches, low energy, some minor coughing)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1002772	2/4/2021	NJ	55	M	2/3/2021	2/3/2021	Patient presents to ED for evaluation of suspected allergic reaction. Patient was seen immediately upon arrival due to clinical status. Hemodynamically stable with suspected allergic reaction secondary to Covid vaccine. Patient was given Benadryl/Pepcid/prednisone. Patient was observed in the ED for period of 2 hours with near complete resolution of symptoms. Patient is comfortable with discharge home at this point. Will give the patient prescription for Benadryl and EpiPen if needed. Patient already has information for allergy/immunology and will follow up. Results of diagnostic testing and preliminary diagnosis discussed with patient and family members (if present) at the bedside who expressed understanding and agreed the plan of care. Patient will be discharged from the ER to follow up with primary care physician. The results of pertinent diagnostic studies and exam findings were discussed. The patient's provisional diagnosis and plan of care were discussed with the patient and present family. Vitals are stable. Patient is alert and oriented, no acute distress and nontoxic appearing. Patient was given discharged instructions and all questions were answered. The patient and/or present family expressed understanding of the diagnosis and plan. The patient understands their need and responsibility to obtain additional follow-up as instructed. Strict return precautions were given to the patient. The risks of medications administered and prescribed were discussed with the patient and family present.
1002826	2/4/2021	CA	31	F	1/26/2021	1/26/2021	Hives Lips swelling Eyes swelling Itchy skin

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1002719	2/4/2021	TX	47	F	1/15/2021	1/15/2021	Employee began complaining about a "cold feeling" in her rt arm followed by numbness and "pins and needles" like sensation. She also complained that her rt arm was feeling swollen and red. Mild redness noted upon assessment but no obvious swelling visually. Observed employee for 30 minutes after vaccine and symptoms persisted. Employee has a history of severe reactions to food and medications. Vital signs obtained and BP noted to be in 150s/90s, Hr in 90's, temperature and oxygen saturation were both within normal limits. Employee denied any feeling of swelling of face or throat, but was taken to emergency department onsite for further evaluation as her numbness continued to persist past 30 minutes observation. Employee reported that she was triaged only and was in lobby for about 2.5 hours after which time she left since she felt her symptoms were improved. She called her PCP when she arrived home and was instructed to take 25 mg of Benadryl orally. Employee reported that her symptoms completely resolved after that and that she had no subsequent symptoms.
1002820	2/4/2021	ID	59	F	2/2/2021	2/3/2021	~~Pfizer-BioNTech COVID - 19 Vaccine EUA" Developed a rash approximately one day after the injection. Worse on the top half of my body. But itchy everywhere. Upper chest and lower next is a visible rash. The rest I can feel bumps and they itch but not visible to the eye. Itching is worse on my face and neck, including my eyes and nose. I do not appear to have any other symptoms besides site pain.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1002725	2/4/2021	VA	45	F	2/3/2021	2/3/2021	Within about 45 minutes of receiving the vaccine I started getting mild hives spreading around the injection site and across my belly. I had mild wheezing and feeling of loose fluid in my brachial area of my chest. Now at 24 hr out, hives are head to toe, and I took diphenhydramine at bedtime in addition to my loratadine each AM. I've used my inhaler twice to see if that helped - it doesn't, so it's not a regular asthma attack. Today I have intermittently dealt with mild sweats, moderate chills, mild nausea, shakes (might be the inhaler as that sometimes makes me shake), headache fluxing between mild to moderate, eyes watering and lids swollen slightly with hives, injection site soreness, swelling about the diameter of a softball (interfering with ROM on left arm - I am an interpreter, so this interfered with work a lot today!), left arm from shoulder to elbow is hot to the touch, and I have had mild disconnects with my ability to focus/breaks in completing thoughts today. I am keeping my EpiPens close, just in case. I live 3 miles to the nearest ER, and someone is here with me just in case I need to go.
1002787	2/4/2021	PA	51	F	2/4/2021	2/4/2021	Numbness at left side of lip . Numbness almost like novocaine feeling at left cheek up towards left eye Tingling at back of the tongue
1002784	2/4/2021	OK	55	F	2/2/2021	2/2/2021	After an hour and a half to two hours after injection, I began to have an allergic reaction but it was slight. Cheeks turned red and under right eye was slightly swollen and slightly itchy it continued for about 45 min and then my feet and lower legs began to feel the same. The tops of my feet were red for approximately 10 min and then all symptoms subsided. No other problems afterwards
1002736	2/4/2021		46	F	2/1/2021	2/4/2021	Metallic taste, eyes watering, feeling jittery, eyes itching, needs to take deep breathe
997963	2/3/2021	NY	41	M	1/27/2021	1/30/2021	Developed Shingles left side of face around eye. Pain along left side of head and face.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
997951	2/3/2021	CO	45	F	1/27/2021	1/27/2021	Mild allergic reaction (tingling in mouth, splotchy red chest, itchy eyes) approximately 5-10 minutes after receiving the vaccine; itchy eyes and puffiness in face on and off from time of vaccine to present (7 days later); vaccine and/or subsequent mild allergic reaction triggered Functional Neurological Disorder symptoms (involuntary muscle activations in legs, face and neck, dystonic posturing of feet)
997935	2/3/2021	CA	40	F	1/12/2021	1/12/2021	angioedema of face, feet and hands. severe headache started 30 mins after injection, noticed swelling of eyes 1 hour after injection. less than 12 hours later, full facial swelling, hands and feet. continued to worsen for the next 5 days. swelling started to slightly subside day 5. fever until day 4. vomit day 3. chills until day 4. severe headache until day 18.
997930	2/3/2021	OH	29	F	2/3/2021	2/3/2021	3-4 minutes after receiving injection patient's caregiver noticed some swelling of patient's left eye. Patient did not complain of any shortness of breath, itching, hives, etc. BP and pulse ox were normal, but some wheezing was noted by a physician in the vaccine clinic. Patient was transferred to our ED for further evaluation. The ED did not hear any wheezing, and the patient's caregiver said that the swelling of her eye appeared to lessen. She was treated in the ED with IV Benadryl, Solu-Medrol, and Pepcid. Was discharged approximately 2 hours later.
997880	2/3/2021	NY	23	F	2/3/2021	2/3/2021	Immediately after receiving the 1st dose of the Moderna vaccine, patient lost consciousness for approx. 1 minute. Code Blue activated, VS taken, and patient placed in a recumbent position. After regaining consciousness, patient reported "ringing" in her ears and blurry vision. PO fluids and snack encouraged and tolerated well. Patient refused hospitalization and on-site MD recommended for the patient to be sent home.
997784	2/3/2021	MA	33	F	1/27/2021	1/27/2021	1/27 afternoon -Foggy, forgot what she was doing . 1/27 evening -full body shaking. Felt she could not grasp with right hand. Right eye pain, throbbing. 1/29 Loose stool. 1/30 Loose stool , nausea, shaking, lethargy. 1/31 - felt better. Right hand grasp still felt off.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
997852	2/3/2021	MI	32	F	2/2/2021	2/2/2021	about 8 hours after getting the injection she developed a headache, her vision gets blurry then feels dizzy. At times per her fitness watch her heart rate goes up to 120 and normal is the 60's for her. She has fatigue and reports feeling like jello inside. She reports a feeling like she had a fever the night she got the vaccine
997709	2/3/2021	GA	79	F	1/27/2021	1/27/2021	Immediately had visual disturbance: couldn't focus clearly. And felt tingly-sensation all across chest, deep inside, very uncomfortable and scary, and couldn't get a deep breath. Visual problem lasted about 1 hr.; chest/lung feeling lasted about 5-8 mins., tightness in chest lasted about 10-15 mins. Later in afternoon had pain/edema at injection site, left shoulder joint pain. As of today, 2/3, it's minimal.
997982	2/3/2021	OH	59	F	1/27/2021	1/28/2021	approx. 24 hrs after I was feeling chilled through out the day. still taking my 800mg ibuprofen q 8hrs. At 9pm 1/28, I was really cold and tired, arm and back of neck very sore and tender. Took warm shower and to bed. Wokeup at 4am and was drenched and sweaty, changed clothes, drank some water and back to bed. Slept total of 11 hrs. 1/29 woke up with a headache and arm and back of neck very sore and tender. Eyes were watering terribly. 3hrs after taking my 800mg advil I took my temp and it was 99.9' but I usually run 96.9' and I did feel warm. Tired that rest of the day. 1/30 I took last 800mg advil and felt ok.
998144	2/3/2021	IL	33	F	1/29/2021	1/29/2021	Severe Dizziness, Nausea, Chills, Confusion, Stomach Pains, Body Aches, Bad Headaches, Blurred Vision, and Shortness of Breath
997740	2/3/2021	OH	59	F	1/7/2021	1/7/2021	45 minutes aFter vaccination starTed nausea/dizziness, Quickly escalated to vomiting, Hyperventilating, increased B/P 200+/130+, decreased Responsiveness, tunnel vision, pin point pupils and no response to verbal and tactile cues For about 10 minutes. Transported to Hospital. Have Residual HTN.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
997739	2/3/2021		37	F	1/24/2021	1/25/2021	01/25/2021-1/26/2021: photophobia, headache, general exhaustion, left shoulder discomfort 01/31/2021- dyspnea, tachypnea, palpitations, nausea, indigestion, dizziness, blurred vision, tremors/shaking 02/01/2021-on-going: dizziness and intermittent blurred vision and palpitations
997864	2/3/2021	TX	68	F	2/3/2021	2/3/2021	Patient reports feeling/having blurry vision (slightly), she states she has history of having blurry vision when she is anxious and she is anxious today. Symptoms stopped before patient left the observation area and after being seen and cleared by EMS. BP 161/87, HR 68. Instructed patient to call PCP, 911, or go to the nearest emergency room for any further issues.
997998	2/3/2021	WI	58	F	1/11/2021	1/11/2021	day one 3 hours after vaccine dizziness, headache, fatigue. day 2 migraine, vomiting, photophobia, nausea w/vomiting, fatigue and muscle aches. two episodes of facial, arm and leg numbness, top of head hurt to touch, ear and teeth sensitivity only on right side. Day 3 migraine, nausea, photophobia, fatigue, decreased vision due to swelling of cornea. Day 4 tiredness, symptoms diminishing, right eye blurriness, cotton wool spot right eye retina up to current, getting smaller in picture taken at eye Doctor as of 2/3/21. right side tooth sensitivity and ear ache to date.
998035	2/3/2021	MI	58	M	2/3/2021	2/3/2021	Moderna COVID-19 Vaccine EUA Patient received first COVID-19 Vaccine (Moderna Lot #011M20A) at 11:17. He was waiting his half hour post vaccine to go back to cell and then got held in gym for count. Around 11:55 he presented to healthcare staff with c/o diaphoresis, chest "tightness", blurred vision, and "tasting ammonia". Vitals 193/121, HR 73, T 98.3, sPo2 98% RA. Inmate taken to HC via wheelchair accompanied by MP. 12:10 Chest pain "8" BP 196/111, 1 SL NTG given, oxygen via 2L n/c admin, spo2 96% up to 98%, EMS called 12:15 Chest pain "6" BP 182/111, 1 SL NTG given, Blood Sugar 105, EKG hook-up 12:17 EKG, Sinus Rhythm w/ inverted T waves, no acute ST changes 12:20 Chest pain "5" BP 182/105, 1 SL NTG given, inmate chewed 325 mg ASA 12:25 BP 185/111, CP remains "5", IV started with NS gtt 13:08 off-grounds for hospital evaluation

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
998053	2/3/2021	PA	76	F	1/31/2021	1/31/2021	Starting on 1/31/21 patient was very fatigued and continued to worsen until today (2/3/21) where the patient's son called 911. The patient was in a complete haze and very foggy. The pt would not open her eyes or respond when her son would ask her any questions. EMS arrived and did not take her to hospital. Stayed with her in the home for awhile and waited for recovery. EMS had her eating and drinking until she would open her eyes. They advised son to continue to give her liquids to continue recovery.
998066	2/3/2021	MA	69	F	1/22/2021	1/22/2021	States had vaccin 1/22/21, did okay initially, felt thirsty , drank coffee afterwards and felt better, went home after, had some "shimmery vision - like things see brighter which is slightly better, also felt body buzzing - which resolved, hands are shaky which is persisting (as of 1/25/21) ; no thrt closing or resp sx,
998123	2/3/2021	AZ	79	F	1/28/2021	1/29/2021	Severe vertigo; pressure in the ears; eye nystagmus drastically worsened; Strong intense pressure in the head (not a headache); Fatigue
998143	2/3/2021	CA	82	M	2/1/2021	2/1/2021	Ten hours after I had a Severe allergic reaction. My eyes were itching and watering. I was incredibly nervous and anxious. I couldn't relax or sleep. NO SHOULDER OR ARM PAIN. Swelling and puffiness in my face ( eyes, nose, and sides of my head). I was fine the next day.
998208	2/3/2021	NY	53	F	1/1/2021	2/3/2021	Migrane, Chills, Fever, Back aches, Foot pain . I couldn't lift my arm at the injection site. Vomiting, eyes hurt
998219	2/3/2021	CA	47	F	1/15/2021	1/15/2021	Employee complained of itchyness, blurry vision, feeling dizzy 10 minutes after vaccine was injected, and then complained she feels burning sensation in her throat. Denies difficlty of breathing, headache. Transported to ED and treated with Benadryl. Took Benadryl for 3 days. Headaches lasted about 1wk and took ibuprofen. Employee reported she had hives for 3 days after her 1st dose. Took Benadryl. This wasn't previously reported to us.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
997701	2/3/2021		36	F	2/2/2021	2/2/2021	Had tingling and numbness from vaccine site to fingers - left arm. Also had intermittent tunnel vision. Given Benadryl 50 mg po without relief. Taken to ED. Given Pepcid 20 mg IV and methylprednisolone 125 mg IV with improvement of symptoms. Discharged home.
996916	2/3/2021	NJ	81	F	1/18/2021	1/19/2021	trouble with dry eyes; infection in her eye; blood sugar 54 mg/dl two hours after dinner with insulin, 147 mg/dl after candy, 85 mg/dl after oatmeal without insulin, 196 mg/dl after; This is a spontaneous report from a contactable consumer (patient). An 81-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number: EJ6796), via an unspecified route of administration in the left arm on 18Jan2021 11:00 at a single dose for COVID-19 immunization. The patient's medical history included ongoing type 2 diabetes mellitus, bladder cancer from 2005 and ongoing (cleaned it out, but has to go for check ups every 6 months), stent in artery in neck on right side on 2011, atrial fibrillation (Afib), knee total replacement on 2010 and on 2015, and ablations on Jan2010 and on Jun2010. Ongoing concomitant medications included insulin lispro (HUMALOG) and insulin glargine (LANTUS) both for type 2 diabetes mellitus. She took her regular insulin last night (19Jan2021) at dinner time and her blood sugar went down to 54 mg/dl about 2 hours later. She ate some candy and it went back up to 147 mg/dl. This morning (20Jan2021), it was 85 mg/dl. She just had oatmeal without taking any insulin which is unusual for her. She just took her blood sugar again and it's 196 mg/dl, which after eating oatmeal is not really high. The patient want to know if anyone else had this response. She felt great afterward and didn't even felt it. She also had an incident with an infection in her eye yesterday (19Jan2021), but the doctor didn't think it was related to the vaccine. She just had one little tingle of it on an unspecified date and went right to the doctor and they gave her medication for the infection. She has plugs in both eyes so she has trouble with dry eyes on an unspecified date. Outcome of the eye infection was recovering while of the remaining events was unknown. Information on lot number/batch number was requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
998220	2/3/2021	CA	35	F	1/19/2021	1/19/2021	2 hours after vaccine I developed headache, burning/hot feeling in eyes and fatigue. That night I had chills, fever, full body joint pain, nausea, heavy head feeling, muscle pain and left arm pain at injection site. The next day I had severe painful swollen lymph nodes to left clavicle and under left arm. Second night I had ongoing fever, chills, muscle pain, fatigue and overall feeling under the weather. 7 days after I had right leg pain from thigh to ankle. Till today I still have generalized fatigue and swollen lymph nodes (although they are smaller that before)
998227	2/3/2021	IN	45	F	1/11/2021	1/11/2021	Since the vaccine I have experienced tingling of lips and face. The past few days I have started experiencing more tingling/twisting sensations on left side of body and some weakness of left side of body as well as twitching of left eye.
998135	2/3/2021	KY	27	F	2/1/2021	2/2/2021	Severe headache that made face and neck and arms tingle, stiff neck, pressure in face, head, eyes, neck and arms; bodily aches; fatigue (these symptoms do happen to me occasionally due to pre-existing fibromyalgia, however after the 2nd vaccine dose these symptoms were the most intense I had ever experienced); nausea
996951	2/3/2021		67	F	1/30/2021	1/31/2021	Large red injection site , whole body tingling sensation, face burning, eye lid and brow itching, eye itching, lymph nodes in neck, arms and especially groin area(hurt the most) burning on right side of foot and heal, all over body aches and tiredness, headache
998518	2/3/2021	NM	82	F	1/27/2021	1/28/2021	unable to see out of her left eye (pt is blind in the right eye due to macular degeneration)
998256	2/3/2021	KY	40	F	2/2/2021	2/2/2021	Approximately 4 hours after receiving the vaccine, she experienced blurry vision, stated it was hard to focus and felt some generalized numbness. RN at her side, checked BP 156/94, pulse 90. Patient awake, alert and oriented. RN called 911. EMS arrived approximately 10 minutes after the call. Patient taken to Emergency Department for evaluation.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
996596	2/3/2021	IA	25	F	1/8/2021	1/8/2021	Very itchy arm that has persisted, this far, to a month after getting the vaccine. At the injection site and around that general portion of my upper arm. Sometimes it's perfectly fine, sometimes it's red or pink and either will or will not be itchy as well. If I scratch at it too much, which I try really hard not to but it's really hard not to, and then the little rash-looking areas turns into a small area of mini skin hives. Still redish/pink and itchy. Then I try not to mess with it for the most part, but it's just consisted since then. Idk if this is a me problem, specifically cause I got some weird skin hive stuff going on actually on my eyes at night (randomly) that randomly occur. And that started way before I got the vaccine. With the hives on my arms, it will persist for a while at a time and go away before coming right back again as itchy as ever. It's been basically every single day since I got my vaccine that these side effects have been going on. #StillSupportIt lol. (:
996597	2/3/2021	CA	19	F	1/27/2021	1/30/2021	3 days after second dose of Pfizer vaccine, (01/30/2021), went to emergency room for facial droopiness and numbness on the left side. Was diagnosed with Bell's palsy in the ED. Currently taking prednisone (60 mg - once a day). Valtrax (1mg - 3x a day), Erythromycin eye ointment (.5% - 4x daily)



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
996734	2/3/2021	MA	86	F	1/12/2021	1/13/2021	<p>Congestive cough; Weakness; didn't have an appetite; legs felt stiff, or almost frozen; Severe muscle weakness/extreme weakness was only in her mother's lower body; tremendous fatigue/Tiredness; Couldn't walk; This is a spontaneous report from contactable consumers. An 86-year-old female patient (mother) received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration at left arm on 12Jan2021 10:15 at single dose for COVID-19 immunization. Medical history included ongoing chronic obstructive pulmonary disease (COPD) for years; COVID-19 Virus from 23Apr2020 to an unknown date, patient was not on a vent or in the ICU but did receive plasma as part of her COVID-19 Virus treatment; ongoing cough. Caller's grandmother had Multiple Sclerosis. There were no concomitant medications. The patient received her first Pfizer COVID-19 Vaccine dose, and had significant side effects. Patient weight was 175 lbs as provided by caller, who stated her mother recently moved into an independent living facility, and gained weight because the facility has a really good pastry chef. Patient height, reported her mother shrunk, and was 5'5-1/2". Reported her mother couldn't walk after receiving the first dose. She said her mother was not able to walk the next morning, 13Jan2021. The caller stated she had to spend 3 days with her mother, after her mother received her first COVID-19 Vaccine dose on 12Jan2021. Reported she thought initially what her mother was experiencing was either neurological or muscular. She said it was like her mother's brain wanted her to move, but her mother's legs wouldn't move. She said her mother needed to use a walker and have someone hold her from behind. She said now, at a week later, her mother still was not back to normal. She clarified her mother needed a walker to maneuver around, but didn't need someone holding her from behind. Reported she assumed her mother may have had tiredness, weakness, severe muscle weakness from receiving the first COVID-19 Vaccine dose. She clarified if her mother wasn't able to walk after receiving the first COVID-19 Vaccine dose, then what her mother had was the epitome of weakness, and the weakness was only in her mother's lower body. She said her mother had tremendous fatigue on days 2, 3, and 4 after receiving the first dose. She said her mother was able to function</p>

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

as of 19Jan2021, but her mother couldn't keep her eyes open during that time period. Reported her mother developed a congestive cough. She said her mother's cough was not continual, but persisting. She stated her mother said the cough was there before she had her first dose of the COVID-19 Vaccine. The caller stated she disagreed with her mother. She said her mother has COPD, but her mother was not a cougher. She said her mother's cough now, reminded her of the cough her mother had when her mother had the COVID-19 Virus in 2020. She clarified her mother was tested on 23Apr2020 for the COVID-19 Virus, and diagnosed positive for the virus on 24Apr2020. The caller said she was perplexed by her mother's cough, and her mother will be seeing her doctor this Thursday, 21Jan2021. She said she gave her mother some Robitussin for the cough. She said her mother's cough was not persistent, but the cough was still there. She said her mother's cough was not constant, but her mother's cough was congested. She said she didn't know when her mother's cough started. She said she thought giving her mother the Robitussin doses was kind of insignificant, because her mother did not have a constant cough, where she needed to take the Robitussin. She said her mother didn't even use half of a normal sized Robitussin bottle. Caller stated she did not have the Robitussin UPC, Lot, and Expiration Date. Reported her mother has an annual lung x-ray and MRI, clarifying she believed her mother had both within the past 3 months. Reported her mother was concerned about receiving the second COVID-19 Vaccine dose. She said she told her mother that it was better to get the second dose of the COVID-19 Vaccine than to get the COVID-19 Virus again. Reported her mother had asked her primary care doctor if she should get the COVID-19 Vaccine, and her doctor told her absolutely. She said her doctor told her she needed to take the COVID-19 Vaccine even if she had the plasma treatment with the COVID-19 Virus in Apr2020. Reported she planned to stay with her mother after her mother received the second COVID-19 Vaccine dose. She said she didn't anticipate her mother having a reaction after the first COVID-19 Vaccine dose because people said most reactions are happening after getting the second COVID-19 Vaccine dose. She said now people are reporting having reactions after the first COVID-19 Vaccine dose.

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

Reported she thought her mother's side effect after having the COVID-19 Vaccine to be unusual, since most people say it feels like they have the flu, or they are tired, or they have a headache. Reported her mother not to be able to walk wasn't that her mother was not walking, but that her mother's foot wouldn't move. She said mother not walking was either neurologic or muscular, unless that is what extreme weakness is. She said she wondered if others have experienced what her mother has. She said if her mother was experiencing just extreme weakness, the extreme weakness was only in her mother's lower body, not in her upper body. She said her mother didn't have an appetite, but her mother was not too weak to put a spoon to her mouth. She said her mother couldn't move her legs, and her mother said her legs felt stiff, or almost frozen. She said if her mother had extreme weakness, and couldn't walk, what did that mean. She said if a person is really tired, the person can still move and get out of bed. She said her mother said she was really, really tired, and couldn't move. The caller said her mother said she couldn't move, and it took her mother 20 minutes to get her legs over the side of the bed. She said her mother not being able to move her legs could be extreme weakness, but observing her mother first hand, she said it looked like her mother not being able to move her legs was neurologic. She said her mother was strong in character and body, and her mother would do everything she could in her body to move, but it was like her mother's brain said "go", and her body said "not now". The outcome of the event Congestive cough was not recovered, of the other events was unknown. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
996741	2/3/2021	IL	59	F	1/18/2021	1/18/2021	Roscia-major flare occured in eyes/Continued to worsen over next 24 hours; severe itchiness; This is a spontaneous report from a contactable other Health Professional (patient). A 59-year-old non-pregnant female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL3246), via an unspecified route of administration on 18Jan2021 08:15 at single dose in left arm for COVID-19 immunization. Medical history included non allergic rhinitis and vestibular migraines. The patient had not known allergic, but very sensitive to SE. Concomitant medications included "sensimist", naproxen sodium (ALEVE), progesterone, estradiol. The patient had no covid prior vaccination and did not had covid tested post vaccination. The patient previously took the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EJ1685), via an unspecified route of administration on 28Dec2020 08:45 at single dose in left arm for COVID-19 immunization. No other vaccine was received in four weeks. The patient experienced roscia-major flare occurred in eyes within 2 hours of second vaccine on 18Jan2021 09:00. Continued to worsen over next 24 hours. Necessitated a trip to eye dr. Have never had a flare this serious. In addition, severe itchiness day vaccine given. Took antihistamine (Allegra) second day which solved issue. The event was resulted in doctor or other healthcare professional office/clinic visit. The patient received Neomycin & Polymyxin B Sulfates & Dexamethasone Op as treatment. The outcome of the events was recovering.; Sender's Comments: A causal association between BNT162B2 and the reported events cannot be excluded based on a compatible temporal relation. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
996744	2/3/2021	OR		F			<p>Huge swelling around my eyes and redness and tenderness; My left eye was swollen shut; Huge swelling around my eyes and redness and tenderness; My left eye was swollen shut; Huge swelling around my eyes and redness and tenderness; My left eye was swollen shut; This is a spontaneous report from a contactable consumer (patient). A 64-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot number EL0140) via an unspecified route of administration on left arm on an unspecified date at a single dose for covid-19 immunization. The patient had a heart condition and a stroke. The patient concomitant medications were not reported. The patient stated that she had a when I had the shot on the 13th (not clarified) and end up going to urgent care on Friday. She had a huge swelling around her eyes and redness and tenderness and her left eye was swollen shut. She went to urgent care and got some antibiotics and some cream to put on it. The patient had not any lab test. However, she did have microblading done to her eyebrows, three days before she had the shot. The patient wanted to know if it was because she had the microblading done and then she got the shot. The outcome of the events was unknown.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
996777	2/3/2021	CA	61	F	1/6/2021	1/1/2021	She wore sunglasses in her house because the light bothered her eyes; Eyes felt dry; Loss of vision in right eye; Hole in her retina; Bad headache for 3 days; This is a spontaneous report from a Pfizer Sponsored Program. A contactable consumer reported similar events for 2 patients. This is 1st of 2 report. A 61-year-old female consumer (patient) received 2nd dose of BNT162B2 (Covid Vaccine, lot number: EL1248) on 06Jan2021 at single dose in the right arm for COVID-19 immunisation. Medical history was not reported. Concomitant drug included Multivitamin, Vitamin C, Vitamin D Zinc all from Mar2020 and ongoing. Historical Vaccine was 1st dose of BNT162B2 (Batch/lot number: EK5730) on 18Dec2020 in the right arm. Patient got COVID vaccine and a few hours later or the next day she started getting a hole in her retina and started losing her site in right eye. she went to the doctor as she has a hole in her retina. Again, this may be totally unrelated but she wanted to call and get this reported. She is going to see a retinal specialist this afternoon. After she had her COVID vaccine she had a bad headache for 3 days. She wore sunglasses in her house because the light bothered her eyes. She noticed this on 16Jan2021 because she was looking at paperwork and her eyes felt dry. She blinked a few times and had opened one eye alone, and she noticed that her left eye was fine but the vision in her right was not. This could have been going on longer. She just never closes only one eye. When both are open, her vision is normal. She saw the eye doctor yesterday, and that is when they said she had a hole in her retina. They said she will have to have surgery to close the hole. She knows she is at the right age for this to spontaneously happen, but just in case it is related, she wanted to report it. Outcome of the event Loss of vision in right eye was Not Recovered, for headache was recovered, for other events was unknown. No follow-up attempts are needed. No further information is expected.; Sender's Comments: Linked Report(s) : US-PFIZER INC-2021046804 same reporter, AE and drug, different patient
996810	2/3/2021	MA	29	F	1/27/2021	1/28/2021	Blurry Vision, headache,dizziness, armpit pain, increased heartrate ( 165) , high blood pressure ( 195/110 ) leg pain, muscle aches

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
996908	2/3/2021	AZ	56	F	1/16/2021	1/16/2021	This is a spontaneous report from a contactable consumer (patient). A 56-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiration date not provided), via an unspecified route of administration on 16Jan2021 21:30 at single dose for covid-19 immunisation. The patient's medical history and concomitant medications were not reported. On 16Jan2021, the patient experienced right side of her eye was completely blood shot. This morning 17Jan2021 there seems to be a raised vessel which is dark red in the same eye. The patient was not in pain, nothing scratching. The outcome of the event was unknown. Information on the lot/batch number has been requested.
996940	2/3/2021		53	M	1/20/2021	1/23/2021	On 1/20/21 I received the vaccination. The next day I felt achy but not in distress. On Saturday 1/23/21 I woke up with hives on my left arm and chest and a swelling on my left eye. I took benadryl which had no effect. The next day the hives had progressed to blisters, my hand swelled and my eye had almost swollen shut. I contacted my health care advisers and they prescribed prednisone. This reversed the reaction and the wounds are healing. I have pictures of how I looked.
996941	2/3/2021	GA	47	F	1/19/2021	1/24/2021	right side neck pain, pain behind right ear and jaw with constant headache and heaviness in right eye. Symptoms started suddenly 5 days after vaccination without any trauma or change in my daily routine and are still present at this time. Pain relieved by Nsaids for about 4 hours then symptoms return.
996950	2/3/2021	TX	35	M	1/28/2021	1/28/2021	I had a fast beating heart felt like anxiety as my pulse read regular on my watch. My right side of my face around the cheek, eye, and ear area began to tingle and feel numb around 20 to 30 min. After the shot was administered. It was only on the side of my face that Moderna covid vaccine was given. It ended up going away after 4 hours or so. The next day I had normal reactions to the shot for someone that had covid such as low fever, muscle inflammation, aches, and this brain fog, chills in my sleep.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
997687	2/3/2021	MA	41	F	1/3/2021	1/30/2021	On 1/30/2021, I developed a mild headache followed by an acute change in my vision. I went to the emergency room 24 hours later after the symptoms had not resolved and was found to have a left superior quadrantanopia and a 2.3cm x 1.9cm hemorrhage in my right occipital lobe. I was admitted to hospital and discharged today 2/3/2021. My headache has resolved but I continue to have a visual field deficit. I had been scheduled to receive the second dose of Moderna on 2/1/2021 but was unable to receive it due to my hospitalization.
997170	2/3/2021	MN	53	F	1/21/2021	1/28/2021	On 1/28/21, I experienced a temporary blind spot in my left eye, which lasted for about 30-45 minutes. When the vision was restored, I had a frontal headache.
997233	2/3/2021	HI	54	M	1/19/2021	1/19/2021	tunnel vision; little woosy; This is a spontaneous report from a contactable consumer reporting for himself. A 54-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL8982) in left arm on 19Jan2021 08:30 at single dose for COVID-19 immunization. Medical history included shellfish allergy, asthma and high cholesterol; all from an unknown date and unknown if ongoing. Concomitant medication included simvastatin. The facility where the most recent COVID-19 vaccine was administered was in the hospital. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. The patient experienced events as stated, "like I was seeing tunnel vision and a little woosy" on 19Jan2021 13:00. No treatment was given to the patient for the events. The outcome of the events was recovered on unspecified date. The events were considered non serious as it did not result in death, was not life threatening, did not cause/prolonged hospitalization, were not disabling/incapacitating and were not a congenital anomaly/birth defect.
997271	2/3/2021	PA	63	F	1/25/2021	1/28/2021	Systemic: Other- 1/28 early morning visual disturbance, lost balance and fell,lasted until mid day wednesday 1/28



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
997286	2/3/2021	NY	31	F	1/28/2021	1/30/2021	24 hours after second vaccine, pt developed rash/erythema over eyelids, cheeks and face. Benadryl improved the rash, improved further on steroids
997289	2/3/2021	OH	75	M	2/2/2021	2/2/2021	Chills that could be described as almost violent, temp. of 103.00, dizzy, terrible headache all starting around 11:30pm on the same day as injection. The next morning continued headache that hurt my eyes, temp. of 100.5, dizzy
997524	2/3/2021	GA	64	F	12/17/2020	12/17/2020	muscle swelling; welts/hives; muscle pain; eyes swelling; tongue swelling; shut throat; blood pressure elevated; This is a spontaneous report from a contactable consumer (Patient). A 64-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number: eh9899, expiration date not reported), via an unspecified route of administration on 17Dec2020 15:15 at single dose on right arm for COVID-19 immunisation. Medical history included heart disease from an unknown date and unknown if ongoing. No Known allergies to the patient currently. The patient was not pregnant. Concomitant medication in two weeks included Rosuvastatin. The patient received the vaccine in hospital. No other vaccine administered in four weeks. The patient experienced muscle swelling, welts/hives, muscle pain, eyes swelling, shut throat/tongue swelling, and blood pressure elevated hospitalization continued symptoms now for 35 days. All adverse events (AEs) started on 17Dec2020. AEs resulted in Doctor or other healthcare professional office/clinic visit, Emergency room/department or urgent care and Hospitalization for two days. Patient received treatment (medications, IV's EKG many test) for AEs. No COVID prior vaccination. Patient did COVID tested post vaccination, COVID test post vaccination included Nasal Swab on 02Jan2021 with result of Negative. The outcome of events was not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
997528	2/3/2021	NY	42	F	1/27/2021	1/27/2021	Symptoms immediately following the vaccine on Wednesday; tachycardia, shortness of breath, dizziness. Symptoms the following day on Thursday; tachycardia, shortness of breath, weakness, fatigue. Symptoms on Friday; tachycardia, shortness of breath, weakness, fatigue, diarrhea, cough, loss of control of extremities, debilitating headache, nausea, dizziness. Symptoms on Saturday; chills, tachycardia, shortness of breath, weakness, fatigue, diarrhea, cough, loss of control of extremities, debilitating headache, nausea, dizziness, blurred vision, sensitivity to lighten and sound, sore throat, stuffy nose, ringing in ears. Symptoms on Sunday to current 2/3/21 tachycardia, shortness of breath, weakness, fatigue, diarrhea, cough, loss of control of extremities, debilitating headache, nausea, dizziness, blurred vision, sensitivity to lighten and sound, sore throat, stuffy nose, ringing in ears.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
997554	2/3/2021	NJ	39	F	1/27/2021	1/27/2021	I received COVID vaccine #1 on 6 Jan 21. Shortly following the vaccine I turned very red and felt very hot. The next few days I experienced a very bad headache and flu like symptoms. On 9 Jan 21 my left eye felt very irritated and had redness. I was seen by optometry on 11 Jan 21 and was diagnosed with a corneal ulcer. I received COVID vaccine #2 on 27 Jan 21. I was observed for 30 minutes based on the first vaccine experience. I got very flushed, red, and hot and very itchy. I felt lightheaded and not right. I had hives behind my ears and on my chest. I notified one of the vaccine staff who gave me 25mg Benadryl by mouth and took my vitals. The staff observed me for another 45 minutes. Once I went outside the back of my throat felt very itchy. I felt like I had something in my throat and I had to keep trying to clear my throat. I got very red, hot, and itchy again. I went back inside to tell the staff. They gave me an epi pen injection into my right thigh and called the ambulance. I was taken to the ER to be evaluated. Two days later I noticed the back of my throat was very red and my uvula was large and elongated. I called the clinic and was given cough drops and Cepacol. I have been experiencing hives, redness, and feeling very itchy. To a point I have been having to take Benadryl. I took the 5 days of steroids and ended them on Monday. Yesterday, 2 Feb 21 I woke up and my right eye was bloodshot, irritated, and uncomfortable. I was seen at Urgent Care and prescribed Ofloxacin 4x a day for 10 days. They did not notice any scratches or anything. My right eye is still uncomfortable and red. I am currently on day two of the eye drops.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
997619	2/3/2021	PA	45	F	2/2/2021	2/2/2021	Within 40 minutes my arm started to ache badly. About 15 minutes after that while I was driving my head started to feel strange - almost lightheaded. Within a couple of minutes my eyes involuntarily went to the left and the right and then my vision went black (this all happened in a matter of seconds). I stopped at a store and felt light headed and confused/brain fog. That continued at home for around 2 hours. The pain in my arm continued to get worse. I woke up several times throughout the night with pain in specific sites. Today I was unable to go to work because of the full body muscular and joint pain, muscular weakness, headache, pain behind the eyes, and feel like I have fluid in my head (kind of like when you have a cold). I had a significant reaction after the first dose as well (1/5/21 Moderna Lot 026L20A) but it was completely different - mainly arm pain, fever, chills, extreme fatigue, and what feels like fluid retention. I gained 9 pounds without changing anything diet/exercise following the injection. On day 10 a large red welt appeared on my arm at the site of the injection. On 2/1 my Endocrinologist sent me for lab work and urinalysis. Those results are not back. I likely would not have reported any of this if it wasn't for the visual occurrence with the mental confusion and lightheadedness. I have never experienced anything like that in my life.
997673	2/3/2021	NJ	66	F	2/2/2021	2/3/2021	Feeling cold with chills, stuffy head, slight headache 2/2, 5p (day of injection), woke up 2/3 9a, with stuffy head , slight headache, and black eye (allergic shiners?)
997678	2/3/2021		38	F	1/6/2021	1/12/2021	4 days post covid vaccine dose 1 I developed pain and lymphadenopathy in my right axilla (the arm the received the injection). 2 days later (6 days post vaccine) I developed an itchy area around the vaccine site, redness (approximately 3 in x 3 in), intense pain, and swelling. I was concerned this was a cellulitis vs delayed vaccine reaction and kept an eye on the area. I consulted a MD I work with who stated to keep an eye on the site. Symptoms began to subside 2 days later but it wasn't fully resolved until approximately 10-11 days post injection.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
996947	2/3/2021	MD	69	F	1/25/2021	2/1/2021	Large red spot on are at site of the injection, 3 in by 6 in. swollen and itching. headache just for a day, itchy eyes and nasal drip similar to allergies, sores on sides of tongue similar to thrush,
999182	2/3/2021	CA	44	F	2/2/2021	2/2/2021	Pt received Pfizer dose #1 and was stable/asymptomatic after 15min monitoring period. she reports on the way to her car she began to feel tingling on the left side of her neck that radiated to the jaw/cheek/lower eye on the left. VSS on check x2. Case discussed with doctor and Pt deemed stable to DC home
998875	2/3/2021	TX	43	M	1/27/2021	1/30/2021	Ever since the 3rd day after taking the 2nd shot. I have had about a degree of fever during the day and night. Every night since last Tuesday January 27th I have woken up drenched in sweat multiple times a night. Assuming this is a fever breaking. I reported this to my doctor today and he advised me to go to this site. If it continues I will see him next week. I have also had chills and eyes burning during the day ever since the 2nd shot. The day after the 2nd shot my fever went to 101.5. But I did not think that irregular since I heard that was a possibility. The days after though I dont think are a regular vaccine event.
998885	2/3/2021	IL	30	F	1/20/2021	1/27/2021	Minimal side effects day of/after injection (01/20/21): headache, chills. No further side effects until 01/27/21: dull headache began; swelling, itching, redness, firmness around injection site lasting until 01/28; eye swelling evening of 01/28. Swelling brought under control with benadryl, but dull headache persists until today 02/03.
998896	2/3/2021	IL	77	M	1/22/2021	1/22/2021	Patient began complaining of dizziness and changes in vision (but no loss of consciousness) following 1st dose of COVID-19 vaccine. Patient was also diaphoretic and hypotensive with blood pressures of 82/57, 80/36 mmHg. No wheezing or respiratory distress were noted, and the patient did not endorse any changes in sensation/tingling/itching to face, lip or mouth. Patient was taken to the ED for monitoring. Workup in the ED was negative, and the patient was discharged home.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
998902	2/3/2021	MD	60	F	12/29/2020	12/29/2020	Prolonged HA starting after receiving Pfizer COVID-19 vaccine on 29 Dec 2020-over 2 weeks. No fever/nausea/vomiting/photophobia/visual disturbances. Felt like a constant "vice grip". Not relieved with NSAIDS. Has a history of occasional migraines, but this HA presenting very differently. Resolved after 2 weeks. She did receive dose 2 on 1/19/2020 without recurrence of HA or ant concerning side effects.
998936	2/3/2021	CO	87	F	1/27/2021	1/28/2021	Patient presented to the emergency department for evaluation of lightheadedness after receiving second Moderna vaccine the previous day. Patient was eating breakfast when she started feeling lightheaded. Patient subsequently experienced some nausea. She does endorse a minor headache overnight, but none today. No visual changes no numbness or tingling extremity abnormal weakness in extremities. Patient received IVF and zofran with symptom improvement. Able to discharge home without further escalation of care
998943	2/3/2021	AZ	84	M	1/21/2021	1/21/2021	Blurred vision, off balance, low blood pressure. Sent to ER and was admitted to hospital. Tested negative for Covid19 on 1/25/2021 at hospital. Returned to community 1/26/2021 and was sent to the ER within hours of being back from hospital. He remains at the hospital and will be returning on hospice.
998947	2/3/2021	IL	58	F	2/3/2021	2/3/2021	Patient received 2nd dose vaccine as scheduled. 12 minutes after administration patient complained of nausea and a severe headache. The headache became more intense on the back of her head, and included tingling sensations, and radiated down her neck. Patient also was slow to answer our questions, as she said she felt "funny" . Patient stated that she does get migraines by her eye, but nothing like this. A provider was called in to evaluate patient, and provider advised patient be seen in ER. Patient transferred to ER within building via stretcher. Patient was evaluated, given some IV medications, and ok to discharge to home.
999006	2/3/2021	FL	35	F	2/2/2021	2/2/2021	Numbness to right side of tongue, spread to lips to entire right side of the face, pain in the right and right jaw, right eye itching and dry, Neuro exam, given high dose predizone,

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
999069	2/3/2021	NY	51	F	1/29/2021	1/29/2021	On Friday, 1/29, after receiving the vaccine, I experience a headache, sharp right side pain in my neck, jaw, and ear. On Saturday, 1/30, I woke up, and the right side of my face was numb, and my right eye would not blink. I went to ER. When they took my vitals, I had high blood pressure and fever. They did a CT scan of my head and admitted me. I was diagnosed with Bell's Palsy. I was discharged on Sunday, 1/31, with medications: Valacyclovir 1 gram three times a day and Prednisone 20 mg three times a day. I was instructed to followup with a neurologist, immunologist, ophthalmologist, and my primary care physician.
999102	2/3/2021	ND	67	M	2/3/2021	2/3/2021	PATIENT WAS IN WAITING AREA AFTER THE VACCINE. HE HAD REDNESS IN HIS EYES, HAD DIFFICULTY BREATHING, RASH ON BOTH ARMS, AND WAS SLIGHTLY WARM TO TOUCH. WIFE REPORTED PATIENT HAS HISTORY OF ANXIETY ATTACKS, ASTHMA ATTACKS, AND ALLERGIC REACTIONS TO FOOD.
999105	2/3/2021	CA	68	F	2/1/2021	2/1/2021	I felt foggy and disoriented and tired within a half hour of receiving the vaccine. I felt pain in my arm traveling to my underarm. After an hour I felt like the inside of my skin was prickly and tingly, my face was flushed and burning. I was so tired I had to lay down. I just stared into space. There was ringing in my ears. My heart rate was a good 20 beats per minute faster than normal. By bedtime, my face was slightly swollen and I was unable to read because the letters were jiggly. I had a traveling headache from the side to the top of my head through my eyes. My breathing was more rapid and shallow. I felt intermittent chest tightness. And pain. The next morning, I felt better, but the prickly skin continued and my chest and back were sore. I had intermittent cramping in my feet and was sore in my joints. My arm was very tender. I was still tired and my heart rate was still elevated. I did not sleep well and got up frequently during the night to walk around. By the third day the prickly skin was almost gone, but I have had cramping in my chest and feet. I am very tired. I still have an occasional traveling headache.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
998844	2/3/2021	CA	18	M	2/3/2021	2/3/2021	pt presents w/ swelling bil eyes, no swelling noted to face, no other s/s, pt in no distress, eye swelling subsided w/in 30 mins. A&Ox4. mother with son, released home & encouraged to continue to monitor and report additional or adverse reactions to physician or to call 911 if difficulty breathing, pt will take benadryl po at home. mother states that this happened with 1st dose.
999177	2/3/2021	PA	52	F	1/15/2021	1/15/2021	About 15 min after getting vaccine my lower lip started to feel a little tingly. About 45 min after that my chin started to feel a little numby/tingly. Within another hour the numby/ tingly feeling went up the left side of my face stopping at my eye. The feeling was similar to when nova cane is wearing off after dental work. I had this facial sensation until midnight when I went to bed. It also appeared that about an hour after the shot I noticed my tongue looked purpled which did not last long before it appeared to return to normal color. Exactly 2 weeks after the vaccine, my chin became numb and tingly and I felt a funny feeling in my right eye, almost like an allergy feeling. This lasted approximately 2 hours before dissipating. I have never had this happen to me before. On day 4 after the vaccine I did feel like I was getting sick and was fatigued this lasted for about 4- 5 days before feeling better and back to myself.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
999373	2/3/2021	NY	34	M	1/25/2021	1/25/2021	1/25/21 1100: received vaccine 1500: head/nasal congestion started 1900: headache started and I became more lethargic 2000: severe headache with pressure behind the eyes 2100: body aches started specifically in the neck and then progressed to lower back and Tylenol was taken. Afebrile at the time. 2300: temperature of 100.2 1/26/21 0300: awoke with severe rigors, chills, soaking wet bed sheets and massive headache. Nauseous, very lethargic and 1 mild episode of diarrhea. Temperature of 100.6. Took more Tylenol. Insomnia started and was sleeping at 20min intervals. 0500: awoke again with chills and extreme fatigue and moderate body aches. No more nausea or diarrhea. Called in sick to work. 0700: fever of 101.1. Took more Tylenol. Finally got some sleep. 0900: fatigue and body pain still 1000: fever of 102.5 and took more Tylenol. 1200: fatigue and still will headache despite fluid hydration all night and morning. 1400: temperature of 100. Fatigue improving but still in bed since 8pm the night prior. 1600: fever of 101 and took more Tylenol Most Symptoms resolve after 36hrs and went to work the following day with fatigue, neck pain and headache.
999193	2/3/2021	NY	44	M	2/3/2021	2/3/2021	Checked sugar when I got home at 5:30pm, sugar was 570. More insulin was used as my sugar is never that high. Experienced blurry vision, and not completely oriented
999213	2/3/2021	NY	49	M	2/3/2021	2/3/2021	About 1 hour after the injection, he noted tingling in his tongue bilaterally. A few hours later, tongue felt numb (both sides) and noted drooling out of his mouth. Drooling is has lessened over the day but still has tongue feeling numb. Per report, RNs checked him at work and had symmetric face and reports no visual changes to his face. No other facial symptoms. Has soreness/aches and fatigue this evening and arm is sore at the injection site but that started later.
999226	2/3/2021	NJ	66	F	2/2/2021	2/3/2021	Sty in left eye and cold sore on upper lip
999281	2/3/2021	PA	57	F	2/3/2021	2/3/2021	My left eye hurts and feels like it's twitching. It is also getting puffy and once in a while a sharp pain shoots through my eye. Thanks.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
999306	2/3/2021	NY	51	F	1/27/2021	1/27/2021	Severe headache Blurry vision Joint pain Nausea Vomiting Chest tightness Left arm tightness Lower back pain Congestion No energy Could not get out of bed
999321	2/3/2021	ID	76	F	2/3/2021	2/3/2021	Patient reported being flushed, dizzy, and having blurred vision. We gave her water and kept monitoring her to evaluate for 30 minutes to see if she needed to get checked out in the adjacent urgent care. She felt better after waiting for 30 minutes and did not need to seek treatment.
999329	2/3/2021	CA	67	F	1/30/2021	1/31/2021	Swollen eyelids Intense fatigue Swollen tongue Pressure in head Tinnitus
998267	2/3/2021	CA	49	F	1/5/2021	1/5/2021	COVID moderna vaccine side effects; Allergy ; morphine sulfate 1st dose 1/5/2021: numbness of left arm and right fingers ; left shoulder muscle inflammation for about 4 days and on the 7 th day then lymph node inflammation for about 4 days ; took nsaid for those days ; 2nd dose 2/2/21 ; left arm numbness; and pain ; numbness on the right fingers; Bodily heat, nausea ; sweat. Temp 98.8 then 99.0 Bp; 124/79; then 115/73 Very tired ! Went home from work . Felt nauseated. After taking shower felt weak and light headed ; almost fell. Went to sleep early . Throughout the night felt chills and bodily aches and headache; got up at 5:30 am ate a piece of bread with milk ; noticed left eye sight was blurry and both eyes had pus around them; and swollen ; took Tylenol 1000mg the chills and aches lessened after 3 hours .

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
999387	2/3/2021	AK	45	F	1/11/2021	1/12/2021	The day after the second shot, I developed upper right sided chest pain and pressure, lateral to the sternum extending at times to mid-clavicular line. Sometimes it felt deeper than surface. I do have a scar from my port which was removed in 11/2020 and the location of the pain correlated at times with the scar but not consistently. I thought the pain was sore muscles since I had done some light weight exercises with my arms the morning of the vaccine. But the pressure aspect of it was different than sore muscles. And I could feel a localized pain when I swallowed or burped, like it was on the inside of my esophagus. The pain didn't seem to hurt with deep breaths. I thought it'd get better if it was related to muscles and the vaccine, but it just seemed to linger. I tried mylanta to test the esophagus theory and it improved. Then after a few more days of not resolving, I saw doctor. My biggest concern and fear at that visit was breast cancer recurrence. I was envisioning and enlarged node in my chest or lung. Eek! I had had a couple episodes at some point of painful swallowing prior to all this that I recalled in the visit so we opted to do an EGD. He also prescribed omeprazole which seemed to help. Had EGD done on 1-27-2020. Normal except for a loose GE junction which wasn't a surprise since I occasionally experience reflux. I'm seeing my oncologist next week for my usual 3 month visit. Thankfully the pain has almost resolved. Pressure is no longer there. Feeling way less anxious about cancer recurrence.
998442	2/3/2021	WA	26	F	1/8/2021	1/8/2021	received Moderna lot #025L20A at 1445. at 1503 she notified observer of nausea, dizziness, and spots in her vision. Moved to a dark quiet room and had her lay down. Per her report she has only gotten 3hrs of sleep the last two nights. Vitals stable at BP 126/88 (102), HR-65, 97%, and 36.8. Rechecked vitals throughout stay remained stable. Laid down for 15mins and then sat up. After feeling good sitting up she had water, juice and crackers. At this point she reporting feeling much better and headed home after 30mins in the first aid room and 45mins after getting the vaccine. Requested that tell staff about this prior to getting second dose.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1000868	2/3/2021	CA	93	F	1/12/2021	1/13/2021	Chief complaint: redness on skin; redness right eye first, then left Patient informed immunizer on the second dose date; per nurse. MD checked out with no problem/concern in the eyes.
999153	2/3/2021		78	F	1/25/2021	2/3/2021	After eight days, my arm began itching at the site of the injection and when I checked on it, I saw that there was a rash. The rash was a number of small raised red spots and it was slightly swollen around the injection site. I called the Covid-19 medical line and spoke with a doctor there who asked me if there was a weal, which there isn't at this point. He suggested that I keep an eye on it and see if it turns into a weal and get in touch with you and fill report an adverse event.
998348	2/3/2021	MA	48	F	1/27/2021	1/30/2021	Shingles or HSV1 bilateral systemic rash on back and foot. swelling and vascular changes in eyes. Bi-lateral rib pain cough and chest pain that lasted 5 days headache fatigue for more than 5 days
999414	2/3/2021	NY	26	F	2/3/2021	2/3/2021	Patient experienced upper eyelid swelling and throat tightness
998819	2/3/2021	CA	71	M	2/3/2021	2/3/2021	On 2/3/21 a 71y/o Male arrived to the library to receive a CoVID Vaccine from County Fire. Pt received Vaccine and during 30minute observation period pt began to have symptoms of SOB and Eye irritation. Pt was evaluated by Fire/EMS Staff.Pt c/c was SOB. Pt was evaluated by on site paramedic with no treatment. Pt was offered transport to local hospital but pt refused. Pt Signed AMA after hospital contact. For Further record of pt vitals, information, and care reference EMS PCR HCFA2021-00007716 Incident #HCFA2021-00007716
998307	2/3/2021	TX	49	F	1/29/2021	1/29/2021	Immediately, her eyes started to itch and water. She took a puff on her inhaler. She was observed by onsite paramedics. She was allowed to leave after 30 minutes with no progression of symptoms. Later that evening, she began wheezing and was fatigued. She continued to have symptoms over the weekend. She saw her allergist on Monday Feb 1, who restarted her Singulair and advised to not get the 2nd dose. Her symptoms are improving today, but remain.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
998375	2/3/2021	TX	34	F	1/6/2021	1/6/2021	0845: generalized weakness, headache, and all over tingling sensation (hard to put into words,) 0900: noticed difficulty in swallowing and swelling bilateral side of the neck from top of the ear to bottom of neck. Throat felt slightly tight, not all the way around the esophagus; pressure from the sides. 0902 notified the desk that I was having a reaction 0902 was brought back into triage and vital signs were taken: heart rate in the 70's, blood pressure within normal parameters, oxygen was 100% on room air and respirations were within the normal parameters. The 2 nurses did an focused assessment, no hives or rash, swelling present face ( eye, lips, or face) Just swollen in the neck area. 0905 25mg Benadryl po -liquid was given 0915 vital signs were retaken and vital signs were in the same range as previously mentioned. The nurse asked if I could stay to monitor signs and symptoms. 0930: I felt like the swelling was going down slightly. 0955: Was rechecked by the nurses and was released. Was told to monitor symptoms at home and go to the er if anything should change. **times might slightly vary per what is stated, tried the best to my ability to recall the exact time line

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
998394	2/3/2021	KY	41	F	1/14/2021	1/16/2021	Will call back later this week with lot number. Two days later my body started tingling, I ended up leaving work early. I called the doctor who said and take some Benadryl and rest it off. I was nausea all weekend and slept most of the weekend. I went to work on Monday and worked through Thursday. Friday 1/22/2021 afternoon my body began tingling again, I became so weak that I couldn't walk. I had to leave work early and they made my husband come pick up because the staff at my job did not think I was safe to drive. I was nauseous again. I had major diarrhea and vomiting about a week after receiving the vaccine. This lasted around 3 days. I finally went into the ER on 1/24/2021. They treated me Magnesium and Potassium and 2 bags of IV fluid and said I was dehydrated and sent me home. I went from the ER and I could not sleep that night, the ER gave me so much Zofran it was just to much. I still continued to throw up at home. Went back to ER this time in on 1/25/2021 around 5AM I was losing feeling in my fingers and toes, they were completely numb. I was also still vomiting. They said I my electrolytes were still out of balance and gave more nausea medicine, medicine to help with the cramping and more IV fluids. I was sent home later that afternoon. I went to work on the 26th, I felt slow to react, trouble concentrating, very lethargic, and off balance. I was still nauseous but it was getting better with medicine. My eyes yellows turn straight yellow, I thought I had jaundice. I was able to work all day. I left work and when I pulled into driveway at home 7:01 PM and EMS was in front of my house 7:14 PM. I went inside and went to bathroom and my husband found me and I was having a full blown seizure, foaming at the mouth. EMS took my to ER and I was treated for a seizure and an elbow injury and went home. I have seen the neurologist and my physician since being discharged. They did more blood work. I have been having high blood pressure since then. I am trying to get an MRI scheduled that my neurologist ordered. They started Keppra 500 MG to control the seizures. I have been taking Tizanadine for muscle spasms from the elbow injury when I feel during the seizure. I did have an MRI 6 months ago.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
998415	2/3/2021	PA	71	F	1/15/2021	1/15/2021	15-30 min developed symptoms of chest tightness, vision abnormality -described as increased vision acuity "like someone on amphetamines". Symptoms would come and go for about 20 hours and then resolved
998464	2/3/2021	NY	96	F	2/3/2021	2/3/2021	Patient reported feeling dizzy after vaccination. Patient's blood pressure was taken and trended high - it was 140s-150/80. It was high 10 minutes after vaccination. Patient was instructed to stay seated and wait under supervision for 15 more minutes. Patient was given water and BP remained high, ~140/80s. Over the entire course of observation, the patient's pulse was normal (80 BPM).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
998565	2/3/2021	NC	71	F	2/2/2021	2/2/2021	<p>Pt noted after approx 15 minutes a tingling/burning sensation of tongue At 4:45 pm. No associated SOB, facial swelling. She does have prior anaphylaxis reaction to pineapples for which she carries and epi Pen but has never needed to use. Cardiac exam RRR Lungs CTA bilat HEENT, no visible erythema of face or tongue and no noteable facial swelling. She was agreeable to 25 mg dose of diphenhydramine and another 15 minute observation. During this time, she began to feel anxious and a mild headache. Vitals at that time were notable for bp 178/81, HR 101 and o2 sat 98%. Still no SOB, facial swelling or other new complaint. She felt improvement in anxiety within 5 minutes, and repeat vitals in 10 min with BP 152/83, HR 89 and O2 sats 96%. She still continued with mild sensation change of tongue, but no facial swelling. She does have benedryl at home but I also sent her home with additional 25 mg dose in case she noted recurrent symptoms on the way home. She understands to seek emergency care with any worsening symptoms, or new SOB or facial swelling. She can also use her EPI pen if needed. She felt comfortable returning home- husband picked her up. I will call her to check in this evening and in the morning and will provide updated recommendations regarding second dose of vaccination. I spoke with patient at 8:09 pm - she was at home- feeling much better, however, she did take the second diphenhydramine on the way home, as she began to feel she was having some swelling between her eyes. No SOB Or trouble swallowing. This improved with the second benedryl and has not recurred. She will take an additional 50 mg benedryl before bed, and then she awakes before 6 am- if she has any residual symptoms she will take another dose. Again, she understands to seek emergency care with any worsening symptoms, or new SOB or facial swelling. She can also use her EPI pen if needed. She felt comfortable with this plan. We also reviewed current CDC guidelines and she understands at this time we would not recommend she receive the second Vaccination. She will continue to follow CDC in the event that this recommendation changes. I will submit a VAERS report after following up with her in the morning. ADDENDUM 2/3/21: I spoke with patient again on 2/3/21 at 07:45 am. She is feeling almost completely back to baseline this morning, but planning to take 25 mg diphenhydramine this morning as</p>



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							well. She does note mild headache, which is not abnormal for her. No residual tongue sensitivity or facial swelling. She noted that when she got home last night, she felt very sleepy and sedated from the diphenhydramine and went to bed, and did not take an additional dose of diphenhydramine last night. No SOB, trouble swallowing or any new complaint. No urticaria or itching. We reviewed current CDC recommendations to decline second vaccination given her moderate severe allergic symptoms within first 4 hours of first vaccination. She will follow up with PCP or kidney specialist if she has any continued concern with ongoing symptoms or new issues. She was very appreciative of the followup and care provided.
998574	2/3/2021	IA	50	F	2/1/2021	2/2/2021	Floaters in vision; first noticed 2/2/2021 around 0900. First noticed when going outside in the snow and sun. Not any worse today (2/3/21).
998589	2/3/2021	TX	42	F	1/22/2021	2/2/2021	She was sent to emergency room Feb 2, 2021 by her PCP after calling him with headache, found elevated BP by school nurse, 163/95, vomited x3, left hand numbness but resolved upon arrival, decreased vision brief right visual disturbance. denies fever nasal congestion, sore throat, cough, chest pain. EKG NSR 95, head CT-no acute intracranial abnormality, UA and blood work completed
998594	2/3/2021	AZ	75	F	2/1/2021	2/2/2021	My wife has glaucoma and the shot has affected her vision.
998807	2/3/2021	OH	54	F	12/18/2020	12/28/2020	Impaired right eye vision. 01/29/2021- Retina Specialist diagnosed: Hemiretinal Vein Occlusion Right Eye. Will begin treatment for ocular injections in the next week
998764	2/3/2021	CA	80	F	2/3/2021	2/3/2021	Dizziness, lightheadedness, sweating, diaphoretic. Patient is diabetic, had high BP, dizziness, loss of hearing, tunnel vision, emotional/crying. Patient was given juice, observation done, vital signs monitored, glucose checked, pulse ox checked. Patient improved after interventions. Patient verbalized feeling better and was discharged to home/self care with husband @ 1:15PM.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
998303	2/3/2021	CA	47	F	1/30/2021	1/31/2021	I was disoriented & confused the day after I got my last vaccine shot. I didn't know how to even send a text message. I've had a headache since I got the last vaccine, dizzy, blurred or abstracted vision.
998720	2/3/2021	NY	26	F	2/3/2021	2/3/2021	15mins after the injection " reported feeling faint and stated her vision began tunneling" BP 86/55 temp 98.2 O2 sat 97% HR 63 Lay down with water and snack 10 min after 105/72 5min 112/78 , denied feeling lightheaded, dizzy or any other symptoms when she left .stated almost fainting in the past from injections~~
998638	2/3/2021	CA	21	F	2/3/2021	2/3/2021	After receiving the vaccine, she started to faint, slumping over her chair and fell to the floor. Her eyes were blinking quickly. She was breathing rapidly. She whispered that she was scared. I told her to take deep breaths to try and calm her. I asked if she felt hurt or if she has any trouble breathing. After about 3-5 minutes of lying on their ground, she became more alert and asked me if she fell from her chair. She didn't recall falling or that she said she was scared. I had her sit up and asked how she felt and if she had any symptoms of an allergic reaction--she said no. after another minute or 2, she was able to stand up on her own with no lightheadedness nor dizziness. I walked alongside her to another seat and she sat for another 25 to 30 minutes--she said she was completely fine before leaving with her sister
998686	2/3/2021	IA	25	F	1/19/2021	1/19/2021	Fever as high as 103.8, fatigue, stomach pains, vomitting, dizziness, blurred vision
998749	2/3/2021	VA	49	F	2/1/2021	2/2/2021	Nausea, pooping, swollen eyes, etching hand / feet, aches, fatigue.
998677	2/3/2021	OH	55	F	2/3/2021	2/3/2021	Patient began to feel very hot, skin became very red on chest and face and sudden headache app. 15min after administration of vaccine. Patient was sitting, alert and oriented. Teary eyed. Offered water to drink and cold cloth. Began to feel better. Monitored for additional time and left clinic feeling better app. 50 min after administration.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
998671	2/3/2021	UT	74	F	1/27/2021	1/27/2021	1/28/2021 received her 1st dose of Pfizer COVID-19 vaccine yesterday and about an hour later started experiencing numbness of her nose, mouth and tongue, she also felt eye pressure and thought she was going to have a migraine but never got a migraine. Now (about 19 hours later) the numbness is about 75% resolved. not too concerned about it and would like to receive her 2nd dose of vaccine. So far she has not had any other notable adverse reaction. will call me next week to follow up. 2/3/2021--called and reports that still experiencing numbness of her nose, mouth and tongue but it has resolved a little
998664	2/3/2021	MD	45	F	1/3/2021	1/10/2021	Developed diffuse hives on upper chest 1/10/21 - resolved after PO Benadryl. On 1/13, developed facial rash with swelling of eye and tongue. Treated in ED with IV and PO Steroids. d/c to home after observation . No sequella.
998649	2/3/2021	CA	67	F	2/1/2021	2/2/2021	Dizziness, headache, eyes feel numb, tired. Symptoms started 1 hour after injection, and have continued for over 44 hours.
998643	2/3/2021	OH	42	F	1/28/2021	1/28/2021	Flu like symptoms, elevated heart rate, slight dizziness, weird vision, slight fever one day, anxiety, weakness.
998696	2/3/2021	OK	60	F	1/26/2021	1/27/2021	Day 2 had fever of 101.9, chills nauseated Since getting 2nd shot both eye are itchy and sight seems blurry. My eyes were check in December
994751	2/2/2021	NH	26	F	12/31/2020	1/1/2021	Right eye was found to be swollen at 0600 the morning after receiving the vaccine. It completely resolved within 2 hours

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
994742	2/2/2021	WV	70	M	1/23/2021	1/24/2021	On 1/24/2021 states on that Sunday his tongue became numb and developed pain behind right ear. Took ibuprofen, went to bed that even. When he awoke the next morning, Monday, 1/25/2021, the right side of his face was disfigured, puffy, and his mouth was drawn down. He drove to family member approximately 1 hour away and upon arrival, family member took him to local hospital. MRI was completed and returned with diagnosis of Bell's Palsy, which was confirmed by three physicians at the hospital. Was informed may take 6 - 8 weeks for full recovery. Was discharged with prescription for Lacrilube eye drops, Vibramycin, Prednisone (Deltasone), and Valtrex. One 1/29/2021 had follow up visit with neurologist and was told to discontinue Prednisone. Neurologist researched injection follow the 1/29/2021 visit. Client received call from neurologist on 2/1/2021 and was instructed was able to take second dose of vaccine, physician was not 100% sure same issue would not occur with second dose.
994729	2/2/2021	WY	80	M	1/26/2021	1/29/2021	Noticed facial drooping on the left side starting on Friday night and symptoms increasing. Went to urgent care on Monday morning. facial drooping increased over the weekend also left eye was irritated from lack of moisture and did not close or blink without extra effort. wore a patch and lubricated over the weekend. Diagnosed as Bell's Palsy at Lander urgent care medical clinic. Prescribed course of prednisone. Also Erythromycin ophthalmic ointment for the left eye and wear a patch until eye will blink and close normally.
994724	2/2/2021	FL	86	F	1/27/2021	1/31/2021	I have a face rash on either side of my nose, itchy eyelids.
994713	2/2/2021	OK	46	F	1/22/2021	1/22/2021	Client says almost immediately after taking the vaccine she started having blurry vision, face and throat started burning, and her throat started closing. She was given Benadryl 50mg IM After 10minutes her symptoms resolved except for a rash on her body. She was released to a friend to drive her home. She reports taking Benadryl 50mg every 4-6 hours for 48 hours afterwards.
994682	2/2/2021		35	F	1/13/2021	1/14/2021	ached over body, equilibrium off, red eyes double vision, lasted 2 days pain injection site left arm last almost one week

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
994570	2/2/2021	IL	52	M	1/25/2021	1/25/2021	Afew hours after receiving the inoculation, I was extremely sleepy. I was sleeping at my job, and my boss had me go home early. I went to work the next day, however I was feeling weird, my sense of smell and taste were off, as the day continued I started having a headache, body aches, and general malaise. I went home early, again from work. But when I arrived to my residence I was having severe chills despite my efforts to try to keep myself warm. The chills lasted for more than 24hrs, preventing me from sleeping, my body aches were getting worse, my eyes were extremely red, and I did not feel like eating. Near the end of the day, the chills became sweats, and I was trying to balance between being hot and clammy, to chills. The next day I paid a visit to my primary care doctor. I was tested for covid - which was negative, I was tested for the flu - which was negative, and my lungs were clear so there was no reason for my doctor to believe I have a pneumonia.
994964	2/2/2021	CA	79	F	2/1/2021	2/1/2021	Had reaction in November to tetanus vaccine. Had flu vaccine with no reaction. Then had this vaccine, no reaction initially, came home, feeling fine but an hour later had flushing in her left ear, just creeping over to her eye and the side of her face. This lasted for about 15 minutes and left the feeling of something not quite right around her eye. Nothing compared to her reaction in November from a tetanus booster. Still has the feeling but not an adverse reaction. Then at 10:00 PM all of a sudden her face went really hot, and presumed she had a fever, started feeling badly. Started walking around the house, took Tylenol. That feeling lasted for about 30 minutes and resolved. Went to bed and did not feel anything but a funny feeling. All symptoms have subsided except for a weird feeling around her eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
994507	2/2/2021	IL	41	F	2/1/2021	2/2/2021	Severe headache during the day after vaccine given. Then around midnight , woke up with extreme chills, body aches, weakness, nausea.. Got up to go to bathroom to throw up, at this time my husband was with me and when I got to bathroom, I passed out. He was holding me, stated my eyes were open and pupils very dilated. He had to wake me out if it (maybe just under 1 min) When I woke up, I vomited a little. Then until about 4 am I continued to have extreme chills, body aches and threw up a few more times. Still currently (9:30 am) feeling very weak and have a bad headache .
994494	2/2/2021	MI	40	F	2/1/2021	2/1/2021	My the skin of my jaw and chin started to feel numb. The sensation progressed rapidly to include numbness of my cheeks, eyebrows, and ears. The symptoms appeared rapidly after leaving the clinic (as I was driving away on my from work to home). Less than 30 minutes after receiving the vaccine. Both sides of my face were impacted equally.
994612	2/2/2021	WI	31	F	1/28/2021	1/29/2021	Approximately 2am of 01/29/2021 I became very over heated for about one hour. Around 3am I then became incredibly cold and shaking. Around 4am I got out of bed and stood for a few moments, then walked slowly around my room making my way to our bathroom. I noticed my vision was not right, almost like a fisheye affect and I felt dizzy. I made it to our master bathroom and sat down on a chair for a few moments before I completely passed out. I fell forward, face first on to the bathroom floor hitting the left side of my head. When I regained my conscious I was weak and shaking and was unable to call out to my husband. I slowly pulled myself up to the toilet trying to make some noise and my husband then came to my aide. As he talked I noticed his voice sounded much farther away than it really was. I also had a difficult time cognitively answering his questions about how I felt. I was pale, clammy, still shaking. This episode from the time I left my bed from the time my husband walked me back to the bed was about 45 minutes. My husband took my temp and I did not have a fever. The next five hours I alternated between feeling very cold and very hot. I spent the next 24 hours feeling completely depleted. I rested as much as I could and had a greater than normal appetite.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
994761	2/2/2021	PA	77	F	1/28/2021	1/30/2021	Swollen face and eyes with deep redness and areas of purple coloring; nausea, multiple herpes zoster outbreak on lips, low grade fever.
994806	2/2/2021	IL	57	F	1/10/2021	1/13/2021	Twitching of L eye since 1/13/21
994823	2/2/2021	FL	40	M	1/8/2021	1/9/2021	Bilateral neck stiffness with limited mobility, nausea and vomiting. Started next day and persisted. ER visit on 1/12 migraine cocktail and bilateral nerve blockers no assistance. Used anti-inflammatory meds, acetaminophen and Zofran for daily treatment. Progression of symptoms got worse occurring with double vision. Had ER visit after several test listed below diagnosed with aseptic meningitis. Placed on pain killer and steroids treatment to subside symptoms.
994828	2/2/2021	IN	47	F	1/30/2021	1/30/2021	Within a few hours became feverish, nauseated, diarrhea. Indescribable headache and severe eye pain. Severe fatigue, dizziness, severe joint and muscle pain. severe pain in bladder area. Injection site became extremely swollen from just above elbow to shoulder. Became bright red, painful, and itchy. Vacillated between chills and excessive sweating from onset of symptoms. Lasted from approx. 1pm Saturday, Jan 30th 2021 until Monday, Feb 1st 2020 at 6pm.
994902	2/2/2021	CA		U			Loss of vision; This is a spontaneous report from a contactable consumer. A patient of unspecified age and gender started to receive BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot# unknown), via an unspecified route of administration from an unspecified date single dose for COVID-19 immunisation. The patient's medical history was not reported. The patient's concomitant medications were not reported. The patient experienced loss of vision in her right eye on an unspecified date. The outcome was unknown Information on the Lot/Batch number has been requested

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
994973	2/2/2021	TX	40	F	2/1/2021	2/1/2021	Patient was vaccinated at 12:27PM, presented to the post-vaccination observation area and informed staff that she had prior reactions to the first dose. 12:38PM ? Patient started to experience flushing and warmth on neck and ears. Slight redness noted on area. 12:40PM ? Patient reported visual changes. Stated: ?Everything looks brighter than normal. I constantly have to readjust my focus.? Benadryl 12.5mg chewable offered. Patient declined and stated that she gets drowsy on medication and had taken two (2) the night before vaccination. 12:50PM ? Patient report itching on both sides of torso, vital signs taken BP- 119/76 SPO2-99% HR-68 1:00PM ? Patient reported itching has started on head, Benadryl offered and declined. Patient was offered to take Benadryl to have on hand. Patient agreed and stated she would take one once she is halfway home. 1:05PM ? Patient reported some itching in between thighs, declined to have it looked at in bathroom. Instructed patient to take Benadryl on the way home ? patient agreed. Educated patient to stay hydrated, take a Motrin/Tylenol if expected signs and symptoms are experienced. Instructed patient to check in with nurse (Contact # given) once she arrives home. 1:28PM ? Patient contacted nurse via text, stated that she was home. Still feeling flushed and was going to lay down.
995026	2/2/2021	CO	40	F	1/28/2021	1/28/2021	Left side facial numbness and tingling. tongue numbness. left eye blurred vision. Symptoms stayed active for 24-48 hours
995039	2/2/2021	AZ	40	M	1/30/2021	1/30/2021	About 2 to 3 minutes after receiving the injection I felt light headed and passed out. My wife said my eyes were open but glazed over. I also started shaking. When I woke up I was confused and felt nauseated. A few minutes after I woke up the EMTs ran my vitals. My heart rate was in the 40s and my blood pressure was in the 90s. I have never had a reaction like this to any other shot/vaccines.



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
994488	2/2/2021	VA	64	F	1/30/2021	1/30/2021	Pfizer-BioNTech COVID-19 Vaccine EUA: Was perfectly fine for the first 10 hrs following injection. Then 11pm Sar night sudden intense pain at inj site spreading rapidly around back of neck and down other arm and up to head. Wracking chills for about 8 hours. Shaking uncontrollably, aches and pains, very weak, exhausted, nauseous. About 8 hours later, 7am Sunday, fever developed, eye pain with severe headache. In bed 30 hours. Monday morning felt much better but still fever @100 and weirdly dizzy. Ate and drank water. Today, almost 72 hours later fever gone, still very dizzy. Drinking water to see if that will help.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
993825	2/2/2021	PA	51	F	1/18/2021	1/19/2021	Day after receiving 2nd dose, patient developed facial congestion, burning eyes, scratchy throat.; Day after receiving 2nd dose, patient developed facial congestion, burning eyes, scratchy throat.; Day after receiving 2nd dose, patient developed facial congestion, burning eyes, scratchy throat.; This is a spontaneous report from a contactable pharmacist reported a female patient. A 51-year-old female patient receive the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE) (lot number /expiration date: unknown), via Intramuscular route of administration, on 18Jan2021 03:15 PM (at the age of 51 years old) as a single dose on left arm for COVID-19 immunisation at a workplace clinic. Relevant medical history included thyroid removed 30+ years (onset date unknown). Historical vaccine included fist dose of BNT162B2 (Pfizer Covid-19 vaccine, lot#/exp. date unknown) via Intramuscular route of administration on left arm. Prior to the vaccination, the patient was not diagnosed with COVID-19. The patient was not pregnant at time of vaccination. Concomitant medications included levothyroxine sodium (SYNTHROID). The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. On 19Jan2021, the patient stated that day after receiving 2nd dose, she developed facial congestion, burning eyes, scratchy throat. She proceeded to get COVID Nasal Swab test on 19Jan2021 with unknown result at time of report. Patient stated workplace did not believe they were adverse reaction to vaccine. The patient received treatment no treatment. The outcome of the events facial congestion, burning eyes, scratchy throat was recovering. The lot number for the vaccine, BNT162B2, was not provided and will be requested during follow up.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
995044	2/2/2021	OH	87	F	1/28/2021	1/29/2021	Patient developed dizziness and weakness. She did not totally pass out because she made it to her chair and did not fall on the ground. She described her vision going black. She said that she did not eat today at her normal times which could have contributed to the event. She is asking if the vaccine could have had anything to do with this? She has not had a previous episode like this before. She did have some minor injection site pain at the time of the vaccine but that has subsided. Follow-up call with patient on 1/30/21 at 19:37: Spoke to the patient. She is feeling better today. She did not see her doctor or go to the ED. She checked her glucose yesterday and it was high. She said she thinks her symptoms were from not eating her normal meals around the time of the vaccine.
995062	2/2/2021	TX	45	F	1/27/2021	1/27/2021	I got covid-19 vaccine 2nd dose ,in campus clinic 01/26 /2021 around 3.30 pm . I felt sick around 4 AM(12 hours later , 01/27/2021). I felt dizziness , Chills , facial and eyes swelling and body aches for 24 hours . I took Benadryl and Tylenol 1 hours before vaccine and repeated every 8 hours per MD.. Felt sick for 24 hours.
994845	2/2/2021	GA	75	M	1/24/2021	1/28/2021	Sensitive and painful rash on right side of face on forehead and near right eye
993854	2/2/2021	OR	75	M	1/18/2021	1/19/2021	Left eye is like somebody hit me on the eye; it is all bruise purple and black all over right between inside the corner of nose of the eye; This is a spontaneous report from a contactable consumer (patient). A 75-year-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EK9231), via an unspecified route of administration on 18Jan2021 at single dose for COVID-19 immunization. Medical history included cholesterol. The patient was taking cholesterol medication. Nothing special other than what you get when you get older. The patient stated that he woke up this morning (19Jan2021), his left eye was like somebody hit him on the eye. It was not the eye but above the eye. It was all bruise purple and black all over right between inside the corner of nose of the eye and all away cross the top of it. He has no idea that come from. There was no treatment for the event. The outcome of the event was not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
993511	2/2/2021	AZ		F	1/16/2021	1/17/2021	Went to living room shaky then pass out 2-3 minutes.; chills all day; Cold sweats; little lightheaded/ feeling dizzy; Headache; feels like someone put ice cold on both ears and face; Nauseous; Feverish at night with 99.9 oral temp; Sore on in the injection site; Blurry vision; shaky; thirsty; This is a spontaneous report from a contactable other HCP reported for self. This 49-years-old female patient (not pregnant) received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on an 16Jan2021 09:15 AM on Right arm at single dose (Lot # EL1283) for covid-19 immunisation. Medical history included high Blood pressure, Known allergies: Amlodipine, Seasonal allergy. Prior to vaccination, was the patient did not diagnosed with COVID-19. Concomitant medications included Chlorthalidone 25 mg, Magnesium 500mg. No other vaccine in four weeks. The patient previously received the first dose of the BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 26Dec2020 08:30 AM for covid-19 immunisation, experienced sore on in the injection site. On 17Jan2021, waking up 06:00 AM with headache, thirsty, little lightheaded, went to kitchen turn on coffee maker start feeling dizzy, nauseous, blurry vision, went to living room shaky then pass out 2-3 minutes. Cold sweats again, went to bathroom was sitting there then feels like someone put ice cold on both ears and face, cold sweats, nausea, and blurry again. Cold sweats and chills all day, feverish at night with 99.9 oral temp. Sore on in the injection site both doses. No COVID tested post vaccination. No treatments were received. Outcome of the events was recovering.; Sender's Comments: Based on available information, a possible contributory role of the subject product, BNT162B2 vaccine, cannot be excluded for the loss of consciousness and other reported events due to temporal relationship. There is limited information provided in this report. Additional information is needed to better assess the case, including complete medical history, diagnostics, counteractive treatment measures and concomitant medications. This case will be reassessed once additional information is available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.
995083	2/2/2021	FL	49	F	12/26/2020	12/26/2020	Over an hour later patient was at lunch when she developed a flushed feeling, felt a little dizzy. Went to the bathroom and saw her eyes bloodshot red, chest red and flushed. She notified other healthcare worker and was signed in immediately to see physician. No SOB but felt pressure on her chest and felt jittery inside her body. She frequently was clearing her throat which her fellow associates said she was not doing prior to injection. Was treated with NS bolus and medications and was discharged home. Doctor wants her to stay out of work tomorrow.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
993505	2/2/2021	FL	70	F	1/15/2021	1/15/2021	<p>Yesterday and still today it felt like I burnt the tip of my tongue; poking my tongue with needles, very painful; My tongue was numb for 2-3 hours; Arm hurt; This is a spontaneous report from a contactable consumer (patient). A 70-year old female consumer received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 15Jan2021 at 10:21 at single dose in left arm for COVID-19 immunisation at the age of 70-year-old. Lot number was EL1284. Medical history included blood pressure, COVID-19 in Mar2020, loss of smell and taste in Mar2020, diarrhea in Mar2020, ongoing headache since Mar2020 (started with eyes, thought the patient had pink eye, she had a headache right at the time of report), chills in Mar2020. Concomitant medications included ongoing olmesartan for blood pressure. The patient received flu vaccine in Oct2020. The patient received her vaccine on 15Jan2021; she was informed to wait 15 minutes after getting the vaccine and she did. When she left the park about 2-3 minutes after waiting the 15-minute observation period she started to feel a sharp needle poking type feeling on her tongue, it was painful. Her daughter asked if she wanted to turn back around, but they did not. The feeling did not last long. She then added, later that day it felt like the tip of her tongue was numb. It stayed that way for at least 2 hours and then went away. On 17Jan2021, she woke up and she has the feeling on her tongue as if she drunk something hot and burnt the tip of his tongue. She has this burnt feeling sensation on her tongue and she had not eaten or drunk anything yet. Poking sensation on tip of tongue that was painful occurred like 17 minutes after she got the injection. It is like her tongue was being poked with needles. She later had numbness on her tongue, this lasted like 2 hours. It seemed like a numbing solution was administered with the vaccine. The way her tongue felt, it was as if there was a numbing solution in the needle with the vaccine. Her tongue was very numb for a while, but it then went away. On 17Jan2021, she started to feel the tip of her tongue was burnt. She looked at her tongue on 17Jan2021 and it was red. She has not looked at it the day of report so she did not know what it looked like. The patient initially stated, besides the tongue issue, she had no issues. However, she then later stated and clarified the only other issue she had was her arm hurt a little; it was not bad, but it did hurt; it did not</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							hurt at the time of report, it started the same day she got the vaccine during the night. The patient recovered from Poking sensation on tip of tongue that was painful, Tongue numb on 15Jan2021, patient was recovering from Tip of tongue feels like it was burned, the outcome of arm pain was unknown.
993582	2/2/2021	MD	27	F	12/31/2020	1/12/2021	Left eye being swollen almost shut with some clear discharge; Left eye being swollen almost shut with some clear discharge; Half of the right side of her face was swelling and being numb; Half of the right side of her face was swelling and being numb; On and off chills; Sweating; Headache; Fever; This is a spontaneous report from a contactable healthcare professional (patient). A non-pregnant 27-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Lot Number: EJ1685), via an unspecified route of administration in left arm, on 31Dec2020 at 09:30, at a single dose, for COVID-19 immunization. The patient's medical history included enlarged thyroid (normal for her), painful menstruations, allergies to cats, dogs, and dust, seasonal allergies, and birth control. The patient's concomitant medication included ethinylestradiol/ norethisterone acetate (JUNEL) as birth control. The patient was not diagnosed with COVID-19 prior vaccination. No other vaccine was administered in four weeks. The vaccine was administered in a hospital facility. On 12Jan2021 at 06:15 AM, the patient woke up from sleep with her left eye being swollen almost shut with some clear discharge and half of the right side of her face was swelling and being numb. This persisted for about 3 days with on and off chills, sweating, headache, and a fever on 12Jan2021 (06:15). The symptoms completely dissipated on 22Jan2021. The adverse events resulted in doctor or other healthcare professional office or clinic visit. No treatment was received for the events. The patient got a COVID-19 test on 13Jan2021 just to be safe which came back as negative. The patient recovered from the events on 22Jan2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
993606	2/2/2021		65	F	12/30/2020	1/4/2021	<p>hallucinations; having stroke like symptoms; having intense headaches; felt exhausted; has pain in her arm; her vision affected/wavy lines throughout her eyes; numbness in her face, hands, and lips; This is a spontaneous report from contactable Nurse reporting for herself. A 65-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 30Dec2020 at single dose for COVID-19 immunisation. Patient age at time of vaccination was 65 years. The patient did not have reactions with other immunizations except a severe reaction with the measles, mumps, and rubella (MMR) vaccine when she was younger. She had seizures after receiving the MMR vaccine. The patient's concomitant medications were not reported. The patient mentioned she had a severe reaction. She described her adverse reaction by having intense headaches, having stroke-like symptoms in which she described as she cannot speak, having headaches, having numbness in her hands, face, and lips. She also felt exhausted. She also had some pain in her arm that she is not concerned about. She mentioned that she also has her vision affected, she couldn't drive, there were wavy lines all though her eyes. She started to have hallucinations such as seeing people that weren't there, seeing snow storms, and seeing things whipping throughout the wind. All the events started on 04Jan2021. She reported she was very sick in the hospital and is now getting well. However it was unknown if she was admitted to hospital (clarification pending). She wanted to know recommendations about the second shot of the COVID-19 vaccine because with her experience, she is not comfortable having the second shot of the COVID-19 vaccine. Information about lot/batch number has been requested.; Sender's Comments: Based on the current available information and the plausible drug-event temporal association, a possible contributory role of the suspect product BNT162B2 to the development of events cannot be excluded. The case will be reassessed if additional information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
993611	2/2/2021			F	1/14/2021	1/14/2021	<p>appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.</p> <p>runny nose; itchy watery eyes, like allergies; itchy watery eyes, like allergies; fluid in her ears; allergies; only had a sore arm for a day; This is a spontaneous report from a non-contactable consumer reporting for herself. A 59-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiry date unknown), via an unspecified route of administration on 14Jan2021 at a SINGLE DOSE for covid-19 immunisation. The patient's medical history and concomitant medications were not reported. The patient stated she received her first Covid19 vaccine on the 14Jan2021 and everything has been great. She stated she only had a sore arm for a day, but now 5 days later (19Jan2021) she has a runny nose, itchy watery eyes, like allergies, and fluid in her ears. She stated she feels it was just allergies because she can take a Benadryl and it makes it quit. She stated Benadryl knocks her out though. She stated she would like to know if these side effects have been mentioned by others and being 5 days after given the dose. Therapeutic measures (Benadryl ) were taken as a result of runny nose, itchy watery eyes, like allergies and fluid in her ears. The outcome of the event sore arm for a day was recovered while other events were unknown. No follow-up attempts are possible. Information about lot/batch number cannot be obtained.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
993619	2/2/2021	FL	82	F	1/5/2021	1/9/2021	<p>Diarrhea; This is a spontaneous report from a contactable consumer (patient). An 82-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Lot Number: EH9899), via an unspecified route of administration in left arm, on 05Jan2021 at 13:30, at a single dose, for COVID-19 immunization. The patient's medical history included diabetes, arthritis, vitamin D, bones, gums, eye, joint pain lubrication, hair and nail growth and strength, control sugar, atrial fibrillation (Afib), heart, supplement, cholesterol, liver clean, and gastro problem. The patient's concomitant medications included apixaban (ELIQUIS) for Afib from 2019 (a year and three-fourths), metoprolol for heart from 2019 (a year and three-fourths), metformin hydrochloride (METFORMIN ER) for diabetes, berberine to control sugar, biotin from 2011 (for 10 years) for hair and nail growth and strength, Silybum marianum (MILK THISTLE) to make liver clean (two or three years), hyaluronic acid for joint pain lubrication, niacinamide for diabetes, chondroitin sulfate/ glucosamine sulfate (GLUCOSAMINE CHONDROITIN) for bones, Monascus purpureus (RED YEAST RICE) for cholesterol, colecalciferol (VITAMIN D3; UPC Number: 3373900373, Lot Number: 3162111, and Expiration Date: Jun2024) for vitamin D, probiotics for gastro problem, betacarotene for eye, ubidecarenone (COENZYME Q10) for gums, calcium/ magnesium (CALCIUM MAGNESIUM) for bones, and unspecified multivitamins as supplement and OSTEOPHASE for arthritis; all were ongoing. The patient her first dose of COVID-19 vaccine dose on 05Jan2021. The patient had experienced diarrhea ever since 09Jan2021 and is still continuing until today. The patient experienced a sudden onset of diarrhea and it has continued on and off since then; it is persisting or worse. She has seen a gastroenterologist, but they don't have any answers, sent stool cultures in Jan2021 but no results yet. The patient was asking if this is a documented adverse event. The patient is scheduled on 26Jan2021 for the second dose. With this experience, the patient was asking what to do with the second dose- if she should get the second shot. The patient had not recovered from the event.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
993620	2/2/2021	DC	71	F	1/15/2021	1/17/2021	right side of her face was swollen and was itching; eyes swollen/puffy; puffy underneath eyes/ like bags; swelling of right side of face/ right side of her face was swollen; This is a spontaneous report from a contactable consumer (patient). A 71-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE lot number: EL1284, expiration date: 30Apr2021) intramuscular on the right arm on 15Jan2021 at 30 ug, single for COVID-19 prophylaxis. Medical history included high cholesterol, high blood pressure, cancer survivor and allergic to walnuts. Concomitant medication included ascorbic acid, herbal nos, levoglutamide, lysine, magnesium, manganese, retinol, riboflavin, selenium, tocopherol, zinc (AIRBORNE) for supplementation therapy, HCTZ for high blood pressure, vitamins nos (MULTIVITAMIN [VITAMINS NOS]) for supplementation therapy, rosuvastatin for high cholesterol. The patient received 1st dose of vaccine on Friday and on 17Jan2021 evening, experienced the following: "swelling of right side of face, eyes swollen/puffy." She spoke with HCP office and was told to take Benadryl and Tylenol. She took the medication and the "swelling went down". She said she woke up this morning and had "puffy underneath eyes", "like bags", and "slight facial swelling." The patient ate at an Indian restaurant on 17Jan2021 at about 6:30-7:00pm and was unsure if her reaction was to the vaccine or food, since the food she ate could have been cooked with nut oil. She said that her eyes were still puffy and her face was still a little swollen. She went to see her doctor today 19Jan2021 and he was trying to figure out what could have caused this on his end. The patient said that the right side of her face was swollen and was itching. The left side did not appear to be swollen at all. Outcome of the event pruritus facial was unknown while recovering for the other events.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
993654	2/2/2021	NH	56	F	1/12/2021	1/13/2021	Facial flushing/sporadic facial flushing; HTN; Tachycardia 90-120 x 30 hrs; Headache; Body aches; Painful urination; Bilateral eye pain; Chills/sporadic chills; This is a spontaneous report from a contactable nurse (patient). A 56-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), lot number: EL3246, via Intramuscular on left arm on 12Jan2021 12:00pm as SINGLE DOSE for COVID-19 immunisation. Medical history included asthma, hypothyroidism, supraventricular tachycardia, Sulfa allergy, dust allergy, Maple trees and Pine Trees allergies, gastroesophageal reflux disease. Concomitant medication included sertraline, metoprolol, estradiol, levothyroxine, pantoprazole, fexofenadine hydrochloride (ALLEGRA), fluticasone propionate (FLONASE), paracetamol (TYLENOL), and ibuprofen (ADVIL). The patient previously took Augmentin and experienced drug hypersensitivity. Historical vaccine includes first dose of BNT162B2, lot number: EH9899, on22Dec2020 08:15 AM, via intramuscular on Left arm. On 13Jan2021, the patient experienced facial flushing, HTN, Tachycardia 90-120 for 30hrs, headache, Body aches, painful urination, bilateral eye pain, chills. Then, another 48 hours of sporadic facial flushing and sporadic chills. The patient underwent COVID-19 testing via Nasal Swab post vaccination on 16Jan2021 with negative. The outcome of the events sporadic facial flushing and sporadic chills was recovered on 16Jan2021; while the rest of the events were recovered on 14Jan2021. The patient is not pregnant at the time of vaccination. No treatment was given for the events.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
993678	2/2/2021	DE	50	F	12/31/2020	1/5/2021	Diagnosed with Bell's Palsy from Covid-19 injection (1st dose.)/left sided face droop; Stroke; Lower left pain under ear, sudden onset; This is a spontaneous report from two contactable consumers. A 50-year-old female patient (not pregnant) received 1st dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 31Dec2020 08:30 at single dose for COVID-19 immunisation. Medical history included depression, anxiety, Post-traumatic stress disorder (PTSD), elevated pressure increased (BP), elevated cholesterol, spondylosis with radiculopathy. Known allergies: NSAID's and augmentin. Concomitant medications included hydrochlorothiazide, venlafaxine hydrochloride (EFFEXOR), hydroxyzine, atorvastatin and ascorbic acid;betacarotene;biotin; calcium; chloride; chromium; copper; folic acid; iodine; iron; magnesium; manganese; molybdenum; nickel; nicotinic acid; pantothenic acid; phosphorus; potassium; pyridoxine hydrochloride; riboflavin; selenium; silicon; thiamine; vanadium; vitamin B12 NOS; vitamin D NOS; vitamin E NOS; vitamin K NOS; xantofyl; zinc (CENTRUM SILVER WOMEN 50+). On 05Jan2021 at 13:00, patient experienced lower left pain under ear, sudden onset. Then, noticed symptoms of a stroke. Left sided face droop. Patient went to ER (emergency room). Patient was diagnosed with Bell's Palsy from Covid-19 injection (1st dose). Patient received treatments for the events included prednisone, acyclovir, ointment to protect eye and eye patch for covering of left eye. Lab test included Nasal Swab: negative on 07Jan2021. Outcome of the events was resolving. Information on Lot/Batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
994080	2/2/2021	NY	89	M	1/13/2021	1/16/2021	<p>Tested positive for COVID-19; Weakness; Sweating; Shortness of Breath; A spontaneous report was received from a healthcare professional concerning a 89-year-old, male, patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and tested positive for COVID-19, experienced weakness, sweating, and shortness of breath. The patient's medical history included diabetes mellitus, hypertension, hypercholesterolemia, and benign prostatic hyperplasia. Products known to have been used by the patient, within two weeks prior to the event, included metformin, glimepiride, atorvastatin, acetylsalicylic acid, norvastatin, irbesartan, triamterene, finasteride, mirabegron. On 13 Jan 2021, approximately three days prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 intramuscularly for prophylaxis of COVID-19 infection. On 16 Jan 2021, the patient experienced weakness, sweating, and shortness of breath. On an unknown date, the patient tested positive for COVID-19 and was admitted to the hospital for supervision. Chest x-ray results were negative. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not provided. The outcome of the event, tested positive for COVID-19, was considered not resolved. The outcome of the events, weakness, sweating, and shortness of breath, was unknown.; Reporter's Comments: This case concerns a 89 year-old, male patient with history of diabetes mellitus, hypertension, hypercholesterolemia, who experienced events of tested positive for COVID-19, weakness, sweating, and shortness of breath. The events occurred 3 days after the first and last dose of mRNA-1273 vaccine administration. Based on the current limited available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded and the events are assessed as possibly related. However, the patient was positive for COVID and may provide an explanation for the events. Further information have been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
993816	2/2/2021	CA	76	F	1/18/2021	1/1/2021	felt funny; eye lids tender; lips tingled; face was swollen more than before; This is a spontaneous report from a contactable consumer (patient). A 76-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number and expiration date were not reported), via an unspecified route of administration in 18Jan2021 at 15:30 at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient reporting on the COVID vaccine and who explained that she had a reaction to the vaccine. She had the vaccine yesterday (18Jan2021) about 03:30 in the afternoon and by the time she got home, within the hour, her lips tingled and she felt funny, and her eye lids tender. There was no one to call by that time and she did not think it was severe enough to go to the ER so she just took a Benadryl and went to bed. The patient woke up and her face was swollen more than before (onset reported as Jan2021). She doesn't think she is at the stage of life threatening, she can still breath, but doesn't know what to do at this point. Should she take more Benadryl or contact her healthcare provider. The patient asked if this makes her ineligible for the second dose. Outcome of the events was unknown. Information about lot/batch number has been requested.
994478	2/2/2021	TN	75	F	1/29/2021	1/29/2021	Began with nausea, followed by the worst and longest-lasting migraine headache that I have ever experienced on the evening of the second injection. Both the nausea and severe migraine lasted for 54 hours after onset. The first evening I also experienced teeth-chattering chills. Finally saw an improvement around 2:00 a.m. on Monday morning, February 1, when I woke up in a total sweat. By daylight on February 1, the nausea and migraine were gone, but I experienced mild dizziness and blurry vision. By Tuesday morning, February 2, I am more or less back to normal, although my vision is still a bit blurry and the dizziness still present if I move my head too quickly.
994093	2/2/2021	PA	37	F	1/14/2021	1/23/2021	approx. 1 hour following inject experienced severe head ache with blurred vision; approx. 10 days following injection large swelling, redness, and warmth at injection site, appears like muscle swelling to size/shape of an egg

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
994142	2/2/2021	CO	33	F	1/29/2021	1/31/2021	On Saturday 1/30 had fever, chills , body aches. Starting Subday 1/31 had vision blurry and debilitating headache. That is still gong on now. I am unable to see using my left eye



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
994215	2/2/2021	CO	57	F	1/13/2021	1/13/2021	Subconjunctival hemorrhage of right eye due to new onset hypertension; Subconjunctival hemorrhage of right eye due to new onset hypertension; headache; This is a spontaneous report from a contactable Nurse. This nurse reported for self that the 57-year-old female patient received second dose of bnt162b2 (BNT162B2, COVID 19, Pfizer, lot number: EK9231, exp date and batch were not reported) via unknown route of administration on 13Jan2021 10:00 AM on Left arm at a single dose for covid-19 immunization. She is not pregnant. Medical history included known allergies: Sulfa (Sulfonamide Antibiotics), Hypothyroidism, Hx Atrial Flutter ablation resolved, Hx Hysterectomy. Concomitant medications included Estradiol, Propranolol, levothyroxine/liothyronine (NP THYROID), Aspirin [acetylsalicylic acid], MVI. The patient previously took first dose of bnt162b2 (BNT162B2, COVID 19 Covid-19 mRNA vaccine/Pfizer, lot number: EK5730, exp date and batch were not reported) via unknown route of administration on 23Dec2020 08:00 AM on Right arm at a single dose for covid-19 immunization. Facility type vaccine was Hospital. No other vaccine in fourweeks. The patient experienced Subconjunctival hemorrhage of right eye due to new onset hypertension, headache from 13Jan2021 06:00 PM. Ae resulted in Doctor or other healthcare professional office/clinic visit, Emergency room/department or urgent care. Treatment received and started on Lisinopril. No covid prior vaccination. Covid tested post vaccination. The outcome of the event was recovering. Covid test post vaccination included covid test type post vaccination was Nasal Swab, covid test name post vaccination was Covid rapid test on 15Jan2021 with covid test result: Negative. on 17Jan2021, covid test type post vaccination was Nasal Swab, covid test name post vaccination was Covid with covid test result: Negative.; Sender's Comments: Based on temporal association, the causal relationship between bnt162b2 and the events conjunctival haemorrhage and hypertension cannot be excluded. The information available in this report is limited and does not allow a medically meaningful assessment. This case will be reassessed once additional information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees, and Investigators, as appropriate.
994219	2/2/2021		49	M	1/9/2021	1/17/2021	Diagnosis of Bell's palsy/ getting peripheral nerve palsy/Left side partial facial paralysis/droopy face; difficulty with blinking; This is a spontaneous report from a non-contactable consumer. A 49-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, batch/lot number EL3246), via an unspecified route of administration on 09Jan2021 14:30 at left arm at single dose for covid-19 immunisation. Medical history included type 2 diabetes, Hep B carrier. Concomitant medication included metformin, entecavir. On 17Jan2021 04:30 PM, the patient experienced left side partial facial paralysis, droopy face, difficulty with blinking...went to ER to rule out stroke, MRI and CAT scan normal. Diagnosis of Bell's palsy. First time getting peripheral nerve palsy. AE treatment: Prednisone, Valtrex, eye drops...IV steroids. No covid prior vaccination. No covid tested post vaccination. No other vaccine in four weeks. No known allergies. The patient underwent lab tests and procedures which included computerised tomogram: normal, magnetic resonance imaging: normal. The outcome of the events was not resolved. No follow-up attempts are possible. No further information is expected.
994269	2/2/2021	MA	29	F	12/29/2020	12/29/2020	Developed severe headache nausea facial and neck swelling, chest pain and respiration. Called PCP. prescribed Benadryl next day, increased swelling to include left side of face and eye. DX Bell's Palsy

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
994346	2/2/2021	GA	33	F	2/1/2021	2/1/2021	The patient received the first dosage of the Moderna CoVid 19 vaccine today. The patient was informed that this will typically cause a sore arm and may cause symptoms of a upper respiratory type with some headache or achiness or even very minimal fever for the next 24 hours or so. Instructions were given to call me if symptoms become severe. Other instructions included taking Tylenol 325 mg 1 tablet 3 times per day as needed for aches and pains. It was reiterated that it is important to be sure to come back for the second dosage in 4 weeks and to continue to practice social distancing and wearing a mask and washing your hands frequently. Special mention was made to help the patient understand that maximal immunity to CoVid 19 infection does not occur until 2 weeks after the second dosage. Vaccine was administered in the deltoid of the left upper arm without incident. Waiting 30 minutes after the injection for evaluation and side effects was unremarkable except for the fact that the patient states that she had some slight blurriness in the left eye about 10-15 minutes after her injection but it went away after 1 or 2 minutes. She had no side effects from the injection at the time of her leaving.
994377	2/2/2021	FL	57	F	1/25/2021	1/25/2021	During the 15 minute observation time post vaccine on January 25, 2021, my eye lids were itchy (this is a typical allergic reaction for me). Reaction reported to Nurse. On Sunday, January 31, 2021, 4:00 pm, my face became red and blotchy, eyelids slightly inflamed. On Monday, February 1, 2021, 6:00 p.m., eyelids were swollen, area around the eyes were red, irritated and itchy. Hydroxyzine Pamoate 25 mg taken Monday evening would normally alleviate any signs of allergic reaction. On Tuesday, February 2, 2021, upon waking and throughout the day the area around the eyes were red, irritated, itchy and eyelids swollen with red blotchy skin on forehead and cheeks. Possible consumption of small amounts of soy lecithin (a known allergen) present in baked goods consumed on February 1 at 12:30 pm. Normally, I do not have an allergic reaction to small amounts of soy.
994383	2/2/2021	IN	88	F	1/31/2021	2/1/2021	After lunch today resident had c/o of nausea and poor vision

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
994391	2/2/2021	UT	71	M	1/18/2021	1/26/2021	On January 18, 2021, I received my first moderna vaccine. On Tuesday, I noticed a rash starting where I got my shot. I was a bit black and blue on my after the shot. The rash actually woke me up in the night because it was itching. It isn't itching now, but it seems to be getting bigger. I have contacted the doctor virtually. Doctor said to keep an eye on the rash. Took Benadryl to ease itching.
994467	2/2/2021	TX	28	M	1/25/2021	1/26/2021	1/26 Headache; 1/27 headache, body ache and fatigue; 1/28 fever blister on lip, eye and eyebrow; 2/1 chills, body ache, elevated temperature 102.7 went to the ED
993788	2/2/2021			U			Conjunctivitis in right eye; This is a spontaneous report from a contactable consumer. A patient of unspecified age and gender received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, on an unspecified date (24Dec), at a SINGLE DOSE for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient experienced conjunctivitis in right eye on an unspecified date. The outcome of event was unknown. Follow-up attempts are completed. The following information on the batch number has been requested.
996219	2/2/2021	WI	74	F	2/1/2021	2/1/2021	Client report having adverse reaction on 02/01/2021 at 12:28 about one hour after receiving COVID vaccine of unable to remember running a red light. She report loss of visual memory and no recall of passing through the intersection or seeing the buildings on the corners. Denies having blurry vision, blacking out, slurred speech or headache. Client had a virtual doctor visit and drove to have labs drawn today without issues.
995918	2/2/2021	NV	38	F	1/15/2021	1/16/2021	My left eye began twitching the day after and it has been non stop since then. Then my lip also began twitching. I have no existing medical issue and have never had this issue before.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
995921	2/2/2021	KY	65	F	1/26/2021	1/26/2021	Vaccinated at 1:20 PM on 1/26/2021. Approximately 15 min later I was in the waiting area, the nurse had been pre-notified to watch me for allergic reaction . In 15 minutes my symptoms were fast heart rate, lips burning, dark red facial flushing, ears flushing, and anterior neck flush, body tremors, a rapid response team notified to evaluate me. I was administered a 25 mg Benadryl tablet per mouth. I felt stabilized and chose to go to the ER within the building for further evaluation. Remaining stabilized, had a 4 hour wait until I was seen by emergency staff. My treatment was Solumedrol IV, Pepcid IV and Benadryl 25 mg po. I was placed on a heart monitor and a pulse oximeter to check my oxygen levels the entire time I was in the ER. 4 hours prior to being seen by the ER doctors I had a CBC, a BMP blood work, and an EKG. After medications were administered I was observed approximately 1.5-2 hours. I was discharged with a 5 day medicine regimen to follow. Prednisone 40 mg per day; Pepcid 40 mg per day; Benadryl 25 mg every 6 hours. On 1/27 I chose to take the Benadryl 25 mg only because I had received the Pepcid and Prednisone the previous night late. On the 28th I took the medicine as prescribed but only took Benadryl every 12 hours. I felt Benadryl 4 times a day would not be handled well with my body. On 1/30 I was able to take the Pepcid and Prednisone but had to discontinue the Benadryl due to waking up with a spinning sensation upon opening eyes and a loss of equilibrium upon walking. I completed my medicine regimen on 2/1. Today 2/2 I woke up with symptoms of watery eyes, flushed face, mild facial itching, after drinking one cup of full caffeine coffee developed an increased heart rate and nervousness, was medicated with Benadryl 25 mg po at 10:00 AM along with my blood pressure medicine and potassium. Also at that time my blood pressure was 150/80. Three hours later my blood pressure had come down to 130s/60s but felt extreme weakness and felt the need to lay down and rest with legs elevated. I continue with my day with increased heart rate with activity, so I have remained inactive for the rest of the day. Also on 6:00 AM on 1/27 I was awakened with a heart rate In the 160s, I called 911, paramedics came 5 minutes later. On arrival my heart rate had instantly went down to the 112-120 range. The paramedics explained they have been treating COVID

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							patients and have seen this a lot, we discussed going to the hospital but I felt I was stabilized and didn't need further treatment. Also upon discharge from ER visit they had me get 2 epi-pens and I now have 2 epi-pens available at home.
995940	2/2/2021	NJ	70	F	1/29/2021	1/29/2021	I was at RCSJ-Meg After 15-20 minutes my vision blurred, I had bad headache, felt very hot, somewhat dizzy and tired. I sat for 45 minutes until I felt better. Vision cleared, headache disappeared after 15-20 minutes thereafter .. I iced my arm when I came home, and fell asleep for a few hours.
995946	2/2/2021	UT	43	F	1/26/2021	1/27/2021	Severe body pain in head, neck, back, hips, knees, feet, teeth and eye sockets. Could not hold up head. Feet numb bilaterally. Nausea. Exhaustion. All lasting 24 hours. Profuse sweating as well for last 8 hours. kidney pain. I have never experienced such pain in my entire life.
996016	2/2/2021	PA	76	F	1/30/2021	2/1/2021	RIGHT ARM SWOLLEN ABOUT 5 INCHES IN DIAMETER. HUTS AND ITCHES. ASL EYES WERE VERY DRY AND LEFT EAR LOB HURTS
996048	2/2/2021	IA	60	F	1/29/2021	1/30/2021	Saturday Jan 30, 2021. In the morning I became diaphoretic, tunnel vision (but didn't pass out), temp 101 F. body aches, arm pain and redness, warmth and edema at the injection site. Alternate between chills and sweating most of the day. Body aches and very tired. Sunday Jan 31, cont chills and sweating, body aches, tired, and Temp 100 F - 100.4 F. Arm continue with the same as above. Monday Feb 1, Fever resolved in the evening. Body aches cont tiredness. Arm had worsening redness, edema, warmth, some pain and itching. Tuesday Feb, 2. Arm cont to worsen. I went to my physician's office and saw a PA who examined my arm. Started on antibiotics. Continue with some body aches and tired.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
996134	2/2/2021	OR	23	F	2/2/2021	2/2/2021	Vaccination administered at 5PM (4:45 appointment) Patient has history of fainting with injections. Patient asked to lie on gurney for vaccination in Medical tent B. Immediately post vaccination eyes rolled back in head. Brief tonic seizure lasting 1-1.5 minutes. Patient unresponsive @ 40 seconds then eyes open and responsive to voice. Vitals stable during episode. BP 135/77 P 103-82 R 14-16 O2 sat 94% on room air improving to 99% after 1 minute. Vital signs repeated at 17:10 and 17:25 (stable). Patient asked to remain supine on gurney for 30 minutes post injection. Patient conversing with staff 2-3 minutes post incident. Patient able to drink juice and light snack prior to DC. DC home with mother after 35 minute observation. Patient assisted to schedule next appointment. Patient asked to request to lie on medical gurney in medical tent for second injection.
996145	2/2/2021	TX	36	F	2/2/2021	2/2/2021	Patient received 2nd dose of Moderna COVID-19 vaccine in clinic today. A couple of minutes after receiving vaccine, patient reports throat itchy and causing her to cough a lot. At 9:45am, BP 159/115, O2 sats=99%, HR=70. Benadryl 25 mg PO (instead of 50 mg accepted by patient due to concerns of drowsiness) and Famotidine 20 mg PO administered at 9:47am. Patient reports eyes are a little watery. At 10:00am, O2 sats = 100% HR=77 BP 143/79. Patient reports no change to her "scratchy" throat. Is not drowsy from 1st dose of Benadryl. Patient accepted additional Benadryl 25 mg PO dose at 10:03am. Patient clinically stable. Patient released from clinic at 10:10am.
996150	2/2/2021	FL	81	F	1/20/2021	1/24/2021	TRANSIENT ISCHEMIC ATTACK= AFFECTED FACE, WITH PARESTHESIAS, BLURRY VISION, GENERAL WEAKNESS, WHICH RESOLVED IN A FEW MINUTES.
996185	2/2/2021	KS	42	F	1/20/2021	2/1/2021	migraine headache. Never had a migraine before. behind right eye severe pain mild nausea tingling right side of nose

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
995880	2/2/2021	MD	25	F	1/27/2021	1/30/2021	Sudden onset of dizziness, lightheadedness, and the sensation that my eyes wouldn't focus on anything. After about an hour of this, severe projectile vomiting occurred multiple times throughout the next two hours. Paramedics came, vitals were normal. Ended up going to sleep, but woke up with a headache.
995226	2/2/2021	OH	62	F	1/12/2021	1/1/2021	pressure across chest; eyes were very swollen; flu symptoms; severe aches/ Pain radiated bilaterally up neck, mandibular area, trigeminal and into head; abdominal pain; nausea; Injection site very painful, could not touch; This is a spontaneous report from a contactable nurse reported for herself. This 62 Years old patient (not pregnant) received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via intramuscular on 12Jan2021 13:15 on Arm left at single dose (Lot # EL0142) for covid-19 immunisation. Medical history included hashimoto disease, allergies to maxide. Prior to vaccination, was the patient did not diagnose with COVID-19. Concomitant medications included levothyroxine sodium (SYNTHROID), valsartan, Pravastatin, docusate sodium (COLACE), wool fat (EUCERIN) and Vitamin D Nos. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient previously received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via intramuscular on 22Dec2020 13:15 on Arm left at single dose (Lot # EK5730) for covid-19 immunisation. The patient woke up 13Jan2021 at 2:00 AM with flu symptoms - severe aches, abdominal pain and nausea. By 13Jan2021 4:30 eyes were very swollen. Slept 14 hours. Next night 14Jan2021 at 1AM, severe arm pain radiating across chest to other armpit - pressure across chest. Pain radiated bilaterally up neck, mandibular area, trigeminal and into head. Injection site very painful - could not touch in Jan2021. As the pain at injection site subsided - so did the symptoms. Events were non serious. No treatments were received. On 15Jan2021, laboratory details included nasal swab which showed negative. Outcome of the events was recovered.
996218	2/2/2021	AZ	81	M	1/21/2021	1/27/2021	My knees hurt ,marks like hives on arms and legs., red mark in eye



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
996274	2/2/2021	NJ	40	F	1/15/2021	1/15/2021	4:20 vaccine administered, 4:29 sat down in the chair in waiting room. Arms, torso and legs felt warm and I felt very sleepy. I was not able to keep my head up or my eyes open. I nodded out a few times, and asked to woman at the desk "is this normal? I can't stay awake". I was put on gurney and taken to ER. Day after (1/16) a rash formed on my left forearm and bicep area. Rash lasted about 1 week. Perhaps from latex from the glove when nurse gave me IV...
996316	2/2/2021	WA	39	M	1/10/2021	1/11/2021	Anaphylaxis of face, neck and lymph nodes. Noted with pictures Fever Nausea Body aches Oxygen levels into the low 90s Dizziness Fatigue Eyes not staying aligned with each other. Noted in pictures
996384	2/2/2021	CA	45	F	1/30/2021	1/30/2021	Light headed, blurred vision. BP/pulse: 139/92, 63; 145/82, 57. O2 sat 99%-100%. History of anxiety disorder. Stable, discharged to home.
996389	2/2/2021	CA	49	F	1/30/2021	1/30/2021	Blurry vision, dizziness, given water and juice. BP/pulse: 102/63, 73; 97/63, 73. O2 sat 100%. 90 minutes later, feeling better and discharged to home.
996399	2/2/2021	CA	74	F	1/24/2021	1/26/2021	mild case of uveitis in let eye being treated with Durezol eye drops and Atropine Sulfate Ophthalmic solution
996436	2/2/2021	TX	43	F	1/25/2021	1/25/2021	Same day of vaccine later on that day my face & lips felt like a tingling sensation & on my cheeks it felt very itchy. Closer to 5pm same day my eyes felt like burning sensation like they where dry. Then my whole body felt very itchy. By 6pm I started getting the chills, body aches, & slivering. It all lasted only one day. I got my smell back for 1 day & now I could smell but it has to be very close to my nose. I also feel like I don't have the same energy I feel like my energy level is not the same.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
996444	2/2/2021	CA	40	F	12/28/2020	12/28/2020	I got chills; mild headache and just tired. It lasted and then I got sick on the 1st; Got tested for COVID January 3rd, 2021; On January 1 mild headache; tired and very congested but then real runny nose (went back and forth). On January 2, I got a fever - 101. Took Tylenol. On January 3, I got a fever. I was taking zinc; vitamins. My doctor prescribed medicine but I only took it twice as I didn't like how it made me feel - made it feel like I had something in back of my throat. I still have headaches - they aren't going away and neither is the tiredness. Yesterday, I woke up fine - but when I was at work started feeling very tired; and headache was so bad it felt like eyes were burning. Today I had a mild headache. I was staying at a hotel until the tests for COVID came back negative. I normally don't have headaches and fatigue.
996461	2/2/2021	MA	70	F	1/29/2021	1/29/2021	Swelling of right side of throat, right face and eye, chest congestion. (Get same reaction with sulfites but reaction more severe.) Throat swelling started within 15 minutes. Not sure if reaction so drove home. While driving, face and eye swelling. Took children's Benadryl (can't take adult Benadryl). Stopped symptoms. Wore off after 6 hours - swelling returned. Took generic 24-hour zrtex and symptoms stopped and didn't return.
996565	2/2/2021	WA	31	M	2/2/2021	2/2/2021	Male patient 40 years of age reporting vision loss. After making contact with the patient he went unconscious. Medical crew contacted command. shortly after patient regained consciousness and was able to speak in full sentences and answered questions. Pt was moved into the back of Aid 46 for further evaluation. Pt states that this has happened before with previous vaccinations. Pt states he feels much better. Medical crew obtained continuous vital to include postural vital signs. patient states he does not want any further treatment or transport and will stay in care of his girls friend.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
996468	2/2/2021	NY	76	F	1/20/2021	1/20/2021	76 yo female with PMHx of CAD s/p CABG 2016, abdominal aortic aneurym, HTN, HLD, Asthma, Diverticulosis, Osteopenia. Presenting to the ED after having Pre-syncope. She reported that today morning she felt nauseated with episode of vomiting, burping and abdominal discomfort after having her lunch meal, headed out to receive her vaccine, she felt well till 10 minutes after the vaccine where a nurse noticed she is pale and less responsive, BP was measured back then and was ~70 ?, the patient reported that she was sitting when that happened, she felt lightheaded, sweating, blurry vision, nauseated. But denies any chest pain, sob, palpitation, weakness or numbness. She was out of balance and feeling weak till she came to the ED where she felt better after IV fluids.
996201	2/2/2021	IL	45	F	12/23/2020	12/25/2020	3 hours after the vaccine she started having pain at the injection site. The next morning she noticed she was having difficulty moving the R arm at the shoulder. She states that she has been having some paresthesias into the R arm on 12/24/2020. She states that these paresthesias extended from the right shoulder down to the hand and included some burning discomfort. She also states that on 12/24/2020 continuing into 12/25/2020 she cannot move the right shoulder through range of motion past only approximately 30° in flexion. She states that this is not limited due to pain although the right shoulder does hurt with range of motion. She states that she cannot make the right shoulder move any further through range of motion even with full attempt. She does state yesterday that she had some myalgias, chills, possible subjective fever. She denies any side injection erythema, edema, induration. She characterizes the pain as sharp and shooting as well as aching. She states pain severity is moderate to severe. She denies any relieving factors. She has attempted tramadol and Tylenol for relief. She states aggravating factors include any attempted range of motion of the right shoulder active or passive. She denies any additional focal neurologic deficit, fall or injury, neck pain or stiffness, vision changes. In the ER on 12/25/2020, The patient received ketorolac 15 mg IV and acetaminophen 650 mg PO

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
995504	2/2/2021	WA	31	F	1/8/2021	1/9/2021	Received #2 dose of Pfizer Covid19 Vaccine on 1/08/21 at 10 AM. Approximately 12 hours later she woke up with right eye pruritus with sensitivity, maculopapular erythematous rash and itching over left cheek to temple. She was rubbing at her eyes and did develop local swelling around the right eye. She treated herself with benadryl and advil. Her swelling and eye sensitivity decreased later that day but she developed a fixed itchy maculopapular rash on btl forearms (pictures in chart). She works in the ED as a technician and was seen during her shift 36 hours post shot. Diagnosed with a possible delayed reaction to the vaccine and discharged with prednisone, allegra, hydroxyzine. Symptoms have resolved except for residual hyperpigmentation over areas on forearms where the rash was and still feels itchy, though this increased after stopping antihistamines for her visit. She reports no episodes of lightheadedness/syncope, increased nasal congestion, difficulty breathing post vaccine. She has no history of anaphylaxis or allergic reaction to prior vaccines.
996251	2/2/2021	IL	20	F	2/2/2021	2/2/2021	Approximately 30 second after injection patient reported feeling nauseated and then passed out. Patient regained consciousness a minute later. Her vision and pulse rate was back to normal within 5 minutes. She was given juice and was able to walk to observation where she remained for at least 30 minutes.
995879	2/2/2021		45	F	2/2/2021	2/2/2021	over left cheek bone feel sore, left side of neck sore as well; massaging to see if it goes away; no dizziness, no vision changes, no HA, no change in speech
995312	2/2/2021	NY	74	F	1/31/2021	2/1/2021	2/1/2021 - low fever, headaches dry throat (needing almost constant iced drinks), dizzy, weak, sleeping a lot, eyes hurt, can't eat, dry cough, arm sore. 2/2/2021 - same as above but lessened. large (3x5) hot, red swollen sore arm

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
995338	2/2/2021	NY	31	F	1/28/2021	1/29/2021	Swollen arm on first day! Next day of vaccine temp 99.7 headache 10/10 crushing, pressure like or swollen brain going to explode in my head type of headache. Body aches, weakness, muscle aches, bone aches every bone every joint and nails hurt, fatigue, sensitivity even running water in my hands hurt like knives piercing my skin. 3 day was still same but I felt blind blinded and sensitivity to light which was worse for headache. 4th day was still weak, headache was much better, no more temps, still blurry vision Muscle pain at the site of injection was always there but tolerable.
995340	2/2/2021	NJ	29	M	1/29/2021	1/30/2021	- Severe dizziness started on Sunday 1-31-2021, it would happen even when I am sitting down and moving my head around, if I stand it would be affecting my balance. - Severe to moderate body aches, chills, and pain all over the body with tiredness. started 01-30-2021. - Moderate to mild loss of taste. -Mild to moderate fever. - Severe to moderate headaches, increased eye pressure, and intermittent cuffing with minimal sputum which increases eye pain and headaches. - Sinus congestion with minimal running nose. - Sore Throat
995371	2/2/2021	TN	28	F	1/18/2021	1/28/2021	Bell's Palsy. Symptoms include right sided facial weakness, eye drooping. Onset was around 12:30 on 1/28. Went to walk in clinic where MD confirmed Bell's Palsy and prescribed Valacyclovir and Prednisone. Started medications around 5pm on 1/28.
995404	2/2/2021	WA	25	M	1/25/2021	1/26/2021	Patient awoke the morning following the vaccination experiencing double vision, difficulty focusing vision. He presented to ophthalmologist on 1/30/21 and was diagnosed with a L 6th nerve palsy. His symptoms have persisted and are accompanied by a HA.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
995526	2/2/2021	VA	36	F	2/2/2021	2/2/2021	Vaccine administered by RN on 2/02/2021 at 11:50am. Location was at Nursing Home. Coordinating facility for vaccines is the Health District. Within five minutes after vaccine administration, the patient's co-worker informed the patient that she had some redness on her neck. Patient left dining hall where vaccines were being administered and upon return, RN with HD asked patient how she was feeling. The patient was noted to have a red neck and chest with some petechiae on neck and chest. Patient c/o headache and numb right arm, same arm used for vaccine. At 12pm, 25mg PO of Diphenhydramine was given by RN. The patient c/o nausea and started to vomit. HR was assessed by RN at a radial rate of 106 BPM. Patient stated her head was hurting worse and continued to vomit. RN, called EMS. Cold compress given to patient and patient was assisted to restroom by RN. Upon exiting the restroom, patient started vomiting again and stated her throat was itching and tongue felt swollen. She stated she was allergic to vanilla and her throat felt the same as when she reacts to vanilla. RN, attempted to visually inspect the patient's throat/tongue/mouth and noted that back of the mouth was edematous and unable to visually see the throat. 12:11 pm, 0.3 mg of epinephrine administed by EPIPEN into right lateral thigh. EMS arrived at 12:15pm. Patient assessed by EMS and agreed to transport to Hospital for evaluation. EMS and RN assisted patient to stretcher for transport. Nursing Supervisor, with Health District notified by phone by RN.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
995532	2/2/2021	CT	49	F	1/28/2021	1/31/2021	I had the Pfizer COVID vaccine on 1/28/21, I had no side effects at all, left arm, site of injection was a tad sore, nothing out of the ordinary. Sunday morning my husband noticed I had a rash on my throat/neck and around my eyes. They were not itchy at all or bothering me. My inside of my throat was a little scratchy, but not closing at all. I put hydrocortisone cream on neck & throat Sunday night, Monday, rash, hives, scratchy throat were the same, Monday night after my shower, they were extremely itchy, I again put hydrocortisone cream on my neck and around eyes, it was still itchy and getting onto my eyelid, Monday my face was very blotchy and itchy, I called my doctor, who saw me right away, the doctor told me NOT to get the 2nd vaccine, he is concerned about an anaphylactic reaction and to take Benadryl. Doctor told me he would be researching if I could get another brand, ie. the Johnson & Johnson 2nd dose? Now, I am very nervous to get a 2nd dose and do not know if I should cancel my 2nd dose or not? I do not know who else to talk to about it?
995563	2/2/2021	TX	85	F	2/2/2021	2/2/2021	Seizure - onset approximately 1 hour after vaccination administration. No medical history of seizures. Duration estimated 3 min - myoclonic head jerking, eyes rolled back, cyanosis
995571	2/2/2021		47	F	2/2/2021	2/2/2021	1225- Patient reported nausea, visual spots, and fatigue after receiving second dose of vaccine to the Nurse. She also reported that she had the same symptoms after receiving the first Pfizer vaccine. Vitals were taking and patient was monitored. Patient later starting vomiting in clinic. EMS was called and patient left via ambulance. Methodist ED contacted prior to the patient arriving.
995855	2/2/2021	TX	44	F	1/5/2021	1/5/2021	right after the vaccine my whole arm got hot and traveled to the top half of body. I felt hot right away , during the day I felt my left eye a bit droppy and pain to the injection site by the end of that day I had chills, next day chills , nauseated, tired, slight cough and still felt my left eye droppy , next day slight sorethroat and by the next day I was good.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
995876	2/2/2021	FL	32	F	1/27/2021	1/27/2021	I could not lift my arm away from my body for about 12 hours and it progressively went away until it felt normal about 48 hours later. I also got a rash on the same arm where the vaccine was administered about 24 hours later that lasted 5 days. I had chills and a fever 12 hours after the injection lasting about 6 hours. I had a feeling of sinus congestion with coughing and sneezing starting 24 hours after the injection and lasting for about 4 days. Lastly, I had a rash on my upper face that started 36 hours after the vaccination. The skin felt very dry, was red, and eventually became scaly and flaked off from my eyelids and upper cheeks a few days later.
995402	2/2/2021	CO	54	F	1/17/2021	1/17/2021	Diagnosed with iritis on Jan 25. I had had irritated eyes since having covid (diagnosed on Nov 17, fairly ill) so I am not sure if had iritis before, but definitely became more symptomatic after getting vaccine, formally seen by OD on Jan 25 and diagnosed with iritis of both eyes, right greater than left. I also had symptoms post vaccine x 3 days of chills, headache, myalgias, nausea and diarrhea (same symptoms I had with covid). Treatment for iritis ocular steroids, treatment ongoing.
995862	2/2/2021	CA	39	F	1/26/2021	1/26/2021	Started with a rash to my neck and chest. A day or a rash started to develop on my forehead, eye lids and under one eye. Lymph node in my neck was also swollen. A week later my lips are slightly swollen, rash is better on my neck but is worse on my face.
995598	2/2/2021	WA	31	M	1/14/2021	1/14/2021	About one hour after injection developed left facial numbness while I was on my way home. Not full numbness, but felling as if coming out of a novocaine shot. Left side chin, lips, cheek extending up to ear/eye. No sign of swelling, droop, redness. Has lasted 2 weeks + and has improved over time but not fully resolved. Now is more an occasional numb feeling mostly in L cheek/lips/corner of L eye. I grind my teeth during stressful times and grind more on my left side so was thinking it could be related to that. Sought medical attention from my doctor who felt said most likely not Bell's palsy related.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
995851	2/2/2021	OR	65	F	12/29/2020	1/26/2021	Day 1: 10:30 a.m. injection received. Same evening as receiving the 2nd dose of Moderna, approx 8 p.m. very tired, arm very sore and went to sleep. Woke up 2 a.m. hot, chills, sweating; upper arm felt doubled in size; could not leave the bed (no strength). Day 2: 6 a.m. could not lift my head or leave the bed - 1st temp taken approx. 7:30 a.m. temp was 101. Used cold compresses for high temp, heating pad for chills. 101 temp lasted until 6 p.m. - down to 100. By 9 p.m. was able to go to sleep; temp was slightly elevated to 98.9 (normal is 96.7). Husband said my eyes and cheeks were swollen during the time between 6 a.m. and 4 p.m. Day 3: By morning 8:00 a.m., felt better; dizzy; and hadn't eaten for 3 days.
995847	2/2/2021	NY	38	F	2/2/2021	2/2/2021	pt presented at 1300 for 2nd covid vaccine. at 1310 pt stated her throat was dry. pt was given water, and then stated it felt better. pt was advised to continue sitting in car for an additional 15 mins. pt was agreeable. at 1345 pt stated her eyes were itchy and slight headache. writer was accompanied. prescribed pt 25 mg of Benadryl. pt was agreeable. pt advised to wait 15 mins. at 1415 pt V/S were stable ( temp 97.4, O2 100%, H/R 61, B/P 108/63). at 1418 pt reported still itchy eyes and now her head was itching. pt was given a 2nd dose of 25 mg Benadryl. Pt spouse came to drive pt home. pt was advised to wait another 15 minutes to be re-assessed. pt agreeable. at 1430 pt was assessed and stated she felt fine. pt educated to concerning s/s. pt understanding and agreeable.
995838	2/2/2021	AR	53	F	2/1/2021	2/1/2021	Facial swelling, itching, tightness, eyelid dropping

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
995836	2/2/2021	NE	37	F	1/14/2021	1/14/2021	15mins after getting vaccine got a tickle in my throat. By 6pm I had a headache, tickle in my throat, intense fatigue, dizziness, chest pressure/sob, intense joint aches especially where I had fracture a bone in the past, deep muscle aches, nausea, right arm pain where injection went, also wasn't able to move my arm about 15degrees, By 9pm that evening my side effects increased 10fold. At that time it had taken some Benadryl and Tylenol to help with. That evening I don't remember going to be or how I got to bed. Then the next morning I woke with a terrible headache I, wasn't able to open my eyes, dizziness, nausea, SOB/chest pressure, intense joint pain, intense deep muscle aches, nausea, right arm couldn't move >15degrees, memory fogginess. Lasted all day and took tylenol, benadryl, and rescue inhaler for the SOB. Sunday AM I woke up feeling pretty good at 0800 Got started doing somethings around the house and it hit me again by 1200. SOB/Chest discomfort, headache, nausea, body aches, joint aches and lasted the remainder of the day. Then on that Monday I went and was tested x2 for covid and x1 for influenza/
995817	2/2/2021	MA	59	F	1/29/2021	1/30/2021	(1) On-going facial sensation on left side, not quite tingling but some kind of nerve and.or muscle sensation. (2) ED visit to Mass. Eye and Ear Infirmary for sudden onset PVD - posterior visceous detachment.
995689	2/2/2021	MD	61	F	1/22/2021	2/2/2021	Bloodshot left eye

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
995651	2/2/2021	FL	66	F	1/30/2021	2/1/2021	<p>From my diary about the events of yesterday and today: I will try to relate what happened to me yesterday. I received my second Covid vaccination a few days ago and perhaps the following is related, but I'm not sure. I think I felt fine yesterday morning, and decided to scrub my tub. I was mostly finished when I felt dizzy and went to lie down around 1pm. A friend texted me asking if I was free for a chat, but I wanted to rest a little and did so, texting her when I awoke. I did feel out of sorts when I awoke, and was aware that I had had some dreams, but texted her anyway. We agreed to have a call at 2pm. While on the call, I felt I was struggling with the conversation. I was trying to tell her of my experiences with a recent part-time job (which I quit) and couldn't remember names of people I worked with or certain events that I wished to convey. I still can't remember names of people with whom I worked, and it was just one week ago that I left. I suddenly felt really out of it and nauseous, and struggled to tell my friend I needed to get off the phone. I could not remember her name, to tell her this (and I've known her for 40 years)! The next few hours are a total fog. I know I was having dreams of a sort, but I was not asleep. There are maybe 2 hours that I can't account for. It is most troubling to me that I can't account for this time, but I know something was happening with my brain and while I was having these dreams or hallucinations, I was not asleep. I remember having to think really hard about what my son-in-law's name was ? note that I live with this person. I did not seek medical care, but feel like this information could be related to the Covid vaccine, and may be important to you. It was my night to cook, and I had a really hard time keeping up. I did manage to pull most of a meal together, but right before I was done, I needed to call my daughter to finish it. I was unable to eat anything myself, and only wanted a drink. I felt really nauseous and unsteady, although my thinking was a bit more clear by this time. I'm not sure when the numbness in my toes and fingers on one side of my body (right side) started, but as of this afternoon, both are still numb and weak. It is 1:00pm and I am still having trouble remembering some things, and that few hours of the afternoon from yesterday are completely lost to me. I have like a shadow hanging above one eye. I am seriously thinking I have had some sort of a neurological event. As of 3:00</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							today, my right hand and right foot are still numb, although my thinking seems to be clear.
995610	2/2/2021	TX	75	F	1/30/2021	2/1/2021	Angioedema type of reaction: Itching of both eyes. Itching, redness, and slight swelling of cheeks, elbows, knees, knuckles of both hands about 48 hours post vaccine. I have had this type of reaction previously - unknown trigger, not related to a vaccine. I took one benadryl dose, and called my PCP office. The nurse took the info, and advised me to take another benadryl if needed, and to call her back in 1 hr. I called her back reporting that the reaction had subsided. She gave the same advice and told me to make sure to call back if needed.
991377	2/1/2021	KY	52	F	1/28/2021	1/28/2021	Vision issues and bad headache (24 hrs.) My vision has not been the same since after receiving my second dose of the vaccine. Very hard to focus and everything seems shadowy or dim.
991698	2/1/2021	NY	40	F	1/19/2021	1/20/2021	Eye twitch, intermittent and random, ongoing daily
991688	2/1/2021	WA	46	M	1/12/2021	1/18/2021	Six days after the second vaccine, I had a sub-conjunctival hemorrhage involving almost the entirety of my right eye. There had been no trauma or other precipitating incident. My vision was fine, and there was no pain. It cleared up in about 2 weeks. I had never had this before. I have no bleeding disorders or eye problems. I wasn't convinced this was associated with the vaccine, but I'm now personally aware of THREE other people who had significant sub-conjunctival bleeds after the second Covid vaccine dose (all Pfizer). Two had some other symptoms after the injection, one did not. I was otherwise fine, and did not see a doctor (I work with ophthalmologists who said give it time, and if it didn't clear up I should get checked out)
991683	2/1/2021	OK	64	F	1/21/2021	1/21/2021	Approx 8 minutes after receiving the vaccine client started c/o feeling pressure behind her eyes. She has had this problem before and thinks it is because her blood pressure is elevated. Client was not feeling well enough to drive home so her husband came and got her. She said after she was home for a few minutes she felt better. She was able to pick her car up within 2 hours of the incident. She did call her PCP and let them know.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
991678	2/1/2021	IN	58	F	1/30/2021	1/31/2021	Intermittent, sudden, strong, bursts of pain in Right eye and also Left lower side of that back of my head. These subsided after about 8 hours. I had been alternating between Advil and Tylenol for treatment.
991675	2/1/2021	FL	72	M	1/29/2021	1/30/2021	14 hours after injection developed 99 degree fever, chills, muscle aches, fatigue, headache, red eyes, soreness at injection site with a one inch wide red streak half down the left arm from the deltoid. Symptoms lasted 24 hours before beginning to subside; 36 hours to end. the headache was the last to end. Treated with Tylenol, Advil and liquids.
991616	2/1/2021	TX	57	M	1/28/2021	1/28/2021	Within 12 hours i started having shallow breathing and labored. The next day i found it hard to focus and stuttered a couple times and a co worker said my eye was twitching. Today my breathing is worse.
991230	2/1/2021	NV	22	F	1/22/2021	1/23/2021	Patient reported to ED 24 Jan 2021 with Bell's Palsy symptoms on right side of face 23 Jan 2021. Patient given eye drops, steroids and antivirals.
991398	2/1/2021	OR	49	F	1/17/2021	1/18/2021	Systemic: Other- facial swelling- lips and eyes-Medium
991704	2/1/2021		33	F	1/29/2021	1/30/2021	malaise/fatigue, chills, headache, nausea, eye soreness
991163	2/1/2021	TN	40	F	12/30/2020	12/31/2020	I experienced red, irritated eyes following the vaccine. Also experienced a blister likely chemosis which lasted approx 1 day.
991980	2/1/2021	AK	44	F	1/7/2021	1/8/2021	I lost my near sighted vision. I didn't have this issue beforehand. It has been almost four weeks and my vision hasn't improved.
991459	2/1/2021	CA	33	M	1/28/2021	1/28/2021	Per Documentation: ~ 05to 10 seconds after vaccination patient c/o ringing ears; eye burning; nausea; warm; weak @ 1713 BP= 154/81 HR=99 O2 saturations =99% @ 1716 patient reported that symptoms had resolved @ 1716 reported cotton mouth/runny nose @ 1717 patient reported feeling better @ 1718 BP: 145/79 HR=97 O2 Saturations= 99% @1728 BP 138/86 HR=100 Per Patient: he has a history of getting dizziness when getting up from seated position to standing position,

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
991746	2/1/2021		44	F	2/1/2021	2/1/2021	10am Pt c/o SOB, tightness in chest, left arm numbness, dizziness. BP 127/84 P-108 PO 100%. RN came to assist. 10:04am Benadryl 25 mg liquid given PO BP121/73 P 104 PO 97%. Left arm injection site asymptomatic. Pt states this is her 2nd Covid vaccine and did not react to the first one. Pt states she had anaphylactic reactions to PCN, ASA, Sulfa, Keflex and Codeine in the past. C/O blurred vision. 10:10am BP 132/81 p 112 PO 98% with same symptoms. RN present and we discussed going to ER, vs stable and patient declined going. 10:15am BP 133/82 P-114 PO 96%, pt states her breathing is better, thinks the Benadryl caused the dizziness, continued blurred/fuzzy vision, not double vision, A & O x3. 10:20am BP 127/83 P-108 PO98% denies SOB and chest tightness, states she feels better. Crackers, juice and water given. 10:25am BP 123/83 P 105 PO 98% pt states blurred vision has gone. 10:30am BP 129/70 P 105 PO 97% continue to feel better. Talking to her co-worker about getting a ride back to work with her after she receives her vaccine. 10:55am BP 120/72 P 105 Sat 99% went to restroom with another nurse and states she feels fine standing. 11am BP 126/75 P98 PO 98% denies arm numbness, blurred vision and SOB/chest tightness. Report off to 11am Volunteer RN for the monitor room.
991748	2/1/2021	MI	57	F	12/22/2020	1/28/2021	Headache over right forehead started 1/28/21 for 24 then sudden runny nose on right nostril, then loss of taste in right side of tongue started 24 hours later and the other symptoms improved. Mild pain over right cheek and into ear have remained over the past 72 hours along with the loss of taste and funny feeling on right 1/2 of tongue. No facial muscle weakness noted. No change in hearing or vision.
991829	2/1/2021	IN	28	M	1/26/2021	1/27/2021	Headache lasted 24 hours Arm ache at injection site for 48 hours Fever for 24 hours Body aches for 36 hours Eyes felt like they were burning for 2r hours
991835	2/1/2021	IN	53	F	1/27/2021	1/28/2021	Extreme chills fevers Sneezing Runny nose watery eyes Fatigue Body aches . Extreme chills And fatigue started 34 hours after shot . Sneezing started 48 hours after the shot Runny nose watery eyes And body aches Started 56 hours .

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
991836	2/1/2021	FL	58	F	1/9/2021	1/31/2021	Face swelling, fever, vomiting muscle and joint pain. I also have what looks like hives on my eyelid. I'll still achy.
991852	2/1/2021	MD	37	F	1/27/2021	1/27/2021	Pfizer-BioNTech COVID-19 Vaccine EUA Approximately 15-20 minutes after receiving the injection, felt dizzy, nauseated, shaky. Tongue felt like it was swelling similar to previous allergic reactions I have had, lips were tingly, vision started to blur. Given 25 mg benadryl PO. Walked to urgent care in building, given IV methylprednisone and odansterone, oral famotidine. BP initially very high, was 154-100 at time of discharge from urgent care at approximately 11:30 am. Temp 97.4 at discharge. The following morning: vomiting, copious diarrhea, fever, body aches, stomach pains, fatigue, headache, weakness, dizziness, joint pain. Treated with fluids, rest, benadryl. Temperature high of 100.8 (not taking it consistently though). Today, 02.01.2021 temperature 99.8, still aches and weakness but improving. Normal temperature is ~97.7 on home thermometer.
991878	2/1/2021	MD	80	M	1/28/2021	1/30/2021	blurred vision chills white hands fever muscle pain confusion swelling and redness in limbs headache
991880	2/1/2021	WA	61	F	1/29/2021	1/29/2021	Pt reported chest pain as well as headache, blurry vision and dizziness. BP was found to be 208/110. EMS was called and pt was transported to ED via private car due to pt not wanting to go by ambulance. Per chart notes, pt presented to ED and also reported hives however she left the ED without being seen.
991906	2/1/2021	KY	58	F	1/6/2021	1/13/2021	Increased fluid in left eye with significant decreased vision started 1 week post immunization; and shingles started 1/29/2021

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
991912	2/1/2021	CA	82	F	2/1/2021	2/1/2021	At 0843, RRT was called at the post-vaccination area for an 82 y/o female C/O chest tightness after administration of the Pfizer vaccine at 0836. RRT RNs responded to scene with E-Kit, stethoscope, and pulse ox at hand. Initial vitals ? BP: 190/94, HR: 86, O2: 96% on RA. Client reports that chest tightness does not radiate anywhere else. Client denies N/V, vision changes, or difficulty breathing. Client appears in no acute distress, no sweats seen. Head-to-toe assessment done, all WNL. Client reports she took Metoprolol, Prilosec, a vitamin supplement, and Synthroid this AM. Has a history of macular degeneration, thyroid dx, arthritis, and HTN. Throughout RRT, chest tightness improved. At 0855, BP was 182/92. At 0900, client?s head-to-toe assessment remained in WNL. She remained in no acute distress and was not SOB or had difficulty breathing. 911 assistance not needed at this time. Recommendation to client was to be monitored for an additional 15 minutes and that if symptoms worsen, she should contact her PCP and go to the nearest hospital/ER and/or call 911. Client verbalized understanding. At the end of additional 15-minute waiting period, client felt so much better. Symptoms improved. Client left AMA and left premises at 0915 via car.
991918	2/1/2021	MN	47	F	1/23/2021	1/23/2021	Purpose: Sores in mouth and nose. Eye swollen, sores on nose and mouth jaw pain, headache and swollen glands after COVID-19 vaccine



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
991949	2/1/2021	WI	33	F	1/28/2021	1/28/2021	Approximately 17 minutes after vaccination to right deltoid, (patient) approached medical assistant in observation area reporting difficulty breathing and feeling of throat swelling; verbal and visual evaluation performed promptly by COVID-19 RN in observation area, as exam room was occupied by another patient; patient then escorted to office room adjacent to exam room and placed into sitting position in office chair by COVID-19 RN ; (nurse practitioner) notified as was escorted to office and verbal and clinical evaluation performed by RN after patient placed into seated position; erythematous patch noticed circumscribing injection site during visual inspection; Epinephrine administered via auto-injector to left vastus lateralis at 20min minutes post immunization as patient reported worsening tightness in the throat and chest and increasing difficulty breathing ; EMS personnel, already onsite for other patient, responded and assumed care shortly after administration of epinephrine; patient alert and accompanied by one of her co-workers for transport to Hospital via EMS

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
991101	2/1/2021	NC	62	M	12/22/2020	1/1/2021	<p>Patient reports having his flu vaccination in November 2020 and his Pfizer COVID-19 vaccination on 12/22/2020. 10 days later he noticed bilateral leg cramps subsequently leading to numbness in his feet, weakness in his feet, numbness on side of his legs, both hands and upper back. 2 to 3 days prior to admission on 1/2/21 he has noticed right-sided facial weakness and has noticed increasing shortness of breath on exertion. He was initially seen by PCP who suspected Guillain-Barré syndrome and had a PFT done which showed reduced tidal volume and FEV1. He was seen by neurologist and had EMG nerve conduction studies which confirmed demyelination &amp; patient has been sent to the hospital for IVIG treatment. Per PT note from 1/30: "UE ROM: WFL UE Strength: WFL, reports grip weaker from baseline LE ROM: WFL LE Strength: proximal WFL, ankle DF/ PF 2+/3-/5 Coordination: reports no deficits with finger to nose B Sensation: numbness B hands; B feet numbness and reports weight bearing feels like standing on something squishy Balance: WFL over level surfaces, able to compensate with strength Posture: midline Other: R side facial droop, able to close R eyelid Bed Mobility: mod independent Transfers: modified independent, no device; able to perform controlled eccentric lowering stand &gt; sit Gait Level of Assistance: Modified independent, requires aide device or extra time Assistive Device: None Distance Ambulated (ft): 10 ft Gait: pt ambulating in room without device, appears mildly unsteady with decreased heel strike with increased foot flat contact, mild increased lateral postural sway (increased with retrowalk). No frank LOB. Stairs: verbally reports has been performing stairs since onset of symptoms, stairs are hard but able to perform, improved with UE support when available, requires increased time and fatigues quickly Endurance: neuromuscular fatigue, requires increased rest breaks" He was admitted to hospital from 1/28-2/2 for 5 treatments of IVIG. He had improvement of his SOB and numbness but has not had full resolution of symptoms.</p>
991930	2/1/2021	IN	76	M	1/23/2021	1/24/2021	<p>TOTAL BODY SEVERE PAIN OF ALL JOINTS AND MUSCLES (FROM HEAD TO TOE, PLUS PAIN BEHIND BOTH EYES</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
990537	2/1/2021	FL	79	F	1/14/2021		Little nauseous; This is a spontaneous report from a contactable consumer. A 79-year-old female patient started to receive bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number EL1284), via an unspecified route of administration on 14Jan2021 at a single dose for COVID-19 immunization. Medical history included diabetes mellitus, hyponatraemia, Macrocytic anemia, Bad back and visual impairment. There were no concomitant medications. The patient previously took tylenol and tramadol for back pain. The patient experienced little nauseous on an unspecified date. The outcome of the event was unknown. Information on the batch number/lot number has been requested.
995192	2/1/2021	TN	28	F	1/28/2021		Answered page from RN pt. calling to reporting having reaction to vaccination recieved today at 2. Spoke with pt. on hold on phone. pt. stated "I came and got my shot at about 2 oclock and came back to work and after I got here and was here a little while and started getting a rash and my face feel slike my eyes are going to start swelling. I'm being monitoring by the Nurse practitioner here and she's got benadryl for me if I need it and I took Tylenol a little while ago I just wanted to let yall know" I advised pt. to follow instruction of the nurse practitioner who's monitoring her and pt added "I will" and expressed gratitude for speaking with her. I also encourage pt VAERS report. Pt "I will".

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
990380	2/1/2021	MI	77	F	1/14/2021	1/14/2021	experienced allergic reactions; her eyes got red; Her eye lids were red; Her eye lids were red, swollen, and puffy.; Her eye lids were red, swollen, and puffy.; cheeks were bright red; This is a spontaneous report from a contactable nurse (patient) reported that a 77-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, lot number: EL3249), via an unspecified route of administration on the left arm on 14Jan2021 14:00 at a single dose for Covid-19 immunization. Medical history included that the patient was diabetic and hypertensive; both were ongoing. Concomitant medications included atenolol taken from 14Jan2021 for blood pressure high; pioglitazone hydrochloride (ACTOS) and ongoing metformin both were taken from an unspecified date for diabetes; ongoing montelukast sodium (SINGULAIR) for history of food and drug allergies and ongoing chlorothiazide for diuretic. It was reported that she had the first dose of the covid vaccine on 14Jan2021 and experienced allergic reactions after she left the facility; they were not life threatening but were not pleasant. She realized how bad it was after she got in the car, removed her mask, and looked at her face. She was concerned about getting the second dose. She even took Benadryl 1 hour before getting the shot and still had a reaction. She clarified her allergic reaction to be as her eyes got red. Her eye lids were red, swollen, and puffy. It looked bad. When she got in the car took her mask of her cheeks were bright red. She sat in the ER parking lot for an hour waiting for it to resolve. It resolved after like an hour and half. After it resolved and went away she went back home. She stated that this allergic reaction is anxiety producing. She gets anxious because she knew what could happen. The outcome of the events was recovered on 14Jan2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
990361	2/1/2021	IN		F	1/14/2021	1/14/2021	<p>blindness in left eye; stroke in back of the eye; blood clot; A spontaneous report was received from a consumer concerning an 83-year-old, female patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and experienced blindness in left eye, blood clot, and stroke in back of the eye. The patient's medical history was not provided. Concomitant medications reported included comerdol, losartan, hydrocortisone, meloxicam, and unspecified stomach pills. On 14 Jan 2021 at 10:15 am, approximately 3 hours and 45 minutes prior to the onset of the events, the patient received a dose of mRNA-1273 (Lot number: 013L20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 14 Jan 2021 around 2:00 pm, the patient lost sight in her left eye as a result of a blood clot and stroke in the back of her eye. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the events, blindness in left eye, blood clot, and stroke in back of eye, was unknown.; Reporter's Comments: This case concerns an 83-years-old female patient, who experienced a serious unexpected event of blindness unilateral, retinal artery occlusion, and thrombosis. The event of blindness unilateral and retinal artery occlusion occurred 3 hrs. after first dose of mRNA-1273, lot # 013L20A. The event of thrombosis occurred on an unspecified date after first dose of mRNA-1273, lot # 013L20A. Treatment included details were not provided. Concomitant medications included Comerdol, Losartan for blood pressure, Hydrocortisone, Meloxicam and stomach pills. Very limited information regarding this event has been provided at this time. Based on the current available information and temporal association between the use of the product and onset of the event a causal relationship cannot be excluded.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
991999	2/1/2021	TX	37	F	1/13/2021	1/26/2021	13 days after receiving my first shot I started with a mild cough. I thought it was allergies associated with changing weather and I wasn't running fever so I continued to go to work. Two days later I still had no fever, but got dizzy and started feeling bad. I went and got tested that night and tested positive for the virus. My eyes have itch and burned, but I still have never run and fever and didn't loose my Sense of smell until 5 days after symptoms first started. My cough got worse and I have also had sneezing.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
990428	2/1/2021		57	F	12/30/2020	1/1/2021	<p>Soreness in the arm; Conjunctivitis; Episcleritis; This is a spontaneous report from a contactable physician (dentist, dental surgeon/patient's husband). A 57-year-old female patient received the bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot Number: EL1284), via an unspecified route of administration on 30Dec2020 at 57-years-old at a single dose for COVID-19 immunization. Medical history included blood pressure increased, and blood cholesterol increased; both from an unknown date and unknown if ongoing. Concomitant medications included atenolol (MANUFACTURER UNKNOWN) taken for blood pressure from an unspecified date to an unspecified date, "normal hormones" from an unspecified date to an unspecified date, "statin for cholesterol" from an unspecified date to an unspecified date. On 10Jan2021, the patient experienced conjunctivitis (non-serious). In Jan2021, the patient experienced episcleritis (non-serious). On an unspecified date, the patient experienced soreness in the arm (non-serious). The clinical course was reported as follows: The physician (patient's husband) stated that he and his wife received the Pfizer COVID-19 vaccine on 30Dec2020; and both had "a little bit of soreness in the arm, nothing spectacular." The patient developed a pink eye and was diagnosed with conjunctivitis 12 days (also reported as "approximately 10Jan or so") later after getting the vaccine (as reported). The doctor prescribed some topical cortical steroid eye drop. The eye was still swollen, and not totally resolved; "continually got worse." The patient consulted an ophthalmologist who gave the patient some prednisone ophthalmic (also reported as cortisone) and over the counter lubricant for the eyes. The patient was still symptomatic. The patient was diagnosed with episcleritis. The ophthalmologist classified the episcleritis as an autoimmune disease. Regarding the causality between the vaccine and the events, the patient's husband stated that his wife did not think it was related, and that the events could be totally idiopathic and there could be no correlation. The patient underwent lab tests and procedures which included COVID test: negative on an unspecified date. Therapeutic measures were taken as a result of conjunctivitis and episcleritis. The clinical outcome of the events was unknown.</p>

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
990444	2/1/2021	FL	40	F	1/14/2021	1/15/2021	left auxiliary Lymphadenopathy and lymphadenitis; left auxiliary Lymphadenopathy and lymphadenitis; eyelid swelling; left eye swelling; left eye swelling and tenderness; This is a spontaneous report from a contactable physician (patient). A 40-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number and expiry date: unknown), via an unspecified route of administration on the left arm, on 14Jan2021 07:30 at a single dose for COVID-19 immunization. Medical history included seizure, COVID prior to vaccination and penicillin allergy. Patient was not pregnant at the time of vaccination. Concomitant medication included levetiracetam (KEPPRA) and lacosamide (VIMPAT). No additional vaccines administered within 4 weeks before the vaccination. The patient previously took LAMICTAL and experienced allergy. The patient experienced Left auxiliary lymphadenopathy and lymphadenitis, eyelid swelling, and left eye swelling and tenderness on 15Jan2021 15:00. Patient took BENADRYL as treatment for the events and was recovering. Patient had not been tested since the vaccination. Information on the lot/batch number has been requested.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
990451	2/1/2021	WA	58	M	1/7/2021	1/7/2021	High grade fevers up to 104.0; shivers/rigors; unable to eat or drink 24-36 hours due to rigors; headache; eye aches/ eye movements painful; extensive drenching sweats x 3 days; head shakiness; dizziness; Body aches; This is a spontaneous report from a contactable Physician (patient). A 58-year-old male patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Lot number: EL1283), intramuscular on left arm on 07Jan2021 12:15 at single dose for COVID-19 immunization. The patient's medical history was not reported. The patient had no known allergies. There were no concomitant medications. The previously took the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EK5730) on 19Dec2020 at 07:00 via intramuscular on left arm. No other vaccine in four weeks. On 07Jan2021 at 22:00, the patient had high grade fevers up to 104.0, shivers, rigors, headache, eye aches and eye movements painful, extensive drenching sweats for 3 days then slowed down, head shakiness and dizziness, unable to eat or drink 24-36 hours due to rigors. The patient reported that he experienced body aches, confined to bed 48 hours, then gradually and fully recovered by the end of day 4. No nausea or vomiting, and no cough. The patient took Acetaminophen 500mg x 1 oral (PO) as treatment to the events. No COVID prior vaccination. The patient was COVID tested post vaccination with 'POC test' (covid test type post vaccination=Nasal Swab) on 11Jan2021 which showed negative result. The outcome of the event body ache was recovered on 11Jan2021 and other events was recovered on unspecified date in Jan2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
990491	2/1/2021	PA		F	1/14/2021	1/15/2021	left eye pulsating intermittently; 1st left side of face numb in spots. Now experiencing entire face with 'pins and needles' numbness intermittently; 1st left side of face numb in spots. Now experiencing entire face with 'pins and needles' numbness intermittently; This is a spontaneous report from a contactable nurse (patient). An adult female patient of an unspecified age received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number: EL32495121), via an unspecified route of administration in the left arm on 14Jan2021 07:00 at a single dose for COVID-19 immunization. There were no medical history. The patient was not pregnant at the time of vaccination. Concomitant medication included loratadine, pseudoephedrine sulfate (CLARITIN-D). The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was not diagnosed with COVID-19 prior to vaccination and had not been tested for COVID-19 since the vaccination. On 15Jan2021 09:30, the patient experienced her left eye was pulsating intermittently. First, the left side of face was numb in spots. Now, she experiencing entire face with pins and needles and numbness intermittently. No treatment was received for the adverse events. Outcome of the events was not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
990497	2/1/2021	FL	71	F	1/9/2021	1/11/2021	nauseous; threw up all day; heart races a little bit in the middle of the night/her heart also went racing a few times in the night; sinus pain; dizziness/like she was not dizzy today like she was yesterday, but today she was just more like lightheaded; Low grade fever; feeling sick/doesn't feel good; head hurts really bad/terrible headache; This is a spontaneous report from a contactable consumer (patient). A 71-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; lot number EH9899, expiration date Mar2021) via an unspecified route of administration on 09Jan2021 at a 0.3mL via injection into the left arm for covid-19 immunization. The patient stated that she had Type 2 diabetes which diagnosed about 10 years ago and high blood pressure diagnosed about 20 years ago, so her providers office sent her a text saying the doctor wanted her to have the vaccine. She confirmed that she had no other vaccines on the same day as the COVID vaccine. The patient stated that she had high cholesterol about 5 years ago and her doctor initially put her on Lipitor, but she got to a point where she could not walk, so her doctor put her on something else, but she could not tolerate that either, so then she was switched to the Pitavastatin Calcium. The patient stated that she also had a very sensitive stomach, but she cannot think of the name of what she was diagnosed with because since she had her a couple of seizures started about two years ago this upcoming Aug, she can't think straight. The patient also had GERD about 5 years ago, macular degenerative disease a couple of months ago. All medical condition was still ongoing. Current concomitant medications included levetiracetam (KEPPRA, Tablet) 500mg, once daily, by mouth started from about two years ago, this upcoming Aug for seizures; metformin 1000mg, two tablets daily, by mouth started from about 10 years ago for Type 2 diabetes; allopurinol Tablet 300mg, once daily, by mouth started from probably 2 or 3 years ago for her kidney; metoprolol tartrate (LOPRESSOR, Tablet) 50mg, once daily, by mouth started from 2 years ago for high blood pressure; empagliflozin (Jardiance, Tablet) 25mg, once daily, by mouth has been on this product about 6 months for Type 2 diabetes; lisinopril Tablet 40mg, once daily, by mouth started from probably about 10 years ago for high blood pressure; diltiazem hydrochloride (CARDIZEM CD,

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

24 hour Capsule) 180mg, once daily, by mouth started from a couple years ago; omeprazole magnesium (Prilosec, Capsule) 20mg, once daily, by mouth started from probably about 4 years ago for GERD; hydrochlorothiazide Tablet 25mg, once daily, by mouth started probably about 10 years ago for high blood pressure; Vitamin D 125mcg or 5000unit Tablet, once daily, by mouth as Vitamin supplementation started taking this about a year ago. The patient had a blood test where her Vitamin D was a little low. Vitamin C was got it over the counter; PreserVision OTC medication, with Vitamin A, E, C, zinc and copper Two capsules by mouth daily started from about two months ago for macular degenerative disease; pitavastatin calcium Tablet 2mg, once nightly, by mouth for High cholesterol; it was on it before, but started back on it a couple months ago. The patient reported she doesn't feel good and got headache on 11Jan2021, had dizziness and low grade fever on 15Jan2021, had nausea and threw up, sinus pain and heart races a little bit on 17Jan2021. She did not want to go through this again. The patient stated that she had the first shot of the Pfizer COVID Vaccine on 09Jan2021. She felt for a day and a half by Monday, 11Jan2021, she has been sick ever since, she did not feel good at all. She had a terrible headache, and for probably one or two days, she ran a low-grade fever. Her headache was still ongoing, but it had eased up because she was taking Tylenol. The patient stated that the dizziness she had, caused her to be nauseous and she threw up all day yesterday. She tried to eat something today and she was just having bad problems with feeling sick all the time. She asked if there are recommendations for getting the second shot after having symptoms like this. Today is the third day that she had been feeling the dizziness and it had improved a little, like she was not dizzy today like she was yesterday, but today she was just more like lightheaded. The patient reported that the nausea was ongoing, she felt like she was going to get like today like she did yesterday. She did not think she still has a low grade fever, she probably had the low grade fever on 15 and 16Jan2021. She just can't seem to shake not feeling good. At first that it was her sinuses because that was where her head was hurting, but then the sinus pain went away but she still had a headache. The patient stated that her heart also went racing a few times in the night.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

Yesterday was a bad day, but today she was a little bit lightheaded. She tried to eat some toast today, so she will see if she can keep that down. The outcome of the events headache, dizziness, heart rate increased and sinus pain was recovering and the low grade fever was recovered on 17Jan2021 and other events was not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
990520	2/1/2021	FL	66	F	1/17/2021	1/17/2021	itching to eyes, mouth, and throat an hour after vaccination; itching to eyes, mouth, and throat an hour after vaccination; itching to eyes, mouth, and throat an hour after vaccination; arm soreness; dry throat; arm discomfort; This is a spontaneous report from a contactable consumer (patient). A 66-year-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE) at left arm, via an unspecified route of administration on 17Jan2021 11:00 at single dose for covid-19 immunisation. Medical history included Cholesterol and Blood pressure, patient stated she took low dose medication for her blood cholesterol and blood pressure, but has had no new medications. She had a history of some allergies: a slight shrimp and scallops allergy, possible peanuts, penicillin, and a Neomycin product. She said they were not a big deal, and she had environmental allergies as well. She had an allergic reaction to the eye drop Neomycin, possibly, just the eye drop, she had a little breakout around her lips but she didn't know if it was the drug or not. The allergy to shrimp and scallops showed up in a blood test, her reaction to peanuts around her mouth but she had a negative scratch test and blood test for allergy to peanuts. The patient's concomitant medications were not reported. The patient stated she did get the flu vaccine, that was ok, she was fine, this was probably around Nov2020 or so, though she didn't know off hand when she got it, it was the regular flu vaccine and not an increased dose. The patient experienced arm discomfort on 17Jan2021, itching to eyes, mouth, and throat an hour after vaccination on 17Jan2021 12:00. The patient took the first shot yesterday (17Jan2021) and she had some discomfort to her arm, but it didn't bother her. She got the shot about 11:00 yesterday (17Jan2021) and about an hour after the shot she had some itching to her eyes, mouth, and throat that was not severe then was on and off through the day. She would like to know if this is common, she would like the information for the second dose, if she should expect more or less or same, she was concerned about the second dose. She did not have a severe reaction, she just wanted to make sure there weren't any adverse reaction for that make sure she known. She had not seen a doctor for her itching eyes, mouth, and throat. She didn't do any treatment for it, it was better today (18Jan2021), she just noticed it an hour

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
990521	2/1/2021	PA		M	1/13/2021	1/15/2021	<p>after the injection that she felt a bit of eyes being itchy and all over, her mouth and throat were not severe, but she definitely felt it through the day. She felt it a little at night sometimes anyway like a dry throat. It was gone this morning and her arm was better, it seemed like the itching went with the arm things since following her arm soreness her itchiness started, then when her arm felt better the itchy was going away. The outcome of events was recovering. Information on the Lot/Batch number has been requested.</p> <p>Left sided numbness; head pressure; motor skills off; Explosive watery stool; tired; can not keep head up; Eyes feel like they are spinning; This is a spontaneous report from a contactable Other HCP(patient). A 59-year-old male patient received first dose BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number=EK9231), intramuscular at Left arm on 13Jan2021 09:30 at single dose for COVID-19 immunization. Medical history included Diabetes, hypertension, kidney disease, macular degeneration. There was no covid prior vaccination, no Known allergies, no covid tested post vaccination. There were no concomitant medications nor vaccination in four weeks. The patient experienced Left sided numbness, head pressure, motor skills off. Explosive watery stool, very tired, can not keep head up. Eyes felt like they were spinning, all on 15Jan2021 13:00 with outcome of recovering. There was no treatment.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
990391	2/1/2021	WA	51	F	1/13/2021	1/14/2021	malaise/ feeling of severe unwell; migraine; neck pain; heart racing; blurry vision; muscle spasms; muscle pain; nausea; dizziness; swollen entire left arm injection arm; joint pain; kidney pain; unable to think clearly; This is a spontaneous report from a contactable consumer (patient). A 51-year-old female patient received the second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL3246), via an unspecified route of administration on 13Jan2021 12:00 PM at a single dose on left arm for COVID-19 immunization. The patient medical history was not reported. No known allergies. There were no concomitant medications. The patient previously received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL0140), via an unspecified route of administration on 23Dec2020, 05:00 PM at a single dose on left arm for COVID-19 immunization and experienced cold frostbite like hands and feet, dizziness when warmed up too quickly, racing heart rate, trouble finding words, with extreme fatigue, nausea, achiness at joints, and swollen lymph nodes. The patient experienced malaise, feeling of severe unwell, migraine and neck pain, heart racing, blurry vision, muscle spasms, muscle pain, nausea, dizziness swollen entire left arm injection arm, joint pain, kidney pain, unable to think clearly on 14Jan2021. AE resulted in Doctor or other healthcare professional office/clinic visit. Therapeutic measures were taken as a result of muscle pain and nausea. The outcome of the events was recovering. The patient was not pregnant. No other vaccine in four weeks. Not diagnosed with COVID prior vaccination. Not tested for COVID post vaccination.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
990533	2/1/2021	KY	48	F	1/11/2021	1/11/2021	Metal taste in mouth; slight swelling of eyes; This is a spontaneous report from a contactable nurse (patient). A 48-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE lot number: EK9231, expiration date not reported) via an unspecified route of administration on the left arm on 11Jan2021 at a single dose for COVID-19 immunization. Medical history included allergies: Penicillin. The patient's concomitant medications were not reported. The patient previously received 1st dose of BNT162B2 on 21Dec2020 for COVID-19 immunization. On 11Jan2021 02:30 PM, the patient experienced Metal taste in mouth, slight swelling of eyes. No treatment was received. Patient was not pregnant. Prior to vaccination, the patient was not diagnosed with COVID-19. Post vaccination, the patient has not been tested for COVID-19. Outcome of the events was recovered in Jan2021.
991070	2/1/2021	NY	65	M	1/21/2021	1/29/2021	Chills. Joint pain. Weakness. Pain in eyes, skin, difficulty walking.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
990569	2/1/2021	FL	74	F	1/8/2021	1/8/2021	exhausted; slept most of day/night; pain in scalp, pimples, bumps; pain in scalp, pimples, bumps; sore left eye; blood pressure very high and hard to control; shingles; This is a spontaneous report from a contactable consumer. A 74-years-old female patient started to receive BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot# EL3246), via an unspecified route of administration on 08Jan2021 13:30 at single dose for covid-19 immunisation. Vaccine location was left arm. No other vaccine was received in four weeks. Medical history included hypertension, neuropathy peripheral, asthma/allergies, headache, allergy to medications, food. Concomitant medications included azelastine, fluticasone propionate (FLONASE), metoprolol, gabapentin, levothyroxine sodium (LEVOTHYROXINE). The patient experienced shingles on 08Jan2021 (immediately after she got the shot), exhausted on 09Jan2021 03:30, slept most of day/night on 09Jan2021 03:30, pain in scalp, pimples, bumps on 09Jan2021 03:30, sore left eye on 09Jan2021 03:30, blood pressure very high and hard to control on 09Jan2021 03:30. Patient was treated with Valacyclovir, lisinipril, metropolis, aquafor. The outcome of shingles was unknown. The outcome of exhausted, slept most of day/night, pain in scalp, pimples, bumps, sore left eye, blood pressure very high and hard to control was not recovered.
990570	2/1/2021			U			Blurred vision; Rigors/Shivering; This is a spontaneous report from a contactable consumer. A patient of unspecified age and gender received 2nd dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration from an unspecified date to an unspecified date at single dose for covid-19 immunisation. The patient medical history and concomitant medications were not reported. The patient experienced blurred vision and rigors/shivering, all on an unspecified date with outcome of unknown. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
990630	2/1/2021			U	1/14/2021	1/15/2021	I had a bloodshot eye; This is a spontaneous report from a contactable consumer. A patient of unspecified age and gender received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number/expiration date unknown), via an unspecified route of administration on 14Jan2021 at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. On 15Jan2021, the patient experienced a bloodshot eye. The outcome of the event was unknown. Information about lot and batch number was requested.
990635	2/1/2021	MI	71	M	1/13/2021	1/13/2021	Arm is still weak; Tiredness; Headache; Muscle pain; Chills; Joint pain; Fever; Nausea; Feeling unwell; Little bit of pain from the injection site; This is a spontaneous report from a contactable consumer (patient). A 71-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Lot Number: EL3249), via an unspecified route of administration, on 13Jan2021, at a single dose, for COVID-19 immunization. The patient's medical history included diabetes (controlled by food not by injection), coronary artery spasm (blood vessels that occasionally collapsed), glaucoma, and asthma. The patient's concomitant medications included albuterol for asthma, atorvastatin (LIPITOR), glyceryl trinitrate (NITROGLYCERIN) for coronary artery spasm, and numbers of eye drops (unspecified) for glaucoma. The patient had taken the COVID-19 vaccine just not too long ago and had good number of non-serious side effects. The patient was not really concerned with these side effects that she had. On 13Jan2021, the patient had the little bit of pain from the injection site but that's common with any injection, so he did not count it, but next day the events started, and he still had some, but they were subsiding. The next events happened the next day after administration (14Jan2021). The patient had the injection site pain and the arm is still weak, tiredness, headache, muscle pain, chills, joint pain, fever, nausea, and feeling unwell on 14Jan2021. The patient was recovering from the events.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
990640	2/1/2021	FL		F			<p>Blurred vision; Eyes burn; Eyes itch; Eyes sting; This is a spontaneous report from a contactable consumer. A female patient of an unspecified age received the first dose of the bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration on an unspecified date at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. On an unspecified date, the patient experienced blurred vision, eyes burn, eyes itch, and eyes sting. The clinical course was reported as follows: The patient stated that she did not know if the events were side effects. The patient just received the first Pfizer vaccine and then went home. When the patient woke up, her vision was blurred; however, the vision cleared up in a very short period of time (in 30 minutes). But ever since the patient had the shot, their eyes burned and itched for two weeks. The patient did not know if it was something in relation to the vaccine. The clinical outcome of the event, blurred vision, was recovered on an unspecified date. The clinical outcome of the events, eyes burn, eyes itch, and eyes sting, was unknown. The batch/lot numbers for the vaccine, PFIZER-BIONTECH COVID-19 MRNA VACCINE, were not provided and will be requested during follow up.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
990658	2/1/2021	CA	72	F	1/18/2021	1/18/2021	Bruising on my face, it is visibly notable they are so many around and above the eye also; Bruising on my face, it is visibly notable they are so many around and above the eye also; This is a spontaneous report from a contactable consumer (Patient). A 72-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL3302), via an unspecified route of administration on 18Jan2021 at single dose for Covid-19 Vaccination. Medical history included had major concussion in May2020. Concomitant medication included acetylsalicylic acid (BABY ASPIRIN). The patient was noticing some what looks like bruising on her face, it was visibly notable they were so many around and above the eye also on 18Jan2021. The patient was going to put ice on it. The bruising was appearing where she had major concussion in May2020. The patient was breathing ok, didn't have racing heart, didn't have fever nothing on the big one. No lab work done. The outcome of the events was unknown.
990661	2/1/2021			F	1/18/2021	1/18/2021	Lips feeling like tingly and swollen and eyes feel like swollen; Lips feeling like tingly and swollen and eyes feel like swollen; Lips feeling like tingly and swollen and eyes feel like swollen; This is a spontaneous report from a contactable consumer (neighbor). A female patient of an unspecified age received bnt162b2 (Lot/batch number and Expiration date were not provided), via an unspecified route of administration on 18Jan2021 at single dose for covid-19 immunization. The patient medical history and concomitant medications were not reported. Her lips are feeling like tingly and swollen and she says her eyes feel like swollen on 18Jan2021. The reporter asked if it is okay to give her Benadryl for that. The outcome of the events was unknown. Information on the Batch/Lot number has been requested.
990680	2/1/2021	CT	27	F	1/22/2021	1/27/2021	Erythematous rash and urticaria that started on anterior neck and spread to eyes, cheeks, forehead, ears. Rash lasted about a week.
990722	2/1/2021	FL	53	F	1/11/2021	1/30/2021	Patient reported her tongue began tingling sensation on 1/30/21 @ 1:30AM. Woke up 9 hours later with drooping left eye, facial weakness, unable to close left eye lid, eye running water, left face drawn up with drooping left lip, drooling, difficulty pursing lips and difficulty swallowing.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
990767	2/1/2021	NY	48	F	1/5/2021	1/22/2021	Patient developed Bells Palsy, facial paralysis, severe headache, blurry vision, mouth twitch and severe abdominal pain.
990792	2/1/2021	IL	71	M	1/20/2021	1/30/2021	Bell's palsy -L side of face began 1/30/2021. Gradual onset. Began with dysarthria and droop of corner of mouth, then upper brow of eye, then weakness in closing L eye. Went to Hospital ER. Diagnosis made after exam and tests
990917	2/1/2021	IN	63	F	1/30/2021	1/31/2021	The time of my COVID 2nd vaccine was around 12:58 pm on 01/30/21. I started noticing blurred visions and some tingling at the injection site about 30 minutes after vaccine. Around 9:00 pm I started feeling weak and muscle aches all over, so went to bed. Around 2:00 am on 1/31/21 I woke up in pain all over my body muscle ache, headache, and difficulty walking. Took temperature 99 and my average temp is 97.9. I took one extra strength Tylenol. On 01/31/21 I just felt bad all day felt like COVID symptoms but no breathing difficulties just bad headache all day, weakness, entire left side my body left arm, left side chest, left leg hurt worse than right side. I've just treated with extra strength Tylenol and rest. Last night temperature was still 99, but sleep through the night. Today, February 1 still weak, ache all over, mild headache, and some pain on my left side body. I have not sought emergency treatment as if the date/time of report. I'm a healthcare worker taking today and tomorrow off work to recover.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
990523	2/1/2021	LA	80	M	1/17/2021	1/18/2021	he is shrinking; chills; tired; cant walk; it hit me like I had the virus; it hit me like I had the virus; My eyes are hurting; no matter which way I turned it was hurting, knees, everything was hurting really bad/aches and pain; dizzy/dizziness; weak; muscle pain; joint pain/back knees elbow joint pain; fever; headaches; This is a spontaneous report from a contactable consumer (patient). An 80-year-old male patient received first dose of bnt162b2 (Pfizer BioNtech Covid 19 vaccine, lot number EL1283) , via an unspecified route of administration on 17Jan2021 01:15 at single dose for covid-19 immunisation. Medical history included open heart surgery 11 years ago, covid-19 from Jul2020 to an unknown date. The patient's concomitant medications were not reported. The patient received bnt162b2 yesterday, with no problems. However today (18Jan2021), in 15 minutes after waking up at 11, he had the chills really bad, that went away, then he went to sleep again and woke up and he had all the symptoms on the paperwork, he had dizziness, headache, he's hardly ever had a headache ever. He had aches and pain. Caller states that he was just asking right now about another company, and their vaccine in started with an M, and her daughter is at a girls home, because she has a epileptic type thing, and this particular shot, that started with M, the nurse called over, and the problems that he is having he explained to the nurse is like when he had the virus previously about in Jul2020, when he had the virus he was in hospital for a week, because he had to get rid of the virus, and they got him out of that. Now he took this shot yesterday and the next day is when he got all these symptoms, he's tired, cant walk, muscle pain, had chills not any more, pain in the knees, everywhere really, he couldn't get any position to go back to sleep, his back knees elbow joint pain. Since he had these things, the nurse at the girls home, told his wife if having these problems he can take 300 mg of Zinc, 1000mg of Vitamin C, and 2000IU of Vitamin D, the same thing, that amount, he asks will it over come the symptoms. Another person felt good after getting those, it helped him he does state however that is what the person took when he actually had the Covid 19 Virus. Caller states that he received paperwork after the vaccine from the (State), it has a bunch of blocks asking if he has this or that symptom. His First dose was 17Jan2021 at 1:15, then on 07Feb2021 if this Second

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							Dose. All the side effects started Today 18Jan2021. His doctor said he's in good health. He did have open heart surgery 11 years ago. The patient reported he is 5 feet 8 and a half inches, he is shrinking. He stated, "I was good until this morning, it hit me like I had the virus. The product they gave me at the (State) was the Pfizer-biontech vaccine. I had all the symptoms except vomiting/throwing up. I got all the other symptoms. no matter which way I turned it was hurting, knees, everything was hurting really bad. I was dizzy and weak so I don't want to walk around too much. I had muscle pain, joint pain, fever, headaches, chills, never went away. I hurt everywhere. I am really weak. My eyes are hurting. My daughter is in a girls home (paralysis problem). They had the vaccine from the another company and they have heard so many negative stuff so they decided they did not want to, when my wife told her I was having these problems. I had the virus 4 months, the nurse told me to take 300mg of zinc, 1000mg vitamin C and 2000mg vitamin D (the person took that when he had the disease). Should I take this stuff? Is there any information on that? what's in this? protein? my wife got the disease. They said she had enough antibodies. How long is the immunity? When does it start?" The outcome of the event chills was resolved, of other events was unknown.
992931	2/1/2021	WA	65	F	1/29/2021	1/29/2021	Rash on face and neck starting within 10 minutes of vaccine. Swelling in cheeks and left neck, and tightness starting in left neck. Itching in the eyes.. Benadryl 50 mg po taken and pepcid 40 mg po taken at home. To emergency room within 1 hour after the vaccine due to tightening and swelling in the neck. They gave me Solumedrol IM and po zyrtec and observed me for awhile. Tightening in the neck eased up and I went home. By bedtime I turned pastey white color, no rash. In the morning I broke out in another rash on my face and neck. Rash resolved by the second day.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
992575	2/1/2021	FL	66	M	1/27/2021	1/27/2021	After the first dose I had no side effects but after the second dose I had various reactions: - about thirty minutes after the shot I developed a strange sensation on the left temporal area of my head extending to behind my eye. This went away after a few hours but when it started I thought of Bell's Palsy. - Later my arm got extremely sore at the site of the injection it still hurts and in a large area of the arm 5 days later - Painful area below the left armpit and in an area about 3 inches in diameter (area of the lymph node). Still have pain although less after 4 days.
992614	2/1/2021	CA	58	F	1/28/2021	1/29/2021	Chill, fatigue. Numbness on her face. Massive Cole sore on left side of her face. Head ache behind left eye.
992623	2/1/2021	LA	26	F	1/4/2021	1/5/2021	Following 1st COVID-19 vaccination she began having generalized fever, body aches, fatigue, and near syncope prompting her to go to the ED, 2 days after the vaccine. She also began having diffuse swelling of the LUE and L chest wall. Swelling down to elbow prior with erythema and mild rash, which I visualized in a photo. Unsure if blanched. Resolved over several days and was without symptoms when I saw her. Had IV in AC area for IVFs on impacted side but denied symptoms of infiltration.
992636	2/1/2021	TX	45	F	12/22/2020	1/5/2021	Patient started she had numbness to tongue area and HA to frontal lobe. Taste to food was different and the continues of HA and numbness sensation during the day/ evening. She was unable to close her R eyelid and R side drooping. The HA increased with time after two weeks the R side of the face different mouth and R side was swollen. She then seek medical treatment at the ER where she received prednisone and valacyclovir for one week treatment.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
992649	2/1/2021	LA	70	M	1/8/2021	1/14/2021	The patient is a 70-year-old male who presents to the emergency department with complaints of onset of right facial droop and numbness which began approximately 1 hour prior to arrival. No prior similar episodes. Patient does have a prior history of CVA. Denies any focal weakness to his extremities. Denies headache. Denies visual changes. Wife states he might have slight slurring of speech. Patient does have a history of atrial fibrillation and is on Eliquis. Took his Eliquis this morning. Denies nausea or vomiting. Denies chest pain or shortness of breath.
992655	2/1/2021	AZ	61	F	1/4/2021	2/1/2021	Swelling around eyes.
992668	2/1/2021	TX	47	F	1/13/2021	1/13/2021	Individual developed a severe headache followed by a bloody nose post-vaccination with second dose. Individual reports continuing intermittent headaches followed by a bloody nose. She is to follow up with an ENT specialist. Patient also experiencing eye droop of right-side along with facial swelling of that side.
992696	2/1/2021	VA	32	F	1/30/2021	1/31/2021	severe stomach pain including dry heaving , vomiting, nausea, stomach cramps began approx. 14 hours after shot was received, 16 hours after shot was received the following symptoms occurred: Dizziness, extreme fatigue (was only awake for approx. 1 hour from the time of onset of symptoms- slept the entire day following shot) body aches, muscle cramps, vomiting, diarrhea, fever of 102, slurred speech, blurred vision, severe headache. symptoms did not go away until approx 36 hours after shot was recieved- muscle soreless, diahrea, nausea and mild fatigue lingered until late the following day ( more than 24 hours)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
992761	2/1/2021	MD	66	F	1/19/2021	1/28/2021	Moderna COVID-19 Vaccine EUA For the first 8 days, I experienced no reaction to the vaccine. On day 9, I developed a rash on my right arm surrounding the vaccination site. I was also flushed and my eyes were red. And, I experienced diarrhea. I began taking Benadryl 25mg every 4 hours during the day (and took zolpidem only at night). In the subsequent 4 days, In addition to the rash, I experienced minor headaches and body aches (not unusual with my Fibromyalgia) so I added Tylenol 500 mg every 6 hours. The rash remained the same. Today is Day 5 and I awoke feeling better and the rash is the same size but not as vibrant. I used a cortisone cream on the rash today and only took Benadryl once when I began to feel lousy at the end of my work day.
992768	2/1/2021	AR	62	F	1/29/2021	1/29/2021	(Friday)Immediately after the injection-dizziness, vertigo, tunnel vision, blurred vision, pin point pupils, unable to talk, headache, facial and lip numbness, numbness traveled down the right side of my body (side of injection) trembles, weak legs, very weak all over. EMTs were called but I didn't go to the hospital. My son picked me up and took me home because I was unable to drive. On the way I experienced loss of vision and speech for about 5 minutes. When I got home, my legs were so shaky that I had to have help walking. I started getting severe chills that took 3 hours to get warm (2 heavy blankets, space heater, and heating pad). I was very fatigued and felt bad the rest of the day. (Saturday)The next day I had flu-like symptoms; headache, joint aches, chills, nausea, extreme fatigue. Sunday was better but still had to rest most of the day because when I would stay up for over 30 minutes, the symptoms would return. Monday-stomach cramps, headache, fatigue but went to work (30 minutes late due to stomach) and left 30 minutes early.
992828	2/1/2021	CA	48	F	1/25/2021	1/25/2021	1-25-21, at around 6 pm at work reported she had soreness and numbness to entire L arm and numbness at L side of jaw (upper and lower) and cannot chew with L side of jaw. Denied having any issues with R side, drooping of face, periorbital swelling, tongue/lip swelling, respiratory distressed, ALOC or altered vision, pain. She contacted PCP on 1-26-21 and informed her that side effects will subside gradually without further treatment.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
992559	2/1/2021	WY	39	F	1/27/2021	1/27/2021	15 minutes after her vaccine she complained that she had blurred vision. She did report that she had a latex allergy so I removed the band aid even though the band aides are labeled latex-free. I checked her vitals and Her b/p was 114/85 pulse was 84 and respirations 16. Her pulse ox was 95% She was in no apparent distress. The blurred vision resolved in 5 minutes and her vitals remained stable for 30 minutes. I discharged her with no symptoms.
992924	2/1/2021	NY	65	F	1/26/2021	1/31/2021	Approx 40 hrs after injection, blurred vision, two hrs later, vision was restored to about 80%, one hr after that, blurred vision returned, restored two hours after onset to about 90%, then blurred vision returned for 2 more hours and. Restored to 100%. All total episode lasted 5 hours.
992673	2/1/2021	LA	43	F	1/11/2021	1/11/2021	A couple of hours after receiving the vaccine a co-worker said my eyes were very low and red. I started feeling extremely exhausted and even slept on my shift on my desk. My supervisor told me to go home for the day. I went home and slept through the day and night until next morning. I then started feeling myself again.
992937	2/1/2021	AZ	44	F	2/1/2021	2/1/2021	Numbness on left side of face, chin, behind ear, around eye, and inside of mouth.
992952	2/1/2021	KY	34	F	2/1/2021	2/1/2021	About 5 minutes after receiving the shot, I started having intense dizziness, and nausea, and my body felt very hot. My eyes teared up as well. This feeling subsided a little after 15 more minutes, so I went home. At home (and within 30 minutes of receiving the vaccine), the lymph nodes in my throat swelled considerably and I had great difficulty speaking. Having experienced anaphylaxis in the past, this was not anaphylaxis but something else entirely - it was like my vocal cords were paralyzed. I took ibuprofen to help with the swelling, but it did not seem to impact my throat or ability to speak. About 4 hours later my throat muscles seemed to loosen and I was able to speak fairly normally again.
992957	2/1/2021	CA	66	F	1/21/2021	1/27/2021	Droopy right eye, pain and pressure behind right eyeball, drooling out right side of mouth, slight head head , droopy right eyelid, thought I was having a stroke. After 2 visits to the E.R. , multiple test, diagnosed as having bell-palsy.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
992973	2/1/2021	TX	40	M	1/1/2021	1/30/2021	Moderna Covid Vaccine second dose Fever and chills Muscle aches Redness around injection site Sore eyes
993002	2/1/2021	WA	41	F	12/18/2020	12/20/2020	12/18/20: I recieved first dose Covid vaccine, 12/20/20: developed blurry vision, diminished color, altered depth perception, light sensitivity in right eye, 12/21/20: exam by ophthalmologist (Dr), 12/23/20: MRI with and without contrast: showed active inflammation on right optic nerve, optic neuritis - referred to neuro ophthalmologist, 12/29/20: examined by Dr. (neuro-ophthalmologist), confirmed optic neuritis and referred to Dr. (neurologist) for further eval of possible MS, 01/18/21: virtual meeting with Dr., labs ordered. 02/01/21: no treatment to date and I am still experiencing all original symptoms, though have slightly improved since initial onset. Planned follow up with Dr. (neurologist) this week and follow up with Dr. (neuro-ophthalmologist) next week
993038	2/1/2021	MI	66	F	1/27/2021	1/31/2021	January 31 I noticed that my face was tender when I touched it near my left temple. I didn't really think anything about it until it became more and more painful. The area involved increased from the left temple to in front of the left ear and above the left jaw. I also noted some stiffness of my upper neck and shoulders. I took Tylenol and Motrin and it relieved the discomfort some (from 3/10 to 2/10 on pain scale). It was mostly painful when palpated. I woke this morning with most of the discomfort gone (less than 1/10 on pain scale). Could just feel it a small amount when palpated the left temple and in front on left ear. At no time have I had any visual disturbance. The pain was constant and elicited most with palpation and movement of the jaw. No severe pain. Not sharp or burning. Mostly an ache and a bit of numb feeling. There is still a bit of lingering discomfort with palpation now (the evening of 2/1/21)
993088	2/1/2021	NY	29	F	1/18/2021	1/28/2021	Began with Dry, itchy eyes then eyes became swollen

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
993108	2/1/2021	WA	39	F	1/29/2021	1/29/2021	Day 1: numbness, pins and needles to bilateral lower legs. The pain was severe. They felt frozen. Body aches ascended from feet up to shoulders and then head. This lasted for 6 hours. Severe pain. Tylenol and ibuprofen did nothing. I could not focus my eyes on an object, and my ears stayed plugged, I kept trying to pop them. My throat became raspy and irritated. (Symptoms started at 16 hrs) Day 2: started having fever symptoms at hr 22, cold sweats and malaise. Couldnt get out of bed.. charley horse cramps to legs, and lower back pain. Gatorade and water didnt seem to help. I became tachycardic. I was all alone and didn't have the energy to take my vitals, I wish I had, but I know my heart was bounding quickly. Im sure I was very dehydrated. My normal HR is 70-80s. Day 3: find my right axillary node is hard and swollen, my right arm still hurts too. General body pain and fatigue still, finally able to get out of bed. Day 4: (today)out of bed most of day but in pain still, fatigued. Lymphadenopathy to right axillary still. Called out from work. Im an RN, and have chosen not to go to the E.R for prolonged symptoms. If I am still symptomatic tomorrow I will. I have a dr. Appt in 2 days with a new primary care doctor.
994307	2/1/2021	AZ	53	U	1/27/2021		pt. has history of anaphylaxis with allergy shots, possible sulfa. Was asked to stay in observation / 30 minutes rather than standard 15. Was asked to tell us if she had tingling in mouth while in observation. At 425p pt reports tingling in mouth. Dr called & arrived at 428. Claritin lot 1/22 given BP - 130/90, pulse 90, sats 97%, 98% R= 16. Per Dr. - lungs clear no visual swelling in the mouth. EMS arrives - 430p. Dr. & EMS w/patient 440 - sats 98%, pulse, R = 16 445 - pt states she feels less anxious, tingling seems to be gone 450 - Dr - lungs clear, no visual swelling in mouth okay to discharge to husband is just outside facility 452 - pt agrees she can discharge aware to call 911 if any new swelling in mouth occurs
995153	2/1/2021	CA	70	F	1/28/2021	1/28/2021	Facial redness and flushing, Swelling of the feet and ankles. Eyes are swelling, No issue of breathing or shortness of breath Has been taking Benadryl 50 mg q 6 hours pm, Famotidine 40 mg bid, Hydrocortisone 20 mg bid symptoms persisting.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
990127	2/1/2021	MD	32	F	1/29/2021	1/29/2021	Approximately 1 hour after injection I developed chest tightness, burning eyes, scratchy throat and hives. No anaphylaxis. If Benadryl was not taken regularly the hives would return for the first 48 hours.
992083	2/1/2021		56	F	12/31/2020	1/1/2021	Right after she received her dose, she just had a sore arm. 13 hours after vaccination, patient had a dry cough that woke her up from sleep. She then started to get a headache and took ibuprofen. She spike a temp of 99-102 degrees Fahrenheit. Blood pressure elevated to 165/100. One hour later it was 155/101. Normal baseline is 110-130/55. No visual changes occurred. After 8 hours, the blood pressure normalized. By 01/02/21, all symptoms had dissipated. I referred her to see her cardiologist for approval before second dose.
992871	2/1/2021	AZ	59	M	1/29/2021	1/29/2021	Pt started developing a droopy right upper eyelid on Friday night (01/29/21) and by the time he woke up on Saturday, his right upper eyelid was completely shut and he couldn't open at all unless he physically used his finger to open the lid. Pt also experienced double vision when opening the eye. Pt went to the Emergency Dept and was given an MRI and CT to r/o stroke and everything came out normal. He was diagnosed with a partial 3rd nerve palsy and was referred to Optometry where we saw him on Monday (today). Pt does indeed have a partial right 3rd nerve palsy which can happen after vaccinations.
992267	2/1/2021	GA	69	F	1/21/2021	1/21/2021	Recieved vaccine at Health department on 1/21/21 around 3:45 pm. Patient felt that injection was a little high on the arm. Patient states she had a bruise that night-grape sized with a tail, the tail went away. She continued to have a grape sized bruise until around 1/28 when she noticed a 1 in pink ring around the bruise this continued until it reached 2 in ring and then stopped. Patient has not done any treatments or been evaluated. She will continue to monitor her symptoms. Asked that she go to Health dept so that she could be visualized. Her PCP encouraged her to go to the emergency room if there was any progression of symptoms.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
992085	2/1/2021	MA	24	F	1/30/2021	2/1/2021	After vaccine felt fatigue, then woke up next morning at approx 9 am on 1/31/21, lip itchy/swelling and eye swelling and went to emergency room. Treated with IV Benadyl, Zofran and fluids.
992112	2/1/2021	NY	53	F	1/21/2021	1/21/2021	Severe headaches , dizziness , diarrhea with in 2 hrs of vaccine arm soreness , fatigue for 36 hrs later developed severe RT TMG , TGN , RT EAR INFECTION than week later developed on and off painful paraesthesia all 4 limbs more marked both legs , RT leg on and off weakness feeling but no trouble walking , running , muscle fasciculation on and off b/l eyes and limbs tTGN symptoms worsened over days , entire RT side of face is very sensitive to touch . no rashes , RT ear is blocked feel decrease hearing RT EAR , had mild vertigo for short duration self resolved
992148	2/1/2021	MI	65	F	1/1/2021	1/29/2021	Felt Wobbly & clumsy while walking 30 minutes into receiving shot. My brain felt compromised in it's thought process struggling to think straight 30 minutes into receiving shot. Eyelids felt so heavy . I struggled to hold my eyes open but could not. Fell into a 3 hour deep sleep. Woke up feeling foggy brained & clumsy. At 3am the next day my throat felt thick & dry with difficulty swallowing. Went to ER at 3:30. Was told my tonsils were swollen. I did not have a sore throat. Dr tested for strep throat with negative result. I was given a shot of benedryl & an oral Allegra pill. Symptoms began to subside & I was sent home. Nasty headache & wobbliness continued through the day & into the following day. Started feeling better Sunday night
992224	2/1/2021	CA	36	F	1/12/2021	1/13/2021	Dizzy, blur vision, HA observed 45mins. 1/13/21 6 lb weight gain. Hx of autoimmune dz.
992701	2/1/2021	WV	22	F	2/1/2021	2/1/2021	SYNCOPE. PT STATED THEY WERE GOING TO PASS OUT, BUT NEVER DID. SHE LATER REPORTED THAT MY VOICE GOT SOFTER AND HAD TUNNEL VISION. DURING THE EVENT SHE STOPPED COMMUNICATING AND HAD A SLIGHT CONVULSION THAT LASTED ABOUT 20 SECONDS. PT THEN FELT HOT, CLAMMY, AND "NOT GOOD". PT FELT THIS WAY FOR ABOUT 5 MINUTES AND THEN FELT FINE.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
992263	2/1/2021	NC	54	F	12/22/2020	12/24/2020	I had my first covid vaccine 12/22/20. On 12/24/20 I noticed I could not see as well as normal with my RIGHT eye. I had a sore left arm and headache, which I attributed to the vaccine. By 12/27/20, I called the emergency number at my primary ophthalmologist as was seen. They thought I had a posterior vitreous detachment and asked me to see my primary eye doctor in a week. By 12/30/20 I could not see to work and called the eye doctor and they decided I should see my retinal specialist who deals with problems with my left eye. He could see nothing to explain my decreased acuity and told me to keep my follow up at the other office. I saw a Dr on 1/4/21, who takes care of my left eye cataract and glaucoma. He called in an associate. My vision had further declined and they thought I had ocular neuritis. I couldn't see the big E on the eye chart at all at my worst. I was scheduled for an MRI of the head, which showed ocular neuritis in my right eye. Dr assumed care and I started IV steroids on 1/13 for 3 days, followed by oral prednisone taper. I also was referred to a neurologist to rule out MS. I saw Dr. 1/28/21. After the steroids, my vision improved, but I still can't work or drive. Neurologist does not think I have MS and is ruling out NMO but doesn't think I have that either.
992550	2/1/2021	PR	76	M	1/29/2021	1/30/2021	PATIENT WOKE UP WITH RIGHT EYE REALLY RED SWOLLEN. ALSO FACE WAS SWOLLEN. TOOK BENADRYL WHICH HELPED TO ALLEVIATE AND BRING DOWN SWOLLEN FACE.
992282	2/1/2021	CA	73	F	1/28/2021	1/28/2021	January 28, 2021 : Neck stiffened on left side, within 15 minutes of getting shot, could not turn head. Subsided after three hours. Fever: 99.2; very tired. Slept for 12 hours. Friday, January 29: Experienced series of migraines with loss of vision. Chronic fatigue. (not prone to migraines). Dizziness. Saturday, January 30: Right side of face numb, right eye vision affected. Mentally disoriented and confused (brain fog). No medications taken at any time. Sunday, January 31/Monday, February 1: Dizziness
992306	2/1/2021	FL	33	M	1/26/2021	1/26/2021	Rash around the neck, scalp, around the eyes, mouth and nose heightened up due to the psoriasis

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
992307	2/1/2021	VA	44	F	1/30/2021	1/30/2021	Approximately three hours after injection the lymph node in the armpit closest became swollen and arm was sore. Administered Tylenol. At approximately midnight woke up with severe chills, fever (103) , Body pain, Severe eye pain and nausea. Developed a headache and sweating throughout the night. Continued to administer Tylenol at regular intervals. Sweating was profuse in that pajamas needed to be changed twice. At this point it has been more than 24 hours and though the symptoms have reduced in severity, eyes are still very sore and still experiencing chills and low-grade fever off and on. I would've gone into urgent care but there was a huge snowstorm. The reaction was quite concerning and very surprising. There was literally only a sore arm and mildly at that from the first injection .
992308	2/1/2021	WI	25	F	1/28/2021	1/28/2021	: 10 minutes after vaccination to left deltoid, patient approached medical assistant in observation area and reported left neck discomfort and difficulty breathing ?with mask on?; patient taken immediately to exam room for evaluation by nurse practitioner, including full set of vital signs and clinical eval (physical exam and subjective interview); performed continuous monitoring in exam room (including vital signs and physical exam) with 2nd nurse practitioner joining at times to assist; after several minutes, patient reported vision problems at which point patient was placed in supine position on exam table; after laying supine for several minutes, patient exhibited seizure like activity; at onset of seizure activity, notified COVID-19 RN to activate EMS via 911; Epinephrine via autoinjector was then administered to left vastus lateralis; continued clinical evaluation and vital signs monitoring until EMS arrived at scene to assume care; patient alert and accompanied by staff for transport to Hospital via EMS
992329	2/1/2021	MI	68	F	1/21/2021	1/26/2021	Had a floater in Left eye for 4/5 days, started last week for a few. Diarrhea several times since the shot (no big deal although more than normal). This last one is the one I'm concerned about believe I have a UTI infection for the last 5 days, self treating with many products. It's getting a little better ... just concerned. Wondering if I should get an antibody test before the second shot ..... HELP!

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
992348	2/1/2021	IN		F	1/27/2021	1/28/2021	Per internal reported event: Patient came to ER with complaint of nausea/vomiting/dizziness/headache/double vision. Patient received the COVID-19 the day prior to admission. Per chart review: received 1st dose; unsure of location where patient received dose. Reporting location affiliated with where patient received treatment (i.e., observational status)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
992411	2/1/2021	TX	43	F	1/28/2021	1/29/2021	01/29/2021 930 noticed an itch on left thigh, like I wanted to hive - on various spots throughout the day. 01/30/2021 very tired (to be expected), noticed I had burning in what feels like my gall bladder and developed an ?odd? stomach ache later in the day. Thought it had to do with something I ate, but consumed nothing out of the ordinary. Went to bed early, felt like I wanted to fever but never did. decided to take a tsp of children?s Allegra because I still felt ? itchy? at times. 01/31/2021 woke up to what felt like pressure on my chest, like someone was squeezing me. Thought that was odd and thought it was perhaps the way I slept. Was still tired (4AM) went back to sleep. Woke up again feeling more rested and the same feeling. It was an awful feeling. Grabbed my pulse oximeter and my oxygen was about 96 laying down. Called an. ER, thought maybe I had Covid or something as I have never felt that way before. Receptionist told me she felt the same way after she got the shot. I ate, felt better but then developed a horrific headache akin to a migraine that was so sensitive to any movement I made. Felt like someone was shaking my head, it was so painful and I became disoriented. Like. I would get confused in my thoughts. Became very sensitive to light and movement. Looking at Facebook, I had to stop because I felt like I was going to seizure. Had to really rest. Ate lunch and took a multivitamin to see if that helped. Eventually I felt better but had to be careful, take it easy. 02/01/2021 woke up this morning still tired, like my body is fighting something. And I could feel the headache coming on and noticed I was getting confused in my thoughts. I decided to stay home from work. The morning was very bad as I felt as though I wanted to seizure. Could not get a hold of my doctor. My head still hurts, not as bad, but after I eat, I get confused and can?t hold two thoughts at once if that makes sense. Head seems very sensitive to eye movement like yesterday. It?s a gross feeling, even in absence of the pain.
992519	2/1/2021	KY	44	F	1/29/2021	1/29/2021	Allergic reaction, initial encounter Left arm heavy numb to wrist Throat numb felt as if swelling Face numb eye pain floating spots nausea headaches Cold Rapid heart beat monitor breathing and BP rates Went to hospital via EMS

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
992236	2/1/2021	ME	70	M	2/1/2021	2/1/2021	Chills, headache, sore eyes, fatigue, diarrhea, loss of appetite - lasted in decreasing measure for three days.
992415	2/1/2021	TX	68	M	1/23/2021	1/23/2021	On Saturday the 23rd I took the shot, around midnight or 1:00 am. From that point on I do not recall anything. The next time I have any memory of anything is Friday morning at 1 or 2 am. I am trying to remember how to use my eye drops (for glaucoma) and I am trying to remember my dogs name. My wife said I was acting strangely because I was trying to use my eye drops but I didn't have any eye drops in my hand. I woke her up and she was trying to figure out what I was doing. No memory from 1 or 2 am on Sunday until early Friday morning. I did not see my doctor but will be contacting my doctor to see if I can be seen.
992540	2/1/2021	IN	42	F	1/27/2021	1/27/2021	Extreme dizziness, things pulsating with my vision, feeling of blacking out, feeling of blood rushing in and out of my head,
992523	2/1/2021	CA	31	F	2/1/2021	2/1/2021	Fifteen minutes after vaccination, pt began to feel dizzy with nausea. Pt assisted to lay down where symptoms persisted. Pt reported feeling that her eyes felt like they wanted to roll back and she could not focus them. No vision changes and no loss of consciousness. Pt hypertensive and tachy. EMS activated. Paramedics on scene initiated IV and administration of Zofran, with relief of nausea. Care transferred to ambulance and patient transported to local hospital.
992516	2/1/2021	IL	77	F	1/20/2021	1/20/2021	My vision in both eyes went blurry. I could not read even with my usual reading glasses and a magnifying glass. I could not see anything more than 5 feet away clearly even though my right eye is 20/20 vision. My eyes ached. By the next evening all blurriness had cleared up. No repeat problem.
992512	2/1/2021	IL	49	F	1/28/2021	1/29/2021	I developed chills, body aches, stuffy nose, and headache while sleeping Thursday night/Friday morning. Friday morning I woke up with nausea. These symptoms continued most of Friday, but were relieved by alternating Tylenol and Ibuprofen. By Friday evening, I had only a mild headache, which continued until Sunday. Arm soreness and itching for 3 days. Muscle twitching of eyelid was also noticed over the weekend.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
992501	2/1/2021	CA	51	M	1/9/2021	1/18/2021	I am a pediatric critical medicine physician and received my COVID-19 vaccine at my workplace. 1st Pfizer EH9899 (on Dec 18, 2020) and 2nd Pfizer EL1283 (on Jan 9, 2021). Both IM through my left arm. Directly for about less 48H post vaccination I had muscle pain that were self-resolved. On Jan 18, 2021, I started having funny sensation (like having a foreign body) over my left eye medial /innercanthus area. The next 2 days I started to have pain over my left external ear canal, then it progressed into pain over my left lower jaw, left vertex of my head, inner side of left eye. My SS progressed on 1/30/21 at around 3:30 PM to numbness over my left sided tongue and left sided lip. Then on 1/31/21 at around 5 AM, I started having left facial paralysis. I have left BELL's Palsy which was confirmed. following a negative non-contrast brain MRI to rule out stroke and negative SARS-CoV2 PCR test. I start taking Prednisone 60 mg daily and Acyclovir 1 g TID on Jan 31, 2021. To this date I still have left facial paralysis but not worsening.
992462	2/1/2021	NC	73	F	1/25/2021	1/26/2021	I have a partial cornea transplant (DMEK) in my right eye. That eye started itching the day after the injection. I had to increase the Lotemax drops to four/day to get it to stop. My eye surgeon says that it is not a sign of rejection. I also got a cold sore on my upper lip, which is highly unusual. I had reduce the Xeljanz to a half dose before the shot.
992454	2/1/2021	OK	66	F	1/14/2021	1/15/2021	24 hours post vaccine started fatigue and neck muscle tenderness. 48 hours post vaccine had Right ear pain, right eye pain, Bilateral neck lymph nodes tender, head ache, body aches 72 hours post vaccine same symptoms as the day before with extreme fatigue 96 hours post vaccine slight fatigue 120 hours post vaccine I felt well

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
992448	2/1/2021	WI	37	F	1/21/2021	1/22/2021	?Pfizer-BioNTech COVID-19 Vaccine EUA? Received second covid vaccine on 1/21 (17 days from first injection) and experienced fever, chills, nausea and body aches the following morning. Symptoms resolved by the next morning and pt felt fine all day Sat and Sun morning. Sun after noon around 1pm pt's lips started to swell and developed hives to right arm. This progressed throughout the evening despite antihistamines. At about 4am Monday 1/25 pt awoke with eyelid swelling, persistent lip swelling and more hives and presented to the ED. Pt was given prednisone. Pt followed up with PCP on Tues 1/26 as hives persisted through prednisone. Symptoms have improved over the next few days. No breathing or airway symptoms.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
992422	2/1/2021	KS	73	F	1/29/2021	1/29/2021	Progress Notes Cosign Needed Expand All Collapse All COVID VACCINE CLINIC 1/29/2021 Subjective Patient is a 73 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience throat tightness, body tingles, itching, eye and ear pressure, dizziness, weakness, chest tightness, sweating, and feeling flushed. She denied hives, loss of sensation, SOB. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality , drooling, hypotension, increased swelling, rapid progression of symptoms, respiratory distress and tongue swelling. ALLERGY REVIEW OF SYSTEMS Previous Reactions: PCN Objective Vitals Vitals: 01/29/21 1514 01/29/21 1521 01/29/21 1526 01/29/21 1539 BP: (!) 153/97 (!) 154/116 (!) 167/90 (!) 172/84 Pulse: 59 64 59 55 SpO2: 99% 94% 96% 99% Blood Sugar 97 collected at 1500 Physical Exam No Rashes or Hives noted. No facial swelling , no wheezes. HEENT Pharynx is clear without exudate. No facial or tongue swelling. Lungs CTA all wheeze No SOB. Neck is supple. No swelling is noted. pt is anxious and nervous. No sign of anaphylaxis No stridor, no swelling Assessment/Plan Treatment included: antihistamines Benadryl 25 mg, Pepcid 10 mg Follow up response to treatment: good. Patient discharge: Stable to go home and follow up with PCP. Differential Diagnosis: Vaccine- Related Anxiety (include misc mental health) Mild reaction, improving. Pt refused any further medications or assessment at the ER. Her husband will pick her up.
992527	2/1/2021	OH	87	F	2/1/2021	2/1/2021	About half an hour of vaccination, patient complaint of numbness of lips and tongue felt cotton dry. Patient stated that she has had reaction to bee sting before, but the reaction was immediate. I gave patient 2 tablets of 25mg Benadryl and kept an eye on her. She felt fine after half an hour of observation. She then went to her room.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
989555	1/31/2021	PA	67	F	1/29/2021	1/29/2021	Sore arm and slight nausea. Developed itchy eyes, scalp, and ankles within 3 hours of injection, followed by rash on arms, upper back, and upper chest the next morning. Treated with benadryl 25 mg po tid. Symptoms improving.
988996	1/31/2021	IN	48	F	1/28/2021	1/28/2021	Thursday- 25 minutes after injection I started tasting metal and my throat and chest got hot and started to swell. It was a similar feeling to getting contrast through an IV. I took two Benadryl and Ibuprofen to help relieve the symptoms. The metal taste lasted until the next day. Friday- The next morning I woke if with a fever 100° . Minus the mild arm pain, I initially felt ok but as the day went on I felt worse, like the flu. By 11am my heart was racing even at rest. My pulse is usually in the low 60 range (athlete) and it was 95-115 from 11am until late that evening. Saturday- symptoms gone but huge dark circles under my eyes. I felt great though.
989558	1/31/2021	VA	47	F	1/21/2021	1/24/2021	On Sunday morning I woke up with a mildly swollen right eye. I took Benadryl, but later developed hives on my back, shoulder, and torso. Continued to take Benadryl that night. The next morning, Monday I woke up with continued hives on my torso, back, additionally on my bikini line area, and lower back area. I called my doctor's emergency line, to which I was instructed to continue with Benadryl, if it became worse, seek immediate medical attention. Tuesday morning I woke up with both arms covered in hives from shoulder of wrists, some on my neck and lower chin, swollen upper lip which also felt numb. I sought medical attention from primary care physician, Tuesday morning, by the time I arrived, the hives were also on my legs.
989352	1/31/2021	FL	71	M	1/28/2021	1/30/2021	Severe Sleepiness... on going on 3rd day.. Blurred vision... on going 3rd day.... Diarrhea.... on going 3rd day
989488	1/31/2021	MD	43	F	1/27/2021	1/29/2021	Fever (101 degree temp), body aches, splitting headache, nausea- onset 10 hours after vaccine x14 hours. Of most concern is the development of periorbital edema, erythematous, pruritic eyes bilaterally, onset 24 hours after receiving vaccine- with slow, progressive development over the course of 2 days until medical treatment was sought.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
989487	1/31/2021	CA	31	F	1/29/2021	1/30/2021	I received the vaccine on 1/29 at 5 pm and was feeling fine afterwards with only a slightly sore arm at the injection site. Then yesterday, 1/30 around 6 pm, I started to have a very fast heart rate, despite not exerting myself and only sitting down at the time. Between 6-6:45 pm, I had a heart rate between 125-140 bpm, according to my fit bit device that tracks my heart rate on my wrist. Anyways, after that I was going to the bathroom and started to feel nauseous, light headed, felt hot and chills like a fever, abdominal pain and vision issues (blackening in some spots and blurry on and off) so I went to lay down. I didn't vomit and the chills/hot fever feeling went away in 15 minutes. I also took my temperature and it was normal. My abdominal pain continued but the light headedness and nausea and vision issues subsided. I was unable to get up and do other stuff, so I just slept it off. I'm feeling better this morning. I had also drank about a half glass of wine (maybe 2 oz), so i'm not sure if that contributed to it, but i've never felt that way after drinking wine, especially that small of an amount. I had also drank this wine around 4 pm and that was 2.5 hours before I started feeling this way and did not drink anything on the day I received the injection.
989478	1/31/2021	NJ	73	F	1/28/2021	1/28/2021	itchy eyes, then itching spread to other areas of body (no rash). face and eyes completely swelled up. Took oral benedryl (OTC) over course of 3 days.
989410	1/31/2021	CA	42	F	1/20/2021	1/25/2021	I had visual disturbance (shiny vision in left visual field) for about 45 minutes the morning of 1/25/21. I went to primary care and also had an appointment with Medical Center for an eye evaluation. They diagnosed me with an ocular migraine. I have never had an ocular migraine or any form of visual disturbance or migraine previously.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
989362	1/31/2021	FL	70	F	1/5/2021	1/14/2021	1/5/21 VACCINE 1/14/21 - FINGER TIPS AND FEET ESPECIALLY COLD NEEDING EXTRA SOX AND GLOVES 1/15/21 INTERMITTENT BOUTS OVER 3-4 EPISODES OF SEVERE CHILLS LASTING 30 MIN - USED HEAT MAD, BLANKETS, SOCKS 1/15/21- 1/16/21 INCONTINENT OF URINE, DRY MOUTH, LOSS OF APPETITE, WEAKNESS, BALANCE, VISION DISTORTIONS. 1/16/- PRESENT- HYPPERSENSITIVITY TO SALT AND SUGAR, WEAK, COGNITIVE AND WORD RECALL, LEFT EYE VISION DISTOTIONS, BRAIN FOG.
989318	1/31/2021	OR	57	F	1/5/2021	1/5/2021	Paresthesia from the neck down, labored resp., weakness, poor coordination, blurred vision, slurred speech, rapid eye lid movement, uncontrolled leg moment. Given IV solumedrol, Ativan, and po Benadryl
989300	1/31/2021	MN	46	F	1/25/2021	1/25/2021	The evening after 2nd dose I developed itching and 3 hives over my left eye. I took Benadryl 25 mg at 6 pm and again at about 2 am as itching intense and disrupting sleep (as did chills and myalgia.)
989170	1/31/2021	NC	60	F	1/4/2021	1/7/2021	Left arm tingling and numbness - continues today. Left eye droopiness - x 1.5 weeks. Resolved.
989164	1/31/2021	CA	35	F	1/14/2021	1/27/2021	hemiplegic migraine, blurry vision, slurred speech, high bp 140/103, I
989058	1/31/2021	PA	25	F	1/29/2021	1/31/2021	Swollen eyes (started on the morning third day post injection); lymph nodes in right armpit, mild swelling in neck region.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
989021	1/31/2021	KY	35	F	1/27/2021	1/28/2021	is a 35 y.o. female who presents ambulatory to the emergency department. She states last evening she began having chills, body aches, headache, difficulty taking a deep breath, nausea. Patient denies any tongue swelling or throat swelling but states when she was eating she felt nauseous. She did get her second maternal COVID-19 vaccine yesterday. States she took ibuprofen last evening but has not taken anything today. Patient does have a history of asthma. She does take two maintenance inhalers on a daily basis. She does take albuterol as needed. Has not had to use her albuterol inhaler. Patient denies any fever. She denies any vision changes, hearing changes, neck pain or stiffness. She denies any chest pain, abdominal pain, nausea, vomiting, diarrhea.
988883	1/31/2021	NY	52	F	1/15/2021	1/23/2021	Over the past 10 years I have occasionally experienced bouts of episcleritis which last approximately two days and responds well to ibuprofen. One week after receiving the vaccine I experienced the most severe flare up to date. My left eye was completely red, swollen and painful. Two days later my right eye also flared up. This episode has lasted 8 days and counting. There has been minimal relief using ibuprofen and I have had to add ice packs to help relieve the swelling and pain. As this condition is caused by inflammation I believe there may be a connection.
990026	1/31/2021	CA	70	M	1/31/2021	1/31/2021	slight headache, eyesight adversely affected: bright white objects extremely bright, as if my eyes were dilated. Lasted from time reported until 6PM.
989567	1/31/2021	TX	31	M	1/3/2021	1/4/2021	I woke up the next day with a severe headache, body aches, chills, severe malaise, sore throat and my face had swelled at around my eye sockets close to the bridge of my nose. All these symptoms last about 5-7 days.
989043	1/31/2021	NC	42	F	1/27/2021	1/27/2021	Within 30 minutes of the injection I had a lot of nausea and a weird taste in my mouth. This went on for a few hours. Then I had fever, body aches, bone and joint pain, headache, eye pain for about 36 hours. I continued to have a headache with eye pain following this for a day.
989977	1/31/2021	CA	53	F	1/29/2021	1/29/2021	Body ache, headache, eye ache, fever

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
989988	1/31/2021	MI	52	M	1/10/2021	1/11/2021	Diagnosed day after 2nd shot with ophthalmic artery thrombus causing vision loss/change in left eye. I did get shot series on 12/22/2020 #1 and 1/10/2021 and was diagnosed with Covid-19 on 12/13/2020. My internist MD did not feel the vaccine caused the thrombus /Stroke but I wanted to report it as it was associated with the vaccine administration (symptoms of vision loss within 24 hours of the vaccine #2 administration).
989590	1/31/2021	FL	85	M	1/7/2021	1/7/2021	The evening of the vaccine, Pt developed headache and puffiness of his eyes, as well as a decrease in vision. The following morning, his eyes were still very puffy. He was seen by his ophthalmologist 1-2 days later, who diagnosed him with corneal inflammation and keratitis. Steroid eye drops were prescribed to be instilled in both eyes qid. He went back for a follow-up on 1/28/2021 at 9:00 am. His eyes were worse, and he was prescribed a stronger steroid drop. His ophthalmologist advised him NOT to get the 2nd dose of the COVID vaccine, which was scheduled for that same day.
990032	1/31/2021	CA	65	F	1/31/2021	1/31/2021	I felt a sensation immediately after the injection. Ten minutes later I began to feel fuzzy but not that noticeable. The left muscle in my left side of my neck stiffened. As we left the area and headed down the street I was getting anaphalactic: numb jaw, swelling tongue, closed throat, eyes closing, inner cheeks numb - as if I was severely novacained from the dentist. I was able to breathe ok to get home hoping it would pass and drank water to keep things fluid. I was there for one hour. On advice, I went to the ER to get checked out.
990061	1/31/2021	NC	35	F	1/19/2021	1/21/2021	Started with mild headache. Turned into severe migraine with stroke like symptoms (numbness in hands and face, loss of vision in one eye, seeing waves, dizziness, difficulty speaking). Vomiting, neck pain. PRN medications did not help. Went to ED at Hospital for 4 hours. MD ordered troponin level, metabolic panel, CBC, COVID test, and head CT. ECG. Given multiple rounds of toradol, Ativan, Benadryl, Reglan, fioricet. Sent home with fioricet. Continue to have daily headaches and neck pain.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
990025	1/31/2021		31	F	12/29/2020	12/29/2020	Asthma attacks, fatigue, brain fog, eyebrow hairs fell out, endometriosis pain unbearable, chills, nausea, headaches
989917	1/31/2021	WA	36	F	1/23/2021	1/26/2021	Urticaria/ hives on face, around eyes, neck, chest, trunk/around bra line, underarms. With systemic itching and redness. Symptoms presented between 830pm and 915pm. Unrelieved/no improvement with Benadryl PO. After consulting with nurse line from local hospital, per instructions I went to the emergency department and was diagnosed with urticaria/hives and treated with IV SoluMedrol and IV famotidine. I was discharged with a 5 day course of PO prednisone and to take over the counter Benadryl and PO famotidine until symptoms resolved. The hives resolved by 1/28, though additionally, I had moderate to severe side effects from the prednisone on 1/28 (2nd dose). I was unable to go to work 1/27 and had to leave work 2 hours into shift on 1/28 due to side effects from the prednisone.
989888	1/31/2021	FL	67	F	1/22/2021	1/22/2021	Shot administered 6:08pm. About 6:18pm I felt very tired and wanted to close my eyes. I told my husband 'I don't feel well'. Immediately my eyes rolled back and convulsions started. Then I passed out. EMTs were called over to car and started to administer oxygen. I woke up about 6:30pm cognizant of surroundings. BP was normal. No fever, no rash, no chills. I was just tired. Then 2 hours of vomiting started. Last vomit about 8:15pm in ambulance. EMT unable to administer IV. After waiting in ER waiting room for 45+ minutes, a bed was available (around 9pm). ER doctor gave me ondansetron ODT 4mg Once. Released at 10:12pm to go home. Next 3 days symptoms of lightheadedness and dull headache.
989809	1/31/2021	OR	48	F	1/10/2021	1/11/2021	Left eyelid twitch developed the morning after administration and continues at least 4 times per hour. Also sensation of heaviness behind both eyes and under eyes.
989806	1/31/2021	NY	38	F	1/12/2021	1/14/2021	I have lost vision. Have numbness in my legs and arms. Weakness in arms and legs. Extremely stiff neck. Pressure in my face especially the bridge of my nose. 4 trips to the ER. 1 hospital stay. Treatment with steroids. Problems continue

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
989629	1/31/2021	MI	34	F	1/27/2021	1/27/2021	Within 15 minutes chest became tight and became very dizzy. I took my meclizine for the dizziness sat my 30 mins and started to drive home. While driving home the left side of my face became numb and stayed that way for an hr still with chest tightness and dizziness went away. My gums started to hurt and right breast. I was very exhausted and very nauseous so went to bed. The feeling of tightness and numbness went away and woke up the next day still very exhausted unable to eat due to nausea. Still was dizzy and had a migraine, and had extreme muscle pain and multiple sores in my mouth. I slept the entire day again and until 2 on the following day. Dizziness has not gone away I still have it and a weird feeling in my neck/ center of my head. Have a low appetite and still have muscle soreness. I now have 2 cold sores and multiple sores in my mouth including my tongue. My right eye vision has decreased as well.
989758	1/31/2021	MA	27	F	1/30/2021	1/30/2021	Swollen, puffy eyelids, tenderness around eyes
989717	1/31/2021	MA	76	M	1/8/2021	1/31/2021	Caller had vaccine at 2:30 pm today. Vaccine given in left arm. Now states he has quarter size swelling on his left side of his face starting from his left eye to his mouth with redness and itching. Advised to call his PCP. 24 follow up will be done.
989711	1/31/2021	SC	41	F	1/28/2021	1/30/2021	Itching on arms and chest began Jan 30 approximately 4pm. Got progressively worse throughout the night. Hives covered 95% of body, including eyes which began to swell shut. Took 50mg Benadryl with little relief. Went to Urgent Care and was given: 01/31/2021 0836 famotidine (PEPCID) injection 40 mg 40 mg Intravenous 01/31/2021 0836 diphenhydramine (BENADRYL) injection 25 mg 25 mg Intravenous 01/31/2021 0836 methylPREDNISolone sodium succinate (Solu-MEDROL) injection 125 mg 125 mg Intravenous 01/31/2021 0840 EPINEPHrine (EPIPEN) injection 0.3 mg 0.3 mg Intramuscular Raised lesions started to flatten 1.5 hours after medications were administered Dx to home with prescription for Epi Pen, prednisone PO 60mg 1dose/day and instructed to continue taking 50 mg Benadryl q4-6 hours and Pepcid OTC 1 dose per day. Instructed to follow up with PCP in 1 week.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
989699	1/31/2021	CA	45	F	1/31/2021	1/31/2021	11:32, RRT called to assess 46 y/o female in post vaccine area with c/o difficulty swallowing and feeling of warmth to bilateral upper arms and bilateral lower extremities, shin area. Husband was present/driver of the vehicle. Pfizer vaccine had been given at 11:09 A.M. and symptoms began at 11:30 A.M. Patient w/no prior medical hx or chronic conditions and does not take any routine medication. PHN assessment revealed: awake, alert and oriented x3, able to participate in assessment interview w/ease, no visual oral swelling/dyscoloration of mucus membranes, moving all extremities freely/warm to touch, no s/s of SOB, or change in sensorium. Vitals signs WNL. Monitored for an additional 10 in post vaccine area, all symptoms resolved, stable, discharged at 11:50 without further incident.
989672	1/31/2021	NY	57	F	12/21/2020	12/23/2020	2 days after the vaccine I started experiencing numbness and tingling on the left side of my face starting at my lips and moving up to under my eye. This would last up to 1 & 1/2 hrs. I let my Infection Control Nurses know as soon as it happened. It has continued with the left sides of my face so to touch near my cheekbone & jawbone, teeth both upper and lower constantly aching with the numbness & tingling still prominent. My gums feel swollen and teeth feel loose. They are not. Just the constant tingling that is the real issue. I had my second dose on 01/18/2021 with lot # of 001L20A. Woke up @ 2 am the next morning with a massive headache and ran a 101.3 temp for 2 & 1/2 days. Numbness and tingling continues.
989671	1/31/2021	MI	59	F	1/25/2021	1/25/2021	Patient exhibited red and itchy face and eyes. Was given 50 mg of Benadryl P.O. symptoms decreased and B/P 180/104. H/R 120. Discharged 170/98 B/P HR 111 bpm. Discharged with her husband driving. Advised to follow up with hospital and to follow up with her PCP before anymore immunizations.
989792	1/31/2021	SC	73	F	1/17/2021	1/30/2021	Awoke with eye infection both eyes eyes felt like sand paper! Blurred vision, watery and miserable



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
989606	1/31/2021	CA		F	1/12/2021	1/15/2021	Got my 1st dose of vaccine on 1/12/21. I experienced pain on my L arm the following day. And felt generalized body aches. I took ibuprofen and it's all gone the following day. But on the 3rd day I began to experience itchiness on one part of my body...which is my L arm. Then it began to spread all over my body. I took cetirizine in the morning for itchiness and benadryl at night so I can sleep better. The itchiness was controlled by anti histamine but small redness/ rashes kept spreading all over my body as days go by... the rashes and itchiness continues everyday until it becomes hives. Hydrocortisone cream or moisturizer had temporarily relief. Last night it spreads thru my neck, ears, face and my eyes that's why I called in and will go to urgent care or ER soon.
987666	1/30/2021	GA	32	F	1/22/2021	1/30/2021	Acute swelling of left eye, lower left eyelid.
988078	1/30/2021	CA	71	F	1/27/2021	1/29/2021	Flu like symptoms on day 2 and puffy under the eyes. I could find flu like symptoms in the "normal" category but not puffy under the eyes. Is this a problem?
988108	1/30/2021	CT	61	F	12/24/2020	12/28/2020	almost fainted- very pale, then tachycardia, high blood pressure, diarrhea. This reoccurred in waves over the next week. Also fatigue,, muscle and joint pain. for 6 days also had severe headache, numbness in face and lips, spasm of left eyebrow. Missed week of work, ended up in Emergency room. Had negative covid test. sent home. Was fatigued and dizzy and brain fog for next three weeks. Took a month to feel right.
988119	1/30/2021	MO	37	F	1/29/2021	1/29/2021	Approximately 8hrs after receiving vaccine I developed itchy eyes, hives around my eyes, itchy throat. I took 2 benadryl capsules. The symptoms resolved in approximately 2 hours. I woke up the next day with some itching and 2 hives on my abdomen (approximately 21 hrs after injection). Nothing was taken and symptoms resolved on their own.
988129	1/30/2021	MI	28	F	1/29/2021	1/30/2021	Nausea, headache, joint pain, back and neck pain, pain at injection site, chills, hot flashes, eye pain when looking at light

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
988199	1/30/2021	KY	72	F	1/26/2021	1/27/2021	Memory issues and a droopy left eye lid about 16 hours after vaccination. The morning of Jan 30 in Hospital to receive evaluation. Memory issues persist, the droopy eyelid a bit better.
988201	1/30/2021	MA	38	F	1/28/2021	1/29/2021	on 1/30/2021 pt reported that the previous day she awoke with arm and eye swelling- pt self medicated with Benadryl (dose unknown to reporter) - with effect. Fellow Pharmacist reached out to pt on afternoon of 1/30/2021 at approximately 2pm and pt reported being fine with no additional symptoms being noted.
988265	1/30/2021	CA	37	M	1/30/2021	1/30/2021	After about 10 minutes of receiving his first dose of Moderna vaccine, pt experienced nausea, dry heaving, and moderate diaphoresis. First set of vitals: HR: 68, BP: 117/77. O2 Sat 98%. Pt was given apple juice. He felt better. Nausea and diaphoresis resolved. 2nd set of vitals: HR: 67. BP: 114/81. O2 Sat 98%. Pt then started to complain of mild blurry vision. 3rd set of vitals: HR: 66. BP: 115/83. O2 Sat 97%. Continued to monitor pt. Blurry vision resolving. Pt states that he is ok to leave clinic and go home. Pt accompanied by friend who will drive him home. Pt is ambulatory. Able to walk out of clinic independently. Condition stable.
988236	1/30/2021	OR	45	F	1/15/2021	1/29/2021	Swollen itchy area under left eye. Itchy left and right jaw. Rash and itching down right side of neck. Tingling in left side of face and lips.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
988252	1/30/2021	PA	29	F	1/20/2021	1/21/2021	<p>~~Pfizer-BioNTech COVID-19 Vaccine EUA" I received my 2nd dose of the Pfizer COVID-19 vaccine on Jan. 20th, 2021. On Jan. 21st, 2021, I woke up feeling feverish. I went to use the bathroom, and after washing my hands I walked towards the bathroom door and felt light-headed and dizzy. Suddenly, I passed out and hit my head and upper neck on the tile floor. My parents heard the sound of my fall and luckily rushed to the bathroom. They found me lying unconscious on the floor with my eyes rolled up for what felt like more than a minute. I regained consciousness on my own, and I drank water with a bit of sugar and salt mixed in. I felt too weak to get up and walk, and the back of my head and upper neck were in pain. I told my parents to call 911 as I wanted to make sure that there was no serious damage to my brain or neck area. I went to the local hospital in an ambulance. I was taken to the emergency room: Vitals were done and my temperature ranged from then was 99.5-101F and my heart rate was high- it stayed around 112 bpm for some time I was given 2 L of IV Saline Fluids EKG result: no clinical abnormalities CT head/neck/spine: negative 2 different types of COVID-19 tests: results were both negative Bloodwork: CBC/BMP/D-dimer: no clinical abnormalities Chest Xray: negative 2D-doppler ultrasound: negative Holter monitor: negative for irregular heart rhythm I was discharged the same day around 4:30pm</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
987774	1/30/2021	LA	34	F	1/15/2021	1/19/2021	1/15/2021: received 2nd dose of vaccine at 5:45 PM 1/16/2021: woke up around 8:00 AM with fever, chills, headache, body aches, fatigue (lasted approx. 24 hours) 1/17/2021: body aches and fatigue continued but improving 1/18/2021: body aches and fatigue continued but improving 1/19/2021: [7:00 AM] facial soreness to the touch, especially along cheekbones 1/20/2021: [7:00 AM] wake up with periorbital edema + face sensitive to touch (felt like pressing a bruise) 1/21/2021: [7:00 AM] face sensitivity improving but periorbital edema progressing + rash under eyes and on eyelids 1/22/2021: dermatitis remains but face sensitivity & periorbital edema improving; go to PCP at 9:30 AM; apply hydrocortisone 2% lotion at PM 1/23/2021: continued improvement; facial skin peeling under eyes; started Zyrtec 10mg in AM; used hydrocortisone 2% lotion at PM 1/24/2021: continued improvement; facial skin peeling under eyes; Zyrtec 10mg in AM; hydrocortisone 2% lotion at PM 1/25/2021: resolved
988217	1/30/2021	CA	60	F	1/13/2021	1/22/2021	On Thursday, Jan 21st, I woke up with the worst heart burn and I thought I'd have to throw up. Nothing I have ever experienced before. Then I ended up with a rash/hives on my rear which spread to my lower back and my thighs - later getting one on my face near my left eye. It only started itching a few days after. I started taking Benadryl for a couple nights. I found out my coworkers all had similar side effects and we all had the vaccine on the same day. No one had any side effects right after having the shot - except for feeling tired.
988057	1/30/2021	MI	84	F	1/19/2021	1/20/2021	The next day: aches, fatigue, low grade fever. The following day: awoke with red, puffy, itchy eyes, extreme itching on both arms.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
988055	1/30/2021	WI	22	F	1/26/2021	1/27/2021	Received vaccine at 6:30pm on 1/26. Woke up at 7:30am on 1/27 feeling nauseous and had a headache. Rested for a few hours and went to work. At work (noon), suddenly became very lightheaded, cold, sweaty, experienced blackout vision around periphery and felt faint and nauseous. Threw up. Went home and had extreme chills and could not get warm. Nausea subsided around 6:00pm 1/27. Headache and neck soreness continues still today (1/30). Headache feels like pressure inside my head, pushing and causing dull pain at the base of my skull and top of neck.
988040	1/30/2021	MN	49	F	1/28/2021	1/28/2021	30 minutes after my 2nd shot my left lip, cheek to my left eye went numb, this lasted until the evening and had it minimally the next day as well. Today is 3rd day out and my outer corner of left lip has a little fuller and feels that way compared to other side, when you look at it there doesn't seem to be a physical change. This the original spot in which I felt it come on. I had this similar response with first dose but this didn't come on until 5-6 hours later. I have reported this adverse effects with this site as well.
988030	1/30/2021	WA	65	F	1/15/2021	1/16/2021	I felt anxious after the shot, but that night felt ok. Morning was another story. I woke up with pain in my muscles from the waist down and found it difficult to walk. My eyes started to hurt. I had blurred vision. Around 2:00 I went by the mirror and saw that my eyes were blood red. I laid down and rested. About 2 hours later I got up the most of the redness was gone but then I had a headache. The next morning a persistent cough and the sneezes started. The headache would return every time that I coughed or sneezed. It was very painful- as if someone hit me with a hammer. Even though the pain only lasted a few minutes, it hurt a lot. I sneezed and cough a lot. Finally, Sunday morning I was walking better; however, I felt I had the flu. Normally, I would have gone in and got ready for a sub, but I wasn't able to. I rested on the couch. Then took a 2 hour nap. Finally, I felt better around 6 pm except for the painful headache that returned every time I coughed or sneezed. It has been a week. I thought the worse would be over by now. I guess I will have to go in and talk to my doctor on Monday because the sneezes and coughs are still quite painful. When will it end?

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
988025	1/30/2021	MI	67	M	1/27/2021	1/28/2021	Pt with Rash starting 24 hours after vaccine on face then to bilateral arms day 2, followed by bilateral legs day 3, scattered areas on trunk, Temp 99.8, facial lesions 1/2 cm papular erythemic with vesicular center and honey crusting started between eyes and migrated across top of head across mid-line, erythemic deep nodular lesions about 2-3 CM diameter on bilateral arms and legs. most prominent on arms, generalized swelling of bilateral wrists, no defined lesions noted. CBC,CMP Sed Rate and CRP pending.
988022	1/30/2021	TX	72	F	1/28/2021	1/29/2021	The day after I got the shot, I was driving and all of a sudden my heart raced and I got VERY dizzy and my vision was darkening. I also had ringing in my ears. I felt like I was going to pass out. It scared me. I put on my brakes and started to pull over but by the time I started to pull over, the dizziness was slowly starting to clear up. I had a "foggy" feeling in my head for about a half hour after so I went to my friend's house and sat down and drank some water. Then I went home. I have had no incidents since then.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
987977	1/30/2021	FL	59	M	1/19/2021	1/22/2021	Approximately 60 seconds prior to emergency, patient felt a sense of panic (first time ever). Stated to me (wife) "I feel like I am having a panic attack" as we walked on to a parking garage elevator at 12:30 pm on 1.22.21. As I turned to push the button to go down, leaned against the wall of the elevator. His eyes fluttered and back, he was a little pale. When I turned around, again, he fainted and fell face down on the elevator floor. He never stopped breathing and had no convulsions. He was out for less than 30 seconds. When he came to, he got up by himself with minimal assist from me (911 was already on their way). He did not remember saying that he felt like he was having a panic attack; but he remember the fear/panic he felt just prior to. He was oriented x3. I had him smile, stick his tongue out and speak to make sure it was not a TIA or stroke and there were no symptoms of that. His bladder did release. He went by ambulance to the ER (we were on a mini vacation to celebrate his birthday). They did a CAT scan, checked his blood sugar twice, EKG twice, complete blood work panels and urinalysis. All tests were either normal or negative. They found nothing. His BP was normal for the first 30 minutes at the hospital, then increased. But has been normal ever since (he checks it daily). Absolutely no other symptoms since that episode. He met with our PCP on 1.29.21 as a follow-up and she directed us to complete this form. She has ordered a consult with a Neurologist and that is scheduled for 3.10.21. His second shot for the vaccine is due on 2.9.21.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
987819	1/30/2021	WI	31	F	1/29/2021	1/29/2021	. She received the second covid pfizer vaccine 1/29/21. Within minutes post vaccine she had bilateral hand arm tingling. She stayed longer for observation and the provider did a brief exam which was normal. The paresthesias have persisted but now only in bilateral 4th to 5th digits. Severe, 8-10 HA began 7-8 hours later and has persisted in severity of 8/10 at worst and 6/10 this morning as she slept better through the night. It is located in the left orbit, left frontal area, throbbing, persistent, causing nausea and vomited 4 times since onset. Her vision is intermittently, "fuzzy" like she as if she does not have her glasses on only in the left eye. This comes and goes and seems to be present as the HA worsens. She has a hx of menstrual triggered headaches that resolve with meneses and just with OTC treatment. No photophobia. She has taken IBU 400mg q 8 hours, APAP 1g last night, melatonin 10 mg last night to sleep. Did not work her night shift last night due to the vision and HA she did not think she would be able to perform functions of her job. She also has flu Like symptoms of body aches, tired, no fever. Admits her anxiety is making the symptoms worse.
987718	1/30/2021	AR	41	F	1/27/2021	1/28/2021	Numbness of lips on 1/28/2021 and then developed numbness of tongue and eye would not close. Saw physician who treated her with steroids, anti-virals and OTC eye drops for lubrication of eye.
987681	1/30/2021	FL	69	M	1/28/2021	1/28/2021	Within an hour of receiving vaccine, left eye became swollen and lids discolored. Feeling of increased intraocular pressure within the eye. Pain inside eyeball. Lids painful to touch. Clear/white ocular exudate extruded from eyeball. In middle of night, eye began "weeping". Seem to decrease pressure within the eyeball. Eye still swollen and discolored but not as painful 01/30/2021 0830.
988577	1/30/2021	NC	30	M	1/13/2021	1/21/2021	Presumed Bell's Palsy. Tearing of eye started 1/21/21, and produced R facial hemi-paresis 1/22/21.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
988287	1/30/2021	IL	23	F	1/29/2021	1/29/2021	I received my second dose of the Moderna COVID vaccine at approx. 10:40 AM on Friday, January 29 at clinic. By 12:00 PM, I noticed that I developed facial swelling, which was most significant around my eyes, and I felt lethargic. Between 12:00 PM and 2:00 PM, I developed hives on my neck, chest, stomach, and arms, which prompted me to take 1/2 of a dose of 25mg Benadryl. Nonetheless, the symptoms persisted and I began to experience dizziness and tightness in my throat around 4-5 PM, which was when I was advised by a nurse to go to the emergency room for treatment. I arrived at Hospital's Emergency Department around 6:00 PM and I was treated for "Possible Allergic Reaction Major." I received diphenhydramine (BENADRYL) injection 50 mg, famotidine (PF) (PEPCID) injection 20 mg, methylprednisolone sodium succinate (PF) (SOLU-MEDROL) injection 125 mg, sodium chloride 0.9 % iv bolus, and acetaminophen (TYLENOL) tablet 650 mg. I was discharged after 10:00 PM and sent home with a prescription for prednisone 20 mg and famotidine 20 mg. My facial swelling and hives have gone down but neither have completely resolved since being discharged. I am also experiencing full body aches and fatigue at this time (3 PM on Saturday, January 30).
987960	1/30/2021	AZ	37	F	1/28/2021	1/28/2021	Injection site started to be painful around 3 PM same day of injection, around 6 PM that same evening of January 28 I began to feel really cool.... went to bed around 730 and throughout the evening I woke up about every 1 to 2 hours sweating but feeling cold. My body hurt to touch. Left work early January 29 because I did not feel good. Afternoon of January 29 around 4 PM I noticed some redness approximately an inch and a half below the injection site. Looked like a lump under my skin and it was painful to the touch. I took Benadryl the evening of January 29 and the morning of January 30.,Not sure if the Benadryl is helping. I am keeping an eye on the redness and the lump, if it does not go away I will contact my provider. I do not feel the chills or feverish anymore and I was able to sleep through the night on January 29

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
988802	1/30/2021	AZ	61	F	1/30/2021	1/30/2021	in first half hour, heat/flush came up the left side of neck and face up to eye. inside of ears felt warm. extreme tinnitus. took Benadryl and slept. after 5 hours, symptoms came back. feels like lower jaw is pulling to right. took more benadryl.
988303	1/30/2021	TX	31	M	1/25/2021	1/26/2021	I received it at 10am and around 2am that night I started to have a bad headache and body aches. I would fall asleep for a bit but then at 4am I woke up with the worst headache of my life. It was so unbearable that I would clench my eyes shut. Bones and muscle pains all over. Violent hot/cold flashes. I would feel hot all over and after a minute or so of placing a cold pack on my head I began to shiver despite sweating. Around 5am I was looking at my phone wondering if I should go to the ER because I legitimately felt like I was in danger. The unbearable headache lasted a total of 14 hours from its onset. No OTC medications were taken. Around 6pm on day 2 from the dose the intensity of the headache began to subside VERY slowly. I woke up on day 3 completely fine as if nothing happened.
988506	1/30/2021	VA	78	M	1/26/2021	1/29/2021	Ruptured blood vessel in left eye
991310	1/30/2021	SC		F	1/28/2021	1/28/2021	Pfizer vaccine treatment under Emergency Use Authorization(EUA): Patient administered the Pfizer-biontech Covid 19 vaccine on 1/28/2021 at 15:19 in her LEFT deltoid. Patient reported feeling numbness and tingling to hands, face and leg within 15 minutes of the injection. No dyspnea, nausea, dizziness, abdominal pain, vision changes, or gait abnormality. VS 97.9F, 76, 16, 131/69, pulse ox 100%. ECG sinus rhythm.
988818	1/30/2021	NY	69	F	12/31/2020	1/3/2021	2 days after injection, I broke out in Shingles (confirmed by the Dr. on my scalp, left side of forehead and radiating toward my left eye. MD stated it was too coincidental not to be related to vaccine. I had NO s/s of illness prior to injection. MD would not allow me to take 2nd dose.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
988795	1/30/2021	CA	48	F	1/25/2021	1/26/2021	After Dose 1 of Pfizer COVID vax (on Jan 5) I developed a mild twitch of left upper eyelid (started on Jan 15, 10 d after vaccine). Persisted, daily - then had dose 2 on Jan 25 and developed more notable twitch of right lower eyelid that was even more persistent and is still ongoing . Never had issues with this before. Not debilitating. Might have nothing to do with vaccine, but thought I'd report in case!
988686	1/30/2021	CA	50	F	1/29/2021	1/29/2021	All over muscle pain, pain in eyes, severe headache, joint pain, difficulty standing up, deep sleep
988676	1/30/2021	WA	39	F	1/11/2021	1/24/2021	G4P1 prior uncomplicated pregnancy 35 +1 weeks pregnant EDD 27 Feb. That night I went to drink and liquid came out my mouth spontaneously, my left side of face had lost normal wrinkles on forehead, eyebrow wouldn't lift, eyelid wouldn't blink, cheek couldn't puff, lips didn't smile. Next day (1) slight cheek numbness noted- resolved Day3 . Day 2 slight difficulty articulating words. Night 3 intermittent sharp outer ear and mastoid area pain duration 30min and at different times intermittent pulsatile heartbeat and whistling sound 10 min or less. Day 4 & 6 notable improvements in cheek ability to puff- not fully resolved though. Day 5 eyelid movement - not fully resolved though. Day 6: less difficulty articulating. Day 1: Spoke to OB office nurse- offered steroids which I declined & spoke to PCP recommended go to ED, which I declined, I'm a family physician and had otherwise normal Cranial nerve testing and no other neurological changes- seems fully consistent with Bell's palsy. Day 3 had co-worker physician use otoscope - normal exam bilaterally.
988672	1/30/2021	CA	49	F	1/28/2021	1/29/2021	Next day noted numbness upper lip and beneath eye. Most pronounced for 1 hr. Has been improving
988671	1/30/2021	DE	75	M	1/25/2021	1/27/2021	Drooping of right eyelid. Started 2 days after injection. Symptom still persisting as of Jan. 30, 2021
988667	1/30/2021	FL	79	F	1/30/2021	1/29/2021	Day 8 after vaccination, left arm in area of injection developed a rash with swelling, warmth, and soreness that had previously disappeared several days after injection. Coincidentally my left eyelid was also swollen and itchy .

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
988655	1/30/2021	CA	49	F	1/27/2021	1/27/2021	My day began working in the Medical Surgical Unit, once I received the injection I was feeling fine. Five hours past and my eyes became itchy and swollen. Immediately after I started to have an itchy throat while my nose was congested. After conversing with my house supervisor she told me to call Employee Health Nurse. After that they directed me to the ER because my symptoms were worsening. At the ER they took my vitals and then the doctor came to assess me. She told me that I was having a severe allergic reaction to the vaccination. They started an IV gave me Benadryl, Epinephrine and Pepcid. After, the nurses monitored me for 4 hours until they decided I was well enough to go home. The doctor prescribed me with Epinephrine and Prednisone.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
988372	1/30/2021	KY	64	F	1/16/2021	1/16/2021	COVID- 19 Vaccine. She was experiencing chest tightness, SOB, and dizziness. 50mg of Benadryl and 20mg of famotidine was administered around 1410. Patient was still experiencing chest tightness and was having difficulty breathing. 0.3mg of epinephrine was administered at 1420. EMS was called. Breathing improved. Pulse ox 100%, HR 68, BP 130/89. EMS arrived and assumed patient care. Pt seen in Emergency Room 1/16/2021 1513 CHIEF COMPLAINT: reaction to COVID vaccine HISTORY OF PRESENT ILLNESS: Patient is a 64y F with PMHx significant for Myopericarditis, Anxiety and HTN who presents to ER after developing tongue swelling, wheezing, tunneled vision and shortness of breath. Patient states that she was getting first shot of COVID19 Pfizer vaccine at 2:00 pm. After getting vaccine she waited 15 minutes like she was told and recalls room getting very hot at approximately 6 minutes after getting vaccine. She also states that her tongue felt swollen. She then noticed her vision started to turn dark and then she felt dizzy. She told pharmacist about symptoms and then she was given one pill of Benadryl. This did not help and actually made her symptoms worse. She recalls wheezing. She was given another pill of what she believes was Benadryl. She also recalls pharmacist measured her BP and her husband, who was present, reported that her blood pressure was in the 140s This did not improve so she was given 0.3mg IM epinephrine shot. This significantly improved her symptoms. However, she was sent to ER. She denies any hx of recent UTI or GI infection. She denies fevers, chills, nausea, diarrhea, chest pain, generalized itching, vomiting, abdominal pain, generalized swelling, headache or syncopal episode. She denies any past reactions to vaccines. She denies current SOB and feels like her symptoms resolved. Denies hx of COPD or asthma. Physical exam did not show any recurrent signs of wheezing or tongue edema. Her SaO2 was 100% on RA and BP was within baseline 140-160s. Given episode, we decided to obtain tryptase levels. We also observe patient to ensure she did not have any recurrence of symptoms. She remained hemodynamically stable and SaO2 remained in mid 90s to 100. She was given a rx for epinephrine pen should symptoms recur though this is highly unlikely as she remained stable throughout ER stay. She was also given

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							instructions to pick up OTC Benadryl and Pepcid. She does have antihistamines listed as an allergy but patient states that she gets tachycardic upon taking tabs, so this could just be a side effect. We will follow up with tryptase levels but even if tryptase levels return as normal, it does not mean she did not have an anaphylactic reaction to vaccine. Her clinical picture puts this diagnosis high in the differential. Teaching and instructions were given to patient and her husband. She was advised to return to ER if symptoms recur. IMPRESSION: Anaphylaxis Anxiety attack
988337	1/30/2021	WI	21	F	1/29/2021	1/30/2021	Nausea, insomnia, abdominal pain, fatigue/exhaustion, fever, chills, overheating, dry eyes, muscle aches and joint pain (more/different than usual related to health condition)
988822	1/30/2021	SC	61	F	1/8/2021	1/30/2021	Bells Palsy Signs and Symptoms Right Side for the last 72 hours with ear pain and eye twitches. noticeable onset this morning 1/30 with right eye right and upper lip involvement.
988329	1/30/2021	VA	41	F	1/26/2021	1/26/2021	Swelling of eyelids, burning, hives on eyes face arms and legs. Fatigue joint aches. Started the morning after. My eyes lids are still swollen and burning but body hives have subsided. Fatigue and joint pain continue
988558	1/30/2021	VA	43	F	1/22/2021	1/22/2021	Felt quesy about 15 minutes after shot. 45 minutes after shot got really tired, eyes started hurting/getting irritated, itchy throat. 1hr - 2 hrs after shot sever stomach cramping, and chills Next morning - still had slight chills, left arm sore, and still extremely tired.
988352	1/30/2021	KY	26	F	1/16/2021	1/16/2021	Pfizer COVID- 19 Vaccine Pt received Pfizer COVID vaccine lot #EL3249. Pt sat for about 10 minutes, arm became itchy, gave diphenhydramine x 1 dose. Pt continued to sit for assessment for another 15 min. Pt stated she felt hot, but is typical for her to feel warm. No chest pain, SOB, blurred vision. Pt cleared to leave facility.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
988380	1/30/2021	LA	30	F	1/30/2021	1/30/2021	Roughly 15 minutes after the vaccine I began to blackout. I did not fully lose consciousness but my field of vision was taken over by spots and stars. My blood pressure was very low. After being monitored for 45 mins I felt well enough to go home.
988414	1/30/2021	TN	24	F	1/30/2021	1/30/2021	While waiting at the site, my body felt like it was spazzing out and I saw blurry colored static. It felt surreal. It happened again within a minute. This was longer. I had no control of my body, I was conscious the second time. I attempted to tell myself to "focus" and try and find something with my eyes. I couldn't; I was stuck in the state of my body shaking and unable to see anything. After the two times, I had the shakes.
988416	1/30/2021	GA	68	F	1/21/2021	1/22/2021	About 22 hours after the vaccination, I had chills. During the night I sweat so much my gown was soaking wet, and when I awoke, I had a foul odor on my body and gown, as if my body had expelled something foul during the night. The day after the injection, my arm felt sore and 2 days later I would have more described it as hurting and itching. 8 days after the injection, a red spot developed on my arm. 3 days before I had the 1st dose, I got a headache and still had the headache at the time of the vaccination. The pharmacy person questioned me about the headache, but decided to give me the vaccination. Personally, I think the headache is related to eye strain since I have had this type of headache before. I have an appointment next week to see the optometrist. I had no fever before the vaccination or after the vaccination.
988435	1/30/2021	IL	30	F	1/14/2021	1/14/2021	About 30 mins after receiving the vaccine I developed a strong headache while driving that affected my vision. Later that evening I got a stomach ache, the chills/hot flashes, arm soreness and the shakes. Most lasted until the following morning when I got up at 6:15am for work. The following morning I was only experiencing shakiness and arm soreness. About a week in a half later, I developed a rash at the injection site that looked like two large red blobs. The rash was slightly itchy and lasted only a couple of days.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
988485	1/30/2021	MN	46	F	1/27/2021	1/27/2021	4 hours after the administration of her COVID-19 vaccine, she developed the onset of twitching of her left eyelid, some left-sided jaw pain, a cotton mouth sensation, and migratory left-sided facial paresthesias described as a tingling sensation that could involve the eyelid, nostril, scalp, cheek, or forehead. These sensory symptoms feels somewhat like a Christmas tree with lights going on and off in different spots but always restricted to the left side of her face. In addition she experience a mild headache but without associated scotoma, nausea, vomiting, or vertigo. Upon looking in the mirror she thought that perhaps there is some slight facial asymmetry on the left side. In addition she reports feeling that her neck is weak on the left side and that she has to support her head in order to keep it from flopping further to the left. The symptoms have been also associated with some pain in the left arm which has since improved as well as discomfort and achy sensation involving her left leg extending from the hip laterally down to the level of the knee. She was evaluated the next day by a neurologist. Her neurological examination demonstrates some subjective decrease in sensation involving the left V1 and V2 distribution but is otherwise normal. Difficult to know to what extent the prior Botox injections could be contributing to her worsening left-sided neck weakness. We are aware that the vaccine does induce a inflammatory cytokine response and it is conceivable that this is contributing to some of her symptoms. MRI was obtained to exclude any underlying CNS pathology that could be conceivably exacerbated in the setting of an inflammatory micro environment induced by the vaccine. There was no clear evidence of a new CNS lesion based upon the examination.
988491	1/30/2021	HI	53	M	1/28/2021	1/30/2021	Double vision experienced in right eye upon waking up this morning. Contacted health care provider. Recommended eye drops over the next few days and to call back if symptoms persist.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
985804	1/29/2021	OH	49	F	1/25/2021	1/25/2021	4pm that same day- left side of face began to get numb, by 5:30pm severe whole body pain, by 6pm rigors. Took Tylenol and Motrin around the clock- nothing stopped the rigors and the pain increased. 5am on 1/23 fever taken 103. by 8:30am woke in a pool of sweat and aches decreased. But by 11am full rigors and intense pain body pain began. at noon took Benadryl 25 mg and one Pepcid chewable. Stayed in bed with rigors and pain until noon on Wednesday when everything started to ease. Headache in left eye socket all day Wednesday, face numbness disappeared- MISSED 2 days of work as a nurse!!!
985623	1/29/2021	NC	21	F	1/7/2021	1/7/2021	Employee states that later that eveningwhen she got home she began having some lightheadedness and describes feeling loopy. She described seeing stars at times and then her vision would go black. A friend came over to stay with her and did say that at one point she became unresponsive for about 45 sec to 1 minute. The second day she still had the lightheadedness and felt loopy. On the 3rd day she felt completely fine.
985751	1/29/2021	ND	71	F	1/13/2021	1/16/2021	Started on 1/16/21, noticed droopiness and slurring on the left side of her mouth, and the eyelid did not want to shut properly, could not raise the eyebrow on that side. Stayed that way until yesterday, 1/28/21, was able to raise the left eyebrow and her lip was starting to normalize, but still having some droopiness from it. Called her provider and looked it up on the internet, and was told she had Bell's Palsy. Told her to keep an eye on it, and if anything else happened to go into the hospital to see if it was a stroke. It did not affect her limbs or have any other stroke symptoms, just the left side of her face.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
986734	1/29/2021	NJ	34	F	1/6/2021	1/6/2021	COVID-19 Vaccine Approximately 3.5 hours after receiving the vaccine, I developed hives on my right arm and the area around both eyes began to swell and itch. At which point I took 25mg of Benadryl. The hives subsided after 2 hours of onset. Swelling around the eyes and itchiness persisted through the next day; although symptoms were not as severe as the night prior. The morning of January 15th, I developed redness, swelling, and warmth at the injection site. Symptoms were not present prior to the morning of January 15th. The area of the injection felt hard underneath the skin. I was evaluated by a physician and treated for cellulitis with antibiotics. Symptoms resolved with antibiotic course.
985778	1/29/2021	ME	24	F	1/29/2021	1/29/2021	After 30 minutes, she left with her friend who also had recieved the vaccine. Her friend later noted that her left eye lid had some slight swelling. She had no hives, no shortness of breath, no other complaints.
985772	1/29/2021	LA	35	F	1/28/2021	1/28/2021	Nurse 1/28/2021 09:07:30 AM > 0855: Patient c/o blurred vision and dizziness, BP 170/80, P 108, O2 98. Upon assessment patient states she felt like "I'm going to have a seizure", patient completed 15 minute observation and nurse extended observation for additional 10 minutes. 0927: BP 120/78, P78, patient states "feeling much better" and has a doctors appointment tomorrow, nurse suggested that she should visit ER for further observation. Nurse 1/29/2021 08:19:42 AM > Contacted patient for f/u, message left Nurse /29/2021 08:45:01 AM > Spoke with patient, says that her heart rate seemed to be elevated most of the night and that she had to sleep sitting up, concerned about receiving s
985792	1/29/2021	SC	26	F	1/28/2021	1/28/2021	Vomiting for 6 hours, severe nausea, high fever (103 first time, 102.6 second time) ringing in ears, tunnel vision.
985709	1/29/2021	OH	77	F	1/26/2021	1/26/2021	1/26/21 @ 5PM C/O TINGLING ALL OVER BODY AND RIGHT EYE". DENIES ANY TROUBLE BREATHING OR SWALLOWING, NO EDEMA OF LIPS. A/O X3, SKIN PINK W/D, RESP REG WITH EASE. 1/26/21 @ 5:15PM CLIENT STATES SYMPTOMS ARE THE SAME AND "WILL TAKE BENADRYL WHEN SHE GETS HOME IF NEEDED". 1/27/21 @ 9:25AM CLIENT STATES ALL SYMPTOMS HAVE RESOLVED.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
985695	1/29/2021	FL	50	F	1/21/2021	1/21/2021	Pt reports itchiness and swelling of her tongue. Visually inspected by paramedic onsite which confirmed oral cavity, tongue and back of throat swollen. Pt stated NO difficulty breathing or talking. Lung sounds clear as per paramedic. O2 sats 100%. 911 called to assess, pt refused care or transport. Pt made aware of potential outcomes of angioedema and anaphylaxis.
985656	1/29/2021	CO		M	1/14/2021		glaucoma; This is a spontaneous report from a contactable consumer (patient's wife) received via a Pfizer-sponsored program. A male patient of an unspecified age received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number and expiry date were not reported), via an unspecified route of administration on 14Jan2021 at a single dose for covid-19 immunization. The patient's medical history and concomitant medications were not reported. It was reported that second dose was scheduled on 04Feb2021. It was reported that the patient has an appointment for glaucoma injection on 29Jan2021 in his eye. Reporter asked if okay to get it or reschedule his appointment. Outcome of the event was unknown. Information on the batch/lot number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
985644	1/29/2021			M	1/13/2021	1/15/2021	He woke up and his eye felt like it was hurting; He has a swollen eye and it is still like this today; This is a spontaneous report from a contactable consumer (patient). A 41-year-old male patient received the first dose of BNT162B2 (Pfizer-BIONTECH Covid-19 Vaccine), via an unspecified route of administration on 13Jan2021 as a single dose for COVID-19 immunisation. The patient's medical and concomitant medications were not reported. The patient stated that he received the first dose of the vaccine on Wednesday, the 13th of Jan2021 at 2:00. The symptoms began on Friday (15Jan2021) after he had taken a nap. He woke up and his eye felt like it was hurting. He has a swollen eye and it was still like this today. He stated there was a delay in the reaction and he has never experienced anything like this before. He was trying to determine if this was from something he ate or something else, but the only thing different was that he got the vaccine. He asked if this has been reported by other people. Outcome of the events was not recovered. The events were reported as non-serious. Information about the lot/batch number has been requested.
985556	1/29/2021		45	F	1/27/2021	1/27/2021	Patient was very nervous prior to injection. Patient received Moderna covid vaccine. Patient was instructed on waiting in the store for a 15 minute observation period. A few minutes later she said her vision was blurry, and then it had passed shortly thereafter and her vision was clear again. She also said she felt tingling in her hands and feet. The pharmacy technician called 911 and the medics arrived and she went to the hospital. The husband had stated he thought it was her anxiety.
985547	1/29/2021	OK	70	F	1/13/2021	1/18/2021	Rash below shot sight . Only noticed because of itching. Red rash that was warm to touch and dissipated in a bulls eye manner. Used Benadryl to stop itching so not to scratch. Lasted about 4-5 days but did not think much about it until I read where several people had the same symptoms, but only happened in primarily women 30-40 years of age. Thought you may be interested as I am 70.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
985936	1/29/2021	PR	33	F	1/4/2021	1/4/2021	3 eye blood capillaries had exploded; itchy in the site of injection; swelling and warm; Felt local pain in the other arm; swelling and warm; A spontaneous report was received from a consumer who was also a patient who received Moderna's Covid-19 vaccine (mRNA-1273) and experienced 3 eye blood capillaries had exploded, pain the in other arm, and itchy, swelling and warm in the site of injection. The patient's medical history included hyperthyroidism. Products known to have been used by the patient, within two weeks prior to the event, included thiamazole, glucomannan and celecoxib. The patient received their first of two planned doses of mRNA-1273 (Lot number: 026L20A) on 04 Jan 2021 in the left arm intramuscularly in for prophylaxis of COVID-19 infection. A consumer who is the patient called to report she received the Moderna COVID-19 vaccine on 04 Jan 2021. She reported the injection site itched, had swelling and was warm. The patient also reported she felt local pain on the opposite arm that was vaccinated. On 05 Jan 2021, the patient stated her doctor told her that she had 2 or 3 eye blood capillaries that had exploded. The patient reported it was better, did not have any pain, and it was not itchy. Treatment for the event included paracetamol. Action taken with mRNA-1273 in response to the events was not provided. The outcome of the events, pain the in other arm, and itchy, swelling and warm in the site of injection, was unknown. The outcome of the event, 3 eye blood capillaries had exploded, was recovering.; Reporter's Comments: This case concerns a 33-year-old, female, patient, who experienced a serious unexpected event of eye hemorrhage and non-serious unexpected events of injection site warmth, pain in extremity and non-serious expected event of injection site swelling and injection site pruritus. The event of injection site pruritus, injection site warmth, pain in extremity, and injection site swelling occurred 1 day (same day) after first dose of mRNA-1273, lot # 026L20A. The event of eye hemorrhage occurred 2 days after first dose of mRNA-1273, lot # 026L20A. Treatment included Panadol. The subject's concomitant medications included Tapazole, Propol, Celexa. Based on the current available information and temporal association between the use of the product and onset of the events a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
986107	1/29/2021	TN	63	F	1/14/2021	1/14/2021	8/10 chest pain radiating into left arm; 8/10 chest pain radiating into left arm; tightness in chest; tightness bilateral flank area; HA; body aches; diaphoresis; hot feeling; numbness tingling of head; numbness tingling of head/tingling in jaw and over the top of my head; pressure in the back of my neck; blurred vision; This is a spontaneous report from a contactable nurse. A 63-year-old female patient received the second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL1283), via an unspecified route of administration in right arm on 14Jan2021 10:00 at a single dose for covid-19 immunization. Vaccination was done in a hospital. Medical history included HTN, GERD, constipation, ocular migraine, osteoarthritis in sacroiliac joints, small fiber neuropathy, glucose intolerance, steatotic liver, CTS (Carpal tunnel syndrome). Concomitant medication included losartan (LOSARTAN), furosemide sodium (LASIX [FUROSEMIDE SODIUM]), and spironolactone (SPIRONOL). The patient previously received the first dose of bnt162b2 on 24Dec2020 10:00 AM for COVID-19 immunization. On 14Jan2021 11:00, the patient experienced tightness in chest tin which the patient took benadryl 25 mg with improvement, tightness bilateral flank area, HA, body aches, diaphoresis, hot feeling, numbness tingling of head, pressure in the back of my neck, and blurred vision. On 15Jan2021, the patient had an 8/10 chest pain radiating into left arm subsided after 10 mins, tingling in jaw and over the top of head, chest tightness and tightness in both flanks most of day 2. The outcome of the events was not recovered.; Sender's Comments: Based on the compatible time association, the possible contribution of suspect BNT162B2 administration to the event chest pain cannot be excluded. The status of medical history including HTN, GERD, constipation, migraine and osteoarthritis in sacroiliac joints would be helpful for further assessment. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
985648	1/29/2021	NC	73	M	1/20/2021	1/20/2021	Patient reported that both eyes dilated after the 15 minute wait period and that one returned to normal in about 5 hours and the other returned to normal by the next day. He also stated that her has noticed "irregular heart beats" since his vaccination and has an upcoming appt. with his cardiologist.
986032	1/29/2021	FL	67	M	1/13/2021	1/14/2021	Full body rash with itching; Swelling in my upper and lower eyelids; Urticaria; Soreness at site; Headache; Fatigue; This is a spontaneous report from a contactable other HCP (patient). This 67-year-old male patient received the 2nd dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number EL1284), via an unknown route, on 13Jan2021 (at 15:00) at single dose on the left arm, for COVID-19 immunization, administered at hospital. Historical vaccine included the 1st dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number EH9899) on 24Dec2020 (at 10:00) administered at single dose on the left arm. Relevant medical history included hypertension, benign prostatic hyperplasia, and allergy to NAIDs. Past drug history included allergy to acetylsalicylic acid (ASPIRIN). Relevant concomitant medications included losartan, simvastatin, eszopiclone (LUNESTA), dutasteride (AVODART) and tamsulosin. On 14Jan2021 (at 10:00), the patient had soreness at site, headache, and fatigue. On 15Jan2021, same symptoms but lower intensity. On 16Jan2021, she woke up with full body rash with itching, and swelling in her upper and lower eyelids. She took cetirizine hydrochloride (ZYRTEC) and the urticaria resolved within 90 minutes. Pre-vaccination and post-vaccination COVID tests were not performed. No therapeutic measures were taken as result of the events 'soreness at site', 'headache', 'fatigue' and 'swelling of eyelid'. All the events resolved in Jan2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
986145	1/29/2021	OK	68	F	1/26/2021	1/27/2021	On the two hour ride home, my arm would ache then be fine. I was cranky, not myself, going to bed, I woke several times as I rolled over onto my right arm. When I awoke early, I was swollen from Head to Toes, my eyes were slits, my bracelets and rings were swollen into my skin, and my toes and ankles were large. AND I was grouchy about everything. As the day went on I was just mad about everything, I began to drink lots of water and tried to exercise to get the swelling down. About noon, my eyes and face began to ease, but my body didn't ease till about 2pm, as my rings and bracelets were movable then. I am still swollen and still angry and it is Friday.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
986129	1/29/2021	NY	49	F	1/15/2021	1/1/2021	Fullness under my armpit which is on the same side as the vaccine, which looks like swollen lymph nodes under my armpit/kind of benign; Generalized malaise low grade; Headache; Both eyes are very swollen; inflammatory prosthesis in my eye; This is a spontaneous report from a contactable Nurse (patient). A 49-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/lot number: EL3247) via an unspecified route of administration at arm on 15Jan2021 11:00 at single dose for covid-19 immunisation. Medical history was none. The patient's concomitant medications were not reported. Nurse stated that she just wanted to report what she thinks is adverse reaction to the Covid-19 vaccine from Pfizer not sure what to do about it at this point. She was vaccinated Friday 11 o'clock in the afternoon. Both days felt really fine. Last night (16Jan2021) got some fullness under her armpit which was on the same side as the vaccine, which looked like swollen lymph nodes under her armpit which you can see was kind of benign. But in addition to that some generalized malaise lowgrade and headache (Jan2021). Seems totally fine but her both eyes are very swollen (Jan2021). Nurse took some ibuprofen (ADVIL)-600 mg, she was taking Prednisone for inflammatory prosthesis in her eye as treatment (Jan2021). Outcome of the events was unknown. The nurse considered the occurrence of the events are because of COVID-19 Vaccine.; Sender's Comments: Based on the current available information and the plausible drug-event temporal association, a possible contributory role of the suspect product BNT162B2 to the development of events Swollen eyes and Eye inflammation cannot be excluded. The case will be reassessed if additional information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
986116	1/29/2021	IN	85	M	1/12/2021	1/14/2021	like a blood clot; All around eye is real swollen and puffy and in corner/don't know if it looks like a bruise or it's like a blood clot or something; like a bruise; a red, dark red spot/not on the eye but up on the eyelid it looks like; all around his eye was real swollen and puffy and in the corner, not on the eye but up on the eyelid it looks like; This is a spontaneous report from a contactable consumer. An 85-year-old male patient (reporter's husband) received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number like EL1283), via an unspecified route of administration on 12Jan2021 at single dose for covid-19 immunization. Medical history included slightly elevated blood pressure from an unknown date. Concomitant medication included clopidogrel besylate (CLOPIDOGREL) for blood pressure; hydrochlorothiazide, losartan potassium (LOSARTAN + HIDROCLOROTIAZIDA) as blood thinner and several of drugs. The patient had the Covid vaccine on the 12Jan2021 and yesterday (14Jan2021) as they noticed his eye, all around his eye was real swollen and puffy and in the corner, not on the eye but up on the eyelid it looks like, the reporter didn't know if it looks like a bruise or it's like a blood clot or something and it's still there, it hasn't gone away and they didn't know if this was from the vaccine, the reporter didn't know if it's bruise or if it's a clot the reporter didn't know, it's a red, dark red spot. after we had the vaccine they gave us a paper that had some information on it and it said on there they should advise them if on blood thinners, they did not told beforehand and the patient was on blood thinners. No treatment was received. The outcome of the events was not recovered. Information about lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
986112	1/29/2021	KY	53	F	1/14/2021	1/15/2021	lost eyesight, everything went black; sweating really bad; cold chills; feels kind of achy; This is a spontaneous report from a Pfizer-sponsored program IBCC (Inbound Call Center for HCPs) received from a contactable consumer. A 53-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot Number: EL3249), intramuscular in left arm on 14Jan2021 12:00 at a single dose to prevent COVID-19. Medical history included shingles recently and was not given any medicine for that and breast cancer when she was 29 so she can't have shots on her right side. There were no concomitant medications. On 15Jan2021 05:00, she went to the bathroom and everything went black. When her eyesight did come back after a while, she was sweating badly and had the chills. As soon as her husband helped her get back to bed, she started sweating really bad. Her nightclothes were soaked, it wasn't like a normal sweat. She also got the cold chills. She got the cold chills right after she had the experience with her eyesight. She was just kind of achy. However, the sweating, chills, and achiness are all listed on the form she has. She isn't really worried about that. The patient was more concerned about the fact she couldn't see anything. Caller wanted to know if losing her eyesight is a side effect of the vaccine. She confirmed her eyesight came back. The outcome of the event losing her eyesight was recovered while the outcome of the remaining events was unknown. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
986108	1/29/2021	CA	38	F	1/14/2021	1/14/2021	nasty headache; felt hot; Shivers; achy; Nauseous; eyesight/ felt like she was straining; sensitivity to light; eyeballs felt sore; cold sweats; when she talked, she felt like she had to close her eyes because of pressure; arm was hurting really bad; received the 2nd vaccine yesterday/ date of the first vaccine was 28Dec2020; This is a spontaneous report from a contactable nurse (patient). A 38-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number: EL1284, expiry date: 30Apr2021), intramuscularly on the left arm, deltoid on 14Jan2021 15:30 to 14Jan2021 15:45 at a single dose for COVID-19 immunization. Medical history included ongoing pernicious anaemia, a B12 deficiency diagnosed 2-3 years ago (she gave herself B12 shots and she cannot convert B12 through her food), and myomectomy (15 cm uterine fibroid, removed this past summer). Concomitant medication included ongoing cyanocobalamin (B12) for pernicious anemia. The patient previously received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number: EL1284, expiry date: 30Apr2021), intramuscularly on the left arm, deltoid on 28Dec2020 at a single dose for COVID-19 immunization; and a flu shot (the MA gave it in the back of her arm, it was pretty significant). The patient was a nurse and informed that she received the second COVID vaccine the day before report (14Jan2021). She woke up on the day of report on 15Jan2021 03:00 with a nasty headache, she felt hot, had the creepy crawly shivers, was achy and when she talked, she felt like she had to close her eyes because of pressure, and she was nauseous. She figured this was probably normal but she couldn't get a hold of her doctor and the hospital she worked at did not know what to tell her. She was wondering if she can take Tylenol or ibuprofen and has even thought about drinking caffeine, that it might help her headache. She didn't have a prescribing doctor as she got it at work. The first round of the vaccine she only had a super mild sore arm and a slight headache. She received the second vaccine at 3:30pm and then went to bed when she got home. She woke herself up at 3 am because her arm was hurting really bad. She started feeling like she couldn't keep her legs still. She felt hot, achy, and was shivering. She hasn't taken her temperature. When she woke up at 3 am she got on her phone, and her eyesight felt like she

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

couldn't quite focus. It wasn't bad, but she felt like she was straining. Then her head started hurting at 5-7 am. She was very sensitive to light. She woke up and couldn't go back to sleep. She had cold sweats, and was shivering. Every time she stood up, she was chattering. She felt achy almost like growing pains. She woke up with the arm pain, and then 10-15 minutes later, she started feeling that creepy crawly feeling. She got up and the cool fan hit her, and she realized how bad she was shivering. The shivering intensified at times but hasn't gotten worse. She had just called employee health and realized that when her eyes were open when she was talking was when she felt nauseated. She has noticed the nausea in the past half hour. She did not know if it was related to the headache or what. She had to cover her eyes, her eyeballs felt sore. When she talked with her eyes open, she felt a little queasy. She was just straining to see. Her vision was not blurry but she can tell she was straining. She did not know if it was because of the headache and nausea. When she got out of bed, the cold fan did not feel cold but it made her shiver. She was a nurse was trying to be socially responsible as she did not want to get COVID. She was a little suspicious because of the headache after the first one. She hasn't been around anyone in a couple of weeks and had been working from home. She has not been exposed to people. She kept feeling like she needed to stretch because she was sore. The patient was tested for COVID pre-surgery (myomectomy) and was negative. She was also tested for COVID antibodies and she did not have any. She was vaccinated at a hospital facility. Patient received no other vaccines on that day. The adverse events did not require any visit to the emergency room or physician office. Patient did not receive prior vaccines in the previous 4 weeks. Outcome of the events cold sweat and "tested for COVID antibodies and she did not have any" was unknown, nasty headache was reported as worsened (not recovered), and the remaining events was not recovered. The reporter considered the events serious due to medically significant events and related to the suspect drug.; Sender's Comments: Based on the information currently available, a possible contributory role of BNT162B2 vaccine in the development of the events cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.
985127	1/29/2021	NY	33	F	1/21/2021	1/28/2021	Left sided stiff neck Enlarged lymph node on left side of neck above clavicle- tender to the touch Enlarged lymph node under left armpit Redness and swelling at injection site Itching of injection site Itching of eyes and body
986102	1/29/2021	NJ		M			eye problem before, did get worse after 1st shot; eye problem before, did get worse after 1st shot; This is a spontaneous report from a Pfizer Sponsored Program. A contactable consumer (patient) reported that male patient of an unspecified age received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number and expiration unspecified), via an unspecified route of administration on an unspecified date at single dose for COVID-19 immunization. Medical history included eye problem, and cataract surgery. The patient's concomitant medications were not reported. It was reported that on 01Feb2021, a small eye surgery was scheduled to remove an eye film, from a post cataract surgery result. Patient had first vaccine. It was reported that the patient had eye problem before, and it did get worse after the first shot on an unspecified date, and so surgery scheduled. The second dose of vaccine was scheduled prior to surgery. The clinic wants to have him get Covid test prior to surgery and wants to know if Covid test will provide a positive result just because of the vaccine. The patient does not think the eye problem was result of vaccine but will fax as possible worsening of condition after shot. Outcome of event was unknown. Information on the batch/lot number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
986100	1/29/2021	LA	71	M	1/13/2021	1/15/2021	Raspy voice in the morning; The right side of his mouth is droopy. The droopiness is not excessive, but it is odd.; Right eyelid puffiness/ on the right side of patient's face, the eyelid was puffy; Right eye full of fluid/Under that eyelid is full of fluid; Can't hardly see out of right eye due to swelling; This is a spontaneous report from a contactable consumer. A 71-year-old male patient (reporter's husband) received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL3299) via an unspecified route of administration on the left arm on 13Jan2021 14:00 at a single dose for COVID-19 immunization at a clinic/ used empty offices. Medical history included being diabetic, had heart attacks and blood clots on unspecified dates. It was confirmed that all of this occurred years ago prior to COVID-19 vaccination. The patient had no relevant family medical history and no relevant tests. The patient takes a number of medications (unspecified). The patient previously received Flu shot at least six weeks ago in Nov2020 and had no adverse events. The patient had no additional vaccines administered on the same date as BNT162B2. The reporter and her husband (patient) got their shots on Wednesday afternoon. That morning, on 15Jan2021 at 08:00, on the right side of patient's face, the eyelid was puffy/ right eyelid puffiness. He can hardly see out of it. He can see. Under that eyelid was full of fluid/ right eye full of fluid. The right side of his mouth was droopy. The droopiness was not excessive, but it was odd. The reporter also stated that the "patient had a raspy voice in the morning anyways." The outcome of the events was unknown.
986072	1/29/2021	OK	33	F	1/28/2021	1/28/2021	Within 5 minutes of dose, blurry vision and dizziness started followed by fast heart rate. pharmacist gave 1 dose of IM EPI in the L thigh

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
985937	1/29/2021	CA	43	U	1/13/2021	1/13/2021	Anaphylaxis-like symptoms; A spontaneous report was received from a physician concerning a, 43-year-old patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced anaphylaxis-like symptoms. The patient's medical history included breast cancer. The patient had no history of allergies or prior vaccine reactions. No concomitant medications were reported. On 13 Jan 2021, the patient received their first of two planned doses of mRNA-1273 (Lot number: 041L20A) intramuscularly for prophylaxis of COVID-19 infection. On 13 Jan 2021, the patient experienced anaphylaxis-like symptoms that included, anaphylaxis, angioedema, shortness of breath, itching, swelling of eyes, and sleepiness. The patient was treated with epinephrine injections and taken to the emergency department. Action taken with mRNA-1273 in response to the event was not reported. The outcome of the event, anaphylaxis-like symptoms, was unknown.; Reporter's Comments: This case concerns a 43-year-old patient with medical history of breast cancer, who received their first of two planned doses of mRNA-1273 (Lot 041L20A), and who experienced the serious unlisted event of anaphylaxis-like symptoms. Based on the current available information and temporal association between the use of the product and the onset of event on the day of vaccination, a causal relationship cannot be excluded and the event is considered possibly related to the vaccine.
986017	1/29/2021	MI	41	F	1/21/2021	1/21/2021	Initial severe pain at site of vaccination. Arm became heavy after two hours and pt felt she could not move it. On the 27th developed increasing swelling and a bull's eye rash extending 8.5 cm in diameter at time of this exam
986003	1/29/2021	OK	25	M	1/29/2021	1/29/2021	About 5 minutes after the vaccine, I felt my vision going dark and blurry. I then lost consciousness and was told my eyes rolled back and slightly convulsed. I regained consciousness after a short time frame.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
985997	1/29/2021			F		1/13/2021	eye pain; eye pain and swelling/eye is swollen; chills; headache; This is a spontaneous report from a contactable pharmacist via a Pfizer-sponsored program Pfizer. A 23-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration in left arm on an unspecified date at single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient was given COVID vaccine today and was experiencing a side effect that caller believed has not seen documented, the patient was experiencing eye pain and swelling on 13Jan2021. The eye pain started 6 hours after receiving the vaccine. The patient got a headache, chills, and eye pain on 13Jan2021. On 14Jan2021, the chills subsided, the headache was minor, eye pain was the same, and today on unspecified date, the patient has no more chills and no more headache, but still has eye pain and now her eye is swollen. The eye swelling is now hurts to blink. The first dose was 21 days from Wednesday on unspecified date. The patient was not given vaccination cards, the only thing she was given was information. The caller has hasn't seen vaccines cause eye problems. The causality for chills and headache was unknown. The outcome of the events chills and headache was recovered on unspecified date. The outcome of the remaining events was not recovered. Information requested on Lot/ Batch number of suspect product.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
985979	1/29/2021	NC	57	F	1/14/2021	1/14/2021	fever 103.9F at 12 hours; Constant Coughing; severe body pain; numbness in hand (vaccine affected arm); numbness in hand (vaccine affected arm) with edema of hand; broke all the blood vessels in both eyes; O2 saturation's dropped to 86%; Headache within 1 hour; This is a spontaneous report from a contactable nurse. A 57-year-old female patient started to receive BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL0142), via an unspecified route of administration on arm right from 14Jan2021 12:00 to 14Jan2021 12:00 at SINGLE DOSE for covid-19 immunisation. Medical history included End-Diastolic Heart Failure, osteopenia and arthritis. Concomitant medication included losartan, furosemide (LASIX [FUROSEMIDE]), metronidazole (FLAGYL [METRONIDAZOLE]) and omeprazole. The patient took his first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EH9899), from 22Dec2020, 09:00 AM to 22Dec2020, 09:00 AM on Left arm (patients age: 57 years). The patient previously took tetracycline and erythromycin and had known allergies. On 14Jan2021, the patient had headache within 1 hour, then also on 14Jan2021, at 23:00 the patient also had fever 103.9F at 12 hours, constant coughing, O2 saturation's dropped to 86%; broke all the blood vessels in both eyes; severe body pain; numbness in hand (vaccine affected arm) with edema of hand. Outcome of the events was recovering.; Sender's Comments: Based on temporal association, a possible contributory role of suspect BNT162B2 cannot be excluded for reported events broken blood vessel in eye and oxygen saturation low. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
985941	1/29/2021	CA	56	U	1/13/2021	1/13/2021	Anaphylaxis-like symptoms; A spontaneous report was received from a physician concerning a 56-year-old patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and experienced anaphylaxis-like symptoms. The patient's medical history was not reported. No concomitant medications were reported. On 13 Jan 2021, the patient received their first of two planned doses of mRNA-1273 (Lot number: 041L20A) intramuscularly for prophylaxis of COVID-19 infection. On 13 Jan 2021, the patient experienced anaphylaxis-like symptoms that included, anaphylaxis, angioedema, shortness of breath, itching, swelling of eyes, and sleepiness. The patient was treated with epinephrine injections and taken to the emergency department. Action taken with mRNA-1273 in response to the event was not reported. The outcome of the event, anaphylaxis-like symptoms, was unknown.; Reporter's Comments: This case concerns a 56-year-old patient . The patient's medical history was not reported. The patient experienced a serious, unexpected event of Anaphylactoid reaction. The event occurred the day the patient received the first dose of mRNA-1273 (Lot number: 041L20A) at an unspecified time. Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
985940	1/29/2021	CA	23	U	1/13/2021	1/13/2021	Anaphylaxis-like symptoms; A spontaneous report was received from a physician concerning a, 23-year-old patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced anaphylaxis-like symptoms. The patient's medical history included allergy to soy. No concomitant medications were reported. On 13 Jan 2021, the patient received their first of two planned doses of mRNA-1273 (Lot number: 041L20A) intramuscularly for prophylaxis of COVID-19 infection. On 13 Jan 2021, the patient experienced anaphylaxis-like symptoms that included, anaphylaxis, angioedema, shortness of breath, itching, swelling of eyes, and sleepiness. The patient was treated with epinephrine injections and taken to the emergency department. Action taken with mRNA-1273 in response to the event was not reported. The outcome of the event, anaphylaxis-like symptoms, was unknown.; Reporter's Comments: This case concerns a 23-year-old patient who experienced a serious, unexpected event of Anaphylactoid reaction. The event occurred same day (exact time not provided) after the first dose of mRNA-1273 (Lot number: 041L20A) administration. The treatment included EpiPen injection. Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
985939	1/29/2021	CA	60	U	1/13/2021	1/13/2021	Anaphylaxis-like symptoms; A spontaneous report was received from a physician concerning, 60-year-old, patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced anaphylaxis-like symptoms. The patient's medical history included rheumatoid arthritis, hypertension and allergies to diphenhydramine and meperidine. No concomitant medications were reported. On 13 Jan 2021, the patient received their first of two planned doses of mRNA-1273 (Lot number: 041L20A) intramuscularly for prophylaxis of COVID-19 infection. On 13 Jan 2021, the patient experienced anaphylaxis-like symptoms that included, anaphylaxis, angioedema, shortness of breath, itching, swelling of eyes, and sleepiness. The patient was treated with epinephrine injections and taken to the emergency department. Action taken with mRNA-1273 in response to the event was not reported. The outcome of the event, anaphylaxis-like symptoms, was unknown.; Reporter's Comments: This case concerns a 60-year-old patient who received their first of two planned doses of mRNA-1273 (Lot 041L20A), and who experienced the serious unlisted event of anaphylaxis-like symptoms. Very limited information regarding this event has been provided at this time. Based on the current available information and temporal association between the use of the product and the onset of event on the day of vaccination, a causal relationship cannot be excluded and the event is considered possibly related to the vaccine.
985502	1/29/2021	OK	39	F	1/6/2021	1/8/2021	Starting with intense itching and uticular rash and migraine 2 days following. Continued migraine and 4 days following, rash change from uticular into a vesicular rash on ankles, blistering of mucosal membranes in mouth and eye irritations. Treated at home with diphenhydramine, certizine, naproxen, sumatriptan, caladryl lotion, mouth sores with debacteral, salt water and diphenhydramine rinses, Eyes with neomycin and dexamethasone ointment and keto fumarate. With some relief. Prednisone and mycolog started 9 days following taken until day 12 following. (Severe neck pain and fatigue day 13-15-possibly not related.)

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
984454	1/29/2021	PA	35	M	1/14/2021	1/15/2021	Facial tingling; facial tingling and numbness/cheek and eye feel swollen or numb; eye feel swollen or numb; eye feel swollen or numb; cheek and eye feel swollen; This is a spontaneous report from a contactable consumer (patient) via Medical information team. A 35-year-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EJ1685), via an unspecified route of administration in left arm on 14Jan2021 09:00 at single dose for COVID-19 immunization. Medical history was reported as none. There were no concomitant medications. The patient received the first dose of the COVID-19 vaccine yesterday morning at 9:00AM. The patient was experiencing facial tingling and numbness on unspecified date. He would like to know if this is a common side effect. He wanted to ask if numbness and tingling in the face a common side effect? The patient does not know if slept on his face or what but his left cheek and eye feel swollen or numb and stated that it was hard to describe. The patient noticed this this morning 15Jan2021. The patient stated, "it sort of feels like when you go to the dentist". The outcome of the event cheek swollen and eye feel swollen or numb was not recovered. The outcome of the remaining events was unknown.
984746	1/29/2021	TX	39	F	1/26/2021	1/27/2021	10 hrs after I received 1st dose of Pfizer I started feeling my heart beating rapidly and hard. I was short of breath and had nausea and a headache. This lasted for 1.5 hrs. then I laid down. As I was falling asleep I couldn't shake a scary "vision: I was having of myself like my eyes turning bright blue and electricity going through my body and my body ascending into the air. I had nightmares all night. I have never had hallucinations or whatever that was. And nightmares are rare for me. I woke up fine on day 2, just a stiff sore arm. Day 3 I was fine. Day 4 I am developing an itchy, bumpy, rash on my right arm at site of injection and around it. I reported this online on my health chart and will go in if I keep getting strange reactions.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
984744	1/29/2021	CA	36	F	1/4/2021	1/25/2021	1/25/21 Day 21 after Moderna Covid 19 first dose-- Started getting tingling/numbness/burning sensation on right side of face. Tongue and mouth not moving how I want. Bit tongue. Feel like I have a slight lisp 1/26/21 Occupational Health at hospital said it's not related to vaccine so they will not treat me or be involved unless my dr identifies problem as related to the vaccine. 1/26/21 1000--Had virtual Dr appt. Possibly the beginnings of Bells Palsy. Prescribed Prednisone and Valacyclovir. Suggested high doses of Vitamin C, Vitamin D, and Zinc. 1/26/21 2200--Drooling from Right side of mouth, Right eye watering. Still right sided tingling/burning sensation. 1/28/21 --Slight improvement in drooling and eye watering. Less burning sensation.
984727	1/29/2021	CA	46	F	1/22/2021	1/27/2021	Date received shot 1/22/21 @ 10:55. Symptoms started on 1/26/20 @ 6:00 AM. Headache behind eyes pain level of 7 on 1-10 scale with slight light sensitivity. Tired as in muscles are weak - not achy. Upset stomach, taking dramamine every 4 hours. No puking, but eating liquid diet with rice and crackers.
984717	1/29/2021	CA	71	F	1/18/2021	1/21/2021	3 DAYS AFTER RECEIVING MODERNA COVID-19 VACCINE, PT DEVELOPED VISUAL HALLUCINATIONS

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
984644	1/29/2021	MI	41	M	1/13/2021	1/13/2021	his eye felt irritated; swollen eye; red eye; Sore arm; This is a spontaneous report from a contactable consumer (patient). A 41-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL3248, expiration date: Apr2021), via an unspecified route of administration in arm on 13Jan2021 02:00 at single dose for COVID-19 immunisation. Medical history included blood pressure (as reported). Concomitant medication included hydrochlorothiazide and lisinopril, both for blood pressure. The patient just took the vaccine on Wednesday (13Jan2021) and had a reaction, not sure if it was from the vaccine or not and he was just calling that in to report that as it can be related. The patient got vaccinated on Wednesday at 2 O' clock and no major issues, just sore arm. However, Friday (15Jan2021) afternoon he had woke from a nap and his eye felt irritated. He was still experiencing a swollen eye. So, he was calling about the swollen eye, red eye. He never had something like this before, didn't take anything that might cause it, the only thing unusual was because he got the vaccine. Treatment included using a cold compress only, not ingesting anything. The outcome of events sore arm, eye felt irritated and red eye was unknown, swollen eye was not recovered.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
984527	1/29/2021			F			eyelids are a little swollen; This is spontaneous report from a contactable consumer. An 83-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, "Pfizer vaccine" as reported, lot number: unknown), via an unspecified route of administration on an unspecified date (06:30AM) at single dose for Covid-19 immunization. The patient's medical history included allergy to antibiotics (reported as "she is allergic to other things, but they are antibiotics"). Concomitant medications were not reported. The patient reported that she had the vaccine at 6:30AM (unspecified date) which she thought was Moderna (pending clarification). She clarified that she was supposed to get Pfizer's but that she thought that she was allergic to some of things in it (pending clarification). She further stated that her eyelids are a little swollen on an unspecified date. She did not know if she should take Benadryl or what. She reported that she was having slight reaction to the shot. She stated that she is allergic to other things, but they are antibiotics. The outcome of event was unknown. Information on lot/batch number has been requested.
985158	1/29/2021	FL	69	F	1/8/2021	1/8/2021	On Jan. 8th I had significant shaking in my hands, arms and shoulders, lower legs about 20 mins after injection and lasted about an hr after that. Then is eased. then it began again about 12:30 pm and lasted until 5:30 PM roughly. Jan 9th i felt okay. On Jan 10, 11th, 12th it returned. Then after the 12th it eased, and there was spiritic shaking but not has intense and those three days. Then 16 days after i had the injection on jan 24th i woke up in the morning i developed sensitivity the left temple of my head close to my eye on the left side of my face. Kind of feels like slight bruising and numbing. And my left eye lid feels heavy. and my vision feels slightly affected. That has continued through today Jan 29 and has been on going since the 24th.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
984486	1/29/2021	CA	47	F	1/11/2021	1/1/2021	<p>Blurry vision; darkening in the eyes; I felt like something in my eye like heaviness; Blurry vision; darkening in the eyes; I felt like something in my eye like heaviness; Blurry vision; darkening in the eyes; I felt like something in my eye like heaviness; has pain in her rib cage close to the arm pit occurring mostly at night; hot at night; The initial was missing the following minimum criteria: no adverse effect. Upon receipt of follow-up information on 13Jan2021 this case now contains all required information to be considered valid. This is a spontaneous report from a contactable nurse (patient). This 47-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration in the left upper arm on 11Jan2021 at 11:00 at single dose for COVID-19 immunisation. Relevant medical history included knee pain. There were no concomitant medications. On 11Jan2021, the patient experienced "blurry vision; darkening in the eyes; I felt like something in my eye like heaviness" and in Jan2021 she experienced pain in her rib cage close to the arm pit occurring mostly at night and hot at night. The patient stated "I wanted to tell you that after the shot I was for 15 minutes sitting on a chair and I didn't feel anything and then I left and went for a walk and when I was walking by the gift shop at hospital, I noticed I just got blurry vision like when I looked at the stock, it kind of looked darkening in the eyes and blurry". She stated also "You know exact time I wouldn't tell but for the day like it happened first time near the store and later in the day when I was working, I felt like something in my eye you know like heaviness I don't know if that's blurriness but then runs away so like later yesterday I am fine and today I am okay". The patient also specified that blurry vision started 20 minutes after the vaccine and lasted 10-20 seconds and later during the day when she was reading. The patient also reported she was hot at night and has pain in her rib cage close to the arm pit occurring mostly at night. The patient did not receive corrective treatments; she just blinked and then she went and sit down, it never came back again. At the time of the report, the outcome of the events was unknown. The information on the lot/batch number has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
984832	1/29/2021	PA	29	F	12/26/2020	12/28/2020	right eye pain - started 2 days after first vaccine, foreign body sensation, urgent care visit to r/o corneal abrasion (negative), using topical eye drops, advil - self resolved after 5 days similar symptoms after 2nd dose, started 24hours after second dose, resolved within 48 hours of second dose

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
984450	1/29/2021	OK	69	F	1/14/2021	1/14/2021	<p>temperature of 105.5 and stated it would fluctuate between 104-105; blurred vision; balance was off; first it was up around 163/71 and then over time it was really low 118/58; HR was high; body was jerking; arm that she got the injection in was dropping; dehydrated; urine is darker; real thirsty; extremely weak; tired and exhausted; feeling horrible; couldn't stay awake, fell asleep; This is a spontaneous report from a contactable consumer (patient). A 69-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number: EK9231 and expiry date: unknown), via an unspecified route of administration on the left arm, on 14Jan2021 13:30 at a single dose for COVID-19 immunization. Medical history included left hip replaced on 16Nov2020 and had her right hip replaced on 29Dec2020. There were no concomitant medications. Patient reported that she got the shot at 1:30 pm and on the way home she started getting tired and exhausted on 14Jan2021. She got home and went right to bed. She felt like she couldn't stay awake, fell asleep and woke up about 6 pm then with a temperature of 105.5 and stated it would fluctuate between 104-105. She was just feeling horrible. At 7:30 pm, patient had a temperature of 103.5 and at 7:45 pm, her temperature was 104. On 14Jan2021, patient stated that she couldn't see straight, had blurred vision, having trouble walking, her balance was off and falling into walls. Her body was jerking and the arm that she got the injection in was dropping. Patient called her cardiology office, and was advised to take Tylenol 3-4 times per day and alternate it with Motrin. She was also taking coated 325 mg aspirin. She can hold her head up and was not jerking as much as she was. She was doing noticeably better. Patient had put ice bags on her groin, stomach and throat to try to cool down through the night. This brought temperature down to 103. She woke up at 12 am she was 102. Her temperature at the time of report was around 101-102. She took her blood pressure it was going crazy, first it was up around 163/71 and then over time it was really low 118/58 and heart rate was 130 for a while and went to 103. The back of her neck still felt so weak and she still feels extremely weak and exhausted. She went on to report that her HR was high and B/P was up but since then it has come down. The night of 14Jan2021, her b/p was low. On 14Jan2021, patient was also real thirsty and</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

her urine was darker and was probably dehydrated and thought that she was real jerky muscle-wise, like she is not in control of anything last night. That she has not taken BP or heart rate on 15Jan2021, but it was not pounding today though. She was doing better today at the time of report. Patient was recovering from the events of fever, blurred vision, and balance was off; not recovered from tired, jerking, and dehydration. Outcome of remaining events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
984402	1/29/2021	AK	63	U	1/4/2021	1/4/2021	pulse 128, heart is still beating too fast; took my blood pressure and it was high for me. 167/102/high blood pressure; patient was very tired; I was lightheaded and saw spots before my eyes; My heart pounded in my chest; my pulse erratic; low potassium; high sugar; high thyroid; low sodium; This is a spontaneous report from a contactable consumer (patient). A 63-year-old patient of an unspecified gender received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number and expiration date not provided), via an unspecified route of administration (vaccination location: left arm) on 04Jan2021 at 12:00 at SINGLE DOSE for COVID-19 immunisation. Medical history included allergies to latex from an unknown date and unknown if ongoing. The patient's concomitant medications were not reported. The patient had no other vaccine in four weeks and no other medications in two weeks. The patient previously took tetracycline and experienced allergies to tetracycline. It was reported that the evening of the vaccine, the patient was very tired. Patient stated, "I took my blood pressure and it was high for me. 167/102, pulse 128, I was lightheaded and saw spots before my eyes". The patient called the nurse hotline and was sent to the ER. The ER just said that the patient had high blood pressure which patient stated, "I don't, I take it regularly". The patient also stated, I was off work for a week, too tired to get off the couch. My heart pounded in my chest, my pulse erratic. I went to the doctor 2 days later. She said it was from the vaccine. My labs from the ER showed low sodium, low potassium, high sugar and high thyroid. I had no health issues before the vaccine. I am back at work, but my heart is still beating too fast. This morning while doing nothing it was 102". No treatment was provided for the events. Covid test post vaccination (test type: nasal swab) on 07Jan2021 was negative. Outcome of the events was reported as recovering. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
984399	1/29/2021	OR	66	F	12/28/2020	12/30/2020	<p>Horner's syndrome; A spontaneous report was received from a 66-year-old female physician who received Moderna's COVID-19 Vaccine (mRNA-1273) and developed Horner's syndrome. The patient's medical history was not provided. Concomitant product use was not provided. On 28 Dec 2020, approximately two days prior to the onset of the event, the patient received their first of two planned doses of mRNA-1273 (Lot 011J20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. The patient reported after receiving the vaccine, she developed Horner's syndrome on 30 Dec 2020. She reported having a droopy eye on the left side and her left eye having a small pupil. No treatment information was provided. Action taken with mRNA-1273 in response to the event was not reported. The outcome of the event, Horner's syndrome, was unknown.; Reporter's Comments: This case concerns a 66-year old female patient. The medical history is not provided. The patient experienced an expected medically significant event of Horner's syndrome approximately two days after receiving their first of two planned doses of mRNA-1273 (Lot 011J20A). Based on temporal association between the use of the product and the onset of the event, a causal relationship cannot be excluded and the event is considered possibly related to the vaccine.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
984397	1/29/2021	CA	59	U	1/13/2021	1/13/2021	Anaphylaxis-like symptoms; A spontaneous report was received from a physician concerning a 59-year-old, White, patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced anaphylaxis-like symptoms. The patient's medical history was not reported. No concomitant product use was reported. On 13 Jan 2021, the patient received their first of two planned doses of mRNA-1273 (Lot number: 041L20A) intramuscularly for prophylaxis of COVID-19 infection. On 13 Jan 2021, after vaccine administration, the patient experienced anaphylaxis-like symptoms that included, anaphylaxis, angioedema, shortness of breath, itching, swelling of eyes, and sleepiness. The patient was treated with epinephrine injections and taken to the emergency department. Action taken with mRNA-1273 in response to the event was not reported. The outcome of the event, anaphylaxis-like symptoms, was unknown.; Reporter's Comments: This case concerns a 59 year old subject with unknown medical history, who experienced a serious unexpected event of Anaphylactoid reaction. The event occurred after first dose of the study medication administration. Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
984390	1/29/2021	GA	32	M	12/28/2020	12/28/2020	<p>Felt like might pass out; Proceeded to become limp, pale and sweaty; Proceeded to become limp, pale and sweaty; Hands rhythmically twitched back and forth; A spontaneous report was received from a nurse concerning a 32-year-old, male, patient who received Moderna's COVID-19 vaccine (mRNA-1273) and felt like he might pass out, became limp, pale, and sweaty, and hands rhythmically twitched back and forth. The patient's medical history included allergy to penicillin. No relevant concomitant product use was reported. On 28 Dec 2020, approximately three minutes prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Lot number: 011J20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 28 Dec 2020, the patient began to feel like he was going to pass out minutes after receiving the vaccine. He became more limp, pale, and sweaty and his hands rhythmically twitched back and forth. His eyes closed and he leaned back in his chair, but he remained upright. The nurse elevated his feet, fanned his face and upper body, and applied wet paper towels to the back of his neck. After approximately two minutes, the patient's level of consciousness returned to baseline and he felt better after five minutes. He remained seated and sipped water for 30 minutes. Action taken with mRNA-1273 in response to the events was not provided. The outcome of the events, felt like he might pass out, became limp, pale, and sweaty, and hands rhythmically twitched back and forth, was considered resolved on 28 Dec 2020.;</p> <p>Reporter's Comments: This case concerns a 32-year-old, male, patient, who experienced a serious unexpected event of presyncope and non-serious unexpected event of pallor, hyperhidrosis This case concerns a 32-year-old, male, patient, who experienced a serious unexpected event of presyncope and non-serious unexpected event of pallor, hyperhidrosis and muscle twitching. The event occurred 15 min after first dose of mRNA-1273, lot # 011J20A. Treatment included no medications, but feet elevation and wet towel on the back of his neck. Based on the current available information and temporal association between the use of the product and onset of the events a causal relationship cannot be excluded.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
986168	1/29/2021	MD	53	F	1/20/2021	1/20/2021	Associate was started developing side effects on 1/20/21 -developed a migraine; 1/22/21-developed blurry vision; 1/25/21 - had an e-visit ; 1/26/21 - evaluated by her PCP referred to ophthalmologist; 1/27/21 - evaluated by ophthalmologist and referred to retina specialist as she had pressure behind her eye; 1/29/21 - retina specialist used laser to decrease pressure behind her eye.
984516	1/29/2021	VA	50	M	1/7/2021	1/9/2021	fever; my lighter weight facial fillers swelled and were painful (around the eyes - not my lip fillers); my lighter weight facial fillers swelled and were painful (around the eyes - not my lip fillers); numbness in both hands; This is a spontaneous report from a contactable pharmacist (patient). A 50-years-old male patient received second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number EK4176, expiration date not reported), intramuscular on the left arm, on 07Jan2021, at 11:30 at a single dose for Covid-19 immunization. The patient has no medical history and no known allergies . There were no concomitant medications. The patient previously took the first vaccine of bnt162b2 on 18Dec2020, at 12:00 PM, Intramuscular, on the Right arm for Covid-19 immunization, he had numbness in his right hand x2 days. On 09Jan2021, following second dose, he has had numbness in both hands x2 days and on 10Jan2021, day 2, he ran a fever and his lighter weight facial fillers swelled and were painful (around the eyes - not my lip fillers). His eyes have a mix of Juvaderm products. It spontaneously resolved after 1 day with a subjective loss in overall volume. Density of the product used seemed to be a factor in the response. He knows this has been reported with the Moderna product, but he does not believe is has been reported with our product. It appears the response may not be product specific, but more specific to the type of vaccine. The patient has no Covid prior vaccination and not covid tested post vaccination. No treatment was received for the events. Outcome of the events was recovered in Jan2020.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
985200	1/29/2021	WI	44	F	1/25/2021	1/27/2021	Per Client on 1/27/2021 at 6:00 am awoken to left under eye lid swollen and tender. Per Client no medication taken for symptoms. Currently have not been seen by medical provided regarding symptoms. Per Client symptoms have not resolved and is planning to follow up with PCP today.
985465	1/29/2021	CO	35	F	1/28/2021	1/28/2021	Employee received second dose of Moderna vaccine on 1/28/21. Within 30- 45 minutes she started to feel chills, dizzy, headachy, foggy vision & nauseated. Symptoms persisted/worsened and she then began to experience a scratchy throat. Patient given Benadryl IM. Many symptoms still persisted but no furthering of anaphylactic symptoms and eventual reduction in these symptoms as well. Patient stabilized after about 3 hours and was allowed to be taken home by a family member and advised to continue monitoring for any urgent symptoms and seek emergent care as needed.
985456	1/29/2021	FL	87	M	1/8/2021	1/9/2021	Patient had auditory hallucinations same evening as the shot, then began to have generalized weakness, worsening SIADH symptoms and visual hallucinations leading to subsequent hospitalization for 5 days and the SNF for 10 days. Never had hallucinations prior to event
985455	1/29/2021	WI	28	F	1/29/2021	1/29/2021	2nd dose Moderna given at 0729 0740 throat felt like closing, bright red flushed 0741 Epi given 131/92 94 0742 head/face shaking rapid eye movements with attempted eye contact, Alert/oriented appropriate in conversation, sitting position 0743 110/83 face redness resolving, flush/red BUE, feeling better 0744 106/76 Rapid Response called 0747 106/68 benadryl 25 given 0751 911 called per Dr. recommended for further eval/potential reactions 0752 129/95 80 99% room air 0756 ambulance here 0801 left via stretcher with EMS to nearby hospital ED, patient tolerated activity to stretcher well 0925 reported by vaccinator of team member return to pick up rest of belongings to go home, tolerated activity well.
985434	1/29/2021		35	M	1/8/2021	1/15/2021	Ocular nerve inflammation, causing temporary blindness in right eye for 36 hours

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
985401	1/29/2021	VA	50	F	1/12/2021	1/14/2021	Patient came to urgent care clinic 16 days after vaccination. Patient stated she received the Moderna vaccine on 1/12/2021 and began to develop a rash on her arms on 1/14/2021. Patient stated that she has been to see her primary care provider after onset of rash. Patient was prescribed a steroid injection and a Medrol dose pack. Patient stated that after completing these, the rash persisted and started to get worse. On presentation to urgent care, patient had rash on both arms, across her chest, on the left side of her neck going up to her ear, on her left eye lid and starting on her mouth. Patient's right hand was extremely red and excoriated. Patient gave a history of sebhhoric dermatitis.
985366	1/29/2021	MI	23	F	1/28/2021	1/28/2021	Within about 20 minutes post injection, patient stated she felt "itchy". I gave her diphenhydramine and she swallowed it. At about 30 minutes post injection, she stated she had small bumps on her bilateral arms. They were hard for me to discern but she also claimed the bumps were painful. I asked about any labored breathing or chest tightening and she denied both. After about ~45-50, she still stated the same itchiness and pain. Visually there was no change in my opinion. Patient then conferred with supervisors at her employment about her next steps. Her PCP was closed and she was deciding if she wanted to go to urgent care. That's the last interaction I had.
984761	1/29/2021	CA	49	F	1/22/2021	1/22/2021	Day 1: mild headache, dizziness and loopy, tired. Day2: soreness at the injection site and my entire right arm. I was only able to lift my arm up to my shoulder. Very fatigue, body aches, dizziness and drunken feeling. Day 3: less arm soreness. Very fatigued and dizzy. Body aches, joint and muscle pain. Pain in my body. Day4: muscle and joint pain, still very fatigued and my vision began to become blurry. Day 5: fatigue, joint pain, headache and blurred vision has worsened. Day 6: fatigue joint pain, sever headache, dizzy, vision is still bad. I contacted the ophthalmologist and Optometry to schedule an appointment.
985256	1/29/2021	MI	38	F	1/28/2021	1/29/2021	Following morning woke up very dizzy, couldn't lift my head up and get out of bed, slight blurry vision

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
984794	1/29/2021	OH	84	F	1/28/2021	1/28/2021	2:30p: I was called to assist pt as she was having a rxn to COVID vaccine. Had vaccine 10 minutes prior. Found pt pale, diaphoretic lips, cool and diaphoretic. Did not respond to name. Assisted pt to floor and elevated feet. Pt immediately opened eyes and was oriented x 3. BP 120/82. 2:35p: Pt awake, alert and oriented x 3. Color pinker and drier, cool compress to forehead. 2:37p: Pt remains asymptomatic, assisted pt to sitting position. 2:39p: Pt color pink, skin w/d. 0 c/o's. Assisted pt to wheelchair. Nurse from ER here and accompanied pt to ER.
985143	1/29/2021	IN	76	F	1/28/2021	1/28/2021	Pt got drowsy and her eyes were droopy. Family members stated her blood sugar gets low sometimes and we gave her a glucose tablet and water. Pt was feeling much better and talking within ten minutes. We stayed with the patient and monitored her continuously until her observation time was complete and when she left with family she was alert, oriented, and said she felt much better. Instructed patient and her family to give us a call if they had any further questions or concerns and to go to the ER if any serious reaction symptoms occurred.
985109	1/29/2021	NY	64	F	1/29/2021	1/29/2021	Patient reports receiving Pfizer dose 2 at 0840 was self-observing for adverse reactions in waiting area when at 0855 she developed a very hot feeling and became flushed. Patient notified vaccination staff. Patient denies any adverse reaction to Pfizer dose 1. 0855 BP 158/106, HR 109 SPO2 96%. Afebrile. Dr. evaluated Patient. 0909 Patient reporting flushed feeling, very hot and vision changes. Patient transferred to the Emergency Room for further evaluation. No medication administered.
985043	1/29/2021	FL	43	F	1/26/2021	1/27/2021	at 12 midnight 1/27/2021 I started with the Chills, and Joint pain, Fever, dizzy spells, and on 1/29/2021 started with left side facial inflammation and pulsing pain from head to left eye. I called my Employee Clinic and they stated to call and recording says to fill out reaction report
984999	1/29/2021	MT	44	F	1/27/2021	1/29/2021	Lower right eye, where I received facial filler in November 2020, is grossly swollen and partially obstructing my field of vision. It's painful, swollen and looks bruised. I also received expected side effects: fever, painful swollen joints, full body aches, migraine.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
984915	1/29/2021		40	F	1/29/2021	1/29/2021	Numbness and tingling in lips and oropharynx progressing to face; flushing and redness on chest, itching of hands, eyes, neck; nausea and stomach cramping all onset approx 30-40 minutes after vaccine. Treated in the emergency department w/ famotidine 50mg, solumedrol 125 mg, 1L NS. Noted frequent multifocal PVCs and runs of ventricular bigeminy during Emergency Dept evaluation and ongoing intermittent facial tingling and itching. Admitted for overnight observation.
984850	1/29/2021	GA	63	F	1/14/2021	1/15/2021	dysuria, abdominal, pelvic, left flank, upper and lower back pain. bladder spasms, urinary frequency, headache, vision changes, loss of appetite, dysphagia and fatigue
985486	1/29/2021	VA	46	F	1/13/2021	1/19/2021	I only experienced mild arm pain after the injection. Five days later, I was walking down a hallway at the hospital (I am a physician) when all of a sudden I experienced vertigo (I was not dizzy, but I felt my vision shift to the left). I fell down, landing against 2 crash carts that were in the hallway. I did not lose consciousness. I had persistent dizziness and nausea for at least 10 days afterwards.
985269	1/29/2021	PA	56	F	1/7/2021	1/7/2021	Sudden change in vision. Loss of color for about 15 mins. 48 hours later vision change. Vision appeared to be blurry and as if looking through a rectangle with multicolored beams radiating around the edges
987031	1/29/2021	IN	34	F	1/29/2021	1/29/2021	PATIENT REPORTED LIGHT HEADEDNESS, BLURRY PERIPHERAL VISION, AND DIZZINESS.
987210	1/29/2021	MN	24	F	1/29/2021	1/29/2021	Loud ringing in ears, blurred vision, cool and tingling hands, headache
987135	1/29/2021	VA	35	M	1/27/2021	1/28/2021	Severe muscle aches, auditory, visual and tactile hallucinations, low-grade fever, nausea, headache
987088	1/29/2021	IL	40	F	1/26/2021	1/26/2021	Arm and face swelling, fever, bloodshot eyes, rapid heart rate, body pain, nausea, and headache. Took Tylenol, fluids, Benadryl, and rest.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
987078	1/29/2021			F	1/20/2021	1/21/2021	<p>~~I received my second COVID vaccine on 1/20/2021 at 1100. (Pfizer) At 2100 I had a slight headache and body aches and went to bed. I slept poorly and felt as though my heart was racing overnight. When I awoke at 0700 on 1/21/2021, I felt very lightheaded with sitting upright at the side of my bed and ~~"blacked out~~"/lost my vision, but was still conscious. I proceeded to lie back down on my bed. I began to feel nauseous and again attempted to sit up to go to the bathroom. I again blacked out. I lowered myself to my bedroom floor and laid there to rest for several minutes and then crawled to my bathroom. I began retching and had emesis of frothy sputum. I then felt the urgent need to have a BM and sat on my toilet, but was again lightheaded. I bent forwards to not pass out and completed the task and then laid down on my bathroom floor to recover. I was gradually able to crawl down the stairs and located my cell phone and contacted a friend. I pulled myself up to my couch and sat for some time. I checked my BP and it was WNLs, but low for me, as I generally take 2 antihypertensives in the AM. I did not take them at all on the 21st. I gradually was able to walk to the kitchen and drank several glasses of water and tea. In addition to these symptoms, I had severe pain up and down my spine, in my knees, shins and buttocks. I applied Thermacare heating pads to my occiput and sacrum. I had no appetite and was very lethargic, napping for nearly 6 hours, on and off. I took Tylenol later in the day when I was able to eat a banana and yogurt. By evening, I had a headaches and body aches, but no more dizziness. When I awoke 1/22/2021, I was not dizzy, but my head felt ~~"huge~~" and ~~"off~~". My body continued to ache severely and I was unable to come to work. Tylenol helped diminish the pain slightly. I was again very fatigued. I did not leave my house, feeling unsafe to drive. By 1400 I felt better and was able to eat dinner that evening. I finally felt safe to take a shower Thursday PM 1/23 I awoke at 0615 to work. I was able to work until 1700, feeling fatigue, but no other symptoms. I did take Naproxen prior to coming to work for low back pain~~</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
987071	1/29/2021	HI	35	F	1/28/2021	1/28/2021	830am vaccinated, 12pm mild-mod headache and fatigue (sore arm at inj site), persisted, 10pm worse headache, fatigue, mild body aches started at shoulders and upper back and neck, able to fall asleep by 11pm, woke up at 1am in severe pain, migraine, head pressure, joint pain of every joint in my body, hands were swollen, felt like my joints were pulsating, very painful to bend or move any of my joints, muscle aches so bad any tiny movement hurt, even lying still hurt my back because of the pressure onto my back, even my spine felt tender, stiff neck I could barely look down or up but i could turn head left and right, stomach ache and nausea, my arm that was given vaccine was severely in pain and tender to touch and swollen at area of inj. There was light headed sensation w/ movement and position, pressure in my head felt like my head was going to explode and my eyes were burning. Because so severe, I took 1000mg tylenol, lathered by entire body in eucalyptus oil and peppermint on my hands, I was able to fall asleep at 3am but it was restless sleep I kept waking up because any movement I made in bed I'd have severe pain. 6am I felt moderately better all symptoms 50% improved, applied eucalyptus oil on again, started work at 730am I could barely function at work I have brain fog, just thinking focusing eyes concentrating makes migraine worse, +photopphobia, phonophobia, just typing is very hard to do because it hurts my joints, the vertigo worsened and the slightest looking down to the keyboard while typing causes lightheaded sensation. No improvement and it's now almost 1pm. I didn't take any pain medication or apply any essential oils.
987070	1/29/2021	AZ	49	F	1/27/2021	1/28/2021	Hives all over body, includes neck. Swollen lips and eyes.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
986940	1/29/2021	AL	66	F	1/29/2021	1/29/2021	Patient was given the vaccine at 10:15 Patient tolerated injection well. She was sent to the observation area for 15 minutes. She began to experience tingling at the injection site. No redness or swelling noted at site. Patient then began to have facial itching. After 3-5 mins she began to have itching in her scalp. She then began having itching in her throat and eyes, denies any difficulty breathing. Vital signs Blood pressure was 130/80 Patient states she does have hypertension. Pulse 68. 911 called and informed of patients symptoms. On the way here . Patient called husband who is a retired Paramedic. He is bringing Benadryl. Paramedics arrive, vital signs stable. Patient denies being transported to Hospital Paramedics stay with Patient until husband arrives with Benadryl. Pt advised per paramedics to take 50mg Benadryl by mouth Patient tolerated well. Patient leaves with husband. 3:45 pm I called patient who states she is doing well. No further itching and is fine. .
987032	1/29/2021	KY	48	F	1/21/2021	1/21/2021	CLIENT BEGAN TO HAVE RAPID HEART RATE, SCRATCHY THROAT, AND FELT TISSUE AROUND LEFT EYE SWELLING APPROX 10 MIN AFTER VACCINATION. HAD PREMEDICATED WITH DIPHENHYDRAMINE 25MG PRE-VACCINATION. WAS GIVEN 50 MG DIPHENHYDRAMINE LIQUID PO 10 MIN POST VACCINATION WHEN CLIENT REPORTED S/S. HR WAS 160. CLIENT WAITED 30 MIN AFTER S/S ONSET. REPORTS S/S RESOLVED. HR 114. CLIENT LEFT CLINIC IN NO ACUTE DISTRESS. CLIENT WAS CONTACTED THAT EVENING AND REPORTED NO DISTRESS.
987248	1/29/2021	OR	48	M	1/27/2021	1/29/2021	periorbital edema around right eye
987006	1/29/2021	KS	66	F	1/22/2021	1/24/2021	1/23/21 Left deltoid sore to touch and with movement. Mild rise in temperature on and off all day. 1/23/21 Left deltoid soreness resolving, temperature fluctuations resolving. Beginning around 5:30 p.m., swelling on the right side of face, from eye to lower cheek, accompanied by uncontrollable right eyelid muscle twitching. Twitching decreased infrequency during the night; swelling in the face resolved by 1/25/21 in the evening. 1/28/21 Itching , left deltoid. Looked at it 1/29/21 , 4:00 p.m.; red raised rash visible.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
986991	1/29/2021	OR	56	M	12/31/2020	1/29/2021	Approx 12 hrs after injection, pt became acutely dizzy with vertigo and nausea. Sxs were identical to Benign Paroxysmal Vertigo (BPVC) and were relieved by bed rest with eyes closed. Sxs resolved approx. 36 hrs later. Pt has hx of several years of getting BPV on roughly an annual basis, often in the winter. Pt is a physician and did not seek additional care.
986976	1/29/2021	NY	19	F	1/29/2021	1/29/2021	While in monitoring area, patient stated she got nauseated, lightheaded, dizzy, sweaty, and was getting tunnel vision. This was at 16:07. She was wheelchaired to monitoring area, VS taken: BP 100/60, HR 76 BPM. Pt returned to baseline, she felt better with rest, gatorade, and water PO. Wheeled to vehicle, mother driving home stable.
986975	1/29/2021	CA	78	F	1/27/2021	1/28/2021	Sore throat - 1/28/21 woke up Arm pain - 1/28/21 woke up Itchy eyes - 1/28/21 evening and currently Itchy ears - 1/28/21 evening and currently Itchy in the arm of vaccine - 1/28/21 evening and currently
986972	1/29/2021	GA	39	M	1/25/2021	1/25/2021	Around 430pm on the day of the shot I start itching really bad all over my body. After the itching my face start swelling, eye lids start swelling, hives in my face arms back stomach and side. No breathing issues. I took kids liquid Benadryl 3 teaspoons until my wife came from the store. Then I took 2 benadryl followed by 2 more 3:30mins later.
986960	1/29/2021	OH	50	F	1/12/2021	1/12/2021	Within 5 minutes of administration. Tunnel vision, lightheaded, feeling of doom, elevated HR & BP, tingling, then numbness, then feeling of swelling of lips, left tongue, left throat, left arm. Benadryl administered. Around the clock benadryl, initially 25mg Q6. ED visit on 1/15 with all the above symptoms plus inability to control swallow, feeling of swelling in R throat, resulting in ED visit. Started on prednisone burst (40mg day x5 days). Symptoms more controlled on steroids plus benadryl, but breakthrough exacerbations at times of meds wearing off. Feelings of skin burning, described as on fire, intermittent lace rash on R inner arm.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
987040	1/29/2021	LA	61	M	1/20/2021	1/25/2021	Developed facial shingles, mandibular branch of the trigeminal nerve, right face beginning 1/25/2021. Treatment begun by Dr.(not the administer of the vaccine) includes Valtrex 1gm tid x 10 days; this was begun 1/28/2021. Evaluated by Dr. to r/o eye involvement (negative exam).
987370	1/29/2021	CA	64	F	1/29/2021	1/29/2021	HR 80, 98 SPO2 on RA, 170/98 , 2 160/92, 99 % RA HR 98, 99 % HR 88, 160/90 Pt states she feels dizzy, denies pain at the site. Says she does have DMII and HTN. Ambulated to restroom with RN, given bottle of water, states she has not eaten all day, states she feels anxious and vision is blurry. Pt denies headache, weakness, pain, nausea. Patient verbalized understanding to f/u with 911 or ED with any further problems. Pt also signed hardcopy.
986217	1/29/2021	IN	53	M	1/27/2021	1/28/2021	After my second dose, I felt fin at around 10pm like the first dose my arm started to become achy. I go to work around 230AM and when I was putting my contacts in my right eye had a huge busted vessel to the right side of my pupil.
1300732	1/29/2021	TX	21	U	1/21/2021	1/21/2021	Pt got two vaccines and then saw podietry who gave her steroid pack. She had acute change in personality with visual/auditory Hallucinations. She has tingling, poor eye ccontact, and is bothered by benign nodes She is not sleeping well.
987549	1/29/2021	WY	51	F	1/26/2021	1/28/2021	Blood noted in urine, flank and urethral pain similar to previous experience with kidney stones in the past (over 15 years prior), no visual stone observed. Fever=101.5, chilling on 1/28/21. 2nd dose of Moderna received 1/26/21. Typical local reaction of redness, swelling, pain at injection site. HA, fatigue, body aches.
987525	1/29/2021	WA	29	F	1/29/2021	1/29/2021	Itchy eyes/ears - 2 Benadryl were given (50mg).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
987501	1/29/2021	NY	54	M	1/5/2021	1/5/2021	shot at 11 pm 12:30 - achey. and BLURRED vision- could see more than 2 feet in front of me. 3:00- achey blurred vision worse. 7:00 - achey. chills. Overnight. sick chills fever, soo much paing blurred vision. 6 am- could barely walk without clutching furniture . Could not move my injection arm more than 2 inches. Whole body and joints in exrtreme pain. Incapacitated all day. By friday. my body felt better. My vision not as blurry. but by the weekend I was back. I still feel like my vision is not quite back.
987463	1/29/2021	WI	77	F	1/29/2021	1/29/2021	Switching vision & lightheadness & felt flushed. vitals obtained; water & juice given. started feeling better, continued to observe & walked with pt & rechecked vitals

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
987212	1/29/2021	FL	66	F	1/5/2021	1/12/2021	Initially had tingling in left fingers about 30 minutes following injection which resolved with movement of arm, hand and fingers. Fatigue later that evening; 1/6/2021 arm soreness, fatigue came in waves, muscle soreness, some minor mental confusion; 1/7/2021 temp 99.1, headache, waves of fatigue, early to bed slept 12 hours; 1/8-1/11/2021 balance slightly off plus above issues declining; 1/12/2021 swollen lymph nodes in left armpit, slight soreness left arm at injection site; 1/13/2021 gradual increased left arm soreness at injection site; 1/14/2021 left arm - red, swollen, warm to touch, painful; contacted provider of injection; 1/15/2021 as above, headache, left hand pins/needles, prescribed dexamethasone daily & cephalexin BID, both for 7 days; 1/16/2021 numbness slightly improved, left hand began to itch, swelling improved slightly, redness improved; 1/17/2021-1/21/2021 gradual improvement continued, swelling in arm disappeared, slight numbness remained; headache & fatigue continued but was improved, very little sleep ~ 3-4 hours nightly; 1/21/2021 saw allergist for recommendations for upcoming 2nd dose - suspected was similar to surgical dye reaction and provided recommendations for next dose. 1/22/2021 finished dexamethasone and cephalexin; slight left hand numbness remained, headache began late in day; 1/23/2021 headache, confusion, anger, balance continued and worsened through day, both hands & feet pins/needles; difficulty holding full glass with one hand; extreme fatigue, slept off/on throughout the day; 1/24/2021 as above, left arm sore at injection site with a hard lump, less anger. vision & hearing off, slight nausea off/on, insides vibrating and won't stop, left side of lower mouth slightly numb, heart racing at times. all symptoms worsen as day progresses; 1/25/2021 as above, left arm stinging at times, very slight improvement with mental confusion; 1/26-1/27/2021 continue to have pins/needles in hands/feet but comes & goes, sleeping 10-14 hours throughout the day; vision & hearing still off, afternoon of 27th had total exhaustion, body like jello, catatonic like state, middle of night awoke with same exhaustion symptoms; 1/28/2021 prescribed dexamethasone for 14 days, diazepam in AM, diazepam in PM prn & citalapram daily; Citalapram caused adverse reaction.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
987400	1/29/2021	NY	90	M	1/26/2021	1/26/2021	Patient left the pharmacy and was at his table eating. He dropped his bowl and appeared to be shaking and his eyes rolled back. He was unresponsive so his wife called 911 and an ambulance came and transported him to the Hospital. Concern at the time was either a seizure or stroke.
987227	1/29/2021	TX	45	F	1/29/2021	1/29/2021	Rashes face like chemical peel and red on fire, eyes itchy, red line waistline and bra line, neck and chest are red. Pt. had Covid in Oct. 2020, blood drawn showed no anti-bodies 3 weeks prior the vaccine.
987331	1/29/2021	NJ	41	F	1/29/2021	1/29/2021	~~Pfizer-BioTech COVID-19 Vaccine EUA" Received 1st dose of vaccine in left arm at 10:28 a.m. Drove home and at 4:00 p.m. face, forehead, and neck turned bright red, facial tightness, feeling like face was on fire. Heart rate recorded between 112bpm and 115 bpm and began having shortness of breath. Then began feeling nauseous, eyes were itchy and had a headache. Took 10 ml Benedryl @ 4:40 p.m. and drank some water. 7:00 p.m. still have slight facial and neck redness and headache.
987312	1/29/2021	AZ	43	F	1/29/2021	1/29/2021	After about 5 mins after the shot, I started feeling "foggy" with my vision and mental clarity. After about 20 minutes, I grabbed my water bottle and both arms felt weak when I lifted them and they felt like they were floating. I had a sudden urge to cry when this happened that lasted for 30 seconds. I was not anxious or nervous to take the vaccine but my body may have overreacted to the sensation of my arms but it didn't feel like a panic attack that I had a few in my earlier 20s after the birth of my child and undiagnosed thyroid disorder.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
987305	1/29/2021	VA	60	F	1/14/2021	1/14/2021	I have been having left arm pain every since having the vaccine. I thought it would go away but the discomfort is now when I have Range of Motion upward and the discomfort is in my shoulder, arm area and a little below the injection site. I still am having that discomfort and in addition to that, that past 7 days I have been having neck and jaw pain like in the node areas front and back of my neck. As well as my lower lip has has two episodes of swelling but it goes down and then it feels ok. I generally overall just don't feel well. Eye and head pain as well. I thought it was best that this be reported cause I just don't know what is going on. I have made an appointment with my doctor which is on Feb 5.
987284	1/29/2021		79	M	1/29/2021	1/29/2021	Reports redness on the left cheek few minutes after the vaccine. Denies chest pain, SOB, itching, blurred vision. BP: 121/75 HR: 81 SpO2: 100% T: 97.3 seen and cleared by EMS
987272	1/29/2021	CA	29	F	1/29/2021	1/29/2021	About 11 minutes after her second dose of Moderna vaccine, patient reported seeing floaters and having tunneled vision. She felt light headed and flushed. Blood pressure was checked and BP was 77/43, P70s, O2 sat 98%. Patient was put in supine position and rapid response was called. Given no respiratory compromise, no angioedema, and no hives, epinephrine was not administered. Felt to be vasovagal event. BP recovered up to 120s/80s. Patient was observed in clinic for 2 hours and had 3 more episodes of lightheadedness but BP remained >90s/50s. She was given juice, crackers as she had not eaten for 4 hours prior to vaccination. She was sent home with family member for observation.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
987259	1/29/2021	MN	32	F	1/29/2021	1/29/2021	Client received vaccine at 12:00pm after passing risk screening and completing consents at a vaccination clinic event at a local fire station. At 12:09pm, while client was sitting in the waiting area after vaccination as part of the recommended protocol to monitor for adverse events post-vaccination, she began feeling unwell. She started to walk toward the vaccination stations and was stumbling. Staff escorted her to a preassembled cot and had her lie down. The patient reported feeling "tingling" in her face, throat and lips and felt like her lips and tongue were swollen. There was no swelling visually apparent. Staff called 911, and assessed patient, collected some vital signs (BP 140/90, pulse 83, O2 sats 100,%) and prepared epinephrine auto injector pen. First responders who were in the fire station building arrived promptly. The patient continued to feel swelling in her throat, but no difficulty breathing. She appeared pale and weak but did not exhibit other signs of anaphylaxis. The healthcare team administered epinephrine in left deltoid. EMS arrived, and team gave report. Care was transferred to EMS. EMS transported patient to local hospital. Patient walked to ambulance without difficulty.
987537	1/29/2021	CA	51	F	1/14/2021	1/15/2021	20 hrs after vaccination; mild fatigue, mild headache, mild chills, upper arm pain and weakness (unable to lift arm above head) 2-5 days after vaccination; moderate upper arm pain, MODERATE GRADE 3 FATIGUE, MILD TIGHTNESS IN CHEST, mild chills, mild aching- symptoms felt identical to seasonal allergy flare except no cough, itchy eyes, or nasal congestion 6-10 days after vaccination, all side effects resolve except mild upper arm pain 11-14 days after vaccination, tenderness in upper arm (unsure if related to vaccination)
987447	1/29/2021	TX	68	F	1/8/2021	1/17/2021	I can?t be certain of the exact date but for at least 2 weeks I?ve had recurring symptoms of Bell?s Palsey which I had January 19, 2019. I feel weakness in the right side of my face and my right eye is oozing. I notice my speech is a bit slurred because of lack of full control of my mouth. Nothing is drooping just the nerves. I had not thought about it may being an adverse affect until today.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
986286	1/29/2021	OH	50	F	1/25/2021	1/25/2021	At 6pm on 1/25/21, 10 hours after dose 2 of the Covid vaccine she began to shake, have chills . She did not take her temperature but felt she had a fever. She went to sleep and woke at 4am and had wet the bed. The next day, 1/26/21 she had a headache, tremors and chills. She stayed home from work. On 1/27/21 she went to work, felt better except for a headache. On 1/28/21 she went to work but felt "weird". At 12:30 that day her head was pounding, glassy eyed, felt chest pressure and was "foggy". She went to eat lunch but on the way back to the elevator her legs buckled and she could not walk. She was escorted by wheelchair to her desk . Her Manager stated she did not look well and 911 was called. She was taken to an adult ED. She was thoroughly evaluated ( Head CT, blood work, EKG ) give IV fluids. She was found to have a UTI and was placed on Keflex. Given RX for nausea and vomiting. She was discharged home to follow up with PCP. 1/29/21, she is feeling better except for some fatigue.
986531	1/29/2021	IN	26	F	1/25/2021	1/26/2021	Fatigue for 2 and half days. Increased blurred vision while driving and watching television. Tender at injection site.
986514	1/29/2021	CA	77	M	1/29/2021	1/29/2021	Pt receive his 1st dose of COVID-19 vaccine today at approximately 0915. At 0930, pt reported feeling "a rapid heart rate, like I have my A-fib again." Pt was non-ill appearing upon complaint, spoke clearly and was a good historian. Denied shortness of breath. Denied N/V Denied dizziness Denied Blurry vision Denied Chest discomfort or chest pain --"I just have the palpitation feeling, but not any pain." Pt reports a history of A-fib and needing Cardioversion in his past ("about 6 years ago I think." Pt offered to be seen in ED and states, "yes, I think that would be a good idea. This is what I felt like in the past when I had A-fib. I feel it right above my heart." Pt was moved via wheelchair safely to observation; vitals taken (see flow sheet). Charge RN called to give report; Charge RN arrived quickly to transport patient to ED.
986499	1/29/2021	GA	37	F	1/9/2021	1/9/2021	At 4:26pm patient reported that she has itchy eyes and nose and also a runny nose. Vital signs taken. Patient given Diphenhydramine by mouth at 4:33pm. Patient was discharged to go home.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
986455	1/29/2021	CO	28	F	1/23/2021	1/24/2021	Moderna COVID- 19 Vaccine EUA: One day after vaccination patient presented to the emergency department with fever, chills, myalgias, diarrhea, flank pain, blurry vision, and feeling of almost passing out. All vital signs within normal ranges and stable, including temperature of 36.8 degrees Celsius. No abnormal findings on physical examination. Patient received intravenous fluids, symptoms improved, and discharged to home.
986439	1/29/2021	IL	56	F	12/30/2020	12/30/2020	About 5 min after the immunization, the patient developed headache, nausea and some dizziness. Left the clinic and noticed some eyelid swelling and took some benadryl. The swelling didn't resolve so she presented to the ED. She was also found to be hypertensive in the ED and required treatment for both the swelling in her eyes and the hypertension. All symptoms resolved in about 90 min and the patient was discharged home without incident
986419	1/29/2021		63	F	1/18/2021	1/19/2021	starting on 1/19: headache; burning behind eyes and sore throat; x 3 days which have now resolved - now dizzy when standing; fatigue - arms feels heavy when taking shower; pale; remains very weak and tired; dizzy - feels like anemia - tried to work last night but broke out in cold sweat and pale so sent home from work last night - sxs are not worsening
986552	1/29/2021	WI	73	M	1/27/2021	1/29/2021	Moderna COVID-19Vaccine EUA. I feel like I'm coming down with the seasonal flu. Achy and slight fever, eyes are tired. I had a flu shot back in September of 2020.
986308	1/29/2021	NY	44	F	1/24/2021	1/25/2021	1/26--diarrhea, 1/27--hives on face and eyes, diarrhea has worsened, 1/28--itchy throat, SOB, rash on face, watery stools, 1/29--rash has resolved with benadryl, still severe diarrhea

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
986263	1/29/2021	CA	59	F	12/23/2020	12/23/2020	This is a spontaneous report from a contactable nurse, reporting for herself. A 59-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), first dose on 23Dec2020 11:45 (lot number: EL0140) and second dose on 10Jan2021 10:15 (lot number and expiry date were not reported), both intramuscularly in the left arm at a single dose for COVID-19 immunization. Vaccination was done in a hospital. Medical history included occasional gastroesophageal reflux disease (GERD), osteoarthritis, penicillin allergy and sulfa allergy, all from an unknown date and unknown if ongoing; and shingles from Mar2018 to an unknown date. Concomitant medication included paracetamol (TYLENOL), famotidine (PEPCID), melatonin and colecalciferol (VITAMIN D). The patient previously took vicodin and experienced allergies. It was reported that after both injections, the patient had a headache in the same area where shingles had started in Mar2018 throbbing above left eye radiating to top of head on 23Dec2020 14:30. No treatment was given. There was no other vaccine in four weeks. There was no Covid prior vaccination. No Covid tested post vaccination. The patient was not pregnant. The patient recovered with lasting effects. Information on the batch/lot number has been requested.
986282	1/29/2021	NV	42	M	1/9/2021	1/9/2021	This is a spontaneous report from a contactable consumer (patient). A 42-year-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number EL3248, expiration date 30Apr2021), via an unspecified route of administration on 09Jan2021 at single dose for COVID-19 immunization. Medical history included asthma. Concomitant medication included salbutamol (ALBUTEROL) for asthma. The patient experienced left side of his face went numb, his eye became swollen on 09Jan2021 with outcome of recovered. Caller stated this lasted 8 hours and then went away. Caller stated he used an ice pack during the reaction. The outcome of the events was recovered on 09Jan2021.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
986273	1/29/2021	CA	61	F	1/11/2021	1/13/2021	This is a spontaneous report from a contactable physician (patient). A 61-year-old female patient (not pregnant) received second dose of bnt162b2 (Pfizer-BioNTech COVID-19 mRNA vaccine, Lot Number: EL3294 and Expiration Date unknown) via an unspecified route of administration on 11Jan2021 07:15 AM (Right arm) at single dose for COVID-19 immunisation. Previous vaccine included first dose of bnt162b2 (Pfizer-BioNTech COVID-19 mRNA vaccine, Lot Number: EK5730 and Expiration Date unknown) via an unspecified route of administration on 21Dec2020 03:45 PM (Left arm) at single dose for COVID-19 immunisation.No covid prior vaccination, no covid tested post vaccination and no known allergies.Other medical history included thyroiditis and scleritis The concomitant medications included Levothyroxine, Vitamins, paracetamol (TYLENOL), Pepsid, Melatonin. No other vaccine in four weeks. Patient experienced, fatigue, left under eye bruise, right eye injection, joint swelling, gum bleeding with brushing on 13Jan2021 08:00 AM, resulted in Doctor or other healthcare professional office/clinic visit. The outcome of events was not recovered with unknown treatment.
986266	1/29/2021			M	1/12/2021	1/1/2021	all around his eye- swollen puffy and corner is very red ("like a bruise"); all around his eye- swollen puffy and corner is very red ("like a bruise"); This is a spontaneous report from a contactable consumer (patient's spouse). A male patient of an unspecified age (reported as "85", unknown unit) received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number and expiry date: unknown), via an unspecified route of administration from 12Jan2021 at a single dose for COVID-19 immunization. The patient medical history was not reported. The patient experienced all around his eye- swollen puffy and corner is very red ("like a bruise") on an unspecified date in Jan2021. Outcome of the events was unknown. Patient was taking a blood-thinner and reporter was asking if it was causing the event. Information about lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
986259	1/29/2021	IA	35	F	1/29/2021	1/29/2021	Patient felt light headed within 5 minutes of having Moderna Covid-19 vaccination. Consumer then became unresponsive after receiving vaccination. He was breathing and had a pulse. . It looked like he was having a seizure; his eyes rolled upward, his left arm shook and he did not respond to touch or voice. . 911 was immediately called and responded within a couple minutes. After a minute he came to and still felt very lightheaded Upon arrival of 911 his BP and heart rate were extremely low and he was profusely sweating. He was then taken to the emergency department.
986247	1/29/2021	VA	53	F	1/5/2021	1/1/2021	Shingles- developed on 1/2/2021. I did not know that I had the shingles when I took the vaccine on 1/5/2021. I have never had the shingles, I thought it was a rash. I have allergies, have been known to develop dermatitis occasionally. Diagnosed with shingles by my primary care provider on 1/6/2021. Also went to Ophthalmologist as a precaution since the area around my left eye was affected. Primary care doc prescribed Valtrex (7 day regimen). As of today 1/29, I have residual nerve itching, skin is healed. Some nerve pain.
986938	1/29/2021	FL	50	F	1/16/2021	1/20/2021	Stabbing pain in left ear, facial and eye weakness, new onset Bell's Palsy
988624	1/29/2021	OH	38	F	1/25/2021	1/25/2021	Lightheaded, nausea and vomiting x2, Severe headache behind eyes.
986406	1/29/2021	MI	67	F	1/15/2021	1/16/2021	shingles pain flair up. right mid riff and left arm, and left neck, cheek, and foot. A burning pain and dizziness. the pain is very intense causing me to lay down and close my eyes. This has happened everyday for two weeks now. everyday is the same and has not gotten better.
986895	1/29/2021	MI	44	F	1/21/2021	1/21/2021	No initial reaction. About 9 hours later she woke up from sleep with wheezing and itching of the throat, ears, and armpits. She developed three hives on her abdomen. She took diphenhydramine and Claritin then was able to go back to bed. She did not use the EpiPen but had it available. When she woke up in the morning she had swelling of the eyelids and face.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
986930	1/29/2021	NY	30	F	1/29/2021	1/29/2021	As soon as the injection was given IM, patient's arm felt numb. Now it is still tingling. Itchy and swollen eyes, ears getting hot, itchiness on scalp and spreading, palpitations/increased heart rate, chest pain, slight straining when breathing.
986565	1/29/2021	CA	70	F	1/27/2021	1/27/2021	Two hours after receiving covid vaccine 1, I developed a sudden flushing of face, neck, chest and a fever of 101-102. Also weak, dizzy, nauseous, achy, nose running clear liquid, headache throughout the night. Fever dropped to 101 by morning then gradually went down. All reactions diminished within 24 hours, except an ongoing headache around my eyes. My arm where injection was administered just started to hurt 48 hours later. Treatment included Tylenol, claritin, cold drinks, cool shower, ice packs, bland diet
986920	1/29/2021		64	F	1/29/2021	1/29/2021	c/o post nasal drip about 20min after injection. Reports history of post nasal drip, takes Zyrtec daily. States drip feels thicker than usual this time. Denies, SOB, chest pain, headache, rash, itching, palpitation, blurred vision. No other complaints. BP: 149/79 SpO2: 98% Room air HR: 80 Seen and cleared by EMS
986906	1/29/2021	VA	63	F	1/29/2021	1/29/2021	Client was observed for 15 mins after injection and at 9:55 am she returned to her classroom to teach students. At approx 10:55 am, client complained of nausea, headache, slight blurred vision, BP 180/110. Observed in classroom by RN school nurse and daughter contacted. Daughter arrived to drive client home @ 11:45, client remained with headache, nausea and chills. At 1:00 school nurse called client and client reported h/a had improved with Tylenol, nausea improved also. At 4:30pm, this nurse called client and client reported she had tolerated toast and ginger ale and nausea gone, no more chills, still feeling like a sinus headache, and BP 156/80.
986893	1/29/2021	FL	29	F	1/7/2021	1/7/2021	Swollen lymph nodes x 5 days, day of injection increased heart rate (not less than 100 bpm) continued ear pain, hot red to the touch and intermittently running 102 outside the ear, blurry vision

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
986886	1/29/2021	MO	79	F	1/25/2021	1/27/2021	Itching began about 48 hrs after injection. Started in eyes and palms if hands but eventually spread over entire body. Took a Claritine which gave no relief. Called Dr. office and they advised me to go to urgent care. Which I did. Had the severe itching for about 3 hrs. No difficulty breathing or swallowing. Given IV fluids, normal saline and IV diphenhydramine ( up to 50 mg), methylprednisone 125mg and famotidine 20mg. Got relief quite rapidly.
986811	1/29/2021	ID	18	F	1/29/2021	1/29/2021	10:02am client reported right eye twitching and lightheadedness. Then noted rash on hands, nausea, and SOB. 10:05am 0.5ml 1:1000 Aq Epinephrine given in left thigh as paramedics arrived on scene., vitals taken. 10:18am Oxygen started per face mask and client transported to hospital at 10:20am
986798	1/29/2021	CO	48	F	1/27/2021	1/28/2021	Moderna COVID-19 Vaccine EUA Very sore, stiff right arm. Pain at its worst running from base of neck to forearm (right arm). Mild full-body aches Headache, turning into headache as base of head Watering eyes, runny nose, sniffles Low grade fever (99F) mild chills
986693	1/29/2021	NV	51	F	1/29/2021	1/29/2021	On 01/29/21 at 10:32 am patient complained of dizziness and seeing spots; VS: BP=154/108, HR= 79, RR= 20, O2 Sats RA= 97% while sitting in chair. At 10:38 am VS: BP=153/89, HR= 82, RR= 20, O2 Sats RA= 97%,. At 10:42 am, VS: BP=157/89, HR= 79, RR= 20, O2 Sats RA= 99%. At 10:47 am, patient on the phone with spouse still complaining of dizziness and seeing spots.; VS: BP=135/91, HR= 81, RR= 20, O2 Sats RA= 96%. At 10:52 am VS: BP=133/95, HR= 84, RR= 18, O2 Sats RA= 98%. At 10:57 am patient states she feels the same, VS: BP=135/95, HR= 87, RR= 18, O2 Sats RA= 98%. At 11:02 am, VS: BP=142/94, HR= 82, RR= 20, O2 Sats RA= 97%. At 11:07 am, patient states she is feeling better and still a little dizzy but can see better, VS: BP=139/90, HR= 78, RR= 20, O2 Sats RA= 97%. At 11:12 am VS: BP=139/92, HR= 81, RR= 20, O2 Sats RA= 96%. At 11:17 am patients states she is much better, vision is better, slight dizziness is still present but "I feel so much better," VS: BP=137/93, HR= 77, RR= 18, O2 Sats RA= 98%

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
986716	1/29/2021	MO	55	F	1/26/2021	1/26/2021	First dose I started having a headache within 30 min after receiving the vaccine. this headache last 2 weeks off and on again directly in the center of forehead causing pressure behind my eyes. Second dose- received 01/26/2021 once again headache started within 30 min after receiving the vaccine, by 10:00 that evening I was having chills which continued through the night. 6am the next morning on 01/27/2021 my body was in alot of pain, my husband states that he had a hard time trying to wake me. I was able to get up with help at 11:30 a.m. to use the restroom and straight back to bed. I did not wake up again till 10:00a.m. on the morning of 01/28/2021 I had slept for more than 36 hrs straight. I just could not wake up during this time my eyes were heavy and my body felt wiped out, very tired. I feel better today although I am extremley weak with little strength. It has been a horrible experience. I was afraid that I was not ever going to be able to wake up again. What would cause my body to shut down like this????????? Wishing I did not get that second dose
986681	1/29/2021	MN	33	F	1/5/2021	1/5/2021	facial and eye swelling. No anaphylaxis noted.
986605	1/29/2021	TX	39	F	1/27/2021	1/27/2021	During observation after receiving dose 2 of the COVID vaccine, she developed dizziness, visual sensation (spots) and complained of some chest pain. She remained stable and seen by EMS. She declined transport to ER. She left with her husband.
986676	1/29/2021	PA	51	M	1/27/2021	1/29/2021	My left eye spontaneously started bleeding (>10-20ml). I had been working from home on a computer and speaking on the phone at the time of the event. This was not proceeded by any type of injury, rubbing, etc. I applied direct pressure until bleeding stopped enough to remove my contact lenses, then proceeded to the emergency room.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
986613	1/29/2021	TX	25	F	1/27/2021	1/27/2021	01/27/2021- 01/28/2021 Wheezing, hives, swelling of injection site, fingers, underneath eyes to chin, including cheeks; and vomiting. 01/29/2021 @0817am Patient arrived to work c/o redness and swelling at site of injection. (Left Deltoid.) Also hives on torso and rash down legs. Also experiencing chest discomfort, (described as throbbing and achy). Took Benadryl this morning on way to work. Denies shortness of breath or weakness, denies blurry vision. (Day 2 after Vaccine)
986782	1/29/2021	NV	27	F	12/26/2020	1/27/2021	Roughly one month after receiving dose #1 of Moderna COVID-19 vaccine, patient noticed left eye swelling and irritation. The following day, the patient was unable to purse her lips and lost taste on the left side of her tongue. She also was unable to close her left eyelid and now reports throbbing in her left eye.
986610	1/29/2021	AZ	59	F	1/28/2021	1/29/2021	pt awoke the following morning with swollen eyes and pruritis. no other reported effects
981828	1/28/2021	KY	53	F	1/28/2021	1/28/2021	Tunnel vision , dizziness, vision changes, nausea
982235	1/28/2021	FL	66	F	1/18/2021	1/20/2021	Itchy eyelids/ Eyelid swelling/Dry skin - eyebags - began 2nd - 3rd day eczema - hands/neck/ shaky/cold - Day 6 low energy 6 - 8 day - sleeping/napping more Day 3 & 4 - Took Benadryl - did not help with swelling/ did help with discomfort Day 5 & 6- took Zyrtec and anti-itch eye drops - this helped 95% cleared of symptoms
982227	1/28/2021	NY	73	M	1/15/2021	1/19/2021	On 1/19/21 I started to experience double-vision with both eyes open. My left eye crossed towards the nose. The diplopia goes away when I cover either eye. My primary physician referred me to a neuro ophthalmologist who diagnosed sixth cranial nerve palsy.
982222	1/28/2021	MI	27	F	1/26/2021	1/27/2021	fever (99-102), body aches, joint pain, lethargy, chills, eye pain, headache, loss of appetite
982073	1/28/2021	OK	52	F	1/23/2021	1/24/2021	headache, fatigue, and sty in eye

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
982023	1/28/2021	TX	63	M	12/31/2020	1/5/2021	Third cranial nerve palsy; A spontaneous report was received from a 63-year-old male pharmacist who received Moderna's COVID-19 Vaccine (mRNA-1273) and developed third cranial nerve palsy. The patient's medical history was not provided. No relevant concomitant medications were reported. On 31 Dec 2020, approximately 5 days prior to the onset of the event, the patient received their first of two planned doses of mRNA-1273 (Lot 037K20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 05 Jan 2021, the patient began to have blurred vision which progressed into double vision. He then experienced a headache that felt similar to when you have the wrong prescription glasses or cross-eyed. On 06 Jan 2021, he was seen by his ophthalmologist who ordered a CT scan which was negative. His eyelids were drooping and he wore an eye patch on the right eye because his right eye is completely shut. The patient reports that the muscle that keeps the pupil in focus in the middle is paralyzed, so his pupil is turned to the right and down, which is what was causing the double vision. The treatment of the event include eye patch. Action taken with mRNA-1273 in response to the event was not reported. The outcome of the event, third cranial nerve palsy, was considered unknown.; Reporter's Comments: This case concerns a 63 year old male patient, who experienced a serious unexpected event of third nerve paralysis. The events of third nerve paralysis occurred 6 days after first dose of mRNA-1273, lot # 037K20A. Diagnostics included a CT scan, which revealed no abnormality. Treatment for the event include eye patch and no other details were provided. Based on the current available information and temporal association between the use of the product and onset of the events a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
982003	1/28/2021	OR	63	F	1/25/2021	1/26/2021	Received the immunization @8:00 PM on 1/25/2021. On 1/26/2021, woke @07:00 feeling chilly, dizzy and headache behind my eyes. My energy level was very low too. Took my temperature @ 09:00 and it was 101.1. I took Aspiring @325 mg every 4-6 hours plus used cold wet cloths to calm my fever down. I was not able to walk or drive a car with confidence. Also, I had painful sensation with lights on. No appetite--Did not eat anything until 1/27/2021 in the afternoon. On 1/27/2021, my hunger came back and fever down to normal. I was able to drink juices and eat some soup. Today, I had some breakfast of Tofu and scrambled eggs. But still feel a bit "floaty.~~
981972	1/28/2021	OH	38	M	1/25/2021	1/26/2021	Pt was vaccinated at 10 am on 1/25/21 He stated that at 3:00 am on 1/26/21 he began having severe chills trouble moving and extreme thirst. He started to experience tachycardia and was diaphoretic. He stated that at 8 am 1/26 he had tingling in his lips and they began to swell. He stated taking 50 mg of diphenhydramine orally at this time. He had swelling and tingling of his face, eyes and tongue shortly after the oral diphenhydramine. He called an ambulance and was taken to the ER. At the ER he was given IV diphenhydramine and kept 2 hours for observation. He was also given oral steroids. He was sent home 1/26 with prescription oral steroids. He stated he has continues to experience tachycardia with average HR at 110. He also continues to experience night sweats but stated this symptom is improving.
981767	1/28/2021	MI	61	F	1/5/2021	1/5/2021	She experienced a noxious smell (ammonia) in the right nostril on the evening of her 1st COVID vaccine on 1/5/2020. It was so strong she could hardly breathe. Associated symptoms included nausea and watering of the right eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
981916	1/28/2021	CA	27	F	1/28/2021	1/28/2021	Patient reports ~10 minutes post vaccine becoming sweaty, experiencing blurry vision, and muffled hearing. Writers assessment at 12 minutes , no longer diaphoretic, reports clear vision, slight headache, still slightly muffled hearing. Report no past medical history or allergies, and states last meal was ~20 hours ago. Assessment at 20 minutes - patient reports ?weak neck?, continued headache, vision/hearing returned to normal. Provided with education to seek care of physician if conditions continue or worsen, left site with boyfriend.
981821	1/28/2021	NE	23	F	1/27/2021	1/27/2021	The evening after I got the first dose I experienced painful muscle aches starting in my legs and progressing to the rest of my body, around 7pm. My left shoulder was a little achy, but no different than any other shot. About 30 minutes later I felt chills and felt really cold. I went to bed and tried to sleep. I woke up several times in pain. I did not take any pain meds. At 1am I went to the bathroom and felt nauseous and lightheaded. My vision got blurry and it felt like I was going to pass out, so I grabbed the towel rack and closed my eyes. I must have blacked out for a second and lowered myself down to the floor. I came to, and I was sitting on the ground, sweating a lot. I stayed on the floor for at least 10 minutes cooling down. (I had dressed warmly and turned on my heater after the chills started). I heard ringing in my ears while I was sitting on the floor. It went away after 5 minutes. I got up and went back to bed. I woke up at 9am and felt a lot better. Some minimal soreness. No more chills.
982467	1/28/2021	OH	60	F	1/9/2021	1/16/2021	Received vaccine on 1/9/21. On 1/16/21 started with drooping to eyelid. On 1/21/21 experienced vertigo. She was evaluated by her primary care doctor for those symptoms and was diagnosed with Bells Palsy at that time, and with vertigo. Her PMD recommended she not go forth with the 2nd dose of the vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
981719	1/28/2021	NJ	39	F	1/27/2021	1/27/2021	After the first COVID19 shot I got very red and very hot. I had a blinding headache for days. I received the shot on a Wednesday afternoon and by Saturday I felt like I could claw my eye out, that I had something in it. I went to the eye doctor Monday morning and was diagnosed with a corneal ulcer. After the second COVID19 shot I was watched for 30 minutes based on my first reaction. I again turned very red and very hot. I had hives on my arms, neck, and behind my ears. I felt lightheaded and dizzy. I received 25 mg Benadryl by mouth and was observed for another 45 minutes. At that time I walked outside and felt worse. My throat became very itchy and I kept coughing. I went back in to tell provider and received an epi pen injection into my right leg, they took my vitals, and sent me to the hospital by ambulance.
981686	1/28/2021	NJ	19	F	1/27/2021	1/27/2021	Symptoms- Diaphoretic, blurred vision, shaky. Pt was brought to the medical booth and placed in a trendelenburg position. Symptoms resolved and pt was able to drink, stand up and walk. Released at 1:13pm.
981947	1/28/2021	IN	20	F	1/26/2021	1/27/2021	I was dry heaving at about 4:00 am and threw up once muscle aches chills headache blurry vision
982449	1/28/2021	IL	61	F	1/21/2021	1/27/2021	My eye is swollen, I have knots on my forehead over my right eye. I thought it was a spider bite but now I am not sure
982651	1/28/2021	FL	59	F	1/27/2021	1/28/2021	bruising to site, painful, next day very tired with blurry vision, aching pain

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
980911	1/28/2021	CA	44	F	1/12/2021	1/12/2021	bilateral eye irritation; edematous right eyelid since day of 2nd vaccine; This is a spontaneous report from a contactable nurse reported for herself. This 44-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), intramuscular at single dose in the left arm on 12Jan2021 10:15 for Covid-19 immunisation. The patient medical history was not reported. Concomitant medication included cetirizine hydrochloride (ZYRTEC [CETIRIZINE HYDROCHLORIDE]), paracetamol (TYLENOL). Previously the patient received the first dose of BNT162B2, intramuscular in the left arm on 24Dec2020 02:00 PM for Covid-19 immunisation. On 12Jan2021 12:00 PM, the patient experienced bilateral eye irritation, edematous right eyelid since day of 2nd vaccine. No treatment was performed. The outcome of the events was not recovered. The vaccine was administered at Hospital Facility. The patient was not pregnant at the time of vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was not diagnosed with COVID-19 prior to vaccination. The patient had not been tested for COVID-19 post the vaccination. Information on the lot/batch number has been requested.
981638	1/28/2021	NJ	19	F	1/27/2021	1/27/2021	Pt became diaphoretic, blurred vision and shaky. Pt was brought to tent. Laid on cot in trendelenburg position. Symptoms resolved, as pt was able to drink, stand up and walk well. Released at 1:13pm.
982566	1/28/2021	NJ	52	F	12/29/2020	1/26/2021	Headache, fever, muscle pains, unable to walk, leg cramps, blurred vision, chills, skin sensitivity.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
982550	1/28/2021	CA	26	M	1/11/2021	1/12/2021	After receiving the first dose of the COVID vaccine I was experiencing headaches, dizziness, lightheadedness, palpitations, and nausea. The first dose was on 12/21/20. These symptoms resolved around 12/26/20. I received the second dose of the COVID vaccine on 01/11/21. I began experiencing symptoms on 01/12/21. The symptoms I was experiencing were lightheadedness, dizziness, and brain fog/confusion. These symptoms got significantly worse from 01/13/21 - 01/24/21 and I began developing profound confusion/brain fog, diplopia, blurry vision, headaches, feeling like I'm swaying on a boat, and the "feeling of being drunk". As of 01/25/21, the symptoms have seemed to get better and I am starting to feel more like myself. The drunk feeling and mild blurry vision are still present as of today 01/28/21.
982548	1/28/2021	OR	34	F	1/14/2021	1/23/2021	Pt was vaccinated with Moderna Covid-19 on 14JAN21 developed a sore L arm that was initially resolved within 1-2 days. Beginning on 23JAN21 pt developed an itchy, patchy, and achy rash around injection site on L deltoid. Pt was then seen at the clinic on 25JAN21 where she was prescribed Cephalexin 500 mg #28 taken QIG and Benadryl 25mg T1-2 Q6H. Sx did not resolve by 26JAN21 and was seen in clinic for a follow up, the rash visually looked better with decreased redness and swelling, although the patient began experiencing H/A after beginning the Cephalexin. Pt instructed to continue with current medications and to F/U on 28JAN21. Pt was seen for F/U where rash had increased in size, itchiness and burning sensation. Pt was Diagnosed as having Erythema Multiforme of the L Deltoid and began taking a new Rx of Prednisone 40 mg for Sx. Pt informed to F/U if Sx worsen or are unresolved by 29JAN21.
982445	1/28/2021	RI	24	F	1/28/2021	1/28/2021	Near syncope. sweating. Blurred and blacked out vision. Drop in BP. Nausea. Slight chest pain when resolving.
982501	1/28/2021	OR	59	F	1/25/2021	1/25/2021	Patient initially with fever and chills rigors on evening of and day after the vaccine. On date of emergency room visit 01/28/2021 patient had awoken with right lower quadrant pain, rash on her back and palmar aspects of her forearms, swelling around her eyes. Abdominal pain was crampy she had no diarrhea constipation.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
982276	1/28/2021	CA	69	M	1/25/2021	1/25/2021	Pt came to tx a/o x4. Pt given COVID-19 Moderna vaccine at around 1545, then RN checked on pt at 1600, and pt not verbally responsive. Pt BP in the low 100's. Pt able to open eyes, but very lethargic. Pt placed supine, given 2l O2 via, breathing unlabored, hr ok, about 600 cc ns bolus given. Pt still not responding verbally. RN noted body twitching/shaking. Paramedics called and transferred to ER at around 1615. The patient did not require the use of an Epi pen . Patient spent the night in the hospital. It was reported that he had elevated Ammonia levels which may have caused this issue. However as this happened so close to the vaccination we are reporting
982617	1/28/2021		56	F	1/23/2021	1/25/2021	presents today for sharp stabbing headache x2 days. Patient states that the headache is constant and has not gotten better. Patient states that she has never had a headache or migraine in the past, patient states that pain is located on the right temporal side and is sharp and throbbing with a 10 out of 10 pain. She did have the vaccine for COVID-19 on Saturday and is unsure if that is what is causing her headache. Patient has been taking Tylenol for the headache which has not provided any relief. Patient states that she was going to go to the ER but did not want to go and wait so came to the immediate care. The pain does not radiate to any other area besides her head. Patient denies any nausea, vomiting, syncope, palpitations, fever, change/loss of vision. Patient denies any history of migraines. Patient was driven here today by her son.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
982416	1/28/2021	MI	23	F	1/25/2021	1/25/2021	1/25- received vaccine at 11:45 am. Started round-the-clock extra strength Tylenol at 12:00pm. At 10:30pm began to feel chills and body aches. 11:00pm got very hot and sweaty, hands began to tingle, vision became fuzzy around the edges, felt like I was going to pass out. Experienced tachycardia, tachypnea, and headache. 12:20am- vomited. Restless sleep through the night, chills, fever (100.6-99.6 on Tylenol), body aches, joint pain, stomach ache, woke at 5:00am. 1/26- spent all day vomiting. At least once every hour. Continued tachycardia, tachypnea, stomach ache, fever, headache, body aches, and joint pain. At 7:00pm took Zofran and I stopped vomiting. Still nauseous. Could not eat all day. 1/27- woke up with headache and slight body aches but otherwise felt okay during the day. Was hungry and able to eat. Starting at 10:00pm my stomach began to hurt again. Experienced bloating, sharp stabbing pain and nausea. Felt like I needed to vomit or pass a bowel movement but could not do either. Took Zofran at 11:00pm, did not help in relieving my GI symptoms. Still on round-the-clock extra strength Tylenol. Could not eat all night. 1/28- woke up still with headache, and mild-moderate stomach pain. Able to eat a couple bites of food.
982386	1/28/2021	MI	74	M	1/21/2021	1/21/2021	Flushed, reddened cheeks, itchy, tingling eyes, slight swelling, tingling lips, slight swelling 20 minutes after injection Untreated symptoms significantly reduced after 3-4 hours except itchy, watery eyes Itchy, watery eyes is ongoing a week after the injection, now being treated with Lotemax steroid eye drops
982384	1/28/2021	NJ	26	F	1/28/2021	1/28/2021	Immediately after vaccine administration, Patient reported feeling warm and requested for a chair to elevate her legs. Patient was provided with a chair and elevated her legs with assistance. While elevating legs, patient began leaning to the side and sliding down in the chair. RN held patient to prevent a fall and called for help. We tried communicating with patient but she only produced humming sounds. Approximately 10 seconds later patient verbalized her name upon questioning. Patient reported later that she "blacked out" while her eyes were open. Patient verbalized that she has a history of sweating and vaso-vagal response to blood draws and vaccine administrations.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
982360	1/28/2021	OH	44	F	1/25/2021	1/25/2021	Within an hour I had a headache. By 4 hours my arm was very sore. At 8-13 hours I felt like I had the flu with body aches, chills, and sweating. Between hours 14-44 my experience was intense with fever >102 (that was not responsive to Tylenol or Motrin), uncontrollable shaking with an episode of urinary incontinence, fainting, rash on chest/neck, right facial twitching, right arm twitching, nausea, vomiting, diarrhea, chills, profuse sweating, flashing lights in both eyes (open and closed), intense body aches, the sensation that my skin was burning, muscle spasms (back), joint pain (knees/hips), dizziness, agitation, and insomnia. After 44 hours the intense symptoms resolved and I had fatigue, right facial twitching, right arm pain/itching/redness. I went to see my doctor on 1/28/2021 to document my experience.
982342	1/28/2021	NJ	32	F	1/26/2021	1/26/2021	anxiety, eye swelling. Client left at 2:07 pm feeling tired but well without symptoms.
982503	1/28/2021	MA	21	F	1/23/2021	1/24/2021	Started to feel sx on 1/24 with nausea, fatigue, feeling of warmth, dry mouth, and her face and eyes were swollen. The injection site was red, hot, throbbing and the size of a tennis ball. On 1/25 she was congested, had a headache and the injection site was red, hot, sore to the touch and sensitive. Most likely is an allergic reaction with facial swelling and local reaction, treated with Benadryl Motrin and add Pepcid or Zyrtec. On 1/27 she was better with no fever x > 24 hours and less fatigue. No body aches and no trouble breathing.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
980604	1/28/2021	MA	57	F	1/11/2021	1/11/2021	seeing flashing lights out of the left side of the left eye; This is a spontaneous report from a contactable consumer. A 57-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EK9231), via an unspecified route of administration at the left arm on 11Jan2021 12:30 at single dose for COVID-19 immunization at a hospital. The patient has allergies whisk laundry detergent and mosquitoes. There were no concomitant medications. Patient previously took tetracycline, metronidazole (METROGEL) and experienced allergies. The patient also took the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), on 21Dec2020 12:30, at the left arm. Approximately 7-8 hour post vaccination, patient started seeing flashing lights out of the left side of her left eye on 11Jan2021 19:30. No treatment for the event. The patient has not recovered from the event.
980883	1/28/2021	OK		F	1/13/2021	1/1/2021	felt really tired; eyes has a burning feeling behind them; joint pain; This is a spontaneous report from a contactable consumer (patient). A female patient of unspecified age received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number and expiry date unknown) via unspecified route of administration on 13Jan2021 at single dose for Covid-19 immunization. Medical history and concomitant medications were not reported. The patient received her first dose of the COVID-19 vaccine yesterday, 13Jan2021. The patient informed that she felt really tired now, and her eyes has a burning feeling behind them, and she has joint pain (Jan2021). The patient wanted to know how long do the side effects last. The outcome of the events felt really tired, eyes has a burning feeling behind them, joint pain was unknown. Follow-up activities are possible, information on the batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
980807	1/28/2021	VA	43	F	1/12/2021	1/12/2021	intermittent sharp pain in left arm, chest and shoulder blade; intermittent sharp pain in left arm, chest and shoulder blade; intermittent sharp pain in left arm, chest and shoulder blade; redness in face and eyes; redness in face and eyes; feels warm; This is a spontaneous report from a contactable consumer (patient is girlfriend). A 43-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (lot number EKH176), via an unspecified route of administration on 12Jan2021 morning at single dose for covid-19 immunization. Vaccine location was left arm and it was the second dose. Patient received the first dose of vaccine on unspecified date for covid-19 immunization. The patient medical history was none. There were no concomitant medications. The patient was currently having side effects, stated she was having on and off, intermittent, sharp pain in her left arm, left chest and left shoulder blade, feeling the pain all on her left side on 13Jan2021. The reporter stated the patient looked worse than she did 2 hours ago, that her face was turning red and her eyes were turning red and she felt a little warm on 12Jan2021. The reporter wants to know when she should take the patient to the hospital. The reporter was encouraged to reach out to a health care provider. The outcome of events was not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
980803	1/28/2021	NJ	68	F	1/11/2021	1/11/2021	Back pain; tired; whole body trembled; nervous; facial tingling; immediate pain in arm from injection; couldn't lift her arm at all; left eye twitching; Chills; Nausea; no appetite; whole body ache; This is a spontaneous report from a contactable consumer reporting for herself. A 68-year-old female patient received the first dose of bnt162b2 (BNT162B2, lot number and expiry date were not reported), via an unspecified route of administration, on 11Jan2021 5:15 PM at a single dose on arm for COVID-19 immunization. Medical history included ongoing shellfish allergy from 1975 (she carries epi pen), ongoing iodine allergy from 1975 (she carries epi pen), ongoing Mitral valve prolapse (for 20 years), blood pressure high, and cholesterol. The patient had mitral valve prolapse for about 20 years now. They are just watching it now. She just saw the cardiologist, and had an echo done. If the symptoms worsen, they will proceed. Concomitant medications included diltiazem for blood pressure high and atorvastatin for cholesterol, both from an unspecified date and ongoing; she has been on these medications for 30 years now. On 11Jan2021, the patient experienced facial tingling, immediate pain in arm from injection, couldn't lift her arm at all, left eye twitching, chills, nausea, no appetite, whole body ache, tired, whole body trembled, nervous. On 12Jan2021, the patient experienced back pain. The patient explained that on 11Jan2021, evening at 5:15pm, she received her first COVID 19 vaccine. The Pfizer vaccine was being given out at that time. She has shellfish and iodine allergies. So, they made her sit and wait 30 minutes after being injected. One of her daughters took her. On the drive home, a few minutes after leaving she developed facial tingling. At first, she thought nothing of it. She did have immediate pain in her arm from the injection. By the time she got home, she couldn't lift her arm at all. It was that painful. The next morning, she couldn't lift arm, and if she tried, she would be in pain. Also, her left eye started twitching right away also. That night she really noticed it. It was not a constant twitching. She thought at first it was because she was tired or from the pain in her body. But then she noticed the next day it was still doing that. It was still twitching. It is not constant, but it was here and there. She still had it on 13Jan2021, but so far nothing at the day of report (14Jan2021). She also had chills. She had on double clothes, and coverings on her feet and hands.

VAERS\_ID RECVDDATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

The chills wouldn't go away. Her whole body trembled. On 13Jan2021, Wednesday morning, they went away. She experienced nausea and no appetite. Her whole body ached. It was so brutal. The problem was with her left eye. It didn't twitch constantly, but it got her nervous. She is pretty sure she is going to refuse the second dose. She has heard that the 2nd part is when most people have the worst side effects. So, she is not comfortable getting it. She also got back pain. It wasn't severe, but it was there. She is against getting the second shot. She stated that she is a medical assistant at a pediatric office. She doesn't have a prescribing doctor. She got it (vaccine) because of her age. She was advised to get it as she was around patients. Work gave them the option. The inability to move her arm ended in the middle of night at 4 am 14Jan 2021. She noticed she could move her arm. Her second dose is scheduled for 01Feb2021 at 8:45 am. She does work in a pediatric office. If the second part of side effects are worse, then she doesn't want to take the chance. The eye has her concerned. Outcome of the events were as follows: facial tingling recovered on 11Jan2021, immediate pain in arm from injection recovered on 13Jan2021, chills recovered on 13Jan2021, nausea recovered on 13Jan2021, no appetite recovered on 13Jan2021, whole body ache recovered on 13Jan2021, couldn't lift her arm at all recovered on 14Jan2021, back pain was recovering, while outcome for events left eye twitching, tired, whole body trembled, and nervous, was unknown. Information about lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
980698	1/28/2021	AZ	69	F	12/21/2020	12/23/2020	blurred vision that lasted nearly two weeks; Headache; bedridden due dizziness; bedridden due dizziness; extreme debilitating aches and pains; body felt numb; fever; chills; This is a spontaneous report received from a contactable nurse (who is also the patient). A 69-year-old female patient received the first dose of BNT162B2 (BNT162B2 PFIZER-BIONTECH COVID-19 VACCINE, lot number: RH9899, expiry date: unknown), intramuscular in left arm, on 21Dec2020 09:30, at single dose, for COVID-19 immunization. Medical history included allergies to shellfish and bee stings. There were no concomitant medications. The patient did not receive any other medications within 2 weeks of vaccination. The patient did not receive any other vaccine within 4 weeks prior to vaccination. The patient was not diagnosed with COVID-19 prior to vaccination and is not pregnant. On 23Dec2020 at 20:00, the patient experienced headache, blurred vision that lasted nearly two weeks, extreme debilitating aches and pains, body felt numb, bedridden due dizziness, fever and chills. Treatment for the events included ibuprofen (ADVIL). The patient was not tested for COVID-19 since the vaccination. The outcome of the events was recovered on an unspecified date. The reporter assessed this case as non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
980686	1/28/2021	TX	51	F	1/12/2021	1/12/2021	rash on chest and upper back; sore throat; muscle twitching around left eye; Fatigue; headache; muscle aches; swelling on left side of body including facial, arm pit, and arm down toward elbow, upper back under shoulder blade; This is a spontaneous report from a contactable nurse (patient). A 51-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; lot EL1284, expiration date unspecified), intramuscular on 12Jan2021, at 13:00 at single dose (left arm) for COVID-19 immunization. Medical history included Covid-19 (prior vaccination). The patient was not pregnant and had no known allergies. Concomitant medication included acetylsalicylic acid (ASPIRIN). On 12Jan2021, at 15:00, the patient experienced fatigue, headache, muscle aches, swelling on left side of body including facial, arm pit, and arm down toward elbow, and upper back under shoulder blade, rash on chest and upper back, sore throat, and muscle twitching around left eye. The patient had no treatment for the events. The patient had no other vaccine in 4 weeks; and patient was not Covid tested post vaccination. Outcome of the events was not recovered.
981131	1/28/2021	IN	34	F	1/25/2021	1/25/2021	On the day of the vaccination in the afternoon I felt very tired and at times I felt dizzy. The next day I woke up with an intermittent headache, little bit fatigue, very very tired, my arm was super heavy and I was in bed all day. The third day I felt dizzy at times, tired, my eyes itched a lot and my body. I didn't take any medication at any time.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
980640	1/28/2021	FL	81	F	1/11/2021	1/11/2021	Watery drainage from her right eye; Nose feels full; congestion; Phlegm; Fever blister on her tongue (sore blister on the right side of her tongue); sores on her tongue; Feels a little weird; Dizzy or dizziness like vertigo (funny feeling like vertigo); Headache; Slept hard - she never sleeps that much; Drinking a lot of water; Fever; feverish; This is a spontaneous report from a contactable nurse (patient). An 81-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Lot Number: EL1284, Expiration Date: 30Apr2021), via an unspecified route of administration, on 11Jan2021 at 09:00, at a single dose, for COVID-19 immunization. The patient's medical history included colitis and diverticulitis (chronic; diagnosed years ago); and allergies. The patient's concomitant medications included chlordiazepoxide/ clidinium bromide (LIBRAX) for colitis, omeprazole (PROTONIX), levocabastine hydrochloride (ZYTEC) for allergies, and cyanocobalamin (VITAMIN B12) for colitis. The patient previously took the first dose of BNT162B2 (Lot Number: EH9899, Expiration Date: 31Mar2021) on 21Dec2020 for COVID-19 immunization and experienced a little sore on site; and varicella zoster vaccine (SHINGLES VACCINE) for immunization and it hurt and she got blisters at the injection side. The patient just got her second shot on Monday (11Jan2021) at 9 in morning. After a couple of hours (11 AM), the patient feels a little weird, dizzy or dizziness like vertigo (funny feeling like vertigo), and headache. That night, the patient took ibuprofen (MOTRIN) and paracetamol (TLENOL) and she just slept hard - she never sleeps that much, she is drinking a lot of water. The patient also had a fever that night and received treatment for this. On Tuesday (12Jan2021), the patient was okay but, in the evening, she started feeling feverish and has a fever blister on her tongue (sore blister on the right side of her tongue). The patient never had a fever blister before. Last night (13Jan2021), the patient was a little feverish, still has the sores on her tongue and she was having watery drainage from her right eye and her nose feels full; congestion and phlegm. The patient wanted to know if she should go to work tomorrow but was encouraged to reach out to a health care professional for medical advice. The patient asked health employee and they told her to call the company. Got the vaccine from work at a center. The patient

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							recovered from "Dizzy or dizziness like vertigo (funny feeling like vertigo)" in Jan2021. The outcome of "Feels a little weird", "Headache", "Slept hard - she never sleeps that much", and "Drinking a lot of water" was unknown. The patient had not recovered from the remaining events.
981168	1/28/2021	OH	61	M	1/25/2021	1/26/2021	NIGHT AFTER VACCINATION : WOKE UP WITH CHILLS AND HOT SWEATS DAY AFTER: SEVERE FATIGUE , EYES WERE RED
980596	1/28/2021			F	12/27/2020	12/31/2020	diagnosed with shingles; a lump on my left ear; This is a spontaneous report from a contactable nurse(patient). A female patient of an unspecified age received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), via an unspecified route of administration on 27Dec2020 at single dose for covid-19 immunization. The patient medical history and concomitant medications were not reported. On 31Dec2020 there was a lump on her left ear. On 04Jan2021 there was a rash on her eyes. On 05Jan2021, the patient had a rash like shingles and the doctor diagnosed with shingles. She was taking an antiviral: acyclovir. The doctor said it's a side effect from the vaccine. The patient had no history of sickness. It's so rare. The doctor said shingles was dormant, a sleeping virus that's in her spine. She was not sure if it's because Covid was virus, and it activated her dormant virus. Her 2nd vaccine was soon, 5 days from now. She asked that "Is it ok to get the 2nd dose? Do I need to wait? I spoke with my doctor and infectious disease and they stated after a month; if my immune system was better". The outcome of events was unknown. Information about lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
980590	1/28/2021	KY	44	F	1/8/2021	1/1/2021	<p>her eye is still swollen with chills; low grade fever; chills; muscle cramps; general muscle ache; Tiredness; scratchy throat which got worse with time; tenderness around the injection site; it felt really bad almost like a flu; it felt really bad almost like a flu; This is a spontaneous report received from a contactable consumer (patient). A 44-year-old female patient received the first dose of BNT162B2 (BNT162B2 PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL3248, expiry date: 30Apr2021, NDC number: 59267100001), intramuscular in the left deltoid, on 08Jan2021, at 0.3 mL, single, for COVID-19 immunization. There were no medical history and concomitant medications. The patient reported she had side effects after receiving the first dose (Jan2021). She had a scratchy throat which got worse with time. She had a general muscle ache, tenderness around the injection site. The muscle ache increased with chills and low grade fever. She said it felt really bad almost like a flu. She reported her eye is still swollen with chills and low grade fever. She further clarified that she was given the vaccine on 08Jan2021, Friday afternoon. On 09Jan2021, Saturday, she had muscle aches, tiredness, and by Saturday night she had a scratchy throat. On 10Jan2021, Sunday, she experienced tiredness and muscle cramps. She worked half day on 11Jan2021, Monday, and by the afternoon she had chills and low grade fever. On 12Jan2021, Tuesday morning, she woke up and her eyes were swollen. She noticed the swelling has decreased a little bit. She didn't have any symptoms such as difficulty breathing. The reporter asked what have caused these side effects and why did her immune response react this way after receiving the vaccine. She mentioned that her second dose is set up for the end of January and asked if she will be able to get the second dose since she had a reaction and she was wondering if had an illness when she got the vaccine could that have caused her to have a hyper response in her immune system to the vaccine. The outcome of the events scratchy throat which got worse with time, general muscle ache, tiredness, muscle cramps, eye swelling and low grade fever was recovering; chills was not recovered; and the outcome of the remaining events was unknown.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
980584	1/28/2021	CA		M	1/13/2021	1/13/2021	like a slight paralysis; stiffness in the face; numbness in the face; A spontaneous report was received from a 64-year-old, male patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced like a slight paralysis, stiffness in the face and numbness in the face. The patient's medical history, as reported, included high blood pressure. Concomitant medications reported included losartan. On 13 Jan 2021, about 5 minutes prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 13 Jan 2021, about 5 minutes after getting the Moderna COVID-19 vaccine, the patient experienced a stiffness and numbness in the face, like a slight paralysis. It started in the nose and spread out to the eyes and forehead. After about half an hour, he still experienced it a little bit. No medications were taken for the events. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the events, like a slight paralysis, stiffness in the face and numbness in the face, was recovering/resolving.; Reporter's Comments: This spontaneous report refers to a case of a 64-year-old, male patient with medical history of high blood pressure who experienced a serious event slight paralysis and non-serious events of stiffness in the face and numbness in the face. The events occurred 5 minutes after the administration of the mRNA-1273 vaccine (lot # unknown, expiration date-unknown). No treatment was administered, and patient is recovering. Based on the information provided which includes a temporal association, a causal association cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
980365	1/28/2021	CA	45	U	1/13/2021	1/13/2021	Anaphylaxis-like symptoms; A spontaneous report was received from a physician concerning a 45-year-old, patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced anaphylaxis-like symptoms. The patient's medical history included hypertension. The patient had no history of allergies or prior vaccine reactions. No concomitant medications were reported. On 13 Jan 2021, the patient received their first of two planned doses of mRNA-1273 (Lot number: 041L20A) intramuscularly for prophylaxis of COVID-19 infection. On 13 Jan 2021, the patient experienced anaphylaxis-like symptoms that included, anaphylaxis, angioedema, shortness of breath, itching, swelling of eyes, and sleepiness. The patient was treated with epinephrine injections and taken to the emergency department. Action taken with mRNA-1273 in response to the event was not reported. The outcome of the event, anaphylaxis-like symptoms, was unknown.; Reporter's Comments: This case concerns a 45-year-old patient with medical history of hypertension, who experienced a serious, unexpected event of Anaphylactoid reaction. The event occurred the day the patient received the first dose of mRNA-1273 (Lot number: 041L20A), at an unspecified time. Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
982672	1/28/2021	MD	46	F	1/12/2021	1/12/2021	About an hour and a half after the injection, I felt nausea, a headache, tiredness, and a general feeling of not feeling well. I ate some food and drank some ginger tea and it helped a little but after another hour I felt terrible with the same symptoms. They lasted for three days where I needed to go to bed by 6:00 PM or as soon as I could each night. On Sunday, January 24, 2021, 12 days after receiving the vaccine my eyes turned red and tired. I took my Claritin that I take if my allergies bother me and did some eye drops but it did not go away. I have had red eyes for five days now, it's more of a strained eye look and no other symptoms such as discharge, just a red eye on the whites of my eye. I do not know if this is related to the vaccine, but my allergies meds are not working, eyedrops are not working, and I had a COVID Lab test Monday 1/25/21 it was negative and a COVID Rapid test today 1/28/21 and it was negative.
982815	1/28/2021	TX	56	F	12/31/2020	1/2/2021	I had facial swelling where my eyes were almost swollen shut and violent diarrhea.
980681	1/28/2021	SC	54	F	1/12/2021	1/12/2021	Dizziness; Severe migraine; Nausea; Blurred vision; This is a spontaneous report from a contactable healthcare professional (patient). A 54-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot: EL3246, expiry: unknown), via an unspecified route of administration in the left arm on 12Jan2021 at a single dose in the workplace clinic for COVID-19 immunization. Medical history included lupus SLE and known allergies with Stady. Concomitant medications included ascorbic acid (ESTER-C [ASCORBIC ACID]) and prednisone. The patient had no other vaccine in four weeks. The patient experienced severe migraine, blurred vision, dizziness and nausea on 12Jan2021 at 14:00. The patient was tested for Covid prior to vaccination but was not tested post vaccination. The events were not treated. The outcome of the events was recovering.
981311	1/28/2021	IN	24	M	1/26/2021	1/27/2021	Severe chills Severe body aches Severe leg weakness Fever Nausea Blurry vision

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
981600	1/28/2021		69	M	1/22/2021	1/23/2021	itching all over, puffy eyes. started 1/23/21, still present 1/25/21. On 1/28/21, resident reports he has been short of breath since the vaccine, joint pain, body aches, swollen lymph nodes, and resident's right eye is visibly swollen. Injection was done on the right arm, which is the side all symptoms have been on. Resident going to see doctor.
981545	1/28/2021	NY	54	F	1/22/2021	1/23/2021	The patient reported numbness, tingling, and heaviness in vaccinated arm which travelled up neck, to eyelid and side of face. This prompted a visit to urgent care and urgent care sent the patient to the ED for stroke rule-out. The ED did not believe patient was experiencing a stroke and administered 10 mg of IM decadron. The patient's symptoms resided overnight but the next day developed red bumps all over upper palate of mouth. The patient went to her PCP which did not test for strep at this time. The red bumps developed into ulcers with white heads and the patient went back to the PCP which performed a rapid strep test which was negative. The PCP was concerned for mono due to lymph node swelling. The patient's palate has improved slightly but they still feel fatigued.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
981515	1/28/2021	VA	63	F	1/27/2021	1/27/2021	Client received Moderna Vaccination at School Based Immunization Clinic at 9:20AM. Client was sent to the observation area after the shot for 30 mins due to history of severe allergy to Morphine (self reported). At 10:05AM, client stated to complain about a headache and feeling extremely exhausted. Client was told by the observation team to lay head on table and team alerted PHN about client. PHN came over to observation area to evaluate client. While PHN was talking with client, client stated she was very nervous about getting the shot, stated she didn't want to get another one, was shaking all over, said she was dizzy and then became limp. Client was moved to the floor for evaluation. 9-1-1 was called for EMS to arrive to school clinic. PHN took initial vitals: B/P 158/96, Pulse 120, Resp 44. Client was asked to start taking slower deep breaths to help with oxygen flow. Client started to open eyes and become more alert. Stated again she was not going to get another COVID vaccine and that she was very nervous about getting this vaccine. EMS arrived at 10:24AM. Vitals were reevaluated B/P: 146/88, Pulse: 84, Oxygen 94, Resp: 22. Client was moved to sitting in a chair and recovering well. Still complained about being sleepy and headache. Client's husband arrived to the event and when client saw husband, she started to shake and became limp again. Client then moved to the floor again and then transferred by EMS to stretcher and transported to ER for evaluation.
981468	1/28/2021	NC	41	F	1/23/2021	1/23/2021	Almost 12 hours after receiving vaccine I had numbness and tingling on inside of mouth/cheek on the right side, numbness of right side of face, swollen right eye and slight dropping of right bottom lip



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
981430	1/28/2021	AL	36	F	1/26/2021	1/26/2021	Around 6PM the evening after receiving the vaccine my arm became noticeably sore and I began to feel achy all over. I became noticeably more tired than usual around 8PM and went to bed about 8:30. At around midnight I woke up hurting all over, joints and muscle aches. I felt suddenly very nauseated and got up to go to the bathroom toilet. Once crouched down over the toilet I became very lightheaded and dizzy. My vision went white and starry and remained this way for my guess is around 5 minutes. My husband says I was showing seizure like activity, moaning and "clenching up." Once my vision cleared up I still felt awful, lightheaded, weak, dizzy. I sat up with a cold cloth on my head. My husband during the course of this was terrified and called an ambulance. The EMT's arrived and informed me the episode had occurred because I was hyperventilating. My chest was uncomfortable at this time and my fingers were tingling. They calmed me down and check my vitals which were stable. I went back to bed and slept after that. I had another feeling of dizziness and nausea about 7AM the next day which resolved. I felt very tired, weak, and achy all day the next day.
981422	1/28/2021	OR	67	F	1/25/2021	1/26/2021	I received the 2nd dose at 0900, then took Ibuprofen 200mg and 1 Zyrtec tab at 10am. I had no symptoms until 0500 the next morning, 1/26. I woke up with aching joints, aching eye sockets, hyper sensitive skin sensations, slight headache, abdominal cramping, and lethargy. The abdominal cramping subsided in a few hours. I slept the whole day, missing a day of work. I took Ibuprofen 200mg at noon. On 1/27 at 0100 am, I woke with aching joints and skin hypersensitivity. I missed a second day of work, sleeping until 10am that day. Symptoms had subsided upon waking.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
980887	1/28/2021	NM	37	F	1/8/2021	1/1/2021	tired; slept most of the day; Headache; Chills; Joint pain; Sore throat; muscle pain/muscle ache; arm was hurting more than sore/arm pain at injection site; Nausea; Loose stools; Left eye twitching; feeling pretty ill/ under the weather; a little short of breath/shortness of breath; Metal taste in her mouth; Itchy everywhere; asthma has flared up a little bit; This is a spontaneous report from a contactable consumer (patient). A 37-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, lot number EH3246, expiry date unknown), intramuscular (right arm), on 08Jan2021, at single dose, for covid-19 immunization. Medical history included asthma since 2004 (diagnosed about 17 years ago). Concomitant medication included formoterol fumarate, mometasone furoate (DULERA) (has been on this for about 2 months) for asthma. The patient previously took formoterol and budesonide (SYMBICORT) for asthma. The patient stated she was a technician and she has a couple of questions about the Covid vaccine. She got the vaccine on 08Jan2021. Since she got the vaccine, papers said she would feel under the weather for a few days but she was still feeling pretty ill; she wanted to know if this was normal and when should she be concerned, wondering if she should call her doctor. She was encouraged to reach out to her HCP for any medical advice. She also stated that 5-10 min after the vaccine on 08Jan2021, she started to feel a little short of breath/shortness of breath but that resolved. Also, afterwards on 08Jan2021 she had a metal taste in her mouth and was itchy everywhere on that day. She went home and around 9PM on the day of the vaccination, she started to feel under the weather on 08Jan2021. Then she woke up on Saturday 09Jan2021 with headaches, chills, joint pain, sore throat, muscle pain/muscle ache, arm was hurting more than sore/arm pain at injection site, nausea, loose stools, and left eye twitching. On Sunday 10Jan2021, she was very tired and slept most of the day. She added that she has been reporting this to the link that was provided to her. She has been taking Tylenol and ibuprofen to treat these symptoms and; was also using her inhaler because it seemed like asthma has flared up a little bit on Jan2021. No other vaccines administered on the same date with the Pfizer vaccine. The adverse events did not require a visit to the emergency room or physician office. No prior

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							vaccinations within four weeks. The outcome of the events feeling pretty ill/ under the weather, slept most of the day and, asthma has flared up a little bit was unknown. The outcome of events a little short of breath/shortness of breath, metal taste in her mouth, and itchy everywhere was recovered on 08Jan2021. The outcome of joint pain was recovering. The outcome of arm was hurting more than sore/arm pain at injection site was recovered on 13Jan2021. The outcome of the other remaining events was not recovered.
981366	1/28/2021	NC	49	F	1/15/2021	1/18/2021	Patient presented to the ED approximately 2 days after receiving the 2nd dose of the COVID 19 vaccine. It is unknown where the patient received the vaccine, since it was outside our facility. The ED report states the patient woke up with eye swelling (bilateral). red rash on trunk. After contacting the patient, on 25 January 2021, the patient stated that she also began using a Lotus flower facial cream that she believes may have been the cause of the reaction.
981033	1/28/2021	WI	62	F	1/10/2021	1/11/2021	Started 1/11/21 at work. I am a medical professional. Left arm tingling and numbness. Floaters and flashers mostly in left eye. Scattered ones in right eye. Elevated blood pressure 147/79 (normal for me near 120/70) Pulse 106. My normal is in 60's. R:20 POX: 95% RA. Worked full shift 2P-10:30PM. Got good night sleep. Still had symptoms on 1/12/21 so went to urgent care. I still have these symptoms.
981238	1/28/2021	OK	39	F	1/27/2021	1/27/2021	left arm pain, right eye throbbing, right side headache, nausea, shortness of breath
981232	1/28/2021	ME	56	M	1/27/2021	1/27/2021	About 15 minutes post vaccine, experience overall numbness of the left cheek from lower jaw and to the eye. No other symptoms.
981189	1/28/2021		57	F	1/21/2021	1/22/2021	low grade fever, slept all day, lymphadenopathy under arm, stuffy nose, sore throat, eyes burning. Took covid test and was negative. Also took tylenol to relieve symptoms without success. Symptoms x4 days

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
981180	1/28/2021	IA	19	F	1/18/2021	1/18/2021	Vaccine was administered into the subacromial space/joint of right shoulder instead of deltoid muscle. Patient presents on 1/27/2021 after onset of pain, decreased ROM ongoing since administration. I was able to visualize ecchymotic area where vaccine was administered and patient has photo evidence. The physician responsible for the vaccine administration needs to be retrained on where to give deltoid muscle IM injections and to avoid the extremities where recent surgeries occurred (patient had right shoulder labrum repair in October 2020)
981170	1/28/2021	PA	54	F	1/25/2021	1/25/2021	Moderna COVID-19 Vaccine EUA given approximately 7:50 am on 1/25/2021 I left deltoid. By 4 pm, arm sore, noticeable fatigue and headache. Approximately 7 pm, chills started and headache much worse. Temperature was 100.7. Took a Tylenol. Around 8:30 pm became extremely nauseous and began vomiting. Vomited several times, and became dizzy and near syncopal and confused. Eyesight blurred. Husband called 911. Taken to Hospital and was in hospital until 1/27/21.
981605	1/28/2021	CO	39	F	1/12/2021	1/12/2021	That evening, my left arm became extremely touch sensitive at the injection site and my throat began to feel scratchy requiring me to take 10 mg Cetirizine Hydrochloride (Allergy Relief). The following day (1/13/21) at approximately 6 a.m., a large red, raised, warm welt had formed on my left upper arm, measuring approximately 1 inch by 1 inch. By 1/14/21, the welt had grown to 1 inch by 1.5 inches and continued to be extremely touch sensitive, raised and warm with a hardness to it. By 8:30 a.m. on 1/14/21, all visual reaction was gone, but from 1/14/21 to 1/24/21, the injection site remained periodically itchy.
981399	1/28/2021	PA	74	M	1/26/2021	1/27/2021	Unable to blink left eye. Unable to smile with left side of mouth. Both appeared by the next morning. I noticed it around 10:00am. Left leg heavy cramp the night of around 5:30. It went away when I stretched it and did not return.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
983620	1/28/2021	PA	27	M	1/13/2021	1/15/2021	Mild chills and not feeling great about 4am on 1/14/21 Tired feeling on 1/14/21 (no specific time) Nausea for about 30 mins on 1/14/21 around 3pm Mild swelling around both eyes at 4am on 1/15/21, got slightly worse when I woke up at 8am. I called employee health at work who told me to call my family doctor. I called my family doctors office who told me to watch it closely and that I could take an antihistamine. I took an antihistamine and the next day the swelling was essentially all gone.
983757	1/28/2021	CA	53	M	1/28/2021	1/28/2021	He tolerated the injection and went to the waiting room for sit. About 13 minutes after the injection, the patient walked back to the nurse's station, stating that he did not feel good. He was pale and clammy and started to fall. He was sat in the chair, and he started to lose consciousness. Pulse was faint and the blood pressure was initially 61, pulse about 60. He has no skin rash, stridor, respiratory distress. Respiration was regular and unlabored. Within 10 minutes, he opens his eyes and started responding, his blood pressure improved to 110-120's, pulses 60's, O2 sat 98%, unlabored breathing. He was transferred to a wheelchair and laid down on the exam table. He was observed for another 30 minutes. His vital signs remained stable. He is able to drink water and able to walk around in his own power without difficulty. The patient stated that he does not like needles, and he has not had any vaccination for a long time. Impression: Vasovagal syncope Adverse reaction to the SARS-CoV-2 vaccine, not anaphylactic reaction.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
983696	1/28/2021	VA	58	F	1/9/2021	1/9/2021	About 5 hours later, I startd feeling like I was having flu symptoms; Late afternoon - 99.5 fever and fatigue. By 8:00 p - fever was 100; joint and muscle aches and fatigue; Took Tylenol finally before bed - slept a little bit but woke up with 101 temperature and I took another Tylenol and went back to bed but couldn't sleep because of pain with muscles; sore throat and it went up to 101.4 - it would go down with Tylenol but it would shoot back up after 4 hours. Rollercoaster with that up through Sunday 10th - all day fever was over 101.4 - 101.6 with extreme fatigue; really bad muscle and joint pain; eat a little and pushed fluids. Didn't have to work Monday. Rested and I felt a little tight in my chest and took Albuterol. Monday morning temp was 101; but started going down to 99 range fever; I had a previously schedule visit with my dr. and it ended up being a sick visit. He said to keep an eye on it. He told me not to go to work on Tuesday or Wednesday. Things were getting better but still had sore throat; shortness of breath and muscle aches/joint pain but lower temp. Wednesday night I called out from work because things got worse with my breathing/chest got tight etc but not fever anymore Had a virtual Urgent care visit - for the COVID test. COVID test on Thursday. Went to back to work - and I still have a slight bit of joint pain.
983667	1/28/2021	NY	28	F	1/16/2021	1/26/2021	Day of vaccine (1/16/21) arm pain and migraine, 1/17/21. Still had a migraine and felt flushed/feverish with highest temp only 99 degrees Fahrenheit. Migraine subsided with 2 doses of sumatriptan nasal spray and naproxen 500mg tablet. Felt fine until 1/26/21 around 10PM extreme congestion and runny nose with some sneezing. 1/27/21 headache, dry cough, runny nose, extreme fatigue, eye pain, chills and nausea. Today 1/28/21 feel feverish, headache, nausea, extreme fatigue, body aches and chills, runny nose. Have been taking 400mg ibuprofen. Every 4 to 6 hours since morning of 1/27/21 bit no relief in body aches.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
983640	1/28/2021	FL	77	F	1/22/2021	1/22/2021	Within 3-4 minutes of receiving I felt as though my eyes "popped" . I mentioned to my husband with me something happened to my eyes. Vision was clear but eyes felt strange. I looked at eyes when I got home but did not see anything other redness. Next morning my eyes were very red and had seepage as if conjunctivitis. I have had allergic conjunctivitis for years in spring or fall. Two days later I could see my eyelids were swollen, inside eyes very red, scratchy feeling. Today the sixth day and eyes no longer feel swollen but very irritated. I am using refresh tears and Claritin 10mg.
983637	1/28/2021	TX	72	F	1/14/2021	1/28/2021	It's been 2 weeks today I received my first vaccine. My arm became itchy . I pulled up my sleeve to see if I had a bite . Then I realized it was where my vaccine was given. I looked I the mirror and saw a big red swollen area I put some Benadryl cream on it because it became very,itch, which seemed to help with the itching. Now, I. Just keeping an eye on it.
983447	1/28/2021	CA	37	F	1/13/2021	1/13/2021	Patient received the second dose of the Pfizer-BioNTech COVID-19 Vaccine at 0710 on 1/13/21. At approximately 0740 at the end of the 30 minutes observation period, she reported right eye pressure. Benadryl 25 mg was given per clinic protocol by the clinic RN and administered. Patient stayed for another 15 minutes for observation to assess if symptoms would worsen. Of note: patient reported that on receiving the first dose of the Pfizer COVID vaccine, she experienced periorbital edema and mild tongue swelling about 20 minutes after the first dose. The symptoms were relieved following Benadryl 25 mg administration.
983622	1/28/2021	TX	47	M	12/29/2020	12/30/2020	I experienced headaches, severe abdominal pain, change in bowel movements, ribs felt like they were being ripped apart, tired/fatigue, blurry vision, dizziness, my body felt hot from the inside out, tingling sensation in feet and hands.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
983820	1/28/2021	WI	27	M	1/17/2021	1/19/2021	Vaccine given 01/17 R-sided neck pain 01/19 Decreased taste, tongue numbness right sided 01/20 Lip and facial numbness right sided 01/21 Droopy right eye and face 01/22 ED on 01/22, given 7 day course of prednisone and valtrex Ongoing right sided facial droop, right sided eyelid droop. Unable to close right eye fully. Eye dryness. Diagnosed with Bell's Palsy in ED, confirmed in clinic



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
983612	1/28/2021	TX	54	F	1/28/2021	1/28/2021	Following vaccination, at the 15 min mark, patient started experiencing tightening around throat and tingling around lips. Benadryl 25mg PO given w/ water. Pt monitored and taken to observation area where she needed further treatment. (refer to PE) PE: 1400- pt started 30 min motoring post vaccination. 1415- pt expressed tightening around throat and tingling. respirations unlabored, no stridor heard. no rash observed. Benadryl 25mg PO given. 1420- Pt became tearful and expressed feeling SOB in addition to symptoms. no angioedema or other symptoms observed. patient moved to monitor room where vitals were taken. 98%, 94HR, 192/115. CTAB 1423- pt distressed, 94%. unable to verbalize and making chocking sign. EPI PEN immediately administered 0.3mg IM in left vastus lateralis. Lung sounds diminished bilaterally. vitals taken. >>>(*EPI PEN Given in prefilled syringe IM ONCE. LOT 0GM071, Expiration OCT 21) 1424- 203/125, 105HR, 97%. pt sitting upright, tearful but now able to verbalize. 1425- pt sighed in relief, able to take a deep breath, stating "ok. It passed." Lungs CTAB. 98%, 91HR, 16RR. 1430-pt sitting calmly in chair. Breathing unlabored. Denies SOB. No distress at this time. 108/101, 14RR, 98% 1432-98%, 95HR. Patient able to tolerate clear PO fluids. NO n/v or abd pain. 1436-99%, 77HR, 159/85, RR 15-16. CTAB. 1440-unlabored respirations. CTAB. patient sitting comfortable in chair. no distress. 1443- 97%, 70 HR. 1450- Regular heart rate on auscultation. 1454-12RR, 98%, 102 HR, 164/83 1512-164/82, 97.4F, 91HR, 97%, 20RR. No distress. 1527-20RR, 175/83, 98%, 91HR, 96.4F. No distress. 1542-22RR, 155/81, 98%, 82, 96.9F. No distress. 1600- pt ambulates to restroom independently without any SOB, weakness or dizziness. 1615- Pt sitting comfortably in chair. 99%, 88HR, 148/85, 96.9F, 18RR. No distress. 1650-Pt denies blurred vision, HA, dizziness, weakness, chest pain, palpitations, SOB, tightening to throat, swelling, n/v or pruritis. no rash present. pt in no distress. 157/87, 96.7F, 99%, 88HR, 15RR. 1700-Pt no distress. pt d/c to family member.
983607	1/28/2021	NY	31	F	1/27/2021	1/28/2021	Nausea, migraine, Joint pain, body aches, weakness, blurry vision. Tylenol was taken. Zero relief. Excedrin was taken for the migraine. Zero relief.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
983592	1/28/2021	VA	37	F	1/15/2021	1/22/2021	37yo female received first COVID vaccine It arm on 1/15/21. She denies any immediate adverse reactions. Day 6 (1/22) she c/o right ear pain. 1/23 continued ear pain with nasal congestion 1/24 symptoms continue with difficulty chewing about 1100am. 1700 c/o tongue -upper lip swelling and rt facial droop, forehead-eyebrow paralysis - to ER where diagnosed with Bells Palsy. ER provider dx viral like illness and bells palsy attributed to viral prodrome. Given tapering dose prednisone, Sudafed for congestion/ear fullness and ophthalmic eye drops. Seen by HCP 1/27 and again 1/28 with improvement of symptoms but facial droop continues. Pt states is better. Prescribed Valtrax Additional information for Item 18: Medical center notified of case and monitoring.
983582	1/28/2021	VA	82	F	1/27/2021	1/27/2021	Patient observed for 15 minutes, then went to her car with her daughter, then started having slurred speech, right eye twitching and right hand clenching.
983543	1/28/2021	KY	35	F	5/21/1985	1/28/2021	Day after I received the shot. Late last night, my arm hurt but I was expecting that. This morning I was in pain, and my eyes hurt and I had a headache. I had my regular medication plus Tylenol and breakfast (toast and orange juice) this morning. By 10 am, I was extremely dizzy, and did not feel safe to walk. I?m too weak to fill out this form myself
983461	1/28/2021	KS	41	F	1/28/2021	1/28/2021	Dizziness, blurred vision, clammy hands, head pressure. Monitored for an hour. Sent home.
983626	1/28/2021	AR	62	M	12/18/2020	12/20/2020	The fist day I started feeling dizzy and stomach didn't feel good. On the second day I started having problems with my vision in my left eye, I went blind for 20minutes. When I did get my Vision back I got and slight headache. About 3am in the morning, I woke up like someone hit me in the head with a hammer. After that every second or third day the pain would come back and it would be worse, it brought tears to my eyes. I started taking Tylenol but then it stopped working. it kept kept getting worse and I went to see my Dr. and she put me on some medication, but they did work and she sent me to a Neurologist and he put two medications. They seem to be working, I'm not having them as much. I'm calling tomorrow to see when my appointment is scheduled.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
983942	1/28/2021	NY	36	F	1/23/2021	1/23/2021	Immediately felt tightness in chest. Has continued on and off many times a day to this time. Continues now along with periods of difficulty breathing. Today upon waking tightness in chest felt intensified and continues now (evening). Midday experienced sudden vertigo and double vision lasting over a minute along with dizziness. I had already eaten lunch. Primary Dr ordered me to emergency room. Extensive testing along with chest x-ray and EKG performed. No abnormalities were found. ED doctor said a State test of some sort would tell us if it is an actual allergic reaction or an intensive immune response. He said it would take a few days for results. I was given diagnosis of vaccine reaction and sent home for rest. Advised to return if symptoms get worse. Tightness in chest continues at this time. Fatigue and headache have also returned.
1025694	1/28/2021		41	F	1/20/2021	1/21/2021	body aches, fatigue, sore arm, facial swelling under eyes/cheeks on 1/22/21
985285	1/28/2021	CA	41	M	12/22/2020	12/24/2020	eye twitching - constant. seen by PCP , lab work ordered
985111	1/28/2021		40	F			Patient is a healthcare worker who received the first dose of the COVID-19 vaccine. Later that day, patient had excessive fatigue and some site injection pain. The next morning patient has loss of consciousness witnessed by husband. At the same time patient was drooling, not speaking clearly, and then eyes rolled back in her head, and passed out for a few minutes.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
984694	1/28/2021	WA	45	F	1/6/2021	1/12/2021	1/6/21 Received Pfizer COVID vaccine part 2. 1/12/21 Went to urgent care for mild swelling and numbness on left side of face, scalp, ear. Also very dry flaky skin. Given desonide cream, and instructed to take Claritin 1/13/21-1/15/21 Took Claritin, and all symptoms resolved except for dry skin 1/16/21-1/17/21 Did NOT take Claritin 1/18/21 Mild facial numbness, on left. Took Zyrtec-D, symptoms improved 1/19/21 No apparent numbness. Took Claritin 1/20/21 Possibly hint of numbness. Extremely dry skin and scalp. Took Claritin. Used desonide. Only skin around eyes slightly swollen. 1/21/21 Mild-mod numbness on left side of face. Extremely dry skin and scalp. Face feels warm. Took Claritin
984029	1/28/2021	TX	72	M	1/27/2021	1/28/2021	I had the right side of my face not moving correctly. Afraid I was about to have a stroke, (similar symptoms), I was taken by EMS to the ER at Hospital. They diagnosed it NOT to be a stroke, or TIA, but rather Bells Palsy. I was given three medications : 1. valACYclovir 1,000 MG TAB. TAKE ONE TABLET BY MOUTH EVERY 8 HOURS (FOR SEVEN DAYS). 2. predniSONE (DELTASONE EQ) 50 MG TAB. TAKE ONE TABLET BY MOUTH EVERY DAY FOR SEVEN DAYS. 3. ERYTHROMYCIN (ILOTYCIN) 5 MG/GM OPTH OINT. APPLY TO RIGHT EYE AT BEDTIME.
982812	1/28/2021	MO	30	F	1/22/2021	1/22/2021	General malaise starting almost immediately, and then about 12 hours after vaccine, developed: -Fever (102.0) - Chills -Numb digits (toes and fingertips) -Sore joints and muscles -Headache -Lightheadedness and loss of vision - Memory loss and difficulty concentration. With Tylenol (no ibuprofen, allergic), was resolved within 36 hours.
983783	1/28/2021	IN	21	F	1/28/2021	1/28/2021	Right eye swelling after waking up around 4PM
982678	1/28/2021	WA	28	F	1/2/2021	1/2/2021	She immediately started having hot flashes after receiving vaccination, that have not resolved since time of patient reporting ADR on 1/14/21 (~12 days in duration). She also experienced a bad headache with blood vessel rupturing in her eyes.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
983784	1/28/2021	VA	39	F	1/26/2021	1/26/2021	Extreme headache beginning 10 hours after vaccination. Increased blood pressure due to pain and pressure behind eyes. Sinus pressure and pain. Headache lasted 6 hours until treated with 600 mg ibuprofen. 10/10 pain. 102 degree fever. Arm completely immobilized and unable to lift above waist beginning 6 hours after vaccine until approx 24 hours post vaccine.
983882	1/28/2021	NY	24	F	1/5/2021	1/6/2021	around 4AM of 01/06/21 (approximately 10 hours after receiving injection) I woke up with stomach cramps, feeling as if I needed to have a bowel movement which is extremely unusual at that hour. I went to the bathroom and ended up having extreme diarrhea. Went back to sleep, proceeded to wake up at 7am for work (I work at a hospital). Went to work, temperature upon arrival to work at 8am was 96.7. Didn't start to experience any other symptoms till around 10-11am. Developed a headache and thought, "hm this is weird, I haven't had a headache since I had COVID but I hope it goes away soon." Then I went to lunch at noon and everything hit me all at the same time - freezing and sweating profusely, headache became so debilitating that it was burning/hurting my eyes, uncontrollably shaking, felt so weak (body aches all over, everything hurt). Took my temperature while I was at home for lunch and it was 101.5 and my heart rate was 160 (my heart rate is usually high because I take a stimulant but it is never that high). Went back to the hospital because I wanted to go to the ER and needed to get the rest of my belongings anyways. The ER physician and staff found the same things when doing initial vitals - high fever and heart rate. I made the ER physician aware of the fact that I had just received the vaccine the night before while also just having had COVID less than one month prior. I was instructed to go home at that point to get rest and recover. For the rest of the day on 01/6/21 and all of 01/7/21 I had to take off work because of adverse symptoms and effects. For all of 01/7/21 I was extremely fatigued and the headache never went away until 01/08/21. On 01/08/21 I returned to work and symptoms diminished.
983871	1/28/2021	NJ	19	F	1/14/2021	1/22/2021	I've had a weird pressure feeling on the left front of my face, sinus-like pressure that also effects my left eye and dizziness, tiredness to accompany it. tried to take ibuprofen and Tylenol to help it, it didn't help

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
983864	1/28/2021	NJ	58	F	12/18/2020	12/18/2020	Headaches daily on an off, specifically left eye, for approximately 10 days starting on 1 day of vaccine Diarrhea approximately 14 days starting on day 1 Dizziness on and off for approximately 10 days starting on day 1 Rheumatoid arthritis flare up, left shoulder 2 days, unable to move shoulder, day 7 & 8 after vaccine Small rash on left chin starting day 10 after vaccine Was seen by my primary care physician on day 11. Was advised to restart my hydroxychloroquin medication 200mg 2x's daily for rheumatoid arthritis (I had not been taking this for several months) Was given Medrol dose pack which was started on day 15 after vaccine All symptoms subsided after finishing Medrol pack. I continue to stay on the Hydroxychloroquin 200mg 2X's daily for rheumatoid arthritis I was advised by my physician not to receive the 2nd dose Was advised to get J&J vaccine when available (I find this questionable)
983855	1/28/2021	MD	37	F	1/1/2021	1/27/2021	Approximately eight hours after receiving the vaccine I started feeling chills and body aches. I then went to bed. I was awoke shaking from being in such significant chills my body hurt all over through the bones something I have experienced in a long time. I continue to try to sleep and rest the best I could but I stood up in the morning I felt tunnel vision and thought I was going to pass out I laid on the ground at a safety and collected myself over the course of five minutes. When I stood up I immediately thought I was going to vomit Splash cold water on my face I force myself to eat and drink and take Tylenol and symptoms lessened but remained over the entire course of the following day another 24 hours. I'm about to go to bed and I will not know how I feel in the morning but this is definitely something I did not expect. My entire doctors office received vaccination on the same day out of a group of 15 people two of us had severe reaction similar to what I described and the other female that felt sick like me had worse symptoms and high fevers with the stores as well she has remained out of work as a result of her symptoms. We are both nurse practitioners so it's not easy to cancel our schedule. I ended up tapping out today despite my leftover post vaccine side effects.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
983825	1/28/2021		34	F	1/22/2021	1/22/2021	Day 1- very dizzy, peel , left arm was numb and very cold. Day 2- very dizzy, headache, body aches and fever my left arm was numb I was very cold. Day 4-very dizzy, body aches., and I slept all day. I tried waking up and I was unable to do so. Day 5- still very dizzy, I had problems breathing and I was very ache. In addition I had palpitations and blood pressure will go up and down. My heart rate was low my eyes turned red. Day6- still very dizzy, I stayed in bed rest as per my doctor for the next 48 hrs. Day 7- not as dizzy but my arm still red and swollen from the injection.
983958	1/28/2021	CA	61	F	1/26/2021	1/26/2021	after vaccination, pt left pharmacy fine with no immediate AE, but on 1/28/21 she reported that at on 1/26th midnight she experienced body ache, swelling of face and puffy eyes, but not lips, or tongue. Pt stated she had mild difficulty breathing but she is smoker and had breathing problem before. Pt did not receive any medical treatment, and stated that after 15 hrs (next day) she felt normal and much better.
983960	1/28/2021	OR	56	F	1/11/2021	1/12/2021	On 1/12 -1/15 worst migraine and left eye pain of my life. Saw retinal specialist 1/15. On 1/15 saw my PCC provider. Woke up 1/17 with blurry vision and continued eye pain. Talked to my Rheumatologist 1/19. I saw my PCC in person 1/20. Got sent to ER got admitted. Had an MRI and a lumbar puncture. I was diagnosed with optic neuritis by the neurologist. I continued to do 5 days of out pt iv steroids.
982811	1/28/2021	MO	30	F	1/5/2021	1/5/2021	immediate tingling in injected arm which went after 10 minutes photophobia and blurred near vision 30 mins after vacc 8 hours after vacc: severe headache, chills, joint pain over whole body, extreme fatigue, sinus congestion. these lasted over 24 hour period.
982888	1/28/2021	PA	56	F	1/6/2021	1/7/2021	Vision so blurry (in both eye) I couldnt read. Sensitivity to light, unable to read street lights. Went home and by about 3pm I received a text and was able to read again. Things went back to "my" normal
982871	1/28/2021	PA	48	M	1/27/2021	1/27/2021	Nausea, Chills, Headache, Fever, Tired/Sore muscles & joints, irritation to eyes and throat, and cough.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
982860	1/28/2021	NC	35	F	1/27/2021	1/27/2021	Employee states she has neck stiffness, fever, chills, migraine, entire right side of face is drooping, mainly eye. smile uneven. pain behind ear. Evaluation/Treatment was recommended but employee has declined.
982855	1/28/2021	OR	50	M	1/25/2021	1/26/2021	First dose: headache, malaise Second dose: left arm sore, tender. Left arm swelled up to the size of a goose egg and I was unable to lift my left arm from my left side. Low grade fever, body aches, eyes looked sunken in, felt exhausted. I felt like I had the flu. I missed three days of work after the second dose. I took ibuprofen and iced the left arm and rested. I never had a reaction to the influenza vaccination in forty years. The first dose, I did not miss work. And the side effects went away the next day.
982840	1/28/2021	TX	33	M	1/28/2021	1/28/2021	Patient passed out. Witness (girlfriend) reports patient's eyes rolled to the back of his head and his foot hit the gas when waiting in observation area. Symptoms started about 5 minutes after vaccination. Patient reports mild lightheadedness and has history of passing out with needles (panic attack). Patient was observed by EMS and was cleared after 20 minutes.
982923	1/28/2021	CA	54	F	1/1/2021	1/26/2021	I got the shot on January 26, at the fairgrounds At 12:45 PM, Went home By 330 pm my hand is swelling And I couldn't even get my rings off. I had pains from my neck all the way down to my hand. Then on the 27th in the morning when I woke up my whole face was swollen lips eyes cheeks and it was burning like fire.
982814	1/28/2021	CO	49	M	1/27/2021	1/27/2021	Pt received dose #2 Moderna COVID vaccine. Reported tachycardia, dizziness which resolved spontaneously and immediately, R eye tightness. Patient reports similar symptoms associated with first vaccine but occurred that evening. Patient reports symptoms resolved quickly. Patient with VSS and no acute distress noted during visit. Discharged home without escalation of care or intervention. Entered by PSS for tracking.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
982724	1/28/2021	IL	62	U		1/14/2021	Within 2 hrs after injection: wave of nausea with dry heaves and dizziness, elevated Blood pressure and heart rate. Severe headache frontal involving left eye, upset stomach, jittery feeling inside like anxiety attack( never had before), cough. Few days later add wheezing, shortness of breath
982772	1/28/2021	MA	68	F	1/25/2021	1/26/2021	Temperature 99.5 - usually run in 96 to 97 range. Body aches. Eyelids swelled and were red.
982720	1/28/2021	NY	32	M	1/28/2021	1/28/2021	Approximately 1.5hrs after receiving the vaccination my vision began blurring. It's as if my eyes do not focus. I'm submitting this about 4 hours after receiving the vaccine and my vision is still blurred. I am not experiencing any other side-effects at this time except for a sore arm at the injection site.
982691	1/28/2021	WI	41	F	1/22/2021	1/22/2021	DEVELOPED TACHYCARDIA, LIMB NUMBNESS, VISION LOSS, WARM FEELING IN BODY WITHIN 30 MINUTES OF VACCINE
982690	1/28/2021	VT	64	F	1/18/2021	1/23/2021	Started with itchy left eye 6 days (Friday) after 2nd shot then within the next 2 days I developed a painful rash around the left eye and left forehead going up to hairline. Next day rash became blistery so I went to see my PCP and she said I have shingles, ordered Valtrex and gabapentin.
983444	1/28/2021	NC	85	F	1/13/2021	1/22/2021	Pin prick feeling in right scalp, 1/23. pink patches on forehead, painful feeling in right eye, swelling eyelid. much soreness on forehead and six inches into scalp during the next two days. small blisters developing, diagnosis - Shingles
984010	1/28/2021	NM	63	F	1/25/2021	1/25/2021	Vertigo for 2 hours- stayed low to the ground so I wouldn't fall. It's been 3 days since my vaccination and I still feel slight vertigo once in awhile Blurred vision for 2 hours Nausea for 2 hours

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
982837	1/28/2021	CO	49	M	1/27/2021	1/27/2021	Pt received dose #2 Moderna COVID vaccine. Reported tachycardia, dizziness which resolved spontaneously and immediately, R eye tightness. Patient reports similar symptoms associated with first vaccine but occurred that evening. Patient reports symptoms resolved quickly. Patient with VSS and no acute distress noted during visit. Discharged home without escalation of care or intervention. Entered by PSS for tracking.
983272	1/28/2021	NH	42	F	1/22/2021	1/23/2021	Reports within 10 minutes of receiving the vaccination felt lymph nodes throbbing under left arm . The pain traveled to the left elbow to the left wrist.. The next day 10:30 am, felt tachycardia, c/o blurred vision with a bad headache. Waited a bit for son to finish his activity and drove self to the Fire Station. HR was 258/minute can't remember diastolic BP but systolic BP 145. Received 2-doses of Adenosine on the way to the hospital. HR down to 145/minute in ER. Received Toradol for headache which was unrelieved. Received EKG, blood work, CT lungs. Resting HR on discharge in the 120's. 1/24/2021 Continued to feel poor with back pain making it difficult to breathe, body aches, headache and pain at the injection site. Was able to return to work on 1/26/2021
983392	1/28/2021	CA	24	F	1/24/2021	1/27/2021	Headache behind eyes
982702	1/28/2021	GA	40	F	1/16/2021	1/19/2021	I started noticing vision changes a few days after receiving the vaccine and went to the eye doctor. I was told I had white blood cells in my aqueous fluid which appeared to be an inflammatory response to something. The official diagnosis was uvetis. There was not really any explanation for what could cause this. I do not have any history of eye problems or autoimmune conditions. I was put on steroid drops and dilating drops. I have had two follow up appointments and have been improving. I also noted a large lump and redness at the sight of injection one week post shot. That has since cleared.
983000	1/28/2021	NY	63	F	1/25/2021	1/25/2021	DOUBLE VISION 4 HOURS LATER , ALSO AT 22, 30, 55 AND 60 HOURS AFTER VACCINATION RESTED, CLOSED EYES TILL IT SUBSIDED EACH TIME THE DURATION WAS SHORTER

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
983426	1/28/2021	KS	30	F	1/27/2021	1/27/2021	Had redness and mild hives with first COVID vaccine on 12/30/2020. On 01/27/2021, she had dizziness, lightheadedness, redness to face, glassy eyes, elevated blood pressure. Was given Benadryl 50 mg IM. Cool towel to forehead. After 2 hours, had her husband pick her up. Monitored vital signs.
983348	1/28/2021	FL	72	F	1/8/2021	1/24/2021	DROOPING ON RIGHT SIDE OF FACE, EYE LID, RIGHT CHECK, RIGHT SIDE OF MOUTH, HEADACHE N SOME RIGHT EAR DISCOMFORT, EYE IRRITATION. CAT SCAN DONE AND ALL SHOWED OK AND THE FINAL OUTCOME ITS BELLS PALSY

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
983369	1/28/2021	IL	49	F	1/21/2021	1/21/2021	1/21/21 Vaccine given at 4:30pm CST. By 11:30pm, felt feverish, started chills and headache. 1/22/21-3:30am- body and joint aches started and chills worsened, headache continued 6:30amCST-chills continued, body and joint pain worse. Took 2 Excedrin to help. 10:30am- fever of 100.3 noted. Continued with chills. Arm visibly red and sore. Swelling started in arm at injection site. 12:00pm- dizziness started. Tunnel vision, and almost passed out. 1:30pm- dizziness worsened, and weakness started in legs. 2:30pm unable to stand without assistance. Left work because unable to continue working and called the doctor. Went home, and started to drink electrolyte supplements. 5:30pm- fever went up to 102.5. Unable to stand without assistance and experienced extreme dizziness. Frequent urination at that time. Arm developed a very large swelling about the size of an egg at the injection site, and was very red. Glands under the arm started swelling, and experienced pain if I tried to lower my arm to my side. Chills continued, joint/muscle/bone pain continued. Became nauseated from the dizziness. Took 2 additional Excedrin for fever and pain. Could not sleep due to the pain in my joints and bones, and pain under arm from glands. 1/23/21 3:30am- Frequent urination during the night. Finally regained ability to stand on my legs, and dizziness started to lessen. 8am Remained on the couch all day except to use bathroom. Fever reduced to 100.1. Continued to use Excedrin as needed for joint/muscle/bone pain. Arm too sore to touch, and swelling protruding from muscle size of a large egg. Very red, hot and itchy as well as pain. 1/24/21- A.M.- most of the dizziness subsided, with just occasional issues. Temperature went back to normal. Still severe pain at injection site with swelling, redness, and itching. Some joint/muscle pain still. 1/25/21- Mostly Arm/injection site issues. Still red/painful, swollen, and itching. very mild joint/muscle pain. 1/26/21- Arm/injection site issues more mild. Swelling reducing, pain & itching reducing. Glands under arm reduced, and pain reducing. 1/27/21- Slight redness at injection site. Swelling down to size of a grape. Slight pain & Itching. Glandular swelling & Pain completely gone. 1/28/21- A.M- No symptoms at all. By 9am, started having twitching/muscle spasms on Left side of scalp above ear. Progressed and worsened through day. By 4pm, spasms and twitching lasts bursts

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							of 2-3 minutes. then stop for 15-20 seconds. Consulted with physician, and concerned about vaccine related issues. Muscle relaxer prescribed. **This is when I submitted the report- symptoms are continuing with the scalp spasms.
983270	1/28/2021	IL	36	F	1/6/2021	1/6/2021	1) facial numbness/tingling on L side that occurred about 1 hour after injection and lasted less than 15 minutes. resolved spontaneously. 2) L arm pain started several hours after vaccine and lasted 4-8 hours. resolved spontaneously 3) unsure if related to vaccine, but R eye twitching began 1-2 days after vaccination until present, although less frequently. initially was several times per day x several days. now occurs few times per week and is less intense.
983263	1/28/2021	CA	71	F	1/18/2021	1/18/2021	Fever of 102 followed by facial swelling that looked like she'd been in a fight almost it was so swollen her eyes could barely open. Then her face looked like it was covered in burns and started to scab over. We photographed her over the next 3-days and the burn like marks on her face started to scab over and swelling went down. The doctor believed from looking at the photos that it may have been shingles. Also had major fatigue.
983216	1/28/2021	WA	71	M	1/24/2021	1/28/2021	peri-orbital, non-inflamed, swelling left eye region
983007	1/28/2021	OH	80	F	1/1/2021	1/28/2021	2 hours post vaccination nurse noticed angioedema in 1 eye and puffiness in the other eye. Nursing staff gave 25mg of Benadryl and used a cold compress. Swelling went down quickly and patient is doing well.
983206	1/28/2021		43	F	1/27/2021	1/27/2021	A few hours after the vaccination I started to feel dizzy and my mouth started to feel strange. It continually got worse and around 5pm I was having a hard time swallowing and it kept getting worse. I felt like i was choking. I could breath fine and speak the whole time. Due to the later hour i went to the ER where after examine gave epinefrin. The Dr examined my throat by eye and x-ray. He saw no signs of swelling. He hypothesized this was an anxiety reaction as none of the symptoms indicated allergic reaction

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
983182	1/28/2021	TX	30	F	1/28/2021	1/28/2021	Patient ambulated to the clinic waiting area for observation immediately after vaccine was administered. Upon entering the room patient stated that she felt dizzy, patient was assisted to sit down, she immediately became verbally unresponsive to questions, her left arm and left leg became rigid, dorsiflexion of the left wrist occurred, she exhibited rapid horizontal eye movements bilaterally, approximately 15 seconds later patient was able to respond appropriately to questions and stated her name. Oxygen was placed via nasal cannula at 2Lpm, vital signs were obtained BP 118/75 pulse 79 oxygen saturation 100% on nasal cannula 2Lpm, patient was given orange juice and peanut butter cookies, blood glucose was checked by ancillary staff. patient was seen by the staff doctor and was cleared to leave. Patient's husband arrived and she left the clinic with him. She reported he would be driving her home. Oxygen was removed by the physician and she reported that the patient was stable on room air. Patient reported that she was feeling good. Patient left the clinic ambulatory without assistance with her husband.
983119	1/28/2021	PA	60	F	1/28/2021	1/28/2021	Approximately 1 hour after receiving the vaccine had facial tingling on the right side of face. Was driving when it happened. One of the physicians were available at vaccine site, was told it was probably neuralgia, possible Bell's palsy, to continue to monitoring it, and to report back if symptoms got worse. If the symptoms were severe enough they will give steroids. She updated him 30 minutes prior to this, it has not gotten any worse, but her right eye is not closing right, advised to get wetting drops like tears, and if she had trouble swallowing, breathing, or any worsening to go to the ER. Told her to report to him in the morning. Works in the same office with the doctor and will see them and continue to have it monitored. Will let them know if she could report to work. Checked with employee health who cleared her for work, but to check in the morning if the symptoms progressed.
983022	1/28/2021	WA	51	F	1/26/2021	1/27/2021	Sore Rt arm, chills, low grade temp, body aches, headache started 12 hours after injection for 36 hrs. Swelling under Rt eye began almost 24 hours after injection and continues to be swollen.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
983090	1/28/2021	WI	54	F	1/11/2021	1/11/2021	Symptoms: fatigue, dizziness, headache, nausea, shortness of breath, body aches, congestion, runny nose, ear pain, blurred vision starting at 5 pm day of injection, and swelling and rash at the injection site on 1/23/2021.
977838	1/27/2021	WI	44	F	1/27/2021	1/27/2021	Complained of blurred vision, and feeling lightheaded and dizzy. Vital signs were within normal limits. O2 saturation normal. Started about 15 minutes after vaccination and lasted another 15 minutes. No medications or other interventions needed. Will follow up with their physician.
977923	1/27/2021	OH	37	F	1/25/2021	1/26/2021	pt started having swelling in face, neck, and eyes the day after receiving vaccine.
977919	1/27/2021	TN	48	F	1/12/2021	1/26/2021	first 48 hours tired, burning eyes and mildly sore arm 2 weeks later woke up with at least 3in red inflamed mark at injection site. Very hot, itchy and hurt to touch anywhere around it. entire arm from shoulder to hand is a bit tingly but functional. Call my family doctor that suggested i get it checked out. I went to clinic and they gave me a steroid shot, started me on a steroid dose pack and benadryl. I am to contact them 1.28.21 if not completely cleared up. Then they plan on starting me on antibiotics incase of infection.
977878	1/27/2021	IL	36	F	1/8/2021	1/16/2021	Second day after vaccine had joint pain and chills third and 4 day stomachache. 1 week after started having neck pain on my left side until now and irradiate toarse my shoulder and arm p to my hand on left side also random days present dizziness when I lie down blurry vision. on January 19 had neck pain shoulder pain and headaches on left side too went to Dr. and his medical diagnosis was muscle spasm might be induce due to stress pre-scribe Diazepam 5 mg . start taking it on Wednesday January 20-2021 but Saturday January 23 my upper lip started getting swollen , IL STOP THE MEDICATION ON MONDAY JANUARY 27 LIPS got better but still filling burning sensation inside mucosa on left side of the lip. still mild swollen started taking Zyrtec my concern is second doses of Pfizer vaccine is this Friday 29 should I get it or wait ?? what I Have could be effects from first Dose??.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
977875	1/27/2021	IN	35	M	1/25/2021	1/26/2021	I have previously had my right eyelid and eye area swell due to an allergic reaction. The last occurrence was about a year prior to this current event. I'm not entirely sure it is related to the vaccine, however my right eye swelled shut over night. I have no other adverse events. Today, I have taken OTC allergy medication, allergy eye drops, Benadryl, Pepcid, and Ibuprofen. The swelling is now going down.
977798	1/27/2021	CA	34	F	1/25/2021	1/25/2021	First one fatigue and soreness on injection site. Second on Migraine, chills fatigue the day of the vaccine. next day sleep a lot, Dealing with fever, chills, body aches real bad. Tightness in her chest. Took anxiety medication, diarrhea and vomiting, knees hurt so bad she could not walk. Arm real sore migraine so bad she barely open her eyes sensitive to light. Called the advise nurse and she advised her get a COVID test and she has an appointment with physician today.
977856	1/27/2021	NY	31	F	1/5/2021	1/5/2021	Patient reports onset of "ball in throat" sensation and metallic tasted in mouth after 1 minute of vaccine injection. This was followed approximately one minute later with tongue numbness, tingling, swelling. She did not report difficulty breathing and dismissed her symptoms as "anxiety". She continues with sensory loss on the right side of her face with paresthesia around the right eye. She has seen her PCP for this condition at time of call.
977658	1/27/2021	MI	66	F	1/12/2021	1/21/2021	New Sudden onset of flashers, floaters, vision loss left eye.. with 2 intraretinal hemorrhages...
977819	1/27/2021	VA	45	F	1/12/2021	1/27/2021	RED CIRCULAR RASH ON UPPER LEFT ARM AT INJECTION SITE. WARM TO TOUCH AND ITCHY. I WOKE UP WITH IT ON MY ARM THIS MORNING. I HAVE NOT PUT ANYTHING ON IT. I'M JUST KEEPING AN EYE ON IT TO SE IF IT GETS WORSE.
977664	1/27/2021	WI	39	F	1/7/2021	1/25/2021	Reinfected with COVID-19 after caring for a child with an active infection As best I can recall, these are when each of my symptoms started 1/24 Abdominal discomfort and nausea 1/25 Extreme fatigue, dry cough, chest tightness, body aches, sore throat, worsening headache 1/26 Ear pain, face feels tingly like when a cold sore is starting, neck pain/tension 1/27 Eye pain/burning



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
977653	1/27/2021	WI	59	F	1/22/2021	1/25/2021	A Few hives on my neck and left eye. Started 1/24/21. Slowly subsiding. Sinus congestion and pain from back of right side of head into my shoulder. My vaccine was given in the left arm.
977860	1/27/2021	NE	53	F	1/23/2021	1/23/2021	Day 1 Within 10 min of shot ? pain at sight Within 1 hr of shot ? pain at sight, nausea 7 pm in bed Day 2 Had hot/cold spells, body aches in night while sleeping Nausea Headache Tiredness Developed bright redness around both eyelids with burning Biceps and Quads felt numb 8 pm in bed Day 3 Called in sick to work due to the excessive nausea Backache All other symptoms gone 9 pm in bed Day 4 Still had slight nausea and was going to come to work but missed due to weather 9 pm in bed Day 5 Back at work Very very slight nausea
977961	1/27/2021	TN	66	M	12/30/2020	1/19/2021	january 19th during lunch, experienced a slurring of speech, left eye and left side of mouth droop. unable to hold in fluids. went to ED, stated all the tests were normal. air flighted to higher level of care facility for neurology. MRI/ CT negative. work up for stroke unfounded. 1/26 ENT visit- no definitive diagnosis. treatment with levaquin and steroids.
978028	1/27/2021	VA	93	M	1/25/2021	1/26/2021	Resident noted with left eye drooping on 1/26/21. On 1/27/21, resident has left eye and mouth drooping.
978034	1/27/2021	MA	35	M	1/20/2021	1/25/2021	Inmate diagnosed with Bells palsy. Right sided facial droop, inability to close right eye completely, paralysis of right cheek.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
978047	1/27/2021	IN	39	F	1/25/2021	1/26/2021	The next morning after my vaccine I went into work feeling a little achy and a slight headache then by 8:00am I felt like a train hit me, my body was chilling, shaking despite being in front of a heater, I had a low grade fever, my right side of my head hurt so incredibly bad like my right eye was going to explode, I then started vomiting. My boss came to help walk me outside because I didn't even feel like it was me walking. I don't remember walking out of work. I was there but ?not there?. I was not myself. I didn't feel like i was in my body. I had to have my husband come get me from work, I slept most the rest of the day and night. Now I'm on day 2 and my joints still ache, my head hurts so bad, I am so tired I either am asleep on the couch or in bed. I have no energy. It takes everything I have to move just to go to the bathroom.
978077	1/27/2021	OH	76	F	1/21/2021	1/23/2021	1/23/2021 extreme vertigo at 10:00 AM lasting aabout 2 minutes 1/25/2021 at 4:00AM woke out of a sound sleep with strange sensation of spinning. closed eyes tights and fell back asleep That morning upon waking at 6:00 AM and getting out of bed, I could not walk and I was extremely dizzy. I made myself get up and all i could do was stumble. Had to hold on to wall. could not put one foot in front of the other. My head felt very heavy like it wasnt attached right..... after Deep breathing and other calming techniques during the day, I was able to walk straight. Tues 1/26/2021 I contacted my Doctor and told him my story. 1/27/2021 I developed a rash across my nose and cheeks which is today.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
976736	1/27/2021	NY	51	M	1/11/2021	1/1/2021	<p>he had 102.1 temp; he started not feeling well; chills; ringing in ears/ The ringing was in both ears; body aches; joint aches; fatigue; lymphadenopathy/had swollen lymph nodes like the size of an apple; he was uncomfortable; His eyes were also hurting; The light bothered his eyes; This is a spontaneous report from a contactable Other HCP (patient) and a contactable Nurse (patient's wife). A 51-year-old male patient received the 2nd dose of bnt162b2 (BNT162B2, Batch/lot # EL3246, Expiry Date Apr2021) at single dose at left arm on 11Jan2021 18:00 for Covid-19 immunisation, administered at hospital as being a certified registered nurse anesthetist (CRNA). The patient medical history was none. There were no concomitant medications. The patient received the 1st dose of bnt162b2 (BNT162B2, lot # EK5730, expiry: 31Mar2021) at single dose at left arm on 23Dec2020 for Covid-19 immunisation and he has been fine, no adverse effect occurred. No additional vaccines administered on same date of BNT162B2. The patient experienced lymphadenopathy which is a size of tennis ball under my left armpit /had swollen lymph nodes like the size of an apple in his left arm in the axillary area, where he received the vaccine on 12Jan2021, he started not feeling well on 12Jan2021 around 9.00, he had 102.1 temp Fahrenheit on 12Jan2021 17:00, chills on 12Jan2021, ringing in ears/ the ringing was in both ears on 12Jan2021, body aches on 12Jan2021, joint aches on 12Jan2021, fatigue on 12Jan2021, his eyes were also hurting on an unspecified date in Jan2021, the light bothered his eyes on an unspecified date in Jan2021. The patient underwent lab tests and procedures which included body temperature: 102.1 fahrenheit on 12Jan2021, he was uncomfortable on 12Jan2021, body temperature: 100 and something fahrenheit on 13Jan2021. The outcome of lymphadenopathy/had swollen lymph nodes like the size of an apple was worsened, of he had 102.1 temp, ringing in ears/ the ringing was in both ears was not recovered, he started not feeling well, his eyes were also hurting, light bothered his eyes was unknown, chills, body aches, joint aches, fatigue was recovered on 13Jan2021. Course of events: Around 9AM on 12Jan2021 he started not feeling well. By the time he got home from work he had 102.1 temp Fahrenheit around 5PM. Temp was ongoing. His eyes were also hurting. The light bothered his eyes. He can't</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>put his arm down. His left arm in the axillary area, where he received the vaccine, had swollen lymph nodes like the size of an apple. He had chills, ringing in ears, body aches and joint aches, and fatigue 12Jan2021. He was uncomfortable. The ringing was in both ears. On 13Jan2021 his temp was one hundred and something. What is concerning was the swelling in the armpit in the arm he received the vaccine in. It was very painful. It was starting to radiate up his arm. He did not go to the doctor, since he was relatively healthy. No event required a visit to Emergency Room or Physician Office. The reporting Nurse assessed the events he had 102.1 temp, His left arm in the axillary area, where he received the vaccine, had swollen lymph nodes like the size of an apple as serious as medically significant. The reporting Nurse assessed the events he had 102.1 temp, His left arm in the axillary area, where he received the vaccine, had swollen lymph nodes like the size of an apple, chills, Ringing in ears, body aches and joint aches, and Fatigue as related to BNT162B2.; Sender's Comments: Based on a compatible temporal association and known product safety profile, causality between events lymphadenopathy and fever and BNT162B2 COVID-19 vaccine cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.</p>
978085	1/27/2021	NC	31	F	1/26/2021	1/27/2021	<p>Within 1-2hrs after vaccine, patient began sneezing repeatedly for the remainder of the day. Sore arm, chills, body aches, HA. Patient is breastfeeding. 24hr later, infant began rubbing bilateral eyes and has redness on skin bilaterally. No conjunctivitis. Eating w/o difficulty and otherwise acting fine. Did sleep longer than usual.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
978517	1/27/2021	AL	28	F	1/21/2021	1/21/2021	My arm started to hurt , tingled and then turned into feeling very heavy as soon as injection was admitted. I suddenly became light headed and felt very abnormal. Broke out in hives on my neck and face . They took me to the ER department and by the time they wheeled me down the hall I was white , very disoriented. Couldn't open my eyes and went from slurred speech to I couldn't speak at all and couldn't swallow. My throat and closed and I was having a anaphylactic reaction . They administered epi pen , pepcide and steroids. Since then I have been very weak , running a fever , tired , dizzy . Can hardly walk and I get out of breath from standing or walking .My muscles are very sore and have spasms . Almost last night I went to the ER due to theses symptoms lingering. I have been unable to work since the vaccine was administered to me .
978707	1/27/2021	NY	63	F	1/25/2021	1/25/2021	Double vision started about 10 hours after vaccine. Resolved but continued on and off over next 2 days.
977650	1/27/2021	TX	34	F	1/13/2021	1/21/2021	Initially, arm was sore and inflamed for about 4 days. I did not notice condition afterwards because pain had subsided. Approximately 8 days after shot, arm started to itch and I examined further. It was still very red and inflamed with knots under the skin. An area approximately 2" x6". I started to keep a closer eye on it and when it was not better the next day, I contacted my doctors office in the building where I received the shot. The nurse who responded had me photograph it and continue to monitor until the doctor could look at it on Monday (this being Friday afternoon). Friday evening I outlined the affected area with marker to see if it was worsening or maintaining the same level. By Saturday morning it had grown outside the marked line by about an inch, was warm to the touch, and was starting to hurt. I decided to not wait until Monday and called an urgent care to go doctor to look at. They examined and read temperature (head was 97.2, arm was 99.5). After consideration the doctor advised me to take benadryl that evening to see if it had any effect. If not I was prescribed Cefdinir 300mg antibiotic to take in the morning. Benadryl did nothing so I started taking the antibiotic and noticed marked improvement by day 2. Site is mostly gone now (4 days into 10 day antibiotic cycle).

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
976871	1/27/2021	TX	43	F	1/15/2021	1/15/2021	1st 24hrs= Rt (right) side Facial, cheek, jaw, swelling; 1st 24hrs= Rt (right) side Facial, cheek, jaw, swelling, numbness, tingling. Begin of Rt (right) eye pain, tingling, Rt (right) eye lower lid internal tenderness, softness, sensitivity to touch; 1st 24hrs= Rt (right) side Facial, cheek, jaw, swelling, numbness, tingling. Begin of Rt (right) eye pain, tingling, Rt (right) eye lower lid internal tenderness, softness, sensitivity to touch; 1st 24hrs= Rt (right) side Facial, cheek, jaw, swelling, numbness, tingling. Begin of Rt (right) eye pain, tingling, Rt (right) eye lower lid internal tenderness, softness, sensitivity to touch; 1st 24hrs= Rt (right) side Facial, cheek, jaw, swelling, numbness, tingling. Begin of Rt (right) eye pain, tingling, Rt (right) eye lower lid internal tenderness, softness, sensitivity to touch; 1st 24hrs= Rt (right) side Facial, cheek, jaw, swelling, numbness, tingling. Begin of Rt (right) eye pain, tingling, Rt (right) eye lower lid internal tenderness, softness, sensitivity to touch; 1st 24hrs= Rt (right) side Facial, cheek, jaw, swelling, numbness, tingling. Begin of Rt (right) eye pain, tingling, Rt (right) eye lower lid internal tenderness, softness, sensitivity to touch; 1st 24hrs= Rt (right) side Facial, cheek, jaw, swelling, numbness, tingling. Begin of Rt (right) eye pain, tingling, Rt (right) eye lower lid internal tenderness, softness, sensitivity to touch; eye lower lid internal tenderness; Behind lower Rt (right) ear pain, Rt (right) sided neck pain, Rt (right) side buttocks pain, Rt (right) side thigh pain, swelling, Rt (right) knee pain, and swelling; Behind lower Rt (right) ear pain, Rt (right) sided neck pain, Rt (right) side buttocks pain, Rt (right) side thigh pain, swelling, Rt (right) knee pain, and swelling; Behind lower Rt (right) ear pain, Rt (right) sided neck pain, Rt (right) side buttocks pain, Rt (right) side thigh pain, swelling, Rt (right) knee pain, and swelling; Behind lower Rt (right) ear pain, Rt (right) sided neck pain, Rt (right) side buttocks pain, Rt (right) side thigh pain, swelling, Rt (right) knee pain, and swelling; Behind lower Rt (right) ear pain, Rt (right) sided neck pain, Rt (right) side buttocks pain, Rt (right) side thigh pain, swelling, Rt (right) knee pain, and swelling; Behind lower Rt (right) ear pain, Rt (right) sided neck pain, Rt (right) side buttocks pain, Rt (right) side thigh pain, swelling, Rt (right) knee pain, and swelling; Dizziness; sleepiness; increased blood pressure and pulse; increased blood pressure and pulse; Then sleeplessness till 4am next day; This is a spontaneous report from a contactable Nurse A 43-years-old female patient started to receive BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot# unknown), via an unspecified route of administration on 15Jan2021 14:45 at single dose for covid-19 immunisation. Vaccine location was right arm. Medical history included attention deficit hyperactivity disorder

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							from an unknown date, hypothyroidism from an unknown date. The patient's concomitant medications were not reported. The patient previously took cipro [ciprofloxacin] and experienced drug hypersensitivity. The patient experienced 1st 24hrs= Rt (right) side Facial, cheek, jaw, swelling, numbness, tingling. Begin of Rt (right) eye pain, tingling, Rt (right) eye lower lid internal tenderness, softness, sensitivity to touch on 15Jan2021 15:15 with outcome of not recovered, behind lower rt (right) ear pain, rt (right) sided neck pain, rt (right) side buttocks pain, rt (right) side thigh pain, swelling, rt (right) knee pain, and swelling on 15Jan2021 15:15 with outcome of not recovered, dizziness on 15Jan2021 15:15 with outcome of not recovered, sleepiness on 15Jan2021 15:15 with outcome of not recovered, increased blood pressure and pulse on 15Jan2021 15:15 with outcome of not recovered, then sleeplessness till 4am next day (as reported) on 15Jan2021 15:15 with outcome of not recovered. Information on the lot/batch number has been requested.; Sender's Comments: Based on the time association, the possible contribution of suspect BNT162B2 to the events cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.
978791	1/27/2021	TX	43	F	1/19/2021	1/21/2021	Awakened with eye pain, severe light sensitivity, tearing. On 1/21/2021 I went to visit the optometrist and was immediately referred to the ophthalmologist for a same day appointment. I was told it looked like a herpetic keratitis (HSV 1 virus) by both physicians. I have a left corneal transplant. I have never had an HSV virus affect my eye in the past. The last fever blister I had was > 5 years ago. Treated with maxitrol qid, Acyclovir five times a day, Cyclogel bid. Severe light sensitivity resolved after about 24 hours. On f/u appointment on 1/26/2021 he said that the herpetic lesion was looking better. Eye pain resolved. I am continuing medication.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
978850	1/27/2021	IL	56	F	1/11/2021	1/11/2021	headache; fever; L Arm (injection site) pain/severe left arm pain; dizziness; blurred double vision and couldn't function; eyes wouldn't focus, Couldn't function; blurred double vision and couldn't function; eyes wouldn't focus, Couldn't function; This is a spontaneous report from a contactable nurse (patient). A 56-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; batch/lot number and expiration date unknown), via an unspecified route of administration on 11Jan2021 15:00 at a single dose in the left arm for COVID-19 immunization. The patient received the vaccine in a skilled nursing facility or long term care facility. The patient received no other vaccinations recently. Medical history included attention deficit disorder diagnosed at least 5 years ago for which the patient was taking Ritalin; hypothyroidism diagnosed a long time ago, probably 10 years and depression diagnosed a long time ago, probably at least 25 year, she takes a cocktail of anti-depressants for this (no further details provided about her anti-depressants). The patient also had a similar reaction of blurred double vision and couldn't function/eyes could not focus before when her doctor put her on an antibiotic (unspecified). The patient was also very overweight. Concomitant medications included methylphenidate hydrochloride (RITALIN; lot: unknown, expiry: 28Jul2021) for attention deficit disorder and the patient takes a cocktail of anti-depressants (unspecified) for her depression. The patient received the first dose of the covid vaccine on 11Jan2021 at 3 PM and by 5PM she was experiencing bad headache, fever, L arm (injection site) pain that was severe. Later that evening she had blurred double vision and couldn't function. She also got a fever of about 100 degrees Fahrenheit, was dizzy and her eyes could not focus and were almost like double vision but not quite, it was hard to explain. She just remembered that she had a similar reaction with her eyes before, when her doctor put her on an antibiotic. She cannot recall what antibiotic that was. The patient also experienced dizziness on 11Jan2021. The patient treated her side effects with ibuprofen and most of these improved. The injection was given in her left arm, her non-dominate one. She says that the pain was so bad it woke her up, and she doesn't take any pain meds, but that was really bad. She says that she took some Ibuprofen (lot: P113671, exp: Jan2022), about a



*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

total of 800mg over a few hours. Her fever had started pretty fast, by 05:00PM on the 11th, and it was better after taking the Ibuprofen, as was her arm pain, and headache. She says that the dizziness went away probably around 02:00AM the following day (12Jan2021). She says her eyes can focus again as well. The patient thinks that these effects are medically significant, mostly that her eyes were not able to focus, it was very scary. The patient stated that the purpose of this call is to have this documented, and possibly find out if there are recommendations that she should not get the second dose, since she had to call out of work because she couldn't function. The outcome of the event "blurred double vision and couldn't function; eyes wouldn't focus, couldn't function" was recovered on an unspecified date and dizziness recovered on 12Jan2021 at 02:00. The outcome of the event "she had to call out of work because she couldn't function" was unknown while the other events were recovering. Information on the lot/batch number has been requested.; Sender's Comments: The 56-year-old female patient had medical history included attention deficit disorder; hypothyroidism and depression and she takes a cocktail of anti-depressants for this. The patient also had a similar reaction of blurred double vision and couldn't function/eyes could not focus. Based on information reported, the reported double vision and difficulty focusing eyes were more likely due to pre-existing condition (s); and less likely causally related to the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE). The rest events fever, headache, vaccination site pain and dizziness were likely causally related to the use of vaccine due to plausible temporal relationship and known safety profile of this product. The case will be reassessed should additional information become available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
978074	1/27/2021	MA	29	F	1/26/2021	1/26/2021	Within 10 minutes she developed chest tightness, headache and chills which resolved without intervention but did require emergency department evaluation. Within 6 hours she noted drooping of her left eye similar to prior reaction which continues now (day1 after vaccination)
977127	1/27/2021	NC	50	F	1/26/2021	1/26/2021	Arm became sore mid-afternoon, about 8pm in the evening developed aches/tenderness on all skin surface areas. About 10pm developed headache, facial flushing, painful eyes, fever 101.3, rigors, and muscle cramps in feet and legs.
979066	1/27/2021	NC	57	F	12/30/2020	1/3/2021	12/20/20 received first vaccine of Moderna Covid series. Only experience fatigue for first couple of days. 01/03/21 - Around 2pm noticed 3 inch welt across right cheek by 5pm swelling under eyes and random itching around head, neck and face. Headed to doctor 6pm. Saw a PA who said symptoms were not from vaccine when I asked about possibility because of my Hashimotos Thyroiditis. They gave me a steroid shot and called in scrip for Medrol Pack. Later that evening I started also having bad flares of my asthma. Also continued on Benedryl. 01/05/21- started Medrol Pack and continued antihistamines. Very fatigued. 01/10/21-finished Medrol. Still slight welt on right cheek but everything else pretty good. 01/20/21- mid morning noticed welt growing in right cheek and eyes puffing up. By 5pm itching has returned. By 7pm there are now welts and hives on both cheeks and they are red and hot....asthma flaring badly. Took 30mg prednisone from my medication used for asthma. 01/21/21- things have calmed down redness wise but lots of fatigue. Took 20mg Prednisone. 01/22/21- back to doctor, another Medrol pack. 01/27/21- finished second Medrol pack. Still having slight welts and hives.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
978868	1/27/2021	WA	100	F	1/10/2021	1/13/2021	health has totally deteriorated; She sleeps, barely opens her eye; refuses to eat or drink; dizzy; didn't feel well; she can't talk, walk or anything; she can't talk, walk or anything; She is weak and frail; This is a spontaneous report from a contactable consumer (patient's daughter). A 100-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number and expiry date not reported), via an unspecified route of administration on 10Jan2021 at single dose for COVID-19 immunization. Medical history included dementia from an unknown date and unknown if ongoing and walking aid user from an unknown date and unknown (prior to the vaccine, she walked well with her walker). Concomitant medication included quetiapine. The reporter reported that the patient's health has totally deteriorated as of a few days after receiving the vaccine on 13Jan2021. She is dying. She sleeps, barely opens her eyes and refuses to eat or drink. Three days after receiving the vaccine on 13Jan2021, she said she was dizzy and didn't feel well. Now she can't talk, walk or anything. She is weak and frail. Prior to the vaccine, she walked well with her walker, ate well and had energy. The reporter visited with her and had conversations but the patient doesn't talk or respond. She is her daughter and POA. She lives in the facility due to dementia. No treatment was received for the events. The patient did not recover from the events. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
976756	1/27/2021	WI	59	F	1/12/2021	1/13/2021	chills; achy back; low fever; injection site pain; This is a spontaneous report from a contactable other health care professional. A 59-year-old female patient started to receive BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number el 3248 and expiration date not provided), intramuscular (right arm) first dose on 12Jan2021 12:00 at single dose for covid-19 immunisation. The patient's medical history included psoriasis, seasonal allergies, and If COVID prior vaccination: Yes. The patient's concomitant medication included oxymetazoline hydrochloride (CLARITIN EYE ALLERGY RELIEF), ergocalciferol (VIT D), vitamin c [ascorbic acid], and zinc. On 13Jan2021 07:00, the patient experienced chills, achy back, low fever, injection site pain. No treatment was given to the events. The outcome of the events was not recovered. No other vaccine was taken within four weeks and not tested for Covid post vaccination.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
976758	1/27/2021	CA	60	F	1/4/2021	1/4/2021	like an anaphylactic reaction but not in her throat; itching and inflammation, in eyes as well/eyes were swollen and itchy; itching and inflammation, in eyes as well; swelling on her eyes and itching on her eye lids; swelling on her eyes and itching on her eye lids; welts; whelps on her hip, inflamed and itchy/general arthritis symptoms; Headache dull; shingle like rash on tailbone, genital area / raised itchy rash on the tailbone like shingles; itching on her face that she couldn't see / raised itchy area on her left cheek and eyes; rash / rash down her thighs/rash that was across her body; rash vulva; swelling / vulva was swollen; itching / itching around the genital area, vulva; itching / itching around the genital area, vulva; This is a spontaneous report from a Pfizer-sponsored program. A contactable Nurse (patient) worked in outpatient mental health reported that a 60-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL1284, Expiry Date: Apr2021) via an unspecified route of administration on 04Jan2021 at 16:20 in the left arm at single dose for COVID-19 vaccination. Vaccine administered at hospital and not military facility. No additional vaccines administered on same date of the Pfizer suspect. Medical history included ongoing Graves' disease (the patient had her thyroid irradiated away for Grave's disease 25 years ago). Family Medical History was none. Concomitant medication included ongoing levothyroxine 1.25 mcg once daily by mouth Graves' disease taking for 25 years. Prior vaccination within 4 weeks was none. The patient received her Pfizer COVID 19 vaccine on 04Jan2021. Since then she started to experience a genital itch immediately; a rash that was across her body; eyes were swollen and itchy; new itchy rash 13Jan2021. She felt okay going home then she started to have itching around the genital area. She thought she might have a yeast infection but she didn't have any other symptoms for a yeast infection. Her vulva became swollen from 05Jan2021 and itchy from 04Jan2021 and she noticed rash around her body. It all started in the genital area. The next day the rash spread down her thighs and she noticed an itchy place on her face, but you couldn't see it. Her thighs were inflamed and she noticed patches of angry whelps on her hips as well as a itchy rash area on her tailbone that seemed more like shingles; size of a quarter; raised, itchy, rash, that felt like it was radiating

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

out. Then she noticed the rash on her face on her cheek, general swelling on her eyes and itching on her eye lids. Now the genital itching was less and most of her symptoms were improved but her eye was driving her crazy and it was more swollen on the outside. She tried to treat her eyes with eye drops Dry Eye Relief (manufacturer Similasan; no UPC seen, lot number: 15942; expiration date: Sep2022, ingredients include Belladonna) but it didn't help. They were still itchy and weepy. The eye drops were not working. She also treated the rash and itching with Benadryl at night and it improved the symptoms overall. She took Tylenol (UPC 300043760; lot number: PMA003; expiration date: Aug2022) and Bayer Aspirin (81mg; lot number: NAA93E1; expiration date: Feb2023. No UPC code on bottle) every day for general arthritis symptoms, but they didn't touch her dull headache she has had on and off since the vaccine. Before she got the vaccine, she had a little tag on her vulva, it was tiny. Now after experiencing the itching, swelling, rash on her vulva, the tag was gone. It just took a layer of skin right off. It was not uncomfortable but the whole layer of the skin was gone. It was very uncomfortable while it was happening but now it was okay. When she noticed these symptoms, she tried to call occupational health and a institute but didn't get anyone. She also contacted her HCP but had not heard back. It seemed to her like a lot of side effects and a lot of itching. She didn't have it in her throat, but all that itching seems a lot like an anaphylactic reaction. She was curious whether we would recommend her to take the second dose since they say the reaction to the second dose was worse. She had multiple COVID tests that have all come back negative. A friend tested positive so she had a test; and she had a test when she traveled. The events did not require a visit to physician or emergency room. The patient had reactions: itching, rash, swelling, welts, shingle like rash on tailbone, genital area, hips moving to her face, itching and inflammation, in eyes as well. She wanted to know if the 2nd dose was recommended. It was "like an anaphylactic reaction but not in her throat." itching around the genital area, vulva started from 04Jan2021, vulva was swollen started from 05Jan2021; Rash vulva started from 06Jan2021 to 10Jan2021; rash down her thighs started from 07Jan2021; Raised itchy rash on the tailbone like

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

shingles started from 06Jan2021, wheals on her hip, inflamed and itchy from 07Jan2021; itching on her face that she couldn't see started from 06Jan2021; raised itchy area on her left cheek and eyes started from 07Jan2021; Headache dull started from 06Jan2021. The events Headache dull, itching on her face that she couldn't see; wheals on her hip, inflamed and itchy and raised itchy rash on the tailbone like shingles were reported as non-serious by the reporter and other events were considered as medical significant by the reporter. Investigation assessment for the events was reported as No. The outcome of the event anaphylactic reaction, inflammation in eye, welts was unknown, outcome of the event Rash vulva was recovered on 10Jan2021; of Headache dull, swelling eye was not recovered, of other events was recovering.; Sender's Comments: A possible causal association between administration of BNT162B2 and the onset of anaphylaxis cannot be excluded, considering the plausible temporal relationship and the known adverse event profile of the suspect product. Severe allergic reaction is the known risk for the product. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
976778	1/27/2021	NJ	42	F	1/12/2021	1/12/2021	heart started to race; tingling sensation from her left arm that radiated to all over her body to the point where she felt paralyzed; tingling sensation from her left arm that radiated to all over her body to the point where she felt paralyzed; heart rate jumped to 160; heart rate jumped to 160 and blood pressure went up; choking sensation on her neck; This is a spontaneous report from a contactable healthcare professional. A 42-year-old non-pregnant female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number EL1284/expiration date), dose number 2 via an unspecified route of administration on 12Jan2021 at a single dose on the left arm for COVID-19 immunization. Medical history was not reported. The patient did not have COVID prior vaccination. The patient previously took nitroglycerin and experienced drug allergy. Historical vaccine included BNT162B2 (lot number EL0140, dose number 1) for immunization on 22Dec2020 after which the patient experienced mild headache. Concomitant medications were not reported. There were no other vaccines received within 4 weeks. The patient had no adverse reaction other than mild headache after the first dose, so she was very relaxed and she felt comfortable getting the 2nd dose. However, after 10 minutes after the second dose, her heart started to race and she started to feel a tingling sensation from her left arm that radiated to all over her body to the point where she felt paralyzed. Her heart rate jumped to 160 and her blood pressure went up. She couldn't even open her eyes nor speak a word. She was transported to the ER and was given steroids and anti-histamine. She refused to get an epinephrine shot at first, but she started to feel choking sensation on her neck so she asked for an epi shot. The patient had not been tested for COVID post-vaccination. The outcome of the events was recovering.; Sender's Comments: Based on temporal association, a possible contributory role of BNT162B2 cannot be excluded for reported events heart racing, tingling sensation, paralyzed, heart rate high, blood pressure increased and choking sensation. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

976783 1/27/2021 CA

59 F

1/9/2021

1/1/2021

be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

Shortness of breath; chest was hurting; Headache; Feeling tired; Joint aches; oxygen at the time, and it was 89 to 90; achy; This is a spontaneous report from a contactable nurse (patient). A 59-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Solution for injection, unknown lot number and expiration), via an unspecified route of administration right deltoid on 09Jan2021 at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; unknown lot number and expiration) on 21Dec2020 via injection in left deltoid for COVID-19 immunization. The patient reported that she feels fine today (13Jan2021), but she received her second dose of the COVID vaccine on Saturday, 09Jan2021. She experienced side effects including headache, feeling tired, and joint aches on 11Jan2021. She also experienced shortness of breath on 12Jan2021. The shortness of breath started early Tuesday morning in the middle of the night. She would say that it was like her chest was hurting. She measured her oxygen at the time, and it was 89 to 90 (Jan2021). It gradually went up from there. This lasted about 3 hours. She is fine now. She would say these are all not serious as she knew it could be from the vaccine and she was keeping an eye on it. She could get up and do things she was just achy (Jan2021). It took her by surprise. She does not know if this is a known side effect or if it should be expected or if she should report this. The patient recovered from the events "oxygen at the time, and it was 89 to 90" on unspecified date; headache and joint aches on 11Jan2021; shortness of breath and "chest was hurting" on 12Jan2021; feeling tired on 13Jan2021; while unknown outcome for the remaining events. The events shortness of breath, joint aches, feeling tired, and headache were assessed as related to COVID vaccine by the reporter. The event shortness of breath, feeling tired, joint aches, and headache was assessed as non-serious. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
976784	1/27/2021	CA	41	F	1/11/2021	1/11/2021	<p>weak; hot flashes; cramping; joints hurt; her hands &amp; feet were so cold they hurt (like when holding snow with bare hands); her hands &amp; feet were so cold they hurt (like when holding snow with bare hands); anxiety; dizzy; her body feels weird; sweating; b/p low; throat hurts; tachycardia (119-135); 100.4; chills; body ache; nausea; vomiting; pounding headache; eyes burning; face &amp; neck felt flushed; This is a spontaneous report from a non-contactable nurse (patient). A 41-year-old female patient received her second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EH9899), intramuscular on 11Jan2021 16:00 at a single dose on left arm for COVID-19 immunization. Medical history included asthma, hypoglycemia, vitamin d deficiency, migraines, and allergy to Ilizone (unspecified). The patient was not diagnosed with COVID prior to vaccination. The patient was not pregnant at the time of vaccination. Concomitant medications included loratadine (ALAVERT), phentermine, ibuprofen, and paracetamol (TYLENOL). The patient was administered with first dose of bnt162b2 on 21Dec2020 for COVID-19 immunization (product-COVID 19, brand-Pfizer, lot number-EH9899, administration time-11:45 AM, administrator route-intramuscular, vaccine location-right arm). The patient previously took salbutamol sulfate (VOLMAX) and experienced allergy. No other vaccines in four weeks prior to COVID vaccination. On 11Jan2021 17:00, the patient experienced body temperature of 100.4 (no unit reported), chills, body ache, nausea, vomiting, pounding headache, eyes burning, face and neck felt flushed, tachycardia (her watch kept alarming 119-135), weak, hot flashes, cramping, joints hurt, her hands &amp; feet were so cold they hurt (like when holding snow with bare hands), anxiety, dizzy, her body feels weird, sweating, b/p (blood pressure) low, and throat hurts. There was no treatment given for the events. The patient has not been tested for COVID post vaccination. The patient is recovering from the events. No follow-up attempts are possible. No further information is expected.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
976815	1/27/2021	LA	46	F	1/12/2021	1/12/2021	right side under her eye was swollen; right side of face was swollen; This is a spontaneous report from a contactable consumer (patient). A 46-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) Solution for injection (lot number and expiry date unknown) via an unspecified route of administration on the right arm on 12Jan2021 at a single dose for COVID-19 immunization. The patient had no relevant medical history and no concomitant medications. The patient reported she had the first shot on yesterday (12Jan2021); it was given by a nurse at the hospital where she works. Last night, she noticed on the same side that she got shot, her right side under her eye was swollen and the right side of her face was swollen too. She wanted to know what to do and wanted to know if they were side effects. No therapeutics measures were done in response to the events. At the time of last observation, events' outcome was not recovered. Information about Lot/Batch number is requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
976836	1/27/2021	MI	41	F	1/14/2021	1/15/2021	seeing gray spots room started spinning felt nauseous collapsed on the table; loss of vision; loss of hearing; seeing gray spots room started spinning felt nauseous collapsed on the table; seeing gray spots room started spinning felt nauseous collapsed on the table; seeing gray spots room started spinning felt nauseous collapsed on the table; loss of the onion ability to stand up or walk; This is a spontaneous report from a contactable other health professional (patient), a 41-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EK9231) at left arm on 14Jan2021 08:30 AM at single dose for covid-19 immunization in a public health facility. Medical history was none. Allergies to medications, food, or other products was No. Patient was not pregnant at the time of vaccination. the patient was not received any other vaccines within 4 weeks prior to the COVID vaccine. the patient received within 2 weeks of vaccination included amphetamine salts 15 mg. Patient woke up in the middle of the night got out of bed walk down a set of stairs started seeing gray spots room started spinning felt nauseous collapsed on the table. Had to call her husband to carry her back up the stairs. she had loss of vision loss of hearing and the onion ability to stand up or walk. He laid her back in bed to pick up his phone and call emergency services within five minutes everything had gone back to normal. adverse event start date was 15Jan2021 03:00 AM. the adverse event result in doctor or other healthcare professional office/clinic visit. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. The final outcome of the events was unknown (if patient recovered: Unknown). It was reported as non-serious. Seriousness criteria Results in death, Life threatening, caused/prolonged hospitalization, Disabling/Incapacitating and Congenital anomaly/birth defect were all no.; Sender's Comments: A causal association between BNT162B2 and the reported events cannot be excluded based on a compatible temporal relation. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
976838	1/27/2021	VT	37	F	1/13/2021	1/13/2021	<p>any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate.</p> <p>itching; frontal headache; eye pain on movement; sensitivity to light; arthralgias (wrists, ankles); nausea; chills; fever/chills (up to 39 C); myalgias in the back and contralateral arm; left arm soreness; Redness and swelling at injection site; Redness and swelling at injection site; Lower back pain; This is a spontaneous report from a contactable physician (patient). A 37-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), (Lot: EK9231) on 13Jan2021 11:45 at a single dose for covid-19 immunization. Medical history included GERD (gastrooesophageal reflux disease), environmental allergies, Penicillin (but not augmentin) allergies and sulfa allergy. Concomitant medications included cetirizine hydrochloride (Zyrtec), esomeprazole, and vitamin d. Historical vaccine included the first dose of BNT162B2 (lot number: EJI685) on 23Dec2020 12:15 in the left arm, for covid-19 immunization. On 13Jan2021 20:00, patient experienced left arm soreness. Then at 21:00, she experienced myalgias in the back and contralateral arm. At 23:00, she had fever/chills (up to 39 C). The next day (14Jan2021) at 2:30, she had frontal headache, eye pain on movement, sensitivity to light, arthralgias (wrists, ankles), persistent fever and nausea. All these symptoms persisted until exactly 11:48 on 14Jan2021, when everything suddenly got better. Still occasional chills but no fever for the rest of the day, left arm pain persists into 15Jan2021. Redness and swelling at injection site are worse. There was also now itching. Lower back pain persists. The outcome of events left arm soreness, "Redness and swelling at injection site" and lower back pain was not recovering. She was recovering from " myalgias in the back and contralateral arm", fever/chills (up to 39 C), frontal headache, eye pain on movement, sensitivity to light, arthralgias (wrists, ankles), nausea, chills Patient did not receive any treatment for the events. No follow-up attempts are possible. No further information is expected. Information on the lot/batch number has been obtained.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
976864	1/27/2021	NC	46	F	12/28/2020	12/28/2020	tunnel vision; 2 minutes after injection Heart rate went to 138/Hr 110/elevated heart rate.; dizziness; This is a spontaneous report from a contactable nurse reporting for herself. A 46-years-old female patient received the first dose of BNT162B2 Pfizer-BioNTech COVID-19 Vaccine, Lot number Ek9231, via an unspecified route of administration in left arm on 28Dec2020 at 11:45, at 46 years of age, at single dose for COVID-19 immunization. The patient was not pregnant when she was vaccinated and received the vaccine in Hospital. She didn't receive any other vaccine in the previous 4 weeks. Medical history included Meniere's disease with sudden hearing loss in left ear from an unknown date, gastrooesophageal reflux disease from an unknown date and allergy to penicillin and sulfa drugs. Concomitant medication included famotidine (PEPCID), paracetamol (TYLENOL), ergocalciferol (VITAMIN D) supplements and cetirizine hydrochloride (ZYRTEC). On 28Dec2020, 2 minutes after vaccine injection, the patient experienced tunnel vision, assessed as medically significant, her heart rate went to 138 and she experienced dizziness. The same happened again "at the 8 min mark": heart rate at 110 and dizziness. The events resolved on their own. Dizziness and elevated heart rate happened again later that evening. At the time of the report the reported events had resolved without any treatment.; Sender's Comments: Based on the compatible time association, the events tunnel vision, heart rate increased and dizziness are reasonably related to suspect BNT162B2 administration. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
976952	1/27/2021	NC	79	F	1/7/2021	1/1/2021	I am blurry and it's sort of a vision thing where I can't see everything quite right, it's blurry; A little bit of brain fog not quite thinking everything correctly; Sometimes it feels like my legs aren't quite there; My senses aren't quite right; This is a spontaneous report from a contactable consumer (patient). A 79-years-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (lot number: EL3246), on 07Jan2021 at SINGLE DOSE on upper left arm for COVID-19 immunisation. The patient medical history and the concomitant medications were not reported. The patient was blurry and it's sort of a vision thing where she can't see everything quite right, it's blurry and a little bit of brain fog not quite thinking everything correctly and sometimes it feels like her legs aren't quite there like her senses aren't quite right. Treatment was no.
977088	1/27/2021	TX	54	F	1/21/2021	1/24/2021	3 days sore arm that spread to upper shoulder 01/22-01/24 01/24/21 at 6AM my left side of my face was swollen from eye to ear to mouth, under my neck, and swollen lymph nodes.
977594	1/27/2021	WI	39	F	1/7/2021	1/25/2021	Reinfected with COVID after caring for child with an active COVID infection. Below are my symptoms, and the approximate date they started 1/24 Abdominal discomfort, nausea, and fatigue started 1/25 Extreme fatigue, sore throat, chest tightness, fry cough, and worsening headache 1/26 Body aches, ear pain, feels like there's a lump in my throat 1/27 Neck pain/tension, face tingles like the tingling sensation when a cold sore is starting, eyes ache/burn
977131	1/27/2021	PR	51	F	1/26/2021	1/26/2021	Forty five minutes after administration the patient felt scratchy throat, persistent cough, vomit, difficulty breathing, swollen face, rash on the neck , torso and arms, itchiness of the eyes, chills . Took some benadryl, cream and pills. Next day malaise, swollen hands, body aches.
977152	1/27/2021	KY	36	F	1/22/2021	1/24/2021	swollen eyes and face(mildy)
977238	1/27/2021	CA	86	M	1/20/2021	1/22/2021	Vaccine admin Wed 3 pm. Thurs no problem. Friday am, patient woke up almost fully blind right eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
977262	1/27/2021	NY	58	F	12/23/2020	1/7/2021	1st dose December 23, 2020. Arm pain, swelling, raised red 3 inch bump developed within 12 hours. Subsided, and reoccurred about 10 days post vaccine. 10-14 days post vaccine I developed New onset forefoot weakness (foot drop) Right, new onset trigger finger Right middle finger, new onset bladder spasms with immediacy and incontinence - not bladder volume dependent, resurgence of body aches, new bilateral knee pain requiring two arm support for sit to stand, Mental status changes including anxiety, paranoia, mania and depression (personality change!), motion induced nausea and dizziness, visual changes (blurry vision), New intensification of nocturnal muscles spasms - bilateral and progressive and intermittent headache up the Right neck to crown, New onset (01/14/21 - present) burning rubber scent when some food being cooked. The muscle and joint pain were present with February illness, subsided by April, and came back with a vengeance within two weeks of the 1st injection. I also lost three teeth (fracture vertically while flossing), thinned hair, and had intermittent dizziness during the initial illness in February. February Initial loss of taste/smell included metallic taste with artificial flavors, rotten garbage - random, and ?iron taste with meats. I can now taste some fruits but only get bitterness with other fruits and vegetables. I had one sided facial paralysis after tooth extractions in September - resolved in 1 week. I required dental implants to replace the fractured teeth. I am a vaccinator, and have been administering our vaccines and swabbing for Covid testing since we reopened elective procedures. I strongly encourage our staff to get the vaccines - and I am the one who gets the reaction. The constellation of symptoms, temporal proximity to the vaccine with no intervening illness or injury, and commonality of some symptoms with my February illness have prompted further testing and evaluation for central nervous system insult.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
977282	1/27/2021	IN	23	M	1/25/2021	1/25/2021	About 12 hours after the vaccination, I felt the "headrush" of a fever in my face behind my nose and eyes. My body was not warm like a fever so I did not take my temperature. However, I had a lot of difficulty sleeping that night because it felt like my body and immune system was revved up. It was impossible for me to get comfortable.
977317	1/27/2021	PR	40	M	1/26/2021	1/27/2021	STARTED 1/27/2021 5AM WITH GENERAL MALAISE, BODYACHE, NAUSEA, EYE REDNESS, PHOTOPHOBIA, FEVER, LEFT ARM AND AXILLARY PAIN ,
977424	1/27/2021	CA	69	M	1/22/2021	1/22/2021	1/22/2021 - Extreme Fatigue, Headache, Nausea, Dizziness 1/23/2021 - Headache, Pain at Injection Site 1/23/2021 - Present - Blurred Vision in Left Eye
977514	1/27/2021	TX	33	F	1/25/2020	1/25/2021	About 8-10 minutes after the injection, my vision got blurry. It was very brief- only a couple minutes long. If it had lasted until the end of my 15 minute post-injection observation period, I would have reported it then, but it didn't. I decided to include it here, because later in the day, I had another reaction. About 12 hours after the dose -around 7PM- I started getting chills and body aches and abnormally fatigued. The chills were intense almost as soon as they come on. The body aches were mild for the first couple hours and progressed to intense. Both symptoms lasted continuously for about 12 hours, then around 7AM they started to wane. I'm not sure if I should list insomnia as a reaction, but despite how exhausted I felt, I could not sleep. It could have also been just general discomfort that kept me from being able to sleep. Through most of the following day I had mild aches and waves of chills. By the time I went to bed that night (last night at the time of writing this), the symptoms had mostly cleared and so far have not returned.
977528	1/27/2021	MA	41	F	1/23/2021	1/24/2021	Woke up on broken blood vessel in left eye: sub conjunctival hematoma

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
977562	1/27/2021	NM	50	F	1/20/2021	1/20/2021	BP 144/98 HR 77 BPM SP02 98% 4L of O2 via nasal cannula. Patient stated she felt dizzy and had mid chest pressure. Not radiating pain and some dizziness. No blurred vision, no nausea. Patient was placed supine and monitored for an elevated blood pressure. first BP was 180/110. HR was 101. Sat at 94% on room air. Had med history of cancer and other conditions. Normal VP baseline is usually low. Vital s taken before 2 EMTs and on-scene doctor. Patient recovered.
977593	1/27/2021	MN	71	F	1/8/2021	1/11/2021	Patient is a 71-year-old female with PMH of type 2 diabetes, hypertension, hyperlipidemia, cataracts, glaucoma who was transferred from Medical Center as a stroke code after she presented there for right-sided weakness, facial droop and visual changes. Patient was given TPA in the past she was within window and she was then transferred here for further management. Patient's symptoms continue to resolve. She was admitted in the ICU and managed by neuro critical care and neurology. Further imaging including CTA head and neck, MRI brain did not reveal any stroke. An assessment of small vessel disease was made which likely resolved after TPA was given. Patient was assessed by PMR and PT/OT and deemed safe to go home with family care and no restrictions. Echo, telemetry and EKG showed no signs of cardiac involvement. Patient was started Plavix x21 days and chronic baby aspirin. She was also started on Crestor 20 mg daily. Patient is to follow-up with neurology in 3 months as she got TPA. She will also follow-up with her PCP on discharge.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
976893	1/27/2021	FL	65	M	1/5/2021	1/6/2021	He has had gout at other times, but he has never had it as hard as this/awaken with pain in the middle of the night; He was awoken with pain in the middle of the night; This is a spontaneous report from a contactable consumer (wife) who reported for her husband (patient) that a 65-year-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/lot number: EH9899) via an unspecified route of administration on 05Jan2021 08:40, at single dose for COVID-19 immunization. Medical history included gout, using timolol maleate to control the pressure in his eye. Concomitant medication included ongoing timolol maleate (5ml eye drops) to control the pressure in his eye. He uses eye drops that are prescribed. He keeps them on the counter to remember to take them. He has been using it for 3 years. Patient previously had the shingles vaccine on 14Dec2020 for immunization at the age of 65 years old. It said as long as the vaccine was given two weeks prior. The patient received COVID vaccine at outdoor park on 05Jan2021. The wife reported that the next day after the first dose of the vaccine (06Jan2021), her husband developed gout. He got it at the same time she did. He has had gout at other times, but he has never had it as hard as this. He awaked with pain in the middle of the night, it started from 06Jan2021 and is ongoing, slight improvement. She was not sure if that was reportable. Patient did not visit emergency room or physician office for any adverse events. Outcome of the events was recovering.
979934	1/27/2021	CA	85	M	1/27/2021	1/27/2021	Pfizer-BioNTech COVID19 dose #1 given IM LD at 10:30AM 1/27/21. 30 minutes into observation, patient experienced bilateral arm tremor, pallor, eyes rolled back, drooling and unresponsiveness for 2 minutes in seated position. 911 called immediately. Patient became alert and oriented after 2 minutes but experienced nausea and vomiting. While seated, vital signs were taken- BP 148/76, HR 73, O2 98%. No falls or medication administered. EMS arrived around 11:10am and assessed cardiac rhythm and vital signs. Patient initially wanted to go home, but based on EMS assessment, recommendation was to go to the ER. Patient brought to Sharp Memorial Hospital by EMS staff at 11:20am, spouse was present and in agreement.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
979575	1/27/2021	NJ	43	M	1/27/2021	1/27/2021	Blurred vision/ loss of peripheral vision/ Optical migraine followed by headache 45 minutes after vaccine. Some tingling on face and left had Resting to see if it goes away.
979626	1/27/2021	TX	43	F	1/25/2021	1/26/2021	1/26/2021 0230 pain at the injection site, body aches, increased heart rate, fever, and extreme tactile, auditory, and visual sensitivity. Symptoms resolved 1/27/2021 at 0500.
979666	1/27/2021	MA	60	M	1/22/2021	1/22/2021	0900 - Pfizer Shot 1000- noticed eyes looked puffy 1100- rash started on left arm below bicep in the elbow area 1115- rash now showing on right arm in the same area Around 1230 - 1300 seen by EMT - at that time I was given a shot of Epinephrine and IV of Benadryl transported by ambulance to ED to be evaluated for allergic reaction. was released from the ED around 1545 no other treatment needed
979701	1/27/2021	TX	51	F	1/25/2021	1/25/2021	Immediately, as nurse pressed plunger, vision became 'dreamlike', eyes felt like Jell-o, and eyelids were very heavy. Lasted approximately 25 mins. Hand movements were slow, heavy
979714	1/27/2021	LA	27	F	1/25/2021	1/26/2021	Eye lid swelling / can't open eye all the way. Left eye. Received Botox injection last week and dermatologist said that the Botox and vaccine could be reacting negatively
979717	1/27/2021	IA	52	F	1/20/2021	1/21/2021	BIL EYE SHAKING, UNABLE TO FOCUS, EYES PULLING TO THE LEFT, HIGH BLOOD PRESSURE, DIZZINESS, UNABLE TO BALANCE WHILE WALKING, NAUSEA, EMESIS. I WENT TO THE ER BY AMBULANCE. MY EYES RETURNED TO NORMAL AFTER APPROXIMATELY 4 HOURS. I AM STILL HAVING DAILY HEADACHES, AND MY BLOOD PRESSURE CONTINUES TO BE HIGH.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
979790	1/27/2021		35	M	1/27/2021	1/27/2021	Subject received the vaccination to his left deltoid, while sitting in the observation area was noticed to become pale, observer spoke with patient and he stated he was dizzy, his head bobbed back and his eyes rolled. placed in a reclining chair, and rolled to close observation area. vitals obtained. BP 122/81, pulse 68, and SPO2 95%. He was given water and stated he felt better. He stated he was sweaty and light headed, but after he reclined and was given water he felt better. vitals all remained stable and he left feeling better.
979802	1/27/2021	CO	86	F	1/25/2021	1/27/2021	Resident became rigid with eyes crossing and rolling back in her head. She was unresponsive and became limp. Pulse Ox decreased to low 80's. She came to and then was agitated throughout the day.
979824	1/27/2021	AZ	65	M	1/1/2021	1/27/2021	L eye , sclera L of iris looks extremely bloodshot, like a blood vessel burst
979828	1/27/2021	MO	45	M	12/30/2020	12/31/2020	pt stated that he had bells palsy symptoms the day after he received the vaccine. Unable to smile with left side of face, slight eye droop. Symptoms resolved in 24 hours. He received 2nd dose 1/27/21 as he did not state he had a reaction when asked prior to receiving the dose.
979558	1/27/2021	IA	64	M	1/26/2021	1/27/2021	Burning sensation in outer edge of both eyes. After initial injection in 1/5/21, I experienced this sensation in right eye only your about 7 days. I will be seeing an ophthalmologist on2/19/21. The sensation today, after the second shot is greater in intensity and affects both eyes.
979933	1/27/2021	TX	30	M	1/27/2021	1/27/2021	C/O bilateral hands tingling Denies chest pain, SOB, dizziness, headache, blurred vision, palpitations. Seen and cleared by EMS

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
979829	1/27/2021	PA	26	F	1/27/2021	1/27/2021	After receiving the second dose of the covid 19 vaccine, as I was walking to the elevator, my vision started to become blurred and I began to see stars. I walked over to a nearby chair and as I sat down it felt as if my throat was closing. I began sweating profusely and my whole body was flushed. My heart rate was tachycardic and my blood pressure was hypertensive when checked in the ED. When I got to the ED, my vitals were obtained like I described but my heart rate had slowed down by time I got there. A nurse passing by explained that my heart was tachycardia when he assessed me in the chair. The ED did an EKG of my heart that determined my heart rate was normal sinus rhythm in the 70s. They observed me for roughly an hour and let me go home. My discharge papers explain I had a vagal response.
979942	1/27/2021	CA	25	F	1/22/2021	1/27/2021	Friday- headache 2 hours after injection. Right Eye twitch Saturday- body aches, headache turned into a migraine on the entire right side of my head. I could not lift my right arm, I was exhausted doing everyday things. Sunday- migraine wouldn't go away. I got body chills but it wasn't until later at night. And my body aches became moderate. Monday- my migraine went down to a headache but my body aches wouldn't go away. I did not take any pills. Throughout the day. I was tired. It was hard moving around. I was kind of sluggish but not as much as Tuesday. Tuesday- severe body aches. Both my arms hurt but I thought it was just due to laying in bed after getting home from work at 2:30 on Monday. Severe pain in my shoulders and middle of my back. I did some stretches thinking maybe my body was just sore from laying down. Went to bed at 12 because I couldn't keep warm and my back was killing me. Wednesday- horrible ache though out my back I got up to move but it hurt so much. I'm walking so slow. I need to rest on the walls because it hurts so much to move. My headache is still there. I took midol at 1:30pm; did not do much. I've been trying to move about and stretch but my body does not allow me. Even typing hurts I cannot keep a good grip on things. My arms, entire left side of my back and many thighs are in pain
979965	1/27/2021	WI	48	F	1/21/2021	1/22/2021	My eyelids swelled and my face became red/itchy and burn. It's been a week and I'm still experiencing it all.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
980105	1/27/2021	CA	40	F	1/13/2021	1/21/2021	I developed R eye redness, pain and photophobia on 1/21 and was diagnosed with anterior uveitis. I am being treated with prednisolone drops and a dilating eye drop. My symptoms have improved significantly with the eye drops. I do not know if this is at all related to the vaccine - I have a h/o one other episode of anterior uveitis in my L eye in 2004, felt to be HLA-B27 associated - however I figure it is worth reporting just in case.
980131	1/27/2021	WA	63	F	1/27/2021	1/27/2021	AFTER GIVING SHOT IN 10MIN , PATIENT STARTS FEELING UNWELL, HER JAW LOCK, STARTING UNCOUNCIOUS, SHE WETS HER PAINT, HER TOUNGE OUT, UNRESPONSE, HER EYES WIDE OPEN , BLOOD PRESSURE DROP LOW
980160	1/27/2021	WA	75	F	1/26/2021	1/26/2021	1. Within 30 minutes of shot, I developed a pre-migraine aura around my vision. The aura disappeared in 15 minutes and no migraine HA occurred. I got auras before migraines years ago but they are rare now. 2. Three hrs after the shot, I suddenly developed severe imbalance/dizziness which made me nauseous and I broke out in a cold sweat but no fever occurred. I laid down to relieve the nausea and keep from falling. In approx an hour, I was back to normal. This has happened twice previously approximately 2 years ago (cause unknown) so I am not sure this event was due to the shot. I did not seek medical attention and nothing has occurred since then.
980188	1/27/2021	CA	29	F	1/22/2021	1/22/2021	~30min after the vaccine nausea/vomiting started, 4 bouts of vomiting then stopped, but the nausea continued for 24 hours then stopped then picked up at the 48-72hour mark, mild tingling at the injection site/soreness & got worse throughout the day with swelling of the arm to 24 hours in, at 48 hours the pain subsided to a tolerable throbbing, headache/migraine for 48 hours, double vision for 12 hours, sensitivity to light, fever + chills for 24-48 hours, malaise/lethargy/fatigue/flatulent for 72 hours, drank lots of fluids, lots of rest, couldn't get out of bed
980239	1/27/2021	AZ	60	M	1/7/2021	1/7/2021	Abdominal rash with hives, right arm rash with hives, eye itching, nasal itching, throat swelling sensation

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
980252	1/27/2021	CA	75	M	1/27/2021	1/27/2021	Patient remained in the facility for 20+ minutes with medical support staff keeping a great eye on him. Within first 10 minutes of injection, patient could taste medication. He described it as the taste of alcohol. Support staff took Patient's vitals. Support Staff administered injection of what spouse believes was Benadryl (exact medication and dosage unknown to Spouse). Between 4th through 6th hour after injection (2 p.m. through 4 p.m.), patient experienced nausea. He asked for otc antacid medication. Seven hours after injection (about 5 p.m.), patient requested prescribed medication Pantoprazole 40mg. Patient took 1 Pantoprazole 40mg. At 5:30 p.m., Patient began chills, shaking from head to foot. Warm blankets were given. He covered himself from his head down. This lasted just under 10 minutes.
981945	1/27/2021		96	M	1/8/2021	1/13/2021	weakness and fallsNarrative: 95 yo male w/ a PMH significant for Afib, legal blindness, Hx of CVA, cognitive impairment, GERD, HTN, pseudogout, BPH, chronic knee infection, and DJD who received his first dose of the Moderna COVID-19 vaccine on 01/08/21. The pt's COVID-19 screening questionnaire prior to receiving the vaccine was negative. The pt presented to the ED on 01/13/21 for weakness and m PCR test on ultiple recent falls (since receiving his first dose of the COVID-19 vaccine). The pt's COVID-19 01/13/20 was positive and he was admitted. He was started on treatment with remdesivir + dexamethasone on 1/14. The pt initially required supplemental oxygen via low-flow NC, however his oxygen requirements increased to 100% NRB. On 01/16/21 his MPOA elected for hospice care. The pt passed on 01/17/21. Unclear if the COVID-19 vaccine attributed to the patient's hospitalization and eventual death, or whether these events occurred from COVID-19 itself, however this case is being reported the FDA since this vaccine is under an emergency use authorization (EUA).



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
978878	1/27/2021	OH	28	F	1/27/2021	1/27/2021	Patient describes increased blood pressure, tachycardia, queezy feeling, tremors, tingling/numbness of the lips and eyes, and heavy feeling in tongue and jaw that started to develop ~15 minutes after vaccine administration and worsened overtime. Patient took Benadryl which provided minimal relief, then presented to the ED.
979056	1/27/2021	NY	43	F	1/7/2021	1/22/2021	L Bell's palsy started 15 days after Moderna vaccine. Since she was already on Prednisone 50 mg daily (day #4) for her L rotator cuff injury, she went to urgent care, and was advised to increase it to 60 mg daily x 5 days (started on 01/23/2021, until 01/27/2021), then 20 mg daily x 5 days (from 01/28/2021-02/01/2021). Seen by reporter (neurologist) on 01/27/2021. Has mild symptoms of Bell's palsy, with improvement based on her report. Still not able to raise L eyebrow, but now has good eye closure, and still with flat L nasolabial fold. No ear pain, fever, ear tenderness, change in taste.
979885	1/27/2021	AZ	77	F	1/25/2021	1/25/2021	Very Soar Arm and tired first day. Second day, Soar Throat when swallowing, Swollen Eyes in the morning when I woke up, increased blood pressure at times and not as stable when walking. Very Tired. Took Benedryl on second day, one in morning and one at night. Seemed to calm symptoms. Soar Throat lasted two days and much better today (day 3). Left Arm also less soar today and stability when walking seems better...
979091	1/27/2021	CA	69	F	1/1/2021	1/1/2021	Immediately after receive injection left eye is RED and mild headache.
978885	1/27/2021	WA	29	M	1/14/2021	1/17/2021	* 01/14/21 - Received first Pfizer COVID Vaccine. Felt really strange for first 10 mins after vaccine. * 01/17/21 - Noticed my heart rate was at 120 bpm and I was extremely tired. * 01/24/21 - I noticed that I've started getting headaches more frequently. I rarely got headaches before (maybe 3-4 per year) * 1/25/21 - Had one of the worst migraines I've ever had. Blurred vision. * 1/26/21 - Went to the E.R. to get my heart checked because my heart rate was high and I was extremely tired. Also had a minor headache. * 1/27/21 - I still do not feel right. My heart flutters. Come and go headache. Very sleepy, though I had good sleep the night before.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
978898	1/27/2021		43	F	1/25/2021	1/25/2021	Around 11:30pm 1/25, I muttered "I don't feel good," which reminded me of being a child getting sick. within 30 minutes of then end escalating over the next hour, I had a severe headache, bilateral, occipital, pressure in entire head and neck. The headache as also in my eyes and in my ears. Back was also painful - not as bad as neck, but i can't explain how horribly a hope a massage could fix me. There was no comfortable position to alleviate any of that. I also got the chills, constantly, suddenly switching from shivering cold to so hot i needed to take blankets off - but soon as i took the blankets off I'd be freezing cold again. I was also super nauseous, though i didn't vomit. I pretty much couldn't get out of bed much for 24-36 hours. During that time, i was unable to sleep as well, i think mostly due to the chills, constantly having to move about to keep warm or cool off, but not sure. I did take acetaminophen around 10pm 1/26 (36 hours after injection)- i felt like I knew you're not supposed to, but I couldn't take it any more and it might have less anti-inflammatory impact than ibuprofen. It dulled the pains some, but didn't make it stop. the chills and nausea mostly stopped and was able to sleep more the second night, last night. I'm now up and trying to work today (1/27). Head still has pressure headache throughout. Neck is still sore, like a pressure headache. I feel generally foggy and heavy.
979897	1/27/2021	FL	65	F	1/27/2021	1/27/2021	After 40 minutes burning in my eye, swelling in my eyelid, facial rash, small puffy welt under eye
979521	1/27/2021	MD	68	F	1/25/2021	1/25/2021	Broke out in a rash on my chest, both thighs, both arms Nothing until the next day and took one Benadryl seemed to help and stopped the itching. They are barely visual enough today I also had a tingling in the upper part of my mout about a half hour after the shot
978979	1/27/2021	CT	43	F	1/16/2021	1/22/2021	Conjunctivitis both eyes, breakthrough menstrual bleeding significant

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
979005	1/27/2021	NC	53	F	1/25/2021	1/25/2021	On 01/25/21, 53 yo F received the Pfizer BTN162b COVID-19 vaccine. ~2-3 hours after the injection, pt developed swelling of eyelids, lightheadedness and nasal congestion. Pt reported similar symptoms related to seasonal allergies which she also experiences at this time of year. Pt self-medicated with fexofenadine (Allegra). Pt notified primary care provider. Pt denied any shortness of breath, difficulty swallowing or rash. Pt was advised to take diphenhydramine 50 mg. In no improvement in swelling, pt was advised to go to urgent care.
979035	1/27/2021	NJ	80	F	1/26/2021	1/26/2021	left eye periorbital swelling
979064	1/27/2021	TX	24	F	1/26/2021	1/27/2021	No hx of seizures. Woke up with severe abdominal pain and need to have bowel movement. Diarrhea 1x with nausea. Severe ear ringing, headache, confusion, and out of body feeling. Loss of control over large muscles, shuffling gait, unable to open eyes or speak, impaired LOC, anxiety and emotions, diaphoresis and hyperventilation.
979077	1/27/2021	KS	40	F	1/27/2021	1/27/2021	Around 10 minutes after injection, she developed symptoms that included nausea, dizziness, and syncope. Symptoms progressed over time until she seemed almost catatonic at times including delayed responses, staring straight ahead (later she closed her eyes), slurred speech. She kept repeating, "I feel like jelly" and that she was very tired. Pharmacist gave her 25 mg diphenhydramine at 10:55 am. Around 11:10 the facilities administer called 911 at the request of (PharmD).
978956	1/27/2021	AZ	40	F	1/27/2021	1/27/2021	Saw flashing lights within 5 minutes of receiving vaccine. Visual disturbances lasted about 10-15 minutes. Pt also experienced chills/shakes approximately 15 minutes post vaccination.
979095	1/27/2021	OH	59	F	1/6/2021	1/6/2021	Burning sensation behind eyes approximately 1-2 hours after receiving immunization that lasted about 1 hour then went away.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
979147	1/27/2021		75	M	1/27/2021	1/27/2021	Pt felt dizzy 10 minutes after receiving the vaccine and had some vision impairment. Vitals taken and were WNL and orange juice given to pt. Pt discharged 20 minutes after incident and was back to baseline.
979206	1/27/2021	NY	57	F	1/27/2021	1/27/2021	Pt reported to POD for vaccine very anxious and concerned about her allergies to Nsaids, Morphine and pnc. she reports that her they cause HA and facial swelling. Pt received vaccine at 1405 and went to 30 min observation area. at 1420 this provider was contacted by the patient and she reported that feeling numbness and drooping to the right eye lid. The patient was then brought for eval by this provider and EMT. The patient continued her observation until 1510 and at that time she reported that she was back to normal and continued to be without HA.
979399	1/27/2021	GA	26	F	1/26/2021	1/26/2021	My arm injection site was hurting. I had stabbing pains in my lower back like a knife into my spine. I had a fever, chills, dizziness, body aches, light headed. I could not hold my eyes open cause light was too bright. I had a migraine and nausea and vomiting. I had a knife stabbing sensation in my chest that did not stop. I was short of breathe and wheezing. Very itchy all over my body mainly on whole left side where I got the injection. Very tired and felt like I could not move
979518	1/27/2021	IL	28	F	12/30/2020	12/30/2020	About 3 minutes after I had left eye pain - like something was in my eye. Ignored it. My blood vessel in left eye was also enlarged, I noticed later. Eye doctor to the next day: she said she sees it in virus infected people. She took a picture of the inside of my eyeball. Told me to Treat with Tylenol, put ice on it and wait to see. It was about four days after vaccine everything resolved. I had the second dose Today around 7:00 am and it came back - around 12:30 PM - pain and enlarged blood vessel. I do have a lazy eye in the left eye that I was born with.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
979463	1/27/2021	CA	49	F	1/21/2021	1/22/2021	At the time of injection, I felt tingling in the arm. The night of the injection my arm hurt, a bruise was present and a large lump (1 inch by 2 inches) was present. Blood was also in the band aid ( 1 drop) applied to the injection site. The night of, I had shortness of breath, and severe right eye socket pain. I also had tenderness on the right and left side of the tongue. The injection site swelling and tongue pains were significantly reduced by 01/24/2021. On 1/26/2021 I visited my eye doctor who took pictures of my eyes to confirm no internal injury since pain around the sockets was still present . I have been prescribed eye drops. If the pain does not go way as of 1/28/2021 I will revisit my eye doctor.
979071	1/27/2021	FL	44	F	1/25/2021	1/25/2021	Patient had fever 104 Nausea, Vomiting, Headache, Body Ache, Blurred vision, Dizziness, Diarrhea
979408	1/27/2021	WI	23	F	1/21/2021	1/25/2021	Migraine afternoon of 1/25/2021. She then experienced feelings of nausea, mouth-watering, feeling overheated. While resting during the onset of these symptoms she then felt like she couldn't breath, experiencing pain in the sides of her chest. The next symptoms that occurred were angioedema to the face, she described her eyes getting so puffy she couldn't see. She also described her skin getting reddened and itching all over. She took Benadryl at home and started to feel better in about 1 hour.
979378	1/27/2021	DC	34	F	12/31/2020	1/5/2021	Focal erythema and edema at site of injection from 1/1/21-1/5/21. On 1/5/21, started having nausea, vomiting, lightheadedness. On 1/6/21, had worsening nausea, vomiting, anorexia, lightheadedness, bilateral eyelid erythema, eyelid and periorbital swelling (difficulty opening eyes), lip swelling, and maculopapular rash covering both arms, chest, abdomen, and back. On 1/6/21, started taking benadryl 200mg every 8 hours, tylenol 650mg every 8 hours, ibuprofen 800mg every 8 hours, and loratadine 10mg every 12 hours. Rash resolved within 24 hours of taking medication. Eye/lip swelling resolved within 72 hours of taking medication. Nausea, vomiting, and lightheadedness resolved 24-48 hours within starting medication. No personal history of allergies or previous reactions to medications or vaccines. No new medications and no new exposures. COVID-19 NP swab after symptoms was negative.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
979353	1/27/2021	MA	31	F	1/22/2021	1/22/2021	Documents reviewed. Vaccine administered, patient tolerated well. She reported L eye "heaviness" about 5 minutes after observation. Symptom resolved within two minutes. She also reported L arm soreness after infection. She was monitored for 15 minutes without any new or worsening symptoms. She remained well appearing throughout 15 minute observation period.
979331	1/27/2021	SC	41	F	1/26/2021	1/27/2021	Fever, severe body ache, vision problems, abdominal pain, motor strength weakness.
979294	1/27/2021	CA	32	F	1/25/2021	1/26/2021	received vaccine at 3pm, around midnight started having the chills and took tylenol for fever and woke up in a sweat when the fever broke. This happened three times from midnight to 7am. Also, the day after noticed LEFT EYE swelling, my right eye is normal. The swelling still has not gone down after ice and advil for 2 days after vaccine.
979219	1/27/2021	RI	55	F	1/27/2021	1/27/2021	Blurry vision while trying to read paperwork about 5 minutes after vaccine
979268	1/27/2021	NY	40	F	1/23/2021	1/23/2021	Pt received vaccine at 1611 to the left arm then waited 15 for minutes in the observation area. She then started to drive herself home and developed numbness to the right lateral face and right neck. She came back the vaccine site and had numbness to her left lateral face. She was without edema, impaired vision, talking, swallowing and her neuro exam was normal.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
979252	1/27/2021	WI	55	M	1/9/2021	1/15/2021	First episode 01-15-21, started 10am, i was at work, started feeling weak and brain fog so i sat down and another therapist came into the office and told her how i was feeling, they checked my BP 148/92, went to the ER. They took some blood work, CBC panel were negative, thyroid test, normal, anaiongap, normal, glucose reading, normal and an EKG normal. 2nd episode 01-21-2021 started 11:45am, that morning when i woke up i felt really strong feelings of sadness and despair. At 11:45a i was about to eat and i started to feel again brain fog, total body weakness, elevated BP, they took my BP again and it was 144/88 so i went to the ER again. I could not keep my eyes open. They did a EKG again with a CTA and a CT with perfusion both were normal. They gave me fluids, sodium fluids. Agian it was transient my BP slowly went down and went home. Third episode 01-25-2021 started about 9am, i was at home did not have access to a BP cup, symptoms were same but less intense, i could feel my heart pounding, brain fog and body aches and this lingered throughout the day. It felt like I had the flu. No elevated temperature on all three of my episodes.
979326	1/27/2021	MI	35	F	12/29/2020	12/31/2020	I had extreme dry eye (both eyes) and previous ablation right occurred 3-6 months earlier.I went on 12/31 I had to get eye drops. Throughout the evening I started to exp pain left continuously eye drops and ice pack. The next morning 1/1 woke up pain was still there went to urgent care. I was told the tissue was reopened from the ablation given antibiotic drops to take 4 drops, Erythromycin and follow up 2 days. I was told to up dosage to 6 drops due to bacteria,recommended to follow up with Opthamologist in April 2021.
974255	1/26/2021	WV	57	F	12/23/2020	12/29/2020	corneal ulcer to left eye
974361	1/26/2021	MI	82	M	1/25/2021	1/26/2021	Broken blood vessel in white of left eye
974359	1/26/2021	OR	66	F	1/16/2021	1/24/2021	Eight days after the injection the left arm became itchy, red and hard at the injection site . No treatment done, I just kept an eye on the site

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
974017	1/26/2021	CA	41	F	1/12/2021	1/13/2021	Swelling of face and eye area began on 1/15/21 until 1/20/21 Itchy bumps on face,neck,shoulder, waist, arms, hands and legs began on 1/13. It started on face and began to spread. Itchiness still persists.
974336	1/26/2021	NE	40	F	1/20/2021	1/20/2021	DEVELOPED OCULAR NEURITIS IN LEFT EYE. PATIENT NOTED THAT SHE SUFFERS FROM MULTIPLE SCLEROSIS (MS). HAS FOLLOW UP APPOINTMENT WITH HER PCP.
974326	1/26/2021	NE	40	F	1/20/2021	1/20/2021	DEVELOPED OCULAR NEURITIS IN LEFT EYE. PATIENT NOTED THAT SHE DOES HAVE MULTIPLE SCLEROSIS (MS). SHE IS FOLLOWING UP WITH HER PROVIDER.
974126	1/26/2021	UT	48	F	1/22/2021	1/22/2021	On 01/22/2021 body aches all over. 01/23/2021 both eyes were almost swollen completely shut but no more body aches just in the shot area. It was scary. The swelling went slowly down throughout the day. 01/24/2021 am the swelling seemed to be all gone.
974289	1/26/2021	ME	47	F	1/25/2021	1/26/2021	Itchy swollen upper lip. Eyes watered and filled with fluid, itchy, sealed shut.
974196	1/26/2021	MD	41	M	1/25/2021	1/25/2021	Assessed onsite by EMT for an allergic reaction. Presented with a left swollen lower left eye, vitals sign normal, no rash or hives, no trouble breathing. Patient provided by EMT with benadryl 25 mg, self administered by mouth at 12:08 pm. Patient was reassessed by EMT at 12:15 pm with notable improvement. Released by EMT to caregiver.
974097	1/26/2021	TX	43	M	12/28/2020	1/13/2021	Full body rash/whelps to include eyes, mouth, hands, and bottom of feet



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
974412	1/26/2021	MA	26	F	1/22/2021	1/24/2021	I am not sure if the event that happened Sunday was directly related to the vaccine at all since it happened two days later, or if it was just a coincidence, or if the vaccine was just a physical stimulus trigger. I just wanted to let you know just in case! But out of nowhere, I had an episode (never had it before) where I can only describe it as what it might feel like to be drugged. I was delirious, confused, disoriented, dizzy. I wasn't able to leave bed without the room spinning. I had chest tightness and headache. When I would close my eyes, I would feel such head pressure that it felt like my body was on a boat during a tsunami. I would feel shaking and spinning inside my head. I never felt anything like it before. I was struggling to stay conscious. In the moment, I remember wondering if it was a brain aneurysm or if I was dying. I was scared, felt like I needed to call for help, but I was unable to. I allowed myself to fall asleep/lose consciousness (not sure which), and when I woke up an hour or so later, I felt a little better. I was still a bit confused on what happened and felt physically weak, but the episode had resolved. Hours later, I called the on-call service at my doctor's office because I couldn't shake the feeling that something wasn't right. She instructed me to go to the emergency room. By the time I got to the emergency room and got seen, this was a good 8-9 hours or so after the episode occurred. The PA-C at the ER ran bloodwork and a uranalysis (I do not know what he tested for since I was not given the results), as well as had me hooked up to a heart monitor. He said everything looked normal and that he would not run a CT scan since he did not think I had an aneurysm or anything indicating the need to expose me to radiation to perform a CT. I asked for an EEG and he said they do not do that at the emergency room. He discharged me to follow up with my PCP. While in the ER, I would have episodes of staring blankly into space at random, uncontrollably, and for an undetermined amount of time. I told the doctor, and he wasn't concerned. Yesterday (01/25/2021) I met with my PCP via telehealth and explained everything. He thinks it could have been my previously-diagnosed conversion disorder; however, I have not had that manifestation of it in the past. I expressed to him that I am very scared to get the second dose of the vaccine since I do not know if this event is related or not, and I do not want to die. I have two cats who need me! He did not think it was

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							related to the vaccine, since it happened two days after the injection. But conversion disorder comes on with physical/mental/emotional trauma/stimuli. For the most part, I was feeling okay mentally. The vaccine was the only change to my normal routine. My previous conversion disorder effect was the loss/difficulty of the ability to swallow. I have not had an episode of that in years. The symptoms I experienced seem to be possible manifestations of the disorder when I did some research, but it does not fully explain what I experienced. I asked for a referral to neurology, just to be safe, and I have the appointment tomorrow (01/27/2021). I still feel residually weak, slight chest tightness, and overall feeling off/weird. Again, I do not know if this is directly related to the vaccine, but I wanted to make you aware just in case!
974298	1/26/2021	CO	53	F	1/22/2021	1/25/2021	Itching on the right knee and both legs below the knees. Swollen spot below right knee that itches. Right eye is swollen. I took allergy eye medicine , a 24 hour tablet of Allegra, and put Cortizone 10 on my legs below the knees. As of 1/26/2021 - the medicine has stopped the itching, but eye is still slightly swollen.
974438	1/26/2021	OH	38	M	1/25/2021	1/26/2021	Patient awoke with shivering at 03:00 AM this morning, later developed diaphoresis, swelling of the eyes, lips, and tongue at 08:00 AM. Patient presented to the emergency department and was treated for allergic reaction; received prednisone and famotidine per patient MAR. Symptoms resolved and the patient was discharged with a prescription for a prednisone taper.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
974443	1/26/2021	TN	76	M	12/30/2020	1/2/2021	Patient received Moderna COVID vaccine on 12/30/2020 at a Pharmacy clinic where he was a resident. Nurses at the facility reported that he was responsive and showed no signs of any adverse effects until 1/2/2021 when he was observed slightly unresponsive and staring at the ceiling and trembling. He had a fever of 101F at this time. The facility ordered labs and a rapid COVID test (all of which came back normal) and started IV antibiotics. A few hours later, patient began bleeding from his eyes, nose, and mouth and was sent to the local ER. The patient refused being admitted to the ICU for possible sepsis/hemorrhage and died the following day on 1/3/2021. All healthcare professionals involved agreed that this was not likely due to the vaccine, but needed to be reported nonetheless.
974457	1/26/2021	NE	21	F	1/25/2021	1/25/2021	DEVELOPED ELEVATED BLOOD PRESSURE (181/106) AND TACHYCARDIA (125), SOB, FAINTNESS, NAUSEA, RED EYES. GAVE BENADRYL 25MG PO AT 0940. BP DECREASED TO 143/88 AND PULSE 99.
974469	1/26/2021	NJ	65	F	1/22/2021	1/22/2021	approximately 10 hours into shot experienced chills, headache fatigue and sore eyes. My eyes looked pink like I was sick, glassy sore. Took tylenol extra strength every 6 hours to manage the chills they were the worse. No fever or nausea. By Sunday 1/24/2021 approximately 10 p.m. the only symptom left was fatigue and sore eyes. Monday 1/25/21 still tired no chills no aches eyes still puffy red. Tuesday 1/26/21 better not as tired, eyes not as red or itchy.
974518	1/26/2021	PA	33	F	1/24/2021	1/25/2021	started at my chin and my jaw line and to my cheek bones and had hives, face started to swell, lips, and eyelids, had to take 2 Benadryl.
974531	1/26/2021	FL	69	F	1/20/2021	1/22/2021	Awakened Friday morning after injection on Wednesday and my Eyes and face were swollen, eyes burning, watery, nose running and two large nodules on side of face under skin and turned skin dark on top of nodule, no pus head. Very lethargic. Lasted all day. Saturday symptoms subsided, but the nodules are vague but still can see.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
974556	1/26/2021		50	F	1/14/2021	1/20/2021	On 1/20/21 9am had swollen right hand knuckles and numbness of hand and right toes. Knuckles on hands are still swollen. On 1/25/21 at 2am had difficulty breathing, itchy eyes and hives. Took albuterol for breathing, Zyrtec generic and 2 Quercetin with Bromlein. Resolved in 1 hour.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
974589	1/26/2021	KY		F	1/8/2021	1/8/2021	<p>5 - 6 bowel movements; A little achy; Passed out; Dizziness; Arm tingling; Shaking; Chest burn; Triggered acid reflux; Stomach rolling around; Vision was blurry; Eyes bloodshot; Weakness; Funny feeling; Felt like a heart attack from the bad heart burn; Headache; Sore arm; Nausea; A spontaneous report was received from a consumer concerning a 55-years-old, female patient who received Moderna's COVID-19 Vaccine, and who experienced passed out, headache, sore arm, dizziness, arm tingling, shaking, chest burn, triggered acid reflux, stomach rolling around, 5 - 6 bowel movements, vision was blurry, eyes bloodshot, a funny feeling, nausea, weakness, achy and felt like a heart attack from bad heartburn. The patient's medical history included acid reflux. Concomitant medication included lansoprazole. On 08 Jan 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Lot number 012L20A) at 13:07 intramuscularly in the deltoid muscle of her left arm for prophylaxis of COVID-19 infection. On 08 Jan 2021, right after the first vaccination, the patient reported that she got a headache and sore arm but over all felt okay. As the day went on, she got dizzy and lightheaded. She went to bed around 22:30 but had to get up to use the bathroom. As she was getting up, she felt bad to the point where her husband asked her if she was okay, which she told him that her head felt funny and dizzy, and a couple of seconds later she couldn't see him anymore as if her vision was going blurry. Her husband took her to the couch, and she blacked out or passed out for a few seconds according to her husband. Shortly after she had aroused, her husband noticed that her eyes were bloodshot, and she said she felt weak, she was shaking, and her arm was tingly. At that time, her husband took her to the emergency room (this was about 12 hours after she got the Moderna COVID-19 shot). On arrival to the emergency room she felt confused and shaky. Shortly after arrival to the emergency room she was better and the worst of it was subsiding. The emergency room (ER) nurse said she could take paracetamol. The patient stated that she felt like she was physically there, but she was not mentally there. That day, the patient was discharged from the emergency room. Once home she had 5-6 bowel movements throughout the night (but not diarrhea), her stomach was rolling around almost as if she had a</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							<p>stomach virus, nausea, bad acid reflux to the point where her chest really burned. She felt like she was having a heart attack from the bad heart burn. She ended up taking lansoprazole to help. On 09 Jan 2021, her head was still hurting while eating breakfast, so she took paracetamol, and it helped. She was a little achy but not a whole lot; it wasn't bad. On 10 Jan 2021, she felt a little better but did still feel weak and shaky; however, her headache was gone. On 11 Jan 2021, she had a funny feeling and dizziness. Action taken with mRNA-1273 in response to the events was unknown. The events of passed out and vision was blurry were considered resolved on 08 Jan 2021. The event of arm tingling was considered resolved on 09 Jan 2021. The event of headache was considered resolved on 10 Jan 2021. The event of shaking was considered resolved on 11 Jan 2021. The outcome of the events sore arm, dizziness, chest burn, triggered acid reflux, stomach rolling around, 5 - 6 bowel movements, eyes bloodshot, and funny feeling were unknown.; Reporter's Comments: This case concerns a 55-year-old female patient with medical history acid reflux who experienced a serious event of passed out and non-serious events of dizziness, felt weak, shaking and her arm was tingly, confused, 5-6 bowel movements through the night, nauseous, triggered her acid reflux, felt like she was having a heart attack from the bad heart burn, chest burn, vision blurry, eyes bloodshot, funny feeling, headache, sore arm, little achy and weak, within one day of the administration of the first and only dose of the mRNA-1273 (Lot number 012L20A, Exp. date: unknown). Based on temporal association between the use of the product and the start date of the reported events and the absence of any other etiology factors, a causal association cannot be excluded. The events of headache and sore arm are consistent with the known safety profile of the vaccine.</p>
974775	1/26/2021	FL	78	F	1/20/2021	1/20/2021	<p>18:10 Pt. reports to observation nurse throbbing (R) eye stabbing pain, (R) sided headache. 10 minutes post vaccine. EMS evaluation. B/P 125/71, HR 88, 99% Sat O2, 2 hours post prandial BG 149. (R) sided headache and (R) sided eye pain worsens, pt. agree to transport to local area hospital.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
974806	1/26/2021	UT	59	F	1/11/2021	1/12/2021	CHILLS; FEVER 100.6; STARTED AS A BAD NECK HEAD AND EYE PAIN AND CONTINUED WITH A BODY ACHE; JOINT PAINS; AND FATIGUE. AFTER SEVEN HOURS OF HAVING IT, I TOOK 2 500 TYLENOL AND GOT INTO A LUCK-WARM BATH. I WAS FINE HALF HOUR AFTER.
974887	1/26/2021	IL	62	F	1/12/2021	1/24/2021	Very slight muscle pain in area starting on 12th day (rcvd 1/12. First symptom 1/24) Slight itching in area on 13th day. That evening checked the area visually and noted slight reddening (about 1.5 inches) and small swelling (approx 1.5 cm diameter) at the edge of the reddened area. Following morning the reddened area was somewhat more defined into a circular area approx 2.5 inches in diameter. The small area was slightly puckered, but still present. Pain and itching were very slight - less than 1 on a 1-10 scale. Both are only present with some movements (pain) and cloth contact/movement (itching).
974012	1/26/2021	TX	57	M	1/15/2021	1/21/2021	Bell's Palsy on the left side of face. Including the left eye and mouth on the left side. Pain behind the left ear.
973159	1/26/2021		72	F	1/18/2021	1/22/2021	Experiencing vision blurriness, dry eyes, - utilizes eye drops and resolves. Feels "heavy" some sneezing too.
974872	1/26/2021	WA	47	F	12/17/2020	12/20/2020	My left eye turned red. I went to the doctor on 12/21, 12/23 it was not better. I woke up in tears because it was so painful. I went to the doctor again, they said it looked like inflammation of the iris. On 12/26 is saw an eye doctor that said it was episquaritis. I had a follow up appointment on 01/11 with the eye doctor he found out I have nodular degeneration. I had a follow up on 01/25 and was referred to a cornea specialists. This all started post vaccine. I have not history of eye problems.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
973533	1/26/2021	NY	29	M	1/9/2021	1/11/2021	eyebrows swollen; area of his eyebrows is swollen and resting right on his eyelids; lymph nodes swollen; This is a spontaneous report from a contactable consumer reported for himself. A 29-year-old male patient received bnt162b2 (BNT162B2, PFIZER-BIONTECH COVID-19 VACCINE, lot number: EK5730 and expiration date: 31Mar2021), via an unspecified route of administration on arm left on 09Jan2021 11:45 at 0.3mL, single for covid-19 immunisation. The patient medical history reported as none. There were no concomitant medications. The patient previously took Influenza Quadrivalent (lot number: 294G5 and expiry date: 30Jun2021) at the age of 29-year-old on 20Oct2020 at 0.5mL and never had any problems. The patient having a side effect from the dose he got on Saturday 09Jan2021. He woke up yesterday on 11Jan2021, with his eyebrows swollen, the area of his eyebrows is swollen and resting right on his eyelids. Also reported woke up yesterday on 11Jan2021 with the swollen eyelids and swollen lymph nodes, are a little swollen but have seemed to subside as of today. The outcome of the events swollen eyelid and swollen lymph nodes was recovering, outcome of the other event was not recovered.
973136	1/26/2021		72	F	1/18/2021	1/20/2021	Experiencing vision blurriness, dry eyes, - utilizes eye drops and resolves. Feels "heavy" some sneezing too.
974475	1/26/2021	MS	47	F	1/19/2021	1/19/2021	Within 8 hours of shot administration, I was running fever and experiencing chills. Ran fever (as high as 102.7) for the next 48 hours. Lethargic, no appetite, muscle and joint aches, severe headache. The symptoms experienced in the 48 hours after vaccine were vastly more severe than the symptoms I had when I had COVID. Fever broke during the night on 1.21.21. Felt much better on 1.22.21, but was still very tired and had headaches. On 1.25.21, I awoke with a SEVERE headache on the left side of my forehead and temple. My eye was bothering me. When I looked in the mirror, my left eyelid was swollen and red. The left corner of my mouth was drooping. My doctor diagnosed me with Bell's Palsy on 1.25.21. Symptoms are worse today. She prescribed a steroid dose pack to help with the inflammation of the facial nerve. Steroids were started today, 1.26.21.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
973164	1/26/2021	UT	59	F	1/9/2021	1/9/2021	Pulsating headaches; Blurry vision; nausea; 102.2 fever; body aches; hand tremors; dizziness; joint pain; Cough; feeling of exhaustion; This is a spontaneous report from a contactable consumer (patient). A 59-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL3248), via an unspecified route of administration (right arm) on 09Jan2021 11:00 at single dose for Covid-19 immunization. Medical history included asthma and hypertension. The patient received an unspecified medication in two weeks. The patient previously took codeine and experienced allergy. The patient was not diagnosed with COVID-19 prior to vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient experienced pulsating headaches, blurry vision, nausea, 102.2 fever, body aches, hand tremors, dizziness, joint pain, cough, and feeling of exhaustion on 09Jan2021 (12:00 PM). There was no treatment received for the events. The outcome of events was recovering. The patient has not been tested for COVID-19 since the vaccination.
974944	1/26/2021	TX	44	F	1/26/2021	1/26/2021	Approximately 20 minutes after receiving vaccination, patient reported dizziness and blurred vision. Patient almost fell while walking and was sat down. Patient was clammy and diaphoretic and blood pressure was elevated from her normal but O2 was normal. No swelling but patient reported drainage in her throat, a thick mucus like feeling. Ambulance was called and patient was taken away on stretcher, was not able to stand to get on stretcher.
973195	1/26/2021	TN	52	F	1/25/2021	1/25/2021	2 hours after vaccine developed persistent blurry vision and 8 hours after vaccine have developed some shortness of breath . Neither of which has resolved as of 12:35 am 1/26/21

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
973238	1/26/2021	NM	67	M	1/11/2021	1/11/2021	transient bilateral blurry vision; This is a spontaneous report from a contactable physician. A 67-year-old male patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number and expiry date: unknown), via an unspecified route of administration on 11Jan2021 11:00 at single dose for COVID-19 immunization (Patient age and high risk medically). Medical history included ongoing spastic paraplegia. He has a genetic neurological condition, he has it is called spastic paraplegia. He does not have an onset date just that it was years ago and is still an ongoing thing at this time. He believes there is a remote family history of the same neurological condition. Patient is not diabetic. There were no concomitant medications. It was reported that the patient previously took flu vaccine on 18Nov2020, almost 2 months prior. The patient experienced transient bilateral blurry vision on 11Jan2021 11:20. Caller is asking for recommendations regarding the 2nd dose for the patient who experienced blurriness of vision. Caller reporting a patient who received the first dose of the Vaccine yesterday (11Jan2021) and developed transient bilateral blurry vision at 11:00am, 20-30 mins after the dose. He said that it was resolved within 18-24 hrs after. He is asking if there were any reports of this in the clinical trial. It was further reported that caller is calling about the COVID vaccine. He says he was curious, he is a clinical director in (and he was calling to report or see if anyone had reported this. The patient received his first dose of the vaccine yesterday (11Jan2021) and for less than 24 hours had transient bilateral blurry vision. He says by the second day it had totally resolved. It started about 20 minutes after the first dose and resolved within 24 hours. He did not think it met criteria to report but he wondered if they would like to him report that and see if anyone had seen that at all. Event began on 11Jan2021 about 15-20 minutes after the vaccine was given and was resolved completely within 24 hours. For the dose, he believed the patient received 0.3 ml, whatever the standard dose is. He thought the Pfizer one is 0.3 ml. He says the nurses do that he just does the medical screening but he thinks the Pfizer one is 0.3 ml and (name) is 0.5 ml but he is older so he may be wrong. No further information provided. For the anatomical location of administration of Pfizer vaccine considered as suspect, he stated it was on

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

one of the deltoids, he is not sure which. Vaccination Facility Type was outpatient clinic. There were no additional vaccines administered on same date of the Pfizer suspect, they screen for those and he has not had any other vaccines for at least 2 weeks. It was further reported that vaccine given roughly about 11 AM and the symptoms began 11:20 AM. He called the patient this morning at 9:30 AM and he said the blurry had resolved. He says he spoke with the patient's wife and she asked the patient if it was resolved and he said yes. They did not provide the caller with the time that the blurry vision resolved. Caller says he did send the patient to their in house optometrist for an exam and the exam was unremarkable by the optometrist. There were no prior vaccinations (within 4 weeks). He also wanted to know if they could advise whether or not to give the second dose. The outcome of the event was recovered on 12Jan2021. Information on Lot/Batch number has been requested.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
973250	1/26/2021		51	M	1/22/2021	1/23/2021	I received my shot at about 7:30PM Friday Jan 22, about 8 hours after that my shoulder had pain where I received the shot and had started to get a headache. 4 hours later awoke with extreme headache with pain in my joints, also this is when diarrhea started. Took Aleve and tried going back to bed an hour or so later chills started and couldn't sleep with the pain and diarrhea. Kept trying to sleep but was difficult with these problems a couple hours later tried stretching and doing a little stretch and flex to see if this would help but it did not. So approximately 18 hours after the shot the diarrhea was done (nothing left in me) I was dehydrated and consumed water constantly. A couple hours after this I did not have anymore chills but my head felt like a balloon that was being over inflated and was going to pop. By this time my sister was at my house keeping an eye on me, I had called her earlier. I couldn't really feel the pain where I received my shot because of the pain in all my joints (shoulders, knees, hands etc.) but the worst was my neck and head. Slept rough during the night drinking large quantities of water all night. Started feeling a bit better mid morning the next day, got appetite back but was extremely fatigued and pretty much napped in bed until 6pm Sunday the 24th. That's when I started feeling normal again eating like a pig and still couldn't get enough water in me. Now I'm scared about getting the 2nd dose of Moderna in a month. Thank you t

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
973309	1/26/2021	TN	64	F	1/7/2021	1/1/2021	Has arthritis prior to having the COVID vaccine and after getting it, it went after the over growth bones in her hands; She still has a cough and no taste; She still has a cough and no taste; The doctor didn't know what to tell, they said if they were her, they would not take the second shot; Body aches; Chills; Nausea; Tired; Diarrhea; Had a fever reached 100.0; Joint hurt, all of them; This is a spontaneous report from a contactable nurse (patient). A 64-year-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiry date not reported), via an unspecified route of administration on 07Jan2021 at single dose for COVID-19 immunisation. Medical history included COVID-19 in Nov2020 (8 weeks ago). Concomitant medications were not reported. After getting the vaccine, she got sick as a dog and couldn't work. She had a fever that reached 100.0, she had body aches. It was explained that she has arthritis prior to having the COVID vaccine and after getting it, it went after the over growth bones in her hands. The caller continues that her joint hurt, all of them, but it was throbbing the most where she has visual arthritis. To sum it up, she had chills, nausea, and body aches the first day. The caller took Tylenol regardless of what the paper said; this was on Friday, 08Jan2021. She kept taking the Tylenol. The next day, she was still tired but when she quit taking the Tylenol on the 2nd day the symptoms returned. It was clarified that she took it in the beginning of the second day twice but at the end of the day wanted to see if she was over it all so she stopped the Tylenol. The symptoms all returned so she took again at bed time, the Tylenol, this was Saturday. On Sunday, she had diarrhea but only a couple times and though it was weird, after that is was over. That day she took Tylenol once. She was calling because she was scared about the second dose, this one produced a big immune response and she says that usually happens with the second dose. The caller wants to know if she should take the second shot, she doesn't want to have this happen again or it be worse. She thought since she had already had COVID it wouldn't be as bad, her immune response. The first dose was given on 07Jan2021. It was explained the only thing unresolved was from when she had COVID, she still has a cough and no taste. There are just few thing she can taste and smell now. The patient said that all the

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

symptoms had resolved as of Monday, the 11Jan2021. Actually, she felt pretty good on the 10Jan2021 so let's say Sunday. She explained that most people get this on the second dose and so if she going have a third response she doesn't want the second dose. She was calling to get an answer to her question, the doctor told her to call to see what could be recommended. She has really good doctors, three of them. The doctor didn't know what to tell, they said if they were her, they would not take the second shot. The patient said she really needs to go. No need to continue when there is no one to tell her if she should take the second shot or not. The patient asked to be contacted via email to relay information about people's immune response to the first dose verses the second dose, is it greater or less. Clinical outcome of the events recovered on 11Jan2021. Information on the Batch/Lot number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
973324	1/26/2021	NM	57	F	12/30/2020	12/30/2020	Complaints of sensation of "foreign body" in throat and feeling of throat/tongue swelling; Complaints of sensation of "foreign body" in throat and feeling of throat/tongue swelling; Complaints of sensation of "foreign body" in throat and feeling of throat/tongue swelling; Intermittent episodes of acute sharp back pain; This is a spontaneous report from a contactable pharmacist reported that a 57-year-old female patient (no pregnant) received first dose of bnt162b2 (Pfizer-BioNTech COVID-19 mRNA vaccine, lot number: EL1284 and Expiration Date unknown) via Intramuscularly on 30Dec2020 03:00 PM (Left arm) at single dose for covid-19 immunisation. Medical history includes mild asthma, B-Cell Thymoma (Resected), multiple allergies. Diagnosed allergies included Sulfa drugs-swelling; Celebrex-Itchy; Clindamycin- Unknown reaction; Doxycycline- Sick to stomach; Iodinated radiocontrast dyes- Iodinated radiocontrast dyes cause generalized swelling (takes diphenhydramine prior to contrast use when needed); Keflex- Rash; TDAP Vaccine; Levofloxacin- Unknown Reaction; Penicillin; Prednisolone- Itchy; Septra- Eyes get glossy and lips swell. The concomitant medication was not reported. There is no other vaccines within 4 weeks prior to the COVID vaccine. About 4 Hours after receiving 1st (of 2) doses of Pfizer COVID-19 Vaccine (30Dec2020 30Dec2020 08:00 PM), Patient went to Emergency room (ER) with complaints of sensation of "foreign body" in throat and feeling of throat/tongue swelling. Also had intermittent episodes of acute sharp back pain while in ER. Upon arrival in ER, patient received routine precautionary care with peripheral IV placement. She was kept under observation in ER for approximately 5 hours until subjective symptoms resolved. On exam patient did not have objective signs of throat obstruction. Vitals were stable and O2 saturation on Room Air was within normal limits. Patient did not receive any medications, oxygen, fluids, or any interventions other than observation. Once symptoms resolved, patient was discharged from ER in improved condition. The outcome of event was recovered on an unknow date without treatment. There is no covid tested post vaccination.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
973393	1/26/2021	CA	42	F	1/12/2021	1/12/2021	Exceptionally dry eyes; This is a spontaneous report received from a contactable other healthcare professional (who is also the patient). A 42-year-old female patient received the first dose of BNT162B2 (BNT162B2 PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL3246, expiry date: unknown), via an unspecified route of administration in the left arm, on 12Jan2021 08:30, at single dose, for COVID-19 immunization, in the hospital. There were not medical history and concomitant medications. The patient has no known allergies and is not pregnant. The patient did not have COVID-19 prior to vaccination. The patient did not receive other vaccines in four weeks. The patient experienced exceptionally dry eyes on 12Jan2021 at 20:30. Treatment included saline eye drops. The patient was not tested for COVID-19 post vaccination. The outcome of the event was recovered in Jan2021.
973400	1/26/2021		65	F	1/12/2021	1/13/2021	Blurred vision; This is a spontaneous report from a contactable nurse (patient). A 65-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number and expiration date were not reported) on 12Jan2021 at a single dose, with route of administration unspecified, for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient had received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number and expiration date were not reported) on an unspecified date for COVID-19 immunization. On 13Jan2021, the patient had blurred vision. The patient was going to an eye doctor on the day of reporting (reported as today at 1:00 PM). The outcome of the event, blurred vision, was unknown. Information on Lot/Batch number has been requested.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
973431	1/26/2021	CT	34	F	1/11/2021	1/12/2021	<p>had numbness/to her bottom jaw bone/switched between her cheek and jaw and then her nose; face started tingling/from her lower eyelid/switched between her cheek and jaw and then her nose; face started tingling and had numbness/from her lower eyelid; face started tingling and had numbness/affects her lips/and mouth sometimes; face started tingling and had numbness/affects her lips/and mouth sometimes; It is just very annoying/It is irritating; This is a spontaneous report from a contactable nurse (patient). A 34-year-old female patient received first dose of BNT162B2 (Pfizer-BioNTech COVID-19 mRNA vaccine; lot number: EL3284), via an unspecified route of administration in the left arm on 11Jan2021 12:00 at a single dose for COVID-19 immunization. Medical history included ongoing anxiety since she was 13 years old. The patient's concomitant medications were not reported. The patient received the vaccine on Monday at 12 o'clock. She got it for work. She doesn't have a prescribing doctor. She developed the side effect Tuesday at 2 am. The left side of her face started tingling and had numbness, which is the same side she received the vaccine on. She doesn't have weakness. It is not resolving. It is from her lower eyelid to her bottom jaw bone. When asked if it was improving persisting or worsening, she said it depends. Sometimes it gets worse and affects her lips, and sometimes it is on and off. It won't be completely gone. It switched between her cheek and jaw and then her nose and mouth sometimes. If she bends over, it tingles worse. It is just very annoying. It felt like if she had Novocain on the top and bottom of her mouth. It is irritating. She got it because she doesn't want COVID and she works as a nurse. She does have really bad anxiety. She has nothing else medical. She is just really nervous. It is not going away. She is freaking out. She would like more information. The outcome of the event "It is just very annoying/It is irritating" was unknown, while for the other events was not recovered.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
973194	1/26/2021	NJ	70	F	1/11/2021	1/11/2021	entire body felt sore; Her soreness/aching is mainly in her back, arms left deltoid, and legs; Her soreness/aching is mainly in her back, arms left deltoid, and legs/sore arm from the injection; Her soreness/aching is mainly in her back, arms left deltoid, and legs; This is a spontaneous report from a contactable consumer (patient). A 70-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number: EL3248), via an unspecified route of administration in the left arm on 11Jan2021 at a single dose for COVID-19 immunization. The patient's medical history included ongoing high blood pressure, ongoing eye disorder, high cholesterol, and overweight. Concomitant medications included amlodipine, losartan, and metoprolol all from 2003 and ongoing for high blood pressure; ascorbic acid, tocopheryl acetate, xantofyl, zeaxanthin, zinc (AREDS) for the eyes; and medication for high cholesterol. At night of 11Jan2021, the patient's entire body felt sore. Her soreness/aching is mainly in her back, arms left deltoid, and legs. She had a sore arm from the injection which started immediately. Outcome of the "entire body felt sore" and "soreness/aching in her arms left deltoid/sore arm from the injection" was not recovered while of the remaining events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
973514	1/26/2021	TX	38	F			<p>this was maybe an allergic reaction; itching; her face was red; her arm, it was really red; her arm, it was really puffy; This is a spontaneous report from a contactable consumer (patient). A 38-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EJ1686), intramuscular at deltoid left on an unspecified date at single dose for COVID-19 immunization. The patient medical history was none. The patient's concomitant medication included sertraline hydrochloride (ZOLOFT), biotin and multivitamin. On an unspecified date, the patient reported that she has a lot of itching going on, people were saying her face was red, she felt itchy, it was as if she could write her name on her arm, it was really red and puffy, her left eye stated to itch, but she did not want to scratch, she thought this was maybe an allergic reaction, her pathologist gave her two ZYRTEC, she was supposed to take one, and took another one as well. Course of event was reported as follows: the patient clarified that itching started during night, her scalp started itching a little, then stomach, then she was like ok. The next, she finished working out, got a shower, she did shower and continued to itch. At work, all of a sudden, her arms started itching, then legs started, then stomach and back started itching, her coworker said it was red, face was red. It was not intolerable, but uncomfortable. The patient outcome of the events was unknown.</p>
973982	1/26/2021	WA	42	F	12/28/2020	12/28/2020	<p>After the vaccination I felt like I was drunk and tired which lasted about 2 days. On day 3 I developed a horrible headache and the muscle behind the eye was throbbing and hurting really bad with nausea associated for about 5 days. It made me feel manic and felt as if I was in a psychotic state which lasted from 12/28-1/26 .</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
973643	1/26/2021			U	1/10/2021		allergic reaction; rash all over my neck and its spread up to my eyes and my cheek; This is a spontaneous report from a contactable consumer. A patient of unspecified age and gender received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 10Jan2021 at single dose for COVID-19 immunization. Medical history included severe allergies and severe sulfur allergy. The patient's concomitant medications were not reported. Consumer stated, "I have for the COVID vaccine on Sunday and I spoke to someone yesterday because I am having allergic reaction, I have a rash all over my neck and its spread up to my eyes and my cheek. I went to the dermatologist this morning and I have severe allergies and severe sulfur allergy and the dermatologist is wondering if they can treat me with Prednisone." Outcome of events was unknown. Information on the lot/batch number has been requested.
973676	1/26/2021	PA	60	F	1/25/2021	1/25/2021	dose one 12/31/2020 - developed headache, swollen hands and red palms, puffy eye 24-48 hours after dose. Took Tylenol. dose two 1/25/2021- developed continuous headache 8 hours after dose into day 2. Developed chills, sweats, body aches and burning sensation of eczema site on right foot 17 hours after vaccine administration. Took Tylenol and airborne without relief.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
973789	1/26/2021	FL	74	F	1/20/2021	1/20/2021	I advised her not to get her second dose of vaccine. Side effects from COVID vaccination. WED 20 JAN 8:50 am Shot received 9:15 am Nausea began 10:30 am Fever 99.9 Noon Suddenly overwhelmingly fatigued 1:00 pm Joint and muscle pains severe; difficult to move at all 2:00 pm Chills; bone chilling cold and chest pain Between 2- 7 pm All symptoms continue 7:00 pm Tongue swells and burns [like on fire] fire sensation goes down esophagus to stomach; pain in stomach Fitful night: all symptoms continue thruout night except the chills Let up around 1 am THURS 21 JAN 7 am Tongue swelling down, but it's numb yet still burning all way down esophagus and the stomach burns still. Fatigue a little better; Joint pain and headache debilitating. Muscles cramping and extremely painful. Noon Sent message to Dr via online access 1 pm Vomiting occurred; rest of symptoms remain same with addition of new round of the chills 3:30 pm Vomiting ceased but nausea remains. Chills stopped, rest of symptoms remain. FRI 22 JAN 4am Vomiting returned, gatorade helps burning, but won't stay down. 7am Tongue no long swollen, burning is less. Tongue remains numb and no taste. Fever 99.6. Joint pain lessened by half. Headache intensity increased causing blurred vision. 10am Nausea only slight, can keep liquids down. Headache still intense. Fever 99.4 10:30am - 5pm Slept. 5pm Headache remains intense. Fever 99.6. Muscle and joint pains less severe. Nausea remains. Tongue numb but burning gone. 6pm Read Dr's message. 7pm All symptoms remain. 8pm Vomiting returns. Increase muscle and joint pains. Headache blinding. Fever 99.4 Slept on and off with no alleviation of symptoms SAT 23 JAN 4 am Woke with vomiting. Fever 99.2, headache worse. Tongue and esophagus and stomach burning back. 7am Nausea and muscle joint pains remain. But less. No fever. Headache less intense but vision still blurry Rest of day was able to move more freely and felt increasingly better as day unfolded. Had some solid food. SUN 24 JAN Appear to be back to normal except for the headache and vision blurriness. Tongue still numb and without taste. MON 25 JAN 7am Feeling just a little tired with slight headache and tongue numb. 9am Made app't with Dr for 3:30 today

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
973832	1/26/2021	NY	54	F	1/19/2021	1/19/2021	Reported tightness in throat, headache, fever, body aches, and blurry vision.
973878	1/26/2021	NY	61	F	12/1/2020	12/29/2020	Neck on left side became extremely painful and sore and could turn my head didnt sleep the first night and had a slight headache. Everything was fine within 2 days. Like nothing happened. On Day 9 experianced a flash of light out of left eye and a floating blob that came and went throughout the day. Saw Dr and he said this is typical of the aging process. Dont know if it was related just weird it happened now. Arm was sore for 2 Days but nothing major. Other than that i felt fine.
973890	1/26/2021	FL	52	F	12/29/2020	1/15/2021	Headache, dizziness, eye pain and anisocoria that has lasted over a week.
973899	1/26/2021	OR	39	F	1/24/2021	1/24/2021	Swollen right eye, headache, nausea, vomiting, muscle ache at injection site.
973905	1/26/2021	TN	43	F	1/20/2021	1/20/2021	vision black out spells, and sharp headaches to the point the affect my vision
973915	1/26/2021	PA	63	F	1/15/2021	1/16/2021	itchy swollen eyelids which then developed into welts on eyelids and were still very red and itchy through the whole day after administration of vaccine. by third day they were reddened but no raised areas.
973939	1/26/2021	WV	40	M	1/21/2021	1/23/2021	Inmate seen in health services with complaint of left ear pain extending into left cheek and around his mouth. He has some drooping of the left side of his mouth and he is not able to blink or close his left eye. He noticed symptoms on 1-23-2021, the Saturday after getting the COVID 19 vaccine on 1-21-2021 (Thursday). Had some trouble swallowing liquids without having them dribble out the left side of his mouth and he says that he is not able to chew on the left side without biting his tongue. Says that his left ear is causing him a great deal of pain.
973951	1/26/2021	MA	50	F	1/15/2021	1/15/2021	About 20 minutes after receiving the vaccine I developed tingling of my lips and face, including left eyelid. It improved over several hours. I had no swelling or drooping of my face, or trouble breathing.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
973964	1/26/2021	OK	46	F	1/9/2021	1/10/2021	<p>Saturday, 01/09/21 1300-received 2nd vaccine Sunday, 01/10/21 0500 -severe left arm pain, began at injection site, radiated: up and across L shoulder blade area, up neck and into head, down to L fingertips 0600 -all above continued, R knee joint pain (sharp/stabbing) 1400 -all above continued except R knee joint pain; spinal pain and intercostal pain began 1900 -all above continued; TMJ, jaw, and 'tooth' pain began Monday, 1/11/21 TMJ, jaw, and 'tooth' pain, nausea, fatigue, night sweat Tuesday, 1/12/21 TMJ, jaw, and 'tooth' pain, nausea, fatigue, night sweat Went to dentist (scheduled appointment on Monday) for cleaning and thorough exam...exam was normal Wednesday, 1/13/21 continuation of symptoms from 1/12/21, but pain worse, ear pain Thursday, 1/14/21 0630 had eaten a full can of chicken noodle soup. Was sitting and working on CEs for work, had taken medications for the day, but added in hydrocodone, half of a 7.5/325mg tablet and ibuprofen 200mg. Felt a severe wave of nausea. Laid my head down on my arms on the table. Do not remember getting up, but remember walking through the kitchen in front of the refrigerator, reaching up to feel my pulse, felt two beats which were too far apart and thought to myself, "I'm going to faint". Apparently I was able to walk about 6 feet further, but I don't remember it. I don't know what time I fainted, but I think I must have fallen. I woke up sometime after 7, disoriented and my head hurt, lying on the kitchen floor. My husband came to my side after I called out to him about 5 times. I was drenched in sweat and very weak. When firefighters arrived they said my heart rate was 'all over the place', from 46 to I don't know what (did not hear). Ambulance arrived around 0730. Glucose was normal. Was taken for evaluation. Was given IV NS (I think 1000mls). Labwork was drawn. CXR, CT, and EKG. ER Dr recommended I follow up with my cardiologist, as she noted mitral valve regurgitation and thought a Holter monitor would be advisable. CXR and CT normal. EKG normal sinus rhythm, but showed anteroseptal infarct of unknown age, confirmed by cardiologist who read the EKG. Also seen by my PCP at 1430, he checked my ears, as they had been hurting as well, said they were clear. Advised alternating tylenol and ibuprofen Q4-6H. Friday and Sunday 1/15 and 1/16 night sweat, TMJ pain, nauseated, headache, neckache, fatigue, shoulders sore, eyes sore, inner ear pain Sunday, 1/17 0500 woke up,</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

lying in bed, dizzy, clammy palms, chest pain (mid-clavicular, just below left breast, stabbing), night sweat, TMJ pain, nauseated, headache, neckache, fatigue, L & R flank pain, BP 115/70, HR 54 Monday 1/18, Tuesday, 1/19, Wednesday 1/20, Thursday 1/21, Friday 1/22, and Saturday 1/23 varying degrees of: fatigue, nausea, dizziness, TMJ, jaw, and 'tooth' pain, palpitations, and ear pain. TMJ and jaw pain worsens with activity.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
973441	1/26/2021	MA	45	U	1/12/2021	1/12/2021	right side of my face was red with a rash; my eyes are very itchy; headache; felt Nausea; my right arm was itchy where i got the shot and sore/noticed from my shoulder to my elbow had rash, swollen and was very itchy; my right arm was itchy where i got the shot and sore; noticed from my shoulder to my elbow had rash, swollen and was very itchy; noticed from my shoulder to my elbow had rash, swollen and was very itchy; i am having allergic reaction; This is a spontaneous report from a contactable healthcare professional (patient). A 45-year-old patient of an unspecified gender started to receive bnt162b2 (BNT162B2 reported as PFIZER COVID VACCINE; unknown lot number and expiration date), intramuscular right arm on 12Jan2021 11:15 at a single dose for covid-19 immunization. Medical history included allergies to latex and cillin family, and seasonal allergy. Concomitant medication included hydroxyzine pamoate (HYDROXYZINE PAMOATE), calcium carbonate, colecalciferol (VITAMIN D 2000), ketotifen fumarate (ZADITOR) for seasonal allergy, azelastine (AZELASTINE) and clarithromycin (CLARITIN). The patient did not receive other vaccines in four weeks and was not diagnosed with Covid prior to vaccination. The patient previously took but had allergies to amoxicillin, oxycodone hydrochloride; oxycodone terephthalate; paracetamol (PERCOCET), fusidate sodium (FUCIDIN) and morphine. The patient received the first dose of bnt162b2 (BNT162B2 reported as PFIZER COVID VACCINE; unknown lot number and expiration date), via unspecified route of administration on an unspecified date at a single dose for covid-19 immunization. The patient reported that she the shot at her job 12Jan2021 11:15am, sat down for 15 minutes and she got up fine. She mentioned that around 04:00 pm, she had headache and felt nausea. Her right arm was itchy where she got the shot and sore, so she took off her sweater to check her right arm where she got vaccine and noticed from her shoulder to her elbow had rash, swollen and was very itchy. She took a Benadryl and put ice on her right arm. She waited an hour after she took the Benadryl. She noticed the rash was not itchy or as red as it was before but was still swollen. These adverse events started at 12Jan2021 15:45. She mentioned that she went to bed woke up at 5:30 am the next day (13Jan2021) and the right side of her face was red with a rash. She mentioned

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							that when she checked her right arm, the rash was still there and was red again. She took her allergy medication and waited an hour and the rash still on her face and arm but not as red. It was mentioned that once her allergy medication wore off, the rash was red on her right arm and face, and her eyes are very itchy. She took allergy medication again and waited 1 hour, the rash was not so itchy. She mentioned that she was having allergic reaction. The patient reported that she was COVID tested post vaccination (nasal swab) on 13Jan2021 with pending results. The outcome of the events was not recovered. The following information on the batch/lot number has been requested.
976027	1/26/2021	MA	47	F	1/26/2021	1/26/2021	mild puffiness under eyes and on lip, mild sore throat, beginning about an hour after the shot and continuing to this writing
975592	1/26/2021	OR	43	F	1/21/2021	1/21/2021	22 minutes after vaccine experienced severe racing palpitations, elevated heart rate over 150 bpm and visual changes. This lasted one hour. Had mild chest pressure and the visual changes the rest of the day.
975668	1/26/2021	OK	42	M	1/26/2021	1/26/2021	Received 1st dose of Pfizer-BioNTech at approx. 10:00. While waiting in observation area for 15 minutes after vaccine, client started to feel dizzy and notified nurse. Client requested EMSA at this time. Client moved to the floor to lay down and legs were elevated. Client then reported numbness of the tongue. No swelling visualized. O2 via nonrebreather mask initiated at 10:21 and EMSA called at 10:25. BP monitored (130/82 at 10:23, 142/78 at 10:27, 130/81 at 10:37). Client reported the numbness in his tongue went away. EMSA arrived at 10:41 and transported by ambulance to hospital for further evaluation.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
975692	1/26/2021	NY	51	M	12/29/2020	12/29/2020	Dose 1 -Muscle twitched on injection into R deltoid. Immediately after injection experienced warm and cold sensations through right arm, intermittent pains along arm. Was asked to be observed 30 mins post injection. Sent home. Paresthesias (intermittent warm, cold, tingling sensations) continued with radiation into right axillary, and into neck. Experienced intermittent facial tingling. On day 3 post injection, started with burning eye discomfort in right eye. Went to eye doctor to rule out eye infection. No eye infection, Instructed to use Refresh drops. In 4 days subsided. Day 7 experienced ear flushing and warmth that last 3 days and subsided. Saw a neurologist to rule out nerve damage. EMG was normal. ANA titer was 1:40 with speckled and cytoplasmic pattern. My last ANA was negative when tested for inflammation due to back pain few years prior. Neurologist did not think this was an allergic reaction and since symptoms were gradually improving recommended second dose. Symptoms fully resolved after 2 weeks Dose 2 - Jan 19 , 2021 (21 days post) - Decided to inject left deltoid to avoid trauma to right arm. Was observed 30 mins and released. No symptoms. Moderate arm soreness x 4 days. Day 3 post injection developed burning eye discomfort, intermittent tingling sensation in arm, warm/cold sensations. Pain radiating to shoulder and neck. Day 6 started very mild tingling and warm sensations in cheek and chin area. Also experienced intermittent prickly sensations in throat and sensation of throat tightness predominantly on left side. (but no actual swelling). Today (Jan 26, 2021) is Day 7 and these intermittent sensations are persisting. Arm soreness has resolved. Right eye burning discomfort improving.
975715	1/26/2021	ND	47	F	1/21/2021	1/21/2021	My eyes, nose, throat, and ears started to itch and burn. My eyes swelled to the point that one eye was completely swollen shut. My lower lip started to swell slightly, but not much. I took Cetirizine Hydrochloride 10 mg. I took one pill in the morning and one in the evening until the evening of 1/25. The burning and itching subsided in an hour. The swelling in my eyes was not completely resolved until the morning of 1/26. 1/22 - 1/24, I was extremely fatigued, sleeping most of the time day and night. On 1/26, I felt that my symptoms had completely resolved.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
975746	1/26/2021	NY	60	F	1/25/2021	1/25/2021	The patient experienced syncope within 30 minutes after receiving the covid-19 vaccine. At 2:30pm, she felt dizziness, her head was spinning, weakness of the arms, and slurred speech. Her FS was at 108 (Normal), BP 195/105 (Extremely high), Pulse 91, O2 saturation was at 100%. At 2:48PM, her BP lowered to 167/92. At this time, she can smile, she can put her hands up, she can kick her feet and she can opened/closed her eyes. Due to her high BP, Doctor requested that the should go to the ER via the ambulance.
975754	1/26/2021	FL	85	F	1/4/2021	1/4/2021	I have a rash on my face primarily around my eyes and it?s continued since 1/4. I also had a black and blue big right toe and my veins in my lower leg are dark as well. I did not injure my toe or leg.
975787	1/26/2021	MA	51	F	1/13/2021	1/15/2021	Patient developed unilateral facial numbness 2 days after the vaccine. The numbness subsided and was replaced with pain. No weakness or drooping. No eye involvement. Patient's pain was located on the right side of the jaw below the eye. Patient was treated with prednisone on the same schedule of dosage as used for Bell's Palsy. Patient saw immediate improvement from the prednisone and is no longer having the pain. She never developed any other complications.
975799	1/26/2021	MT	54	M	1/18/2021	1/18/2021	One hour after 2nd dose of COVID, patient's left eyelid became swollen and reddened. Went to provider and eye doctor over next 8 days. States having some blurry and double vision a few days after vaccine.
975832	1/26/2021	NY	60	F	1/25/2021	1/26/2021	Left eye: redness,, tearing,, discharge, blurry and markedly diminished vision. Seen by both optometrist and ophthalmologist on 1/26/2021. Diagnosis: Keratitis . Treatment: Tobramycin-Dexamethasone Ophthalmic Suspension and Bepreve eye drops. To return to Ophthalmologist's office in 1 week..
975844	1/26/2021	VT	92	F	1/15/2021	1/17/2021	2 days after receiving the vaccine started having a headache and odd visual changes - lights in sparkly patterns, seeing something move in periphery of vision that wasn't there. No fever, no aches, arm didn't hurt, no nausea, was able to continue working so no change in mental status. Lasted until 1/23/2021 and stopped completely. Is asymptomatic now.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
975966	1/26/2021	KY	38	F	1/12/2021	1/13/2021	1/13/21- tingling and numbness in lips, tongue, mouth 1/16/21- 1/19/21 swollen right upper eyelid 1/22/21- present red, itchy rash on tops and bottoms of finger and toe joints as well as elbows. Swollen and inflamed right big toe
975579	1/26/2021	AZ	47	M	12/26/2020	1/26/2021	Patient c/o Numbness of the peri-oral numbness within 5 minutes of getting the vaccine, strange taste in the mouth soon after the vaccine. Patient had taken Benadryl , pressure in the eyes and tightness in the chest. Patient continues to have mild episodic vertigo since then.
975997	1/26/2021	CO	77	M	1/19/2021	1/21/2021	On 1/20/21 the staff observed resident to be more restless constantly moving his legs. He had a decrease in his appetite and fluid intake and required assistance for consumption. His oxygen sats dropped to 89% on room air and was given oxygen at 2L. On 1/21/2021 the Resident observed moving restlessly, opened his eyes when this writer called his name, murmuring incoherent words, words were unclear, was observed taking off his Foley, attempting to grab something, dropped his hands and legs and at the same time restless. This writer was unable to auscultate lungs or heart, resident was moving uncontrollable. Resident positioned safely in bed. VS revealed high BP 147/101. MD ordered transfer to hospital. Resident was treated in the hospital for acute encephalopathy, sepsis with tachycardia and tachypnea and hypoxia.
976059	1/26/2021	GA	80	F	1/19/2021	1/20/2021	The patient received the Moderna Covid 19 vaccine on 1/19/21 and reported to the pharmacy that during the night on 1/20/21, she passed out. She reported having a mild headache all day but no other problems. She was putting drops in her husband's eyes around 11pm and told him she needed to sit down that she was going to "pass out." Her husband said she did pass out and he called 911. He said she was unconscious maybe 3 or 4 minutes. She woke up alert and knew what had happened. The EMT's checked her out--said she had no temperature, blood pressure was ok, and blood sugar was 280. They told the couple they thought it was probably from the vaccine. They wanted to transport her to the ER to be "checked out" but the patient refused to go. She has not had any problems since the incident except some fatigue

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
976033	1/26/2021	GA	80	F	1/19/2021	1/20/2021	The patient received the Moderna Covid 19 vaccine on 1/19/21 and reported to the pharmacy that during the night on 1/20/21, she passed out. She reported having a mild headache all day but no other problems. She was putting drops in her husband's eyes around 11pm and told him she needed to sit down that she was going to "pass out." Her husband said she did pass out and he called 911. He said she was unconscious maybe 3 or 4 minutes. She woke up alert and knew what had happened. The EMT's checked her out--said she had no temperature, blood pressure was ok, and blood sugar was 280. They told the couple they thought it was probably from the vaccine. They wanted to transport her to the ER to be "checked out" but the patient refused to go. She has not had any problems since the incident except some fatigue

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
976047	1/26/2021	VA	64	F	1/13/2021	1/21/2021	1/14 and 1/15: mild nausea and diuizziness, mild soreness and hardness as injection site; 11/21: in the evening found myself scratching at my upper right arm and realized I was scatching my injection site so went to look at upper right arm: realized a several inch area above, below and around the injectin site was swollen, hard and hot to the touch and a bit red and itchy. Note I could feel what felt like bumps under the skin vs. above the skin or that they could be seen. Due to providing support services to a disabled brother at his home during this evening, I did not take any benadryl or any related medication. I used cool compress at the site and called my husband to give him an alert. I had both a landline phone and a mobile phone (which has a medical alert service at the push of 1 button that I could talk to/or that would automotically respond) as I was aware to watch for breathing difficulties...I experienced none. I alerted our school system nurse about the issue the next morning and she guided me to contact my PCP which I did. I could not be seen that day, but was no worse regarding symptomes and knew I needed to go to ER or a Urgent Care if anything worsened which it didn't. Around 5 p.m. on Friday evening when I was able to be at my own home I took 1 dose of benadryl (allergen/dye free), drank alots of liquids and rested. During Saturday I still felt effects of benadryl, but vaccine related things cleared up. Monday, 1/25 7:15 a.m. to 7:45 a.m. while at home working on my computer, my left eye vision became very distorted like my vision was jumping around/unfocused...no issues of this before and I am not prone to headaches such as migraines..I was getting concerned that I might need to call work that I could not come as was afraid to drive and it cleared up. Note: I have routinely gotten many types of vaccines due to working in the medical field and needed to care for at risk family members (flu, phenmonia (sp), shingles, hepittitis, tetnus, booster for other preventive illnesses) and have never had adverse reactions. I do plan to get the second dose of the Moderna vaccine as I work for a school system and am primry care giver for a medical and disability comprimised younger brother.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
976061	1/26/2021	OK	49	F	1/12/2021	1/16/2021	12/21/2021 HIVES AT THIGHS WITH ITCHING AT SITE ITCHING -RT SAME DAY 01/12/2021 HIVES AND ITCHING TORSO AND THIGHS- SITE OF ARM- LT SAME DAY UP TO 4TH DAY-WORST OM 1/16/2021 WITH RESTLESS NIGHT WAKING UP EYE MATTED- WAKING UP ITCHYAT SITE/TORSO/THIGHS/LT EYE SWELLING AND RT EYE WITH WATERY LUNG FEELING SEEN AT THE ER AND ORAL STEROIDS CAUSE SOME SWELLING AT OTHER EYE BUT BETTER AFTER 30 MIN.AFTER A NAP RT EYE WAS SWELLING W/O ITCHING PRETTY BAD.AND ORAL MEDROL PACK LAST DOSE 1/19/2021 AND FORGOT THE DOSE ON 1/21/2021 AT WORK HAD EYE SWELLING LT EYE FIRST THEN WENT TOOK A DOSE THEN HAD ON THE RT EYE. SWELLING WITH TORSO AND SITE ITCHING TOO SO TOOK ANOTHER STEROID GETTING BETTER WITH PO BENADRYL 50 MG- FATIGUE BUT PRETTY GOOD.YESTERDAY TIRED TOWARDS THE END OF SHIFT AND THIS AM AFTER 9 HRS WAS FEELING TIRED-FATIGUE- STARTED LATE AND THIS PM SWELLING ON THE LT AND THEN RT (SAW CHIROPRACTOR 1/23/2020). IM DEXAMETHASONE 8 mg IM NOW BETTER AFTER 30 MINUTES BETTER.
976092	1/26/2021	FL	86	F	1/6/2021	1/16/2021	Itchiness and redness to site. Seeing "spots in front of eyes". Diarrhea
976127	1/26/2021	CA	39	F	1/22/2021	1/23/2021	Patient with sore arm day of event. Next day began to have some blinking of right eye, on medial side, which persisted for next two days. On 1/25/2021 began to have some numbness of right side of face starting on temple/ forehead, then beginning to extend down towards chin, before coming around the left side of face and becoming completely circumferential. Patient states felt leathery to the touch at that time due to decreased sensation. No facial asymmetry or weakness to muscles of facial expression noted by patient at any time. Patient went to sleep that night, fully resolved on waking in the AM.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
976133	1/26/2021	CA	81	F	1/26/2021	1/26/2021	Patient was in 15 minutes observation after COVID vaccination when she started experiencing SOB at 4:18 pm. Started with O2 treatment at 3 ml flow rate, notified site lead immediately. Under site lead supervision, attempted to take VS : HR 90 irregular, RR 40 irregular, unable to take BP due to equipment malfunction. No T due to no thermometer in observation room. Patient is diaphoretic states SOB, dizziness. Denies Chest pain. No N/V. At around 4:20 pm, one dose ( 0.3 ml) of epi-pen adult was administered left lateral thigh and called Emergency service ambulance per protocol. At 4:30 pm, EMS ambulance and police were arrived. Detailed patient care information was provided and handed over the care to the team. At 4:40 pm, patient left with emergency ambulance team.
976163	1/26/2021		42	F	1/25/2021	1/25/2021	Fever, chills, nausea, stomach pain, headache, ice pick headaches, gray spot in right eye vision, joint pain, muscle aches
976183	1/26/2021	NM	32	M	1/23/2021	1/23/2021	patient presented for first COVID 19 vaccine. Immediately after injection patient became dizzy, foggy, diaphoretic, blurred vision, nausea and had one episode of vomiting. After patient had emesis episode patient immediately returned to baseline and felt better. Patient stated that he normally had some type of reactions after injections. Patient was observed for a full 30 minutes and given water. 1225 patient check on and a this time had made a complete return to baseline. Patient discharge home after his full 30minute observation period ended at 1230
976211	1/26/2021	MI	54	F	1/23/2021	1/24/2021	Severe headache, swollen and severely painful cervical lymph nodes, sore throat, sneezing, extremely runny nose, severe fatigue, burning eyes and lie grade fever which started approximately 23 hours after vaccination and were mostly resolved 30 hours later. Completely gone the next morning (41 hours after vaccination)
976238	1/26/2021	IN	44	F	1/4/2021	1/7/2021	Onset of extremely red itchy eyelids and severely chapped lips beginning about 3 days after 1st dose

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
975014	1/26/2021	TX	44	F	1/26/2021	1/26/2021	Approximately 20 minutes after receiving the COVID vaccination (2nd dose), patient reported dizziness and blurred vision. Patient was walking at the time and was then sat down. Patient was clammy and diaphoretic, blood pressure was elevated from her normal and O2 was normal. Patient reported feeling a thickness in her throat, similar to mucus but no trouble breathing. Ambulance was called and she was taken to the ER by paramedics, was not able to stand to get on stretcher and was helped on by paramedics.
974465	1/26/2021	MS	47	M	1/20/2021	1/20/2021	Temperature 106, Malaise, Nausea, Vomiting, Joint redness, swelling and pain (hands), back pain, headache, visual disturbance (photosensitivity), Vertigo, Muscle Weakness, Shortness of breath all occurring over four day period. Continue to run a low grade temperature (99) intermittently.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
975981	1/26/2021	TX	39	F	1/22/2021	1/22/2021	40 minutes after my injection (as I drove home) on Friday, I began to feel tingling and numbness in my left hand and weakness in my left arm. Within an hour after my injection , I began to feel tingling and numbness on the left side of my face beginning with my jaw and chin area. Over the following hour, the tingling and numbness spread to my lips, nose, eyelid, eyebrow, and the entire left side of my face and head. Around this time, my husband and son came downstairs to check on me noticed a change in my face and asked me "What's wrong with your lip? It's like a different color or something different on one (left) side." Approximately 2 hours and 30 minutes after the injection, the left side of my mouth and tongue were tingling and went numb. The left side of my face was noticeably weaker than my right and it became difficult to control my left eyelid and lips. My injection site became extremely tender as the evening wore on and I took two tylenol before going to bed to help with the pain. By the next morning on Saturday, the tingling had stopped, and my mouth/tongue were no longer numb, however weakness and occasional numbness persisted on the left side of my face, most especially my jawline and chin area. I noticed my left eye felt dry, so I began using eye drops occasionally. My injection site remained extremely painful throughout the day and I took tylenol and ibuprofen periodically to help with the discomfort and to allow me to sleep. By Saturday evening, no outward signs remained of my facial weakness on the left side, although I could still "feel" the difference. By Sunday morning, the numbness was only sporadic around my jawline and chin and I realized that when taking tylenol or ibuprofen, it seemed to improve sensation in my face. My injection site discomfort abated as Sunday wore on, but a slight weakness on the left side of my face persisted, noticeable only to myself. The weakness has persisted through today (Tuesday evening), however, it does seem slightly improved each day and it is mild. I am able to work and function normally. I believe that I experienced a mild episode of Bell's Palsy following my Moderna vaccine, something that I have experienced (much more severely) once before <5 years ago after contracting a strain of antibiotic-resistant strep throat.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
975147	1/26/2021	FL	66	F	1/19/2021	1/19/2021	4 hours after vaccine eyes were irritated and red
975021	1/26/2021	FL	73	F	1/23/2021	1/23/2021	Headache Fever Body Aches pain in fingers and toes and knees outside of throat felt achy and sharp pain pain in eyes hoarse throat
975026	1/26/2021	AL	35	F	1/6/2021	1/6/2021	immediate vasovagal reaction - sensation of warmth all over, tunnel vision, dizziness
976078	1/26/2021	VA	79	F	1/21/2021	1/21/2021	After 1.5-2 hours after injection, patient blacked out on stairwell and fell down stairs. Patient struck head and received a concussion, broken nose, brain bleed, tear in the lip and damage to 6th cranial nerve in right eye. Patient has double vision now.
975564	1/26/2021	OR	43	F	1/21/2021	1/21/2021	22 minutes after vaccine had severe racing palpitations, a heart rate of over 150 and visual changes. Lasted one hour. Visual changes and some feelings of chest pressure lasted the rest of the day.
975065	1/26/2021	MA	51	F	1/22/2021	1/22/2021	Dizziness Flushed face and neck Swollen tongue Minor facial swelling around eyes Epi Pen and 50mg of Benedryl, bp remained normal, patient remained fully conscious. 911 called and transport to Emergency Dept
975075	1/26/2021	NJ	77	F	1/26/2021	1/26/2021	patient reports her upper lip began to get numb, feeling like novacaine from the dentist. no swelling or difficulty breathing. then her eyes began to feel dry and her ears feel "swollen inside" but no pain.
975126	1/26/2021	MI	26	F	1/20/2021	1/25/2021	G2P0, 5w5d; The patient is calling with vaginal bleeding in pregnancy. Calling with c/o dizziness with headache; Has a history of migraines; States she has subclinical hypothyroidism. Has tried Tylenol 500 mg for headache that worked for a little while; She denies vomiting, but does have nausea; Will try to increase water and protein intake; Will let us know if she gets worse/vision changes and will check in with PCP as they wanted to do a VV if dizziness got worse. Bleeding continued into following day. Documented as likely / threatened miscarriage.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
975176	1/26/2021	NC	41	F	1/19/2021	1/21/2021	Pt developed swollen lymph nodes in neck and bilateral axilla, fever, body aches, and fever with Tmax 100.4. Also states she had visual hallucinations, "wild" dreams, and seemed "incoherent" when talking with her husband. All symptoms have resolved but still has swollen lymph nodes in neck that wax and wane. Also c/o right side ear pain and right side sore throat x 2 days. Right side ear pain started on 1/24/21, 5 days after vaccine.
975209	1/26/2021	MA	49	F	1/20/2021	1/25/2021	Rash formed around eyes. HCP recommended we report as it may be related to vaccine. Steroid cream being applied.
975260	1/26/2021		52	F	1/26/2021	1/26/2021	1238 - patient feels blurred vision, itching, tingling sensation in her tongue and on the left side of tongue. Did not take her BP medications today. EMT on site in attendance 1241 - BP 194/110; HR 62; O2 99% on room air. 1246 - BP 200/160 manual auscultated left arm. Patient states she has an appointment to see physician tomorrow. EMT advised on EMS for further eval and/or transport to hospital. Patient does not want to go to the hospital. She states she will have her husband drive her and will take her BP meds when she gets home. 1253 - patient states that the itching on her tongue is subsiding. States she was anxious today because her sister had a reaction the the COVID vaccine and that she also had a sister recently pass from COVID disease. States she was feeling anxious and scared when coming in for the shot today. 1258 - BP 220/140, HR 72; O2 99% 1301 BP 206/121 1305 - Denies blurred vision or numbness in her tongue. Itching is subsiding. Recommended EMS transport to local hospital. Pt. declined. Nurse stressed to patient that BP is critical and that she should seek immediate care to risk stroke or MI. Patient decided to have her husband drive her to the hospital from vaccination site.
975267	1/26/2021	MA	37	F	1/25/2021	1/25/2021	Headache that started about 30 minutes after her vaccine (which she got at 11:30am) and became strong around 4:30pm, causing her to have nausea and vomiting for about 1 hour with blurry vision. Her symptoms improved with 2 pills of regular strength advil. Her headache went away and she no longer has symptoms today.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
975280	1/26/2021	CA	63	F	12/29/2020	12/29/2020	Eyes were watery, and red. Also felt shakey
975294	1/26/2021	TX	62	F	1/16/2021	1/16/2021	Jan. 16 10pm: achey neck, limbs,head ache,, Jan 17, 9am.. -19th. Pain became extremely achy in entire body, stomach, ribcage, arms, thighs , and neck.Weakness in stamina. Freezing unmanageable chills,itchy watery eyes, extreme arm pain. Severe lethargy, sleepiness.Unable to walk out of the house for 3 days.These symptoms be came less intense beginning Jan. 19 about 12PM. I am still incredibly tired and now my ulcerative colitis has flared up and I'm losing blood through stool.
975418	1/26/2021	TN	50	F	1/26/2021	1/26/2021	SWEATING, NAUSEA, FEELING OF PINS AND NEEDLES IN HANDS, TUNNEL VISION, WEAKNESS,
975476	1/26/2021		43	F	1/7/2021	1/7/2021	Itchy throat and watery eyes. Benadryl administered with initial resolution of symptoms. Later, patient experienced swelling of eyes, cheeks and mouth. Advised to take Benadryl q6h.
975487	1/26/2021	PA	66	F	1/21/2021	1/21/2021	Moderna COVID-19 Vaccine EUA Swelling of face, mouth and throat; swollen lymph nodes near clavicle on left side; dizziness; vision impacted for a few hours; joint pain (ankles, knees and elbows)
975120	1/26/2021	GA	78	F	1/18/2021	1/18/2021	patient reports on 1/25/2021 - Within 2 hours after returning home from receiving vaccine she had a severe headache and fever, unknown exact temp, nausea and vomiting. Fever stopped on 1/20/21 per patient. She reports her eyes seemed blurry for several days, like haziness. States she felt like her heart was racing for a few days beginning on 1/18/21. She did have a routine doctors apt on 1/22/21 and her physician completed bloodwork, unsure of labs or results. Her physician said that she should report her symptoms after the vaccine. She also had swelling and redness to her left upper arm all the way down to her elbow area after the vaccine.
975315	1/26/2021	SD	48	F	12/30/2020	12/31/2020	Shortness of Breath, vomiting x 1, body aches, headache, eyes were burning. Stayed in bed x 3 days Did not take any medications or seek medical attention

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
975482	1/26/2021	CO	75	F	1/24/2021	1/25/2021	Around 4:00 PM I started feeling achy. As the evening progressed I had chills, burning eyes, aches, fever. I was also having bladder control issues. When I went to bed at midnight my temperature was 103.2. I slept 12 hours and today I am 100%. No symptoms.
975430	1/26/2021	VA	51	M	1/6/2021	1/15/2021	14th of jan i had a pain around my jaw got up the next day i started having water eyes, the right side of face started to droop. went to ER and was diagnosed with Belspaulsy. after that did a follow up appointment with neurology
975432	1/26/2021	CO	75	F	1/24/2021	1/25/2021	I began feeling achy around 4:00 PM. It progressed to chills, headache, burning eyes, fever. My fever was 103.2 when I went to bed at midnight. Between 9:00 PM and midnight I also had difficulty with bladder control. I slept 12 hours and today I fell 100%.
975391	1/26/2021	NC	67	F	1/11/2021	1/11/2021	I received the shot in my left arm and immediatley I felt an odd feeling in my left wrist and hand. I then went outside and in 10 minutes my lips began to tingle and become numb. In several more minutes the left size of my lips were very numb and the right size somewhat numb. In just a couple of more minutes the location under my entire left jaw became somewhat numb and then I felt like I had something small in my throat. I asked my husband to look at my face to notice and swelling, drooping, or was I slurring my words. He said no. I could breath and swallow ok so I sat in the car in case I got worst and needed to go back inside the health department. I waited outside for one hour and 15 minutes (until 5:00) and during that time I improved significantly. The next day a area under my left eye switched several times. Then 10 days later I had pain in my left eye and for the next two days my eye was sore. I need help in knowing if I should take the next shot or can I wait for the Johnson and Johnson vaccine and take it.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
975382	1/26/2021	FL	83	M	1/20/2021	1/22/2021	01/22/20When transferring resident from bed to W/C Resident became unresponsive to voice with eyes fix open and point up to the right. Placed resident back in bed found 82% o2 sats B/P 110/106 pulse 110 resp below 16 placed o2 via non rebreather with 20 l/min O2 up to 90% then stabilized at 89% Resident following all commands encouraged to take do breathing exercises, with some compliance, continues ABT/pneumonia , no s/s adverse 1/23/2021 16:48 Discharge Summary Note Text: Resident found unresponsive with no pulse or respirations in bed with emesis on gown. Time of death verified at 1645 with LPN. Funeral Home called at 1900 and body released at 2000.
975356	1/26/2021	CA	21	F	1/7/2021	1/13/2021	january 13 around the evening, i felt my left side of my face droopy, eye twitching, nerve pulling, numb and not moving at all. i went to urgent care and then i was sent to the hospital. i was diagnosed with bells palsy and was given treatment.
975350	1/26/2021	SD	64	F	12/30/2020	12/30/2020	Eyes itching after 1 hour, palms of hands became itchy then developed neck hives and along both wrists Benadryl taken which resolved the hives and itchiness
975344	1/26/2021	GA	43	M	1/21/2021	1/21/2021	Pt states that he experienced throat tightness 40 minutes after receiving the vaccine and lasted 2 days. He also reports that he woke up the day after the vaccine with left neck tightness and a tense sensation in his right cheek from the ear level to his mouth. He has symmetrical eyebrow lifts and smile is symmetrical. He denies difficulty with extremities or swallowing. or breathing.
975328	1/26/2021	NY	42	F	1/17/2021	1/19/2021	2 days after vaccine woke up with a fever of 102, severe headache, chills, eye pain upon movement, nausea--took until 1/22 to resolve
970879	1/25/2021	UT	46	F	12/30/2020	12/30/2020	I had anxiety, headache, muscle aches, fever, dizziness, nautious, shaking really bad and my eyes were hurting and burning really bad.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
970898	1/25/2021	SD	65	M	1/13/2021	1/22/2021	On Friday 1/22/21 9:30 pm patient reports sudden onset of visual changes such as double vision with vertigo. He presented to Hospital to the emergency room. Treatment CT (negative) -blood work then transferred to healthcare facility via ambulance where he had an MRI (negative) and a CTA (negative). He was diagnosed with Lateral Sixth Nerve Palsy. He was instructed to follow with ophthalmology and neurology and primary care providers.
970845	1/25/2021	ME	50	F	1/21/2021	1/21/2021	Approximately 10 minutes following vaccination patient stated she is "itchy." Hives were observed on her neck and chest. Patient denied shortness of breath, chest pain, or other allergic reactions. Patient was observed for an additional 15 minutes and advised through medical control that self-monitoring was appropriate. Next day: hives progressed to face and eyes, "puffed out pretty bad." Visited personal doctor and was prescribed prednisone and hydroxyx.
970834	1/25/2021	UT	54	F	1/22/2021	1/22/2021	Patient had her second dose of Covid Vaccine.. She has hx of anaphylaxis, so she took bendryl 50 mg before bed last night and then took 10 mg Zyrtec before getting the shot. She states about 15 mins after administration she began to have numbness and tingling of her hands, forearms, lower legs, neck, face and lips. She came to ER was monitored for a few hours, about 3 hours post administration while in ER her voice became more hoarse and she noticed edema under her eyes bilaterally. Pt was given 25 mg IV benidryl and remained under observation for another 1.5 before being DC. She maintained airway the entire time, VSS and AOX4;
971681	1/25/2021	NY	52	F	1/14/2021	1/14/2021	Reported blurry vision, dizziness, and severe headache.
970947	1/25/2021	MS	52	F	1/18/2021	1/18/2021	numbness/tingling in right hand, progressed to chin and up face, 24 hours later only numbness remained on the left side of face. No sweating, no drooping, no loss of taste, no loss of chewing ability, no loss in eye site.
970793	1/25/2021	ME	38	M	1/20/2021	1/21/2021	Thursday muscle / body aches with fatigue. Friday rash and my eye. Still having fatigue off and on.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
970871	1/25/2021	TN	29	F	1/19/2021	1/19/2021	Severe injection site pain that began around 2 hours and went into the evening, severe in the evening and night. Light soreness continued over the next day. 3 hours after receiving the 2nd vaccine, nausea, loss of appetite and general 'unwell' feeling began. Nausea, fatigue, loss of appetite, headache continued the rest of the first day. Symptoms impacted ability to work, went home early from work. Day 2: splitting headache, migraine, sinus pressure, joint pain which began in hips then spread to elbows, ankles, knees; muscle pain began in left calf then spread to shin. Injection site soreness was not severely painful any longer, mild pain. Loss of appetite continued. Nausea decreased, and no longer present by afternoon of day 2. Fatigue, increased sleep, sinus pressure in eyes, and cold chills persisted. Day 3: Migraine was present still upon waking and continued for whole day; loss of appetite remained but improved by late afternoon on day 3. Joint and muscle pain continued for duration of day 3. Fatigue continued. Increased need for sleep most noticeable today. For the first time, ibuprofen was taken for symptoms after receiving the vaccine almost 50 hour prior. Day 4: was able to return to work for the first time. Headache continued throughout day, nausea in the evening. Day 5: Headache continued but went away. Day 6 and Day 7, mild headache.
970708	1/25/2021	KY	49	M	12/29/2020	1/5/2020	DEVELOPED COUGH, SORE THROAT, HEAD CONGESTION, AND EYES BURNING 1/5/21 (DAY 7 AFTER VACCINATION), ALSO HAD +ANTIGEN TEST 1/5/21, +PCR 1/7/21.
970705	1/25/2021	ME	45	F	1/19/2021	1/19/2021	began as a headache which worsened to pinpoint pupils, eye lid droop and numbness and tingling to face

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
970678	1/25/2021	CT	78	F	1/13/2021	1/13/2021	Pt received her first dose of COVID19 vaccine on 1/13/2021 at the health department clinic. Pt then called the health department on 1/19/2021 stating once she got home her bottom lip swelled up and so did her eye lids. On 1/19/2021 the pt reported she could not speak with me (RN) further as she was about to go on a zoom meeting with her allergist to discuss the event. RN asked pt to call the LHD back. 1/20/2021 RN called pt to discuss further, pt stated she is in the grocery store and cannot speak. RN asked pt what the allergist recommended. Pt stated the allergist recommended getting the 2nd dose of the vaccine however with additional pre-medications. Pt stated she could not speak with RN further and would call me back. 1/25/2021 - pt did not call clinic back. RN called pt to get more details on the event. Pt reported her allergist would like her to get the 2nd injection in the hospital, while taking Singulair the night before and Zyrtec and Benadryl the day of. RN advised the pt her allergic reaction is a contraindication to receiving the 2nd dose per CDC guidelines. Pt verbalized understanding and will discuss with her allergist further. Pt also mentioned possible allergy to Polysorbate during call on 1/25/2021 however she reports because she tolerates Miralax on a regular basis her allergist does not believe it to be a true allergy. Pt did not mention this in VAMS. I was not the vaccinator.
970666	1/25/2021	NY	29	F	1/24/2021	1/25/2021	I received the COVID Vaccine yesterday (1/24/21) around 12:10pm. I experienced no effects while waiting the allotted 30 minutes. The next morning, January 25th 2021, I started to experience arm soreness and blurry vision. The blurry vision is worse in my left eye. My vision has not improved after waking up, taking a shower and putting saline drops in both eyes. The best way to describe the sensation is hazy, blurry and sometimes double vision.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
970631	1/25/2021	GA	30	F	1/6/2021	1/8/2021	2 or 3 days post vaccine noticed gum swelling behind top front tooth. Went to the dentist on 1/13 found no cause of symptoms via x-ray or visual inspection. Messaged Primary Care Doctor on 1/19 explaining symptoms with no resolution. Did explain this happened post vaccine. Treatment recommended was ibuprofen 600mg 3X's a day. I managed symptoms with ibuprofen but returned back to the dentist on 1/22 since I could not go without the ibuprofen. They visually see no immediate cause, but decided to make mouth guards to see if grinding at night is causing the issue, other possible problem would be I still have my wisdom teeth. Primary Care Dr. suggested I report this in case it was vaccine related since there is no real way to know for sure.
970969	1/25/2021	NJ	40	F	1/17/2021	1/24/2021	One week post vaccination, developed angioedema of left eye, experienced hives over entire body, tongue itching, scratchy throat, tachycardia
971564	1/25/2021	NJ	68	F	1/23/2021	1/23/2021	Severe pain in head, and sinuses. My teeth, ears, and eyes were throbbing with pain. Sinuses filled with mucous. Vomiting from 11:00PM to 6:00 AM. My body was wrenching from nothing to vomit from dry heaves. I used hot compresses, cold compresses, boiling water with Vicks vapor rub, Mucinex DM and 2 Aleve at 6AM and finally got some relief from the pain in my head. All mucous was clear. I came off quarantine of Coronavirus on January 20. Onset of virus was January 5, 2021.
970620	1/25/2021	NY	26	M	1/7/2021	1/8/2021	Acute Optic neuritis bilaterally, initial symptoms started 24 hours after injection, became severe a week after injection (lost sight in left eye). I was admitted to the hospital 1/19/21 and given 1000mg of Prednisone daily from 19th to the 22nd.
970603	1/25/2021	NC	85	F	1/20/2021	1/21/2021	Thursday morning at 5:00 started having chills, started running a fever 101 to 102 all day, arm was swollen and real red, shoulder and neck pain, started sneezing, and eyes were watering, had weakness in legs, Friday the fever remained in the 90s. As of today, 01/25/2021 no fever, just arm pain and swelling and red. have taken some Ibuprofen every four hours

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
970687	1/25/2021	PA	35	F	1/7/2021	1/14/2021	1/14/21 Developed aching to my left underarm/armpit area while at rest. Aching has been ongoing and intermittent. 1/17/21 Developed left ear "fullness". On 1/20/21 went to GYN for exam, explained left underarm pain, told that my breast exam appeared normal, but she questioned if my left ear fullness and left under arm pain were related. 1/21/21 Left Ear "fullness" began to radiated causing left temporal pressure, spreading across forehead. Pressure developed behind both eyes. Sudden onset of dizziness occurred. Went to urgent care where they said I had swollen lymph nodes and believed I was having a auto immune response to something. Told I received the vaccine on 1/7/21, they said the symptoms could be related to the vaccine. 1/22/21 Notice I would occasionally feel like I had a "lump or pressure" to the side of my throat. As of present I am continuing to have Left Ear "fullness", left underarm aching, and bilateral eye pressure has bee intermittent yet ongoing.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
971280	1/25/2021		42	F	12/15/2020	12/23/2020	left arm pain, sharp, stabbing, weak, painful to move.; increase ear and teeth pain including left jaw; face swelling including eyes; left ear and teeth pain; left ear and teeth pain; drooping of right side of face at mouth/neurology visit diagnosed with bells palsy reoccurrence related to vaccine; drooping of right side of face at mouth/neurology visit diagnosed with bells palsy reoccurrence related to vaccine; numbness/swelling to left side of face/some numbness and tingling intermittent left arm; numbness/swelling to left side of face; some numbness and tingling intermittent left arm; Left neck stiffness and pain; Left neck stiffness and pain; Left arm pain; Headache; This is a spontaneous report from a contactable nurse (patient). A 42-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), intramuscularly on 15Dec2020 15:45 at left arm, at single dose for covid-19 immunization. Medical history included facial paralysis from 2010, ongoing chronic migraine, Known allergies was None. Concomitant medication included cetirizine hydrochloride (ZYRTEC ALLERGY); ibuprofen; paracetamol (TYLENOL); ascorbic acid, biotin, calcium pantothenate, cyanocobalamin, folic acid, nicotinic acid, pyridoxine hydrochloride, riboflavin, thiamine hydrochloride, tocopheryl acetate (MULTIVITAMIN). The patient was not pregnant at the time of vaccination. The patient experienced left arm pain day of vaccine lasting through the week from 23Dec2020 06:00. Headache everyday after. On 28Dec2020 the patient noted numbness/swelling to left side of face, some numbness and tingling intermittent left arm. Left neck stiffness and pain. On 31Dec2020 increased left neck pain 10/10 and noted drooping of right side of face at mouth, left ear and teeth pain. On 02Jan2021 face swelling including eyes, increase ear and teeth pain including left jaw. Headache and neck pain continued. On 05Jan2021 Virtual visit with NNP started AbX and steroids (possible bells palsy flair up) and dentist visit no issues with teeth. On 08Jan2021 neurology visit diagnosed with bells palsy reoccurrence related to vaccine. Throughout the week increased numbness, tingling, and pain to left arm. With intermittent sciatic type pain to left leg. her whole left side had felt different since the vaccine. Constant left arm numbness, tingling, and pain since 09Jan2021. Minimal relief from headaches pain from 8 to 5. On 13Jan2021 10/10 left

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

arm pain, sharp, stabbing, weak, painful to move. Treatment Steroids, pain meds, and MRI scheduled were received. All events resulted in Doctor or other healthcare professional office/clinic visit. The outcome of the event headache was recovering, the outcome of the other events was not recovered. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Information about lot/batch number has been requested.; Sender's Comments: Based on the time association, the facial paralysis recurrence is possibly related to suspect BNT162b2 administration. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
970064	1/25/2021	MA	46	F	1/6/2021	1/1/2021	fever/had a 100.1 degree fever/temperature over 100.1; Sore ARM/Injection site; Headaches/massive headache; eye pressure/Pressure in eyes; Body aches; Muscle spasms/Cramping; tired/tiredness/fatigue/feeling rundown; hot and cold chills; tremors; coughing; chest pain; swelling; unable to work; This is a spontaneous report from a contactable consumer (patient). This 46-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (lot number EK9231), via intramuscular on 06Jan2021 09:45 at single dose on left arm for COVID-19 immunization. The patient's medical history included asthma, arthritis and COVID-19. No known allergies. The patient's concomitant medications were not reported. The patient previously took the first dose of BNT162B2 (lot number EH9899) on 16Dec2020 09:45 at single dose for COVID-19 immunization. Facility type vaccine was workplace clinic. Patient was not pregnant. No other vaccine received in four weeks. Prior to vaccination, the patient was diagnosed with COVID-19. Since the vaccination, the patient hasn't been tested for COVID-19. Patient was a PCT Patient Care Technician. Patient had not been feeling well/sick on 06Jan2021 since receiving her second vaccine dose. Patient said she was unable to work, and was still feeling sick. Patient experienced massive headaches, pressure in eyes, body aches, sore arm/injection site, muscle spasms/cramping, tired/tiredness/fatigue/feeling rundown, hot and cold/chills on 06Jan2021 11:00. These adverse events resulted in Doctor or other healthcare professional office/clinic visit. Patient stated she had reactions coughing, chest pain, swelling, tremors in Jan2021. Patient said she couldn't bend without having a muscle spam. Patient clarified if she tries to wipe herself after she goes to the bathroom, she has muscle cramping. Patient clarified if she tries to turnover in bed, she has charley horses everywhere. Patient reported walking hurts from having so many charley horses. Patient said the headache seemed like it was progressing. Patient was feeling rundown and tired. Patient reported she had hot and cold chills over the weekend. Something didn't feel right on 11Jan2021, so she took her temperature and she had a 100.1 degree fever. Patient clarified she did not check her temperature prior to 11Jan2021. Patient reported she has been taking ibuprofen 800mg to maintain herself as treatment. She



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
970598	1/25/2021	MO	43	M	1/9/2021	1/9/2021	<p>said she took some of the ibuprofen 800mg over the weekend, and then decided to take her temperature on 11Jan2021, and that was when she discovered she had a fever. Reported the ibuprofen 800mg was a prescription from her doctor and was dispensed in an amber pharmacy bottle. Patient stated she had lab work for, because of COVID her lungs has been messed up but before she had the shot she was doing pretty good. So, she would be getting tested periodically for her lungs and all that because she had COVID at one time. Patient stated the doctors gave her prednisone and antibiotics as treatment. For antibiotics name, Patient stated amoxycillin she believed it was and the doctors gave her another pill start with a M for swelling. Patient stated her doctor did said it had nothing to do with concomitant medication and other medication conditions. The doctor said it had to do with having the shot. Treatment for adverse events (headaches, pressure in eyes, body aches, sore arm/injection site, muscle spasms, cramping, tired, fatigue, temperature over 100.1, hot and cold/chills) included penicillin, amoxicillin, prednisone. Outcome of massive headaches, pressure in eyes, body aches, sore arm/injection site, muscle spasms/cramping, tired/fatigue, temperature over 100.1, hot and cold/chills were not recovered, outcome of other events was unknown.</p> <p>Metallic taste in mouth and unusual sensation in posterior pharynx (1st and 2nd vaccination courses)within 15 minutes post IM injection. Approximately 4.5 hours post IM injection (2nd vaccination) again unusual taste in mouth with swelling of posterior pharynx. Swelling not relieved by 20 mg prednisone X , Benadryl 50 mg and Pepcid 40 mg. Second dose of prednison 20 mg alleviated throat symptoms. Approximately 24 hour post IM injection (2nd vaccination), subject felt itchy, especially the eyes. Subsequant dose of Zyrtec and Pepcid alleviated symptoms within one hour.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
971665	1/25/2021	OK	64	M	1/19/2021	1/24/2021	Left side of face paralysis, primarily noted in mouth and left eye. Can not blink left eye, continues to tear up. Left side of mouth does not move while trying to smile/eat/talk. Emergency Room visited 1/24/20. MRI, CT Scans run to determine if stroke occurred. Diagnosis is Bells Palsy with seven days of steroids prescribed (Prednisone 20mg - two tabs once per day).
971638	1/25/2021	NC	69	F	1/20/2021	1/24/2021	Mouth swelling Hives on arms and face (forehead and near eyes) Itching mainly on arms , ears , along back hairline
971619	1/25/2021	PA	62	F	1/13/2021	1/13/2021	1/13/2021-9am pt. received the moderna vaccine to left arm. Around 3-4 pm patient developed headache, nausea, and could not lift her left arm, muscle aches, and swelling to right eye, Pt. states that she took Arnica on day number two. Pt. states that she cannot say if arnica helped with symptoms or she naturally became better. Pt. states symptoms resolved on 1/16/21.
971574	1/25/2021	CA	58	F	1/22/2021	1/22/2021	2:03PM: nausea, light headed and visual changes (light became brighter) 2:16PM: Zofran 4mg tab po given. 02:25PM: discharged: pt no longer experiencing symptoms. 03:05 PM: contacted pt to let pt know that we will report the adverse effect. Pt states "am fine". E. R if symptoms return. Pt aware.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
971530	1/25/2021	PA	28	F	1/11/2021	1/12/2021	weakness; eye pain; headache/ head pain; back pain; chills; Nauseated; her arm was killing her more than a normal vaccine; She had a fever then; This is a spontaneous report from a contactable nurse. This 28-year-old female nurse (patient) reported that she received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/lot number: EL3246) at single dose at left deltoid for COVID-19 immunisation on 11Jan2021 at 4:30 pm. Relevant history included contraception. Family Medical History Relevant to AE(s) was none. Concomitant drug included ongoing ethinylestradiol, etonogestrel (NUVARING) for contraception for years. The patient experienced a headache, back ache, nausea and was almost passing out. She had the first dose of the vaccine on the 11Jan2021 at 4:30 PM and was in bed around 10:00 that night. She woke up at 5:00 AM on 12Jan2021 and didn't feel great, her arm was killing her more than a normal vaccine and she was nauseated at 5:30, which was not that horrible. She took some Tylenol. Then she got to work and around 9:00 she felt like she was going to get sick. She had horrendous nausea, chills, weakness, eye pain, headache/ head pain, and back pain. Her clothes hurt because the body aches were so bad. She felt like she was going to pass out, like a vasovagal. She went to urgent care because her manager didn't think it was side effect. She went and got swabbed (result unknown), whatever. She had a fever then. They told her it was a reaction to the vaccine. Her temperature was 101.6 degrees Fahrenheit when she went to Urgent care. She would say the fever started at 12:30PM on 12Jan2021. She did not know if fever would be ongoing because she was taking fever reducer and it was working. The events weakness, eye pain, head pain, and back pain were reported as serious since medically significant. The nausea was better around 2:00PM. The outcome of event nausea, Chills was and Weakness was resolved on 12Jan2021. The outcome of events eye pain, head pain, and back pain was resolving. The outcome of event 'her arm was killing her more than a normal vaccine' was recovering. The outcome of fever was unknown. History of all previous immunization with the Pfizer vaccine considered as suspect was none. Additional Vaccines Administered on Same Date of the Pfizer Suspect was none. Prior Vaccinations (within 4 weeks) was none.

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

AE(s) following prior vaccinations was none.; Sender's Comments: The Company cannot completely exclude the possible causality between the reported events, weakness, eye pain, head pain, and back pain, and the administration the suspect vaccine, BNT162B2. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RA, IEC, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
971529	1/25/2021	TN	37	F	12/22/2020	12/22/2020	<p>suspect that it may be Bell's Palsy; tingling in the left side of her tongue; This is a spontaneous report from a contactable nurse. A 37-year-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/lot number: EK5730), intramuscularly at 0.3ml single injection in the left arm on 22Dec2020 09:00 for covid-19 prophylaxis. Medical history included persimmon fruit allergy from an unknown date and unknown if ongoing. There were no concomitant medications. The patient experienced tingling in the left side of her tongue on 22Dec2020, the event was reported as serious per medically significant, suspect that it may be bell's palsy on an unspecified date. The adverse event was not required a visit to emergency room or physician office. Caller was an employee health nurse that reported that she had an employee that received the first dose Covid-19 vaccine on 22Dec2020 and as they were administering the vaccine, the patient developed tingling in the left side of her tongue. The caller said that the patient reported that the tingling was still there. She said that the patient was concerned that it might cause her to get bell's palsy. Caller wanted to know if this was this common and whether she could move forward with getting the 2nd dose of the vaccine. The caller said that the patient received the vaccine in her left arm. The caller said that the patient reported that the tingling in her tongue was mild and not stopping her from eating and she was not having any respiratory issues. Caller said that the only allergy that the patient has was to Persimmon fruit. The side effect mentioned is not necessarily Bell's palsy since the characteristic eye drooping is not present. The outcome of events for tingling in the left side of her tongue was not resolved, for suspect that it may be bell's palsy was unknown. Vaccination Facility Type was hospital. Vaccine Administered at Military Facility: No. History of all previous immunization with the Pfizer vaccine considered as suspect (or patient age at first and subsequent immunizations if dates of birth or immunizations are not available) was none. No additional vaccines administered on same date of the Pfizer suspect. No prior vaccinations within 4 weeks. No relevant tests. Drug result was related.; Sender's Comments: The causality between the reported tingling in the left side of her tongue, which was suspected that it may be Bell's Palsy and the</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

administration of COVID-19 vaccine, BNT162B2, cannot be denied, based on the reasonable temporal association. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RA, IEC, as appropriate.

971014 1/25/2021 NY

47 F

1/7/2021

1/22/2021

ON THE MORNING OF 01/22/2021 PT WOKE UP AND HAD RIGHT SIDED FACIAL DROOPING. PT DID NOT TELL ANYONE UNTIL THE MORNING OF 01/25 AND WAS SEEN BY HER PRIMARY. PT PRESENTED TO PRIMARY VISIT WITH RIGHT SIDED FACIAL DROOPING, PT ABLE TO OPEN AND CLOSE RIGHT EYE, TONGUE GOES TO LEFT SIDE, NO SWALLOWING ISSUES.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
971271	1/25/2021	NY	74	F	1/12/2021	1/12/2021	received 3 shots of COVID vaccine; almost "like fell asleep". She was hardly open her eyes this morning/couldn't eat dinner because people couldn't wake her up; This is a spontaneous report from a contactable consumer (patient's husband). A female patient of an unspecified age received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 12Jan2021 at SINGLE DOSE for COVID-19 vaccination. The patient's medical history was not reported. Concomitant medications were not specified (reported the patient was taking bunch of medications, but the reporter did not know exactly what they were). Historical vaccine included first dose bnt162b2 on 24Dec2020 and second dose bnt162b2 on 11Jan2021, both for COVID-19 vaccination. She didn't have any side effect from the first shot or the second shot. The patient received 3 shots of COVID vaccine, received 1st dose of vaccine on 24Dec2020, 2nd dose on 11Jan2021. Then inadvertently given another dose yesterday, on 12Jan2021. Immediately after the 3rd dose of vaccine, the patient almost "like fell asleep". She was hardly open her eyes this morning. The patient was in a nursing home. The nursing home staff was finding it difficult to feed her now. The patient couldn't eat dinner because people couldn't wake her up. The patient just had the COVID test, no other lab test. The outcome of the events was unknown. Information of lot/batch number has been requested.
971265	1/25/2021	FL	60	M	12/28/2020	1/11/2021	Herpes Zoster Right forehead, eyelid to up above hair line.
971190	1/25/2021	VA	51	M	1/24/2020	1/22/2021	On Friday, I had the second vaccine covid 19, at 9:00 am at the left shoulder and after 12hours at 10:00 I started to feel the symptoms was light fever ,chills, headaches, body aches. Symptoms that was high concern: shortness of breath, vision discomfort due to the light, high blood pressure, extremities(hand and feet) swelling accelerated pulse ,chest pressure. This lasted on an off proximally 3 to 4 hours. Saturday afternoon at 3pm once again heart rate went up and pulse lasted 1 hour .The entire Saturday was feel the primary symptoms with chest pain . Today Monday I woke up with pain at the left clavicle bone and found a lump that hurts and radiates to the chest and increasing in size .

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
971189	1/25/2021	OH	36	F	1/21/2021	1/21/2021	Day of vaccine: headache, sore arm. Day 2: migraine, eyes sore to touch, burning, extremely sensitive to light, dizzy, extremely tired. Day 3: headache, nausea, vomiting, diarrhea, dizzy, resting heat rate above 100, exhaustion. Day 4: shaky, dizzy, nauseous, resting heat rate not below 100 for several hours, heart palpitations, heart beating very hard at times, exhaustion.
971170	1/25/2021	FL	41	F	1/20/2021	1/20/2021	Initial reaction: within minutes of vaccine lightheaded, slowed reaction time, hypertension (178/95), dizziness, stayed in clinic x1 hour until symptoms improved. water/OJ. Fatigue began that afternoon. Took 400mg ibuprofen before bed. At 3am the next morning, severe chills, fever, severe muscle and joint aches, vomit x1, Continued ibuprofen 400mg q6h until vomiting, then could not medicate. Symptoms continued, including fever 100.5-101.5, and lightheadness with ringing in the ears and black tunnel vision when standing throughout the day. Dizziness resolved that evening but chills and cold sweat, joint pain continued. Some diarrhea day 3. Today, continued sensation of mental fogginess and fatigue.
971169	1/25/2021	GA	53	F	1/13/2021	1/16/2021	Puffy eyes and burning face. Face pain. My face felt almost chemical burned. I research moisturizing cream and bought Neutrogena Hydro Boost with Hyaluronic Acid. This made my face feel worse. I have discontinued use and take ibuprofen and an antihistamine. The pain and swelling is better but not yet 100%
971053	1/25/2021	FL	60	F	1/1/2021	1/22/2021	I had a rash on my face, started with itchy nose and eyes. The hives spread to the neck. I told the male nurse that was present and he said that had Epinephrine, I had benadryl and he said that I could take one. Half an hour later my rash got worse and I took 20 mg prednisone that I had for my asthma. During the next two days I have had palpitations, fatigue and tiredness. Today my blood pressure was high and I have never had it like that before.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
971531	1/25/2021	TN	40	F	1/8/2021	1/8/2021	Itching; headache and body aches; headache and body aches; chest tightness; had hives; Vertigo; Nystagmus in her eyes; passing out; vomiting/puke when vertical; Dizziness; tingling and numbness in throat and lips; tingling and numbness in throat and lips; tingling and numbness in throat and lips; tingling and numbness in throat and lips; heart rate 125; BP of 170/100; throat tightness; This is a spontaneous report from a contactable consumer (patient). A 40-year-old non-pregnant female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number=E11283) via an unspecified route of administration at left arm on 08Jan2021 11:30 at single dose for covid-19 immunization. Vaccine was administered at hospital. Medical history included ongoing autoimmune disorder. The patient had known allergies to Amoxicillin and wasps. No family medical history relevant to events. Ongoing concomitant medication included hydroxychloroquine sulfate (HYDROXYCHLOROQUINE) for autoimmune disorder, celecoxib (CELEBREX) for autoimmune disorder, oral dimenhydrinate (DRAMAMINE), oral fexofenadine hydrochloride (ALLEGRA) and oral famotidine (PEPCID). No other vaccine in four weeks. The patient previously took flu vaccine (Expiry Date: Nov2020), tetanus vaccines for immunization. At 11:40 on 08Jan2021, the patient had tingling and numbness in throat and lips, heart rate was 125. By noon had hives and blood pressure (BP) of 170/100 (normal BP was 96/58 and heart rate was 65), chest tightness and throat tightness, the patient was given Benadryl (50mg) and monitored. No change so walked to emergency room. Given intravenous Benadryl and steroids then released the same day on 08Jan2021. The patient woke up on Saturday and shortly after hives came back, itching, chest tightness, headache and body aches. Saturday night on 09Jan2021 she went back to hospital due to continued reaction from 09Jan2021 06:00 pm until 10Jan2021 04:30 PM. The patient was admitted for heart testing then released on Sunday afternoon simply due because each doctor said they didn't know what to do. The patient slept from late Saturday night to Monday (except testing and eating at hospital), on 11Jan2021 around noon the patient took a shower and hives, itching and tingling all came back. Completely started over with

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

reaction and started dizziness. On Tuesday 12Jan2021, primary care physician (PCP) for tests. Chest tightness started subsiding but very dizzy, puke when vertical. Wednesday: rheumatoid doctor. The patient had extreme vertigo. Other reported events: passing out, vomiting. Nystagmus in her eyes was very strong so that she got very dizzy. The events resulted in Doctor or other healthcare professional office/clinic visit, Emergency room/department or urgent care or Hospitalization. Adverse event start time also reported as 11:45 am. The patient underwent lab tests and procedures which included blood pressure 170/100 on 08Jan2021, blood test and electrocardiogram (EKG) with unknown results, heart rate: 125 on 08Jan2021. Normal BP was 96/58 and heart rate was 65. Heart and lungs examination with clear result. The patient had no Covid prior vaccination. Nasal Swab of Covid tested post vaccination on 05Jan2021 with a result of negative. Heart rate 125 recovered on 12Jan2021. BP of 170/100 recovered on 12Jan2021. Chest tightness sometimes she has episodes. She cannot walk without assistance. She stated she currently was 100% dependent on someone else. Throat tightness recovered on 11Jan2021. Outcome of other events was not recovered. She was treated at hospital with Oral and IV Benadryl and IV Steroids on 08Jan2021. On 09Jan2021 she was administered Oral Prednisone, Oral Diphenhydramine HCl (BENADRYL) and Oral Acetaminophen(Tylenol). Steroids switched from prednisone Oral to dexamethasone Oral twice daily. On 13Jan2021 she started on ondansetron (ZOFTRAN) 4mg 3xday Promethazine (Fenagrin) 25 mg once at night. Information on Lot/Batch has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
970061	1/25/2021	MD	63	F	1/6/2021	1/7/2021	lost muscle capacity of her arm/cannot lift a gallon of milk in the fridge/Right arm lost muscle capacity; headache; terrible pain in her right elbow; joint discomfort; feeling achy in her right arm and all over; feeling achy in her right arm and all over; This is a spontaneous report from a contactable consumer. A 63-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, batch/lot number EL1284), via an unspecified route of administration on 06Jan2021 14:30 at single dose for covid-19 immunisation. Medical history included hypothyroidism, cholesterol. Concomitant medication included levothyroxine, atorvastatin. Patient on the line calling about the COVID 19 Vaccine on Wednesday in her right arm. Her right arm lost muscle capacity, she cannot lift, she cannot even lift a gallon of milk in the fridge. This has improved, but she still cannot use it normally. Thursday she was feeling achy; Friday she had a headache. Later that day she had the most terrible pain in her right elbow. It was excruciating pain. The next morning pain subsided. However, she does not have her full arm strength back yet. She confirmed she is a HCP. She also added, she works at the hospital. It is like a centralized monitoring system where she watches monitors connected to the care unit and since she has background as a HCP she alerts the nurses when there is an issue. She clarified her right arm lost muscle capacity was noticed on Friday 08Jan2021. She got the vaccine on 06Jan2021 and was able to drive home and it was fine. The next day, 07Jan2021 she was achy, like flu like, with joint discomfort that she normally does not have even though she is getting older. She was feeling achy in her right arm and all over. The achiness all over resolved Thursday or Friday. She confirmed she has recovered completely. On Friday 08Jan2021 she had a headache that would just not go away. The headache was not in the front, back, or above eyes so she knows it was not sinuses. The headache lasted all day. Stated by the next morning the headache was gone. Her head is fine. She confirmed she has recovered completely. She later added, even though she is getting older and forgets things. No additional details provided. She was supposed to go to work on Friday, but she was not quite miserable, but she just could not bring herself to go into work. She called out because of the headache and the arm pain had started to kick in. The outcome of the event Muscle

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							weakness upper limb was resolving, joint discomfort was unknown, while the outcome of the other events was resolved in Jan2021.
970204	1/25/2021	AZ	54	F	1/19/2021	1/19/2021	I stayed for 15 minutes after injection, then when in my car driving home I felt mild swelling in my throat. No other symptoms at that time. Symptoms resolved by that afternoon when I woke up to go to work. The Next day 24 hours after injection I had Severe allergic reaction after eating. Hives, significant throat swelling, sneezing, eyes and face swelling. I took Fexofenadine, Benadryl, Prednisone and went to the doctor where I got an injection on Steroids and more oral Prednisone.
970160	1/25/2021	MO	56	F			Systemic rash all over the back, chest, stomach and thighs; Some spots on arms and legs; This is a spontaneous report from a contactable Nurse (patient). A 56-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, batch/lot number EL3248), via an unspecified route of administration on an unspecified date at single dose for covid-19 immunisation. Medical history was none. The patient's concomitant medications were not reported. The patient stated, "I got my first dose yesterday at 4:30 and then everything was fine and then at about 10:30 that night, I got a systemic rash all over my back, my chest, my stomach and my thighs and there were some spots on my arms and my legs. So, I went ahead and had took some Benadryl and I just monitored the rash and made sure it wasn't going to my face, or my eyes or my throat. I never had any difficulty in breathing or anything but it definitely was a reaction to something that was in the vaccine." Treatment: Consumer stated, "I took Benadryl last night. It was a capsule, 25 mg. Indication: Consumer stated, "I work at a hospital and right now the hospital that I work at is not requiring that we get it but they just advised that we should. But they left it to us if we want to get it or not and they said that they just have the first doses available." The outcome of the events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
970153	1/25/2021	MA	60	F	1/5/2021	1/1/2021	Pain through whole body and tremoring; Pain through whole body and tremoring/ whole body was sore; Things started looking funny/ Funny feeling in her ears; Deaf and couldn't hear; Leg cramps in both legs and toes curled out/ muscle spasming; Dizzy; nauseous; Threw up twice; Bruise at injection site; This is a spontaneous report from a contactable nurse (patient). A 60-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (Batch/lot number: EL3246) via an unspecified route of administration on the arm left on 05Jan2021 around 12:00 PM at single dose for COVID-19 immunization. The patient used to get legs cramps when she was pregnant with her twins, but it was only one leg. The patient stated she delivered six children, was in car accidents, and had surgeries. And the patient stated the pain from the COVID-19 Vaccine was beyond any other pain she has experienced. The patient needed glasses to read patient card. And stated her eyesight was going. The patient was pretty healthy. There were no concomitant medications. The patient had no prior vaccinations within 4 weeks. And the patient did not receive additional vaccines on same date that administered BNT162B2. The patient experienced deaf and couldn't hear on 06Jan2021 09:00, leg cramps in both legs and toes curled out on 05Jan2021 19:00, dizzy on 05Jan2021, nauseous on 05Jan2021, threw up twice on 05Jan2021, things started looking funny on 06Jan2021 09:00, pain through whole body and tremoring on 06Jan2021 10:00, bruise at injection site on Jan2021. All the events (except for event bruise at injection site) were reported as seriousness as life threatening. Clinical course: the patient worked nightshift. Laid down that afternoon to take a nap and got up around 10:00. Around 05Jan2021 19:00 PM had sever leg cramps in both legs where her toes were curled out. Leg cramps after vaccine wouldn't go away and it was in both legs. Just wouldn't go away. Around 05Jan2021 21:00 PM it went away. The patient was dizzy, nauseous, and threw up twice on the night of 05Jan2021, and going into 06Jan2021. The patient went to the couch in the hotel room and started going deaf. She couldn't hear anything on 06Jan2021 around 09: 00 AM. Things started looking funny on 06Jan2021 around 09: 00 AM. Woke up at 09:35. Hour after that there was pain through her whole body and everything was hurting at 10:00 AM on

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

06Jan2021. The patient was tremoring at 10:00 AM on 06Jan2021. Couldn't reach the phone to dial 9-11. Thought she was going to die. Last until about noon and then started to go away. Doesn't know if it is safe to take the second vaccine. Doesn't know if these are thing that should have happened to her. She started to get real concerned. Went into hotel room and started feeling dizzy again. Stopped haring things. Funny feeling in her ears. Was seeing things, got dizzy, and everything got dark. Everything lasted until 12:00 PM on 06Jan2021. Everything was good now. The patient had a bruise where injection was in Jan2021. Stated it was nothing compared to what she went through. Woke up around 10:00 AM. Then went back to sleep and got up around 18:00 PM. She felt fine. Her whole body was sore from the muscle spasming. The outcome of the event bruise at injection site was unknown, of the event leg cramps in both legs and toes curled out was recovered around 05Jan2021 21:00, the outcome of other remain events was recovered on 06Jan2021 12:00. The reporter considered (method of assessment: Global Introspection) that all the events were related to BNT162B2.; Sender's Comments: All the reported events were possibly related to the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), due to temporal relationship. However, it is worth noting that the 60-year-old female patient had car accidents history and had surgeries. All the events started when she worked nightshift, including leg cramps in both legs and toes curled out, nauseous, threw up twice, pain through whole body, tremoring and transient deafness. Patient did not get rest after vaccination may a risk factor to the onset of the events. The case will be reassessed should additional information become available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
970132	1/25/2021	NC		F	1/9/2021	1/11/2021	itching down the side of her face; allergic reaction; This is a spontaneous report from a contactable consumer (patient). A female patient of an unspecified age received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 09Jan2021 at first single dose for COVID-19 immunization. The patient medical history was not reported. The patient's concomitant medications were not reported. Consumer said she had a question, she got the COVID vaccine 09Jan2021, this past Saturday, and yesterday (11Jan2021) she started itching on her face around her eye and below her left eye and down the side of her face, itching bad. She said it is like an allergic reaction. Caller said she took Benadryl but it was not helping, she was trying not to rub it. Outcome of the events was unknown. Information on the lot/batch number has been requested.
970123	1/25/2021			F			numbing a little on her face; redness on her eyes; This is a spontaneous report from a Pfizer-sponsored program from a non-contactable consumer (patient). A female patient of an unspecified age received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration on an unspecified date at single dose for COVID-19 immunisation. The patient medical history and concomitant medications were not reported. Her face was numbing a little on her face and there was redness on her eyes. The outcome of the events was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
970116	1/25/2021	MN	42	F	1/8/2021	1/9/2021	Numbness to the left side of my face from the bottom of my eye to the middle of my neck; headache; metal taste in my mouth; some soreness at the site; diarrhea; This is a spontaneous report from a contactable Other HCP (patient). A 42-years-old non-pregnant female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EK9231), intramuscular in the right arm on 08Jan2021 12:30 at single dose for COVID-19 immunisation at doctor's office/urgent care. Medical history was none. Concomitant medication included losartan (unknown manufacturer). On 09Jan2021 at 04:00 the patient experienced numbness to the left side of her face from the bottom of her eye to the middle of her neck, headache, metal taste in her mouth, some soreness at the site and diarrhea with outcome of not recovered. The events resulted in Emergency room/department or urgent care visit. The patient underwent sars-cov-2 test: negative on 11Jan2021, and computerised tomogram and magnetic resonance imaging with unknown results on unknown date. Prior to vaccination, the patient was not diagnosed with COVID-19.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
970103	1/25/2021	NV	65	F	1/12/2021	1/13/2021	<p>Blurred vision; This is a spontaneous report from a contactable nurse for self. A 65-year-old female patient received second shot of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL1283), via an unspecified route of administration on Right deltoid on 12Jan2021 12:00 at single dose for COVID-19 immunization. The patient medical history was not reported. Patient received first bnt162b2 on unknown date. Concomitant medication included apixaban (ELIQUIS). The patient experienced blurred vision on 13Jan2021 morning. Was holding something and couldn't read it. Wears contacts and usually has sharp vision. Had to keep adjusting and holding what she was looking at. Outcome of event was unknown.; Sender's Comments: Based on available information, a possible contributory role of the subject product, BNT162B2 vaccine, cannot be excluded for the reported event of blurred vision due to temporal relationship. There is limited information provided in this report. Additional information is needed to better assess the case, including complete medical history, diagnostics, counteractive treatment measures and concomitant medications. This case will be reassessed once additional information is available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
970078	1/25/2021	TN	57	F	12/30/2020	1/11/2021	Drug ineffective; Positive COVID-19 test with symptoms; This is a spontaneous report from a contactable consumer for herself. A 57-years-old female patient started to receive bnt162b2 (BNT162B2; Lot # EL1284) vaccine , intramuscular in the right arm on 30Dec2020 10:30 at single dose for Covid-19 immunisation . The patient medical history was not reported. There were no concomitant medications. Since 03Jan2021, the patient has been sick. Her fever started out at 99.7 degrees Fahrenheit with a terrible cough and then it just kept getting worse. This weekend it was 102.7 degrees Fahrenheit all weekend. Her cough improved. She took some Delsyn one day. The cough improved but is not gone away. Headaches started on day 4 or 5. Lot of pressure in forehead and eyes. Fever kept going up day after day been up to 101.2°F and then up 102.7°F all weekend. Then she just felt weak all weekend. Just walking to bathroom is short of . Yesterday fever was 101.5°F and she went to doctor and they did a rapid COVID test and it came back positive. Slept a lot more this weekend. Done nothing but slept. She did not think it would make her this sick. only vomited once. she is supposed to get second dose on Saturday. She is afraid to get second. The patient also reported the following information: Fever 08:30 Terrible Cough 08:30 Headache 10:00 Weakness 12:00 Shortness of breath when walking 12:00 Increased sleepiness 12:00 Positive for Covid 09:21 Diarrhea 08:00 Vomiting 14:00 The patient underwent lab tests and procedures which included body temperature: 99.7 Fahrenheit; 102.7 Fahrenheit; 101.2 Fahrenheit then up 102.7 Fahrenheit ; 101.5 Fahrenheit. Sars-cov-2 test: positive on 11Jan2021 . Further information has been requested
970302	1/25/2021	NC	75	F	1/20/2021	1/24/2021	Red scratchy, watery eyes with some discharge

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
970060	1/25/2021			F	12/29/2020	12/29/2020	swelling of the eyelids; itching of the eyes; body aches; runny nose; generalized fatigue and tiredness; This is a spontaneous report from a contactable Nurse. This female Nurse reported for herself that: A female patient of an unspecified age received the 1st dose of bnt162b2 (BNT162B2) at single dose on 29Dec2020 for Covid-19 immunisation. The patient medical history included high rheumatoid factors diagnosed in 2020 taking Plaquenil for over a year with occasional steroid use for bad flare ups. The concomitant medications included Plaquenil for over a year for high rheumatoid factors increased, steroids occasionally for bad flare ups. On 29Dec2020 the patient experienced swelling of the eyelids, itching of the eyes, body aches, runny nose, generalized fatigue and tiredness that lasted about 2 weeks. She was feeling better, body aches, runny nose, and fatigue were resolved on 09Jan2021, but her eyes are still a little but itchy with her eyelids not as swollen anymore. The outcome of swelling of the eyelids, itching of the eyes was unknown, of body aches, runny nose, generalized fatigue and tiredness was recovered. She was asking if it would still be okay for her to take the 2nd dose after her experienced side effects. She was due for the 2nd dose on 19Jan2021 Information about Batch/Lot number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
970046	1/25/2021	CA		U			<p>numbness in half of my body/starting by facial nerve then upper limb going back to face and eyes area/felt numbness in different areas including chest; numbness in half of my body/starting by facial nerve then upper limb going back to face and eyes area; felt numbness in different areas including chest and throat (it was itchy); felt numbness in different areas including chest and throat (it was itchy); felt numbness in different areas including chest and throat (it was itchy), by lips as well were itchy.; felt numbness in different areas including chest and throat (it was itchy), by lips as well were itchy.;</p> <p>This is a spontaneous report from a contactable physician (patient) reported that a patient of unspecified age and gender received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on an unspecified date at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient got numbness in half of his/her body, starting by facial nerve then upper limb going back to face and eyes area, which decreased over one hour, then he/she felt numbness in different areas including chest and throat (it was itchy), by lips as well were itchy. Numbness stayed for two days. The patient asked what he/she should do to take his/her second dose. The outcome of the events was unknown. Information about lot/batch number has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
970037	1/25/2021	VA	64	F	1/5/2021	1/5/2021	bloodshot left eye; injection site soreness/injection site soreness of L arm; Lack of energy; (time) confusion; lightheadedness; headache/slight headache; This is a spontaneous report from a contactable nurse, reporting for herself. A 64-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection lot number: EL1284), intramuscularly on the left arm on 05Jan2021 18:30 at a single dose for COVID-19 immunization. Medical history included received immunotherapy injections for environmental allergies from an unknown date and unknown if ongoing. Concomitant medication included diltiazem, spironolactone, trazodone, lorazepam, colecalciferol (VITAMIN D), zinc and fish oil. On 05Jan2021, the patient received Pfizer COVID-19 vaccine and experienced (time) confusion, and lightheadedness within one hour of receiving. Later that evening, the patient experienced headache. On 06Jan2021, the patient experienced injection site soreness x 2 days, continued with slight headache, lack of energy. On 08Jan2021, resolved injection site soreness of left arm, continue with slight headache. On 11Jan2021, The patient woke up with bloodshot left eye after having had headaches x 5 days which began the same evening of receiving the Pfizer COVID-19 vaccine. Blood pressure was 125/80. No headache or eye pain. BP was 128/89 on 10Jan2021, 11 PM. No headache. BP was 120/80 on 11Jan2021, 10 AM. The patient had never had a bloodshot eye before. The patient underwent lab tests and procedures which included Blood pressure:125/80 mmHg on an unspecified date, 128/89 mmHg on 10Jan2021 and 120/80 mmHg on 11Jan2021. The outcome of the event injection site soreness/injection site soreness of L arm was recovered on 08Jan2021 while the outcome of all other events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
970036	1/25/2021	WI	47	F	1/7/2021	1/8/2021	right eye shut/she couldn't open the right eye, it was glued shut completely; right eye red/ right Eye being Red; mucus from throat, clear mucus; Right eye weeping; Right eye pink; She was super congested/she couldn't breathe through the nose; barely being able to sleep; Right eye itching/Left eye itching; red and swollen eyes/right eye swollen; itchy throat/itching of the throat/scratching in the throat; runny nose, clear mucous (post nasal drip); This is a spontaneous report from a contactable Other HCP (patient). A 47-years-old female patient received first dose bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE) in Left arm, via an unspecified route of administration on 07Jan2021 at SINGLE DOSE for covid-19 immunisation. Medical history included Sinus infection, Kidney stones, pink eye when she was a kid. The patient's concomitant medications were not reported. She reports the following side effects: itchy, red and swollen eyes, itchy throat, runny nose, clear mucous (post nasal drip). The patient experienced Right eye itching, red and swollen eyes/right eye swollen, Right eye pink on 08Jan2021 with outcome recovering, right eye shut on 09Jan2021 with outcome of received on 09Jan2021, itching throat, mucus from throat, clear mucus, Right eye weeping on 08Jan2021 with outcome of recovered/resolved with sequel on 11Jan2021, Left eye itching on 08Jan2021 with outcome of recovered on 09Jan2021, runny nose, clear mucous (post nasal drip) on 08Jan2021 with outcome of recovered on 11Jan2021, right eye red/ right Eye being Red on 09Jan2021 with outcome of recovered on 09Jan2021. The patient got her First shot on Thursday morning at 7:30AM, then on Friday night 08Jan2021 at 7 in the evening her right eye was itching and weeping, it felt like something was in the eye but there wasn't. The right eye was swelling as well on Friday. On Friday the itching of the throat started. She is also having scratchiness in the throat. Her eye is scratchy also. When she woke up Saturday 09Jan2021 she couldn't open the right eye, it was glued shut completely and red. When she was a kid, in the past she has had pink eye, and there was green stuff coming out the eye but this was not like previously. She had to pull the eye lids apart, maybe this is viral. With her throat, she has had sinus infection in the past before in which she couldn't breath out of the nose, but with this she is experiencing Mucus that is

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

clear and thin from the throat. Her left eye itching started Friday night, but it was only slight itchiness and by Saturday the left eye was normal. She is purely doing this report to help, in case other people have this happen. Early today, she did use a Neti pot and it did help a little, she has had horrible sinus infections in the past but this is not it. In the past, once you get a sinus infection you are prone to getting them, thankfully she has not had one in a few years, she would get thick crap in the sinuses, in this case her eye was draining going into her nose, therefore making her have a runny nose, and she also had scratching in the throat. She is breathing clearly through the nose. Itching in the right eye was ongoing but less intense. Right Eye Swollen: She was looking at mirror hates looking at herself but the eyelid was back to normal, however the white part of eye is still swollen. Right eye being Shut: It is open now, that was a one day occurrence. Itching in the throat: She noticed that today at noon around 1 is when she last had it, it is 5% still there where she feels something. Mucus from Throat: She used the Neti pot a couple hours ago, at about 1:30 PM. Since then she has had some drainage but it is 95% better. Her Right Eye ball is still pink looking like as if she was hung over. The Left eyeball is white. Right Eye Weeping: She left work because her right eye was weeping so much, going into her nose, and she is running at work, she has glasses, goggles, face shield, and so she cant wipe the liquid. She came home and iced her eye which helped. Right Eye Pink: On Saturday the right eye was red. Right now it is pink, like an eye lash is in the eye. The right Eye being Red was only for Saturday, like sclerosis, it was red and swollen. The left eye was swollen, but it is better now from this morning. She was super congested on Friday (08Jan2021), barely being able to sleep, she couldn't breathe through the nose. Weird, she barely slept but it wasn't a sinus infection. She couldn't sleep because of nose running and the eye running then Saturday into Sunday she was able to sleep with eye running. The runny nose got better with the neti pot. She is schedule for the 2nd dose on 28Jan2021. The outcome of other events was unknown. Information on the lot/ batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
969737	1/25/2021	WI	35	M	1/20/2021	1/20/2021	Moderna COVID-19 Vaccine EUA After receiving the vaccine, I felt my throat swell up a bit, which caused me to slightly panic during the 15 minute observational period; however, it went away after approximately 5 minutes. I initially wasn't convinced it had anything to do with the vaccine. Later that day, I went into work for third shift. At approximately 1:30 am (approx 11 hrs. after the vaccine), I began to feel very ill. I developed flu like symptoms and a headache, which caused me to leave work. I continued having flu symptoms, chills, nausea, body aches, and a very severe migraine on and off until I woke up on 01-22-20 at approximately 6:00 am. At this time, the migraine had subsided and I just had some minor body aches,, which over the next 24 hrs. also went away. The migraine should be noted as debilitating to the point I was dizzy, my mind was foggy, but worst of all, the pain was so bad I was constantly nauseous and my eyes were regularly watering. I never was tested for COVID-19; however, I believe my family had potentially had the virus in October. My wife and I exhibited many of the signs and symptoms of the virus, including my wife losing taste and smell for an extended period of time.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
969669	1/25/2021	AR	48	F	1/7/2021	1/7/2021	Lightheaded; Dizzy in both eyes; Pressure surrounding left eye; Blood pressure went really high; A spontaneous report was received from a 48-year-old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced the events, lightheaded, dizzy in both eyes, pressure surrounding left eye, and blood pressure went really high. The patient's medical history was not provided. Concomitant medications were not reported. On 07 Jan 2021, the patient received their first of two planned doses of mRNA-1273 intramuscularly in her left arm for prophylaxis of COVID-19 infection. On 07 Jan 2021, minutes after vaccination, the patient felt lightheaded, dizzy in both eyes, a pressure surrounding her left eye, and her blood pressure went really high. She was then sent to the emergency room and was advised to see a cardiologist. The patient was discharged from the hospital without any medication. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the events, lightheaded, dizzy in both eyes, pressure surrounding left eye, and blood pressure went really high, was not reported.; Reporter's Comments: This case concerns a 48 year old, female who experienced a serious unexpected event of dizziness, dizzy, ocular discomfort and blood pressure increased. The event occurred same day after first dose of mRNA-1273 (Lot# unknown) administration. The subject concomitant and treatment medications were not provided. Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.
970804	1/25/2021	KY	64	F	1/23/2021	1/23/2021	It started out with pressure behind my eyes, then at 9 pm on 1/23/21 I started swelling on the left side of my face and my lips, and inside my mouth with a nodule inside my mouth under the skin right under my upper lip then the swelling started moving up my face onto the cheek on the left side and I started taking Benadryl and then about 6 pm on Sunday night it started to swell as well as the right side of my face and lips. I called the ER and they told me to come to the hospital immediately so that's what I did.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
970109	1/25/2021	PA	55	F	1/8/2021	1/9/2021	viral pinkeye; cold sores covering lips and skin around mouth; symptoms of urinary tract infection (UTI); Chills; elevated temp 99 degrees,/elevated temp 101.4 degrees;; This is a spontaneous report from a contactable other health care professional (patient). A 55-year-old non-pregnant female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number unknown), via an unspecified route of administration at left arm on 08Jan2021 12:45 at single dose for covid-19 immunization. The vaccine was administered at hospital. Medical history included migraine headaches. The patient had no allergies to medications, food, or other products. Concomitant medication included vitamin d3 and sumatriptan. No other vaccines within 4 weeks prior to the COVID vaccine. The patient received the first dose of BNT162B2 via an unspecified route of administration on 18Dec2020 12:45 PM at Left arm at single dose for covid-19 immunization. On 09Jan2021, the patient had chills and elevated temperature of 99 degrees; on 10Jan2021, the patient had chills and elevated temperature of 101.4 degrees, symptoms of urinary tract infection (UTI); on 11Jan2021, the patient was prescribed cephalexin for UTI; on 12Jan2021, the patient had cold sores covering lips and skin around mouth; on 13Jan2021, the patient was prescribed antiviral for cold sores, the patient was developed and diagnosed with viral pinkeye, prescribed steroid eye drops. The adverse event result in doctor or other healthcare professional office/clinic visit. Prior to vaccination, the patient was not diagnosed with COVID-19 and since the vaccination, the patient had not been tested for COVID-19. The outcome of the events was recovering. Information on the lot/batch number has been requested.
970417	1/25/2021	MN	51	F	1/11/2021	1/21/2021	started tingling on the right cheek on 1/22/2021, then it progressed to the right upper and lower lip, outside and inside, lateral eye corner of the eye and upper and lower eye lids, and then right ear fullness, pressure, ringing feeling.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
970584	1/25/2021	WI	44	F	1/23/2021	1/24/2021	Woke up from sleep at 3:02am (13hrs post injection) Severe headache (most prominent at base of neck, behind eyes, and top of head) throbbing pain. Hurt to move eyes. Photosensitivity (eyes must remain shut at all times) Nausea, fever (102.3), sweats, chills Severe body aches (most prominent in lower back, hips, and legs/knees) Tylenol/ibuprofen alternating (reduced pain down to 4/10) 1st applied ice to lower back and surrounded head. This allowed me to sleep for almost 4 hours. Then applied heat to lower back. Continued to drink normally and eat bland diet These symptoms lasted all day. Around 11:30pm on 1/25 symptoms resolved with the exception of a headache requiring ice packs again throughout the night and tylenol. 9:22am today, still mild headache and get dizzy or a vertigo feeling if I change position too quickly or rotate my head too quickly
970582	1/25/2021	IN	52	F	1/23/2021	1/24/2021	Went to receive my second shot on 1/23/2021 by mistake instead of scheduled appt 1/30/2021. Provider informed me I was there on the wrong day but told me she would fit me in so I would not have to come back. After receiving the 2nd dose and waiting the 15 minutes, I realized that the time between shots were 14 days instead of 21. The HCP was contacted and was to reach out to vaccine provider. 1/23/2021 = date of receiving shot = no symptoms 1/24/2021 = 3:10 am woke with 102.1 fever, sore arm, body aches, and my skin hurt. Woke again at 8:00am with fever of 101.3 and the same symptoms. Alternated Tylenol and Ibuprofen every 2 yours. Fever went away around 10:00am but went still had body and skin aches and tired. 1/25/2021 = woke with no fever, but arm still hurt and so does the gland in my armpit. Still have body & skin aches. I am tired and I feel slightly off. My eyes are very tired.
970577	1/25/2021		66	F	1/22/2021	1/23/2021	?Pfizer-BioNTech COVID-19 Vaccine EUA blurry vision next day and headache, but had slightly abnormal eye exam by eye doctor so could be primary ophthalmologic issue. also seen by neurology and normal CT scan of head

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
970556	1/25/2021	MA	27	F	1/21/2021	1/22/2021	employee reports receipt of COVID-19 vaccine dose #2 on Thursday 1/21/21. C/o left thigh problem. Reports the following day post vaccination (Friday) had injection site pain, eyes were burning at work and general malaise. Reports she took tylenol and went home early due to symptoms. Reports fever up to 106.6 F Friday night which resolved the following morning. Now concerned about left thigh problem. States she woke up Saturday morning and when got out of bed left thigh was "off". States feeling like she is not able to walk normal since then, feels like she's "limping". Denies any falls. Patient also concerned about late menses. States she was scheduled to get it on 1/20/21 and wonders if this is vaccine related.
970504	1/25/2021	IN	24	F	1/23/2021	1/25/2021	Bell?s palsy in left side of face Pain and tightness from under injection site to forehead Burning pain in left nostril when breathing in that travels up into left eye to left eyebrow
970499	1/25/2021	OH	58	M	1/22/2021	1/22/2021	About an hour after he received his vaccine, he experienced tachycardia, tremors that lasted about an hour, his hands and face turned red, he experienced mental foggiess, and his vision "went out" for a short time. He ate a little bit of food, took some food, went home and rested and his symptoms calmed down. The next day (Saturday) he just felt fatigued. He did say that he had not ate breakfast before receiving his vaccine. He also spoke with a family member who is a doctor but did not actually go to a doctor's office/clinic.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
970474	1/25/2021	MI	45	F	12/30/2020	12/30/2020	About 25 min after receiving the vaccine, I noticed a little tingling on my lips and my cheeks and my face felt heavy. I looked myself in the mirror, my face, cheeks and neck became very red like beet red and warm to the touch. I returned to the vaccine site and they observed me but the symptoms worsened, my eyes started getting puffy/ my cheeks started getting purple instead of red, and they sent me to the ER. At the ER they continued to monitor me and gave me IV Benadryl and IV Pepcid and IV steroids and said I had a delayed case of hives. Once I had all the IV medication the swelling went down and the hives on my arms and my back went away, the redness in my face and neck stayed until next day and I noticed after taking a warm shower the next day the redness returned on other parts of my body. I took a Benadryl. About after 2 days it was all resolved.
970238	1/25/2021	MD	62	F	1/14/2021	1/14/2021	Had vaccine at 3:21 pm Started itching at 4:05 pm- eye lids, scalp, bottom of foot, face felt tight- no respiratory issues. Took Benadryl with moderate relief. Area was red and sore about the size of a ping pong ball area. Area cleared on 12/1/2021. On 1/22/2021 area of vaccine became red, hard and itching. I took Benadryl with no change. Called provider on 1/23/2021 and was seen virtually. Area is now between 6-7 cm . Advised to apply ice, topical steroid cream and marked the area,. Prescription for Bactrim was given incase symptoms increased. This helped some on 1/24/2021 in PM area increased , I had general malaise and a stiff neck with joint pain. I started the prescribed Bactrim-for questionable cellulitis. provider recommended I not receive the second dose
970446	1/25/2021	FL	71	F	1/18/2021	1/19/2021	After receiving the first shot on Monday, I developed a headache and double vision on Tuesday night. I consulted an ophthalmologist and I am awaiting the scheduling of an MRI. He could find no physical problem with either eye. The double vision persists. I realize this may be purely coincidental and unrelated to the vaccine, but I felt I should report it.
970257	1/25/2021		62	F	1/19/2021	1/20/2021	Conjunctival hemorrhage encompassing 2/3 of right eye; examined by ophthalmologist; resolving now; no loss of vision or any other problem

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
970398	1/25/2021	FL	65	M	1/4/2021	1/21/2021	Left side of face paralysis. Unable to close left eye or move any muscles on left side of face , and pain behind left ear . Diagnosed by family practitioner as Bells Palsy
970368	1/25/2021	IN	69	F	1/13/2021	1/21/2021	Had slight swelling, rash & feeling of being flushed first three days after receiving the vaccine. On Thursday, January 21 found arm starting to ache with large lump, and a great deal of swelling. Friday, January 22 had large red rash 3 inches in diameter, which became larger hour by hour. Saw my primary physician and she was unsure what was happening. We agreed to monitor the arm and call if it got worse or I had other symptoms. The following two days found the red rash becoming more of a bulls eye. The outer ring was red with the inner bulls eye brown, same coloring as a birthmark. The upper arm continues to ache, but swelling is down and today, Monday, January 25, it is still discolored, but brown rather than red.
970367	1/25/2021	IN	69	F	1/13/2021	1/21/2021	Had slight swelling, rash & feeling of being flushed first three days after receiving the vaccine. On Thursday, January 21 found arm starting to ache with large lump, and a great deal of swelling. Friday, January 22 had large red rash 3 inches in diameter, which became larger hour by hour. Saw my primary physicia and she was unsure what was happening. We agreed to monitor the arm and call if it got worse or I had other symptoms. The following two days found the red rash becoming more of a bulls eye. The outer ring was red with the inner bulls eye brown, same coloring as a birthmark. The upper arm continues to ache, but swelling is down and today, Monday, January 25, it is still discolored, but brown rather than red.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
970327	1/25/2021	CO	81	M	1/14/2021	1/14/2021	Per MD & RN notes from Emergency Dept Records: "Of note, patient received first COVID vaccine two days ago 1/14/21 and has had chills, sweats, and malaise over the past 24-48 hours." Pt also reports "not drinking enough water" leading to dizziness & syncopal episodes x3, with T-spine compression fractures secondary to at least one of these falls. Denies loss of consciousness, headache, vision changes, tinnitus, Nausea/vomiting, numbness/tingling/weakness in extremities except for brief feeling of knees "giving out" just prior to falls. Pt admitted to Medical Ctr on 1/16/2021, w/ T7, T9 & T11 fractures, & comorbidities. Planned discharge for 1/25/2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
970324	1/25/2021	PA	68	F	1/14/2021	1/16/2021	<p>Patient is a 68yo female with a PMH s/f of osteoarthritis, CHF, TIA with right limb weakness and aphasia and HTN presenting with a 1 week history of bilateral upper and lower extremity pain, stiffness and weakness. Patient states that she received the Pfizer COVID vaccine on 1/14 last week at pharmacy. At the time of inoculation, she did not experience any symptoms and went home after the 15 minute waiting period. The next day, she developed a generalized headache that started in her neck and continued over her head. She states that this continued to get worse throughout the day and on Saturday, she woke up and described a constant, 10/10, dull-aching pain that started at her neck/back of head and extended down to her shoulders to the tips of her fingers. She also stated that she had the same pain starting around her groin extending down to her knees and ankles. Patient initially tried taking Tylenol and ibuprofen to treat the pain, and said that those treatments normally work for her osteoarthritis, but that her pain did not improve afterwards. In addition to the pain, she also states that she developed worsening weakness to the point where she could not walk around her home. She stated that she thought moving around and being active had helped her fight through the pain and tolerate it, but that laying down and resting actually seemed to make it worse. With her symptoms worsening and her inability to walk, she decided to come to the hospital to get further treatment. She denied ever having an adverse reaction to other vaccines she has received previously. She receives the flu vaccine every year, and received measles, polio and other childhood vaccinations that she could not recall. She was diagnosed with polymyalgia rheumatica and started on 20mg prednisone daily. She had a remarkable response to the steroids and her symptoms resolved within 24 hours. She was discharged on her 3rd day of admission. On ROS, she denies fevers, chills, night sweats, SOB, changes to vision, eye pain, cough, chest pain, sputum production, nausea, vomiting, diarrhea, dysuria or hematuria. She affirmed weight loss, headache, neck stiffness, dizziness, lightheadedness, muscle stiffness/pain, reduced ROM, and urinary urgency and incontinence.</p>



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
970307	1/25/2021	NY	43	F	1/22/2021	1/23/2021	Received vaccine at 4pm. Woke at 1:30 on 1/23 with headache . At 4pm aches settled in. At 9am fever of 101 started along with Hyper skin sensitivity and eye sensitivity and chills. Aches turned into actual pain in my thighs and calves. It literally felt like I was hit with a baseball bat in my thighs. Fever kept climbing all day to 103.9 at 3pm. Even though I was alternating Advil and Tylenol. During afternoon and evening I had extreme dizziness. Fever, chills, fatigue, hypersensitive skin and to sunlight with my eyes have persisted for another 24 hours. I am now snd 65 hours post vaccine and I?m still running fever 100-102. With fatigue and body aches.
970587	1/25/2021	CA	46	F	1/9/2021	1/9/2021	Injection site was on left deltoid. Within hours experienced significant soreness on arm, left flank and left breast. Severe swelling and joint pain at left knee and hives down left leg calf. Significant rash and swelling of both eyelids and allover body soreness.
970459	1/25/2021	GA	74	M	1/16/2021	1/16/2021	Labored breathing, numbness, then tingling at left side of face, blurred vision left eye, stabbing pain left ear.
972566	1/25/2021	MI	59	F	1/15/2021	1/15/2021	Left side of my face became numb. Then my eye, tongue and throat began to swell. I stopped and purchased Benadryl. The swelling started to diminish after about 4 hours, but tingling and slight numbness continued for about 3 days.
972700	1/25/2021	WI	27	M	1/17/2021	1/19/2021	Received the first COVID shot on 1-17-21 and began to feel pain in the back of my neck on the right side in the afternoon of 1-19-21. On 1-20-21 I lost part of my taste and neck started to cause headaches. On 1-21-21 symptoms continued to get worse. On 1-22-21 I began to lose control of the right side of my face. Face began to droop and eye was unable to close. I went to the ER on the evening of 1-22-21 and was diagnosed with Bell's Palsy.
972693	1/25/2021	OH	86	F	1/22/2021	1/22/2021	Extreme dizziness. Intense headache behind eyes and down neck Extra strength Tylenol

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
972663	1/25/2021	MO	53	F	1/25/2021	1/25/2021	became dizzy, clammy diaphoretic and nauseated at the end of her 15 minutes. This was her second dose and had no problems with the first COVID vaccine dose. Continued nausea with lightheadness and started to see visual spots when lifting head. Benadryl 25 mg 1 tab given by mouth at 1258 pm. At 1345 pm attempted to have her stand at stretcher and she continued seeing spots, dizzy. At 1406 transported to the ED for evaluation. She was seen, evaluated and released to home from the ED.
972645	1/25/2021		77	M	1/25/2021	1/25/2021	Approximately 8 hours after shot I suddenly had dizzy feeling, my eyes became crossed, could not focus my eyes, everything was a blur. I could think correct and carry on a conversation. Took 2 Ibuprofen, drank 8oz of water and laid down for a half hour or so. After about 40 minutes my eyes started coming back in focus. My left eye was not seeing some cobweb stands but eventually stopped and became normal. I then ate some food and everything seemed to be ok. As I write this 5 hours after the above incident nothing more has happened. My arm does not hurt either. No other symptoms of any kind are occurring.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
972638	1/25/2021	CA	38	F	1/21/2021	1/22/2021	The day following the 2nd vaccination dose, I had zero symptoms other than a slightly sore injection site. Around hour 30 following the vaccination I began to feel warm, and I got up to brush my teeth and cool off in the bathroom. As I was brushing my teeth, I started experiencing an increasing ringing noise in both my ears that I thought was strange and somewhat alarming, but I didn't feel any signs of dizziness or dysphoria. The next thing I remember is waking up the bathroom floor with my husband standing over me. Apparently I experienced a complete lose of consciousness and feel to the floor, hitting my chin on the bathroom vanity as I feel and splitting my chin open, which I have zero recollection of. My husband states that when he found me, that my eyes were open, but I was staring blankly at him with a glazed over look and my whole body was limp and diaphoretic. I came too in about 30 seconds after he found me, but I was very confused, not making a lot of sense, and felt very disoriented and weak. It took about 20 mins for my fever to break, and to have the strength and power to get up and walk to bed. We changed all my clothes because I had soaked through them, and he got me into bed after cleaning/bandaging up my chin. I then slept solidly until noon the next day, which is very unlike me, but since then I have felt relatively fine with no other experiences of fever/chills/disorientation, just some continued mild fatigue off and on. After discussing with my nursing colleagues, they all had similar experiences around hour 24-30 post 2nd vaccine with fevers, chills, restless sleep, or just general malaise, but no one experienced a complete loose of consciousness, so I reached out to my PCP yesterday, and she confirmed today that I should report this to VAERS. I have never experienced any form of loss of consciousness/fainting/black-out/syncope prior to this, which is another reason I thought it was important for me to report this.
972614	1/25/2021	OR	45	F	1/17/2021	1/19/2021	Left was sore on 1/18. 1/19 Woke up very congested. 1/19 went into work, she lost her voice and eyes, face and neck swollen- felt like her throat was swelling

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
972455	1/25/2021	DE	49	F	1/21/2021	1/22/2021	Patient is 49 yo F presenting with right sided facial nerve paralysis (right eye and eyelid drooping, etc.) consistent with Bell's Palsy. She does have a history of Bell's Palsy in the past (with Botox injections for Migraine HA). Symptoms started 1 day after vaccination (22 JAN 21) and are still present today (4 days post-vaccination). Symptoms are improving and patient will be following up in 1-2 weeks. No treatment indicated.
972567	1/25/2021	MO	46	F	12/22/2020	12/26/2020	Had soreness in the arm for two days. On the 26th, evening, I went to take drink of water and some of spilled down my face and I thought I just had a fat lip. 27th, I went to work and went to lunch at noon, I went to eat food and I noticed that my mouth -right side was numb. I thought something might be wrong and someone told me that my right side of my face looked slack. Saw on Dec 28, Dr. - had already scheduled an appt for follow up for diabetes - and I told her about my symptoms and she looked at my face and had me smile and crinkle my face. She sent me to my doctor downstairs (she had the nurse call downstairs and told them I needed to be seen that day). I went downstairs and I saw my doctor and my doctor scheduled an MRI on 28th at 7 PM and also ordered for me to take Prednisone and Valtrex. MRI result came back fine. I responded well to both of these meds - I started to get muscle control back into my face. It shot my sugar numbers up but solved the other problem in about 15 days I could shut my eyes without delay and I feel like I have muscle control in my face. January 22, I got the second dose and so far I don't notice anything different.
972733	1/25/2021	TX	46	F	1/22/2021	1/22/2021	Individual started to feel her heart begin to race. she said she felt a little light-headed and her vision was "off". She had a headache coming to the clinic which she had taken excedrine for prior to arriving. We took her blood pressure about 10 minutes after vaccination and it was 150/88 HR 130. We moved her into a private room to monitor and attempt to relax her. continued BP monitoring every 5-10 minutes- 148/92 147, 160/90 155. She stated that her left lip felt tingly so at that time we decided to call 911.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
972519	1/25/2021	CA	84	F	1/25/2021	1/25/2021	Pt received COVID 19 Vaccine today. Approx. 10 mins after administration, pt reported "I feel chills and tingling lips." Pt reports, "I ate a full breakfast at 1030 today" No h/o DM. NO shortness of breath NO CP (pain 0/10) NO dizziness NO Nausea/Vomiting No vision changes No itching or hives reported or observed. At 1245, pt states, "my tongue feels tingly and my lips feel numb. I feel like I have a lump in my throat." See VS flowsheet for vitals during monitoring period. PMH reported: COPD MEDS reported: Amlodipine, Gabapentin, Nortriptyline, Levothyroxine 1300: Maryam, ED Charge RN called for report and patient needing to be transferred for higher level of care post COVID 19 vaccine. 1310 approx.: HarmPt received COVID 19 Vaccine today. Approx. 10 mins after administration, pt reported "I feel chills and tingling lips." Pt reports, "I ate a full breakfast at 1030 today" No h/o DM. NO shortness of breath NO CP (pain 0/10) NO dizziness NO Nausea/Vomiting No vision changes No itching or hives reported or observed. At 1245, pt states, "my tongue feels tingly and my lips feel numb. I feel like I have a lump in my throat." See VS flowsheet for vitals during monitoring period. PMH reported: COPD MEDS reported: Amlodipine, Gabapentin, Nortriptyline, Levothyroxine 1300: Maryam, ED Charge RN called for report and patient needing to be transferred for higher level of care post COVID 19 vaccine. 1310 approx.: Harmony, RN from ED came to safely transport pt to ED. No family at bedside. Pt a good historian w/ stable VS when transported to ED. RN from ED came to safely transport pt to ED. No family at bedside. Pt a good historian w/ stable VS when transported to ED.
972485	1/25/2021	AZ	62	F	1/25/2021	1/25/2021	Limb heaviness within 5 minutes of second vaccination. Subsided in approximately 25 minutes. Patient also reported that she experienced a similar reaction immediately after first vaccination plus the inability to visualize words (i.e. she couldn't read what was on the paper she was holding).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
972484	1/25/2021	IL	64	F	1/20/2021	1/20/2021	Have written to Health dept no answer-they must be busy. First shot resulted in very sore upper arm 1.5 days, no other effects. Clean injection into deltoid muscle bulk. Second shot, injection shot extremely high above main muscle bulk of the deltoid into area of supraspinatus tendon one finger below acromial shelf. First shot, two sensations: initial puncture then injection. Shot 2 one huge painful bump met with resistance in my tissue. Also Shot 2 not one response except mild fatigue still today, but no pain in upper arm unless I pressed specifically into injection site itself. WAS THIS VARIATION IN INJECTION SITE ACCEPTABLE? WAS IT OK TO DO INJECTION SO VERY HIGH UP? Secondly, had a wonderful, professional nurse, but I question the practice of retrieving a dose for me that comprised of doses left over at bottom(s) of other vial(s). We had a new vial in the office where I was, but she left and came back with a syringe already full, saying that it was important to use up every drop. At first I agreed, but now I question this practice and just want to make sure I don't need to come back for another second dose. Are there no substrates that would settle out of the solution as the vial gets depleted of everything except only a bit of fluid left in it? Is retrieving every last drop from each vial and putting them together to make a dose acceptable practice? if not, from the Pfizer standpoint, then I should get another dose? I am a pediatric physical therapists working within 1-2 feet a children's faces at all times and transmissibility is a real issue both ways in my job. I truly do not want o become a Covid victim. please let me know if both the injection site and the method b y which my dose was put together is acceptable in the eyes of Pfizer. Thank you.
972468	1/25/2021	IN	70	F	1/25/2021	1/25/2021	Patient left the facility after waiting 15 minutes. Returns shortly afterward with flushing and redness on cheeks, the sense of swelling in the eyes. Vitals 166/90 O2 sat 98. Benadryl 25 mg PO given. Monitoring for 30 minutes - patient improved

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
972463	1/25/2021	NY	19	M	1/24/2021	1/24/2021	Immediately after the vaccine was administered I experienced the usual side effects of mild headache, fatigue and localized redness and swelling. Around 11pm the night the vaccine was administered I developed a migraine that resulted in blurred vision. and when I checked my temperature it was approximately 104.9 degrees Fahrenheit. By the next morning, approximately 7am, I was weak to the point I could not get out of bed myself, I was nauseous that resulted in a single Emesis episode approximately 8am, I had mild swelling of my face since 7am, between 7:30am and 12pm, I had multiple times where I would temporarily lose my vision. Throughout 1/25 I continued to have a fever ranging from 102 degrees Fahrenheit to 103 degrees Fahrenheit. At approximately 8am and 1pm I took two acetaminophen pills each time which alleviated the migraine and to an extent helped with the visual deficit episodes. Throughout 1/24 and 1/25 I suffered with extreme chills resulting in shivering that lasted for several minutes despite a room temperature of approximately 90 degrees Fahrenheit and covered in two blankets. PCP was consulted via telephone and she advised to go to the hospital via EMS given the high grade fever, abnormal vitals and severity of symptoms
972460	1/25/2021	CA	68	F	1/25/2021	1/25/2021	Pt was vaccinated to the right deltoid with the Pfizer vaccine at 1150. At approx. 1208 she began feeling a little dizzy. She had no other complaints. No SOB, No rash, No nausea, No blurred or double vision. Her skins were warm and dry with good color. She has no medical hx. No medications. She is allergic to Iodine. Her initial vitals at 1211 were 132/84, 77 and 99%. At 1218 they were 140/88, 76, 99%. She drank some water and started feeling a bit better. She only drank a cup of coffee with a muffin this morning. At 1228 her BP was 134/82, 74, and 99%. She drank more water and said she felt even better. She refused 911 to be called for any further evaluation. She was advised to call 911 if any further symptoms developed after leaving the facility. Her husband was driving her home and she was advised to eat lunch. She signed our paperwork after being advised of the situation and what had been documented.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
972457	1/25/2021	NM	53	F	1/20/2021	1/20/2021	Severe pain with Migraine, dizziness, nausea, lights too bright, noise too loud, it even messes with my eyes, making them blurry. I tried taking an Amovig shot on 1/21/21, it did not work. I tried taking motrin, tylenol, and etc... nothing is working... The pain is horrible. I'm having problems concentrating. This has been 5 days and is still extremely painful... the doctors will not do anything more about it. I called Moderna and they could suggest nothing either. I don't know how long this will last, but I'm miserable!
972576	1/25/2021	MN	21	F	1/19/2021	1/25/2021	Half lower left lip twitching and pulsating intermittently. Lasted about 2-5 mins. Could visually see it and could feel it pulsating. Very scary because it's never happened before. Does the vaccine cause Bell's Palsy and should I not take the second dose??
972902	1/25/2021	RI	51	F	1/24/2021	1/24/2021	Within 10 minutes of 2 dose of COVID 19 vaccination, Patient experiences RIGHT side facial numbness. Monitored patient vitals and facial symptoms until mostly resolved. With facial numbness, patient could still laugh, smile, wink, talk, breath. Vitals 30min post vaccination= 135/78 bp, 105 pulse, Temp 98.2F, O2 100%, 18 RR. 2hrs post vaccination= 138/90 bp, 96 pulse, Temp 97.3F, O2 100%, 18RR Right side facial numbness is resolving downward past eye. 2hr 20min post vaccination= 140/82 bp, 92 pulse, temp 98.2F, O2 100%, 18 RR Patient feels better and will notify Facility if facial numbness does not resolve.
971703	1/25/2021	MO	56	M	1/20/2021	1/21/2021	Complained of fever, headache with visual disturbance. Nausea and body aches 1 day after shot.
1281112	1/25/2021	TX	53	F	1/13/2021		I called facility to check on everyone and see how they felt, and pt stated that her eyes looked very very red. She me a pic which I shared with. She has a burning sanitation and she bought over the counter eye drops.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
973044	1/25/2021	NJ	62	F	1/14/2021	1/24/2021	Morning of 1/24/21 (Sunday), patient saw that the right side of her face was drooping, her right eye was swollen and excessively tearing. Patient noted drooling out of the right side of mouth when drinking fluids or eating food. Patient was unable to chew on the right side, had difficulty speaking due to the drooping of the right side of her mouth. Symptoms persisted into the next day. Patient was seen by her PCP and was diagnosed with Facial Palsy (Bell's Palsy). Patient's neurological assessment was negative for stroke symptoms.
973043	1/25/2021	NE	65	F	1/21/2021	1/22/2021	24 hours after the vaccine I had uncontrollable chills, fever, headache, body aches, fatigue, burning eyes and runny nose. The next day Friday was better but still body aches and a slight headache. My injection sight started turning red and the red rash moved down my arm. Still tired but better, symptoms letting up.
973036	1/25/2021	NY	65	F	1/24/2021	1/24/2021	Well, it was first facial tingling on the left side (same side as shot) but it gravitated in a more pronounced (and a little bit scary) way around the outer arch of my left eye socket. I started to massage it to just get it whatever it was moving and circulating. Then I figured it might be a good idea to get up and rotate my arm a little and jump around. This actually helped. The tingling and very slight numbness subsided after about three hours but today, a full 29 hours later, my left eye is twitchy. It's not a huge deal. I was in bed most of the day anyway but a nurse friend of mine said I should still responsibly report this.
973007	1/25/2021	NY	68	F	1/21/2021	1/23/2021	01/23 Eye discharge. Visit PA -01/23. Given Tobramycin. No improvement. 01/25 Eye area swollen with discharge. Dr. - switched to Maxitrol and Augmentin. Vaccine related? Dr. mentioned he saw somebody the same day with the identical symptoms.....
972925	1/25/2021	MD	71	F	1/21/2021	1/21/2021	Strange sensation on my tongue and a strange taste almost like antibiotic drops in your eyes. Lasted for 2 days. I am scared for the next dose. Please advise me if I should take Benadryl 2 hours before I get the vaccine?
972704	1/25/2021	WA	71	F	1/12/2021	1/13/2021	Chills, aches, high blood pressure, heart racing, tired, flu sick feel, asthma Jan 14th, 2nd day: face swollen, blotchy, numb eyes swollen, sore sockets, upper lip puffed out, burning face feel, asthma

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
972908	1/25/2021	FL	36	M	1/25/2021	1/25/2021	Swelling of eyes and face, throat swelling, rapid heart rate over 140 beats a minute, Blood Pressure 220/132, dizziness. Stayed in hospital emergency room for several hours.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
972730	1/25/2021	CA	29	F	1/11/2021	1/13/2021	<p>The reason I came to this site to fill out adverse events is for lower right lip numbness that started about 30 hours after the shot, but I also did have other side effects starting the first day that I will list as well. I have never experienced anything like this numbness before in my life, and I am 99% positive it is due to receiving the Moderna vaccine. I did not find facial numbness as a possible side effect of the vaccine listed, so I searched ?facial numbness COVID vaccine? and was able to find that only 4 of the 30,000 participants in the Moderna trials experienced facial numbness, and that only 3/4 received that active vaccine over the placebo, and so was not considered to be a side effect of the vaccine. I also read that they appeared to be cases of Bell?s Palsey, which I do not believe to be what I am experiencing, because I do not seem to have any symptoms of drooping, just a numb sensation. I woke up around 4:30AM on Wednesday (got vaccine on Monday at 2:30pm) with my lower right lip completely numb. The lower left lip had full feeling, as did my entire upper lip. Friday afternoon (2 days later on the 15th) I finally started to get some feeling back on the inside on my lower right lip. Over the next week (it?s been 12 days now since I first woke up with my lip numb), I have slowly regained a little more sensation each day. While I have about 95% of my feeling/sensation back in my lower right lip, there is still some numbness. Also important to note that while this symptom has been annoying, it has not been painful in any way. An adverse side effect that happened immediately after getting the vacccine was that my arm started to itch around the injection site, spanning about 3 inches out in every direction. My arm also got very slightly puffy (only right at the injection site), and moderately pink/red in the same area. They kept me just a little longer than the 15 minutes, but I had no breathing issues, and stated that I felt fine, and was able to leave. Adverse side effects that started day one of getting the vaccine and lasted 2-3 days: -Severe cotton mouth/dry mouth and throat that started on my drive home about 40 minutes after receiving the injection -Severe fatigue that started about 2 hours after receiving the vaccine (could not even keep eyes open the first day, and had to call out of work for the next two days) -Moderately severe arm numbness at the site of injection that I noticed around 6 hours after injection. This symptom bothered me less</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							than others due to lifelong chronic pain, but it was still very difficult to raise my arm to grab things (moved slow like a sloth to be able to push past the soreness).
972869	1/25/2021	FL	39	M	1/18/2021	1/19/2021	It's been one week of fatigue, nausea, diarrhea, malodorous belching, joint pain, nuchal rigidity, chills, nasal drainage, sore throat, dry unproductive cough, eye pain, malaise
972843	1/25/2021	CA	55	M	12/26/2020	1/18/2021	Rash to Face, neck, ears, chest & forearms. Swelling to lips, nose and eyes.
972841	1/25/2021		37	F	1/25/2021	1/25/2021	Pt given 2nd Covid vaccine. Stated she had lip tingling/numbness and left sided facial numbness. No SOB, no difficulty breathing or airway issues. 25 mg IM benadryl given at 17:33. Currently at 18:13 pt states it is not getting worse and the numbness is currently over her left eye brow and chin. Pt stated she feels comfortable to leave but pt was advised to wait. Pt stated that after her first vaccine she had some numbness on right side of face that lasted 3 days post injection but no difficulty breathing or with airway. She had read on line that 1% of people may get numbness so felt comfortable getting second dose since she had no airway problems. At 18:29 pt left, refused to go to ER per clinic recommendations.
972821	1/25/2021	VA	47	F	1/25/2021	1/25/2021	Swollen face, eye lids, area below eyes and redness in eyes Water eyes, congested nose, slight headache
972795	1/25/2021		26	F	1/25/2021	1/25/2021	As patient was waiting in waiting area approximately 5 minutes after receiving her 1st COVID vaccine, pt's friend called pharmacist over as patient felt she was about to faint. She had her eyes closed and said she felt faint. Notified incident command to call for provider. We moved her to an exam room so she could lie down. She said she felt warm and dizzy. Pt breathing heavily. Denied chest pain. Had stomach pain and some nausea. Pt was given water. ER provider arrived about 4:30 and listened to lungs, carotids, talked to patient regarding vasovagal reaction. Pt slowly began to feel better and was talking and laughing. Waited with patient until 4:50, able to stand on own, not dizzy anymore, felt okay to leave.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
972760	1/25/2021	TX	49	F	1/21/2021	1/21/2021	Arm pain at the injection site starting around 4pm. Fatigue started around 8:45pm, with fever (99.3 F). Chills, headache, joint pain, stomach cramping, nausea and eye pain/ pressure shortly after and lasting throughout the night. Chills ended around 8am on 01-22-21, all other symptoms with the exception of sore arm resolved by 12 noon on 01-22-21. Arm pain subsided on 01-23-21. No other symptoms reported.
972502	1/25/2021	MO	55	F	1/13/2021	1/15/2021	Rash-to upper chest and neck, chin, cheek and above eyes. Itching, raised small bumps.
972912	1/25/2021	MD	76	F	1/14/2021	1/16/2021	Joint pain. Subsided they reoccurred with much more intensity. Could barely walk my right knee hurt so badly. Other joints can and went but knee just intensified. Today both my eyes are vpred , swollen and stinging
971784	1/25/2021	NV	46	F	12/30/2020	12/30/2020	Patient stated she had a lot of side effects; she felt dizzy and had blurry vision. Patient also stated "...moderna vaccine is not safe for me to get second dose.~~
972009	1/25/2021	WA	56	F	1/20/2021	1/22/2021	face swelling and pain where I had dermal fillers put in in August 2020. Started with upper lip on 1/22/21 and then my eyes were swollen, bruised and painful upon waking 1/23/21 and lasted until early morning of 1/25/21. My whole face was sore to touch during this time. I also had fatigue and headache starting 1/21/21 which lasted a few days along with fever, chills, body aches and sore left armpit which started early morning 1/22/21. I had expected these last symptoms so was not alarmed. I was not warned about the facial swelling and that was a bit scary.
972000	1/25/2021	GA	73	F	1/25/2021	1/25/2021	Patient reported facial edema in the eye area and a scratching sensation in her throat. She was monitored and one dose of epinephrine was administered in the right antero-lateral thigh by way of epi-pen. Patient was placed on O2 2L via N/C and transported by EMS to hospital A/A/Ox3 and in stable condition.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
971998	1/25/2021	MO	36	F	1/21/2021	1/21/2021	At 0930 1-21-2021 at the site of her injection on her left deltoid her arm began to itch. Between 1100-1130 the left side of her jaw began to hurt. She rates that pain 4-7/10. Five minutes later the left side of her lips began to tingle and became numb. She looked in the mirror and saw her face drooping. The Occupational Health Call Center advised her to go the ED. The ED physician told her she did not have Bell's Palsy due to the fact that her eyebrow and cheek were not involved. She was give Toradol and later took Benadryl at home. The ED physician reported to her she had a severe reaction and to monitor for symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
971989	1/25/2021	TX	70	M	1/15/2021	1/16/2021	<p>Following are my symptoms and severe side effects and events after receiving the COVID-19 Vaccine. 1- Receive COVID 19 vaccine at 4.00 PM on 01/15/21. 2- Stay about 20 minutes after Vaccination and observe no reactions and symptoms. Dive back home. take dinner and sleep well whole night. 3- Next day morning when I wake up feel till bit of Nausea/Vomiting. 4- Take breakfast at about 10.00 AM and after that feeling of Nausea got increased and i also start feeling weakness. These symptoms remains all day. 5- At about 5.15 PM I went to take Shower. After about 2 minutes during shower, i feel shortness of Breath,pressure on chest and Dizziness 6- These Symptoms was for about 4 to 5 second and goes off. 7- After about one minute I feel second time shortness of Breath, pressure on chest and Dizziness. It was bit intensive and for a longer period for about 10 second. 8- At this point I realized that this is something serious happening to me. 9- I came out from the Vertical Shower and called my wife that I am not feeling well. She was at this time at first floor. 10- I think it is about 1 minute after when I came from shower, I feel third time shortness of Breath, pressure on chest and Dizziness. I was very severe and within a second or so I passed out and fell down into the Jacuzzi which is beside the Vertical Shower. 11- Within a minute, my wife and my son came to the scene. At this time my wife finds me unconscious with my eyes open. 12- She shouted my name and then I came into my senses and told them to get me out of Jacuzzi. 12- My wife and my son get me out and carried over to the bedroom. I was feeling no shortness of Breath and Dizziness but mild pressure on chest, shivering and chill. 13- Thanks GOD I did not get any body injury except little bit of hit at my Neck and back of the Head. 14- My wife immediately called to my Primary Care Nurse and then I talk to her explain the whole situation and then asking for advise. 15- She advise me to go to any near Hospital Emergency for any urgent Medical care. 16-A about 6.00 PM I went to Emergency. At this time I was feeling Nausea and Shortness of breath. 17- The Nurse immediately check my blood pressure, temperature, oxygen and pulse. These all was normal. Nurse also provide me IV medicine for Nausea. 18- During my stay at Emergency, I again feeling mild tightness/pressure in chest beside shortness of breath and shivering, therefore Emergency</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>Doctor advise me that will admit to the hospital and do the complete check of any stroke and heart attack. 19- I was in the Hospital for 2 nights. During this stay I was under care of: -Attending Physicist: -Cardiology Physician 20- They have carried out Multiple Blood and Radiology Test as stated below. As per Doctors, all of my Test results are Normal, and they did not find any sign of Stoke and Heart Attack. -Multiple Blood Lab test. -XR CHEST 1 V -CT C-SPINE WO CONT. -CT HEAD- BRAIN WO CONT. -CT ANGIO HEAD W&amp;WO CONT. - CT ANGIO NECK W&amp;WO CONT. -CTA CHEST FOR PE -MRI BRAIN WO CONTRAST . -STRESS TEST. 21- I was discharge from the Hospital on 01/18/21 at 17.34.</p>
971971	1/25/2021	MD	42	F	1/15/2021	1/15/2021	<p>I have been experiencing swollen lymph nodes in my neck and eye twitching since receiving the shot. My lymph nodes swelled almost immediately and the eye twitching started days later. I'm still experiencing them a week later.</p>
972415	1/25/2021	MS	39	F	1/22/2021	1/23/2021	<p>Woke up 7am Sat 1/23/21 with muscle aches, headache, pain behind my eyes, fatigue, nausea and chest pain. Drank 1 liter of water and took 600mg of Advil. symptoms resolved at 8am until around 12pm. At 12pm symptoms returned and I took another 600mg of Advil. Symptoms did not resolve until around 2pm. At 3pm, symptoms had returned. I took another 600mg of Advil around 5pm. Symptoms did not resolve until around 7pm. I went to sleep at 8pm</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
971856	1/25/2021	MI	38	F	1/25/2021	1/25/2021	1307 2nd dose Pfizer COVID-19 vaccine administered. 1327 responded to patient who had been sitting in her car post vaccine. Patient reported that she had noticed anterior chest pain (4/10) as well as a weighted pressure. I assessed the patient while she remained in her car. She has a history of high blood pressure, taking medication and has been under control. She also reported diagnosis of asthma. Lisinopril 5mg daily, she had taken this morning. Albuterol metered dose inhaler (not used today). She denies heartburn nor taking any medication for it. She had eaten a hamburger 30 minutes prior to vaccination. 1335 patient reported that her chest pain turned more into a warmth that spread across the chest and a tingling sensation down only the right arm. 1344 she rates the discomfort in chest as a 2/10 the tingling in right arm is gone. She denies the following symptoms: difficulty breathing, changes to vision/hearing, dizziness/lightheadedness, facial and throat swelling, & nausea. Patient remained very calm during this observation time and spoke in complete sentences. She was comfortable with her mask on. Patient denied these symptoms occurred with her first dose of COVID-19 vaccine nor any other vaccination. Obtained automatic blood pressure device measured 142/91 (63 beats/min) at 1351. Patient was able to teach back when she will seek Emergency care: difficulty breathing, face/throat swelling, persistent and or worsening chest pain/pressure. Patient and I both agreed she was safe to leave the vaccine clinic.
972018	1/25/2021	CA	61	F	1/18/2021	1/18/2021	Left fingers tingling 10 minutes post vaccine. Next day felt it spread to whole left side and left eye felt "weird." Took Advil, got better after no difference with Tylenol. Then stopped the Advil and symptoms persisted. Then had tingling of head and neck. Saw her physician and Carotid flow study was normal. Waiting for MRI approval. Has been working with the symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
971806	1/25/2021	OR	31	F	1/16/2021	1/16/2021	About 15 minutes after receiving vaccine symptoms started. Nauseous, dizziness, chest pain, shortness of breath, body aches (extreme), joint pain especially in hips and knees, extreme fatigue, headaches, ears constantly rang. Rash on my arm where I received it went down to my elbow and up to my shoulder and on to my upper back, about 3 hours for it show up. It red, raised and bumpy and it felt hot. This lasted for 4 days. I was very pale and my eyes were sunken in. I literally felt like I was ran over by a vehicle. I was sleeping for about 15 hours a day. I kept getting chills then I profusely sweats then it switch to freezing cold and back and forth between the two. I took Tylenol and Benadryl to control symptoms but still felt miserable. The symptoms all stayed with me to the end. I still do not feel 100%, I am still having ringing of the ears, moderate body aches and headaches. Someone else said they still see the rash but I cannot really tell. I was also having trouble focusing for a few days after receiving the vaccine, I felt highly medicated not the fun high the bad high.
971949	1/25/2021	MI	49	F	1/14/2021	1/15/2021	I received my second Pfizer covid vaccine at 4:00 p.m. on 1/14/2021 from a co-worker. At 2:30 a.m. on 1/15/2021 I woke up with severe rigors that lasted 2 hours. Over the course of the day 1/15/2021 I had a second 2 hour episode of rigors. They were almost violent and seizure-like. In addition, I had severe nausea, dizziness, decreased vision, fever, myalgia, and exhaustion. My temperature reached 103.4 and lasted over 24 hours. Ibuprofen would bring the fever down 1 degree and helped decrease rigors, but did not help the headache. On 1/16/2021 I developed redness and swelling of entire upper left arm, and edema in arm pit. I spent three days unable to work or sit up in a chair. Symptoms began to decrease after three days, but I was unable to resume full work days until 1/22/2021. Vision returned to 100%, and nausea resolved, on 1/23/2021. Decreased appetite and fatigue are still an issue as of 1/25/2021.
971776	1/25/2021	CA	63	F	1/13/2021	1/15/2021	Nausea 2 days, headache 3 days, aches 5 days, fever one day (100.2), sniffles with clear drainage, rash over right eye across inter canthus to lower lid, redness inner right eye, and slight rash right nose.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
971773	1/25/2021	MO	76	F	1/22/2021	1/25/2021	Patient was complaining of eye issue on Thursday 01/21 and new medication was ordered. Received vaccine Friday 01/22 and had no other complaints other than facial twitching. Primary MD was contacted and patient was transferred to hospital for evaluation due to facial dropping.
971770	1/25/2021	PA	61	F	1/6/2021	1/6/2021	wooziness headache (migraine) stiff neck High blood pressure Blurred vision these symptoms lasted for about 2 hours... then cleared but headache turned to dull headache and that lasted for 2 days
971769	1/25/2021	WA	38	M	12/21/2020	12/28/2020	possible zoster 1 week after getting first COVID vaccine. Cluster of blisters/lesions on left side of scalp and a few on forehead, hyperesthesia, pain, malaise, swollen/painful lymph node behind left ear. No Eye involvement. Treated with Valacyclovir, now resolved.
971767	1/25/2021	VA	49	M	1/13/2021	1/15/2021	Systemic: Rash (other than injection site), Systemic: Chills, Systemic: Generalized Body Aches , Systemic: Headache, Systemic: Other- swelling and itchiness of the eyelids, dry mouth and nose, dizziness; symptoms lasted 9 days.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
971749	1/25/2021	ME	39	F	1/5/2021	1/12/2021	1 week after receiving the first dose, in the afternoon i had loose stool followed by some mild abdominal cramping for the rest of the day. I took some ibuprofen. The following morning (Wednesday), the pain was on my right abdomen and right flank area only. It was persistent, achy, soreness. My insides felt very tender to put any pressure on my right abdomen or flank. The pain on the right side of my back became more intense as the day went on. I had sharp right flank pain when lifting my right leg after showering to get dressing and use lotion. When I was walking up the stairs I turned to the left and had a sharp pain in the right flank again, taking my breath away for a moment. Around 4pm I took ibuprofen. About an hour later my eyes felt hot and tired. My cheeks were pink. My temp was 99.2. I generally just didn't feel good from this achiness. I took Benadryl and went to bed at 7pm, and slept for about 12 hours, waking once at midnight. The following day (Thursday) I felt 99% better and contacted my doctors office. When putting pressure on the same areas I could feel very slight tenderness if I pushed hard. That evening and into the next morning (Friday) I was mildly achy on my right side but barely at all. I didn't feel any more discomfort until this past week on the 22nd or 23rd. During sexual intercourse I felt that same mild internal tenderness on my right side. At this time, I don't believe I have any pain. My urine seems unusually clear, light colored, and smaller volume but this is very subjective. I have some abdominal swelling but this has been present since my breast reconstruction in January of 2020 and seems to get worse or better depending on the days activities or meals so it's hard to know what causes what. Labs were done on 1/22 showing decreased kidney fuction. Pending tests include an ultrasound of the Right Ovary that remains after the hysterectomy, bladder, and kidney. In addition to a 24 hour urine and some other urine studies.
971737	1/25/2021	IN	55	F	1/25/2021	1/25/2021	This was my 2nd. COVID-19 vaccine. First one on Dec 31 caused a headache and itching at injection site. Today, 1/25, about 10 minutes after shot my eyes, face and neck began to itch. Developed small bumps. This continued to spread to armature torso and legs. Took Benadryl which seems to be helping. No difficulty breathing or swelling of any kind.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
971708	1/25/2021	TX	23	F	12/30/2020	1/4/2021	severely inflamed gums for one week, inflamed eyes and nostrils
972525	1/25/2021	CA	60	M	1/12/2021	1/12/2021	Elevated blood sugar, unable to get it under control. Right side of skull and face extremely painful, including tongue lips, teeth eye, skin. Some soreness continued after 2 days.
972281	1/25/2021	PR	20	F	1/20/2021	1/22/2021	Difficulty breathing, rash all over my neck, shoulders and eyes. Fever.
971840	1/25/2021	OR	31	F	1/16/2021	1/16/2021	About 15 minutes after receiving vaccine symptoms started. Nauseous, dizziness, chest pain, shortness of breath, body aches (extreme), joint pain especially in hips and knees, extreme fatigue, headaches, ears constantly rang. Rash on my arm where I received it went down to my elbow and up to my shoulder and on to my upper back, about 3 hours for it show up. It red, raised and bumpy and it felt hot. This lasted for 4 days. I was very pale and my eyes were sunken in. I literally felt like I was ran over by a vehicle. I was sleeping for about 15 hours a day. I kept getting chills then I profusely sweats then it switch to freezing cold and back and forth between the two. I took Tylenol and Benadryl to control symptoms but still felt miserable. The symptoms all stayed with me to the end. I still do not feel 100%, I am still having ringing of the ears, moderate body aches and headaches. Someone else said they still see the rash but I cannot really tell. I was also having trouble focusing for a few days after receiving the vaccine, I felt highly medicated not the fun high the bad high
972315	1/25/2021	MN	35	F	1/22/2021	1/22/2021	Blurred vision paired with a TERRIBLE headache (?blinding? headache), upset stomach. Started within an hour of the shot, came and went off and on (quickly onset and quickly disappeared, numerous times) for about 4-5 hours

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
972019	1/25/2021	TX	34	F	12/30/2020	1/22/2021	On Thursday 1/21/2021, around 10am: I felt my left lip and mouth had a numbing taste and effect. I was slowly throughout the day unable to drink out of a cup without dribbling, my right eye was constantly watering, around 4pm: my right arm started tingling and bothering me, around 9pm: I tasted a Novocain(numbing) like taste in my mouth, I showered and went to bed, while in bed around 10:30pm: I drank out of a water cup and immediately drooled water onto my shirt and my right arm was starting to tingle even more, I thought that was out of the ordinary and got up to look in the mirror, when I looked in the mirror, my first thought was to smile and the right side of my mouth drooped, my right eye was drooping and I was unable to smile or close my eye. At 12:30: I went to the ER for tingling on my face and right arm, I thought I was having a stroke. In between home and traveling to the ER, paralysis started on my right side of face
972236	1/25/2021	CT	75	M	1/15/2021	1/22/2021	Started Friday, Jan. 22, 6:00PM until now 3:45PM Monday, Jan. 25. Red splotches of rash all over the body especially between ankles and knees. Chills and fever (as high as 103 degree). Middle two fingers tingling and sometimes turning white. Involuntary tearing of right eye. Diarrhea. Taking Tylenol for fever and benadryl I still have all the symptoms as of writing. Blood and urine sample were taken at er; results negative
972190	1/25/2021	CO	73	F	1/21/2021	1/22/2021	Caregiver stated the patient woke up next day complaining about being achy, feverish, entire body aches and no strength. Caregiver stated on 1/23/2021 patient was having same symptoms with loss of appetite and fatigue. On 1/25/2021 caregiver noticed 2x2 red spot around the injection site that warm sore to touch. Caregiver reached out to the PCP and was told to keep an eye on red spot and put a damp warm rag on it.
972169	1/25/2021	FL	74	F	1/11/2021	1/11/2021	Received the vaccine and I felt fine. I went home and laid and took a nap . When I woke up from my nap my vision blurry. I still have blurry vision. I have an appointment on Friday of this week I have an appointment with the eye doctor.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
972141	1/25/2021	NV	42	F	1/13/2021	1/19/2021	Left side of face is numb, increases with nasal congestions, below cheek and above eye but vision is not affected at this time, no noticeable facial droop. So far cannot tell by looking at face. started out feeling like "tingly after seeing the dentist" then turned to numb and progressed to the eye. now eye is numb.
972130	1/25/2021	MO	41	F	1/22/2021	1/23/2021	The patient woke up Saturday (1/23/21) with a sore arm and also woke up a little late (for her) with a headache. The patient also felt like she wanted to throw up. The patient went to the bathroom, then started seeing light spots. Shortly after the patient went to the floor. Her husband said that she had a seizure. Said she went stiff, arms were pinned down, eyes open and fixed for 20-30 seconds. and then went limp and sweaty. When she came to, she was nauseated and weak. She took Zofran and slept most of the day. She woke up Sunday and felt fine.
972044	1/25/2021	NJ	67	F	1/21/2021	1/21/2021	Between 10 and 12 minutes statutes to get tightness in head. Asked if normal- told to sit bp was 110/68 15 minutes headache 7/10. 16 mins headache 10/10 pain. Took bp again bp was 238/100 - ice packs on neck. Sent over medic. 3rd bp 240/100. Ice pack on left shoulder. Sat and breathed deeply. No loss of vision - no faintness. Staff wanted to call 911 - I refused ambulance. I was told I could leave when my bp went down to 186/90. Was escorted out to my husband,took bp every 2hrs. Went to bed 9hrs later and bp was 124/70. Upon waking it was 105/49(normal morning low bp). Did not take any blood pressure meds. Bp is usually low.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
972341	1/25/2021	OH	81	M	1/25/2021	1/25/2021	Patient came in to receive his first COVID-19 vaccination at 2:00pm on 1/25/2021. Patient received his vaccine at 2:08pm intramuscularly in his left arm. Patient was asked to remain in the waiting area to be observed. At around 2:34pm, patient started feeling light headed and started yawning. Patient's wife noticed the yawning and said that he does that before experiencing a seizure. After a couple minutes of slow steady breathing, patient started having a seizure and his eyes started rolling back. Patients pulse was steady at the time and soon came out of the seizure. About 45 seconds-1 minute later he started experiencing a second similar seizure that lasted roughly 15 seconds. EMS was called and they came to help him. Patient experienced 1 more quick seizure in the time it took the EMT to get to the store. Patient started having a stronger pulse, breathing better, and looked a lot better. Patient also is a diabetic at the time and his blood sugar was slightly low. EMT assisted patient the rest of the way and they patient and wife left the store to go home.
972043	1/25/2021	CO	91	F	1/21/2021	1/23/2021	Saturday night (4:45) 1-23-21 - swollen right ear, itchy head and some welts on upper body Sunday morning (8am) 1-24-21 - face and eyes swollen, itchy and welts or rash all over upper body
972063	1/25/2021	WA	58	F	12/28/2020	12/29/2020	On the second day on 12/29/2020 in the afternoon I started feeling fatigue, I hade nose bleeding, fevers & headaches. On the third day on 12/30/2020 I had hives I had them in my face they were the size of a dime they are lumping I had them on my eyebrows & on my right cheek, & continued nose bleeding, fever continued, fatigue continued, headaches continued, pain on my arm & I felt with no energy. I had a lot of nose bleeding. On 12/30/2020 I called the doctor and they gave me an appointment for 12/31/2020 & they gave me a zoom meeting. The doctor said every symptom I had was a normal reaction to the covid vaccine except the nose bleeding. The symptoms continued but the nose bleeding is the only thing it has stopped.
972073	1/25/2021	CA	47	F	1/21/2021	1/21/2021	Itchy eyes, swollen eyelids, itchy skin and wheezing (asthma)



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
972098	1/25/2021	WI	37	F	1/21/2021	1/24/2021	Received vaccine dose #2 1/21/2021 around 3:30pm. Woke up Friday with headache, nausea and progressive chills and fever throughout the day. By the end of the day was feeling back to baseline. Felt normal all day Saturday and Sunday morning. Sunday afternoon around 1pm left upper lip tingling started and progressed to lip swelling and development of 3 hives to right forearm. Took diphenhydramine, famotidine, ibuprofen and cetirizine at home. Hives did not progress and lip swelling seemed to subside a little. Woke in the night around 3:30am with itching. Eyelids were swollen, hands very swollen with painful palms, new hives to groin, axilla, buttocks. Sought care at ED. No other identifiable cause for reaction, no new food, soap, detergent, exposure etc.
972104	1/25/2021	OK	68	M	1/24/2021	1/24/2021	angina attack, difficulty breathing and uncontrolled muscle spasms treated and controlled with nitroglycerin, left side of body went numb, difficulty walking, disorientation/dizziness, blurred vision, severe headache, severe muscle and joint pain, weakness.
970715	1/25/2021	MN	69	M	1/22/2021	1/23/2021	Itchy all over body, puffy feeling eyes. Started on 1/23/21 and still occurring as of 1/25/21. Encouraged to call his provider.
972027	1/25/2021	NJ	61	F	1/13/2021	1/14/2021	1/14/21 8 AM patient noticed BILATERAL TEMPORAL RASH WITH PURITIS progressively getting worse spreading down and getting worse on both side meeting at nose. Pt. states that it is gradually getting worse. Pt. states that she has been taking zyrtec twice daily for one week. pt. states that rash developed on bilateral wrists. Pt. states that she started using hydrocortisone cream to face and wrists. Pt. states that this looked like plaque psoriasis. Pt. states that her rash is red and streaky and right side worse than left. No swelling, no throat closing. Puffy eyes as well.
968608	1/24/2021	WV	36	F	1/22/2021	1/24/2021	Bilateral eye edema. Moderate swelling of the peri orbital areas
969021	1/24/2021	AZ	86	F	1/22/2021	1/23/2021	Had a sore throat & chills second night after receiving vaccine. Today Sunday 1-24-20 woke up with "head cold" like symptoms runny nose, constant sneezing, itchy eyes & sore throat

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
968918	1/24/2021	MD	40	F	1/23/2021	1/24/2021	Got vaccine around 12pm on 1/23/21 Woke up on 1/24/21 around 9am with very swollen eyes
968996	1/24/2021	VA	40	F	1/21/2021	1/21/2021	Full body itching including eyes and throat, blurry vision, headache, fatigue, dizziness, 1-101 fever
968993	1/24/2021	IN	42	F	1/7/2021	1/11/2021	Started 4 days post vaccine (1/11/21) and lasted 10 -12 days. Tightness in chest and neck. Fullness in chest that radiated up to neck w/ warm feeling. Feeling of faintness. Headache. Rapid heart rate while sitting or standing., bending over. Left eye blind spot; 20 minutes on 1/16/21. Anxiety. Advil, Dayquil did not change any of the symptoms. Some residual anxiety issues regarding tightness and rapid heart rate.
968978	1/24/2021	VA	31	F	1/21/2021	1/21/2021	15 minutes after vaccine developed right side jaw pain followed by vision changes- unable to focus and memory loss of phone numbers etc. reports when she stepped backwards she felt like she was stepping in a hole. Symptoms resolved in 5 hours.
968972	1/24/2021	MI	76	M	1/20/2021	1/21/2021	Right eye Central Retinal Artery Occlusion resulting in blindness in right eye. Sight lost suddenly. Hospitalized for stroke assessment.
968931	1/24/2021	UT	55	F	1/21/2021	1/21/2021	rash, itchy eyes, periorbital swelling
968883	1/24/2021	FL	29	F	1/22/2021	1/22/2021	-dilated eyes around 8 pm day of injection -extreme soreness in left arm day of injection -extreme body aches, chills, and sweats day of injection -insomnia that lasted from day of injection to early morning the next day. This was not anxiety related. -Frequent burping the night/overnight after getting injection -feeling of being hungover the day after the injection but this could be due to sleep deprivation from the insomnia.
968863	1/24/2021	PA	59	M	1/20/2021	1/20/2021	Fever, chills, muscle aches, bad headache, eyes hurt. Took 975 mg Tylenol provided some relief. Symptoms subsided within 24 hours
968853	1/24/2021	FL	73	F	1/19/2021	1/21/2021	sore eye, upon exam, saw 5 cm bubble of fluid on top of right eye lid, causing swelling and pain to right eye After 3 days, the fluid drained during the night.Still tender to touch.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
968690	1/24/2021	TX	40	M	1/2/2021	1/2/2021	The shot was administered in my left arm. I experienced localized swelling and axillary lymph node tenderness immediately after injection under my left armpit. The right side of my face also became numb for about 5 minutes. The next morning the areas around my eyes were swollen and I had two styes in my right eye. I do not know if these were related. These symptoms lasted approximately 3 days. Some minimal swelling and tenderness seemed to remain, and approximately a week later I experienced a painful resurgence of the swelling at the injection site that was far larger, harder and more painful. I took Benadryl and Ibuprofen. These relieved the symptoms within 48 hours.
969030	1/24/2021	MA	61	F	1/23/2021	1/23/2021	In addition to normal: soreness in left arm, experienced facial numbness on left side of head...cheek, jawline, left lips, ear around left eye.
968471	1/24/2021	NY	33	F	1/12/2021	1/1/2021	Sore arm - started a few hours after the vaccine, lasted about 40 hours. Took Ibuprofen until the pain was gone. Migraine headache - started about 20 hours after the vaccine. Took prescription imitrex, which usually solves the problem, and 3 hours later when I still had the migraine I took another imitrex. A couple hours after that it went away. Eye pain/irritation - left eye - started more than a full week after the vaccine. Left eyeball hurt and also appeared slightly red and irritated. The pain was on and off for two days.
968463	1/24/2021	NY	39	F	1/24/2021	1/24/2021	racing heart rate and throat was itchy. slight blurry vision patient received IM Benadryl 50 mg symptoms resolved 30 minutes later
968770	1/24/2021	MI	71	F	1/21/2021	1/22/2021	Swelling at site,redness at site, mild fever, headache, pain, fatigue,chills, puffy left eye lid.
968713	1/24/2021	WI	35	F	1/20/2021	1/24/2021	I experienced a fever, headache, and body aches on the day after the vaccine and reported them. Now today, four days after the vaccine I woke up with dizziness and blurred vision. I have not sought out treatment for this.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
969357	1/24/2021	CO	29	F	12/31/2020	1/1/2021	Beginning when I woke up the following morning, I had a very severe headache. It lasted all day until I went to sleep. Figured it was from the vaccine and would be gone the next day. It was still there when I woke up again... and the severe headache and extreme light sensitivity in my eyes lasted for 20 straight days. It kept me from being able to work fully and had to cancel many of my client bookings. I had 2 days of no headaches- felt great- Jan 21st and 22nd. Then again through today it has been there. I can?t describe it very well as it feels like it?s all over and the pain is almost unbearable at times. Even when the headache is lessened/subdued by darkness or ibuprofen, I still feel it strongly in my left temple/behind left eye at all times. I haven?t experienced headaches like this ever before in my life, even though I?ve had random headaches here and there in the past. They have never been there when I wake up in the AM though and sleep has always made them go away previously. Although I can?t imagine this is specifically from the vaccine, it also seems like the timing is so related that I was advised to file a report here.
971329	1/24/2021	FL	50	U	1/17/2021	1/20/2021	Eye twitch in left eye
969400	1/24/2021	CA	43	F	1/21/2021	1/21/2021	eye swelling and tearing, increased pulse rate, nausea, abdominal cramping, runny and stuffy nose; redness, pain, itching at injection site; foggy headedness and lethargy. Symptoms started the day of injection 1/21/21 and have continued to this day 1/24/21
969399	1/24/2021	NV	30	F	12/27/2020	1/5/2021	RIGHT SIDE OF FACE Numb: forehead, cheek, jaw, tongue Pain: eyelid, eye, eye socket, front of ear, jaw, teeth Changes in sensation varied: burning, sharp, numb, taste Swelling upper eyelid Mild asymmetry Double vision with rapid decline in 48 hours followed by recovery Muscle spasms after 2 weeks Extreme exhaustion/fatigue Began improving after 2 weeks, most symptoms resolved except: numb forehead, occasional pain/spasms, mild fatigue. Following 2nd vaccination: currently 6 hours post injection and R side of face is completely numb again.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
969381	1/24/2021	MO	34	F	1/21/2021	1/21/2021	COVID-19 vaccination - 2/2 in series. Reportedly, patient fainted following first dose. Approximately 5-6 minutes after patient received second dose, she become lethargic, progressing to non-responsive. A rapid response was called and patient was transferred to the emergency department. She was protecting her airway. En route to the ED, patient's eyes rolled backwards and she began having generalized tonic-clonic movement indicative of a seizure. Patient was turned onto her side until seizure activity subsided. Post-ictal state lasted approximately 5-10 minutes after seizure activity ceased and patient became alert and oriented and able to answer all questions. All lab tests and imaging were normal.
969380	1/24/2021	CA	42	F	1/19/2021	1/19/2021	Blurred vision, headache, disorientation, fatigue, chest pain, chest pressure, shortness of breath, severe muscle and joint pain, hypertension, tachycardia, severe skin sensitivity, abdominal epigastric pain and spasms, severe cough, dizziness, lightheadedness. Reaction symptoms were not all immediate and developed over next 3 days requiring evaluation and treatment in the ER. I required decadron injection to stop inflammatory response and was sent home on oral decadron. I am still experiencing symptoms but not as severe. I have to take my albuterol inhaler so I can breathe easier. My monocytes count was elevated.
969063	1/24/2021	AR	37	F	1/8/2021	1/11/2021	right eye twitched and fluttered for 3 days and then on day 3 right jaw and part of right eye started going numb, even causing a little speech stuttering; later on day 3 right arm and shoulder also went numb and was painful. went to ER because doctor on demand instructed to. due to possibility of a stroke; ER dr ruled out stroke and diagnosed bells palsy; signs/symptoms completely resolved next day
968703	1/24/2021	CA	30	F	1/12/2021	1/24/2021	Awoke today with a splotchy rash/mark around the injection site. The site where the injection occurred is centered in the rash. There is an additional mark/rash about 2 inches below and to the slight left of the injection site mark/rash. Both sites are the same temperature as the rest of my body, not additional symptoms, it?s just visual.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
969352	1/24/2021	IN	50	F	1/21/2021	1/22/2021	Nausea, fever, chills, headache, severe muscle and joint aches, fatigue, blurry vision. Took Tylenol and Ibuprofen.
969104	1/24/2021	MA	56	F	12/30/2020	1/1/2021	I got my vaccine on 12/30/2020 @ 14pm, on 12/31/ just had pain in my right arm. But on Fri 01/01 I woke up with severe HA ( I have migraine HA, so have tolerability for pain) and had pain in my neck and hands(like arthritic kind of pain). This HA was Migraine like but on both sides of my head and in both eyes. Regular migraine meds didn't help. HA lasted for 3 days. I was ready to go to ER but started feeling better and by the middle of the day HA was gone. I signed myself for 2nd vaccine on 1/27/21, but would like to check before I do it.
969071	1/24/2021	AZ	49	F	1/22/2021	1/22/2021	Extreme dizziness, darkened vision as happens before losing consciousness, feeling of losing consciousness. All symptoms repeated in 5 waves. First wave hit about 10 min after dose and last about 60 seconds. 2nd wave hit a minute later and lasted approximately 30 seconds. 3rd wave hit 2 minutes later and lasted about 60 seconds with some shaking in core/diaphragm area. 4th wave hit 8-10 minutes after that and lasted 5 minutes. 4th wave was precipitated by shaking starting in diaphragm area and branching out to extremities and jawline. Shaking was uncontrollable and made speaking impossible. Shaking passed after about 6 minutes when wave subsided. 5th wave hit about 10 minutes later and was dizziness/darkening vision with disorientation, no shaking. EMS responded to first wave by removing me from my car and having me sit in a chair, removing my mask to breath better, took vitals. Vitals were taken several times, oxygen levels varying from 93 - 98. Oxygen was ready nearby but not used. Blood pressure varied, don't have the readings. EMT gave water immediately and then pretzels about 30 minutes after the episodes began. I was kept for observation for an hour total after inoculation and then released to go home as symptoms had fully subsided.
969335	1/24/2021	NY	41	F	1/24/2021	1/24/2021	After 5 minutes I felt warm come over my body, tingling especially in my hands , I just did not feel right , my body felt weak almost like I may faint. My head was very woozy and I was not able to stand up. I could barely keep my eyes open and I wasn't sure if I should go to the hospital.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
969157	1/24/2021	TX	23	F	1/9/2021	1/22/2021	Pfizer-BioNTech COVID-19 Vaccine EUA Symptom onset was 2 weeks after second vaccine. Initially started with 48 hours of neck pain on the left side which then progressed to left sided facial drooping, inability to taste on front of tongue, decreased tear production in the left eye. Consistent with Bells Palsy. Started course of methylprednisolone today. No improvement yet.
969165	1/24/2021	MS	33	M	1/20/2021	1/20/2021	Patient had drooping in left side of mouth and left eye 15 minutes after vaccine.
969223	1/24/2021	CA	82	F	1/17/2021	1/17/2021	Patient developed acute-onset vertical diplopia several hours after receiving the Moderna vaccine (first dose). When seen by me on 1/19/21 there was evidence of ongoing left fourth nerve palsy causing the new double vision
969241	1/24/2021	NY	46	M	1/15/2021	1/17/2021	Headache, nausea, dizziness when sleeping or laying down, or sudden movement. Feels like everything is spinning around me. This happens few time while I was sleeping , it woke me from sleep. I used to get out the bed as I soon as eyes open but not anymore. Now when I wake up in the I spend few minutes inn the bed because if I put my feet on the floor quickly I feel like I am going to fall. I am afraid to pickup my 2 year old daughter anymore I feel like I can drop her if I get dizzy.
969260	1/24/2021	MA	25	F	1/23/2021	1/23/2021	came on 1/23/2021 to vaccinate at Facility. She vaccinated patient. This patient was very apprehensive about receiving the Pfizer vaccine. She held her hand to calm down. gave her the vaccination and 5 mins later the patient said she has a headache, was upset, and started crying. She covered her eyes with her hands and started to shake. She also went to her bed and was rolling in it. The facility called 911 and they came within 5 mins. They did confirm that the patient wasn't having a seizure. Patient was calmed down but still went with the paramedics to be checked out. When I followed up with the facility, they said it was an anxiety event and the patient is back at the facility doing well. Let me know if you have any additional questions.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
969271	1/24/2021		27	F	1/23/2021	1/23/2021	Received COVID vaccine at 6:30pm on 1/23/21 at Reading Hospital; Waited 15 min at hospital under nurse supervision; noticed twitching in arms and hands; 2 hours later, still twitching, mild difficulty getting full breath; 4 hours later (10:35pm) hives spread from mid arm to shoulders to neck, up behind ears and along sides of face; Took 3 Benadryl, 3 Tylenol, 1 Ativan; 30 min later (11:00pm) moderate difficulty swallowing, shakes and twitching; 30 min later, most symptoms subsided with Benadryl. Fell asleep at midnight. Woke up next day with sore arm, overall fatigue and headache.
967514	1/23/2021	CA	43	F	1/22/2021	1/22/2021	Headache, fatigue, muscle pain, chills, joint pain, eyes irritation. The symptoms started yesterday night and I still have the symptoms.
967882	1/23/2021	OH	28	F	1/22/2021	1/22/2021	Rash on face, at injection site, on chest and legs. Swelling of throat and eyes. Starting at 1700 and became severe at 1900 when treatment was sought by patient. Treated with IM Benadryl and IM Decadron. At home treatment with ibuprofen or Tylenol and Benadryl both q6h.
967778	1/23/2021	OR	68	F	1/14/2021	1/14/2021	30 minutes after the vaccine was administered, as I was walking in the parking lot, I all of a sudden felt weak, lightheaded, trembly, with chest tightness and a need to lay down. The biggest problem was that my eyes became strangely affected, like there were shutters being opened and closed in rhythmic waves inside my eyes. They were also very photosensitive and blurry. My whole head felt wrong. drove me home, (I could not have driven). This lasted several hours. I had chills and stayed laying down with my eyes closed. By the end of the day I felt mostly recovered. This series of events recurred 6 days later, on Jan. 20th. This time it also lasted most of the day, but I continued feeling moderately unwell the next day, and today it continues. I feel weak and unsteady. My eyes are better but not entirely. They ache and feel insecure. I am not currently feeling up to any activities besides resting.
967719	1/23/2021	NY	34	F	1/23/2021	1/23/2021	I notice around 12pm that my eyes were itchy, on the side I received the vaccine also became itchy, my right forearm had bumps and my throat felt slightly closed as if something were stuck there. I took two Benadryl pills when I noticed the itching would not stop.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
967616	1/23/2021	GA	56	F	1/15/2021	1/19/2021	swelling and blistering of skin around nose, right eye and right cheek. started 4 days after injection and worsened over 4 additional days before seeking medical treatment
967595	1/23/2021	GA	50	F	12/23/2020	12/23/2020	2-3 hrs after injection, L check muscle twitching that lasted until bedtime (3 hrs). Next morning, L check was not twitching but felt as though it might. This lasted all day. Within 2 days, there was a nerve sensation that radiated to L eye and L side of mouth. This sensation has persisted but improved now.
967594	1/23/2021	GA	28	M	1/22/2021	1/22/2021	Fever of 103.5 , severe headache, body aches, chills, distorted vision, left arm pain and soreness. Unable to use left arm for the most part.
967559	1/23/2021	WI	66	M	1/22/2021	1/22/2021	Sore arm 5 hours after shot, low grade fatigue and fever and blood shot eyes 10 hours after shot, at 12 hours ever to 100.1, body aches, chills, joint pains, sore swollen neck glands, heart rate increased to 98 from 64 and O2 saturation dropped to 93% from 98 %. After 24 hours, aches and pains were 80% better, heart rate and O2 saturation the same and fever 99.3 orally.
967844	1/23/2021	MI	43	F	1/19/2021	1/19/2021	High Fever 104.6 degree Fahrenheit, Bad Headache back of head, between the eyes, body aches in shoulders and back and throughout body. Fever lasted almost 48hours, fever would be about 101.8 to 104.6. would only go down a few points after tylenol given, then motrin 2-3hrs later given, then back to tylenol, then back to motrin.....ect. I was drinking plenty of fluids, then resorted to cool showers, baths, and popsicles and freeze pops. Even yesterday 1.22.2021, had a low grade fever 99.2F. Arm is still currently sore, with giant red rash where injection was given, and extremely warm to touch. I tried to report, and it continually told me, my time has expired and comments were not accepted. 1.22.2021 took motrin and tylenol again due to eye pressure , headache and low grade fever. Finally felt better 130p.m 1.22.2021.
967485	1/23/2021	AZ	29	F	1/21/2021	1/23/2021	Adverse events: diarrhea around midnight, swollen eyelid developed overnight. Treatment: Diphenhydramine HCl 50mg around 8:00 am.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
967460	1/23/2021		24	F	1/23/2021	1/23/2021	Patient received 1st dose of Pfizer vaccine. Patient likely vasovagal, blood pressure 56/33 initially. Patient stated that she almost completely lost her vision. Patient extremely pale and cold and clammy. Patient stated she did eat breakfast this morning and had not had a reaction like this in the past. Patient provided with a sugar source and was placed supine. Blood pressure 105/63. Patient monitored for 30 minutes and sent home.
967446	1/23/2021		32	F	1/15/2021	1/17/2021	Extreme allergy/cold symptoms, everyday for almost a week No fever but coughing, chills, runny eyes, itchy throat
967436	1/23/2021	MN	39	F	1/21/2021	1/21/2021	Significant eye pain, swelling, puffiness, blurry vision, and headache, disorientation. started 3 hours after receiving second dose of covid/pfizer vaccine and continues 2 days later. Has NOT resolved
967403	1/23/2021	NC	78	F	1/13/2021	1/15/2021	Moderna COVID-19 Vaccine EUA chills, shortness of breath, fatigue, body and muscles sore to the touch headache with funny feeling, sluggish, flushed, no taste. sore throat, nausea (not vomiting), severe leg cramps, droopy, eyes won't focus and want to close, lumpy throat that is sore to the touch
967378	1/23/2021	FL	35	F	1/22/2021	1/22/2021	7 pm- fatigue, headache, arm starting to feel very sore 9 pm- 1230 am- fever, chills, headache, burning eyes, tachycardia HR 120-150, can no longer abduct left arm past 90 degrees due to pain 1 am- fever broke, only mildly tachycardic HR 110-120 3-5 am- severe heartburn alleviated only for 30 mins with otc tums. 2 hrs of severe heartburn with midline chest pain radiating to back.
967373	1/23/2021	NY	28	M	1/1/2021	1/16/2021	Left forearm swollen the night of the shot. Next day, Sunday, right hand swollen. Monday morning, left eye swollen shut. Wednesday morning, right eye swollen
967949	1/23/2021	MI	65	F	1/23/2021	1/23/2021	About 4 hours after receiving vaccine, multiple sneezes followed by running, watery right eye and very runny nose on right side. Feeling flushed (especially on the right side of face) without fever.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
967351	1/23/2021	CT	56	F	1/8/2021	1/9/2021	Achy arm at injection site felt on the eve of the injection, but overall moderate- severe muscle fatigue felt with exercise the next morning, specifically burning buttock and thigh muscles while power walking the same route I do 4 x/week and difficulty catching my breath on the usual hills. None of the fatigue was felt the next day on the same route. Also noted on day 7 was a droopy left eyelid that was mostly relieved by using refresh eye wetting drops but that still is present daily. I have had this occur once in my past and had a negative EMG workup. I have a scar on my left eye which may have been the cause and may be what is causing this to happen again. At 14 days I noticed new onset tight achy hips bilaterally, which is funny because one coworker has sudden knee pain/stiffness, and another awoke with back pain and difficulty getting out of bed. They are still achy today
967320	1/23/2021	NJ	48	F	1/20/2021	1/20/2021	Around the 18 minute mark began having an odd facial sensation. There was intermittent tightening feeling at eyebrows and across forehead that would then flutter/spasm, subside, then repeat. The episodes would last 1-3 seconds intermittently for 25-30 mins. No treatment was sought, it did not affect any daily functions.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
967361	1/23/2021	IL	36	F	12/30/2020	12/31/2020	Since receiving the Moderna COVID-19 vaccine on 12/30/2020 I have been experiencing what almost feels like brain fog. I have had some trouble staying on task at work, trouble finding words, remembering common last names, etc. Oftentimes I will have this temporarily as a migraine aura, but it typically goes away once the migraine comes and goes. This seems to have come to stay since receiving the vaccine. I did have fatigue for approximately 3 days after the vaccine administration - 2-3 hour naps daily. This has improved some. I also had a dull headache that seemed to be there daily for approximately 2.5 weeks post vaccine- nothing I could not tolerate but it just did not want to go away even with my usual treatment - Excedrin Headache and ice. The best way I can describe it is a dull pain all over the top of my head and forehead. I did have one headache that occurred approximately 5 days after the vaccine, that I would consider a "bad migraine" (Migraine that rendered me incapable of completing my daily routine - having to stay in bed, dizziness, etc). My face on the side with the weakness as a result of my brain tumor has also been a bit more "tired" than usual - facial palsy more pronounced. There have been times in my brain tumor journey where this happens for sometimes a couple of weeks at a time usually due to stress or an impending "bad migraine" coming on or if I have been exposed to or end up developing an illness later - but I never developed an illness an no additional stress. Facial symptoms include smile not as symmetrical (basically more assymetrical than usual - not wanting to move at all so much on the affected side) and more eye watering on the affected side. I do still feel a little lightheaded at times, but otherwise no other neurological symptoms. No upper respiratory symptoms or any other "COVID-like" symptoms. No nausea, vomiting, numbness, or tingling. Symptoms do seem to be improving this week.
968361	1/23/2021	DE	33	M	1/21/2021	1/21/2021	Day 1 was dizziness and haziness, then pain and exhaustion. Night 1 was fever, shakes, chills, uncontrollable bowels. Day 2 was a POUNDING headache in my eyes, sides of my head, swollen lymph nodes, and on my jaw. Night 2 was sweats and nausea. Day 3 was coughing and mucus as well as muscle pain.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
967990	1/23/2021	FL	81	F	1/21/2021	1/21/2021	Swollen eye, sensation in neck under ears, pressure in head (time 9:20)
967307	1/23/2021		46	F	1/13/2021	1/13/2021	patient went back to the procedure center after receiving vaccine after 15 min observation and complained of N, abdominal pain and out of body experience with inability to talk or describe what happened. Palpitations. No CP, SOB, wheezing or visual changes. HR 140's w occ PVCs, SBP 160-170's SpO2 100% with pt appearing flushed and drowsy. O2 NC, NS 1 liter IV, zofran 4mg IVP x1 given. Admitted to procedure center at 1500 and discharged at 2359.
968417	1/23/2021	WA	40	M	1/22/2021	1/23/2021	Starting this morning, the left side of my face has gone numb. There is a charlie horse like feeling in my left cheek, which is now also present in my left jaw. The left side of my tongue is numb with slight pain, and my bottom lip is numb on the left side, and the feeling stops at the middle like there were a line drawn down my face. My upper left cheek and the side of my left eye have a constant, moderate burning feeling. The shot was in my left arm. The Dr. at urgent care said it was not a stroke, so that's good. I have never experienced anything like this before. It has now been over 13 hours.
968393	1/23/2021	PA	59	F	1/23/2021	1/23/2021	Visual disturbances in my right eye for over 4 hours now! It's like a little black circle that moves when I move my eyes! Very nauseous too!
968323	1/23/2021	NY	48	F	1/2/2021	1/9/2021	Allergic reaction at injection site and became red and itchy. Eyes became sticky and itchy. Applied Benadryl cream to injection site and Benadryl by mouth as well. Symptoms cleared up by day six.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
968320	1/23/2021	CA	74	F	1/23/2021	1/23/2021	<p>Result type: ED Note Result date: February 13, 2019 20:29 PST Result status: Auth (Verified) Result Title/Subject: ED Note Performed By/Author: MD on February 13, 2019 20:37 PST Verified By: MD on February 13, 2019 20:37 PST Patient Age: 72 Years Gender: Female Date/Time: 02/06/19 13:25 Time of my initial contact with patient: Patient was seen at 1327 Mode of Arrival: POV/Walk-in Triage Narrative: PT BROUGHT TO ED FROM PT SESSION VIA GURNEY WITH C/O SPASTIC MOVEMENTS OF ARMS LEGS. PER EMPLOYEE IN PT; THIS EPISODE LASTED 1 HR 15 MINUTES.. PT'S SPOUSE AT BEDSIDE. SEIZURE PADS PLACED ON BED RAILS, PT AWAKE, ALERT, ORIENTED, DR AT BEDSIDE. PT STATES SHE HAD A COLONOSCOPY YESTERDAY. Chief Complaint: Involuntary movement History of Present Illness: This is a 72-year-old unfortunate female who has been suffering a series of episodes of movement disorder like choreoathetoid spastic events she was being evaluated in the hospital and started having 1 of these episodes and was brought into the emergency room with concerns of a possible seizure certainly patient was quite awake and alert knowing that she could not inhibit these upper and lower extremity spastic type of movements she can that the rectum patient did not seem to be too upset by them and seemed to be some events that she has suffered through multiple times her husband is at the bedside patient has already been evaluated by neuro neurology and has been referred to a motor disorder department. Both the patient and his and her husband do not want to initiate a complete workup has been done several times in the emergency room just wanted to see if we could help her with some Ativan and they are already pending a scheduled appointment this is a sick specifically patient denies any headache any chest pain any palpitations no history of trauma or fever Problem List &amp; Past Medical/Surgical History: Acid reflux Asthma aneurysm pain smoker Movement disorder Thyroid disease Family History: Family history is significant for the</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

absence of any motor disorders Social History: Patient states no history of tobacco use Patient specifically denies any previous use of Drugs or previous trauma Allergies: Dilantin (Rash) codeine (Acute vomiting, Rash, ITCHING) fentaNYL (Shortness of breath) morphine (vomiting, itching) opioid-like analgesics (Rash) tetanus toxoids (Edema, fever) traMADol (itchy) Medications: Available Med List Reviewed Review of Systems: All other systems reviewed and are negative except per HPI Physical Exam: Vital Signs BP: 177/85 mmHg Temp (Temporal): 36.3 DegC ( 97.3 DegF) HR: 80 bpm Resp: 18 br/min SpO2: 100 % [Patient is alert, cooperative, no acute distress] Vital signs as noted HEENT: [Normocephalic, atraumatic, pupils were equal and reactive to light, extraocular movements movements are intact, neck is supple, no thyromegaly] RESP: [Respiratory rate normal is noted, patient is breathing comfortably in no acute distress, with no adventitious breath sounds. specifically no wheezing no rhonchi no rales] CV: [Regular rate and heart rate noted, patient has no S3, no gallop, perfusion confirmed normal] GI: [Patient's abdomen is soft nontender, no rebound, no guarding] Neuro: [GCS of 15, mentation is normal, thought content and processes intact, motor and sensory both upper and lower extremities normal.] Skin: [Good color and normal capillary refill, no rash] MS:[Patient exhibits a spastic type of upper and lower extremity movements which seem to be having no rhythmical sequence she continues being alert and oriented throughout these episodes they seem to subside after a few minutes and with no obvious precipitant begin again Test Results: Labs Results Laboratory and workup and imaging was refused by the patient as they have had that several times Diagnostic Results Imaging Studies Reviewed Emergency Department Course and Procedures: Medications, IV's and Blood Products Ordered LORazepam (Ativan) 1 mg = 1 tab once PO Critical care patient underwent a critical care observation irrespective of any procedures during her stay in the emergency room a total duration of approximately 42 minutes with concerns of her safety and her neurological status to protected from injury and to monitor her cardiovascular respiratory and neurological organs Medical Decision Making: And reexaminations patient spastic events seem to subside

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							only slightly this is a 72-year-old female presents with a motor disorder of unclear etiology already extensive ER and internal medicine workups has already seen neurology I did speak with the neurologist of the patient tonight to ascertain if there was anything other than Ativan that I could attempt and to also ascertain that she did have a follow-up with her referral motor disorder specialist Impression: Choreoathetotic movements of unclear etiology Plan: Discharge Discharge Follow Up Follow up with primary care provider Within: 3-5 days Comments: Return to ER for any concern Referral for suspected pre-hypertension or hypertension was given. MD Please note: Unless specifically stated, all procedures mentioned, tests done and medications given were performed/interpreted by the emergency physician, or were under the direct supervision of the emergency physician.
968248	1/23/2021	NY	17	M	1/21/2021	1/22/2021	At approximately 7:30 AM the following day, the patient woke up with the left eye being swollen and puffy as well as tender and slightly painful. Felt weird to blink but only in left eye. Took Acetaminophen 500mg and swelling decreased significantly around 2 hours later from the time it was first noticed.
968241	1/23/2021	AK	48	M	1/21/2021	1/21/2021	Numbness in left face from below mandible to left eye.
968223	1/23/2021	NY	49	F	1/22/2021	1/22/2021	Pt c/o dizziness, SOB, feeling of something in her throat. I was not able to visualize the back of her throat very well, due to swelling. Mild wheezes heard. BP was 223/119, Pulse 73, RR 24, spo2 95% using 2 liters of oxygen via nasal cannula. Repeated BP confirmed similar results. Gave Benadryl IV, solumedrol, and epi 0.1 mg. After epi was given, pt started to throw up and c/o headache. Gave zofran IV. BP did come down to 159/100, she says she did not feel the throat swelling any longer, and wheezing disappeared. Left clinic alert, and verbally responsive to Emergency department for further management.
968136	1/23/2021	CO	53	M	1/7/2021	1/8/2021	I developed double vision about 36 hours after 2nd COVID19 vaccine. I saw my ophthalmologist after 2 weeks of symptoms and he diagnosed a Left 6th Cranial Nerve Palsy resulting in diplopia.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
968089	1/23/2021	WA	56	F	12/26/2020	12/27/2020	Lost my vision; Got shingles in the left eye - Valtite - anti-viral and prednisone eye drops - so far improved but not all the way better. (Ophthalmologist) January 7 tested positive for COVID and was very sick. Those symptoms began Jan 5 2021. Fever; chills; sinus; congestion; and shortness of breath and cough. Fatigue was the worse. They let me go back to work on 19th. Not due to get the second dose until Feb 3.
968403	1/23/2021	AZ	76	F	1/12/2021	1/16/2021	Stabbing top back, right side, head pain ( Sat), redness and blisters on right side of face (Wed), right eye pain and blisters (Fri).
968213	1/23/2021	IL	37	F	1/19/2021	1/20/2021	Day after injection she has ear pain and tongue numbness. The following day she developed a small stye under right eye. Then the following day she had face pain and paralysis and delayed blinking. And then the 4th day she went to the doctor and was diagnosed with Bell's Palsy.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
968021	1/23/2021	NH	70	F	1/15/2021	1/16/2021	<p>Symptoms started on Saturday morning (1/16/2021) following the shot having been administered the previous day (1/15/2021) at 1:00 p.m. in the afternoon. Initially, I had a slight, constant headache and "medium" fatigue. I dismissed it as not important because it was relatively minor. and I am generally fatigued at the end of a work week. The headache lasted all day but was fairly low level. I did not sleep well that night but was able to function during the next day (1/17/2021) without a problem. I don't remember if the headache was present that day. However, on Sunday evening (1/17/2021) (around 6:00 p.m. or so) chills started to go up and down my body and my hands were very cold. I had no fever. I added more garments to keep warm and ignored or was distracted by my activities of the evening. Monday (1/18/2021) during the day the chills continued to go up and down my body intermittently-- not really staying in one place -- but my hands remained very cold. It should be stated that I prefer colder temperatures; i keep my house between 60-62 degrees in winter and I am able to stay comfortable with a shirt and sweater in that environment. So, on Monday, the fact that I had chills was remarkable to me. The chills were intermittent. Tuesday (1/19/2021) I worked from home all day and had an electric heater going focused very closely on my body all day. I was cold but don't remember having chills. Tuesday evening the chills returned, along with a significant headache that circled my head (not focused in one spot), my body ached, my eyeballs ached; I had intestinal cramping .and I simply could not get warm due to the constant "full-body" chills. I went to bed with a heated mattress pad on, flannel sheets, a comforter and a thick wool blanket. I could not get warm. I was not able to sleep at all the entire night due mostly to the (major) physical discomfort and (minor) worry as to what was going on. I DID NOT have a fever. Around 8:30 on Wednesday morning, I was able to fall asleep as the chills had diminished and I was worn out. The body and eyeball aches were still present as was the intestinal cramping. Later that afternoon the symptoms started to diminish and I was able to sleep Wednesday night. I did not eat anything on Wednesday as I was not interested in food due to the discomfort of the intestinal cramping. I was able to smell food and had not lost my sense of taste. Thursday morning (1/21/2021, I finally felt like I</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							could eat and had some food which tasted delicious to me. I was able to get warm, had slight headache, cramping was mostly gone, ..I still had (reduced levels) body aches and eyeball aches. I had no chills. I was able to consume and tolerate reduced amounts of food. Friday (1/22/2021) I was tired but able to function and felt as if I was returning to feeling like myself. Today, Saturday(1/23/2021, I am feeling about 95% myself and relieved to have this behind me. I am very concerned about how I might react to the second dose of the vaccine. I am going to consult the local hospital and my PCP there to inquire about the advisability of getting the second dose.
968120	1/23/2021		36	F	1/23/2021	1/23/2021	Patient called after receiving vaccine stating her eyes were swollen and itchy. Said her eyes were not swollen shut. Denied: sore throat, shortness of breath, swelling of the tongue or lips. Advised to take Benadryl and seek medical attention if any of the other symptoms occurred or if she felt it necessary.
968141	1/23/2021	TX	44	F	1/14/2021	1/15/2021	Woke up at 6 am on January 15th feeling extremely fatigued (more than normal). Around 10:30 am I began feeling extremely flushed (no fever although my temperature was elevated for my normal temp - usually 97.6 and it was 98.7) and nauseated. My whole body started to ache around 11 am and I had a hard time staying awake. When I left work around 4:00 pm I went home and slept for the rest of the day and until 11:30 pm that night. I got up and had a snack and then went back to bed. Slept all day January 16th due to a horrible headache and fatigue. Woke up feeling a bit better Sunday although I still had a headache and some fatigue. Monday I was doing better. Later in the day on Monday, January 18th my right eye started hurting and feeling irritated. Then on Tuesday, it started getting a little pink. On Friday I had a puffy red eye. I saw a doctor online on Saturday, January 23rd and I was given eye drops for conjunctivitis.
968159	1/23/2021	FL	68	M	1/22/2021	1/23/2021	swelling and redness under right eye

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
968170	1/23/2021	TX	61	F	1/14/2021	1/14/2021	Migraine with extremely bright and larger than usual scintillating photoscotoma visual Aura. Headache, stuffy nose, light sensitivity, sound sensitivity, duration approx 3 hours, treated with ibuprofen. Had chills 2 times each day for 2 days following.
968174	1/23/2021	MN	83	M	1/17/2021	1/18/2021	These symptoms lasted 3-4 days: Extreme sleepiness; inability to open eyes; tremors; delusions/hallucinations; non-ambulatory; required assistance to sit, in and out of bed, in and out of chair, in and out of bathroom; tremors; anorexia; difficulty swallowing; slurred/difficult speech; hypotension; aches on right side hip, waist, leg, back; Required 24-hour supervision/caregiving. Marked improvement on Day 5; by Day 6, at 80% improvement. FOR ITEM 20 BELOW, we are indicating "unknown" as the patient is still not 100%. FOR ITEM 21 BELOW, we had a conference call with the primary physician, but not an in-person office visit.
968210	1/23/2021	GA	68	F	1/22/2021	1/23/2021	Very red right eye - appears bloodshot and bruised, headache
965311	1/22/2021	NJ	70	F	1/20/2021	1/20/2021	after 10 mins after shot , throat started closing up, voice changed became raspy, difficult to talk, arm slightly sore. Lasted about 20 minutes. Nurse name her drink water a take a cough drop. When i got home for a couple of hours i was itchy in my throat area. Spoke to my Dr, advised to just take Benadryl. and keep an eye on it. Advised me not to get the 2nd injection.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
965067	1/22/2021	OH	24	F	1/20/2021	1/20/2021	1/20 1:30pm: 2nd dose Moderna vaccine received 1/20 9:00pm: fatigue, malaise, chills, headache, body aches 1/20 10:00pm: brief 5 second hallucination upon waking up from sleep 1/21 3:30am: recommended dosage of Dayquil taken (this was the only time medication was taken) 1/21 5:30am: fainted and blacked out for 5-10 seconds after standing for 5-10 minutes (face flushed and started twitching, felt nauseous, managed to sit down on the ground first before blacking out.) 1/21 5:35am: stood back up, fainted and blacked out again for 5-10 seconds (was able to sit down again before blacking out. After regaining vision: started sweating, lips and hands were tingling, and vision was blurry.) 1/21 3:00pm: symptoms subsided and no additional fainting or blacking out occurred Patient has never experienced adverse side effects to vaccines (including common vaccines as well as travel vaccines such as yellow fever, typhoid, first dose of COVID-19 vaccine, etc.) - only chills for 1 hour after an influenza vaccine one time. Patient has no medical history of blacking out or fainting, even when taking Dayquil in the past.
965194	1/22/2021			U			Symptoms started approximately 30 minutes after administering the vaccine. She first had a runny nose around 12:15 pm and then a cough started. Shortly after her eyes became red and then had shortness of breath and tightness in her chest. Her pulse (~168 bpm) was taken around 12:30 and an EpiPen was given 1:34 pm. She was observed for the next 4 hours. Her vitals were taken every 15 minutes for the first hour following the epipen. After the Epipen she was given Loratadine 10mg, then a snack and water to take 10 mg prednisone and 20 mg omeprazole. After 3 pm she started to cough again and her vitals were taken every 5 minutes. She was released at 4:30 pm, and took another 10 mg Prednisone before leaving.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
965201	1/22/2021	CA	24	F	12/28/2020	12/28/2020	STOOD UP TO CLOSE OFFICE DOOR AND STARTED LOOSING VISION AND FEELING LIGHT HEADED AND THEN BROKE OUT WITH COLD SWEAT. HEARING WAS FADING AND SAT BACK DOWN, BODY TINGLING AND LOOSING FEELING IN ARMS AND LEGS, FELT LIKE FAINTING. ELEVATED LEGS AND DRANK WATER. FEELING BETTER AFTER 10MIN OR SO. THE FOLLOWING DAY C/O PAIN IN INJECTION SITE ONLY.
965270	1/22/2021	LA	52	F	1/14/2021	1/21/2021	immediately upon receiving the Covid Pfizer vaccine, there was an immediate rush of sensation up my left arm and into my left jaw. i started to have tingling and loss of sensation to the left side of my face that extended from the left lower eyelid to 4 cm down the left side of jaw, midline to trachea, midline to left nare and radiating to the mid inner left ear canal. I had a burning sensation in the inner left ear canal as well as the left lower lid. Spoke with Dr and was placed on Prednisone 60mg po daily x 10 days with a taper and Valacyclovir 1gm po bid x 10 days. The degree of parenthesis as of 1-22-21 is improved to now encompass from the edge of left nare to the outer canthus of left eye, into the edge of the left ear canal and the edge of the jaw.
965145	1/22/2021	OH	27	F	1/12/2021	1/21/2021	Large raised red circle in area of injection site, as well as smaller rash/hive marks appearing on other limbs, that appeared 9 days after injection. Also consistent nausea, and severe headache that covers whole right side of head, as well as severe pressure behind right eye. Also sudden fatigue and muscle aches. Red circle is warm and painful to touch.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
965106	1/22/2021	VT	59	F	1/6/2021	1/6/2021	1/6 Fatigue, diffuse slight buzzing skin arms, legs torso with mild nausea /anorexia, frontal headache 1/7 Severe fatigue but Insomnia. Difficulty concentrating. Diffuse myalgias/arthralgias in every muscle and joint, large & small, even fingers & toes. Nausea, anorexia, vomiting. Hot and cold chills, temp 96.7 pilo-erection. Severe mid-line low back pain L1-L2. Severe headache across low-forehead (just above eyebrows) to bilat temples to bilat cheek bones to maxillary incisors and canine teeth. Severe bilat eye pain (hurt to move or to touch eyes, but no photophobia or visual changes). Red-rimmed eyes. Facial pallor. Tender swollen left deltoid (left arm circumf 1" > Rt arm). Tender Left Axillary adenopathy. 1/8/2021 - 1/10/2021 Sx remained severe 1/9/2021 - 1/17/2021 Gradual improvement in Sx w/decreased but persistent muscle/joint pain, mid-line low back pain, severe fatigue, anorexia, difficulty concentrating, anoexia and occasional vomiting. 1/18 - 1/22 Recurrent nausea w/ inc vomiting, increasing fatigue, increasing myalgias/arthragias, recurrent frontal/facial pain and eye pain, marked increase in mid-line low back pain, recurrent facial pallor and re-rimmed eyes.
965085	1/22/2021	MS	63	F	1/5/2021	1/5/2021	Right arm pain Headache,sore throat,abdominal pain,muscle aches extreme fatigue. Eyes aching severe headaches.
965079	1/22/2021	VT	64	F	1/13/2021	1/16/2021	Day of shot mild discomfort at injection site, mild headache over right eye. On 3rd day noted sudden right eye discomfort ( like something was in it) eye unusually dry Over next 24 hours both eyes affected , very dry I then noted slight difficulty with blowing and sucking which continues to present. These were subtle symptoms, no facial droop noted I tried to report it via the V- Safe site but it wasn't included in any of the symptoms listed so the app did not accept
965065	1/22/2021	WA	27	F	1/21/2021	1/22/2021	Chills, headache, nightmares, low fever, plantar fasciitis, shaking, low O2(94), high pulse (120), muscle pain, eye pain, fatigue, fogginess
965347	1/22/2021	IN	31	F	1/18/2021	1/18/2021	blurred vision, will check with optometrist

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
965851	1/22/2021	OR	51	F	1/21/2021	1/21/2021	30 minutes after receiving injection, developed swollen, itchy eyes. Swelling still present but reduced as of 01/22/2021. OTC antihistamines helping.
965081	1/22/2021	CA	24	F	1/20/2021	1/21/2021	Blurred vision, zig-zag patterns, temporary vision loss, and sensitivity to light in left eye for about 20 minutes.
965682	1/22/2021		35	F	1/15/2021	1/15/2021	The patient was monitored for 15 minutes post vaccination with no issues. However on the drive home, she noticed some numbness of her right face as well as drooping on her eyelids. The patient came back to the hospital where she received her vaccine and checked into the ED. Physician's differential included Bell's Palsy vs CVA/TIA. The patient was discharged with prednisone 20mg daily for 7 days.
965971	1/22/2021	WA	41	F	1/14/2021	1/14/2021	I had eye pain and drainage, body aches, abdominal pain, headache and joint pain.
965962	1/22/2021	AZ	58	F	1/21/2021	1/21/2021	Lightheadedness, dizziness, blurred vision, elevated BP with normal respiration and pulse, nausea, vomiting, chills, drop in body temp to 96F. Onset 10 mins post injection, increasing over the subsequent hour, subsiding x 1 hr then peaking 5 hrs later, resolved after 12 hours.
965908	1/22/2021	TX	25	M	1/7/2021	1/11/2021	Bell's Palsy (left-sided) - diagnosed on 1/14/2021. Onset of symptoms on 1/11/2021 with altered taste, earache. Progressed to left facial muscle weakness on 1/13/2021. Visited urgent care on 1/14/2021 where diagnosis was made. Received Prednisone 50mg for 5 days, Valacyclovir 1g TID for 7 days. Earache resolved. Facial weakness continued to worsen from 1/14 - 1/18 despite steroid treatment reaching minimal movement of left facial muscles, able to close left eye with difficulty. Left sided loss of taste still present. At follow-up appointment on 1/21/2021 with PCP, patient was prescribed additional steroid taper for 7 days.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
965876	1/22/2021	MI	22	M	1/22/2021	1/22/2021	Within 1 minute of receiving vaccination, patient fainted - slumped in chair, clammy, and pale. Unresponsive to verbal stimuli. Eyes rolled back with some jerkiness in extremities. Resolved in about 1 minute. No respiratory distress. Became responsive to verbal stimuli and was alert and oriented. Drank one bottle of orange juice, and after 10 minutes of sitting, able to walk back to monitor area without issue. Observed another 20 minutes.
964656	1/22/2021	PA	39	F	12/30/2020	1/1/2021	Moderate burning on right leg from mid thigh to ankle. Difficult to have clothing or sheets touching. Lasted about 8 to 10 days. Resolved. Mild Numbness in lips for a week. Resolved. Previous lip fillers used fyi within the last 18 months. Extreme brain fog and fatigue that lasted about 8 to 10 days. Worst of it was over after five days. Visual distortion in left eye that lasted 2 minutes on Jan 3rd. Small circular area rolled around in Visual field. Not painful and Resolved. UTI around 1/10 assuming unrelated.
965720	1/22/2021	MN	42	F	1/20/2021	1/20/2021	Headache with strobe light in periphery-left eye. Later, chills, body aches, slight nausea, fever of 101.2 at highest temp recorded. Started on 1/20 at around 9 pm. Symptoms subsided early morning of 1/22.
965009	1/22/2021	CA	58	F	1/22/2021	1/22/2021	On 1/20 21 2nd injection around 10:00am sore left arm. around 2:45pm right eye slightly swollen - slight headache. On 1/21 3:45am right eye swollen, (but not swollen shut) a little ache -slight headache.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
965559	1/22/2021	CA	40	F	12/18/2020	12/18/2020	I begin to lose consciousness; I felt lightheaded; My face and ears got red and I begin to feel warm; My face and ears got red and I begin to feel warm; Then My whole body felt really weird; my lips went numb; Afterwards for approximately 4 hours I could barely talk or open my eyes; Afterwards for approximately 4 hours I could barely talk or open my eyes; I got red rash on my neck and chest; I felt so weak, I could not move my body!; This is a spontaneous report from a contactable Other HCP reporting for herself. A 40-years-old female patient received the second dose bnt162b2 (BNT162B2) vaccine , intramuscular in the left arm on 18Dec2020 12:15 at single dose for Covid-19 immunisation . The patient medical history and concomitant medications were not reported. On an unknown date the patient received the first dose of the vaccine. The patient experienced got rash on my neck and chest on 18Dec2020 12:15 with outcome of recovering , felt lightheaded on 18Dec2020 12:15 with outcome of recovering , face and ears got red and begin to feel warm on 18Dec2020 12:15 with outcome of recovering , then whole body felt really weird on 18Dec2020 12:15 with outcome of recovering , lips went numb on 18Dec2020 12:15 with outcome of recovering , begin to lose consciousness on 18Dec2020 12:15 with outcome of recovering , afterwards for approximately 4 hours could barely talk or open my eyes on 18Dec2020 12:15 with outcome of recovering , felt so weak, could not move my body on 18Dec2020 12:15 with outcome of recovering. The patient was hospitalized for one day for all the reported events. The patient underwent lab tests and procedures which included sars-cov-2 test: negative on 18Dec2020 . The patient received Epipen injection, steroids, saline & Benadryl as treatment for the reported events. Information on the Lot/Batch Number has been requested.; Sender's Comments: Based on the compatible time association, the reported events are possibly related to suspect BNT162B2 administration. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							Investigators, as appropriate.
965661	1/22/2021	NJ	72	F	1/13/2021	1/13/2021	3PM BURNING SENSATION IN THE EYES; DRY MOUTH; CHILLS/NO FEVER
965649	1/22/2021	NY	85	F	1/17/2021	1/17/2021	Evening of injection, tongue started bothering her with little bumps. Lower inside lower lip had bumps on it. Took Benadryl. During the week Wednesday, left eyelid was swollen, and then before going to bed both were swollen. Seem to have gotten better. Went to the doctor and advised to not take the 2nd vaccine. Has had light headedness and dizziness since the day after the vaccine, still having some symptoms.
965641	1/22/2021	CA	44	F	1/15/2021	1/15/2021	Severe arm pain and was unable to sleep even with tylenol Right eye swelling Right eye whites of eye bloody Abdominal pain for 3 days unable to sleep due to discomfort Nausea off and on for 3 days with abdominal pain Fatigue Faint with abdominal pain Light headed off and on
965600	1/22/2021	NM	44	F	1/8/2021	1/24/2021	48 hours after vaccine, at 3 pm, I developed an allergic response. I had diarrhea, hives, itchy eyes, mouth, and throat, coughing, and slight constriction in my lungs. Within 30 minutes of taking Benadryl the symptoms began to subside. After the allergic reaction, I developed the normal symptoms of the vaccine with chills, fever, body aches and a headache. Injection site had increased soreness for the rest of the day.
965598	1/22/2021	CA	80	M	1/19/2021	1/19/2021	it seemed to exacerbate my eye itch and produced copious watering of my eyes . ...

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
965563	1/22/2021	NJ	43	M	1/11/2021	1/1/2021	coughing quite a bit; seizure; his whole body feels sore; This is a spontaneous report from a contactable consumer (patient's mother). A 43-year-old male patient received the first single dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot EL3248) in right deltoid, on 11Jan2021 around 10:30, for COVID-19 immunisation. The patient was in high risk group, was living in senior facility and was disabled. Medical history included also ongoing hydrocephalus diagnosed when he was less than a year old, ongoing shunt (the first one when he was 11 months old, has had multiple revisions since then, the last in 2017), vagal nerve stimulator implantation ongoing from 2003 (for epilepsy; has had multiple since then, last one in 2015), ongoing hemiparesis since he was a baby and epilepsy (he was taking epilepsy drugs but it was well controlled). Concomitant medications included oxcarbazepine (TRILEPTAL) ongoing from 2000, at 1800 mg daily (600 mg in the morning and 1200 mg at night), for epilepsy and levetiracetam (KEPPRA XR) ongoing from 2000, at 1500 mg twice daily (in the morning and at night), for epilepsy. He was on prior medications to these, since he was young. Over the years he has changed to newer and better medications. On 11Jan2021 around 8-9 PM the patient experienced seizure. The patient has not had a grand mal seizure in over 5 years. On an unspecified date in Jan2021, after the vaccine, his whole body felt sore. He was unsure if it was from the seizure or the vaccine. The reporter also noticed that the patient had been coughing quite a bit on 12Jan2021 morning. Events outcomes were unknown.
965833	1/22/2021	KS	55	F	1/19/2021	1/20/2021	Foggy eye site, Migraine. patient took Tylenol Ibuprofen and Advil Cold/Sinus
964487	1/22/2021	NY	26	F	12/29/2020	12/29/2020	26 y/o woman w/ no sig pmhx, c/o left sided facial numbness/tingling s/o covid vaccine. Pt states she received her vaccine at 3pm, approx 1-2 hrs later started to notice left sided lip numbness that radiated to her left ear and left side of head. No difficulty speaking, no facial heaviness, no changes in vision or hearing. No n/v, no fevers. No previous similar episodes. ED states low suspicion for any stroke, states may be an early bell's palsy vs a pre-rash zoster. Unlikely to be reaction to vaccine. Some slight improvement during ED stay.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
965989	1/22/2021	CA	41	F	1/21/2021	1/21/2021	Pfizer COVID-19 Vaccine EUA. At 1317 (18 minutes after vaccine administered) Patient observed to have rash to chest and neck. Patient stated she felt "warm in her neck and inner thighs". Rash progressed to ears and face. Patient stated she was having "tingling in the mouth w/progression to her face and eyes. Patient taken to triage area for observation, VS Q 5 mins. Patient noted to have tachycardia PR 103 and elevated BP 178/100 on initial VS. Pulse rate decrease after 5 minutes to 95. BP remained elevated. Patient placed on gurney in recumbent position and water given. Patient given a mirror to view face and patient stated " my face is swollen slightly". Absent swelling to lips or tongue. EPI pen 0.3mg/0.3ml auto injector administered at 1339. patient transported to site ED for further evaluation. O2 applied enroute to ED at 4L/min via NC when patient stated she felt a little lightheaded. Patient care transferred to ED and report given.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
967095	1/22/2021	NJ	41	F	12/28/2020	12/29/2020	Approximately 36 hours of fever of 101, chills, shivering, sweats, aches and pain in every joint in my body, back pain, headache, pain at the injection site, fatigue, weakness, dizziness, nausea, difficulty completing my daily work duties and household activities due to pain and not feeling well. This was not much helped by Alleve, therefore I took Tylenol which was mildly helpful. After the first 36 hours, the symptoms lessened in severity and lasted for about another 12 hours. After that, I felt well for several days in a row, then about 1 week later I felt sore, weak, tired and nauseous. This resolved in its own in about 2 hours. I have felt well since then. I am choosing to receive my second dose of moderna vaccine tomorrow, because I would rather experience these side effects then catch COVID ever again. I caught COVID19 in March 2020. With my COVID infection, I was sick for about 21 days with fever of 101 and more, bone pain, body aches, chest pain, back pain, headaches, nausea, shaking chills, sweats, trouble breathing, dyspnea, cough, runny nose, sore throat, pink eye, dizziness, tiredness, ?brain fog? and fatigue. I was not hospitalized. After about 21 days I began to recover, but the first week after my recovery began I was very weak and tired, and spent most of my time sleeping. I was 41 years old at the time, with health problems including well controlled asthma and being overweight. I never wish to experience this again and I am grateful that I am receiving the Modena vaccine. Thank you so much for logging my side effects.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
963801	1/22/2021		83	F	1/4/2021	1/4/2021	<p>Blooded stools; Eyes are a little bit itchy; Right eye swollen; A spontaneous report was received from a consumer who was an 83-year-old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced blooded stools, eyes are a little bit itchy, and right eye swollen. The patient's medical history was not provided. Concomitant medications reported included magnesium. On 04 Jan 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Lot number: 025J00/NA) intramuscularly for prophylaxis of COVID-19 infection. On the evening of 04 Jan 2021, the patient experienced blooded stools, eyes are a little bit itchy, and right eye swollen. The patient reported having blooded stools that were not diarrhea, but had occurred three or four times. Treatment for the events included non specified allergy medicine for the eyes. On 06 Jan 2021, the patient reported feeling better in regard to the blooded stools and was unsure if it was actually blood or not in her stools and she had ate spicy and red food. Action taken with mRNA-1273 in response to the events was not provided. The event, blooded stools, was considered resolved. The outcome for the events, eyes are a little bit itchy and right eye swollen was unknown.; Reporter's Comments: This case concerns an 83-year-old female patient with unknown medical history, who received their first of two planned doses of mRNA-1273 (Lot 025J00/NA), and who experienced the unlisted serious event of Haematochezia and the unlisted non-serious events of Eye pruritus and Eye swelling. Based on the current available information and temporal association between the use of the product and the start date of the event on the day of vaccination, a causal relationship cannot be excluded making the events possibly related to the vaccine.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
963903	1/22/2021	CA	57	F	1/4/2021	1/1/2021	received the first dose of vaccine/tested positive for COVID-19; received the first dose of vaccine/tested positive for COVID-19; irritable all day; the sun had been bothering her eyes as she was driving, it was some eye sensitivity going on.; eyes were also hurting; This is a spontaneous report from a contactable consumer (patient). A 57-year-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number: EL1284; expiration date not provided), via an unspecified route of administration on 04Jan2021 at SINGLE DOSE for COVID-19 immunisation. Medical history included allergies. The patient's concomitant medications were not reported. The patient reported that she received the first dose of the vaccine on 04Jan2021 and yesterday (11Jan2021) she tested positive for COVID-19. Patient would like to know if she should follow-up for the second dose of the vaccine on 25Jan2021. Patient mentioned that maybe she should follow up with the second dose. It was also reported that the patient wanted to know if the vaccine could have given her COVID-19 and tested positive. Patient further clarified it to be the Pfizer BioNTech COVID-19 Vaccine. Patient mentioned she is a caregiver and received the vaccine on last Monday (04Jan2021). On Friday (08Jan2021), the patient started to notice she was getting headaches. The headache started in the morning. Patient realized she was irritable all day and as a caregiver, this is not an attitude to have. Patient did not feel great that day. Patient also realized that the sun had been bothering her eyes as she was driving, it was some eye sensitivity going on. That night patient got home and was able to eat, but the next day on Saturday (09Jan2021), she did not have any sense of taste or smell. Patient had lost her sense of taste and smell. Patient realized this when she woke up at 6 am for coffee and could not taste or smell it. Patient was calling to find out if there was any way one could get Coronavirus only after the first shot and if she still needs to go and get her follow-up vaccine on 25Jan2021. Patient stated she forgot the name of her HCP. Patient also mentioned she has chest pressure. Patient noticed it about an hour ago, later stated it was like 11 something. It comes and goes. Patient mentioned that it was like shortness of breath. Patient would breathe in a little bit and it will bring the chest pressure back down. Patient would also walk around a bit to get the



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							blood pumping back through. Patient also added, that due to these symptoms, she's locked off in a different room away from her husband. Patient stated they are both quarantining since her husband was exposed too and has not had the shot yet. Patient's eyes were also hurting, but that is due to the headache. Patient also stated that her eyes hurting has gone away. Patient will be getting to get a Coronavirus test done later today. When probed for the time of vaccination, patient that she was not sure. She knew she had to wait 30 minutes under observation because she had allergies. Patient initially stated that she would guess she received the vaccine thirty minutes prior to 3:55. Patient later clarified and stated it was possibly 2 something when she got it. Patient tested positive for COVID-19 on 11Jan2021 (COVID-19 virus test positive). Outcome of the event 'eyes were also hurting' was recovered, while unknown for the remaining events.
964065	1/22/2021	WA	63	F	1/19/2021	1/19/2021	As I was sitting at my computer and suddenly I could barely keep my eyes open, I was so tired I couldn't lift my arms and once I closed my eyes, I could not muster the strength to open them. I felt like I was going to faint and then I got nauseated and I knew I was going to throw up. With my husband's help, I did manage to get to the bathroom (about 6 steps away). I threw up and immediately sat down in the nearest chair. I threw up a second time into a vessel after that. I then got a massive headache and chills. I could barely walk with assistance up the stairs to go to bed. I have never been more fatigued. After going to bed, I slept all night and woke the next day still fatigued, but nothing like the night before. I was able to work, even though I felt really tired. I did not have much of an appetite all day and two days later, I still feel fatigued.
964072	1/22/2021	NH	20	F	1/21/2021	1/21/2021	Nausea, dazed, eyesight weird, tired, stomach ache, stiff,

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
964157	1/22/2021	IN	71	F	1/16/2021	1/16/2021	Very tired after vaccination. Went to sleep about 8 PM Sat 1/16 and slept most of the next 4 days. Stomach was queasy. Unable to drink coffee. Tried to push fluids and tried to just eat bland foods. Would wake up sporadically but was unable to awaken enough to watch an entire TV show. Pretty lethargic and brain fog. Was able to wake up a little more on Wed 1/20 but still had the queasy stomach. Started getting Headache and Eye pain and severe upper leg and lower back burning & cramping, I tried taking tylenol which helped a little. By Thursday the pain was worse. I was still tired only walking helped the pain. It got worse if I sat down and extremely bad if I laid down to try to sleep. It's Friday morning & I am planning to go to med check this AM. Symptoms still ongoing
964175	1/22/2021	MI	43	F	1/18/2021	1/18/2021	Dizziness, lightheadedness, sweating, blurry vision, nausea immediately following injection. Later that day/evening patient developed rheumatoid arthritis flair up that resolved over the course of two days and use of prescription medications (diphenhydramine and prednisone). Patient has a long standing history of rheumatoid arthritis.
964183	1/22/2021	IN	46	M	1/12/2021	1/17/2021	Non-pulsatile, constant headache in bilateral temporal areas of head that radiate into neck and trapezius muscles bilaterally - also feel pressure being the eyes when the headache is bad. Bending over to pick things up definitely makes all this worse.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
964184	1/22/2021	ME	60	F	1/8/2021	1/13/2021	5 days post injection noticed heaviness of her left jaw, quivering of her left jaw, discomfort and pain around her left ear (in front of her ear) and droopiness of the face in general with difficulties closing left eyelid. The symptoms were familiar to her from her previous attacks. She denies double vision, swallowing difficulties, confusion, or focal weakness otherwise. She denies lesions involving vesicles or herpetic lesions (she sometimes has a cold sore on the other side of the mouth but not now) The patient visited the emergency room on 15 January 2021 and was diagnosed with recurrent Bell's palsy, given a pulse steroid treatment for 5 days which she completed yesterday. The patient reports no significant alleviation of the symptoms which are persisting more than a week now. A similar pattern occurred in her previous attack years ago. Her main discomfort is that of pain in general discomfort on the left side of the face, triggered by brushing her teeth and other activities There has been no recent brain imaging The patient did not develop chills, fever, or other viral-like syndrome after the injection
964244	1/22/2021	NC	47	F	1/3/2021	1/4/2021	30 minutes after first dose I felt hot/nauseous which lasted a few minutes and went away. The next day had neck pain, nasal congestion, and runny nose. On 1/5/2021 I still had the same symptoms and throat felt like it was swelling and my ears started to hurt. 1/6/2021, had diarrhea. 1/8/2021 was short of breath w/ heart palpitations. 1/11/2021, face swelling on left side, continued having aforementioned symptoms. Eyes started burning and were itchy/dry and watering. 1/15/2021, saw provider and was diagnosed w/ bells palsy and started on steroids
964294	1/22/2021	CO	71	F	1/17/2021	1/17/2021	20 minutes after the injection my face around my right eye and down ward started to swell and tingle. within the hour it went away.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
964726	1/22/2021	VI	42	F	12/30/2020	1/20/2021	12/30/2020 Four hours after vaccination - left arm soreness, mild headache above right eye. Client improved that evening. 1/20/2021 Four hours after second vaccine dose - Body aches, intense headache over right eye, The evening of the same day - Heaviness to left arm, increased pain to left arm radiating to hands, tightness to the left arm with a feeling of "electricity" in the arm. The pain increased in intensity to the left arm during the night. Unable to sleep due to intense pain to the left arm and axilla. 1/21/2021 In the morning, client experienced abdominal pain and diarrhea once (loose stool). She noted swelling to the left axilla, intense pain, swelling below the left jawline. 1/22/2021 Early morning nausea without emesis, itching of the right forearm and nape of the neck, throbbing pain to left axilla with itching, throbbing to the left ear, which has not been sensitive to pain due to deafness.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
964430	1/22/2021	AZ	48	M	1/15/2021	1/21/2021	<p>Some background: I normally react badly to flu/respiratory vaccines in that I generally get sicker after the vaccine than I do when I get the virus. So this isn't entirely unexpected. However, the timing is really strange and Now I wonder if I should get COVID tested. Here is the chronology of events. Day of shot (Friday) - pain in arm lasted about 2 days but wasn't too intense. As the pain in the arm began to fade, I started getting really sleepy. I slept probably 48 hours over the next three days but did not experience any pain except maybe slight muscle aches and a little of the accompanying eye burn that is associated muscle aches and sleepiness. By Tuesday, the sleepiness had passed. Thursday night (last night), I started to experience ALL general symptoms of a respiratory flu/COVID. I developed an intense cough and associated phlem (though it is very sporadic rather than persistent) and the precursors to intense muscle pain. I woke up at around 3am Friday with a fever, the muscle pain, burning eyes (associated with flu-muscle pain and fever), and extreme chills (though my windows was open... a normal practice as my computer makes it hot in my room). I felt oddly rested however, as though the getting sick, while making me tired, was also helping me sleep better. My body is definitely reacting to something. If it wasn't 6 days afterward, I would say it was my normal reaction to virus shots. However, the timing is alarming. I have not knowingly been exposed to anyone with COVID. This morning the chills are gone, the fever is down (though not entirely gone), but I still feel "down for the count." Like I said... it is my normal reaction to virus vaccine except that it is about 6 days late (usually sets in within 24 hours). This morning is the week "anniversary" of the shot.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
965001	1/22/2021	IA	32	F	1/12/2021	1/19/2021	Four days after she received the 1st dose, she developed a swollen eye lid that resolved on its own. She really didn't think anything of it and did not report it to anyone or take any medication for it. On 1/12/2021 she received the 2nd dose. On day 7 of her vaccine she developed hives on her lower extremities. She took Benadryl that day and they improved, but did not go away. On day 8 the hives reappeared and she took a dose of Claritin and that got her through working. On day 9 (yesterday) the hives have migrated from just her lower extremities to her arms and shoulders. She took both Zyrtec and Benadryl yesterday, but she is not getting any relief.
964502	1/22/2021	IN	61	F	1/9/2021	1/11/2021	Pt reported she had a Moderna Covid -19 vaccine on 01/09/21 at Hospital at 2: 40 pm. Pt is c/o her eyelids swelling in the last 3 days, sob this morning. Pt has ST pain constantly today that is not worse with swallowing. + fatigue since yesterday.
964504	1/22/2021	MI	39	F	1/19/2021	1/19/2021	I was injected in the right deltoid with an unlabeled 1 mL syringe. I was then injected in the right deltoid with an unlabeled 3mL syringe filled with liquid to the 3 mL fill line. I am unable to validate the dose because it was not administered according to Pfizer's instructions and because there are discrepancies in the documentation of the pharmacy manager's interview with the Registered Nurse who completed the injections and my eyewitness of the injections. These discrepancies include: 1. The order of the injections; and 2. The amount of fluid present in the 3mL syringe.
964597	1/22/2021	GA	65	M	1/20/2021	1/21/2021	Chills with low grade fever 100.5 Body aches Headache with most pain behind right eye

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
964696	1/22/2021	IL	34	F	12/26/2020	12/26/2020	<p>The day of my 1st vaccine, about 10 min after I was in the waiting room and I started feeling "weird" in my whole body and lightheaded. I got some juice. Then I started to get hot and was sweating, my whole face and neck were flushed; I also felt mild burning sensation on the R lower lung area. They took me in back and gave me more juice and water and put ice packs on me. It took 30+ minutes to feel better. They called a team to come do my vitals and my HR was in the 100s and they said my eyes were dilated. On my way home I had a weird throbbing pain in my L upper chest just above my boob. When I got home I had chills/felt freezing for a few hours and was fatigued. The next day (Sun) I had moderate joint pain, fatigue, and was very achy; my chest felt tight and I needed my inhaler and some tramadol. On Mon I felt better and went back to work, but then Tues I was achy again and my coworker said I looked pale; I took some tramadol and felt better, just tired. On wed I was having pains in my neck, shoulder, down my arm L arm, and down my scapula- the arm I had the injection. Throughout the day the pain was throbbing and ended up a 7/10 and edema in my neck/shoulder/axillary occurred; I couldnt carry anything heavy and was guarding that arm. Tramadol didn't help the pain and I eventually took 600mg ibuprofen and made a telemedicine visit w/ my MD for the next day. After 3 days the pain was subsiding but the edema took ~ 1 week- it subsided the weekend before my next vaccine. The day of my 2nd dose I did ok after the vaccine at 4pm. While they were injecting it I felt burning down my arm. I felt lightheaded and "weird" afterwards and warm, but no eye dilation or flushing. 3 hours after the vaccine at 7pm I felt tired and a little achy and slept from 7-9pm. At 9pm I woke up very achy, I had 1 itchy hive that popped up on my R inner forearm. The next day I had joint pain in every joint and very achy and fatigued. The joint pain subsided on day 2 after the vaccine but I was very achy and fatigued for a good 72 hrs. Vaccine was wed and saturday the pain in my neck returned and the edema came back and was a little worse than before, and the area where the edema was, was painful to touch. It started subsiding ~ a week after the vaccine, but a little bit is still currently here- but no pain to touch. My allergist has been following up w/ me this whole time.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
964735	1/22/2021	MO	73	F	1/20/2021	1/20/2021	11:48. Patient received vaccination at 11:45. In observation area, she reports to RN she has developed Blotchy red spots on her arms and her face feels hot. Patient moved to treatment area. She is exhibiting erythemic macular anular areas to the inner aspects of both forearms measuring approximately 2-4 inches in size. There is no elevation of the reddened area. No hives, rash or itching noted. Denies shortness of breath. Lung sounds are clear bilaterally. Heart rate is 78 BPM, Resp. Rate 16/min. B/P 178/100, Pulse ox 97% on room air. 12:53 Recheck vital signs: B/P 170/96, Pulse 76 BPM, RR 16/min, Pulse ox 94% RA. She denies SOB. Redness and blotchy appearing area's persist. Noted redness to palms of hands. Patient states they do not feel tight or swollen. Will continue to monitor. It does not appear that this reaction is anaphylactic in nature. Continues to have clear breath sounds through all lung fields. Denies any sensations of tightness or swelling to throat, tongue, lips or eye lids. 13:15: B/P 160/96. Pulse 77, RR 16 Pulse ox 97% on Room Air. Patient states she is feeling better. Redness appears to be fading slightly. Will continue to monitor 13:55: B/P 154/86. Pulse 77, RR 16 Pulse ox 97% on Room Air. Blotches faded. Palms of hands returned to flesh tone. Denies any SOB, swelling to face, lips, tongue. 14:00: Patient states she feel fine. She does have a friend here who will driver her home. She will come back later for her car as a matter of precaution. Pt states she will take OTC Benadryl at home. Recommend no more than 25 mg by mouth every 4-6 hours for next 24 hours. If she starts have a return of symptoms or worsening symptoms, she is instructed to call 911 and go to the nearest emergency room. Patient verbalizes agreement. Leaves ambulatory, in satisfactory condition accompanied by friend.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
964750	1/22/2021	CA	76	F	1/21/2021	1/22/2021	<p>Pt well until approximately 2:55am when she passed out in bathroom according to her husband. Pt was diaphoretic. Denied dyspnea, chest pain, fever, redness, or difficulty breathing. Patient: Age: 76 Years</p> <p>Additional information for Item 18: Date/Time: 01/22/21 03:19 Time of my initial contact with patient: 0319</p> <p>Mode of Arrival: Ambulance Private Medical Doctor: Triage Narrative: Pt. bib medics from home after near syncopal event in bathroom, lowered herself ot the ground, no LOC/trauma. BP on medic arrival was 86/50 HR in 50s, improved to 100/68 w/ lying down and 250ml bolus. Received 1st covid vax today, has felt weak w/ diarrhea since then. Denies pain, skin pale/w/d, AxAx3, resp e/u. Chief Complaint: Syncope/Near syncope</p> <p>History of Present Illness: This is a 76-year-old female with history of CAD status post remote PCI, previous CVA on Plavix, hysterectomy, migraines who presents ER today for a syncopal event. Patient was given her first dose of Covid vaccine earlier today, per patient's primary doctor found in prior to arrival she had been very hesitant because she was concerned for triggering migraines, this was clear with her neurologist that she was pretreated with Benadryl, she states that she initially felt fine after vaccine administration, she states however later in the evening she developed 4 episodes of loose watery bowel movements and crampy abdominal pain, she states she was feeling tired and so she laid down to go to bed, she states that she woke up feeling as if she had to have another diarrheal episode, she reports that when she stood up and went to the bathroom she was not feeling well, she reports feeling very lightheaded while on the toilet and trying to have a bowel movement, she attempted to stand up however felt acutely lightheaded, she states that she sat back down the toilet and slumped down and woke up on the ground. She denies any pain other than her abdominal pain and a sensation that she has had further bowel movements. Per EMS patient was noted to be hypotensive on arrival 86/50 with heart rate in the 50s, this improved with laying flat on the gurney and given a 250 cc bolus. Patient has been seen in the past for syncopal events with postural changing. She denies any new medication changes, she states that she had been drinking water throughout the day but has had a poor appetite no dysuria frequency urgency no headache head injury neck pain back pain</p>

VAERS\_ID RECVD STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

new numbness tingling or weakness in arms or legs no  
difficulty with speech Problem List & Past  
Medical/Surgical History: CAD (coronary artery  
disease)  
Dysuria  
Hysterectomy  
Migraine  
Potential stroke  
Stent Family  
History: No related illness Social History: The patient  
does not smoke tobacco or abuse alcohol. Allergies:  
Imitrex morphine (Nausea) shellfish traMADol  
Medications: Available Med List Reviewed Review of  
Systems: All other systems reviewed and are negative  
except per HPI Physical Exam: Vital Signs BP:  
151/93 mmHg Temp (Oral): 36.4 DegC ( 97.5 DegF)  
HR: 73 bpm Resp: 18 br/min SpO2: 97 % GENERAL:  
Patient appears well developed, well nourished.  
HEENT: Normocephalic and atraumatic. EOMI. No  
scleral icterus. Airway is patent NECK: Supple Trachea  
is midline. No midline tenderness full range of motion  
without pain or discomfort RESP: Lungs are clear to  
auscultation bilaterally. No wheezing, rhonchi, rales  
CARDIOVASCULAR: Regular rate and rhythm 2+ radial  
and DP pulses symmetric bilaterally  
GASTROINTESTINAL: Abdomen is soft, mild diffuse  
tenderness and nondistended. No rebound, no guarding.  
No pulsatile mass appreciated. BACK: No CVA or spinal  
midline tenderness to palpation MUSCULOSKELETAL:  
No clubbing, cyanosis, or edema. No calf tenderness to  
palpation. SKIN: Warm and dry. No external evidence  
of trauma NEURO: The patient is alert and oriented x3,  
not confused. Speech not slurred. Normal facial  
symmetry. No subjective facial numbness. No vision  
changes. EOMI. Upper and lower extremities with 5/5  
strength globally. Normal sensation noted over all  
extremities. No subjective dizziness. Finger-to-nose  
testing normal. Normal gait. PSYCHIATRIC: Alert and  
appropriate. Test Results: Labs Results 01/22/21  
03:38 134 L 102 9 109 4.2 23 0.6  
01/22/21 03:38 12.9 9.6 355 37.8  
01/22/21 05:20 Cardiac Studies Troponin-HS  
<2.0 01/22/21 03:38 Hematology WBC  
9.6 HGB 12.9 HCT 37.8 PLT 355 MCV  
94 RBC 4.03 MCH 32 MCHC 34.2

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

RDW 13.1 MPV 6.1 L Neutrophils 55  
 Lymphocytes 34 Monocytes 8 Eosinophils 2  
 Basophils 1 Neut Absolute 5.2 Lymph Absolute  
 3.3 Mono Absolute 0.8 Eos Absolute 0.2  
 Baso Absolute 0.1 Cardiac Studies Troponin-  
 HS <2.0 Chemistry Calcium Lvl 8.1 L Anion  
 Gap 9 Sodium Lvl 134 L Potassium Lvl 4.2  
 Chloride 102 CO2 23 Glucose Lvl 109 BUN  
 9 Creatinine 0.6 Alk Phos 75 ALT 13  
 AST 15 Billi Total 0.4 Total Protein 5.8 L  
 Albumin Lvl 3.5 LAB >60 LAB >60 01/22/21  
 03:17 Chemistry Gluc POC 106 Gluc POC  
 106 (01/22/21 03:17) Diagnostic Results  
 Preliminary CT head reveals no acute intracranial  
 abnormality Preliminary CT abdomen pelvis revealed no  
 acute intracranial abnormality other than hiatal hernia  
 Chest x-ray is negative for acute pulmonary pathology  
 EKG Results EKG obtained at 0323 interpreted by me  
 reveals normal sinus rhythm, patient has diffuse T wave  
 flattening which appears similar to previous no STEMI,  
 no ectopy no heart block no WPW Brugada prolonged  
 QTC Emergency Department Course and Procedures:  
 Medications, IV's and Blood Products Ordered Sodium  
 Chloride 0.9% (Sodium Chloride 0.9% Bolus) 1,000 mL  
 once IV Bolus, Reason for Infusion = Abnormal fluid  
 losses Other Orders Nursing to Initiate Saline lock  
 Insertion Careset (Stat) Oxygen Therapy (Titrate for  
 SaO2 > 95%) Reexamination/Reevaluation: Critical  
 Care Note The high probability of sudden, clinically  
 significant deterioration in the patient's condition required  
 the highest level of my preparedness to intervene  
 urgently. Critical care was necessary to treat or prevent  
 imminent or life-threatening deterioration of the following  
 conditions: cardiac failure, circulatory failure, CNS failure  
 or compromise, dehydration, hepatic failure, endocrine  
 crisis, metabolic crisis, renal failure, sepsis, respiratory  
 failure, shock, toxidrome and trauma. I provided critical  
 care services requiring my management in the following  
 manner: chart data review, documentation time,  
 medication orders and management, re-evaluations, vital  
 signs assessments and reviewing monitor data, and  
 ordering and reviewing lab tests. Aggregate Critical care  
 time was 30 minutes. My time did not include minutes  
 spent treating any other patient simultaneously or on  
 activities that did not directly contribute to the patient's

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

treatment. It did not include time spent performing other reported procedures. Medical Decision Making: This is a 76-year-old female who presented ER today for evaluation of syncope. Patient was reportedly mildly hypotensive which improved with IV fluids. I suspect that patient had dehydration given 4 episodes of large watery stools. Patient had no recent antibiotic use and has no C. difficile risk factors, suspect this may be related to her Covid vaccine, she had no evidence to suggest anaphylactic shock, patient felt better after IV fluid bolus was able to ambulate around the emergency department without lightheadedness or near syncope. She had troponins x2 which were negative, her EKG was nonischemic and there was no evidence of ectopy or arrhythmia. Patient did have syncope and fell onto her side, she denies discrete head injury although patient is anticoagulated, CT head was obtained to rule out intracranial hemorrhage given the syncopal event. Patient CT abd/pelvis was negative for obvious cause of patient's abdominal tenderness may be related to her diarrheal illness patient will be prescribed Bentyl. She will call her primary care doctor in the morning to arrange close follow-up. She understands need for aggressive oral hydration at home. She will have low threshold to return should she develop lightheadedness syncope chest pain shortness of breath palpitations worsening abdominal pain bloody or dark stools any new or concerning symptoms. The patient presented to the emergency department with potentially life or limb-threatening symptoms. After my history, examination, and workup have decided that the patient is stable. My impression is that they are safe to go home at this time. I have reviewed ED return precautions with the patient. They understand to return if they are concerned for any reason. They will follow-up with their PCP in 1-2 days. Impression: Syncope, hypotension-improved, dehydration Plan: Discharge Follow Up Within: 1-2 days Comments: Please call your doctor in the morning to arrange follow-up with your primary care doctor in the next 24 hours. Please stay well-hydrated and eat regular meals. Please take Bentyl as needed for abdominal cramping with diarrhea. Please return to the ER if you develop worsening abdominal pain, feelings of lightheadedness passing out any new or concerning symptoms. Patient Education Syncope, Easy-to-Read

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							Diarrhea, Adult Discharge Meds dicyclomine 10 mg 1 cap, PO, QID, 20 cap Referral for suspected pre-hypertension or hypertension was given. Please note: Unless specifically stated, all procedures mentioned, tests done and medications given were performed/interpreted by the emergency physician, or were under the direct supervision of the emergency physician. This ED Note was completed using voice-recognition transcription and may contain inadvertent errors. Additional information for Item 9:
964761	1/22/2021	NY	30	F	1/12/2021	1/19/2021	1/19/2021 developed mild chills, sore throat & itchy arm at injection site, no fever; able to perform normal daily tasks & work. 1/20/2021 chills worsened & developed headache, arm not as itchy, no fever; able to perform normal daily tasks & work. 1/21/2021 rash developed at injection site spanning the arm about 3 inches wide and 2 inches long, red, itchy, & injection site a bit swollen, eyes puffy & watery, chills continued, congestion started, headache worsened, body aches; able to perform normal daily tasks & work most of the day; developed low grade fever around 3pm 100F, ibuprofen and benadryl then 101F at 7pm, another dose of 400mg ibuprofen temp stable at 100F through the night. 1/22/2021 fever seemed to have broken through the night 98.4F morning then 100.7F at 10:30am , congestion worsened, headache & body aches continued; unable to perform daily tasks or work.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
964787	1/22/2021	PA	39	F	12/30/2020	1/1/2021	Legs extremely weak and felt like muscles were not functioning well. Knees were buckling while standing. Started about 4 hours after vaccination. Resolved by morning but fatigue continued. It was the exact same sensation felt last March and led to me not being able to get off couch for three weeks. Couldn't get covid testing until weeks after symptoms started and tested negative in March. Numbness in lips. Lower lip>upper. Started 2 days later. Resolved after gradually improving after 10 days. Fyi had lip injection/filler within the last 2 years. Moderate burning in Rt leg that started the Friday after the vaccine. No redness or edema. Resolved after 10 days. Severe brain fog and fatigue and buzzing sensation in head. Much worse than baseline. Buzzing sensation was new. Slept all weekend. Improved to baseline after 14 or so days. Had sharp stabbing pains in the back of my head 7 days after the vaccine. Resolved after 3 to 5 days. Never had these sensations before. No history of headaches. Went to PCP regarding leg pain, worsening brain fog and fatigue from baseline and unequal pupils that had previously resolved about 2 years prior. Pupils were unequal sizes when I woke up on 1/2. Pupils now back to frequently being different sizes. No diagnosis made with previous episodes that had resolved. Maybe it was reactivated? Also had visual distortions in left eye that were new on 1/3 that lasted two minutes. No pain associated with this. Resolved. Feel close to baseline now but hesitant to get second dose for these reasons.
964863	1/22/2021	IL	46	F	1/22/2021	1/22/2021	pt stated she had aurora with her vision and after that aurora subsided she developed a migraine.
964867	1/22/2021	IL	42	F	1/20/2021	1/21/2021	I woke up with a throbbing eye that was burning. I had hives on my eyelid which was halfway swollen shut yesterday. Today the hives are still there but its not swollen shut, the throbbing is gone, the itching is gone its just the hives.
964997	1/22/2021	WY	88	M	1/21/2021	1/22/2021	SUBCONJUNTIVAL HEMORRHAGE OF LEFT EYE

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
964999	1/22/2021		24	F	1/22/2021	1/22/2021	Approximately 9 minutes after patient's vaccination she had a vasovagal episode and passed out for approximately 10-15 seconds. Patient hit her head when she fell to the floor. Patient placed on gurney and vitals were taken. Denied any respiratory issues. Complaining of nausea. Patient had worked her first night shift and came after her shift to receive her injection. Patient had stated she was very tired and was closing her eyes while she was waiting after her injection. Patient had no recollection of passing out. Complaining of head and neck pain. BP 98/55, HR 55, 100% O2 sat on room air. Patient transported to Emergency Department talking to staff.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
964353	1/22/2021	VA	19	M	1/20/2021	1/21/2021	I got the injection at 3:35pm on 1/20 in my left arm. Within the first 30 minutes, my shoulder around the injection site was incredibly sore, my left elbow had a lot of joint pain, and my left thumb and index fingers went numb within the first 30 minutes, I woke up at 8:00am on 1/21 and noticed that I had a light headache, felt extremely groggy, and was experiencing an uncomfortable amount of muscular and joint pain. I went to work at 9:00 and on the drive there, I began to feel dizzy and I felt as if when I turned my head, my vision would lag behind and take a second to process my surroundings. By 10:00, my muscular and joint pains were significantly amplified, my headaches were increasing in frequency and amplitude. I also began to have the chills, followed by periods of radiating heat from my body. Coworkers told me I looked very flushed, however, I never developed a fever. By 11:00, the muscular and joint pains, coupled with the headaches forced me to sit down and I almost broke down into tears. There were three sperate times where I began to get very lightheaded and thought I was going to pass out ( I did not). I went home at noon and noticed that my muscles felt like they were on fire. I took Tylenol and Advil whenever I could, which helped to reduce the symptoms. we had dinner at 7:00, however, I had no appetite, without eating since noon. On 1/22, I woke up at 8:30 with a pounding headache, muscular and joint pains still there, however reduced, and the same groggy feeling. This morning, I also noticed that I had a very sharp stomach pain in my abdomen. I also woke up with a severe nosebleed, which is extremely uncommon for me.
967004	1/22/2021	IN	27	F	1/14/2021	1/17/2021	Shingles on my face and in eye



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
966526	1/22/2021	FL	43	F	12/28/2020	1/4/2021	Sunday, six days after I received the vaccine, my left arm began hurting a lot. On Monday morning, 7 days after the vaccine, I had swollen, a large painful palpable bump near the anterior part of my armpit. The bump could easily be visualized. The pain was moderate and did affect my activity of daily living. The discomfort could be felt at rest, and took about 5 days to improve. Three and a half weeks later I can still palpate the bump. I am not getting the second vaccine. I did have a mammogram two months ago, which was normal. If the bump does not go away within the next two weeks I will go see my primary care physician.
966576	1/22/2021	NY	57	M	1/20/2021	1/21/2021	Bloodshot and itchy eyes
966581	1/22/2021	KY	35	F	1/6/2021	1/7/2021	Day 1-within 8hrs- left lethargic up to 48hrs after; temp 99.8 Day 2-rash localized to forehead, eyelids and scalp; temp 98.6 Day 3-rash continued same locations- took Benadryl Day 4-rash still on forehead, eye lids- Vaseline eyelids as terrified of anything being placed in my eyes Day 5-continuation of same- Vaseline again Day 6-continuation of same- Hot compress 5 times daily; didn't use Vaseline Day 7-continuation of same- Hot compress 3 times daily; used Vaseline again as I'm very itchy Day 8- continuation of same- Vaseline eyelids Day 9-continuation of same- Hot compress Day 10-continuation of same---By this time I'm tired of this situation Day 11-Being 1--17-21 through--- today I continue to have the same exact itching and only on upper face, eyelids and scalp.
966617	1/22/2021	WY	48	F	12/23/2020	12/23/2020	Within the hour of having the injection , I was having a numbness sensation in my right eye and cheek area. Seen in the walk in clinic dx with Bells Palsy, seen in the ER, confirmed Bells palsy. Started prednisone. Symptoms within 3-4 days at 90%. Continued prednisone. Nausea, headache, aches on 1/4-1/6 felt better until 1/20- just had extreme back aches , 1/20 eye felt numb again, muscle movement remained the same. headache, body aches, pins and needles in 3 middle toes on the right side.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
966771	1/22/2021	LA	85	F	1/9/2021	1/9/2021	Right eye became slightly numb as well as right side of face apprx. 5 or 10 min after shot. Lasted about a day and a half. Also felt very bad. No fever. But congested second night. Each day felt better. As of Jan 22, 2021. Due to take second injection Jan 30, 2021. Is it ok? I feel alright.
966789	1/22/2021	OH	40	M	1/19/2021	1/19/2021	Sore shoulder started after a couple of hours and was moderate by evening. A general unusual feeling started within a couple hours of the shot. By 7pm I started to experience chills and joint fatigue in legs (knees, toes). Chills became severe and a low grade fever of 100.6 developed. Chills lasted about 1.5hrs. Fever broke overnight. By morning all previous issues were resolved and the only issue was a problem with equilibrium and balance (and sore shoulder) It was a general feeling similar to drunkenness. This issue persisted throughout the day and by evening I was experiencing mild vertigo when I closed my eyes. I went to bed feeling somewhat improved relative to all the symptoms but woke having experienced a cold sweat. My shirt was completely soaked. I noted several less significant sweating issues throughout this day with no other side effects. This was the final day with notable symptoms. At the time of this report I have minor shoulder pain as the only symptom that persisted throughout. The equilibrium symptoms were severe enough that I missed a day of work.
966806	1/22/2021	NY	66	F	1/14/2021	1/15/2021	I had a very sore arm and malaise with a temperature as high as 101.5-101.8 the day after. The next two days just moderately sore arm. On Tuesday January 19 I developed a cough. By next day I was very ill (fatigue, aches and pains, burning eyes, fever up to 103, headache, flu-like). Today I developed hives.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
966813	1/22/2021	GA	41	F	1/21/2021	1/21/2021	Patient received Covid19 Pfizer dose 1 vaccination at 1pm. Advised to wait 15 minutes post injection. During waiting period experienced "vision blurring" and "pressure behind eye". Spoke with Dr, monitoring vaccine site. Advised to wait 15 more minutes before leaving. Left vaccination site and started driving home. (Around 1:40pm) Within a few minutes had "extremely sore neck, couldn't turn neck left or right without discomfort" , and felt "thickening of neck." Pain spread from neck to shoulders and mid back. Called Dr, advised to go to return if close or go to nearest ER. Was already miles away from original site so patient went to ER. Received Benadryl. Felt like "giant muscle spasm that wouldn't stop.~~
966817	1/22/2021	CT	39	F	1/20/2021	1/21/2021	Extreme facial swelling, closing of throat, loss of vision in right eye, uveitis, extreme fatigue, headache
966857	1/22/2021	AZ	76	F	1/21/2021	1/21/2021	Five minutes after the vaccine was injected, I became dizzy, my eyes teared and face swelled up and throat tightened. The EMT's came, checked my lungs, etc. and talked me through the episode which lasted about 15 minutes. Then the swelling subsided. I suspect it had, because I had dermal fillers approximately a year ago. I had no other adverse affects, except for tiredness that evening. People should be warned about this because it is a frightening event. I have never had an adverse reaction to a vaccine before.
966873	1/22/2021	CA	30	M	1/22/2021	1/22/2021	Vaccine given at 1325. Patient stated after a couple minutes that he was feeling light headed and had tunnel vision. 1330 B/P 126/68 99%, HR 40. Laid patient down diaphoretic, 1335 B/P 110/62 % HR 48, 1340 122/70 HR 55, 1345 122/68 98% HR 56, Cal-Fire arrived evaluated, patient was feeling better by that point, he refused transport. He waited a bit longer before calling his fiancé to come pick up.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
966876	1/22/2021	NY	43	F	1/18/2021	1/18/2021	Immediately felt sore in arm then felt hot and sweaty in post vaccine waiting room dizzy blurred and blacked out vision... Vasovagal syncope episode Emt and nurses came right over gave me oxygen and water.....felt better after approximately 25 minutes of treatment....drank 3 bottles of water was able to walk and leave without going to hospital around 12:15pm Arm severely sore for 48 hours.
966498	1/22/2021	TX	63	F	1/16/2021	1/16/2021	Patient is another women who has h/o allergies to food and medications. She came prepared with her own Benadryl and EpiPen. I watched her for almost 45 minutes and only thing she C/O was some itching in her head at 25-30 minutes after the shot. So I advised to take her own 25 mg po of Benadryl. When she left she was not itching. She had no other problems like hives, SOB, swollen eyes, chest pain, stridor, nausea, vomiting. She was alert and oriented X3 throughout her visit in post vaccination area. I was talking to her throughout her stay on and off. Her O2 sat was also good. I informed her on skin care, told her to drink enough fluids, take Benadryl po Q6-8 hours for the next 1-2 days. If any problems go to ER. She informed me that she was very anxious and she gets itching every time when she becomes hyperactive with lots of people.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
966959	1/22/2021	AZ	34	F	1/22/2021	1/22/2021	Moderna COVID-19 Vaccine I began feeling an increase in heart rate about 5-8 minutes after injection. I reported symptoms and site began to monitor my pulse, which was 160. I then drank 32oz of water and took 400mg ibuprofen. I then began to feel dizziness. Blood pressure was normal. My chair was reclined and I was given about 2oz of orange juice. I was then moved to a stretcher and my legs were elevated on a chair. I took a restroom break. I began by walking, but started to see spots in my vision and sat in a wheelchair. I was able to use the restroom and return to stretcher and elevation of my legs. I was then taken to the ER. I used the restroom once more independently. Blood sample was taken. Heart rate was 160, blood pressure was normal. EKG was abnormal and I was given dosage of adenosine. First dose did not show necessary improvement and I was given a second dose, which dropped my heart rate to the 90s. I used the restroom independently and was given an additional EKG, which was normal. During this time my Physician contacted a Cardiologist, for consultation. I was then discharged with recommendation to follow up with cardiologist in 2-4 days.
967248	1/22/2021	TX	50	F	1/19/2021	1/20/2021	Staff reported had fever of 102F 24 hours after receiving the 2nd COVID vaccine dose along with chills and pain, rash and hardness to injection site. Today (72hrs after) staff reported left eye and left cheek swelling - noted swelling observed.
967055	1/22/2021	NY	50	F	1/21/2021	1/21/2021	About a half hour after the dose, the area around my mouth went numb. It spread to the area under my left eye. It lasted a few hours and went away. It recurred twice that day and was accompanied by decrease in taste.
967107	1/22/2021	VA	35	F	12/28/2020	1/6/2021	Tingling/numbness to tongue, metallic taste (1/6/21)-- Covid test done and negative. Vertigo, blurred vision, nausea and vomiting 1/11-12/21

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
967142	1/22/2021	TX	37	F	1/22/2021	1/22/2021	About 12-13 minutes into my wait after getting the vaccination... my throat had a tickle in it... like I needed to clear my throat. So I did... and then again.... and again. Then I felt dizzy and disoriented... foggy headed kind of drunk feeling. Then within what seemed like seconds... my mouth felt full so I opened my mouth and looked in the mirror. My tongue seemed bigger than usual and lighter in color. But what was most noticeable was that I had Ripples along the whole outer edge and side of my tongue. pulse ox reading was an 89 so they administered a prescription strength Benadryl shot and told me they would need to monitor me and keep an eye on me. Another woman drove me from the vaccination site to the clinic where they checked my oxygen levels again and i was already back up to 99. They monitored me and checked on me for about 15-20 minutes before releasing me. My tongue finally felt normal again about 2 hours later while resting at home.
967177	1/22/2021	ME	60	M	1/21/2021	1/21/2021	Pain in wrist immediately after injection blurry vision an hour and half after injection brain fog, flushed face, feeling of swollen face, shortness of breath about throughout the night and into the next morning along with elevated blood pressure.
967194	1/22/2021	IL	29	F	1/19/2021	1/21/2021	Diagnosed with Episcleritis with no history of any vision or eye disorders in the past. Currently just treating with NSAIDs and rest.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
967200	1/22/2021	IA	37	M	12/31/2020	1/5/2021	Spontaneous bleeding from the mucosa of the underside of superior left eyelid at approximately 130 am. I awoke from sleep at that time with mattering in my left eye making it difficult to open. Upon examination in the mirror it was obvious the mattering was due to blood. The blood was obviously coming from my left eye. There was no bleeding from my nose. I had apparently been bleeding for sometime as pooled and clotted blood was also present on my face, arm, pillow, and sheets. Uncertain exactly how much blood total but I would estimate 20 ml of blood. The bleeding stopped spontaneously a few minutes after I awoke. There as an additional scant bleeding the following morning. I was later evaluated by an ophthalmologist who did identify a small punctuate superficial capillary on the mucosal side of my left eyelid which was thought to be the source of bleeding. I have not had further events since.
967205	1/22/2021		46	F	1/21/2021	1/21/2021	About 20 minutes after vaccine my tongue swelled about 1 and 1/2 times it's normal size. My eyes became slightly swollen, I developed a (non-itchy) rash on my cheeks and across my nose, and a fever. My tongue also was partially numb. After about 1 hour, the tongue swelling significantly decreased and the rash began to calm. About 3 hours after the vaccine I developed severe nausea (no vomiting), body aches, and a headache. My face was also partially numb. Today I woke up with severe body aches, fever, headache, nausea, diarrhea, very sore arm.
967206	1/22/2021	WI	56	F	1/6/2021	1/13/2021	One week following my first dose of Moderna I developed shingles on my right eye and forehead. It was treated within 48 hours of onset of the classic type symptoms of shingles with valacyclovir for 7 days. The condition improved over the one week course of treatment with lesions almost gone by 8th day after onset.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
967220	1/22/2021	CA	35	M	1/22/2021	1/22/2021	15:32 35 Y/O white male post Moderna vaccination presented with near syncope episode accompanied with lightheadness, diaphoresis, and mild blurry vision. Patient has no past/surgical history. Med reconciliation without dosage includes daily multivitamins, oil of oregano, men?s probiotic, biotin, osteobiflex, clobetasole, and po cranberry. Pt reports a feeling of dizziness, lightheadness, and blurry vision 7 mins after administration of Modern vaccination. Patient states that he doesn?t have a PCP and is usually healthy. Interventions included hydration of fluids (32oz with 45 min rest). Evaluated and D/C from post vaccination area @ 16:17 accompanied with spouse with instructions to report to the ED if experiencing similar symptoms, SOB, chest tightness, or syncopial sensation. Vitals: 15:42 BP 110/60, HR 72, O2 98% 15:53 BP 98/56, HR 90, O2 98% D/C Vitals16:00 BP 108/82, HR 64, O2 99%
966002	1/22/2021	AR	47	F	1/1/2021	1/19/2021	1/19/2021 8:53 am - got the vaccine 10:00 am - my lips became numb, then the tip of my tongue, tip of my nose, my chin, my forehead, then my cheeks; bp was 172/98 and heart was palpitating; took a Pepcid and benedryl 11:00 am - went to ER to be monitored 4:00 pm - the back of my throat starting tingling and becoming numb; I took Pepcid and benedryl 10:00 pm - took another Pepcid and benedryl 1/20/2021 6:30 am - I took a Pepcid and benedryl. 1:25 pm - headache, my chin, tip of my nose, left cheek, forehead is numb; I took a Pepcid and benedryl 10:15 pm - bottom lip started getting numb 1/21/2021 8:50 am - bottom lip is tingling, tongue is numb, cheeks are tingling; I took a benedryl and Pepcid 1/22/2021 11:00 am - numbness in my cheeks, chin, eyebrows 11:50 am - headache 1:50 pm - numbness in the tip of my nose and moves to cheeks, chin, lips, forehead
967264	1/22/2021		26	F	1/2/2021	1/2/2021	Patient received vaccine and left the clinic. The patient saw the charge nurse approx 45 mins to 1 hour later while the charge was eating lunch on plaza and c/o of face swelling/feeling flushed. RN walked patient to ER. In the ED, pt reports bilateral eye swelling, facial redness, scratchy throat. Pt initially felt SOB but breathing ok now. No tongue swelling.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
967022	1/22/2021	CA	67	F	1/22/2021	1/22/2021	Patient complained of Itchy eyes and tightness in her chest.
966941	1/22/2021	CA	51	F	1/18/2021	1/18/2021	An hour after I had the vaccine, I started having headaches, followed by slight vertigo. I took Tylenol as soon as I got home due to symptoms getting worse. That night I went to bed at 10pm and didn't wake up till 7:45am (I was dead tired, I didn't even hear my alarm). Jan/19/21. Soon as I got up, I experienced headache, vertigo, and this time with mild body aches/heavy feeling and mental fog (Tylenol helped relieved symptoms). Towards the afternoon, I also felt mild burning sensation in my eyes and somehow I felt hot flashes around my face only. Been taking my temperature with normal results. Jan/20/21 Still experiencing off/on headaches and light headedness, otherwise feels okay. All symptoms gone by end of the day.
966097	1/22/2021	VA	49	F	1/7/2021	1/8/2021	Patient called for encounter: She received Pfizer COVID-19 Vaccine 07JAN2021. 08JAN2021 developed flushing on face, lower extremities and hives on left leg. Hives progressed to both legs and arms. She then developed swelling on the left side of the roof of her mouth. She started taking benadryl every 4-5 hours for 7 days. She did not use the EpiPen. Simultaneously patient developed vasculitis flare - pain involving ankles and lower legs. No hx of allergy to polyethylene glycol. Prior to vaccine - no changes in exposure other than eye surgery the day before vaccine which utilized the same medications that have been used for prior eye surgeries
966496	1/22/2021	SC	77	F	1/21/2021	1/22/2021	pts daughter states she has severe confusion with slow speech with difficulty speaking and slow movement Also has extreme muscle pain and double vision. Pt had urge to urinate but could not. Pts daughter states she is still having some symptoms but is improving and will see her doctor next week for a regular scheduled appt. Pt started the medicine Cymbalta in November 2020 for her Fibromyalgia but had developed confusion from it so the doctor took her off of it on January 11th 2021 and was doing well until the day of the vaccination.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
966073	1/22/2021	CA	40	F	1/21/2021	1/21/2021	Twelve minutes after receiving the vaccine injection, patient reported tingling in both arms and across her upper back. She had taken a dose of Benadryl, 50 mg p.o. prior to coming to the clinic, due to her prior history of allergies. Her blood pressure was checked in left arm, 134/94. She denied chest pain, SOB or feeling of swelling in tongue or face. After the tingling sensation, she began to experience pruritus of her arms, back and scalp. Visual inspection revealed no visible rash or hives. When she began rubbing on her left arm to relieve the itchy sensation, the area of rubbing became erythematous. She was observed for 45 minutes after the injection. Symptoms did not progress and she was discharged from the clinic. Phone follow-up 24 hours later: pruritus has resolved. She took 2 more doses of Benadryl 50 mg p.o. yesterday, at 2 p.m. and 11 p.m. Only symptom reported today is sleepiness.
966131	1/22/2021	NC	34	F	12/16/2020	12/17/2020	The Patient is a 34 year old female. The patient is a 34 yo female with a history of hypothyroidism who received Pfizer Covid vaccine on 16 DEC (lot #EK5730) after work. She experienced no immediate adverse effects other than about 5 minutes after vaccine receipt she experienced a sensation of ' blood rushed to my ears.' No dizziness or syncope occurred. She had no oral/face/throat/tongue swelling, no urticaria, pruritis, SOB, Wheezing, dyspnea, cough, CP, n/v/d. The following morning she awoke with pruritus to eyes, face, and urticaria to arms, thighs, chest, face and head. She was treated with 8 mgs of decadron and a dose pack. The symptoms abated. The following morning she experienced recurrence which improved with next steroid dose. She took benadryl that night. Symptoms have continued to recur as steroid wanes.
966148	1/22/2021	MO	69	M	1/21/2021	1/21/2021	Received Pfizer COVID-19 vaccine on the afternoon of 1/21/2021 at 2:12 pm. Patient was monitored for 15 minutes at Center and went home. A few hours after going home the individual started to experience edema and itching of the skin at his inner left eye. The individual treated himself at home with hydrocortisone cream, Benadryl and ice. The individuals symptoms improved later on that day.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
966164	1/22/2021	AZ	37	F	1/20/2021	1/20/2021	I received the vaccine at 11am on Wednesday morning, and by about 830pm Wednesday night, I could sense something was off. I couldn't focus on work, and I felt my eyesight starting to get fuzzy. I realized there was an issue, and decided to go to bed. As soon as I laid in bed, the chills started, and for the next hour I couldn't stop shaking. I couldn't get comfortable, hot/cold, hot/cold, the chills were incessant and I couldn't will myself to sleep. I finally fell asleep and proceeded to toss and turn. I woke up at 5am on Thursday and could barely move. My body was so sore and my head was pounding with a migraine. I was trying to take care of the kids, unsuccessfully, while battling all the symptoms. The day progressed slowly, and I started to feel better mid day after a few more hours of sleep. Around 6pm is when the fever kicked in, hovering right about 99.5. I drank Pedialyte and went to bed not long after I got the kids in bed. At 2am I woke up with another headache and took more Tylenol. By 6am today, Friday, the fever broke and I am back to normal.
966180	1/22/2021	UT	42	F	1/19/2021	1/19/2021	Got the covid 19 vaccine January 19th (Tuesday) at 1:00pm. Started having lip and eye swelling around 6pm and by 9pm she went to the ER after her throat started swelling and she was having difficulty breathing. Says the ER MD gave her a shot benadryl. Also got a prescription of prednisone 20mg 2 tablets daily for 5 days which she has been taking. Swelling resolved but then her eye started to swell last night as well as her lips so she went to the Instacare. Said the doctor told her to stop all her medications but the metformin. reports the last dose of humira was Sunday January 17th and she gets a dose every 3 weeks. Also had covid disease in November the week of Thanksgiving. Spanish speaker. Had an official translator for this infomation.
966202	1/22/2021	CA	35	F	1/19/2021	1/19/2021	headache was on the right side of head going towards eye- this was off and on pain in arm pain in underarm at top of chest
966220	1/22/2021	CA	35	F	1/19/2021	1/19/2021	Headache that was on the right side of her head and traveled to her eye pain in arm pain in under arm at top of chest

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
966227	1/22/2021	MN	67	M	1/20/2021	1/20/2021	Patient was in waiting area after vaccination and after a few minutes it was noted that his head had hyperextended and his eyes rolled. Laid on floor as he was unresponsive. Mask removed and gurgling noise and saliva noticed in his airway. Vitals assessed and it was detected in both his carotid and radial arteries that there was not pulse. CPR initiated. After only two compressions patient opened his eyes and started breathing on his own. He was awake, not oriented with a weak pulse. Patient provided juice sitting up in case this was diabetic reaction. EMS arrived. They did an EKG. Patient denied being transported to ER. Patient was released to care of wife at 12:30 who was instructed to bring him to ER if any symptoms reappeared.
966228	1/22/2021	MO	58	F	1/7/2021	1/17/2021	Post-Vaccination Paresthesia course: About Sunday, 1/17/2021, I began to feel a numbing sensation spreading on the top of my head. Since I was recovering from a severe allergic reaction to the Covid vaccine (numb, swollen lips, face, tongue), I initially thought it may be a recurrence. However, by the morning of Tuesday, 1/19/2021, the numbness was complete from the tops of my eyebrows, over my scalp, my ears and down the center of my back to my buttocks. The numbness was bilateral. Alarmed, I went to the Emergency Room. (I am a hospital pharmacist there.) The ER consulted Neurologist. After MRI results, diagnosis was Post-Vaccination Paresthesia. I was released from work by the ER through 1/21/2021. The height of the paresthesia was 1/21/2021. This included some auditory buzzing and mild blurred vision. Today, 1/22/2021, I am beginning to regain feeling on my back and forehead. I estimate that I have regained about 50% feeling on my scalp.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
966250	1/22/2021	CA	37	F	1/22/2021	1/22/2021	The patient experienced tingling tongue, dizziness, high blood pressure, and swelling of the eyes within 15 minutes post vaccination in the left deltoid. The patient was treated with oral Benadryl 25 mg and Pepcid 20 mg by mouth at 0820. Another dose of Benadryl 25 mg and Pepcid 20 mg was given to the patient at 09:00. She was then transported to the ED and her blood pressure at 09:31 was 193/122 and her respiratory rate was 21 on room air. She was then given IV Benadryl 25 mg at 09:44, IV Pepcid 20 mg at 09:44, and methylprednisolone 125 mg. Normal saline 1000 mL drip was started at 09:45. Valsartan 40 mg was administered at 09:59.
966275	1/22/2021	OR	80	F	1/21/2021	1/22/2021	Swelling to lips, eyes, cheek. Benadryl given. awaiting outcomes.
966287	1/22/2021	NY	33	F	1/11/2021	1/14/2021	Hives on face, back of neck, top of back, orbital swelling left and right eye
966477	1/22/2021	NC	41	M	1/20/2020	1/21/2021	Pt was driving down the road 18-24 hours after receiving vaccine when all of a sudden he experienced dizziness, rapid heartrate, headache, blurred vision, hives to chest and arms, edema and redness at injection site. Pt went to Hospital via EMS on 1-21-20 and was given 50mg Benadryl on ambulance. Pt states that he was diagnosed with a "reaction to the vaccine and I was given prednisone, pepcid and Tylenol in ED." Pt was called on 1-22-21 by Public Health nurse and states that he was feeling much better today but still had the redness and swelling at injection site.
966015	1/22/2021	IL	33	F	1/21/2021	1/21/2021	Patient felt severe pain at injection site immediately after receiving vaccine. Within 15 min her arm was hot, red and mildly swollen and severely painful. During observation period patient felt "high" lightheaded, with blurry vision. She stated she had not eaten anything since breakfast. She was given a granola bar and orange juice. Her symptoms seemed to improve after snack. After a short persio (10 min) she stated her symptoms returned (lightheaded, "high" ) we called 911 and gave epinephrine 0.5mg IM, diphenhydramine 50mg IM, and diphenhydramine 25mg orally. Ambulance transported her to ER for assessment.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
966313	1/22/2021	SC	66	F	1/12/2021	1/15/2021	client states immediately after receiving vaccine noticed prickly feeling stabbing in her left eye. lasted for about a day and was intermittent and diminished over time. Eyeball and ear started hurting along with sinuses 3 days later on Friday. Continued over weekend so went to MD on Monday. MD thought maybe acute infection and no meds were prescribed. Noticed rash on forehead on Wed. On Thursday rash seemed to be getting more pronounced and ear pain continued, lymph node behind ear was swollen. On Friday am woke up to prominent rash on forehead down eye, eyelid swollen, rash on inside of nose around eye. Lymph node swollen in front of ear
966487	1/22/2021	TN	51	F	1/21/2021	1/21/2021	Minor Face and Throat swelling. Irregular eye lid movement. Lips num and felt twisted.
966485	1/22/2021	NC	58	F	1/22/2021	1/22/2021	307pm - feels sick, double vision, nausea. 308pm - took 1 Benadryl 25mg. 319pm - dry heaves. 320pm - headache. 325pm - took another Benadryl 25mg. 330pm - dry heaves gone. 338pm - double vision improving. 339 pm - headache worsening. 345pm - double vision gone, nausea improving, still has headache. 415pm - still headache, but improved.
966456	1/22/2021	CA	50	F	1/21/2021	1/21/2021	Patient experienced dizziness, diaphoresis and blurry vision. Patient was given water, covered with a blanket and allowed to lie down. Placed on 2lpm via nasal cannula and monitored via blood pressure cuff. Patient recovered after 30 minutes of observation and was safely released. Follow up later in the afternoon and the next morning were done with patient who stated she was doing very well.
966452	1/22/2021	MO	20	M	1/18/2021	1/19/2021	Extreme nausea, vomiting and petechiae under eyes. Continued nausea/vomting for four (4) days. Nausea is received by ondansetron

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
966451	1/22/2021	TX	81	F	1/16/2021	1/16/2021	Patient c/o headache. She was an older women in a wheel chair and the temperature in the stadium was extremely cold and most of the people were shivering even if they had no other problems. The patient complained of headache after 12-15 minutes. She was alert and oriented X3 in NAD. Vital signs: BP-118/82 HR-86 O2 Sat-98%. She did not have any visual problems, nausea, vomiting ,chest pain ,stridor, SOB , or rash. I listened to her with the stethoscope. Her lungs were clear . No rales or wheezing and heart rate was normal. She was watched for almost 40-45 minutes .She had headache but it improved somewhat. I informed her to drink enough fluids, take pain killer either Tylenol or Advil whatever her MD recommends- to take when she has pain. I also informed her daughter to keep a close watch on her for 2 days and if any problems call her MD and take her to ER. I watched her very closely in the post vaccination area before she left.
966444	1/22/2021	PA	57	M	1/6/2021	1/8/2021	Sores in mouth for 2+ weeks Night sweats for 2 weeks Low grade fevers for 1 week Frontal headache behind eyes x 2 days (occurring at end week one post vaccine) Fatigue
966401	1/22/2021	GA	64	F	1/21/2021	1/21/2021	With 10 min of vaccination, Heaviness and numbness in arm, cool tingling going from top of both legs down to toes, warm rush and tingling starting at lower back and going up back and chest, nausea. The feeling in chest and back would last about 10 seconds, subside for a little while and then start again. This happened off and on for about an hour. The tingling in legs continued for about 2 hours. About 1 hour after I received vaccine I started having vision problems, blurriness, strange spots /lights , had trouble focusingnmyneeyes. Then a terrible headache set in. I have had similar vision problems with a migraine headache in the past. Felt like it triggered a migraine. Vitals were normal. Checked out by EMS and went to local ER.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
966365	1/22/2021	TX	64	M	1/16/2021	1/16/2021	Patient had an argument about some issues, so he got excited while he was waiting for observation in the post vaccination area. He had a complaint of feeling of light headed and anxious . No SOB, no chest pain, no headache, no dizziness, no visual problems. Vital signs: BP-142/90 HR-84 O2 Sat-99% He had good color, good O2 saturation and was alert and active, Oriented X3 in NAD. I told him to relax ,take deep breaths and was watching him for almost 30 minutes after he reported feeling light headed. Lungs was CTA and heart rate was normal. H/O HTN. Informed patient to relax gave him post vaccination care instructions and told him to drink enough fluids and take Advil or Tylenol PRN for pain relief.
966358	1/22/2021	OR	80	F	1/21/2021	1/22/2021	swelling to face, cheek, eyes, lips. benadryl given. awaiting outcomes. monitoring.
966322	1/22/2021	CA	55	F	12/18/2020	12/18/2020	I had eye pain, headache, ear pain
966403	1/22/2021	IA	32	F	1/12/2021	1/15/2021	I had the first vaccine with no adverse side effects and had no adverse side effects right after the second dose but approximately 2 or 3 days after I had facial swelling about my eye lids. Then, the evening of 1/20, I developed hives all over both legs. They were still there the next morning and I took Benadryl and later loratadine and they eventually went down. Later in the evening on 1/21 they came back so I took a Zyrtec and the next morning they were worse and were on my legs and arms and shoulders. I called employee health and the doctor directed me to take Zyrtec twice daily and also to take a Pepcid daily. At this point in the afternoon on 1/22, I still have the hives but they seem to be slightly improving as the day goes on.
966337	1/22/2021	OR	80	F	1/21/2021	1/22/2021	swelling to lips, cheek, eyes. bendadryl given. monitoring.
961576	1/21/2021	IL	43	F	1/12/2021	1/13/2021	Dizziness, lightheaded, unable to focus visually, fatigue, swelling and itching at the vaccination site 2 weeks post vaccine



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
961735	1/21/2021	IN	68	F	12/31/2020	12/31/2020	Day 1 late afternoon feverish and headache lasted approximately 2-3 hours went away without medication. Day 2 arm very sore from shoulder to elbow, was better by day 3. Day 3 around 11am left tricep started twitching only twice for about 1minute, later that night abdomen was twitching it woke me up ! lasted a couple minutes, next morning left quadricep was twitching for about 1 minute later muscle under left eye lasted off and on for a few minutes. Finally no more twitches !!
961696	1/21/2021	TX	57	F	1/12/2021	1/12/2021	1/12/21 - At around 7pm, I noticed a dull headache coming on and it persisted as I retired for the night. 1/13/21 - Went to work but felt sluggish, it was cold that day and I couldn't seem to stay warm. My eyes felt very heavy and headache persisted in the back of my eyes. Both symptoms worsened within the next 4 hours. I left work early. I took my temperature just to check and was running a fever at 101.2. 1/14/21 - Fever at 100.7 but no headache 1/15/21 - Fever fluctuating between 99.7 and 100.4 but no other symptoms. 1/16/21 - Fever fluctuating between normal and 100.2. No other symptoms. 1/17/21 no longer running fever

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
961684	1/21/2021	ID	35	F	1/9/2021	1/9/2021	I started to feel rundown/fatigued in the evening on the day I got the vaccine and my arm was very sore. I woke up very early the next morning with a fever of 101-102, body aches, severe headache, nausea, chills, severe fatigue, dizziness, difficulty concentrating, I would get tunnel vision, my eyes ached and felt very strained, sinus congestion and pressure. My fever spiked at 103.6 that evening and then stayed below 100 after that. For the following 7 days I still had the severe fatigue, nausea, headaches, chills, dizziness, difficult concentrating, tunnel vision that was especially bad when I had to drive, eye aches, sinus congestion and pressure, and my head felt very strange. The best way to describe it is that I felt like someone had drugged me. The only time I would leave my house was to take my daughter to school and when I would drive my head would feel super tight, my eye ache would intensify and they would feel super strained, I would get the tunnel vision and I would have trouble making it to the school and back home. Then I would go back to sleep for several hours, get up and drink some fluids and go back to bed. On day 7 or 8 I was able to stay up for periods of time and either watch movies or just lay in bed. I went back to work on 1/20 and am doing desk work. I am doing a lot better but still have daily headaches, moderate fatigue that is worse in the morning, mild intermittent nausea, my head still feels weird like I've been taking some kind of pain med or mild sedative, and I'm easily exhausted. I have trouble going grocery shopping because I get exhausted. I had a rapid COVID test done on 1/06/20 due to a headache and temp of 99.6-100.2, it was negative and we thought the temp was due to the Trokendi as that is a side effect of it. I also had a PCR done on 1/12 that came back negative.
961609	1/21/2021	CT	79	F	1/21/2021	1/21/2021	Approximately 15 minutes following the administration of first dose vaccination the patient began complaining of sudden onset bilateral blurred vision at distance. Patient denies any additional neurological complaints. Patient brought to the emergency department.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
961604	1/21/2021	NJ	21	F	1/14/2021	1/14/2021	Upon arrival to observation room, just after vaccination, patient c/o decreased vision, feeling hot and as though she was going to pass out. Pt. appeared anxious stated she did not like needles. Removed face mask to take slow deep breaths, sipped water. BP 81/51, pulse 84, pulse ox 98%, skin mildly diaphoretic. Did not lose consciousness, answered questions appropriately. Continued to drink water and take slow deep breaths, felt better after 4-5 minutes. Felt well enough to walk to the first aid room for additional observation (30 minutes). Sitting in the first aid room she continued to drink water (16 oz) and ate several crackers; symptoms continued to improve and patient she felt much better, ready to leave the clinic. Patient was calm, conversant, BP improved to 97/57, skin was warm and dry, pulse 74-78 and pulse ox 100%.
961420	1/21/2021	VA	64	F	1/15/2021	1/16/2021	I woke up Saturday morning and both eyeballs were hurting. I had sensitivity to all light. Hurting felt like a migraine in the front of my forehead. Pain with touch when washing my face or applying a cool compress. Took Tylenol and it did not improve the pain.
961583	1/21/2021	GA	49	M	1/13/2021	1/17/2021	Developed double vision 4 days after 2nd Pfizer Covid vaccine. Saw neurologist who diagnosed me with 6th nerve palsy. Brain MRI was normal.
961562	1/21/2021	AZ	31	F	1/17/2021	1/17/2021	Within minutes and almost instantaneously, as the shot was being injected, my arm tingled. Then it moved to my mouth and tongue. The roof of my mouth, and tongue became numb. I needed to think really hard how to swallow. It was like I could not figure out how to work that muscle. I took benadryl, to ease symptoms. It helped but did not take it away. Next day, mouth and tongue still numb, and my ears, eyes, nose and throat were itchy. My external skin was also itchy. My doctor put me on a steroid pack. 4 days later, I am doing much better still not 100% percent myself, but very close to being back to normal. Still have slight sensation in tongue.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
961507	1/21/2021	OH	36	F	1/2/2021	1/21/2021	starting morning on 1/21/2021 had symptoms consistent with Bell's Palsy on the right side of my face. spoke with my PCP and described the symptoms. was started on prednisone and valtrex, advised to keep my right eye lubricated to avoid corneal ulceration.
961397	1/21/2021	NC	50	F	12/16/2020	12/16/2020	She report receipt of vaccine and 30-45 minutes later experienced severe headache, nausea, scratchy throat and loss of voice and breathing was 'heavy'. She reports pallor, increased heart rate and near syncope. She denies pruritis, urticaria, flushing, watery eyes, face/tongue or lip swelling, CP, cough. She was seen in ER and treated with zofran, pepcid, solumedrol, monitored and then released. ER records note tachycardia at 107 but otherwise normal VS and exam. .
962171	1/21/2021	TX	51	F	1/9/2021	1/10/2021	Low grade fever (99.9) body aches, nerve pain chills, headache, ear pain; Low grade fever (99.9) body aches, nerve pain chills, headache, ear pain; Low grade fever (99.9) body aches, nerve pain chills, headache, ear pain; Low grade fever (99.9) body aches, nerve pain chills, headache, ear pain; Low grade fever (99.9) body aches, nerve pain chills, headache, ear pain; Low grade fever (99.9) body aches, nerve pain chills, headache, ear pain; Low grade fever (99.9) body aches, nerve pain chills, headache, ear pain; This is a spontaneous report from a contactable Nurse (patient). A 51-years-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number EI3248), via an unspecified route of administration in the left arm on 09Jan2021 06:30 at single dose for COVID-19 immunisation at hospital. Medical history included asthma, seasonal allergy, milk allergy, eucalyptus allergy. Concomitant medication included montelukast sodium (SINGULAIR), levocetirizine dihydrochloride (XYZAL), ciclosporin (RESTASIS, eye drop). The patient previously took tetanus vaccine and experienced drug hypersensitivity. The patient experienced low grade fever (99.9 F) body aches, nerve pain chills, headache, ear pain on 10Jan2021 08:00 with outcome of recovered. The patient took diphenhydramine hydrochloride (BENADRYL) 25mg every 6 hours and it relieved all symptoms. Prior to vaccination, the patient was not diagnosed with COVID-19 and since the vaccination the patient had not been tested for COVID-19.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
961400	1/21/2021	FL	56	F	1/18/2021	1/19/2021	Severe fatigue, fever, chills, nausea, vomiting one time, head ache, eyes burning
961597	1/21/2021	CT	79	F	1/21/2021	1/21/2021	Approximately 15 minutes following the first dose vaccination the patient began to complain of sudden onset bilateral blurred vision at distance. Patient denies any additional neurological symptoms. Patient brought to the ED for evaluation.
961756	1/21/2021	MN	38	F	1/21/2021	1/21/2021	Prior to vaccination, patient denied previous reactions to vaccines or injectable products. Patient received Pfizer COVID-19 vaccine at approximately 10:55 am. Patient requested to sit down as she became faint. After sitting, patient became unresponsive with eyes rolling back in head, and gasping for breath/gurgling. Patient's head was also bobbing up and down slightly. Patient was then transferred to the floor. After moving to the floor, patient became slightly responsive but was still disoriented. 0.3 mg of epinephrine was administered into the right thigh at approximately 11:04 am. Patient's condition continued to improve, although she became nauseous with no emesis. EMS arrived at the scene and patient was monitored in the ambulance per EMS discretion but then left the scene with her husband.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
961839	1/21/2021	NY	41	F	1/5/2021	1/11/2021	tingling in her right arm; I woke up on Monday very tired; she had symptoms of bells palsy; This is a spontaneous report from a contactable consumer (patient). This 41-year-old female (no pregnant) patient received 1st dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/lot number: EJ1686) on 05Jan2021 10:15AM at Upper Left Arm for COVID-19 immunization. Medical history and concomitant drug were not reported. She said she got Botox injections in her forehead, as well as, a little bit by each eye, a little less than 3 weeks prior to receiving the COVID-19 Vaccine. She clarified she believes she was injected with only 50cc's of a Botox 100mg vial. She said she does not have the Botox NDC, Lot, and Expiration Date from the Botox that was injected into her forehead and eye areas approximately 3 weeks earlier. Patient got the 1st shot of covid vaccine on 05Jan2021. On Monday she had symptoms of bells palsy and wanted clinic trials result for it. Reported her Bell's Palsy symptoms started on Monday, 11Jan2021, and she was formally diagnosed with Bell's Palsy in the right side of her face in the Emergency Room on 12Jan2021 was reported as worsened. She said the doctor told her the Bells Palsy could worsen before it improves. She said the doctors ruled out a stroke and diagnosed her with Bells Palsy. Stated she has tingling in her right arm that comes and goes on 12Jan2021. She doesn't have the right arm tingling all the time. Event details: On Saturday, 09Jan and Sunday 10Jan my right eye began to twitch from time to time. I woke up on Monday very tired and my eyes were swollen and I had bags under my eyes. I felt a little off but went to work. In the middle of the day my right eye began hurting with a burning sensation. I thought I needed to change my contact lenses. The following day, Tuesday 12Jan. I woke up and noticed that I can't fully close my right eye. I felt tired again and my eyes had bags under them. I went to work and felt like not myself. Around 10am, I ate cereal and noticed that I was chewing funny. At 1:30 pm I felt tingling around my right lip and at 4pm I noticed that smile is off and that I was not able to smile fully with my right side. That was when I went to the Emergency Room. She said she was given 3 Prednisone 20mg pills while she was at the hospital yesterday, as well as, a prescription for Prednisone 20mg tablets. She said she is to take 3 Prednisone 20mg tablets per day for 6 days. She clarified once she finishes the Prednisone

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							20mg prescription, she will have taken 7 days of Prednisone 20mg tablets. She stated the Prednisone 20mg tablets were dispensed in a pharmacy vial, and she does not have the NDC, Lot and Expiration Date. She said she also received a prescription for Valacyclovir 1gm tablets. She said she is to take 1 Valacyclovir 1gm tablet, three times a day, for 7 days. She said the Valacyclovir 1gm tablets are dispensed in a pharmacy bottle, and she doesn't have the Valacyclovir 1gm NDC, Lot and Expiration Date. She said she doesn't want to get the second COVID-19 Vaccine dose now. No Covid prior vaccination. Covid tested post vaccination (Nasal Swab): Yes- Negative. Outcome of reaction/event at the time of last observation was Not Recovered/Not Resolved. Follow-up attempts are completed. No further information is expected.
961969	1/21/2021	MI	68	F	1/13/2021	1/15/2021	Two days after receiving vaccine she presented to an emergency department with an episode of blurry vision and outward deviation of left eye that resolved within one hour. She went to Emergency Department for evaluation.
962068	1/21/2021	IA	55	F	1/11/2021	1/19/2021	Started w/chills body aches - then came fever 102.7 - chills w/shaking, muscle, joint and bone ache, nausea, blurred vision, dizziness, weakness fatigue, chest pressure, diarrhea and burning w/deep breath. Hands and feet cold. Continued all day 1/20/21 and has been intermittent 1/21/21

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
962082	1/21/2021	IA		F	12/22/2020	1/4/2021	Episcleritis; red, painful eye; red, painful eye; This is a spontaneous report from a contactable nurse (patient). A 56-years-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiration date unknown), intramuscular on the left arm on 22Dec2020 at 16:15 at a single dose for COVID-19 immunization. Medical history was not reported. Concomitant medications included propranolol (PROPRANOLOL), montelukast sodium (SINGULAIR), mometasone furoate (FLONASE [MOMETASONE FUROATE]) and multivitamin with minerals. The patient had no other vaccine in four weeks. The patient previously took and had known allergies with Morphine. The patient had no COVID-19 prior vaccination, had not tested post-vaccination. The patient developed red, painful eye on 04Jan2021 at 06:00 AM. The patient saw the eye doctor. Do with Episcleritis. It was also reported that the patient never had this thing before. The events resulted in healthcare professional office/clinic visit. Treatment for the events included Prednisolone eye drops. The events were resolving. Information on the lot/ batch number has been requested.
962152	1/21/2021			F			eyes are swollen and itchy; eyes are swollen and itchy; This is a spontaneous report from a contactable consumer (patient). A female patient of an unspecified age received the second dose of BNT162B2 (Pfizer-BIONTECH Covid-19 Vaccine), via an unspecified route of administration on an unspecified date at a single dose as a COVID-19 vaccine. The patient's medical history and concomitant medications were not reported. The patient previously received the first dose of BNT162B2 (Pfizer-BIONTECH Covid-19 Vaccine) on an unspecified date. The patient just got the second vaccine and experienced side effects as eyes were swollen and itchy on an unspecified date and had to take Claritin and Benadryl. There was no swelling of the face/tongue. The patient was asking if this was normal and what should they do. Outcome of the events was unknown. Information about the lot/batch has been requested.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
962191	1/21/2021	MD	27	F	12/23/2020	12/23/2020	left arm started tingling; roof of my mouth started tingling then my tongue started tingling and felt like it was getting a little larger; heart palpitations; lower half of my face went numb; Right eye also felt weird like vibrating; This is a spontaneous report from a contactable nurse. A 27-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EJ1685), via an unspecified route of administration in left arm on 23Dec2020 15:30 at single dose for COVID-19 immunization. Medical history included COVID-19 from an unknown date and unknown if ongoing prior to vaccination of BNT162B2. Concomitant medication included ibuprofen (ADVIL), ibuprofen and escitalopram oxalate (LEXAPRO). The patient stated, "my left arm started tingling and it was very strong by my finger tips" on 23Dec2020 03:45 PM. The patient stated, "then the roof of my mouth started tingling then my tongue started tingling and felt like it was getting a little larger. Then I got heart palpitations. The mouth tingling went away in ten minutes but then 15 minutes later the lower half of my face went numb and that lasted about 10 minutes. Right eye also felt weird like vibrating" on 23Dec2020. No treatment received for the adverse events. The facility where the most recent COVID-19 vaccine was administered was in the hospital. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. The events were considered non serious as it did not result in death, were not life threatening, did not cause/prolonged hospitalization, were not disabling/Incapacitating and had no congenital anomaly/birth defect. The outcome of the events was recovered on unspecified date.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
962197	1/21/2021	AZ	56	M	12/31/2020	1/1/2021	allergy; I have had additional swelling around my upper body including my right eye and right upper quadrant, right ribs.; I have had additional swelling around my upper body including my right eye and right upper quadrant, right ribs.; I have had additional swelling around my upper body including my right eye and right upper quadrant, right ribs.; my Tongue started swelling; both hands started swelling; Foot swelling including the ankle; Foot swelling including the ankle; This is a spontaneous report from a contactable other hcp reported for himself. A 56-year-old male patient receive BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number: bh9899), intramuscular on 31Dec2020 13:30 in left arm at single dose (first dose) for COVID-19 immunization. There were no concomitant medications and medical history. After a day of the vaccine which was giving on Thursday 31Dec2020, patient started experiencing sided effects of his foot swelling including the ankle. On Sunday (03Jan2021), both hands started swelling, Monday (04Jan2021) morning his tongue started swelling and went to his doctor. He administered a steroid and prescribed an Epinephrine pen just in case it got worse and was also prescribed additional medicines for his allergy. Since he had had additional swelling around his upper body including his right eye and right upper quadrant, right ribs. AE treatment including steroid injection, hydroxyzine HCL 25 mg, Methylprednisolone 4 mg. AE resulted in doctor or other healthcare professional office/clinic visit. No other vaccine in four weeks and no other medications in two weeks. There was no COVID tested post vaccination and COVID prior vaccination. The outcomes of events were resolved with sequel.; Sender's Comments: Based on the time association, the possible contribution of suspect BNT162B2 to the events cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
962250	1/21/2021	VA	49	F	1/7/2021	1/1/2021	Hives; legs were feeling itchy; red blotches to back of thighs/red blotches to both inner arms/red blotches mostly to both calves; redness to right leg/redness to right thigh/she had redness, flushed and warmth of face; stated that all the flushed areas were hot to touch; redness to face (flushed)/she had redness, flushed and warmth of face; she had redness, flushed and warmth of face; moderate allergic reaction to the vaccine; This is a spontaneous report from a contactable consumer (patient). A 49-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number: EL1284; expiry date: unknown) via an unspecified route of administration in the right arm, on 07Jan2021 at a single dose, for COVID-19 immunization. Relevant medical history included right eye surgery on 06Jan2021, severe allergies, environmental and drug allergies. The patient has no concomitant medications. The patient stated that she had first dose of COVID vaccine on Thursday. Stated that she has sent V-safe reporting updates. Stated that she had a moderate allergic reaction to the vaccine on an unspecified date in Jan2021. She had noticed hives when she woke up on Friday morning (08Jan2021) that her legs were feeling itchy. She stated that she has hives, red blotches on back of thighs, arms and mostly on calves. The area was hot to touch. She then clarified that all the flushed areas were hot to touch. She was feeling a little better. She stated that they looked like they were trying to dry up and she has new ones. She had redness, flushed and warmth of face that started the day of vaccine that night (07Jan2021). She had red blotches to back of thighs Friday evening and they were starting to fade. Stated that the blotches to her left leg started Friday and that evening redness started to right leg and thighs. The blotches to both calves are still warm but starting to improve. The redness to her right thigh is more pink than red now. The patient was Benadryl around the clock and using Aveeno cream as treatment for the events. She has always had severe allergies but has not had an allergic reaction in over year. She also has history of environmental and drug allergies. Patient was trying to determine if should go back for second vaccine due to the reaction. She had asked for a consult from the immunization doctor before receiving the vaccine because she has history of severe allergies. Outcome of

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
962263	1/21/2021	MI	59	F	1/12/2021	1/13/2021	the events hives, and redness was not recovered, for events flushing, hot flushes, and red blotches was recovering, while for the remaining events was unknown.
							left side of face swelling, especially left eye area and around left side of mouth; This is a spontaneous report from a contactable nurse. A 59-year-old female patient received second dose of bnt162b2 (BNT162B2, lot number: EKG9231, expiration date: not reported), via an unspecified route of administration, on 12Jan2021 10:00 AM on left arm for COVID-19 immunization. The patient was not pregnant at the time of vaccination. The vaccine was administered at a hospital. She did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was not diagnosed with COVID-19 prior to vaccination. Medical history included gerd (Gastroesophageal reflux disease) and allergy to grapefruit. Concomitant medication included esomeprazole magnesium (NEXIUM). The patient previously received the first dose of bnt162b2 (BNT162B2, lot number: Elo 140, expiration date: not reported), via an unspecified route of administration, on 23Dec2020 09:00 AM on left arm for COVID-19 immunization. The patient experienced left side of face swelling, especially left eye area and around left side of mouth, on 13Jan2021 11:00 PM. Since the vaccination, the patient has been tested for COVID-19: Nasal swab on 01Oct2020 (as reported) with negative result. The treatment received for the adverse event was Otc (over-the-counter) Benadryl. Outcome of the event was recovering.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
961364	1/21/2021	WI	55	F	1/20/2021	1/20/2021	HALF HOUR AFTER SHOT IN LEFT ARM MOUTH TASTED LIKE METAL THEN ANOTHER HALF HOUR MY LEFT CHEEK, TONGUE, TEETH, JAW, NECK WENT NUMB, I CAN FEEL IT NUMB AROUND MY LEFT EYE TO. ITS LIKE BELLS Palsy WHEN I TRY TO SMILE LEFT SIDE OF LIPS GO DOWN AND LEFT SIDE OF LIPS ARE NUMB AND THE LEFT SIDE OF FACE IS SWOLLEN AND JAW IS TIGHT. CHEEK FEELS THICK, TINGLING IN ARM DOWN LEFT ARE TO PINKY FINGER. SORE ARM WHERE SHOT IS. TIGHTNESS IN SHOULDER. CALLED NURSE SAID TO WATCH IT STILL THE SAME AFTER ALL NIGHT, STILL NUMB AND SWOLLEN BUT CAN EAT BREATH AND TALK.
960576	1/21/2021	NV	75	F	1/1/2021	1/19/2021	5 min post injection angioedema s begin; flushing, flushing to genital area, progressed to GI, throat, HA, B/P 170 (never this high); eyesight blurred. Systemic w/o urticaria

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
962284	1/21/2021	OH	75	F	1/8/2021	1/8/2021	Severe headache; Nausea; Throwing up; I got so sick; Body ache; I was in pain everywhere; This is a spontaneous report from a contactable consumer (patient). A 75-year-old female patient received the first dose of BNT162B2 (Pfizer-BIONTECH Covid-19 Vaccine; Lot number: EK5730), via an unspecified route of administration on 08Jan2021 at a single dose for COVID-19 immunisation. Medical history included migraine, depression, AFib, COVID-19 in Jun2020, and sleep disorder. Concomitant medications included prednisolone, ciprofloxacin, warfarin, timolol, sleep medications (unspecified), and eye drop (unspecified). The patient experienced body ache; stated that she was in pain everywhere on ; severe headache, nausea, throwing up, The patient stated that she felt like she had COVID all over again. She got so sick. It was reported that she worked for a clinic (also reported as a hospital) and on Friday (08Jan2021), she got the COVID shot. By Friday evening, she had body ache, and by Saturday, she was in pain everywhere. She also had severe headache, nausea, and was throwing up on 09Jan2021. According to her, the whole thing felt like she had COVID all over again and this went on through yesterday, she still had the headache today and some nausea. She stated that they were supposed to report this. When further clarified, the patient stated that she was tested yesterday again, just because it felt like COVID and because she had COVID way back in June last year. Stated that it felt like that all over again. She went to the [unclear statement], after hours to urgent care yesterday, they tested her again for COVID. She did not have COVID, she was clear, she was negative for COVID. Stated that she now knows that's what she has was just a result to the shot. When probed to clarify if it was the first dose or the second dose, the patient stated that she was just calling to ask. According to her, she was due to have it, the 29 (not clarified). She doesn't know if she should do it, she got so sick, she had been throwing up and everything. The patient was inquiring if she should do the second dose. The patient stated that she was about 150 lbs. and she does get her INR checked. As treatment, the patient took Tylenol and then took Zofran for the nausea. Outcome of the events 'Severe headache' and 'Nausea' was not recovered, while for the other events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
962305	1/21/2021	PA	23	M	12/23/2020		Left eye has been twitching; This is a spontaneous report from a contactable consumer (patient). This 23-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (Batch/lot number: EL0401), via an unspecified route of administration on 23Dec2020 at single dose on the left arm for COVID-19 immunization. The patient's medical history was not reported. The patient's concomitant medications included fluoxetine hydrochloride (PROZAC) and clonazepam (KLONOPIN). Patient stated he got the vaccine at the hospital. Patient stated he was just calling because it was actually something that for the past like couple of weeks, it was like his left eye has been kind of twitching on an unspecified date. Patient stated he did not have lab work and treatment, it just happened like 2 weeks ago. Patient stated he did not visited any emergency clinic or physician's office and haven't seen anybody. Outcome of the event was unknown.
962092	1/21/2021	MO	56	F	1/7/2021	1/8/2021	right eye right peripheral vision became starburst; This is a spontaneous report from non-contactable healthcare professional (patient). A 56-year-old female patient received the first dose of bnt162b2 (BNT162B2; lot number EL3248), intramuscular on the right arm on 07Jan2021 at 15:45 at a single dose in the hospital for covid-19 immunisation. Medical history included myasthenia gravis. The patient did not have COVID prior vaccination. The patient was not pregnant at the time of report. The patient received unspecified concomitant medications (other medications received in two weeks). On 08Jan2021 at 08:15 (also reported as approximately 18 hours post injection), the patient's right eye right peripheral vision became starburst. It was odd enough that patient thought it should be reported even if it might be coincidence. The patient did not receive treatment for the event. Vision resolved in about 45 minutes, on 08Jan2021 at 09:00. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
960280	1/21/2021	TX	62	F	1/6/2021	1/6/2021	rosacea flare up; facial flushing; This is a spontaneous report from a contactable consumer (reported for himself). A 62-year-old female patient (not pregnant) received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EJ1658), via an unspecified route of administration on 06Jan2021 12:15 at single dose at left arm for COVID-19 immunization. Medical history included asthma; osteoporosis; dry eye; Known allergies: Omnipaque CT injection fluid; environmental allergies including pollen and dust mites; rosacea he had many years ago including facial redness and burning. Concomitant medication included fluticasone propionate (FLOVENT). The patient previously took denosumab (PROLIA) injection last taken on 06Aug2020. Facility type vaccine was Hospital. No other vaccine in four weeks. About eight hours after the injection the patient started having facial flushing and was advised to go to an emergency room. Patient saw Dr. (Name) at (Institution name) who prescribed Benadryl, Prednisone and Pepcid and the facial flushing subsided but came back the next day. The patient had been experiencing a recurrence of symptoms due to a rosacea flare up that he had many years ago including facial redness and burning. Adverse events start date on 06Jan2021 20:00 and resulted in Emergency room/department or urgent care. The patient didn't have COVID prior vaccination and didn't have COVID tested post vaccination. The outcome of the events was recovered with lasting effects.
962335	1/21/2021	IN	70	F	1/19/2021	1/19/2021	I had COVID-19 in December for more than 3 weeks. I felt like I felt during that time.. I was weak. I hurt everywhere. I had a temperature. of 101-102 degrees. My normal temperature is 97.6. I had a severe headache. My vision was impaired. I would go from freezing to being very hot.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
963514	1/21/2021	OK	77	F	1/21/2021	1/21/2021	Pt seen at COVID vaccination event at her adult health care facility. 17 min post vaccination pt complained of itchy throat, "funny feeling" and "just feel off." Pt evaluated by RN and no s/s of anaphylaxis including no respiratory distress, low O2, no evidence of urticaria or angioedema. 21 min post vaccination pt given 12.5 mg diphenhydramine IM in different limb from vaccination. RN continued to monitor and no changes in symptoms and no deterioration in symptoms or vitals. 34 min post vaccination another 12.mg diphenhydramine IM administered in different limb from vaccination and continued monitoring by RN with no changes in vitals and no s/s of anaphylaxis. At 11 am pt reported "feeling fine" with no distress. Pt discharged from RN supervision with complaints resolved.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
960336	1/21/2021	CO	51	F	1/7/2021	1/7/2021	feeling malaise; general soreness/Body and joints with extreme pain everywhere it touched the mattress; no real taste; chest pressure/tightness/ general pressure in the chest; SOB/ SOB with movement; Body and joints with extreme pain everywhere it touched the mattress; a screw in left foot, it felt like it was on fire at some point during the night; My left leg ached up into my hip; fever 99.9; HA; eye pain; intermittent nausea; This is a spontaneous report from a contactable nurse (patient). This 51-year-old female patient (non-pregnant) received the second single dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number: EL0142) on 07Jan2021 at 11:15, in right arm, for COVID-19 immunisation. Medical history included asthma, allergies to latex, banana, kiwi and acetylsalicylic acid (ASPIRIN). The patient received the first dose of BNT162B2 vaccine on 17Dec2020 at 19:45, lot number EJ1685, in right arm. The patient had no COVID prior vaccination. No other vaccine was given in 4 weeks. COVID was not tested post vaccination. Concomitant medications included thyroid (ARMOUR THYROID) and escitalopram. On 07Jan2021 at 12:30 the patient began experiencing SOB; assumed it was asthma, 2 puffs of albuterol were taken. At 13:30 she had still SOB with chest pressure/tightness, no change, no cough, no feeling appropriate, 2 puffs albuterol. At 14:15 reported to the vaccination clinic and told them of symptoms, SOB with movement and general pressure in the chest. 2 paracetamol (TYLENOL) were taken. She had to check into the ER for observation. Oxygen saturation was checked for 2 hours. No change in symptoms, no worsening. She then left work in the ER and went home. At approximately 18:00 she ate dinner, no real taste, but needed to eat. At 18:30 she showered, at 20:00 she went to bed just feeling malaise, continued pressure in the chest and general soreness. 2 Tylenol. Body and joints with extreme pain everywhere it touched the mattress. She had a screw in her left foot, it felt like it was on fire at some point during the night. Her left leg ached up into her hip, she had fever 99.9, continued to 10Jan2021 with malaise, HA, eye pain, intermittent nausea. The events had not yet resolved at the time of report.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
960340	1/21/2021	FL	66	F	1/10/2021	1/10/2021	Swelling in face at temples where I had filler a year ago; right eye area swelled up more until eye was almost closed; This is a spontaneous report from a contactable consumer (patient). A 66-year-old female patient received her first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EI3246), via an unspecified route of administration on 10Jan2021 12:30 at single dose in left arm for covid-19 immunization. Illness at vaccine included urinary tract infection from Jan2021 and ongoing. Medical history included face at temples where she had filler a year before (in 2019). Concomitant medication included nitrofurantoin for urinary tract infection from 04Jan2021 to 11Jan2021. The patient had historically gotten shingles vaccine, flu vaccine and pneumonia vaccine and never had any problems. The patient experienced swelling in face at temples where she had filler a year before (in 2019) and right eye area swelled up more until eye was almost closed on 10Jan2020 17:00. This consumer had the bnt162b2 on 10Jan2021 at about 12:30pm. On 10Jan2021 around 4:00 pm (reported as "10Jan2020 05:00 pm") she noticed the areas around her temples and under eyes where she had filler placed last year swelled up quite a bit. She read up on this and saw to take antihistamines or oral steroids for this, so she took antihistamines and the event improved, was much better through during the day yesterday (11Jan2021). Last night (11Jan2021) her right eye area swelled up more until eye was almost closed; in response to that event she has been icing the area and the event has improved, swelling come down quite a bit but still ongoing. She called her primary care physician about this event and is waiting for a callback from them about getting a steroid pack. She already reported this information on an unknown Pfizer website online, and also on the VAERS reporting online site today (12Jan2021); but does not have any reference numbers from those reports to provide at this time. She called to ask for information on how to proceed regarding this event; if this has been reported with bnt162b2; if there would be problems with her getting the second dose of bnt162b2 as scheduled on 31Jan2021 because she heard the second dose would be worse. She also noted during this report that she was still taking nitrofurantoin for urinary tract infection when she received that first dose of bnt162b2; she asked if that could have

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
960361	1/21/2021	OK	50	F	1/7/2021	1/7/2021	<p>any correlation with event or be a problem taken together. She reported by the time she got that first dose the urinary tract infection itself was gone. Caller verified that she received no other vaccines on the date of first dose of bnt162b2 and onset of adverse event. She verified that she had not received any other vaccines in the 4 weeks prior to the first dose of bnt162b2 and onset of adverse event. She verified that she has no history of any adverse events with any other vaccines. The outcome of the events was recovering.</p> <p>inappropriate schedule of vaccine administered (first dose on 18Dec2020, second dose on 07Jan2021); Temp 102; body aches; chills; lymph node in right armpit swelling sz golf ball; vertigo all lasted 2.5 days; migraine pain &gt;10 on pain scale; rash on hands and arms; nausea; blurred vision; Ongoing headache and body aches 5 days now; This is a spontaneous report from a contactable Nurse (patient). A 50-year-old Female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number/expiration date unknown) on 07Jan2020 at 09:00 a.m. intramuscular on right arm at single dose for COVID-19 immunization. Relevant medical history included hypothyroidism, post-traumatic stress disorder, anxiety and allergy to tetracycline. Concomitant medications included escitalopram oxalate (LEXAPRO), celecoxib (CELEBREX), levothyroxine, esomeprazole sodium (NEXIUM [ESOMEPRAZOLE SODIUM]), colecalciferol (VITAMIN D [COLECALCIFEROL]) and paracetamol (TYLENOL). The patient received first dose of BNT162B2 on 18Dec2020 at 04:00p.m. intramuscular on right arm. On 07Jan2021 at 11:00 a.m. the patient experienced pyrexia with temperature of 102, body aches, chills, lymph node in right armpit swelling sz golf ball (as reported), nausea, migraine pain &gt;10 on pain scale (as reported), rash on hands and arms, blurred vision and headache. On 08Jan2021 the patient underwent Nasal Swab SARS-CoV-2 test (Abbott) which resulted negative. No Treatment received for events. The patient recovered from vertigo on 09Jan2021. At the time of the reporting the patient had not yet recovered from headache and body aches, while was recovering from other reported events. Information about Lot/Batch number has been requested.</p>

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
960363	1/21/2021			M		1/11/2021	right eye has little shooting lightning bolts that are constant; This is a spontaneous report from a contactable other healthcare professional (patient) through the Medical Information Team. A male patient of an unspecified age received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number and expiry date were not reported), via an unspecified route of administration on 11Jan2021 11:30 at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient stated that at 11:30am he received the Covid vaccine and now his right eye had little shooting lightning bolts that were constant. He wanted to know if that was a common side effect. Outcome of the event was unknown. Information about lot/batch number has been requested.
960404	1/21/2021	NY	40	M		1/11/2021	Drowsy; Weak; Pain in the knees/pain in his joints/joint pain from his Legs, Arms, and fingers; Both of his eyes feel tired; could not lift arm; bruised under the arm; back pain; neck pain; could not turn neck; headache; Pain with bending head down; This is a spontaneous report from a contactable consumer. A 41-year-old male consumer received his second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) in left arm on 11Jan2021 at 07:45 at single dose for COVID-19 immunisation at the age of 40-year-old. Medical history included HIV infection, root canal in Dec2020, COVID-19 in Jun2020 or Jul2020. Concomitant medications were unknown. Vaccination history included first dose of BNT162B2 on 21Dec2020 for COVID-19 immunisation (could not lift arm, bruised under the arm, back pain with his neck he could not turn it, he could not be on his left side where he got the shot on left arm, headache). The patient experienced drowsy, weakness, knee pain, joint pain, could not lift arm, bruised under the arm, back pain, neck pain and could not turn neck, Headache, pain with bending head down, both eyes feel tired. In Jun2020/ Jul2020, the patient resulted positive to SARS-CoV-2 test; then, the patient had 3 negative SARS-CoV-2 test; weight: lost. The outcome of the events was unknown. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
960411	1/21/2021	LA	26	M	1/10/2021	1/12/2021	Allergic reaction resulting in full body hives, swollen hands, eyelids and lips; Allergic reaction resulting in full body hives, swollen hands, eyelids and lips; Allergic reaction resulting in full body hives, swollen hands, eyelids and lips; Allergic reaction resulting in full body hives, swollen hands, eyelids and lips; Allergic reaction resulting in full body hives, swollen hands, eyelids and lips; This is a spontaneous report from a contactable other health professional (patient). A 27-year-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number and expiry date were unknown) at the age of 26 years old, via intramuscular route in the left arm, on 10Jan2021 at 13:00, at a single dose, for COVID-19 immunization. Medical history included high blood pressure. The patient's concomitant medications were not reported. The patient has no known allergies. The patient was not diagnosed with COVID prior vaccination. The patient did not receive other vaccines within four weeks prior to COVID vaccination. The vaccine was administered in the hospital. On 12Jan2021, at 07:30 A.M., the patient experienced allergic reaction resulting in full body hives, swollen hands, eyelids and lips. The patient did not receive treatment for the events. Outcome of the events was recovering. The patient has not been tested for COVID-19 since vaccination. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
960447	1/21/2021	IL	36	F	1/7/2021	1/1/2021	Shoulder pain; Body hurting; Headache; Area around my neck hurts really "bad"; My eye hurts; This is a spontaneous report from a contactable consumer (a Certified Nurse Assistant) reporting for herself. A 36-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 07Jan2021 at 07:30 at single dose for covid-19 immunisation. Medical history and concomitant medication were none. Patient received the vaccine on 07Jan2021 at around 7:30 in the morning. On an unspecified date in Jan2021, she started developing like really bad shoulder pain and like her body was hurting, and she had like a severe headache and area around her neck hurt really 'bad' (not clarified). She had been taking Tylenol but did not work, nothing seemed improving and what else she could can take for it. Patient stated it was really bad. It didn't even help that much but she was taking. Patient further added she was taking '550 mg' (not clarified) per tablet and it was not working. When probed if still having the problems the patient stated they was just getting worst, and her eye hurt too (Jan2021). Final outcome of the events was reported as not recovered. Second dose of the vaccine was scheduled on 28Jan2021. Information on the Lot/Batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
960454	1/21/2021	CA		F			<p>Weird feeling; Never had a temperature; temperature went up to 102.2; Chills; Eyes started getting hot aches and pains; Eyes started getting hot aches and pains; Back ache; hot, flush cheek; hot, flush cheek; This is a spontaneous report from a contactable nurse (patient). A 64-year-old female patient received the second dose of BNT162B2, intramuscularly on an unspecified date at single dose for COVID-19 immunization. Medical history included primary biliary cholangitis (PBC). Concomitant medication included riboflavin/thiamine hydrochloride/ursodeoxycholic acid (URSO). Patient previously received first dose of BNT162B2 for COVID-19 immunization. The second shot she got around 1:30 on Friday and came home and a kind of feel weird an hour later about she figured it out whatever. She came home, she went, took rest, what happened was around 1:30 was it the same day she was losing track. She got this temperature and it started going up pretty fast and she was one of those people who had normal temperature was like 97 it went up to 102.2 and she called the "(company name)" (not clarified) advisor just to ask recommending paracetamol (TYLENOL) or acetylsalicylic acid (ASPIRIN) because she didn't want to take the wrong one. She said paracetamol wasn't recommending it was very pretty common that was for having no symptoms but the ones that were 24-36 hours afterwards. So, she was having the temperature she took the paracetamol which helped but she had chills, her eyes were like hot, flush cheek, she pushed fluids. Next day she felt it came again after 8 hours her eyes started getting hot, eyes got hot again so she kept pushing fluids and then she started getting aches and pains and then she just took more paracetamol and been resting the whole time. She took the Pfizer one just an "FYI" (not clarified) everyone at work saying you should have waited work for "Mondera" (not clarified). They said it had less side effects it started protecting you immediately after the injection where Pfizer took 3 weeks to second one to protect you. From the second vaccine, she didn't want to really tell anybody at work any one about her high temperature, her flush cheeks, her chills, her all the above right because she was scared that wouldn't take the second vaccine. Patient never had a (temperature) she was one of those people that "sudden" normal "Fumida" (not clarified) send bed for 2 day and just drink</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							water and some "jellies" you know it was something that was why she was calling. Patient got vaccine on Friday and came home about 11:50 in the morning. She started experiencing around 10 am and I got this shot the second vaccine around 1:30 ish-1:15-1:30 in the afternoon till the next day. Patient felt better at the time of the report. She only felt like aches in her back she didn't know what that was and that was about it and obviously she felt better because she was talking on the phone, she couldn't have done that yesterday if she wanted. Yesterday all she wanted to do was sleep, rest and try to get the fever down. Outcome of the events was resolving. Information about batch/lot number has been requested.
960458	1/21/2021			U	12/21/2020	12/27/2020	Broken blood vessel in eye; This is a spontaneous report from a contactable consumer (patient). A patient of unspecified age and gender received the 1st dose of bnt162b2 (BNT162B2) at single dose on 21Dec2020 for Covid-19 immunisation. The patient medical history and concomitant medications were not reported. The patient experienced broken blood vessel in eye on 27Dec2020. The outcome of events was unknown. The reporter considered there was not a reasonable possibility that the event broken blood vessel in eye was related to the vaccine. He was supposed to get second dose, but he did not know whether to get it or not. Information on the lot/ batch number has been requested.; Sender's Comments: There is not a reasonable possibility that event broken blood vessel in eye is related to BNT162B2. The event is most likely intercurrent medical condition.
960521	1/21/2021			U			Very oily forehead, slightly oily nose, watery left eye, a little watery right eye.
960708	1/21/2021	AR	50	F	1/14/2021	1/17/2021	began to have periorbital edema with skin sloughing around eyes
960706	1/21/2021	IN	33	F	1/19/2021	1/19/2021	itchy left eye beginning one hour after vaccination chills the day after vaccination mild cough the day after vaccination extreme fatigue for 36 hours swollen puffy left eye the day after vaccination, still currently experiencing more than 40hrs after vaccination

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
961327	1/21/2021	TN	84	F	1/11/2021	1/11/2021	Given shot on Monday, January 11, 2021 at 10:15 am . Was fine until 7:30 pm that night. Felt like I was drugged and couldn't keep my eyes open. Slept (except for bathroom stops) until 7:30 pm on Tuesday night. Very red and large knot on shot arm. Lasted many days. Very sleepy for days, Dull headaches. Stomach upset. Very foggy thought processes for more than a week. Blurry vision for a few days. Joint pain. Spoke with Moderna and they suggested I talk to my doctor. Doctor told me the side effects would go away within ten days. Most of they did.
960713	1/21/2021	AR	50	F	1/14/2021	1/17/2021	developed periorbital edema with skin sloughing around eyes
960852	1/21/2021	PA	52	M	1/1/2021	1/15/2021	So basically I believe I have Bell's palsy . After about an hour after receiving the vaccine I noticed I was having a weird taste in my mouth. Sort of a metallic taste. As the weekend went on it seemed to get worse. Then Monday morning I noticed when brushing my teeth that I wasn't able to gurgle my mouth wash. And saw that my mouth and eye seemed to be drooping slightly. Now Thursday the 21st and it seems to be effecting my speech to were I now have a lisp. Can definitely see it when I'm speaking to someone. Which people have commented on. Not sure what can be done . But at this point I'm hoping it doesn't get worse. Thanks
960868	1/21/2021	IN	32	M	1/19/2021	1/20/2021	Severe body aches, foggy headed, light headed, headaches, body chills without fever, blurred vision.
960887	1/21/2021	IN	34	M	1/19/2021	1/20/2021	Headache, eye pain, chills, fever
960954	1/21/2021	MI	39	F	1/20/2021	1/21/2021	Within 45 minutes had some dizziness, fatigue, woke up with left eye drooping and swollen down into cheekbone area, with a little blurry vision.
961018	1/21/2021	TN	38	M	1/20/2021	1/21/2021	Developed tingling over body, feeling hot but no fever, fatigue, headache, motion sickness feeling, and a dimness in vision and tunnel vision in both eyes

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
961061	1/21/2021	AK	68	F	1/20/2021	1/20/2021	Severe posterior headache and lower midline back pain. 68 yo female with PMH cognitive changes since admission for Sepsis (6/2020), chronic headaches, right sided HL, GAD, NA fatty liver disease, Osteoporosis p/w headache back of her head after receiving the COVID immunization. Per Daughter Pt reported feeling unwell while leaving the vaccination clinic. They went back to the clinic and Pt laid down for a while and was given a snack. She then reported she felt well and wanted to go home. Between the clinic and the car she felt unwell again and was directed to the ED. Per Pt HA at back of head along with mild dizziness initially. Dizziness has now resolved. She took Tylenol at 1100 today for HA but does not remember if she took any more Tylenol since then. Pt does not remember when she last ate. Per Daughter she last ate at 10:30 today. She was supposed to have lunch at one but someone forgot. Pt has a family member with her at all times since her cognitive impairment this past summer. She reports regular HAs are usual for her ever since her "brain injury" (Pt hospitalized for Sepsis July 2020) Denies dizziness, denies visual changes, no photophobia. Given Acetaminophen and some food. RBS: 94 Pt reports that the headache is now at the front of her head. Pt eating a sandwich, calm, in a good mood. Feels much better. Headache resolved prior to discharge.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
961069	1/21/2021	AK	68	F	1/20/2021	1/20/2021	Severe posterior headache and lower midline back pain. 68 yo female with PMH cognitive changes since admission for Sepsis (6/2020), chronic headaches, right sided HL, GAD, NA fatty liver disease, Osteoporosis p/w headache back of her head after receiving the COVID immunization. Per Daughter CO reported feeling unwell while leaving the vaccination clinic. They went back to the clinic and CO laid down for a while and was given a snack. She then reported she felt well and wanted to go home. Between the clinic and the car she felt unwell again and was directed to the ED. Per CO HA at back of head along with mild dizziness initially. Dizziness has now resolved. She took Tylenol at 1100 today for HA but does not remember if she took any more Tylenol since then. CO does not remember when she last ate. Per Daughter she last ate at 1030 today. She was supposed to have lunch at one but someone forgot. CO has a family member with her at all times since her cognitive impairment this past summer. She reports regular HAs are usual for her ever since her "brain injury" (CO hospitalized for Sepsis July 2020) Denies dizziness, denies visual changes, no photophobia. Given Acetaminophen and some food. RBS: 94 CO reports that the headache is now at the front of her head. CO eating a sandwich, calm, in a good mood. Feels much better. Headache resolved prior to discharge.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
961083	1/21/2021	TX	41	M	1/14/2021	1/14/2021	I received the vaccine at 11:50 am. First my arm started hurting and felt warm to the touch shortly after the injection. My arm started hurting more and more until I could barely lift it to the side more than like 20 degrees from my side. Then I got the worst headache of my life. I tried taking ibuprofen, but it barely seemed to make any difference. I also tried taking Bayer aspirin and it seemed to help a little bit. Plus the whole time I was feeling nauseas, and it was all I could do to eat a few crackers so the medicine wouldn't upset my stomach as much. By this time the muscle/body aches, and fatigue started setting in so I just tried to go to sleep around 8pm or so. I was able to sleep, but it wasn't a restful sleep. I was tossing and turning for a few hours. Then the chills set in around 10pm and I didn't want to get out from under the covers because I was shaking so bad. But I managed to pile enough blankets on to get warm, and I was able to get some sleep. Then next day, all of the previous symptoms seemed to get worse except for the chills seemed come and go. But my arm was hurting more in a larger area and up my shoulder. The muscle/body aches were more intense and the fatigue increased. Taking ibuprofen every few hours only marginally seemed to help. My head was hurting so bad it hurt to open my eyes. And I felt like I was going to throw up all day. Plus I started taking my temp sometime in the morning of over 101. Sorry about to run out of time
961085	1/21/2021	MD	62	F	1/7/2021	1/7/2021	Since shortly after the injection she has experienced a low grade headache over her eyes and on the top of her head, similar to a sinus headache.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
961179	1/21/2021	TX	82	F	1/5/2021	1/12/2021	Seizure like episode on 1/12/21, one week after vaccine, last 1.5 hours, consisting of both eyes twitching and clenching/spasm of right hand and arm. EMS called. BP normal. Continuing weakness of right arm and right leg, which was side weakened by stroke. Could no longer stand or walk on right leg. Some slurring of speech. Some confusion. Went to hospital 1/14. No evidence of stroke or current seizure. Considered problem to be mild UTI, started antibiotics, rapid improvement. Discharged 1/17. Woke up 1/18 with aphasia. Went to urgent care, sent immediately to hospital. Doctors found no evidence of stroke or seizure. Consider problem to be due to inflammation, caused by mild UTI (which was cleared by antibiotics) or perhaps due to inflammation caused by Covid vaccination. The inflammation reinitiated the symptoms of her stroke, although she never had expressive aphasia prior to this, only word-finding problems, which had been resolved.
961294	1/21/2021	IA	32	F	1/18/2021	1/20/2021	Monday 4pm was vaccinated. Left arm. Tuesday morning felt ?icky? but went to work. My left arm was sore at the injection site but no rash. Wednesday morning I woke up with slight shortness of breathe, and felt some wheezing, horrible headache right behind my eyes, hot flashes, I felt like the inside of my body was on fire. No temperature. My body all around ached. My stomach was extremely upset. I had loose stools multiple times through out the day. When I tried to drink anything my stomach felt like it was also ?on fire? it was just not happy with anything being in there. Thursday same way. Headache, muscle aches, I am so tired. I feel drained of energy. My stomach is extremely upset. I have not ate anything since Tuesday afternoon. I have drank a lot of water. My body still ?aches? I have had loose stools.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
960552	1/21/2021		78	F	1/18/2021	1/18/2021	<p>At approximately 930am I arrived at Memory Care. I met with the director of the facility and she directed me to where my team would be setting up. My team consisted of (technician), (nurse) and I. As we were setting up, the director asked how she can help. I explained to her that we would need a designated area for patients to be monitored after vaccination for 15 minutes and maybe even longer . I also explained that we would need one of her staff monitoring while we vaccinate. She agreed, and proceeded to designate her staff and the cafeteria area, facing the vaccination station,the monitoring station. Throughout the day, nurse and I were both vaccinating,while the staff of the facility would monitor the vaccinated patients. I would also stop occasionally to mix the vaccine and check the temperature of the aero safe.</p> <p>At approximately 12:50pm, the director rushed in and stated that a patient is not responding, and that she had been vaccinated. At that point, I grabbed epipens and a thermometer and I also instructed nurse to grab an Epipen and come with me. We followed the director to pt's room. Once we got to the room, the patient was in bed and there were 4 staff members standing bedside and one of them turned and stated the patient has passed. At that point I asked the staff how long ago did the patient get the vaccine, they stated about 30 minutes ago. They also stated that the patient was a hospice patient and that the patient had declined, and was rapidly deteriorating and had not eaten or drank anything all day . They also stated that the patient had been monitored for 15 minutes post vaccination. I then left the room and grabbed the patients COVID Vaccine intake consent form. I looked at the answered questionnaire and all the responses were circled NO. Patient had a temp of 96.5 at the time of vaccination.The vaccine administration information for Immunizer Section was filled out by Nurse. I then proceeded to ask the director once again if there were staff that was monitoring her for 15 minutes, the director stated they had staff monitoring her. She also stated the Hospice nurse has to announce her death, so they waited for the Hospice Nurse to come. I then called Corporate and explained the situation. After speaking to corporate, I also asked nurse, if she remembered the patient. She stated that she did and at the time of the vaccination the patient was not alert, there were two staff members with the patient. She was non oriented and she</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							kept closing her eyes. At that point, Nurse stated that she asked the two staff members with her if this is how she usually is and if its ok to vaccinate her. Both Staff members stated that it its ok,this is how she is. The Nurse then proceeded to vaccinate. At approximately 3:10pm, as I was leaving I spoke to the director, and one of her Staff members. Staff that the patient has actually not eaten/ or drank anything for the past several days, including today(01/18/21). Staff also stated that on Friday, Jan 15th,2021, they had informed the family that the patient was rapidly deteriorating. Staff also stated that the family knowingly gave the consent to vaccinate her. She also stated that the hospice Nurse believes that the death was primarily caused by her deteriorating state. She also stated that the hospice Nurse informed that the death was not due to the Vaccine. Per Lead Pharmacist at the clinic.
963295	1/21/2021	TX	39	F	12/26/2020	12/26/2020	Received the vaccine and waited for 15 min within 10 minutes left arm had a warm heat through to chest to her neck , head and throat . Felt like eyes had to adjust . Hot flushing sensation and got cold water to south her thought. Stayed for an additional 30 minutes . Check Blood pressure was 154/95 and heart rate of 120 We to the ER for observation. 1 hour from the physician 184/96 pulse 121 admitted for observation. Benadryl for observation for 2 hours
963071	1/21/2021	KS	30	F	1/12/2021	1/21/2021	About a week after the vaccine the patient reported feeling extra fatigued, blurred vision, vivid dreams, and a depressed mood. Patient is following up with per primary care physician and eye doctor
963082	1/21/2021	OR	48	F	1/20/2021	1/20/2021	Facial Numbness Smooth forehead Drooping eyes Extreme Site pain Facial tingling
963106	1/21/2021	NJ	61	F	1/21/2021	1/21/2021	migraine headache with visual aura



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
963114	1/21/2021	MO	45	F	1/20/2021	1/20/2021	Got it yesterday at noon, totally fine until 10pm. Worsening chills until midnight, then complete body ache, muscles, joints, everything, terrible headache. Was on couch and walked upstairs. By the time I got there, I was nearly vomiting and on the verge of losing consciousness. I laid down on the cold tiles and tried to stay conscious. I couldn't even talk. Saliva was pouring out of my mouth uncontrollably. After awhile it let up enough to scoot into the bedroom and climb into bed. Then an entire night of worsening chills, fever, aches, eye pain, sore throat, pulsating ringing in my ears. Little if any sleep. I tried to get up and sit in a chair this morning at 3am and within minutes was so nauseated and light headed I had to lay back down flat. Tried to drink some hot tea and Gatorade at 5am. Thought I heard someone walking around the house and then realized it was heartbeat pounding in my ears. This morning my feet are super sensitive, I have urinary frequency and urgency, and the pulsatile tinnitus is back. Later today had episode of sharp chest pains front to back that resolved after about five minutes. Treatment has been rest today.
963158	1/21/2021	ME	50	F	1/20/2021	1/20/2021	Immediately nauseated. Hypertensive event, redness on neck and upper chest and hands, moment of visual disturbance. Initial BP 157/100 . Diphenhydramine 50mg IM administered and symptoms resolved within 15 min. BP 144/79 which is patients normal reading O2 sat 100 throughout episode. Patient had no further symptoms over the next 24 hours
963170	1/21/2021	AK	36	F	1/14/2021	1/14/2021	About an hour after the vaccine, a migraine started that has been unrelieved day and night with max doses of Tylenol. Bilateral eye twitching and freezing mid-twitch has worsened to every few mins with a peak 6 days post-vaccine. 7th day post-vaccine intermittent eye twitching throughout the day with less frequency, however continued migraines without relief. 14 hrs post-vaccine awoke from sleep with excruciating 10/10 pain in my already bothersome hips. Felt like I was in labor, awoke crying in my sleep and screaming out in pain. Hip pain returned to baseline the following day with no return of increased pain.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
963176	1/21/2021	WA	42	F	1/8/2021	1/12/2021	I did not have an office visit, I SHOULD have went to the walk-in clinic Wednesday. I did notify my provider through our patient portal. Tuesday night my stomach was a bit itchy and my back. I didn't think anything of it. Wednesday morning I woke up with a rash on my chest, back and stomach. I came to work (not listed on the symptom checker) called health clinic; spoke with an employee; he said that is too far out after the vaccination to have had a reaction to it. He told me to watch the rash and then call my PCP if it gets worse. I know 2 other people who also got a rash; however, 1 was just at the injection site and the other 1 was down the same arm as the injection site (all not my family). I'm not sure I want to receive the 2nd vaccine. An itchy rash over my body; if associated with the vaccine, seems fairly mild/moderate. I continue to hear that patients have increased symptoms after their 2nd dose. I'm not sure, at this point, what is related to Chronic Fatigue Syndrome or if the vaccine just heightened some of my CFS symptoms (Dizziness, nausea and eye focus). I did have some increased dizziness and nausea about 20 minutes after the vaccine but they didn't bother me too much at the time. I have not changed soap, ate anything out of the ordinary or purchased any clothes or sheets or anything that would touch my skin to cause this type of reaction. That afternoon (Wednesday Jan 13th) I was itching much worse. Mostly my stomach and chest. I left work a bit early to get some Benadryl and Cortisone cream. I took the Benadryl right away and rubbed cortisone on my chest and stomach. This did not help much at all. I was very itchy and uncomfortable. I decided to shower (that was awful), went back to a store and then got Brand Name Cortisone cream (just in case). This also did not help. I was up until, at lease, 2 am trying not to scratch. I rubbed cortisone on over and over and just couldn't lay still. I was bruised on my chest and stomach from scratching and rubbing. I was going to go to the walk in clinic Thursday morning. I woke up and the rash was a little better. However, it was still itchy (not as bad as the night before) and having clothes touching my skin hurt. I did not go to the walk in clinic. I did some work from home. Thursday night the rash had traveled down onto my thighs, though my legs didn't severely itch; just my chest and stomach. I still couldn't put on clothes Friday either and my legs were sensitive to things rubbing on

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							them but not itchy. Saturday was normal and normal life. Sunday, I woke up and was still tired. I took a nap for about an hour; then another nap a few hours later for 2 hours; and then I was falling asleep sitting up in my chair so I went to bed around 8:30 pm and woke up late today (Monday Jan 18th) at about 7:45 am. I am super exhausted today. I didn't get to work until 9 and I am going to leave here shortly. I'm just not very productive and my body is lethargic. My rash is gone. I have just a couple dots on my chest.
963178	1/21/2021	NY	49	F	12/22/2020	1/17/2021	Patient started to feel dizzy, blurred vision and pounded headache from 1/17/21 to now.
963251	1/21/2021	TX	25	F	1/19/2021	1/19/2021	Patient reported she felt tired when she got home 5 hours after vaccination. She also reported feeling "hot" but had no fever 9 hours later and 11 hours later had a temperature 100.8F and 102F was the highest temperature. She also reported body aches and arm soreness and elevated heart rate with the highest noted rate at 119 bpm. She also reported chills and also feeling hot. She also reported eye swelling but has history of severe dry eye and has had this symptom before. Today she reported only soreness to her arm. On examination her injection site appears to have a small bruise with no redness, swelling or heat noted.
963266	1/21/2021	MA	33	F	1/20/2021	1/20/2021	1/30/21: 20 minutes after injection, complaints of lightheadedness and numbness left side of face orbital region; Patient states she returned to clinic area and the staff gave no advice to manage symptom & ?just continue to carry epilepsy?; 1/21/21: Patient stayed she received a telephone call from the pharmacist who administered shot who instructed her to file a report with CDC; 1/21/21 5:25pm Patient reported that her sight in right eye has become blurry and feels pressure in eye I recommended to go to ED and contact physician
963276	1/21/2021	NY	75	F	1/19/2021	1/19/2021	eyes became swollen feeling and a bit itchy as I was driving home (approximately 15 mins after the shot). It resolved about 20 minutes later by itself.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
963061	1/21/2021	MA	65	M	1/7/2021	1/11/2021	Small scotoma inferior vision of left eye very slight/subtle. Retinal examination by Dr in the morning of 1/12/21 showed a left eye cottonwool spot, which corresponded the location of the scotoma. No other retinal infarcts or hemorrhages were present. I have no known risk factors for a retinal vaso occlusive event.
963287	1/21/2021	IL	31	M	1/21/2021	1/21/2021	Warmth, Dizziness, weakness, Confusion, Vision Blurred, Hypotension, labored breathing, mild nausea
963617	1/21/2021	PA	18	F	1/21/2021	1/21/2021	Vasovagal episode. pt briefly passed out after reported blurred vision, dizziness and tingling arms. Staff supported patient by moving pt to ground and elevated pt feet. pt did not lose consciousness and reported feeling better after laying down for a few minutes. We moved her to a sitting position on the ground, then to the chair. continued to monitor and pt reported feeling fine. Patient recovered within 10 minutes of episode.
963355	1/21/2021	MS	41	F	12/23/2020	2/1/2021	Blurry Vision - started around a week after vaccine - I have not been to eye doctor but vision has changed
963395	1/21/2021	CO	32	F	1/20/2021	1/21/2021	Spinning room, eyes not focusing, dizziness, and abdominal pain
963442	1/21/2021	NJ	37	F	1/20/2021	1/20/2021	Headache Beginning within 10 minutes of first injection (Pfizer Lot EL0142 administered 12/30/20) and continuous, but exacerbated by second injection; Blurred vision; nausea; toe and finger cramping; chills; right eye and cheek spasm with numbness; swelling and itchiness at vaccine site; pain in left arm from second injection; fever 3 degrees above baseline
963459	1/21/2021	WA	52	F	1/11/2021	1/13/2021	Pt woke up on day 2 following second vaccine dose and had itchy face, scalp, and swollen lower eyelids.
964801	1/21/2021	OR		F	1/5/2021	1/5/2021	headache stomach pain blurry vision
963474	1/21/2021	AZ	33	F	1/14/2021	1/15/2021	duration started on 1/15/21- current symptoms include, swollen left eye, numbness to left arm, fatigue , loss of hearing, chills

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
963538	1/21/2021	AZ	74	F	1/21/2021	1/21/2021	Patient had a syncopal episode immediately after injection of the vaccine. Patient had brief LOC in her vehicle. Had a strong pulse and normal respirations. She opened her eyes and could follow commands approximately 2minutes later but had persistent altered mental status for 15-30min afterward. She was transported to the Emergency Department where she was monitored for approximately 1hr. Vital signs were notable only for baseline hypertension but otherwise normal pulse and oxygenation. She was back to baseline within about 30minutes and discharged from the ED after about 1hr.
963570	1/21/2021	IN	38	F	1/19/2021	1/19/2021	I got the vaccine at 11am on 1/19/21 by 8pm of 1/19/21 I had a low grade temp and was tired so I went to bed. By 1am I woke up with uncontrollable shivering and had an alarming temperature of 104. I then took alternating Tylenol and ibuprofen and for the next 24 hours and I had a continuous fever for the entirety of 1/20/21 that would range from 101-103 with taking the constant Tylenol and ibuprofen. In addition I had shooting nerve pain down my legs, I was so weak I felt like I could not move, terrible body aches, and had what felt like dizziness and blurred vision at the same time. By 1/21/21 I started to improve but still had an increased temp of 99 and body aches but not as bad as the day prior. I am a healthy 38 year old with a good BMI no medical history and am very concerned about the temperature of 103-104 in regards to those with underlying heart or health conditions which may not be able to withstand that high of a temperature or a continuous temperature like I had for an extended period of time . I would have gone to the emergency room but I am a healthcare professional with the education and experience to know what to do in this situation

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
963607	1/21/2021	SD	40	F	1/4/2021	1/6/2021	1-5: fever, chills, aches,fatigue. Started tylenol/ibuprofen 1-6: facial and throat swelling, continued side effects. Started benadryl. Continued through 1-7 with some improvement in swelling and general side effects. 1-8: swelling and numbness with droop to left eye and numbness to lips. IC visit. Received steroid injection and started pepcid and allegra in addition to benadryl. 1-9: swelling and most general side effects resolved. Left eye numbness/droop and numb lips still present. 1-10 : Droop resolved, numbness remained. 1-12: Numbness resolved.
964004	1/21/2021	WI	31	F	1/7/2021	1/7/2021	Had to wait longer immediately post vaccine due to nausea and flushing. About 7 pm that even slight soreness in arm. Woke next morning with swollen lips, face, eyes, and extremities. This seemed to go away on its own around 1pm on Friday but the. Developed severe headache and vertigo and extreme fatigue. This lasted for the next 40 hours. By Sunday mid day I felt great.
963469	1/21/2021	NY	25	F	1/11/2021	1/11/2021	I went into work on 01/11/2021, received my first dose of Pfizer I came home after and around the noon hours of 1- 2 p.m started having metal like taste in my mouth On 1/12/2021 I started having an extreme ear pain around 4 p.m which progressed into 1/13/2021, furthering resulting in headache. On 1/14/2021 the ear pain continued with numbness and tingling on the left side of my face. I woke up on the morning of 1/15/2021 and the tingling sensations were very strong, the left side of my eye became very weak and I lost all control of the left side of my facial muscles. My left eye lid could not blink at a normal rate, my smile started to become slanted
962385	1/21/2021	NJ	68	F	12/28/2020	1/6/2021	Took a nap and woke up with a black eye, left side. Occurred approximately 1430 on 01 January 2021. Black Eye continued to spread downward to the cheek bone. Visited Urgent Care on 1/11/2021 and they said it was due to a broken blood vein. I have never had this incident in the past.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
963279	1/21/2021	FL	49	F	1/13/2021	1/19/2021	1/19/2021 - Right arm around injection sight was itchy. I thought it was an insect bite. Did not correlate it with the vaccine. 1/20/2021 - Right arm around injection continued to be itchy and red. It was getting my attention more in the evening after I got home from work. At this point, I realized it must be related to the vaccine. 1/21/2021 - Right arm around injection site was itching more to the point where I am constantly aware of it. Area is red & hot to the touch. Late morning, a coworker notice my right eye (white part) was red. It was like that when I was getting ready for work that morning. By 1:00 my eye was burning & watery. I don't know if it's an allergic reaction or pink eye or if it's even related to COVID-19 Vaccine. It is now 5:45p and my left eye is feeling irritated, but not visibly red. I am at high risk of exposure. I decided to get the COVID-19 test (the throat swab) this afternoon, around 3:30p. I should receive my results 2-5 days. I also bought Benadryl 25mg. I will be taking it this evening.
962472	1/21/2021	AZ	26	F	1/17/2021	1/17/2021	Pfizer COVID Vaccine; ADR developed after 5 min. Patient became lightheaded and developed tunnel vision. Had a witnessed syncopal event in her car. Unconscious x1 min, had urinary incontinence, and vomited; Not postictal; developed episode of tunnel vision few hours after 1st dose as well
964720	1/21/2021	IA	35	F	1/18/2021	1/18/2021	Started with immediate facial flushing, progressed to light-headed, headache, severe fatigue. Following day had brain fog, dizziness, nausea, slight blurred vision, headache, severe fatigue, body aches. Symptoms mostly resolved after 48 hours post vaccine.
963037	1/21/2021	OR	48	F	1/20/2021	1/20/2021	Facial numbness Lax forehead Drooping eyes Severe site pain Tingling face

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
962437	1/21/2021	IA	54	M	1/15/2021	1/16/2021	Injection @ 2:47 p.m. on 1/15/21. 1/15/21 around 8 p.m. Bottom lip was swollen. Staff noticed. 1/16/21 @ 8:15 a.m. staff viewed swollen lip. Patient reported no pain. 1/18/21 @ approximately 3:00 p.m. - Left eye watering, drooping and visibly swollen. Home health nurse called Dr. No pain reported. Blood sugar 128 and normal. Patient went to ER to be seen as face drooping was worse. ER @ 4:45 p.m. on 1/18/21 - Dr. evaluated and believes he has Bells Palsey. Ordered head CT & labs to verify. Head CT normal ruling out stroke & labs normal. Correlates 60 mg of prednisone daily for one week and 1,00 mg TID Valacyclovir for one week and artificial tears four times daily and cloth tape at night to hold eye lid shut. First doses given in ER at 7:20 p.m. on 1/18/21. 1/21/21 - continue to tape eye at night, all symptoms remain.
962473	1/21/2021	IA	59	F	1/19/2021	1/19/2021	1. Eyes felt swollen, ached sensitivity to light 2. Chills 3. Body aches 4. Fever 100.6 5. General malaise 6. Tiredness 7. Injection site red, hot and swollen to tennis ball size
962498	1/21/2021	NY	24	M	1/21/2021	1/21/2021	Pt became lethargic, slow to respond, speech muttered, shaking, drooping right eye, nauseous. BP 169/108, O2 sat=98%, pulse 100. Paramedics called and patient transferred to hospital.
962503	1/21/2021	MI	64	F	12/29/2020	12/30/2020	Lost peripheral vision on my right eye - the next day around midday - lasted 20 minutes when I couldn't see out of my right eye; Went to ER - and then saw saw an opthamologist and a neurologist
962401	1/21/2021	IL	31	M	1/21/2021	1/21/2021	Patient received the Moderna Covid-19 vaccine and during the observation the patient was observed to experience a reaction. Approximately 5 minutes after the vaccine patient experienced warmth, dizziness, weakness, confusion, vision blurred, labored breathing, hypotension, mild nausea. Blood pressure was dropping after first reading from 96/60 to 86/42 at which point a single dose of epi-pen was administered. The patient BP stabilized at 105/83 at the time paramedics arrived and took the patient.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
962510	1/21/2021	CT	72	M	1/5/2021	1/5/2021	Acute Covid--diagnosed april 2020--Hospitalized about 1 week Day of the vaccination--severe rigors, chills, muscle pains lasting about 10 hours--very similar to about 5 other people in my office 2-3 days later acute facial rash, involving eyes, conjunctiva on both sides--not responsive famvir, neomycin, eye drops for conjunctivitis. The pictures are much more dramatic than the description----lasted about 5 days.
962570	1/21/2021	NJ	27	F	1/14/2021	1/14/2021	The night of my second covid 19 Pfizer shot, I began experiencing a strange sensation on the right side of my face near my mouth, cheek, under my eye and on my forehead. It started as a burning sensation and then turned into a dull tingling. It was consistent for 3 days and then began to become intermittent and I still have it today 1 week post vaccine. On day 4 it progressed to tinnitus right more than left ear. Day 4 evening to day 5 was all the above plus ear pain and fullness in my right ear and just pain in the left. I contacted my PCP at this point twice ( once about the initial face symptoms day 1 and to tell her about the ears day 6) and she prescribed me amoxicillin. That night I began having sinus pressure and pain, headache, and malaise. I followed up with an ENT this morning who said everything looked structurally well and could not find a reason for the tingling. She also covid tested me which was negative. Advised me to submit this form at this time due to ongoing symptoms. I will be following up with them within the next few days for further examination.
962632	1/21/2021	MD	51	F	1/13/2021	1/16/2021	Herpes zoster on right eye and bridge of nose. Also has rash on back of head on left side radiating up
962643	1/21/2021	KY	38	F	1/8/2021	1/21/2021	13 days post vaccination, I have an raised, red rash over the injection site and symptoms of fever (approx 100.2), asthma increase, red and itchy eyes, and fatigue.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
962652	1/21/2021	MN	59	M	1/8/2021	1/17/2021	onset of left sided mouth numbness & weakness associated with change in taste but no change in sense of smell over the past 2 days- woke up 2 days ago with subtle changes to the left mouth - no associated other symptoms of headache, sore throat ear pain or drainage & no skin lesions to the nose, ear or left cheek; no stiff neck , sore throat, fever, chills, rigors * no recent URI symptoms or trauma to the left ear ie using Qtips; denies prior similar symptoms & no associated visual changes , double vision or partial visual field changes ie amuarosis fugax, teichopsia or pallisading;
962658	1/21/2021	NC	38	M	1/8/2021	1/12/2021	L red eye Diagnosed as scleritis by optometrists Personal history of iritis/scleritis 3-4 times in the past
962732	1/21/2021	ME	21	F	12/28/2020	1/20/2021	left eye blurred vision, facial drooping, continuous watery eye. ED test: CT, MRI, Labs, Urine, EKG
962989	1/21/2021	IA	26	F	1/20/2021	1/21/2021	Headache, body aches, hot flashes, blurred vision.
963022	1/21/2021	CO	22	F	1/20/2021	1/21/2021	I woke up this morning with a very severe right dry eye. It was not responding to water or eye drops which is the first time that has ever happened to me. After several eye drops, I was able to drive to work where I was fine except for the eye pain until 10am. Then I started getting body aches, light-headedness and weakness. On the drive home (40 minutes), I developed a fever and the body aches worsened. If I do not consume liquid continuously, I get very light-headed and weak.
963029	1/21/2021	NV	35	F	12/29/2020	12/30/2020	The first 20 hours, I felt fine - just a little sore arm. 24 hours later - started getting chills, uncontrollable shakes; fever - 100.9; visual disturbances - seeing black dots; joint inflammation - SI joint flared - triggered it back to being an issue; body aches; felt fatigued and disoriented. I took 800 mg Ibuprofen and then I had to take 1000 mg Tylenol and was sent home from work and Tylenol kicked in and I dosed every 8 hours and did that for a few days to be safe. The 31st wasn't bad - mostly felt fatigued and was getting on and off headaches. 1st - Feeling some fatigue still is all and then SI joint has still not resolved.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
962743	1/21/2021	WA	40	F	1/14/2021	1/14/2021	Shingles: Redness and tenderness in right eye area at 7:00 PM on 1/14/21, later that nigh (approximately 11:00 PM) experienced sharp pain behind right eye. On 1/15/21 bumps in right eyebrow and itchiness on right side of scalp. on 1/16/21 developed redness in right eye. Pain behind right eye and itchiness persisted for >5 days. Went to Urgent Care on 1/20/21 and shingles suspected. Referred to confirm diagnosis. Antiviral pills and drops prescribed, as well as steroid drops.
963003	1/21/2021	OR	42	F	12/28/2020	1/16/2021	Acute Bell's Palsy right side occurring on 1/16/2021, total right sides facial palsy involving eyelid, mouth, decreased salivary secretion, facial, ear, mastoid pain. Started prednisone 60mg daily and Acyclovir 400mg po 5x/day on 1/17/2020 x 1 week course. No improvement since onset.
963015	1/21/2021	MI	89	M	1/14/2021	1/14/2021	MEDICATION REACTION (Pt got his covid shot and immediately had a reaction to it. Diaphoretic, nauseous, dizzy. Was given 4 of zofran in route.). Comes to the emergency department today after getting his 1st Monday and a COVID-19 vaccine at 7:30 p.m. and about 5 minutes after while sitting down developing significant diaphoresis, nausea, dizziness and feeling very warm. The symptoms lasted for about 15 minutes and then resolved. Since then the patient has felt a little off in his stomach but has not had any difficulty breathing, difficulty swallowing, difficulty speaking, chest pain, diarrhea, rash or itchiness. With this episode the patient did not have any changes to his vision or feel like he was going to pass out. Patient will be given 25 of Benadryl, 125 of Solu-Medrol, 20 of famotidine of concern for possible allergic reaction. Additionally the patient will be given a small bolus of normal saline. Given the patient's reassuring vitals and reassuring physical exam he will simply be monitored here were sure. I do not feel any lab workup is necessary this point this is resolved episode seems either like a mild allergic reaction or a vasovagal episode.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
962982	1/21/2021	VA	48	F	1/4/2021	1/6/2021	Began with eyes watering intensely and lids were swollen 1/6. The following AM symptoms worse with clear fluid draining from nose that tasted sweet 1/7. Disorientation and loss of memory on 1/8-backed into a curb and was awakened by a bystander. Disorientation and loss of memory 1/15.
962958	1/21/2021	AR	35	F	1/19/2021	1/19/2021	Nausea sore throat headache fatigue fever (100.5) body aches change in taste vision changes (cannot see items up close) injection site soreness with sharp pains that radiate down left arm
962869	1/21/2021	VA	47	F	1/21/2021	1/21/2021	Massive migraine traveling from my right temple to around my right eye, down my right nose and back to my temple
962840	1/21/2021	TX	46	F	1/21/2021	1/21/2021	Felt like face and eyes were swollen, dizziness and weakness
962831	1/21/2021	NY	41	M	1/7/2021	1/18/2021	Bell Palsy Type Symptoms on the right side of my face. Sun the 17th I began to feel my tongue tingle. Thought I had burn my tongue on hot food. Didn't think anything of it, Monday my right eye began to water like crazy. Didn't think anything of it. Tuesday morning I had a hard time eating breakfast because I couldn't open my mouth wide enough and was hitting my bottom lip with my teeth. i thought it was strange but didn't think anything of it. Took a shower about 11:30 and when I looked in the mirror I notice the ride side of my face was not responding like the left side, I called my doctors office and they got me right in. After a brief consultation they called ER and told me I would be on my way. I checked into ER at about 1:30pm.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
962819	1/21/2021	CT	81	F	1/21/2021	1/21/2021	Vaccinator reported she injected the pt with 0.5 mL of air instead of the vaccine. reports she had prefilled her syringes with 0.5 mL of vaccine ahead of time and inadvertently drew up air in the syringe instead of the vaccine. recognized immediately after administration that it did not feel right and the pt confirmed she did not feel the vaccine administered. further inspected the syringe which visually appeared dry, no left over vaccine, no droplets. EMS and paramedic called to vaccination station (they were on site), they evaluated pt. VSS, pt felt well other than some bruising and soreness at the injection site. Per paramedic 0.5 mL of air into deltoid will not cause an adverse reaction. But pt may experience bruising. Pt and family verbalized understanding. (me) called who recommended calling Moderna and our medical advisor. called Dr. and also Moderna. Dr. states the decision to revaccinate the pt is at (vaccinator) discretion if she feels the syringe truly did not contain vaccine. Dr. confirmed 0.5 mL of air into the deltoid will not hurt the pt. Called Moderna ? they advised management of invalid doses of the vaccine is at the medical advisor and vaccinators discretion. There is no information available on adverse reactions with double dose. Standard 0.5 mL dose contains 100 mcg. In a phase 1 study 250 mcg doses were injected into participants, the only information from the trial that is available is related to efficacy and not adverse reactions per Moderna. vaccinator, pt, and her family consented to receiving re-vaccination as they all strongly felt the original syringe did not contain vaccine. Pt was vaccinated successfully, all questions answered, pt sat in observation and tolerated the vaccination well. Director of Health was present and spoke with the pt and family about results of Modera information, DPH information, and discussion with Dr.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
962789	1/21/2021	OK	45	F	1/6/2021	1/6/2021	approx 15 minutes after receiving the vaccine, client started c/o tingling in hands and arms bilaterally, as well as clammy hands and light headedness. She also said her eyes were foggy. Vital signs monitored and o2 given per mask. She c/o frontal area head pain, resolved after being on O2 for 5 minutes. 4:05pm says clamminess in hands and light headedness improved. She was release to drive home and told to report to ER if she has any more problems. client does report today of having daily headaches since she received her shot.
963011	1/21/2021	TX	60	F	1/11/2021	1/11/2021	Within an hour of the vaccine face was hot and muscle in face were painful in the jaws, sinuses up in nose felt weird and dry like menthol. Put ice on face. Took Tramadol. Having fatigue. Next day felt better, then started having brain fog difficulty remembering, vision is blurry, no energy and feel exhausted.
958652	1/20/2021	TN	60	M	1/20/2021	1/20/2021	20 MINUTES AFTER INJECTION CLIENT COMPLAINED OF VISUAL DISTURBANCES. HE STATES THE WHITE TRUCK PARKED NEXT TO HIM APPEARED PINK FOR A SPLIT SECOND THEN RETURNED BACK TO LOOKING WHITE. CALLED EMS PER PROTOCOL. MANUAL B/P 220/90, PATIENT THEN ALSO COMPLAINED OF CHEST PAIN/TIGHTNESS. ASA 325MG WAS GIVEN TO PATIENT PER PROTOCOL AND 4 L OXYGEN VIA NC. PATIENT WAS TRANSPORTED VIA EMS TO HOSPITAL.
958568	1/20/2021	NE	89	F	1/11/2021	1/12/2021	Rash around face and chest; bloodshot left eye. Hydrocortisone cream prescribed by facility APRN on 1/13; skin less red on 1/14 and peeling - no pain or itch. Dermatology recommendation of Aquaphor for the peeling.
958500	1/20/2021	FL	69	F	1/18/2021	1/18/2021	first reaction about 4 1/2 hours after injection.. fine powdery itchy rash on breasts pectoral area and ribs. approx 30 hours after injection sudden onset fatigue, extreme pain in injection arm, uncontrollable chills, low grade fever,headache. approx 44 hours later still headache, muscle pain subsided, powdery itchy rash returned.. over chest , pectoral area , and itchy eyes and head..

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
958465	1/20/2021	NE	38	F	1/6/2021	1/6/2021	at minute 3 after receiving vaccine, a weird sensation started at the top of my head and went to my feet. 5 minutes later happened again. then felt like I was going pass out. BP was elevated, heart racing slightly. after about 15 minutes face around eyes started tingling off and on, throat was tingling 2 separate times but didn't last long. body started feeling very heavy and lost all movement from my waist down in both legs. tingling eventually went away. was able to finally start walking about 3 and 1/2 hours after was given the vaccine
958424	1/20/2021	CA	25	F	1/18/2021	1/19/2021	Blurred vision, pain in arm/shoulder, and felt like she was in a fog - not knowing how to even do [her] job. Later in the evening she started to feel very dizzy and vomited. Will take OTC acetaminophen as directed to help with symptoms and rest.
958404	1/20/2021	NM	23	M	1/18/2021	1/19/2021	Swelling in the lower region of the left eye.
958384	1/20/2021	AZ	36	F	1/19/2021	1/19/2021	Headache, chills,dizzy , vaccination side sore, I feel cold but at the same time I'm feeling warm from the inside, I also feel like when you suffer from sinus pain around my eyes
958380	1/20/2021	PA	49	F	1/11/2021	1/18/2021	First few days there was a bubble at injection site. A week later the bubble started to go away. The site is red, painful, warm to touch. My eyelids were swollen this morning. I have had a sore throat for days. Not sure if it's related.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
958370	1/20/2021	WY	36	F	1/19/2021	1/19/2021	elevated pulse (>100) and headache immediately following vaccine. redness, burning and swelling at vaccine site with in 10 minutes of administration. 25 mg oral Benadryl taken at that time. at 29 minutes pulse was over 120, full body shaking, respirations were elevated but shaky so unable to determine rate. temp was 100.1. bp was 152/92. redness and hives present on neck chest abdomen and arms. pulse reached 130 so epi-pen self administered to right thigh. within 2 minutes shaking was improving, pulse was dropping. rash and hives still present. 125mg solumedrol given IM in left glut. refused iv due to known adhesive allergy. within 5 minutes rash was improving. pulse was back down into high 70s. bp return to 120's/80's temp had returned to 99.0. another 25mg benadryl given orally. continued to monitor vitals over next 30 minutes and then was allowed to ambulate under supervision. at 1 hour went home to rest in care of family member. later that evening fever did return to 101.5. took tylenol ibuprofen and another dose of benadryl. temp returned to normal again. next day still having pain and swelling in injection arm and low fever returns when unmedicated.
958864	1/20/2021	MO	61	M	1/5/2021	1/6/2021	Freezing to death, chills, sweating. hurting everywhere so bad, and really bad headache, nausea, chest pain, lowered his blood pressure, sore muscles, extreme tiredness, ambulance picked him up and was in the ER all day giving him fluids, took about 2-3 days before he started feeling better. The whites of his eyes are still red.
958354	1/20/2021	TX	63	F	1/8/2021	1/9/2021	Patient received the vaccine on 1/8/21. On Saturday 1/9/21, she was feeling tired, headache, body aches and right eye and mouth started drooping. Patient was able to see Dr on 1/13/21, where she was diagnosed with Bells Palsy. The doctor gave a Toradol shot for the headache and was prescribed Valacyclovir 1 gram and Prednisone 10 MG. Patient was feeling worse went to Urgent Care on 1/14/21, where they did blood work and checked for Covid and Flu. On Friday 1/15/21. she started vomitng and feeling more weak and went to ER, where they also did blood work and checked for Covid and the Flu.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
958371	1/20/2021	CT	41	F	1/14/2021	1/16/2021	Severe headache, nausea and cold sensation occurred within a few hours of receiving the vaccine. Arm discomfort and fatigue quickly followed. Low grade fever noted approximately 8 hours post vaccine. I took acetaminophen. Headache, fatigue, and fever/chills resolved within about 48 hours. Nausea and arm discomfort persisted for about 5 days. After approximately 48 hours, I noted vision changes, blurry up-close vision. This change might have occurred sooner, but it was not until this time that I felt well enough to really read. The change in vision led me to seek further evaluation in the emergency room on 1/16/2021.
958666	1/20/2021	MO	65	M	1/15/2021	1/15/2021	STARTED 1.5 HOURS AFTER VACCINATION. BURNING AT SITE. TRAVELED UP SHOULDER, NECK, CHECK, AROUND EAR, SIDE OF HEAD, AND EYE. AREA BURNING THEN WENT NUMB AND LOST SENSE OF HEARING IN THAT EAR. HEARING RETURNED WITHIN 24 HOURS. AREA STILL NUMB. NEVER HAD FEVER OR OTHER SYMPTOMS. OTHERWISE FEELS FINE. PT STATES SYSTEMS IMPROVED EXCEPT SKIN IS STILL NUMB TO THE TOUCH. REACTION REPORTED BY PATIENT'S SPOUSE TODAY 1/20/21 AT 11:58 AM IN PERSON AT THE CCHD.
958713	1/20/2021	MO	65	M	1/15/2021	1/15/2021	1.5 HOURS AFTER VACCINATION BURNING BEGAN AT SITE AND TRAVELS UP SHOULDER, NECK CHEEK, EAR, SIDE OF HEAD AND AROUND EYE. WENT NUMB. LOST HEARING FOR ABOUT 10 HOURS. AREA IS STILL NUMB TO THE TOUCH BUT HEARING IT FULLY RETURNED. NEVER RAN FEVER. NO OTHER SYMPTOMS. STATES FEELS FINE OTHERWISE.
958736	1/20/2021	GA	58	M	1/4/2021	1/9/2021	Aphthous ulcer of mouth, swelling of hands and eyelids, fatigue, nausea Treatment: Triamcinolone acetonide 0.1% dental paste, ondansetron HCL 4mg, prednisone 20 mg

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
958737	1/20/2021	PA	37	F	1/5/2021	1/14/2021	Moderna Vaccine. No immediate reaction. 1/13/21 I noticed there was still a sizable lump at the injection site. Called our Employee Health hotline and they advised to apply heat and massage the area. 1/14/21, I applied heat and massaged the area and within a few hours the injection site started to get red and increase in size, and my eyes began to itch and swell. Took a Benadryl and in the morning there was more swelling in my face. Went to the dr, they couldn't confirm if was or wasn't vaccine related, and advised to continue taking Benadryl and apply cool compress if arm was painful. Swelling continued on 1/15 and 1/16. Arm still has a large spot, it is less red in color now, there is still slight heat at the injection site. I have been taking at least 1 Benadryl for the last 7 days now.
958955	1/20/2021	GA	53	F	1/17/2021	1/18/2021	Started having some blurry vision on the night of 01/17/2021 which lasted for 45 mins to 1 hour. The next day on 01/18/2021 at about 1445 started having some itchiness on the face[ cheeks, forehead and around lips] with chills on and off. My face became little puffy and swollen with redness. By the evening, I also ended up with high temperature 100 degree and started having body pain , mainly on the lower back . Took 600 mg Ibuprofen along with Vitamin C 1000 mg and Zinc 1 tablet at night. All my symptoms resolved by 01/19/2021 noon.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
958843	1/20/2021	WA	58	F	1/9/2021	1/10/2021	I began to pass out and yelled for my husband, he said when he came in I was sitting on the toilet with my head back, eyes rolling back not responsive.; I had my 2nd vaccine at work early Sat the 9th and felt increasingly worse all day; I woke up at midnight and felt extreme malaise; I was covered in sweat; vomited; I checked my temp and it was 99.7°F; sore; I think I had either a seizure or a vasovagal response.; This is a spontaneous report from a contactable nurse (patient). This 58-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (Lot EJ1685 or FJ1685), intramuscular at single dose in the left arm on 09Jan2021 06:00 for Covid-19 immunisation. Medical history included atrial fibrillation on unknown date (1 episode), allergic to Keflex. There were no concomitant medications. The patient previously received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (Lot EJ1685 or FJ1685), intramuscular in the left arm on 22Dec2020 for Covid-19 immunisation. On 10Jan2021 01:00 AM, the patient experienced: I began to pass out and yelled for my husband, he said when he came in i was sitting on the toilet with my head back, eyes rolling back not responsive (loss of consciousness) (medically significant), I had my 2nd vaccine at work early sat the 9th and felt increasingly worse all day (feeling abnormal), I woke up at midnight and felt extreme malaise (malaise), I was covered in sweat (hyperhidrosis), vomited (vomiting), I checked my temp and it was 99.7°F (pyrexia), sore (pain), I think I had either a seizure or a vasovagal response (seizure). No treatment required. The outcome of the events was recovered. The events were described as follows: I am healthy RN with no active medical problems. I had my 2nd vaccine at work early Sat the 9th and felt increasingly worse all day, I expected this so was not alarmed and went to bed around 10pm. I woke up at midnight and felt extreme malaise and went to the bathroom in case I might vomit, etc. and I tried to have a BM. I began to pass out and yelled for my husband, he said when he came in I was sitting on the toilet with my head back, eyes rolling back not responsive. He yelled at me for about 10 seconds and I came to, I was covered in sweat. I asked him to walk me back to the bedroom where I again passed out, fell to the floor and hit the bed, then was unresponsive

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							again for about 10 seconds then came to again and vomited. After this I felt completely relieved of my malaise. I checked my temp and it was 99.7°F. After this I was sore but otherwise completely okay, the next day I had a temp of 99.5°F. Today I am back to normal. I think I had either a seizure or a vasovagal response. The vaccine was administered at Hospital Facility. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was not diagnosed with COVID-19 prior to vaccination. The patient had not been tested for COVID-19 since the vaccination. The patient was not pregnant at the time of vaccination.; Sender's Comments: Based on the close temporal relationship, the association between the event "began to pass out" with BNT162b2 can not be fully excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.
958868	1/20/2021	AL	74	F	1/11/2021	1/12/2021	Typical expected side effects but were very SEVERE and UNable to function normally- headache, fatigue, nausea, vomiting, diarrhea, Dizziness, Chills, Cold Sweats, Pain and soreness especially in lower back, and throat hurt when swallow. These persisted for 7+ days. The abnormal side effects included Yellow Vision that persisted for around 2 days, eyes felt hot, and heart rate shot up to 175 and then would drop to 70's. Went to doctor on 1/14/2021 and was found to have A-fib. had previously received a heart evaluation in 8/2020 and did not show any signs of this nor any signs on reading prior with an Apple watch. A-Fib is persisting and heart rate continues to be elevated and shoot up often even with Metapropol. As of this report on 1/20/2021 the heart rate is still varying from 80-150 and it normally runs around 50-60, has always been low. Blood pressure also dropped precipitously during this event and was as low as 80/50 so blood pressure medicines were discontinued to try and stabilize.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
958909	1/20/2021	MI	61	F	1/1/2021	1/16/2021	Second, dose 1/16/21 Pfizer LOT: EL3248 Saturday 11:30 am ? Side Effects started about 1.5 - 2 hours after injection (I took 2 Tylenol and took a 3 hour nap) o Tired o Left Eye twitch o Blurred double vision o Headache o Nauseous ? Side Effects started about 5 - 6 hours after injection (I took 2 Tylenol a Benadryl and used my Ventolin inhalator) o Tired o Watery eyes o Sore tongue o Headache o Nauseous o Heavy feeling in chest ? Side Effects started some time during the night after injection o Muscle cramping in both legs and opposite arm of injection site o Low fever 100.3 Sunday side Effects (I took 2 Tylenol and took a 3-4 hour nap) o Tired o Left Eye twitch o Watery eyes o Sore tongue o Excessive thirst o Swollen neck glands o Nauseous (only after eating) o Muscle cramping in both calves o Blurry vision in the evening o Runny nose Monday side Effects (Went to work) o Tired o Left eye lid twitch o Swollen neck glands o Nauseous o Runny nose o Achy body o Diarrhea Tuesday side Effects (Went to work) o Left eyelid twitch o Swollen neck glands o Runny nose o Sore throat o Diarrhea BLOODY Wednesday side Effects (went to work) o Swollen neck glands o Runny nose o Sore throat Note: I have several Allergies that require me to take an allergy pill every day. I also use an inhaler as needed. My symptoms were not any worse than when I have a bad allergic reaction, I have received shots of Epinephrine for my allergies and did not feel one was necessary.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
958921	1/20/2021	CO	48	F	1/13/2021	1/13/2021	This may be a duplicate report, as primary care notes state the process has been initiated. However, out of an abundance of caution, and as the facility the event was reported to, I wanted to enter this report for completeness due to the unusual events. Patient received 1st dose of moderna covid vaccine at an outside facility and (per patient) had a seizure at that site immediately following the injection (history of seizures due to past meningitis, no seizures in past 3 months per patient). No medications were given, 911 was not called, patient not instructed to go to ED (per patient). Patient went home. Once home, patient reported "stroke like symptoms" on her right side (weakness and inability to close right eye for 30 minutes, numbness in R thigh and heel). Then weakness moved to left side (numbness/tingling in L hand and eye, numbness in L lower leg) along with some swelling to face/tongue. Had back pain but no chest pain or difficulty breathing. Extreme dizziness. No additional seizures. The next day she called our nursing line to report these symptoms and was instructed to go to the ED and also scheduled a visit with primary care provider the next morning. Patient stated she was feeling better and apparently did not go to the ED, instead choosing to see PCP next morning. On presentation to PCP, injection site was red and swollen, itching and swelling in hands, itching in bottom of feet, widespread joint pain. No visible rash, no dysphagia, no difficulty breathing. Other symptoms had largely resolved. Patient was prescribed benadryl (no steroids due to allergy to prednisone), cold compresses for injection site and sent home with instructions to go to ED if symptoms reappeared. Also recommended making an appointment with a neurologist for additional follow up as patient currently does not see a neurologist for seizures and is treating with CBD/THC only.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
958932	1/20/2021	NY	61	F	1/20/2021	1/20/2021	Due to hx of allergic reactions, pt was told to wait for 30 minutes in observation prior to vaccination. At 1208 on 1/20/2021 pt received 2nd dose of COVID Pfizer vaccine. Immediately after vaccination, pt experienced unusual taste in mouth, flushing, and feeling of heat in chest. At 1232, pt noticed flushing on arms and feelings of heat and pins and needles in both arms, hands, chest, both feet, and back. Sensation was persistent, so at 1301, 50 mg of IM Benadryl administered to RD by NP. By 1320 flushing on arms and chest subsided, feeling of pins and needles persisted but was not as severe as initial reaction. By 1345 flushing on arms returned, pins and needles sensation worsened again in all locations noted prior, spread to scalp, and tingling sensation occurred on lips. Pt communicated with Dr advised to stay under observation, but transfer to ED not medically necessary. At 1415, pt was advised to go home with supervision of partner and monitor symptoms from there.
958938	1/20/2021	PA	71	F	1/15/2021	1/15/2021	After 15 minutes I had tightness in my chest, headache, and felt my senses were hypersensitive (visual, focus); felt "speedy". I checked my pulse and it was normal (80)
958348	1/20/2021	FL	22	F	1/19/2021	1/19/2021	Systemic: Nausea-Mild, Systemic: Vomiting-Mild, Systemic: Fainting-Mild, Systemic: Visual disturbance ("blue spots," "dark visual waves")
957776	1/20/2021	CT	42	F	1/19/2021	1/19/2021	About 20 min after receiving my Covid 19 vaccine, I left Hospital and began to feel numb in my throat, my lower face, and the tops of my shoulders. I had reduced sensation, but also felt as though I had no muscle control with movement. Examples of this are when I tried to flex my head forward as if in a nodding motion, or to elevate my shoulders like a shrug, or clench my jaw like when chewing. These were all extremely difficult and I felt as though I had no awareness of if I was even moving these parts of my body whatsoever when I tried to voluntarily do so. It was very strange and also upsetting. I also began to have blurred vision; it was difficult to focus or see properly, such as when you visit the eye doctor and they dilate your pupils and everything seems blurry and out of focus for a period of time afterwards. This all lasted for about exactly 1 hour post. I did not seek medical attention for this as it did not worsen. I never had any difficulty breathing. It then completely went away.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
958743	1/20/2021	NC	69	F	1/20/2021	1/20/2021	Patient is a 69 y.o. female with history of multiple medical problems as indicated below including rheumatoid arthritis. She is a non-smoker. She tells me she has "a heart condition" and is followed by a cardiologist. She tells me she was in her usual state of health and took her COVID-19 first vaccine today. Approximately 30 seconds later she noted chest tightness/burning that has been constant. It is rated 9/10 at maximum and improved to 5/10 after about 10 to 15 minutes. She also states, "my eyes feel funny. I feel cold. I am dizzy." She endorses palpitations and dyspnea. She denies any abdominal pain, nausea, vomiting, fevers, diaphoresis, headache, cough, rash, or syncope. She does have a history of seafood allergies and had similar reactions after eating seafood. She tells me 3 years ago after a flu shot she fainted. She tells me the past 2 years after her flu shot she had nausea or vomiting. She tells me she fell yesterday and hurt her hip but she did not hit her head. No LOC. She tells me she takes baby aspirin nightly. Family history: Mom and dad both died at age 82 from lung cancer. They both had heart disease. She was sent back from the vaccination area to urgent care to be evaluated after her reaction to the COVID-19 vaccine.
957767	1/20/2021	TX	72	M	1/12/2021	1/18/2021	Pt developed Blurred vision- was seen by Dr on 01/18/2021 and given eye exam.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
957381	1/20/2021	NC	49	F	1/6/2021	1/6/2021	Headache; fatigue; aches/soreness of the shot; shortness of breath; eyes hurting; swollen site; chills; fever; muscle pain; This is a spontaneous report from a contactable other HCP. A 49-years-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) lot number=EL1284 via an unspecified route of administration on 06Jan2021 13:00 at SINGLE DOSE for covid-19 immunisation dose number=2 vaccine location=Left arm facility type vaccine: Military Base. Medical history included diabetes mellitus, asthma, dry eye, blood cholesterol increased, rubber sensitivity Known allergies: Latex, food allergy: Nuts. Concomitant medication included lactobacillus reuteri (BIOGAIA), rosuvastatin calcium (CRESTOR), celecoxib (CELEXA [CELECOXIB]), sambucus nigra fruit (ELDERBERRY [SAMBUCUS NIGRA FRUIT]), metformin hydrochloride (GLUCOPHAGE XR) , benazepril hydrochloride (LOTENSIN [BENAZEPRIL HYDROCHLORIDE]), magnesium oxide (MAG-OX), omeprazole magnesium (PRILOSEC [OMEPRAZOLE MAGNESIUM]), ciclosporin (RESTASIS), montelukast sodium (SINGULAIR) , liraglutide (VICTOZA), ascorbic acid, bioflavonoids nos (VITAMIN C [ASCORBIC ACID:BIOFLAVONOIDS NOS]), colecalciferol (VITAMIN D [COLECALCIFEROL]), cetirizine hydrochloride (ZYRTEC [CETIRIZINE HYDROCHLORIDE]), zinc (ZINC). The patient previously took remeron and experienced drug hypersensitivity, amoxicillin and experienced drug hypersensitivity, percocet [oxycodone hydrochloride;paracetamol] and experienced drug hypersensitivity. The first dose of BNT162B2 vaccine for covid-19 immunisation was done on 16Dec2020 08:30 Intramuscular at single dose, Vaccine location Left arm Dose number 1 Lot number=EK5730. On 06Jan2021 13:00 the patient experienced headache outcome of recovered, fatigue outcome of recovered, aches/soreness of the shot outcome of recovered, shortness of breath on 06Jan2021 13:00 with outcome of recovered, eyes hurting on 06Jan2021 13:00 with outcome of recovered, swollen site outcome of recovered, chills outcome of recovered, fever outcome of recovered, muscle pain outcome of recovered. The patient underwent lab tests and procedures which included sars-cov-2 test negative: negative on 06Aug2020. The action taken was not applicable.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
958960	1/20/2021	CA	46	F	1/6/2021	1/13/2021	One week post-vaccine injection, sharp pains began on and off on the left side of my face. These moved from cheek to jaw to lip to left eye and at the nasal base. There was also stabbing pain in the left eye. I thought this was due to just being tired from long days at work, but I was also aware it might have been related to the vaccine. Therefore, I took 1600 mg of acyclovir I had on hand to prevent occasional cold sores and went to sleep. The following day, unfortunately, these sharp pains persisted on and off throughout the day. I retook acyclovir and went to work. I reported this to my PCP, and she thought it was unrelated to the vaccine. I spoke with surgeons in my office, and after examination, they both clearly said it was a reaction in my 5th cranial nerve. They both recommended prednisone or methylprednisolone, but my PCP didn't agree, and therefore, I did not receive a prescription for prednisone. I retook acyclovir, and by the following afternoon of Friday, January 15, I was no longer experiencing sharp pains on the left side of my face.
958987	1/20/2021	NJ	41	F	1/13/2021	1/16/2021	My right eyelid drops for a second or two and then normalizes. This happens multiple times a day.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
957393	1/20/2021	KS	54	F	1/8/2021	1/9/2021	fever; aches; feeling faint; fatigue; This is a spontaneous report from a contactable Nurse (Patient). This 54-year-old female patient (No pregnant) received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via Intramuscular on Left arm on 08Jan2021 15:00 at single dose (Lot EK9231) for covid-19 immunisation. No other vaccine in four weeks. Medical history included allergies: Sulfa, Augmentin. Concomitant medications included ciclosporin (RESTASIS, eye drops), mometasone furoate (FLONASE), boron, calcium, cimicifuga racemosa extract, folic acid, glycine max extract, magnolia officinalis, nicotinic acid, pyridoxine hydrochloride, riboflavin, selenium, thiamine, tocopherol, vitamin b12 nos (ESTROVEN), ipratropium and xylometazoline hydrochloride (NASAL SPRAY II). The patient previously received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via intramuscular on Left arm on 17Dec2020 04:30 PM (Lot: VK5730) for covid-19 immunisation. The patient woke up 09Jan2021 at 7:00 am with fever (did not use thermometer) Aches, feeling faint, fatigue, took Advil and slept until 2pm, then took Tylenol and Felt better by 4pm. Outcome of the events was recovered.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
957452	1/20/2021			U	1/8/2021	1/8/2021	My eyes still very heavy and warm; My eyes still very heavy and warm; Dizzy; Started getting super super cold; Fever/101 fever; Heart was extremely fast; Blood pressure also went up; This is a spontaneous report from a contactable consumer (patient). This patient of unspecified age and gender received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 08Jan2021 at single dose for COVID-19 immunization. The patient medical history and concomitant medications were not reported. Patient got the vaccine yesterday and as soon as like not even about 12 minutes after patient had received the vaccine patient heart was extremely fast and blood pressure also went up. Patient stabilized like after 10 minutes 'signs were fine'. But then patient started getting super cold. Patient was extremely cold. The doctors monitored the patient at the hospital for a little bit but then they told the patient the best thing to do just go home rest and lay down which patient did. But the symptoms yesterday patient got a fever, it was 101 fever and then patient was fine so patient slept okay but this morning (09Jan2021) patient was not feeling better. Patient felt very dizzy. Patient did know the symptoms. But patient did not know if it is an allergic reaction to the vaccine. Patient eyes were still very heavy and warm and patient was again dizzy. Outcome of heart was extremely fast and blood pressure also went up was recovered on 08Jan2021, outcome of other events was unknown. Information on the lot/ batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
957457	1/20/2021	VA	47	F	1/9/2021	1/1/2021	Mild headache; Weakness; Loose stools/diarrhea; it was hard for me to walk; stomach ache/stomach cramping; Fatigue; Some sweating in the middle of the night; some pain behind her eyes; Shoulder area is sore; This is a spontaneous report from a contactable consumer (patient herself). A 47-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot# EK4176), via an unspecified route of administration on 09Jan2021 11:00 in left arm at single dose for COVID-19 immunization. Patient take medications for mood and sleep with were very low doses. But she didn't have any medical problem. She took 10 mg of fluoxetine hydrochloride (PROZAC), 150 mg of bupropion hydrochloride (WELLBUTRIN) and 10 mg of doxepin for sleep. Yesterday after the vaccination towards the end of the day (09Jan2021 approximately 11 o' clock am), she developed a stomach ache about 5 pm and it went on throughout the night and she normally didn't have issues with her stomach. Maybe it was because she was hungry because she went ice skating with her son where they wore mask in the afternoon yesterday and she was feeling perfectly fine. But when she came home, she noticed her stomach started hurting at 5 pm and she wondered maybe it is because she was hungry. And after she ate it was still bothering her and then it got progressively worst in the middle of the night where it would wake her up periodically. But she was so fatigue that she was able to sleep still. But she noticed in the middle of the night that her stomach would wake her up because it was aching and cramping in the middle of the night. And then she also had some sweating in the middle of the night as well as some pain behind her eyes. And today (10Jan2021) she had some fatigue which she noticed was not usual, she had mild headache which she saw was a common side effect. And then in the morning (10Jan2021) some fatigue and weakness like when she walked to the bathroom it was hard for her to walk. And when she went to use the bathroom she had some loose stools which was not common for her unless at all she was sick or have eaten something that makes her stomach really sick which was very unusual for her. Her stomach was still hurting her, if she walked it will start getting cramped so she was sitting down. The only thing she took this morning was 2 acetaminophen medicine tablets because she was having pain behind her eyes

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

957459	1/20/2021	TN	82	F	1/8/2021		<p>when she woke up. She was just going to say she had influenza type A and type B on several occasions. And these symptoms are similar to when she had type B influenza, which was not as difficult as type A. So this is, they seemed to be like a mild version of type B influenza which she had terrible stomach issues, diarrhea and fatigue and pain behind the eyes from type B influenza. She had not any sickness because she work from home and she had limited field contact. So, she hadn't had illness from past year now. Because she worked from home. She provided mental health counselling remotely. So, she didn't think it could be attributed from anything else. The left on arm which was up toward like shoulder area and it was sore but it was tolerable in Jan2021. Outcome of stomach ache/stomach cramping was not recovered, and outcome of other events were unknown.</p> <p>I have felt horrible; Every bone in my body ached except my eyebrows and eyelashes; I am so weak I have no energy; I can hardly walk; This is a spontaneous report from a contactable consumer (patient). An 82-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 08Jan2021 at single dose for COVID-19 immunization. The patient medical history included autoimmune disease and "bad back", both from an unknown date and ongoing. The patient's concomitant medication included prednisone for autoimmune disease and tramadol 75 mg daily for back pain. On an unspecified date, the patient reported that: "I felt horrible, every bone in my body ached except my eyebrows and eyelashes, I am just wiped out when does this go away, I am so weak I have no energy, I can hardly walk". The patient underwent lab tests and procedures which included blood test: unknown result, on an unspecified date. The patient outcome of the events was unknown. The information on the batch number has been requested.</p>
--------	-----------	----	----	---	----------	--	---

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
957547	1/20/2021	VA	50	F	1/19/2021	1/19/2021	immediately after injection I began to sweat. then about 2 hours post injection, I began feeling nausea and close to vomiting. bad headache with Dizziness with light making the headache worse, I also would have intermittent chills then feel flush like my face was burning. I could not turn my head to fast I would get very Dizzy and more nausea. If I kept in one position in a semi supine state I felt ok not great but could tolerate it. I also had to keep the bright lights out of my eyes.
957571	1/20/2021	SC	59	F	1/19/2021	1/20/2021	TEMPERATURE OF 100.7, BODY ACHES, EYES STINGING AND DRY, HEADACHE
957593	1/20/2021	PA	45	F	1/15/2021	1/16/2021	Chills, lower back ache within 15 mins of 2nd dose, fever of 102, achy, chills, sweat, joint pain at 2am (approx 14 hrs after injection), took 1000mg ibuprofen w water, sleep. Woke up w L eye swelling (have photos), appears L sinus inflamed, more ibuprofen. Effects continued into Sunday, relieved w ibuprofen, swelling of eye went down. Remained tired and achy throughout Monday 01/18 and Tuesday 01/19, woke up Wednesday 01/20 w L sinus stuffiness and "full" feeling, feels like a 1 sided sinus infection.
957652	1/20/2021	PA	47	F	1/18/2021	1/19/2021	fever, sweats, body aches, headache, watery eyes fever sweats started at 3:30 am. Body aches 5:00am along with headache and constant watery eyes. Difficulty taking deep breaths due to muscle soreness in back and ribs
957831	1/20/2021		37	F	1/16/2021		37y female with history of anxiety disorder who presents to ED with chief complaint of feeling shaky, hot, and racing heart after receiving 1st dose of Moderna COVID-19 vaccine. Patient reports receiving injection, subsequently walking to the check out line and suddenly feeling hot, tremulous, and tachy. She endorses tingling and numbness in bilateral upper extremities, diaphoresis, heart palpitations, and blurry vision. She denies HA, n/v chest pain, SOB, hemoptysis, syncope, loss of consciousness, bowel incontinence, and bladder incontinence, HR improved, patient left ED with no concerns

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
957758	1/20/2021	NY	40	F	12/28/2020	1/1/2021	1/1/21 sore throat lung pain in back . F/U with Dr antibiotic Amoxicillin Strep diagnosis, swollen pressure in lungs, antibiotic has provided some relief to lungs but pain continues, feels lungs are fatigue and worked. 20 days swollen throat has continued, and small rashes with no itch come and go on eyelid, chin, shoulder.
958299	1/20/2021	KY	42	F	1/20/2021	1/20/2021	APPROXIMATELY 8 MINUTES AFTER RECEIVING MODERNA #2 VACCINATION, CLIENT DEVELOPED DIZZINESS, SHORTNESS OF AIR, PERIPHERAL TREMORS/NUMBNESS. CLIENT BECAME PALE AND DIAPHORETIC. CLIENT STILL ALERT AND ORIENTED X3. BENADRYL 25 MG ORAL GIVEN FOLLOWED IMMEDIATELY WITH EPI PEN ADULT DOSE @ 10:56 AM. VITAL SIGNS @ 10:54 WITH BP: 146/72, P: 131, REPIRATIONS 30, SKIN PALE/DIPHORETIC PRIOR TO ADMINISTRATION OF EPI. 2ND SET VITAL SIGNS @ 11:00 150/74, P: 119, R: 30 SKIN PINKINING/IMPROVING DIAPHORESIS STILL REPORTS PERIHERAL NUMBNESS/VISUAL PERIPHERAL TREMORS STILL PRESENT/REDUCED. 3RD SET VITAL @ 11:13 AM BP:136/68, P: 100, R: 26 REPORTS HER TONGUE FEELS THICK. TRANSFERRED TO ER FOR CONTINUATION OF CARE @ 11:20 AM VIA WHEEL CHAIR.
957804	1/20/2021	FL	68	F	1/18/2021	1/19/2021	Severe L arm pain, L face tingling, numbness, and warm to touch including eye area and eye swelling



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
957836	1/20/2021	DE	26	F	1/18/2021	1/19/2021	1/19 4:30 PM- extreme body soreness (especially injection site/left arm), headache, chills, and felt like I had a fever (with no fever). 1/19 8:00 PM- Hallucinations began (with eyes closed and open) - started seeing unfamiliar people (faces and outlines), black and white strobing along with seeing pure red light at certain points, I could not control the hallucinations, extreme paranoia (like I was being controlled and watched), physical symptoms magically went away; however, I had pressure in my head that did not hurt like a headache. I was talking to people that were not there. I felt completely out of control. The only thing that helped was forcing myself to focus on the TV, which was extremely difficult. Symptoms started to die down around 3 AM, but did not go away. I slept for 4 hours. 1/20 8 AM- felt like and still feel like I am not in reality, I feel disassociated with my body (like its not mine), slightly out of control of my thoughts, I see subtle black and white flashing like last night but not as intense, paranoia like last night/not as intense, cant concentrate.
957840	1/20/2021	NY	45	F	1/12/2021	1/15/2021	swelling of left eye on Friday 1/15/21 took Benadryl and came down by next morning. Sunday 1/17/21 swelling of upper lip took Benadryl and it went away on its own a few hours later. Random hives all over body all weekend From 1/15/21 to 1/18/21. Generalized itchy feeling of skin.
957876	1/20/2021	PA	43	F	1/11/2021	1/20/2021	Swelling, redness and pain in the left arm, started 1/20/21, 9 days post-injection. Nausea, stomach pain started 1/20/21. Sty in eye plus sinus pressure and drainage started 1/19/2021 in the afternoon.
957910	1/20/2021	CA	71	F	1/17/2021	1/18/2021	Day 2 woke up very sore arm & generally felt like I had the flu. Stayed in bed all day. Day two very swollen eyes and one side of my mouth was very swollen. Again felt like the flu. Eyes hurt if I blinked hard. Day 3 eyes still swollen but getting better. one side of mouth very swollen. Less achy

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
957920	1/20/2021	GA	43	M	1/15/2021	1/18/2021	On Monday, February 18th, around 08:25 in the morning, I noticed an itchy rash broke out around the back of my neck. I attempted to treat the rash with Triamcinolone Acetonide Cream USP, 0.5%. On Tuesday, February 19th, I noticed the rash had spread from the back of my neck to the front and down and across my chest. The rash also began appearing on the sides of my face and above my eyebrows.
957929	1/20/2021	MN	55	F	1/16/2021	1/16/2021	I received the shot at approximately 5 pm and my arm was almost instantly sore. About 3 hours later starting getting pain behind my left eye and left side of my face felt numb. I had a headache until Tues. and arm pain is pretty much gone today (wed). I was extremely fatigued on Tues but less so today. The numbness in my face is pretty much gone today too. I did let my doctor know at my physical on Monday.
957944	1/20/2021	TX	72	M	1/14/2021	1/14/2021	6 hours after injection I started itching all over, turning red, had a rash, my chest got tight, no difficulty breathing. I went to sleep and woke up very hot, some sweating. Had to get out from under the cover, cooled off in a few minutes. Eyes are burning, some redness, rash like on arms.
958034	1/20/2021	NY	52	F	1/11/2021	1/12/2021	Had flu like symptoms along with the most extreme headache with tunnel vision and vertigo. Unable to pick head up off pillow for 2 days. Unable to eat or drink as well.
958058	1/20/2021	GA	68	U	1/20/2021	1/20/2021	5 minutes following injection patient complaint of dizziness, hands and feet tingling, blurry vision. Patient was flush, diaphoretic. VS 144/74 HR 61 (10:00am) 10:07 BP 144/77 HR 60- Pt reports palpitations, legs shaking (trembling). 10:09 Diphenhydramine 25mg administered to LD IM. No adverse reactions noted. 10:15 VS BP 144/77, HR 61- patient states he is "feeling better". 10:30 BP 127/72 HR 61 Patient remained in clinic until 11:00 am. He was escorted to his home by family. Instructed to seek emergency medical attention for any adverse reactions at home.
958199	1/20/2021	SC	64	F	1/18/2021	1/18/2021	Fever 101.5, migraine, eyepain, severe arthralgias, nausea and vomiting, weakness, inability tji think clearly. Residual symptoms at the time of this report

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
958262	1/20/2021	FL	60	F	1/12/2021	1/13/2021	chills, headache, body aches, loss of taste, flush, red eyes, extreme fatigue
957679	1/20/2021	SD	45	F	12/30/2020	1/1/2021	a sensation of loss of gravity or floating feeling, increasing dizziness, visual disturbances, throbbing headaches, difficulty operating a vehicle. The dizziness has now gotten bad enough that it is causing nausea.
959901	1/20/2021		45	F	12/22/2020	12/22/2020	Patient is a 45 year old female with no significant PMHx who presents today high blood pressure, nausea and chills within 30 min of receiving the 1st dose of the COVID-19 vaccine 4 hours ago Denies rash, shortness of breath, vomiting, diarrhea, trouble swallowing or breathing, swelling of throat, tongue, lips or eyes. No fever. Patient states her BP was taken when she was having the symptoms and it was 170s systolic. Patient is presenting today with report of nausea, chills and elevated BP s/p COVID-19 vaccine. Patient has no evidence of anaphylaxis or severe allergic reaction. . Patient has normal vitals and in no respiratory distress. Will discharge home with close outpatient follow-up.
959563	1/20/2021	SD	87	F	1/20/2021	1/20/2021	8 minutes after receiving the vaccine, pt appeared to be sleeping in her chair but could not be woken up with verbal stimuli. We then tapped and gently shook patient's shoulder and she still did not respond. She was given 1 EpiPen and 50mg of diphenhydramine injection. She did open her eyes but was not able to respond to questions. She could squeeze both hands. Her breathing was normal at 20 to 20 resp/min. , blood pressure was normal and heart rate was normal. The nurse on duty at the assisted living facility we were at called the ambulance and patient was taken to the local hospital. Patient was sent back to the facility several hours later.
959573	1/20/2021	NY	41	F	1/20/2021	1/20/2021	Patient's lips and eyes swelled. She reported tingly lips, felt shaky. EMT took BP was 136/74. She was observed by MD over one hour. She was assessed as no longer having swelling and reported feeling better. She planned to go home and take benedryl.
959600	1/20/2021	IA	53	F	1/19/2021	1/20/2021	ON 1/20/21 DEVELOPED EYE/MOUTH DROOPING, VOMITING, NAUEA, CHILLS AND BODY ACHES. HAS CALL OUT TO PCP

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
959636	1/20/2021	CA	29	M	1/12/2021	1/12/2021	Constant/On and off headache since second vaccine was given (over a week now). Headache more in the frontal section of the head and in between eyes; however, it migrates and intensifies around my head. The headache depresses my mood and had to call off work. Been in bed due to headache since second dose was given.
959688	1/20/2021	CO	42	F	12/22/2020	12/24/2020	Migraine on day 3. Started around 5 pm the first time, took ibuprofen and hydroxyzine to sleep until it passed. Day 6, another migraine. Ibuprofen and caffeine. Day 7 I went to get a haircut thinking the migraines may be caused by heavy long hair. Day 8 extremely painful migraine, can't open eyes as light made it worse, nausea, vomiting. Called my PCP, they recommended going to urgent care after I vomited. I couldn't get a ride so I took ibuprofen, Tylenol, and hydroxyzine to help me sleep until it's gone.
959704	1/20/2021	MA	74	F	1/19/2021	1/19/2021	Began with itching watering of the eye roughly 6 hours post vaccination. Overnight The adverse events became increasingly more pronounced and she woke up with Her right eye swollen shot with discharge and crust a red well like eyelid that progressed onto her forehead into the left side of her scalp underneath her hair, Complained of itchiness and tenderness or pain to the touch especially on the eyelid, Vision impairment also noted
959726	1/20/2021	LA	43	F	1/13/2021	1/14/2021	24 hrs later of vaccination on 1/14/2021 my right eye got swollen until 1/16/2021 I went to the doctor on 1/15/2021 & I got steroid.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
959750	1/20/2021	NC	43	F	12/29/2020	12/30/2020	24 hours after vaccination I had tingling and numbness on right side of face, heavy eyelids, "pulling sensation" in neck. Unable to lay flat. Tingling and numbness would switch from right side to entire face but mostly on right side. Headaches and noticed increased heart rate two days after vaccine. One week after vaccine numbness and weakness extended down right arm and leg, able to move leg just felt "weak". I thought I was having a stroke or TIA. Made an appt. with the NP and she did full neuro exam and everything came back normal. Also, made an appt. with my PCP. Still continued to have headaches and weakness improved. Did get a COVID test since was still having headaches and it so long since vaccine, received test 1/12/2021 and it was negative. This past weekend was the 1st time I felt "pre vaccine" 17 days post vaccination. I am truly hesitant to take my 2nd dose scheduled on 1/26/2021.
959759	1/20/2021		59	F	1/6/2021	1/6/2021	Experienced weakness and dizziness immediately after the injection, which subsided in about 20 minutes. Two hours later, itching began on left leg and arms. Noted red blotches to these areas. Face began to feel very prickly and flushed, felt lower lip swelling and left eye began to feel funny. Observed one hive to cheek. Was able to take a Benadryl 25mg capsule within about 10-15 minutes after this developed. Symptoms began to subside after this. Felt back to normal the next day. Just moderate injection site pain for 1-2 days.
959771	1/20/2021	CT	76	F	1/18/2021	1/18/2021	Lowered body temperature 30 min after dose, left hand began to itch approx. 45 minutes, both hands itching & swelling, then feet within hour. Total lose of vision within 90 min followed by fainting approx 10 minutes later. Fainted at check-in desk of emergency room

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
959784	1/20/2021		48	F	12/28/2020	12/28/2020	It was stated that approx 1 hour after getting the Covid Vaccine she developed SOB. It was stated that she was given Benadryl 50 mg IM and Epi pen 0.3 mg sq. It was stated that she got the vaccine at 1330 and the reaction began at approx 1430 hours. She states that she has allergies to bees, meds and foods. She states that she feels the same way as a major allergic reaction. She states that she feels like her throat is itchy and scratchy. She states that it feels like her throat is going to close. She has more problems with coughing than she does with SOB. H She denies any headache, neck, chest or abd pain, numbness or tingling. She further denies any N/V, Dizziness, fever or chills, blurred or double vision, photophobia. Respirations are without shoulder lifts or intercostal retractions. She is primarily coughing. She is able to speak in 3 - 5 word sentences. No drooling are noted, mild stridors are noted. Lung sound are clear and equal bilateral. She appears to be atraumatic without signs of gross deformity. She moves all extremities well and equally without other c/o pain or discomfort. She appears to be in no acute distress. Patient discharged home and referred to PCP and allergist
959545	1/20/2021	NC	48	F	1/15/2021	1/16/2021	Extreme Headache, Pain all over my body, general sick feeling, watery red itchy eyes, low grade fever and chills all over my body especially the head, extreme weakness. It lasted for 2 days.
959869	1/20/2021	WA	56	F	1/17/2021	1/18/2021	acute stabbing pain in left arm, moved to left chest area and left side - intermittent stabs for 5-7 minutes then stopped - 30 minutes after injection given blurry vision - 30 minutes after injection given mild shaking - following morning lasting for about 2 hours extreme fatigue - lasting for 48 hours - Sunday evening through Tuesday evening
959844	1/20/2021	LA	43	F	1/13/2021	1/14/2021	Patient stated that she received the 2nd dose of the Pfizer vaccine on 1/13/2021. At 5:00 am on 1/14/2021, she noticed her right eye was swollen and red. Patient also complains of a headache. Patient took Benadryl and Ibuprofen without resolution of symptoms. Denied any problems with breathing or swallowing. Patient advised to see PCP or go to Urgent Care.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
959919	1/20/2021	CA	39	M	12/22/2020	12/26/2020	received the vaccine on 12/22/2020. Took a nap on 12/26/2020 around 1400 and woke up and noticed that left eye had blurry vision. He washed it and it was still blurry. After 1 hour, he decided to go to the ED- was worried about possible stroke in his eye or retinal detachment. No retinal detachment found in ED; was discharged from the ED, not admitted into the hospital. Followed up with ophthalmologist as instructed on 12/27/2020. Retinal scan done and found no retinal detachment but the doctor found fluid found behind the retina. MD recommends rest, less stress at work. Unknown if related to vaccine per MD - mentioned no data is available to compare.
959928	1/20/2021		50	F	1/20/2021		Agitation, BlurredVision, Confusion, Anaphylaxis, UrticariaPruritus, Syncope, Pt experienced reaction three days PRIOR to first vaccine - event documentation only. Narrative: Pt has history of likely environmental allergies resulting in 4-5 mild reactions annually. Has seen allergist-immunologist in the community and has epi-pens, ranitidine and diphenhydramine. Had reaction three days PRIOR to first covid vaccine dose. She did NOT experience any untoward reaction to either dose of vaccine.
959972	1/20/2021	MO	90	F	1/12/2021	1/14/2021	Pt is alert and oriented with a GCS of 15. Pt able to answer questions appropriately, name, DOB and any complaints, which pt stated no complaints. Staff stated pt wasn't speaking to them prior to arrival and pt's strength and ability to move from her bed to her wheel chair and vice versa has been compromised since she received first dose of COVID vaccination on the 12th. 911 was called when it appeared she could not speak and noted her left eye was no longer staying open. Pt able to speak clearly with EMS, but noted left eye continued to stay shut. No recent trauma, no ocular hx and no changes to recent medications. Assessment documented above, stroke scale negative. Speech was excellent, symmetrical smile, negative on arm drift, good grip strength and good push and pull with feet. BG of 103. Pt is wheelchair bound but independent for transferring from chair to bed but has been on a steady decline in terms of independence and needed 1-2 person assist for a week.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
959975	1/20/2021	MO	42	M	1/19/2021	1/20/2021	Petechia around eyelids
959981	1/20/2021	MI	50	F	1/18/2021	1/19/2021	Delayed Localized allergic reaction. Approximately 24 hours after shot, I developed hives and swelling on cheeks, chin and swelling of lips. Immediately took 25mg of Benadryl. Sought treatment at an UTC for evaluation. I did not have trouble breathing and oxygen saturation was good, always above 97%. Upon reaching clinic 1 hour later, swelling and redness had gone down. Doctor diagnosed it as a localized allergic reaction to vaccine. I was given another 25mg of Benadryl and prescribed prednisone 20mg for 3 days. Swelling and redness has been intermittent since yesterday. All swelling and hives are confined to the face. I have been taking 50mg pf Benadry every 6-8 hours continuing this evening. It should be noted that I pre medicated with Benadryl the 2 nights before vaccination, the morning of, 1 hour after the shot and late evening the day I received the vaccine. I knew with my history of allergies I was at higher risk of allergic reaction. Please note the facial, eye and lip swelling began the following morning, 12 hours AFTER my last dose of Benadryl.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
960015	1/20/2021	VA	64	F	1/19/2021	1/19/2021	Adverse event: Face swelling especially the eyes (eye lids, tissue between nose and eyes and below eyes), lips and outside the lips (left upper lip and into cheek and lower right lip into chin). Note: I was not having any trouble breathing and I did not think my throat was closing up. Treatment: Benadryl 50 mg immediately and again 4 hours later, Allegra 180mg once daily for 7-10 days, Methylprednisolone 4mg Dospak 21S, Famotidine 20mg 1 twice/day for 10 days. Outcome: Spoke to MD about 8PM on 1/19/21; took first dose of Benadryl and Allegra about 8:20PM; MD called in other Rx's and I had to pick them up, so first doses of methylprednisolone and famotidine were taken around 9:05PM; around 10PM or a bit after MD checked on me and I said I thought the lip swelling was improving but it was hard to tell with the eyes; MD had previously instructed me to stay up to 12:30PM in order to take the second dose of Benadryl 50mg, which I did and then I went to bed. In the morning around 9AM, I thought the face swelling had gone down 40-50%. MD called me around 9:16AM and I reported to her that the swelling had gone down 40-50%. At 10:36PM tonight as I make this report, my swelling as gone down more maybe by an additional 10 or 15%.
960031	1/20/2021		71	M	1/10/2021	1/11/2021	Pt Rec'd Covid vaccine and injection in Lt eye for macular degeneration. Monday 1/11 slurring speech/jumbled words since dinner, went to bed, wife states improved from last night but still difficult clearly communicating. Also reports difficulty writing. Came to ED and admitted for stroke evaluation. Stable for discharge home 1/13 with neurology follow up visits.
960506	1/20/2021	CA	76	F	1/18/2021	1/18/2021	Patient reports she experienced lip and tongue tingling, "puffy eyebrows" and cheek swelling approximately one hour after receiving the vaccine. Patient reports she is still experiencing swelling under her eyebrows and cheeks at the time of report (01/20/21 at 8:37 pm).
1353858	1/20/2021		40	F	1/14/2021	1/16/2021	swelling to left armpit, left eye, left cheek and lips.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
958997	1/20/2021	MO	52	F	12/23/2020	12/24/2020	12:00 noon my arm was super sore and swollen and I could barely raise it. By the evening on the 24th I was super tired. Christmas , the 25th,I was really fatigued. 26th, I was very fatigued and no energy - like I almost had the flu. 27th - the same - couldn't get out of bed. 28th - started getting a dry, hacky cough and then it went away. 29th - tried to go to work and I didn't feel good at all and I just wasn't feeling myself. Had brain fog. Went to work - things that I know that Know wasn't there because of brain fog. Felt really like flu symptoms that night. 30th - body aches; headache and eyes felt like pressure behind them. Sent me to COVID and it was positive - was out 2 weeks from work. Went to back to work last week - but I still had shortness of breath, brain fog and fatigue and cough on Monday the 11th; super tired still and I kept pushing myself to try to work and by Friday, 15th, I was just done. Exhausted. 16th - still having fatigue and 17th I thought I felt better when I woke up but still had my shortness of breath, cough and brain fog. At 2:00 pm I started feeling dizzy and faint like. I ate and within 20-30 min after food started throwing up, pounding headache. Every time I started trying to drink I would throw up. Monday, 18th, I went to work and I noticed whenever I moved around I was dizzy and short of breath and I couldn't eat or I would throw up. So slept the rest of the day. About 4:pm on Monday I thought I was going to pass out. O2 level at 86. Heartrate - Palpitations at 130. It was bouncing. Hving chest pressure, dizzy, pounding heart - O2 86 and Heartrate145. ER at 5:00 pm at Medical Ctr. Nausea medicine: Phenergan and Zofran. Did IV to hydrate me as I was dehydrated. Gave me Pepsid. I was a direct admit. They kept giving me hydration and nausea med and med for headaches and cardio workup - cardio came back normal. Severe lung inflammation. Was in the hospital until evening of 19th.
958939	1/20/2021	MI	50	M	1/20/2021	1/20/2021	Left eye swelling and red, itchy, tearing, blurry, warm.
959832	1/20/2021	CA	60	F	12/22/2020	12/23/2020	within 36 hours of second dose patient developed fasciculations of the right lower eyelid, which have persisted ever since

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
959092	1/20/2021	MD	29	F	1/20/2021	1/20/2021	Dizzy, vision blurry. BP140/98 P118. Rest, juice. Felt better, called contact for pick-up. BP119/98, P95 @1:10pm. Feeling better but still feels slight dizziness. Transported via w/chair to ride w/brother.
958998	1/20/2021	SC	35	F	1/19/2021	1/20/2021	Felt okay upon awakening at 06:30am. Got a shower before work. Shortly after getting out of the shower I became weak, ears started blocking, and started to have tunnel vision. Progressively got worse and was able to sit with head between legs. Took about 1 minute before I didn't feel like I was going to pass out. Shaky and weak after. Pulse 78 and oxygen level ok. Completed virtual visit and no further medical treatment advised unless symptoms got worse, but advised it was likely a vaccine reaction. Shortly after a bad headache and body aches developed (expected side effects).
959883	1/20/2021	MA	41	F	1/6/2021	1/8/2021	On 1/8/21 I had pain in my left ear and a feeling of fluid like an earache, also had a pressure type headache behind my eyes and felt fatigued. I stayed home from work and reported it and was told I could return to work on 1/11 (my next scheduled day) by workplace health. I felt fatigue and eye pressure headaches on and off since. I also felt like I was having vision changes. On 1/14/21 I noticed a small, raised, red area at the injection site. Over the weekend it continued to spread over my arm. It is warm and very mild tenderness to palpation but does not itch. I am also feeling tight muscle pain in my left shoulder and left side of my neck.
959539	1/20/2021	FL	72	F	1/15/2021	1/19/2021	4 am on Tuesday, January 19 awoke to find the top half of vision in my left eye was grayish/black
959020	1/20/2021	IN	69	M	1/18/2021	1/20/2021	severe chills, headache, fever, heart trouble, muscle aches, eye pain and joint pain.
959027	1/20/2021	MD	31	F	1/9/2021	1/9/2021	Approximately 8 hours after receiving the vaccine she began noticing itchy throat, eyes, ears, nasal congestion and sneezing. These symptoms lasted for about 48 hours.
959044	1/20/2021	VA	48	M	1/15/2021	1/18/2021	3 days following injection, pt developed severe vertigo, headache, bilateral eye pain, weakness. Pt advised to rest, hydrate and use APAP and/or ibuprofen for headache. Pt declined in-person evaluation. Symptoms improved within 24 hours.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
959056	1/20/2021	LA	58	F	1/18/2021	1/20/2021	RASH ON INSIDE CORNER OF RIGHT EYE SPREADING OVER BRIDGE OF NOSE TO LEFT EYE. EMPLOYEE DENIES ITCHING, BURNING, OR PAIN.
959087	1/20/2021	TX	58	F	1/14/2021	1/15/2021	Patient states when she woke up the next morning and went to the bathroom she got a feeling like she was about to pass out so she states that she sat down on the bathroom floor to avoid passing out. She then states that her husband told her that her head slowly fell back and she started shaking and her eyes remained open. She also states that her husband said he was shaking her and lightly tapping her face until she gained back consciousness but shortly after she did it again. She states her husband said it didn't last long but she does not remember passing out or what she believes was a small seizure episode. She states that after her reactions resided she went to see her doctor and he took her vitals, did some blood work, and tested her for COVID and the Flu. Patient also states that having the reaction she developed a bad headache while waiting in the doctors office. States that on Saturday her headache wasn't as bad as on Friday and on Sunday she developed sharp, stabbing pains to the right side of her head that is not constant but comes and goes every now and then. Patient states her and her husband came across a news article that stated the vaccine she received is in question and believes that could be part of the reason for her adverse reactions. Patient states that she still doesn't feel normal but her doctor told her to give it a few more days for symptoms to subside.
959018	1/20/2021	MD	37	F	1/20/2021	1/20/2021	12:45pm: Pt c/o lightheaded, stated visual disturbances, skin color pale, and diaphoretic about 15-20 minutes after receiving the COVID 19 vaccine. Juice given. B/P 60/30 and pt.'s head placed between her knees. Pt transported via W/C to the cot and placed in supine position. 12:50pm: Pt stated she felt better with improvement in skin color noted B/P 102/70. 1pm: Pt states she continues to feel better B/P 106/70. Pt discharged from post-vaccination site via W/C with her husband (driver). Pt instructed to call her PCP to report this event.
959120	1/20/2021		31	F	1/7/2021	1/9/2021	Moderna COVID-19 Vaccine EUA. Swollen Left Eyelid 1st day and on 2nd day Right Eye Swollen as well

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
959157	1/20/2021	MD	33	F	1/20/2021	1/20/2021	Headache on right side; feels increased heart beat; dizziness, feeling of blacking out, stuffiness, cold sweat. BP118/80. Improved over time but still some right headache & eyes "tired" @1:10pm @pick-up by husband. Transported to car via wheelchair.
959159	1/20/2021	MI	73	F	1/15/2021	1/18/2021	Severe vertigo with jittering eyes, loss of balance, vomiting. Started Antivert on 1/19/2021 at 7:45 pm. Better, but still very dizzy. Vomiting has stopped.
959188	1/20/2021	MD	33	F	1/20/2021	1/20/2021	Headache on right side; increased heart beat, dizziness, feeling of blacking out, stuffiness, cold sweat. BP118/80. Still slight headache on right & eyes feel "tired" upon discharge via wheelchair to ride home with husband.
959404	1/20/2021	CA	29	M	1/6/2021	1/9/2021	Rash with itchiness in the face, neck, arms, groin, shaft of the penis, scrotum, swelling of the upper and lower eyelid and face. Denied any neurologic symptoms, cardiovascular or respiratory symptoms. the itchiness and the rash is intense. the rash can be notice from distance. Consulted the primary care Dr. and was prescribed a course of prednisone of 10 day taper starting at 50 PO mg/day.
959491	1/20/2021	CA	60	F	12/22/2020	12/22/2020	Day 1-3: had headache, generalized itching and swelling of the right side of the face and eyelid. Took Tylenol Day 6: diagnosed with Bells Palsy by PCP 1/8: went to doctors for evaluation by PCP of symptoms currently patient still experiencing swelling of the right side of face and slight itching

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
959476	1/20/2021	NY	35	F	1/15/2021	1/15/2021	Around 30 minutes after vaccine, I started to feel dizzy and light headed. As the day went on, I started to get a headache and get very tired. Then around 5 I started to feel intense: Headache Chills/cold Dizzy/light headed/almost fell over several times. Muscle weakness, could not carry anything or lift. Muscles in face felt like they were melting down/stroke sensation. Exhaustion. Sore/achy everywhere. Tender left arm where shot was. Could not think/memory was gone/could not put together a sentence. Tightness chest/hard to breath. Could not keep eyes open. Had to lay down and sleep with long pants long sweater, jacket and 3 blankets. I woke up the next morning and some of my symptoms were gone except I still felt tired and had some achy ness, pain and left arm hurt and had shooting pain in joints. Shooting severe pain in each joint, lasted for 3 days, most severe in joints where I received vaccine but also in wrists, shoulder, elbows, hips, knees, ankles. At day 5 my left arm is still sore including muscles around injection site.
959086	1/20/2021	MN	25	F	1/13/2021	1/13/2021	Within 30 -40 mins of administration of Pfizer EK9231 started developing slight numbness on right side of the face, mainly right cheek and under right eye. Took Ibuprofen 400mg still was feeling the numbness and took another Ibuprofen 200mg around 1400 for the still felt slight numbness. Took 25 mg of Benadryl around 1700 because I still was feeling the slight numbness on right side of face. In the morning was not noting any improvement in the facial numbness and was feeling that the cheek muscles were tighter on the right side and causing subtle facial asymmetry. I got worried and went to the ED. I was assessed, diagnosed with facial paresthesia. I was offered an MRI, I declined as I did not feel that I needed it at the time. Provider prescribed 40 mg of prednisone daily for 5 days, valacyclovir 1000mg 3 times a day for 7 days. After starting prednisone facial muscle tightness I was feeling improved, still felt slight numbness more so in the mornings the next 2 days. I took the full course of prednisone, I am no longer feeling the facial symptoms. I stopped taking valacyclovir on day 3, since I felt that the prednisone was what is helping and it was harder to evenly take it 3 times a day.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
959433	1/20/2021	IN	27	F	1/18/2021	1/18/2021	Right eye/eyebrow spasms (twitching) intermittently for 24 hours. Previous ASE from 1st vaccination on 12/28/20 was right eye/eyebrow spasms (twitching) intermittently for 1 hour
959414	1/20/2021	NY	53	F	1/14/2021	1/15/2021	Left work early Friday (4pm) and went to bed. In bed for the following 5 days, including now. Muscle and bone aches through my spine and hips, nausea with some vomiting, chills, severe weakness, no recordable fever but felt feverish, skin hurt. Woke up Tuesday drenched in sweat but the bone pain had subsided. Still very weak, nauseous, continued in bed. Woke up today feeling on fire, eyes burning hot, skin no longer hurt but felt hot. Injection site hurt through Sunday-no redness, no rash or swelling. I took Tylenol and Advil throughout. My previous trunk rash completely disappeared. I began taking the prednisone last night. 50mg BID. I have a 5 day supply. Took a Covid test on Monday-results pending. Tried to see my doctor today giving them the above information-there were no appts til Friday and I was referred to the ED. I will not go to the ED where I could actually catch Covid. I was unable to get past phone triage with the doctors office.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
959468	1/20/2021	AR	45	F	1/17/2021	1/17/2021	<p>1/17/2021 2:00pm Vaccine administered, abiding by the CDC and ADH guidelines for safe distancing and masks. Looked at injection site and it looked normal, just a little red dot where the needle was directed to administer the vaccine. 7:00pm arm started to itch at injection site. Looked at site and it was a large red spot, warm to touch and had a large knot under the red injection site. Itching continued through the night isolated primarily to my upper extremities (arms, chest, face) region. Did not take Xyzal that night for fear of some type of interaction. 1/18/2021 6:00am awoke to more facial itching and took a shower. Noticed red splotches in the T zone of the face. More isolated around my eye lids, a section on my forehead, on the right side of the bridge of my nose, and my laugh lines on my face from the bottom of the nostrils down both sides of my mouth to my chin. Arm was sore, which I had expected and the spot was more red than the previous day, still warm to touch, and knot was still present. 7:30am Got to work and my took a 1/2 tablet of Xyzal since I can't function on a whole dose of that or Benadryl for a work day. Itching subsided for about 4 hours. 1:00pm Took another 1/2 tablet of Xyzal. Lasted another 4 hours. 6:00pm Itching was back bad enough I took my normal nightly dose of 1 Xyzal table. It seemed to help until morning. Massaged knot on arm and tried to help lessen the soreness of the area. It was tender to touch, but not painful. 1/19/2021 5:30am Awoke to itching, spot still red, knot gone down compared to previous day. Took shower. Noticed that heat seems to bring out the redness in my face and makes the itching start again. Hot showers were not helping apparently. 7:00am Took 1/2 Xyzal, since itching was continuing. Lasted again for about 4 hours. 12:00pm Took 1/2 Xyzal and lasted an additional 4 hours. Thought the itching should be going away. 6:30pm Took normal dosage of Xyzal. Knot still present but not as prominent as previous days. Injection site still red. 1/20/2021 7:30am Went to local PCP for medical opinion and assistance. He gave me a steroid shot and gave me a Prednisne DosPak with a total of 21 steroid tablets to start administering on 1/21/2021. Was advised to not take the second booster of the Moderna Vaccine and to see advice as to the recommend course for vaccination of Covid-19 since I had an allergic reaction to the vaccine.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
959400	1/20/2021	IA	38	F	1/6/2021	1/6/2021	12 hours after vaccination began experiencing fever, chills, body aches, slight head ache - lasted around 12 hours Had slight pain above eye prior to getting vaccination Saw PCP on 01/08/2021 due to eye pain - had CT scan for possible aneurysm, found 2 spots on brain, thought patient had shingles On 01/10/2021 shingles rash appeared
959337	1/20/2021	NJ	46	F	1/8/2021	1/15/2021	Vaccine recipient received vaccine on 1/8/2021. She reported that on 1/15/2021 around 3-4 pm noticed that she had left eye weakness. Over the weekend 1/16/2021 ? 1/17/2021, she noticed that the left eye weakness/droop was more pronounced when she was tired. On 1/18/2021 she went to see a neurology specialist and had an MRI done. Vaccine recipient reported that the MRI findings were normal. On 1/18/2021 she developed a migraine and took propranolol and Aleve. She is waiting on pending blood work and results.
959289	1/20/2021	MN	31	F	1/15/2021	1/15/2021	Same night had chills and fatigue, next morning hot/sweaty for hours, sore arm better by Sunday night. Mon/Tues itchy throat with random dry cough, if try to hold back watery eyes and/or runny nose. Wednesday red patches hives on face/neck.
959263	1/20/2021		46	F	1/11/2021	1/13/2021	Staff reporting that 1st vaccine she doesn't have any reaction. 2nd vaccine on 01/11/2021 1pm. On 01/13/2021 noon time she started to feel extremely exhausted which last for 3 days. Staff was so tired that she didn't want to open her eyes. Staff said she is fine now. Denies COVID exposure.
959219	1/20/2021	MA	21	F	12/28/2020	12/28/2020	telephone call -itchy arm, neck, ED visit, RX benadryl, released after 1 hr, no resp/thrt, allergy consult; Incident rpt: - I had received the vaccine around 4:45pm and was there for the 15 min of observation then went off to the floor I was floated to. Next around 6.40-6:45pm I started feeling chills and felt extremely itchy on my arm (the one I received the vaccine) my neck, and my eyes felt so itchy and puffed up. Then, the charge nurse sent me down to the ED because I was experiencing an allergic reaction; is advised to get second vaccine in allergist office

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
959195	1/20/2021	KY	33	F	1/5/2021	1/6/2021	employee received vaccine 1/5/2021, presented to the ED on 1/6/2021 for c/o right side abdominal pain, fever, chills, loose stools, nausea. Was treated for constipation and UTI, received Sulfa DS, Polyethylene glycol, naproxen. 1/20/2020 patient to PCP with patient reporting tachycardia, SOB, cough and felt horrible after receiving the COVID vaccine 2 weeks ago, woke up on 1/20/2020 with rash around both eyes, red patchy areas that are itchy and dry
959422	1/20/2021	MD	57	F	1/15/2021	1/16/2021	sever bruising, swelling starting 1/15, followed by bilateral transient severe head ache 1/16, 17, and 18, followed by crushing headache and BLURRED VISION and DOUBLE VISION 1/19/21 upon waking. Went to ER - ruled out stroke and tumor. Given Dilaudid, prednisone and Benzydrl. Today, 1/20 headache and double vision was crushing upon waking for several hours. After taking a Dilaudid and 2 prednisone pills, pain subsided. As of 5:09 pm, headache nearly gone, blurred vision resolved, but double vision still present. Bruising and swelling still visible.
955349	1/19/2021	TX	61	F	1/14/2021	1/14/2021	Swelling in throat itching on my cheek and hand swelling on my left lymph gland in neck. everything was on my left side, Developed an inch round spot close to my eye showed up on Sunday and its red. Did run a slight fever went up to 100.1 and chills. arm pain that lasted a couple of days. Everything has been on the left side.
955304	1/19/2021	MN	58	F	1/12/2021	1/13/2021	I started feeling tired the day after my injections (day 2) and didn't think much of it until i got home around 6:00 pm and i was exhausted. I couldn't even open my eyes without putting effort into it. By the next morning (day 3) i was extremely tired and it hurt in my leg muscles, butt muscles, arms and stomach. I woke up at 2:30 PM and threw up. The next day (day 4) i had diarrhea and was still exhausted and just felt lousy. Today is day 7 and i finally came back to work. I still have a slight headache and nausea and stomach cramping on/off.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
955316	1/19/2021	GA	57	F	1/19/2021	1/19/2021	At about 12 minutes after she said her head was hurting a she felt a little dizzy. She had no complaints of SOB, Chest pain or any other signs of anaphylaxis. Initial vitals were 147/79, HR 51, O2 sat 98%. She felt as if her heart was racing so we listened to her heart it was regular and slightly bradycardic at 52 (Pt says the bradycardia is not new for her). We have been monitoring her close to an hour and she feels slightly better after she took Tylenol she had brought. We gave her a donut and some water. She is feeling better and headache is going away, but still slight dizziness. We recommended patient's son come pick her up and keep an eye on her the rest of the day. She was advised if she has any SOB, Chest Pain, throat swelling, rash..etc to take Benadryl and seek medical attention immediately. Vitals at time of departure were BP: 145/84, HR 54, O2 sat 98%. Pt felt much better at departure just stated she feels like "she needs to sleep it off~~
955313	1/19/2021	MD	36	F	1/14/2021	1/14/2021	Day of vaccine, headache, feeling of fainting, weakness, feeling of being nauseous. Felt better after eating. Next day, felt very weak, had headache in forehead and eye area, bit of dizziness. Throughout day arm got feeling bad and extremely painful with long sleeve on. Could not move arm due to pain. Got a bruise in the puncture area, 2 finger underneath got very hard and slightly red, not rash but raised and hard. Throughout the next day, was going away, and through the night able to raise arm normally, but still had bump and redness until Sunday. Still slightly red, but has lessened and almost gone, but still has bruise which is not unusual for her. Also had itching and was painful to scratch, could only lightly touch. All has resolved.
955350	1/19/2021		28	F	1/8/2021	1/15/2021	headache fever sore on mouth swollen face eyes puffy stomach pain ear pain don't feel normal itchy
955305	1/19/2021	CA	28	F	1/14/2021	1/15/2021	swollen right eye swollen tongue rash itchy swollen lip white spots on leg bruising in random spots had a hard time swallowing

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
955247	1/19/2021	NY	74	F	1/14/2021	1/15/2021	About 22 hours after the shot, I had a mini stroke that required going to the emergency room by ambulance. I was transported that evening to the stroke division that same evening for further evaluation, tests and care. I have never had a mini stroke before this. The doctors said it may have been from the vaccination, or it may not have been precipitated by it. They said they don't have enough information on the Moderna vaccine to make that call.
955220	1/19/2021	CO	59	F	12/28/2020	12/29/2020	Day 1: sore left arm muscle, day 2: upper back/shoulders/neck aches, headache. Day 3: felt allergies were worsening, started to take claritin twice per day to help, worst over next few days so that was taking 2 claritin twice per day. Day 7, bilat. Eyes super itchy. Day 8, vaginal itching, tried estradiol with no relief. Day 9, anal itching. Day 10 all over body hives/itching. Day 11 started bid allegra and 20 mg prednisone. S/s slowly abated over many days. Extreme fatigue often. By 1/15/31, felt mostly normal.
955150	1/19/2021	CA	25	F	1/18/2021	1/19/2021	Fever up to 102, migraine, vomiting, body aches, eye pain
955054	1/19/2021	NY	47	F	1/12/2021	1/13/2021	fever of 102 the morning after receiving the vaccine, severe headache, severe eye pain, diarrhea, weakness, bone pain, abdominal cramps, loose stool--that had mucous and blood in it. Also had a small amount of vaginal bleeding/spotting not associated with her period. Multiple days of these symptoms.
955019	1/19/2021	IN	25	F	12/30/2020	1/5/2021	transient ischemic attack. I was working and felt unusually exhausted, lost vision in my right eye for over an hour, and called my boyfriend to tell him I wasn't feeling well and that I would try to make it through my work shift. I then called him back 4 minutes later and failed to form words, and also could not type words. I felt like I was going to faint and have no recollection of 10 minutes during that time. I had to leave work to go to the emergency room. I had a massive headache for 3 days following my TIA.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
955352	1/19/2021	CA	49	F	1/8/2021	1/8/2021	About 20 minutes after injection I felt lightheaded and full body weakness. This continued for the next 1 1/2 hours. My vitals were stable the entire time. My neck was sore and I had no energy. My arm of course sore at injection site. This was on a Friday. Saturday residual soreness, and low energy. Sunday overall ok but neck was very sore. Monday same. By Tuesday afternoon (1/12/21) my joints ached severely (ankles, knees, elbows), I could not keep my eyes open, my neck continued to be sore and I had extreme fatigue and mild occasional nausea and loss of appetite. I had to stay out of work the rest of the week. 11 days later I still feel some fatigue and neck soreness but otherwise okay.
955038	1/19/2021	TX	53	F	1/18/2021	1/18/2021	I received my second dose of the COVID Vaccine at 9:10am. On or about 7pm that same day I started having pain and occasional itching around injection site. Upon assessing area I noticed a 1/2 dollar sized redness, warm to touch that was raised and very tender to touch. Later that night around about 2:40am I was awakened with a headache that has been constant since then. Around or about 5am I started feeling generalized malaise and aching joints including eye sockets. Aching is mild to moderate about a 4-5 on pain scale. Low grade temperature of 99.7F
955100	1/19/2021	IL	60	F	1/12/2021	1/13/2021	Tues 1100 injection. 20 hours after: temp 100.6, all over body muscle aches, bone aches, ( duration of 24 hours), redness 1" diameter warm and soreness to injection site, and fatigue, (duration of 3 days). Starting 28 hours after: lymph edema and pain under arm of injected arm (duration Wed PM-Sat.PM). Thursday AM woke with eyeball pain and headache. (lasted 2 hours).
955538	1/19/2021	MO	43	F	1/18/2021	1/19/2021	Bilateral facial/eye swelling; hives from scalp to tip of toes, hives on Fupa & lips, hives/welts worse on chest, bilateral arms, neck & back, left sided headache from behind eye to base of neck

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
954288	1/19/2021	AZ	56	F	12/31/2020	12/31/2020	Felt hot and cold on and off; 10 minutes after I felt a little lightheaded/dizzy.; entire left side from neck, down back into hip and leg in severe pain(muscles tense); entire left side from neck, down back into hip and leg in severe pain(muscles tense); felt ill; felt extreme weakness; sneezed about 20-25 times; eyes turned red; The spinning and unable to focus continued for about 6 hours; The spinning and unable to focus continued for about 6 hours; Headache was coming and going; This is a spontaneous report from a contactable other health professional (other HCP) (patient). A 56-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; brand: Pfizer, lot number: EH9899) via an unspecified route of administration at left arm on 31Dec2020 at 08:30 AM at a single dose for COVID-19 immunization. Medical history included known allergies (allergies to medications, food, or other products), and no other medical history. The patient was not pregnant. Concomitant medications the patient received within 2 weeks of vaccination included vitamins/supplements. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Facility where the most recent COVID-19 vaccine was administered was at facility. 10 minutes after the patient felt a little lightheaded/dizzy. At 20 minutes after her entire left side from neck, down back into hip and leg in severe pain (muscles tense), at 30 minutes she sneezed about 20-25 times, felt extreme weakness and her eyes turned red. She felt ill. The spinning and unable to focus continued for about 6 hours. Headache was coming and going. She felt hot and cold on and off. All events with start date on 31Dec2020 at 08:45 AM. The events were reported as non-serious. No treatment received for events. The outcome of events was resolving. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19.
954986	1/19/2021		26	F	12/23/2020	12/25/2020	Burning/tingling pain on eyebrow, over the course of three weeks burning stinging sensation moved to cover left side of face, left eyeball, and arm. Painful. No visible rash.
955875	1/19/2021	PR	50	M	1/19/2021	1/19/2021	facial and eye flushing, hot breath

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
955869	1/19/2021	NC	63	F	1/4/2021	1/9/2021	Bell's Palsy; This is a spontaneous report from a contactable consumer. A 63-years-old female patient received the first dose of BNT162B2 Pfizer-BioNTech COVID-19 Vaccine, Batch/lot number: ELD14D, via an unspecified route of administration, in left side of arm, on 04Jan2021 at single dose for COVID-19 immunization. Medical history included early breast cancer from 2017 and ongoing. Concomitant medication included tamoxifen citrate 20 mg tablet by mouth once daily from 2017 and ongoing for breast cancer (cancer pill, she has to be on it for 5 years). The patient received the vaccine as she is "with fire department, thought she needed to take it, she had early breast cancer, is around lots of people". On 09Jan2021 the patient was diagnosed with Bell's palsy, assessed as medically significant and in Jan2021 she experienced earache (she thought it was an earache, but it was more than that, but it made her ear hurt, and she has no infection), her mouth was drawled a little, further detailed as numbness and "the eye, it is messing with it, when she is trying to see out of it, she can see, but it's blurry like" and, "where the ear thing is", on the back of the lymph node was real sore and her face was kind of puffy, which is the reason she went to the doctor. The patient had to go to her doctor, he told her she had a reaction to the shot, he called it Bell's Palsy, and said to let Pfizer know. Her doctor gave her something to take for mouth drawled/numbness, which is supposed to help, and she has to go back in a week. The event Bell's palsy outcome was unknown at the time of the report.
955616	1/19/2021	CA	56	F	1/11/2021	1/12/2021	Red raised rash all the way around neck, also near eyes

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
955761	1/19/2021	PA	35	F	12/24/2020	1/2/2021	<p>started having a lot of left eye pain/he diagnosed her with Scleritis; This is a spontaneous report from a contactable other healthcare professional (HCP) a Nurse Practitioner, who reported for herself. A 35-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Batch/lot number: EJ1685 also reported as ES1685), intramuscular in left deltoid on 24Dec2020 at single dose for COVID-19 immunization. Medical history included ongoing anxiety diagnosed years ago, maybe when she was 23. Concomitant medication included ongoing celecoxib (CELEXA) for anxiety started about a year, or year and a half ago. She did not take other vaccines on the same day as the COVID vaccine. She had no recent labs. On 02Jan2021 the patient experienced scleritis. Event was described as follows: patient got her first COVID vaccine on 24Dec2020 and on 02Jan2021 she started having a lot of left eye pain. She went to her Ophthalmologist and he diagnosed her with Scleritis. She had no history of anything with her eyes or any vascular or autoimmune issues; no eye disorder history or rheumatology history. Patient is due to get her second dose of the vaccine on 14Jan2021, and she spoke with her primary care doctor and her ophthalmologist, and neither of them have any answer on if she should get the second dose or not, they did not have much guidance for her as this was such a new product. Patient reported that scleritis was persisting, but it has improved and she was on Prednisone eye drops. Event scleritis was considered serious as Medically significant because of what it is and what it can do, but this was not a severe case (as reported). Final outcome of scleritis was recovering.; Sender's Comments: The reported scleritis was more likely an intercurrent disease, and less likely causally related to the use of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE). The case will be reassessed should additional information become available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics committees and Investigators, as appropriate.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
955561	1/19/2021	IN	81	F	1/18/2021	1/18/2021	after 15 minute obs pt still complaining of lightheaded, dizzy blurry vision
955369	1/19/2021	WI	30	M	1/14/2021	1/16/2021	2021/01/16 10:00 AM - Numbness in face (lips, jaw, gums) similar to the feeling from localized anesthesia. Also numbness and tingling in left hand. Vision is blurred and spotted vision loss. 2021/01/16 10:45 AM - Numbness in face and hands diminishing. Head ache on right temple. Vision issues persist. 2021/01/16 11:15 - Muscle pain on right abdomen and numbness beginning in feet. Vision issues cease. Headache persists. 2021/01/16 2:15 - All symptoms cease
955523	1/19/2021	NH	38	F	1/15/2021	1/15/2021	Received dose at 1205 noon on January 15, 2021. I completed the 30 minutes after vaccination due to history of food allergies/medication allergies/intolerances and is prescribed epinephrine. After 30 minutes no reaction was seen in return to work, as a healthcare, CMA. At 1500 hrs. became incredibly dizzy, flushed, hot sweats. Sat down with cool window open, facecloth. Legs became tingling and numb, blood pressure was taken at over 130/90, nausea increasing, could not keep eyes open due to dizziness and light, with headache developing. After 30 to 45 minutes of observation from healthcare staff/coworkers became incredibly weak in arms and legs, head became incredibly faint, nausea increased, headache, dizziness, extreme fatigue in regards to wanting to sleep. At which time clinical lead nurse/supervisor brought myself to emergency room department for further evaluation. Was brought into emergency room for further evaluation developed at this time a lump in throat feeling, and was given an IV of Benadryl 25mg and Pepcid 20mg with an hours of observation. Within an hour of observation extreme fatigue tingling numbness and dizziness head decreased. And was discharged from emergency room for vaccine reaction around 20:00. Home with Benadryl 25 mg and Pepcid 20 mg, 3 times daily to treat reaction. After reaction been dealing with headaches and nausea.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
955469	1/19/2021	GA	40	F	1/7/2021	1/7/2021	Had Moderna 1st shot on Jan 7. Eye infection that night and the next day. Then, Saturday the 16th, a tickle in my chest.. soon produced a dry cough in relief/response to the tickle. Next day, I was hoarse (Sunday the 17th). Still hoarse. Sore throat off and on. Headache. Body aches. Incredible arthritis-like ache at the tops of my shoulders, upper back, and neck. Runny nose. Spitting mucous - was clear, now some thick solid white. Chest pain in the middle that comes and goes. Chest pain on left center side - it feels like in the area of my heart. Ache in my lower left side. Today, aching in my jaws mostly left side, but both. Ache on upper right front (lung area?). INCREDIBLY tired. It's so hard to stay awake.
955453	1/19/2021	IL	89	F	1/15/2021	1/17/2021	Patient developed left sided facial droop and left eye droop/paralysis on 1/17/21. No medical treatment was necessary. Hospice and family were notified. Symptoms continued on 1/19/21 and the nurse practitioner ordered Refresh tears to left eye three times a day x 14 days, tape eye shut at night as tolerated and start Prednisone 40mg orally x 4 days then 20mg orally x 3 days.
955442	1/19/2021	FL	29	F	1/4/2021	1/15/2021	On January 15, I developed urticaria to my face and neck, with a faint papular rash on my forearms also. On Jan 16, I developed facial edema with continued rash which worsened throughout the day despite Benadryl. On Jan 17, the rash was improving, but the facial and neck edema had worsened to the extent that my eyes were nearly fully closed. I presented to the ED and received treatment for allergic reaction, including Epinephrine, steroids, and histamine blockers. I have no known allergies.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
955388	1/19/2021	GA	57	U	1/19/2021	1/19/2021	12 minutes after shot patient said her head was hurting a she felt a little dizzy. She had no complaints of SOB, Chest pain or any other signs of anaphylaxis. Initial vitals were 147/79, HR 51, O2 sat 98%. She felt as if her heart was racing so we listened to her heart it was regular and slightly bradycardic at 52 (Pt says the bradycardia is not new for her). We have been monitoring her close to an hour and she feels slightly better after she took Tylenol she had brought. Patient was given a donut and drink and shortly after felt a lot better. Her headache has cleared up but she is still complaining of being slightly dizzy. Her son picked her up and is keeping an eye on her. VS 140/78, 52, 98% upon departure.
955372	1/19/2021	WI	41	F	1/19/2021	1/19/2021	5 min after dose admin c/o of cheeks feeling funny, L eye puffy. HR 138, BP 140/80, pulse ox 98%. A/o & talking w/friend. Over the course of 30 min cheeks feeling improved but felt that cheeks remained a bit numb. L eye puffiness gone. Left amb after 45 min HR 96, BP 112/70, pulse ox 99%.
955606	1/19/2021	WA	69	F	1/13/2021	1/13/2021	Systemic: Nausea-Mild, Systemic: Eyes tearing (patient did also state she had this for a few days prior as well, just worse after receiving vaccine)
954708	1/19/2021	KY	32	F	1/14/2021	1/17/2021	on 1/17/21 I was at home watching a movie around 6:00pm started itching and eyes started swelling when to the bathroom to look and I had hives all over my upper body. I have not changed in anything in my house or tried any new food. I took some Pepcid and a cold shower. in about an hour the itching stopped but I was still red. went to bed then when I woke up the next morning my hands was so swollen I couldn't move my fingers and they was numb, itching and hurting all at the same time. so i went to the clinic. they gave me a steroid shot, Benadryl, Pepcid and Claritin. my hands started to go down some before i left the clinic. not i have to take all the meds the next 3 days. still on 1/19/21 @ 6:00am my face started to flush before i took my meds.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
956044	1/19/2021	TN	46	F	12/23/2020	12/27/2020	On 12/26/20 at approximately 6:40 in the morning, I awoke with very watery eyes, excessive clear mucus from the nose and excessive sneezing (approximately 20 per hour). I took diphenhydramine & loratadine around 7:45. The symptoms did not reduce so I took another diphenhydramine at noon and finally another at 6 pm. The following day the symptoms were less and loratadine & 1/2 diphenhydramine was taken in the morning
955911	1/19/2021	NC	40	F	1/15/2021	1/17/2021	Approximately 3 days after my injection I began experience severe tremors lb bilateral arms, bilateral legs, head, and vocal cord tremors as well as blurry vision and memory impairment. Unfortunately, the symptoms don't seem to be improving. My MD prescribed metoprolol, which I will begin today.
954332	1/19/2021			F	12/20/2020		Breaking out into a rash/ they look like little blotches or welts; breaking out into a rash/ they look like little blotches or welts; This is a spontaneous report from a contactable pharmacist, the patient. A female patient of an unspecified age received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration on 20Dec2020 as a single dose for Covid-19 immunization. The patient's medical history and concomitant medications were not reported. The patient reported that a couple days after receiving the first dose of vaccination she started breaking out into a rash. It started off small on her wrist, then went away, then spread to her legs and went away, then to her neck and went away. The rash went all through her body, face and eyes. She still had the rash and was taking prednisone (MANUFACTURER UNKNOWN). The rash was all over, it looked like little blotches or welts. The patient asked if it was okay to get the second dose of vaccination after this reaction. The outcome was not recovered. The lot number for the vaccine, BNT162B2, was not provided and will be requested during follow up.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
954400	1/19/2021	CO	51	F	1/5/2021	1/5/2021	extreme fatigue a few hours after receiving the vaccine to where she couldn't keep her eyes open; Slight headache; This is a spontaneous report from a contactable nurse (patient herself). A 51-year-old female patient (non-pregnant) received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot: EL0142), via intramuscular on 05Jan2021 10:00 AM in right arm at single dose for covid-19 immunization. The patient medical history was not reported. There were no concomitant medications. Facility type vaccine was workplace clinic. The patient had no COVID prior vaccination and was not tested COVID post vaccination. The patient previously took nitrofurantoin and experienced allergies: nitrofurantoin. The patient experienced extreme fatigue a few hours after receiving the vaccine to where she couldn't keep her eyes open and light headache on 05Jan2021 14:00. Outcome of events were recovering. No treatment was received for events.
954467	1/19/2021			M	12/31/2020		Feeling migraine; Headache; This is a spontaneous report from a non-contactable other hcp (patient). A 56-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number and expiration date were not reported), via an unspecified route of administration on 31Dec2020 at single dose for COVID-19 immunization. Medical history included covid-19 in Mar2020 to an unknown date (he had COVID19 last Mar2020 but with no visual disturbances). The patient's concomitant medications were not reported. The patient received the first COVID19 Vaccine dose last 31Dec2020 and reported feeling migraine, headache. He had COVID19 last Mar2020 but with no visual disturbances. He had migraines in the next couple weeks from vaccination which persisted for more than 1 week (moderate-severe). The patient did not recover from migraine while the outcome of headache was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.No further information is expected.
954498	1/19/2021	CA	41	F	1/5/2021	1/14/2021	Large bulls eye rash to injection site that developed almost 10 days after vaccination and progressively worsened. 3.5 inches x 4 inches Looks like a fried egg.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
954507	1/19/2021		60	F	1/16/2021	1/16/2021	Watery eyes, runny nose
954527	1/19/2021	NJ	42	F	1/8/2021	1/9/2021	mild redness; mild swelling; itchy; burning; swelling to the eye; mild rash around her left eye; This is a spontaneous report from a contactable nurse reported for herself. This 42-year-old female patient (No pregnant) received the second dose of the BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on an 08Jan2021, 10:45 AM on Right arm at single dose for covid-19 immunisation. Medical history included juvaderm under her eye approximately 1 year and half to two years ago. Prior to vaccination, the patient did not diagnose with COVID-19. No Allergies to medications, food, or other products. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient previously received the first dose of the BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) at age of 42-year-old on an 18Dec2020, 11:15 AM on Right arm at single dose for covid-19 immunisation. Day after the 2nd dose, the patient had a mild rash around her left eye only on 09Jan2021. 3rd day (11Jan2021) swelling to the eye. The day of this report is 4 days post vaccine (12Jan2021), the patient mild redness mild swelling but remain itchy and burning. The patient did not report to her dr as the symptoms seem to be resolving on its own. No covid tested post vaccination. No treatments were received. Outcome of the events was recovering. Information on the lot/batch number has been requested.
954542	1/19/2021			U	1/7/2021	1/7/2021	Burning and itchy eyes; Burning and itchy eyes; This is a spontaneous report from a non-contactable consumer (the patient). A patient of unspecified age and gender received bnt162b2 (BNT162B2) vaccine, via an unspecified route of administration on 07Jan2021 10:45 at single dose for covid-19 immunisation. The patient medical history and concomitant medications were not reported. The patient stated that starting 07Jan2021 at 17:00 it started burning and itchy eyes. The outcome of the events was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
954559	1/19/2021	NV	33	F	1/7/2021	1/9/2021	Received Thursday 1/7. Sore arm and numbness at injection site day of vaccine. Numbness resolved on Friday 1/8, arm still sore. Saturday 1/9 increased salivation bilaterally left greater than right. Left sided jaw and eye facial stiffness, left tongue and cheek swollen. Excess saliva coming from corners of mouth, left jaw and eye stiffness, harder to open and close left side of face, jaw and eye. Able to move face but harder to do, takes several tries to get a smile or close eye fully. No drooping noted. Facial symmetry preserved. Completed video visit Saturday evening, prescribed prednisone 80 mg x 7 days and acyclovir 400 mg 5x's/day for 7 days. Took first dose on Saturday night 1/9. Sunday morning swelling of tongue resolved and cheek swelling improved. Since Sunday 1/10, symptoms remain similar. Stiffness left side of face in jaw and eye. Mild excess saliva produced bilaterally left greater than right and mild excess tear production left sided only. Ear pressure started around 1/10 and continues, feel pressure and clogged ears, left greater than right. Started using left arm at work more on Wednesday 1/13 and Thursday 1/14, and after this could no longer use left arm due to pain at 8-9/10. Could not hold laptop or dragon mic. Called out of work on Friday 1/15 due to arm pain and facial issues. Job involves patient care, talking with patients in office. Thursday 1/13, pain of left arm also felt into the left shoulder. Pain also remained in area of injection site. Second Video Visit Friday 1/17 as follow up. Today 1/18, arm pain 4-5/10 with rest, 6-7/10 with use. Jaw, eye stiffness are similar.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
954583	1/19/2021	KS	25	F	1/8/2021	1/9/2021	headache migraine over 60 hours post-vaccine: one side of the head, left sinus, left eye, and wrapping along the left side of her head to occipital lobe; This is a spontaneous report from a contactable healthcare professional. A 25-year-old non-pregnant female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number EL3248/expiration date unknown) dose number 1, via an unspecified route of administration on 08Jan2021 16:00 at a single dose on the left arm for COVID-19 immunization. The vaccine was administered in a hospital. Medical history was not reported. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Other medications the patient received within 2 weeks of vaccination included birth control. On 09Jan2021, the patient experienced persistent headache migraine over 60 hours post-vaccine: one side of the head, left sinus, left eye, and wrapping along the left side of her head to occipital lobe. No treatment was received for the event. The patient was not diagnosed with COVID-19 prior to vaccination and she was not tested for COVID-19 since the vaccination. The outcome of the event was not recovered. The event was assessed as non-serious.
954617	1/19/2021	TX	45	F	1/6/2021	1/6/2021	headache that would not go away, like her head would explode; pressure behind her eyes; This is a spontaneous report from a contactable consumer (patient). A 45-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE lot number: EJ685), intramuscular in her right arm on 06Jan2021 at a single dose for covid-19 immunisation. Medical history and concomitant medications were reported as none. On 06Jan2021, the patient experienced headache that would not go away, like her head would explode and pressure behind her eyes. Stated that both events started 30 minutes after the shot on 06Jan2021. Therapeutic measures were taken as a result of headache that would not go away, like her head would explode and pressure behind her eyes which included ibuprofen 800 and switched it out with TYLENOL. Outcome of the events headache that would not go away, like her head would explode and pressure behind her eyes was recovered on 09Jan2021.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
954398	1/19/2021	NY	39	F	1/5/2021	1/5/2021	severe headache behind the eyes; Initially extreme fatigue; started to have shortness of breath; muscle aches; cough; second dose on 05Jan2021 08:30; This is a spontaneous report from a contactable physician (patient). A 39-year-old female patient received second dose of BNT162B2 (Lot number: EL3246), intramuscularly on 05Jan2021 08:30 in left arm at single dose for COVID-19 immunization. Medical history included known allergies: latex and asthma. Patient did not have COVID prior vaccination. Concomitant medications included sertraline hydrochloride (ZOLOFT), drospirenone/ethinylestradiol (YASMIN), melatonin, and ibuprofen (MOTRIN). Patient previously took montelukast sodium (SINGULAIR) and experienced allergy. Patient received first dose of BNT162B2 (Lot number: EK5730), intramuscularly on 18Dec2020 09:00 in left arm at single dose for COVID-19 immunization. Patient experienced initially extreme fatigue, then muscle ached all within 12-24 hours, severe headache behind the eyes. Then when thought was getting better, she started to have shortness of breath, worsening fatigue, and cough; all on 05Jan2021 12:00. These events were resulted in emergency room/department or urgent care. COVID was tested post vaccination. COVID test type post vaccination was nasal swab. COVID test name post vaccination was COVID 19 nasopharyngeal swab. COVID test date was on 08Jan2021. Test result was pending. Treatment received included nebulizer treatment, and steroid course. Patient was not recovered from these events.; Sender's Comments: Based on a compatible temporal relationship and known product safety profile, causality between events severe headache and extreme fatigue and BNT162B2 vaccine cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
954688	1/19/2021		47	F	1/14/2021	1/17/2021	i was vaccinated at the 15th of january in the evening! Everything was perfect and i was happy, just my legs itched, but on Sunday I suddenly noticed the beginning of an allergie which i normally get just in summer if I swim in standing waters with reef inside. I got a rash on my neck and my tongue felt bit swollen and as my eyes. In the evening i took a cortisone tablet and ointment and it was much better. The ointment i still take, but no tablets anymore. I still do have rash but it is much better. now I am concerned about the second vacine, can you give me a recommendation?
954972	1/19/2021	VA	63	F	1/16/2021	1/16/2021	Per patient severe internal itching all over including eyes. No visible rash/hives/whelps. 2:02 administered 50 mg IM Benadryl , blood pressure 148/98, 78 pulse, 22 respirations, lungs clear. 2:24 no relief from 50mg Benadryl IM, blood pressure 160/94, 88 pulse, 20 respirations, lungs left crackles. No angioedema or difficulty breathing . Instructed patient and her husband to go to free ER for further evaluation and to also follow up with primary care physician.
954724	1/19/2021	AL	62	M	1/7/2021	1/11/2021	Starts with blurred vision, followed by headaches. Treatment; 600mg Advil Headaches last for about 24hrs
954736	1/19/2021	NJ	32	F	1/16/2021	1/18/2021	Quick onset of Left sided numbness/tingling turning into facial paralysis, unable to close eye, headache, ear ringing, etc.
954737	1/19/2021	NY	40	F	12/29/2020	12/29/2020	after first dose developed fever 101, shaking chills, anorexia, malaise, and myalgias. Lasted 2.5 days. Eye pain and pressure
954760	1/19/2021	PR	27	F	1/15/2021	1/16/2021	numbness of the left arm, mouth, tongue, throat, loss of vision, high blood pressure

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
954763	1/19/2021	CT	34	M	1/13/2021	1/13/2021	Instant arm soreness and numbness. Arm muscle pain from about 2pm until about 9pm. Developing fatigue and headache by 2. At 9pm started to have sever rigors and had to move to a bed. Rigors for several hours with fever coming and going. Mild hallucinations while in bed and severe sweating. Woke up with left eye not responding but still had vision. Headache only on left side of head with severe pressure. Right sight felt normal. Right eye normal. Seemed like mix between edema and slight bell's palsy. Could still move left side mouth and forehead. Eye was not responsive. Eye resolved after 2 days. Return to 100% about 96 hours after dose.
954840	1/19/2021	MI	53	F	1/13/2021	1/15/2021	Went to Urgent Care 01/17/2021. High blood pressure and sent to ER. R/O stroke. Gave 3 steroids and antiviral for 10 days. Was diagnosed with Bells Palsy. Has facial and facial drooping. Left eye will not blink and has to use omit to keep eye moist.
954844	1/19/2021	MA	56	F	1/15/2021	1/15/2021	Received vaccine at 10:30am, completed 15 minute post monitoring without adverse event. Upon driving home within 5 minutes of leaving started feeling tingling in face and nose. Felt roof of mouth tingling and tongue and eyes felt swollen and felt flushed. Face was notably red. EMS assessed patient established IV. 0.3mg epinephrine given IM and 50 mg Benadryl administered IVP. Patient agreed to go to ED and transported by EMS without issue. Vital signs remained stable and wnl throughout reaction monitoring.
954854	1/19/2021	MI	36	F	1/11/2021	1/11/2021	Approximately 15 minutes after vaccine injection, right upper eyelid started spasming. This has happened approximately 15-20 times every day, for the last 9 days. Never had this before.
954884	1/19/2021		44	F	1/17/2021	1/18/2021	fever, joint pain, muscle pain, eye pain. called in sick to work.
954910	1/19/2021	NY	46	M	1/15/2021	1/17/2021	headaches , sometime so severe that wake me up from sleep. happening every night for last three nights, it started after 30 hours of getting the vaccine. Headache is so severe that I feel like i will collapse. during the day feels like weight on head and eyes feel heavy.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
954925	1/19/2021	FL	41	F	1/12/2021	1/13/2021	22 hours after the second dose started to have an allergic reaction, hives all over back and chest and neck. Took benedryl and pepcid at home OTC. The next morning woke up with hives, flushed feeling, and chest/throat tightening. Went to the ER was administered iv medications. Went home. 4 Hours later started again with chest and throat tightening and swelling of the eyes. Kept having break through reactions when medications were wearing off. The ER md that I saw called in some home medications that I started taking. Pepcid and Prednisone. 7 days later still having to take benedryl and pepcid due to eye itchiness and swelling.
954954	1/19/2021	TX	38	F	12/28/2020	12/28/2020	A few hours after the vaccin I became aware of numbness on the left forearm that extended from the left forearm down the side of the arm near the thumb and forefinger area down to the wrist area. I had no weakness or loss of function but it was numb. I was seen in the ER where they did a visual check and was advised to monitor and if it worsened to contact my PCP. And after about 3 days I noticed it had resolved with no new symptoms since. I also had really intense joint and muscle pain also.
954969	1/19/2021	PA	46	F	1/18/2021	1/18/2021	10 minutes after receiving the first dose of moderna vaccine, patient started to not feel well. She received 50 mg of benadryl, which she then threw up. After that, her throat broke out into hives, and her eyes swelled shut. Then she received 2 doses of epinephrine via auto injector, and she was able to breath after that. An ambulance came and took her to the emergency room

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
954652	1/19/2021			U			frontal headache; Tired; Achy; Flushed face; Glassy eyes; Joint pain all over the body and feet; dry cough; having hard time getting out of the car; Shortness of breath; Felt like had an elephant on chest; Night sweats; wheezes; felt punky/felt like she had been hit by a baseball bat; up most of the night; This is a spontaneous report from a contactable consumer. A patient of unspecified age and gender received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on an unspecified date at single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The reporter stated, "It's about a question about whether somebody should get another COVID-19 Vaccine. There's somebody with a vaccine reaction that is not typical and I want to make sure if it is safe for her to get the second vaccine. Actually 2 people that I want to ask about." The consumer stated, "She had the vaccine, she had a sudden onset of the frontal headache for 5 to 10 minutes that subsided after about 15 minutes. And then she felt punky, I don't know what she meant tired, achy, flushed face, glassy eyes, having sit down every few minutes. An hour to an hour and a half later she had those symptoms. Then two and a half hours later, she said she had joint pain all over her body, and her feet. And intermittent dry cough. Then she drove home, it took 45 minutes to get home and then she said it was hard to get out of the car when she got home. She felt like she had been hit by a baseball bat. She tried to lie down with two pillows and she developed shortness of breath. Her pulse was 95 to 97 percent, her heartrate was 92 to 94, she didn't have a temp. She drank '2 gallons' (not clarified) of water which would certainly make me sick. She sat upright on the couch. And after 5 hours, she felt like she had an elephant on her chest and she took a Medrol Dosepak. She was up most of the night with 4 pillows. She had like night sweats, drenched multiple times. And she had tight expiratory wheezes in the morning. She took DuoNeb and continued to hydrate. And then, her other symptoms resolved except for fatigue and facial flushing. She had no hives or rash". The outcome of the events tired and flushed face was not recovered. The outcome of the remaining events was recovered on unspecified date. Information on lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
956963	1/19/2021	CA	53	F	12/28/2020	12/28/2020	Right eye blood shot at 7:30 pm - went to ER with severe stomach cramps radiating the back. CT done. received dilaudid and Zofran for pain and nausea. Next day, had pain in bones, feet, knees, back and neck. Also sore throat, red throat, headache, nausea, and diarrhea. Doctor prescribe antibiotics and Norco. Stomach pain returned 12/31.
956677	1/19/2021	KS	53	F	1/15/2021	1/15/2021	An hour or so after the injection I began to notice my vision was slightly blurred. Saturday, it was blurry until late that evening when I noticed that the blurriness had subsided.
956714	1/19/2021	NE	45	F	1/15/2021	1/15/2021	Vomiting 12 hours post vaccine. 24 hours post vaccine temps 104+ to 106.8 temp orally 30 hours post vaccine. Red swollen eyes 24 hours post vaccine. Ringing in ears and temporary loss of hearing comes and goes.
956765	1/19/2021	SC	41	F	1/6/2021	1/6/2021	Within 2 hrs- blurred vision, dizziness, sore arm Within 4hrs- tachycardia, lightheaded, headache, fatigue Within 6hrs- headache, extreme fatigue, SOB Within 8hrs- tightness in chest, extreme fatigue, body aches, chills plus all others listed

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
956773	1/19/2021	MS	48	F	1/10/2021	1/11/2021	I woke up the next morning (about 6am) with nausea/chills/fever (100.9)/headache/eyes were burning. I had to go to ED after getting to work(at 7:30am) due to SOB/elevated heart rate of 145-150bpm/101.6 temp (upon arrival to ED)/chills/nausea/headache. I was given IV fluids (2 liters), Zofran for nausea, Toradol for pain/headache, Tylenol for fever. I was in the ED for about 4-4 1/2 hours. My right eye has a large "blood shot" area that wasn't there until I took the vaccine also. I was found to still have a count of "34" on my Covid antibody blood test. The ED physician stated that was probably the reason I had the reaction was because I still had antibodies. I tested positive for Covid on Sept 19, 2020 and took the vaccine #1 1/11/2021 (almost 120 days from positive Covid test). If I had known I was going to have any type of reaction because I still had antibodies, I would have waited a few more weeks/months to get the vaccine. This should really be looked into. I am now very scared to receive the 2nd vaccine because of the side effects that has been reported after the 2nd vaccine. I really need good advice about what to do about 2nd vaccine.
956797	1/19/2021	MO	47	F	1/19/2021	1/19/2021	pt developed facial redness, eyes feeling like fire, itching, burning and itching on her head. Pt also reported a rash - came to clinic to be evaluated - was given loratadine 10 mg PO x 1. 45 min later reported that symptoms were better. rash resolving and eyes felt better.
956813	1/19/2021	AK	87	F	1/8/2021	1/17/2021	Pt reportedly had redness and swelling with a pneumovax shot 4-8 years ago. #9 meds continued: Pantoprazole, Levemir, Wixela, Vita C and D, ASA, Cranberry, D-Mannose, MiraLax, PreserVision, #10 allergies continued: "bleach, ink, Certain cleaning products and make-up products~~

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
956825	1/19/2021	WI	34	F	12/28/2020	12/28/2020	Initially, I had severe arm and back pain that lasted 3-4 days. On day 1-2, I was extremely exhausted, so exhausted that I actually wet the bed and I have NEVER wet the bed as an adult, which was extremely embarrassing. The worst part is, since the shot, day 1, my eye has been twitching. I have been reporting it. I do not think it is just a coincidence anymore like I originally thought. I have had eye twitches in the past but they have never lasted this long! It has been 3 weeks and there is no end in sight. The time between twitches is sometimes less, but the severity of the twitching is getting more intense, sometimes causing my eye to blink (although usually its a lateral upper eyelid twitch) and I have had 1-2 instances of my upper lip twitching along with it (within the last couple of days). The eye is driving me crazy. I can't fall asleep at night because it keeps me awake and it twitches when I'm trying to fall asleep. There has been nothing that has changed in terms of increased stress, increased caffeine consumption, decreased sleep, etc. to have explained this persistent eye twitching. I did have my annual eye exam on 1/15/2021 and talked to him about it and he said we will continue to watch it. It was just annoying at first but it will not go away and like I said, the intensity and pulsating of the twitch is getting progressively worse.
956853	1/19/2021	TX	26	M	1/13/2021	1/15/2021	15th Jan-1200-nausea, migraine 16th Jan-1800-nausea, fatigue, migraine, weak body, slight dizziness 17th Jan-laid down all day-spotted vision, dizziness, taste was off-threw-up x times-his words 18th Jan-same as above. night slight fever@99.3 19th Jan-woke-up, low fever, gastric reflux x 2-not feeling well



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
956866	1/19/2021	IL	37	F	12/30/2020	1/12/2021	he states that she initially noticed a swollen rash around her right upper eyelid then developed same type of rash shortly after around her left upper eyelid yesterday afternoon. Today, she reports symptoms got worse and felt like her whole face was swollen. She denies mouth or lip swelling. She reports itching all over her body started this afternoon without rash. She took a total of 200 mg of Benadryl yesterday and 100 mg of Benadryl today. She denies use of new soap, lotion or other products for personal hygiene. She denies new medication. She denies eating seafoods recently. She received Moderna vaccine 12/30/2020. She tells me that she has been taking CBD and has ordered it from the same company. She denies fever, chills, cough, sore throat, shortness of breath or wheezing, abdominal pain, nausea or vomiting.
956881	1/19/2021	AZ	58	F	1/15/2021	1/15/2021	Severe generalized muscle pain and weakness, general bone pain, general organ pain, short of breath, itching, severe chills alternating with fever, chest pain, facial nerve numbness, blurry vision, sore throat, nausea, diarrhea. Treatment was a Medrol Dose pack for 6 days. Outcome was severe symptoms decreased after 4 hours of taking first dose (6 tabs) of prednisone. As the prednisone dose decreases each day there is increased muscle pain and shortness of breath/lung tightness with activity, and severe fatigue
956886	1/19/2021	FL	38	F	12/29/2020	12/30/2020	ON THE SENCOND DAY AFTER THE VACCINE ,THAT NIGHT MY RIGHT EYE SWELLED UP TO ALMOST CLOSING. BY MORNING MY WHOLE FACE WAS SWOLLEN AND I HAD A HEADACHE. IT WAS THAT WAY UNTIL SUNDAY MORNING I REPROTED IT . EVERYDAY I WAS ON BENDARYL FOR AROUND THE CLOCK FOR THOSE DAYS.
956908	1/19/2021	AK	41	F	1/16/2021	1/16/2021	Mild skin rash/welts on face. 1cm sized itchy swelling on bottom lip. puffy eyes (mild) mildly scratchy thoat. Mildly scratchy eyes. Was better by morning and gone by the next evening. Did not take Benadryl.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
956627	1/19/2021	NJ	34	M	1/8/2021	1/15/2021	Moderna COVID- 19 Vaccine. Vaccine recipient reported on 1/19/2021 that they received the Moderna Vaccine on 1/8/2021. The following week on 1/15/2021, they reported while driving, their area around their right eye became numb and they began to have blurry vision. The numbness spread to around their face/mouth. They pulled over and their spouse drove him to the hospital. Roughly 20 minutes after the initial symptoms, they developed chest pain and patient reported that the ED noted an abnormality on their EKG. The patient had to be admitted overnight for observation. The patient reported that on 1/18/2021, they still had mild chest pain and facial numbness remains around the right eye, left mouth/cheek area, and tongue. They did develop fever and a headache. The patient reported that on 1/19/2021, they are waiting on results, additional testing, and further follow-up appointment with their provider.
956944	1/19/2021	CA	42	F	1/8/2021	1/8/2021	Dizzy, blurred vision, sleepy
957110	1/19/2021	CA	18	F	12/29/2020	12/29/2020	2 minutes loss of sight after having COVID-19 injection. Patient has no history of allergic reactions in the past no history of loss of vision in the past. Patient states that she is somewhat clammy and may have low blood sugar. No fever chills sweats no nausea vomiting diarrhea. Symptoms have completely resolved.
956987	1/19/2021	GA	68	F	1/19/2021	1/19/2021	Patient was waiting for about ten minutes after receiving vaccine when daughter alerted pharmacist that patient was unresponsive. Patient was emitting a choking, sputtering noise. Her hands were clenched so hard that pharmacist had difficulty separating them. Her head was extended backward and clenched. Patient's eyes were unfocused and rolled back. Pharmacist observed patient for about 15-30 seconds before administering epinephrine 0.3mg IM. Patient became responsive and was allowed to drink enough water to wet her mouth. Patient then vomited. EMS showed up within 5 minutes of incident and declared patient appeared normal other than an elevated heart rate. Patient declined further care from EMS. Pharmacist called patient after an hour to verify she was still fine, which she was.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
957007	1/19/2021	CA	42	F	1/15/2021	1/16/2021	Severe headache Body aches Chills Fever of 106 F that would go down to 103 F with tylenol and ibuprophen Eye pain and burning Joint pain Severe fatigue Nausea Injection site intense sensitivity
957030	1/19/2021	WI	31	F	1/7/2021	1/7/2021	Moderna COVID-19 Vaccine: Symptoms after vaccination: Intense pain to my affected arm started around 5-6:00pm the day I received the vaccine. A little while after that I noted terrible body aches and intense chills. I took Meloxicam and Tylenol for the pain to my arm and the body aches. This helped a little. I ended up going to bed at 7:00pm (same date) due to not feeling well. The chills were pretty intense going up and down my spine and I could not get comfortable in bed or sleep because I was freezing and aching all over. I am not sure if I had a fever at the time because I felt so weak and chilled that I couldn't get out of bed but my eyes felt like they were burning. My husband said I was sweating and my skin was burning hot despite the fact that I felt extremely cold. I developed a headache around midnight that lasted until the afternoon the day after my vaccination. I took more tylenol , meloxicam, and benadryl for the pain/headache and I took a mid morning nap. I felt better and more myself by about 4:00pm the next day. I did not need to receive any medical attention for these symptoms.
957068	1/19/2021	VA	39	F	1/9/2021	1/9/2021	Soreness, redness, swollen arm, rash that continues to grow , extremely fast itchy , hot, itchy/red eyes, pain in Elbow and in armpit, slight stomach pain at night, headaches, shivers

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
957105	1/19/2021	IL	22	F	1/14/2021	1/15/2021	1/14/21- 10:30am Noticed some fullness/swelling in throat. Was still able to breath fine, but definitely noticed a difference. This lasted a few hours. 1/15/21- 3:45am I got up to use bathroom and noticed I was very lightheaded. I thought maybe I just stood up too fast. I got back in bed and my arm was 8/10 pain so I also thought faintness could possibly due to pain. 7:15am I got up to go to work and quickly felt very warm and my vision started to go black. I laid back down for a few minutes until this resolved. I took my temperature and it was 99.0. I got up again and started to get ready but began feeling light headed again. I ended up getting ready while sitting down because I kept feeling too much like I was going to pass out. I ate breakfast and felt fine. 8:00am I left for work and after driving for about 5 minutes I felt myself getting very warm again and light-headed. I ended up pulling over and calling for someone to come pick me up. 9:00am My temperature was 99.5. My blood pressure laying down was 110/74 and HR was 74. After standing for 5 minutes my BP was 90/70 and my HR was 92. During this 5 minutes of standing I felt myself getting warm again but my vision did not start to go black and I was able to stand for the full 5 minutes. At various times throughout the day I would feel faint if I was standing or sitting upright for too long. The last time I felt this was was probably 11:30pm on 1/15/21. 1/16/21 - No light-headedness or warmth. Did feel some slight chest pressure, but nothing crazy and it only lasted maybe half of the day.
957114	1/19/2021	PA	41	F	1/11/2021	1/13/2021	Decided to get second vaccine 1/11/21 even though she was still getting hives from 1st dose. Developed swelling on inner canthus L eye. Saw Dr. 1/14/21 and famotidine was ordered. This reduced hives. In 1/16/21 developed swelling of R inner canthus. Took Benadryl and famotidine hs on 1/17/21. Took famotidine 1/18/21 before work, but developed hives under arms and tongue began to swell that evening. Took another dose of famotidine. Tongue improved within 40 minutes but L side of face began to swell. Took Benadryl 50mg. Facial swelling improved but did not go away. Called Dr. this am and was ordered a Medrol dose pack. If this is not effective then she will be referred to Dr., allergist.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
957158	1/19/2021	WI	49	F	1/11/2021	1/12/2021	Had severe chills and body aches and fatigue about 12 hours after vaccine, lasted about 8-10hrs fatigue and mild aches lasted another 8-10 hrs. Then 2 days after the shot I got a herpes simplex virus in my eye.
957168	1/19/2021	CA	32	M	1/8/2021	1/11/2021	presents with itching and urticarial rash all over his torso arms and legs. He received a second Covid vaccine 3 days ago. He denies any other exposures to new foods or other medications. He did start having some eyelid swelling as well as some shortness of breath while going upstairs and therefore came to the ER for evaluation. Patient denies any tongue or lip swelling. He has no wheezing. He states that the shortness of breath is improved without any intervention or treatment. Patient does have Covid exposures on a regular basis as he is respiratory therapist and takes care of Covid patients. No symptoms of cough or fevers. No vomiting or diarrhea.
957205	1/19/2021	CA	47	M	1/5/2021	1/5/2021	Day 1: first hour slight euphoria -- hours 2-8 felt like a surge of epinephrine, speedy when speaking, stammering occasionally Day 2 - 4: felt like final day of having flu, achy, weak, overall off Day 5-8: extreme fatigue Day 10-11: slight fatigue, brain slow Day 12-14: strange subtle brain sensations, flow of blood to the head shifting, occasional lightheadedness, vision worse, nervous system a bit jerky
957268	1/19/2021	CA	35	F	1/16/2021	1/17/2021	The day after I got my shot, I woke up to my right eye being significantly bigger than my left. It was swollen and extremely itchy. It was swollen for a few hours until I remembered to take allergy medicine. It subsided. Then today, January 19, 2021, it happened again. It didn't swell as much, but was extremely itchy. My neck area and stomach area is itchy as well.
957301	1/19/2021	MD	61	F	1/13/2021	1/13/2021	Vaccine at 0900; itchy eyes by 0950; lips swelling than face. Got hives on face and rest of body itchy. Took 25 mg Benadryl at 1015. By 1130 hives were gone but itching continued. Used eye allergy relief. Lips swollen for 24 hours. No shortness of breath. At 2100 got rapid heart rate till about 2130. Resolved. Continued having itchy skin and eyes for 4 days. On 01/14/2021 started fexofenadine 180 mg one per day and used eye drops as needed for itchy eyes

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
957304	1/19/2021	CA	42	F	1/16/2021	1/17/2021	Moderna covid vaccine EUA Fatigue, lethargy, headache, dizziness, nausea, diarrhea, abdominal pain, chills, sweats, muscles aches, injection site pain and swelling, visual disturbance Still having all symptoms with improvement
955914	1/19/2021	IL	51	F	1/6/2021	1/18/2021	I get Botox injections every 10-12 weeks for migraine prevention. Redness/red marks under both eyes with puffiness, itchiness/burning.
956909	1/19/2021	NY	45	F	1/5/2021	1/5/2021	Dizziness, eye swelling, throat tightness, sense of impending doom, mild tachycardia
957319	1/19/2021	AL	25	F	1/7/2021	1/19/2021	10 days after vaccine bulls eye type rash at injection site. Site is hot and red.
957141	1/19/2021	MA	45	F	1/18/2021	1/18/2021	First COVID Vaccine administered on 12/23/20-No side effects. 2nd COVID Vaccine administered on 1/18/21- Injection was administered approximately 9:30am. No initial side effect.s By the evening of 1/18/21 started to develop arm soreness at injection site and body aches. By the morning of 1/18/21 body aches worsened and then developed under eye swelling. No redness, just swelling and soreness. 5-6 months ago I was treated with Juvederm Volbella Filler for tear troughs under the eyes. I have read that there have been reported cases of post vaccine swelling in people treated with fillers. My filler treatment for the past 5 months has been perfect. Now 12-16 hours post 2nd COVID vaccine, I developed under eye swelling. I took Benadryl, Claritin and now starting a Medrol Dose pack.
956614	1/19/2021	CA	42	F	1/19/2021	1/19/2021	head ache, Right eye pain
955937	1/19/2021	IA	66	F	1/18/2021	1/19/2021	Fever 101-102. Chills (wearing winter coat and several winter blankets to get warm), headache, feeling of eyes popping out of head, muscle aches all over, and exhaustion. Feel like I have covid all over again.
955943	1/19/2021	ID	47	F	12/23/2020	1/8/2021	Runny nose, HA (from "my eyeballs to the top of my head.") for 5 days - developed into a sore throat and a cough for 3 more days - has cleared up now.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
955961	1/19/2021	WV	34	F	1/7/2021	1/7/2021	During administration of COVID-19 vaccine, needle became disconnected from syringe and vaccine sprayed into pt. eyes. Pt. taken to eyewash station and eyes flushed for 10 minutes. Pfizer called and notified of event. Pt. monitored for 45 minutes. Denies eye pain, itching, tearing, or visual disturbances. Pt. instructed to report any change in vision or eyes to me immediately. Pt. verbalized understanding and wishes to remain at work.
955997	1/19/2021	NM	47	F	1/18/2021	1/18/2021	Face flushed like a sunburn and sweating a lot since about 17 min after. Pain in left eye down to mid cheek and full face mild puffiness. Difficulty swallowing only for 5 min then sore throat since then. Nausea starting about 2 hours after. Left arm swelling and a lot of pain for a couple hours in the middle of the night and still very sore but better. Woke up with both eyes bloodshot. Feeling like my scalp was hot and tight for about a half hour but that went away.
956038	1/19/2021	MO	43	F	1/18/2021	1/19/2021	Rash on both arms and swelling in eyes
956005	1/19/2021	TN	53	F	12/23/2020	12/23/2020	Moderna COVID-19 soreness noted at the injection site for approximately 2 days. On the 14th of January, developed external earpain and a left sided neck ache ("like i slept on it wrong") used ice pack. On the 16th, Saturday morning, the left side of my face was numb, lips were numb and tingling, and inside of mouth was tingling. On the 17th, the symptoms had gotten worse and couldnt hold liquids in mouth due to lips drooping and loss of muscle control. went to ER that day and got diagnosed with bells palsy by Doctor. He prescribed a steroid and an antibiotic. on the 18th eye continues to droop, mouth drooping. on the 19th, eye not closing, mouth drooping toward left side, lips remain numb

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
956053	1/19/2021	OH	53	F		1/15/2021	At 1715 I experienced numbness on the left side of my back, burning sensation with tingling. About 20 minutes later that sensation moved up to my shoulder. 10 minutes later moved up the left side of my neck. It continued to move up and stayed in face, especially lips. That lasted 30 minutes. It then moved to include my right nostril, it became stuffy and started to run. No respiratory distress. About 45 minutes later the sensation went in my right eye and made it difficult to move it, at this time I also experienced a lot of pain in upper front teeth. I took Tylenol for the pain. Sensation continued in lips, R nostril, and R eye; along with teeth pain until 6 hours later. After which the numbness in lips lingered for 15 hours total.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
956166	1/19/2021	MN	90	F	1/19/2021	1/19/2021	10:10 am received Moderna vaccine; observation time 30 min due to previous allergies stated (shrimp-throat closure); 10:37 am RN was observing/talking to pt & mid-sentence pt. reported "I'm feeling funny." Resident's eyes appeared glazed over and she reported "feeling out of it. Like I'm in another world." Resident unable to provide any further specific descriptions of how she felt. Resident's radial pulse felt regular. No loss of consciousness. Resident remained in seated position. 10:39 am Resident reported no improvement & stated, "I feel weak". RN paged for assistance. 10:45 am another staff member arrived with bp cuff. L upper arm blood pressure was 136/72. Heart rate remains regular. Lungs sounded clear. Resident was able to drink a 1/2 glass of orange juice. 10:49 Resident reported feeling "a little better." 10:51 am We noted resident's face appeared flush. No baseline observation of what her cheeks looked like prior to vaccination due to mask, but questionable mild facial swelling present. 10:53 asked resident if she was able to swallow normally. Resident wasn't sure, so RN asked if she felt like she had a lump in her throat or like she needed to clear her throat, but couldn't and she confirmed that her throat felt different than normal. 10:55 am Epi pen administered to L outer thigh by RN. Call placed to EMS. Discussed expected side effects of Epi administration. 10:57 am Resident started to feel anxious and visible shaking present. 11:05 am Resident reported feeling slightly better, perked up a bit. 11:08am EMS arrived. 11:10 Ambulance crew arrived. Resident was able to walk to stretcher with assist of 1. 11:17 am Ambulance left with resident. Resident was still reporting "feeling weak".
956172	1/19/2021	FL	83	F	1/17/2021	1/17/2021	At approximately 11:09 am, patient began complaining of dizziness, headache, blurry vision and nausea. Patient states that she had a headache on arrival and took her bp meds this morning. Patient released by EMS to home with friend on site.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
956181	1/19/2021	ND	21	M	1/11/2021	1/11/2021	Pt developed right-sided headache behind right eye with no associated visual disturbance or other symptoms. He reported mild pain only. He was sent home. He was evaluated again by his primary care provider the following day due to persistent headache and progressively worsening headache. He was sent home from work and given home care instructions.
956183	1/19/2021	KY	60	F	1/18/2021	1/18/2021	WHEN I GOT TO WORK I DIDN'T FEEL AT MYSELF. I WAS DIZZY AND VERY SHAKEY AND DIDN'T FEEL RIGHT THE MAIN PROBLEM IS IF I CLOSE MY EYES AND GET REALLY DIZZY AND GET SICK AT MY STOMACH
956224	1/19/2021		39	F	1/11/2021	1/18/2021	*right arm sore the night of injection, resolved within 36hrs *dull headache behind eyebrows off & on starting 3-4 days post injection, still happening on day 9 post injection, have not taken anything to resolve it *red, raised, warm to touch, itchy hive on right, upper arm. started 8 days after vaccine given, going on day 2 will use hydrocortisone cream
956477	1/19/2021	MO	34	F	12/24/2020	12/24/2020	Her firs was on 12/24 and she reports 7 hours later she had blurry vision and passed out. She continued to have nausea and couldn?t eat missed several days of work and lost 5 kg due to nausea. She received the second on 1/24 and she reports that 3 ½ hours later her heart rate was high, blurry vision and soa. She reports she does not remember much other than resting and her husband picking her up. She stated that she couldn?t remember much after that and was difficult to wake up by her family. Was off work a few days and is now back but feeling weak.
956602	1/19/2021	MA	36	M	1/16/2021	1/17/2021	(Day 1) - Headache, (Day 2)- Headache, fatigue, muscle pain, pain in right eye, slight chest pain (Day 3) - Headache, fatigue, muscle pain, pain in right eye, tingling in left arm/hand, slight chest pain(Day 4)- Headache, fatigue, muscle pain, tingling in left arm/hand/leg, tingling in right arm, slight chest pain. Have not been to Dr. for a follow up, I have been taking Ibuprofen which seems to improve symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
956572	1/19/2021	MA	39	F	12/23/2020	12/23/2020	Immediately following vaccine my entire chest began very hot. I was having hard time breathing. I started trembling a little and my vision became blurry. Doctors told me I had bad panic attack.
955983	1/19/2021	NE	57	F	1/15/2021	1/17/2021	Woke up at 6am (40.5 hours after injection) with severe vertigo, room spinning fast. Spent first two hours sitting on bed with eyes closed avoiding any movement of any kind. Along with dizziness I was Sweating profusely with intermittent chills which lasted all day. By 8:00am I was vomiting and dry heaving off & on for 8 hours straight. Slight relief came after taking a Bonine pill for motion sickness. Multiple temperature checks ranged between 94.1 -98.5. Headache became more prominent throughout the afternoon & evening. I ate 1 soda cracker by 6:00pm and tried to drink water throughout the day to stay hydrated but constant vomiting made it difficult. By 10:30pm I was able to keep down a 1/2 cup chicken soup.
956263	1/19/2021	TX	30	F	1/14/2021	1/14/2021	I received the vaccination on 1/14 and started to get an itching sensation that night - nothing noticeably or concern and was able to go to sleep. The next morning I was very itchy and red and started to break out in hives that started to get worse and spread through my body. I took Benadryl throughout the day and at night to help my sleep. On Saturday morning my eyes were swollen and red, I had severe hives all over my body and had to go to the ER for some type of relief. This was immediately after I woke up, the right side of my body was extremely hot and I went to the restroom and looked in the mirror and didn't recognize myself. At the ER, they put me on Prednisone - to take 2 tablets for 3 days, Famotidine - taking 1 tab, 2 times a day for 5 days, and Benadryl, 1 tab, 3X a day until the symptoms subside - It is currently 1/19 and my skin will start to heat up, primarily in my hands and start to itch, but no more hives or anything severe. I am currently pregnant with my first child, due date 7/7/2021. I have had no previous pregnancies, miscarriages, or abortions.
956524	1/19/2021	TN	51	M	1/19/2021	1/19/2021	He said within a minute of receiving the vaccine he experienced bilateral ear ringing and a dimness to his vision. Since he has developed dizziness with ambulation, he has slight blurriness to his right eye, general achiness, and his injection site is sore.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
956513	1/19/2021	MI	58	M	1/18/2021	1/18/2021	About 10 minutes after receiving the vaccine, patient became dizzy. Symptoms then progressed to increased heart rate (104), increased blood pressure (~180/120), tremors, and blurred vision. Patient stated he was diabetic, glucose was checked (198 - was ~4 hours after eating a bagel - had taken lantus the night before and victoza that morning). Oxygen was good, no trouble breathing. Pupils dilated.
956471	1/19/2021	MO	34	F	12/24/2020	12/24/2020	Her first was on 12/24 and she reports 7 hours later she had blurry vision and passed out. She continued to have nausea and couldn't eat missed several days of work and lost 5 kg due to nausea. She received the second on 1/24 and she reports that 3 ½ hours later her heart rate was high, blurry vision and soa. She reports she does not remember much other than resting and her husband picking her up. She stated that she couldn't remember much after that and was difficult to wake up by her family. Was off work a few days and is now back but feeling weak.
956434	1/19/2021		45	F	1/15/2021	1/17/2021	woke up Sunday morning with blurry vision (distance). Employee to let us know if did not improve in next 24hrs.
956351	1/19/2021	OK	26	F	1/12/2021	1/18/2021	Approximately 4 days after my second dose of Pfizer vaccine, I started noticing my left eye being swollen and constantly watering. 7 days post vaccine, I started having left sided facial weakness and droop. I was diagnosed with Bell's palsy by my Primary Care Physician today (8 days post vaccine).
956417	1/19/2021	FL	39	F	1/8/2021	1/9/2021	Right upper eyelid spasm started next day after vaccine and continues until today, constant.
956294	1/19/2021	IL	69	F	1/13/2021	1/18/2021	Patient received first dose of COVID vaccination. Woke up 4 days after with eye redness and swelling.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
956295	1/19/2021	FL	91	F	1/5/2021	1/9/2021	A 91 Y.O FEMALE RECEIVED COVID-19 VACCINE ON 01/05/21 AT 11:30AM. FOUR DAYS AFTER THE VACCINATION ON 01/09/21 AT 3:15 PM, SHE CALLED HER DAUGHTER AND TOLD HER THAT HER MOUTH WAS NUMB, LEFT SIDE OF THE MOUTH WAS DROOPING, SO AS HER EYELID. AT ABOUT 5 PM THAT DAY, PATIENT ARRIVED IN TMH ER VIA AMBULANCE. ER DOCTOR RULED OUT HEART ATTACK OR STROKE. PATIENT WAS DIAGNOSED WITH BELL'S PALSY. WAS SENT BACK TO WESTMINSTER OAKS THAT DAY WITH CORTICOSTEROID AND EYE OINTMENT THAT WAS PRESCRIBED BY THE DOCTOR. (INFORMATIONS REPORTED TO ME BY THE DAUGHTER AND THE PATIENT HERSELF) AS OF 01/19/21, PATIENT IS STILL RECOVERING. SPOKE WITH THE PATIENT TODAY 01/19/21, PATIENT STATE SHE STILL HAS THE SIGNS AND SYMPTOMS OF THE BELLS PALSY, BUT SHE SAID SHE'S GETTING BETTER. SHE ALSO STATES THAT TODAY IS THE LAST DAY OF HER CORTICOSTEROID TREATMENT.
956397	1/19/2021	AL	60	F	1/12/2021	1/12/2021	Severe headache. Joint and muscle ache. Eye pain. Chills itching. Sore arm

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
956307	1/19/2021	FL	32	F	1/6/2021	1/6/2021	First night: awoken at night due to arm pain. Able to work following day 1/7: evening: low grade fevers 99.0. Tolerated with tylenol 1/8: ongoing low grade fevers 99.0. Tolerated with Tylenol 1/9: Fevers slowly increasing to 100, with chills, alternating with sweats. Began difficulty tolerating with Tylenol q6h 1/10: fevers increasing to 101. Chills and sweats ongoing. Not controlled with Tylenol q6h. Began adding ibuprofen q6h alternating. Arm pain continued with now noticing severe erythema, warmth and edema around incision site. Began with macular rash around trunk anterior and posterior 1/11: 1:30 am began having chest heaviness that was not subsiding. Tmax 103.4. Went to ED. EKG, CBC, CMP, UA, CXR all WNL. BC ordered - unknown results. COVID PCR negative. Rash continued spreading to limbs as day progressed. some now raised and tender on arms and flank. Given keflex QID. 1/12: Fevers and chills continue 103. Not controlled with Tylenol and ibuprofen alternating q6h. Now with canker sores/ulcer in mouth and several in genital region. Difficult to ambulate and to urinate secondary to severe pain from ulcers. 1/13: Fevers and chills continue. 103. Still not controlled but slightly improved. Rash appeared stable. Now with central blind spot in right eye. Went to see ophth and found to have had a blood vessel rupture. Ulcers continue to be severely painful requiring sitz baths to urinate 1/14: fevers slowly declining. Rash stable. blind spot unchanged 1/15-1/19. Fevers eventually resolved. Continuing keflex. Ulcers improving, though still somewhat painful. Able to ambulate. Blind spot unchanged.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
953077	1/18/2021	IL	42	F	12/23/2020	12/23/2020	<p>couldn't differentiate the tingling in hands and feet from shot or from that; sharp pain jolt behind eyes/eyes hurt; icreamed; Her hand eye coordination was off as well and she wasn't able to be accurate on keyboard and her cursive was off; Whole body still weak; sharp pain jolt behind eyes, left one in particular so bad she screamed and the nerves went all the way to finger tips; Twitching of face when do certain movements; brain zaps and brain buzzing began; numbness to right side of face to neck/made its way to left side; Horrible headache; fatigue; felt pressure behind her right eye; felt in a fog; forgetful mid conversation; This is a spontaneous report from a contactable other health professional (patient). A 42-year-old female patient (not pregnant at the time of vaccination) received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, EL0140), intramuscular on 23Dec2020 08:00 at single dose at right arm for COVID-19 immunization; prednisone via an unspecified route of administration from an unspecified date to an unspecified date (for 4 days) at 50 mg for an unspecified indication. Medical history included Known allergis: latex, contrast dye. Concomitant medication included the first dose of influenza vaccine (FLU) on 30Nov2020 at single dose at right arm for immunization. Facility where the most recent COVID-19 vaccine was administered at Hospital. The patient received other vaccines within 4 weeks prior to the COVID vaccine. It was reported that Day 1: on 23Dec2020 08:15, the patient felt pressure behind her right eye after shot, felt in a fog, forgetful mid conversation. Day 2. (24Dec2020) Horrible headache started, fatigue. Day 3 (25Dec2020) brain zaps and brain buzzing began, headache, fatigue, numbness to right side of face to neck. By day 5 (27Dec2020) made its way to left side. Twitching of face when do certain movements. Her Dr gave her Prednisone and she took 50 mg for 4 days and stopped because she couldn't differentiate the tingling in hands and feet from shot or from that. Still brain zaps, newest issue sharp pain jolt behind eyes, left one in particular so bad she screamed and the nerves went all the way to finger tips. Her hand eye coordination was off as well and she wasn't able to be accurate on keyboard and her cursive was off. Whole body still weak, eyes hurt. Head a lot better than a day ago but still having buzzing and twitching. Today was day</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							18. She was awaiting an MRI with contrast on Friday hoping it got moved sooner as she was scared to what was going on. The adverse events result in Doctor or other healthcare professional office/clinic visit and Emergency room/department or urgent care. Treatment received for the adverse events included CT/MRI/Optic Nerve Scan/Pain Shot/Meds for Zaps. The events were non-serious per the reporter. Prior to vaccination, the patient wasn't diagnosed with COVID-19. Since the vaccination, the patient had been tested for COVID-19. The patient underwent lab tests and procedures which included Nasal Swab: negative on 28Dec2020. The action taken in response to the events for prednisone was permanently withdrawn on an unspecified date. The outcome of the events reported as not recovered.; Sender's Comments: A possible causal association between administration of BNT162B2 and the onset of all these reported serious events might not be fully excluded, considering the plausible temporal relationship. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.
953826	1/18/2021	CO	57	F	1/13/2021	1/13/2021	After receiving my 2nd dose of Covid-19 mRNA vaccine/Pfizer/Bio NT vaccine EUA on 1/13/21 at 1000am I experienced symptoms of severe headache that resulted in a subconjunctival hemorrhage of my right eye and asymptomatic new onset hypertension.
952798	1/18/2021	OH	73	F	12/29/2020	1/1/2021	gait disturbance with visual symptoms for 4 days, numbness of left side of face, flare of cold sore
952765	1/18/2021	NC	76	F	1/12/2021	1/13/2021	severe pain in neck and shoulder area, slight fever, swollen glands, affected vision for over five days



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
952733	1/18/2021	TX	46	F	1/4/2021	1/4/2021	<p>Moderna COVID-19 Vaccine *01/04/21 11:50am Less than 10 mins after vaccine I became very hot, clammy, ringing in ears, tingling lips. Started to feel anxious which made me feel faintish, in need of the restroom. Ride home felt very hot, rolled windows down in 50 degree weather sleeveless. Arrived home 30 mins after shot, used the restroom, felt pressure in my throat and jaw line by ears, ringing in my ears. I?m scared 45 mins after shot, freezing and shaking, feel tired, pain in both arms/muscle, pain on side of neck/muscle Ringing in ears Called out of work remainder of the day 3:00pm- Slept for 2.5 hrs from 3-5 Woke to flu like symptoms Woke at 5pm to aches in joints. My hands, knuckles, and elbow on my left arm- same arm as shot sore throat Headache Muscle aches in neck and both arms Diarrhea nasal pressure - face Jaw pain by ears Very tired Switching between hot and freezing Took Tylenol 6:15pm Still suffering flu symptoms Ringing in ears Strong urge to vomit Weak Bottom of feet ache Eyes watering 7:34pm Ate a little and feel a little better, coming in waves 9:30pm Feeling better Flu symptoms and nausea is gone Just very tired and very sore at injecting site. About a 6 on a 1-10 scale for pain when touched. Hoping for a better tomorrow *1/5/21 Day-2 7am Called out of work for a late start Could not sleep due to pain at injection site as well as achy joints/muscle in hands and arms. Any movement would shock me awake Arthritis in hands seemed inflamed Nightmares Very tired/fatigued 10am Called out of work for the remainder of the day. Very tired/fatigued difficulty getting out of bed. Pain at injection site about an 8 when touched even by a blanket Took more Tylenol 4:30 Feeling okay... just sluggish and soreness at injection site. About a 5 Curious if maybe I already had the virus and so this first shot was like a booster which caused the flu like symptoms?? Or maybe my autoimmune disorders? 8:30pm Feeling so much better!! Still some soreness at injection site but tolerable. Feeling better about being protected! *1/6/21 Day-3 Generally feel okay but fatigued Slept an unusual amount 8pm This Evening had shooting pain down my right arm (injection site) and also pain on my right in chest, heart area. Had lots of palpitations and was concerned about having a heart attack My Apple watch recoded spikes in blood pressure over 107 while being inactive *1/7/21 Feel</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							okay today Light soreness at injection site.. like a bruise when touched *1/8/21 Better but hesitant to receive the second dose scheduled Feb 1st
952672	1/18/2021		61	F	1/12/2021	1/15/2021	61 y.o. female who arrived by Home presented to the emergency department for Evaluation of syncopal episode. Patient reports earlier this morning at 330 she awoke to go get a glass of water, states that she felt significantly weak and felt that she would drop the glass of water she was going to get it. She describes mild associated lightheadedness but denies vertigo, visual disturbance, chest pain, dyspnea. She that went to ambulate to the living room so she lied on the couch, but does not exactly remember what happened after this. She remembers that there is a chair and she thinks she may have fallen forward and hit her head against a chair and fell down to the ground. She notes that she had currently has a fat lip and feels slight abrasions on her knees bilaterally. History is notable for hypertension, dyslipidemia, states has been compliant with her medications. No recent illnesses, cough, colds. She underwent vaccination 3 days ago for COVID with the majority of vaccine and reported 2 days ago she had mild body aches and myalgias, however at present states she feels largely asymptomatic. She was encouraged to present to the emergency department at the request of her coworkers Laboratory work-up largely unremarkable. CT head no acute process. EKG my read sinus rhythm, normal PR, QRS, QTc, no ST segment changes or T wave inversions concerning for ischemia. Discussed the work with the patient recommended that she follow-up as an outpatient with her primary care provider, also provided with a Zio patch and recommend to follow-up with cardiology. Patient extravascular fat study with plan felt comfortable for discharge home. Discharged in stable condition
952701	1/18/2021	CA	45	F	1/14/2021	1/15/2021	nausea, lump/swelling under left arm/breast, headache severe, body aches at the slightest touch, painful eyes from 1/15-1/17 w/ headache severe, loss of appetite, nausea lasting from 1/15-present day.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
952658	1/18/2021	NY	50	F	1/16/2021	1/16/2021	about two minutes after standing up to go to the waiting room, I became incredibly dizzy. I sat down and closed my eyes. I had an instant sensation in my forehead, right side -- not pain, more like a tightness, like the beginning of the headache. I couldn't move my eyes left and right without dizziness. It felt like I was on a pain pill. That kind of lightheadedness. and the tightness moved around my forehead about every 10 minutes to different spots. Was also present in back of my head at bottom left pressure point. At one point my forehead was very tender and within the next few minutes it had gone numb. a doctor and EMS checked my vitals. All were normal. I've recently lost 25 pounds and the doctor thought maybe my thyroid function had improved and that potentially my medication dosage now makes me hyperthyrodic. I'm not dizzy on a regular basis, but am still going to check with my personal doctor. They checked my vitals every 15 minutes and it was about an hour and 15 min before I felt comfortable standing and walking. I went home and went to sleep (it was 3 pm), which is not normal for me. I was wrecked. The next day, all was normal, except for the pain in the injection site, arm, which I expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
952803	1/18/2021	FL	47	F	1/15/2021	1/15/2021	I was vaccinated at 3:30pm . At 5:27pm while driving home i felt a cold sensation in the back of my neck and back of my throat which began spreading to the back of my head . My heart felt as if I was startled by something. I looked at my smart watch and my heart rate was 145. I began trembling and having abdominal cramping . The back of my head felt like I had swelling or collection of fluid. I opened my windows and began taking slow deep breaths to bring down my heart rate . It took quite a while to get it below 100. I felt as if I was going to pass out. After deep breathing for what felt like atleast 15 to 20 minutes , my pulse came down and I closed my windows . As soon as my body warmed back up in the car , the symptoms returned and my heart rate went back up to 130s , 140s . I had to keep my windows down and deep breathe the entire way home which took an hour . My body was trembling. When I got home I felt as if I was too weak to get out of the car . I still felt that startled feeling in my heart and was afraid of what could happen next . My lips and face were swollen. My lips were also slightly itchy. I called 911 for help . By the time they arrived my vital signs had stabilized but I still had swelling in my face and lips . My EKG , vital signs and oxygen levels checked out normal so I did not go to the ER. That night I took benadryl and Tylenol. Day 2 post vaccine the collection of fluid or swelling in the back of my head had now spread to the top . That night I had the feeling that my throat was swelling do I took benadryl and Tylenol and my face and lips were still slightly swollen . Day 3 post vaccine I woke up with slightly blurry vision. The swelling in my head now feels like it has encompassed my entire head and have a slight headache. I went to the urgent care requesting an MRI of the head and an epi pen . I was given Medrol dose pack , an RX for epi pen for emergencies and advised to continue benadryl and Tylenol. Day 4 post vaccine, slight headache continues. Slightly blurry vision

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
952559	1/18/2021		48	F	1/8/2021	1/12/2021	On Tuesday (1/12/21) night face and neck started itching and burning. Face was starting to swell and neck was red and had small bumps on it. Took some Benadryl and went to bed woke up this morning and eyes were swollen and face was a little worse. No record that patient sought medical attention or visited the ED. Patient reported swelling and itching went resolved the weekend of 1/16/21.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
953092	1/18/2021	WY	48	F	12/23/2020	12/23/2020	tingling sensation in right eye and mid cheek area,Unable to wink, or scrunch right eye; muscles on the right side of my face were noticeably weaker; This is a spontaneous report from a contactable nurse (patient). This 48-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot # EH9899), via an unspecified route of administration, on 23Dec2020 at 04:00 PM at single dose for COVID-19 immunisation. Vaccine location was right arm. The patient was vaccinated at Public Health Clinic/Veterans Administration facility, age at vaccination was 48-years-old. No other vaccine was received in four weeks. Medical history included gastrooesophageal reflux disease (GERD). Known allergies included levofloxacin (LEVOFLOXACIN), pethidine hydrochloride (DEMEROL), phenobarbital, cefalexin monohydrate (KEFLEX), clarithromycin (BIAXIN). Concomitant medications included dexlansoprazole (DEXILANT), estradiol, phentermine, ergocalciferol (VIT D), calcium. The patient was not tested for covid prior or post vaccination. On 23Dec2020 at 04:45 PM, after leaving the clinic, the patient felt tingling sensation in right eye and mid cheek area. Within 1.5 hours, muscles on the right side of her face were noticeably weaker. Unable to wink, or scrunch right eye. The events resulted in doctor or other healthcare professional office/clinic visit, and emergency room/department or urgent care. The patient was treated with prednisone. Outcome was recovering.; Sender's Comments: Based on a close temporal relationship causality between events "tingling sensation in right eye and mid cheek area" and "muscles on the right side of her face were noticeably weaker" and BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
952664	1/18/2021		41	U	1/8/2021	1/8/2021	Patient went to get a rapid test on 1/8. Onset of symptoms 1/6:sore throat and headache. also lower back pain, chills, watery eyes, cough. Phoned EHS that her results were positive.
952732	1/18/2021	NC	42	F	1/12/2021	1/12/2021	Significant fatigue, loss of appetite, nausea, mild headache, dry eyes all within hours of vaccine. Symptoms continue after 7 days with only mild improvement.
952823	1/18/2021	ID	26	F	12/29/2020	12/29/2020	Shortly after the injection I started feeling light headed.. as the 15 minute window went on I also got super dizzy and my vision started going out.. a few minutes after that happened my chest started tightening up and my breathing became very labored and difficult. They hospital staff came and checked my vitals and gave me Benadryl. They put me on a stretcher and rushed me down to the er.
952835	1/18/2021	CT	52	F	1/8/2021	1/12/2021	Typical muscle soreness lasted a couple days. Lingering headache off and on. Feeling of tiredness for a couple days. Tuesday started with brain fog. Thursday was more noticeable at work trying to perform normal tasks. Friday felt lightheaded and dizzy. Couldn't focus and waves of anxiety with headache. Coworker mentioned my complexion was yellow and eyes were red. Feels faint and fell over but didn't lose consciousness. Saturday felt lightheaded and still went to work and passed out at work. Today is Monday 10 days after vaccine. I can't work or drive due to weakness, lightheaded and faint. I'm slow with speech and get confused very easily. Didn't recognize my own kitchen at one point. Wasn't sure where my bathroom was earlier. No appetite. Sharp pains randomly in my head.
952851	1/18/2021	NY	30	F	1/5/2021	1/6/2021	Day after Vaccine I had a redness, burning feeling in my left arm. The second reaction returned 10 days later with a bulls eye erythema measuring approx. 2 inches in diameter this lasted two days and then faded to a red area about an inch wide.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
952852	1/18/2021	NJ	37	M	12/29/2020	12/29/2020	12/29/2020 Vaccination. Within minutes blurry vision, dizzy, tx to stretcher. EXTREME HA, coughing, sensitivity to light. EPI pen in ER. I fell asleep. Woke up, don't remember much. Admitted to hospital. Chest pains started within 2 hours, SOB, HA. Admitted for 2 nights, 3 days. Discharged home. Still having SOB and referred to Pulmonologist. Waiting on appt. *did NOT have problems before this vaccine. I was fine. Now i am completely different person, I have to monitor my walking, etc.



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
953077	1/18/2021	IL	42	F	12/23/2020	12/23/2020	<p>couldn't differentiate the tingling in hands and feet from shot or from that; sharp pain jolt behind eyes/eyes hurt; icreamed; Her hand eye coordination was off as well and she wasn't able to be accurate on keyboard and her cursive was off; Whole body still weak; sharp pain jolt behind eyes, left one in particular so bad she screamed and the nerves went all the way to finger tips; Twitching of face when do certain movements; brain zaps and brain buzzing began; numbness to right side of face to neck/made its way to left side; Horrible headache; fatigue; felt pressure behind her right eye; felt in a fog; forgetful mid conversation; This is a spontaneous report from a contactable other health professional (patient). A 42-year-old female patient (not pregnant at the time of vaccination) received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, EL0140), intramuscular on 23Dec2020 08:00 at single dose at right arm for COVID-19 immunization; prednisone via an unspecified route of administration from an unspecified date to an unspecified date (for 4 days) at 50 mg for an unspecified indication. Medical history included Known allergis: latex, contrast dye. Concomitant medication included the first dose of influenza vaccine (FLU) on 30Nov2020 at single dose at right arm for immunization. Facility where the most recent COVID-19 vaccine was administered at Hospital. The patient received other vaccines within 4 weeks prior to the COVID vaccine. It was reported that Day 1: on 23Dec2020 08:15, the patient felt pressure behind her right eye after shot, felt in a fog, forgetful mid conversation. Day 2. (24Dec2020) Horrible headache started, fatigue. Day 3 (25Dec2020) brain zaps and brain buzzing began, headache, fatigue, numbness to right side of face to neck. By day 5 (27Dec2020) made its way to left side. Twitching of face when do certain movements. Her Dr gave her Prednisone and she took 50 mg for 4 days and stopped because she couldn't differentiate the tingling in hands and feet from shot or from that. Still brain zaps, newest issue sharp pain jolt behind eyes, left one in particular so bad she screamed and the nerves went all the way to finger tips. Her hand eye coordination was off as well and she wasn't able to be accurate on keyboard and her cursive was off. Whole body still weak, eyes hurt. Head a lot better than a day ago but still having buzzing and twitching. Today was day</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

953097	1/18/2021			F			<p>18. She was awaiting an MRI with contrast on Friday hoping it got moved sooner as she was scared to what was going on. The adverse events result in Doctor or other healthcare professional office/clinic visit and Emergency room/department or urgent care. Treatment received for the adverse events included CT/MRI/Optic Nerve Scan/Pain Shot/Meds for Zaps. The events were non-serious per the reporter. Prior to vaccination, the patient wasn't diagnosed with COVID-19. Since the vaccination, the patient had been tested for COVID-19. The patient underwent lab tests and procedures which included Nasal Swab: negative on 28Dec2020. The action taken in response to the events for prednisone was permanently withdrawn on an unspecified date. The outcome of the events reported as not recovered.; Sender's Comments: A possible causal association between administration of BNT162B2 and the onset of all these reported serious events might not be fully excluded, considering the plausible temporal relationship. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.</p> <p>glaucoma; This is spontaneous report from a contactable consumer (patient). A female patient of an unspecified age received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number and expiry date unknown) via unspecified route of administration on unspecified date at single dose for Covid-19 immunization. The patient's medical history and concomitant medications were not reported. The patient received the first shot and was scheduled to receive the second dose on 27Jan2021 however, she has an eye surgery for glaucoma scheduled on 22Jan2021 and 25Jan2021. The patient wanted to know if she re-schedule the eye surgery. The outcome of the event glaucoma was unknown. Follow-up activities are possible, information on the batch number has been requested.</p>
--------	-----------	--	--	---	--	--	---

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
952539	1/18/2021	NC	50	F	1/4/2021	1/13/2021	Red Bull?s eye erythemic area ~ 8cm x 4cm; initial warmth & swelling, noted on day 9. Erythema & warmth continues with mild itching.
952166	1/18/2021	MD	65	F	12/30/2020	12/31/2020	Moderna Vaccine Reaction: 12/30/2020 vaccinated Moderna vaccine at 2:15pm – no issues 12/31/2020 experienced chest tightness at 8am resolved with albuterol 1/1/2021 awakened from a nap at 3 pm with hot itching rash across front of chest & back of neck. Eyelids slightly reddened and swollen. Allergic to IV Benadryl (total body rash after given IV push Benadryl to get MRI claustrophobic). No benadryl. Routinely take Zyrtec daily that had been taken. Took extra strength Tylenol and pushed fluids. Through the day slowly improved. 1/2/2021 Rash almost gone no longer itching. Eyelids only slightly red. 1/3/2021 Used antihistamine eyedrops once. Later no longer red.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
953098	1/18/2021			F	1/10/2021	1/1/2021	Stevens Johnson Syndrome; rash was starting to peel; developed a rash all over her neck/ the rash has spread to face eyes, cheek; developed a rash all over her neck, "looks like its peeling and taut"; developed a rash all over her neck, "looks like its peeling and taut"; This is a spontaneous report from a contactable nurse (patient). A female patient of an unspecified age (Age: 48, Unit unknown) received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 10Jan2021 at single dose for covid-19 immunization. Medical history included she had an allergic reaction to sulfa and developed Stevens Johnson syndrome from an unknown date and unknown if ongoing. The patient's concomitant medications were not reported. The patient experienced Stevens Johnson Syndrome, developed a rash all over her neck/ the rash has spread to face eyes, cheek; "looks like its peeling and taut"; and the rash was starting to peel, all in Jan2021. The patient received 1st dose of vaccine on 10Jan2021, developed a rash all over her neck, "looks like its peeling and taut". She had an allergic reaction to sulfa and developed Stevens Johnson syndrome, this looks similar to that (Experience of Stevens Johnson Syndrome). The patient was asking if she did take the steroid dose pack from her dermatologist for the skin rash will it prohibit her from taking the second dose of the vaccine. She called yesterday and reported a rash after receiving the first dose of the COVID-19 vaccine. She stated that she went to her Dermatologist this morning because the rash has spread to face eyes, cheek and the rash was starting to peel. She stated that the dermatologist wanted to know if it was safe to treat her with a prednisone dose pack after receiving the vaccine. Her rash was worsening so she went to her dermatologist for treatment. She was asking if she should get the second dose. The outcome of events for developed a rash all over her neck/ the rash has spread to face eyes, cheek was not resolved, for other events was unknown. Information about lot/batch number has been requested.; Sender's Comments: A possible causal association between administration of BNT162B2 and the onset of suspect Stevens Johnson Syndrome presented as skin reactions cannot be excluded, considering the plausible temporal relationship. Severe allergic reaction is the known risk for the vaccine. The underlying predisposing

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

---

condition of an allergic reaction to sulfa developed Stevens Johnson syndrome may put the patient at high risk of the similar occurrence. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
953099	1/18/2021	MI	31	F	1/6/2021	1/6/2021	following day around 7pm lip swelling; tongue tingling; body hives; chills; After first dose of Covid vaccine face flushing; increased HR about 45 mins. went away on its own; hours later left eye swollen; This is a spontaneous report from a contactable Nurse (patient). A 31-years-old female patient received first dose of bnt162b2 (BNT162B2, Lot number: EK9231), via an unspecified route of administration on 06Jan2021 15:00 at single dose on Left arm for covid-19 immunisation. Medical history included Known allergies: Shellfish, IV contrast dye, Penicillin. There were no concomitant medications. No other vaccine in four weeks. No other medications in two weeks. The patient experienced after first dose of covid vaccine face flushing; increased hr about 45 mins. went away on its own since 06Jan2021 16:00; hours later left eye swollen on 06Jan2021; following day around 7pm lip swelling, tongue tingling, body hives, chills on 07Jan2021 19:00. The patient underwent lab tests and procedures which included heart rate: increased on Jan2021. Ae resulted in: Doctor or other healthcare professional office/clinic visit, Emergency room/department or urgent care. Ae treatment: Steroids, IV fluids, Benadryl. No COVID prior vaccination. No COVID tested post vaccinate. This report was reported non-serious. The event outcome of increased hr about 45 mins. went away on its own was recovered on 06Jan2021 16:45, outcome of other events were not recovered.; Sender's Comments: Based on the compatible time association, the serious events are possibly related to suspect BNT162B2 administration. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
953067	1/18/2021	CA	34	F	1/8/2021	1/8/2021	generalized weakness; flushing; my BP is high; dose 1 start date 19Dec2020; dose 2 start date 8Jan2021; This is a spontaneous report from a contactable pharmacist. A 34-year-old female patient received the second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number EL3246), intramuscular in left arm on 08Jan2021 at a single dose for COVID-19 immunization. Medical history included chronic HTN and allergies to baclofen and statins. The patient's concomitant medications were unspecified medications taken for hypertension. The patient previously received the first dose of bnt162b2 on 19Dec2020 via intramuscular in left arm, lot EL0140. On 08Jan2021, the patient was brought into ER as code MET. Patient was receiving her second vaccine for COVID-19 when she experienced generalized weakness and flushing. She stated that she knew her BP was high. Endorses hx chronic HTN, reports she took all three medications this AM. The patient denied any headache, new visual change, CP, SOB, or focal weakness. The events recovered on an unknown date in Jan2021. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. No treatment was received for the events.; Sender's Comments: Based on the time association, the events asthenia, flushing and hypertension are possibly related to suspect BNT162B2 administration. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.
952319	1/18/2021	OH	42	F	1/9/2021	1/10/2021	1/10Fatigue, 1/11 facial tingling to left side and eye brow area feeling heavy, 1/12 headache, 1/15 sore throat 1/16 left rib pain, wheezing, short of breath, fatigue 1/17 fatigue, chills, short of breath, wheeze, and loss of taste and smell. 1/18 I have a Telehealth visit with my Dr. Office at 12:40
952105	1/18/2021	WA	40	M	1/8/2021	1/8/2021	severe headache everyday and migraine-high temperature in my body-my eyes aches

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
953100	1/18/2021	CA	51	F	1/15/2021	1/15/2021	Severe abdominal cramps, syncope feeling, sweating, nausea, migraine, vision impairment, loose bowel movement, chills, muscle cramps
951805	1/18/2021	CA	42	F	1/8/2021	1/10/2021	Infection in left eye, possibly resulting in cellulitis in surrounding area, treated with erythromycin ointment and keflex oral antibiotic. Eye tenderness began evening of 1/10/21 and became severe by 1/12/21. I have never experienced such a severe eye infection before.
951814	1/18/2021	NV	33	M	1/14/2021	1/15/2021	I have had a constant pressure pain on my left eye which increases in pain when I close my eyes. It is only on my left eye. I had a continuous pressure headache two days post vaccine, but subsided on the third day. Injection side soreness for two days starting the day of administration.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
951980	1/18/2021	CA	51	F	1/6/2021	1/6/2021	BNT162B2 first dose 18Dec2020, second dose 06Jan2021; Severe sharp headache behind left eye; Severe nausea (but could be from headache); Possible migraine; Mild photophobia; Mild photophobia; This is a spontaneous report from a contactable Physician who reported for herself. A 51-year-old female patient received her second single dose of BNT162B2 (Pfizer/BioNTech Covid-19 vaccine, lot number EL3249) at left arm at 17:30 06Jan2021 for Covid-19 immunization in a hospital. She had her first injection at 07:15 PM 18Dec2020 and experienced mild photophobia within 5-10 min. The patient had a medical history of allergic rhinitis and was allergic to cashews. Concomitant medications included fexofenadine, colecalciferol (VITAMIN D), cyanocobalamin (VITAMIN B12). The patient did not receive any other vaccines within 4 weeks prior to her first COVID vaccine. Within 5-10 minutes of 2nd injection, the patient had mild photophobia (also after 1st injection but patient did not recognize the symptom at that time). About 20 hours after 2nd injection, the patient developed severe sharp headache behind left eye, severe nausea (but could be from headache/ possible migraine). The patient stated that she had no prior history of migraines or frequent headaches. Three days after 2nd dose, the patient's lingering intermittent mild left-sided headache persisted. The patient self-administered OTC oral analgesics. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. Outcome of the events headache, nausea, migraine, photophobia at the time of last observation was resolving. The patient considered that the events were non-serious.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
952007	1/18/2021			F	1/7/2021	1/8/2021	Tired; Headache; Feverish; Eyes felt allergy like; Lips felt chapped; This is a spontaneous report from a contactable consumer (patient herself). A female patient of an unspecified age received a second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiry date not reported), via an unspecified route of administration on 07Jan2021 at a single dose for COVID-19 immunisation. Medical history and concomitant medications were not reported. The patient previously took first dose of bnt162b2 (lot number and expiry date not reported) at single dose for COVID-19 immunisation. On 08Jan2021, the patient was tired, had headache, was feverish (but not elevated temp), eyes felt allergy like, and lips felt chapped. All were mild. Clinical outcome of the events was unknown. Information on the lot/batch number has been requested.
952163	1/18/2021	ME	41	F	12/29/2020	12/30/2020	swelling of the left arm, lymph nodes in arm and neck on the left side started within 60 mins. Woke up in the middle of the first night with extreme arthritis type pain in all of my upper joints. such as shoulders, elbows, wrists, neck, back and hips. The arthritis like pain continued in all of my upper joints in different locations for the next 6 days. On Monday Jan 4th when I woke up I had extreme vision issues in my right eye for about 6 hours.
952190	1/18/2021	GA	51	F	1/13/2021	1/14/2021	Got my second dose of Pfizer, 12 hrs later developed fever (103 F), chills, myalgia, headache. Fatigue, bilateral orbital pain. No visual problems. Took Tylenol every 4 hrs and fever (101. 5)returns in 1-2 hrs. Pulse ox remained normal, 98%, but pulse was 99/min. Usually my resting pulse ox is 55/minutes. Was unable to go to work and see patients. Had these symptoms for 48 hrs even though stayed in bed, took Tylenol around the clock and drank plenty of fluids (2-3 liters of water in addition to natural orange and apple juices). Never lost appetite either, do eating my vegetables and fish diet. Ice cream help between Tylenol?s. Completely resolved after 72 hrs. Now still have LEFT injection site tender deltoid and left axillary tender nodes, improving as well. All along breathing fine, no cough or congestion or sore throat. No anosmia or dysgeusia. This was after my second Pfizer dose. After the First dose only had tenderness on the RIGHT deltoid muscle injection site and tender axillary node, resolved by now.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
952216	1/18/2021	MI	32	F	1/13/2021	1/13/2021	Left side facial numbness, intermittent eye and cheek pain, at times entire left side numbness, crawling feeling to left side intermittently
952191	1/18/2021	IA	42	F	1/15/2021	1/15/2021	About 20 minutes after Dose 1 of vaccine administration, pt developed urticaria to neck. Denies SOB, resp difficulty, swelling of oral mucosa. Visual inspection of upper torso and extremities, no further urticaria noted. 5 minutes later, urticaria more pronounced. Pt sent to convenient care. pt presented with hives in the neck, slightly itchy. Pt denies respiratory distress, swollen lips, swollen tongue. Pt does have a history of asthma and has been on prednisone many times. Pt had urticarial rash with erythematous patches on anterior chest that are blanchable. No welts anywhere. No rashes anywhere else. Pt was given diphenhydramine 25 mg IM x 1 and rash/itchiness started to get better. Pt discharged home with a prescription for prednisone 40 mg PO QD x 5 days and instructions to take diphenhydramine Q6h PRN. Pt already on loratadine. Pt instructed to f/u with PCP.
952313	1/18/2021	NY	55	F	12/24/2020	12/24/2020	On 12/25, had swollen face and eyelids, short of breath all day. Took Claritan and swelling subsided. Felt fatigued for the next two weeks after. Next dose scheduled for 1/22 and do not want to take it until I get official direction on what needs to be done proactively and after the next vaccine to ensure my safety.
952534	1/18/2021	CA	55	F	1/11/2021	1/11/2021	Pt. C/O blurred vision peripherally in both eyes. She denied Hx of migraines, did not have any headache. No other symptoms
952362	1/18/2021		45	F	1/13/2021	1/13/2021	5min after vaccine became tachycardic with blurred vision and felt like she was going to pass
952374	1/18/2021		53	M	1/12/2021	1/13/2021	acute loss of vision-stroke like symptoms

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
952378	1/18/2021	GA	46	F	1/8/2021	1/17/2021	Fri Feb 8 - received vaccine. Sat Feb 9 - 24 hour arm super sore Tues Feb 12 - eyes burning, brain fog Thurs Feb 14 - possible reaction to new shampoo/cond - scalp, face, ears, neck felt burned and itched Sun Feb 17 - injection site has itchy red whelp about the size of a silver dollar - began benadryl 12.5 q 6 hours Mon Feb 18 - injection site has doubled in size, still itchy unless benadryl onboard; went to minute clinic and received tapered steroid pack
952388	1/18/2021	TX	33	F	1/6/2021	1/12/2021	7 m old breast fed baby developed 104 degree fever 6 days post mom getting vaccinated. Fever unable to be reduced by tylenol/motrin for 2 days. Fever started subsiding on day 5. No other symptoms expect for red/pink right eye when having high temperature. Negative for cough, ear infection, uti, etc.
952432	1/18/2021		49	F	1/13/2021	1/14/2021	49 y.o. female who presented to the emergency department on 1/14/21 for possible allergic reaction. Patient states that she got her first Covid vaccine yesterday afternoon and states that she has noted some swelling in her hands and also feels as though she has burning pain and pins-and-needles in her hands. She denies any weakness in her distal extremity. She states the sensation extends from her fingertips to her mid forearm. She also states that she has noted some lymph node pain in her groin and neck. She denies any fevers or chills. She denies any throat tightness, shortness of breath, wheezing, abdominal pain, nausea, vomiting or rash associated with her symptoms. Patient is alert and oriented x3, cranial nerves II through XII intact bilaterally, no pronator drift, paresthesias in glove like distribution from hand to mid forearm bilaterally. Sensation intact in bilateral lower extremities, 5/5 strength in upper and lower extremities, cerebellar function intact with finger to nose bilaterally. No visual field deficits by confrontation. Discussed laboratory findings with patient. She did also does have a mildly elevated creatinine outside of kidney injury however suspect may be source for mildly elevated phosphorus. Given 1 L of fluids. Recommended close follow-up with PCP for laboratory recheck and further evaluation. No signs of acute anaphylaxis or angioedema. Discussed return precautions with patient if she were to have worsening symptoms

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
952435	1/18/2021	TX	37	F	1/14/2021	1/14/2021	Patient received 1st Dose of Moderna COVID vaccine at 1304. At 1345, patient reported that she was feeling tingling in her limbs and her eyes appeared to be blood shot red. Patient was placed in a wheel chair and a rapid response was called. Patient was transferred to a stretcher and an IV was started; patient stated that she felt that she "was falling and very cold." Vitals were obtained BP 117/72, O2 sat 88% on Room Air. O2 placed via nasal canula and O2 sat read 99%. Given 12.5mg Benadryl IV and 20mg Pepcid IV. Patient was advised to go to Emergency Room for further evaluation, however patient and husband felt they wanted to go home and not go to emergency room. Patient eye color returned to normal and patient was able to stand without difficulty.
952489	1/18/2021	MI	39	M	1/13/2021	1/13/2021	Patient is 39-year-old male with no significant past medical history who works at long-term care facility. He received COVID-19 vaccine on 1/13/2021 and immediately developed numbness and tingling in the area of injection which was the left shoulder. Over the next 15 to 30 minutes numbness and tingling expanded to the left side of his body including face arm and leg and the left side of his trunk. He began to feel foggy and had some slurred speech. He presented to the Emergency Room and tests were performed to rule out a stroke. The patient denies any other symptoms such as fever chills myalgias. He did not have any weakness of the extremities. He did not have any speech disturbances or visual disturbances. This morning on examination he states his symptoms are much better. He still has some residual numbness in his leg and arm. Facial numbness is almost all gone. As of 1/18/2021, residual numbness and tingling is only in his left ring and pinky finger.
952504	1/18/2021	OH	29	F	12/18/2020	12/19/2020	Twelve hours after receiving vaccine patient began experiencing chills & body aches. The next morning (24 hours post-vaccine) the patient had a very bad migraine, chills, and body aches. Upon standing felt nauseous & dizzy, then saw black dots and vision went black for several minutes and fell to floor. Relative called 911 and vision had returned by the time medics arrived. Vitals were normal, except for low blood pressure. She took Advil and felt better by the evening.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
952519	1/18/2021	TN	48	F	1/2/2021	1/2/2021	<p>Body aches; Fever 99.8F; Chills; Entire left arm muscle is in pain on movement; Choking in the throat; Facial Flush; Blurred vision; Dizziness; Confusion; I had no emotions; A spontaneous report was received from a pharmacist concerning a 48-years old, female patient who received Moderna's Covid-19 vaccine (mRNA-1273) and experienced choking, flushing, vision blurred, dizziness, confusional state, emotional disorder, body aches, pyrexia, chills and limb discomfort. The patient's medical history included migraines and a hysterectomy. Products known to have been used by the patient, within two weeks prior to the event, included sumatriptan, naratriptan hydrochloride, and galcanezumab. On 02 Jan 2021, prior to the onset of events, the patient received their first of two planned doses of mRNA-1273 (Lot number: 025L20A) in the left deltoid intramuscularly for prophylaxis of COVID-19 infection. A pharmacist called stating she received the Moderna COVID-19 vaccine on 02 Jan 2021 at 9:45am in her left deltoid. Immediately after receiving the vaccine, she had facial flushing, blurred vision, dizziness, confusion and choking in the throat that lasted 20 minutes. After a few hours, she stated confusion would come and go, and she had no emotions. The next morning, the confusion was gone. On 03 Jan 2021, she reported having body aches and a fever of 99.8 degrees Fahrenheit. She reported chills, body aches, and a lot of pain in the left arm. If she tried to move her left arm, the entire muscle in the left arm hurt. Treatment for the events included acetaminophen and an antihistamine. Action taken with mRNA-1273 in response to the events was withdrawn. The events, choking, flushing, vision blurred, were considered resolved on 02 Jan 2021. The events, confusional state, emotional disorder, and dizziness, were considered resolved on 03 Jan 2021. The events, body aches, pyrexia, chills, and limb discomfort, were not considered resolved.; Reporter's Comments: This case concerns a 48 year old female patient with medical history of migraines, who experienced a serious unexpected event of Choking, non-serious unexpected events of Flushing, Vision blurred, Dizziness, Confusional state, Emotional disorder, Pain, and Limb discomfort, and non-serious expected events of Pyrexia and Chills. The events of Choking, Flushing, Vision blurred, Dizziness, and Confusional state occurred immediately after</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							administration of their first of two planned doses of mRNA-1273 (Lot number: 025L20A). The event of Emotional disorder occurred on the same day when the patient received mRNA-1273. The events of Pain, Pyrexia, Chills, and Limb discomfort occurred on the next day of mRNA-1273 administration. Very limited information regarding the events has been provided at this time. Based on temporal association between the use of the product and the onset of the events, a causal relationship cannot be excluded.
952277	1/18/2021		56	F	1/13/2021	1/13/2021	Fatigue, dizzy with positional change (referred that to PCP as there was previous hx); H/A worse than normal (has daily but pending vision screen in one month)
954124	1/18/2021	AZ	43	M	12/28/2020	1/2/2021	Right side lip paralysis noticed on January 2. It has spread to my face and eye since then. Had knee surgery on December 30.
953888	1/18/2021	TX	34	M	12/22/2020	1/9/2021	PVCs with compensatory pauses, postural orthostatic hypotension associated with chest tightness, shortness of breath, dizziness and blurry vision
953894	1/18/2021	VA	41	F	12/26/2020	1/16/2021	Shot 1- shaky, weak, increased heart rate, mild swelling of mouth tongue and throat - resolved in a day Shot 2 a shaky, weak, increased heart rate and blood pressure, moderate swelling of face, tongue, throat, intermittent dizziness and Left eye blurriest, left facial decreased sensation and pain from mouth to ear, pain behind Left eye - symptoms wax and wane throughout the day
953895	1/18/2021	CA	58	F	1/7/2021	1/13/2021	Day 6 after COVID vaccine, woke up with right face swollen, felt strange, able to move all of face and tongue, strong extremities. Numbness increased, right eye swelling and mild drooping, slurred one word. Went to Urgent Care- then to Emergency room, MRI. Dx: Bells Palsy.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
953900	1/18/2021	CT	49	F	1/14/2021	1/14/2021	After the 15 minutes sitting after the shot the nurse asked me if i was okay because I was red, my arms, face and eyes. I sat for 45 minutes longer and they provided me water and juice and I felt okay to go home. That evening at about 11:50pm chills and temperature started at 99.1 and went to 103.1 during the night, 5:00am heart racing, sweating and headache/for the following days headache was bad, very tired, arm sore and body aches. Sunday 1/17/21 fever down, headache dull but injection site red and itchy 2 inch circle
953936	1/18/2021	AZ	47	F	1/15/2021	1/16/2021	Swelling, tenderness and erythema at site of previous dermal filler injections under eyes/upper cheeks (tear troughs) noted 24 hours after receiving 2nd dosage of vaccine. Swelling gradually worsened to involve bilateral tear trough regions - with maximal edema/erythema noted at approximately 36 hours post-vaccine. Symptoms resolved gradually and were reported as minimal at 72 hours post vaccination. Patient had received dermal filler injection with Juvederm Volbella 0.55 ml approx 3 months prior to receiving the vaccination.
954013	1/18/2021	IL	60	F	1/4/2021	1/7/2021	Left upper eyelid spasming several times an hour day and night for about 10 days, then starting to lessen to every couple of hours day and night
954020	1/18/2021	MD	57	F	1/13/2021	1/13/2021	Immediately after immunization given, patient complained of headache. Approximately 30 minutes later patient complained of tongue feeling fat. Benadryl 50mg po administered. Approximately 20 minutes later, patient noted with visual swelling of her face around her mouth. Patient sent to walk in clinic. She was administered IM steroid and given a prescription for PO steroid.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
954045	1/18/2021	NM	56	F	12/22/2020	12/28/2020	On Monday the 28th I was handing a patient a piece of paper and I got really dizzy. I felt dizzy through the morning and then went to lunch. Saw Dr. and told her what happened. She looked at my eyes and asked me a few questions. She checked me again after lunch. She also checked me again at 3:30 pm...my dizziness came and went throughout the day. The dr also walked me to my car at the end of my shift to make sure I was safe to drive. It was okay for me to drive. I took Dramamine for the dizziness and nausea when I got home. Symptoms had resolved the next morning.
954049	1/18/2021	VA	29	F	1/12/2021	1/18/2021	Starting at 4p I had noticed that my face was getting warm and itchy. 7 minutes later, my right jaw was broken out into blotchy hives. Now (7:37p) the hives are around my eyes
953876	1/18/2021	KS	41	F	12/29/2020	12/29/2020	One of the nurses noticed I was bright red, I got hives everywhere, the itching intensified, it was red and itching everywhere. My tongue was tingling and numb, they gave me something, I believe it was Benadryl, twice, 2 shots. I can't recall. I was like in shock, maybe after 4 hours later I started feeling a little better and returned to work. The next day my eyes and lips were swollen, a little bit puffy. I kept taking more Benadryl and I felt like I was hit by a semi truck for a week afterwards, it was awful. I was beyond exhausted. Mid week last week I finally started having my energy back.
954118	1/18/2021	ID	55	M	1/15/2021	1/17/2021	1st day after chills, minor. 2nd day fatigue all day, swelling of face noticed by wife in the evening, moderate. Can not hear out of one ear. 3rd day, 4am get up to go to work. Still can't hear from one ear and my eyes are swollen almost shut face swollen. By 1100am it had gone down just a bit. Went see family doctor for assistance. He prescribed, Prednisone 20mg twice a day for three days. Benadryl 25mg every 6 hrs until swelling comes down. There may be some breathing difficulty but it is so far very minor unless exertion happens, then it's noticable.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
954071	1/18/2021	WI	25	F	1/15/2021	1/15/2021	Immediately got redness of injection site feeling of nausea. Needed to take my mask off to get fresh air. Nurse moved me to reclining chair and I proceeded to get very hot and feel like my heart was racing and skipping. The nurse noted some hitching and fast pulse, instructed me to take some breaths. And monitored my vitals. Noted my eyes feeling weird. They had epinephrine ready to draw up if my throat closed.. After 30 minutes I felt much better and they said my heart rate had slowed , I was able to leave. About a half hour after leaving, I got very tired, and my eyes still felt odd. Could feel my heart rate increasing again. Began to get itchy/puffy eyes and nasal congestion with a tight chest. I took a benadryl and left work at the advisement of one our nurses to pull over and call emergency services if allergies turn anaphylatic. Within 30 minutes of the benadryl allergies cleared up and I just needed to sleep.
954148	1/18/2021	FL	35	F	1/18/2021	1/18/2021	At 11:07am second dose of Covid vaccine administered 11:30am post monitoring complete 12:30pm- manual blood pressure recorded at 180/110 Washing sound/ sensation in the right carotid Blurred vision in the right eye Heart beat irregular 1pm- Dr notified 1:30pm- Follow up phone call with Dr Manual BP 170/110 Prescription for Clonidine called to pharmacy 2pm- Clonidine 0.1mg taken 3:13pm- Manual BP 140/100 3:30pm-6pm- Napped 6pm- Manual BP 140/90 Clonidine 0.1mg taken
954156	1/18/2021	DE	26	F	1/16/2021	1/18/2021	I started to notice some itching on my arms and chest and behind my ear so I went to the bathroom to check it out and I noticed the right side of my face was getting red and blotchy looking. I went to talk to the doctor and while I was conversing with her my tongue started to get tingly and started to swell. I took 50mg of benedryl and kept an eye on my symptoms and the tongue swelling started going down but the rash is still there.
955286	1/18/2021	OH		F	12/24/2020	12/27/2020	4 days after immunization pt had headache, vertigo, nausea, chills, sweats, swollen glands, blurred vision . Pt's records attached .

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
954215	1/18/2021	MI	43	F	1/12/2021	1/12/2021	<p>Within 30 minutes of shot-Fleeting itching in both ears, fingertips, and soles of feet. Blurred peripheral vision in left eye only. Dizziness, wooziness. All resolved with 35 minutes of injection, initially. Within 4 hours of shot-Exponential increase in pain from waist down, including lower back pain. Took Motrin 600 mgs which resolved pain within 1 hour of taking it. Felt off/not myself-Felt foggy-headed-pressure in head and ears was not normal. 2100-0000 (Evening of shot)-Moderate sporadic dizziness that became moderate constant dizziness-Took 1 25 mg chewable Meclizine with 1 cup of water. Pain increased and Motrin wore off. Fatigue grew worse. 1/13/21-1/14/21-SEVERE back pain. Intense pain in legs and hips. Upper respiratory symptoms-Nasal congestion, ear pressure, sinus pain/pressure, chest and upper back discomfort, chest congestion, irritation, and aching. Cheeks and nose looked puffy/swollen. Eye pain, headache on and off. Fatigue, dragging. Felt feverish but no actual fever. Body aches-sides, legs-front, back, and sides, lower back, and glutes. Felt like arthritis from waist down, including lower back. Took nighttime cold syrup, etc. to be able to sleep and/or at least dull the pain. Also used heating massage pad to assist with pain relief. 1/15/21-1/16/21-Pain lessened in terms of intensity. Had longer spells of less intense pain. Also less pain with movement after resting/lying down. However, pain still intense at this point. Meds more helpful with the pain at this point as well. On Sat, felt dizzy and unwell all day, including extra tired. Hot, sweaty on Sat. Racing heart, chest tightness. Used inhaler and Metoprolol. 1/17/21-Felt unwell-intense pain still, dizziness, fatigue. Took Meclizine 25 mg that morning. Also took another 25 mg Meclizine later that afternoon. Nausea, dry heaving to the point I almost vomited 2x. After napping, nausea returned slightly but immediately went away. Felt very tired remainder of the evening. 1/18/21-Went to MD to get clearance to return to work. Dizziness prior to visit and took 1/2 25 mg Meclizine. Felt better until I got to doctor's office. While waiting to be called back, dizziness started up again and got severe. While waiting on MD to come in and talk to me, I got nauseated and felt like I might dry heave/vomit. I took another 1/2 Meclizine 25 mg and sucked on a mentholated cough drop to help with nausea, which did subside. Dizziness continued to be severe. MD took</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

blood pressure, pulse ox, checked my ears, checked my pupils, listened to me breathe, asked me about my symptoms, return to work, and advised on safety of taking 2nd COVID injection when it is time but leaving it up to me in terms of if I feel benefits outweigh possible side effects of 2nd injection. He prescribed anti-nausea meds, pain meds, and stated he wants to see me for a follow-up visit in 1 week. He also prescribed steroid and pain med injections to be administered in office immediately, steroid injection sometimes contains Benadryl and based on how I felt after the shot, there may have been Benadryl in this one. He also requested I message him later in the day to let him know how I was feeling. Injections did GREATLY assist with pain and dizziness/foggy-headed feeling, once they kicked in. I did message him letting him know how I was feeling after napping. 1/18/21 evening-I am still feeling weak and tired and having stinging like pain in both legs along with minor lower back pain. Some chest and throat irritation as well as stomach discomfort. Going to take a gentle laxative as well as some of the nighttime cold medicine I purchased. Still also having dizziness on and off. I plan to return to work tentatively, on 1/19/21, per my return to work note from MD. I will keep my MD notified of how I feel between now and next Monday's follow-up.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
952001	1/18/2021	VA	27	F	1/9/2021	1/10/2021	profound headache; resembling meningitis: could not turn neck from side to side; resembling meningitis: could not turn neck from side to side; pressure behind eyes when moving eyes quickly; profound body aches, primarily in the lower back; profound body aches, primarily in the lower back; 100.2-101.0 fever; chills; lethargy; This is a spontaneous report from a contactable Nurse reported for self. A 27-year-old female patient received second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot#: EL1284), via an unspecified route of administration in left arm on 09Jan2021 18:30 at single dose for covid-19 immunisation. Medical history was not reported. Concomitant medication included influenza vaccine inact split 4v (AFLURIA QUAD), desogestrel, ethinylestradiol (APRI). The patient experienced profound headache, resembling meningitis: could not turn neck from side to side, pressure behind eyes when moving eyes quickly. -profound body aches, primarily in the lower back. -100.2-101.0 fever -chills - lethargy on 10Jan2021 12:00. Patient had Rapid nasal swab with negative result on 26Oct2020. Outcome of events was recovering.
954229	1/18/2021	FL	29	F	1/2/2021	1/9/2021	A week after receiving my first dose of the vaccine, I was watching television and noticed that my left arm was itching. As I started to scratch, I noticed that I had a large bump or wheal over the spot where my vaccine had been administered. It was about an inch in length and width. I applied topical OTC cortisone cream as needed on it for the itching. Within a few days, the area subsided to normal.
954247	1/18/2021	CT	34	F	1/15/2021	1/16/2021	Pfizer vaccine. Around 6pm the following day, left eye swelling noted. Did not decrease in swelling until next day (after 4 doses of antihistamines).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
954264	1/18/2021	IN	70	F	1/18/2021	1/18/2021	Patient received COVID pfizer vaccine at 0801PM. Patient left after 20 minutes after observation. Patient was travelling with husband at the car when she experienced warm/hot cheeks, flushing and concerned with history of previous reaction. When patient arrived ( approximately 835pm), patient sat down on the chair. The redness started to extend to her neck and it was then decided to place the patient to the stretcher. Vitals signs were done in which the BP was 183/104 and 174/101 (845pm). The redness spreaded to her forehead and neck. Benadryl 50mg PO was then given (847pm). Patient BP was taken again which was 182/122 , pulse 80, RR 24 (855pm). Patient then complained about pressure in her throat, eyes (right eyes slightly swollen ) and face. It was then decided that epinephrine (859PM) be used but unfortunately the trainer box was removed so the epinephrine was not actually given. The BP documented was then 193/112 (0859PM). EMS was then called as the epinephrine was administered per protocol. EMS arrived (0910 PM) and BP at that time was 230/112, pulse 70. Patient was started with heart monitor and IV. EMS then took her to the Emergency across the street with husband.
953103	1/18/2021	OR	50	F	1/11/2021	1/12/2021	SEVERE SWELLING OF LEFT EYE LID AND MILD SWELLING LEFT SIDE OF HER FACE. REDNESS.
954095	1/18/2021	DC	80	F	1/14/2021	1/14/2021	1st day (10:30 am):- left arm sore/painful, overnight : freezing, burning sensation and extreme fatigue. 2nd day(01/15/21):- left arm still sore not painful but fatigue continued 3rd day(1/16/21):- 10:30 am, Temple left vein burst at the fore head from middle to left eye, covered with red dots bleeding from left temple eye until 6:00 pm throbbing pain all day and night. 4th day (01/17/21):- Swollen left side of face, internal bleeding around the left eye, slight throbbing pain, extreme fatigue. 5th day (01/08/21):- Swelling/bruises and internal bleeding visible. Less fatigue, able to go to pharmacy to report. *Report as presented by the Patient.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
953203	1/18/2021	FL	73	F	1/8/2021	1/9/2021	A rash started developing about within a day or two of the vaccination. By day 4 or 5, the rash was spreading and appearing in other areas including scalp. By day 6, I was in complete distress. Saw Dermatologist on Day 6 and was prescribed Prednisone and increased antihistamines up to the day of the second injection scheduled for Feb 5, 2021. By today, Day 10, the rash has mostly receded while I continue meds prescribed. I believe that I had Covid early on starting March 28 accompanied by sudden fatigue, nausea, fever, chills, body aches, no appetite, for the first few days, then developed hives all over face and head until my eyes were swollen shut. My doctors, both derm and primary, didn't want me to be tested or come in or go to the hospital, perhaps because so early on in the pandemic, little was known and they feared if it wasn't Covid, I would contract it in those circumstances. They again prescribed creams and antibiotics and prednisone. I don't remember how the rash side effects lasted but I continue to have scalp problems since. I did not have a cough, but did experience instances of shortness of breath 7 to 10 days after the onset. The fatigue, body aches and brain fog continued for months. I was feeling much better by the time I got the vaccine and then returned to the rash symptoms I had had before.
954115	1/18/2021	MI	27	F	1/13/2021	1/15/2021	Vaccination was on Wednesday: about a half hour after vaccine, I experiences increased heart rate, vision going black like I was going to pass out, it passed in about 5-10minutes of laying down; also had metallic taste in mouth the rest of that day. Thursday I just felt red, itchy, swollen L arm due to vaccination site. Friday morning my bottom lip was severely swollen with numbness and tingling. It went down by the next day and after taking Benadryl. I have not had an allergic reaction to anything in my life before. Was instructed to not get second vaccine as I may have a more increased reaction to it.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
953191	1/18/2021	NY	44	F	1/13/2021	1/15/2021	on 1/15/21 woke with a rash all over my face and very itchy, took Benadryl and went on with my day around 9pm that night my face was swollen and left eye was swollen shut. Went to ER and was told a possible reaction to the Covid vaccine and was given a oral steroid in the er that night and sent home with a script for a steroid for 3 days. Went home and woke up (1/16/21 that morning 3 times as I had to change my clothes as I was soaking wet in sweat. Changed my clothes and took my meds and as the night went on the swollen in my face got worse and took more Benadryl. Sunday 1/17/21 swollen no better and the rash is worse. I took it easy and took meds.. Monday 1/18/2021 woke up with a very swollen face and very itchy. Face very warm to the touch (No fever 97.9) Called my primary Doctor and she told me to come over asap as the I was feeling any better and getting worse. Both eyes are almost swollen shut and my face is very hot to the touch. Doctor extended my dose of steroids and gave me a script for Pepcidfor 7 days.
953848	1/18/2021	NY	43	F	1/10/2021	1/11/2021	I had a swelling and my arm got hot at injection site ( small allergic reaction- a red line). It felt like when I used to get allergy shots for cats. It got better by that Wednesday (01/13/2021). I had taken a Benadryl that date for my itchy nose and dry eyes (I thought it was seasonal allergies.) Today one week and a day after injection my arm swelled up again and is hot . A large red bump appears at the injection site. Again it feels like when I used to get my allergy shots. My throat feels itchy as well, breathing is normal.
953215	1/18/2021	CA	69	F	1/14/2021	1/17/2021	3 days later had an episode of faintness, as if I stood up quickly. Vision darkened but I never passed out. I was sitting and reading after eating about an hour after exercise. No further episodes.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
953228	1/18/2021	MA	51	F	12/28/2020	12/29/2020	The day of the vaccine I just felt a little tired but the next morning I felt extremely tired, joint/body aches and chills. I also had fever and called my PCP and told them what was going on they suggested me to take Tylenol (100.2F) 500mg my doctor told me to take 600mg. The fever started going down. At night I took 1000mg and the fever went away I still felt very drained, tired and the next day as well. I did not go to work because of that. I have a mild pain on my neck, close to my spine cord and also I have a sore throat now. I also don't have sense of smell and my face is painful/sore - my doctor told me that my sinus cavities are all inflamed and that is why it is painful. Not sure if the vaccine made it worse or not, but it is happening. I also am having dry eyes for about a week and a half and it feels like I have "light" coming out of my eyes. Specially when I am in front of a computer for a long time. It is not double vision, it is like a "hologram light(?)" a colorful light coming from my eyes. It is also painful. About ten min after I took the vaccine I felt a "medicine taste" in my mouth, and in the back of my throat/tongue and that is when my throat started feeling scratchy/sore. I had Covid on 05/18/2020 (positive)
953235	1/18/2021	MO	40	F	1/16/2021	1/17/2021	employee reports LOC for approx. 10-15seconds witnessed by family member who states her eyes rolled back and she began to drool. she has a history of passing out when not feeling well or vaccine. Eval in ED, treated with benadryl IV and fluids. D/c home.
953240	1/18/2021	MA	51	F	12/28/2020	12/29/2020	The moment I took the vaccine I felt a strange taste in my mouth, and the back of my tongue/throat felt scratchy. I also felt tired that day. The next day I woke up extremely tired, felt like I had dry eyes and some weird color/light coming out of them. I had fever (102F) that is when I called my PCP for a televisit consultation. They told me to take Tylenol. I took it and by night after taking 1000mg dose I started feeling better. I still felt extremely tired when I woke up the next day and that is why I did not go to work. I had covid in 05/2020 ( positive on 05/18/20).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
953370	1/18/2021	IA	27	F	1/15/2021	1/15/2021	The patient received her vaccine at 2:03pm. The patient complained of light headedness at 2:10pm. Her blood pressure at this time was 112/72, pulse ox was 99% and pulse was 86. At 2:20pm, the patient complained of a headache, heavy eyes, and facial pressure. Her pulse was 80, pulse ox 97%, Blood pressure 106/66. She was given acetaminophen 650mg by mouth at this time. At 2:40pm she also complained of light sensitivity alongside of the headache and heavy eyes. She rated her headache at 5 out of 10. Her blood pressure was 102/64, pulse 80, and pulse ox 99% At 3:08pm, she reported her headache was 5 out of 10, still light sensitive, and eyes felt heavy. Her BP was 102/68, pulse 83, and pulse ox 94%. At 3:20pm, the patient stated she felt better with headache improving to 3/10, pulse ox at 99%, pulse 82, BP 110/80. Patient's light headedness had resolved and she stated she was ready to leave to go home. She did cancel the rest of her workday.
953508	1/18/2021	CT	34	F	1/1/2021	1/8/2021	1st day: sore injection site, diffuse joint and bodily pains 2nd day: symptoms from first day continued as well as nausea, fatigue, malaise, fever, chills, blurred vision 3rd day: symptom severity decreased, blurred vision present then resolved. By the fourth day, symptoms resolved.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
953585	1/18/2021	SC	41	F	1/6/2021	1/6/2021	<p>tightness in my chest; sob/shortness of breathe; headache; chills; body aches; extreme fatigue; bloating; shakes; blurred vision and couldn't focus on my cell phone; tachycardia/heart rate went up; dizziness/ felt dizzy; This is a spontaneous report from a contactable nurse (patient). A 41-year-old female patient received the first dose of BNT162B2 (Pfizer-BIONTECH Covid-19 Vaccine; Lot number: ER9231), via an unspecified route of administration in the right arm on 06Jan2021 at 10:00 AM at a single dose as COVID-19 vaccine. Medical history included anaemia and anaphylactic reaction to shellfish. The patient was not pregnant at the time of vaccination, did not receive any other vaccine within 4 weeks prior to the COVID vaccine, and had no other medications within 2 weeks of vaccination. The patient was not diagnosed with COVID-19 prior to the vaccination and was not tested for COVID-19 post vaccination. There were no concomitant medications. On 06Jan2021, within 2 hours (at 12:00 PM), the patient experienced blurred vision, within 4 hours tachycardia and dizziness, within 8 hours headache, chills, body aches, and extreme fatigue, and within 12 hours, tightness in her chest, SOB, extreme fatigue, and body aches. As treatment, the patient received ibuprofen. The patient stated that she had a pretty severe reaction. She also informed her employer but nobody helped. They observed her 15 mins. post-vaccination. She was fine within 15 minutes. It was also reported that within 2 hours, she had blurry vision, tachycardia, and felt dizzy. In the middle of the day, she felt chills, shivers, dizziness, bloating, and headache. The patient also stated that she experienced shakes and taking a shower hurt, also, chest was tight all day. It was further reported that when she was sent back home from work, she started having a severe body ache, fatigue, chills, and shivers. She experienced tightness in her chest , shortness of breath, and she could barely get out of bed. This lasted all day. She still had the blurred vision and couldn't focus on her cell phone. She felt a little bit better today but was still not 100%. She contacted her MD who advised her to report this to Pfizer. The patient wanted to know if it was safe to receive the second dose of COVID-19 vaccine. It was reported that the events resulted in a doctor or other healthcare professional office/clinic visit. Outcome of the event 'Vision blurred' was not recovered, for the event</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							'Tremor' was unknown, while for the rest of the events was recovering. The case was reported as non-serious (did not result in death, was not life-threatening, did not cause/prolong hospitalization, was not disabling/incapacitating, and did not result to any congenital anomaly/birth defect).
953620	1/18/2021	KS	26	F	1/4/2021	1/12/2021	I received the first dose of the Moderna COVID vaccine on 1/4/21. On 1/12/21 I developed blurred vision in my right eye that is still present. The vision is in my periphery, lower right quadrant. It comes and goes but is mostly present throughout the day.
953807	1/18/2021	IN	39	F	1/4/2021	1/4/2021	Two hours after the injection I had severe itching and rashes on my chest, back, and right side. I have severe headaches starting 24 hours after injection every day for 10 days and the last 4 days it has been every other day. The headaches are always on my left side above my eye.
953177	1/18/2021	AZ	43	F	1/13/2021	1/15/2021	Cold sores on bridge of nose near right eye
953626	1/18/2021	OK	54	M	1/8/2021	1/10/2021	Fatigue, headache, acute low back pain, joint pain, chills, acute nausea, acute diarrhea, vomiting, fever, bloodshot eyes, loss of appetite, and blood in urine.
953814	1/18/2021	TN	46	M	12/28/2020	12/29/2020	Allergic conjunctivitis in both eyes and extreme fatigue
953795	1/18/2021	IN	39	F	1/16/2021	1/18/2021	Kaleidoscope like visual disturbance, geometric shapes black and silver that appeared to shimmer. Appeared for 5-10 minutes. I took Tylenol/aspirin/caffeine combo OTC when I got home about an hour later in case was precursor to a migraine. Dull headache that worsened with bending my body so my head was below my waist started about an hour after taking the medication.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
953781	1/18/2021	TX	33	F	1/16/2021	1/16/2021	Tachycardia (146 on monitor but higher before evaluation), hypertension (BP 160/110), chest tightness, chest pressure, dyspnea, shaking hands (more severe than tremors), dizziness and visual distortions, slight LUQ pain on palpitation. Given IV fluids in ER, which lowered HR and BP, but both still elevated above normal range (HR in 100s and systolic BP 130 and higher). No medications were given. Continue to have periodical tachycardia and chest pressure with pain radiating to back and right shoulder. This pain began on 1/17/21, the day after vaccine was given. I have a sensation of not getting enough air, despite breathing normally. Mild headache night of vaccine and day after.
953779	1/18/2021	AL	61	F	1/14/2021	1/14/2021	Was cold, took a shower, got out , couldn't get warm. Freezing and shaking, nausea, tingling in left side of face, joint pain, headache and neck pain. Lasted about 3 hours, shaking stopped but had chills that lasted all night. The next day, no appetite but when she ate something, she vomited. Worse things were shakes, headache and neck pain and vision. . Had vision problems. Eyes were swollen and jittery and hard to focus. The swelling went away but still unable to focus. Everything has gone except vision issue.
953682	1/18/2021	OK	57	F	12/29/2020	1/5/2021	Vertigo, eye drooping, tenderness to head, pressure in head, inflammation of the head, neck and shoulders. Has been to PCP x 3. Scheduled for MRI 01/23/2021
953649	1/18/2021	MN	58	F	1/9/2021	1/10/2021	Rec'd 1st dose on 1/9/2021 in the morning. By Sunday afternoon, face started burning and itching. on 1/11/2021 was seen in the ED for bilateral eye swelling, right side greater than left.
953635	1/18/2021	AZ	49	F	1/16/2021	1/17/2021	headache, chills ( all day of Jan.17) feels icy cold around my ears and face temp. 97, warm/hot temp 98.9, nausea, blurry vision, pass out once 2-3 mins, feverish at night 99.9
953718	1/18/2021	NY	78	F	1/17/2021	1/18/2021	Blurred vision, headache, and fever

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
953821	1/18/2021	NJ	27	F	1/16/2021	1/16/2021	When I went to get the shot, I had a firm bump with what looked like a white head on my left arm from the first shot. When she injected the 2nd dose, the bump was painful and grew twice in size on my arm and started bleeding. The technician rubbed the area for a few minutes and the swelling went down. The bump went down, but the whole day, I felt a little sick. At around 7pm, I felt feverish, with muscle aches and chills. My skin was sensitive to touch, I felt nauseous, and I could barely walk. The bottom of my left eyelid also became a little swollen. The symptoms resolved the next morning.
951219	1/17/2021	PA	27	F	1/15/2021	1/17/2021	Awoke with chills and very hot. Walked to bathroom to take Advil. Took 600mg Advil became nauseous and dizzy, sat down and became more dizzy and had loss of vision. Then laid down and a very moments later was able to sit back up. Was very sweaty and with tinnitus which lasted about 10 minutes and then Resolved itself.
951155	1/17/2021	GA	47	F	1/15/2021	1/15/2021	Eyes began to swell on the date of injection 11 hours after shot was given. Benadryl has not helped. Swelling from eyes to cheeks this morning 01/17/2021
951158	1/17/2021	NY	45	F	1/13/2021	1/13/2021	2hr post shot - left arm pain, severe headache- lay flat was moderate- sit up felt like my head would explode- severe left eye pain like my eyeball was going to Pop out 4 hrs post shot- chills no fever temp 97.1 fatigue- took a nap. 12 hrs post shot - severe headache, moderate arm pain and mild swelling at site. SEVERE joint pained tiny joints in ties feet, finger, wrists, neck jaw. Knees were the worst. 16 hours later the joint pain is unbearable . Muscle aching and headache continues at the same time as joint pain. 24 hours post Injection. Chills, moderate painful stomach aching from the inside. Nausea. No vomiting, no energy. Could not work, had to leave. 29 hours post shot- now all symptoms at the same time chills, headache, severe joint pain, stomach pain, nausea, felt like I couldn't drive home or walk to my car. Got home. Called dr. Went to bed. Slept 14 hours. 48 hours post shot- symptoms decreasing. Headache mild joint pain is the worst. Tired and very cold feeling 72 hours- feeling much better.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
951165	1/17/2021	WV	48	F	1/14/2021	1/15/2021	Approximately 28 hours after vaccine, I began to feel tingling in my right eye. Approximately 12 hours after that, my face started drooping and was numb so I went to ER. Today is Sunday, and the numbness and drooping was called Bells Palsy at the hospital.
951341	1/17/2021	WI		F	1/12/2021	1/12/2021	I has a bilateral attack of narrow angle glaucoma, seeing colored halos around lights. Had a headache and mild nausea, but attributed that to known vaccine side effects. I had never experienced anything like that. Went to ophthalmologist the next morning and pressures were elevated with some reduced visual acuity. Was given drops, sent home, returned for a check that afternoon, which were in acceptable range.
951196	1/17/2021	WI	37	F	1/6/2021	1/9/2021	Day 1 to 2---Left arm tenderness at the site for 2 days, no redness/rash/lump. Day 3---no side effects. Day 4 to Day 5---At about 8 pm, I noticed slight swelling underneath my left eye, that looked like a bag. My face was also red. The sides of my face, jaw line, & both sides of my neck were itchy. I went to bed since I was supposed to work the next morning at 6 AM (OB Nurse). I work up at 4:15 AM & my face was quite swollen, specifically my left side, my face & neck was warm to the touch & itchy. I immediately took 50mg of Benadryl & called my internal medicine doctor. Day 5---I was to be seen in the clinic at 7:00 AM. The Benadryl helped some. I was not having any breathing difficulty. I was prescribed 5 days of Prednisone. By about 1:00 PM, the swelling was worsening & my lips were tingling. I called the doctor again & they told me to go to the ER. I never had issues with my airway. The swelling was always worse on my left side of my face. I received IV fluids & SoluMedrol & was discharged with an epi pen, & told to continue the Benadryl, Prednisone, & Pepcid bid. CoVid test done in ER was negative. Day 6---The facial swelling/redness/itching remained but was improved. I was very tired. Day 7---Same as Day 6, but less swelling. Day 8---Facial swelling/redness/itching gone, but tiredness remained. Started to notice a chest heaviness/feeling of constant excitement in the center of my chest, even when at rest. Day 9-10---Tiredness remained. Intermittent Chest heaviness/feeling of excitement in the center of my chest remained. Day 11---Feeling more normal.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
951206	1/17/2021	IL	44	F	1/14/2021	1/14/2021	Fever (102) on day of vaccine. That evening reports sore at injection site but also systemic symptoms of chills, body aches, "skin and eyes hurt" Next day nausea and abdominal pain. Per patient, she felt exactly like she did when she had COVID. Did get tested again and tested negative. Now systemic reaction resolved and has some localized redness and swelling at injection site. Patient called to have us report reaction to VAERS



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
951227	1/17/2021	NY	65	F	1/15/2021	1/15/2021	<p>Within 10 minutes of getting the shot I noticed a progression of symptoms that increased and got worse. I got very hot. I was sweating. I was very light headed. I got a headache. I was nauseous. I believed I was going to faint. My blood pressure spiked. I noticed getting hotter and hotter within 5 or 10 minutes of the shot. I removed some outer clothing, but I still kept getting hotter. Then I noticed I was very light headed. Then I noticed I was sweating. I was very clammy and later on, a woman attendant said she could see the sweat on my. The headache began in the back of my neck. I thought I was going to faint. I became nauseous. My thinking became unclear. After about 15 minutes of this continuing to get worse, I called over the paramedics. They took my blood pressure and said it was very high. They checked my heart beat, oxygen level, lungs, and blood pressure. They checked my blood pressure again, and then again maybe 15 or so minutes after the second time and they reported to me that it was going down. I continued to not feel well and the worst of it lasted for about an hour and now, 2 full days later I still do not feel well. Yesterday, 1 day after the shot, I barely got off the couch. Today, my vision is blurry, I am still light headed, and still feel dizzy. My headache has diminished. My thinking is still foggy. I do not feel safe to drive. As far as treatment, I just sat still. I had eaten breakfast and lunch (ate lunch within an hour of the shot, but was given a ginger all and 2 cookies, which I ate. After I felt well enough to get up, I walked around the facility for a few minutes, then I went outside in the cold fresh air and continued to walk for a bit. I then drove home and stayed on the couch. I do want to state (and no where on here does it ask about this) so I am putting it here: I have only ever gotten a small pox and polio vaccination as a child, a Hep B shot four decades ago, and tetanus/whooping cough shots. I also take no medications and throughout my lifetime I have only taken a few. So, when the early pre-vaccine assessments ask about allergic reactions to injections of vaccines, I answered no because I barely ever had any. No pre-vaccination assessments also said that no adverse reactions to oral medications were a problem. And there was no where in the early assessments to give u that info. I did say, yes, about having immune system issues on the online assessment, and I told the attendant at the time of check in. It is</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							unidentified as far as it having a name, but I have seen a Rheumatologist last spring and she ruled out Lupis. I get sick easily with colds, so I believe I have a weak immune system.
951147	1/17/2021	DC	71	F	1/14/2021	1/14/2021	On the first day of the injection (1/14/2021) the left arm was sore and I felt tired. Towards evening and during the night I felt cold and hot at the same time - an intense burning/freezing sensation, but no sweating. On the first day after the injection (1/15/2021) the arm was still sore and I still felt tired - burning/freezing sensation had ceased. On the second day after the injection (1/16/2021) the left arm was not sore and I felt better, but at 11:00 a.m. the vein in the left temple burst and bled until about 6:00 p.m. Continuous throbbing pain across the forehead the entire day. The middle of the forehead is covered with red dots; the area near the left eye has a number of open, bloody lesions; the area below the temple (left cheek) is black and blue. There are also two bright red spots on my left knee - but no bleeding. Nausea was slight, but present during the entire day on Saturday and Sunday. Since the hospitals have Covid 19 patients and I do not have a car, I stayed home and rested in bed. Today on Sunday (1/17/2021) I can sit up and walk around somewhat; the throbbing pain in the head has ceased. The lesions are still vivid red , but slowly forming a crust. Will make contact with my doctor on Monday, when the office is open.
950998	1/17/2021	IA	28	F	1/11/2021	1/12/2021	Hot flashes, sweat out breaks, body aches, joint aches, fatigue, nasal congestion, sore throat, pink eye

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
951242	1/17/2021	CA	46	F	1/6/2021	1/13/2021	One week post-vaccine injection, sharp pains began on and off on the left side of my face. These moved from cheek to jaw to lip to left eye and at the nasal base. There was also stabbing pain in the left eye. I thought this was due to just being tired from long days at work, but I was also aware it might have been related to the vaccine. Therefore, I took 1600 mg of acyclovir I had on hand to prevent occasional cold sores and went to sleep. The following day, unfortunately, these sharp pains persisted on and off throughout the day. I retook acyclovir and went to work. I reported this to my PCP, and she thought it was unrelated to the vaccine. I spoke with surgeons in my office, and after examination, they both clearly said it was a reaction in my 5th cranial nerve. They both recommended prednisone or methylprednisolone, but my PCP didn't agree, and therefore, I did not receive a prescription for prednisone. I retook acyclovir, and by the following afternoon of Friday, January 15, I was no longer experiencing sharp pains on the left side of my face.
951121	1/17/2021	TX	48	F	1/4/2021	1/10/2021	Day 2,3. Mild soreness, headache; day 8, large bump in arm, hot to touch, itchy; day 9 worsening arm symptoms (injection Arm), fatigue, headache, achey; day 10 facial puffiness, left arm very achey/painful at wrist and thumb area, could not open a jar, elbow achey; left eye swelling, headache and neck achey, chills, no fever. Began steroid dose day 12, started steroids, symptoms resolving within 8 hours, day 13, awoke with puffy face, mild pain in same spots but much better.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
951120	1/17/2021	IA	48	F	12/30/2020	1/9/2021	Normal tenderness, and aches. A couple days after the injection the site about 2 inches below the injection site became very bright red, hot to the touch and very itchy. It was a fairly large circle about 2 inches. It went away after about 24 hours. THEN on day 12 my arm started itching again and when I looked at my arm the circle was back...but much more red and very large, about 2 inches below injection site. I went to the dr a day or so later, was put on antibiotics - Cephalexin 500mg 3x day - Believe me when everyone saw the rash their eyes popped out! It was huge. Finally about a few days later it has finally faded. Took about 5 days or so. Also, very very fatigued. I slept alot. I am now hearing more and more of the rashes among fellow health care professionals.
951118	1/17/2021	NY	51	F	1/16/2021	1/16/2021	About 45 minutes after the shot, my eyes started to swell. Then my knees got red, hot and slightly swollen. I took Benadryl and my knees were better within an hour and the swelling slowly decreased in my eyes. It is now the next day and my eyes are just slightly puffy.
951109	1/17/2021	IN	62	F	1/15/2021	1/15/2021	Left sided facial numbness mildly affecting left lip, cheek and area around left eye. Lasted less than an hour. Continued symptoms 48 hours after vaccine are moderate persistent headache, moderate fatigue. Feeling of not well. taking tylenol.
951097	1/17/2021	FL	80	M	1/15/2021	1/15/2021	Patient complained of severe left eye itching. He self treated with OTC Benadryl and said it subsided. Saw patient today and the itch has resolved.
951039	1/17/2021	FL	32	F	1/14/2021	1/16/2021	This was the second dose given 2 weeks after the first dose. Itchy rash and hives and swollen eyes 2 days after vaccine.
950967	1/17/2021	VT	60	F	1/6/2021	1/6/2021	Within 15 mins of receiving the vaccine I had slight tingling in my R cheek. Within 2 hrs of the vaccine I had R facial numbness from maxillary to ear and lower jaw. Within 6 1/2 hrs from the vaccine, I had R lateral calf numbness. Within 8 hrs of the vaccine, I had R hand and arm numbness, R side of mouth and tip of tongue numb, R orbital swelling, scratchy R eye, maxillary tenderness. Advil was taken 9 1/2 hrs after the vaccine. Symptoms improved by next am, and gone by 24 hrs post vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
950945	1/17/2021	OR	28	F	1/11/2021	1/11/2021	2 hours after the administration of the vaccine, the left side of my face briefly started to tingle. I slept for 6 hours, and when I woke up, the left side of my face was noticeably having pins and needles. I took 25 mg of oral Benadryl and slept for another 7 hours, and when I woke up, my left arm and leg were experiencing pins and needles. The left side of my face was completely numb, and I felt like that side was being pulled down toward the floor. The left, posterior side of my head felt very tingly, and I had a pounding headache behind the left eye that worsened with light. My boyfriend noticed my smile being different, and after looking in the mirror, I decided to go to ED. They were concerned about Bell's Palsy, but with the extremity involvement, they changed my plan of care to a migraine response from the vaccine. I received an MRI, IV Compazine and IV Toradol. My headache went from a 6/10 to a 2/10 after that treatment, but it came back soon after my discharge.
950939	1/17/2021	FL	47	F	12/24/2020	12/28/2020	I felt hot within 15-30 minutes after receiving the vaccine. Then 5 days later, I noticed hives on my back, swelling of my eyelids, and lips.
951618	1/17/2021	AZ	57	F	1/17/2021	1/17/2021	I had the same reaction with the first dose on 12/27/20, and it resolved, I received the 2nd dose today and about 40 minutes after dose I had some tingling in lips, and then left sided facial pain, along cheek behind eye. hurts to smile and use that side of face. have taken a Benadryl I haven't read about this as a side effect. With the first dose this did resolved after 24 hours
951345	1/17/2021	IN	31	M	1/7/2021	1/8/2021	Symptoms started approx. 24 hours later. Reports ?severe rash? along throat and chest, and swelling in face along cheekbones and under they eyes. Rash started to dissipate on its own after 1-2 days. Swelling continued so he started Benedryl on his own. Swelling decreased but has not completely subsided. Went to his PCP, she provided an Rx (wasn?t sure what it was at this time). Patient states PCP reports not worried about him getting a second dose

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
951071	1/17/2021	CA	51	F	1/11/2021	1/12/2021	1/12/21 08:00 AM Arm pain to arm of injection site- unable to lift but bearable. 1/12/21 01:00 PM Chest Pressure and tightness in throat. 1/12/21 11.45 PM Unable to move arm that had injection, severe body pain to spine, neck, pelvis, feet and hands, difficult to move without assistance, chills, and continued chest pressure. 01/13/21 05:30 PM Symptoms improved. Able to move, pain less and only to affected arm. Able to move arm. No chest pressure. 01/14/21 0900 Chest pressure, feeling of being choked, cough, palpitations, throbbing sensation in eyes, and blood pressure high for me. My normal blood pressure 120/70, but it was 158/96 and an hour later 167/97 with heart rate 88. This lasted until the next morning. 01/15/21 Symptoms resolved.
951717	1/17/2021	CA	45	F	1/16/2021	1/16/2021	+35 min post injection, Tightness/closing throat only, difficulty swallowing, tachycardia, runny nose, marked increase in paresthesia body wide (pin pricks), itching body wide, feeling of swollen tongue but not visualized. Tx w/ diphenhydramine. 100mg liquid prn symptoms (2 doses 5 hrs apart). Diphenhydramine reduced symptoms but tightness in throat sensation, paraesthesia, and mild itching remained w/ sudden shorts bursts of increased symptoms. No antihistamines administered after second dose and most symptoms subsided, except increased paresthesia and ?fuzzy? tongue/throat. Appx 1530 on 01/17/21, sore throat arose that is uncomfortable but not serious, tongue tingling.
1279625	1/17/2021	FL	70	U	1/8/2021	1/10/2021	Shingles in scalp, Forehead and upper eye
951605	1/17/2021	MD	31	F	1/3/2021	1/11/2021	Severe rash on hands. Target type lesions. Very itchy. Few on feet. Possibly on eye as well.
951767	1/17/2021	NY	78	M	1/13/2021	1/17/2021	After 2+ days of pain, soreness, swelling at injection site this abated. Today, 4 days after dose I have cold-like symptoms ... runny nose, watery eyes and slight sore throat. Been outside twice and maintain social distancing, wear mask.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
951446	1/17/2021	WI	41	F	1/13/2021	1/13/2021	Within 25 minutes of receiving the vaccine, my left arm became very heavy and there was a tingling/neuro sensation in left wrist/hand. A pressure began in the anterior of my throat which increased gradually. I sought treatment in our Urgent Care just after noon that same day. The Provider monitored my vitals which were good and administered liquid Pepcid. Said Provider chose not to give Benadryl as I had taken Zyrtec that morning for my allergies. I was discharged from the Urgent Care and went back to work at 1245. At 1730 hours, I had a slight headache above my right eye and extreme right-sided jaw pain with tooth sensitivity. These lasted for only 10 minutes. At 1830, the anterior and bilateral portions of my throat began to feel "prickly" and I developed a wheeze. I used an albuterol inhaler to relieve the wheeze successfully. At this time I also developed an itchiness throughout my whole body, worse on left side than right side. I took 100mg of Benadryl with no relief. At 0300, I took another dose of 100mg of Benadryl with no relief. I also took an itch pill/antihistamine of my husband's which provided no relief. At 0800, I took 20 mg of Zyrtec. At 1030, I took 100mg of Benadryl. I continued to use Benadryl throughout the day, every 4-5 hours. At 1800, I had a fullness in my throat, a tightness in my chest and my left shoulder blade felt almost numb. I also had a hoarse voice which passed by the next morning. The chest tightness was intermittent over the next day or two. On Friday, the itchiness had improved some but was still prominent. I continued to use Zyrtec and Benadryl throughout the day. My Primary Doctor called in Prednisone if needed. By Saturday morning, I felt MUCH better. Today is Sunday and I am no longer itching and I feel so much better today.
951710	1/17/2021	CT	47	F	1/15/2021	1/15/2021	15 minutes after injection started to feel numbness and pressure in left nostril/sinuses. Then progressed to numbness on left side of mouth, cheek, and eye. Lasted about 1 hour, then had slight headache rest of the day. Swelling and soreness at injection site for a day or 2.
951690	1/17/2021	OH	55	F	12/23/2020	12/30/2020	On day 7, my arm became itchy and pulsating. On day 9, I had muscle aches and fatigue. On day 10, I was extremely fatigued and had fever of 102-105 for the following 6 days. I also had diarrhea and could not keep my eyes open.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
951682	1/17/2021	CO	70	F	1/14/2021	1/15/2021	Face puffy, swollen. Not smooth, like hives, itchy. Redness, face feels warm at redness. Last 3 days everyday worse, Today also right eye lids swollen , limiting eye site. No visible eye lashes can be seen. Since 1/14, everyday face been getting more swollen.
951636	1/17/2021	TX	50	F	12/30/2020	12/30/2020	Approximately four hours after vaccine, developed severe fatigue. Couldn't keep eyes open. Slept till 10 am next day. Ate small meal then fell back asleep till 3pm.
951616	1/17/2021	TX	80	M	1/15/2021	1/17/2021	Inside eye hemorrhage, loss of vision of left eye
951604	1/17/2021	MN	63	F	1/11/2021	1/11/2021	2.5 hours after receiving vaccine, I started getting dizzy and vomiting. I vomited 6 or 7 times. I was so dizzy I couldn't open my eyes without getting sick. We called ER and explained that we thought I was having a reaction to the vaccine, and their response was they had never heard of that type of reaction. I was sick all night, called my primary Dr in the am and they told me to go to ER. We had to call ambulance to take me there because I was so sick and couldn't open my eyes without having to vomit. Room spun in circles. My arrival at ER, they did MRI, EKG, blood work. My blood pressure was very high, so they connected me to a heart monitor. I had low Magnesium due to vomiting so much. I was treated with Valium and anti-vert medication and fluids. I stayed overnight in hospital- had PT Jan 13th for DX of Vertigo. Then referred to Outpatient PT for Vertigo. Dr's felt it was a "coincident" that I got Vertigo shortly after vaccine, and strongly felt it was not related. . Today is Jan 17th, and I am still dizzy, but feeling better. I have an appointment with my primary Jan 18th and not sure if I should take the 2nd dose. That is the question.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
951511	1/17/2021	WI	46	M	12/24/2020	12/30/2020	Patient woke up on the sixth day following vaccination unable to move head. He complained of stiffness/tightness from the injection in left deltoid up the trapezius muscle to the back of the neck. He told his wife he could not move his neck & she began to massage the neck muscle. The muscle gradually loosened up with continued massage. He also applied topical muscle rub (Tiger Balm) to the area and took some ibuprofen. When he reported to work later that morning he continued to complain of tightness and some discomfort in the left arm leading to the back of his neck, although from visual observation he did not appear to be in any pain or discomfort or have any trouble moving his neck. Symptoms persisted for apx. two more days and was treated with topical rub, massage, and ibuprofen.
951786	1/17/2021	FL	50	F	1/6/2021	1/7/2021	On 01/07/21, I woke up around 4 a.m. with a fever, headache, and severe body aches. I felt the same as I felt when I had COVID-19 on 11/01/20. I remained achy all day with a fever up to 103.4. I was fever free by the morning of 01/08/21 and returned to work but still not feeling well, still a little achy. On 01/10/21, I woke at around 5 a.m. with hives, a rash, and severe itching. The rash and hives were migrating from one part of my body to another. It started on my torso and buttocks and then migrated to my arms and legs. I took Benadryl with some relief. My feet were itching most of the night even after taking more Benadryl. On 01/11/21, I went to work and continued to have itching with a rash and hives on my legs and arms and then on my neck and face. My eyelids and lips began to swell. I was seen by provider and given Benadryl IM as well as a steroid IM (I think Depo-Medrol). They also gave me a Rx for famotidine and loratadine. I continued to have some itching all over and severe itching and swelling of my fingers that evening. I took Benadryl later that evening and loratadine and famotidine at bedtime I felt much better by the next morning with only slight swelling of my eyelids and slight itchiness. It took a couple of days for my eyelids to return to normal with no swelling.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
951603	1/17/2021	UT	50	F	1/15/2021	1/16/2021	Swelling of eyelids (upper and lower with blister-like areas); chest tightness; face feeling red hot; face redness on cheeks, chin, around nose, forehead; welts on arms, neck, back, chest; itching all over body; malaise; shaking; severe headache; stomach pain.
951502	1/17/2021	FL	44	F	1/8/2021	1/9/2021	1/9/2021: 0230: Woke with headache and generalized muscle aches 1200: Generalized muscle aches, severe headache and blurry vision
951524	1/17/2021	OH	27	F	1/7/2021	1/15/2021	Swelling in left armpit 3-7 days after. Swollen left neck. On the eight day woke up with injection site red. Soon after had rash on neck and chest. Then developed facial itching with facial swelling and eye swelling. Resolved with Benadryl. Lymph nodes still swollen.
951529	1/17/2021	WA	68	F	1/10/2021	1/15/2021	Hives on legs, arms, buttocks, eyes, ears
951532	1/17/2021	NC	58	F	1/13/2021	1/14/2021	Probably unrelated but the next day I experience a left upper eyelid stye (swelling)
951545	1/17/2021	CA	58	F	1/7/2021	1/12/2021	Facial swelling mostly around my eyes and my eyelids> I iced my face and eyes on and off in the morning and in the evening. Took half a benedryl that day and night and the next day and night. Did not take it the next day and then the next day my arm was itchy bumby and swollen at the injection site. Took 1/2 benedryl that day and evening and the next evening. Today it is still red swollen and bumpy but not itchy. Maybe better today

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
951559	1/17/2021	TX	84	F	1/6/2021	1/8/2021	Moderate soreness/redness and slight itching noticed at injection site within 24 hours after receiving injection but I did not do a visual inspection until several days later when these symptoms became irritating and troublesome. I outlined the area of irritation with a marking pen and when I inspected it about 24 hours later, the erythema had increased to cover almost all the distance from shoulder to elbow but remained confined largely to the dorsal aspect of my upper arm. No soreness remains but itchiness continues and this is. I have taken liquid diphenhydramine at bedtime for the last three nights and used a topical anti-itch cream occasionally but have avoided any other treatment or medications. Itching and redness continue and expansion of the afflicted area continue 11 days post injection.
951574	1/17/2021	NY	57	F	12/21/2020	12/21/2020	I had numbness of the left side of my face with a heaviness over the left eye. I was evaluated for a stroke- NEG result I had a bad headache. The numbness resolved after 10 days . I went to an Urgent Care I also followed up with my PCP who put me on a steroid taper and an antiviral.
951577	1/17/2021	WA	50	F	1/8/2021	1/8/2021	While sitting on my couch, I felt a slight headache above my right eye and then felt pressure behind my right eye then immediately felt like heaviness over my right right eye, like a tugging and spasms. Right eye inflammation with persistent mild facial pain mostly pressure like rather than pain. I took phot and sent it to my Neurologist. he requested that I see him ASAP.
951499	1/17/2021	NJ	51	F	1/15/2021	1/15/2021	Chills all throughout the night at 0800 woke to my face completely swollen especially my cheeks were red and swollen, eyes were closing and body was aching called my doctor immediately and was put on Predinsone.
950130	1/16/2021	IN	57	F	12/22/2020	12/22/2020	On 12/22/2020 the day of vaccination in the evening around 6:30pm when I was driving I started having visual disturbances. The next morning 12/23/2020 I woke up with a bloody eye it was my right eye it lasted one day. On the following Monday on 12/28/2020 I was not feeling good I started getting headaches, feeling aching, at night I started getting fevers, congestion, & fatigue. It went away on 1/1/2020. Seen doctor on 12/29/2020

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
949889	1/16/2021	PA	52	M	1/14/2021	1/14/2021	Flushing, possible rash/hives, vision changes. Allergy medication given at test site. Transported to ER for observation. Given Decadron and Pepcid. Observed and discharged.
950048	1/16/2021	MS	60	F	1/12/2021	1/14/2021	Soreness at injection site x 48 hours--no treatment Slight twitching in left eyelid x 48 hours--no treatment--still have a little twitching in the eye but seems to be getting better
950125	1/16/2021	NV	40	M	12/18/2020	1/3/2021	Shingles affecting Left Trigeminal Nerve, 3rd division
950106	1/16/2021	IL	67	F	1/14/2021	1/16/2021	Hair loss in the middle of my right eye brow.
950162	1/16/2021	IL	37	F	1/16/2021	1/16/2021	The patient was in observation for 5-10 minutes after the vaccine. She reported that she was hot. I asked her if she had any history of anaphylaxis. She said she did to morphine. Her bp was 119/74 with a pulse of 94. She said her nose was starting to get itchy, her ears and scalp were itchy, and her eyes were blurry. She had red blotches all over her neck and chest. She said her throat was tight. She was able to swallow the water she requested. I gave her 50mg of benadryl. She had no visible signs of being unable to breathe. I explained to her we could call 911. She reported she had no insurance. She said she was on her lunch break at the hospital and wanted to get back. She did walk back across the street unassisted. Clinical observer, followed her over just to verify she made it in the building. She ended up checking herself into the ER instead of returning to her shift.
950098	1/16/2021	MI	83	M	1/14/2021	1/1/2021	twenty six hours after vaccine, hands started itching. Progressed to hive type rash from waist up. Also arms from elbows to hands. Face and eyes turned red. Fifty mg of Benadryl taken every six hours times three. This morning went to a walk in clinic . Was put on a Prednisone taper over 5 days.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
950067	1/16/2021	WV		F	1/7/2021	1/7/2021	She did not have any problems immediately after the shot or waiting period. She went back to work and all was normal until she went to meeting. It was a little less than 4 hours after the shot. She asked to have her temperature checked, then fell on the floor and collapsed. Her BP was 190/110, and her HR was very high, beating out of her throat and throat swelled up – she could barely breathe. Normally, her BP is 120/80 and HR is usually around 68 BPM. She could not move her legs or arms, but she could move fingers. This is an anaphylactic seizure that acts like a stroke – severe slurring of speech, cannot close eyes (but vision blurred), throat swells up and constricts airway, and she yells out uncontrollably. She shivered like she was very cold, but she did not have any convulsions. It lasted around 20 minutes. EMT who took care of her. She could hear everything going on, but her vision was very blurry (could not see). She was taken to Hospital. They checked her for stroke, did a CAT scan, and took her blood. Everything came out normal. She felt fine after it was over. She was released at 8 pm to go home, and she walked out on her own. She feels that the 1,2-distearoyl-sn-glycero-3-phosphocholine [DSPC] in the vaccine may be what triggered her reaction as she thinks it may be closely related to steroids. She will NOT take the 2nd shot on advice of doctor. Dr. has been her physician for 10 years. Previous History: Seizure reaction to steroids – happened 4 hours after took the steroid – this same anaphylactic like seizure happened with the steroid, exactly. Present at that event were several people. Patient says that this is the exact same reaction she had both when she took the steroid and following the COVID vaccine.
950063	1/16/2021	NY	54	F	1/15/2021	1/16/2021	Moderna VOID-19 Vaccine EUA - She is having fever of 100.02, chills and shaking, body aching, joint pains, bone pains, headaches and eye pain. Will visit the doctor if symptoms continue to persist.
950062	1/16/2021	GA	49	F	12/30/2020	12/30/2020	Eyes started burning after 1 hour of inj. feeling dizzy, extreme fatigue, couldn't drive home. After sleeping woke up with chills, achy. It lasted 2-3 days before feeling better. Prone to anaphylactic reactions.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
950034	1/16/2021	MS	60	F	12/21/2020	12/22/2020	soreness at site x 24-48 hours--no treatment slight twitching of left eye x 1 week--no treatment
950028	1/16/2021	GA	71	F	1/15/2021	1/16/2021	SORENESS AT INJECTION SITE INITIALLY. THEN CHILLS, FEVER OF 100.4,EXTREME ACES, MILD HEADACHE AND DISCOMFORT BEHIND EYES AT 0400am THEN FEVER OF 101.4 AT 1030AM 1/16/2021.
950002	1/16/2021	FL	47	F	1/6/2021	1/14/2021	Soreness in left arm and fatigue on day 1. Fatigue persisted. Woke up with blurry vision in left eye on 1/14/2021. There was pain in left eyebrow, tingling in left jaw region, pain in left temporal and parietal region
949983	1/16/2021	PA	56	F	1/13/2021	1/14/2021	1/14/21 around 9am ,I felt a little weak, chills, watery eyes and runny nose. Temp was 100. I took tylenol at 6am for a headache. The temp continued to increase and the highest was 103.9 on January 14th. I also developed significant pain in my muscles and joints, along with weakness, and fatigue. January 15 the, highest temp was 102.5 no watery eyes or runny nose. Muscle pain and weakness continues but less intense. January 16th, as of this time temp 100 and muscle weakness with very little pain. Fatigue continues.
949910	1/16/2021	NJ	52	F	1/6/2021	1/7/2021	Received vaccine on Wed 1/6/21. Eyelid swelling, redness, itchiness noted on Thursday 1/7/21 at 7:00am

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
949824	1/16/2021	CA	32	F	1/15/2021	1/15/2021	Patient had her first Moderna COVID vaccination at 4:00 PM today and 5 min later felt dizziness, worsening, associated with headache, nausea, sore throat, hot flashes, and dizziness is from side to side when she looks at her phone, no dizziness when she does not look at it. Patient primary complaint is headache on bilateral temples. All other symptoms resolved, and no dizziness if not looking at phone. Patient has history of headaches, similar in quality, but this is more intense (6/10 intensity, less than her scoliosis pains, but more than usual headache pain), but otherwise the same, pounding sensation, and she can feel throbbing. Headache is about the same currently. Started simultaneously as dizziness, immediately, unchanged. No changes in vision. Peak intensity of headache around 30 min after onset, peak at 4:30 or so. Patient notified the vaccine clinic staff and was instructed to be observed in another area, and did not improve. Patient remembered that her initial blood pressure was low and it fluctuated. Patient was then sent to the ED. Upon initial assessment in the Emergency Department 2 hours after her initial injection, the assessment is likely vasovagal near syncope with tension headache, rather than true allergic reaction. Given metoclopramide, diphenhydramine, normal saline, and obtained labs.
949828	1/16/2021	AK	32	F	1/15/2021	1/15/2021	Lightheadedness in the 5 minutes following the SARS Cove 2 vaccine #1 that rapidly progressed to lower abdominal cramping, AMS, eyes rolling upwards, and hypotension with systolic blood pressures in the 70s/80s/40s that promptly improved following IM epinephrine. Diphenhydramine, famotidine, methylprednisolone, and a LR bolus was administered. Following IM epinephrine administration, the patient's hemodynamic instability promptly improved along with her mentation. Patient was monitored for 4.5 hours before being discharged home under the care of her partner with a EpiPen autoinjector kit.
950891	1/16/2021	FL	75	F	1/13/2021	1/13/2021	Blurred vision, lightheaded, facial flushing, abnormally high blood pressure, fatigue

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
950171	1/16/2021	AZ	29	F	1/1/2021	1/8/2021	After receiving the vaccination the same day I was nauseous all day. The very next day my face was slightly swollen in areas where I've had fillers in my lips and around my lips. Three days after the vaccination I woke up with my face completely swollen one eye was swollen shut and my upper lip was extremely heave and yet icing my face the swelling went down a lot about two weeks after the vaccination I started slowly losing taste but ONLY with salty foods.
949916	1/16/2021	OH	37	F	1/15/2021	1/15/2021	Within 2 minutes post vaccination i started feeling loss of sense of myself. I could not pinpoint if i felt dizzy or vertiginous. Felt like i was off balance and i was super vernous to walk. Vertiginous episodes come and go with peaks for at least 10 times. The whole episode lasted 4 hours until i felt going back to myself. I was provided water, 1 L and orange juice, there was epi available. No anaphylactic symptoms, no shortness of breath. I drank 1,5 L of fluids and then my BP was checked 120/80, HR 80s. I note that i never felt syncopal, no diaphoresis, nausea, nor darkened vision and i was fully interactive with the bystanders. Note, i am a critical care intensivist so i had full grasp of the issue but i could now quite describe the sensation of this acute loss of instability. The best way to describe this was vertigo. Similar episode occured at the first vaccine with COVID, occurred after 10 minutes and lasted no more than 30 seconds. I didnt report that then because i thought it was just dehydration.
950818	1/16/2021	VA	33	F	1/14/2021	1/15/2021	I drank two sips of crystal light and immediately my eyes started burning and itching. A red rash developed around both eyes. I took Benadryl and applied cream and it went away 20-30 minutes later. I drink this every week and have never had a reaction.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
950200	1/16/2021	OH	60	F	1/5/2021	1/8/2021	I had the vaccine on January 5 and I was fine the whole day. For the next two days my arm was sore from my elbow to my shoulder. the third day my whole upper right side was crippled were as my shoulder neck and arm was almost paralyzed and I couldn't really move without severe pain. A few hours later, my legs felt like noodles like I would fall over; I ended up leaving work early that day incase I couldn't get home. The next morning I went to work. the pain moved to my left side, same areas and creaped around my left rib cage. This has been going on since. I had off January 11 and 12 for my weekend. I haven't been back to work since January 13. I have had severe pain in my left neck, shoulder, rib cage, elbow, and now my left wrist and at times, my left hand feels numb. Also, the within the last 24-48 hours my breasts have been tender. I've been lethargic since yesterday and now my vision is blurry. My nurse keeps telling me to rotate between ibuprofen and tylenol, it's not helping at all, I am extremely uncomfortable and in pain. In fact, when I take the ibuprofen, it causes more pain. I've been trying to reach the on call doctor for pain medication and no one is calling me back. The only relief I have is when i hold my arm above my head. I am groggy and I am feeling emotional. I've missed a week of work and I'm nervous about getting my second vaccine, but I will get it. Oh, and I'm not sleeping well.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
950873	1/16/2021	IL	24	F	12/31/2020	12/31/2020	?Within the first 15 minutes - injection site felt hot (right arm). ?Within the first hour - right arm felt heavy with some numbness/tingling that lasted less than 10 minutes. ?3 hours post vaccine - mild arm soreness with ROM, but not to the touch. ?7 hours post vaccine - I felt very fatigued. I could have gone to bed at 1600. I could barely keep my eyes open. ?8 hours post vaccine - fatigue was still very much present, moderate arm soreness with ROM and now to the touch. I felt very feverish, but was afebrile. ?10 hours post vaccine - fatigue was a little better because I had taken an hour nap. Body aches and headache had set in, and I still felt feverish without a fever. I couldn't stop shivering. I needed to be under multiple blankets with long sleeves, pants and thick socks on to feel even a little bit warm. ?13.5 hours post vaccine - fatigue and body aches had worsened. It's a struggle to go from laying to sitting and sitting to standing. I even fell back down to the couch a few times because I didn't have the strength to stand up all the way. Right arm soreness has progressed enough that lifting up a water bottle was a struggle, and I could not lay on my right side. My temp is now 101.4°. ?I tossed and turned between 0200-0630 shivering and aching all over. I slept with my entire body (even my head) under the blankets to try to stay warm. My head was throbbing. I got up at 0630 to take some Tylenol and woke up sometime between 0630 and 1030 drenched in sweat, so I'm assuming I had another fever. ?30.5 hours post vaccine - it's now January 1st. Body aches/stiffness, headache, fatigue, right arm soreness still very present. Switching any type of body position was a struggle. Temp is 101.2° now. I got out of bed at 1045 and got back in bed at 1200. I stayed in bed until 1845. ?48 hours post vaccine - slight headache and right arm soreness. Right arm ROM is very doable again. My neck, shoulders and hips are sore, but much better. Fatigue is gone. I'm able to move around fine without any struggle. I still have SOB from March, but I feel like over the last 24 hours it's worsened a bit.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
950832	1/16/2021	IL	39	F	1/8/2021	1/15/2021	6 days after vaccination, I started to feel ill. Throat slightly scratching, almost like I was getting a cold. Then it went away. 7 days after vaccination, same thing, started to feel a little ill. Developed an itch at injection site. Nothing could be visually seen at the injection site. Within a few hours, half dollar sized round red spot appeared, with knot under it. Warm to the touch. Felt like a sunburn, with a knot under it. Day 8 after vaccination, woke up with double the size of circle at injection site. By end of day, pounding headache on left side, felt nauseous and unwell. Injection site itchy, warm to touch and began to grow in size. Went to urgent care. Once there, injection site was about the size of a baseball. Dr stated it was a reaction and prescribed an antibiotic and oral steroids. He noted how hard the knot was and was worried about cellulitis and infection. He told me to report this delayed reaction and advised me to not get a second dose. Since being there, about an hour ago, I feel worse. Ears are ringing loudly, increased headache, and almost a wet feeling at swollen injection site.
950815	1/16/2021	AK	35	M	1/7/2021	1/8/2021	First dose of vaccine received on 12/18/20: no adverse reaction, felt great Second dose of vaccine received Thursday night, 1/7/21: no adverse reaction that night but woke up with sore L arm in the morning. So, no unusual side effect for 24h, then experienced on Friday night: headaches, chills, body ache, fatigue. Took 650 mg of acetaminophen. Same symptoms on Saturday with increase in intensity, plus mild fever in the evening at 99.6 F (instead of 97.4 F which is "my normal"), nausea, painful eye balls, sensitivity to light and noise, loss of appetite. Took 650 mg tabs of acetaminophen throughout the day per bottle instruction. Extreme fatigue Saturday night and severe headaches, fever at 100.2 F that night, treated with acetaminophen. By Sunday night temperature was 100.9 F, extreme fatigue and severe headaches and painful eye balls, heart rate racing up to 120 BPM when moving from bathroom to living room. Went back down to 65 BPM after about 1min at rest. Tried massages of upper body to loosen muscle, seemed to help with bodyache. Spent Saturday through Tuesday at home. Rapid covid 19 test negative. Back to work on Wednesday.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
950717	1/16/2021	ND	35	F	12/22/2020	12/22/2020	Detailed Email from patient: 12/22/20 @ 4:30 PM: tingling sensation around jaw area, working up to cheeks and around side of eyes, lasting a few hrs., but lessening in intensity at bedtime at 9:30 PM; same funny feeling on upper cheeks & sides of eyes, lasting all day. Felt swollen but didn't appear swollen; 11:30 PM: awakened by chest discomfort, possibly anxiety. Had diarrhea, shaky/weak muscles and sweaty chills. 12/23/20 @ 12:45 AM, 1:45 AM: diarrhea, shaky/weak muscles & chills continued until 4 AM. 6:00 AM: Nausea lasted until 1 PM; Lips slightly swollen, lasting 2 hrs but no breathing issues; 5:30 PM: GI issues resolving but fatigued; 8 PM: GI issues return with heartburn, muscle aches and nausea. CONT
950711	1/16/2021	CA	16	F	12/29/2020	1/15/2021	Last night I broke out into a bunch of itchy spots that resemble hives all over my body. The hives went away in the morning. Just now, 3:57pm today, I have puffy eyes and a swollen throat.
950702	1/16/2021	TX	74	F	1/13/2021	1/13/2021	Covid-19 type symptoms of headache; fever, eye ache; fatigue, body ache plus pain in injection site. I went to clinic to get tested for covid19 as I thought I was getting the virus again. I felt very much like I did in November when I tested positive & had Covid symptoms for 2 weeks. I was sick but no breathing issues so did not go to hospital.
950660	1/16/2021	PA	35	F	12/31/2020	1/16/2021	Moderna COVID-19 Vaccine EUA: (P.S.: I'm reporting it more because I started having below symptoms a day after I got the vaccine and later on I tested positive for COVID-19) - Chills (Had it for 3 consecutive days after the vaccine) - Headache (Have been having it every single day since Jan 1st) - Mild Fever for 2 days (Jan 2nd and 3rd) - Nasal congestion (stuffy and runny nose) - Cough - Fatigue / SOB - Tiredness - Body aches - Photophobia (Still have it at night) - Sore eyes (moderate for a whole day, mild after) - Sound/noise sensitivity (Still have it at night) - Loss of smell/taste - Joint pain
950367	1/16/2021	ME	32	F	1/12/2021	1/13/2021	Headache, eye soreness, body aches, fatigue, sinus congestion from morning after injection to present (three days later). Alka-seltzer helps some.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
950538	1/16/2021	FL	82	F	1/8/2021	1/14/2021	The patient presents for "body is burning", eyes burning, burning urination, muscle aches, sinus drainage. Describes back pain as 10/10.
950530	1/16/2021	AZ	60	F	1/15/2021	1/16/2021	I lost my voice, my face tingled, my eyes Got puffy, itchy, and watery, extreme fatigue, and minor difficulty breathing. I had an increased you can buildup up in my throat and nose, with coughing. I took two Benadryl; about 45 minutes later my breathing improved. I took the Benadryl at 8:15 AM. It?s now 2:25 PM and my eyes are getting itchy and starting to feel puffy again. My voice is still very hoarse.
950524	1/16/2021	TX	39	M	1/9/2021	1/14/2021	Bells Plasy , i am not able to blink my left eye and also not able to close the mouth on left side. When speaking my mouth is going towards right
950458	1/16/2021	LA	57	F	1/13/2021	1/15/2021	Debilitating dizziness and vision impairment
950389	1/16/2021	MN	63	F	1/11/2021	1/15/2021	On Friday, January 15 at approximately 6 PM while seated in a reclining chair watching television I started to develop hives below my right gluteal fold. Over the next six hours approximately 300 hives appeared on my skin. They were very itchy. At approximately midnight my lip began to swell and being a certified registered nurse anesthetist, who lives alone, I knew it was time to head to the ER. Prior to going to the ER I cleaned the lesions With alcohol, took prednisone 10 mg PO, and applied hydrocortisone cream. In the ER, I was given Benadryl 50 mg PO and Pepcid 20 mg and observed for one hour. The hives remained but there was no respiratory compromise. Approximately six hours later the hives were still increasing in size and number, were unbearably itchy and my swollen lips had not subsided. I took Claritin 10 mg PO and returned to the same ER and was given Epinephrine 0.3 mg IM, prednisone 20 mg po and observed for three hours. The hives did not decrease and again there was no respiratory compromise so I was sent home on prednisone And a H-1 blocker. Of note, both my palms and lips have been bright cherry red. I finished a five day course of Macrobid on January 13 at 10 AM. Final diagnosis: Allergic reaction

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
950231	1/16/2021	PA	44	M	1/13/2021	1/13/2021	About an hour after the injection, I had muscle twitch around left eye. I asked the coworker if they could see it and they could. The twitch in that muscle stopped that evening. Both of my eyelids occasionally twitch for the past few days
950882	1/16/2021	MA	24	F	1/5/2021	1/8/2021	January 6-7, 2021: fatigue and soreness at vaccine injection site January 8, 2021 at approximately 4:00pm: sudden dizziness, feeling feverish, hot/sweating, Extreme vomiting and diarrhea resulting in an emergency room visit. Muscle pain, abdominal pain, tingling fingers, headache . January 9-16 2021: extreme fatigue and tiredness, back pain, nausea, loss of appetite, tingling fingers. Headaches , white mucus bowel movements January 16 2021: same signs and symptoms as above. Now tingling in hands AND feet and sudden blurred And fuzzy vision. Second trip to the emergency room.
950252	1/16/2021	AZ	40	F	1/15/2021	1/15/2021	Received the COVID-19 Pfizer-BioNTech vaccination at 8:40pm at a stadium location. Around 8:57, I had a metallic taste in my mouth and the left side of my tongue went numb. A little later the left side of my face felt weird and the inside of my ear felt numb. It wasn't tingling, but it felt like I had a Novacaine shot (like when you get a filling at the dentist). My neck got stiff and I was really tired. The symptoms lasted about 4 hours. When I woke up this morning the left side of my face and jaw still do not feel 100%. My left eye is watery. I'm very tired.
950559	1/16/2021	MA	42	F	1/13/2021	1/13/2021	Fever 101.8 Headache Pain behind eyes Aches Chills
947010	1/15/2021	ME	47	F	1/15/2021	1/15/2021	Patient to be observed for 30 minutes beginning at 1050. Patient has a history of anaphylaxis to contrast dye for CT scans. 15 min into observation at 1105, patient reported feeling dizzy. Reported history of passing out but not associated with injections or labs. Denied blurry vision. Denied feeling SOB, throat tightening, nausea. No rash noted. Patient's VS were WNL. Laid patient flat. She reported her legs felt tingly and tight. Notified Dr. Patient reported persistent dizziness and new onset nausea. Patient then developed a splotchy red rash on chest. No itchiness. Pt treated with 0.3mg epi, 50mg benadryl, and 125mg solumedrol. VS monitored continuously and 911 was called.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
947011	1/15/2021	CA	69	M	1/8/2021	1/8/2021	My reaction occurred approximately 12 hrs. following the injection. I awoke on the night of Jan. 8 after rolling over on my right arm where the injection site was. I immediately awakened with sharp burning pain and as I became more awake, I realized that I was confused, slightly disoriented and very diaphoretic. I alternated between having a chill to sweating profusely. My head was throbbing as in a migraine and the orbits around my eyes hurt as well. I was extremely nauseated to the point of gagging but I had not eaten anything so I did not throw up. Later that night I also had watery diarrhea. All of my joints ached and my pelvic region seemed to hurt more than the rest of my body and joints. When I got up, I found that my equilibrium was off and that I was dizzy. My temperature 100.2 but over the next 2 days it went as high as 102, but continued around 100.8 for several hours. Early in the a.m. I called my PCP service and later spoke with the physician on call. We discussed in depth. At that point, my panic had subsided somewhat and he told me to take Tylenol for my fever and I also had Benadryl available and I took 50 mg. I hydrated myself (I did not have an appetite) but forced myself to drink fluids and eat a serving of fresh fruit. By mid-day on 1/9 I was feeling less anxious and was able to sit and watch t.v. I continued to take Tylenol and Benadryl and slept for almost 16 hours. On Sunday I was more improved. Since then, I have continued to feel dizziness and tire very easily. Today, my equilibrium is still off and I have difficulty focusing. I have spoken with my PCP twice this week and I will be going into the Covid research clinic next week as they want to examine me and draw blood samples close to the two week period after the first injection.
947103	1/15/2021	TX	52	F	1/14/2021	1/14/2021	Blurred vision, Generalized body aches. Treatment- Ibuprofen and Tylenol. Outcome: blurred vision resolved, no improvement in generalized body aches.
948170	1/15/2021	WY	70	F	1/6/2021	1/7/2021	Several hours after the vaccine I experienced the usual side effects: sore arm, fatigue, muscle aches; which have passed. My big concern is that I also suddenly developed dark, stringy images and blurry vision in my left eye. The eye symptoms are still present.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
947110	1/15/2021	CA	48	F	1/9/2021	1/12/2021	Patient states she noticed a welt on her arm 3 days after receiving the 2nd dose of the vaccine. She tried applying ice on the most red part on the arm but the swelling continued to grow. Then she started applying heat in addition to applying HPR+ cream that she uses for urticaria. The only thing that the patient stated that helped a little was the ice pack. The patient ended up going to the emergency department on 1/14/2020 for the rash / welt that developed beyond her arm and to the neck and eyelid area which she described as itchy. The patient was prescribed a 4 day prednisone 50mg daily course along with Benadryl as needed and Pepcid 40mg daily which she states have helped alleviate the itchiness but has not completely resolved yet as of today 1/15/2020. Per ED note, patient presented with mild erythema around the injection site and non-specific rash to the neck. Patient has clear speech and no oral swelling and no signs of anaphylaxis. Patient discharged home in stable condition and advised to follow up with primary care doctor in 2-3 days.
947017	1/15/2021	TX	43	F	1/14/2021	1/14/2021	HA, eye puffiness and redness, generalized body aches, malaise. Treatment - Ibuprofen. Outcome- does not interfere with ADL's continue to work. No improvement in symptoms will continue to monitor.
946998	1/15/2021	WI	44	F	1/15/2021	1/15/2021	Pt reported feeling itchy "all over" 19 minutes post vaccination. She denied any other sxs such as SOB, throat tightness, difficulty swelling, lightheadedness, nausea, vision change. I checked her BP and pulse @ 1117 and again @ 1122. Her BP and pulse remained stable and in normal range. Her lungs were clear, no wheezing. There was no visible rash. I administered 25 mg of benadryl @ 1125. She left the clinic 35 minutes post vaccine in good condition without evidence of significant reaction.
946955	1/15/2021	NY	72	F	1/14/2021	1/14/2021	2:15PM headache 10:30PM. Rash and itch on face trunk and under arms Dry scratchy eyes , hazy vision Took Benadryl 25 mg at 10:45PM 1/15/2021. 9AM Rash subsided itch persists and eyes remain dry, scratchy and hazy vision gone 10 AM went to Dr



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
946901	1/15/2021	ME	47	M	1/13/2021	1/13/2021	1/13/21 0740 Received second dose of COVID-19 vaccine, which was scheduled for that morning. Did not experience anaphylaxis or other symptoms of vaccine injury. I took 1gram of Tylenol PO when I got back to my motel by 0830. By 0924 I noted that my left deltoid (injection site) and arm were very sore/achy. I fell asleep until 1740. I noted that I was experiencing more body aches at this time (joint and muscle, especially in my bilateral shoulders, lower back, knees and pelvis). Calf muscles were quite sore. I made pasta with red sauce and made a pot of blueberry tea, ate and went back to bed. 2327 I woke again with weird fever dreams and my right bicep was intermittently twitching. I think I was starting to run a low grade fever at this time (my ears felt hot, and my stomach was queasy but was not nauseous), no diaphoresis, shortness of breath or airway constriction. I remained awake until 0200, 1/14/21. By 0400 I was experiencing mild chills, face was flushed, headache on the right, with pressure behind my right eye, parietal and occipital areas of my skull. The pain extended into the right muscles of my neck (trapezius, levator scapulae and sternocleidomastoid muscles). Bilateral upper arm muscles and joints were 5:10 pain. I was also experiencing mild photophobia, but not migraine related, and a mild non-productive cough and pressure behind my facial and ethmoid sinuses with scant viscous secretions at the back of my throat. 0433 I forced myself to get out of bed and head to the bathroom. My temp was 101. I took a very hot shower and am back in bed. Experiencing a lot of malaise and lethargy. 1/15/21 0830 temp is currently 99.1, headache is present, 3:10. Joint aches have mostly subsided. Injection site is warm and tender, but no erythema is present.
946883	1/15/2021	NY	59	F	1/7/2021	1/7/2021	soreness at injection site and sharp headache pain over my right eye that radiated to the back of my head, both started the night of the injection and through the next day
947112	1/15/2021	TX	57	F	1/13/2021	1/13/2021	Dizziness, Body ache Teary eyes pain to right arm Headache

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
947511	1/15/2021	NY	54	F	1/5/2021	1/5/2021	convulsive chills, fever- (high); convulsive chills; fever- (high); all of my muscles and joints were flaring in extreme pain; all of my muscles and joints were flaring in extreme pain; I could NOT move my vaccine arm more than 3 inches and my whole body hurt; my vision was extremely blurry; When I tried to walk, it was slow; achy/whole body hurt; tired, and took a nap; This is a spontaneous report from a contactable consumer (patient). A 54-year-old female patient (no pregnant) received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/lot number: EL0142) via an unspecified route of administration on the left arm on 05Jan2021 11:00 AM at single dose for COVID-19 immunisation. Medical history included having Covid the 3rd week in Mar2020, Positive for Antibodies in early May2020. Fairly sick but not emergency situation "Long haulers" covid symptoms that continued through Nov2020. Patient still had skin pain. Other medical history included hashimoto's. Past drug event included known allergy to codeine. The patient's concomitant medications included 25 mg of Levothyroxine in two weeks. No other vaccine in four weeks. On 05Jan2021 at 12:30, patient felt achy, tired, and took a nap. By 2:00ish. The patient's vision was extremely blurry and continued for 2 days. At 05Jan2021 8 pm- 6 hours later of convulsive chills, fever- (high) and all of her muscles and joints were flaring in extreme pain. Patient could not move vaccine arm more than 3 inches and whole body hurt as if she had been hit by a train. When patient tried to walk, it was slow. Patient groped walls for support. Patient had a televisit with a doctor friend who said this was not a normal side effect and go to emergency room (ER). Doctor or other healthcare professional office/clinic visit. Covid test post vaccination included nasal swab, Covid -19 diagnostic on 08Jan2021 with pending result. No treatment received for events. The outcome of convulsive chills fever was unknown. The outcome of other events was recovered in Jan2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
945981	1/15/2021	NY	42	F	1/6/2021	1/7/2021	Extreme Headache; chills; sore throat; water eyes; runny nose; tiredness; entire body aches; This is a spontaneous report from a contactable Nurse reporting for herself. A 42-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), intramuscular at left arm on 06Jan2021 14:45 at single dose for covid-19 immunization. The COVID-19 vaccine was administered at Nursing Home/Senior Living Facility. Medical history included prior to vaccination, the patient was diagnosed with COVID-19. The patient's concomitant medications were not reported. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient experienced extreme Headache, chills, sore throat, water eyes, runny nose, tiredness entire body aches on 07Jan2021. No treatment was received for the events. Since the vaccination, the patient has been tested for COVID-19, the patient underwent lab tests and procedures which included Covid-19 test/Nasal Swab: negative on 05Jan2021. The outcome of the events was unknown. Information about lot/batch number has been requested.
947155	1/15/2021	ND	86	F	1/13/2021	1/14/2021	Blurred vision and rapid breathing, very thirsty

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
947163	1/15/2021	OH	28	F	1/15/2021	1/15/2021	VACCINE ADMINISTERED IN RIGHT DELTOID AT 1105 AM. DIRECTED TO BE MONITORED IN RECOVERY WAITING AREA. AT 1115 PATIENT DID VERBALIZE SHE FELT SHE WAS GOING TO "PASS OUT" IMMEDIATELY AFTER, THE PATIENT LOST CONSCIOUSNESS AND EMS NOTIFIED. EMS WORKUP DID SHOW HER FLUCTUATING TACHY AND BRADYCARDIA. SHE WAS THEN SENT OUT TO HOSPITAL FOR OBSERVATION. PATIENT DID VERBALIZE AWARENESS OF THE EVENT AND STATED SHE FELT BETTER. PATIENT WAS COMPLIANT ABOUT RECEIVING FURTHER OBSERVATIONATED. VITALS STABLE PRIOR TO DEPARTURE, ACCUCHECK READING 124, A&OX3 WITH VISUAL NEURO CHECK wnl. PATIENT DID SELF TRANSFER FROM COT TO CART AND rom X4 NOTED. PATIENT DID NOT HAVE ANY VISABLE REACTION SIGNS/SYMPTOMS AT THE SITE OF INJECTION. SHE DENIES PAIN THROUGHOUT, NO FURTHER NEEDS ANTICIPATED ATPOINT OF TRANSFER FROM FACILITY TO ed
947189	1/15/2021	CT	30	F	1/12/2021	1/13/2021	Approximately 24 hours after the shot I experienced muscle aches, and pain at the injection site. A general feeling of lethargy became progressively worse throughout the day. from morning to noon i felt off but thought i was just psyching myself out. My noon I realized i was experiencing side effects. Around 2pm i began to experience mild chills. While cooking dinner at around 5pm I felt like my muscle aches in my back were on the threshold of feeling likes spasms. around 8-9pm before going to bed the symptoms were at there worst and comparable to a moderate illness. By the next morning I felt about 80% better but got headaches between my eyes whenever i stood up or moved too fast. As of today I feel about 95% better but still somewhat lethargic.
947210	1/15/2021	FL	75	F	1/13/2021	1/13/2021	5mm after VAX HTN BP 160's-170's, fatigue flushing, decreased vision, lightheaded, can't focus vision. Later arthralgias, fatigue. Sx improved after 4 hrs, Resolved after 48hrs. EMT eval recommended ER eval, but pt declined, went home instead.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
947225	1/15/2021	FL	24	F	1/14/2021	1/14/2021	Low-grade fever: 100 F less than 12 hours after, broke next morning Headache: Right after vaccination, still occurring Blurry vision: 1 hour after vaccination, ended around 5-6 hours later Sore arm: Right after vaccination, still occurring Body aches: Day after vaccination, still occurring Body chills: Less than 12 hours later, still occurring Out of breath: Day after vaccination, still occurring
947262	1/15/2021	OR	45	F	1/12/2021	1/13/2021	Nausea, diarrhea, dizziness, rash on hand, muscle soreness in arms, arm pain at site of administration, and blurry vision. Still having blurry vision and diarrhea after 3 days

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
947482	1/15/2021	PA	38	M	1/6/2021	1/1/2021	<p>           didn't have any energy /doing nothing/could not work; didn't have appetite; did not feel well; soreness in left shoulder from injection site; Dizzy; Fever/temperature was 100.8; severe muscle aches; pain all over his body/Feels like a sunburn all over back; pain all over his body/Feels like a sunburn all over back; lost his balance twice; severe headache/Headache came back worse and couldn't open eyes; burning in his back and skin; burning in his back and skin; felt like his body was getting warm and had heat over his eye; felt like his body was getting warm and had heat over his eye; This is a spontaneous report from a contactable consumer (patient). A 38-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration at site of left deltoid (anatomical location: reported as left shoulder) at 10:30 on 06Jan2021 at single dose for COVID-19 immunization. Medical history included COVID symptoms from 12Mar2020 and COVID tested positive by swab from 24Mar2020. There were no concomitant medications. Clinical course: patient was fine on the 06Jan2021, when he got the vaccine. He did not feel well on 07Jan2021, He had soreness in left shoulder from injection site. In the morning, when he woke up, he felt dizzy and had severe muscle aches and pain all over his body, felt like a sunburn all over his back. His skin and arm were very sore. He took a shower and lost his balance twice in the shower because he was dizzy. He was able to make it to work. At work, he started having a headache. It started to get worse. The burning in his back and skin got worse. He took some paracetamol (TYLENOL) in the morning and the headache started to go down. It came back again worse, so he took paracetamol again. He took two tablets of 500mg paracetamol and he tried to go rest on his break. He took a nap on his break for 15 minutes. When he got up from his nap, he found his achiness was much better. The burning was still there. It was getting less but still there. The headache was less when he woke up from the nap. Headache came back worse and he couldn't open eyes. He took paracetamol. He took two 500mg tablets again. He didn't have any energy sitting at his desk doing nothing. He was not able to look at his computer because of the headache. He could not work on 08Jan2021. He left work and got home and was having headache on the ride home. When he got home, he didn't have appetite.         </p>

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

He ate a banana and an orange. He felt like his body was getting warm and had heat over his eye. His temp was 100.8. last night on 07Jan2021. Headache started on 07Jan2021 and he continued to have headache. Fever was coming down, but he was still warm today. He didn't feel that like a sunburn all over his back today. Severe muscle aches and pain all over his body were still there, but less than 07Jan2021. He took ibuprofen (ADVIL) last night on 07Jan2021 and another dose of paracetamol this morning on 08Jan2021. He saw the medical team at the nursing home where he works which were nurses and doctors. They suggested he go home and rest. It was mentioned that patient developed COVID symptoms on 12Mar2020 and tested positive for COVID by swab on 24Mar2020. Could he take the second dose? He didn't know if it is an allergic reaction. He thought that burning over the skin is an allergic reaction. He knew they didn't know a lot about the vaccine. He didn't think he should take the second dose because it would make him miss more work and he already missed work today. Is the second dose recommended if it is an allergic reaction such as burning over the skin? Will Pfizer reimburse him for missing work? Vaccination Facility Type in nursing Home. No history of all previous immunization with the Pfizer vaccine considered as suspect. No additional vaccines administered on same date of the Pfizer suspect. No adverse events required a visit to Emergency Room or Physician Office. No prior vaccinations within 4 weeks. No adverse events following prior vaccinations. The outcome of event did not feel well, soreness in left shoulder from injection site, Dizzy, lost his balance twice, didn't have any energy /doing nothing/could not work, didn't have appetite and felt like his body was getting warm and had heat over his eye was unknown; of event headache was not recovered; while of other events was recovering. Information on the Lot/Batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
946874	1/15/2021	MA	24	U	1/13/2021	1/13/2021	reported onset of mild headache and bilateral visual field defects (black spots) that got worse with sitting and standing vs. lying down, started at 4:30pm. Phone call at 5:30pm with Dr. She had gotten her covid vaccine earlier that day at 9am. She was feeling better by the time I had called her, and we tested her vision over the phone and she denied any black spots at the time, so I advised Tylenol 1000mg and call me at any point if things get worse. Plan to follow up with eye doctor on Saturday 1/16/2021.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
947506	1/15/2021	PA	44	F	1/5/2021	1/1/2021	Dizzy; headaches; flu feeling; side effects she had were like the COVID symptoms she had, like the chills and everything; lethargic feeling; weak; Nausea; the whole left side of her body went numb including even her vagina; left side of her body was so numb and weird and tingly feeling/left leg went numb; whole left side of face swelled up; left eye turned red; pressure in head; felt like someone squeezing her eyeball out; eye went black/left eye looked bruised/blackness around the eyes; whole face went numb/left side of face slightly numb; bells palsy; allergic reaction; This is a spontaneous report from a contactable consumer (patient). A 44-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration in arm left on 05Jan2021 at single dose for COVID-19 immunization. Medical history included cutaneous t-cell lymphoma from 2017 and ongoing, ongoing cholesterol, ongoing thyroid, covid-19 from Nov2020 to an unknown date not ongoing (lasted about 1-1.5 months; she did not have any breathing problems) and blood cancer. Concomitant medication included bexarotene ongoing for cutaneous T-cell lymphoma, rosuvastatin ongoing for cholesterol, levothyroxine ongoing for thyroid. The patient underwent lab tests and procedures which included COVID 19: positive in Nov2020, found out tested positive around holiday. Clinical course: onset about 26 hours after administered the first dose; onset as soon as she got back to work next day: 06Jan2021. The side effects were at their worst for at least 24-48 hours. Further described as all side effects occurred only on left side of her body: whole left side of face swelled up on 06Jan2021; left eye turned red on 06Jan2021; whole face went numb/left side of face slightly numb on 05Jan2021; eye went black/left eye looked bruised on 05Jan2021; pressure in head on 06Jan2021; felt like someone squeezing her eyeball out on 06Jan2021, within the first 24-48 hours, her 'left leg went numb'. She called to talk to physician and nurse who advised her to take Benadryl; which she did take and the Benadryl stopped the side effects; but she could not take a lot of Benadryl or anything because she was at work. She stayed at work because at least there were healthcare professionals, adults in case she passed out; at home she has 7 young children and is also raising her grandchild. The side effects did not completely go away.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							<p>The arm thing was normal; The next day she was at work and had the swelling on left side of face; blackness around the eyes; arriving home she had headaches on 07Jan2021 and then her leg went numb for like 20 mins; the whole left side of her body went numb including even her vagina; left side of her body was so numb and weird and tingly feeling that she started panicking because she was driving on 06Jan2021. She calmed herself down thinking it's only the left side; you can drive with your right side to get home and be fine. It was more like left side of her body was asleep, tingling, she has never had that happen before. Everything else like the headache, flu feeling was about 48 hours later (on 07Jan2021). She had COVID already back in Nov2020 for about 1-1.5 months; the next side effects she had were like the COVID symptoms she had, like the chills and everything on 06Jan2021. She had the lethargic feeling again, her head was hurting, she felt extremely weak on 06Jan2021. Patient also felt nausea on 06Jan2021, Dizzy on 08Jan2021. Another doctor said it sounded like the side effects she experienced with the vaccine sounded like allergic reaction or Bell's palsy. Patient was asking the doctor if she could get like an Epi-pen or prescription Benadryl or something because she is afraid to get the second dose of Pfizer COVID-19 Vaccine and not have something to respond to side effects with. The outcome of event whole face went numb/left side of face slightly numb was recovered on 07Jan2021, for headaches was recovering, chills and nausea was recovered on 08Jan2021. Outcome of other events was unknown. Information about lot/batch number has been requested.</p>
946506	1/15/2021	NY	48	M	1/8/2021	1/8/2021	<p>Fatigue starting at 22:00 Impaired night vision starting at 0500 1/9/22 Rigors starting at 0500 1/9/21 Neuropathy in the hands starting at 0500 1/9/21</p>

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
947515	1/15/2021	CO	40	M	1/7/2021	1/7/2021	Headache; blurry vision; fevers; body ache; chills; Second dose on 07Jan2021 (19days) after first dose on 19Dec2020; This is a spontaneous report from a contactable physician (patient). A 40-year-old male patient started to receive BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number EK9231 and expiration date not provided), via an unspecified route of administration left arm second dose on 07Jan2021 07:45 at single dose for covid-19 immunisation. The patient's medical history and concomitant medications were not reported. The patient previously took BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 19Dec2020 for covid-19 immunisation (first dose, Anatomical Location: Arm Left and lot number EJ1685). On 07Jan2021, the patient experienced Headache, blurry vision, fevers, chills, body ache. The patient did not receive treatment for the events. Second dose on 07Jan2021 (19days) after first dose on 19Dec2020. The outcome of the events was recovered in Jan2021. Facility where the most recent COVID-19 vaccine was administered in Hospital. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Patient was not diagnosed with COVID-19 prior vaccination. Since vaccination patient was not tested for COVID-19.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
947518	1/15/2021	OR	34	F	1/5/2021	1/5/2021	tunnel vision; experienced a sudden onset of vertigo; presyncope; My hands became cold and numb; My hands became cold and numb; fatigue; sore arm, leg/thigh aching; sniffles; sore throat; brief dry cough; slight headache; neck ache; This is a spontaneous report from a contactable Nurse (patient). A 34-year-old non-pregnant female patient received the first dose bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), intramuscular on 05Jan2021 at 12:30 at single dose in left arm for covid-19 immunization. Medical history included Mild ADHD/ADD. The patient's concomitant medications were not reported. Approximately 5 minutes after receiving vaccination, she was standing in the observation room (where they had all of them stay for at least 15 minutes to ensure no severe reactions) and experienced a sudden onset of vertigo, tunnel vision and pre-syncope. Her hands became cold and numb and she was trying to talk to another staff member who was arranging/scheduling her second vaccination dose at the same time when this event occurred, but it subsided quickly and she started to feel normal again. All these events occurred at 12:45 on 05Jan2021. She reported this event right away and they had her stay in the room longer. She was stable at that point but experienced these symptoms again but very mildly twice more while she walked back to her car to go home. Other side effects on 05Jan2021 that started in the evening and for the following 2-3 days included fatigue, sore arm, leg/thigh aching, sniffles/sore throat, brief dry cough and slight headache/neck ache. Very mild and tolerable symptoms. All events were reported as non-serious by reporter. The patient did not receive treatment for the events. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was not diagnosed with COVID-19 prior to vaccination, and the patient has not been tested for COVID-19 since the vaccination. The outcome of all events was resolved in Jan2021. Information on the lot/batch number has been requested.; Sender's Comments: Based on temporal association, a possible contributory role of BNT162B2 cannot be excluded for reported events. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

947542	1/15/2021	CA	59	M	1/6/2021	1/7/2021	<p>identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.</p> <p>Swelling of upper left eyelid without redness, heat, or pain consistent with blepharochalasis; This is a spontaneous report from a contactable physician (patient). A 59-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection) via an unspecified route of administration on 16Dec2020, 12:00PM for the first dose (lot number: EH9899) and on 06Jan2021, 12:00PM for the second dose (lot number: EH1284), both in the left arm at a single dose for COVID-19 immunization. The patient's medical history included beta thalassaemia trait and BPH (benign prostatic hyperplasia), both from an unknown date. The patient had no known allergies. Concomitant medications included tadalafil, fluticasone propionate (FLONASE), ketotifen (ZADITOR), and fexofenadine hydrochloride (ALLEGRA); these medications were also received within 2 weeks of vaccination. The patient did not receive any other vaccines within 4 weeks prior to BNT162B2. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. On 07Jan2021, 08:00AM, the patient experienced swelling of upper left eyelid without redness, heat, or pain; onset was in morning after 2nd dose and c/w (consistent with) blepharochalasis. There was no evidence of hordeolum or conjunctivitis. Four days after dose, there was no change in swelling which is not responding to Allegra or Tobradex eye drops. There is short-lived relief with cold compresses. Tobradex was suggested in curbside consult with an ophthalmologist colleague. The event resulted in doctor or other healthcare professional office/clinic visit. Outcome of the event at the time of last observation was not recovered. The report was considered as non-serious; the events did not result in death, were not life threatening, did not caused/prolonged hospitalization, were not disabling/incapacitating, and did not caused any congenital anomaly/birth defect.</p>
--------	-----------	----	----	---	----------	----------	---

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
947591	1/15/2021	FL		F			I got a headache in eye; This is a spontaneous report from a non-contactable consumer (patient). This consumer reported similar events for two patients. This is the 2nd of of two reports. A female patient of an unspecified age received 1st dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on an unspecified date at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient got a headache in eye on an unspecified date the moment she had vaccine but it went away. Outcome of the event was recovered. The event was assessed as non-serious. No follow-up attempts are possible; information about lot/batch number cannot be obtained.; Sender's Comments: Linked Report(s) : US-PFIZER INC-2021021969 same drug/similar events, different patients
947498	1/15/2021			F	1/5/2021	1/1/2021	sharp spams on the right side on the bottom/back of my head; some puffiness and swelling under my eye; some puffiness and swelling under my eye; swelling and pain in my arm; swelling and pain in my arm; sharp pain; This is a spontaneous report from a contactable Other Health Professional (patient) reported that a (44 unknown unit) female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot/Batch Number and Expiration Date unknown) via an unspecified route of administration on 05Jan2021 at single dose for COVID-19 immunisation. The patient's medical history included had fillers or Botox under eyes as it was injected with that 5 months before Jan2021. The concomitant medications were not reported. Patient experienced normal side effects like swelling and pain in arm, but (about 2 days before 08Jan2021) on 06Jan2021 she experienced some puffiness and swelling under eye. This Saturday (09Jan2021) patient started experiencing sharp spams on the right side on the bottom/back of my head. Persistent for 3 days. The sharp pain lasts for a few seconds then goes away and then randomly comes again. Patient was experiencing symptoms and wanted to see if others have been reporting this as well. The outcome of events was unknown. Information about lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
946427	1/15/2021	PA	77	F	1/14/2021	1/14/2021	About 4 hours after vaccination, I started with itchy eyes, then mild swelling of upper and lower eyelids, which lasted about 2 hours. I also experienced itching of head, face, neck, upper trunk and arms from about 1:30 pm, for 4 or 5 hours, without any visible rash.
947594	1/15/2021			F	12/21/2020	12/27/2020	she had a little bleed in the blood vessel of her left eye; This is a spontaneous report from a contactable other healthcare professional (patient). A female patient of unspecified age received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot/batch number and expiration date not provided), via an unspecified route of administration on 21Dec2020 at single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient asking if bleeding of the eye was an adverse reaction to bnt162b2. Patient received the Covid vaccine on 21Dec2020 and on the 27Dec2020, she had a little bleed in the blood vessel of her left eye. She was supposed to get the second vaccine today (11Jan2021) at 12:30. The outcome of the event was unknown. Information on the lot/batch number has been requested.; Sender's Comments: A possible contributory effect of suspect BNT162B2 on reported event cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
945985	1/15/2021			F			blurry vision; double vision; This is a spontaneous report from a non-contactable consumer. This consumer reported same events for two patients. This is first of two reports. A 7 decades old female patient received bnt162b2, via an unspecified route of administration on an unspecified date at single dose for covid-19 immunization. The patient's medical history and concomitant medications were not reported. The patient experienced blurry vision, double vision on an unspecified date. The reporter told that her elderly aunt and uncle (ages 60+ and 80+) received the Pfizer vaccine and experienced blurry vision and double vision. The outcome of events was resolving. Information about Lot/Batch number is requested.; Sender's Comments: Linked Report(s) : US-PFIZER INC-2021015734 same reporter/drug/AE with different patient
945987	1/15/2021			M			Blurry vision; double vision; This is a spontaneous report from a non-contactable consumer. This consumer reported similar events for 2 patients. This is 2nd of 2 reports. A 9-decade-old (80+) male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on an unspecified date at single dose for covid-19 immunization. The patient's medical history and concomitant medications were not reported. The reporter reported her elderly uncle experienced blurry vision and double vision on an unspecified date with outcome of recovering. Information about lot/batch number has been requested.; Sender's Comments: Linked Report(s) : US-PFIZER INC-2021015730 same reporter/drug/AE with different patient.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
946022	1/15/2021	WA	48	F	12/23/2020	12/23/2020	itchiness (like something crawling in my face and extremities) all over intermittently lasted 2 days; This is a spontaneous report from a contactable nurse. A 48-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EJ1685), via an unspecified route of administration, at the left arm on 23Dec2020 09:30 at single dose for COVID-19 immunization at a hospital. Medical history included dry eyes, carcinoma in situ, and procedure of complete hysterectomy. The patient was not pregnant at the time of vaccination. Concomitant medications included camellia sinensis extract (GREEN TEA), ciclosporin (RESTASIS), estradiol (VIVELLE DOT). The patient previously took augmentin and experienced allergies. The patient experienced itchiness (like something crawling in my face and extremities) all over intermittently lasted 2 days on 23Dec2020 09:30 and was treated with cetirizine hydrochloride (ZYRTEC) x1 on the second day. The patient recovered from the event on 25Dec2020.
946157	1/15/2021		43	F	1/13/2021	1/13/2021	Called to see pt in drive up lane 7 min post vaccination. She immediately felt after the vaccination, numbness and tingling in L face on the buccal side and her L arm. She felt like her L side of the face and eyelids were swelling. She was agitated and worried. Past medical history of breast cancer and axillary swelling. Initial examination lungs CTA, regular tachycardia. Pt moved to observation area. Initial vitals: BP: 154/82, HR 129, 97% O2 Benadryl 25 mg po given at 10:25am EMS notified and first injection 3mg Epi pen injection given at 10:41am; 911 called. BP 154/82, 136, RR 20, O2 sat 99% 10:43am. Second epinephrine 3mg injection given at 10:44am. BP 162/84, HR 131, RR 22, O2 sat 100% at 10:49am. At 10:49am, she suddenly was short of breath, general malais, delayed ear swelling, and was put on a stretcher and 10L non rebreather. She was brought to Medical Ctr at 10:54.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
946170	1/15/2021		37	F	1/5/2021	1/10/2021	Disclosure: I do not have a severe side effect- I want to report this do it can help science. Hope it helps. Minor adverse event - 1. Bull's eye Rash on the vaccine site. I have taken a photo if ever needed. 2. Swollen lymph nodes. I wanted to emphasize on the bull's eye rash which started after 5 days after vaccination. it's itchy and swollen. No pain or other discomfort. I never noticed lymph nodes before the peculiar rash. I am overall health and has no other contra indications.
946178	1/15/2021	CA	59	F	1/14/2021	1/14/2021	59 y/o female experienced right distal arm and hand paresthesias about 10-15 minutes after receiving the Moderna Covid-19 vaccine in the same arm. She stated that this was atinging and burning sensation and indicated the dorsal hand, middle three fingers with some lesser extension on he palmar side of same. After a few minutes more she noted this in a circular palmar zone and along the radial aspect of the wrist, extending about 3 inches up the radial aspect of the arm from the wrist. She laater on questioning of other symptoms stated that she had a mild pain in the mid right abdomen and a mild pain under the left eye / lower lid. She was monitored for an hour. No "treatment" was given. She was allowed to proceed home and was instructed to inform her primary care provider.
946187	1/15/2021	MD	28	F	1/14/2021	1/14/2021	Severe atm soreness, headache 2 hours after. Watery eyes and fatigue 6 hours later.
946206	1/15/2021	NH	34	M	12/30/2020	1/6/2021	Shingles on the right side of my face. Symptoms include cold sores, mouth sores, severe tooth pain, some pain in my eye, no serious issues with the nerves of my right eye. Put on Valtrex. As of today, 1/15 still have symptoms but am improving.
946246	1/15/2021	TX	20	F	1/14/2021	1/14/2021	itchy eyes, ears hot and facial flushing/rash
946271	1/15/2021	MA	27	M	1/13/2021	1/13/2021	Uncontrollable tremors, flopping around like a fish out of water, head pressure, like my head was a balloon and it was being inflated. Temporary paralysis, felt like a magnet was pulling me down. dizziness, light sensitivity, no appetite, blurred vision. It really sucked.....

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
946327	1/15/2021	PR	38	M	1/8/2021	1/14/2021	On 1/14/2020 at 6:00 PM feels face, eyes, mouth, and nose swollen. He took one Benadryl 25 MG, then at 5:00 PM at the moment he feels well. This is notified to the Medical Director.
946577	1/15/2021	TX	68	F	1/13/2021	1/13/2021	irritation of eyes bilaterally, redness to cheeks and forehead
946418	1/15/2021	WI	54	F	1/11/2021	1/11/2021	Fever 101.5. Body aches, chills, severe headache and eye pain, foggy head and forgetfulness, nausea. This started 8 hours after injection and lasted for 24 hours. Extreme exhaustion followed the next 24 hours. Severely blood shot eyes developed during first 24 hours and remains still after 78 hours. Still having brain fog after 78 hours.
946826	1/15/2021	MI	72	F	1/9/2021	1/9/2021	At facility - tingling & numbness on lips and tongue - predominantly on the left side - this has continued with occasional spreading to nose & eyes & sometimes on other side of face - it waxes & wanes Same day - headache, dizzy, exhausted - lasted 2 days Next day - nausea, intestinal discomfort - continuing mildly Mild headache continuing
946455	1/15/2021	VT	37	F	1/13/2021	1/13/2021	At 2000 on 1/13/21, I started to experience intense ache at the injection site, which by 2200 progressed to myalgias in my back, especially lower back, neck, and right arm. At 2300, I started to have fever/chills, up to 39 C orally. This only partially responded to Tylenol. I was not able to sleep. At 2:30 am I noticed an unusual headache, 8/10, as well as bilateral eye pain on Moving eyes side to side as well as sensitivity to light. Headache was mostly frontal, which came and went every few minutes until exactly 11:38 am on 1/14/2021, when the fever and myalgias very suddenly got significantly better. Almost exactly 24 hrs to the minute after injection. On 1/15/2021, I still have significant pain in my left arm, swelling, redness and, now, itching at the injection site. My lower back still hurts.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
946480	1/15/2021	NY	54	F	12/31/2020	12/31/2020	Soreness at the injection site x2 days Headache x1day Right eye upper lid (spasms/weakness, feels as if my upper lid gets stuck, lasting only a few seconds, not painful and doesn't affect my vision). It occurs intermittently throughout the day and began approx. 2 hours after receiving the injection.
946489	1/15/2021	NJ	41	M	1/15/2021	1/15/2021	Patient was nervous/diaphoretic upon arrival to vaccine appointment. Patient received vaccine, was brought to observation area and seated, and within one minute patient lost consciousness and fell to ground from seated position. Patient was log rolled and opened his eyes and responded to name calling immediately after fall. V/S were taken, loaded onto stretcher. MD took HR, was in 40s. Initial full set of vitals 09:10 BP 115/70, HR 66, o2sat 99%. Laid reverse trendelenburg in stretched. Physician on site and EMS was immediately called. Patient was diaphoretic and responsive/speaking. 09:13 121/55, HR 62, O2sat 98%. 09:17 120/57, HR 78, O2sat 98%, 09:25 118/68, HR 69, O2Sat 96%. At 9:31 patient left for ED with EMS. Of note, patient reported after the fact that he has history of nervousness/anxiety with needles.
946500	1/15/2021	NY	92	F	1/14/2021	1/14/2021	Patient stated she felt like she had water behind her eyes post vaccination

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
946542	1/15/2021	NY	26	F	1/10/2021	1/13/2021	Patient developed angioedema of her eyelids after COVID-19 vaccination. She received her Covid vaccine on 1/10/2021 at 11:30 AM. She received the Pfizer vaccine. She works at a nursing home. She had some fatigue and tiredness during the day but woke up on the second day without any symptoms. On 1/30/2021, she developed bilateral eyelid swelling. The swelling is mild to moderate intensity involving the upper and lower eyelids bilaterally with a prickly burning sensation associated with pruritus. The reaction lasted less than a day and resolved without any skin desquamation, scarring or bruising. She denies any hives anywhere else. She does not have a large local reaction at the injection site. She denies respiratory complaints, GI symptoms, lightheadedness, loss of consciousness, wheezing, swelling of her throat or other symptoms consistent with anaphylaxis. She used Benadryl with significant improvement. She had a significant reaction after influenza vaccination consisting of swelling of her face and her eyelids with development of dry patches bilaterally within 2 days, resolving with skin desquamation. The reaction lasted for 1 week. She received her influenza vaccination in October 20, 2020. She was seen in our office in 2012 for bilateral eyelid angioedema with associated urticaria shortly after swimming in the pool. She was given oral antihistamines ?Zyrtec once daily? with significant improvement as well as prevention of this reaction. She has not had this reaction for more than 6 years.
946585	1/15/2021	WI	56	F	1/15/2021	1/15/2021	She reports symptoms of dizziness. Patient rates her dizziness at 1 (1-10 scale), her dizziness does not change with position or activity. She reports "I only have a little dizziness, nothing else". She reports she her contacts are in place and her vision is unchanged. She questioned if this was in her head because someone she knows had dizziness after her COVID vaccine". Speech and behavior normal. ? Injection time 0814 Observation time 0814-0853 ? Treatment/intervention - Patient stayed in observation area >30 minutes, drank 480 ml of water while resting. Patient denied need for further evaluation. Husband is driving her home (this was pre-planned prior to injection).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
946589	1/15/2021	TX	31	M	1/5/2021	1/6/2021	Right side of my face felt odd. Areas affected were close to my mouth, around my cheek bone and around my eye. The areas mentioned felt something like tense/heavy. This lasted about 4 to 5 days. I had soreness in my lower back as well. This lasted two days.
946734	1/15/2021	TX	67	F	12/29/2020	1/2/2021	Acute anterior uveitis, right eye Patient given Tobradex (steroid-antibiotic drops) from PCP on 1/2/21 She then saw me, her ophthalmologist on 1/5/21. She was noted to have significant nongranulomatous anterior chamber reaction (2+ cell). There was no hypopyon or keratic precipitates. She was symptomatic with pain and light sensitivity in the right eye only. (Of note, the left eye was quiet. It had undergone cataract surgery and recently discontinued postoperative steroid drops). I discontinued the Tobradex and start Durezol drops every 2 hours. Of note, she has no history of uveitis. I saw her again 1/12/21 with complete resolution of the inflammation. She is currently tapering down on the topical steroid. I will see her again on 1/26/21 while taking Durezol 1x/day. This should be about 3 days from her second vaccination
946785	1/15/2021	NC	37	F	1/12/2021	1/13/2021	Severe Migraine 10/10 lasting 24 hours (felt like my head was going to explode ice applied to my eyes and next), Nausea, Body aches lasting 24 hours ( could not move without help pain 8/10), congestion, fatigue.
946792	1/15/2021	WI	54	F	1/4/2021	1/12/2021	At day 7 after receiving the vaccine, a rash developed on my entire body. Including the Hutchinson's sign found on the right side of nose, eye and ear. Immediately began treatment for shingles of 1 gram Valacyclovir prescribed by Urgent Care. Referred then for vision examine which found an eye complication including inflammation and zoster lesions on the right eye. Treatment of Zirgan 0.15% ophthalmic gel started. Rash around left eye began 01/15/2021.
946811	1/15/2021	MA	32	F	1/11/2021	1/13/2021	DELAYED reaction including hives and bulging eye.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
946813	1/15/2021	MO	32	F	1/5/2021	1/5/2021	At approximately 5 minutes into the 15-minute monitoring window, I became severely dizzy, flush, and light-headed while simultaneously experiencing right-sided tingling, the altered sensation from my forehead to collarbone (right side only). At approximately four hours post-vaccination my right eye had mild blurriness to my vision. The vision resolved within a few hours but the altered right-sided sensations continued for 6 days, gradually improving. The lightheadedness and dizziness that required cool clothes and elevated feet resolved enough to stand after 30 minutes.
946377	1/15/2021		47	M	1/15/2021	1/15/2021	Pulse dropped to 30. Low pressure too. Brachycardia. Lost consciousness. Did not seem to be Vasovagal. Saline IV. Blurred vision. Very. Strange. Girl friend said I seemed catatonic for about 5-10 seconds. Cold sweat. Dizziness. Immediate Symptoms lasted about an hour. Injection site very sore 10 hours later. Body pains.
949430	1/15/2021	NY	59	F	12/28/2020	1/6/2021	Neurological problems. Difficulty speaking and opening my jaw. Unable to write or say more than one word at a time. I also had some visual disturbances. These episodes came in waves, lasting 15-30 mins at a time. They happened 3 days in a row. Each episode was followed by fatigue and diaphoresis.
948302	1/15/2021	MD	68	M	1/14/2021	1/15/2021	Severe Headache Soreness at injection site Heavy eyes SOB Chills
948316	1/15/2021	AL	39	F	1/6/2021	1/6/2021	Itchy, swollen eyes with clear drainage, blurred vision at 630pm Eyes was swollen shut by 2am (still itching) I took some Claritin about 215am using ice packs to help with swelling Woke up with swollen eyes at 6am (still itching) Came to work with swollen eyes took Benadryl around 830am. Eyes was still swollen but not as bad still draining and itching. By noon I was having muscle aches and chills no fever. left work at 1215pm went home and increase fluids and took another 2 Benadryl and slept until the next day. Eyes was better still puffy and itchy with small amount of drainage.
948318	1/15/2021	CA	92	F	1/12/2021	1/13/2021	redness at injection site on arm. following day, similar redness appeared on cheek under eye. two days later, redness has not resolved on arm

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
948336	1/15/2021		54	F	1/4/2021	1/6/2021	Pain in left arm. Joint pain, I immediately had nausea and a metallic taste in my mouth for 2 hours. Mysugar climbed to 250 by dinner time. By bed tme my sugar was 300. I did not eat dinner. I had no appectite. I increased my insulin and metformin dose. I had chills and fevery thru the night and the next day. High fever 101. I treated this with tylenol and showers. I was really sleepy all day. I had little to eat and still my sugar was 300 most of the day. on Jan 6. I woke up and had a hemmorrhage in my right eye. I called my retinol specialist and and received an injection of Eylea on Jan 7, 2021
948389	1/15/2021	NE	43	F	1/13/2021	1/13/2021	Patient to ED for evaluation of symptoms after a Covid vaccine earlier today. She had her second Covid vaccine here at the hospital where she works about 8:30 AM. About 10:00 she started having shakes and a headache and just not feeling right. She has had some periods of palpitations and feeling like her heart is racing as well. She called employee health and was referred in to see us. At this time she says she still has some headache and overall feels weird but no other new symptoms. No chest pain or shortness of breath or palpitations at this time. No trouble breathing. No fever. No visual changes but the light does bother her eyes. She does have a history of migraine headaches that are like this at times. The pain is in her forehead, not globally or in her neck. She has no neck pain or stiffness. She did not have much of reaction after her first vaccination. She does have a history of hypertension but has been taken off her medication because her blood pressures have been well controlled. She states that she does check them regularly at home and they have been okay. She denies any other recent sick symptoms. No other significant chronic underlying medical problems. Medications administered in the ED included ibuprofen 600mg and diphenhydramine 25mg orally at 1415, and acetaminophen 1000mg orally at 1000mg. Headache was better at 1540, blood pressure was lower at 139/90, no shaking. Pt discharged home.



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
948396	1/15/2021	AZ	32	F	1/12/2021	1/12/2021	Symptoms started to occur roughly an hour and a half after the injection. Symptoms included tingling of pins and needles throughout my body. A weird overwhelming feeling that something was wrong with my body but I did not know what and that my body was going to shut down. I would go through phases where my body would get overwhelmed flushed and hot and I would be confused or dazed in that moment until it passed. I started to have vision problems in my right eye with it going blurry and pain behind my left eye almost as if it was swollen. It felt like there was something in the back of my thought and I had to cough to get it out and it felt like that my bottom lip was swollen. When I got to the ER because I did not know what was going on when waiting in the waiting room my symptoms worsened. In the ER lobby I started having issues with my speech with not being able to say what I wanted to say and repeating the somethings over and over again. The tingling starting going into my throat, neck, and head area and I started getting sharp pain in my head. When everything started to intensify the knot in my throat got worse and I started coughing more. Before I knew it I was unable to swallow, I was unable to breath, it felt like my throat was closing shut and I had to tell medical staff due to still being in the ER lobbing and not having any type of medication. I felt like I was going to pass out and was seeing flying dots due to having a hard time breathing, it felt like I was going to choke on my tongue and my throat was completely impeded. After being taken back in the ER they provided me with the following medications. diphenhydraAMINE 50 MG/ML, dexAMETHasone sodium phos, famotidine 20 mg/2 mL ink, EPINEPHrine 1 mg/mL. 1 mL inj. And was monitored until my vitals were stable to go home.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
948410	1/15/2021	NC	40	F	1/14/2021	1/14/2021	<p>This facility staff member received her first dose of the MODERNA COVID-19 vaccine (Lot037K20A/EXP 6/22/21) at clinic at approximately 9:15AM on 1/14/21. She initially answered "no" to any allergies on the VAR but revealed to the pharmacist reviewing the VAR that she had experienced an allergy to food and contrast dye that required an epi-pen and hospital attention. She did not offer additional details and explained that she had tolerated other shots (including the 2020 flu shot) without incident. I advised patient to remain for a 30 minute monitoring period post-vaccination due to history of allergic reaction. Patient presented with some anxiety before the shot and immediately started to complain of feeling "sick" and said she was having trouble breathing due to chest pressure. We advised patient to remove her mask and provided her with water and a trash can though no vomiting occurred. After 15-20 minutes, patient still complained of chest pressure and difficulty breathing. When asked if she was experiencing any itchiness or throat swelling, patient said she did feel some throat swelling so she was given 25MG of Benadryl. After an additional 15 minutes, patient's condition seemed unchanged (not worsening, not improving) so the facility's nursing team was called to evaluate patient. Patient said she was still experiencing difficulty breathing and throat swelling so nursing advised use of EPI-PEN and patient consented. I administered a dose of 0.3MG (LOT0FM4066/EXP 02/2022) to the right lateral thigh and nurse called for EMS. Immediately after injection, patient's eyes fluttered and she seemed to be on the verge of fainting. Nursing checked her oxygen saturation which was 100%. Patient reported no improvement after 5 minutes so another EPI-PEN 0.3MG was administered to the left lateral thigh. Nursing also gave the patient 81MG chewable aspirin due to the patient experiencing a stroke last month. EMS arrived a few minutes after the second EPI-PEN dose and patient was transported to the hospital for evaluation. Facility reported that patient went home that afternoon but did not provide details. Based on my assessment of patient's symptoms and behavior, I feel it is likely that she experienced either an acute panic attack or anaphylaxis due to vaccine administration. I called the patient today (the day after the incident) and she confirms that she received treatment for an anaphylactic reaction to the Moderna COVID shot and is</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							doing well without any lasting adverse effects.
948426	1/15/2021	CA	34	F	1/14/2021	1/14/2021	Reaction started 40min after injection. It started with tingling above the lips and then numbness on the whole face + redness on face and neck per coworker, then collapsed trying to go to the bathroom to look at the redness, then had generalized weakness for about 45 minutes (couldn't move at all or open mouth and eyes). I was finally able to open my eyes 1 hour after it started. Got discharged 2 hours after symptoms resolution. No medication was needed, symptoms gradually faded away.
948439	1/15/2021	TX	31	F	1/15/2021	1/15/2021	2:55 patient noted to be anxious in observation area. patient requested to sit for 1 hour instead of 15 mins. patient stated she "had a bad feeling about the vaccine". patient shared she felt itchy. patient self ambulated to private observation area with EMT and RN present Door opened to allow fresh air, patient encouraged to removed mask, take deep breaths and "blow out candles". Left shoulder redness noted. Back examined and redness confined to shoulder. No respiratory distress noted 3:02 ice applied and patient given bottled water 3:06 patient stated that itching improved 3:11 25mg Benadryl oral given Vital signs monitored: 3:00 Pulse 102   PO2 99%   BP 120/80 Respiratory rate 20 breaths per min 3:03 Pulse 84   PO2 99% 3:10 Pulse 88   PO2 99% Breaths sounds clear Patient declined need for ambulance Picture of left shoulder taken with patient's phone to provide visual baseline 3:30 patient ambulated with RN to meet parent at car RN provided update to parent and discharged to car EMT and RN recommended to patient that she pre-medicate with Benadryl prior to 2nd dose
948449	1/15/2021	CA	63	F	1/11/2021	1/11/2021	About 12 mins in, right eye got real dry. A few minutes later got stuffy nose. A few minutes later, throat got dry. Throat was red but not sore. Took a Benadryl and it went ago. For Three days it was sore, had some redness below the injection site.
948451	1/15/2021	NC	75	F	1/13/2021	1/14/2021	Pt. reported: Swollen eyelids, lower lip, lower cheeks and below jaw. Pt. called primary care provider, who thinks this an allergic reaction to the vaccine. Advised pt to notify HD. Pt. did put this info into the v- safe info that was given.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
948287	1/15/2021	OR	50	F	1/11/2021	1/11/2021	Swelling around both eyes, itching around eyes, progressing to general facial itching. Swelling worsening over the 5 days after injection leading to Urgent Care visit.
948458	1/15/2021	CT	32	F	1/13/2021	1/14/2021	Severe arm pain at injection site night of. At 5:15 AM the following morning (1/14/21) I experienced lightheadedness and fainted off the toilet hitting my face on the wall/radiator in front of me. My husband (who witnessed the fainting episode) stated I began convulsing and my eyes were rolled to the back of my head for 5-10 seconds. Upon regaining consciousness I was covered in sweat. After being assisted back to bed, I had nausea and headache with continued severe pain at injection site. I went to the ER around 6:45 AM since my severe headache, dizziness and nausea continued and to examine if I broke my nose in the fall. While in triage at the ER I experienced severe nausea and a second episode of fainting.
948499	1/15/2021	KY	55	F	1/14/2021	1/15/2021	PT C/O WAKING UP WITH BAD MIGRAINE AND OCULAR AURA THIS MORNING, MAINLY IN RIGHT EYE, ALONG WITH SORENESS IN ARM WHERE VACCINATED; ALSO C/O EXTREME ITCHING IN HER FEET.
949532	1/15/2021	WA	63	F	1/15/2021	1/15/2021	She states that she felt lightheaded and that her vision "went black" for about 10 seconds, during which time she was standing and holding on to her husband, and then quickly recovered spontaneously and subsequently felt fine. Has had a previous history of this adverse event with previous injections. Namely the allergy shots she gets from her allergist.
949555	1/15/2021	NY	71	M	1/13/2021	1/14/2021	Received Pfizer vaccine, first dose on Wed. 01/13/21 between 12 and 1 P.M. Thurs. 01/14/21 in the afternoon he began to note that he had difficulty walking. Went to bed when he woke up at 5:48 A.M. he reported he had ataxia. Patient reported having to walk in tiny steps to stay upright. He went to the emergency room. Had CT scan of head and found blood clots. MRI performed. Stroke found in right PCA territory, but no loss in strength in left lower extremity. Sensation and vision intact. Strength in all four extremities is 5 out of 5.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
949566	1/15/2021	KS	29	F	1/13/2021	1/13/2021	Jan.13th- Diarrhea, extreme fatigue, extreme nausea, body aches, congestion, rash under eyes and on nose (itchy and burning). Jan14- extreme fatigue, nausea, loss of appetite, rash continues but no itching, light on burning, body aches, cold, could not get warm, temp stayed around 96.0-97.0 Jan 15- fatigue, nausea, extreme congestion, sweats, symptoms of a fever over night and during day. Cold sweats, shakes, cold then hot, body aches, fatigue. These happened off and on through the day. When started feeling crappy took temp and it was 99.6-99.8. When feeling cold temper drops down to 97.0 scratchy voice voice congestion, runny nose, little sore throat, when swallowing pills or hard texture foods, sometimes drinking something. Overall feeling of a cold. I think it?s important to note that I had Covid-19 in the month of November and received my first vaccine December 22nd. I had side effects after the first shot but not nearly as bad as this time. I am nurse in a doctors office if that matters at all. I am still feeling under the weather but wanted to get these down before I forgot them.
949567	1/15/2021	CA	28	F	1/8/2021	1/9/2021	Facial swelling, especially around the eyes (no history of facial injections or fillers). Symptom was present upon waking the day after vaccine administration, remained for a couple hours and dissipated on its own
949632	1/15/2021	PA	59	F	1/14/2021	1/14/2021	Five to seven minutes after injection felt dizziness, chest tightness, flash, pressure in eyes, nausea. Blood pressure was measured by a medical technician, first measurement 178/92 mmHg, ten minutes later systolic 147, after another 10 minutes 141 mm Hg. Was no treatment offered at that time, had a choice to be escorted to an emergency department, or leave. Left with BP 141/75 mmHg, took Benicar 20 mg at 11am. At 2 pm BP was 136/72 mmHg, at 4 pm 104/72 mmHg. The rest of the day had a light headache .
949633	1/15/2021	WA	61	F	1/10/2021	1/13/2021	Increased fatigue with dizziness. On the 3rd day at around 2130 I walked into my home and woke up on the floor. EMS was called and I was sent to the emergency room. Bruising to my left eye with a short LOC.
949771	1/15/2021	CA	28	F	1/14/2021	1/15/2021	Body aches, headache, fatigue. But the one concerning me is my right eye is swelling and is very painful.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
949798	1/15/2021	WI	31	F	1/12/2021	1/12/2021	Chills started at 8pm 1-12-21, turned into body aches and sweats, fever started middle of night and lasted until noon on 1-13-21, reaching 101.0 at the highest. Then had headache and sore eyes and fatigue. Body felt hot 1-14-21 with no fever just fatigue. Felt fine 1-15-21. Previously was dx with a positive COVID test in October of 2020.
949805	1/15/2021	AZ	37	M	1/12/2021	1/13/2021	Severe fatigue, and severe body chills. Fever. Muscle/joint pain. Took a very hot shower for an hour to stop the chills. It was so bad it was hard for me to walk. Slept for most of day after shot. I was extremely fatigued and all I could do is sleep. Some very minor visual disturbances (trying to focus my eyes). Slight altered level of consciousness when body chills hit.
949816	1/15/2021	CA	54	F	12/31/2020	1/2/2021	1st covid vaccine received on 12/31/2020. On 1/2/2021 in the am had her right eye and cheek swollen, headache and chills by afternoon mouth and right eye was drooping. Was prescribed RX prednisone on 1/15/2021. Current symptom (1/15/2021) is mouth drooping, other swelling and eye drooping resolved. Reports has occurred twice before. About 7 years ago with unknown etiology, lasted for about 6 months, Occurred again about 5 years ago with unknown etiology and lasted about one month.
948112	1/15/2021	TX	39	M	1/13/2021	1/13/2021	Vaccine to R deltoid numbness & tingling to L arm. Face & neck felt tingly. Hands cold. BP 170/130 @ 315 150/102 @ 3:40 P92->P 83 O2 100% Has slightly elevated BP regularly normal 140/90. Has a BP cuff @ home Alert & oriented. Talkative. Eye contact Normal Gait & Movement

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
947596	1/15/2021	FL		F	1/5/2021	1/8/2021	numbness in her mouth and shoulder; numbness in her mouth and shoulder; blurry vision; elevated pressure; her arm became painful; sharp pain in the middle of the chest; This is a spontaneous report from a contactable consumer reported for self. This female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 05Jan2021 15:30 pm at single dose for covid-19 immunisation. Medical history included rib surgery last Sep2020. She had an episode on Friday morning 08Jan2021 with a sharp pain in the middle of the chest that was so bad she had to take Ibuprofen and lie down with a heating pad to her chest. After that, she had numbness in her mouth and shoulder, and had blurry vision to which she had her son call 911. As the EMTs arrived they recorded her with elevated pressure and took a cardiogram which reported everything was 'perfect', no stroke, no heart attack. She mentioned that she had a rib surgery last Sep2020 and was still healing and took pressure medication for it, She mentioned that the EMTs told her to take the medication in the morning and not in the afternoon and that the episode was not related to the vaccine. She also reported that her arm became painful for a day after the injection but it did not cause her anything else. She knows that other ladies who received the vaccine in her building had flu-like symptoms and was asking if her symptoms were reported for the vaccine. Patient mentioned that she was calling to report her side effects and that she will receive the 2nd dose on 26Jan2021. Outcome of the events was unknown. Information about lot/batch number has been requested.
948457	1/15/2021	MO	63	F	12/23/2020	1/9/2021	Migraine with aura on day of vaccine 12/23/2020. Hemiplegic migraine with right side weakness and visual aura 01/09/2021 with no history of motor symptoms with migraine for 37 years. Migraine with aura 01/12/2021. Hemiplegic migraine 01/14/2021.
947765	1/15/2021	PR	51	F	1/15/2021	1/15/2021	body itching, eye itching and irritation, body warmth, chest tightness, bradycardia

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
947636	1/15/2021	PA	61	M	1/5/2021	1/6/2021	Chills; Right eye was swollen; This is a spontaneous report from a contactable consumer (patient). A 61-year-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EK9231), via an unspecified route of administration on 05Jan2021 at single dose for COVID-19 immunization. The patient medical history included ongoing diabetes and blood pressure high from an unknown date and unknown if ongoing. The patient's concomitant medication included metformin at 500 mg for diabetes. On 06Jan2021, the patient experienced chills and right eye was swollen. The patient outcome of chills was recovered and the outcome of "right eye was swollen" was not recovered.
949457	1/15/2021	AK	58	M	1/6/2021	1/7/2021	The day after the second dose of the vaccine this person woke up with fever, chills, muscle aches, frequent urination, and facial swelling especially around eyes.
948277	1/15/2021	TX	54	F	1/4/2021	1/6/2021	Left arm sore, instantly nauseous for 2 hours, metallic taste in mouth for 2 hours. Fasting glucose was 89 in the morning. by 1400 hours my glucose was 250. By bed time it was 300. I did not eat dinner and adjusted my insulin and took an extra 500mg metformin. I had chills and fever through the night and all the next day. Fever 99 to 101. Tylenol and showers used to control fever. I was very sleepy all that day. I was sleepy with the first shot also. I woke up on Jan. 6, 2021 with a hemorrhage in my right eye. I called the retinol specialist and was given a shot of Eylea in my right eye Jan. 7, 2021., He asked that I report this adverse reaction.
947724	1/15/2021	CA	53	F	1/13/2021	1/13/2021	Within 10 minutes of receiving vaccination, I started to sweat profusely. almost immediately pain started in my Lt eye which progressed to my Lt side of the head and Lt side of the neck started to stiffen up. About 20-25 minutes later, I started to feel tingly (like goosebumps) on my Lt side of the body and felt cold on the same side. All these symptoms lasted for the whole night but did not get any worse though.
947732	1/15/2021	MD	34	F	1/15/2021	1/15/2021	Client reported "tingling sensation around eyes and going to neck.~~



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
947737	1/15/2021	WI	50	F	1/15/2021	1/15/2021	Employee received vaccine at 10:30 10:40- during post-vaccination observation period, Employee reported sensation in throat while swallowing, eyes watering, occasional cough-Denies troubles breathing, denies swelling of lips tongue or throat. Drank water without difficulties 10:49- Provided 25mg of PO liquid diphenhydramine Observed- continued to have symptoms. Emergency Response Team called 10:55- Pt reports some improvement in symptoms- coughing resolved 11:02- Additional 25mh of PO Liquid diphenhydramine provided. Pt was transported to Emergency Room for Evaluation
947743	1/15/2021	PR	51	F	1/15/2021	1/15/2021	body itching, eye itching and irritation, body warm, chest tightness, bradycardia
947764	1/15/2021	TX		F	1/14/2021	1/15/2021	When my wife woke up in the morning. She started shaking all over. Her eyes were wide open. I tried to get her into bed and she did the same thing. I got her dressed and went to PCP. The MDF ran blood work and did covid and flu shot test. MD stated if she continues we would run a CAT scan. She is now achy, has a bad headache and extremely exhausted.
947693	1/15/2021	NY	47	F	1/8/2021	1/8/2021	Immediately upon injection earache and numbness in face and eyelids.. tingling. After approximately 5 minutes throat tightening sensation and a pain in my neck. Rapid heartbeat for approx 5 minutes and a feeling of flushes. Sat for 30 minutes. Left and approx 45 minutes after shot I took a Benadryl which helped the throat. Numbness in face persisted, usually associated with migranes but was more pronounced. Resolved after 3 days.
947773	1/15/2021	MD	34	F	1/15/2021	1/15/2021	Client reported "tingling sensation around eyes and going down to neck". BP @ 12:40 120/77 p 77. Client felt better after 15 minutes of resting. Encouraged to rest at home and call PCP in case of adverse reaction.
947779	1/15/2021	MI	33	M	1/14/2021	1/15/2021	Left eyelid swollen, no redness of eyeball

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
947811	1/15/2021	FL	42	F	1/6/2021	1/6/2021	Moderna COVID?19 Vaccine EUA - had mild swelling of right eye about 30-45 min after injection - later that day had headache, fatigue and mild dizziness. For 24-48 hours after injection had nausea, fatigue, dizziness off and on - swelling of right eye about the same. 72 hours after injection noticed moderate swelling of both eyes, right worse than left and swelling of upper lip. Also had some numbness and tingling to upper palate and back of throat. Took 3 doses of benadryl that day and have continued to take zyrtec daily for 5 days - swelling has improved quite a bit but still noticed in right eye. Swelling of lip and numbness and tingling of throat resolved after 2-3 doses of benadryl.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
947854	1/15/2021	NC	45	F	1/7/2021	1/7/2021	Fever 101.2 orally; chills; body aches; headache; nausea; vomiting; first dose on 18Dec2020, second dose on 07Jan2021; This is a spontaneous report from a contactable nurse. A 45-year-old female patient received BNT162B2 (PFIZER BIONTECH COVID-19 VACCINE), via an unspecified route of administration on the left arm, first dose (lot number: EL0140) on 18Dec2020 at single dose then second dose (lot number: EK9231) on 07Jan2021 18:45 at single dose for COVID-19 vaccination. Medical history included hypertension, depression, osteoarthritis (OA) and known allergies to ACE inhibitors and sulfa eye drops, on unspecified dates. The patient is not pregnant. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine, did not have COVID-19 prior to vaccination. Concomitant medications in 2 weeks included losartan, bupropion, fluoxetine hydrochloride (PROZAC), triamcinolone acetonide (NASACORT), naproxen sodium (ALEVE), and colecalciferol (VITAMIN D) from unspecified dates. Facility where the most recent COVID-19 vaccine was administered was at the hospital. The patient experienced fever 101.2 orally, chills, body aches, headache, nausea, vomiting on 08Jan2021, 5 hrs 15 min onset from last dose on 07Jan2021. Adverse event resulted in doctor or other healthcare professional office/clinic visit. Treatment received for the adverse events includes paracetamol (TYLENOL), ondansetron (ZOFRAN). Since the vaccination, the patient has not been tested for COVID-19. The patient underwent lab tests and procedures which included body temperature: 101.2 (unit unknown) on 08Jan2021, and SARs-CoV-2 test (COVID test) with unknown results on an unspecified date. The outcome of the events was not recovered.
948040	1/15/2021	TX	62	F	1/8/2021	1/8/2021	I have facial fillers under my eyes. The filler on the left eye was swollen and red.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
948274	1/15/2021		40	F	1/15/2021	1/15/2021	<p>1000 - Patient c/o headache. States she is a diabetic. Took meds for diabetes this morning and ate breakfast. States she experiences headaches when blood sugar out of control. States she feels dry. Gave water. Swallowing without difficulty. Has a glucometer patch on left upper arm and took out wire free glucometer and scanned arm. Glucose is 161. 1002 - experiencing blurred vision. States headache aching in temple area across forehead. Denies dizziness. Stood and ambulated independently to private observation area without difficulty. 1004 - EMT at site in attendance. BP 144/98; HR 100; J2 sat 99% on room air. No SOB noted. States she took her BP meds this morning, but not her Lasix. States that is unusually high BP for her. EMT and nurse recommended transport. Patient agrees. States she drove to vaccination site alone and will leave car in lot. States she has a 2009 Honda Accord 2 door coupe with disabled woman veteran on her license plate with tags reading VD..... (can't recall numbers). Assured security will be notified so that vehicle will not be towed if left overnight. Wants to go to THR Southwest Fort Worth ED. 1012 - having difficulty focusing eyes. Headache remains. PERL; 3-4 cm bilaterally. Equal hand grasps, no drift. speech clear 1014 - BP 136/92; HR 97; O2 99% on r/a 1016 MedStar activated per EMT in attendance. Patient states H/A pain is 8/10 aching. Still has blurred vision, c/o dry mouth. Continues to drink water without difficulty swallowing. Now describes having general tingling throughout upper body, along both arms. Denies itching. 1036 - States she feels drowsy, remains oriented x 3. States H/A now 9/a0 1044 - MedStar arrived and patient immediately placed on stretcher and patient transported to hospital. Patient speaking to paramedics as leaving building.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
948216	1/15/2021	OR	33	F	1/3/2021	1/3/2021	Within one hour of shot: Mild facial tingles especially surrounding L. eye, mild fatigue. Within a few hours: increased fatigue, mild ?brain fog? with some word finding difficulty, mild pressure behind eyes. 3am, ~16 hours post: mild to moderate body aches, low grade fever 98-99 degrees. 8am, ~21 hours post: mild body aches, back to normal temp, continued fatigue, TERRIBLE headache! 7-8/10 pain for about 10 hours. Throbbing in temples, eye pressure, pressure on top of head, worsened when I would bend over. Did not take any medication, worried it would impact immune response. Drank a lot of water, slept, did some sled massage, and gentle yoga/stretching. By that evening pain level had dropped down to about a 4. Woke up the next morning with 2-3 level pain, was able to go to work without being distracted by pain. Still felt more pressure behind eyes and top of head when I bent over. Next day all symptoms resolved, except very minor tenderness at injection site only when palpated.
947761	1/15/2021	WI	50	F	1/15/2021	1/15/2021	10:40 Employee complains of difficulties swallowing, sensation in throat. Denies troubles breathing. Is experiencing watering eyes and occasional coughing. 10:49- received dose of 25mg diphenhydramine with slight improvement in symptoms, not resolved. 10:52- notes sensation of tingling tongue- Emergency Response Team called. 11:02- 2nd dose of 25mg PO diphenhydramine administered. Emergency Response Team Staff transports Employee to Emergency Room.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
947872	1/15/2021	MN	34	F	1/8/2021	1/8/2021	Eye puffiness; This is a spontaneous report from a non-contactable other healthcare professional. A 34-year-old female patient second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number: EK9231; expiry date: unknown) intramuscular (arm right), on 08Jan2021 at 11:00, at a single dose, for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient has no known allergies. The patient previously received first dose BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL0140) intramuscular (arm left), on 22Dec2020, for COVID-19 immunization. The patient is not pregnant at the time of vaccination. The patient was not diagnosed with COVID prior vaccination. The patient did not receive other vaccines within four weeks prior to COVID vaccination. The vaccine was administered in the hospital. On 08Jan2021 at 13:00, the patient experienced eye puffiness. It was unknown if the patient received treatment for the event. Outcome of the event was recovering. The patient has not been tested for COVID-19 since vaccination. No follow-up attempts are possible. No further information is expected.
948121	1/15/2021	TX	62	F	1/8/2021	1/8/2021	I have facial fillers under my eyes. The filler under the left eye was swollen and red.
948077	1/15/2021	MA	28	F	1/11/2021	1/11/2021	Patient received 1st dose Moderna covid vaccine at 1343 and monitored for 15 minutes At approx 1402 patient c/o dizziness, HA, chest tightness & feeling as she was going to pass out Patient started hyperventilating & her eyes rolled back. Code Blue called & she was lowered to the floor, difficult to arouse, following simple commands & breathing/had pulse. Was jerking, Code team arrived, placed on NRB & IV placed for IVF, transported to ED via stretcher. States also got fatigued after vaccine
948186	1/15/2021	PA	58	M	1/8/2021	1/9/2021	Extreme joint aches. Fever. Chills. Puffy eyes
948009	1/15/2021		38	F		12/29/2020	BlurredVision, Dizziness, NauseaVomiting & HYPOTension Narrative: Patient had nausea and dizziness within one minute of vaccine. BP was relatively low when we checked it in clinic and the patient was sent to the ED.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
947951	1/15/2021	NJ	28	F	1/8/2021	1/9/2021	I received the vaccine around 10:40 am on January 8th, 2021. My arm was a little sore that night, but nothing too bad. I took some ibuprofen before I went to bed (400mg, I think). I felt fine the morning of January 9th; I went and bought some groceries and then took a walk in the neighborhood. I did get pretty chilled while walking since it was so cold. When I got back to my apartment around 2:00 I took a nap, then took a very hot shower trying to get warm again. Around 3:00 pm my arm started to become noticeably more sore so I took ibuprofen (600mg). Between 3:15 pm and 3:30 pm I suddenly started to feel warm and nauseous. I felt light-headed and while I was upright (standing or moving around) I would get some black spots in my vision. I went and lay down around 4:00 pm. I stayed in bed that whole evening with a fever (at its highest, 102), I was pretty nauseous, my arm hurt to the point where I couldn't move it and my wrist and hand felt very weak. I took some more ibuprofen (maybe another 600mg?) sometime after 8:00pm. The next day, Sunday January 10th, I mostly stayed in bed and ran a light fever (99.9) and was very fatigued. Arm was very sore and I had limited use of it until the latter part of the day. Monday, January 11th, I felt mostly fine, I could use my arm with no issue, but I stayed home from work due to the fatigue. By Tuesday I was fairly normal, just tired.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
947949	1/15/2021	CO	51	F	1/4/2021	1/5/2021	Shortness of breath; Joint pain; fatigue; headache; ribs pain; chest pressure; burning feeling of my eyes; This is a spontaneous report from a contactable healthcare professional reporting for herself. A 51-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE) (lot number/expiration date: not provided), via an unspecified route of administration, on 04Jan2021 03:45 PM (at the age of 51 years old) as a single dose in the left arm for COVID-19 vaccination. Relevant medical history included prior to the vaccination, the patient was diagnosed with COVID-19 on an unknown date. The patient did not have any known allergies to medications, food, or other products. Concomitant medication (other medications taken in two weeks) were none. The patient was not pregnant at the time of vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. On 05Jan2021, at 05:00 AM, the patient experienced shortness of breath, joint pain, headache, fatigue, ribs pain, chest pressure and burning feeling of her eyes. Treatment received for the events included an inhaler and acetaminophen (TYLENOL). The outcome of the events shortness of breath, joint pain, headache, fatigue, ribs pain, chest pressure and burning feeling of her eyes was recovering. Since the vaccination, the patient had not been tested for COVID-19. The lot number for the vaccine, BNT162B2, was not provided and will be requested during follow-up.
947904	1/15/2021	SC	40	F	1/13/2021	1/14/2021	Patient had regular soreness, redness of injection site. Fever, chills, fatigue hours after vaccine. Patient experienced syncope the morning after vaccination for about 15 minutes. Having bruised head and left eye.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
947893	1/15/2021			F	12/30/2020	12/30/2020	occasional twitching on the left eye; she had a pain on the eye in a split of a second; This is a spontaneous report from a contactable healthcare professional via the Medical Information Team. A female patient of an unspecified age started to receive bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration from 30Dec2020 to 30Dec2020 at a single dose for an unspecified indication. The patient's medical history and concomitant medications were not reported. It was reported that the patient received the first dose of the COVID-19 vaccine on 30Dec2020 and she noticed occasional twitching on the left eye and has been fading away because it has been 10 days now after having her first dose. When she had the COVID-19 vaccine, after a minute or so, she had a pain on the eye in a split of a second. The outcome of the event occasional twitching on the left eye was recovering while unknown for the other event. Information on the lot/batch number has been requested.
947892	1/15/2021	TN		M	1/4/2021	1/1/2021	left upper shoulder, it was little sore; my face was itching; My eyes puffed up; This is a spontaneous report from a contactable consumer via the Medical Information Team. A 76-year-old male patient started to receive bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration from 04Jan2021 to 04Jan2021 at a single dose for an unspecified indication. Medical history included allergy to sweat Bees. The patient's concomitant medications were not reported. It was reported by the patient that after administration on his left upper shoulder, it was a little sore. On the 2nd or 3rd day after that, his face was itching so he took a Benadryl to keep from scratching and itching. The outcome of the events was unknown. He also reported that his eyes puffed up. Information on the Lot/Batch number has been requested.
948107	1/15/2021	IL	60	M	1/8/2021	1/15/2021	One week of the vaccine, while having some coffee and cookies. About tens of consuming them, I felt like I was getting a cold and had to keep clearing my throat. I told my wife I feel wired and she mentioned my right eye looked different. In about two more minutes my right was swollen closed and speaking became difficult due to the swelling. My wife drove me to Hospital and I received Epinephrine and Benadryl and fluids.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
944013	1/14/2021		70	F	1/7/2021	1/7/2021	Within a few minutes of being vaccinated, the patient began to experience a sensation of heavy headedness as well as some visual compromise. Vital signs within normal limits.
943866	1/14/2021	CO	77	M	1/8/2021	1/8/2021	Within 30 sec post injection, patient moved his head back and closed his eyes as the NP was putting syringe into sharps. Another RN also witnessed this as well as his wife who said "he does this". NP rubbed his arm and called out his name twice while the RN got the EMS from another room. As EMS arrived (2:36?), pt opened his eyes, was oriented to PPT, had vitals at 159/102, and was offered to be taken to hospital to be further evaluated but declined. Pt was talking and walking with cane into the observation wait area within 10 min. He waited for at least 45' where EMS monitored him and retook vitals before being sent home with wife and driver. Wife and Pt stated he had a visit with a new PCP Monday 1/11/21 thus was instructed to follow-up about this event of possible Petite Mal seizure at that visit.
943977	1/14/2021	PR	43	M	1/12/2021	1/13/2021	HEADACHE,FEVER,DIZZINESS,IRRITATE EYES.
944051	1/14/2021	TX	62	F	12/31/2020	1/11/2021	Eleven (11) days after receiving the first dose of the Moderna Vaccine, My upper left arm showed signs of a rash. I've been keeping an eye on it and showed my arm to my doctor on Wednesday, January 13 2021. At that time Dr. stated that it was a reaction to the Moderna Vaccine. As of today (1/14/2021), the rash appears to be spreading across my upper left arm. I am applying icepacks in the evening at home.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
943879	1/14/2021	TX	40	F	12/22/2020	12/22/2020	The patient received the first dose of Moderna Covid vaccine at their place of work on 12/22. They had no complaints after initial vaccination. On the morning of 12/23 the patient experienced light headedness, diaphoresis, tunnel vision, low blood pressure of unspecified and what could be described as a near-syncope event. Patient states they did not lose consciousness or fall during this event. Patient then called EMS and was taken to ED by which time symptoms had mostly resolved. Still had complaints of general fatigue and arm pain. Patient received no medications and was supervised for 2-4 hours before being discharged. Of note patient previously had COVID in June and was hospitalized for 6 days, the patients pulmonary function remained stable during that admission.
944092	1/14/2021	PR	40	F	1/8/2021	1/9/2021	In the early morning around 3:00 a.m. presented swelling in the eyes, numbness of the tongue, swollen mouth and tingling in the face. where it took a Benadryl at the time.
943869	1/14/2021	AZ	36	F	1/5/2021	1/13/2021	redness at injection site, swollen eyelid, congestion, chest tightness all started 8 days after vaccine. prior to this, there was no redness at the injection site or facial swelling or other nasal/chest symptoms. reported on v-safe program daily for one week, then v-safe stopped allowing reporting. other than this, only other symptoms were arm soreness for 12 hours and a bump at injection site for 48 hours. Again, redness and facial swelling started 8 days post vaccination. 5 weeks pregnant at time of vaccine.
943831	1/14/2021	AL	44	F	1/4/2021	1/5/2021	Severe soreness, redness, bruising, swelling to injection site that started the day after vaccine was administered. Diagnosed with cellulitis and treated with antibiotics. Also fever up to 104.2 that started about 26 hours after vaccine was administered with eyes burning, chills, extreme fatigue, clear runny nose and some cough. Body aches. Fever up and down for 9 days with fatigue and body aches.
943822	1/14/2021	OK	81	M	1/6/2021	1/9/2021	FACIAL SWELLING, RASH, ITCHING OF EYES & FACE. STARTED 3 DAYS AFTER INJECTION. METHYLPREDNISOLONE 4MG TABLETS GIVEN.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
943791	1/14/2021	OK	63	F	12/22/2020	12/27/2020	I had blurry vision on 12/27/2020. When I looked at grid the lines were a little wavy. I contacted my ophthalmologist macular hole in the left eye. I had surgery to repair a week ago Tuesday. I am home recovering. I have a follow up appointment on next week.
943756	1/14/2021	MD	45	F	1/3/2021	1/10/2021	Seven days exactly after receiving the dose, skin on neck broke out in rash. Approximately, 8 hours later, the rash increased area and redness. One percent cortisone was applied. The next day, raised plaques developed, itchiness, and more redness. Zantac and one benedryl were taken with no relief the next morning. The rash was popping up on the facial skin with little bumps. Benedryl topical cream was applied to neck which decreased the rash on the neck. Claritan was taken at night. The next morning, the face was affected with rash and bumps, the eyes were swollen, red, and itchy. the lips were swollen and burning around the lip line, the tongue was slightly swollen and canker sore on the right side of the tongue. The patient went to employee health for eval. The NP ordered the patient to go to the ED to seek medical attention.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
944213	1/14/2021			F	1/5/2021	1/5/2021	She had only planned on her arm being sore; head cold/she has a really bad headcold; swollen eye; runny eye; sneezing; runny nose; ear infection; low grade fever; This is a spontaneous report from a contactable consumer. This consumer reported for self that the female patient of unknown age received first dose of bnt162b2 (BNT162B2, PFIZER-BIONTECH COVID-19 VACCINE), via unknown route of administration on 05Jan2021 around 09:00 am at single dose for covid-19 immunisation. Medical history and concomitant medications were unknown. The patient would like to know what the duration of reported side effects she's experiencing since getting vaccine will be. Symptoms experiencing are : head cold, swollen eye, runny eye, sneezing, runny nose, feels like she has ear infection, low grade fever. Symptoms have been going on for 3 days. This X-ray Technician is the patient. She reported starting afternoon of 05Jan2021 she had onset of: feels like she has a really bad head cold; swollen eye; runny eye; runny nose; sneezing; feels like she has an ear infection; low grade fever. She asked what the expected duration of these side effects is, how long she is going to be sick with these. She had only planned on her arm being sore. This has not been just a little, these events have been really bad. Further described Low grade fever as just like 99.6. She has been doing Tylenol and Bayer Aspirin. When she had the Flu vaccine she felt kind of tired for a day; like a little cold; sneezing for a day. The outcome of the event She had only planned on her arm being sore was unknown. The outcome of the other events was not recovered. Information on the LOT/Batch number has been requested.
943727	1/14/2021	LA	46	F	1/11/2021	1/12/2021	Symptoms started at 0100 (11hr post vaccination) Severe headache, myalgias, arthralgias, fever 101, fatigue, facial swelling (eyes and nose), blurred vision Symptoms lasted for 48 hours and did not respond to IBU, Toradol, or Tylenol. Headache was the worst that I have ever experienced- missed 2 days of work Symptoms resolved in the morning on 01/14/2020
943678	1/14/2021	IN	51	F	1/12/2021	1/13/2021	lymph node swelling in left axilla, left clavicle, left throat, painful some general swelling to left face, possible inner ear swelling, it just feels tight in the ear, watery eye left

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
943766	1/14/2021		27	F	1/10/2021	1/10/2021	Right sided facial rash and itching and bilateral eye swelling developed 1 hour vaccine administration. Treated with Benadryl, Naproxen and Claritin. Itching resolved on 1/11/2021 and eye swelling and rash resolved on 1/12/2021
944416	1/14/2021		57	F	1/9/2021	1/10/2021	THE PATIENT RECEIVED THEIR 2ND DOSE AND WAS OBSERVED FOR THE REQUIRED 15 MINS WITHOUT INCIDENT. IT WASN'T UNTIL THE PATIENT WAS HOME, ABOUT 11 HOURS POST VACCINATION, THAT THEY REPORTED SWELLING & ITCHINESS AT THE INJECTION SITE, SWOLLEN, TINGLY LIPS AND SWELLING UNDER THE EYES. THE PATIENT REPORTED TAKING BENADRYL, WHICH EFFECTIVELY RESOLVED THE REPORTED SIGNS & SYMPTOMS.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
942713	1/14/2021	CA	33	F	1/6/2021	1/6/2021	body is cold; Occasionally some nauseous sensation but didn't throw up; Eyes feel so tired; hard to concentrate; it bother my sleep; first dose on 19Dec2020, second dose on 06Jan2021; heaviness in the head when I woke up next day; some hot/spicy sensation around eyes area; didn't even have good appetite during lunch time on day 2; sever headache started at night of day one; This is a spontaneous report from a contactable Other HCP (patient). A 33-years-old female patient received the second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE lot number EK9231), on 06Jan2021 14:30 via an unspecified route of administration in the left arm at single dose COVID-19 immunisation. The patient medical history and concomitant medications were not reported. The patient previously received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number EK5730) on 19Dec2020 09:45 in the left arm at single dose for COVID-19 immunisation. On 06Jan2021 at 23:00, started at night of day one, the patient experienced severe headache. The patient experienced also heaviness in the head when she woke up next day (07Jan2021) and had some hot/spicy sensation around eyes area (07Jan2021). The patient needed to take paracetamol (TYLENOL) to get some relieve and she did not even have good appetite during lunch time on day 2 (07Jan2021). On unspecified date the patient had no fever and her body was cold; occasionally some nauseous sensation but didn't throw up. Eyes feel so tired and hard to concentrate. Hopefully those symptoms go away soon as days pass since it bothered patient sleep. The patient had a doctor or other healthcare professional office/clinic visit. The outcome of the events was not recovered. The patient took also guaifenesin (MUCINEX). Prior to vaccination, the patient was not diagnosed with COVID-19 and since the vaccination the patient had not been tested for COVID-19.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
943670	1/14/2021	WI	25	F	1/13/2021	1/13/2021	Patient reported feeling like it was difficult to keep her eyes open, like they were starting to get swollen. She also reported feeling chest heaviness. She denied shortness of breath. Patient back into clinic with these symptoms about 1250pm. We gave her 20mL of Benadryl per our standing order. This RN took her BP 112/72, P 96 02 98%. Patient denied clamminess, denied being too hot or cold, denied feeling anxiety. Denied feeling anxious before the vaccine, denied having reactions to medications or vaccines in the past. By 1305 patient reported she was able to fully open her eyes, and felt her side effects were improving.
944500	1/14/2021	WI	48	F	1/13/2021	1/13/2021	Systemic: Patient complained of swelling around the eyes, She presented with increased blood pressure and pulse. Patient was given two doses of benadryl with no response. 911 was called due to high BP
944469	1/14/2021	PR	43	F	1/14/2021	1/14/2021	Chest tightness, bradycardia, sandy eye sensation and dry mouth
944453	1/14/2021	UT	52	F	1/12/2021	1/13/2021	I received the Pfizer #EL3246 Vaccine, exp 4/30/2021 on Jan 12, 2021 through the Health Department and developed severe facial swelling, primarily around the right eye. The left eye has slight swelling. Please note: I had a previous reaction to Tetanus many years ago that included swelling. In addition, I have had headaches and gastrointestinal symptoms.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
944462	1/14/2021	GA	53	F	1/4/2021	1/4/2021	1/4/21 within 4 hours after receiving vaccine sole of right foot in the arch area began to itch. Morning of 1/5/21 sole of left foot in arch area began to itch. Upon a visual check a red rash is present approximately 1.5"-2" in diameter on the soles of both feet in the arch area. 1/6/21 blisters formed in rash area of the right foot. On 1/8/21 upon patient visiting her dermatologist, the rash was ruled out as not being caused by a bacterial infection or fungal infection. Dermatologist prescribed an antihistamine oral medication and a steroid cream. 1/9/21 patients reports burning and itching increased and she used a frozen foot roller to treat the burning and itching. 1/10/21 Patient states that itching and burning subsided and discontinued use of steroid cream. Patient continues to take oral antihistamine (Hydroxyzine HCL 25mg) prescribed by dermatologist. Patient reports there have been no changes in soaps or detergents being used and no changes in behavior prior to vaccination and therefore, patient and doctor can, but without certainty, conclude that the rash is a result of the COVID-19 vaccination. 1/11/21 patient took pictures of rash and are available for viewing. As of 1/14/21 rash still present but itching has stopped. This event is a non-severe adverse event. Patient is scheduled to receive second dose of vaccination on 1/25/21. Patient has been advised to take antihistamine prior to receiving second dose of vaccination and again 12 hours following the 2nd dose of vaccination.
944433	1/14/2021		48	F	1/13/2021	1/13/2021	Vision change in left eye; a little blurry in left eye
944256	1/14/2021	IN	57	F	1/10/2021	1/11/2021	Upon arising at 7AM I had tunnel vision. Just a little headache that morning. By 1:30pm I was chilling and could not get warm. Fever reached 101 degrees. I took 2 Tylenol every 4 hours. While I had a fever, I could not seem to drink enough water. I consumed about 90 ounces of water from 2pm til 9pm. The fever and chills became less prevalent by 9pm. Continued the Tylenol through 7AM the morning of 1/12/21. My chills were gone and I had no fever by then.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
944345	1/14/2021	RI	35	F	12/26/2020	12/28/2020	About 11:30 while at working all of the sudden my peripheral vision became black, my bp raised to 180/120 and I was sent to the ER (Hospital) for monitoring. After some time it leveled out and I was released home to rest. That night and the next day I had a migrane, felt sluggish and really couldnt do anything. I took tylenol and motrin to help with the pain.
944316	1/14/2021	TX	34	F	1/14/2021	1/14/2021	Blurred visions, vertigo and HA
944292	1/14/2021	TX	34	F	1/14/2021	1/14/2021	Vertigo, blurred vision and HA
944286	1/14/2021	AZ		F			severe hypertension (190/100); flushing tachycardia; flushing tachycardia; blurred vision in the left eye; This is a spontaneous report from a contactable healthcare professional reporting for self. This 65-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via unspecified route of administration on unspecified date at single dose for COVID-19 immunisation. Medical history included ongoing underlying HTN (hypertension). Concomitant medications were not reported. The patient experienced AE following administration of first dose of vaccine of including: severe hypertension (190/100), flushing tachycardia, and blurred vision in the left eye. These symptoms started 20minutes after administration. The patient stated her PCP thought that she had underlying hypertension and had since started her on medications. She was looking for guidance with regard to receiving the second dose. The outcome of events was unknown. Information about Batch/Lot number has been requested.; Sender's Comments: The administration of BNT162B2 might have played a contributory role in triggering the onset of serious event hypertension worsened, considering the plausible temporal relationship. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
944269	1/14/2021	CA		F	1/5/2021	1/8/2021	Bell's palsy; Loss of taste; Can not close one eye, no muscle movement on one side of the face.; This is a spontaneous report from a contactable nurse. An adult female (not pregnant) patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), intramuscular in left arm on 05Jan2021 15:30 at single dose for COVID-19 immunization. There were no medical history or concomitant medications. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient did not have COVID tested post vaccination and did not have COVID prior vaccination. The patient had no known allergies. The patient experienced Half face paralysis, Bell's palsy. Loss of taste. Can not close one eye, no muscle movement on one side of the face. All on 08Jan2021 14:30 with outcome of unknown. No treatment was received.; Sender's Comments: A possible causal association between administration of BNT162B2 and the onset of Half face paralysis/Bell's palsy cannot be fully excluded, considering the plausible temporal relationship and the known adverse event profile of the suspect product. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
944260	1/14/2021	NM	59	F	1/2/2021	1/6/2021	wanted to sleep; eyes being weak and hurting; eyes being weak and hurting; sore throat; tiredness; headache, muscle spasms in abdomen; headache, muscle spasms in my abdomen; This is a spontaneous report from a contactable other healthcare professional (HCP) (patient). A 59-year-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL0142), via an unspecified route of administration on 02Jan2021 at a single dose in left arm for COVID-19 protection. Medical history included ongoing type 2 diabetes mellitus (diagnosed about 18 or 19 years ago), COVID-19 previously and did not have side effects like this (the patient had COVID 19 last month and did not feel this bad at all. Patient was asymptomatic). Concomitant medication included ongoing liraglutide (VICTOZA), ongoing insulin detemir (LEVEMIR), both started about 2 or 3 years ago for diabetes Type 2. She received the product vial workplace policy, so it was not specifically prescribed to her. The patient received the first dose of the vaccine on 02Jan2021, and starting on 06Jan2021, she started with headaches, and muscle spasms all over her abdomen and back. Headaches was reported as worsened. The headache will not go away and even with Tylenol it still lingers. Muscle spasms all over her abdomen and back was reported as worsened. Her eyes were weak and hurting, started on 08Jan2021. She was so tired, she wanted to sleep. The tiredness, started on 06Jan2021, and it is like in the morning she is okay, but then during the day she just got worse and worse and worse. Her sore throat starting 07Jan2021 night, and this morning it was really bad. Throat was very sore was reported as worsened. She received no other vaccines on the same day at the COVID vaccine. The patient was wondering if those are side effects of the vaccine, because the patient had COVID-19 previously and did not have side effects like this. This is a non-serious report. The outcome of event eyes being weak and hurting, and wanted to sleep was unknown, outcome of the other events was not resolved.
944438	1/14/2021	SC	74	F	1/13/2021	1/14/2021	PATIENT REPORTED SEVERE ARM PAIN AND PAIN IN RIGHT EYE

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
942915	1/14/2021	WI	24	F	1/13/2021	1/1/2021	Hives, swollen red itchy eyes, puffy face and eyes, rash on the shoulder.
942824	1/14/2021		34	F	12/26/2020	1/8/2021	Left eye swollen, and droopy.; Left eye swollen, and droopy.; This is a spontaneous report from a non-contactable other healthcare professional. A 34-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: 02L20A), via an unspecified route of administration on her left arm on 26Dec2020 at 17:30 at a single dose for immunization. Medical history included penicillin (PCN) allergy. The patient was not pregnant at the time of vaccination. Prior to vaccination, the patient was not diagnosed with COVID-19. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Concomitant medication included phentermine which was received within 2 weeks of vaccination. The patient experienced left eye swollen, and droopy on 08Jan2021 at 04:00. The patient did not receive treatment for the adverse events. Outcome of the events was not recovered. No follow up attempts are possible. No further information is expected.
943061	1/14/2021	CT	40	F	1/3/2021	1/3/2021	Systemic: Headache-Medium, Systemic: Nausea-Medium, Systemic: Vomiting-Mild, Systemic: blurred/vision changes, tachycardia-Medium
943058	1/14/2021	CT	55	F	1/7/2021	1/7/2021	Systemic: Rash (other than injection site)-Medium, Systemic: Chills-Mild, Systemic: Exhaustion-Medium, Systemic: Headache-Mild, Systemic: upper body test rash, itchiness around eyes and mouth, she discribed a tingling sension in the back of her throat, verbilized her tongue was swelling; symptoms lasted 1 day
943046	1/14/2021	NJ	39	F	1/12/2021	1/13/2021	fatigue, body aches, migraine (behind my eyes hurt), chills (my hands in particular were cold despite having heat on me), and it feel like there was a weight on my chest

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
943034	1/14/2021	FL	33	F	1/13/2021	1/13/2021	about 10 hours after administration, I developed SOB, mild chest pain, hoarseness, and right sided wheezes. I self treated with albuterol (2 puffs) inhaler that I have on hand in case of environmental allergy triggers (I rarely have to use it- last use 3 years ago). The wheezing resolved and chest pain improved but the hoarseness remained. Over the next 2-3 hours I developed headache, malaise, mild dizziness, arthralgia, myalgia, and eventually fevers and chills (by 13 hours after vaccine administration). When fever reached 101 I self treated with naproxen 250mg. I slept for 4 hours and awoke diaphoretic, but the fever had resolved and I felt much better. However, I developed urticaria that started on my flexor surfaces of the elbows, hips, and knees, and spread to my abdomen, thighs, and face, with swelling about my right eye. I self treated with 25mg benadryl and itching and urticaria improved to the point that I was able to sleep. When I awoke the next morning my symptoms had largely resolved with the exception of mild headache, body aches, hoarseness, slight chest tightness, and mild residual swelling of the right eyelid.
943111	1/14/2021	LA	52	F	1/3/2021	1/3/2021	Systemic: Patient experienced dizziness for about 2 hours, when trying to focus patient eyes were darting, blurred vision, and a little while later patient could not stand or walk alone
942919	1/14/2021	NV	42	F	1/5/2021	1/5/2021	As I was driving home from injection, the left side of my face began to tingle. Behind my left eye feels tight, and the left side of my tongue, throat, and neck feel funny. This is day 8. Symptoms are still there.
943113	1/14/2021	NJ	52	F	1/10/2021	1/10/2021	severe migraines, body aches, chills, fever, lethargic, swelling of eyes and face
942896	1/14/2021	AZ	63	M	1/11/2021	1/13/2021	Itchy eyes. Skin around both eyes turned red and puffy. Lasted about 24 hours. Stinging sensation in both eyes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
942719	1/14/2021	OH	33	F	1/5/2021	1/6/2021	tactile overstimulation?(having clothing or a blanket hurt and irritated my skin); Extreme headache; blurred vision at long distances; lightheadedness; occasional off balance; diarrhea; low grade fever; body aches; This is a spontaneous report from a contactable Nurse. This 33-year-old female Nurse (patient) received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, lot number: EK9231), intramuscular on 05Jan2021 06:45 AM at single dose on left arm for COVID-19 immunisation. Medical history included hypertension (HTN), depression and anxiety. No known allergies. Concomitant medication included quetiapine fumarate (SEROQUEL), metoprolol, hydrochlorothiazide, lithium, alprazolam (XANAX), lamotrigine (LAMICTAL), folic acid / iron (PRENATAL), multivitamins [vitamins nos] (MULTIVITAMINS), melatonin, ibuprofen, paracetamol (TYLENOL). The patient had the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, lot number: Eh9899), intramuscular on 15Dec2020 07:30 AM on left arm for COVID-19 immunisation. The patient extreme headache with blurred vision at long distances (blurred vision resolved after 24 hours) lightheadedness/occasional off balance, diarrhea, low grade fever, body aches, tactile overstimulation (having clothing or a blanket hurt and irritated her skin) on 06Jan2021 01:00 AM. No treatment was received for the events. The outcome of the event blurred vision at long distances was recovered in Jan2021. The outcome of other event was recovering. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19.
944502	1/14/2021	PR	43	F	1/14/2021	1/14/2021	chest tightness, bradycardia, sandy eye sensation, dry mouth

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
942702	1/14/2021	OR	33	F		1/7/2021	Right eye and cheek is swollen; Right eye and cheek is swollen; right sided headache; right sided neck muscle spasm and tightness.; right sided neck muscle spasm and tightness.; This is a spontaneous report from a contactable Other HCP. This Other HCP (patient) reported that the 33-year-old female patient who received first dose of bnt162b2 (BNT162B2, PFIZER-BIONTECH COVID-19 VACCINE), via Intramuscular on Arm right on 30Dec2020 at single dose for covid-19 immunisation. No Pregnant at the time of vaccination. Medical history included Asthma and Behcets syndrome. No Known allergies to medications, food, or other products. Concomitant medications included the patient received within 2 weeks of vaccination: Albuterol inhaler (Inhalation vapour, solution), Magnesium, ergocalciferol (VIT D), Ashwagandha. Facility type vaccine was Hospital. No other vaccine in four weeks. The patient experienced right eye and cheek is swollen, right sided headache and right sided neck, muscle spasm and tightness from 07Jan2021 07:00AM. No COVID prior vaccination. No COVID tested post vaccination. Facility where the most recent COVID-19 vaccine was administered was hospital. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Treatment was received for the adverse event included OTC ADVIL, PPI, Sudafed. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. The outcome of the events was recovered. Information on the lot/batch number has been requested.



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
942669	1/14/2021			M			burning and itching sensation in his eyes; burning and itching sensation in his eyes; runny nose; This is a spontaneous report from a contactable consumer (patient). This male patient of an unspecified age (Age-92, Unit-Unknown) received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on an unspecified date at single dose for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. Patient has received the first dose of the vaccine on an unspecified date (reported as today) at 10:35am. He mentioned that nothing happened during the 30 min observation period for allergic reactions. Then at around 4pm, he experienced a burning and itching sensation in his eyes and had a runny nose. Outcome of the events was unknown. Information about Lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
942630	1/14/2021	IL	43	F	12/23/2020	1/1/2021	She does feel she is getting sleep; annoyed; left eye twitching; both eyes feel as if she has cried for a long time; This is a spontaneous report from a contactable nurse (patient). A 43-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot# either GL0140 or EL0140, Expiry date and NDC number were not written), via an unspecified route of administration in left arm on 23Dec2020 at single dose for COVID-19 immunization. There were no medical history and concomitant medications. Patient pregnant: No. She has had No positive test for covid before the vaccine, and No Antibody test before the vaccine either. She has had No issues with vaccines in the past. The patient had the vaccine on 23Dec2020 and then on 01Jan2021 she began to experience eye twitching and it hasn't gone away and it's very bothersome. It's still happening. Her first dose was on 23Dec2020. The eye twitching began on 01Jan2021, it's just the left eye, she can see the eye lid moving when it twitches, she felt it, like the eyeball itself was twitching or spasming. There were no issues with the vision in that eye. She did feel she was getting sleep, she was conscious about seeing if she was tired, both eyes felt as if she had cried for a long time but she had not cried at all and the eye that was twitching she felt it more in. She thought it was getting better in the morning because at that time she didn't feel it, but by mid-afternoon it was consistent. The twitching happened often sporadically every couple of minutes, and she was annoyed of it. Investigation Assessment: No. The outcome of the event left eye twitching was not recovered, outcome of other events was unknown.
943025	1/14/2021	IN	41	F	1/10/2021	1/11/2021	Headache, Fatigue -30 min after (gone at 37 hours) Muscle Aches - 27 hrs after (gone at 37 hours) Eyelid edema & swelling in fingers - 37 hours (gone 72 hours)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
943349	1/14/2021	TX	64	F	1/13/2021	1/13/2021	Due to lack of data for Asian-descent - I hope this data is helpful to Moderna and CDC. Light adverse side effects right after the vaccine was administered. Remained under supervision for 45 minutes longer instead of 15 min. Within 5 mins, heat rose up to my head causing dizziness & head spin. Then loss of smell lasting for 10 min or a bit longer, then tongue tied hard / swollen for 3 hrs and lasting mildly 1 day after. Severe dehydration. Did not monitor heart beat due to severe fatigue. Took blood pressure rising and falling like roller coaster 2x. I stop and learned to relax and sleep throughout the day to calm the nervous system and the slight fever. Other normal aching pains as pre-described side effects. No nausea, vomiting, no rash as of 1 day after and no difficult breathing. Occasional and short loss of smell carried after 1st day.
943518	1/14/2021	NC	28	F	12/19/2020	1/3/2021	Developed a rash around my neck and swollen eyes (thought to be poison ivy) on 1/3/2021. Since that time, the rash has spread to my back, abdomen, chest, neck, ears. It appears to be urticaria and is extremely itchy. I completed a steroid taper early on and the rash is no longer affecting my face. I am taking daily antihistamines and using hydrocortisone cream for the itching. The rash continues to spread and is made worse with scratching. I am unsure if this is related to the vaccine, but this has never happened before and I have no known allergies. I got the second vaccine on 1/8/2021 (at the time the rash was improving and I thought it to be poison ivy).
943498	1/14/2021	WA	68	F	1/13/2021	1/13/2021	.3After receiving the vaccine, being monitored for 15 minutes the patient returned home. At approximately 1530 she called clinic concerned about a rash, redness and itching on left arm. On arrival to the clinic she was found to have erythematous macules on her upper inner arm staring to extend down her left arm. She also had a large red macule on upper inner right arm and some small areas under her eyes, all that were itchy. There was no throat swelling, wheezing, SOB or chest pain. She was given 60 mg of prednisone and 50 mg of diphenhydramine orally and observed for 30 minutes. Her rash intensity reduced and the itching stopped. Advised she should not receive second dose of vaccine

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
943426	1/14/2021	WI	34	F	1/13/2021	1/14/2021	Hypotension 91/71 with orthostatic hypotension <80 SBP ( my BP cuff doesn?t read lower than that). Near syncope at 0615. Loss of vision, tinnitus, lowered to the ground and followed by nausea and sweating. Resolved in minutes. Continue to be dizzy today with clammy and dizzy upon standing

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
943399	1/14/2021	KS	49	F	1/14/2021	1/14/2021	<p>Progress Notes Cosign Needed Expand All Collapse</p> <p>All 1/14/2021 Date: 1/14/2021</p> <p>Subjective 49 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She denied any history of previous adverse reactions to vaccines. She was given the Moderna vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience headache. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to abdominal pain, blood pressure abnormality, chest pain, collapse, drooling, hypotension, increased swelling, rapid progression of symptoms, respiratory distress with none, skin changes, tongue swelling and vomiting.</p> <p>Headache: Bilateral across the forehead; 7/10, dull and pressure, similar to a migraine which she has not had for a while. She usually treats it with Excedrin Migraine. She did not eat breakfast today and was heading to work before this happened. ALLERGY REVIEW OF SYSTEMS Previous Reactions: none reported</p> <p>Objective Vitals Vitals: 01/14/21 0839 01/14/21 0853 BP: 129/78 (!) 140/84 BP Location: Right arm Patient Position: Sitting Cuff Size: Large Adult Pulse: 85 84 SpO2: 96% 96% Physical Exam Vitals signs reviewed. Constitutional: Appearance: She is obese. HENT: Head: Normocephalic. Nose: Nose normal. Eyes: Pupils: Pupils are equal, round, and reactive to light. Neck: Musculoskeletal: Normal range of motion. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Normal breath sounds. Musculoskeletal: Normal range of motion. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: peanut butter, water, crackers. Follow up response to treatment: good. Headache unchanged. Patient discharge: Stable to go home and follow up with PCP. 1/14/2021 9:05 AM
943381	1/14/2021	MI	72	F	1/4/2021	1/4/2021	Systemic: Described as floaties in the eye

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
943068	1/14/2021	IA	32	F	1/13/2021	1/13/2021	<p>Around 8 minutes post-vaccination patient started complaining of itching in her eyes and legs. RN in room with patient, vitals obtained immediately. While obtaining patients vitals, patient started to feel tingling on her face starting at her cheeks and going down towards her mouth, but no itching or swelling of mouth, throat, or tongue. NP brought into room to evaluate patient and Benadryl 50 mg given at 1125. Patient expressed that tingling was spreading to jaw and down into neck. 911 called at 1127 per recommendation from NP. While waiting for EMT's to arrive, patient complained of tingling down to her chest at 1133, and the tingling progressed down to her legs at 1136. Patient still denied any difficulty breathing, trouble swallowing, shortness of breath, swelling of mouth, lips, and/or tongue. Patient was able to talk without any difficulty during the entire event. EMT's arrived at 1139 and patient walked out to ambulance without assistance and was transported to ER for evaluation. At ED, pt reports she started getting tingling sensation all over her body, fullness sensation in her throat, feeling flushed, itching eyes and all over her body within 10 minutes of receiving vaccine. Pt notes she has had antibiotic allergies in the past that are very similar to this experience. Pt also endorses numbness/tingling sensation stretched from head to just below abdomen. Pt received famotidine 20 mg IV x 1, methylprednisolone 125 mg IV x 1, 1L NS IV x 1 (in addition to diphenhydramine 50 mg PO x 1 she received at clinic). Pt states she felt no improvement so diphenhydramine 50 mg IV x 1 ordered. Half hour later pt felt she was not getting worse, but not better and she stated her throat felt full and she had tingling all over. Pt received albuterol 2.5 mg nebs x 1 and epinephrine 0.3 mg IM x 1. Discharged to home with prescriptions for Medrol Dosepak 4 mg PO tabs x 6 days, famotidine 40 mg PO QHS x 5 days, hydroxyzine 25 mg PO QID PRN x 5 days. Instructed to return to ED with worsening condition and to discuss 2nd dose of vaccine with PCP.</p>
943351	1/14/2021	IL	68	M	1/13/2021	1/13/2021	<p>5 minutes after the vaccination was given, patient developed soft swelling periorbital area, mostly under the eye. No other symptoms. Swelling decreased after 1/2 hour. No other adverse effects.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
943614	1/14/2021	AR	51	F	12/21/2020	12/28/2020	Day 7 post vaccine, woke with vertigo, nausea and double vision prior to my alarm going off at 5:30am, told my husband that I did not feel right and it felt like something was wrong with me. I asked him to send a message to work that I was not feeling well and would not be in. I was not able to see my phone clearly as I had double vision. I went back to sleep to try to get relief, woke up and called out to husband for help and he said I was just making groaning noises but I know in my head I was saying please help me as I could not move my right side and I was not sleeping or having a dream. At approximately 9:30am my husband kept telling me someone was trying to text me and needed a response. I tried to get up and still could not move my right side. He helped me sit up and I could not use my right arm and hand. He helped me get some clothes on and took me to the ED. When we arrived I still could not use my right hand and my arm still felt weak. The weakness resolved within a couple of hours and I got the strength back in my hand. I did have some concern that my TIA type symptoms could possibly be related to vaccine but it was just a thought until I received my second dose. 3 hours post vaccine my face became numb and tingly. It remained that way until I went to sleep. This is why I am reporting this incident.
943347	1/14/2021	PA	49	F	1/11/2021	1/11/2021	blurry vision 1st day. asthma attack 1st night inhaler worked. next morning. Massive severe headache (almost as bad as the spinal headache from my 1st child) , chills, fatigue, nausea. Called PCP and he gave me Tylenol with codeine for the headache and a prednisone for the asthma even though it was under control.
943311	1/14/2021	NJ	52	F	1/12/2021	1/13/2021	headache, neckache, body aches traveling down from neck to shoulder blades, to back then to hips/buttocks, fatigue, fever 101.5, chills, weakness, dizziness upon getting up or turning head, nausea, severe belching, eye ache and burn, pain at injection site, unable to lift arm past 75degrees Progressive symptoms developed over the course of the day 1/13/2021, peaking 3-11pm. 1/14/2021 most symptoms subsiding, but still weak and tired. Can lift arm to about 110degrees, continued pain and stiffness at injection site



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
943204	1/14/2021	PR	42	F	1/5/2021	1/5/2021	The day of the vaccination blood pressure went up. Then on 01/13/2021 she developed some rash starting by earas, eyes and then all over body. Patient refers she also take Methotrexate for her medical conditions.
943195	1/14/2021	MA	57	F	1/11/2021	1/11/2021	Pfizer-BioNTech COVID-19 At about 7:30 pm, approx 7-8 hour post injection, I had some jaw tightness and began to see flashing lights out of the left side of my left eye. They were still present when I awoke at 5:30-6:00 am on Tuesday.
943120	1/14/2021	FL	22	F	1/11/2021	1/13/2021	Day one: extreme malaise, fatigue and muscle soreness onset 4-5hrs from injection and lasted for 2 days. Day three: at midnight started itching and I had just dismissed it. Woke up at 6am itching in sleep on more place. Currently (0900 day 4) moderate hives presenting bilaterally on knees, elbows, sides, back, ear and eyes. Most of the hives present are fairly bilaterally. Applied benadryl tropical cream to spots and fighting the urge to itch.
943118	1/14/2021	FL	79	F	1/13/2021	1/13/2021	Verbalize at 1:02 pm feeling light headache, blurred vision like vertigo. He was evaluated by Fire Rescue and released home feeling better at 1:05 pm.
943372	1/14/2021	TX	28	M	1/13/2021	1/13/2021	headache, eye pressure, nausea diarrhea, achy, generalized body aches. Treatment include Tylenol with no improvement and Naproxen 220 mg with mild improvement.
945265	1/14/2021	NY	42	M	1/11/2021	1/12/2021	fever developed and increased to 101.5 within an hour, the next 36 hours I experience continued fever over 101 that was reduced by 1000 mg of Tylenol, severe muscular body aches, general weakness, and persistent headache localized behind the eyes. The symptoms sided over the last 12 hours of the 36 hours mentioned. A very light state of feeling tired persisted another 24 hrs as well as a slightly elevated temperature (1-1.5 degrees). I was positive for Covid in March of 2019 for a total of 6 weeks. The first two weeks were the most intense. This felt like a scaled down version of those two weeks. I never required hospitalization or supplemental oxygen in March.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
945153	1/14/2021	WA	41	F	1/12/2021	1/13/2021	Severe aches, chills, headache, stomach cramps, nausea, vomiting, diarrhea, sweats, eye pain, fatigue, skin sensitivity. Treated with Tylenol and CBD lotion. Mostly resolved within 36 hours of onset.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
945403	1/14/2021	AK	60	F	1/14/2021	1/14/2021	<p>Patient came into Health Clinic for 1st dose of COVID-19 Vaccine. Patient completed COVID-19 vaccine screening checklist for contraindications. Patient checked that she is allergic to peanuts with a reaction of mouth swelling and rash. Patient reports she takes gabapentin for neuropathy. Medical provider MD onsite, reviewed risks with patient, she made an educated decision to receive the vaccine. Patient received Moderna Lot # O11J20A in left deltoid administered by, RN at 0935. Patient observed in clinic for 15 minutes after vaccine given. No reactions reported at that time. Patient left clinic with husband but returned to clinic at 1030, reporting she had a hoarse cough and her throat felt tingly. MD assessed patient's airway, and lung sounds. RN obtained vital signs at 1045: temp 99.1 tympanic, BP 147/87, respiratory rate of 23, heart rate 72, O2 sats 100% on RA. Per MD verbal order with supervision and guidance from pharmacist, RN administered diphenhydramine 50mg/ml 1 ml in L. deltoid at 1050. Patient takes carvedilol for hypertension, reports she did not take this medication today. Pharmacist, RN, and MD in agreement to give medication closest to region of where reaction may have started from. Vital signs at 1103: 98.9F, 142/93, heart rate 72, O2 sats 100% and resp rate 22, slightly shallow breaths, though patient reports she is feeling some slight relief. 1109 per pharmacist request and with Drs approval/agreement, RN gave patient famotidine 20 mg tabs (2 tabs) oral. Patient tolerated well. 1120 vitals signs: 98.6F tympanic, BP 138/76, heart rate 74, O2 sats 98% and Respiratory rate 19. Patient reports she is feeling better at that time, RN observed patient's shallow breathing getting to be less frequent and seemingly patient looked more comfortable. Patient having a conversation with pharmacist, no difficulty speaking, breathing, but voice does sound hoarse. Vital signs at 1140: 21 respiratory rate, 99.1 F tympanic, BP 123/88, 72 heart rate, and 98% O2 on RA. PHN listened to lungs and assessed breathing, lung sounds clear, patient reports she feels better though not completely back to normal. MD came in to assess patient, reports her exam is normal, cleared patient to go home and rest with strict instructions to go to the ER if symptoms of allergic reaction come back, get worse, or change. MD encouraged patient to reach out to allergist for further guidance on getting the 2nd dose of the vaccine. Patient</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							escorted out of clinic by husband and RN.
945399	1/14/2021	IN	81	F	1/14/2021	1/14/2021	After the vaccine was administered , she stared and said "I feel really tired." Then she looked at this vaccinator and said "You better keep an eye on me." She continued to ask if she should feel tired, ask questions, speak coherently, move all extremities. BP 110/80. No respiratory distress noted. Skin dry. No diaphoresis. Color pale. Patient's daughter was present. She stated that her mother sometimes liked to seek attention. Patient taken to medical area for monitoring. Monitored by nursing staff for 30 minutes. symptoms resolved per patient and family member.
945397	1/14/2021	GA	49	F	1/11/2021	1/11/2021	1st dose 12/21/20 with no reported side effects. 3:00pm c/o blurred vision BP 180/110 neck and chest tightness headache 5:30pm BP 172/109 tachycardia and SOB nausea BP still 185/107 so went to prompt care who sent via ambulance to ER. Given nitro, fluids and morphine. Sent home. Next morning BP 188/118 and 213/122. C/o body aches temp 99 and loss of smell and taste. Saw primary care provider 1/14/21. Added Lisinopril and increased current betablocker and said was vaccine reaction. BP there 209/122 pulse 126. PCP did not test for COVID. Reports she did Binax test herself after visit and was negative
945359	1/14/2021	CA	69	F	1/11/2021	1/12/2021	After the initial injection (1/11), there was just soreness at the site and no other problems. The next morning (1/12), I woke with severe vertigo and ensuing nausea. I couldn't focus my eyes on any one point because everything seemed to quiver. The nausea was like motion sickness. I couldn't walk without stumbling. Since this was the first time I've ever experienced vertigo, it was concerning. I consulted my sister who is an RN who recommended the Epley Maneuver. It helped only a little, but I resigned to returning to bed to sleep to avoid the symptoms. The next day (1/13), I woke with vertigo again. It was not as bad as the first day, but prevented my activities (walking around the house, driving, working). Today (1/14) I woke feeling slightly queasy, but can function, but not work. If the resolution continues on this trajectory, I should be okay tomorrow, I hope.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
945413	1/14/2021	NM	21	M	1/14/2021	1/14/2021	Client called around 4pm today 1/14/21 to report he was at work and started feeling dizzy, has headache, and blurry vision. He had received 1st COVID vaccine around 11 am today 1/14/21. Advised to seek medical care w/PCP as soon as possible or go to ER. Advised not to drive or stay alone. He stated someone was with him to help out. Verbalized understanding of seeking medical care.
945323	1/14/2021	FL	75	F	1/13/2021	1/14/2021	Pain in arm and blurry eye vision
945436	1/14/2021	AZ	37	F	1/14/2021	1/14/2021	Extremely itchy eyes and face with some swelling within 30 minutes of vaccination. Last for about 2 hours
945224	1/14/2021	CA	40	F	1/6/2021	1/11/2021	5 days after vaccination, I woke up to two swollen eyelids and some swelling under the eye. with itchy hands, fingers and palms and elbows. No visible insect/spider bites, not itchy, no moisture or discomfort with both eyes. No known changes in diet, only change that occurred was new use of an Eyeshadow/makeup place on both eyelids. Swelling in eyes lasted 3 days with gradual decrease in swelling, itchy palms, hands and elbows persistent for those three days, Benadryl helped ease itch.
945218	1/14/2021	NY	27	F	1/10/2021	1/14/2021	18 hours after receiving vaccine woke up with eyes extra watery/ discharge/ dryness around eyes 4 days after receiving vaccine (1/14) woke up with intense eye left eye irritation, swollen, discharge, extra watery, inflamed
945193	1/14/2021	MO	58	F	1/14/2021	1/14/2021	Patient returned about 50 minutes after injection with at broken blood vessel in right eye. Patient stated she had a sharp head ache pain for about 5 seconds and then it went away. Patient became aware of the red eye by co-worker. She returned to the vaccination immunizer pharmacist to ask about her eye. I followed up with taking patient blood pressure which was 135/63. Patient did not complain of any other side effects. Patient self reported of having history of anxiety and also she did not wait the full 15 minutes before returning to work.
945177	1/14/2021	CA	32	F	1/7/2021	1/8/2021	Sore arm fatigue numbness in face, under eye and cheek couldn't feel temperature on the left side of her mouth hip pain

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
945173	1/14/2021	OK	39	F	1/14/2021	1/14/2021	~~heart racing" "dizziness" "blurred vision~~
945157	1/14/2021	CO	32	F	1/13/2021	1/13/2021	Employee called the nurse line reported adverse reaction to second covid vaccine. Caller received vaccine at 1330 and started to have vision changes bilaterally of halos around vision lasting for 10 minutes at a time and a slight headache
945336	1/14/2021	WI	74	M	1/5/2021	1/5/2021	Staff reported that he wasn't being himself. He was leaning more towards the right. Had symptoms similar to Bell's Palsy, some right sided facial droop, right eyelid drooping. On CT right maxillary sinusitis, ventriculomegaly.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
945592	1/14/2021	AK	42	F	1/14/2021	1/14/2021	<p>Patient came into Public Health Clinic for 1st dose of COVID-19 Vaccine. Patient completed COVID-19 vaccine screening checklist for contraindications. Patient reported that she had a penicillin allergy-hives and had a reaction to an unknown agent that caused eye and lip swelling. Form reviewed by Dr who verbally screened risks for patient. Patient made educated decision to get vaccine knowing risks of allergic response. Patient received Moderna Lot # O11J20A in left deltoid administered by Indigo RN. Patient observed in clinic for 15 minutes after vaccine given. No reactions reported at that time. Patient waited longer due to significant other also receiving the vaccine and having to wait for observation. At 1054 patient reported to pharmacist of her lips feeling tingly and her tongue feeling heavy. She reported to, RN and informed Dr. of patient's status. Upon physical assessment of oral mucosa, no tongue swelling, throat soreness, redness or swelling noted on physical exam, vessels under bottom lip looked slightly dilated. Patients lips also within normal limits, no swelling noted. Vital signs of 98.3F tympanic, O2 sats 100% on room air, heart rate 91, respiratory rate 16. BP R. arm 164/104, L. arm 165/112, manual on R. arm 164/98. Patient states she took hydrochlorothiazide for BP at 12:30, right before coming into clinic. Patient still feeling like her lips are tingly and tongue is heavy, Per Dr. would prefer to assess patient in the ER. Instructed patient to go to Health Center ER with husband for further assessment. Per chart review from ED, Pt monitored in ED for 1 hr. without recurrence or development of symptoms. She states that she feels normal and is ok with going home. Return precautions discussed. No interventions.</p>
944488	1/14/2021	CA	44	M	12/23/2020	12/23/2020	<p>Both eyes started twitching that day a bit after 5pm. They still continue to twitch every so often.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
946899	1/14/2021	MO	32	U	1/14/2021	1/14/2021	Client was sitted in the chair and started rolling his eyes stretching his feet and twitching like he was having a seizure. Was helped on the floor gained consciousness. Stood up and sat on the wheelchair wheeled to the cot area and was place on the cot. V/P 133/96 HR - 54 - 78 O2Sat 97% B/S - 111 glucose gel EMS was called Client was stable Had lost conciousness and disoriented when he woke up. Client started he felt light headed and had vision event



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
944507	1/14/2021	NV	46	M	12/23/2020	12/27/2020	Loss of vision; Possible lowgrade central retinal occlusion; retinal venous dilation; Decreased vision; Unexplained Retinal Hemorrhages; A spontaneous report was received from an ophthalmologist retinal specialist concerning a 46-year-old, male patient who received Moderna's COVID-19 Vaccine and developed loss of vision, decreased vision, unexplained retinal hemorrhages, retinal venous dilation, and possible low grade central retinal occlusion. The patient's medical history was not provided. Concomitant product use was not provided by the reporter. On 23 Dec 2020, approximately four days prior to the onset of the symptoms, the patient received their first of two planned doses of mRNA-1273 (Lot number: 025J20-2A) intramuscularly in the arm for prophylaxis of COVID-19 infection. On 27 Dec 2020, the patient experienced decreased vision. On 29 Dec 2020, the physician examined the patient. There was some retinal hemorrhage, venous dilation, and possible low grade central retinal occlusion. Lab work was requested by the physician and results were pending. Treatment information was not provided. Action taken with mRNA-1273 in response to the events was not provided. The outcome of the events, loss of vision, decreased vision, unexplained retinal hemorrhages, retinal venous dilation, and possible low grade central retinal occlusion were unknown.; Reporter's Comments: This case concerns a 46 year old male patient. The patient's medical history is not provided. The patient experienced a serious, unexpected event of loss of vision, unexplained retinal hemorrhages, retinal venous dilation, and possible low grade central retinal occlusion. The event occurred 4 days after first dose of the mRNA-1273. Very limited information regarding this event has been provided at this time. Based on temporal association between the use of mRNA-1273 and the event, a causal relationship cannot be excluded. Additional information are required for further assessment.
946141	1/14/2021	IN	83	F	1/14/2021	1/14/2021	Moderna COVID-19 Vaccine At 2 PM I went blind in my left eye. Went to emergency room at Hospital Was told I have Blood clot in my eye causing the blindness and Ophthamologist says it will probably be permanent

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
945645	1/14/2021	MN	37	F	1/12/2021	1/13/2021	Swelling & redness around eyes Lasted 3 hours, then went away
945404	1/14/2021	MI	51	F	1/12/2021	1/12/2021	Itchy tingling sensation in mouth and throat, hives on torso and spreading, itchy eyes and inside ears, swollen lymph nodes in neck and groin area
945617	1/14/2021	MA	63	M	1/11/2021	1/12/2021	Head ache, Chill, Fever (100.4 to 100.80), Body ache, Light burning eyes, loss test for 2 days. Took Tylenol x2 (500mg) for 2 days.
946146	1/14/2021	AZ	30	F	1/12/2021	1/12/2021	Puffy eyes, weird feeling in mouth and possibly throat
945584	1/14/2021	CA	27	M	1/13/2021	1/13/2021	At 11:00 PM awoke with severe full body chills and subjective fever that lasted about an hour. Woke again at 1:30 AM drenched in sweat with pounding frontal headache and eye aches, got up to use restroom and had vasovagal syncope while standing in front of the toilet.
945549	1/14/2021	MN	42	F	1/14/2021	1/14/2021	Patient developed tight feeling in throat, difficulty swallowing, diaphoretic, clammy skin and facial swelling around eyes.
945548	1/14/2021	TX	50	F	1/13/2021	1/13/2021	15 minutes after receiving the vaccine I felt like I was going to faint and then called out someone's name and she came and caught me as I fainted. They called for Rapid Response Team. They put me on a stretcher, asked what happened, and took some vital signs - I was tachycardic, BP was 184/108 pulse ox 97 and they also saw nystagmus only in my left eye which I've never had before.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
945504	1/14/2021	CA	36	F	1/11/2021	1/12/2021	After first vaccine i experienced fatigue, body aches, headache and nausea for 2 days and injection site pain for two weeks. After second Vaccine given at 9:55am. tingling of feet for about 20 mins, 30 mins after the vaccine. Two hours later fatigue, body aches, headache and nausea began. At 0030 1/12/2021 I woke up with severe chills and left chest pain, temp was 101.6 and heart rate was 160. I began to see black and chest pain was severe feeling like i was having a heart attack and was going to pass out so i called 911. I then began to get short of breath and got numbess on my legs, left arm and left side of neck. Chest pressure/pain radiated to left arm and neck. I was taken by the ambulance to hospital. Arrived around 0130. My heart rate sustained at 140s in the ER so I was admitted at 0530 am. My D Dimer was a bit elevated as well as my lactic so I was given a bolus of fluids plus maintenance. I had a CXR done, CTA chest(negative for PE), UA, Labs, entire cardiac workup including an ECHO during my admission. I also began to have loose stools and wrist joint pain. MY heart rate sustained at 125-147 for about 30 hours. Fevers on and off. After everthing was negative we determined this was secondary to the covid 19 vaccine. I was discharged 1/13/2021 at around 1:30 pm. My heart rate is still not at baseline which is 87-90. I'm 100-130 and still get very fatigued with a simple slow walking. Still having tachycardia, fevers, body aches, joint wrist pain, chest discomfort and headaches. My potassium was 3.0 at discharge so will be needing labs in a week. Also bruised a little different than I usually do with lab draws so keeping an eye on them and will be checking my platelets again in a week. Ive been taking tylenol for my fever and pain and ativan for any anxiety when my heart rate goes up. (treatment during hospital stay was normal saline bolus, nomal saline maintenance fluids at 150 cc/hr, tylenol, ativan, ice packs, rest)

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
945493	1/14/2021	OR	29	M	1/13/2021	1/14/2021	At around 1:30 in the morning, i became really weak, achey, had the chills, some nausea, a minor headache, a slight sore throat, and minor eye pain like they were dry. Though i felt terrible, the most concerning side effect was that my skin felt like it was extremely raw in patches all over my body where if my sheets lightly touched one of those ?patches?, it would be very painful. However, there was no rash or discoloration from what I could tell. I also had strange painful sensations at the ends of my toes but were different in quality relative to the hypersensitive/raw painful sensations on my skin. The adverse events kept me awake for hours but when I finally got to sleep and woke up the next morning. I only had chills, weakness, and acheyness which were much less in severity than those early morning hours. It is now 4:45 pm and the only adverse effect I am still feeling is the fatigue. Also, I forgot to mention it on the medication portion but I had taken 400 mg of ibuprofen about 15 minutes before receiving that second dose.
945466	1/14/2021	ME	49	F	12/30/2020	1/11/2021	I suffered severe migraine to the point of severe pain unlike any migraine I have ever had, drooping of eye and pain in neck and blurry vision, Went to dr she said I have Bella palsy that could be due to vaccine
945628	1/14/2021	IN	56	F	1/13/2021	1/13/2021	Temp 99.6, headache, body & muscle aches, nausea, eye pain, injection site pain radiating into neck and arm
944554	1/14/2021	ME	37	M	1/13/2021	1/13/2021	Rapid heart rate, severe sweating, inability to breathe, narrowing vision, fainting, anxiety
944769	1/14/2021	FL	67	F	1/11/2021	1/13/2021	Bad Headache, in eyes, forehead, back of neck on right, joint pain in left hip through left waisted, stuffy runny nose, pain in center of stomach, last 15 hrs of nausea
944742	1/14/2021	MD	31	M	1/14/2021	1/14/2021	Blurred vision, lightheadedness

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
944680	1/14/2021	AK	22	F	1/13/2021	1/13/2021	Customer rec'd first dose of COVID-19 vaccine approximately 18:07 and transferred to post vaccine observation. At 18:20 customer reports feeling nauseated with rapid onset occipital headache radiating into eyes at 7/10. She reports feeling "sweaty" and is flushed in appearance. Customer moved to ante room, closer to emergency supplies. Customer denies feeling SOB, difficulty breathing or tongue/throat swelling. O2 sat monitor not reading to due nail polish. BP 160/105, HR 88 (RRR) R 20 (unlabored). Lungs CTA. History of hypertension when pregnant but does not take medications at this time. History of kidney stones and "stuff." Customer accepts BENADRYL 50mg PO at 18:28. Customer monitored at site. Customer downplays symptoms and is a difficult historian. Does not wish to lay down. States "I'll be fine" and wishes to drive home to lay down. Customer given snack and water. Reports ongoing nausea with blurry eyes. Continues to rub her neck and shrug her shoulders up and appears quite uncomfortable. She reports history of significant nausea post flu shot which resolved within a couple of hours. Denies history of migraines. Denies known allergies and has never been given epinephrine. She denies taking any medications prior to receiving this vaccine. Reports heaviness in eyes and photophobia. TYLENOL 1000mg PO given at 19:00. Customer again begins flushing, feeling nauseated and diaphoretic. Admits to her symptoms worsening. She reports feeling like she wants to pass out and throw up. Continues to deny respiratory symptoms. BP 135/78, HR 86, RR 18. Denies decrease in headache "feels like I can't even hold my head up. It hurts so bad." She becomes tearful and is agreeable to transfer to ED for further work up and evaluation. Customer gives verbal consent to share medical information with mother, who is given ED phone number for follow up. Customer escorted via wheelchair by RN staff member. Handoff report given to, ED physician. Customer is aware that this information will be shared with her PCP Team for follow up. Recommend consult prior to next vaccine appointment to discuss post vaccine course and discuss risks/benefits and/or pre-treatments prior to next vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
944673	1/14/2021	LA	35	M	1/13/2021	1/13/2021	Started with tingling of the tongue and itchiness of the arms. I took 50mg of Benadryl immediately, but then progressed to hives all over on my, arms, trunk, eyes, ears, and scalp, and legs. Went to the emergency room in case it got worse or obstructed my breathing. In the ER continued to have itching and extreme redness of my arms, with some swelling of my arms as well. About an hour later the Benadryl began working and received prednisone and Pepcid. Stayed in the ER for another hour and my symptoms mostly resolved. Was prescribed 3 days of 40mg prednisone and given an epipen. Have not had issues since then.
944656	1/14/2021	ME	37	M	1/13/2021	1/13/2021	Severe sweating, rapid heart rate, blurring vision, dizziness, shortness of breath, near syncope
944645	1/14/2021	MO	55	F	1/13/2021	1/13/2021	I began to experience a dry throat about 10 minutes after injection - I attributed it to needing a drink. My throat then felt a bit warm and I thought this was due to thirst as well. I left the monitoring area. I was walking to my vehicle and began to feel more of a warm sensation in my throat and not into my upper chest. About 5 minutes after this took place my face became flush and began tingling and feeling sunburned and tight - I looked in the mirror and my cheeks and nose and chin were red and felt extremely warm - I did not have facial swelling that i noticed but my face felt tingly and like it was sunburned - my eye felt puffy but did not look puffy enough to notice in the mirror. Approximately 30-35 minutes after the immunization, I took 50mg of Benadryl and 1300mg of Tylenol. I felt my symptoms begin to improve about 25-30 minutes after taking the medication - my throat and chest were not as warm. the facial flushing lasted about an hour or hour and a half. The morning after my immunization I did have a scratchy throat - I did not take any further medication - by the afternoon - this is almost gone - still just a little scratchy.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
944807	1/14/2021	FL	77	M	1/12/2021	1/14/2021	Arm was sore starting approximately 4 hours. after the shot. I usually set thermostat to 68, but got so cold last night i pushed it up to 74 and added a blanket. Around 4:00 I woke up to go to the bathroom. Problems similar to Cirpro. Did not have control over direction I was walking.. Had to rock back and forth to sit up so I could get out of bed. I estimate this was a 3-5 minute ordeal. Drank some Powerade and went back to bed. I had gone to bed just before midnight. Slept till 10:30 because maid was coming at 11. I was totally unstable. When she saw me she immediately made me sit in a recliner. Said my face was pale and my eyes were blood shot. I would have fainted within seconds.
944555	1/14/2021	WA	51	F	1/1/2021	1/13/2021	First episode ocular migraine- flashing zig zag shapes in right eye lasting about 30 minutes. Still groggy next morning.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
944528	1/14/2021			F	12/1/2020	1/1/2021	facial twitching on the left side of the face which started with her lip which lasted for a couple of hours and moved to her left cheek the next day. These were resolved until she noticed left lower eyelid twitching last Sunday night; left lower eyelid twitching; This is a spontaneous report from a contactable nurse (patient). A female patient of an unspecified age received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number and expiry date not reported), via an unspecified route of administration on Dec2020 at single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient reported to have received the first dose of the vaccine almost 3 weeks ago and it will be exactly 3 weeks on Monday. Last week on possibly Friday (Jan2021), she noticed facial twitching on the left side of the face which started with her lip which lasted for a couple of hours and moved to her left cheek the next day. These were resolved until she noticed left lower eyelid twitching last Sunday night which had happened about 30 times with durations of about 4 seconds until now since Sunday. She is asking if this was reported and if she was to proceed with 2nd dose. The patient recovered from facial twitching on the left side of the face which started with her lip which lasted for a couple of hours and moved to her left cheek while did not recover from left lower eyelid twitching. Information about Lot/Batch number has been requested.
944550	1/14/2021	WI	48	F	1/6/2021	1/7/2021	severe fatigue day of vaccine, next day 1/7 also headache and general feeling unwell and arm pain at site of injection. Fatigue and headache-stabbing pain R side of head continue. Head pain increased overnight 1/12. Rash on forehead started 1/10 or 1/11, eye pain. 1/13 went to urgent care and diagnosed with shingles. Today rash continues, eye worse, severe pain on R side of head mostly in front of and around R ear into jaw and neck. Started on Valtrex



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
944539	1/14/2021	NY	57	F	1/6/2021	1/7/2021	Aches; Chills; menstrual like cramps (but post menopausal); Fatigue; Eye burning; low grade temp; This is a spontaneous report from a contactable nurse (patient). A 57-year-old female patient received the second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/lot number: EL0142), via an unspecified route of administration on 06Jan2021 16:45 at a single dose on right arm for COVID-19 immunization. Medical history included, lactose intolerance. Concomitant medication included acetylsalicylic acid (ASPIRIN (E.C.)), probiotics (PROBIOTICS), clarithromycin (MACROBID [CLARITHROMYCIN]), ibuprofen (MOTRIN [IBUPROFEN]), paracetamol (TYLENOL). The patient previously took Parafon Forte and experienced allergies. The patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/lot number: ek5730) on 17Dec2020 17:15 at a single dose on left arm for COVID-19 immunization. The patient experienced aches, chills, menstrual like cramps, fatigue, eye burning, and low grade temp on 07Jan2021 15:00. The outcome of the events was recovering. The events were assessed as non-serious. The facility where the most recent COVID-19 vaccine was administered was Hospital. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
944535	1/14/2021	CA	36	M	1/4/2021	1/4/2021	<p>pain on eye movement; high fever; joint/muscle ache; joint/muscle ache; headache; nausea; unable to sleep; shivered most of the night unable to feel warm; shivered most of the night unable to feel warm; First dose: 18Dec2020 10:00 AM; second dose: 04Jan2021 11:45 AM; First dose: 18Dec2020 10:00 AM; second dose: 04Jan2021 11:45 AM; This is a spontaneous report from a contactable physician (patient himself). A 36-year-old male patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot: EH9899), via intramuscular on 04Jan2021 11:45 at single dose in left arm for covid-19 immunization. Medical history included allergies: allergy to certain sunblock. There were no concomitant medications. The patient previously took the first dose of BNT162B2 (lot number EH9899) for covid-19 immunization on 18Dec2020 10:00 AM in left arm via intramuscular. The most recent COVID-19 vaccine was administered was in hospital. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. No other medications the patient received within 2 weeks of vaccination. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. Roughly 12hrs after second vaccine (05Jan2021), patient had high fever, and accompanying symptoms such as joint/muscle ache, headache, nausea. Fever was severe enough, patient was unable to sleep and shivered most of the night unable to feel warm, patient was also unable to check temperature due to status of severe symptoms. Upon waking in the early morning, fever was better, symptoms of headache/nausea/joint/muscle ache persisted rest of day. Fever was around 101 rest of day time. By second day (05Jan2021 12:00 am), fever subsided, residual mild headache and pain on eye movement remained for another day. Eye pain on movement persisted for 4 days after fever. The patient took ibuprofen 200mg for high fever, joint/muscle ache, headache. Events were assessed as non-serious. Outcome of these events were recovering.</p>

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
944522	1/14/2021			F			<p>experienced soreness in her arm; experienced being achy like she was having the flu; experienced being achy like she was having the flu; fever; palpitation; shortness of breath; nausea; her eyes were burning; This is a spontaneous report from a contactable consumer (patient). A female patient of an unspecified age received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on unspecified date at 8AM at single dose for covid-19 immunization. The patient's medical history and concomitant medications were not reported. Patient did not feel anything until 5PM. At 5PM, she experienced soreness in her arm until the next day at 6:30PM or 7PM. At this time, she also experienced being achy like she was having the flu. In addition to that, she also experienced having fever, palpitation, shortness of breath, nausea, and her eyes were burning. That night, she took 2 paracetamol (TYLENOL) and got up fine. Outcome of all events was recovered on unspecified date. Information on the lot/batch number has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
945099	1/14/2021	IN	48	F	12/22/2020	12/24/2020	Dec 24 felt light headed and loss of appetite, Dec 25, fever 103 and chills, Dec 26 Team member Covid hub had me do a Covid test, negative result, continue high fever, no appetite, chills and body ache, Health Hub contacted me daily with app to review symptoms, Dec 27-29 continued symptoms, unable to eat and little bit of water intake, Dec 29 appointment made with Health Urgent Care, received text from Urgent Care cancelling appointment and instructed to take sips of water and Tylenol that I was having an immune reaction to vaccine. Dec 29 virtual appointment with PCP continued symptoms, Dec 31 repeat of COVID swab along with Flu swab both negative, Jan 2-3 hospital admission for abnormal labs, jaundice, dehydration, Sodium/Potassium and Magnesium boluses given, and work up for infectious process was negative. Discharged to home Jan 3 with low grade fever, dry mouth, dry eyes, nausea, body ache and continued loss of appetite. Jan 4-7 continued worsening jaundice and appetite with low grade fever, GI Clinic consulted at Health Clinic, PCP in daily contact, repeat liver function labs on Jan 8 showed worsening labs. Jan 9-12 afebrile, started Ursodiol, low appetite better energy, continue dry mouth, GI appointment Jan 12 with plan to repeat liver functions on Jan 15, jaundice improved and able to eat liquids. No Tylenol or antipyretic taken since Jan 3 due to liver function tests.
1349881	1/14/2021	OR	70	M	1/11/2021	1/12/2021	Narrative : Symptoms: BlurredVision, Dizziness, Myalgia, CoughWheeze & sore throat; tingling head, lips, extremities Treatment:
944569	1/14/2021	MN	59	F	1/12/2021	1/14/2021	Awoke at 3 am on 1/14/2021 with eye pain and swelling , at 6:30 am eye swelling in right eye was more prominent, rinsed eyes with cold water multiple times. Swelling still exists 1/14/2021 at 1315, (time of typing this information). Seeing slight improvement.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
944992	1/14/2021		38	M	1/4/2021	1/4/2021	Received vaccine on 1/4/2021 at 15:15 hours. A few minutes after the shot, I felt a warm wave come over me , kind of felt like passing out but didn't, heart started racing and hands became clammy/shaky. I sat down and after a few minutes it passed so I went back to work. On 1/5/2021 I started to become slightly dizzy with a mild headache lasting all day. On 1/6/2021 dizziness and slight headache persisted with slightly blurred vision. On 1/7/2021 I felt slightly better in the morning but as the day went on the dizziness returned with slight headache and blurry vision. At approximately 16:00 hours I was speaking with my NP, and went over my symptoms. She suggested getting my blood pressure taken. It registered at 154/115. I called my PCP and I was able to be seen the same day. I was given clonidine and it came down but on morning of 1/8/2021 it was back up getting as high as 160/120. Called my PCP back and he prescribed Olmesartan. It seems to have stabilized my BP but he is unsure why the vaccine has caused this and why it is persisting.
945077	1/14/2021	NV	37	F	12/16/2020	12/21/2020	I had vertigo, unsteady gate, nausea, vomiting, difficulty with visual tracking.
945075	1/14/2021	MA	45	F	1/13/2021	1/14/2021	3 AM this morning woke up with pain and swelling at injection site. States, "It's a little bit red. I have been putting ice. I could not sleep on it." 8AM: Nausea started. No vomiting able to hold down fluids and solid foods 1PM: Dizziness-- states, "When you don't sleep for two days in a row, you just want to close your eyes.~~
944835	1/14/2021	MO	34	F	1/9/2021	1/13/2021	R facial numbness with inability to fully open R eye onset 1/13/21. Seen in urgent care, Dx Bell's Palsy, treated with steroids.
945025	1/14/2021	MN	26	F	1/12/2021	1/13/2021	About 16 hours after second dose of the Pfizer COVID-19 vaccination: - Fever of 101-102F - Chills - Body aches - Joint aches - Headache About 40 hours after time of vaccine: - Fainting spells x2 (shakiness, blurry vision, ringing in ears, loss of balance)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
945060	1/14/2021	MN	37	F	1/5/2021	1/11/2021	On 1/9 had cold sore outbreak on right lower lip (not new). On 1/11 at 0730 started having changes in hearing mostly in right ear (never happened before) Also started having headache and red/swollen area below right eye. Uncertain of all related to cold sore or possible vaccine side effect?? Never had other symptoms with cold sore outbreak
944982	1/14/2021	MI	29	F	1/14/2021	1/14/2021	Patient experienced light headedness, diaphoresis, stated "i could see black spots in my eyes," but did not loose consciousness. She stated that she may have not eaten enough for lunch and has a fast metabolism that may have contributed to her symptoms. Patient transported from hospital vaccine center to hospital ED for further evaluation.
944958	1/14/2021	CA	36	F	12/28/2020	12/28/2020	12/28 vaccination. little after 15 minutes, started to feel faint . 2 liter nasal canula, ekg, bp, pulsox. BP was 150/110. Taccycardia. Rushed to ER; felt like 'weighted blanket'/'moving thru molasses'/'out of body' experience - 'felt like body hijacked'; people asking questions, but i could not respond. 2 hours 'frozen'. I could hear small sounds from far away, I could hear like it was up close. Driving home until the next day, I felt electrical surges behind the left eye /brain region. *stayed in ED for obstersvation
944936	1/14/2021	AL	46	M	1/14/2021	1/14/2021	LOSS OF HEARING, HEART PALPATATIONS, TUNNEL VISION
944929	1/14/2021	WA	35	M	1/12/2021	1/13/2021	? right arm/shoulder pain, c-spine stiffness, headache, body aches. After 2nd dose same sx and nausea, dizzy, blurred vision and most concerned about right scapula feeling ?weak? and intermittent right arm ?paresthesia?
944917	1/14/2021	AL	46	M	1/14/2021	1/14/2021	LOSS OF HEARING, TUNNEL VISION, HOT, HEART PALPATATIONS, ELEVATED HEART RATE, SWEATING
944910	1/14/2021	MO	49	F	12/23/2020	12/24/2020	On 24 I had sinus and watery eyes. I went to ER because I was congested and coughing.
944905	1/14/2021	MD	73	F	12/30/2020	12/30/2020	about 3 hours after vaccination she began experiencing left eye itching and swelling

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
944891	1/14/2021	MD	73	F	12/30/2020	12/30/2020	Approximately 3 hours after the vaccination, she noticed her left eye was itching and swollen
944868	1/14/2021	IL	23	F	1/14/2021	1/14/2021	Before injection patient was very nervous and did not eat breakfast. 3 minutes after injection patient complained of blurred vision and dizziness. BP 88/50, HR 54, O2 92%, pale in color, patient started to shake and have seizure activity only lasting a few seconds. 3 person assist to lie flat on the floor, rolled to left side. Patient was non-verbal at this time. 911 was called. At 9:11 AM EMS arrived and patient was responding at that time, patient transferred to the hospital. After hospital visit staff reported back the doctor felt it was an anxiety response rather than a vaccine reaction.
945057	1/14/2021		71	F	1/14/2021	1/14/2021	Patient presented to the COVID clinic today January 14, 2020 for her first COVID-19 vaccine. She was given 0.3 mls of the vaccine IM in the left deltoid.at 2:40 pm. She pulled around to the observation area and at 2:45 she reported that she was experiencing her lips tingling along with chest pressure and SOB. Spo2 was 96% on RA. Oxygen applied via face mask at 4 L.. SpO2 then went up to 99%. At 2:50 BP was 122/80. At this time she reports that the chest pressure has subsided but that she was still experiencing some fuzziness in her eyes. She denies any itching. At 2:53 she reports that her lips are not as numb but that she still has some fizziness. At 2:58 she reports that she feels "real tired" and that she is not as "fuzzy headed". Patient continued to improve. At 3:09 oxygen was removed. SpO2 stayed at 98%. After observing patient for several minutes she was found to be in stable condition to leave the observation unit. She was agreeable to this plan. She will notify her PCP with any further symptoms.
940631	1/13/2021	MO	46	F	1/12/2021	1/12/2021	01/12/2021 reported redness in face, neck, stomach, and minimal on arms. Swelling on eyelids, slightly nauseated. Instructed by employee health to take Benadryl STAT and report to ED for worsening symptoms. 01/13/2021 Pt reports symptoms are no longer present and has no complaints.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
940616	1/13/2021	PA	42	F	1/8/2021	1/8/2021	Pt received her COVID19 vaccine at 9:45AM on 1/8/2020. -After vaccination, patient felt fine. -She was placed in observation. -10 min later, she felt as if she was having a "hot flash." She also develop a headache. -I evaluated the patient at this time. -Pt denies rash, watery/itchy eyes, itchy throat, difficulty swallowing, difficulty breathing, chest pain, nausea, vomiting. -Vitals were stable throughout encounter (see vital section). - Patient did some deep breathing exercises with me and drank water. -After ~10 minutes, the patient felt better. - She was discharged after close observation for 30 minutes. -Of note, pt has a history of anxiety and panic attacks. She does not take medication for anxiety. -Pt also has allergy to codeine (reaction - rash).
940595	1/13/2021	NM	36	F	1/11/2021	1/11/2021	Patient reports severe headache, vomiting and eye sensitivity to light and eye pain that lasted approx 24 hours. 48 hours post injection Patient is complaining of significant muscle pain around her neck area.
940524	1/13/2021	OR	70	M	1/11/2021	1/12/2021	01/12/2021 Veteran called to report the following sx that started in AM: - blurred vision - dizziness, slight - muscle fatigue/soreness - slight dry cough (no wheezing) - sore throat - tingling feeling in head/lips/extremities
940509	1/13/2021	AR	49	F	1/12/2021	1/12/2021	about 4 hrs after vaccination ee had "tunnel vision" dizzy, abd upset, "churning stomach" gas, No diarrhea but soft stools. today headache, and fatigue
940505	1/13/2021	TX	51	F	1/8/2021	1/8/2021	Flushing of face and rash all over chest. Swelling to eyes, nausea, stabbing pain and heaviness to left neck and under arm, chest pressure, vomiting, and loose stools
940500	1/13/2021	NH	36	F	1/7/2021	1/8/2021	Left upper arm sore: 1/07/2021 resolved on 1/09/2021 Myalgias: 1/8/2021 took Tylenol with some relief resolved 1/12/2021 Severe headache: 1/08/2021: some relief with Tylenol around the clock. Resolved 1/13/2021 Left eye swelling: 1/13/2021 took Zyrtec with resolution
940460	1/13/2021		32	F	12/30/2020	12/31/2020	About 24 hours after the vaccine injection felt like something stuck in throat and chest hurt. Progressed in 30 minutes to pain in chest and head, swallowing painful, whole body and eyes itching and felt irritable. Symptoms continued for 24 hours.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
940458	1/13/2021	MN	39	F	1/8/2021	1/9/2021	11 hours after vaccine, chills started. Fever, chills, severe headache and body aches, and fatigue over next 24 hours. Bedridden, would not have been able to work or care for my children. Left eyelid began twitching at that time and has continued to have intermittent periods of twitching over the 5 days since.
940422	1/13/2021	FL	39	F	12/22/2020	12/22/2020	Pfizer-BioNTech COVID-19 Vaccine EUA - Lips tingled 2 minutes after injection, then moved to tongue. Lips started to go numb along with tongue, face started to itch right after. Within 30 minutes of injection, eyelids were swelling, face and chest redness, whole body itching. Benadryl and Tylenol taken, symptoms were lessening within 1 hour of taking Benadryl.
940364	1/13/2021	IL	44	M	1/11/2021	1/12/2021	Subconjunctival hemorrhage in left eye next morning. Small in diameter. No pain. Also left shoulder pain that lasted 30 hours
940812	1/13/2021	PA	26	F	1/8/2021	1/8/2021	-Pt received COVID19 Moderna Vaccine today around 10:30 on 01/08/2021. -Pt has type 1 diabetes. -Just before and after vaccine was given, her sugars climbed to 299 (she has a monitor that checks constantly). Her normal sugars range from 120-150. -She reports that reaction is normal for her in stressful situations. Patient has history of mid anxiety. No hx of allergies. -She gave herself 1.5 units of insulin. -She denied blurry vision, headache, dizziness, polydipsia polyuria, polyphagia, headache, chest pain, shortness of breath, difficulty breathing, rash, itchiness, nausea, vomiting, abdominal pain, fatigue. -I evaluated patient. -Vitals normal. -After a couple of hours, her sugars were back to normal. -Pt was observed for multiple hours, as she was also simultaneously working in the vaccine clinic. -Pt discharged after 4-5 hours.
940334	1/13/2021	WI	40	F	12/23/2020	1/3/2021	eye pain/headaches, sensitivity to light
940404	1/13/2021		60	F	1/4/2021	1/7/2021	Around day 2-3, started having left eye spasm and has now been about 1 week and still having left eye spasm
940648	1/13/2021		48	F	1/12/2021	1/12/2021	eyes and tongue swelling, light headiness, 1 epi given, transfer pt to ED

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
940653	1/13/2021	PA	29	F	1/8/2021	1/8/2021	-Pt received COVID19 vaccine on 1/8/2021 in the morning. -Pt was initially observed for 30 minutes, given hx of anaphylaxis to iodine. -Pt initially had no symptoms - no itchiness, itchy or watery eyes, rash, difficulty swallowing, itchy throat, swelling, chest pain, shortness of breath, N/V. -She came back a few hours later with one right chest wall hive and few hives on her left arm. -No respiratory symptoms. No other symptoms besides those few hives. -Pt was evaluated by myself and Nurse. -Pt was observed for another 30 minutes & given Benadryl IM 25mg. -Pt also took 2 500mg Tylenol. -Pt felt better and was then discharged
940674	1/13/2021	NY	31	M	1/12/2021	1/12/2021	Pre syncope symptoms - 5-10 minutes after injection: Warmth Turning pale Getting sweaty palms Feeling dizzy or lightheaded Blurred vision Lasted 10 minutes; was observed for 30 minutes, given a snack and drink and slowly began to subside.
940677	1/13/2021	PA	40	F	1/8/2021	1/8/2021	-Pt received COVID19 vaccine (Moderna) at MDLS on 1/8/2021 at 9:51 PM. -Pt was observed for the recommended 15 minutes but then came back at 2:13PM with a little rash on her face and chest. -Denies headache, shortness of breath, difficulty breathing, chest pain, dizziness, numbness/tingling, N/V, rash anywhere else on her body, difficulty swallowing, itchy/sore throat, itchy/watery eyes, congestion. -Vitals were stable (see vitals). -Pt was observed for 30 min & did not have worsening of rash or other symptoms. -Discharged after 30 min.
940679	1/13/2021	MI	38	M	1/12/2021	1/12/2021	Metallic taste in mouth for over 24 hours from time of injection. unable to focus eyes for about an hour after injection
941043	1/13/2021	KY	64	F	12/23/2020	12/24/2020	After the vaccination I developed a non productive cough, had creepy crawly feeling skin and felt as if my eyes were burning but no fever develop. I got tested for COVID via rapid/PCR test on 12/25 which was neg but got retested on 12/28 via the rapid COVID test and was positive then.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
940809	1/13/2021	NY	61	M	12/26/2020	12/31/2020	<p>left side will blur; Left side of face was sagging/ water leaking out of mouth/Progressive weakness on left side of face/ Swelling on lower left mandible/ diagnosed with Bell's Palsy.; Eye tearing; This is a spontaneous report from a contactable nurse who reported for himself. A 61-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Batch/lot number: EK5780) in left arm on 26Dec2020 at 08:30 at single dose for covid-19 immunisation (worked in surgical ICU and was over 61 years old). Medical history included Pre-diabetic. Family history included: mother died; mother's side had colon cancer and grandparents and uncles had cardiovascular diseases. Concomitant medication included exenatide (BYDUREON), amlodipine besilate (NORVASC), omeprazole (PROTONIX), hydrochlorothiazide, lisinopril and pneumococcal vaccine on 08Dec2020 and tetanus vaccine on 08Dec2020. It was reported that on 31Dec2020 at 07:30, the patient had eye tearing and water leaking out of mouth, left side of face was sagging, swelling on lower left mandible (eye tearing was first, as reported); on 31Dec2020 he also experienced progressive weakness on left side of face; on 02Jan2021 the patient was diagnosed with Bell's Palsy. Then on an unknown date, left side will blur occurred. All events required emergency room visit and physician office visit. Diagnosis of Bell's Palsy and event eye tearing were serious per disability; left side will blur was non serious. Patient described the events as follows: on 31Dec2020 he was brushing teeth and noticed the water was going everywhere. Left side of face was sagging, noticed some swelling and thought it was from a bug bite. He wasn't sure if it was a stroke or not. In the morning of 01Jan2021 noticed it was progressively causing a problem. Days before noticed tearing of left eye (as reported). On 31Dec2020 before midnight, something felt wrong. He saw four cases on clinical trial with similar side effects (he clarified he had no patient information for the four patients mentioned with similar side effects from Pfizer Clinical trial. He saw this information from a article; stated four from Pfizer and Moderna). In the morning of 02Jan202, he went to Emergency Room (ER) and was diagnosed with Bells Palsy. He was given prednisone 20mg to take 3 times by mouth every day for 5 days, tetracycline 100mg, at 1 capsule by mouth twice a day for 10 days and</p>

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

methylprednisolone (SOLU MEDROL; Lot: 9945776; Exp: Nov2021) 4mg dose pack, started with 6 tablets first day. It was told by doctor it might cause tick problems. He was waiting for results. On 04Jan2021 went to family doctor and more blood work was taken. Because he was taking prednisone, noticed his sugar was up a little bit (date unspecified). It was prescribed Glitizide extended release, 2.5mg one tablet twice a day with breakfast. Patient was checking sugar every 6 hours. It was also prescribed Acyclovir 400mg one tablet orally five times per day for 10 days. 08Jan2021 is last day of prednisone 5 day dose and will follow up with methylprednisolone tablets. Patient had an appointment with a neurologist on 13Jan2021. Patient was still having symptoms. It was really hard for him. Not hard to swallow. Face was still drooping. Eyes were still tearing. Could not work with eyes tearing all of the time. Needed to be alert. When driving, had to focus on the right side because his left side will blur. He had to chew only on the right side because food will be left behind in between his cheeks and gums. If he drank through a straw, he had to cover the left side of his lips so he was able to suck out fluids. He thought symptoms were progressively getting worse, he didn't see much improvement. He clarified swelling was on lower part of mandible on left side. It was slightly bigger than right. When looking at face, the lines on his forehead on the left side were down. If he smiled he cannot raise his left eye brow, when before the COVID-19 vaccine he could. Noticed left side of nose was lower than the right. Cannot raise left side of lips. Outcome of the event Eyes tearing and Bell's Palsy was not recovered; outcome of the other event was unknown. Information on the batch number has been requested.; Sender's Comments: Based on available information, a possible contributory role of the subject product, BNT162B2 vaccine, cannot be excluded for the reported events of Bell's palsy, Lacrimation increased and vision blurred due to temporal relationship. However, the Bell's palsy may likely possibly represent concurrent medical condition in this patient. There is limited information provided in this report. Additional information is needed to better assess the case, including complete medical history, diagnostics including head CT/MRI and viral serologies, counteractive treatment measures and concomitant medications. This case will be reassessed

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

once additional information is available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

940856	1/13/2021	PA	29	M	1/8/2021	1/8/2021	<p>Pt received COVID19 Vaccine (Moderna) at 9am 1/8/2021. -Pt completed 15 min observation and then returned to work. -Pt came back at 12:30 with the following symptoms: stomach pain, nausea, shivering, feeling very cold, headache, "sleepiness" of his left arm (same arm as the shot), itchy throat, cough, and feeling very thirsty. -Pt reports his headache as very painful, b/l, and feeling as if his head was very "hot." Pt has no hx of headaches. -Nausea in and out, never vomited. -Denied dizziness, change in vision, shortness of breath, difficulty breathing, chest pain, difficulty swallowing, rash, lightheadedness. -Pt did not eat anything all morning. -Took vitals, blood glucose (see vitals section). High BP and pulse. Sugar: 169 -Pt given Benadryl 25mg IM (on opposite side of vaccine). -Pt took 500mg Tylenol and then a few hours later 500mg more Tylenol (on own accord). -Pt observed 12:30-4:30. Slept off and on. Felt a lot better at 4:30. Pt discharged. -Pt was also seen and evaluated by MD. -Of note, pt does not have any allergies that he is aware of. -Has "pre HTN and pre diabetes." -Hx of heart disease - father CABG, in mid 40s. -Pt was observed for 4 hours. -BP went down after pt calmed down a little bit and was given Benadryl and Tylenol. -Pulse was also very high, but then decreased throughout observation (see VITALS section). -Pt feeling fine at 4:30 and discharged.</p>
940868	1/13/2021	NJ	46	M	1/9/2021	1/9/2021	<p>2 hours post injection patient vocalized lower abdominal discomfort accompanied by multiple episodes of diarrhea following day diarrhea subsides but patient notes lethargy, blurred vision, chills/fever (max 102) and itchy, tender, red induration to left deltoid at injection site. Induration has enlarged to current 11cmx9cm in size. Area marked for monitoring</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
940878	1/13/2021	PA	29	M	1/8/2021	1/8/2021	Pt received COVID19 Vaccine (Moderna) at 9am 1/8/2021. -Pt completed 15 min observation and then returned to work. -Pt came back at 12:30 with the following symptoms: stomach pain, nausea, shivering, feeling very cold, headache, "sleepiness" of his left arm (same arm as the shot), itchy throat, cough, and feeling very thirsty. -Pt reports his headache as very painful, b/l, and feeling as if his head was very "hot." Pt has no hx of headaches. -Nausea in and out, never vomited. -Denied dizziness, change in vision, shortness of breath, difficulty breathing, chest pain, difficulty swallowing, rash, lightheadedness. -Pt did not eat anything all morning. - Took vitals, blood glucose (see vitals section). High BP (160/90) and pulse. Sugar: 169 -Pt given Benadryl 25mg IM (on opposite side of vaccine). -Pt took 500mg Tylenol and then a few hours later 500mg more Tylenol (on own accord). -Pt observed 12:30-4:30. Slept off and on. Felt a lot better at 4:30. Pt discharged. -Pt was also seen and evaluated by MD. -Of note, pt does not have any allergies that he is aware of. -Has "pre HTN and pre diabetes." -Hx of heart disease - father CABG, in mid 40s. -Pt was observed for 4 hours. -BP went down after pt calmed down a little bit and was given Benadryl and Tylenol. -Pulse was also very high, but then decreased throughout observation (see VITALS section). -Pt feeling fine at 4:30 and discharged.
940964	1/13/2021	IL	42	F	1/10/2021	1/12/2021	1st injection on 12/20/20 with side effects of sore R arm and pain/stiffness at R hand for about 24 hours. After 2nd injection on 1/10/21, I had soreness at R arm, fatigue on first day. 2 days after 2nd injection, I developed rash/swelling around both eyes, and on 3rd day had worse eye symptoms and rash across upper chest. I called employee health and my PCP to report symptoms.
941009	1/13/2021	NM	34	F	1/4/2021	1/6/2021	on Wed 1/6/21 I had an allergic reaction and am unsure what set it off. My eyes became itchy, watery and my corneas swelled. I was sneezing and coughing. I had a runny nose. on Sun 1/10/21 I had an allergic reaction; I think it was set off by a type of sunblock I've never used before. But I've never had a reaction to any type of sunblock before. I went into anaphylactic shock: eyes swollen shut, flushed face, tight throat, rapid heart beat, shortness of breath, severe abdominal cramping. I had to go to the ER.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
940207	1/13/2021	MN	61	F	1/6/2021	1/6/2021	that evening experienced on her face especially her ears the next day the itching increased but facial edema started appearing along with drainage from her ears on Saturday Jan 9th, eyelids edematous plus increased facial edema and increased ear drainage seen in the clinic on Saturday Jan 9th and was prescribed medications
939781	1/13/2021	NY	70	F	1/8/2021	1/10/2021	I felt fine until the morning of Jan. 10 (except for very painful arm). I was awakened early in the morning by severe vertigo (my eyes were blinking rapidly and the room was spinning violently); I was nauseous and couldn't lie down without the violent spinning re-occurring. I was very dizzy and exhausted the whole day, unable to function. The next day I continued to be very dizzy and off-balance, couldn't work but better than prior day. Each day, same symptoms have continued but milder. I called my PCP on Monday, Jan 11. He told me it sounded like an inner ear problem, probably unrelated to the vaccine and to call him the next day and report my symptoms. I did (Tues. Jan 12) and reported dizziness was milder but still there. He suggested I see an ENT doctor.
940765	1/13/2021	PA	26	F	1/8/2021	1/8/2021	Pt received COVID19 Vaccine (Moderna) on 1/8/2021 at 1:52PM. -Pt felt fine immediately after the vaccine. -10 min later was reporting dizziness and that her tongue felt numb for 1 minute. -Also reported dry (but not itchy) throat. -I evaluated patient. -Denies itchy/sore throat, itchy/watery eyes, rash, difficulty breathing, shortness of breath, N/V, chest pain, numbness/tingling, swelling. -Pt's symptoms subsided within 10 minutes after she rested and was given water. -She was observed for ~30 minutes total and discharged.
939835	1/13/2021	TX	42	F	1/11/2021	1/12/2021	The day after the second dose just before noon I suddenly had eye floaties in my right eye. Unlike a usual floatie that might come and go these have a shape that changes as I move my eye. There is no pain, they are a sudden annoyance that I hope will go away but I wanted to make sure I reported it.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
941985	1/13/2021	OR	38	F	1/12/2021	1/12/2021	Began with shooting sharp pains in left foot gradually going up my left leg. At that point I took aleve and a trazadone in hopes of getting some rest. I fell asleep. I woke up around 0200 on 1/13/21 with extreme muscle and joint aches, a sensation of pins, needles, and tingling all over my body I felt very jittery and was actually shaking slightly throughout the ordeal. I felt like my nervous system was overloaded and my perception of pain was extremely heightened. At one point during this 4 hour period I had a visual hallucination. By 0600 I was feeling better- more relaxed. Muscle aches and sore joints are still present today. Also have a slight increase in temp 99.6 and injection site pain.
939421	1/13/2021			F			fatigue; Pain in injection site; headache; diaphoretic; nauseous; felt like I was going to pass out; dry heaves; ringing in my ears; vision changes; unwellness; This is a spontaneous report from a Non-contactable nurse, the patient. A 33 (units unknown) adult female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration on an unknown date 11:15 as a single dose for Covid-19 immunization. Medical history and concomitant medications were not reported. On an unknown date, the patient experienced pain in injection site which began later in the evening, a little soreness only and a little bit of a headache; and fatigue and feeling unwell. The next morning the patient experienced feeling diaphoretic, nauseous, felt like she was going to pass out, vision changes, ringing in ears and dry heaves. It was reported she was doing every she could do to keep consciousness and did not feel better until she had the dry heaves. The clinical outcome of the events visual changes, ringing in the ears and dry heaves was recovered; fatigue and unwellness was not recovered; vaccination site pain, headache, diaphoretic, nauseous, and dizziness was unknown. No follow-up attempts are possible. Information about lot/batch number cannot be obtained.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
939441	1/13/2021	NY		F	1/6/2021	1/6/2021	101.1 Fever; chills; body aches; headache; Eye twitching; Fatigue; This is a spontaneous report from a contactable nurse (patient). An adult non-pregnant female patient received second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via intramuscular in left arm on 06Jan2021 10:45 at single dose for covid-19 immunization in hospital. Medical history included were none. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. There was no allergies to medications, food, or other products. The patient's concomitant medications were not reported. There was no other vaccine in four weeks. The patient previously took first dose of bnt162b2 on 16Dec2020 05:00 PM via intramuscular in left arm for covid-19 immunization. The patient experienced 101.1 fever, chills, body aches, headache, eye twitching, fatigue on 06Jan2021 16:00. The events were non-serious. The events did not result in emergency room or physician visit. There was no treatment for the events. The outcome of the events was resolving. Information on the Lot/Batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
939442	1/13/2021	MD	37	F	1/4/2021	1/6/2021	received the second dose in less than 21 days from the first dose; cervical lymphadenopathy; Swelling at location of undereye cosmetic fillers; This is a spontaneous report from a contactable Physician (reporting for herself). A 37-year-old female patient receive BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE Solution for injection), intramuscular on right arm, on 04Jan2021 (lot no: EL1283) 17:00 at a single dose for COVID-19 immunization. Medical history included prolactinoma an patient had infertility. Concomitant medication included ascorbic acid, betacarotene, cupric oxide, manganese sulfate, selenium, tocopheryl acetate, ubidecarenone, zinc oxide (COQ10 [ascorbic acid;betacarotene;cupric oxide;manganese sulfate;selenium;tocopheryl acetate;ubidecarenone;zinc oxide]), ascorbic acid, betacarotene, calcium sulfate, colecalciferol, cyanocobalamin, ferrous fumarate, folic acid, nicotinamide, pyridoxine hydrochloride, retinol acetate, riboflavin, thiamine mononitrate, tocopheryl acetate, zinc oxide (PRENATAL VITAMINS [ascorbic acid;betacarotene;calcium sulfate;colecalciferol;cyanocobalamin;ferrous fumarate;folic acid;nicotinamide;pyridoxine hydrochloride;retinol acetate;riboflavin;thiamine mononitrate;tocopheryl acetate;zinc oxide]), levothyroxine sodium (SYNTHROID), colecalciferol (VITAMIN D [colecalciferol]); all on unspecified dates (reported as taken within 2 weeks of vaccination) for unspecified indications. The patient had her 1st dose on right arm (lot no: EJ1685, expiry: unknown) of COVID-19 Vaccine on 16Dec2020. She received the second dose in less than 21 days from the first dose. On 06Jan2021, patient experienced swelling at location of undereye cosmetic fillers, right worse than left with mild associated right cervical lymphadenopathy. Patient was given fexofenadine (ALLEGRA) and improvement was seen. Outcome of the events lymphadenopathy cervical and eye swelling recovering. The female was not pregnant. Patient has no COVID prior vaccination. The most recent COVID-19 vaccine was admistered at the hospital and patient has not received any other vaccines within 4 weeks prior to the COVID vaccine. Since the vaccination, patient has not been tested for COVID-19.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
939476	1/13/2021		67	F	1/6/2021	1/6/2021	<p>arm is sore; Fatigue; eyes are still heavy; a metallic taste in her mouth; sleepy/eyes are still heavy/she is yawning a lot more; This is a spontaneous report from a contactable consumer (patient). A 67-year-old female patient received her first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL1284), via an unspecified route of administration on 06Jan2021 at single dose in her left arm for covid-19 immunization. The patient had no medical history. There were no concomitant medications. The patient had no investigation assessment. It was reported that it had been 24 hours, she received her first bnt162b2 (reported as Pfizer COVID vaccine), yesterday (on 06Jan2021), and she was wondering, her arm was sore on 07Jan2021, which she thought was normal and fatigue on 06Jan2021, she got right away, she didn't know if that was normal, but she got a metallic taste in her mouth on 06Jan2021. It felt like a metallic taste when she swallows, a little metallic taste, yesterday (on 06Jan2021) was more than today, it was after the vaccine, about 7 hours after. She thought in her head, like the aluminum chewing gum, when kids chew it, it had a metallic taste, like the (company name withheld) wrapper she used to chew on it. Provides she was shrinking. Provide she was wearing stretch pants when providing weight. She Googled and didn't see the metallic taste, the only thing she saw with metallic taste is if you have the actual virus, she didn't have it, she was fine. Maybe it was all in her head. Arm was sore not right away, it built up, like when you stretch like with the flu shot, she lifted and it's sore, and she felt sleepy. It was like with the flu shot, it took a few days to go away. Last night on 06Jan2021, she was very sleepy, she was kind of sleepy, but it could be watching the Capitol and insanity, but she was yawning a lot more, her eyes felt heavy, she was ok, she had an appetite and is fine, she would drink (company name withheld) now. Thought she was peaking with it, she would go to sleep early today (07Jan2021), her eyes were still heavy, she wanted to close them and took a nap, but couldn't. It was like her saliva has a metallic taste in her mouth, it may be in her head, she googled to see side effects and when they start, it may be going soon, who knows, she was just wondering. The taste was worse yesterday (06Jan2021), and it wasn't IV or anything like that, the patient wanted to know how can</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

that be. She had to go back on the 27th for her second dose. She had been tested and retested on an unspecified date, and it was offered for those 65 and over, and she was lucky to get an appointment. The outcome of the event metallic taste was recovering; the events fatigue and eyes heavy was not recovered; the outcome of the rest events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
939482	1/13/2021	MD	49	F	1/5/2021	1/6/2021	<p>woke up with swollen eyes - both; a similar reaction the medication is Myrbetriq and had an allergic reaction; researched and found that Myrbetriq has the same ingredient as in the Covid vaccine; polyethylene glycol; This is a spontaneous report from a contactable consumer. A 49-years-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot number EL1284, expiry date not reported), via an unspecified route of administration on 05Jan2021 16:30 at a single dose in the right arm for COVID 19 immunization. Medical history included COPD, Hashimoto's and celiac (celiac disease gluten), all were ongoing. The patient had no COVID prior vaccination. The patient was not pregnant at the time of the vaccination. Concomitant medications included levothyroxine sodium (TIROSINT), acetylsalicylic acid (BREOPRIN), indometacin (VANTELIN), ethinylestradiol, ferrous fumarate, norethisterone acetate (LO LOESTRIN FE), and cetirizine hydrochloride (ZYRTEC). The patient previously took epinephrine and experienced allergies wherein patient required carbocaine at dentist; and mirabegron (MYRBETRIQ) and patient had an allergic reaction (approximately 2 years ago). The patient had no other vaccine in four weeks. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The COVID-19 vaccine was administered in the hospital. They kept the patient for 15 minutes to 20 minutes. She began to have symptoms later that night, both eyes looked like she had been punched, swollen shut when she woke up in the morning. It was also reported as he morning after shot, 06Jan2021 06:00, patient woke up with swollen eyes (both); no swelling anywhere else; swelling continued into mid-afternoon when called into nurse line to report at hospital. Patient reported on Pfizer website the adverse effects but forgot to put in the report medication she was taking and had a similar reaction the medication is Myrbetriq and had an allergic reaction to this medication as well (2 years ago). Patient researched and found that Myrbetriq has the same ingredient as in the Covid vaccine; polyethylene glycol. Patient was advised to take benadryl and cold compresses for swollen eyes (both). They told patient to take benadryl one pill and if symptoms didn't subside to take another Benadryl. She took one benadryl and began</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
939485	1/13/2021			F	1/6/2021	1/1/2021	<p>to see slight improvement. She took the second benadryl and at around the 2 hour mark she was "pretty good, swelling totally gone and feeling totally okay, it took about 6 hours". The patient had no other symptoms. The events were reported as not serious (did not result in death, not life-threatening, did not cause/prolonged hospitalization, not disabling/incapacitating and not a congenital anomaly/birth defect). Since the vaccination, the patient has not been tested for COVID-19. Patient stated that no one seemed to be able to tell patient if patient can take the second dose. Patient stated that she found information on CDC website regarding time of onset and ability to take second dose. The event swollen eyes (both) recovered on 06Jan2021; reported as swelling went away by dinner time on 06Jan2021 and eyes were fine at the time of the report. The outcome of the events "allergic reaction" and "researched and found that Myrbetriq has the same ingredient as in the Covid vaccine; polyethylene glycol" was unknown.</p> <p>pressure in the eye; photophobia; blurred vision; pain and redness in the eyes; pain and redness in the eyes; This is a spontaneous report from a contactable consumer (patient). A 54-years-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on Wednesday at around 3:40 PM (06Jan2021 15:40) at single dose for COVID-19 immunization. The patient medical history and concomitant medications were not reported. The patient went to the eye doctor due to pressure in the eye, photophobia, blurred vision, pain and redness in the eyes in Jan2021. The events outcome was unknown. The patient reported they were not listed as a side effect of the vaccine but she was wondering if there were any reports related to this? Information on the batch number has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
939522	1/13/2021	IN	39	M	1/6/2021	1/7/2021	Sore arm; fatigue; headache; sore eyea; This is a spontaneous report from a contactable other HCP. A 39-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration at 06Jan2021 06:45AM at single dose for covid-19 immunization. Vaccine location was left arm and it was the second dose. The facility type vaccine was hospital. The patient medical history was not reported. Concomitant medication included hydrochlorothiazide, losartan potassium (HYZAAR), ibuprofen, omeprazole. The patient previously took amoxicillin and experienced drug hypersensitivity. Patient received the first dose of BNT162B2 at 16Dec2020 12:45 PM left arm for covid-19 immunization, then on 22Dec2020, patient tested Nasal Swab, the result was positive. Patient was not diagnosed with COVID-19 prior to the first dose of vaccination. The patient didn't receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient experienced Sore arm, fatigue, headache, sore eyea on 07Jan2021 03:00 AM with outcome of recovering. Patient didn't receive treatment for the adverse events. The events were reported as non-serious. Information on the lot/batch number has been requested.
939604	1/13/2021	TX	56	F	1/8/2021	1/8/2021	Received the vaccine at 330p. Began to have mild upper eyelid itching around 11:59p. Eyes felt swollen then began to feel nauseous (tried to vomit, but no food came up) and then a runny nose (clear fluid). I took another Claritin 10mg and also Zofran 8mg ODT which resolved the nausea. Had to blow my nose 2 times. Went to sleep with my Epipen at bedside but didnt have to use it. Woke up at 815am and only symptom remaining was arm soreness. Felt like my normal self and played 3 hrs of tennis. Arm soreness at injection site worsened during the day. By 72 hrs post-injection, arm soreness resolved.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
939660	1/13/2021	IL	32	F	1/9/2021	1/9/2021	Numbness and tingling down left arm into fingers (worst is pinkie and ring fingers), dizziness with blurred vision, hearing sounded like underwater, felt like I had trouble talking. Notified nurse that gave me vaccine, several other nurses came over and helped me into recliner and laid me back and took vitals. Vitals are stable. I quickly began to feel better (within 5 minutes of being reclined). Still had the numbness and tingling. I laid in recliner for 30 minutes, then sat up for 10 minutes before leaving. I drank water and ate 2 rice krispies while in recliner. Numbness and tingling improved, but lingered throughout the day and was gone next morning.
939664	1/13/2021		56	F	12/22/2020	12/31/2020	Congestion, loss of taste/smell, diarrhea, ear pain, eye irritation
939719	1/13/2021	MN	41	F	12/18/2020	1/5/2021	24 hours after the injection I had a sore arm, developed slight body aches and headache. Since the injection I had been getting headaches almost daily, mostly on my right side of my head. On Dec. 5, 2021 I noticed I was getting a sore eyebrow. Later that evening ok noticed swollen lymph nodes throughout my scalp, face, ear, jaw, neck and chest. My eyebrow also started to swell and was slightly pink. When the swelling was worse the next day - I went to urgent care and saw A doctor that diagnosed me with facial cellulitis. After a couple days my eye was not getting any better and started to itch severely. Called to urgent care over the weekend and takes to one of the providers who said to use cold compresses and elevate my head as much as I could. On Dec. 11, 2021 I called back to the provider I had seen on Dec. 6 - he told me he believed I had developed shingles and to go to the eye doctor that day. I saw a doctor on Dec. 11 & was diagnosed with shingles. They started me on antivirals along with the antibiotics they had prescribed on Dec. 6.
939796	1/13/2021	VA	44	M	1/12/2021	1/12/2021	Conjunctivitis , Right eye starting 4 hours post vaccination
939783	1/13/2021		56	F	12/22/2020	12/31/2020	exposure with ear pain , sore throat and eye irritation test negative



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
940196	1/13/2021	NJ	71	F	1/7/2021	1/8/2021	Chills, body, body aches, headache, blurry vision all 1-8-21 then nx day 1-9-21 loss of balance, confusion, Night of 1-11-21 loss of vision for several hours, could not see to dial the phone for help, no one else at home, stayed up most of night, could see in am still slightly blurry, made emergency appt with eye doctor. eye doctor stated no permanent vision damage.
939899	1/13/2021		57	F	12/29/2020	12/30/2020	chills, headache, glass feeling under eye, yellow tongue, rash on thigh, nausea, fatigue
939926	1/13/2021	CO	43	F	1/8/2021	1/11/2021	Pt. called PA-C to c/o headache, tingling across forehead/scalp, tenderness above right eyebrow which was a bit swollen and red. Pt. advised to monitor and follow up with pcp if not better or if sx. worsening.
939955	1/13/2021	GA	75	M	1/11/2021	1/12/2021	Slight blurry vision - laid down for 2 hours, blurry vision went away.
939956	1/13/2021	PA	32	M	1/11/2021	1/12/2021	Achy on 1/12/21 1/13/2020: bilateral eyes painful, cloudy vision
939974	1/13/2021	PA	32	M	1/11/2021	1/12/2021	On 1/12/2020 noticed was achy 1/13/2020 woke up in middle of the night with bilateral eye pain "felt like sand in eyes". Woke up still painful eyes, no swelling, no discharge, no tearing, no hyperemia. Has cloudy vision as well as pain.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
940042	1/13/2021	OH	53	F	1/6/2021	1/6/2021	within 30 seconds I had a cooling sensation rush across the tip of my tongue, then a sweet taste, then more identifiable as bubble gum flavored. By 12:45 I noticed I was scratching several areas of my body. Arms, legs, chest, neck, back and scalp and kept clearing my throat. I looked down at my arm and seen a red welt from my elbow to my wrist in my left arm and a fine red rash beneath skin on right arm. I looked up at the pharmacist and he said at 12:40 he had already placed a call to have another pharmacist come to look me over. I then noticed that my heart seemed to be racing and feeling winded. I figured this was my anxiety and just tried to relax. The second pharmacist arrived and we walked to the ER. I was very winded. They took me to a room and checked stats. after 3 attempts taking my BP and using two different cuffs, she said my BP was 190/90 where it is typically 120/70. I drank lots of water and they monitored me for almost an hour and gave me another Benadryl. My BP came down to 180/82, breathing was easier and itching was decreasing so I chose to return to my station and I took one more Benadryl. The following day: woke up with head ache in rt eye and fuzzy vision all day, mild sore throat, mild body aches, queasy stomach, fatigue and runny nose. Took a Pepcid for stomach, Tylenol/Advil duo for sore throat, headache/body aches, drank lots of water and rested. Following day most symptoms resided, still slight sore throat, rt eye blurred vision, coughing, sneezing and runny nose. everyday since, symptoms continue to decrease.
940078	1/13/2021	OH	45	F	1/13/2021	1/13/2021	08:50AM Upon standing to leave pt stated she was lightheaded & dizzy. Instructed to sit. BP: 126/80, SO2 RA 96%, HR:80x' Pt stated she was nervous when getting the vaccine. 09:05AM Still "feeling off, blurred vision." 09:10AM SO2 RA: 100%, HR: 82 Drinking water. Denies SOB 09:30AM feeling better. Encouraged not to drive. A friend here that will take pt. home. Pt advised to F/U with her PCP 10:03AM Pt discharged
940081	1/13/2021	CA	41	F	1/12/2021	1/13/2021	Excruciating headache, dry mouth and eyes, Nausea and vomiting

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
941100	1/13/2021	KS	29	F	1/13/2021	1/13/2021	<p>Notes Emergency Medicine Expand All Collapse All  1/13/2021 Date:  1/13/2021</p> <p>Subjective 29 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She denied any history of previous adverse reactions to vaccines. She was given the Moderna vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience metallic taste and then felt lightheadedness. She denied rash, hives, difficulty breathing, difficulty swallowing, wheezing, throat tightness, itching, facial swelling and lip swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms and worsening of symptoms. 9:53 AM On arrival to treatment room, patient is pale and diaphoretic. She states she feels very lightheaded. She is able to answer questions, but is easily wanting to fall asleep. She awakes easily to verbal stimuli, states she feels very tired. Denies shortness of breath, throat swelling, difficulty breathing, rash. Reports she ate cereal for breakfast. 10:05 AM Patient is more alert and no longer diaphoretic. She is alert and states she is feeling better. Will continue to monitor. 10:12 AM Patient is alert and texting on her phone. Vital signs have improved. 10:19 AM Patient is alert and oriented and continues to do well. She states she is feeling much better. No diaphoresis noted. States she still has a little bit of a metallic taste in her mouth, but otherwise denies any other symptoms. Vital signs continue to improve. 10:36 AM Patient continues to do well. Is drinking water and ate granola bar. Continues to feel well and reports metallic taste in improving and denies any other symptoms. 10:58 AM Patient continues to be alert and oriented. No longer pale and diaphoretic. States she is feeling well and back to baseline. Denies any complaints. Vital signs remain stable. She is able to ambulate with steady gait and denies dizziness/lightheaded with ambulation. Denies chest pain, shortness of breath, nausea, vomiting, difficulty breathing. 11:06 AM Patient's friend here to drive her home. She is ambulatory to the car and continues to feel well and denies symptoms. Discussed return precautions. Patient voiced understanding and denies any questions.</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

ALLERGY REVIEW OF SYSTEMS: Patient denies facial swelling, puffy eyes, chest tightness, shortness of breath, rash, hives, itching of skin and vomiting. Metallic taste in mouth: Diaphoresis: lightheaded: Previous Reactions: None Objective Vitals Vitals: 01/13/21 1033 01/13/21 1042 01/13/21 1057 01/13/21 1104 BP: 129/87 128/77 122/78 132/72 Pulse: 63 66 58 58 SpO2: 100% 100% 100% 100% Blood Sugar 98 collected at 10:00 AM Physical Exam Vitals signs and nursing note reviewed. Constitutional: Appearance: She is diaphoretic. HENT: Mouth/Throat: Pharynx: Oropharynx is clear. Uvula midline. No pharyngeal swelling, oropharyngeal exudate, posterior oropharyngeal erythema or uvula swelling. Cardiovascular: Rate and Rhythm: Regular rhythm. Bradycardia present. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No tachypnea, bradypnea, accessory muscle usage or respiratory distress. Breath sounds: Normal breath sounds. Skin: Coloration: Skin is pale. Comments: Diaphoretic and pale Neurological: Comments: Alert and able to answer questions, but wanting to fall asleep. Easily awakes to verbal stimuli. Moving all extremities and following commands. Assessment/Plan Treatment included: Given water to drink and monitored. Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Friend is going to drive her home. Electronically Signed 1/13/2021 11:07 AM

940123	1/13/2021	CO	47	M	12/18/2020	12/26/2020	change in vision, slow thinking
--------	-----------	----	----	---	------------	------------	---------------------------------

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
939384	1/13/2021	MI	27	F	12/29/2020	1/1/2021	left eyelid swollen; she sweat a lot; rash on head around bump on her left; swollen lymph nodes on neck left side/right side/swollen lymph node on collar bone right side; pain in left side of her face; Fever; feel tired; felt like her body was hot; bump on head on left side; face was numb on left side; pimples to left eyebrows; possibly has shingles; This is a spontaneous report from a contactable consumer (patient). A 27 years old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/lot number: EL0140) at her right arm at single dose for COVID-19 immunization on 29Dec2020. Relevant history included she had UTI, acne and dandruff which she had before the vaccine. Concomitant drug included clomifene citrate (CLOMID) since 30Dec2020 (5 days regimen). Past drug included she was taking Ampicillin 25mg prior to vaccine (last dose 2 days before vaccine). The patient experienced face was numb on left side since 02Jan2021. The patient also experienced pain in left side of her face, swollen lymph node on neck left side/neck right side, feel tired, felt like her body was hot, bump on head on left side, rash on head around bump on her left and fever since 03Jan2020. She took medication for fever. She felt good when take Motrin or Tylenol and then it came back again being tired. Then, the patient stated she sweat a lot since 04Jan2021, she had swollen lymph node on collar bone right side since 05Jan2021. The had left eyelid swollen since 06Jan2021. The patient also experienced pimples to left eyebrows that started Saturday or Sunday and possibly had shingles since unknown date in Jan2021. The patient went to the doctor because the doctor suggested that she had shingles and she had the shingles test on 06Jan2021, while she had not gotten the results back yet. The outcome of event Fever was recovered with sequel on 06Jan2021. Outcome of event possibly had shingles was unknown. The outcome of event she sweat a lot was Resolving. The outcome of other events was not resolved. The events pain in left side of her face, swollen lymph node on neck left side, rash on head around bump on her left, left eyelid swollen and pimples to left eyebrows was worsened.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
940154	1/13/2021	CA	69	F	1/12/2021	1/12/2021	EMPLOYEE HAD RIGHT SIDED LOWER EYELID AND CHEEK SWELLING AND ITCHING AT APPROXIMATELY 0600 PM ON 01/12/21. WHICH HAD MINIMAL CHANGES AT 0600 AM THE FOLLOWING MORNING. DENIES: REDNESS, THROAT ITCHING, SOB, UPPER EYELID SWELLING, TOOTH PAIN OR DENTAL ABSCESS, LYPMHNODE SWELLING
940180	1/13/2021	NY	53	F	1/8/2021	1/9/2021	The patient received her COVID19 vaccination, the Moderna mRNA vaccine, on Friday, January 8, 2020 at 10 AM. She developed some low-grade fevers and fatigue over the next 24 hours, treated with ibuprofen. However, by Saturday evening, as her fever was slowly improving, she developed some puffiness of her eyes. The swelling progressed further on Sunday accompanied by low-grade fever and by Monday affecting both eyelids, upper as well as lower, with a burning sensation and some pruritus. She has noted some desquamation of her skin in that area. She comes into the office today because of persistent swelling. She denies any respiratory or throat complaints. She also states that she has a dry spot on the right side of her mouth, started on Sunday afternoon. She has not used any fillers and has not had any cosmetic procedures done on her face. She did develop chondrodermatitis to retinol-A in 2018. She states that she does have sensitive skin and has used hypoallergenic items intermittently. She prefers not to place cosmetics on her skin. She is currently using Victoria's secret Eau so sexy lotion once every other week, typically on her cheeks. She did use this cosmetic on Sunday on her cheeks, after she developed the swelling of her eyelids. She does not receive further vaccinations due to personal preferences. She did receive a Kenalog injection 2018 in her first MTP. That ingestion contained polysorbital 80. She did not have an adverse reaction to the injection. She was sick with Covid November 2020, diagnosed via positive PCR swab at the urgent care as per patient.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
939723	1/13/2021	NY	42	F	1/6/2021	1/6/2021	With in the first hour I got a major headache on the left side of my face, mainly behind the eyes. By that evening my headache was still there and I had the chills and felt exhausted. For next three days after I had a normal headache on and off accompanied by nausea. Tylenol slightly relieved the headache. The last few days I have been feeling "under the weather" but the headache is gone. I noticed my lymph nodes were a little swollen which I am thinking is what caused the headaches.
942244	1/13/2021	TX	51	F	1/7/2021	1/7/2021	11:00PM very tired and fatigued day of vaccination, left eyebrow 3 large bumps, 1 bump on forehead felt like pimples resolved in the AM arm pain to hand tongue was numb in AM and voice hoarse during the day to evening tongue numbness began to resolve and. Injection site was red and swollen welt at site where injection puncture 3-4 day rash on neck resolved later in day. All symptoms have resolved today
941855	1/13/2021	NY	38	M	1/9/2021	1/13/2021	2 days after vaccine, started to feel lightheadedness and tunnel vision almost leaving him to fall. Weak legs. Sent to urgent care for further workup.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
941892	1/13/2021	KS	35	F	12/31/2020	1/7/2021	<p>On 01/12/2021, I was notified that the patient stated she had a rash on her left arm near the immunization site. I examined this site on 01/12/2021. Noted 2 in diameter area where vaccine was injected, that showed a faded induration, but no redness now. The patient states this was red at the site for several days but then faded to the current appearance. She states one week after administration of the vaccine, she developed a rash trailing to inner aspect of her left arm. Rash was blotchy in appearance, in small clusters. No induration or erythema noted. Patient reports mild pruritis. States she has been taking her allegra since the immunization, has not taken any benadryl or other new medications for this rash. Denies any systemic symptoms. No shortness of breath, angioedema, wheezing, chest pain, or GI/GU symptoms. She states earlier in the day on 01/12/2021, she had site examined by her primary care provider, PA and was told to put hydrocortisone cream on site and to monitor. Patient denies taking any new medications since vaccine administration. On 01/13/2021, patient was examined by another provider at clinic, APRN. She noted, the arm is erythematous, mildly raised and with no induration or fluctuance at site. The patient complains of slight burning and significant pruritus. There are no excoriations. She has been using hydrocortisone and taking claritin. She encouraged patient to start taking benadryl as directed and continue hydrocortisone. Edges of erythema were marked and advised patient to monitor for progression today. If progression occurred within a few hours she planned to send RX for treatment of acute delayed reaction to vaccine. Patient was examined at 3:18PM by RN and she reported that it looked like the erythema had improved and had gotten smaller, it had not progressed beyond the pen markings. Pt complains of some itching still but had not been able to take benadryl yet today. She will keep an eye on it and will check back in with us tomorrow.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
941963	1/13/2021	UT	24	M	1/5/2021	1/5/2021	Patient started developing throat swelling, shortness of breath, and paresthesia of the left upper extremity and neck approximately 10-15 minutes after receiving the first dose of the Pfizer Covid Vaccine. Visual examination detected slight facial and periorbital swelling but no posterior oropharyngeal edema. Patient was slightly hypertensive (150/93) and tachycardic (105 bpm) upon arrival in the ED. Patient had no rash or urticaria. Diphenhydramine 50 mg, famotidine 20 mg, and lactated ringers administered IV. Patient was observed for several hours in the ED, and discharged in stable condition.
942025	1/13/2021	IA	57	F	1/13/2021	1/13/2021	1:45 pm she received the vaccine. 2:10 pm she started to have the following signs and symptoms; red swollen arms, dizziness, blurred vision, gastrointestinal symptoms, blood sugar 143, blood pressure 86/40, pulse 87, oxygen 88. We gave diphenhydramine 50mg at 2:16 pm. Then at 2:35 pm her symptoms were not improved her blood pressure was 80/40 so we gave one dose of 0.3mg epinephrine by auto-injector and called an ambulance. Post epinephrine her vision improved but her skin was still red and starting to itch. She was talking and said she was feeling a little better. She was taken by ambulance to the hospital for additional treatment. There was not reaction visible at the injection site it appeared to be all systemic.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
942035	1/13/2021	NM	37	M	1/10/2021	1/10/2021	<p>Pfizer-BioNTech COVID-19 Vaccine EUA? 1st vaccine 12/21/2020, 2nd vaccine 1/10/2021 ED visit 1/11/2021: Chief Complaint: Pt. reports facial droop that started at 1200 yesterday. Pt. reports that he is unable to raise left eyebrow or control left side of face/lips. Pt. states that symptoms began approx. 4 hours after his COVID booster was administered Patient, 37 y.o male with hx DM, presents with left sided tongue numbness that began 2 days ago and left sided facial droop that began yesterday around noon. He reports difficulty raising his left eye brow and controlling the left side of his face. Pt also reports slight hearing and visual changes on the left side and tearing from the left eye. He denies any extremity weakness, rashes, and any other concerns at this time. Clinical Impression: Final diagnoses: Bell's palsy (Primary) Patient's history, physical exam and clinical work-up are consistent with Bells Palsy. Patient's symptoms of unilateral facial weakness with forehead involvement of relatively sudden onset are c/w peripheral seventh nerve palsy (lack of nasolabial folds, unfurrowing of the forehead and drooping corner of the mouth). Patient has not had recent rashes, arthralgias, or fevers or exposure to ticks. The ear canal, mouth and parotid gland are otherwise normal. The patient has been instructed to complete a 7 day course of oral steroids and anti-virals, and to use copious amounts of re-wetting eye drops, tape the affected eyelid while sleeping and follow up a primary care physician. The patient is to return to the ER immediately if symptoms progress or the patient becomes concerned for any reason.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
942083	1/13/2021	WA	34	F	1/13/2021	1/13/2021	Patient reports to clinic after receiving the COVID-19 Vaccine at today. Patient states that she was given the vaccine at 0915 today and about 5 mins after started to have symptoms of a hot sensation from head to toe, heart racing, ears burning, and chest tightness, no breathing difficulty. Patient notified staff and was given O2 and allowed to drink her water. Her symptoms did improve and she was sent to the waiting area again. After about 10 mins her chest tightness came back. Patient states she can feel her blood flowing, "kinda like when your limb is numb". Patient also had symptoms of chills, body shakes, loss of smell, and a metallic taste in mouth. Patient states that she was seen again by staff and laid on a cot for 20 mins, and was then cleared to head back to work around 1000. Patient was seen in the clinic at 1157, and her symptoms since it started have improved. Currently she has the following symptoms: can't taste/smell, (L) arm is sore, H/A, with constant ache, localized to back of neck up to behind the both eyes. Body feels worn out, everything feels heavy, takes a few second to focus when she looks around "like there is a delay". Patient was sent home to recover and to let medical staff know if her symptoms return.
942092	1/13/2021	FL	27	F	1/13/2021	1/13/2021	Blurry vision over long period of time - immediately after vaccination
942099	1/13/2021	IN	60	F	1/11/2021	1/12/2021	About 22 hours after administration I had chills, headache,blood shot eyes, total body aches and extreme fatigue. I slept off and all day and at 3:00 am 1/13/2021 I woke up and felt much better. chills, headache and body aches all gone. Some fatigue still lingers. I did not have fever at any time.. My arm injection site was less sore than the first vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
942107	1/13/2021	NE	41	F	1/6/2021	1/9/2021	Received the vaccine on a Wednesday afternoon. That evening I developed body aches, which got progressively worse over the course of the following day. I developed a persistent headache on Thursday that stuck around until Sunday. On Saturday morning I woke up feeling ok, still had the dull headache, but was ok enough to be up and around. At approximately 10:30 Saturday morning I was hit with stroke symptoms. I had weakness in my left hand, tunnel vision, couldn't understand words that were spoke to me and was aphasic with garbled speech. Went to local ER and was worked up for stroke. Symptoms resolved Within approximately 45 minutes. All tests, lab results ok.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
942160	1/13/2021	CA	26	F	12/17/2020	12/17/2020	Vaccine Dose 1 12/17/2020: I received the vaccine and within 5 minutes I experienced dizziness, sweating and was flushed. After 15 minutes the dizziness did not go away and my vitals were checked. My BP was elevated 136/106 and HR 105, I was taken to the ED after repeated BP readings continued to show increased diastolic pressure. I was observed in ED for a period of almost 6 hours. Within an 1.5 hours after receiving vaccine, I had right neck stiffness, headache, and some weakness to the right side as well along with the dizziness and high BP. I received a 1L bolus of NS, 2 doses of antivert, Toradol, Zofran and Lidocaine patches. 24 hours after receiving vaccines, I was having pain at the insertion site, headache, neck stiffness and occasional dizziness. After 36 hours my symptoms subsided and I felt back to baseline. Vaccine Dose 2 01/07/2020: I received my second dose of the COVID vaccine and within the first 15 minutes I experienced dizziness, nausea, flashing spots in vision, right sided weakness, increased BP & HR, redness and sweating. After 30 minutes the symptoms did not subside and I was taken to the ED. An hour after receiving the vaccine, I had right sided weakness to arm and legs with no numbness, dizziness, R. sided neck stiffness, right sided headache, nausea and flashing spots. I received Ativan, Reglan, Tylenol, Toradol and Benadryl in the ED. I was in ED for 3.5 hours after vaccines was administered and was able to ambulate to the car independently. 16 hours after receiving vaccine, I had muscle weakness to bilateral lower extremities and was unable to ambulate independently along with dizziness, headache, arm soreness, cough, congestion, neck stiffness and fatigue. 36 hours after vaccine I regained movement to bilateral lower extremities however still was experiencing fatigue, occasional dizziness, intermittent neck stiffness and headache, body aches and some shakiness to lower extremities. 55 hours after receiving vaccine I was still fatigued and experiencing intermittent headache and neck stiffness. 72 hours after vaccine I was still fatigued and having occasional headaches but feeling much much better from initial reaction. 96 hours after receiving vaccine I experienced occasional headache, woke up with neck stiffness and was finally able to drive a car without any dizziness or nausea. 144 hours after vaccine I am not completely back to baseline still fatigued with

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							occasional neck stiffness and headache but able to go back to work.
942172	1/13/2021	IN	32	M	1/9/2021	1/13/2021	Severe migraine with vomiting and visual aura (never happened to me before)
942179	1/13/2021	NV	36	F	12/30/2020	12/30/2020	12/30/20, developed high fever (103), body aches, and ringing in the ear. These sx resolved after 48 hours. On 1/6/21, developed right-sided numbness and tingling on face. Felt heaviness in right eye. On 1/7/21, smile was uneven with right-sided droop and facial swelling on right. Presented to primary care physician. She was diagnosed with Bell's Palsy and started on treatment to include prednisone, acyclovir, cefuroxime all orally. She continues these medications currently.
941854	1/13/2021	NY	38	M	1/9/2021	1/13/2021	2 days after vaccine, started to feel lightheadedness and tunnel vision almost leaving him to fall. Weak legs. Sent to urgent care for further workup.
942185	1/13/2021	MN	91	F	1/13/2021	1/13/2021	Memory care resident complaints of feeling "woozy". After much questioning, it was determined that she was dizzy. This occurred an hour after administration of vaccination and continues. Appetite has been good. Refuses to lie down. Denies headache, body aches, nausea, stiffness, visual disturbance, or injection site pain. Monitoring vital signs for the next 24 hours; every 2 hours while awake and once during the night per instruction of County Public Health Nurse.
942248	1/13/2021	CA	47	F	1/12/2021	1/12/2021	approx. 19 mins after the injection my right arm began to feel a tingle sensation that radiated down to my hands and right side of my chest. Lips felt swollen but not visible to the eye. My right lower extremity had the same feeling as describe what happened to my right arm. I went to the ED of the hospital where I worked. This my second dose and I had the same experience with the first dose but on my left side.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
942313	1/13/2021	MI	57	F	12/23/2020	1/11/2021	Bell's palsy HISTORY OF PRESENT ILLNESS Patient is a 57 y.o. female with a history of glaucoma, pre-diabetes, and osteoporosis s/p recent fibular fracture who presents for facial weakness. Patient is a research MD in the neurology department. Patient reports that she woke up this morning with weakness of the right face and inability to close the right eye. She reports mild discomfort in the area of her right jaw, but no ear pain. Denies any change in hearing or taste. She denies any difficulty chewing or swallowing, but has noticed that water will come out the side of her mouth when she tries to drink. She reports mild dry eye on the right. No history of similar symptoms. Today is day 18 after her first COVID vaccination. No recent URI symptoms. No unilateral numbness or weakness. No autoimmune history.
942359	1/13/2021	TX	30	F	1/7/2021	1/7/2021	Moderna COVID-19 Vaccine I spoke with the nurses regarding previous vaccine reactions, and we all agreed that I would take Benadryl first, and then get the vaccine. However, about 5-10 minutes after I got the vaccine, I began feeling very itchy, which is usually a precursor to when I develop hives. The nurses kept a close eye on me and got my vitals. They said my pulse was a little high, but that I was ok to go, since I had stayed my 30 minutes afterward and my vitals were ok. Throughout the day, I became even more itchy, and that night, I had hives everywhere, a low grade fever, and a migraine like headache. Because I did not have an itchy throat, and I have developed these symptoms before with the flu vaccine (and other allergies), I did not go to the doctor. The side effects took about a day to a day and a half to go away.
942386	1/13/2021	CA	42	F	1/11/2021	1/13/2021	after vaccine felt flush with throat tightness, quickly resolved then repeat episode at 30 minutes, given Benadryl 25mg PO and observed for another 30 minutes, at 4pm eyes were swollen, given another 25mg PO and paramedics were called, sent to Hospital.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
942452	1/13/2021		24	F	1/13/2021	1/13/2021	Patient received Moderna COVID19 vaccination. She was sitting in our waiting room for her 15 min observation and 5-8 minutes after being vaccinated patient began to feel lightheaded and faint. She said her vision was blurred and felt very faint. 911 was called and paramedics assessed her. She quickly began to feel better and mentioned she got this way when she got her ears pierced. Patient stayed for another 15 minutes, drank water and was 100% better.
942465	1/13/2021	MA	63	F	1/7/2021	1/7/2021	instant severe nausea lasting until mid morning on 1/8 1 hr later swelling of the eye lids and lips 25mg Benadryl taken before the shot and after the onset of the swelling of eyes and lips
942481	1/13/2021	NJ	36	F	12/29/2020	12/29/2020	After 4 hours of receiving the vaccine, I developed pain to vaccine site, chills, burning to both eyes, and weakness to bilateral legs when cold hit my feet. This lasted about 30hrs and was relieved by 2 doses of dayquil.
942485	1/13/2021	MA	27	F	1/10/2021	1/10/2021	This may not be related to the vaccine, but is strange enough that I'm reporting it. I got my vaccine at around 3, and didn't have any immediate reaction. I have an exercise bike at home, and tried to work out but had to stop after only half an hour of very low effort biking because I couldn't get a deep breathe. usually I can bike for an hour at high intensity no problem and have never had to stop because I felt like I couldn't breathe. I woke up in the middle of the night feeling achy and unwell. When I woke up in the morning I was extremely fatigued and my eyes were itchy and puffy.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
942879	1/13/2021	HI	53	M	1/11/2021	1/12/2021	Received 2nd vaccination in series on 11 JAN 21. By next morning started to experience some muscle and joint symptoms. By afternoon of 12 JAN 21 experienced sudden onset loss of bladder control for first time in his life, followed a few hours later by blurry vision, vertigo, motion sickness, emesis and cold sweats that drenched his clothes. Taken to ER by paramedics, and admitted for further observation and evaluation for underlying neurologic vs. cardiogenic problems. Given positional treatments by PT for possible otoliths. Feels much improved on afternoon of 13 JAN 21, but symptoms not fully resolved. Will likely be discharged from hospital on 14 JAN 21 if problems continue to resolve.
944492	1/13/2021	AL	27	M	1/8/2021	1/8/2021	A few hours after my second dose on 1/08/2021, I had some adverse reactions that worried me, including arm numbness, tingling around my mouth and cheeks, a splitting headache/blurry vision, joint and muscle pain and dizziness. I called e-medicine and had a video call with a E-Medicine provider who told me to keep monitoring my symptoms and go to the ER if they got worse (fortunately they didn't); however there are some lingering effects. Currently I still am experiencing headaches (around my ears and temple area) with joint pain/body aches and occasional tingling/burning sensations in my fingers and feet.
1349836	1/13/2021		36	F	12/28/2020	12/31/2020	BlurredVision, Myalgia, Arthralgia, decreased sense of taste; joint pain on left side; fatigue Narrative:
941113	1/13/2021	OK	75	M	1/6/2021	1/7/2021	1 day post vaccination- Soreness to injection site, cough, congestion, red eyes, irritability, sleeplessness, forgetfulness. 7 days post vaccination- sleeplessness, difficulties recalling short term information
941948	1/13/2021	NJ	50	F	1/13/2021	1/13/2021	Hives diffusely involving arm back eye and chin. No anaphylaxis.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
942180	1/13/2021	GA	67	F	1/13/2021	1/13/2021	Reported 'facial swelling'; 'impending doom'. Noted eye swelling. Pt given Epi 0.3 mg IM at start of reaction. IV placed and diphenhydramine 50 mg IV given 10 minutes after Epi 0.3 mg IM dose given. Approximately 18 minutes after reaction onset patient reported return of lip swelling and facial swelling with 'heavy face/head'. Pt given Epi 0.3mg IM to left deltoid. Pt transferred to ER via EMS. EMS response time approximately 60 minutes. Pt felt better after 2nd dose of Epi 0.3 mg IM.
941382	1/13/2021	FL	34	F	1/11/2021	1/12/2021	Pain in right eye - turned out to be iritis. - treated with steroid
942321	1/13/2021	OH	62	F	1/9/2021	1/9/2021	This is day 4 since vaccine. I do not have a lot of energy, eyes still hurt and EXTREME THIRST.
941823	1/13/2021	CA	36	F	1/13/2021	1/13/2021	Right outer lip numbness, itchy eyes. Improved with benadryl.
941120	1/13/2021	OK	38	M	1/9/2021	1/11/2021	Less than 24 hours of receiving the vaccine I started to experience my jaw locking. Later in the day it began to get worst. I could not blink my left eye and my face started to drop. I went to the ER and they stated that due to vaccine I have Bells Palsy. I was given medication. It is now 4 days in and the symptoms are getting worst. My left eye is now dry due to can not blink. I have serve headaches behind my left eye. I can not eat or chew without having issues.
941129	1/13/2021	OR	31	F	12/22/2020	12/25/2020	So on the night of the 25th, my lymph nodes were so swollen, my left eye was twitching, low grade fever that was constant from Friday through Sunday. My left leg was twitching and also my left bicep. I had left sided twitching that was off and on. I had fatigue and some aching in my knees.
941160	1/13/2021	MN	32	M	1/10/2021	1/11/2021	Lymph nodes under left arm swollen to the point of visual bulging from scapula to pectoral.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
941201	1/13/2021	NV	41	F	12/29/2020	12/29/2020	positive COVID-19 test with symptoms; positive COVID-19 test with symptoms; After the shot i have headache, sorethroat, cough and cold till this date; After the shot i have headache, sorethroat, cough and cold till this date; After the shot i have headache, sorethroat, cough and cold till this date; After the shot i have headache, sorethroat, cough and cold till this date; A 48-years-old non-pregnant female patient, receivedBNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), via an unspecified route of administration, in left arm, on 18Dec2020 (at the age of 41 years-old) as a single dose for COVID-19 immunization. The vaccination was administered at a pharmacy/drug store. Medical history was not reported. Concomitant medication included sertraline hydrochloride (SERTRALINE HYDROCHLORIDE). The patient had not received any other vaccines within four weeks prior to the vaccination nor received any other medications withing 2 weeks prior. It was reported that the patient had been tested for COVID-19 prior to vaccination and was negative. On 18Dec2020, the patient experienced itchy sore eyes one hour after vaccination, sore and itchy arm for 5 days, headache, swollen sore throat, tiredness all 5 days after. The patient was not hospitalized nor received treatment for the events. The clinical outcome of the events of Itchy, sore eyes 1 hour after, sore and itchy arm for 5 days, headache, swollen sore throat, tiredness all 5 days after, was not recovered., the outcome of the COVID-19 positive was unknown. It was reported that the patient tested positive for COVID-19 via nasal swab, post vaccination on 31Dec2020. No follow-up attempts possible. No further information expected. Lot/batch number was not provided and unable to obtain
941238	1/13/2021	PR	35	M	1/11/2021	1/11/2021	At 5 min after the administration, the rash started on the whole hand where the vaccine was administered, petechiae and his right hand fingers began to swell, then eyes started swelling, back with rash, had vomits. On the second had swelling of the face and dark color on the orbit of the eyes and red and yellow lacerations on the inside of the eye. In addition a lot of pain in the joints without being able to walk.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
941358	1/13/2021	PA	34	F	1/11/2021	1/11/2021	Post shot: 1/11/21 10pm I had a headache and mild chills 1/12/21 12am-2am chills and rigors without fever 2am-6am fever, chills with rigors at time, nausea, headache, joint pain, fatigue, dizziness, double vision, drenching night sweats 6am-11pm continuing mild fevers and chills without rigors , joint pain, nausea, headache. Last fever was approx 6pm that day but the chills continued 1/13/21 12am-6am chills and fatigue. No fevers. Drenching night sweats 6am- present fatigue and slight headache Motrin was able to help the fevers and I stay well hydrated
941442	1/13/2021	AR	39	F	1/8/2021	1/12/2021	I broke out into sever hives all over my legs. I noticed them around 5:00 pm, but I had been itchy prior to that I just did not notice the hives. Once I noticed the hives I took a shower, then contacted the pharmacy where I got the shot at, then took to Benadryl tablets. I also put some extra strength Benadryl cream on my legs as well. The hives were on both legs from the top to the bottom. Very red and blotchy in color, raised all over. I kept an eye on it through out the night and re-applied cream. I did not go to the hospital or the doctor.
941444	1/13/2021	MI	30	F	12/30/2020	12/30/2020	Systemic: swelling of eyelids and lips, no difficulty breathing-Medium
941450	1/13/2021	TX	32	F	1/8/2021	1/10/2021	A few days after Vaccination I started feeling severe chills. I took night quill and went to sleep. I woke up and I had serve congestion and drainage and chills, Headaches. My eyes are watery and feel hot but I do not have a temp. I have body aches and joint, muscle and bone pain. 1/13 The symptoms have not gotten better. i called employee health and they stated to call VAERS. I am breast feeding and I'm not sure if this is happening because i am breast feeding. My milk supply has reduced by 50-75%. I tried to talk to a few MD's I know but I have not contact my PCP.
941463	1/13/2021	RI	44	F	1/13/2021	1/13/2021	10 min after shot i felt extreme warmth throughout my body, my face was flushed and warm. I was sweating and short of breath. My peripheral vision was cloudy. This lasted approx ten minutes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
941472	1/13/2021	TX	67	F	1/4/2021	1/5/2021	Constant clear runny nose, teary eyes day after injection. Progressively worsened. 5 days post injection, facial swelling with continuous runny nose and watery eyes. Treated symptoms with non-drowsy sinus medicine with some relief. 10 days post injection large amount of swelling at injection site with warmth, more soreness than expected, and red blotchy skin. No fever. Congestion has subsided.
941476	1/13/2021	FL	45	M	12/28/2020	12/28/2020	Patient received vaccine in afternoon of 12/28. She works in ER as housekeeper 7pm-7am. The day she received the vaccine she became ill with fever chills and nausea and left work at 2am. On 12/31 she developed hemianopia. She went to ER and they did CT scan. She was told it was complex migraine. She left and came Home. On 1/1/21 her vision was back to normal. On 1/3 she suffered bilateral cerebellum ischemic stroke. She is currently in medical center. In Trauma.
941703	1/13/2021	IL	36	F	1/6/2021	1/6/2021	Around 12:00 I started having trouble blinking my right eye and had numbness and tingling around lower orbit. This lasted about 5 hours intermittently. I do have a history of bells palsy and my face never returned back to normal. (first started 2015 with my first pregnancy). I am currently pregnant. This is my third pregnancy, due date 05/03/2021.
941770	1/13/2021	WA	49	F	1/12/2021	1/12/2021	About 10 minutes into observation, she felt very nauseated, and then reported being dizzy. She reported "having waves of dizziness" that "made me feel like she was going to pass out but was clearly not" also reported "dizzy spots" in her vision. She had 3 separate episodes, each lasting about 4-5 minutes each. BP @ onset 100/63, pulse 57, after resolution, 100/62, pulse 62. O2 sat 100%. All symptoms resolved after a total of 30 minutes post vaccination.
941286	1/13/2021	IL	32	F	1/7/2021	1/8/2021	Headache began the next morning and had been returning daily with pain and pressure behind the eyes. Some sinus inflammation but clear discharge. Swollen lymph node on left side of neck started 1/10 with minor pain.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
941728	1/13/2021	GA	88	F	12/29/2020	12/29/2020	Resident undergoing wound care. Vaccine given and approximately 5 minutes after administration, this resident noted to have rapid jerking eye movement determined to be seizure activity. After the seizure, resident stabilized. Resident was asked if she was feeling ok and she nodded her head yes in agreement. Resident has a history of seizures and is being treated with Dilantin and Keppra.
941503	1/13/2021	SC	90	F	1/4/2021	1/5/2021	Systemic: Headache, Systemic: Eyes dilated and difficulty remembering information; symptoms lasted 2 days
941684	1/13/2021	PA	51	F	1/8/2021	1/11/2021	bilateral eye swelling two days after receiving vaccine
941660	1/13/2021		44	F	1/2/2021	1/6/2021	Headache and right eye pain started on 01/06/2021. Skin burning sensation started on 01/08/2021. Rashes started on 01/09/2021. I went to the emergency room on 01/10/2021, diagnosed with shingles, started treatment with Valacyclovir.
941655	1/13/2021	PA	51	F	1/8/2021	1/11/2021	Patient states that she has been having bilateral eye swelling since 1/11/21 around 8 am.
941646	1/13/2021	OK	43	F	1/8/2021	1/8/2021	DESCRIBED " FIRST SHOT ON 01/08/2021-GOT A SORE ARM AND FATIGUE-BUT STARTING ON SATURDAY I NOTICED MY FACE WOULD BE TINGLY AND NUMB FEELING-THEN ON SUNDAY HAD DROOPING OF RIGHT EYE LID WHEN I WAS TIRED-I NOW HAD SOME DROOPING OF MY MOUTH, ONLY SMOETIMES, AND MY EYE LID WHEN I AM TIRED. THE NUMB FEELING IS STILL THERE.:
941606	1/13/2021	AL	71	F	1/12/2021	1/12/2021	redness, swelling and pain to the eye at 9:30 p.m. on day of vaccination received vaccine around 3:40 p.m. took contacts out around 9 p.m. and noticed swelling to eye 30 minutes later stated, "I'm not sure if I scratched my eyelid getting the contacts out or if it's a reaction to the vaccine." took Benadryl and used ice pack which "seemed to provide relief" - advised to contact primary care doctor and register with V-safe

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
941597	1/13/2021	FL	66	F	1/8/2021	1/8/2021	On 1/8/2021, at 8:00 PM, patient began to experience a low-grade fever, chills, body aches, muscle aches, cramps in arms and legs, nausea, fatigue and shivering. At 4:00 AM on 1/9/2021, patient awoke with extreme fatigue, diminished eye-sight - describes as vision being "grey and mottled", and impairment of gait - stumbling when attempting to walk. Patient was scheduled to work that morning and had to call off due to these symptoms she was experiencing. **This was reported on 1/12/2021, at which time, the patient stated that she was currently experiencing a loss of taste and smell, and had tested positive for COVID-19 that morning.**
941596	1/13/2021	AZ	57	F	12/28/2020	12/29/2020	Started with temple pain then started having pain behind both my eyes. Tried taking Tylenol without relief. Continued to have the temple headache and pain behind eyes, then the morning of 1/31/2020 felt like throat was swollen and lymph nodes on neck were swollen and had a mild earache. All symptoms subsided the morning of 1/2/2021.
941587	1/13/2021	CA	44	F	1/2/2021	1/6/2021	Whole headache and right eye pain started on 01/06/2021, Skin burning sensation started on 06/08/2021. Rashes started on 06/09/2021. On 06/10/2021, I went to the emergency room, diagnosis with Shingles, and the doctor prescribed Valacyclovir.
941534	1/13/2021	OK	60	F	1/12/2021	1/12/2021	Pfizer-BioNTech COVID-19 vaccine EUA - Client reports "after 45 minutes post injection, started having mild itching in my trunk, arms and left Hand. itching increased so took Benadryl 50 mg PO, stayed for 15 minutes then left work to go home. Once home itching increased, eyes started swelling and started losing my voice. Husband took me to the ER at Hospital, arrived approx. 6.10 pm. Treated with Benadryl, Solu medrol and Pepcid, all thru IV. Condition improved and client sent home with script for Pepcid, Medrol dose pack and Atarax.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
941616	1/13/2021		32	F	12/23/2020	12/28/2020	covid injection #1 on 12/23/20. 5 days later on 12/28/2021 woke up with nausea and diarrhea. Had vasovagal symptoms of lightheaded, blurred vision, hearing changes, and weakness of legs while standing. was in healthcare setting working at the time. Initial vitals 87/60, drank apple juice and rested, BP came up 15 min later to 100/75. At approx. 7pm on 12/28/2020 developed chills which turned into sweats with myalgia's and arthralgia's, took 1g Tylenol, at 9pm fever still 101.7°F. Fever lasted approx 8 hours. Nausea resolved. Diarrhea lasted about 36 hours.
937383	1/12/2021	OK	59	F	1/5/2021	1/5/2021	CLIENT FOUND AT DECREASED RESPONSIVENESS AT END OF HER 30 MINUTES WAIT TIME DURING MONITORING. (MONITOR) ADVISED US SHE HAD NOT BEEN TALKING X15 MINUTES, THOUGHT SHE WAS LOOKING AT HER PHONE. CLIENT WAS NON-VERBAL AND GLASSY EYED WITH VISIBLE HIVES ON NECK AND CHEST PROGRESSING RAPIDLY DOWN BILAT. ARMS AND TORSO. O2 VIA NON-REBREATHER ON 8L STARTED. BENEDRYL 50MG GIVEN IN L. DELTOD. 2 ROUNDS OF 0.5ML OF EPI 1:1000 GIVEN SQ IN R. ARM 15 MINUTES APART. EMS WAS NOTIFIED AND ARRIVED SHORTLY AFTER 2ND ROUND OF EPI GIVEN. EMS CONTINUED CARE AT THAT TIME AND TRANSFERRED HOSPITAL VIA AMBULANCE.
937525	1/12/2021	NJ	33	F	12/23/2020	12/26/2020	As per Vaccine recipient -incident happened at home , Initial onset of dizziness, shortness of breath and heart racing. Then respirations were slowing and patient felt like she was going to pass out , like that pending doom sort of feeling. Patient turned very pale and was presenting black and bluish under her eye region with blue lips. At that time ,she tried to hyper ventilate herself to pink back up again, after a few minutes she regained color but was still very weak and was trembling, her respirations returned to mostly normal at that time me . She laid down to rest and then her toes started involuntarily twitching , they eventually stopped after 10-15.Whole episode lasted about half hour to 45 mins.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
937507	1/12/2021	CT	48	F	1/11/2021	1/11/2021	2 hours after taking the vaccine, burning and red eyes, body pain, increased butt pain and leg pain, headache , feeling warmth but no fever. Arm sore, had injection in left arm, had left neck and left upper back pain.
937475	1/12/2021	RI	52	F	1/11/2021	1/11/2021	Approximately 45 minutes post injection, started wheezing slightly and having itchy watery eyes. Eyes swelled. Significant scleral edema bilaterally but mostly left eye. Sudden chills and felt freezing in extremities. Face became tingly. Took 50 mg Benadryl, Claritin and rescue inhaler (2 puffs albuterol). Within 1.5 hours felt better and able to rest. Still Itchy but wheezing was better. On 1/12 woke with swollen eyes. Took 25 Benadryl and Claritin. Walked 1 mile and began to wheeze. Took albuterol and rested.
937464	1/12/2021	TN	37	M	12/28/2020	1/5/2021	redness at injection site and some bruising after vaccine. On 1/5/21 started exercising 20 - 30 min. into exercise routine began having a debilitating headache. Lasting 24 hrs even after taking taking Tylenol and Ibuprofen. Also checked my B/P and it was around 120/68. Then on 1/7/21 with exercising had a minor H/A with exercising relief after taking Tylenol. Then yesterday with exertion I had another debilitating headache which lasted whole 24 hrs. I had to lie down and take Ibuprofen 400 mg and took pseudophed last night. Patient did notify his doctor and awaiting call back still today has a mild headache today in left temple area and behind eyes. Still no blurred vision no tingling of face or arnes.
937463	1/12/2021	WA	36	M	12/24/2020	1/2/2021	About 10 days after receiving my first dose of the Moderna vaccine, hives developed on the backs of both of my hands and around my right eye. The hives persisted for 6 days (I took Benadryl to stop the itching). After 6 days of hives I went to a walk-in clinic and they prescribed 5 days of Prednasone. Today I am on my 4th day of the Prednasone and the hives are finally starting to clear up.
937443	1/12/2021	CT	51	F	12/27/2020	1/4/2021	Soreness to injection site x 24-48 hours. Decreased vision, had recent eye exam 1.5 weeks prior to vaccine, since vaccine, clarity of vision has decreased.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
937427	1/12/2021	KY	43	M	1/8/2021	1/8/2021	Initial shot did not even feel it. then a coldness in my shoulder. down my arm to wrist and up to my cheek behind my left eye, then over my sinus cavity to the right side behind my eye and to my ear. Got home from work and noticed my left side was kind of swollen. chest and back. It felt a bit like a bee sting. I slept on my left side. Woke up with numbness on my whole left side. face was numb. My wife said it was kind of like bells palsy. Face kind of twitched a bit. Hip was numb walking was slow and I was careful as I went to the grocery store . It kind of leveled out but stayed numb all of work. I was still swollen after work. Woke up on Sunday and my arm was hurting bad. numbness had dissipated. ate then suddenly felt flush and hot. fetal position on the bed for a half hour then I had to drag myself to work. felt bad the first few hours but as the night went on I felt better. I could always feel it behind my eyes. early on it felt like I was discharging a bunch of stuff from them. My body was literally numb on the left half. I could feel the middle of myself from my scalp to my toes.
937425	1/12/2021	IL	45	F	1/9/2021	1/9/2021	Right after shot my eyes were feeling dry and my head was slowly hurting (headache). In the afternoon around 4 or 5 got really hot and then in the evening around 9 got really cold and face started to itch. chin was bumpy and face was itching, eyes were still hurting with slight headache. I did have vivid dreams at night and slept not well. in the am my face was itchy red eyelids and under eye, patch like rash on face and itch . Ankles hurt to walk (joints hurt) and arm site was painful and hurt. was cold on and off during day and monday it was hard to wake up, v ery drosy and exhausted. Later that day the face cleared up and i could walk fine and headache was gone . I did feel a little cold monday night. Tuesday everything gone except a slight itch here and there on my face. I feel fine and arm pain is gone as well.
937424	1/12/2021		80	F	1/12/2021	1/12/2021	9:45 client is experiencing itching on the back of her neck. No rash, swelling, redness or hives noted. Also c/o itching on right eyebrow and right side of nose. No redness/swelling noted. BP 190/96 9:50 BP 182/86 Client refuses ambulance dispatch. 10:00 States she feels well enough to leave and go home. Client ambulated without difficulty to her car; accompanied by husband. Husband driving vehicle.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
937378	1/12/2021	IL	45	F	1/9/2021	1/9/2021	A few hours after the vaccine I got hot. About 2 hours later I got really cold. At night when I was sleeping I had very vivid dreams. I was cold all night. When I woke up my arm was sore to touch , to move and both ankles hurt to walk and I started itching on my face. Started Saturday in the evening( chin, nose) Eyelid and underneath was red and I also had a headache. I had blotches on my cheek. Next day I woke up and no change but I was extremely fatigued.. Monday 10am it started going away. By evening majority of pain was gone. About 98% recovered. I still have some itching and chills.
937402	1/12/2021	PA	39	F	1/7/2021	1/7/2021	Pt. started having tachycardia immediately after vaccination and hives developed two hour after vaccination was given. Pt. took propranolol for tachycardia(already prescribed this medication by pcp) and bendryl for hives along with cold water. Pt. still experiencing hives today and just took loratadine and zaditor eye drops for crusty/itching eyes.
937381	1/12/2021	NY	38	M	1/8/2021	1/8/2021	7 hours after vaccine, felt fatigued with muscle aches. 15 hours after vaccine, worsening muscle aches with nausea. 20 hours, peak of muscle pain, nerve pain, nausea, and pressure in eyes. at 20 hours, Tylenol and Benadryl were taken. At 40 hours post vaccine, reaction subsided with new symptom of left axillary lymph node enlargement and tenderness. Axillary lymph nodes normal 72 hours post vaccine.
937336	1/12/2021	MN	41	F	1/11/2021	1/11/2021	Onset of "kaleidoscope vision" at 10:50 AM, followed by headache, nausea, light sensitivity, and difficulty focusing eyes (symptoms of ocular migraine). Severe symptoms lasted 5 hours, mild symptoms lasted through the evening and next day (today I still have a mild headache and nausea). I have previously had 1 migraine (~5 yrs prior) in the setting of repeated fume exposure during a renovation at my workplace, no other history of migraine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
937372	1/12/2021	MN	82	M	12/30/2020	12/31/2020	The day following vaccination, 12/31/2020 at 1230, the patient had an acute onset of shortness of breath, tachypnea (rate 34)wheezing, tachycardia (rate 130s and irregular), oxygen desaturation (89 to 91% on room air), and clear rhinorrhea, non-productive cough. Earlier in the day he complained of not feeling well, but non-specific. He was assessed and given an albuterol nebulizer treatment. In the coming hour, his wheezing resolved, work of breathing improved, heart rate and respirations decreased. He was ambulating around without signs of activity intolerance. It was felt that he was stable and back to baseline, so he was monitored by the nursing staff. A chest x-ray was ordered but not completed. On 1/1/2021 at approximately 0925, a nursing assistant described loss of consciousness for 20-25 seconds. It appeared that he was not breathing, slumped over in the chair at the breakfast table eating cream of wheat, eyes rolled back in his head. He regained consciousness, breathing normally after coughing. He did not appear to be choking. His heart rate was recorded as irregular, rate 32 by the nursing staff. He was transported to the Emergency Department at Hospital for evaluation. No concerning findings.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
937935	1/12/2021	ID	41	F	12/18/2020	1/8/2021	41-year-old woman who presents to the office on 1/12/2021 for fatigue, congestion of nose and eyes and lack of taste and smell. Patient's initial symptoms started on 1/8/2021 with some rhinorrhea. The following day on 1/9/2021 she went to the gym feeling fine. That evening she felt fatigued and attributed to her workout earlier in the day. The next day she developed a severe headache with fever, sweats, chills and body aches. Yesterday on 1/10/2021 she developed nasal congestion and eye symptoms. Patient presented to the office today on 1/12/2021 for testing and was Covid positive. Patient had a positive Covid test on 11/11/2020 with mild symptoms of headache, fatigue without congestion or loss of taste and smell. At that time the duration of her symptoms was 3 days. She had the first Pfizer Covid vaccine on 12/18/2020 with minimal muscle soreness. She had the second Pfizer Covid vaccine on 1/8/2021. Patient works in administration of a medical facility. She has minimal contact with clinical staff and patients. No one in her office has had Covid symptoms or infection. Patient's other contacts are at home and the gym. She does attend a gym class with 10 other participants. She does not know whether anyone in the gym class has had symptoms.
937539	1/12/2021	AZ	23	F	1/12/2021	1/12/2021	C/O HEADACHE AND INCREASED EYE MOVEMENT AFTER COVID IMMUNIZATION SHOT (ADMIN. TIME: 0946) 0955: VS: 111/75, P: 80; 02 SAT: 97% R.A.; 1000: VS: 117/72, P: 80; 02 SAT: 98 % R.A. Left alert/oriented x3 with spouse
937404	1/12/2021		80	F	1/12/2021	1/12/2021	9:45 Client experiencing itching on the back of her neck. No rash, swelling, redness or hives noted. Slight itching on face on right eyebrow and right side of nose. No redness/rash noted. BP 190/96 9:50 BP 182/86 10:00 refused ambulance dispatch, itching resolved. States she feels well enough to leave and wants to go home. Client ambulated without difficulty. No s/s distress. Ambulated with husband to personal vehicle accompanied and driven by husband.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
937835	1/12/2021	FL	37	F	1/4/2021	1/4/2021	Throat became very sore and staff member left work abruptly and went to an urgent care clinic. She had a negative strep test and a negative covid test. She also complained her right eye was twitching. Symptoms subsided in approx. 48 hours.
936267	1/12/2021	AL	48	F	12/28/2020	12/29/2020	hard lumps at filler sites above upper lip and under left eye - filler injected 7 months prior to vaccine; hard lumps at filler sites above upper lip and under left eye - filler injected 7 months prior to vaccine; This is a spontaneous report from a contactable nurse (patient). This 48-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (Lot # ekj5730), intramuscular at single dose in the right arm on 28Dec2020 13:00 for COVID-19 immunisation. Medical history included migraine, allergies to Codeine, Hydrocodone. Concomitant medications were not reported. On 29Dec2020 11:00, the patient experienced hard lumps at filler sites above upper lip and under left eye - filler injected 7 months prior to vaccine. The outcome of the events was not recovered. No treatment was performed. The patient was not pregnant at the time of vaccination. The vaccine was administered at Hospital Facility. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was not diagnosed with COVID-19 prior to vaccination. The patient had not been tested for COVID-19 since the vaccination.
937299	1/12/2021	ME	28	F	1/7/2021	1/11/2021	Jaw became sore 1/9/21 , went to ER on 1/11/21 after continued pain diagnosed with Bells Palsy. Given Medications : Acyclovir 800mg 5 times daily for 7 days, 60 mg prednisone with taper 10 days, Eye patch and Eye drops.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
938052	1/12/2021	TX	43	F	12/31/2020	1/1/2021	lost the sense of smell and taste; lost the sense of smell and taste; nasal congestion/stuffy nose; runny nose; tiredness/felt tired; eye pain; pain in the muscles; chills; sore pain in the arm; This is a spontaneous report from a contactable Other HCP (Dentist) reporting for herself. A 43-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) at single dose on 31Dec2020 at 10:00AM in the left arm for COVID-19 immunization. Lot number was EJ1685. Medical history and concomitant medications were none. On 01Jan2021 in the morning, she had a sore pain in her arm, and by nighttime she had chills. On 02Jan2021 and on 03Jan2021, Saturday and Sunday she had pain in her muscles, felt tired, and had some pain around her eye every time she moved her eyes. On 04Jan2021, Monday everything went away but she had stuffy nose and runny nose. Her stuffy and runny nose was better but she still had some congestion, but she could not blow anything out of her nose. On 05Jan2021, Tuesday she noticed she could not smell and she still could not smell. On 06Jan2021, she had no smell and no taste either. Stated everything was good at the time of report but she still could not smell or taste anything. She treated herself with Tylenol for the muscle aches. She took one 500mg Tylenol by mouth on 02Jan2021 at bedtime and then one Tylenol 500mg by mouth again on 03Jan2021. She was scheduled for the next dose 19Jan2021. Mention she was planning to get a COVID 19 test to see if she had the disease. The patient recovered from fatigue, eye pain, pain in muscles on 03Jan2021, the patient recovered from chills on 02Jan2021, the patient recovered from sore pain in the arm on 01Jan2021, the patient was recovering from nasal congestion/stuffy nose, the patient did not recover from runny nose and loss the sense of smell and taste. Information on the lot/batch number has been requested.; Sender's Comments: The Company cannot completely exclude the possible causality between the reported pain in her muscles, felt tired,had some pain around her eye every time she moved her eyes, had no smell and no taste, and the administration of the COVID-19 vaccine, BNT162B2, based on the reasonable temporal association. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RA, IEC, as appropriate.

937926	1/12/2021	NY	34	F	1/7/2021	1/9/2021	Vaccine given Thursday afternoon. Saturday morning had fainting spell. Vision and hearing lost before collapsing and fainting. After a few seconds came to and was disoriented and tired and then shortly recovered. I have no prior history of ever fainting or losing consciousness.
937921	1/12/2021	OH	38	F	1/5/2021	1/6/2021	Bell's palsy L side of face impacting eye and partial of mouth; not resolved at this time
937901	1/12/2021	NC	40	F	1/12/2021	1/12/2021	Left eye feels full, swollen, chills.
937923	1/12/2021	CT	52	F	12/31/2020	1/5/2021	52 y/o female received Moderna Covid vaccine dose #1 on 12/31, noted some mild injection site discomfort at the time and for several days after. She developed HA, fatigue after the vaccination. On Tuesday she noted some discomfort in her left axilla and may have felt some enlarged lymph nodes. Today she noted a swelling in her left deltoid that felt warm to the touch but has not been painful or itchy. After getting home she noted a red patch near her left eye. She denies difficulty breathing or swallowing. Currently denies fever/chills, HA. No prior h/o vaccine reaction. She has not received another vaccine in the past several months. She is not currently taking any medications including vitamins or supplements. Has not yet tried any interventions for her symptoms.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
937845	1/12/2021		62	F	1/8/2021	1/8/2021	During administration of vaccine pt became dizzy and faint. Pt was able to go to the observation area, waited approximately 15 mins and then reported chest tightness, dizziness, rash and itching on her arms, fast heart rate, watery eyes, runny nose, and throat irritant. Vitals were obtained and pt was requested to wait another 15 mins for monitoring. During monitoring period, patient became to complain of increased throat irritation and new tongue swelling. Response team was contacted. During reassessment patient's symptoms decreased. Team decided patient was stable and did not require transport to the ED. Patient was monitored for another 15-20 minutes with symptoms resolving. Patient was advised to discuss reaction with her PCP prior to getting second dose of the vaccine.
937581	1/12/2021	CO	44	F	1/7/2021	1/7/2021	Initially pain with injection and taste in mouth. Arm pain worsened but improved w/ibuprofen. Mild fever 99.8. EXTREME weakness and fatigue, profuse diarrhea, poor appetite, feeling morose, intermittent runny nose, itchy eyes, mild congestion and mild rare coughing spells. Please note- shot in first series was not painful- couldn't even feel shot. Only symptom after shot in 1st series was mild arm pain and mild fatigue for 2 days.
937820	1/12/2021	NV	32	F	1/11/2021	1/11/2021	I felt flushed shortly after leaving the clinic and i became light headed as well. By evening time I was tired and I was too exhausted to get up from the couch. The following day I woke up to a headache and body aches. When I went outside my eyes were very sensitive to light.
937753	1/12/2021	WA	58	F	1/8/2021	1/9/2021	Aprox. 12 hours after receiving the vaccine, I developed the following symptoms: headache, low-grade fever, chills, muscle/body aches, nausea, vertigo, primarily muscle/body aches. My symptoms resolved aprox. 36 hours later. Aprox. 60 hours later, I had a couple of episodes of diarrhea, and was just feeling a little "spacey" and slightly tender behind my eyes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
937748	1/12/2021	MI	40	M	1/4/2021	1/4/2021	Patient received the Moderna Covid-19 vaccine. Was sitting in observation for 10 minutes post vaccine and got up to "make a call." I was called to the conference room at 0815. Caregivers heard a loud noise and found patient on the ground in the hallway right outside the observation room. Patient states "I got dizzy and started getting tunnel vision" also states that this happens at times with needles/ blood draws since he was a kid. Patient set up on his own, denies head/neck pain. Denies any injury. Stood on his own and guided into observation for more time- set in chair. 0832 checked with patient , still denies injury, denies anymore dizziness. Encouraged him to go to the ED to get checked out. Patient denies head/neck pain or any S/S at this time. Declines ED. 0847- Patient denies dizziness, s/s and declines going to ED. Walked out, gait steady.
937708	1/12/2021	CO	44	F	1/7/2021	1/7/2021	1/7/21 2nd shot. Pain with injection, tasted in mouth lasted 20 minutes. Sore arm got worse within a couple hours. Took ibuprofen which helped. Low grade fever 99.8, EXTREME weakness and fatigue, body aches developed evening with profuse watery diarrhea 1/7-1/10, poor appetite (NO nausea, NO vomiting) also had mild symptoms of intermittent runny nose, itchy eyes, mild cough. Symptoms improved 1/11/21 with decr freq diarrhea, improvement energy level. I pushed fluids in home and ate soup. Visit to urgent care 1/11/21 for IV hydration after receiving covid testing req for job d/t symptoms. 1/12/21 feeling improvement in symptoms but not fully recovered at this time-monitoring symptoms in home
937696	1/12/2021	MA	40	F		1/8/2021	PAIN BEHIND EYES, HEAD TO EXPLODE DOWN Back OF HEAD

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
937629	1/12/2021	MO	37	F	1/8/2021	1/8/2021	Pfizer-BioNTech COVID-19 Vaccine EUA 8hrs-40hrs after injection: fever (ranging from 102-104) chills, body aches, fatigue/weakness, loss of appetite, headache, vision changes, swollen right axillary lymph node (hard, painful) 40hrs-60hrs after injection: fever steady around 101, headache, fatigue, swollen right axillary lymph node (no longer hard, more disperse, still painful) 60+ hrs after injection: swollen right axillary lymph node (disperse, painful, bruising/discoloration) emailed ob/gyn about concern for swollen lymph node turning into mastitis, but referred to PCP
937628	1/12/2021	TX	37	F	1/8/2021	1/12/2021	left sided facial numbness, hyperesthesia, and left eye twitching
937859	1/12/2021		62	F	1/8/2021	1/8/2021	During administration of vaccine pt became dizzy and faint. Pt was able to go to the observation area, waited approximately 15 mins and then reported chest tightness, dizziness, rash and itching on her arms, fast heart rate, watery eyes, runny nose, and throat irritant. Vitals were obtained and pt was requested to wait another 15 mins for monitoring. During monitoring period, patient became to complain of increased throat irritation and new tongue swelling. Response team was contacted. During reassessment patient's symptoms decreased. Team decided patient was stable and did not require transport to the ED. Patient was monitored for another 15-20 minutes with symptoms resolving. Patient was advised to discuss reaction with her PCP prior to getting second dose of the vaccine.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
936357	1/12/2021		45	F	12/31/2020	12/31/2020	Had problems with arm mobility and soreness to the touch in the arm; Had problems with arm mobility and soreness to the touch in the arm; Eyes were really heavy; Headache; Chills; Muscle pain; Injection pain; Injection site swelling; Injection site itchiness; Sensation on my face like when eating spicy food. It is a tingling sensation; Tiredness; This is a spontaneous report from a contactable healthcare professional (patient). A 45-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number: EK9231; Expiration date was not reported) on 31Dec2020 (15:20) at a single dose on the left arm for COVID-19 immunization. Medical history included ongoing rosacea. There were no concomitant medications. On 31Dec2020, the patient had injection pain; injection site swelling; injection site itchiness; had sensation on the face like when eating spicy food further clarified as a tingling sensation; had tiredness. On 03Jan2021, the patient had chills and muscle pain. On 05Jan2021, the patient had headache, and eyes were really heavy. On an unspecified date, the patient had problems with arm mobility and soreness to the touch in the arm. The patient had received treatment for all the reported events. The outcome of the events was recovered on 31Dec2020 for 'injection pain', 'tiredness'; was recovered on an unspecified date for 'injection site swelling' and 'injection site itchiness', 'problems with arm mobility and soreness to the touch in the arm' and 'problems with arm mobility and soreness to the touch in the arm'; was recovered on 03Jan2021 for 'chills' and 'muscle pain'; was not recovered for 'headache'; and was unknown for 'sensation on the face like when eating spicy food further clarified as a tingling sensation'.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
936320	1/12/2021	MD	59	F	12/31/2020	12/31/2020	numbness in right fingers along with tingling. moved to back of neck and side of face. right side of face was completely numb. began with tingling and then moved to numbness. right eye was blurred; numbness in right fingers along with tingling. moved to back of neck and side of face. right side of face was completely numb. began with tingling and then moved to numbness. right eye was blurred; numbness in right fingers along with tingling. moved to back of neck and side of face. right side of face was completely numb. began with tingling and then moved to numbness. right eye was blurred; This is a spontaneous report from a contactable healthcare professional. A 59-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL01284, expiry date not reported), via an unspecified route of administration in the right arm on 31Dec2020 10:15 at single dose for COVID-19 immunisation. Medical history included pituitary tumor/prolactinoma. The patient was not diagnosed with COVID-19 prior to vaccination. The patient had not been tested for COVID-19 since the vaccination. Patient was not pregnant at the time of vaccination. Concomitant medications were none. On 31Dec2020 at 10:45, the patient experienced numbness in right fingers along with tingling. The patient moved to back of neck and side of face. The right side of face was completely numb. It began with tingling and then moved to numbness. Her right eye was blurred for short period. No therapeutic measure was taken as a result of the events. Clinical outcome of the events was recovered on an unspecified date.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
936743	1/12/2021	OH	34	F	1/7/2021	1/9/2021	I had dizziness/lightheaded 10 minutes after dose. Dizziness went away 40 minutes later. 24 hours after dose had body aches. 2 days after dose I had blurred vision in Rt eye and then noticed that Rt eye was fully dilated and Lt eye was normal. Rt eye not responding to light. Went to ED and had 2 CT scans that were normal. They sent me where I had a third CT scan which was normal. I saw ophthalmology and my optic nerve was normal and eyes looked good, but Rt eye still didn't react to light. they ruled out pharmacological and said that it is something neurological. They still don't know exactly what is going on. While at the hospital, I started having urinary retention and now have a foley placed. I have follow ups with neurology, urology and ophthalmology and have orders for MRI of brain and neck.
936587	1/12/2021	AZ	23	F	12/30/2020	1/1/2021	I woke up in the morning feeling some mild body aches. When I tried to stand up I became dizzy and immediately sat down. I started sweating, my vision started to turn black and I felt that like I was going to faint. I then became extremely nauseated and threw up. after about ten minutes the symptoms started mildly passing. I then began sweating again, feeling like I was going to faint, and I threw up a second time. These symptoms lasted for about an hour where I felt nauseous and faint. Then flowing these symptoms I felt dizzy for another 3 hours and continued having body aches for another 2 days.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
936568	1/12/2021	CA	70	M	1/2/2021	1/2/2021	Headache; Chills; tension around the chest/ heart; Nausea; felt uncomfortable; Confused; This is a spontaneous report from a contactable consumer (patient). A 70-year-old male patient received the first dose bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), intramuscular on 02Jan2021 at 13:02 at single dose in left arm for covid-19 immunization. Medical history included ongoing prostate disorder, ongoing blood pressure abnormal, ongoing cholesterol abnormal. Concomitant medication included tamsulosin 4mg tablet once a day by mouth for prostate disorder, losartan 50mg tablet once a day by mouth for blood pressure abnormal, atorvastatin 20mg tablet once a day by mouth for cholesterol abnormal; all ongoing. The patient experienced headache, chills, tension around the chest/ heart, nausea, felt uncomfortable, and confused on 02Jan2021. Event details: The patient reported that he took the vaccine a few days ago, on 02Jan2021, he felt uncomfortable and a lot of things were going on. He clarified that he experienced headaches, light chills, tension around the chest/heart, nausea and disconnect. He felt like something was going on with his brain. He felt uncomfortable with himself. He asked himself if these were his eyes and states he was confused. He put his car in reverse when he was supposed to be driving forward, stated the curb stopped him. He did not feel totally like himself. His lady said he was normally like that but he felt there was something heavy, totally different. He did take a covid test about 3 weeks prior to getting the vaccine, the result was negative. The patient underwent lab tests and procedures which included covid test: negative in Dec2020, weight: 190 to 192 pounds on an unspecified date. The outcome of the events was unknown. Information on the lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
936491	1/12/2021	AZ	39	F	1/5/2021	1/5/2021	muscle joint pint in the fingers on left hand; Feeling shaky and cold; Feeling shaky and cold; HR 100s; SBP 147; left arm started to have tingling sensation. the sensation got worse as the minutes passed/tingling on right side of the face below eye; This is a spontaneous report from a contactable Nurse. A 39-year-old female patient started to receive BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number EL1284), intramuscular (left arm, dose 1) on 05Jan2021 09:00 at single dose for covid-19 immunisation. The patient medical history was not reported. There were no concomitant medications. No other vaccines in four weeks. No other medications in two weeks. The patient previously took rocephine and experienced rash. On 09:03, patient received vaccine. On 09:07, left arm started to have tingling sensation. the sensation got worse as the minutes passed. On 0930; vital signs were taken (SBP 147, HR 100s). On 09:40, second set of Vitals (SBP 117, HR in the 80s). On 1028, tingling on right side of the face below eye. On 10:38, tingling on the face got better. Feeling shaky and cold. On 11:15, muscle joint pint in the fingers on left hand. On 13:30, most of the symptoms disappeared. Tingling on left arm still present mostly on in the tip of fingers and inner aspect of the forearm that comes and goes. Symptoms are not as bad as the first 50 minutes into the vaccine. Events occurred on 05Jan2021. No treatment was given. Since the vaccination, the patient has not been tested for COVID-19. Event outcome was recovering. The reporter considered the events as non-serious.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
936417	1/12/2021	AZ	35	F	12/31/2020	12/31/2020	<p>Left Bell's palsy/left side of face, inability to raise left eyebrow; numbness and paresthesia of tongue; numbness and paresthesia of tongue; pain in left upper arm between elbow and shoulder; tachycardia; elevated blood pressure; This is a spontaneous report from a contactable physician. A 35-year-old female patient (not pregnant at the time of vaccination) received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/lot number: EH9899), intramuscular at arm left on 31Dec2020 at single dose for covid-19 immunization. The vaccine was administered at other (as reported). Medical history included asthma (Allergy induced asthma). Concomitant medication within 2 weeks of vaccination included cetirizine hydrochloride (ZYRTEC) from Dec2020 at 10mg daily. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. On 31Dec2020, the patient experienced Left Bell's palsy, numbness and paresthesia of tongue, left side of face, inability to raise left eyebrow, pain in left upper arm between elbow and shoulder, tachycardia, elevated blood pressure. The adverse events result in emergency room/department or urgent care. The patient received treatment for the adverse events which included Prednisone 20mg daily, Valacyclovir 1000mg twice a day. Prior to vaccination, the patient was not diagnosed with COVID-19 and since the vaccination, the patient was not been tested for COVID-19. The outcome of events was not recovered.; Sender's Comments: Based on available information, a possible contributory role of the subject product, BNT162B2 vaccine, cannot be excluded for the Bell's palsy and other reported events due to temporal relationship. However, the Bell's palsy may possibly represent a concurrent medical condition. There is limited information provided in this report. Additional information is needed to better assess the case, including complete medical history, diagnostics including viral serologies, and concomitant medications. This case will be reassessed once additional information is available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							Investigators, as appropriate.
936773	1/12/2021	NH	45	F	1/7/2021	1/7/2021	dry mouth/ metal taste/ excessive thirst, extreme dry eyes to the the point of burning/ gritty sensation (used multiple doses of natural tears to treat)
936367	1/12/2021		66	F			The 'left side of her face went numb, and it crawled up from her chin to her eyebrow lasted 20 minutes and then went away'; she felt 'a wave of nausea; This is a spontaneous report from a contactable consumer for herself. This 66-year-old female patient received the first dose of BNT162B2 (BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE)) at single dose for COVID-19 immunisation on unknown date. Relevant history and concomitant drugs were unknown. The patient stated 3 hours after having received the vaccine, she felt 'a wave of nausea that went away just as fast as it had hit' her. The left side of her face went numb, and it crawled up from her chin to her eyebrow lasted 20 minutes and then went away. This was on the same side that she got the vaccine. She had never experienced anything like that. The outcome of event face went numb was recovered. The outcome of other events was unknown. Information about Batch/Lot number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
936786	1/12/2021	MA	36	F	1/6/2021	1/6/2021	<p>Shortly after receiving the vaccination, I was sitting in the observation area looking down at my phone when I felt a strange tingle in my throat. When I picked my head up, it went away quickly and did not happen again so I did not think it was a big deal. The RN monitoring the group approached me a few moments later and asked if I was OK because my chest was a little flushed. My complexion is very fair and I get red pretty easily just by clothing rubbing against my skin so I thought nothing of it but asked her to keep an eye on me. She came back around a couple more times and said it looked better. Thinking about my anxiety to get the vaccine, I assumed that was what it was and that everything was OK. I sat a bit longer, about 20 or so minutes after getting the vaccine and I seemed OK. Before leaving I had a brief conversation with a colleague while standing and I still felt OK. I left the facility and while driving home, my face started to feel hot and it was red. I was fairly close to my mother's house who is an RN so I called her and headed towards her house. She gave me 1 Benadryl and checked around my body for other blotchy red spots which seemed to be around my chest, torso, arms and face. She also noted my face was swollen, red and hot to the touch. I was able to eat dinner and drink 2 seltzers without issue then headed home about 6:30p. I took 1 Zyrtec at about 7:00-7:30p. Additionally, when I woke up on 1/7/2021, I felt tired, a mild sore throat and mild stuffy nose. My right arm was sore and heavy below the injection site. My face has been warm, slightly puffy and on and off red throughout the day. I had a headache in the morning when I first woke up and I have been parched all day. I took 2 - Ibuprofen when I woke up. Also throughout the day, at times I feel my chest get a little heavy.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
938058	1/12/2021	FL		F	1/5/2021	1/6/2021	<p>Hellucinogenic visions of monsters and violent events; This is a spontaneous report from a contactable consumer (patient). A 68-year-old female patient (not pregnant) received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/lot number: EK5730), via an unspecified route of administration on 05Jan2021 at 14:30 on Right arm at single dose for COVID-19 immunization in hospital. The patient medical history included Hypertension, Hypothyroid. Prior to vaccination, patient was not diagnosed with COVID-19. Concomitant medications included levothyroxine sodium (LEVOXYL); Olmesartan; aluminium hydroxide gel, dried, magnesium carbonate (PEPCID); bifidobacterium bifidum, bifidobacterium lactis, bifidobacterium longum, lactobacillus acidophilus, lactobacillus rhamnosus (PROBIOTIC); ascorbic acid, biotin, folic acid, iodine, pantothenic acid, pyridoxine hydrochloride, retinol, vitamin b12 nos, vitamin d nos, vitamin e nos, zinc (CENTRUM MULTIGUMMIES). Patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient previously took and had known allergies with bacitracin zinc;neomycin sulfate;polymyxin b sulfate (NEOSPORIN) and bacitracin zinc;neomycin sulfate;polymyxin b sulfate (POLYSPORIN). The patient experienced hellucinogenic visions of monsters and violent events on 06Jan2021 at 02:00 AM. Since the vaccination, patient had not been tested for COVID-19. No treatment was received for the event. The outcome of the event was recovering. The report was reported as non-serious, with seriousness criteria-Results in death: No; Life threatening: No; Caused/prolonged hospitalization: No; Disabling/Incapacitating: No; Congenital anomaly/birth defect: No.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
936299	1/12/2021	MI	41	F	12/30/2020	12/1/2020	The left side of her face, it didn't go completely numb, but mostly; still can't chew on the side of the mouth; difficulty speaking; her eye socket, it didn't feel like her eye was there; This is a spontaneous report from a contactable consumer (patient). A 41-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (lot number: EK923, expiration date: Apr2021), via unknown route of administration on 30Dec2020 at single dose (first dose by injection once to left upper arm, by the shoulder, a little down) for COVID-19 immunization. Medical history included ongoing high blood pressure. Concomitant medications were reported none. Her blood pressure was diagnosed years prior to the report, like 10+ years prior to the report, but she did not know if it had anything to do with it. The left side of her face, it didn't go completely numb on 30Dec2020, but mostly: stated her eye socket, it didn't feel like her eye was there, and her mouth, she had difficulty speaking, she still could not chew on the side of the mouth in Dec2020. Stated it felt like pulling, like something pulling, like a rope was tied and pulling backwards to the back of head and downward. States this lasted 2 days thankfully, and she did not regret getting it. She Provided weight as a lot of pounds, said she was joking. The vaccine was not prescribed by a doctor, her job offered it, she worked at a hospital, so it was voluntary and she took it. The event started maybe 6 hours after getting the vaccine, it was while she was sleeping, she woke up, she had slept, it was in the middle of the night, and was gone by Saturday for sure. This was her first dose. States site of administration was where she typically gets flu shots. The outcome of the event The left side of her face, it didn't go completely numb was recovered on 02Jan2021. The outcome of other events was unknown.
938106	1/12/2021	TX	43	F	1/12/2021	1/12/2021	Approximately 30 minutes after the injection clients voice became raspy. She reported 1-2 seconds of blurred vision, that resolved. No breathing difficulty or wheezing, no dizziness. B/P 128/88 Pulse 59. No other complaints from client. No swelling or redness at injection site. Waited X 60 minutes, no changes. Instructed client to closely monitor and seek emergency care if needed.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
936248	1/12/2021	IN	32	F	1/4/2021	1/4/2021	Headache behind my eyesTiredness; Headache behind my eyesTiredness; This is a spontaneous report from a contactable healthcare professional. A 32-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 04Jan2021 12:00 at single dose for covid-19 immunisation. Medical history included gastrooesophageal reflux disease and known allergies: Penicillin. Concomitant medication included omeprazole magnesium (PRILOSEC [OMEPRAZOLE MAGNESIUM]) and oxymetazoline hydrochloride (CLARITIN ALLERGIC). The patient has known allergies: Codeine. The patient stated, "headache behind my eyes tiredness", on 04Jan2021 12:15, The outcome of the events was recovering. Information lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
936232	1/12/2021	FL		F			itching at injection site; half of my face was swollen (right side); Chalazion on my right eye; This is a spontaneous report from a non-contactable consumer. A 71-years-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiry date were not reported), via an unspecified route of administration on an unspecified date at a single dose for covid-19 immunization. The patient's medical history and concomitant medications were not reported. The patient received the first dose at 10am: she felt okay, no issue. The next day, she had itching at injection site that was on and off not continuous, and that evening after dinner she walked past a mirror and noticed that half of her face was swollen (right side), not a lot swollen, but enough where she could tell it was swollen. The swelling was not going away and she called my internist, and the internist wanted the patient to see someone. The patient went down to the street to a neighbor who was a dermatologist and she looked at the patient and saw that the patient had a Chalazion on right eye and thought the swelling could be from applying heat to the chalazion. The patient called her Internist and told her to take Benadryl and put her on antibiotic; The dermatologist didn't know if it was from the chalazion or a reaction to the vaccine. The patient's lymph nodes were fine and glands were fine. No mass found by the dermatologist yesterday. The dermatologist recommended the patient to see another doctor, if it doesn't go away and to get imaged. The outcome of the event itching was unknown while the outcome of the remaining events was not recovered. No follow-up attempts are possible. Information on Lot/Batch number cannot be obtained.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
936226	1/12/2021	MO	55	F	12/30/2020	12/31/2020	Sharp stabbing pains in right rib then left.; Shortness of breathe; cough; eyes swelled shut; This is a spontaneous report from a contactable nurse. This 55-year-old female nurse reported for herself and received dose one of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number: EL 3246; Expiration date was not reported) on 30Dec2020 08:45 (at the age of 55-years) as single dose, Intramuscular in left arm for COVID-19 immunisation. Medical history included allergy to hydroxychloroquine sulfate (PLAQUENIL), patient experienced sleep disorder, migraine, and lupus. The patient was not pregnant at the time of the vaccination. Prior to vaccination, the patient was diagnosed with COVID-19. Concomitant medications include pregabalin (PREGABALIN), amitriptyline (AMITRIPTYLINE) for sleep, solifenacin succinate (SOLIFENACIN SUCCINATE), leflunomide (LEFLUNOMIDE), omeprazole (PROTONIX), ondansetron (ZOFTRAN), mirabegron (MYRBETRIQ), azathioprine (AZATHIOPRINE), and sumatriptan succinate (SUMATRIPTAN SUCCINATE) for migraine. Since the vaccination, the patient has not tested for COVID-19. The patient did not receive any other vaccines within 4 weeks prior to BNT162B2. On 31Dec2020 at 17:15, the patient experienced sharp stabbing pains in right rib then left. Shortness of breathe, cough, and eyes swelled shut. The patient did received treatment as a result of the event with benadryl, aderol inhaler. The outcome of event eyes swelled shut was recovering, Shortness of breathe was recovering, cough was recovering, and sharp stabbing pains in right rib then left was recovering.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
936202	1/12/2021	NY	62	F	12/28/2020	12/1/2020	<p>some memory loss; locked jaw/unable to open mouth; her arm hurt; pain went in her jaws; she was really scared; Excruciating pain on left ear; swelling in arm; This is a spontaneous report from a contactable other healthcare professional. A 62-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Batch/lot number: ES1685, Expiry date: 01Mar2021) via intramuscular (left deltoid) on 28Dec2020 at single dose for COVID-19 immunization. The patient medical history and concomitant medications were not reported. She stated she is very healthy and don't have any medical conditions. She further stated that it was a scary moment, she don't want to take any chances, she was really frightened (28Dec2020). She made a complaint to let know her experience with the vaccine. Her cousin took the vaccine and told her she needed to report these events. The patient stated she experienced side effects after the first dose of the vaccine: Excruciating pain on left ear, locked jaw, her left upper arm was hurting on 28Dec2020. The pain went in her jaws and she was unable to open her mouth on 28Dec2020. She took 2 Benadryl and it relieved her. She saw on television if you experienced any side effects to take Benadryl. She also took Tylenol for the pain. She also had swelling in arm on an unspecified date in Dec2020. She also experienced some memory loss described as short-term memory loss on 30Dec2020. She stayed in bed after the vaccine, she was really scared, and stated she had memory loss and she don't have any memory problems. She was unable to remember if her car was black. She was looking for a white car. She drives a black car. She stayed in bed all day on Tuesday. Patient was asking what will happen if she does not take the second vaccine. The same morning while she was waiting to get the vaccine, a co-worker sent her a video of a woman who had received a COVID vaccine. She does not know which one. The woman experienced Bell's Palsy. The woman was crying and her face was turning side ways. She stated some people were talking negatively about the vaccine. She stated doesn't want her face to be deformed. She stated what are the cons of not taking the second vaccine. Reporter assessed the events as non-serious. Outcome of the events some memory loss and locked jaw/unable to open mouth was recovered on 30Dec2020, outcome of</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
936368	1/12/2021	WA	47	F	12/28/2020	12/28/2020	the events excruciating pain on her left ear, pain went in her jaws, her arm was hurt was recovering. Outcome of swelling in arm and she was really scared was unknown.  tired; swollen eyelid; eyelid hurts/sore; muscle pain; diarrhea; headache; nausea; soreness in her arm; This is a spontaneous report from a contactable consumer (patient). A 47-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number: EL0142, expiration date: 31Mar2021), via an unspecified route of administration on 28Dec2020 at 0.3 mL, single for COVID-19 immunization. The patient's medical history included ventricular tachycardia from 2010 and defibrillator in her chest. There were no concomitant medications. She was scared initially so she waited for her coworkers to get the vaccine. Now, she is scared for the second dose. The night after the injection, on 28Dec2020, she had soreness in her arm. It was really bad. After two days, on 30Dec2020, she developed muscle pain, diarrhea, nausea, and headache. On Saturday (02Jan2021), she had an issue with her left eye wherein the eye lid became sore, and it got worse and worse. Her left eyelid was swollen and hurts. Now it is all swollen up. Her eye is not red. The top of the eyelid is so sore. She was really tired initially on an unspecified date. Outcome of the pain in arm and tiredness was unknown, of the swollen eyelid and eyelid pain was not recovered, of the muscle pain was recovered on 31Dec2020, while of the remaining events was recovered on an unspecified date.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
936909	1/12/2021	TX	48	F	12/23/2020	12/23/2020	I got the vaccine and had a headache that lasted 2-3 minutes. I then got in my car and I felt little bit sick and I picked up food and I started to feel sick. I went to work and my symptoms got worse and I sat in my desk and I felt like fainting. I just felt so sick and I thought it was my diabetes. A coworker saw me and told me i looked deathly pale and felt fainting and they took me to a ER room. They gave me Benadryl and IV fluids. I started seeing the floor and ceiling warped out, I was hallucinating. My legs felt numb as well. My eyes were twitching constantly. My blood pressure 147/95 and pulse was 112. I went home, ate and went to sleep. On Saturday I felt better and went back to work 12-28-2020, I felt weak and stayed working at my shift. On Tuesday I worked 1 hour and still felt super weak. Today I am starting to feel like myself again. I will not get my second dosage due to my symptoms I have experienced.
937128	1/12/2021	FL	68	F	1/4/2021	1/5/2021	MODERNA COVID-19 Vaccine EUA I took the vaccine on Monday Jan 4 at around 9 AM. During the day only pain in the left arm. On Tuesday I felt tired all day long. At 7 PM, I took a Coke inside the fridge and I noticed and told my husband I was not feeling well. I put the coke in the glass, after I took the glass in my hand and then I fainted. Never in my life I have fainted before. I hit my head in the floor. Now I have some bruise in my face, mainly around my left eye. Feeling a little dizzy, I am in quarantine I and my husband are staying home all the time. I have my doctor scheduled for next Thursday.
937114	1/12/2021	GA	42	F	12/29/2020	12/29/2020	Within approximately 20 minutes of receiving the vaccine, numbness and tingling was felt in the face, burning of the eyes, and a metallic taste was noticed in the mouth. However, all of these sensations went away on their own within five minutes of onset, without any intervention.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
937102	1/12/2021	MO	49	F	1/1/2021	1/6/2021	1st vaccine onset headache 30 mins, discomfort arm and tired. 2nd Vaccine onset headache 30 mins Wed, Thursday neck shoulders blades hurt, and achy. Friday Chills, no fever, hurt to the bone all over, sick to stomach, noticed some lips swollen, felt foggy in head. Headache constant top of head. 10:45am spots and vision blurry. Felt very sick. Laid head down then woke black spots. Sat occasionally in sun saw black spots. /sun off not looking at computer did not see black spots. Monday increase black spots. Saw an eye doctor.
937100	1/12/2021	KS	54	F	12/30/2020	12/30/2020	Patient presents with itching skin and red rash to her chest shortly after getting her first dose of Moderna COVID-19 vaccine. She denies a history of allergic reaction to prior immunizations, but has had itching skin and rash with allergy shots. She denies SOA or swelling in her throat, lips or eyes. Patient was treated with Benadryl, solumedrol and lactated ringers, monitored in office for 2 hours before being sent home. Patient was recovered within 24 hours.
936988	1/12/2021	AL	35	F	1/6/2021	1/7/2021	The next morning following the vaccination, my right lower eyelid started severely twitching every 10-15 minutes for 4 days throughout the entire day, usually subsiding at bedtime. Each time it lasts from 30 seconds to 1 minute every single day. on the 5th day, the twitching stopped for approximately 15 hours but returned when I went to sleep and kept me up through the night. This has really taken a toll on my livelihood and I am afraid of it progressing to Bell's Palsy. I have never had this happen.
936973	1/12/2021	MO	47	F	1/11/2021	1/11/2021	Pain in arm to the point patient states they are unable to lift the arm. Patient instructed to follow up with PCP to have arm visualized and treated if necessary.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
936753	1/12/2021	NC	43	F	1/9/2021	1/10/2021	I almost blacked out around 8:30 AM the morning after my vaccination. I took my dogs outside and started feeling woozy and seeing spots. By the time I got back into my house, I had tunnel vision and could not see directly in front of me. I went to lay down, but ran into a piece of furniture because I was so disoriented and hit my shin on it. I collapsed on my bed. I stayed there for few hours and then I was ok. I had severe, flu-like symptoms for most of the day - fever, chills, low energy, joint pain (specifically back and hip) - that waxed and waned. I finally felt almost back to normal approximately 50 hours after the injection.
936911	1/12/2021	FL	66	F	1/8/2021	1/11/2021	Rash on left ear, side of face, forehead, right chin. left eye swollen, slight itchiness
937233	1/12/2021	AZ	57	F	1/6/2021	1/7/2021	DOUBLE VISION STARTED 24HR FOLLOWING VACCINE
936903	1/12/2021	NH	42	F	1/8/2021	1/8/2021	While patient was receiving her second dose of the Pfizer brand Covid-19 vaccination (at 14:50), she mentioned to me that she had a sustained local reaction to her first dose. Her arm had a hard, red, hot spot for approximately a week. At this time I told her we would like her to stay under observation for 30 Min instead of the normal 15 min. At approximately 25 min post vaccination, the pt reported the following: "arm felt heavy, both arms did, but more so the affected arm, instant headache, sore neck, vision went fuzzy, breathing wasn't difficult but felt labored, throat felt like it was closing/congested, rash on the inside of the affected arm". Pt stated that her heart felt like it was "pounding". VS: 162/96, 99% RA, HR in the 70's. Patient was administered 50ml IM diphenhydramine and monitored for 90 minutes in the clinic area. Dr. was consulted and also spoke with the pt, advising her to continue with OTC diphenhydramine once at home. The symptoms resolved after approximately 40 minutes. By 17:00 the patient was deemed stable to go home with the instructions to go immediately to ED should any further Sx present. It was verified that she did not live alone and would have someone with her that could assist. Pt was subsequently followed up with a phone call on the next day by RN who relayed that she was very tired, but no other complications.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
936901	1/12/2021	AL	51	F	1/11/2021	1/11/2021	1628 itching at site of injection, Benadryl 25mg given po, 1643 little itching of ear same side as injection, 1648 itching inner eyes, monitoring patient another 15 minutes, 1703 no increase in itching, "not any different, not progressing", denies rash, patient left after discussing with NP.
936878	1/12/2021	TX	32	F	1/10/2021	1/11/2021	Swelling and redness under eyes around tear trough dermal fillers noticed about 19 hours after receiving 2nd dose of the vaccine. Taking antihistamines at home, haven't sought treatment from a provider at this time.
936844	1/12/2021	IN	31	M	1/11/2021	1/12/2021	Headache started overnight. Debilitating to the point of unable to think clearly without great effort. Aching headache felt on top of head and seems to radiate down to behind the eyes and to the sides of jaws.
936831	1/12/2021	IL	58	F	1/11/2021	1/11/2021	Approximately 25-30 minutes post first Moderna vaccine (after pt was discharged from clinic with no issues) patient started experiencing feeling of throat thick and eyes heavy. Called 911. Patient transported via EMS to ER where she presented with feeling of thickness in her throat and tongue, swollen eyes and redness in the forehead. Pt received dexamethasone 10 mg IV x 1 and epinephrine 0.3 mg IM x 1. Pt was prescribed prednisone 10 mg tab: 4 po x 1 dose tonight, 3 po in am, 2 po qd x 1 day, 1 po qd x 1 day (total 10 tabs) upon discharge to home. Provider recommended no second COVID dose.
936821	1/12/2021	IN	38	F	1/6/2021	1/7/2021	Facial cellulitis, eye swelling, headache, nausea
936818	1/12/2021	FL	66	F	1/11/2021	1/11/2021	facial swelling in areas where I previously had facial fillers mostly in the temple and eyes. greater swelling in the right eye

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
936950	1/12/2021	OK	54	F	12/21/2020	12/21/2020	I had four visual migraines followed by a migraine headache and my PCP prescribed me some meds that helped. A little soreness at the injection site nothing extraordinary. I had the vax on a Monday and the last migraine I had was maybe on Friday the same week. I received the second dose yesterday and now I have a headache, low grade fever (99.9F about 8AM this morning) and body aches. Just treating myself at home. The headaches I have now are different, in a difference place in my head, they are lighter, it feels more like the headache you have when you have the flu.
938805	1/12/2021	TN	46	M	12/30/2020	1/3/2021	Sun 10pm change in taste. Taste continued all day Tuesday. Had COVID test done. It was negative. That evening his eye started blinking.... Bells Palsy. Difficulty with face movement. Today still persisting. Now taking a steroid. He is a MD.
938885	1/12/2021	WA	58	F	1/12/2021	1/12/2021	Dose provided 9am, then 9:25am pt developed bilateral eye swelling and slight shortness of breath. She has a history of severe allergy to medication/bees so she was already being closely monitored for the full 30 minutes. Her shortness of breath became better after 25mg Benadryl administered orally with water. Patient was monitored another 20 minutes, no other issues. Second dose for home provided. Pt was escorted to the car by RN where sister drove her home to continue to monitor. Nurse called pt to follow up at 2pm same day, no answer, voicemail left.
938877	1/12/2021	NJ	59	F	1/2/2021	1/5/2021	1/5/2021 at 3am I woke up feeling very lightheaded and dizzy. Went back to sleep and At 7am woke feeling same. I took routine vitamins and 2 extra strength Tylenol. Symptoms lasted all day with difficulty walking due to the dizziness. Also had difficulty focusing, blurry vision. 1/6/2021 still a little lightheaded just a little dizzy. Headache (I have routine headaches). lightheaded and dizziness decreased with each day.
938866	1/12/2021	AK	38	F	1/7/2021	1/9/2021	Two days after receiving 2nd dose of COVID19 vaccine, red itchy areas to upper legs and arms. Progressed next day. Today 1/12/21 employee showed me additional red areas to arms, face, outer eyes and states red areas to abdomen. Otherwise feels well.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
938860	1/12/2021	CA	42	F	1/8/2021	1/9/2021	1/8 - Within 12 hrs had body, eye, and headache. Overall tired. Could not do normal daily things without feeling wiped out . 3 Advil did nothing- sat 1/9. Next day felt better.- sun 1/10. That evening low grade fever 99.6 and achy again., mostly eyes and head. Went to bed. Monday okay. But noticed right armpit a pit puffy.- same side as injection. Tuesday 1/12 woke up at 6:00am and had dull joint/bone pain bilaterally. Ranging from neck ache, to sternum/upper back, shoulders, triceps. Injection site still sore- slightly red off to the side. Did some stretches in bed and eventually got up. I am very in tune with my body- something is off. I never wake up feeling ?bad?. Fit, healthy and active normally. Almost like a bad nights sleep with a poor mattress but only affected my upper body. Took two Advil and hot shower- feel better but can tell something doesn?t feel right.
938848	1/12/2021	CA	43	F	1/12/2021	1/12/2021	Tingling, numbness of forehead, left ear, left eye, tingling throughout arms, fingers & thighs. Received Benadryl 50 mg IM, monitored in the ED x 2 hours, EKG done.
938831	1/12/2021	TX	36	M	1/7/2021	1/9/2021	Disorientation, tunnel vision, blurred vision, difficulty breathing, chest tightness, severe palpitations, tachycardia, cold and clammy, tingling to extremities, unable to verbalize thoughts and organize words. And feeling that I was going to lose consciousness.
938698	1/12/2021	KY	58	F	1/9/2021	1/11/2021	Corneal Ulcer left eye Foreign body sensation, redness, light sensitivity, upper lid swelling, severe pain This is Day 2. Saw optometrist and started erythromycin ointment and besivance drops. Hydrocodone and oxycodone for pain. Recheck tomorrow
938826	1/12/2021	OH	62	F	1/9/2021	1/9/2021	Started getting the chills, a severe headache and fever of 101.3. Nausea the next day was unable to eat, chilling all day with a fever, extreme tiredness, back pain, diarrhea and eyes hurting, fever rising to 101.5. Fever on Monday dropping to 99.9 and chilling with no energy. Tuesday back still hurts, no energy, had dark urine in the am. diarrhea in the afternoon. Lost 7 lbs.
938989	1/12/2021	NY	42	F	1/11/2021	1/11/2021	Started getting fever as high as 102.1, felt like me spine was crushed and I couldn't get up, massive headache with pressure in my eyes.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
938800	1/12/2021	KY	37	M	12/29/2020	1/6/2021	I've had a few episodes of dizziness. Since a few days after the vaccine I've a pain in the left side of my neck that radiates to my left eye. It seems that this pain is traveling. I've also had several headaches. I do not get headaches. I have not been treated for these events. Still having soreness/pain in left side of neck and eye to this date. 01/12/2021.
938797	1/12/2021	KS	57	F	12/30/2020	12/30/2020	Within 30 minutes her right arm burned to finger tips, arm became reddish purple, fingers began to tingle. Day 2: headache, nausea, extreme anxiety while watching TV, woke in middle of the night with feeling on something crawling over legs, and chills like was in ice water. Day 3: extreme feeling of anxiety throughout the day, pins and needle tingling in hands and feet up to middle of calves, nausea, weakness in thighs, woke up three times during the night with feeling of something crawling over legs, headache. Day 4: pins and needles feeling in hands and feet up to middle of calves, anxiety, feeling of racing heart, headache. Day 5: headache, nausea, tingling in hands, up to elbow left arm and feet up to middle of calves, tremor in left hand, weakness in thighs hard to climb stairs, woke with left eye swollen to slit, blurred vision left eye, eyes, burned all day even with eye drops, chest pain 4 separate times. Day 6: woke with swollen left eye, headache, tingling in hands and feet up to middle of calves, weak thighs, hard time pushing obese patient to car in wheelchair, numbness in left side of face, smile intact, blurred vision left eye. Day 7 - Day 13: still experiencing headache, left eye blurred vision, left hand and foot tingling, but progressively better.
938747	1/12/2021	MD	41	F	1/7/2021	1/11/2021	Increased fatigue day or 2 following vaccine noted to have significant swelling of bilateral eyes. Fluid pockets present eye swelling first noted on 1/11.
938745	1/12/2021	MI	52	F	1/1/2021	1/7/2021	I experienced numbness of my face, starting in my lips, working through my jaw, up my cheeks, up into my eyes, and to my forehead. The numbness / tingling lasted for 30 minutes and then dissipated with no other adverse effects.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
938735	1/12/2021	MN	40	F	12/23/2020	12/23/2020	Had a headache prior to vaccine. 20 minutes after vaccine started feel numbness on left side of face and it was affecting vision a little. Called them and they told me to come back. I felt light headed and they put me in the wheelchair and took me to ER. ER: assessed by Dr: heart monitor for 30 minutes. Sent me home to watch my symptoms. Numbness in my face lasted into next day but then went away after that. Still having dizziness on and off since I've received the shot. Headaches - having them, too, off and on. TeleMed appt with DR on 7th. She recommended a MRI of brain - normal.
938726	1/12/2021		67	F	1/12/2021	1/12/2021	3:28 patient feels dizziness, blurred vision, states she is having trouble focusing her vision. C/O feeling flushed and feeling disoriented. It oriented to person, place, and time upon further assessment. Denies itching or feeling hot. Is experiencing shakiness, does have hand trembling. EMT from vaccine site in attendance. BP 118/66; HR 76; O2 sat 98% on r/a. EMT recommended ambulance transport, patient refused. 3:36 HR 68. 3:45 BP 122/68; HR 67; O2 sat 97% on r/a. 3:50 Patient requested to go to restroom. Attended by nurse P. H. Patient states she feels like her skin is crawling. With assistance examined abdomen region. No redness, swelling or hives noted. 3:54 Patient left with assistance of facility w/c to awaiting personal car driven by husband.
938700	1/12/2021	TX	37	M	1/4/2021	1/4/2021	Patient reported swollen and itchy eyelids.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
938830	1/12/2021	UT	50	F	12/28/2020	12/30/2020	Pain on left side of neck starting 2 days after first dose of Pfizer-BioNTech COVID-19 vaccine 0.3 mL IM in right deltoid. Pain progressed over the next 5 days to arm and left eye. Dizziness, mouth drooping, and numbness developed. Went to ED and diagnosed with Bell's Palsy. Evaluated in ED for possible causes. Vital signs stable. CVA ruled out. Patient given ketorolac, droperidol, and IV fluids for her headache. Prescribed steroids and acyclovir for Bell's Palsy treatment. Prescriber instructed patient to return to ED immediately if symptoms worsen or additional symptoms develop. Follow up with patient on 1/5/21 with patient reporting some improvement in symptoms. Patient reported having a headache for 2 weeks straight prior to presenting to the ED on 1/3/21. Vaccine was administered on 12/28/21. Unsure if the Bell's Palsy was a result of the vaccine or some other inciting factor.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
938063	1/12/2021	AZ	45	M	12/21/2020	12/22/2020	Burst blood vessel in left eye 24 hours after vaccine was given.; This is a spontaneous report from a contactable other-HCP. A 45-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) lot number not available, via an unspecified route of administration on 21Dec2020 07:45 AM at single dose for covid-19 immunization. Vaccine location was left deltoid. The patient did not received any other vaccines within 4 weeks prior to the COVID vaccine. Medical history included morbid obesity and blood pressure high. No known allergies. Patient didn't do relevant test. Concomitant medication included amlodipine (AMLODIPINE) at 5mg daily. The patient experienced burst blood vessel in left eye 24 hours after vaccine was given (eye haemorrhage) on 22Dec2020 08:30 with outcome of recovered. No treatment received. The action taken in response to the event for BNT162B2 was not applicable. Information on the lot/batch number has been requested.; Sender's Comments: Based on the available information, the company considers that a causal relationship between the eye haemorrhage and vaccination with BNT162B2 cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer drug is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.
939282	1/12/2021	FL	42	M	1/8/2021	1/9/2021	Woke up at 2 am the morning after the injection with my arm extremely sore, swollen, red, and feverish to the touch that has continued for 4 days now. I also experienced a fever for 2 days after the injection along with dizziness, weakness, fatigue, headache, body aches, vision changes, and ringing in both ears. As of today 1/12/21 I am still experiencing symptoms even while using Benadryl allergy tablets by mouth and anti-itch cream applied to the injection site.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
939262	1/12/2021	PA	35	F	1/4/2021	1/6/2021	A little over 2 days after the vaccine, I had a horrible headache. Thought nothing of it, took Excederin migraine and went to bed. Woke up Thursday feeling fine, then by 5 pm, was very run down, had a mild headache, and had an intense sinus pressure under my eyes. My neck hurt and was sore to the touch in the front. When I bent over, it felt like my head was going to explode from pressure. No other symptoms or anything to be alert about. Took a Mucinex before bed, hoping that it would move anything that might be clogging my sinuses, went to sleep. Woke up Friday feeling okay, with just a tiny remnant of a headache. Around 1 pm, intense sinus pressure returned, worse than the previous day. Decided to go to local healthcare clinic around 3:30 pm. PA looked at ears, throat, all looked okay. Only symptom was swollen lymph nodes in neck, same side as the vaccine was administered. Covid tested (subsequent results were negative). Saturday, had less pressure, and spent the day laying around. By Sunday, was feeling back to normal. Peak of incident was definitely Friday.
939220	1/12/2021	FL	37	F	1/11/2021	1/12/2021	16 hours post vaccine, I awoke to chills/feeling of fever. I suddenly felt nauseous. I went and sat on the floor of my bathroom and went unresponsive. Per my husband. My eyes rolled back in my head, my body went limp, and I was moaning. I did not come to for 30-60 seconds despite shaking, calling my name, and sticking his finger in my throat. I came to and was alert and oriented but have no recollection of the incident. EMS was called.
939217	1/12/2021	NY	24	F	1/12/2021	1/12/2021	Vaccine administered at 8:10PM Reported feeling dizzy and a slight tingling sensation in mouth at 8:22PM Vital Signs: BP 115/71 POx 98% HR 72 No issues swallowing, no facial swelling or other symptoms. Gave 50 mg PO Benadryl at 8:30 and continued to monitor. At 9PM reports symptoms gone. Feeling well and wished to go home, did not want to go to ER for further evaluation. Lives with her family at home who will keep an eye on her tonight. Escorted out to her ride home.
939216	1/12/2021	NY	22	M	1/8/2021	1/12/2021	Blurred vision, difficulty breathing (pale skin/blue lips), profuse sweating, muscle fatigue, headache. This lasted about 15 minutes. Until severity went down. Followed by 20 minutes of profuse sweating and headache. I thought I was going to die

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
939213	1/12/2021	OH	35	F	1/8/2021	1/8/2021	I received the vaccine at 12:30pm and by 8:00pm my face began to feel swollen, hot to the touch and itchy. By day 4 the symptoms did not subside but grew worse with a swollen red rash around my eyes and upper face.
939194	1/12/2021	MN	32	F	1/7/2021	1/11/2021	within 1 hr post-vaccine on 1/7 I had a mild headache that resolved with Tylenol. At about 12 hours post-vaccine I developed nausea, fever (100.4) and chills and secondary to this had poor sleep. The next day I took scheduled alternating Tylenol & ibuprofen during the day and then overnight 1 episode of chills that woke me up. no events Saturday or Sunday. Then Monday 1/11 in the early morning I started to develop a rash on my b/l elbow and right foot 3rd toe. I applied mometasone topical cream to these locations. while at work the rash extended down both forearms then by 5pm it was on both hips and extending along both legs. I applied Benadryl cream to the most irritated sites and took PO Benadryl 50mg at bedtime and again at 1am when the itching woke me up. I repeated Benadryl 25mg at 8am. The rash seems to be getting better on the arms but then by noon I had a new breakout on my neck and face. I took Benadryl 50mg at 1pm. The rash continued to have a rapid progression over the next hour and resulted in angioedema with my throat swelling, lips puffed and numb and eye swelling. I was injected with an epi pen and sent to the ED where I received PO prednisone, famotidine, and Benadryl. The face/neck rash then greatly improved and I was sent home on prednisone 40mg daily for 3 days.
938970	1/12/2021	AZ	62	F	1/12/2021	1/12/2021	20 mins later numbness in face a head. Blood vessel popped in right eye. Dizziness feeling out of sorts. Feels like flu shot.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
939153	1/12/2021	NJ	58	F	1/4/2021	1/6/2021	Received vaccine on Monday by Wed afternoon lower abdominal cramping and feeling very unwell. By Wed evening had chills and low grade fever 99.4. Called out of work Thursday. Felt terrible. Thursday morning lower abdominal cramping consistent and pain scale between 4-5 with occasional spikes to 8. Also felt terrible. Had body aches, could only lay on couch. Called my gastroenterologist. Office returned call late afternoon and stated probably from vaccine and if it worsens or fever to call primary and to fill out VAERS form. Thursday evening had temp of 100.4 and started with a cough where it felt I couldn't take deep breaths. Only lasted a few hours. Abdominal pain persisted. Friday morning woke up and now have headache, but abdominal pain is now down to a 2 and I feel achy, but feeling a bit better. Had to call out of work still too sick to go in. No cough. No fever. Since I was feeling better my hope was since it was vaccine related that I would wake on Saturday and be totally fine, unfortunately, not the case. Saturday morning abdominal pain same at a 2 and headache was on and off through the day into the night. Still pretty much rested all day into the night. Sunday morning much better. Headache gone and abdominal pain down to a 1 and sometimes just vague. Although I'm feeling better my head feels out of sorts, kind of like my brain can't keep up with my eyes? And new symptoms? right ear crackling and teeth on right side feel sensitive also, pain under left armpit. It's tender and lasts through the day. Monday still feeling a bit lightheaded and fatigued and armpit pain still there but not worse and feel able to go to work to see if I can. Tooth sensitivity also still there but ear pain gone. Called primary doctor she suggests getting Covid test and have appointment for phone conference for Tuesday with doctor, also had Covid test today at work (was Covid tested last Monday also for work and negative) into Monday night head is still feeling "off". Tuesday armpit pain still same and dizzy head feeling same, mild abdominal pain comes and goes - Not bad enough to stop daily activity. Spoke with primary doctor and she said side effects could possibly last this long and let her know when yesterday's Covid test comes in.....

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
938977	1/12/2021	FL	69	M	1/6/2021	1/7/2021	Excessive swelling and Hives on right side of face, right eye, neck back, right arm. Benedryl 25mg, at 11pm. EpiPen injection at 12 midnight. continued 50mg benedryl on 1/8; continued 50mg benedryl on 1/9 and Cetirizine 10mg. 1/10 10mg Cetirizine; 1/11 10mg Cetirizine 1/12 Patient is calmer and swelling is decreasing; pimply rash on forehead and top of head. Followup with Pharmacist phone call on 1/11
939137	1/12/2021	HI	89	F	1/9/2021	1/9/2021	VS: 210/100-74-98.4-98%RA. Resident called front desk and reported she wasn't feeling good after receiving COVID-19 vaccine. Seen resident immediately in apartment around 1310 accompanied by CM sitting in chair. Alert and oriented to person, place, time, and situation. Verbal and able to make needs known. Speech clear and coherent. No slurred speech or facial drooping noted. Resident received the 1st dose of Moderna COVID-19 vaccine around 1200. She was observed for 30 min by ARR staff immediately after vaccine was administered. She then went to grab coffee and went to her apartment. She did not yet eat lunch. Resident c/o feeling "woozy" and eyes feeling heavy/"uncomfortable". Continued from above: Resident has a history of anaphylaxis and several allergies. Called EMS around 1320. While waiting for EMS rechecked BP several times with SBP between 200-215. She denies any SOB, numbness, tingling, or indigestion. SpO2: 97-98%RA. Resident then stated she has slight tightness/discomfort to her left chest. EMS arrived and left ARR at 1414 and sent to Medical Center.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
938060	1/12/2021	MO	58	F	1/2/2021	1/2/2021	immune deficiencies; She said the joint pain felt like "flu" joint pain; She said she was really sweaty, so much so, that she had sweat under her eyes; thyroid problems; feels shaky inside; Numbness facial; Exhaustion; Foggy feeling in head/feeling rundown; felt exasperated; sweating like crazy and then gets chills; felt yucky/she didn't feel good at all; Joint pain; Nausea; Chills; after receiving the COVID-19 Vaccine on (Dated), she had left upper shoulder pain.; She clarified she had some injection site pain; and the injection site was a little itchy; This is a spontaneous report from a contactable consumer (patient). A 58-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot EL3246), via an unspecified route of administration on 02Jan2021 14:30 at single dose in the left upper arm for COVID-19 immunization. Medical history included Pernicious anaemia from 2006 and ongoing, Hashimoto's disease ongoing, stated she was diagnosed with Hashimoto's disease in either 1994 or 1995. Psoriatic arthritis from Nov2020 and ongoing. Potassium low ongoing, reported she has had low potassium off and on for years. She said she can't remember when she didn't have low potassium. She said she normally finds out her potassium is low when she has blood work done. She stated she has had low potassium most of her adult life. IgA deficiency from Feb2019 and ongoing, Psoriasis ongoing, paralysis in her left trapezius muscle. Concomitant medication included B-12 for pernicious anemia. She said she had the typical reactions that one might get with a vaccine. She clarified she had some injection site pain and the injection site was a little itchy on 02Jan2021. She stated on the second day (03Jan2021) she had joint pain, felt yucky, had nausea, and chills. She said the next day (04Jan2021) she felt a little better, but still had chills. She said yesterday (05Jan2021) she thought she was feeling better, but by yesterday, clarified as late afternoon and evening, she crashed. She said she has a lot of autoimmune issues and immune deficiencies, saying she has pernicious anemia and Hashimoto's disease. She said yesterday evening she experienced extreme body temperature issues. She said she was really sweaty, so much so, that she had sweat under her eyes. She said she would get really hot and had chills. She said she was feeling really bad and was feeling shaky inside. She said

VAERS\_ID RECVD STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

she thought it was important that she report what she was experiencing to Pfizer. She stated she has psoriatic arthritis, too. Reported after receiving the COVID-19 Vaccine on 02Jan2021, she had left upper shoulder pain. She clarified that she had a previous history of paralysis in her left trapezius muscle and had surgery in 1998 on her left shoulder. She said she had a weird feeling that went around where her scar was from the surgery on the back of her left shoulder. She said maybe the left shoulder pain had to do with how she held her left shoulder. She said on Monday, 04Jan2021, she had a little bit of pain in her left shoulder and by yesterday night, 05Jan2021, there was not much pain at all. Clarified her joint pain was in her ankles, wrists, hips, neck, back, and knees. She said the joint pain felt like "flu" joint pain. She stated she normally has joint pain with the other issues she has, but this joint pain felt different. She said the joint pain she experienced after taking the COVID-19 Vaccine was all over her body. She said yesterday (05Jan2021) her joint pain felt so much better, but later in the afternoon she didn't feel right. She said she has pernicious anemia, and thought maybe she needs her B-12 shot. She said yesterday (05Jan2021) she experienced a lot more symptoms. She said she had numbness in her face, felt extremely exhausted, had a foggy feeling, and felt exasperated. She said the symptoms didn't start until late in the afternoon into the evening of 05Jan2021. She said she did not feel well and went to bed at 8:45PM, which is early for her. She said she did give herself a B-12 1mcg/ml shot intramuscularly yesterday. She provided the B-12 1mcg/ml NDC Number: 7006900510, Lot Number: C0495, and Expiration Date: Aug2022. She said the name (company name) was listed on the B-12 1mcg/ml packaging. She said she gives herself a B-12 shot every 10 days. She said she still has some joint pain, but the joint pain is not like it was on 03Jan2021. She said she still has a tiny bit of heaviness in her joints with a constant throbbing pain, which is a different joint pain from her normal. Reported last night (05Jan2021) she didn't feel good at all. She said she felt horrible, and had to go to bed. She said she felt shaky inside all night, and still feels that way now. She said she was sweating like crazy, and then would get chills. She clarified she is used to being hot and cold in her normal life because of her thyroid problems, but stated what she

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

experienced last night was beyond that. She said her hot and cold issue was bumped up several levels last night. She said she was chilled or sweating all the time last night, but did not have a temperature. She clarified her normal body temperature is 96.7, and when she checked her temperature at one point, her temperature was 98 degrees. Reported the hot and cold with sweating and chills, and nausea come and go. She said if she has nausea, it is a mild feeling of nausea. Clarified if Sunday, 03Jan2021. was a work day, she would have called out sick. She said Monday (04Jan2021) and Tuesday (05Jan2021) she did go to work. Reported she has low potassium and made herself an electrolyte cocktail. Reported if her system feels off, she said her electrolytes maybe off. She said her heart felt like it may be shaky, so she ate a banana to get potassium in her system. She said she does her little routine before she would call her doctor to get blood work done. She said she had her blood work done not too long ago. She said she wasn't feeling this way before she had the COVID-19 Vaccine, and is feeling rundown now. She said she was feeling good before she had the COVID-19 Vaccine. She said she feels like something is going on with her body now. Reported her last blood work was done on 04Dec2020 and everything was kind of normal. She clarified her thyroid was a little off, and her doctor adjusted her medication. She said her potassium was a little down. Reported she was told when she got the COVID-19 Vaccine shot she has to be a little more careful, and she might not be as protected as some people. She said she was told there have not been enough studies on the COVID-19 Vaccine. She clarified she was told that information by a person at the site where she received the COVID-19 Vaccination, saying the person was helping her with the COVID-19 Vaccination authorization form. Reported she thought she was doing OK after she received the COVID-19 Vaccine, until after last night and yesterday afternoon. She said if she continues feeling the way she is, she will see her doctor. She said her system seems off. She said she normally tries everything she knows first, like drinking a lot of water, and drinking electrolytes, and will take potassium to see if that is the issue. She said those are her own things that she does before she calls her doctor. Clarified sometimes she has numbness in her face due to not having her B-12. She

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							said she still has a little numbness in face. She said on 05Jan2021, the numbness went across her face from the bridge of her nose down through to her mouth. She said the numbness was nothing like paralysis in her face, but her face was really hot at the same time she had the numbness. Reported she took Tylenol (clarified as (company) brand Tylenol, stating she doesn't have the UPC, Lot and Expiration Date). She said the Tylenol wasn't kicking in, so she took Ibuprofen (clarified as (company)brand Ibuprofen, and she doesn't have the Ibuprofen NDC, Lot and Expiration date). She said she took her normal medications. Outcome of events "She clarified she had some injection site pain" "and the injection site was a little itchy" and Shoulder pain were recovered on an unspecified date, "Chills" and "feels shaky inside" were not recovered, "Joint pain" "Nausea" "Numbness facial" were recovering, while outcome of other events was unknown.
939059	1/12/2021	KY	31	F	12/29/2020	12/29/2020	Moderna Covid 19 Vaccine EUA Aprox. 5 minutes after injection entire head went numb, aprox 45 minutes later numbness moved to being left eye, aprox 2 hours numbness was gone. No other symptoms to report.
939056	1/12/2021	TX	55	F	1/12/2021	1/12/2021	Injection approximately 0855 Reaction at 0900 Dizziness, blurry vision, feeling of heaviness to body. Blood pressure slightly elevated 159/82 P 88 100% Os Sat RA. Provider notice slight swelling to uvula, however airway open, slight swelling noted to face. Slight cough noted. Patient was given oral Pepcid, and IM Benadryl. After monitoring for 1 1/2 hours patient felt better BP within normal range 128/73 P80 96-100 % 02 Sat RA. No redness, swelling or pain to injection site.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
939051	1/12/2021	CA	36	F	1/8/2021	1/10/2021	Received the second dose on 1/8- Felt tired with muscle aches and minor headache. Felt pain and soreness around injection site. On 1/9- had a severe migraine was unable to get out of bed due to migraine and extreme light sensitivity. Experienced severe muscle aches and chills. 1/10- started experiencing facial swelling especially of the left side. Extreme left eye swelling. With headache. Went to ER. Was given Benadryl to reduce swelling fluids and Prilosec for throat irritation. 1/11- started experiencing left arm numbness and tingling radiating down to fingertips. Experience left side facial numbness and tingling. 1/12- symptoms have begun to improve.
939019	1/12/2021	PA	48	F	1/4/2021	1/10/2021	On 1/11/21, site became swollen, red and itchy. Diameter of a pingpong ball, hard with induration of a few centimeters Starting the evening of 1/10/21 Also with localized reaction, significant nasal congestion, watery eyes , pressure in both ears and more shortness of breath than typical with my asthma.
939107	1/12/2021	TX	53	F	12/30/2020	1/8/2021	Friday afternoon I started getting a rash on my inner thighs from my groin to my knee. It spread rapidly o my thighs, then the underneath side of my arms, my feet and ankles, and my hands. The rash itches and is prickly. My face is flush and my eyes are itchy. It has been four days. The rash has finally quit spreading. I have bruises mixed in with the rash. I finally got an in-person appointment with a doctor tomorrow.
939191	1/12/2021	MO	39	F	1/12/2021	1/12/2021	Client c/o having blurry vision and splitting headache. Also felt very hot. Loss of consciousness. Able to respond to verbal commands.
938250	1/12/2021	IN	32	F	1/8/2021	1/12/2021	Hive in legs and arms. Redness and itchy eyelids and ears.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
938376	1/12/2021	NC	49	F	12/22/2020	12/28/2020	Immediately after vaccine, there was redness, swelling and soreness to the site. This resolved within 3 days. Then, 6 days after vaccination, area became hot, red, swollen, indurated and extremely pruritic, interfering with sleep, mobility and usual routine. Affected area was approximately 15cm x 10 cm. These symptoms remained until January 2, 2021. On January 2, 2021, the redness and swelling dissipated except for the edges, where there remained a red, irregular ring marking the edge of the affected area. Area continues to be pruritic. All visual abnormalities have resolved.
938365	1/12/2021	SD	42	F	12/30/2020	12/31/2020	When I woke up on Dec 31 (the day after my shot), my face was swollen and my the area around my eyes was very swollen. I began taking Benedryl and continued to take Benedryl every 4-6 hours over approximately the next 48 hours. Also, I originally had no injection site reaction, however, on Jan 9th, my right arm began to itch. Upon assessment, I noted a 1.5" diameter red, warm area where the vaccine had been administered. This lasted for three days, and now, January 12th it no longer itches, and looks more like a bullseye that is approximately 2.5" in diameter around where the redness was. I have also noticed that since the vaccine I feel cloudy or like I have a constant mild headache.
938358	1/12/2021	CA	21	F	1/12/2021	1/12/2021	started with swelling at the hands and tingling, she then progressed to flush face with swollen lips and eyelides
938331	1/12/2021	MN	61	M	12/17/2020	1/2/2021	Right sided facial weakness, right eye tearing, Bell's Palsy diagnosis
938319	1/12/2021		57	F	1/7/2021	1/9/2021	Hives and rash on left arm from wrist to elbow, left lymph on the left side of neck, swollen eyes both

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
938284	1/12/2021	IL	26	F	1/5/2021	1/5/2021	Patient is a 26-year-old female who presents today with symptoms including migraine, "brain fog", fatigue, low grade fevers, and dizziness that began 6 days ago following receiving her first dose of COVID-19 vaccine. Pt. States she was tested for COVID 3 days prior to vaccine and this was negative. Pt. Says she had been sick for 6-7 days prior to taking vaccine and believes her immune system might of been weak from this. She received Moderna COVID vaccine at hospital. Her symptoms were more persistent and with more intensity for the first 3-4 days but now the symptoms are more "off and on." Her headache is posterior and the dizziness is also "more intermittent than before." Her headache is rated 4/10 at this time. She has taken OTC NSAIDS without much relief. The "dizziness" seems to occur randomly and is not aggravated by rapid positional changes. She does ingest moderate amounts of caffeine to boost her energy level while at work. She denies visual changes/focal weakness/discoordination/nausea/vomiting/abd pain/shortness of breath/wheezing. Pt. Reports that she has been very concerned about making sure she takes the right measures to help prevent getting COVID infection. She has researched the COVID vaccines, how they are made, and which are "more potent.~~
938377	1/12/2021	PA	24	F	12/20/2020	12/23/2020	On the first 15min I had hot flashes, modern headaches. On the 12/23/2020 I had itchy eyes itchy nose but no fever it will last about 45min every time then it went away 48hrs after. Telehealth appointment with her employer,
938255	1/12/2021	PA	33	F	1/11/2021	1/12/2021	Pt. states that she woke up at 2 am on 1/12/21 with bilateral hand rash/hives and periorbital swelling bilaterally. Pt. states that she used eye drops for eye and advil.
938219	1/12/2021	OR	41	F	1/11/2021	1/11/2021	Dose 1 -Headache for 4 days, and fatigue Given 12/21/2020 @ 0900am Dose 2-headache, shaky, fatigue, light headed, blurred vision, high blood pressure and mental fogginess Given 01/11/2021 @ 1430pm

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
938236	1/12/2021	VA	43	F	1/8/2021	1/9/2021	1/9/2021 0400-Chills 1/9/2021 1400-leg pain-8 on 0-10scale, overall body aches, fatigue 1/10/2021 0700-Facial swelling, mostly around eyes, forehead, and nose 1/11/2021 0700-Continued facial swelling limited to around eyes only 1/12/2021 0530-Continued facial swelling limited to around left eye only
938203	1/12/2021	PR	36	F	1/4/2021	1/8/2021	Headache, strong arm pain and redness at injection site, apart from these usual side-effects of the vaccine, she sees gray cloud-like vision, intermittently, usually gets worse during the afternoon.
938064	1/12/2021	MT	54	M	12/17/2020	12/18/2020	Had ruptured blood vessels x 2 spontaneously in eyes; This is a spontaneous report from a contactable nurse reported for herself. A 54-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (lot number EK5730), via an unspecified route of administration on 17Dec2020 03:00 P.M at single dose for covid-19 immunization. The facility type vaccine was: workplace clinic. Medical history included manifesting carrier BMD (Becker's muscular dystrophy). Allergies to medication: allergies rash on Sulfa. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Concomitant medication included pregabalin (LYRICA), duloxetine hydrochloride (DULOXETINE [DULOXETINE HYDROCHLORIDE]). The patient experienced ruptured blood vessels x 2 spontaneously in eyes (eye haemorrhage) on 18Dec2020 with outcome of recovered. No treatment received. The action taken in response to the event for BNT162B2 was not applicable.; Sender's Comments: Based on the available information, the company considers that a causal relationship between the eye haemorrhage and vaccination with BNT162B2 cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer drug is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
938062	1/12/2021	LA	39	F	1/7/2021	1/7/2021	<p>The numbness began to intensify and I could not feel myself blinking or smiling on the left side of my face; pain and numbness to my left ear and left jaw that began to spread down my left jaw and upward across my left cheek, left eye, and left temple, and above my left eyebrow; pain and numbness to my left ear and left jaw that began to spread down my left jaw and upward across my left cheek, left eye, and left temple, and above my left eyebrow; pain and numbness to my left ear and left jaw that began to spread down my left jaw and upward across my left cheek, left eye, and left temple, and above my left eyebrow; pain and numbness to my left ear and left jaw that began to spread down my left jaw and upward across my left cheek, left eye, and left temple, and above my left eyebrow; pain and numbness to my left ear and left jaw that began to spread down my left jaw and upward across my left cheek, left eye, and left temple, and above my left eyebrow; This is a spontaneous report from a contactable nurse reported for herself. A 39-years-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (lot number EL0142) via an unspecified route of administration on 07Jan2021 07:00 at single dose for covid-19 immunization. Vaccine location was left deltoid. The facility type vaccine was Workplace Clinic. Medical history included food allergy at shrimp. Concomitant medications were not reported. The patient did not received any other vaccines within 4 weeks prior to the COVID vaccine. On 07Jan2021 at 07:15 AM the patient notice pain and numbness to her left ear and left jaw that began to spread down left jaw and upward across left cheek, left eye, and left temple, and above left eyebrow. The numbness began to intensify and patient could not feel herself blinking or smiling on the left side of my face. The numbness slowly began improving over the next hour in the same order that it began, but she still have mild left ear and jaw pain and mild numbness. Events outcome are recovering. No treatment was received. The action taken was not applicable.; Sender's Comments: Based on the compatible time association, the facial palsy is possibly related to suspect BNT162B2 administration. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse</p>

VAERS\_ID RECVD DATE STATE      AGE\_YRS SEX      VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

VAERS_ID	RECVD	DATE	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
938697	1/12/2021	CA		55	M	1/11/2021	1/11/2021	events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate. 01/11/2021 about 05:00pm - Watery mouth and slight nausea that has persisted until about 01:00pm on 01/12/2021. Resolved without treatment. 01/11/2021 about 09:00pm - achy eyes and back. Very slight, but still persists at 01:54pm on 01/12/2021. Some improvement with Tylenol.
939144	1/12/2021	TX		64	F	1/7/2021	1/8/2021	left arm: pain, swelling, redness, warmth, itching: after 5 days: still a bump at injection site (but smaller than in previous days), still warmth (but less than in previous days), redness has become pinkness in a smaller area, also less itching, minor pain at touch puffy eyelids and inflammation but this may have been blepharitis which I have had in the past
938279	1/12/2021	IN		39	F	1/10/2021	1/10/2021	Instant headache, blurred vision/dizzy, waves of tingling, felt like couldn't breath. Red chest per nurse report. Given Epinephrine, monitored at hospital for 4 hours following Epinephrine.
938496	1/12/2021	CA		32	M	1/8/2021	1/11/2021	32 yo male received 2nd dose of Pfizer/BioNTech Covid19 vaccine. 3 days later developed itching and urticarial rash all over his torso, arms, and legs. Eyelids slightly swollen. No shortness of breath, tongue or lip swelling, wheezing, nausea, diarrhea, cough, fever. Presented to ED, received diphenhydramine, famotidine, and methylprednisolone IV. Had significant improvement of urticarial rash and eyelid swelling. Patches still present. Discharged home on 5 day course of H1/H2 blocker and prednisone. After first Pfizer Covid19 vaccine dose, patient only had sore arm. In ED, chest xray has no radiographic evidence of an acute cardiopulmonary abnormality, PCR panel (Cepheid GeneXpert System) negative for Covid19, influenza A/B, RSV. No new food or detergents in last couple days. No other vaccines administered in last 30 days. This event is being described a couple hours after ED discharge. Unknown at this time if patches resolved with subsequent discharge home treatment.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
938196	1/12/2021	GA	35	F	12/18/2020	12/21/2020	12/21 symptoms were achy light headed, swollen arm, blurred vision, vomiting, fever. Vaccine given 12/18. She was tested for covid 19 on 12/28 and was positive.
938575	1/12/2021	CO	34	F	1/8/2021	1/8/2021	40 minutes after the vaccine administration, I experienced numbness on the right side of my face. Around my eye, to the side of my nose and around my mouth, only on the right side. Also on the right side of my tongue. This resolved after an hour and a half. It reoccurred about 6 hours later, at 4:00 p.m. . And continued for 48 hours. 12 hours post vaccine, a fever as high as 102 degrees Fahrenheit, severe body aches targeting especially the lower extremities, and chills occurred. The fever and chills lasted 24 hours. The body aches lasted 48 hours.
938577	1/12/2021	TN	48	F	1/8/2021	1/8/2021	facial swelling, temporary loss of vision in one eye
938601	1/12/2021	KY	66	M	1/7/2021	1/11/2021	Patient went to ED on 1/11 and was diagnosed with Bell's Palsy. Doctor ordered eye drops and an eye patch at night.
938570	1/12/2021	ME	21	F	1/12/2021	1/12/2021	Nausea, lightheaded, dizzy, feels foggy or high about 10 minutes after the vaccine. BP and other VS were within normal limits. No chest pain, palpitations, changes in vision, diaphoresis or rash
938391	1/12/2021	CA	56	F	12/21/2020	12/21/2020	I got extremely hot with sweating, I got a massive headache that started at the base of my neck that effected my vision. I was dizzy, BP was high over 140, temperature increased. I had some tingling in my upper extremities. I had really bad GI pains, I had itching and a light rash. I had to go to the ED where I received a cocktail.
938568	1/12/2021	KY	66	M	1/7/2021	1/11/2021	Went to ED on 1/11 and diagnosed with Bell's Palsy. Ordered eye drops and an eye patch to sleep
938571	1/12/2021	ME	57	F	1/7/2021	1/9/2021	Extreme Fatigue, Dizziness, diarrhea, nausea, right eye excessive twitching, with heavy eyelid. Muscle aches. Headache. Confusion. These lasted for most of Saturday into Sunday. Monday - still ill. Today the following symptoms still persist: fatigue, eye twitching with heavy eyelid, headache,

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
938486	1/12/2021	FL	28	F	8/25/2020	10/26/2020	severe, intractable outbreak of cold sores. Ongoing since around 10/25. I have cold sores in every branch of the trigeminal nerve on both sides and this has been ongoing since 10/25. I even have one on my rib. I started taking 3grams per day of valtrex on 12/8 when there was one by my eye and I am still getting so many cold sores everywhere. I called my clinical trial site and they are not impressed.
938483	1/12/2021		67	F	12/23/2020	12/30/2020	12/30/20: increased tears and mucus in right eye, woke up next day with inability to control saliva. 1/4/21: valacyclovir 1 gm x's 21 given- feels like some symptoms listed are r/t this rather than Covid vaccine
938471	1/12/2021	MD	56	F	12/26/2020	12/31/2020	Date/time/when adverse event started: 12/31/20 noticed a white streak noted from R eyelid straight down to the R jaw. Numbness, tingling feeling from R mid cheek moving toward R ear. Swelling of the face at this site as well. Paresthesia feeling, abnormal sensations at this same area of the face. These issues continues even to today. Initially, I experienced a H/A on the R sided above my eye which has not been occurring lately. On 1/8/21 I was seen by the NP at and was dx. with Bell's Palsy. The NP noticed that when I initially speak my mouth doesn't move properly, but once I get my words started then my mouth moves properly. My smile is noticed to be abnormal. The NP then sent me to ER for evaluation with the dx. Of Bell's Palsy and because of another potential medical condition there's a high risk for a stroke. A CT scan and blood work were obtained. A f/u script for a MRI of the brain has been ordered as well. Discharge paperwork states: Bell's Palsy. Currently, I am taking a tapering dose of Prednisone and Valtrex as prescribed.
938470	1/12/2021	WA	56	F	1/10/2021	1/10/2021	sudden onset nausea, malaise, fatigue, later that day developed eye swelling
938467	1/12/2021	TX	54	F	12/29/2020	12/29/2020	No Lot #. Tingling right cheek, fatigue, arm soreness. 2nd day, swelling numbness right side of face with drooling. Dr. told she to take Benadryl. Swelling was right side of face up to eye. Improving by Friday with Benadryl. Last week the swelling returned. And travelled to back of head. 1/7/21 saw dentist, no problem reported. 1/11/21 started the prednisone prescribed by doctor.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
938462	1/12/2021	CA	33	F	1/12/2021	1/12/2021	Burning eyes, attempted to ice eyes no relief, no current access to eyedrops. currently ongoing for 90 minutes with no relief
938450	1/12/2021	AK	60	F	1/8/2021	1/8/2021	Approximately 1 hour after vaccine pt developed flushing, swelling & rash around shot site. 1 hive was visualized on lower part of deltoid away from shot site. Pt took 25 mg Benadryl. BP was initially elevated during observation period (175/107) however decreased over the course of an hour to 155/94.
938417	1/12/2021	CA	55	M	1/11/2021	1/11/2021	Watering mouth as if about to throw up & slight nausea, but this did not get worse. Better today but still noticeable. Aching eyes started about 8-9:00pm. Slightly achey back. No fever noted.
938402	1/12/2021	NE	37	F	1/8/2021	1/9/2021	The patient stated that the morning after the vaccine, she fell and felt weak. She said she could not open her eyes or talk but was concious. She said she had a bad headache and felt tired that day, and her arm was in extreme pain, and had bodyaches. She stated "I felt like I was going to die". She said she started to feel better on Sunday and on Monday she said she felt back to normal.
934326	1/11/2021	CO	55	F	1/8/2021	1/8/2021	Patient states "I received a COVID vaccine yesterday". Shot was given yesterday at 2:30 pm. Patient states allergic reaction started 10-15 minutes after shot was given. Patient states her eyes are itching and red. Patient states redness around her eyes and legs. RN triaged patient and recommended patient to go to ED now. Patient states she is going to wait and see if she feels better. Denies difficulty breathing or difficulty to swallow.
934295	1/11/2021	FL	50	F	1/6/2021	1/9/2021	Facial redness, itching and dryness Eye area swollen

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
934289	1/11/2021	WV	63	F	12/23/2020	1/2/2021	JAN2-HEADACHE, JAN 3 RIGHT SIDE OF TONGUE BECAME NUMB, AND JAN 4 RIGHT SIDE OF MOUTH BECAME NUMB, RIGHT EYE PAIN WITH TEARING, NOTICABLE DROOPING RIGHT SIDE OF FACE, MINIMAL ACTIVE MOVEMENT, FLUIDS DRIBBLED OUT OF RIGHT SIDE OF MOUTH WHEN DRINKING LIQUIDS, EVALUATED BY PA ON 1/5, DIAGNOSED WITH BELL'S Palsy, STARTED ON VALACYCLOVIR 1 GM THREE TIMES A DAY AND PREDNISONE TAPER BEGINNING WITH 60 MG X 5 DAYS AND TAPERING DOWNWARD
934370	1/11/2021	AZ	64	F	1/8/2021	1/9/2021	Patient had the vaccine on Friday (2:30pm) and was fine. Saturday then she had a sore arm. She went to work and was fine (10 hour shift). She had Gamagard around 6pm and then the infusion was fine and went on as normal (a little burning at the beginning), then chills at the end (not unheard of). An hour later she went to sleep since not feeling 100%. She woke up with severe chills, headache, body aches all over, She has bad chills and is shaky. She went home and no fever. Her eyes are kind of burning. She has a call with her doctor today.
934262	1/11/2021	CA	38	F	1/7/2021	1/8/2021	Swollen left under eye noted at 0500 the morning after the vaccine where fillers are in. Prednisone and zyrtec started and swelling has improved however 1 more day left of medications.
934085	1/11/2021	PR	54	F	1/4/2021	1/7/2021	Apart from normal reactions like pain in injection site, headache, myalgias, on about fourth day, patient starts seeing a cloud-like blurry vision, intermittently, during the day.
934074	1/11/2021	MA	56	F	1/6/2021	1/7/2021	eye muscle twitching for 1 day right side head scalp & around right ear pain ( occipital neuralgia) for 4days on going continuously till today 01/11/2021

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
934038	1/11/2021	MO	39	F	1/9/2021	1/9/2021	Redness and itchiness to chest and lower neck around nose as well as minor tongue swelling. I was vaccinated at 0710, waited my 15 minutes drove home ( 15 min) showered and then just before 9 am realized Inwas itchy. Checked chest area and had red blotches similar in pattern to an anaphylactic reaction I had a few years earlier to betadine exposure. The night of the vaccine Inwoke up with nasal congestion and rhinorhea, itchy ears and throat, watery eyes. This became worse throughout the following day where I continued benadryl 50mg q6 as well as alternating tylenol and ibuprofen for body aches
934376	1/11/2021	NC	39	F	1/6/2021	1/7/2021	Angioedema around both eyes approx 36 hours after shot. Prior to this, experienced arm pain around injection site and minor headache/fatigue. Angioedema took 3 days to go away. Saw Dr. and he recommended antihistamine.
933975	1/11/2021	WI	55	F	12/22/2020	12/25/2020	Left eye blurred vision, ASC. consulted Ophthalmologist on 1/8/2021, Provider stated to ASC. that vision appears to be impacted by viral infection and should resolve without intervention per ASC., also numbness surrounding orbit of left eye
934457	1/11/2021	CA	48	F	1/10/2021	1/10/2021	Patient report bones hurting, skin hurting, eyes and scalp hurts, chills, pain at injection site and fever, night sweats and spreading pain throughout the body. Also reporting weakness
933873	1/11/2021	NJ	38	F	1/8/2021	1/8/2021	-Pt was given COVID19 Vaccine at 9:06AM 2/8/1982. - Immediately, pt felt tight in her chest. -Pt was taken into observation room by myself (PA-C). -She sat down and took off her mask and took a few deep breaths. -She said she had some tingling in her throat. -She coughed a few times. -After 1 minute and some deep breaths, she felt much better and the tightness & tingling went away. - Denied itchy & watery eyes, difficulty breathing, chest pain, itchiness, swelling, rash. -No rash or swelling was visualized. -Throat tinging subsided after 10 minutes. - Vitals were normal throughout entire encounter. -Pt was evaluated by myself and observed by myself for 30 minutes. -Pt was also evaluated by Dr. -Discharged after 30 minutes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
933988	1/11/2021	IL	56	F	1/8/2021	1/9/2021	Moderna COVID-19 Vaccine EUA. After receiving the vaccine on 01/08/2021, started to experience pain in left arm which increased in intensity as the day progressed. Took 800mg Motrin with minimal relief. Took an additional 800 mg of Motrin again at bedtime. Woke up on 01/09/2021 with headache, muscle and joint pain, pain in left arm and shoulder, and fatigue. Took Tylenol and Motrin through out the day. Woke up on 01/10/2021 with red swollen eyes and face, and a rash (hives) on neck, stomach, back, and antecubital spaces. Experienced nausea during day. Took Benadryl and Tylenol through out the day. Hives and swelling decreased with second dose of Benadryl. Today, still some fatigue and pain in left arm.
934382	1/11/2021	WI	33	F	1/5/2021	1/8/2021	After receiving the vaccine on 1/5/2021 I had no symptoms initially and for then next 2 days. On 1/8/21 at around 10:00am I got a headache of moderate severity behind my right eye and at right temple. It was associated with nausea and fatigue. I took 800mg ibuprofen and 4mg zofran. At 12:00 I left work and went home and slept for 4.5 hours between 12:30 and 5pm. I woke up at 5pm and had minimal residual headache in the right temple. After going to sleep from 8pm to 6am, I awoke on 1/9/21 and my headache was completely resolved. I do have a history of migraine headaches. This headache and associated nausea felt like my previous migraine headaches and the course was similar to my previous headaches.
934400	1/11/2021	WI	33	F	1/5/2021	1/8/2021	Immediately and for 2 days after receiving the vaccine, I had no symptoms. 1/8/2021 at 10:00am I developed a headache of moderate severity at right temple and behind right eye with associated nausea and fatigue. I took ibuprofen 800mg, zofran 4mg, and left work at 12:00pm. I was able to sleep from 12:30pm to 5:00pm and when I awoke, symptoms were improved with mild residual headache in left temple. After sleeping through the night, I awoke 1/9/21 and the headache and nausea had completely resolved. This headache was similar in quality and course to previous migraines that I have had and may get 1-2 times per year and have had since about age 12.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
934405	1/11/2021	TX	45	F	12/22/2020	1/5/2021	Sunday 1/3/21- Numbness in tongue and pounding frontal headache at night. Took tylenol 500 mg. Monday 1/4/21- Started feeling some slight numbness on right side of face and front of tongue, headaches continued on and off throughout the day. Tuesday 1/5/21- Woke up to get ready for work and I noticed my right eyelid was a little swollen and right side of my mouth was numb and smile was slightly crooked. Arrived at work and my right eye was not blinking properly. I went to ER room to seek treatment and was prescribed Prednisone and Valacyclovir. Wednesday 1/6/21- Started with right ear pain that radiated down to right side of neck. This is the second time I've had Bells Palsy. First time was in 1997 when I was age 22.
934411	1/11/2021	FL	60	F	1/5/2021	1/6/2021	Started with a headache and elevated temp the next day with temp peaking at 102 degree. Progressed to brain feeling swollen and to large for head with ringing in head with every step or movement - Squeaking in ears when swallowing - Eyes hot and burning - Extremely dizzy and off balance - Chills- Body aches - Tired - Shortness of breath like with the Covid - Injection site swollen, hot, red and itchy still at 6 days out.
934432	1/11/2021	ID	60	M	1/8/2021	1/9/2021	2 hours after receiving Pfizer COVID vaccine, vision in left eye presented with new floaters, flashes of light, and visual disturbance. Described as constant by patient, has not resolved 3 days s/p vaccination
934445	1/11/2021	OK	52	F	1/6/2021	1/7/2021	52 y.o. female presented to provider visit on 1.11 in response to a reaction to the 2nd COVID vaccine received on 1.6. Patient has not worked since 1/6. Her symptoms started 1/7. She showed the provider a photo from her phone from 1/9 where her face was diffusely swollen and erythematous. She has not had dyspnea. She reports low grade fever off and on since vaccination. No n/v. She had stomach cramps for a while, but those have fully resolved. At the visit on 1.11, her main symptoms are puffy eyes, and somewhat swollen and flushed face. Patient also reports dizziness, and still feels unsteady. Patient received a dexamethasone and depo-medrol injection in clinic on 1.11. Patient given return instructions. Provider will follow up in a few days to check on the patient.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
934587	1/11/2021	AZ	64	F	12/23/2020	12/23/2020	20 min after injection; BP 192/112, hot flushing, dizziness, blurred Lt eye. Hypertension continued for 1.5 hrs, however hot flush, dizziness and blurred vision Lt eye resolved.
934613	1/11/2021	IA	25	F	1/11/2021	1/11/2021	Received vaccine at approximately 09:50 am, waited for observation 15 minutes, then returned to work. At approximately, 12 noon started to notice blurry vision from left eye and severe headache behind eyes. Sat for a minute or so but not improving so returned to vaccinating pharmacist. At that time patient also felt flushed and overheated. Patient laid flat on back, applied cold compresses to forehead and back of neck. After 20 minutes patient?s vision and flushing has improved but still had a headache. Patient then moved to a seated position. Still had the headache, but vision and flushing completely resolved.
934627	1/11/2021		63	F	1/7/2021	1/7/2021	Patient received vaccine and approximately 15 minutes later began endorsing blurry vision and dizziness while sitting in observation room. Found to be hypertensive in 200/100s. Pt remained hypertensive and was transferred to ED about an hour after initial vaccination.
934654	1/11/2021	MD	42	F	1/8/2021	1/9/2021	Moderna COVID-19 Vaccine EUA 01.08.2021 - SLIGHT HEADACHE SEVERAL HOURS POST VACCINE 01.09.2021 - SEVERE HEADACHE - DESCRIBED AS "LITTLE SHOCKS". HOME SELF-CARE MOTRIN AND ALEVE. 01.10.2021 - WOKE UP SUNDAY MORNING AND HUSBAND COMMENTED HER MOUTH "LOOKED WEIRD", AND HER EYE LOOKED LIKE IT WAS "LEANING" 01.11.2021 - REPORTED TO OCCUPATIONAL HEALTH CLINIC. REFERRED TO HER PRIMARY CARE PHYSICIAN FOR EVALUATION. ADVISED TO COMPLETE V-SAFE REGISTRATION. 01.11.2021 - EMPLOYEE SEEN BY LOCAL URGENT CARE. TREATED WITH 80 MG OF PREDNISONE ON SITE, PRESCRIPTION FOR 40MG PREDNISONE X 7 DAYS, PRESCRIPTION FOR VALTREZ. RELEASED. PLACED OFF WORK TILL 01.13.2021.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
933867	1/11/2021	TX	39	F	1/9/2021	1/10/2021	10 minutes later, minor headache and itching. 4 hours later, lightheadedness/dizziness. ~12 hours later (03:30 the next day) fever up to 102, skin felt on fire all over my body, gi cramps, mild intermittent cough, myalgias, fatigue, extreme headache behind my eyes, occiput, and jaw pain, rigors.
933455	1/11/2021	NJ	56	F	1/8/2021	1/9/2021	The day after the employee received her 2nd COVID vaccine, she woke up with swollen, itchy eyelids. She had a telehealth visit with doctor on 1/10/21 - she reported that the itchiness and swelling were along her upper eyelid near the brow line. Denied ocular pain, EOMI, conjunctive is not infected. Noted slight particles in the corners of her eye but it was not crusting. Had used hydrocortisone cream on the area but was advised by doctor to stop. Dr encouraged cold compresses, increased fluid intake and avoid salt/caffeine.
934433	1/11/2021	ID	38	F	1/9/2021	1/9/2021	Metallic taste in mouth, tingly behind eyes, lightheaded, warm sensation throughout chest for several hours, racing heart rate, sudden hot feeling, extreme headache, extreme fatigue, brain fog, irritability, pain at injection site.
933585	1/11/2021	NY	32	F	1/6/2021	1/6/2021	30 mins after receiving the vaccine, I started feeling my tongue more in my mouth. I also experienced difficulty breathing. I was told that my lips and cheeks were swollen and that my eyes were red. I was first given benadryl (25 mg) and prednisone (20 mg). I was later given epinephrine ( 0.3 mg/0.3mL injection). I was then taken to the emergency room where they prescribed the above medications to be taken for 3 days (minus the epinephrine).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
934950	1/11/2021	TX	59	F	12/30/2020	12/30/2020	<p>She is having an allergic reaction; Itching was reported as worsened/Swelling was reported as worsened/loss of appetite was reported as worsened; From the time she got the vaccine to now, she has lost 20 lbs; shake/shaking; swelling in the lips, throat, and eye lids; swelling in the lips, throat, and eye lids; swelling in the lips, throat, and eye lids; She has been sick since Wednesday; itching all over from head to toe; loss of appetite; This is a spontaneous report from a contactable consumer (patient). A 59-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration at left arm on 30Dec2020 at single dose for COVID-19 immunization. Medical history included hypertension and allergic to ace inhibitors. There were no concomitant medications. Patient was calling about the Covid Vaccine. She was having an allergic reaction. She did not know what to do to stop it. She went to the ER yesterday (04Jan2021). She had been sick since Wednesday (30Dec2020), she was itching all over from head to toe since 30Dec2020, she got a prescription for Prednisone, she took 2 doses yesterday, 1 dose today, and would take another this evening. She took Benadryl, an hour ago and had an episode, and so she had to jump in the shower and let the cold water run to stop itching, the itching did not stop but it has minimized. She put Benadryl gel and she was still itching, she had taken enough Benadryl. Patient asked what is the best way and if she needed an IV of something, she went to ER on Sunday, she was not seen by doctor, it was a nurse practitioner, she didn't do anything but just listen to her and she only looked at ankles to check for swelling. Patient stated that she had been drinking water and urinating, she had no appetite and lost 20 lbs. Patient confirmed that she got her first dose of the Covid vaccine on 30Dec2020 at 1 o'clock, the itching started the same day at 5 o'clock, the itching was from head to toe. She experienced swelling in the lips, throat, and eye lids, which started 02Jan2021. She began losing her appetite on 30Dec2020. From the time she got the vaccine to now (05Jan2021), she has lost 20 lbs. An hour ago (05Jan2020) she had an episode, which made her shake, and she did not have the shakes before, this was the first date she started shaking. Itching was reported as worsened/Swelling was reported as worsened/loss of</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							appetite was reported as worsened. Her 2nd dose was scheduled in 21 Days. However, she may not get the second dose, patient stated that she could not get through this no more. She had no positive test for Covid prior to vaccine. She had no antibody test prior to the vaccine. She had not any issues with vaccines in the past. Patient stated that if she was still feeling this way, she would go to a different hospital. When she went to the ER, she was not hospitalized, they sent her back home the same day. Patient would like to know if there was anything that can remove the vaccine from the body. The outcome of the events itching all over from head to toe, loss of appetite, swelling in the lips, throat, and eye lids was not recovered, of the other events was unknown. Information about lot/batch number has been requested.
934660	1/11/2021	AZ	47	F	1/7/2021	1/8/2021	Patient experienced mild puffy eyes. She reported developing a red bumpy rash on her forearms, stomach and back of knees. Symptoms started one day after vaccination on 01/08/2021. To my knowledge, patient did not use anything for treatment.
933217	1/11/2021	MP	35	F	1/11/2021	1/11/2021	30 minutes of blurred vision with flashes of light.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
933275	1/11/2021	OH	47	F	12/24/2020	12/27/2020	<p>ball palsy, facial drooping; painful shingles; This is spontaneous report from a contactable consumer reported for herself. A 47-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; batch/lot number: EK5730; dosage form: injection) via an unspecified route of administration as injection to left arm on 24Dec2020 at 7:30 am at a single dose for COVID-19 immunization. Relevant medical history and concurrent conditions included slight hypertension from Jul2020 and ongoing. Concomitant medications included lisinopril from Jul2020 and ongoing for slight hypertension. The patient developed ball palsy, facial drooping which did not lasted long but she still had the painful shingles on 27Dec2020, after the first dose. She wanted to know the recommendations for taking the second dose which is due in 10 days. The patient wanted to know if she should receive the shingles vaccine. This caller was a lab tech who works in the healthcare industry and manages a medical office; but clarified she did not call on behalf of a healthcare professional. She was the patient who received her first dose of Pfizer SARS-CoV-2 Vaccine on 24Dec2020. She reported onset of what the Urgent Care Physician believed was Shingles on 27Dec2020. She called to ask if she should or should not receive the second dose of Pfizer SARS-CoV-2 Vaccine on 14Jan2021 as scheduled due to the Shingles. The Urgent Care Physician advised her to still get the second dose, as there was about a 1:10,000 chance of developing shingles with the vaccine. She reported shingles as a reaction subsequent to the Pfizer SARS-CoV-2 Vaccine. Initially on 27Dec2020 she developed sites of what she thought were canker sores or fever blisters in her mouth which had gotten pretty large and stopped her from being able to eat on 29Dec2020. Then on 30Dec2020 she developed sites on her face which have gotten scarily large; and was causing some deep nerve pain going to her eye and down her chin; the sites felt like lesions on her face with roots. The sites in her mouth were now completely gone; but the sites on her face are ongoing. Now it has kind of taken over her face. She saw the Urgent Care Physician regarding this who believed the sites to be shingles. She had never had fever blisters or shingles before this event. She was still kind of reeling. The report was reported as non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
933277	1/11/2021	NV	39	F	1/2/2021	1/2/2021	<p>The outcome of event ball palsy/facial drooping was resolved and of shingles was unknown.</p> <p>developed UTI very quickly; Puffy face and eyes; Puffy face and eyes; Burning inside digestive tract; Diarrhea; Dehydrated; arm pain; Headache; At bedtime neck stiffness began and worsened; This is a spontaneous report from a contactable healthcare professional. A 39-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number EL3246/expiration date unknown), dose number 1, via an unspecified route of administration on 02Jan2021 10:30 at a single dose on the left arm for COVID-19 immunization. The patient had no relevant medical history. Concomitant medications included alprazolam (XANAX). The patient experienced arm pain and headache 4 hours post injection requiring Excedrin. At bedtime, neck stiffness began and worsened. She was treated with lidocaine patches and Aleve. She developed diarrhea 33 hours post injection. She went ER because she was dehydrated. She developed UTI very quickly by hour 35 post injection. She had puffy face and eyes, and burning inside her digestive tract. She was treated with Benedryl at home for allergic reaction, Toradol for pain, IV fluids for dehydration and Keflex for infection. The patient was not diagnosed with COVID-19 prior vaccination and was not tested for COVID-19 since vaccination. The outcome of the events was recovering.; Sender's Comments: Based on the current available information and the plausible drug-event temporal association, a possible contributory role of the suspect product BNT162B2 to the development of event Dehydration cannot be totally excluded. The case will be reassessed if additional information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
933288	1/11/2021	NJ	65	M	1/2/2021	1/2/2021	Cheek swelling; Periorbital swelling/swelling around his eyes; feeling wiped out; Muscle pain; Joint pain; Chills; Fever; General malaise; low grade headache; Sweating; injection site pain; This is a spontaneous report from a contactable physician (patient). A 65-year-old male patient received bnt162b2 (BNT162B2) at single dose at left deltoid on 02Jan2021 17:00 for covid-19 immunisation, administered an injection team that is part of the local hospital system. Medical history included controlled hypertension and he has been taking the blood pressure medicine for a long time. The concomitant medications included unspecified medicines for controlled hypertension. History of all previous immunization with the Pfizer vaccine was none. The patient had not received any other vaccines within 4 weeks prior to the BNT162B2 vaccine. No additional vaccines administered on same date of the BNT162B2 vaccine. On 02Jan2021 the patient experienced injection site pain. On 03Jan2021 the patient experienced cheek swelling, periorbital swelling/swelling around his eyes, feeling wiped out, muscle pain, joint pain, chills, fever, general malaise, low grade headache, sweating. No event did require a visit to Emergency Room or Physician Office. No relevant tests performed. Therapeutic measures were taken as a result of chills, fever, general malaise, low grade headache, sweating. Course of events: He said initially he had no adverse events after receiving the COVID-19 Vaccine, except injection site pain. He said he thought the injection site pain could be from the COVID-19 Vaccine being viscous, and didn't think anything else about the injection site pain. On 03Jan2021 he started to experience some. He stated he did not normally take vaccines, like the flu vaccine. He said he has been a podiatrist for 39 years, and realized the importance of getting the vaccine to protect his patients. He then developed chills, muscle pain, fever, and general malaise. He said he experienced every side effect listed on the received COVID-19 Vaccine paperwork, except he had no lymphadenopathy. He said all the side effects he experienced appeared 24 hours to the minute from when he received the COVID-19 Vaccine. On 03Jan2021, he had swelling in his cheeks and around his eyes. He did not get sick often. He said he had a rough night on 03Jan2021 and on 03Jan2021 he still felt wiped out. Treatment: he took 2 Tylenol



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							325mg at the start of the side effects, and then took another 2 Tylenol 325mg at 2:00AM. He said he woke up soaking wet with chills and sweats. He said his fever broke, but he did not know how high his fever was. He took from a fresh bottle of Tylenol 325mg. The outcome of injection site pain, cheek swelling, periorbital swelling/swelling around his eyes, feeling wiped out, muscle pain, joint pain, general malaise was recovering, of chills, fever, sweating was recovered in Jan2021, of low grade headache was not recovered. The reporter considered there was a reasonable possibility that all events were related to bnt162b2 vaccine. He was scheduled to receive another COVID-19 Vaccine injection in 3 weeks. Information about lot/batch number has been requested.
933327	1/11/2021	IN	38	F	1/8/2021	1/9/2021	Extreme headache causing inability to keep eyes open, extreme body aches all over, hot/cold flashes, bed ridden for 30 hours, extremely sore arm, had to use ice packs and IBprofrin for head and arm pain.
933415	1/11/2021	GA	64	F	1/6/2021	1/7/2021	Felt fine the first 24 hours other than the arm soreness, moderate pain at site of injection. After 24 hours, my right eye lid started to catch when I started to blink. I call it lid lag. It has persisted longer than 24 hours. My eye lid does not blink the same as my left eye. It's like a brief before it returns to my regular eye lid. There has been no worsening, and no improvement, it has remained the same.
933417	1/11/2021	FL	48	M	1/7/2021	1/7/2021	AE - severe vertigo. The effect came on suddenly (7pm) and the room started spinning. I closed my eyes and lied back on the couch. I could not open my eye (room stopped spinning) until 3am the next morning. I could not stand without losing my balance until 12 noon. Treatment - I took meclizine 25mg at 12 midnight, 2am and 7am. Outcome - vertigo stopped around 3am, equilibrium returned at 12 noon and i was able to stand and walk slowly at that time.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
933496	1/11/2021	MN	31	F	1/6/2021	1/6/2021	I felt flushed and light headed after receiving the vaccine but as the day went on I felt worse. By 2030 I had severe full body chills and could not stop shaking. I had a severe headache/migraine. Every muscle in my body hurt. This continued on for the entire night. Got tested for COVID the next morning with the rapid results and the symptoms continued with the muscle aches and severe headache. Vision became blurry and I became very dizzy. Slept for 8 hours during the day on 1/7/2021 and then slept another 12 hours that night. The body aches and headaches continued until 1/8/2021 at which the symptoms finally subsided
933566	1/11/2021	ME	50	F	12/22/2020	12/24/2020	histamine response - watery, red, itchy eyes, nasal congestion, runny nose, itchy skin
933534	1/11/2021	WI	29	F	1/7/2021	1/8/2021	Friday morning 1/8/21 at 0645 when awaking it felt like my right nostril was congested and it was hard to breath, also the tip of my nose was bright red, swollen and tender to touch. throughout the day the swelling, redness and pain increased with the right side of my nose. breathing did get easier. Saturday 1/9/21 the right side of my nose was still presenting with symptoms listed above and continued to grow toward my right eye. Sunday 1/10/21 the swelling increased but redness and pain stayed the same as the previous day. Ice was applied with mild improvement. No medication was taken. Monday 1/11/21 swelling on the right side of the nose has slightly gone down, minimal swelling (puffiness) under the right eye had started.
933576	1/11/2021	WI	53	F	1/7/2021	1/8/2021	1/8/21 AM headache over the eye, injection site sore arm; PM body aches, chills and shivering, fever 107., joint pain --over the counter ibuprofen no relief, weakness in legs. 1/9/2021 body aches and fever resolved. Fatigue, weakness and joint pain, Tylenol -- some relief. Swollen lymph nodes in left armpit and soreness; low back pain, shooting hip pain.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
933843	1/11/2021		65	F	1/8/2021	1/8/2021	Patient stated she felt "funny" ~10 minutes after vaccination, felt "cold in chest and waves of tingling", initially diaphoretic with BP 175/110, HR 110. After 15 minutes patient stated she felt better but noted vision was still slightly blurry. After 45 minutes vitals were BP 175/90, HR 88 with ongoing periods of blurry vision and tingling in extremities.
933636	1/11/2021	NY	25	F	12/30/2020	1/1/2021	Left sided facial drooping, facial numbness, visual changes. Diagnosed with Bell's Palsy related to Covid vaccine. Onset 1/1/2021.
933652	1/11/2021	TX	36	F	1/8/2021	1/9/2021	Chills, body aches, fatigue, lower back pain, and eye pain. No treatment. minor improvement will continue to monitor
933679	1/11/2021	FL	50	F	1/6/2021	1/6/2021	about 10 min after the injection as I was sitting in the waiting area I got a hot feeling come over me and I felt the color drain from my face and I felt like I was going to "pass out" it passed after about 15 seconds and I felt fine. I waited 30 min from vaccine time to make sure I was going to be ok. At 5:30 pm on 1/6/21 I noticed I started itching my right arm around the inside of the elbow. I noticed my vision blurring and I had a sudden onset of a Horrific headache. By 6 pm I was itching very severely. It was as if I was clawing at my skin. I called one of the dr's I work with and he called me in a medrol dose pack. I started the dose pack at 8:30 pm on the 6th. The headache continued, I tried motrin, fiorcet, and oxycodone with no relief. I still have the headache but it is not as intense as it was. I was up all night itching and dealing with the headache by the am , my jaw was visibly swollen and it felt like I had been in a fight. I was not able to go to work on 1/7/21 and could only work 1/2 day on 1/8/21. the itching did not subside much till sat 1/9 but is coming back as I taper down off the steroids. My last pill was this am. The jaw pain and swelling lasted till sat night and is subsiding daily. I may have to call my pcip and be seen this week.
933687	1/11/2021	TX	36	F	1/8/2021	1/9/2021	Chills, body aches, fatigue, lower back pain, eye pain. No treatment with minor improvement

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
933706	1/11/2021	PA	38	F	1/8/2021	1/8/2021	-Pt received vaccine at 7:25AM 1/8/2021 at Clinic. -No reaction immediately after the vaccine. -She was moved to the observation room. -After ~5 minutes, patent developed hives starting in the arm where vaccine was injected. -Rash continued to develop on both arms, chest, ears, cheeks. -Pt was very itchy on these areas, as well as her feet and inside of her ears. -Denied cough, difficulty breathing, itchy throat, watery eyes. -Patient was not in any respiratory distress. -Vitals were taken multiple times and were normal (see vitals section). - Patient was being closely observed by myself, PA-C. - Dr. was consulted and also evaluated patient. -We decided to treat with 25mg Benadryl IM (opposite arm of vaccination). -After Benadryl, pt was observed for another 15 minutes. -Rash & itching diminished significantly. -Vitals were taken again and were normal. -Pt was observed for total 1 hour 15 minutes. - Rash & itchiness diminished significantly after medication given. -Advised patient to take Benadryl PO in the afternoon or another antihistamine. -Will follow up with patient in a few hours via phone call & reevaluate in person if necessary. -ER precautions given: chest tightness, difficulty breathing, difficulty swallowing, itchy throat, feeling as if throat is closing, increased swelling, dizziness, loss of consciousness. -Pt will also return in 28 days for second dose of vaccine and will be closely monitored at this time. -Pt followed up with after a few hours and was feeling much better. Just sleepy.
933761	1/11/2021	WI	45	F	1/8/2021	1/9/2021	Woke up at 7am at 8:15am both of my eyes swelled almost shut instantly. Both were swollen above my eyebrow. Whites of eyes were still white. They didn't itch or hurt. Went to Urgent care and they recommended cold compresses, Loratadine, Vaseline. About 6 hours later the swelling went down, but not completely. Woke up Sunday morning and my eyelids were dry and scaly.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
933793	1/11/2021	OH	51	M	1/6/2021	1/7/2021	Numbness in right side of head and right arm (where he received injection). Starting getting confused. Legs started to give out. Continued working. Symptoms got worse. On and off paralysis of legs. Eyes flickered and darted. When he sat down at 1am, he took two nitroglycerin for chest pain. He asked a nurse to take his blood pressure. It was low. He felt he was losing control. He was struggling for breath. Eyes were tearing up real bad and tremors started. He stated he fought to stay conscious. Was started on oxygen. Was assisted in a wheelchair and taken to ER. Waited there for 4 hours. Was delusional. I left without being seen by a doctor after blood work and EKG. Went to sleep and woke up in river of sweat. Went to urgent care at that time. Was given a COVID test and it was negative. Was prescribed zinc and vitamins. He had the same symptoms like he did when he originally got COVID. Today at 9:36am, have fever off and on. Continues to feel pretty bad. Still dizzy.
933801	1/11/2021	UT	63	F	1/8/2021	1/8/2021	large dark spot under lash line of lower eye, then 48 hours after small white bumps in dark spot.
933803	1/11/2021	WI	23	F	1/11/2021	1/11/2021	Pt received dose at 0828 and after about 15 minutes reported symptoms of: Face numbness, lip tingling, heart racing. A rash was also noted on her chest and perhaps to her right eye. Heart rate was 99 BPM and Pulse ox was 99%. Pt was transported to the ED for evaluation. Upon call back to ED they also stated pt reported her tongue was also affected (not swollen, but either numb or tingly).
933830	1/11/2021	NC	56	F	12/26/2020	12/26/2020	I noticed a runny nose for the entire first day and the next day I had an appointment. My right eye was puffy, swollen, red, itchy. I got a shot of dexamethazone and the next day I felt better. I also had a script for prednisone.
933836	1/11/2021	FL	38	F	1/11/2021	1/11/2021	chest tightness, trouble breathing, dizziness and blurry vision
933574	1/11/2021	MI	52	F	1/8/2021	1/8/2021	within 12 hours of receiving the vaccine, both eyelids swelled and her right eye developed puss-filled lesions. Has an appointment with the family physician at 4:40 pm today January 11, 2021

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
935734	1/11/2021	UT	34	F	12/25/2020	12/26/2020	The next day i had a sore arm and had a headache. That headache started to grow and didn't not go away. It turned into a migraine, made me nausea and did no got away . I was charge nurse that night and I couldn't even open my eyes, I went down to the urgent care and they have Toradol shot and two Zofran. I had a lingering headache for the next couple days, I also had fatigue but hard to say if it was the vaccine or me working nights.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
935445	1/11/2021	OH	38	F	1/11/2021	1/11/2021	01/11/21 Observation RN, the nurse in the Observation Room , called Occupational Health RN because patient after 11 minutes in the room developed right sided head pain that radiated to right eye. She also c/o tingling in right arm from the elbow to the finger tips. AT 1348, on my arrival, caregiver c/o right hand numbness and tingling from the elbow to the fingers. Injection site in right deltoid inspected, bandaid intact; no swelling or redness noted and bandaid in an appropriate placement. Right hand with strong grasp and brisk cap refill. Arm strength strong with resistance. C/o head pain but denies shortness of breath, chest pain or swelling. Some anxiousness noted. Reassurance given. AT 1351 vital signs: BP: 101/68, HR: 69, RR: 16, Sao2 99% on room air. Headache rated 3/10 and tingling in hand/arm rated 6/10. Occupational Health RN left the observation room and Observation RN in charge of patient observation. Observation RN states at 1405 the vital signs were 102/63, 74, 16 and 98% on room air and assessed head pain at 3/10 described as dull. Observation RN stated at 14:10, patient c/o tingling in left leg as well as right arm and head pain (2/10). Observation RN states at 14:14 patient developed swelling in tongue but she noted that swelling was not visible. Observation RN states there was no difficulty breathing but with the tingling in leg and arm and now swelling feeling in tongue, she administered 60mg Fexofenadine PO. Per Observation RN BP: 123/68, HR:74, RR:16, Sao2: 99% on room air.. Observation RN called for Occupational Health nurse to come to observation room. Occupational Health RN arrived at 1429 and found the caregiver slightly anxious. States headache is gone and right hand tingling is rated 2/10, leg tingling is gone, numbness/swelling in tongue is rated 4/10 and denies throat swelling or tightness. Occupational Health manager aware of situation and present with Occupational Health RN. AT 14:33 Sao2: 98% on room air and heart rate: 82. AT 1448, Caregiver ambulated to restroom per her request by Observation RN. Gait is steady. When they returned at 1451, patient states the headache was gone as well as the tingling in the leg. She states the tongue numbness/swelling was rated 2/10 and right arm tingling rated 1/10. BP: 106/68, 74, 14, 100% room air. Advised patient to go to the emergency room for evaluation but she refused at this time. After letting her rest, at 15:06, patient states the

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							tongue swelling/numbness is almost gone and the right hand tingling is almost gone. Vital signs 98/59, 68, 16, 100% on room air. Water given. Instructed that she will wait a little longer to see what time does for the symptoms. At 15:25, Observation RN states that caregiver has no more numbness/swelling in tongue and the right hand tingling is very minimal. Discussed follow up with PCP regarding second vaccine and to seek medical attention if any symptoms develop after leaving the observation room. Occupational Health manager aware of all course of treatment and evaluation.
935489	1/11/2021	VA	40	F	1/7/2021	1/10/2021	pt reports received Vaccine on 1/7/21. she did have a biopsy on scalp 1/6/21 for possible basal cell. Woke up 1/10/21 with some swelling noted around both eyes and forehead. She has no other symptoms. She did take some OTC benadryl last night before bed and woke up this am with no change in swelling noted. she was unsure related to vaccine or related to the scalp biopsy.
935506	1/11/2021	TX	39	F	1/9/2021	1/10/2021	Fever of 102, chills, rigors, myalgias, severe headache behind my eyes, occiput and jaw, intermittent cough and gi cramping, along with feeling like my skin was on fire, especially on my face
935519	1/11/2021		34	F	1/11/2021	1/11/2021	Patient is a 34 y.o. female who was seen at COVID Vaccine Clinic today for her dose of the COVID 19 vaccination. She denied any history of previous adverse reactions to vaccines. She was given the Moderna vaccination in the left deltoid muscle. During her waiting period after the injection, the patient began to experience dizziness / lightheaded. She denied syncope, N/V, visual changes, headaches. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to shortness of breath, swelling of the throat, Difficulty breathing, chest pains. Patient did not experience any of these symptoms. She is 18 weeks pregnant. No complications with pregnancy.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
935521	1/11/2021	ME	37	F	1/8/2021	1/8/2021	<p>Patient is an employee at Health Center. She was given the vaccine approx 3:30 pm on 1/28/2021 in the left deltoid. Patient was monitored for 15 minutes after receiving the vaccine without incident. The following is a written statement from patient describing events: "About 30 minutes after vaccine, I felt like I had hit my elbow on something. Discomfort radiated from left elbow to wrist- I did have pain around injection site. About 8:30pm on 1/8/21, area around injection site became more painful. Gradually pain increased radiating down to finger tips and up to left side of neck, stopped right below ear. Neck and shoulder muscles felt really tight- uncomfortable ache. Also got extremely tired- left side of face felt numb- left eye slightly blurry- I fell asleep about 10pm. Woke up a few hours later drenched in sweat. Face numbness gone, eyesight normal.? Patient reports the following day 1/9/2021 @ 2pm: ?All of a sudden I started to sweat all over. I didn?t feel hot, only last about 30 minutes.? Patient reports on Sunday 1/10/2021: ?Woke up feeling okay. Left arm and neck still ached but not as bad. Got fatigued around 10am. I got a headache that became really bad. Dizzy, nauseous- no relief from OTC meds. Headache went away after a few hours.? Patient reports today 1/11/2021: ?Today I am still very tired. My left arm, fingertips, shoulders and neck still ache. Face is flushed.? Patient does state previous reactions to prior vaccines: ?TdaP about 7 years ago made me have joint pain for months. Last flu shot received was about 9 years ago, had flu like symptoms x12 hours.? Patient did not seek any medical care for the reaction described above. Patient?s PCP has been also been made aware of her reaction.</p>
935577	1/11/2021	TX	28	F	12/21/2020	12/28/2020	<p>Patient reported a tender lump on the left side of neck that was tender to the touch. The lump presented exactly 1 week after the 1st vaccine dose, and it was noticeably swollen. At the time of 2nd dose, the lump was no longer visually noticeable, but could still be felt to the touch. The residual lump is no longer tender to the touch.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
935611	1/11/2021	CA	41	M	1/11/2021	1/11/2021	Approximately 15 minutes after receipt of the vaccine, I experienced tachycardia and mild throat swelling. I was placed in the Immunizations Clinic treatment room, had my airway assessed, and vital signs taken. My initial vital signs at 0950 were BP 197/99, HR 106, O2 sat 99%, temp 98.3 F, and 0/10 pain. Over the course of the next 2 hours, I repeatedly had my vital signs taken, was monitored, was provided with water, and remained hypertensive and tachycardic, although down-trending. I also experienced cottonmouth and bilateral blurred vision/dry eye. At the end of the 2 hour monitoring, the throat swelling seemed to subside, my systolic BP in the mid 140s and diastolic BP was in the mid 90s. At time of release from monitoring, I felt better, but dry eyes and dry mouth continued without difficulty swallowing. I was instructed to report to the ER if my symptoms worsened and to consult by primary care manager about the incident. Upon walking back to my office, I realized I was experiencing dizziness as well and a mild headache. I attempted to submit this form online but I received an error message, so I completed the fillable version to upload, in case a partial duplicate record appears.
935666	1/11/2021	MO	62	M	12/29/2020	1/10/2021	Bell's Palsey- 1-10-21- c/o rt eye not closing all the way the night before, lower lip shifted to left side with decreased movement and pt reports trouble drinking fluids. Physician assessment- vss, left lower lip decreased movement rt side, lt sided weakness, some pain in eye, eye red and injected. prescribed prednisone. Assessment 1-11-21- patient eye droop visibly improved, still left sided weakness and having issues drinking, due to hx herpes cold sores prescribed famciclovir in addition to prednisone.
935682	1/11/2021	CA	35	F	12/29/2020	12/29/2020	12/29/2020 Covid Vaccination given at approximately 7:50pm. Patient complained that "throat is tight". Physical observation included no shortness of breath, eyes closed fine, but minimal asymmetric puffing of cheeks. Employee/patient was observed for an additional 30 minutes. Follow up on January 7, 2021, patient states she is feeling fine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
935690	1/11/2021	CA	64	F	1/2/2021	1/2/2021	. Patient had been monitored for 30 minutes with fleeting headache that patient did not report, then left and went to car, and drove for a few minutes. Then noticed that she had R eyelid swelling and facial swelling. Did have some sore throat and nausea. Then got diarrhea later that same day. No hives, wheezing, SOB, chest tightness, lightheadedness Patient went back to clinic and was treated with IM benadryl 50mg with improvement of symptoms. Then took oral benadryl for the next 2 days.
935444	1/11/2021	CA	34	F	1/8/2021	1/8/2021	Patient arrived at clinic around 16:00. Pt reports that she received the vaccination at 14:48 (L-deltoid), temperature 97.2 and waited the 15 minutes to see if she had a reaction, she felt fine while sitting down. She reports that as she was walking down the hallway at clinic (approximately 20 min after receiving the COVID Vaccine) she started to get numbness on R-side of her face and then her R-leg. She did not go back to report symptoms to the RN that had given her the vaccination and she decided to drive back to clinic. She adds that she started to lose sensation on her L-arm, becoming nauseous, producing a lot of saliva, headache (5 of 10) back and front of head, pain constant and chills. We sat her in a room and administered O2 at 2L, she was very pale and cold. 16:08 DO was called to notify of employee adverse event and EMS was called. Pt called her MD and reported what happened. States she ate a small meal this am and nothing else. 16:15 she feels like her eyes are twitching, numbness to the R (arm and face) continues and still minimal sensation on her L-arm, has no problem swallowing, no rash. 16:18 EMS arrived, O2 98%, BP 120/70, Temp 98.4. EMS decided not to transport Pt. Advise that she did not drive, to go home and rested. If her symptoms worsen so seek medical attention. 17:05 numbness of whole face continues, extra production of saliva has stopped, loss of sensation of L-arm is improving, R-arm and face feeling better, headache continues. Given Acetaminophen 325mg X2. 17:07 slightly nauseous, chills went away. 17:35 R and L side feel better but continues with face numbness, headache still the same no chills but reports feeling cold. 17:40 She went home. 19:53 Reports feeling better, laying down and resting.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
935723	1/11/2021	TX	73	M	1/6/2021	1/6/2021	right after vaccine, eyes started itching and watery and drainage. They went to clean daughter's house, the more they cleaned, the worse he felt. After that, chills, achy, dizziness. sounded congested. Had vomiting and diarrhea later that night, arm was red and blotchy. Next day, urine had an awful smell and brown, chills, and dry heaves. Friday, finally was able to eat. Saturday and Sunday felt better. Today he's feeling good.
935670	1/11/2021	HI	62	F	12/22/2020	12/26/2020	Red rash and itching in 4 inch circumference around injection site that lasted 4 days. Sudden onset of runny nose and itching of eyes.
935743	1/11/2021	GA	58	F	12/22/2020	1/8/2021	Bells Palsy 20days after dose. 1-08-2021 Right facial paralysis with frequent watering of the eye and nose on the right. Fatigue, cough
935745	1/11/2021		37	F	1/8/2021	1/8/2021	tunnel vision, wheezing, shortness of breath, hypotension
935772	1/11/2021	WA	47	F	12/29/2020	12/29/2020	3 hours after receiving the vax. Got vax, went back to work and started feeling funny and then went home and had rash to stomach, thighs, tachycardia, pulse about 130, hypotensive, swelling to tongue, eyes. Called provider when she got home and took Benadryl. Provider advised Pepcid, Benadryl, steroids x6 days. She is feeling ok now.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
935780	1/11/2021	OH	61	F	1/5/2021	1/5/2021	Extremely tired went to bed at 8:30. At 11:00, tossed and turned until 12:16 a.m. Did not think she could stand up. Walked in the bathroom had pain in stomach, was very hot and freezing at the same time, was shaking. Head hurt was hurting so bad. Tried standing up from toilet, was passed out. Eye, half of face is bruised and swollen , eye shut for two days. More than forty minutes passed before she could call her husband. Does not remember anything because she was passed out. Husband came in and grabbed her, to get her back into bed. she could not stand. Went to ER at Hospital. Had CT scan, blood work , EKG, chest xray. Was still kind of out of it but was able to communicate with nurses. Face is still black and blue. Last night got up at 4:00 a.m. something was wrong with her throat. Felt like a walnut was in her throat. Went to doctor this morning. They said it was a reaction from the shot. Got an EpiPen, prednisone. Call them in 2 days to let them know how she's doing and also wear a heart monitor because they do not know how to take care of her, Has had vision blurriness in both eyes. Has not felt well at all.
935851	1/11/2021	SD	40	F	1/11/2021	1/11/2021	approximately 10 minutes after Covid vaccine the patient was starting to have right sided facial tingling then she started to have tingling in her throat. I sat with her and she had progressive tingling, worsening throat tightness and some facial swelling under her eye. We then moved her to a room and laid her down. I discussed the use of the EpiPen and a dose was given at approximately 400PM. We also called 911 at that time. Vitals were taken and EMS arrived and by the time they were taking her away her symptoms were improving.
936053	1/11/2021	NC	57	F	1/6/2021	1/6/2021	injection site pain, tiredness, headache, muscle pain, chills, joint pain, nausea, feeling unwell, lymphadenopathy, blurry vision, dizziness; Tylenol 1 tab X 3 times per day during 3 days
936063	1/11/2021		42	F	1/11/2021	1/11/2021	patient developed flushing and throat tightness after vaccine which quickly resolved, then repeat episode 30 minutes later, given 25mg PO Benadryl, observed another 30 minutes, eyes developed swelling was given Benadryl 25mg PO and sent to ER
936149	1/11/2021	VA	49	M	12/23/2020	12/26/2020	Herpatic infection left eye causing a herpatic dendrite

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
936156	1/11/2021	ID	61	F	1/9/2021	1/10/2021	Floaters and flashes - right eye - did not have them before the injection - and I have reported - I have not had any treatment - unknown if I need to get treatment and unknown if I should get the next dose
936398	1/11/2021	MA	43	F	1/9/2021	1/10/2021	L. Bell's palsy - eyelid drooping, weakness in L cheek and mouth, started about 28 hours after dose #2 of the Pfizer-BioNTech vaccine
934750	1/11/2021	NY	46	F	1/9/2021	1/9/2021	01/09 shortly after vaccine for right arm soreness and right eye swelling, about 6 hours after vaccine 01/09 body aches, headache couldn't move neck due to stiffness; 01/10 left arm soreness, armpit pulsation, fever range 102 F.; 01/11 vomiting. seasonal allergy eye drops for right eye swelling (went away), Benadryl 50 mg.; ibuprofen and Tylenol around the clock starting 01/09 to present day, 01/11/2021
935716	1/11/2021	MI	60	F	1/8/2021	1/8/2021	She experienced head ache, neck pain, sinus pain, weakness, aches, very short of breath on exertion and when wearing a mask. Aching in left arm, in chest and in right arm pit. Very dry eyes and bloodshot. Sweating and very warm. Temperature 1-11-21 96.2°F

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
934947	1/11/2021	NY	31	F	1/3/2021	1/3/2021	<p>it was debilitating for her at work; It even hurts to move the right eye in one direction and hurts to speak, the pain was so bad.; pain in right leg and bottom sole of right foot; hurts to speak; numbness right upper side of lip; pins and needle feeling right upper quadrant of face; pain and dull aching right upper side of face; right hand numbness, wasn't able to feel anything; generalized headache; generalized muscle weakness and pain; generalized muscle weakness and pain; This is a spontaneous report from a contactable other hcp (patient). A 31-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 03Jan2021 at single dose in deltoid right for covid-19 immunization. There were no medical history or concomitant medications. The patient received the vaccine on 03Jan2021 and within 15 minutes had a generalized headache. Later that night she had generalized muscle weakness and pain, but really didn't think too much about it. The next day at work (04Jan2021), she had numbness on the right upper side of her lip and a pins and needle feeling in the right upper quadrant of the face. Had a lot of pain in the area as well on the right upper side of the face as well as a dull aching pain that lasted for hours. Later that day when using the computer and she was trying to reach for her mouse she noticed her right hand wasn't able to feel anything and that lasted about 20-25 minutes. Kept slapping the mouse with her hand, but could not feel anything, her hand went numb. Yesterday (05Jan2021), she had the same pins and needle feeling in the same area of the face and that dull achy feeling and it occurred for hours and it was very kind of debilitating for her at work. Later that night she had pain in her right leg and felt the same way, that very severe achiness, which was the pins and needles feeling up and down the leg and underneath the right foot. All these symptoms tend to be on her right side and it definitely lasted for hours. It started about 1 and didn't end until 6-7pm. It even hurts to move the right eye in one direction and hurts to speak, the pain was so bad. This morning (06Jan2021) she had to call out of work because at 3am the generalized headache, pain was unbearable. She was still experiencing the pain in right leg and bottom sole of right foot. She did not receive any vaccines the same day or 4 weeks prior. No problems with vaccines in</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							past. She had made an appointment with a neurologist and will have a MRI done on Friday, 08Jan2021. No further details provided. All events required a visit to physician office. All events were reported as serious per medically significant. The outcome of all events was not resolved. The reporter considered all events were related to the vaccine. Information about Lot/Batch number has been requested.; Sender's Comments: Based on a compatible temporal relationship, causality between reported events and BNT162B2 vaccine cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.
934754	1/11/2021	FL	24	F	1/8/2021	1/8/2021	Employee felt dizzy and lightheaded. Stated she "felt like she was going to pass out." Gave her orange juice placed her in Exam room lying down took B/P, O2 and Kept Eye on her. Dr. examined her and had her stay lying down for at least 30 mins. Employee was feeling much better and left at 4:00pm with someone to drive her home.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
934906	1/11/2021	PA	57	F	12/22/2020	1/4/2021	experienced symptoms of TIA; Severe aphasia; blurred vision; confusion; short term memory loss; elevated blood pressure; This is a spontaneous report from a contactable Other-HCP(Patient). A 57-year-old female patient received first dose of BNT162B2(PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration at right arm, on 22Dec2020 08:15 at single dose for COVID-19 immunization. The patient was not pregnant. Medical history included herpes simplex on lips, post menopause, elevated cholesterol w/lifestyle changes. Known allergies reported as no. Concomitant medication included varicella zoster vaccine rge (cho) (SHINGRIX) for immunization. On 04Jan2021 08:30, the patient experienced symptoms of transient ischaemic attack(TIA), severe aphasia, blurred vision, confusion, short term memory loss, elevated blood pressure. The patient admitted to (Hospital name) (still here, hospitalization days reported as 2). Symptoms resolved except very mild aphasia. The patient had very few risk factors for TIA but did have family history of cardiovascular(CV) disease at young age, low density lipoprotein(LDL) was 192. The patient did not have diabetes, HTN, or known heart disease. She did not have severe anxiety. She did not smoke or use any substances. She walked about five miles 4x a week. Weigh reported as 157. Events reported as serious due to hospitalization. The patient had no Covid prior vaccination. Covid(nasal swab) was tested post vaccination on 04Jan2021, Covid test result was Negative. The event resulted in emergency room/department or urgent care. Treatment received for the adverse event included clopidogrel bisulfate(PLAVIX), acetylsalicylic acid (ASPIRIN), statin; potassium, CT, MRI, "telemet". The outcome of the events was recovering. Information on the lot/batch number has been requested.; Sender's Comments: The Company cannot completely exclude the possible causality between the reported symptoms of transient ischaemic attack(TIA), severe aphasia, blurred vision, confusion, short term memory loss, elevated blood pressure and the administration of BNT162B2, based on the reasonable temporal association. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RA, Agency, as appropriate.

935685 1/11/2021 VT

54 F

12/23/2020

12/27/2020

Hives began appearing on 1/27 beginning on right hand, over course of a week to, both arms from hands to shoulders. right eyelid, bottom lip, minor individual spots on belly, hip and neck. generally itchy face and ears. Use of topical benedryl only through day 8 (today), sought treatment of healthcare provider, then when hives suspected tied to vaccination, reported to Occ Health at employer, recommended by Occupational Health to add Benedryl by mouth.

936401 1/11/2021 MS

44 F

1/4/2021

1/6/2021

Wednesday 1/6: I had welts on my eye lid to the back of my scalp. I thought it was bug bite or rash. It didn't itch just sensitive to touch. I took some Tylenol. By 1/10/21, it still didn't go away and I took a Zyrtec and Tylenol. It was stinging and sensitive to touch. When I got up from my nap, I took a Valtrex before I went to work and the welts are seemed to be going down. I believe it is a shingles-like reaction to vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
935417	1/11/2021	OH	38	F	1/11/2021	1/11/2021	01/11/21 RN, the nurse in the Observation Room , called this RN (Occupational Health RN) because patient after 11 minutes in the room developed right sided head pain that radiated to right eye. She also c/o tingling in right arm from the elbow to the finger tips. AT 1348, on my arrival, caregiver c/o right hand numbness and tingling from the elbow to the fingers. Injection site in right deltoid inspected, bandaid intact; no swelling or redness noted and bandaid in an appropriate placement. Right hand with strong grasp and brisk cap refill. Arm strength strong with resistance. C/o head pain but denies shortness of breath, chest pain or swelling. Some anxiousness noted. Reassurance given. AT 1351 vital signs: BP: 101/68, HR: 69, RR: 16, Sao2 99% on room air. Headache rated 3/10 and tingling in hand/arm rated 6/10. RN left the observation room and RN in charge of patient observation. RN states at 1405 the vital signs were 102/63, 74, 16 and 98% on room air and assessed head pain at 3/10 described as dull. RN stated at 14:10, patient c/o tingling in left leg as well as right arm and head pain (2/10). RN states at 14:14 patient developed swelling in tongue but she noted that swelling was not visible. RN states there was no difficulty breathing but with the tingling in leg and arm and now swelling feeling in tongue, she administered 60mg Fexofenadine PO. Per RN BP: 123/68, HR:74, RR:16, Sao2: 99% on room air.. RN called for Occupational Health nurse to come to observation room. RN arrived at 1429 and found the caregiver slightly anxious. States headache is gone and right hand tingling is rated 2/10, leg tingling is gone, numbness/swelling in tongue is rated 4/10 and denies throat swelling or tightness. Occupational Health manager aware of situation and present with RN. AT 14:33 Sao2: 98% on room air and heart rate: 82. AT 1448, Caregiver ambulated to restroom per her request by RN. Gait is steady. When they returned at 1451, patient states the headache was gone as well as the tingling in the leg. She states the tongue numbness/swelling was rated 2/10 and right arm tingling rated 1/10. BP: 106/68, 74, 14, 100% room air. Advised patient to go to the emergency room for evaluation but she refused at this time. After letting her rest, at 15:06, patient states the tongue swelling/numbness is almost gone and the right hand tingling is almost gone. Vital signs 98/59, 68, 16, 100% on room air. Water given.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

Instructed that she will wait a little longer to see what time does for the symptoms. At 15:25, RN states that caregiver has no more numbness/swelling in tongue and the right hand tingling is very minimal . Discussed follow up with PCP regarding second vaccine and to seek medical attention if any symptoms develop after leaving the observation room. Occupational Health manager aware of all course of treatment and evaluation. :RN

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
934927	1/11/2021	MI	40	F	1/4/2021	1/5/2021	<p>Auditory &amp; visual hallucinations; Auditory &amp; visual hallucinations; tachycardia; extreme panic; confusion; felt like skin was on fire/pulsating; felt like skin was on fire/pulsating; severe pain especially at knees/hips/base of head and neck; severe pain especially at knees/hips/base of head and neck; severe pain especially at knees/hips/base of head and neck; uncontrollable vomiting; bad chills and fever; bad chills and fever; insomnia; felt as if she had been given drugs; This is Spontaneous report from a contactable Other Healthcare Professional reported for herself. This 40-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, lot number: EK9231), via an unspecified route of administration on 04Jan2021 14:30 at single dose on right arm for COVID-19 immunization. Medical history included COVID prior vaccination and latex allergy. There were no concomitant medications. No other vaccine in four weeks. The patient previously had allergic to diazepam (VALIUM), clonazepam (KLONOPIN), ondansetron (ZOFTRAN) and lorazepam (ATIVAN). The patient experienced auditory &amp; visual hallucinations, tachycardia, extreme panic, confusion, felt like skin was on fire/pulsating, severe pain especially at knees/hips/base of head and neck, uncontrollable vomiting, bad chills and fever, insomnia. She felt as if she had been given drugs. All of the events happened on 05Jan2021 01:30 and resulted in Doctor or other healthcare Recovering professional office/clinic visit. No treatment received for the events. No COVID tested post vaccination. The outcome of the events was recovering.; Sender's Comments: Based on the current available information and the plausible drug-event temporal association, a possible contributory role of the suspect product BNT162B2 to the development of events Auditory hallucinations and Visual hallucinations cannot be totally excluded. The case will be reassessed if additional information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							Investigators, as appropriate.
934956	1/11/2021	FL	32	M	12/29/2020	1/6/2021	Vesicular single dermatome rash consistent with shingles. Previous case of varicella as child with documented titer markers. No eye, face, ear involvement. Rash is located around the T6 distribution on the left.
935023	1/11/2021	MI	23	F	1/7/2021	1/8/2021	Immediately after vaccination - tachycardia, 12-14 hours after- rash and swollen eyes that increasingly worsened with time
935079	1/11/2021	NJ	68	F	1/9/2021	1/10/2021	Day 2 after vaccination I experienced severe headache, dizziness on standing, and stroke like movement in my right leg being unable to advance it normally when walking and my right foot turning so that I stood on the outside border of my foot. After sitting down I experienced visual disturbance in my right eye of blurred vision and corona of bright lines that zigzagged. These symptoms slowly resolved over the next hour, but left with extreme fatigue.
935095	1/11/2021	CA	50	F	12/22/2020	12/24/2020	I received botox and Juvederm exactly 1 week prior to vaccination. After the Pfizer vaccine I have developed a droopy left eye. The droopy eye was not present prior to the vaccination and I was 1 week post botox/juvederm injection . No other facial asymmetry noted. Following up with my primary MD about eye and to discuss my second dose which is scheduled tomorrow 1/12/2021
935132	1/11/2021	OK	65	F	12/31/2020	12/31/2020	approximately 10 minutes after taking the covid vaccine client started c/o headache, tightness in her throat, and slight difficulty breathing. She self administered her albuterol inhaler, and was started on O2 AT 4 L.at 10:16 she said that the symptoms were all gone. at 10:24 she said her throat tightness had returned, she was offered benadryl and epinephrine which she refused bc she said she had to drive home. she took benadryl po when she got home.when she got home, the left side of her face became numb, she had a headache and burning eyes. The next day she still had a little numbness on the left side of her mouth. no problems since.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
935141	1/11/2021	CA	37	F	1/8/2021	1/8/2021	COVID Vaccine #1 given to me in my left arm at 12:20pm -( I pre treated at 1140 am with 25 mg of Benadryl) At 2:25pm I began to feel a burning sensation in my chest (almost like heartburn) however I had not eaten anything. At 2:30pm I became very congested (nasal congestion and bilateral ear congestion) At 2:35pm I began coughing and could hear a wheezing sound when breathing in. -I took another 25 mg tablet of Benadryl At 2:45pm I took 20mg of Pepcid At 315 pm I went to sleep I woke up at 6:30 pm and my eyes were puffy , and my lip were enlarged and swollen. No pain or discomfort All other symptoms (chest burning sensation, coughing, congestion, wheezing) resolved. At 645pm I took 25mg of Benadryl Slept all night Woke up at 630am on 1/9/2021 and all symptoms including facial swelling, enlarged lips, chest burning sensation, coughing, congestion and wheezing had resolved.
935179	1/11/2021	MI	23	F	1/7/2021	1/8/2021	immediately after vaccination - tachycardia, shortness of breath 12-13 hours after vaccination - rash and swelling of the eyes that worsened with time
935325	1/11/2021	CA	59	F	12/28/2020	1/8/2021	Patient experienced right eyelid and cheekbone numbness following the first dose. She received her second dose 11 days after the first in error. Following the second dose, she reported cheek numbness and nausea, which had resolved when I spoke with her on 1/11/21.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
934919	1/11/2021			M	1/5/2021	1/1/2021	syncope; diaphoresis; varying HR; blurred vision; This is a spontaneous report from a contactable physician (patient). A male patient of an unspecified age received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), via an unspecified route of administration on 05Jan2021 as single dose for COVID -19 immunization. The patient's medical history and concomitant medications were not reported. The patient experienced syncope, diaphoresis, varying HR (heart rate) and blurred vision in Jan2021. The patient underwent lab tests and procedures which included heart rate: varying in Jan2021. Details were as follows: Patient received the vaccine in the morning. He reported diaphoresis, syncope, varying HR, and blurred vision within 10 minutes of receiving the vaccine. He was taken to the emergency room and therapeutic measures were taken as a result of the events; he was given fluids. The patient generally tolerated vaccines and has recovered from the episode. The events, syncope, diaphoresis, varying HR (heart rate) and blurred vision recovered in Jan2021. The batch/lot number for the vaccine, BNT162B2, was not provided and will be requested during follow-up .; Sender's Comments: Based on the information available, a possible contributory role of the suspect products cannot be excluded for the reported event due to temporal association. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators as appropriate.
935228	1/11/2021	PR	44	F	1/4/2021	1/5/2021	Strong headache, strong body aches, shortness of breath (fatigue), tearful eyes
935374	1/11/2021	TN	45	F	1/5/2021	1/5/2021	About 3 hours after vaccine severe arm pain in left arm which I expected was normal shortly after and still today intermittent vision(focus) issues and twitching of right eye with some slight right eye pain



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
935320	1/11/2021	TX	45	F	12/22/2020	1/5/2021	BELLS PALSY January 3, 2021- Slight numbness in tongue and food tasted different, pounding frontal headache at night and took Tylenol 500 mg for headache relief. January 4, 2021- The slight numbness in tongue continued and my face started to feel a little different too. I had headaches on and off throughout the day and evening. January 5, 2021- Woke up to get ready for work and noticed that my right eyelid was a little swollen and the right side of my mouth looked different. I arrived at work and my right eye was not closing properly and I was having difficulty blinking. I left work an hour later and went to ER to seek treatment. I was prescribed Prednisone and Valacyclovir for a seven day course. The first time I had Bells Palsy was in 1997 when I was 22 years old.
935305	1/11/2021	MI	38	F	1/6/2021	1/6/2021	SCRATCHY THROAT , BLURRY VISION, LIGHTHEADEDNESS. SOLUMEDROL, BENADRILY, PEPICID. 1 LITER OF FLUIDS.
935299	1/11/2021	CA	59	F	12/28/2020	1/8/2021	Patient received the first dose of the COVID vaccine on 12/28/20, and the second dose on 1/8/21 (11 days later instead of 21 days). The patient reported experiencing right eyelid and cheekbone numbness and a minor headache after the first dose. She had numbness to her right cheek again on 1/8/21 and some nausea that has resolved. I spoke with the patient on 1/11/21 and she is feeling well.
935271	1/11/2021	OK	43	F	1/8/2021	1/8/2021	Day 1 - arm soreness, Day 2 - Fatigue and face numbness and tingle Day 3 - Face numbness and tingle followed by droopy right eye and then right sided mouth drooping that comes and goes.
935264	1/11/2021	TN	75	M	1/2/2021	1/3/2021	AFTER ABOUT 14 HOURS, I DEVELOPED A BURNING UNDER MY EYES IN MY SINUS CAVITIES. NEXT NIGHT AND REMAINDER OF NIGHTS, SAME PROBLEM (SLIGHTLY LESS PAIN) JUST ON LEFT SIDE OF MY FACE. EARLY THIS MORNING, THE BURNING (IRITATION) CAME TO MY LEFT SIDE UPPERV GUM AND MY UPPER TEETH

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
935249	1/11/2021	CA	43	F	1/8/2021	1/8/2021	Severe itching (not at injection site), but on eye, forehead, and scalp. Mild itching sensation on the day of vaccination, but it got worse the next 2 days. The only medication I am allergic to is Neosporin, so I don't know if the vaccine has components of this in it.
935281	1/11/2021	AZ	45	F	1/4/2021	1/5/2021	Started to have blurry vision with my eyeglasses on then got worst in the afternoon, which I took my glasses off to avoid straining my eye to focus on my computer screen and paperwork. Vision was more blurry without my glasses but could not wear my glasses which made the blurriness worst. Had pressure behind my eyes with a mild headache along with sensitivity to light. The next day 11/05/2021, had my eyes checked by the eye doctor who indicated that everything was normal, eye pressure and response to light. He did put a numbing eye drop in my eye that made the eye pressure relieve for a couple hours but when that wore off, I could feel the pressure behind my eyes. On 11/06/2021, my eye and vision were back to normal
935415	1/11/2021		64	F	12/30/2020	12/30/2020	At 15 minutes developed abdominal pain, facial redness, heat and burning. Lasted 2 hours and self abated. On day 4 developed new onset food and flower allergies which lasted until day 10. These were lip tingling, eye swelling and redness and burning.
935234	1/11/2021	CA	43	F	1/8/2021	1/8/2021	Itching (not at injection site) on eye, forehead, and scalp. Mild on day of shot, but worse the following 2 days. The only thing I am allergic to is Neosporin, so I don't know if any of those ingredients are in the Pfizer vaccine.
932654	1/10/2021		54	M	1/7/2021	1/7/2021	Day 1 Nausea- 4 hrs after Swollen face/neck- 3 to 5 hrs- benadryl Left eye extreme blurry vision- 3 x's 2 to 5 min each Mental fog and confusion- 3 days intense, 4th day trouble with recall without intense focus Headache- 3 days intense, 4th day- moderate Elevated heartrate- sporadic first day until 6 pm Highly irritable- 2 days Incessant talking and moving
932515	1/10/2021	OH	73	M	12/29/2020	12/31/2020	Resident appeared to be jaundice with yellow skin and eyes. Resident also complained of not feeling well. Urine was dark yellow. Resident short of breath. Resident was admitted to hospital and diagnosed with post-covid pneumonia.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
932573	1/10/2021	NY	49	F	1/8/2021	1/8/2021	Approx 35minutes after vaccine i experienced sneezing ,scratchy throat and itchy yes, took Allegra with good effect. Arm soreness developed about 8 hours after vaccine, woke next morning with fever 100.9, severe body aches, headache, nausea, weakness and fatigue, decreased appetite. In addition, as the day went on I experienced a shallow cough, high pulse rate (130), tongue twitching and just felt awful. Slept on and off all day, sx lasted the entire day. Took Tylenol throughout the day for the the fever. I awoke 3:30 am today, 1/10/21 with fever 101.5, took more Tylenol, still headache and feel tongue twitchiness however muscle aches, body aches, nausea, decreased appetite and fatigue have subsided. I took 600mg Advil around 9am today and have been gradually feeling much better as of now 1:30pm. As a side note, I did have COVID 19 illness mildly in March 2020. It was dx'd with PCR testing and my sx were loss of taste/smell, nausea, weight loss, bursted eye vessel, slight respiratory sx, I recovered well and had a follow up negative test 2 weeks after. Thank you.
932590	1/10/2021	FL	49	F	12/31/2020	1/7/2021	7 days after vaccine administration, I noted a red area a couple of inches below the injection site that was itchy and warm to the touch. I kept an eye on it. When I awoke the following morning, the reddened area was larger, still warm to the touch, slightly swollen and itchy. On the 3 morning, the area was larger (roughly 10cm wide x 7-8cm tall), still reddened, swollen, warm to the touch and itching. Today is day 4 of the reaction. It seems to be about the same size or slightly larger than yesterday, and it is still reddened, swollen, warm to the touch and itching. I have applied topical diphenhydramine over the last couple of days as needed.
932611	1/10/2021	TX	75	F	1/4/2021	1/5/2021	Swelling of lower lip; itching; severe, red, swollen welts all over body; tongue itching, then some swelling; swelling of lips and chin area; eye lids swelling almost completely closed. Began 01//05 early am; progressively worsening thru 01/08. Given steroid injection at doctors office and told to take Benedryl or Zytrec and Pepcid
932624	1/10/2021	VA	43	F	1/6/2021	1/6/2021	Hives (face, neck, ribcage, stomach, arms, hands, back, legs, underarms, elbows), Swollen eyes; Swollen lips; Hard Ears; Warm Skin; Itching; Wheezing.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
932649	1/10/2021	PA	41	F	1/8/2021	1/8/2021	Approximately 11hours after receiving vaccine on 1/8/21, terrible chills and shaking began. The next morning 1/9/21 around 6am temperature rose to 100.4F. At 3pm on that same day, temperature went up to 102.6F. Took Tylenol 1000mg at that time. Continued to have terrible shaking and chills, also experienced a severe headache, eye pain, and body aches. Had diarrhea once on 1/9. Fever broke this am on 1/10/21, still feeling slightly fatigued with discomfort behind my eyes but improving from yesterday.
932500	1/10/2021	VT	54	M	1/9/2021	1/9/2021	Red swollen, burning and itchy eyes 10 hours after dose. Benadryl 50 mg taken. Eye swelling, redness, burning, itchy persisting into the next day. Another dose of medicine taken. Low grade fever, headache, fatter Tylenol 1000 mg taken
932330	1/10/2021	IN	30	M	1/8/2021	1/9/2021	Headache beginning 18:30 PM on 01/08 Following began at 03:30 on 01/09: Headache Body aches Severe muscle cramps Weakness Fatigue Chest tightness Inability to concentrate Difficulty sleeping Blurred vision Treatments: Ibuprofen 400 mg at 18:30 01/08 - headache responded Ibuprofen 800 mg at 07:00 01/09 - chest tightness had resolved spontaneously. Headache, body aches, cramps, visual disturbance, concentration, and chest tightness improved over next 4 hours Ibuprofen 400 mg at 11:30 01/09 - continued improvement of symptoms Naproxen 220 mg and ibuprofen 200 mg at 20:00 01/09 - continued improvement of headache and body ache symptoms with no return of overnight adverse events
932661	1/10/2021	MD	25	F	1/8/2021	1/8/2021	Pt. experienced mild itchiness under eyes and a "tingle" sensation in throat. Pt.'s skin color normal w/o any signs of a rash or swelling, no SOB, and no c/o nausea/vomiting. b/p 108/68, RR 20, pulse/HR 68 and regular with no arrhythmia. Pt states symptoms were much improved when she was leaving the post vaccination area. Pt. was discharged, ambulatory, and was escorted out to vehicle (driven by her sister). Sister and pt. instructed to seek medical attention immediately should symptoms return.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
932721	1/10/2021	IN	40	F	1/8/2021	1/10/2021	Woke up this morning with swollen, and extremely tender right armpit area. It is visually swollen compared to the left and is very painful. I am under the assumption this is likely a swollen lymph node post second vaccination. I have taken ibuprofen in attempt to help with pain and inflammation but does not seem to be helping much at this time. I anticipate this will improve over time.
932499	1/10/2021	MN	50	M	1/7/2021	1/9/2021	Swollen arm pit, puffy, achy, not red or warm. Noticed about 36hrs after that had ache under arm pit. Visually swollen. Took naproxen helped with pain but not swelling.
932483	1/10/2021	IN	44	F	1/8/2021	1/9/2021	I woke up the next morning 1/9/21 about 6am after receiving the vaccine the evening before, my face and mainly my eye lids were extremely swollen. Later in the day, ~noon I spiked a fever of 102.4. I had overall body aches and chills.
932467	1/10/2021	WV	45	F	12/23/2020	12/23/2020	Following day 12/24 couldn't drive with arm. 12/27, worst headache of her life with nausea and vomiting. Worse than her concussion. Lasting about 8hrs. Took oxycodone and threw it up. Went to sleep. Started getting wheeps/hives. Worsened al through new years. Took Benadryl. Hives around the eyes. 1/1 started bruising on leg and thigh. 1/5 started feeling better. Rash and bruising is gone.
932421	1/10/2021	IL	71	M	12/17/2020	12/19/2020	2-3 days after the shot , blurred vision, slurred speak, couldn't smile, it shifted up to the left, couldn't chew food, tired, sun sensitivity, tearing of eye. Stated Bells Palsey.
932416	1/10/2021	ID	28	F	1/10/2021	1/10/2021	Patient was administered vaccine at an off hospital site. Patient acknowledged anxiety prior to vaccine administration. Following administration of vaccine, paatient reported that felt tingling in both hands, followed by lightheadedness, tunnel vision, dampening of hearing; was then moved from post vaccine observation area to an exam room. Patient complained that tongue felt swollen and numb and complained of difficult breathing Patient received Epinephrine 0.3mg SQ by the Physician Assitant; ambulance then requested. Stated that she felt relieved after receiving Epi pen, but heart racing and shakiness. Evaluated by paramedics; BP134/80 HR 85 spo2 100% and transported to local ED for suspected panic attack.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
932349	1/10/2021	IN	73	F	1/7/2021	1/8/2021	Light headed at 10 min. after injection. than fine. Sore arm. Second day: Consistent headache, neck ache, pain in ears, blurry vision, nausea, numbness in lips, with labored breathing at times. This is the third day with no change. No treatment at this time. Still home waiting to see if I need to seek medical assistance.
932287	1/10/2021	KS	32	M	12/25/2020	12/25/2020	Potential Bell's Palsy 8 days post Pfizer BioNtech COVID19 Vaccine Dose #1 Per documentation from emergency department provider: 32 y/o M who comes in from home for a new onset facial droop. Pt states that this is sudden onset today. he is unsure if it is related to the recent covid vaccine but has otherwise been well. He has no recent viral sx. He has no other neuro sx. He did have some pain in the jaw at the onset but that has since resolved. CT head obtained more for the jaw pain and to ensure no mass etc. It is normal. I discussed at length with the pt that I suspect this is bells palsy as he has very minimal movement of the forehead, cannot fully blink the L eye closed and has no risk factors for stroke. I did offer him further imaging to make 100% sure this is not a stroke but he agrees that he feels he has bells palsy and declined further labs or imaging. i will have him f/u with ENT as an OP. Given return precautions and f/u with them in the office. Given first dose of steroids and valacyclovir here. He will use artificial tears and tape the eye at night. .
932093	1/10/2021	CA	53	F	12/29/2020	1/5/2021	6 cm Rash and swelling on left deltoid, chills occurred on 8th day after vaccination. chills resolved but still have rash on arm. had left eye pain occur on 9th day after vaccination that lasted for 1 day. also had left arm soreness that started 3 hours after vaccination and lasted 2 days. cold sore developed 2 days after vaccination.
932838	1/10/2021	CA	65	F	12/31/2020	1/2/2021	Vaccinated at 8 am,at about 7 pm I had site and muscle pain 12/31/20,then 48 hours I had loss of smell and taste,body aches,I was itchy all over,could not sleep that nite,I called did the Conversation at work and told me not to go to work,the next day 1/3 /21,employee health called me to get tested and tested positive on 1/4/21,I was place on quarantine for 10 days,I tried calling your office with 800 number and left my number nobody called me,I also experienced eye irritation,cough ,short of breath,low grade fever,nausea fatigue

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
932745	1/10/2021	AZ	64	F	1/7/2021	1/8/2021	the morning after the vaccine, I had a episode of blurred vision which lasted between 1-2 minutes. I was laying in bed,just awoke and opened my eyes when this occurred. the blurring was as if the room was shaking and blinking my eyes did not clear ir. I closed my eyes for a minute then my vision returned to normal. i have never experience this before or since .
932366	1/10/2021	VA	38	F	1/9/2021	1/9/2021	The patient presented with left eye peripheral visual loss, left upper and lower extremity and facial numbness sensation and weakness. This started 1 hour after receiving COVID-19 vaccine at her place of employment. Pt was brought to CRMC via EMS.
933142	1/10/2021	AZ	48	F	12/31/2020	12/31/2020	Pain at site of injection, eyes, throat, face swelling. Unclear thinking, hoarse speech, headache, hives, swelling. Intervention taken immediately. Ongoing 11 days: SOB, headaches, nose bleeds, coughing, blood sugars triple, hair falling out, major swelling, dizziness.
933179	1/10/2021	MA	37	F	1/3/2021	1/3/2021	During the first 15 minutes of vaccine administration my left ear felt blocked with a 2/10 pain. Then the left side of my face started to feel numb from the corner of my left eye to my hairline/ear and down to my chin. the numbness felt like that side of my face fell asleep. this persisted for the evening. I took Benadryl 50mg and claratin. The next day symptoms had improved but were still noticeable. I took an additional dose of 25 mg of benadryl and claratin 10mg. the following day (Tuesday) symptoms had resolved. The day following the vaccine I felt fatigue, nausea and headache. Tuesday-Friday following vaccine fatigue and headache has persisted in varying degrees
932832	1/10/2021	MO	37	F	1/9/2021	1/10/2021	I woke up this morning with swelling (angioedema) around my eyes. I took 50 mg of Benadryl and the swelling reduced, but isn't gone. About an hour after Benadryl I had some shortness of breath and dizziness that improved with sitting down. I have also had stomach cramping and diarrhea that began aroun noon. Diarrhea symptoms have improved with use of Imodium.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
932771	1/10/2021	TN	36	F	1/9/2021	1/10/2021	<p>Syncope at approximately 5:20am this morning. I had been awake and active for about 30 minutes getting ready for work. As I was walking to my kitchen, I suddenly became very dizzy with blurred vision, tingling hands, nausea, ringing in my ears, and I felt like I was going to lose control of my bowels. I became very weak in the legs and I made it to the couch before I fell. Episode lasted approximately 2 minutes. As I laid down, my symptoms recovered. My husband gave me some juice and toast. After about 20 minutes, I got up and was able to walk without symptoms. I felt perfectly normal prior to this event. Last night, I ate a full dinner and drank about a liter of water. This event did not seem to be precipitated by hypoglycemia or dehydration. For the rest of this day, I have felt normal.</p>
933170	1/10/2021	MA	34	M	12/30/2020	12/31/2020	<p>0-14 hours: pain at injection site but no other notable symptoms. 14-18 hours: headache, muscle aches, joint aches, fatigue, increasing pain at injection site (without swelling or redness at injection site) 18-30 hours: headache, joint, and muscle aches, fatigue, with severe pain at injection site, fever of 99.6, chills, drenching sweating, puffy eyes, rash on torso and legs. 30-48 hours: all previous symptoms except puffy eyes and rash reduced with benadryl 48-60 hours: all previous symptoms. Fever increased to 100.4 F, Puffy eyes and rash returned more severe. Took benadryl and they reduced in severity. 60 hours: reduction in all symptoms. No more fever. Pain in arm reduced from severe to very mild (only noticeable if palpated). Only remaining symptom is fatigue.</p>
933069	1/10/2021	NM	37	M	12/21/2020	1/4/2021	<p>Facial weakness (left side), lip paralysis (left side), decreased sense of taste, eye leakage (left side), facial tingling (left side). Onset 1/4/2021 with symptoms worsening through the week. Noticeable lip paralysis starting on the afternoon of 1/10/2021. 2nd vaccine received at 8:00AM on 1/10/2021.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
933061	1/10/2021	AK	40	F	1/6/2021	1/7/2021	I received my 2nd dose around 11:15am on Wednesday. Approximately 6 hours after getting the shot I started feeling tired and a couple hours after that I felt crummy and the chills started. Mine weren't nearly as bad as some others have experienced. I didn't sleep well that night and woke up with a mild headache and body aches. Approximately 10AM on Thursday I noticed I had swelling in my upper lip and later my jawline with slight numbness. My eyes started feeling puffy that evening, approximately 6:30pm, and the symptoms began to improve after taking a Benadryl around 7:15pm. The swelling and numbness didn't seem to move down towards my throat nor did I experience any difficulty breathing or swallowing. I sl
933060	1/10/2021	MD	42	F	1/8/2021	1/8/2021	At 12:35 patient complained of feeling dizzy, light headed, nauseated and of having difficulty moving her arms or opening her eyes. She was diaphoretic at the onset of symptoms she was able to follow commands and answer questions but that became increasingly difficult. Symptoms worsen and patient started to vomit. Ambulance was called but patient refused to go with them. Felt better approximately 40 minutes after being vaccinated. Left accompanied by her husband.
933045	1/10/2021		25	F	12/30/2020	12/30/2020	(Written next day) Patient stated that shortly after receiving the vaccine approximately 30-60 min minutes later she started to feel swelling in her face as well as her lips. She took a photo of this and showed it to me today and well. The swelling around the eyes seemed minimal. Her lips were swollen. She also notes that she felt tired and had a mild shortness of breath where she felt more comfortable sitting up. She states these symptoms have somewhat improved, though she has been experiencing increasing nausea since yesterday and continues to feel that way. She states that she does not believe she is pregnant, she has an IUD. She also noticed some body aches yesterday, continuing this morning, but they seem to be improving. They do improve greatly with ibuprofen at home.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
933033	1/10/2021	NY	60	F	1/7/2021	1/7/2021	Chills, extreme weakness, and excruciating bone and muscle pain, diarrhea lasting 48 hours. Improved with Meloxicam. The keratitis flared up. Developed keratitis after the first dose on 12/17/2020. Lot EK5730. The keratitis presented with dry eyes, photophobia and reduced reading ability. I am treated with steroid drops and artificial tears.
932994	1/10/2021	MI	28	F	1/8/2021	1/8/2021	Friday (1/8/2021) day of vaccine Weird taste in my mouth and headache with a flushed feeling Saturday (1/9/2021) congestion and a slight runny nose, and watery eyes, and fatigue. Sunday (1/10/2021) very fatigued and around aprox 6pm after getting home from work and out of the shower i noticed the right side of my face was kind of numb. Kind of the same feeling you would experience when you go to the dentist and they give you a shot to numb the are.
932986	1/10/2021	WA	19	F	1/9/2021	1/10/2021	I woke up this morning (approx 18 hrs post injection of my 2nd dose) feeling some myalgia, joint pain (perhaps 7/10 on a pain scale) and fatigue. I was able to work out (exercise bike 30 mins) and shower despite the pain. Then, around noon today (nearly 24 hrs post injection) I began feeling increasingly dizzy and warm. I stood to go to my bed and lost consciousness and collapsed. I was only unconscious for perhaps 15 seconds. I woke up feeling very shaky and cold and breathing rapidly. I was able to slow my respirations. My skin on my face and hands was very pale (lips were whitish blue). My housemate had called 911 for me: FD showed up and took a couple sets of orthostatic vitals. My BP when seated on the floor was around 110/80, pulse 80, and my BP when standing was around 90/70, pulse 100. I was able to walk to the bed without help so I decided to stay home and just hydrate, sleep, and keep a close eye on things. Now (1620, around 4 hrs after passing out). I still feel lots of soreness, but only very minor dizziness.
932816	1/10/2021	GA	50	F	1/6/2021	1/6/2021	Severe headache nonstop, at the front and back of head, eyebrows, and around the temples
932970	1/10/2021	TX	64	M	1/7/2021	1/8/2021	Headache, soreness of eyes, fever, chills, mild nausea, one episode of diarrhea, fatigue, slowing of cognitive function.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
932917	1/10/2021	CO	51	F	1/7/2021	1/7/2021	1/7/2021 at 1230 I began experiencing SOB, assumed it was asthma, 2 puffs of albuterol taken. At 1330 still SOB with chest pressure/tightness, no change, no cough, no feeling appropriate, 2 puffs albuterol. At 1415 reported to the vaccination clinic and told them of symptoms, SOB with movement, and general pressure in the chest. 2 Tylenol taken. I was required to check into the ER for Observation. oxygen saturation checked for 2 hours. no change in symptoms, no worsening. I then left work in the ER and went home. At approx. 1800 ate dinner, no real taste, but needed to eat. At 1830 showered, 2000 to bed, just feeling malaise. continued pressure in the chest and general soreness. 2 Tylenol Through the night I slept very poorly, tossed and turned, woke frequently. Body and joints with extreme pain everywhere it touched the mattress. I have a screw in my left foot, it felt like it was on fire at some point during the night. My left leg ached up into my hip. On the morning of January 8, woke approx 0800 with a temperature of 99.9, pain in all my joints, back and up into neck, headache, and nausea. Took 2 Tylenol, 3 ibuprofen, and 4 mg Zofran. 1200 symptoms began to lessen and felt like I had the flu, still sore, but less severe. 1300 - 2 Tylenol Slept better, just sore January 8 night. January 9 - 2 Tylenol in the morning, sore everywhere, right arm site sore, headache, eye pain, intermittent nausea. 2 more tylenol around 1800 January 10, 2 tylenol 0900, remain sore but lessening, headache and eye pain continues, intermittent nausea
932859	1/10/2021	WA	29	F	1/4/2021	1/5/2021	Fever starting 12 hours after injection and lasting 7 days, ranging from 99.1-101.1. Facial swelling (under and around both eyes), starting 12 hours after injection and lasting 7 days. Increasing in severity. General fatigue and weakness starting 6 hours after the vaccine and lasting 7 days.
932835	1/10/2021	CA	50	F	1/10/2021	1/10/2021	15 minutes after vaccine patient was very sleepy. VSS patient became progressively sleepy and c/o eyelids and tongue with slight swelling. transported to ED via wheelchair

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
932778	1/10/2021	PA	51	F	1/9/2021	1/9/2021	Allergic reaction 10 minutes after injection. High BP 171/110, chest tightness, eye swelling, left back of shoulder, neck, face pain , moderate severe headache. SOB.
932974	1/10/2021	MN	66	M	1/7/2021	1/8/2021	Vaccine given 1-7-21 @ 3 PM. On 1-8 around 10 AM started to feel hot, got chills around 1 Pm. Eyes felt hot with shaking. Subsided around 3 PM. Felt fine. On 1-9 while at home around 10 AM my stomach growled and I stood and had explosive uncontrolled diarrhea. One bout. Felt perfectly normal since.
932791	1/10/2021	TX	33	M	1/10/2021	1/10/2021	Sore right eye prior to vaccination and stuffy nose prior to vaccination. Headache (6 out of 10) and runny nose started after receiving vaccine. BP 145/89 HR \=76 O2=96% and Temp=98.6F at 1:55pm. BP 142/89 HR=67 Temp=98.6F, O2=96% at 2:05pm. Patient reports having allergies prior to receiving vaccine, but nose started running excessively after receiving the vaccine. Vision started to blur in right eye. Offered patient to go to ED, but he didn't feel the need to. He will contact his physician, if necessary. Patient clinically stable. Patient released from clinic at 2:18pm.
932773	1/10/2021	SC	34	M	1/8/2021	1/8/2021	Nausea, vomiting, fevers, chills, myalgias, arthralgias, severe fatigue, severe headache, muscle stiffness, blurred vision, dizziness,
930911	1/9/2021	NJ	43	F	1/8/2021	1/8/2021	Tingling in right arm that radiated up to cheek and eye

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
931486	1/9/2021	WA	39	F	1/9/2021	1/9/2021	Reported feeling onset of dizziness, right side of eye vision change, flushed, and clammy about 7 minutes after dose #2 of vaccination. No hx of adverse vaccine response. Only seasonal allergies. High-risk pregnancy at 25 weeks. Hx of feeling dizzy when she gets up suddenly, otherwise, no other medical issues. V/S taken over 45 minutes with noted decrease in BPs which was not normal for her. Apple juice x3 given at increments of 15 minutes and finished 1 bottle of water. Reports feeling better and then s/s returned. States she feels tired during episodes and back to normal. Advised to be evaluated in ED since her drive was more than 55 minutes away from hospital. Agreeable and was transported to ED for observation. B/P: 9:51 110/58, 10:09 92/58, 10:25 91/49 HR: 9:49 63, 9:59 80, 10:09 80, 10:25 80 SpO2: 9:49 99, 09:59 99, 10:09 99, 10:25 97 No other interventions given. Wheeled to the ED, room 505 at 10:41. Report given to RN.
931467	1/9/2021	PA	55	F	1/5/2021	1/7/2021	Left arm sore from shoulder to fingers day after the injection which was expected. At around 12:00 PM on 2nd day after injection (1/7) pain went up neck and entire left side of head. Left eye pain/heaviness. Sensitivity to light and noise. Had to take Motrin 800mg. Still present on 1/8 but less severe. However at 12:00 PM on 3rd day after injection (1/8) developed pain/numbness/tingling in left leg. Called PCP office and was instructed to take Tylenol and/or Motrin and to go ahead with 2nd injection. ? hemiplegic migraine?
931436	1/9/2021	CA	45	F	1/8/2021	1/8/2021	Patient stated she was experiencing blurry vision, nausea and dizziness approximately 10minutes post vaccination. Vitals were stable BP 137/87 P. 72 SpO2 99% Patient was provided cold compress and monitored for an additional 20minutes. Patient's s/s resolved. Patient stable.
931576	1/9/2021	FL	42	F	1/5/2021	1/5/2021	My right upper eye lid kept twitching for 5 minutes then it stopped. Then after 2 hours kept twitching for ten minutes then it stopped.
931433	1/9/2021	IL	28	F	1/7/2021	1/8/2021	Joint aching. Muscle aching. 7/10 headache behind eyes. Chills. Fatigue.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
931432	1/9/2021	FL	34	F	1/5/2021	1/5/2021	At around 11:45pm tingling started in my left eyebrow. I thought there was something in my eyebrow and after time of wiping it a few times I went to look into the mirror and realized that nothing was there. about an hour later I got a drink and a snack to eat and I realized I had a numb sensation in the left corner of my lip. As a nurse I went though the signs of a stroke with 2 other nurses I called. Everything was normal other than that sensation. Thinking I was just overly tired I went to bed. When I woke up the next day I felt okay until I went to drink some coffee and the numb sensation in my corner lip was still there. Now I was concerned and called employee health and was instructed to go to the ER to rule out a stroke. I followed employee health's instructions and went to the ER. I was diagnosed with facial paresthesia and discharged with instructions to come back if symptoms got worse. Symptoms persisted all day and around 7 I called my mom on video chat to show a visual facial twitch on the left side of my face. right after I got off the phone with her the left side of my face drooped and my fiancé immediately drove me to the closest ER. I was seen immediately and they decided to admit me. They did labs and head CT. They admitted me to labor and delivery because there were no other rooms. The next day I was seen by a neurologist and many doctors.
931437	1/9/2021	CA	53	M	12/30/2020	12/30/2020	Complaint of racing HR, no other symptoms, no SOB. Verbalized feeling nervous/anxious with some vision changes. PMH: HIV+ and hyperlipidemia. 0735: HR 110, BP 125/80 L arm, RR 17. 0740: HR 98. Did not take am medications, no breakfast or water, only 2 sips of coffee. Gave him water and he stated feeling better at 0800 and left site and stated partner would drive him home. No treatments administered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
931495	1/9/2021	OK	50	F	1/7/2021	1/8/2021	01/08/21 03:30am Body Aches, 04:00am Chills, 05:00am hands and feet swollen and headache, nausea and head congestion/sinus congestion, eyes hurt and bright red. 07:00am temp 99, took Tylenol 1000mg. 10:00am weakness and severe body aches and difficulty getting out of bed and almost fell several times and reported skin hurt. 2:57PM temp 102.7, took Tylenol 1000mg and Motrin 800mg , 06:00pm temp 100.4 took another 1000mg Tylenol and continued with sympoms through the night and woke up around 3:30am 01/09/2021 soaking wet with sweat. 01/09/21 1:50pm continues with mild body aches and moderate headache.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
931602	1/9/2021	PA	31	F	1/8/2021	1/8/2021	10:47a went into a room to wait for 15 minutes directly after the injection. Began to feel somewhat dizzy right afterwards. Continued back to my office. Informed my supervisor that I was feeling dizzy but informed him that I had a couple bites of oatmeal, and a few cups of coffee and was going to try and eat something and hydrate and I?m sure I would feel better. I went back to work for about an hour (I work at a desk). For about an hour I continued to feel dizzy and noticed I was cloudy and was staring off. After an hour I really became dizzy and walked to my supervisors office and informed him. It felt as though I was walking on the moon to get to his office. I also felt like I had a uti. I sat down in his office and informed him of what happened. As I was talking to him I began to pass out. I did not go out the whole way but he began speaking to me more. After feeling a little better I walked back over to my office. I felt waves of dizziness and being hot and cold. My husband came and picked me up around 1:30p from work. I felt better after getting in the car and going home. Once I was home I ate and had began to feel better. Around 6:00p I began to go through another wave and was experiencing body aches, hot and cold sweats, loss of appetite, tingling all over my body but mostly in my legs and feet. At that point I went in and laid down in bed for the rest of the night. Probably around 9:00p I began to feel better. I attempted to fall asleep around 11:00p but when I closed my eyes I felt like they were racing back and forth. So I got back up and watched something in tv until I fell asleep maybe about 30 minutes later. I woke up the next morning around 8:45a. I tossed and turned most of the night, however I felt better. It was like I had the flu for a few days and on the last day I felt better but was under the weather. At this point in the morning I was fatigued. I was able to perform some tasks around the house. I then laid back down in bed for a few hours because I was beginning to feel dizzy and was experiencing hot and cold sweats. After a few hours I got up from bed and performed a few more tasks around the house. Then was able to sit down on the couch and watch some tv. At this point I?m still expediting tingling in my body at times. Still a little dizzy but able to focus and hot and cold sweats.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
931545	1/9/2021	ME	47	F	1/6/2021	1/8/2021	High fever ( highest 102.6 within 72 hrs. ). Took Tylenol (100mg every 8 hrs and 400 mg of ibuprofen every 3 hrs starting at 10:30 pm on 1/8/21. Severe arm pain for 24 hrs. Nausea, body aches, chills, swollen and painful lymph nodes in neck, blurry vision (first 48 hrs), skin sensitivity, loss of appetite, and moderate to severe joint pain. Also some behavioral issues ( irritability, anxiety).
931577	1/9/2021	TX	50	F	1/7/2021	1/7/2021	Since administration - Chest pain, Shortness of breath, blurred vision, headache, nausea, and chills
931591	1/9/2021	IN	33	F	12/18/2020	12/18/2020	Headache, extreme lethargy, full body hives, eyes swollen . Symptoms lasted for about 48 hours.
931596	1/9/2021	OH	34	F	1/7/2021	1/7/2021	Arm was bruised and tender to the touch approximately 3-4 hours following vaccine. Started feeling dizzy around 8pm on 1/7/21. Took PM meds and went to bed. Awoke around 3am with a temp of 103, joint aches, muscle aches, chills, congestion, eyes very dry and itchy, severe headache/migraine with photosensitivity, fatigue on 1/8/21. Left arm was swollen, hot to the touch and very tender to move it. Took Tylenol and Benadryl to help relieve symptoms. Put a heating pad on injection site. Felt about the same all day so I rested. Went to bed around 10pm on 1/8/21. Woke up around 4am on 1/9/21 and my temp was 99.7 prior to taking any meds and after about 20 minutes of being out of bed. On 1/9/21 I still have arm tenderness and bruising, fatigue, headache, left eye redness to upper eyelid with swelling, temp has been running at 99.7 and it?s currently 4pm EST.
931423	1/9/2021	LA	71	F	1/8/2021	1/8/2021	Approx 10-15 mins after I experienced a cloudy vision for a few seconds, after rapid blinking 10-15 times vision returned at the same time I felt a tightening of muscle or spasm sensation starting from behind my right ear moving around the base of my head to the middle this tightening sensation was very alarming and after getting stronger I alerted the nurse who monitored my condition and had me to stay longer than the 30 mins required. I felt not myself after reaching the lobby and sat a little while there. Once home took tylenol and rested for while woke with horrible headache including the next day.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
931050	1/9/2021	MI	58	F	12/30/2020	1/1/2021	1/1/21 minor lip swelling. Took 1 dose of Benadryl and it resolved within 2 hours. 1/2/21 minor eyelid swelling . Took 1dose of Benadryl and condition resolved overnight. 1/4/21 significant lip swelling. Took 3 doses of Benadryl. Condition resolved in 24 hours.
931628	1/9/2021	MD	24	F	1/8/2021	1/9/2021	awoke at 2 am with nausea, chills, generalized pain. Immediately felt myself start to pass out or have a seizure- I am not sure which. Family member reports my eyes were open with absent stare however I lost consciousness, <60s. My right calf was in a severe muscle spasm as soon as I became conscious which leads me to believe I had some convulsions. Nausea chills and generalized pain persisted throughout the rest of the morning. Stopped around 10 am and turned into pounding headache and fatigue. Additionally my left arm is in moderate to severe pain (not like the typical soreness I get with the flu shot). I am in significant pain moving my arm, but also changing body positions while keeping my shoulder still and close to my body (bending over, scooting over in bed).

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
931624	1/9/2021	MO	32	F	1/9/2021	1/9/2021	1352 - Pt reports upper lip swelling, unable to see on visual assessment, BP-141/92, 100% on RA, T - 98.1, HR - 91, RR - 16. Given 25 mg of oral benadryl per this RN per vaccination clinic standing order. 1403 - Pt reports feeling no change from initial report but does note "some finger tingling". 92% on RA, HR - 88. 1410 - Discussed taking a 2nd 25mg dose with patient. Will hold at this time, she states "my hands normally feel puffy when this gets worse but they feel normal now". Pt reports upper lip swelling feels "puffy" but unchanged from initial report. 1418 - Pt reports upper lip swelling increased, BP - 140/85, HR - 80, RR 16, 100% on RA, 25mg of oral benadryl given. 1423 - Pt reports upper lip "puffiness" with slight improvement, new c/o upper back itchiness, no rash or hives visualized on assessment 1428 - Pt reports improvement to feeling of "puffiness", back itchiness remains the same, and pt "feels sleepy" 1438 - Pt reports resolution of upper lip swelling and says "It feels like when I came in", slight back itchiness still present 1448 - Pt reassessed 30 min post 2nd dose of benadryl, pt reports complete resolution of all symptoms, BP - 135/79, T - 98.2, RR - 14, HR - 78, 100% on RA Discussed transportation with patient prior to providing 2nd dose of Benadryl, Pt home via private vehicle with mother (driver) and partner. Educated patient to call nurse on call number with any further concerns or if symptoms resume.
931532	1/9/2021	TN	66	F	12/27/2020	12/27/2020	45 minutes after vaccination, I had swelling of my upper lip, mouth, face cheeks, eyes, forehead, scalp. At home I began taking antihistamines to reduce the swelling and itching. Symptoms continued for 8 days, reducing in severity each day.
931093	1/9/2021	PA	23	F	12/31/2020	1/7/2021	Axillary pain started on day 4 (1/4) after vaccine and continued until day 7 which was so bad I could not sleep or move that arm. Took 1 Aleve for the pain. Then on day 7 axillary pain went away and a rash started to form on arm where vaccine was given. Day 8 rash spread at was bright red. Around noon on day 8 hives popped up next to left eye. On day 8 did a virtual doctor appointment and the NP prescribed antibiotics because she said the "rash" is cellulitis. At this time took zytac to help with the hives.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
931644	1/9/2021	IN	51	F	1/7/2021	1/8/2021	Fever, chills, profuse sweating, tremors, body aches, headache, teeth pain, eye pain, nausea, diarrhea, fatigue, coughing
931964	1/9/2021	IL	30	F	1/8/2021	1/9/2021	severe body aches, swollen and painful lymph nodes in both armpits and bilateral neck, achy joints and muscles, headache, achy eyes, extreme tiredness, itchy all over and swollen, painful and itchy injection site.
930925	1/9/2021	WA	36	F	12/22/2020	12/22/2020	25 minutes after receiving vaccination ascending numbness of left half of tongue (ipsilateral to location of vaccination site) with associated moderate headache. No tongue swelling or weakness. No breathing difficulty. This was followed by left arm numbness and mild left leg numbness. Left-sided paresthesias /numbness resolved within 3 hours of vaccination. The severity was mild-moderate without there ever being complete loss of sensation. No vision problems or weakness.
930928	1/9/2021	HI	34	F	1/8/2021	1/8/2021	Within minutes after taking the vaccination I started to have a little bit of a heavy breathing heart beat racing high blood pressure sweating headaches, sensitive sight fever. Paramedics, doctors, National Guard, nurses, all came to try to help me and my blood pressure was raising high at about 160/100 or something like that, heartbeat was at 1:52 after an hour of vaccination throat started closing in itchy eyes and wheezing was rushed to Kaiser to get an antihistamine IV and famotidine
930929	1/9/2021	NE	28	F	12/21/2020	12/26/2020	Dizzy, lightheaded, vertigo, nausea, vision out of focus, unable to walk straight and have to stabilize myself on the wall. I have had 6 episodes lasting 3-24 hours. It has been over 2 weeks (since 12/26/2020 - now).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
930934	1/9/2021	MN	47	F	1/6/2021	1/7/2021	1/6/2021 day of vaccine pink, swollen injection site at bedtime. 1/7/2021 0200-Both eyes, lips and face very swollen with moderately swollen hands. Sore arm. 0815-Temp 99.9 scan. Swelling continued, coworker noticed my eyelids and under eyes swollen (rest of face was masked) 0845 1 gm tylenol and 600 mg ibuprofen. Drank lots of fluids. 1100 98.0 scan 1300 99.0 perspiring, malaise. Eyes still swollen, hands still swollen. Lips and cheeks normal. 1600 chills, fatigue. Drank lots of fluids. 1gm tylenol. Swelling of face resolved. 2000 went to bed early, tired, malaise. Hands mildly swollen. 1/8/2021 0815am 98.3 scan. No swelling. Moderate headache, malaise. Took 1 gm tylenol and 400mg ibuprofen. Noon-felt better, but very tired. 1600-arm mildly sore, no other symptoms. 2000- no return of symptoms 2345- no return of symptoms
930937	1/9/2021	MI	41	F	1/8/2021	1/9/2021	Itching palms ears head and eyes itching then escalated to itching all over and swelling
930950	1/9/2021	MT	58	F	1/7/2021	1/7/2021	Bad headache, dizzy, blurred vision, nausea, very tired. vomiting.
931129	1/9/2021	CO	66	M	12/31/2020	1/3/2021	Both eyes became very itchy on Saturday January 2. Sunday morning January 3, my left eye was very red. Both eyes very dry and itchy. By noon Sunday, left eye redness gone. Both eyes itchy. Monday the 4th, itchy gone but both eyes very dry. By Wednesday the 6th all back to normal. No other symptoms related to vaccination during this period.
930998	1/9/2021	MD	25	M	1/8/2021	1/8/2021	Became pale and lightheaded. Vision faded to almost completely black, but was remedied by lying down. After lying down I heard a static/white noise sound in my ears that progressively got louder. It hit a peak volume then slowly started to get quieter until it went away. Muscle soreness in injected arm.
931402	1/9/2021	PA	29	M	1/8/2021	1/8/2021	12 hours after second dose of Pfizer vaccine, I began to experience muscle aches that grew in severity over the next 8 hours. I also developed a fever and headache with bilateral eye pain and pressure. I was unable to sleep due to the pain as it was quite severe.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
931173	1/9/2021	TX	63	M	12/31/2020	1/5/2021	Patient developed 3rd cranial nerve palsy on right eye. Pt had a CT and reports no aneurysm or abnormalities.
931187	1/9/2021	FL	65	F	1/9/2021	1/9/2021	Within 45 min of injection: redness/ flushing both sides of nose & chin; cheeks; numbing sensation at lower jaw/ base of face; as I massaged my jaw, the numbing sensation moved upward to ear/cheek bone to forehead and towards eye socket; some headache.... mostly face stuff mainly on left side which is side where shot given. 2.5 hours later, some numbness going away but still present.....especially in left cheek at eye and left forehead....mainly left side of face.
931289	1/9/2021	MI	29	F	12/29/2020	1/5/2021	Client reported that on 12/30/2020 noted dime size red area around injection site then on 12/31/2020 noted golf ball size now was itchy and warm to touch then reported went away. On 1/5/2021 woke up with a red and swollen, hard area in same area that was itching and warm to touch. On 1/6/2021 Contacted Urgent Care and was seen and given Bactrim x10 days and instructed could put ice pack on area and to not receive dose #2. On 1/7/2021 noted area now looked like "bulls eye" reporting red in middle then white then red ring around it. Reports on 1/8/2021 area has faded, still see some redness with red border but no "bulls eye." Denied ever running a fever, having pain or overall ill feeling. Is currently on 10 days of Bactrim and Ibuprofen 600mg 3xdx2 days as directed by Medical Director. Client did take Benadryl on 1/6/2021 to help with itching and reported "it did help." Client will continue to follow up with her PCP at Medical Clinic as needed. No other issues reported at this time.
931295	1/9/2021	FL	37	F	1/3/2021	1/3/2021	After a few minutes of administration, I felt tingling down my right arm, my right side of the face, and my tongue. My eye started to hurt with pressure. The tingling in my arm and hand went away after 30 minutes or so but there was still some tingling of my face, tongue and the pressure of the eye still remained. That night I took a Zyrtec and felt better for a few days. on 1/8 I started to feel tingling in my tongue and pressure in my right eye again. I took Zyrtec that night and it went away. Currently this morning I feel okay and hope it wont come back.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
931330	1/9/2021	OR	47	F	12/31/2020	12/31/2020	employee received the vaccine 12/31/2020. 15 minutes later she stated she felt very sleepy. Stated it was hard to keep her eyes open. She was observed for 30 minutes and sent home. Telephone calls to her during the day indicate she felt sleepy until late afternoon. She stated she felt sleepy for the rest of the afternoon. She stated she woke next day feeling fine.
931353	1/9/2021	WI	42	F	1/8/2021	1/8/2021	The patient developed a raised linear pattern of hives on her left forearm - measuring approx. 2 1/2" in length with erythema along with an area of raised erythema close to her left wrist - palmar Aspect. Received Benadryl 25 mg syrup po at 1427. Vitals at 1438 = P 125, B/P 195/119, O2 Sat 99% on RA. At 1438 patient noted with Raised linear hive with surrounding erythema approx 3/4" long above (L) eyebrow. Given Benadryl 25mg syrup po. at 1438. Vitals repeated At 14:35 patient assessed. No swelling noted of lips, tongue or elsewhere in mouth. Talking without difficulty. Swallowing + breathing without problem. Cardiac - S1S2 RRR. 0 murmurs noted. Chest - CTA Bilat + NL. vitals repeated at 1445 and B/P 179/116, HR - 63, O2 sat 98% on RA. vitals repeated at 1500 and B/P 167/100, HR 64, O2 sat 98% on RA. Patient reporting B/P at Baseline. By 1500 on 1/8/2021 All raised erythematous areas above Right eyebrow, on left wrist + Left forearm resolved. Patient reporting to feeling better. vitals repeated @ 1525 and B/P 175/103, HR 52 and O2 sat 95% on RA. Patient remains Asymptomatic, no new hives or red patches noted. Breathing without difficulty. No swelling of lips, tongue or elsewhere in mouth observed. Answering questions appropriately. Patient met with unit supervisor and given the "ok" to return to unit. It was explained to patient that should her symptoms return to notify unit nursing staff + seek medical care.
931367	1/9/2021	CO	54	F	12/18/2020	12/19/2020	Dose 1 - headache mild 12 hours Dose 2 - foggy brain, sore eyes within 6 hours, severe headache, temp 101.2, myalgias within 10 hours lasting for 18 hours and fatigue lasting 48 hours
931384	1/9/2021	MD	29	F	1/8/2021	1/10/2021	About 5 minutes after receiving the injection I had a headache, my ears got hot, i felt nauseous and my eyes turned red. Today my arm is swollen and painful.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
930989	1/9/2021	MD	26	F	1/8/2021	1/9/2021	0530 - woke up. nausea, dizziness, malaise, generalized significant joint and muscle pain. Unable to stand. 0535 - crawled to Bathroom in case of vomiting, tried to stand and had near LOC (vision completely black, only able to hear), dizziness, nausea, tingling and loss of function of hands/feet acc. by extremities twitching, hyperventilating, cold sweat. 0555 - husband helped me downstairs with plan to go to ER, but I refused and wanted to sit down. violent body shakes, nausea, hyperventilating, chills, dizziness. Ear temp 98.8. Was covered in blankets and drank ~8oz water. 0630 - body shakes stopped. mild waves of nausea/generalized malaise and muscle pain/lightheadedness continued. 0730 - same symptoms, ear temp 100.1. Removed some blankets 0800 - ear temp 99.8, chills, lightheadedness, mild headache.
984987	1/9/2021		55	F	1/7/2021	1/7/2021	Diarrhea Bilat eye puffiness, right sided head congestion, nasal drip and diarrhea; lethargy last night; resolved.
977484	1/9/2021		30	F		1/5/2021	BlurredVision NauseaVomiting & Syncope Narrative: 15 minutes after vaccine was given, employee reported visual changes and nausea. Then she lost consciousness for several seconds while seated. Emergency response team was called, no treatment was provided except supportive care and ginger ale when she regained consciousness. She was placed on cardiac monitor and observed for 30 minutes, initial HR was in 50's sinus bradycardia and BP 102/62. No further issues after 30 mins of observation time and employee was released to return to work. Employee reported having a similar reaction after giving blood in past.
977986	1/9/2021		62	F	12/30/2020	12/30/2020	Confusion, Headache, Myalgia, fatigue, chills Narrative: Felt "loopy" with sharp vision initially. Over 3 day period developed varying degrees of chills, headache, muscle aches. Fatigue on first day.
978043	1/9/2021		63	F	1/4/2021	1/5/2021	Angioedema Right eye swollen shut and tearing within 24 hours, now resolved Narrative:
981509	1/9/2021		34	M	1/4/2021	1/4/2021	ErythemaMultiform, UrticariaPruritus, Itching eyes and lip Narrative: Allergic to foods. Started with itchy eyes and bottom lip. Progressed into itchy hands and neck. Monitored vitals and had pt stay 30 mins.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
981579	1/9/2021		49	F	12/29/2020	12/29/2020	BlurredVision, Myalgia, Arthralgia, Fever, red painful eye diagnosed as nodular episcleritis Narrative: Took Tylenol 500mg, 1000mg BID
981589	1/9/2021		61	F		12/30/2020	Headache, UrticariaPruritus, facial tingling and allodynia, shooting pain into right eye and teeth Narrative: self treated with rx gabapentin 200mg once then 100mg qhs for 4 nights
981806	1/9/2021		57	F	12/30/2020	12/31/2020	BlurredVision States she awoke w/cloudy vision, which has now cleared; feeling hot/cold; denies fever but had chills; Narrative: States she had COVID in July/2020 and felt these same symptoms; states her worse issue is that she feels exhausted; no appetite, not eaten last 24 hours; advised to go to nearest ER if condition gets worst; states she is taking tylenol alternating with ibuprofen as needed;
954162	1/9/2021		59	F	12/30/2020	12/30/2020	BlurredVision, Dizziness, Palpitations, Tachycardia, "throat tightening" Narrative: Patient with tachycardia, dizziness, blurred vision and throat tightening. Evaluated in ED. Benadryl IV
982187	1/9/2021		41	F	12/28/2020	12/28/2020	Headache, NauseaVomiting, L arm soreness, fatigue, 1/3/2020-L eyelid drooping and now inflamed L breast cyst that was previously stable for 4 years
1001234	1/9/2021		45	F	1/6/2021	1/6/2021	Headache NASAL DRAINAGE, HEADACHE, FLUSHING, CHILLS, FATIGUE Narrative: ABOUT 30 MIN. AFTER VACCINATION, PATIENT BEGAN TO FEEL OFF-BALANCED WITH A MILD HEADACHE ABOVE THE RIGHT EYE. FOREHEAD WAS FLUSHED, WATERY EYES, RUNNY NOSE, FATIGUE AND CHILLS. LEFT UPPER ARM IS SORE, MORE NOTICEABLE WITH MOVEMENT. AT TIME OF REPORT, PATIENT CONTINUES TO HAVE RIGHT SIDED HEADACHE, SORE UPPER ARM, CHILLS AND FATIGUE.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
985155	1/9/2021		39	F	12/24/2020	12/24/2020	Headache 12/24 dizziness, lethargy 12/26-12/27 itchy dry eyes 1/1 headache, 1/5-1/7 dry white pus around eyes Narrative: 12/24 afternoon 15-20 minutes dizziness, slept a little bit. 12/26-27 itchy eyes hx of dry itchy eyes, but reports not like this. 1/1 headache for 4 hr, back neck usually never have a headaches. 1/5-1/7 dry white pus around eyes. Instructed to call covid hotline for rule out. 1/7 Covid result negative. RN will follow up.
990748	1/9/2021		38	F	12/23/2020	12/25/2020	BlurredVision, Headache, CoughWheeze, Hypertension, Syncope, shortness of breath
991241	1/9/2021		66	F	12/22/2020	12/22/2020	SkinRash & Diarrhea Narrative: Hives general systemic, head, palms, right eye lid, back, abdomen. Hives continued to pop up for the next four days.
991247	1/9/2021		46	F	12/23/2020	12/27/2020	Right eye twitching
991611	1/9/2021		57	M	12/30/2020	12/30/2020	BlurredVision, Dizziness, Headache & Myalgia Narrative: Vaccine administered left deltoid 1050am at approx 1052 began to feel sharp pain from left arm/shoulder to neck and then felt dizzy with mild blurred vision. Subsequent pain on left deltoid with movement of arm. VS 124/73;71; 14; 99%; 97.6 . assisted to lay on cart supine and dizziness subsided developed mild frontal headache. Remained on stretcher for aprox 25 minutes and gradual elevation of head of bed with continued resolution of symptoms with stable vital signs. Patient got off cart on own and wanted to leave as she felt much better. VS standing 1155 113/73;70; 14; 99% no dizziness, no visual changes, mild headache and decreased pain in left deltoid. Ambulated without any assistance, gait steady no apparent distress, patient returned to work area and advised return if symptoms return or to go to the ER.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
1005235	1/9/2021		45	F	1/6/2021	1/6/2021	SkinRash c/o itchiness of the lower back with redness noted on lower back and the forehead (between the eyebrows). Hx. seasonal and alcohol allergies that present with rash Narrative: c/o itchiness of the lower back. redness noted on the lower back and the forehead (between the eyebrows). No sob. states hx/seasonal and alcohol allergies that present with rashes. Benadryl given @ 1650: 156/86, 86, 95%O2sat. @ 1700: 163/89, 81, 97%O2sat; @1720: 163/89, 91, 98% O2sat. 1720 redness diminishing, redness to forehead almost gone. In good spirits and denies sob. D'c'd stable to home with friend to escort. Going home, husband home, per pt.
931734	1/9/2021	AL	42	F	12/30/2020	1/5/2021	Rash and swelling around mouth, eyes, and behind ears
931950	1/9/2021	FL	28	F	1/8/2021	1/9/2021	Chills, headache, burning sensation in both eyes, body ache, nauseas, lack energy
982178	1/9/2021		57	F		12/28/2020	Headache Runny nose, sore throat, lymph node swelling under l arm,lear and eye pain, L lower jaw pain Narrative: To see her private physician is symptoms do not improve
931871	1/9/2021	IN	34	F	1/7/2021	1/7/2021	Immediately: Blurred vision, dizzy, tachycardia, sweat, felt I couldn't breathe, shaking, felt hot, redness of chest ? tx: Oj, cold compress, removed mask, uncrossed legs, waited, deep breaths Day 2: headache, flu like symptoms, fatigue, sore arm,
1019932	1/9/2021		45	M	1/5/2021	1/5/2021	Confusion, Headache, Myalgia, Arthralgia, Swelling and pain at the injection site, fatigue, tingling, feeling of heat in feet, chest tightness, eye pain Narrative:

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
931774	1/9/2021	TX	49	F	1/6/2021	1/6/2021	After the vaccine was administered I walked away maybe 50' and I started to feel dizzy I felt light headed and as if I was drunk my legs feel real weak they took me outside so I could catch some fridge fresh air and they set me down on a chair I was very dizzy my legs and my knees felt like I couldn't stand up and they were very weak I kept seeing a the rails double vision and I started to have a tightness in the back of my neck I felt they warrant come over my head and my forehead got very very cold And then I felt as I was gonna blackout and pass out and I was gasping for air and suddenly my tongue went into a spasm and it went to the top of my the roof of my Roof of my mouth and I couldn't breathe and I was able to send a message for someone to come and help me as I was sitting there by myself they rushed over by now looking at my text message it was for 02 which was within 15 minutes of the vaccine when I had my 1st episode and then minutes after that 3 more came with the same oh unable to swallow I lost the ability to swallow and my tongue fell like I had no control it was just automatically stuck to the roof of my mouth.. Upon the arrival of Ems I was told there was no treatment and there was nothing they could do told me to wait 24 to 48 hours in the symptoms should subside it's been over 72 hours in the symptoms are still occurring. I continue to feel dizzy light headed and now have high blood pressure which was not present before visit ER prescriptions for steroids with issued, I Told to go home and rest. Followed up with family doctor in the morning and was told it was not an allergic anaphylactic reaction probably more so neurologically ransom blood tests waiting for results continue to have loss of control over toungue spasms unable to eat Accompanied by fatigue dizziness and high blood pressure
931782	1/9/2021	NJ	65	F	1/8/2021	1/9/2021	Pain Right Arm Headache Pain r side of face and r eye

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
931821	1/9/2021	MT	45	M	1/9/2021	1/9/2021	Pt received Covid-19 vaccine at 1300. After no reportable symptoms for approximately 2 hours, reported back to immunizations for additional vaccine. After administration of last vaccine, pt leaned head back (pt was seated), eyes rolled in back of head, and appeared pale and diaphoretic. After a few seconds, pt regained consciousness. Pt continued to rest with legs propped up and cold compress on neck. VS were taken following event: BP 115/80. SPO2 93%, T 96.8, R 16. Pt reports hx of "passing out" with blood draws and previous vaccinations. Provider visited with pt and was okay to leave facility.
953192	1/9/2021		2	M	12/28/2020	12/28/2020	Headache, Fever & Tachycardia Narrative: Prior diagnosis of Covid-19 on 12-10-20. Reports having a headache when she received the vaccine. Later that evening her headache intensified into a migraine with blurred vision, left ear tinnitus the loss of hearing in left ear. She also reports tachycardia and temp of 100.2. She reports being treated with 2L NS, Torodal, solumedrol, and Ketamine. Treated at another facility, exact doses unknown.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
931859	1/9/2021	AK	53	F	1/9/2021	1/9/2021	Customer rec'd COVID-19 vaccine at 1208pm and transferred to post vaccine observation. Customer noted to be frequently rubbing her eyes, initially denies feeling any symptoms. Symptoms of itching eyes persistent followed by customer clearing throat repeatedly. Continues to deny symptoms related to vaccine. States that she has anxiety. Customer noted to be hypotensive at 1226 98/68. Refuses epinephrine, transport to ED for monitoring. Customer accepts Benadryl 50mg PO @ 1227. O2 sat ~94-95%, pulse 79-84. Customer monitored at site, escort and significant other, at chairside. Customer persistent with her request to leave throughout observation, states she is fine. Customer and escort counseled to watch for progressive s/sx of reaction including increase in throat symptoms, swelling, itching/rash, SOB, chest pain or any other symptoms that are outside her baseline. Instructed to contact EMS for transport to ED. Customer and escort in agreement with plan. Customer does not have resolution with dry throat symptoms but does not wish to remain in observation any longer. Vitals at 1307 consistent with baseline as documented previously in chart. Customer instructed to contact PCP Team prior to next vaccine appointment to discuss post vaccine course and discuss risks/benefits and/or pre-treatments prior to next vaccine. Customer denies questions/concerns. Escort verbalizes understanding of instruction and agrees to remain with customer for the next 24 hours. Customer released from site at 1315, ambulating independently with steady gait, no obvious s/sx of distress
931786	1/9/2021	MI	49	F	1/5/2021	1/9/2021	Got out of bed, after a few minutes of standing vision became white, sudden onset of severe diaphoresis, then unable to stand, fell to the floor then could not see at all, everything was black, also unable to speak, sudden onset of shortness of breath, central chest pain, pain to shoulders and neck. Ears ringing, pain to back of head. Approximately 15 min later was able to speak and crawl to edge of bed. Sweating remained at this time along with extreme weakness, lightheaded and nausea. Heart rate 118, oxygen was 96% by finger oximeter. 10 minutes later dressed with assistance and able to ambulate independently but slowly to truck to be taken to ER.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
931919	1/9/2021	PA	58	F	12/30/2020	12/31/2020	On the day of taking the vaccines had joint pains all over mainly involving the arms but they subsided. On the next day noticed redness and pain in the left eye. On 1/6/21 noticed diminished vision and blurriness in the left eye. Called ophthalmology ED and was seen the next day on 1/7/2021 morning . Was diagnosed with left uveitis. I was seen by the on call doctor. There are many doctors involved in my care. My previous episodes of uveitis have been mostly in the right eye and the vision was not affected, The doctors involved in my care are not sure if this was just a coincidence, was an exacerbation of the preexisting pathology or was something new. I have asked to put the eye drops every hourly but the vision has not completely improved. I don't use the eye drops in the night and when I get up in the morning it is still very hard to read. It is an unusual episode of uveitis as typically my left eye is not involved and I have never had this much diminished vision , I am supposed to put the drops every one hourly until 1/11/2021. I have informed my PCP, Rheumatologist, regular eye doctor. I will inform my ID doctor Dr .
931936	1/9/2021	CO	41	M	1/8/2021	1/8/2021	Developed minor stabbing pain in L temporal/occipital region. Intermittent within first ten minutes. Also felt slight sharp pain in meatus of L hand within first 30 minutes. Also intermittent and resolved within a few hours. Slight headache the following day that would come and go. Developed L side abdominal sharp pain (4/10) within one hour. Pain persisted for more than 24 hours, is tender to palpation. Developed stuffiness and slightly itchy eyes in first 30 minutes. Had some minor skin itching in various places with no discernible hives. I developed a brief hive 12 hours later on my leg but it is not uncommon for me to get an occasional hive on my skin as I have sensitivities to various fabrics, etc.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
932008	1/9/2021	NY	39	F	1/8/2021	1/8/2021	About 3-5 minutes after I felt so out of it. I felt like I was under the influence of something. I tried to read my email and the words were there but didn't have meaning. I had to drive home after my 15 minute observation and plugged my home address into my gps so I wouldn't get lost even though I drove home from Medical Center for years. I got home and laid down and slept for a couple hours and woke up fine. I felt ok the following day and was doing laundry around 6 pm and my arm stopped being sore and I got really dizzy and nauseated and my vision had shadows (reminded me of an ocular migraine) and drank 2 x 16 oz glasses of water and laid down and felt better in about 20-30 minutes.
932060	1/9/2021	VA	33	F	1/9/2021	1/9/2021	Very bad injection site pain Lymph nodes pain Muscle pain Very blurry eyes
931835	1/9/2021	CO	36	F	1/7/2021	1/8/2021	Developed acute onset eyelid swelling, lip swelling, dyspnea with wheezing and hive like swelling at vaccine site. I self administered 8 puffs of albuterol (my prescription) and took 50 mg of oral Benadryl with improvement in wheezing and swelling at injection site. I continue with some mild unilateral right upper eyelid swelling but much improved.
932034	1/9/2021	CA	32	F	1/8/2021	1/8/2021	15-20 minutes after injection, my left arm and the left side of my face went numb. Numbness intensified over the next 2-3 hours then subsided. Lack of taste was also noticed. The following day I woke up with tingling and numbness in my left jaw and slight drooping of left eye and left corner of mouth.
931940	1/9/2021	CO	41	M	1/8/2021	1/8/2021	Developed minor stabbing pain in L temporal/occipital region. Intermittent within first ten minutes. Also felt slight sharp pain in meatus of L hand within first 30 minutes. Also intermittent and resolved within a few hours. Slight headache the following day that would come and go. Developed L side abdominal sharp pain (4/10) within one hour. Pain persisted for more than 24 hours, is tender to palpation. Developed stuffiness and slightly itchy eyes in first 30 minutes. Had some minor skin itching in various places with no discernible hives. I developed a brief hive 12 hours later on my leg but it is not uncommon for me to get an occasional hive on my skin as I have sensitivities to various fabrics, etc.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
931989	1/9/2021		56	F	1/6/2021	1/7/2021	Fever 103.9 , headache, body aches, eye pain, fatigue Symptoms lasted for 48 hours. Fever responded to Tylenol but returned as Tylenol wore off.
931976	1/9/2021	AK	65	F	1/8/2021	1/9/2021	Expected: low grade tenderness at vaccine site, identified at 10 hours post injection, slightly worse on awaking 22 hours post injection. 0700 (22 hours post injection) visual swelling of left supraclavicular lymph node, Node is palpable, slightly tender, mild swelling around the node.
931972	1/9/2021	WA	61	F	1/7/2021	1/8/2021	First dose given 12/18/20 with expected muscle stiffness soreness later that evening and the next day. Dose two given on 01/07/21 with onset of shaking chills on 01/08/21 at 2:00am, ensuing fever max 101.7 degrees Fahrenheit, at 4:00 am noticed redness of eyes, face flushed with burning feeling, headache, dizziness, blood pressure of 184/96 and heart rate of 153. This required medical evaluation and treatment with IV fluids and Toradol for resulting headache. Patient also self administered 1000mg oral Tylenol prior to ER evaluation.
931959	1/9/2021	TX	45	F	1/8/2021	1/8/2021	I waited 30 minutes after the vaccine. No issues and went back to work. At 70 minutes after shot administration, felt itchy on limbs, then trunk and neck, then ears, eyes and into scalp. Symptoms progressed over the next 2 hours (flushed neck and then lips felt tingly and numb). At 7:30 my soft palate started to feel numb and I started to have some difficulty swallowing. Went to ER. Symptoms continued. After IV meds given swallowing difficulty continued to worsen so I was given a low dose shot of Epi. Swallowing improved (not to normal but not as severe) over the next hour but itchiness returned. It is now 8:00pm on 1/9/2021 and I continue to have itchiness, my tongue and soft palate are still numb but I am able to swallow fairly well and my entire face has decreased sensation to touch.
931943	1/9/2021	IA	34	F	1/8/2021	1/9/2021	Developed rash on back and chest/stomach approx 19 hours after injection . Itchy all over Eye itchiness developed 4 hrs after injection Other symptoms were Muscle and body aches Slight cough Sore throat Face puffy Fatigue Chest heaviness (o2 levels stayed 100 percent )

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
928823	1/8/2021	PA	21	F	1/8/2021	1/8/2021	15 minutes after vaccine- hot all over body, throat closing, itchy, eyes felt weird, dizzy, and rapid heart rate
928804	1/8/2021	KY	34	M	12/18/2020	1/2/2021	I have a history of chicken pox at age 7 and on 1/2/21 started having burning on the right eyelid and subsequently developed shingles in the V1 branch of the trigeminal nerve on the right. Treating with valacyclovir 1g three times daily.
928798	1/8/2021	CA	39	F	12/23/2020	12/27/2020	Itchiness to multiple sites followed by rash and swollen eyes. Saw PCP placed on steroid course x 7 days plus antihistamines.
928764	1/8/2021	PR	52	F	12/28/2020	1/5/2021	12/28/2020 - Eye Swelling 01/05/2021 - Injection site: Redness, Sore arm. Hive in injection site., itching (Brazo caliente)
928753	1/8/2021	HI	49	M	12/30/2020	12/30/2020	Pt received Moderna vaccine on 12/30/20 at 10:08 am. At 10:17 am monitor flagged down nurse to check on pt. Pt was upright sitting in drivers seat of his truck with his eyes open and head/neck tilted back. Pt. was not responsive to shaking, sternal rub and/or calling his name to see if he could hear nurse for approximately 20-30 seconds. At that point pt. became alert and responsive. Pt was disorientated for a couple of seconds then realized what had happened. Pt stated that he felt light headed and was diaphoretic. Pt did not eat breakfast so was given a granola bar and water.
928745	1/8/2021	FL	55	F	1/7/2021	1/7/2021	at 10:10pm, started with chills and shivers for over an hour. Muscle aching as a result of the shivers that last over an hour. Fever of 101.5 at 1am in the morning. Head ache that was first in the temples and then went behind the eyes. Water had a metal taste to it. Did not take a tylenol or anything to relieve the fever or ache. I prefer to allow my body to fight it naturally. Used an ice pack at the nap of my neck to help with fever and also headache. Also took 2 showers to help with body ache. 1/8/21 12:20pm fever is still 100.4. Body is still achy with slight headache.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
928810	1/8/2021	KS	51	F	1/6/2021	1/6/2021	Pt began to have numbness and tingling in the left side of her face during first 15 minutes of observation. Pt was given 50mg of benadryl IM in the Left arm. (Lot 6121161. Expiration: 1/31/2021. Manufacturer: APP Pharmaceuticals.) Pt denied any difficulty breathing, blurred vision, headache or other signs of reaction. Pt was monitored for another 15 minutes. Pt was talking and laughing without signs of distress. Pt carried conversation with ease and states numbness and tingling was resolving.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
928735	1/8/2021		46	F	1/7/2021	1/7/2021	<p>Progress Notes PA-C (Physician Assistant) ? ? Physician Assistant Cosigned by: MD at 1/8/2021 9:47 AM Expand All Collapse All COVID VACCINE CLINIC Date: 1/7/2021</p> <p>MRN: 5234562 Subjective Patient is a 46 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She denied any history of previous adverse reactions to vaccines. She was given the Moderna vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience increased breathing rate following right shoulder/clavicle pain. She denied rash, hives, welts, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality and respiratory distress with increased work of breathing. ALLERGY REVIEW OF SYSTEMS: Patient complains of shortness of breath ( most likely from mild anxiety) and muscle aches Previous Reactions: none Objective Vitals Vitals: 01/07/21 1136 01/07/21 1146 BP: (!) 140/92 129/70 BP Location: Right arm Right arm Patient Position: Sitting Sitting Cuff Size: Regular Adult Regular Adult Pulse: 88 76 Resp: 14 12 SpO2: 100% 100% Physical Exam Vitals signs reviewed. Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not diaphoretic. HENT: Head: Normocephalic and atraumatic. Right Ear: Hearing and external ear normal. Left Ear: Hearing and external ear normal. Nose: Nose normal. Eyes: General: No scleral icterus. Right eye: No discharge. Left eye: No discharge. Conjunctiva/sclera: Conjunctivae normal. Neck: Musculoskeletal: Normal range of motion and neck supple. No neck rigidity or muscular tenderness. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Heart sounds: Normal heart sounds. No murmur. No friction rub. No gallop. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing or rales. Chest: Chest wall: Tenderness (</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							right mid clavicle) present. Musculoskeletal: Normal range of motion. Skin: General: Skin is warm and dry. Neurological: Mental Status: She is alert and oriented to person, place, and time. Sensory: No sensory deficit. Gait: Gait normal. Psychiatric: Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: avoidance measures and talking with the patient.. Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Patient was thought to have a mild muscle spasm from the injection that may have cause a mild anxiety attack. Patient was fully cooperative the whole time and appreciative for SV team of medical staff. Patient's symptoms quickly resolved and she was able to leave without assistance. Patient declined assistance to her car. PA-C Electronically Signed 1/7/2021 2:05 PM
928728	1/8/2021	FL	36	M	1/7/2021	1/8/2021	Moderns COVID-19 Vaccine EUA Chills, Aching, Fatigue, Fever, Headache, Dizziness, Blurred vision

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
928724	1/8/2021		46	F	1/7/2021	1/7/2021	<p>Progress Notes COVID VACCINE CLINIC Subjective Patient is a 46 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She denied any history of previous adverse reactions to vaccines. She was given the Moderna vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience increased breathing rate following right shoulder/clavicle pain. She denied rash, hives, welts, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to blood pressure abnormality and respiratory distress with increased work of breathing.</p> <p>ALLERGY REVIEW OF SYSTEMS: Patient complains of shortness of breath ( most likely from mild anxiety) and muscle aches Previous Reactions: none Objective Vitals Vitals: 01/07/21 1136 01/07/21 1146 BP: (!) 140/92 129/70 BP Location: Right arm Right arm Patient Position: Sitting Sitting Cuff Size: Regular Adult Regular Adult Pulse: 88 76 Resp: 14 12 SpO2: 100% 100% Physical Exam Vitals signs reviewed. Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is well-developed. She is not diaphoretic. HENT: Head: Normocephalic and atraumatic. Right Ear: Hearing and external ear normal. Left Ear: Hearing and external ear normal. Nose: Nose normal. Eyes: General: No scleral icterus. Right eye: No discharge. Left eye: No discharge. Conjunctiva/sclera: Conjunctivae normal. Neck: Musculoskeletal: Normal range of motion and neck supple. No neck rigidity or muscular tenderness. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Heart sounds: Normal heart sounds. No murmur. No friction rub. No gallop. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No wheezing or rales. Chest: Chest wall: Tenderness ( right mid clavicle) present. Musculoskeletal: Normal range of motion. Skin: General: Skin is warm and dry. Neurological: Mental Status: She is alert and oriented to person, place, and time. Sensory: No sensory</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							deficit. Gait: Gait normal. Psychiatric: Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: avoidance measures and talking with the patient.. Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Patient was thought to have a mild muscle spasm from the injection that may have cause a mild anxiety attack. Patient was fully cooperative the whole time and appreciative for team of medical staff. Patient's symptoms quickly resolved and she was able to leave without assistance. Patient declined assistance to her car.
928705	1/8/2021	IL	30	F	1/6/2021	1/7/2021	I developed nausea the night of the vaccine, the next morning I woke up with a headache behind my eyes, and fainted while getting ready for work that morning. I then had a really bad headache and slept the entire day. I was unable to go to work or care for my house or children.
928698	1/8/2021	VA	45	F	12/29/2020	1/5/2021	I have developed an itchy rash a week after my injection with raised papules on my hands, wrists, arms and upper legs. The site of my injection has a large (half-dollar size) red rash that is itchy and slightly raised. A visual examination by 2 providers that I work with (Family Practice office) today due to extreme itching. I was instructed to take Ranitidine and Zyrtec at approximately 9am. It is now 12pm and the itchiness is a little better.
928694	1/8/2021	NE	98	F	1/5/2021	1/5/2021	AT 10:50 AM (5 MINUTES POST VACCINATION), FELT LIKE 'HEAD IS FILLING UP, MY LIPS ARE PUFFY, AND I HAVE NUMBNESS UNDER MY EYES AND NOSE'. RECEIVED BENADRYL 12.5MG AT 10:59AM. CONDITION RESOLVED BY 11:15AM. MD WAS NOTIFIED.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
928606	1/8/2021		60	F	1/6/2021	1/6/2021	Progress Notes Nurse Practitioner Cosign Needed Expand All Collapse All COVID VACCINE CLINIC 1/6/2021 Patient is a 60 y.o. female who was seen at SVH COVID Vaccine Clinic today for her second dose of the COVID 19 vaccination. She denied any history of previous adverse reactions to vaccines. She was given the Pfizer vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience throat tightness. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to abdominal pain, blood pressure abnormality , chest pain, collapse, drooling, hypotension, increased swelling, rapid progression of symptoms, respiratory distress with stridor, wheezing, dyspnea, increased work of breathing, persistent cough and cyanosis, skin changes, tongue swelling and vomiting. No previous hx of vaccine reactions. ALLERGY REVIEW OF SYSTEMS: All other systems negative Objective Vitals Vitals: 01/06/21 1705 01/06/21 1720 01/06/21 1724 BP: 134/82 (!) 145/84 134/72 Pulse: 94 80 77 SpO2: 97% 99% 100% Physical Exam Vitals signs and nursing note reviewed. Constitutional: Appearance: Normal appearance. HENT: Head: Normocephalic. Right Ear: External ear normal. Left Ear: External ear normal. Nose: Nose normal. Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Pupils: Pupils are equal, round, and reactive to light. Neck: Musculoskeletal: Normal range of motion. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Normal breath sounds. Abdominal: General: Abdomen is flat. Musculoskeletal: Normal range of motion. Skin: General: Skin is warm and dry. Capillary Refill: Capillary refill takes less than 2 seconds. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Psychiatric: Mood and



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Assessment/Plan Treatment included: antihistamines and benadryl. Follow up response to treatment: no side effects. Patient discharge: Stable to go home and follow up with PCP. Diphenhydramine 25 mg given at 5:15 Pt dismissed at 5:25.
929391	1/8/2021	NY	37	F	1/6/2021	1/6/2021	1/6/21 Pt received vaccine and complained of difficulty swallowing and rapid heart rate. Pt received methylprednisolone 125mg IVP, diphenhydramine 25mg IVP, & famotidine 20mg IVP. Pt reported improvement and was discharged. Sent home on diphenhydramine and oral prednisone. 1/7/21 Pt unable to swallow her own secretions and experienced eyelid swelling. Pt vomitted. Pt received epinephrine and Benadryl X 1 dose each. Pt then transported to hospital via ambulance. Reason for admission - acute respiratory failure secondary to anaphylactic reaction. Decision was made to emergently intubate the patient for airway protection despite aggressive intervention. Pt successfully extubated 1/8/21. Plan to discharge home and start Medrol Dose Pack 1/9/21.
928542	1/8/2021	TN	49	F	12/29/2020	12/29/2020	EE received vaccine, waited in room for about 20 minutes. About 10 minutes after receiving vaccine, she felt warm but she had a coat on and her eyes started to hurt and she felt tired but she works night shift. She felt this was normal for working the night before and having stayed up to get the vaccine. After her wait period she went to her car and remembers feeling warm for having to walk in the cold. Her right side of face became reddish purple and warm. She sat in car for a few minutes. As she drove her face started to swell and turn all red. When she arrived home she had heavy pressure middle of face-nose area. Her face continued to turn reddish purple with a rash on right side of face and down to her neck. She felt her sinuses and throat swell with irritation and in throat and wheezing. Her mom is a nurse and they waited to see if it worsen or got better. She decided since she could breath she would not go to hospital. After about 5 hours she felt much better. She continued to have a headache for 4 days. She had swelling and soreness of left arm for a couple of days. She continued to go to work.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
928656	1/8/2021	MI	38	F	12/29/2020	12/29/2020	HTN, Blurry Vision, Blood shot eyes
929143	1/8/2021	VA	43	F	1/4/2021	1/4/2021	Ocular migraine, onset at 14:00, took 1 dose of Imitrex at 14:15. Vision began to improve at 14:40.; Ocular migraine, onset at 14:00, took 1 dose of Imitrex at 14:15. Vision began to improve at 14:40.; This is a spontaneous report from a contactable nurse (patient). A 43-year-old female patient received the first dose of bnt162b2 (BNT162B2, PFIZER, Lot number: EL1284, expiry date not reported), via an unspecified route of administration on 04Jan2021 09:00 at a single dose on Left arm for COVID-19 immunisation. Medical history included Migraine, asthma, seasonal allergies, RLS (Restless legs syndrome). Concomitant medication included esomeprazole magnesium (NEXIUM [ESOMEPRAZOLE MAGNESIUM]), fluticasone propionate, salmeterol xinafoate (ADVAIR), montelukast sodium (SINGULAIR), sumatriptan succinate (IMITREX), fluticasone propionate (FLONASE ALLERGY RELIEF). The patient previously took Amoxicillin, codeine and experienced allergies. The patient experienced ocular migraine, onset at 14:00, took 1 dose of Imitrex (25 mg) at 14:15. Vision began to improve at 14:40. The outcome of the events was recovering. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. Facility where the most recent COVID-19 vaccine was administered was at the Hospital. The patient was not pregnant at the time of vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The events were considered as non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
927759	1/8/2021		26	F	12/29/2020	12/31/2020	Red blood vessels in eyes, worse in left eye; watery eyes; This is a spontaneous report from a non-contactable other healthcare professional (patient). A 26-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number: EH9899), via an unspecified route of administration in the right arm on 29Dec2020 08:15 at a single dose for COVID-19 immunization. The patient's medical history included mild von willebrand's, situational anxiety, allergies to penicillin, and Visian ICL surgery in August. The patient was not pregnant. Concomitant medications included calcium carbonate, famotidine, magnesium hydroxide (PEPCID COMPLETE), ethinylestradiol, etonogestrel (NUVARING), fexofenadine hydrochloride (ALLEGRA), and hydroxyzine. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was not diagnosed with COVID-19 prior to vaccination and had not been tested for COVID-19 since the vaccination. On 31Dec2020 07:00, the patient experienced red blood vessels in eyes, worse in left eye. She also had watery eyes. No pain. No treatment was received for the adverse events. Outcome of the events was recovered with sequel. The events were considered non-serious. No follow-up attempts are possible. No further information is expected.
928526	1/8/2021	CA	68	F	12/29/2020	1/3/2021	5 days after the vaccine, my right ear became itchy and red, then became swollen, Next day left ear became itchier than the right ear and swelled more. Took Xyzal in day and Benadryl at night. It has continued on , on the 9th day, my head became itchy. On the morning of the 10th day, my face looks red and rashy with my right eye swollen
929389	1/8/2021	NY	55	F	12/24/2020	12/25/2020	Developed increased swelling at the injection site, with warmth; tender to touch. Noted that mildly itchy and ?indurated about 1 day later. Swelling and firmness persisted several days. At 2 weeks out, visually can see circular red rim, larger than silver dollar size but swelling inside the circle is decreased and less hard to touch. Feels overall warm to touch compared to non-injected side. No fevers or other symptoms noted during this time.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
929300	1/8/2021	WI	70	F	1/7/2021	1/7/2021	Allergic reaction / Syncope and collapse Patient reports feeling dizzy, hot, and that her eyes felt funny. Patient was sweaty, heart rate within normal rhythm . Patient lost consciousness and began seizure-like activity and was assisted to the ground. Patient regained consciousness about 20 seconds later. At 12:48: BP was 91/44 upper right arm, HR 78, O2 sat 100%. At 12:50 BP was 76/50 and patient report shortness of breath and the sensation that her throat was closing up. She was assisted to supine position again. at 12:54 Epinephrine 0.3ml was administered IM. At 12:56 NS administered wide open with pressure. Blood glucose 109. at 12:59 BP was 133/67. Taken to Emergency Department where she received famotidin 20mg IV, Methylprednisolone 80mg IV and KCL 20mEq po due to Potassium level of 3.4.
929282	1/8/2021		51	M	1/7/2021	1/7/2021	Mild headache, vision spotty. BP 146/86 SpO2 97% pulse - 92
929280	1/8/2021	PR	54	F	1/4/2021	1/5/2021	Warm neck and face. Burning sensation in eyes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
929051	1/8/2021	CA	38	F	12/28/2020	12/28/2020	<p>left sided mild case of trigeminal neuritis that persisted beyond 48 hrs after vaccination given (symptom- numbness); headache; gritty/sandy sensation in mouth; borderline intermittent scratchy/sore throat, gritty/sandy sensation in mouth; borderline intermittent scratchy/sore throat; lost taste; burning/tingling on tongue; burning/tingling on tongue; This is a spontaneous report from a contactable physician, the patient. A 38-year-old female patient received dose 1 of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Lot Number EK5730), intramuscular in the left arm on 28Dec2020 at 12:30 (at the age of 38-years-old) as a single dose for Covid-19 vaccination. edical history included trigeminal neuritis in the past twice, first from herpes simplex virus (HSV1) and second from flu shot a few years ago; acne and recurrent oral HSV 1, all from an unknown date and unknown if ongoing. The patient was allergic to sulfa. The patient was not pregnant at the time of vaccination. Prior to the vaccination, the patient was not diagnosed with COVID-19. The patient was not tested for COVID-19 post vaccination. The patient's concomitant medications included drospirenone, ethinylestradiol (LORYNA) for OCP; prednisone (MANUFACTURER UNKNOWN), short course completed prior to vaccination; beclometasone dipropionate (QNASL); xylometazonline hychrochloride (SUDAFED) which was stopped before vaccination; valaciclovir hydrochloride (VALTREX); ascorbic acid (VITAMIN C) which was stopped before vaccination and multivitamins. The patient did not receive any other vaccines within four weeks prior to the vaccination. On 28Dec2020 at 12:45, the patient experienced left sided mild case of trigeminal neuritis that persisted beyond 48 hours with symptoms of numbness with decreased sensation on lateral part of V2 trigeminal nerve which started 10-15 mins after vaccination with small spot corner of mouth on left and involved lateral part of entire left side of face from corner of left eye down within 1-2 hours after received vaccine. The patient also experienced headache, borderline intermittent scratchy/sore throat, gritty/sandy sensation in mouth, at 12-14 hours after getting vaccine on 28Dec2020; got burning/tingling on tongue and then lost taste 100% for about 1 hour then started to slightly come back-and waxed and waned until later that evening and most was back to normal except sweet taste still gone. The events</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							resulted in a doctor or other healthcare professional office visit. Therapeutic measures were taken for all of the events which included antihistamines and valaciclovir; and for the trigeminal neuritis only, methylprednisolone pack. The clinical outcome of the event trigeminal neuritis was recovering (lasted longer than 48 hours after vaccination); for headache, stomatitis, throat irritation, oropharyngeal pain, ageusia, tongue discomfort and paraesthesia oral was recovered (at 48 hours after vaccination).
927360	1/8/2021	TX	21	M	1/5/2021	1/5/2021	Symptoms started during bedtime and woke me up. Began with severe full body chills and full body muscle shaking and weakness during the night of 1/5 and early morning of 1/6, around 1000 to 0200. Slight headache began during that time as well. Upon waking at 0900 on 1/6, chills and shaking decreased to mild severity, muscles still felt moderately weak and shaky, headache had increased in severity to a severe throbbing pain that worsened upon standing and walking, and moderate visual photosensitivity began. The headache persisted until I took 2 tablets of ibuprofen 200 mg, which is when the severity decreased to moderate after a few hours and then mild by bedtime. The photosensitivity persisted through the day and did not decrease much by bedtime. Upon waking 1/7, there was only a mild headache and mild photosensitivity that faded completely within a few hours, no medication required. No more symptoms in the afternoon.
928914	1/8/2021	OK	44	M	1/4/2021	1/7/2021	Patient developed swollen right lower eyelid and redness, similar to blepharitis or conjunctivitis.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
929052	1/8/2021	WA	28	F	12/31/2020	1/1/2021	<p>Sudden development of hot flashes with sweating and blurry vision- felt like I was going to faint.; Sudden development of hot flashes with sweating and blurry vision- felt like I was going to faint.; Sudden development of hot flashes with sweating and blurry vision- felt like I was going to faint.; Sudden development of hot flashes with sweating and blurry vision- felt like I was going to faint.; Sudden development of hot flashes with sweating and blurry vision- felt like I was going to faint.; Tingly sensation in arms and then some nausea and general feeling of weakness with persistent headache.; Tingly sensation in arms and then some nausea and general feeling of weakness with persistent headache.; Tingly sensation in arms and then some nausea and general feeling of weakness with persistent headache.; Tingly sensation in arms and then some nausea and general feeling of weakness with persistent headache.; Tingly sensation in arms and then some nausea and general feeling of weakness with persistent headache.; This is a spontaneous report from a contactable nurse. A 28-year-old non-pregnant female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), Lot number= ELO140, via an unspecified route of administration, in the right arm, on 31Dec2020 at 13:45 (at the age of 28 years-old) as a single dose for COVID-19 immunization. The vaccine was administered at a hospital. Medical history included polycystic ovarian syndrome. There were no concomitant medications. The patient had not received other vaccines in 4 weeks nor taken any other medications in 2 weeks. Prior to the vaccination the patient was not diagnosed with COVID-19. On 01Jan2021 at 0700 the patient experienced hot flashes with sweating and blurry vision- felt like she was going to faint, tingly sensation in arms and then some nausea and general feeling of weakness with persistent headache. The clinical course was as follows: Sudden development of hot flashes with sweating and blurry vision- felt like she was going to faint, tingly sensation in arms and then some nausea and general feeling of weakness with persistent headache. The vision blurring and hot flashes resolved within 15-20 minutes but the fatigue, headache and nausea persisted throughout the day. The patient was not hospitalized for the event nor was treatment administered. The clinical outcome of the hot flashes with sweating and blurry vision- felt like she was going to faint, tingly sensation in arms and then some nausea and general feeling of weakness with persistent headache. Since the vaccination, the patient has not been tested for COVID-</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
929047	1/8/2021	CA	56	M	12/17/2020	12/20/2020	<p>19.</p> <p>pain in the right maxillary sinus, and upper right molars; pain in the right maxillary sinus, and upper right molars; right fronto-parietal scalp tenderness; numbness of right canines; possible sinus infection; headache; This is a spontaneous report from a contactable physician (patient). A 56-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot number EK5730) , intramuscular into the left arm on 17Dec2020, at 17:00 as first single dose for covid-19 immunization. Medical history included known allergy to dairy from an unknown date. There were no concomitant medications. The patient experienced pain in the right maxillary sinus, and upper right molars on 20Dec2020, at 06:00 with outcome of recovering; right fronto-parietal scalp tenderness on 20Dec2020, at 06:00 with outcome of recovering; numbness of right canines on 20Dec2020, at 06:00 with outcome of recovering; possible sinus infection on 20Dec2020, at 06:00 with outcome of recovering; headache on 20Dec2020, at 06:00 with outcome of recovering. Details were as follows: described as possible trigeminal neuralgia, awoke on 20Dec2020, and noted right eye appeared smaller than the left. Also noted, was pain in the right maxillary sinus, and upper right molars. The patient was afebrile. On 21Dec2020, noted onset of right fronto-parietal scalp tenderness along with numbness of right canines. Patient did not have any skin lesions. Therapeutic measures were taken as a result of the events; began azithromycin and sinus rinse for a possible sinus. Despite treatment, right scalp pain/tenderness, tooth pain numbness of canines persisted and peaked on 26Dec2020. Symptoms subsided but were still present. Acetylsalicylic acid (ASPIRIN) for headache infection was given with improvement. Symptoms appear to be in the right trigeminal dermatome. Patient had never had chicken pox and had been vaccinated. For varicella, the patient did not have a rash in the affected dermatome; valacyclovir (MANUFACTURER UNKNOWN), has been started. The events were reported as non-serious. The patient was recovering from the events.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
929046	1/8/2021	CA	50	M	12/23/2020	12/23/2020	he dust that landed on his face caused hives; feeling flushed; started feeling itchy about 2 hours post vaccine; This is a spontaneous report from a contactable nurse. A 50-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), lot number: EK5730, intramuscular from 23Dec2020 11:00 at a single dose for COVID-19 immunization. Medical history included patient's known allergies: Only grass, pollen, dust mites; and hives all from unspecified dates. Concomitant medication included naproxen sodium (ALEVE) for "itchy", ibuprofen (MOTRIN) and paracetamol (TYLENOL 8 HOUR). The patient got the COVID vaccine on 23Dec2020 at 11:00. He stayed at vaccination location for 30 minutes and then drove to his destination. Upon arrival at 12:00, he started feeling flushed. No shortness of breath or breathing difficulties. He then started feeling itchy about 2 hours post vaccine. He took an Aleve. At home in the evening, took Benadryl with improvement of symptoms. The following day he also took Benadryl. On 25Dec2020 & 26Dec2020, he still had some itching, but not bothersome enough to take medications. On 27Dec2020 he was working cutting tile and wearing protective eye wear, but the dust that landed on his face caused hives. He has been taking Benadryl since. He said that this has occurred in the past when his body was hypersensitive, the hives. He has seasonal allergies but no allergies to food/medications/vaccines. Patient was not diagnosed with COVID-19 and since the vaccination, he has not been tested for COVID-19.
929019	1/8/2021	CA	69	M	12/29/2020	12/31/2020	swelling and redness around both eyes, rash/hives on left arm, upper chest and abdomid I was given an oral steroid (unknown) given a pepcid, and perscriptions for pepcid, benedryl, and calamine lotion eye swelling was partially reduced, itching could be controled wit benedryl and calamine, as of today 1/8/2021 I still have some redness and swelling around the eyes and also still have the hives and itching
928979	1/8/2021	CA	47	F	12/23/2020	12/23/2020	Throat very hot Swollen Eye lids, Chest Tighten Tested positive for covid 12/31/2020

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
928943	1/8/2021	NY	64	F	12/23/2020	12/23/2020	within about 10 minutes I felt terrible, hot, flushed, tachycardic, and developed significant hives on my face and neck and swelling around my eyes. I was taken to a room and had vitals and was hypertensive and tachycardic with a worsening headache, I was given 50 mg Benadryl and put ice on my face and neck for about 20 minutes as I felt I was burning up. I remained at the clinic for an hour for monitoring. I never had difficulty breathing , and it was mostly resolved in about 45 minutes except for the mild headache and my face was still red and my eyes were swollen for at least an hour.
928918	1/8/2021	CA	37	F	12/21/2020	12/21/2020	Reaction: Dizziness, heart palpitations (HR in the 120s), blurry vision Onset: 15 min post vax Treatment: Observation, fluids, food Summary: Sxs resolved after one hour of close monitoring Reported history of allergies: No, but pt had hx of new onset arrhythmia a few months prior
929226	1/8/2021	MA	40	F	1/7/2021	1/8/2021	Same day - blurred vision that went away shortly after experiencing. Headache, tired, very swollen at site of injection, diarrhea, chills, temp of 101.
927574	1/8/2021	TX	50	F	1/7/2021	1/7/2021	10 hrs. after receiving the vaccine, I started getting chills followed by muscle pain. My eyes were burning. I went to bed under 3 blankets and couldn't get warm. 5 hours later, the chills went away, but the pain persisted. 3 hours later, I took tylenol for the pain and felt much better 1 hour later.
927866	1/8/2021	ME	37	M	12/23/2020	12/24/2020	The day (Dec. 24th) after Covid vaccine patient had bad headache, felt very sluggish and nauseated x3d. 4th d, patient's eyes started turning red and burning as well as a rash on face.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
927730	1/8/2021	VA	31	F	12/31/2020	1/1/2021	face was kind of swollen/swelling in her cheek and her face on the left side; swelling in her eye; This is a spontaneous report from a contactable consumer (patient). A 31-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), lot number: EL1284, via an unspecified route of administration from 31Dec2020 to 31Dec2020 as single dose for COVID-19 immunization. The patient has no medical history. The patient's concomitant medications were not reported. On 01Jan2021, the patient experienced face was kind of swollen, have some swelling in her eye and her cheek and her face on the left side. The outcome of the event was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
927719	1/8/2021	NC	55	F	12/30/2020		<p>Body ache / pain; Tiredness; Headache; my head is still throbbing; Muscle pain; Chills; Little bit of nausea; Ear ringing; Left eye was twitching a lot; At 5 o'clock it (temperature) was 99.2 and at 6:20 it was 98.8 at 9 o'clock it a 99.5 and at 3 AM it was 101; This is a spontaneous report from a contactable consumer (patient). A 55-year-old female patient received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EK9231) solution for injection, intramuscular on her arm on 30Dec2020 at a single dose for COVID-19 immunization. Medical history included neuropathy in feet and thyroid condition. The patient's concomitant medications were not reported. Patient reported she was having some of the symptoms like the body ache and just the normal and not the really difficult symptoms or whatever just the tiredness, headache, muscle pain and chills, and pain and a little bit of nausea but last night her ears were ringing and her left eye was twitching a lot and she hadn't taken her temperature because she really didn't think she had a temperature. Then she decided to go ahead and take it and at 5 o'clock it (temperature) was 99.2 and at 6:20 it was 98.8 at 9 o'clock it a 99.5 and at 3 AM it was 101 and the information in the packet doesn't say like if she can take Tylenol or Motrin trying to get this headache to go away. The patient did not receive any treatment for the events. Outcome of the event headache was not recovered, ear ringing was recovering, left eye was twitching a lot was recovered, while the other events was unknown. No follow-up activities are needed. No further information is expected.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
927608	1/8/2021	HI	36	F	12/28/2020	12/29/2020	vaccination burning, itching redness to eye lids; vaccination burning, itching redness to eye lids; vaccination burning, itching redness to eye lids; It appears I have eye shadow; peeling/dryness of skin around lips; peeling/dryness of skin around lips/It appears I have eye shadow but peeling is not visible; burning and itch of lip region; burning and itch of lip region; muscle spasm; Neuralgia; medium-severe headache; nausea; sensitive to light; mild confusion; lack of concentration; This is a spontaneous report from a contactable nurse (patient herself). A 36-years-old female patient received first dose BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, lot number and expiry date not reported), intramuscular in 28Dec2020 08:30 at a single dose in the left arm as COVID vaccine. Medical history included history of Grave's disease at age 19 which has resolved without medication for many years. The patient had no known allergies: no allergies to medications, food, or other products. The patient was not pregnant at the time of the vaccination. Prior to vaccination, the patient was not diagnosed with COVID-19. There were no concomitant medications. The patient had no other vaccine in four weeks. Patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Patient was not taking any daily medications. On 28Dec2020 (day 1), patient had no significant symptoms. On 29Dec2020 (day 2), patient had medium-severe headache, nausea, sensitive to light, mild confusion and lack of concentration. On 30Dec2020 (day 3), patient had muscle spasm that wake from a sound sleep in biceps tendon region, and neuralgia in left upper and lower extremities. On 31Dec2020 (day 4), patient had peeling/dryness of skin around lips, burning and itch of lip region. On 01Jan2021 (day 5), patient had post vaccination burning, itching redness to eye lids. Patient realized patient should photo her journey. It appeared patient have eye shadow but peeling was not visible due to moisturizer and bacitracin "ito" try and sooth the pain. Patient can send at additional request since patient can't upload. The patient was not tested for COVID post vaccination. Therapeutic measures were taken as a result of the event "peeling/dryness of skin around lips/it appeared patient have eye shadow but peeling was not visible". No treatment received in response to the other

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							events reported. The events were reported as not serious (did not result in death, not life-threatening, did not cause/prolonged hospitalization, not disabling/incapacitating and not a congenital anomaly/birth defect). The outcome of the events medium-severe headache, nausea, sensitive to light, mild confusion, lack of concentration, muscle spasm, neuralgia in left upper and lower extremities, dryness of skin around lips, "peeling/dryness of skin around lips/it appeared patient have eye shadow but peeling was not visible", burning and itch of lip region, post vaccination burning, itching redness to eye lids, and "it appeared patient have eye shadow" was not recovered. Information on the lot/ batch number has been requested.
927606	1/8/2021	IL	43	F	1/1/2021	1/2/2021	Temporary blurred vision; increased her nearsightedness from -1.25 to -1.75; corneal edema/ Corneal topographies showed swelling in the cornea; This is a spontaneous report from a contactable other healthcare professional. A 43-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Lot number EL0140), intramuscular (left arm, dose number 1) on 01Jan2021 16:45 at single dose for COVID-19 immunization. Medical history included known allergies to penicillin and sulfa antibiotics, hormonal migraines, and gluten intolerance from an unknown date and unknown if ongoing. Concomitant medication included cetirizine hydrochloride (ZYRTEC), and spironolactone from unspecified dates for unspecified indications taken within two weeks. No other vaccine was taken within four weeks. Patient has not COVID prior vaccination. Patient has not been tested for COVID post vaccination. The patient experienced temporary blurred vision in the right eye on 02Jan2021. Patient stated that she is an optometrist so she performed a variety of tests and determined she had corneal edema. Corneal topographies showed swelling in the cornea, increased her nearsightedness from -1.25 to -1.75. By the time she left work 7 hours later, her vision and corneal topographies returned back to normal. Treatment was not given for the events. Event outcome was recovered on 02Jan2021. The reporter assessed the event was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
927603	1/8/2021	CO	34	F	12/20/2020	12/20/2020	Near syncope; lightheaded/dizzy; vision narrow; Tingling in lips; This is a spontaneous report from a contactable physician. A 34-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: Eh9899), via an unspecified route of administration on 20Dec2020 09:00 in left arm at single dose for COVID-19 immunization. Medical history was reported as none. The patient's concomitant medications were not reported. The patient experienced near syncope, lightheaded, dizzy, vision narrow and tingling in lips on 20Dec2020 09:30 AM. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. No treatment given to the patient for the events. The outcome of the events was recovered on unspecified date. The event was considered non serious as it did not results in death, was not life threatening, did not cause/prolonged hospitalization, was not disabling/Incapacitating and had no congenital anomaly/birth defect.
927868	1/8/2021	OH	44	F	1/7/2021	1/7/2021	15 post vaccination started to complain of her lips tingling. It progressed to itchy eyes and started getting a little itchy all over. Her lips went from feeling itchy to feeling waxy. Gave benadryl at 5:15 pm. Patient started feeling less itchy and lips were feeling a little better at 5:30. continues to monitor patient until 5:45pm patient stated she was feeling better and felt comfortable going home. Patient left clinic at 5:50pm. Called and checked on patient at 7:00pm and she stated all symptoms were gone that she was just tired from the benadryl

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
927594	1/8/2021	TX	36	M	12/18/2020	12/19/2020	left eyelid began to twitch and to this day has been off and on everyday; This is a spontaneous report from a contactable healthcare professional. A 36-year-old male patient received his first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EK5730) solution for injection, intramuscular on left arm on 18Dec2020 08:00 at a single dose for COVID-19 immunization. Medical history included seasonal allergies. Concomitant medication included liothyronine. On 19Dec2020 at 23:00, patient reported his left eyelid began to twitch and up to this day it has been off and on everyday. No treatment was given. The event was reported as non-serious. The patient was not diagnosed of Covid-19 prior to vaccination and has not been tested for Covid-19 since vaccination. Outcome of the event was unknown. No follow-up activities are needed. No further information is expected.
927885	1/8/2021	AZ	61	M	1/4/2021	1/7/2021	left eye itchy on 1/4, left eye swollen on Wednesday and red, resolved on own, no treatment.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
927554	1/8/2021	NY	27	F	1/4/2021	1/4/2021	Got 1st shot at 1430 1/4/21. Was sent back to my unit (OR). At 1455 got full body flush followed by tingling lips, tight throat, trouble swallowing and SOB. No obvious signs of swelling of the lips. Used inhaler for SOB which helped marginally. After 1.5 hrs tingling in lips and flushed skin went away. Throat tightness and SOB still remained but weren't progressing so went home after my shift. Later that night around 2100 took 1 25mg Benadryl. Tightness in throat and SOB improved. The next morning 1/5/21, I reported to work for my shift. Tightness and SOB was manageable at this point. At 0800 the tightness in my throat, trouble swallowing and SOB got significantly worse. I was scrubbed into a surgery and had to call for a replacement so I could take Benadryl. I took 1 25mg tablet and 2 puffs of my inhaler and went back to my case. After the Benadryl and inhaler, the tightness in my throat and SOB became slightly more manageable. At 1240 the symptoms came back and I took another Benadryl and 2 puffs of my inhaler with slight relief of symptoms. Stayed the rest of my shift continuing my inhaler as needed and a Benadryl every 4 hrs. At 1600 I developed a headache at the front of my head above my eyes like a weight was sitting there. The next day when I woke up 1/6/21, the tightness in my throat, SOB and headache were worse so I had to call into work. The headache that morning had progressed to 7 out of 10 pain and the pain then included my neck where it attaches to the skull. At 0830 I called employee health and they advised my to go to an urgent care. I was checked over by a PA and was prescribed prednisone 40 mg for 5 days along with Benadryl every 4 hrs and inhaler as needed. I was also nasal swabbed for Covid. After taking the steroid, the headache and neck pain, tightness in throat went away. The SOB also improved. Currently taking the steroid, Benadryl (every 4 hrs) and inhaler 2 puffs as needed. Symptoms are mostly controlled. 1/7/21 tried to cut back the Benadryl to every 6 hrs. Noticed a huge difference in my breathing and had an increase in SOB so went back to every 4 hrs. 1/8/21 still taking steroid and Benadryl every 4 hrs and inhaler. SOB is worse today even with taking Benadryl. Have an appointment with my PCP to talk about getting the 2nd shot.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
927549	1/8/2021	AZ	55	F	12/20/2020	12/20/2020	Flushing, increased heart rate, tingling and swelling of lips, scratchy throat with slight swelling, eyes felt like pinpoints, hives on neck, sweating. Started after 5 minutes.; Flushing, increased heart rate, tingling and swelling of lips, scratchy throat with slight swelling, eyes felt like pinpoints, hives on neck, sweating. Started after 5 minutes.; Flushing, increased heart rate, tingling and swelling of lips, scratchy throat with slight swelling, eyes felt like pinpoints, hives on neck, sweating. Started after 5 minutes.; Flushing, increased heart rate, tingling and swelling of lips, scratchy throat with slight swelling, eyes felt like pinpoints, hives on neck, sweating. Started after 5 minutes.; Flushing, increased heart rate, tingling and swelling of lips, scratchy throat with slight swelling, eyes felt like pinpoints, hives on neck, sweating. Started after 5 minutes.; Flushing, increased heart rate, tingling and swelling of lips, scratchy throat with slight swelling, eyes felt like pinpoints, hives on neck, sweating. Started after 5 minutes.; Flushing, increased heart rate, tingling and swelling of lips, scratchy throat with slight swelling, eyes felt like pinpoints, hives on neck, sweating. Started after 5 minutes.; Flushing, increased heart rate, tingling and swelling of lips, scratchy throat with slight swelling, eyes felt like pinpoints, hives on neck, sweating. Started after 5 minutes.; Flushing, increased heart rate, tingling and swelling of lips, scratchy throat with slight swelling, eyes felt like pinpoints, hives on neck, sweating. Started after 5 minutes.; hives on neck; This is a spontaneous report from a contactable health care professional nurse, the patient. A 55-years-old non-pregnant female patient (nurse) received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot Number: EH9844), intramuscular in the left arm on 20Dec2020 13:45 as a single dose, Lot number EK5730 for COVID-19 vaccination. Medical history included ongoing complex regional pain syndrome. The patient previously took Ceftiaxone, tizanidine, vancomycin, triamcinone, duloxetine and experienced drug hypersensitivity. Concomitant medication were taken within two weeks but details not provided. No other vaccines were given within 4 weeks. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination the patient had not been tested for COVID-19. On 20Dec2020 14:00 the patient experienced flushing, increased heart rate, tingling and swelling of lips, scratchy throat with slight swelling, eyes felt like pinpoints, hives on neck, sweating. Started after 5 minutes. No treatment was given for the events. The

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
927540	1/8/2021	AZ	44	F	12/24/2020	12/25/2020	clinical outcome Flushing, increased heart rate, tingling and swelling of lips, scratchy throat with slight swelling, eyes felt like pinpoint, hives on neck, sweating was recovered.  Sore throat; cough; difficulty in breathing; tiredness; sleepiness; myalgia; arthralgia; headache; metallic taste in the mouth; burning in the eyes; chills; shaking; This is a spontaneous report from a contactable physician, the patient. A 44-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Lot EK5730) solution for injection on 24Dec2020 at 09:30 (at the age of 44-years-old) as a single dose for COVID-19 vaccination. The patient was not pregnant at the time of vaccination. There was no relevant medical history. There were no concomitant medications. The patient had no known allergies to medications, food, or other products. The patient did not receive any other vaccine within 4 weeks prior to the vaccine. Prior to the vaccination, the patient was not diagnosed with COVID-19. On 25Dec2020 at 07:00, the patient experienced sore throat, cough, difficulty in breathing, tiredness, sleepiness, myalgia, arthralgia, headache, metallic taste in the mouth, burning in the eyes, chills, and shaking which lead to doctor or other healthcare professional office/clinic visit. Treatment was provided for the events sore throat, cough, difficulty in breathing, tiredness, sleepiness, myalgia, arthralgia, headache, metallic taste in the mouth, burning in the eyes, chills, and shaking with NSAIDs. The outcome of the events sore throat, cough, difficulty in breathing, tiredness, sleepiness, myalgia, arthralgia, headache, metallic taste in the mouth, burning in the eyes, chills, and shaking was not recovered. Since the vaccination, the patient has been tested for COVID-19 on 30Dec2020 via Nasal Swab and Antigen test and both were negative.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
927517	1/8/2021	NJ	62	M	12/30/2020	12/1/2020	Felt pinched when the vaccine was administered; soreness at the muscle site; little muscle soreness from the vaccine; Postnasal drip in throat; Feeling warm then really hot; Feeling weak; Clammy; sweaty; As if he was going to pass out; almost like a vagal reaction if you got a needle or were scared; vagal reaction but delayed; Heart might have been beating fast; Experience is like the dizziness related in the signs of a severe allergic reaction; Experience is like the dizziness related in the signs of a severe allergic reaction; Anxiety; anxious; This is a spontaneous report from a contactable physician (patient). A 62-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Lot Number and Expiration Date were not reported), intramuscular in left deltoid, on 30Dec2020 10:30, at a single dose, for COVID-19 immunization. The patient's medical history included ongoing mild intraocular pressure. The patient's concomitant medication included unspecified eye drops for a mild intraocular pressure. The patient previously took tetanus vaccine and experienced vagal reaction and passed out (in his childhood). The patient's past COVID tests were always negative. On 30Dec2020, the patient received it at a facility where he is a physician on staff, and they started giving it that day. It was administered by a pharmacist who was very clean and professional, and everything was fine. The patient received the COVID-19 vaccine in the left deltoid and felt pinched when the vaccine was administered, and he felt fine. He did not have any immediate reaction. He sat down, then got up and was standing talking to some colleagues, and about 10 to 15 minutes later, they were talking and felt a little postnasal drip in throat. His colleagues said that is what they felt as well. About 10 minutes later, the patient was feeling warm then really hot to the point where he felt the need for cool air. He added feeling weak and clammy as if he was going to pass out. He started to feel weak and warm and almost like a vagal reaction if you got a needle or were scared. It was almost like he felt hot, sweaty, and weak and feeling like he needed to get to a cool place and sit down. The patient's heart might have been beating fast, but he did not check his pulse. The patient went outside where the temperature was in the thirties and cold. The patient broke out in sweat and felt weak. The patient sat down, and it was cold outside, and he felt

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

better. It passed and he felt fine after that. The symptoms lasted 10-15 minutes top, and it was resolved after the peak. The patient had soreness at the muscle site which got better overnight; little muscle soreness from the vaccine. The patient then got better and felt no other symptoms. He looked up the side effects and talked to the pharmacist. He spoke with a pharmacist, who provided the information on the reported adverse reaction of the COVID-19 vaccines and the signs of a severe allergic reaction included in the PI. He is not an allergic type person. He is familiar with those reactions and never had any trouble. He wasn't quite sure if it was related but then said it is probably somewhat related. The patient explained that he doesn't have any of the reported adverse reactions in the PI; but his experience is like the dizziness related in the signs of a severe allergic reaction in the PI, and he did feel that his heartbeat was fast. He is fine now though. The patient asked if his event is related to the vaccine and what is the impact on getting the second dose when reacting to the first. The patient was thinking that this event is a vagal reaction but delayed. He also explained that he was speaking with his colleagues, right after receiving the COVID-19 vaccine, regarding postnasal drip reaction. The patient also wondered if anxiety related to this discussion could have triggered his symptoms. Originally, he thought it was just him. But after talking to colleagues, maybe he was just a little anxious. He did not feel anxious going in. He did not need any intervention. He did not take any diphenhydramine hydrochloride (BENADRYL) or anything. He sat and rested, and it passed. He has been fine since. He needs a second dose in 3 weeks. There is not a lot of information about the side effects. It was not like he got a rash. He did not have any swelling of the tongue or throat. He just wanted to find out about if he should get the second dose. He really wanted to get the second dose. He just wanted to know if this was common or a concern and should he take the second dose. There were a lot of people getting the vaccine and this was not anything that stopped anyone from getting it. He is just trying to make sure and see how likely it was that it was related to the vaccine and how does it affect him getting the second dose. The patient was recovering from "Felt pinched when the vaccine was administered; soreness at the muscle site;

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							little muscle soreness from the vaccine". The outcome of "Postnasal drip in throat" and "Anxiety; anxious" was unknown. The patient recovered from the other events on 30Dec2020. Information about lot number and expiration date for the suspect product will be requested in follow-up attempts.
927415	1/8/2021	CT	28	M	12/28/2020	1/2/2021	4 days later after the vaccine my left eye turned really red with crust and mucus coming out. I went to walk in clinic and was being treated for pink eye. I was started on an antibiotic eye drop. A day later my right eye started to have the same problem. I scheduled an appt with a eye specialist where he examined both eyes and said I had a major infection. I was started on steroid eye drops which I am still taking but seems my eyes are not getting better. I have a follow up with another specialist next week for further testing. I have been out of work due to this matter.
927403	1/8/2021	NY	65	F	1/7/2021	1/7/2021	Approximately 20 to 30 minutes after receiving the vaccine, I had what appeared to be a seasonal allergic reaction, in which I could not stop sneezing and my eye tearing. This continued throughout the evening and night but not as intense as when it first began. I awoke at 1:00 AM to a very intense sneezing and eye tearing, but on only the left side of my face and eventually both sides. I took Allegra D and did get relief. The sneezing (allergic rhinitis) reaction continued but after almost an hour of taking the Allegra D , it was not as intense. My face also appeared swollen but only with respect of atypical allergic rhinitis intense reaction.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
929157	1/8/2021	TN	31	F	12/20/2020	12/1/2020	<p>blurriness on the right eye with consistent optic neuritis; read up on transverse myelitis that may be related to her condition; blurriness on the right eye with consistent optic neuritis; This is a spontaneous report from a contactable physician. This physician (patient) reported for self that the 31-year-old female patient received bnt162b2 (BNT162B2, PFIZER-BIONTECH COVID-19 VACCINE, lot: EK5730), via an unspecified route of administration on Deltoid, Left on 20Dec2020 13:00 at single dose for covid-19 immunisation. Medical history and concomitant medications were none. Reported she has a flu vaccine in Sep2020, and had no reaction to the flu vaccine. She clarified she has never had a reaction to a vaccination before. The patient received the vaccine last 20Dec2020 and has reported to have blurriness on the right eye with consistent optic neuritis since 24Dec2020. She has already consulted with an ophthalmologist who said her case was interesting and referred her to Pfizer. She is scheduled to have her second dose on 10Jan2021 and is asking if she should still take it. She also mentioned that she read up on transverse myelitis that may be related to her condition and is asking for any information we may have on this. Doctor reporting she is having a possible adverse event to the COVID-19 Vaccine. The patient clarified she received the COVID-19 Vaccine on Sunday, 20Dec2020 at approximately 1:00PM. Reported the COVID-19 Vaccine was administered at her employer. Doctor reported she is experiencing blurry vision in her right eye only, consistent with optic neuritis in Dec2020 (Medically significant). She said her right eye blurry vision gets worse after working out or showering. She said she has read some medical information that states some kind of autoimmune reaction, like transfer myelitis, may occur after receiving the COVID-19 Vaccine. The patient asked if she should get the second COVID-19 Vaccine, clarifying she is scheduled to receive her second dose on 10Jan2021. Clarified she started experiencing the right eye blurry vision on either 24Dec2020 or 25Dec2020. Treatment: Reported she saw an ophthalmologist, and the ophthalmologist said he didn't see anything concerning or not normal. She said the ophthalmologist referred her to see a neurologist, and to get a MRI of her head. She clarified her MRI appointment is on 19Jan2021. She clarified her ophthalmologist called her back 2 hours after she left her appointment. She said the</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

ophthalmologist told her he found what she was experiencing to be interesting, as to when she received the COVID-19 Vaccine, and the start of her right eye blurry vision, and that he wanted her to get further evaluation. She said the ophthalmologist performed visual field testing, and took a fancy picture of her retina. No further details provided. Vaccination Facility Type was hospital. No Vaccine Administered at Military Facility. History of all previous immunization with the Pfizer vaccine considered as suspect (or patient age at first and subsequent immunizations if dates of birth or immunizations are not available) was none. Additional Vaccines Administered on Same Date of the Pfizer Suspect was none. No AE(s) required a visit to Emergency Room but AE(s) required a visit to Physician Office. Prior Vaccinations (within 4 weeks) was none. Patient's Medical History(including any illness at time of vaccination) was none. Family Medical History Relevant to AE(s) was not provided. Relevant Tests included Visual field test, and picture of her retina. The outcome of the events was not recovered.; Sender's Comments: Based on temporal association, the causal relationship between bnt162b2 and the events optic neuritis, vision blurred and myelitis transverse cannot be excluded. The information available in this report is limited and does not allow a medically meaningful assessment. This case will be reassessed once additional information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees, and Investigators, as appropriate.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
927602	1/8/2021	NV	68	F	12/21/2020	12/21/2020	Lip tingle; Tongue- back, Each side-felt full; Eye lids dropped; This is a spontaneous report from a contactable other healthcare professional (patient herself). A 68-year-old female patient (not pregnant) received first dose of bnt162b2 (BNT162B2 also reported as COVID 19, brand Pfizer, lot EK5730, expiry date not reported), intramuscular in the left arm on 21Dec2020 16:15 at single dose, for Covid-19 immunisation. Medical history included asthma. Prior to vaccination the patient was not diagnosed with COVID-19. She did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Concomitant medications included liothyronine, levothyroxine sodium (LEVOXYL), ergocalciferol (VIT D) and fluticasone propionate (FLOVENT). The patient experienced lip tingle, tongue- back, each side-felt full, eye lids dropped on 21Dec2020 16:15. He went to professional office/clinic visit/Emergency room/department or urgent care. An unknown treatment was given to the patient. The outcome of events was recovered.
928097	1/8/2021	PA	43	F	1/5/2021	1/5/2021	Tuesday night, hot to touch area where it was given, lump, sore until Wednesday like the flu shot, 2 inch red circle around injection site, solid red circle, lump is not visible to the eye but there when touching, placed warm compress on it Wednesday and ice Wednesday afternoon, as of today it is not as sore or hot but is still warm to touch.
928481	1/8/2021	NC	60	F	1/7/2021	1/8/2021	Left Eye Swelling
928461	1/8/2021	FL	67	M	12/29/2020	1/3/2021	Anaphylactic reaction, Severe edema and raised red rash entire body, Severe itching ,Soft tissue edema of throat. Swelling of, eyes, lips, face. Multiple trips to ER, treated with steroids, Benadryl, prevacid. , CURRENTLY IN ICU ON EPINEPHRINE DRIP, STEROIDS, MULTIPLE MEDS
928429	1/8/2021	CT	59	F	1/6/2021	1/6/2021	fever-low grade starting 8 hrs after injection lasting 36 hrs-99.3-100.5 bilateral axillary tenderness lymph node swelling bilaterally-neck lasting 36 hrs mild headache eye swelling/itch all symptoms relieved with Benadryl 50-75mg x2 doses and Tylenol 500mgx2

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
928395	1/8/2021	MA	25	F	1/5/2021	1/5/2021	Nausea immediately following injection that continued for 24 hours, Stoke like symptoms that began six hours after injection that persist currently (48 hours +) including severe headache (resolved after 24 hours with 800mg ibuprofen Q3, Benadryl 25mg Q3 ), confusion, cognitive impairment, vision changes (L), drift in the upper extremity (L), dizziness, lack of coordination, and difficulty with depth perception. Neck stiffness from 12 hours post injection to 48 hours post injection. Negative for fever, vomiting, hemiparesis, difficulty with speech or word finding, facial droop,
928379	1/8/2021	IN	38	F	12/26/2020	12/26/2020	1150 Post injection my tongue started to feel numb and tingling. Tongue started to swell. Over the next 20 minutes the numbness and tingling progressed to the roof of my mouth, my gums, my lower lip, underneath my tongue, up my cheeks, and underneath my eyes on both sides. Because it kept slowly progressing I took 25 mg oral Benadryl. About 20 minutes after the Benadryl I noticed that my tongue didn't feel or look as swollen. Within an hour I would say 95% better. I just had some trace numbness on my cheeks bilaterally. Symptoms returned again about 12 hours later. Again took Benadryl, this time 50 mg. All symptoms have resolved
928369	1/8/2021	FL	51	F	1/7/2021	1/7/2021	Patient started experience burning in the eyes and bilateral tinnitus. She denied any rash, hives, swelling, facial edema, or pharyngeal edema, wheezing, shortness of breath, or chest pain. She was given Benadryl at the time and observed.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
927856	1/8/2021	NJ	61	F	1/6/2021	1/7/2021	At approximately 3:30 pm the next day (27 hours later), I noticed significant tearing from both eyes, while outside walking. When I returned home, and checked in the mirror, I noticed significant puffiness around the eyes (though not to the point of closure or impaired vision), especially in the inner corners (L>R). I contacted my PCP at 4:45 pm and was instructed to go to the Urgent Care. I was seen there and evaluated, then was discharged without any treatment plan. I had no other symptoms and felt great, and even felt the puffiness had subsided a little bit by the time I left the clinic. Today, 1/8/2021, at 7:30 am awakening, the eyes are quite puffy again, and my nose actually appears a bit swollen on the sides near the eyes. I hear clicking sounds in my sinuses and have a small amount of sinus pressure. I applied ice packs to the eye lids in an effort to reduce swelling, which seems to help a little. Please note that I had botox in my forehead and around the outside corners of the eyes, and dermal filler under the eyes (12/7/2021), this being the first time for the filler.
928230	1/8/2021	PA	30	F	1/7/2021	1/7/2021	Approximately 5 minutes after receiving vaccine her right eye became blurry. No other symptoms. No headache. BP 137/82 Pulse 92. Within 5 more minutes her right eye went dark. She was taken to ED. They did a CT scan and diagnosed her with ocular migraine. She was given benadryl, compazine and IV fluids. Symptoms resolved.
928496	1/8/2021	OK	31	F	1/6/2021	1/8/2021	Eye swelling, lip swelling and rash.
928072	1/8/2021	KY	39	F	1/7/2021	1/8/2021	Arm pain Pain in lymph nodes Chills Headache Eye pain Back if neck pain and sore Muscle soreness entire body Nauseous Tired Pretty much felt like I had covid all over again. Per vaccine information sheets we are encouraged to report these side effects Swearing after after about Tylenol

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
928052	1/8/2021		63	F	12/30/2020	12/30/2020	Patient experienced paresthesia in the face from the eyebrow down to the chin within a few hours after the first dose of the Pfizer COVID-19 vaccine. Aside from the paresthesia under the eye that lasted approximately 48 hours, the remainder of this effect slowly improved within hours. The patient has no contributing medical conditions, chronic or short-term medication use, or drug allergies.
928050	1/8/2021	IN	40	F	1/6/2021	1/7/2021	Injection site and surrounding area is red, swollen, itching and warm to touch. Spoke with NP, via online portal, who stated to keep an eye on area.
927989	1/8/2021	WV	22	F	1/6/2021	1/8/2021	The evening of receiving the vaccine she experienced itching eyes. The next morning her rt eye was swollen and she had red spots on face and forehead. Her arm was swollen and she experienced a knot at the injection site.
927981	1/8/2021	GA	56	F	1/5/2021	1/5/2021	Pt experiencing and c/o left nasal burning, left upper lip tingling progressing to numbness with slight swelling noted, scattered patchy hives to upper front chest, sharp HA above right eye, denies SOB, no acute respiratory distress noted or reported, slurring of words shortly after onset of other symptoms. Pt repeating "something ain't right". Pt received Moderna COVID vaccine at 4:35pm with no reactions or side effect noted within the post 15 and 30 minutes. EMS notified at 5:49pm. MD notified and ordered Benadryl 50mg IM (given at 5:53pm), EpiPen and DepoMedrol 40mg IM if needed. No respiratory distress noted, pt denies SOB. EMS arrived and transported pt to ER.
927902	1/8/2021	TX	33	M	1/7/2021	1/7/2021	tingling around eyes that resolved after 20 minutes

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
927888	1/8/2021	MD	52	F	12/28/2020	12/29/2020	Following day (Wed) my right eye was irritated and became itchy later on. Had Dr look at it and she started me on hot compresses with orders to start eye drops with antihistamine if this did not help. Did hot compresses felt a bit better on Thurs. Fri eyes were worse, started Eye drops. Saturday ears were itchy and sore with drainage--thought infected. Sunday both eyes were red, itchy oozing,, ears still oozing and sore--went to Urgent care. They said no ear infection and started me on Eye drops with steroids but could not get them until Monday around 5pm. Corners of mouth started cracking open as well. Monday started steroid drops. Wednesday eyes were much worse and felt like glass in them. called Dr. She said to stop steroid drops and go back to antihistamine drops and start Claritin. Started immediately and I started putting Ivarest in my ears. Eyes have stopped oozing but are still red. Ears are clearing up and not as sore. Mouth is starting to clear up
928358	1/8/2021	WV	21	F	12/28/2020	12/28/2020	Pfizer 1st dose- Not even five minutes after receiving the vaccine I started sweating, dizziness, headache, nausea and getting hives on both arms. They made my crew take me to the ER. When they took my vitals my O2 was 88% and they put me on 4lpm, HR was upper 110s and my BP was 160s/100s... The next day I couldn?t walk, keep my eyes open, had a headache, my whole body was aching and sore. I ended up sleeping for over 20 hours that day, couldn?t eat my husband had to actually help me walk to the shower and bathe me because I kept almost passing out.
930552	1/8/2021	WA	44	F	1/6/2021	1/8/2021	I am a physician and received 2 doses of the Pfizer COVID vaccine. First dose 12/20/20. Second dose 1/6/2021. Forty- eight hours after second dose I had moderate to severe under eye swelling at site of dermal fillers I received May 20,2020 requiring steroids and antihistamine. I also had severe myalgias and fever 12 - 36 hours after my second dose.
930407	1/8/2021	IA	53	F	1/8/2021	1/8/2021	Nauseous for 30 minutes after vaccine, then reported itchy eyes that felt "tight" and stated she had this same reaction with latex allergy. Usually takes Benadryl for it. Treated by NP with po Zofran and po Benadryl

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
930622	1/8/2021		48	F	1/6/2021	1/6/2021	Patient developed watery eyes later in the afternoon of receiving her COVID. The following day she had flu like symptoms and this morning she has bilateral swollen lymph nodes in the axilla area.
930606	1/8/2021		36	F	1/6/2021	1/6/2021	Patient started having severe dizziness, with a racing pulse. Pt stated she felt very warm. Given ice pack and cold cloths. BP was slightly elevated. Pulse initially was about 112. Had patient lay down and she felt better. Thought to be vasovagal response. Starting at 01:30 on 1/7/21 she had a severe headaches, eyes watering, runny nose, dry throat. Injection site reaction
930602	1/8/2021	VT	44	F	12/18/2020	12/19/2020	I had the worse headache I've ever had in my life, soreness in my arm. When I woke up in the morning it was pounding, spread to the right half of my head, nausea, photo sensitivity, vertigo. It took 36 to 48 hours before I could function. 48 to 72 hours later I had another headache with vertigo. I had complete vision loss in my left eye.
930589	1/8/2021	CO	33	F	1/8/2021	1/8/2021	Within 5 minutes of administration felt tongue/throat tingling, then felt them starting to swell, making it difficult to swallow, flushing feeling, felt like I was getting tunnel vision (how you feel before you pass out). Reported symptoms to RN who administered shot. Given PO liquid benadryl and epi pen injection quickly- symptoms started to fade within 10-15 minutes, tongue tingly for a few hours. Monitored x 1 1/2 hours with frequent VS checks- HR/BP/SaO2 remained within normal limits

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
930581	1/8/2021	OR	62	F	1/4/2021	1/5/2021	Pfizer-BioTech COVID-19 Vaccine EUA 24 hrs post vaccination I started feeling fatigued, muscle and headaches which seemed to move around my body for about 24 hrs. At one point it seemed to settle into my hand. Knuckles swelled arthritis like. When walking up stairs I had significant muscle weakness in my legs and exertional dyspnea. Eyes felt "feverish" but had no fever. The next morning while trying to do a routine workout the same thing happened. It was a significant change to my normal condition. The dyspnea was the most concerning. The body aches settled into my lower back. Fatigue was moderate-moderately severe. As the day went on things waxed and waned. By the end of 72 hrs. most symptoms subsided. Friday 01/08/2021 I had a completely normal workout, no exertional dyspnea, fatigue subsided, no body aches. Back to normal. I would consider the symptoms to have been Moderate+.
930662	1/8/2021	WA	47	F	1/6/2021	1/6/2021	Reported itchy throat, tongue, face apprx 10 mins after vaccine. Later that night she had all over body itching with no rash and mouth swelling, eye swelling. No SOB, or difficulty swallowing.
930574	1/8/2021	FL	34	F	1/7/2021	1/8/2021	Severe nausea, fatigue Tunnel vision, and delayed speech. Lasting 15 min.
930664	1/8/2021	TX	26	F	12/24/2020	12/25/2020	DPH (after the Lot number); I started with a very severe pounding tension headache - 6:00 am; very severe fatigue; very severe arm pain at injection site. And then unable to complete daily functions: do to headache; suffered from headache - took one gram tylenol to address a low grade fever that day and the headache, too. fever subsided with tylenol. Headache was relentless; I tried 600 mg of ibuprofen as well to treat headache with no success; Started to suffer severe pain; couldn't open eyes from pressure of headache. Went to ER due to never having such a severe headache before. Tests did not show pathology that would cause headache. Was given one liter of IV fluids. Was given 25 mg of benydryl ; 10 mg of compazine. Along with toradol. And 20 meq of potassium. Discharged home with two prescription migraine medications. Resolution of symptoms by 27th. COVID Test was negative result.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
930530	1/8/2021	CA	52	F	12/28/2020	12/28/2020	Feeling hot and fatigued around 2:00pm. Itchy water eyes in the afternoon/evening. Took Claritin and that helped a little but symptoms lasted until next morning (12/29/20).
930527	1/8/2021	PR	28	F	1/7/2021	1/7/2021	rash and itching on both eyes. Administered Benadryl IM 50mg as ordered by doctor. Was kept under observation for 15 min. Patient left in stable condition.
930489	1/8/2021	MA	58	F	12/28/2020	12/30/2020	Onset of episodes of l hand rash or pounding. No palpitation. No headache. No flushing. Vision. No vertigo. No out-of-body experience. Lasted <60 seconds every 3-4 hrs She was unsteady sitting when it occurred. Easing up as of 1/7/21 but still occurring at least 2x/day. Now SOB better
930485	1/8/2021	IL	41	F	1/7/2021	1/7/2021	Patient received the vaccine at 220pm via IM in her Left Deltoid. She stated that 10min later her top pallet in her mouth started to swell where she couldn't eat or drink anything. She stated it was tingly. She took 4 Pepcid and stated it felt better. on 1/8 at 1pm she reported a sore arm, cloudy vision, shakiness and a temp of 99.8. She reported to her PCP and her PCP stated not to get the 2nd COVID-19 injection.
930463	1/8/2021	MD	39	F	1/5/2021	1/5/2021	Severe headache, lightheaded, low BP, feeling woozy, dizzy, halo around all lights, light sensitivity, general weakness, heavy eyes, itchy eyes, exhausted, difficulty concentrating, metal taste in mouth - have felt this way on and off since 30 minutes after getting the shot
930444	1/8/2021	PR	46	F	1/7/2021	1/8/2021	Injection site pain. Muscle pain. Joint pain. Chills. Headache. Eyes pain
930421	1/8/2021	IN	51	F	1/6/2021	1/6/2021	Hives on neck and swollen submandibular lymph nodes, swelling of left upper and lower eyelid- benadryl taken, swelling resolved within 24 hours
930580	1/8/2021	TX	56	F	12/28/2020	12/29/2020	1/2dollar size red circle @ injection site. Low grade fever Runny nose, itchy watery eyes, earache, allergy symptoms. Fatigue.
958441	1/8/2021		46	M	12/28/2020	12/28/2020	face and eyes numb x 2 hrs Narrative:



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
929071	1/8/2021	MT	44	F	12/29/2020	1/6/2021	Chills and body aches approximately 8 hours vision changes approximately 30 minutes, headache ongoing for several days now, fatigue
929399	1/8/2021	GA	34	F	1/6/2021	1/8/2021	AWOKE DAY 2 FOLLOWING VACCINE WITH POSSIBLE ALLERGIC REACTION: THROAT SORENESS/TIGHTNESS AND HOARSE VOICE, EYES SWOLLEN, ITCHY AND RED. C/O DIFFICULTY BREATHING. DENIED FEVER, CHILLS OR BODY ACHES. MEDICATED WITH BENEDRYL 50 MG AND NO RELIEF. SENT TO ER WITH DIFFICULTY BREATHING.
977008	1/8/2021		60	M	1/4/2021	1/4/2021	Dizziness, Headache, Arm sore and painful. C/O feeling eye pressure
970540	1/8/2021		30	F	12/23/2020	12/23/2020	periorbital edema, lip swelling Narrative: ED note: This is a 29 year old employee who got her COVID vaccine yesterday. This morning she noticed facial puffiness, mostly around her eyes. No swelling of lips, tongue, no trouble swallowing or speaking, no swelling of throat, no SOB, no n/v or dizziness. Here she had some mild periorbital puffiness that I would not be aware of if she did not point it out to me. There is no swelling of her lips, airway and no SOB or problems with her voice. Her symptoms are improving in the ER. I think it is unlikely that this delayed symptom is related to the vaccine, however, she also states she had some swelling of the right side of her lip yesterday (none today), so I'm going to prescribe her an epi-pen.
964524	1/8/2021		43	F	12/23/2020	12/23/2020	Myalgia, Diarrhea, LEFT deltoid, soreness redness and lump RESOLVED 12/28. periorbital edema/upper eyelids, diarrhea, myalgia and fatigue 12/25 all resolved 12/28. upper eyelids conts Narrative:
964509	1/8/2021		39	F		12/23/2020	eye twitching

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
930645	1/8/2021	WA	35	F	1/7/2021	1/7/2021	Roughly 4-5 minutes following my vaccination I felt a rush of lightheadedness, tension in my neck, difficulty obtaining a deep breath, flushed and sweating. My vitals were obtained by on on-site medic HR/BP were elevated and SO2 had dropped. I was under direct supervision of a medic for roughly 45 mins, vitals were taken again half way through and had normalized but were still high in comparison to my usual. The light headed feeling and flushed feeling did not subside and I was unable to drive myself home, I had to leave my vehicle and arrange a ride from my husband. Since returning home I have battled sweats, chills, increased pain in my left shoulder, increased headache, body aches, tension in my neck and shoulders, and diarrhea. It has been 24 hours and an intense headache/neck ache still remains, some fluctuating warm/cold body temps, and diarrhea are still persisting.
958488	1/8/2021		22	F	12/29/2020	12/29/2020	BlurredVision, Dizziness & HYPOTension Narrative: Patient experienced blurred vision, dizziness, and hypotension within minutes of receiving the vaccine at the same time the employee across from her getting the vaccine was having a similar reaction.
950264	1/8/2021			M		12/28/2020	BlurredVision, Headache, lightheadedness, visual disturbance, diaphoresis Narrative: has orthostatic hypotension - referred to emergency room
950268	1/8/2021		38	F	12/22/2020	12/22/2020	RespDepression SOB, eye swollen, face red, pepcid, claritin
950263	1/8/2021		51	M		12/28/2020	BlurredVision, Confusion, Dizziness, Headache, NauseaVomting, Mild/ Migraine and dizziness/ No known previous reactions Narrative: 10 minutes after injection she felt a migraine, with hx migraines. Vitals were stable. 20 minutes post injection she said she felt dizzy, woozy and slightly confused.
930869	1/8/2021	CA	50	F	1/7/2021	1/8/2021	She has a fever of 101.5 chills shakes eyes sensitive to light severe headache body and muscles ache weak fatigue mild neasua

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
930819	1/8/2021	CT		F	12/28/2020		Received first dose of Pfizer vaccine @ 4:30PM 12/28/2020. Full body rash starting @ 7:30PM day of injection lasting until today (Jan 8th 2021) although much less severe. Rash was hot to touch, not itchy, and very blotchy first few days. Dec 30-Jan 5 2021 low grade fever, chills, diarrhea, sore throat. Thought possibly COVID+; tested Dec 31 @ Hospital and was negative. No other allergic reactions such as throat swelling, itchiness, eye irritation at all. Although I did take one Benadryl at ~9PM 12/28.
930740	1/8/2021	OR	61	F	1/5/2021	1/5/2021	Blurry vision, hard time focusing, "even with my glasses.~~
930715	1/8/2021	VA	27	F	1/5/2021	1/5/2021	swollen left eye, hives on arms and legs, stuffy/runny nose
930690	1/8/2021	NY	39	F	1/7/2021	1/7/2021	I got the vaccine at 9:45am. I got a sudden sharp migraine after 3:15pm, which lasted till around 8pm. Around the same time I also experienced severe nausea, which lasted all night and I woke up with it today. I went to restroom to wash my hands and when I looked in the mirror I noticed 3 hives- 1 on my face under my left eye and 2 on my neck. My left eye was also itchy for about an hr or so.
961740	1/8/2021		51	F	12/28/2020	12/29/2020	BlurredVision, NauseaVomiting, Symptoms started eve of 12/28/2020 as above with marked generalized fatigue and pain on left deltoid. Feels better 12/29 with only left deltoid pain remaining.
929698	1/8/2021	PA	56	F	1/6/2021	1/7/2021	Severe vision blurriness. Unable to distinguished a red light from a green light. It went away 24 hours later.
929804	1/8/2021	IN	52	F	12/1/2020	12/30/2020	Received vaccination the morning of 12/29/2020, experienced soreness in shoulder area. Hives began to swell at the injection site roughly 24 hours later. Red, circular, and raised but went away on its own. On 1/7/21 right eye began to swell below and above. Additionally, patient experienced aches in both shoulders, headache, and injection site raised again in hives through a 2x2 inch circle. left shoulder still feeling sore at the current time.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
929800	1/8/2021	NJ	59	M	1/6/2021	1/7/2021	Mild soreness at first. Next day, stomach started grumbling. Couldn't keep his eyes open, sweating,, weakness, abdominal pain, muscles aches, and vomiting this morning. no fever.
929788	1/8/2021	NY	37	F	1/4/2021	1/5/2021	Reported itchy face covered with hives and one over eyelids very swollen. She was prescribed prednisone and symptoms resolved. Provided pictures in the email. She said her doctor advise not to take 2nd dose.
929752	1/8/2021	PA	40	F	1/7/2021	1/8/2021	Employee woke with sensory disturbance on left side of face itchy sensation, left eyelid and bottom lip droop, left ear pain. She was ordered steroids by her PCP.
929744	1/8/2021	NV	68	F	12/21/2020	12/21/2020	1-2 minutes after injection: lip tingle, bi-lat side back of tongue, some neck discomfort, slight headache, eyelid drop-bi-lat. Lasted 30 minutes. Day 2- symptoms returned approx 10:30 am - 3:00 pm. Nore intense included dizziness, shakes, overall malise, chest tightness. Later that day, mild diarrhea, mild nausea. Day 3- woke with wheezing. Symptoms all continued for next 10 days off and on. The lip, tongue seemed to get shorter and shorter in duration. Also has mouth watering. Afternoon would bring on overall malaise issues. 2nd and 5th day, the worst. On 3 day went to urgent care, prednisone 40 mg x days, pepcid, zyrtec. Back to urge t care day 6, Ed day 8. Day 14 abd 15 awful chills, muscke ache and shaking.
929731	1/8/2021	KS	40	F	1/6/2021	1/6/2021	Noted severe fatigue, diffuse pain, facial twitching on eye and mouth r side first day. Second day fatigue, and diarrhea, headache Third day-today abdominal pain, GI bleed
929825	1/8/2021	PR	45	F	1/7/2021	1/7/2021	Swelling and redness around the eyes and lives. Treatment benadriil 50 mg po stat.
929703	1/8/2021	ID	59	F	12/29/2020	12/29/2020	Headache within 5 minutes. Within 3 minutes stomach pain, stiffness/tightness, stiffness/tightness in extremities legs, calves, arms, stomach, neck, all over tightness/stiffness. Dizziness, slight blurry vision, fuzzy feeling. All these symptoms persisted for 1 full week, with slight relief after 1 week, but continuing into second week.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
929699	1/8/2021	NC	26	F	1/8/2021	1/8/2021	lightheadedness, pulse increase to 112 bpm, temperature increase, headache/migraine, blurry vision.
929636	1/8/2021	GA	34	F	1/6/2021	1/8/2021	employee awoke with throat tightness/soreness, eye swelling, itching and redness. She reports difficulty breathing and felt like her throat was closing. symptoms are 2 days post vaccination. No fever, chills or body aches. sent was sent to the ER.
929604	1/8/2021	FL	86	F	12/30/2020	1/1/2021	I have 2-3 good beats and then kind of has like 2 or 3 slower beats, missing beats, they are not as strong/ Heartbeat seems to be a little erratic; I have 2-3 good beats and then kind of has like 2 or 3 slower beats, missing beats, they are not as strong; Woke me last night, at 3 o' clock this morning; This is a spontaneous report from a contactable consumer (patient himself). An 86-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 30Dec2020 at single dose for COVID-19 immunization. Medical history included atrial fibrillation (Afib), gastroesophageal reflux disease (Reflux), macular degeneration, ongoing It's for heart, ongoing bleeding disorder. Concomitant medication included metoprolol for heart; ascorbic acid, betacarotene, cupric oxide, tocopheryl acetate, zinc oxide (PRESERVISION) for macular degeneration; fish oil for Omega 3; Vitamins. Clinical course: She had a bleeding disorder, she was on a blood thinner (unspecified medication), they didn't know she took a blood thinner. She had noticed with her heartbeat seems to be a little erratic, but she also had AFib. So, it seems like she had 2-3 good beats and then kind of has like 2 or 3 slower beats, missing beats, they are not as strong. But she thought that would have been AFib but seems to be a little bit different. It woke her last night, at 3 o' clock this morning on 01Jan2021. She wanted to know if it would have an effect on her heartbeat by taking the blood thinner. The outcome of events was unknown. Information about Batch/Lot number has been requested.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
929545	1/8/2021	IL	35	F	1/5/2021	1/5/2021	Tingling and numbness that radiated to the left side of the neck, ears, nose, lips and eyebrows; Tingling and numbness that radiated to the left side of the neck, ears, nose, lips and eyebrows; Tingling and numbness that radiated to the left side of the neck, ears, nose, lips and eyebrows; tingling and numbness that radiated to the left side of the neck, ears, nose, lips and eyebrows; This is a spontaneous report from a contactable Other Health Professional (patient). A 35-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration in left arm on 05Jan2021 02:30 at single dose for COVID-19 immunization. The patient had no relevant medical history and concurrent conditions. Known allergies: No (Allergies to medications, food, or other products: No). Other medical history: None. Concomitant medication received within 2 weeks of vaccination included biotin, meclizine (MECLOZINE), multivitamin. The patient experienced tingling and numbness that radiated to the left side of the neck, ears, nose, lips and eyebrows on 05Jan2021 12:30 with outcome of recovered in Jan2021. The patient underwent lab tests and procedures which included COVID test post vaccination: Nasal Swab (Prc) on 27Dec2020 with result negative. The patient was not pregnant at the time of vaccination. Facility where the most recent COVID-19 vaccine was administered: Workplace clinic. The patient had not receive any other vaccines within 4 weeks prior to the COVID vaccine. The adverse event result in Doctor or other healthcare professional office/clinic visit. Ibuprofen received for the adverse event. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had been tested for COVID-19. Serious: No. Seriousness criteria-Results in death: No. Seriousness criteria-Life threatening: No. Seriousness criteria-Caused/prolonged hospitalization: No. Seriousness criteria-Disabling/Incapacitating: No. Seriousness criteria-Congenital anomaly/birth defect: No. Information about Lot/Batch has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
929519	1/8/2021	TX	74	M	1/4/2021	1/4/2021	<p>Caller took his temperature under his tongue and the reading was 99.5°F last night/his temperature is usually 98 or 97°F/ he maintains his temperature around 96 or 97; some injection site pain; some body pains/ a lot of body pain; he could not sleep much states it was intermittent/He woke up every hour; his vision is not really good; He was experiencing an uncomfortable feeling in his body; This is a spontaneous report from a contactable consumer (patient). A 74-year-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) Lot number: EK5730, Expiration date: Mar2021, at single dose on 17Dec2020, and second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) Lot number EK9231, expiration date Apr2021, Intramuscular at single dose in left shoulder on 04Jan2021 for prevention of covid. Medical history included ongoing Diabetes which was controlled with medication, blood pressure abnormal, microalbumin level that was high in urine, TSH was low. Concomitant medications included metformin for two or three years for Diabetes, lisinopril for blood pressure and kidney albumin control (he was found to have a microalbumin level that was high in urine and it was prescribed by his doctor several months ago. It was a kidney albumin control), and ongoing levothyroxine since TSH was low (now his TSH was normal and he was taking it per his doctor). The patient received his second dose of Covid vaccine yesterday (04Jan2021). He took his temperature under his tongue and the reading was 99.5°F last night. His temperature was usually 98 or 97°F. He took two Tylenol tablets last night and he did not go to work today. He also had some injection site pain. He had some body pains. He did not have these side effects with the first dose and understood this vaccine was more than the flu vaccine but he was concerned with the side effects. He received the second dose yesterday at 9:30 am. He did not have any problems with the first dose, absolutely nothing. Since last night he could not sleep much states it was intermittent, a lot of body pain, his temperature under the tongue is 99.5 degrees F and most of the time he checks his temperature with a frontal scan and he maintains his temperature around 96 or 97. He was calling to ask if the vaccine can cause covid infection. He did not have any problems yesterday at all prior to the vaccine being administered. When querying outcome of his body pain</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
929479	1/8/2021	NH	42	M	12/29/2020	12/30/2020	<p>he stated it was mild. He took 2 caplets of Tylenol yesterday in the middle of the evening. He woke up every hour. He was experiencing an uncomfortable feeling in his body. His temperature was taken about 5 or 10 minutes ago and was 99.3 (states there may be a difference between under the tongue and frontal scan reading). He had to get his temperature checked behind the ear at his workplace since he was coming in from the cold outside. His blood sugar this morning (05Jan2021) was 101. His vision was not really good. Sometimes with the flu vaccine he got the same effect he was getting now but he did not worry about it with the flu vaccine. He received the flu vaccine a long time ago. The outcome of all events was unknown.</p> <p>left eyelid severely swollen; eye lid or perhaps eyeball under lid sore to touch; This is a spontaneous report from a contactable consumer (patient). A 42-year-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot #: unknown), via an unspecified route of administration on 29Dec2020 13:00 in left arm at single dose for COVID-19 immunization. Medical history included seasonal allergy and asthma from an unknown date and unknown if ongoing. Concomitant medication included zinc, vitamin C [ascorbic acid], vitamin B3 and Elipta for asthma. The patient had historical vaccine Tetanus and experienced allergies. On 30Dec2020, the patient woke up the next morning with left eyelid severely swollen then took anithistamine Allegra, it got better as the eye lid or perhaps eyeball under lid sore to touch for next 24 hours but getting progressively better. The facility where the most recent COVID-19 vaccine was administered in a nursing home or senior living facility. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. The outcome of the events was recovered on unspecified date. The event was considered non serious as it did not results in death, was not life threatening, did not cause/prolonged hospitalization, was not disabling/Incapacitating and had no congenital anomaly/birth defect. Information on the lot/batch number has been requested.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
930396	1/8/2021	TX	61	F	1/7/2021	1/7/2021	After patient observed for 45 min. and left the site, driving away felt she could not swallow. This lasted about a minute. Also, felt as if left side of face was going to become numb and felt pain in back of left knee. Left eye felt dry. These symptoms lasted about a minute. She put eye drops in eye when she got home and ate with no difficulty. She spoke with her doctor today.
951306	1/8/2021		43	F	12/23/2020	12/23/2020	Dizziness, NauseaVomiting, Tachycardia, Pt reported feeling "heaviness" in legs "can't move" and "left eye feels funny, like twitching and my blood pressure feels high" Narrative: Pt reports high anxiety along with stated symptoms.
929729	1/8/2021	CT	83	M	1/5/2021	1/6/2021	Rash on forehead and left eye swollen shut started the day after injection
930164	1/8/2021	NM	60	M	1/6/2021	1/6/2021	Approximately 2 hours after receiving the vaccine I felt a heat flash, people setting in the area asked if I was OK as my face was red. It cleared in approximately a minute. The 2nd heat flash came on about 5 to 10 minutes later and cleared about a minute later. The 3rd heat flash came on about another 5 to 10 minutes, again clearing at about 1 minute. Next I felt like my head was in a fog, found it very hard to focus, and was forgetting what I was doing. I walked over to the office, my supervisor asked if I was ok as she said it looked like my eyes were glazed over, my head was still in a fog. This cleared by 2:30 p.m.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
930384	1/8/2021	WI	32	F	1/8/2021	1/8/2021	Patient presented for her first vaccination. Patient stated she was very nervous and scared of needles. Patient's skin felt warm. RN talked with patient for close to 5 min and worked through deep breathing exercises to assist in calming her. After the dose, the patient stood up, walked to the opposite corner of the room, and put her long sleeved shirt back on under her scrub top. As the patient began to walk out the door. RN met patient and went to walk with her to the sitting/monitoring room. The patient said she felt dizzy. RN helped the patient to the floor, on her knees, and then to a laying down position. A pillow was placed under her head, cool cloth was placed on her neck. Patient's eyes were rolled back in her head. Patient's skin was warm to the touch. Patient was assisted from the floor to a chair. Patient was pivot transferred to a wheelchair, and transferred to the monitoring room for further monitoring. At this time, the patient stated she felt cold and her hands were very cold to the touch. Patient was monitored by RN. Patient was then transferred to the ED via wheelchair for further monitoring.
930288	1/8/2021	MT	58	F	1/7/2021	1/7/2021	Bad headache, dizzy, very tired, nausea, blurred vision.
929650	1/8/2021	NY	40	F	12/30/2020	12/30/2020	Low grade fever with chills, headache, neck stiffness, pain behind eyes, sensitive skin (from fever), muscle aches and cramping, severe fatigue. Pain in arm and stiffness. Started 5 hours post injection and continued to intensify despite tylenol over the course of 36 hours. After 36 hours the symptoms began to subside.
929873	1/8/2021	TX	32	F	1/6/2021	1/6/2021	Approximately 13-14 hours after 2nd vaccine dose, developed generalized fatigue, myalgias, chills, and low grade fever (100.6F oral temp). Symptoms largely resolved within 24 hours; however, had persistent eye soreness (pain with lateral movement) through 72 hours post-vaccination for which additional evaluation was sought.
930262	1/8/2021	ME	54	F	12/23/2020	1/6/2021	I went to bed with a headache 1/5/2021. Woke the next am with a red eye. No drainage, vision loss or pain. I sent photos to my PCP and eye doctor who both said it was conjunctiva hemorrhage. I feel a bit of pressure behind that eye. It is not consistent with conjunctivitis. I have never had this before. .

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
930259	1/8/2021	CA	62	F	1/8/2021	1/8/2021	Blurred vision, numbness in the mouth and high blood pressure. Benadryl 25 mg PO was administered approximately 1 hour post vaccination. Employee was instructed to see primary attending physician.
930188	1/8/2021	NM	60	M	1/6/2021	1/6/2021	Approximately 2 hours post vaccination a heat flash came over my body, co-workers setting around me asked if I was ok as my face was red, cleared about 1 minute later. About 15 minutes later a 2nd heat flash came over my body and cleared about 1 minute later. About 15 minutes later the 3rd heat flash came across my body and cleared about 1 minute later. Approximately 30 minutes later my head was in a fog, I could not focus, thoughts left my mind. When returning to my office my manager asked if I was ok and said my eyes were glossed over and my face was red. All this cleared around 2:30 pm.
930150	1/8/2021	TX	26	F	12/24/2020	12/25/2020	DPH (after the Lot number); I started with a very severe pounding tension headache - 6:00 am; very severe fatigue; very severe arm pain at injection site. And then unable to complete daily functions: do to headache; suffered from headache - took one gram tylenol to address a low grade fever that day and the headache, too. fever subsided with tylenol. Headache was relentless; I tried 600 mg of ibuprofen as well to treat headache with no success; Started to suffer severe pain; couldn't open eyes from pressure of headache. Went to ER due to never having such a severe headache before. Tests did not show pathology that would cause headache. Was given one liter of IV fluids. Was given 25 mg of Benadryl ; 10 mg of Compazine. Along with toradol. And 20 meq of potassium. Also tested for covid and was negative. And discharged home. Following day: mild headache and with resolution of left arm pain. By the 27th it felt like headache was resolved.
930148	1/8/2021	IL	53	M	1/7/2021	1/7/2021	Server pain at the injection site to the point it is hard to move the arm, and it woke me up when I rolled onto it. Migraine headache with visual pain and nausea. I have taken Tylenol and ibuprofen for the pain and discomfort and I have also been icing the injection site. I missed work today because of the migraine

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
930002	1/8/2021	NY	33	F	1/8/2021	1/8/2021	9:30 AM - Recipient sent to observation area post administration- tolerated well. In observation area 5 min. later recipient began stating she feels dizzy, screaming she does not feel well, began shaking upper torso and extremities, eyes shut - placed on ground floor with elevated legs, applied 10L/min oxygen via mask, v/s taken (HR/PR/ Pupil reaction), EPIPEN 0.3mg administered @ 9:38 am, with good response as recipient seemed to calm down, no screaming, no shaking. At 9:52am EMS arrived and took over.
930133	1/8/2021	NE	33	F	12/23/2020	12/24/2020	She reports not having any symptoms other than a tender deltoid area after her vaccination. She reports feeling fine the morning of 12/24/2020 when she went to work. Pt. reports approx. 4 hours after being at work that she became dizzy, clammy, noted head pressure and spots in front of her eyes as if she were going to pass out. She reports that she did have breakfast prior to coming to work. Noted her blood pressures to be elevated 141/102. She was monitored for 45 mins. taking BP every 15 mins. ranging from 155/112 with the lowest obtained being 150/90. With the drinking of fluids at the end of the 45 mins. she did feel like she was getting back to her normal self. She was instructed due to elevated BP to seek care at her clinic with her PCP. She did return to work on 12/25/2020 reports that she felt much better.
929877	1/8/2021	LA	67	F	1/8/2021	1/8/2021	Patient appeared nervous upon receiving vaccine. Patient reported trouble swallowing ( has a history of radiation therapy on throat). When asked if breathing was restricted, patient was able to take long breaths with minimal additional effort. Shortly after, patient appeared to be close to passing out (not completely awake and alert), eyes dilated. The pharmacist who administered the vaccine then administered one dose of the epinephrine (Epi-pen LOT:0FM353/eEXP:NOC 21) while the staff member kept the patient stable in her chair. The facility was instructed to call 911. At 11:49 AM (7 minutes later), symptoms began to improve and the patient became more alert. EMS arrived around 12:00PM to take patient to hospital--patient refused and was back walking around the facility 5 minutes later. No further issues were reported with this patient (pharmacist administering the vaccine left the facility around 1:15PM)

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
930096	1/8/2021	KS	45	F	1/7/2021	1/7/2021	<p>Notes APRN (Nurse Practitioner) ? ? Nurse Practitioner Cosign Needed Expand All Collapse All COVID VACCINE CLINIC 1/7/2021</p> <p>Date: 1/7/2021</p> <p>Subjective Patient is a 45 y.o. female who was seen at COVID Vaccine Clinic today for her second dose of the COVID 19 vaccination. She denied any history of previous adverse reactions to vaccines. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience throat tightness and sinus drainage. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to abdominal pain, blood pressure abnormality , chest pain, collapse, drooling, hypotension, increased swelling, rapid progression of symptoms, respiratory distress with stridor, wheezing, dyspnea, increased work of breathing, persistent cough and cyanosis, skin changes, tongue swelling and vomiting. Pt took allegra this am for allergies. ALLERGY REVIEW OF SYSTEMS: All other systems negative Previous Reactions: She states with first shot a few hours after her shot she had a rash on her mid back. and and lower extremities. Pt also had a head ache. Symptoms lasted 5 days. Objective Vitals Vitals: 01/07/21 1248 01/07/21 1303 01/07/21 1321 01/07/21 1334 BP: (!) 150/87 130/71 137/87 123/73 Pulse: 94 86 75 76 SpO2: 97% 99% 98% 99% Physical Exam Vitals signs and nursing note reviewed. Constitutional: Appearance: Normal appearance. She is well-developed. HENT: Head: Normocephalic. Jaw: There is normal jaw occlusion. Right Ear: External ear normal. Left Ear: External ear normal. Nose: Nose normal. Mouth/Throat: Mouth: Mucous membranes are moist. Eyes: Pupils: Pupils are equal, round, and reactive to light. Neck: Musculoskeletal: Normal range of motion. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary:</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
929888	1/8/2021	NY	53	F	12/31/2020	12/31/2020	<p>Effort: Pulmonary effort is normal. Breath sounds: Normal breath sounds. Abdominal: General: Abdomen is flat. Musculoskeletal: Normal range of motion. Skin: General: Skin is warm and dry. Capillary Refill: Capillary refill takes less than 2 seconds. Findings: Rash (on chest) present. Rash is macular. Comments: Flushing over the cheeks and bridge of the nose. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Behavior is cooperative. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: antihistamines. Follow up response to treatment: good. Patient discharge: Stable to go home and follow up with PCP. Pt told if symptoms worsen or changed she is to be seen in the ER. Diphenhydramine 25 mg oral given at 12:55pm. Pt okay to go home with dad driving at 14:22 pm. Electronically Signed 1/7/2021 2:03 PM</p> <p>Following 1st Covid shot on 12/31; about 2 hours afterward experienced extreme fatigue, nausea, and dull headache. All mild and expected as possible side effects. No concerns. Symptoms continued and by 1/5; all symptoms had move to severe level and are still occurring today 1/8. Temperature spikes to 102.8; chills, severe headache especially in eye sockets, body aches, and heaviness in chest. Could not work on 1/7 and only for a bit on 1/8 (working from home). Became concerned and was flu and covid tested on 1/7; both negative. I was retested for Covid on 1/8 and still negative. I am not sure if maybe I am sick with something else and this is coincidence or if I am just experiencing issues from the vaccine that are a little different from others?</p>

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
930089	1/8/2021	IL	34	F	12/30/2020	12/30/2020	received the covid vaccine 12/30/2020 that night I had a very bad sore arm lasted 3 days that night at around 6pm I experience tiredness, cold chills and body aches and a low grade fever a temperature was 99.8 I took a nap I typically never nap. My symptoms since the vaccine I have been feeling very tired id say more sleeping and eyes feeling heavy throughout the day and on and off headache I have had a cough which I have had lingering for the past month. These are my symptoms currently fatigue, tired and on and off headaches.
930051	1/8/2021	ME	39	F	1/4/2021	1/4/2021	Patient received her vaccination on Monday, 1/4/21. She waited her 15 minutes of observation and then left. She states on her way home she started feeling that her tongue and left side of her face was a little bit numb. It continues to be numb and on examination the left side of her face has diminished sensation. Her left eye is droopy and she has a symmetrical eyebrow raises as well as smile. Her diagnosis is consistent with possible Bell's palsy.
930223	1/8/2021	NY	54	F	12/23/2020	1/3/2021	COVID 19 vaccine received 12/23/20 left deltoid. She has been experiencing left jaw/TMJ joint pain since Sunday 1/3/20 worse in the morning.. patient describes it as a dullness on the left side of face. Denies any trauma to area. No hx of TMJ. Denies any facial droop, or dry eye, no weakness. She tried NSAIDs with no improvement, however pain with opening her mouth.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
929950	1/8/2021	IN	26	F	1/6/2021	1/7/2021	1/6/21: 8pm (1hour after shot): sore arm, relieved with heated blanket, slept through night with no issue 1/7/21: 7am (12 hours after shot): woke up with headache and dehydration, arm where injection occurred was sore and stiff, hit to move 11am: sudden and sever fatigue, beginning of swollen lymph node (left, side of injection), felt better after laying down for around 20 minutes and drinking water& 2excedrin tablets, sore arm continuing, felt feverish though no fever, nausea 6:30pm: sudden and intense fatigue, struggling to think straight, sore arm, exhaustion, headache (, nausea, unable to lift items with left arm without considerable pain 7:30pm: arrive home and lie down By 8pm: intense chills, headache, left lymph-node swollen so it was visible to the naked eye, hurt to swallow, racing pulse despite lying down, inability to complete ADLs/ get up to take medication, frustration to the point of crying, joint pain; 8:30pm took temperature registered at 97.4 (normal), was able to take 2 excedrin pills, shortly after body temperature was regulated, racing pulse continued 11pm: asleep 1/8/21 8am: groggy to wake, arm still aching but able to move, swollen lymph node to touch but no longer glaringly obvious, throat ache (not as much as night before), abdominal pain, hot shower and excedrin and water, slow to start but able to complete ADLs and resume work 12pm: first meal of day (soup and soaked bread), hurts to swallow at times, excedrin 3:30pm (present time) thoughts are clear, throat still hurts w/o drinking/eating, arm hurts but able to lift and carry normal amount without making noises of pain
926054	1/7/2021	OK	37	F	12/28/2020	12/28/2020	Patient began to have tingling under her right eye and face, then she began to have a rapid pulse (156), she felt chest heaviness, contact clinic. Clinic suggested taking patient to the hospital to be evaluated. Patient decline the ride to clinic but stated she would have her spouse take her to the hospital.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
925908	1/7/2021	NY	61	F	12/31/2020	12/31/2020	6-8 minutes after the shot felt a sensation from left shoulder slowly sweeping across body, going into face and neck to the inside of left eye. Face had a weird feeling also. Headache, tonged tingling. Left and went to the car. Face was red and swollen all over. Skin looked like she was skiing in the middle of winter. She went back inside the hospital to her department on the 5th floor and stayed about 30 minutes. Then she went home. Half bottom lip was swollen, Both eyes got itchy, glassy, watery. Behind sinuses hurt really bad. Next day pain in hips both knees. Took 2 full days for the redness to go away from face. Had dark circles under eyes. Took Claritin. Hair has been shedding, sever brain fog at work. Her employer told her to take some time off from work. Upper teeth hurt.
925893	1/7/2021	FL	70	F	12/21/2020	12/22/2020	Was referred by Dr for evaluation of reaction to first COVID vaccine. First vaccine on 12/21/2020 Pfizer-BioNTech. Administered by her place of work. Vaccine was administered in left arm. Had same symptoms as when she had COVID in 10/2020 these symptoms lasted for 12 hours. Started the following day 24 hours after vaccine administration. Symptoms include injection site redness for 6 days, tiredness, headache, muscle pain, chills, joint pain, fever, nausea, and overall feeling of un wellness lasting 12 hours. First symptoms was eyelid heaviness and weakness. No treatment, symptoms resolved on their own. Second vaccine due 1/11/2021. Was covid positive 10/2020- no appetite, aches, chills, sweating, weakness, heavy eyelids, fatigue, ongoing for 3 weeks. Has had difficulty in the past to flu vaccines with local injection site reactions. 09/2020 flu vaccine no symptoms. Has had pneumonia vaccine with no difficulties. Has not received shines vaccine yet.
925777	1/7/2021	MI	39	F	1/6/2021	1/6/2021	Felt sharp pain under jaw, then facial numbness. Then quickly developed facial swelling, left eye swelling and tongue swelling. Then felt like throat closing up within 7 minutes of receiving vaccine. Received vaccine in the clinic, was transported to Emergency Room. In ER received Epinephrine, steroids, Benadryl and Pepcid.
925774	1/7/2021	AL	55	F	1/6/2021	1/7/2021	edema of eyelids, SOB

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
925746	1/7/2021		35	F	12/21/2020	12/21/2020	it hits a nerve; perceived it along the face still and the arm; Bell's Palsy; numbness in a small area of her tongue; right eye was irritated a little dry; right eye was irritated a little dry; right sided ear pain; fluid in the ear but no infection; This is a spontaneous report from a contactable health care professional (nurse practitioner). A 35-year-old female patient received her 1st dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) at single dose via an unknown route on the right side on 21Dec2020 for Covid-19 immunization. Medical history included intermittent hives. Concomitant drug included ongoing cetirizine hydrochloride (ZYRTEC) 5 mg for intermittent hives. The reporting nurse practitioner saw a patient on 31Dec2020 who was vaccinated on 21Dec2020 and had a Bell's Palsy reaction (reported as not serious). She did some research and saw no more incidents in the general population but she wanted to report this. She also wanted to get more information on if the patient should proceed with dose number 2 of the vaccine. The patient developed the Bell's Palsy within 5 minutes after getting the vaccine. She thought it was because she was anxious to get the vaccine, so she brushed it off. The Bell's Palsy was still occurring but per the patient it had improved. On exam she did not have any weakness, facial droop or dumbness with sharp or dull testing. The patient perceived it along the face still and the arm. The reporting nurse practitioner said that the arm was probably not Bell's Palsy, but more related to getting the vaccine in the arm and it hits a nerve. Patient stated that her smile was also unequal and it was difficult for her to close her right eye, although now (as of 31Dec2020) she can. Her right eye was irritated a little dry. Regarding treatment, the patient was started on steroids on 31Dec2020. She did not start her on an anti-viral as she did not want it to impact her immunity to the vaccine. The patient also complained of right sided ear pain. She was unsure if that was related to the Bell's Palsy, but it was also on the right side. There was fluid in the ear but no infection. The pain was still ongoing. The patient also mentioned numbness in a small area of her tongue when she first got the vaccine. This was still ongoing. Outcome of Bell's Palsy was resolving. Outcome of the event numbness in a small area of her tongue, right sided ear pain was not resolved. Outcome of the other events was unknown. The reporting nurse

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

practitioner stated that this was not serious as this was a mild case and was thankfully resolving. The reporting nurse practitioner comment that nothing of history was relevant besides for the last several months (as of 31Dec2020) the patient had been taking 5mg of cetirizine hydrochloride for intermittent hives. She wondered if she had not been taking it how she would have reacted or if the reaction would have been more severe. Information on the lot/Batch number has been requested.; Sender's Comments: A possible causal association between administration of BNT162B2 and the onset of Bell's Palsy cannot be excluded, considering the plausible temporal relationship. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
925633	1/7/2021	TN	54	F	12/30/2020	12/30/2020	her face started to go numb/felt like a dental block you would get with Lidocaine; She got on her left side, a cold spike feeling up her shoulder and neck and up to her face; upper esophageal sphincter got tight and felt funny like she was going to throw up; her whole body was shaking- her head, hands, and legs; feeling giddy; blood pressure was up; being stressed; was going to throw up/transient nausea; felt a little funny; This is a spontaneous report from a contactable Nurse(patient). A 54-year-old female patient received BNT162B2 (lot number EL0140), via an unspecified route of administration at left deltoid on 30Dec2020 14:28 at the 54 years old at 0.3 mL single for where she works she was exposed to patients who need rehab that were exposed and getting COVID. The patient medical history included Primary Essential Tremors and ongoing (had these for about 10-11 years. Her mother and grandmother also had them. Normally they were very fine, small tremors that people didn't notice. She can hold and turn her head and hide it) and Sulfa drug allergy (would get shortness of breath). The concomitant product was none. The patient previously took flu vaccine and experienced preservative made neck twitch and joint sores. Yesterday the patient got the COVID Vaccine and had a pretty significant adverse event. She was calling to report it and to see if she should get the second dose of the vaccine. The patient was also a licensed speech pathologist. She received the vaccine yesterday at 2:28 PM. She was allergic to Sulfa drugs and would get shortness of breath, so they wanted her to wait 30 minutes for monitoring. She was feeling giddy on 30Dec2020, but she ran into a friend that she had not seen before quarantine, so they were talking. It was exciting. After her 30 minutes she went to her car and felt a little funny. She thought she was hungry so she ate half a banana and had some water. She had an appointment to get to so she started to drive off, and by the time she got to the interstate she was feeling funny. She got on her left side, a cold spike feeling up her shoulder and neck and up to her face on 30Dec2020. This was like the precursor. Then on 30Dec2020 her face started to go numb. It felt like a dental block you would get with Lidocaine. It went from her temple area, below her eye all the way to her lips. It was midline on the left side. She was breathing fine. She was trying to figure out if she

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

should pull over or call(Number), but her airway did not close up. Her upper esophageal sphincter got tight and felt funny like she was going to throw up. She drove to the hospital close to her house which is affiliated with where she got the vaccine. She normally had primary tremors, small to where people do not notice. But her whole body was shaking- her head, hands, and legs on 30Dec2020. She looked like a bobble head. But she could still breath. They took her right in and they did an EKG to make sure it was not her heart. Her blood pressure was up on 30Dec2020, she assumes for being stressed. They monitored her. They gave her Pepcid and Benadryl. She did not want any nausea medications. She stayed for about 2 hours and slept some from the Benadryl. Her face slowly became less numb. The numbness went away started from her lips and outward to her cheek and temple area. Then it just felt funny. When she touched it, which she never lost sensation, it was like, whose face is this? It was strange. She is not numb anymore. It took a while for it to go away, and it still felt weird. When she woke up this morning it was completely gone. She had recovered completely from all of these things. The only thing she has now was some transient nausea. It was very mild. It comes and goes. It had improved. She had not taken anything for it. The events Feeling funny, her face started to go numb, upper esophageal sphincter got tight, a cold spike feeling up her shoulder and neck and up to her face, Her whole body was shaking- her head, hands, and legs, were all assessed as Medically significant. The outcome of the event Nausea was recovering, the events Felt giddy, blood pressure was up, Stress was recovered on 31Dec2020, the other events were recovered on 30Dec2020. The reporter considered there was a reasonable possibility that the events Feeling funny, a cold spike feeling up her shoulder and neck and up to her face, Face started to go numb from her temple area, below her eye all the way to her lips, upper esophageal sphincter got tight , whole body was shaking- her head, hands, and legs, Nausea, were related to the product BNT162B2.; Sender's Comments: Based on the compatible temporal association, the vaccination with BNT162B2 might play a contributory role in triggering the onset of the events. The impacts of this report on the benefit/risk profile of the product is evaluated as part of

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.
926077	1/7/2021	TX	22	F	1/4/2021	1/4/2021	Employee contacted Employee Health on 01/05/2021 after receiving COVID vaccine #1 complaining of cough, sinus headache, redness and streaking across eyelids, congestion, facial swelling that spread down her cheeks and chin area - took OTC Benadryl, fell asleep, and when she awoken, swelling to face had worsened - went to ER
926310	1/7/2021		42	F	12/17/2020	12/19/2020	I had visual aura with migraine which is a normal event for me. This time, however, it was accompanied by confusion and memory loss that lasted about 15 minutes. I couldn't say names of people known to me or read a list on my counter. In 25 years of migraines I have never had these symptoms with my migraine. I took an over the counter migraines medicine which resolved the symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
925742	1/7/2021	TN	23	F	12/29/2020	12/29/2020	Fatigue and overall lethargic feeling/Sore throat; Dark colored urine despite pushing fluids; Frequent urination; Migraine; Swollen joints and could not move arm that received vaccine in; Swollen joints and could not move arm that received vaccine in; Stomach pains, nausea, diarrhea, swollen lymph nodes; Stomach pains, nausea, diarrhea, swollen lymph nodes; Stomach pains, nausea, diarrhea, swollen lymph nodes; Stomach pains, nausea, diarrhea, swollen lymph nodes; Chills, body aches, spiked fever of 102.; Chills, body aches, spiked fever of 102.; Chills, body aches, spiked fever of 102.; Fatigue and overall lethargic feeling; Fatigue and overall lethargic feeling; Sore throat; The initial case was missing the following minimum criteria: Invalid for no adverse effect. Upon receipt of follow-up information on (31Dec2020), this case now contains all required information to be considered valid. This is a spontaneous report from a contactable Nurse. A female patient of an unspecified age received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, batch/lot number EH9899, Expiry Date: Mar2021), intramuscular at Deltoid Left on 29Dec2020 07:20 at single dose for COVID-19 immunization. Medical history included covid-19 from Nov2020 to an unknown date (had covid in the middle of November), surgeries from an unknown date and unknown if ongoing (She also had previous surgeries and has foreign objects in her body. Those areas were super hot. Those antibodies were like rejecting those foreign bodies because they were super hot.) There were no concomitant medications. Received call from RN calling about the Pfizer COVID vaccine. She got the vaccine on Tuesday and had a terrible reaction to it and she called a couple of different hotlines and spoke with the people who administered it. She confirmed that she did not report to Pfizer though. The people at her work that she spoke with told her to go to an Urgent care. They told her she should not get it within 90 days of having COVID. She had COVID in the middle of Nov2020. She went ahead and got it on Tuesday and had this terrible reaction. She would like to know if she should get the second dose or wait until 90 days after she had COVID and start again. There was no prescriber. She received it as part of the (hospital name withheld) front line health worker precaution. She thought that this was a normal reaction, but was told it was not. Fatigue and overall

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

lethargic feeling happened exactly 12 hours after receiving. She works night shift and that is her base line. Pretty much everything hit after that within an hour. She was told low grade fever was normal, but not 102. She never spikes fevers, so it is medically significant. It persisted for 24 hours and is better today. She is on the 48 hour mark now. Stomach pains, nausea, diarrhea, lymph node swelling all over, including swelled armpits and groin area, Migraine, Frequent urination, were also listed as side effects. She was trying to push more fluids but her urine was dark color more than normal, despite pushing fluids. Swollen lymph nodes in her groin and armpits were concerning. Her head is lumpy. Meaning, she can feel swollen lymph nodes in back of neck area. Migraine was consistent through 24 hours and now has improved. Urine color remains dark and she will keep an eye on color. She had swollen joints, but really terrible swollen joints, and she could not move the arm that she got the vaccine in. She could not lift to above shoulder height. AE Details and time of onset: Sore Throat 12:00 on 29 Fatigue and overall lethargic feeling 20:00 Chills, body aches, spiked fever of 102: 21:00 Stomach pains, nausea, diarrhea, swollen lymph nodes- 21:00 Migraine- 21:00 Frequent Urination 23:00 Dark colored urine despite pushing fluids 23:00 Swollen joints and could not move arm that received vaccine in: 21:00. ER or physician's office required: Went to urgent care 36 hours after administration. No treatment given. She just wanted to make sure no additional infection was causing anything weird. All test were negative. Prior Vaccinations (within 4 weeks): none. Events Swollen joints and could not move arm that received vaccine in, Stomach pains, nausea, diarrhea, swollen lymph nodes, Chills, body aches, spiked fever of 102 were serious with criteria of medically significant, while the other events were non-serious. The outcome of the event Fatigue and overall lethargic feeling/Sore throat (Condition worsened) was unknown, the outcome of the events Swollen joints and could not move arm that received vaccine in, Chills, body aches, spiked fever of 102., Migraine, Dark colored urine despite pushing fluids, Frequent urination was recovering, while the outcome of the other events was not resolved.; Sender's Comments: Based on the information available, a possible contributory role of the suspect products cannot be excluded for the reported



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

events due to temporal association. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators as appropriate.

925590 1/7/2021 NC

50 F

12/16/2020

12/16/2020

The patient is a 50 yo female with a history of IBS who reports concerns about Covid vaccine AE. (Pfizer EK5730) receipt 16 DEC 2020. She reports no immediate reaction except experienced a dry throat which she noted after her 30 minute wait, but no urticaria, SOB, wheezing, oral/face/throat/tongue edema, flushing, pruritic, CP n/v/d. She states about 3 hours later she developed a dermatitis initially to her legs. The lesions were raised, pink, initially nonpruritic, fixed but no vesicles, pustules or bruising. She took a shower which exacerbated the symptoms with erythematous patches and severe burning sensation. She reports she was seen in ER and her spouse noted lesions to her neck and ears. Her eyes felt swollen. She left ER due to the wait and obtained Benadryl OTC. She saw her PCP in the morning. She received IM dexamethasone and oral prednisone dose pack. She continued to not feel well. She experienced heart palpitations, feeling hot and flushed, fatigue and headache which she treated with Tylenol. She treated the dermatitis with Zyrtec 10-20 mgs q1-2 x daily, but sometimes took Benadryl. Last dose was Benadryl at midnight, Zyrtec 10 at 0600 and has one day of prednisone left. She also experienced bilat tingling in her feet starting day 5. which the left resolved but her right foot continued. She has no paresis, paralysis, altered gait, tripping or fall, difficulty emptying her bladder. She saw PCP on 05 January. ESR was normal . Overall symptoms improved but continued r foot numbness, pain to her legs. She reports PCP ordered CXR and abdominal series which were normal.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
925646	1/7/2021			U	12/18/2020	12/1/2020	diabetes was high; seeing double vision; Headache on the right side; This is a spontaneous report from a contactable nurse. A patient of an unspecified age and gender received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number/expiration date unknown) dose number 1, via an unspecified route of administration on 18Dec2020 at a single dose for COVID-19 immunization. Medical history and concomitant medications were not reported. The patient had the vaccine in a hospital on a Friday (18Dec2020). No side effect was noted over the weekend. On 21Dec2020, when the patient woke up, s/he was seeing double vision, so s/he went to the doctor; they ran some test (unknown result). Because the patient was having headache on the right side in Dec2020, s/he went back to the doctor on 23Dec2020; the patient was sent to the eye doctor and they ran all kind of test. On 24Dec2020, the only thing they could find was that the patient's diabetes was high, so they kind of felt that what that could have been was kind of coincidental. The outcome of the events was unknown. Information on the lot/batch number has been requested.; Sender's Comments: The mentioned "diabetes was high" is likely an intercurrent disease, unlikely related to the administration of BNT162B2, the COVID-19 immunization. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RA, IEC, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
925758	1/7/2021	AK		M	12/1/2020	12/1/2020	experienced eye puffiness; light headed ness; scratchy throat; This is a spontaneous report from a non-contactable consumer via Pfizer Sales Representative. A male patient (Health care worker) of an unspecified age and gender received BNT162B2(Pfizer BioNTech COVID-19 vaccine) via an unspecified route of administration in Dec2020 at single dose for COVID-19 immunization. The medical history and concomitant medications were not reported. The patient experienced eye puffiness, light headed ness and scratchy throat 10 minutes after vaccination in Dec2020. Reaction was not considered anaphylaxis. Patient received epinephrine, Pepcid and Benadryl in the ED, felt completely back to normal within an hour and was released. Event took place after use of product. The outcome of events was recovered in Dec2020. No follow-up attempts are possible; information about batch number cannot be obtained.
926099	1/7/2021	WI	53	F	12/30/2020	12/30/2020	Felt like skin, head to toe was "on fire" and mild hives (burning- similar to past reactions with things) - I took 50mg benadryl [I have an epi pen but chose to try benadryl first as my symptoms were only skin and I was breathing fine (pulse ox was 98 which is normal for me); also had racing heart and was only a little above my norm of 80's -90's, but did not feel PVCs or irregularity, aches, chills, fatigue, eye pain, severe headache on weds night night and thursday; drove 2 hrs home to cabin for new years the next day on thursday (new years eve) (I am working for COVID - epidemiologist, retired nurse), aches, cold/chills/severe headache remained (took 1000 of tylenol in the morning and then before going to bed that night); in bed at 2000pm because I was so tired and felt "sick." the next day I had no symptoms when I woke up. My arm was not even hardly sore in the two days that I did not feel bad; I could feel the injection but it was not painful like previous vaccines that I had received. Before the vaccine I called my ex housemate who is a trauma nurse practitioner and she advised me to take tylenol and not aspirin after I get the vaccine; I did not administer 1000mg tylenol and benadryl (50mg) to myself until bedtime that even after my symptoms began)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
926147	1/7/2021	MA	45	F	12/28/2020	1/1/2021	For the first few days: sore arm but was otherwise fine. About a week later, noted itching, redness, and swelling around the injection site. A couple days after that, developed general itchiness and some eye irritation; no rash or fever. Symptoms improving with antihistamine.
926226	1/7/2021	OH	48	M	1/4/2021	1/4/2021	Incident occurred at a COVID19 mass vaccination clinic. Within 5-10 minutes after vaccination, client complaint of dizziness, nausea, and right eye was twitching and drooping. Client stated that they had a history of penicillin allergy with a hives/rash reaction. Client checked his sugar and it was at 138. EMS that was on-site checked vitals @11:22 BP 160/100 pulse 72 resp 16 pupils NTL , alert and verbal, skin normal, respirations normal; @11:33 BP 160/105. Client initially refusing transport by EMS. After 45 minutes of blood pressure not dropping, client agreed. @11:50 EMS transport by EMS. Hospital has attempted to reach client for follow up of outcome but has not received return call.
926236	1/7/2021	NY	64	F	1/7/2021	1/7/2021	Patient received injection at 1130 and immediately was dizzy. She then waited her 15 minutes and felt fine and went back to work (in the same building). She ate lunch and then blurry vision started around 1400. She then came back down and was evaluated by a nurse. She was asked to sit and be monitored and at 1420 she reports distantly blurry vision. Vital signs were within normal limits and patient concurs normal for her.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
926239	1/7/2021	GA	37	F	1/7/2021	1/7/2021	Pfizer BioNTech COVID-19 Vaccine EUA; when patient was in 15 minute observation she reported feely dizzy and getting "tunnel vision." Patient sat down on the floor of her own accord without injury or difficulty. Had patient elevate her legs above heart level. Checked patients vitals, her blood pressure was low, but O2, respiration and pulse were within normal range. Patient was shaking and reported her tongue felt "tingly" and "heavy on my chest." Patient reported she had a smoothie prior to coming in for her appointment. She was given sprite. Patient felt better, but approximately 7 minutes later reported her stomach felt queezy. Blood pressure had improved and other vitals were still stable. Patient still reported her tongue felt "tingly," but no swelling, trouble breathing, or throat tightness. Patient was picked up by her father 45 minutes later and was able to ambulate to the car (with supervision) of her own accord without assistance.
926248	1/7/2021	MD	43	F	1/7/2021	1/7/2021	Known allergic reactions-requesting vaccine. Had personal EpiPen with her. Itchy throat, watering eyes.
926287	1/7/2021	NY	64	F	1/7/2021	1/7/2021	Patient received vaccine at 1130 and immediately felt dizzy per patient. She did not state this to registered nurse at the time. Patient waited the 15 mandatory minutes and then reported back to work which is upstairs. At 1400 patient reported back down stating she had blurry vision. She was asked to sit and be monitored again and writer did this form. Patient stated her vision is blurry on and off and has not improved. Patient was evaluated and vital signs normal which patient concurred with. She was advised to follow up with primary or emergency care. Patients daughter works here as well and was agreeable to have patient be evaluated by HCP in ED to rule out any other causes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
926317	1/7/2021	OH	55	F	12/28/2020	12/29/2020	I awoke at 3:30am in severe, excruciating pain in entire left arm! I took some ibuprofen and propped arm on pillow to relieve pain. Did not work at all! Reported off of work at about 4am. Waited until appropriate hour and called Nurse Access hot line. I notified of symptoms of swelling of left side, face, neck, shoulder, arm to finger tips. itchy watery eyes , a little nausea and headache. Was advised to contact Doctor for appt. Doctor had no available appointments and advised to go to urgent care. Went to Urgent care and was treated with steroid shot and given Tylenol, benedryl, and Pepcid oral medications. Dr. prescribed prednisone 20mg twice daily along with Tylenol, Pepcid, Flonase, clariton and benedryl as nee
925586	1/7/2021	NY	42	M	1/6/2021	1/6/2021	Scaled 0-10 Pain at the injection site (6): Can not raise left arm higher than shoulder level Fatigue (8) New or worsened muscle pain (8) New or worsened joint pain (8) Nausea (9): took zofran Vomiting (8) Fever (7): 101F: took tylenol 650 mg Q3 hours since 23:00 on 1/6/2021, 3:00, 6:00, 8:00, 11:00 Chills (8) Other: Burning on urination, eyes burning, left side face tingling,
925032	1/7/2021	TX	35	M	1/4/2021	1/5/2021	Unilateral left conjunctivitis began 1/5/2021, began presumptive treatment with antibacterial eye drops 1/6/2021.
926325	1/7/2021	MI	30	F	1/6/2021	1/7/2021	Headache back of neck, twmples and eyebrows, really sore injection site. Fatigue, Malase, nausea off and on, decreased appetite. Feeling dehydrated, chills/ at times painful sensitive skin similar to the flu. Muscle aches throughout the body.
926362	1/7/2021	OH	39	F	12/28/2020	12/28/2020	Approximately 20 minutes after receiving the COVID vaccine my face became numb. The numbness gradually increased until I could not feel the right side. Numbness lasted approximately 4 hours. My eye also began to twitch as well. The eye twitching is still an issue.
926280	1/7/2021	NJ	34	F	1/6/2021	1/7/2021	Approximately 4 hours after vaccine administration, I developed hives on my right arm. Afterward my eyes began to itch. The inner corners of both eyes swelled, along with upper and lower eyelids.
925325	1/7/2021		63	F	12/30/2020	1/4/2021	flashing lights in left eye that have turned to floating spots

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
926704	1/7/2021	NY	48	F	1/6/2021	1/6/2021	Itchy throat & hotness in eyes. Rapid Response Team called. Benadryl given, Patient returned to work after 1 hr.
926405	1/7/2021	MO	46	F	1/6/2021	1/6/2021	~~I don't know if this is related to the vaccine from this morning or not, but I started having a HA around 8:30 am or so. No other symptoms." "I do get HAs, but typically it is behind my left eye. I would rate it a 3-4 at this time and I have not had a chance to take any ibuprofen for it, but I will. It started about 8:30 and has continued and gradually worsened.~~
924788	1/7/2021	HI	24	F	1/6/2021	1/6/2021	Patient was complaining of vertigo at 11:05 am after vaccination about 10 minutes after; BP:106/60, P:72, R:22, O2:99% Reclined back in seat, gave snack/water, was better when patient closed her eyes. At 11:15, tried to move her outside of car to cot, was unable to move because was too dizzy. Was assessed by Dr., and vertigo got worse with position change and was seeing spots. Hx of migraines about every 3 months. By half an hour after her vaccination, she was unable to move, so family was called to pick her up from clinic. Advised to follow up with PCP today and discuss decision about dose #2.
924816	1/7/2021	CA	60	F	12/24/2020	1/5/2021	intensely pruritic rash, starting around neck initially and then presenting in perianal area, moving up lower back with sharp linear demarcations, also perinasal bilat . Also on eyelid with periorbital edema rt>lt. Typical appearance of contact dermatitis with raised indurated intensely pruritic lesion except almost exact opposite in distribution (flexoral/internal aspects of skin) and no known exposures. Now day two and rash is becoming more well demarcated, more red and inflamed and spreading in distribution face, neck and lower back. There is no logical explanation for this rash.
924830	1/7/2021	ME	42	F	1/6/2021	1/6/2021	Roughly 12 hours after receiving dose number 2, I started to have body aches, general malaise, a headache, eye pain, and left ear pain. Around midnight, I started to experience severe chills along with the body aches. I woke up around 4:30 a.m. with a fever, 38.8°C orally. All other symptoms continued as well.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
924900	1/7/2021	PA	35	F	12/21/2020	12/21/2020	<p>had a reaction of bells palsy with mild symptoms 5 minutes of receiving covid vaccine; facial numbness right sided ear discomfort, difficulty closing right eye, only right side numbness and weakness of her face. It has gotten a lot better; facial numbness right sided ear discomfort, difficulty closing right eye, only right side numbness and weakness of her face. It has gotten a lot better; facial numbness right sided ear discomfort, difficulty closing right eye, only right side numbness and weakness of her face. It has gotten a lot better; This is a spontaneous report from a contactable Other Health Professional reported that a 35-year-old female patient receives first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot/Batch Number and Expiration Date unknown) via an unspecified route of administration on 21Dec2020 at single dose for covid-19 immunization. The patient's medical history and concomitant medications was not reported. The patient experienced a reaction of bells palsy with mild symptoms 5 minutes of receiving Covid vaccine. "facial numbness right sided ear discomfort, difficulty closing right eye, only right side numbness and weakness of her face. It has gotten a lot better, patient was vaccinated 10 days ago on 21Dec2020. Patient was treated with 60mg of Prednisone for 5 days which was started today." Question is regarding the 2nd dose of Covid vaccine, whether or not she should have it. The outcome of events was recovering. No follow-up attempts are possible; information about lot/batch number cannot be obtained. .; Sender's Comments: There is a positive chronological association between vaccine administration and onset of the events. Causality cannot be completely excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.</p>
924990	1/7/2021	NY	28	F	1/6/2021	1/6/2021	<p>Patient complained of dizziness, numbness to fingers and toes, blurred vision. Patient anxious. Vital signs taken and stable. Fingerstick 137.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
925018	1/7/2021	PA	52	F	1/4/2021	1/4/2021	Approximately 20-30 minutes after receiving the vaccine I noticed around my eyes and upper lip was tingling and felt numb. I continued to close up my desk to leave work for the day thinking it would just go away in few minutes. When I got to my vehicle I took two Benadryl capsules and drank a bottle of water and waited nearby the hospital emergency department parking area for 30 - 40 minutes. The numbness had eased and I drove home. Tuesday and today (Wednesday) I have felt very tired and fatigued.
925086	1/7/2021	IN	42	F	1/6/2021	1/6/2021	usual adverse reactions included body aches, chills, low grade temp (below 100.0F)runny nose, head congestion. Around 8:30pm, eyes began watering and burning, migraine type pain on left side of head began. At 6am January 7, 2020 left side of face was swollen and sensitivity to light present, pressure and discomfort only on that side of face. Eye swollen and continuously watering.
925180	1/7/2021	TX	45	F	1/6/2021	1/6/2021	IMMEDIATE 10 MINUTES IN TO 2 HOURS LATER I FELT DIZZY, NAUSEA, LIGHT HEADED, PRESSURE IN EYES, BURNING SENSATION FROM EARS TO THROAT, BLOOD PRESSURE WENT HIGH TO SYSTOLIC PRESSURE OF 180'S, EXTREME PAIN AT INJECTION SIGHT, WAS GIVEN ZOFRAN AND BENADRYL AT 1HR MARK. LATER IN EVENING I HAD FEVER, EXTREME PAIN AT INJECTION SITE AND TO THE NECK AND BACK AND DOWN TO FOREARM, NEXT DAY I HAVE EXTREME PAIN IN ALL PREVIOUSLY MENTIONED AREAS AND FATIGUE AND OVERALL BODY ACHES AND SINUS PRESSURE
925241	1/7/2021		37	M			37 y.o. male presents for evaluation of headache, dizziness. Pt is employee here and had his COVID 19 vaccination, 1st dose, earlier today. States that he had felt fine for about 20-30 minutes s/p injection. Began to develop mild headache, gradually worse, now about 4/10. Not thunderclap. No associated focal weakness/numbness. No visual change/loss. No n/v. No hx of same. + associated vertigo worse w/ movement, resolved when at rest, mostly when he looks to right. No other complaints at this time. Required urgent care visit along with meclizine 25mg given orally symptoms resolved.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
925129	1/7/2021	NJ	44	F	1/4/2021	1/4/2021	Since I got the vaccine, my left eye bothers me in way that I have a watery, itching, red eye & feeling of sand on it. It bothers me more at night, it started at the same night of vaccination (1/4/21). Today is 1/7/21 and still bothering me.
925279	1/7/2021	IL	28	F	12/28/2020	12/28/2020	~~About 10 to 15 minutes after the vaccine, I started itching on my eyelids and neck. The nurse gave me Benadryl and it went away. My eye lids got scabby, but it could have been from scratching them~~
925574	1/7/2021	VA	48	F	1/6/2021	1/6/2021	Pt reported right sided facial swelling (no numbness or tingling) after admin of 2nd COVID19 vaccine. Pt had been diagnosed with COVID19 on 12/27 between both vaccines. SHe denied any numbness, tingling, weakness, tongue swelling, lip swelling, dysphagia, wheezing or shortness of breath. no eyelid swelling. no rash.
925345	1/7/2021	FL	40	F	12/23/2020	12/24/2020	First day out had pain behind right ear, thought it was muscle but went into my head, lasted 4-5 days now I have severe tenitus in right ear and my head has not felt right since. Like my hearing hoes in and out. I thought it would go away but it?s been two weeks. My head feels cloudy and my right eye feels messed up like blurry. No other injury have occurred. This all started a day after the vaccine.
925347	1/7/2021	KY	47	F	1/5/2021	1/5/2021	Began aching all over around 10:30pm the day of vaccine. The following day (January 6), I experienced 102 fever and violent chills, headache, blurry vision and eye pain off and on throughout the day (alternated acetaminophen and ibuprofen). The following day (today, Jan 7), I have a low grade fever and fatigue with some lung pain, labored breathing. I had COVID the end of Oct into Nov. and lab tests the end of Nov showed antibodies but I continued with the vaccine since it was recommended.
925384	1/7/2021	AZ	26	F	1/6/2021	1/6/2021	PATIENT IS EXPERIENCING BODY ACHES, FATIGUE, NAUSEA, HEADACHE, AND EYE PAIN.
925426	1/7/2021	CA	27	F	12/23/2020	12/23/2020	Dizziness, blurred vision, nausea. Taken to ED from vax site. Given IVF, Zofran inj.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
925464	1/7/2021	NC	59	F	1/5/2021	1/6/2021	Day after the vaccine all day long I felt light headed, like an out of body event, I did not like the way I felt. Dizziness and weaker than normal. Approx. 26 hours later I lost my sense of taste and my eye site was blurred and it is still today Jan. 7, 2021. My taste buds are still not back . My tongue feels rough and I am almost feeling like I have Gerd. A lot of saliva but sour like. Headache , dizzy like and sore arm on day 2all day long.
925473	1/7/2021	WI	44	F	12/17/2020	12/22/2020	5d after vaccine I developed a R sided trigeminal neuralgia of branches 1 & 2. By d10 I developed the rash consistent with herpes zoster, including ophthalmic involvement of the R eye. I have not previously had shingles, but did have varicella as a child. I went to the ER as it was the middle of the night on the weekend and as a physician I realized the eye involvement required immediate treatment. I have since had to see the ophthalmologist x2. The shingles itself is improving, and the eye has healed with steroids and valtrex. I did still receive my 2nd booster shot on 1/5/21 and thus far have not had any additional effects.
925487	1/7/2021	IN	39	M	1/6/2021	1/7/2021	Headache, fatigue, sore eyes
925503	1/7/2021	NJ	44	F	12/30/2020	1/2/2021	Headaches, neck spasm with blurred vision at times started 3 days after administration of Moderna COVID-19 Vaccine EUA.
925520	1/7/2021	IN	49	F	1/5/2021	1/6/2021	Numbness of mouth,blurry vision for 24 hrs post vaccine
925538	1/7/2021	FL		F	1/2/2021	1/2/2021	soreness in arm, fatigue, body aches, headache, pressure behind eyes, blood blister to right arm. runny nose, scratchy throat, racing heart rate
925557	1/7/2021	AZ	38	F	12/31/2020	12/31/2020	Facial numbness on the right side since Saturday 1/2/2020 woke up to half of my face numb the tip of my tongue tingled . and pressure on my right eye and I was not able to focus. I have headaches that come and go. my back is achy since last week and yesterday half of my body felt numb.
925260	1/7/2021	RI	50	F	1/6/2021	1/7/2021	Day after vaccine: Upper back and neck stiffness and ache; injection site swollen/ache; eyes stinging; extreme lethargy

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
928037	1/7/2021	MS	31	F	1/5/2021	1/5/2021	Patient received the Moderna vaccine at County Hospital on 01/05/2021 at approx. 12 noon. She continue her work as normal throughout the day. She began having symptoms around 1700 the same day which consisted of left side facial decrease in sensation that continued to progress until the following day when it plateau'd. She was seen in the office on 01/06/2021 for continue decreased sensation of the left side of face and left eye pain. Patient had no other symptoms to mention. After assessment, the patient was diagnosed with a very mild case of Bell's Palsy. She was started on a high tapered dose of Prednisone over the next 2 1/2 weeks.
926996	1/7/2021	OR	46	F	1/7/2021	1/7/2021	Patient received 1st dose Moderna Vaccination at 1405, went to sit in observation area and began to feel lightheaded and faint within first few minutes. Escorted to cot to lie down at 1412. 1415 VSS: BP 140/82 HR: 98 steady, RR:18 98% on RA with no visual rash, or difficulty breathing. Pt. reported that she was rushing in to clinic to get the vaccination and was often hot, face flushed at this time though pt reported that this was her baseline. Reported that she continued to feel faint, ABC all within normal limits. VSS continued to be stable with no signs of trouble breathing. Pt remained A&Ox5. 1425: pt reported tingling in hands bilaterally. VSS remained stable, tingling grew stronger in left FA dissipated in the R FA. Pt reported that she continued to feel as if she was unable to sit up, that this would cause her to pass out and that this sensation came in waves. Pt. was monitored for 20 minutes prior to receiving 50mg IM Benadryl in LUA and Code Green was called. Patient taken to ED for further observation.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
927013	1/7/2021	ID	30	F	12/28/2020	12/28/2020	The vaccinator reported: He administered the vaccine to the patient and as he withdrew the needle from patient's arm, there appeared to be liquid "running down" the patient's arm the vaccinator believed was vaccine. The patient reported this is very normal for her and confirmed this happens every time she receives a vaccination. Clinic staff were unsure if immediate re-doses was appropriate. Staff did not immediately re-dose and contacted Moderna via phone for further instruction/recommendation. Initial Moderna representative indicated he would be unable to answer question regarding re-dose, and stated he would advance the question/situation to company patient safety division. Representative did explain it would most likely be some time before patient safety division returned contact. As of the time of this report, staff still has not heard back yet from Moderna. Staff explained the situation to the patient, advised her to monitor for any adverse reactions, and recommended contacting her PCP and staff is things worsened. Decision was made to maintain the patient's schedule for her 2nd dose until Moderna contacts staff to advise them of any other best next steps. Staff follow up with patient several times via phone call to inquire about any adverse reactions. The patient describes redness/soreness/warm to the touch at injection site, however states this is also normal following any vaccination administration. The patient did confirm she will follow up with her PCP after staff's last check-in phone call.
927014	1/7/2021	AK	72	F	12/18/2020	12/19/2020	extremely stiff neck for 4 days; itching on back and shoulder area for 2-3 days, swelling of the eyes for 2-3 days; itchy rash on medial aspect of vaccinated arm for 2-3 days

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
927112	1/7/2021	GA	49	F	1/7/2021	1/7/2021	@12:45pm Pt c/o slight dizziness w/nausea, blurred vision after 5 minutes and diaphoretic, obtained v/s (stable) assisted laying down on stretcher. Bottle water offered and took several sips. @12:54pm Dr arrived for provider Assessment and noted stable just continue monitoring. Waiting for longer observation for 20 more minutes. Pt states,"I feel a lot better." Pt taking Ceftriaxone currently and finished prednisone x2 days after a course of several days. Pt advise to call if s/sx return or get worse. Allergies updated and Covid-19 vaccine added, suggested "not recommended for 2nd dose" and 2nd dose appt canceled.
927120	1/7/2021	AS	48	F	1/7/2021	1/7/2021	Itching on arm in area of injection site, reports feeling weird, eyes are reddened and itchy. Patient reports feeling short of breath but no noted drop in oxygen saturation. Oral diphenhydramine 50mg administered.
927165	1/7/2021	WA	44	M	1/5/2021	1/6/2021	33 hours post vaccination: experienced heartburn, discomfort followed by urticaria on my neck, trunk, armpit, and back. Took diphenhydramine. Woke up with no itching by some swelling of left eyelid. At 1500 1/7/21, some outbreak of urticaria on my back, underarm, neck, trunk area, and groin area. Took lower dose of diphenhydramine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
927174	1/7/2021	CA	35	F	1/7/2021	1/7/2021	Three minutes after receiving the first dose of the Pfizer\BioNTech COVID19 vaccine today (time 11:34 am), this vaccine study participant developed swelling of both cheeks and "was able to bite on both cheeks" as well as vague flushing of the cheeks. She did not immediately report these symptoms but returned to the site of her injection (research study site) and reported the cheek swelling and facial flushing to our study nurse. She denied lip/tongue/airway swelling, difficulty breathing, nausea or vomiting, diarrhea, cough, wheezing, shortness of breath, rapid breathing, fever, headache, paresthesias, rapid heart rate, chest pain, or other symptoms at that time. I am a sub-I for Pfizer\BioNTech vaccine study and authorized an immediate dose of Benadryl 50 mg orally which she received. I examined her at 12:40 pm and she had a reassuring physical exam as follows: Constitutional: Appearance: Normal appearance; well-hydrated and alert; no retractions, tachypnea, nasal flaring, or audible wheezing/ breath sounds. No pallor. HEENT: Head: Normocephalic and atraumatic. Nose: Nose normal without visible discharge. Mouth: Mucous membranes are moist. Cheeks: Minimal edema of both cheeks is present; no visible erythema on exam. Eyes: Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equally round and symmetric. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm, HR 80-90. Pulses: Normal pulses in left wrist 2+/2+; warm hands. Pulmonary: Effort: Pulmonary effort is normal; RR 12-14. Breath sounds: Normal breath sounds. Abdominal: General: Abdomen is flat. Neurological: Mental Status: She is alert; speech and comprehension are normal. The patient still felt unusual by 2:00 pm and was referred to our Emergency Room for further evaluation. In our ER, she had the following vital signs and exam findings: BP 140/87   Pulse 73   Temp 98.1 °F (36.7 °C)   Resp 16   SpO2 100% Gen: well appearing, no apparent distress, speaking in full sentences, no dysphonia Head: normocephalic, atraumatic, no hematoma Eyes: pupils equal reactive to light, extraocular movements intact ENT: hearing grossly normal, oral mucosa moist without edema/angioedema Resp: speaking in full sentences, clear to auscultation bilaterally, no rubs/crackles/wheeze, normal effort Abd: normoactive bowel sounds, nontender

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							nondistended, no rebound/guarding, no organomegaly, faint/resolving urticaria abd x2 Ext: no deformities, no joint swelling, no edema, faint patchy erythema bilateral upper arms Neuro: alert, nonfocal Psych: AAOX3, normal affect/mood I walked to our emergency room and reexamined her, and the only new finding were some pink small nonraised popular lesions on her abdomen and proximal arms, but she had no urticaria. Her lungs remained CTA and she was otherwise as before. The emergency room only gave famotidine 20 mg to her and discharged her with an EpiPen to use at home (they specifically felt she did not need it in the ER), but gave her oral cetirizine 10 mg to take daily for the next few days. I asked her how she felt upon discharge from the ER and she felt fine/normal.
927177	1/7/2021	TX	41	F	12/29/2020	12/30/2020	12/29/2020-around 5:00 pm-sore throat and headache for couple of hours; minor blurry vision. Pain at injection site-hurt to raise arm to head 12/30/2020-little bit of nausea throughout day off and on-around 5:00 pm-fever (99.5), chills, headache, body aches, increased constant nausea. Moderate pain at injection site, redness 12/31/2020-fever (99.5-100.4), chills, nausea, headache, body aches until about 4:00 pm. Redness, swelling, moderate pain at injection site-(pain improved-able to move arm more than before), some minor itching off and on at injection site. 1/1/2021-Nausea, headache. Redness, swelling, pain at injection site-(Pain improved), injection site hard and hot to touch. Some minor itching off and on. Receive steroid shot from urgent care and took Benadryl 1/2/2021-Redness, swelling improved. Minor itching off and on. Took Benadryl. Had touch diarrhea. 1/3/2021-Swelling almost gone, redness almost gone. Minor itching off and on. Little nausea. Took Benadryl 1/4/2021-Swelling and redness gone. Minor itching once or twice-nausea briefly once. Took Benadryl 1/5/2021-Itching off and on-minor



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
927184	1/7/2021	NJ	54	F	1/7/2021	1/7/2021	Approximately 45 minutes later on my drive home my face on the left side started to feel numb. It started on my cheek and gradually ran up to right under my left eye and down to under my chin. It lasted for about an hour then gradually started to disappear. I got a little nervous but checked all signs that I was not having a stroke.. I ate dinner and calmed down. I also took a Tylenol 500 mg and drank a lot of water It?s gone now. It?s now 8:29 pm. Just feeling tired now.
927196	1/7/2021	NY	31	F	1/7/2021	1/7/2021	Patient developed substernal chest pressure 5/10 Patient was given Benadryl 50 mg IM Immediately Continued observation Patient then developed nausea and continued chest pressure 5/10 Given Dexamethasone 4 mg IM at 10:30 Continued observation Patient then developed some eyelid edema and upper lip fullness Patient given Epinephrine 0.3 mg IM at 10:43 am NO trouble breathing NO tongue swelling No throat tightness
927260	1/7/2021	WI	87	F	12/28/2020	1/6/2021	No adverse effects noted after vaccination. Patient with cardiac history was found unresponsive at 16:45 on 1/6/21. Abnormal breathing patterns, eyes partially closed SPO2 was 41%, pulseless with no cardiac sounds upon auscultation. CPR and pulse was regained and patient was breathing. Patient sent to Hospital ER were she remained in an unstable condition had multiple cardiac arrest and severe bradycardia and in the end the hospital was unable to bring her back.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
926978	1/7/2021	OR	46	F	1/7/2021	1/7/2021	Patient received 1st dose Moderna Vaccination at 1405, went to sit in observation area and began to feel lightheaded and faint within first few minutes. Escorted to cot to lie down at 1412. 1415 VSS: BP 140/82 HR: 98 steady, RR:18 98% on RA with no visual rash, or difficulty breathing. Pt. reported that she was rushing in to clinic to get the vaccination and was often hot, face flushed at this time though pt reported that this was her baseline. Reported that she continued to feel faint, ABC all within normal limits. VSS continued to be stable with no signs of trouble breathing. Pt remained A&Ox5. 1425: pt reported tingling in hands bilaterally. VSS remained stable, tingling grew stronger in left FA dissipated in the R FA. Pt reported that she continued to feel as if she was unable to sit up, that this would cause her to pass out and that this sensation came in waves. Pt. was monitored for 20 minutes prior to receiving 50mg IM Benadryl in LUA and Code Green was called. Patient taken to ED for further observation.
927324	1/7/2021	FL	44	F	12/28/2020	1/4/2021	7 days after injection, site became swollen, red, warm and itchy. Remained red and warm for 1-2 days. Also, 2 other areas within 3 inches, on arm became red and warm. Eyes became itchy, blood shot, irritated, 3 days after vaccination.
940841	1/7/2021		52	F	12/29/2020	12/29/2020	Dizziness, HYPotension, blurred vision Narrative: Reaction at 30 min- Dizziness, blurred vision, B/P dropped to 95/55- She stayed in ER until 11am, No Sxs of breathing issues or SOB. She was NOT admitted, just observed until B/P went up. Vaccine was given in the ED- reason not given.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
928515	1/7/2021	OK	74	M	12/30/2020	1/3/2021	Previously well controlled non-insulin dependent type 2 diabetic (A1c 6.9 on 12/10/2020) developed polydipsia, polyuria, extreme fatigue, feeling off balance to point he does not feel comfortable driving (son drove him to appt). CBGs 330s-530s since. Less than 1 mo ago when here for DM his CBGs were 115-130s. No other medication, dietary changes, or illness to account for the abrupt change. Also reports he had vision loss on drive home following the vaccine administration. Vision loss resolved spontaneously after approx. 30 min. Presented to clinic for evaluation 01/05/21 for above listed symptoms. Concern for possible HHS/DKA so was sent to ER. Labs ruled out DKA/HHS, was given IVF and insulin, discharged home to to follow up in next few days.
928832	1/7/2021	CO	52	M	12/17/2020	12/19/2020	Date and time of vaccination: 12/17/21 19:30 Age at vaccination 52Y 10M Adverse symptoms: - Visual migraines 12/19,12/20,12/21 with loss of vision/aura for about 30m-1h, mild headache followed. -numbness, intermittent in left ring and pinky finger 12/19,12/20,12/21
933525	1/7/2021		44	F	12/28/2020	12/29/2020	Diarrhea Fatigue; Eye - Redness, swelling
933595	1/7/2021		66	F	12/29/2020	12/30/2020	BlurredVision
937953	1/7/2021		62	F	12/29/2020	1/4/2021	watery eyes, chills, sore throat
937969	1/7/2021		64	F	12/31/2020	12/31/2020	UrticariaPruritus right eye swelling and itching employee presented to ED day after vaccine. was given prednisone and hydroxyzine.
940802	1/7/2021		52	M		12/31/2020	BlurredVision, UrticariaPruritus, numness face and tongue
926427	1/7/2021	MI	46	F	12/30/2020	1/6/2021	01/06/2021 r eyelid swollen, face and upper lip; provider gave epi -- reduced some swelling. L wrist swelling today 1/07/2020 sinus tachycardia 140-150.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
947209	1/7/2021		67	F	12/31/2020	12/31/2020	UrticariaPruritus Tingling of upper lip and under eyes Narrative: 12:45 stated upper lip felt fingly and under eyes; VS 73, r 16, BP 158/90, sat 98%. ambulated to MD office Evaluated by Dr. Benadryl ordered (25mg PO x 1 dose) and given at 1305). Ambulated back to personal office, called friend to pick up after work. 1330, 72, 16, 96%, 135/82, denies worsening of symptoms, no rash or hives noted. No symptoms of difficulty breathing, swelling of face or tongue, increased heart rate, rash or dizziness or head ache. Assessment and follow up by M.D.
926654	1/7/2021	ME	56	F	1/7/2021	1/7/2021	50 minutes after administration of the vaccine, the patient started to feel like her throat was somewhat itchy and tight. There was no wheezing or difficulty breathing. IM benadryl was administered immediately, and blood pressure taken--which was found to be elevated. Blood pressure continued to elevate further to the 180s/110s, and patient developed a "pounding headache" She also complained of pressure behind her eyes and "a funny feeling in my face" (bilateral). She was given 0.1mg of clonidine and was taken to the hospital by EMS
952688	1/7/2021		38	F	12/28/2020	12/30/2020	Tingling on right side of face, "zapping" sensation, no drooping, no awkward smile, no abnormality with eye Narrative:
927290	1/7/2021	TN	33	F	1/7/2021	1/7/2021	Eyelid swelling on one side, which was the side of vaccination, 8 hours after the dose, quite visible but only mildly bothersome
926471	1/7/2021	AL	39	F	1/6/2021	1/6/2021	Right eye itching, swelling, watering
926430	1/7/2021	WA	33	F	1/2/2021	1/2/2021	swelling of eyes 10 minutes post vaccination, then tongue swelling and tingling lips. no shortness of breath, Given IM diphenhydramine. Some improvement of swelling 20 minutes after diphenhydramine, swelling of tongue and lips totally resolved.
952140	1/7/2021		59	F	12/29/2020	12/29/2020	Angioedema swelling and redness of face; eyes swollen Narrative: Employee was seen in the clinic the following day and symptoms had resolved.
926958	1/7/2021	OR	47	F	1/7/2021	1/7/2021	Mild throat swell, nausea, blurred vision

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
926433	1/7/2021	FL	88	F	12/28/2020	12/31/2020	Hemmoragic Stroke. Began with vision difficulty in the morning. Then I noticed she had left sided neglect. Went to ER. Treated with Andresxa (to counteract Elaquis). In SICU for 2 nights then telemetry unit for 3 nights. CCurrently in Rehab.
926476	1/7/2021	ME	43	F	1/4/2021	1/4/2021	Mild headache and eye floaters in left eye only
926495	1/7/2021			U			Blurred vision one eye right side blood sugar , headache, throat mild swelling
926575	1/7/2021	MD	33	F	1/4/2021	1/4/2021	The vaccination site became red, hard to the touch, warm and inflamed on 1/4/20 (similar to a bad sting). On 1/5/20, the left arm could not be moved without being in pain. On 1/6/20 there was slight eye swelling on the left eye that persisted until 1/7/20, but did subside. The vaccination site is still red, hard, and warm on 1/7/20, but the pain has subsided.
926579	1/7/2021	WA	26	F	1/6/2021	1/6/2021	An hour after receiving the first dose of the Moderna vaccine I experienced mild blurry vision. This lasted about 30 minutes then went away with no other problems.
926605	1/7/2021	MD	52	F	12/30/2020	1/1/2021	12/31/20 developed headache, some blurry vision, nausea and splotchy rash. Took Benadryl around 2100 and went to sleep. Woke up with tongue swelling and difficulty speaking, decided to go to emergency room on 1/1/21. When she first presented she had significant swelling noted to her tongue. SoluMedrol IV, Pepcid IV, and Benadryl IV given in ED. Also administered 0.3 mg Epinephrine. Discharged with Pepcid and Prednisone for 3 days and Benadryl prn
926617	1/7/2021	TX	26	F	1/6/2021	1/6/2021	Around 11pm started having chills. Around 3:00am. fever, started shaking, had temperature 104 around 5: AM vomited and is having headache, had trouble breathing like someone was pushing on her chest last night. Now she is talking normal. Headache is bad and the light hurts her eyes.
926653	1/7/2021	KS	28	F	1/4/2021	1/5/2021	Patient received the Moderna COVID vaccine and 24 hours later her eyelids were puffy. She had also experience puffy eyelids when she had COVID. At that time, she sought medical guidance and everything else was ruled out. No itching and no watery eyes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
926674	1/7/2021	NJ	50	F	1/6/2021	1/6/2021	at the injection site, burning at insertion site radiating down the arm, then extreme fatigue with blurry vision and my face started burning at this time took claritin ready tabs x2 . mild sob they took my BP it was over 170/90 hr was over 90 they took it every 15 min until it started lowering and the reddness and burning in my face got better and my vision cleared up and was allowed to go home. 3 hours after the shot started feeling short of breath , was on the phone with the allergist and was told to take my inhaler , albuterol 2 puffs and allegra 180mg. and had extreme fatigue and chills and body aches, took 2 tylenol and took a nap. 7hours after the shot all symptoms had resolved except for the arm site pain and a mild headache.
926803	1/7/2021	MA	36	F	1/6/2021	1/6/2021	Patient reported having heaviness in her throat and upper eyelids. She was complaining of chest palpitations and fast heartbeat. Patient conveyed to nurse her symptoms 20 mins after sitting when she was about to leave facility. She presents alert and orientated times three. Handoff to EMT team. Vital signs are stable. POC 81. She began scratching her right arm marks noted but she states they are old bites. She reports her eyes feel heavy and her vision is cloudy. Advised to rest on stretcher. She declines to go to the ER. She was observed for 45 mins. Snack provided. She states she will return to work she states she feels much.
926729	1/7/2021	VT	52	F	1/7/2021	1/7/2021	Approximately 10 minutes after receiving vaccine patient complaint of itchy eyes and hands. Upon review, patient eyes red and swollen, palms of hands red and sweaty, chest rashy, ears red. Injection site WNL.
926954	1/7/2021	CA	46	F	12/28/2020	12/28/2020	Tingling in arm, vision was blurry, Dizziness, difficulty breathing, head spinning. Weakness, body aches, fast heartbeat. Speech slurred, jaw locking. Taken to ER where she works.
926923	1/7/2021	CO	57	M	1/1/2021	1/4/2021	Headache. Fever. 103.5 temperature. Sleepy. Chills. Sore at injection site. Eyes hurt.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
926884	1/7/2021	MN	23	F	1/5/2021	1/5/2021	At around 1 pm on 1/5/2021, my right face started feeling weird. There was a tightness/tingling sensation starting below the right eye down to my whole cheek. This reaction was present until the following day, 1/6/21 and seemed to resolve on the morning of 1/7/21
926837	1/7/2021	CO	22	F	1/7/2021	1/7/2021	Patient received the Moderna COVID19 vaccine in the left arm and waited 15 minutes after administration. She felt fine and decided to drive home. After about a half hour, she noticed that she had some right-sided facial numbness, with the most sensation in the right side of her mouth and her eyelid. After an additional 15 minutes, she states that it is not improving.
926887	1/7/2021	MS	59	F	1/6/2021	1/6/2021	1508- Patient complains of itching on arms and face, red palms, red watery eyes, and mild clearing of throat. RN x3 at patient's side. Pulse: 60BPM, Resp: 20, O2 Sat 100% RA. 1510- Benadryl 50mg PO given. Pt anxious and crying at present. Itching and redness of face, arms, and chest continues. Denies Shortness of breath, trouble swallowing, or itchy throat. 1516- Pt sipping on water with fan blowing on patient. Resp.18, O2 Sat 100% RA, Pulse 48-50BPM. Palms remain red and pt. continues to complain of itching on arms and chest. Denies trouble swallowing, itchy throat, or shortness of breath. 1528- BP 158/92, Pulse: 50, Resp. 16. Pt is calm and states is "feeling much better". Denies itching of face or arms, shortness or breath. 1535- BP:138/96, Pulse: 52. 1540- Respirations even and unlabored at 16 BPM. No acute distress noted at present. Denies shortness of breath or itching. Pt released from the vaccination clinic and returned to her department walking with another RN. Instructed patient to seek medical attention or go to the emergency department immediately if symptoms return.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
926787	1/7/2021	MN	53	F	12/30/2020	12/31/2020	<p>Resident had the COVID vaccine 12/30/2020. 12/31/20, resident has been in bed all shift. Staff became concerned when resident was not easily aroused. Resident displayed signs of tremors, twitching, confusion, in and out of consciousness, low O2 sats, elevated pulse and fever, fatigue and weakness. Writer called NP. NP stated this is most likely a reaction d/t the COVID vaccine. She gave orders for Benadryl 25mg IM x1 now and Tylenol 1000 mg now. NP also stated resident will not be getting the second dose of vaccine. Will continue to monitor and update NP if worsening symptoms. After receiving Benadryl and Tylenol at 145pm, resident began to appear as though she was feeling better and was talking to talk, fever had gone down. Tonight resident is not easily aroused, lethargic, continues to have tremors and twitches, almost appearing as convulsions. When asked if she knows where she is or what day it is, resident can properly answer. Resident denies SOB but staff has noted loud squeals while breathing. NP was updated and gave new orders to give Benadryl 25 mg IM x1 if needed and Ok to send resident to ED. Resident currently refuses to go to the hospital. Will continue to monitor. BP 152/112, P 116, T 99.1, O2 87-91. Resident's O2 at 1205am was 80% on 3LPM. Resident unable to be aroused from sleep by writer. NAR called to assist. NAR could not arouse resident. Writer and NAR attempted to reposition resident and resident's breathing became more labored. Resident turned back to previous position and writer called on call MD at approx. 1220am. MD returned call approx. 1235am with orders to send resident to ED. 911 called and ambulance arrived about 1245am. History of present condition given to EMTs and they stated resident would be going to Hospital. Writer has attempted to contact Hospital ED x3 but have been unable to get through. An EMT did just call to clarify when vaccine was given, what symptoms have been present and when they started. She said she has everything she should need and she will let Hospital ED staff know to call if they need anything else. Writer will again attempt to contact them though. Resident's temp was 97.5 and BG 128. When EMTs arrived they got an O2 reading of 60%. Resident did open her eyes a couple times during transfer from bed to stretcher and while stretcher was going outside but no responses from resident were made.</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
926779	1/7/2021	OH	28	F	1/5/2021	1/6/2021	After receiving vaccine, woke up around 3 am experiencing nausea, loss of vision x 1-2 minutes, syncope, difficulty breathing, numbness & tingling in hands and feet. Measured temperature of 102 F. Slept most of the next day and missed work x 1 day. The following day was improved but still with moderate fatigue and nausea. Took ibuprofen with some improvement.
926766	1/7/2021	IA	52	F	12/30/2020	1/7/2021	constant ringing in ears since vaccine, softer and high pitched, it is constant at a softer level and then increases to higher and louder. no dizziness, lightheadedness, nausea, visual disturbances, numbness or tingling - it is just the ringing.
926944	1/7/2021	LA	33	F	1/7/2021	1/7/2021	Staff member received vaccine .At the 15 minute mark, she reported a headache with pressure behind right eye,slight dizziness. It was described as a rapid onset migraine headache with photosensitivity .She was escorted to empty room with staff and laid down. she was examined per Dr.At the 20 minute mark, she developed a light red rash and began itching. The itching began at the face, radiated to arms and legs and then trunk. No c/o SOB, chest pain or increased heart rate. She reported that it felt like someone poking a finger to her left chest wall for 5 minutes-gently.B/P elevated and monitored by staff for 3.5 hrs and was able to go home with staff/family.
926746	1/7/2021	TX	33	F	1/7/2021	1/7/2021	Patient presented for covid 19 vaccine 1/7/2021. Vaccine given at 11:11 AM. Patient asked to wait 30 min. after injection due policy in place. At 11:14AM patient states "is it hot in here, I feel dizzy" Patient assisted to the floor, legs elevated. That is when patient began to shake. BP 142/78 O2 94 Pulse 111. Patient was responsive but unable to open eyes and answer questions, nodding appropriately to questions given by Provider on staff. Provider called to scene. Provider assessed patient, stridor noticed by Provider and 0.3mg of Epi given by IM. EMS was called to clinic. At 11:19AM BP 142/78. EMS arrived at 11:23AM and stayed with patient, no change in status. EMS took patient to hospital. Patient discharged same day and per patient "doing well other than sore and tired".

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
926853	1/7/2021	TX	47	M	12/23/2020	1/1/2021	Employee received 1st dose of Moderna vaccine on 12/23, remained for 15 min in observation post vaccination, no complications or reaction at the time, went home. 9 days later 1/1/2021 employee began to have small rash to R hand/arm, they began to swell into hives. right Hand became swollen unable to close into a fist. Multiple test/labwork run no findings at this time. MD's unable to identify etiology, no new soap, hygiene products etc have been used. He was placed on steroid tx and was out of work for a wk, returned to work 1/7/2020. Symptoms have resolved at this time, MD is advising to get 2nd dose but will be under supervision.
923348	1/6/2021	MN	50	F	12/31/2020	1/2/2021	. Woke up in the middle of the night with acute facial pain on the left side. From the scalp to the jaw line including the roof of my mouth. I took 3 Advil at the time and the woke again a couple hours later and took 2 more. In the morning it seemed fine. I have noticed a very slight change to my lower left eye - it seems lower.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
923357	1/6/2021	OR	35	M	12/28/2020	12/30/2020	Headache; blurred vision; unable to read at time; Difficulty focusing; right hand numbness; This is a spontaneous report from a contactable Nurse (patient). A 35-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 28Dec2020 04:15 PM, Intramuscularly at single dose (Vaccine location: Left arm) for COVID-19 immunization. Medical history was reported none. Concomitant medications were not reported. Patient did not have any allergies. Patient did not receive other vaccine in four weeks. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. Patient experienced Headache, blurred vision and unable to read at time, Difficulty focusing and right hand numbness on 30Dec2020 12:00 AM. Patient did not receive any treatment. The outcome of the events was not recovered. This case was assessed non-serious by reporter. The events did not result in death, Life threatening, Caused/prolonged hospitalization, Disabling/Incapacitating, Congenital anomaly/birth defect. Information on the lot/ batch number has been requested.; Sender's Comments: The causal relationship between BNT162B2 and the events headache, vision blurred, cognitive disorder, disturbance in attention and hypoaesthesia cannot be excluded as the information available in this report is limited and does not allow a medically meaningful assessment. This case will be reassessed once additional information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees, and Investigators, as appropriate.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
923353	1/6/2021	IN	38	F	12/28/2020	12/30/2020	Eye swelling; This is a spontaneous report from a contactable nurse (patient). A 38-year-old female patient (no pregnant) received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (Lot Number: EL1284), on 28Dec2020 10:30AM (vaccine location: Left arm) via unknown route of administration at single dose (first dose) for COVID-19 immunization. Medical history and concomitant medications were reported none. There were no known allergies. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Patient experienced Eye swelling where Allergen filler was placed 7 weeks prior to the event on 30Dec2020 07:00AM. Patient did not receive any treatment. Patient did not have covid prior vaccination. Patient did not have covid tested post vaccination. The outcome of the event was not recovered. This case was assessed non-serious by reporter. The event did not result in death, Life threatening, Caused/prolonged hospitalization, Disabling/Incapacitating, Congenital anomaly/birth defect.
923376	1/6/2021	WV	22	F	12/28/2020	12/28/2020	Patient received the Moderna COVID19 vaccine on 12/28/2020 approximately 10:00 AM. By approximately 1830 patient noticed she was beginning to have some peripheral vision disturbances. Patient noted to have slight head ache at the time. Two mornings, on Wednesday, patient reports being unable to see when entering a lighted room. Vision limitations being able to see minimally and what was able to be seen was very blurry with dark circles when squinting. This visual disturbance improved after 30 seconds to a few minutes of being in dim light. This occurred on Wednesday with headache developing later in the day. Ibuprofen helped headache. Has continued to have daily headaches since injection. Patient states headaches seem to be improving some as the week has gone on.
923335	1/6/2021	MI	53	F	1/6/2021	1/6/2021	associate states she has hx of allergic reactions to vaccines; i.e flu. patient came in c/o of vision problems and numbness to entire body. Benadryl 25mg PO given at 1106. VS: BP 149/122, oxygen 90%, and HR 77 at 11:14 1119: 186/116, HR 79, and oxygen 95%. 1123: 206/102, HR 89, oxygen 96% 1125: EMS called.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
923324	1/6/2021	MN	64	M	12/18/2020	12/19/2020	Bell's palsy on the left side of his face; Headaches; Overall was not feeling well; This is a spontaneous report from contactable consumers (including the patient). A 64-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number EH9899), via an unspecified route of administration in right arm on 18Dec2020 04:00 at a single dose for covid-19 vaccination. There were no relevant medical history and concomitant medications. On, 19Dec2020, the patient had headaches and overall was not feeling well. On 28Dec2020, the patient experienced bell's palsy on the left side of his face. He said it was a little hard to talk as his mouth was not working at the moment. The provider he saw gave him steroids- Prednisone, and Valaciclovir. He was also told to get some eyedrops as one eye does not close very well. He laughed and said it was a little hard to drink his coffee. The outcome of the events headache and not feeling well was recovered on 21Dec2020 while the outcome of bell's palsy was not recovered. The information on the batch/lot number and expiration date has been requested.
923302	1/6/2021	IL	27	F	12/17/2020	12/25/2020	On 12/25/20 pt experience swelling of the R eyelid. By 12/26 the eyelid was swollen shut. Patient received treatment of antibiotics and MEDrol dose pack and swelling decreased. As of 1/5 eyelid was still slightly swollen.
923492	1/6/2021	TX	38	M	12/30/2020	12/30/2020	INITIAL SYMPTOMS INCLUDED ITCHING, REDNESS, BUMPS, TINGLING TO LEFT EAR. PROGRESSED TO RIGHT EAR JAN.01 2021 WITH "SKIN FLAKING" TO BOTH EARS. JAN 01 2021, EYE IRRITATION, ITCHING TO FACE AND EYES, "FEELS DRY AND IRRITATED". SYMPTOMS OPNGOING AT TIME OF REPORT. PT ABLE TO RETURN TO WORK.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
923296	1/6/2021	WA	44	M	12/27/2020	12/28/2020	Back of Left eye hurts, sinus near left eye feels swollen, mild headache; Back of Left eye hurts, sinus near left eye feels swollen, mild headache; Back of Left eye hurts, sinus near left eye feels swollen, mild headache; Back of Left eye hurts, sinus near left eye feels swollen, mild headache; This is a spontaneous report from a contactable consumer (patient). A 44-year-old male patient started to receive BNT162B2 (also reported as "Pfizer COVID-19 Vaccine"), Lot number: EL0142, via an unspecified route of administration on 27Dec2020 18:45 at single dose (dose 1) in the left arm for COVID-19 immunization. The patient was not diagnosed with COVID-19 prior to vaccination and since the vaccination, the patient has not been tested for COVID-19. Medical history included food allergies: shrimp. Concomitant medication included guaifenesin (MUCINEX). On 28Dec2020 06:00, the patient experienced back of left eye hurts, sinus near left eye feels swollen and mild headache. The outcome of the events was not recovered.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
923255	1/6/2021			F	12/23/2020	12/24/2020	drooping on one side of the face/ eye hurts to open and hurts to close it; Her eyes are droopy; "my eye is hurting so bad", it hurts to open and hurts to close it/pain in the eyes; Face is tender to the touch and hurts on that one side; Swelling of her left side of her face that hasn't gone down/swelling and drooping on one side of the face; This is a spontaneous report from a contactable nurse (patient). A 20-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot/batch number and expiry date were not provided), via an unspecified route of administration on 23Dec2020 at single dose for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. Caller asking if pain in the eyes and swelling and drooping on one side of the face a side effect of the vaccine. Patient received the Covid vaccine on 23Dec2020 and noticed the next day (24Dec2020) swelling of her left side of her face that hasn't gone down. Her face is tender to the touch and hurts on that one side. Her eyes are droopy, "my eye is hurting so bad", it hurts to open and hurts to close it. The outcome of the events was unknown. Information on the lot/batch number has been requested.; Sender's Comments: A possible causal association between administration of BNT162B2 and the onset eye hurts to open and hurts to close/ eyes droopy cannot be excluded, considering the plausible temporal relationship. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
923323	1/6/2021	AZ	30	M	1/6/2021	1/6/2021	7 minutes after receiving injection patient developed left jaw pain, pain behind eyes, dizziness, nausea and 2 episodes of vomiting. Given antiemetic medication and ibuprofen for symptomatic treatments. Monitored in the ED for several hours without new or worsening symptoms. Of note, patient was seen for left jaw pain, pain behind eyes and dizziness on Dec 26 in the ED as well. States these symptoms were thought to be improving until dose of vaccine, symptoms returned. New symptom is N/V after dose of vaccine.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
923412	1/6/2021	CO	25	F	12/30/2020	12/30/2020	she got tunnel vision; almost passed out; Blood pressure dropped to 70/50; heart rate went up to 140; whole body got cold and tingly; whole body got cold and tingly; This is a spontaneous report from a contactable pharmacist (patient) reported for herself. A 25-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; brand: Pfizer Biotech; lot number: EL0142) via an unspecified route of administration at left arm on 30Dec2020 at 12:45 PM at a single dose (dose number: 1) for COVID-19 immunization. Facility where the most recent COVID-19 vaccine was administered was workplace clinic. Medical history included premature ventricular contractions (PVCs). No known allergies (no allergies to medications, food, or other products). The patient was not pregnant. No other vaccine in four weeks and no other medications in two weeks. The patient experienced adverse events included blood pressure dropped to 70/50, heart rate went up to 140, whole body got cold and tingly and she got tunnel vision and almost passed out. The events all started on 30Dec2020 at 12:45 PM. The events were reported as non-serious. No treatment received for events. The outcome of events was resolving. Prior to vaccination, the patient was not diagnosed with COVID-19, and since the vaccination, the patient had not been tested for COVID-19. No follow-up attempts are possible. No further information is expected.; Sender's Comments: Based on the close temporal relationship, the association between the event tunnel vision with BNT162b2 can not be fully excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
923418	1/6/2021	NJ	63	F	12/30/2020	12/30/2020	right mouth drop; right face numbness from eyebrow to below chin with right mouth drop; pins and needles feeling at injection site; then ears itching; This is a spontaneous report from a contactable nurse, the patient. A 63-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE Lot number: EK9231), via an unspecified route of administration, on 30Dec2020 at 03:45 AM (at the age of 63-years-old) as a single dose for COVID-19 vaccination. The facility where COVID-19 vaccine was administered was at a workplace clinic and anatomically located on the right arm. Medical history included: History of Guillain Barre in 1970's with Swine Flu Vaccine. Concomitant medications included: clonidine (MANUFACTURER UNKNOWN), hydralazine ((MANUFACTURER UNKNOWN), spironolactone (MANUFACTURER UNKNOWN), pantoprazole (MANUFACTURER UNKNOWN); all for unknown indications from unknown dates and unknown if ongoing. The patient was not pregnant at the time of vaccination. Prior to the vaccination, the patient was not diagnosed with COVID-19. The patient did not receive any other vaccines within four weeks prior to the vaccination. The patient previously took unspecified medications (MANUFACTURER UNKNOWN), from unknown dates to unknown dates for unknown indications and experienced sensitivity to some medications, and unknown if ongoing. On 31Dec2020 04:15 PM, the patient reported "Within 30 minutes of vaccine, I had pins & needle feeling at injection site. Then ears itching followed by right face numbness from eyebrow to below chin with right mouth drop." The patient did not receive any treatment for the events. The clinical outcome of the events pins & needle feeling at injection site, ears itching followed by right face numbness from eyebrow to below chin with right mouth drop, was not recovered. It was also reported that since the vaccination, the patient had not been tested for COVID-19.; Sender's Comments: A possible contributory role of the suspect products cannot be excluded for the reported events based on the temporal association.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
923435	1/6/2021	MA	49	F	1/6/2021	1/6/2021	Approximately 10-15 minutes post vaccination patient developed "flushing" sensation and felt as though heart was racing. Pulse was noted regular and even. Started feeling anxious. Patient was brought to treatment room. Vital signs stable. Stated began to "see stars" in corner of eyes. Nystagmus noted in right eye upon neuro exam. EKG obtained and patient noted with PVCs. Patient also noted with redness surrounding both eyes which continued to progress and did not dissipate over time. Patient stated significant allergy history and was carrying 2 epipens to vaccination. Patient was transported via EMS to local ER for monitoring and discharged home after 2-3 hours.
923641	1/6/2021	NC	35	F	12/29/2020	12/29/2020	I woke up with my eyes ever swollen and red (only my eyelids); I woke up with my eyes ever swollen and red (only my eyelids); they were still red and painful; My eyes were slightly puffy the next morning but nothing alarming; Night sweats that were worst the night of the vaccination; This is a spontaneous report from a contactable nurse reporting for herself. A 35-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (lot number EJ1685), via an unspecified route of administration on 29Dec2020 17:00 at single dose in the left arm for COVID-19 immunization. Medical history included none. No known allergies. No other vaccine in four weeks. Concomitant medication included fluoxetine hydrochloride (PROZAC). Prior to vaccination, the patient was diagnosed with COVID-19; since the vaccination, the patient had not been tested for COVID-19. The patient experienced night sweats that were worst the night of the vaccination. Her eyes were slightly puffy the next morning (30Dec2020) but nothing alarming, however, Thursday morning (31Dec2020 06:00) she woke up with her eyes ever swollen and red (only her eyelids). Thursday evening she'd been able to get the swelling down but they were still red and painful (after diphenhydramine hydrochloride (BENADRYL)). The events were non-serious. Employer and provider of vaccine had no protocol in place and said to treat it like any other reaction and go to ER if it worsened. The events were not resolved.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
923487	1/6/2021	GA	28	F	1/4/2021	1/5/2021	~~I received my first dose of the covid vaccine yesterday, January 4th around 3pm. I have not felt any major symptoms or side effects aside from pain at the injection site. This afternoon I noticed how sore my arm was and started looking up potential side effects of the vaccine to see how long I should expect pain. I was trying to practice lifting my sore arm and then started feeling light headed. My vision went blurry, my hearing was muffled, and I started to feel like I was going to faint and/or vomit. I tried drinking water to see if that would help and when it didn't I called over to my coworker to tell her I felt like I was going to pass out. She informed our boss, who called Employee Health. They both walked me downstairs to Employee Health.~~
923496	1/6/2021	IL	49	F	12/19/2020	1/1/2021	Day of next day after vaccine administration-only had mild headache, thirst and fatigued. I did have a hematoma and bruising, No fever On Jan 1st, I started feeling fatigued again and noticed round reddening approximately 2 inch in diameter appear about a inch under vaccination location which is still bruised. There is no pain or itching at reddened site. Jan 2, 3 and 4th- Fatigue worsened and developed low grade temp never surpassing 100. My throat developed allergy reaction feeling, same reaction I get with nuts. Throat did not swell and benedryl managed the reaction on Jan 3rd. My eyes began swelling and I could not stop sneezing. Developed laryngitis from the post nasal drainage. I was up whole night but still went into work as normal on Jan 4th. Struggled through the days but swelling and itching subsided. I experienced the muscle aches on the 3rd and 4th. On Jan 5th, started feeling better and rested. Still have reddened reaction on arm but is fading. It is faintly visible today on Jan 6th, I feel better, just have the sneezing currently and a mild headache. Benedryl is the only medication besides daily meds I took during the past several days. I did not want to interrupt the immune system's work.
923515	1/6/2021	MT	59	F	1/4/2021	1/4/2021	Itchy mainly in head ears slight swelling around my eyes. My throat ticked I had a headache and felt tired It feels like it is starting to get better today so far

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
923569	1/6/2021	MN	58	F	12/21/2020	12/29/2020	injection site tenderness/it is a little tender; swollen at injection site/It is swollen at the injection site; itchiness at injection site; This is a spontaneous report from a contactable consumer. A 58-year-old female patient started to receive BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: unknown), via an unspecified route of administration (upper left arm) on 21Dec2020 (between 9:00AM and 9:30AM) at single dose for Covid-19 immunization. Medical history included allergic to dust mites and grass, summertime allergies (haven't been diagnosed but she has sneezing and watery eyes during the summer), obese at 190, and flu vaccine in Oct2020, and smoker. Her mother passed from COPD and stated that more than likely she has that because she is a smoker. Her father had congestive heart failure. Concomitant medications were not reported. The patient previously took flu vaccine vii and experienced migraine; also, previously took Novocaine (probably 10 to 15 years ago) out of the blue she had a reaction. "Eons ago" when she was probably 25 she had a reaction to the very first flu shot that she got. The reaction was a migraine and she could not get out of bed. The patient wanted to know if it was normal to have side effects a week later after receiving Covid vaccine. She received vaccine on 21Dec2020 and today (29Dec2020 5AM) she was experiencing injection site tenderness, appearing swollen at injection site, and itchiness at injection site. It was further reported that she woke up this morning and her arm is itchy. It is swollen at the injection site. It is about the size of a fifty-cent piece. It is itchy and it is a little tender. The patient added, "It is a little tender": it was a little sore the first day like a flu shot. It is annoying like a bug bite itch. The swelling has been the same throughout the day. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The outcome of events was not recovered. Information on the Lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
923605	1/6/2021	MO	51	F	12/28/2020	12/28/2020	Eyes started swelling, around my eye the left one, it is more around the eyes it's worse; Eyes started swelling, around my eye the left one, it is more around the eyes it's worse; Swelling around mouth; Aching in my mid back; I have been extremely tired too. I was sitting at my desk at work yesterday and I was nodding of; I have been extremely tired too. I was sitting at my desk at work yesterday and I was nodding of; This is a spontaneous report from a contactable nurse (patient). A 51-year-old female patient received the first dose of BNT162B2 (Pfizer-BIONTECH Covid-19 Vaccine; Batch/Lot number: EL1284), via an unspecified route of administration on 28Dec2020 at a single dose for COVID-19 vaccination. The patient's medical history was not reported. Concomitant medications included montelukast, fluticasone furoate, umecclidinium bromide, vilanterol trifrenatate (TRELEGY); colecalciferol (vitamin D), and bumetanide (BUMEX). The nurse stated that she got the Pfizer COVID Vaccine yesterday (28Dec2020) and she didn't know if she should report the side effects but she didn't yesterday and she was going to today (29Dec2020). It didn't happen right away, it was like throughout the day, her eyes started swelling around them, she had swelling around her mouth, she still has it actually. She didn't have any breathing issues but there was a lot of aching in her mid back which was gone now, the aching part, but it was the swelling that concerned her. They were around her eye, the left one. She had a question herself though because this was just her first vaccine. She meant it wasn't bad enough that she had breathing issues because she monitored it and it's already in there now. She asks if it would it be okay to get the next one. As treatment, the patient took Tylenol and a Benadryl. The patient also mentioned that she has been extremely tired too. What she meant was she was sitting at her desk at work yesterday and she was nodding off. According to her, it was just offered through work and they went to a hospital to get it. The patient said that she did not have to seek medical treatment for it, so it was not like life threatening. When clarified if the swelling around eyes was still there, the patient stated that it was not as prominent, it was more around the eyes it's worse. She further stated that it has improved, she was still tired but the swelling had improved. The patient was also asked regarding the route of administration and she

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

stated that she believes it was long enough to be, it looked like IM, she was not sure. It might have been a SubQ but she means it wasn't like a huge long needle but it wasn't like the real short ones either. Outcome of the events "Eyes started swelling, around my eye the left one, it is more around the eyes it's worse", "Swelling around mouth", "Aching in my mid back", was recovering/resolving; for the event 'Fatigue' was not recovered, while for 'Somnolence' was unknown. Causality assessment of the reporter between the events 'eye swelling', 'swelling around mouth', 'aching in my mid back', and 'I have been extremely tired too. I was sitting at my desk at work yesterday and I was nodding off' and BNT162B2 was reported as related.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
923246	1/6/2021	LA	49	F	12/23/2020	12/24/2020	coughing; Itching; chest tightening; large wheals all over body, face, eyes; high blood pressure and heart rate noted; high blood pressure and heart rate noted; 18 hrs after vaccine mild rash on back and arms and mild sob; 18 hrs after vaccine mild rash on back and arms and mild sob; This is a spontaneous report from a contactable nurse, the patient. A 49-year-old non-pregnant female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: 9231), via an unspecified route of administration in the right arm on 23Dec2020 at 19:30 (at the age of 49-years-old) as a single dose for COVID-19 immunization. Medical history included asthma, kidney stones, and gastroesophageal reflux disease. Prior to the vaccination, the patient was not diagnosed with COVID-19. Concomitant medications included ethinylestradiol/norgestrel (OGESTREL-28), cetirizine hydrochloride (ZYRTEC), and cefdinir (OMNICEF). The patient did not receive any other vaccines within four weeks prior to the vaccination. The patient previously took nicotinic acid (NIACIN) on unknown dates for an unknown indication and experienced drug allergy in the form of mild flushing. On 24Dec2020 at 13:30, 18 hours after the vaccine, the patient experienced mild rash on back and arms and mild shortness of breath (SOB). On 25Dec2020, the next day, the patient had a severe rash with large wheals all over body, face, eyes. She had extreme SOB, chest tightening, coughing and itching. The patient went to the hospital emergency room and high blood pressure and heart rate were noted. On 25Dec2020, the patient had a nasal swab done for COVID and it was negative. The patient was treated for the events with IV methylprednisolone (MANUFACTURER UNKNOWN), IV famotidine (MANUFACTURER UNKNOWN) and hydroxyzine pamoate (VISTARIL). The clinical outcomes of the rash, SOB, large wheals, chest tightening, coughing, itching, high blood pressure, and high heart rate, were recovered in Dec2020.



<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
922731	1/6/2021	LA	73	F	12/21/2020	12/21/2020	The patient completed her 15 minute observation with no post injection reaction. At 1:15 pm, the patient called complaining of right eye drooping, right facial tingling, mild shortness of breath, facial flushing and new onset headache. She arrived at ED at 2:06 pm presenting with facial swelling, tingling and shortness of breath. At that time, she stated her shortness of breath had actually improved and stated "probably just nerves". She still had a funny sensation in her face. She denied any focal numbness or weakness in her extremities. She stated she felt a little lightheaded. She had no sensation of throat swelling, difficulty swallowing. Physical Exam in ED: Constitutional: She appears well-developed and well-nourished. HENT: Head: Normocephalic and atraumatic. Eyes: EOM are normal. Neck: Normal range of motion. Cardiovascular: Normal rate and regular rhythm. Pulmonary/Chest: Breath sounds normal. No respiratory distress. Abdominal: Soft. There is no abdominal tenderness. Musculoskeletal: Normal range of motion. Neurological: She is alert and oriented to person, place, and time. Patient has symmetric facial numbness, she has right periorbital swelling causing what appears to be a facial droop however her mouth seems symmetric, she has negative Romberg's, she has full strength and symmetric sensation throughout Skin: Skin is warm and dry. Psychiatric: She has a normal mood and affect.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
923661	1/6/2021	KS	36	F	12/29/2020	1/1/2021	I have body ache; clear nasal drainage; Nasal congestion; headache; moist cough; sneezing; watery eyes; sore throat; This is a spontaneous report from a contactable nurse (patient herself). A 36-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number and expiry date were unknown) intramuscular (left arm), on 29Dec2020 at 15:15, at a single dose, for COVID-19 immunization. Relevant medical history included fibromyalgia. The patient has no known allergies. Concomitant medications included an unspecified multivitamin, cyclobenzaprine, methylphenidate, sertraline and ibuprofen. The patient did not receive other vaccines in four weeks. The patient was not diagnosed with COVID prior vaccination. The vaccine was administered in a nursing home/senior living facility. On 01Jan2021, at 8:00 a.m., the patient experienced body ache, clear nasal drainage, nasal congestion, headache, moist cough, sneezing, watery eyes, and sore throat. The patient did not receive treatment for the events. The patient has not yet recovered from the events. The patient had a negative post vaccination polymerase chain reaction (PCR)/ nasal swab on 02Jan2021. Information on the lot/batch number has been requested.
923671	1/6/2021	CA	39	F	12/30/2020	12/30/2020	Puffy eyes. Right more than left; This is a spontaneous report from a contactable other-HCP. This 39-year-old female other-HCP (patient) reported for herself that she received the first dose BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) Intramuscularly at left arm at single dose for COVID-19 immunization on 30Dec2020 02:00 PM. Relevant medical history was none. Relevant concomitant drug was unknown. The patient experienced puffy eyes, right more than left on 30Dec2020. The event was assessed as non-serious. No treatment was received for the event. Outcome of event was recovering. No follow-up attempts are possible; information about lot/batch number cannot be obtained.
923451	1/6/2021	MA	42	F	1/4/2021	1/6/2021	blurry vision

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
922715	1/6/2021	OH	38	F	12/23/2020	12/23/2020	Received Vaccine 12/23/20 (Weds) at 12:30pm, in left upper arm. Severe (Vice-Like) headache in back of head 5 minutes after, lasted til next morning. Lots of Sneezing over weekend on days 2-4; Monday 12/28- woke at 4a and was extremely dizzy and almost lost balance-went back to bed. Again at 5a and 10am but added vomiting along with any movement, could only lie flat on back, any movement of head caused reaction. No taste when vomiting, minimal smell; came back later in day. Advised to go to ER for Covid Test, since I had worked closely with someone else positive the previous week. Husband had to call an ambulance when I couldn?t make it out of the bedroom due to weakness, true vertigo-room was completely spinning and couldn?t keep my balance, and severe vomiting with any upright movement. Covid test negative. ER diagnosed as BPPvertigo because no other outright viral symptoms; only sneezing before; but they noted fluid in my left ear- said wasn?t infected. Told them of headache in back left rear of head, behind ear, and pressure behind left eye. Positive Dix-Hallpike;nystagmus. Vertigo continued, even with medication through Thursday 12/31/20 and turned to dizziness that subsided by Saturday 1/2/21. Weds 12/30/20- severe left ear pressure, feeling of fullness; focal pain/headache in bone behind left ear began, and pressure behind left eye increased. Low grade fever 1/2/21-1/4/21 (99.9). Seen by ENT on 1/4/21 due to continuing symptoms; and was misdiagnosed originally by ER- diagnosed by ENT as Acute Viral Labyrinthitis and Vestibular Neuritis. As of 1/6/2021- symptoms continue. *suspected recovered from Covid March 2020
923100	1/6/2021	MI	20	F	1/4/2021	1/5/2021	She became light headed, nauseated,pupils dilated, pale and narrowed vision. Nursing staff assisted her to lay on floor with feet elevated. Vital signs with in normal limits. She did not lose conciousness.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
923677	1/6/2021	IL	47	F	1/2/2021	1/3/2021	Fever; fatigue; uncontrolled headache; eye pain; chill; joint pain; nausea; This is a spontaneous report from a contactable nurse. A 47-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL0140), intramuscular on the left arm on 02Jan2021 16:00 at single dose for COVID-19 immunisation. Medical history included COVID on an unspecified date. The patient's concomitant medications were not reported. The patient stated, "fever, fatigue, uncontrolled headache, eye pain, chill, joint pain. nausea. Get more worst and worst". The patient received treatment. The outcome of the events was not recovered.
922300	1/6/2021	MA	41	F	12/23/2020	12/23/2020	EE starting with migraine about 5 minutes after receiving vaccine. That night had rash to trunk and back with the chills. Took benadryl that night. Next am, had swollen eyes and hands. Within 24 hours,those sx resolved- but then had 48 hours of sx similar to past covid infection.
922316	1/6/2021		27	F	1/4/2021	1/5/2021	Sudden onset shakiness and became light headed with tunnel vision. Almost passed out. Episode lasted about 5 minutes but generalized weakness lasted for about an hour.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
922393	1/6/2021	CA	58	F	12/18/2020	12/1/2020	Initial reaction: rash on chest; muscle, joint pain; muscle, joint pain; urge to run; inability to sleep; Irritable mood; Muscle spasms; dry eyes; Dry mouth; brain fog, inability to multitask; This is a spontaneous report from a contactable nurse. A 58-years-old non-pregnant female patient started to receive BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), Lot number: EJ1685; intramuscular in left arm on 18Dec2020 at 14:45 (at the age of 58 years-old) as a single dose for COVID-19 immunization. The vaccine was given in a hospital. The patient did not receive any other vaccines in the past 4 weeks. Medical history included asthma, mitral valve prolapse and an allergy to latex. Concomitant medication included calcium (CALCIUM), metoprolol (METOPROLOL), magnesium (MG [MAGNESIUM]), ergocalciferol (VIT D). The patient previously took penicillin and experienced an allergy. The patient did not receive any other vaccines in the past 4 weeks. She did take other medications (concomitant) in the past 2 weeks. Prior to vaccination, the patient was not diagnosed with COVID-19. In Dec2020, at 14:45, the patient experienced rash on chest followed by muscle, joint pain, urge to run, inability to sleep, irritable mood, muscle spasms, dry eyes, dry mouth, brain fog, and an inability to multitask after 1 week following COVID-19 vaccine. The patient was not hospitalized for the events and no treatment was administered. The outcome of the events: rash on chest followed by muscle, joint pain, urge to run, inability to sleep, irritable mood, muscle spasms, dry eyes, dry mouth. brain fog, inability to multitask, was recovering. Since the vaccination, the patient had not been tested for COVID-19.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
922533	1/6/2021	FL	38	M	1/5/2021	1/5/2021	Pt received vaccine and was sitting in observation for 10 minutes when he started to complain of feeling really warm, skin was flush and he was sliding out of his chair. Pt was assisted to stand and move to another room to lay down and have vital signs taken. During this move he passed out and was assisted to the ground. Pt did not hit his head and was laid flat. At this time emergency protocol was activated and Epi Pen was given to left thigh at 10:42. BP 127/64 P. 64 SPO2 100%. respiration shallow at 18. Pt opened eyes immediately after Epi pen administration. He had no recall of syncopal episode. Pt was transported to ER via ambulance for further evaluation.
922561	1/6/2021		69	F	12/28/2020	12/28/2020	Pt. reported "ocular migraine" a few hours after receipt of vaccine. Reports visual disturbances. No hx of migraines. Resolved without intervention.
922572	1/6/2021	NJ	59	F	1/5/2021	1/5/2021	I developed an immediate headache with 5-10 minutes that subsided after 15-20 minutes. Started feeling muscles achy after about an hour and feeling punky, at 2:45 minutes post IM feeling flushed ensued with red face and glassy eyes, needing to sit down due to fatigue , very thirsty, then joint pains especially feet making standing and walking prolonged painful, started with slight cough took advil and needed to go home from work by 3:30 minutes post receiving vaccine. SOB ,4 pillow orthopnea at hour 4-5 , needed prednisone by evening and duo neb by morning. Drenching sweats all night.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
922640	1/6/2021	MN	64	M	12/18/2020	12/29/2020	64-year-old male who presented to the clinic with complaints of left-sided weakness on his face. He stated when he woke up this morning he noticed that the left side of his mouth drooped and that he could not close his left eye all the way. Yesterday he felt fine. Today he went to work. Patient stated that on 12/18 he got the COVID vaccine. It was on a Friday. The following day he had a headache and he felt flu-like. He stated that those symptoms resolved quickly. He then had the facial weakness today (11 days after the vaccination). He has not had any fever, sweats, or chills. Patient stated that he had called ask a nurse, and he was advised to hang up and call 911 and go to the emergency room. However, he stated he was an EMT and did not feel that was necessary. He denies headache. He has not had any vision change. He has been eating and drinking well without any difficulty. PHYSICAL EXAMINATION: General appearance - patient was not in any distress. He was conversant, pleasant and appropriate. HEENT - normal conjunctivae and lids. Sclerae anicteric. Pupils equal and reactive to light. Patient was not able to close his left eyelid. Normal ear canals. TMs are pearly gray with bright light reflex. Neck - supple. No lymphadenopathy. Skin - pink, warm and dry. Neuro - alert and oriented. Deep tendon reflexes 2+ upper and lower extremities with no focal weakness. Normal range of motion. Patient can raise his right eyebrow. Could not raise his left eyebrow. There was impaired eyelid closure on the left; tight closure on the right. Smiling of the face revealed lateralization to the right side. When frowning, he had upper and lower facial paralysis on the left with flattening of the forehead. The patient could not tighten the left side of his mouth. ASSESSMENT: Bell's palsy. PLAN: Discussed pathophysiology of Bell's palsy. Advised patient I recommended him to call the number that he got with the information when he received his COVID vaccine. Advised patient that I could not definitively correlate the Bell's palsy with the COVID immunization, but that he can call the number he has to let them know of his symptoms. Discussed treatment options. Since patient woke up with his symptoms this morning, I advised patient that he would have hopefully the best outcome because he would be able to get on the steroid and antiviral soon after developing the symptoms. He is to wear an eye patch to prevent corneal drying or

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							abrasion of the left eye at night. Using Lacri-Lube at night before placing the eye patch and then following up by using artificial tears during the day. Patient was placed on prednisone 60 mg once a day for 1 week to be taken with food. Valtrex 1,000 mg 3 times a day for 1 week. Side effects of medication discussed. Handouts were provided. He will follow up with PCP if any changes or concerns. Advised patient that it may take up to 3 weeks before all his symptoms have resolved
922652	1/6/2021	NJ	53	F	1/5/2021	1/6/2021	FEVER, BODY ACHES, AND FACIAL SWELLING started at 1200 on 01/06/2021. took 400 mg po motrin and 25 mg po bendaryl. At 4am took and additional 25 mg Benadryl po. and at 1000 took third dose of benadryl po 25 mg. Pt. states that he left eye is watering. Pt. states that she has a little bit of facial swelling still at 1023 am on 1/6/2021.
922850	1/6/2021	ID	46	F	1/6/2021	1/6/2021	c/o 1122/67, c/o lighted, itchy eyes, warm. She took Benadryl 50 mg at 0700 - 2 hours prior to event. 0900 - bp 126/70, hr 107, rr 20, sats 100 0905 - bp 122/67, hr 90, rr, 18, sats 100 0910 - bp 113/66, hr 81, rr 20, sats 100 - lightedness no longer present, she c/o of being cold, 0915 - dry throat that water helped. denied throat itching, states breathing wnl. 0915 - bp 120/80, hr 88, rr 20, sats 100 Pt reports that she feels better. She is off work today, but she will stay in the rt office with staff for 30 minutes before going home.
922682	1/6/2021	NC	23	F	12/28/2020	12/28/2020	Patient experienced seizure-like symptoms. No limb movement, but eye fluttering and unconscious.
923228	1/6/2021	AL	62	F	12/30/2020	12/31/2020	1/2/21- 1/5/21 Fever, chills, arthralgias, swollen throat, nausea, BLURRY VISION, RED eyes, white noise in ears, fatigue lacinating pain ankles, knees ,wrist and finger joints; pain along nerves and vessels fingers with right fourth DIP ulnar side small vessel bleed hematoma 4 cm x 4cm swelling; NO trauma sedenatry Saw Urgent care 1/4/21 -with negative covid 19, strep and flu tests said was repsonse to vaccine Saw primary 1/5/21 Dr hopsital, said probably had covid before and was repsonse to vaccine. 1/6/21; all fingers still swollen no pain most other symptoms improving but TIRED



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
922753	1/6/2021	AL	47	F	12/31/2020	12/31/2020	Had a "histamine reaction" - Nose, mouth, eyes started itching and watery - all within 1.5 hours of receiving the vaccine. This resolved the next day except itching in sensitive areas (lips, nose, eyes, folds of skins, behind ears, inside ears). Patient started taking Pepcid and Zyrtec twice a day. The symptoms resolved with this treatment through 2/4/21. All symptoms resolved as of 2/6/21. She is taking Pepcid once a day. Never had any redness, rash, bumps at all - just itching.
922854	1/6/2021	GA	54	F	12/21/2020	12/29/2020	One week after the vaccine I was find until....I got out of my car after driving and started staggering and could not function. Severe dizziness, heavy headedness , nausea and vomiting and a horrible headache. My husband had to physically muscle me back to my car. He wanted to take me to the ER and I would not let him because of the waiting room is full of COVID positive patients. I threw up along the way home and multiple times to the point I had drive heaves. I am a Registered Nurse and felt the symptoms I were experiencing were Vertigo. I had one bout with Vertigo in 2015 and it was extreme. I had Meclizine on hand and and took one tablet and slept. The severity of this was so bad I could not walk unassisted or sit up without falling over. After 6 hours of sleeping I got up, dizziness continued, and vision a little off. I still do not feel 100% I have had a headache since. It never dawned on me this could be from the vaccine I had taken a week before.
922904	1/6/2021	NJ	36	M	1/6/2021	1/6/2021	Patient A&Ox3. After patient received Pfizer 0.3mL COVID-19 vaccination on left deltoid, patient reported 7 minutes post vaccination, itchy burning on left eye spreading to right eye, minor headache. Patient denies SOB, chest pain, trouble breathing. Upon assessment, noted of left deltoid was warmth, swelling, and redness. Swelling also noted on left eye with slight redness at conjunctiva Patient was medicated with 50 mg benadryl right deltoid.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
922925	1/6/2021	NY	35	F	1/5/2021	1/5/2021	complained of dizziness soon after receiving the vaccine. As per the worker BP went up to 190/90 and later came down to 140/?. Felt better and went home. during night had swelling of lips and eye lids, felt feverish, with soreness of left upper arm,pain 10/10 on a pain scale of 10. Felt better with Benedry and Tylenol. Came to Occupational health Servic ein the morning complaining of feeling foggy, feverish,blurred vision and head ache. Referred to Er for evaluation and management.
922926	1/6/2021	MI	26	M	1/6/2021	1/6/2021	11:09 Pt was vaccinated with Moderna vaccine by other RN 11:10 pt honks horn to inform staff that he us feeling unwell 11:12 Nurses to scene with epi kit, EMS called over to pt car, pt pale and diaphoretic. states blurry vision, dizziness and thinks this could be his anxiety 11:15 Pt given juice and crackers. Pt states history of hypertension, anxiety, and that he has recently started a low car diet 11.17 EMS monitor displays HR 50, b/p 216/193, o2 99, blood sugar 109 11:20 HR 40, Tele displays SB 11:26 EKG 12 Lead done also displays SB 11:29 HR 66 B/P 176/157 11:31 Pt was educated to avoid 2nd dose of Moderna and concern expressed to him regarding driving and feeling faint. Pt refused EMS transport to thee hospital, states he will be waiting in his car for a moment, and signed release form.
922991	1/6/2021	NY	61	M	12/26/2020	12/31/2020	5 days later December 31st Noticed weakness on my left side of my face. Tearing on the left eye . Unable to open wide on my left lips
923078	1/6/2021	NE	75	F	1/6/2021	1/6/2021	20 minutes after receiving the vaccine, this patient began noticing a lot of swelling in her hands. She has a history of anaphylaxis to many environmental allergens as well as medications. She felt hot/ sweaty/ upper & lower extremity swelling/ gait was unsteady/ itchy swollen eyes/ headache.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
922292	1/6/2021	MA	52	F	1/2/2021	1/2/2021	Patient went to get in her car after completing time of wait after vaccination, felt cloudy, compared it to how she feels after having a glass of wine, denied vision changes but states perception of environment felt foggy. EMT assessed patient, HR normal at 71, O2 100%, Bp elevated at 182/100, patient did report anxiety, monitored for another 15-20min until patient felt better, cloudiness improved, Bp improved. Advised to consult with PCP re: Bp.
923120	1/6/2021	PA	32	F	12/31/2020	12/31/2020	Swollen around left eye; facial swelling. Left after observational period of 15 minutes. returned to the clinic stating mild headache. Symptoms had not worsened in last hour prior to re-presenting to the clinic. Obtained oral benadryl from outpatient pharmacy.
923125	1/6/2021	TX	30	F	12/20/2020	12/22/2020	I took the vaccine on Sunday and Monday morning my arm was sore and in the afternoon my arm was itching but not at the injection site, lower. then my eye started itching a little later. I got scared and went to the UC and they told me to take Benadryl. It was just for a day after I took the Benadryl the next day all was back to normal.
922681	1/6/2021	MN	48	F	1/5/2021	1/5/2021	left ear fullness 1327pm left throat fullness 1328pm Nausea 1328pm sent to emergency room/arrived at emergency room 1330 symptoms increased. airway not obstructed. No tongue swelling reported by MD. Light red rash/flushing on chest. 25mg IV benadryl administered. IV Solumedrol administered, Vital signs stable. Cardiac monitor: regular rate and rhythm. O2 saturations 98% on room air. Symptoms improving at 1345pm. Monitored in emergency room for 1 hour. Discharged in stable condition with instructions to repeat Benadryl 8 hours after first dose if needed Throat fullness ( left side) with mild difficulty swallowing continued. Headache 5pm. Left sided face fullness/tingling: jaw, cheek. Left eye: mild swelling. 25 mg Po Benadryl taken. 01/06/21 0800 AM symptoms Left sided facial fullness/tingling continues: mild. No difficulty breathing. Left eye mild/yet decreased puffiness continues.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
924622	1/6/2021	AK	29	M	1/6/2021	1/6/2021	Client called into Health Center and stated that he got the Moderna vaccine at the clinic this am, 11:00 am. He states that by 3:30 pm he noticed that his eyeball was very red (red Crayola color red but not itchy). He took 25 mg of Benadryl at 4 pm and stated that it was already improving with the Benadryl.
924340	1/6/2021	TX	48	F	1/6/2021	1/6/2021	C/O dizziness, throat swelling sensation, throat soreness, throat tightening, itching near the eyes, light-headedness. Client can swallow water without difficulty. No SOB noted. RR-20, O2 sat 97%; HR 105; BP 110/76. Per auscultation, no stridor noted. EMT at vaccine facility present and requested EMT support. 2:15 PM Ambulance arrived. EMT evaluated and recommended transport. Pt. declined transport. 2:25 HR 104; BP 110/80; 97% Patient stood without lightheadedness and ambulated on own with sister accompanying to personal vehicle. Gait steady.
924368	1/6/2021		48	F	12/28/2020	12/28/2020	C/o lightheadness, nausea, chest tightness, sinus pressure, chest tightness, numbness and tingling in nose, lips and mouth and eye lid swelling 12 hours after vaccine was given. Took Benadryl at 2230 and again at 12/29 0430. Called us to report s/s at 10:30 on 12/29. States symptoms are subsiding but still has eyelid swelling. Told to follow up with PCP.
924370	1/6/2021	CA	59	F	12/23/2020	12/23/2020	Post vaccination I waited required 15 minutes. Upon exiting building, presented with sever dizziness, near syncopal episode, blurred vision, chest tightness, tachycardia, weakness, shortness of breath. . Returned to vaccination room, in obvious distress. Ushered by staff to chair. Unable to obtain BP via electronic machine, obtained manual , after about 10 or so minutes NIPB 106/69. Remained in room for 45 more minutes, symptoms slowly resolved. Remained with mild to moderate dizziness x 4 days. Headache, chills, chest tightness, weakness, lethargy, x 7 days..
924390	1/6/2021	CA	40	F	1/6/2021	1/6/2021	I started seeing a squiggly bright circle. It started as a spot then grew to a bright outlined circle. I also started to get a headache. I took 3- 200mg ibuprofen. About 10 minutes later, the vision problem went away.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
924411	1/6/2021	CA	34	M	1/4/2021	1/4/2021	Reported feeling flushed, increased heart rate tingling fingertips difficulty focusing eyes.
924470	1/6/2021	NC	30	F	1/6/2021	1/6/2021	1215-Noted pt sitting on the floor fanning herself after receiving her COVID vaccine. 1220-Pt ambulates to stretcher for further evaluation of clinic staff, FNP. Patient reported no previous adverse reaction to vaccines, but did note an anaphylactic nut allergy. Pt reported a milder version of the symptoms she is experiencing today after her initial vaccine Dec 17, 2020. Initial HR 64 SPO2 74% room air(employee wearing dark fingernail polish and reporting tingling in her hands) Pt instructed to breath slowly in through nose, out through mouth. 1225 BP 150/95 HR 85 SPO2 99% Pt given some water and crackers and reports eating NO food today other than a few cookies. Pt reports feeling better, color has now returned to pt. 1235- BP systolic 180s. pt advised to be seen in the ED for further evaluation. 1240 patient taken to ED by this RN; FNP; and second RN for further evaluation. 2L SPO2 put on pt en route based on previous low oxygenation. 1245- Pt arrived in ED, pt began reporting blurred vision; handoff to ED staff. Evaluated by ED staff, medicated with 1L NS bolus, 125mg IV Methylprednisone; 20mg IV Famotidine, 50mg IV Benadryl. 1640-employee reported to ED complete resolution of symptoms . Employee discharged from ED with prescription for an Epi-pen and prednisone.
924519	1/6/2021	OR	58	F	1/6/2021	1/6/2021	6 minutes after receiving the injection the patient became dizzy complaining of rotatory vertigo and complained of increased thirst. She was placed on a stretcher in the observation area and given 3 glasses of water 09:45. She complained of light sensitivity and a cloth was placed over her eyes. SaO2 98% HR 63 BP 150/82 RR 18 CBG 95. when after a few minutes she did not feel better. IV access was obtained and she was given a 1 L bolus of LR. after an hour she felt better, and was sent home with family for the rest of the day
924531	1/6/2021	ID	19	F	1/5/2021	1/5/2021	Hives, closing of throat, swelling of tongue, swollen hands, itchy eyes

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
924549	1/6/2021	OR	52	F	12/31/2020	1/5/2021	On 1/5/2021- Pt. noticed left eye lid was starting to swell in the corner of her eye at 1 pm. It then became bigger and started to shut her eye. Her right eye then started to swell around 2 pm and she began to have difficulty talking and swallowing. She was not short of breath but felt like her throat was tightening. She arrived to work at 2:50 pm and informed her boss who sent her to the employee health department. She reported having oral Benadryl and was going to take that. Anesthesiology evaluated her, felt it was a progressive allergic reaction, and recommended evaluation at an urgent care or ED. She later developed hives, her lower lip became swollen. She was later evaluated at Emergency Department. She will be able to provide you with information on the doctor, treatment. She was prescribed a course of prednisone and will have allergy testing scheduled. MD indicated uncertain if caused by vaccine. She missed work on 1/6 due to the ongoing reaction which had improved.
924576	1/6/2021	MA	53	M	12/30/2020	12/30/2020	Fairly rapid onset of excess fatigue, difficulty keeping eyes open associated with oscillating vision, near simultaneous distortion of sound (at the time was watching a show using my phone, and the actors no longer sounded like themselves), sense of subtle disequilibrium, and a sense of intense heat involving my upper abdomen and lower chest, centered around my xiphoid process as if being pressed up against a space heater, the latter symptom was non-painful, perhaps the best example is the feeling one has after receiving intravenous contrast dye for CT imaging although more the "warmth" was more intense. Lasted 90-120 minutes before going to sleep, then gone by morning.
924307	1/6/2021	CA	44	M	1/6/2020	1/6/2021	Patient received 2nd dose of Pfizer COVID-19 vaccine at our COVID-19 vaccination area. During the 15 minute observation period, patient reported feeling his tongue swelling and eye getting puffy. No SOB notes. Patient is an ICU physician in our med center. After 30 minutes of observation, he was discharged without any other issues. Follow-up call done after 2 hours and he was fine. He went back to work.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
924590	1/6/2021	VA	32	F	12/26/2020	1/5/2021	Recieved the Pfizer-Biontech Covid-19 vaccination on Dec 26th 2020, and had no major adverse reaction to vaccine except for mild soreness and heat around injection site and intense fatigue for three days after. Symptoms went away after the 4th day. Two weeks later on Jan 5th 2021, i began to notice an intense itching, burning, and swelling at the injection site. Pain and soreness in arm made it difficult to do my job and seem to just get worse. Upon the next morning of Jan 6th 2021, pain remained but itching had gone down, but intense burning, soreness and massive redness around injection site remained and seemed to be getting worse. Pain remains and redness has not gone down, arm is very tender near site and lifting and moving arm is very stiff and sore. Feeling of lump or stiffness on injection site comes and goes and feeling of heavy and sore muscles move from upper left arm down to elbow and extend to hand; making movement and function slowed or slightly numb. Stiffness in arm and intense heat at injection site makes it uncomfortable to move or use arm. Cold tingling sensation on occasion and stiffness in elbow joint. Slight dizziness and fatigue follow with pain in arm. Was informed to see a physician on Jan 6th, 2021 who said to fill out vaccination adverse event report and to keep an eye on arm. If pain or symptoms become worse to return.
924579	1/6/2021	MA	52	F	12/20/2020	12/20/2020	Immediate after injection- tingling, numbness, dizziness, confusion, vision disturbance (dilated pupils), loss of BP, rapid heart rate, uncontrollable rigors/trembling. Rushed down hall to ED via stretcher. Received IV fluids, IV steroids, IV benedryl, IV pepcid, IV ativan.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
924636	1/6/2021	AR	28	F	12/31/2020	12/31/2020	I received my vaccine at 1215 on 12/31/20. At 1800 on 12/31/20 I began to feel mild shortness of breath. I then became dizzy at 1805. At 1815 I developed blurred vision. The dizziness and blurred vision prevented me from standing. I was able to walk with assistance at 1915. The blurred vision lasted until 1915. The dizziness lasted until 2230. At 2000 I had muscle aches and joint pain and could not get comfortable. Muscle aches and joint pain lasted until 1-1-21 at 1930. I did not seek medical treatment. (I working in the ER and did not feel it was severe enough to check in because the shortness of breath was mild and went away shortly after the dizziness began at 1815). I took Benadryl 50 mg at 1930 and 1000mg of Tylenol.
924640	1/6/2021	MD	36	F	12/18/2020	12/23/2020	I suffered an ocular migraine 5 days post vaccine. Never had one before. Very scary. Zigzag spot in both fields of visions for 10 minutes followed by kaleidoscope vision in the left field for 5 mins. No headache after.
924648	1/6/2021	NY	42	F	1/5/2021	1/6/2021	bells palsy of right eye
924662	1/6/2021		46	F	1/4/2021	1/5/2021	Redness and burning in eyes, followed by shaking chills and fever with headache and fatigue. Lasted 24 hours
924672	1/6/2021	MT	57	F	1/5/2021	1/5/2021	Patient had redness and flushing around the neck and sweaty palms. Patient reported pain in left eye and left forehead above the eye. The patient reported feeling ?out of sorts? with a tingling or numbness from her shoulder to her neck and tingling in the left side of her face. She felt light headed when standing and her feet hurt. She was given diphenhydramine 25 mg and observed for an hour and a half at which time she reported feeling better. Her temperature was 97.5 F at 13:23 and 97.9 at 13:45. She left work early and went to the walk-in clinic later that evening. She reported that the clinic said all of he vital signs were normal and they did not note any specific problems. She took second diphenhydramine 25 mg. She was contacted at around 8:30 AM on 1/6/2021 and reported that she was feeling better.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
924739	1/6/2021	GA	29	M	1/4/2021	1/5/2021	It started with mild irritation in my throat that made cough (dry cough). Then I started to have severe chills, body fatigue and coughing stopped. I now have fever (100.8) runny nose, my eyes hurt, still having body fatigue but less chills. I'm taking acetaminophen and Advil.
927829	1/6/2021	NY	60	U	12/22/2020	12/22/2020	Pt. reports (L) deltoid and arm soreness x 3 days following vaccine. Pt. states 'persistent lightheadedness and headaches unrelieved by Ibuprofen with slight double vision.'
927878	1/6/2021	KY	38	F	1/5/2021	1/5/2021	Headache, Body aches, swollen eyes/face, dry scratchy feeling when breathing, low grade fever I called staff with pharmacy COVID Vaccination team and notified her of the adverse reaction. The employee was seen at the medical clinic by "staff", Dr, nurse practitioner. Employee was informed that these were all common side effects + she should go ahead and take the second vaccine when it's scheduled on 1/26/21
932240	1/6/2021		55	F	1/4/2021	1/6/2021	Headache Burning bilateral eyes

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
923056	1/6/2021	MN	33	F	1/4/2021	1/4/2021	Adverse events: extreme headache, extreme dizziness, vomiting, hot/cold flashes, numbness in face & hands, feeling faint at times, high blood pressure. Vaccine administered at 9:45am, approximately 10:15am 2-3 seconds of dizziness and left hand numbing. 7:45pm left arm at injection site started hurting and pain alongside of left neck and into the back of the head unknown time (approx. 2 or 3am) - woke up with severe headache approximately 6am - woke up to severe headache, took 500mg of tylenol and started vomiting around 7:00am Headache became progressively worse, whenever I opened my eyes the room was spinning increasing the dizziness, which in turn made me vomit. Vomited approximately 10 times (only water came up, and some yellow looking vile after dry-heaving a few times). Body started aching all over so went into ER at approx. 11:30am. ER diagnosis: Adverse effect of vaccine, initial encounter; acute nonintractable headache, unspecified headache type; dizziness Lab tests completed: Basic Metabolic panel (BMP); CBC + differential; Glucose by meter; ISTAT HCG Quantitative Pregnancy POCT; Troponin I Imaging Tests: EKG 12 lead Medications given: Sodium chloride 0.9% dexamethasone PF (Decadron) diphenhydramine (Benadryl) Ketorolac (TORADOL) Magnesium sulfate in D5W prochlorperazine (Compazine)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
923697	1/6/2021	MN	49	F	12/30/2020	12/30/2020	Eyes were red; Tiredness and needed to sleep extra; Tiredness and needed to sleep extra; Heartbeat was fast; Felt like she had to throw up; Pain in right arm; Does not feel good; It felt like there was oil in her mouth; This is a spontaneous report from a contactable consumer (patient). A 49-year-old female patient received first dose of BNT162B2 via an unspecified route of administration on 30Dec2020 10:45 at single dose in right arm for COVID-19 immunization. The vaccination was given in hospital, not a military facility, at 10:45 and left hospital at 11:05 on 30Dec2020. Prior vaccinations within 4 weeks was none. Additional vaccines administered on same date of the Pfizer suspect was none. Medical history included ongoing migraine and family medical history included mother has high blood pressure and father has diabetes. Concomitant medication included verapamil from Oct2020 at 40 mg twice daily by mouth for migraine. Additional Information for concomitant products Verapamil included 1 for one week, 2 for second week 3rd week 3 and after 3 months, then came back down to 2. The patient experienced does not feel good at 11:30 on 30Dec2020. She was driving and did not feel good. She felt like she had to throw up at 12:00 on 30Dec2020 and had it all night until she went to bed. Eyes were red when she woke up at 23:30 on 30Dec2020, that's when she first noticed. Heartbeat was fast around 12:30 on 30Dec2020. Tiredness and needed to sleep extra at 17:00 on 30Dec2020. Pain in right arm at 12:00 on 30Dec2020. When she went to drink something, she noticed her arm was painful. No ER or physician's office required. Received call from patient regarding the COVID vaccine. She received it on 30Dec2020 (yesterday) and was a healthcare worker. She later stated she works in patient transportation in a hospital. She did not feel good. Yesterday, she felt like she had to throw up. When she slept, she felt very tired and when she woke up, her eyes were red. She washed her face when she woke up around 11. Then she noticed her heart beat was kind of fast. She took another medication she takes all the time. Her doctor said that she can take it with it but she was not sure. She did not feel herself. Yesterday after she took it, she had to wait there for 15 minutes. It felt like there was oil in her mouth. She just drank water and came home. When she came home, her heart beat was fast. She had to sit down. She liked to eat spicy food, and

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							she needed to sleep. Her kids said she never slept like this. Both eyes were red, red like blood. Her daughter told her to go look at them in the mirror. There was no pain or nothing in her eyes, they were just red and they improved today. If she goes to bed now, she can sleep, but she just wakes up and drinks tea and wants to wake up. She didn't want to sleep, but she felt like she could. Regarding the pain in her right arm, she had to hold her shoulder when she first woke up. It was worse then, but it's better now that she keeps moving it. She has 3 more weeks to get the next dose of the COVID Vaccine. Hopefully it will be this shot only and she can go back to work. She planned on going back to work on Saturday. She would like to know if she can continue to take Verapamil. She will call her pharmacy to find out. The outcome of the events does not feel good and tiredness and needed to sleep extra was not recovered. The outcome of the events felt like she had to throw up, eyes were red, heartbeat was fast and pain in right arm was recovering. The outcome of the other event was unknown. Information on Lot/Batch Number has been requested.
933663	1/6/2021		43	F	12/30/2020	12/31/2020	thrombocytopenia, bleeding gums, bruised eyelids Narrative:
924004	1/6/2021	OH	40	F	1/5/2021	1/5/2021	Pain at injection site that persisted followed by numbness and tingling down medial aspect of arm for approximately 24 hours after the injection, upper extremity and neck ache, headache with associated eye pain, fatigue

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
923720	1/6/2021	VT	46	F	12/30/2020	12/30/2020	muscle aches; eyes watering and won't stop; Neck pain; feeling tired; eyes hurt; feels very weak; headache; Nausea; left arm numbness; left arm tingling; left hand numbness/left side of face and head numb; left hand tingling; Dizziness; This is a spontaneous report from a contactable consumer (patient). A 46-years-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (Lot Number: EL1284), intramuscular on 30Dec2020 04:45 at single dose at left deltoid as Covid vaccine for coronavirus. Medical history was none. There were no concomitant medications. The patient stated that she had Covid vaccine. She had dizziness, headache, nausea, left arm hand numbness and tingling, feels very weak, left side of face and head numb, all on 30Dec2020, neck pain and feeling tired, muscle aches, eyes watering and won't stop, eyes hurt in the morning, all on 31Dec2020. Treatment was None. Headache, eyes watering and won't stop, feels very weak and tired, eyes hurt was reported as worsened. Outcome of Nausea, left arm numbness was recovering, of other events were not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
923805	1/6/2021	CT	72	F	1/6/2021	1/6/2021	Received the Moderna COVID-19 vaccine 1/6/2021 at approximately 11 AM. Pt stated she does not have any history of allergy or anaphylaxis. Pt reported about 5 minutes after vaccine administration a runny nose. Pt reported she did not have a runny nose prior to administration of the vaccine. Pt notes a history of nasal problems. Pt denies difficulty swallowing, swelling of airway, difficulty breathing, itching, rash, flushing, swelling of lips, face, throat, or eyes, sensation of throat closing, change in voice, wheeze, cough, n/v/d, abd pain, dizziness, weakness. Pt confirmed she felt well other than her runny nose. Pt was observed in our observation area for 45 minutes with no progression of symptoms. Epinephrine not administered. RN consulted with medical advisor Dr. over the phone as he was off site. EMS on site. VS done by paramedic patient signed refusal with paramedic as she did not want to go to the ED. Pt was advised by RN about delayed anaphylaxis, to continue to monitor her symptoms, call 911 if additional symptoms arise. Pt declined recommendation to go the ED. Advised pt to call her PCP asap for further guidance. Advised pt there is a local urgent care she should be checked out in if she cannot get in with her PCP today. Pt verbalized understanding and agrees to the POC. 2:26 PM RN called patient to check on her and obtain additional information for VAERS form. Pt reports she is feeling well, no other symptoms developed. Pt called her doctor and is waiting for a call back.
924617	1/6/2021	WA	59	F	12/26/2020	12/27/2020	Extreme Dizziness, Blurry Vision, Near fainting and Nausea
924281	1/6/2021	IL	36	F	12/19/2020	12/20/2020	Pt developed a twitching Left eye on 12/20/20 which continues on 1/4/21
923821	1/6/2021	NY	45	F	1/5/2021	1/5/2021	Received Pfizer Covid vaccine at 11:30 am and after 5 min , she experienced dry and itchy throat. No change in voice, no wheezing , able to drink and swallow water without difficulty. Vital signs and O2 saturation /oximetry were normal. After 30 min into observation, she c/o lightheadedness and both eyes were puffy. Vitals: BP 129/75, hr 91, O2 sat 99% at room air . Benadryl 50 mg IM given and client was taken to the Emergency room..

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
923831	1/6/2021	ND	26	F	1/5/2021	1/5/2021	Injection site became itchy, and then around the entire area, shoulder area, down arm. Would lessen, then become worse again, Injection site ice packed, hydrocortisone cream applied to area at 5:45pm and 6:10pm with some relief. Small welts noted at times, but decreased with treatments. Benadryl 25mg PO at 5:15pm, Benadryl 12.5mg PO Chewable at 5:45pm and Benadryl 25mg PO at 6:10pm, all on 1/5 Repeated 25 mg PO at 8:30 on 1/6 for slight itchy HR regular, no swelling in face or tongue, no shortness of breath, no headache or visual disturbances. No nausea or vomiting, or diarrhea. Drove to home, took bath and slept well that night. Still reports general itchiness throughout body on 01/06 with some relief from benadryl.
923842	1/6/2021	GA	19	F	12/29/2020	1/6/2021	Pt. reports that she noticed her left arm where she received Moderna COVID- 19 Vaccine EUA was red, swollen and itching this morning (01/06/2021) at approximately 7:45 AM. Pt. also states that she started taking Bactrim on 01/05/2021 for a UTI and she took only one dose prior to the event. Reports taking Amoxicillian for stye last week and was switched to Bactrim on Monday for a UTI but did not take first dose of Bactrim until Tuesday 01/05/2021. Pt. also reports all over itching including legs and face it red and blotchy on both cheeks that also began today. Pt. came into clinic on 01/06/2021 at 1:54 PM for visual evaluation of arm. Upper outer left arm (left deltoid area) has red rash 55MM Length & 30 MM Wide Area is also warm to touch. Pt. used cool compress for the redness, swelling and Benadryl for the itching.Pt. reports that swelling and redness has improved but itching continues along with aching. Reports a numb feeling in the area of the shot on left deltoid. Pt. also reports left axillary tenderness but states that started shortly after vaccination. Patient's mother notified primary care provider due to current use of Bactrim but no actual visit to doctor was made. Pt. instructed to continue to monitor for side effects and to contact HD and primary healthcare provider if symptoms worsen.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
923983	1/6/2021	TX	32	F	1/4/2021	1/4/2021	Dose two of the Pfizer vaccine lot: ELU140 administered to right arm at 0800 01/04/2021. Symptoms began at 2000 01/04/2021 which are; Fever 101.8, resting heart rate sustaining 140 bpm, right wrist pain and swelling to that joint, right supraclavicular node enlargement, tremors, burning sensation on skin to the entire body, severe headache, weakness, frequent urination, fatigue, eye pain, chills, sweating.
924011	1/6/2021	MD	46	F	12/30/2020	12/30/2020	Moderna COVID-19 Vaccine EUA sharp piercing headache at back of head onset at time of injection. After 2-3 minutes the headache diminished but did not go away fully. Patient took Tylenol 500mg to combat the headache. Headache has lasted throughout the next few days and has finally gone away on day 7 post injection. The headache was unusual in that when the patient moved their eyes or read or moved facial muscles the pain became stronger. The patient's eyes were sore and tender for the duration of the timeframe mentioned. Also, the injection site was completely pain-free on the day of the injection. However, the following 5 days after injection, the site became very sore and tender with no redness or swelling present. Patient did contract the COVID virus and tested positive on day 4 post-injection
924022	1/6/2021	VA	32	M	1/6/2021	1/6/2021	5 MIN POST ADMINISTRATION: SOB, DIZZINESS, CHANGE IN VISION - GAVE BENADRYL 25 MG AND 1 VIAL ALBUTEROL VIA NEB 1 HOUR POST ADMINISTRATION: SWOLLEN LIPS, RASH ON CHEST AND ARMS - GAVE 1 DOSE OF EPI PEN AND IM SOLU-MEDROL, CALLED EMS, LEFT TO GO TO ER BP, HR, OXYGEN STABLE THROUGHOUT
924049	1/6/2021	TX	22	F	1/5/2021	1/5/2021	Redness and pain in both eyes, swelling around the eyes, more severe on left side



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
924087	1/6/2021	GA	25	M	1/5/2021	1/6/2021	Pt states "I woke up, ate breakfast and around 8:30am I started feeling dizzy and having blurred vision. I was working at the time and went to my local EMS station to get checked out. They checked my blood pressure and blood sugar. Blood pressure was normal but my blood sugar was low, around 68. They gave me a coke to drink and I went back to the Sheriff's office and about an hour later my blood sugar was around 90. I took the rest of the day off and come home. I took Extra Strength Tylenol and rested. I did have a headache a few hours later. I feel fine now but I have a mild headache.~~
924260	1/6/2021	CA	36	F	12/30/2020	12/30/2020	Facial hives: resolved with PO Benadryl Right eye/cheek muscle twitching (ongoing for 1 week and continuously occurring).

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
924274	1/6/2021		60	F	1/6/2021	1/6/2021	<p>Progress Notes APRN (Nurse Practitioner) ? ? Nurse Practitioner Cosign Needed Expand All Collapse All COVID VACCINE CLINIC 1/6/2021 Date: 1/6/2021</p> <p>MRN: 3274958 Subjective Patient is a 60 y.o. female who was seen at COVID Vaccine Clinic today for her second dose of the COVID 19 vaccination. She denied any history of previous adverse reactions to vaccines. She was given the Pfizer vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience dizziness and flushing. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to abdominal pain, blood pressure abnormality , chest pain, collapse, drooling, hypotension, increased swelling, rapid progression of symptoms, respiratory distress with stridor, wheezing, dyspnea, increased work of breathing, persistent cough and cyanosis, skin changes, tongue swelling and vomiting. Pt reports she saw an allergist this am for runny nose, SOB, and sneezing. He determined her symptoms was a neurological response. Previous COVID infection November 30, 2020 PREVIOUS REACTION: Pt reports first Pfzier covid shot she had symptoms of Chills, HA, nausea and fever of 102 that occurred 12 hours afterwards. She states her symptoms lasted 6-8 hours. ALLERGY REVIEW OF SYSTEMS: Patient complains of dizziness Objective Vitals Vitals: 01/06/21 1235 BP: (!) 152/82 Pulse: 57 Temp: 99.2 °F (37.3 °C) SpO2: 100% BS 94 at 12:38 Physical Exam Vitals signs and nursing note reviewed. HENT: Head: Normocephalic. Left Ear: External ear normal. Nose: Nose normal. Mouth/Throat: Mouth: Mucous membranes are dry. Eyes: Pupils: Pupils are equal, round, and reactive to light. Neck: Musculoskeletal: Normal range of motion. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Normal</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							breath sounds. Abdominal: General: Abdomen is flat. Skin: General: Skin is warm and dry. Capillary Refill: Capillary refill takes less than 2 seconds. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: no therapy. Follow up response to treatment: no side effects. Patient discharge: Stable to go home and follow up with PCP. Pt was observed and given water and food (peanut butter). Felt better within a few minutes. She was released to go home 12:55pm APRN Electronically Signed 1/6/2021 12:45 PM
924272	1/6/2021	NY	89	F	12/28/2020	12/28/2020	Patient had got the covid vaccine that very day she had swollen eyes she continues to have itchy swollen eyes and is starting on prednisone.
923957	1/6/2021	AL	64	F	12/29/2020	12/30/2020	body aches, fever 1st 24 hrs, diahrea, headache 48 hrs and swelling of eyes, nasal passages and shortness of breath at 50hrs. Treated with antihistines and steroids for a week .Feeling better now but have been extra tired.
924267	1/6/2021	IL	36	F	12/19/2020	12/20/2020	Pt developed Left eye twitching on 12/20/20 which continues to 1/4/21
924251	1/6/2021	AZ	45	M	1/6/2021	1/6/2021	Patient presenting approx 45 minutes after injection with facial swelling to eyelids and upper face. Also had an associated pruritic rash on right upper back region. No swelling to mouth, lips or tongue. No SOB or wheezing. Symptoms improved (decreased swelling) with 50mg PO benadryl. Was discharged after monitoring for 2 hours. Provided rx for epi pen upon discharge.
924246	1/6/2021	IL	36	F	12/19/2020	12/20/2020	Developed twitching of Left eye on 12/20/20 which continues to 1/4/21

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
924212	1/6/2021		51	F	1/6/2021	1/6/2021	<p>Progress Notes APRN (Nurse Practitioner) ? ? Nurse Practitioner Cosign Needed Expand All Collapse All COVID VACCINE CLINIC 1/6/2021 Date: 1/6/2021</p> <p>Subjective Patient is a 51 y.o. female who was seen at COVID Vaccine Clinic today for her second dose of the COVID 19 vaccination. She denied any history of previous adverse reactions to vaccines. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience dizziness, flushing and HA. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including but not limited to abdominal pain, blood pressure abnormality , chest pain, collapse, drooling, hypotension, increased swelling, rapid progression of symptoms, respiratory distress with stridor, wheezing, dyspnea, increased work of breathing, persistent cough and cyanosis, skin changes, tongue swelling and vomiting. Hx: pt has history of breast CA and is on oral chemotherapy. ALLERGY REVIEW OF SYSTEMS: All other systems negative Objective Vitals Vitals: 01/06/21 1415 01/06/21 1427 01/06/21 1443 BP: (!) 168/89 (!) 154/94 (!) 154/84 Pulse: 87 85 72 SpO2: 99% 98% 99% Physical Exam Vitals signs and nursing note reviewed. Constitutional: Appearance: Normal appearance. HENT: Head: Normocephalic. Right Ear: External ear normal. Left Ear: External ear normal. Nose: Nose normal. Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Pupils: Pupils are equal, round, and reactive to light. Neck: Musculoskeletal: Normal range of motion. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Normal breath sounds. Abdominal: General: Abdomen is flat. Musculoskeletal: Normal range of motion. Skin: General: Skin is warm and dry. Capillary Refill: Capillary refill takes less than 2 seconds. Neurological: General: No focal deficit</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							present. Mental Status: She is alert and oriented to person, place, and time. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: no therapy. Follow up response to treatment: no side effects. Patient discharge: Stable to go home and follow up with PCP. Pt was given Food and water and started to feel better. For her headache she was given Tylenol 1000 mg orally. Pt left clinic at 2:45 pm. Electronically Signed 1/6/2021 2:44 PM
924169	1/6/2021	ME	24	F	1/6/2021	1/6/2021	dry cough, sore throat, left eye schera injection (mild), left rhinorrhea within 15 minutes of vaccination. Self resolve. mild in nature
924100	1/6/2021	MO	48	F	12/16/2020	12/17/2020	The next day my left eye was painful, like little ice picks going in, it was inflamed. It was difficult to see . I had Lasik about a year ago and I called my eye Doctor because I was nervous and I went to see him and he told me it looked like a allergic reaction. He put me on steroid drops. When I woke up Saturday morning my eye was fine, so I stopped taking the medicine.
924158	1/6/2021	WA	48	F	1/5/2021	1/5/2021	Caregiver started feeling flush, light headed, tunnel vision and was escorted to lay down. BP 196/102, HR 119 O2 100%. No shortness of breath. No hx of any reaction. Just had a snack, came to work for vaccine and to work nights. 1836 BP 187/104 HR 122 O2 99%, 1846 BP 175/93 HR 97 O2 99%, started having a headache and nausea and dry mouth. Water provided 1903 BP 177/91 HR 97 still flushed but reduction in dizziness 1949 BP 141/84 HR 85, improved all sx, still felt off but was able to stably walk around. Called husband for transport home, did not work.
924121	1/6/2021	SD	49	M	1/5/2021	1/6/2021	Fever, feeling flushed, tunnel vision, light headedness, headache/pressure, chills, elevated pulse rate, elevated blood pressure. Took migraine medication for headache, outcome unknown

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
924114	1/6/2021	WA	31	M	1/6/2021	1/6/2021	Received shot at 10:40. At 11:15 developed dizziness with nausea and tingling in arms. Blurry vision from 11:30-11:40. Nausea progressed to vomiting at 11:55. Nausea and vomiting persist at 13:20. Tingling in arms has improved but still present. Dizziness improved but still present. Body aches developed throughout most of body, worst in neck.
920704	1/5/2021	PA	45	F	12/30/2020	12/31/2020	Moderna COVID-19 Vaccine EUA 7 small itchy marks/ bumps on left wrist progressively worsening to swelling, warmth surrounding left wrist (day 6). 2 red marks above left clavicle and 1 red mark on right eyelid (day 5).
920757	1/5/2021		42	F	12/28/2020	12/29/2020	infection in L nostril and pain radiating to L eye, impacting vision
920750	1/5/2021	MN	31	M	1/5/2021	1/5/2021	Vision changes (things became "pixelated"), Cough (slight bronchospasm), arm numbness/decreased strength in administration arm.
920748	1/5/2021	PA	46	F	1/1/2021	1/4/2021	At about 10pm the injection site pain had radiated to my armpit and breast area. I took ibuprofen and tried to go to sleep. I was unable to sleep on my left side as normal. Around 12:30am I woke up cold, shivering violently, with a fever of 103.°3. My feet were also burning. I woke up around 2:30am. Fever was down to about 102.4°, feet were still burning and my face and eyes were swollen. I took more ibuprofen and put used cold compress on my eyes. Around 4:30am I woke up with abdominal pain and pain in my hips. Fever was lower, eyes were better but face still swollen and feet still burning. I called off work at that time. By about 8am fever broke and have just had an intense headache.
920742	1/5/2021	NY	55	F	1/4/2021	1/4/2021	Moderna COVID-19 Vaccine EUA Rapid heartbeat, extreme light headedness within 5 minutes, eyes bothered me, was wheeled to ER (1/4/2021) Still a little light headed (much better than yesterday), muscle aches legs and back (1/5/2021)
920633	1/5/2021	WI	43	F	1/4/2021	1/4/2021	Dizzy, lightheaded, extreme tingling in arms and hands, tingling in the face, numb tongue, heart palpitations, feeling faint, blurred vision, shaking

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
920707	1/5/2021	OH	40	F	12/28/2020	12/28/2020	I took the Moderna Covid vaccine on 12-28-2020 at 1420. After getting the shot, I had a metallic taste in my mouth and drank some water then waited 20 mins. When I left to go back to my department, I started getting dizzy and coughing. I sat down in my department and could not stop coughing so I went to the ER department. My eyes were swollen, I had a rash from my arms and legs all the way down my body. I had hives on my face and my eyes were swollen. I was coughing and wheezing. the ER RN started an IV and I was given steroids, diphenhydramine, ondansetron and IV fluids. I was also given some cough medicine. I was monitored for a few hours and before I left - they gave me hydroxyzine for the hives and itching. The PA also ordered meds for me to take at home. - per patient report
920773	1/5/2021	OH	51	M	12/30/2020	1/3/2021	1-3-2021 10:30 PM Itchy legs rash on legs and arms took hot shower went to bed went away by morning. 1-4-2021 12:00 PM started to have itchy hands itchy back itchy legs itchy elbows rash around eyes got home at 5:00 PM had rash on legs, back, arms, eyes, took Benadryl 25 mg took shower the itchy slightly eased and rash lightened up but didn't go away. went to bed. 1-5-2021 6:00 am woke up rash almost gone on back but had itchy ankles and wrists and the back of my arms. took Benadryl 25 mg before work got to work and had extremely itchy hands and slight rash in all the same spots. and itching has became less after 6 hours. 1-5-2021 12:23 pm filled out this form
920681	1/5/2021	RI	46	F	12/28/2020	12/30/2020	Modern a COVID-19 Vaccine EUA I was given the injection last Monday and noted erythema itchiness and swelling to the site and I figured I'd keep an eye on it. Also I had been enrolled in the v-safe with the CDC so I felt if there was ever a red flag, that they would be aware. After about 2 days it seemed better but then on 1/4/2021 I noticed it was itchy again and I saw that I had a couple of blisters but they did go away after a hour. I now have the erythema, itchiness and a very hard (bigger than a half dollar) area surrounding the injection site. Today is day two of having this and no swelling noted in my axilla or lymph nodes. No fever.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
920627	1/5/2021	ID	28	F	1/4/2021	1/4/2021	Day of administration around 2100 I started feeling a little off, got a little bit of a headache and felt warm. While sleeping I could feel that I had chills and felt very warm. Woke up at about 0200 to take my temperature. Felt dizzy when I got up, still had a headache and a fever of 101.0 (taken orally). Contacted a nurse triage line to ensure I can take t=Tylenol to bring the fever down and get rid of the headache. She said yes, which is when I took 500mg Extra Strength Tylenol rapid release. Continued to feel not so well, and broke my fever around 0630 timeframe. Once I woke up around 0900 (day after administration) still felt a little warm (99.5) and a mild headache. Will keep an eye on any other adverse reactions.
921105	1/5/2021	NY	59	F	1/4/2021	1/5/2021	Woke up with redness to the left eye.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
920728	1/5/2021	NE	37	M	1/4/2021	1/4/2021	DEVELOPED CONTINUOUS CHEST PAIN WHEN BREATHING IN. WAS SENT TO THE EMERGENCY ROOM. WAS SEEN IN ER AND DISCHARGED AFTER OBSERVATION PERIOD. ER PROGRESS NOTE: Patient is a 37 y.o. male who arrived by Home presented to the emergency department for Chest pain. Patient states that approximately 15 this morning he received a Covid vaccine and approximately 1 hour later he started to have chest pain. Patient describing chest pain as sharp, left-sided, nonradiating, nonexertional, only occurring with taking a big deep breath, has never had similar symptoms before, not improving with home baclofen, currently a 3-4 out of 10, not occurring at rest only with deep breath. Patient states that he became concerned that it was a side effect of the vaccine and came to ED for further evaluation. Patient just denies any associated shortness of breath, nausea or vomiting. Patient states he has history of bipolar, takes no mental and has been taking as prescribed. Patient states he is otherwise healthy. Patient works at a healthcare facility, has a weekly Covid antibody test which is was been negative, denies any other associated symptoms today. Patient is a daily smoker, no history of blood clots, no recent travel or surgeries. Patient denies any headache, change in vision, nausea, vomiting, neck pain, back pain, fever, chills, shortness of breath, abdominal pain, flank pain, change in urination, diarrhea, constipation, rashes, lightheadedness, dizziness, or any other associated symptoms.
920805	1/5/2021	OH	45	M	12/23/2020	12/23/2020	palpitations, chest tightness/heaviness, scratchy throat/frequent throat clearing, head heaviness, blurred vision, elevated blood pressure. Evaluated in ED received solumedrol, benadryl. Discharged home and returned to hospital as direct admit due to continued symptoms. Pertinent labs reveled AKI, elevated LFTs. AKI and LFTs improved with IVFs.
920824	1/5/2021	HI	62	F	12/31/2020	12/31/2020	Five minutes after vaccine patient had itchiness around eyes, itchy throat and mild shortness of breath. Later, patient reported swelling around eyes and lips.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
920839	1/5/2021	MN	40	M	12/31/2020	12/31/2020	Pleasant 40-year-old male comes in the emergency room with concern related to allergic reaction. Patient had received his COVID-19 vaccination approximate 60 minutes ago, at approximate 45 minutes after vaccination he developed flank pain left greater than right rated a 3 out of 10 extending down to his thighs he also noted a scratchy type sensation in the back of his throat feeling as if he needed to frequently clear his throat. The symptoms have been ongoing now for the past 15 to 30 minutes with no increasing or change in symptoms. Has never had allergic reaction in the past, unsure of previous Covid 19 infection though he describes in February of last year having upper respiratory illness which time he lost his sense of taste and smell. Currently denies any fevers, chills, nausea or vomiting. Denies any diarrhea. Denies cough or shortness of breath. Denies any swelling of the lips, face, eyes or nose. Denies any rash. Upon presentation emergency room patient was seen, evaluated, treated following standards of care given. Given patient's presenting symptoms and the recent COVID-19 vaccination will treat patient as adverse allergic reaction. Patient was given 50 mg of Benadryl IV, 20 mg of Pepcid IV, 10 mg of Zyrtec p.o. and 125 Solu-Medrol IV. Patient was observed in the emergency room for minimum of 2 hours, with complete resolution of symptoms. Patient was discharged home on Zyrtec to take 10 mg by mouth daily as well as Pepcid 20 mg by mouth twice daily for minimum of next 14 days, prednisone 20 mg 1 by mouth daily x5 days. Patient was given a prescription for EpiPen should his symptoms return or progress, recommend he call 911 and return immediately. Risks and warnings were discussed in detail, all questions were answered, patient verbalized understanding agreement plan of care.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
920967	1/5/2021	NY	65	F	12/23/2020	12/23/2020	I had a temperature of 103.8; nauseated and dizzy; eyes hurting; headache; chills; tired; nauseated and dizzy; pain at the site; This is a spontaneous report from a contactable nurse (patient). A 65-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), intramuscular on 23Dec2020 at 10:30 as single dose for covid-19 immunization. Medical history included covid-19 from May2020. The patient's concomitant medications were not reported. The patient reported that " I had a temperature of 103.8 " on an unspecified date with outcome of unknown; pain at the site on 23Dec2020 with outcome of unknown; tired on 24Dec2020 with outcome of unknown; nauseated and dizzy on 24Dec2020 with outcome of unknown; chills on 24Dec2020 with outcome of unknown; eyes hurting on an unspecified date with outcome of unknown; headache on 24Dec2020 with outcome of unknown. The patient underwent lab tests and procedures which included body temperature: 101.8 Fahrenheit; temperature: 102.4 Fahrenheit; temperature: 101.3 Fahrenheit; temperature: 100.6 Fahrenheit; temperature: 99.2 Fahrenheit; temperature: 103.8 Fahrenheit on 24Dec2020; sars-cov-2 test: positive in May2020, sars-cov-2 test: negative in 23Dec2020. Therapeutic measures were taken as a result of " I had a temperature of 103.8 ". Details were as follows: the nurse received the vaccine on a Wednesday 23Dec2020 at 10:30am. That night at her night shift, she had pain at the site. After midnight, the patient felt tiredness and felt like she had to lay down. At 6:00 she felt nauseated and dizzy. She had a temperature of 103.8. Thursday night, she went home at 7:10 and called her private doctor. The temperature was 101.8 and then it went down. The nurse had been administered the first of 2 dose series of Pfizer BioNTech COVID-19 Vaccine on 23Dec2020. She had received mandatory COVID-19 testing on 23Dec2020, prior to being administered the vaccine; she received the negative results of that COVID-19 testing on 25Dec2020. After being administered the vaccine she was monitored for 15 minutes and then went home. She was fine, had no allergy or anything. She reported that after she was administered the vaccine, she had pain, was really tired, nauseous, chills, high temperature, and her eyes hurting. She mentioned history of COVID-19 in May2020. She works as nightshift nurse at a rehab facility. She woke up that night of

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

23Dec2020 around 9:00pm-10:30pm and had onset of pain in right arm at injection site which she did not take too seriously because when you get a shot you get pain. Around midnight that night 24Dec2020, she went to work and had onset of being really tired like she just wanted to sit or lay down; she felt like she had to sit down and could not stand well. She continued working that shift on 24Dec2020 but kept getting so tired and had onset of chills and was supporting herself with her med cart. She drank a little sip of ginger tea she brought to work think maybe that would help her feel better. She felt that if she drank more ginger tea she would throw up because she felt nauseous. She was really busy at work 24Dec2020 so she did not check her temperature until after 6:00am which was 103.8 degrees Fahrenheit; and thought no wonder she feels like throwing up. She finished her shift at like 7:00am. For 2 days her temperature was turning high temperature so every 6 hours she was taking Motrin 2-200mg and that would make her temperature go down. Then temperature would go back up to like 102.4 degrees Fahrenheit, she would take ibuprofen (MOTRIN) again, temperature would come down to like 101.3 degrees Fahrenheit. She continued feeling nauseated, having chills, headache and feeling nauseous which she felt all of which could be related to the temperature. She reported to her employee health at work. She thinks it's better. Saturday morning of 26Dec2020, she woke up with temperature of 100.6 degrees Fahrenheit at 7:00am which was the first time her temperature had gone down like that so she did not take the ibuprofen. She checked it again later at like 1:00 pm and temperature was 101.8 degrees Fahrenheit so she took 2 Motrin again. After that her temperature did not go up like that anymore, it was like 99.2 degrees Fahrenheit. As soon as she came from work on 24Dec2020 she called her doctor's office and was seen by Nurse Practitioner who let her out of work for like 2 days. She reported her eyes also have been hurting, mostly her right eye is still hurting, the top is hurting like when you have a small pimple so she keeps checking but does not see anything with her eye. She couldn't even put a cold compress on for the temperature because of her headache and her eyes hurting. She could not even put cold compress to bring her temperature down. Seriousness criteria of all events was unknown. The patient has had no rash, no breathing

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

problems, no coughing, no sore throat or other serious events. She was scared because she wondered if she had COVID-19 again with these events. She mentioned if people do not know these are side effects they would be scared, but she knows from the information she got with the Pfizer BioNTech COVID-19 Vaccine that these are normal for everyone. The only thing she wondered about is if the tiredness she is having is serious or not. She reported prior to getting the COVID-19 vaccine she tested positive for COVID-19 in May2020 and was very sick at that time because she works in a health field with COVID-19 patients. Pfizer BioNTech COVID-19 Vaccine. The patient indicated that she was fine before she got the vaccine; she had no cold, no coughing, no sore throat. The ibuprofen tablet was administered as 200 mg, 2 of the tablets at a time. : The outcome of all the events was unknown. The relatedness of the event, pain to the suspect drug was reported as related from the reporter using the assessment; relatedness of the event, really tired to the suspect drug was reported as related from the reporter using the assessment; relatedness of the event, nauseous to the suspect drug was reported as related from the reporter using the assessment; relatedness of the event, chills to the suspect drug was reported as related from the reporter using the assessment; relatedness of the event, high temperature to the suspect drug was reported as related from the reporter using the assessment; relatedness of the event, eyes hurting to the suspect drug was reported as related from the reporter using the assessment. The batch/lot number for the vaccine, BNT162B2, was not provided and will be requested during follow-up.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
920971	1/5/2021	FL	70	F	12/21/2020	12/22/2020	sweats; Feeling of unwellness like she had the virus or bad flu; Feeling of unwellness like she had the virus or bad flu; could not hardly open eyes/eyes were very heavy; could not hardly open eyes/eyes were very heavy; chills; tiredness; headache; muscle pain; weakness; Joint pain; Fever; Injection site swelling and redness; Injection site swelling and redness; injection site pain; Nausea; This is a spontaneous report from a contactable consumer. A 70-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration in the left upper arm, on 21Dec2020 (at the age of 70-years-old) at a single dose for COVID-19 immunization. Medical history included COVID-19 (lasted 3 weeks), high blood pressure (family history in mother and father), lumpectomy, breast cancer, radiation treatment, respiratory illness, genetic/chromosomal abnormalities, endocrine abnormalities, diabetes, obesity, fibroid tumors, fibroid tumors surgery, thyroid problem, bone density problem, and lower lobe left of lung piece cut out (not cancer). The patient previously received chemotherapy (MANUFACTURER UNKNOWN) for breast cancer, pethidine hydrochloride (DEMEROL) for post fibroid tumors surgery and experienced swollen hands and arms, influenza vaccine (MANUFACTURER UNKNOWN) in 2020 (usually gets swelling/red arm), and oxycodone hydrochloride;paracetamol (PERCOCET) and experienced feeling sick. Concomitant medications included unspecified medications for high blood pressure, thyroid problem, and bone density problem and unspecified nasal spray, water pill, and vitamins. The patient experienced could not hardly open eyes/eyes were very heavy, chills, tiredness, headache, muscle pain, weakness, joint pain, fever, injection site swelling and redness, injection site pain, nausea, sweats, and feeling of unwellness like she had the virus or bad flu on 22Dec2020. The clinical course was reported as follows: The patient felt fine the day when injection was given, but the next day, it was like she had COVID again. She had COVID 3 months ago and it lasted for 3 weeks. It was the same symptoms she had. She could not open her eyes hardly. They were very heavy. The patient had the chills, temperature, sweats, and injection site pain (the next day). There was also swelling and redness that remained for 6 days. The patient reported that if she still puts her

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

hand on it now, there is some sensitivity. She also had tiredness and headache. The patient reported that she only had each of these symptoms for 24 hours (as reported) and the headache was gradually improved. The patient had muscle pain and weakness. She laid down and all she could do was sleep for 24 hours. The patient had nausea for 4 days. She did not have swollen lymph nodes. The patient underwent lab tests and procedures which included blood pressure: 120/80 on an unspecified date and bone density: unknown results on an unspecified date. The clinical outcome of could not hardly open eyes/eyes were very heavy, chills, tiredness, headache, muscle pain, weakness, joint pain, fever, sweats, and feeling of unwellness like she had the virus or bad flu was recovered on an unspecified date, nausea was recovered on 26Dec2020, and injection site swelling and redness and injection site pain was recovered on 28Dec2020. The batch/lot number for the vaccine, BNT162B2, was not provided and has been requested during follow up.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
920975	1/5/2021	OK	53	F	12/18/2020	12/1/2020	<p>blurred vision; little spots on the inside of her eyelids; This is a spontaneous report from a contactable nurse (patient). A 53-year-old female patient received first dose of BNT162B2 (Pfizer-BioNTech COVID-19 mRNA vaccine; batch/lot number and expiry date were unknown), via an unspecified route of administration on 18Dec2020 at a single dose for COVID-19 immunization. Medical history included eyeglasses wearer (reported as with her glasses). The patient's concomitant medications were not reported. The patient is experiencing symptoms from the COVID-19 vaccine received on 18Dec2020. She began to have blurred vision that night, and it worsened over the following weekend. She saw the eye doctor on 22Dec2020, and they stated her vision had changed even with her glasses. Now she has little spots on the inside of her eyelids that were also noticed on the eye examination in Dec2020. She has already reported these symptoms to the V-safe program. She mentioned that she is not the only nurse in the workplace that has experienced blurry vision. She asked if she should receive the second dose on 08Jan2021. It was still blurry, but it was better than it was a week ago. It still affected her reading and seeing at a distance. It scared her to get the second one because she doesn't want to go blind. She went to the eye doctor for visit on Tuesday. The outcome of the event blurred vision was recovering, while for the other event was unknown. The reporter considered blurred vision as serious due to being medically significant. Information about lot/batch number has been requested.; Sender's Comments: There is not a reasonable possibility that the reported event vision blurred and eyelid disorder related to the suspect product event most likely due to patient underlying contributory factors</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
921005	1/5/2021	NY		F	12/22/2020	12/28/2020	She tested positive for COVID-19; She tested positive for COVID-19; This is a spontaneous report from a contactable healthcare professional (patient) via Pfizer sales representative. A 55-years-old female patient received her first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiration date not reported), via an unspecified route of administration on 22Dec2020 at a single dose for Covid-19 immunization. The patient's medical history and concomitant medications were not reported. The patient, who is a frontline medical worker, informed that she tested positive for COVID-19 today (28Dec2020). The patient stated that she was informed by her employee health division at (place) that she was exposed to a patient with COVID-19 prior to her vaccination. She asked to be contacted regarding the timing of her second dose in light of her current status. The outcome of the event was unknown. Information on the lot/batch number has been requested.; Sender's Comments: There is not a reasonable possibility that reported "tested positive for COVID-19" is related to BNT162B2 vaccine. The patient exposed to a patient with COVID-19 before vaccination.
921018	1/5/2021	IL	50	M	12/28/2020	12/28/2020	eye irritation; eyes turn red; blurry vision; difficulty keeping eyes open; BP 160/85; This is a spontaneous report from a contactable other hcp (patient). A 50-year-old male patient received bnt162b2 (lot number: EL0140), intramuscularly at arm left, first dose on 28Dec2020, at single dose, for COVID-19 immunization. The patient medical history was not reported. There were no concomitant medications. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. No allergies to medications, food, or other products. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient did not receive any other medications the within 2 weeks of vaccination. The patient experienced eye irritation, eyes turn red, blurry vision, difficulty keeping eyes open, BP 160/85 on 28Dec2020. No treatment received for the adverse event. The event was reported as non-serious. The outcome of the events was recovering.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
921057	1/5/2021	AZ	48	M	12/28/2020	12/28/2020	Hypertensive crisis; Numbness to my left ear; progressively it went down to my mandible, my face and my left shoulder numbness; Radial blood pressure cough; This is a spontaneous report from a contactable nurse reporting for himself. A 48-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EH9899), via an unspecified route of administration on 28Dec2020 at single dose for covid-19 immunization. Medical history reported as none. There were no concomitant medications. During the administration the patient did experience some types of reaction where it wanted medical supervision. So, basically when he did get the injection he was waiting for his 15 minute prolapse. But within probably he would say 7 to 8 minutes he started to experiencing some numbness to his left ear and usually he thought it was secondary to the that he had (not clarified) but progressively it went down to his mandible, his face and his left shoulder numbness and he was experiencing some numbness that radiate towards his fingertips only to the left side. At that time he waived to the Nurse to supervise and at that time he wait again and a Physician came over. He checked his pulse and noted that he had normal rhythm during the pulse check and at that time and he had Emergency medical technician (EMT) come over. The EMT checked his blood pressure he thought multiple times through the left and to the right brachial. He was having what they would consider a hypertensive crisis where systolic were in 170's, 180's, diastolic numbers were between like 120's and 130's and his heart rate was in 70's. So, initially it was not anxiety induced. But he do not have no blood pressure. They wanted he to go to the hospital to treat the hypertensive crisis that was in. The patient opted not to. So he went home in a quieter environment he did have a radial blood pressure cough that he had been checking his blood pressure rigorously, tried different techniques and now he was back to normal state to 120-130 systolic and his diastolic was 70-80. This instance was weird that he did not see as a part of one of the side effects listed with Pfizer BioNTech Vaccine. No treatment received for the events, because he had no history of hypertension it was just more of decreasing the ambient around he. At that time he wanted to go to a quiet environment, took a shower and check his blood pressure. He did orthostatic while laying

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							down sitting up, standing up and he was not hypertensive. For the causality, the nurse stated, "I think it did. This is a fact I mean I was doing fine prior to administration and then this event is slowly subsiding." The outcome of the events was recovering.; Sender's Comments: A possible contributory effect of suspect BNT162B2 on reported hypertensive crisis cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.
921078	1/5/2021	CA	40	F	1/4/2021	1/4/2021	pain, ache behind his right eye, that is still there fuzzy vision that lasted for 30 minutes warmth on top of head and around his ear
921103	1/5/2021	NY	41	M	12/23/2020	12/27/2020	central serous retinopathy have small blurry spot in right lower quadrant visual field

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
920624	1/5/2021	TX	41	F	12/21/2020	12/27/2020	41-year-old female HCW who received Pfizer BioNTech vaccine (Lot # EK5730) on 21 Dec 2020 in her left upper arm. No other vaccines were received that day. She reports a sensation of warmth and tenderness locally right after vaccination. On the evening of vaccination, she noted a small area of redness and swelling at the vaccination site. She denied anything out of the ordinary with regard to vaccine administration, except the vaccine might have been given "a little lower" than usual. She did not experience any respiratory, CV, dermatologic, or gastrointestinal signs/symptoms during observation post-vaccination or during the next several days. Post-vaccination day (PVD) one, patient noted some tenderness, warmth, redness, and some bruising surrounding the vaccination site. (SEE PVD 1 Photo); local reaction gradually resolved (SEE PVD 7 Photo) and currently, all that remains is a big bruise. On the evening of 26 Dec, patient reported having some "congestion" and took some Nyquil. She reports a good night's sleep, but upon awakening, she noted mild shortness of breath and she "couldn't open" her eyes due to swelling. She also noted her bottom lip and tongue were swollen and she experienced a tight feeling in her throat and chest. She also reports mild swelling of her hands. She denies hives/urticaria, wheezing, stridor, dysphagia, loss of consciousness, or gastrointestinal-related symptoms. Patient self-treated with oral Benadryl, Pepcid, and Zyrtec, as well as using her Albuterol inhaler. After 2 hours, her symptoms had not improved, so her spouse took her to the Emergency Room. In the ER, she was placed on a cardiac monitor, and shortly after arrival, she received IM Epinephrine (x2), followed by IV Solumedrol. She was observed for 8-10 hours and discharged home with a 5-day course of oral steroids. She was diagnosed with "anaphylaxis" and instructed to follow-up with her Primary Care Provider. Since discharge, she has continued to note some facial swelling, and on 29 Dec, she was having problems breathing for which she used her inhalers, and symptoms resolved. On the day of vaccine receipt, patient reports feeling well prior to vaccination. She denies previous vaccine reactions. She denies any exposures that might have been potential triggers to her reaction on 27 Dec – "the only thing different was the vaccine~~

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
921096	1/5/2021	CA		F	12/28/2020	1/1/2021	Patient received the covid vaccine on 12/28/2020. c/o new onset of bil eyelid swelling with "greenish" discharge on 1/1/2021 and stomach pain (relieved with BM - "little diarrhea") on 1/2/2021. Diarrhea improved after 24 hours but the eye swelling persists. On 1/5/2021 new onset of headache, vomiting, "wet" cough, and nasal congestion. Denies fever, chills, or body ache. Covid test on 12/28/2020 was negative.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
920120	1/5/2021	OK	46	F	12/16/2020	12/16/2020	ringing in the ears; slight headache; This is a spontaneous report from a contactable nurse (patient). A 46-year-old female patient received the first dose of bnt162b2 (Batch/lot number: EH9899), via an unspecified route of administration (reported as one injection to left arm) on 16Dec2020 at a single dose for COVID-19 vaccination. Medical history included allergy. Concomitant medication included prednisolone acetate (PREDNISOLONE ACETATE, Manufacturer: Pacific Pharma. NDC: 60758119-05, Lot: E88990, Exp. date: Feb2023) 1%, four eyedrops a day until she is out, 7 days at most or a week for allergy. The nurse called as a patient about the Pfizer COVID-19 vaccine, which she received on 16Dec and had a headache - only a slight headache, the day after and ringing in her ears that has not gone away. She says it was her first injection of the vaccine. The patient says she was given the vaccine through her work, and says she had a headache that evening and then a slight headache the next day. She says that the ringing in the ear, she noticed the next day in the morning. She says it is hard to tell if the ringing is just one ear or not, the ringing is staying about the same, and is more in her right ear. She says she has not had treatment for either the headache or the ringing in her ears, and the headache improved on its own. She had no new medications and didn't receive any other vaccines when she got this one. She says that she went to the eye doctor in the past week and he started her on eye drops, she has never been on prednisone for allergies, and for her eyes he gave her prednisone drops and allergy drops. She says she started that medication on the evening she got it, Monday 21Dec. She would like to know if there could be some type of allergy, she doesn't know if she should take the second dose of the vaccine. She says she doesn't know if there is something she should do for the ringing in her ears, like a common treatment or anything, or if others have been reporting this. She says she saw on the website that one side effect said ringing in ears, but she isn't sure if the website was either of those provided by call handler for further information. The outcome of the events slight headache was resolving while ringing in the ears had not resolved.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
920090	1/5/2021	FL	58	M	12/16/2020	12/17/2020	sinus issues; positive COVID-19 test with symptoms; positive COVID-19 test with symptoms; right arm sore; This is a spontaneous report from a Pfizer Sponsored Program. A contactable consumer (patient) reported that a 58-year-old male patient received the first dose of BNT162B2 (lot number: EH9899; Expire Date: 31Mar2021), via an unspecified route of administration, in arm, right upper, on 16Dec2020 11:10 AM at single dose for COVID-19 immunization. The vaccination facility type was hospital. The vaccine was not administered at military facility. Patient's medical history (including any illness at time of vaccination) was none. The patient got ill from all pain medications- from prescription strength pain killers to OTC products such as tylenol, ibuprofen and aspirin. All of them make him sick- experienced hot flashes and nausea. No additional vaccines administered on same date of the Pfizer suspect vaccine. Prior vaccinations (within 4 weeks) was none. The concomitant medication included 2 different blood pressure pills, mentioning Lisinopril, but stated he did not think his blood pressure pills were relevant to what he was experiencing with the COVID-19 Vaccine. A MRI tech (clarified by caller as MRI technologist) at a hospital who received the COVID-19 Vaccine on 16Dec2020 (caller clarified he received the vaccine at 11:10 AM on 16Dec2020). Caller stated on 17Dec2020 he had signs of aches and pains all over, a sore arm (clarified as his right arm), no fever. He also experienced sinus issues and a loss of sense of smell. Clarified his right arm was sore for only a day, his sinus issues started on 20Dec2020, and his loss of the sense of smell gradually started on 22Dec2020. He stated on 23Dec2020 he had a COVID-19 test performed and the test result was positive for the COVID-19 virus. Caller asked since he had the first COVID-19 Vaccine dose, and has now tested positive for the COVID-19 virus, should he get the second COVID-19 Vaccine dose scheduled for 06Jan2021. Patient's Height: 5' 8" as provided by caller, who stated he has shrunk 1". No further details provided. Patient's Weight: 169 lbs. as provided by caller, who stated his weight was as of today. Reported he worked an overnight shift, clarifying he was injected with the COVID-19 Vaccine after his overnight shift was finished on the morning of 16Dec2020. He stated he came back to work later in the day on 16Dec2020 to work another overnight shift from 9:00 PM

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

to 7:30AM. He said after he finished his overnight shift on the morning of 17Dec2020, he went home to bed, and woke up around 12:00 PM on 17Dec2020. He said when he woke up, he started to feel aches and pains all over, and after that noticed he was getting chills periodically. Clarified he experienced the aches and pains all over for a couple of days, and then the aches and pains went away. He said he then started to get the feeling a sinus infection was coming on, but he never got a sinus infection. He said the aches, pains, and chills came back. Reported his co-worker received the COVID-19 Vaccine on Saturday, 19Dec2020, clarifying his co-worker did well with the COVID-19 Vaccine. He clarified his employer was concerned that he may have exposed his co-worker to COVID-19 when the two worked together on the overnight shift of 22Dec2020. He said both he and his coworker kept their PPE on the whole time they worked except when the two ate dinner. He said the two of them sat at a round table about 6 feet apart, and took off their masks to eat. He said his partner agreed that the two of them were right at 6 feet apart when they sat at the table to eat dinner, so their employer deemed his coworker as low risk. Reported on 22Dec2020 he had to go back to work, so he was asked for his temperature at the time, which was 98.8 degrees. He did have a flu shot previously. He was instructed as long as he doesn't have a fever over 100 degrees, he can work. The caller said he went to work on 22Dec2020, and read an email from his employer's wellness office. He said the wellness office email spoke about the COVID-19 Vaccine side effects, and instructed employees to contact the wellness office with any COVID-19 Vaccine side effects experienced. He said he left a voicemail with his employer's wellness office explaining exactly what his COVID-19 Vaccine side effects were. He said he instructed his employer's wellness office to call him in the afternoon because he was going to go home, go to bed, and wake up at noon on 23Dec2020. He stated he spoke with his employer's wellness office at around 11:30 AM on 23Dec2020, and the wellness office asked for him to go to the hospital, and have a COVID-19 test. Caller stated his employer performed a COVID-19 nasal swab test, and on 24Dec2020, he was told he was COVID-19 positive. He said his employer backed up his quarantine start date to 17Dec2020 (the first day he experienced



*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

symptoms), and had him follow a 10-day quarantine until 27Dec2020. He stated today, 28Dec2020, was the first day he has been off quarantine. Reported he was not saying he got COVID-19 from receiving the COVID-19 Vaccine, but should he have the second COVID-19 Vaccine injection. Clarified his symptoms were intermittent, and started coming back around 20Dec2020. Reported he was not experiencing any scratchiness in his throat, and his eyes were not watering. He said he has had no cough, no sneezing, and no trouble breathing. He said in general, it felt like something was coming on, saying it was building up, but not getting out. Clarified he had gone back to work on 23Dec2020 to have his COVID-19 nasal swab test performed, and was told by his employer on 24Dec2020 that the COVID-19 nasal swab test was positive. No AE required a visit to emergency room or physician office. The outcome of the event right arm sore was recovered on 18Dec2020 and the other events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
919928	1/5/2021	TX	46	F	12/22/2020	12/22/2020	Dizziness; Shortness of breath; Tightness in throat; Blurred vision; Tingling in hands and face; This is a spontaneous report from a contactable consumer who reported for herself. A 46-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE) via an unspecified route of administration on 22Dec2020 at 06:40 (at the age of 46-years-old) as a single dose in the left arm for COVID-19 vaccination. Medical history and family medical history were both reported as none. Concomitant medications were reported as none. It was reported that history of all previous immunizations was unknown and that the patient had no previous adverse events following prior vaccinations. The patient did not receive any other vaccines within four weeks prior to the vaccination and did not receive any additional vaccines on the same date as BNT162B2. On 22Dec2020 the patient experienced "dizziness", "shortness of breath", "tightness in throat", "blurred vision" and "tingling in hands and face". The adverse events required a visit to the Emergency Room; however, the patient was not admitted to the hospital and was discharged from the Emergency Room. The patient stated that she had a reaction to the COVID-19 vaccine. She reported that she was in the Emergency Room and was still feeling dizzy after being released. The clinical course was reported as follows: "Started off with dizziness, shortness of breath, and then tightness in her throat. Also had blurred vision, and tingling in hands and face. Occurred 25 to 30 minutes after receiving the COVID-19 vaccine. Continuing to experience dizziness that comes in waves after being released from emergency room." The patient stated that she received the vaccine to protect herself and her family. She called to inquire what she could expect, and what her next steps were in terms of the dizziness. She was advised to follow-up with her healthcare provider. It was reported that there were no relevant tests. The clinical outcome of the event "dizziness" was not recovered/not resolved, while the clinical outcomes of the events "shortness of breath", "tightness in throat", "blurred vision" and "tingling in hands and face" were all unknown. The lot number for the vaccine, BNT162B2, was not provided and will be requested during follow up.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
921114	1/5/2021	TN	34	F	12/28/2020	12/31/2020	No issue on date of vaccine. Minor muscle soreness in left arm the following day. No further issues following days. On 01/31/2020 at approximately 2130hrs, numbness and tingling of right side of face began while on work duty. Completed shift, drove home and went to bed. The following morning lips were covered in blisters, right cheek and under eye was extremely swollen. Attempted to drive to work and began experiencing brain fog and blurred vision. Returned home and facial swelling worsened along with severe headache and itchy dry skin. Took a bath and was unable to determine water temperature by touch. Intense leg muscle aches and nerve pain in right side of face. Remained calm and slept the following two days. Went to PCP as soon as possible on 01-04-2020 and was advised symptoms to be delayed adverse reaction to Moderna Vaccine. Patient was prescribed Alegra, Tylenol and methylprednisolone at this time. PCP advised inability to receive secondary dose on 01/28/2021 due to steroid treatment for allergic reaction to Moderna Vaccine. Swelling retreats and returns throughout the day following Dr visit. Voice changes occur during swelling (gurgled). The patient has no appetite but maintains a scheduled healthy diet. The patient has been unable to sleep for 24 hrs straight even after taking melatonin. There has been no shortness of breath however the patient experiences muscle spasms, dizziness and blurred vision while reading. The patient's right side of face has slower reaction timing than the left, the right eye closes frequently (not in tandem with the left) and is unable to smile. The patient has not experienced vomiting nor stool issues. The patient is unable to return to work until 01-11-2021 or until symptoms remain undetected for 48 hrs.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
919965	1/5/2021	NC	45	F	12/23/2020	12/23/2020	dizzinessand lightheaded; Vision slightly blurred; BP elevated to 144/96; Slight nausea for remainder of day; This is a spontaneous report from a contactable nurse reporting for herself. A 45-years-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration on 23Dec2020 14:00 at a single dose for COVID 19 vaccination. The facility where the most recent COVID-19 vaccine was administered was a hospital. The patient was not pregnant at the time of vaccination. There was no other vaccination administered in the 4 weeks prior to COVID-19 vaccination. Medical history included multiple sclerosis from an unknown date and unknown if ongoing. There were no allergies to medications, food, or other products. The patient was not diagnosed with COVID-19 prior to vaccination. Concomitant medications were not reported; the patient did receive other medications within 2 weeks prior to COVID-19 vaccination.The patient experienced dizziness and lightheaded, noticed about 30 minutes after vaccine. Vision slightly blurred. BP elevated to 144/96. Slight nausea for remainder of day. The events occurred on 23Dec2020 at 14:45 pm. No treatment was received for the events. The patient recovered from the events dizziness, lightheaded, vision slightly blurred, BP elevated to 144/96, and slight nausea on an unknown date in Dec2020. The patient was not COVID-tested post vaccination. The lot number for the vaccine, BNT162B2, was not provided and will be requested during follow-up.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
919994	1/5/2021	CA	57	F	12/16/2020	12/16/2020	metallic taste; developed mild headache; about 30 minutes developed itching and redness of both legs; about 30 minutes developed itching and redness of both legs; Started immediately having dizziness; Right upper facial muscles started twitching around eye area; This is a spontaneous report from a contactable physician (patient). A 57-year-old female patient the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/lot number: EH9899), intramuscularly on 16Dec2020 14:00 at left arm, at single dose for covid-19 immunization. Medical history was none. The patient's concomitant medications were not reported. The patient was not pregnant at the time of vaccination. After vaccination injection, the patient started immediately having dizziness from 16Dec2020 14:00 and then about 30 minutes developed itching and redness of both legs on 16Dec2020 14:30. About 2 hours after vaccine on 16Dec2020 16:00 went home still itching with redness, dizziness, developed mild headache and metallic taste. Right upper facial muscles started twitching around eye area. Took Benadryl and Tylenol went to sleep. Woke up 5 hours later, all symptoms gone except still a little dizzy. By the next morning felt weird then by 24 hours everything resolved. The outcome of the events was recovered in Dec2020. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. No seriousness criteria: no Results in death, no Life threatening, no Caused/prolonged hospitalization, no Disabling/Incapacitating, no Congenital anomaly/birth defect.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
920002	1/5/2021	OR	53	F	12/23/2020	12/23/2020	Very painful shoulder 24 hours later; pounding heart rate felt in my chest that lasted less than 30 sec; with in 5 minutes of inoculation experienced an odd taste in my mouth; Warm sensation in Left upper arm for at least 15 minutes.; This is a spontaneous report from a contactable other Health Care Professional (HCP). A 53-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE) via an unspecified route of administration on 23Dec2020 at 13:15 (at the age of 53-years-old) at an unspecified dose in the left arm for COVID-19 vaccination. Medical history included pneumonia, high cholesterol, eczema rashes from perfumes/beauty products/soaps and hand dermatitis all on unknown dates.The patient is allergic to amoxicillin (rash trunk) and experiences seasonal allergies in the eyes/nose/with coughing. Prior to the vaccination, the patient was not diagnosed with COVID-19. The patient was not pregnant at the time of vaccination. The patient was administered the vaccine in the hospital. There were no concomitant medications. The patient did not receive any other vaccines within four weeks prior to the vaccination. On 23Dec2020 at 13:20 (reported as "within 5 minutes of inoculation") the patient experienced an odd taste in her mouth, a pounding heart rate felt in her chest that lasted less than 30 seconds (may have been shorter). She stated that she was trying to stay calm. Also, she experienced a warm sensation in the left upper arm for at least 15 minutes as well as a very painful shoulder twenty-four hours later; there was no swelling nor redness noted. Her shoulder was much improved by the third day.The patient did not receive any treatment for the events. The clinical outcomes of heart rate increased, taste peculiar, localized feeling of warmth and shoulder pain were reported as recovered on an unspecified date in Dec2020. It was also reported that since the vaccination the patient had not been tested for COVID-19. The lot number for the vaccine, BNT162B2, was not provided and will be requested during follow up.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
920024	1/5/2021	MI	60	F	12/23/2020	12/23/2020	<p>Blurred vision that was mild in nature (but noticeable, nonetheless). Began 15 minutes after vaccine received. Lasted 10 minutes. Resolved on its own. NOT accompanied by any other effect (i.e. nausea, vertigo, lightheadedness); This is a spontaneous report from a contactable nurse. A 60-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, lot number: EL0140), via an unspecified route of administration on the right arm on 23Dec2020 10:15 at single dose for COVID-19 immunisation. Medical history included gastrooesophageal reflux disease (GERD) on an unspecified date and Ductal carcinoma in situ (DCIS) on the left breast in 2008. Concomitant medications included omeprazole and cetirizine (CETIRIZINE). On 23Dec2020 at 10:30, the patient had a blurred vision that was mild in nature (but noticeable, nonetheless). It began 15 minutes after vaccine received and lasted for 10 minutes. It resolved on its own and not accompanied by any other effect (i.e. nausea, vertigo, lightheadedness). No therapeutic measure was taken as a result of the event. Clinical outcome of the event was recovered on 23Dec2020 at 10:40. No follow-up attempts are possible; information about lot/batch number cannot be obtained.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
920025	1/5/2021	IN	38	F	12/26/2020	12/26/2020	tongue started to get a little bit of numbness and tingling/the numbness and tingling progressed to the roof of my mouth, my gums, my lower lip, underneath my tongue; tongue started to get a little bit of numbness and tingling/the numbness and tingling progressed to the roof of my mouth, my gums, my lower lip, underneath my tongue; numbness and tingling progressed up my cheeks and up underneath my eyes on both sides; numbness and tingling progressed up my cheeks and up underneath my eyes on both sides; This is a spontaneous report from a contactable nurse (patient). A 38-year-old female patient (not pregnant) received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), intramuscular in right arm on 26Dec2020 11:30 AM at single dose for covid-19 immunization. The COVID-19 vaccine was given at nurse's hospital vaccine clinic. Medical history included narcolepsy with cataplexy. Concomitant medication in two weeks included venlafaxine hydrochloride (EFFEXOR SR), amphetamine aspartate, amphetamine sulfate, dexamphetamine saccharate, dexamphetamine sulfate (ADDERALL). The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient previously took naproxen and erythromycin; and experienced drug allergy. On 26Dec2020, the patient stated "At about 1150 my tongue started to get a little bit of numbness and tingling. I didn't really feel nervous but I thought maybe some type of anxious reaction. So I thought I'd give it just a little time and over the next 20 minutes the numbness and tingling progressed to the roof of my mouth, my gums, my lower lip, underneath my tongue, up my cheeks and up underneath my eyes on both sides. I was not feeling anxious about the vaccination. I didn't have any trouble breathing or difficulty swallowing. It felt like Novocain that was wearing off like after you have dental work done. I decided to take 25mg Benadryl to see if it went away. And it definitely got better about 25 minutes after I took the Benadryl. Within an hour I would say it was 95% gone. Still just like a trace numbness on my cheeks. When I woke up this morning (27Dec2020) I noticed the facial numbness had completely resolved." The adverse event start time also reported as 11:45 AM. Prior to vaccination, the patient was not diagnosed with COVID-19 and since the vaccination, the patient was not been tested for COVID-19. The outcome of the events



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
920026	1/5/2021	TX	39	M	12/21/2020	12/24/2020	<p>was recovered on 27Dec2020. Information on the Batch/Lot number has been requested.</p> <p>experienced swelling of the face and eyes on 24Dec2020. The swelling has progressed since 24Dec2020.; experienced swelling of the face and eyes on 24Dec2020. The swelling has progressed since 24Dec2020.; This is a spontaneous report from a contactable nurse. A 39-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, lot number: EJ1685, expiry date not reported), via an unspecified route of administration on the left arm at a single dose on 21Dec2020 14:30 for COVID-19 immunization. Medical history was not reported. Concomitant medications included multivitamins (unspecified). The patient experienced swelling of the face and eyes on 24Dec2020 at 22:00. The swelling has progressed since 24Dec2020. No therapeutic measure was taken as a result of the event. Clinical outcome of the events was not recovered. No follow-up attempts are possible. No further information is expected.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
920042	1/5/2021	WA		F	12/26/2020	12/27/2020	Sore injection site, hot flashes with no fever, styes on both eyes; Sore injection site, hot flashes with no fever, styes on both eyes; Sore injection site, hot flashes with no fever, styes on both eyes; This is a spontaneous report from a contactable nurse (patient). An adult female patient of unspecified age received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE lot/batch number not provided), via an unspecified route of administration on the left arm on 26Dec2020 15:00 at SINGLE DOSE for COVID-19 immunization. Medical history included suspected endometriosis. It was also reported that the patient had allergies to ranitidine (ZANTAC), omeprazole (PRILOSEC), famotidine (PEPCID), kiwi, and adhesive. Concomitant medications included sertraline hydrochloride (ZOLOFT), fish oil (FISH OIL), and colecalciferol (VITAMIN D). It was mentioned that prior to vaccination, the patient diagnosed was not with COVID-19 and had not been tested for COVID-19 since vaccination. On 27Dec2020 07:00, the patient experienced sore injection site, hot flashes with no fever, and styes on both eyes. The patient did not receive any treatment for the events. Outcome of the events were unknown. Information on the Batch/Lot number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
919945	1/5/2021	CA	49	F	12/21/2020	12/1/2020	left eye swelling; there is a sensation to touch like a little bit of pain; left eye there is some puffiness; harsh soreness around her both temples and her face; Neck pain; Headache/harsh soreness around her both temples; Feverish; Nausea; Joint pain; fatigue; This is a spontaneous report from a contactable consumer (patient). A 49-Year-Old Female patient received BNT162B2 (lot number: EH9899, expiration date: Mar2021) on the 21Dec2020 on deltoid left at single dose to prevent COVID 19. Medical history included Hypertension and Rheumatoid arthritis. Concomitant medications included losartan for Hypertension and hydroxychloroquine sulfate (PLAQUENIL) for Rheumatoid arthritis. She was experiencing a few side effects that are on the list. However, the one that is not on there and she have never had them before. She think that it is something with her left eye there is some puffiness and there is a little bit of swelling and there is a sensation to touch like a little bit of pain when you touch it. It actually started yesterday (22Dec2020) and she took the vaccine two days ago (21Dec2020) and it is on the same side as her injection. So it is on her left side on her left eye and the injection was given on her left Deltoid. It seems to be getting a little better now though the sensation by touch is not as much as it was this morning or yesterday. So she think like it is like going away but it is just something that she think may be should be looked at as one of the possible side effect. She did get neck pain, headache, and bit of headache. She think she was a little bit feverish and nausea and joint pain and a lot of fatigue. She had a harsh soreness around her both temples and her face was like when smile or laugh it was sore. Patient took Ibuprofen to help with the soreness and the pain. It was 800mg. The outcome of the events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
920109	1/5/2021	PA	25	F	12/23/2020	12/23/2020	My eyes were glassy; Lightheadedness and dizziness; Fatigue; Low-grade temperature of 99.0 F with chills; Low-grade temperature of 99.0 F with chills; This is a spontaneous report from a contactable nurse (patient herself). This 25-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number EL0140), via intramuscular, on 23Dec2020 at 13:45 at single dose for COVID-19 immunisation Vaccine location was left arm. The patient was not pregnant. The patient was vaccinated at hospital, age at vaccination was 25-year-old. Relevant medical history included ongoing irritable bowel syndrome, ongoing allergies tree nuts and peanuts. Past drug history included allergy to penicillin. Relevant concomitant medications included famotidine, sertraline, and ethinylestradiol, ferrous fumarate, norethisterone acetate (JUNEL FE) for birth control. No other vaccine was received in four weeks At approximately 16:00 on 23Dec2020, she had sudden onset of fatigue, a low-grade temperature of 99.0 F with chills. By 17:30, she was also bringing to experience lightheadedness and dizziness. That night at approximately 22:00, she had temperature of 99.1. On 24Dec2020, she experienced lightheadedness and dizziness the entire day, from waking up to going to bed later that night. Her eyes were glassy and she would feel an impulse of dizziness go distinctly from the right side of her head to the left, and then felt more dizzy after that. It was constant throughout the entire day and would occur while she was sitting, standing, or moving around. On 25Dec2020, she was tired but the dizziness had gone away. Pre-vaccination and post-vaccination COVID tests were not performed. No therapeutic measures were taken as result of the events. The patient had recovered from the events in Dec2020.
920609	1/5/2021	VA	63	F	12/31/2020	1/1/2021	Moderna COVID-19 Vaccine EUA Eye pain in both eyes, blurred vision, sensitivity to light, hard to focus. Diagnosed with Uveitis 1/4/21. Unknown if related to vaccine? May be coincidental? Prescribed eye medications for one week, return visit 1/11/21.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
920127	1/5/2021	PA	36	F	12/23/2020	12/23/2020	<p>Angioedema of lips, throat, eyes, hands. Flushing of hands; Angioedema of lips, throat, eyes, hands. Flushing of hands; Dizziness; Fatigue; Legs became heavy; Joint stiffness of hands; This is a spontaneous report from a contactable healthcare professional (patient). A 36-year-old female patient received the first dose of BNT162B2 (Pfizer-BIONTECH Covid-19 Vaccine; Lot number: EJ 1685), intramuscular on the left arm on 23Dec2020 at 06:30 AM in a hospital at a single dose for COVID-19 immunization. Medical history included known allergies of seasonal allergies, cats, and metals; migraines, chronic idiopathic urticaria, and angioedema. The patient was not pregnant and did not have any other vaccine in four weeks. The patient did not have COVID prior to the vaccination and did not test positive to COVID post vaccination (also reported as not been tested for COVID-19 after the vaccination). Concomitant medication included propranolol, cetirizine hydrochloride (ZYRTEC), and sertraline (reported as other medications in two weeks). On 23Dec2020 at 06:45 AM, the patient experienced immediate symptoms of angioedema of lips, throat, eyes, hands; flushing of hands, dizziness, fatigue, legs became heavy, and joint stiffness of hands. She was monitored by colleagues for an hour, prescription for Epi pen refilled, and available angioedema and fatigue persisted for three days. It was reported that the patient was not treated for the adverse events but it was also reported that the AE treatment also included X-ray and antibiotic. Outcome of the events was recovered in Dec2020.; Sender's Comments: A possible causal association between administration of BNT162B2 and the onset of immediate symptoms of angioedema of lips, throat, eyes, hands, flushing of hands, dizziness, fatigue, legs became heavy, and joint stiffness of hands cannot be excluded, considering the plausible temporal relationship and the known adverse event profile of the suspect product. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
920130	1/5/2021	CA	40	F	12/22/2020	12/24/2020	<p>Angioedema; This is a spontaneous report from a contactable Other Health Professional (patient). A 40-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE) lot number: EL1284, intramuscular in the right arm (also reported as right shoulder), first dose on 22Dec2020 00:30 at a single dose for Covid-19 immunization. The patient's relevant medical history included severe reaction to some animal dander and pollen, severe reactions to poison oak, possible drug induced reactions (unspecified) post C-section, mild rash with influenza vaccine this year (2020) (with no other hx of adverse reaction to a vaccine); had allergies to pollen, mold, some animals. The patient previously took influenza vaccine (split virion, inactivated) and experienced rash. The patient had no covid prior vaccination nor was she tested post vaccination. Adverse event reported was angioedema on 24Dec2020 with outcome of recovering. Systems started appearing on 23Dec2020 evening with slight rash and fluid collection under right eye. Developed more rash on 24Dec2020. In the evening to early morning of 25Dec2020, symptoms worsened significantly. Rapid swelling to face occurred. Swelling was concentrated around eyes and cheeks the most. Both right and left side of the face and neck were affected. However, the right side face had a more pronounced reaction. MD ordered oral prednisone and Benadryl as treatment plan. Also, ordered episode-pen for a worst case scenario. Symptoms have been improving under treatment but still persist some. The events were reported as non-serious. The adverse event start date was 24Dec2020 (as reported). The event resulted in doctor or other healthcare professional office/clinic visit.; Sender's Comments: There is a reasonable possibility that the event angioedema was related to BNT162b2 based on known drug safety profile and temporal relationship. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.</p>

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
920216	1/5/2021	IL	39	F	12/28/2020	12/28/2020	burning of eyes; hot flashes followed by rigors; severe muscle pain; For hrs post injection I had hot flashes; skin pain; joint pains; numbness of the whole arm; site pain; Headaches; low grade fever; This is a spontaneous report from a contactable nurse (patient). A 39-years-old female patient (no pregnant) received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (Batch/Lot Number: EJ1685, Expiration Date: 31Mar2021), via an unspecified route of administration in left arm on 28Dec2020 09:00 at single dose for COVID-19 immunization. Medical history included obesity, asthma, hypothyroidism, vitamin D deficiency, multiple tendonitis, allergies to horses, cats, and dogs and the patient was diagnosed with COVID-19 prior to vaccination. Concomitant medication included mometasone furoate (ASMANEX), colecalciferol (VITAMIN D), levothyroxine sodium (SYNTHROID) and hydroxychloroquine, all received within 2 weeks of vaccination. The patient stated for hours post injection she had hot flashes but the worst was 12hrs after. She experienced severe muscle pain/ skin pain, joint pains, burning of eyes, Headaches, low grade fever, site pain, numbness of the whole arm, hot flashes followed by rigors. The events started on 28Dec2020 21:00. Treatment received for the events included Tylenol. The events were reported as non-serious. The most recent COVID-19 vaccine was administered in Hospital. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Since the vaccination, the patient had not been tested for COVID-19. The outcome of the events was resolving.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
920231	1/5/2021	PA	72	F	12/28/2020	12/28/2020	arms hurting; Lymph nodes hurting on the left side; chills in which she is hot and cold and she couldn't get warm at first and then she is cold; high blood pressure/blood pressure was high 190/116; big toes hurting; nausea; dizziness; feeling weakness legs/Leg feeling weak; This is a spontaneous report from a contactable other HCP reporting for herself. A 72-years-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/lot number: CJ1686), via an unspecified route of administration in the right arm on 28Dec2020 15:00 at single dose for COVID-19 immunisation. Medical history included breast cancer on the left side, hypertension, hiatal hernia, glaucoma, heart disease, hypertension, lymphadenectomy (lymph nodes being taken out was about 20 years before) and headache from 27Dec2020. She was working Sunday into Monday morning and she went to the Director of Nursing, and said she has a Headache on the left side of the temple, and so she went to eye doctor, and he had a test order ESR and so she has a hemorrhage in the left eye, and show she doesn't know if this could be bringing on some of the side effects she was speaking about, like the nausea and the migraine. She has had No positive test for COVID prior to the vaccine, she must have had about 20 tests and all were negative. She has not had any Antibody tests. She had pneumonia vaccine maybe in the last 5-3 years and flu vaccine in Oct2020 and she experienced achy arm. On 28Dec2020 the patient experienced leg feeling weak (about 15 minutes after injection), nauseous at 21:00, dizziness. On 29Dec2020 the patient experienced arm hurting (in the morning), lymph nodes hurting on the left side, chills, blood pressure was high 190/116, big toes hurting. The patient was calling to ask if these side effects she was experiencing were normal. On 29Dec2020 the patient underwent ESR with unknown results. The patient reported that her arm hurting began on 29Dec2020 in the morning. The breast cancer diagnosis was prior to the vaccine as well as her lymph nodes being taken out was about 20 years ago. Her Lymph nodes hurting on the left side started on 29Dec2020 in the morning. Her Leg feeling weak started right after the injection, about 15 minutes after on 28Dec2020. The chills started on 29Dec2020 in the morning in which she couldn't get warm. Her feeling nauseous started on 28Dec2020 in the



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							evening like 9 PM. The Temperature 98.1 was her current temperature taken right before the call, as well as her blood pressure. Her feeling dizzy started after getting vaccine on 28Dec2020, she was fine to drive home, but then again on 29Dec2020 in the morning she felt it also. Her legs felt funny like rubbery. The big toes hurting started an hour before, on 29Dec2020 it woke her up since it was jabbing. The outcome of the events was unknown.
920297	1/5/2021	IL	63	F	1/3/2021	1/4/2021	Swollen painful eyes
920298	1/5/2021	MI	54	F	12/29/2020	12/29/2020	Vaccine at 8:40 am. 1 pm same day started with headache that progressed to severe headache. Marked pain in injection sight that radiated to neck and all the way to fingers. injection sight Felt warm, moderate swelling, not red. pain in arm lasted 2.5 day. Also Severe arthalgias and myalgia all over. Extreme fatigue, Foggy head. Blurry vision mild 48 hr. Very aggitated. Slept more but disturbed sleep. Could not work 24 hr. Very tired at work 12/31/2020. Naueas, no vomiting, mild constipation. Patient still feels tired and foggy today 1/5/2021 but improving
920411	1/5/2021	VA	37	F	12/18/2020	12/18/2020	Eye Twitching
920415	1/5/2021	MA	41	F	1/4/2021	1/4/2021	Recipient reported chest tightness, throat closing up, tachycardia, feeling flush approximately 2 minutes after vaccine administration. B/P- 162/76, HR- 124, O2 sat. 100%. She was taken to our outpatient clinic for close monitoring. Some symptoms were resolving. She reported right and then left arm numbness with a heavy feeling in her left eye. She remained in the outpatient department for monitoring until approximately 3p last set of vital signs B/P- 109/72, HR- 16, O2 sat. 100%
920432	1/5/2021	MA	41	F	1/4/2021	1/4/2021	Recipient reported symptoms of chest tightness, throat closing up, tachycardia and feeling flush approximately 2 minutes after the vaccine administration. She was taken to our outpatient clinic for continued observation. Vital signs: B/P 162/76, HR-124, O2- 100% she had relief of some symptoms but also reported right then left arm numbness and heaviness of the left eye. She was monitored for until approximately 3p. Last set of vital signs: B/P 10/72, HR- 81, O2- 100%.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
920480	1/5/2021	OH	28	F	1/5/2021	1/5/2021	About 30-35 mins, after vax, I started noticing my eyes were itching, and I started scratching my face. I got in my car and realized it's not going away. I need advice on what to take for it to go away. I noticed a itchy throat. Not sure if it's something that's due to the vaccine.
920579	1/5/2021	IA	64	F	12/22/2020	1/2/2021	Local tenderness 24 h after vaccine-mild, without any warmth, redness, or objective visual/tactile signs( tenderness persists through today - day 14-very mild) . Day 4-5-diarrhea x1, day 11 noted macular erythema, warmth in the area that had been mildly sore. That evening became pruritic-mild. Margins of redness marked, no progression, Erythema today (day 14) is fainter, may just be a temporal relationship-I've noted an increase in 1st metacarpal tenderness since the vaccine

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
920062	1/5/2021	NV	57	F	12/22/2020	12/24/2020	allergic reactions; rash on all my chest and in abdomen; Itchiness; Eyes got red; eyes got red and itch; Chills; This is a spontaneous report from a contactable nurse (patient). A 57-year-old female patient received BNT162B2 (Lot: EH9899), via an unspecified route of administration on deltoid right on 22Dec2020 at single dose for COVID-19 immunization. Medical history included blood pressure high, hypothyroidism, and environmental allergies. Concomitant medications included amlodipine besilate (NORVASC) at 10 mg, daily for blood pressure high, and levothyroxine sodium (TIROSINT) at 112 mcg (ug) for hypothyroidism. Patient got Covid Vaccine on Tuesday (22Dec2020) night and was fine on Wednesday (23Dec2020). She expected the normal side effects like maybe a little fever like that but she believed she was having allergic reactions. It started from 24Dec2020 and she got a rash on all her chest and in abdomen and also just like itchiness feeling all over. So she took some diphenhydramine hydrochloride (BENADRYL) and a PPI 'a cup of' them on 24Dec2020 and she thought that she only had to do that one's today (25Dec2020) and the only thing she noticed when she got the shot (Covid Vaccine) they kept her there for like 15 minutes and her eyes got red and itch. She didn't scratch them but they felt like itchy and she never had that before. She never had a problem with the vaccine before. She didn't know if that was the true allergic reaction to the vaccines or if it just something she had internal allergies and she just didn't know what it was. But she was okay at the time of the report. She took some diphenhydramine hydrochloride a little while before and a PPI (unspecified medication). She was still itchy but it was not that bad and she seemed to be doing fine. Her arm was fine. She was not having any (unspecified), except sometimes. 24Dec2020 she had chills which she expected and she was all good but the side effects whatever happened that way was not the allergic portion. She tried to contact the doctor. The doctor just switched his clinic only for geriatric patients. She had to find another doctor. She knew a Doctor whom she could try and call and she actually went to the infectious disease physician and he said she should go to get the vaccine, now she was trying with that too. She got allergic to anything. Covid Shot was the only thing new that she had in her life but like she was not sure if it was triggered by

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							something out like (unspecified) because she had always environmental allergies too. She didn't know because she was going to consult the Physician on Monday. She was just going to see the regular doctor. She was just seeing that first that anything because she knew it didn't happen very often but the Covid vaccine she just wanted to make report. She was going to the Physician on Monday because right now she thought she didn't know how long it lasted like. Outcome of the events was unknown.
921901	1/5/2021	IL	54	F	12/17/2020	12/19/2020	About 49 hours after receiving the Pfizer mRNA COVID-19 vaccine, patient developed chest tightness, itchy throat, upper and lower eyelid swelling, lip swelling, difficult swallowing. Self-treated with prednisone 40mg, fexofenadine 1 tablet, famotidine 40mg, albuterol breathing treatment. Felt better, but then 6-8 hours later, felt chest tightness again that did not resolve with breathing treatment. Went to the Hospital Emergency Department. No epinephrine was administered. But received IV corticosteroids, diphenhydramine and famotidine, and was discharged with 6 days of oral corticosteroids
921744	1/5/2021	KY	57	F	12/30/2020	12/30/2020	Received the vaccine during break at work at approx 11:00 am. Sudden onset blinding headache with visual disturbance at 15:30 pm while working. Fifteen minutes after that the headache started to subside and I suddenly became very dizzy and was rolled to a stretcher and assisted to lie down ,associated diaphoresis and pale clammy skin. The following day, experienced significant joint pain and lethargy. I continue to have joint pain but otherwise feel relatively normal.
921764	1/5/2021	AL	28	F	1/4/2021	1/4/2021	About 1 hour after the vaccine, I developed watery eyes, itchy, runny nose, sneezing, itchy throat. This lasted throughout the day and required 50mg of Benadryl before symptoms finally subsided around 9pm that night.
921784	1/5/2021	MO	60	F	12/31/2020	1/3/2021	Fatigue on Friday 1/1/21 (2 naps resolved fatigue on 1/1/21) and daily napping resolve fatigue 1/2/21-1/4/21 Headache on Saturday, 1/2/21. Took nap to resolve Blurry vision Sunday when reading began on 1/3/21 and has not resolved as of 1/5/21. Pain behind left eye on morning of 1/5/21

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
921797	1/5/2021	TX	47	M	12/29/2020	12/30/2020	Fever of 102-103 for three days. Chills, fatigue, headache, blurred vision, dizziness, body aches, congestion, and small productive cough for five days. Fatigue, headache, slight dizziness and improving cough on days six and seven (today).
921799	1/5/2021	MN	54	F	12/30/2020	12/30/2020	Itchy eyes and hives on most of body that started 2 hours after injection. I took 50mg of Benadryl and that put me to sleep. When I woke the hives were gone but I still itches another day. I took Claritin which did not help. When I got home from work I took 25mg of Benadryl which took care of symptoms. Eyes have been itchy off and on still.
921803	1/5/2021	MA	49	F	12/29/2020	12/29/2020	When she was injecting, had pain. Then felt heat flushed down arm. Felt really hot, felt heart racing. Got tunnel vision; got dizzy and felt like she was going to faint. BP up to 160/104 with HR 140. No meds given; just water. Took 30 minutes to recover. No recurrence
921817	1/5/2021	CO	28	F	12/23/2020	12/23/2020	45-60 minutes after receiving the vaccine she had numbness on the left side of her face/cheek associated with some mild swelling to the area. Maybe some mild left tongue swelling. Normal swallowing, normal breathing. No cough. No vomiting or diarrhea. No rash. She called an urgent care who recommended Benadryl, which helped minimize the tingling sensation and swelling over the next 2 days. Over the following week she had soreness at her left jaw joint near her ear and some left eye dryness. No facial droop. Normal blinking and smiling. No facial muscle weakness noticed. She was not sick when she received the vaccine. No new medications. Tolerates NSAIDs normally without reaction. No facial fillers. Never had anaphylaxis before to anything -- foods, medications, injectables, other vaccines. No known PEG allergy. Has not used Miralax before.
921832	1/5/2021	SC	35	F	1/5/2021	1/5/2021	Feeling of warmth, flushing, pruritic, eyelid swelling

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
921864	1/5/2021	NC	29	F	12/31/2020	12/31/2020	Within 10 minutes following vaccine administration, patient had vomiting, lightheadedness, weakness, and verbalized feelings of being cold along with a very flushed appearance. Skin was slightly moist and very warm to touch. Complained she felt the same as when she was diagnosed with the coronavirus infection in March of 2020. Patient continued to experience ongoing weakness in all extremities, dizziness followed by complaints of some changes in her sense of the light with her eyes closed. Shortly thereafter patient began complaining of her heart "speeding" up. Medic arrived and transported patient to the local emergency room. On 1-2-2021 patient provided additional information including that later on the evening of the adverse event the arm where the injection was given became painful and itchy. Patient stated the pain and itching extended into Friday 1-1-2021 and then on into Saturday, 1-2-2021 she developed a sore throat, and some difficulty swallowing (described it as feeling something "stuck" in her throat) along with hoarseness. The patient also verbalized she remained weak, with a very sore arm and some small blisters which had formed on the same arm as where the injection had been given. A couple of the blisters the patient described where on the thumb of her hand as well her arm.
921865	1/5/2021	PA	43	M	1/5/2021	1/5/2021	Felt weak, dizzy, blurred vision and nausea Vitals normal except for several episodes of O2 stat 89-90. No wheezing . One dose of Diphenhydramine 25 mg dose. Back to normal in 1 hr.
921741	1/5/2021	NJ	25	F	12/23/2020	1/4/2021	On 1/4/21 at around 1:30 pm, I was getting ready for work when all of a sudden I started to feel really terrible. My heart was racing, body and face was sweating, externally nauseous, dizzy, blurred/fuzzy vision, body shaking, the room was spinning, and I was unable to stand up. This would happen every time I got out of bed and stood up. Lasted about 2 hours.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
921888	1/5/2021	NY	60	F	1/5/2021	1/5/2021	1555-pt reports left sided facial numbness/tingling, heat sensation to her left ear. Face appears flushed, respirations even and regular. BP 145/75 HR 79 RR 20. Denies any swelling, or respiratory distress 1600- Benadryl 50mg PO and Prednisone 40 mg PO given per medical directory. Pt tolerated well. BP 130/81 HR 79 RR 20 1610-no changes BP 130/89 HR 79 RR 20 1630-pt reports only mild facial tingling near left eyebrow, facial flushing improving. continues to deny any respiratory distress, denies any difficulty swallowing. BP 145/79 HR 78 RR 18. pt advised to have s/o pick her up and to f/u with emergency department or PCP. Reported understanding.
921981	1/5/2021	TX	47	F	12/28/2020	1/2/2021	Pt. reported feeling aches in her back, skin sensitivity, tiredness and chills starting the evening of 01-02-21 going into 01-03-21. She took ibuprofen on Sat. and Sunday with some improvement in symptoms starting on Monday. Today 01-05-21 she noted an approximately 4 inch in diameter oval shaped rash slightly to anterior and below to her vaccine site in the Left arm. She is also having itchy eyes, reported as an allergy symptom
921939	1/5/2021	UT	57	F	1/5/2021	1/5/2021	Patient received a Covid vaccine in right arm. Patient started c/o eye swelling, tingly nose, itchy mouth. 1108: BP 146/118 RR 16 HR 105 O2 98, starting to cough, eye swelling increased. 1112: Epinephrine 0.3 mg auto injector given in left thigh, EMS called. 1115:BP 162/112, RR 28, HR 121 O2 98, Pt states feeling better. Within 3 mins Pt started to c/o itchy throat and mouth, starts dry coughing. 1120: BP 158/112 RR 28 and labored HR 142 O2 98 2nd dose of Epi given in left thigh. Started O2 and bag valve. 1122: EMS arrived assessed client, albuterol given and transported to hospital.
921960	1/5/2021	TX	31	F	1/5/2021	1/5/2021	At 1623 patient reports itchiness all over face, tingling to jaw line & right eye twitching. BP 109/76, P 77, R 20, SpO2 100%. At 1628 pt. examined by NP, reporting no redness/swelling to throat and lungs clear upon auscultation. Pt. given oral solution of Benadryl 25 mg along with water to drink. Reports increase to itchiness to face. At 1640 Reports itchiness only along jaw line with the other symptoms resolved. BP 111/76, P 80, R 20, SpO2 98%. At 1643 patient states able to drive home.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
921988	1/5/2021	CA	54	F	12/28/2020	12/29/2020	Since 4pm Tuesday 29th, extremely lethargic, sleeping heavily and wet productive cough with clear sputum. No fever, has had body aches, lethargy, malaise, fatigue, bloodshot eyes and diarrhea, loss of appetite.
922047	1/5/2021	PA	48	F	12/18/2020	12/18/2020	Post vaccine 12/18 Shoulder and upper/mid-back soreness pretty quickly; left arm feels stiff shortly after leaving observation area (32 min in observation) 9:30 lip tingling/ numbness, headache, back soreness/tightness/ pressure continues 9:40 hearing muted, fullness/mild pressure in ears - first left then right a little later Headache waxes and wanes - at times feels like vice squeezing my head 11:50 heartburn sensation 12:00 localized swelling/ knot at injection site 12:04 wave of nausea/ mild heartburn Headache continues off and on 3:30 ear ache, nausea, stiff joints, arm/shoulder/back pain, neck pain 16:00 dizzy/ nausea 16:22 flushed feeling in cheeks and neck; itchy cheeks, neck, chest 16:50 still flushed, itchy all over, heart palpitations. Fitbit shows HR 78 Hives for several hours. Hives gone by morning but still intermittently itchy. Eyes itchy/ feels like a contact lens is stuck in a wrong spot (have not worn contacts in 12+ years) Very mild cough started in evening 12/19 Hives in afternoon; itching off and on all day HR 91 (21:30) 21:43 HR 97 dizziness, headache 22:00 hives on face and abdomen 23:09 eye hurts again and is so itchy I want to rip it out of the socket, headache persists 12/20 Mild-to moderate itchiness upon waking, Itchiness off and an Mild headache off and on 9:15 heaviness in chest - feel I like do just before I get bronchitis, very mild cough Itchiness throughout the day. Hives on face in evening/Skin has a sunburn-type feeling Hives on neck and chest at bedtime Eyes itching then hurting - feels almost like pink eye type sensation As I was dozing off to sleep, heart palpitations - HR 97 12/21 Itchy/ hives on face, neck, upper chest By 12/21 afternoon, itchiness and hives abated. No further symptoms
922107	1/5/2021	PA	71	F	12/29/2020	12/31/2020	Severe dizziness! Room spinning like merry go round. Lasted almost 30 hours. Only med taken was Tylenol. Was unable to walk. Had to lie flat with eyes closed .After lightheaded for at least 2days.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
922199	1/5/2021	CT	65	F	12/29/2020	12/29/2020	20-30 minutes after the shot I started feeling tightness in my face and I felt like it was swollen. And eyes started feeling puffy especially my left one but when I looked in the mirror nothing was swollen. About 30 minutes later I took a Benadryl. It started feeling better but the sensation took about 24 hours to go away totally on my face and a few hours later for my eyes to feel normal.
922251	1/5/2021	MI	78	F	1/4/2021	1/4/2021	Patient reported blurry vision shortly after vaccination while being monitored. No other side effects reported. Patient was monitored until symptoms eventually resolved.
922276	1/5/2021	OR	41	F	1/5/2021	1/5/2021	1845 PATIENT REPORTS HEART PALPITATIONS, FLUSHED FACE, FEELING WARM, ICE PACK TO NECK, FEELING NAUSEATED. 1848 BP 161/114 HR 112. 1852 BP 148/91 HR 92 PATIENT RESTING. 1900-1910 PATIENT FEELS LIKE SHES "HAVING A DRY THROAT, "A LITTLE SHORT OF BREATH, AND TIGHT IN CHEST." BP 144/95 HR 84 SAO2 99%. ICE PACK TO NECK. PT OFFERED H2O AND JUICE. RELAXING WITH EYES CLOSED. 1920-1928 BP156/97 100% PATIENT FEELING ANXIOUS. DEEP BREATHING. 1938-1949 PATIENT MOVED TO QUIET AREA UNDER OBSERVATION. BP 138/93 HR 81 SAO2 99%, FEELING BETTER, NO NAUSEA, SCRATCHY THROAT IMPROVING, DENIES SEVERE ANXIETY. 1959 PATIENT FEELING BETTER, NO RASH, THROAT TIGHTNESS OR ANXIETY, VSS, CHEST TIGHT BUT BETTER, PATIENT REPORTS SIMILIAR TO BASELINE. PATIENT STABLE WANTING TO GO HOME. AWARE OF NEEDING TO SEEK MEDICAL CARE THROUGH ER OR HER PROVIDER IF SYMPTOMS WORSEN.
922699	1/5/2021	IN	54	F	12/23/2020	12/26/2020	Within 72 hrs. of receiving the first dose of her Pfizer vaccine she developed sharp headache unlike any headaches that she has had in the past, located bilateral frontal and on top of her head. Not associated with photophobia, phonophobia, nausea, vomiting, or vision changes, but can be severe enough that she has to sit down

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
920044	1/5/2021	TX	36	F	12/24/2020	12/25/2020	Left Red eye; Sore right arm; This is a spontaneous report from a contactable nurse. This 36-year-old female nurse reported for herself that a 36-years-old female patient started to receive bnt162b2 (BNT162B2; Brand: Pfizer; Dose number: 1), intramuscular on 24Dec2020 15:45 at SINGLE DOSE at Vaccine location of Right arm for covid-19 immunisation. Patient was not Pregnant at the time of vaccination. Medical history included Graves disease. Patient had none Known allergies. The patient had no Allergies to medications, food, or other products. Concomitant medication included spironolactone (ALDACTONE), methimazole (METHIMAZOLE) within 2 weeks of vaccination. The patient experienced left red eye and sore right arm, both on 25Dec2020 with outcome of not recovered. No treatment received. The events reported as non-serious. Facility where the most recent COVID-19 vaccine was administered was Hospital. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination the patient hasn't been tested for COVID-19. Information on the lot/batch number has been requested.
921127	1/5/2021	CA	55	M	12/18/2020	12/19/2020	REDNESS IN RT EYE, RUPTURE OF BLOOD VESSELS IN RT EYE. . USE EYE DROPS FOR ABOUT A WEEK AND IT RESOLVED IN ONE WEEK

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
921870	1/5/2021	WA	46	F	1/3/2021	1/3/2021	<p>Patient is a 46 y.o. female. Chief Complaint Patient presents with ? Allergic reaction allergic reation to covid vaccine Patient had a covid vaccine Patient works for dermatology and cosmetic. The patient is a CMA Had filler injections on the face. Jaw line and Nasolabial folds on 12/29/2020 Juviderm and Define Resilin . Has had facial fillers for three to four years. No other implants or silicone in other body locations No history of sulfa allergy No history of anaphylaxis. About 120 after the Moderna vaccination, was in the car still in the parking lot got a flush feeling and got hot chest tightening, heart pounding. Weird taste in the month. Did not feel like she was going to vomit. Then got shaky. Face feels numb and swollen. Is not itchy. No hives. Patient husband was driving, turned around And then pulled up. The RN on the observation deck gave EPI pen in the left thigh while she was still in the car. Driving home from getting Covid vaccine. Felt flushed, weird taste in mouth, chest tightening, palpitations, face swelling. Is patient concerned about a specific cause for the current symptoms? Yes Covid vaccine Onset of symptoms: 2:25pm 1/3/2021. Symptoms include: hives, rash or generalized itching, throat or tongue tingling, itching, or swelling and facial swelling. Rash distribution: Face. How are symptoms changing over time? worsening. Patient describes symptoms as severe. Has patient tried any treatment for these symptoms? Yes epi in left thigh What makes the symptoms better? Epi made breathing better What makes the symptoms worse? nothing Associated symptoms: o Fever No o Sore throat No o Recent illness No o Exposure to person(s) with similar rash No Objective: BP 106/72   Pulse 77   Temp 97.8 °F (36.6 °C) (Oral)   Resp 14   SpO2 97% General:well-hydrated, well nourished, no acute distress HEENT: swelling where fillers have been used around the lips, nose, cheeks Neck: nontender, no masses Lung: clear to auscultation bilaterally Heart: regular rhythm, tachycardia noted and no murmurs, clicks, or gallops. Extremities: extremities normal, atraumatic, no cyanosis or edema Skin: flushed on face and neck and chest No urticaria No other rashes Neuro: alert, orientation normal, speech normal pupillary response normal bilaterally extraocular motions normal tongue midline no facial weakness or asymmetry we have pictures in her</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							medical record. this appears to be a dermal filler reaction. the patient did receive epi as the first nurse who responded while she was in the car saw the facial eyelid swelling and redness and administered IM epi. Once we were able to move the patient into the clinic it was apparent that the person had no anaphylaxis symptoms. she was not itching, did not have hives, no stridor or wheezing or hypotension. she was discharge on a Medrol dose pack. advised not to get a second vaccine dose.
921285	1/5/2021	RI	52	F	12/21/2020	12/1/2020	Mild to severe headache behind her eye and sinus area; Mild to severe headache behind her eye and sinus area; This is a spontaneous report from a contactable consumer. A 52-year-old female patient received bnt162b2 (BNT162B2, Manufacturer Pfizer-BioNTech), via an unspecified route of administration, on 21Dec2020 at 10:15 AM, at single dose, for COVID-19 immunisation. Medical history included peanut allergy, penicillin allergy and nut allergy (unknown if ongoing). Prior to vaccination the patient was not diagnosed with COVID-19. Concomitant medications were not reported. The patient experienced mild to severe headache in Dec2020, days after the COVID-19 injection. Main complaint was headache behind her eye and sinus area. The event required physician office visit on 29Dec2020. It was unknown if the event required any treatment. The events was considered as non serious. The patient was unsure if this was related to the vaccine but informed the reporter. No follow-up attempts are possible; information about lot/batch number cannot be obtained.
922012	1/5/2021	CA	32	M	1/4/2021	1/4/2021	Redness swelling and tender to touch to left eye
921668	1/5/2021	NV	45	F	12/28/2020	12/30/2020	Pouring sweat, hives, light headedness and dizziness and tremors, weakness, burning, itching of all skin, blurred vision
921156	1/5/2021	TX	46	F	1/4/2021	1/4/2021	NUMBNESS TO TONGUE 10-15 MINUTES AFTER VACCINE, FEW HOURS LATER MOUTH NOT CLOSING ALL THE WAY FELT NUMB, THEN STARTED WITH LEFT EYE NOT BLINKING AND LEFT EYE TEARING

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
921167	1/5/2021	OH	42	F	12/30/2020	1/4/2021	Swelling on right side of face, tingling, numbness up to Right eye and into Right side of neck (started 1/4 - lasted approximately 10 hours)
921221	1/5/2021			U	12/25/2020	12/25/2020	eye and mouth swelling; eye and mouth swelling; injection site pain; unable to think straight; low energy; sweats; mild diarrhea; Chills; headache; bodyache; cough; dry throat; This is a spontaneous report from a non-contactable Other HCP reported that an adult patient receives first dose of BNT162B2 (COVID-19 MRNA VACCINE BIONTECH, Lot/Batch Number and Expiration Date unknown) intramuscularly on 25Dec2020 at single dose for covid-19 immunization. The patient's medical history included allergies to Pollen/dust, extreme weather. The concomitant medications were not reported. The patient experienced Chills, sweats, headache, bodyache, cough, dry throat, eye and mouth swelling (after 24 hours), injection site pain, unable to think straight, low energy, mild diarrhea. Adverse event start date: 25Dec2020. The patient been tested for COVID-19 and no COVID-19 prior vaccination. There is other vaccine in four weeks. The outcome of events was recovering. No follow-up attempts are possible; information about lot/batch number cannot be obtained.
921272	1/5/2021	VA	52	M	12/17/2020	12/18/2020	Stye developed over right eyelid; This is a spontaneous report from a contactable other hcp (patient). A 52-year-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: Ek5730) intramuscularly at left arm on 17Dec2020 14:00 at single dose for COVID-19 immunisation. The patient medical history and concomitant medications were not reported. Patient experienced stye developed over right eyelid on 18Dec2020 06:00. No treatment received. The event is non-serious. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. The outcome of the event was recovered on an unspecified date in Dec2020. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
921294	1/5/2021	TN	40	F	12/29/2020	12/29/2020	eye pain; sensitivity to light; headache/Headache worsened/migraine; This is a spontaneous report from a non-contactable healthcare professional. A 40-year-old female patient received BNT162B2 on 29Dec2020 12:30 at left arm at single dose for COVID-19 immunization. Medical history included chronic kidney disease. Concomitant medications included labetalol, lisinopril, tolvaptan (JYNARQUE), calcium, and ascorbic acid/ferrous fumarate (VITRON C). Patient experienced headache the night on 29Dec2020 21:00 after took the vaccine. Slept the night without much trouble. Headache worsened in the morning, almost felt like a migraine attack with sensitivity to light and eye pain etc. on 30Dec2020. Treatment was not received for these events. Outcome of the events was not resolved. No follow-up attempts are possible; information about lot/batch number cannot be obtained.
921154	1/5/2021	CA	40	M	1/4/2021	1/4/2021	Initially patient felt warmth on top of head and around eyes and ears 20 minutes later experienced fuzzy vision, pain in back of right eye Warmth on top of head and around ears has gone away as well as fuzziness but patient is still feeling consistent pain behind right eye
921307	1/5/2021	WA	48	F	12/28/2020	12/28/2020	Symptoms: eyelids swelling/itching, nasal/sinus swelling, nasopharyngeal swelling, circumoral swelling-around mouth and lips, not inside mouth. Administered nasal Flonase 2 pumps each nare and 50 mg Benadryl at 2230. At 0430 next morning 12/29, swelling decreased, eyelids remained swollen and minimal swelling in nasal/sinus area. Continued Benadryl 50 mg every 6 hours x 3 doses, by 1900 on 12/29 swelling resolved
921360	1/5/2021	MN	52	F	1/4/2021	1/4/2021	About a half hour after receiving the vaccine I started feeling a numbness under my right eye that progressed slowly progressed to around my right eye, cheek, ear and upper right side of my teeth. I was able to move my muscles (no crooked smile) and close my eyes completely. Today I still have this strange feeling but it's very subtle. This hasn't worsened at all since yesterday but hasn't gone away either.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
921362	1/5/2021	NJ	30	F	12/29/2020	12/29/2020	12/29/2020 VACCINATION. WAS IN SITTING AREA, FELT FINE. AFTER 20 MINUTES, WALKED OUT OF ROOM AND FELT LIGHT HEADED AND DIZZY. NEAR SYNCOPY EPISODE, TUNNEL VISION, PALE.
921377	1/5/2021	AR	60	F	1/5/2021	1/5/2021	Patient experienced a bit of flushing, itchiness in nose, eyes, tingling in mouth/scalp, and a little throat tightness after initial monitoring period of 15 minutes. Occurred 1-2 hours after dose admin. Resolved with no treatment, though Benadryl was recommended.
921618	1/5/2021	PA	49	F	1/2/2021	1/2/2021	Headache, dizziness, numbness/soreness in the left side of my face-cheek, eye, mouth, and tongue areas. Affects similar to receiving a Novocain shot. No treatment, went away on its own Lasted four hours-was closely monitored
921658	1/5/2021	CA	42	F	1/4/2021	1/4/2021	arm pain all the way down to fingers unable to lift arm past head dizzy weak headache nausea chills no fever exhausted no appetite arm pain is 60% better today no redness at injection site mild swelling at injection site mentally foggy weak vision
921633	1/5/2021	NY	26	F	12/30/2020	12/30/2020	The night after the covid vaccine, the patient started experiencing left-side facial numbness and tingling of the V2 and V3. Patient also started experiencing ear pain. Patient also had uncontrollable drooling and dry eye. The next day, the patient went to work and there the adverse events started worsening. Patient went to the ER and did a full workup. CT scan to rule out stroke and full blood work. As per the neurologist (MD), patient is developing mild Bell's Palsy. No course of treatment was given.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
921235	1/5/2021	UT	43	F	12/23/2020	12/23/2020	sore arm; Extreme fatigue; My arms felt like lead for three days; I felt so sleepy/I felt like I could barely keep my eyes open for three days; mild headache; menstrual cramps; diarrhea; I had bizarre dreams like being attacked by zombies for three days; chills; This is a spontaneous report from a contactable pharmacist. A 43-year-old non-pregnant female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EJ1686), via an unspecified route of administration at Left arm on 23Dec2020 17:45 at single dose for covid-19 immunization. Patient known allergies included Imitrex, beef, grass, weeds, trees, Cats. Other medical history included Asthma, allergies, migraine, Premenstrual syndrome (PMS), overweight. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine but received other medications in two weeks. The COVID-19 vaccine was administered at Hospital. The patient experienced extreme fatigue. Her arms felt like lead for three days, and she felt so sleepy. She felt like she could barely keep her eyes open for three days. She had a mild headache. It triggered menstrual cramps and diarrhea for three days. She had bizarre dreams like being attacked by zombies for three days. She had chills for a few hours. She had a sore arm for a couple of days. Adverse events start date was 23Dec2020 10:00 PM. Treatment included Tylenol. Prior to vaccination, the patient was not diagnosed with COVID-19 and since the vaccination, the patient was not been tested for COVID-19. Outcome of chills was recovered on 24Dec2020, of headache, chills, fatigue and sore arm was recovered in Dec2020, of other events was recovered on 26Dec2020.
921386	1/5/2021	ME	33	M	12/30/2020	12/30/2020	Patient was vaccinated in upper left arm with COVID Moderna vaccine on 12/30/20 at around 4:25 p.m. Around 5:00 p.m. patient developed tingling feeling in left side of face which lasted remainder of day. Patient took Benadryl which seemed to help symptoms. On 12/31/20 left side of face had slight swelling which went away over course of day. Tingling has continued on and off since 12/30/20 and at times has manifested as mild jaw or muscle pain on left side of face. No diminished function in eye, mouth, and no paralysis or sagging in facial features.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
921621	1/5/2021	MI	24	F	12/31/2020	1/1/2021	A day after the vaccine, the patient experienced joint pain and muscle aches, and both eyes started to swell with redness in both eyes. This continued for 5 days post-vaccination. Eyes were not dry, but just swollen. Pt took Tylenol and put compresses on her eyes at home. Symptoms are now resolving. Patient instructed to follow up with her PCP should symptoms continue or worsen. Patient said she was just reporting so we'd be aware but felt she was getting better.
921625	1/5/2021	CA		F	12/21/2020	12/23/2020	Tuesday 12/22/20, right side of face was itchy and swollen, both top of eyelids red and itchy, took bendryl and it relieved symptoms
921579	1/5/2021		33	M	1/4/2021	1/4/2021	Employee got the Pfizer lot EL1284 on 01-04-2021 in left arm. There is now a bump about quarter of an inch high. It is not painful or itchy. Will keep an eye on it, use ice and Tylenol as needed.
921578	1/5/2021	FL	50	F	1/5/2021	1/5/2021	At 0919 I was made aware that this Team Member (TM) was complaining of being dizzy and fast heart rate. Face flushed and respirations labored. Tm given water and crackers. At 0927 TM stated " I am not really felling well." TM hyperventilating , face flushed. Rapid Response Team ( RRT) called. Tm transferred to a gurney and moved to another room for privacy. RN RRT and APRN responded to code. 0932 Benadryl 50 mg given by mouth. 0938 . Dr. responded. Per Dr., Most likely a vasovagal response but requested TM call a family member to pick her up. 0940 VS BP 145/94 P 97. 1003 Resting with her eyes closed, respirations even, non labored. 1026 Assisted bby this nurse to her husbands car.
921564	1/5/2021	TX	50	F	1/4/2021	1/4/2021	Upon administration, felt an immediate thickening on left side of throat and numbness on left side of face under eye and on cheek bone. Associate stayed for observation period of 15 minutes and was released to return to work.
921530	1/5/2021	MI	58	F	1/5/2021	1/5/2021	Dizziness, loss of vision

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
921504	1/5/2021	ME	24	F	12/29/2020	12/29/2020	Patient experienced "something wrong with her throat", life side of neck and face were numb, left eye was dropping, tongue felt thick. Patient was referred to the ER but was not seen in the ER. Symptoms resolved overnight.
921426	1/5/2021	GA	58	M	12/29/2020	12/30/2020	blurred vision, elevated BP Went to PCP. Given BP med and advised not to take second dose of vaccine
921389	1/5/2021	SC	38	F	1/1/2021	1/5/2021	5 minutes after receiving vaccine: Itchy throat Mouth numb Runny nose 30 minutes Eyes watering Headache
918530	1/4/2021		58	M	12/29/2020	12/29/2020	30 minutes after receiving the vaccine the patient developed hives, scratchy eyes, and a scratchy throat. He reported to the ED and was given Benadryl, methylprednisolone, and famotidine. His symptoms resolved and he was shortly thereafter discharged.
918834	1/4/2021	IL	27	F	12/22/2020	12/28/2020	After the shot I was very light headed , and was taken to the side. Ate some candy , and felt better after. About 6 days later is when I woke up with really puffy eyes. Then next day I noticed swelling on the bottom of my mouth , on both sides. Also , my whole right side of my face is swollen with a lot of pressure in it.
918637	1/4/2021	VA	43	F	12/18/2020	12/21/2020	Right sided jaw pain started 12/22/20 in the am progressed through the evening. When I woke up I had numbness and weakness in the right of my tongue which I quickly realized included the right portion of my face. Included tongue was numb and I couldn't move it. An Er trip and CT scan confirmed it was Bells Palsy. Today, My symptoms continue. Top of my head all the way to the way to bottom of neck is experiencing paralysis. Can move tongue now and it's partly numb but it's cooperating a bit more now. Nerve pain has worsened all over all the right side of face. Feels like someone has kicked face and I have a deep bruise. It's a deep ache. Nothing will take away the ache away. My eye doesn't lubricate like it should. So I have to either manually close it and wet it manually or tape it closed.
918499	1/4/2021	WI	27	F	12/29/2020	12/29/2020	lightheaded, dizzy, tunnel vision, sweaty, felt like passing out within minutes of receiving vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
918655	1/4/2021	NY	26	M	12/22/2020	12/22/2020	After receiving the vaccine in the morning, patient developed eye swelling later on that evening, for which he took diphenhydramine 50 mg orally once. He felt better the next day, however the swelling came back the following day (12/24) in addition to eye itchiness. He was prescribed prednisone 60 mg orally daily for 5 days and diphenhydramine 50 mg q6h.
918677	1/4/2021	MT	57	M	12/30/2020	12/30/2020	Recipient described feeling dizzy with blurry vision. Vitals taken. All WNL, except blood pressure elevated to 142/90. He was escorted to wheel chair and remained with us for 15 minutes. He was still reporting blurry vision and some dizziness. Vital signs remained stable with approximately same elevated BP. He was taken to Emergency Department for observation.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
918759	1/4/2021	NC	35	F	12/23/2020	12/24/2020	<p>burst blood vessel in left eye/blood in her eye; This is a spontaneous report from a contactable physician (patient). A 35-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (lot number EH9899, expiry date 01Mar2021), via an unspecified route of administration on 23Dec2020 at single dose for covid-19 immunization. Vaccine location was left deltoid. The facility type vaccine was hospital. Medical history included ongoing rheumatoid arthritis for about 8 years. No known allergies. Patient didn't do relevant test. Concomitant medication included duloxetine hydrochloride (CYMBALTA) for rheumatoid arthritis for 2 years, sulfasalazine for rheumatoid arthritis for 4 months, it's unknown if they were ongoing. The patient didn't receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient received the vaccine yesterday (23Dec2020), which she was very excited about, but today (24Dec2020) she woke up with a burst blood vessel in her left eye, she appears to have blood in her eye. This has never happened to her before. She knows this can occur with patients that have COVID but didn't know if it was a side effect to receiving the vaccine. Patient didn't receive treatment for the adverse event. The action taken in response to the event for BNT162B2 was not applicable. The outcome of event was not recovered. The relatedness between COVID vaccine and event "burst blood vessel in left eye" was related by reporter. Pfizer is a marketing authorization holder of [BNT162B2] in the country of incidence or the country where the product was purchased (if different). This may be a duplicate report if another marketing authorization holder of [BNT162B2] has submitted the same report to the regulatory authorities.; Sender's Comments: "Burst blood vessel in eye" is not uncommon in general population, and there are many causes of the event. Considering temporal relationship, a contribution role of the injection of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) to the reported Eye haemorrhage cannot be excluded. The case will be reassessed should additional information become available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
918601	1/4/2021	AZ	26	F	12/30/2020	12/30/2020	pt experienced blurred vision with dark spots and chest tightness Rph gave 1 diphenhydramine 25mg pt went home with husband

appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
918861	1/4/2021	MO	41	F	12/31/2020	12/31/2020	12/31/20 10:30a Vaccine given 10:48a Left the vaccine observation room 11:30a Started feeling warm like maybe my temp was increasing, face was red 12:00p had what felt like an adrenaline spike through my body became hot and jittery feeling. 12:30p The spikes started coming in waves, like a full body hot flash. Was very shaky and my tongue felt itchy and tight; not swollen just tight 12:40p made it home and took Benadryl 1:00p symptoms dissipated, ate a chicken salad sandwich thinking that would help with the jittery feeling. 1:25p The whole body flash came back and the tightness in the tongue increased. 1:27p Called employee health for information on this type of reaction. Wanted to call me an ambulance, I declined. After much discussion they suggested I come back to the vaccination observation room where they have epi, then decided it best that I go to Urgent Care. 1:40 on the way to town I told my husband to take me to the ED instead as my bottom lip felt swollen and tight, and my tongue felt thick like it was a bit swollen too. Was not short of breath, airway did not feel compromised, breathing normal, and heart rate normal. 3:01 Was given 40mg Methylprednisone (solumedrol) & 20mg famotidine (Pepcid) given-immediate improvement in tongue thickness and swollen lips. 440p 50mg Diphenhydramine (Benadryl), 10mg loratadine (Claritin), & 40mg prednisone given prior to discharge 8:20p Top lip started to swell just before my next dose of Benadryl 8:30p Took next dose of Benadryl, once it kicked in had quick resolution of lip swelling 9:00p joint pain started setting in, was uncomfortable but not too painful 1/121 Joint pain is still present but not uncomfortable. Injection arm a little sore, no redness or swelling at site of injection. Swelling of mouth, face and tongue is persistent as it nears the 4-hour mark for 50mg of Benadryl. 1p ate a couple of bites of chicken fried steak, face is increasing in redness and swelling, and mild tongue swelling. At max dose of Benadryl per box states to only take 6 doses in a 24 hour period. 2p Mouth and face swelling not relieved with Benadryl 2:52p checked into ED for 2nd time. 4:08 Given 10mg dexamethasone (decadron), 20mg famotidine (Pepcid), 10mg montelukast (singular) Swelling improved. 5:54p Potassium low on lab work given 40 mEq of potassium chloride 6:00p discharge with scripts for famotidine, epi pen, montelukast 7:00p taken 25mg of Benadryl 8:20p

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							lips feel mildly swollen again. 8:45p next dose of 25mg Benadryl. Did not have complete resolution of swelling but did improve. Mild hives, swelling of hands and feet. 1/2/21 All joint pain is gone, and injection site pain is only noticeable if someone bumps into my arm. 6a 25mg Benadryl & Pepcid 10a 25mg Benadryl 2p 25mg of Benadryl 3:30pm felt fine all day with only mild swelling and redness to hands, ate chicken nachos. Face became very hot (like my face was too close to the oven when I open it), redness from eyes down, lips swollen, mild itchiness too the tongue but nothing too concerning. 4p 25mg Benadryl I strongly believe the exacerbating factor is eating as all times the symptoms increased in intensity I had just eaten. After discussion with Dr. will be cutting out chicken (chicken was eaten before all 3 instances) and all other meats until complete resolution of symptoms and will avoid any inflammatory foods such as nuts, berries and shellfish. 7p 25mg Benadryl & Claritin taken 7:30p ate a banana, no reaction 8p Singular taken 9:30p put Vaseline on my lips, face & ears flamed hot and swelling and redness followed. 9:45p took 25mg Benadryl 10:25p tongue thick feeling 11p took 25mg Benadryl tongue still feels thick 1/3/21 Fevers 101.6 and chills started in the night Face and lips are permanently swollen and red despite all the meds I'm taking. Lymph nodes are all swollen. I'm too afraid to eat for fear of more swelling while my face is already so swollen.
918866	1/4/2021	KS	40	F	12/31/2020	12/31/2020	Chest started tightening then started having a hard time swallowing. Felt dizzy, faint, and as though I was going to pass out. Epi pen was administered when I wasn't able to swallow. Was taken to ER on a stretcher, however they said on the way, I wasn't responding and couldn't open my eyes. Muscles began cramping and loss sensation in limbs. Hands wouldn't open up as they cramped. Blood pressure kept going up and down.
918868	1/4/2021	OH	33	M	12/23/2020	12/25/2020	2 days after vaccination, patient had upper lip swelling, swelling of the top gums in mouth, itchiness, and a rash on both wrists. He took prednisone, Benadryl, and Pepcid and this resolved. Then, 3 days after this (5 days after vaccination), the patient had right eye swelling. He took prednisone and Claritin and this resolved.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
918899	1/4/2021	IL	48	M	12/28/2020	12/29/2020	I had right sided headache for the first two days, then resolved. The right sided headaches recurred along with right tongue numbness initially on 12/29/2020. The symptoms worsen on 12/31/2020 and severe on 1/1/2021. I was initially started on Valtrex thinking it maybe due to shingles but soon with the right sided facial paralysis, it was obvious it was Bell's Palsy and was started on steroids on 1/1/21 and also received acupuncture treatment on 1/2/21 which significant help improve the symptoms. I still have some residual weakness of the right eye with some tearing and mouth weakness.
919022	1/4/2021	MD	28	M	9/2/2020	9/2/2020	Complete loss of vision in the left eye 12 hours after receiving second dose (Moderna mRNA-1273) while having a fever of 102 F for 6 hours. Loss of vision lasted for 1 minute. Loss of vision occurred while standing. Referral to primary care and ophthalmology specialist found normal eye exam and MRI of orbits but presence of tachycardia especially while standing (fluctuations between 60 beats at rest/laying down to 130 beats per minute standing). Postural tachycardia syndrome (POTS) is suspected. Currently pursuing cardiac workup with cardiologist and Covid POTS specialist. POTS specialist believes autoantibody development after vaccination could be suspected as recovering covid patients similarly present to clinic with POTS like symptoms.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
918479	1/4/2021	NH	37	F	12/28/2020	12/28/2020	<p>The patient is a 37-year-old female presenting to the emergency department with an allergic reaction after receiving a Covid vaccine. Began having palpitations and flushing 5 minutes after the injection. Reported a heaviness in her throat. This has not improved but not worsening. Reports some difficulty swallowing. Denies any difficulty breathing. Denies rash. Has never had similar symptoms previously. Denies fever chills nausea vomiting lightheadedness or dizziness. Symptoms have been constant since onset. Has not taken anything to alleviate her symptoms. Review of Systems</p> <p>Constitutional: Negative for activity change, chills and fever. HENT: Negative for congestion and rhinorrhea. Throat swelling trouble swallowing Eyes: Negative for pain and visual disturbance. Respiratory: Negative for chest tightness and shortness of breath. Cardiovascular: Positive for palpitations. Negative for chest pain. Gastrointestinal: Negative for abdominal pain, nausea and vomiting. Endocrine: Negative for polydipsia and polyuria. Genitourinary: Negative for dysuria and flank pain. Musculoskeletal: Negative for back pain and myalgias. Skin: Negative for rash and wound. Neurological: Negative for weakness and headaches. Psychiatric/Behavioral: Negative for confusion and suicidal ideas. All other systems reviewed and are negative. BP 114/69   Pulse (!) 106   Temp 36.9 °C (98.5 °F) (Oral)   Resp 21   Ht 162.6 cm (5' 4")   Wt 84 kg (185 lb 3 oz)   SpO2 98%   BMI 31.79 kg/m²</p> <p>Physical Exam Vitals signs and nursing note reviewed. Constitutional: General: She is not in acute distress. Appearance: She is well-developed. HENT: Mouth/Throat: Comments: Uvula slightly edematous, tongue does not appear swollen, lips are not swollen, no stridor, breathing comfortably and speaking in full sentences Eyes: Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Neck: Musculoskeletal: Normal range of motion and neck supple. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Breath sounds: Normal breath sounds. No stridor. Abdominal: Palpations: Abdomen is soft. Tenderness: There is no abdominal tenderness. There is no guarding or rebound. Skin: General: Skin is warm and dry. Capillary Refill:</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							Capillary refill takes less than 2 seconds. Findings: No rash. Comments: No obvious rash Neurological: Mental Status: She is alert and oriented to person, place, and time. Cranial Nerves: No cranial nerve deficit.
918177	1/4/2021	KY	68	F	12/23/2020	12/24/2020	riggins, fever,, severe body aches, flank pain, headache, eyes hurt
919137	1/4/2021	MI	37	F	12/18/2020	12/20/2020	48 hours after injection developed micro-hemorrhages in her right eye. Symptoms resolved and 12/29 recurrence of bleeding to right eye slightly worse than before.
918884	1/4/2021	MO	30	F	12/29/2020	12/29/2020	Pfizer-BioNTech COVID-19 Vaccine: On the day I received the first does of the vaccine, I felt fine until about 6 hours later. At that point, I started to get very dizzy and lightheaded. Every time I opened my eyes, everything was spinning. This lasted four about 3-4 hours. I kept breaking out into sweats. I had a horrible headache for about 4 days straight. I am still continuing to having headaches. I am still having hot flashes and dizziness episodes at times that go away after about a few minutes. Two days ago, I stated to developing swelling in my hands with achy joints which has not gone away.
918276	1/4/2021	MI	54	F	12/30/2020	12/31/2020	Migraine for 2 days controlled with medication, Severe swollen eyes with discharge from eyes, itchy, red watery eyes began the evening of the vaccine and ongoing. using BENEDRYL and ALLEGRA to decrease symptoms.
919115	1/4/2021	NV	59	F	12/30/2020	12/30/2020	Fever 103.8, shaking chills, severe headache, body?s aches, burning eyes, dizziness
919148	1/4/2021	IN	59	M	1/4/2021	1/4/2021	Patient received his vaccine and waited the 15 minute observation period before leaving the clinic. At 2:00 he returned to the clinic, stating to the paramedic that he felt like he was having an episode of Bell's Palsy. His vital signs were checked and were as follows: BP 169/96 mmHg, HR 72 bpm, O2 sat 99%. The patient has right sided tingling extending from the eye to the mouth. He had no visual changes. The patient was offered transport to the hospital and further medical treatment. He refused transport or treatment and left the vaccination clinic.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
918074	1/4/2021	LA	47	F	12/14/2020	12/14/2020	Migraine with nausea and dizziness preceded by visual aura, severe left arm pain (could not raise arm without significant pain), left wrist pain
918078	1/4/2021	KY	44	M	12/31/2020	12/31/2020	4 hours after vaccine, sore arm, fatigue, headache, blurred vision 12 hours after vaccine, full body tremors, fever of 102, extreme muscle weakness, fatigue, deep chest cough, shortness of breath. fatigue, weakness and cough continued for three days after vaccine before subsiding
918081	1/4/2021	NY	26	M	12/30/2020	12/31/2020	I received the shot around 0730 on 12/30/2020. Went home and got ready for work. Around 12am 12/31/2020 my arm started to radiate at the injection site and was very tense. I placed a heat pack on the right arm but the pain did not dissipate. My arm continued to be in pain for the rest of the night. Around 0240 I ate dinner, had water and still had some arm pain. Around 0345 my arm started to flare up and sent pain sensations throughout my body. My right arm was increasingly discomforting, I could barely move it. The sensations spread to my legs, numbing them and my throat had felt as if it were closing up. I got up to get the attention of the nurse and was able to flag her down. She said I was pale as a ghost. My vision was very blurry, I could not hear anything because my ears had filled up and everything was muffled. My head had begun to ring and I was on the brink of fainting when a chair was given to me. My eyes had become extremely sensitive to the light, I was given water and spoken to about what had happened leading up to the event. I was greeted by the paramedics who drew my blood, placed an IV and transferred me to the Acute Care portion of the Emergency Department. My vitals were 76/49, 80/50, 90/56, 100/60 before being brought to the ER. On 1/1/2021 My thighs have been sore/tense, my knees and ankles have been stiff and just feeling sickly. On 1/2/2021 much of the same symptoms are present. The soreness in the muscles isn't as prevalent, however joints still are stiff On 1/3/2021, congestion and runny nose are still present, stiffness in ankles and now shins are prevalent.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
918094	1/4/2021	NM	54	F	12/28/2020	12/30/2020	Pain and swelling in arm where injection was received. Lymph nodes in axilla and in neck were also swollen and painful. Eyes were described as "glassy", Two medications prescribed Lidocaine Patch and Naproxen
918211	1/4/2021	FL	52	F	12/31/2020	12/31/2020	Pfizer-BioNTech COVID-19 Vaccine EUA - Patient with history of anaphylaxis requiring intubation to benzonatate. Patient answered "no" to questionnaire about allergic reactions prior to vaccination. 11 minutes after vaccination, patient reported tingling of lips and swelling of face. Developed hoarseness. SWAT was called and patient given benadryl and taken to ED (1055). Patient received steroids and H1/H2 blockers in addition to epinephrine. Patient brought to ICU for monitoring. Patient continued on therapy and was discharged 1/2 at 1113. Patient returned to ED on 1/3 at 1558 with macular papular rash on leg, chest and back with itching on eyelids and face. No respiratory involvement. Patient given benadryl and prednisone and discharged from ED at 2016.
918231	1/4/2021	OH	44	F	12/30/2020	1/2/2021	first 24 hours: nausea, left arm pain and heaviness 1/2/2021 until present: body aches, very strong headache, sore throat, very tired, coughing with pain, flushed, feel as if my eyes are on fire.
918267	1/4/2021	MA	59	F	12/28/2020	12/28/2020	C/O of "smokey vision", outside in parking lot. Sat in car for about 10 minutes before coming into the building. A&O, ambulatory, denies dizziness, HA or lightheadedness. States feels SOB with exertion, "heaviness in trachea" increasing with inspiration. Hand off to EMTs. EKG performed, Sinus Tach 108 initially then NSR 80s-90s with occ MF PVCs, couplets. BP 162/94, O2SAT 100% RA, BS POC 208. Patient brought to ER by EMTs
918473	1/4/2021	KY	40	F	12/29/2020	12/30/2020	sore arm for 48 hours, headache for 48 hours and burning/hot eyes for 48 hours

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
918285	1/4/2021	IA	40	F	12/29/2020	12/29/2020	I got the shot, didn't feel it at all so it went good. I went to the bathroom and went pee and got my arm back in my long sleeve shirt under my scrub top. I wasn't anxious about getting the vaccine. Then I went to sit down and be monitored. After about another minute I felt very weird like a warm feeling going all over my body. I started pulling my mask away from my face to get a deep breath. Then I broke out in a sweat from head to toe. I think I became pale (I apparently didn't look good). I started feeling more 'weird' as I had never felt this way before and I stood up to walk because the nurse there wanted me upstairs near the ED but I was weak so I sat down and had tunnel vision. After that it's a bit of a blur. After I stopped sweating I got very cold and shaky but vitals were ok. It scared me because I have never had a reaction before to a vaccine.
918298	1/4/2021	MO	36	F	12/31/2020	12/31/2020	Injection received at 0815. At 0900 I started getting diaphoretic, clammy, nauseas and my face was flushed. At 0930, I developed hives on my neck, chest and arms. I immediately went back to the vaccination site (I was still in the hospital at work) and was administered 25mg oral Benadryl and monitored for 30 minutes. The hives resolved, but I still felt unwell. At 1600 I noticed a swelling in my right upper thigh about the size of my hand. It was about 2 inches inferior to my inguinal crease and was the width of my thigh. It was mildly painful to the touch. My injection site was red, inflamed and itchy. I continued taking 25-50mg Benadryl Q4 and took 100 mg at night due to itchiness on my eyes, face, neck, chest and arms. This is still present, although less each day, as of Monday 1/4/21 morning. I have felt feverish but have not had a recorded fever. I took some Ibuprofen for the pain in my arm at the injection site. The redness, swelling and itchiness has decreased each day at the injection site, but is also still present as of Monday 1/4/21 morning. I still feel unwell and have continued diarrhea throughout the weekend.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
918351	1/4/2021	OK	41	F	12/18/2020	12/21/2020	12/19/2020-12/20/2020 only experiences soreness of left arm where vaccine received. Woke up early morning 12/21/2020 with moderate swelling of eyelids, face, lips that progressed over several hours before seeking care at Hospital ED. Received IV Benadryl and IV solumedrol. Prescribed oral prednisone dose pack to start next day. Symptoms mostly resolved by that evening.
918361	1/4/2021	TX	58	F	12/29/2020	12/29/2020	A few hours after vaccination, I began to feel like I was getting ill, with fatigue and headache. I also experienced swelling at site of injection, along with hives on my face and neck on the same side as the injection. I had swelling in my neck, throat, tongue, lips, ears and eyes with some tingling. There was a red pallor on both of my cheeks. I also had slightly labored breathing. I took antihistamines and tylenol which helped reduce the symptoms within an hour. If I did not continue to take these round the clock for the next 4 days, the symptoms would get worse. Toward the end of the day, symptoms worsened regardless of antihistamine or tylenol and continue to do so as of yesterday, 1/3/2021. Symptoms have gotten better over the last 4 days. Its hard to say if I am fully recovered as in the evenings when I'm more fatigued, I still have the tingling and mild swelling although the redness and hives have abated.
918413	1/4/2021	IA	18	F	12/30/2020	12/30/2020	FACIAL SWELLING. EYES SWELLED SHUT. TOOK DIPHENHYDRAMINE ORALLY AT 09:30PM ON 12/30/20. WENT TO SLEEP SHORTLY AFTER TAKING DIPHENHYDRAMINE AND FACIAL SWELLING WAS RESOLVED UPON AWAKENING THE FOLLOWING DAY. RESIDENT STATES SHE TESTED POSITIVE FOR COVID-19 ON 11/10/20
918428	1/4/2021	IN	44	F	12/29/2020	12/29/2020	INJECTION SITE TENDERNESS PIXELATED VISION MIGRAINE
918471	1/4/2021	NY	36	F	12/22/2020	12/22/2020	12/22/2021 VACCINE @ 0630 12/22/2021 12:00 RED, SWOLLEN ARM. ROUND, 4 CM CIRCUMFERENTIAL. FIRM EDEMA. PERSISTED THROUGHOUT WEEK. LOOKED LIKE 'SECOND DELTOID' 1/4/2021 STILL MILD REDNESS, ITCHINESS. VERY MILD SWELLING. CONFERRED WITH DR. VIA EMAIL. 'KEEP EYE ON IT'. IMPROVING BUT STILL VISIBLE.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
918235	1/4/2021	NH	37	F	12/29/2020	12/29/2020	Patinet is a 37 y.o. female ER nurse who received her Covid vaccine just prior to arrival. While being observed at the vaccine site, she developed itching and a rash. She was brought down to the ER for evaluation. Mainly she is itchy all over. She notes a rash across her chest. But she has no cough shortness of breath wheezing. There is no problem swallowing there is no facial swelling. She does not have a history of anaphylaxis, or medication allergies. Review of Systems Constitutional: Negative for chills, diaphoresis and fever. HENT: Negative for congestion, trouble swallowing and voice change. Eyes: Negative for redness and itching. Respiratory: Negative for cough, shortness of breath, wheezing and stridor. Musculoskeletal: Negative for myalgias. Skin: Positive for rash. Pruritus Allergic/Immunologic: Negative for environmental allergies, food allergies and immunocompromised state. Neurological: Negative for headaches. 01/04/2021- Speaking with the patient she states noticed "hives" accross chest, right lower extremity, and left upper extremity.
919675	1/4/2021	TX	26	F	12/30/2020	1/4/2021	Bell?s Palsy. Right-sided facial drooping. Numbness to right face. Excessive tearing of right eye associated with inability to blink right eye.
919469	1/4/2021	TX	64	F	12/30/2020	12/30/2020	By evening of the same day I read the vaccine my right side got numb my cheek and eye hurt to the touch, my eye socket was very sore, like if I was getting Bells Palsy. I took Vitamin B12 sublingual and went to bed and the next day it was still sore but I took the vitamins again and later on it subsided. By the first of the month those symptoms were a lot less and now I am fine.
919485	1/4/2021	TX	49	F	12/29/2020	12/29/2020	My Arm is swollen, angry, red and fever. I am having double, vision, when I walk I feel weird.
919547	1/4/2021	CA	50	M	12/29/2020	12/30/2020	12/30/2020, onset s/s runny nose, dry cough, itchy, watery eyes. Inner elbow flushing similar to taking niacin, Most notably headache and low back pain. Both knees hurt, tight stomach and malaise.
919578	1/4/2021	FL	89	F	12/29/2020	12/29/2020	Swelling of eyes, lip numbness, tingling and dryness. Dizzy and weak. Client received Benadryl and was transported to hospital via EMS.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
919154	1/4/2021	IA	38	F	12/29/2020	12/29/2020	Patients adverse reactions started day of vaccination with right arm pain up to right ear as well as complete tongue numbness. On 1-1-21 patient had increased Bell's Palsy symptoms including; inability to raise left eyebrow, inability to close left eye in its entirety, teeth being numb on left side, and numbness and tingling in left foot and left hand (from palm to fingers). ER physician prescribed on 1-1 Prednisone, Keflex and Valtrex. Patient went to ER again on 1-2-21 with lower extremity numbness on left side that is moving proximally toward her hip. Patient went home on 1-3-21 with an RX for Prednisone as well as Valtrex. Symptoms have improved but have not fully resolved at this time.
919608	1/4/2021	MD	53	M	12/1/2020	12/30/2020	Left side of face below eye and goes to the Botox. Of my lips has a numbing feeling.
919622	1/4/2021	CO	50	M	1/4/2021	1/4/2021	i was driving and my left eye stopped tracking with my right eye. I had to pull over and let my daughter drive this lasted maybe 3 minutes . I have never had this happen before. I don't get sick or have issues I have never taken a sick day in 20 plus years and I am fairly healthy
919467	1/4/2021	OK	33	F	1/2/2021	1/4/2021	Patient got the shot on Saturday, Jan 2nd at around 11am. Woke up Jan 4th at 2:13am feeling the place of injection swollen, itchy and with a single hive like a bug bite, felt another on torso on the right side. Felt rapid pulse, got up to check the mirror, eyes swollen and itchy, tongue beginning to swell. Within minutes, started feeling itchy all over my body, specially mucosae, and scalp. Took 360mg of fexofenadine and 20mg famotidine, reaction started to subside. Was up monitoring until 3:45am. Still feeling itchy but significantly less at the before medication. Plan to continue with 180mg fexofenadine a day until all itchiness goes away.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
919638	1/4/2021	LA	49	M	12/23/2020	12/24/2020	On December 23, 2020 she had the Pfizer COVID-19 vaccination at 7:30 p.m. She then worked her shift as a dialysis nurse and went home the following morning. She did not have any symptoms until 5:00 p.m. the following afternoon when she woke up. She developed itching of her back and a mild erythematous rash across her chest. That evening around 7:00 p.m. she noticed a rash on her arms that was itching. At 7:30 p.m. she had tightness in her chest and a nonproductive cough. She attributed the symptoms to her asthma. Her symptoms improved throughout the night. She went home on Christmas morning and went to bed. She woke up at around 5:00 p.m. She had swelling of her eyelids and an urticarial rash across her face and chest. She did have some mild throat itching. She reported to work at 7:00 p.m. but continued to have symptoms with increasing shortness of breath. She reported to the emergency department and was evaluated. She was given famotidine, Methylprednisolone, and hydroxyzine. She was also given ipratropium/albuterol nebulized. Her respiratory symptoms did improve, and she was discharged around midnight. She continued to have a slight erythematous rash that was present until she went to bed the following morning. When she woke up it had resolved.
919565	1/4/2021	TX	43	F	12/21/2020	12/22/2020	My arm was sore the 1st day, by noon the next day my HR was 160s, I was referred to go to the ER but I didnt and took benedryl went to sleep, woke up and I felt a little SOB but more like something was tied around my ribs preventing me from breathing. I saw the cardiologist who believed it to be sinus tackycardia as a result as an AE to vaccine. Felt as if my face and lips were swelling so I took benedry and laid down again and the next morning when I woke up and my face and lips were super swollen. But by the 3rd day the symptoms began to subside a little. By the 24th my HR had balanced out and I only had residual swelling around the eye area.
919678	1/4/2021	CA	48	F	12/31/2020	12/31/2020	Patient reports soreness in the arm, headache onset, sneezing, runny nose and itchy in throat, itchiness in eyes and on ears. Patient states she has allergies and also asthma, all itchiness is related to her allergies.
919681	1/4/2021	MI	38	F	1/4/2021	1/4/2021	Red itchy water painful eye

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
919688	1/4/2021	WA	30	F	12/22/2020	12/29/2020	For 2 days after the vaccinations, my left deltoid/ upper arm was sore. Approximately 7-8 days after my vaccination, my left armpit started feeling sore. This has continued to today where I have left armpit swelling and what feels to be a swollen, hardened lymph node in my armpit. It feels like a hardened lump that is not fixed and is tender when I palpate it. On visual inspection, I can tell that my left armpit is more swollen than my right armpit (which is normal). It hurts to have my arm at my side and it hurts to lay on my left side at night when I am sleeping.
919715	1/4/2021	NJ	66	F	1/2/2021	1/3/2021	Nausea, vertigo, slightly blurred vision, imbalance walking, fatigue, heartburn, malaise. Initial vertigo and dizziness lasted 3 hrs. GI symptoms and malaise are still present, 48 hrs later
919744	1/4/2021	TX	40	F	12/22/2020	12/22/2020	Approx. 3 hours after being vaccinated. Developed confusion, dizziness, and blurred vision. Went to ER. BP noted to be 163/100. After one hour and a half, BP in the 120's systolic and 90's diastolic. Continued to have blurred vision. Blood pressure became labile and continued to be in the range of 160's over 100's to 130/90's. After 48 hours, vision no longer blurred, Blood pressure returned to normal baseline and maintained. Took BP for over one week after, morning, noon, and night on the Left arm and Right arm. My BP stayed in the 117/70-120/80 range. Wanted to make sure I had no underlying hypertension. No other adverse issues.
919767	1/4/2021	SC	39	F	12/29/2020	12/31/2020	Severe hives all over body- trunk of body fully covered in raised, red, blotchy, "firey" patches of hives; also, under armpits, over the shoulders, panty lines, behind knees, on and under breasts, back, onto neck and face (chin, lip area, eye brow area)

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
919008	1/4/2021	IN	45	F	12/29/2020	12/29/2020	Around 6pm I started with a slight headache and by 8pm i had trouble keeping my eyes open. (headache is not uncommon for me but the extreme drowsiness is). I slept solid through the night (unusual) and the puppy woke me around 5am. (usual) I felt that i had a heavy? head. My thoughts seemed clear but my head had a fullness to it. Its difficult to describe. I was not stuffy. I had trouble staying awake, to the point I was nodding off at times I should have been able to stay awake. I did not feel safe to work and felt obligated to call in. I slept solidly for the next 5 hours. Later in the day, my affected arm began to have pain radiate from the injection site to my wrist. (probably not unusual). 600mg of Ibuprofen did not seem to help much. By the time I went to bed last night (24+ hrs after receiving the vaccine) I noticed my axillary lymph nodes were extremely tender to the touch and remain so this morning. The pain in my arm still continues to radiate to my wrist but not as intense.
919636	1/4/2021	TX	45	M	1/4/2021	1/4/2021	Sweating Deep cough Eyes burning Body aches
919271	1/4/2021	TX	57	F	12/30/2020	12/31/2020	Day 1 after vaccination, left arm achy, sore, left wrist/left hand swelling, deep ache to left hand wrist, left eye floater, blurry vision. Day 2 after vaccination, continued with same symptoms, left eye "puffiness". 1/4/2021Today continues with left eye floater and constant blurry vision. Left hand soreness to and left shoulder
919234	1/4/2021	SC	49	F	12/18/2020	1/3/2021	On 1/3 around 2 am , I got up to get something to eat and drink. The taste of food , feels/ taste like cotton on the left side of my mouth/ tongue. As the day progress, I noticed I am having numbness left side of my face and mouth, unable to sip from a straw on the left side of my mouth, I am having facial droop that prompted me to to the ER . At ER same day my left eye is not blinking as my right eye. I was prescribed to take antiviral , steroids and eye meds. TODAY- 1/4/21, I am still having same symptoms and my left eye , feels grainy/ needle pricking inside. Left eye vision more blurry.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
919236	1/4/2021	OH	61	F	12/20/2020	12/31/2020	Day 1 post: muscle pain in arm. Day 2 post:Muscle pain in arm, unable to raise arm vertically. Excessive pain in upper part of arm. (injection given very close to the top of arm near joint). Also pain in shoulder & right side of neck. Headache behind right eye. Day 3 post: muscle pain in arm. massive diarrhea in late PM. Headache behind right eye all day, mild arm pain.
919597	1/4/2021	PA	47	F	12/26/2020	1/7/2021	I felt like passing out tunnel vision . everything was black except center of vision. Unable to focus or stay attentive while driving "zoned out" multiple times. Felt like my head was detached from my body unable to shake it for 2 and a half days.
919262	1/4/2021	KS	46	F	12/30/2020	12/31/2020	Red blotches on neck, itching, dizzy, arm "flaming red," trouble breathing, blisters on lips, eyes swollen.
919464	1/4/2021	IN	53	F	12/31/2020	1/1/2021	I developed a raised rash on my left arm at injection site , had chills and nausea and lots of tenderness at injection site at 3 am (1/1/21) following injection. The nausea had resolved when I woke up, the rash subsided throughout the day as did the chills. The most distressing event began on 1/1/2021 , that being sneezing, runny nose and watery eyes which continued and got much worse over the next two days, despite taking sudafed as often as possible. No other cold or flu symptoms were present and it felt like allergies although I have never had any sort of seasonal allergies. I finally took Zyrtec for it the evening of 1/3/21 and the symptoms stopped. Congestion, light sensitivity remain. I am reluctant to take another dose due to drowsiness side effect. Hoping symptoms will all be gone by tomorrow.
919294	1/4/2021	NY	61	M	12/30/2020	12/30/2020	I felt light headed, sore arm, head ache and fever at first and that evening. Then woke up the next morning I felt fine but had swelling to the face more swelling to the left side then the right with a heavy feeling to my left side of my face along with pain to the eye. I feel very lethargic and very tired I could not go to work. I feel to bad to work.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
919330	1/4/2021	CA	27	F	12/30/2020	12/31/2020	received covid vaccine 12/30 then had rash on r side of face little shooting headache muscle weakness on 12/31 11:00 am notices pins needles on left side of face. Resolved then at 5 pm it came back again for a few hours then went away. Then 1/1/21 left forehead tingling above eyebrow. Today feels a little stiffness on the side of my face. Also reported left ear hot and painful 12/31 at 11:00
919335	1/4/2021	CA	27	F	12/30/2020	12/31/2020	received covid vaccine 12/30 then had rash on r side of face little shooting headache muscle weakness on 12/31 11:00 am notices pins needles on left side of face. Resolved then at 5 pm it came back again for a few hours then went away. Then 1/1/21 left forehead tingling above eyebrow. Today feels a little stiffness on the side of my face. Also reported left ear hot and painful 12/31 at 11:00
919372	1/4/2021	PA	28	F	12/22/2020	12/31/2020	Bell's Palsy on the right side of my face. ear ache, head ache all on the right side. droopiness of the right eye and right side of lips. inability to fully shut my eye., difficulty eating and drinking. Attempted to go to an urgent care on 1/02/2021, but they sent me to the ER. ER evaluated me and sent me home with antivirals and steroids. I was sent home with Prednisone and Acyclovir
919389	1/4/2021	IL	39	F	12/29/2020	1/2/2021	Left side of throat, left soft palette, left side of mouth, left side of tongue, left side of jaw, left side of nose all felt numb, lymph node by left ear was swollen, left eye pressure, drooling Treated in Emergency Room, no monitor, no IV fluids, discharged with information on paresthesia, stomatitis
919396	1/4/2021	KS	57	F	12/17/2020	12/18/2020	Took covid shot Thursday 12/17. On Friday 12/18 had avastin shot to right eye. That afternoon had EXTREME inflammation, irritation, tearing, pain and light sensitivity. Vision became "whited out". Saw Dr. sunday 12/20, received two antibiotic shot and steroid shot all to right eye. Prescribed Levaquin po and antibiotic and steroid eye drops. Followed up with retinologist again today 1/4/21, symptoms fairly resolved but vision is still blurry. Hoping to completely regain my sight.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
919422	1/4/2021	KY	30	F	12/23/2020	12/31/2020	A week after receiving the COVID19 vaccine, red patches of skin started appearing around the injection site. Patches were not itchy. Armpit area (lymph nodes) was painful, as well as general pain in left arm. The next day the rash had gotten larger and left arm started tingling. Arm pain persisted. On the third day the rash was larger still, with prolonged arm tingling and left chest area pain. I went to the ER as no one could answer why these problems were arising a week after the vaccine. ER advised taking Benadryl and watching out for shortness of breath. Arm is currently tingling and eyesight seems fuzzy.
919424	1/4/2021	KS	39	M	12/17/2020	12/18/2020	Left eye swollen 24 hours later, took Benadryl in ED and resolved right away
919431	1/4/2021	PA	72	M	1/2/2021	1/3/2021	Anterior Uveitis in the Left Eye; blurry vision, injected sclera in left eye started on 1/3/21; evaluated for and diagnosed with Anterior Uveitis of Left Eye at Hospital Emergency Department on 1/4/21, and prescribed topical steroids upon same-day discharge.
919436	1/4/2021	IL	29	M	12/29/2020	1/1/2021	Bell's palsy, right side of face is numb, with difficulty closing eyes, smiling, raising eyebrows, eating, drinking, swallowing.
919438	1/4/2021	KS	54	F	12/18/2020	12/20/2020	48 hours later bilateral eyes swollen. Saw dr. in office and treated with steroid cream and allergy meds resolved without difficulties
919377	1/4/2021	VA	49	M	1/2/2021	1/2/2021	I had 5 minutes of blurred vision

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
919238	1/4/2021	TX	34	F	12/31/2020	12/31/2020	12/31/20, 1:30 PM: I RECEIVED THE SHOT. 12/31/2020, 4:00PM: I HAD SEVERE FATIGUE AND FELL ASLEEP. I DID NOT WAKE BACK UP FOR 17 HOURS. 1/1/2021, 9:00AM: WHEN I WOKE UP I HAD A LARGE RED RASH OVER MY FACE AND DOWN MY NECK- NO WHERE ELSE ON MY BODY BESIDES MY FACE. MY FACE HAD A BURNING SENSATION AS IF IT WERE ON FIRE. 1/2/2021: BY 48 HOURS MY ENTIRE FACE (INCLUDING MY EYELIDS) HAD THE RED RASH. I TOOK BENADRYL AND THE BURNING SENSATION WENT AWAY BY THE MORNING. 1/3/2021: ON DAY #3 I USED A POISON IVY TYPE CREAM BEFORE BED, AS WELL AS BENADRYL. 1/4/2021, 05:00: THE MORNING OF DAY#4 THE REDNESS AND RASH HAD SUBSIDED TREMENDOUSLY, HOWEVER STILL PRESENT. 1/4/2021, 1:30PM: VISITED HEALTH CARE PROVIDER. I HAD A STEROID SHOT ADMINISTERED, AND WAS SENT A PRESCRIPTION FOR AN EPI PEN AND A "PACK" TO MY PHARMACY. THE PHYSICIAN REACHED OUT TO OTHER COLLEAGUES, ALL STATING THAT THEY HAD HEARD OF CASES ARISING WITH RED RASHES ON PEOPLES FACES, BUT NONE OF THEM HAD PERSONALLY SEEN IT YET. MY PHYSICIAN SAID I WAS THE FIRST PERSON TO COME IN. I ASKED ABOUT MY DERMA- FILLERS, AND IF THEY HAD ANYTHING TO DO WITH THE RASH BUT NOTHING COULD BE CONFIRMED. MY TEMPERATURE WAS EXACTLY 98.5, HOWEVER THE DR STATED MY SKIN WAS HOT TO THE TOUCH.
917713	1/3/2021	NY	64	M	12/30/2020	12/31/2020	Pain at injection site; much less than flu shot. No treatment. Resolved by Jan 2. Brief bouts of dizziness and nausea; stayed home from work and rested. resolved by Jan 1. Seasonal allergy symptoms- runny nose, including bloody nose from left nostril. Resolved by Jan 2. Allergic reaction to a scented hand cream used by wife- burning eyes, nasopharyngeal tightness, nasal discharge. Wife since removed so I can't tell you brand. Occurred/Resolved Jan 1 when product was removed.

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
917803	1/3/2021	AL	31	F	12/29/2020	12/29/2020	approx 6 minutes after receiving vaccine to Left deltoid IM site: marked tachycardia HR 180 with associated dizziness, nausea, hypotension and subsequent severe lethargy and feeling of syncope. placed on stretcher at hospital facility and ultimately fell asleep for unknown amount of time. After waking approx 2 hours later majority of severe symptoms subsided but residual tachycardia of 120s and orthostatic hypotension throughout the day for next 16 hours. associated dry flushed skin of face and dry itchy eyes throughout day as well
917747	1/3/2021	IN	43	F	12/28/2020	12/29/2020	Started the following day December 29th about 9PM having diarrhea. Diarrhea continued on December 30th. Also on December 30th my left eye began to swell. I took benadryl that evening before going to bed, but woke up the next morning December 31st with both eyes swollen. The left eye being worse and now under the eye was red and extremely itchy. Contacted employee health at hospital on December 30th and 31st. where vaccine was given and left a message detailing my side effects. Contacted my own primary dr on December 31st and was seen by Dr who believes I have had an allergic reaction to Moderna vaccine. I was prescribed predinsone and zyrtec for 5 days.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
917745	1/3/2021	CA	50	F	1/3/2021	1/3/2021	S: Patient, RN from TCC/CCU came to Covid vaccine clinic on 1/3/2020 for Covid vaccine. She received vaccine at 7:23 am. Received injection on left arm. At 8:12am, she reported heaviness on left arm, tingling sensation on left 3rd and 4th fingers, and metallic taste. She denies motor weakness, SOB, N/V, chest discomfort, palpitation, difficulty breathing, dizziness, headaches, blurry vision. Hx of HTN, mitral valve prolapse, asthma, migraine. Currently taking labetalol 400 mg bid, hctz/losartan 100/50 mg bid. Have not taken her BP medications this morning. She took benadryl 25 mg and tylenol 1000 mg at 6:35 am prior to coming to clinic. She is allergic to multiple medications. O: At 8:12, VS: 177/104, 97%, HR 66. Reports paresthesia to L arm, metallic taste At 8:25, VS: 157/102, 98%, HR 62. Continues to experience paresthesia and heaviness, but it has gradually improved, metallic taste resolved At 8:37, VS: 149/92, 98%, HR 64. Paresthesia and heaviness improved. AAOx 4, follows command, speech clear, lung sounds clear, heart sounds normal, normal rate and rhythm. Motor strength +5/5 bilaterally. No facial weakness/facial drooping. Subjective paresthesia on left 3rd and 4th fingers that gradually resolved. Subjective heaviness on left upper arm. No angioedema. No respiratory distress. A: Reaction to Covid-19 vaccine. P: Employee was closely observed in clinic. Provided fluids. VSS. Symptoms gradually improved. Employee was advised to closely monitor her symptoms, if she experience any worsening symptoms, she need to call 911 or go to the nearest emergency room. She states that she has epi pen and benadryl in her purse, and understand signs and symptoms to monitor for and when to use it if needed. Employee left to return home at 8:45 am in stable condition.
917735	1/3/2021	VA	62	M	12/17/2020	12/19/2020	LEFT OCULAR CONJUNCTIVITIS WITH DRAINAGE REQUIRING TREATMENT WITH ANTIBIOTIC AND STEROID OCULAR DROPS FOR TEN DAYS. RESOLVED AFTER TREATMENT
917729	1/3/2021	OR	65	F	12/28/2020	12/30/2020	Ptosis left eye developed about 48 hours after vaccine, mild progressed to very noticeable currently improving

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
917726	1/3/2021	FL	44	F	12/29/2020	1/1/2021	Facial swelling, orbital edema, blurred vision in right eye, red rash in neck, malaise, fatigue, and headache I took Benadryl 25mg Q6hrs on 1/1 and 1/2/21. When my vision became blurry I went to an urgent care clinic on 1/3/21
917719	1/3/2021	WI	35	F	12/28/2020	1/1/2021	Woke up Friday, 1/01, with sinus pain. Specifically burning pain in my sinuses and pain when I moved my eyes from right to left. Also had a generalized headache and body aches. On Saturday, 1/02, did have a fever of 100.2 but this has resolved. This morning, 1/03, the sinus pain has improved, still a slight headache and now major complaint is lower back pain. Also have general malaise. No fever today either.
917641	1/3/2021	HI	54	F	1/2/2021	1/2/2021	About 30 minutes after immunization, pt's eyes were red and slight swelling under the eyes. No reports of swelling of tongue/lips/or trouble breathing. Pt states she was feeling ok. Administered Benadryl to patient.
917858	1/3/2021	OH	45	F	12/30/2020	12/30/2020	Day 1: within 30 min - severe sharp temporal headache (worst of my life); developed within a couple hours in this sequence: cold hands/feet, chills (no fever), much worsened vision, slight confusion/dizziness, weakness (had to lay down), both knee joint pain, swollen neck glands, moderate nausea and intestinal cramps, complete loss of smell/taste; all night - severe acidic stomach pain (barely relieved with anti-acids). Day 2: residual headache (50%), tiredness, weakness, sweating if doing things, residual knee joint pain, sense of smell/taste returned and heightened. Day 3: residual headache (25%), still not 100%, residual knee joint pain. Day 4 (today): residual knee joint pain (comes and goes). I realize that these are not symptoms of an allergic reaction, but severe side effects.
917724	1/3/2021	CA	33	F	12/30/2020	1/1/2021	Hives red dot rash swollen eyes and face

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
918050	1/3/2021	CA	24	F	12/31/2020	12/31/2020	12/31 (10:45am): brain fog, dizziness, shortness of breath. (11:30am) previous + difficulty swallowing, generalized muscular weakness. (1400/2:00pm) previous + inability to swallow thin liquids/dry solid foods, palpitations, HR of 106bpm, myalgia and joint pain in areas previously affected by injuries/tendonitis (R/L wrist, R elbow, R shoulder, C spine, lumbar spine, R hip joint, R sartorius muscle, R medial knee, R achilles/ankle) - went to emergency room for allergic reaction evaluation; was experiencing similar reaction to food allergies. (~1600/4:00pm) aspirated thin fluids (water/saliva) and tolerated solid foods, dizziness, myalgia, fatigue. 12/31-1/1: fell asleep at 7pm 12/31, did not wake up until 8:30pm 1/1. dizziness, nausea, weakness, vertigo, difficulty swallowing without pain, lack of appetite/thirst. 1/1-1/2: fell asleep at 9pm 1/1 and woke up at 12pm 1/2. dizziness, sensitivity to cold, nausea, generalized weakness, loss of appetite. 1/3: generalized vertigo throughout body, all day. greater intensity upon standing from sitting position or walking. loss of coordination, brain fog, speech pattern. spasms in muscles, jaw, and eyes. eyesight blurry and out of focus.
917887	1/3/2021	MD	23	F	12/31/2020	1/2/2021	About 5:45 pm on Saturday, January 2, 2021 my inner left eye began to feel itchy and irritated like there was something in it. I touched my eye and rubbed it for approximately 30 minutes, but it still felt like I had something poking my inner eyelid. I looked in the mirror and saw my inner, upper, left eyelid was swollen and slowly getting worse. I tried applying a warm compress for 10 minutes, but it did not seem to help. I was getting ready for a shower and saw hives on my hips and inner thighs. I felt itchy in other places of my body as well. I saw hives on both of my upper arms, my back, and my neck. I took one 25 mg Benadryl and got in the shower. As I was showering, I felt my left upper lip begin to tingle and swell. I rushed to the ER immediately. I arrived around 7:25 pm. As I was waiting for the ER doctor, I noticed my lip and eye swelling were almost back to normal, but I still had hives and they were spreading. The ER doctor gave me Benedryl and Solumedrol in an IV around 9 pm. I left the ER around 10 pm. I had no more swelling on my eye and lip and my hives were slowly diminishing.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
917937	1/3/2021	CT	37	F	12/31/2020	12/31/2020	Immediately felt arms and legs go cold and tingling. Had trouble breathing with rapid heart rate. Subsidied after 20 mins but popped back up through the night in smaller instances. Day 2: sore arm, body aches muscle pains tingles- felt like vision was in HDR Day 3: fever 100 F, severe headache, body aches and tired overall felt weird Day:4 still feel weird/off, vision changes - have trouble seeing distance and focusing when prior had perfect 2020 vision
917978	1/3/2021	TN	36	F	12/30/2020	12/30/2020	First ever complex migraine with aura including right visual field deficits, tingling of the right hand and right side of the mouth and difficulty speaking over the course of an hour that then resolved and was followed by a severe migraine headache when nausea. My migraines have never been associated with aura, paresthesias, etc., before.
917983	1/3/2021	MI	22	F	1/2/2021	1/3/2021	Swelling and sensitivity around eyes. Eczema flare up around eyes. Mild dizziness and general malaise.
917997	1/3/2021	IN	39	M	12/22/2020	12/30/2020	Low grade fever, body aches, one episode of vomiting, slight headache and eye sensitivity Swabbed 12/31/2020 COVID positive 1/2/2021
918023	1/3/2021	CO	40	F	12/28/2020	12/29/2020	Received shot 12/28/2020 Monday Monday evening started feeling normal side effects By Tuesday morning 12/29/2020 vomiting, severe arm pain, horrible migraine headache, horrible body aches, chills, exhaustion, and eyes burning. By Tuesday night very ill, vomiting uncontrollably, horrible headache, bad enough medication taken to sleep and stop vomiting (phenagren). By Wednesday skin hurt so bad couldn't touch or be touched....shower was miserable. Continued vomiting and lips started to swell. Started taking benedryl. Lips swollen. So tired and body aches horrible. Vomiting continued...no food eaten since Monday. Call urgent care about lips and symptoms, they said to take benedryl and continue to monitor if things worsen go to hospital. Vomiting continued into late Thursday night. Unable to eat normally now, stomach very very sensitive and nauseated. Extremely tired and headaches continue. Fearful to get booster. Been sick for 7 days and still not well.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
918026	1/3/2021	TX	51	M	12/28/2020	12/28/2020	Dizziness, shortness of breath, swollen hands and fingers, shaky blurred vision. all occurred 2 hours after giving the shot. Patient was given benadryl and felt better in about 1 hour, he went home and the next day came back to work normal
918049	1/3/2021		30	F	12/23/2020	12/23/2020	For her hours after vaccine administration, experienced 10 to 15 minutes of left lower quadrant visual field defect. Was not associated with headache or other neurologic (sensory or motor) deficits. Patient with history of headaches and remote history of migraines but never migraine with aura. No personal or family history of cardiovascular disease or stroke. Visual field defect resolved completely and has not been experienced sense.
917879	1/3/2021	WV	64	F	12/31/2020	12/31/2020	Right side of lip started swelling about 7:30 pm on 12/31/2020. Took Benadryl and picked up Epi pen at pharmacy. Swelling increased overnight up into right cheek and jaw. Right side eye and cheek and mouth drooping with a crooked smile. On 01/02/2020 started itching from up under right ear down towards neck with redness and hives. Got RX from pharmacy for Prednisone and am currently taking that
917789	1/3/2021	IN	45	F	12/30/2020	12/31/2020	Severe vertigo began at 3:00 PM on 12/31/2020. Vomiting lasting approx. 9 hours (8 episodes). Unable to open eyes due to vertigo, vasovagal upon standing lasting until approx. 3:00 pm 1/2/2021. Diarrhea began approx. 8:00 pm 1/1/2021 with episodes each time after trying to eat 4 episodes. Headache lasted 3 days. Today on 1/3/2021 I have been able to keep down soup. Eyes feel tired, minimal vertigo upon moving head. No further diarrhea, vomiting.
917342	1/2/2021	TX	75	M	12/31/2020	1/1/2021	after i sneezed friday morning i lost all sight in my right eye. the emergency room did not know what was wrong and i see a eye specialist on monday.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
917339	1/2/2021	TN	37	F	12/30/2020	12/31/2020	Pt. states woke up on 12/31/20 at around 8:00 and had blurry vision. States can see some things far away but can't see close up... Denies having any blurry vision prior to vaccination. States blurriness has neither improved or worsened. Denies any other symptoms or problems. Referred to Emergency Department for care regarding blurry vision. Encouraged pt. to call and notify health department of emergency departments assessment.
917282	1/2/2021	NJ	27	M	12/29/2020	12/29/2020	Patient demonstrated adverse symptoms after covid vaccination manifested by: chills, headache, neck pain/stiffness, eye pressure.
917179	1/2/2021	NY	24	F	12/31/2020	12/31/2020	First day about 4-5 hours after: severe chills and headache Day 2: woke up in morning with left eye completely swollen, both ears swollen, congestion, and productive cough
917175	1/2/2021	NH	43	F	12/23/2020	12/31/2020	The day following injection, my arm was sore, I felt tired. These symptoms went away by day 3. Then on 12/31 day 8, I noticed my arm was sore again. It became red, swollen, hot to touch, itchy, and sore. I marked the area. I called my PCP on 1/1/21, She recommended I keep an eye on it, as I have no fevers nor do I feel sick, that it is likely a delayed immune response. 1/2/21- the redness has spread beyond markings but is less swollen and sore. Seems to be improving.
917367	1/2/2021	VT	47	F	12/23/2020	12/24/2020	Erythematous plaques/rash starting one day after vaccine that worsened at day 7 to eyelid swelling
917159	1/2/2021	HI	21	M	12/23/2020	12/23/2020	Fever, fatigue, congested nose, dry eyes
917292	1/2/2021	SC	52	F	12/23/2020	12/23/2020	After receiving the vaccine, my eyes got severely dry to the point I had to use drops. They felt like sand was blown in them.
917170	1/2/2021	MI	29	F	12/31/2020	12/31/2020	States she started feeling a bit of a headache after leaving the observation area, and by the time she got to her office in the same center, she had light sensitivity. Has not taken any medications no known allergies. Headache described as pulsating located in the front of her head. States relief when eyes are closed.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
917597	1/2/2021	NH	39	F	12/30/2020	12/30/2020	About 10 minutes after vaccine, throat became tight feeling, chest tightness, blood pressure 170s/100s, light headed and blurry vision. Ambulance called, brought to the ER administered IV solumedrol, IV Benadryl and monitored for 4 hours
917430	1/2/2021	PA	24	F	12/23/2020	12/24/2020	On 12/24/2020 started developing severe headaches with dizziness. On 12/27/2020 started getting chills, muscle aches, got covid tested (negative). On 12/29/2020 face and eyes started to swell, another covid test (negative). Continuous chills, sweats. Took tylenol, motrin, and benadryl around the clock. 01/02/2020 scratchy throat, more difficult to swallow, started on prednisone.
917477	1/2/2021	TN	53	F	12/30/2020	1/1/2021	Pink eye (conjunctivitis) in left eye. No treatment sought yet. Began the morning after the day of vaccination and has lasted for over 24 hours (at time of report, it has been approx. 30 hours since first sign of pink eye)
917488	1/2/2021	CA	45	F	12/29/2020	12/30/2020	Swollen lips, under left eye. Rushes on chest
917489	1/2/2021	SD	77	F	12/28/2020	12/28/2020	My right eye became very painful, hurt and felt scratchy until 12/31/2020. My arm still aches and it is 1/2/2021. I also ache everywhere and still do. I am extremely tired all the time and at times have to lie down. On going.
917503	1/2/2021	IN	23	F	1/2/2021	1/2/2021	Vomiting, nausea, neck muscle tightness, throat tightness and muscle soreness of back of tongue, severe disorientation, blurred vision, neck soreness, diarrhea

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
917513	1/2/2021	NY	41	F	12/29/2020	12/30/2020	Vaccine was given at 10:30 am on 12/29/20. The injection caused mild discomfort at the site (right deltoid) followed by swelling, redness, warmth, and soreness. The swelling, redness, warmth, and tenderness to touch worsened by 24 hours, peaked at 48 hours, and has since improved (but continued well over 120 hours post vaccination). Other than the arm discomfort, I felt well the rest of the first day however I woke at 1:30 am (15 hours post-vaccine) with severe muscle cramps in my lower legs and feet. I was freezing and had significant chills. PJs, a robe, and 3 blankets weren't cutting it. I took Ibuprofen 600 mg and a robaxin 750 mg because the cramps were severe and unrelenting. Tmax was 100.5. Sleep was poor and intermittent. I got out of bed around 24 hours post vaccination and was extremely nauseous and weak. I took Zofran 4 mg and Tylenol 500mg and laid around the rest of the day. I forced some food down at hour 29 (had not eaten in 20-21 hours). My eyes and the injection site were itchy prompting me to take Benadryl 25 mg at hour 22. I got a second round of shaking chills, nausea, and worsened myalgias at hour 32. I also felt as though the injection site pain migrated towards my right axilla. Took a second dose of Ibuprofen 400 mg, Zofran 4 mg, and robaxin 750 mg and fell asleep by 7:30 pm (unheard of for me). When I woke to go to work at 6:30 am (44 hours post vaccine) I was still very achey and fatigued. My right axilla was very sore and tender to touch, moreso than the injection site. This same discomfort migrated to the right side of my neck and behind my right ear (which was worse by hour 55 and brought on a headache). Thank goodness it was a short shift due to the holiday! While caffeine and a third dose of ibuprofen and Zofran help me through the 6.5 hour shift I was still not myself. The fatigue and achiness did not let up until a little after 96 hours. I really didn't feel like myself until day 5 (118 hours post vaccination) and the injection site and my right axilla are still sore and tender to touch. There is still redness and occasional itchiness at the injection site. I took my usual doses of Advair and Claritin despite the nausea all 5 days. I should also mention, that while on shift (hour 48-ish), I felt a very brief, unprovoked heaviness in my chest similar to the sensation I felt after I recovered from COVID in March. Sensation lasted seconds and came a few times throughout the day. No SOB, diaphoresis, or



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							wheezing. That same discomfort started 2.5 weeks after I was diagnosis with COVID and about 5 days after feeling "fully recovered" from the fever, body ache, fatigue and nausea I had experienced with COVID. That chest sensation would come and go with decreased frequency over 6 weeks post COVID. I've had a total of 5 episodes of the chest heaviness but none today (day 5). I wonder if that's what will happen with the vaccine. I also wonder if the side effects I'm feeling have anything to do with having had COVID 9 months ago. My husband and other ED colleagues who did not have COVID had no side effects with the first dose of the vaccine but the few colleagues that had COVID all had some degree of an adverse reaction to the vaccine. I never want to feel as bad as I did in March but I'm dreading my second dose of the vaccine. Is it recommended in my case? I should also mention, I had an adverse reaction to the pneumonia vaccine 1.5 years ago - arm blew up, no respiratory symptoms. Needed Benadryl and Prednisone. I've had a MMR booster and flu shot since with no adverse reaction. Not sure if it is relevant.
917563	1/2/2021	IA	69	F	12/23/2020	12/23/2020	Metallic taste in mouth as it was being administered. I told them I could taste it. Eyes started hurting with burning sensation, pressure in both ears and slight numbness across face from ear to ear and under nose. Uncomfortable tightness in chest and a lot of pressure on face feeling like it was hot. I felt a little better after 15 minutes while waiting but never told anyone about symptoms. I walked out and drove home but monitored my symptoms. The symptoms gradually became less and were gone after 1 hour and 45 minutes. I took a dose of benadryl at that time. I slept well that night and woke up with no symptoms and none since.
917241	1/2/2021	CA	49	F	12/31/2020	12/31/2020	12 hrs after vaccination, had mild frontal headache and fatigue. 24 hours after, itching, burning , stinging sensation around eyes, itchy forehead with mild erythema including eyelids, mild circumoral numbness with occasional burning/stinging sensation.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
917405	1/2/2021	PA	35	F	12/19/2020	12/31/2020	Facial itching with hypersensitive skin started a 2-3 days after injection. Swelling of face and eyes and blotchy facial skin 13 days after injection. Seen by ED physician for steroids and benadryl. Slight decrease in swelling 24-36 hrs post start of steroid regimen.
916809	1/1/2021	WA	40	F	12/23/2020	12/23/2020	CAREGIVER RECEIVED FIRST VACCINE DOSE AND SOON AFTER BEGAN TO FEEL DIZZY AND HER EYES BEGAN TO TWITCH, FOLLOWED BY UNCONTROLLED SHAKING, WITH HIGH FEVER FOLLOWED BY SEVERE SHORTNESS OF BREATH AND GASPING, WITH TIGHTNESS AROUND THE CHEST. TRANSPORTED TO EMERGENCY DEPARTMENT. HAD MULTIPLE EPISODES OF ITEMS LISTED ABOVE WHILE IN ED, INCLUDING HEAVINESS IN HER LEGS AND TINGLING IN ARMS. SHE WAS DISCHARGED FROM ED AT 10:30PM BUT WAS READMITTED ON 12/24 TO ED FOLLOWING SIMILAR ISSUES. TO DATE SHE HAS HAD 5 RAPID RESPONSES IN HOSPITAL DUE TO REPEAT OF SIGNS/SYMPTOMS. CT AND PULMONOLOGY CONSULT SCHEDULED FOR 12/28/2020.
916804	1/1/2021	CT	24	F	12/30/2020	12/30/2020	After 15 minutes: tingling/itchiness in my fingertips, tongue and lips, felt weak/lightheaded and dizzy, weak pulse, rapid HR (98 bpm) normally resting HR is around 58-62 bpm. Symptoms kept increasing and after 30 minutes: felt lump in throat when swallowing/difficulty, eyelids super itchy, significant hives on chest and neck developed. A nurse at the site monitored me, told me to get benadryl on the way home, had to have boyfriend pick me up from the clinic to drive me home.
916784	1/1/2021	OH	47	F	12/29/2020	12/29/2020	Shortly after receiving the shot was dizzy light headed with visual changes. It cleared up within 10-15 mins. Later that evening around 630 or 7 pm had headache, body aches, and Severe chills. No fever. Intermittent dizziness and visual changes. This lasted until Thursday evening. On Friday I felt fine but as I began to move around more the dizziness has returned

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
916759	1/1/2021	VA	30	F	12/28/2020	12/28/2020	12/28/2020-1230 began feeling numbness/tingling left foot, left hand, left cheek (face), intermittent 1500- chest tightness, palpitations lasting 20-30 minutes 1900- feet b/l ice cold, muscle aches, chills, lasting 8 hrs 12/29/2020- upon awakening-fatigue, SOB 6 hrs, intermittent paresthesia persist left foot, left cheek, new onset teeth pain (lasts less than 1 minute) left sided headache (1-5 min) left sided back pain at SI joint 12/30- tingling sensation persist, fatigue is gone. Chills- 1-3 min duartion, intermittent. left ear pain, left headache, "pings" of left cheek, tingling back pain persists (left) 12/31/2020 noted mild left facial weakness-, left eye brow rise, unilateral wrinkle forehead, smile reduced left sided tingling persists with intermittent headache, ear pain, teeth pain sought care of PCP tx of early onset bells palsy with steroid taper + PPI Began prednisone 40 mg PO 1/1/2021 left sided back pain persists
916709	1/1/2021	MN	37	F	12/30/2020	12/31/2020	Large bull eye bruise with ring of purple around injection site. Warmth and firmness at site, itchy.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
916849	1/1/2021	NC	33	F	12/23/2020	12/24/2020	I received the vaccine in the left arm on 12/23 with no immediate symptoms. On 12/24 I had body aches mostly on my left side. On 12/25, I started having a strong headache, focused mostly on the left side. On 12/26 the headache continued and I also noticed swollen lymph nodes on both sides of my neck, and behind my ears. Also, it felt like someone had broken my nose and when I would try to bite down or chew I would have a sharp pain and pressure in my nose and sinuses. On 12/27, the headache continued, and I had severe left eye pain, as well as pain chewing and the swollen nodes, that became painful to touch. On 12/28, I went to my PCP and was tested for covid, which was negative. She diagnosed me with a sinus infection and prescribed amoxicillin. On 12/29, I noticed my scalp had lumps on it that were painful and I had a very itchy spot on my forehead, which became swollen as well to about a quarter size lump. I also had other painful spots on my scalp all over and a continued severe headache and left eye pain. I tried to follow up with my PCP on 12/31, but their office was closed, and the on call nurse referred me to urgent care. More painful, swollen lymph nodes have appeared on my face and neck. I wasn't able to be seen at urgent care until today (1/1), and was then diagnosed with Shingles. I was told to continue amoxicillin and to start taking Valtrex. I am very itchy, mostly on my face, scalp, and left side of my body.
916641	1/1/2021	MI	44	F	12/28/2020	12/28/2020	Vertigo every evening when lying down and every morning when getting up. I have been lying in bed for 5-10 minutes with eyes open, then sitting up slowly. Next, I sit on the side of the bed for a few minutes. When I get up, I need to hold onto something so I don't fall down.
916985	1/1/2021	DC	27	F	12/31/2020	1/1/2021	I woke up with significant right-sided facial and eye swelling currently still present although improved in severity. Other symptoms included pain/heat at injection site, myalgias, fatigue.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
916666	1/1/2021	NY	26	F	12/29/2020	12/29/2020	injection site pain, tenderness, redness, swelling- hot to the touch. started within 3 hours. Applied ice. Headache- starting 4 hours after the vaccine. relief with tylenol but reappeared after 3-4 hours. muscle aches/fatigue- about 6 hours after the vaccine. night of the vaccine- muscle aches, fatigue, headache- took tylenol Wednesday- morning of day after vaccine- terrible headache, arm swelling redness and hot to touch, could not lift or touch arm. Extreme fatigue, could not keep my eyes open. Wednesday night-fever- started around 4pm tmax 101.0- fevers continued through the night with headache, chills and lower back pain. Extreme fatigue- went to bed around 8pm and woke up at 12pm thursday. Thursday morning- fatigue, increase in swelling and arm tenderness- injection site continued to be very hot to the touch and painful/red. Applied ice to site. Had a low grade fever 100.6 for a few hours. Tylenol taken ATC. Thursday night- no fever, headaches or fatigue but injection site cont'd to be red hot and swollen- cellulitis looking saw my PCP (wednesday prior to fever) who agreed it was a localized reaction with adverse events. Discussed with my physician at work on thursday night who stated it was a cellulitic localized reaction. fri morning- injection site improving- remains swollen, slightly itchy. less red and less warm to the touch. Beginning to form a bruise.
916877	1/1/2021		21	M	12/29/2020	12/29/2020	Itchy eyes. Resolved with 25 mg benadryl. Sore arm for three days. Chilly off and on for three days. Still some tired on third day. Does not know if this is related, but an old boil site started bleeding off and on and has not stopped.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
916891	1/1/2021	IL	26	F	12/28/2020	12/28/2020	12/28/2020 around 5:30 PM she started getting itchy. Progressing as night went on. On 12/29/2020 around 5-6:00 AM you woke with hives, hoarse voice and eyes swollen. A little SOB with talking. Also had weakness and tingling. Tingling was "everywhere".. Went to ER. Treated in the ER and released. Also on this day she had additional reaction to prednisone and she found out she is allergic to this. On 12/31/2020 she had to return to ER. She was at work and not feeling the greatest. Feeling light headed on and off. Continued to work and while driving home felt confused and light headed and called co workers. Felt weak again.. Called co workers who work for ambulance service They came and checked her out and her B/P was high and having PVC's per the heart monitor Transported to ER per the ambulance. 1/1/2021 she is feeling better. Received fluids last night. ER felt it was due to receiving vaccine and then additional allergic reaction to prednisone.
916902	1/1/2021	GA	44	F	12/30/2020	1/1/2021	I Woke up about 36 hours post vaccine administration with swelling and tenderness mainly under my left eye. I have a previous history of fillers in my tear trough areas and cheeks, last filler injection was January 2020. I have some swelling under the right eye too. I have read about that being caused by an immune reaction to the filler after vaccine administration. I have not treated the swelling , as I want to see how long it persists.
916904	1/1/2021	CA	49	M	1/1/2021	1/1/2021	Pt. symptoms included: swelling in the eyes, chest tightness, lump in throat, tachycardia, hypertension, and wheezes. Pt. was treated on scene with .5mg of epinephrine (IM) and albuterol inhaler in route to hospital.
916959	1/1/2021	MI	29	F	12/28/2020	12/28/2020	Headache 10 mins after shot.... 2 hours after shot arm became swollen and extremely hot... Along with face becoming red and hot... Became super tired and eyes sunken in... Raised temperature... After 5 hours all of the above subsided besides fatigue
917021	1/1/2021	IN	32	F	12/29/2020	12/29/2020	Hives around neck, face (cheeks, and around eyes) about 2 hours after vaccine was administered. Reduced appearance of hives after 12 hrs. Cortisone (topical ointment) applied and hives seemed to subside.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
917080	1/1/2021		46	F	12/29/2020	1/1/2021	March 3,2020 patient received Restylane filler in tear troughs under eyes. 48 hours following COVID vaccine filler under right eye became swollen, painful.
917097	1/1/2021	OK	51	F	12/31/2020	12/31/2020	ITCHING OF EYES AND LIPS. 97.6, 130/76, 81. 25MG BENADRYL GIVEN PO. 0909 STATES NO MORE S/S PER PT.
916602	1/1/2021	WA	23	F	12/31/2020	12/31/2020	About 15 minutes after receiving the vaccine, the patient complained about her left arm hurting. She also complained of chest tightness and difficulty swallowing. Patient also had vision changes. We gave the patient 1 tablet of Benadryl 25 mg and called EMS services. EMS checked her out and we advised the patient to go to the ER to be observed and given more Benadryl. Patient was able to walk out of facility herself.
916949	1/1/2021	CA	43	F	12/30/2020	12/30/2020	COVID Vaccine received on 12/30/2020 at 2:00pm on her left deltoid. On 12/31/2020 she reports severe fatigue(8/10) with LUE burning and numbness from injection site to her 4th and 5th digit on her Left hand. She took Tylenol at 0500 am with minimal relief noted. She also reports around 9:00 pm her right eye began to swell and she took 25 mg of Benadryl with some improvement noted.
915232	12/31/2020	FL	27	F	12/25/2020	12/25/2020	Became very dizzy to the point I almost blacked out. My vision became very fuzzy & I could barely see anything.I became very cold & that was with the heater at 76 f°. My forehead was warm even though I was cold. My limbs began to cramp up & hurt especially at the injection site. I then developed a headache later on that night. I was able to take a ibuprofen with a cup of coffee to make my headache go away. The next day I felt really sluggish & did not wish to eat,& mostly slept the whole day.
915748	12/31/2020	WV	53	F	12/29/2020	12/29/2020	started the day of vaccination with blurred vision in left eye that went away by evening, over next 2 days including today the blurred vision continues to be intermittent severe at times then goes away

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
915736	12/31/2020	OH	62	M	12/28/2020	12/29/2020	I had shaking Chills, Headache, Fever to 100.7, Eye Pain and extreme fatigue. These were the exact symptoms that I had when I had Covid in March. The symptoms lasted for 24 hours then resolved. I took two doses of Motrin 600mg and spent the day in bed. Not sure I want the second shot now that I had symptoms similar to my original infection
915661	12/31/2020	KY	46	F	12/28/2020	12/28/2020	Within 3hrs of the vaccine I became lethargic and fell asleep. I was restless and having bone pain but could not wake up to do anything about it. My alarm went off at 4am 12/29/20 for work and I was able to get up but I was confused and unable to comprehend anything I tried to read. I also realized my tongue and throat felt thick and I felt like I was being lightly choked. My vision was blurred, I had tremors and shortness of air. I became lethargic and again fell asleep. When I woke up at 10am I was able to call for an appointment. I was seen on 12/29/20 11:45am and was given Solu-medrol IM and Benadryl orally. I was sent home to take Benadryl every 4hrs.
915611	12/31/2020	MD	55	F	12/30/2020	12/31/2020	tingling then numbness from left cheek by the eye to the middle of the chin . Was not there 8 hours after vaccine but woke with it .
915591	12/31/2020	NY	22	F	12/28/2020	12/28/2020	swollen arm, cold and flu like symptoms (cough, congestion, chills, hot sweats), headache, fatigue, dry eyes, muscle and body aches (all last 24-48 hours). Began about 12 hours after injection.
915492	12/31/2020	NM	47	M	12/30/2020	12/31/2020	Shingles flare Nerve pain in known area to face/eyebrow/skin around left eye
915274	12/31/2020	CT	30	M	12/29/2020	12/31/2020	Body aches. Joint aches. Sore arm. Runny nose. Headache. Burning eyes.
915225	12/31/2020	AR	25	F	12/29/2020	12/29/2020	Heart palpitations Dizziness Nausea Headache Fever Numbness in my fingers in toes Fatigue Burning in my eyes, blurred vision Sharp, burning pains throughout my body Pain in the middle of my back, in my knees, in all my joints
915211	12/31/2020		22	M	12/30/2020	12/30/2020	Chills, Fatigue, "hot" feeling eyelids when I close eyes, muscle/joint pain, injection site pain. No treatment besides rest and a hot shower.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
915166	12/31/2020	GA	54	F	12/23/2020	12/24/2020	Bones and joints pain, chills and fever, bad headache, eyes pain. Cough.; Bones and joints pain, chills and fever, bad headache, eyes pain. Cough.; Bones and joints pain, chills and fever, bad headache, eyes pain. Cough.; Bones and joints pain, chills and fever, bad headache, eyes pain. Cough.; Bones and joints pain, chills and fever, bad headache, eyes pain. Cough.; Bones and joints pain, chills and fever, bad headache, eyes pain. Cough.; Bones and joints pain, chills and fever, bad headache, eyes pain. Cough.; This is a spontaneous report from a contactable nurse (patient). A 54-year-old female patient (not pregnant) received first dose of BNT162B2 (Lot number: Pcj1685), intramuscularly in left arm on 23Dec2020 18:30 at single dose for COVID-19 immunization. Medical history included anxiety, depression, seasonal allergy all from an unknown date and unknown if ongoing. Concomitant medication included celecoxib (CELEXA), biotin, curcuma longa (TURMERIC), calcium, doxylamine. The patient previously took Levofloxacin (LEVAQUIN) and experienced allergies. The patient experienced bones and joints pain, chills and fever, bad headache, eyes pain, cough all on 24Dec2020 05:00. Treatment (Around the clock Motrin) was received for events. All events were reported as non-serious. Facility type vaccine was administered in hospital. The patient didn't receive any other vaccines within 4 weeks prior to the COVID vaccine. The outcome of events was not resolved.
915766	12/31/2020	WI	47	F	12/28/2020	12/29/2020	Pfizer-BioNTech COVID-19 Vaccine EUA. Received vaccine at 6:00 p.m. on 12/28/20. States initially had a metallic taste in mouth after receiving vaccine, however felt fine until she woke up the next morning at 08:00 on 12/29/20 with headache, body aches and dizziness. Describes the dizziness as "lightheaded, in a fog, vision seemed a little blurry like a fog around everything". States began experiencing diarrhea at noon, then at 2:00 p.m. she began to experience chills and "racing heart". States she thought the racing heart was due to anxiety. States she rested, took Immodium & drank fluids. Did not require medical care. States when she woke up on 12/30/20 her heart was no longer racing, and headache & dizziness were improved. States today 12/31/20 she feels completely fine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
915867	12/31/2020	IL	44	F	12/1/2020	12/29/2020	Immediately after the everything is good, 30 minutes after the vaccine I felt congested, I had water eyes and runny nose that lasted less than an hour. As day progress I only felt sore arms, so I continue my normal activities and went to work at 7pm. By 11pm I started feeling cold and having chills, I thought it was because of the weather cause it was snowing and raining that night. As night progressed I feel like chills is getting worst and also started to have body aches. I checked my temperature it was 97.4F. I went home and take rest. I continue to feel chills coz I wake up several times that I feel really cold in spite of the sweater and blanket. Chills continued until 2pm of 12/30/2020, I feel hot checked my temperature it was 101.5F oral. Feeling flu symptoms.
915454	12/31/2020	AL	54	M	12/21/2020	12/29/2020	Facial twitching (left cheek, eyelid, and mild numbness of lower left lip.
915776	12/31/2020	ME	65	F	12/31/2020	12/31/2020	tongue swelling and itching eyes. She was given Benadryl and sent to ED for no significant improvement
916291	12/31/2020	GA	56	M	12/18/2020	12/20/2020	Received Pfizer vaccination 12/18/2020. 2-3 days later pt noted itching on palms. Improved with Allegra. One week p injection itching to hands returned, scalp itching, angioedema lips, around eyes, hands, penis as well as urticarial reaction neck, upper chest, arms, and legs, inguinal folds. Pt is an ER physician and reaction developed while at work. Took prednisone 60mg, Benadryl 50mg, Pepcid 40mg, and Allegra 180. Resolved slowly over 5-6 hours. Never any throat or tongue swelling. No difficulty breathing, dizziness or syncope. Has had yellow fever, typhoid, and all routine immunizations without any reaction previously. No other changes in lifestyle- foods, skin products, detergents, supplements. No recent illnesses. No insect bites/stings.
916299	12/31/2020	OR	52	F	12/28/2020	12/28/2020	welts on arms and trunk, swelling under left eye, flushed.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
916311	12/31/2020	IA	57	M	12/23/2020	12/23/2020	Immediately after receiving vaccine, patient reports that he had numbness from his elbow into his last 2 digits of his had on left arm (arm the injection was placed in deltoid). Within an hour of receiving the vaccine, he developed rhinorrhea and bilateral itching of his eyes as well as increased pain at injection site (left deltoid). By that evening he developed a severe headache, generalized body aches, and excessive fatigue. These symptoms continued through the next couple of days to the point he almost had to miss work. One week later (12/30) he has now developed a rash down his entire left arm into his hand that is red, blotchy, and itchy. He has improvement in headache, body aches, and fatigue now (12/31/20).
916324	12/31/2020	TN	55	F	12/29/2020	12/31/2020	Moderna COVID-19 Vaccine EUA This morning at 11A patient was getting changed which requires her wheelchair to be leaned back so she can raise up as nurse pulls up pants. After raising chair back to sitting position, patient did not raise her head back to resting but instead kept it thrown back which is highly unusual. Her eyes stayed rolled to top of head and body stiffened. She was unresponsive. Signs suggesting seizure which patient does not have. It lasted approx. five seconds. Patient blinked and began to laugh. She said she blacked out but knew where she was and who everyone around was. All vitals are in normal range and she has not shown any other symptoms since injection. She also has been all normal since episode.
916334	12/31/2020	AR	91	F	12/31/2020	12/31/2020	Resident received vaccine at 0840. At 0842 patient started complaining of chest tightness. Moments later, she started complaining of pain in neck and forehead. Vital signs immediately taken. BP 90/38 P60 Resp 18 SPO2 96%. Moments later SPO2 dropped to 89%. Resident placed on 2L nasal cannula and SPO2 increased to 97%. Previous pain persisted. Resident started complaining of new pain in left hip and lower back. Patient was given nitroglycerin sublingual. At 1003 patient taken off 02 and at 1015 patient given albuterol updraft. Also at 1015 patient began complaining of shooting pain in left eye and temple. At 1030 50 mg IM benadryl given. -

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
916369	12/31/2020	NC	35	F	12/29/2020	12/31/2020	I received the vaccine Tuesday and had bad night sweats that night. I worked Wednesday with no issue. This morning (Thursday) I woke up with swollen and red eye lids. After Benadryl some swelling went down but still very red and painful. Temp was 99 at the last check.
916375	12/31/2020	KY	62	M	12/30/2020	12/31/2020	Hemorrhage of the side of the eye with slight pressure. Some light headed feelings.
916392	12/31/2020	TX	50	F	12/31/2020	12/31/2020	Immediate flush, rapid pulse (135) 1/2 hour later - fever (102.4) Dizzy, blurred vision, rapid pulse w/ heavy breathing
916287	12/31/2020	FL	46	F	12/31/2020	12/31/2020	developed the sensation of eyelid swelling, throat tightness and lateral tongue swelling within an hour of the vaccine.
916472	12/31/2020		43	F	12/28/2020	12/28/2020	Shortly after vaccine was given, patient became very dizzy, and stated she was not feeling well and it seems to be getting worse. She reported having a light meal and no prior vaccine reactions. She reported nausea and threw up. She also stated she had some blurry vision. Her legs were elevated, and was allowed to lay down. She was given cold water and transferred to the Emergency Department, by which time she stated she was feeling better.
916477	12/31/2020	FL	46	F	12/29/2020	12/30/2020	Swelling / puffiness of right eye -12/30 Rash on the upper abdomen-12/31 Itching of throat-12/31 Tightness in throat-13/31 Facial swelling -12/31
916491	12/31/2020	CA	51	F	12/30/2020	12/30/2020	Pt received the covid vaccine on 12/30/2020. Approximately at 8:30 pm she felt a sudden on of "chills" and noted her eyelid are swollen bilaterally. The swelling persist, L eye > R eye. Denies pain, discharge, redness, or blurred vision. No fever, HA, rash, or dizziness. "My eyes feel heavy". Denies taking a new medicines/herbal/supplement. No new meds, make-up or , skin care products. No food allergy.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
915826	12/31/2020	IA	44	F	12/30/2020	12/30/2020	<p>Pt was in for her first does of the Covid Pfizer vac. At 10:44 pt requested water as she was feeling dizzy. Pt was given water. Vitals were WNL at this time. At 10:47 Pt reported seeings spots so pt was layed down.and at 10:48 pt was given a cold pack. At 10:50 pt reported chest tightness so a worker went to get a wheel chair wile two other clinic workers kept an eye on the pt. At 10:51 pt was forwarded to Clinic for further evaluation. At Clinic, patient was 1st given the oral diphenhydramine 50 mg followed by Solu-Medrol 125 mg IM by nursing staff with provider. She stated that she continued to have this throat tightness and was done given epinephrine with an EpiPen 0.3 mg IM by provider in her right lateral thigh without difficulty. Within a few minutes patient stated that her symptoms were improving and after 20 minutes there had resolved. Provider recommended against taking 2nd dose of COVID-19 vaccine because of her reaction.</p> <p>Diagnosis Throat tightness (ICD10-CM R68.89, Working, Medical). Chest tightness (ICD10-CM R07.89, Working, Medical). Allergic reaction to vaccine (ICD10-CM T80.69XA, Working, Medical). Course: Well controlled. Plan: Follow up with resting at home with significant other monitoring and go to ER if worsening symptoms. , Patient had improvement of symptoms while in the clinic and stated the chest tightness and throat tightness had resolved and she was swallowing water and stating was much easier to do now. She did have epi pens in her purse which had expired but stated she picked up new EpiPen yesterday at home and states she will make sure that they are available if needed. Expired EpiPen were exposed in the clinic for patient as requested., Patient had a mask on while in the clinic. Provider had protected personal equipment on including mask, face shield, gown, and gloves.</p>
916513	12/31/2020	CA	61	M	12/29/2020	12/29/2020	<p>within 15 minutes observation period developed pain in right arm followed by numbness of right arm, and pain behind right eye. BP 160/94, repeat 140/83, HR 83, O2 sat 100%. worsening over 30 minutes. So code assist called and taken to ED. allergist on duty provided consultation and follow-up, confirming symptoms resolved same day.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
916544	12/31/2020	AK	58	F	12/30/2020	12/30/2020	<p>Patient reports first noticing that her back was itchy around 8pm on 12/30/2020, approximately 9hrs post vaccination. She asked her husband to scratch her back and when doing so, he noticed red and raised welts on her back. Upon waking this morning, the red, raised, and itchy rash had spread from her back to the rest of her body and is now on her back, chest, abdomen, arms, hands, neck, face, legs, and feet. No rash on palms or soles. Skin lesions examined and are consistent with urticaria. She has taken a total of 3 doses of hydroxyzine 25mg without any improvement. Patient also applied OTC 1% hydrocortisone cream which provided some slight, temporary relief. The only other treatment tried was a cool compress with witch hazel and this was also soothing. Patient's husband informed her that he noted "red splotches" on her back the morning of 12/30/2020 prior to vaccination but didn't think much of it. Her symptoms obviously significantly worsened later that day. However, given that she had atypical symptoms prior to vaccination she is questioning whether this is truly related to the vaccine. She denies any other new exposures prior to symptom onset. No new soaps, lotions, detergents, foods, etc. The only thing she can think of is that in the past she has developed puffiness under her eyes and a runny nose when in the vicinity of marijuana. She inadvertently came in contact with a parcel that likely contained marijuana at work the night before she was vaccinated. Patient denies any previous skin rash due to marijuana exposure but wonders if this could have contributed to her current symptoms. She denies shortness of breath, wheezing, tachycardia, dizziness, nausea, vomiting, diarrhea, or swelling of face/lips. Patient states that other than the diffuse itchy rash, "I feel fine." June does have a history of significant oral swelling and breathing difficulty following bee sting in the past. For this reason, she does carry an EpiPen with her at all times. She has never been evaluated by an allergy specialist but has history of severe reactive airway disease when exposed to perfume. Will refer to allergy specialist for further allergy testing. Today in clinic, patient was administered 50mg IM Benadryl and she was prescribed famotidine 20mg BID to take at home in addition to Benadryl 25mg TID prn. She felt the witch-hazel provided more relief than the hydrocortisone cream so she will continue this with cool compress or cool</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							showers prn. Follow up next week for recheck.
916547	12/31/2020	FL	36	F	12/29/2020	12/31/2020	Swelling of face, lips (so swollen could not close lips enough to drink water), ocular area and eyelid (right eye 1/2 way swollen shut), rash on neck, swollen lymph nodes.
916566	12/31/2020	CO	35	M	12/30/2020	12/30/2020	Received vaccine at 9am 12/30 and felt fine until about 4pm that day. Woke up from a nap and felt chills, headache, body aches. Overnight chills become worse and constant throughout the night. Woke up with sweat on chest and arm pits. Off and on low grade fever. Through out today, more off and on chills, headache, nausea, and low grade fever. Also experiencing burning sensation of eyes off and on along with fatigue.
916568	12/31/2020	IL	30	F	12/29/2020	12/29/2020	Per the patient, patient received COVID-19 vaccination and was observed for 15 to 20 minutes after injection. About 20-25 minutes after vaccination, however, patient became short of breath, felt throat closing, and had tongue swelling, facial flushing, itching around her neck, and nausea. Patient used a rescue inhaler, took Benadryl, and called EMS. Other meds included Zyrtec which was taken the evening prior to the vaccination, and Allegra and Tylenol which was taken the morning of and prior to vaccination. Per patient, EMS was called but patient did not wish to go to their affiliated hospital. Once it was safe to be released from EMS, patient drove to an urgent care center. Per patient, urgent care provider observed eye redness and puffiness. Patient states vital signs were normal upon arrival at urgent care except for BP which was higher than normal. Patient received famotidine and prednisone at urgent care, and is taking these medications at home. The day after the injection, patient noted a significant swelling of the injection arm from the elbow upwards; swelling is still present but subsiding. Body aches and injection site pain are also present.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
916574	12/31/2020	AK	23	F	12/31/2020	12/31/2020	Several minutes after the vaccine was given the patient started to experience pruritis, initially at the site of the injection, but it began to become more generalized. She started to feel warm and flushed, and observed that her skin was starting to become red and flushed (no hives or other rash was apparent). She then noticed that her throat was itchy, and she was having difficulty swallowing. She denied cough, dyspnea, chest tightness. She said she felt "funny", but did not have any near syncopal events. She denied GI symptoms. On observation, there was obvious flushing of her skin and her right eye was hyperemic (she said that the sensation of itching was more prominent on the right side). She was initially hypertensive, with a BP of 171/97, HR of 133, respiratory rate of 18 and SaO2 99%. She was treated with 0.3mg epinephrine IM, and was transferred to the ER. She states that several minutes after receiving the EpiPen, she began to feel better with regards to her throat globus and pruritis. Patient was nonetheless transferred to the ER for further evaluation and observation.
916454	12/31/2020	NC	52	F	12/30/2020	12/30/2020	Within one hour of vaccine administration, the left side of my face from throat up to me eye began to tingle, then became numb. The left side of my face became swollen. The left side of my mouth began to droop. My tongue began to swell, my throat felt like there was something in it and it became increasingly difficult to breathe. I called the Hotline provided by Hospital. I was directed to Urgent Care. At the urgent care, an IV was placed. Solumedrol, Benadryl, and epi pen were administered. I was transferred by EMS to Hospital. In EMS, an additional IV was placed. I was given IVFluids. I was also given additional Benadryl and Pepcid.
915884	12/31/2020	PA	35	M	12/21/2020	12/21/2020	Pt presented after receiving vaccine on 12/21/2020 on 12/31/2020 with Bell's palsy. Right sided facial perceived numbness and numbness of right arm distal from site of vaccine. No weakness on exam, +weakness perceived by patient. Reported by patient these symptoms improved from date of vaccination. Able to fully open and close right eye. No facial droop. She states these symptoms occurred 5 minutes after having vaccine, but initially dismissed as her anxiety about getting vaccinated.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
916510	12/31/2020	FL	40	F	12/23/2020	12/30/2020	Around 6 pm on 12/30/20 I began to have a visual aura to both eyes, though it seemed to be primarily to the left. It lasted about 20 minutes. About 30 minutes later it started again, this time primarily to the R eye. This again lasted about 20 minutes and was followed by a mild-moderate frontal headache. It seemed to be an ocular migraine, but I have never had them before. It resolved while I was sleeping and I did well today.
916271	12/31/2020	TN	34	F	12/31/2020	12/31/2020	Patient got the vaccine and shortly afterwards started feeling different with sweating and redness/rash developing at injection site. She sat down and then noticed rash spreading to chest, arms and neck areas. She took two Benadryl capsules and remained seated. Then her eyes began watering and turning red followed by subtle eyelids swelling. She notified her dr and was told if no improvement, go to ER. She needed to finish her shift and decided to wait it out. I called to check in at 4pm and she still felt bad with intermittent chest pain. Her shift ended at 6 and she was going to still wait it out. She was able to drink water and informed me that her mouth/throat felt a little puffy. I advised to go to ER and she said she would if it didn't go away. We ended our phone call at that point.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
915794	12/31/2020	IA	54	F	12/29/2020	12/29/2020	<p>This MA was in room at 1527 to ask patient how she was feeling and she reported she was feeling fine and wanted to know why she had to take the next day off post second vaccine. RN walked in seconds after this MA and asked patient how she was feeling with RN and patient reported she was feeling "queasy and lightheaded." Vitals were obtained. 1528 patient was moved to exam table to sit down. 1531 vitals obtained and laid down due patient feeling lightheaded and Dr came in from UCC to exam at bedside. Dr advised to rest x10 minutes and come back for exam after 10 minutes. 1544 patient sat up again, vitals obtained, patient reports mouth felt numb, denies SOB. Dr back in room at 1547, exam completed patient states felt short of breath, patient transferred to convenient care at 1551 by w/c. Heart Rate Peripheral 69 bpm (DEC 29 15:58) Resp Rate 16 brpm (DEC 29 15:58) SBP H 145mm hg (DEC 29 15:58) DBP 85 mm hg (DEC 29 15:58) SpO2 100 % (DEC 29 15:58) General: Alert and oriented, Mild distress. Eye: Pupils are equal, round and reactive to light, Intact accommodation, Extraocular movements are intact. HENT: Throat: Uvula ( Not edematous ), Pharynx ( Not edematous, Not erythematous ). Respiratory: Lungs are clear to auscultation, Respirations are non-labored, Breath sounds are equal. Cardiovascular: Normal rate, Regular rhythm. Integumentary: Warm, Dry, At 1605, a circumferential hive developed on her anterior neck. It was demarcated and measured 5.0 cm x 6.0 cm. It continued to enlarge and spread towards her ears. Later recheck, hives were starting to fade.. Neurologic: Alert, Oriented, Cranial Nerves II-XII are grossly intact, Normal gait, Normal balance. Orientation: Oriented X 4. Psychiatric: Cooperative, Appropriate mood &amp; affect. From Note: 1. Pt was stable after medications (diphenhydramine 25 mg PO x 1, epinephrine 0.3 mg IM x 1) were administered; Hives improved, as well as the "head heaviness" and lightheadedness 2. Pt's husband arrived at clinic to accompany pt and to transport her home 3. Discussed warning signs to monitor for. Pt and husband were advised to call 911 instead of driving to the hospital if any developed, especially due to the bad weather this late afternoon 4. Pt inquired whether or not to get the second vaccine, since she already has a date scheduled. Spoke with pt via phone at 1738. She arrived home</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							safely and states she still feels better. I advised that she should wait regarding the second vaccination dose and that she should discuss this further with her PCP. 5. Pt ambulated the hallways with Nursing staff nearby, and tolerated this well without being dizzy or lightheaded 6. Full PPE worn during this visit -- Gown, gloves, N-95 mask, face shield.
915853	12/31/2020	MI	44	F	12/24/2020	12/24/2020	After receiving the vaccine earlier in the day patient noticed headache, nausea, muscle pain, joint pain, chills with cold sweats, and watery eyes at approximately 10:00 on 12/24/2020. Gastrointestinal side effects followed the evening of 12/25/2020. Patient reported that all symptoms were "resolved" by 48 hours after receiving the vaccination.
915892	12/31/2020	PA	53	F	12/29/2020	12/30/2020	Swelling of bilateral upper and lower eyelids, right eye watering and red Treated with Benadryl which was effective Symptoms lasted at least 24 hours
915902	12/31/2020	OH	55	M	12/30/2020	12/30/2020	Min 15; Rubbery/slimy feeling tongue. Metallic taste. No swelling. Minor dizziness, passed within 30 minutes. Hour 3; 6/10 head ache at the temples, chills, beginning of flu like symptoms. Hour 6; Joint stiffness. Tylenol/ibuprofen had no effect. Hour 9; Very minor trouble breathing, in bed. Ignored. High fatigue. Hour 20; noticeable dry cough and chest wheezing. Watery eyes, continuation of flu like symptoms. No fever noted. Hour 24; Symptoms moderating well. Some stiffness. Head ache decreasing. Injection site typically sore. Little appetite and very thirsty. Have consumed more than 7 liters of fluids in the last 24hrs, little output.
915909	12/31/2020	WI	40	F	12/31/2020	12/31/2020	After 10 min after vaccine, started to feel lightheaded, dizzy, tongue thick and developed tunnel vision. B/P 124/88 P 96 SPO2 100 Sent to ED for evaluation

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
915921	12/31/2020	MI	61	F	12/28/2020	12/28/2020	About 5-10 minutes after the injection my jaw and bottom molars started throbbing, then my tongue started tingling and around my mouth went numb as if I had received a novocaine injection. Next it moved up my glands to both ears giving me tremendous ear pain, then it moved over to the tops of my cheekbones right under my eyes. Lastly I got a horrible headache. I did not tell anyone at the Event Center about the jaw and tooth pain since I thought it was due to stress from having the vaccine. It took a full half hour for all symptoms to happen, which at this time I was on the road headed home.
915928	12/31/2020	MO	38	F	12/28/2020	12/28/2020	<p>Started feeling a reaction immediately after the vaccine, felt blurred vision, dizziness, racing heartbeat, chest rash and face, itching all over, difficulty swallowing, tongue tingling and wheezing. Sent to ED. EPI and Benadryl. 1800 Went to see her in the ED, room 33. She has red rash to neck, shaky hands itching to neck and chest. ED Dr to discharge, she stated husband to pick her up and she will follow up with OH</p> <p>tomorrow. -----</p> <p>-----RN ED gave her Epinephrine 0.3 mg, Methylprednisolone 125mg, Diphenhydramine HCL 50 mg, Zofran 4mg, Lorazepam 1 mg, Hydroxyzine HCL 50 mg Sumatriptan 6mg , Discharge from ED at 1902 -----</p> <p>----- RN 12/29/2020 1715 called to check on patient. left voicemail for her to call OH. ??????..? 12/29/2020 1838 left voicemail for patient to call OH. ??????????????????. 12/30/20 2030 spoke with her. Tuesday 12/29 3pm-4pm dizziness, confusion, sob. Wheezing. Ambulance called. Hospital admitted. Intubated for less than 24 hours. Breathing treatments, epi drip. Now just on steroids and walking around and feeling better. Still admitted at hospital. Hoping discharged tomorrow. -----</p> <p>-----RN</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
916139	12/31/2020	CA	43	F	12/29/2020	12/29/2020	On 12/29/20 at approx. 21:00, I felt lightheaded, pressure in my chest and left arm pain at the injection site. I stood up and walked towards bedroom and started feeling weak in my legs. I fell to my knees and woke up, on my knees with my head on the floor. I was unconscious for about 30 seconds (unsure exactly) and felt like I was shaking. I stood up slowly and walked to the bedroom. I laid down and called for my husband. He took my blood pressure and heart rate, and both were very low (BP 65/43 and 40 heart rate). I continued to lay down while left arm was throbbing, feeling wiped out, pale and weak. My eyes were very heavy with pressure behind my eyes. I tried to sit up slowly about 5 minutes later and I felt lightheaded again. So, I laid back down. Then, about 10 minutes later, I sat up slowly and felt ok, walked to restroom with family help. Went to lay back down and my blood pressure was coming back up. I went to sleep for the night and didn't feel any other side effects, except very tired and left arm pain.
916039	12/31/2020	OH	39	M	12/24/2020	12/26/2020	Had dizziness, blurred vision and tunnel vision while driving 2 days after vaccine. He pulled over and called 911 who took him to the hospital. Dx was near syncope/vasovagal episode, but supposedly had a prolonged QT interval on his EKG. Received IV fluids and has been fine.
916051	12/31/2020	TX	42	F	10/27/1978	12/29/2020	About 20 minutes after receiving the vaccine was complaining of swollen lips and tongue. EMS was called immediately. MD present and upon examination lips swollen, oral pharynx red, tongue thick, unable to visualize posterior pharynx. 1 Dose of Epi 0.5ml was administered Sub Q to the pts L upper arm. Patient c/o difficulty breathing. Vitals were taken and WNL besides an elevated Blood Pressure. Patient became cool and clammy right before EMS arrival. After about 10 minutes EMS arrived and took over care of the pt. Started IV benadryl and solumedrol. She was then taken to the Hospital.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
916061	12/31/2020	MA	44	F	12/21/2020	12/22/2020	12/21/2020 HAD VACCINATION 12/22/2020 WOKE AT 3AM, FELT HA, EYES FELT LIKE HAD FEVER, DIDNT FEEL GOOD. TRIED 3XS TO GET UP. TEMP 99.9. WENT BACK TO SLEEP. DID NOT GO TO WORK. R ARM WAS SO SORE, COULD NOT MOVE OR PICK UP ANYTHING. POLICY AT WORK TO CALL COVID HOTLINE; COVID TEST 12/23/2020 FEVER, FATIGUE, BODY ACHES 12/24/2020 COVID TEST; NEGATIVE. NO FEVER. FATIGUE, SLEEPING ALL DAY. HAD TO BE CLEARED BY OCCUPATIONAL HEALTH TO WORK. CAME BACK TO WORK ON TUESDAY. 12/30/2020 FELT BETTER
916074	12/31/2020	IL	17	F	12/30/2020	12/30/2020	MODERNA COVID-19 VACCINE EUA: Individual presented to COVID-19 vaccination clinic sponsored by Health Department being held for Healthcare Providers. Individual marked on Vaccination Consent form that she was a Medical Assistant at her father's medical practice. After administration of vaccine it was discovered that she is 17 years old. This vaccine is not for individuals < 18 years old. Call made to CDC who advised us to call Moderna. Called Moderna and awaiting guidance/advice from Moderna Medical Information division.
916080	12/31/2020	CT	72	M	12/29/2020	12/29/2020	on date of injection @6pm itchy eyes, cough, headache arm swelling. Next am ( 12/30) tremulousness in am , did not sleep. 12/31 symptoms abated. Took neurontin and motrin for symptoms on 12/29 and 12/30/2020
916230	12/31/2020	IL	39	F	12/30/2020	12/30/2020	Swelling in neck and behind left eye. Note fromMD: Female who complains of swollen feeling on neck and behind eye. Now improved. No other complaints. Exam: No swelling observed, no other findings. Plan: Home with primary care provider follow up. Unlikely to be significant allergic reaction.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
916258	12/31/2020	CO	29	M	12/30/2020	12/30/2020	The reaction occurred within 5 minutes of administration. I started to feel my face tingling, the top of my head was numb feeling, fingers tingling, my blood pressure was taken 150/90s and another time it was 140s/100s. The doctor on staff had me lie on the floor with my feet up and it seemed to help slightly, I also sipped on some water and Gatorade. My HR went up to about 125 or so at one point. I felt dizzy, slightly confused and was finding it hard to find the words to describe what was happening at some times. I felt like my vision had a change like it was slightly more blurry. I would go from feeling better one second to feeling horrible the next in 2-5 minute intervals. After about 15 minutes I become more anxious and nauseous, but did not vomit. I also felt very weak during the entire time and I am still feeling some of the weakness and fuzzy thinking at times. On route to the hospital I was given Zofran for nausea and they started a NS IV. I was given another bag of NS, Solumedrol, diphenhydramine, and Pepcid as well as another dose of Zofran once I was in the emergency room. They held me for about 2 hours and I did not have any worsening symptoms. My BP on release was 138/90s HR was in the 90s.
916176	12/31/2020	WA	52	F	12/30/2020	12/30/2020	Numbness and tingling on left side of face, eye and upper arm
916001	12/31/2020	TX	33	F	12/29/2020	12/29/2020	Mild Bell's Palsy, slight weakness and numbness in left side of face. Started shortly after leaving the vaccine site, on the way home, with a tingling near my left eye. By the next morning the tingling/numbness had spread to the left side of my face with a weakness in facial muscles. Not physically noticeable but went to my doctor's office on 2nd day after vaccination and was diagnosed with mild Bell's Palsy.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
913646	12/30/2020	WA	26	F	12/21/2020	12/22/2020	On the 22nd after the vaccine, I was working around the house and began to feel lightheaded, my ears sounded as if i was in a tunnel, my vision began to feel like it was rotating and my knees felt like jello. I felt faint so my spouse helped me to lay down and I had a burning feeling in my stomach. I tried to lay down but the feeling in my stomach got worse so I sat up with my head down for a while until it eased up. My head hurt so I reached out the to the ER doctor who told me it was possible side effects and to watch myself and if the symptoms got worse to come in but they didnt. I laid down until I began to feel better. I continued to be nauseous and have a slight headache for a couple hours after
913602	12/30/2020	CO	44	F	12/29/2020	12/29/2020	Was being monitored x 30 minutes after vaccination. Approximately 15 minutes after administration, eyes began to get heavy and swell. "My heart was racing." Wheelchair to ED. They could not get IV access. Throat was dry. They got an IV and gave Benadryl. "My throat starting swelling and I could not swallow." "I was panting and my heart was beating out of my chest." The ED staff administered epinephrine pen via IM injection. Anaphylaxis resolved and she was monitored x 4 hours in ED. Sent home on prednisone and fomatidine.
913507	12/30/2020	IL	36	F	12/29/2020	12/29/2020	Blurred vision, throat felt constricted, increased heart rate, fever
913476	12/30/2020	ND	51	F	12/23/2020	12/28/2020	Blood vessel in lt eye broke causing swelling
913474	12/30/2020	ND	51	F	12/23/2020	12/28/2020	Blood vessel in lt eye broke causing swelling
913504	12/30/2020	TX	48	M	12/29/2020	12/29/2020	Warm sensation over whole body, most notable was the fact my eyes felt "hot". Occasionally my vision would blur. The sensation lasted roughly an hour (10p to 11p). The symptoms began approximately 3 hours after shot. I did not seek medical treatment and there were no notable affects the next day.
913668	12/30/2020	WY	38	F	12/29/2020	12/29/2020	Patient received her COVID-19 vaccine at 1400 on 12/29/2020. At 1515 she complained of a headache, sinus pressure and numbness under her right eye. She denied any blurred vision, SOB, or any other symptoms.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
913698	12/30/2020	GA	45	F	12/30/2020	12/30/2020	Itchy eyes, drowsiness, headache
913845	12/30/2020	PA	47	F	12/21/2020	12/23/2020	On Dec 21 got covid vaccination 2 days after left eye was bothering her/dry Then Saturdays Dec 26 was eating a bowl of cereal and then spilling the food and was drooping No headache, no fever. Has Bell's Palsy She has chronic urticarial and Because of Hives from Sulfa and NSAids Prednisone 20 mgs BID x 5 days before the shot.
913754	12/30/2020	CA	58	F	12/29/2020	12/29/2020	Rash on face and torso. Redness in eyes. Gradual onset. Eyes clearing overnight. Rash reduced overnight. No pain. No fever.
913768	12/30/2020	KY	45	F	12/30/2020	12/30/2020	Approx 4-5 minutes after injection patient was seated in a chair. She slumped back in the chair and her head rolled back. Patient did appeared to loose consciousness with eyes rolling back. Patient was carefully lowered to the floor to be assessed. She was given one dose of Epi-Pen at 10:53 am. The hospitals code team came to assess the patient. She was able to answer questions. When patient became alert, she reported a history of syncope with injections and had had breakfast yet. Vital signs were stable. She was taken to the ER via wheelchair for observation.
913466	12/30/2020	FL	56	M	12/30/2020	12/30/2020	after injection (about 3 minutes ) "little bit of blurry vision but it went away - not severe" "I do not like shots and I had a mask on that could have been blowing into my eyes.~~
913258	12/30/2020	GA	46	M	12/21/2020	12/23/2020	2 days after vaccine had significant back pain. Lower back with excruciating pain. Chest muscles became stiff Was difficult to walk or sit. Then the next day was having breakfast and had an allergic reaction to food that I have eaten regularly. I had an allergic reaction for the first time in September to a different food but it was same reaction. Significant periorbital edema to where my eyes were almost completely swollen shut. No breathing issues.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
913719	12/30/2020	IL	39	F	12/28/2020	12/28/2020	For the first 12 hours I got injection site pain and hot flashes. After 12hrs I started having severe muscle /skin pain, hot flashes, low grade fever (99.8 oral), burning and pain on my eyes, and joint pains (big and small) especially in my hands and feet.
913456	12/30/2020	MI	40	F	12/29/2020	12/29/2020	Pain at injection site, nausea, diarrhea, dry mouth, running nose and itchy eyes.
913447	12/30/2020	OH	28	F	12/29/2020	12/30/2020	Tunneling in vision
913441	12/30/2020	MI	34	F	12/22/2020	12/23/2020	Migraine with aura 28 hours post vaccination, took 2 Excederin, migraine resolved with sleep. Additional aura (visual disturbance) 12/26 (3 days 20 hrs post vaccination). Took 2 Extra Strength Tylenol and symptoms resolved without additional migraine. Prior to this, my last migraine was about a month ago. Typically I only get migraines every 2-3 mo, so this was atypical for me.
913433	12/30/2020	IL	32	M	12/29/2020	12/30/2020	Body aches, headache, chills, dizzy, fatigue, sweating, runny nose, cough. I experienced dizziness (20:30) roughly 5-6 hours after my vaccination (14:50-15:00 12/29/2020). I went to bed and woke up around 04:00 with chills, body aches, slight headache, sweating and very fatigued. The fatigue did not feel like it was from normal sleep or just being generally tired. I felt as if physically getting out of bed would be impossible or extremely difficult. I got up and went to the restroom to brush my teeth and noticed my eyes were incredibly blood shot and I had trouble fully opening up my eyes.
913412	12/30/2020	NY	31	F	12/28/2020	12/28/2020	I began to experience left eye pain shortly after receiving the first COVID-19 vaccine (Moderna) on 12/28/20. I still experience pain when blinking.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
913398	12/30/2020	GA	32	M	12/28/2020	12/28/2020	About 2 minutes after receiving the vaccine, while sitting upright in a chair, patient stated he felt like he might pass out and proceeded to become more limp, pale, and sweaty. His hands rhythmically twitched back and forth, and he dropped his phone. His eyes began to close, and his head leaned back. He remained upright in the chair. I elevated his feet in another chair, legs bent. I fanned his face/upper body and put wet papertowels on the back of his neck. After about 2 minutes, his LOC had returned to baseline. His color returned, and he stated he felt better after 5 minutes. He remained seated and sipped water for 30 minutes before going back to his office.
913369	12/30/2020	VA	73	M	12/22/2020	12/27/2020	Light flashes lasting less than 30 sec in right eye only: honing on for 2 day now
913350	12/30/2020	NY	44	F	12/29/2020	12/31/2020	I woke up from sleep and developed tachycardia, tachypnea, feeling cannot breathe, excessive sweating, pain and numbness on the left arm where I received the vaccine, then I lost consciousness for unknown time. When I woke up I felt my legs and arm were shaking not sure if it is seizure or not as there is no witness. I walked a couple steps to the next room to wake up my husband and then I lost consciousness again after I heard ringing sound in my ears and black in front of my eyes. My husband found me on the floor and I fell on my left hand with small injury on the dorsum of my left hand that I am not sure how it happened. After drinking fluid I felt little bit better. I received 600 mg of Motrin and continues to have headache and muscle ache but no other symptoms at this time.
913283	12/30/2020	PA	45	F	12/23/2020	12/24/2020	called clinic and stated she woke up on 12/24 with numbness to her right lip, cheek and chin. She is an RN - denies any wheezing, SOB, lightheadedness. Denies any swelling of lips, tongue or throat; no trouble swallowing; Denies any facial drooping or eye symptoms; denies any slurred speech Spoke to her on 12/26 and 12/28 and encouraged her to come here to empl health or to ED or to her PCP; She declined to do so and was working ; Will followup with her today

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
913249	12/30/2020	NY	35	M	12/22/2020	12/22/2020	30 seconds following IM injection, felt warm, flushed, lightheaded, vision dimming., near syncope. Symptoms improved lying supine. Blood pressure measured to be 90's systolic, Heart Rate 60's. NO RASH, NO ANGIOEDEMA, NO Shortness of breath. Symptoms resolved completely within in 3 minutes.
913229	12/30/2020	CA	39	F	12/26/2020	12/26/2020	Swollen Lips, throat, foot, sore throat, body aches, chills, head aches, Feeling that can not keep eyes open, pain on administration site, on/off body itching.
913871	12/30/2020	NY	46	F	12/30/2020	12/30/2020	Hot flashes, Nausea, Eye swelling, Dry throat & mouth, Pain in right side of neck
913625	12/30/2020	CO	43	F	12/28/2020	12/29/2020	Mild soreness at the injection site started within within 3 hours of the injection. However, on 12/29/20 at 3:00 AM, I woke up with moderate pain (5 out of 10 pain level). I got up and within 1-2 minutes I felt nauseous, a hot flush raised up my neck, my vision went black and I collapsed. I did not fully lost consciousness. I was on the bathroom and fell onto the bathtub hitting my right tight and right forehead strongly against the edges of the bathtub. As of today, 30 hours after the fall, my right leg and forehead continue to be moderately soreness, with limiting my ability to walk up and down stairs.
913292	12/30/2020	NC	26	M	12/23/2020	12/23/2020	Patient states that around 1500 he began having nausea and headache that worsened as the day went on. He took Tylenol and went to bed around 2300. At about 0100 he woke up shaking, sweating, temp 99.5, confusion and eye pain. His symptoms kept him awake for about 3 hours. He took another Tylenol during this time and when back to bed. The next day he had chills and it took until 12/25/20 for him to feel "normal" again.
914777	12/30/2020	IN	38	F	12/28/2020	12/30/2020	Eye swelling. Facial filler done 7 weeks ago.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
915082	12/30/2020	TX	52	F	12/30/2020	12/30/2020	1627: informed patient was experiencing nausea 1630: BP:118/68; P:72; RR:18; patient sitting in waiting area after receiving COVID-19 vaccine; stated she was fine but had some nausea; had eaten at ~1100 today and feeling fine; stated hx of Lupus and gave names of meds she had taken earlier; stated she had been cleared to receive vaccine by PCP and Rheumatologist 1635: BP:140/88; P:68; RR:18; patient began to slump down on chair and left hand began to go limp - 911 activated. Patient did not have LOC and tears rolled down her eyes; began to lose color on face; patient placed on cot in supine position and removed jacket she was wearing. Skin was warm but not clammy/diaphoretic. 1640:BP: 122/82; P:68; RR:18; patient lucid but began to slur words - continued to monitor, airway in tact and no LOC 1642: EMS arrival, report given to EMS and care transferred Blood sugar p/EMS: 80 1707: EMS departed, patient remained supine in cot; this nurse assisted patient from cot to a chair and patient did great. ~1720: Patient and her mom were escorted to her vehicle by another nurse 2013: This nurse called patient and she sounded wonderful; stated she was about to get showered; patient appreciative for f/u call.
915080	12/30/2020	FL	84	F	12/29/2020	12/30/2020	Woke up and at first felt fine. Took thyroid med and went back to sleep. Woke up again and when I sat down with my coffee I began to shake uncontrollably with teeth chattering. Threw up my coffee. Went back to bed, covered up with blankets and went back to sleep. Awoke a few hours later and felt fine. Did not feel like I had a fever. Cannot read a thermometer due to vision loss. Was not hungry and finally ate cereal for dinner as I felt like I should have something.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
915072	12/30/2020	CA	28	F	12/20/2020	12/23/2020	On 12/23/20 I noticed some blurred vision in my left eye. My pupil was fixed and dilated, nonreactive. I went to the ER and had a thorough workup-eye exam normal, labs normal, CT head and angiogram normal- the ER doctor along with the neurologist and ophthalmologist diagnosed me with Adie's pupil. I had a follow up eye doctor appointment 12/29/20. I still have a little blurred vision but improving and my pupils are almost and same size and my left eye is reactive to light. Everything else with my eye exam was normal. All the doctors I saw were not sure if the vaccine could have contributed to Adie's pupil. Not sure if it is related - with my work up there were no other indications of what could have caused this. to item 20- I am recovering from Adie's pupil- everything is improved but I still have some blurred vision. Pupil size is almost normal and my left pupil reacts normally to light.
915061	12/30/2020	AZ	60	M	12/30/2020	12/30/2020	Burning sensation in left eye for about 1 minute. Felt like "wind blowing in my eye".
915046	12/30/2020	NY	47	F	12/23/2020	12/28/2020	Enlarged supraclavicular lymph node. Received vaccination 12/21/20, developed 12/28/20 a 3cmx2cm palpable and visual enlarged lymph node on the left mid clavicle.
915000	12/30/2020	CT	27	F	12/28/2020	12/28/2020	Normal side effects of nausea, headache, fatigue, and injection site pain followed vaccination in hours 3-8 following vaccination. Approximately 9 hours after the vaccine, the left eyelid started to swell. Benadryl, an extra Zyrtec dose, and Advil was taken and by the morning time the swelling had not decreased but actually increased on the left eyelid and swelling appeared on the right eyelid. I called up occupational health Covid hotline and since the vaccine was given at my job and the occ health doctor suggested I go to a doctor or urgent care. I went to a local urgent care, associated with my hospital, and they diagnosed me with a delayed allergic reaction to the covid vaccine and prescribed me steroids

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
914924	12/30/2020	CA		F	12/22/2020	12/23/2020	Patient received the covid vaccine on 12/22/2020. c/o new onset of HA and dizziness at the same time. Hx of HTN, DM, "autoimmune" disorder on MTX. BP is well controlled with medication 140s/80s One day after the vaccination, her BP was 172/92 HR 69. She continues to have HAs and dizziness. Denies heart palpitations, fever, chills, blurred vision, cough, chest discomfort, or SOB. She is concerned if the pfizer vaccine is interacts with her MTX. Covid test on 12/29/2020 was negative.
914916	12/30/2020	SD	54	F	12/23/2020	12/30/2020	Right ear, skin on right cheek and jawline is numb...like a bells palsy. No eye or mouth involvement this time. No treatment administered at this time...
914912	12/30/2020	PA	52	F	12/30/2020	12/30/2020	Black crescent in peripheral of left eye after shot. Should be noted patient has history of headaches and migraines
914908	12/30/2020	WA	50	F	12/29/2020	12/29/2020	About 30 minutes after the vaccination a became nauseated, dizzy and strange feeling, I had the feeling of being on some type of drug. It impaired my vision a little - things were a bit out of focus. I felt like I was high on something. This was a temporary feeling that resolved after about 2-3 hours.
914884	12/30/2020	KS	70	M	12/30/2020	12/30/2020	Patient developed swollen hands and swollen ankles/feet that was visually noticeable approximately 2 to 3 hours after receiving vaccine. Onsite staff noticed the symptoms and sent the patient immediately to the local Emergency Department for further examination and treatment. The patient did not show signs of severe anaphylaxis (oral-facial swelling/difficulty breathing).
914413	12/30/2020	CA	58	F	12/28/2020	12/28/2020	4 hours after vaccine back and join pain and fever, over 100.1, patient took ibuprofen and went to bed and woke up with 101.3. Patient also reports dry eyes

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
914860	12/30/2020	FL	38	F	12/21/2020	12/21/2020	One hour after vaccination on 12/21, pt experienced papular rash around mouth with ulcers inside mouth. Pt also experienced swelling in nose, hands, and legs with itchiness on torso, legs, and ears. Pt with numbness tingling on right leg, blurry vision, and lump in throat when swallowing. Pt completed 7-day prednisone taper with improvement in rash noted, but some residual facial swelling as of 12/30. Pt started second round of prednisone at lower dose. Also taking cetirizine, famotidine, and diphenhydramine PRN.
914833	12/30/2020	OH	40	F	12/30/2020	12/30/2020	30 minutes after vaccination patient reported that she felt lightheaded, "foggy", chest tightness, nausea, blurred vision. States she felt like she was going to pass out. Had about 3 episodes of this about 5 min. apart.. Patient states she has vasopressor syndrome however the last episode was one year ago. Vitals: 132/90 P: 72 2nd B/P 124/80. Patient also reports that she did not eat since evening before (no breakfast). Monitored patient for approximately half hour and patient was escorted by husband to location in facility where she could lay down & rest. Husband present. Public staff left patient w/husband at facility due to patient reporting she was feeling somewhat better. Location also had physicians on site. Public Health staff then called patient at 12:30 pm for update: Pt reports still having some "episodes" lightheaded. States facility did EKG w/normal result. States she will follow-up w/her cardiologist. 5:45 PM Phone call to patient who states she is doing somewhat better but states when she got up to put dishes away she felt winded, lightheaded and had some chest tightness. States her head feels "clearer".



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
914675	12/30/2020		25	F	12/18/2020	12/19/2020	These are the comments received directly from the patient: "On Friday I received the vaccine at 11:30 a.m. I woke up Saturday and felt fine, just sore at the injection sight. Later in the afternoon I had a slight headache, but very minimal. Later in the evening my right eye was red and hurt to touch, did not think much about it. When I woke up on Sunday both my eyes were bloodshot, again did not think much about it, added some visine and went on about my day. Later in the evening they were bloodshot and watery. I called a nurse friend and talk to her she advised me to call my doctor on Monday morning. I also talked to my optometrist and she advised me if not better by Monday to call her and make an appointment for her to look. I called my primary doctor office on Monday morning and spoke to the nurse. She took my symptoms and talked to my doctor. The nurse called me back to let me know that maybe my headache caused my blood pressure to spike making my eyes irritated and watery. My vision on Monday was very foggy so I decided to call my optometrist to have her look. Her diagnosis was Primary iridocyclitis, bilateral. This is caused from inflammation. She put me on steroids drops every 2 hours and wants me to keep my eyes dilated for at least a week so that the iris does not attach to the lens again. (it had attached but come unattached) she was concerned because my eyes are always healthy. She saw me again today, Tuesday December 22nd. My eyes are responding well to the steroids. She wants me to continue to use the steroids and dilation drops and follow up with her on Monday unless I have any complications. She also talked to Dr. for his advice on it and he also was concerned about it. Dr. said normally it affects one eye, both of my iris in each eye had attached to the lens from the inflammation. I will follow up on Monday.~~

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
914674	12/30/2020	OR	47	F	12/29/2020	12/29/2020	Approximately 5 minutes after receiving the vaccine, patient reported moderate lightheadedness with blurred vision. In the next 10-15 minutes, patient started to report mild SOB (thought it was anxiety) and fatigue. Patient's fatigue increased and was visible by eye droop, bilateral and some head swaying. Rapid Response called and patient taken to the ED for observation and to be seen by a provider. Follow up call on 12/30 made. Patient reported that her symptoms continued once in the ED, but was released after several hours because all testing completed in the ED was normal. Patient reports all symptoms have resolved except for muscle pain in the arm she received the vaccine. Patient contacted her primary. Writer asked patient to ensure she talks with her provider to determine if she should receive the 2nd dose.
914634	12/30/2020	MN	44	F	12/21/2020	12/25/2020	Rash, Hives starting at the left eye and then spread to nose and left cheek.
914582	12/30/2020	OH	58	F	12/30/2020	12/30/2020	eyes watering, chills, trouble swallowing
914576	12/30/2020	NJ	47	F	12/26/2020	12/26/2020	Immediately, after injection, I felt lightheaded. I was not dizzy or nauseous. This feeling continued into the next morning. I had some pain at the injection site, no swelling or bruising. The next morning, I also experienced double vision. I only noticed it when I was writing out checks. Otherwise, it wasn't noticeable. That afternoon, I slept for over two hours. Following that nap on day 2, I felt perfectly fine and continue feeling fine.
914551	12/30/2020	PA	50	M	12/22/2020	12/29/2020	allergic reaction: hives, itching over approx 20% of body, irrupting over a span of a 1/2 hour; R eye swollen overnite
914535	12/30/2020	MI	60	U	12/30/2020	12/30/2020	Patient was administered vaccine and at 10:05 symptoms started. She experienced pressure and tightness and fullness in her neck and face and tongue. Her eyes were itchy and swollen. Nothing given until 1:30 p.m. Not treated by the reporting person and symptoms have gone away now. By the time she reported her symptoms she was feeling better without symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
914531	12/30/2020	IN	52	F	12/17/2020	12/17/2020	Patient first developed itchy eyes on 12/17/20 at 10pm. She took Robitussin because she didn't have any Benadryl. She woke up at 6am on 12/18/20 with a swollen face. Her hands were also swollen and her eyes were still itching. The swelling was gone by 12/19/20 but then she developed generalized hives on 12/21/20 which have continued through today. On 12/29/20 her face swelled again. She is now taking Benadryl and Xyzal to control the hives and swelling.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
914521	12/30/2020	ID	39	F	12/28/2020	12/29/2020	<p>Patient presents with ? Altered Mental Status ? Headache HPI Patient presents to ER by EMS ambulance after family called 911 as patient was incomprehensible with slurred speech and moaning on the phone this evening. On arrival of EMS patient was asleep in bed and reportedly unresponsive other than to localize to pain. EMS transferred patient to ER. On arrival to ER patient had GCS 7. Reportedly patient is locum nurse who works in a Nursing Home and patient reportedly received COVID vaccination 2 days ago and that night reportedly began complaining to family on the phone of headache, nasal congestion, sore throat, cough, fever, chills, nausea, emesis, myalgias, and lethargy. Per the medical record patient has history of seizures, migraines, and sciatica. No other information is known on patient arrival to ER. 1. Peripheral IV right dorsal hand placed by EMS in route to ER. 2. On arrival to ER GCS 7 (E1M5V1) and roving eye movements with episodic lateral conjugate and at times disconjugate gaze concerning for seizure activity. Arms and legs with moderately increased tone but no clonic movements and patient able to localize bilaterally. 3. Ativan 1 mg IVP for seizure, then further 2 mg IVP for persistent seizure. 4. Fosphenytoin 1,000 mg IVPB in ER for loading dose of antiseizure medication. 5. Patient had significant improvement following completion of Ativan 3 mg IVP and GCS improved to 14 (E3M6V5) from GCS of 7 (E1M5V1). 6. Patient able to communicate after improvement as above and reports she has had headache or migraine for past several days as well as dysuria with bilateral CVA pain and has significant pain on percussion of bilateral CVA and moderate pain on palpation of bilateral flanks. No nuchal rigidity or pain with ROM of neck. Additionally, she complains of severe headache and diffuse pain of back and abdomen/pelvis. She reports a history of seizures in the past and reports she had one last month and was treated at a hospital in her home state. She denies antiseizure medications. Additionally, patient reports nonproductive cough, sore throat, nasal congestion, fever, chills, myalgias, lethargy, nausea, and episodic emesis over the past 2 days. She has anterograde amnesia following seizure and does not recall events. 7. Normal saline 1,000 mL IV bolus, then 100 mL/hour in ER. 8. CT of head with and without contrast performed and negative for intracranial</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							hemorrhage, lesions, stroke, or other acute pathology. 9. CT of chest/abdomen/pelvis with IV contrast shows no acute pathology or notable abnormalities. 10. Lactic acid drawn and normal. 11. UA and urine microscopy collected by straight catheterization and culture collected and pending. 12. Blood cultures x 2 collected and pending. 12. Rocephin 2 mg IVPB in ER after blood cultures collected. 13. Vancomycin 20 mg/kg (1,500 mg) IVPB following Rocephin. 14. Dexamethasone 10 mg IVP in ER. 15. Duoneb nebulizer in ER. 16. Called to discuss with patient's daughter and the family's preferred contact who is 23 years old. She reports patient had COVID vaccination 2 days ago and beginning that night patient has complained of headache, fever, chills, nonproductive cough, sore throat, nasal congestion, myalgias, and lethargy. Additionally, she reports patient has history of seizures on at least 1 occasion in the past a few months ago but is not on antiseizure medications. She reports patient had MRI and MRA of her brain at that time and reportedly an intracranial aneurysm was identified at that time. 17. Called to request transfer to another facility and spoke with hospitalist who states there is no neurologist there and suggests transfer to larger tertiary care facility with neurology. 18. Called to request transfer and accepted by ER provider. 19. Transfer by ALS ground ambulance with telemetry, pulse oximetry, O2 to keep > 02%, vitals every 30 minutes, normal saline at 100 mL/hour, Rocephin 2 grams IVPB, vancomycin 20 mg/kg (1,500 mg) IVPB in ER. DISPOSITION Patient Stabilized and Transferred Data Unavailable Wed Dec 30, 2020 2:12 AM CST
914478	12/30/2020	NC	46	F	12/29/2020	12/30/2020	December 29-onset of headache approximately 6+ hours after administration of MODERNA COVID 19 vaccine. December 30 approximately 8am headache present, watery eyes began within one hour of waking up, body aches, fatigued, stiffness in right arm where vaccine administered

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
913910	12/30/2020	TX	41	F	12/21/2020	12/22/2020	Mild headache; dizziness; Temp-100.9; sore throats; Abdominal discomfort; eye itching; Pain and mild itching on injection site; Pain and mild itching on injection site; This is a spontaneous report from a contactable nurse (patient). A 41-year-old female patient received the first dose of bnt162b2 (COVID-19 vaccine, brand PfizerBiontech) lot number EK5730, intramuscular in left arm on 21Dec2020 09:15 at a single dose for COVID-19 immunization in workplace clinic. The patient had no relevant medical history. The patient was not pregnant at the time of report. The patient's concomitant medications were not reported. No other vaccines were administered in four weeks. The patient previously took acetylsalicylic acid (ASPIRIN) and ibuprofen and experienced allergies. On 22Dec2020 at 11:00, the patient experienced mild headache, dizziness, temp100.9, sore throats, abdominal discomfort, eye itching, pain and mild itching on injection site. The patient took paracetamol (TYLENOL) and ceritizine (ZYRTEC) as treatment. The patient had no COVID prior to vaccination and was not tested for COVID post vaccination. The events were reported as non-serious. The patient had not recovered from the events at the time of report.
913587	12/30/2020	OH	45	F	12/23/2020	12/24/2020	Patient became nauseated on 12/24/2020. She was unable to eat breakfast. She felt better when lying down. She became congested on 12/26/2020. She also had a headache behind the eyes. She took acetaminophen and pseudoephedrine for 3 days (duration of headache/congestion). She returned to work on 12/29/2020 and took Tylenol only on this day. No medications on 12/30/2020 and all symptoms were resolved on this day.
914879	12/30/2020	TX	58	F	12/29/2020	12/29/2020	significant headache, eyes sensitive to light, ears ringing, slight nausea.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
914027	12/30/2020	AZ	31	F	12/22/2020	12/22/2020	I started to develop like little pimples; I have rash down the back of neck, along the bridge of my nose, eyebrows and eyelids, on my chin, around my mouth and down my chest; more of pustule but like a rash; allergies; This is a spontaneous report from a contactable consume. A 31-years-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (lot number: EH9899) the first dose on 22Dec2020 at single dose for covid-19 immunisation. Medical history was none. There were no concomitant medications. Patient reported for primary/prescribing healthcare professional details included that actually did it through her county, her county health department so it wasn't specifically a doctor. She was priorities due to her job duty. She was a social worker. Due to the environment where she worked, she had high risk of exposure. She believed that 20Jan2021 was the second dose. Patient received the COVID 19 vaccine on 22December2020 early in the morning around 9 AM and around 6 hours later she started to develop like little pimples which she thought were associated with wearing a mask an N95 however it progressively the rash progressively got worse and now she had rash down the back of neck, along the bridge of her nose, eyebrows and eyelids, on her chin, around her mouth and nose and down her chest. What she saw was were worse pimple that was actually it was more of pustule but like a rash. Patient did try topical for allergies, Cortisol cream and it did not help and she just spoke to a doctor telephonically. She was going to take oral Benadryl but she recommended that should first contact or see a medical Professional in person to them to asses so just the topical. Outcome of events was not resolved.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
913921	12/30/2020	PA	41	F	12/21/2020	12/21/2020	discomfort in the throat; face and eyes became swollen and itchy; face and eyes became swollen and itchy; face and eyes became swollen and itchy; face and eyes became swollen and itchy; Face and eyes felt hot and was painful to touch as well as rashy; Face and eyes felt hot and was painful to touch as well as rashy; Face and eyes felt hot and was painful to touch as well as rashy; Face and eyes felt hot and was painful to touch as well as rashy; Face and eyes felt hot and was painful to touch as well as rashy; Face and eyes felt hot and was painful to touch as well as rashy; Neck started to feel itchy.; This is a spontaneous report from a contactable nurse (patient). A 41-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number: EJ1685), intramuscular in left arm on 21Dec2020 07:45 AM at a single dose for COVID-19 immunization. The vaccine was administered in the hospital. The patient has no medical history. The patient has no known allergies. The patient's concomitant medications were not reported. On 21Dec2020 08:00 AM, the patient experienced a discomfort in the throat, then face and eyes became swollen and itchy. Face and eyes felt hot and was painful to touch as well as rashy. Next morning, face and eyes remain swollen but not painful to touch. Neck started to feel itchy. The events were reported as non-serious. Patient has no COVID prior vaccination. Patient was not tested for COVID post vaccination. Therapeutic measures were taken as a result of the events which included BENADRYL. The outcome of the events at the time of last observation was not recovered.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
913916	12/30/2020	CA	66	F	12/19/2020	12/20/2020	rash at edge of her face, edge of eyebrow all the way down to her cheek area; Psoriasis; itch at base of her neck/she had an itch at the base of her neck palm size on both sides; This is a spontaneous report from a contactable nurse. A 66-year-old female patient received the first dose of BNT162B2 (Pfizer-BIONTECH Covid-19 Vaccine), via an unspecified route of administration on 19Dec2020 at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient stated that she had a COVID-19 vaccine on Saturday morning and on Sunday (20Dec2020), she had an itch at the base of her neck palm size on both sides. Stated that the rash was on edge of her face, edge of eyebrow all way down to her cheek area. The patient took Benadryl but stated that it still bothered her. She was not sure if it was from the injection or not. Also stated that she did have psoriasis and had treatment for it. Stated that she was okay. She wanted to know if the rash was from the COVID vaccine. Stated that it was her first dose and if she had any other issues than she will call back. Outcome of the events was unknown. Information on the Lot/batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
914732	12/30/2020	NH	39	F	12/30/2020	12/30/2020	PT WAS ADMINISTERED VACCINE AFTER REVIEWING PRESCREEN QUESTIONARE. PT DENIES ANY PRIOR VACCINATION COMPLICATIONS OR ADVERSE REACTIONS. ROUTINE MONITORING OCCURED AND APPROX 15 MIN AFTER STAFFFF WERE NOTIFIED BY PT THAT SHE HAD A FEELING "LIKE SOMEONE PUNCHED HER IN THE THROAT." MEDICAL PERSONNEL CHECKED ON THE PT. STAFF AND STAFF QUESTIONED THE PT. PT DENIED ANY DIFFICULTY BREATHING, AND PT WAS ABLE TO SPEAK IN CLEAR FULL SENTENCES. VITALS WERE TAKEN AT THAT TIME: 15:48 1ST VITALS BP: 142/98 HR: 64 RR: 30-36 ASKED PT TO REMAIN ON SITE A LITTLE TIME LONGER FOR OBSERVATION PIRPOSES, AND TOLD WILL DO A SET OF VITALS EVERY FIVE MINUTE PT WAS ASKED TO NOTIFY IF ANY CHANGES ARISE BY HONKING OR TURNING ON HER FLASHERS. PT WAS MONITORED BY PERSONNEL. PT STATED THAT THEY NOW STARTED TO FEEL LIGHTHEADED, AND WAS EXPERIENCING SOME BLURRED VISION. PT'S COLOR WAS NOW PALE IN TONE. STAFFE, DECIDED TO CALL 9-1-1. STAFF, SPOKE WITH 9-1-1 TILL AMBULANCE CREW MADE CONTACT WITH PT. SECOND SET OF VITALS: 15:54 BP: 170/115 HR: 82 RR: 36 FOLLOW UP QUESTIONING FOUND THAT PT HAD RECENTLY BEEN TESTED FOR REACCURING LIGHT HEADEDNESS TIMES TWO MONTHS. LAST ORAL INTAKE AN HOUR PRIOR (CHIPS & SALSA). ALLERGIES: TRAMADOLE MEDICATIONS: RUSPIRONE 10MG DAILY / CITALOPRAM 20MG DAILY UPON ARRIVAL OF AMBULANCE THEIR CREW WAS BRIEFED BY STAFF, AND ONCE AMBULANCE CREW MADE CONTACT WITH PT CARE WAS TRANSFERED. AMBULANCE CLEARED SCENE APPROX 10 MINUTES AFTER ARRIVAL.
914382	12/30/2020	PA	52	M	12/30/2020	12/30/2020	Neck pain and redness in the eye, numbness

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
913922	12/30/2020	TX	47	F	12/19/2020	12/22/2020	Left eye visual disturbance; Feeling of film debris and or feeling of lag in eye movement; This is a spontaneous report from a contactable nurse (patient) and a contactable other health professional. A 47-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), intramuscular at left arm on 19Dec2020 at 9:15 at single dose for COVID-19 immunization. The patient medical history was not reported. The patient's concomitant medication included escitalopram oxalate (LEXAPRO) at 10 mg daily. On 22Dec2020 at 13:00, the patient experienced left eye visual disturbance, feeling of film debris and/or feeling of lag in eye movement. The patient outcome of the events was recovering. Information on the lot/batch number has been requested.
913924	12/30/2020	CA	36	M	12/19/2020	12/21/2020	Swollen and inflamed right eye, tenderness to right axilla; Swollen and inflamed right eye, tenderness to right axilla; Swollen and inflamed right eye, tenderness to right axilla; This is a spontaneous report from a contactable nurse reporting for himself. A 36-year-old male patient received the 1st dose of bnt162b2 (BNT162B2, Lot # EL0140) intramuscular at single dose at right arm on 19Dec2020 07:30 AM for Covid-19 immunisation, administered at workplace clinic. The patient medical history was not reported. The concomitant medications were none: no other medications in two weeks. The patient has not received other vaccines within 4 weeks prior to the COVID vaccine. The patient experienced swollen and inflamed right eye, tenderness to right axilla on 21Dec2020 08:00. AE resulted in Emergency room/department or urgent care. The patient received Benadryl as treatment for the adverse event. Therapeutic measures were taken as a result of events. The patient was not diagnosed with COVID-19 prior to vaccination. Since the vaccination, the patient has not been tested for COVID-19. The outcome of not recovered. The reporter assessed the events as non serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
913932	12/30/2020	CA	35	M	12/22/2020	12/22/2020	Itchy face that lasted 2 mins; tightness in the throat lasted about 2 minutes; complete facial numbness; pressure behind right eye.; sore throat possibly swollen lymph nodes; sore throat possibly swollen lymph nodes; This is a spontaneous report from a contactable other health professional (patient). A 35-years-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number: EK5730), intramuscularly on 22Dec2020 13:00 at single dose on left arm for COVID-19 immunization in hospital. The patient medical history and concomitant medications were not reported. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient known allergy included hydrocodone. The patient experienced itchy face that lasted 2 mins followed by tightness in the throat lasted about 2 minutes, 10 minutes of no other reactions then complete facial numbness and pressure behind right eye, slight pressure still and sore throat possibly swollen lymph nodes. Adverse event started from 22Dec2020 13:30. No treatment received for the adverse events. The outcome of events itchy face and tightness in the throat was recovered on 22Dec2020, of the other events was recovering. No COVID prior vaccination, since the vaccination the patient hadn't been tested for COVID-19. It was not reported as serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
913978	12/30/2020	IL	56	F	12/23/2020	12/23/2020	discomfort going up left side of neck; discomfort going up left side of neck to left side of her face; face area has numbness and tingling from left ear to mid left cheek and around left eye; Face area has numbness; This is a spontaneous report from a contactable nurse reported for herself. A 56-year-old female patient received first dose of BNT162B2 (Pfizer-BioNTech Covid-19 vaccine, lot number: EK5730), via an unspecified route of administration on 23Dec2020 15:30 at single dose on left arm for COVID-19 immunization. Medical history was none. Concomitant medications included multivitamin, antihistamine. The patient reported that about one hour after injection (23Dec2020 16:00) developed discomfort going up left side of neck to left side of her face. Face area has numbness and tingling from left ear to mid left cheek and around left eye. No other neurological deficit. Sensation continued at time of reporting. The patient was not pregnant at the time of vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. No covid prior vaccination and no covid tested post vaccination. No treatment was received for the events. The outcome of the events was not resolved. The reporter assessed the events as non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
914008	12/30/2020	AL	40	F	12/23/2020	12/23/2020	I was fine immediately after the vaccine. At around 9:00 pm on the night of December 23rd I noted that my eyes started to swell. I had no difficulty breathing, shortness of breath, closing of the throat at this time. My husband and I decided to just take a Benadryl 25 mg by mouth and keep the EpiPen close by. I went to bed. At around 2:30 am on December 24th I woke up to excruciating pain but with the urge to urinate. However, I was in so much pain at the time I did not want to get up so I tried to go back to sleep. At 4:30 am on December 24h in the morning, I decided I needed to get up to go to the bathroom. I went to ambulate and instantly felt weak in my knees and extremely dizzy. I made it my bathroom and looked in the mirrors- my face was extremely pale like a sheet of paper white, I was really nauseous, dizzy, felt the urge to have a bowel movement. I walked to the bathroom. I was able to void at that time, but the nausea did not go away. I crawled to my bed and laid back down. I then still felt intensely nauseous to the point that I was going to pass out and the room was spinning. I made it back to the bathroom where I threw bile up in the bathroom. I still had the urge for a bowel movement but was unable to go ( I imagine I was having a vasovagal response). I went back to my bed and laid down. I stayed in bed until my husband came down around 8:30. He told me to drink some fluids and take another benadryl with some tylenol. I did both. I went back to sleep and I woke up about 2.5 hours later. I was able to go out of the house to get a few things for Christmas, but then about 6 pm went and laid down for bed for the night. I took another benadryl and more tylenol. On 12/25/2020 I woke up and was able to do a few things thanks to tylenol and benadryl. My eyes were still swollen and now my hands and feet were noticeably swollen. I continued with benadryl, tylenol and started taking pepcid 10 mg PO. By Saturday 12/26/2020, I was able to be more mobile- I was able to walk the dog and clean my car. However, I still went to bed rather early. I took another benadryl and tylenol as I still felt swollen and puffy all over. Up until Monday 12/28/2020 I had a constant headache and felt nauseous with some swelling. I have not went to a physician to be seen. I have talked to several physicians, as I am an RN and my husband is an ER phycian. Yesterday 12/29/2020 was the first time I felt normal since the vaccine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
915199	12/30/2020	HI	38	M	12/30/2020	12/30/2020	Itchy throat, red eyes after 30 minutes. EMS on site gave IV Benadryl, epi pen shot and took to ER for monitoring. Vitals were good so he was discharged.
915103	12/30/2020	CA	46	M	12/28/2020	12/29/2020	left shoulder soreness (1/2 of a day), mild headache (1 day), fever 101.8 (3 hours), tachycardia 100-130 beats per minute (1 day so far), left eye conjunctivitis (just started an hour ago)
914070	12/30/2020	NC	57	F	12/29/2020	12/30/2020	Patient reported that eye, jaw on right side of face feels weird. Itching since 6 am on face and chest. Patient took benadryl and advil and denies need to be seen by physician.
914096	12/30/2020	PA	31	F	12/29/2020	12/29/2020	About 40 minutes after the injection, I experienced numbness in the left side of my face from lower eyelid to upper lip. The skin was numb to the touch and I had the sensation that my face was drooping, although visually it did not appear to be. The sensation dissipated within about 20 minutes and has not returned. I am 9.5 weeks pregnant. Estimated due date 7/13/2021. As far as I know at this point, there are no pregnancy complications.
914291	12/30/2020	NV	35	F	12/21/2020	12/23/2020	46 hours post vaccine administration woke from nap to very painful right eye. Slightly red sclera, eye very tender to touch through eyelid, sensitive to light, deep pain with eye movements, no drainage or discharge, vision intact. After holiday weekend in to see optometrist on Monday 12/28, as symptoms still persisting, thorough eye exam with dilation and retinal optimap scan, given eye muscle paralytic and assumed to be ciliary muscle spasm, follow-up call the next morning 12/29 - light sensitivity improved but still intermittent pain with eye movements, treat with Ibuprofen for now and follow-up for increased pain or visual changes. 12/29 visit to primary care to rule other causes, no ear or sinus infection suspected, PA believes this should be reported to VAERS due to time frame of onset and new and never experienced ailment.
914364	12/30/2020	MN	32	F	12/29/2020	12/29/2020	Severe headache on only left side of head (behind left eye, affecting left ear and back of left side head) within hours of vaccine. Did respond to Tylenol. Within first 18 hours of vaccine, intermittent dizziness where need to lay down required 2 times so far. Scared to drive at this time. Currently nasal pressure.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
914354	12/30/2020	ID	53	F	12/18/2020	12/18/2020	5 minutes after injection patient started to feel warm and stated that her eyes were itching. When she stood up she then started to feel dizzy. Took her to urgent care room and V/S were 134/69, 74, 98.0, 18. O2 SAT WAS 95%. Patient then stated that her lips were itchy and felt swollen. She also stated she was not having any trouble breathing. Provider ordered 50mg of Benedryl given PO to be administered. Patient stated 10 minutes later that her eyes no longer felt itchy and she wasn't warm or dizzy anymore. Continued to watch patient for 40 more minutes and when no signs or symptoms were present, provider cleared patient to leave facility
914350	12/30/2020	TN	39	M	12/28/2020	12/29/2020	I got the vaccine on Monday for first responders. Everything was fine besides the routine ape was in my left arm. About 1030 last night, I was standing at my fireplace and started to rub my arm where I got the vaccine. That?s the last thing I remember. My wife said as I was walking towards the bed and went completely stiff and fell backwards on our floor. She said my eyes were wide open and I wasn?t breathing. I started to come too while she was on the phone with 911. My body felt very heavy and I couldn?t really feel anything. Cotton mouth and shaking very badly. I was taken to the hospital and spent the night there. All test came back good. Today I feel really lethargic and foggy. I find it very suspicious that immediately after I rubbed my arm that I passed out. My wife thought I was dead, I didn?t know what happened. I?m in shape and workout 4-5 days a week and am very active. I feel it is important to report this adverse reaction. This has never happened before to any other vaccines.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
914014	12/30/2020	NY	44	F	12/23/2020	12/24/2020	Blepharospasm of left eye about 5 min after lasted about 1 min; Sore arm; Tired; felt feverish; Swollen left supraclavicular lymph node; This is a spontaneous report from a contactable physician (patient). A 44-year-old non-pregnant female patient received the first dose bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Batch/lot no: Ek9231), via an unspecified route of administration on 23Dec2020 at 16:30 at single dose in left arm for covid-19 immunization. Medical history included migraine from an unknown date. Concomitant medication included sumatriptan, colecalciferol (VIT D3). The patient previously took cephalosporin and experienced allergies. The patient experienced blepharospasm of left eye about 5 min after lasted about 1 min, sore arm, tired, felt feverish, and swollen left supraclavicular lymph node; all on 24Dec2020 at 10:00. All events were reported as non-serious. The patient didn't receive treatment for all the events. The outcome of all events was not resolved.
914315	12/30/2020	IN	59	F	12/30/2020	12/30/2020	Sweaty, light headed, blurred vision. Felt like she was going to pass out. Stayed longer for observation. BP after vaccine 77/49. BP 15 minutes later 150/81. BP after 30 minutes 148-/94 HR 66
914131	12/30/2020	CA	34	M	12/28/2020		in the first hr i was dizzy when i got the vaccine. I got the vaccine while i was working nightshift. My entire shift iw as tired I'm having a hrad time opening my eyes. When i got home from my shift 12/29/20 in the afternoon i had chills and fever and when i got a hold of thermometer it was 102 i took tylenol and did cooling measures. 12/30/20 i still have fever 101.3 took another tylenol.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
914248	12/30/2020	TX		U	12/23/2020	12/1/2020	I still was not feeling well; Joint pain; I thought I was having fever; the highest temperature I got was 101.3; my vision was really blurred; This is a spontaneous report from a contactable consumer. This consumer of unspecified age and gender received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 23Dec2020 at single dose for Covid-19 immunisation. The medical history and concomitant medications were not reported. The consumer got the shot on the 23Dec2020 probably around little bit after 6 PM and the consumer was working that night. The consumer thought he/she was having fever and checked temperature and think the highest temperature got was 101.3 on 23Dec2020. After his/her shift when the consumer came home and took ibuprofen (MOTRIN) and the fever was controlled. The consumer went home and developed joint pain and still have fever when the consumer woke up so that was the 24Dec2020. On 24Dec2020 when the consumer woke up because worked night. When the consumer woke up late in the evening and woke finally at 4:30 in afternoon the consumer still was not feeling well on 25Dec2020. So the only think he/she felt differently the previous night my vision was really blurred. The consumer had difficulty in reading stuff that he/she read before in Dec2020. The consumer do use reading glasses but this time when he/she say blurry even when was focusing alone, it was hard for him/her. The outcome of fever and not feeling well was not recovered. The outcome of other events was unknown. Information on the batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
914219	12/30/2020	CA	41	F	12/18/2020	12/22/2020	dizzy; insane vertigo/could barely sit up in bed and the whole room was spinning/I woke up at 6 AM and it was awful/ bad terrible vertigo; bad headache/My head hurt really, really bad; nausea/Nauseous; tachycardia/rapid heart beat; anxiety; This is a spontaneous report from a contactable nurse (patient). A 41-year-old female patient received first dose of BNT162B2 (Lot number: EH9899), via an unspecified route of administration in left arm on 18Dec2020 at single dose for COVID-19 immunization. There is no past medical history. The concomitant medication included vitamins. The patient took maybe couple times a week. The nurse received her first dose on Friday 18Dec2020. On Tuesday 22Dec2020 she started feeling dizzy, which then led to "insane vertigo, bad headache with nausea, could barely sit up in bed and the whole room was spinning." She also reported tachycardia/rapid heart beat and anxiety. She stated that this lasted for 4 days. She did go to Urgent Care but she had not yet spoken with her Primary Care Provider. She wanted to know if she should get the second dose, "booster shot" that was scheduled for 08Jan2021. The nurse was calling to report a possible side effects on the vaccine that received on 18Dec2020, then on 22Dec2020 night she started feeling a bit dizzy, it kind a little bit worse started maybe like 7 and went better around 10 like the room kind of like a spinning so she went to bed just a little and then she woke up at 2 AM and it was worse and then she woke up at 6 AM and it was awful. She couldn't open her eyes without, the whole room spinning she felt terrible, she was really nauseous and her head hurt really, really bad and then whole day she couldn't open her eyes and she couldn't get out of her bed because it was really bad terrible vertigo and since then every day she went to urgent care and they said just kind of wait. She had been taking meclizine and Tylenol and everyday slowly getting better just little by little so now waiting for Monday for, she was finally able to sit up and text on her phone but she still feel significantly dizzy, so her concern was that it was from the vaccine but the doctor said that was there was really no way to know and her other concern was about getting the second shot because it was really awful experience and she didn't know if it was the vaccine, it was like if she got the booster or how much worse it would be and this a little bit apprehensive getting the second shot, so she just

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							wonder talk to somebody about that. The treatment of the events included Tylenol and Meclizine. When probed for the causality, the nurse stated "I mean I am not sure, I was thinking possibly because that's the only thing I have done differently. When probed for if the Nurse underwent any Emergency Room or Physician Office, Nurse stated she went to Urgent Care. The outcome of the events was unknown.
914192	12/30/2020	TX	40	F	12/23/2020	12/25/2020	Moderate to severe pain at injection site; 2 days after vaccination I had swelling, redness, hives and itching on both eye lids.; 2 days after vaccination I had swelling, redness, hives and itching on both eye lids; 2 days after vaccination I had swelling, redness, hives and itching on both eye lids; 2 days after vaccination I had swelling, redness, hives and itching on both eye lids; This is a spontaneous report from a non-contactable physician reporting for herself. A 40-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 23Dec2020 12:00 at single dose for covid-19 immunization. Vaccine location was Right arm and it was the first dose. The COVID-19 vaccine was administered at Hospital. Medical history included Asthma and Ehlers Danlos, and Known allergies: Hives with amoxicillin and anaphylaxis with shellfish. Concomitant medications included budesonide/formoterol fumarate (SYMBICORT), ethinylestradiol/levonorgestrel (QUARTETTE). The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient experienced Moderate to severe pain at injection site, and 2 days after vaccination I had swelling, redness, hives and itching on both eye lids on 25Dec2020. Treatment received for the adverse events included Benadryl 50mg once. Prior to vaccination, the patient was not diagnosed with COVID-19 and since the vaccination, the patient was not been tested for COVID-19. The outcome of the events was recovering. No follow-up attempts are possible; information about lot/batch number cannot be obtained. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
914147	12/30/2020	NC	62	F	12/19/2020	12/20/2020	muscle /joint aches, unusual fatigue, tachycardia (the evening following vaccination). Woke up in the morning with left eye anterior uveitis/iritis, with associated photophobia, redness, irritation. ( I have had this previously, associated with immune stress. Last episode over two years ago). Also woke up with HSV outbreak ( 7 mm herpetic lesion at base of spine), typically happens with significant stress.
914169	12/30/2020	FL	33	M	12/21/2020	12/21/2020	15 MINUTES AFTER SHOT- DIZZINESS, BLURRY VISION, SHORTNESS OF BREATH, SOME CHEST PAIN, INTENSE ANXIETY
914156	12/30/2020	CA	38	F	12/30/2020	12/30/2020	tingling in neck and arm that received injection. Palpitations, blurry vision. Patient had taken zyzal and benadryl (both antihistamines) which probably caused the blurred vision. Heart rate was checked and was normal. She has a history of anaphylaxis.
914155	12/30/2020	CT	51	F	12/30/2020	12/30/2020	Metallic taste, face flush, redness on cheeks, above eyes/forehead. Dizziness and stomach upset. Gave 25 mg Benadryl and observed for 45 minutes. Pt felt better, clearing of symptoms, returned to work.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
914179	12/30/2020	NY	48	F	12/22/2020	12/22/2020	lips were tingly and swollen; lips were tingly and swollen; fatigued; allergic reaction; passed out; breathing fast; her brain felt like a rock, like she was there but not there; head was so heavy, wouldn't open her eyes; her throat started to tighten up; chest pain; nauseous; headache; felt a little lightheaded, a little wobbly; palpitations; sweaty; This is a spontaneous report from a contactable consumer (patient) via Pfizer Sponsored Program. A 48-year-old female patient (no pregnant at the time of vaccination) received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/lot number: EH9899) via an unspecified route of administration on 22Dec2020 on left shoulder at single dose for COVID-19 immunization. The patient's medical history included pernicious anemia and She had problems with B12 and Vitamin D like 10 years ago, she had none in her body, everyone said she was deficient and this year with her new primary care, they sent her to do some antibody tests, and found out she has pernicious anemia, allergy to MRI and CT contrast. MRI and CT contrast NDC, lot, expiry unknown. Her CT contrast allergy happened when she was 9 and 12 years old. It turns out to be her dad has an allergy the same way, his airways close. Whenever she needs a CT, they do without contrast, if she does need, they prep and give her Benadryl and keep an eye on her. This only happened once, that she needed with contrast, and with prep she was ok. With the MRI, this happened 4 or more years ago, maybe like 5 years ago. She needed an MRI, they said she would be fine, they injected contrast, she felt pretty hot, then she doesn't know, 20 minutes into it, she couldn't handle her gown, she looked at her chest, her whole chest was red like a burn. They gave her the IV Benadryl, she guesses, and it went away, now she knows, she doesn't know if her dad is allergic to MRI dye, but she knows she got the allergy from him for the CT contrast. The concomitant drugs was not reported. The patient was taken to ER with a severe allergic reaction. She had an allergic reaction on 22Dec2020: she passed out, said her brain felt like a rock, like she was there but not there, she then received an Epi Pen shot, when she got to the ER, her throat started to tighten up, lips were tingly and swollen, she was breathing fast, she had chest pain, she scaled it from a scale of 1-10, as about a 3 to 4 for chest pain, she felt nauseous, sweaty, and had a

VAERS\_ID RECVD STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT

---

headache. She went to bed last night, and woke up, feeling better but a little fatigued on 23Dec2020. She is wondering if she should take the second dose, and wants to be in the clinical trial for this type of reaction. She needs transfer to Regulatory Authority. Caller confirmed details. Caller states she works in a hospital, and all this happened at the hospital, and her doctor was not involved. Outcome of allergic reaction: asks what does lasting effects mean? Right now she has a little fatigue and headache, but she knows they are regular symptoms she can have with the vaccine, are those lasting effects? She was discharged from the ER to home. She mentioned to the nurse she has, she went to get the shot, she told the registration nurse, she said she has a severe allergic reaction to CT contrast, her airway closes and she has a severe reaction to MRI contrast, her skin burns, it turns red and feels like a horrible burn, she cannot handle anything to contact her skin, it burns, and she mentioned that to the nurse, she said, instead of staying 15 minutes, said to stay 30 minutes there to observe just in case. She got the vaccine, and 10 minutes after the vaccine, she felt a little lightheaded, a little wobbly, but she didn't think much, it was mild, and on the mark at 30 minutes, the nurse asked her to stand, and that is when she started feeling, like her head was so heavy, the only way to describe, was like her brain was like a rock, she had to lay down, and when they laid her down, she wasn't there, she was there but wasn't, and they didn't wait at all to give her the Epi Pen, she had a feeling of heaviness that got worse, she wouldn't open her eyes, she was able to answer questions, but it was not her there, it was weird, then she didn't have. she breathed fast, had palpitations, chest pain, so they called a Rapid Response team, they were keeping an eye on her breathing, which was super fast, and they rushed her to the ED, and the doctor did what they were doing, giving her IV of whatever medication, and she was also very nauseous, then at one point in the ED, she started feeling, like imagine if fists were on throat, pushing her throat, a little bit, and she tried to tell to the ED doctor, but guessed she was calling everyone to give her things, and didn't catch it, but it didn't last long, at the same time, she started to feel her lips tingly, so she thinks that, because they gave the Epi Pen so quickly, they wasted no time, she didn't have the airways closing like she does

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

when she gets the CT contrast, they were quick. NDC/lot/expiry: She reads from the card they gave her: states first dose COVID-19 EH9899, states it doesn't specify lot, but she can find that out, they just gave her a vaccine record card. Epi Pen: NDC, lot, expiry unknown, states everything happened so quickly, she didn't think to get this information before calling, but she can get it. There at the hospital, she went to see the occupational health doctor, and based on guidelines from the CDC, he read supposedly she cannot get the second dose, but the doctor said because it is so new, and she has to wait the 3 weeks she guesses, things can change, and she wanted to be proactive. The outcome of the events, allergic reaction, passed out, throat started to tighten up, lips were tingly and swollen, chest pain, nauseous, headache, lightheaded, palpitations, sweaty was recovering. The outcome of other events was unknown.

911388 12/29/2020 OK

41 F

12/17/2020

12/1/2020 Facial swelling; Low grade fever around a 100; Got my eye supposedly my eye lids like little swelling and they looks like they are bruised and they itch like crazy; Got my eye supposedly my eye lids like little swelling and they looks like they are bruised and they itch like crazy; I have swelling in both of my eyes; It is getting pretty bad actually, it has got worse; This is a spontaneous report from a contactable nurse (reporting for herself). A 41-year-old female patient received bnt162b2 (BNT162B2 also reported as Covid vaccine by Pfizer, lot EJ1685), via an unspecified route of administration on 17Dec2020 at single dose for immunisation. Medical history included depression and anxiety. The patient's concomitant medications were not reported. The patient got the COVID vaccine on Thursday of last week (17Dec2020) and had low grade fever around a 100. On Friday (18Dec2020) she started getting little bit of facial swelling not a whole bunch. After the weekend, her eye lids had little swelling and they look like they were bruised and they itch like crazy. She does not have any drainage like conjunctivitis or anything like that but it looks like she have swelling in both of my eyes and that doesn't happens to her. She does not have any but was probably going in today because it was getting pretty bad actually, it has got worse. The outcome of events was not recovered.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
911410	12/29/2020	MI	50	F	12/17/2020	12/21/2020	Pink eye,eye drainage; Pink eye,eye drainage; Chills; Muscle Aches; This is a spontaneous report from a contactable nurse reported for herself. A 50-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: Ek5230), intramuscular on 17Dec2020 16:00 at single dose for covid-19 immunization. Vaccine location was at Right arm and it was the first dose number. The COVID-19 vaccine was administered at Workplace clinic. The patient's medical history was not reported. Concomitant medications included fluoxetine hydrochloride (PROZAC), atorvastatin, buspirone hydrochloride (BUSPAR). The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Patient's known allergies included Erythromycin. The patient experienced Chills, Muscle Aches, pink eye, eye drainage on 21Dec2020 19:00. Adverse event result in Doctor or other healthcare professional office/clinic visit. Prior to vaccination, the patient was not diagnosed with COVID-19 and since the vaccination, the patient was not been tested for COVID-19. The outcome of the events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
911432	12/29/2020	MO	57	F	12/18/2020	12/19/2020	Nauseous; I got a really strong headache; Really intense headache right no/ headache was on her left side of her head; something weird going on with right eye/ very blurry for like 3 minutes/ really blurred up/ blurriness was the right corner of her right eye; This is a spontaneous report from a contactable consumer (patient). A 57-years-old female patient started to receive BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 18Dec2020 at single dose for COVID-19 immunization. The patient medical history and concomitant medications were not reported. On Saturday 19Dec2020, the patient had something weird going on with her right eye. It was very blurry for like 3 minutes, she kind of let it go. But she got a headache afterwards on 19Dec2020. And it happened again at night, same night around 10 o' clock. Not on 20Dec2020, but 21Dec2020, she just got it really blurred up again and she got a really strong headache. But the headache was on her left side of her head whereas the blurriness was the right corner of her right eye. And she just came on very hard headache and she was just very nauseous on an unspecified date. The patient just was in a really intense, she didn't know why she was having such trouble. She just had a little trouble. The patient just wanted to know if this was something normal to get a bad headache like this. The headache outcome was not recovered, of the other evens was unknown. The information on the batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
911460	12/29/2020	OK	58	F	12/18/2020	12/18/2020	Diarrhea; Body ache; Spike fever of 99; not a low grade fever; Headache; This is a spontaneous report from a contactable consumer (patient). A 58-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/lot number: EH9899), via an unspecified route of administration on 18Dec2020 at single dose for immunization. When probed for the due date for the next shot, consumer stated it was on 08Jan2021. Medical history included anxiety, acid reflux and eyes just not really great. Concomitant medication included topiramate (TOPAMAX) at 25 mg, daily for weight loss, fluoxetine for anxiety, omeprazole (PRILOSEC) for acid reflux. The patient experienced body aches, spikes fever of 99, it was not a low grade fever, headache on 18Dec2020, and diarrhea on 19Dec2020. Patient received acetylsalicylic acid (EQUATE, lot number: think it was 0B3076C, Expiry Date of Equate: Dec2022, NDC# 4903552378) for events body aches and the headache and the spike fever. It's Equate pain reliever, a (Company name) brand and it was 325 mg. Outcome of events body ache and headache was not recovered, and outcome of other events was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
911467	12/29/2020	OK	50	F	12/18/2020	12/19/2020	Severe headache; photophobia; eye pain; myalgia; diarrhea; skin sensitivity; lesions and blisters around mouth and lips, oral lesions; lesions and blisters around mouth and lips, oral lesions/intra-oral lesions/Buccal lesion; inflammation; pharyngitis; lymph node inflammation in neck; BL earache; nausea; diaphoresis; fatigue; This is a spontaneous report from a contactable consumer (patient). A 50-years-old female patient received first dose of BNT162B2 (Lot# EH9899), via an unspecified route of administration, in right arm, on 18Dec2020 15:00 at single dose for COVID -19 immunization. The patient was not pregnant at the time of vaccination. Facility where the most recent COVID-19 vaccine was administered was workplace clinic. Medical history was none, good health. No allergies to medications, food, or other products. Prior to vaccination, patient was not diagnosed with COVID-19. Since the vaccination, patient had not been tested for COVID-19. No other vaccines was received within 4 weeks prior to the COVID vaccine. The other medication that the patient received within 2 weeks of vaccination was amphetamine aspartate, amphetamine sulfate, dexamphetamine saccharate, dexamphetamine sulfate (ADDERALL) at 30 mg orally daily. The patient experienced severe headache, photophobia and eye pain, myalgia, diarrhea, skin sensitivity, lesions and blisters around mouth and lips, oral lesions and inflammation, intra-oral lesions, buccal lesions, pharyngitis, lymph node inflammation in neck, BL earache, nausea, diaphoresis, fatigue, all on 19Dec2020 05:00 AM. The events were reported as non-serious. No treatment was received for the events. The outcome of the events was recovering.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
911526	12/29/2020	MN		F	12/22/2020	12/1/2020	Swelling reported around mouth and eyes; Swelling reported around mouth and eyes; rash; This is a spontaneous report from a contactable consumer (patient). A female patient of an unspecified age received bnt162b2 (Pfizer-BIONTECH COVID-19 vaccine), via an unspecified route of administration on 22Dec2020 16:30 at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient previously took doxycycline in 2019 and experienced swelling reported around mouth and eyes and rash. On an unspecified date in Dec2020, the patient experienced swelling reported around mouth and eyes and rash. The outcome of the events was unknown. Information on the lot/Batch number has been requested.
911559	12/29/2020	CA	39	F	12/18/2020	12/24/2020	I recieved vaccine on 12/22 at 1500 and awoke 12/24 at 0500 with a broken blood vessel in my R eye that did not involve pain, blurred vision or irritation.
911576	12/29/2020	TX	38	F	12/17/2020	12/17/2020	Within a couple minutes I had a metallic taste. Within about 15 minutes of vaccine my lips started feeling tingly and numb, after 20 minutes it spread to my mouth, nose area and eventually my whole face. My face felt numb. My eyelids felt like they were turning in. I was advised to take a Benadryl. I took one and within 20mins symptoms improved. After about 40mins the numbess started to come back. I then realized my Benadryl had expired in July 2020. I went back to vaccine site and they gave me pepcid & advised to take more Benadryl. I took pepcid & went to pharmacy & got new Benadryl. Within about 20 mins my symptoms improved. I was advised to take another pecid and did so that evening. I stayed with the metallic taste for another day. Symptoms have not returned.
911563	12/29/2020	IL	46	M	12/22/2020	12/22/2020	Tiredness first thru day 5 Injection site soreness next for 24 hours Fever and chills at 12 hours thru day 6, highest fever 101.5 at day 5. Sweating and skin paleness day 4 thru 5. Headache at 12 hours thru currently, piercing behind right eye day 3 thru 6, eye watering on day 5 during worst fever, occasional nausea when headache is worst. Fatigue at 12 hours thru day 6.
911591	12/29/2020	NJ	46	F	12/29/2020	12/29/2020	swelling and tingling sensation of left eyelid

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
911571	12/29/2020	SC	43	F	12/18/2020	12/26/2020	Mild Bell's Palsy affecting right side of face. Mild assymetry noted, mild decreased muscle strength and tone, and slight right eye irritation. Symptoms with minimal progression by day 2. Started course of Prednisone on day 3 (12/28/20.) Currently symptoms persist but early in treatment course.
911155	12/29/2020	TX	44	F	12/19/2020	12/19/2020	Numbness on the right side of my face (jaw to just above right eye, not severe); This is a spontaneous report from a contactable consumer. A 44-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (lot number EJ1685), via an unspecified route of administration at first dose right arm on 19Dec2020 07:15 AM at single dose for covid-19 immunization. None medical history. No known allergies. Patient was not diagnosed with COVID-19 prior to vaccination nor tested for COVID-19 since the vaccination. Concomitant medications included cetirizine hydrochloride (ZYRTEC), fluticasone propionate (FLONASE). The patient didn't receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient experienced numbness on the right side of her face (jaw to just above right eye, not severe) on 19Dec2020 07:45 AM. Patient didn't receive treatment for the adverse event. The action taken in response to the events for BNT162B2 was not applicable. The outcome of event was recovering. The event was non-serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
911381	12/29/2020	NY	51	F	12/21/2020	12/21/2020	Severe ear and eye pain; Severe ear and eye pain; This is a spontaneous report received from a contactable nurse. A 51-year-old female patient received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiry date not reported), intramuscular in left arm, on 21Dec2020 15:15, at single dose, for COVID-19 immunization. Medical history included hypertension, depression, and known allergies to eggs, latex, nuts and codeine. The patient is not pregnant. Concomitant medication included aspirin (ASPIRIN), ascorbic acid (VITAMIN-C), hydrochlorothiazide, lisinopril (ZESTORETIC), venlafaxine and zinc. The patient previously took codeine and experienced allergy. The patient experienced severe ear and eye pain on 21Dec2020 at 18:30. It was also reported that the patient did not receive any vaccines within 4 weeks prior to BNT162B2. The patient was not diagnosed with COVID-19 prior to vaccination. The patient has not been tested for COVID-19 since vaccination. Treatment included ibuprofen and rest. The outcome of the events was recovering. Information on the Batch/Lot number has been requested.
911611	12/29/2020	PR	39	F	12/28/2020	12/28/2020	At 30 minutes after vaccination patient informs she felt palpitations, blurry vision and headache. The day after she noticed a lump on her left supraclavicular area, no other swelling noted.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
911277	12/29/2020	NY		F	12/16/2020	12/17/2020	left eye was irritated; left eye was sensitive to light; left eye was painful weeping and red.; left eye was red; left eye weepy; entire left side was sore, achy, including her jaw and stuff; entire left side was sore, achy, including her jaw and stuff; This is a spontaneous report from a contactable consumer. A female patient of unspecified age (reported as 59 with no unit) received BNT162B2 (Pfizer-Biontech COVID-19 Vaccine), via an unspecified route of administration on right arm on 16Dec2020 at single dose for COVID-19 immunization. Medical history and concomitant medications were not reported. It was painless on 16Dec2020. On 17Dec2020, her entire left side was sore, achy, including her jaw and stuff, 18Dec2020 evening, her left eye was irritated, sensitive to light, painful weeping and red (left eye was painful, red, and weepy). She called her doctor on 19Dec2020 and he gave her some eye drops. On 20Dec2020, the eye drops seemed to irritate her eye more. She woke up in the morning and it was seeming to get better as she had been taking Excedrin. She was supposed to wait 6 hours between drops, then her eye again was sensitive to light and painful, so she took another Excedrin, which helped again. She was trying to see an eye specialist the day after the time of the report. She had asked around at work and nobody else had any issues. She was wondering if this was vaccine related. She wanted to get tested for COVID, not that she thought she had it now, but might be she had it before she got the vaccine. She had not even talked to her workplace about this or anything. They asked everyone the first day after, if there were any issues and to report them to HR/Employee Health. She had not done so yet, so she wanted to do that first. Outcome of the events left eye was irritated, sensitive to light, painful weeping and red, and left eye weepy was resolving, and of other events was unknown. Lot/batch number has been requested.
912017	12/29/2020	ME	34	F	12/29/2020	12/29/2020	itching, face and eye swelling, wheezing, H/A. Treated successfully with Epi X 2 and Benadryl.
911627	12/29/2020	VA	48	F	12/18/2020	12/19/2020	Extreme fatigue. I slept close to 24 hours, woke for about 10 min and had horrible muscle/joint aches. Returned to bed for another 5 hours. Had a lingering headache (pain behind my eyes) for about 2 days afterwards.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
911153	12/29/2020	CA	42	F	12/18/2020	12/18/2020	About 30 minutes after injection I suddenly felt a rush of heat throughout my body; felt dizzy, weak and a bit nauseated; felt dizzy, weak and a bit nauseated; felt dizzy, weak and a bit nauseated; tired/ fatigue; have some minor injection site pain; This is a spontaneous report from a contactable nurse reporting for herself. A 42-years-old non-pregnant female patient the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE): lot number: EJ1675, intramuscular, in the left arm on 18Dec2020 at 13:15 (at the age of 42 years-old) as a single dose for COVID-19 immunization. The patient received the vaccine at a hospital. Medical history included an allergy to cilantro. Concomitant medication included colecalciferol (VITAMIN D), zinc (ZINC) intermittently, and paracetamol (TYLENOL) once, all within 2 weeks of vaccination. The patient previously took amitriptyline and experienced swelling of eyelid and palmar erythema. The patient did not receive any other vaccines within four weeks prior to the vaccination. On 18Dec2020, the patient experienced a rush of heat throughout her body, felt dizzy, weak and a bit nauseated and minor injection site pain. The clinical course as follows: At 13:45, about 30 minutes after injection she suddenly felt a rush of heat throughout her body, felt dizzy, weak, nauseated. This lasted about 30 minutes and then the warm feeling went away. She still felt a little dizzy, weak, nauseated and very tired. The dizziness lasted about 1.5 hours and the weakness, fatigue and mild nausea lasted about 6 hours. She reported that It felt as though she had taken diphenhydramine (BENADRYL). She stated that had she not been working (RN in an Emergency Department), she just would have taken a nap and it would have been ok. Having to work through it was not pleasant she said. She never had a fever during this but had some minor injection site pain. She reported that she never experienced an immune response to any vaccine (has had 6 in a day before and was fine). The patient was not hospitalized for the events. The patient was treated with 600 mg of naproxen sodium. The clinical outcome for the events of a rush of heat throughout her body, felt dizzy, weak and a bit nauseated and minor injection site pain, was recovered on an unspecified date in Dec2020. It was also reported that since the vaccination, the patient had not been tested for COVID-19.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
911173	12/29/2020	NJ	66	M	12/17/2020	12/17/2020	1.5 hours after the vaccine, one eye vision was down to light perception only. The event lasted 15 minutes and resolved completely. ER eval and Ophthalmology eval did not find a cause for the event.; This is a spontaneous report from a contactable physician. A 66-year-old male patient received bnt162b2 (reported as COVID 19, Covid vaccine, lot/batch number and expiry date were not provided), via an unspecified route of administration from 17Dec2020 12:30 at single dose for covid-19 immunisation. Medical history included gout, abnormal glucose, hyperlipidemia, hypertension. Prior to vaccination, the patient was not diagnosed with COVID-19. No Known allergies. Concomitant medications the patient received within 2 weeks of vaccination included atorvastatin, prednisone, lisinopril, allopurinol, famotidine (PEPCID). The patient experienced 1.5 hours after the vaccine, one eye vision was down to light perception only. The event lasted 15 minutes and resolved completely. ER eval and Ophthalmology eval did not find a cause for the event. CT and labs done. Event onset date was on 17Dec2020 14:00. The patient not received any other vaccines within 4 weeks prior to the COVID vaccine. Since the vaccination, the patient has not been tested for COVID-19. No treatment received for the adverse event. Case was non-serious. Facility where the most recent COVID-19 vaccine was administered at Hospital. The adverse event result in the following: Doctor or other healthcare professional office/clinic visit, Emergency room/department or urgent care. The outcome of event was recovered on 17Dec2020 14:15. Information on the Batch/Lot number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
911238	12/29/2020	NY	24	F	12/17/2020	12/18/2020	fever; body malaise; Body aches; muscles hurt; sharp eye pain/If she turns her eyes to the right or to the left; chills; This is a spontaneous report from a contactable consumer. A 24-year-old female patient (daughter) received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EH9899), via an unspecified route of administration at 18:00 on 17Dec2020 at single dose for COVID-19 immunization. Medical history included asthma and anxiety. Concomitant medication included sertraline hydrochloride (ZOLOFT) for anxiety. The patient experienced fever, body malaise, body aches, muscles hurt, sharp eye pain/if she turned her eyes to the right or to the left, and chills on 18Dec2020. At time of reporting, the outcome of events was not recovered.
911240	12/29/2020	TX	34	F	12/18/2020	12/18/2020	tingling on roof of mouth, watery eyes, and itchy throat; tingling on roof of mouth, watery eyes, and itchy throat; tingling on roof of mouth, watery eyes, and itchy throat; This is a spontaneous report from a contactable nurse. A 34-years-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number EJ1685), intramuscular in the left arm at hospital on 18Dec2020 09:00 at single dose for COVID-19 immunization. The patient medical history and concomitant medications were not reported. On 18Dec2020 at 09:15 the patient experienced tingling on roof of mouth, watery eyes, and itchy throat with outcome of unknown. The events required emergency room visit and the patient received treatment.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
911213	12/29/2020	TX	64	F	12/18/2020	12/18/2020	Chilled; headache; blurred vision; This is a spontaneous report from a contactable Other Health Professional (patient). A 64-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE) lot number: EJ1685, intramuscular in the right arm, first dose on 18Dec2020 10:15 at a single dose for immunisation. Medical history included cervical dystonia wherein she takes botox treatments quarterly for this. Concomitant medications included estradiol, rosuvastatin calcium (CRESTOR), gabapentin and montelukast sodium (SINGULAIR). The patient was not pregnant. The patient was not diagnosed with covid 19 prior to vaccination nor been tested since vaccination. The patient experienced chilled, headache, and blurred vision on 18Dec2020 at 12:00 PM with outcome of recovered on an unknown date in Dec2020. The patient did not receive any treatment for the events. The events are considered non-serious by the reporter. No follow-up attempts are possible. No further information is expected.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
911269	12/29/2020	NY		F		12/1/2020	<p>I woke up and my left eye is swollen and my face is kind of swollen; I woke up and my left eye is swollen and my face is kind of swollen; rash/ rash on and off on my back and on my arm and around my face; allergic symptoms; kind of like itchiness on my ears and my scalp and also like on and off on my back and also on both of my arms like my wrist area on both arms/All night I was up with scratching my face; The initial case was missing the following minimum criteria: unspecified product. Upon receipt of followup information on 20Dec2020, this case now contains all required information to be considered valid. This is a spontaneous report from a contactable physician (patient). A 30-years-old female patient received first dose bnt162b2 (BNT162B2), intramuscular on 2020 at single dose for covid-19 immunisation. Medical history included On nose, had prior to getting the vaccine, was experiencing some kind of she got through the contact dermatitis rash like her arms and behind her ears and it was all over her neck (she thought it was related to mat because she was getting it on neck and ears taking medication for that it just allergy medication and it had gotten better). There were no concomitant medications. The physician reported she have been experiencing some allergic symptoms following it since Dec2020, she had itchiness, it was like a rash on and off on back and on arm and around face and itchiness on calp and face/ experiencing kind of like itchiness on ears and scalp and also like on and off on back and also on both of arms like wrist area on both arms and then in the morning like 20Dec2020, it was kind of all night she was up with scratching face,; In the morning 20Dec2020, she woke up with some mild facial swelling, noticed like eyes swollen and little bit droopy. The events were still going on, she just took medicine for it. It's kind of persistent. Physician stated, "I guess I can report the worsening of my symptoms that was in the morning of reporting date like 8 AM." Treatment included just took medicine, Prednisone, Benadryl and Zyrtec. Weight: About 103. The event outcome was not recovered. Information on lot/batch number has been requested.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
911373	12/29/2020	AR	45	M	12/16/2020	12/18/2020	Woke up 2 days later with painful swelling under both eyes and pain around my chin. these are all areas, and the only areas that I have had dermal filler injections; Woke up 2 days later with painful swelling under both eyes and pain around my chin. these are all areas, and the only areas that I have had dermal filler injections; Woke up 2 days later with painful swelling under both eyes and pain around my chin. these are all areas, and the only areas that I have had dermal filler injections; This is a spontaneous report from a contactable physician. A 45-year-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EH9899), intramuscular on the left arm on 16Dec2020 10:45 at single dose for COVID-19 immunisation. Medical history included hypertension and dermal filler injections. Concomitant medication included losartan. The patient stated, "woke up 2 days later with painful swelling under both eyes and pain around my chin. These are all areas, and the only areas that I have had dermal filler injections. I started steroids and pain and swelling resolved in 3 days". The outcome of the events was recovered on Dec2020.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
911293	12/29/2020	NY	62	F	12/19/2020	12/19/2020	thin red line on back of neck/redness at her right eyebrow and in the midline of her forehead/reddened area above eyebrow along with puffiness, redness on nose, cheeks and left hand; Rash; dot markings on her left hand and redness which is where she received vaccine in her left arm; dot markings on her left hand and redness which is where she received vaccine in her left arm; reddened area above eyebrow along with puffiness, redness on nose, cheeks; This is a spontaneous report from a contactable nurse (patient). A 62-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), lot number: EK5730, via intramuscular in left deltoid on 19Dec2020 10:30 at single dose for COVID-19 immunization. Medical history included hypertension diagnosed when she was 47, hypothyroidism diagnosed 20 years ago and allergic to penicillin and sulfur; all ongoing. Concomitant medication included ongoing metoprolol succinate for hypertension. The patient received her first dose of vaccine on Friday 19Dec2020 at her job. Stated that she woke up Saturday with redness at her right eyebrow and in the midline of her forehead between her eyebrows and nose. Stated that she had dot markings on her left hand and redness which is where she received vaccine in her left arm. Stated that she had went to ER and was put on Prednisone 60mg for 5 days and Benadryl 50mg prn. Stated that a few people said few different things. Stated that she is allergic to penicillin and sulfur. No further details provided. The patient wanted to know if sulfur is in the vaccine to know if in three weeks should she take the second vaccine. On 19Dec2020, states she had a rash when she woke up. The patient had reddened area above eyebrow along with puffiness, redness on nose, cheeks and left hand. The patient went to the emergency department and an HCP saw a thin red line on back of neck. The patient was prescribed prednisone and benadryl and now symptoms have resolved. The patient was asking about more information regarding this type of reaction. The outcome of the event rash was recovered on unspecified date and the remaining events was recovered on 20Dec2020. The events were reported as non serious.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
911319	12/29/2020		53	F	12/17/2020	12/18/2020	Tiredness; Pain injection site; Headache; muscle pain; Joint pain; Nausea; just isn't feeling good; feels like face and around eyes are swollen; feels like face and around eyes are swollen; This is a spontaneous report from a contactable consumer reported for self. This 53-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 17Dec2020 in her right arm at single dose for required to at work. None medical history and concomitant medications. She is at work right now. She doesn't have a prescribing doctor. She works at the ER, and they were provided to employees. There is pain at the injection site, which she expected. She has had tiredness, headache, muscle, and joint pain. No chills. She has had nausea. She just wasn't feeling good. She feels like her face is swollen. Like around her eye lids is swollen, but she asked her kids, and they said it doesn't look swollen. She can feel it, but not see it. She got the vaccine on 17Dec2020. She started having all the side effects on the 18Dec2020. They have just persisted. She took something for nausea. She took Ibuprofen for pain, Headache, muscle pain, Joint pain. Outcome of the events was not recovered. Information on the lot/batch number has been requested.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
911334	12/29/2020	NC	38	F	12/21/2020	12/1/2020	Hives; felt itching to her scalp; This is a spontaneous report from a contactable other hcp (patient). This 38-years-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (lot number: EK5730), intramuscularly on 21Dec2020 06:40 at single dose on left deltoid for COVID Prevention. Medical history included Polycystic ovarian syndrome, was diagnosed with this in her early 20's and ongoing, Hypothyroidism from 2015 and ongoing, Corneal abrasion from 2020 and ongoing (Patient got a corneal abrasion to her right eye, about a week ago and is currently using eye drops for prophylaxis against infection), and anaphylaxis. Concomitant medication included metformin tablet oral at 750mg, once daily for Polycystic ovarian syndrome, she has been taking the product on and off since being diagnosed with PCOS and ongoing, thyroid (ARMOUR THYROID) oral at 60 (unsure if the product is MG or MCG) once daily for Hypothyroidism, started product four or five years ago and ongoing, moxifloxacin hydrochloride (VIGAMOX) at 1 drop to right eye, three times daily for Infection prophylaxis from Dec2020 and ongoing, patient got a right corneal abrasion last week and is using the product as infection prophylaxis. The patient was a Physician Assistant, who works in the ER, who just received the COVID vaccine at work. The patient stated that she got hives after her injection. The patient received the vaccine today at about 6:40AM. She stated that she was instructed to wait 30 minutes after receiving the vaccine because she does have a history of anaphylaxis, but not to vaccines. So it was about 5 to 10 minutes before her 30 minute wait time was up, that she started getting the hives on 21Dec2020. She stated that the hives she got started on her left wrist, and then they worked to bilateral upper arms, and then she also felt itching to her scalp but states she did not feel a rash on her scalp. She took 50mg of Benadryl orally for treatment. It was stated that the hives have resolved at this time, but patient was unsure as far as outcome goes, because she took Benadryl and the hives are gone now, but she does not know if they will return or not. She stated that she only had to take Benadryl and she declined checking in to the ER, so she considers this, not serious. The outcome of hives was recovered, of felt itching to her scalp was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
911340	12/29/2020	TX	64	F	12/19/2020	12/1/2020	she has almost a sinus headache; the injection site was very, very sore; Chills/She couldn't get warm; cold; body aches; This is a spontaneous report from a contactable consumer (patient). This 64-years-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (lot number: EK5730) on 19Dec2020 15:15 at single dose on Left Arm for COVID-19 immunisation. Medical history included She had COVID on 10Nov2020. There were no concomitant medications. The patient received the COVID vaccine on 19Dec2020, the first dose. She didn't have much side effects or feel symptoms except the next morning on 20Dec2020, the injection site was very, very sore. As the day progressed, she had chills. No fever, but chills. She couldn't get warm. This morning when she woke up she has almost a sinus headache on 21Dec2020. It's not really a headache, but around her eyes. "Injection site was very, very sore" didn't really start until yesterday after lunch. She has not had chills this morning, just body aches. She feels like she is about to get a cold. She had COVID on 10Nov2020. She wasn't as cold this morning like she was when she went to bed last night. She thinks the chills stopped some time in the night. When she went to get in the shower this morning she felt the headache. She still has the sensation around the eyes. She took some Tylenol about 11AM on 19Dec2020. The outcome of the injection site was very, very sore was recovering, of other events were unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
911342	12/29/2020	NY	48	F	12/21/2020	12/21/2020	Tingling down entire left side of body, from face to foot.; Numbness and tingling of left side of face.; Had headache temporarily (resolved). Mostly on right side behind eye; This is a spontaneous report from a contactable Other HCP. This Other HCP reported for herself that the 48-year-old female patient received fist dose of bnt162b2 (BNT162B2, Batch/lot number: EK5730), via unknown route of administration in left arm on 21Dec2020 07:45 PM at single dose for covid-19 immunisation. She is not pregnant at the time of vaccination. Medical history included History of breast cancer. Past drug event included Known Allergies to medications, food, or other products: Codeine. Concomitant medications included tamoxifen. Facility type vaccine Hospital. No other vaccine in four weeks. Other medications the patient received within 2 weeks of vaccination included Tamoxifen, multi-vitamins, hair, skin and nails. The patient experienced Tingling down entire left side of body, from face to foot. Numbness and tingling of left side of face. Feel like I got Novocain shot in face. Had headache temporarily (resolved). Mostly on right side behind eye from 21Dec2020 08:00 PM. Outcome of the events was not recovered. No covid prior vaccination. No covid tested post vaccination. Facility where the most recent COVID-19 vaccine was administered was Hospital. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. No treatment was received for the adverse event. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, has the patient has not been tested for COVID-19. Vaccine Facility information available. Location of injection information is available for all vaccines received on the same date.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
911362	12/29/2020	IN	54	F	12/17/2020	12/18/2020	<p>Lost weight; Achiness; Tired; Headache; her daughter was tested positive for COVID/ she was around her daughter; Blurriness; I could hardly see; A little bit of vision changes; eyes, both days, yesterday they were swollen, 'puffy' and draining a little bit; eyes, both days, yesterday they were swollen, 'puffy' and draining a little bit; eyes, both days, yesterday they were swollen, 'puffy' and draining a little bit; Nauseous; This is a spontaneous report from a contactable Nurse (patient). A 54-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 17Dec2020 at single dose for COVID-19 immunization. The relevant medical history included blood cholesterol and sinus problem. Concomitant medications included pravastatin for cholesterol. The patient stated that she received the immunization on Thursday at the hospital that she worked at and Saturday and then at the time of the report her eyes, both days, yesterday they were swollen, 'puffy' and draining a little bit on 19Dec2020. Today they were too this morning. So, that got better than yesterday because she cold compresses on them. For the next shot, the patient stated that she was not so sure, it was within 21 days. An appointment was set-up, she just had to look. It was during work, so she was working. She went downstairs, she got the show. She sat there while they watch her for several hour, observation time and she got on her phone and scanned in something. Maybe appointment but she got to work. She didn't write it down. The patient stated that her daughter was tested positive for COVID on Monday. And they said her to get test it because she was around her daughter. And then they weren't so sure whether or not to give her the vaccine. But they said it was okay so they did. She was negative at that time. The patient stated Friday at work, she didn't feel anything because she was working around, almost 3:30 or 4 O' clock on Thursday. She was nauseous all day at work on 18Dec2020. And just the minor ones that they had. That was to be expected, the achiness, felt a little swollen, tired, headache. But she was okay to work. But then at the time of the report after her eyes been swollen yesterday. She got up to get ready for work but her eyes were like. At that time in the morning on 19Dec2020 she could hardly see out of them. But they were much better at the time of the report. The patient had this mask that</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
911264	12/29/2020	NY	58	F	12/16/2020	12/17/2020	<p>was a gel pack. So, it was bit of like a cold compress. And put Vaseline and they told her to get another COVID test. The patient had some vision. Some blurriness and just a little bit of vision changes on 19Dec2020. That she had not noticed at the time of the report. So that was resolved she thought. The patient underwent lab test included COVID test on an unspecified date which showed negative; weight on an unspecified date which showed about 186 pounds (she lost weight, so she might be a little more, she just hadn't checked). Therapeutic measures were taken as a result of the events "eyes, both days, yesterday they were swollen, 'puffy' and draining a little bit". The outcome of the events "eyes, both days, yesterday they were swollen, 'puffy' and draining a little bit" was recovering, for the event "Blurriness; I could hardly see; A little bit of vision changes" was recovered on an unspecified date, the other events were unknown. Information on Lot /Batch Number has been requested.</p> <p>swelling of eyelids and cheeks; swelling of eyelids and cheeks; swelling of hands; This is a spontaneous report from a contactable pharmacist. A 58-year-old female patient received 1 dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EK5730) intramuscular on left deltoid on 16Dec2020 11:00 AM, single dose for COVID-19 immunization at 58-year-old. Medical history included: Sulfa allergy; diabetes, hypertension, high cholesterol. Prior to vaccination, the patient was not diagnosed with COVID-19. Concomitant medications included: metformin, valsartan and pantoprazole. No other vaccine received within 4 weeks prior to the COVID vaccine. On 17Dec2020 morning, 06:00 AM, the patient had swelling of hands and then 18Dec2020 morning, the patient had swelling of eyelids and cheeks. Doctor or other healthcare professional office/clinic visit. Treatment received as: Diphenhydramine 50mg and prednisone 40mg orally. Since the vaccination, the patient had not been tested for COVID-19. Action taken for BNT162B2 was not applicable. Outcome of the events was resolved in Dec2020. It was reported as non-serious.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
912788	12/29/2020	IN		U	12/20/2020	12/20/2020	Pt presented to receive 1st dose of Pfizer COVID Vaccine, which she received at 1130. She emailed hospital leadership to describe a reaction which is as follows: I feel the need to inform you about a likely reaction I had to the COVID vaccine I received yesterday around 11:30 am. I was feeling fine after the immunization, drove home and took some Tylenol in case of any arm pain (of which I have had none). I ate some lunch, was on the phone talking with a friend and developed sudden onset of lightheadedness, slurred speech and extreme sleepiness. No other focal deficit. I actually got up and walked around to try to shake it off. But I suddenly felt so tired that I could not keep my eyes open. I called my husband and asked him to come home immediately. I laid down and tried to reassure my kids that I was fine. I don't remember much thereafter. Just bits and pieces. It felt like I was under general anesthesia, trying to wake up but not able to open my eyes or move my arms/legs. I could hear some things going on but could not talk. There were times I would "wake up" in my mind and I would check to make sure I could swallow and I was breathing ok. I remember mumbling to my husband that I could breathe. He says he was checking my vitals throughout this time and monitoring things. He said my Blood pressure was initially 80/60, pulse 50, and as he keep checking it gradually improved. This lasted about 2 hours and then finally I was able to wake up. I felt a little lightheaded and tired for the rest of the day, but I feel essentially normal today. Please note: age not provided in internal system report; unsure of person's age

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
912618	12/29/2020	WA	44	F	12/28/2020	12/28/2020	12/29/20 came to vaccine clinic to report. states had vaccine 7:10 pm, waited 15 minutes, 'felt edgy' but thought maybe nerves. 7:25 pm walked back to her office, felt slightly lightheaded, had worked 12 hours, sx subsided. 7:45 pm walked to her car felt right side jawline numbness that extended to forehead and whole side of face, able to smile, swallow, drove home (30 min) and sx stayed the same. states lingered over the evening, went away by 10 pm. states eyelid felt heavy, was not puffy. did not keep her awake - did report night sweats. 0700 awoke, states no sx, no residual. states arm slightly sore and general joint aches. 1205 came to clinic to report. states feels pretty good, concern is about next shot. Will contact PCP, did vsafe and will complete report.
912627	12/29/2020	AR	26	F	12/18/2020	12/18/2020	Co-worker reported a "sever headache" and later at 2:05pm she reported she was "unable to open her right eye due to the severe pain in her head". She took Benadryl 25mg by mouth. Her mother came and picked her up to take her home after an hour without any additional symptoms. The co-worker reported she still had a "headache" the next day, but it was much better.
912634	12/29/2020	IN	51	F	12/21/2020	12/21/2020	Palpitations, dry eyes, vertigo, rash on chest several hours after receiving vaccine. Resolved within a few hours.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
912643	12/29/2020	CA	38	F	12/28/2020	12/28/2020	5-10 minutes after vaccine got mild numbness/heaviness feeling corner of left side of mouth (very pinpoint without migration) that 1-2 hours after vaccine progressed to similar feeling on lateral left side of face and corner of left eye-no motor weakness in face, facial drooping or clinical change in sensation on palpation of skin, intermittent gritty/sandy feeling on tongue/mouth that started about 30 minutes or so after received the vaccine. Intermittent very mild scratchy/sore throat that start 30+ minutes after vaccine, frontal pressure-like headache-forehead/temples/cheeks on face-started within about 30 mins-1 hr of getting vaccine-can get extremely strong at times. Approximately 12-14 hrs after vaccine got tingling/burning sensation on tongue with complete 100% loss of taste that was transient and 1-2 hours after started has slowly been improving and taste is slowly returning since then. no loss of smell. no tongue swelling or throat closing up sensation. all symptoms improve with taking over the counter antistamines-Zyrtec or benadryl, but haven't resolved yet. all symptoms overall mild (except headache at time) and are waxing and waning in severity (including headache) the entire time since receiving the vaccine. I feel completely fine otherwise.
912648	12/29/2020	NJ	70	F	12/29/2020	12/29/2020	Patient reports arm tingling down from elbow to hand of left arm. A little numbness in left hand. Few hours later patient reports numbness moving down to arm and hand and up to eye with somewhat lessening on the lip. Patient currently experiencing some tingling on the right arm.
912682	12/29/2020	AZ	22	M	12/28/2020	12/29/2020	Blurry vision, RIGHT arm weakness, shortness of breath, feels "sick.~~
911694	12/29/2020	MI	46	M	12/28/2020	12/29/2020	Patient woke up in the night, walked downstairs to get water, walked back upstairs and became nauseous, laid down and became unresponsive. Eyes were open but not focused, breathing was irregular and snoring-like. this lasted less than a minute and he regained consciousness.
912687	12/29/2020	IN	50	F	12/29/2020	12/29/2020	Vertigo, nausea, altered vision within minutes of receiving vaccine. Observed in clinic for 1 hour. Symptoms resolved. Returned to work. Vaccine received around 1150 am - patient had not had anything to eat that morning.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
911892	12/29/2020	OH	21	F	12/27/2020	12/27/2020	Modern a COVID-19 Vaccine. Swelling in the right eye lid. Muscle pain. Headache. Injection site throbbing in pain. Labored breathing (with burning discomfort). Fatigued.
912703	12/29/2020	FL	38	F	12/29/2020	12/29/2020	After injection developed swelling in cheeks and under eyes -
912739	12/29/2020	FL	41	F	12/22/2020	12/28/2020	left wrist and hand pain, swollen left eye, generalized hives swollen left wrist and hand
912607	12/29/2020	TX	30	F	12/23/2020	12/23/2020	9:30pm on 12/23/20 i started with a severe headache and then an immediate onset of fatigue, i was unable to stand up and felt like i could not walk. thru at the night i had bodyaches, nightsweats, chills and fever. i had a fever or 101.3 on 12/24/20 for most of the day I rotated tylenol and ibuprofen and was only able to get it too 100.3 . bodyaches and headache continued . 12/25/20 fever and burning of eyes. 12/26/20 -12/27/20 fever and headache. all symptoms subsided on 12/28/20
912780	12/29/2020	TX	38	F	12/24/2020	12/26/2020	RASH BILATERAL SHOULDERS, WELPS, EYES WERE RED, RASH TO CHWST AND BACK, ANGIOEDEMA, "FELT LIKE HER BRAIN WAS ON FIRE" PRESSURE IN HER HEAD X 40MINS. BENEDRYL CREAM TO RASH AREA , TYLENOL 100MG, SKELAXIN 800MG. RASH GONE BY MORNING
912685	12/29/2020	PA	47	F	12/29/2020	12/29/2020	Received vaccine in left arm at 7:20 am sat for 15 minutes without any incident. At approximately 7:50 am I felt an intense burning sensation to outer aspect of right eye and eyelid. My eye was burning and watering continuously.Reported back to department where vaccine was administered nurse gave my 25 mg of P.O Benadryl. No other symptoms at that time. At approximately 2:00pm same day right eye partially opens,swelling persists to right eyelid with burning sensation and eye watering.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
912871	12/29/2020	IL	56	F	12/17/2020	12/29/2020	12/29/2020. 0430 I awoke with facial swelling including eyes/nose/lips. Slight wheezing, coughing & my skin felt like I had been sunburnt. I took Benadryl 25mg, Pepcid 20mg, Prednisone 10mg and I did an Albuterol Neb treatment. When I awoke at 0830, the swelling ,wheezing & burning had subsided. I was extremely fatigued & I had a 99 degree fever. The fever subsided ,but I remain fatigued. (12/29/20 @ 1615) It's important to note my past severe allergic reactions have always been delayed by 8-14 days. I do carry an epi-pen.
912876	12/29/2020	CA	67	M	12/21/2020	12/29/2020	Cloudy vision in left eye
912902	12/29/2020	IA	26	F	12/29/2020	12/29/2020	Patient felt a migraine aura that started about 8-10 min post-vaccination. She was experiencing pain around her left eye and some vision disturbance although no nausea which she stated she usually has. Patient was still at clinic waiting since it had not been past her 15 min time yet. We gave her some tylenol and had her move to a room that was a little darker and quieter and kept her for another 30 min (45 min total). Patient said she still felt like it was the "beginning of a migraine" and not feeling well. We called someone to come drive her home and sent her home for the rest of the day.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
912912	12/29/2020	MA	59	F	12/18/2020	12/18/2020	I got the shot at 115PM I waited and within a couple of mins I tasted metal on the left side of my tongue. the back of my tongue and my left cheek started to go numb and I was taken to the ER, my vitals were taken and was normal and was monitored for a couple hours, triptase was taken and they did bloodwork, the numbness climbed to the left side of my face from my eye to my jaw, they gave me antihistamines for the next 48 hours and was sent home. Saturday morning I went to the gym and felt fine and 24 hours later I felt complete fatigue like I had been hit by a bus, Sunday I had congestion and still numbness on my face. On Monday I got a call from an allergist, they couldn't figure out if it was an allergic or adverse reaction. I was put on a high dose of Allegra to see what it could be. Tuesday the congestion went into my lungs and was out of breath and was having trouble breathing. My PCM called me and asked me to video call and said I looked terrible. my pulse oximeter was 99. Wednesday when I woke up my difficulty breathing was starting to get better. I was tested for covid twice on Wednesday and both were negative. Wednesday to 12/28 I continued to have serious fatigue and I'm very active I feel much better 12/28 and 12/29 I feel better but I've had the numbness on my left side of my face this whole time and it feels like I've had Novocain I can't get rid of it.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
912936	12/29/2020	OH	53	F	12/29/2020	12/29/2020	Within 1-2 minutes: left hand felt numb and my body became very warm. Within 5-10 minutes: a huge headache. Within 30 to 45 minutes: Blood Pressure fluctuated, headache became worse, and chills started to occur. Within 1 hour to 1.5 hours: the headache became a huge migraine and my head felt like a bowling ball (I was still at work at this time.) Eventually, I could not lift my head off the desk. About 2 hours to 2.5 hours later, I felt so bad that I could not continue to work and head to leave work and go home. Upon arrival at home, the chills, aches, pains, migraine, some fever, eyes could barely stay open, and diarrhea started. About 7 hours later, a full blown Lupus flareup seemed to have started and/or it seemed to feel like a full blown case of the flu (if that makes any sense at all.) By the time I wrote this, all the symptoms have remained the same. I have had chicken soup, Gatorade, and bananas and treating this like the flu. I have continued to take my medication except for the Prednisone because I was told not to take the prednisone at the time that I was given the COVID19 shot at 9am this morning. I have stayed at home since I arrived at home around 1:30 or so...
913010	12/29/2020	NV	46	M	12/23/2020	12/27/2020	presented to office with a 2 day history of blurred vision of his right eye. He has been diagnosed with an acute Central Retinal Vein Occlusion of his right eye. (H34.8112). No treatment at this time.
913011	12/29/2020	OR	54	F	12/28/2020	12/29/2020	drooping OF LEFT EYE, twitching, weeping of left eye. Upper eyelid of left eye puffy and red. Chest tightness
913012	12/29/2020	TX	43	F	12/17/2020	12/24/2020	~~Pfizer-BioNTech COVID-19 Vaccine": left-sided facial bell's palsy; facial drooping mostly resolved, minimal eye drooping on left side; headache; Tylenol taken for headache; headache has resolved;left-sided sensitivity to loud noises; hearing sensitivity resolved

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
913081	12/29/2020	PA	45	F	12/29/2020	12/29/2020	Patient received her Pfizer COVID vaccine at approximately 11:40 a.m.. She stated immediately after she received her shot she had headache and felt shaky. She waited afterwards felt ok and so drove back to work (about 45 min drive). Approximately 1 hour after shot she developed generalized itching especially around the head neck and arms. She developed a red fine rash of her bilateral upper arms and blotchy rash on her chest and neck, similar to her prior reaction to Sulfa drugs in past. She called employee health and was directed to be seen in clinic. Pt walked down and notified me and she was immediately placed in room and was evaluated. She did take PO Benadryl 50mg about 145pm. Patient feels a little nauseous. A little jittery. No fever no chills no chest pain or shortness of breath no lip swelling or tongue swelling no difficulty breathing. She had some loose stool yesterday. Headache is improved no vision changes. No prior history of anaphylaxis. No other new exposures (lotions, foods, pets, meds etc) other than COVID 19 vaccine today. She appeared uncomfortable. Solumedrol 125mg IM was given in office. patient was observed > 1 hour. no change in symptoms. vitals stable. discharged home with prednisone taper.
913141	12/29/2020	WA	49	M	12/21/2020	12/29/2020	12/23/2020 developed left ear pain and next day experienced drooping of left side of face, difficulty blinking left eye Bells Palsy
913198	12/29/2020	IL	47	F	12/28/2020	12/28/2020	Increased heart rate majority of day, low bld sugar, nausea and headache late evening of vaccine. Hives appeared Rt arm - elbow, neck to eye. Took Benadryl 50mg at 7:30 pm another dose at 10pm. Awoke 12-29-20 all hives gone but feels hot, fluctuating heart rate, stiff neck, short of breath. Called MD, will monitor symptoms next 24 hours.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
913211	12/29/2020	AZ	44	F	12/29/2020	12/29/2020	Am an anesthesiologist. Approx 3-5 min after uneventful injection, my suddenly heart rate started to climb above 100, felt dizzy and had rigors. Emts came to assist took vitals; slightly elevated BP but normal sats. About 5 min after that my lips, eyes, nose, tongue and throat felt a little swollen. They then placed right AC PIV and gave 50 mg of IV Benadryl. I didn't want Epi at that time bc my bp was good and going to hospital. They agreed. Once at hospital they have decadron 10mg IV push. I spent about 4 hrs in ED where I had 2-3 sudden episodes of tachycardia as high as 140s.
912757	12/29/2020	MT	61	F	12/29/2020	12/29/2020	Approximatley 2 hours after injection, after arriving home and starting some housekeeping activities, vertigo started with nausea and sensitivity to light. It is going on 2 hours while lying down with eyes covered and some improvement in that eye motion is no longer sensitive.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
912057	12/29/2020			F			<p>Her BP went down to 80/60 with a pulse of 50.; sudden light headiness/light headedness; pulse of 50; Slurred speech; extreme sleepiness/sleepiness that there was no other focal deficit; felt like she was under anesthesia, was unable to move her legs/felt like she was under general anesthesia trying to wake up but unable to open her eyes or move her arms or legs; This is a spontaneous report from a contactable pharmacist. A female patient of an unspecified age received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) lot number and expiration date were not reported, via an unspecified route of administration on unspecified date at a single dose for immunization. Medical history was none. The patient's concomitant medications were not reported. It was reported that the patient (a doctor) received the vaccine and had a sudden light headiness, slurred speech, and extreme sleepiness with outcome of recovered. She felt like she was under anesthesia, and was unable to move her legs. Her BP went down to 80/60 with a pulse of 50. All of these episode lasted about 2 hours. The patient became alert, but she still felt a bit light headed. She felt normal the next day. The patient said that at the sudden onset of the side effects: light headedness, slurred speech, and sleepiness that there was no other focal deficit. She felt like she was under general anesthesia trying to wake up but unable to open her eyes or move her arms or legs. The outcome of the events Her BP went down to 80/60 with a pulse of 50, sudden light headiness/light headedness, Slurred speech, extreme sleepiness/sleepiness that there was no other focal deficit and felt like she was under anesthesia, was unable to move her legs/felt like she was under general anesthesia trying to wake up but unable to open her eyes or move her arms or legs was recovered on an unknown date. Information about lot/batch number has been requested.; Sender's Comments: A possible causal association between administration of BNT162B2 and the onset of low blood pressure/ low pulse with dizziness cannot be excluded, considering the plausible temporal relationship. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate
911747	12/29/2020	OH	43	F	12/27/2020	12/27/2020	12/27/2020 joint pain, body aches, sinus congestion, chest and throat soreness; . l cheek numb, sluggish.; left eyelid more raised and sluggish than other 12/28/2020; l armpit swollen armpit.
911808	12/29/2020	TX	52	F	12/29/2020	12/29/2020	Approximately 15 minutes after administration of vaccine, patient experienced twitching on left upper eyelid off-and-on for approximately 10 minutes. Twitching resolved. Blood pressure was checked at 09:50am (161/109). HR=76. Patient clinically stable. No medications were administered. Patient was advised to follow-up with PCP regarding blood pressure concerns and released at 10:10am.
911825	12/29/2020	TX	48	F	12/23/2020	12/24/2020	Patient began with muscle/body aches and chills on 12/24. Highest temperature recorded was 99.8, took ibuprofen. On 12/25, lymph nodes near right clavicle and right axilla swollen and stiffness in neck and shoulder. Right foot also became swollen. On 12/27, developed pain behind eyes, swelling began decreasing on 12/27. Began having headache on 12/28.
912688	12/29/2020	IN	50	F	12/29/2020	12/29/2020	Vertigo, nausea, altered vision within minutes of receiving vaccine. Observed in clinic for 1 hour. Symptoms resolved. Returned to work. Vaccine received around 1150 am - patient had not had anything to eat that morning.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
911925	12/29/2020	TX	55	F	12/28/2020	12/28/2020	I was being monitored for 30 minutes. At 20 minutes after the vaccination, I began having difficulty swallowing and within minutes of that began experiencing numbness around my mouth, including my lips, with minimal swelling wound my lips and mouth. Then I had a tingling sensation as if pins were sticking me in my face, especially around my eyes and forehead. I immediately ported my symptoms to the nurse standing next to me for observation. My entire body felt as if it was on fire, with a burning and itching sensation. I was administered 25 mg of Benadryl IM and was transported to the Emergency Department, where I was given oral prednisone. I left the Emergency Department is about 2 hours. At 24 hours after the, I still have itching around my scalp, back and lips.
912593	12/29/2020	MT	65	F	12/21/2020	12/22/2020	High blood sugars, vision change, hearing issues, anxiety

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
912069	12/29/2020			U			tunnel vision; Shortness of breath; headache; couldn't move arms/legs; This is a spontaneous report from a contactable other health professional via a Pfizer sales representative. A patient of unspecified age and gender received bnt162b2 (BNT162B2), via an unspecified route of administration, on an unspecified date, at single dose, for Covid-19 immunisation. The patient's medical history and concomitant medications were not reported. The patient experienced tunnel vision, shortness of breath, headache and couldn't move arms/legs all on an unspecified date with outcome of unknown. The information on the lot/batch number has been requested.; Sender's Comments: Based on available information, a possible contributory role of the subject product, BNT162B2 vaccine, cannot be excluded for the reported events of tunnel vision, shortness of breath, headache and couldn't move arms/legs due to temporal relationship. There is limited information provided in this report. Additional information is needed to better assess the case, including complete medical history, diagnostics including eye examination at baseline and during subject drug therapy, Head CT/MRI, chemistry panel and chest x-ray , counteractive treatment measures and concomitant medications. This case will be reassessed once additional information is available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
912072	12/29/2020	NC		F			She woke up with a burst blood vessel in her eye; This is a spontaneous report from a contactable other healthcare professional (hcp) (patient). A 35-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 Vaccine), via an unspecified route of administration on an unspecified date in 2020 at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. After receiving the Covid-19 vaccine in 2020, she woke up with a burst blood vessel in her eye. There was blood throughout the white portion of her left eye. The outcome of event was unknown. Information on the lot/batch number has been requested.; Sender's Comments: Based on available information, a possible contributory role of the subject vaccine cannot be excluded for the reported event of eye hemorrhage due to temporal relationship. There is limited information provided in this report. Additional information is needed to better assess the case, including complete medical history, diagnostics including including eye examination at baseline and during subject drug therapy, Head CT/MRI, chemistry panel, CBC and coagulation panel, counteractive treatment measures and concomitant medications. This case will be reassessed once additional information is available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.
912134	12/29/2020	TX	58	F	12/28/2020	12/29/2020	12/29 c/o fatigue, heavy eyes, and numbness, tingling and swelling to left arm. Also numbness, tingling to left leg and foot. She was seen in ED , prescribed naproxen and sent home.
912137	12/29/2020	FL	32	F	12/21/2020	12/21/2020	Was given the vaccine and about 5 minutes later started having swelling and my eyes and face. It was watched for a few minutes and was assessed by EMS and taken to the emergency department. I was given epinephrine, Benadryl, Solu-Medrol, Pepcid, IV fluids, DuoNeb and observed overnight. I was given multiple rounds of Benadryl, steroids, Pepcid, DuoNeb

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
912151	12/29/2020	PR	48	F	12/23/2020	12/27/2020	12hours after shot -mild to moderate pain at injection site (no redness or swelling). 12/27/20 (day 5) Skin reaction to few mosquito bite (1 inch red spot around bites). Its the first time I react to mosquito bites. Resolved overnight. 12/28/20 (day 6) Dark reddening around both eyes (specially in eyelids) when removing my makeup. Same routine/products as always. Also resolved overnight.
912173	12/29/2020	ID	45	F	12/22/2020	12/26/2020	I woke up on the morning of Dec 26th with significant eye swelling. It was somewhat relieved with loratidine anithistimine 10 mg po daily x 3 days . The swelling was bilateral, symmetrical and was not accompanied by significant reddening of the eyes. Swelling was above and below the eyes. Swelling is slowly resolving but still present today 12/29. A small amount of skin sloughing occurred below the eyes and on the eyelids. Swelling was accompanied by watery eyes, itching with foreign body sensation.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
912199	12/29/2020	IN	45	F	12/18/2020	12/18/2020	Headache for 4 days now; 10 hours post vaccination, patient's entire arm (not injection site) hurt horribly, unable to lift; 10 hours post vaccination, patient's entire arm (not injection site) hurt horribly, unable to lift; At times her face will feel tight; 30 min post starting itching very bad; Have experienced insomnia since the injection, followed by exhaustion; Have experienced insomnia since the injection, followed by exhaustion; eyes itch and have been red; eyes itch and have been red; This is a spontaneous report from a contactable nurse. A 45-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EK5730), via an unspecified route of administration (left arm) from 18Dec2020 09:45 at a single dose for COVID-19 immunization. Medical history included migraine, depression, anxiety, allergies, polycystic ovary syndrome, asthma, different food allergy and sensitivity to all antibiotics. It was reported that 30 min post vaccination, patient started itching very bad and none of her allergy meds would calm it. Have experienced insomnia since the injection, followed by exhaustion. The itching decreases daily but even 10 hours post vaccination, patient's entire arm (not injection site) hurt horribly, unable to lift. She had headache for 4 days now. At times her face will feel tight. She added that she has allergies and sensitivity to many medications/ environmental/ scents. Outcome of events was recovering. No treatment was received due to events. Follow-up attempts are completed. The following information on the batch/lot number has been obtained.
912565	12/29/2020	TX	38	F	12/21/2020	12/22/2020	The following day had arm pain and fatigue for three and a half days, nasal congestion, dry eyes and itchy throat. Got tested for COVID one week later and is positive.
911830	12/29/2020	OK	58	F	12/18/2020	12/18/2020	Flush and dizziness ,Increased heart rate and elevated BP 8 mins after the shot. Evening of the shot 12/18/20,patient c/o blurry vision and joint pains.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
912201	12/29/2020	NY	62	F	12/18/2020	12/19/2020	redness above eyebrow, nose and cheek and left hand had few reddened marks on skin, neck had a thin red line; right eyebrow was swollen and neck had a thin red line; The initial case was missing the following minimum criteria: unspecified event. Upon receipt of follow-up information on 23Dec2020, this case now contains all required information to be considered valid. This is a spontaneous report from a contactable nurse. A 62-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot number: EK5730), intramuscularly in the left deltoid on 18Dec2020 10:30 at a single dose for COVID-19 immunization. Medical history included hypertension (diagnosed at 47 years old ), hypothyroidism, Hashimoto's disease from 2000 to an unknown date (diagnosed 20 years ago), anxious person and weight loss. Concomitant medication included hydrochlorothiazide (MANUFACTURER UNKNOWN), taken for blood pressure from 2000 to an unspecified date, levothyroxine sodium (SYNTHROID), taken for hypothyroidism and Hashimoto's disease from 2015 to an unspecified date, rosuvastatin calcium (CRESTOR), taken prophylactically from 2010 to an unspecified date and semaglutide (OZEMPIC) taken for weight loss from May2020 to an unspecified date. Family history included; the patients mother had an allergy to Sulfa and allergy to penicillin and the patients father had unspecified allergies and hay fever. There were no prior vaccinations within 4 weeks. On 19Dec2020, the patient experienced redness above eyebrow, nose and cheek and left hand had few reddened marks on skin, neck had a thin red line and right eyebrow was swollen. The reporter considered the events to be non-serious. The patient was worried about anaphylaxis, so they went to the emergency room (ER) for the reported events but was not admitted. The patient was treated in the ER for the events with diphenhydramine hydrochloride (BENADRYL), prednisone (MANUFACTURER UNKNOWN) and famotidine (PEPCID). Relevant tests were none. The outcome of the events was recovering. The reporter stated that there was a reasonable possibility that the events were related to the suspect product.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
912587	12/29/2020	CO	55	F	12/29/2020	12/29/2020	Left eye bloody area lateral from iris, approximately 2cm x 2cm
912549	12/29/2020	CA	47	F	12/20/2020	12/20/2020	Describes left face, arm, leg felt numbness/tingling Had first COVID shot on 12/20/2020 19:36 then while driving home felt L face numbness at 20:37 Went to ED, BP 167/107 "...driving home she states that she developed a strange, difficult to describe sensation when she was swallowing in her car, this started around 8:37 p.m.. She states that her numbness generalized to involve the entire left side of her face on the left side of her body including her left upper and left lower extremity. She denies any weakness. She denies any dysarthria or noticeable facial droop, she does not feel like she is walking differently. She denies any headaches or visual changes, denies any dizziness, chest pain, shortness of breath, palpitations. She states she has never had anything like this before." ED notes had a normal neuro exam POCT glucose was normal at 83 resolved after minutes to hours in ED
912529	12/29/2020	ID	93	F	12/29/2020	12/29/2020	Weakness in the left side of face; and fatigue. 1112 am went to observe patient in her room. Laying in the bed with left side droopiness to face. Weakness on left side only, nurse taking care of her stated just happened. On observation it appears to be Bells Palsy reaction. No treatment at the time, Hospice nurse is to visit her today and check on her. Staff will check on her every 30 min for the next few hours and do a pulse oximeter check every hour for next few hours. 1205 second check on patient in room prior to staff leaving. Patient squeezed my hand and opened her eyes on command. Pulse saturation was 95 per staff. Patient resting comfortable with no signs of trouble breathing.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
912511	12/29/2020	WA	39	F	12/28/2020	12/28/2020	Received vaccine at 1:30 pm yesterday, noted onset of symptoms at 8:45 pm. Numbness and tingling to mouth and bilateral upper and lower extremities, mild vision change, feeling of some swelling to bilateral eyelids. Also swelling to lips. She also did take zinc gluconate 50 mg last night and this morning. Has never taken zinc 50 mg, but has taken zinc as component of multivitamin/pre-natal vitamins. Patient was prescribed Pepcid 20 mg BID, Medrol 4 mg dose pack 21 pill taper until complete. Also given Benadryl 25 mg - 50 mg every 4 - 6 hours for allergy symptoms. And provided with an Epi-Pen for home.
912253	12/29/2020		48	F	12/23/2020	12/27/2020	4 days after first vaccine started to get left cheek and left arm numbness without weakness. Also had left vision spotting. Different pattern than pts usual migraine
912384	12/29/2020	OH	28	M	12/29/2020	12/29/2020	Employee c/o of sudden loss of vision and fell forward on the floor. Employee states he did not have any lunch yet. Emergency team called and assess the employee. Client refused to be taken to the ER for further evaluation. VS monitored and stable. No SOB, no difficulty of breathing. No Taking po fluids. Client d/c with steady gait and no c/o.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
912383	12/29/2020	KS	61	F	12/22/2020	12/23/2020	her upper face was swollen, clarifying more on the left side, and mostly around her eyes.; her upper face was swollen, clarifying more on the left side, and mostly around her eyes.; her eyes are a little red; This is a spontaneous report from a contactable consumer(patient). A 61-year-old female patient received BNT162B2 via an unspecified route of administration at Deltoid Right on 22Dec2020 14:00 at the 61 years old at single dose for COVID-19 immunization. The medical history included Type 2 diabetes mellitus from 1995 and ongoing(diagnosed about 25 years ago, controlled diabetic with a Hemoglobin A1C of 5) and Blood pressure high from 1995 and ongoing (diagnosed with high blood pressure about the same time as her diabetes, clarified as 25 years ago. She stated she has controlled blood pressure). The concomitant medications were not reported. The patient previously received a flu shot in Oct2020. On 23Dec2020 the patient reported her upper face was swollen, clarifying more on the left side, and mostly around her eyes. She said her eyes were a little red, too. She said she does not have any swelling around her mouth. The patient reported the facial swelling had slightly improved. She said she keeps looking at her face, so it was hard for her to tell, but her boss said her face was swollen. The patient reported she took a generic Benadryl 30 mg tablet this morning. She said she normally takes a Benadryl 30 mg tablet every night along with Melatonin for sleep. She said she has a big bottle of the generic Benadryl 30 mg at home and the bottle is almost empty. She said she rather take the Benadryl and Melatonin. The outcome of the events upper face was swollen and mostly around her eyes was Recovering, the event eyes were a little red was Not Recovered. Information about batch/lot number has been requested.
912355	12/29/2020	CA	52	F	12/22/2020	12/22/2020	Patient left eye felt like sand was in it, she tried eye drops and eye wash and nothing worked. She also reports left leg pain
912341	12/29/2020	TX	49	F	12/28/2020	12/29/2020	Extreme body aches, has to stay in be, severe headache, eyes hurt, swollen lymph nodes under right arm, fever to 99.2

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
912480	12/29/2020	IL	51	F	12/18/2020	12/18/2020	Within 6-8 minutes of receiving vaccine, looked at cell phone to text husband and could not focus on the keys (Blurred vision), then felt a rush/tingling sensation thru whole body, as if the medication starting/moving from my arm all the way down my legs, some dizziness and heart rate increased - I believe to 120. No increased BP, SOB, itchiness, closed throat feeling, hives. Heart felt like it was racing for about 10 minutes. RN at site checked BP and heart rate 5 times in 40 minutes. Left facility and was able to drive myself home. Later that evening, soreness at injection site for 36 hours. No fever, chills, body aches.
912592	12/29/2020	CA	39	F	12/28/2020	12/28/2020	numbness on my right foot right after the injection ( it went away) 30 min after swelling of right side of my face and droopy right eye ( swelling went away but my eye is still droopy) little body pain, head ache and body felt warm ( took Tylenol and it all went away). I'm just a little worried about my eye. Not sure how long it will take this to go away. I didn't take any allergy med because I'm not sure if I can.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
912251	12/29/2020	MS	50	F	12/21/2020	12/21/2020	she was freezing one minute, and then she was hot the next minute; dizzy; soreness throughout body/achy; stated her eyes feel heavy; Chills; This is a spontaneous report from a contactable consumer (patient herself). A 50-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), lot number: EK5730, expiration date: Mar2021, intramuscular in left upper arm from 21Dec2020 10:00 to 21Dec2020 10:00 at 0.3 mL for Covid-19 immunization. Medical history included COVID-19 in Jul2020. She said she had a real bad case of COVID-19, and didn't get over it until Oct2020. The patient's concomitant medications were not reported. The patient stated she received the COVID-19 Vaccine yesterday at her employer, which is a hospital. She said she got the COVID-19 Vaccine at around 10:00AM on 21Dec2020. She said she had a few chills not too long after receiving the COVID-19 Vaccine. She said last night the chills got worse, saying she had chills all night. She said the chills are not as bad now. Reported she is sore and achy, clarifying she has more of a soreness throughout her body. She stated her eyes feel heavy too. Caller asked if what she was experiencing were side effects of the COVID-19 Vaccine and how long were the symptoms going to last. The reporter stated she is not a healthcare professional. She said she works in the surgery area at the hospital, and the hospital was offering the COVID-19 Vaccine yesterday, so she got the vaccine. Reported after receiving the COVID-19 Vaccine, she noticed she felt cool at work. She said last night she felt like she was freezing one minute, and then she was hot the next minute, and kept going back and forth between freezing and hot. She said she woke up at 1:00AM and felt really hot. She said she wished she had a thermometer at the time to check her temperature because she thought she had a fever. She said her husband told her what she was experiencing was part of having the chills. She said when she woke at 1:00AM, she got out of bed to go to the bathroom, and her eyes felt heavy, and she thought she may have been a little dizzy. She said now she doesn't think she was dizzy at the time, but maybe it was because she just woke up and got out of bed. She said she hasn't had any dizziness today. Treatment: Reported she took an Ibuprofen 200mg at 2:00AM and another Ibuprofen 200mg at 8:30AM. She clarified it was Equate Brand Ibuprofen

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							200mg. The event chills with outcome of recovering; the rest of the events was unknown. Therapeutic measure has been given as a result of the events. Information about the lot/batch number and expiration date has been requested.
910130	12/28/2020	TX	35	F	12/24/2020	12/25/2020	On 12/24/20 I received the vaccine at Pharmacy, later that night I woke up feeling very cold. My temperature for the first 2 days of 103.1, chills, body aches, veins in my eyes busted. The fever has continued, today 12/28/20, 100.8, I feel dizzy, tired. Due to the holiday, will be seeing my PCP today.
910222	12/28/2020	PA	25	F	12/23/2020	12/23/2020	Pfizer-BioNTech COVID-19 Vaccine At approximately 4 pm on December 23 (day of vaccine) I experienced sudden onset of fatigue. I also had a low-grade temperature of 99.0 F with chills. By 5:30 pm, I was also bringing to experience lightheadedness and dizziness. That night at approximately 10 pm I had a temperature of 99.1. On December 24, I experienced lightheadedness and dizziness the entire day, from waking up to going to bed later that night. My eyes were glassy and I would feel an impulse of dizziness go distinctly from the right side of my head to the left, and then feel more dizzy after that. It was constant throughout the entire day and would occur while I was sitting, standing, or moving around. On December 25, I was tired but the dizziness had gone away.
910182	12/28/2020	OR	41	F	12/28/2020	12/28/2020	15 minutes after vaccine, patient starting having itchiness and eye pain, looks like starting to develop hives. Benadryl 50mg IM given x 1 dose.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
910535	12/28/2020	NC	61	M	12/18/2020	12/18/2020	felt warm; blurred vision; light headed; arm pain; This is a spontaneous report from a contactable pharmacist. A 61-year-old male patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EJ1685), intramuscular on the left arm on 18Dec2020 at a single dose for COVID-19 immunization. The patient's medical history included atrial fibrillation (a fib). Concomitant medication included flecainide and apixaban (ELIQUIS). The patient previously took pantoprazole sodium sesquihydrate (PROTONIX) and experienced allergies to pantoprazole sodium sesquihydrate. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. On 18Dec2020, 5 minutes after injection, the patient felt warm, blurred vision, light headed, and arm pain. No treatment was received for the adverse events. Prior to vaccination, the patient was not diagnosed with COVID-19 and since the vaccination, the patient had not been tested for COVID-19. Outcome of the events was recovered on 18Dec2020. The events were considered non-serious.
910183	12/28/2020	KY	62	F	12/22/2020	12/22/2020	Slight increase in pulse for approximately 3 hours after the injection. Duration 45 minutes to an hour. Eye lids puffy approximately 20 hours after the injection. Unknown duration.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
910197	12/28/2020	AR	56	F	12/22/2020	12/22/2020	immediately upon inj had bad taste in mouth and inside my mouth and lips felt filmy. from there broke out in itchy rash within minutes and my voice was crackly the pharmacist checked on me and had to wait a few extra minutes before leaving of note the APRN i work with was there getting her injection as well and advised on the benadryl. I have used benadryl and claritin since the injection to help with symptoms . after about an hour after the injection my lips were very red I never experienced SOB i did report to my PCP (MD) the next day and he said to continue as I was doing and to alert him if things worsened ( also note I work at my PCP office) Employee from pharmacy called to check in on me on the 23rd and advised I report the event to you and questioned if I should take dose 2 and I told him i WOULD NOT be taking another dose. since the injection i have continued to have the under the skin itchy rash and inside mouth and lips felt irritated after and i have experienced several other persistent symptoms of ha on and off, blurry vision, facial swelling around eyes, nausea no vomiting ,decreased appetite ,fatigue ,upper gastric pain for a few days after, and felt weak in lower back, voice is crackly at times and the tip of my tongue will feel a burn'tingly feeling. AGAIN i have not had what i would call SOB I did let my PCP know today of the persistent symptoms and that I was reporting them over to you as the pharmacy directed. I did not have a formal office visit but my pcp did note the effects in my chart
910119	12/28/2020	IN	46	F	12/23/2020	12/23/2020	I received the vaccine on 12/23. I noticed my back was really itchy that day but didn't think much about it. The next day I had a rash on my arms, back, and chest. My eyes were swollen on 12/25. Rash still has not resolved today, maybe even worse.
909907	12/28/2020	MI	50	F	12/27/2020	12/28/2020	These are expected side effects, I was told I still need to fill out this form by my boss. Temp 100.2, extreme fatigue, chill, extreme muscle pain, cough, left eye irritaion

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
910190	12/28/2020	NE	62	F	12/26/2020	12/26/2020	At 6 hours post vaccine (1400 on 12/26/2020), I woke up from a sound sleep sneezing convulsively and experiencing a headache, nausea, and extremely runny (literally gushing) nose and eyes. Within several hours, I also experienced swollen eyes and face as well as scratchy throat and slight cough. No effect: ibuprofen; ibuprofen; phenylephrine; loratadine; fexofenadine Effective: benadryl 100mg. q6hr(I was unable to take this previously because it puts me to sleep; once I was pulled from the work schedule I was able to take this) I have now taken three doses of 100 mg- as it wears off, some of the symptoms return, but they are gradually lessening. Since I am an RN, I am comfortable doing home treatment with my employer/employee health representative aware of the situation.
910087	12/28/2020	KS	45	F	12/22/2020	12/22/2020	Swelling and numbness around right eye and cheek; hives. Lasted for about 2 hours maximum. Took Claritin and showered.
910085	12/28/2020	MN	32	F	12/22/2020	12/22/2020	Pt reports numbness above lip to right eye. Pt states she had some anxiety about injection and potential side effects, and wasn't sure if it was due to that. She states it resolved and is feeling fine.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
910073	12/28/2020	MA	52	F	12/20/2020	12/20/2020	12/20/2020 WITHIN MINUTES, I STARTED TO FEEL PINS AND NEEDLES. RADIATED LEFT TO RIGHT SIDE OF ARMS, AND THEN UP TO HEAD. NUMBNESS AND TINGLING. SEVERE PROFOUND WEAKNESS, DIZZINESS AND ORIENTATION. VISION FELT 'FAR AWAY'. HR INCREASED, HX SVT. 3 MINUTES BP WAS 'OK' BUT I BELIEVE IT BOTTOMED OUT. HR WAS 150. STRETCHER, TX TO ER. BLURRY, 'STAY WITH US'. ALERT, AWAKE, VERY IN AND OUT OF FOCUS. FEEL LIKE 'PTSD' FROM THIS EXPERIENCE. 'WHOLE BODY WAS BUZZING'. IV STEROIDS, IV BENADARYL, IV FLUIDS, IV ATTIVAN (NO EPI AS NO DIFFICULTY BREATHING) STILL FEELING 'DAZED' *FLU SHOT REACTION 2013 - BRONCHOSPASM, MILD. 2014 - BRONCHOSPASM, RINGING IN EARS, INCREASED HR, DRY HACKING COUGH, USED NEBULIZER AND TOOK BENADRYL. LASTED 4 HOURS. ALLERGIST APPT 2020 - ADMINISTERED FLU SHOT UNDER GUIDANCE; SCRATCH TEST; BROKEN UP INTO 2 DOSES. INFORMED NOT ALLERGIC TO FLU SHOW 'GOOD TO GET COVID SHOT'. *STILL HAVE TINGLING IN LEFT THUMB
909979	12/28/2020	CT	54	F	12/28/2020	12/28/2020	Patient with a history of vision abnormalities reported blurry vision after vax administration. Patient sat for 30min, reported minimal or no improvement and refused to present to ED
909970	12/28/2020		29	F	12/18/2020	12/19/2020	Eyes started itching. On December 20th eyes itched so bad that contacts were not able to be worn. Redness on hands and were itching which began 12/19 but on the 20th bumps and itchiness on elbows. I suffer from eczema and take self injection shots for it so the rash appeared as if my eczema was triggered.
909935	12/28/2020	OH	25	M	12/23/2020	12/23/2020	After receiving the covid vax, I had shoulder soreness the first couple of days. That night, the vein , was a different color than the rest of my veins in my bicep. The discoloration of the vein was at the top of my bicep. Now, the vein is visually fine now.



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
909918	12/28/2020	MA	24	M	12/24/2020	12/24/2020	Immediately after receiving vaccine recipient stated that he felt faint. Eyes rolled back and he became limp. Two nurses laid him on floor. He came to within seconds but was diaphoretic. Vitals were checked and monitored (BP 130/70, 118/74, 120/72; pulse 57, 72, 68; pulse ox 98%, 99%, 99%). He quickly felt better (within a few minutes), was given water, chocolate and a granola bar. He stayed in observation a total of 35 minutes. He reports that he had been very nervous about getting a vaccination. He returned to his unit with a colleague. We checked in with him a few hours later and he reported that he felt well.
909803	12/28/2020	TX	39	F	12/26/2020	12/26/2020	12:30 pm injection given to left arm, after 10 minutes of waiting a sudden warm sensation began from left arm traveling across chest to right arm, up my neck and inside throat to my face and head. I found this sensation to be strange and describe the feeling similar to receiving contrast for CT scan and when administered you can feel the warm sensation as it travels through out your body. My vision became a bit blurry I tried to remain calm and asked others in the room if they experience similar symptoms in which no one had. I stood up and walked across the room to get some water. I had an unsettling feeling and coached myself to remain calm. I drank 2 cups of cold water and sat down. After about 5 minutes the hot flush went away. I decided to stay longer than the 15 minute observation time that I was told to do. After 30 minutes from injection I felt okay to leave.
909925	12/28/2020	VA	59	F	12/23/2020	12/25/2020	12/25/2020 08:00AM patient awoke with left eye twitching, mouth drawn to left side. Neck severely aching from right earlobe to the back of neck, severe headache. Unable to close left eye. ER visit 12/26/2020 in the morning - discharge diagnosis, Bell's palsy. Prescription Valacyclovir hcl 1 gram tablet, Butalbital, Acetaminophen, Caffeine Oral tablet 50-325-40mg , solution eye drops , Azithromycin cream
910802	12/28/2020	TN	23	F	12/23/2020	12/23/2020	Patient states she was vaccinated at about 3PM and around 9-10PM she started to feel like she may pass out (shortness of breath, vision changes). Patient states over the next couple of days she felt fatigued and feverish. She reported these symptoms to her DON who encouraged her to report her symptoms to us. Patient has completely recovered from these symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
911030	12/28/2020	CA	50	M	12/23/2020	12/23/2020	He got the COVID vaccine on 12/23/20 at 11. Stayed at the facility for 30 minutes and then drove to another facility. Upon arrival at 12, he started feeling flushed. No SOB, no breathing difficulties. He started feeling itchy about 2 hours post vaccine. He took an Aleve. At home in the evening, took Benadryl with improvement of symptoms. The following day also took Benadryl. On 12/25/20 & 12/26/20 he still had some itching, but not bothersome enough to take medications. On 12/27/20 he was working cutting tile and wearing protective eye wear, but the dust that landed on his face caused hives. He has been taking Benadryl since. He says this has occurred in past when his body is hypersensitive, the hives. He has seasonal allergies but no allergies to food or medications. Case discussed with Bolaris and recommendation is to take a Claritin or anti-allergy prior to next vaccine.
910975	12/28/2020	OR	48	F	12/28/2020	12/28/2020	Headache, strange eye feeling, floaty, dizzy, light headed.
910985	12/28/2020	OR	38	F	12/28/2020	12/28/2020	Headache, weird eye feelin, like fuzzy headed too
910986	12/28/2020	SD	32	F	12/28/2020	12/28/2020	Approximately 15-20 minutes after vaccine patient reported back to administration area complaining of a "lump in her throat" with halo vision. Administered 50mg oral benadryl. Patient report nausea and felt flush and lightheaded. Approximately 20min after benadryl administration she felt better and was able to return to work.
910987	12/28/2020	SD	32	F	12/28/2020	12/28/2020	Approximately 15-20 minutes after vaccine patient reported back to administration area complaining of a "lump in her throat" with halo vision. Administered 50mg oral benadryl. Patient report nausea and felt flush and lightheaded. Approximately 20min after benadryl administration she felt better and was able to return to work.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
910902	12/28/2020	WY	48	F	12/23/2020	12/23/2020	December 23, 2020, at approximately, 1645 patient noted right eye numbness that tingled into right cheek. At 1730, looked in the mirror and noted no movement in muscles on right side of face. Could raise right eyebrow, but right eyebrow and below numbness and no movement. Patient spoke with physician at Public Health Department and it was recommended patient go to Primary Care to see provider NP. Then at approximately, 1920 went to the local Emergency Department and was seen by Dr. in the ER department. Dr. consulted with on call neurologist. Patient states she was diagnosed with Bells Palsy and given oral steroids ("three pills), then started a Medrol Dose Pak the next morning. As of today, December 28, 2020 patient reports "Face and eye area feel normal. My mouth is not drooping. I have at least 50% of my movement back." Patient continues to take Medrol Dose Pak. On day 4 of Medrol Dose Pak has 3 more days. Emergency Department recommended patient follow up with pcip in 5-7 days.
910347	12/28/2020	MI	26	M	12/28/2020	12/28/2020	Approximately 5 minuets after receiving Moderna, COVID-19 vaccine, while talking with writer, client became unresponsive and slumped over in chair. Client's extremities became stiff and his eyes rolled to the back of his head. Client was lowered to the floor with assistance and remained unresponsive for a minuet more. EMTs on site responded to event and monitored client for approximately 40 minuets before discharging client home in stable condition. During the monitoring period, client did have emesis x 1. His skin was also clammy after initially becoming unresponsive.
910992	12/28/2020	KY	29	F	12/22/2020	12/23/2020	Dec 23 started having right side facial tingling, slight numbness, decreased sensation. Headache, fatigue. This facial symptoms came and went away daily in short intervals. On 12/27 I got dizzy, weakness, blurred vision, right face numbness, slight lip drooping, high blood pressure, trouble swallowing, tongue numbness on right side, and right arm tingling. Went to the doctor on 12/28 and got steroid treatment from being diagnosed with Bell?s palsy, and a ct scan that didn?t show anything abnormal.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
910261	12/28/2020	KS	46	F	12/18/2020	12/21/2020	I am a nurse practitioner here at the facility. I received the vaccine on 12/18/2020 at noon. On Monday evening 12/21/2020 I developed floaters and flashes of light in my right eye. I awoke on 12/22/2020 with continued worsening symptoms. I went to my optometrist. I was diagnosed with Vitreous detachment of the right eye. The optometrist did not feel it was related to vaccine but our health nurse advised reporting.
910751	12/28/2020	WA	38	F	12/28/2020	12/28/2020	Blurry vision about 20 minutes after injection when stood up, lasted about 15-20 minutes. No other symptoms noted. Resolved on own. Blood pressure, O2 saturation, and pulse all within normal limits per healthcare provider.
910780	12/28/2020	NY	35	F	12/27/2020	12/27/2020	Pt received Moderna COVID-19 vaccine at 1023. Approximately 6 hours later, she began to develop "hives" which were primarily around her jaw and hairline on the right side. Pt also reports swelling around her eyes. Pt took Benadryl at home with no relief of symptoms. Pt presented to local Urgent Care, they directed her to the Emergency Department. Pt arrived in ED at approximately 8PM. The Pt received 10mg IM dexamethasone, 25mg IM diphenhydramine, and 20 mg PO famotidine. Pt reports resolution of symptoms after medication administration.
910933	12/28/2020	WA	32	F	12/22/2020	12/22/2020	My left are fell asleep and numb, decreased motor functions and then the tingling sensation moved to my left eye, lips and whole face, left lower leg and right hand. It progressed for an hour or two and then went away. Employee health sent me to the ED for observation. I am due 08/01/2021.
910792	12/28/2020	MO	51	F	12/28/2020	12/28/2020	Feeling weak, lips numb and tingly progressing up face and to right ear. Hot burning sensation right side of face to right ear. Became numb and tingly from chin to eyes within 5-10 min of shot. Nurse gave me Benadryl. Numbness reduced within 30 minutes. Very tired. Slept for 3 hours. Woke up with headache.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
910924	12/28/2020	IL	60	F	12/28/2020	12/28/2020	Patient is a 60yoF who is presenting to ED on 12/28/20 complaining of decreased sensation and itching on left side of face as well as darkening of peripheral vision on the left side. She received her initial COVID vaccine today at 11am, first began noticing symptoms at 1230 and took 2 benadryl around 1pm. In addition, she is reporting some light headedness. She states that her face feels swollen, but knows that it is not. Itching improved after benadryl but face continues to feel numb on left side.
910814	12/28/2020	CA	40	F	12/22/2020	12/23/2020	Patient received the Covid 19 vaccine on 12/22/2020. On 12/23/2020 she noticed a single, blister-like rash on her right eye. The rash got worse and spread to her face bilaterally and neck. Denies any tingling or numbness of the face. No swelling of the lips noted. Denies respiratory issue or fever, chills, HAs, or fatigue. Denies taking new medications, using new soaps, detergents, fragrance, or lotion, and food allergies. No outdoor activities. She has contacted her PCP and started prednisone 60 mg x 1 on 12/23/2020 - taper to 10 mg Total of 6 days treatment. Also, taking Benadryl 25 mp po q 4-6 hours per pcp. Her facial swelling is improving but not completely resolved. Has a FU appt with PCP .
910818	12/28/2020	TN	71	M	12/28/2020	12/28/2020	c/o cold sweats, difficulty swallowing, numbness in left eye, weird taste in mouth, difficulty breathing. Contacted PCP.
910840	12/28/2020	LA	59	M	12/26/2020	12/27/2020	Eye hurt with pressure Headache body aches Chills Freezing
910850	12/28/2020	KS	42	F	12/17/2020	12/18/2020	the night of the 18th my right eye was bothering me so I was itching it in my sleep, when I woke up on the 19th my eye was red and I thought I had injured it in the night and it bothered me all day but I didn't get it checked, I went to urgent care the 20th because I noticed there were vesicles on my right eye. they gave me eye drops and diagnosed me with HSV keratitis, Valtrex was also prescribed trifluridine. I feel almost completely recovered
910853	12/28/2020	MI	53	F	12/28/2020	12/28/2020	Patient felt a sudden severe headache around her forehead, around her eye sockets. When she stood up, the pain worsened. She also felt very weak, but not dizzy or feeling like she was going to pass out.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
911554	12/28/2020	CA	63	F	12/1/2020	12/28/2020	Burning eyes bilateral one hour after injection. Sore throat 4hours after injection.
911549	12/28/2020	CA	33	F	12/22/2020	12/22/2020	1 hour after vaccination, itchy eyes, swollen lip, tickle/scratchy throat. Went to ED. Took 25mg benadryl. Observed x 5 hours. Symptoms improved.
911119	12/28/2020	NY	44	M	12/28/2020	12/28/2020	About 1 hour after getting vaccinated i noticed that my left eye got puffier and I could feel the tingling on my eye. Being little confused and not knowing the cause after reading online I noted that this could be possible from Covid-19 vaccine. At this time few hours later my puffiness is slowly going away . I do have pictures taken at the time of being vaccinated and also when I noticed the possible reaction .
911085	12/28/2020	KS	32	F	12/28/2020	12/28/2020	Vaccination was given at 8:25 and she began itching at 8:32. Itching that progressed from bilateral arms to trunk, bilateral legs and back. She felt wheezes starting. Given 50 mg. Benadryl po at 8:35. Symptoms were getting worse and RN gave Methprednisolone 125 mg. IM at 8:45. Albuterol Inhaler 2 puffs was given at 8:50. At 9:00 patient C/O upper lip tingling. Visual swelling observed. She was transported to ED by WC. ED administered Pepcid po and observed her for an hour. She was then discharged.
911064	12/28/2020	WA	60	F	12/28/2020	12/28/2020	patient started having dizziness when she got up to leave from the waiting room 15 minutes post vaccination, she also mentioned headache behind her right eye. She was taken to an exam room in a wheel chair as she was unsteady on her feet. She was laid down on an exam table and vitals checked. She states no previous vaccine reactions, has history of seizures and has had them with increased frequency recently. Patient was released to her friend to be driven back to work 1 hour and 27 minutes post vaccination
911061	12/28/2020	CA	47	F	12/23/2020	12/23/2020	Patient stated had some minor tickle in throat and slight heaviness in chest. Eyes than began swell bilaterally after 25 minutes after vaccine was given.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
911035	12/28/2020	AL	47	F	12/22/2020	12/22/2020	Approximately 7 hours after receiving the vaccine patient who is a L&D Nurse return to work in her area. She describes that after finishing with a C-section she felt burning in both of her eyes (she thought this feels like an allergic reaction, but I am not sweating and haven't rubbed my eyes). She went to the restroom to get a cloth to wash her eyes; afterwards she reports her vision went totally black in both eyes. She reports feeling frustrated that no one came to help and some panic in trying to figure out how to get out of the restroom. She did make it out of the bathroom. Her Staff reports she postured and turned arms inward, head going to one side and passed out. They also report ~ 10 minutes of incoherent conversation and stating "I got the vaccine, maybe I was given the wrong thing and now I'm blind". Upon waking, patient vision fully restored and patient does not remember incoherent conversation. Differential diagnosis- TIA vs. CVA > seizure disorder>>> complex migraine
910734	12/28/2020	WA	41	F	12/28/2020	12/28/2020	generalized itching that started in her left hand then spread to the rest of her body. Itchy ears, throat, eyes. Slight coughing and runny nose
910688	12/28/2020	NY	62	F	12/18/2020	12/19/2020	I went to ER exp redness around the right eyebrow, rash, cheek was swollen. I was placed on Steroids and Benadryl finished the treatment on 12/26. The rash kind of came and went cheeks was swollen and I felt jittery. I started to feel better on 12/27 and placed a call to my PCP to make sure receiving the second vaccine. My PCP is reaching out to a allergist and contacted Phizer about concerns of the second vaccine. I haven't be able to wear makeup due to my fair skin complexion and don't want to irritate the rash on my face. I have missed 2 days of work

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
910270	12/28/2020	TX	66	F	12/16/2020	12/16/2020	12/17/2020 at About 2pm pt complained of some blurry vision, slight jitteriness and some queasiness; pt requested water. Nurse assisted pt to Overflow Observation Room. Pt A/O x4, Nurse provided pt water, crackers. Nurse continued to monitor pt: Continuous monitoring; and asked if she need anything periodically/ every 8-10 minutes. Pt refused any further care or assistance from Nurse; Pt stated she is feeling better and will continue to be in observation ; pt continued to be monitored by Nurse. Pt talked on phone during observation time; A/O x4. Pt monitored for about 40 minutes. Pt stated she feels better and fine; pt stated she was going to leave. A/O X4, denies chest pain, SOB, has steady gait.
910337	12/28/2020	IL	28	F	12/18/2020	12/18/2020	vaccine at 11:30 am on 12/18/20 and after 15 mins she felt the room started to spin, dizzy and tunnel vision. nausea and dry heaves also 2-3 mins after. persistent dizziness. pruritic rash and was taken to the ER by wheel chair. About an hour after the vaccine, she felt something in the back of her throat, speech ok, able to swallow. No sob. She was treated with benadryl, pepcid, zofran and fluid. She felt very hot and shaking. In the ER, she noticed that the rash had progressed to her back. Notes chest redness, back with erythematous, raised pruritic bumps on back and arm (smaller size of dime) Within 4 hours of treatment, she had improved. That night at 2am she had a rash -not as pruritic. She took more benadryl. No rash after. No new meds, no nsoids. She has never had any medical problems or rashes before. Her symptoms are concerning for anaphylaxis but it is reassuring that her vitals were ok and that she did not progress and improved with benadryl and pepcid - advised to not get 2nd vaccine dose - will plan on skin testing her in the future
910341	12/28/2020	IA	33	F	12/23/2020	12/28/2020	Approx. 3-5 minutes after receiving vaccine became lightheaded with blurry vision, tongue became thick and numb. About 10 minutes after vaccine pain in right arm and burning down my throat. My hands and arms became numb and tingly and were heavy to move. Symptoms got better with IV Benadryl and Solu-Medrol. Approximate 4 hours after vaccine developed vomiting and diarrhea.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
910394	12/28/2020	TX	33	M	12/18/2020	12/18/2020	At 3:00 PM same day I started having arm pain 12:00 AM that night chills , back pain , muscle pain Next morning fever , I could Not stand up , eyes was burning , headache third day- Headache and arm pain

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
910558	12/28/2020	IL		F	12/17/2020	12/1/2020	lightheadedness/feeling lightheaded/felt herself going backwards and caught herself; disappointed and upset; This is a spontaneous report from a contactable consumer (patient) who reported that a female patient of unspecified age received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration, on 17Dec2020 at single dose for COVID-19 immunization. Medical history and concomitant medications were not reported. Patient was allergic to aspirin, if she takes it her eyes will come out of her head and quite a few other things will happen to her. Patient reported that she got the COVID-19 Vaccine on 17Dec2020 and it was like 1 hour after (also reported within 1 hour) she got the vaccine that she started feeling lightheaded which she had never experienced before, even today. Patient is an environmental service worker, she had so many discharges and so many COVID rooms to wipe down that she just kept pushing herself because they are just short staffed; but at one point she felt herself going backwards and caught herself, she decided to sit down and drink a water and continued to feel lightheaded. No one was available to relieve her yesterday (17Dec2020), she had to stay at the hospital until midnight and continue her activities with lightheadedness (pending clarification). Patient said, almost a day later, lightheadedness persists, she was still feeling the lightheadedness today (18Dec2020). Her concern is it's like 3-4 days afterwards that you will feel some effects. She wanted to know if this is what they are talking about, if this is expected. Patient initially reported being a healthcare professional (HCP), but clarified her profession is Environmental Service, working at (Institution name). Patient is allergic to aspirin, she wondered if the COVID-19 vaccine contains aspirin. Patient was suggested contacting her doctor to find out if she is allergic to any of the components in the vaccine. Patient was reminded it is possible to consult the ingredients as part of the Vaccine Fact Sheet on (Website name). Patient was disappointed and upset for experiencing lightheadedness after receiving the vaccine (Dec2020). She wishes she hadn't received it. As indicated in previous requests, was referred to an HCP for guidance after experiencing lightheadedness. Outcome of lightheadedness was not recovered, outcome of disappointed and upset was unknown.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							Information on the Lot/Batch number has been requested.
910567	12/28/2020	GA	35	F	12/18/2020	12/19/2020	Eyelid and nasal bridge swelling; Eyelid and nasal bridge swelling; Swelling of hands and wrists; Swelling of hands and wrists; This is a spontaneous report from a contactable physician. A 35-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Batch/lot number: EJ1685), via intramuscular route of administration (right arm) on 18Dec2020 18:15 at a single dose for COVID-19 immunisation. Relevant medical history included depression, hay fever and acne. Concomitant medication included escitalopram, fexofenadine hydrochloride (ALLEGRA) and doxycycline. The patient was allergic to nickel and fragrance. On 19Dec2020 07:00, patient experienced eyelid and nasal bridge swelling; and swelling of hands and wrists. Patient received allegra due to the event. Outcome of the events was reported as recovering/resolving. Follow-up attempts are completed. The following information on the batch number has been requested.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
910592	12/28/2020	TX	36	F	12/16/2020	12/16/2020	lost vision and had intense cold sweats for about 2 minutes; Vasovagal response; had intense cold sweats for about 2 minutes until blood flow returned to normal in upper body; This is a spontaneous report from a contactable healthcare professional, the patient. A 36-year-old non-pregnant female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: EK5730), via an unspecified route of administration in the right arm on 16Dec2020 at 09:30 as a single dose for COVID-19 immunization. Medical history included polycystic ovaries syndrome with diabetes, depression, anxiety, attention deficit hyperactivity disorder, iron deficiency anaemia, and vasovagal issues. Prior to the vaccination, the patient was not diagnosed with COVID-19. The patient's received unspecified concomitant medications within 2 weeks of the vaccination. The patient did not receive any other vaccines within four weeks prior to the vaccination. On 16Dec2020 at 10:00 AM, the patient lost vision and had vasovagal response and intense cold sweats for about 2 minutes until blood flow returned to normal in upper body. The clinical course was as follows: The patient had a vasovagal response 30 minutes after the vaccine and had to lie down. She lost vision and had intense cold sweats for about 2 minutes until blood flow returned to normal in upper body. The entire episode lasted approximately 30 minutes. She felt it coming and knew to sit down so she would not "black out." She was unable to elevate her feet above her heart at the time; however, she was able to walk and stand afterward without dizziness. The patient did not receive any treatment. The clinical outcome of the vasovagal response, lost vision, and cold sweats were recovered on 16Dec2020. It was also reported that since the vaccination, the patient had not been tested for COVID-19.; Sender's Comments: The reported vasovagal response with cold sweats and transient visual loss was possibly related to the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE) due to temporal relationship. However, it is worth noting that the patient had medical history including vasovagal issues. The case will be reassessed should additional information become available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
-----------------	--------------	--------------	----------------	------------	-----------------	-------------------	---------------------

910598	12/28/2020	CO
--------	------------	----

24	F
----	---

12/27/2020
------------

12/27/2020
------------

evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

10:30am - Received the Vaccine Shot 11:30am- Warmth throughout face, then right had went all tingly, then numb and swollen. The numbness crept up the arm to the elbow. Then the nose started to get tingly and numb followed by the lips and gums. 12:00pm - Started to not be able to speak a sentence. The words were coming out of my moth very jumbled even though in my mind I knew what I was trying to say. Still numb in right hand, and on right side of face. 12:10 pm- Could not see fully out of the right peripheral of my eye as well to the other symptoms of not being able to speak a full sentence. I was able to speak less words than I had about 10 min prior. Numbness in my hand went away at this time. 1:15pm- I was able to speak mostly full sentences again. I got a pounding headache on the front to left side of my head and felt fatigues. 1:40pm- Finally able to speak full sentences again, I could feel my hand and all the parts of my face. Felt weak, still had headache and felt nauseous and dizzy. 2:15pm- Took 1 advil, fell asleep 4:00pm- Woke up, felt weak, disoriented, still had a headache. 8:00pm- Only a small headache left and a sore arm

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
910608	12/28/2020	MI	62	F	12/21/2020	12/21/2020	<p>left eye is getting puffy after receiving COVID-19 Vaccine today; left eye is getting itchy after receiving COVID-19 Vaccine today; This is a spontaneous report from a contactable healthcare professional (patient). A 62-year-old female patient received BNT162B2 (COVID-19 mRNA Vaccine BNT162B2), via an unspecified route of administration on 21Dec2020 at a single dose for COVID-19 immunization. The patient's medical history included allergies to a lot of antibiotics. The patient's concomitant medication included Non-specified anti-inflammatory. The patient's left eye was getting puffy and left eye was getting itchy after receiving COVID-19 Vaccine on 21Dec2020. The events were reported as serious, medically significant. She said she is wondering if her left eye getting puffy and itchy is an allergic reaction and if she needs to seek treatment. Reported she did not have a prescription for the COVID-19 Vaccine. Reported her left eye being puffy and itchy has not gotten worse, but her left eye has not improved. Declined any treatment as she thought if she called Pfizer, Pfizer could tell her if she should get treatment. Reported she took an anti-inflammatory twice in the past 2 weeks, clarifying the last time she took the anti-inflammatory was over 4 days ago. The outcome of the events was not recovered. Information on the Batch/Lot number has been requested.; Sender's Comments: The reported information is limited. Based on the close temporal relationship, there is a reasonable possibility that the events are related to BNT162 vaccine. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
910634	12/28/2020	OK	47	F	12/18/2020	12/19/2020	A day after having the vaccine, I experienced eye soreness in my right eye. The next morning both my eyes were blood shot. I administered eye drops and went on about my day. Late that evening they were really red and watery and my vision was blurred. I went to the optometrist on Monday morning and was diagnosed with Primary iridocyclitis, bilateral. My iris had been attached to my lens from the inflammation, but had detached it self. I was put on steroid drops and made to keep my eyes dilated until my follow up appointment. Went to my follow up appointment today December 28, 2020. My eyes are looking better, but not back to normal yet. Advised to keep administering my steroids drops and only use the dilation drops every other day. I will follow up on Thursday.
910663	12/28/2020	TN	59	F	12/23/2020	12/23/2020	Pt. c/o facial redness, flushing, eye puffiness and facial tingling within 30 minutes to 1 hour after receiving the vaccine. States facial symptoms resolved within 1 hour after beginning. Pt. also states started vomiting 2 days after receiving vaccine and lasted for 36 hours. Pt. states went to the emergency room but was unable to be seen. Went to urgent care clinic and had bloodwork drawn and IV fluids were given on 12/28/2020. States feeling much better today on 12/28/20.
910674	12/28/2020	WA	33	M	12/27/2020	12/27/2020	Itchy throat, gulping to swallow, red eyes, flushed and diaphoresis
910690	12/28/2020	HI	58	M	12/23/2020	12/23/2020	Reported "funny taste in throat." Stated it was "metallic" and occurred five minutes after injection. No unusual foods in the morning prior to vaccination. No food allergies. Upon assessment by onsite MD, patient had mild heaviness in eye and frontal head area that began 15 minutes post-administration of vaccine. Had "wooziness/lightheadedness" 15 min after injection as well that resolved. Chest heaviness in left area that lasted 2 minutes, resolved. Reported some anxiety/nervousness. No history of cardiopulmonary disease. Negative EKG and stress test in 2006 that was conducted due to chest pain after walking. No history of GERD. Denied other signs and symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
910731	12/28/2020	WA	41	F	12/28/2020	12/28/2020	generalized itching that started in her left hand then spread to the rest of her body. Itchy ears, throat, eyes. Slight coughing and runny nose
910667	12/28/2020	MI	28	F	12/26/2020	12/27/2020	On day of injection arm soreness, otherwise fine. Woke up at 6:00 am the next morning with my eyes ticking to the right and extremely dizzy. Couldn't walk down the hall without leaning on the wall. Dizziness persisted all day on the day after injection but got slightly better as the day went on. Using a pulse ox I checked my heart rate which was resting around 100 and when I walked down the hall and back it rose to 135 which is much higher than my normal resting around 85. The following day (12/28), dizziness is gone but heart rate is still higher than normal.
909494	12/27/2020	IN	34	F	12/22/2020	12/27/2020	Eyes twitching, headache, and nausea.
909790	12/27/2020	MO	44	F	12/21/2020	12/21/2020	Tongue went numb on right side. My face then went numb on the right side and spread to my ear. It then progressed up to my right eye lid. I took a dose of Benadryl and Flonase. Numbness stopped spreading. It lasted about 35 hours. No facial drooping noted. I was able to close my eyelid then entire time.
909782	12/27/2020	PA	43	F	12/23/2020	12/23/2020	I received the 1st moderna shot on 12/23/20. A couple hours later I experienced extreme fatigue. My memory became cloudy and I was so tired that I had difficulty walking. This fatigue lasted the rest of the day. I awoke the next morning with less fatigue but feeling hungover. I also had blurry vision that morning. The blurry vision abated within 5 hours. The fatigue was much improved within 36 hours. My allergy symptoms were triggered the day after the shot and my dermatitis flared within a couple days of that- super annoying because I have significant allergies and dermatitis that took specialists a couple years to control. All was "in remission" until the covid vaccine. Hoping that everything better by tomorrow- fingers crossed.
909761	12/27/2020	NJ	34	F	12/22/2020	12/23/2020	Subconjunctival hemorrhage in my right eye.
909756	12/27/2020	OH	38	F	12/27/2020	12/27/2020	Experienced L sided visual changes, including decrease in visual field and inability to focus eyes. No intervention, recovered 30-40 minutes after it began.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
909731	12/27/2020	NV	43	F	12/27/2020	12/27/2020	Dizziness, dim vision, sweating, flushing, metallic taste in mouth, chest pressure
909722	12/27/2020	CA	41	F	12/27/2020	12/27/2020	S: Patient 41Y F unit assistant came to Covid vaccine clinic for vaccination on 12/27/2020. Received injection at 1436. Employee was instructed to sit in clinic for observation. At 1445, employee reported nausea, lightheaded, a "floating" sensation and sore throat. The floating sensation was also described as a "oozing sensation". States that she ate noodle soup for lunch at approximately 1pm. Took Tylenol at 2pm prior to arriving to clinic for vaccine. She denies chest discomfort, palpitation, shortness of breath, wheezing, or blurry vision. History of craniotomy in 2017 and pulmonary embolism in 2016. No history of HTN or GI conditions. O: VS at 1445: BP 126/75, HR 75, temp 98.3, O2 sat 96% room air, RR 18, pain 0/10. Reports symptoms onset. At 1455: BP 123/76, HR 72, temp 98.3, O2 97% room air, RR 18, pain 0/10. Nausea resolved. Continue to have mild sore throat, lightheaded, and "floating sensation." At 1510: BP: 132/80, HR 69, temp 98.3, O2 96%, RR 18, pain 0/10. Sore throat improved. Denies lightheaded, floating sensation. AAO4, follow commands, lung sounds clear, heart sounds normal. No angioedema. No acute respiratory distress. A: Adverse reaction to Covid-19 vaccine P: Employee was closely monitored in clinic for additional 30 minutes. Employee was provided fluids. Employee states that her symptoms has gradually resolved. Employee was advised to monitor her symptoms. If symptoms worsen or persist, she needs to notify her manager and go to urgent care/ED for further evaluation. She stated understanding. Employee returned to work, left clinic in stable condition. No acute distress.
909704	12/27/2020	TX	39	M	12/21/2020	12/24/2020	Received the vaccine on 12/21/20 without a reaction 15-30 minutes after administered. On 12/24/20 experienced flush, and rash on my face with swelling of the eyes and face. The swelling has progressed since then getting larger even after treating with Benadryl and cold compresses. It is now 12/27/20, and swelling is not decreasing. Am not experiencing difficulty breathing or any other symptoms.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
909690	12/27/2020	WA	34	F	12/26/2020	12/26/2020	Vision interference, tachycardia, hypertension, flush, rash, sweaty, hot, shakey, light headedness
909651	12/27/2020		34	F	12/23/2020	12/23/2020	Severe headache, chills, sweating, stomach upset, altered mental state, vision impairment, shaking. Started 30 minutes after injection and increased in severity over the next 48 hours then began to decrease. Headache is still present 4 days after injection.
909550	12/27/2020	KS	39	F	12/21/2020	12/23/2020	shingles, nasociliary branch. started with burning in the inside of my left Nare, vesicular rash appeared which spread to the tip of my nose. I immediately (day 2 of rash) started valtrex 1gm TID. After 48 hours on valtrex no progression of rash. I have not had any visual symptoms (herpes ophthalmicus) yet and hopefully don't.
909427	12/26/2020	MT	28	F	12/23/2020	12/23/2020	Injection site pain, no swelling or redness Fatigue (moderate) Headache Pain with eye movements Nausea Abdominal pain No treatments needed.
909241	12/26/2020	PA	41	F	12/22/2020	12/23/2020	I began to have itchiness on my eye lids, around my eyes, and on my neck. I took 2 Benadryl and went to sleep. Today, I continue to have itchy eye lids as well as some itchiness around my chin although that is less severe than my eye lids. I have no rash nor do I feel this possible reaction requires any immediate attention.
909266	12/26/2020	NH	33	F	12/26/2020	12/26/2020	intial light headedness. spotty vision and fatigue. Patient felt like they were going to faint. Vitals were taken and patient had elevated HR, and 90% O2. Resolved in 60 seconds from initial response. Patient was observed for 30 minutes post vaccination
909332	12/26/2020	ME	26	M	12/26/2020	12/26/2020	tingling, dizziness, tunnel vision, nausea
909411	12/26/2020	NC	43	F	12/20/2020	12/22/2020	Second day on December 21 had moderate arm pain extending up neck to base of head. Dec 22 pain was gone but began to have continuous twitching of left eyelid, Dec 23 eye pain. Started prednisone dose pack on Dec 22. Eye twitching gradually improved and am currently having minimal symptoms

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
909205	12/26/2020	MS	50	F	12/1/2020	12/16/2020	On 12/24 I started having muscle twitching in my back, shoulders, eyes and my mouth are felt drawn up. It subsided after about 15 minutes. On 12/25 the same thing happened, bit twitching muscles also affected my arms and hands. It lasted about 35 minutes.
909429	12/26/2020	CA	67	M	12/24/2020	12/25/2020	Received Moderna Covid 19 Vaccine EUA Approximately 8 hours after receiving the vaccine I developed a cold sore (not unusual when I have had influenza shots in the past). Approximately 36 hours later, late at night, I developed pruritus on my left arm (near elbow, same are as injection). I examined it in the morning and there were small lesions as well as a circular "bulls eye" lesion, similar to when I was told I had contracted Cox Pox when doing surgery on farm workers at Hospital, 10 years ago. Acyclovir helped relieve the puritis. At this time (60 hours after vaccination and 18 hours after pruritus and lesion developed) the condition has not progressed and has slightly improved.
909459	12/26/2020	MI	39	F	12/22/2020	12/22/2020	Sore arm started ~5hr s/p injection and persisted for 2 days. Mild-moderate headache started ~5-6hr s/p injection and lasted for 2 days. 1 day s/p injection had eye itching that lasted 3 days.
909466	12/26/2020	CO	48	F	12/18/2020	12/21/2020	Left side only , eyelid heaviness, feeling unable to lift eyelid that developed and has lasted since. Since then my eyelid sometimes droops and sometimes it appears normal but still feels heavy. All other facial movement has been symmetrical & without problems.
909467	12/26/2020	TN	42	F	12/26/2020	12/26/2020	throat swelling, itchy eyes, flushed skin and a headache
909378	12/26/2020	NH	20	F	12/26/2020	12/26/2020	Heart rate of 159 with palpitations, tingling on the throat, (red, no hives), surface rash on throat, clear speech, clear lung sounds Local EMS was contacted at 1:17 p.m. and the patient was administered 50 mg of Diphenhydramine at 1:21 p.m. After administration visual signs of rash subsided, and patients status improved. Patient was handed off to Local EMS
909075	12/25/2020	MO	27	F	12/22/2020	12/22/2020	Right side of face (from mid eyebrow-line to below temple) became numb and has a "pins-and-needles" sensation when touched.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
909095	12/25/2020	CO	66	M	12/23/2020	12/25/2020	on 12/24/2020 the resident was sleepy and stayed in bed most of the shift. He stated he was doing okay but requested pain medication for his legs at 250PM. At 255AM on 12/25/2020 the resident was observed in bed lying still, pale, eyes half open and foam coming from mouth and unresponsive. He was not breathing and with no pulse
909111	12/25/2020	OH	28	F	12/23/2020	12/24/2020	The evening of the 24th, I felt lightheaded, sore, and extremely fatigued. Waking up on the 25th, I had diarrhea, vomiting, headache, coarse cough, asthma exacerbation, chest pain. Chest pain subsided but other symptoms remained. Around 11am, I developed cervical neck pain in the back of neck, and lower back pain. I started to experience loss of vision upon standing, tachycardia, tactile fevers, chills, and loss of appetite with extreme fatigue.
909123	12/25/2020	TN	46	F	12/20/2020	12/21/2020	Began just as sudden sharp headache on 12/21/20 at 6:00 pm, noticed after shift after showering, left upper extremity was slightly red, and slightly tender to touch. Not unbearable. 12/22/20 noticed redness was continuing to spread and arm was beginning to ache, still not unbearable. On 12/23/20 during shift, the redness in my left upper arm had spread from elbow to below injection site, arm was increasingly aching as well as new noticeable left sided facial swelling from directly underneath the left eye throughout the cheek area. and slightly tender. This is when I checked into the urgent care and was examined. At first the mid-level reported she thought I had experienced vaccine induced bellspalsey; however, after consulting with the MD, this was dismissed. Left upper extremity was diagnosed as cellulitis and treated with bactrim and informed to take zyrtec or benadryl for facial swelling. If symptoms worsened, visit nearest ER. Also informed to report symptoms to CDC for tracking. Today I have been treated with 2 full days of antibiotics and the redness and swelling has reduced. left sided facial swelling remains present.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
909157	12/25/2020	MA	42	F	12/23/2020	12/23/2020	Tingling og tongue and itchy eyes at 10min post admin Swelling/redness and flushing of head 20mins post admin Shortness of breath at 20mins Whole body hives and itching at 40min pot admin Swelling under the jaw and tightness/burning in chest at 40min After treatment in er...symptoms resolved after 5hrs. 14hrs later, symptoms reoccurred, with increasing severity. Went back to the ER for treatment. Again symptoms resolved after 5hrs. Now on 25mg benadryl 4x/day, 40mg prednisone 1x/day, zertec 20mg 1x/day and 20mg famotidine 1x/day for the next 4 days. Still being treated.
909173	12/25/2020	CA	59	F	12/17/2020	12/17/2020	Immediately after receiving the vaccine tongue felt fuzzy/a little swollen. Also lightheaded, dizzy, eyes not focusing very well. After 10-15 minutes, eyes focusing better but still lightheaded. ~1 hour later noted swelling of uvula, posterior palatal arches, tongue, neck, face, lips, intermittent wheezing. In addition the next day headache and rash started. Now day 9 with continued intermittent severe swelling, wheezing, rash and headache and some level of oral and facial swelling every day as noted above. Muscle aches started on day 8. Consulted with angioedema specialist; he felt was allergic reaction due to onset of symptoms. Had telemedicine visit with NP on 12/23/20. Had to go to Emergency Department on 12/25/20 for severe uvula, posterior palatal arch, face, lip, neck swelling unresponsive to oral Benadryl and oral steroids.
909175	12/25/2020	TN	23	F	12/23/2020	12/23/2020	Severe fatigue, nausea, lightheaded, almost blacking out, eyes getting fuzzy/black around edges, fever 101.5 F, severe arm pain, swollen arm at injection site, chills, slept the whole day after getting the vaccine, rapid heart rate, excessive thirst. Most symptoms resolved by 12/25/20.
909190	12/25/2020	WA	38	F	12/20/2020	12/22/2020	Paresthesias, gait disturbance, vision disturbance

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
909179	12/25/2020	MS	32	F	12/22/2020	12/22/2020	Moderna COVID-19 Vaccine EUA Afternoon after receiving the vaccine on 12/22/20, developed arm pain at injection site, 'can't keep eyes open' fatigue and sore throat. 12/23/20 symptoms were continued arm pain, manageable fatigue, and worsening sore throat with new drainage and sinus pressure. 12/24/20 arm pain noted to be much improved as with fatigue & sorethroat- sinus issues worsening. 12/25/20 sinus issues continuing but less severe. No fever at any time during past 3 days.
908372	12/24/2020	MA	54	F	12/23/2020	12/23/2020	patient received vaccine and walked to chair and immediately started to c/o headache 2 -advil were given, patient was allowed to lie down on stretcher, close here eyes and ice pack to forehead was given
908702	12/24/2020	PR	41	F	12/16/2020	12/18/2020	Employee received 1rt dose of COVID-19 vaccine on dec,16, 2020, two days later she developed rash at the chest, arms, swelling at Rt eye, and skin lessions on posterior aspect of thigh, legs.
908347	12/24/2020	OH	19	F	12/22/2020	12/23/2020	lip swelling, eye lid swelling began approximately 36 hours after vaccination. Patient presented to ED and was treated with benadryl, protonix and prednisone. Plan to discharge home with the same
908351	12/24/2020	HI	43	F	12/23/2020	12/23/2020	right sided tingling at corner of lip up towards top of eye approx 10 min post shot
908767	12/24/2020	CA	31	F	12/19/2020	12/19/2020	REQUESTED BY THIS WRITER PRIOR TO INJECTION FOR HEALTH TO RECORD PROCEDURE ON PERSONAL CELLPHONE. INJECTION GIVEN TO RIGHT DELTOID. LESS THAN 1 HOUR APPROXIMATELY 3:50PM TINGLING, PINCHING FEELING TO RIGHT HAND BEGAN THEN NUMBNESS STARTED TO RIGHT ARM FOLLOWED BY SAME SENSATION ON RIGHT LOWER EXTREMITY. MEDICINE CUP STARTED TO FEEL HEAVY AND I WASNT ABLE TO WALK CORRECTLY (LIMPING). HEALTH VERBALIZED "TO CONTINUE MONITORING YOURSELF WHILE WORKING". APPROXIMATELY 4:35PM NUMBNESS IS FELT TO RIGHT SIDE OF FACE, FACIAL DROOPING VISUALLY SEEN ON RIGHT SIDE OF FACE. ADVISED HEALTH TO GO TO ER. HEALTH DROVE THIS WRITER TO THE ER

<i>VAERS_ID</i>	<i>RECVDATE</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
908995	12/24/2020	IL	38	F	12/18/2020	12/20/2020	On 12/20, I woke up to swollen eyes, ears, and face. I had itchy, red patches and welts on my legs and forearms, and a burning red rash across my forehead that circled my face and went around my chin. I went to the ER, where I was given benedryl, a steroid, and pepcid. I was sent home with a prescription for the same. On 12/21, I woke up with the same rash as described from the day before. I continued my prescriptions. On 12/22, I woke with with the rash only on my legs. I continued with my prescriptions. On 12/23, I went to an immediate care facility where I asked for a COVID test. My rapid test was resulted as positive. I never had any of the listed COVID 19 symptoms. I continued my prescriptions. On 12/24, I woke up with no rash, no COVID 19 symptoms, and I continued with my prescriptions.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
908976	12/24/2020	CA	50	F	12/24/2020	12/24/2020	50Y female, with history of PTSD, anxiety and afib. Was seen in covid vaccine clinic during her break on 12/24/2020 at 1113, for covid 19 vaccine. At 1133, she reported scratchy throat and felt her heart was racing. Heart racing symptoms lasted only for a few minutes and then resolved. She reports mild scratchy sensation with swallowing. Reports that she had a lot stress since start of shift today. Also admits to stress while sitting in the clinic for observation, stressors include work related stress and responding to multiple phone calls related to codes. She was on the phone with husband prior to symptoms onset. She denies shortness of breath, dizziness, wheezing, chest discomfort, palpitations, change in vision, weakness or fatigue. She denies history of hypertension. Was previously on coumadin and diltiazem. But currently not on any medications. O: VS at 1140: BP 166/104, HR 75, O2 97% RA 1150: 164/93 HR 70 O2 99% RA 1158: BP158/83 HR 70 RR 17 O2 98% RA 1210: BP 147/82 HR 64 RR 15 O2 100% RA AAOx4. Employee was teary and anxious. Follow commands. Lung sounds clear. Heart sounds normal. No focal weakness, numbness, tingling. No respiratory distress. Able to tolerate fluids. A: Allergic reaction to COVID 19 vaccine. P: Employee was closely observed in clinic for an hour. Employee was provided fluids and emotional support. Symptoms gradually resolved. Her vital signs stabilized. Benadryl was offered but not given because employee reports symptoms improved and wanted to return to work. Employee was advised to monitor her symptoms. If her symptoms recur, she needs to go to urgent care or ED. Advised her to follow up with her PCP for further evaluation of her blood pressure and PTSD. She stated understanding and agreeable to plan. Employee returned to work and left in stable condition.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
908975	12/24/2020	CA	32	F	12/23/2020	12/23/2020	6/23/2020 6:25 AM: got Pfizer Covid 19 vaccine in left arm, nearly immediate soreness in arm within a couple minutes which progressively got more sore throughout the AM. 2:30 PM: body aching all over, feeling very tired and low energy, took 600 mg Ibuprofen to help with pain. 2:45 PM: applied ice to Left shoulder x 10 min. to help with soreness (didn't help) 3:45 PM: seemed like Ibuprofen helped some but for less than 30 min, now pain already as bad as before I took the medication. Eyes burning, headache increasing 5:45 PM: sensitivity to light when driving home, found myself squinting and watching the white line on the side of the road more than usual because lights of oncoming traffic was bothering my eyes. Eyes burning. Still have headaches and moderate level of body aches all over. 7:30 PM: tired, just went to bed early. Fell asleep around 8 PM. 9:15 PM: woke up with severe pain, could barely move my left arm. Took 600 mg Ibuprofen. Body shaking and tears running down my face due to severe pain in my entire body especially in back, arms, neck and headache 9:45 PM: no improvement with Ibuprofen, constant body shakes from pain since 9:15. Took a Norco (which I had left over from a knee surgery > 2 years ago), in attempt to decrease the pain and also took Melatonin (which I don't normally take) to try to get some sleep. About 20 min. after taking Norco body shaking stopped and pain was more bearable but still severe all over body. 10:30- after midnight: off and on applied ice packs to back, head, arms, neck to attempt to help or numb the pain. Barely got any sleep, waking up frequently due to pain. 6/24/2020: 6 AM: got up to get ready for work but was very sensitive to light, watery eyes, very puffy eyelids and under eye area to the point I was unable to fully open either eye. Eyes burning. Called my boss at work to let her know I wasn't sure how I was going to handle bright lights at work could barely keep my eyes open in a room with the light on. She told me to stay home and contact Employee Health. I followed instruction and left message with Employee Health. I also tried taking 1 tablet generic version of Sudafed PE to see if that would help with watery eyes and headache. 10 AM: Employee health representative, (a nurse) spoke with me & said it sounded like a systemic response to vaccine. Recommended I inform my PCP, continue taking Ibuprofen and try Benadryl for puffy, watery eyes.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							Followed instruction called PCP office which was closed and only had an option to leave a message for the doctor in case of emergency. Thinking it was not an Emergency I didn't leave a message. Called employee health back. They recommended going to Urgent Care if symptoms worsened. Told me I should ask PCP about taking the 2nd dose of the vaccine or not before taking it. 2 PM: took 400 mg Ibuprofen again about 1 hour ago and 1 tablet of Benadryl, less puffy eyes but still some sensitivity to light. Back and arm pain 3/10 or so with medication. Eye less puffy and watery. Decreased swelling of eyelids. Feeling like I'm starting to improve. Still pretty tired and low energy. Laid in bed most of the AM but moving around more this PM and can tolerate being in room with lights on. Mild eye burning persists.
908960	12/24/2020	VA	53	F	12/19/2020	12/19/2020	12/19-12/20 a fever ( 100 to 100.5) , nausea, HA, diarrhea, fatigue , severe body aches ( mostly upper back and left foot and hand. Like I'd been stepped on by a horse) and mild dizziness 12/22-Facial rash. Painful and raw. I took 2 Benadryl last night , but woke with worse facial swelling then yesterday. I did have a rash during covid. 12/23-Right peripheral vision loss and gorgeous prism pulsating colors. Have resolved.
908946	12/24/2020	WA	32	F	12/22/2020	12/22/2020	32 y.o pregnant female (8weeks) receive covid 19 vaccine in left deltoid at 6:45 pm. Around 7:10 pm patient developed tingling/pins/needles feeling and decreased motor coordination of left arm. Tingling/pins/needles sensation progressed to left eye lid, mouth, face, neck, throat, left lower leg and right hand. Pt was monitored in ER for an hour and sensation gradually dissipated

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
908925	12/24/2020	NY	41	F	12/24/2020	12/24/2020	Five minutes after receiving the vaccine I started feeling slight nausea, which got progressively worse, started feeling lightheaded and had to sit down at about minute 6, at 7 minutes a clinical assessment team was called because I was feeling like I was about to pass out. Everything seemed far away and removed and sound distorted/muffled , I was extremely nauseated, lightheaded and extremely thirsty and was seeing ?spots? in my vision. When the team arrived only a minute or so later, they checked my vital signs and found that my blood pressure was low, at 89 for systolic, with my normal systolic being 120-130.. I got very pale all over and my arms and especially fingers became weak, numb and tingly, the left arm more than the right. I was told I had a vasovagal response and also that I was expelling too much CO 2 because I had been hyperventilating. I was monitored and given po fluids for about half hour at which point I felt recovered enough to leave. I was offered/recommended being checked out at the emergency room but declined

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
908917	12/24/2020	NE	47	F	12/23/2020	12/24/2020	<p>Patient is a 47 y.o. female who arrived by Car presented to the emergency department for Stroke symptoms. Patient awoke at 6:15 this morning, some difficulty seeing out of the right eye and also was stumbling towards the left and to table. Concerned about things not being right so brought to the emergency department. Patient feels her speaking and swallowing are okay. She did drink a bit of coffee earlier. She denies headache or significant vision problems presently. Continues to not feel normal on her left side. No history of stroke and parents or siblings. She does give personal history of an occipital migraine many years ago at which time she did not have a headache but had some vision troubles. Physical Exam Vitals signs and nursing note reviewed. Constitutional: General: She is not in acute distress. Appearance: She is not ill-appearing or diaphoretic. HENT: Head: Normocephalic and atraumatic. Right Ear: Tympanic membrane normal. Left Ear: Tympanic membrane normal. Nose: Nose normal. Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: No oropharyngeal exudate or posterior oropharyngeal erythema. Eyes: Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Comments: Patient displays absence of left lateral movement Neck: Musculoskeletal: Normal range of motion. No muscular tenderness. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Heart sounds: No murmur. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Normal breath sounds. Abdominal: General: Bowel sounds are normal. There is no distension. Palpations: Abdomen is soft. Tenderness: There is no abdominal tenderness. Musculoskeletal: Right lower leg: No edema. Left lower leg: No edema. Lymphadenopathy: Cervical: No cervical adenopathy. Skin: Findings: No rash. Neurological: Mental Status: She is alert. Cranial Nerves: Cranial nerve deficit (left facial droop, dysarthria) present. Comments: Patient's speech seems a bit slurred to me. Absence of ocular movements towards left noted as well as upward movements. Tongue is midline. Patient is unable to shrug the left shoulder or lift the left arm off the bed. Grip strength is 4 out of 5 on the left. Left leg strength is 3 out of 5. Extremity strength on right arm and leg is 5 out of 5. After consultation with a</p>

*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

neurologist, the patient is being transferred from the ED.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
908642	12/24/2020	KS	34	F	12/22/2020	12/22/2020	<p>Progress Notes APRN (Nurse Practitioner) ? ? Nurse Practitioner Cosign Needed Expand All Collapse All COVID VACCINE CLINIC 12/22/2020 Date: 12/22/2020</p> <p>Subjective Patient is a 34 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She denied any history of previous adverse reactions to vaccines. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience lightheadedness and confusion. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including respiratory distress with stridor, wheezing, dyspnea, increased work of breathing, persistent cough and cyanosis. Pt Presents with lightlessness and confusion. Blood sugar on presenting was 74. She has a history of fibromyalgia and Migraines. She had a gastric bypass in 2010. She was given a protein bar to eat. Fingerstick BS done 20 minutes later was 96. Pt was feeling better after eating. Review of Systems Neurological: Positive for light-headedness. Psychiatric/Behavioral: Positive for confusion. All other systems reviewed and are negative.</p> <p>Objective Vitals Vitals: 12/22/20 1612 12/22/20 1628 12/22/20 1639 BP: (!) 135/92 127/79 128/84 BP Location: Right arm Right arm Patient Position: Sitting Sitting Pulse: 98 74 88 SpO2: 98% 98% 98% Physical Exam Vitals signs and nursing note reviewed. Constitutional: Appearance: Normal appearance. HENT: Head: Normocephalic. Right Ear: External ear normal. Left Ear: External ear normal. Nose: Nose normal. Mouth/Throat: Mouth: Mucous membranes are moist. Eyes: Pupils: Pupils are equal, round, and reactive to light. Neck: Musculoskeletal: Normal range of motion. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Normal breath sounds. Abdominal: General: Abdomen is flat. Musculoskeletal: Normal</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							range of motion. Skin: General: Skin is warm and dry. Capillary Refill: Capillary refill takes less than 2 seconds. Neurological: Mental Status: She is alert. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Assessment/Plan Treatment included: no therapy. Follow up response to treatment: no side effects. Patient discharge: Stable to go home and follow up with PCP. Pt was released at 4:39 with no symptoms at that time. APRN Electronically Signed 12/22/2020 4:40 PM Division of Health 3 of 3
908850	12/24/2020	OH	29	F	12/22/2020	12/22/2020	Pfizer-BioNTech COVID-19 Vaccine EUA ~30 minutes post injection developed bilateral visual disturbance best described as an aura (shiny waves) in my inferior visual fields. No associated migraine/HA, photophobia, N/V, etc. This lasted for ~ 2 hours, did NOT hinder my day-to-day activities that day.
908403	12/24/2020	GA	39	F	12/18/2020	12/18/2020	Approximately 15+ minutes after receiving the vaccine, the patient stood up from the chair and felt dizzy and faint. She was escorted to a bed to lay down. Ice packs were placed on her neck. Patient said she felt tachycardic. Pulse was 86. She denied SOB, had appropriate mentation. No rash was visualized on face, neck, abdomen, or legs. She drank apple juice. At 4:26, patient tried to sit but again felt dizzy and faint. She was transferred to the ED via wheelchair.
908750	12/24/2020	PA	41	F	12/22/2020	12/23/2020	Eyelids are itchy, neck itchy.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
908744	12/24/2020	ME	56	F	12/24/2020	12/24/2020	at 8:40 am patient felt dizzy and flushed, she asked for extra attention and indicated she felt embarrassed, but denied difficulty breathing, no trouble speaking in full sentences, no rash, no change of vision; BP was 158/108 with pulse of 95 and then patient was brought to a more quiet area and seated in a wheelchair. She was able to ambulate, and speak normally, but she said she felt very strange and shaky. she was visibly tremulous. She was seated, and vitals reassessed and her shakiness increased and she felt panicky. She was taken by stretcher to the Emergency room for further observation. in the emergency room, her symptoms gradually subsided. She was able to return to work after an hour of observation.
908735	12/24/2020	NY	32	F	12/23/2020	12/23/2020	45 mins post vaccination patient experienced severe dizziness, nausea, extreme vomiting, headache behind eyes, tachycardia (bpm 120), elevated BP (190/120), PVCs. Patient was an on-duty EMT and received Zofran and Benadryl in the ambulance. Patient presented to Emergency Room and received fluid bolus, acetaminophen, and metoclopramide. Symptoms resolved within an hour but some residual nausea existed 24 hours later.
908649	12/24/2020	NY	44	F	12/23/2020	12/23/2020	Eye dryness progressing to neuropathic type pain localized to the face (left upper face with clear demarcation, same side as injection). At the worst, felt neuropathic pain plus ear pain. Not improved with 1g tylenol and advil. 3 hours later with no improvement, took 10mg prednisone finally offering relief.
908418	12/24/2020	NJ	33	M			Adverse events initially began with chills the night of injection. There is significant bodyaches malaise and severe headache as well as our palpitations. And aura was associated with the headache specifically difficulty visualizing through the right eye the following day for several hours. Symptoms continue through the following day and night. There was also nausea and loss of appetite. Symptoms started to prove two days after injection at the time of this report



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
908861	12/24/2020	AL	47	F	12/18/2020	12/19/2020	The morning after the vaccine I had a sore arm, severe headache, 120 HR and felt achy all over. I took tylenol and felt a little better. Sunday my eye irritation began in the right eye. The right eye was hurting, had a little drainage and was severely swollen. Conjunctivitis set up in the right eye and the right side of my head hurt really bad with the right eye area throbbing. Contacted my PCP who prescribed eye drops for me. My eye is still a little swollen and my head still feels really strange and still hurts a little on the right side. I have consulted with the NP and the PCP who is currently monitoring the situation
908411	12/24/2020	MA	49	F	12/20/2020	12/20/2020	Approx. 45 -- 60 minutes following the vaccine, pat c/o lightheadedness, blurry vision, tingling in Left cheek, x 1hour, skin turned bright red heart rate 147 BP 147/80. Iced back of neck/forehead, sat for a few minutes. Heart rate down to 104, went back to work, but continued to feel flushed. Upon examination, her skin was normal in color but she stated that she still feels flushed & hot.
908438	12/24/2020	PA	32	F	12/21/2020	12/22/2020	Right sided facial swelling involving right cheek and lower jaw. No eye involvement. No breathing or swallowing difficulty. Symptoms were noted around 21 hours after the injection
908478	12/24/2020	IL	53	F	12/20/2020	12/21/2020	Fever, Chills, swollen upper lip and eyes, rash on upper lip, tongue prickly and taste is some what lost
908487	12/24/2020	MN	32	M	12/23/2020	12/23/2020	Within about 20 minutes of receiving the vaccine my lips began to tingle, throat became scratchy, and began to feel light headed. At that time, I returned the the vaccination room and took two - 25mg Benadryl capsules and just asked to have an eye kept on me incase it continued to progress. Denied epipen at that time because did not have shortness of breath and throat did not seem to be closing. Symptoms were mostly relieved within 30 minutes. Continued to have a metallic taste and itchy tongue throughout the day. Following day, no symptoms. Given underlying anxiety disorder, panic attack is not out of the realm of possibility though those have been well controlled for years.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
908511	12/24/2020	MO	34	F	12/23/2020	12/23/2020	Visual aura, predominately in right eye, 1.5 hours after receiving vaccine. Resolved in 10 minutes, with no lasting effects. I did have a headache for 2 hours prior to receiving vaccine, but never in my life experienced an aura.
908533	12/24/2020	FL	54	F	12/18/2020	12/19/2020	with severe muscle ache , low grade fever, eyes lids and eyes were heavy
908537	12/24/2020	WA	34	F	12/23/2020	12/23/2020	Hypersensitivity reaction. Redness, flushing, runny nose, watery eyes. Gave Diphenhydramine 25mg PO. Symptoms subsided after about 20 minutes. Patient stayed in the clinic for observation for approximately 1 hour. Advised to call 911 and seek emergency medical care if any symptoms started again after leaving the clinic. Patient expressed understanding.
908603	12/24/2020	TX	61	F	12/19/2020	12/20/2020	Headache: 2/10, global/ diffuse, responds to excedrin & getting, worse in the morning. +R Foot went numb and the resolved. No tingling, weakness, or numbness, dysphagia, slurred speech, seizures, blurry vision. Thirst: Very thirsty. ALtered Mentation: Slower in responding, Having to really think before she speaks Muscle Spasms +hot flashes no fever, chills, chest pain, or sob. hyper-emotional (Spontaneous crying).
908609	12/24/2020	FL	28	M	12/23/2020	12/23/2020	Patient was in the 15 minute post-observation window and was scheduling his appt for second dose. Patient noted that he has a fear of needles and mentioned that he was feeling light-headed and experiencing tunnel vision.. He subsequently became diaphoretic and syncopal. He spontaneously recovered and was helped back into the chair. Did not fall to ground or hit his head. A SWAT was called. During SWAT evaluation, patient was given cool compress for neck and mentioned that this has happened before with injections. Subsequently had another syncopal episode and witnessed clonic seizure of roughly 25 seconds in duration. Patient again spontaneously recovered and was brought to the ED. the patient was unable to recall the events and has no history of seizure activity. Patient was given crackers and juice in ED and monitored for approximately 3 hours. Patient was discharged to home.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
908626	12/24/2020	KS	58	F	12/21/2020	12/21/2020	<p>Progress Notes PA-C (Physician Assistant) ? ?  Orthopedics Cosigned by: MD at 12/22/2020 9:46 AM  Expand All Collapse All 12/21/2020  Patient:  Date:  12/21/2020</p> <p>Subjective Patient is a 58 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She denied any history of previous adverse reactions to vaccines. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience dizziness/shakiness. This provider was notified of patient reaction and she was then transferred to the emergency bay via wheelchair where she was assessed. Monitored patient for severe reaction symptoms, including rapid progression of symptoms, respiratory distress with dyspnea, increased work of breathing, persistent cough and cyanosis, vomiting, hypotension, dysrhythmia, chest pain and collapse. She denied difficulty breathing, throat tightness and tongue swelling, nausea. She reports a history of atrial fibrillation and states that she had a procedure in the past and the anesthesia provider questioned her about this diagnosis. She reports taking metoprolol and methimazole on a daily basis. She took all of her am medications today, including an 81 mg aspirin. Reports history of watery eyes and blurred vision, takes Zyrtec daily. Denies any worsening of these symptoms outside of her baseline. Denies use of anticoagulant use or diabetes. Last ate and drank about 1130 or noon. Review of Systems Constitutional: Negative for diaphoresis. HENT: Negative for congestion, drooling, facial swelling, rhinorrhea, sneezing and trouble swallowing. Eyes: Positive for discharge. Negative for redness. Respiratory: Negative for chest tightness and shortness of breath. Cardiovascular: Negative for chest pain and palpitations. Gastrointestinal: Negative for nausea and vomiting. Skin: Negative for color change, pallor and rash. Neurological: Positive for dizziness and headaches. Negative for syncope. Psychiatric/Behavioral: Negative for agitation and confusion. The patient is not nervous/anxious. Objective Vitals There were no vitals filed for this visit. Physical Exam</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is obese. She is not toxic-appearing or diaphoretic. HENT: Head: Normocephalic and atraumatic. Nose: No rhinorrhea. Eyes: Comments: Watering of both eyes Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Comments: At right radial pulse Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Skin: General: Skin is warm and dry. Coloration: Skin is not pale. Findings: No rash. Neurological: Mental Status: She is alert and oriented to person, place, and time. Assessment/Plan: Stress reaction following vaccine administration. Patient was transported to the emergency bay via wheelchair. Treatment included no therapy, but did continue with vital checks at approximately 5 minute intervals. 1603-blood pressure using the large adult cuff was 154/60 with large adult cuff, heart rate 69 with regular rate and rhythm at right radial pulse, 96% O2 sat on room air. Patient continues to feel slightly dizzy and shaky though denies any chest pain, shortness of breath, swelling of the lips or tongue. 1611 vital signs reassessed with blood pressure of 150/63, heart rate 64, 97 percent on room air, continues to feel slightly dizzy/shaky, though, reports not nearly as bad. Patient continues to answer questions appropriately and is talking without any signs of further decompensation. 1618-reports feeling better. Vital signs rechecked with BP of 121/55, 59 hearty rate and 96% RA. No new complaints. 1624- patient reports a slight headache, but denies chest pain, shortness of breath, chest tightness, lip or tongue swelling. Discharge vitals obtained at 1626-with blood pressure of 135/55, heart rate of 58, 95% on RA. No new complaints, except feeling a bit cold. Patient reports feeling better and feels that she can safely discharge. Discussed need for urgent evaluation at the emergency department or to call 911 if symptoms of chest pain, shortness of breath, angioedema present. Patient expresses understanding and all questions were answered to her satisfaction today. Follow up response to treatment:excellent. Patient discharge: Stable to go home and follow up with PCP. Orders Placed This Encounter Procedures ? COVID-19 MRNA PA-C Electronically Signed 12/21/2020 4:05 PM

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
908632	12/24/2020	CO	47	F	12/23/2020	12/24/2020	About 5 minutes after receiving the vaccine, the individual reported feeling light headed and stated that her "vision wasn't matching up." She was assisted to a laying position and symptoms did not resolve. She was given 50 mg of benadryl IM in her right arm. 15 minutes later, her symptoms resolved and she was able to go home.
908641	12/24/2020	FL	63	F	12/21/2020	12/22/2020	About 24 hours after the vaccine, arm became red and swollen at the injection site. Eyes became red and swollen. Experienced coughing if laying flat, had to sleep upright. Symptoms resolved around 12 hours later.
908534	12/24/2020	OH	30	F	12/23/2020	12/23/2020	Patient started with watery red eyes and face was flushed. initial vital signs after notice of reaction was Bp 120/88 then noticed mild hives on neck and behind ears. Decided to give patient Benedryl 50 mg IM in Right Deltoid at 1:12pm and retook vitals at 1:20 Bp 118/74 pulse 86 and SAO2 99% on room air. Vitals at 1:36 pm were BP 116/84 pulse 90 and SAO2 97% on room air. Redness and eye watering and itching improved. Spoke with patient again today she says she still has a slight itchiness between fingers and will consult physician prior to second dose.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
907241	12/23/2020	MI	57	F	12/18/2020	12/18/2020	I didnt notice but evidently my eyes changed because the CNO looked at me and asked if I was ok. Im not sure of what they looked like to make her cue in on I wasnt feeling well but she came over and began to monitor me at that time. I felt light and fluffy and when I got up to get juice I felt like I was disassociated from my body, my movements were awkward, I was severely weak and was not steady on my feel. I felt as if my mind was moving but my body couldnt keep up. I was very laggy and felt as if I was intoxicated. The head of the ER made me drink alot of cold water about 24oz of water and 4 oz of juice which then caused me to get super cold and shivery. Vitals were stable the whole time but my BP shot up to 170/90 a few moments after the water. I was transferred to a monitoring room where I was covered with alot of blankets and allowed to lay down until I warmed up until my BP lowered and I was released. My arm didnt begin to hurt until about 6-8 hours after and I have a red mark and the top layer of skin just do not want to heal. I am still today having to put bandages on the spot because its red and the skin on top keeps coming off. I had joint pain and aches into the next day after causing me to take an Aleve gelcap for the pain. Nausea here and there also.
907394	12/23/2020		65	M	12/16/2020	12/17/2020	Patient reported significant arm pain with the injection that within about 24 hours progresses to COVID like symptoms inclusive of vision issues (blurry, loss of peripheral vision, felt like falling), fatigue and endurance issues, resulting in lost work time second to symptoms. Patient is approximately three months post COVID infections and endorses that symptoms were similar.
907391	12/23/2020		37	F	12/22/2020	12/22/2020	37y/o FEMALE doctor was brought to the ER via gurney from the vaccination area after getting Covid 19 vaccination, patient felt SOB, buffy eye and become pale, she took immediately Claritin and Pepcid, patient was brought to the ER. she denied light headedness. Swelling of lips or the tongue. IMPRESSION ----- Adverse reaction to the Covid 19 Vaccination-Resolved
907376	12/23/2020	IN	28	F	12/20/2020	12/23/2020	I was dx with possible bell palsy mainly effecting my right eye. I was prescribed prednisone and famciclovir.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
907363	12/23/2020	GA	39	F	12/23/2020	12/23/2020	Right eye became heavy within 2 minutes of receiving vaccine and resolved 20 minutes following injection. No visible deficit. Bilateral eye blurring R>L that has lasted for 2+ hours following injection.
907361	12/23/2020	NJ	29	M	12/22/2020	12/23/2020	Immediate reactions were slight fuzziness of vision lasting approximately 30 minutes and body fatigue throughout the day (12/22/2020). At 2:30am I suffered from diarrhea and nausea lasting approximately 2 hours. I woke up at 9:00 am (12/23/2020) with a lowgrade fever of 99.0F.
907320	12/23/2020	IN	32	F	12/21/2020	12/21/2020	12/21/2020 2:20PM Facial spasms, left side of face-- eye, nose, lip (prominent) - occurring for minutes at time, symptoms have not resolved
907312	12/23/2020	MO	47	F	12/23/2020	12/23/2020	Patient feels metallic taste on the right side of her tongue, along with pain behind the right eye.
907302	12/23/2020	NY	43	M	12/21/2020	12/22/2020	12/23@9:35am EST- Caller stated on12/22/20 at midnight he felt fever 103.0, chills, muscle soreness and aching, nausea and extreme fatigue. Caller called Primary and was told to take Tylenol 1gr. Benadryl and naproxen for headache and body aches. Rash covered arms , neck and thighs and patika on elbow and armpit. This morning rash is still prominent, eyes are swollen and urine is bright red. Caller is awaiting primary to call back.
907190	12/23/2020	CA	36	M	12/19/2020	12/21/2020	Pfizer-BioNTech COVID-19 Vaccine Swollen & inflamed (right) eye, right (axilla) tenderness, & fatigue.
907290	12/23/2020	VA	31	F	12/21/2020	12/22/2020	Headache with Pressure on eyes, body aches

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
907197	12/23/2020	AR	49	F	12/16/2020	12/16/2020	<p>my eyes were painful; my eyes were itchy; Eyes swelling; my face were swelling; A little short of breath; Hands are still swollen, my arms are slightly swollen and so is my eyes; Dry rash on hand almost looks like dry eczema rash or psoriasis like it looks like it's a dry patchy rash; Severe headache almost like a migraine; I started to feel little bit, a little off; This is a spontaneous report from a contactable nurse, the patient. A 49-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: EJ1685), intramuscular in the left arm on 16Dec2020 (at the age of 49-years-old) as a single dose for COVID-19 immunization. Medical history included hypertension and hot flashes. Concomitant medications included clonidine (MANUFACTURER UNKNOWN) taken for hot flashes, fish oil (MANUFACTURER UNKNOWN) for an unknown indication, omeprazole (MANUFACTURER UNKNOWN) for an unknown indication, spironolactone (MANUFACTURER UNKNOWN) as a diuretic, and multivitamin (MANUFACTURER UNKNOWN) for an unknown indication; all from unknown dates and unknown if ongoing. On 16Dec2020, the patient experienced eyes were painful and itchy, eyes and face were swelling, a little short of breath, hands swollen, arms slightly swollen, dry rash on hand almost looks like dry eczema rash or psoriasis like it was a dry patchy rash, severe headache almost like a migraine, and felt a little bit off. The clinical course was as follows: the patient received the vaccine on 16Dec2020 and waited 15 minutes and did not have any reaction. She went back to work. As she proceeded to work her shift, she started to feel little bit, a little off. She couldn't really describe it but thought it may have been psychological because she was just really watching heavily for any type of symptoms. She had worked an hour over her shift and it usually took her about 40 minutes to get home. When she got home around 21:00, her eyes were painful and itchy and when she looked in the mirror her eyes and face were swelling. Then, she became a little short of breath not to a point where she thought she needed oxygen, just a little short of breath. She called the hospital where she worked and talked to the manager and then they advised her to go the emergency room. At the emergency room, she received intravenous fluid, diphenhydramine hydrochloride (BENADRYL), famotidine</p>



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

(PEPCID), and dexamethasone (DECADRON) for treatment. She also took cetirizine (ZYRTEC), prednisone (MANUFACTURER UNKNOWN) and triamcinolone cream for the dry patchy rash. The patient stated that she had lab work done earlier in Dec2020 (before the vaccination) and everything was normal. The clinical outcomes of the itchy eyes, eye swelling, hands swelling, and arms slightly swollen were not recovered and ongoing; while that of the little short of breath, dry patchy rash, headache, and feeling a little off, were unknown. The outcome of the eye pain was recovered on an unknown date in Dec2020; while that of the face swelling was recovering.; Sender's Comments: Based on the close temporal relationship and the description of the events, there is a reasonable possibility that the events are related to BNT162 vaccine. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
908220	12/23/2020	NY	46	F	12/17/2020	12/19/2020	I experienced dizziness onset 5 minutes after the vaccine, mild. lasting about an hour. That night I experienced intense vivid nightmares, chills and temp 96.0. Friday night, dec 18th, awoke form intense vivid nightmares at 2 am. chills. arm 7/10 pain at injection site, all day, no erythema. On saturday chills but no fever all day. At about 10pm abrupt onset of severe abdominal pain and prolonged projectile vomiting that awoke me from sleep after eating normal dinner that I shared w family none of whom were having similar symptoms. This lasted for about 90 minutes accompanied by severe abdominal pain. afebrile, 97.Dry cough started , lasting thru Sunday morning. spontaneously resolved. Sunday dec 20th, chills, nightmares, Monday chills, sweats, 96, 97 temps. Dec 22 Tuesday 3:30 am, awoke from sleep with sudden excruciating abdominal pain and dry heaves . Family shared Monday night meal, no other symptomatic people. <30 min started itchy palms, tingling lips, tongue, and face felt prickly. Eyes swollen, and sclera puffy bubbly. I took two 25 mg Benadryl w water, had trouble swallowing - immediately proceeded to Hospital ER - admitted - steroids IV, Pepcid, IV and in 4 hours when nausea and abdominal pain began again IV Zofran. 2 liters total of NS. discharge home around 12:30pm . stable to home to rest.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
907410	12/23/2020	CO	30	F	12/22/2020	12/22/2020	Medical History: severe anaphylactic shock requiring intubation related to rattlesnake bite August 2019. On September 2019, I went to the dentist and received septacaine, mouth and face swelled up immediately. Toxicologist said this was due to me still being in a "cytokine storm." 12/22/2020- I received my COVID-19 vaccine by Moderna. Within 5 minutes of me receiving the vaccine I first experienced tachycardia, felt my heart pounding, dizziness, and tunnel vision. Three hives, dime sized, appeared on my chest within 10 minutes of the vaccine. I felt difficulty swallowing (may have been anxiety related). The dizziness was intermittent for the next hour. I took 25 mg of Benadryl 15 minutes after the shot. My blood pressure was elevated for an hour, 170s/100 s, O2sat maintained above 94%, and heart rate 80s-90s. My resting HR and BP are 100s/60 and HR 61. I also started to feel bloated and burping. An hour and a half after the shot, the symptoms resolved and I drove home
907293	12/23/2020	NC	35	F	12/16/2020	12/16/2020	On the date of the vaccine that night my blood pressure went up to 143/130 which is higher than it has ever been. My blood pressure the bottom number would not go under 100. The entire night my head felt like I was in a tunnel and my heart and chest felt tight. I was unable to work the following day due to not getting any sleep out of fear of something tragic happening to me. In addition last night or early this morning at 3 AM I woke up and my body was itching all over. The palms of my hands were itching my gums were itching I had red marks on my body and had Not done anything out of the ordinary or eight anything out of the ordinary. I took two Benadryl?s and was able to fall back to sleep for a little while and now the itching has stopped but my eyes are swollen.
908024	12/23/2020	AZ	32	F	12/23/2020	12/23/2020	visual changes- resolved within minutes; MD examined, no intervention required
908156	12/23/2020	CA	48	F	12/21/2020	12/21/2020	She exhibited no symptoms immediately after the shot and began driving home at approximately 6:30 pm. As she was driving home, she gradually developed perioral numbness with the sensation of a "gummy" throat and bilateral eye "warmth and numbness",

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
907893	12/23/2020	NY	65	F	12/21/2020	12/21/2020	Pt C/O blurry vision, palpitations and sweating for 3 seconds. this occurred 10 minutes after receiving vaccine.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
907902	12/23/2020	KS	42	F	12/22/2020	12/22/2020	<p>Progress Notes MD (Physician) ? ? Endocrinology  COVID VACCINE CLINIC 12/22/2020 Patient: Date:  12/22/2020</p> <p>Subjective Patient is a 42 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. Afebrile 98.6 She denied any history of previous adverse reactions to vaccines. She was given the Pfizer vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience dizziness. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including rapid progression of symptoms, respiratory distress with wheezing and dyspnea, vomiting, abdominal pain, hypotension, dysrhythmia, chest pain and collapse. Vitals were normal Checked her blood sugars-normal at 108 Offered her snack/water-she declined. Repeat BP normal at 112/72 Vitals: 12/22/20 1737 BP: 126/82 Pulse: 87 SpO2: 100% Objective Physical Exam Vitals signs reviewed. Constitutional: Appearance: Normal appearance. She is normal weight. HENT: Head: Normocephalic and atraumatic. Nose: Nose normal. Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Neck: Musculoskeletal: Normal range of motion and neck supple. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Normal breath sounds. Abdominal: General: Abdomen is flat. Bowel sounds are normal. Palpations: Abdomen is soft. Musculoskeletal: Normal range of motion. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							normal. Judgment: Judgment normal. Assessment/Plan Treatment included: no therapy. Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. MD Electronically Signed 12/22/2020 5:38 PM
907920	12/23/2020	TX	61	F	12/19/2020	12/22/2020	On the night of 10/22/20 patient sat up suddenly and had what she reports as, "75% dimming of the right eye," that lasted for about 5 minutes. Vitals at that time were BP 122/82, p 72, o2 sat 97% on RA, and temp 97.8. (Patient is a CRNA) After confirming no other neurological deficits, patient laid down and experienced blurring of her left eye with left eye pain. No treatment given. Today she has no vision deficit or pain.
907924	12/23/2020	NC	38	F	12/21/2020	12/21/2020	45-60 minutes post vaccination, patient experienced right eye twitching continuous for a few hours, then intermittent x 24 hrs; now resolved 12 hours post vaccination, patient experienced right ear/jaw numbness that lasted up to 36hrs 36 hrs post vaccination, the numbness is spreading to the right cheek no affect in muscle function, just numb pt seen at urgent care facility 12/23 @~0830 and prednisone initiated

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
907944	12/23/2020	KS	34	F	12/22/2020	12/22/2020	<p>Progress Notes PA-C (Physician Assistant) ? ?  Orthopedics Cosigned by: MD at 12/22/2020 9:48 AM  Patient: Date:  12/21/2020</p> <p>Subjective Patient is a 34 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She was given the Pfizer vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience generalized feelings of "not feeling quite right" as well as anxiety/nervousness, nausea and chills. She denied difficulty breathing, throat tightness, dizziness, chest pain, or other GI complaints. This provider noticed her raising her hand from across the waiting area and tended to her where she noted the above complaints. she was then assessed in the emergency bay area. She was monitored for severe reaction symptoms, including rapid progression of symptoms, vomiting, hypotension, chest pain, collapse and Respiratory distress. Past medical history includes anxiety for which she takes Effexor on a daily basis as well as type 2 diabetes, diagnosed approximately seven or 8 years ago during a pregnancy. She is on oral medication during the day and insulin at nighttime. She did take her oral medication today and last ate a pasta lunch right before arriving to the vaccine clinic. Last A1c was 6.5. Patient states that she generally runs a postprandial blood glucose following a heavy meal of about 180. She reported a previous history of anxiety and nervousness following vaccinations in the past. Most recently, she experienced a 30-minute period of anxiety and nervousness following her flu vaccine this past October. These feelings passed without further incidents. Review of Systems Constitutional: Positive for chills. HENT: Negative for drooling, facial swelling, hearing loss, rhinorrhea, sneezing and trouble swallowing. Eyes: Negative for redness and visual disturbance. Respiratory: Negative for cough, chest tightness and shortness of breath. Cardiovascular: Negative for chest pain. Gastrointestinal: Positive for nausea. Negative for vomiting. Skin: Negative for color change, pallor and rash. Neurological: Negative for dizziness, speech difficulty and light-headedness. Psychiatric/Behavioral: Negative for agitation and confusion. The patient is nervous/anxious.</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

Objective She ambulates into the emergency treatment bay under her own power and without difficulty. She is seated on the gurney, and continues to answer questions appropriately. Physical Exam Constitutional: General: She is not in acute distress. Appearance: Normal appearance. She is not toxic-appearing or diaphoretic. HENT: Head: Normocephalic and atraumatic. Nose: No rhinorrhea. Cardiovascular: Rate and Rhythm: Regular rhythm. Tachycardia present. Pulmonary: Effort: Pulmonary effort is normal. No respiratory distress. Skin: General: Skin is warm and dry. Coloration: Skin is not pale. Findings: No rash. Neurological: Mental Status: She is alert. Gait: Gait normal. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal.

Assessment/Plan Stress reaction secondary to vaccine administration and history of anxiety and nervousness following vaccinations. Vital signs obtained at 1352 with blood pressure at 154/95, mild tachycardia at 109 and 97% O2 saturation on room air. Patient denies any chest pain, shortness of breath time. She is given a bottle of water and assisted to lie down with the head of the bed slightly elevated. She continues conversating appropriately without any acute distress. Vitals reassessed at 1359 with blood pressure of 133/76, heart rate 97% on room air. Dr. at the bedside now. Suggested obtaining a blood glucose. Blood glucose obtained at 1405, elevated at 234. She continues to deny any chest pain, shortness of breath, chest tightness, swelling in the throat, nausea/vomiting or other GI complaints. Vital signs checked again at 1406 with blood pressure 133/77, heart rate 107 and 97% on room air. Vital signs last checked at 1415 to reveal a blood glucose of 219, blood pressure 127/82, heart rate 100 and O2 saturation of 97% on room air. Patient has no additional complaints at this time and reports feeling well. Her mother has driven her to the clinic today. She felt that she was able to safely walk out with any issues. She was assisted by nursing staff and ambulated out of the treatment bay independently. Treatment included routine surveillance of vital signs at about a 5-minute intervals following notification of her feeling poorly. Vital signs continued to normalize and remained stable through the duration of her 30 minutes following her vaccination. Follow up response to treatment: excellent.



*VAERS\_ID RECVDATE STATE AGE\_YRS SEX VAX\_DATE ONSET\_DATE SYMPTOM\_TEXT*

---

Patient discharge: Stable to go home and follow up with PCP. Recommend to patient that she present to the ED or call 911 should she develop any symptoms up to and including but not limited to chest pain, shortness of breath, chest tightness, signs or symptoms of angioedema, or syncope. She expresses understanding the above and has no further questions today. Orders Placed This Encounter Procedures COVID-19 MRNA PA-C Electronically Signed 12/21/2020 1:51 PM

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
907981	12/23/2020	KS	46	F	12/22/2020	12/22/2020	<p>Progress Notes 12/22/2020 Subjective Patient is a 46 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She denied any history of previous adverse reactions to vaccines. Pt has h/o hypothyroidism on LT4- last lab a few months ago Started feeling lightheaded and warm Doing a temp check 135/94- repeat BP check Pulse between 72-90s on rechecked Blood sugar was just checked and normal at 76--repeat also normal at 86 She is eating a snack and having some water. She was given the Pfizer vaccination in the right deltoid muscle. She said she has a h/o vasovagal episodes with shots, mammograms, etc. During her 15 minute waiting period after the injection, the patient began to experience dizziness. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including rapid progression of symptoms, vomiting, abdominal pain, hypotension, dysrhythmia, chest pain and collapse. Objective Physical Exam Constitutional: Appearance: Normal appearance. HENT: Head: Normocephalic and atraumatic. Nose: Nose normal. Mouth/Throat: Mouth: Mucous membranes are dry. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Neck: Musculoskeletal: Normal range of motion and neck supple. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Normal breath sounds. Abdominal: General: Abdomen is flat. Bowel sounds are normal. Palpations: Abdomen is soft. Musculoskeletal: Normal range of motion. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Mental status is at baseline. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment:</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							Judgment normal. Assessment/Plan Treatment included: rest, snack. Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. Discharge time 5:51pm 12/22/2020 5:19 PM
907829	12/23/2020	OK	25	F	12/17/2020	12/18/2020	Woke up in middle of night with sore arm to include down arm to pinkie and ring finger. Next morning did not look in the mirror unknown if woke with hives. Around 11am 03/18/2020, noticed "hives on neck, face and eyelids". States purple dot rash "reminded me of a hickey all over my neck." Did not take any medications, call doctor or notify anyone until she saw her supervisor Monday. Started to Clear up almost gone away. States resolved now.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
907998	12/23/2020	KS	63	F	12/22/2020	12/22/2020	<p>Immunization 12/22/2020 COVID Vaccine Clinic Need for vaccination Dx Referred by MD Reason for Visit Progress Notes MD (Physician) ? ? Endocrinology COVID VACCINE CLINIC 12/22/2020 Patient: Date: 12/22/2020</p> <p>Subjective Patient is a 63 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. Arrived at 5:50pm She denied any history of previous adverse reactions to vaccines. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience dizziness. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including rapid progression of symptoms, respiratory distress with stridor, wheezing, dyspnea, increased work of breathing, persistent cough and cyanosis, vomiting, abdominal pain, hypotension, dysrhythmia, chest pain and collapse. Vitals were normal Glucose was 100 Felt better right away Normal BP is 110s per pt Objective Vitals: 12/22/20 1759 BP: (!) 164/83 Pulse: 82 Temp: 98 °F (36.7 °C) SpO2: 95% Physical Exam Vitals signs reviewed.</p> <p>Constitutional: Appearance: Normal appearance. She is normal weight. HENT: Head: Normocephalic and atraumatic. Nose: Nose normal. Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Neck: Musculoskeletal: Normal range of motion and neck supple. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Normal breath sounds. Abdominal: General: Abdomen is flat. Bowel sounds are normal. Palpations: Abdomen is soft. Musculoskeletal: Normal range of motion. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: She is alert and</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							oriented to person, place, and time. Mental status is at baseline. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content normal. Judgment: Judgment normal. Assessment/Plan Treatment included: no therapy. Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. MD Electronically Signed 12/22/2020 6:01 PM
907825	12/23/2020	NY	58	F	12/15/2020	12/15/2020	Employee reports right sided eye and facial droop 2 hours after receiving vaccine but did not report the incident until 12/23/20. BP-140/89, light headache. Did not seek any treatment since , BP checked today 12/23/20 was 90/60. slightly facial asymmetry still noted, no other associated s/s. Neuro check intact as of this date. Employee referred to f/u with PCP.
908028	12/23/2020	MA	51	F	12/22/2020	12/23/2020	Patient tested positive for Covid morning after vaccination with symptoms. Fever of 100.2, headache, eyes burning, head is heavy, chills, very fatigued
908040	12/23/2020	IL	45	M	12/21/2020	12/21/2020	Itching followed by multiple Erythematous urticarial areas on face, chest and arm. Swelling of upper eyelid
908042	12/23/2020	IN	57	M	12/21/2020	12/22/2020	fever, confusion, blurred vision, nausea

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
908096	12/23/2020	AK	41	M	12/21/2020	12/22/2020	<p>WAS HAVING MYALGIAS AND MILD FEVER STARTING ABOUT 12 HOURS AFTER VACCINE, BUT AT 2 AM, I WOKE UP TO URINATE, FELT SOME DIZZINESS. AT THE END OF VOIDING I COULD TELL I COULDN'T THINK RIGHT AND HAD TROUBLE FLUSHING. TRIED TO WALK BACK TO BED AND HAD A SYNCOPES AS I GRABBED THE DOOR HANDLE. STUMBLED DOWN SLOWLY AND LOSS CONSCIOUSNESS FOR A SHORT WHILE, SECONDS. LAYED IN THE FLOOR FOR A BIT AND WHEN I STOOD UP AGAIN AND WALKED TO MY ROOM HAD ANOTHER SYNCOPES. WOKE UP AFTER SEVERAL SECONDS AND WAS NOT CONFUSED AND DIDN'T REMEMBER THE SECOND TIME I FELL BUT COULD UNDERSTAND I HAD PASSED OUT. MY WIFE SAYS I HAD MY EYES OPEN AND WAS STIFF BUT NO TONIC CLONIC MOVEMENTS. AFTER THE EVENTS I WAS ABLE TO GET BACK IN BED AND AFTER A LITTLE WHILE TESTED FOR ORTHOSTASIS. WHEN I STOOD UP I STARTED FEELING THE LIGHT HEADEDNESS AGAIN AND PRODROME TO FAINTING AND LAYED BACK DOWN. HR 60, MY BASELINE IS 50-60. HAD A FEVER OF 100.7. I TOOK 650 MG OF TYLENOL AND WENT BACK TO BED. I DIDN'T SLEEP WELL BUT NOW (THE FOLLOWING MORNING) I AM FEELING BACK TO NORMAL MINUS SOME MILD SOARNESS. I HAD A RAPID COVID PCR TODAY THAT IS NEGATIVE. NO OTHER LABS. I HAD NEVER FAINTED BEFORE THIS EPISODE. I DID NOT HAVE ANY TRAUMA FROM SYNCOPES.</p>
908101	12/23/2020	TX	53	M	12/18/2020	12/18/2020	<p>Patient stated that he had blurred vision. He was taken to the Emergency Dept at the Hospital where his vital signs were monitored to include blood pressure, pulse and oxygen. After 1 to 1.5 hours of observation, patient stated that he was no longer experiencing any symptoms.</p>
908104	12/23/2020	TX	58	F	12/22/2020	12/22/2020	<p>Vision changes, blurry and distorted vision lasted for about one and a half to two hours after vaccination. Vision return to normal.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
908149	12/23/2020	NY	60	F	12/23/2020	12/23/2020	Staff member started to feel dizzy and lightheaded a few minutes after the injection, with brief episodes of palpitation. Blood pressure taken by physician, measured 180/90. Staff member was given Amlodipine 2.5 mg at 3 pm. Another Amlodipine 2.5 mg given at 4 pm. At 4:30 pm blood pressure was 160/100. Patient symptomatically felt better. At 5:04 pm blood pressure was 150/90. Staff member was observed until 5:15 pm, the discharged home in the care and supervision of her husband. Staff member will follow-up with personal physician.
908212	12/23/2020	TN	28	F	12/23/2020	12/23/2020	Edit: about an hour after my vaccine I began itching on my neck and got a scratchy throat. Then felt blisters in my mouth and felt a tingly feeling on my face. I had swelling in my eyes, jaw, lips, nose and tongue. And hives on my neck and chest. I went to my local ER and was given IV PEPCID, benedryl and a steroid. Swelling came down significantly and I was discharged home after about 2 hours with a steroid dose pack, Claritin and Pepcid. I now have a strong migraine.
907982	12/23/2020	IN	60	F	12/19/2020	12/19/2020	visual disturbances and severe headache started about an hour after vaccine. This improved over night, then 24 hours after vaccine severe headache which lasted another 2 days, aches

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
907626	12/23/2020	KS	23	F	12/22/2020	12/22/2020	<p>Progress Notes APRN (Nurse Practitioner) ? ? Nurse Practitioner Cosign Needed Expand All Collapse All COVID VACCINE CLINIC 12/22/2020 Date: 12/22/2020</p> <p>Subjective Patient is a 23 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She denied any history of previous adverse reactions to vaccines. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience Headache and feeling warm. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including respiratory distress with stridor, wheezing, dyspnea, increased work of breathing, persistent cough and cyanosis. Review of Systems Neurological: Positive for headaches. All other systems reviewed and are negative. Objective Vitals Vitals: 12/22/20 1554 12/22/20 1623 BP: 132/73 121/73 BP Location: Right arm Right arm Patient Position: Sitting Sitting Pulse: 94 85 Temp: (I) 96.7 °F (35.9 °C) SpO2: 99% 99% Physical Exam Vitals signs reviewed. HENT: Head: Normocephalic. Nose: Nose normal. Mouth/Throat: Mouth: Mucous membranes are moist. Eyes: Pupils: Pupils are equal, round, and reactive to light. Neck: Musculoskeletal: Normal range of motion. Cardiovascular: Rate and Rhythm: Normal rate. Pulses: Normal pulses. Pulmonary: Effort: Pulmonary effort is normal. Musculoskeletal: Normal range of motion. Skin: General: Skin is warm. Capillary Refill: Capillary refill takes less than 2 seconds. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Psychiatric: Mood and Affect: Mood normal. Assessment/Plan Treatment included: no therapy. Follow up response to treatment: no side effects. Patient discharge: Stable to go home and follow up with PCP. Pt was told to take Tylenol for HA. Continue to monitor symptoms. APRN Electronically Signed 12/22/2020 4:27 PM</p>



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
907504	12/23/2020	TX	50	F	12/17/2020	12/17/2020	<p>Date and time of symptom onset: 12/17/20 at 4:15 PM</p> <p>Symptoms: 12/17 during 30 minute observation window, patient reports the following symptoms: felt dizzy, heart palpitations, shortness of breath and difficulty breathing. Patient reports, ?I didn?t tell anyone because I didn?t know who the monitors were. I tried to get eye contact with someone, but I wasn?t able to. I didn?t want to stand up because I was afraid I would pass out and would be really embarrassed for causing a scene.? Patient was tearful on phone when describing account. Patient verbalized concerns with being unable to determine who was assigned to be monitoring employees after vaccination administration. Patient reports she did not notify anyone of her symptoms/what she experienced and remained at designated ?monitoring? location for 40 minutes before she drove home. Patient endorses, ?I probably shouldn?t have driven, but I did anyway.? Patient reports she struggles with anxiety and wondered if what she was feeling was a result of hx of anxiety. Patient reports resolution of SOB approx. 1 hour she got home. Patient endorses hx of ADHD, depression, thyroid issues and hypoglycemia. Patient reports compliance of prescribed medications. Patient reports the following timeline for symptoms listed: Dizziness: Patient reports continued intermittent dizziness (denied at time of call) and feelings of ?cloudiness/spaciness?, currently experiencing today Headache: began with severe headache on night of 12/17 and continued with headaches, pt denies headaches today (12/23). Patient with hx of migraines Heart palpitations: continued with heart palpitations through evening of 12/17, intermittent palpitations on 12/18 and 12/19, denies palpitations today. Fever: low-grade fever on 12/17 (pm) and 12/21 (am), denies fever since 12/21 and has not taken antipyretics since 12/21 at approx. 9:30 pm. At time of call: Patient endorses continued ?cloudiness and feeling spacy.? Patient reports feelings of fatigue. Last day of work and shift: 12/23, working from home Home remedies: Rotated Tylenol and motrin, last dose of motrin at 9:30 PM on 12/21 Patient scheduled PTO on 12/18 and 12/21 due to concerns of not feeling well after vaccine.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
907531	12/23/2020	MO	34	F	12/22/2020	12/22/2020	vasovagal syncopal reaction. I experienced sudden onset of feeling flushed and warmth body wide, sudden metallic taste in mouth, muffled hearing, dizziness, lightheaded, began to lose vision and consciousness, pallor noted by nurse caring for me, blood pressure recorded was 90/60. I have never experienced this type of reaction before to any vaccine or blood donation but know it can occur occasionally.
907581	12/23/2020	VA	43	F	12/21/2020	12/22/2020	Yesterday afternoon, she developed a loss of taste and smell. This morning around 0400, she awoke to a splitting headache. She took some Advil and tried to go back to sleep, hoping she could maybe come in to work today a little later. Around 1030 this morning, she began to have significant swelling to her face and eyes along with her skin becoming flushed. She has taken some Benadryl and been instructed to follow up with her PCP
907586	12/23/2020	PA	47	F	12/23/2020	12/23/2020	2 hours after the vaccine felt like she was hit by a bus. Had facial droopiness. Has Migraines with the same facial droopiness. Left eye blurred vision. Stroke like symptoms. Fatigue, weakness.
907595	12/23/2020		59	F	12/16/2020	12/21/2020	Employee calling to report a reaction after receiving a COVID-19 vaccine. Vaccine Name - Pfizer Vaccine Lot # - EK5730 Vaccine Date and time - ?12/16/2020 @ 06:15am Is this your first or second dose? First Date and time of symptom onset - ? 12/20/2020 @ 09:00 am Symptoms - ? Dry Eyes Last day of work and shift - Yesterday 7a-7p? Home remedies? - eye drops, Zyrtec, flonase Any improvement? - no Recommendation? Manage per illness in the workplace policy. Told her that dry eyes is not an adverse reaction of the vaccine received. Recommend to consult her PCP about it. Employee voiced understanding Employee of information ? yes Employee voiced any concerns ? yes Employee?s questions answered to employee?s satisfaction - yes
907610	12/23/2020	MI	24	F	12/22/2020	12/22/2020	Nausea, dizziness, states body feels like jelly, shaky. No vision changes or shortness of breath. Given oral Benadryl and oral Pepcid and discharged in stable condition after 2 hours.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
907617	12/23/2020	WI	39	F	12/18/2020	12/20/2020	Patient reported that 2 days after the injections she had bilateral arm swelling (left more than right, injection was in the right arm) and hand swelling. She had some facial edema around her eyes. No difficulty with breathing, swallowing or tongue swelling. This all occurred at home.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
907851	12/23/2020	KS	21	M	12/22/2020	12/22/2020	<p>Progress Notes MD (Physician) ? ? Endocrinology Date: 12/22/2020</p> <p>Subjective Patient is a 21 y.o. male who was seen at COVID Vaccine Clinic today for his first dose of the COVID 19 vaccination. He denied any history of previous adverse reactions to vaccines. He was given the Pfizer vaccination in the right deltoid muscle. Vitals: 12/22/20 1838 12/22/20 1839 BP: 129/81 Pulse: 90 Temp: 97.4 °F (36.3 °C) 97.4 °F (36.3 °C) Vitals are normal Checked his blood sugars- normal at 96 98% o2 sat During his 15 minute waiting period after the injection, the patient began to experience dizziness. He denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and he was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including rapid progression of symptoms, respiratory distress with stridor, wheezing, dyspnea, increased work of breathing, persistent cough and cyanosis, vomiting, abdominal pain, hypotension, dysrhythmia, chest pain and collapse. Objective Physical Exam Constitutional: Appearance: Normal appearance. He is normal weight. HENT: Head: Normocephalic and atraumatic. Nose: Nose normal. Mouth/Throat: Mouth: Mucous membranes are dry. Pharynx: Oropharynx is clear. Eyes: Extraocular Movements: Extraocular movements intact. Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Neck: Musculoskeletal: Normal range of motion and neck supple. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Normal breath sounds. Abdominal: General: Abdomen is flat. Bowel sounds are normal. Palpations: Abdomen is soft. Musculoskeletal: Normal range of motion. Skin: General: Skin is warm and dry. Neurological: General: No focal deficit present. Mental Status: He is alert and oriented to person, place, and time. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Thought Content: Thought content</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							normal. Judgment: Judgment normal. Assessment/Plan Treatment included: water, rest. Follow up response to treatment: excellent. Patient discharge: Stable to go home and follow up with PCP. MD Electronically Signed 12/22/2020 6:39 PM
907621	12/23/2020	CO	37	M	12/22/2020	12/22/2020	After patient received the vaccine at 3:20pm, he was cleared to return home at 3:48pm. At approx. 8:20pm, patient became faint while laying down, experineced hot and cold flashes and observed darkness closing in on his vision. He then expereined auditory dsrutptions and became highly disoriented. He was ice cold to the touch on his forehead, expericning cramping and sweating profusely on his back. Thereafter, he had diarrhea and continues to be symptomatic. He currently has no fever, but continues to remain confused and feels like he needs to lay down from this experience. He also has a metallic taste that has developed.
907500	12/23/2020	CT	29	M	12/21/2020	12/21/2020	Vaccine administered around 10:45(am) on 12/21/2020. Around 23:00(pm) (12/21/2020) I was feeling chilly, put my jacket while at work (night shift) on but continued to feel tired, eyes hurt a little, slight headache, general muscle soreness, and increasing pain in my left arm where I got the shot. I took 600mg Advil, felt fine most the night but still really tired. End of shift (07:30(am)) I was very tired with symptoms returning. Got home (08:00 on 12/22/2020), went right to sleep but at that point had chills, felt cold, headache, body aches, pain in left arm worse / really hurting - tender to touch but not swollen or red, neck glands ?felt swollen? but I don't think they actually were swollen. I woke up 4 hours later (12:00 - 12/22/2020) around noon exactly sweating, with all the same symptoms. No GI discomfort. I took 975mg Tylenol. Checked my temp, 99.9F. I couldn't fall back asleep for several hours and my body temperature felt like it was all over the place (sweating and hot, then cold, repeat). Finally fell asleep again from 16:00 to 21:30. Symptoms were all still present. Took Tylenol 1,000mg and stayed up until 05:00 (12/23/2020) with good relief from the Tylenol throughout the night and then went back to sleep from 05:00 to 10:00 (12/23/2020). Woke up symptom free and have remained symptom free.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
907683	12/23/2020	OK	33	F	12/1/2020	12/1/2020	puffiness and itchiness around her upper eye/last night she had a puffing, her eyes were puffed; it was itchy and she experienced itchiness everywhere/itchiness around her upper eye; This is a spontaneous report from a contactable consumer (patient herself). A 33-year-old female patient received first dose of bnt162b2 (BNT162B2, lot number: EK5730), intramuscular on Dec2020 at single dose for COVID-19 immunization. The patient has no medical history and stated that she had no other medical conditions, stated that she was generally healthy. Concomitant medication included ibuprofen and paracetamol (TYLENOL). The patient received the bnt162b2 and she had a puffing, her eyes were puffed, the upper eye and it was itchy and she experienced itchiness everywhere on an unspecified date in Dec2020. Patient mentioned that there was no rash or hives. She said she took Benadryl and it helped with the puffiness around the eyes, it did help with itchiness but she was still having some itchiness so she wanted to go just ahead and report that to our safety department. Patient clarified that Benadryl helped with the puffiness around her eyes but the itching part was still there, it (Benadryl) helped but not that much. Patient reported that she had a CBC recently and she got her antibodies checked few days before she got the vaccine. Patient reported that there were some mild generalized itchiness. It was just mild right now. Outcome of eyes were puffed was recovering while outcome of itchiness was not recovered.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
907695	12/23/2020	ME	47	F	12/10/2020	12/11/2020	extreme diaphoresis; Diarrhea; shaking chills; shaking chills; visual disturbances; This is a spontaneous report from a contactable nurse, the patient. A 47-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE) solution for injection via an unspecified route of administration in the left arm on 10Dec2020 at 23:30 (at the age of 47-years-old) as a single dose for COVID-19 vaccination. The patient was not pregnant at the time of vaccination. Medical history and concomitant medications were not reported. The patient did not receive any other vaccine within 4 weeks prior to the vaccine. Prior to the vaccination, the patient was not diagnosed with COVID-19. On 11Dec2020 at 00:15, the patient experienced extreme diaphoresis, diarrhea, shaking chills and visual disturbances. No treatment was provided for the events extreme diaphoresis, diarrhea, shaking chills and visual disturbances. The outcome of the events extreme diaphoresis, diarrhea, shaking chills and visual disturbances was recovered in Dec2020. Since the vaccination, the patient had a Nasal Swab, Covid test name post vaccination on 11Dec2020 was negative. The lot number for the vaccine, BNT162B2, was not provided and will be requested during follow up.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
907700	12/23/2020	MT	36	F	12/18/2020	12/18/2020	I got a strong metallic taste; About 30 seconds later my entire body started to tingle and I couldn't feel my hands or feet; My heart started to pound out of my chest; headache; I got an extreme hot flash and all my coworkers said I looked bright red and glassy eyed; became drenched in sweat and had to sit down for about 15 minutes with cold packs; she looked bright red and glassy eyed; This is a spontaneous report from a contactable consumer (patient). A 36-year-old female patient received her first dose of bnt162b2 (PFIZER COVID-19 VACCINE, Lot Number: EK5730), via an unspecified route of administration on 18Dec2020 at 14:15 on her left arm at single dose for COVID-19 immunization. Medical history included hypothyroid- well controlled with levothyroxine and known allergies: Penicillin, sulfa, cephalosporin. Concomitant medications in two weeks included levothyroxine, multivitamin, ascorbic acid (VIT C), colecalciferol (VIT D3). It was reported that on 18Dec2020 at 14:15, the injection was painless and she felt great. About 30 seconds later she entire body started to tingle and she couldn't feel her hands or feet. Her heart started to pound out of her chest. She got a strong metallic taste. This subsided after 1-2 minutes. She went back to feeling good. Then about 15 minutes later, on 18Dec2020, the patient got an extreme hot flash and all her coworkers said she looked bright red and glassy eyed. She became drenched in sweat and had to sit down for about 15 minutes with cold packs. Then it subsided again. She had a few more hot flashes and headache the remainder of the evening, but felt generally pretty good ever since. No treatment was received for the adverse event, prior to vaccination, the patient was not diagnosed with COVID-19 and since the vaccination, the patient had not been tested for COVID-19. The outcome of the events was recovered in Dec2020.
907745	12/23/2020	IL	47	F	12/23/2020	12/23/2020	Lightheadedness, blurry vision, dizziness, chest tightness, nausea, red splotchy rash Pt was treated with benadryl and pepcid by mouth and Solumedrol IM. Pt's symptoms lasted 90 minutes.
907748	12/23/2020	VA	49	F	12/21/2020	12/21/2020	EYE AND THROAT SWELLING



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
907758	12/23/2020	KS	34	F	12/22/2020	12/22/2020	<p>Progress Notes APRN (Nurse Practitioner) ? ? Nurse Practitioner Cosign Needed Expand All Collapse All COVID VACCINE CLINIC 12/22/2020</p> <p>Patient: Date: 12/22/2020</p> <p>Subjective Patient is a 34 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She denied any history of previous adverse reactions to vaccines. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience dizziness. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Pt has history of anxiety and takes Hydralazine prn. She presents with rapid breathing and anxiety. Monitored patient for severe reaction symptoms, including respiratory distress with stridor, wheezing, dyspnea, increased work of breathing, persistent cough and cyanosis. Review of Systems Neurological: Positive for dizziness and light-headedness. All other systems reviewed and are negative. Objective Vitals Vitals: 12/22/20 1425 12/22/20 1428 12/22/20 1434 BP: (!) 141/119 122/84 121/73 BP Location: Right arm Right arm Right arm Patient Position: Sitting Sitting Sitting Pulse: (!) 134 (!) 109 92 SpO2: 97% 98% 98% Physical Exam Vitals signs reviewed. HENT: Head: Normocephalic. Nose: Nose normal. Mouth/Throat: Mouth: Mucous membranes are moist. Eyes: Pupils: Pupils are equal, round, and reactive to light. Neck: Musculoskeletal: Normal range of motion. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulses: Normal pulses. Musculoskeletal: Normal range of motion. Skin: Capillary Refill: Capillary refill takes less than 2 seconds. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Assessment/Plan Treatment included: no therapy. Follow up response to treatment: no side effects. Patient discharge: Stable to go home and follow up with PCP.</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							Pt's breathing slowed and felt less anxious by the time she left. APRN Electronically Signed 12/22/2020 2:36 PM
907806	12/23/2020	CA	49	F	12/22/2020	12/22/2020	Patient presented for COVID-19 vaccine (Pfizer-Sars-COV2-vac), pt received the vaccine and then 15 minutes later started feeling some lumpiness in her throat, watery eyes, and ear fullness. Pt denied feeling any itchiness, difficulty breathing, lip swelling, or throat swelling. Pt received two doses of oral diphenhydramine 25 mg each without improvement in symptoms. Patient was observed for 1 hour and 20 minutes. After consulting with Dr., it was recommended to have the patient go to the emergency room for more observation. The patient was then escorted to the ER by one of the volunteering staff. In ED, reported throat tightness without SOB or difficulty swallowing. Also reports feeling sense of ingestion/gas bubble in chest. Had COVID, dx'd 12/1/20, recovered fully. States that sensation in chest was also felt during her COVID illness and seemed to be brought back by vaccine this afternoon approximately 90min pta, Observation for additional 90min in ED. with possible mild improvement, no progression/worsening. Discharged home
907814	12/23/2020	AZ	43	F	12/23/2020	12/23/2020	Several minutes after the injection, my right little finger was tingling. ~0815 I was driving home and lost function in my right little finger. The left side of my jaw felt tight, the left side of my tongue felt thick, and my vision was blurry in both eyes. I also noticed that my heart was out of rhythm and beating rapidly. I had a near syncopal episode. I began having mid-sternal chest pressure. I drove to my home - took 50mg of liquid Benadryl and had someone drive me to the ER. Symptoms started to resolve within 20 minutes of taking Benadryl. I was seen at Medical Center.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
907815	12/23/2020	KS	55	F	12/22/2020	12/22/2020	<p>Progress Notes APRN (Nurse Practitioner) ? ? Nurse Practitioner Cosign Needed Expand All Collapse All COVID VACCINE CLINIC 12/22/2020 Patient: Date: 12/22/2020</p> <p>Subjective Patient is a 55 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She denied any history of previous adverse reactions to vaccines. She was given the Pfizer vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience Racing heart rate. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Pt presented with Rapid heart rate and palpitations. Had episode of chest pain 6 weeks ago and was seen in ER. D-dimer was positive and CT negative. No FU since. Monitored patient for severe reaction symptoms, including respiratory distress with stridor, wheezing, dyspnea, increased work of breathing, persistent cough and cyanosis. Review of Systems Cardiovascular: Positive for palpitations. All other systems reviewed and are negative. Objective Vitals Vitals: 12/22/20 1453 12/22/20 1505 12/22/20 1526 BP: 133/87 133/85 123/81 BP Location: Right arm Right arm Right arm Patient Position: Sitting Sitting Sitting Pulse: 95 96 96 SpO2: 100% 99% 95% Physical Exam Vitals signs reviewed. HENT: Head: Normocephalic. Nose: Nose normal. Mouth/Throat: Mouth: Mucous membranes are moist. Eyes: Pupils: Pupils are equal, round, and reactive to light. Neck: Musculoskeletal: Normal range of motion. Cardiovascular: Rate and Rhythm: Regular rhythm. Tachycardia present. Pulses: Normal pulses. Heart sounds: Normal heart sounds. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Normal breath sounds. Musculoskeletal: Normal range of motion. Skin: General: Skin is warm and dry. Capillary Refill: Capillary refill takes less than 2 seconds. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal.</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							Assessment/Plan Treatment included: no therapy. Follow up response to treatment: no side effects. Patient discharge: Stable to go home and follow up with PCP. Pt released to go home at 3:25 pm. No symptoms at that time. 12/22/2020 3:30 PM
907618	12/23/2020	CA	42	M	12/17/2020	12/17/2020	Prior to receiving the vaccine I was feeling well, history of asthma, seasonal and environmental allergies, and no history of significant symptoms after previous vaccinations. Shortly after administration of the COVID-19 vaccine I began to feel nauseous which lasted in duration for approximately 3 days. On the vaccine administration day, several hours after administration I developed retrobulbar pain, bilateral eyelid edema, erythema of the right eyelid, this was one of the most significant symptoms that persisted for several days. In addition, on 12/20 I experienced a several hour episode of tinnitus and diminished auditory acuity in my right ear, this has also resolved. From day 2 until current I have experienced decreasing myalgias and arthralgias, the most significant has been lower back midline pain which has been improving. I developed a temperature of 99.7 Fahrenheit, with administration of acetaminophen. Although the symptoms have improved this is certainly the most significant constellation of symptoms I have experienced after any vaccination.
907014	12/22/2020	CA	39	F	12/22/2020	12/22/2020	Visible hives twice, and stinging eyes.
907332	12/22/2020	CO	33	F	12/20/2020	12/21/2020	Patient reporting pressure behind both of her eyes and some mild eye pain with extraocular movements. Patient also had generalized myalgias, arm soreness where vaccine was administered along with some chills.
906790	12/22/2020	MO	33	M	12/22/2020	12/22/2020	1324- Patient received vaccine dose and moved to the post-vaccine monitoring area. Approximately 1326 felt unwell, told the RN monitoring that he would like to get a drink. She walked to the water fountain with Pt. 1330 he felt light headed and dizzy, he was assisted to the floor and elevated his feet. 1335 was able to stand and sit in wheelchair and taken to the emergency room. During transport to emergency room stated he did not feel well, he felt "funny", cold sweats, dizzy, blurry vision. Patient never lost consciousness or became unresponsive. Care transitioned to Emergency Room staff.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
906297	12/22/2020	TX	51	F	12/17/2020	12/18/2020	I woke up the next morning with a little puffiness in my face, my eyes and my cheeks
906306	12/22/2020	MO	41	M	12/21/2020	12/22/2020	Fever, chills, body aches muscle and joints, headache, ringing ears, eye pain

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
906428	12/22/2020	NE	38	F	12/21/2020	12/21/2020	<p>Patient states that she received the vaccination at 10:24 AM. Patient states approximately 2 minutes after that she felt pain and swelling and erythema in her left arm at the injection site. Patient states she felt like she had a somewhat of a "apple in her throat". Patient states that her left arm was tingly. Patient states that she has a headache in the bitemporal area. She states that she has a history of headaches. Patient states that she has no visual changes. Patient states that it started after the immunization. Patient states 5 minutes before I came into the room she vomited and now feels tremendously better. She is talking in a complete sentences. Patient is somewhat tachycardic on initial Patient states that she received the vaccination at 10:24 AM. Patient states approximately 2 minutes after that she felt pain and swelling and erythema in her left arm at the injection site. Patient states she felt like she had a somewhat of a "apple in her throat". Patient states that her left arm was tingly. Patient states that she has a headache in the bitemporal area. She states that she has a history of headaches. Patient states that she has no visual changes. Patient states that it started after the immunization. Patient states 5 minutes before I came into the room she vomited and now feels tremendously better. She is talking in a complete sentences. Patient is somewhat tachycardic on initial presentation. Patient presents via BR RT for evaluation. Patient has a host of allergies. Patient is anxious upon presentation. Patient does have a history of anxiety. No other travel or trauma. Patient states that her pain is severe. States that she has some pressure in the bitemporal portion of her head and her left arm injection site. Otherwise nonradiating. No other known aggravating, triggering or alleviating factors. Patient dates its concurrent with the injection time. Otherwise nonradiating. BP 180/100 at 1045, O2 sat 98%, ECG sinus tachycardia Repeat Vital Signs BP 133/82   Pulse 82   Temp 36.9 °C (98.4 °F) (Oral)   Resp 16   Ht 1.702 m (5' 7")   Wt 197 lb 1.5 oz (89.4 kg)   SpO2 98%   BMI 30.87 kg/m² Constitutional: Well developed; well nourished; in no apparent distress; non-toxic appearance HEAD: Atraumatic. Normocephalic. Eyes: PERRL; EOM intact; conjunctiva and sclera normal to inspection. HENT: TM's normal; no rhinorrhea; normal pharynx with no erythema or exudates. Mucous membranes are moist. Uvula is</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

midline. No hemotympanum or foreign body. NECK: Supple; non-tender; no cervical lymphadenopathy. Respiratory: No respiratory distress; normal breath sounds; breathing non-labored Cardiovascular: Normal rate; good peripheral perfusion. No murmurs or rubs CHEST: Nontender. There are no retractions. GI: Normal bowel sounds; non-distended; non-tender to palpation; no palpable organomegaly GU: Musculoskeletal: Extremities non-tender; normal range of motion; no edema; Normal distal pulses Back -Normal tone; no tenderness Integument: Well hydrated; no lesions; no significant rash or palpable nodes. Neurologic: Alert, appropriate; oriented to person; place and time. No focal deficits. Motor 5/5. Sensation intact in all 4 extremities. Psych: Mood and affect are anxious. Mental status appears normal at time of exam. Patient upon presentation is anxious. Patient did vomit x1. Patient was talking in complete sentences upon my evaluation. Patient feels that she has some discomfort to her injection site with a headache. They feel no warmth or erythema. Patient was given Tylenol for the headache which did improve. Also received ondansetron, diphenhydramine, famotidine, methylprednisolone, NS 1000mL. Patient was monitored for an extended period of time and has had no return of symptoms. I am uncertain whether this is a true allergic reaction since the symptoms started approximately 2 minutes from the time of the injection. Patient does have a history of anxiety and this may have played a role within the symptomatology. At this time patient feels much better. Patient be dismissed we will send the patient home with a prednisone taper. She can take oral Benadryl and Pepcid. Follow-up with her family doctor next couple days not feeling better. Patient is dismissed. Patient returned to ED on 10/22/20 0100. Presents to ED complaining of numbness and tingling all the way from her head to her left toe on the left side. Has taken Benadryl 3 times today. She states that she woke up this evening with her heart racing. She still has a little bit of a headache. No fevers. He was nauseous. Again she says the whole left side of her body is tingling. All other systems negative/without deficit. HR 124, BP 168/107. Repeat Vital Signs: BP 129/77 | Pulse 99 | Temp 37.2 °C (98.9 °F) (Temporal) | Resp 20 | Wt 206 lb 2.1 oz (93.5 kg) | SpO2 100% | BMI 32.28 kg/m² EKG showed

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
906440	12/22/2020	CA	32	M	12/22/2020	12/22/2020	<p>a sinus rhythm without acute ST changes. She is anemic but she has a history of that and her hemoglobin is not significantly lower than usual. Sed rate is little bit elevated but her C-reactive protein is normal. Her glucose slightly elevated at 173 but the rest of her labs are normal. CT and CTA of her head and neck were normal. I do not know at this time if this is a reaction we will have her continue the prednisone taper she was started on earlier as well as Benadryl and have her follow-up with her primary care physician.</p> <p>Felt dizzy with blurred vision for a few seconds. Began to have chills for a few minutes, with concurrent shaking.</p>



VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
906471	12/22/2020	KS	48	F	12/18/2020	12/18/2020	<p>Notes APRN (Nurse Practitioner) ? ? Pediatrics  Cosigned by: MD at 12/20/2020 11:30 AM Expand All  Collapse All COVID VACCINE CLINIC 12/18/2020  Patient: DOB: Date:  12/18/2020</p> <p>MRN: 10148412 Subjective Patient is a 48 y.o. female who was seen at Vaccine Clinic today for her first dose of the COVID 19 vaccination. She denied any history of previous adverse reactions to vaccines. She was given the Pfizer vaccination in the right deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience tingling in hands and feet. She denied rash, hives, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, lightheadedness, dizziness and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Patient with PMH of fibromyalgia and rheumatoid arthritis No history of vaccine or medication reaction previously Review of Systems Constitutional: Negative for chills and fatigue. HENT: Negative for congestion, facial swelling, rhinorrhea, sinus pain, sneezing, sore throat and trouble swallowing. Respiratory: Negative for cough and shortness of breath. Musculoskeletal: Negative for back pain, myalgias and neck stiffness. Skin: Negative for rash. Neurological: Tingling in hands and feet bilaterally</p> <p>Objective Vitals Vitals: 12/18/20 1255 12/18/20 1318 12/18/20 1345 BP: (!) 143/86 (!) 129/91 131/83 BP Location: Left arm Left arm Left arm Pulse: 79 72 69 SpO2: 100% 100% 100% Physical Exam Constitutional: General: She is not in acute distress. Appearance: She is not ill-appearing or diaphoretic. HENT: Head: Normocephalic. Nose: Nose normal. Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: Oropharynx is clear. Cardiovascular: Rate and Rhythm: Normal rate. Pulmonary: Effort: Pulmonary effort is normal. Musculoskeletal: Normal range of motion. Comments: C/o tingling to feet and hands bilaterally Normal ROM Grip strength equal bilaterally No lightheadedness or weakness Skin: General: Skin is warm. Capillary Refill: Capillary refill takes less than 2 seconds. Coloration: Skin is not pale. Findings: No erythema or rash. Neurological: General: No focal deficit</p>

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							present. Mental Status: She is alert and oriented to person, place, and time. Psychiatric: Mood and Affect: Mood normal. Assessment/Plan Treatment included antihistamines. Follow up response to treatment:good Patient discharge: Stable to go home and follow up with PCP Benadryl given at 1314 At 1330 reports significant reduction to tingling in hands and resolved in feet 1340 - tingling has resolved 1350 - Escorted by pharmacist out of building. VSS Patient provided with paperwork about immunization Strict instruction to go to the ED if shortness of breath, cough, difficulty swallowing, tingling/weakness, or other allergic symptoms occur. Patient verbalized understanding APRN Electronically Signed 12/18/2020 2:00 PM Division of Health 3 of 3
906510	12/22/2020	TX	28	M	12/17/2020	12/17/2020	0755 Pt notified other Nurse that he is feeling nausea; slight dizziness. He reported to Nurse that he did eat light breakfast this AM prior to COVID #1 Injection. Pt resting with eyes closed. Nurse spoke with pt, DOB, pt works in, Nurse offered pt Water, Crackers, snack. Pt offered to be taken to ER or to call Rapid Response so vitals can be taken and closer monitored. Pt refused ED and Rapid Response. Pt stated he will just sit longer and complete his Observation time. Nurse provided Continuous Monitoring; checked on Pt symptoms every 5-8 minutes. Pt stated he is fine and symptoms are subsiding. After 15-20 minutes of Observation; Pt was ready to leave. Pt stated he is well, symptoms have resolved, he is fine; per pt. Pt left Observation at 0808; steady gait, denies chest pain, SOB, any further Dizziness, or any further Nausea.
906542	12/22/2020	AZ	65	F	12/18/2020	12/19/2020	Conjunctivitis in both eyes. Uveitis in the right eye.
906573	12/22/2020	TX	41	F	12/16/2020	12/17/2020	After I ate lunch I had watery stool, Next day I had hot flashes , body aches, eyes watering, chills,

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
906656	12/22/2020	TN	42	F	12/17/2020	12/17/2020	right eye fullness; blurred vision; This is a spontaneous report from a contactable consumer. A 42-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), lot number: EK5730, via an unspecified route of administration in the right arm on 17Dec2020 11:30 at single dose for immunization. Medical history was reported as none. The patient's concomitant medications include multivitamins within two weeks of vaccination. The patient experienced right eye fullness and blurred vision on 17Dec2020. The patient was vaccinated in the hospital and no other vaccine in four weeks was given. No treatment given for the events. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. Patient had no known allergies. The events was considered non serious. The outcome of the events was unknown.
907130	12/22/2020	CO	27	F	12/17/2020	12/17/2020	On the initial day about 5 minutes getting the shot I had right eye cramping lasted 25 minutes 12/18 neck stiffness worst on 12/19 On 12/19 I had extreme fatigue and headaches also on 12/20, and 12/21. Felt very dehydrated as well.
906937	12/22/2020	IL	59	F	12/18/2020	12/20/2020	12-18 vACCINATIION 12-20 0100 LEFT EYE BEGAN TO SWELL, ALSO NOTICE 2 SMALL RAISED BUMPS, NOT FLUID FILLED. RINSED EYE WITH COOL WATER, THEN APPLIED WARM COMPRESS. 12-20 IN MORNING WHEN SHE GOT OUT OF BED BOTH EYES WERE SWOLLEN W/ DARK CIRCLE BELOW. 12-20 LATE MORNING, EDEMA SUBSIDED, EYES NORMAL. 12-20 LATER IN DAY, TOOK BENEDRYL FOR SEASONAL ALLERGIES. 12-21 NO ISSUES 12-22 1300 BOTH EYES BEGINNING TO SWELL AGAIN, L MORE THAN RIGHT.

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
906871	12/22/2020		60	F	12/22/2020	12/22/2020	<p>Progress Notes; Nurse Practitioner Cosign Needed Expand All Collapse All COVID VACCINE CLINIC 12/22/2020 Date: 12/22/2020</p> <p>Subjective Patient is a 60 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She denied any history of previous adverse reactions to vaccines. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience Headache over the front of the head. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling, lip swelling and tongue swelling. This provider was notified of patient reaction and she was then assessed in the emergency bay area. Monitored patient for severe reaction symptoms, including respiratory distress with stridor, wheezing, dyspnea, increased work of breathing, persistent cough and cyanosis. Finger stick BS 101 12:15 pm granola bar and water given Review of Systems Neurological: Positive for headaches. All other systems reviewed and are negative. Objective Vitals Vitals: 12/22/20 1203 12/22/20 1226 BP: (!) 158/81 (!) 153/75 BP Location: Left arm Left arm Patient Position: Sitting Sitting Pulse: 76 72 SpO2: 98% 98% Physical Exam Vitals signs and nursing note reviewed. HENT: Head: Normocephalic. Nose: Nose normal. Mouth/Throat: Mouth: Mucous membranes are moist. Eyes: Pupils: Pupils are equal, round, and reactive to light. Neck: Musculoskeletal: Normal range of motion. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Normal breath sounds. Musculoskeletal: Normal range of motion. Skin: General: Skin is warm. Capillary Refill: Capillary refill takes less than 2 seconds. Neurological: General: No focal deficit present. Mental Status: She is alert and oriented to person, place, and time. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Assessment/Plan Treatment included: no therapy. Follow up response to treatment: no side effects. Patient discharge: Stable to go home and follow up with</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							PCP. Pt reports headache went away after she ate. No new symptoms manifested. Pt released at 12:30 pm Electronically Signed 12/22/2020 12:29 PM
906885	12/22/2020	WA	31	F	12/21/2020	12/21/2020	2 hours after vaccine started with itching face and body, eye swollen like my allergy symptoms 12 hours after vaccine got light headache, body aches, chill , throat hurt
906901	12/22/2020	GA	47	F	12/21/2020	12/21/2020	After vaccine patient reports that she did not feel well she advised later that is was as if she was having tunnel vision. Patients BP checked at 10:10 and elevated 151/94 patient reports that her BP is never elevated, HR stayed WNL, 10:25 checked patients BP again 166/90. 10:35 BP 148/75 patient reports that she is starting to feel better HR remained WNL, 10:45 patients BP 130/78 Patient reports that she feels better and would like to go back to work. I have advised her to make sure she has another health care provider check on her in a few minutes and check her blood pressure again. Patient acknowledged understand.
906578	12/22/2020	TX	44	F	12/16/2020	12/18/2020	Subconjunctival hemorrhage (R eye)
906886	12/22/2020	WA	31	F	12/21/2020	12/21/2020	2 hours after vaccine started with itching face and body, eye swollen like my allergy symptoms 12 hours after vaccine got light headache, body aches, chill , throat hurt
907110	12/22/2020	CA	52	F	12/22/2020	12/22/2020	Right side facial swelling and right eye twitching sensation. Given Benadryl 50mg.
907017	12/22/2020	WA	53	F	12/22/2020	12/22/2020	Injection at 0800, symptoms after: throat/oral fullness, chest/abdominal tightness, leg cramping, eye burning, onset within 40 minutes of vaccine administration. Took 50mg oral Benadryl prior to checking in to Emergency Department. Once checked in to ED, medications administered: Epinephrine 0.4mg IM at 0854 Famotidine 20mg IV at 0932 Prednisone 50mg orally at 0951
907028	12/22/2020	CA	39	F	12/18/2020	12/19/2020	High temperature up to 103.2F. Hypertensive episode 165/105 with temporary blurry vision. Three days of high fevers otherwise 101-102 despite alternating Tylenol and Ibuprofen every 3-4 hours and hydrating. Also had an additional episode of hypertension with blurry vision when I wasn't febrile.

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
907042	12/22/2020	ID	42	F	12/21/2020	12/21/2020	Received vaccine around 10:40 am, by 10:50 started to feel dizzy, eyes felt full, dry, tingly, swollen, voice became raspy and throat itched. Received 25 mg Benadryl PO at around 10:55. Face, arms, chest and abdomen developed a fine red itchy rash, tongue swollen and itchy, lips tingling, wheezing, blood pressure elevated, pulse thready given 25 mg PO Benadryl, taken to the Emergency Room, symptoms persisted, stomach hurt became nauseated, received IV solumedrol, Pepcid, IV fluids, nebulized albuterol. Sent home once stable after 3 hours, with instruction to take Benadryl every 4-6 hours for the next 2 days, albuterol as needed, and prednisone for the next 5 days.
907066	12/22/2020	WV	30	F	12/21/2020	12/22/2020	Lips tingling and burning, top and bottom. no visual effect. no redness or swelling
907107	12/22/2020	CT	34	F	12/22/2020	12/22/2020	Itchy rashy hives all over. Swollen itch burning eyes. Throat inner ears tingly itchy
904870	12/21/2020		37	F	12/18/2020	12/19/2020	Employee calling to report a reaction after receiving a COVID-19 vaccine. Vaccine Name - Pfizer Vaccine Lot # - EJ 1685 Vaccine Date and time - ? 12/18/2020 @ 9:40am Is this your first or second dose? First Date and time of symptom onset - ? 12/19/2020 @ 12am Symptoms - ? Headache, nausea, fatigue, runny nose, no fever, cough, rash on left eye, itching Last day of work and shift - ? Friday 12/18/2020 Home remedies? - Claritin 5 mg 12/20/2020 @ 8:30pm, Warm steamy shower this morning 12/21/2020 Any improvement? - Patient noted symptoms are better and gone except for on & off headache. Recommendation? To continue to monitor symptoms & take ibuprofen or Tylenol when headache comes back. Call back if experienced any other symptoms. She's not back to work til 12/23/2020. advice to call work if she's unable to work and notify employee health for missed work. If 4 or more days, to send doctor's note for back to work clearance. Employee voiced understanding Employee of information ? yes Employee voiced any concerns ? no Employee's questions answered to employee's satisfaction - yes

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
904830	12/21/2020	PR	43	F	12/17/2020	12/18/2020	Patient refers that on December 18,2020 developed headache (left side) and pulsatile pain in left eye, also generalized body ache associated with hot flashes . She took Iboprufen , Relafen and Acetaminophen with improvement for about one hour and pain later returned. If condition worsen she was advised to go to the nearest Emergency Room.
906446	12/21/2020		48	F	12/16/2020	12/17/2020	Patient reports headache 7/10 not relieved by motrin. Onset of the headache was upon awakening at 0500 on 12/17. She denies visual changes, nausea, and vomiting. She also reports that her back is sore. She has a history of migraine headaches and has not taken her migraine medication for this headache. She says she gets headaches "all the time" and this headache is different for her in that she didn't experience the visual aura she usually gets with her migraines.
906038	12/21/2020	AK	76	F	12/21/2020	12/21/2020	Pt noted tightness/swelling around eyes along with itching/burning sensation at same. Then developed itchy erythematous rash starting right shoulder (near where injection was done) and spreading to back. Benadryl 50mg IM given. Was sent to ER for continued monitoring; she did well without further treatment (other than 500mL of saline IV) and was released in good condition. She did not have lightheadedness, lip/tongue/throat swelling, SOB, GI symptoms, or hypotension.
906036	12/21/2020	AR	45	M	12/16/2020	12/18/2020	Woke up 2 days later with pain and swelling under my eyes and in my chin. These are places that I have had dermal filler. I started steroids immediately, swelling went down after 2 days.
904714	12/21/2020	TX	41	M	12/16/2020	12/17/2020	Employee woke up the next day with conjunctive hemorrhage of the left eye

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
906000	12/21/2020	OK	32	F	12/18/2020	12/19/2020	pt was given the vaccination for COVID on friday the 18th ( 2 days ago) had moderate aches and diarrhea yesterday and began to have rash on Saturday . Pt is a nurse where there has been a large number of children with gastroenteritis. Pt with h/o immune reaction (? Stills disease ) where she breaks out in a urticarial rash ,previously only with illnesses in the past Now pt has a rash. However Pt states this rash feels different to her normal one and she has never had a reaction like this to vaccine before. The rash began similarly to how it usually starts on upper ext and then spreads to trunk now she has swelling around eyes and rash is getting worse. benadryl ineffective pt also has swelling around her eyes and overall with irritation which she has not experienced before. pt was sent to the Emergency department for full evaluation concern for sjs type reaction with
905712	12/21/2020	AK	43	M	12/16/2020	12/16/2020	swollen eyelids; cotton mouth; This is a spontaneous report from a contactable Nurse. A 43-year-old male patient received first dose of BNT162B2 (lot number EK5730), intramuscular on 16Dec2020 09:30 at a single dose in left arm for immunization. Medical history included smoker, overweight and known allergies with PCN. The patient's concomitant medications were not reported. The patient experienced swollen eyelids and cotton mouth on 16Dec2020 with outcome of recovered on an unknown date in Dec2020. The patient was given Benadryl and was under observation. The event was assessed as no-serious and did not caused hospitalization.
904709	12/21/2020	PR	61	F	12/17/2020	12/18/2020	Left eye puffiness, left eye paresthesia Tx benadryl, solumedrol, head ct scan
905569	12/21/2020	OH	56	F	12/17/2020	12/17/2020	Patient states that evening of vaccination she started to have pain and swelling radiating from injection site to shoulder, up neck to under eye area and then across left clavicle. Patient states that jaw was sore. Following morning, the patient experienced joint and muscle pain and a headache (similar to when she had COVID in Oct 2020). Patient also had a cold sore occur 24 to 48 hours post vaccine. Patient called pharmacy on 12/21/20 to report ADR and pharmacist recommended contacting PCP as well.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
905572	12/21/2020	IL	45	M	12/20/2020	12/21/2020	Several running nose that wont stop, Headache, and red watery eyes .
905577	12/21/2020	NY	58	F	12/16/2020	12/17/2020	12/16 - 11AM VACCINE RECEIVED 12/17- 6AM HANDS SWELLING SEEN 12/18 - 6AM EYELIDS AND CHEEKS SWELLING SEEN
905637	12/21/2020	CA	57	F	12/20/2020	12/20/2020	Patient became dizzy, vital signs -10:32 am 162/101, P-96, sat 98% on room air, hot clammy, blurry vision, heart palpitations, repeat vitals 1036- 171/102 P-85 sat 98% on room air, transferred to Emergency Room 10:43 am
905649	12/21/2020	NH	37	F	12/16/2020	12/16/2020	The evening of 12/16 my headache begin at the next day fever of 103 stayed for 7 hrs took administered Tylenol exp chills, body aches, and rash on face around the eye spread to right side of nose, side went to hand area lasted from 12/17 to 12/21.The headache started effecting my neck contacted my PCP on 12/19. I went to ER on 12/19 ran tests CT scan check for clots negative, lumbar puncture and chest X-ray was fine and dint exp respiratory problems. I missed 3 days of from work 12/9 to 12/21.
905652	12/21/2020	PA	45	M	12/18/2020	12/18/2020	Patient had swelling of tongue 45-60 minutes after vaccination. Received PO benadryl. Had eyelid and facial swelling requiring IV Solu-medrol. Monitored for short period of time in emergency department and released. No further symptoms.
905482	12/21/2020	PA	32	M	12/20/2020	12/21/2020	Fatigue, mild fever, joint ache, muscle ache, headache, eye pain (had underwent LASIK recently, date of vaccination was LASIK POD#18, but that eye pain had entirely resolved at least a week ago, now recurring), mild chills. (Instructed by employer to include this in Item 18: Pfizer-BioNTech COVID-19 Vaccine EUA)
905680	12/21/2020	PR	61	F	12/17/2020	12/18/2020	Next day between 3 -6 AM - swelling of left eyelid followed by swelling and paresthesias of lips, followed by severe paresthesias of the left side of the face mostly lower half associated with a heavy sensation. Emergency treatment with 150 mg solumedrol and 50 mg benadryl. Symptoms persisted on and off for 3 days requiring benadryl 50 mg and claritin round the clock. On the second day post-vaccine headache, mouth blister (1), and diarrhea. Today (4 days post) very tired and fatigued.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
905467	12/21/2020	TX	41	F	12/21/2020	12/21/2020	Approximately 10 to 15 minutes after vaccination, patient reported feeling dizzy with slight headache. Also reported tingling starting on the left fingers and hand that progressed to tingling (not numbness) up both arms and both sides of the upper body. Body felt "weird". Headache progressed to a "pounding headache" with pain in the eyes because the headache is "so bad". Patient reports feeling tired and "drained". Patient being frequently monitored by nursing staff.
905777	12/21/2020	IL	39	F	12/20/2020	12/20/2020	On 12/20/2020 I received the Pfizer covid vaccine at 3pm and 10 minutes after vaccine, felt tingling and a heavy sensation on my right eye. Was seen in ER at same facility. Per MD, no facial asymmetry noted and was sent home. On 12/21/2020, I woke up with mild right facial numbness and sensation of heaviness and very subtle right labial dropping. When closing my eyes tight felt the muscles of my right eye were mildly weaker but I was able to close my eye. I presented to the ER. Blood work normal and per MD, did not feel the need for steroids and told to monitor at home. Since then, the sensation on my right cheek is slightly better, my eye still bothering me slightly and the numbness still present but a bit less.
905800	12/21/2020	TX	36	F	12/16/2020	12/18/2020	Swelling and redness in my left eye. Severe pressure on the left side of head.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
905805	12/21/2020	KS	33	F	12/21/2020	12/21/2020	<p>Date: 12/21/2020</p> <p>Subjective Patient is a 33 y.o. female who was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She denied any history of previous adverse reactions to vaccines. She was given the Pfizer vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience feelings of hypoglycemia. She checked her blood glucose with her own monitor and had 77 at 1104. She chewed 1 glucose tab that she had in her purse. She noted some difficulty with swallowing it and notified clinic staff. Associated dizziness and was escorted by clinic staff to the emergency bay. This provider was notified of patient reaction and she was then assessed in the emergency bay area. She denied difficulty breathing and chest pain, history of adverse reactions with prior vaccinations or allergies to medications with the exception of spironolactone. Patient had already been given a bottle of water by clinic staff and reported that the glucose tablet went down easier following the water. She took a second glucose tab sometime before 1113. She rechecked her sugar and had slight increase of 79. She did eat breakfast this morning about 0800 and had a protein bar right before her arrival today. Monitored patient for severe reaction symptoms, including rapid progression of symptoms, respiratory distress with dyspnea and increased work of breathing, vomiting, abdominal pain, hypotension and chest pain. Review of Systems HENT: Positive for trouble swallowing. Negative for facial swelling, hearing loss, rhinorrhea and voice change. Eyes: Negative for redness. Respiratory: Negative for cough, chest tightness and shortness of breath. Cardiovascular: Negative for chest pain. Skin: Negative for color change, pallor and rash. Neurological: Positive for dizziness. Negative for syncope and speech difficulty. Psychiatric/Behavioral: Negative for agitation and confusion. The patient is not nervous/anxious. Objective Vitals There were no vitals filed for this visit. Physical Exam Constitutional: General: She is not in acute distress. HENT: Head: Normocephalic and atraumatic. Nose: No rhinorrhea. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Pulmonary: Effort: Pulmonary effort is normal. No</p>

VAERS_ID	RECVD	STATE	AGE_YRS	SEX	VAX_DATE	ONSET_DATE	SYMPTOM_TEXT
----------	-------	-------	---------	-----	----------	------------	--------------

respiratory distress. Skin: General: Skin is warm and dry. Coloration: Skin is not pale. Findings: No rash. Neurological: Motor: No weakness. Psychiatric: Mood and Affect: Mood normal. Behavior: Behavior normal. Assessment/Plan Patient is a 33-year-old female who has a 15-year history of type 2 diabetes, and experienced a hypoglycemic event without complaint of chest pain or shortness of breath. Vital signs obtained at 1105 with blood pressure within normal limits at 132/88, heart rate 83 and 98% O2 saturation on room air. Patient continued to compensate appropriately and reported feeling slightly better. Glucose checks repeated by patient at 1117 was 84, vital signs were blood pressure 116/80, heart rate 89, O2 saturation of 98% on room air. She continues to deny chest pain, shortness of breath or difficulty swallowing at this time. At 1117 a 10 mg cetirizine was administered by mouth. Patient was able to swallow this with a small sip of water without any difficulty. 1121, patient continues to deny chest pain or shortness of breath. She continues to be compensating appropriately and sitting at the edge of the bed. She states that she is feeling better. Vital signs obtained at 1123 with blood glucose per the patient's own meter, continuing to elevate at 103, blood pressure within normal limits at 116/91, heart rate at 85 and 100% O2 saturation on room air. At 1126, the patient continues to feel better. She is provided a granola bar to eat. She does note feeling sleepy though attributes this to this being the first day she has had off after working 4 days last week. She notes that she has been sleepy even prior to her arrival at the vaccine clinic today. She is able to eat the granola bar and continues conversing appropriately without difficulty. She continues taking small sips of water without issues. Continues to deny chest pain or shortness of breath. Blood sugar is rechecked at 1138 and continues to elevate to 116. She reports that her meter says her sugar is "stable." Final set of vital signs obtained at 1138 revealed blood glucose within normal limits at 116, blood pressure of 119/84, heart rate 83 and 100% O2 sats on room air. Patient denied complaints of chest pain, shortness of air, nausea, dizziness or blurred vision at this time. She felt much improved and we discussed her leaving the clinic and heading home to have lunch. She had no further complaints. She was able to rise to standing on her own

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
							without any further issues and ambulated out of the clinic without difficulty. She was advised with strict return precautions should she develop chest pain or shortness of breath to present to the ED or call 911. She expressed understanding of this. LPN, RN, PharmD present through this encounter and assisted as asked of the, by this provider. Follow up response to treatment:excellent. Patient discharge: Stable to go home and follow up with PCP. Orders Placed This Encounter Procedures ? COVID-19 MRNA LNP-S PF PA-C Electronically Signed 12/21/2020 11:17 AM
905921	12/21/2020	CA	58	F	12/19/2020	12/20/2020	Vaccine #1 12/19/2020. No immediate reaction. 12/20/2020 started to get burning around Left eye. 12/21/2020 started to get swelling and puffiness around both eyes, also started with cough and back pain. Feels like symptoms improving. Taking Benadryl.
905934	12/21/2020	TX	36	F	12/16/2020	12/16/2020	Experienced a vasovagal response about 30 minutes after receiving the vaccine. I felt it coming on and knew I needed to elevate my legs above my heart but could not at the time, so I sat down and put my head down. I had intense cold sweats and loss of vision for about 2 minutes until my blood flow returned to my head. I was then able to get to a recliner to elevate my legs with assistance. The entire episode lasted approximately 30 minutes. I was able to stand and walk after this time without dizziness. I contacted my doctor today 12/21/20 and he advised I report this episode.
905973	12/21/2020	CA	34	F	12/21/2020	12/21/2020	Shoulder joint pain. Both sides but more on my right side. Had same pain sensation my back, right side. A few seconds. Right elbow pain sensation. Left calf pain sensation. few seconds. Wave of dizziness and feeling weakness. Experienced it 3x. Had a sensation of little itchiness similar to my radish allergic reaction. Drop and spike of blood pressure Some swelling of eyelids. Lasted for 30 min. Pain in between left knuckles Left shoulder back pain lasts few seconds Left upper shoulder warm sensation a 2-3 minutes, Consistent warm slight burning pulsing pain sensation Right forearm warm burning sensation no pain. Pain in right hip, lasted few seconds. Sudden fatigue feeling suddenly extremely drained

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
905999	12/21/2020	NC	49	F	12/20/2020	12/20/2020	Employed as a nurse at this hospital. Around 8 PM she received her COVID-19 vaccine. She waited the 15 minutes she was required to wait and then walked to her car. She reports that as she walked to her car she had a pain in her left shoulder which was short-lived but followed by numbness and tingling of her left arm and the left side of her face going up the back of her head. Symptoms started around 8:20pm. She reported back to the clinic to report the symptoms--she lives along and wanted to be assessed before going home. In the clinic, she was assessed by myself. Employee noted that she had not eaten. She ate in the clinic and had something to drink. While in the clinic over the next 10-15 minutes, she noted that she had some numbness and tingling in her feet and calves bilaterally. No leg pain or swelling. Around 9pm, the clinic was closing and she could no longer be monitored under observation. She opted to go to the ER for observation. Per ER note-- She denies any headache. She denies any left-sided weakness. Patient is right-handed. She also reports some mild chest heaviness that lasted for about 20 minutes and then resolved. No shortness of breath. No dizziness, syncope or presyncope. No nausea or vomiting. No rash. No visual or speech changes. No ataxia. Patient continues to have the left-sided numbness and tingling but states that it is less intense than it was. She denies any other complaints. Follow up this AM-- Pt is only fatigued and has some muscle soreness where she had the vaccination. All of her symptoms have resolved and she is not having any further sx's of chest tightness or numbness

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
905675	12/21/2020	LA	39	F	12/21/2020	12/21/2020	18 minutes post vaccine dose 1, Pfizer COVID vaccine, development of globus sensation without airway compromise or stridor. Frequent throat clearing and swallowing. Followed by diaphoresis, loss of vision, extreme neuropathic tingling over entire head non painful. Bradycardic event to heart rate 35 recorded by Apple watch. Loss of consciousness with pupil dilation. Weak pulses but no loss of pulse. Heart rate recovered quickly. Blood pressure after initiation of iv fluids was normal in upright position once loss of consciousness subsided. Continued globus sensation. 30 minutes after initial event, again developed clammy hands, head tingling and worsening globus sensation but again no stridor or airway compromise. Given PO Benadryl 25 mg which did resolve globus sensation in next 30 minutes. Monitored for one hour post event with no subsequent symptoms other than fatigue.
905027	12/21/2020	IL	39	F	12/20/2020	12/20/2020	1505 right eye heaviness, BP: 114/61, O2 saturation: 100%, HR:74, pt sent to ED
905431	12/21/2020	NY	52	F	12/21/2020	12/21/2020	Patient described feeling numbness under the right eye. The numbness radiated down the right side of the face. Patient reported that the numbness subsided after 2 minutes
905423	12/21/2020	IN	34	F	12/17/2020	12/20/2020	On 12/20 at 9am started having left sided facial numbness, tingling, flushing. Near syncope episode (tachycardia, diaphoretic, blurred vision) around 1130am. Took Benadryl seemed to help. On 12/21- around 7a near syncope episode, tachycardia, diaphoretic, facial flushing, itching. Took Benadryl-improvement in facial itching, decreased heart rate.
905346	12/21/2020	HI	53	F	12/17/2020	12/17/2020	Dizzy, headache, blurry vision, fatigue
905343	12/21/2020		51	F	12/17/2020	12/17/2020	The patient pre-medicated with oral diphenhydramine because she had an allergic reaction to another vaccine in the past. The patient developed some upper body redness and slight eyelid swelling, and she continued to treat with oral diphenhydramine until symptoms resolved.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
905307	12/21/2020	OK	50	F	12/18/2020	12/19/2020	Approximately 12 hours after receiving my Covid vaccination, I experienced onset of severe pharyngitis and BL earache along with severe swelling of the glands in my neck and jaw. I developed a severe headache, photophobia and BL eye pain. I developed lesions and ulcerations on the skin surrounding my mouth. My lips cracked and developed blisters and ulcerations. I developed intra-oral and buccal lesions and ulcerations. I developed nausea and severe diarrhea. Severe myalgia, skin sensitivity and fatigue. Later in the day on 12/19/2020, I developed changes in my sense of taste and smell. Everything had a metallic or "coppery" taste, and my sense of smell was diminished. The next day, 12/20/2020, the disturbances in taste and smell worsened. The symptoms were severe on Saturday 12/19/2020 and Sunday 12/20/2020, and have begun to improve today--Monday 12/21/2020. No further skin or oral lesions, blisters or ulcerations, and the existing lesions are now healing. Continued diarrhea and GI upset. Other symptoms are improving.
905188	12/21/2020		64	M	12/21/2020	12/21/2020	Patient reported twitching to right eye and a warm sensation 5 mins after injection. Resolved by 10:41am.
905132	12/21/2020	NC	59	M	12/17/2020	12/18/2020	12/17/2020 VERY ORGANIZED. AFTERNOON/EVENING SORE ARM. 12/18/2020 WORKING IN ER WEARING M95 MASK AND MASK OVER PER EMPLOYER, TO WEAR WHOLE SHIFT. 9:30 NOTICED A 'FLOATER' IN RIGHT EYE, SHAPE OF A CLOUD., 10-12 WAS QUITE LARGE. 11AM NOTICED BLIND AREA IN EYE, DECIDED TO NOTIFY OPTOMETRY. EXAMINED BY DR. HEMORRAGE IN RIGHT EYE, COTTON WOOL SPOTS IN BOTH EYES. F/UP IN 1 MONTH WITH OPTOMETRY. FLU SHOT 10/2020



<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
904871	12/21/2020		37	F	12/18/2020	12/19/2020	Employee calling to report a reaction after receiving a COVID-19 vaccine. Vaccine Name - Pfizer Vaccine Lot # - EJ 1685 Vaccine Date and time - ? 12/18/2020 @ 9:40am Is this your first or second dose? First Date and time of symptom onset - ? 12/19/2020 @ 12am Symptoms - ? Headache, nausea, fatigue, runny nose, no fever, cough, rash on left eye, itching Last day of work and shift - ? Friday 12/18/2020 Home remedies? - Claritin 5 mg 12/20/2020 @ 8:30pm, Warm steamy shower this morning 12/21/2020 Any improvement? - Patient noted symptoms are better and gone except for on & off headache. Recommendation? To continue to monitor symptoms & take ibuprofen or Tylenol when headache comes back. Call back if experienced any other symptoms. She's not back to work til 12/23/2020. advice to call work if she's unable to work and notify employee health for missed work. If 4 or more days, to send doctor's note for back to work clearance. Employee voiced understanding Employee of information ? yes Employee voiced any concerns ? no Employee's questions answered to employee's satisfaction - yes
904875	12/21/2020	IL	27	F	12/19/2020	12/19/2020	Complained of nausea, and feeling light headed. Turned very pale then got extremely flushed after. Complained of feeling warm and hot. Vision turned a little blotchy. Stayed for longer observation. Felt better when left vaccine clinic.
905540	12/21/2020	TX	26	F	12/18/2020	12/19/2020	Started having bad headache the day after shot. Also very bad fatigue. Now on 12/21/20 I've had a very severe migraine with visual aura.
904881	12/21/2020	SC	44	F	12/16/2020	12/16/2020	Staff member stated that she had an allergic reaction "after the vaccine"...unsure of time frame and was still at work. She has a rash, hives and swelling around eyes....no immediate anaphylaxis. She verbally described her incident. Was treating with Benadryl (even though there was a stated allergy from 2013), then followed up with her family doctor, for steroid therapy on 12/18. She has not communicated with me further or have any absences from work at this time.
905017	12/21/2020	TX	34	F	12/18/2020	12/18/2020	Employee began experiencing tingling in roof of her mouth, watery eyes and itchy throat. She was taken to ED for further evaluation and treatment.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
904588	12/20/2020	IL	35	F	12/18/2020	12/18/2020	Within minutes of receiving vaccination i had blurred vision, rapid heart rate, extreme nausea, rapid heart rate, shivering but a warm sensation that started in my abdomen that went into my chest. I became blotchy on left arm where injection was per nurse and my eye started to roll back in head per nurse. I was rushed down to Er where i was given water zofran and Benadryl and steroids. BLOOD pressure was high and pulse was elevated. Was sent home a few hours later w Epi pen and steroids to take over the course of four days. After coming home i developed at headache and fever and severe leg pain and fatigue that last until Saturday the 19th around the evening. I?m feeling better today Sunday the 20th. My main concern at this point is the arrhythmia and sometimes having shortness of breath.
904570	12/20/2020	CA	42	F	12/19/2020	12/19/2020	12/19: After injection: Minor pain at injection site (L deltoid) After 30 minutes: Mild headache and single episode of feeling lightheaded (lasting few minutes): drank juice and water After 1 hour: Additional mild lower back/R buttock pain After 4.5 hours: Moderate L deltoid pain and stiffness, moderate headache, moderate eye pressure/pain, mild body ache, fatigue, moderate dull lower back pain, severe sharp and dull R buttock/leg radiating pain: limping After 6 hours (and returning home): Symptoms continue to progress, and noted moderate swelling around eyes 12/20: Moderate swollen lump and stiffness to L deltoid, moderate headache, mild/moderate body ache, moderate fatigue, mild swelling around eyes, moderate eye pressure/pain
904439	12/20/2020	OK	56	F	12/18/2020	12/18/2020	Headache, injection site pain, blurry eyes, hoarseness, sore throat

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
904403	12/20/2020	MO	44	F	12/20/2020	12/20/2020	8:33am EE states she feels flushed and heart racing. BP 141/83 P-96 PO 100% Refused Benadryl. Denies SOB, chest or throat tightness, no itchiness. RN notified. 8:40am C/O warmth, no itchiness, no SOB, no tightness in chest or throat. BP 137/81 P-77 PO 100%. 8:50am 138/83 P-65 PO 98% abdomen with some light rash. 8:55am Benadryl 25mg given per RN 9:05am BP 129/87 P68 PO 100% c/o left eye feeling warm, no redness. 9:30am BP 127/84 P69 PO 100% denies heart racing, feels fine, Instructed to take Benadryl again if has reoccurrence and to call the Covid vaccine line or 911 if any resp distress. EE states she understands. RN
904412	12/20/2020	MO	57	F	12/20/2020	12/20/2020	9:50 am patient states she does not feel right, feels funny, leaning over in chair, denies SOB no CP c/o of heart racing, NKA RN and RN summoned to help. Patient laid down on floor. BP 192/103 P-112 PO 100%. Eyes noted to be pink, denies itchiness. RN called 911, advised not to give Benadryl. 9:55am BP 178/99 P-119 PO 100% patient continue to feel heart racing but no SOB, chest or throat tightness. 10am BP 177/100 P-114 PO 100% continues to be A&O x3 no resp. distress 10:03 EMS arrived and took her to the ER. Patient states her 15 min observation time was up at 10:05am. RN
904322	12/19/2020	MD	42	F	12/19/2020	12/19/2020	10 minutes after injection in my left arm The right side of my face felt numb and was tingling. It felt like my right eye was swollen ( which it didn't appear to be) also the numbness extended to my jaw Lasted about 15 minutes then slowly went away

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
904003	12/19/2020	TX	37	F	12/18/2020	12/18/2020	The employee received 1st Covid Vaccine today at 1804 1834: Patient complained of a "severe headache and suddenly not feeling well". She told staff she hadn't eaten recently and was given crackers and 120ml of orange juice. 1845: Patient was assisted from the chair to a wheel chair and moved her to a cot in the back of the conference center. Her vital signs were stable at T-96.9F-HR-87 RR-20 BP: 145/78. She was responsive to questions, but had trouble opening her eyes. She did complain of feeling very cold and blankets were placed on the patient. 1905: Vitals remain stable. Patient was only responsive with direction. She was flushed in the face for a short duration, 3-5 minutes. She denied shortness of breath or trouble breathing. Notified patient's husband she was going to be transferred by EMT to Hospital for further evaluation. 2300-Spoke to patient and husband. Patient was discharged home in stable
904082	12/19/2020	IL	36	F	12/18/2020	12/18/2020	was in waiting area and about 10 min after vaccine said she got tachycardiac and checked her heart rate on the apple watch and it was 140. She felt tunnel vision also did not alert staff in waiting area as did not want to call attention to herself. Symptoms subsided after 1-2 minutes. said she would have passed out if she stood up at the time. Went back to work and told coworker. Vaccine clinic staff called her this am and she is fine- no further symptoms.
904098	12/19/2020	IL	58	M	12/19/2020	12/19/2020	Burning in eyes, excessive, bloodshot eyes
904131	12/19/2020	CA	47	F	12/18/2020	12/18/2020	At 1:10 pm, I felt warmth all over my body, face, my heart started racing up to 109 per minute. I felt dizzy soon after. The nurse observing checked my vital signs and found my blood pressure to be at 190/92. After 30 minutes, my face and ears felt really hot, my face was flushed, eyes were hot. My temperature was taken and it was 101.3. At around 6:30 pm, I developed mild headache and body aches. The next morning, my left arm was sore.
904143	12/19/2020	KS	23	F	12/18/2020	12/19/2020	Slightly swollen rash around the mouth and between the eyebrows with small pustules, accompanied by itching. Around 18 hours post-vaccine (received ~6:30 pm 12/18/2020, noticed symptoms ~12:00 pm 12/19/2020)

<u>VAERS_ID</u>	<u>RECVD</u>	<u>STATE</u>	<u>AGE_YRS</u>	<u>SEX</u>	<u>VAX_DATE</u>	<u>ONSET_DATE</u>	<u>SYMPTOM_TEXT</u>
904158	12/19/2020	OH	29	F	12/18/2020	12/19/2020	I started having chills before bed 12 hours after receiving vaccine. I woke up late morning (now 24 hours later) with a terrible migraine and continued to have chills. I went to the bathroom after I woke up and felt very nauseated and sick. I then started seeing black dots and felt very dizzy. Soon after my vision went completely black for what seemed to be about 5 min. I was shaking, having difficulty breathing and fell to the ground. My fiancé called 911 and an ambulance was on its way. The EMTs showed up and took my vitals. At this point I was able to see again and was sitting down. My blood sugar was normal along with my oxygen stats. My blood pressure was low while sitting and standing. I was starting to feel better and didn't end up going to the hospital. I continue to have chills, body aches and a headache but so far no more blackening out episodes. It was the scariest experience of my life!
904188	12/19/2020		27	F	12/18/2020	12/19/2020	reported eye vision changes, flashes of light, and a headache. Was treated in the emergency room.
904191	12/19/2020	OK	29	F	12/19/2020	12/19/2020	Lightheaded, heart racing in initial monitoring station, placed supine, transported to triage via wheelchair. Initial pulse ox 98%, HR 76 at 1250, denied SOB, tingling, no rash. Pulse ox 98%, HR 91 at 1256, no SOB, tingling improved. At 1300, c/o lightheaded, fuzzy vision, shaky, some chest tightness, some throat tightness, increased saliva. Diphenhydramine 50 mg IM administered 1304. Pulse ox 98%, HR 92 at 1318. Solid food intake 1322. Continued lightheaded, bilateral arm tingling, still shaky, but less cold at 1327. Self-reported weight 130. 1339, throat tightness not resolved, no difficulty swallowing or breathing, pulmonary auscultation no stridor., continued body tingling, c/o throat tightness, Pulse ox 99, HR 96. 1343, continuous monitoring to Pulse ox 90%, HR 110. Medical director updated 1347, decision to move to ER and transport initiated 1352.
904227	12/19/2020	PA	52	F	12/19/2020	12/19/2020	Within 30 minutes of vaccine patient's left pupil was dilated greater than right and reacted sluggishly to light with slight fuzzy vision. No other signs or symptoms. Pt to follow-up with Ophthalmologist next week.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
904260	12/19/2020	CO	40	F	12/17/2020	12/17/2020	12 minutes after injection, I felt flushed and dizzy. They hooked me up to a vital sign monitor which showed my heart increasing to 133 bpm, SaO2 98%. A manual blood pressure check was 168/110. My heart felt like it was pounding, I was hot and sweating. After 10 minutes or so, I felt increasingly dizzy and my vision started fading. VS still showed tachycardia and hypertension. It became difficult to swallow and my tongue was feeling fat. A Rapid Response Team was alerted, they started and IV, and took me to the Emergency Department. I became very cold and shaky. My hands and feet became a little mottled. They gave me 50 mg IV benedryl, 20 mg IV pepcid, a dose of solumedrol, and IM epinephrine 0.3mg, and 1 Liter of fluid. My symptoms resolved and I was discharged home a couple hours later.
904318	12/19/2020	CA	35	M	12/17/2020	12/18/2020	On 12/18/20, I woke up with a fever of 103.6, so I took Tylenol and applied wet wash cloths to my face and body to cool down. I initially was successful, and passed the temperature screening gates at work. But later that day at work I needed to take Tylenol every 8 hours because my fever returned, and I spent the whole day working while febrile. I am a respiratory therapist, so I knew that my fever was Covid vaccine related, and not because I was infectious. I also experienced base of the skull headache, bilateral eye orbital pain, and tachycardia on my pulse ox about 130 HR, probably due to fever. I also had joint pain, mostly of hip girdle.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
904263	12/19/2020	CA	52	F	12/18/2020	12/18/2020	Within 5-10 minutes after vaccine given, patient started feeling tingling of the hands and fingers. Shortly after, she felt the need to clear her throat because she felt like there was a furball in her throat. She drank some water, which didn't help. She then started feeling hot and became flush. She then felt her inner ear and tongue swelling. Shortly later, she felt chest pain and felt like she couldn't breathe. She was given IV Benadryl 50mg, IV dexamethasone 4mg, and IV Pepcid 20mg without symptom resolution. EpiPen was administered by vaccine clinic staff, and the patient felt a little better. Her shortness of breath continued and her chest felt heavy as she was transported to the ED. She also complained of blurred vision, which could have been due to EpiPen administration. In the ED, the patient still felt that her throat was tightening up. She was given IV Pepcid 20mg, IV Benadryl 25mg, IV SoluMedrol 125mg, racepinephrine & albuterol nebulizer. By 2150, she felt better. By 2257, she did not have any more tingling in hands or weakness and she stated she felt she was back to normal. Patient discharged home in stable condition at 2336.
903338	12/18/2020	VA	30	F	12/17/2020	12/17/2020	5-10 minutes after vaccination, vasovagal syncope: pallor, diaphoresis, dizziness, tunnel vision, nausea, weakness, tingling in arms/legs, BP 103/69
903724	12/18/2020	AR	49	F	12/18/2020	12/18/2020	aproximately 10 minutes after vaccine taken, I developed problems with my vision. I had double vision, and Kaleidoscopic vision with floaters in both eyes . Lasted about 30 minutes. Did not keep me from reading or walking. no pain.
903334	12/18/2020	PR	62	F	12/17/2020	12/17/2020	Immediately after administration felt a strange sensation on nostrils and mouth that dissipated after the initial 15 minutes. Then I started with mild itching in the next arm and neck. About 30 minutes after administration my eyelids became swollen. No shortness of breath or tachycardia. I received Benadryl and solumedrol at ER. Stay at the ED for about 2 hours and left home. After that I felt strange for a while and could not sleep at all. The next morning everything was fine except for mild left arm side of injection pain.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
903706	12/18/2020	SC	46	F	12/18/2020	12/18/2020	Pt with h/o of multiple environmental allergies plus latex. Received vaccine at 1115am and reported itching eyes and itching ears at 1129am. She was escorted via wheelchair to the ED for f/u treatment.
903702	12/18/2020	SC	26	F	12/17/2020	12/17/2020	I felt a little bit dizzy and tasted like saline in my mouth. I kept feeling dizzy, like I had a brain fog and felt lightheaded and nauseous, I started having tunnelling vision, my BP as high, I got confused and nauseous, had headache and was sent to ER to be observed. Had fever last night and still feel weird and still have headaches, treating it with tylenol. Took the day off from work since symptoms did not subside.
903534	12/18/2020	NM	30	F	12/16/2020	12/16/2020	PATIENT REPORTS BLURRED VISION LASTING 1 HOUR APPROX. 2 HOURS AFTER INJECTION. INJECTION SITE SORENESS ON 12/16/20 AND CONTINUES TO PERSIST; NO SIGNS OF CELLULITIS. GENERALIZED MALAISE STARTED 12/19/20 AT 1000.
903591	12/18/2020	WV	41	F	12/17/2020	12/17/2020	Patient reports 1 hour post vaccination symptoms: jittery, feeling lousy. 12/18/20 Am reported bodyaches, red/watery eyes, chills, and blurred vision. States she can see better in dark than in bright lights. Previously hx of COVID 19 illness November 2020. Took Tylenol and Allegra 12/18/20. Reports improvement in symptoms 12/18/20 12:40pm but continues to report mild blurred vision. Advised to seek immediate medical care if condition not improved or worsens.
903638	12/18/2020	MA	62	M	12/17/2020	12/18/2020	Patient is a very pleasant 62 year old gentleman with a history of HTN, hyperlipidemia who presented with left facial numbness and left UE numbness. He states that it is worse medially on his arm. Present in upper and lower face. He states it started around 730 am this morning. He also notes intermittent "foggy" sensation since Monday associated with some blurred vision that comes and goes. Denies focal weakness, unsteady gait, difficulty with speech and swallow. He denies f/c, cp, SOB, rash, pruritis, n/v/d, edema. He did receive the Pfizer COVID vaccine yesterday
903660	12/18/2020	OK	35	F	12/18/2020	12/18/2020	10 min. after vaccination, pt felt lightheaded, dizzy, and queasy. Intense fatigue & blurred vision 20 min later.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
903661	12/18/2020	NJ	51	F	12/17/2020	12/17/2020	Vaccine injection went fine it did not hurt at all, but I sat down for observation and within 2 minutes I felt mildly dizzy and then brief chest pressure and a wave of nausea. The chest pressure went away quickly but I was more flush then usual, about 15 min in my eyes felt watery and itchy. Went to ER to be observed, EKG came out fine. 118/72 HR 68 . Everything was fine. No meds prescribed, just observation, stayed about 90 min in observation by the time I left I was just mildly nauseated. By the time I arrived home, 2 hours later all symptoms were resolved.
903664	12/18/2020	NY	36	F	12/16/2020	12/16/2020	rash on face, chest, abdomen, warm and itchy skin blurred vision Itchy throat Took 50 Benadryl orally 2 hour post injection around 9p,.
903672	12/18/2020	AZ	67	M	12/18/2020	12/18/2020	Patient experienced some facial swelling while in the observation area. Patient didn't realize there was any swelling until he looked in the mirror. He also reported feeling a little flushed and light headed. No diaphoresis noted. EMS called to assist, asked him allergic to anything, he said no known allergies but suffers a lot from seasonal allergies. I offered, and he took one 25 mg PO Benadryl with water @ 11:32 a.m. EMS took @ 11:33 BP: 160/110, HR 70, R 16, Pulse Ox 97% he said this BP was high for him. Second reading @ 11:44 BP 144/104, HR 62, R 16 Pulse Ox 97% Third reading @ 11:48 BP 130/88, HR 64 R 16 Pulse Ox 97%, vitals back to more normal for him. Glucose 77 @ 11:42. We kept him for 30 minutes post vaccination, and he was said he was feeling fine, no additional symptoms, swelling above eyebrows decreased and no more flushing symptoms. EMS offered to take him to the hospital, he refused said he was a physician and was feeling better after given the Benadryl.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
903506	12/18/2020	MO	44	F	12/17/2020	12/17/2020	(1145) Left eyelid swelling 15 minutes after vaccination. (1155) b/l superior periorbital edema and erythema, b/l ear erythema and burning, and b/l hand tingling. (1200) Oral Benadryl 25 mg was given. (1230) symptoms improved and I was able to leave. While riding in the car on the way home started to have chills w/ goosebumps and nausea in short waves. Took an nap b/c my chills worsened and slept until 1630. Work up b/c of worsening chills, shivering, chest tightness, nausea, b/l hand numbness and tingling, right foot burning and stinging, and constant throat clearing b/c throat felt thick. Called the nurse on-call number provided in vaccine packet and was transferred to virtual care and report was given. Medical team advised me to go to the ED. (1900) Arrived at ED and temp was 101 and the chills, numbness, foot burning, and chest heaviness were worse and my eyes were burning and heavy. I was given oral Pepcid and an IV was started. After an IVP of Benadryl and Solu-Medrol I experienced severe burning starting in my head, neck, chest, and stomach. Then it felt like my veins were on fire all the way to my fingers and toes. This was followed by strong nausea w/o vomiting. I was then given IVP of Zofran and Ativan and NS drip. (1940-2020) Chills, burning around eyes, and vertigo continued other symptoms were improving. (2020) Provider returned and reported that labs were normal and I was probably having a reaction to the vaccine. (2035) Discharged from ED. Experienced chills, hand and foot numbness and tingling after discharge but was able to go to sleep.
903692	12/18/2020	NY	40	M	12/17/2020	12/17/2020	I received my vaccination in my left deltoid. 3 hours post-vaccination I developed swelling around my right eye. Vision was in fact. No other symptoms, I did not take anything to treat it. It is still present 1 day later, but seems to be improving on its own.
903499	12/18/2020	TN	42	F	12/17/2020	12/17/2020	Right eye fullness and blurry vision
903734	12/18/2020	IL	49	F	12/16/2020	12/17/2020	Itching on arms, face, back, eyes. Mild raised rash on upper back. Face flushed.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
903736	12/18/2020	SD	87	F	12/18/2020	12/18/2020	Pt was being observed in hospital for reactions per Dr orders due to Pt's history. Pt reported "itchy" feeling at 9:50am. At 10:20am Pt reported generalized "itching provider notified at 10:34. 11:05am Pt received Benadryl at this time Pt had itchy watery eyes and generalized itching. 11:50 Pt sleepy but "itching better" dr notified and Pt returned to Assisted Living.
903740	12/18/2020	MO	35	F	12/17/2020	12/17/2020	Swollen lips Nerve pain -sciatic Body ache Fever Headache Chest tightness Back pain Rib pain Cold then hot in waves Burning eyes Swollen lymph nodes in throat Joint pain Kidney pain Short of breath Fatigue Trouble sleeping Mental focus off
903793	12/18/2020	HI	63	F	12/16/2020	12/17/2020	Body Aches, Headache, Congestion, Fever, Right Eye Swollen
903853	12/18/2020	CO	35	F	12/17/2020	12/17/2020	Pfizer-BioNTech COVID-19 Vaccine EUA: Shortly after administration of Pfizer-BioNTech COVID-19 vaccine patient became dizzy with blurred vision. Vital signs stable. Patient declined emergency department evaluation and left vaccine administration clinic ambulating independently with vision unchanged.
903856	12/18/2020	NM	45	F	12/17/2020	12/18/2020	t 3am she woke up and noticed some facial tingling on the ride side that felt like "pins and needles" - she reports like "when you get a numbing shot at the dentist". She also had some right arm and right leg tingling. She reports the leg tingling as "normal" as she has a hx of sciatica. She she woke up for the day then this morning the tingling in her arm/leg had resolved. She had coffee and cinnamon roll then started to clean the hou also had inner eye lid with itchiness. She began to have mild chest tightness so she took her inhaler - Albuterol and she took Claritin.
903879	12/18/2020	UT	43	F	12/17/2020	12/17/2020	stomach ache, elevated heart rate, eye drainage. No treatment. Stomach pain is continuous.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
903906	12/18/2020	MO	29	F	12/17/2020	12/17/2020	Tingling in throat for the first 15-20 minutes, then it stopped. Had an EpiPen just in case. Painful arm after injection. Still having pain. Had headache after injection. after 4-5 hours headache started again. Hard to keep eyes open, having a lot of pressure in head, osteoarthritis has flared, back pain is worse, arm hurts even she's not moving, having joint pain in wrist, swollen lymph nodes, and feeling very tired. Having a lot of joint pain. Everything has been harder to do today. Still having throbbing headache with pressure. Did not take any medication yesterday. Took prescription medication today after about 16 hours after vaccination.
903939	12/18/2020	AK	41	F	12/18/2020	12/18/2020	Patient stated she waited the full 20 minutes downstairs without any reactions, however started feeling itchy and swollen shortly after, which prompted her to come up to the caregiver health office. An RN visually assessed patient and patient was not SOB and able to speak in full sentences. Patient states she felt as if she was "about to have a panic attack" because of a possible reaction. The RN prompted the patient to go down to the ED if she felt she was having a reaction to the covid vaccination. Patient checked into Medical Center Emergency Department
903690	12/18/2020	TX	54	F	12/18/2020	12/18/2020	About an hour after vaccine, felt itchy inside, watery eyes and congestion - treated with 25 mg Benadryl. No anaphylaxis
903476	12/18/2020	NJ	47	F	12/17/2020	12/17/2020	At 8pm I developed extreme itching throughout my entire body, inside my ears,throat eyes. No rash or hives no sob or swelling. Headache also noted. I took tylenol 1000 mg and at 9pm I took benadryl 50 mg. I woke up 12-18-2020 with less intense itchiness but it was still present, not my throat or inside my ears. I took allegra 180 mg. At 1100 I developed a headache and took tylenol 1000 mg.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
903469	12/18/2020	OK	46	F	12/17/2020	12/17/2020	Initial within 10 minutes, redness and burning pain at site. Ice was applied and this went away, then about 25 minutes, itchy throat, trouble swallowing, mild confusion. Oral benadryl 50mh and solumedrol IM. Once again this dissipated after 30 minutes. 3 hours later, trouble swallowing, felt as if something was in my throat, redness and flushing all over. fluid bolus, epinephrine I'm, iv benadryl, pepcid oral, and claritin oral, fluid bolus. 12 hours after getting the vaccine blurry vision, ringing ears, headache, benadryl, steroid, claritin all oral
903460	12/18/2020	AR	49	F	12/16/2020	12/16/2020	Eye redness, pain, swollen Face swelling Bilateral arms and hands swelling Rash SOB
903453	12/18/2020	NC	61	M	12/18/2020	12/18/2020	Pfizer-BioNTech COVID-19 Vaccine EUA. 5 minutes after vaccination patient felt warm, light headed, left arm pain, and blurred vision. Lasted about 3 minutes and gradually was gone by 5 minutes.
903412	12/18/2020	KS	60	F	12/17/2020	12/17/2020	About two hours after receiving vaccine pt experienced numbness, heaviness in face and progressing to entire head. Tingling in face, head, neck later. Feeling like paralysis "like if I went in and looked in mirror I would see facial drooping. Couldn't smile or raise eyebrows. There was a heaviness in my muscles. My cheeks felt full. " Symptoms subsided by 8pm (four hours after began). "Felt like being drugged, under the influence. Felt foggy, cognitively in a way.~~
903380	12/18/2020	TX	50	F	12/15/2020	12/18/2020	hives all over body. with swelling.. Red eyes.
903532	12/18/2020	TX	35	F	12/16/2020	12/17/2020	on 12/16 i was given the vaccine at noon and finished my day as usual, I had a beer before bed and fell asleep at 9pm, at about 1am on 12/17/2020 I woke up with severe chest pain like something was crushing me, like a car being crush it felt like. I went to the ER at 3am and I was told I had a severe reaction to the vaccine. I had a weird taste in my mouth, cough, watery eyes, pain in all limbs, jaw pain and neck pain. I am going to get tested today 12/18/2020 for covid
902894	12/17/2020	OH	24	F	12/16/2020	12/17/2020	Allergic reaction with facial swelling, eye tearing, "itchy" throat

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
903271	12/17/2020	NC	31	F	12/17/2020	12/17/2020	About 20 minutes after the injection, the arm i received the injection in became very cold, changed color like I was not perfusion to the limb. This was gone in about two hours. Woke up eye lid continually twitching.
903202	12/17/2020	NE	41	F	12/16/2020	12/16/2020	Severe dizzy spell about 5-10 following injection, helped to the floor, this lasted approximately 30-40 minutes after start of symptom. Hot flashes and visual disturbance lasting into following day.
903199	12/17/2020	LA	52	F	12/16/2020	12/16/2020	2 1/2 hours after the shot, I felt pressure building in my head, my eyes felt bulging, my throat felt tight, and I started having an asthma attack

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
903162	12/17/2020	KS	51	F	12/17/2020	12/17/2020	<p>Allergic reaction to vaccine +1 more Dx Referred by MD Reason for Visit Progress Notes PA-C (Physician Assistant) ? ? Physician Assistant Cosign Needed Patient was seen at COVID Vaccine Clinic today for her first dose of the COVID 19 vaccination. She denied any history of previous adverse reactions to vaccines. She was given the Pfizer-Biontech (lot: EH9899) vaccination in the left deltoid muscle. During her 15 minute waiting period after the injection, the patient began to experience oral tingling (upper lip and then into the lower lip) It then progressed to the tongue and she reported tingling to the tip of the tongue and further back to the middle of tongue. She thought there might be some mild swelling to the tip of the tongue. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling and lip swelling. This Staff member was notified of patient reaction and she was then assessed in the emergency bay area. PMH: Hx hypertension but did not take her medication today. Patient had recovered from the COVID-19 virus about 2 weeks ago. Vitals Time 1130 BP 170/90 HR 86 s/r RR 14 nl O2 97 % Physical Exam Constitutional: She is oriented to person, place, and time. She appears well-developed and well-nourished. No distress. HENT: Head: Normocephalic and atraumatic. Right Ear: Hearing and external ear normal. Left Ear: Hearing and external ear normal. Eyes: Conjunctivae are normal. Right eye exhibits no discharge. Left eye exhibits no discharge. No scleral icterus. Neck: Normal range of motion. Cardiovascular: Normal rate, regular rhythm and normal heart sounds. Pulmonary/Chest: Effort normal and breath sounds normal. No stridor. No respiratory distress. She has no wheezes. She has no rales. Musculoskeletal: Normal range of motion. Neurological: She is alert and oriented to person, place, and time. No sensory deficit. Gait normal. Skin: Skin is warm and dry. She is not diaphoretic. Psychiatric: She has a normal mood and affect. Her behavior is normal. Judgment and thought content normal. Cognition and memory are normal. Vitals reviewed. Treatment included antihistamines. Patient was given 50 mg of benadryl at 1138. Vitals Time 1147 BP 160/100 HR 90 S/R RR 14 nl O2 98% Response to care: Patient states the upper lip resolved but the lower lip and tongue sensations</p>

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
							remained but did not worsen. Patient was recommended to go to the hospital given her sudden response with concern of tongue swelling. Patient did agree to this. COVID staff was made aware that the patient would be leaving her SUV in the parking lot. Patient was transfer by Response team to the hospital at 11:53 AM.
903147	12/17/2020	PR	38	F	12/15/2020	12/15/2020	Pain at the injection site and the whole arm felt sore. Felt like a pressure behind my eyes, very tired, extreme fatigue.
903085	12/17/2020	MO	44	F	12/17/2020	12/17/2020	1145: Patient complained of minor left eye swelling. Vital signs 99%, 83, 141/80. 1155: Vitals rechecked 1155 100%, 79, 112/80. Patient has new complaints of itchy ears, facial "heat", and slight tingling in fingers. 1200: 25 mg of oral Benadryl given. 1211: per RN, patient states symptoms are resolving. 1230: Patient still feels slight eye discomfort, all other symptoms have resolved. Patient states she feels comfortable leaving vaccination clinic, her son will be taking her home.
903010	12/17/2020	WV		M	12/17/2020	12/17/2020	After receiving vaccine patient started complain of vision disturbance, confusion, nurses started he was slow to respond. Nurses also documented that he was acting the same way the day before due to UTI. No SOB . no signs of allergic reaction
902997	12/17/2020	KS	30	M	12/16/2020	12/17/2020	SWEATY, NAUSEA, DIZZY, EYES GLAZED OVER, NOT TRACKING RIGHT, STARTED MORNING AFTER SHOT
903009	12/17/2020	WV		F	12/17/2020	12/17/2020	Patient complained of vision disturbance confusion dizziness, chills, clammy, no trouble breathing. Nausea, Patient stated she did not have any breakfast. gave patient diphenhydramine 25 mg and EMS arrived to take her to the hospital.



<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
902790	12/16/2020	KY	31	F	12/16/2020	12/16/2020	11 minutes after first dose of Covid Pfizer vaccine, patient became unresponsive, pale, diaphoretic with possible seizure activity. Patient dropped all belongings, leaned to the left side, with eyes rolling back in her head. Episode lasted about a minute. Patient could not remember what had happened. Vitals were BP 110/60, HR 64, RR 22. Patient was advised to go to ED for further evaluation but she refused. Patient was given a snack and an RN stayed with her for about 20 more minutes to monitor.
902766	12/16/2020	MO	65	F	12/16/2020	12/16/2020	Vaccinator Nurse noted upon vaccination there was bleeding from site and immediate bruising. Extended post vaccination monitoring to 30 minutes and asked patient to not leave before being reevaluated. Visual monitoring in post vaccination space by this RN. Upon reassessment @ 1352 pt stated she felt the need to use her inhaler and chest tightness. Pt denies SOB and able to transfer independently to wheelchair. Pt began to cough and was immediately transferred to ED per FNP. Upon ED arrival, pt was transferred to back hall 9, report given to RN and assessed by physician. Vital signs 98% on RA, t- 98.2, HR 78.
902758	12/16/2020	AK	43	M	12/16/2020	12/16/2020	@ ~5 min felt cotton mouth. Got up to ask if he could go early. Then at 10 min post injection, felt eyes feeling weird and he felt "high". As in lightheaded. @ 10 min, skin surrounding the eyes are puffy. Given 25 mf benedryl. No immediate SOB or wheeze. No lip or mouth or throat swelling. Taken to ED. Given IM epi 1:1000 0.3ml. Pepcid and more benedryl PO.

<i>VAERS_ID</i>	<i>RECVD</i>	<i>STATE</i>	<i>AGE_YRS</i>	<i>SEX</i>	<i>VAX_DATE</i>	<i>ONSET_DATE</i>	<i>SYMPTOM_TEXT</i>
902669	12/16/2020	MO	35	F	12/14/2020	12/14/2020	Immediately after the vaccine, I got severely nauseated, got a yucky metal taste in my mouth and got super lightheaded and hadn't even gotten up. The agent helped walk me to a chair and I felt really loopy in the head. After the 15 minutes, I got up and immediately felt the whole room was spinning causing me to have to sit back down another 15 minutes. Closing my eyes made the dizziness much worse. I was given juice, my sugar was checked at was 115. After about 30 minutes I stood and felt a lot better. I went back to my assigned duties but was feeling super bad and my supervisor sent me home because they states I didn't look good. On the drive home I threw up and my PCP called in Zopran to help with the nausea.
902518	12/15/2020	IN	58	F	12/15/2020	12/15/2020	Tingling of upper lip and cheeks, warmth in face, and itchy eyes Treatment: diphenhydramine 50 mg PO x1 Outcome: symptom onset within 15 minutes of vaccine administration. Symptoms resolved within 20-30 minutes of diphenhydramine administration.